FIRST QUARTER 1992

METALLURGICAL LABORATORY HAZARDOUS WASTE MANAGEMENT FACILITY GROUNDWATER MONITORING REPORT (U)

KEY WORDS

AMB wells
gross alpha
tetrachloroethylene
total alpha-emitting radium
trichloroethylene

PUBLICATION DATE: JUNE 1992

Authorized Derivative Classifier:

M. Q. Ebra U 6/23/92

C. G. Thompson

WESTINGHOUSE SAVANNAH RIVER COMPANY
SAVANNAH RIVER SITE
AIKEN, SC 29808

DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED

FIRST QUARTER 1992

**METALLURGICAL LABORATORY
HAZARDOUS WASTE MANAGEMENT
FACILITY GROUNDWATER
MONITORING REPORT (U)**

KEY WORDS

AMB wells
gross alpha
tetrachloroethylene
total alpha-emitting radium
trichloroethylene

PUBLICATION DATE: JUNE 1992

Authorized Derivative Classifier:

WESTINGHOUSE SAVANNAH RIVER COMPANY
SAVANNAH RIVER SITE
AIKEN, SC 29808

Abstract

During first quarter 1992, 18 groundwater monitoring wells of the AMB series at the Metallurgical Laboratory Hazardous Waste Management Facility (Metlab HWMF) were visited for sampling. Groundwater samples were analyzed for certain heavy metals, indicator parameters, radionuclides, volatile organic compounds, and other constituents. This report describes the results that exceeded the U.S. Environmental Protection Agency Primary Drinking Water Standards (PDWS) and the Savannah River Site flagging criteria during the quarter.

Tetrachloroethylene exceeded the PDWS in wells AMB 4A, 5, and 7A; trichloroethylene exceeded the PDWS in wells AMB 4A, 4B, 4D, 5, and 7A; and total alpha-emitting radium (radium-224 and radium-226) exceeded the PDWS in well AMB 5. Total organic halogens exceeded the Flag 2 criterion in wells AMB 4A, 5, 6, 7A, 7B, and 10DD; manganese was elevated in wells AMB 4D and 10DD; iron was elevated in well AMB 10DD; and pH was elevated in well AMB 10A.

No constituents were elevated in upgradient water-table wells; however, downgradient water-table wells AMB 4D, 5, and 6 contained one or more elevated constituents. No elevated constituents were found in downgradient Congaree wells.

Contents

	Page
Abstract	iii
List of Figures	vii
List of Tables	vii
Executive Summary	1
Introduction	2
Discussion	3
Groundwater Monitoring Data	3
Groundwater Monitoring Results	4
Time Series Plots	4
Groundwater Gradient, Flow Direction, and Flow Rates	5
Results for Upgradient vs. Downgradient Wells	6
Quality Control Results	6
Conclusions	7
Errata	8
References Cited	9
Appendix A – Primary Drinking Water Standards	A-1
Appendix B – Flagging Criteria	B-1
Appendix C – Figures	C-1
Appendix D – Groundwater Monitoring Results Tables	D-1
Appendix E – Time Series Plots	E-1
Appendix F – Hydrographs	F-1
Appendix G – Water-Elevation Contour Maps	G-1

List of Figures

	Page
1. Location of the Metallurgical Laboratory HWMF at the Savannah River Site.	C-2
2. Location of the Metallurgical Laboratory HWMF in A and M Areas.	C-3
3. Water-Elevation Contour Map of the Water Table at the Metallurgical Laboratory HWMF and Locations of the Water-Table Wells.	C-4
4. Potentiometric Surface Map of the Upper Section of the Congaree Aquifer at the Metallurgical Laboratory HWMF and Locations of Wells that Monitor the Upper Section of the Congaree	C-5
5. Potentiometric Surface Map of the Lower Section of the Congaree Aquifer at the Metallurgical Laboratory HWMF and Locations of Wells that Monitor the Lower Section of the Congaree	C-6

List of Tables

	Page
1. Constituents Exceeding the Primary Drinking Water Standards	D-3
2. Constituents Exceeding Half the Primary Drinking Water Standards or Other Flag 1 or Flag 2 Criteria	D-4
3. Groundwater Monitoring Results for Individual Wells	D-5

Executive Summary

The monitoring wells at the Metallurgical Laboratory Hazardous Waste Management Facility (Metlab HWMF) are sampled quarterly as part of the Savannah River Site (SRS) Groundwater Monitoring Program to comply with South Carolina Hazardous Waste Management Regulations.

During first quarter 1992, 18 wells were monitored at the facility. Nine wells monitor the water-table unit (wells AMB 4D, 5, 6, 7, 8D, 9D, 10D, 11D, and 12D); eight wells (AMB 4A, 4B, 7A, 7B, 10A, 10B, 11B, and 13AR) monitor the upper and lower sections of the Congaree aquifer; and well AMB 10DD monitors a perched groundwater zone beneath the facility. Samples from these wells were analyzed for alkalinity, herbicides, major ions, pesticides, pH, radionuclides, specific conductance, total dissolved solids, total organic carbon, total organic halogens, toxic metals, volatile organic compounds, and other constituents. This report describes the results that exceeded the U.S. Environmental Protection Agency Primary Drinking Water Standards (PDWS) and the SRS flagging criteria.

Tetrachloroethylene exceeded the PDWS in wells AMB 4A, 5, and 7A; trichloroethylene exceeded the PDWS in wells AMB 4A, 4B, 4D, 5, and 7A; and total alpha-emitting radium (radium-224 and radium-226) exceeded the PDWS in well AMB 5. Total organic halogens exceeded the Flag 2 criterion in wells AMB 4A, 5, 6, 7A, 7B, and 10DD; manganese was elevated in wells AMB 4D and 10DD; iron was elevated in well AMB 10DD; and pH was elevated in well AMB 10A.

Elevated constituents were not found in upgradient water-table wells AMB 11D and 12D or in downgradient water-table wells AMB 7, 8D, 9D, and 10D. However, downgradient water-table well AMB 4D contained elevated levels of manganese and trichloroethylene; downgradient water-table well AMB 5 contained elevated levels of tetrachloroethylene, total organic halogens, total alpha-emitting radium, and trichloroethylene; and downgradient water-table well AMB 6 contained elevated levels of total organic halogens. Neither of the downgradient Congaree wells, AMB 11B and 13AR, contained elevated constituents.

The flow rate estimate for groundwater in the water-table unit beneath the Metlab HWMF is 0.4 ft/day or 150 ft/year, for groundwater in the upper section of the Congaree is 0.01 ft/day or 3.7 ft/year, and for groundwater in the lower section of the Congaree is 0.01 ft/day or 3.7 ft/year.

Introduction

The Metallurgical Laboratory Hazardous Waste Management Facility (Metlab HWMF) is located in the eastern portion of A Area at the Savannah River Site (SRS). The facility consists of the Metallurgical Laboratory Basin, the process sewer line leading to the basin, the nearby Carolina bay, and the drainage outfall to the Carolina bay. The basin received waste water effluent from the Metallurgical Laboratory Building from 1956 until 1985. Waste water released to the basin consisted of laboratory wastes from metallographic sample preparation and corrosion testing of stainless steel and nickel-based alloys. The quantity of waste water discharged to the basin was small, averaging approximately 1,000 gallons/day (Heffner and Exploration Resources, 1991).

The Metlab HWMF was named in Section III of the Natural Resources Defense Council et al. Consent Decree (May 26, 1988) and is subject to the requirements of Subtitle C of the Resource Conservation and Recovery Act (RCRA). Under this ruling, a report describing the results of the quarterly assessment monitoring at the Metlab HWMF is required to meet South Carolina Hazardous Waste Management Regulations (R.61-79.265, Subpart F, Groundwater Monitoring).

Eighteen wells monitor the water-table unit (wells AMB 4D, 5, 6, 7, 8D, 9D, 10D, 11D, and 12D), the upper portion of the Congaree aquifer (wells AMB 4B, 7B, 10B, and 11B), the lower portion of the Congaree aquifer (wells AMB 4A, 7A, 10A, and 13AR), and a perched groundwater zone (well AMB 10DD) beneath the Metlab HWMF. These wells are sampled quarterly, and the results are reported to the South Carolina Department of Health and Environmental Control (SCDHEC). The wells that monitor the upper and lower sections of the Congaree aquifer were proposed in association with the RCRA Part B Post-Closure Care Permit Application and the Groundwater Quality Assessment Plan (Jerome, 1990) for the facility and were installed and monitored for the first time during third quarter 1991.

Discussion

Groundwater Monitoring Data

Eighteen wells were visited for sampling at the Metlab HWMF during first quarter 1992. The samples were analyzed for alkalinity, herbicides, major ions, pesticides, pH, radio-nuclides, specific conductance, total dissolved solids, total organic carbon, total organic halogens, toxic metals, volatile organic compounds, and other constituents. The laboratory that conducted the analyses was certified by SCDHEC to analyze for these specific parameters. This report describes monitoring results that exceeded the U.S. Environmental Protection Agency Primary Drinking Water Standards (PDWS) (Appendix A) and the SRS flagging criteria (Appendix B).

The Environmental Monitoring Section of the Environmental Protection Department (EPD/EMS) at SRS recently revised the flagging criteria for identifying constituent concentrations in groundwater. In general, the criteria are as follows:

- Flag 2 criteria are based on the PDWS; if the constituents do not have a PDWS, Flag 2 criteria are based on the Secondary Drinking Water Standard (SDWS) or 10 times the method detection limit (MDL) as described in Appendix B. Constituent levels that equal or exceed Flag 2 criteria are described as *elevated* in this report.
- Flag 1 criteria are based on half the PDWS; if the constituents do not have a PDWS, Flag 1 criteria are based on half the SDWS or 5 times the MDL as described in Appendix B. Flag 1 levels may reflect analytical error; however, this level may indicate the initial detection of a contaminant. Thus, constituents exceeding Flag 1 criteria are included in this report and are described as *slightly elevated*.
- Flag 0 criteria are based on constituent levels below Flag 1.

Illustrations of the monitored waste management unit at SRS (Figure 1), the location of the Metlab HWMF within A and M Areas (Figure 2), and the flow directions of the groundwater beneath the facility (Figures 3, 4, and 5) are in Appendix C. Monitoring results and analyses that exceeded holding times are presented in Appendix D; time series plots for pH, specific conductance, tetrachloroethylene, total organic carbon, total organic halogens, total alpha-emitting radium (radium-224 and radium-226), and trichloroethylene are presented in Appendix E; hydrographs for the wells are in Appendix F; and large-scale water-elevation and potentiometric maps of the water-table and upper and lower sections of the Congaree hydrostratigraphic units are in Appendix G.

Groundwater Monitoring Results

Results for analytes that exceeded the PDWS (see Appendix A) during first quarter 1992 are summarized in Table 1 (Appendix D). Tetrachloroethylene exceeded the PDWS in wells AMB 4A, 5, and 7A. The highest concentration of tetrachloroethylene, $39 \mu\text{g/L}$, appeared in well AMB 4A, which monitors the lower section of the Congaree. Trichloroethylene was elevated in wells AMB 4A, 4B, 4D, 5, and 7A. The highest trichloroethylene value, $462 \mu\text{g/L}$, was found in well AMB 4A. Total alpha-emitting radium activity exceeded the PDWS in well AMB 5 at $5.9\text{E}+00 \text{ pCi/L}$.

Constituents that exceeded other Flag 2 criteria (see Appendix B) during first quarter 1992 are summarized in Table 2 (Appendix D). Total organic halogens exceeded the Flag 2 criterion in wells AMB 4A, 5, 6, 7A, 7B, and 10DD, with a maximum value of $206 \mu\text{g/L}$ in well AMB 4A. Manganese exceeded the Flag 2 criterion in wells AMB 4D and 10DD, with a maximum concentration of $256 \mu\text{g/L}$ in well AMB 10DD; iron exceeded the Flag 2 criterion in well AMB 10DD at $5,310 \mu\text{g/L}$; and pH exceeded the Flag 2 criterion in well AMB 10A at 11.

All results for individual wells are presented in Table 3 (Appendix D). Table 3 also indicates those analyses that exceeded holding times. Resampling of monitoring wells where sample holding times have been exceeded will be addressed by EPD/EMS.

The standard practice at SRS is to purge four well volumes from each well and ensure that the field parameters have stabilized before sample collection. A well that goes dry before purging is completed is allowed to recover and is sampled without purging within 24 hours. Table 3 (Appendix D) lists the amount of water purged from each well. During first quarter 1992, wells AMB 7 and 10A did not yield four well volumes prior to sampling. Well AMB 7 has a history of low yield and recovery. Well AMB 4 was abandoned September 30, 1991, and filled with grout. This well was abandoned because it was close to the edge of the basin and would be covered at basin closure.

Time Series Plots

Time series plots of field pH, field specific conductance, tetrachloroethylene, total organic carbon, total organic halogens, total alpha-emitting radium, and trichloroethylene were constructed for wells AMB 4A, 4B, 4D, 5, 6, 7, 7A, 7B, 8D, 9D, 10A, 10B, 10D, 10DD, 11B, 11D, 12D, and 13AR (Appendix E). Trends for these indicator parameters are as follows:

pH: Compared to the previous quarter, most field pH values decreased or changed little. The pH in well AMB 10A, although decreased, remained above 10.5. Values in new wells AMB 4A, 4B, 4D, and 7A decreased by the largest amount, especially in well AMB 4A where the pH decreased from 9 to 6.6. The pH in well AMB 10B increased slightly from 6.6 to 7.1.

Specific conductance: Compared to the previous quarter, field specific conductance remained essentially unchanged for wells AMB 4B, 5, 6, 7, 7B, 9D, and 10D; decreased somewhat for wells AMB 4A, 4D, 7A, 8D, 10DD, 11B, 12D, and 13AR; and increased somewhat for wells AMB 10B, and 11D. Specific conductance in well AMB 10A decreased markedly from $642 \mu\text{S/cm}$ to $216 \mu\text{S/cm}$.

Tetrachloroethylene: Compared to the previous quarter, tetrachloroethylene concentrations increased slightly in wells AMB 4A and 5 and decreased slightly in wells AMB 4D and 7A. Concentrations in wells AMB 4A, 5, and 7A remained above PDWS. For all of the remaining wells, tetrachloroethylene remained at or below the MDL.

Total organic carbon: Compared to the previous quarter, total organic carbon concentrations increased slightly from the MDL value in well AMB 10A and remained the same for the rest of the wells, all of which showed concentrations below the MDL.

Total organic halogens: Compared to the previous quarter, most wells decreased in total organic halogens, although concentrations in wells AMB 4A and 7A remained elevated. Concentrations in wells AMB 4B, 4D, and 7 decreased to below the Flag 2 criterion. Total organic halogens in wells AMB 6, 7B, and 10DD increased to exceed the Flag 2 criterion. Concentrations in wells AMB 5 and 9D increased slightly; concentrations in well AMB 5 remained above the Flag 2 criterion; and concentrations in well AMB 9D did not exceed the Flag 2 criterion.

Total alpha-emitting radium: Compared to the previous quarter, total alpha-emitting radium activity decreased or remained at the MDL in most wells. Activity in well AMB 4D decreased to below the PDWS. Total alpha-emitting radium activity in wells AMB 5, 7, and 10B increased; in well AMB 5 the increase exceeded the PDWS.

Trichloroethylene: Compared to the previous quarter, trichloroethylene concentrations increased slightly or remained at the MDL. This constituent continued to exceed the PDWS in wells AMB 4A, 4D, 5, and 7A. Trichloroethylene concentrations in wells AMB 4A and 7A increased approximately 150 $\mu\text{g/L}$ over the previous quarter's concentrations.

Groundwater Gradient, Flow Direction, and Flow Rates

The water-table unit beneath the Metlab HWMF slopes to the northwest and has an average gradient of 0.0039. Water-elevation contours of the water-table unit and the groundwater flow direction beneath the facility are shown in Figure 3 (Appendix C), and hydrographs for the wells are presented in Appendix F. Historically, the horizontal groundwater flow in the upper and lower sections of the Congaree aquifer is to the south (Figures 4 and 5, Appendix C). During first quarter 1992, horizontal flow in the upper section of the Congaree was to the south, while flow in the lower section of the Congaree appeared to be to the west-southwest. Flow directions in this report are presented according to SRS grid coordinates.

The groundwater flow rate beneath the Metlab HWMF is estimated using the following equation:

$$\text{Flow (ft/day)} = \frac{\text{Hydraulic Conductivity (ft/day)}}{\text{Porosity (unitless)}} \times \frac{dh \text{ (ft)}}{dl \text{ (ft)}}$$

Hydraulic conductivity constants estimated for the water-table unit, the upper section of the Congaree, and the lower section of the Congaree are 27, 1.05, and 1.48 ft/day, respectively (WSRC, 1991). The effective porosity values estimated for the water-table unit, the upper section of the Congaree, and the lower section of the Congaree are 20, 30, and 30%, respectively. The value dh is the difference in head, and dl is the length of the flow path. Flow rate estimations vary depending on the vertical gradient between wells, the size of the

area under consideration, and the number of data points. The values presented here are useful as order of magnitude estimations only.

The flow rate estimate for groundwater in the water-table unit beneath the Metlab HWMF is as follows (see Figure 3, Appendix C):

$$\frac{27}{0.20} \times \frac{2.5}{800} = 0.4 \text{ ft/day}$$

$$0.4 \text{ ft/day} \times 365 \text{ days} = 150 \text{ ft/year}$$

The flow rate estimate for groundwater in the upper section of the Congaree beneath the Metlab HWMF is as follows (using the left flow line in Figure 4, Appendix C):

$$\frac{1.05}{0.30} \times \frac{2}{505} = 0.01 \text{ ft/day}$$

$$0.01 \text{ ft/day} \times 365 \text{ days} = 3.7 \text{ ft/year}$$

The flow rate estimate for groundwater in the lower section of the Congaree beneath the Metlab HWMF is as follows (using a straight flow line from well AMB 7A to well AMB 10A; see Figure 5, Appendix C):

$$\frac{1.48}{0.30} \times \frac{1.4}{700} = 0.01 \text{ ft/day}$$

$$0.01 \text{ ft/day} \times 365 \text{ days} = 3.7 \text{ ft/year}$$

Results for Upgradient vs. Downgradient Wells

Wells AMB 11D and 12D are designated upgradient water-table wells, and wells AMB 4D, 5, 6, 7, 8D, 9D, and 10D are designated downgradient water-table wells relative to the Metlab HWMF. During first quarter 1992, no elevated constituents occurred in the upgradient wells or in downgradient wells AMB 7, 8D, 9D, and 10D. Downgradient well AMB 4D contained elevated levels of manganese and trichloroethylene; downgradient well AMB 5 contained elevated levels of tetrachloroethylene, total organic halogens, total alpha-emitting radium, and trichloroethylene; and downgradient well AMB 6 contained elevated levels of total organic halogens.

No wells have been designated as upgradient or downgradient wells in the Congaree. Well AMB 11B is the downgradient well in the upper section of the Congaree and well AMB 13AR is the downgradient well in the lower section of the Congaree. Neither downgradient well contained elevated constituents.

Quality Control Results

Replicate and split analyses were performed for well AMB 10DD during first quarter 1992. The results are provided in Table 3, Appendix D.

Conclusions

During first quarter 1992, tetrachloroethylene exceeded the PDWS in wells AMB 4A, 5, and 7A. The highest concentration of tetrachloroethylene during first quarter 1992 appeared in well AMB 4A at 39 $\mu\text{g/L}$. Trichloroethylene was elevated in wells AMB 4A, 4B, 4D, 5, and 7A. The highest value, 462 $\mu\text{g/L}$, occurred in well AMB 4A. Total alpha-emitting radium exceeded the PDWS in well AMB 5, with a value of $5.9\text{E}+00$ pCi/L.

Total organic halogens exceeded the Flag 2 criterion in wells AMB 4A, 5, 6, 7A, 7B, and 10DD, with a maximum value of 206 $\mu\text{g/L}$ in well AMB 4A. Manganese exceeded the Flag 2 criterion in wells AMB 4D and 10DD, with a maximum concentration of 256 $\mu\text{g/L}$ in well AMB 10DD; iron exceeded the Flag 2 criterion in well AMB 10DD at 5,310 $\mu\text{g/L}$; and pH exceeded the Flag 2 criterion in well AMB 10A.

Elevated constituents were not found in upgradient water-table wells AMB 11D and 12D or in downgradient water-table wells AMB 7, 8D, 9D, and 10D. However, downgradient well AMB 4D contained elevated levels of manganese and trichloroethylene; downgradient water-table well AMB 5 contained elevated levels of tetrachloroethylene, total organic halogens, total alpha-emitting radium, and trichloroethylene; and downgradient water-table well AMB 6 contained elevated levels of total organic halogens. Generally, constituents found in downgradient wells but not in upgradient wells at a waste management unit are considered products of the waste management unit. Downgradient Congaree wells did not contain elevated constituents.

The flow rate estimate for groundwater in the water-table unit beneath the Metlab HWMF is 0.4 ft/day or 150 ft/year, for groundwater in the upper section of the Congaree is 0.01 ft/day or 3.7 ft/year, and for groundwater in the lower section of the Congaree is 0.01 ft/day or 3.7 ft/year. These maximum groundwater flow rates represent the assumed maximum contaminant migration rates.

The RCRA Part B Post-Closure Care Permit Application for the Metlab HWMF, submitted to SCDHEC on December 16, 1991, indicates that a small, isolated plume of trichloroethylene and tetrachloroethylene that exists in the water-table unit near the Metlab HWMF is from the Metlab basin (WSRC, 1991). The permit application also indicates that the primary source of the contamination in the deeper units near the Metlab HWMF is the extensive organic halogen plume resulting from M-Area operations. SRS is addressing the effects of organic halogens near the Metlab HWMF under the provisions of Section J, Volume III, of the SRS RCRA Part B Permit (M-Area HWMF Post-Closure Permit, Corrective Action Program).

The source of the total alpha-emitting radium is unknown; however, radium is a naturally occurring radionuclide at SRS, and its presence in groundwater may not necessarily be associated with waste management unit activities.

Errata

Third Quarter 1991:

- Errors in the computer program used to mark analyses that exceed holding times caused a number of analyses to be incorrectly flagged as exceeding holding time.
- The only analyses performed by General Engineering on samples from the AMB well series during third quarter 1991 that exceeded holding times were the following:

Total organic halogen analyses for AMB 9D and 12D

Total phosphates (as P) for AMB 7A, 7B, 10B, and 13AR

Extraction for dioxins and furans for AMB 1D, 5, 6, 7, 8D, 9D, 10D, 10DD, and 12D

2-Chloroethyl vinyl ether for AMB 5, 6, 7, 8D, 9D, 10D, 10DD, 11D, 12
(This analysis was not requested for any of these wells.)

Nitrate as nitrogen analysis for AMB 4, 6, and 7

Fifty-four Appendix IX analyses (all of the volatiles suite and chlorobenzilate from the BNAs) for AMB 9D (These were late by only one day and were reanalyzed due to surrogate failure on the first run.)

The error in the computer program was corrected prior to the fourth quarter 1991 reporting period.

Fourth Quarter 1991 and 1991 Summary:

- Page D-2, Holding Time: The statement concerning holding time for pH is incorrect. The statement should read "South Carolina Department of Health and Environmental Control allows only 15 minutes to elapse between sample collection and analysis for pH. Thus, all laboratory pH analyses exceed holding time."
- The results of analyses performed using EPA Method 900.1 have been incorrectly referred to in the past as total radium results and have been inappropriately evaluated against the drinking water standard for combined radium-226 and radium-228. EPA Method 900.1 should be considered a gross radium alpha screening procedure; it may be used to screen drinking water for the necessity of performing a specific radium-226 analysis, but it gives no indication of the presence or quantity of radium-228 in the sample. This analysis will be referred to in the future as total alpha-emitting radium.

References Cited

Heffner, J. D., and Exploration Resources, Inc., 1991. **Technical Summary of Groundwater Quality Protection Program at the Savannah River Site (1952-1986), Volume I—Site Geohydrology and Waste Sites**, DPSP-88-1002. Westinghouse Savannah River Company, Aiken, SC.

Jerome, K. M., 1990. **Groundwater Quality Assessment Plan for the Metallurgical Laboratory Hazardous Waste Management Facility**, WSRC-RP-90-1185. Westinghouse Savannah River Company, Aiken, SC.

WSRC (Westinghouse Savannah River Company), 1991. **Application for a Hazardous Waste Part B Post-Closure Care Permit**, Rev. 1, Dec. 1991. Westinghouse Savannah River Company, Aiken, SC.

WSRC (Westinghouse Savannah River Company), 1989. **Application for a Post-Closure Permit for M-Area Hazardous Waste Management Facility, Volume III—Geohydrology and Corrective Action Program**, Rev. 3. Westinghouse Savannah River Company, Aiken, SC.

Appendix A – Primary Drinking Water Standards

Primary Drinking Water Standards

Analyte	Unit	Level	Status	Reference
Americium-241	pCi/L	6.34E+00	Proposed	EPA, 1991
Americium-243	pCi/L	6.37E+00	Proposed	EPA, 1991
Antimony	µg/L	5 ^a	Proposed	EPA, 1990
Antimony-125	pCi/L	3E+02	Final	EPA, 1977
Arsenic	µg/L	50	Final	CFR, 1991
Barium	µg/L	2,000	Final	CFR, 1991
Barium-140	pCi/L	9E+01	Final	EPA, 1977
Benzene	µg/L	5	Final	CFR, 1991
Benzo[a]anthracene	µg/L	0.1	Proposed	EPA, 1990
Benzo[b]fluoranthene	µg/L	0.2	Proposed	EPA, 1990
Benzo[k]fluoranthene	µg/L	0.2	Proposed	EPA, 1990
Benzo[a]pyrene	µg/L	0.2	Proposed	EPA, 1990
Beryllium	µg/L	1	Proposed	EPA, 1990
Beryllium-7	pCi/L	6E+03	Final	EPA, 1977
Bromodichloromethane	µg/L	100	Final	CFR, 1991
Bromoform	µg/L	100	Final	CFR, 1991
2-sec-Butyl-4,6-dinitrophenol (Dinoseb)	µg/L	7	Proposed	EPA, 1990
Cadmium	µg/L	5	Final	CFR, 1991
Carbon-14	pCi/L	2E+03	Final	EPA, 1977
Carbon tetrachloride	µg/L	5	Final	CFR, 1991
Cerium-141	pCi/L	3E+02	Final	EPA, 1977
Cerium-144	pCi/L	2.61E+02	Proposed	EPA, 1991
Cesium-134	pCi/L	8.13E+02 ^b	Proposed	EPA, 1991
Cesium-137	pCi/L	2E+02	Final	EPA, 1977
Chlordane	µg/L	2	Final	CFR, 1991
Chloroethene (Vinyl chloride)	µg/L	2	Final	CFR, 1991
Chloroform	µg/L	100	Final	CFR, 1991
Chromium	µg/L	100	Final	CFR, 1991
Chromium-51	pCi/L	6E+03	Final	EPA, 1977
Chrysene	µg/L	0.2	Proposed	EPA, 1990
Cobalt-57	pCi/L	1E+03	Final	EPA, 1977
Cobalt-58	pCi/L	9E+03	Final	EPA, 1977
Cobalt-60	pCi/L	1E+02	Final	EPA, 1977
Copper	µg/L	1,300	Final	CFR, 1991
Curium-242	pCi/L	1.33E+02	Proposed	EPA, 1991
Curium-243	pCi/L	8.3E+00	Proposed	EPA, 1991
Curium-244	pCi/L	9.84E+00	Proposed	EPA, 1991
Curium-246	pCi/L	6.27E+00	Proposed	EPA, 1991
Cyanide	µg/L	200	Proposed	EPA, 1990
Dibenz[a,h]anthracene	µg/L	0.3	Proposed	EPA, 1990
Dibromochloromethane	µg/L	100	Final	CFR, 1991
Dibromochloropropane	µg/L	0.2	Final	CFR, 1991
1,2-Dichlorobenzene	µg/L	600	Final	CFR, 1991
1,4-Dichlorobenzene	µg/L	75	Final	CFR, 1991
1,2-Dichloroethane	µg/L	5	Final	CFR, 1991
1,1-Dichloroethylene	µg/L	7	Final	CFR, 1991
cis-1,2-Dichloroethylene	µg/L	70	Final	CFR, 1991
trans-1,2-Dichloroethylene	µg/L	100	Final	CFR, 1991
Dichloromethane (Methylene chloride)	µg/L	5	Proposed	EPA, 1990
2,4-Dichlorophenoxyacetic acid	µg/L	70	Final	CFR, 1991
1,2-Dichloropropane	µg/L	5	Final	CFR, 1991
Endrin	µg/L	0.2	Final	CFR, 1991
Ethylbenzene	µg/L	700	Final	CFR, 1991
Europium-154	pCi/L	2E+02	Final	EPA, 1977

<u>Analyte</u>	<u>Unit</u>	<u>Level</u>	<u>Status</u>	<u>Reference</u>
Europium-155	pCi/L	6E+02	Final	EPA, 1977
Fluoride	µg/L	4,000	Final	CFR, 1991
Gross alpha ^c	pCi/L	1.5E+01	Final	CFR, 1991
Heptachlor	µg/L	0.4	Final	CFR, 1991
Heptachlor epoxide	µg/L	0.2	Final	CFR, 1991
Hexachlorobenzene	µg/L	1	Proposed	EPA, 1990
Hexachlorocyclopentadiene	µg/L	50	Proposed	EPA, 1990
Iodine-129	pCi/L	1E+00	Final	EPA, 1977
Iodine-131	pCi/L	3E+00	Final	EPA, 1977
Iron-55	pCi/L	2E+03	Final	EPA, 1977
Iron-59	pCi/L	2E+02	Final	EPA, 1977
Lanthanum-140	pCi/L	6E+01	Final	EPA, 1977
Lead	µg/L	15	Final	CFR, 1991
Lindane	µg/L	0.2	Final	CFR, 1991
Manganese-54	pCi/L	3E+02	Final	EPA, 1977
Mercury	µg/L	2	Final	CFR, 1991
Methoxychlor	µg/L	40	Final	CFR, 1991
Neptunium-237	pCi/L	7.06E+00	Proposed	EPA, 1991
Nickel	µg/L	100	Proposed	EPA, 1990
Nickel-59	pCi/L	3E+02	Final	EPA, 1977
Nickel-63	pCi/L	5E+01	Final	EPA, 1977
Niobium-95	pCi/L	3E+02	Final	EPA, 1977
Nitrate as nitrogen	µg/L	10,000	Final	CFR, 1991
Nitrite as nitrogen	µg/L	1,000	Final	CFR, 1991
Nonvolatile beta	pCi/L	5E+01	Proposed	EPA, 1986
PCBs ^d	µg/L	0.5	Final	CFR, 1991
Pentachlorophenol	µg/L	1	Final	CFR, 1991
Plutonium-238	pCi/L	7.02E+00	Proposed	EPA, 1991
Plutonium-239	pCi/L	6.21E+01	Proposed	EPA, 1991
Plutonium-239/240 ^e	pCi/L	6.21E+01	Proposed	EPA, 1991
Plutonium-240	pCi/L	6.22E+01	Proposed	EPA, 1991
Plutonium-241	pCi/L	6.26E+01	Proposed	EPA, 1991
Plutonium-242	pCi/L	6.54E+01	Proposed	EPA, 1991
Potassium-40	pCi/L	3E+02	Proposed	EPA, 1986
Radium-226	pCi/L	1.57E+01	Proposed	EPA, 1991
Radium-228	pCi/L	7.85E+00	Proposed	EPA, 1991
Radon-222	pCi/L	3E+02	Proposed	EPA, 1991
Ruthenium-103	pCi/L	2E+02	Final	EPA, 1977
Ruthenium-106	pCi/L	3E+01	Final	EPA, 1977
Selenium	µg/L	50	Final	CFR, 1991
Silver	µg/L	50	Final	CFR, 1991
Sodium-22	pCi/L	4.66E+02	Proposed	EPA, 1991
Strontium-89	pCi/L	2E+01 ^f	Final	EPA, 1977
Strontium-89/90 ^g	pCi/L	8E+00	Final	CFR, 1991
Strontium-90	pCi/L	8E+00	Final	CFR, 1991
Styrene	µg/L	100	Final	CFR, 1991
Sulfate	µg/L	400,000 ^a	Proposed	EPA, 1990
Technetium-99	pCi/L	9E+02	Final	EPA, 1977
Tetrachloroethylene	µg/L	5	Final	CFR, 1991
Thallium	µg/L	1	Proposed	EPA, 1990
Thorium-228	pCi/L	1.25E+02	Proposed	EPA, 1991
Thorium-230	pCi/L	7.92E+01	Proposed	EPA, 1991
Thorium-232	pCi/L	8.8E+01	Proposed	EPA, 1991
Thorium-234	pCi/L	4.01E+02	Proposed	EPA, 1991
Tin-113	pCi/L	3E+02	Final	EPA, 1977
Toluene	µg/L	1,000	Final	CFR, 1991

<u>Analyte</u>	<u>Unit</u>	<u>Level</u>	<u>Status</u>	<u>Reference</u>
Total radium	pCi/L	5E + 00	Final	CFR, 1991
Toxaphene	µg/L	3	Final	CFR, 1991
2,4,5-TP (Silvex)	µg/L	50	Final	CFR, 1991
1,2,4-Trichlorobenzene	µg/L	9	Proposed	EPA, 1990
1,1,1-Trichloroethane	µg/L	200	Final	CFR, 1991
1,1,2-Trichloroethane	µg/L	5	Proposed	EPA, 1990
Trichloroethylene	µg/L	5	Final	CFR, 1991
Total trihalomethanes	µg/L	100	Final	CFR, 1991
Tritium	pCi/mL	2E + 01	Final	CFR, 1991
Uranium	µg/L	20	Proposed	EPA, 1991
Uranium alpha activity	pCi/L	3E + 01	Proposed	EPA, 1991
Uranium-233/234 ^a	pCi/L	1.38E + 01	Proposed	EPA, 1991
Uranium-234	pCi/L	1.39E + 01	Proposed	EPA, 1991
Uranium-235	pCi/L	1.45E + 01	Proposed	EPA, 1991
Uranium-238	pCi/L	1.46E + 01	Proposed	EPA, 1991
Xylenes	µg/L	10,000	Final	CFR, 1991
Zinc-65	pCi/L	3E + 02	Final	EPA, 1977
Zirconium-95	pCi/L	2E + 02	Final	EPA, 1977
Zirconium/Niobium-95 ^b	pCi/L	2E + 02	Final	EPA, 1977

Note: Drinking water standards set by EPA (1977) correspond to the level at which each radionuclide contributes 4 mrem/yr of dose to an individual consuming 2 L of contaminated liquid a day. See EPA (1977) for details.

- ^a This value is the lower of two proposed levels.
- ^b EPD/EMS uses the proposed standard because it is a lower value; the final PDWS in 1977 may have been in error.
- ^c The standard given is for gross alpha including radium-226 but excluding radon and uranium.
- ^d Analyses were conducted in 1992 for the following: PCB 1016, PCB 1221, PCB 1232, PCB 1242, PCB 1248, PCB 1254, and PCB 1260.
- ^e For double radionuclide analyses where each separate radionuclide has its own standard, the more stringent standard is used.
- ^f This value is the lower of two levels given for strontium-89.

References

CFR (Code of Federal Regulations), 1991. *National Primary Drinking Water Regulations*, 40 CFR, Part 141, pp. 578-715. Washington, DC.

EPA (U.S. Environmental Protection Agency), 1977. *National Interim Primary Drinking Water Regulations*, EPA-570/9-76-003. Washington, DC.

EPA (U.S. Environmental Protection Agency), 1986. *Water Pollution Control; National Primary Drinking Water Regulations, Radionuclides (Proposed)*, *Federal Register*, September 30, 1986, pp. 34835-34862. Washington, DC.

EPA (U.S. Environmental Protection Agency), 1990. *National Primary and Secondary Drinking Water Regulations; Synthetic Organic Chemicals and Inorganic Chemicals; Proposed Rule*, *Federal Register*, July 25, 1990, pp. 30369-30448. Washington, DC.

EPA (U.S. Environmental Protection Agency), 1991. *National Primary Drinking Water Regulations; Radionuclides; Proposed Rule*, *Federal Register*, July 18, 1991, pp. 33052-33127. Washington, DC.

Appendix B – Flagging Criteria

Flagging Criteria

Beginning in 1991, the Environmental Monitoring Section of the Environmental Protection Department (EPD/EMS) modified its guidelines for flagging constituents in the Groundwater Monitoring Program. These flagging criteria are as follows:

- Flag 2 criteria for constituents equal the U.S. Environmental Protection Agency (EPA) Primary Drinking Water Standard, the EPA proposed Primary Drinking Water Standard, or the EPA Secondary Drinking Water Standard. If a constituent does not have a drinking water standard, the Flag 2 criterion equals 10 times the method detection limit (MDL) calculated as the 90th percentile detection limit obtained recently by one of the primary analytical laboratories.
- Flag 1 criteria for constituents equal one-half of the EPA Primary Drinking Water Standard, one-half the EPA proposed Primary Drinking Water Standard, or one-half the EPA Secondary Drinking Water Standard. If a constituent does not have an EPA drinking water standard, the Flag 1 criterion equals 5 times the MDL calculated as the 90th percentile detection limit obtained recently by one of the primary analytical laboratories.
- Analytical results for constituents below Flag 1 are classified as Flag 0.

The following parameters are not assigned flagging criteria: alkalinity, calcium, carbonate, color, corrosivity, magnesium, odor, potassium, Eh, silica, sodium, total dissolved solids, total phosphorus, total phosphates (as P), and turbidity. In addition, common laboratory contaminants and cleaners including phthalates, methylene chloride, ketones, and toluene are not assigned flagging criteria.

Analyte	Unit	Flag 1	Flag 2	Source
Acenaphthene	µg/L	50	100	EPA Method 8270
Acenaphthylene	µg/L	50	100	EPA Method 8270
Acetone	µg/L	50	100	EPA Method 8240
Acetonitrile (Methyl cyanide)	µg/L	500	1,000	EPA Method 8240
Acetophenone	µg/L	50	100	EPA Method 8270
2-Acetylaminofluorene	µg/L	50	100	EPA Method 8270
Acrolein	µg/L	100	200	EPA Method 8240
Acrylonitrile	µg/L	100	200	EPA Method 8240
Aldrin	µg/L	2.5	5	EPA Method 8080
Alkalinity (as CaCO ₃)		No flag	No flag	Set by EPD/EMS
Allyl chloride	µg/L	250	500	EPA Method 8240
Aluminum	µg/L	100	200	EPA Method 6010
Americium-241	pCi/L	3.17E+00	6.34E+00	Proposed DWS (EPA, 1991)
Americium-243	pCi/L	3.19E+00	6.37E+00	Proposed DWS (EPA, 1991)
4-Aminobiphenyl	µg/L	50	100	EPA Method 8270
Ammonia	µg/L	500	1,000	APHA Method 417B
Ammonia nitrogen	µg/L	50	100	EPA Method 350.1
Aniline	µg/L	50	100	EPA Method 8270
Anthracene	µg/L	50	100	EPA Method 8270
Antimony	µg/L	2.5	5	Proposed DWS (EPA, 1990)
Antimony-125	pCi/L	1.5E+02	3E+02	Final DWS (EPA, 1977)
Aramite	µg/L	50	100	EPA Method 8270

Analyte	Unit	Flag 1	Flag 2	Source
Arsenic	µg/L	25	50	Final DWS (CFR, 1991)
Azobenzene	µg/L	50	100	EPA Method 625
Barium	µg/L	1,000	2,000	Final DWS (CFR, 1991)
Barium-140	pCi/L	4.5E+01	9E+01	Final DWS (EPA, 1977)
Benzene	µg/L	2.5	5	Final DWS (CFR, 1991)
alpha-Benzene hexachloride	µg/L	2.5	5	EPA Method 8080
beta-Benzene hexachloride	µg/L	2.5	5	EPA Method 8080
delta-Benzene hexachloride	µg/L	2.5	5	EPA Method 8080
Benzidine	µg/L	250	500	EPA Method 8270
Benzo[a]anthracene	µg/L	0.05	0.1	Proposed DWS (EPA, 1990)
Benzo[b]fluoranthene	µg/L	0.1	0.2	Proposed DWS (EPA, 1990)
Benzo[k]fluoranthene	µg/L	0.1	0.2	Proposed DWS (EPA, 1990)
Benzo[g,h,i]perylene	µg/L	50	100	EPA Method 8270
Benzo[a]pyrene	µg/L	0.1	0.2	Proposed DWS (EPA, 1990)
Benzoic acid	µg/L	250	500	EPA Method 8270
1,4-Benzoquinone	µg/L	50	100	EPA Method 8270
Benzyl alcohol	µg/L	100	200	EPA Method 8270
Beryllium	µg/L	0.5	1	Proposed DWS (EPA, 1990)
Beryllium-7	pCi/L	3E+03	6E+03	Final DWS (EPA, 1977)
Bis(2-chloroethoxy) methane	µg/L	50	100	EPA Method 8270
Bis(2-chloroethyl) ether	µg/L	50	100	EPA Method 8270
Bis(2-chloroisopropyl) ether	µg/L	50	100	EPA Method 8270
Bis(chloromethyl)ether	µg/L	50	100	EPA Method 8270
Bis(2-ethylhexyl) phthalate		No flag	No flag	Set by EPD/EMS
Bromide	µg/L	5,000	10,000	EPA Method 300.0
Bromodichloromethane	µg/L	50	100	Final DWS (CFR, 1991)
Bromoform	µg/L	50	100	Final DWS (CFR, 1991)
Bromomethane (Methyl bromide)	µg/L	5	10	EPA Method 8240
4-Bromophenyl phenyl ether	µg/L	50	100	EPA Method 8270
2-sec-Butyl-4,6-dinitrophenol	µg/L	3.5	7	Proposed DWS (EPA, 1990)
Butylbenzyl phthalate		No flag	No flag	Set by EPD/EMS
Cadmium	µg/L	2.5	5	Final DWS (CFR, 1991)
Calcium		No flag	No flag	Set by EPD/EMS
Carbon disulfide	µg/L	5	10	EPA Method 8240
Carbon tetrachloride	µg/L	2.5	5	Final DWS (CFR, 1991)
Carbon 12-labeled 2,3,7,8-TCDD	µg/L	0.00225	0.0045	EPA Method 8280
Carbon 12-labeled 2,3,7,8-TCDF	µg/L	0.002	0.004	EPA Method 8280
Carbon-14	pCi/L	1E+03	2E+03	Final DWS (EPA, 1977)
Carbonate		No flag	No flag	Set by EPD/EMS
Cerium-141	pCi/L	1.5E+02	3E+02	Final DWS (EPA, 1977)
Cerium-144	pCi/L	1.31E+02	2.61E+02	Proposed DWS (EPA, 1991)
Cesium-134	pCi/L	4.07E+01	8.13E+01	Proposed DWS (EPA, 1991)
Cesium-137	pCi/L	1E+02	2E+02	Final DWS (EPA, 1977)
Chlordane	µg/L	1	2	Final DWS (CFR, 1991)
Chloride	µg/L	125,000	250,000	Secondary DWS (EPA, 1991a)
4-Chloroaniline	µg/L	50	100	EPA Method 8270
Chlorobenzene	µg/L	5	10	EPA Method 8240
Chlorobenzilate	µg/L	50	100	EPA Method 8270
Chloroethane	µg/L	5	10	EPA Method 8240
Chloroethene (Vinyl chloride)	µg/L	1	2	Final DWS (CFR, 1991)
Chloroethyl vinyl ether	µg/L	5	10	EPA Method 8240
2-Chloroethyl vinyl ether	µg/L	5	10	EPA Method 8240
Chloroform	µg/L	50	100	Final DWS (CFR, 1991)
para-Chloro-meta-cresol	µg/L	50	100	EPA Method 8270
Chloromethane (Methyl chloride)	µg/L	5	10	EPA Method 8240
2-Chloronaphthalene	µg/L	50	100	EPA Method 8240

<u>Analyte</u>	<u>Unit</u>	<u>Flag 1</u>	<u>Flag 2</u>	<u>Source</u>
2-Chlorophenol	µg/L	50	100	EPA Method 8270
4-Chlorophenyl phenyl ether	µg/L	50	100	EPA Method 8270
Chloroprene	µg/L	1,000	2,000	EPA Method 8240
Chromium	µg/L	50	100	Final DWS (CFR, 1991)
Chromium-51	pCi/L	3E + 03	6E + 03	Final DWS (EPA, 1977)
Chrysene	µg/L	0.1	0.2	Proposed DWS (EPA, 1990)
Cobalt	µg/L	20	40	EPA Method 6010
Cobalt-57	pCi/L	5E + 02	1E + 03	Final DWS (EPA, 1977)
Cobalt-58	pCi/L	4.5E + 03	9E + 03	Final DWS (EPA, 1977)
Cobalt-60	pCi/L	5E + 01	1E + 02	Final DWS (EPA, 1977)
Color		No flag	No flag	Set by EPD/EMS
Copper	µg/L	650	1,300	Final DWS (CFR, 1991)
Corrosivity		No flag	No flag	Set by EPD/EMS
m-Cresol (3-Methylphenol)	µg/L	50	100	EPA Method 8270
o-Cresol (2-Methylphenol)	µg/L	50	100	EPA Method 8270
p-Cresol (4-Methylphenol)	µg/L	50	100	EPA Method 8270
Curium-242	pCi/L	6.65E + 01	1.33E + 02	Proposed DWS (EPA, 1991)
Curium-243	pCi/L	4.15E + 00	8.3E + 00	Proposed DWS (EPA, 1991)
Curium-244	pCi/L	4.92E + 00	9.84E + 00	Proposed DWS (EPA, 1991)
Curium-246	pCi/L	3.14E + 00	6.27E + 00	Proposed DWS (EPA, 1991)
Cyanide	µg/L	100	200	Proposed DWS (EPA, 1990)
p,p'-DDD	µg/L	2.5	5	EPA Method 8080
p,p'-DDE	µg/L	2.5	5	EPA Method 8080
p,p'-DDT	µg/L	2.5	5	EPA Method 8080
Di-n-butyl phthalate		No flag	No flag	Set by EPD/EMS
Di-n-octyl phthalate		No flag	No flag	Set by EPD/EMS
Diallate	µg/L	50	100	EPA Method 8270
Dibenz[a,h]anthracene	µg/L	0.15	0.3	Proposed DWS (EPA, 1990)
Dibenzofuran	µg/L	50	100	EPA Method 8270
Dibromochloromethane	µg/L	50	100	Final DWS (CFR, 1991)
Dibromochloropropane	µg/L	0.1	0.2	Final DWS (CFR, 1991)
1,2-Dibromoethane	µg/L	100	200	EPA Method 8240
Dibromomethane				
(Methylene bromide)	µg/L	5	10	EPA Method 8240
1,2-Dichlorobenzene	µg/L	300	600	Final DWS (CFR, 1991)
1,3-Dichlorobenzene	µg/L	50	100	EPA Method 8270
1,4-Dichlorobenzene	µg/L	37.5	75	Final DWS (CFR, 1991)
3,3'-Dichlorobenzidine	µg/L	50	100	EPA Method 8270
trans-1,4-Dichloro-2-butene	µg/L	150	300	EPA Method 8240
Dichlorodifluoromethane	µg/L	5	10	EPA Method 8240
1,1-Dichloroethane	µg/L	5	10	EPA Method 8240
1,2-Dichloroethane	µg/L	2.5	5	Final DWS (CFR, 1991)
cis-1,2-Dichloroethene	µg/L	35	70	Final DWS (CFR, 1991)
1,1-Dichloroethylene	µg/L	3.5	7	Final DWS (CFR, 1991)
1,2-Dichloroethylene	µg/L	25	50	EPA Method 8240
trans-1,2-Dichloroethylene	µg/L	50	100	Final DWS (CFR, 1991)
Dichloromethane				
(Methylene chloride)		No flag	No flag	Set by EPD/EMS
2,4-Dichlorophenol	µg/L	50	100	EPA Method 8270
2,6-Dichlorophenol	µg/L	50	100	EPA Method 8270
2,4-Dichlorophenoxyacetic acid	µg/L	35	70	Final DWS (CFR, 1991)
1,2-Dichloropropane	µg/L	2.5	5	Final DWS (CFR, 1991)
cis-1,3-Dichloropropene	µg/L	5	10	EPA Method 8240
trans-1,3-Dichloropropene	µg/L	5	10	EPA Method 8240
Dieldrin	µg/L	2.5	5	EPA Method 8080
Diethyl phthalate		No flag	No flag	Set by EPD/EMS

<u>Analyte</u>	<u>Unit</u>	<u>Flag 1</u>	<u>Flag 2</u>	<u>Source</u>
Dimethoate	µg/L	50	100	EPA Method 8270
p-Dimethylaminoazobenzene	µg/L	50	100	EPA Method 8270
p-(Dimethylamino)ethylbenzene	µg/L	50	100	EPA Method 8270
7,12-Dimethylbenz[a]anthracene	µg/L	50	100	EPA Method 8270
3,3'-Dimethylbenzidine	µg/L	50	100	EPA Method 8270
a,a-Dimethylphenethylamine	µg/L	50	100	EPA Method 8270
2,4-Dimethyl phenol	µg/L	50	100	EPA Method 8270
Dimethyl phthalate		No flag	No flag	Set by EPD/EMS
1,3-Dinitrobenzene	µg/L	50	100	EPA Method 8270
4,6-Dinitro-ortho-cresol	µg/L	250	500	EPA Method 8270
2,4-Dinitrophenol	µg/L	250	500	EPA Method 8270
2,4-Dinitrotoluene	µg/L	50	100	EPA Method 8270
2,6-Dinitrotoluene	µg/L	50	100	EPA Method 8270
1,4-Dioxane	µg/L	50	100	EPA Method 8270
Diphenylamine	µg/L	50	100	EPA Method 8270
1,2-Diphenylhydrazine	µg/L	50	100	EPA Method 8270
Dissolved organic carbon	µg/L	5,000	10,000	EPA Method 9060
Disulfoton	µg/L	50	100	EPA Method 8270
Eh		No flag	No flag	Set by EPD/EMS
alpha-Endosulfan	µg/L	50	100	EPA Method 8270
beta-Endosulfan	µg/L	50	100	EPA Method 8270
Endosulfan I	µg/L	2.5	5	EPA Method 8080
Endosulfan II	µg/L	2.5	5	EPA Method 8080
Endosulfan sulfate	µg/L	2.5	5	EPA Method 8080
Endrin	µg/L	0.1	0.2	Final DWS (CFR, 1991)
Endrin aldehyde	µg/L	2.5	5	EPA Method 8080
Endrin ketone		No flag	No flag	Set by EPD/EMS
Ethyl methacrylate	µg/L	50	100	EPA Method 8270
Ethyl methanesulfonate	µg/L	50	100	EPA Method 8270
Ethylbenzene	µg/L	350	700	Final DWS (CFR, 1991)
Europium-154	pCi/L	1E+02	2E+02	Final DWS (EPA, 1977)
Europium-155	pCi/L	3E+02	6E+02	Final DWS (EPA, 1977)
Famphur	µg/L	50	100	EPA Method 8270
Fluoranthene	µg/L	50	100	EPA Method 8270
Fluorene	µg/L	50	100	EPA Method 8270
Fluoride	µg/L	2,000	4,000	Final DWS (CFR, 1991)
Gross alpha	pCi/L	7.5E+00	1.5E+01	Final DWS (CFR, 1991)
Heptachlor	µg/L	0.2	0.4	Final DWS (CFR, 1991)
Heptachlor epoxide	µg/L	0.1	0.2	Final DWS (CFR, 1991)
Heptachlorodibenzo-p-dioxin isomers	µg/L	0.00325	0.0065	EPA Method 8280
1,2,3,4,6,7,8-Heptachlorodibenzo-p-dioxin	µg/L	0.00325	0.0065	EPA Method 8280
Heptachlorodibenzo-p-furan isomers	µg/L	0.00225	0.0045	EPA Method 8280
1,2,3,4,6,7,8-Heptachlorodibenzo-p-furan	µg/L	0.00225	0.0045	EPA Method 8280
Hexachlorobenzene	µg/L	0.5	1	Proposed DWS (EPA, 1990)
Hexachlorobutadiene	µg/L	50	100	EPA Method 8270
Hexachlorocyclopentadiene	µg/L	25	50	Proposed DWS (EPA, 1990)
Hexachlorodibenzo-p-dioxin isomers	µg/L	0.00225	0.0045	EPA Method 8280
1,2,3,4,7,8-Hexachlorodibenzo-p-dioxin	µg/L	0.00225	0.0045	EPA Method 8280
Hexachlorodibenzo-p-furan isomers	µg/L	0.002	0.004	EPA Method 8280
1,2,3,4,7,8-Hexachlorodibenzo-p-furan	µg/L	0.002	0.004	EPA Method 8280

Analyte	Unit	Flag 1	Flag 2	Source
Hexachloroethane	µg/L	50	100	EPA Method 8270
Hexachlorophene	µg/L	250	500	EPA Method 8270
Hexachloropropene	µg/L	50	100	EPA Method 8270
2-Hexanone	µg/L	100	200	EPA Method 8240
Indeno[1,2,3-c,d]pyrene	µg/L	50	100	EPA Method 8270
Iodine	µg/L	500	1,000	EPA Method 415
Iodine-129	pCi/L	5E-01	1E+00	Final DWS (EPA, 1977)
Iodine-131	pCi/L	1.5E+00	3E+00	Final DWS (EPA, 1977)
Iodomethane (Methyl iodide)	µg/L	75	150	EPA Method 8240
Iron	µg/L	150	300	Secondary DWS (EPA, 1991a)
Iron-55	pCi/L	1E+03	2E+03	Final DWS (EPA, 1977)
Iron-59	pCi/L	1E+02	2E+02	Final DWS (EPA, 1977)
Isobutyl alcohol	µg/L	500	1,000	EPA Method 8240
Isodrin	µg/L	50	100	EPA Method 8270
Isophorone	µg/L	50	100	EPA Method 8270
Isosafrole	µg/L	50	100	EPA Method 8270
Kepone	µg/L	50	100	EPA Method 8270
Lanthanum-140	pCi/L	3E+01	6E+01	Final DWS (EPA, 1977)
Lead	µg/L	7.5	15	Final DWS (CFR, 1991)
Lindane	µg/L	0.1	0.2	Final DWS (CFR, 1991)
Lithium	µg/L	25	50	EPA Method 6010
Magnesium		No flag	No flag	Set by EPD/EMS
Manganese	µg/L	25	50	Secondary DWS (EPA, 1991a)
Manganese-54	pCi/L	1.5E+02	3E+02	Final DWS (EPA, 1977)
Mercury	µg/L	1	2	Final DWS (CFR, 1991)
Methacrylonitrile	µg/L	250	500	EPA Method 8240
Methapyrilene	µg/L	50	100	EPA Method 8270
Methoxychlor	µg/L	20	40	Final DWS (CFR, 1991)
3-Methylcholanthrene	µg/L	50	100	EPA Method 8270
2-Methyl-4,6-dinitrophenol	µg/L	250	500	EPA Method 8270
Methyl ethyl ketone		No flag	No flag	Set by EPD/EMS
Methyl isobutyl ketone		No flag	No flag	Set by EPD/EMS
Methyl methacrylate	µg/L	50	100	EPA Method 8270
Methyl methanesulfonate	µg/L	50	100	EPA Method 8270
2-Methylnaphthalene	µg/L	50	100	EPA Method 8270
Molybdenum	µg/L	250	500	EPA Method 6010
Naphthalene	µg/L	50	100	EPA Method 8270
1,4-Naphthoquinone	µg/L	50	100	EPA Method 8270
1-Naphthylamine	µg/L	50	100	EPA Method 8270
2-Naphthylamine	µg/L	50	100	EPA Method 8270
Neptunium-237	pCi/L	3.53E+00	7.06E+00	Proposed DWS (EPA, 1991)
Nickel	µg/L	50	100	Proposed DWS (EPA, 1990)
Nickel-59	pCi/L	1.5E+02	3E+02	Final DWS (EPA, 1977)
Nickel-63	pCi/L	2.5E+01	5E+01	Final DWS (EPA, 1977)
Niobium-95	pCi/L	1.5E+02	3E+02	Final DWS (EPA, 1977)
Nitrate as nitrogen	µg/L	5,000	10,000	Final DWS (CFR, 1991)
Nitrite as nitrogen	µg/L	500	1,000	Final DWS (CFR, 1991)
2-Nitroaniline	µg/L	50	100	EPA Method 8270
3-Nitroaniline	µg/L	50	100	EPA Method 8270
4-Nitroaniline	µg/L	50	100	EPA Method 8270
Nitrobenzene	µg/L	50	100	EPA Method 8270
Nitrogen by Kjeldahl method	µg/L	500	1,000	EPA Method 351.2
2-Nitrophenol	µg/L	50	100	EPA Method 8270
4-Nitrophenol	µg/L	50	100	EPA Method 8270
4-Nitroquinoline-1-oxide	µg/L	50	100	EPA Method 8270
N-Nitrosodi-n-butylamine	µg/L	50	100	EPA Method 8270

Analyte	Unit	Flag 1	Flag 2	Source
N-Nitrosodiethylamine	µg/L	50	100	EPA Method 8270
N-Nitrosodimethylamine	µg/L	50	100	EPA Method 8270
N-Nitrosodiphenylamine	µg/L	50	100	EPA Method 8270
N-Nitrosodi-propylamine	µg/L	50	100	EPA Method 8270
N-Nitrosomethylethylamine	µg/L	50	100	EPA Method 8270
N-Nitrosomorpholine	µg/L	50	100	EPA Method 8270
N-Nitrosopiperidine	µg/L	50	100	EPA Method 8270
N-Nitrosopyrrolidine	µg/L	50	100	EPA Method 8270
5-Nitro-o-toluidine	µg/L	50	100	EPA Method 8270
Nonvolatile beta	pCi/L	2.5E+01	5E+01	Proposed DWS (EPA, 1986)
Octachlorodibenzo-p-dioxin isomers	µg/L	0.005	0.01	EPA Method 8280
Octachlorodibenzo-p-furan isomers	µg/L	0.005	0.01	EPA Method 8280
Odor		No flag	No flag	Set by EPD/EMS
Oil & Grease	µg/L	5,000	10,000	EPA Method 413.1
Parathion	µg/L	2.5	5	EPA Method 8080
Parathion methyl	µg/L	2.5	5	EPA Method 8080
PCB 1016	µg/L	0.25	0.5	Final DWS (CFR, 1991)
PCB 1221	µg/L	0.25	0.5	Final DWS (CFR, 1991)
PCB 1232	µg/L	0.25	0.5	Final DWS (CFR, 1991)
PCB 1242	µg/L	0.25	0.5	Final DWS (CFR, 1991)
PCB 1248	µg/L	0.25	0.5	Final DWS (CFR, 1991)
PCB 1254	µg/L	0.25	0.5	Final DWS (CFR, 1991)
PCB 1260	µg/L	0.25	0.5	Final DWS (CFR, 1991)
PCB 1262	µg/L	0.25	0.5	Final DWS (CFR, 1991)
Pentachlorobenzene	µg/L	50	100	EPA Method 8270
Pentachlorodibenzo-p-dioxin isomers	µg/L	0.00275	0.0055	EPA Method 8280
1,2,3,7,8-Pentachlorodibenzo-p-dioxin	µg/L	0.00275	0.0055	EPA Method 8280
Pentachlorodibenzo-p-furan isomers	µg/L	0.00275	0.0055	EPA Method 8280
1,2,3,7,8-Pentachlorodibenzo-p-furan	µg/L	0.00275	0.0055	EPA Method 8280
Pentachloroethane	µg/L	50	100	EPA Method 8270
Pentachloronitrobenzene	µg/L	50	100	EPA Method 8270
Pentachlorophenol	µg/L	0.5	1	Final DWS (CFR, 1991)
pH	pH	8	10	Set by EPD/EMS
pH	pH	4	3	Set by EPD/EMS
Phenacetin	µg/L	50	100	EPA Method 8270
Phenanthrene	µg/L	50	100	EPA Method 8270
Phenol	µg/L	50	100	EPA Method 8270
Phenols	µg/L	25	50	EPA Method 420.2
p-Phenylenediamine	µg/L	50	100	EPA Method 8270
Phorate	µg/L	2.5	5	EPA Method 8080
2-Picoline	µg/L	50	100	EPA Method 8270
Plutonium-238	pCi/L	3.51E+00	7.02E+00	Proposed DWS (EPA, 1991)
Plutonium-239	pCi/L	3.11E+01	6.21E+01	Proposed DWS (EPA, 1991)
Plutonium-239/240 ^a	pCi/L	3.11E+01	6.21E+01	Proposed DWS (EPA, 1991)
Plutonium-240	pCi/L	3.11E+01	6.22E+01	Proposed DWS (EPA, 1991)
Plutonium-241	pCi/L	3.13E+01	6.26E+01	Proposed DWS (EPA, 1991)
Plutonium-242	pCi/L	3.27E+01	6.54E+01	Proposed DWS (EPA, 1991)
Potassium		No flag	No flag	Set by EPD/EMS
Potassium-40	pCi/L	1.5E+02	3E+02	Proposed DWS (EPA, 1986)
Pronamid	µg/L	50	100	EPA Method 8270
Propionitrile	µg/L	1,000	2,000	EPA Method 8240
Pyrene	µg/L	50	100	EPA Method 8270
Pyridine	µg/L	50	100	EPA Method 8270

Analyte	Unit	Flag 1	Flag 2	Source
Radium-226	pCi/L	7.85E+00	1.57E+01	Proposed DWS (EPA, 1991)
Radium-228	pCi/L	3.93E+00	7.85E+00	Proposed DWS (EPA, 1991)
Radon-222	pCi/L	1.5E+02	3E+02	Proposed DWS (EPA, 1991)
Ruthenium-103	pCi/L	1E+02	2E+02	Final DWS (EPA, 1977)
Ruthenium-106	pCi/L	1.5E+01	3E+01	Final DWS (EPA, 1977)
Safrole	µg/L	50	100	EPA Method 8270
Selenium	µg/L	25	50	Final DWS (CFR, 1991)
Silica		No flag	No flag	Set by EPD/EMS
Silver	µg/L	25	50	Final DWS (CFR, 1991)
Sodium		No flag	No flag	Set by EPD/EMS
Sodium-22	pCi/L	2.33E+02	4.66E+02	Proposed DWS (EPA, 1991)
Specific conductance	µS/cm	250	500	Set by EPD/EMS
Strontium-89	pCi/L	1E+01	2E+01	Final DWS (EPA, 1977)
Strontium-89/90 ^a	pCi/L	4E+00	8E+00	Final DWS (CFR, 1991)
Strontium-90	pCi/L	4E+00	8E+00	Final DWS (CFR, 1991)
Styrene	µg/L	50	100	Final DWS (CFR, 1991)
Sulfate	µg/L	200,000	400,000	Proposed DWS (EPA, 1990)
Sulfide	µg/L	5,000	10,000	EPA Method 9030
Sulfotep	µg/L	50	100	EPA Method 8270
Surfactants		No flag	No flag	Set by EPD/EMS
Technetium-99	pCi/L	4.5E+02	9E+02	Final DWS (EPA, 1977)
1,2,4,5-Tetrachlorobenzene	µg/L	50	100	EPA Method 8270
Tetrachlorodibenzo-p-dioxin isomers	µg/L	0.00225	0.0045	EPA Method 8280
Tetrachlorodibenzo-p-furan isomers	µg/L	0.002	0.004	EPA Method 8280
1,1,1,2-Tetrachloroethane	µg/L	5	10	EPA Method 8240
1,1,2,2-Tetrachloroethane	µg/L	5	10	EPA Method 8240
Tetrachloroethylene	µg/L	2.5	5	Final DWS (CFR, 1991)
2,3,4,6-Tetrachlorophenol	µg/L	50	100	EPA Method 8270
Tetraethyl dithiopyrophosphate	µg/L	50	100	EPA Method 8270
Thallium	µg/L	0.5	1	Proposed DWS (EPA, 1990)
Thionazin	µg/L	50	100	EPA Method 8270
Thorium-228	pCi/L	6.25E+01	1.25E+02	Proposed DWS (EPA, 1991)
Thorium-230	pCi/L	3.96E+01	7.92E+01	Proposed DWS (EPA, 1991)
Thorium-232	pCi/L	4.4E+01	8.8E+01	Proposed DWS (EPA, 1991)
Thorium-234	pCi/L	2E+02	4.01E+02	Proposed DWS (EPA, 1991)
Tin	µg/L	10	20	EPA Method 282.2
Tin-113	pCi/L	150	300	Final DWS (EPA, 1977)
Toluene	µg/L	500	1,000	Final DWS (CFR, 1991)
o-Toluidine	µg/L	50	100	EPA Method 8270
Total carbon	µg/L	5,000	10,000	EPA Method 9060
Total dissolved solids		No flag	No flag	Set by EPD/EMS
Total hydrocarbons	µg/L	5,000	10,000	EPA Method 418.1
Total inorganic carbon	µg/L	5,000	10,000	EPA Method 9060
Total organic carbon	µg/L	5,000	10,000	EPA Method 9060
Total organic halogens	µg/L	25	50	EPA Method 9020
Total organic nitrogen	µg/L	500	1,000	EPA Method 420
Total petroleum hydrocarbons	µg/L	5,000	10,000	EPA Method 418.1
Total phosphates (as P)		No flag	No flag	Set by EPD/EMS
Total phosphorus		No flag	No flag	Set by EPD/EMS
Total radium	pCi/L	2.5	5	Final DWS (CFR, 1991)
Total silica	µg/L	500	1,000	EPA Method 6010
Toxaphene	µg/L	1.5	3	Final DWS (CFR, 1991)
2,4,5-TP (Silvex)	µg/L	25	50	Final DWS (CFR, 1991)
Tributyl phosphate	µg/L	50	100	EPA Method 8270

Analyte	Unit	Flag 1	Flag 2	Source
1,2,4-Trichlorobenzene	µg/L	4.5	9	Proposed DWS (EPA, 1990)
1,1,1-Trichloroethane	µg/L	100	200	Final DWS (CFR, 1991)
1,1,2-Trichloroethane	µg/L	2.5	5	Proposed DWS (EPA, 1990)
Trichloroethylene	µg/L	2.5	5	Final DWS (CFR, 1991)
Trichlorofluoromethane	µg/L	5	10	EPA Method 8240
2,4,5-Trichlorophenol	µg/L	50	100	EPA Method 8270
2,4,6-Trichlorophenol	µg/L	50	100	EPA Method 8270
2,4,5-Trichlorophenoxyacetic acid	µg/L	2.5	5	EPA Method 8150
1,2,3-Trichloropropane	µg/L	5	10	EPA Method 8240
O,O,O-Triethyl phosphorothioate	µg/L	50	100	EPA Method 8270
1,3,5-Trinitrobenzene	µg/L	50	100	EPA Method 8270
Tritium	pCi/mL	1E+01	2E+01	Final DWS (CFR, 1991)
Turbidity		No flag	No flag	Set by EPD/EMS
Uranium	µg/L	10	20	Proposed DWS (EPA, 1991)
Uranium alpha activity	pCi/L	1.5E+01	3E+01	Proposed DWS (EPA, 1991)
Uranium-233/234 ^a	pCi/L	6.9E-01	1.38E+01	Proposed DWS (EPA, 1991)
Uranium-234	pCi/L	6.95E+00	1.39E+01	Proposed DWS (EPA, 1991)
Uranium-235	pCi/L	7.25E+00	1.45E+01	Proposed DWS (EPA, 1991)
Uranium-238	pCi/L	7.3E+00	1.46E+01	Proposed DWS (EPA, 1991)
Vanadium	µg/L	50	100	EPA Method 6010
Vinyl acetate	µg/L	5	10	EPA Method 8240
Xylenes	µg/L	5,000	10,000	Final DWS (CFR, 1991)
Zinc	µg/L	2,500	5,000	Secondary DWS (EPA, 1991a)
Zinc-65	pCi/L	1.5E+02	3E+02	Final DWS (EPA, 1977)
Zirconium-95	pCi/L	1E+02	2E+02	Final DWS (EPA, 1977)
Zirconium/Niobium-95 ^a	pCi/L	1E+02	2E+02	Final DWS (EPA, 1977)

^a For double radionuclide analyses where each separate radionuclide has its own standard, the more stringent standard is used.

References

APHA (American Public Health Association, American Water Works Association, and Water Pollution Control Federation), 1985. **Standard Methods for the Examination of Water and Wastewater**, 16th edition. Washington, DC.

CFR (Code of Federal Regulations), 1991. *National Primary Drinking Water Regulations*, 40 CFR, Part 141, pp. 578-715. Washington, DC.

EPA (U.S. Environmental Protection Agency), 1977. **National Interim Primary Drinking Water Regulations**, EPA-570/9-76-003. Washington, DC.

EPA (U.S. Environmental Protection Agency), 1986. *Water Pollution Control; National Primary Drinking Water Regulations; Radionuclides (Proposed)*. **Federal Register**, September 30, 1986, pp. 34836-34862. Washington, DC.

EPA (U.S. Environmental Protection Agency), 1990. *National Primary and Secondary Drinking Water Regulations; Synthetic Organic Chemicals and Inorganic Chemicals (Proposed Rule)*. **Federal Register**, July 25, 1990, pp. 30369-30448. Washington, DC.

EPA (U.S. Environmental Protection Agency), 1991. *National Primary Drinking Water Regulations; Radionuclides; Proposed Rule*. **Federal Register**, July 18, 1991, pp. 33052-33127. Washington, DC.

Appendix C – Figures

Figure 1. Location of the Metallurgical Laboratory HWMF at the Savannah River Site

Figure 2. Location of the Metallurgical Laboratory HWMF in A and M Areas

Figure 3. Water-Elevation Contour Map of the Water Table at the Metallurgical Laboratory HWMF and Locations of the Water-Table Wells

Figure 4. Potentiometric Surface Map of the Upper Section of the Congaree Aquifer at the Metallurgical Laboratory HWMF and Locations of Wells that Monitor the Upper Section of the Congaree

Figure 5. Potentiometric Surface Map of the Lower Section of the Congaree Aquifer at the Metallurgical Laboratory HWMF and Locations of Wells that Monitor the Lower Section of the Congaree

Appendix D – Groundwater Monitoring Results Tables

Key to Reading the Tables

The following abbreviations may appear in the tabular data:

B = analyte detected in associated blank as well as in sample
D = drinking water standard
E = exponential notation (e.g., $1.1\text{E}-09 = 1.1 \times 10^{-9} = 0.0000000011$)
EM = EPD/EMS Laboratory
GE = General Engineering Laboratories
H = holding time
1,2,3,4,6,7,8-HPCDD = 1,2,3,4,6,7,8-heptachlorodibenzo-p-dioxin
1,2,3,4,6,7,8-HPCDF = 1,2,3,4,6,7,8-heptachlorodibenzo-p-furan
1,2,3,4,7,8-HXCDD = 1,2,3,4,7,8-hexachlorodibenzo-p-dioxin
1,2,3,4,7,8-HXCDF = 1,2,3,4,7,8-heptachlorodibenzo-p-furan
J = estimated value
Lindane = gamma-benzene hexachloride
MA = M-Area Laboratory
msl = mean sea level
MSL = million structures/liter
NTU = turbidity unit
pH = pH unit
pCi/L = picocuries per liter
pCi/mL = picocuries per milliliter
PVC = polyvinyl chloride
TCDD = tetrachlorodibenzo-p-dioxin
TCDF = tetrachlorodibenzo-p-furan
TOC = top of casing
Sp. = specific
 $\mu\text{g/L}$ = micrograms per liter
 $\mu\text{S/cm}$ = microsiemens per centimeter

Holding Times

Standard analytical methods include a limit, called holding time, on the maximum elapsed time between sample collection and extraction or analysis by the laboratory. In the data tables, a large dot (●) in the H (holding time) column indicates that holding time was exceeded. Analyses performed beyond holding time may not yield valid results.

South Carolina Department of Health and Environmental Control (SCDHEC) allows only 15 minutes to elapse between sampling and analysis for pH. Thus, laboratory pH analyses always exceed holding time.

Laboratory-initiated procedures for reducing the number of other analyses performed out of holding time include subcontracting analyses when difficulties with equipment, personnel, or work load would prevent timely analyses. Beginning fourth quarter 1991, SRS reduced the compensation to laboratories for analyses performed out of holding time.

Table 1. Constituents Exceeding the Primary Drinking Water Standards**Aquifer Zone IIB₂ (Water Table)**

<u>Well</u>	<u>Constituent</u>	<u>Unit</u>	<u>1Q92</u>
AMB 4D	Trichloroethylene	µg/L	67
AMB 5	Tetrachloroethylene	µg/L	8.4
	Total alpha emitting radium ^a	pCi/L	5.9 + 00
	Trichloroethylene	µg/L	140

Aquifer Zone IIA (upper section of Congaree)

<u>Well</u>	<u>Constituent</u>	<u>Unit</u>	<u>1Q92</u>
AMB 4B	Trichloroethylene	µg/L	7.7

Aquifer Zone IIA (lower section of Congaree)

<u>Well</u>	<u>Constituent</u>	<u>Unit</u>	<u>1Q92</u>
AMB 4A	Tetrachloroethylene	µg/L	39
	Trichloroethylene	µg/L	462
AMB 7A	Tetrachloroethylene	µg/L	19
	Trichloroethylene	µg/L	450

^a The PDWS for total radium was applied to total alpha-emitting radium for 1Q92.

Table 2. Constituents Exceeding Half the Primary Drinking Water Standards or Other Flag 1 or Flag 2 Criteria

Aquifer Zone IIB₂ (Water Table)

<u>Well</u>	<u>Constituent</u>	<u>Unit</u>	<u>1Q92</u>	<u>Flag</u>
AMB 4D	<i>Gross alpha</i>	pCi/L	1.0E + 01	1
	<i>Manganese</i>	µg/L	82	2
	<i>Tetrachloroethylene</i>	µg/L	4	1
	<i>Total radium</i>	pCi/L	4.3 + 00	1
AMB 5	Total organic halogens	µg/L	117	2
AMB 6	Total organic halogens	µg/L	103	2
	<i>Trichloroethylene</i>	µg/L	4.6	1
AMB 7	<i>Trichloroethylene</i>	µg/L	4.7	1
AMB 9D	Total organic halogens	µg/L	33	1
AMB 10DD	Iron	µg/L	5,080 ^a	2
	Iron	µg/L	4,940 ^a	2
	Iron	µg/L	5,270 ^a	2
	Iron	µg/L	5,310 ^a	2
	Manganese	µg/L	245 ^b	2
	Manganese	µg/L	238 ^b	2
	Manganese	µg/L	255 ^b	2
	Manganese	µg/L	256 ^b	2
	Total organic halogens	µg/L	90	2

Aquifer Zone IIA (upper section of Congaree)

<u>Well</u>	<u>Constituent</u>	<u>Unit</u>	<u>1Q92</u>	<u>Flag</u>
AMB 7B	Total organic halogens	µg/L	81	2

Aquifer Zone IIB (lower section of Congaree)

<u>Well</u>	<u>Constituent</u>	<u>Unit</u>	<u>1Q92</u>	<u>Flag</u>
AMB 4A	Total organic halogens	µg/L	206	2
AMB 7A	Total organic halogens	µg/L	171	2
AMB 10A	pH	pH	11	2

Note: Constituents exceeding half the PDWS appear italicized.

^a Duplicate samples for iron

^b Duplicate samples for manganese

Table 3. Groundwater Monitoring Results for Individual Wells**WELL AMB 4A**

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N104131.6 E51469.8	33.340041 °N 81.733589 °W	126.3-121.3 ft msl	380.5 ft msl	4" PVC	Congaree

FIELD MEASUREMENTS

Sample date: 02/07/92
 Depth to water: 161.59 ft (49.25 m) below TOC
 Water elevation: 218.91 ft (66.72 m) msl
 Sp. conductance: 87 µS/cm
 Water evacuated before sampling: 385 gal

Time: 16:00
 pH: 6.6
 Alkalinity: 24 mg/L
 Water temperature: 18.3°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Asbestos	<0.15	MSL	0	SP
•		pH	7.3	pH	0	GE
		Priority Pollutant Dioxin Screen	N	Y/N	0	GE
		Specific conductance	60	µS/cm	0	GE
•		Acenaphthene	<10	µg/L	0	GE
•		Acenaphthylene	<10	µg/L	0	GE
		Acrolein	<20	µg/L	0	GE
		Acrylonitrile	<20	µg/L	0	GE
•		Aldrin	<0.050	µg/L	0	GE
•		Anthracene	<10	µg/L	0	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	4.5	µg/L	0	GE
		Barium	6.8	µg/L	0	GE
		Benzene	<1.0	µg/L	0	GE
•		alpha-Benzene hexachloride	<0.050	µg/L	0	GE
•		beta-Benzene hexachloride	<0.050	µg/L	0	GE
•		delta-Benzene hexachloride	<0.050	µg/L	0	GE
•		Benzidine	<10	µg/L	0	GE
•		Benzo[a]anthracene	<10	µg/L	0	GE
•		Benzo[a]pyrene	<10	µg/L	0	GE
•		Benzo[b]fluoranthene	<10	µg/L	0	GE
•		Benzo[g,h,i]perylene	<10	µg/L	0	GE
•		Benzo[k]fluoranthene	<10	µg/L	0	GE
		Beryllium	<3.0	µg/L	0	GE
•		Bis(2-chloroethoxy) methane	<10	µg/L	0	GE
•		Bis(2-chloroethyl) ether	<10	µg/L	0	GE
•		Bis(2-chloroisopropyl) ether	<10	µg/L	0	GE
•		Bis(2-ethylhexyl) phthalate	<10	µg/L	0	GE
		Bromodichloromethane	<1.0	µg/L	0	GE
		Bromoform	<1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0	µg/L	0	GE
•		4-Bromophenyl phenyl ether	<10	µg/L	0	GE
•		Butylbenzyl phthalate	<10	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	8,140	µg/L	0	GE
		Carbon tetrachloride	1.4	µg/L	0	GE
•		Chlordane	<0.50	µg/L	0	GE
		Chloride	2,150	µg/L	0	GE
•		para-Chloro-meta-cresol	<10	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL AMB 4A collected on 02/07/92, laboratory analyses (cont.)

H	D	Analyte	Result	Unit	Flag	Lab
		Chlorobenzene	< 1.0	µg/L	0	GE
		Chloroethane	< 1.0	µg/L	0	GE
		Chloroethene (Vinyl chloride)	< 1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	< 1.0	µg/L	0	GE
		Chloroform	< 1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	< 1.0	µg/L	0	GE
•		2-Chloronaphthalene	< 10	µg/L	0	GE
•		2-Chlorophenol	< 10	µg/L	0	GE
•		4-Chlorophenyl phenyl ether	< 10	µg/L	0	GE
		Chromium	< 4.0	µg/L	0	GE
•		Chrysene	< 10	µg/L	0	GE
		Copper	< 4.0	µg/L	0	GE
		Cyanide	< 5.0	µg/L	0	GE
•		p,p'-DDD	< 0.10	µg/L	0	GE
•		p,p'-DDE	< 0.10	µg/L	0	GE
•		p,p'-DDT	< 0.10	µg/L	0	GE
•		Di-n-butyl phthalate	< 10	µg/L	0	GE
•		Di-n-octyl phthalate	< 10	µg/L	0	GE
•		Dibenz[a,h]anthracene	< 10	µg/L	0	GE
		Dibromochloromethane	< 1.0	µg/L	0	GE
		1,2-Dichlorobenzene	1.2	µg/L	0	GE
		1,3-Dichlorobenzene	< 1.0	µg/L	0	GE
		1,4-Dichlorobenzene	< 1.0	µg/L	0	GE
•		3,3'-Dichlorobenzidine	< 10	µg/L	0	GE
		Dichlorodifluoromethane	< 1.0	µg/L	0	GE
		1,1-Dichloroethane	< 1.0	µg/L	0	GE
		1,2-Dichloroethane	< 1.0	µg/L	0	GE
		1,1-Dichloroethylene	< 1.0	µg/L	0	GE
		trans-1,2-Dichloroethylene	< 1.0	µg/L	0	GE
•		Dichloromethane (Methylene chloride)	1.4	µg/L	0	GE
		2,4-Dichlorophenol	< 10	µg/L	0	GE
		1,2-Dichloropropane	< 1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	< 1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	< 1.0	µg/L	0	GE
•		Dieldrin	< 0.50	µg/L	0	GE
•		Diethyl phthalate	< 10	µg/L	0	GE
•		2,4-Dimethyl phenol	< 10	µg/L	0	GE
•		Dimethyl phthalate	< 10	µg/L	0	GE
•		2,4-Dinitrophenol	< 45	µg/L	0	GE
•		2,4-Dinitrotoluene	< 10	µg/L	0	GE
•		2,6-Dinitrotoluene	< 10	µg/L	0	GE
•		1,2-Diphenylhydrazine	< 10	µg/L	0	GE
•		Endosulfan I	< 0.10	µg/L	0	GE
•		Endosulfan II	< 0.10	µg/L	0	GE
•		Endosulfan sulfate	< 0.10	µg/L	0	GE
•		Endrin	< 0.0060	µg/L	0	GE
•		Endrin aldehyde	< 0.10	µg/L	0	GE
•		Ethylbenzene	< 1.0	µg/L	0	GE
•		Fluoranthene	< 10	µg/L	0	GE
•		Fluorene	< 10	µg/L	0	GE
		Fluoride	< 100	µg/L	0	GE
•		Heptachlor	< 0.050	µg/L	0	GE
•		Heptachlor epoxide	< 0.050	µg/L	0	GE
•		Hexachlorobenzene	< 10	µg/L	0	GE
•		Hexachlorobutadiene	< 10	µg/L	0	GE
•		Hexachlorocyclopentadiene	< 10	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL AMB 4A collected on 02/07/92, laboratory analyses (cont.)

H	D	Analyte	Result	Unit	Flag	Lab
•		Hexachloroethane	< 10	µg/L	0	GE
•		Indeno[1,2,3-c,d]pyrene	< 10	µg/L	0	GE
		Iron	13	µg/L	0	GE
•		Isophorone	< 10	µg/L	0	GE
		Lead	< 3.0	µg/L	0	GE
•		Lindane	< 0.0050	µg/L	0	GE
		Magnesium	301	µg/L	0	GE
		Manganese	7.1	µg/L	0	GE
		Mercury	< 0.20	µg/L	0	GE
•		2-Methyl-4,6-dinitrophenol	< 10	µg/L	0	GE
•		N-Nitrosodimethylamine	< 10	µg/L	0	GE
•		N-Nitrosodiphenylamine	< 10	µg/L	0	GE
•		N-Nitrosodi-propylamine	< 10	µg/L	0	GE
•		Napthalene	< 10	µg/L	0	GE
		Nickel	< 4.0	µg/L	0	GE
•		Nitrate as nitrogen	1,010	µg/L	0	GE
		Nitrate as nitrogen	1,010	µg/L	0	GE
•		Nitrobenzene	< 10	µg/L	0	GE
•		2-Nitrophenol	< 10	µg/L	0	GE
•		4-Nitrophenol	< 10	µg/L	0	GE
•		PCB 1016	< 0.50	µg/L	0	GE
•		PCB 1221	< 0.50	µg/L	0	GE
•		PCB 1232	< 0.50	µg/L	0	GE
•		PCB 1242	< 0.50	µg/L	0	GE
•		PCB 1248	< 0.50	µg/L	0	GE
•		PCB 1254	< 0.50	µg/L	0	GE
•		PCB 1260	< 0.50	µg/L	0	GE
•		Pentachlorophenol	< 10	µg/L	0	GE
•		Phenanthrene	< 10	µg/L	0	GE
•		Phenol	< 10	µg/L	0	GE
		Phenols	< 5.0	µg/L	0	GE
		Potassium	839	µg/L	0	GE
•		Pyrene	< 10	µg/L	0	GE
		Selenium	< 2.0	µg/L	0	GE
		Silica	22,500	µg/L	0	GE
		Silver	< 2.0	µg/L	0	GE
		Sodium	8,150	µg/L	0	GE
		Sulfate	3,930	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	< 1.0	µg/L	0	GE
■		Tetrachloroethylene	39	µg/L	2	GE
		Thallium	< 2.0	µg/L	0	GE
		Toluene	< 1.0	µg/L	0	GE
		Total dissolved solids	65,000	µg/L	0	GE
		Total organic carbon	< 1,000	µg/L	0	GE
		Total organic halogens	206	µg/L	2	GE
		Total phosphates (as P)	60	µg/L	0	GE
•		Toxaphene	< 0.24	µg/L	0	GE
•		1,2,4-Trichlorobenzene	< 10	µg/L	0	GE
		1,1,1-Trichloroethane	< 1.0	µg/L	0	GE
		1,1,2-Trichloroethane	< 1.0	µg/L	0	GE
■		Trichloroethylene	462	µg/L	2	GE
		Trichlorofluoromethane	< 1.0	µg/L	0	GE
•		2,4,6-Trichlorophenol	< 10	µg/L	0	GE
		Zinc	2.0	µg/L	0	GE
		Gross alpha	< 2.0E+00	pCi/L	0	GE
		Nonvolatile beta	< 2.0E+00	pCi/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL AMB 4A collected on 02/07/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Total alpha-emitting radium	< 1.0E+00	pCi/L	0	GE
		Tritium	< 7.0E-01	pCi/mL	0	GE

WELL AMB 4B

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N104145.6	33.340093 °N	157.3-152.3 ft msl	380.4 ft msl	4" PVC	Congaree
E51482.7	81.733582 °W				

FIELD MEASUREMENTS

Sample date: 02/07/92
 Depth to water: 155.92 ft (47.52 m) below TOC
 Water elevation: 224.48 ft (68.42 m) msl
 Sp. conductance: 33 µS/cm
 Water evacuated before sampling: 190 gal

Time: 15:25
 pH: 4.3
 Alkalinity: 0 mg/L
 Water temperature: 18.2°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		Asbestos	< 0.15	MSL	0	SP
		pH	5.3	pH	0	GE
		Priority Pollutant Dioxin Screen	N	Y/N	0	GE
		Specific conductance	25	µS/cm	0	GE
•		Acenaphthene	< 10	µg/L	0	GE
•		Acenaphthylene	< 10	µg/L	0	GE
		Acrolein	< 20	µg/L	0	GE
		Acrylonitrile	< 20	µg/L	0	GE
•		Aldrin	< 0.050	µg/L	0	GE
•		Anthracene	< 10	µg/L	0	GE
		Antimony	< 2.0	µg/L	0	GE
		Arsenic	< 2.0	µg/L	0	GE
		Barium	7.3	µg/L	0	GE
		Benzene	< 1.0	µg/L	0	GE
•		alpha-Benzene hexachloride	< 0.050	µg/L	0	GE
•		beta-Benzene hexachloride	< 0.050	µg/L	0	GE
•		delta-Benzene hexachloride	< 0.050	µg/L	0	GE
•		Benidine	< 10	µg/L	0	GE
•		Benzo[a]anthracene	< 10	µg/L	0	GE
•		Benzo[a]pyrene	< 10	µg/L	0	GE
•		Benzo[b]fluoranthene	< 10	µg/L	0	GE
•		Benzo[g,h,i]perylene	< 10	µg/L	0	GE
•		Benzo[k]fluoranthene	< 10	µg/L	0	GE
		Beryllium	< 3.0	µg/L	0	GE
•		Bis(2-chloroethoxy) methane	< 10	µg/L	0	GE
•		Bis(2-chloroethyl) ether	< 10	µg/L	0	GE
•		Bis(2-chloroisopropyl) ether	< 10	µg/L	0	GE
•		Bis(2-ethylhexyl) phthalate	< 10	µg/L	0	GE
		Bromodichloromethane	< 1.0	µg/L	0	GE
		Bromoform	< 1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	< 1.0	µg/L	0	GE
•		4-Bromophenyl phenyl ether	< 10	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL AMB 4B collected on 02/07/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		Butylbenzyl phthalate	< 10	µg/L	0	GE
		Cadmium	< 2.0	µg/L	0	GE
		Calcium	1,030	µg/L	0	GE
		Carbon tetrachloride	< 1.0	µg/L	0	GE
•		Chlordane	< 0.50	µg/L	0	GE
		Chloride	4,080	µg/L	0	GE
•		para-Chloro-meta-cresol	< 10	µg/L	0	GE
		Chlorobenzene	< 1.0	µg/L	0	GE
		Chloroethane	< 1.0	µg/L	0	GE
		Chloroethene (Vinyl chloride)	< 1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	< 1.0	µg/L	0	GE
		Chloroform	< 1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	< 1.0	µg/L	0	GE
•		2-Chloronaphthalene	< 10	µg/L	0	GE
•		2-Chlorophenol	< 10	µg/L	0	GE
•		4-Chlorophenyl phenyl ether	< 10	µg/L	0	GE
		Chromium	< 4.0	µg/L	0	GE
•		Chrysene	< 10	µg/L	0	GE
		Copper	< 4.0	µg/L	0	GE
		Cyanide	< 5.0	µg/L	0	GE
•		p,p'-DDD	< 0.10	µg/L	0	GE
•		p,p'-DDE	< 0.10	µg/L	0	GE
•		p,p'-DDT	< 0.10	µg/L	0	GE
•		Di-n-butyl phthalate	< 10	µg/L	0	GE
•		Di-n-octyl phthalate	< 10	µg/L	0	GE
•		Dibenz[a,h]anthracene	< 10	µg/L	0	GE
		Dibromochloromethane	< 1.0	µg/L	0	GE
		1,2-Dichlorobenzene	< 1.0	µg/L	0	GE
		1,3-Dichlorobenzene	< 1.0	µg/L	0	GE
		1,4-Dichlorobenzene	< 1.0	µg/L	0	GE
•		3,3'-Dichlorobenzidine	< 10	µg/L	0	GE
		Dichlorodifluoromethane	< 1.0	µg/L	0	GE
		1,1-Dichloroethane	< 1.0	µg/L	0	GE
		1,2-Dichloroethane	< 1.0	µg/L	0	GE
		1,1-Dichloroethylene	< 1.0	µg/L	0	GE
		trans-1,2-Dichloroethylene	< 1.0	µg/L	0	GE
•		Dichloromethane (Methylene chloride)	< 1.0	µg/L	0	GE
		2,4-Dichlorophenol	< 10	µg/L	0	GE
		1,2-Dichloropropane	< 1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	< 1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	< 1.0	µg/L	0	GE
•		Dieldrin	< 0.50	µg/L	0	GE
•		Diethyl phthalate	< 10	µg/L	0	GE
•		2,4-Dimethyl phenol	< 10	µg/L	0	GE
•		Dimethyl phthalate	< 10	µg/L	0	GE
•		2,4-Dinitrophenol	< 45	µg/L	0	GE
•		2,4-Dinitrotoluene	< 10	µg/L	0	GE
•		2,6-Dinitrotoluene	< 10	µg/L	0	GE
•		1,2-Diphenylhydrazine	< 10	µg/L	0	GE
•		Endosulfan I	< 0.10	µg/L	0	GE
•		Endosulfan II	< 0.10	µg/L	0	GE
•		Endosulfan sulfate	< 0.10	µg/L	0	GE
•		Endrin	< 0.0060	µg/L	0	GE
•		Endrin aldehyde	< 0.10	µg/L	0	GE
•		Ethylbenzene	< 1.0	µg/L	0	GE
•		Fluoranthene	< 10	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL AMB 4B collected on 02/07/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		Fluorene	< 10	µg/L	0	GE
		Fluoride	< 100	µg/L	0	GE
•		Heptachlor	< 0.050	µg/L	0	GE
•		Heptachlor epoxide	< 0.050	µg/L	0	GE
•		Hexachlorobenzene	< 10	µg/L	0	GE
•		Hexachlorobutadiene	< 10	µg/L	0	GE
•		Hexachlorocyclopentadiene	< 10	µg/L	0	GE
•		Hexachloroethane	< 10	µg/L	0	GE
•		Indeno[1,2,3-c,d]pyrene	< 10	µg/L	0	GE
		Iron	7.5	µg/L	0	GE
•		Isophorone	< 10	µg/L	0	GE
		Lead	< 3.0	µg/L	0	GE
•		Lindane	< 0.0050	µg/L	0	GE
		Magnesium	419	µg/L	0	GE
		Manganese	20	µg/L	0	GE
		Mercury	< 0.20	µg/L	0	GE
•		2-Methyl-4,6-dinitrophenol	< 10	µg/L	0	GE
•		N-Nitrosodimethylamine	< 10	µg/L	0	GE
•		N-Nitrosodiphenylamine	< 10	µg/L	0	GE
•		N-Nitrosodi-propylamine	< 10	µg/L	0	GE
•		Naphthalene	< 10	µg/L	0	GE
		Nickel	< 4.0	µg/L	0	GE
•		Nitrate as nitrogen	900	µg/L	0	GE
		Nitrate as nitrogen	900	µg/L	0	GE
•		Nitrobenzene	< 10	µg/L	0	GE
•		2-Nitrophenol	< 10	µg/L	0	GE
•		4-Nitrophenol	< 10	µg/L	0	GE
•		PCB 1016	< 0.50	µg/L	0	GE
•		PCB 1221	< 0.50	µg/L	0	GE
•		PCB 1232	< 0.50	µg/L	0	GE
•		PCB 1242	< 0.50	µg/L	0	GE
•		PCB 1248	< 0.50	µg/L	0	GE
•		PCB 1254	< 0.50	µg/L	0	GE
•		PCB 1260	< 0.50	µg/L	0	GE
•		Pentachlorophenol	< 10	µg/L	0	GE
•		Phenanthrene	< 10	µg/L	0	GE
•		Phenol	< 10	µg/L	0	GE
		Phenols	< 5.0	µg/L	0	GE
		Phenols	< 5.0	µg/L	0	GE
		Potassium	< 500	µg/L	0	GE
•		Pyrene	< 10	µg/L	0	GE
		Selenium	< 2.0	µg/L	0	GE
		Silica	8,390	µg/L	0	GE
		Silver	< 2.0	µg/L	0	GE
		Sodium	3,430	µg/L	0	GE
		Sulfate	< 1,000	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	< 1.0	µg/L	0	GE
		Tetrachloroethylene	< 1.0	µg/L	0	GE
		Thallium	< 2.0	µg/L	0	GE
		Toluene	< 1.0	µg/L	0	GE
		Total dissolved solids	24,000	µg/L	0	GE
		Total organic carbon	< 1,000	µg/L	0	GE
		Total organic halogens	10	µg/L	0	GE
		Total phosphates (as P)	< 50	µg/L	0	GE
•		Toxaphene	< 0.24	µg/L	0	GE
•		1,2,4-Trichlorobenzene	< 10	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL AMB 4B collected on 02/07/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		1,1,1-Trichloroethane	< 1.0	µg/L	0	GE
		1,1,2-Trichloroethane	< 1.0	µg/L	0	GE
	■	Trichloroethylene	7.7	µg/L	2	GE
		Trichlorofluoromethane	< 1.0	µg/L	0	GE
●		2,4,6-Trichlorophenol	< 10	µg/L	0	GE
		Zinc	5.1	µg/L	0	GE
		Gross alpha	< 2.0E+00	pCi/L	0	GE
		Nonvolatile beta	< 2.0E+00	pCi/L	0	GE
		Total alpha-emitting radium	< 1.0E+00	pCi/L	0	GE
		Tritium	< 7.0E-01	pCi/mL	0	GE

WELL AMB 4D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N104154.7 E51489.0	33.340124 °N 81.733584 °W	233.4-213.4 ft msl	380.3 ft msl	4" PVC	Water table

FIELD MEASUREMENTS

Sample date: 02/07/92
 Depth to water: 146.84 ft (44.76 m) below TOC
 Water elevation: 233.46 ft (71.16 m) msl
 Sp. conductance: 55 µS/cm
 Water evacuated before sampling: 54 gal

Time: 14:50
 pH: 5.1
 Alkalinity: 4 mg/L
 Water temperature: 18.0°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Asbestos	< 3.0	MSL	0	SP
●		pH	6.0	pH	0	GE
		Priority Pollutant Dioxin Screen	N	Y/N	0	GE
		Specific conductance	42	µS/cm	0	GE
●		Acenaphthene	< 10	µg/L	0	GE
●		Acenaphthylene	< 10	µg/L	0	GE
		Acrolein	< 20	µg/L	0	GE
		Acrylonitrile	< 20	µg/L	0	GE
●		Aldrin	< 0.050	µg/L	0	GE
●		Anthracene	< 10	µg/L	0	GE
		Antimony	< 2.0	µg/L	0	GE
		Arsenic	< 2.0	µg/L	0	GE
		Barium	11	µg/L	0	GE
		Benzene	< 1.0	µg/L	0	GE
●		alpha-Benzene hexachloride	< 0.050	µg/L	0	GE
●		beta-Benzene hexachloride	< 0.050	µg/L	0	GE
●		delta-Benzene hexachloride	< 0.050	µg/L	0	GE
●		Benidine	< 10	µg/L	0	GE
●		Benzo[a]anthracene	< 10	µg/L	0	GE
●		Benzo[a]pyrene	< 10	µg/L	0	GE
●		Benzo[b]fluoranthene	< 10	µg/L	0	GE
●		Benzo[g,h,i]perylene	< 10	µg/L	0	GE
●		Benzo[k]fluoranthene	< 10	µg/L	0	GE
		Beryllium	< 3.0	µg/L	0	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL AMB 4D collected on 02/07/92, laboratory analyses (cont.)

H	D	Analyte	Result	Unit	Flag	Lab
•		Bis(2-chloroethoxy) methane	< 10	µg/L	0	GE
•		Bis(2-chloroethyl) ether	< 10	µg/L	0	GE
•		Bis(2-chloroisopropyl) ether	< 10	µg/L	0	GE
•		Bis(2-ethylhexyl) phthalate	< 10	µg/L	0	GE
		Bromodichloromethane	< 1.0	µg/L	0	GE
		Bromoform	< 1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	< 1.0	µg/L	0	GE
•		4-Bromophenyl phenyl ether	< 10	µg/L	0	GE
•		Butylbenzyl phthalate	< 10	µg/L	0	GE
		Cadmium	< 2.0	µg/L	0	GE
		Calcium	2,670	µg/L	0	GE
		Carbon tetrachloride	< 1.0	µg/L	0	GE
•		Chlordane	< 0.50	µg/L	0	GE
		Chloride	2,800	µg/L	0	GE
•		para-Chloro-meta-cresol	< 10	µg/L	0	GE
		Chlorobenzene	< 1.0	µg/L	0	GE
		Chloroethane	< 1.0	µg/L	0	GE
		Chloroethene (Vinyl chloride)	< 1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	< 1.0	µg/L	0	GE
		Chloroform	< 1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	< 1.0	µg/L	0	GE
•		2-Chloronaphthalene	< 10	µg/L	0	GE
•		2-Chlorophenol	< 10	µg/L	0	GE
•		4-Chlorophenyl phenyl ether	< 10	µg/L	0	GE
		Chromium	< 4.0	µg/L	0	GE
•		Chrysene	< 10	µg/L	0	GE
		Copper	< 4.0	µg/L	0	GE
		Cyanide	< 5.0	µg/L	0	GE
•		p,p'-DDD	< 0.10	µg/L	0	GE
•		p,p'-DDE	< 0.10	µg/L	0	GE
•		p,p'-DDT	< 0.10	µg/L	0	GE
•		Di-n-butyl phthalate	< 10	µg/L	0	GE
•		Di-n-octyl phthalate	< 10	µg/L	0	GE
•		Dibenz[a,h]anthracene	< 10	µg/L	0	GE
		Dibromochloromethane	< 1.0	µg/L	0	GE
		1,2-Dichlorobenzene	< 1.0	µg/L	0	GE
		1,3-Dichlorobenzene	< 1.0	µg/L	0	GE
		1,4-Dichlorobenzene	< 1.0	µg/L	0	GE
•		3,3'-Dichlorobenzidine	< 10	µg/L	0	GE
		Dichlorodifluoromethane	< 1.0	µg/L	0	GE
		1,1-Dichloroethane	< 1.0	µg/L	0	GE
		1,2-Dichloroethane	< 1.0	µg/L	0	GE
		1,1-Dichloroethylene	< 1.0	µg/L	0	GE
		trans-1,2-Dichloroethylene	< 1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	< 1.0	µg/L	0	GE
•		2,4-Dichlorophenol	< 10	µg/L	0	GE
		1,2-Dichloropropane	< 1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	< 1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	< 1.0	µg/L	0	GE
•		Dieldrin	< 0.50	µg/L	0	GE
•		Diethyl phthalate	< 10	µg/L	0	GE
•		2,4-Dimethyl phenol	< 10	µg/L	0	GE
•		Dimethyl phthalate	< 10	µg/L	0	GE
•		2,4-Dinitrophenol	< 45	µg/L	0	GE
•		2,4-Dinitrotoluene	< 10	µg/L	0	GE
•		2,6-Dinitrotoluene	< 10	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL AMB 4D collected on 02/07/92, laboratory analyses (cont.)

H	D	Analyte	Result	Unit	Flag	Lab
•		1,2-Diphenylhydrazine	< 10	µg/L	0	GE
•		Endosulfan I	< 0.10	µg/L	0	GE
•		Endosulfan II	< 0.10	µg/L	0	GE
•		Endosulfan sulfate	< 0.10	µg/L	0	GE
•		Endrin	< 0.0060	µg/L	0	GE
•		Endrin aldehyde	< 0.10	µg/L	0	GE
•		Ethylbenzene	< 1.0	µg/L	0	GE
•		Fluoranthene	< 10	µg/L	0	GE
•		Fluorene	< 10	µg/L	0	GE
•		Fluoride	< 100	µg/L	0	GE
•		Heptachlor	< 0.050	µg/L	0	GE
•		Heptachlor epoxide	< 0.050	µg/L	0	GE
•		Hexachlorobenzene	< 10	µg/L	0	GE
•		Hexachlorobutadiene	< 10	µg/L	0	GE
•		Hexachlorocyclopentadiene	< 10	µg/L	0	GE
•		Hexachloroethane	< 10	µg/L	0	GE
•		Indeno[1,2,3-c,d]pyrene	< 10	µg/L	0	GE
•		Iron	55	µg/L	0	GE
•		Isophorone	< 10	µg/L	0	GE
•		Lead	< 3.0	µg/L	0	GE
•		Lindane	< 0.0050	µg/L	0	GE
•		Magnesium	639	µg/L	0	GE
•		Manganese	82	µg/L	2	GE
•		Mercury	< 0.20	µg/L	0	GE
•		2-Methyl-4,6-dinitrophenol	< 10	µg/L	0	GE
•		N-Nitrosodimethylamine	< 10	µg/L	0	GE
•		N-Nitrosodiphenylamine	< 10	µg/L	0	GE
•		N-Nitrosodi-propylamine	< 10	µg/L	0	GE
•		Naphthalene	< 10	µg/L	0	GE
•		Nickel	< 4.0	µg/L	0	GE
•		Nitrate as nitrogen	1,370	µg/L	0	GE
•		Nitrate as nitrogen	1,370	µg/L	0	GE
•		Nitrobenzene	< 10	µg/L	0	GE
•		2-Nitrophenol	< 10	µg/L	0	GE
•		4-Nitrophenol	< 10	µg/L	0	GE
•		PCB 1016	< 0.50	µg/L	0	GE
•		PCB 1221	< 0.50	µg/L	0	GE
•		PCB 1232	< 0.50	µg/L	0	GE
•		PCB 1242	< 0.50	µg/L	0	GE
•		PCB 1248	< 0.50	µg/L	0	GE
•		PCB 1254	< 0.50	µg/L	0	GE
•		PCB 1260	< 0.50	µg/L	0	GE
•		Pentachlorophenol	< 10	µg/L	0	GE
•		Phenanthrene	< 10	µg/L	0	GE
•		Phenol	< 10	µg/L	0	GE
•		Phenols	< 5.0	µg/L	0	GE
•		Potassium	< 500	µg/L	0	GE
•		Pyrene	< 10	µg/L	0	GE
•		Selenium	< 2.0	µg/L	0	GE
•		Silica	8,220	µg/L	0	GE
•		Silver	< 2.0	µg/L	0	GE
•		Sodium	6,250	µg/L	0	GE
•		Sulfate	< 1,000	µg/L	0	GE
•		1,1,2,2-Tetrachloroethane	< 1.0	µg/L	0	GE
•		Tetrachloroethylene	4.0	µg/L	1	GE
•		Thallium	< 2.0	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL AMB 4D collected on 02/07/92, laboratory analyses (cont.)

H	D	Analyte	Result	Unit	Flag	Lab
		Toluene	< 1.0	µg/L	0	GE
		Total dissolved solids	54,000	µg/L	0	GE
		Total organic carbon	< 1,000	µg/L	0	GE
		Total organic halogens	< 5.0	µg/L	0	GE
		Total phosphates (as P)	210	µg/L	0	GE
		Total phosphates (as P)	230	µg/L	0	GE
•		Toxaphene	< 0.24	µg/L	0	GE
•		1,2,4-Trichlorobenzene	< 10	µg/L	0	GE
		1,1,1-Trichloroethane	< 1.0	µg/L	0	GE
		1,1,2-Trichloroethane	< 1.0	µg/L	0	GE
■		Trichloroethylene	67	µg/L	2	GE
		Trichlorofluoromethane	< 1.0	µg/L	0	GE
•		2,4,6-Trichlorophenol	< 10	µg/L	0	GE
		Zinc	6.9	µg/L	0	GE
		Gross alpha	1.0E+01 ± 9.2E-01	pCi/L	1	GE
		Nonvolatile beta	4.7E+00 ± 6.2E-01	pCi/L	0	GE
		Total alpha-emitting radium	4.3E+00 ± 5.0E-01	pCi/L	1	GE
		Tritium	< 7.0E-01	pCi/mL	0	GE

WELL AMB 5

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Formation
N104083.4 E51467.2	33.339930 °N 81.733502 °W	242.1-222.1 ft msl	379.6 ft msl	4" PVC	Water table

FIELD MEASUREMENTS

Sample date: 01/30/92
 Depth to water: 145.96 ft (44.49 m) below TOC
 Water elevation: 233.64 ft (71.21 m) msl
 Sp. conductance: 47 µS/cm
 Water evacuated before sampling: 30 gal

Time: 16:00
 pH: 4.9
 Alkalinity: 2 mg/L
 Water temperature: 18.5°C

LABORATORY ANALYSES

H	D	Analyte	Result	Unit	Flag	Lab
		Carbon tetrachloride	1.2	µg/L	0	GE
		Chloroform	< 1.0	µg/L	0	GE
		Iron	5.3	µg/L	0	GE
		Lead	< 3.0	µg/L	0	GE
		Magnesium	566	µg/L	0	GE
		Manganese	14	µg/L	0	GE
		Nickel	< 4.0	µg/L	0	GE
■		Tetrachloroethylene	8.4	µg/L	2	GE
		Total organic carbon	< 1,000	µg/L	0	GE
		Total organic halogens	117	µg/L	2	GE
		1,1,1-Trichloroethane	< 1.0	µg/L	0	GE
■		Trichloroethylene	140	µg/L	2	GE
■		Total alpha-emitting radium	5.9E+00 ± 7.0E-01	pCi/L	2	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL AMB 6

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N104034.1 E51466.0	33.339819 °N 81.733410 °W	242.6-222.6 ft msl	377.2 ft msl	4" PVC	Water table

FIELD MEASUREMENTS

Sample date: 01/30/92	Time: 15:45
Depth to water: 144.75 ft (44.12 m) below TOC	pH: 5.2
Water elevation: 232.45 ft (70.85 m) msl	Alkalinity: 5 mg/L
Sp. conductance: 31 µS/cm	Water temperature: 18.1°C
Water evacuated before sampling: 26 gal	

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Carbon tetrachloride	< 1.0	µg/L	0	GE
		Chloroform	< 1.0	µg/L	0	GE
		Iron	12	µg/L	0	GE
		Lead	< 3.0	µg/L	0	GE
		Magnesium	82	µg/L	0	GE
		Manganese	4.3	µg/L	0	GE
		Nickel	< 4.0	µg/L	0	GE
		Tetrachloroethylene	< 1.0	µg/L	0	GE
		Total organic carbon	< 1,000	µg/L	0	GE
		Total organic halogens	103	µg/L	2	GE
		1,1,1-Trichloroethane	< 1.0	µg/L	0	GE
		Trichloroethylene	4.6	µg/L	1	GE
		Total alpha-emitting radium	< 1.0E+00	pCi/L	0	GE

WELL AMB 7

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N103920.0 E51624.9	33.339827 °N 81.732769 °W	242.1-222.1 ft msl	369.9 ft msl	4" PVC	Water table

FIELD MEASUREMENTS

Sample date: 01/31/92	Time: 11:15
Depth to water: 136.68 ft (41.66 m) below TOC	pH: 6.4
Water elevation: 233.22 ft (71.09 m) msl	Alkalinity: 60 mg/L
Sp. conductance: 121 µS/cm	Water temperature: 17.4°C
Water evacuated before sampling: 9 gal	
The well went dry during purging.	

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Carbon tetrachloride	< 1.0	µg/L	0	GE
		Chloroform	< 1.0	µg/L	0	GE
		Iron	67	µg/L	0	GE
		Lead	< 3.0	µg/L	0	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL AMB 7 collected on 01/31/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Magnesium	366	µg/L	0	GE
		Manganese	7.2	µg/L	0	GE
		Nickel	13	µg/L	0	GE
		Tetrachloroethylene	< 1.0	µg/L	0	GE
		Total organic carbon	< 1,000	µg/L	0	GE
		Total organic carbon	< 1,000	µg/L	0	GE
		Total organic halogens	< 5.0	µg/L	0	GE
		1,1,1-trichloroethane	< 1.0	µg/L	0	GE
		Trichloroethylene	4.7	µg/L	1	GE
		Total alpha-emitting radium	1.5E + 00 ± 4.0E-01	pCi/L	0	GE

WELL AMB 7A

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N103987.1	33.339920 °N	125.6-115.6 ft msl	373.6 ft msl	4" PVC	Congaree
E51591.0	81.732989 °W				

FIELD MEASUREMENTS

Sample date: 01/30/92
 Depth to water: 155.03 ft (47.25 m) below TOC
 Water elevation: 218.57 ft (66.62 m) msl
 Sp. conductance: 50 µS/cm
 Water evacuated before sampling: 272 gal

Time: 15:15
 pH: 6.1
 Alkalinity: 14 mg/L
 Water temperature: 18.0°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Asbestos	< 0.30	MSL	0	SP
•		pH	6.7	pH	0	GE
		Priority Pollutant Dioxin Screen	N	Y/N	0	GE
		Specific conductance	40	µS/cm	0	GE
•		Acenaphthene	< 10	µg/L	0	GE
•		Acenaphthylene	< 10	µg/L	0	GE
		Acrolein	< 20	µg/L	0	GE
		Acrylonitrile	< 20	µg/L	0	GE
•		Aldrin	< 0.050	µg/L	0	GE
•		Anthracene	< 10	µg/L	0	GE
		Antimony	< 2.0	µg/L	0	GE
		Arsenic	< 2.0	µg/L	0	GE
		Barium	7.1	µg/L	0	GE
		Benzene	< 1.0	µg/L	0	GE
•		alpha-Benzene hexachloride	< 0.050	µg/L	0	GE
•		beta-Benzene hexachloride	< 0.050	µg/L	0	GE
•		delta-Benzene hexachloride	< 0.050	µg/L	0	GE
•		Benzidine	< 10	µg/L	0	GE
•		Benzo[a]anthracene	< 10	µg/L	0	GE
•		Benzo[a]pyrene	< 10	µg/L	0	GE
•		Benzo[b]fluoranthene	< 10	µg/L	0	GE
•		Benzo[g,h,i]perylene	< 10	µg/L	0	GE
•		Benzo[k]fluoranthene	< 10	µg/L	0	GE
		Beryllium	< 3.0	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL AMB 7A collected on 01/30/92, laboratory analyses (cont.)

H	D	Analyte	Result	Unit	Flag	Lab
•		Bis(2-chloroethoxy) methane	< 10	µg/L	0	GE
•		Bis(2-chloroethyl) ether	< 10	µg/L	0	GE
•		Bis(2-chloroisopropyl) ether	< 10	µg/L	0	GE
•		Bis(2-ethylhexyl) phthalate	< 10	µg/L	0	GE
		Bromodichloromethane	< 1.0	µg/L	0	GE
		Bromoform	< 1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	< 1.0	µg/L	0	GE
•		4-Bromophenyl phenyl ether	< 10	µg/L	0	GE
•		Butylbenzyl phthalate	< 10	µg/L	0	GE
		Cadmium	< 2.0	µg/L	0	GE
		Calcium	5,490	µg/L	0	GE
		Carbon tetrachloride	< 1.0	µg/L	0	GE
•		Chlordane	< 0.50	µg/L	0	GE
		Chloride	1,680	µg/L	0	GE
•		para-Chloro-meta-cresol	< 10	µg/L	0	GE
		Chlorobenzene	< 1.0	µg/L	0	GE
		Chloroethane	< 1.0	µg/L	0	GE
		Chloroethene (Vinyl chloride)	< 1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	< 1.0	µg/L	0	GE
		Chloroform	< 1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	< 1.0	µg/L	0	GE
•		2-Chloronaphthalene	< 10	µg/L	0	GE
•		2-Chlorophenol	< 10	µg/L	0	GE
•		4-Chlorophenyl phenyl ether	< 10	µg/L	0	GE
		Chromium	< 4.0	µg/L	0	GE
•		Chrysene	< 10	µg/L	0	GE
		Copper	< 4.0	µg/L	0	GE
		Cyanide	< 5.0	µg/L	0	GE
•		p,p'-DDD	< 0.10	µg/L	0	GE
•		p,p'-DDE	< 0.10	µg/L	0	GE
•		p,p'-DDT	< 0.10	µg/L	0	GE
•		Di-n-butyl phthalate	< 10	µg/L	0	GE
•		Di-n-octyl phthalate	< 10	µg/L	0	GE
•		Dibenz[a,h]anthracene	< 10	µg/L	0	GE
		Dibromochloromethane	< 1.0	µg/L	0	GE
		1,2-Dichlorobenzene	< 1.0	µg/L	0	GE
		1,3-Dichlorobenzene	< 1.0	µg/L	0	GE
		1,4-Dichlorobenzene	< 1.0	µg/L	0	GE
•		3,3'-Dichlorobenzidine	< 10	µg/L	0	GE
		Dichlorodifluoromethane	< 1.0	µg/L	0	GE
		1,1-Dichloroethane	< 1.0	µg/L	0	GE
		1,2-Dichloroethane	< 1.0	µg/L	0	GE
		1,1-Dichloroethylene	< 1.0	µg/L	0	GE
		trans-1,2-Dichloroethylene	< 1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	< 1.0	µg/L	0	GE
•		2,4-Dichlorophenol	< 10	µg/L	0	GE
		1,2-Dichloropropane	< 1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	< 1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	< 1.0	µg/L	0	GE
•		Dieldrin	< 0.50	µg/L	0	GE
•		Diethyl phthalate	< 10	µg/L	0	GE
•		2,4-Dimethyl phenol	< 10	µg/L	0	GE
•		Dimethyl phthalate	< 10	µg/L	0	GE
•		2,4-Dinitrophenol	< 45	µg/L	0	GE
•		2,4-Dinitrotoluene	< 10	µg/L	0	GE
•		2,6-Dinitrotoluene	< 10	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL AMB 7A collected on 01/30/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		1,2-Diphenylhydrazine	< 10	µg/L	0	GE
•		Endosulfan I	< 0.10	µg/L	0	GE
•		Endosulfan II	< 0.10	µg/L	0	GE
•		Endosulfan sulfate	< 0.10	µg/L	0	GE
•		Endrin	< 0.0060	µg/L	0	GE
•		Endrin aldehyde	< 0.10	µg/L	0	GE
•		Ethylbenzene	< 1.0	µg/L	0	GE
•		Fluoranthene	< 10	µg/L	0	GE
•		Fluorene	< 10	µg/L	0	GE
•		Fluoride	< 100	µg/L	0	GE
•		Heptachlor	< 0.050	µg/L	0	GE
•		Heptachlor epoxide	< 0.050	µg/L	0	GE
•		Hexachlorobenzene	< 10	µg/L	0	GE
•		Hexachlorobutadiene	< 10	µg/L	0	GE
•		Hexachlorocyclopentadiene	< 10	µg/L	0	GE
•		Hexachloroethane	< 10	µg/L	0	GE
•		Indeno[1,2,3-c,d]pyrene	< 10	µg/L	0	GE
•		Iron	15	µg/L	0	GE
•		Isophorone	< 10	µg/L	0	GE
•		Lead	< 3.0	µg/L	0	GE
•		Lindane	< 0.0050	µg/L	0	GE
		Magnesium	313	µg/L	0	GE
		Manganese	9.1	µg/L	0	GE
		Mercury	< 0.20	µg/L	0	GE
•		2-Methyl-4,6-dinitrophenol	< 10	µg/L	0	GE
•		N-Nitrosodimethylamine	< 10	µg/L	0	GE
•		N-Nitrosodiphenylamine	< 10	µg/L	0	GE
•		N-Nitrosodi-propylamine	< 10	µg/L	0	GE
•		Naphthalene	< 10	µg/L	0	GE
		Nickel	< 4.0	µg/L	0	GE
		Nitrate as nitrogen	890	µg/L	0	GE
•		Nitrobenzene	< 10	µg/L	0	GE
•		2-Nitrophenol	< 10	µg/L	0	GE
•		4-Nitrophenol	< 10	µg/L	0	GE
•		PCB 1016	< 0.50	µg/L	0	GE
•		PCB 1221	< 0.50	µg/L	0	GE
•		PCB 1232	< 0.50	µg/L	0	GE
•		PCB 1242	< 0.50	µg/L	0	GE
•		PCB 1248	< 0.50	µg/L	0	GE
•		PCB 1254	< 0.50	µg/L	0	GE
•		PCB 1260	< 0.50	µg/L	0	GE
•		Pentachlorophenol	< 10	µg/L	0	GE
•		Phenanthrene	< 10	µg/L	0	GE
•		Phenol	< 10	µg/L	0	GE
		Phenols	< 5.0	µg/L	0	GE
		Potassium	< 500	µg/L	0	GE
•		Pyrene	< 10	µg/L	0	GE
		Selenium	< 2.0	µg/L	0	GE
		Silica	15,800	µg/L	0	GE
		Silver	< 2.0	µg/L	0	GE
		Sodium	2,640	µg/L	0	GE
		Sulfate	< 1,000	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	< 1.0	µg/L	0	GE
■		Tetrachloroethylene	19	µg/L	2	GE
		Thallium	< 2.0	µg/L	0	GE
		Toluene	< 1.0	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL AMB 7A collected on 01/30/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Total dissolved solids	42,000	µg/L	0	GE
		Total organic carbon	< 1,000	µg/L	0	GE
		Total organic halogens	171	µg/L	2	GE
		Total phosphates (as P)	< 50	µg/L	0	GE
		Total phosphates (as P)	< 50	µg/L	0	GE
		Total phosphates (as P)	< 50	µg/L	0	GE
•		Toxaphene	< 0.24	µg/L	0	GE
•		1,2,4-Trichlorobenzene	< 10	µg/L	0	GE
		1,1,1-Trichloroethane	< 1.0	µg/L	0	GE
		1,1,2-Trichloroethane	< 1.0	µg/L	0	GE
	■	Trichloroethylene	450	µg/L	2	GE
		Trichlorofluoromethane	< 1.0	µg/L	0	GE
•		2,4,6-Trichlorophenol	< 10	µg/L	0	GE
		Zinc	4.2	µg/L	0	GE
		Gross alpha	< 2.0E+00	pCi/L	0	GE
		Nonvolatile beta	< 2.0E+00	pCi/L	0	GE
		Total alpha-emitting radium	1.1E+00 ± 4.0E-01	pCi/L	0	GE
		Tritium	< 7.0E-01	pCi/mL	0	GE

WELL AMB 7B

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N103972.0	33.339885 °N	162.9-152.9 ft msl	373.0 ft msl	4" PVC	Congaree
E51590.3	81.732961 °W				

FIELD MEASUREMENTS

Sample date: 01/30/92
 Depth to water: 148.98 ft (45.41 m) below TOC
 Water elevation: 224.02 ft (68.28 m) msl
 Sp. conductance: 31 µS/cm
 Water evacuated before sampling: 188 gal

Time: 15:00
 pH: 4.9
 Alkalinity: 3 mg/L
 Water temperature: 17.8°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Asbestos	< 0.15	MSL	0	SP
•		pH	7.5	pH	0	GE
		Priority Pollutant Dioxin Screen	N	Y/N	0	GE
		Specific conductance	28	µS/cm	0	GE
•		Acenaphthene	< 10	µg/L	0	GE
•		Acenaphthylene	< 10	µg/L	0	GE
		Acrolein	< 20	µg/L	0	GE
		Acrylonitrile	< 20	µg/L	0	GE
•		Aldrin	< 0.050	µg/L	0	GE
•		Anthracene	< 10	µg/L	0	GE
		Antimony	< 2.0	µg/L	0	GE
		Arsenic	< 2.0	µg/L	0	GE
		Barium	< 3.0	µg/L	0	GE
		Benzene	< 1.0	µg/L	0	GE
•		alpha-Benzene hexachloride	< 0.050	µg/L	0	GE
•		beta-Benzene hexachloride	< 0.050	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL AMB 7B collected on 01/30/92, laboratory analyses (cont.)

H	D	Analyte	Result	Unit	Flag	Lab
•		delta-Benzene hexachloride	<0.050	µg/L	0	GE
•		Benzidine	<10	µg/L	0	GE
•		Benzo[a]anthracene	<10	µg/L	0	GE
•		Benzo[a]pyrene	<10	µg/L	0	GE
•		Benzo[b]fluoranthene	<10	µg/L	0	GE
•		Benzo[g,h,i]perylene	<10	µg/L	0	GE
•		Benzo[k]fluoranthene	<10	µg/L	0	GE
•		Beryllium	<3.0	µg/L	0	GE
•		Bis(2-chloroethoxy) methane	<10	µg/L	0	GE
•		Bis(2-chloroethyl) ether	<10	µg/L	0	GE
•		Bis(2-chloroisopropyl) ether	<10	µg/L	0	GE
•		Bis(2-ethylhexyl) phthalate	<10	µg/L	0	GE
		Bromodichloromethane	<1.0	µg/L	0	GE
		Bromoform	<1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0	µg/L	0	GE
•		4-Bromophenyl phenyl ether	<10	µg/L	0	GE
•		Butylbenzyl phthalate	<10	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	249	µg/L	0	GE
		Carbon tetrachloride	<1.0	µg/L	0	GE
•		Chlordane	<0.50	µg/L	0	GE
		Chloride	3,840	µg/L	0	GE
		Chloride	3,840	µg/L	0	GE
•		para-Chloro-meta-cresol	<10	µg/L	0	GE
		Chlorobenzene	<1.0	µg/L	0	GE
		Chloroethane	<1.0	µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0	µg/L	0	GE
		Chloroform	<1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0	µg/L	0	GE
•		2-Chloronaphthalene	<10	µg/L	0	GE
•		2-Chlorophenol	<10	µg/L	0	GE
•		4-Chlorophenyl phenyl ether	<10	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
•		Chrysene	<10	µg/L	0	GE
		Copper	<4.0	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
•		p,p'-DDD	<0.10	µg/L	0	GE
•		p,p'-DDE	<0.10	µg/L	0	GE
•		p,p'-DDT	<0.10	µg/L	0	GE
•		Di-n-butyl phthalate	<10	µg/L	0	GE
•		Di-n-octyl phthalate	<10	µg/L	0	GE
•		Dibenz[a,h]anthracene	<10	µg/L	0	GE
		Dibromochloromethane	<1.0	µg/L	0	GE
		1,2-Dichlorobenzene	<1.0	µg/L	0	GE
		1,3-Dichlorobenzene	<1.0	µg/L	0	GE
		1,4-Dichlorobenzene	<1.0	µg/L	0	GE
•		3,3'-Dichlorobenzidine	<10	µg/L	0	GE
		Dichlorodifluoromethane	<1.0	µg/L	0	GE
		1,1-Dichloroethane	<1.0	µg/L	0	GE
		1,2-Dichloroethane	<1.0	µg/L	0	GE
		1,1-Dichloroethylene	<1.0	µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0	µg/L	0	GE
•		2,4-Dichlorophenol	<10	µg/L	0	GE
		1,2-Dichloropropane	<1.0	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL AMB 7B collected on 01/30/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		cis-1,3-Dichloropropene	<1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0	µg/L	0	GE
•		Dieldrin	<0.50	µg/L	0	GE
•		Diethyl phthalate	<10	µg/L	0	GE
•		2,4-Dimethyl phenol	<10	µg/L	0	GE
•		Dimethyl phthalate	<10	µg/L	0	GE
•		2,4-Dinitrophenol	<45	µg/L	0	GE
•		2,4-Dinitrotoluene	<10	µg/L	0	GE
•		2,6-Dinitrotoluene	<10	µg/L	0	GE
•		1,2-Diphenylhydrazine	<10	µg/L	0	GE
•		Endosulfan I	<0.10	µg/L	0	GE
•		Endosulfan II	<0.10	µg/L	0	GE
•		Endosulfan sulfate	<0.10	µg/L	0	GE
•		Endrin	<0.0060	µg/L	0	GE
•		Endrin aldehyde	<0.10	µg/L	0	GE
		Ethylbenzene	<1.0	µg/L	0	GE
•		Fluoranthene	<10	µg/L	0	GE
•		Fluorene	<10	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE
•		Heptachlor	<0.050	µg/L	0	GE
•		Heptachlor epoxide	<0.050	µg/L	0	GE
•		Hexachlorobenzene	<10	µg/L	0	GE
•		Hexachlorobutadiene	<10	µg/L	0	GE
•		Hexachlorocyclopentadiene	<10	µg/L	0	GE
•		Hexachloroethane	<10	µg/L	0	GE
•		Indeno[1,2,3-c,d]pyrene	<10	µg/L	0	GE
		Iron	4.9	µg/L	0	GE
•		Isophorone	<10	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE
•		Lindane	<0.0050	µg/L	0	GE
		Magnesium	87	µg/L	0	GE
		Manganese	3.9	µg/L	0	GE
		Mercury	<0.20	µg/L	0	GE
•		2-Methyl-4,6-dinitrophenol	<10	µg/L	0	GE
•		N-Nitrosodimethylamine	<10	µg/L	0	GE
•		N-Nitrosodiphenylamine	<10	µg/L	0	GE
•		N-Nitrosodi-propylamine	<10	µg/L	0	GE
•		Naphthalene	<10	µg/L	0	GE
		Nickel	<4.0	µg/L	0	GE
		Nitrate as nitrogen	210	µg/L	0	GE
		Nitrate as nitrogen	210	µg/L	0	GE
•		Nitrobenzene	<10	µg/L	0	GE
•		2-Nitrophenol	<10	µg/L	0	GE
•		4-Nitrophenol	<10	µg/L	0	GE
•		PCB 1016	<0.50	µg/L	0	GE
•		PCB 1221	<0.50	µg/L	0	GE
•		PCB 1232	<0.50	µg/L	0	GE
•		PCB 1242	<0.50	µg/L	0	GE
•		PCB 1248	<0.50	µg/L	0	GE
•		PCB 1254	<0.50	µg/L	0	GE
•		PCB 1260	<0.50	µg/L	0	GE
•		Pentachlorophenol	<10	µg/L	0	GE
•		Phenanthrene	<10	µg/L	0	GE
•		Phenol	<10	µg/L	0	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	<500	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL AMB 7B collected on 01/30/92, laboratory analyses (cont.)

H	D	Analyte	Result	Unit	Flag	Lab
•		Pyrene	< 10	µg/L	0	GE
		Selenium	< 2.0	µg/L	0	GE
		Silica	8,110	µg/L	0	GE
		Silver	< 2.0	µg/L	0	GE
		Sodium	4,890	µg/L	0	GE
		Sulfate	1,810	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	< 1.0	µg/L	0	GE
		Tetrachloroethylene	< 1.0	µg/L	0	GE
		Thallium	< 2.0	µg/L	0	GE
		Toluene	< 1.0	µg/L	0	GE
		Total dissolved solids	26,000	µg/L	0	GE
		Total organic carbon	< 1,000	µg/L	0	GE
		Total organic halogens	81	µg/L	2	GE
		Total phosphates (as P)	< 50	µg/L	0	GE
•		Toxaphene	< 0.24	µg/L	0	GE
•		1,2,4-Trichlorobenzene	< 10	µg/L	0	GE
		1,1,1-Trichloroethane	< 1.0	µg/L	0	GE
		1,1,2-Trichloroethane	< 1.0	µg/L	0	GE
		Trichloroethylene	< 1.0	µg/L	0	GE
		Trichlorofluoromethane	< 1.0	µg/L	0	GE
•		2,4,6-Trichlorophenol	< 10	µg/L	0	GE
		Zinc	< 2.0	µg/L	0	GE
		Gross alpha	< 2.0E+00	pCi/L	0	GE
		Nonvolatile beta	< 2.0E+00	pCi/L	0	GE
		Total alpha-emitting radium	< 1.0E+00	pCi/L	0	GE
		Tritium	< 7.0E-01	pCi/mL	0	GE

WELL AMB 8D

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Formation
N103874.7	33.339360 °N	240.8-220.8 ft msl	369.6 ft msl	4" PVC	Water table
E51400.5	81.733272 °W				

FIELD MEASUREMENTS

Sample date: 01/30/92
 Depth to water: 136.48 ft (41.60 m) below TOC
 Water elevation: 233.12 ft (71.06 m) msl
 Sp. conductance: 57 µS/cm
 Water evacuated before sampling: 32 gal

Time: 16:15
 pH: 5.5
 Alkalinity: 4 mg/L
 Water temperature: 17.1°C

LABORATORY ANALYSES

H	D	Analyte	Result	Unit	Flag	Lab
		Carbon tetrachloride	< 1.0	µg/L	0	GE
		Chloroform	< 1.0	µg/L	0	GE
		Iron	12	µg/L	0	GE
		Lead	< 3.0	µg/L	0	GE
		Magnesium	125	µg/L	0	GE
		Manganese	< 2.0	µg/L	0	GE
		Nickel	< 4.0	µg/L	0	GE
		Phenols	< 5.0	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL AMB 8D collected on 01/30/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Tetrachloroethylene	< 1.0	µg/L	0	GE
		Total organic carbon	< 1,000	µg/L	0	GE
		Total organic halogens	16	µg/L	0	GE
		1,1,1-Trichloroethane	< 1.0	µg/L	0	GE
		Trichloroethylene	< 1.0	µg/L	0	GE
		Total alpha-emitting radium	< 1.0E+00	pCi/L	0	GE

WELL AMB 9D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N103585.2	33.338496 °N	239.7-219.7 ft msl	367.9 ft msl	4" PVC	Water table
E51263.0	81.733071 °W				

FIELD MEASUREMENTS

Sample date: 01/30/92
 Depth to water: 135.07 ft (41.17 m) below TOC
 Water elevation: 232.83 ft (70.97 m) msl
 Sp. conductance: 40 µS/cm
 Water evacuated before sampling: 34 gal

Time: 16:30
 pH: 5.3
 Alkalinity: 7 mg/L
 Water temperature: 17.2°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Carbon tetrachloride	< 1.0	µg/L	0	GE
		Chloroform	< 1.0	µg/L	0	GE
		Iron	29	µg/L	0	GE
		Lead	< 3.0	µg/L	0	GE
		Magnesium	107	µg/L	0	GE
		Manganese	2.6	µg/L	0	GE
		Nickel	< 4.0	µg/L	0	GE
		Phenols	< 5.0	µg/L	0	GE
		Tetrachloroethylene	< 1.0	µg/L	0	GE
		Total organic carbon	< 1,000	µg/L	0	GE
		Total organic halogens	33	µg/L	1	GE
		1,1,1-Trichloroethane	< 1.0	µg/L	0	GE
		Trichloroethylene	< 1.0	µg/L	0	GE
		Total alpha-emitting radium	< 1.0E+00	pCi/L	0	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL AMB 10A

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N103326.4 E51410.0	33.338163 °N 81.732180 °W	111.4-106.4 ft msl	366.5 ft msl	4" PVC	Congaree

FIELD MEASUREMENTS

Sample date: 01/31/92
 Depth to water: 149.28 ft (45.50 m) below TOC
 Water elevation: 217.22 ft (66.21 m) msl
 Sp. conductance: 216 μ S/cm
 Water evacuated before sampling: 75 gal
 The well went dry during purging.

Time: 10:55
 pH: 10.6
 Alkalinity: 68 mg/L
 Water temperature: 17.4°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		Asbestos	<0.43	MSL	0	SP
		pH	11	pH	2	GE
		Priority Pollutant Dioxin Screen	N	Y/N	0	GE
		Specific conductance	165	μ S/cm	0	GE
•		Acenaphthene	<10	μ g/L	0	GE
•		Acenaphthylene	<10	μ g/L	0	GE
		Acrolein	<20	μ g/L	0	GE
		Acrylonitrile	<20	μ g/L	0	GE
•		Aldrin	<0.050	μ g/L	0	GE
•		Anthracene	<10	μ g/L	0	GE
		Antimony	<2.0	μ g/L	0	GE
		Arsenic	3.1	μ g/L	0	GE
		Barium	53	μ g/L	0	GE
		Benzene	<1.0	μ g/L	0	GE
•		alpha-Benzene hexachloride	<0.050	μ g/L	0	GE
•		beta-Benzene hexachloride	<0.050	μ g/L	0	GE
•		delta-Benzene hexachloride	<0.050	μ g/L	0	GE
•		Benzidine	<10	μ g/L	0	GE
•		Benzo[a]anthracene	<10	μ g/L	0	GE
•		Benzo[a]pyrene	<10	μ g/L	0	GE
•		Benzo[b]fluoranthene	<10	μ g/L	0	GE
•		Benzo[g,h,i]perylene	<10	μ g/L	0	GE
•		Benzo[k]fluoranthene	<10	μ g/L	0	GE
		Beryllium	<3.0	μ g/L	0	GE
•		Bis(2-chloroethoxy) methane	<10	μ g/L	0	GE
•		Bis(2-chloroethyl) ether	<10	μ g/L	0	GE
•		Bis(2-chloroisopropyl) ether	<10	μ g/L	0	GE
•		Bis(2-ethylhexyl) phthalate	<10	μ g/L	0	GE
		Bromodichloromethane	<1.0	μ g/L	0	GE
		Bromoform	<1.0	μ g/L	0	GE
		Bromomethane (Methyl bromide)	<1.0	μ g/L	0	GE
•		4-Bromophenyl phenyl ether	<10	μ g/L	0	GE
•		Butylbenzyl phthalate	<10	μ g/L	0	GE
		Cadmium	<2.0	μ g/L	0	GE
		Calcium	33,300	μ g/L	0	GE
		Carbon tetrachloride	<1.0	μ g/L	0	GE
•		Chlordane	<0.50	μ g/L	0	GE
		Chloride	2,740	μ g/L	0	GE
		Chloride	2,760	μ g/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL AMB 10A collected on 01/31/92, laboratory analyses (cont.)

H	D	Analyte	Result	Unit	Flag	Lab
•		para-Chloro-meta-cresol	< 10	µg/L	0	GE
		Chlorobenzene	< 1.0	µg/L	0	GE
		Chloroethane	< 1.0	µg/L	0	GE
		Chloroethene (Vinyl chloride)	< 1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	< 1.0	µg/L	0	GE
		Chloroform	< 1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	< 1.0	µg/L	0	GE
•		2-Chloronaphthalene	< 10	µg/L	0	GE
•		2-Chlorophenol	< 10	µg/L	0	GE
•		4-Chlorophenyl phenyl ether	< 10	µg/L	0	GE
		Chromium	< 4.0	µg/L	0	GE
•		Chrysene	< 10	µg/L	0	GE
		Copper	< 4.0	µg/L	0	GE
		Cyanide	< 5.0	µg/L	0	GE
•		p,p'-DDD	< 0.10	µg/L	0	GE
•		p,p'-DDE	< 0.10	µg/L	0	GE
•		p,p'-DDT	< 0.10	µg/L	0	GE
•		Di-n-butyl phthalate	< 10	µg/L	0	GE
•		Di-n-octyl phthalate	< 10	µg/L	0	GE
•		Dibenz[a,h]anthracene	< 10	µg/L	0	GE
		Dibromochloromethane	< 1.0	µg/L	0	GE
		1,2-Dichlorobenzene	< 1.0	µg/L	0	GE
		1,3-Dichlorobenzene	< 1.0	µg/L	0	GE
		1,4-Dichlorobenzene	< 1.0	µg/L	0	GE
•		3,3'-Dichlorobenzidine	< 10	µg/L	0	GE
		Dichlorodifluoromethane	< 1.0	µg/L	0	GE
		1,1-Dichloroethane	< 1.0	µg/L	0	GE
		1,2-Dichloroethane	< 1.0	µg/L	0	GE
		1,1-Dichloroethylene	< 1.0	µg/L	0	GE
		trans-1,2-Dichloroethylene	< 1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	< 1.0	µg/L	0	GE
•		2,4-Dichlorophenol	< 10	µg/L	0	GE
		1,2-Dichloropropane	< 1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	< 1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	< 1.0	µg/L	0	GE
•		Dieldrin	< 0.50	µg/L	0	GE
•		Diethyl phthalate	< 10	µg/L	0	GE
•		2,4-Dimethyl phenol	< 10	µg/L	0	GE
•		Dimethyl phthalate	< 10	µg/L	0	GE
•		2,4-Dinitrophenol	< 45	µg/L	0	GE
•		2,4-Dinitrotoluene	< 10	µg/L	0	GE
•		2,6-Dinitrotoluene	< 10	µg/L	0	GE
•		1,2-Diphenylhydrazine	< 10	µg/L	0	GE
•		Endosulfan I	< 0.10	µg/L	0	GE
•		Endosulfan II	< 0.10	µg/L	0	GE
•		Endosulfan sulfate	< 0.10	µg/L	0	GE
•		Endrin	< 0.0060	µg/L	0	GE
•		Endrin aldehyde	< 0.10	µg/L	0	GE
		Ethylbenzene	< 1.0	µg/L	0	GE
•		Fluoranthene	< 10	µg/L	0	GE
•		Fluorene	< 10	µg/L	0	GE
		Fluoride	290	µg/L	0	GE
		Fluoride	290	µg/L	0	GE
•		Heptachlor	< 0.050	µg/L	0	GE
•		Heptachlor epoxide	< 0.050	µg/L	0	GE
•		Hexachlorobenzene	< 10	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL AMB 10A collected on 01/31/92, laboratory analyses (cont.)

H	D	Analyte	Result	Unit	Flag	Lab
•		Hexachlorobutadiene	< 10	µg/L	0	GE
•		Hexachlorocyclopentadiene	< 10	µg/L	0	GE
•		Hexachloroethane	< 10	µg/L	0	GE
•		Indeno[1,2,3-c,d]pyrene	< 10	µg/L	0	GE
		Iron	7.5	µg/L	0	GE
•		Isophorone	< 10	µg/L	0	GE
		Lead	< 3.0	µg/L	0	GE
•		Lindane	< 0.0050	µg/L	0	GE
		Magnesium	37	µg/L	0	GE
		Manganese	< 2.0	µg/L	0	GE
		Mercury	< 0.20	µg/L	0	GE
•		2-Methyl-4,6-dinitrophenol	< 10	µg/L	0	GE
•		N-Nitrosodimethylamine	< 10	µg/L	0	GE
•		N-Nitrosodiphenylamine	< 10	µg/L	0	GE
•		N-Nitrosodi-propylamine	< 10	µg/L	0	GE
•		Naphthalene	< 10	µg/L	0	GE
		Nickel	< 4.0	µg/L	0	GE
•		Nitrate as nitrogen	100	µg/L	0	GE
		Nitrate as nitrogen	100	µg/L	0	GE
•		Nitrobenzene	< 10	µg/L	0	GE
•		2-Nitrophenol	< 10	µg/L	0	GE
•		4-Nitrophenol	< 10	µg/L	0	GE
•		PCB 1016	< 0.50	µg/L	0	GE
•		PCB 1221	< 0.50	µg/L	0	GE
•		PCB 1232	< 0.50	µg/L	0	GE
•		PCB 1242	< 0.50	µg/L	0	GE
•		PCB 1248	< 0.50	µg/L	0	GE
•		PCB 1254	< 0.50	µg/L	0	GE
•		PCB 1260	< 0.50	µg/L	0	GE
•		Pentachlorophenol	< 10	µg/L	0	GE
•		Phenanthrene	< 10	µg/L	0	GE
•		Phenol	< 10	µg/L	0	GE
		Phenols	< 5.0	µg/L	0	GE
		Phenols	< 5.0	µg/L	0	GE
		Potassium	15,000	µg/L	0	GE
•		Pyrene	< 10	µg/L	0	GE
		Selenium	< 2.0	µg/L	0	GE
		Silica	22,400	µg/L	0	GE
		Silver	< 2.0	µg/L	0	GE
		Sodium	26,300	µg/L	0	GE
		Sulfate	12,200	µg/L	0	GE
		Sulfate	12,200	µg/L	0	GE
		Sulfate	12,400	µg/L	0	GE
		Sulfate	12,400	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	< 1.0	µg/L	0	GE
		Tetrachloroethylene	< 1.0	µg/L	0	GE
		Thallium	< 2.0	µg/L	0	GE
		Toluene	3.2	µg/L	0	GE
		Total dissolved solids	112,000	µg/L	0	GE
		Total organic carbon	2,000	µg/L	0	GE
		Total organic halogens	7.1	µg/L	0	GE
		Total phosphates (as P)	70	µg/L	0	GE
•		Toxaphene	< 0.24	µg/L	0	GE
•		1,2,4-Trichlorobenzene	< 10	µg/L	0	GE
		1,1,1-Trichloroethane	< 1.0	µg/L	0	GE
		1,1,2-Trichloroethane	< 1.0	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL AMB 10A collected on 01/31/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Trichloroethylene	< 1.0	µg/L	0	GE
		Trichlorofluoromethane	< 1.0	µg/L	0	GE
•		2,4,6-Trichlorophenol	< 10	µg/L	0	GE
		Zinc	< 2.0	µg/L	0	GE
		Gross alpha	< 2.0E + 00	pCi/L	0	GE
		Nonvolatile beta	7.3E + 00 ± 8.0E-01	pCi/L	0	GE
		Total alpha-emitting radium	< 1.0E + 00	pCi/L	0	GE
		Tritium	< 7.0E-01	pCi/mL	0	GE

WELL AMB 10B

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N103337.3 E51418.3	33.338201 °N 81.732180 °W	154.3-149.3 ft msl	366.4 ft msl	4" PVC	Congaree

FIELD MEASUREMENTS

Sample date: 01/30/92
 Depth to water: 144.55 ft (44.06 m) below TOC
 Water elevation: 221.85 ft (67.62 m) msl
 Sp. conductance: 133 µS/cm
 Water evacuated before sampling: 239 gal

Time: 17:00
 pH: 7.1
 Alkalinity: 50 mg/L
 Water temperature: 17.1°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Asbestos	< 0.15	MSL	0	SP
•		pH	5.5	pH	0	GE
		Priority Pollutant Dioxin Screen	N	Y/N	0	GE
		Specific conductance	105	µS/cm	0	GE
•		Acenaphthene	< 10	µg/L	0	GE
•		Acenaphthylene	< 10	µg/L	0	GE
		Acrolein	< 20	µg/L	0	GE
		Acrylonitrile	< 20	µg/L	0	GE
•		Aldrin	< 0.050	µg/L	0	GE
•		Anthracene	< 10	µg/L	0	GE
		Antimony	< 2.0	µg/L	0	GE
		Arsenic	< 2.0	µg/L	0	GE
		Barium	43	µg/L	0	GE
		Benzene	< 1.0	µg/L	0	GE
•		alpha-Benzene hexachloride	< 0.050	µg/L	0	GE
•		beta-Benzene hexachloride	< 0.050	µg/L	0	GE
•		delta-Benzene hexachloride	< 0.050	µg/L	0	GE
•		Benzidine	< 10	µg/L	0	GE
•		Benzo[a]anthracene	< 10	µg/L	0	GE
•		Benzo[a]pyrene	< 10	µg/L	0	GE
•		Benzo[b]fluoranthene	< 10	µg/L	0	GE
•		Benzo[g,h,i]perylene	< 10	µg/L	0	GE
•		Benzo[k]fluoranthene	< 10	µg/L	0	GE
		Beryllium	< 3.0	µg/L	0	GE
•		Bis(2-chloroethoxy) methane	< 10	µg/L	0	GE
•		Bis(2-chloroethyl) ether	< 10	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL AMB 10B collected on 01/30/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		Bis(2-chloroisopropyl) ether	< 10	µg/L	0	GE
•		Bis(2-ethylhexyl) phthalate	< 10	µg/L	0	GE
		Bromodichloromethane	< 1.0	µg/L	0	GE
		Bromoform	< 1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	< 1.0	µg/L	0	GE
•		4-Bromophenyl phenyl ether	< 10	µg/L	0	GE
•		Butylbenzyl phthalate	< 10	µg/L	0	GE
		Cadmium	< 2.0	µg/L	0	GE
		Calcium	17,800	µg/L	0	GE
		Carbon tetrachloride	< 1.0	µg/L	0	GE
•		Chlordane	< 0.50	µg/L	0	GE
		Chloride	4,260	µg/L	0	GE
•		para-Chloro-meta-cresol	< 10	µg/L	0	GE
		Chlorobenzene	< 1.0	µg/L	0	GE
		Chloroethane	< 1.0	µg/L	0	GE
		Chloroethene (Vinyl chloride)	< 1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	< 1.0	µg/L	0	GE
		Chloroform	< 1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	< 1.0	µg/L	0	GE
•		2-Chloronaphthalene	< 10	µg/L	0	GE
•		2-Chlorophenol	< 10	µg/L	0	GE
•		4-Chlorophenyl phenyl ether	< 10	µg/L	0	GE
		Chromium	< 4.0	µg/L	0	GE
•		Chrysene	< 10	µg/L	0	GE
		Copper	< 4.0	µg/L	0	GE
		Cyanide	< 5.0	µg/L	0	GE
•		p,p'-DDD	< 0.10	µg/L	0	GE
•		p,p'-DDE	< 0.10	µg/L	0	GE
•		p,p'-DDT	< 0.10	µg/L	0	GE
•		Di-n-butyl phthalate	< 10	µg/L	0	GE
•		Di-n-octyl phthalate	< 10	µg/L	0	GE
•		Dibenz[a,h]anthracene	< 10	µg/L	0	GE
		Dibromochloromethane	< 1.0	µg/L	0	GE
		1,2-Dichlorobenzene	< 1.0	µg/L	0	GE
		1,3-Dichlorobenzene	< 1.0	µg/L	0	GE
		1,4-Dichlorobenzene	< 1.0	µg/L	0	GE
•		3,3'-Dichlorobenzidine	< 10	µg/L	0	GE
		Dichlorodifluoromethane	< 1.0	µg/L	0	GE
		1,1-Dichloroethane	< 1.0	µg/L	0	GE
		1,2-Dichloroethane	< 1.0	µg/L	0	GE
		1,1-Dichloroethylene	< 1.0	µg/L	0	GE
		trans-1,2-Dichloroethylene	< 1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	< 1.0	µg/L	0	GE
•		2,4-Dichlorophenol	< 10	µg/L	0	GE
		1,2-Dichloropropane	< 1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	< 1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	< 1.0	µg/L	0	GE
•		Dieldrin	< 0.50	µg/L	0	GE
•		Diethyl phthalate	< 10	µg/L	0	GE
•		2,4-Dimethyl phenol	< 10	µg/L	0	GE
•		Dimethyl phthalate	< 10	µg/L	0	GE
•		2,4-Dinitrophenol	< 45	µg/L	0	GE
•		2,4-Dinitrotoluene	< 10	µg/L	0	GE
•		2,6-Dinitrotoluene	< 10	µg/L	0	GE
•		1,2-Diphenylhydrazine	< 10	µg/L	0	GE
•		Endosulfan I	< 0.10	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL AMB 10B collected on 01/30/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		Endosulfan II	<0.10	µg/L	0	GE
•		Endosulfan sulfate	<0.10	µg/L	0	GE
•		Endrin	<0.0060	µg/L	0	GE
•		Endrin aldehyde	<0.10	µg/L	0	GE
		Ethylbenzene	<1.0	µg/L	0	GE
•		Fluoranthene	<10	µg/L	0	GE
•		Fluorene	<10	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE
•		Heptachlor	<0.050	µg/L	0	GE
•		Heptachlor epoxide	<0.050	µg/L	0	GE
•		Hexachlorobenzene	<10	µg/L	0	GE
•		Hexachlorobutadiene	<10	µg/L	0	GE
•		Hexachlorocyclopentadiene	<10	µg/L	0	GE
•		Hexachloroethane	<10	µg/L	0	GE
•		Indeno[1,2,3-c,d]pyrene	<10	µg/L	0	GE
		Iron	8.7	µg/L	0	GE
•		Isophorone	<10	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE
•		Lindane	<0.0050	µg/L	0	GE
		Magnesium	595	µg/L	0	GE
		Manganese	21	µg/L	0	GE
		Mercury	<0.20	µg/L	0	GE
•		2-Methyl-4,6-dinitrophenol	<10	µg/L	0	GE
•		N-Nitrosodimethylamine	<10	µg/L	0	GE
•		N-Nitrosodiphenylamine	<10	µg/L	0	GE
•		N-Nitrosodi-propylamine	<10	µg/L	0	GE
•		Naphthalene	<10	µg/L	0	GE
		Nickel	<4.0	µg/L	0	GE
		Nitrate as nitrogen	150	µg/L	0	GE
•		Nitrobenzene	<10	µg/L	0	GE
•		2-Nitrophenol	<10	µg/L	0	GE
•		4-Nitrophenol	<10	µg/L	0	GE
•		PCB 1016	<0.50	µg/L	0	GE
•		PCB 1221	<0.50	µg/L	0	GE
•		PCB 1232	<0.50	µg/L	0	GE
•		PCB 1242	<0.50	µg/L	0	GE
•		PCB 1248	<0.50	µg/L	0	GE
•		PCB 1254	<0.50	µg/L	0	GE
•		PCB 1260	<0.50	µg/L	0	GE
•		Pentachlorophenol	<10	µg/L	0	GE
•		Phenanthrene	<10	µg/L	0	GE
•		Phenol	<10	µg/L	0	GE
		Phenols	<5.0	µg/L	0	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	1,580	µg/L	0	GE
•		Pyrene	<10	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	9,720	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	5,030	µg/L	0	GE
		Sulfate	<1,000	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0	µg/L	0	GE
		Tetrachloroethylene	<1.0	µg/L	0	GE
		Thallium	<2.0	µg/L	0	GE
		Toluene	<1.0	µg/L	0	GE
		Total dissolved solids	78,000	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL AMB 10B collected on 01/30/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Total organic carbon	< 1,000	µg/L	0	GE
		Total organic halogens	< 5.0	µg/L	0	GE
		Total phosphates (as P)	< 50	µg/L	0	GE
•		Toxaphene	< 0.24	µg/L	0	GE
•		1,2,4-Trichlorobenzene	< 10	µg/L	0	GE
		1,1,1-Trichloroethane	< 1.0	µg/L	0	GE
		1,1,2-Trichloroethane	< 1.0	µg/L	0	GE
		Trichloroethylene	< 1.0	µg/L	0	GE
		Trichlorofluoromethane	< 1.0	µg/L	0	GE
•		2,4,6-Trichlorophenol	< 10	µg/L	0	GE
		Zinc	8.1	µg/L	0	GE
		Gross alpha	< 2.0E + 00	pCi/L	0	GE
		Nonvolatile beta	2.6E + 00 ± 5.4E-01	pCi/L	0	GE
		Total alpha-emitting radium	1.7E + 00 ± 5.0E-01	pCi/L	0	GE
		Tritium	< 7.0E-01	pCi/mL	0	GE

WELL AMB 10D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N103293.4	33.338166 °N	239.4-219.4 ft msl	365.5 ft msl	4" PVC	Water table
E51456.0	81.731995 °W				

FIELD MEASUREMENTS

Sample date: 01/30/92
 Depth to water: 131.24 ft (40.00 m) below TOC
 Water elevation: 234.26 ft (71.40 m) msl
 Sp. conductance: 49 µS/cm
 Water evacuated before sampling: 39 gal

Time: 17:25
 pH: 5.4
 Alkalinity: 10 mg/L
 Water temperature: 16.7°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Carbon tetrachloride	< 1.0	µg/L	0	GE
		Chloroform	< 1.0	µg/L	0	GE
		Iron	8.4	µg/L	0	GE
		Lead	< 3.0	µg/L	0	GE
		Magnesium	169	µg/L	0	GE
		Manganese	13	µg/L	0	GE
		Nickel	< 4.0	µg/L	0	GE
		Phenols	< 5.0	µg/L	0	GE
		Tetrachloroethylene	< 1.0	µg/L	0	GE
		Total organic carbon	< 1,000	µg/L	0	GE
		Total organic halogens	7.6	µg/L	0	GE
		1,1,1-Trichloroethane	< 1.0	µg/L	0	GE
		Trichloroethylene	< 1.0	µg/L	0	GE
		Total alpha-emitting radium	1.0E + 00 ± 3.0E-01	pCi/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL AMB 10DD

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Formation
N103278.7 E51456.0	33.338133 °N 81.731966 °W	358.6-338.6 ft msl	365.4 ft msl	4" PVC	Water table

FIELD MEASUREMENTS

Sample date: 02/07/92	Time: 13:30
Depth to water: 6.33 ft (1.93 m) below TOC	pH: 6.0
Water elevation: 359.07 ft (109.45 m) msl	Alkalinity: 48 mg/L
Sp. conductance: 121 μ S/cm	Water temperature: 17.1°C
Water evacuated before sampling: 54 gal	

LABORATORY ANALYSES

H	D	Analyte	Result	Unit	Flag	Lab
		Carbon tetrachloride	<1.0	μ g/L	0	WA
		Carbon tetrachloride	<1.0	μ g/L	0	WA
		Carbon tetrachloride	<1.0	μ g/L	0	GE
		Carbon tetrachloride	<1.0	μ g/L	0	GE
		Chloroform	<1.0	μ g/L	0	WA
		Chloroform	<1.0	μ g/L	0	WA
		Chloroform	<1.0	μ g/L	0	GE
		Chloroform	<1.0	μ g/L	0	GE
		Iron	5,080	μ g/L	2	WA
		Iron	4,940	μ g/L	2	WA
		Iron	5,270	μ g/L	2	GE
		Iron	5,310	μ g/L	2	GE
		Lead	<2.0	μ g/L	0	WA
		Lead	<2.0	μ g/L	0	WA
		Lead	<3.0	μ g/L	0	GE
		Lead	<3.0	μ g/L	0	GE
		Magnesium	402	μ g/L	0	WA
		Magnesium	353	μ g/L	0	WA
		Magnesium	395	μ g/L	0	GE
		Magnesium	388	μ g/L	0	GE
		Manganese	245	μ g/L	2	WA
		Manganese	238	μ g/L	2	WA
		Manganese	255	μ g/L	2	GE
		Manganese	256	μ g/L	2	GE
		Nickel	6.1	μ g/L	0	WA
		Nickel	<3.1	μ g/L	0	WA
		Nickel	<4.0	μ g/L	0	GE
		Nickel	<4.0	μ g/L	0	GE
		Phenols	<5.0	μ g/L	0	WA
		Phenols	<5.0	μ g/L	0	WA
		Phenols	<5.0	μ g/L	0	WA
		Phenols	<5.0	μ g/L	0	GE
		Phenols	<5.0	μ g/L	0	GE
		Tetrachloroethylene	<1.0	μ g/L	0	WA
		Tetrachloroethylene	<1.0	μ g/L	0	WA
		Tetrachloroethylene	<1.0	μ g/L	0	GE
		Tetrachloroethylene	<1.0	μ g/L	0	GE
		Total organic carbon	1,130	μ g/L	0	WA
		Total organic carbon	1,220	μ g/L	0	WA

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL AMB 10DD collected on 02/07/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	6.3	µg/L	0	WA
		Total organic halogens	24	µg/L	0	WA
		Total organic halogens	90	µg/L	2	GE
		Total organic halogens	<5.0	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0	µg/L	0	WA
		1,1,1-Trichloroethane	<1.0	µg/L	0	WA
		1,1,1-Trichloroethane	<1.0	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0	µg/L	0	GE
		Trichloroethylene	<1.0	µg/L	0	WA
		Trichloroethylene	<1.0	µg/L	0	WA
		Trichloroethylene	<1.0	µg/L	0	GE
		Trichloroethylene	<1.0	µg/L	0	GE
		Radium-226	5.0E-01 ± 4.0E-01	pCi/L	0	BA
		Radium-226	3.0E-01 ± 4.0E-01	pCi/L	0	BA
		Radium-228	1.0E-01 ± 2.1E+00	pCi/L	0	BA
		Radium-228	<1.8E+00	pCi/L	0	BA
		Total alpha-emitting radium	<1.0E+00	pCi/L	0	GE
		Total alpha-emitting radium	<1.0E+00	pCi/L	0	GE

WELL AMB 11B

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N103154.2	33.338615 °N	184.5-174.5 ft msl	364.6 ft msl	4" PVC	Congaree
E51919.5	81.730503 °W				

FIELD MEASUREMENTS

Sample date: 01/30/92
 Depth to water: 142.93 ft (43.57 m) below TOC
 Water elevation: 221.67 ft (67.57 m) msl
 Sp. conductance: 81 µS/cm
 Water evacuated before sampling: 130 gal

Time: 14:20
 pH: 6.2
 Alkalinity: 21 mg/L
 Water temperature: 17.1 °C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Asbestos	<15	MSL	0	SP
•		pH	6.9	pH	0	GE
		Priority Pollutant Dioxin Screen	N	Y/N	0	GE
		Specific conductance	72	µS/cm	0	GE
•		Acenaphthene	<10	µg/L	0	GE
•		Acenaphthylene	<10	µg/L	0	GE
		Acrolein	<20	µg/L	0	GE
		Acrylonitrile	<20	µg/L	0	GE
•		Aldrin	<0.050	µg/L	0	GE
•		Anthracene	<10	µg/L	0	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	13	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL AMB 11B collected on 01/30/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Benzene	< 1.0	µg/L	0	GE
•		alpha-Benzene hexachloride	< 0.050	µg/L	0	GE
•		beta-Benzene hexachloride	< 0.050	µg/L	0	GE
•		delta-Benzene hexachloride	< 0.050	µg/L	0	GE
•		Benzidine	< 10	µg/L	0	GE
•		Benzo[a]anthracene	< 10	µg/L	0	GE
•		Benzo[a]pyrene	< 10	µg/L	0	GE
•		Benzo[b]fluoranthene	< 10	µg/L	0	GE
•		Benzo[g,h,i]perylene	< 10	µg/L	0	GE
•		Benzo[k]fluoranthene	< 10	µg/L	0	GE
		Beryllium	< 3.0	µg/L	0	GE
•		Bis(2-chloroethoxy) methane	< 10	µg/L	0	GE
•		Bis(2-chloroethyl) ether	< 10	µg/L	0	GE
•		Bis(2-chloroisopropyl) ether	< 10	µg/L	0	GE
•		Bis(2-ethylhexyl) phthalate	< 10	µg/L	0	GE
		Bromodichloromethane	< 1.0	µg/L	0	GE
		Bromoform	< 1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	< 1.0	µg/L	0	GE
•		4-Bromophenyl phenyl ether	< 10	µg/L	0	GE
•		Butylbenzyl phthalate	< 10	µg/L	0	GE
		Cadmium	< 2.0	µg/L	0	GE
		Calcium	1,580	µg/L	0	GE
		Carbon tetrachloride	< 1.0	µg/L	0	GE
•		Chlordane	< 0.50	µg/L	0	GE
		Chloride	4,060	µg/L	0	GE
•		para-Chloro-meta-cresol	< 10	µg/L	0	GE
		Chlorobenzene	< 1.0	µg/L	0	GE
		Chloroethane	< 1.0	µg/L	0	GE
		Chloroethene (Vinyl chloride)	< 1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	< 1.0	µg/L	0	GE
		Chloroform	< 1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	< 1.0	µg/L	0	GE
•		2-Chloronaphthalene	< 10	µg/L	0	GE
•		2-Chlorophenol	< 10	µg/L	0	GE
•		4-Chlorophenyl phenyl ether	< 10	µg/L	0	GE
		Chromium	< 4.0	µg/L	0	GE
•		Chrysene	< 10	µg/L	0	GE
		Copper	< 4.0	µg/L	0	GE
		Cyanide	< 5.0	µg/L	0	GE
•		p,p'-DDD	< 0.10	µg/L	0	GE
•		p,p'-DDE	< 0.10	µg/L	0	GE
•		p,p'-DDT	< 0.10	µg/L	0	GE
•		Di-n-butyl phthalate	< 10	µg/L	0	GE
•		Di-n-octyl phthalate	< 10	µg/L	0	GE
•		Dibenz[a,h]anthracene	< 10	µg/L	0	GE
		Dibromochloromethane	< 1.0	µg/L	0	GE
		1,2-Dichlorobenzene	< 1.0	µg/L	0	GE
		1,3-Dichlorobenzene	< 1.0	µg/L	0	GE
		1,4-Dichlorobenzene	< 1.0	µg/L	0	GE
•		3,3'-Dichlorobenzidine	< 10	µg/L	0	GE
		Dichlorodifluoromethane	< 1.0	µg/L	0	GE
		1,1-Dichloroethane	< 1.0	µg/L	0	GE
		1,2-Dichloroethane	< 1.0	µg/L	0	GE
		1,1-Dichloroethylene	< 1.0	µg/L	0	GE
		trans-1,2-Dichloroethylene	< 1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	< 1.0	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL AMB 11B collected on 01/30/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		2,4-Dichlorophenol	< 10	µg/L	0	GE
		1,2-Dichloropropane	< 1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	< 1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	< 1.0	µg/L	0	GE
•		Dieldrin	< 0.50	µg/L	0	GE
•		Diethyl phthalate	< 10	µg/L	0	GE
•		2,4-Dimethyl phenol	< 10	µg/L	0	GE
•		Dimethyl phthalate	< 10	µg/L	0	GE
•		2,4-Dinitrophenol	< 45	µg/L	0	GE
•		2,4-Dinitrotoluene	< 10	µg/L	0	GE
•		2,6-Dinitrotoluene	< 10	µg/L	0	GE
•		1,2-Diphenylhydrazine	< 10	µg/L	0	GE
•		Endosulfan I	< 0.10	µg/L	0	GE
•		Endosulfan II	< 0.10	µg/L	0	GE
•		Endosulfan sulfate	< 0.10	µg/L	0	GE
•		Endrin	< 0.0060	µg/L	0	GE
•		Endrin aldehyde	< 0.10	µg/L	0	GE
		Ethylbenzene	< 1.0	µg/L	0	GE
•		Fluoranthene	< 10	µg/L	0	GE
•		Fluorene	< 10	µg/L	0	GE
		Fluoride	< 100	µg/L	0	GE
•		Heptachlor	< 0.050	µg/L	0	GE
•		Heptachlor epoxide	< 0.050	µg/L	0	GE
•		Hexachlorobenzene	< 10	µg/L	0	GE
•		Hexachlorobutadiene	< 10	µg/L	0	GE
•		Hexachlorocyclopentadiene	< 10	µg/L	0	GE
•		Hexachloroethane	< 10	µg/L	0	GE
•		Indeno[1,2,3-c,d]pyrene	< 10	µg/L	0	GE
		Iron	37	µg/L	0	GE
•		Isophorone	< 10	µg/L	0	GE
		Lead	< 3.0	µg/L	0	GE
•		Lindane	< 0.0050	µg/L	0	GE
		Magnesium	227	µg/L	0	GE
		Manganese	7.1	µg/L	0	GE
		Mercury	< 0.20	µg/L	0	GE
•		2-Methyl-4,6-dinitrophenol	< 10	µg/L	0	GE
•		N-Nitrosodimethylamine	< 10	µg/L	0	GE
•		N-Nitrosodiphenylamine	< 10	µg/L	0	GE
•		N-Nitrosodi-propylamine	< 10	µg/L	0	GE
•		Naphthalene	< 10	µg/L	0	GE
		Nickel	< 4.0	µg/L	0	GE
		Nitrate as nitrogen	420	µg/L	0	GE
		Nitrate as nitrogen	450	µg/L	0	GE
•		Nitrobenzene	< 10	µg/L	0	GE
•		2-Nitrophenol	< 10	µg/L	0	GE
•		4-Nitrophenol	< 10	µg/L	0	GE
•		PCB 1016	< 0.50	µg/L	0	GE
•		PCB 1221	< 0.50	µg/L	0	GE
•		PCB 1232	< 0.50	µg/L	0	GE
•		PCB 1242	< 0.50	µg/L	0	GE
•		PCB 1248	< 0.50	µg/L	0	GE
•		PCB 1254	< 0.50	µg/L	0	GE
•		PCB 1260	< 0.50	µg/L	0	GE
•		Pentachlorophenol	< 10	µg/L	0	GE
•		Phenanthrene	< 10	µg/L	0	GE
•		Phenol	< 10	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL AMB 11B collected on 01/30/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Phenols	<5.0	µg/L	0	GE
		Potassium	1,370	µg/L	0	GE
•		Pyrene	<10	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	9,220	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	14,200	µg/L	0	GE
		Sulfate	2,430	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0	µg/L	0	GE
		Tetrachloroethylene	<1.0	µg/L	0	GE
		Thallium	<2.0	µg/L	0	GE
		Toluene	<1.0	µg/L	0	GE
		Total dissolved solids	116,000	µg/L	0	GE
		Total dissolved solids	117,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	GE
		Total phosphates (as P)	170	µg/L	0	GE
•		Toxaphene	<0.24	µg/L	0	GE
•		1,2,4-Trichlorobenzene	<10	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0	µg/L	0	GE
		1,1,2-Trichloroethane	<1.0	µg/L	0	GE
		Trichloroethylene	<1.0	µg/L	0	GE
		Trichlorofluoromethane	<1.0	µg/L	0	GE
•		2,4,6-Trichlorophenol	<10	µg/L	0	GE
		Zinc	2.2	µg/L	0	GE
		Gross alpha	2.6E+00 ± 5.2E-01	pCi/L	0	GE
		Nonvolatile beta	<2.0E+00	pCi/L	0	GE
		Total alpha-emitting radium	1.9E+00 ± 5.0E-01	pCi/L	0	GE
		Tritium	<7.0E-01	pCi/mL	0	GE

WELL AMB 11D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N103132.3	33.338588 °N	240.5-220.5 ft msl	364.0 ft msl	4" PVC	Water table
E51932.6	81.730426 °W				

FIELD MEASUREMENTS

Sample date: 01/30/92
 Depth to water: 128.42 ft (39.14 m) below TOC
 Water elevation: 235.58 ft (71.81 m) msl
 Sp. conductance: 74 µS/cm
 Water evacuated before sampling: 90 gal

Time: 13:25
 pH: 6.4
 Alkalinity: 22 mg/L
 Water temperature: 17.2°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Carbon tetrachloride	<1.0	µg/L	0	GE
		Chloroform	<1.0	µg/L	0	GE
		Iron	<4.0	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE
		Magnesium	66	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL AMB 11D collected on 01/30/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Manganese	< 2.0	µg/L	0	GE
		Nickel	< 4.0	µg/L	0	GE
		Phenols	< 5.0	µg/L	0	GE
		Tetrachloroethylene	< 1.0	µg/L	0	GE
		Total organic carbon	< 1,000	µg/L	0	GE
		Total organic halogens	< 5.0	µg/L	0	GE
		1,1,1-Trichloroethane	< 1.0	µg/L	0	GE
		Trichloroethylene	< 1.0	µg/L	0	GE
		Total alpha-emitting radium	< 1.0E + 00	pCi/L	0	GE

WELL AMB 12D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N103602.4	33.339576 °N	239.4-219.4 ft msl	369.8 ft msl	4" PVC	Water table
E51901.6	81.731422 °W				

FIELD MEASUREMENTS

Sample date: 01/30/92
 Depth to water: 135.88 ft (41.42 m) below TOC
 Water elevation: 233.92 ft (71.30 m) msl
 Sp. conductance: 33 µS/cm
 Water evacuated before sampling: 67 gal

Time: 12:55
 pH: 5.9
 Alkalinity: 9 mg/L
 Water temperature: 17.2°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Carbon tetrachloride	< 1.0	µg/L	0	GE
		Chloroform	< 1.0	µg/L	0	GE
		Iron	24	µg/L	0	GE
		Lead	< 3.0	µg/L	0	GE
		Magnesium	339	µg/L	0	GE
		Manganese	17	µg/L	0	GE
		Nickel	< 4.0	µg/L	0	GE
		Phenols	< 5.0	µg/L	0	GE
		Phenols	< 5.0	µg/L	0	GE
		Tetrachloroethylene	< 1.0	µg/L	0	GE
		Total organic carbon	< 1,000	µg/L	0	GE
		Total organic halogens	14	µg/L	0	GE
		1,1,1-Trichloroethane	< 1.0	µg/L	0	GE
		Trichloroethylene	< 1.0	µg/L	0	GE
		Total alpha-emitting radium	< 1.0E + 00	pCi/L	0	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL AMB 13AR

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N103082.0 E51396.0	33.337600 °N 81.731742 °W	110.9-100.9 ft msl	365.1 ft msl	4" PVC	Congaree

FIELD MEASUREMENTS

Sample date: 02/07/92
 Depth to water: 146.89 ft (44.77 m) below TOC
 Water elevation: 218.21 ft (66.51 m) msl
 Sp. conductance: 98 µS/cm
 Water evacuated before sampling: 392 gal

Time: 12:55
 pH: 6.6
 Alkalinity: 31 mg/L
 Water temperature: 20.1 °C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Asbestos	<0.15	MSL	0	SP
•		pH	7.0	pH	0	GE
		Priority Pollutant Dioxin Screen	N	Y/N	0	GE
		Specific conductance	70	µS/cm	0	GE
•		Acenaphthene	<10	µg/L	0	GE
•		Acenaphthylene	<10	µg/L	0	GE
		Acrolein	<20	µg/L	0	GE
		Acrylonitrile	<20	µg/L	0	GE
•		Aldrin	<0.050	µg/L	0	GE
•		Anthracene	<10	µg/L	0	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	2.3	µg/L	0	GE
		Barium	48	µg/L	0	GE
		Benzene	<1.0	µg/L	0	GE
•		alpha-Benzene hexachloride	<0.050	µg/L	0	GE
•		beta-Benzene hexachloride	<0.050	µg/L	0	GE
•		delta-Benzene hexachloride	<0.050	µg/L	0	GE
•		Benzidine	<10	µg/L	0	GE
•		Benzo[a]anthracene	<10	µg/L	0	GE
•		Benzo[a]pyrene	<10	µg/L	0	GE
•		Benzo[b]fluoranthene	<10	µg/L	0	GE
•		Benzo[g,h,i]perylene	<10	µg/L	0	GE
•		Benzo[k]fluoranthene	<10	µg/L	0	GE
		Beryllium	<3.0	µg/L	0	GE
•		Bis(2-chloroethoxy) methane	<10	µg/L	0	GE
•		Bis(2-chloroethyl) ether	<10	µg/L	0	GE
•		Bis(2-chloroisopropyl) ether	<10	µg/L	0	GE
•		Bis(2-ethylhexyl) phthalate	<10	µg/L	0	GE
		Bromodichloromethane	<1.0	µg/L	0	GE
		Bromoform	<1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0	µg/L	0	GE
•		4-Bromophenyl phenyl ether	<10	µg/L	0	GE
•		Butylbenzyl phthalate	<10	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	8,250	µg/L	0	GE
		Carbon tetrachloride	<1.0	µg/L	0	GE
•		Chlordane	<0.50	µg/L	0	GE
		Chloride	2,540	µg/L	0	GE
•		para-Chloro-meta-cresol	<10	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL AMB 13AR collected on 02/07/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Chlorobenzene	< 1.0	µg/L	0	GE
		Chloroethane	< 1.0	µg/L	0	GE
		Chloroethene (Vinyl chloride)	< 1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	< 1.0	µg/L	0	GE
		Chloroform	< 1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	< 1.0	µg/L	0	GE
•		2-Chloronaphthalene	< 10	µg/L	0	GE
•		2-Chlorophenol	< 10	µg/L	0	GE
•		4-Chlorophenyl phenyl ether	< 10	µg/L	0	GE
		Chromium	< 4.0	µg/L	0	GE
•		Chrysene	< 10	µg/L	0	GE
		Copper	< 4.0	µg/L	0	GE
		Cyanide	< 5.0	µg/L	0	GE
•		p,p'-DDD	< 0.10	µg/L	0	GE
•		p,p'-DDE	< 0.10	µg/L	0	GE
•		p,p'-DDT	< 0.10	µg/L	0	GE
•		Di-n-butyl phthalate	< 10	µg/L	0	GE
•		Di-n-octyl phthalate	< 10	µg/L	0	GE
•		Dibenz[a,h]anthracene	< 10	µg/L	0	GE
		Dibromochloromethane	< 1.0	µg/L	0	GE
		1,2-Dichlorobenzene	< 1.0	µg/L	0	GE
		1,3-Dichlorobenzene	< 1.0	µg/L	0	GE
		1,4-Dichlorobenzene	< 1.0	µg/L	0	GE
•		3,3'-Dichlorobenzidine	< 10	µg/L	0	GE
		Dichlorodifluoromethane	< 1.0	µg/L	0	GE
		1,1-Dichloroethane	< 1.0	µg/L	0	GE
		1,2-Dichloroethane	< 1.0	µg/L	0	GE
		1,1-Dichloroethylene	< 1.0	µg/L	0	GE
		trans-1,2-Dichloroethylene	< 1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	< 1.0	µg/L	0	GE
•		2,4-Dichlorophenol	< 10	µg/L	0	GE
		1,2-Dichloropropane	< 1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	< 1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	< 1.0	µg/L	0	GE
•		Dieldrin	< 0.50	µg/L	0	GE
•		Diethyl phthalate	< 10	µg/L	0	GE
•		2,4-Dimethyl phenol	< 10	µg/L	0	GE
•		Dimethyl phthalate	< 10	µg/L	0	GE
•		2,4-Dinitrophenol	< 45	µg/L	0	GE
•		2,4-Dinitrotoluene	< 10	µg/L	0	GE
•		2,6-Dinitrotoluene	< 10	µg/L	0	GE
•		1,2-Diphenylhydrazine	< 10	µg/L	0	GE
•		Endosulfan I	< 0.10	µg/L	0	GE
•		Endosulfan II	< 0.10	µg/L	0	GE
•		Endosulfan sulfate	< 0.10	µg/L	0	GE
•		Endrin	< 0.0060	µg/L	0	GE
•		Endrin aldehyde	< 0.10	µg/L	0	GE
		Ethylbenzene	< 1.0	µg/L	0	GE
•		Fluoranthene	< 10	µg/L	0	GE
•		Fluorene	< 10	µg/L	0	GE
		Fluoride	< 100	µg/L	0	GE
•		Heptachlor	< 0.050	µg/L	0	GE
•		Heptachlor epoxide	< 0.050	µg/L	0	GE
•		Hexachlorobenzene	< 10	µg/L	0	GE
•		Hexachlorobutadiene	< 10	µg/L	0	GE
•		Hexachlorocyclopentadiene	< 10	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL AMB 13AR collected on 02/07/92, laboratory analyses (cont.)

H	D	Analyte	Result	Unit	Flag	Lab
•		Hexachloroethane	< 10	µg/L	0	GE
•		Indeno[1,2,3-c,d]pyrene	< 10	µg/L	0	GE
		Iron	23	µg/L	0	GE
•		Isophorone	< 10	µg/L	0	GE
		Lead	< 3.0	µg/L	0	GE
•		Lindane	< 0.0050	µg/L	0	GE
		Magnesium	420	µg/L	0	GE
		Manganese	14	µg/L	0	GE
		Mercury	< 0.20	µg/L	0	GE
•		2-Methyl-4,6-dinitrophenol	< 10	µg/L	0	GE
•		N-Nitrosodimethylamine	< 10	µg/L	0	GE
•		N-Nitrosodiphenylamine	< 10	µg/L	0	GE
•		N-Nitrosodi-propylamine	< 10	µg/L	0	GE
•		Naphthalene	< 10	µg/L	0	GE
		Nickel	< 4.0	µg/L	0	GE
•		Nitrate as nitrogen	770	µg/L	0	GE
		Nitrate as nitrogen	770	µg/L	0	GE
•		Nitrobenzene	< 10	µg/L	0	GE
•		2-Nitrophenol	< 10	µg/L	0	GE
•		4-Nitrophenol	< 10	µg/L	0	GE
•		PCB 1016	< 0.50	µg/L	0	GE
•		PCB 1221	< 0.50	µg/L	0	GE
•		PCB 1232	< 0.50	µg/L	0	GE
•		PCB 1242	< 0.50	µg/L	0	GE
•		PCB 1248	< 0.50	µg/L	0	GE
•		PCB 1254	< 0.50	µg/L	0	GE
•		PCB 1260	< 0.50	µg/L	0	GE
•		Pentachlorophenol	< 10	µg/L	0	GE
•		Phenanthrene	< 10	µg/L	0	GE
•		Phenol	< 10	µg/L	0	GE
		Phenols	< 5.0	µg/L	0	GE
		Potassium	3,480	µg/L	0	GE
•		Pyrene	< 10	µg/L	0	GE
		Selenium	< 2.0	µg/L	0	GE
		Silica	26,800	µg/L	0	GE
		Silver	< 2.0	µg/L	0	GE
		Sodium	7,800	µg/L	0	GE
		Sulfate	3,670	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	< 1.0	µg/L	0	GE
		Tetrachloroethylene	< 1.0	µg/L	0	GE
		Thallium	< 2.0	µg/L	0	GE
		Toluene	< 1.0	µg/L	0	GE
		Total dissolved solids	124,000	µg/L	0	GE
		Total organic carbon	< 1,000	µg/L	0	GE
		Total organic carbon	< 1,000	µg/L	0	GE
		Total organic halogens	< 5.0	µg/L	0	GE
		Total phosphates (as P)	< 50	µg/L	0	GE
•		Toxaphene	< 0.24	µg/L	0	GE
•		1,2,4-Trichlorobenzene	< 10	µg/L	0	GE
		1,1,1-Trichloroethane	< 1.0	µg/L	0	GE
		1,1,2-Trichloroethane	< 1.0	µg/L	0	GE
		Trichloroethylene	1.7	µg/L	0	GE
		Trichlorofluoromethane	< 1.0	µg/L	0	GE
•		2,4,6-Trichlorophenol	< 10	µg/L	0	GE
		Zinc	3.3	µg/L	0	GE
		Gross alpha	3.3E+00 ± 5.8E-01	pCi/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL AMB 13AR collected on 02/07/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Nonvolatile beta	6.4E+00 ± 7.7E-01	pCi/L	0	GE
		Total alpha-emitting radium	1.0E+00 ± 4.0E-01	pCi/L	0	GE
		Tritium	< 7.0E-01	pCi/mL	0	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard.

Appendix E – Time Series Plots

Time Series Plot of Field pH for AMB 4 Through AMB 7

Time Series Plot of Field pH for AMB 8D Through AMB 13AR

Time Series Plot of Field Specific Conductance for AMB 4 Through AMB 7

Time Series Plot of Field Specific Conductance for AMB 8D Through AMB 13AR

Time Series Plot of Tetrachloroethylene for AMB 4 Through AMB 7

The graph shows the number of quarters (Y-axis) versus time (X-axis). The Y-axis ranges from 0.0 to 3.0 in increments of 0.5. The X-axis ranges from 1/90 to 1/93. The data points are connected by lines, showing a general upward trend over time. The legend identifies the quarters: AMB 8D (square), AMB 9D (diamond), AMB 10A (circle), AMB 10B (triangle), AMB 10C (square), AMB 10D (circle), AMB 10DD (triangle), AMB 11B (diamond), AMB 11D (circle), AMB 12D (triangle), and AMB 13AR (square).

Quarter	Time (X-axis)	Number of Quarters (Y-axis)
AMB 8D	1/90	1.0
AMB 9D	1/91	1.0
AMB 10A	1/92	1.0
AMB 10B	1/92	1.0
AMB 10C	1/92	1.0
AMB 10D	1/93	1.0
AMB 10DD	1/90	1.0
AMB 11B	1/91	1.0
AMB 11D	1/92	1.0
AMB 12D	1/92	1.0
AMB 13AR	1/93	1.0

Time Series Plot of Total Organic Carbon for AMB 4 Through AMB 7

Time Series Plot of Total Organic Carbon for AMB 8D Through AMB 13AR

Time Series Plot of Total Organic Halogens for AMB 4 Through AMB 7

Time Series Plot of Total Organic Halogens for AMB 8D Through AMB 13AR

Time Series Plot of Total Alpha-Emitting Radium for AMB 4 Through AMB 7

Time Series Plot of Total Alpha-Emitting Radium for AMB 8D Through 13AR

Time Series Plot of Trichloroethylene for AMB 4 Through AMB 7

Time Series Plot of Trichloroethylene for AMB 8D Through AMB 13AR

Appendix F – Hydrographs

Hydrograph for AMB 4 Through AMB 7

Hydrograph for AMB 8D Through AMB 13AR

Hydrograph for AMB 10DD

Appendix G – Water-Elevation Contour Maps

E38500

E40500

N109000

N107000

15000

E42500

E44500

E46500

E48500

E50500

E52500

E54500

E56500

N109000

N107000

05000

N10500

N103000

N101000

N1050

N103000

N101000

E38500

E40500

N97000

N99000

A-AREA BURNING
RUBBLE PIT

A-AREA METALS
BURNING PIT

E 42500

E 44500

226 89

350

300

226 88

226

300

226

MISCELLANEOUS CHEMICAL
BASIN

300

E46500

E48500

N990000

WSRC-RP-92-67-1 -1

M-AREA HAZARDOUS WASTE MANAGEMENT
FACILITY POST-CLOSURE CARE PERMIT
GROUNDWATER MONITORING AND
CORRECTIVE ACTION PROGRAM

WATER ELEVATION MAP (1092)
WATER TABLE UNIT

LEGEND

MSB 30A ← WELL IDENTIFICATION
▽ ← WELL SYMBOL
234.5 ← WATER ELEVATION (FT ABOVE MSL)
(ND = No Data)

SCALE 1" = 500'

SOURCE

USGS 7.5 MINUTE QUADRANGLE MAPS FOR NEW ELLENTON SW
AND JACKSON, SOUTH CAROLINA, AND PLANT DATA.

BASE MAP REVISION No. 2, OCTOBER 1988

UNCONTROLLED COPY -- FOR REFERENCE ONLY

E38500

E40500

N109000

N107000

900

E42500

E44500

E46500

E48500

MSB 48
29 92
▽

230

350

MSB 30CC
224 44
▽

AC 2A
▽

E52500

E54500

E56500

N109000

N107000

30

N105

N103000

N101000

350

▽
MSB 76C
220 78

MSB 70C
217 73

214

210

▽
AC 3A

300

N100

N103000

N101000

ASB 3C
220 87

E38500

E40500

N97000

N99000

A-AREA BURNING
RUBBLE PIT

350

A-AREA METALS
BURNING PIT

ABP 8C
196 70

ABP 3C
196 98

MCB 5C
194 98

MCB 7C
193 74

198

MISCE

306

E 42500

E 44500

E46500

E48500

MSB 74C
218.84

MSB 38C
211.26

E50500

E52500

N990000

350

WSRC-RP-92-67-1 -2

**M-AREA HAZARDOUS WASTE MANAGEMENT
FACILITY POST-CLOSURE CARE PERMIT
GROUNDWATER MONITORING AND
CORRECTIVE ACTION PROGRAM**

POTENTIOMETRIC MAP (1092)
UPPER CONGAREE UNIT

LEGEND

- MSB 30A ← WELL IDENTIFICATION
- ▽ ← WELL SYMBOL
- 234.5 ← WATER ELEVATION (FT ABOVE MSL)
(ND = No Data)

SCALE 1" = 500'

SOURCE

USGS 7.5 MINUTE QUADRANGLE MAPS FOR NEW ELLENTON SW
AND JACKSON, SOUTH CAROLINA, AND PLANT DATA.
BASE MAP REVISION No. 2, OCTOBER 1988

UNCONTROLLED COPY -- FOR REFERENCE ONLY

E38500

E40500

N109000

N107000

000

E 42500

E 44500

E46500

E48500

E50500

E52500

E56500

NO 6121

NI 07000

N1051

N103000

N101000

N10

N103000

N101000

N99000

N97000

E38500

E40500

A-AREA BURNING
RUBBLE PIT

MSB 738
202 02

A-AREA METALS
BURNING PIT

MISC

E42500

E44500

B

SCCELLANEOUS CHEMICAL
BASIN

E46500

E48500

▽MSB 74B
211 05

▽MSB 33B

▽MSB 51B
205 65

▽MSB 50B
203 22

E50500

E52500

00066N

350

WSRC-RP-92-67-1 -3

M-AREA HAZARDOUS WASTE MANAGEMENT
FACILITY POST-CLOSURE CARE PERMIT
GROUNDWATER MONITORING AND
CORRECTIVE ACTION PROGRAM

POTENTIOMETRIC MAP (1092)
LOWER CONGAREE UNIT

LEGEND

MSB 30A ← WELL IDENTIFICATION
▽ ← WELL SYMBOL
234.5 ← WATER ELEVATION (FT ABOVE MSL)
(ND = No Data)

SCALE 1" = 500'

SOURCE

USGS 7.5 MINUTE QUADRANGLE MAPS FOR NEW ELLENTON SW
AND JACKSON, SOUTH CAROLINA, AND PLANT DATA.

BASE MAP REVISION No. 2, OCTOBER 1988

UNCONTROLLED COPY -- FOR REFERENCE ONLY

END

**DATE
FILMED**

2 / 18 / 93