SRL-ETS-90-293

**OFFSITE DOSES FROM SRS RELEASES OVER THE PERIOD
OF SITE OPERATION (U)**

by L. R. Bauer

Westinghouse Savannah River Company
Savannah River Site
Aiken, South Carolina 29808

SRL-ETS--90-293

DE93 005521

Other Authors:

2000-00-00 00:00
00:00

This paper was prepared in connection with work done under Contract No. DE-AC09-89SR18035 with the U. S. Department of Energy. By acceptance of this paper, the publisher and/or recipient acknowledges the U. S. Government's right to retain a nonexclusive, royalty-free license in and to any copyright covering this paper, along with the right to reproduce and to authorize others to reproduce all or part of the copyrighted paper.

MASTER

REPRODUCTION OF THIS DOCUMENT IS UNLIMITED *tb*

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

This report has been reproduced directly from the best available copy.

Available to DOE and DOE contractors from the Office of Scientific and Technical Information, P.O. Box 62, Oak Ridge, TN 37831; prices available from (615) 576-8401, FTS 626-8401.

Available to the public from the National Technical Information Service, U.S. Department of Commerce, 5285 Port Royal Rd., Springfield, VA 22161.

**SAVANNAH RIVER LABORATORY DIVISION
ENVIRONMENTAL TECHNOLOGY SECTION**

July 13, 1990

TO: C.B. Shedrow, 773-42A
FROM: L.R. Bauer, 773-A LRB
REF: Questions Generated by RO EIS Public Hearings

**Offsite Doses from SRS Releases
Over the Period of Site Operation**

Doses to offsite individuals and at-risk populations from SRS releases for the period 1954 - 1989 have been estimated. These data have been generated in response to questions regarding the overall impact of SRS operations on the offsite environment. The data are comprehensive in the sense that all known measured and calculated atmospheric and liquid release values (Tables 1 and 2, respectively) have been included in the assessment.

This work should not be interpreted as a formal dose reconstruction as current site-specific data (Table 3) have been used. Also, three key assumptions were required for these doses which affect their interpretation: (1) persons in the at-risk populations were assumed to have remained at their designated locations continuously from 1954 - 1989, (2) it was assumed that these individuals will live for 50 additional years following 1989, and (3) the Beaufort-Jasper water treatment plant was assumed to have operated continually since 1954 even though operations actually began in 1965. The values reported in this memorandum are therefore believed to be bounding cases which ultimately will be shown to have significantly overestimated the doses.

Dose estimates for several at-risk individuals and populations are listed in Table 4. A comparison of the doses from the SRS and other sources of ionizing radiation in the environment has also been included. As Table 4 indicates, SRS releases from 1954 - 1989 appear to have presented negligible additional risks for individuals and populations in the vicinity of the SRS.

cc: A.L. Boni, 773-A
D.M. Hamby, 773-A
H.D. Harmon, 773-A
W.L. Marter, 773-42A
SRL Records (2)
EDG Files (1)

Table 1. Cumulative Atmospheric SRS Releases, Ci (1954 - 1989).

Radionuclide	1954					Value Used in Dose Evaluation (c)
	-1985	1986	1987	1988	1989	
Total H-3 (a)	2.27E+07					
HTO+0.004%HT		2.85E+05	2.70E+05	2.88E+05	2.18E+05	2.38E+07
C-14	2.84E+03	5.60E+01	4.10E+01	2.40E+01	1.80E+01	2.98E+03
AR-41	6.16E+06	8.32E+04	8.77E+04	2.95E+04		6.36E+06
CO-60	9.15E-02	8.00E-06	1.30E-05	3.00E-06		9.15E-02
SE-75	1.06E-04	2.10E-05	4.00E-04	2.00E-05		5.47E-04
KR-85 (b)	9.22E+06	7.10E+05	3.95E+05	2.40E+05	4.17E+04	1.06E+07
KR-85m	1.13E+05	1.99E+03	1.69E+03	1.02E+03		1.18E+05
KR-87	1.62E+04	1.38E+03	1.16E+03	1.36E+03		2.01E+04
KR-88	8.77E+04	2.43E+03	2.01E+03	1.61E+03		9.38E+04
SR-89-90	1.53E+00	1.97E-03	1.35E-03	3.01E-03	1.14E-03	4.70E+01
ZR-95	5.51E-01	4.38E-03	1.67E-03	7.60E-04	5.80E-05	3.12E+00
NB-95	1.06E+00	9.18E-03	3.29E-03	2.22E-03	1.28E-04	1.08E+00
ZR-NB-95	2.56E+00					(Zr-95)
RU-103	1.91E+01	3.50E-03	1.37E-03	4.61E-04	7.00E-06	1.91E+01
RU-106	4.58E+01	5.90E-02	4.53E-02	3.02E-02	3.26E-03	1.39E+02
RU-103-106	9.31E+01					(Ru-106)
I-129	5.40E+00	8.70E-02	7.20E-02	6.30E-02	5.19E-02	5.67E+00
I-131	2.52E+03	2.64E-02	1.26E-02	4.96E-04	3.64E-04	2.52E+03
I-133	1.02E-02					1.02E-02
XE-131m	1.01E+04	3.00E-01				1.01E+04
XE-133	4.52E+05	1.06E+04	5.32E+03	6.97E+03		4.75E+05
XE-135	1.51E+05	2.60E+03	3.48E+03	2.98E+03		1.60E+05
CS-134	9.04E-03	6.94E-04	2.20E-03	1.00E-04	9.20E-05	1.21E-02
CS-137	2.43E+00	2.95E-03	1.07E+00	1.78E-03	9.56E-04	3.50E+00
CE-141	4.60E-02	1.90E-05	6.00E-06	1.60E-05	1.00E-06	4.60E-02
CE-144	7.20E-01	1.10E-02	3.15E-02	4.56E-03	7.62E-04	4.17E+00
CE-141-144	3.40E+00					(Ce-144)
OS-185	1.53E-03	1.40E-04	7.00E-05	3.00E-05		1.77E-03
U-238	8.37E-01	1.57E-03	8.52E-03	1.47E-03	5.05E-03	8.54E-01
PU-238	6.93E-01	2.02E-03	1.96E-03	6.16E-04	8.61E-04	6.98E-01
PU-239	3.02E+00	3.36E-04	4.07E-04	6.87E-04	1.30E-03	3.10E+00
AM-241,243	4.81E-03	1.54E-04	3.22E-04	6.70E-05	2.01E-04	5.56E-03
CM-242	2.34E-03					2.34E-03
CM-244	8.90E-02					8.94E-02
CM-242,244		2.80E-05	2.04E-04	1.18E-04	2.80E-05	(Cm-244)
UNID-ALPHA	7.55E-02					(Pu-239)
UNID-BETA+GAMMA	4.54E+01					(Sr-89,90)

- (a) Data on relative elemental and oxide release rates are not available for 1954 - 1985. Releases during that period were assumed to be exclusively tritium oxide. This assumption significantly overestimates doses.
- (b) Kr-85 release data prior to 1970 are classified and cannot be included in this report.
- (c) Symbols in parentheses indicate the radionuclides to which non-specific source terms were assigned. Such assignments were based on comparable yet conservative transport and dose conditions.

Table 2. Cumulative Liquid SRS Releases, Ci (1954 - 1989).

Radionuclide	1954 - 1985		Direct Releases + SB Migration				Value Used in Dose Evaluation (a)
	Direct to Streams	S Basin Migration	1986	1987	1988	1989	
H-3	1.44E+06	3.80E+05	2.8E+04	2.3E+04	1.93E+04	1.74E+04	1.91E+06
P-32	3.64E+01						3.64E+01
S-35	1.47E+03						1.47E+03
CR-51	4.48E+03						4.48E+03
MN-54	6.41E-01						6.41E-01
CO-60	6.64E+01						6.64E+01
ZN-65	1.42E+02						1.42E+02
SR-89	2.16E+02						(Sr-90)
SR-90	1.03E+02	1.24E+01	3.6E-01	4.0E-01	3.77E-01	2.89E-01	3.78E+02
SR-89-90	5.88E-02						(Sr-90)
Y-91	1.16E+02						1.16E+02
ZR-NB-95	1.27E+02					1.40E-05	1.27E+02
MO-99	2.29E+01						2.29E+01
RU-103-106	5.86E+01					4.61E-03	5.86E+01
SB-124	7.54E+00						7.56E+00
SB-125	4.10E-04						4.10E-04
SB-124-125	2.29E-02						(Sb-124)
I-129	1.30E-01		2.2E-02	2.2E-02	2.22E-02	2.20E-02	2.18E-01
I-131	3.02E+02						3.02E+02
CS-134	5.47E-01						5.54E-01
CS-137	6.06E+02		1.1E-01	3.8E-01	5.65E-01	2.06E-01	6.08E+02
CS-134-137	6.92E-03						(Cs-134)
BA-LA-140	2.22E+02						(Ba-140)
CE-141-144	3.50E+02					4.50E-05	3.50E+02
PM-147	1.10E+02				1.97E-02	3.29E-04	1.10E+02
U-238	2.46E+01		4.4E-02	5.5E-03	5.51E-03	4.25E-04	2.47E+01
PU-238	1.03E-01						1.03E-01
PU-239			8.5E-03	1.8E-02	5.54E-03	1.42E-02	5.21E-01
NP-239	1.43E+03						1.43E+03
CM-244	3.86E-01						3.86E-01
UNID-ALPHA	4.75E-01						(Pu-239)
UNID-BETA+GAMMA	4.49E+01						(Sr-90)

(a) Symbols in parentheses indicate the radionuclides to which non-specific source terms were assigned. Such assignments were based on comparable yet conservative transport and dose conditions.

Table 3. Environmental Dose Assessment: Parameter Specifications

Release Period: 1954 - 1989

Atmospheric Releases

Maximum Individual	<u>Sector</u> East	<u>Distance, mi</u> 9.03
Population At Risk	<u>Size</u>	<u>Composition</u>
80-km Population	555 100	Adult

Codes: XOQDOQ/GASPAR
Dose Factors: DOE/ICRP 30

Release Height: 200 ft
Release Point: SRS Center
Met Data: H-Area 1982-86

Liquid Releases

Maximum Individual	<u>Locations Evaluated</u> Below SRS	
	Downstream Water Treatment Plant	
Populations At Risk	<u>Size</u>	<u>Composition</u>
80-km Population	555 100	Adult
Beaufort-Jasper	51 000	Adult
Port Wentworth	20 000	Adult
Salt water invertebrate consumers	555 100	Adult

Code: LADTAP II
Dose Factors: DOE/ICRP 30

River Flow Rate: 10 000 cfs

283 *[Signature]*
M3/2

Table 4. Doses from SRS Releases (1954 - 1989).

	MAX IND Doses, mrem		SRS Offsite Population Doses, person-rem		1954-1989 Doses from all Other Sources in the Environment, person-rem (a)		SRS Contribution %
	EDE	Largest DE	EDC		EDE		
Atmospheric Releases	100	1110 (THY)	6800		5.9E+06		0.12
Liquid Releases							
Below SRS (b)	480	827 (BSF)					
WTP (c)	20	75 (BSF)					
80-km Population			2.47		5.9E+06		4.2E-05
Shoreline			0.002		5.9E+06		3.4E-08
Swimming			0.028		5.9E+06		4.7E-07
Boating			503		5.4E+05		9.3E-02
Beaufort-Jasper WTP			197		2.1E+05		9.3E-02
Port Wentworth WTP			1.7		5.9E+06		2.9E-05
Consumers of salt water invertebrates							

Abbreviations:

EDE = effective dose equivalent

DE = dose equivalent

EDC = environmental dose equivalent

THY = thyroid

BSF = bone surfaces

Notes:

(a) Based on 0.295 rem/person/yr for 36 years (primarily attributable to natural radiation sources such as radon).

(b) SRS = all pathways, just downstream from SRS.

(c) WTP = drinking water pathway, downstream water treatment plant.

REFERENCES

H.A. Davis, D.K. Martin, and J.L. Todd. *Savannah River Site Environmental Report for 1988*. WSRC-RP-89-59-1, Vol. I, Savannah River Site, Aiken, SC 29808 (1990).

W.L. Marter. *Offsite Doses for 1989 Environmental Report*. SRL-ETS-90-151, Savannah River Site, Aiken, SC 29808 (1990).

S.C. Mikol, L.T. Burckhalter, J.L. Todd, and D.K. Martin. *Savannah River Plant Environmental Report - Annual Report for 1987*. DPSPU-88-30-1, Vol. I, Savannah River Plant, Aiken, SC 29808 (1988).

C.C. Zeigler, E.M. Heath, L.B. Taus, and J.L. Todd. *Savannah River Plant Environmental Report - Annual Report for 1986*. DPSPU-87-30-1, Vol. I, Savannah River Plant, Aiken, SC 29808 (1987).

C.C. Zeigler and I.B. Lawrimore. *Releases of Radioactivity at the Savannah River Plant*. DPSPU-86-25-1, Savannah River Plant, Aiken, SC 29808 (1988).

END

**DATE
FILMED**

4 / 20 / 93