MONITORING CONSERVATIVE RETROFITS
IN
SINGLE FAMILY BUILDINGS

DE-FG01-90CE21002

Final Technical Report

Presented to:

Mr. Ernest Freeman, Jr.
U.S. Department of Energy
Buildings and Commercial Systems
100 Independence Avenue, S.W.
Washington, D.C. 20585
December 6, 1992

by

Carl S. Richardson
Florida Solar Energy Center
300 State Road 401
Cape Canaveral, Florida 32920

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

MASTER

TABLE OF CONTENTS

1. Objective	1
2. Retrofits studied	1
3. Site selection	1
4. Data acquired	2
5. Support documentation	2

APPENDICES

Appendix A	3
Participants	
Appendix B	5
Significant dates	
Appendix C	15
Sample data set	
Appendix D	20
Pre-retrofit audit data sheets	
Post-retrofit audit data sheets	
Appendix E	.147
Power usage history	

1. Objective

There has been much progress in understanding the effects of energy conservation retrofits in heating climates. Studies in the Pacific Northwest, Wisconsin, New York, and other northern areas have demonstrated that audit prioritized retrofits can effect significant savings in energy consumption over the use of a priority list for initiating retrofits. There has been little data generated, however, in climates in which air conditioning, and not heating, is the primary energy user.

Measured field tests of air-conditioning climate upgrades are necessary to provide the data which would allow governmental agencies, utilities, and homeowners to make optimal usage of upgrade monies to effect the maximum energy savings without negatively affecting the comfort conditions of the residence.

This study has provided detailed before-and after information on the ambient and comfort conditions in nine single family buildings, and on the energy consumption of those buildings, for one or more energy conservation retrofits. The data were recorded in such a manner that as well as being able to determine the savings from the retrofits and the influence these retrofits have on the comfort conditions of the residence, the effects of the retrofits on time-of-day usage are also determinable.

2. Retrofits Studied

The retrofits considered for inclusion in the study were some of those which Florida Power & Light, a co-sponsor of the study, included in their homeowner energy audit and rebate program. More specifically, the retrofits actually performed at the participating houses were:

- a) Central air conditioner upgrade to more efficient, i.e. >SEER 11, unit;
- b) Upgrade of attic insulation to at least R19;
- c) Installation of a hot water heat recovery unit on the central air conditioner.

3. Site Selection

Site selection was made through the cooperation of FP&L energy auditors. In instances where the house being audited was recommended for one or more of the studied retrofits the auditor would advise the homeowner of the study. Interested homeowners then contacted the investigator for more information and to schedule an interview at which the investigator would determine the suitability of the house for

the study. Ten houses were obtained for the study, but one homeowner dropped out of the project (and sold the house) before the retrofit was installed.

4. Data Acquired

The conditions recorded for this study were:

1. Ambient temperature
2. Ambient relative humidity
3. Solar insolation
4. Wind speed
5. Wind direction
6. Comfort temperature
7. Comfort relative humidity
8. A/C supply-air temperature
9. A/C supply-air relative humidity
10. A/C air quantity delivered
11. Hot water temperature
12. Hot water quantity delivered
13. Total house energy consumption
14. Air Conditioner energy consumption
15. Hot water energy consumption

The conditions were continuously monitored, and recorded on fifteen minute intervals, the data being averaged or totalized as appropriate. An ASCII comma delineated file was made for each 24 hour period and saved in the on-site computer, each file named with the experimental site designation and the date the data were acquired.

Data were archived at the Florida Solar Energy Center, and were also forwarded to the Oak Ridge National Laboratory monthly.

5. Support Documentation

A table of participant's names, site addresses and retrofit is Appendix A.

Significant dates - beginning of data acquisition, dates and type of retrofit, observed problems, etc. - and appropriate comments are presented in Appendix B.

An example of a day of data and an annotated data set are presented in Appendix C.

Pre-retrofit Audit Data Sheets and Post-retrofit Audit Data Sheets are Appendix D.

Usage history information is duplicated in Appendix E.

APPENDIX A
PARTICIPANTS

Code		Participant	Retrofit(s)
WL	1	Wayne A. Legros 399 Charlotta Ave S.E. Palm Bay, FL 32909	A/C upgrade H/W heat recovery
RH	2	Rose Hirt 2817 Kensington Dr. Melbourne, FL 32935	A/C upgrade H/W heat recovery Ceiling insulation
WS	3	William H. Schick 1688 Shore Drive Merritt Island, FL 32952	Ceiling insulation
PP	4	Peter Postma 311 Cocoa Ave Indialantic, FL 32903	Ceiling insulation
RR	5	Richard E. Rainsberger 209 Flamingo Lane Melbourne Beach, FL 32951	A/C upgrade Ceiling insulation
BC	6	Bernard J. Cohn 154 Abalone Road Palm Bay, FL 32907	A/C upgrade
SC	7	Steve Chilberg 2036 Abalone Street Indialantic, FL 32903	Withdrew before retrofit
EK	8	Edward Kizak 216 Melbourne Ave. Indialantic, FL 32903	A/C Upgrade
WH	9	William Handley 2200 Ohio Street West Melbourne, FL 32904	A/C Upgrade H/W heat recovery
JP	10	Jon Peterson 3081 Grace Street West Melbourne, FL 32904	Ceiling Insulation

APPENDIX B
SIGNIFICANT DATES

MONITORING CONSERVATIVE RETROFITS
IN SINGLE FAMILY BUILDINGS

SITE CODE: WL

SITE # : 1

MONITORING BEGAN: 6/13/91

RETROFIT #1: A/C UPGRADE DATE 7/9/91

RETROFIT #2: H/W HEAT RECOVERY DATE 8/7/91

RETROFIT #3: DATE

TOGGLES:

#1: SWIMMING POOL PUMP

#2: DOMESTIC WATER PUMP

COMMENTS:

DATA ACQUISITION ENDS 12/22/91

MONITORING CONSERVATIVE RETROFITS
IN SINGLE FAMILY BUILDINGS

SITE CODE: RH

SITE # : 2

MONITORING BEGAN: 6/25/91

RETROFIT #1:	A/C UPGRADE	DATE	7/23/91
--------------	-------------	------	---------

RETROFIT #2:	H/W HEAT RECOVERY	DATE	8/14/91
--------------	-------------------	------	---------

RETROFIT #3:	INSULATION	DATE	7/26/91
--------------	------------	------	---------

TOGGLES:

#1: NONE

#2:

COMMENTS:

DATALOGGER FAILURE 9/4/91, REPLACED 10/3
THP METER FAILURE 9/4/91 - 10/8/91

MONITORING CONSERVATIVE RETROFITS
IN SINGLE FAMILY BUILDINGS

SITE CODE: WS

SITE # : 3

MONITORING BEGAN: 7/24/91

RETROFIT #1: INSULATION TO R30 DATE 8/20/91

RETROFIT #2: DATE

RETROFIT #3: DATE

TOGGLES:

#1: NONE

#2:

COMMENTS:

WIND DIRECTION FAILURE 8/15, NOT REPLACED

HOT WATER POWER METER FAILURE 8/24, REPLACED 9/4

HOT WATER POWER METER FAILURE 9/6, REPLACED 9/12

HOT WATER POWER METER FAILURE REPLACED 10/24

SWIMMING POOL PUMP ON TIMER - 8:00 A.M. UNTIL 6:00 P.M.

MONITORING CONSERVATIVE RETROFITS
IN SINGLE FAMILY BUILDINGS

SITE CODE: PP

SITE # : 4

MONITORING BEGAN: 7/23/91

RETROFIT #1: INSULATION TO R19 DATE 9/5/91

RETROFIT #2: DATE

RETROFIT #3: DATE

TOGGLES:

#1: NONE

#2:

COMMENTS:

NO POWER, H2O FLOW UNTIL 8/1

NO POWER, H2O FLOW 9/11 - 9/16

MONITORING CONSERVATIVE RETROFITS
IN SINGLE FAMILY BUILDINGS

SITE CODE: RR

SITE # : 5

MONITORING BEGAN: 7/31/91

RETROFIT #1: INSULATION TO R30 DATE 9/5/91

RETROFIT #2: A/C UPGRADE DATE 9/6/91

RETROFIT #3: DATE

TOGGLES:

#1: NONE

#2:

COMMENTS:

WIND DIRECTION FAILURE 8/20, NOT REPAIRED
NO A/C POWER, AIR FLOW INCORRECT 9/6 - 9/10
OCCUPANTS ON VACATION 9/14 - 9/29

MONITORING CONSERVATIVE RETROFITS
IN SINGLE FAMILY BUILDINGS

SITE CODE: BC

SITE # : 6

MONITORING BEGAN: 8/6/91

RETROFIT #1: A/C UPGRADE DATE 9/6/91

RETROFIT #2: DATE

RETROFIT #3: DATE

TOGGLES:

#1: NONE

#2:

COMMENTS:

TROUBLE FREE

MONITORING CONSERVATIVE RETROFITS
IN SINGLE FAMILY BUILDINGS

SITE CODE: EK

SITE # : 8

MONITORING BEGAN: 8/27/91

RETROFIT #1: A/C UPGRADE DATE 10/14/91

RETROFIT #2: DATE

RETROFIT #3: DATE

TOGGLES:

#1: NONE

#2:

COMMENTS:

TOTAL HOUSE POWER QUESTIONABLE UNTIL 9/17
NO DATA 10/9 - 10/14 DURING A/C REPLACEMENT

MONITORING CONSERVATIVE RETROFITS
IN SINGLE FAMILY BUILDINGS

SITE CODE: WH

SITE # : 9

MONITORING BEGAN: 9/6/91

RETROFIT #1: A/C UPGRADE DATE 10/21/91

RETROFIT #2: H/W HEAT RECOVERY DATE 11/6/91

RETROFIT #3: DATE

TOGGLES:

#1: DOMESTIC WATER PUMP

#2:

COMMENTS:

NO POWER METERS UNTIL 9/14

NO DATA 10/9 - 10/14 DURING A/C REPLACEMENT

MONITORING CONSERVATIVE RETROFITS
IN SINGLE FAMILY BUILDINGS

SITE CODE: JP

SITE # : 10

MONITORING BEGAN: 9/12/91

RETROFIT #1: INSULATION TO R19 DATE 11/12/91

RETROFIT #2: DATE

RETROFIT #3: DATE

TOGGLES:

#1: POOL PUMP

#2:

COMMENTS:

AIR FLOW INTERFERENCE UNTIL 9/20

"AFTER" DATA DURING 1992 COOLING SEASON

APPENDIX C
SAMPLE DATA SET

+0133.,+0275.,+00.25,79.228,77.881,99999.,99999.,79.661,63.928,99999.,4.1915,99999.,11.687,0.0000,12456,0.0000,12036,68.774,0.0000,13.603,0.0000,0.0000,0.0000,4.0000,
+0133.,+0275.,+00.50,79.430,78.237,99999.,99999.,80.619,68.979,99999.,4.2635,99999.,10.519,0.0000,10553,0.0000,14868,71.885,0.0000,13.667,0.0000,0.0000,0.0000,4.0000,
+0133.,+0275.,+00.75,79.381,77.918,60.865,73.558,79.956,64.825,81.338,4.1726,30.678,9.7414,8.2050,73179,0.0000,90270,68.837,0.0000,13.619,1870.1,0.0000,0.0000,4.0000,
+0133.,+0275.,+01.00,79.544,77.683,99999.,99999.,78.632,62.493,99999.,4.1119,99999.,9.421,0.0000,06228,0.0000,11682,68.008,0.0000,13.718,0.0000,0.0000,0.0000,4.0000,
+0133.,+0275.,+01.25,79.478,77.861,99999.,99999.,76.823,70.674,99999.,4.1233,99999.,10.612,0.0000,14186,0.0000,13098,71.352,0.0000,13.676,0.0000,0.0000,0.0000,4.0000,
+0133.,+0275.,+01.50,79.331,77.765,60.858,73.008,76.242,64.767,80.288,4.1157,30.784,10.556,7.2693,70238,0.0000,82836,69.330,0.0000,13.636,1595.3,0.0000,0.0000,4.0000,
+0133.,+0275.,+01.75,79.271,77.543,58.013,71.191,76.181,60.056,83.995,4.1460,30.555,9.9641,1.1012,16262,0.0000,21594,66.982,0.0000,13.656,262.32,0.0000,0.0000,4.0000,
+0133.,+0275.,+02.00,79.237,77.874,99999.,99999.,78.286,65.841,99999.,4.1119,99999.,10.929,0.0000,07093,0.0000,11682,70.842,0.0000,13.574,0.0000,0.0000,0.0000,4.0000,
+0133.,+0275.,+02.25,79.113,77.924,99999.,99999.,79.117,70.369,99999.,4.0854,99999.,10.736,0.0000,07785,0.0000,12744,72.779,0.0000,13.590,0.0000,0.0000,0.0000,4.0000,
+0133.,+0275.,+02.50,79.087,77.442,60.774,73.364,78.416,62.838,79.870,4.0930,30.703,11.885,8.2721,74390,0.0000,10160,67.387,0.0000,13.555,1883.8,0.0000,0.0000,4.0000,
+0133.,+0275.,+02.75,78.914,77.684,99999.,99999.,79.314,62.776,99999.,4.1915,99999.,10.330,0.0000,11764,0.0000,42480,68.712,0.0000,13.560,0.0000,0.0000,0.0000,4.0000,
+0133.,+0275.,+03.00,78.942,77.985,99999.,99999.,79.604,67.098,99999.,4.1650,99999.,10.543,0.0000,11418,0.0000,13275,71.654,0.0000,13.600,0.0000,0.0000,0.0000,4.0000,
+0133.,+0275.,+03.25,78.671,77.752,61.889,73.328,79.283,66.308,78.385,4.2105,30.844,10.682,5.0598,49478,0.0000,59295,71.007,0.0000,13.589,1049.8,0.0000,0.0000,4.0000,
+0133.,+0275.,+03.50,78.618,77.308,58.311,72.703,79.386,60.498,82.416,4.2294,30.714,11.590,3.2103,32178,0.0000,43188,66.097,0.0000,13.594,832.30,0.0000,0.0000,4.0000,
+0133.,+0275.,+03.75,78.351,77.694,99999.,99999.,79.104,64.408,99999.,4.2370,99999.,12.156,0.0000,12456,0.0000,14337,69.858,0.0000,13.615,0.0000,0.0000,0.0000,4.0000,
+0133.,+0275.,+04.00,78.343,77.900,99999.,99999.,79.240,67.485,99999.,4.2711,99999.,11.894,0.0000,04152,0.0000,13983,72.189,0.0000,13.638,0.0000,0.0000,0.0000,4.0000,
+0133.,+0275.,+04.25,78.280,77.749,61.599,72.931,78.348,64.454,77.184,4.2484,31.037,12.997,5.6937,52592,0.0000,65490,70.865,0.0000,13.519,1165.1,0.0000,0.0000,4.0000,
+0133.,+0275.,+04.50,78.252,77.224,58.168,72.517,77.471,61.229,82.064,4.2408,31.025,12.741,2.4932,27334,0.0000,35400,66.457,0.0000,13.556,644.96,0.0000,0.0000,4.0000,
+0133.,+0275.,+04.75,78.088,77.508,99999.,99999.,76.917,65.580,99999.,4.1992,99999.,12.570,0.0000,10207,0.0000,13452,70.371,0.0000,13.532,0.0000,0.0000,0.0000,4.0000,
+0133.,+0275.,+05.00,77.863,77.726,99999.,99999.,76.081,66.734,99999.,4.3659,99999.,13.131,0.0000,08823,0.0000,13452,71.945,0.0000,13.491,0.0000,0.0000,0.0000,4.0000,
+0133.,+0275.,+05.25,77.817,77.879,70.675,73.754,76.135,66.899,85.305,4.3849,30.912,12.260,3.1985,14532,0.0000,20532,73.284,0.0000,13.475,18.460,0.0000,0.0000,4.0000,
+0133.,+0275.,+05.50,77.621,77.099,59.924,72.638,75.401,60.035,77.047,4.3659,30.710,12.271,7.9422,71622,0.0000,86022,65.991,0.0000,13.429,1812.1,0.0000,0.0000,4.0000,
+0133.,+0275.,+05.75,77.606,77.307,99999.,99999.,75.256,61.933,99999.,4.4228,99999.,12.488,0.0000,06228,0.0000,10974,68.986,0.0000,13.478,0.0000,0.0000,0.0000,4.0000,
+0133.,+0275.,+06.00,77.674,77.489,99999.,99999.,75.519,63.750,99999.,4.4455,99999.,11.393,0.0000,09688,0.0000,12036,71.440,0.0000,13.547,0.0000,0.0000,0.0000,4.0000,
+0133.,+0275.,+06.25,77.712,77.712,99999.,99999.,75.392,66.274,99999.,4.4455,99999.,11.455,0.0000,11764,0.0000,15045,72.613,0.0000,13.551,0.0000,0.0000,0.0000,4.0000,
+0133.,+0275.,+06.50,77.586,77.472,62.187,72.246,73.730,63.838,73.673,4.3925,30.969,12.396,4.3989,41866,0.0000,63897,71.613,0.0000,13.542,801.04,0.0000,0.0000,4.0000,
+0133.,+0275.,+07.00,77.588,77.226,99999.,99999.,73.704,62.398,99999.,4.4797,99999.,11.399,0.0000,05882,0.0000,5882,70092,81420,70.794,0.0000,13.532,0.0000,0.0000,0.0000,4.0000,
+0133.,+0275.,+07.25,77.576,77.557,99999.,99999.,72.960,63.279,99999.,3.9869,99999.,12.273,0.0000,10726,1.0160,1.1877,74.439,0.0000,13.515,0.0000,0.0000,0.0000,4.0000,
+0133.,+0275.,+07.50,77.409,77.719,99999.,99999.,72.229,64.860,99999.,1.6332,99999.,11.720,0.0000,12802,36816,57879,74.761,0.0000,13.587,0.0000,0.0000,0.0000,4.0000,
+0133.,+0275.,+07.75,77.363,77.156,60.026,72.513,70.117,61.823,77.149,6.5461,31.032,11.369,8.7064,73006,0.0000,97704,68.384,0.0000,13.528,1970.6,0.0000,0.0000,4.0000,
+0133.,+0275.,+08.00,77.343,77.220,99999.,99999.,69.611,59.250,99999.,18.057,99999.,11.351,0.0000,13840,0.0000,17700,69.215,0.0000,13.570,0.0000,0.0000,0.0000,4.0000,
+0133.,+0275.,+08.25,77.283,77.503,99999.,99999.,68.701,63.646,99999.,44.812,99999.,10.797,0.0000,07612,0.0000,19470,72.606,0.0000,13.635,0.0000,0.0000,0.0000,4.0000,
+0133.,+0275.,+08.50,77.263,77.608,99999.,99999.,67.136,64.617,99999.,65.108,99999.,11.035,0.0000,11072,0.0000,16284,73.577,0.0000,13.649,0.0000,0.0000,0.0000,4.0000,
+0133.,+0275.,+08.75,77.425,77.271,60.539,72.326,66.100,61.566,75.153,99.876,30.941,11.575,6.1119,57436,0.0000,69030,70.825,0.0000,13.641,1301.6,0.0000,0.0000,4.0000,
+0133.,+0275.,+09.00,78.323,76.991,56.932,71.868,65.688,57.644,81.216,193.14,30.951,10.612,2.5494,28718,0.0000,47790,65.995,0.0000,13.559,689.82,0.0000,0.0000,4.0000,
+0133.,+0275.,+09.25,78.636,77.950,99999.,99999.,64.835,57.901,99999.,229.53,99999.,12.102,0.0000,12456,0.0000,29205,70.182,0.0000,13.536,0.0000,0.0000,0.0000,4.0000,
+0133.,+0275.,+09.50,79.223,78.411,99999.,99999.,61.485,59.762,99999.,329.34,99999.,11.401,0.0000,13148,0.0000,28497,67.136,0.0000,13.573,0.0000,0.0000,0.0000,4.0000,
+0133.,+0275.,+09.75,79.931,77.762,59.729,72.507,59.103,56.380,77.581,379.40,30.974,11.341,8.8148,74736,0.0000,10018,67.136,0.0000,13.603,2021.3,0.0000,0.0000,4.0000,
+0133.,+0275.,+10.00,79.805,77.973,99999.,99999.,57.575,57.544,99999.,381.30,99999.,11.317,0.0000,12802,45666,55932,68.394,0.0000,13.585,0.0000,0.0000,0.0000,4.0000,
+0133.,+0275.,+10.25,80.824,78.507,99999.,99999.,54.987,59.812,99999.,506.03,99999.,10.139,0.0000,03114,0.0000,09912,71.715,0.0000,13.591,0.0000,0.0000,0.0000,4.0000,
+0133.,+0275.,+10.50,81.075,77.966,59.916,73.406,54.669,54.894,78.105,521.76,31.087,10.885,8.7124,77504,0.0000,69384,1.6496,67.061,0.0000,13.480,2126.1,0.0000,0.0000,4.0000,

MONITORING CONSERVATIVE RETROFITS IN SINGLE FAMILY BUILDINGS

SAMPLE DATA SET

FILE NAME: PP100492.CMP

+0133.,+0275.,+21.50,76.556,78.264,99999.,99999.,68.645,50.092,99999.,4.3697,99999.,10.079,0.0000,.05536,.07788,.19824,69.997,0.0000,13.574,0.0000,0.0000,0.0000,4.0000,
+0133.,+0275.,+21.75,76.319,77.945,57.410,72.025,69.486,49.946,77.481,4.4758,31.055,9.0156,8.2050,.75082,0.0000,.86730,66.726,0.0000,13.444,2168.4,0.0000,0.0000,4.0000,
+0133.,+0275.,+22.00,76.898,77.613,54.903,71.462,67.909,48.874,82.338,4.2598,30.836,9.5502,.34595,.10380,0.0000,.13452,65.425,0.0000,13.467,103.89,0.0000,0.0000,4.0000,
+0133.,+0275.,+22.25,76.861,78.042,99999.,99999.,66.150,49.420,99999.,4.2408,99999.,9.7432,0.0000,.13148,0.0000,.10620,69.511,0.0000,13.551,0.0000,0.0000,0.0000,4.0000,
+0133.,+0275.,+22.50,76.631,77.998,60.037,71.108,68.261,50.378,72.473,4.1233,30.477,8.7205,3.0580,.32178,0.0000,.41418,70.259,0.0000,13.554,614.89,0.0000,0.0000,4.0000,
+0133.,+0275.,+22.75,76.902,77.022,55.552,72.596,67.868,49.341,78.826,4.2674,30.895,8.9729,5.6866,.53630,0.0000,.63366,62.951,0.0000,13.561,1743.8,0.0000,0.0000,4.0000,
+0133.,+0275.,+23.00,77.157,77.211,99999.,99999.,65.605,50.338,99999.,4.2181,99999.,8.5850,0.0000,.14532,0.0000,.11682,67.771,0.0000,13.606,0.0000,0.0000,0.0000,4.0000,
+0133.,+0275.,+23.25,76.778,77.365,99999.,99999.,65.176,50.585,99999.,4.2143,99999.,8.0597,0.0000,.05190,0.0000,.12213,70.163,0.0000,13.567,0.0000,0.0000,0.0000,4.0000,
+0133.,+0275.,+23.50,76.579,77.585,99999.,99999.,65.476,51.729,99999.,4.2029,99999.,8.3808,0.0000,.11418,0.0000,.14691,71.488,0.0000,13.618,0.0000,0.0000,0.0000,4.0000,
+0133.,+0275.,+23.75,76.875,77.903,62.481,70.493,66.477,50.663,67.091,4.1499,31.054,9.1919,1.8705,.27680,0.0000,.31860,71.979,0.0000,13.611,282.81,0.0000,0.0000,4.0000,
+0133.,+0276.,+23.99,76.839,76.552,56.179,72.259,66.702,49.681,75.295,4.1650,30.669,10.062,6.6845,.57782,0.0000,.82836,63.604,0.0000,13.515,1932.1,0.0000,0.0000,4.0000,

MONITORING CONSERVATIVE RETROFITS IN SINGLE FAMILY BUILDINGS

SAMPLE DATA SET

FILE NAME: PP100492.CNP

Output format of data from retrofit sites in compressed form. (File name XXMMDDYY.CMP)

CR10##, jdate, hour, ambtmp, cmftmp, coiltm, H20tmp, ambrh, cmftrh, coilrh, insol, wdirec, wspeed, kcu.ft, a/ckwh, dhkwh, totkwh, H20flo, tog 1, batvdc, tog 2, tog 3, tog 4, id #

Column	Identifier	Description
1	CR10#	Program number assigned by the Campbell CR10 software.
2	jdate	Julian date.
3	hour	Time in decimal format, 24 hour clock. Ex., 14.75 = 2:45 P.M. 23.99 = midnight
4	ambtmp	Average ambient temperature for the 15 minute period.
5	cmftmp	Average temperature inside the dwelling for the 15 minute period.
6	coiltm	Average temperature of the air after passing over the evaporator coil, recorded only when fan is on.
7	H20tmp	Average temperature of hot water at the outlet pipe.
8	ambrh	Average ambient relative humidity.
9	cmftrh	Average relative humidity inside the dwelling.
10	coilrh	Average relative humidity of the air after passing over the evaporator coil, recorded only when fan is on.
11	insol	Average solar insolation in watts per square meter.
12	wdirec	Average wind direction in degrees.
13	wspeed	Average wind speed in mph.
14	kcu.ft	Cubic feet of air through evaporator coil, in thousands.
15	a/ckwh	Total KWH of energy used by the air conditioner during the 15 minute period.
16	dhkwh	Total KWH of energy used by the hot water heater during the period.
17	totkwh	Total KWH of energy used at the dwelling during the period. Includes a/ckwh and dhkwh.
18	H20flo	Total lbs of hot water used during the period.
19	tog 1	Toggle #1. Used to indicate the operation of power usage outside the dwelling (ex., pool pump, jacuzzi). #/96=minutes of operation.
20	batvdc	Voltage of back-up battery on the datalogger.
21	tog 2	Same as tog 1. #/192=minutes of operation.
22	tog 3	Same as tog 1. #/384=minutes of operation.
23	tog 4	Same as tog 1. #/768=minutes of operation.
24	id#	Identification number assigned to the site.

MONITORING CONSERVATIVE RETROFITS IN SINGLE FAMILY BUI NGS

Annotated Data Set

APPENDIX D

PRE-RETROFIT AUDIT DATA SHEETS
POST-RETROFIT AUDIT DATA SHEETS

PRE-RETROFIT AUDIT DATA FORM

Retrofit program name Monitoring Conservative Retrofits in Single Family Bldgs

Sponsoring organization(s) DOE/FPL/State of FL

Experimental site designation WL (#1)

Interviewer name CSR **Date of interview** 6/3/91

I. General information from householder

1. Name Wayne A. Legros

2. Street address 399 Charlotta Ave, S.E.

City Palm Bay State FL 32909

3. Phone number (407)723-9069

4. Number of occupants, by age group:

Age group	Number
Preschool	<u>-</u>
School age	<u>3</u>
Adult, but not retired	<u>2</u>
Retired	<u>-</u>

How many are generally home all day? Weekday 3

Weekend 5

5. Approximate age of house 8 years

6. Names of utility distributors:

Electric FPL

Gas -

Oil -

(Note: Auditor should have homeowner sign a release authorizing release by these utilities of fuel bills for preceding two years.)

7. Own X Rent

8. Length of time at this address 2 years

II. General description of house

1. Type: S-F detached X S-F attached

Mobile home Other (specify)

2. Style: One-story X Two-story _____ Three-story _____
Split-level _____ One-and-a-half-story _____
3. Foundation: Basement _____ Crawl space _____ Slab X
Other (specify) _____
4. Exterior colors: Roof Dark Brown Walls Red brick
5. Layout, dimensions, orientation.. Use attached House Sketch Sheet.
6. Percentage of each floor that is conditioned (heated or cooled):

Floor of house	Percentage heated	Percentage cooled	NA
Basement			
First floor	100%	100%	
Second floor			
Third floor			
Other (specify)			

8. Rooms typically closed off None

III. Major appliances

- ### 1. Domestic hot water

Type: Elec. resistance X Heat pump hot water _____

Gas _____ Solar _____

Other (specify) _____

Nameplate information, as available:

Manufacturer Ruud

Model PE 40-2

Tank capacity (gallons) 40 gal 4500 watt

SEER _____

Tank insulation (R-value) _____

Location Garage

Hot water temperature (measured with thermometer) in data set °F

- ## 2. Solar devices

None X Domestic hot water _____ Swimming pool heater _____

Space heating _____ Other (specify) _____

3. Other major appliances, by fuel type:

Appliance	None	Electric	Gas	Other (specify)	Location
Cooking range/oven		X			
Clothes washer		X			
Clothes dryer		X			
Refrigerator/freezer		X			
Separate freezer		X			
Conventional oven		X			
Microwave oven		X			
Dishwasher		X			
Whole house fan					
Attic fan					
Water bed heater		3			
Other		Water pump			

IV. Ceiling area and insulation

(If different parts of the ceiling have different insulation, treat each of these sub-areas separately.)

Sub-area	Area (ft ²)	Insulation (R)	Insulation type
1.	1248	19	blown
2.			
3.			
Total	<u>1248</u>	(ft ²)	

V. Wall area and insulation

(If different parts of wall have different materials, treat each of these sub-areas separately.)

Exterior wall construction: (1) Wood; (2) **Brick**; (3) Stone; (4) Stucco;
 (5) Concrete block; (6) Metal;
 (7) Other (specify) drywall between garage

Sub-area	Area (ft ²)	Insulation (R)	Exterior wall construction	Insulation type
1.	935.9	11	brick	batts
2.	261.5	11	drywall	batts (garage)
3.				
Total	<u>1197.4</u>	(ft ²)		

VI. Floor area and insulation (bottom floor only)

(If different parts of floor have different materials, treat each of these sub-areas separately.)

Sub-area	Area (ft ²)	Insulation (R)	Percent carpeted	What is below? (slab, crawl space, basement?)	Insulation type
1.	1248	-	68%	slab	none
2.					
3.					
Total	<u>1248</u>	(ft ²)			

VII. Windows and glass doors

Orientation	Single-pane area	Double-pane area	Total area oriented
Front of house		46 sq ft	46 sq ft
Left side of house		none	
Right side of house		4 sq ft	4 sq ft
Back of house		80 sq ft	80 sq ft
+ Sky Light (East Roof)		<u>4 sq ft</u>	

VIII. Doors (non-glass)

Orientation	Regular door area	Regular door with storm door or thermally insulated door area	Total area
Front of house	--	19.5	19.5 sq ft
Left side of house	--	--	
Right side of house	17.3	--	17.3 sq ft
Back of house	--	--	
Totals	17.3	19.5	36.8 sq ft

IX. Heating and cooling systems

1. Main heating system type:

Gas furnace _____ Gas boiler (steam) _____

Gas boiler (hot water) _____ Oil furnace _____

Oil boiler (steam) _____ Oil boiler (hot water) _____

Elec. furnace _____ Elec. ceiling _____ Elec. baseboard _____

Central heat pump _____ Window heat pump _____

Other (specify) Resistance coils

If oil fired, has a flame retention head burner been installed?

Yes _____ No _____

If oil boiler, is it wet base _____ or dry base _____

Approximate age of system 8 yearsLocation of unit within house in A/H unit in garage

Is this a converted coal unit? Yes _____ No _____

Heating value of fuel: Gas _____

Oil _____

Nameplate information, as available:

Manufacturer SingerModel BCE 22008-30-11

Input capacity _____ Btu/hr

Output capacity _____ Btu/hr

SEER _____

Is the pilot light turned off in the spring? Yes ____ No ____ N/A X

Energy efficiency devices present:

Vent damper _____ IID _____ Other (specify) _____

2. Distribution system

No ductwork or piping _____ Hydronic (gravity) _____

Hydronic (pumped) _____ Forced-air X

Baseboard _____ Gravity system (no fans) _____

Other (specify) _____

If ductwork or piping present:

Total length of ducts or piping 94 ft

Percentage of ducts or piping in unconditioned (non-living) spaces 100 %

Are ducts or piping in unconditioned spaces insulated?

Yes X No _____ If yes, approximate R-value _____

3. Main cooling system type:

None _____ Window A/C _____ Central A/C X

Evaporative cooler _____ Central heat pump _____

Window heat pump _____ Other (specify) _____

Approximate age of system 8 years

Nameplate information, as available

Manufacturer Singer

Model BCE 22008-30-11 air handler
AC 50029-15F

Input capacity _____ Btu/hr

Output capacity _____ Btu/hr

SEER Unknown

Location(s) within house A/H in garage

4. Secondary heating systems:

No. fireplaces None

No. fireplace inserts -

No. wood stoves -

No. electric space heaters -

No. fossil fuel space heaters -

Other (specify) -

How often are these used? -

5. Thermostat:

None _____ Normal X

Clock _____ Other (specify) _____

Location within house On south wall of living room above A/H return

X. Significant external loads:

Irrigation pumps _____ Welder _____

Outside lights _____ Other (specify) pool pump & well pumpFrequency of use Pool pump approximately 3 hrs daily (owner's estimate)

XI. Experimental retrofit installation:

Description Lennox ECB 19-10.0-1P A/HLennox HS 22-31 1V-1P compressorHeat Recovery: ECU Hot Tap D506

Actual installation cost \$ _____

A/C: 2800.00

Heat Recovery: 425.00

SITE #1 WL FLOOR PLAN

SOUTH WALL (FACING NORTH)

WEST WALL (FACING EAST)

SITE #1 WL

NORTH WALL (FACING SOUTH)

EAST WALL (FACING WEST)

SITE #1 WL

INFILTRATION RATE EVALUATION FACTORS

Building component	Good	Average	Poor
Windows and doors	☒ Window and door frames caulked. Window and door sashes well fitting and weatherstripped or storm windows and doors with good fit.	☐ Window and door frames caulked or window and door sashes weatherstripped or poorly fitting storm doors and windows.	☐ No caulking on window and door frames. No weatherstripping. No storm doors or windows.
Walls and electrical outlets	☒ Ceiling and floor joints and corners well sealed. Electrical outlets with gaskets. No holes around plumbing penetrations.	☐ Some cracks in ceiling and floor joints and corners. No gaskets on electrical outlets. Fewer than three plumbing penetrations with holes around them.	☐ Many cracks in ceiling, floor joints, and corners. No gaskets on electrical outlets. Three or more plumbing penetrations with holes around them.
Attic floor (ceiling)	☒ No cracks in attic floor. No air shafts around flues. No holes around ducts, pipes, or wiring penetrating attic floor. No recessed light fixtures. No trap door or weatherstripped trap door to attic.	☐ Some cracks in attic floor. No air shafts around flues. Some holes around ducts, pipes, or wiring penetrating attic floor. Fewer than three recessed light fixtures. Unweatherstripped trap door to attic.	☐ Many cracks in attic floor. Air shafts around flues. Holes around ducts, pipes, or wiring penetrating attic floor. More than three recessed light fixtures. Uncovered attic access.
Heating system and water heater	☒ Both furnace and water heater electric. If fossil fuel fired, both in unconditioned space.	☐ One fossil fuel-fired unit in living space with vent damper. The other in unconditioned space.	☐ At least one fossil fuel-fired unit in living space without vent damper.
Fireplace or wood stove	☒ Sealed combustion wood stove or fireplace with well-fitting damper and glass doors or no fireplace.	☐ Poorly sealed wood stove or fireplace with either well-fitting damper or glass doors.	☐ Both a wood stove and fireplace or a fireplace with poorly fitting damper and no glass doors.
Ductwork and floor	☐ No ductwork and few floor penetrations or all ductwork in conditioned space and no floor penetration.	☐ Ductwork in conditioned basement and few floor penetrations.	☒ Ductwork in unconditioned space AND MANY ROOMS AND MANY ROOMS
Vents in conditioned space	☐ No undampened vents and fewer than three dampened vents.	☒ Fewer than three undampened vents or at least three dampened vents.	☐ More than three undampened vents.
Lifestyle	☐ Fewer than six entrances and exits per day.	☐ Six to thirteen entrances and exits per day.	☒ More than thirteen entrances and exits per day.

POST-RETROFIT AUDIT DATA FORM

Retrofit program name Monitoring Conservative Retrofits in Single Family Bldgs

Sponsoring organization(s) DOE/FPL/State of FL

Experimental site designation WL (#1)

Interviewer name CSR Date of interview 11/22/92

I. General information from householder

1. Name Wayne A. Legros

2. Street address _____

City _____ State _____

3. Phone number _____

4. Own _____ Rent _____

5. If householder different from that of "Pre-Retrofit Audit," or if tenure has changed, record below:

Change in householder _____ Date of change _____

Change in tenure _____ Date of change _____

6. Number of occupants, by age group:

Age group	Number
Preschool	_____
School age	<u>3</u>
Adult, but not retired	<u>2</u>
Retired	_____

How many are generally home all day? Weekday 3

Weekend 5

II. Significant changes since pre-retrofit audit NONE

(The remaining questions refer to the time since the energy-saving improvements were made to the house).

1. Have there been any important changes or additions to the house, such as (check appropriate): No

Rooms added _____ Siding added _____

Garage/carport added _____ Exterior paint _____

Porch added _____ New roof _____

Other (specify) _____

2. *Other than changes of this program*, has the main heating or cooling system been changed, such as (check appropriate):

New furnace/boiler No

New air conditioner No

New heat pump No

Modified furnace/boiler (specify) No

Other (specify) No

3. Are the same number of rooms still heated and cooled? (If not, specify)

yes

4. Have any space heaters been added/subtracted? (Fireplaces, wood stoves, electric, fossil fuel, etc.) Yes _____ No X

If so, specify _____

Has the use of these heaters changed during this last winter?

Used more this winter ____ Less ____ Same X Do not know ____

5. Has the hot water heating system changed? Yes ____ No ____

If so, specify _____

6. Have any major appliances been added/subtracted? (Stoves, ovens, washers, dryers, etc.)

If so, specify No

7. Is there: An attic fan No Whole house fan No

If so, has the use of these fans changed during this last summer?

Used more this summer ____ Less ____ Same ____ Do not know ____

8. *Other than changes of this program*, have any other energy-saving changes been installed this past year? Yes _____ No X

If yes, specify:

Ceiling insulation added _____ Weatherstripping _____

Wall insulation added _____ Caulking _____

Storm windows added _____ Hot water flow restrictors _____

Storm doors added _____ Clock thermostat _____

Other (specify) _____

9. Have you or any family members taken up any new hobbies during the past year that require the use of large electrical or gas equipment?

Yes _____ No X

If so, specify _____

PRE-RETROFIT AUDIT DATA FORM

Retrofit program name Monitoring Conservative Retrofits in S.F.B

Sponsoring organization(s) DOE/FPL/State of FL

Experimental site designation RH (#2)

Interviewer name CSR Date of interview 6/21/91

I. General information from householder

1. Name Rose Hirt

2. Street address 2817 Kensington Drive

City Melbourne State FL

3. Phone number 255-0279

4. Number of occupants, by age group:

Age group	Number
Preschool	<u> </u>
School age	<u> </u>
Adult, but not retired	<u>3</u>
Retired	<u> </u>

How many are generally home all day? Weekday 1

Weekend 3-4

5. Approximate age of house 13 years

6. Names of utility distributors:

Electric FPL

Gas

Oil

(Note: Auditor should have homeowner sign a release authorizing release by these utilities of fuel bills for preceding two years.)

7. Own X Rent

8. Length of time at this address 13 years

II. General description of house

1. Type: S-F detached X S-F attached

Mobile home Other (specify)

2. Style: One-story X Two-story _____ Three-story _____
Split-level _____ One-and-a-half-story _____
3. Foundation: Basement _____ Crawl space _____ Slab X _____
Other (specify) _____
4. Exterior colors: Roof beige Walls tan stucco
5. Layout, dimensions, orientation: Use attached House Sketch Sheet.
6. Percentage of each floor that is conditioned (heated or cooled):

Floor of house	Percentage heated	Percentage cooled	NA
Basement			X
First floor	100%	100 %	
Second floor			
Third floor			
Other (specify)			

7. Infiltration: Use attached Infiltration Rate Evaluation Factors sheet.
8. Rooms typically closed off None

III. Major appliances

- ### 1. Domestic hot water

Type: Elec. resistance X Heat pump hot water _____

Gas _____ Solar _____

Other (specify) _____

Nameplate information, as available:

Manufacturer Smith Permaglas

Model EEST 40

Tank capacity (gallons) 40

SEER _____

Tank insulation (R-value) _____

Location Laundry Room

Hot water temperature (measured with thermometer) 120 °F

- ## 2. Solar devices

None x Domestic hot water _____ Swimming pool heater _____

Space heating _____ Other (specify) _____

3. Other major appliances, by fuel type:

Appliance	None	Electric	Gas	Other (specify)	Location
Cooking range/oven		X			
Clothes washer		X			
Clothes dryer		X			
Refrigerator/freezer		X			
Separate freezer					
Conventional oven		X			
Microwave oven		X			
Dishwasher		X			
Whole house fan					
Attic fan					
Water bed heater					
Other					

IV. Ceiling area and insulation

(If different parts of the ceiling have different insulation, treat each of these sub-areas separately.)

Sub-area	Area (ft ²)	Insulation (R)	Insulation type
1.	1257	7	batts
2.			
3.			
Total	1257 (ft ²)		

V. Wall area and insulation

(If different parts of wall have different materials, treat each of these sub-areas separately.)

Exterior wall construction: (1) Wood; (2) Brick; (3) Stone; (4) Stucco;
 (5) Concrete block; (6) Metal;
 (7) Other (specify) _____

Sub-area	Area (ft ²)	Insulation (R)	Exterior wall construction	Insulation type
1.	1312	unk	block	
2.				
3.				
Total	1312 (ft ²)			

VI. Floor area and insulation (bottom floor only)

(If different parts of floor have different materials, treat each of these sub-areas separately.)

Sub-area	Area (ft ²)	Insulation (R)	Percent carpeted	What is below? (slab, crawl space, basement?)	Insulation type
1.	1257	-	36%	Slab	--
2.					
3.					
Total	<u>1257</u>				

VII. Windows and glass doors

Orientation	Single-pane area	Double-pane area	Total area oriented
North Front of house	27.68	24.00	51.68
East Left side of house	33.33	46.67	80.00
West Right side of house	16.0		16.0
South Back of house	22.29	37.5	59.75

VIII. Doors (non-glass)

Orientation	Regular door area	Regular door with storm door or thermally insulated door area	Total area
Front of house			
Left side of house			
West side of house	17.33		17.33
Back of house			
Totals	17.33		17.33

IX. Heating and cooling systems

1. Main heating system type:

Gas furnace _____ Gas boiler (steam) _____

Gas boiler (hot water) _____ Oil furnace _____

Oil boiler (steam) _____ Oil boiler (hot water) _____

Elec. furnace _____ Elec. ceiling _____ Elec. baseboard _____

Central heat pump _____ Window heat pump _____

Other (specify) Resistance coils in A/H

If oil fired, has a flame retention head burner been installed?

Yes _____ No _____

If oil boiler, is it wet base _____ or dry base _____

Approximate age of system _____ years

Location of unit within house _____

Is this a converted coal unit? Yes _____ No _____

Heating value of fuel: Gas _____

Oil _____

Nameplate information, as available:

Manufacturer See A/C

Model _____

Input capacity _____ Btu/hr

Output capacity _____ Btu/hr

SEER _____

Is the pilot light turned off in the spring? Yes ____ No ____ N/A X

Energy efficiency devices present:

Vent damper _____ IID _____ Other (specify) _____

2. Distribution system

No ductwork or piping _____ Hydronic (gravity) _____

Hydronic (pumped) _____ Forced-air X

Baseboard _____ Gravity system (no fans) _____

Other (specify) _____

If ductwork or piping present:

Total length of ducts or piping 115 ft

Percentage of ducts or piping in unconditioned (non-living) spaces 100 %

Are ducts or piping in unconditioned spaces insulated?

Yes X No _____ If yes, approximate R-value 5

3. Main cooling system type:

None _____ Window A/C _____ Central A/C before

Evaporative cooler _____ Central heat pump _____

Window heat pump _____ Other (specify) _____

Approximate age of system 13 years

Nameplate information, as available.

Manufacturer Singer (BCE 22008-29-11 AH)

Model AC 50029-15F comp. unit

Input capacity _____ Btu/hr

Output capacity _____ Btu/hr

SEER _____

Location(s) within house AH closet, east side of house

4. Secondary heating systems:

No. fireplaces None

No. fireplace inserts None

No. wood stoves None

No. electric space heaters None

No. fossil fuel space heaters None

Other (specify) None

How often are these used? _____

5. Thermostat:

None _____ Normal X

Clock _____ Other (specify) _____

Location within house _____

X. Significant external loads:

Irrigation pumps _____ Welder _____

Outside lights _____ Other (specify) _____

Frequency of use _____

XI. Experimental retrofit installation:

Description Lennox CB 18-41-3P & Lennox HP-22-311-2PInsulation upgrade to R19ECU Hot Tap heat recovery unit

Actual installation cost \$ _____

A/C	2925.00	(327.00 rebate)
Heat Recovery	450.00	(35.00 rebate)
Insulation	243.00	(142.00 rebate)

SITE #2 RH FLOOR PLAN

EAST WALL (FACING WEST)

NORTH WALL (FACING SOUTH)

SITE #2 RH

WEST WALL (FACING EAST)

SOUTH WALL (FACING NORTH)

SITE #2 RH

INFILTRATION RATE EVALUATION FACTORS

Building component	Good	Average	Poor
Windows and doors	☒ Window and door frames caulked. Window and door sashes well fitting and weatherstripped or storm windows and doors with good fit.	☐ Window and door frames caulked or window and door sashes weatherstripped or poorly fitting storm doors and windows.	☐ No caulking on window and door frames. No weatherstripping. No storm doors or windows.
Walls and electrical outlets	☒ Ceiling and floor joints and corners well sealed. XXXX XXXXXXXXXXXXXXXXXXXX No holes around plumbing penetrations.	☐ Some cracks in ceiling and floor joints and corners. No gaskets on electrical outlets. Fewer than three plumbing penetrations with holes around them.	☐ Many cracks in ceiling, floor joints, and corners. No gaskets on electrical outlets. Three or more plumbing penetrations with holes around them.
Attic floor (ceiling)	☒ No cracks in attic floor. No air shafts around flues. No holes around ducts, pipes, or wiring penetrating attic floor. No recessed light fixtures. No trap door or weatherstripped trap door to attic.	☐ Some cracks in attic floor. No air shafts around flues. Some holes around ducts, pipes, or wiring penetrating attic floor. Fewer than three recessed light fixtures. Unweatherstripped trap door to attic.	☐ Many cracks in attic floor. Air shafts around flues. Holes around ducts, pipes, or wiring penetrating attic floor. More than three recessed light fixtures. Uncovered attic access.
Heating system and water heater	☒ Both furnace and water heater electric. If fossil fuel fired, both in unconditioned space.	☐ One fossil fuel-fired unit in living space with vent damper. The other in unconditioned space.	☐ At least one fossil fuel-fired unit in living space without vent damper.
Fireplace or wood stove	☒ Sealed combustion wood stove or fireplace with well-fitting damper and glass doors or no fireplace	☐ Poorly sealed wood stove or fireplace with either well-fitting damper or glass doors.	☐ Both a wood stove and fireplace or a fireplace with poorly fitting damper and no glass doors.
Ductwork and floor	☐ No ductwork and few floor penetrations or all ductwork in conditioned space and no floor penetration.	☐ Ductwork in conditioned basement and few floor penetrations.	☒ Ductwork in unconditioned space and many floor penetrations
Vents in conditioned space	☐ No undampened vents and fewer than three dampered vents.	☒ Fewer than three undampened vents or at least three dampered vents.	☐ More than three undampened vents.
Lifestyle	☐ Fewer than six entrances and exits per day.	☒ Six to thirteen entrances and exits per day.	☐ More than thirteen entrances and exits per day.

POST-RETROFIT AUDIT DATA FORM

Retrofit program name Monitoring Conservative Retrofits in S.F.B

Sponsoring organization(s) DOE/FPL/State of FL

Experimental site designation RH #2

Interviewer name CSR Date of interview 11/22/92

I. General information from householder

1. Name Rose Hirt

2. Street address _____

City _____ State _____

3. Phone number _____

4. Own _____ Rent _____

5. If householder different from that of "Pre-Retrofit Audit," or if tenure has changed, record below:

Change in householder _____ Date of change _____

Change in tenure _____ Date of change _____

6. Number of occupants, by age group:

Age group	Number
Preschool	_____
School age	_____
Adult, but not retired	<u>3</u>
Retired	_____

How many are generally home all day? Weekday 1

Weekend 3-4

II. Significant changes since pre-retrofit audit

(The remaining questions refer to the time since the energy-saving improvements were made to the house).

1. Have there been any important changes or additions to the house, such as (check appropriate): No

Rooms added _____ Siding added _____

Garage/carport added _____ Exterior paint _____

Porch added _____ New roof _____

Other (specify) _____

2. *Other than changes of this program*, has the main heating or cooling system been changed, such as (check appropriate): No

New furnace/boiler _____

New air conditioner _____

New heat pump _____

Modified furnace/boiler (specify) _____

Other (specify) _____

3. Are the same number of rooms still heated and cooled? (If not, specify)

Yes _____

4. Have any space heaters been added/subtracted? (Fireplaces, wood stoves, electric, fossil fuel, etc.) Yes _____ No X

If so, specify _____

Has the use of these heaters changed during this last winter? Not app.

Used more this winter _____ Less _____ Same _____ Do not know _____

5. Has the hot water heating system changed? Yes _____ No X

If so, specify _____

6. Have any major appliances been added/subtracted? (Stoves, ovens, washers, dryers, etc.) No

If so, specify _____

7. Is there: An attic fan No Whole house fan No

If so, has the use of these fans changed during this last summer?

Used more this summer _____ Less _____ Same _____ Do not know _____

8. *Other than changes of this program*, have any other energy-saving changes been installed this past year? Yes X No _____

If yes, specify:

Ceiling insulation added _____ Weatherstripping _____

Wall insulation added _____ Caulking _____

Storm windows added _____ Hot water flow restrictors _____

Storm doors added _____ Clock thermostat _____

Other (specify) Windows replaced in North B/R. Bay window installed in LR (mid-October)

9. Have you or any family members taken up any new hobbies during the past year that require the use of large electrical or gas equipment?

Yes _____ No x

If so, specify _____

PRE-RETROFIT AUDIT DATA FORM

Retrofit program name Monitoring Conservative Retrofits in Single Family Bldgs

Sponsoring organization(s) DOE/FPL/State of FL

Experimental site designation WS #3

Interviewer name CSR **Date of interview** 6/21/91

I. General information from householder

1. Name W.H. Schick

2. Street address 1688 Shore Drive

City Merritt Island State FL 32952

3. Phone number (407)452-2387

4. Number of occupants, by age group:

Age group	Number
Preschool	_____
School age	_____
Adult, but not retired	_____
Retired	_____ 2 _____

How many are generally home all day? Weekday 2

Weekend 5

5. Approximate age of house 28 years

6. Names of utility distributors:

Electric	FPL	
----------	-----	--

Gas _____

Oil _____

(Note: Auditor should have homeowner sign a release authorizing release by these utilities of fuel bills for preceding two years.)

7. Own X Rent

8. Length of time at this address 28 years

II. General description of house

1. Type: S-F detached X S-F attached _____

Mobile home _____ Other (specify) _____

2. Style: One-story X Two-story _____ Three-story _____
Split-level _____ One-and-a-half-story _____
3. Foundation: Basement _____ Crawl space _____ Slab X
Other (specify) _____
4. Exterior colors: Roof tile white Walls lime
5. Layout, dimensions, orientation: Use attached House Sketch Sheet.
6. Percentage of each floor that is conditioned (heated or cooled):

Floor of house	Percentage heated	Percentage cooled	NA
Basement			X
First floor	100%	100%	
Second floor			X
Third floor			X
Other (specify)			X

8. Rooms typically closed off None

III. Major appliances

- ### 1. Domestic hot water

Type: Elec. resistance X Heat pump hot water

Gas _____ Solar _____

Other (specify) _____

Nameplate information, as available:

Manufacturer Kenmore

Model 153.316540

Tank capacity (gallons) 52 gal 3800 watt

SEER _____

Tank insulation (R-value) _____

Location Garage

Hot water temperature (measured with thermometer) see data °F

- ## 2. Solar devices

None X Domestic hot water Swimming pool heater

Space heating _____ Other (specify) _____

3. Other major appliances, by fuel type:

Appliance	None	Electric	Gas	Other (specify)	Location
Cooking range/oven		X			
Clothes washer		X			
Clothes dryer		X			
Refrigerator/freezer		2			
Separate freezer					
Conventional oven		X			
Microwave oven		X			
Dishwasher		X			
Whole house fan					
Attic fan					
Water bed heater					
Other					

IV. Ceiling area and insulation

(If different parts of the ceiling have different insulation, treat each of these sub-areas separately.)

Sub-area	Area (ft ²)	Insulation (R)	Insulation type
1.	1768	< 7	batts
2.			
3.			
Total	<u>1768</u>		(ft ²)

V. Wall area and insulation

(If different parts of wall have different materials, treat each of these sub-areas separately.)

Exterior wall construction: (1) Wood; (2) Brick; (3) Stone; (4) Stucco;
 (5) Concrete block; (6) Metal;
 (7) Other (specify) _____

Sub-area	Area (ft ²)	Insulation (R)	Exterior wall construction	Insulation type
1.	1853 ft ²	unk	block	
2.				
3.				
Total	<u>1853</u>			(ft ²)

VI. Floor area and insulation (bottom floor only)

(If different parts of floor have different materials, treat each of these sub-areas separately.)

Sub-area	Area (ft ²)	Insulation (R)	Percent carpeted	What is below? (slab, crawl space, basement?)	Insulation type
1.	1768	-	60%	slab	-
2.					
3.					
Total <u>1768</u> (ft ²)					

VII. Windows and glass doors

Orientation	Single-pane area	Double-pane area	Total area oriented
Front of house	65.5 ft ²		65.5 ft ²
Left side of house	45.0 ft ²		45.0 ft ²
Right side of house	58.5 ft ²		58.5 ft ²
Back of house	75.0 ft ²		75.0 ft ²

VIII. Doors (non-glass)

Orientation	Regular door area	Regular door with storm door or thermally insulated door area	Total area
Front of house	36		36
Left side of house	--		--
Right side of house	--		--
Back of house	36		36
Totals	72		72

IX. Heating and cooling systems

1. Main heating system type:

Gas furnace _____ Gas boiler (steam) _____

Gas boiler (hot water) _____ Oil furnace _____

Oil boiler (steam) _____ Oil boiler (hot water) _____

Elec. furnace _____ Elec. ceiling _____ Elec. baseboard _____

Central heat pump X Window heat pump _____

Other (specify) _____

If oil fired, has a flame retention head burner been installed?

Yes _____ No _____

If oil boiler, is it wet base _____ or dry base _____

Approximate age of system _____ years

Location of unit within house Air Handler in garage

Is this a converted coal unit? Yes _____ No _____

Heating value of fuel: Gas _____

Oil _____

Nameplate information, as available:

Manufacturer see A/C

Model _____

Input capacity _____ Btu/hr

Output capacity _____ Btu/hr

SEER _____

Is the pilot light turned off in the spring? Yes ____ No ____ N/A X

Energy efficiency devices present:

Vent damper _____ IID _____ Other (specify) _____

2. Distribution system

No ductwork or piping _____ Hydronic (gravity) _____

Hydronic (pumped) _____ Forced-air X

Baseboard _____ Gravity system (no fans) _____

Other (specify) _____

If ductwork or piping present:

Total length of ducts or piping 130 ft

Percentage of ducts or piping in unconditioned (non-living) spaces 100 %

Are ducts or piping in unconditioned spaces insulated?

Yes X No If yes, approximate R-value 5

3. Main cooling system type:

None Window A/C Central A/C

Evaporative cooler Central heat pump X

Window heat pump Other (specify)

Approximate age of system 10 years

Nameplate information, as available:

Manufacturer Carrier 38QF036300

Model (A/H) 40 QB 042300 (Compressor Unit) 38 QF 036300

Input capacity Btu/hr

Output capacity 36000 Btu/hr

SEER

Location(s) within house AH in garage

4. Secondary heating systems: None

No. fireplaces

No. fireplace inserts

No. wood stoves

No. electric space heaters

No. fossil fuel space heaters

Other (specify)

How often are these used?

5. Thermostat:

None Normal X

Clock Other (specify)

Location within house

X. Significant external loads:

Irrigation pumps _____ Welder _____

Outside lights _____ Other (specify) Pool PumpFrequency of use 3:00 AM to 6:00 PM daily

XI. Experimental retrofit installation:

Description Insulation increased to R30

Actual installation cost \$ 550.00

SITE #3 WS

WEST WALL (FACING EAST)

SOUTH WALL (FACING NORTH)

SITE #3 WS

EAST WALL (FACING WEST)

NORTH WALL (FACING SOUTH)

SITE #3 WS

INFILTRATION RATE EVALUATION FACTORS

Building component	Good	Average	Poor
Windows and doors	☒ Window and door frames caulked. Window and door sashes well fitting and weatherstripped or storm windows and doors with good fit.	☐ Window and door frames caulked or window and door sashes weatherstripped or poorly fitting storm doors and windows.	☐ No caulking on window and door frames. No weatherstripping. No storm doors or windows.
Walls and electrical outlets	☒ Ceiling and floor joints and corners well sealed. Electrical outlets with gaskets. No holes around plumbing penetrations.	☐ Some cracks in ceiling and floor joints and corners. No gaskets on electrical outlets. Fewer than three plumbing penetrations with holes around them.	☐ Many cracks in ceiling, floor joints, and corners. No gaskets on electrical outlets. Three or more plumbing penetrations with holes around them.
Attic floor (ceiling)	☒ No cracks in attic floor. No air shafts around flues. No holes around ducts, pipes, or wiring penetrating attic floor. No recessed light fixtures. No trap door or weatherstripped trap door to attic.	☐ Some cracks in attic floor. No air shafts around flues. Some holes around ducts, pipes, or wiring penetrating attic floor. Fewer than three recessed light fixtures. Unweatherstripped trap door to attic.	☐ Many cracks in attic floor. Air shafts around flues. Holes around ducts, pipes, or wiring penetrating attic floor. More than three recessed light fixtures. Uncovered attic access.
Heating system and water heater	☒ Both furnace and water heater electric. If fossil fuel fired, both in unconditioned space	☐ One fossil fuel-fired unit in living space with vent damper. The other in unconditioned space.	☐ At least one fossil fuel-fired unit in living space without vent damper.
Fireplace or wood stove	☒ Sealed combustion wood stove or fireplace with well-fitting damper and glass doors or no fireplace.	☐ Poorly sealed wood stove or fireplace with either well-fitting damper or glass doors.	☐ Both a wood stove and fireplace or a fireplace with poorly fitting damper and no glass doors.
Ductwork and floor	☐ No ductwork and few floor penetrations or all ductwork in conditioned space and no floor penetration.	☐ Ductwork in conditioned basement and few floor penetrations.	☒ Ductwork in unconditioned space and many floor penetrations.
Vents in conditioned space	☒ No undampened vents and fewer than three dampered vents.	☐ Fewer than three undampened vents or at least three dampered vents.	☐ More than three undampened vents.
Lifestyle	☐ Fewer than six entrances and exits per day.	☒ Six to thirteen entrances and exits per day.	☐ More than thirteen entrances and exits per day.

POST-RETROFIT AUDIT DATA FORM

Retrofit program name Monitoring Conservative Retrofits in Single Family Bldgs

Sponsoring organization(s) DOE/FPL/State of FL

Experimental site designation WS (#3)

Interviewer name CSR Date of interview 9/15/92

I. General information from householder

1. Name W.H. Schick

2. Street address _____

City _____ State _____

3. Phone number _____

4. Own _____ Rent _____

5. If householder different from that of "Pre-Retrofit Audit," or if tenure has changed, record below:

Change in householder _____ Date of change _____

Change in tenure _____ Date of change _____

6. Number of occupants, by age group:

Age group	Number
Preschool	_____
School age	_____
Adult, but not retired	_____
Retired	<u>2</u>

How many are generally home all day? Weekday 2

Weekend 5

II. Significant changes since pre-retrofit audit NONE

(The remaining questions refer to the time since the energy-saving improvements were made to the house).

1. Have there been any important changes or additions to the house, such as (check appropriate): No

Rooms added _____ Siding added _____

Garage/carport added _____ Exterior paint _____

Porch added _____ New roof _____

Other (specify) _____

2. *Other than changes of this program*, has the main heating or cooling system been changed, such as (check appropriate): No

New furnace/boiler _____

New air conditioner _____

New heat pump _____

Modified furnace/boiler (specify) _____

Other (specify) _____

3. Are the same number of rooms still heated and cooled? (If not, specify)

Yes _____

4. Have any space heaters been added/subtracted? (Fireplaces, wood stoves, electric, fossil fuel, etc.) Yes _____ No X _____

If so, specify _____

Has the use of these heaters changed during this last winter?

Used more this winter _____ Less _____ Same X _____ Do not know _____

5. Has the hot water heating system changed? Yes _____ No X _____

If so, specify _____

6. Have any major appliances been added/subtracted? (Stoves, ovens, washers, dryers, etc.) No

If so, specify _____

7. Is there: An attic fan No Whole house fan No

If so, has the use of these fans changed during this last summer?

Used more this summer _____ Less _____ Same _____ Do not know _____

8. *Other than changes of this program*, have any other energy-saving changes been installed this past year? Yes _____ No X _____

If yes, specify:

Ceiling insulation added _____ Weatherstripping _____

Wall insulation added _____ Caulking _____

Storm windows added _____ Hot water flow restrictors _____

Storm doors added _____ Clock thermostat _____

Other (specify) _____

9. Have you or any family members taken up any new hobbies during the past year that require the use of large electrical or gas equipment?

Yes _____ No X

If so, specify _____

PRE-RETROFIT AUDIT DATA FORM

Retrofit program name Monitoring Conservative Retrofits in Single Family Bldgs

Sponsoring organization(s) DOE/FPL/State of FL

Experimental site designation PP (#4)

Interviewer name CSR **Date of interview** 7/22/91

I. General information from householder

1. Name Peter Postma

2. Street address 311 Cocoa Avenue

City Indialantic State FL 32903

3. Phone number 722-2414

4. Number of occupants, by age group:

Age group	Number
Preschool	<u> </u>
School age	<u> </u>
Adult, but not retired	<u>2</u>
Retired	<u> </u>

How many are generally home all day? Weekday 1

Weekend 2

5. Approximate age of house 29 years

6. Names of utility distributors:

Electric FPL

Gas

Oil Glover Oil

(Note: Auditor should have homeowner sign a release authorizing release by these utilities of fuel bills for preceding two years.)

7. Own X Rent

8. Length of time at this address 3 mos. ~~years~~

II. General description of house

1. Type: S-F detached X S-F attached

Mobile home Other (specify)

Floor of house	Percentage heated	Percentage cooled	NA
Basement			
First floor	100%	100%	
Second floor			
Third floor			
Other (specify)			

7. Infiltration: Use attached Infiltration Rate Evaluation Factors sheet.
8. Rooms typically closed off None

1. Domestic hot water

Hot water temperature (measured with thermometer) see data °F

- Space heating _____ Other (specify) _____

3. Other major appliances, by fuel type:

Appliance	None	Electric	Gas	Other (specify)	Location
Cooking range/oven		x			
Clothes washer		x			
Clothes dryer		x			
Refrigerator/freezer		x			
Separate freezer					
Conventional oven					
Microwave oven		x			
Dishwasher		x			
Whole house fan					
Attic fan					
Water bed heater					
Other					

IV. Ceiling area and insulation

(If different parts of the ceiling have different insulation, treat each of these sub-areas separately.)

Sub-area	Area (ft ²)	Insulation (R)	Insulation type
1.	1880 ft ²	47	batts
2.			
3.			
Total	1880 (ft ²)		

V. Wall area and insulation

(If different parts of wall have different materials, treat each of these sub-areas separately.)

Exterior wall construction: (1) Wood; (2) Brick; (3) Stone; (4) Stucco;
 (5) Concrete block; (6) Metal;
 (7) Other (specify) _____

Sub-area	Area (ft ²)	Insulation (R)	Exterior wall construction	Insulation type
1.	2575 ft ²			
2.				
3.				
Total	2575 (ft ²)			

VI. Floor area and insulation (bottom floor only)

(If different parts of floor have different materials, treat each of these sub-areas separately.)

Sub-area	Area (ft ²)	Insulation (R)	Percent carpeted	What is below? (slab, crawl space, basement?)	Insulation type
1.	1880 ft ²	-	52%	Slab	--
2.					
3.					
Total	<u>1880</u> (ft ²)				

VII. Windows and glass doors

Orientation	Single-pane area	Double-pane area	Total area oriented
Front of house	90 ft ²		90 ft ²
Left side of house	63 ft ²		63 ft ²
Right side of house	85½ ft ²		85½ ft ²
Back of house	131 ft ²		131 ft ²

VIII. Doors (non-glass)

Orientation	Regular door area	Regular door with storm door or thermally insulated door area	Total area
North			
Front of house	42 ft ² + 21 ft ²	to garage	63 ft ²
Left side of house			
Right side of house			
Back of house			
Totals	63 ft ²		63 ft ²

IX. Heating and cooling systems

1. Main heating system type:

Gas furnace _____ Gas boiler (steam) _____

Gas boiler (hot water) _____ Oil furnace Luxaire OU100TF

Oil boiler (steam) _____ Oil boiler (hot water) _____

Elec. furnace _____ Elec. ceiling _____ Elec. baseboard _____

Central heat pump _____ Window heat pump _____

Other (specify) _____

If oil fired, has a flame retention head burner been installed?

Yes _____ No _____

If oil boiler, is it wet base _____ or dry base gun burnerApproximate age of system 13 yearsLocation of unit within house GarageIs this a converted coal unit? Yes _____ No X

Heating value of fuel: Gas _____

Oil _____

Nameplate information, as available:

Manufacturer LuxaireModel OU100TFInput capacity 126,000 Btu/hr

Output capacity _____ Btu/hr

SEER _____

Is the pilot light turned off in the spring? Yes _____ No _____ N/A X

Energy efficiency devices present:

Vent damper _____ IID _____ Other (specify) _____

2. Distribution system

No ductwork or piping _____ Hydronic (gravity) _____

Hydronic (pumped) _____ Forced-air X

Baseboard _____ Gravity system (no fans) _____

Other (specify) _____

If ductwork or piping present:

Total length of ducts or piping 150' supply; 86' return

Percentage of ducts or piping in unconditioned (non-living) spaces 100 %

Are ducts or piping in unconditioned spaces insulated?

Yes supply No return If yes, approximate R-value < 4

3. Main cooling system type:

None _____ Window A/C _____ Central A/C X

Evaporative cooler _____ Central heat pump _____

Window heat pump _____ Other (specify) _____

Approximate age of system 8 years

Nameplate information, as available

Manufacturer York

Model H2CB048506A comp/ Rheem Evap AU 49CDUS

Input capacity _____ Btu/hr

Output capacity 60,000 Btu/hr

SEER < 7

Location(s) within house garage

4. Secondary heating systems:

No. fireplaces 1

No. fireplace inserts _____

No. wood stoves _____

No. electric space heaters _____

No. fossil fuel space heaters _____

Other (specify) _____

How often are these used? < 3 times per year

5. Thermostat:

None _____ Normal X

Clock _____ Other (specify) _____

Location within house Hallway near wall return

X. Significant external loads:

Irrigation pumps _____ Welder _____

Outside lights _____ Other (specify) _____

Frequency of use _____

XI. Experimental retrofit installation:

Description Insulation increase to R19

Actual installation cost \$ 608.00

SCREENED
PATIO

DEN

LIVING ROOM

STUDY

BATH

BEDROOM

CLOSET

CLOSET

BATH

BATH

CLOSET

BEDROOM

BEEDROOM

A/H CLOSET

COURTYARD

DINING
ROOM

KITCHEN

GARAGE

SITE #4 PP FLOOR PLAN

EAST WING VIEWED FROM COURTYARD (FACING EAST)

FRONT OF HOUSE (FACING SOUTH)

WEST WING VIEWED FROM COURTYARD (FACING WEST)

WEST WING (FACING EAST)

REAR OF HOUSE (FACING NORTH)

EAST WING (FACING WEST)

SITE #4 PP

INFILTRATION RATE EVALUATION FACTORS

Building component	Good	Average	Poor
Windows and doors	☒ Window and door frames caulked. Window and door sashes well fitting and weatherstripped or storm windows and doors with good fit.	☐ Window and door frames caulked or window and door sashes weatherstripped or poorly fitting storm doors and windows.	☐ No caulking on window and door frames. No weatherstripping. No storm doors or windows.
Walls and electrical outlets	☐ Ceiling and floor joints and corners well sealed. Electrical outlets with gaskets. No holes around plumbing penetrations.	☒ Some cracks in ceiling and floor joints and corners. No gaskets on electrical outlets. Fewer than three plumbing penetrations with holes around them.	☐ Many cracks in ceiling, floor joints, and corners. No gaskets on electrical outlets. Three or more plumbing penetrations with holes around them.
Attic floor (ceiling)	☐ No cracks in attic floor. No air shafts around flues. No holes around ducts, pipes, or wiring penetrating attic floor. No recessed light fixtures. No trap door or weatherstripped trap door to attic.	☒ Some cracks in attic floor. No air shafts around flues. Some holes around ducts, pipes, or wiring penetrating attic floor. Fewer than three recessed light fixtures. Unweatherstripped trap door to attic.	☐ Many cracks in attic floor. Air shafts around flues. Holes around ducts, pipes, or wiring penetrating attic floor. More than three recessed light fixtures. Uncovered attic access.
Heating system and water heater	☒ Both furnace and water heater electric. If fossil fuel fired, both in unconditioned space.	☐ One fossil fuel-fired unit in living space with vent damper. The other in unconditioned space.	☐ At least one fossil fuel-fired unit in living space without vent damper.
Fireplace XXXXX XXXXX	☒ Sealed combustion wood stove or fireplace with well-fitting damper and glass doors or no fireplace.	☐ Poorly sealed wood stove or fireplace with either well-fitting damper or glass doors.	☐ Both a wood stove and fireplace or a fireplace with poorly fitting damper and no glass doors.
Ductwork and floor	☐ No ductwork and few floor penetrations or all ductwork in conditioned space and no floor penetration.	☐ Ductwork in conditioned basement and few floor penetrations.	☒ Ductwork in unconditioned space AND MANY FLOOR PENETRATIONS .
Vents in conditioned space	☒ No undampened vents and fewer than three dampened vents.	☐ Fewer than three undampened vents or at least three dampened vents.	☐ More than three undampened vents.
Lifestyle	☐ Fewer than six entrances and exits per day.	☒ Six to thirteen entrances and exits per day.	☐ More than thirteen entrances and exits per day.

POST-RETROFIT AUDIT DATA FORM

Retrofit program name Monitoring Conservative Retrofits in Single Family Bldgs

Sponsoring organization(s) DOE/FPL/State of FL

Experimental site designation PP (#4)

Interviewer name CSR Date of interview 8/24/92

I. General information from householder

1. Name Peter Postma

2. Street address _____

City _____ State _____

3. Phone number _____

4. Own _____ Rent _____

5. If householder different from that of "Pre-Retrofit Audit," or if tenure has changed, record below:

Change in householder _____ Date of change _____

Change in tenure _____ Date of change _____

6. Number of occupants, by age group:

Age group	Number
Preschool	_____
School age	_____
Adult, but not retired	<u>2</u>
Retired	_____

How many are generally home all day? Weekday 1

Weekend 2

II. Significant changes since pre-retrofit audit NONE

(The remaining questions refer to the time since the energy-saving improvements were made to the house).

1. Have there been any important changes or additions to the house, such as (check appropriate): No

Rooms added _____ Siding added _____

Garage/carport added _____ Exterior paint _____

Porch added _____ New roof _____

Other (specify) _____

2. *Other than changes of this program*, has the main heating or cooling system been changed, such as (check appropriate): No

New furnace/boiler _____

New air conditioner _____

New heat pump _____

Modified furnace/boiler (specify) _____

Other (specify) _____

3. Are the same number of rooms still heated and cooled? (If not, specify)

Yes _____

4. Have any space heaters been added/subtracted? (Fireplaces, wood stoves, electric, fossil fuel, etc.) Yes _____ No X

If so, specify _____

Has the use of these heaters changed during this last winter?

Used more this winter _____ Less _____ Same _____ Do not know _____

5. Has the hot water heating system changed? Yes _____ No X

If so, specify _____

6. Have any major appliances been added/subtracted? (Stoves, ovens, washers, dryers, etc.) No

If so, specify _____

7. Is there: An attic fan No Whole house fan No

If so, has the use of these fans changed during this last summer?

Used more this summer _____ Less _____ Same _____ Do not know _____

8. *Other than changes of this program*, have any other energy-saving changes been installed this past year? Yes _____ No X

If yes, specify:

Ceiling insulation added _____ Weatherstripping _____

Wall insulation added _____ Caulking _____

Storm windows added _____ Hot water flow restrictors _____

Storm doors added _____ Clock thermostat _____

Other (specify) _____

9. Have you or any family members taken up any new hobbies during the past year that require the use of large electrical or gas equipment?

Yes _____ No X

If so, specify _____

PRE-RETROFIT AUDIT DATA FORM

Retrofit program name Monitoring Conservative Retrofits in Single Family Bldgs

Sponsoring organization(s) DOE/FPL/State of FL

Experimental site designation RR (#5)

Interviewer name CSR **Date of interview** 3/26/91

I. General information from householder

1. Name R. E. Rainsberger

2. Street address 209 Flamingo Lane

City Melbourne Beach State FL 32951

3. Phone number 723-7007

4. Number of occupants, by age group:

Age group	Number
Preschool	<u> </u>
School age	<u> </u>
Adult, but not retired	<u>2</u>
Retired	<u> </u>

How many are generally home all day? Weekday 0

Weekend 2

5. Approximate age of house 27 years

6. Names of utility distributors:

Electric FPL

Gas

Oil

(Note: Auditor should have homeowner sign a release authorizing release by these utilities of fuel bills for preceding two years.)

7. Own X Rent

8. Length of time at this address years

II. General description of house

1. Type: S-F detached X S-F attached

Mobile home Other (specify)

2. Style: One-story _____X_____ Two-story _____ Three-story _____
Split-level _____ One-and-a-half-story _____
3. Foundation: Basement _____ Crawl space _____ Slab _____X_____
Other (specify) _____
4. Exterior colors: Roof _____ Walls _____
5. Layout, dimensions, orientation: Use attached House Sketch Sheet.
6. Percentage of each floor that is conditioned (heated or cooled):

Floor of house	Percentage heated	Percentage cooled	NA
Basement			
First floor	92%	92%	
Second floor			
Third floor			
Other (specify)			

7. Infiltration: Use attached Infiltration Rate Evaluation Factors sheet.
8. Rooms typically closed off Florida Room

III. Major appliances

- ### 1. Domestic hot water

Type: Elec. resistance X Heat pump hot water _____

Gas _____ Solar _____

Other (specify) _____

Nameplate information, as available:

Manufacturer Bradford White

Model M-I-40510

Tank capacity (gallons) 40 gal

SEER _____

Tank insulation (R-value) _____

Location Garage

Hot water temperature (measured with thermometer) in data set °F

- ## 2. Solar devices

None X Domestic hot water _____ Swimming pool heater _____

Space heating _____ Other (specify) _____

3. Other major appliances, by fuel type:

Appliance	None	Electric	Gas	Other (specify)	Location
Cooking range/oven		X			
Clothes washer		X			
Clothes dryer		X			
Refrigerator/freezer		X			
Separate freezer					
Conventional oven					
Microwave oven		X			
Dishwasher		X			
Whole house fan					
Attic fan					
Water bed heater					
Other					

IV. Ceiling area and insulation

(If different parts of the ceiling have different insulation, treat each of these sub-areas separately.)

Sub-area	Area (ft ²)	Insulation (R)	Insulation type
1.	2172 ft ²	7	batts
2.			
3.			
Total	2172 (ft ²)		

V. Wall area and insulation

(If different parts of wall have different materials, treat each of these sub-areas separately.)

Exterior wall construction: (1) Wood; (2) Brick; (3) Stone; (4) Stucco;
 (5) Concrete block; (6) Metal;
 (7) Other (specify) _____

Sub-area	Area (ft ²)	Insulation (R)	Exterior wall construction	Insulation type
1.	2184.5 ft ²			
2.				
3.				
Total	2184.5 (ft ²)			

VI. Floor area and insulation (bottom floor only)

(If different parts of floor have different materials, treat each of these sub-areas separately.)

Sub-area	Area (ft ²)	Insulation (R)	Percent carpeted	What is below? (slab, crawl space, basement?)	Insulation type
1.	2172 ft ²	-	75%	Slab	--
2.					
3.					
Total	<u>2172</u> (ft ²)				

VII. Windows and glass doors

Orientation	Single-pane area	Double-pane area	Total area oriented
Front of house	90 ft ²		90 ft ²
Left side of house	84 ft ²		84 ft ²
Right side of house	36 ft ²		36 ft ²
Back of house	135 ft ²		135 ft ²

VIII. Doors (non-glass)

Orientation	Regular door area	Regular door with storm door or thermally insulated door area	Total area
Front of house	36		36
Left side of house			
Right side of house			
Back of house			
Totals	36		36

IX. Heating and cooling systems

1. Main heating system type:

Gas furnace _____ Gas boiler (steam) _____

Gas boiler (hot water) _____ Oil furnace _____

Oil boiler (steam) _____ Oil boiler (hot water) _____

Elec. furnace _____ Elec. ceiling _____ Elec. baseboard _____

Central heat pump _____ X _____ Window heat pump _____

Other (specify) _____

If oil fired, has a flame retention head burner been installed?

Yes _____ No _____

If oil boiler, is it wet base _____ or dry base _____

Approximate age of system _____ 18 _____ years

Location of unit within house _____ Garage _____

Is this a converted coal unit? Yes _____ No _____

Heating value of fuel: Gas _____

Oil _____

Nameplate information, as available:

Manufacturer _____ Florida Heat Pump _____

Model _____ 301 _____

Input capacity _____ Btu/hr

Output capacity _____ 36,000 _____ Btu/hr

SEER _____ < 6 _____

Is the pilot light turned off in the spring? Yes _____ No _____ N/A _____

Energy efficiency devices present:

Vent damper _____ IID _____ Other (specify) _____

2. Distribution system

No ductwork or piping _____ Hydronic (gravity) _____

Hydronic (pumped) _____ Forced-air _____ X _____

Baseboard _____ Gravity system (no fans) _____

Other (specify) _____

If ductwork or piping present:

Total length of ducts or piping 180 ft

Percentage of ducts or piping in unconditioned (non-living) spaces 100 %

Are ducts or piping in unconditioned spaces insulated?

Yes X No _____ If yes, approximate R-value 5

3. Main cooling system type:

None _____ Window A/C _____ Central A/C _____

Evaporative cooler _____ Central heat pump X

Window heat pump _____ Other (specify) _____

Approximate age of system 18 years

Nameplate information, as available

Manufacturer Florida Heat Pump

Model 301

Input capacity _____ Btu/hr

Output capacity 36,000 Btu/hr

SEER _____

Location(s) within house Garage

4. Secondary heating systems:

No. fireplaces 1

No. fireplace inserts _____

No. wood stoves _____

No. electric space heaters _____

No. fossil fuel space heaters _____

Other (specify) _____

How often are these used? < 5 times per year

5. Thermostat:

None _____ Normal X

Clock _____ Other (specify) _____

Location within house Kitchen, above air return

X. Significant external loads:

Irrigation pumps _____ Welder _____

Outside lights _____ Other (specify) _____

Frequency of use _____

XI. Experimental retrofit installation:

Description A/C upgrade (SEER 6 to 13.2)Florida Heat Pump SE 038-1Attic Insulation $\leftarrow$ R7 to R30Actual installation cost \$ 2860.00 (A/C)
633.00 (Insulation)

SITE #5 RR FLOOR PLAN

VIEW OF EAST WALL (FACING WEST)

VIEW OF WEST WALL (FACING EAST)

SITE #5 RR

VIEW OF SOUTH WALL (FACING NORTH)

VIEW OF NORTH WALL (FACING SOUTH)

SITE #5 RR

INFILTRATION RATE EVALUATION FACTORS

Building component	Good	Average	Poor
Windows and doors	☒ Window and door frames caulked. Window and door sashes well fitting and weatherstripped or storm windows and doors with good fit.	☐ Window and door frames caulked or window and door sashes weatherstripped or poorly fitting storm doors and windows.	☐ No caulking on window and door frames. No weatherstripping. No storm doors or windows.
Walls and electrical outlets	☒ Ceiling and floor joints and corners well sealed. Electrical outlets with gaskets. No holes around plumbing penetrations.	☐ Some cracks in ceiling and floor joints and corners. No gaskets on electrical outlets. Fewer than three plumbing penetrations with holes around them.	☐ Many cracks in ceiling, floor joints, and corners. No gaskets on electrical outlets. Three or more plumbing penetrations with holes around them.
Attic floor (ceiling)	☒ No cracks in attic floor. No air shafts around flues. No holes around ducts, pipes, or wiring penetrating attic floor. No recessed light fixtures. No trap door or weatherstripped trap door to attic.	☐ Some cracks in attic floor. No air shafts around flues. Some holes around ducts, pipes, or wiring penetrating attic floor. Fewer than three recessed light fixtures. Unweatherstripped trap door to attic.	☐ Many cracks in attic floor. Air shafts around flues. Holes around ducts, pipes, or wiring penetrating attic floor. More than three recessed light fixtures. Uncovered attic access.
Heating system and water heater	☒ Both furnace and water heater electric. If fossil fuel fired, both in unconditioned space.	☐ One fossil fuel-fired unit in living space with vent damper. The other in unconditioned space.	☐ At least one fossil fuel-fired unit in living space without vent damper.
Fireplace or wood stove	☒ Sealed combustion wood stove or fireplace with well-fitting damper and glass doors or no fireplace.	☐ Poorly sealed wood stove or fireplace with either well-fitting damper or glass doors.	☐ Both a wood stove and fireplace or a fireplace with poorly fitting damper and no glass doors.
Ductwork and floor	☐ No ductwork and few floor penetrations or all ductwork in conditioned space and no floor penetration.	☐ Ductwork in conditioned basement and few floor penetrations.	☒ Ductwork in unconditioned space AND MANY RECESSED LIGHT FIXTURES AND MANY RECESSED LIGHT FIXTURES
Vents in conditioned space	☒ No undampened vents and fewer than three dampened vents.	☐ Fewer than three undampened vents or at least three dampened vents.	☐ More than three undampened vents.
Lifestyle	☐ Fewer than six entrances and exits per day.	☒ Six to thirteen entrances and exits per day.	☐ More than thirteen entrances and exits per day.

POST-RETROFIT AUDIT DATA FORM

Retrofit program name Monitoring Conservative Retrofits in Single Family Bldgs

Sponsoring organization(s) DOE/FPL/State of FL

Experimental site designation RR (#5)

Interviewer name CSR Date of interview 9/15/92

I. General information from householder

1. Name R.E. Rainsberger

2. Street address _____

City _____ State _____

3. Phone number _____

4. Own _____ Rent _____

5. If householder different from that of "Pre-Retrofit Audit," or if tenure has changed, record below:

Change in householder _____ Date of change _____

Change in tenure _____ Date of change _____

6. Number of occupants, by age group:

Age group	Number
Preschool	_____
School age	_____
Adult, but not retired	<u>2</u>
Retired	_____

How many are generally home all day? Weekday 0

Weekend 2

II. Significant changes since pre-retrofit audit NONE

(The remaining questions refer to the time since the energy-saving improvements were made to the house).

1. Have there been any important changes or additions to the house, such as (check appropriate): No

Rooms added _____ Siding added _____

Garage/carport added _____ Exterior paint _____

Porch added _____ New roof _____

Other (specify) _____

2. *Other than changes of this program*, has the main heating or cooling system been changed, such as (check appropriate): None

New furnace/boiler _____

New air conditioner _____

New heat pump _____

Modified furnace/boiler (specify) _____

Other (specify) _____

3. Are the same number of rooms still heated and cooled? (If not, specify)

Yes _____

4. Have any space heaters been added/subtracted? (Fireplaces, wood stoves, electric, fossil fuel, etc.) Yes _____ No X

If so, specify _____

Has the use of these heaters changed during this last winter?

Used more this winter _____ Less _____ Same X Do not know _____

5. Has the hot water heating system changed? Yes _____ No X

If so, specify _____

6. Have any major appliances been added/subtracted? (Stoves, ovens, washers, dryers, etc.) No

If so, specify _____

7. Is there: An attic fan No Whole house fan No

If so, has the use of these fans changed during this last summer?

Used more this summer _____ Less _____ Same _____ Do not know _____

8. *Other than changes of this program*, have any other energy-saving changes been installed this past year? Yes _____ No X

If yes, specify:

Ceiling insulation added _____ Weatherstripping _____

Wall insulation added _____ Caulking _____

Storm windows added _____ Hot water flow restrictors _____

Storm doors added _____ Clock thermostat _____

Other (specify) _____

9. Have you or any family members taken up any new hobbies during the past year that require the use of large electrical or gas equipment?

Yes _____ No X

If so, specify _____

Interviewer name CSR **Date of interview** 7/28/91

Mobile home _____ Other (specify) _____

2. Style: One-story X Two-story _____ Three-story _____
Split-level _____ One-and-a-half-story _____
3. Foundation: Basement _____ Crawl space _____ Slab X
Other (specify) _____
4. Exterior colors: Roof Brown Walls Brick
5. Layout, dimensions, orientation: Use attached House Sketch Sheet.
6. Percentage of each floor that is conditioned (heated or cooled):

Floor of house	Percentage heated	Percentage cooled	NA
Basement			
First floor	100%	100%	
Second floor			
Third floor			
Other (specify)			

7. Infiltration: Use attached Infiltration Rate Evaluation Factors sheet.
8. Rooms typically closed off None

III. Major appliances

- ### 1. Domestic hot water

Type: Elec. resistance X Heat pump hot water

Gas _____ Solar _____

Other (specify) _____

Nameplate information, as available:

Manufacturer Bradford-White

Model M-3-580 R55

Tank capacity (gallons) 80 gal

SEER _____

Tank insulation (R-value) _____

Location Utility room

Hot water temperature (measured with thermometer) see data °F

- ## 2. Solar devices

None x Domestic hot water _____ Swimming pool heater _____

Space heating _____ Other (specify) _____

3. Other major appliances, by fuel type:

Appliance	None	Electric	Gas	Other (specify)	Location
Cooking range/oven		X			
Clothes washer		X			
Clothes dryer		X			
Refrigerator/freezer		X			
Separate freezer					
Conventional oven		X			
Microwave oven		X			
Dishwasher		X			
Whole house fan					
Attic fan					
Water bed heater					
Other					

IV. Ceiling area and insulation

(If different parts of the ceiling have different insulation, treat each of these sub-areas separately.)

Sub-area	Area (ft ²)	Insulation (R)	Insulation type
1.	1256	19	batts
2.			
3.			
Total	<u>1256</u>		(ft ²)

V. Wall area and insulation

(If different parts of wall have different materials, treat each of these sub-areas separately.)

Exterior wall construction: (1) Wood; (2) Brick; (3) Stone; (4) Stucco;
(5) Concrete block; (6) Metal;
(7) Other (specify) _____

Sub-area	Area (ft ²)	Insulation (R)	Exterior wall construction	Insulation type
1.	1300½	11	Brick	batts
2.				
3.				
Total	<u>1300½</u>			(ft ²)

VI. Floor area and insulation (bottom floor only)

(If different parts of floor have different materials, treat each of these sub-areas separately.)

Sub-area	Area (ft ²)	Insulation (R)	Percent carpeted	What is below? (slab, crawl space, basement?)	Insulation type
1.	1256	-	60%	Slab	-
2.					
3.					
Total	1256				

VII. Windows and glass doors

Orientation	Single-pane area	Double-pane area	Total area oriented
Front of house	45 ft ²		45 ft ²
Left side of house	54 ft ²		54 ft ²
Right side of house	54 ft ²		54 ft ²
Back of house	18 ft ²		18 ft ²

VIII. Doors (non-glass)

Orientation	Regular door area	Regular door with storm door or thermally insulated door area	Total area
Front of house	39.00		39.00
Left side of house			
Right side of house			
Back of house	16.25		16.25
Totals	55.25		55.25

IX. Heating and cooling systems

1. Main heating system type:

Gas furnace _____ Gas boiler (steam) _____

Gas boiler (hot water) _____ Oil furnace _____

Oil boiler (steam) _____ Oil boiler (hot water) _____

Elec. furnace _____ Elec. ceiling _____ Elec. baseboard _____

Central heat pump _____ Window heat pump _____

Other (specify) Resistance coils in A/H

If oil fired, has a flame retention head burner been installed?

Yes _____ No _____

If oil boiler, is it wet base _____ or dry base _____

Approximate age of system _____ years

Location of unit within house _____ closet _____

Is this a converted coal unit? Yes _____ No _____

Heating value of fuel: Gas _____

Oil _____

Nameplate information, as available:

Manufacturer _____

Model _____

Input capacity _____ Btu/hr

Output capacity _____ Btu/hr

SEER _____

Is the pilot light turned off in the spring? Yes ____ No ____ N/A X

Energy efficiency devices present:

Vent damper _____ IID _____ Other (specify) _____

2. Distribution system

No ductwork or piping _____ Hydronic (gravity) _____

Hydronic (pumped) _____ Forced-air X _____

Baseboard _____ Gravity system (no fans) _____

Other (specify) _____

If ductwork or piping present:

Total length of ducts or piping 80 ft

Percentage of ducts or piping in unconditioned (non-living) spaces 100 %

Are ducts or piping in unconditioned spaces insulated?

Yes X No If yes, approximate R-value 5

3. Main cooling system type:

None Window A/C Central A/C

Evaporative cooler Central heat pump

Window heat pump Other (specify)

Approximate age of system years

Nameplate information, as available.

Manufacturer Janitrol

Model

Input capacity Btu/hr

Output capacity 36,000 Btu/hr

SEER estimate approximately 6

Location(s) within house Closet

4. Secondary heating systems: None

No. fireplaces

No. fireplace inserts

No. wood stoves

No. electric space heaters

No. fossil fuel space heaters

Other (specify)

How often are these used?

5. Thermostat:

None Normal X

Clock Other (specify)

Location within house Living room, near air return

X. Significant external loads:

Irrigation pumps _____ Welder _____

Outside lights _____ Other (specify) Pool PumpFrequency of use 6 hrs per day

XI. Experimental retrofit installation:

Description Lennox HP-22-311-2P compressorCB-18-41-3P A/H unit

Actual installation cost \$ 2800.00

SITE #6 BC FLOOR PLAN

SOUTH WALL (FACING NORTH)

EAST WALL (FACING WEST)

SITE #6 BC

NORTH WALL (FACING SOUTH)

WEST WALL (FACING EAST)

SITE #6 BC

INFILTRATION RATE EVALUATION FACTORS

Building component	Good	Average	Poor
Windows and doors	☒ Window and door frames caulked. Window and door sashes well fitting and weatherstripped or storm windows and doors with good fit.	☐ Window and door frames caulked or window and door sashes weatherstripped or poorly fitting storm doors and windows.	☐ No caulking on window and door frames. No weatherstripping. No storm doors or windows.
Walls and electrical outlets	☒ Ceiling and floor joints and corners well sealed. Electrical outlets with gaskets. No holes around plumbing penetrations.	☐ Some cracks in ceiling and floor joints and corners. No gaskets on electrical outlets. Fewer than three plumbing penetrations with holes around them.	☐ Many cracks in ceiling, floor joints, and corners. No gaskets on electrical outlets. Three or more plumbing penetrations with holes around them.
Attic floor (ceiling)	☒ No cracks in attic floor. No air shafts around flues. No holes around ducts, pipes, or wiring penetrating attic floor. No recessed light fixtures. No trap door or weatherstripped trap door to attic.	☐ Some cracks in attic floor. No air shafts around flues. Some holes around ducts, pipes, or wiring penetrating attic floor. Fewer than three recessed light fixtures. Unweatherstripped trap door to attic.	☐ Many cracks in attic floor. Air shafts around flues. Holes around ducts, pipes, or wiring penetrating attic floor. More than three recessed light fixtures. Uncovered attic access.
Heating system and water heater	☒ Both furnace and water heater electric. If fossil fuel fired, both in unconditioned space.	☐ One fossil fuel-fired unit in living space with vent damper. The other in unconditioned space.	☐ At least one fossil fuel-fired unit in living space without vent damper.
Fireplace or wood stove	☒ Sealed combustion wood stove or fireplace with well-fitting damper and glass doors or no fireplace.	☐ Poorly sealed wood stove or fireplace with either well-fitting damper or glass doors.	☐ Both a wood stove and fireplace or a fireplace with poorly fitting damper and no glass doors.
Ductwork and floor	☐ No ductwork and few floor penetrations or all ductwork in conditioned space and no floor penetration.	☐ Ductwork in conditioned basement and few floor penetrations.	☒ Ductwork in unconditioned space and many floor penetrations
Vents in conditioned space	☒ No undampened vents and fewer than three dampened vents.	☐ Fewer than three undampened vents or at least three dampened vents.	☐ More than three undampened vents.
Lifestyle	☒ Fewer than six entrances and exits per day.	☐ Six to thirteen entrances and exits per day.	☐ More than thirteen entrances and exits per day.

INFILTRATION RATE EVALUATION FACTORS

POST-RETROFIT AUDIT DATA FORM

Retrofit program name Monitoring Conservative Retrofits in Single Family Bldgs

Sponsoring organization(s) DOE/FPL/State of FL

Experimental site designation BC (#6)

Interviewer name CSR Date of interview 9/15/92

I. General information from householder

1. Name Bernard J. Cohn

2. Street address _____

City _____ State _____

3. Phone number _____

4. Own _____ Rent _____

5. If householder different from that of "Pre-Retrofit Audit," or if tenure has changed, record below:

Change in householder _____ Date of change _____

Change in tenure _____ Date of change _____

6. Number of occupants, by age group:

Age group	Number
Preschool	_____
School age	<u>1</u>
Adult, but not retired	<u>2</u>
Retired	_____

How many are generally home all day? Weekday 0

Weekend 3

II. Significant changes since pre-retrofit audit NONE

(The remaining questions refer to the time since the energy-saving improvements were made to the house).

1. Have there been any important changes or additions to the house, such as (check appropriate): No

Rooms added _____ Siding added _____

Garage/carport added _____ Exterior paint _____

Porch added _____ New roof _____

Other (specify) _____

2. *Other than changes of this program*, has the main heating or cooling system been changed, such as (check appropriate): No

New furnace/boiler _____

New air conditioner _____

New heat pump _____

Modified furnace/boiler (specify) _____

Other (specify) _____

3. Are the same number of rooms still heated and cooled? (If not, specify)

Yes _____

4. Have any space heaters been added/subtracted? (Fireplaces, wood stoves, electric, fossil fuel, etc.) Yes _____ No X

If so, specify _____

Has the use of these heaters changed during this last winter?

Used more this winter _____ Less _____ Same _____ Do not know _____

5. Has the hot water heating system changed? Yes _____ No X

If so, specify _____

6. Have any major appliances been added/subtracted? (Stoves, ovens, washers, dryers, etc.) No

If so, specify _____

7. Is there: An attic fan X Whole house fan _____

If so, has the use of these fans changed during this last summer? No

Used more this summer _____ Less _____ Same _____ Do not know _____

Not used

8. *Other than changes of this program*, have any other energy-saving changes been installed this past year? Yes _____ No X

If yes, specify:

Ceiling insulation added _____ Weatherstripping _____

Wall insulation added _____ Caulking _____

Storm windows added _____ Hot water flow restrictors _____

Storm doors added _____ Clock thermostat _____

Other (specify) _____

9. Have you or any family members taken up any new hobbies during the past year that require the use of large electrical or gas equipment?

Yes _____ No X

If so, specify _____

Sponsoring organization(s) DOE/FPL/State of FL

Experimental site designation EK (#8)

Interviewer name CSR **Date of interview** 8/24/91

I. General information from householder

1. Name Edward Kizak

2. Street address 216 Melbourne Avenue

City Indialantic State FL 32903

3. Phone number 723-8862

4. Number of occupants, by age group:

Age group	Number
-----------	--------

Preschool

School age

Adult, but not retired

Retired

How many are generally home all day? Weekday 1

Weekend 2

5. Approximate age of house 28 years

6. Names of utility distributors:

Electric FPL

Gas

Oil

(Note: Auditor should have homeowner sign a release authorizing release by these utilities of fuel bills for preceding two years.)

7. Own X Rent

8. Length of time at this address 28 years

II. General description of house

1. Type: S-F detached X. S-F attached

Mobile home _____ Other (specify) _____

2. Style: One-story X Two-story _____ Three-story _____
Split-level _____ One-and-a-half-story _____
3. Foundation: Basement _____ Crawl space _____ Slab X
Other (specify) _____
4. Exterior colors: Roof Grey Walls White
5. Layout, dimensions, orientation: Use attached House Sketch Sheet.
6. Percentage of each floor that is conditioned (heated or cooled):

Floor of house	Percentage heated	Percentage cooled	NA
Basement			
First floor	100%	100%	
Second floor			
Third floor			
Other (specify)			

7. Infiltration: Use attached Infiltration Rate Evaluation Factors sheet.
8. Rooms typically closed off None

III. Major appliances

- ### 1. Domestic hot water

Type: Elec. resistance X Heat pump hot water

Gas _____ Solar _____

Other (specify) _____

Nameplate information, as available:

Manufacturer Reliance

Model 501

Tank capacity (gallons) 52 gal

SEER _____

Tank insulation (R-value) _____

Location Hall closet

Hot water temperature (measured with thermometer) see data °F

- ## 2. Solar devices

None X Domestic hot water _____ Swimming pool heater _____

Space heating _____ Other (specify) _____

3. Other major appliances, by fuel type:

Appliance	None	Electric	Gas	Other (specify)	Location
Cooking range/oven		X			
Clothes washer		X			
Clothes dryer		X			
Refrigerator/freezer		X			
Separate freezer		X			Garage
Conventional oven		X			
Microwave oven		X			
Dishwasher		X			
Whole house fan					
Attic fan					
Water bed heater					
Other					

IV. Ceiling area and insulation

(If different parts of the ceiling have different insulation, treat each of these sub-areas separately.)

Sub-area	Area (ft ²)	Insulation (R)	Insulation type
1.	650 ft ²	19	batts
2.	1180 ft ²	30	blown
3.	645 ft ²	19	batts
Total	<u>2475</u> (ft ²)		

V. Wall area and insulation

(If different parts of wall have different materials, treat each of these sub-areas separately.)

Exterior wall construction: (1) Wood; (2) Brick; (3) Stone; (4) Stucco;
 (5) Concrete block; (6) Metal;
 (7) Other (specify) _____

Sub-area	Area (ft ²)	Insulation (R)	Exterior wall construction	Insulation type
1.	3044½ ft ²			
2.				
3.				
Total	<u>3044½</u> (ft ²)			

VI. Floor area and insulation (bottom floor only)

(If different parts of floor have different materials, treat each of these sub-areas separately.)

Sub-area	Area (ft ²)	Insulation (R)	Percent carpeted	What is below? (slab, crawl space, basement?)	Insulation type
1.	2475 ft ²	-	89%	Slab	-
2.					
3.					
Total	<u>2475</u> (ft ²)				

VII. Windows and glass doors

Orientation	Single-pane area	Double-pane area	Total area oriented
Front of house	18 ft ²		18 ft ²
Left side of house	66 ft ²		66 ft ²
Right side of house	58 ft ²		58 ft ²
Back of house	45 ft ²		45 ft ²

VIII. Doors (non-glass)

	Orientation	Regular door area	Regular door with storm door or thermally insulated door area	Total area
South	Front of house	-	-	-
West	Left side of house	19.5		19.5
East	Right side of house	-	-	-
North	Back of house	-	-	-
	Totals	19.5		19.5

IX. Heating and cooling systems

1. Main heating system type:

Gas furnace _____ Gas boiler (steam) _____

Gas boiler (hot water) _____ Oil furnace _____

Oil boiler (steam) _____ Oil boiler (hot water) _____

Elec. furnace _____ Elec. ceiling _____ Elec. baseboard _____

Central heat pump _____ X _____ Window heat pump _____

Other (specify) _____

If oil fired, has a flame retention head burner been installed?

Yes _____ No _____

If oil boiler, is it wet base _____ or dry base _____

Approximate age of system _____ years

Location of unit within house _____

Is this a converted coal unit? Yes _____ No _____

Heating value of fuel: Gas _____

Oil _____

Nameplate information, as available:

Manufacturer _____ Florida Heat Pump _____

Model _____ unknown _____

Input capacity _____ Btu/hr

Output capacity _____ 60,000 _____ Btu/hr

SEER _____ estimated approximately 6.1 _____

Is the pilot light turned off in the spring? Yes _____ No _____ N/A _____

Energy efficiency devices present:

Vent damper _____ IID _____ Other (specify) _____

2. Distribution system

No ductwork or piping _____ Hydronic (gravity) _____

Hydronic (pumped) _____ Forced-air _____ X _____

Baseboard _____ Gravity system (no fans) _____

Other (specify) _____

If ductwork or piping present:

Total length of ducts or piping 120 ft

Percentage of ducts or piping in unconditioned (non-living) spaces 100 %

Are ducts or piping in unconditioned spaces insulated?

Yes X No If yes, approximate R-value 4

3. Main cooling system type:

None Window A/C Central A/C

Evaporative cooler Central heat pump X

Window heat pump Other (specify)

Approximate age of system 12 years

Nameplate information, as available

Manufacturer Florida Heat Pump

Model unknown

Input capacity Btu/hr

Output capacity 60,000 Btu/hr

SEER

Location(s) within house A/H closet

4. Secondary heating systems:

No. fireplaces 1 not used

No. fireplace inserts

No. wood stoves

No. electric space heaters

No. fossil fuel space heaters

Other (specify)

How often are these used?

5. Thermostat:

None Normal X

Clock Other (specify)

Location within house

X. Significant external loads:

Irrigation pumps X Welder _____

Outside lights _____ Other (specify) _____

Frequency of use 3 hrs every 3rd day

XI. Experimental retrofit installation:

Description A/C upgrade (SEER 6 to 13.1)Florida Heat Pump SE053-1Actual installation cost \$ 3125.00

EAST WALL (FACING WEST)

SOUTH WALL (FACING NORTH)

SITE #8 EK

WEST WALL (FACING EAST)

NORTH WALL (FACING SOUTH)

SITE #8 EK

INFILTRATION RATE EVALUATION FACTORS

Building Component	Good	Average	Poor
Windows and doors	☒ Window and door frames caulked. Window and door sashes well fitting and weatherstripped or storm windows and doors with good fit.	☐ Window and door frames caulked or window and door sashes weatherstripped or poorly fitting storm doors and windows.	☐ No caulking on window and door frames. No weatherstripping. No storm doors or windows.
Walls and electrical outlets	☐ Ceiling and floor joints and corners well sealed. Electrical outlets with gaskets. No holes around plumbing penetrations.	☒ Some cracks in ceiling and floor joints and corners. No gaskets on electrical outlets. Fewer than three plumbing penetrations with holes around them.	☐ Many cracks in ceiling, floor joints, and corners. No gaskets on electrical outlets. Three or more plumbing penetrations with holes around them.
Attic floor (ceiling)	☒ No cracks in attic floor. No air shafts around flues. No holes around ducts, pipes, or wiring penetrating attic floor. No recessed light fixtures. No trap door or weatherstripped trap door to attic.	☐ Some cracks in attic floor. No air shafts around flues. Some holes around ducts, pipes, or wiring penetrating attic floor. Fewer than three recessed light fixtures. Unweatherstripped trap door to attic.	☐ Many cracks in attic floor. Air shafts around flues. Holes around ducts, pipes, or wiring penetrating attic floor. More than three recessed light fixtures. Uncovered attic access.
Heating system and water heater	☒ Both furnace and water heater electric. If fossil fuel fired, both in unconditioned space.	☐ One fossil fuel-fired unit in living space with vent damper. The other in unconditioned space.	☐ At least one fossil fuel-fired unit in living space without vent damper.
Fireplace or wood stove	☒ Sealed combustion wood stove or fireplace with well-fitting damper and glass doors or no fireplace.	☐ Poorly sealed wood stove or fireplace with either well-fitting damper or glass doors.	☐ Both a wood stove and fireplace or a fireplace with poorly fitting damper and no glass doors.
Ductwork and floor	☐ No ductwork and few floor penetrations or all ductwork in conditioned space and no floor penetration.	☐ Ductwork in conditioned basement and few floor penetrations.	☒ Ductwork in unconditioned space and many floor penetrations.
Vents in conditioned space	☒ No undampened vents and fewer than three dampened vents.	☐ Fewer than three undampened vents or at least three dampened vents.	☐ More than three undampened vents.
Lifestyle	☐ Fewer than six entrances and exits per day.	☒ Six to thirteen entrances and exits per day.	☐ More than thirteen entrances and exits per day.

POST-RETROFIT AUDIT DATA FORM

Retrofit program name Monitoring Conservative Retrofits in Single Family Bldgs

Sponsoring organization(s) DOE/FPL/State of FL

Experimental site designation EK (#8)

Interviewer name CSR Date of interview 11/22/92

I. General information from householder

1. Name Edward Kizak

2. Street address _____

City _____ State _____

3. Phone number _____

4. Own _____ Rent _____

5. If householder different from that of "Pre-Retrofit Audit," or if tenure has changed, record below:

Change in householder _____ Date of change _____

Change in tenure _____ Date of change _____

6. Number of occupants, by age group:

Age group	Number
Preschool	_____
School age	_____
Adult, but not retired	<u>1</u>
Retired	<u>1</u>

How many are generally home all day? Weekday 1

Weekend 2

II. Significant changes since pre-retrofit audit NONE

(The remaining questions refer to the time since the energy-saving improvements were made to the house).

1. Have there been any important changes or additions to the house, such as (check appropriate):

Rooms added _____ Siding added _____

Garage/carport added _____ Exterior paint _____

Porch added _____ New roof _____

Other (specify) _____

2. *Other than changes of this program*, has the main heating or cooling system been changed, such as (check appropriate): No

New furnace/boiler _____

New air conditioner _____

New heat pump _____

Modified furnace/boiler (specify) _____

Other (specify) _____

3. Are the same number of rooms still heated and cooled? (If not, specify)

Yes _____

4. Have any space heaters been added/subtracted? (Fireplaces, wood stoves, electric, fossil fuel, etc.) Yes _____ No X

If so, specify _____

Has the use of these heaters changed during this last winter?

Used more this winter _____ Less _____ Same _____ Do not know _____

5. Has the hot water heating system changed? Yes _____ No X

If so, specify _____

6. Have any major appliances been added/subtracted? (Stoves, ovens, washers, dryers, etc.) No

If so, specify _____

7. Is there: An attic fan No Whole house fan No

If so, has the use of these fans changed during this last summer?

Used more this summer _____ Less _____ Same _____ Do not know _____

8. *Other than changes of this program*, have any other energy-saving changes been installed this past year? Yes _____ No X

If yes, specify:

Ceiling insulation added _____ Weatherstripping _____

Wall insulation added _____ Caulking _____

Storm windows added _____ Hot water flow restrictors _____

Storm doors added _____ Clock thermostat _____

Other (specify) _____

9. Have you or any family members taken up any new hobbies during the past year that require the use of large electrical or gas equipment?

Yes _____ No x

If so, specify _____

PRE-RETROFIT AUDIT DATA FORM

Retrofit program name Monitoring Conservative Retrofits in Single Family Bldgs

Sponsoring organization(s) DOE/FPL/State of FL

Experimental site designation WH (#9)

Interviewer name CSR **Date of interview** 9/3/91

I. General information from householder

1. Name William Hendley

2. Street address 2200 Ohio Street

City Melbourne State FL 32904

3. Phone number 727-7596

4. Number of occupants, by age group:

Age group	Number
Preschool	_____
School age	_____ 1
Adult, but not retired	_____ 2
Retired	_____

How many are generally home all day? Weekday 1

Weekend 3

5. Approximate age of house _____ years

6. Names of utility distributors:

Electric Florida Power & Light

Gas _____

Oil _____

(Note: Auditor should have homeowner sign a release authorizing release by these utilities of fuel bills for preceding two years.)

7. Own X Rent _____

8. Length of time at this address _____ years

II. General description of house

1. Type: S-F detached X S-F attached

Mobile home _____ Other (specify) _____

2. Style: One-story X Two-story _____ Three-story _____
Split-level _____ One-and-a-half-story _____
3. Foundation: Basement _____ Crawl space _____ Slab X
Other (specify) _____
4. Exterior colors: Roof Brown Walls Dark brick
5. Layout, dimensions, orientation: Use attached House Sketch Sheet.
6. Percentage of each floor that is conditioned (heated or cooled):

Floor of house	Percentage heated	Percentage cooled	NA
Basement			
First floor	100%	100%	
Second floor			
Third floor			
Other (specify)			

8. Rooms typically closed off None

III. Major appliances

1. Domestic hot water
- Type: Elec. resistance X Heat pump hot water _____
Gas _____ Solar _____
Other (specify) _____
- Nameplate information, as available:
- Manufacturer Reliance
Model 5-40-2KR58FJ
Tank capacity (gallons) 40 gal
SEER _____
Tank insulation (R-value) _____
Location Garage
Hot water temperature (measured with thermometer) see data °F
2. Solar devices
- None X Domestic hot water _____ Swimming pool heater _____
Space heating _____ Other (specify) _____

3. Other major appliances, by fuel type:

Appliance	None	Electric	Gas	Other (specify)	Location
Cooking range/oven		X			
Clothes washer		X			
Clothes dryer		X			
Refrigerator/freezer		X			
Separate freezer					
Conventional oven		X			
Microwave oven		X			
Dishwasher		X			
Whole house fan					
Attic fan					
Water bed heater					
Other					

IV. Ceiling area and insulation

(If different parts of the ceiling have different insulation, treat each of these sub-areas separately.)

Sub-area	Area (ft ²)	Insulation (R)	Insulation type
1.	1810	19	blown
2.			
3.			
Total	<u>1810</u>		(ft ²)

V. Wall area and insulation

(If different parts of wall have different materials, treat each of these sub-areas separately.)

Exterior wall construction: (1) Wood; (2) Brick; (3) Stone; (4) Stucco;
(5) Concrete block; (6) Metal;
(7) Other (specify) _____

Sub-area	Area (ft ²)	Insulation (R)	Exterior wall construction	Insulation type
1.	2200			ft ²
2.				
3.				
Total	<u>2200</u>			(ft ²)

VI. Floor area and insulation (bottom floor only)

(If different parts of floor have different materials, treat each of these sub-areas separately.)

Sub-area	Area (ft ²)	Insulation (R)	Percent carpeted	What is below? (slab, crawl space, basement?)	Insulation type
1.	1810	--	46%	slab	--
2.					
3.					
Total	1810 (ft ²)				

VII. Windows and glass doors

Orientation	Single-pane area	Double-pane area	Total area oriented
Front of house	76 ft ²		76 ft ²
Left side of house	13.5 ft ²		13.5 ft ²
Right side of house	9 ft ²		9 ft ²
Back of house	84 ft ²		84 ft ²

VIII. Doors (non-glass)

Orientation	Regular door area	Regular door with storm door or thermally insulated door area	Total area
Front of house	19.5		19.5
Left side of house			
Right side of house			
Back of house	36.0		36.0
Totals	55.5		55.5

IX. Heating and cooling systems

1. Main heating system type:

Gas furnace _____ Gas boiler (steam) _____

Gas boiler (hot water) _____ Oil furnace _____

Oil boiler (steam) _____ Oil boiler (hot water) _____

Elec. furnace _____ Elec. ceiling _____ Elec. baseboard _____

Central heat pump _____ Window heat pump _____

Other (specify) Resistance coils in A/H

If oil fired, has a flame retention head burner been installed?

Yes _____ No _____

If oil boiler, is it wet base _____ or dry base _____

Approximate age of system 15 yearsLocation of unit within house Garage Air Handler

Is this a converted coal unit? Yes _____ No _____

Heating value of fuel: Gas _____

Oil _____

Nameplate information, as available:

Manufacturer WhirlpoolModel WCTA BBAE3

Input capacity _____ Btu/hr

Output capacity _____ Btu/hr

SEER _____

Is the pilot light turned off in the spring? Yes ____ No ____ N/A ____

Energy efficiency devices present:

Vent damper _____ IID _____ Other (specify) _____

2. Distribution system

No ductwork or piping _____ Hydronic (gravity) _____

Hydronic (pumped) _____ Forced-air X

Baseboard _____ Gravity system (no fans) _____

Other (specify) _____

If ductwork or piping present:

Total length of ducts or piping 132 ft supply + 64' return

Percentage of ducts or piping in unconditioned (non-living) spaces 100 %

Are ducts or piping in unconditioned spaces insulated?

Yes X No _____ If yes, approximate R-value 5

3. Main cooling system type:

None _____ Window A/C _____ Central A/C X

Evaporative cooler _____ Central heat pump _____

Window heat pump _____ Other (specify) _____

Approximate age of system 15 years

Nameplate information, as available:

Manufacturer Whirlpool

Model 36 TE 703 6605

Input capacity _____ Btu/hr

Output capacity 36,000 Btu/hr

SEER approximately 8.5

Location(s) within house West wall of Garage

4. Secondary heating systems:

No. fireplaces 1

No. fireplace inserts _____

No. wood stoves _____

No. electric space heaters _____

No. fossil fuel space heaters _____

Other (specify) _____

How often are these used? Not used

5. Thermostat:

None _____ Normal X

Clock _____ Other (specify) _____

Location within house _____

X. Significant external loads:

Irrigation pumps None Welder _____

Outside lights _____ Other (specify) _____

Frequency of use _____

XI. Experimental retrofit installation:

Description A/C upgrade

Actual installation cost \$ 2800.00

SITE #9 WH

SOUTH WALL (FACING NORTH)

EAST WALL (FACING WEST)
(Courtyard wall not shown)

SITE #9 WH

WEST WALL (FACING EAST)

NORTH WALL (FACING SOUTH)

SITE #9 WH

INFILTRATION RATE EVALUATION FACTORS

Building component	Good	Average	Poor
Windows and doors	☒ Window and door frames caulked. Window and door sashes well fitting and weatherstripped or storm windows and doors with good fit.	☐ Window and door frames caulked or window and door sashes weatherstripped or poorly fitting storm doors and windows.	☐ No caulking on window and door frames. No weatherstripping. No storm doors or windows.
Walls and electrical outlets	☒ Ceiling and floor joints and corners well sealed. XXXXXXXXXXXXXXXXXXXX No holes around plumbing penetrations.	☐ Some cracks in ceiling and floor joints and corners. No gaskets on electrical outlets. Fewer than three plumbing penetrations with holes around them.	☐ Many cracks in ceiling, floor joints, and corners. No gaskets on electrical outlets. Three or more plumbing penetrations with holes around them.
Attic floor (ceiling)	☒ No cracks in attic floor. No air shafts around flues. No holes around ducts, pipes, or wiring penetrating attic floor. No recessed light fixtures. No trap door or weatherstripped trap door to attic.	☐ Some cracks in attic floor. No air shafts around flues. Some holes around ducts, pipes, or wiring penetrating attic floor. Fewer than three recessed light fixtures. Unweatherstripped trap door to attic.	☐ Many cracks in attic floor. Air shafts around flues. Holes around ducts, pipes, or wiring penetrating attic floor. More than three recessed light fixtures. Uncovered attic access.
Heating system and water heater	☒ Both furnace and water heater electric. If fossil fuel fired, both in unconditioned space.	☐ One fossil fuel-fired unit in living space with vent damper. The other in unconditioned space.	☐ At least one fossil fuel-fired unit in living space without vent damper.
Fireplace or wood stove	☒ Sealed combustion wood stove or fireplace with well-fitting damper and glass doors or no fireplace.	☐ Poorly sealed wood stove or fireplace with either well-fitting damper or glass doors.	☐ Both a wood stove and fireplace or a fireplace with poorly fitting damper and no glass doors.
Ductwork and floor	☐ No ductwork and few floor penetrations or all ductwork in conditioned space and no floor penetration.	☐ Ductwork in conditioned basement and few floor penetrations.	☒ Ductwork in unconditioned space XXXXXXXXXXXX XXXXXXXXXXXX
Vents in conditioned space	☐ No undampened vents and fewer than three dampered vents.	☒ Fewer than three undampened vents or at least three dampered vents.	☐ More than three undampened vents.
Lifestyle	☐ Fewer than six entrances and exits per day.	☒ Six to thirteen entrances and exits per day.	☐ More than thirteen entrances and exits per day.

POST-RETROFIT AUDIT DATA FORM

Retrofit program name Monitoring Conservative Retrofits in Single Family Bldgs

Sponsoring organization(s) DOE/FPL/State of FL

Experimental site designation WH (#9)

Interviewer name CSR Date of interview 9/15/92

I. General information from householder

1. Name William Hendley

2. Street address _____

City _____ State _____

3. Phone number _____

4. Own _____ Rent _____

5. If householder different from that of "Pre-Retrofit Audit," or if tenure has changed, record below:

Change in householder _____ Date of change _____

Change in tenure _____ Date of change _____

6. Number of occupants, by age group:

Age group	Number
Preschool	_____
School age	<u>1</u>
Adult, but not retired	<u>2</u>
Retired	_____

How many are generally home all day? Weekday 1

Weekend 3

II. Significant changes since pre-retrofit audit None

(The remaining questions refer to the time since the energy-saving improvements were made to the house).

1. Have there been any important changes or additions to the house, such as (check appropriate):

Rooms added _____ Siding added _____

Garage/carport added _____ Exterior paint _____

Porch added _____ New roof _____

Other (specify) _____

2. *Other than changes of this program*, has the main heating or cooling system been changed, such as (check appropriate): No

New furnace/boiler _____

New air conditioner _____

New heat pump _____

Modified furnace/boiler (specify) _____

Other (specify) _____

3. Are the same number of rooms still heated and cooled? (If not, specify)

Yes _____

4. Have any space heaters been added/subtracted? (Fireplaces, wood stoves, electric, fossil fuel, etc.) Yes _____ No X

If so, specify _____

Has the use of these heaters changed during this last winter?

Used more this winter ____ Less ____ Same X Do not know ____

5. Has the hot water heating system changed? Yes ____ No X

If so, specify _____

6. Have any major appliances been added/subtracted? (Stoves, ovens, washers, dryers, etc.) No

If so, specify _____

7. Is there: An attic fan No Whole house fan No

If so, has the use of these fans changed during this last summer?

Used more this summer ____ Less ____ Same ____ Do not know ____

8. *Other than changes of this program*, have any other energy-saving changes been installed this past year? Yes ____ No X

If yes, specify:

Ceiling insulation added _____ Weatherstripping _____

Wall insulation added _____ Caulking _____

Storm windows added _____ Hot water flow restrictors _____

Storm doors added _____ Clock thermostat _____

Other (specify) _____

9. Have you or any family members taken up any new hobbies during the past year that require the use of large electrical or gas equipment?

Yes _____ No X

If so, specify _____

PRE-RETROFIT AUDIT DATA FORM

Retrofit program name Monitoring Conservative Retrofits in Single Family Bldgs

Sponsoring organization(s) DOE/FPL/State of FL

Experimental site designation JP (#10)

Interviewer name CSR **Date of interview** 9/7/91

I. General information from householder

1. Name Jon Peterson

2. Street address 3081 Grace Street

City Melbourne State FL 32904

3. Phone number 951-7038

4. Number of occupants, by age group:

Age group	Number
Preschool	<u>1</u>
School age	<u>2</u>
Adult, but not retired	<u>2</u>
Retired	<u> </u>

How many are generally home all day? Weekday 1

Weekend 3

5. Approximate age of house 25 years

6. Names of utility distributors:

Electric Florida Power & Light

Gas

Oil

(Note: Auditor should have homeowner sign a release authorizing release by these utilities of fuel bills for preceding two years.)

7. Own X Rent

8. Length of time at this address 5 years

II. General description of house

1. Type: S-F detached X S-F attached

Mobile home Other (specify)

2. Style: One-story X Two-story _____ Three-story _____
Split-level _____ One-and-a-half-story _____
3. Foundation: Basement _____ Crawl space _____ Slab X
Other (specify) _____
4. Exterior colors: Roof Brown Walls Tan
5. Layout, dimensions, orientation: Use attached House Sketch Sheet.
6. Percentage of each floor that is conditioned (heated or cooled):

Floor of house	Percentage heated	Percentage cooled	NA
Basement			
First floor	81%	81%	
Second floor			
Third floor			
Other (specify)			

8. Rooms typically closed off Florida room, utility room

III. Major appliances

- ### 1. Domestic hot water

Type: Elec. resistance X Heat pump hot water _____

Gas _____ Solar _____

Other (specify) _____

Nameplate information, as available:

Manufacturer Rheem

Model 666H-40D EOC

Tank capacity (gallons) 40 gal

SEER --

Tank insulation (R-value) --

Location Utility room

Hot water temperature (measured with thermometer) see data °F

- ## 2. Solar devices

None X Domestic hot water _____ Swimming pool heater _____

Space heating _____ Other (specify) _____

3. Other major appliances, by fuel type:

Appliance	None	Electric	Gas	Other (specify)	Location
Cooking range/oven		X			
Clothes washer		X			
Clothes dryer					
Refrigerator/freezer		X			
Separate freezer		X			
Conventional oven					
Microwave oven		X			
Dishwasher					
Whole house fan					
Attic fan					
Water bed heater					
Other					

IV. Ceiling area and insulation

(If different parts of the ceiling have different insulation, treat each of these sub-areas separately.)

Sub-area	Area (ft ²)	Insulation (R)	Insulation type
1.	1352	7	batts
2.	320	None	
3.			
Total	1672		(ft ²)

V. Wall area and insulation

(If different parts of wall have different materials, treat each of these sub-areas separately.)

Exterior wall construction: (1) Wood; (2) Brick; (3) Stone; (4) Stucco;
 (5) Concrete block; (6) Metal;
 (7) Other (specify) _____

Sub-area	Area (ft ²)	Insulation (R)	Exterior wall construction	Insulation type
1.	2040 ft ²			unknown
2.				
3.				
Total	2040			(ft ²)

VI. Floor area and insulation (bottom floor only)

(If different parts of floor have different materials, treat each of these sub-areas separately.)

Sub-area	Area (ft ²)	Insulation (R)	Percent carpeted	What is below? (slab, crawl space, basement?)	Insulation type
1.	1672	-	27%	slab	--
2.					
3.					
Total	<u>1672</u>				

Total 1672 (ft²)

VII. Windows and glass doors

Orientation	Single-pane area	Double-pane area	Total area oriented
Front of house	48 ft ²		48 ft ²
Left side of house	30 ft ²		30 ft ²
Right side of house	29 ft ²		29 ft ²
Back of house	69 ft ²		69 ft ²

VIII. Doors (non-glass)

Orientation	Regular door area	Regular door with storm door or thermally insulated door area	Total area
Front of house	39.75		39.75
Left side of house			
Right side of house			
Back of house			
Totals	39.75		39.75

IX. Heating and cooling systems

1. Main heating system type:

Gas furnace _____ Gas boiler (steam) _____

Gas boiler (hot water) _____ Oil furnace X _____

Oil boiler (steam) _____ Oil boiler (hot water) _____

Elec. furnace _____ Elec. ceiling _____ Elec. baseboard _____

Central heat pump _____ Window heat pump _____

Other (specify) _____

If oil fired, has a flame retention head burner been installed?

Yes _____ No X _____If oil boiler, is it wet base _____ or dry base X _____Approximate age of system 15 yearsLocation of unit within house Air handler in closetIs this a converted coal unit? Yes _____ No X _____

Heating value of fuel: Gas _____

Oil - _____

Nameplate information, as available:

Manufacturer _____

Model _____

Input capacity _____ Btu/hr

Output capacity _____ Btu/hr

SEER _____

Is the pilot light turned off in the spring? Yes X No _____ N/A _____

Energy efficiency devices present:

Vent damper _____ IID _____ Other (specify) _____

2. Distribution system

No ductwork or piping _____ Hydronic (gravity) _____

Hydronic (pumped) _____ Forced-air X _____

Baseboard _____ Gravity system (no fans) _____

Other (specify) _____

If ductwork or piping present:

Total length of ducts or piping 80 ft

Percentage of ducts or piping in unconditioned (non-living) spaces 100 %

Are ducts or piping in unconditioned spaces insulated?

Yes X No If yes, approximate R-value 5

3. Main cooling system type:

None Window A/C Central A/C X

Evaporative cooler Central heat pump

Window heat pump Other (specify)

Approximate age of system years

Nameplate information, as available

Manufacturer Snyder General Corp.

Model ACO 36GA

Input capacity Btu/hr

Output capacity 36,000 Btu/hr

SEER approximately 10

Location(s) within house

4. Secondary heating systems:

No. fireplaces 1

No. fireplace inserts

No. wood stoves

No. electric space heaters

No. fossil fuel space heaters

Other (specify)

How often are these used? < 6/year

5. Thermostat:

None Normal X

Clock Other (specify)

Location within house

X. Significant external loads:

Irrigation pumps _____ Welder _____

Outside lights _____ Other (specify) Pool PumpFrequency of use see data

XI. Experimental retrofit installation:

Description Insulation upgrade (R7 to R19)

Actual installation cost \$ 351.90

EAST WALL (FACING WEST)

NORTH WALL (FACING SOUTH)

SITE #10 JP

WEST WALL (FACING EAST)

SOUTH WALL (FACING NORTH)

SITE #10 JP

INFILTRATION RATE EVALUATION FACTORS

Building component	Good	Average	Poor
Windows and doors	☒ Window and door frames caulked. Window and door sashes well fitting and weatherstripped or storm windows and doors with good fit.	☐ Window and door frames caulked or window and door sashes weatherstripped or poorly fitting storm doors and windows.	☐ No caulking on window and door frames. No weatherstripping. No storm doors or windows.
Walls and electrical outlets	☐ Ceiling and floor joints and corners well sealed. Electrical outlets with gaskets. No holes around plumbing penetrations.	☒ Some cracks in ceiling and floor joints and corners. No gaskets on electrical outlets. Fewer than three plumbing penetrations with holes around them.	☐ Many cracks in ceiling, floor joints, and corners. No gaskets on electrical outlets. Three or more plumbing penetrations with holes around them.
Attic floor (ceiling)	☐ No cracks in attic floor. No air shafts around flues. No holes around ducts, pipes, or wiring penetrating attic floor. No recessed light fixtures. No trap door or weatherstripped trap door to attic.	☒ Some cracks in attic floor. No air shafts around flues. Some holes around ducts, pipes, or wiring penetrating attic floor. Fewer than three recessed light fixtures. Unweatherstripped trap door to attic.	☐ Many cracks in attic floor. Air shafts around flues. Holes around ducts, pipes, or wiring penetrating attic floor. More than three recessed light fixtures. Uncovered attic access.
Heating system and water heater	☐ Both furnace and water heater electric. If fossil fuel fired, both in unconditioned space.	☐ One fossil fuel-fired unit in living space with vent damper. The other in unconditioned space.	☒ At least one fossil fuel-fired unit in living space without vent damper.
Fireplace or wood stove	☐ Sealed combustion wood stove or fireplace with well-fitting damper and glass doors or no fireplace.	☒ Poorly sealed wood stove or fireplace with either well-fitting damper or glass doors.	☐ Both a wood stove and fireplace or a fireplace with poorly fitting damper and no glass doors.
Ductwork and floor	☐ No ductwork and few floor penetrations or all ductwork in conditioned space and no floor penetration.	☐ Ductwork in conditioned basement and few floor penetrations.	☒ Ductwork in unconditioned space and many floor penetrations.
Vents in conditioned space	☐ No undampened vents and fewer than three dampered vents.	☒ Fewer than three undampened vents or at least three dampered vents.	☐ More than three undampened vents.
Lifestyle	☐ Fewer than six entrances and exits per day.	☒ Six to thirteen entrances and exits per day.	☐ More than thirteen entrances and exits per day.

POST-RETROFIT AUDIT DATA FORM

Retrofit program name Monitoring Conservative Retrofits in Single Family Bldgs

Sponsoring organization(s) DOE/FPL/State of FL

Experimental site designation JP (#10)

Interviewer name CSR Date of interview 9/15/92

I. General information from householder

1. Name Jon Peterson

2. Street address _____

City _____ State _____

3. Phone number _____

4. Own _____ Rent _____

5. If householder different from that of "Pre-Retrofit Audit," or if tenure has changed, record below:

Change in householder _____ Date of change _____

Change in tenure _____ Date of change _____

6. Number of occupants, by age group:

Age group	Number
Preschool	_____
School age	<u>1</u>
Adult, but not retired	<u>2</u>
Retired	_____

How many are generally home all day? Weekday 1

Weekend 3

II. Significant changes since pre-retrofit audit NONE

(The remaining questions refer to the time since the energy-saving improvements were made to the house).

1. Have there been any important changes or additions to the house, such as (check appropriate): No

Rooms added _____ Siding added _____

Garage/carport added _____ Exterior paint _____

Porch added _____ New roof _____

Other (specify) _____

2. *Other than changes of this program*, has the main heating or cooling system been changed, such as (check appropriate): No

New furnace/boiler _____

New air conditioner _____

New heat pump _____

Modified furnace/boiler (specify) _____

Other (specify) _____

3. Are the same number of rooms still heated and cooled? (If not, specify)

Yes _____

4. Have any space heaters been added/subtracted? (Fireplaces, wood stoves, electric, fossil fuel, etc.) Yes _____ No X

If so, specify _____

Has the use of these heaters changed during this last winter?

Used more this winter _____ Less _____ Same X Do not know _____

5. Has the hot water heating system changed? Yes _____ No X

If so, specify _____

6. Have any major appliances been added/subtracted? (Stoves, ovens, washers, dryers, etc.) No

If so, specify _____

7. Is there: An attic fan No Whole house fan No

If so, has the use of these fans changed during this last summer?

Used more this summer _____ Less _____ Same _____ Do not know _____

8. *Other than changes of this program*, have any other energy-saving changes been installed this past year? Yes _____ No X

If yes, specify:

Ceiling insulation added _____ Weatherstripping _____

Wall insulation added _____ Caulking _____

Storm windows added _____ Hot water flow restrictors _____

Storm doors added _____ Clock thermostat _____

Other (specify) _____

9. Have you or any family members taken up any new hobbies during the past year that require the use of large electrical or gas equipment?

Yes _____ No X

If so, specify _____

APPENDIX E
POWER USAGE HISTORY

ACCT NO- 22 20 734 07910 2 4
NAME --- WAYNE A*LEGROS
SER ADD- 399 SE CHARLOTTA AV
STD PO - PALM BAY FL 32909

STATUS- 4/1 ACTIVE
ORIG CON-
REV/RATE- 1/44/ RS-1
CIS ACTY-- NONE PENDING

02/22/89 SE

5C70616

***** USAGE HISTORY INFORMATION ***** PG 3

CONST: KWH- 1
SVC TO READ DAYS RC BCD KWH KWH RDG BILL AMT
02/26/92 29 F 1,236 19764 107.25
01/28/92 31 F 1,404 ----- 124.99
12/28/91 32 F 1,306 ----- 116.10
11/26/91 32 F 1,672 ----- 149.26
10/25/91 30 F 1,509 ----- 134.50
09/25/91 30 F 1,500 ----- 130.83
08/26/91 32 F 1,914 ----- 169.05
07/25/91 30 F 2,169 ----- 191.87
06/25/91 32 F 2,322 ----- 205.03
05/24/91 29 F 1,363 ----- 121.22
04/25/91 29 F 1,340 ----- 117.41
03/27/91 29 F 1,273 ----- 117.58
02/26/91 29 F 1,300 ----- 120.13

PHONE NUMBER 723-9069

ENTER F/3/2 TO GET ADDITIONAL INFORMATION.

ENTER TRANSACTION CODE OR PAGING REQUEST -----

ACCT NO- 22 20 734 07910 2 4
NAME --- WAYNE A*LEGROS
SER ADD- 399 SE CHARLOTTA AV
STD PO - PALM BAY FL 32909

STATUS- 4/1 ACTIVE
ORIG CON-
REV/RATE- 1/44/ RS-1
CIS ACTY-- NONE PENDING

02/22/89 SE

5C70616

***** USAGE HISTORY INFORMATION ***** PG 3/2

CONST: KWH- 1
SVC TO READ DAYS RC BCD KWH KWH RDG BILL AMT
01/28/91 32 F 1,418 ----- 131.24
12/27/90 48 F 1,734 ----- 151.34
11/09/90 29 F 1,353 ----- 118.60
10/11/90 30 F 1,360 ----- -----
09/11/90 29 F 1,334 ----- -----
08/13/90 32 F 1,651 ----- -----
07/12/90 30 F 2,314 ----- -----
06/12/90 32 F 2,111 ----- -----
05/11/90 30 F 1,423 ----- -----
04/11/90 29 F 1,595 ----- -----
03/13/90 29 F 1,434 ----- -----

PHONE NUMBER 723-9069

DEPRESS FF3 TO GET FIRST PAGE.

ENTER TRANSACTION CODE OR PAGING REQUEST -----

ACCT NO- 21 09 332 09886 1 1
NAME --- W H'SCHICK
SER ADD- 1688 SHORE DR
STD PO - MERRITT IS FL 32952

STATUS- 4/1 ACTIVE
ORIG CON-
REV/RATE- 1/44/ RS-1
CIS ACTY-- NONE PENDING

MN

5C45892

***** USAGE HISTORY INFORMATION ***** PG 3

CONST: KWH- 1
SVC TO READ DAYS RC BCD KWH KWH RDG BILL AMT
03/11/92 30 F 656 24725 51.23
02/10/92 30 F 971 ----- 75.31
01/11/92 31 F 974 ----- 77.49
12/11/91 29 F 889 ----- 70.54
11/12/91 33 F 1,862 ----- 149.86
10/10/91 30 F 2,430 ----- 196.16
09/10/91 32 F 2,323 ----- 183.48
08/09/91 30 F 2,288 ----- 182.33
07/10/91 30 F 1,998 ----- 159.00
06/10/91 32 F 1,491 ----- 117.86
05/09/91 29 F 1,498 ----- 118.41
04/10/91 29 F 902 ----- 70.54
03/12/91 32 F 1,015 ----- 84.80

WS
03

ENTER P/3/2 TO GET ADDITIONAL INFORMATION.
ENTER TRANSACTION CODE OR PAGING REQUEST -----

ACCT NO- 21 09 332 09886 1 1
NAME --- W H'SCHICK
SER ADD- 1688 SHORE DR
STD PO - MERRITT IS FL 32952

STATUS- 4/1 ACTIVE
ORIG CON-
REV/RATE- 1/44/ RS-1
CIS ACTY-- NONE PENDING

MN

5C45892

***** USAGE HISTORY INFORMATION ***** PG 3/2

CONST: KWH- 1
SVC TO READ DAYS RC BCD KWH KWH RDG BILL AMT
02/08/91 25 P 684 ----- 56.89
01/14/91 32 F 957 ----- 79.84
12/13/90 30 F 1,073 ----- 84.72
11/13/90 32 F 1,280 ----- 101.43
10/12/90 30 F 1,892 ----- -----
09/12/90 29 F 1,808 ----- -----
08/14/90 32 F 2,044 ----- -----
07/13/90 30 F 2,240 ----- -----
06/13/90 30 F 1,778 ----- -----
05/14/90 32 F 1,492 ----- -----
04/12/90 29 F 922 ----- -----

DEPRESS PF3 TO GET FIRST PAGE.
ENTER TRANSACTION CODE OR PAGING REQUEST -----

ACCT NO- 22 19 655 12060 4 8
NAME --- PETER*POSTMA
SER ADD- 311 COCOA AV
STD PO - INDLANTIC FL 32903

STATUS- 4/1 ACTIVE 05/02/91 ES
ORIG CON-
REV/RATE- 1/44/ RS-1
CIS ACTY-- NONE PENDING 5C09690

***** USAGE HISTORY INFORMATION ***** PG 3

CONST: KWH- 1
SVC TO READ DAYS RC BCD KWH KWH RDG BILL AMT
02/25/92 29 F 857 57027 73.56
01/27/92 31 F 943 ----- 83.08
12/27/91 32 F 1,119 ----- 99.00
11/25/91 32 F 935 ----- 82.38
10/24/91 30 F 984 ----- 86.79
09/24/91 32 F 2,161 ----- 189.08
08/23/91 30 F 1,734 ----- 152.68
07/24/91 30 F 1,546 ----- 135.90
06/24/91 32 F 1,327 ----- 116.04
05/23/91 21 P 795 ----- 69.32

PP
04

PHONE NUMBER 722-2414

ENTER TRANSACTION CODE OR PAGING REQUEST -----

ACCT NO- 22 19 658 09380 2 5
NAME --- R E*RAINSBERGER
SER ADD- 209 FLAMINGO LN
STD PO - MELBRN BCH FL 32951

STATUS- 4/1 ACTIVE 09/05/67 BS
ORIG CON-
REV/RATE- 1/44/ RS-1
CIS ACTY-- NONE PENDING 5C62425

***** USAGE HISTORY INFORMATION ***** PG 3

CONST: KWH-	1					
SVC TO	READ	DAYS	RC	BCD	KWH	KWH RDG BILL AMT
02/25/92		29	F		1,181	37722 95.85
01/27/92		31	F		1,191	----- 99.08
12/27/91		32	F		1,355	----- 112.76
11/25/91		32	F		1,185	----- 98.59
10/24/91		30	F		1,107	----- 92.06
09/24/91		32	F		1,779	----- 145.08
08/23/91		30	F		2,111	----- 173.78
07/24/91		30	F		1,909	----- 157.13
06/24/91		32	F		1,712	----- 140.52
05/23/91		29	F		844	----- 69.08
04/24/91		29	F		816	----- 66.77
03/26/91		29	F		816	----- 70.89
02/25/91		31	F		907	----- 78.83

PHONE NUMBER 723-7007

ENTER P/3/2 TO GET ADDITIONAL INFORMATION.

ENTER TRANSACTION CODE OR PAGING REQUEST -----

RR
05

ACCT NO- 22 19 658 09380 2 5
NAME --- R E*RAINSBERGER
SER ADD- 209 FLAMINGO LN
STD PO - MELBRN BCH FL 32951

STATUS- 4/1 ACTIVE 09/05/67 BS
ORIG CON-
REV/RATE- 1/44/ RS-1
CIS ACTY-- NONE PENDING 5C62425

***** USAGE HISTORY INFORMATION ***** PG 3/2

CONST: KWH-	1					
SVC TO	READ	DAYS	RC	BCD	KWH	KWH RDG BILL AMT
01/25/91		30	F		883	----- 76.73
12/26/90		48	P		1,541	----- 127.20
11/08/90		29	F		1,072	----- 88.08
10/10/90		30	F		1,477	-----
09/10/90		31	F		2,205	-----
08/10/90		30	F		2,199	-----
07/11/90		30	F		1,686	-----
06/11/90		32	F		948	-----
05/10/90		30	F		791	-----
04/10/90		29	F		759	-----
03/12/90		31	F		967	-----

PHONE NUMBER 723-7007

DEPRESS PF3 TO GET FIRST PAGE.

ENTER TRANSACTION CODE OR PAGING REQUEST -----

ACCT NO- 22 20 723 01150 4 5
NAME --- SARAH R'MILLER
SER ADD- 154 NW ABALONE RD
STD PO - PALM BAY FL 32907

STATUS- 4/1 ACTIVE 09/17/90 NW
ORIG CON- 03/87 **OL** LMIS
REV/RATE- 1/44/1 RS-1
CIS ACTY-- NONE PENDING 5C36707

***** USAGE HISTORY INFORMATION ***** PG 3

CONST: KWH- 1
SVC TO READ DAYS RC BCD KWH KWH RDG BILL AMT
02/26/92 29 F 959 70058 78.74
01/28/92 31 F 1,028 ----- 86.93
12/28/91 32 F 1,051 ----- 89.01
11/26/91 32 F 1,204 ----- 102.88
10/25/91 30 F 1,559 ----- 121.02
09/25/91 30 F 1,836 ----- 160.57
08/26/91 32 F 2,351 ----- 208.15
07/25/91 30 F 1,612 ----- 142.05
06/25/91 32 F 1,248 ----- 109.18
05/24/91 29 F 1,022 ----- 90.06
04/25/91 29 F 801 ----- 69.30
03/27/91 29 F 810 ----- 74.04
02/26/91 40 P 1,133 ----- 103.65

B6
06

PHONE NUMBER 951-7702

ENTER P/3/2 TO GET ADDITIONAL INFORMATION.

ENTER TRANSACTION CODE OR PAGING REQUEST -----

ACCT NO- 22 20 723 01150 4 5
NAME --- SARAH R'MILLER
SER ADD- 154 NW ABALONE RD
STD PO - PALM BAY FL 32907

STATUS- 4/1 ACTIVE 09/17/90 NW
ORIG CON- 03/87 **OL** LMIS
REV/RATE- 1/44/1 RS-1
CIS ACTY-- NONE PENDING 5C36707

***** USAGE HISTORY INFORMATION ***** PG 3/2

CONST: KWH- 1
SVC TO READ DAYS RC BCD KWH KWH RDG BILL AMT
01/17/91 30 F 745 ----- 67.98
12/18/90 46 P 1,125 ----- 97.25
11/02/90 30 F 1,273 ----- 111.45
10/03/90 16 P 748 -----

PHONE NUMBER 951-7702

DEPRESS PF3 TO GET FIRST PAGE.

ENTER TRANSACTION CODE OR PAGING REQUEST -----

ACCT NO- 22 19 656 11340 1 6
NAME --- E J*KIZAK
SER ADD- 216 MELBOURNE AV
STD PO - INDLANTIC FL 32903

STATUS- 4/1 ACTIVE
ORIG CON-
REV/RATE- 1/44/ RS-1
CIS ACTY-- NONE PENDING

BS

5C78173

***** USAGE HISTORY INFORMATION ***** PG 3

CONST: KWH- 1

SVC TO	READ	DAYS	RC	EC	KWH	RDG	ACT BILL	BUDGET KWH	BDGT BILL
02/25/92	29	F			966	80527	83.19	1411	123.53
01/27/92	31	F			1304	-----	115.72	1419	128.40
12/27/91	32	F			1128	-----	99.81		
11/25/91	32	F			1193	-----	105.69		
10/24/91	30	F			1524	-----	135.63		
09/24/91	32	F			2417	-----	211.71		
08/23/91	30	F			1923	-----	169.59		
07/24/91	30	F			2003	-----	176.70		
06/24/91	32	F			1329	-----	116.21		
05/23/91	29	F			1557	-----	136.53		
04/24/91	29	F			890	-----	77.11		
03/26/91	29	F			697	-----	63.92		
02/25/91	31	F			1063	-----	97.69		

EK
08

PHONE NUMBER 723-8862

ENTER P/3/2 TO GET ADDITIONAL INFORMATION.

ENTER TRANSACTION CODE OR PAGING REQUEST -----

ACCT NO- 22 19 656 11340 1 6
NAME --- E J*KIZAK
SER ADD- 216 MELBOURNE AV
STD PO - INDLANTIC FL 32903

STATUS- 4/1 ACTIVE
ORIG CON-
REV/RATE- 1/44/ RS-1
CIS ACTY-- NONE PENDING

BS

5C78173

***** USAGE HISTORY INFORMATION ***** PG 3/2

CONST: KWH- 1

SVC TO	READ	DAYS	RC	EC	KWH	RDG	ACT BILL	BUDGET KWH	BDGT BILL
01/25/91	30	F			992	-----	91.00		
12/26/90	48	F			1462	-----	126.82		
11/08/90	29	F			1458	-----	127.75		
10/10/90	30	F			2137	-----	-----		
09/10/90	31	F			2285	-----	-----		
08/10/90	30	F			2218	-----	-----		
07/11/90	30	F			2325	-----	-----		
06/11/90	32	F			1422	-----	-----		
05/10/90	30	F			1513	-----	-----		
04/10/90	29	F			1038	-----	-----		
03/12/90	31	F			862	-----	-----		

PHONE NUMBER 723-8862

DEPRESS PF3 TO GET FIRST PAGE.

ENTER TRANSACTION CODE OR PAGING REQUEST -----

ACCT NO- 22 14 506 09620 1 3 RR STATUS- 4/1 ACTIVE 08/24/78 MW
NAME --- WILLIAM B*HENDLEY ORIG CON- 08/73
SER ADD- 2200 OHIO ST REV/RATE- 1/44/ RS-1
STD PO - MELBOURNE FL 32904 CIS ACTY-- NONE PENDING 5C22615

***** USAGE HISTORY INFORMATION ***** PG 3

CONST: KWH- 1
SVC TO READ DAYS RC BCD KWH KWH RDG BILL AMT
02/18/92 32 F 935 48808 72.44
01/17/92 30 F 971 ----- 77.23
12/18/91 29 F 932 ----- 74.06
11/19/91 33 F 966 ----- 76.83
10/17/91 30 F 1,327 ----- 106.25
09/17/91 32 F 1,965 ----- 154.91
08/16/91 30 F 1,585 ----- 125.73
07/17/91 30 F 1,716 ----- 136.27
06/17/91 32 F 1,704 ----- 134.96
05/16/91 35 P 1,543 ----- 121.64
04/11/91 29 F 857 ----- 66.93
03/13/91 30 F 1,234 ----- 103.50
02/11/91 38 P 991 ----- 82.33

Wk
09

PHONE NUMBER 727-7596

ENTER P/3/2 TO GET ADDITIONAL INFORMATION.

ENTER TRANSACTION CODE OR PAGING REQUEST -----

ACCT NO- 22 14 506 09620 1 3 RR STATUS- 4/1 ACTIVE 08/24/78 MW
NAME --- WILLIAM B*HENDLEY ORIG CON- 08/73
SER ADD- 2200 OHIO ST REV/RATE- 1/44/ RS-1
STD PO - MELBOURNE FL 32904 CIS ACTY-- NONE PENDING 5C22615

***** USAGE HISTORY INFORMATION ***** PG 3/2

CONST: KWH- 1
SVC TO READ DAYS RC BCD KWH KWH RDG BILL AMT
01/04/91 31 F 1,155 ----- 96.74
12/04/90 32 F 956 ----- 75.27
11/02/90 30 F 1,329 ----- 105.39
10/03/90 29 F 1,641 -----
09/04/90 32 F 1,911 -----
08/03/90 31 F 1,806 -----
07/03/90 29 F 1,802 -----
06/04/90 32 F 1,837 -----
05/03/90 30 F 1,239 -----
04/03/90 29 F 999 -----
03/05/90 31 F 1,146 -----

PHONE NUMBER 727-7596

DEPRESS PF3 TO GET FIRST PAGE.

ENTER TRANSACTION CODE OR PAGING REQUEST -----

ACCT NO- 22 14 493 01565 8 3 RR STATUS- 4/1 ACTIVE 04/25/90 MW
NAME --- JON*PETERSON ORIG CON- 03/90
SER ADD- 3081 GRACE ST REV/RATE- 1/44/ RS-1
STD PO - MELBOURNE FL 32904 CIS ACTY-- NONE PENDING 5C04687

***** USAGE HISTORY INFORMATION ***** PG 3

CONST: KWH- 1
SVC TO READ DAYS RC BCD KWH KWH RDG BILL AMT
02/18/92 32 F 1,000 68903 86.43
01/17/92 30 F 963 ----- 85.10
12/18/91 29 F 1,008 ----- 89.20
11/19/91 33 F 1,360 ----- 121.10
10/17/91 30 F 1,663 ----- 148.58
09/17/91 32 F 2,133 ----- 187.09
08/16/91 30 F 2,033 ----- 179.86
07/17/91 30 F 1,817 ----- 160.52
06/17/91 32 F 1,746 ----- 153.78
05/16/91 30 F 1,313 ----- 115.09
04/16/91 29 F 678 ----- 59.23
03/18/91 32 F 799 ----- 73.07
02/14/91 42 P 895 ----- 83.21

JP
10

PHONE NUMBER 951-7038

ENTER P/3/2 TO GET ADDITIONAL INFORMATION.

ENTER TRANSACTION CODE OR PAGING REQUEST -----

ACCT NO- 22 14 493 01565 8 3 RR STATUS- 4/1 ACTIVE 04/25/90 MW
NAME --- JON*PETERSON ORIG CON- 03/90
SER ADD- 3081 GRACE ST REV/RATE- 1/44/ RS-1
STD PO - MELBOURNE FL 32904 CIS ACTY-- NONE PENDING 5C04687

***** USAGE HISTORY INFORMATION ***** PG 3/2

CONST: KWH- 1
SVC TO READ DAYS RC BCD KWH KWH RDG BILL AMT
01/03/91 31 F 720 ----- 65.98
12/03/90 32 F 791 ----- 68.49
11/01/90 31 F 1,419 ----- 124.58
10/01/90 31 F 1,552 -----
08/31/90 29 F 1,488 -----
08/02/90 31 F 1,526 -----
07/02/90 31 F 1,565 -----
06/01/90 31 F 1,195 -----
05/01/90 06 P 106 -----

PHONE NUMBER 951-7038

DEPRESS PF3 TO GET FIRST PAGE.

ENTER TRANSACTION CODE OR PAGING REQUEST -----

END

**DATE
FILMED**

12 / 28 / 92