OAK RIDGE NATIONAL LABORATORY

OPERATED BY MARTIN MARIETTA ENERGY SYSTEMS, INC.
POST OFFICE BOX 2008, OAK RIDGE, TENNESSEE 37831-6285

ORNL

FOREIGN TRIP REPORT

ORNL/FTR-3733

Date: September 10, 1990

Subject: Report of Foreign Travel of F. Plasil, Section Head,
Physics Division

ORNL/FTR--3733

To: Alvin W. Trivelpiece

DE91 000387

From: F. Plasil

PURPOSE

During the 11 days at CERN, the traveler attended an L3 collaboration meeting, participated in seven meetings with S.C.C. Ting and other members of the L* collaboration, and participated in shift work on the current run of the WA80 collaboration.

SITES VISITED

8/19-30/90

CERN, Geneva, Switzerland

S.C.C. Ting
H. H. Gutbrod

ABSTRACT

The traveler spent 11 intense days at CERN, Geneva, Switzerland. His time was divided between daytime, when he worked mainly on L* issues, and evenings/nights, when he performed shift work during the current run of the WA80 collaboration. It was decided to reduce the size and cost of the proposed L* experiment. Strategy for SSC subsystem proposals was discussed, and several relevant decisions were made.

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

UCN-2383A
(3 6-88)

OCT 05 1990

DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED
MASTER

REPORT OF FOREIGN TRAVEL Geneva, Switzerland, August 19-30, 1990

I. L3 Collaboration Meeting

The traveler attended the L3 collaboration meeting on August 20, 1990. Although ORNL is a member of L3 and the traveler is the ORNL/L3 contact person, ORNL is not, as yet, strongly coupled to the L3 experiment. Details of the L3 meeting can be found in trip reports of other U.S. participants.

Of particular interest to the traveler was the performance of the L3 BGO subsystem. A report was presented by Weninger. He stated that the resolution achieved during the run is about 8% below that achieved in the X3 calibration beam line (adjacent to WA80). In addition, a 4-6% shift in the energy calibration has been observed in L3 relative to the X3 location. Weninger quoted the overall BGO resolution in L3 in 1990 to be $\sigma = 1.25\%$ at 45 GeV. The resolution is made up of an intrinsic (theoretical fluctuations) contribution of 0.9%, of 0.7% arising from the use of the Xe-flasher standard, and of 0.2-0.3% due to scale factors. The commissioning of the RFQ calibration device may eliminate the 0.7% contribution due to the use of the Xe standard. During one year of L3 operation, a 5% shift in gain has been observed. The source of this shift is not known. The prime suspects are: (1) aging of the photodiode-scintillator interface and (2) effects related to the BGO coating (white paint).

II. WA80 Run with ^{32}S Projectiles from the SPS

By the time the traveler arrived at CERN, the 1990 heavy-ion run had been underway for almost two weeks. After a rough start, the experiment was in a phase of routine operation. The traveler manned several shifts, monitoring the MIRAC calorimeter, as well as the BGO test array, after it was put into operation. Except for a number of false fire alarms, nothing of significance happened during the traveler's shifts. Details of the WA80 run are given in the trip report of G. R. Young.

III. Discussions on the Future of the SSC/L* Collaboration

The traveler attended seven meetings organized by S.C.C. Ting in which L* strategy was discussed. Initially, discussions centered on cutting down the size, cost, and scope of L*. Later, focus shifted to the various SSC subsystem R&D proposals. The discussions were intense and fast paced. The traveler sent daily electronic mail reports to ORNL and UT coworkers and to ORNL management. Excerpts are given below.

At the first meeting, held on August 21, in addition to S.C.C. Ting and several L3 members residing at CERN, the following were present: Newman, Borgia, Galaktionov, Lübelmeyer, Hofer, and Chen. Ting distributed copies of a letter

that he had received from Schwitters, and we discussed strategy on how to respond. Most of the contents of the letter were known, but there were one or two surprises.

The two main points are:

1. "... in the view of the Committee, the L* detector is too big and the total cost is excessive; the total cost should be reduced by at least a factor of two, irrespective of the fraction of foreign contributions."

2. "It (the Committee) also expressed concern about possible vulnerabilities to the initial SSC program that could arise from uncertainties in the very large foreign commitments you are proposing."

Item two first: This rubbed everybody the wrong way. Ting thought it strange that such a statement was put in writing, particularly in view of the fact that the SSC is openly soliciting foreign contributions (in fact, mandated by law). The Europeans were concerned that this is a way to prepare the road for DOE (or SSC) detailed monitoring of their day-to-day activities. The Russians thought that this is a way to doubt their credibility regarding silicon, particularly in the shifting political-economic climate there.

With regard to the first item, it is not known what the starting base is, so we do not know what has to be cut in half. In the Expression of Interest (EOI), we said that the detector would cost \$300 million, plus an unspecified amount from other countries. Through a third party, we found out that they (the PAC) have estimated the cost of L* independently to be 1.5 billion, including engineering and contingency. (Our own number is more like 800 million.) It is easy to see how they arrived at such a number if, for example, they used silicon detector costs at the current market price. Not to respond to the PAC by ignoring their request to reduce the cost would be suicide according to available information.

At the end of the meeting the inclination was as follows: try to decrease the cost very significantly, with as little impact on the physics as possible. The guidelines are: (1) do not touch the resolution of the electromagnetic calorimeter. This would also be suicide, since this is our claim to uniqueness; (2) sacrifice muon resolution from 2.4% to 3.3% or even 3.4%. This would save a lot of money, since the magnet could be reduced in size; (3) reduce the size of the vertex chamber from 70 cm to 50-cm radius; and (4) replace the silicon calorimeter with a "cheap hadron calorimeter."

The second meeting was held on August 22. Ting had talked to Sandweis and was told that the reduction in size (volume) should be a factor of two to three and that the committee is not likely to change its mind on that. The muon resolution need not be as good as we are proposing; the silicon surface area is too large, and the BaF₂ is too expensive (also there is the concern as to what would happen if China, in the middle of BaF₂ production, were to drop out). Their (the PAC) internal cost estimate for L* is \$1.5 billion, including 40% contingency and escalation. Hofer showed that this number is consistent with a fairly generic estimating procedure and need not take into account the extra-high cost of silicon specifically.

Several people had worked overnight, trying to cut down the size and cost. The most innovative approach (would cut down the size a lot but probably not the cost) came from Peter Marston via Min Chen. Marston wants to go back to two sets of superconducting coils with fields in opposite directions.

The following were to be considered:

1. reduce the central tracker to 50-cm radius
 2. keep EM calorimeter 65 cm deep
 3. study two muon resolution cases, one with 4%, the other with 5%
 4. come up with a cheap hadron calorimeter
 5. make the external diameter of the magnet less than (or equal to) 20 m
- (Items 3 and 5 may be inconsistent with each other.)

Ting requested that we come up with a "safe" and "conservative" calorimeter option and mentioned spaghetti. We indicated that spaghetti was not such an option, and I said that the only option that really qualifies is liquid argon. However, both Galaktionov and I wish to keep silicon and liquid scintillator as the only two options. The above considerations are in response to Schwitters' letter. The letter said that the "... Committee was concerned that all of the calorimetry options described in the EOI are beyond the present state of art." In the case of silicon they (the PAC) mention "problems related to the absence of a test of a full thickness hadronic calorimeter of this type and ... the scale of production of silicon diodes." Nothing is said about radiation damage. In the case of liquid scintillator, they mention that "... uniformity of light collection must be demonstrated ..." and "... radiation damage to fibers may be a concern." After mentioning four R&D topics that L* needs to pursue, they end by saying that, "The Committee feels that calorimeter R&D has a particularly high priority."

The third meeting was held on August 23. We got into details on how to reduce the cost of L*. Ting reported some more conversations with PAC members. In particular, their concern is specifically with the Chinese contribution (BaF₂) and with the Soviet contribution (silicon). They think that situations in these countries may change during the course of the L* project and that they may not be able/willing to live up to their commitment. Once again, the message that we need to cut the cost and the size by a factor of two came through loud and clear.

The magnet experts performed overnight calculations and came up with a magnet that would give us 5% resolution for muons. They assumed that the inside radius is decreased by 25 cm (at the expense of the central tracker). We would then end up with a magnet with an external diameter of 21 m, compared to the original 27 m. We would have:

	New	Old
Field	0.65 T	0.75 T
Weight of coil	2758 tons	7800 tons
Weight of iron	22590 tons	48000 tons
Inner diameter	16 m	19.2 m
Inner length	25.14 m	
Outer length	28.44 m	
Cost	\$100M	\$200M

Volume ratio new/old = about 0.5

ITEP staff members came up with a cost estimate for a liquid scintillator calorimeter. Their total is \$57.5M. The saving was achieved mostly by cutting down the number of channels. The sampling was not changed.

Scintillator calorimeter breakdown:

Design (40 MY @ \$125K)	\$5.0M
Detectors:	
Scintillator (\$20/L x 3 fills)	\$3.5M
Liquid filling system	\$0.5M
Fibers (\$0.3/m)	\$2.0M
Layer materials	\$1.0M
Photodetectors (\$100/pc 50K channels)	\$5.0M
Pb absorber plates (3300 tons @ \$3/kg)	\$10.0M
Structure (100 tons @ \$30/kg)	\$3.0M
Electronics (50K channels @ \$250 ea)	\$12.5M
Tooling	\$5.5M
Layer assembly (80 MY @ \$75K)	\$6.0M
Layer installation (33 MY @ \$75K)	\$2.5M
Installation and testing	\$1.0M
<hr/>	
Total	\$57.5M

This will be reduced further, because the 25-cm decrease in the tracker radius has not been taken into account yet.

During the remaining meetings emphasis shifted from L* cost cutting to the R&D proposals. Several decisions were made, and some implicit information was also brought out.

1. All silicon calorimetry work has to be included in the current silicon "SECC" proposal. This includes silicon procurement in the U.S.S.R. There will be no separate "procurement" R&D proposal, since Ting is now convinced by Dombeck that it does not stand a chance.
2. The liquid scintillator R&D proposal will request more funds than were requested in the EOI. It was difficult to get Ting to accept this, since he puts consistency above anything else. The new wrinkle which came out of the conversation with Dombeck is that it is OK to request resources for the building and testing of two prototypes, one in the U.S.S.R. and the other in the U.S., thus requiring more funding than was projected in the EOI.
3. Even though Dombeck suggested that we put in only one proposal for a high resolution calorimeter, combining the BaF₂ project with the liquid Xe project, this will not happen. Dombeck suggested it because there were rumblings in the PAC that only one project should be funded from U.S. sources and because Dombeck feels that Ting would not be able to influence the committee as to which of the two projects should get the nod. The joining of the two proposals will not happen, since Ming Chen categorically refuses to do so (he has non-L* collaborators from Japan) and because it does not make sense anyway. Ting stated that if a choice has to be made, he will support BaF₂ over liquid Xe.
4. Ting also stated that, while we might have regarded the liquid scintillator option secondary to silicon, we had used the term "alternative" and that the PAC saw the two approaches on an equal footing. He also said that we should not change this position and that the two technologies are to be maintained on an equal footing.

APPENDIX

Itinerary

8/15-16/90	Travel from Oak Ridge to Munich, F.R.G.
8/17-18/90	Personal period
8/19/90	Travel to Geneva, Switzerland
8/19-30/90	CERN, Geneva
8/30-31/90	Travel from Geneva to Oak Ridge

END

DATE FILMED

10 / 23 / 90