PNL--8581

DE93 010941

HANFORD SITE ENVIRONMENTAL DATA FOR
CALENDAR YEAR 1991 - GROUND WATER

P. E. Dresel
D. J. Bates
J. K. Merz

March 1993

Prepared for
the U.S. Department of Energy
under Contract DE-AC06-76RLO 1830

Pacific Northwest Laboratory
Richland, Washington 99352

MASTER

THIS VERSION OF THIS DOCUMENT IS UNCLASSIFIED *ep*

SUMMARY

This report tabulates ground-water radiological and chemical data reported for calendar year 1991 by the Ground-Water Surveillance Project, Resource Conservation and Recovery Act (RCRA) Monitoring, and Operational Monitoring. The Ground-Water Surveillance Project is conducted by the Pacific Northwest Laboratory and the RCRA and Operational Monitoring Projects are conducted by the Westinghouse Hanford Company. This document supplements the reports Hanford Site Ground-Water Monitoring for 1991 (Evans et al. 1992) and Hanford Site Environmental Report for Calendar Year 1991 (Woodruff and Hanf 1992). The data listings provided here were generated from the Hanford Environmental Information System database.

CONTENTS

SUMMARY	iii
INTRODUCTION	1
REFERENCES	7
APPENDIX A	A.1
APPENDIX B	B.1

INTRODUCTION

In a continuing effort for the U.S. Department of Energy, Pacific Northwest Laboratory (PNL) is monitoring ground water at the Hanford Site, Washington. This document supplements the reports Hanford Site Ground-Water Monitoring for 1991 (Evans et al. 1992) and Hanford Site Environmental Report for Calendar Year 1991 (Woodruff and Hanf 1992) by tabulating the analytical data for calendar year 1991 that were used in the assessments presented in those reports. The appendixes to this document contain the listings of monitoring data obtained by PNL's Surveillance and other projects and by the Westinghouse Hanford Company's (WHC) RCRA projects during the period January through December 1991. Additional ground-water sampling was performed for WHC's CERCLA projects. The CERCLA data were generally unavailable for the PNL data interpretation and are not included in this report.

The data listings were generated from the Hanford Environmental Information System (HEIS) database, which is designated the central repository for Hanford ground-water data. The HEIS database includes most of the sample analyses for calendar year 1991; however, some data have not been loaded into the HEIS database and are not included in the appendixes to this report. The data listing in Appendix A contains all reported radiological analytical results for tritium, potassium-40, cobalt-60, strontium-90, technetium-99, ruthenium-106, antimony-125, iodine-129, cesium-137, radium, radium-226, total uranium, uranium-234, uranium-235, uranium-238, plutonium-238, plutonium-239/240, americium-241, gross alpha, and gross beta. Analytical data for constituents other than radionuclides are contained in Appendix B. The data listings for sodium, magnesium, silicon, potassium, calcium, chromium, manganese, iron, strontium, and barium list all samples including those with concentrations less than detection. Infrequently detected metals (aluminum, antimony, arsenic, beryllium, cadmium, cobalt, copper, lead, mercury, molybdenum, nickel, silicon, silver, thallium, tin, titanium, vanadium, zinc, and zirconium) are listed only when detected. Complete listings of all analyses are provided for the following constituents: alkalinity, ammonia, boron, chloride, cyanide, fluoride, nitrate, sulfate, and sulfide; only detected concentrations are listed for the other anions. Detected

concentrations are listed for the following indicator parameters: coliform, conductivity, pH, total dissolved solids (TDS), temperature, total carbon, total organic carbon (TOC), total organic halides (TOX), and turbidity. Complete data listings of detected and non-detected values are included for the most prevalent volatile organic constituents (VOCs) on site: carbon tetrachloride, chloroform, tetra-chloroethene (tetrachloroethylene, perchloroethylene), and trichloroethene (trichloroethylene). The other VOCs are seldom encountered on site and are listed only where detected. Data for semivolatile organic constituents and pesticides are included only for compounds detected in a particular sample.

The fields included in the data listings are summarized in Table 1. Additional information regarding a particular sample or well may be included in the HEIS database. Well locations are available in Evans et al. (1992). Data qualifiers generally follow the U.S. Environmental Protection Agency's (EPA) qualifier list for organic data and are explained in Table 2. Analyses are not always reported in consistent units for a given constituent. Conversions between several common units are given in Table 3. Nitrate has been reported in units of mg/L as N and mg/L as NO_3 . Nitrate values were converted to mg/L as NO_3 in preparing the data listings. Total uranium has been reported in units of pCi/L and ppb. Uranium values were converted to pCi/L by multiplying the concentration in $\mu\text{g/L}$ by 0.669. Analyses of individual uranium isotopes were performed on some samples and are listed separately. Filtered metal samples are indicated by a Y in the "FILTERED" field; all other analyses were performed on unfiltered samples. The "DATA REVIEW" field indicates if the datum is under review by PNL or WHC. Data that have been reviewed without having discrepancies resolved remain flagged in the data review field. Such data should be considered suspect. Abbreviations used in the data listings are shown in Table 4.

Every effort has been made to provide the best quality analytical data possible. However it cannot be guaranteed that the data are error free. Data quality is addressed by PNL's and WHC's Quality Assurance (QA) and Quality Control (QC) programs. In addition many of the analyses have been evaluated

TABLE 1. Explanation of Fields Included in Data Tables

<u>Field</u>	<u>Explanation</u>
Well Name	The well identification. The first part of the number identifies the area, as follows: 199- 100 Area wells 299-E 200 East Area wells 299-W 200 West Area wells 399- 300 Area wells 499- 400 Area wells 699- 600 Area wells
Sample Date	The date the sample was collected.
Filtered	A "Y" is placed in this field for filtered samples. Used for metals analyses only.
Concentration or Activity	The result of the analysis. For samples less than the quantitation limit, the sample quantitation limit may be placed in this field and the data qualifier "U" used to indicate that the sample value was less than the quantitation limit.
Qualifier	Data qualifiers associated with the sample results. See Table 2 for an explanation of data qualifiers.
Units	The reporting units for the analysis. See Table 3 for the conversion between commonly used units.
Counting Error	The measurement error in radionuclide analyses. Analytical results may be negative values as the result of counting error.
Data Review	A "Y" is placed in this field if the data are under review or have been reviewed without resolution.

by relating the results to other values from the same well or same area and by considering the results within the context of the current understanding of site hydrology, site history, and constituent chemistry. Not all data have been subjected to formal data-validation procedures prior to publication of this report.

TABLE 2. Data Qualifiers

<u>Qualifier</u>	<u>Explanation</u>
U	The constituent was not detected in the sample. If a number is given in the Concentration field, the value is the sample quantitation limit (the lowest concentration that can be reliably measured by the laboratory).
J	Estimated value. The sample was below the quantitation limit but the concentration could be estimated from the instrument response. Also used for tentatively identified compounds (TICs).
B	Blank contamination. The constituent was found in the associated blank as well as in the sample.
E	Concentration exceeded the instrument calibration range.
D	Analysis at a secondary dilution factor.
R	QC indicates data are unusable.
C	Pesticide results confirmed by Gas Chromatography/Mass Spectrometry (GC/MS).
A	The TIC is a suspected aldol-condensation product.
X	Additional flags are defined separately.

TABLE 3. Conversions Between Commonly Used Units

1 mg/L = 1 ppm (part per million) for dilute water
 1 mg/L = 1000 µg/L (shown in data listings as UG/L)
 1 µg/L = 0.001 mg/L
 1 µg/L = 1 ppb (part per billion) for dilute water samples
 1 ppm = 1000 ppb
 1 ppb = 0.001 ppm

For Uranium: 1 ppb = 0.699 pCi/L (assumes normal isotopic abundance of uranium isotopes at secular equilibrium)

TABLE 4. Abbreviations Used in the Data Listings

<u>Abbreviation</u>	<u>Full Name</u>
VANADIU	Vanadium
FLITHIU	Lithium
FTITAN	Titanium
ALUMNUM	Aluminum
LEADGF	Lead
FARSENI	Arsenic, filtered
AMMONIU	Ammonium
PHOSPHA	Phosphate
TDS	Total dissolved solids
TOC	Total organic carbon
TOX	Total organic halides
Carbon Tet	Carbon tetrachloride
METHYCH	Methylene chloride
ETHBENZ	Ethylbenzene
1,2-DCL	1,2-dichloroethane
TRANDE	trans 1,2-dichloroethene
1,1-DCL	1,1-dichloroethane
CISDCE	cis 1,2-dichloroethene
BIS2EPH	bis (2-ethylhexyl) phthalate
DDT	4,4'-DDT

Discussions of sample collection, sample analysis, and ground-water monitoring results for 1991 are included in Evans et al. (1992) and Woodruff and Hanf (1992). Both of these documents are available in the DOE Public Reading Room, Washington State University, Tri-Cities, Richland, Washington.

REFERENCES

Evans, J. C., R. W. Bryce, and D. J. Bates. 1992. Hanford Site Ground-Water Monitoring For 1991. PNL-8284, Pacific Northwest Laboratory, Richland, Washington.

Woodruff, R. K., and R. W. Hanf, eds. 1992. Hanford Site Environmental Report for Calendar Year 1991. PNL-8148, Pacific Northwest Laboratory, Richland, Washington.

APPENDIX A

RADIOLOGICAL CONSTITUENTS

APPENDIX A

RADIOLOGICAL CONSTITUENTS

Tritium	A.1
Potassium-40	A.11
Cobalt-60	A.15
Strontium-90	A.20
Technetium-99	A.23
Ruthenium-106	A.28
Antimony-125	A.33
Iodine-129	A.38
Cesium-137	A.40
Europium-155	A.45
Radium	A.49
Radium-226	A.53
Uranium	A.54
Uranium-234	A.59
Uranium-235	A.60
Uranium-238	A.61
Plutonium-238	A.62
Plutonium-239/240	A.65
Americium-241	A.68
Gross Alpha	A.69
Gross Beta	A.76

1991 TRITIUM DATA						1991 TRITIUM DATA					
WELL NAME	SAMPLE DATE	ACTIVITY	UNITS	COUNTING ERROR	DATA REVIEW	WELL NAME	SAMPLE DATE	ACTIVITY	UNITS	COUNTING ERROR	DATA REVIEW
1199-41-13C	31-MAY-91	-78	PCI/L	151		199-K-11	26-SEP-91	655	PCI/L	139	
199-B4-2	11-DEC-91	2,590	PCI/L	210		199-K-27	26-FEB-91	60,500	PCI/L	665	
199-B4-3	30-MAY-91	3,530	PCI/L	191			17-APR-91	40,400	PCI/L	532	
199-B4-5	18-SEP-91	2,280	PCI/L	213		199-K-28	26-FEB-91	2,280	PCI/L	161	
199-B4-6	19-SEP-91	2,360	PCI/L	212			17-APR-91	1,850	PCI/L	161	
199-B4-7	18-SEP-91	2,310	PCI/L	211		199-K-29	26-FEB-91	6,050	PCI/L	230	
199-F5-3	31-MAY-91	92	PCI/L	158	Y		18-APR-91	5,680	PCI/L	228	
199-F5-4	19-SEP-91	9,980	PCI/L	280		199-K-30	26-FEB-91	704,000	PCI/L	2,247	
199-F5-6	19-SEP-91	1,050	PCI/L	140			17-APR-91	798,000	PCI/L	2,302	
199-F7-1	19-SEP-91	826	PCI/L	135		199-N-14	18-SEP-91	82,000	PCI/L	929	
199-F8-2	19-SEP-91	3,650	PCI/L	192			18-SEP-91	80,300	PCI/L	913	
199-H3-1	06-JUN-91	412	PCI/L	128			18-SEP-91	81,600	PCI/L	926	
199-H3-2B	22-AUG-91	4,250	PCI/L	189			05-DEC-91	8,560	PCI/L	327	
199-H4-11	07-JUN-91	806	PCI/L	139		199-N-20	08-OCT-91	3,580	PCI/L	190	
199-H4-12B	22-AUG-91	2,090	PCI/L	150		199-N-21	26-SEP-91	4,310	PCI/L	228	
199-H4-12C	07-JUN-91	100	PCI/L	119		199-N-29	04-SEP-91	25,000	PCI/L	527	
199-H4-13	23-AUG-91	1,160	PCI/L	129		199-N-3	25-MAR-91	23,700	PCI/L	420	
	08-OCT-91	1,210	PCI/L	139			05-DEC-91	21,300	PCI/L	483	
199-H4-14	07-JUN-91	2,480	PCI/L	175		199-N-32	18-SEP-91	103,000	PCI/L	1,032	
199-H4-15A	22-AUG-91	1,810	PCI/L	144			18-SEP-91	102,000	PCI/L	1,029	
199-H4-15B	22-AUG-91	1,690	PCI/L	142			05-DEC-91	107,000	PCI/L	1,046	
199-H4-16	07-JUN-91	1,680	PCI/L	159		199-N-33	04-SEP-91	31,300	PCI/L	585	
199-H4-17	16-AUG-91	4,090	PCI/L	202		199-N-36	04-SEP-91	52,400	PCI/L	742	
199-H4-4	16-JAN-91	1,590	PCI/L	187		199-N-41	30-AUG-91	34,300	PCI/L	503	
	28-MAR-91	1,070	PCI/L	146		199-N-5	08-OCT-91	24,700	PCI/L	430	
	06-JUN-91	482	PCI/L	130		199-N-50	30-OCT-91	22,300	PCI/L	491	
	16-AUG-91	660	PCI/L	125		199-N-51	30-OCT-91	32,900	PCI/L	600	
	03-DEC-91	3,090	PCI/L	228		199-N-54	02-OCT-91	15,900	PCI/L	394	
199-H4-5	22-AUG-91	3,290	PCI/L	173		199-N-55	02-OCT-91	14,500	PCI/L	379	
199-H4-6	07-JUN-91	-44	PCI/L	115	Y	199-N-56	02-OCT-91	17,800	PCI/L	417	
199-H4-7	06-JUN-91	4,790	PCI/L	216		199-N-57	25-MAR-91	14,400	PCI/L	334	
199-H4-8	16-AUG-91	4,390	PCI/L	208			05-NOV-91	11,500	PCI/L	367	
199-H4-9	06-JUN-91	3,580	PCI/L	195		199-N-59	03-SEP-91	357	PCI/L	105	
						199-N-66	05-NOV-91	29,300	PCI/L	559	
						199-N-67	25-MAR-91	37,400	PCI/L	520	
						199-N-70	04-SEP-91	50,500	PCI/L	731	

WELL NAME	1991 TRITIUM DATA				COUNTING ERROR	DATA REVIEW
	SAMPLE DATE	ACTIVITY	UNITS			
299-E13-14	11-JUN-91	130	PCI/L		119	
299-E17-1	13-AUG-91	2,870,000	PCI/L		14,220	
299-E17-12	25-MAR-91	1,150,000	PCI/L		2,854	
	13-SEP-91	641,000	PCI/L		2,393	
299-E17-13	18-JUN-91	648,000	PCI/L		3,260	
	13-SEP-91	574,000	PCI/L		2,446	
299-E17-14	28-AUG-91	2,680,000	PCI/L		13,260	
299-E17-15	03-SEP-91	1,800,000	PCI/L		3,314	
	01-OCT-91	291	PCI/L		123	
	19-DEC-91	1,890,000	PCI/L		9,385	
299-E17-16	28-AUG-91	947,000	PCI/L		4,760	
	19-DEC-91	724,000	PCI/L		3,624	
299-E17-17	26-AUG-91	1,100,000	PCI/L		5,502	
299-E17-18	26-AUG-91	476,000	PCI/L		2,398	
	19-DEC-91	705,000	PCI/L		3,551	
299-E17-2	04-NOV-91	131,000	PCI/L		937	
299-E17-20	24-JUL-91	3,360,000	PCI/L		16,860	
	14-AUG-91	3,220,000	PCI/L		16,080	
	30-SEP-91	2,950,000	PCI/L		14,980	
299-E17-5	26-AUG-91	1,250,000	PCI/L		6,214	
299-E17-8	18-JUN-91	1,540,000	PCI/L		7,758	
299-E18-1	06-SEP-91	-150	PCI/L		143	
299-E18-2	06-SEP-91	1	PCI/L		148	
	06-SEP-91	24	PCI/L		150	
299-E18-3	06-SEP-91	3,910	PCI/L		249	
	06-SEP-91	73	PCI/L		151	
299-E18-4	06-SEP-91	1,940	PCI/L		204	
	06-SEP-91	52	PCI/L		151	
299-E23-1	24-MAY-91	234,000	PCI/L		1,554	
299-E24-1	29-MAY-91	1,890,000	PCI/L		9,376	
299-E24-11	29-MAY-91	2,170,000	PCI/L		10,720	
299-E24-13	28-JAN-91	4,380	PCI/L		258	
299-E24-16	20-AUG-91	1,570,000	PCI/L		7,809	
299-E24-17	13-AUG-91	1,550,000	PCI/L		7,744	
299-E24-18	13-AUG-91	145,000	PCI/L		1,010	
299-E24-19	26-JUL-91	4,120	PCI/L		204	

WELL NAME	1991 TRITIUM DATA				COUNTING ERROR	DATA REVIEW
	SAMPLE DATE	ACTIVITY	UNITS			
299-E24-2	21-MAR-91	1,370,000	PCI/L		3,081	
299-E24-20	15-NOV-91	6,140	PCI/L		262	
299-E24-4	03-OCT-91	5,110	PCI/L		243	
	03-OCT-91	5,560	PCI/L		251	
299-E24-7	23-MAY-91	116,000	PCI/L		1,091	
299-E25-11	21-MAR-91	111,000	PCI/L		886	
	11-JUL-91	82,900	PCI/L		760	
299-E25-13	04-JUN-91	37,500	PCI/L		520	
299-E25-18	12-JUL-91	464,000	PCI/L		1,783	
	31-JUL-91	563,000	PCI/L		1,877	
	01-OCT-91	474,000	PCI/L		2,380	
299-E25-19	18-JUL-91	2,040,000	PCI/L		3,732	
	01-OCT-91	1,910,000	PCI/L		9,606	
299-E25-20	16-JUL-91	718,000	PCI/L		2,225	
	03-OCT-91	1,570	PCI/L		166	
299-E25-21	11-JUL-91	3,820	PCI/L		198	
299-E25-25	25-JUN-91	376	PCI/L		126	
	25-JUN-91	290	PCI/L		123	
	16-SEP-91	234	PCI/L		150	
299-E25-26	27-MAR-91	2,850	PCI/L		183	
	27-SEP-91	2,490	PCI/L		188	
299-E25-28	10-APR-91	2,050	PCI/L		169	
	12-JUL-91	1,890	PCI/L		162	
	27-SEP-91	3,050	PCI/L		201	
299-E25-29P	25-JUN-91	58,000	PCI/L		637	
	01-NOV-91	36,400	PCI/L		503	
299-E25-3	29-MAY-91	6,730	PCI/L		302	
299-E25-30P	29-MAY-91	2,130	PCI/L		204	
299-E25-31	25-JUN-91	10,400	PCI/L		289	
	16-SEP-91	9,650	PCI/L		343	
299-E25-32P	11-APR-91	1,130	PCI/L		145	
	19-JUL-91	865	PCI/L		142	
	19-JUL-91	747	PCI/L		139	
	26-SEP-91	705	PCI/L		140	
299-E25-33	27-JUN-91	13,800	PCI/L		327	
	16-SEP-91	21,100	PCI/L		486	
299-E25-34	10-APR-91	1,930	PCI/L		166	
	27-SEP-91	2,210	PCI/L		180	
299-E25-35	17-APR-91	67,800	PCI/L		685	
	19-JUL-91	59,400	PCI/L		646	

Y

1991 TRITIUM DATA							1991 TRITIUM DATA						
WELL NAME	SAMPLE DATE	ACTIVITY	UNITS	COUNTING ERROR	DATA REVIEW		WELL NAME	SAMPLE DATE	ACTIVITY	UNITS	COUNTING ERROR	DATA REVIEW	
299-E25-35	19-JUL-91	60,100	PCI/L	653			299-E27-8	01-AUG-91	10,500	PCI/L	276		
	01-OCT-91	56,200	PCI/L	722			299-E27-9	26-JUL-91	10,500	PCI/L	299		
	16-OCT-91	56,100	PCI/L	718			299-E28-11	26-MAR-91	174	PCI/L	123		
299-E25-36	11-JUL-91	8,300	PCI/L	265			299-E28-12	16-MAY-91	87,200	PCI/L	772		
	30-SEP-91	9,380	PCI/L	312			299-E28-15	26-MAR-91	7,050	PCI/L	251		
299-E25-37	26-JUN-91	1,540	PCI/L	154			299-E28-17	21-MAR-91	72,700	PCI/L	722		
	16-SEP-91	1,490	PCI/L	188			299-E28-18	21-MAR-91	35,000	PCI/L	506		
299-E25-38	26-JUN-91	1,930	PCI/L	163			299-E28-24	23-SEP-91	58,700	PCI/L	777		
	16-SEP-91	2,170	PCI/L	207			299-E28-25	31-JAN-91	5,710	PCI/L	281		
299-E25-39	26-JUN-91	2,430	PCI/L	174			299-E28-26	26-MAR-91	39,400	PCI/L	533		
	16-SEP-91	2,550	PCI/L	216			299-E28-27	06-AUG-91	32,900	PCI/L	455		
299-E25-40	20-JUL-91	11,500	PCI/L	305			299-E28-28	23-SEP-91	31,200	PCI/L	573		
	20-JUL-91	12,100	PCI/L	313				01-AUG-91	193,600	PCI/L	1,098		
	20-NOV-91	9,970	PCI/L	319				23-SEP-91	170,000	PCI/L	1,303		
299-E25-41	26-JUL-91	5,220	PCI/L	222				26-MAR-91	29,400	PCI/L	465		
	21-NOV-91	4,660	PCI/L	234				02-AUG-91	24,700	PCI/L	405		
299-E26-10	20-MAR-91	120	PCI/L	103				23-SEP-91	22,600	PCI/L	493		
	27-JUN-91	8,210	PCI/L	264				01-FEB-91	5,910	PCI/L	288		
	25-SEP-91	294	PCI/L	126				16-MAY-91	19,100	PCI/L	374		
299-E26-11	20-MAR-91	2,090	PCI/L	157				28-JAN-91	81,100	PCI/L	925		
	27-JUN-91	1,910	PCI/L	162				02-AUG-91	164,000	PCI/L	1,019		
	27-SEP-91	2,560	PCI/L	188				23-SEP-91	149,000	PCI/L	1,220		
	27-SEP-91	2,110	PCI/L	178				26-MAR-91	272,000	PCI/L	1,376		
299-E26-4	24-MAY-91	8,650	PCI/L	335				02-AUG-91	206,000	PCI/L	1,146		
299-E26-6	21-MAR-91	932	PCI/L	140				20-SEP-91	207,000	PCI/L	1,457		
299-E26-9	21-MAR-91	1,080	PCI/L	144				20-SEP-91	210,000	PCI/L	1,462		
	27-JUN-91	232	PCI/L	122				05-AUG-91	7,490	PCI/L	255		
	25-SEP-91	34	PCI/L	117				23-SEP-91	6,030	PCI/L	282		
299-E27-10	31-JUL-91	11,800	PCI/L	290				26-MAR-91	156,000	PCI/L	1,044		
299-E27-11	06-NOV-91	8,350	PCI/L	321				02-AUG-91	133,000	PCI/L	919		
299-E27-12	23-JUL-91	532	PCI/L	131				20-SEP-91	128,000	PCI/L	1,146		
	18-NOV-91	586	PCI/L	135									
299-E27-13	23-JUL-91	1,080	PCI/L	144									
	15-NOV-91	981	PCI/L	147									
299-E27-14	23-JUL-91	742	PCI/L	136									
299-E27-15	24-JUL-91	1,050	PCI/L	146									
	21-NOV-91	714	PCI/L	139									
299-E27-16	09-SEP-91	580	PCI/L	111									
299-E27-5	09-JAN-91	3,400	PCI/L	236									
299-E27-7	25-JUL-91	346	PCI/L	128									

1991 TRITIUM DATA						1991 TRITIUM DATA					
WELL NAME	SAMPLE DATE	ACTIVITY	UNITS	COUNTING ERROR	DATA REVIEW	WELL NAME	SAMPLE DATE	ACTIVITY	UNITS	COUNTING ERROR	DATA REVIEW
299-E33-30	05-AUG-91	4,790	PCI/L	216		299-W10-18	24-SEP-91	38,700	PCI/L	602	
	23-SEP-91	4,250	PCI/L	248		299-W10-4	02-JAN-91	58,200	PCI/L	825	
299-E33-31	23-JUL-91	2,440	PCI/L	173		299-W10-9	22-JUL-91	45,000	PCI/L	564	
	15-NOV-91	2,480	PCI/L	186			03-OCT-91	42,000	PCI/L	625	
299-E33-32	23-JUL-91	2,220	PCI/L	169		299-W11-14	17-MAY-91	6,730	PCI/L	239	
299-E33-33	22-JUL-91	3,910	PCI/L	199		299-W14-5	02-JAN-91	761	PCI/L	161	
	15-NOV-91	2,960	PCI/L	199		299-W14-6	17-MAY-91	1,170	PCI/L	142	
299-E33-34	02-AUG-91	6,540	PCI/L	226		299-W15-10	02-JAN-91	2,110	PCI/L	199	
	20-SEP-91	6,580	PCI/L	293		299-W15-11	02-JAN-91	8,800	PCI/L	341	
299-E33-35	30-JUL-91	4,240	PCI/L	214		299-W15-12	04-NOV-91	49,200	PCI/L	579	
	24-SEP-91	2,030	PCI/L	181		299-W15-16	05-AUG-91	176	PCI/L	123	
299-E33-36	21-AUG-91	3,870	PCI/L	205		299-W15-17	06-AUG-91	26	PCI/L	100	
299-E33-37	09-SEP-91	3,090	PCI/L	167			06-AUG-91	118	PCI/L	103	
299-E33-41	25-JUL-91	3,210	PCI/L	188		299-W15-18	09-AUG-91	119	PCI/L	97	
	21-NOV-91	3,450	PCI/L	209		299-W15-19	14-NOV-91	166	PCI/L	120	
	21-NOV-91	3,320	PCI/L	207		299-W15-20	05-AUG-91	40	PCI/L	119	
299-E33-7	08-JAN-91	4,830	PCI/L	200			12-NOV-91	50	PCI/L	142	
299-E34-1	18-JAN-91	3,520	PCI/L	239		299-W15-22	24-SEP-91	9,290	PCI/L	311	
299-E34-2	30-JUL-91	3,230	PCI/L	197		299-W15-23	05-AUG-91	293	PCI/L	129	
	30-JUL-91	2,810	PCI/L	188			13-NOV-91	119	PCI/L	145	
299-E34-3	29-JUL-91	829	PCI/L	149		299-W15-24	05-AUG-91	210	PCI/L	125	
299-E34-5	29-JUL-91	-178	PCI/L	124			12-NOV-91	170	PCI/L	147	
299-E34-7	04-NOV-91	406	PCI/L	122		299-W15-3	04-JUN-91	45,000	PCI/L	567	
299-E35-2	21-MAR-91	417	PCI/L	128		299-W15-4	02-JAN-91	359,000	PCI/L	2,020	
	27-JUN-91	-28	PCI/L	115		299-W15-8	04-NOV-91	405	PCI/L	122	
	27-JUN-91	-28	PCI/L	114		299-W18-17	29-JAN-91	9,560	PCI/L	352	Y
	25-SEP-91	129	PCI/L	120			20-MAR-91	149	PCI/L	104	
299-W10-1	04-JAN-91	41,700	PCI/L	699		299-W18-2	20-MAR-91	210	PCI/L	106	
299-W10-13	08-AUG-91	419	PCI/L	106		299-W18-20	06-FEB-91	159	PCI/L	151	
	07-NOV-91	360	PCI/L	152			20-MAR-91	168	PCI/L	105	
299-W10-14	14-AUG-91	74	PCI/L	122		299-W18-21	07-AUG-91	98	PCI/L	102	
	07-NOV-91	-31	PCI/L	138		299-W18-22	06-AUG-91	-80	PCI/L	96	
299-W10-15	22-JUL-91	44,400	PCI/L	562		299-W18-23	09-AUG-91	327	PCI/L	103	
	04-OCT-91	42,500	PCI/L	629		299-W18-24	09-AUG-91	149	PCI/L	98	
	04-OCT-91	41,600	PCI/L	623			09-AUG-91	175	PCI/L	100	
299-W10-16	22-JUL-91	46,800	PCI/L	576							
	24-SEP-91	44,000	PCI/L	637							
299-W10-17	09-OCT-91	43,400	PCI/L	565							

1991 TRITIUM DATA						1991 TRITIUM DATA					
WELL NAME	SAMPLE DATE	ACTIVITY	UNITS	COUNTING ERROR	DATA REVIEW	WELL NAME	SAMPLE DATE	ACTIVITY	UNITS	COUNTING ERROR	DATA REVIEW
299-W18-25	11-APR-91	617	PCI/L	131		299-W23-14	09-OCT-91	224,000	PCI/L	1,273	
	01-OCT-91	223	PCI/L	119		299-W23-3	04-JAN-91	3,480	PCI/L	190	
299-W18-26	07-AUG-91	257	PCI/L	106		299-W23-4	31-DEC-91	3,660	PCI/L	242	
	12-NOV-91	71	PCI/L	144		299-W23-7	29-JAN-91	1,320	PCI/L	175	
299-W18-29	09-OCT-91	1,710,000	PCI/L	4,969	Y	299-W26-10	21-AUG-91	238	PCI/L	129	
299-W18-4	04-NOV-91	34	PCI/L	112		299-W26-12	28-AUG-91	122	PCI/L	100	
299-W19-1	03-DEC-91	-17	PCI/L	144		299-W26-7	21-AUG-91	256	PCI/L	130	
299-W19-17	31-JAN-91	73	PCI/L	147		299-W6-2	12-AUG-91	11,200	PCI/L	306	
299-W19-18	02-JAN-91	422	PCI/L	107			12-AUG-91	11,400	PCI/L	309	
299-W19-21	03-DEC-91	121	PCI/L	103			13-NOV-91	11,400	PCI/L	367	
299-W19-24	20-MAR-91	1,530	PCI/L	144		299-W7-1	07-AUG-91	25	PCI/L	99	
299-W19-27	03-DEC-91	219	PCI/L	113			08-NOV-91	-27	PCI/L	139	
299-W19-28	10-OCT-91	302	PCI/L	112		299-W7-10	09-AUG-91	487	PCI/L	108	
299-W19-29	14-JUN-91	4,310	PCI/L	214			14-NOV-91	546	PCI/L	133	
	25-NOV-91	4,670	PCI/L	234		299-W7-2	07-AUG-91	-11	PCI/L	99	
299-W19-30	13-JUN-91	817	PCI/L	138			08-NOV-91	78	PCI/L	142	
299-W19-31	01-OCT-91	865	PCI/L	142		299-W7-3	08-AUG-91	30	PCI/L	94	
299-W19-32	01-OCT-91	603	PCI/L	133			08-NOV-91	-145	PCI/L	135	
299-W22-18	08-JAN-91	328	PCI/L	107		299-W7-4	12-AUG-91	388	PCI/L	131	
299-W22-2	03-DEC-91	4,160	PCI/L	249			13-NOV-91	392	PCI/L	154	
299-W22-20	18-JAN-91	247,000	PCI/L	1,655		299-W7-5	27-MAR-91	238	PCI/L	124	
	01-APR-91	310,000	PCI/L	1,472			09-AUG-91	297	PCI/L	103	
	18-JUN-91	286,000	PCI/L	1,398			11-NOV-91	75	PCI/L	144	
	04-SEP-91	295,000	PCI/L	1,738		299-W7-6	12-AUG-91	807	PCI/L	143	
	03-OCT-91	277,000	PCI/L	1,578			08-NOV-91	478	PCI/L	156	
	04-DEC-91	265,000	PCI/L	1,634		299-W7-7	09-AUG-91	279	PCI/L	102	
299-W22-26	04-JAN-91	1,240	PCI/L	173			08-NOV-91	350	PCI/L	151	
299-W22-39	14-NOV-91	629	PCI/L	137		299-W7-8	09-AUG-91	513	PCI/L	108	
299-W22-40	03-SEP-91	4,320	PCI/L	264			11-NOV-91	473	PCI/L	157	
299-W22-41	03-SEP-91	3,070	PCI/L	238		299-W7-9	09-AUG-91	71	PCI/L	96	
299-W22-42	03-SEP-91	8,690	PCI/L	339			08-NOV-91	127	PCI/L	144	
299-W22-43	04-SEP-91	1,270	PCI/L	193		299-W8-1	09-AUG-91	151	PCI/L	98	
	04-SEP-91	1,940	PCI/L	211			13-NOV-91	48	PCI/L	142	
299-W23-1	03-DEC-91	97	PCI/L	148		299-W9-1	08-AUG-91	168	PCI/L	98	
299-W23-13	03-OCT-91	17	PCI/L	117			08-NOV-91	106	PCI/L	143	
						399-1-10	15-JUL-91	5,660	PCI/L	231	Y
							06-DEC-91	86,400	PCI/L	962	
						399-1-11	18-DEC-91	9,350	PCI/L	343	

1991 TRITIUM DATA						1991 TRITIUM DATA					
WELL NAME	SAMPLE DATE	ACTIVITY	UNITS	COUNTING ERROR	DATA REVIEW	WELL NAME	SAMPLE DATE	ACTIVITY	UNITS	COUNTING ERROR	DATA REVIEW
399-1-12	18-JUL-91	211	PCI/L	120		399-8-1	20-DEC-91	-219	PCI/L	144	
	06-DEC-91	6,430	PCI/L	292			20-DEC-91	-134	PCI/L	147	
							20-DEC-91	-146	PCI/L	147	
399-1-13	16-JUL-91	7,310	PCI/L	250		399-8-2	18-DEC-91	-182	PCI/L	143	
	11-DEC-91	7,680	PCI/L	314							
399-1-14	16-JUL-91	7,290	PCI/L	250		399-8-3	09-OCT-91	2,190	PCI/L	162	
	11-DEC-91	9,090	PCI/L	336		499-80-7	18-JAN-91	25,500	PCI/L	433	
399-1-15	16-JUL-91	7,910	PCI/L	261			24-JUN-91	26,300	PCI/L	436	
	16-JUL-91	8,140	PCI/L	261			29-JUL-91	21,900	PCI/L	406	
	11-DEC-91	9,610	PCI/L	347			15-AUG-91	25,500	PCI/L	440	
399-1-16A	11-JUL-91	1,480	PCI/L	153			09-SEP-91	25,800	PCI/L	411	
	06-DEC-91	4,440	PCI/L	254			10-OCT-91	31,300	PCI/L	483	
399-1-16B	11-JUL-91	200	PCI/L	120			27-NOV-91	25,900	PCI/L	528	
	11-JUL-91	171	PCI/L	120		499-80-8	23-DEC-91	26,800	PCI/L	542	
	06-DEC-91	136	PCI/L	146			18-JAN-91	13,600	PCI/L	324	
399-1-17A	16-JAN-91	6	PCI/L	132			24-JUN-91	40,400	PCI/L	533	
	25-MAR-91	221	PCI/L	122			29-JUL-91	42,400	PCI/L	556	
	25-MAR-91	221	PCI/L	122			15-AUG-91	44,500	PCI/L	568	
	24-JUN-91	541	PCI/L	128			09-SEP-91	40,400	PCI/L	507	
	11-JUL-91	110	PCI/L	118			10-OCT-91	44,400	PCI/L	573	
	11-SEP-91	665	PCI/L	114			27-NOV-91	27,700	PCI/L	546	
	03-DEC-91	229	PCI/L	152		499-81-8A	23-DEC-91	13,700	PCI/L	402	
	10-DEC-91	202	PCI/L	136			28-JAN-91	60,900	PCI/L	803	
399-1-17B	11-JUL-91	95	PCI/L	118		499-81-8J	18-JAN-91	7,010	PCI/L	244	
	10-DEC-91	151	PCI/L	134			01-JUL-91	29,700	PCI/L	464	
399-1-18A	15-JUL-91	8,540	PCI/L	271			29-JUL-91	6,310	PCI/L	245	
	13-DEC-91	10,100	PCI/L	348			15-AUG-91	6,710	PCI/L	246	
399-1-7	09-JUL-91	1,580	PCI/L	154			09-SEP-91	6,420	PCI/L	219	
	16-DEC-91	405	PCI/L	163			10-OCT-91	14,200	PCI/L	335	
399-2-1	09-JUL-91	206	PCI/L	120			27-NOV-91	6,730	PCI/L	296	
	18-DEC-91	511	PCI/L	165			23-DEC-91	6,810	PCI/L	303	
399-3-10	12-JUL-91	142	PCI/L	119		699-1-18	30-JUL-91	30,400	PCI/L	468	
	18-DEC-91	1,580	PCI/L	196			30-JUL-91	30,700	PCI/L	470	
399-3-7	12-JUL-91	6,080	PCI/L	235			23-DEC-91	30,800	PCI/L	578	
	17-DEC-91	3,430	PCI/L	241		699-10-E12	23-DEC-91	31,600	PCI/L	585	
399-3-9	15-JUL-91	24	PCI/L	120		699-14-38	09-DEC-91	24,400	PCI/L	529	
	17-DEC-91	1,380	PCI/L	191		699-17-5	09-DEC-91	153	PCI/L	151	
399-4-1	10-JUL-91	3,270	PCI/L	188			16-JAN-91	44	PCI/L	134	
	10-DEC-91	1,030	PCI/L	174			28-MAR-91	224	PCI/L	124	
399-4-11	15-JUL-91	4,240	PCI/L	203			20-JUN-91	-56	PCI/L	116	
	11-DEC-91	964	PCI/L	165		699-17-70	11-SEP-91	98	PCI/L	97	
399-4-7	09-JUL-91	1,130	PCI/L	145			04-DEC-91	35	PCI/L	142	
	10-DEC-91	4,810	PCI/L	260		699-19-88	15-OCT-91	56	PCI/L	125	
399-8-1	15-JUL-91	769	PCI/L	140			28-JAN-91	10	PCI/L	144	
	15-JUL-91	732	PCI/L	139		699-2-3	29-JUL-91	97,500	PCI/L	820	
						699-2-7	21-MAR-91	11,900	PCI/L	308	
							18-DEC-91	12,200	PCI/L	383	
							18-DEC-91	12,300	PCI/L	383	

1991 TRITIUM DATA						1991 TRITIUM DATA					
WELL NAME	SAMPLE DATE	ACTIVITY	UNITS	COUNTING ERROR	DATA REVIEW	WELL NAME	SAMPLE DATE	ACTIVITY	UNITS	COUNTING ERROR	DATA REVIEW
699-20-20	31-JUL-91	116,000	PCI/L	854		699-31-31P	16-DEC-91		24	PCI/L	153
699-20-E12	16-DEC-91	5,900	PCI/L	304		699-32-22	31-JUL-91	91,300	PCI/L	762	
699-20-E12P	16-DEC-91	182	PCI/L	157		699-32-43	16-JAN-91	311,000	PCI/L	1,863	
699-21-6	30-JUL-91	18,300	PCI/L	373			28-MAR-91	330,000	PCI/L	1,510	
699-23-34	27-AUG-91	106,000	PCI/L	894			18-JUN-91	308,000	PCI/L	1,453	
	26-DEC-91	73,500	PCI/L	863			10-SEP-91	311,000	PCI/L	1,795	
	26-DEC-91	73,300	PCI/L	859			04-DEC-91	303,000	PCI/L	1,758	
699-24-1T	16-DEC-91	12,400	PCI/L	417		699-32-70B	18-DEC-91	183,000	PCI/L	1,370	
599-24-33	18-JAN-91	306,000	PCI/L	1,847		699-32-77	29-MAR-91	136	PCI/L	122	
	28-MAR-91	330,000	PCI/L	1,511		699-34-41B	15-OCT-91	53,900	PCI/L	768	
	20-JUN-91	313,000	PCI/L	1,456		699-34-8	21-AUG-91	288	PCI/L	130	
	28-AUG-91	318,000	PCI/L	1,486		699-35-66	15-AUG-91	964,000	PCI/L	4,829	
	10-SEP-91	318,000	PCI/L	1,823		699-35-70	17-JAN-91	680,000	PCI/L	2,740	
	04-DEC-91	306,000	PCI/L	1,756			15-APR-91	58	PCI/L	119	
	27-DEC-91	301,000	PCI/L	1,735			14-JUN-91	653,000	PCI/L	2,112	
699-24-34A	27-AUG-91	150,000	PCI/L	1,060			10-SEP-91	646,000	PCI/L	3,247	
	26-DEC-91	139,000	PCI/L	1,182			04-DEC-91	620,000	PCI/L	3,114	
699-24-34B	27-AUG-91	264,000	PCI/L	1,398		699-35-9	05-SEP-91	199,000	PCI/L	1,439	
	26-DEC-91	243,000	PCI/L	1,551		699-36-46R	16-JAN-91	-31	PCI/L	131	
699-24-34C	27-AUG-91	303,000	PCI/L	1,496		699-36-61A	15-AUG-91	31,100	PCI/L	478	
	26-DEC-91	306,000	PCI/L	1,739		699-36-61B	17-SEP-91	41,900	PCI/L	672	
699-24-35	28-AUG-91	91,800	PCI/L	806		699-36-93	17-SEP-91	-39	PCI/L	144	
	27-DEC-91	68,200	PCI/L	788		699-37-43	23-DEC-91	36,700	PCI/L	627	
699-25-33A	27-AUG-91	964	PCI/L	135		699-37-82A	15-AUG-91	-9	PCI/L	119	
699-25-34A	27-AUG-91	269,000	PCI/L	1,407		699-37-E4	24-SEP-91	81,400	PCI/L	865	
699-25-34B	27-AUG-91	276,000	PCI/L	1,421		699-38-15	21-AUG-91	303,000	PCI/L	1,490	
699-25-34C	27-AUG-91	298,000	PCI/L	1,477		699-38-65	16-JAN-91	446,000	PCI/L	2,170	
	26-DEC-91	297,000	PCI/L	1,722			01-APR-91	461,000	PCI/L	1,789	
699-26-33	27-AUG-91	252,000	PCI/L	1,364			14-JUN-91	445,000	PCI/L	1,741	
699-26-34	27-AUG-91	270,000	PCI/L	1,408			10-SEP-91	460,000	PCI/L	2,306	
699-26-35A	27-AUG-91	295,000	PCI/L	1,470			04-DEC-91	463,000	PCI/L	2,325	
	27-DEC-91	297,000	PCI/L	1,744		699-38-70	30-DEC-91	849	PCI/L	173	
699-26-35C	27-AUG-91	47,300	PCI/L	598		699-39-0	22-AUG-91	204,000	PCI/L	1,125	
699-27-8	15-AUG-91	162,000	PCI/L	1,061		699-39-39	30-AUG-91	133	PCI/L	127	
699-29-4	16-AUG-91	12,100	PCI/L	112	Y	699-39-79	29-JAN-91	70	PCI/L	106	
699-29-78	28-JAN-91	281	PCI/L	154		699-40-1	18-JAN-91	205,000	PCI/L	1,516	
699-31-31	17-JAN-91	15,500	PCI/L	435			29-MAR-91	222,000	PCI/L	1,225	
							26-JUN-91	212,000	PCI/L	1,216	

1991 TRITIUM DATA						1991 TRITIUM DATA						
WELL NAME	SAMPLE DATE	ACTIVITY	UNITS	COUNTING ERROR	DATA REVIEW	WELL NAME	SAMPLE DATE	ACTIVITY	UNITS	COUNTING ERROR	DATA REVIEW	
699-40-1	10-SEP-91	207,000	PCI/L	1,461		699-44-7	26-MAR-91	-37	PCI/L	93		
	03-DEC-91	212,000	PCI/L	1,475			09-DEC-91	208,000	PCI/L	1,504		
699-40-33A	16-JAN-91	-42	PCI/L	130		699-45-2	09-DEC-91	341	PCI/L	163		
	15-APR-91	-48	PCI/L	117			28-JAN-91	45,300	PCI/L	730		
	20-JUN-91	-208	PCI/L	111			04-JAN-91	192,000	PCI/L	1,429		
	10-SEP-91	165	PCI/L	150			06-FEB-91	198,000	PCI/L	1,441		
699-40-39	04-DEC-91	27	PCI/L	142		699-46-21B	06-MAR-91	197,000	PCI/L	1,180		
	15-APR-91	226,000	PCI/L	1,238			19-JUL-91	206,000	PCI/L	1,193		
	08-JUL-91	-52	PCI/L	112			28-JAN-91	195	PCI/L	134		
	11-SEP-91	457	PCI/L	108			28-JAN-91	25	PCI/L	127		
699-40-62	31-DEC-91	55,700	PCI/L	765		699-47-35A	04-JAN-91	139,000	PCI/L	1,219		
	16-JAN-91	209,000	PCI/L	1,526			06-FEB-91	125,000	PCI/L	869		
699-41-1	15-APR-91	693,000	PCI/L	2,155		699-47-46A	06-MAR-91	120,000	PCI/L	923		
	26-JUN-91	207,000	PCI/L	1,188			26-MAR-91	132	PCI/L	99		
	10-SEP-91	212,000	PCI/L	1,484			19-JUL-91	96,400	PCI/L	819		
	03-DEC-91	213,000	PCI/L	1,466			23-AUG-91	-64	PCI/L	96		
699-41-23	05-SEP-91	44,500	PCI/L	687		699-47-60	31-JAN-91	18	PCI/L	146		
	15-APR-91	213,000	PCI/L	1,204			18-JAN-91	-111	PCI/L	127		
	10-JUL-91	189,000	PCI/L	1,149			04-APR-91	78	PCI/L	118		
	11-SEP-91	161,000	PCI/L	1,059			20-JUN-91	-77	PCI/L	117		
699-42-12A	04-JAN-91	224,000	PCI/L	1,539		699-49-100C	28-JAN-91	1,540	PCI/L	182		
	06-FEB-91	223,000	PCI/L	1,526			23-AUG-91	1,220	PCI/L	131		
	06-MAR-91	223,000	PCI/L	1,249			29-JAN-91	19,000	PCI/L	486		
	09-DEC-91	210,000	PCI/L	1,502			21-JUN-91	3,420	PCI/L	192		
699-42-2	08-JUL-91	1,740	PCI/L	158		699-49-55A	05-DEC-91	3,630	PCI/L	238		
	08-JUL-91	74,600	PCI/L	724			28-JAN-91	26	PCI/L	127		
	04-JAN-91	227,000	PCI/L	1,593			09-DEC-91	207	PCI/L	151		
	06-MAR-91	213,000	PCI/L	1,220			10-DEC-91	261	PCI/L	142		
699-42-42B	18-JUL-91	207,000	PCI/L	1,192		699-49-79	02-OCT-91	245	PCI/L	125		
	18-APR-91	100,000	PCI/L	829			28-JAN-91	-39	PCI/L	124		
	28-JUN-91	83,600	PCI/L	763			15-OCT-91	-27	PCI/L	121		
	28-JUN-91	83,700	PCI/L	763			30-JAN-91	290	PCI/L	155		
699-43-3	18-APR-91	60,400	PCI/L	647		699-50-53	30-JAN-91	20	PCI/L	151		
	02-JUL-91	51,200	PCI/L	602			30-JAN-91	526	PCI/L	167		
	02-JUL-91	7,370	PCI/L	251			31-JAN-91	1,530	PCI/L	191		
	08-JUL-91	394	PCI/L	125								
699-43-41E	08-JUL-91	444	PCI/L	127		699-51-75						
	11-SEP-91	429	PCI/L	107								
	10-JUL-91	652	PCI/L	133								
	08-JUL-91	32,100	PCI/L	481								
699-43-41F	08-JUL-91	21,900	PCI/L	377		699-53-47A						
	11-SEP-91											
	10-JUL-91											
	08-JUL-91											
699-43-42J	11-SEP-91					699-53-48B						
	10-JUL-91											
	08-JUL-91											
	08-JUL-91											
699-43-43	10-JUL-91					699-54-34						
	08-JUL-91											
	08-JUL-91											
	08-JUL-91											
699-43-45	11-SEP-91					699-55-40						
	10-JUL-91											
	08-JUL-91											
	08-JUL-91											
699-44-42	11-SEP-91					699-55-76						
	10-JUL-91											
	08-JUL-91											
	08-JUL-91											
699-44-43B	11-SEP-91					699-55-89						
	10-JUL-91											
	08-JUL-91											
	08-JUL-91											
699-44-64	11-SEP-91					699-57-29A						
	10-JUL-91											
	08-JUL-91											
	08-JUL-91											

1991 TRITIUM DATA						1991 TRITIUM DATA					
WELL NAME	SAMPLE DATE	ACTIVITY	UNITS	COUNTING ERROR	DATA REVIEW	WELL NAME	SAMPLE DATE	ACTIVITY	UNITS	COUNTING ERROR	DATA REVIEW
699-61-37	30-JAN-91	576	PCI/L	175		699-83-47	31-JAN-91	634	PCI/L	165	
699-61-41	30-JAN-91	325	PCI/L	163		699-87-55	12-SEP-91	47,600	PCI/L	716	
699-61-62	26-AUG-91	43,700	PCI/L	573		699-90-45	23-SEP-91	1,510	PCI/L	185	
699-61-66	30-JAN-91	80	PCI/L	153		699-96-49	23-AUG-91	10,300	PCI/L	270	
699-62-31	22-AUG-91	86	PCI/L	101		699-97-43	12-SEP-91	8,040	PCI/L	327	
699-63-25A	31-JAN-91 23-AUG-91	-102 67	PCI/L PCI/L	140 100		699-97-51A	12-SEP-91	8,000	PCI/L	329	
699-63-55	30-JAN-91 06-SEP-91	1,320 1,230	PCI/L PCI/L	199 186		699-811-E12A	29-JUL-91	5,000	PCI/L	224	
699-63-58	30-AUG-91	1,780	PCI/L	163		699-812-29	05-FEB-91	97	PCI/L	149	
699-63-90	30-JAN-91	267	PCI/L	160		699-812-3	17-JAN-91 31-JUL-91 15-OCT-91	896 114 84	PCI/L PCI/L PCI/L	143 103 125	
699-64-27	22-AUG-91	-13	PCI/L	98		699-819-11	16-JAN-91 01-APR-91 24-JUN-91	-14 -33 317	PCI/L PCI/L PCI/L	132 115 123	
699-64-62	06-SEP-91	7,080	PCI/L	306			10-SEP-91	105	PCI/L	148	
699-65-59A	31-JAN-91 06-SEP-91	1,740 2,010	PCI/L PCI/L	197 206			04-DEC-91	63	PCI/L	144	
699-66-23	22-AUG-91	94	PCI/L	101		699-819-E13	01-FEB-91 29-MAR-91 21-JUN-91	7,930 8,300 7,630	PCI/L PCI/L PCI/L	325 265 256	
699-66-38	31-JAN-91	14	PCI/L	144			03-DEC-91	9,110	PCI/L	334	
699-66-39	30-JAN-91	190	PCI/L	163		699-827-E14	10-DEC-91	70	PCI/L	135	
699-66-58	31-JAN-91 23-SEP-91	1,520 1,770	PCI/L PCI/L	190 193		699-828-E0	01-FEB-91	65	PCI/L	129	
699-67-51	31-JAN-91	561	PCI/L	167		699-829-E12	09-DEC-91	179	PCI/L	150	
699-67-86	30-JAN-91	808	PCI/L	179		699-83-25	20-DEC-91	-341	PCI/L	140	
699-72-88	23-AUG-91	8,790	PCI/L	253		699-83-E12	12-SEP-91	9,460	PCI/L	348	
699-73-61	23-AUG-91	292	PCI/L	107		699-830-E10A	24-JUL-91 10-DEC-91	-89 9	PCI/L PCI/L	96 128	
699-74-44	31-JAN-91	281	PCI/L	160		699-830-E10B	24-JUL-91 10-DEC-91	-75 13	PCI/L PCI/L	97 128	
699-77-36	22-AUG-91	78	PCI/L	100		699-830-E15A	18-JAN-91 29-MAR-91 21-JUN-91	-61 10 -14	PCI/L PCI/L PCI/L	130 118 117	
699-77-54	31-JAN-91	59	PCI/L	148			09-SEP-91	76	PCI/L	147	
699-78-62	30-JAN-91	87	PCI/L	147			03-DEC-91	50	PCI/L	146	
699-8-17	30-JUL-91 09-DEC-91	113,000 110,000	PCI/L PCI/L	881 1,074		699-831-1	20-DEC-91	-74	PCI/L	150	
699-8-25	30-JUL-91 09-DEC-91	66,300 69,600	PCI/L PCI/L	679 879		699-831-E10A	23-JUL-91	7	PCI/L	116	
699-81-58	04-SEP-91 04-SEP-91	950 1,400	PCI/L PCI/L	121 132		699-831-E10B	23-JUL-91	44	PCI/L	117	
						699-831-E10C	23-JUL-91	196	PCI/L	121	

1991 TRITIUM DATA					DATA REVIEW	
WELL NAME	SAMPLE DATE	ACTIVITY	UNITS	COUNTING ERROR		
699-S31-E10D	23-JUL-91	1	PCI/L	116		
699-S31-E13	24-JUL-91	-192	PCI/L	123		
699-S31-E8	24-JUL-91	-92	PCI/L	96		
699-S32-E13A	24-JUL-91	-265	PCI/L	121		
699-S32-E13B	25-JUL-91	-189	PCI/L	124		
699-S32-E8	25-JUL-91	-79	PCI/L	97		
699-S34-E10	25-JUL-91	-100	PCI/L	96		
699-S36-E12B	25-JUL-91	-141	PCI/L	126		
699-S36-E13A	30-AUG-91	89	PCI/L	126		
699-S36-E13B	30-AUG-91	26	PCI/L	125		
699-S37-E11	29-AUG-91	189	PCI/L	129		
699-S37-E14	29-AUG-91	23	PCI/L	124		
	17-OCT-91	230	PCI/L	132		
699-S38-E11	29-AUG-91	113	PCI/L	127		
699-S38-E12A	29-AUG-91	224	PCI/L	130		
699-S38-E12B	29-AUG-91	149	PCI/L	127		
699-S40-E14	29-AUG-91	301	PCI/L	132		
699-S41-E11	30-AUG-91	227	PCI/L	128		
699-S41-E13A	29-AUG-91	417	PCI/L	135		
	17-OCT-91	99	PCI/L	126		
699-S41-E13B	29-AUG-91	116	PCI/L	126		
	17-OCT-91	167	PCI/L	129		
699-S41-E13C	29-AUG-91	116	PCI/L	125		
699-S43-E12	25-JUL-91	-115	PCI/L	126		
699-S6-E14A	17-JAN-91	26,400	PCI/L	556		
	29-JUL-91	-170	PCI/L	123		
	29-JUL-91	26,000	PCI/L	436		
699-S6-E4D	17-JAN-91	37,300	PCI/L	655		
	29-MAR-91	40,600	PCI/L	540		
	21-JUN-91	37,800	PCI/L	520		
	10-SEP-91	39,300	PCI/L	650		
	03-DEC-91	39,500	PCI/L	645		

1991 K-40 DATA						1991 K-40 DATA					
WELL NAME	SAMPLE DATE	ACTIVITY	UNITS	COUNTING ERROR	DATA REVIEW	WELL NAME	SAMPLE DATE	ACTIVITY	UNITS	COUNTING ERROR	DATA REVIEW
199-B4-5	18-SEP-91	154.00	PCI/L	104.60		299-E17-13	18-JUN-91	162.00	PCI/L	56.42	
199-B4-6	19-SEP-91	262.00	PCI/L	110.60			13-SEP-91	217.00	PCI/L	66.57	
199-B4-7	18-SEP-91	187.00	PCI/L	100.40		299-E17-14	28-AUG-91	13.40	PCI/L	64.11	
199-F5-4	19-SEP-91	73.40	PCI/L	35.02		299-E17-15	03-SEP-91	186.00	PCI/L	62.32	
199-F7-1	19-SEP-91	53.80	PCI/L	38.16		299-E17-16	28-AUG-91	37.30	PCI/L	57.44	
199-H4-4	16-JAN-91	150.00	PCI/L	73.12		299-E17-17	26-AUG-91	150.00	PCI/L	66.21	
	28-MAR-91	74.70	PCI/L	45.63		299-E17-18	26-AUG-91	183.00	PCI/L	66.46	
	06-JUN-91	13.00	PCI/L	81.11		299-E17-20	14-AUG-91	90.80	PCI/L	54.73	
	16-AUG-91	76.90	PCI/L	43.20		299-E17-5	26-AUG-91	179.00	PCI/L	52.86	
199-K-11	26-SEP-91	142.00	PCI/L	61.31		299-E18-1	06-SEP-91	159.00	PCI/L	54.67	
199-K-27	26-FEB-91	139.00	PCI/L	60.04		299-E18-2	06-SEP-91	226.00	PCI/L	67.73	
	17-APR-91	35.10	PCI/L	54.15		299-E18-3	06-SEP-91	53.60	PCI/L	56.29	
199-K-28	26-FEB-91	61.50	PCI/L	43.02		299-E18-4	06-SEP-91	199.00	PCI/L	64.17	
	17-APR-91	65.50	PCI/L	74.53		299-E24-16	20-AUG-91	165.00	PCI/L	59.20	
199-K-29	26-FEB-91	93.50	PCI/L	59.98		299-E24-17	13-AUG-91	7.67	PCI/L	54.69	
	18-APR-91	81.20	PCI/L	42.57		299-E24-18	13-AUG-91	130.00	PCI/L	63.97	
199-K-30	26-FEB-91	148.00	PCI/L	70.66		299-E25-18	01-OCT-91	154.00	PCI/L	58.41	
	17-APR-91	218.00	PCI/L	75.71		299-E25-19	01-OCT-91	59.30	PCI/L	48.50	
199-N-14	18-SEP-91	155.00	PCI/L	73.78		299-E25-20	03-OCT-91	214.00	PCI/L	81.24	
	18-SEP-91	102.00	PCI/L	47.16		299-E25-36	20-AUG-91	62.30	PCI/L	49.74	
	18-SEP-91	54.50	PCI/L	90.78		299-E27-10	31-JUL-91	174.00	PCI/L	69.79	
199-N-29	04-SEP-91	6.10	PCI/L	67.32		299-E27-16	09-SEP-91	164.00	PCI/L	60.92	
199-N-3	25-MAR-91	44.10	PCI/L	58.61		299-E27-5	09-JAN-91	74.40	PCI/L	120.60	
199-N-32	18-SEP-91	281.00	PCI/L	147.90		299-E27-8	01-AUG-91	62.90	PCI/L	57.82	
	18-SEP-91	109.00	PCI/L	51.25		299-E27-9	26-JUL-91	221.00	PCI/L	72.80	
199-N-33	04-SEP-91	59.30	PCI/L	48.50		299-E28-18	21-MAR-91	150.00	PCI/L	54.82	
199-N-36	04-SEP-91	164.00	PCI/L	50.51		299-E28-26	06-AUG-91	141.00	PCI/L	73.96	
199-N-41	30-AUG-91	60.60	PCI/L	53.52		23-SEP-91	23-SEP-91	77.70	PCI/L	49.01	
199-N-57	25-MAR-91	144.00	PCI/L	59.87		299-E28-27	01-AUG-91	38.10	PCI/L	49.15	
199-N-59	03-SEP-91	157.00	PCI/L	53.91		23-SEP-91	23-SEP-91	80.50	PCI/L	47.83	
199-N-67	25-MAR-91	91.00	PCI/L	51.36		299-E28-28	02-AUG-91	9.41	PCI/L	69.75	
199-N-70	17-JAN-91	155.00	PCI/L	55.53			23-SEP-91	14.00	PCI/L	53.52	
	04-SEP-91	174.00	PCI/L	65.29							
	02-OCT-91	241.00	PCI/L	68.71							
299-E13-14	11-JUN-91	221.00	PCI/L	70.63							
299-E17-1	13-AUG-91	83.90	PCI/L	71.19							
299-E17-12	13-SEP-91	175.00	PCI/L	52.30							

1991 K-40 DATA						1991 K-40 DATA					
WELL NAME	SAMPLE DATE	ACTIVITY	UNITS	COUNTING ERROR	DATA REVIEW	WELL NAME	SAMPLE DATE	ACTIVITY	UNITS	COUNTING ERROR	DATA REVIEW
299-E32-2	02-AUG-91 23-SEP-91	132.00 76.10	PCI/L PCI/L	51.88 47.03		299-W14-5	02-JAN-91	185.00	PCI/L	127.00	
299-E32-3	02-AUG-91 20-SEP-91 20-SEP-91	218.00 8.33 206.00	PCI/L PCI/L PCI/L	70.99 41.51 46.02		299-W14-6	03-JAN-91	452.00	PCI/L	146.90	
299-E32-4	05-AUG-91 23-SEP-91	58.90 16.30	PCI/L PCI/L	70.96 57.82		299-W15-10	02-JAN-91	149.00	PCI/L	111.80	
299-E32-5	02-AUG-91 20-SEP-91	174.00 21.00	PCI/L PCI/L	65.29 45.19		299-W15-11	02-JAN-91	192.00	PCI/L	97.75	
299-E33-28	31-JUL-91 24-SEP-91	25.10 82.00	PCI/L PCI/L	72.76 79.84		299-W15-16	05-AUG-91	112.00	PCI/L	57.96	
299-E33-29	31-JUL-91 23-SEP-91	78.40 217.00	PCI/L PCI/L	45.53 66.57		299-W15-17	06-AUG-91 06-AUG-91	192.00 113.00	PCI/L PCI/L	72.00 61.50	
299-E33-3	08-JAN-91	167.00	PCI/L	76.56		293-W15-18	09-AUG-91	194.00	PCI/L	72.47	
299-E33-30	05-AUG-91 23-SEP-91	114.00 33.80	PCI/L PCI/L	50.61 56.90		299-W15-20	05-AUG-91	199.00	PCI/L	59.24	
299-E33-34	02-AUG-91 20-SEP-91	110.00 86.20	PCI/L PCI/L	57.81 35.18		299-W15-22	24-SEP-91	244.00	PCI/L	113.00	
299-E33-35	30-JUL-91 24-SEP-91	11.60 469.00	PCI/L PCI/L	57.05 137.70		299-W15-23	05-AUG-91	84.90	PCI/L	48.62	
299-E33-36	21-AUG-91	103.00	PCI/L	62.86		299-W15-24	05-AUG-91	19.60	PCI/L	78.68	
299-E33-37	09-SEP-91	76.90	PCI/L	52.26		299-W15-4	02-JAN-91	17.20	PCI/L	154.50	
299-E33-41	25-JUL-91	146.00	PCI/L	54.09		299-W18-17	20-MAR-91	144.00	PCI/L	59.87	
299-E34-1	18-JAN-91	4.11	PCI/L	179.50		299-W18-20	20-MAR-91	66.60	PCI/L	56.83	
299-E34-2	30-JUL-91 30-JUL-91	24.50 191.00	PCI/L PCI/L	62.85 81.54		299-W18-21	07-AUG-91	155.00	PCI/L	59.30	
299-E34-3	29-JUL-91	5.87	PCI/L	65.96		299-W18-22	06-AUG-91	131.00	PCI/L	57.86	
299-E34-5	29-JUL-91	81.50	PCI/L	44.19		299-W18-23	09-AUG-91	55.90	PCI/L	43.70	
299-W10-13	08-AUG-91	158.00	PCI/L	71.92		299-W18-24	09-AUG-91	142.00	PCI/L	75.41	
299-W10-14	14-AUG-91	188.00	PCI/L	71.46		299-W18-25	01-OCT-91	58.50	PCI/L	95.12	
299-W10-15	04-OCT-91 04-OCT-91	166.00 353.00	PCI/L PCI/L	60.04 117.80		299-W18-26	07-AUG-91	54.20	PCI/L	42.72	
299-W10-16	24-SEP-91	34.60	PCI/L	87.47		299-W18-29	09-OCT-91	74.50	PCI/L	98.60	
299-W10-17	09-OCT-91	39.50	PCI/L	108.70		299-W19-24	20-MAR-91	46.10	PCI/L	52.32	
299-W10-18	24-SEP-91	476.00	PCI/L	156.50		299-W19-29	14-JUN-91	140.00	PCI/L	59.19	
299-W10-4	02-JAN-91	442.00	PCI/L	145.60		299-W19-30	13-JUN-91	97.80	PCI/L	51.89	
299-W10-9	03-OCT-91	359.00	PCI/L	105.70		299-W19-31	01-OCT-91	126.00	PCI/L	99.49	
						299-W19-32	01-OCT-91	373.00	PCI/L	149.50	
						299-W22-20	18-JAN-91 01-APR-91 18-JUN-91 04-SEP-91	186.00 84.90 55.90 54.90	PCI/L PCI/L PCI/L PCI/L	58.42 73.55 52.70 64.65	
						299-W22-26	04-JAN-91	211.00	PCI/L	86.06	

1991 K-40 DATA						1991 K-40 DATA					
WELL NAME	SAMPLE DATE	ACTIVITY	UNITS	COUNTING ERROR	DATA REVIEW	WELL NAME	SAMPLE DATE	ACTIVITY	UNITS	COUNTING ERROR	DATA REVIEW
299-W22-40	03-SEP-91	66.60	PCI/L	40.09		699-17-5	16-JAN-91	226.00	PCI/L	79.74	
299-W22-41	03-SEP-91	6.31	PCI/L	85.62			28-MAR-91	8.89	PCI/L	62.57	
299-W22-42	03-SEP-91	146.00	PCI/L	54.09			20-JUN-91	157.00	PCI/L	70.78	
299-W22-43	04-SEP-91	123.00	PCI/L	54.19		699-24-33	11-SEP-91	52.70	PCI/L	49.68	
	04-SEP-91	124.00	PCI/L	60.02			28-MAR-91	61.50	PCI/L	43.02	
299-W23-13	03-OCT-91	207.00	PCI/L	113.20			20-JUN-91	211.00	PCI/L	77.91	
299-W23-14	09-OCT-91	171.00	PCI/L	106.10		699-31-31	10-SEP-91	58.50	PCI/L	43.61	
299-W26-10	21-AUG-91	17.60	PCI/L	43.02			17-JAN-91	170.00	PCI/L	60.55	
299-W26-12	28-AUG-91	208.00	PCI/L	60.52		699-32-43	16-JAN-91	159.00	PCI/L	54.67	
299-W26-7	21-AUG-91	128.00	PCI/L	66.59			28-MAR-91	4.13	PCI/L	52.22	
299-W6-2	12-AUG-91	50.50	PCI/L	45.22			18-JUN-91	100.00	PCI/L	47.96	
	12-AUG-91	204.00	PCI/L	73.78			10-SEP-91	51.30	PCI/L	42.69	
299-W7-1	07-AUG-91	144.00	PCI/L	59.87		699-34-8	21-AUG-91	90.80	PCI/L	54.73	
299-W7-10	09-AUG-91	107.00	PCI/L	56.49		699-35-70	17-JAN-91	138.00	PCI/L	64.61	
299-W7-2	07-AUG-91	230.00	PCI/L	63.67			15-APR-91	125.00	PCI/L	62.65	
299-W7-3	08-AUG-91	155.00	PCI/L	52.24			14-JUN-91	149.00	PCI/L	57.74	
299-W7-4	12-AUG-91	76.20	PCI/L	55.30			10-SEP-91	24.30	PCI/L	71.26	
299-W7-5	09-AUG-91	174.00	PCI/L	69.76		699-36-46R	16-JAN-91	15.10	PCI/L	45.70	
299-W7-6	12-AUG-91	88.50	PCI/L	43.24		699-37-24	24-SEP-91	76.90	PCI/L	43.20	
299-W7-7	09-AUG-91	91.20	PCI/L	63.27		699-38-65	16-JAN-91	89.30	PCI/L	49.42	
299-W7-8	09-AUG-91	51.00	PCI/L	89.76			01-APR-91	87.80	PCI/L	48.10	
299-W7-9	09-AUG-91	121.00	PCI/L	59.31			10-SEP-91	118.00	PCI/L	55.77	
299-W8-1	09-AUG-91	45.40	PCI/L	40.87		699-39-0	22-AUG-91	186.00	PCI/L	62.32	
299-W9-1	08-AUG-91	139.00	PCI/L	65.17		699-40-1	18-JAN-91	76.90	PCI/L	43.20	
399-1-17A	16-JAN-91	76.90	PCI/L	43.20			29-MAR-91	72.40	PCI/L	40.72	
	25-MAR-91	108.00	PCI/L	57.29		699-40-33A	10-SEP-91	160.00	PCI/L	63.46	
	25-MAR-91	115.00	PCI/L	121.20			16-JAN-91	54.90	PCI/L	47.71	
	24-JUN-91	228.00	PCI/L	76.99			15-APR-91	55.90	PCI/L	59.42	
	23-AUG-91	7.75	PCI/L	74.78			20-JUN-91	234.00	PCI/L	64.27	
	29-AUG-91	26.40	PCI/L	44.78			10-SEP-91	127.00	PCI/L	57.16	
	04-SEP-91	100.00	PCI/L	47.96		699-41-1	16-JAN-91	520.00	PCI/L	142.90	
	11-SEP-91	181.00	PCI/L	66.16			15-APR-91	20.40	PCI/L	53.88	
	11-SEP-91	210.00	PCI/L	61.46			26-JUN-91	30.30	PCI/L	43.19	
	17-SEP-91	204.00	PCI/L	66.95		699-43-3	10-SEP-91	68.50	PCI/L	77.10	
	26-SEP-91	226.00	PCI/L	110.10		699-46-4					
	04-OCT-91	112.00	PCI/L	57.96		699-47-5	19-JUL-91	62.90	PCI/L	57.82	
	09-OCT-91	4.98	PCI/L	83.74		699-48-18	31-JAN-91	102.00	PCI/L	42.98	
	17-OCT-91	56.30	PCI/L	56.34		699-49-100C	18-JAN-91	50.60	PCI/L	61.57	
							04-APR-91	122.00	PCI/L	56.48	
							20-JUN-91	103.00	PCI/L	52.71	
						699-49-55A	23-AUG-91	24.80	PCI/L	78.52	

WELL NAME	1991 K-40 DATA				COUNTING ERROR	DATA REVIEW
	SAMPLE DATE	ACTIVITY	UNITS			
699-50-53	21-JUN-91	160.00	PCI/L		85.75	
699-63-25A	23-AUG-91	126.00	PCI/L		59.98	
699-66-23	22-AUG-91	107.00	PCI/L		53.52	
699-72-88	23-AUG-91	33.70	PCI/L		85.61	
699-81-58	04-SEP-91	161.00	PCI/L		54.49	
	04-SEP-91	126.00	PCI/L		63.36	
699-87-55	12-SEP-91	82.30	PCI/L		59.17	
699-97-43	12-SEP-91	133.00	PCI/L		45.45	
699-97-51A	12-SEP-91	188.00	PCI/L		71.46	
699-S12-3	17-JAN-91	48.50	PCI/L		64.38	
699-S19-11	01-APR-91	167.00	PCI/L		60.41	
	24-JUN-91	144.00	PCI/L		59.66	
	10-SEP-91	4.61	PCI/L		43.32	
699-S30-E15A	18-JAN-91	80.50	PCI/L		47.83	
	29-MAR-91	68.10	PCI/L		39.76	
	21-JUN-91	7.82	PCI/L		69.32	
	09-SEP-91	172.00	PCI/L		55.13	
699-S34-E10	25-JUL-91	133.00	PCI/L		66.40	
699-S41-E11	30-AUG-91	114.00	PCI/L		61.71	
699-S41-E13B	29-AUG-91	2.52	PCI/L		77.60	
699-S41-E13C	29-AUG-91	62.10	PCI/L		56.12	
699-S6-E14A	17-JAN-91	107.00	PCI/L		60.07	
	29-JUL-91	90.00	PCI/L		53.77	
699-S6-E4D	17-JAN-91	67.60	PCI/L		58.55	
	29-MAR-91	79.00	PCI/L		46.47	
	21-JUN-91	70.30	PCI/L		52.69	
	10-SEP-91	101.00	PCI/L		42.13	

1991 CO-60 DATA						1991 CO-60 DATA					
WELL NAME	SAMPLE DATE	ACTIVITY	UNITS	COUNTING ERROR	DATA REVIEW	WELL NAME	SAMPLE DATE	ACTIVITY	UNITS	COUNTING ERROR	DATA REVIEW
199-B4-5	18-SEP-91	1.42	PCI/L	7.67		199-N-51	30-OCT-91	-0.07	PCI/L	2.59	
199-B4-6	19-SEP-91	1.31	PCI/L	6.75		199-N-57	25-MAR-91	4.63	PCI/L	4.27	
199-B4-7	18-SEP-91	1.33	PCI/L	7.22			05-NOV-91	3.65	PCI/L	3.01	
199-D2-5	30-OCT-91	-0.49	PCI/L	3.00		199-N-59	03-SEP-91	2.09	PCI/L	3.57	
199-D5-12	30-OCT-91	1.64	PCI/L	2.42		199-N-66	05-NOV-91	5.25	PCI/L	3.47	
199-D8-3	30-OCT-91	-0.55	PCI/L	2.07		199-N-67	25-MAR-91	8.81	PCI/L	4.83	
199-F5-1	30-OCT-91	1.07	PCI/L	2.07			22-NOV-91	9.99	PCI/L	4.78	
199-F5-4	19-SEP-91	3.06	PCI/L	2.26		199-N-69	22-NOV-91	4.16	PCI/L	4.51	
199-F7-1	19-SEP-91	.11	PCI/L	2.64		199-N-70	17-JAN-91	7.75	PCI/L	4.54	
199-H4-4	16-JAN-91	1.36	PCI/L	2.97			04-SEP-91	8.43	PCI/L	3.87	
	28-MAR-91	-1.09	PCI/L	3.08			02-OCT-91	3.95	PCI/L	6.09	
	06-JUN-91	-8.71	PCI/L	5.22		299-E17-1	13-AUG-91	-0.82	PCI/L	2.15	
	16-AUG-91	-0.47	PCI/L	4.11		299-E17-12	13-SEP-91	-0.59	PCI/L	3.64	
	03-DEC-91	-2.43	PCI/L	4.86		299-E17-13	18-JUN-91	3.95	PCI/L	4.19	
199-K-11	26-SEP-91	1.23	PCI/L	2.70			13-SEP-91	-4.08	PCI/L	4.80	
199-K-27	26-FEB-91	.00	PCI/L	4.29		299-E17-14	28-AUG-91	8.27	PCI/L	5.02	
	17-APR-91	-0.22	PCI/L	3.35		299-E17-15	03-SEP-91	11.60	PCI/L	6.53	
199-K-28	26-FEB-91	-0.44	PCI/L	2.63			19-DEC-91	22.00	PCI/L	9.70	
	17-APR-91	-4.16	PCI/L	3.98		299-E17-16	28-AUG-91	61.10	PCI/L	10.71	
199-K-29	26-FEB-91	-0.31	PCI/L	3.77			19-DEC-91	43.10	PCI/L	14.27	
	18-APR-91	-0.22	PCI/L	3.35		299-E17-17	26-AUG-91	.49	PCI/L	4.52	
199-K-30	26-FEB-91	-2.27	PCI/L	3.47		299-E17-18	26-AUG-91	1.11	PCI/L	4.30	
	17-APR-91	-5.39	PCI/L	4.27			19-DEC-91	.00	PCI/L	8.30	
199-N-14	18-SEP-91	12.10	PCI/L	6.22		299-E17-20	14-AUG-91	.24	PCI/L	4.76	
	18-SEP-91	7.34	PCI/L	4.12		299-E17-5	26-AUG-91	2.81	PCI/L	3.02	
	18-SEP-91	7.36	PCI/L	5.46		299-E18-1	06-SEP-91	-3.59	PCI/L	4.24	
	05-DEC-91	1.31	PCI/L	7.09		299-E18-2	06-SEP-91	2.44	PCI/L	3.14	
	05-DEC-91	14.10	PCI/L	10.54		299-E18-3	06-SEP-91	-2.12	PCI/L	3.05	
199-N-29	04-SEP-91	10.10	PCI/L	5.33		299-E18-4	06-SEP-91	3.33	PCI/L	3.38	
199-N-3	25-MAR-91	7.20	PCI/L	5.12		299-E24-16	20-AUG-91	1.70	PCI/L	3.49	
	05-DEC-91	4.80	PCI/L	9.63		299-E24-17	13-AUG-91	.71	PCI/L	2.41	
199-N-32	18-SEP-91	30.30	PCI/L	10.40		299-E24-18	13-AUG-91	.52	PCI/L	2.65	
	18-SEP-91	20.70	PCI/L	6.10		299-E24-20	15-NOV-91	.44	PCI/L	6.48	
	05-DEC-91	10.60	PCI/L	10.87		299-E25-18	01-OCT-91	1.94	PCI/L	4.18	
199-N-33	04-SEP-91	15.40	PCI/L	6.18		299-E25-19	01-OCT-91	4.44	PCI/L	2.81	
199-N-36	04-SEP-91	15.90	PCI/L	5.94							
199-N-41	30-AUG-91	-2.35	PCI/L	5.55							
199-N-50	30-OCT-91	7.54	PCI/L	2.84							

WELL NAME	1991 CO-60 DATA				DATA REVIEW	WELL NAME	1991 CO-60 DATA				DATA REVIEW
	SAMPLE DATE	ACTIVITY	UNITS	COUNTING ERROR			SAMPLE DATE	ACTIVITY	UNITS	COUNTING ERROR	
299-E25-20	03-OCT-91	-2.22	PCI/L	4.47		299-E33-35	30-JUL-91	3.99	PCI/L	3.45	
299-E25-36	20-AUG-91	-6.83	PCI/L	5.20			24-SEP-91	-8.89	PCI/L	6.42	
299-E27-10	31-JUL-91	.22	PCI/L	2.44		299-E33-36	21-AUG-91	1.23	PCI/L	4.13	
299-E27-11	06-NOV-91	6.21	PCI/L	2.87		299-E33-37	09-SEP-91	-2.92	PCI/L	5.12	
299-E27-12	18-NOV-91	5.55	PCI/L	7.40		299-E33-41	25-JUL-91	4.70	PCI/L	3.88	
299-E27-13	15-NOV-91	.44	PCI/L	6.87		299-E34-1	18-JAN-91	1.08	PCI/L	9.94	
299-E27-16	09-SEP-91	.25	PCI/L	3.89		299-E34-2	30-JUL-91	-1.64	PCI/L	3.17	
299-E27-5	09-JAN-91	.52	PCI/L	8.17			30-JUL-91	2.70	PCI/L	4.44	
299-E27-8	01-AUG-91	2.36	PCI/L	2.11		299-E34-3	29-JUL-91	1.77	PCI/L	1.77	
299-E27-9	26-JUL-91	-.74	PCI/L	3.61		299-E34-5	29-JUL-91	2.11	PCI/L	2.89	
299-E28-18	21-MAR-91	-1.33	PCI/L	4.24		299-E34-7	04-NOV-91	.12	PCI/L	2.34	
299-E28-26	06-AUG-91	-.82	PCI/L	2.15		299-W10-13	08-AUG-91	-2.45	PCI/L	3.73	
	23-SEP-91	2.46	PCI/L	3.85			07-NOV-91	-.62	PCI/L	7.58	
299-E28-27	01-AUG-91	-1.11	PCI/L	3.15		299-W10-14	14-AUG-91	-1.19	PCI/L	3.17	
	23-SEP-91	-3.99	PCI/L	4.43		299-W10-15	07-NOV-91	-2.80	PCI/L	9.22	
299-E28-28	23-SEP-91	-1.18	PCI/L	3.33			04-OCT-91	-1.83	PCI/L	4.21	
299-E32-2	02-AUG-91	-.98	PCI/L	4.78			04-OCT-91	7.89	PCI/L	10.44	
	23-SEP-91	1.85	PCI/L	2.78		299-W10-16	24-SEP-91	6.13	PCI/L	8.74	
299-E32-3	02-AUG-91	-1.12	PCI/L	3.84		299-W10-17	09-OCT-91	2.66	PCI/L	5.03	
	20-SEP-91	2.32	PCI/L	2.36		299-W10-18	24-SEP-91	-1.48	PCI/L	9.58	
	20-SEP-91	-1.22	PCI/L	1.75		299-W10-4	02-JAN-91	1.64	PCI/L	11.23	
299-E32-4	05-AUG-91	3.94	PCI/L	4.18		299-W10-9	03-OCT-91	-1.18	PCI/L	7.62	
	23-SEP-91	-.71	PCI/L	3.46		299-W14-5	02-JAN-91	-5.95	PCI/L	8.86	
299-E32-5	02-AUG-91	2.90	PCI/L	3.28		299-W14-6	03-JAN-91	-1.09	PCI/L	9.51	
	20-SEP-91	1.31	PCI/L	2.69		299-W15-10	02-JAN-91	.52	PCI/L	8.19	
299-E33-28	31-JUL-91	2.97	PCI/L	5.05		299-W15-11	02-JAN-91	3.80	PCI/L	5.66	
	24-SEP-91	.44	PCI/L	6.99		299-W15-16	05-AUG-91	-2.16	PCI/L	3.67	
299-E33-29	31-JUL-91	1.20	PCI/L	3.03		299-W15-17	06-AUG-91	3.64	PCI/L	3.55	
	23-SEP-91	-2.00	PCI/L	3.61			06-AUG-91	-1.12	PCI/L	4.04	
299-E33-3	08-JAN-91	14.20	PCI/L	10.97		299-W15-18	09-AUG-91	1.98	PCI/L	3.70	
299-E33-30	05-AUG-91	-1.64	PCI/L	4.36		299-W15-19	14-NOV-91	.88	PCI/L	6.78	
	23-SEP-91	4.03	PCI/L	2.69		299-W15-20	05-AUG-91	-1.33	PCI/L	2.94	
299-E33-31	15-NOV-91	-.46	PCI/L	7.05			12-NOV-91	-6.99	PCI/L	8.19	
299-E33-33	15-NOV-91	-5.02	PCI/L	6.28		299-W15-22	24-SEP-91	-.60	PCI/L	7.33	
299-E33-34	02-AUG-91	6.85	PCI/L	5.94							
	20-SEP-91	8.35	PCI/L	3.95							

1991 CO-60 DATA						1991 CO-60 DATA					
WELL NAME	SAMPLE DATE	ACTIVITY	UNITS	COUNTING ERROR	DATA REVIEW	WELL NAME	SAMPLE DATE	ACTIVITY	UNITS	COUNTING ERROR	DATA REVIEW
299-W15-23	05-AUG-91 13-NOV-91	3.09 -4.80	PCI/L PCI/L	2.34 7.71		299-W26-10	21-AUG-91	2.44	PCI/L	2.87	
299-W15-24	05-AUG-91 12-NOV-91	-3.44 5.69	PCI/L PCI/L	4.72 6.43		299-W26-12	28-AUG-91	1.56	PCI/L	2.88	
299-W15-4	02-JAN-91	2.18	PCI/L	7.56		299-W26-7	21-AUG-91	-7.74	PCI/L	3.63	
299-W18-17	20-MAR-91	-4.05	PCI/L	4.06		299-W6-2	12-AUG-91 12-AUG-91 13-NOV-91	.67 2.72 -3.68	PCI/L PCI/L PCI/L	3.61 4.48 9.03	
299-W18-20	20-MAR-91	-.96	PCI/L	4.69		299-W7-1	07-AUG-91 08-NOV-91	3.52 1.75	PCI/L PCI/L	3.14 7.01	
299-W18-21	07-AUG-91	.99	PCI/L	3.43		299-W7-10	09-AUG-91 14-NOV-91	1.25 3.99	PCI/L PCI/L	2.59 5.54	
299-W18-22	06-AUG-91	1.73	PCI/L	2.57		299-W7-2	07-AUG-91 08-NOV-91	2.01 -6.19	PCI/L PCI/L	4.68 7.70	
299-W18-23	09-AUG-91	.00	PCI/L	4.22		299-W7-3	08-AUG-91 08-NOV-91	-1.19 1.03	PCI/L PCI/L	3.17 6.32	
299-W18-24	09-AUG-91	-4.70	PCI/L	5.00		299-W7-4	12-AUG-91 13-NOV-91	1.05 10.00	PCI/L PCI/L	3.99 7.09	
299-W18-25	01-OCT-91	-1.33	PCI/L	6.99		299-W7-5	09-AUG-91 11-NOV-91	-1.98 3.25	PCI/L PCI/L	3.96 7.53	
299-W18-26	07-AUG-91 12-NOV-91	-3.26 .46	PCI/L PCI/L	3.48 7.30		299-W7-6	12-AUG-91 08-NOV-91	2.79 -1.32	PCI/L PCI/L	3.45 7.74	
299-W18-29	09-OCT-91	-5.64	PCI/L	9.21		299-W7-7	09-AUG-91 08-NOV-91	.07 -3.93	PCI/L PCI/L	2.49 7.92	
299-W19-24	20-MAR-91	-3.49	PCI/L	4.09		299-W7-8	09-AUG-91 11-NOV-91	.60 -3.94	PCI/L PCI/L	3.64 7.53	
299-W19-29	14-JUN-91 25-NOV-91	.91 -2.43	PCI/L PCI/L	4.80 3.77		299-W7-9	09-AUG-91 08-NOV-91	-1.42 -.52	PCI/L PCI/L	4.69 5.93	
299-W19-30	13-JUN-91	.47	PCI/L	3.13		299-W8-1	09-AUG-91 13-NOV-91	.22 .77	PCI/L PCI/L	3.72 4.21	
299-W19-31	01-OCT-91	2.36	PCI/L	7.42		299-W9-1	08-AUG-91 08-NOV-91	.97 4.78	PCI/L PCI/L	2.80 5.76	
299-W19-32	01-OCT-91	5.93	PCI/L	7.90		399-1-17A	16-JAN-91 25-MAR-91 25-MAR-91 24-JUN-91 23-AUG-91 29-AUG-91 04-SEP-91 11-SEP-91 11-SEP-91 17-SEP-91 26-SEP-91 04-OCT-91 09-OCT-91 17-OCT-91 24-OCT-91	-26 -1.17 3.38 -1.23 -1.48 -3.10 -1.64 -.73 -.20 -2.97 -5.08 -.52 2.96 1.54 .12	PCI/L PCI/L PCI/L PCI/L PCI/L PCI/L PCI/L PCI/L PCI/L PCI/L PCI/L PCI/L PCI/L PCI/L PCI/L	2.19 3.38 5.05 3.49 5.14 3.19 3.19 3.23 3.73 5.77 6.13 4.84 3.94 4.00	
299-W22-20	18-JAN-91 01-APR-91 18-JUN-91 04-SEP-91	.22 1.86 8.95 5.22	PCI/L PCI/L PCI/L PCI/L	4.18 4.54 5.08 4.03							
299-W22-26	04-JAN-91	6.20	PCI/L	8.23							
299-W22-39	14-NOV-91	3.35	PCI/L	6.86							
299-W22-40	03-SEP-91	-2.00	PCI/L	4.02							
299-W22-41	03-SEP-91	2.97	PCI/L	2.42							
299-W22-42	03-SEP-91	1.05	PCI/L	3.98							
299-W22-43	04-SEP-91 04-SEP-91	-4.59 -1.18	PCI/L PCI/L	3.66 3.33							
299-W23-13	03-OCT-91	.45	PCI/L	6.59							
299-W23-14	09-OCT-91	6.34	PCI/L	6.34							

1991 CO-60 DATA						1991 CO-60 DATA					
WELL NAME	SAMPLE DATE	ACTIVITY	UNITS	COUNTING ERROR	DATA REVIEW	WELL NAME	SAMPLE DATE	ACTIVITY	UNITS	COUNTING ERROR	DATA REVIEW
399-1-17A	29-OCT-91	-1.73	PCI/L	2.96		699-42-2	09-DEC-91	.87	PCI/L	7.98	
	05-NOV-91	-1.95	PCI/L	2.75			18-JUL-91	6.12	PCI/L	5.41	
	15-NOV-91	5.14	PCI/L	5.63			09-DEC-91	-6.01	PCI/L	11.48	
	03-DEC-91	1.46	PCI/L	5.24			30-DEC-91	3.64	PCI/L	5.48	
	19-DEC-91	4.64	PCI/L	7.19			19-JUL-91	2.35	PCI/L	3.65	
699-10-E12	27-DEC-91	3.88	PCI/L	7.26		699-45-2	09-DEC-91	-6.01	PCI/L	11.48	
	09-DEC-91	.00	PCI/L	8.67		699-45-69A	30-DEC-91	3.64	PCI/L	5.48	
	16-JAN-91	1.08	PCI/L	5.09		699-46-4	19-JUL-91	2.47	PCI/L	5.84	
	28-MAR-91	1.54	PCI/L	3.58		699-47-5	19-JUL-91	2.35	PCI/L	3.65	
	20-JUN-91	2.47	PCI/L	4.94		699-48-18	31-JAN-91	8.86	PCI/L	3.45	
699-17-5	11-SEP-91	2.00	PCI/L	2.73		699-49-100C	18-JAN-91	4.46	PCI/L	4.37	
	28-MAR-91	2.40	PCI/L	2.83		04-APR-91	1.55	PCI/L	3.59		
	20-JUN-91	3.46	PCI/L	4.08		20-JUN-91	-3.30	PCI/L	4.52		
	10-SEP-91	1.55	PCI/L	3.81		699-49-55A	23-AUG-91	11.70	PCI/L	9.64	
	17-JAN-91	3.96	PCI/L	3.54		699-50-53	21-JUN-91	449.00	PCI/L	40.30	
699-24-33	16-JAN-91	1.44	PCI/L	3.73		699-63-25A	05-DEC-91	390.00	PCI/L	39.99	
	28-MAR-91	2.35	PCI/L	4.20		699-66-23	23-AUG-91	2.98	PCI/L	3.51	
	18-JUN-91	4.71	PCI/L	2.98		699-72-88	22-AUG-91	.71	PCI/L	2.40	
	10-SEP-91	4.70	PCI/L	2.97		699-81-58	23-AUG-91	-30	PCI/L	3.40	
	21-AUG-91	-1.88	PCI/L	3.77		699-87-55	04-SEP-91	-1.83	PCI/L	2.56	
699-31-31	17-JAN-91	4.39	PCI/L	3.65		699-87-55	04-SEP-91	2.22	PCI/L	3.87	
	16-JAN-91	2.94	PCI/L	3.45		699-97-43	12-SEP-91	1.88	PCI/L	5.49	
	15-APR-91	.60	PCI/L	3.88		699-97-51A	12-SEP-91	-5.11	PCI/L	4.52	
	10-SEP-91	3.21	PCI/L	3.35		699-97-51A	12-SEP-91	-1.56	PCI/L	3.93	
	16-JAN-91	2.33	PCI/L	4.57		699-812-3	17-JAN-91	.83	PCI/L	2.24	
699-32-43	24-SEP-91	4.24	PCI/L	4.11		699-819-11	01-APR-91	-1.32	PCI/L	4.23	
	16-JAN-91	2.60	PCI/L	3.98		699-819-11	24-JUN-91	-2.35	PCI/L	3.64	
	01-APR-91	3.71	PCI/L	4.23		699-819-E13	10-SEP-91	.47	PCI/L	3.12	
	10-SEP-91	.37	PCI/L	5.00		699-819-E13	03-DEC-91	-2.31	PCI/L	3.59	
	30-DEC-91	.46	PCI/L	7.30		699-827-E14	13-DEC-91	4.82	PCI/L	8.30	
699-33-E4	22-AUG-91	9.33	PCI/L	4.07		699-827-E14	10-DEC-91	1.39	PCI/L	7.53	
	18-JAN-91	1.55	PCI/L	6.78		699-829-E12	09-DEC-91	-6.30	PCI/L	8.34	
	29-MAR-91	8.09	PCI/L	5.06		699-830-E15A	18-JAN-91	1.22	PCI/L	4.30	
	10-SEP-91	1.33	PCI/L	3.66		699-830-E15A	29-MAR-91	3.71	PCI/L	3.21	
	03-DEC-91	6.99	PCI/L	3.49		699-834-E10	21-JUN-91	.59	PCI/L	3.64	
699-38-65	16-JAN-91	2.52	PCI/L	3.21		699-834-E10	09-SEP-91	-89	PCI/L	3.08	
	15-APR-91	2.06	PCI/L	3.22		699-841-E11	03-DEC-91	4.86	PCI/L	3.64	
	20-JUN-91	.15	PCI/L	3.53		699-841-E11	25-JUL-91	-.68	PCI/L	3.06	
	10-SEP-91	1.20	PCI/L	3.02		699-841-E11	30-AUG-91	1.90	PCI/L	2.85	
	30-DEC-91	1.39	PCI/L	7.53							
699-38-70	16-JAN-91	-1.54	PCI/L	12.74							
	15-APR-91	-1.47	PCI/L	4.93							
	26-JUN-91	.71	PCI/L	4.88							
	10-SEP-91	6.41	PCI/L	4.73							
	03-DEC-91	2.39	PCI/L	4.13							
699-39-0	16-JAN-91	1.55	PCI/L	6.78							
	29-MAR-91	8.09	PCI/L	5.06							
	10-SEP-91	1.33	PCI/L	3.66							
	03-DEC-91	6.99	PCI/L	3.49							
	16-JAN-91	2.52	PCI/L	3.21							
699-40-1	15-APR-91	2.06	PCI/L	3.22							
	20-JUN-91	.15	PCI/L	3.53							
	10-SEP-91	1.20	PCI/L	3.02							
	30-DEC-91	1.39	PCI/L	7.53							
	16-JAN-91	-1.54	PCI/L	12.74							
699-40-33A	15-APR-91	-1.47	PCI/L	4.93							
	26-JUN-91	.71	PCI/L	4.88							
	10-SEP-91	6.41	PCI/L	4.73							
	03-DEC-91	2.39	PCI/L	4.13							
	16-JAN-91	1.55	PCI/L	6.78							
699-40-62	29-MAR-91	8.09	PCI/L	5.06							
	10-SEP-91	1.33	PCI/L	3.66							
	03-DEC-91	6.99	PCI/L	3.49							
	16-JAN-91	2.52	PCI/L	3.21							
	15-APR-91	2.06	PCI/L	3.22							
699-41-1	20-JUN-91	.15	PCI/L	3.53							
	10-SEP-91	1.20	PCI/L	3.02							
	30-DEC-91	1.39	PCI/L	7.53							
	16-JAN-91	-1.54	PCI/L	12.74							
	15-APR-91	-1.47	PCI/L	4.93							
699-41-1	26-JUN-91	.71	PCI/L	4.88							
	10-SEP-91	6.41	PCI/L	4.73							
	03-DEC-91	2.39	PCI/L	4.13							
	16-JAN-91	1.55	PCI/L	6.78							
	29-MAR-91	8.09	PCI/L	5.06							

WELL NAME	SAMPLE DATE	1991 CO-60 DATA			COUNTING ERROR	DATA REVIEW
		ACTIVITY	UNITS			
699-S41-E13B	29-AUG-91	.44	PCI/L	3.44		
699-S41-E13C	29-AUG-91	1.72	PCI/L	2.56		
699-S6-E14A	17-JAN-91	-2.46	PCI/L	4.51		
	29-JUL-91	4.42	PCI/L	2.80		
699-S6-E4D	17-JAN-91	3.36	PCI/L	3.51		
	29-MAR-91	1.75	PCI/L	3.27		
	21-JUN-91	1.78	PCI/L	3.32		
	10-SEP-91	.89	PCI/L	4.16		
	03-DEC-91	3.39	PCI/L	2.56		

1991 SR-90 DATA						1991 SR-90 DATA					
WELL NAME	SAMPLE DATE	ACTIVITY	UNITS	COUNTING ERROR	DATA REVIEW	WELL NAME	SAMPLE DATE	ACTIVITY	UNITS	COUNTING ERROR	DATA REVIEW
199-B4-5	18-SEP-91	7.51	PCI/L	1.12		299-E17-14	28-AUG-91	16.70	PCI/L	.93	
199-B4-6	19-SEP-91	6.98	PCI/L	1.09		299-E17-20	24-JUL-91	12.80	PCI/L	1.03	
199-B4-7	18-SEP-91	9.55	PCI/L	1.23		299-E24-12	12-DEC-91	1.56	PCI/L	.35	
199-F5-4	19-SEP-91	-11	PCI/L	.20		299-E24-19	22-NOV-91	194.00	PCI/L	5.49	Y
199-F7-1	19-SEP-91	.00	PCI/L	.23		299-E24-20	15-NOV-91	-.25	PCI/L	.40	
199-K-11	26-SEP-91	.24	PCI/L	.45		299-E25-40	20-NOV-91	.03	PCI/L	.47	
199-N-14	18-SEP-91	513.00	PCI/L	6.31		299-E25-41	21-NOV-91	-.43	PCI/L	.34	
	18-SEP-91	841.00	PCI/L	7.61		299-E27-10	31-JUL-91	-.22	PCI/L	.20	
	18-SEP-91	910.00	PCI/L	7.95		299-E27-12	18-NOV-91	-.18	PCI/L	.39	
	05-DEC-91	953.00	PCI/L	17.82		299-E27-13	15-NOV-91	-.36	PCI/L	.38	
	05-DEC-91	986.00	PCI/L	8.96		299-E27-15	21-NOV-91	-.15	PCI/L	.41	
199-N-17	26-SEP-91	341.00	PCI/L	5.15		299-E27-5	09-JAN-91	.33	PCI/L	.34	
199-N-28	11-DEC-91	142.00	PCI/L	3.38		299-E27-8	01-AUG-91	-.27	PCI/L	.25	
199-N-29	04-SEP-91	641.00	PCI/L	20.43		299-E27-9	26-JUL-91	-.03	PCI/L	.24	
199-N-3	25-MAR-91	548.00	PCI/L	13.58		299-E28-25	31-JAN-91	3,150.00	PCI/L	47.26	
	05-DEC-91	557.00	PCI/L	6.41		299-E28-26	06-AUG-91	-.11	PCI/L	.30	
199-N-32	18-SEP-91	5.00	PCI/L	.65		299-E28-27	23-SEP-91	-.17	PCI/L	.24	
	18-SEP-91	4.81	PCI/L	.62		299-E28-28	01-AUG-91	-.14	PCI/L	.21	
	05-DEC-91	4.07	PCI/L	.58		299-E28-29	23-SEP-91	-.03	PCI/L	.27	
199-N-33	04-SEP-91	86.40	PCI/L	7.51		299-E28-7	02-AUG-91	-.26	PCI/L	.27	
199-N-36	04-SEP-91	262.00	PCI/L	13.13		299-E32-2	23-SEP-91	-.29	PCI/L	.19	
199-N-41	30-AUG-91	-.05	PCI/L	.20		299-E32-3	01-FEB-91	66.60	PCI/L	2.59	
199-N-54	02-OCT-91	233.00	PCI/L	4.06		299-E32-4	02-AUG-91	-.31	PCI/L	.69	
	11-OCT-91	159.00	PCI/L	3.40		299-E32-5	23-SEP-91	-.19	PCI/L	.17	
199-N-55	02-OCT-91	43.80	PCI/L	1.79		299-E32-3	02-AUG-91	-.30	PCI/L	.37	
	11-OCT-91	29.70	PCI/L	1.50		299-E32-4	20-SEP-91	-.16	PCI/L	.24	
199-N-56	02-OCT-91	438.00	PCI/L	5.56		299-E32-5	20-SEP-91	-.14	PCI/L	.26	
	11-OCT-91	289.00	PCI/L	3.30		299-E32-4	05-AUG-91	-.08	PCI/L	.30	
199-N-57	25-MAR-91	35.40	PCI/L	1.52		299-E32-5	23-SEP-91	-.22	PCI/L	.24	
	05-NOV-91	46.30	PCI/L	2.06		299-E32-5	02-AUG-91	-.26	PCI/L	.35	
199-N-59	03-SEP-91	-.10	PCI/L	.18		299-E32-5	20-SEP-91	-.26	PCI/L	.21	
199-N-66	05-NOV-91	1.36	PCI/L	.39		299-E33-28	31-JUL-91	-.11	PCI/L	.19	
199-N-67	25-MAR-91	6,060.00	PCI/L	66.12		299-E33-28	24-SEP-91	-.22	PCI/L	.69	
	22-NOV-91	4,340.00	PCI/L	58.09		299-E33-29	31-JUL-91	-.27	PCI/L	.16	
199-N-69	22-NOV-91	-.26	PCI/L	.43			23-SEP-91	-.15	PCI/L	.21	
199-N-70	04-SEP-91	-.30	PCI/L	.16							
299-E13-14	11-JUN-91	-.07	PCI/L	.23							

1991 SR-90 DATA						1991 SR-90 DATA					
WELL NAME	SAMPLE DATE	ACTIVITY	UNITS	COUNTING ERROR	DATA REVIEW	WELL NAME	SAMPLE DATE	ACTIVITY	UNITS	COUNTING ERROR	DATA REVIEW
299-E33-3	08-JAN-91	-.03	PCI/L	.19		299-W15-18	09-AUG-91	-.21	PCI/L	.19	
299-E33-30	05-AUG-91	-.25	PCI/L	.24		299-W15-19	14-NOV-91	1.43	PCI/L	.73	
	23-SEP-91	-.06	PCI/L	.24		299-W15-20	05-AUG-91	-.06	PCI/L	.27	
299-E33-31	15-NOV-91	-.30	PCI/L	.40			12-NOV-91	-.58	PCI/L	.41	
299-E33-32	22-NOV-91	-3.67	PCI/L	1.15		299-W15-22	24-SEP-91	.05	PCI/L	.70	
299-E33-33	15-NOV-91	-.21	PCI/L	.46		299-W15-23	05-AUG-91	-.21	PCI/L	.19	
299-E33-34	02-AUG-91	-.04	PCI/L	.28			13-NOV-91	-.38	PCI/L	.37	
	20-SEP-91	.35	PCI/L	.28		299-W15-24	12-NOV-91	-.37	PCI/L	.37	
299-E33-35	30-JUL-91	-.07	PCI/L	.36		299-W15-4	02-JAN-91	-.11	PCI/L	.40	
	24-SEP-91	-.29	PCI/L	.75		299-W18-21	07-AUG-91	-.24	PCI/L	.22	
299-E33-41	25-JUL-91	-.32	PCI/L	.16		299-W18-22	06-AUG-91	-.26	PCI/L	.25	
	21-NOV-91	-.20	PCI/L	.45		299-W18-23	09-AUG-91	-.28	PCI/L	.16	
	21-NOV-91	1.91	PCI/L	.68		299-W18-24	09-AUG-91	-.27	PCI/L	.17	
299-E34-1	18-JAN-91	.44	PCI/L	.34		299-W18-25	01-OCT-91	-.54	PCI/L	.30	
299-E34-2	30-JUL-91	.00	PCI/L	.36		299-W18-26	07-AUG-91	-.22	PCI/L	.26	
	30-JUL-91	-.20	PCI/L	.27			12-NOV-91	-.35	PCI/L	.39	
299-E34-3	29-JUL-91	-.11	PCI/L	.24		299-W18-29	09-OCT-91	-.33	PCI/L	.38	
299-E34-5	29-JUL-91	-.25	PCI/L	.21		299-W19-29	14-JUN-91	-.30	PCI/L	.17	
299-W10-13	08-AUG-91	-.21	PCI/L	.19		299-W19-30	13-JUN-91	.05	PCI/L	.26	
	07-NOV-91	-.10	PCI/L	.22		299-W19-31	01-OCT-91	-.34	PCI/L	.34	
299-W10-14	14-AUG-91	-.08	PCI/L	.29		299-W19-32	01-OCT-91	-.30	PCI/L	.36	
	07-NOV-91	-.10	PCI/L	.28		299-W22-26	04-JAN-91	-.52	PCI/L	.35	
299-W10-15	04-OCT-91	-1.66	PCI/L	.38		299-W22-39	14-NOV-91	-.35	PCI/L	.47	
	04-OCT-91	-1.17	PCI/L	.48		299-W23-13	03-OCT-91	-.37	PCI/L	.41	
299-W10-16	24-SEP-91	-.31	PCI/L	.74		299-W23-14	09-OCT-91	-.40	PCI/L	.35	
299-W10-17	09-OCT-91	-.09	PCI/L	.41		299-W6-2	12-AUG-91	-.15	PCI/L	.38	
299-W10-18	24-SEP-91	-.63	PCI/L	.69			12-AUG-91	-.32	PCI/L	.37	
299-W10-4	02-JAN-91	-.03	PCI/L	.30			13-NOV-91	-.48	PCI/L	.35	
299-W10-9	03-OCT-91	1.49	PCI/L	.81		299-W7-1	07-AUG-91	-.34	PCI/L	.24	
299-W14-5	02-JAN-91	-.09	PCI/L	.21			08-NOV-91	-.03	PCI/L	.24	
299-W14-6	03-JAN-91	-.34	PCI/L	.43		299-W7-10	09-AUG-91	-.20	PCI/L	.19	
299-W15-10	02-JAN-91	-.37	PCI/L	.40			14-NOV-91	-.10	PCI/L	.40	
299-W15-11	02-JAN-91	.91	PCI/L	.60		299-W7-2	07-AUG-91	-.21	PCI/L	.26	
299-W15-16	05-AUG-91	-.23	PCI/L	.24			08-NOV-91	-.09	PCI/L	.20	
299-W15-17	06-AUG-91	.08	PCI/L	.76							
	06-AUG-91	-.15	PCI/L	.27							

WELL NAME	1991 SR-90 DATA				COUNTING ERROR	DATA REVIEW
	SAMPLE DATE	ACTIVITY	UNITS			
299-W7-3	08-AUG-91	-.37	PCI/L	.14		
	08-NOV-91	-.14	PCI/L	.22		
299-W7-4	12-AUG-91	-.20	PCI/L	.29		
	13-NOV-91	-.52	PCI/L	.36		
299-W7-5	09-AUG-91	-.22	PCI/L	.17		
	11-NOV-91	-.13	PCI/L	.22		
299-W7-6	08-NOV-91	-.04	PCI/L	.21		
299-W7-7	09-AUG-91	-.25	PCI/L	.18		
	08-NOV-91	-.04	PCI/L	.23		
299-W7-8	09-AUG-91	-.13	PCI/L	.21		
	11-NOV-91	.70	PCI/L	.43		
299-W7-9	09-AUG-91	-.05	PCI/L	.25		
	08-NOV-91	.16	PCI/L	.25		
299-W8-1	09-AUG-91	-.24	PCI/L	.17		
	13-NOV-91	-.45	PCI/L	.35		
299-W9-1	08-AUG-91	-.18	PCI/L	.20		
	08-NOV-91	-.08	PCI/L	.20		
399-1-17A	23-AUG-91	.57	PCI/L	.35		
	29-AUG-91	.14	PCI/L	.22		
	04-SEP-91	.12	PCI/L	.22		
	11-SEP-91	.12	PCI/L	.39		
	17-SEP-91	.04	PCI/L	.22		
	26-SEP-91	-.26	PCI/L	.37		
	04-OCT-91	.09	PCI/L	.25		
	09-OCT-91	-.10	PCI/L	.24		
	17-OCT-91	.09	PCI/L	.23		
	24-OCT-91	-.03	PCI/L	.17		
	29-OCT-91	.05	PCI/L	.39		
	15-NOV-91	-.28	PCI/L	.39		
	22-NOV-91	.22	PCI/L	.29		
	03-DEC-91	.16	PCI/L	.24		
	19-DEC-91	.20	PCI/L	.39		
	27-DEC-91	.75	PCI/L	.36		
699-40-1	03-DEC-91	-.24	PCI/L	.18		
699-53-47A	10-DEC-91	65.30	PCI/L	2.32		
699-53-48B	02-OCT-91	171.00	PCI/L	3.67		
699-81-58	04-SEP-91	.79	PCI/L	.31		
	04-SEP-91	-.18	PCI/L	.19		

1991 TC-99 DATA						1991 TC-99 DATA					
WELL NAME	SAMPLE DATE	ACTIVITY	UNITS	COUNTING ERROR	DATA REVIEW	WELL NAME	SAMPLE DATE	ACTIVITY	UNITS	COUNTING ERROR	DATA REVIEW
199-B4-5	18-SEP-91	65.0	PCI/L	1.1		199-H4-4	06-JUN-91	4.1	PCI/L	.5	
199-B4-6	19-SEP-91	69.9	PCI/L	1.2		199-H4-5	18-SEP-91	1,030.0	PCI/L	4.1	
199-B4-7	18-SEP-91	51.3	PCI/L	1.0		199-H4-6	22-AUG-91	.4	PCI/L	.4	
199-D2-5	30-OCT-91	.7	PCI/L	.7		199-H4-7	13-SEP-91	1.6	PCI/L	.5	
199-D5-12	30-OCT-91	.8	PCI/L	.7		199-H4-8	10-JUN-91	-2	PCI/L	.4	
199-D8-3	30-OCT-91	1.7	PCI/L	.8		199-H4-9	12-SEP-91	3.3	PCI/L	.5	
199-F5-1	30-OCT-91	-2	PCI/L	.7		199-H4-11	06-JUN-91	-5	PCI/L	.4	
199-F5-4	19-SEP-91	.5	PCI/L	.5		199-H4-12	12-SEP-91	.4	PCI/L	.4	
199-F5-6	19-SEP-91	2.5	PCI/L	.5		199-H4-13	16-AUG-91	.1	PCI/L	.5	
199-F7-1	19-SEP-91	.2	PCI/L	.5		199-H4-14	12-SEP-91	3.8	PCI/L	.5	
199-H3-1	06-JUN-91	-4	PCI/L	.4		199-H4-15A	12-SEP-91	235.0	PCI/L	1.8	
199-H3-2A	06-JUN-91	-3	PCI/L	.4		199-H4-16	26-SEP-91	.4	PCI/L	.5	
199-H3-2B	22-AUG-91	.8	PCI/L	.4		199-H4-17	13-SEP-91	128.0	PCI/L	1.5	
199-H3-2C	06-JUN-91	-4	PCI/L	.4		199-H4-18	18-JUN-91	37.7	PCI/L	.8	
199-H4-11	07-JUN-91	36.7	PCI/L	.8		199-H4-19	13-SEP-91	59.6	PCI/L	1.1	
199-H4-12A	12-SEP-91	114.0	PCI/L	1.3		199-H4-20	06-SEP-91	.3	PCI/L	.4	
199-H4-12B	07-JUN-91	-1	PCI/L	.4		199-H4-21	06-SEP-91	-2	PCI/L	.4	
199-H4-12C	12-SEP-91	164.0	PCI/L	1.5		199-H4-22	12-DEC-91	93.2	PCI/L	2.3	
199-H4-13	23-AUG-91	1.2	PCI/L	.4		199-H4-23	26-JUL-91	39.0	PCI/L	.8	
199-H4-14	07-JUN-91	-2	PCI/L	.4		199-H4-24	15-NOV-91	1.3	PCI/L	.9	
199-H4-15A	22-AUG-91	.1	PCI/L	.4		199-H4-25	31-JUL-91	1.7	PCI/L	.4	
199-H4-15B	13-SEP-91	1.2	PCI/L	.5		199-H4-26	31-DEC-91	2.3	PCI/L	.8	
199-H4-16	22-AUG-91	.6	PCI/L	.4		199-H4-27	12-DEC-91	5.5	PCI/L	1.0	
199-H4-17	07-JUN-91	-5	PCI/L	.4		199-H4-28	18-JUL-91	2.1	PCI/L	.4	
199-H4-18	16-AUG-91	.7	PCI/L	.5		199-H4-29	25-JUN-91	1.1	PCI/L	.4	
199-H4-19	13-SEP-91	68.7	PCI/L	1.1		199-H4-30	25-JUN-91	1.5	PCI/L	.4	
199-H4-20	07-JUN-91	671.0	PCI/L	3.0		199-H4-31	16-SEP-91	1.3	PCI/L	.5	
199-H4-21	07-JUN-91	627.0	PCI/L	2.9							
199-H4-22	13-SEP-91	1,340.0	PCI/L	4.7							
199-H4-23	13-SEP-91	1,570.0	PCI/L	5.1							

1991 TC-99 DATA						1991 TC-99 DATA					
WELL NAME	SAMPLE DATE	ACTIVITY	UNITS	COUNTING ERROR	DATA REVIEW	WELL NAME	SAMPLE DATE	ACTIVITY	UNITS	COUNTING ERROR	DATA REVIEW
299-E25-32P	19-JUL-91	1.3	PCI/L	.4		299-E32-4	05-AUG-91	3.7	PCI/L	.5	
	27-JUN-91	1.4	PCI/L	.4			23-SEP-91	4.0	PCI/L	.5	
299-E25-33	16-SEP-91	.9	PCI/L	.5		299-E32-5	02-AUG-91	14.1	PCI/L	.6	
	26-JUN-91	1.0	PCI/L	.4			20-SEP-91	13.2	PCI/L	.6	
299-E25-37	16-SEP-91	.9	PCI/L	.5		299-E33-28	31-JUL-91	27.1	PCI/L	.7	
	16-JUN-91	1.5	PCI/L	.4			24-SEP-91	28.2	PCI/L	1.3	
299-E25-38	16-SEP-91	1.5	PCI/L	.5		299-E33-29	31-JUL-91	30.8	PCI/L	.8	
	26-JUN-91	2.2	PCI/L	.4			23-SEP-91	32.2	PCI/L	.8	
299-E25-39	16-SEP-91	.5	PCI/L	.5		299-E33-3	08-JAN-91	89.5	PCI/L	2.3	
	20-JUL-91	2.8	PCI/L	.4		299-E33-30	05-AUG-91	27.3	PCI/L	.7	
299-E25-40	20-JUL-91	3.4	PCI/L	.5			23-SEP-91	58.6	PCI/L	1.0	
	26-JUL-91	1.9	PCI/L	.4		299-E33-31	23-JUL-91	236.0	PCI/L	1.8	
299-E25-41	31-JUL-91	1.2	PCI/L	.4			15-NOV-91	272.0	PCI/L	3.9	
299-E27-10	06-NOV-91	.9	PCI/L	.9		299-E33-32	23-JUL-91	42.6	PCI/L	.9	
299-E27-11	23-JUL-91	1.9	PCI/L	.4		299-E33-33	22-JUL-91	5.2	PCI/L	.5	
299-E27-12	18-NOV-91	9.2	PCI/L	1.1			15-NOV-91	3.5	PCI/L	1.0	
	23-JUL-91	40.6	PCI/L	.8		299-E33-34	02-AUG-91	467.0	PCI/L	2.5	
299-E27-13	15-NOV-91	43.1	PCI/L	1.7			20-SEP-91	680.0	PCI/L	3.2	
	23-JUL-91	140.0	PCI/L	1.4		299-E33-35	30-JUL-91	236.0	PCI/L	1.8	
299-E27-14	24-JUL-91	1.9	PCI/L	.4			24-SEP-91	222.0	PCI/L	3.1	
299-E27-15	09-JAN-91	57.5	PCI/L	1.9		299-E33-41	25-JUL-91	333.0	PCI/L	2.2	
299-E27-5	25-JUL-91	1.7	PCI/L	.4		299-E34-1	18-JAN-91	5.3	PCI/L	1.0	
299-E27-7	01-AUG-91	1.9	PCI/L	.4		299-E34-2	30-JUL-91	1.4	PCI/L	.4	
299-E27-8	26-JUL-91	1.6	PCI/L	.4			30-JUL-91	1.4	PCI/L	.4	
299-E27-9	31-DEC-91	42.6	PCI/L	1.5		299-E34-3	29-JUL-91	.8	PCI/L	.4	
299-E28-16	20-SEP-91	4.4	PCI/L	.5		299-E34-5	29-JUL-91	1.4	PCI/L	.4	
299-E28-19	06-AUG-91	7.3	PCI/L	.5		299-E34-7	04-NOV-91	-.2	PCI/L	.4	
299-E28-26	23-SEP-91	3.9	PCI/L	.5		299-W10-13	08-AUG-91	-8.0	PCI/L	.2	
	01-AUG-91	63.3	PCI/L	1.0			07-NOV-91	10.1	PCI/L	1.1	
299-E28-27	23-SEP-91	33.9	PCI/L	.8		299-W10-14	14-AUG-91	1.1	PCI/L	.5	
	02-AUG-91	4.8	PCI/L	.5			07-NOV-91	.0	PCI/L	.9	
299-E28-28	23-SEP-91	3.1	PCI/L	.5		299-W10-15	22-JUL-91	278.0	PCI/L	2.0	
	02-AUG-91	57.2	PCI/L	1.0			04-OCT-91	298.0	PCI/L	3.5	
299-E32-2	23-SEP-91	53.4	PCI/L	1.0			04-OCT-91	297.0	PCI/L	3.5	
	02-AUG-91	29.2	PCI/L	.7		299-W10-16	22-JUL-91	99.1	PCI/L	1.2	
299-E32-3	20-SEP-91	31.9	PCI/L	.8			24-SEP-91	96.0	PCI/L	2.1	
	20-SEP-91	28.9	PCI/L	.8		299-W10-17	09-OCT-91	122.0	PCI/L	2.3	
						299-W10-18	24-SEP-91	41.7	PCI/L	1.5	

1991 TC-99 DATA						1991 TC-99 DATA					
WELL NAME	SAMPLE DATE	ACTIVITY	UNITS	COUNTING ERROR	DATA REVIEW	WELL NAME	SAMPLE DATE	ACTIVITY	UNITS	COUNTING ERROR	DATA REVIEW
299-W10-4	02-JAN-91	199.0	PCI/L	3.2		299-W19-3	18-JUL-91	323.0	PCI/L	2.1	
299-W10-9	22-JUL-91	310.0	PCI/L	2.1		299-W19-30	13-JUN-91	2,800.0	PCI/L	6.2	
	03-OCT-91	309.0	PCI/L	3.6		299-W19-31	01-OCT-91	185.0	PCI/L	1.7	
299-W11-18	02-OCT-91	88.5	PCI/L	2.0		299-W19-32	01-OCT-91	397.0	PCI/L	2.5	
299-W14-6	03-JAN-91	43.2	PCI/L	1.5		299-W22-26	04-JAN-91	26.1	PCI/L	1.3	
299-W15-10	02-JAN-91	42.0	PCI/L	1.5		299-W22-39	14-NOV-91	413.0	PCI/L	4.7	
299-W15-11	02-JAN-91	13.1	PCI/L	1.0		299-W23-10	31-DEC-91	19.0	PCI/L	1.1	
299-W15-16	05-AUG-91	4.9	PCI/L	.5		299-W23-13	03-OCT-91	-2	PCI/L	.7	
299-W15-17	06-AUG-91	8.4	PCI/L	.5		299-W23-14	09-OCT-91	8.9	PCI/L	.9	
	06-AUG-91	8.3	PCI/L	.5		299-W23-7	29-JAN-91	911.0	PCI/L	6.1	
299-W15-18	09-AUG-91	6.6	PCI/L	.5		299-W6-2	12-AUG-91	14.1	PCI/L	.7	
299-W15-19	14-NOV-91	23.2	PCI/L	1.4			12-AUG-91	6.6	PCI/L	.6	
299-W15-20	05-AUG-91	2.4	PCI/L	.4			13-NOV-91	27.8	PCI/L	1.5	
	12-NOV-91	1.6	PCI/L	.9		299-W7-1	07-AUG-91	4.5	PCI/L	.5	
299-W15-22	24-SEP-91	137.0	PCI/L	2.4			08-NOV-91	3.9	PCI/L	1.0	
299-W15-23	05-AUG-91	3.1	PCI/L	.5		299-W7-10	09-AUG-91	-2.5	PCI/L	.4	
	13-NOV-91	4.7	PCI/L	1.0			14-NOV-91	3.8	PCI/L	1.0	
299-W15-24	12-NOV-91	5.2	PCI/L	1.0		299-W7-2	07-AUG-91	.7	PCI/L	.4	
299-W15-4	02-JAN-91	28.1	PCI/L	1.3			08-NOV-91	3.6	PCI/L	1.0	
299-W18-21	07-AUG-91	1.8	PCI/L	.4		299-W7-3	08-AUG-91	1.4	PCI/L	.4	
299-W18-22	06-AUG-91	1.4	PCI/L	.4			08-NOV-91	1.1	PCI/L	.9	
299-W18-23	09-AUG-91	3.0	PCI/L	.4		299-W7-4	12-AUG-91	40.3	PCI/L	1.0	
299-W18-24	09-AUG-91	1.5	PCI/L	.4			13-NOV-91	38.0	PCI/L	1.7	
299-W18-25	11-APR-91	4.1	PCI/L	.7		299-W7-5	09-AUG-91	14.8	PCI/L	.6	
	01-OCT-91	2.8	PCI/L	.5			11-NOV-91	17.3	PCI/L	1.3	
299-W18-26	07-AUG-91	2.2	PCI/L	.4		299-W7-6	12-AUG-91	-1.1	PCI/L	.5	
	12-NOV-91	.2	PCI/L	.9			08-NOV-91	1.4	PCI/L	.9	
299-W18-29	09-OCT-91	-1	PCI/L	.7		299-W7-7	09-AUG-91	1.6	PCI/L	.4	
299-W19-13	02-OCT-91	110.0	PCI/L	2.2			08-NOV-91	2.5	PCI/L	.9	
299-W19-17	31-JAN-91	76.1	PCI/L	1.9		299-W7-8	09-AUG-91	8.0	PCI/L	.5	
299-W19-18	02-JAN-91	140.0	PCI/L	1.4			11-NOV-91	7.8	PCI/L	1.1	
299-W19-24	20-MAR-91	28,500.0	PCI/L	23.4		299-W7-9	09-AUG-91	3.2	PCI/L	.4	
299-W19-29	14-JUN-91	10,000.0	PCI/L	11.5			08-NOV-91	4.0	PCI/L	1.0	
	25-NOV-91	3,470.0	PCI/L	13.0		299-W8-1	09-AUG-91	6.8	PCI/L	.5	
							13-NOV-91	6.4	PCI/L	1.0	
						299-W9-1	08-AUG-91	14.9	PCI/L	.6	
							08-NOV-91	7.2	PCI/L	1.1	
						399-1-1	25-JAN-91	.6	PCI/L	.4	

1991 TC-99 DATA						1991 TC-99 DATA					
WELL NAME	SAMPLE DATE	ACTIVITY	UNITS	COUNTING ERROR	DATA REVIEW	WELL NAME	SAMPLE DATE	ACTIVITY	UNITS	COUNTING ERROR	DATA REVIEW
699-51-63	28-JAN-91	2.6	PCI/L	.8		699-73-61	23-AUG-91	.1	PCI/L	.5	
699-53-47A	10-DEC-91	-.9	PCI/L	.9		699-74-44	31-JAN-91	.2	PCI/L	.7	
699-53-48A	29-JAN-91	-.2	PCI/L	.7		699-77-36	22-AUG-91	.1	PCI/L	.5	
699-53-48B	02-OCT-91	1.5	PCI/L	.9		699-77-54	31-JAN-91	-.3	PCI/L	.4	
699-54-34	28-JAN-91	.6	PCI/L	.8		699-78-62	30-JAN-91	.2	PCI/L	.7	
699-54-48	23-SEP-91	.1	PCI/L	.5		699-81-58	25-SEP-91	.9	PCI/L	.5	
699-55-76	30-JAN-91	.5	PCI/L	.7		699-83-47	31-JAN-91	1.1	PCI/L	.7	
699-55-89	30-JAN-91	1.1	PCI/L	.7		699-87-55	12-SEP-91	2.0	PCI/L	.5	
699-57-29A	30-JAN-91	.9	PCI/L	.7		699-90-45	23-SEP-91	1.3	PCI/L	.5	
699-59-58	31-JAN-91	40.8	PCI/L	1.5		699-96-49	23-AUG-91	-1.0	PCI/L	.5	
699-61-37	30-JAN-91	7.4	PCI/L	.9		699-97-43	12-SEP-91	.5	PCI/L	.5	
699-61-41	30-JAN-91	1.9	PCI/L	.8		699-97-51A	12-SEP-91	.2	PCI/L	.5	
699-61-62	26-AUG-91	93.9	PCI/L	1.2		699-812-29	05-FEB-91	.1	PCI/L	.4	
699-61-66	30-JAN-91	.6	PCI/L	.7		699-S19-E13	01-FEB-91	48.5	PCI/L	1.6	
699-62-31	22-AUG-91	1.1	PCI/L	.5			29-MAR-91	9.2	PCI/L	.7	
699-63-25A	31-JAN-91	.1	PCI/L	.7			21-JUN-91	18.3	PCI/L	.6	
	23-AUG-91	-2.5	PCI/L	.5			13-DEC-91	11.4	PCI/L	1.1	
699-63-55	30-JAN-91	77.9	PCI/L	1.9		699-S27-E14	10-DEC-91	12.5	PCI/L	1.2	
	06-SEP-91	96.4	PCI/L	1.2		699-S28-E0	01-FEB-91	.1	PCI/L	.7	
699-63-58	30-AUG-91	205.0	PCI/L	1.9		699-S29-E12	09-DEC-91	.1	PCI/L	.9	
699-63-90	30-JAN-91	-.1	PCI/L	.7		699-S30-E15A	18-JAN-91	-.4	PCI/L	.8	
699-64-27	22-AUG-91	.2	PCI/L	.5			29-MAR-91	-1.4	PCI/L	.6	
699-65-59A	31-JAN-91	131.0	PCI/L	1.4			21-JUN-91	.9	PCI/L	.4	
	06-SEP-91	163.0	PCI/L	1.5							
699-66-23	22-AUG-91	.1	PCI/L	.5							
699-66-38	31-JAN-91	.1	PCI/L	.7							
699-66-39	30-JAN-91	1.6	PCI/L	.7							
699-66-58	31-JAN-91	137.0	PCI/L	2.4							
	23-SEP-91	190.0	PCI/L	1.7							
699-67-51	31-JAN-91	24.0	PCI/L	1.2							
699-67-86	30-JAN-91	1.6	PCI/L	.7							
699-72-88	23-AUG-91	2.6	PCI/L	.5							

1991 RU-106 DATA					1991 RU-106 DATA				
WELL NAME	SAMPLE DATE	ACTIVITY	UNITS	COUNTING ERROR	DATA REVIEW	WELL NAME	SAMPLE DATE	ACTIVITY	UNITS
199-B4-5	18-SEP-91	-10.10	PCI/L	65.75		199-N-51	30-OCT-91	.37	PCI/L
199-B4-6	19-SEP-91	39.40	PCI/L	54.92		199-N-57	25-MAR-91	20.40	PCI/L
199-B4-7	18-SEP-91	10.30	PCI/L	67.37		05-NOV-91	-1.81	PCI/L	19.19
199-D2-5	30-OCT-91	-9.34	PCI/L	22.88		199-N-59	03-SEP-91	4.57	PCI/L
199-D5-12	30-OCT-91	-12.10	PCI/L	16.61		05-NOV-91	-11.80	PCI/L	20.19
199-D8-3	30-OCT-91	-.91	PCI/L	18.58		25-MAR-91	-10.20	PCI/L	41.57
199-F5-1	30-OCT-91	-26.00	PCI/L	20.25		22-NOV-91	-17.00	PCI/L	33.30
199-F5-4	19-SEP-91	-3.95	PCI/L	19.20		22-NOV-91	-16.40	PCI/L	33.16
199-F7-1	19-SEP-91	-10.40	PCI/L	22.38		17-JAN-91	-3.89	PCI/L	51.04
199-H4-4	16-JAN-91	.69	PCI/L	57.06		04-SEP-91	4.69	PCI/L	28.16
	28-MAR-91	15.10	PCI/L	24.79		02-OCT-91	-15.60	PCI/L	35.83
	06-JUN-91	22.00	PCI/L	37.88		11-JUN-91	-24.60	PCI/L	34.93
	16-AUG-91	3.35	PCI/L	27.84		13-AUG-91	-18.80	PCI/L	27.11
	03-DEC-91	-40.20	PCI/L	39.38		13-SEP-91	17.00	PCI/L	28.75
199-K-11	26-SEP-91	25.20	PCI/L	39.74		18-JUN-91	-14.40	PCI/L	31.11
199-K-27	26-FEB-91	-10.40	PCI/L	27.34		13-SEP-91	2.38	PCI/L	28.12
	17-APR-91	-17.70	PCI/L	28.53		29-AUG-91	-31.40	PCI/L	31.69
199-K-28	26-FEB-91	4.02	PCI/L	19.69		03-SEP-91	9.48	PCI/L	29.20
	17-APR-91	20.60	PCI/L	33.44		19-DEC-91	18.10	PCI/L	62.57
199-K-29	26-FEB-91	.77	PCI/L	33.40		28-AUG-91	18.10	PCI/L	37.78
	18-APR-91	2.26	PCI/L	21.64		19-DEC-91	-17.10	PCI/L	75.58
199-K-30	26-FEB-91	3.53	PCI/L	35.38		26-AUG-91	-26.60	PCI/L	45.98
	17-APR-91	-23.00	PCI/L	36.15		26-AUG-91	-16.10	PCI/L	26.97
199-N-14	18-SEP-91	2.13	PCI/L	38.72		19-DEC-91	43.90	PCI/L	60.24
	18-SEP-91	7.56	PCI/L	34.03		14-AUG-91	5.89	PCI/L	36.96
	18-SEP-91	-2.82	PCI/L	25.16		26-AUG-91	-17.80	PCI/L	29.23
	05-DEC-91	8.61	PCI/L	63.27		06-SEP-91	-48.90	PCI/L	33.89
	05-DEC-91	-77.80	PCI/L	84.12		06-SEP-91	-27.00	PCI/L	29.56
199-N-29	04-SEP-91	-2.75	PCI/L	36.82		06-SEP-91	-2.06	PCI/L	24.66
199-N-3	25-MAR-91	-18.20	PCI/L	30.97		06-SEP-91	15.30	PCI/L	22.83
	05-DEC-91	-22.30	PCI/L	61.62		20-AUG-91	-29.40	PCI/L	31.72
199-N-32	18-SEP-91	-28.90	PCI/L	51.06		13-AUG-91	-9.27	PCI/L	34.89
	18-SEP-91	36.70	PCI/L	30.94		13-AUG-91	2.00	PCI/L	25.96
	05-DEC-91	-25.50	PCI/L	69.77		15-NOV-91	15.30	PCI/L	52.84
199-N-33	04-SEP-91	-29.00	PCI/L	33.62		01-OCT-91	27.10	PCI/L	30.54
199-N-36	04-SEP-91	4.88	PCI/L	21.99					
199-N-41	30-AUG-91	11.00	PCI/L	29.98					
199-N-50	30-OCT-91	4.63	PCI/L	19.36					

1991 RU-106 DATA					
WELL NAME	SAMPLE DATE	ACTIVITY	UNITS	COUNTING ERROR	DATA REVIEW
199-N-51	30-OCT-91	.37	PCI/L	21.58	
199-N-57	25-MAR-91	20.40	PCI/L	27.14	
	05-NOV-91	-1.81	PCI/L	19.19	
199-N-59	03-SEP-91	4.57	PCI/L	24.56	
199-N-66	05-NOV-91	-11.80	PCI/L	20.19	
199-N-67	25-MAR-91	-10.20	PCI/L	41.57	
	22-NOV-91	-17.00	PCI/L	33.30	
199-N-69	22-NOV-91	-16.40	PCI/L	33.16	
199-N-70	17-JAN-91	-3.89	PCI/L	51.04	
	04-SEP-91	4.69	PCI/L	28.16	
	02-OCT-91	-15.60	PCI/L	35.83	
299-E13-14	11-JUN-91	-24.60	PCI/L	34.93	
299-E17-1	13-AUG-91	-18.80	PCI/L	27.11	
299-E17-12	13-SEP-91	17.00	PCI/L	28.75	
299-E17-13	18-JUN-91	-14.40	PCI/L	31.11	
	13-SEP-91	2.38	PCI/L	28.12	
299-E17-14	28-AUG-91	-31.40	PCI/L	31.69	
299-E17-15	03-SEP-91	9.48	PCI/L	29.20	
	19-DEC-91	18.10	PCI/L	62.57	
299-E17-16	28-AUG-91	18.10	PCI/L	37.78	
	19-DEC-91	-17.10	PCI/L	75.58	
299-E17-17	26-AUG-91	-26.60	PCI/L	45.98	
299-E17-18	26-AUG-91	-16.10	PCI/L	26.97	
	19-DEC-91	43.90	PCI/L	60.24	
299-E17-20	14-AUG-91	5.89	PCI/L	36.96	
299-E17-5	26-AUG-91	-17.80	PCI/L	29.23	
299-E18-1	06-SEP-91	-48.90	PCI/L	33.89	
299-E18-2	06-SEP-91	-27.00	PCI/L	29.56	
299-E18-3	06-SEP-91	-2.06	PCI/L	24.66	
299-E18-4	06-SEP-91	15.30	PCI/L	22.83	
299-E24-16	20-AUG-91	-29.40	PCI/L	31.72	
299-E24-17	13-AUG-91	-9.27	PCI/L	34.89	
299-E24-18	13-AUG-91	2.00	PCI/L	25.96	
299-E24-20	15-NOV-91	15.30	PCI/L	52.84	
299-E25-18	01-OCT-91	27.10	PCI/L	30.54	

1991 RU-106 DATA						1991 RU-106 DATA					
WELL NAME	SAMPLE DATE	ACTIVITY	UNITS	COUNTING ERROR	DATA REVIEW	WELL NAME	SAMPLE DATE	ACTIVITY	UNITS	COUNTING ERROR	DATA REVIEW
299-E25-19	01-OCT-91	-4.33	PCI/L	21.04		299-E33-34	02-AUG-91	-3.82	PCI/L	37.26	
299-E25-20	03-OCT-91	32.40	PCI/L	41.98		299-E33-35	20-SEP-91	11.80	PCI/L	20.01	
299-E25-36	20-AUG-91	-1.25	PCI/L	28.56		299-E33-36	30-JUL-91	-3.67	PCI/L	35.84	
299-E27-10	31-JUL-91	-7.27	PCI/L	26.99		299-E33-37	24-SEP-91	18.30	PCI/L	54.13	
299-E27-11	06-NOV-91	-11.80	PCI/L	20.73		299-E33-41	21-AUG-91	-15.10	PCI/L	34.23	
299-E27-12	18-NOV-91	25.10	PCI/L	56.56		299-E34-1	09-SEP-91	5.21	PCI/L	33.94	
299-E27-13	15-NOV-91	-46.70	PCI/L	52.33		299-E34-2	25-JUL-91	7.26	PCI/L	24.91	
299-E27-16	09-SEP-91	-20.30	PCI/L	42.53		299-E34-3	18-JAN-91	-1.38	PCI/L	123.70	
299-E27-5	09-JAN-91	11.10	PCI/L	92.09		299-E34-5	30-JUL-91	8.07	PCI/L	27.67	
299-E27-8	01-AUG-91	18.20	PCI/L	29.16		299-E34-7	30-JUL-91	-7.33	PCI/L	42.31	
299-E27-9	26-JUL-91	11.10	PCI/L	32.42		299-W10-13	29-JUL-91	16.90	PCI/L	19.90	
299-E28-18	21-MAR-91	-28.80	PCI/L	32.29		299-W10-14	29-JUL-91	-4.85	PCI/L	31.44	
299-E28-26	06-AUG-91	-4.44	PCI/L	29.82		299-W10-15	04-NOV-91	7.26	PCI/L	20.47	
299-E28-27	23-SEP-91	13.50	PCI/L	30.93		299-W10-16	08-AUG-91	-10.40	PCI/L	34.86	
299-E28-28	01-AUG-91	18.00	PCI/L	32.63		299-W10-17	07-NOV-91	25.60	PCI/L	57.68	
299-E32-2	02-AUG-91	-1.17	PCI/L	29.08		299-W10-18	14-AUG-91	25.20	PCI/L	25.15	
299-E32-3	02-AUG-91	5.24	PCI/L	31.30		299-W10-4	07-NOV-91	65.00	PCI/L	48.04	
299-E32-4	05-AUG-91	-4.15	PCI/L	30.72		299-W10-9	04-OCT-91	-49.70	PCI/L	35.80	
299-E32-5	02-AUG-91	-6.85	PCI/L	31.20		299-W14-5	04-OCT-91	-8.40	PCI/L	82.92	
299-E33-28	31-JUL-91	-1.72	PCI/L	33.60		299-W14-6	24-SEP-91	41.00	PCI/L	58.36	
299-E33-29	24-SEP-91	43.30	PCI/L	52.42		299-W15-10	09-OCT-91	30.50	PCI/L	55.80	
299-E33-3	08-JAN-91	13.10	PCI/L	94.43		299-W15-11	24-SEP-91	-52.30	PCI/L	71.85	
299-E33-30	05-AUG-91	10.70	PCI/L	28.58		299-W15-16	02-JAN-91	123.00	PCI/L	124.40	
299-E33-31	15-NOV-91	-58.00	PCI/L	56.99		299-W15-17	03-OCT-91	-8.48	PCI/L	50.89	
299-E33-33	15-NOV-91	-60.90	PCI/L	53.66		299-W15-18	02-JAN-91	-65.60	PCI/L	118.30	
						299-W15-19	03-JAN-91	-1.41	PCI/L	127.20	
						299-W15-20	02-JAN-91	1.40	PCI/L	85.62	
							02-JAN-91	-36.20	PCI/L	85.76	
							05-AUG-91	15.70	PCI/L	30.92	
							06-AUG-91	9.69	PCI/L	29.86	
							06-AUG-91	35.10	PCI/L	27.19	
							09-AUG-91	-9.79	PCI/L	33.81	
							14-NOV-91	16.70	PCI/L	49.49	
							05-AUG-91	-10.90	PCI/L	29.82	

1991 RU-106 DATA					1991 RU-106 DATA						
WELL NAME	SAMPLE DATE	ACTIVITY	UNITS	COUNTING ERROR	DATA REVIEW	WELL NAME	SAMPLE DATE	ACTIVITY	UNITS	COUNTING ERROR	DATA REVIEW
299-W15-20	12-NOV-91	47.70	PCI/L	52.74		299-W23-14	09-OCT-91	31.80	PCI/L	56.73	
299-W15-22	24-SEP-91	-51.10	PCI/L	75.79		299-W26-10	21-AUG-91	1.57	PCI/L	27.96	
299-W15-23	05-AUG-91	-26.20	PCI/L	32.43		299-W26-12	28-AUG-91	-23.00	PCI/L	27.39	
	13-NOV-91	-5.76	PCI/L	49.92		299-W26-7	21-AUG-91	35.30	PCI/L	31.93	
299-W15-24	05-AUG-91	7.45	PCI/L	36.85		299-W6-2	12-AUG-91	3.57	PCI/L	30.32	
	12-NOV-91	-56.20	PCI/L	45.41			12-AUG-91	-13.60	PCI/L	38.04	
299-W15-4	02-JAN-91	-29.80	PCI/L	133.30			13-NOV-91	-27.80	PCI/L	63.44	
299-W18-17	20-MAR-91	-22.80	PCI/L	30.62		299-W7-1	07-AUG-91	3.64	PCI/L	36.48	
299-W18-20	20-MAR-91	12.90	PCI/L	29.93			08-NOV-91	38.20	PCI/L	49.37	
299-W18-21	07-AUG-91	-12.40	PCI/L	42.58		299-W7-10	09-AUG-91	-27.50	PCI/L	32.34	
299-W18-22	06-AUG-91	-24.70	PCI/L	35.09			14-NOV-91	-24.60	PCI/L	51.80	
299-W18-23	09-AUG-91	-6.33	PCI/L	27.97		299-W7-2	07-AUG-91	-7.66	PCI/L	24.25	
299-W18-24	09-AUG-91	-39.20	PCI/L	43.16			08-NOV-91	8.11	PCI/L	57.45	
299-W18-25	01-OCT-91	.79	PCI/L	44.12		299-W7-3	08-AUG-91	-11.60	PCI/L	28.42	
299-W18-26	07-AUG-91	-21.90	PCI/L	32.85			08-NOV-91	44.60	PCI/L	47.61	
	12-NOV-91	-7.77	PCI/L	58.44		299-W7-4	12-AUG-91	-22.50	PCI/L	33.95	
299-W18-29	09-OCT-91	-23.10	PCI/L	67.66			13-NOV-91	-13.00	PCI/L	60.55	
299-W19-24	20-MAR-91	16.50	PCI/L	28.73		299-W7-5	09-AUG-91	9.79	PCI/L	39.61	
299-W19-29	14-JUN-91	45.00	PCI/L	28.97			11-NOV-91	-35.40	PCI/L	60.98	
	25-NOV-91	25.30	PCI/L	29.91		299-W7-6	12-AUG-91	-11.60	PCI/L	32.56	
299-W19-30	13-JUN-91	15.60	PCI/L	28.60			08-NOV-91	-1.47	PCI/L	41.68	
299-W19-31	01-OCT-91	46.00	PCI/L	59.24		299-W7-7	09-AUG-91	-22.90	PCI/L	31.00	
299-W19-32	01-OCT-91	-38.00	PCI/L	76.83			08-NOV-91	-40.00	PCI/L	59.93	
299-W22-20	18-JAN-91	-61.69	PCI/L	49.70		299-W7-8	09-AUG-91	19.70	PCI/L	33.34	
	01-APR-91	-26.50	PCI/L	30.42			11-NOV-91	-25.50	PCI/L	50.94	
	18-JUN-91	20.50	PCI/L	29.21		299-W7-9	09-AUG-91	-5.64	PCI/L	28.31	
	04-SEP-91	-7.45	PCI/L	28.69			08-NOV-91	-57.00	PCI/L	51.24	
299-W22-26	04-JAN-91	11.80	PCI/L	100.40		299-W8-1	09-AUG-91	7.54	PCI/L	33.97	
299-W22-39	14-NOV-91	57.70	PCI/L	35.80			13-NOV-91	6.13	PCI/L	50.92	
299-W22-40	03-SEP-91	-2.77	PCI/L	35.26		299-W9-1	08-AUG-91	-13.70	PCI/L	30.35	
299-W22-41	03-SEP-91	-9.76	PCI/L	33.73			08-NOV-91	25.50	PCI/L	39.64	
299-W22-42	03-SEP-91	-14.00	PCI/L	31.15		399-1-17A	16-JAN-91	-12.90	PCI/L	49.76	
299-W22-43	04-SEP-91	4.98	PCI/L	22.45			25-MAR-91	20.00	PCI/L	25.76	
	04-SEP-91	34.80	PCI/L	28.57			25-MAR-91	-19.00	PCI/L	49.96	
299-W23-13	03-OCT-91	-18.30	PCI/L	63.23			24-JUN-91	26.40	PCI/L	35.36	
							23-AUG-91	-10.20	PCI/L	35.29	
							29-AUG-91	-27.00	PCI/L	35.18	
							04-SEP-91	-6.23	PCI/L	28.49	
							11-SEP-91	-20.10	PCI/L	32.92	
							11-SEP-91	-13.50	PCI/L	28.33	
							17-SEP-91	8.98	PCI/L	33.47	
							26-SEP-91	-23.90	PCI/L	74.52	
							04-OCT-91	-11.90	PCI/L	37.18	

WELL NAME	1991 RU-106 DATA					1991 RU-106 DATA					1991 RU-106 DATA				
	SAMPLE DATE	ACTIVITY	UNITS	COUNTING ERROR	DATA REVIEW	SAMPLE DATE	ACTIVITY	UNITS	COUNTING ERROR	DATA REVIEW	SAMPLE DATE	ACTIVITY	UNITS	COUNTING ERROR	DATA REVIEW
399-1-17A	09-OCT-91	29.20	PCI/L	34.04		03-DEC-91	-1.07	PCI/L	34.26		03-DEC-91	-1.07	PCI/L	34.26	
	17-OCT-91	31.72	PCI/L	31.72		09-DEC-91	-19.20	PCI/L	50.18		09-DEC-91	-19.20	PCI/L	50.18	
	24-OCT-91	3.89	PCI/L	23.22		18-JUL-91	-11.30	PCI/L	35.54		18-JUL-91	-11.30	PCI/L	35.54	
	29-OCT-91	7.22	PCI/L	20.91		09-DEC-91	4.54	PCI/L	60.94		09-DEC-91	4.54	PCI/L	60.94	
	05-NOV-91	2.18	PCI/L	20.72		30-DEC-91	-15.20	PCI/L	68.06		30-DEC-91	-15.20	PCI/L	68.06	
	15-NOV-91	-21.10	PCI/L	57.24		19-JUL-91	-10.10	PCI/L	34.85		19-JUL-91	-10.10	PCI/L	34.85	
	03-DEC-91	7.57	PCI/L	34.09		19-JUL-91	-4.41	PCI/L	31.58		19-JUL-91	-4.41	PCI/L	31.58	
	19-DEC-91	.77	PCI/L	46.96		31-JAN-91	-2.73	PCI/L	35.98		31-JAN-91	-2.73	PCI/L	35.98	
	27-DEC-91	-5.36	PCI/L	49.62		18-JAN-91	57.00	PCI/L	41.17		18-JAN-91	57.00	PCI/L	41.17	
						04-APR-91	-19.80	PCI/L	33.26		04-APR-91	-19.80	PCI/L	33.26	
699-10-E12	09-DEC-91	15.30	PCI/L	62.64		20-JUN-91	-13.00	PCI/L	2.77		20-JUN-91	-13.00	PCI/L	2.77	
699-17-5	09-DEC-91	15.30	PCI/L	62.64		23-AUG-91	3.76	PCI/L	31.85		23-AUG-91	3.76	PCI/L	31.85	
	16-JAN-91	16.50	PCI/L	61.72		21-JUN-91	31.30	PCI/L	90.71		21-JUN-91	31.30	PCI/L	90.71	
	28-MAR-91	10.60	PCI/L	29.42		05-DEC-91	-54.90	PCI/L	79.81		05-DEC-91	-54.90	PCI/L	79.81	
	20-JUN-91	31.20	PCI/L	27.58		23-AUG-91	1.18	PCI/L	27.40		23-AUG-91	1.18	PCI/L	27.40	
699-24-33	11-SEP-91	-22.40	PCI/L	35.17		22-AUG-91	10.80	PCI/L	28.84		22-AUG-91	10.80	PCI/L	28.84	
	28-MAR-91	6.83	PCI/L	30.75		23-AUG-91	13.80	PCI/L	27.59		23-AUG-91	13.80	PCI/L	27.59	
	20-JUN-91	34.50	PCI/L	36.98		04-SEP-91	26.00	PCI/L	25.87		04-SEP-91	26.00	PCI/L	25.87	
	10-SEP-91	-23.70	PCI/L	35.26		04-SEP-91	16.10	PCI/L	28.03		04-SEP-91	16.10	PCI/L	28.03	
699-32-43	16-JAN-91	-17.90	PCI/L	43.36		12-SEP-91	1.67	PCI/L	30.62		12-SEP-91	1.67	PCI/L	30.62	
	28-MAR-91	-17.90	PCI/L	32.21		12-SEP-91	13.40	PCI/L	23.90		12-SEP-91	13.40	PCI/L	23.90	
	18-JUN-91	24.30	PCI/L	34.17		12-SEP-91	-9.53	PCI/L	26.08		12-SEP-91	-9.53	PCI/L	26.08	
	10-SEP-91	-26.10	PCI/L	33.22		17-JAN-91	4.15	PCI/L	30.86		17-JAN-91	4.15	PCI/L	30.86	
699-34-8	21-AUG-91	8.75	PCI/L	30.21		01-APR-91	14.30	PCI/L	27.66		01-APR-91	14.30	PCI/L	27.66	
	17-JAN-91	-42.70	PCI/L	42.83		24-JUN-91	-17.80	PCI/L	28.60		24-JUN-91	-17.80	PCI/L	28.60	
	15-APR-91	-7.28	PCI/L	32.47		10-SEP-91	10.80	PCI/L	28.88		10-SEP-91	10.80	PCI/L	28.88	
	14-JUN-91	.80	PCI/L	34.68		03-DEC-91	3.40	PCI/L	26.68		03-DEC-91	3.40	PCI/L	26.68	
699-36-46R	10-SEP-91	-1.67	PCI/L	41.64		13-DEC-91	-7.32	PCI/L	56.74		13-DEC-91	-7.32	PCI/L	56.74	
	16-JAN-91	-12.30	PCI/L	52.33		10-DEC-91	-57.50	PCI/L	60.02		10-DEC-91	-57.50	PCI/L	60.02	
	24-SEP-91	-19.70	PCI/L	31.68		09-DEC-91	-23.70	PCI/L	65.62		09-DEC-91	-23.70	PCI/L	65.62	
	16-JAN-91	19.20	PCI/L	42.80		18-JAN-91	-27.40	PCI/L	53.67		18-JAN-91	-27.40	PCI/L	53.67	
699-37-E4	01-APR-91	-12.30	PCI/L	29.31		29-MAR-91	-11.60	PCI/L	24.43		29-MAR-91	-11.60	PCI/L	24.43	
	10-SEP-91	4.75	PCI/L	32.22		21-JUN-91	16.70	PCI/L	30.61		21-JUN-91	16.70	PCI/L	30.61	
	30-DEC-91	-29.20	PCI/L	74		09-SEP-91	-33.90	PCI/L	27.74		09-SEP-91	-33.90	PCI/L	27.74	
	22-AUG-91	-18.90	PCI/L	11		03-DEC-91	1.51	PCI/L	31.67		03-DEC-91	1.51	PCI/L	31.67	
699-38-65	18-JAN-91	8.82	PCI/L	42.93		25-JUL-91	-33.20	PCI/L	31.67		25-JUL-91	-33.20	PCI/L	31.67	
	29-MAR-91	-7.27	PCI/L	25.17											
	10-SEP-91	8.28	PCI/L	21.42											
	03-DEC-91	-17.20	PCI/L	33.40											
699-38-70	16-JAN-91	17.30	PCI/L	50.69											
	15-APR-91	4.73	PCI/L	30.82											
	20-JUN-91	2.00	PCI/L	25.86											
	10-SEP-91	19.40	PCI/L	27.63											
699-39-0	30-DEC-91	-8.45	PCI/L	62.39											
	16-JAN-91	113.00	PCI/L	114.70											
	15-APR-91	-46.90	PCI/L	32.52											
	26-JUN-91	18.10	PCI/L	27.90											
699-40-1	10-SEP-91	-3.35	PCI/L	38.72											
699-40-33A															
699-40-62															
699-41-1															

WELL NAME	1991 RU-106 DATA				COUNTING ERROR	DATA REVIEW
	SAMPLE DATE	ACTIVITY	UNITS			
699-S41-E11	30-AUG-91	15.10	PCI/L		26.30	
699-S41-E13B	29-AUG-91	20.60	PCI/L		26.56	
699-S41-E13C	29-AUG-91	-14.70	PCI/L		35.67	
699-S6-E14A	17-JAN-91	26.60	PCI/L		53.43	
	29-JUL-91	-20.40	PCI/L		28.77	
699-S6-E4D	17-JAN-91	-10.20	PCI/L		45.05	
	29-MAR-91	-13.10	PCI/L		26.89	
	21-JUN-91	15.40	PCI/L		32.02	
	10-SEP-91	16.00	PCI/L		28.56	
	03-DEC-91	9.16	PCI/L		27.12	

1991 SB-125 DATA						1991 SB-125 DATA					
WELL NAME	SAMPLE DATE	ACTIVITY	UNITS	COUNTING ERROR	DATA REVIEW	WELL NAME	SAMPLE DATE	ACTIVITY	UNITS	COUNTING ERROR	DATA REVIEW
199-B4-5	18-SEP-91	7.64	PCI/L	15.09		199-N-51	30-OCT-91	3.05	PCI/L	5.11	
199-B4-6	19-SEP-91	6.67	PCI/L	16.24		199-N-57	25-MAR-91	-53	PCI/L	8.12	
199-B4-7	18-SEP-91	-1.07	PCI/L	17.23			05-NOV-91	2.62	PCI/L	4.97	
199-D2-5	30-OCT-91	-65	PCI/L	7.09		199-N-59	03-SEP-91	-9.94	PCI/L	7.79	
199-D5-12	30-OCT-91	2.37	PCI/L	4.97		199-N-66	05-NOV-91	18.20	PCI/L	6.60	
199-D8-3	30-OCT-91	-26	PCI/L	5.39		199-N-67	25-MAR-91	26.40	PCI/L	11.68	
199-F5-1	30-OCT-91	-252	PCI/L	4.79			22-NOV-91	14.50	PCI/L	10.88	
199-F5-4	19-SEP-91	5.27	PCI/L	5.57		199-N-69	22-NOV-91	3.80	PCI/L	7.93	
199-F7-1	19-SEP-91	2.57	PCI/L	4.39		199-N-70	17-JAN-91	10.10	PCI/L	10.15	
199-H4-4	16-JAN-91	6.73	PCI/L	11.62			04-SEP-91	7.82	PCI/L	8.31	
	28-MAR-91	-4.38	PCI/L	8.53			02-OCT-91	12.60	PCI/L	11.45	
	06-JUN-91	5.13	PCI/L	9.38		299-E13-14	11-JUN-91	-3.00	PCI/L	6.85	
	16-AUG-91	-3.43	PCI/L	8.85		299-E17-1	13-AUG-91	-3.26	PCI/L	7.21	
	03-DEC-91	.37	PCI/L	10.35		299-E17-12	13-SEP-91	.73	PCI/L	7.04	
199-K-11	26-SEP-91	3.62	PCI/L	9.95		299-E17-13	18-JUN-91	6.97	PCI/L	8.86	
199-K-27	26-FEB-91	103.00	PCI/L	17.59			13-SEP-91	-1.62	PCI/L	7.42	
	17-APR-91	75.90	PCI/L	15.08		299-E17-14	28-AUG-91	7.34	PCI/L	8.31	
199-K-28	26-FEB-91	6.39	PCI/L	9.59		299-E17-15	03-SEP-91	.00	PCI/L	7.64	
	17-APR-91	20.30	PCI/L	11.39			19-DEC-91	-17.60	PCI/L	17.40	
199-K-29	26-FEB-91	-1.11	PCI/L	8.90		299-E17-16	28-AUG-91	2.84	PCI/L	8.72	
	18-APR-91	1.48	PCI/L	8.45			19-DEC-91	13.30	PCI/L	17.79	
199-K-30	26-FEB-91	2.42	PCI/L	9.83		299-E17-17	26-AUG-91	-3.23	PCI/L	10.80	
	17-APR-91	5.55	PCI/L	9.58		299-E17-18	26-AUG-91	-1.89	PCI/L	6.95	
199-N-14	18-SEP-91	12.50	PCI/L	11.97			19-DEC-91	-4.06	PCI/L	15.30	
	18-SEP-91	12.80	PCI/L	10.14		299-E17-20	14-AUG-91	-2.58	PCI/L	9.74	
	18-SEP-91	6.26	PCI/L	8.88		299-E17-5	26-AUG-91	7.26	PCI/L	6.78	
	05-DEC-91	.17	PCI/L	17.20			06-SEP-91	1.21	PCI/L	7.08	
	05-DEC-91	3.32	PCI/L	18.41		299-E18-1	06-SEP-91	5.66	PCI/L	7.28	
199-N-29	04-SEP-91	30.20	PCI/L	10.90			06-SEP-91	-1.19	PCI/L	8.68	
199-N-3	25-MAR-91	8.99	PCI/L	9.28		299-E18-2	06-SEP-91	4.32	PCI/L	6.65	
	05-DEC-91	4.12	PCI/L	17.22		299-E18-3	06-SEP-91	-4.70	PCI/L	8.12	
199-N-32	18-SEP-91	26.70	PCI/L	15.32			20-AUG-91	-4.70	PCI/L	8.12	
	18-SEP-91	19.00	PCI/L	10.51		299-E24-17	13-AUG-91	-3.43	PCI/L	8.87	
	05-DEC-91	27.10	PCI/L	19.43			13-AUG-91	.00	PCI/L	6.88	
199-N-33	04-SEP-91	25.30	PCI/L	12.07		299-E24-18	13-AUG-91	-4.76	PCI/L	15.33	
199-N-36	04-SEP-91	29.70	PCI/L	11.47			15-NOV-91	-3.83	PCI/L	8.40	
199-N-41	30-AUG-91	7.26	PCI/L	9.81		299-E25-18	01-OCT-91				
199-N-50	30-OCT-91	.97	PCI/L	5.61							

1991 SB-125 DATA					1991 SB-125 DATA						
WELL NAME	SAMPLE DATE	ACTIVITY	UNITS	COUNTING ERROR	DATA REVIEW	WELL NAME	SAMPLE DATE	ACTIVITY	UNITS	COUNTING ERROR	DATA REVIEW
299-E25-19	01-OCT-91	1.68	PCI/L	7.59		299-E33-34	02-AUG-91	5.45	PCI/L	6.34	
299-E25-20	03-OCT-91	-1.14	PCI/L	9.97		299-E33-35	20-SEP-91	2.70	PCI/L	6.51	
299-E25-36	20-AUG-91	3.42	PCI/L	7.91		299-E33-36	30-JUL-91	4.62	PCI/L	8.46	
299-E27-10	31-JUL-91	-1.36	PCI/L	7.11		299-E33-37	24-SEP-91	2.71	PCI/L	13.28	
299-E27-11	06-NOV-91	-2.19	PCI/L	5.46		299-E33-41	21-AUG-91	9.82	PCI/L	9.21	
299-E27-12	18-NOV-91	4.78	PCI/L	19.44		299-E34-1	09-SEP-91	1.10	PCI/L	7.74	
299-E27-13	15-NOV-91	-10.60	PCI/L	14.32		299-E34-2	25-JUL-91	2.38	PCI/L	6.47	
299-E27-16	09-SEP-91	.38	PCI/L	10.35		299-E34-3	18-JAN-91	-11.20	PCI/L	23.57	
299-E27-5	09-JAN-91	-11.00	PCI/L	17.36		299-E34-5	30-JUL-91	-3.66	PCI/L	7.52	
299-E27-8	01-AUG-91	-2.01	PCI/L	7.91		299-E34-7	30-JUL-91	.85	PCI/L	9.22	
299-E27-9	26-JUL-91	-.94	PCI/L	9.32		299-E34-13	29-JUL-91	4.01	PCI/L	6.10	
299-E28-18	21-MAR-91	.53	PCI/L	7.45		299-E34-14	29-JUL-91	-1.41	PCI/L	7.35	
299-E28-26	06-AUG-91	-3.00	PCI/L	7.67		299-E34-15	04-NOV-91	-.83	PCI/L	5.33	
299-E28-27	23-SEP-91	2.18	PCI/L	8.73		299-E34-16	07-NOV-91	.00	PCI/L	14.40	
299-E28-28	01-AUG-91	-1.34	PCI/L	9.23		299-E34-17	14-AUG-91	4.62	PCI/L	7.95	
299-E32-2	02-AUG-91	-1.86	PCI/L	8.62		299-E34-18	07-NOV-91	7.45	PCI/L	14.89	
299-E32-3	20-SEP-91	-3.25	PCI/L	7.86		299-E34-19	04-OCT-91	1.05	PCI/L	6.28	
299-E32-4	05-AUG-91	7.87	PCI/L	9.53		299-E34-20	04-OCT-91	2.29	PCI/L	20.46	
299-E32-5	02-AUG-91	3.54	PCI/L	7.82		299-E34-21	24-SEP-91	.00	PCI/L	15.15	
299-E33-28	31-JUL-91	-4.99	PCI/L	10.73		299-E34-22	09-OCT-91	11.90	PCI/L	14.98	
299-E33-29	23-SEP-91	-3.52	PCI/L	7.53		299-E34-23	24-SEP-91	-2.67	PCI/L	21.04	
299-E33-3	08-JAN-91	7.04	PCI/L	19.91		299-E34-24	02-JAN-91	-18.40	PCI/L	27.58	
299-E33-30	05-AUG-91	2.84	PCI/L	7.78		299-E34-25	03-OCT-91	1.46	PCI/L	14.08	
299-E33-31	15-NOV-91	5.53	PCI/L	18.62		299-E34-26	02-JAN-91	11.20	PCI/L	21.37	
299-E33-33	15-NOV-91	-1.26	PCI/L	14.01		299-E34-27	03-JAN-91	-5.30	PCI/L	23.09	
						299-E34-28	02-JAN-91	-13.80	PCI/L	21.72	
						299-E34-29	02-JAN-91	5.28	PCI/L	19.04	
						299-E34-30	05-AUG-91	7.88	PCI/L	7.49	
						299-E34-31	06-AUG-91	-9.27	PCI/L	7.15	
						299-E34-32	06-AUG-91	-4.64	PCI/L	7.44	
						299-E34-33	09-AUG-91	-1.15	PCI/L	9.19	
						299-E34-34	14-NOV-91	-1.05	PCI/L	14.70	
						299-E34-35	05-AUG-91	1.62	PCI/L	7.06	
							12-NOV-91	-8.43	PCI/L	15.19	

1991 SB-125 DATA						1991 SB-125 DATA					
WELL NAME	SAMPLE DATE	ACTIVITY	UNITS	COUNTING ERROR	DATA REVIEW	WELL NAME	SAMPLE DATE	ACTIVITY	UNITS	COUNTING ERROR	DATA REVIEW
299-W15-22	24-SEP-91	-7.66	PCI/L	16.80		299-W23-14	09-OCT-91	4.41	PCI/L	15.24	
299-W15-23	05-AUG-91	-18	PCI/L	8.20		299-W26-10	21-AUG-91	1.59	PCI/L	8.83	
	13-NOV-91	-9.79	PCI/L	13.91		299-W26-12	28-AUG-91	9.75	PCI/L	6.68	
299-W15-24	05-AUG-91	-6.16	PCI/L	10.72		299-W26-7	21-AUG-91	-1.91	PCI/L	10.44	
	12-NOV-91	-9.46	PCI/L	15.02		299-W6-2	12-AUG-91	-1.25	PCI/L	9.45	
299-W15-4	02-JAN-91	-15.40	PCI/L	27.28			12-AUG-91	1.63	PCI/L	10.61	
							13-NOV-91	-3.71	PCI/L	13.65	
299-W18-17	20-MAR-91	-53	PCI/L	8.15		299-W7-1	07-AUG-91	4.67	PCI/L	7.58	
299-W18-20	20-MAR-91	-3.18	PCI/L	8.22			08-NOV-91	-15.80	PCI/L	14.14	
299-W18-21	07-AUG-91	2.59	PCI/L	9.60		299-W7-10	09-AUG-91	-14.20	PCI/L	8.00	
299-W18-22	06-AUG-91	1.38	PCI/L	8.04			14-NOV-91	25.10	PCI/L	13.23	
299-W18-23	09-AUG-91	-57	PCI/L	9.24		299-W7-2	07-AUG-91	4.63	PCI/L	7.19	
299-W18-24	09-AUG-91	1.15	PCI/L	10.28			08-NOV-91	-1.06	PCI/L	15.47	
299-W18-25	01-OCT-91	-8.87	PCI/L	18.10		299-W7-3	08-AUG-91	-1.63	PCI/L	6.62	
299-W18-26	07-AUG-91	-7.84	PCI/L	8.19			08-NOV-91	-7.56	PCI/L	14.65	
	12-NOV-91	-92	PCI/L	18.37		299-W7-4	12-AUG-91	4.39	PCI/L	8.64	
299-W18-29	09-OCT-91	6.44	PCI/L	18.23			13-NOV-91	-5.33	PCI/L	15.59	
299-W19-24	20-MAR-91	6.52	PCI/L	7.24		299-W7-5	09-AUG-91	-67	PCI/L	10.48	
299-W19-29	14-JUN-91	1.68	PCI/L	9.29			11-NOV-91	-4.98	PCI/L	15.11	
	25-NOV-91	-7.13	PCI/L	10.36		299-W7-6	12-AUG-91	4.15	PCI/L	8.31	
299-W19-30	13-JUN-91	-1.62	PCI/L	7.67			08-NOV-91	-8.43	PCI/L	15.20	
299-W19-31	01-OCT-91	-9.14	PCI/L	17.40		299-W7-7	09-AUG-91	-2.18	PCI/L	8.14	
299-W19-32	01-OCT-91	-15.70	PCI/L	23.77			08-NOV-91	.86	PCI/L	16.44	
299-W22-20	18-JAN-91	-1.55	PCI/L	7.58		299-W7-8	09-AUG-91	.27	PCI/L	8.11	
	01-APR-91	-5.45	PCI/L	6.81			11-NOV-91	2.10	PCI/L	15.16	
	18-JUN-91	5.43	PCI/L	9.17		299-W8-1	09-AUG-91	-18	PCI/L	8.16	
	04-SEP-91	-1.63	PCI/L	8.63			13-NOV-91	4.98	PCI/L	15.57	
299-W22-26	04-JAN-91	2.35	PCI/L	16.66		299-W9-1	08-AUG-91	-3.54	PCI/L	8.32	
							08-NOV-91	-16	PCI/L	14.90	
299-W22-39	14-NOV-91	3.14	PCI/L	13.14		399-1-17A	16-JAN-91	-3.18	PCI/L	11.30	
299-W22-40	03-SEP-91	.71	PCI/L	9.22			25-MAR-91	.53	PCI/L	7.40	
299-W22-41	03-SEP-91	.48	PCI/L	10.47			24-JUN-91	-16.40	PCI/L	17.93	
299-W22-42	03-SEP-91	1.37	PCI/L	8.02			23-AUG-91	-2.29	PCI/L	7.91	
299-W22-43	04-SEP-91	2.11	PCI/L	6.87			29-AUG-91	-3.25	PCI/L	10.87	
	04-SEP-91	3.24	PCI/L	9.17			29-AUG-91	8.90	PCI/L	9.40	
299-W23-13	03-OCT-91	7.10	PCI/L	15.68			04-SEP-91	-3.12	PCI/L	9.60	
							11-SEP-91	-3.60	PCI/L	9.22	
							11-SEP-91	-2.43	PCI/L	7.72	
							17-SEP-91	-7.96	PCI/L	10.66	
							26-SEP-91	-12.00	PCI/L	16.20	
							04-OCT-91	7.37	PCI/L	8.35	
							09-OCT-91	1.33	PCI/L	9.92	

WELL NAME	1991 SB-125 DATA				COUNTING ERROR	DATA REVIEW
	SAMPLE DATE	ACTIVITY	UNITS			
399-1-17A	17-OCT-91	3.69	PCI/L		7.52	
	24-OCT-91	1.30	PCI/L		6.84	
	29-OCT-91	-6.5	PCI/L		6.50	
	05-NOV-91	-1.19	PCI/L		4.63	
	15-NOV-91	10.60	PCI/L		16.12	
699-10-E12	03-DEC-91	1.75	PCI/L		8.32	
	19-DEC-91	-2.22	PCI/L		17.73	
	27-DEC-91	6.26	PCI/L		18.01	
	09-DEC-91	-4.97	PCI/L		21.47	
	16-JAN-91	-15.70	PCI/L		12.76	
699-17-5	28-MAR-91	3.70	PCI/L		7.41	
	20-JUN-91	-3.63	PCI/L		10.27	
	11-SEP-91	-7.45	PCI/L		7.67	
	28-MAR-91	-1.63	PCI/L		7.92	
	20-JUN-91	4.40	PCI/L		9.50	
699-24-33	10-SEP-91	3.71	PCI/L		7.58	
	17-JAN-91	-5.81	PCI/L		8.84	
	16-JAN-91	-5.91	PCI/L		8.39	
	28-MAR-91	.26	PCI/L		7.14	
	18-JUN-91	-4.95	PCI/L		9.19	
699-31-31	10-SEP-91	4.65	PCI/L		10.05	
	21-AUG-91	.86	PCI/L		8.26	
	17-JAN-91	-3.39	PCI/L		9.57	
	15-APR-91	2.38	PCI/L		6.98	
	14-JUN-91	3.84	PCI/L		7.68	
699-34-8	10-SEP-91	2.86	PCI/L		8.62	
	16-JAN-91	-1.59	PCI/L		12.07	
	24-SEP-91	.38	PCI/L		8.80	
	16-JAN-91	3.49	PCI/L		7.89	
	01-APR-91	-1.38	PCI/L		7.20	
699-35-70	10-SEP-91	5.73	PCI/L		8.13	
	30-DEC-91	-6.28	PCI/L		14.97	
	22-AUG-91	1.35	PCI/L		8.20	
	18-JAN-91	1.48	PCI/L		9.61	
	29-MAR-91	5.60	PCI/L		7.40	
699-36-46R	10-SEP-91	4.05	PCI/L		6.16	
	03-DEC-91	-1.83	PCI/L		6.73	
	16-JAN-91	1.91	PCI/L		10.56	
	15-APR-91	8.46	PCI/L		7.17	
	20-JUN-91	-1.36	PCI/L		7.08	
699-37-E4	10-SEP-91	-1.91	PCI/L		8.83	
	30-DEC-91	-3.37	PCI/L		16.91	
	16-JAN-91	-13.00	PCI/L		22.48	
	15-APR-91	-2.38	PCI/L		7.66	
	26-JUN-91	-7.03	PCI/L		9.82	
699-38-65	17-OCT-91	3.69	PCI/L		7.52	
	24-OCT-91	1.30	PCI/L		6.84	
	29-OCT-91	-6.5	PCI/L		6.50	
	05-NOV-91	-1.19	PCI/L		4.63	
	15-NOV-91	10.60	PCI/L		16.12	
699-38-70	03-DEC-91	1.75	PCI/L		8.32	
	19-DEC-91	-2.22	PCI/L		17.73	
	27-DEC-91	6.26	PCI/L		18.01	
	09-DEC-91	-4.97	PCI/L		21.47	
	16-JAN-91	-15.70	PCI/L		12.76	
699-39-0	28-MAR-91	3.70	PCI/L		7.41	
	20-JUN-91	-3.63	PCI/L		10.27	
	11-SEP-91	-7.45	PCI/L		7.67	
	28-MAR-91	-1.63	PCI/L		7.92	
	20-JUN-91	4.40	PCI/L		9.50	
699-40-1	10-SEP-91	3.71	PCI/L		7.58	
	17-JAN-91	-5.81	PCI/L		8.84	
	16-JAN-91	-5.91	PCI/L		8.39	
	28-MAR-91	.26	PCI/L		7.14	
	18-JUN-91	-4.95	PCI/L		9.19	
699-40-33A	10-SEP-91	4.65	PCI/L		10.05	
	21-AUG-91	.86	PCI/L		8.26	
	17-JAN-91	-3.39	PCI/L		9.57	
	15-APR-91	2.38	PCI/L		6.98	
	14-JUN-91	3.84	PCI/L		7.68	
699-40-62	10-SEP-91	2.86	PCI/L		8.62	
	16-JAN-91	-1.59	PCI/L		12.07	
	24-SEP-91	.38	PCI/L		8.80	
	16-JAN-91	3.49	PCI/L		7.89	
	01-APR-91	-1.38	PCI/L		7.20	
699-41-1	10-SEP-91	5.73	PCI/L		8.13	
	30-DEC-91	-6.28	PCI/L		14.97	
	22-AUG-91	1.35	PCI/L		8.20	
	18-JAN-91	1.48	PCI/L		9.61	
	29-MAR-91	5.60	PCI/L		7.40	
699-41-1	10-SEP-91	4.05	PCI/L		6.16	
	03-DEC-91	-1.83	PCI/L		6.73	
	16-JAN-91	1.91	PCI/L		10.56	
	15-APR-91	8.46	PCI/L		7.17	
	20-JUN-91	-1.36	PCI/L		7.08	
699-41-1	10-SEP-91	-1.91	PCI/L		8.83	
	30-DEC-91	-3.37	PCI/L		16.91	
	16-JAN-91	-13.00	PCI/L		22.48	
	15-APR-91	-2.38	PCI/L		7.66	
	26-JUN-91	-7.03	PCI/L		9.82	
699-41-1	17-OCT-91	3.69	PCI/L		7.52	
	24-OCT-91	1.30	PCI/L		6.84	
	29-OCT-91	-6.5	PCI/L		6.50	
	05-NOV-91	-1.19	PCI/L		4.63	
	15-NOV-91	10.60	PCI/L		16.12	
699-41-1	03-DEC-91	1.75	PCI/L		8.32	
	19-DEC-91	-2.22	PCI/L		17.73	
	27-DEC-91	6.26	PCI/L		18.01	
	09-DEC-91	-4.97	PCI/L		21.47	
	16-JAN-91	-15.70	PCI/L		12.76	
699-41-1	28-MAR-91	3.70	PCI/L		7.41	
	20-JUN-91	-3.63	PCI/L		10.27	
	11-SEP-91	-7.45	PCI/L		7.67	
	28-MAR-91	-1.63	PCI/L		7.92	
	20-JUN-91	4.40	PCI/L		9.50	
699-41-1	10-SEP-91	3.71	PCI/L		7.58	
	17-JAN-91	-5.81	PCI/L		8.84	
	16-JAN-91	-5.91	PCI/L		8.39	
	28-MAR-91	.26	PCI/L		7.14	
	18-JUN-91	-4.95	PCI/L		9.19	
699-41-1	10-SEP-91	4.65	PCI/L		10.05	
	21-AUG-91	.86	PCI/L		8.26	
	17-JAN-91	-3.39	PCI/L		9.57	
	15-APR-91	2.38	PCI/L		6.98	
	14-JUN-91	3.84	PCI/L		7.68	
699-41-1	10-SEP-91	2.86	PCI/L		8.62	
	16-JAN-91	-1.59	PCI/L		12.07	
	24-SEP-91	.38	PCI/L		8.80	
	16-JAN-91	3.49	PCI/L		7.89	
	01-APR-91	-1.38	PCI/L		7.20	
699-41-1	10-SEP-91	5.73	PCI/L		8.13	
	30-DEC-91	-6.28	PCI/L		14.97	
	22-AUG-91	1.35	PCI/L		8.20	
	18-JAN-91	1.48	PCI/L		9.61	
	29-MAR-91	5.60	PCI/L		7.40	
699-41-1	10-SEP-91	4.05	PCI/L		6.16	
	03-DEC-91	-1.83	PCI/L		6.73	
	16-JAN-91	1.91	PCI/L		10.56	
	15-APR-91	8.46	PCI/L		7.17	
	20-JUN-91	-1.36	PCI/L		7.08	
699-41-1	10-SEP-91	-1.91	PCI/L		8.83	
	30-DEC-91	-3.37	PCI/L		16.91	
	16-JAN-91	-13.00	PCI/L		22.48	
	15-APR-91	-2.38	PCI/L		7.66	
	26-JUN-91	-7.03	PCI/L		9.82	
699-41-1	17-OCT-91	3.69	PCI/L		7.52	
	24-OCT-91	1.30	PCI/L		6.84	
	29-OCT-91	-6.5	PCI/L		6.50	
	05-NOV-91	-1.19	PCI/L		4.63	
	15-NOV-91	10.60	PCI/L		16.12	
699-41-1	03-DEC-91	1.75	PCI/L		8.32	
	19-DEC-91	-2.22	PCI/L		17.73	
	27-DEC-91	6.26	PCI/L		18.01	
	09-DEC-91	-4.97	PCI/L		21.47	
	16-JAN-91	-15.70	PCI/L		12.76	
699-41-1	28-MAR-91	3.70	PCI/L		7.41	
	20-JUN-91	-3.63	PCI/L		10.27	
	11-SEP-91	-7.45	PCI/L		7.67	
	28-MAR-91	-1.63	PCI/L		7.92	
	20-JUN-91	4.40	PCI/L		9.50	
699-41-1	10-SEP-91	3.71	PCI/L		7.58	
	17-JAN-91	-5.81	PCI/L		8.84	
	16-JAN-91	-5.91	PCI/L		8.39	
	28-MAR-91	.26	PCI/L		7.14	
	18-JUN-91	-4.95	PCI/L		9.19	
699-41-1	10-SEP-91	4.65	PCI/L		10.05	
	21-AUG-91	.86	PCI/L		8.26	
	17-JAN-91	-3.39	PCI/L		9.57	
	15-APR-91	2.38	PCI/L		6.98	
	14-JUN-91	3.84	PCI/L		7.68	
699-41-1	10-SEP-91	2.86	PCI/L		8.62	
	16-JAN-91	-1.59	PCI/L		12.07	
	24-SEP-91	.38	PCI/L		8.80	
	16-JAN-91	3.49	PCI/L		7.89	
	01-APR-91	-1.38	PCI/L		7.20	
699-41-1	10-SEP-91	5.73	PCI/L		8.13	
	30-DEC-91	-6.28	PCI/L		14.97	
	22-AUG-91	1.35	PCI/L		8.20	
	18-JAN-91	1.48	PCI/L		9.61	
	29-MAR-91	5.60	PCI/L		7.40	
699-41-1	10-SEP-91	4.05	PCI/L		6.16	
	03-DEC-91	-1.83	PCI/L		6.73	
	16-JAN-91	1.91	PCI/L		10.56	
	15-APR-91	8.46	PCI/L		7.17	
	20-JUN-91	-1.36	PCI/L		7.08	
699-41-1	10-SEP-91	-1.91	PCI/L		8.83	
	30-DEC-91	-3.37	PCI/L		16.91	
	16-JAN-91	-13.00	PCI/L		22.48	
	15-APR-91	-2.38	PCI/L		7.66	
	26-JUN-91	-7.03	PCI/L		9.82	
699-41-1	17-OCT-91	3.69	PCI/L		7.52	
	24-OCT-91	1.30	PCI/L		6.84	
	29-OCT-91	-6.5	PCI/L		6.50	
	05-NOV-91	-1.19	PCI/L		4.63	
	15-NOV-91	10.60	PCI/L		16.12	
699-41-1	03-DEC-91	1.75	PCI/L		8.32	
	19-DEC-91	-2.22	PCI/L		17.73	
	27-DEC-91	6.26	PCI/L		18.01	
	09-DEC-91	-4.97	PCI/L		21.47	
	16-JAN-91	-15.70	PCI/L		12.76	
699-41-1	28-MAR-91	3.70	PCI/L		7.41	
	20-JUN-91	-3.63	PCI/L		10.27	
	11-SEP-91	-7.45	PCI/L		7.67	
	28-MAR-91	-1.63	PCI/L		7.92	
	20-JUN-91	4.40	PCI/L		9.50	
699-41-1	10-SEP-91	3.71	PCI/L		7.58	
	17-JAN-91	-5.81	PCI/L		8.84	
	16-JAN-91	-5.91	PCI/L		8.39	
	28-MAR-91	.26	PCI/L		7.14	
	18-JUN-91	-4.95	PCI/L		9.19	
699-41-1	10-SEP-91	4.65	PCI/L		10.05	
	21-AUG-91	.86	PCI/L		8.26	
	17-JAN-91	-3.39	PCI/L		9.57	
	15-APR-91	2.38	PCI/L		6.98	
	14-JUN-91	3.84	PCI/L		7.68	
699-41-1	10-SEP-91	2.86	PCI/L		8.62	
	16-JAN-91	-1.59	PCI/L		12.07	
	24-SEP-91	.38	PCI/L		8.80	
	16-JAN-91	3.49	PCI/L		7.89	
	01-APR-91	-1.38	PCI/L		7.20	
699-41-1	10-SEP-91	5.73	PCI/L		8.13	
	30-DEC-91	-6.28	PCI/L		14.97	
	22-AUG-91	1.35	PCI/L		8.20	
	18-JAN-91	1.48	PCI/L		9.61	
	29-MAR-91					

WELL NAME	1991 SB-125 DATA				COUNTING ERROR	DATA REVIEW
	SAMPLE DATE	ACTIVITY	UNITS			
699-S41-E11	30-AUG-91	-3.72	PCI/L	8.21		
699-S41-E13B	29-AUG-91	1.35	PCI/L	8.21		
699-S41-E13C	29-AUG-91	-2.45	PCI/L	7.91		
699-S6-E14A	17-JAN-91	-13.10	PCI/L	10.44		
	29-JUL-91	-1.50	PCI/L	7.07		
699-S6-E4D	17-JAN-91	-5.00	PCI/L	11.67		
	29-MAR-91	-6.46	PCI/L	8.31		
	21-JUN-91	5.24	PCI/L	7.55		
	10-SEP-91	-5.04	PCI/L	8.72		
	03-DEC-91	2.32	PCI/L	8.52		

1991 I-129 DATA						1991 I-129 DATA					
WELL NAME	SAMPLE DATE	ACTIVITY	UNITS	COUNTING ERROR	DATA REVIEW	WELL NAME	SAMPLE DATE	ACTIVITY	UNITS	COUNTING ERROR	DATA REVIEW
299-E17-1	13-AUG-91	19.400	PCI/L	2.087		299-E33-3	08-JAN-91	2.390	PCI/L	.447	
299-E17-12	25-MAR-91	7.760	PCI/L	.490		299-E33-31	23-JUL-91	5.750	PCI/L	.702	
	13-SEP-91	4.220	PCI/L	.618			15-NOV-91	4.240	PCI/L	.577	
299-E17-13	18-JUN-91	7.180	PCI/L	.889		299-E33-32	23-JUL-91	6.400	PCI/L	.811	
	13-SEP-91	5.450	PCI/L	.707			22-NOV-91	6.230	PCI/L	.826	
299-E17-14	28-AUG-91	14.600	PCI/L	1.616		299-E33-33	22-JUL-91	1.750	PCI/L	.388	
							15-NOV-91	1.040	PCI/L	.396	
299-E17-16	28-AUG-91	8.420	PCI/L	.960		299-E33-40	30-MAY-91	.228	PCI/L	.311	
299-E17-17	26-AUG-91	7.800	PCI/L	.982		299-E33-41	21-NOV-91	4.940	PCI/L	.682	
299-E17-5	26-AUG-91	8.190	PCI/L	.973			21-NOV-91	6.770	PCI/L	.854	
299-E24-13	28-JAN-91	7.440	PCI/L	.886		299-E34-1	18-JAN-91	.180	PCI/L	.208	
299-E24-19	26-JUL-91	5.870	PCI/L	.763		299-E35-2	27-JUN-91	-.021	PCI/L	.325	
	22-NOV-91	5.680	PCI/L	.764			27-JUN-91	-.061	PCI/L	.197	
299-E24-20	15-NOV-91	6.260	PCI/L	.854		299-W10-15	22-JUL-91	-.306	PCI/L	.277	
299-E25-18	31-JUL-91	2.370	PCI/L	.388			04-OCT-91	.345	PCI/L	.256	
	01-OCT-91	2.780	PCI/L	.460			04-OCT-91	.198	PCI/L	.172	
299-E25-19	01-OCT-91	.899	PCI/L	.358		299-W10-16	22-JUL-91	.040	PCI/L	.220	
							24-SEP-91	.090	PCI/L	.185	
299-E25-20	03-OCT-91	3.000	PCI/L	.495		299-W10-17	09-OCT-91	.232	PCI/L	.167	
299-E25-40	20-JUL-91	8.940	PCI/L	1.083		299-W10-18	24-SEP-91	.305	PCI/L	.420	
	20-JUL-91	8.250	PCI/L	.981		299-W10-4	02-JAN-91	-.067	PCI/L	.197	
	20-NOV-91	7.750	PCI/L	.946		299-W10-9	22-JUL-91	.198	PCI/L	.240	
299-E25-41	26-JUL-91	5.070	PCI/L	.640			03-OCT-91	.118	PCI/L	.259	
	21-NOV-91	6.390	PCI/L	.814		299-W14-5	02-JAN-91	-.018	PCI/L	.148	
299-E26-10	27-JUN-91	2.310	PCI/L	.473		299-W14-6	03-JAN-91	-.123	PCI/L	.308	
299-E26-11	27-JUN-91	.598	PCI/L	.199		299-W15-10	02-JAN-91	-.036	PCI/L	.322	
299-E26-9	27-JUN-91	.369	PCI/L	.207		299-W15-11	02-JAN-91	-.003	PCI/L	.178	
299-E27-12	23-JUL-91	2.740	PCI/L	.422		299-W15-22	24-SEP-91	.085	PCI/L	.170	
	18-NOV-91	2.730	PCI/L	.394		299-W15-4	02-JAN-91	.150	PCI/L	.345	
299-E27-13	23-JUL-91	8.040	PCI/L	1.007		299-W15-4	02-JAN-91	.150	PCI/L	.345	
	15-NOV-91	6.460	PCI/L	.847		299-W18-25	11-APR-91	-.108	PCI/L	.264	
299-E27-14	23-JUL-91	9.630	PCI/L	1.370			01-OCT-91	-.203	PCI/L	.275	
299-E27-15	24-JUL-91	2.910	PCI/L	.430		299-W19-18	02-JAN-91	4.130	PCI/L	.560	
	21-NOV-91	3.380	PCI/L	.510		299-W19-29	14-JUN-91	.931	PCI/L	.270	
299-E27-5	09-JAN-91	2.510	PCI/L	.425		299-W19-30	13-JUN-91	.644	PCI/L	.392	
299-E27-7	25-JUL-91	2.720	PCI/L	.476		299-W19-31	01-OCT-91	.120	PCI/L	.346	
299-E28-18	13-SEP-91	.330	PCI/L	.191		299-W19-32	01-OCT-91	.171	PCI/L	.172	
	13-SEP-91	.516	PCI/L	.274							

WELL NAME	SAMPLE DATE	ACTIVITY	UNITS	COUNTING ERROR	DATA REVIEW
299-W22-20	18-JAN-91	1.150	PCI/L	.343	
	01-APR-91	2.020	PCI/L	.178	
299-W22-26	04-JAN-91	.328	PCI/L	.342	
299-W22-39	14-NOV-91	-.200	PCI/L	.195	
299-W23-13	03-OCT-91	-.029	PCI/L	.323	
299-W23-14	09-OCT-91	-.057	PCI/L	.306	
699-31-31	17-JAN-91	5.090	PCI/L	.637	
699-32-22	31-JUL-91	5.960	PCI/L	.795	
699-35-66	15-AUG-91	7.720	PCI/L	.910	
699-35-70	17-JAN-91	33.400	PCI/L	3.460	
	15-APR-91	44.100	PCI/L	4.576	
699-41-23	05-SEP-91	5.240	PCI/L	.650	
699-49-55B	20-MAY-91	-.068	PCI/L	.185	
699-49-57B	21-MAY-91	.107	PCI/L	.307	
699-50-53B	20-MAY-91	.086	PCI/L	.232	
699-54-57	13-MAY-91	-.248	PCI/L	.317	

1991 CS-137 DATA					1991 CS-137 DATA						
WELL NAME	SAMPLE DATE	ACTIVITY	UNITS	COUNTING ERROR	DATA REVIEW	WELL NAME	SAMPLE DATE	ACTIVITY	UNITS	COUNTING ERROR	DATA REVIEW
199-B4-5	18-SEP-91	2.02	PCI/L	4.71		199-N-51	30-OCT-91	-1.46	PCI/L	2.23	
199-B4-6	19-SEP-91	-7.30	PCI/L	6.43		199-N-57	25-MAR-91	-1.13	PCI/L	3.85	
199-B4-7	18-SEP-91	-1.99	PCI/L	6.88			05-NOV-91	-1.26	PCI/L	2.17	
199-D2-5	30-OCT-91	.90	PCI/L	2.75		199-N-59	03-SEP-91	2.17	PCI/L	2.74	
199-D5-12	30-OCT-91	-.02	PCI/L	2.05		199-N-66	05-NOV-91	.47	PCI/L	2.08	
199-D8-3	30-OCT-91	-1.17	PCI/L	2.15		199-N-67	25-MAR-91	-.30	PCI/L	4.08	
199-F5-1	30-OCT-91	.48	PCI/L	2.00			22-NOV-91	-.14	PCI/L	4.05	
199-F5-4	19-SEP-91	.09	PCI/L	2.12		199-N-69	22-NOV-91	1.34	PCI/L	2.69	
199-F7-1	19-SEP-91	-1.04	PCI/L	2.17		199-N-70	17-JAN-91	1.64	PCI/L	3.00	
199-H4-4	16-JAN-91	-.90	PCI/L	4.14			04-SEP-91	-1.17	PCI/L	3.56	
	28-MAR-91	1.68	PCI/L	3.49			02-OCT-91	3.54	PCI/L	3.84	
	06-JUN-91	.93	PCI/L	3.82		299-E13-14	11-JUN-91	.17	PCI/L	2.52	
	16-AUG-91	-2.06	PCI/L	3.79		299-E17-1	13-AUG-91	2.26	PCI/L	2.92	
	03-DEC-91	.74	PCI/L	3.41		299-E17-12	13-SEP-91	1.71	PCI/L	2.66	
199-K-11	26-SEP-91	-1.49	PCI/L	4.15		299-E17-13	18-JUN-91	-.65	PCI/L	3.17	
199-K-27	26-FEB-91	-.09	PCI/L	3.41			13-SEP-91	.96	PCI/L	2.68	
	17-APR-91	.26	PCI/L	2.69		299-E17-14	28-AUG-91	-1.66	PCI/L	3.78	
199-K-28	26-FEB-91	-.60	PCI/L	2.94		299-E17-15	03-SEP-91	.83	PCI/L	3.41	
	17-APR-91	-.51	PCI/L	3.77			19-DEC-91	-3.63	PCI/L	6.95	
199-K-29	26-FEB-91	2.45	PCI/L	3.04		299-E17-16	28-AUG-91	.82	PCI/L	3.77	
	18-APR-91	-1.64	PCI/L	2.76			19-DEC-91	4.55	PCI/L	8.32	
199-K-30	26-FEB-91	.65	PCI/L	3.13		299-E17-17	26-AUG-91	-1.95	PCI/L	2.43	
	17-APR-91	-4.09	PCI/L	4.12		299-E17-18	26-AUG-91	.74	PCI/L	2.91	
199-N-14	18-SEP-91	-1.72	PCI/L	3.96			19-DEC-91	-2.29	PCI/L	6.60	
	18-SEP-91	3.68	PCI/L	3.11		299-E17-20	14-AUG-91	.14	PCI/L	3.18	
	18-SEP-91	3.05	PCI/L	3.06		299-E17-5	26-AUG-91	1.01	PCI/L	2.54	
	05-DEC-91	-.95	PCI/L	7.01		299-E17-5	26-AUG-91	1.01	PCI/L	2.54	
	05-DEC-91	.19	PCI/L	7.36		299-E18-1	06-SEP-91	.62	PCI/L	3.40	
199-N-29	04-SEP-91	-3.27	PCI/L	3.41		299-E18-2	06-SEP-91	.74	PCI/L	2.91	
199-N-3	25-MAR-91	-1.04	PCI/L	4.11		299-E18-3	06-SEP-91	-1.79	PCI/L	3.83	
	05-DEC-91	-7.34	PCI/L	8.55		299-E18-4	06-SEP-91	-.13	PCI/L	2.12	
199-N-32	18-SEP-91	3.05	PCI/L	6.10		299-E24-16	20-AUG-91	.89	PCI/L	3.23	
	18-SEP-91	-.57	PCI/L	3.23		299-E24-17	13-AUG-91	-.18	PCI/L	2.95	
	05-DEC-91	-1.04	PCI/L	6.76		299-E24-18	13-AUG-91	.22	PCI/L	2.82	
199-N-33	04-SEP-91	1.21	PCI/L	3.26		299-E24-20	15-NOV-91	-5.57	PCI/L	6.66	
199-N-36	04-SEP-91	-.04	PCI/L	3.09		299-E25-18	01-OCT-91	2.44	PCI/L	3.26	
199-N-41	30-AUG-91	-2.11	PCI/L	3.63							
199-N-50	30-OCT-91	-.34	PCI/L	1.99							

1991 CS-137 DATA						1991 CS-137 DATA					
WELL NAME	SAMPLE DATE	ACTIVITY	UNITS	COUNTING ERROR	DATA REVIEW	WELL NAME	SAMPLE DATE	ACTIVITY	UNITS	COUNTING ERROR	DATA REVIEW
299-E25-19	01-OCT-91	.35	PCI/L	3.47		299-E33-34	02-AUG-91	-2.34	PCI/L	3.75	
299-E25-20	03-OCT-91	-.65	PCI/L	4.26			20-SEP-91	-1.76	PCI/L	2.44	
299-E25-36	20-AUG-91	-.28	PCI/L	4.44		299-E33-35	30-JUL-91	1.24	PCI/L	3.37	
299-E27-10	31-JUL-91	-1.78	PCI/L	2.99			24-SEP-91	-3.04	PCI/L	6.07	
299-E27-11	06-NOV-91	-1.21	PCI/L	2.28		299-E33-36	21-AUG-91	-.14	PCI/L	3.46	
299-E27-12	18-NOV-91	4.75	PCI/L	7.39		299-E33-37	09-SEP-91	-.52	PCI/L	2.34	
299-E27-13	15-NOV-91	1.55	PCI/L	5.58		299-E33-41	25-JUL-91	-.09	PCI/L	3.14	
299-E27-16	09-SEP-91	-.42	PCI/L	3.42		299-E34-1	18-JAN-91	1.42	PCI/L	7.31	
299-E27-5	09-JAN-91	-.56	PCI/L	7.34		299-E34-2	30-JUL-91	1.42	PCI/L	3.05	
299-E27-8	01-AUG-91	.18	PCI/L	3.36			30-JUL-91	4.37	PCI/L	3.96	
299-E27-9	26-JUL-91	-.88	PCI/L	4.07		299-E34-3	29-JUL-91	-4.00	PCI/L	3.35	
299-E28-18	21-MAR-91	1.35	PCI/L	2.90		299-E34-5	29-JUL-91	-2.20	PCI/L	3.30	
299-E28-26	06-AUG-91	-2.00	PCI/L	3.20		299-E34-7	04-NOV-91	-.71	PCI/L	2.44	
	23-SEP-91	1.92	PCI/L	4.01		299-W10-13	08-AUG-91	3.00	PCI/L	2.79	
299-E28-27	01-AUG-91	-.09	PCI/L	3.04			07-NOV-91	.73	PCI/L	6.08	
	23-SEP-91	-.61	PCI/L	2.95		299-W10-14	14-AUG-91	2.74	PCI/L	2.74	
299-E28-28	02-AUG-91	-3.52	PCI/L	3.20			07-NOV-91	-2.96	PCI/L	7.06	
	23-SEP-91	2.20	PCI/L	3.01		299-W10-15	04-OCT-91	-.31	PCI/L	3.27	
299-E32-2	02-AUG-91	-1.92	PCI/L	2.84			04-OCT-91	-2.61	PCI/L	6.94	
	23-SEP-91	-1.56	PCI/L	3.52		299-W10-16	24-SEP-91	3.94	PCI/L	6.30	
299-E32-3	02-AUG-91	1.30	PCI/L	3.26		299-W10-17	09-OCT-91	.82	PCI/L	6.46	
	20-SEP-91	1.09	PCI/L	2.36		299-W10-18	24-SEP-91	.65	PCI/L	7.80	
	20-SEP-91	.59	PCI/L	1.94		299-W10-4	02-JAN-91	-.38	PCI/L	7.42	
299-E32-4	05-AUG-91	2.56	PCI/L	3.10		299-W10-9	03-OCT-91	1.01	PCI/L	5.42	
	23-SEP-91	.23	PCI/L	3.53		299-W14-5	02-JAN-91	3.99	PCI/L	6.78	
299-E32-5	02-AUG-91	-.61	PCI/L	2.35		299-W14-6	03-JAN-91	1.89	PCI/L	7.76	
	20-SEP-91	.04	PCI/L	2.56		299-W15-10	02-JAN-91	3.17	PCI/L	7.28	
299-E33-28	31-JUL-91	-.56	PCI/L	3.95		299-W15-11	02-JAN-91	-3.19	PCI/L	6.56	
	24-SEP-91	-3.89	PCI/L	5.83		299-W15-16	05-AUG-91	-4.14	PCI/L	3.84	
299-E33-29	31-JUL-91	.31	PCI/L	3.66		299-W15-17	06-AUG-91	-1.74	PCI/L	3.25	
	23-SEP-91	-1.43	PCI/L	3.52			06-AUG-91	.26	PCI/L	3.09	
299-E33-3	08-JAN-91	-3.35	PCI/L	5.62		299-W15-18	09-AUG-91	.42	PCI/L	4.55	
	23-SEP-91	-1.19	PCI/L	3.13		299-W15-19	14-NOV-91	5.64	PCI/L	6.51	
299-E33-30	05-AUG-91	5.36	PCI/L	2.94		299-W15-20	05-AUG-91	-3.95	PCI/L	3.58	
	23-SEP-91										
299-E33-31	15-NOV-91	3.02	PCI/L	6.80							
299-E33-33	15-NOV-91	-4.33	PCI/L	5.97							

1991 CS-137 DATA					1991 CS-137 DATA						
WELL NAME	SAMPLE DATE	ACTIVITY	UNITS	COUNTING ERROR	DATA REVIEW	WELL NAME	SAMPLE DATE	ACTIVITY	UNITS	COUNTING ERROR	DATA REVIEW
299-W15-20	12-NOV-91	5.35	PCI/L	5.45		299-W23-14	09-OCT-91	-2.26	PCI/L	6.44	
299-W15-22	24-SEP-91	-7.50	PCI/L	6.97		299-W26-10	21-AUG-91	-2.16	PCI/L	3.76	
299-W15-23	05-AUG-91	1.25	PCI/L	3.08		299-W26-12	28-AUG-91	.74	PCI/L	2.91	
	13-NOV-91	.95	PCI/L	5.87							
299-W15-24	05-AUG-91	-1.07	PCI/L	3.69		299-W26-7	21-AUG-91	-1.19	PCI/L	3.65	
	12-NOV-91	-5.98	PCI/L	6.54		299-W6-2	12-AUG-91	-.04	PCI/L	2.85	
299-W15-4	02-JAN-91	-4.07	PCI/L	7.97			12-AUG-91	.93	PCI/L	3.82	
299-W18-17	20-MAR-91	1.26	PCI/L	3.51			13-NOV-91	4.35	PCI/L	6.41	
299-W18-20	20-MAR-91	1.09	PCI/L	3.76		299-W7-1	07-AUG-91	.57	PCI/L	2.76	
299-W18-21	07-AUG-91	1.35	PCI/L	3.31			08-NOV-91	3.47	PCI/L	5.64	
299-W18-22	06-AUG-91	-2.40	PCI/L	3.82		299-W7-10	09-AUG-91	1.16	PCI/L	3.06	
299-W18-23	09-AUG-91	2.29	PCI/L	3.38			14-NOV-91	.47	PCI/L	5.80	
299-W18-24	09-AUG-91	4.42	PCI/L	3.79		299-W7-2	07-AUG-91	.52	PCI/L	3.13	
299-W18-25	01-OCT-91	-9.09	PCI/L	7.16			08-NOV-91	-5.31	PCI/L	5.73	
299-W18-26	07-AUG-91	1.43	PCI/L	3.46		299-W7-3	08-AUG-91	.70	PCI/L	2.63	
	12-NOV-91	4.85	PCI/L	5.72			08-NOV-91	-5.58	PCI/L	7.43	
299-W18-29	09-OCT-91	-1.28	PCI/L	6.45		299-W7-4	12-AUG-91	-.96	PCI/L	3.62	
299-W19-24	20-MAR-91	.78	PCI/L	3.55			13-NOV-91	2.67	PCI/L	5.36	
299-W19-29	14-JUN-91	1.62	PCI/L	2.96		299-W7-5	09-AUG-91	.98	PCI/L	3.64	
	25-NOV-91	-.93	PCI/L	4.22			11-NOV-91	5.94	PCI/L	5.93	
299-W19-30	13-JUN-91	-2.06	PCI/L	3.79		299-W7-6	12-AUG-91	2.15	PCI/L	2.86	
299-W19-31	01-OCT-91	2.84	PCI/L	6.11			08-NOV-91	4.42	PCI/L	5.26	
299-W19-32	01-OCT-91	-2.98	PCI/L	8.31		299-W7-7	09-AUG-91	3.57	PCI/L	3.15	
299-W22-20	18-JAN-91	-1.22	PCI/L	2.96			08-NOV-91	1.73	PCI/L	7.08	
	01-APR-91	.78	PCI/L	2.53		299-W7-8	09-AUG-91	2.52	PCI/L	2.97	
	18-JUN-91	1.15	PCI/L	3.01			11-NOV-91	-.61	PCI/L	5.42	
	04-SEP-91	-.22	PCI/L	3.58		299-W7-9	09-AUG-91	.52	PCI/L	3.55	
299-W22-26	04-JAN-91	1.67	PCI/L	7.53			08-NOV-91	-.77	PCI/L	4.52	
299-W22-39	14-NOV-91	5.88	PCI/L	4.68		299-W8-1	09-AUG-91	-.91	PCI/L	4.07	
299-W22-40	03-SEP-91	-3.68	PCI/L	3.37			13-NOV-91	.82	PCI/L	6.44	
299-W22-41	03-SEP-91	-.14	PCI/L	4.48		299-W9-1	08-AUG-91	-2.52	PCI/L	3.12	
299-W22-42	03-SEP-91	2.75	PCI/L	3.45			08-NOV-91	3.41	PCI/L	5.31	
299-W22-43	04-SEP-91	-.54	PCI/L	3.24		399-1-17A	16-JAN-91	.51	PCI/L	3.63	
	04-SEP-91	-1.19	PCI/L	3.13			25-MAR-91	-.65	PCI/L	2.88	
299-W23-13	03-OCT-91	1.39	PCI/L	6.57			25-MAR-91	.61	PCI/L	7.29	
							24-JUN-91	1.16	PCI/L	4.02	
							23-AUG-91	.93	PCI/L	3.82	
							29-AUG-91	-3.76	PCI/L	3.69	
							04-SEP-91	.60	PCI/L	2.90	
							11-SEP-91	.47	PCI/L	3.52	
							11-SEP-91	3.73	PCI/L	1.86	
							17-SEP-91	-1.12	PCI/L	3.87	
							26-SEP-91	.09	PCI/L	7.24	
							04-OCT-91	-1.00	PCI/L	3.46	

1991 CS-137 DATA						1991 CS-137 DATA							
WELL NAME	SAMPLE DATE	ACTIVITY	UNITS	COUNTING ERROR	DATA REVIEW	WELL NAME	SAMPLE DATE	ACTIVITY	UNITS	COUNTING ERROR	DATA REVIEW		
399-1-17A	09-OCT-91	-2.51	PCI/L	3.66		699-41-1	26-JUN-91	.05	PCI/L	2.80			
	17-OCT-91	2.68	PCI/L	2.73			10-SEP-91	-3.95	PCI/L	3.62			
	24-OCT-91	3.69	PCI/L	2.69			03-DEC-91	.30	PCI/L	3.62			
	29-OCT-91	1.51	PCI/L	2.69									
	05-NOV-91	-1.22	PCI/L	2.52									
699-10-E12	15-NOV-91	-2.09	PCI/L	6.60		699-42-2	09-DEC-91	-1.21	PCI/L	5.89			
	03-DEC-91	1.20	PCI/L	4.15									
	19-DEC-91	.46	PCI/L	4.80			699-43-3	18-JUL-91	.82	PCI/L	2.75		
	27-DEC-91	-3.25	PCI/L	7.20				09-DEC-91	1.28	PCI/L	6.17		
								30-DEC-91	.86	PCI/L	6.24		
699-17-5	09-DEC-91	2.41	PCI/L	7.68		699-45-69A							
	16-JAN-91	-1.19	PCI/L	3.71				699-46-4	19-JUL-91	-1.44	PCI/L	3.99	
	28-MAR-91	.44	PCI/L	3.23									
	20-JUN-91	.88	PCI/L	3.98			699-47-5		19-JUL-91	-2.98	PCI/L	3.34	
	11-SEP-91	1.38	PCI/L	3.62									
699-24-33	28-MAR-91	-.99	PCI/L	3.43		699-48-18			31-JAN-91	1.26	PCI/L	2.47	
	20-JUN-91	.56	PCI/L	4.10				699-49-100C	18-JAN-91	.71	PCI/L	3.03	
	10-SEP-91	.61	PCI/L	3.51					04-APR-91	1.35	PCI/L	2.90	
							20-JUN-91		2.66	PCI/L	3.74		
699-31-31	17-JAN-91	-1.66	PCI/L	2.64		699-49-55A	23-AUG-91		.84	PCI/L	4.14		
	16-JAN-91	-6.00	PCI/L	3.77									
	28-MAR-91	1.26	PCI/L	3.51			699-50-53	21-JUN-91	-2.34	PCI/L	9.66		
	18-JUN-91	.00	PCI/L	3.65				05-DEC-91	3.29	PCI/L	9.31		
	10-SEP-91	2.29	PCI/L	3.38									
699-34-8	21-AUG-91	.00	PCI/L	3.65		699-63-25A		23-AUG-91	.61	PCI/L	2.94		
	17-JAN-91	.51	PCI/L	2.75									
	15-APR-91	3.70	PCI/L	3.29			699-66-23	22-AUG-91	1.24	PCI/L	3.37		
	14-JUN-91	-1.39	PCI/L	2.94									
	10-SEP-91	3.02	PCI/L	3.58				699-72-88	23-AUG-91	1.48	PCI/L	2.78	
699-36-46R	16-JAN-91	-.47	PCI/L	2.94		699-81-58			04-SEP-91	.43	PCI/L	3.16	
	24-SEP-91	1.05	PCI/L	2.59					04-SEP-91	.44	PCI/L	2.57	
	16-JAN-91	-1.18	PCI/L	3.45									
	01-APR-91	2.33	PCI/L	3.06			699-87-55		12-SEP-91	.18	PCI/L	3.27	
	10-SEP-91	-1.53	PCI/L	3.38									
699-37-E4	30-DEC-91	.37	PCI/L	6.70		699-97-43		12-SEP-91	-1.40	PCI/L	2.63		
	22-AUG-91	.78	PCI/L	3.17									
	18-JAN-91	3.63	PCI/L	2.02				699-97-51A	12-SEP-91	-2.00	PCI/L	3.20	
	29-MAR-91	-1.12	PCI/L	2.85									
	10-SEP-91	-2.52	PCI/L	3.12			699-812-3		17-JAN-91	2.27	PCI/L	3.53	
699-38-70	03-DEC-91	-.09	PCI/L	2.46									
	16-JAN-91	.04	PCI/L	3.65		699-S19-11			01-APR-91	2.48	PCI/L	3.40	
	15-APR-91	.56	PCI/L	3.68				24-JUN-91	1.70	PCI/L	2.90		
	20-JUN-91	-1.65	PCI/L	3.70				10-SEP-91	1.56	PCI/L	3.58		
	10-SEP-91	-1.74	PCI/L	3.50									
699-40-33A	30-DEC-91	-5.03	PCI/L	8.00			699-S19-E13	03-DEC-91	.14	PCI/L	3.18		
	16-JAN-91	.76	PCI/L	7.59		13-DEC-91		-3.80	PCI/L	7.57			
	15-APR-91	-2.30	PCI/L	3.25		10-DEC-91		6.86	PCI/L	5.32			
						09-DEC-91		-1.48	PCI/L	9.09			
						18-JAN-91		-1.98	PCI/L	2.96			
699-40-62	30-DEC-91	-5.03	PCI/L	8.00		699-S29-E12	29-MAR-91	-3.37	PCI/L	3.23			
	16-JAN-91	.76	PCI/L	7.59									
	15-APR-91	-2.30	PCI/L	3.25			699-S30-E15A	21-JUN-91	.52	PCI/L	3.13		
								09-SEP-91	1.52	PCI/L	3.05		
								03-DEC-91	-2.19	PCI/L	3.29		
699-41-1													

1991 CB-137 DATA					
WELL NAME	SAMPLE DATE	ACTIVITY	UNITS	COUNTING ERROR	DATA REVIEW
699-S34-E10	25-JUL-91	.04	PCI/L	2.66	
699-S41-E11	30-AUG-91	1.78	PCI/L	2.10	
699-S41-E13B	29-AUG-91	2.09	PCI/L	3.38	
699-S41-E13C	29-AUG-91	-.65	PCI/L	2.89	
699-S6-E14A	17-JAN-91	-2.26	PCI/L	2.63	
	29-JUL-91	1.82	PCI/L	2.98	
699-S6-E4D	17-JAN-91	1.58	PCI/L	3.64	
	29-MAR-91	-1.51	PCI/L	3.35	
	21-JUN-91	-.39	PCI/L	3.18	
	10-SEP-91	-1.38	PCI/L	3.86	
	03-DEC-91	.58	PCI/L	3.46	

1991 EU-155 DATA						1991 EU-155 DATA					
WELL NAME	SAMPLE DATE	ACTIVITY	UNITS	COUNTING ERROR	DATA REVIEW	WELL NAME	SAMPLE DATE	ACTIVITY	UNITS	COUNTING ERROR	DATA REVIEW
199-B4-5	18-SEP-91	5.28	PCI/L	15.33		299-E17-13	18-JUN-91	3.30	PCI/L	9.36	
199-B4-6	19-SEP-91	1.20	PCI/L	11.37		13-SEP-91	13-SEP-91	-2.50	PCI/L	6.73	
199-B4-7	18-SEP-91	3.09	PCI/L	15.44		28-AUG-91	28-AUG-91	1.45	PCI/L	5.88	
199-F5-4	19-SEP-91	1.28	PCI/L	5.82		03-SEP-91	03-SEP-91	3.11	PCI/L	5.82	
199-F7-1	19-SEP-91	-1.35	PCI/L	5.15		28-AUG-91	28-AUG-91	-1.24	PCI/L	8.43	
199-H4-4	16-JAN-91	-0.88	PCI/L	9.85		26-AUG-91	26-AUG-91	3.47	PCI/L	8.35	
	28-MAR-91	-2.65	PCI/L	7.60		26-AUG-91	26-AUG-91	-7.17	PCI/L	6.35	
	06-JUN-91	1.42	PCI/L	9.17		14-AUG-91	14-AUG-91	.51	PCI/L	8.00	
	16-AUG-91	-2.49	PCI/L	8.22		26-AUG-91	26-AUG-91	1.94	PCI/L	5.89	
199-K-11	26-SEP-91	2.56	PCI/L	8.63		06-SEP-91	06-SEP-91	6.01	PCI/L	5.65	
199-K-27	26-FEB-91	-6.02	PCI/L	9.16		06-SEP-91	06-SEP-91	1.95	PCI/L	6.47	
	17-APR-91	2.29	PCI/L	7.71		06-SEP-91	06-SEP-91	1.38	PCI/L	7.36	
199-K-28	26-FEB-91	2.40	PCI/L	6.42		06-SEP-91	06-SEP-91	1.82	PCI/L	6.15	
	17-APR-91	2.97	PCI/L	8.71		20-AUG-91	20-AUG-91	-1.94	PCI/L	6.28	
199-K-29	26-FEB-91	-1.70	PCI/L	6.44		13-AUG-91	13-AUG-91	-2.56	PCI/L	7.65	
	18-APR-91	5.34	PCI/L	6.29		13-AUG-91	13-AUG-91	-1.40	PCI/L	5.94	
199-K-30	26-FEB-91	-4.51	PCI/L	8.37		01-OCT-91	01-OCT-91	-0.29	PCI/L	5.73	
	17-APR-91	-3.03	PCI/L	9.20		01-OCT-91	01-OCT-91	-3.85	PCI/L	7.39	
199-N-14	18-SEP-91	7.28	PCI/L	10.18		03-OCT-91	03-OCT-91	1.89	PCI/L	9.34	
	18-SEP-91	-3.28	PCI/L	8.89		20-AUG-91	20-AUG-91	3.00	PCI/L	7.08	
	18-SEP-91	-1.22	PCI/L	7.31		31-JUL-91	31-JUL-91	1.28	PCI/L	5.71	
199-N-29	04-SEP-91	-0.72	PCI/L	6.62		09-SEP-91	09-SEP-91	9.35	PCI/L	8.18	
199-N-3	25-MAR-91	-7.75	PCI/L	6.12		09-JAN-91	09-JAN-91	-17.20	PCI/L	19.80	
199-N-32	18-SEP-91	-5.01	PCI/L	13.51		01-AUG-91	01-AUG-91	4.11	PCI/L	8.29	
	18-SEP-91	.00	PCI/L	6.17		26-JUL-91	26-JUL-91	4.80	PCI/L	8.89	
199-N-33	04-SEP-91	3.45	PCI/L	5.31		21-MAR-91	21-MAR-91	-1.14	PCI/L	5.55	
199-N-36	04-SEP-91	-0.65	PCI/L	6.08		06-AUG-91	06-AUG-91	-2.51	PCI/L	5.82	
199-N-41	30-AUG-91	3.35	PCI/L	7.22		23-SEP-91	23-SEP-91	.63	PCI/L	5.32	
199-N-57	25-MAR-91	-4.71	PCI/L	6.16		01-AUG-91	01-AUG-91	10.20	PCI/L	7.31	
199-N-59	03-SEP-91	3.98	PCI/L	5.56		23-SEP-91	23-SEP-91	-4.04	PCI/L	7.24	
199-N-67	25-MAR-91	-10.20	PCI/L	10.94		02-AUG-91	02-AUG-91	2.20	PCI/L	6.23	
199-N-70	17-JAN-91	.21	PCI/L	6.07		23-SEP-91	23-SEP-91	1.24	PCI/L	8.27	
	04-SEP-91	-2.55	PCI/L	6.56							
	02-OCT-91	-13.10	PCI/L	10.14							
299-E13-14	11-JUN-91	1.96	PCI/L	6.51							
299-E17-1	13-AUG-91	-0.37	PCI/L	5.91							
299-E17-12	13-SEP-91	5.58	PCI/L	6.13							

1991 EU-155 DATA						1991 EU-155 DATA					
WELL NAME	SAMPLE DATE	ACTIVITY	UNITS	COUNTING ERROR	DATA REVIEW	WELL NAME	SAMPLE DATE	ACTIVITY	UNITS	COUNTING ERROR	DATA REVIEW
299-E32-2	02-AUG-91 23-SEP-91	2.58 1.35	PCI/L PCI/L	6.47 7.55		299-W14-5	02-JAN-91	-2.58	PCI/L	13.43	
299-E32-3	02-AUG-91 20-SEP-91 20-SEP-91	-2.02 1.14 4.51	PCI/L PCI/L PCI/L	4.95 4.49 4.12		299-W14-6	03-JAN-91	13.80	PCI/L	18.34	
299-E32-4	05-AUG-91 23-SEP-91	-3.29 -.73	PCI/L PCI/L	8.79 7.72		299-W15-10	02-JAN-91	-1.63	PCI/L	20.04	
299-E32-5	02-AUG-91 20-SEP-91	-.73 -4.77	PCI/L PCI/L	5.59 4.14		299-W15-11	02-JAN-91	-3.88	PCI/L	13.30	
299-E33-28	31-JUL-91 24-SEP-91	2.21 5.39	PCI/L PCI/L	8.64 13.69		299-W15-16	05-AUG-91	5.31	PCI/L	5.72	
299-E33-29	31-JUL-91 23-SEP-91	1.94 .37	PCI/L PCI/L	5.26 5.42		299-W15-17	06-AUG-91 06-AUG-91	-3.18 -3.12	PCI/L PCI/L	5.90 6.07	
299-E33-3	08-JAN-91	-17.50	PCI/L	17.79		299-W15-18	09-AUG-91	2.39	PCI/L	8.16	
299-E33-30	05-AUG-91 23-SEP-91	-1.89 .92	PCI/L PCI/L	8.03 6.17		299-W15-20	05-AUG-91	-.49	PCI/L	6.49	
299-E33-34	02-AUG-91 20-SEP-91	-1.76 -1.79	PCI/L PCI/L	7.87 5.58		299-W15-22	24-SEP-91	-.97	PCI/L	11.13	
299-E33-35	30-JUL-91 24-SEP-91	-1.67 4.02	PCI/L PCI/L	8.37 13.29		299-W15-23	05-AUG-91	4.60	PCI/L	7.74	
299-E33-36	21-AUG-91	-5.13	PCI/L	7.96		299-W15-24	05-AUG-91	2.37	PCI/L	8.93	
299-E33-37	09-SEP-91	-.10	PCI/L	5.47		299-W15-4	02-JAN-91	8.96	PCI/L	20.92	
299-E33-41	25-JUL-91	1.62	PCI/L	5.54		299-W18-17	20-MAR-91	-6.10	PCI/L	5.98	
299-E34-1	18-JAN-91	-1.48	PCI/L	20.20		299-W18-20	20-MAR-91	5.72	PCI/L	5.83	
299-E34-2	30-JUL-91 30-JUL-91	5.08 .67	PCI/L PCI/L	8.10 8.30		299-W18-21	07-AUG-91	.67	PCI/L	9.70	
299-E34-3	29-JUL-91	1.88	PCI/L	5.28		299-W18-22	06-AUG-91	.49	PCI/L	6.34	
299-E34-5	29-JUL-91	-3.34	PCI/L	7.38		299-W18-23	09-AUG-91	-2.56	PCI/L	8.33	
299-W10-13	08-AUG-91	-9.65	PCI/L	6.41		299-W18-24	09-AUG-91	-1.16	PCI/L	8.91	
299-W10-14	14-AUG-91	.86	PCI/L	6.37		299-W18-25	01-OCT-91	-3.08	PCI/L	15.25	
299-W10-15	04-OCT-91 04-OCT-91	-.50 -11.80	PCI/L PCI/L	5.78 19.54		299-W18-26	07-AUG-91	.39	PCI/L	8.49	
299-W10-16	24-SEP-91	2.34	PCI/L	15.43		299-W18-29	09-OCT-91	11.40	PCI/L	15.95	
299-W10-17	09-OCT-91	-13.00	PCI/L	17.04		299-W19-24	20-MAR-91	-2.58	PCI/L	7.67	
299-W10-18	24-SEP-91	-1.47	PCI/L	18.07		299-W19-29	14-JUN-91	-.54	PCI/L	8.16	
299-W10-4	02-JAN-91	3.12	PCI/L	20.22		299-W19-30	13-JUN-91	3.15	PCI/L	7.61	
299-W10-9	03-OCT-91	6.57	PCI/L	11.89		299-W19-31	01-OCT-91	-1.02	PCI/L	16.20	
						299-W19-32	01-OCT-91	3.54	PCI/L	18.26	
						299-W22-20	18-JAN-91 01-APR-91 18-JUN-91 04-SEP-91	-6.10 -4.60 2.05 .19	PCI/L PCI/L PCI/L PCI/L	6.68 7.84 7.82 5.89	
						299-W22-26	04-JAN-91	9.83	PCI/L	17.48	

1991 EU-155 DATA						1991 EU-155 DATA					
WELL NAME	SAMPLE DATE	ACTIVITY	UNITS	COUNTING ERROR	DATA REVIEW	WELL NAME	SAMPLE DATE	ACTIVITY	UNITS	COUNTING ERROR	DATA REVIEW
299-W22-40	03-SEP-91	4.82	PCI/L	8.14		699-17-5	20-JUN-91	5.56	PCI/L	9.32	
299-W22-41	03-SEP-91	-8.68	PCI/L	9.89			11-SEP-91	-1.96	PCI/L	8.02	
299-W22-42	03-SEP-91	-2.13	PCI/L	6.46		699-24-33	28-MAR-91	.19	PCI/L	7.54	
299-W22-43	04-SEP-91	3.79	PCI/L	5.78			20-JUN-91	-1.22	PCI/L	8.79	
	04-SEP-91	-2.85	PCI/L	8.07			10-SEP-91	-3.85	PCI/L	8.06	
299-W23-13	03-OCT-91	4.16	PCI/L	10.95		699-31-31	17-JAN-91	5.01	PCI/L	6.08	
299-W23-14	09-OCT-91	-4.99	PCI/L	13.26		699-32-43	16-JAN-91	-7.48	PCI/L	6.43	
299-W26-10	21-AUG-91	-2.89	PCI/L	7.83			28-MAR-91	1.19	PCI/L	5.29	
299-W26-12	28-AUG-91	5.30	PCI/L	6.09			18-JUN-91	.44	PCI/L	8.73	
299-W26-7	21-AUG-91	5.55	PCI/L	8.99			10-SEP-91	3.07	PCI/L	7.69	
299-W6-2	12-AUG-91	.58	PCI/L	7.74		699-34-8	21-AUG-91	5.12	PCI/L	7.46	
	12-AUG-91	-1.16	PCI/L	9.55		699-35-70	17-JAN-91	3.68	PCI/L	5.93	
299-W7-1	07-AUG-91	1.02	PCI/L	6.07			15-APR-91	2.90	PCI/L	6.24	
299-W7-2	07-AUG-91	-3.12	PCI/L	6.98			14-JUN-91	-1.39	PCI/L	5.86	
299-W7-3	08-AUG-91	1.04	PCI/L	5.92		699-36-46R	10-SEP-91	5.00	PCI/L	9.27	
299-W7-4	12-AUG-91	3.64	PCI/L	6.31			16-JAN-91	6.54	PCI/L	9.22	
299-W7-5	09-AUG-91	-1.37	PCI/L	8.59		699-37-E4	24-SEP-91	-3.44	PCI/L	7.54	
299-W7-6	12-AUG-91	4.30	PCI/L	9.16		699-38-65	16-JAN-91	-2.76	PCI/L	9.86	
299-W7-7	09-AUG-91	.61	PCI/L	6.65			01-APR-91	-1.50	PCI/L	6.48	
299-W7-8	09-AUG-91	2.99	PCI/L	6.47			10-SEP-91	1.74	PCI/L	5.06	
299-W7-9	09-AUG-91	2.96	PCI/L	5.99		699-39-0	22-AUG-91	-5.42	PCI/L	5.41	
299-W8-1	09-AUG-91	-3.86	PCI/L	8.52		699-40-1	18-JAN-91	-2.50	PCI/L	9.44	
299-W9-1	08-AUG-91	2.44	PCI/L	5.93			28-MAR-91	-2.65	PCI/L	6.65	
399-1-17A	16-JAN-91	4.44	PCI/L	9.23			10-SEP-91	4.75	PCI/L	6.49	
	25-MAR-91	6.70	PCI/L	6.11		699-40-33A	16-JAN-91	5.10	PCI/L	7.22	
	25-MAR-91	6.76	PCI/L	11.32			15-APR-91	-6.42	PCI/L	6.37	
	24-JUN-91	-7.32	PCI/L	9.76			20-JUN-91	-4.09	PCI/L	5.24	
	23-AUG-91	-6.72	PCI/L	8.99			10-SEP-91	-1.82	PCI/L	6.38	
	29-AUG-91	.57	PCI/L	6.97		699-41-1	16-JAN-91	-7.96	PCI/L	19.68	
	04-SEP-91	-2.84	PCI/L	7.34			15-APR-91	-3.33	PCI/L	6.34	
	11-SEP-91	-1.45	PCI/L	6.61			26-JUN-91	-7.36	PCI/L	7.74	
	11-SEP-91	1.45	PCI/L	5.82			10-SEP-91	-1.49	PCI/L	8.82	
	17-SEP-91	11.80	PCI/L	9.52		699-43-3	18-JUL-91	-1.24	PCI/L	7.79	
	26-SEP-91	2.81	PCI/L	11.92		699-46-4	19-JUL-91	.61	PCI/L	8.91	
	04-OCT-91	1.26	PCI/L	6.86			19-JUL-91	-6.79	PCI/L	8.29	
	09-OCT-91	5.79	PCI/L	9.42		699-47-5	18-JAN-91	4.01	PCI/L	5.10	
	17-OCT-91	-5.36	PCI/L	7.88			04-APR-91	3.05	PCI/L	6.45	
						699-49-100C	20-JUN-91	1.39	PCI/L	8.73	
							23-AUG-91	-13.40	PCI/L	10.10	
699-17-5	16-JAN-91	2.83	PCI/L	10.95		699-49-55A	21-JUN-91	-17.30	PCI/L	20.21	
	28-MAR-91	1.95	PCI/L	5.91		699-50-53	23-AUG-91	1.26	PCI/L	6.13	

WELL NAME	SAMPLE DATE	ACTIVITY	UNITS	1991 KU-155 DATA	
				COUNTING ERROR	DATA REVIEW
699-66-23	22-AUG-91	-7.30	PCI/L	7.67	
699-72-88	23-AUG-91	-2.62	PCI/L	5.42	
699-81-58	04-SEP-91	.50	PCI/L	5.42	
	04-SEP-91	1.89	PCI/L	5.31	
699-87-55	12-SEP-91	-1.61	PCI/L	8.31	
699-97-43	12-SEP-91	2.69	PCI/L	5.58	
699-97-51A	12-SEP-91	.18	PCI/L	6.44	
699-S12-3	17-JAN-91	2.05	PCI/L	6.39	
699-S19-11	01-APR-91	1.10	PCI/L	5.83	
	24-JUN-91	-3.21	PCI/L	7.19	
	10-SEP-91	-.73	PCI/L	7.72	
699-S30-E15A	18-JAN-91	5.10	PCI/L	8.83	
	29-MAR-91	3.22	PCI/L	5.75	
	21-JUN-91	.67	PCI/L	6.79	
	09-SEP-91	4.99	PCI/L	5.18	
699-S34-E10	25-JUL-91	-2.39	PCI/L	6.02	
699-S41-E11	30-AUG-91	-4.38	PCI/L	5.36	
699-S41-E13B	29-AUG-91	2.74	PCI/L	5.78	
699-S41-E13C	29-AUG-91	2.13	PCI/L	6.22	
699-S6-E14A	17-JAN-91	-.05	PCI/L	6.42	
	29-JUL-91	-.38	PCI/L	8.15	
699-S6-E4D	17-JAN-91	2.83	PCI/L	9.30	
	29-MAR-91	-3.85	PCI/L	6.61	
	21-JUN-91	-.58	PCI/L	7.61	
	10-SEP-91	3.46	PCI/L	7.88	

1991 RADIUM DATA					1991 RADIUM DATA						
WELL NAME	SAMPLE DATE	ACTIVITY	UNITS	COUNTING ERROR	DATA REVIEW	WELL NAME	SAMPLE DATE	ACTIVITY	UNITS	COUNTING ERROR	DATA REVIEW
199-N-14	18-SEP-91	-.019	PCI/L	.060		299-E25-19	18-JUL-91	-.012	PCI/L	.078	
	18-SEP-91	-.036	PCI/L	.065			01-OCT-91	-.057	PCI/L	.045	
	05-DEC-91	-.139	PCI/L	.030		299-E25-20	16-JUL-91	.054	PCI/L	.110	
199-N-3	05-DEC-91	.013	PCI/L	.168			03-OCT-91	.140	PCI/L	.143	
	05-NOV-91	.296	PCI/L	.195		299-E25-21	11-JUL-91	-.030	PCI/L	.039	
199-N-57	03-SEP-91	-.031	PCI/L	.063			25-JUN-91	-.023	PCI/L	.088	
199-N-59	05-NOV-91	.062	PCI/L	.115			25-JUN-91	.082	PCI/L	.123	
199-N-66	22-NOV-91	.548	PCI/L	.244		16-SEP-91	.033	PCI/L	.100		
199-N-67	22-NOV-91	.012	PCI/L	.096		299-E25-26	27-SEP-91	-.036	PCI/L	.064	
199-N-69	13-AUG-91	-.009	PCI/L	.091			299-E25-28	12-JUL-91	-.037	PCI/L	.034
299-E17-1	28-AUG-91	-.029	PCI/L	.064		299-E25-29P	27-SEP-91	-.044	PCI/L	.046	
299-E17-14	03-SEP-91	-.036	PCI/L	.061			25-JUN-91	-.040	PCI/L	.092	
299-E17-15	01-OCT-91	.195	PCI/L	.150			01-NOV-91	.031	PCI/L	.105	
299-E17-16	19-DEC-91	.035	PCI/L	.105		299-E25-31	25-JUN-91	-.059	PCI/L	.045	
	28-AUG-91	.008	PCI/L	.109			16-SEP-91	.148	PCI/L	.139	
	19-DEC-91	.013	PCI/L	.084		299-E25-32P	19-JUL-91	.117	PCI/L	.140	
299-E17-17	26-AUG-91	.062	PCI/L	.110			19-JUL-91	.113	PCI/L	.141	
	26-AUG-91	-.048	PCI/L	.076			26-SEP-91	.034	PCI/L	.096	
299-E17-18	19-DEC-91	-.018	PCI/L	.084		299-E25-33	27-JUN-91	.025	PCI/L	.096	
299-E17-20	24-JUL-91	-.042	PCI/L	.048			16-SEP-91	-.030	PCI/L	.060	
	14-AUG-91	.095	PCI/L	.117		299-E25-34	27-SEP-91	-.044	PCI/L	.063	
	30-SEP-91	-.024	PCI/L	.074			19-JUL-91	.116	PCI/L	.127	
299-E17-5	26-AUG-91	.139	PCI/L	.131		19-JUL-91	.048	PCI/L	.116		
	06-SEP-91	.093	PCI/L	.126		01-OCT-91	.062	PCI/L	.115		
	06-SEP-91	.068	PCI/L	.111		16-OCT-91	.001	PCI/L	.081		
299-E18-1	06-SEP-91	.098	PCI/L	.123		299-E25-36	11-JUL-91	-.003	PCI/L	.048	
299-E18-2	06-SEP-91	.033	PCI/L	.096			20-AUG-91	-.022	PCI/L	.121	
299-E18-3	06-SEP-91	.135	PCI/L	.137			30-SEP-91	-.042	PCI/L	.045	
299-E18-4	20-AUG-91	.049	PCI/L	.128		299-E25-37	26-JUN-91	.028	PCI/L	.123	
299-E24-16	13-AUG-91	.022	PCI/L	.101			16-SEP-91	.029	PCI/L	.108	
299-E24-17	13-AUG-91	.210	PCI/L	.154		299-E25-38	26-JUN-91	-.094	PCI/L	.021	
299-E24-18	26-JUL-91	.127	PCI/L	.132			16-SEP-91	-.022	PCI/L	.059	
299-E24-19	22-NOV-91	.192	PCI/L	.155		299-E25-39	26-JUN-91	.083	PCI/L	.128	
299-E24-20	15-NOV-91	.009	PCI/L	.056			16-SEP-91	.020	PCI/L	.090	
299-E25-18	12-JUL-91	.173	PCI/L	.161		299-E25-40	20-JUL-91	-.079	PCI/L	.018	
	31-JUL-91	-.004	PCI/L	.071			20-JUL-91	.125	PCI/L	.150	
							20-NOV-91	.081	PCI/L	.124	
					299-E25-41	26-JUL-91	-.023	PCI/L	.091		
						21-NOV-91	.079	PCI/L	.125		
					299-E26-10	20-MAR-91	.342	PCI/L	.206		
						27-JUN-91	.205	PCI/L	.163		
						25-SEP-91	.058	PCI/L	.112		

1991 RADIUM DATA						1991 RADIUM DATA					
WELL NAME	SAMPLE DATE	ACTIVITY	UNITS	COUNTING ERROR	DATA REVIEW	WELL NAME	SAMPLE DATE	ACTIVITY	UNITS	COUNTING ERROR	DATA REVIEW
299-E26-11	20-MAR-91	.176	PCI/L	.145		299-E33-30	23-SEP-91	.028	PCI/L	.097	
	27-JUN-91	.323	PCI/L	.190		299-E33-31	23-JUL-91	-.073	PCI/L	.050	
	27-SEP-91	.150	PCI/L	.145		15-NOV-91		.009	PCI/L	.081	
	27-SEP-91	.167	PCI/L	.143							
299-E26-9	21-MAR-91	.084	PCI/L	.111		299-E33-32	23-JUL-91	.134	PCI/L	.137	
	27-JUN-91	.126	PCI/L	.141		22-NOV-91		.076	PCI/L	.122	
	25-SEP-91	.069	PCI/L	.117		22-JUL-91		.030	PCI/L	.118	
						15-NOV-91		.140	PCI/L	.138	
299-E27-10	31-JUL-91	-.009	PCI/L	.111		299-E33-34	02-AUG-91	.142	PCI/L	.137	
299-E27-11	06-NOV-91	.094	PCI/L	.122		20-SEP-91		.089	PCI/L	.123	
299-E27-12	23-JUL-91	.053	PCI/L	.101		299-E33-35	30-JUL-91	-.038	PCI/L	.058	
	18-NOV-91	.032	PCI/L	.102		24-SEP-91		.081	PCI/L	.121	
299-E27-13	23-JUL-91	.007	PCI/L	.107		299-E33-36	21-AUG-91	.182	PCI/L	.161	
	15-NOV-91	-.022	PCI/L	.079							
299-E27-14	23-JUL-91	.282	PCI/L	.178		299-E33-37	09-SEP-91	.039	PCI/L	.109	
299-E27-15	24-JUL-91	.040	PCI/L	.104		299-E33-41	21-NOV-91	.066	PCI/L	.112	
	21-NOV-91	.053	PCI/L	.116				.139	PCI/L	.140	
299-E27-16	09-SEP-91	.165	PCI/L	.144		299-E34-2	30-JUL-91	.216	PCI/L	.166	
						30-JUL-91		-.042	PCI/L	.043	
299-E27-7	25-JUL-91	.064	PCI/L	.097		299-E34-3	29-JUL-91	.202	PCI/L	.152	
299-E27-8	01-AUG-91	.104	PCI/L	.152		299-E34-5	29-JUL-91	.034	PCI/L	.105	
299-E27-9	26-JUL-91	-.050	PCI/L	.092		299-E35-2	21-MAR-91	.005	PCI/L	.094	
299-E28-26	06-AUG-91	.068	PCI/L	.109			27-JUN-91	.187	PCI/L	.158	
	23-SEP-91	-.035	PCI/L	.064			27-JUN-91	.251	PCI/L	.166	
299-E28-27	01-AUG-91	-.004	PCI/L	.093			25-SEP-91	-.050	PCI/L	.042	
	23-SEP-91	-.027	PCI/L	.064		299-W10-13	08-AUG-91	.241	PCI/L	.178	
299-E28-28	02-AUG-91	.163	PCI/L	.153			07-NOV-91	.077	PCI/L	.123	
	23-SEP-91	.013	PCI/L	.093		299-W10-14	14-AUG-91	.092	PCI/L	.114	
299-E32-2	02-AUG-91	.034	PCI/L	.130			07-NOV-91	.282	PCI/L	.184	
	23-SEP-91	-.015	PCI/L	.081		299-W10-15	22-JUL-91	.506	PCI/L	.221	
299-E32-3	02-AUG-91	.167	PCI/L	.151			04-OCT-91	.296	PCI/L	.189	
	20-SEP-91	.086	PCI/L	.129			04-OCT-91	.438	PCI/L	.225	
	20-SEP-91	.052	PCI/L	.108		299-W10-16	22-JUL-91	.027	PCI/L	.101	
299-E32-4	05-AUG-91	.185	PCI/L	.153			24-SEP-91	.106	PCI/L	.130	
	23-SEP-91	.072	PCI/L	.116		299-W10-17	09-OCT-91	.051	PCI/L	.108	
299-E32-5	02-AUG-91	.050	PCI/L	.115			24-SEP-91	.100	PCI/L	.123	
	20-SEP-91	.043	PCI/L	.094		299-W10-18	22-JUL-91	.056	PCI/L	.104	
299-E33-28	31-JUL-91	-.032	PCI/L	.089		299-W10-9	22-JUL-91	.204	PCI/L	.165	
	24-SEP-91	.031	PCI/L	.093			03-OCT-91				
299-E33-29	31-JUL-91	.130	PCI/L	.127		299-W15-16	05-AUG-91	-.097	PCI/L	.022	
	23-SEP-91	.060	PCI/L	.099		299-W15-17	06-AUG-91	.138	PCI/L	.142	
299-E33-30	05-AUG-91	-.045	PCI/L	.082			06-AUG-91	.107	PCI/L	.132	

1991 RADIUM DATA						1991 RADIUM DATA					
WELL NAME	SAMPLE DATE	ACTIVITY	UNITS	COUNTING ERROR	DATA REVIEW	WELL NAME	SAMPLE DATE	ACTIVITY	UNITS	COUNTING ERROR	DATA REVIEW
299-W15-18	09-AUG-91	.005	PCI/L	.089		299-W6-2	12-AUG-91	.124	PCI/L	.140	
299-W15-19	14-NOV-91	.505	PCI/L	.225		12-AUG-91	12-AUG-91	-.003	PCI/L	.084	
299-W15-20	05-AUG-91	.181	PCI/L	.150		13-NOV-91	13-NOV-91	.181	PCI/L	.156	
	12-NOV-91	.154	PCI/L	.149							
299-W15-22	24-SEP-91	.107	PCI/L	.123		299-W7-1	07-AUG-91	-.046	PCI/L	.060	
299-W15-23	05-AUG-91	.160	PCI/L	.159		08-NOV-91	08-NOV-91	.040	PCI/L	.117	
	13-NOV-91	.075	PCI/L	.114		299-W7-10	09-AUG-91	.210	PCI/L	.159	
299-W15-24	05-AUG-91	.028	PCI/L	.110		14-NOV-91	14-NOV-91	.297	PCI/L	.183	
	12-NOV-91	.057	PCI/L	.107							
299-W18-21	07-AUG-91	.097	PCI/L	.130		299-W7-2	07-AUG-91	.234	PCI/L	.173	
299-W18-22	06-AUG-91	.048	PCI/L	.116		08-NOV-91	08-NOV-91	.227	PCI/L	.171	
299-W18-23	09-AUG-91	.137	PCI/L	.149		299-W7-3	08-AUG-91	.035	PCI/L	.100	
299-W18-24	09-AUG-91	-.032	PCI/L	.061		08-NOV-91	08-NOV-91	.006	PCI/L	.090	
299-W18-25	11-APR-91	-.001	PCI/L	.083		299-W7-4	12-AUG-91	.075	PCI/L	.123	
	01-OCT-91	.014	PCI/L	.079		13-NOV-91	13-NOV-91	.070	PCI/L	.120	
299-W18-26	07-AUG-91	.156	PCI/L	.141		299-W7-5	09-AUG-91	.025	PCI/L	.109	
	12-NOV-91	.075	PCI/L	.128		11-NOV-91	11-NOV-91	.080	PCI/L	.120	
299-W18-29	09-OCT-91	-.030	PCI/L	.081		299-W7-6	12-AUG-91	3.760	PCI/L	.626	
299-W19-31	01-OCT-91	.006	PCI/L	.087		08-NOV-91	08-NOV-91	2.580	PCI/L	.485	
299-W19-32	01-OCT-91	.163	PCI/L	.145		299-W7-7	09-AUG-91	.111	PCI/L	.132	
299-W22-39	14-NOV-91	.109	PCI/L	.122		08-NOV-91	08-NOV-91	.268	PCI/L	.179	
299-W22-40	03-SEP-91	.052	PCI/L	.108		299-W7-8	09-AUG-91	.021	PCI/L	.104	
299-W22-41	03-SEP-91	.334	PCI/L	.186		11-NOV-91	11-NOV-91	.249	PCI/L	.172	
299-W22-42	03-SEP-91	.031	PCI/L	.095		299-W7-9	09-AUG-91	.194	PCI/L	.159	
299-W22-43	04-SEP-91	.203	PCI/L	.153		08-NOV-91	08-NOV-91	.495	PCI/L	.226	
	04-SEP-91	.295	PCI/L	.180		299-W8-1	09-AUG-91	.083	PCI/L	.115	
299-W23-13	03-OCT-91	.130	PCI/L	.136		13-NOV-91	13-NOV-91	.056	PCI/L	.106	
299-W23-14	09-OCT-91	.156	PCI/L	.145		299-W9-1	08-AUG-91	.007	PCI/L	.108	
299-W26-10	21-AUG-91		PCI/L			08-NOV-91	08-NOV-91	.250	PCI/L	.169	
299-W26-12	28-AUG-91	.215	PCI/L	.170		399-1-10	15-JUL-91	.044	PCI/L	.114	
299-W26-7	21-AUG-91	.175	PCI/L	.148		399-1-11	18-DEC-91	.083	PCI/L	.121	
299-W26-8	28-AUG-91	.215	PCI/L	.166		399-1-12	18-JUL-91	.009	PCI/L	.080	
	28-AUG-91	.151	PCI/L	.149		399-1-13	16-JUL-91	.001	PCI/L	.095	
	30-DEC-91	.223	PCI/L	.159		399-1-14	16-JUL-91	-.038	PCI/L	.064	
299-W26-9	20-AUG-91	.154	PCI/L	.159		399-1-15	16-JUL-91	.073	PCI/L	.114	
						399-1-16A	11-JUL-91	.030	PCI/L	.064	
						399-1-16B	11-JUL-91	.035	PCI/L	.065	
						399-1-17A	11-JUL-91	.006	PCI/L	.055	
						399-1-17B	11-JUL-91	.007	PCI/L	.056	
								-.026	PCI/L	.040	

1991 RADIUM DATA						
WELL NAME	SAMPLE DATE	ACTIVITY	UNITS	COUNTING ERROR	DATA REVIEW	
399-1-18A	15-JUL-91	.171	PCI/L	.140		
399-1-7	09-JUL-91	.105	PCI/L	.125		
399-2-1	09-JUL-91	.035	PCI/L	.099		
	18-DEC-91	-.027	PCI/L	.078		
399-3-10	12-JUL-91	-.016	PCI/L	.055		
	18-DEC-91	-.075	PCI/L	.049		
399-3-7	12-JUL-91	-.014	PCI/L	.041		
399-3-9	15-JUL-91	-.058	PCI/L	.066		
399-4-1	10-JUL-91	-.027	PCI/L	.051		
399-4-11	15-JUL-91	-.008	PCI/L	.083		
399-4-7	09-JUL-91	.090	PCI/L	.125		
399-8-1	15-JUL-91	.026	PCI/L	.109		
	20-DEC-91	-.030	PCI/L	.062		
	20-DEC-91	.013	PCI/L	.085		
699-25-33A	27-AUG-91	.001	PCI/L	.091		
699-25-34A	27-AUG-91	.001	PCI/L	.085		
699-25-34B	27-AUG-91	-.038	PCI/L	.073		
699-26-35A	27-AUG-91	.015	PCI/L	.106		
699-26-35C	27-AUG-91	.008	PCI/L	.098		
699-34-8	21-AUG-91	.069	PCI/L	.135		
699-40-39	08-JUL-91	.139	PCI/L	.155		
	11-SEP-91	.076	PCI/L	.128		
699-41-40	10-JUL-91	.116	PCI/L	.092		
	11-SEP-91	.042	PCI/L	.094		
699-42-40A	08-JUL-91	.085	PCI/L	.119		
699-42-42B	08-JUL-91	.084	PCI/L	.104		
699-43-41E	28-JUN-91	.253	PCI/L	.179		
	28-JUN-91	.163	PCI/L	.150		
699-43-41F	02-JUL-91	.154	PCI/L	.143		
699-43-42J	02-JUL-91	.078	PCI/L	.116		
699-43-43	08-JUL-91	.194	PCI/L	.153		
699-43-45	08-JUL-91	.088	PCI/L	.123		
	11-SEP-91	.066	PCI/L	.112		
699-44-42	10-JUL-91	.051	PCI/L	.071		

1991 RADIUM DATA						
WELL NAME	SAMPLE DATE	ACTIVITY	UNITS	COUNTING ERROR	DATA REVIEW	
699-44-43B	08-JUL-91	.205	PCI/L	.143		
	11-SEP-91	.042	PCI/L	.105		
699-81-58	04-SEP-91	-.008	PCI/L	.076		
	04-SEP-91	-.010	PCI/L	.088		

1991 RA-226 DATA				
WELL NAME	SAMPLE DATE	ACTIVITY	UNITS	COUNTING ERROR
299-E13-14	11-JUN-91	2.310	PCI/L	6.000
399-1-17A	25-MAR-91	2.100	PCI/L	13.170

1991 URANIUM DATA				1991 URANIUM DATA			
WELL NAME	SAMPLE DATE	ACTIVITY	UNITS	WELL NAME	SAMPLE DATE	ACTIVITY	UNITS
199-F5-4	19-SEP-91	6.69	PCI/L	199-H4-9	06-JUN-91	3.01	PCI/L
199-H3-1	06-JUN-91	0.11	PCI/L		12-SEP-91	4.81	PCI/L
199-H3-2A	06-JUN-91	2.15	PCI/L	199-N-14	17-JAN-91	0.43	PCI/L
	12-SEP-91	2.96	PCI/L		28-MAR-91	0.18	PCI/L
199-H3-2B	22-AUG-91	3.23	PCI/L	199-N-3	05-FEB-91	0.60	PCI/L
					10-APR-91	0.64	PCI/L
199-H3-2C	06-JUN-91	4.41	PCI/L		05-DEC-91	1.13	PCI/L
	13-SEP-91	1.11	PCI/L	299-E13-14	11-JUN-91	1.85	PCI/L
199-H4-11	07-JUN-91	3.33	PCI/L	299-E17-1	13-AUG-91	2.63	PCI/L
	12-SEP-91	4.76	PCI/L	299-E17-14	28-AUG-91	7.74	PCI/L
199-H4-12A	07-JUN-91	0.85	PCI/L	299-E17-15	03-SEP-91	6.86	PCI/L
	12-SEP-91	29.30	PCI/L		19-DEC-91	4.41	PCI/L
199-H4-12B	22-AUG-91	6.42	PCI/L	299-E17-16	28-AUG-91	4.72	PCI/L
					19-DEC-91	3.33	PCI/L
199-H4-12C	07-JUN-91	1.04	PCI/L	299-E17-17	26-AUG-91	4.02	PCI/L
	12-SEP-91	1.43	PCI/L				
199-H4-13	23-AUG-91	2.36	PCI/L	299-E17-18	26-AUG-91	4.42	PCI/L
					19-DEC-91	2.88	PCI/L
199-H4-14	07-JUN-91	1.74	PCI/L	299-E17-20	14-AUG-91	3.11	PCI/L
	13-SEP-91	2.93	PCI/L	299-E17-5	26-AUG-91	4.25	PCI/L
199-H4-15A	22-AUG-91	1.74	PCI/L	299-E18-1	06-SEP-91	4.16	PCI/L
	13-SEP-91	1.24	PCI/L	299-E18-2	06-SEP-91	2.46	PCI/L
199-H4-15B	22-AUG-91	1.87	PCI/L	299-E18-3	06-SEP-91	1.87	PCI/L
				299-E18-4	06-SEP-91	3.02	PCI/L
199-H4-16	07-JUN-91	1.85	PCI/L	299-E24-16	20-AUG-91	4.01	PCI/L
				299-E24-17	13-AUG-91	3.51	PCI/L
199-H4-17	16-AUG-91	37.30	PCI/L	299-E24-18	13-AUG-91	6.25	PCI/L
				299-E24-19	26-JUL-91	1.24	PCI/L
199-H4-18	13-SEP-91	5.06	PCI/L	299-E24-20	15-NOV-91	0.96	PCI/L
				299-E25-18	31-JUL-91	1.45	PCI/L
199-H4-3	07-JUN-91	63.20	PCI/L	299-E25-36	20-AUG-91	1.91	PCI/L
	07-JUN-91	56.00	PCI/L	299-E25-40	20-JUL-91	0.43	PCI/L
	13-SEP-91	105.00	PCI/L		20-JUL-91	4.32	PCI/L
	13-SEP-91	120.00	PCI/L	299-E25-41	26-JUL-91	1.49	PCI/L
199-H4-4	28-MAR-91	2.61	PCI/L	299-E26-6	21-MAR-91	0.47	PCI/L
	06-JUN-91	2.75	PCI/L	299-E27-10	31-JUL-91	2.40	PCI/L
	18-SEP-91	58.80	PCI/L				
199-H4-5	22-AUG-91	3.67	PCI/L				
	13-SEP-91	3.92	PCI/L				
199-H4-6	10-JUN-91	0.91	PCI/L				
	12-SEP-91	4.11	PCI/L				
199-H4-7	06-JUN-91	1.33	PCI/L				
	12-SEP-91	2.13	PCI/L				
199-H4-8	16-AUG-91	3.92	PCI/L				
	12-SEP-91	4.07	PCI/L				

1991 URANIUM DATA					1991 URANIUM DATA				
WELL NAME	SAMPLE DATE	ACTIVITY	UNITS	DATA REVIEW	WELL NAME	SAMPLE DATE	ACTIVITY	UNITS	DATA REVIEW
299-E27-11	06-NOV-91	2.32	PCI/L		299-E33-3	08-JAN-91	1.58	PCI/L	
299-E27-12	23-JUL-91	1.07	PCI/L		299-E33-30	05-AUG-91	1.81	PCI/L	
	18-NOV-91	1.09	PCI/L			23-SEP-91	2.04	PCI/L	
299-E27-13	23-JUL-91	1.53	PCI/L		299-E33-31	23-JUL-91	1.66	PCI/L	
	15-NOV-91	1.24	PCI/L			15-NOV-91	0.72	PCI/L	
299-E27-14	23-JUL-91	1.45	PCI/L		299-E33-32	23-JUL-91	1.62	PCI/L	
299-E27-15	24-JUL-91	2.01	PCI/L		299-E33-33	22-JUL-91	1.96	PCI/L	
299-E27-16	09-SEP-91	1.29	PCI/L			15-NOV-91	1.66	PCI/L	
299-E27-5	09-JAN-91	1.34	PCI/L		299-E33-34	02-AUG-91	2.46	PCI/L	
299-E27-7	25-JUL-91	0.54	PCI/L			20-SEP-91	3.03	PCI/L	
299-E27-8	01-AUG-91	1.27	PCI/L		299-E33-35	30-JUL-91	1.79	PCI/L	
299-E27-9	26-JUL-91	1.94	PCI/L			24-SEP-91	2.45	PCI/L	
299-E28-11	26-MAR-91	0.32	PCI/L		299-E33-36	21-AUG-91	0.78	PCI/L	
299-E28-15	26-MAR-91	0.38	PCI/L			09-SEP-91	1.84	PCI/L	
299-E28-17	21-MAR-91	6.74	PCI/L		299-E33-41	25-JUL-91	2.68	PCI/L	
299-E28-18	21-MAR-91	10.40	PCI/L		299-E34-1	18-JAN-91	1.69	PCI/L	
299-E28-21	20-SEP-91	20.60	PCI/L		299-E34-2	30-JUL-91	3.01	PCI/L	
299-E28-25	31-JAN-91	6.13	PCI/L			30-JUL-91	0.18	PCI/L	
299-E28-26	06-AUG-91	19.80	PCI/L		299-E34-3	29-JUL-91	2.22	PCI/L	
	23-SEP-91	18.30	PCI/L			29-JUL-91	2.90	PCI/L	
299-E28-27	01-AUG-91	1.75	PCI/L		299-E34-7	04-NOV-91	1.75	PCI/L	
	23-SEP-91	5.04	PCI/L			08-AUG-91	0.59	PCI/L	
299-E28-28	02-AUG-91	17.10	PCI/L		299-W10-13	07-NOV-91	0.55	PCI/L	
	23-SEP-91	14.50	PCI/L			14-AUG-91	0.71	PCI/L	
299-E32-2	02-AUG-91	4.44	PCI/L		299-W10-14	07-NOV-91	0.72	PCI/L	
	23-SEP-91	6.12	PCI/L			22-JUL-91	1.98	PCI/L	
299-E32-3	02-AUG-91	17.90	PCI/L		299-W10-15	04-OCT-91	1.61	PCI/L	
	20-SEP-91	17.80	PCI/L			04-OCT-91	2.00	PCI/L	
299-E32-4	05-AUG-91	6.40	PCI/L		299-W10-16	22-JUL-91	1.22	PCI/L	
	23-SEP-91	8.28	PCI/L			24-SEP-91	1.24	PCI/L	
299-E32-5	02-AUG-91	22.70	PCI/L		299-W10-17	09-OCT-91	0.84	PCI/L	
	20-SEP-91	20.60	PCI/L			24-SEP-91	1.38	PCI/L	
299-E33-28	31-JUL-91	1.68	PCI/L		299-W10-4	02-JAN-91	0.41	PCI/L	
	24-SEP-91	2.00	PCI/L			22-JUL-91	2.32	PCI/L	
299-E33-29	31-JUL-91	2.41	PCI/L		299-W10-9	03-OCT-91	2.10	PCI/L	
	23-SEP-91	1.66	PCI/L			02-JAN-91	1.11	PCI/L	
					299-W14-5	03-JAN-91	0.66	PCI/L	
					299-W14-6				

1991 URANIUM DATA					1991 URANIUM DATA				
WELL NAME	SAMPLE DATE	ACTIVITY	UNITS	DATA REVIEW	WELL NAME	SAMPLE DATE	ACTIVITY	UNITS	DATA REVIEW
299-W15-10	02-JAN-91	0.90	PCI/L		299-W19-31	01-OCT-91	2.92	PCI/L	
299-W15-11	02-JAN-91	0.83	PCI/L		299-W19-32	01-OCT-91	1.82	PCI/L	
299-W15-16	05-AUG-91	1.88	PCI/L		299-W22-20	18-JUN-91	6.72	PCI/L	
299-W15-17	06-AUG-91	0.60	PCI/L			04-SEP-91	8.42	PCI/L	
	06-AUG-91	0.83	PCI/L			03-OCT-91	3.87	PCI/L	
299-W15-18	09-AUG-91	0.36	PCI/L		299-W22-26	04-JAN-91	0.53	PCI/L	
299-W15-19	14-NOV-91	1.51	PCI/L		299-W22-39	14-NOV-91	6.19	PCI/L	
299-W15-20	05-AUG-91	1.00	PCI/L		299-W22-40	03-SEP-91	1.54	PCI/L	
	12-NOV-91	0.94	PCI/L		299-W22-41	03-SEP-91	1.87	PCI/L	
299-W15-22	24-SEP-91	1.37	PCI/L		299-W22-42	03-SEP-91	2.47	PCI/L	
299-W15-23	05-AUG-91	0.90	PCI/L		299-W22-43	04-SEP-91	3.21	PCI/L	
	13-NOV-91	0.75	PCI/L			04-SEP-91	3.20	PCI/L	
299-W15-24	05-AUG-91	0.85	PCI/L		299-W23-13	03-OCT-91	0.60	PCI/L	
	12-NOV-91	1.91	PCI/L		299-W23-14	09-OCT-91	6.03	PCI/L	
299-W15-4	02-JAN-91	2.07	PCI/L		299-W26-10	21-AUG-91	1.09	PCI/L	
299-W18-17	20-MAR-91	0.89	PCI/L		299-W26-12	28-AUG-91	31.40	PCI/L	
299-W18-20	20-MAR-91	1.53	PCI/L		299-W26-7	21-AUG-91	1.28	PCI/L	
299-W18-21	07-AUG-91	10.70	PCI/L		299-W26-8	28-AUG-91	17.00	PCI/L	
299-W18-22	06-AUG-91	0.72	PCI/L			28-AUG-91	18.50	PCI/L	
						30-DEC-91	10.00	PCI/L	
299-W18-23	09-AUG-91	1.22	PCI/L		299-W26-9	20-AUG-91	1.69	PCI/L	
299-W18-24	09-AUG-91	0.73	PCI/L		299-W6-2	12-AUG-91	1.69	PCI/L	
	02-OCT-91	10.50	PCI/L			12-AUG-91	1.33	PCI/L	
299-W18-25	11-APR-91	7.33	PCI/L			13-NOV-91	0.96	PCI/L	
	01-OCT-91	6.50	PCI/L		299-W7-1	07-AUG-91	0.61	PCI/L	
299-W18-26	07-AUG-91	2.15	PCI/L			08-NOV-91	0.69	PCI/L	
	12-NOV-91	0.92	PCI/L		299-W7-10	09-AUG-91	1.03	PCI/L	
299-W18-29	09-OCT-91	0.66	PCI/L			14-NOV-91	1.34	PCI/L	
299-W19-18	02-JAN-91	883.00	PCI/L		299-W7-2	07-AUG-91	0.76	PCI/L	
299-W19-21	03-DEC-91	18.90	PCI/L			08-NOV-91	0.94	PCI/L	
299-W19-24	20-MAR-91	509.00	PCI/L		299-W7-3	08-AUG-91	1.29	PCI/L	
299-W19-27	03-DEC-91	17.60	PCI/L			08-NOV-91	1.39	PCI/L	
299-W19-28	10-OCT-91	27.20	PCI/L		299-W7-4	12-AUG-91	2.79	PCI/L	
299-W19-29	14-JUN-91	2210.00	PCI/L			13-NOV-91	0.77	PCI/L	
	25-NOV-91	2120.00	PCI/L		299-W7-5	09-AUG-91	0.99	PCI/L	
299-W19-30	13-JUN-91	53.40	PCI/L			11-NOV-91	1.22	PCI/L	
					299-W7-6	12-AUG-91	14.70	PCI/L	
						08-NOV-91	6.99	PCI/L	

WELL NAME	1991 URANIUM DATA			UNITS	DATA REVIEW
	SAMPLE DATE	ACTIVITY			
399-0-2	18-DEC-91	1.61		PCI/L	
399-8-3	09-OCT-91	3.12		PCI/L	
699-34-8	21-AUG-91	2.02		PCI/L	
699-38-70	30-DEC-91	48.00		PCI/L	
699-40-62	30-DEC-91	1.26		PCI/L	
699-45-69A	30-DEC-91	1.30		PCI/L	
699-49-100C	18-JAN-91	1.66		PCI/L	
	04-APR-91	1.59		PCI/L	
	20-JUN-91	1.59		PCI/L	
699-830-E10A	24-JUL-91	2.85		PCI/L	
	10-DEC-91	3.67		PCI/L	
699-S30-E10B	24-JUL-91	2.02		PCI/L	
	10-DEC-91	4.04		PCI/L	
699-S31-E10A	23-JUL-91	3.55		PCI/L	
699-S31-E10B	23-JUL-91	3.62		PCI/L	
699-S31-E10C	23-JUL-91	3.50		PCI/L	
699-S31-E10D	23-JUL-91	3.43		PCI/L	
699-S31-E8	24-JUL-91	1.94		PCI/L	
699-S32-E8	25-JUL-91	1.51		PCI/L	
699-S41-E13C	29-AUG-91	1.40		PCI/L	
699-S6-E4D	03-DEC-91	2.72		PCI/L	

WELL NAME	SAMPLE DATE	ACTIVITY	UNITS	COUNTING ERROR	DATA REVIEW
399-1-17A	23-AUG-91	48.600	PCI/L	2.088	
	29-AUG-91	56.400	PCI/L	2.052	
	04-SEP-91	54.200	PCI/L	1.906	
	11-SEP-91	45.000	PCI/L	1.888	
	17-SEP-91	41.200	PCI/L	1.523	
	26-SEP-91	29.300	PCI/L	1.279	
	04-OCT-91	28.400	PCI/L	1.429	
	09-OCT-91	29.800	PCI/L	1.457	
	17-OCT-91	31.100	PCI/L	1.488	
	24-OCT-91	27.800	PCI/L	1.645	
	29-OCT-91	30.100	PCI/L	1.825	
	05-NOV-91	27.200	PCI/L	1.689	
	19-DEC-91	35.700	PCI/L	3.175	
	27-DEC-91	42.000	PCI/L	1.808	

WELL NAME	SAMPLE DATE	ACTIVITY	UNITS	COUNTING ERROR	DATA REVIEW
399-1-17A	23-AUG-91	5.1000	PCI/L	.6801	
	29-AUG-91	2.9200	PCI/L	.4714	
	04-SEP-91	5.6100	PCI/L	.6159	
	11-SEP-91	4.4100	PCI/L	.5972	
	17-SEP-91	2.5100	PCI/L	.3788	
	26-SEP-91	1.4300	PCI/L	.2865	
	09-OCT-91	1.4500	PCI/L	.3248	
	17-OCT-91	1.8600	PCI/L	.3820	
	24-OCT-91	1.8200	PCI/L	.4396	
	29-OCT-91	1.7400	PCI/L	.5060	
	05-NOV-91	4.2800	PCI/L	.6832	
	19-DEC-91	.9890	PCI/L	.5462	
	27-DEC-91	1.8500	PCI/L	.3838	

WELL NAME	SAMPLE DATE	ACTIVITY	UNITS	COUNTING ERROR	DATA REVIEW
399-1-17A	23-AUG-91	34.000	PCI/L	1.748	
	29-AUG-91	39.400	PCI/L	1.719	
	04-SEP-91	39.700	PCI/L	1.633	
	11-SEP-91	31.100	PCI/L	1.572	
	17-SEP-91	29.700	PCI/L	1.294	
	26-SEP-91	20.000	PCI/L	1.057	
	04-OCT-91	19.600	PCI/L	1.196	
	09-OCT-91	21.300	PCI/L	1.234	
	17-OCT-91	21.400	PCI/L	1.261	
	24-OCT-91	21.500	PCI/L	1.445	
	29-OCT-91	21.100	PCI/L	1.568	
	05-NOV-91	23.300	PCI/L	1.564	
	19-DEC-91	26.100	PCI/L	2.718	
	27-DEC-91	30.800	PCI/L	1.549	

1991 PU-238 DATA					1991 PU-238 DATA						
WELL NAME	SAMPLE DATE	ACTIVITY	UNITS	COUNTING ERROR	DATA REVIEW	WELL NAME	SAMPLE DATE	ACTIVITY	UNITS	COUNTING ERROR	DATA REVIEW
199-F5-6	19-SEP-91	-.0014	PCI/L	.0075		299-E27-9	26-JUL-91	-.0014	PCI/L	.0000	
299-E13-14	11-JUN-91	-.0014	PCI/L	.0000		299-E28-16	31-DEC-91	-.0020	PCI/L	.0011	
299-E17-13	18-JUN-91	-.0032	PCI/L	.0020		299-E28-19	20-SEP-91	.0013	PCI/L	.0055	
	31-DEC-91	-.0021	PCI/L	.0012		299-E28-21	20-SEP-91	-.0014	PCI/L	.0000	
299-E17-14	28-AUG-91	-.0025	PCI/L	.0016		299-E28-25	31-JAN-91	.0564	PCI/L	.0198	
299-E17-15	04-NOV-91	-.0014	PCI/L	.0000		299-E28-26	06-AUG-91	.0010	PCI/L	.0049	
	31-DEC-91	-.0032	PCI/L	.0021		299-E28-27	23-SEP-91	.0028	PCI/L	.0118	
299-E17-16	28-AUG-91	-.0037	PCI/L	.0046		299-E28-28	01-AUG-91	-.0026	PCI/L	.0023	
299-E17-17	26-AUG-91	-.0014	PCI/L	.0000			23-SEP-91	-.0022	PCI/L	.0014	
299-E17-18	26-AUG-91	-.0014	PCI/L	.0000		299-E32-1	02-AUG-91	-.0014	PCI/L	.0000	
299-E17-20	24-JUL-91	-.0014	PCI/L	.0000		299-E32-2	23-SEP-91	-.0022	PCI/L	.0014	
299-E17-5	26-AUG-91	.0000	PCI/L	.0040		299-E32-3	28-JAN-91	-.0014	PCI/L	.0000	
299-E17-6	26-SEP-91	-.0031	PCI/L	.0017			02-AUG-91	.0082	PCI/L	.0137	
299-E18-1	09-JUL-91	.0040	PCI/L	.0065		299-E32-4	23-SEP-91	.0004	PCI/L	.0050	
299-E18-2	06-SEP-91	.0021	PCI/L	.0070		299-E32-5	02-AUG-91	.0037	PCI/L	.0235	
299-E18-3	06-SEP-91	-.0014	PCI/L	.0000			20-SEP-91	-.0038	PCI/L	.0047	
299-E18-4	06-SEP-91	-.0014	PCI/L	.0000		299-E32-6	20-SEP-91	-.0044	PCI/L	.0060	
299-E24-12	12-DEC-91	-.0032	PCI/L	.0020			05-AUG-91	-.0014	PCI/L	.0000	
299-E24-16	20-AUG-91	-.0085	PCI/L	.0100		299-E32-7	23-SEP-91	-.0014	PCI/L	.0000	
299-E24-17	13-AUG-91	-.0014	PCI/L	.0000		299-E32-8	02-AUG-91	-.0044	PCI/L	.0034	
299-E24-18	13-AUG-91	-.0014	PCI/L	.0000			20-SEP-91	-.0052	PCI/L	.0130	
299-E24-19	22-NOV-91	-.0015	PCI/L	.0000		299-E33-26	28-JAN-91	.0007	PCI/L	.0044	
299-E24-20	15-NOV-91	-.0014	PCI/L	.0000		299-E33-28	31-JUL-91	-.0026	PCI/L	.0023	
299-E25-22	12-DEC-91	-.0014	PCI/L	.0000			24-SEP-91	-.0014	PCI/L	.0000	
299-E25-38	26-JUN-91	-.0021	PCI/L	.0013		299-E33-29	31-JUL-91	-.0014	PCI/L	.0000	
299-E25-41	21-NOV-91	.0006	PCI/L	.0057			23-SEP-91	-.0014	PCI/L	.0000	
299-E27-10	31-JUL-91	.0088	PCI/L	.0118		299-E33-3	08-JAN-91	-.0018	PCI/L	.0000	
299-E27-12	18-NOV-91	-.0034	PCI/L	.0020		299-E33-30	05-AUG-91	-.0014	PCI/L	.0000	
299-E27-13	15-NOV-91	-.0019	PCI/L	.0009			23-SEP-91	.0007	PCI/L	.0058	
299-E27-15	21-NOV-91	-.0031	PCI/L	.0033		299-E33-31	15-NOV-91	-.0020	PCI/L	.0011	
299-E27-5	09-JAN-91	-.0021	PCI/L	.0010		299-E33-32	22-NOV-91	-.0039	PCI/L	.0048	
299-E27-8	01-AUG-91	-.0014	PCI/L	.0000		299-E33-33	15-NOV-91	.0007	PCI/L	.0044	
						299-E33-34	02-AUG-91	.0096	PCI/L	.0157	
							20-SEP-91	-.0067	PCI/L	.0075	
						299-E33-35	30-JUL-91	.0004	PCI/L	.0080	
							24-SEP-91	-.0021	PCI/L	.0012	
						299-E33-41	25-JUL-91	-.0020	PCI/L	.0011	

1991 PU-238 DATA						1991 PU-238 DATA					
WELL NAME	SAMPLE DATE	ACTIVITY	UNITS	COUNTING ERROR	DATA REVIEW	WELL NAME	SAMPLE DATE	ACTIVITY	UNITS	COUNTING ERROR	DATA REVIEW
299-E33-41	21-NOV-91	-.0015	PCI/L	.0000		299-W15-8	13-NOV-91	.0274	PCI/L	.0366	
	21-NOV-91	-.0038	PCI/L	.0046			13-NOV-91	.0050	PCI/L	.0181	
299-E34-1	18-JAN-91	.0097	PCI/L	.0227		299-W18-17	20-MAR-91	-.0005	PCI/L	.0009	
299-E34-2	30-JUL-91	-.0024	PCI/L	.0019		299-W18-20	20-MAR-91	.0009	PCI/L	.0040	
	30-JUL-91	-.0025	PCI/L	.0021		299-W18-21	07-AUG-91	.0010	PCI/L	.0048	
299-E34-3	29-JUL-91	-.0001	PCI/L	.0055		299-W18-22	06-AUG-91	-.0008	PCI/L	.0057	
299-E34-5	29-JUL-91	-.0024	PCI/L	.0019		299-W18-23	09-AUG-91	-.0014	PCI/L	.0000	
299-E34-7	04-NOV-91	.0013	PCI/L	.0074		299-W18-24	09-AUG-91	-.0027	PCI/L	.0019	
299-W10-13	08-AUG-91	.0010	PCI/L	.0283		299-W18-25	01-OCT-91	-.0024	PCI/L	.0019	
299-W10-14	14-AUG-91	-.0014	PCI/L	.0000		299-W18-26	07-AUG-91	-.0014	PCI/L	.0000	
299-W10-15	04-OCT-91	-.0015	PCI/L	.0000			12-NOV-91	-.0021	PCI/L	.0014	
	04-OCT-91	-.0015	PCI/L	.0000		299-W18-29	09-OCT-91	.0037	PCI/L	.0104	
299-W10-16	24-SEP-91	-.0027	PCI/L	.0018		299-W19-13	02-OCT-91	-.0005	PCI/L	.0010	
299-W10-17	09-OCT-91	-.0019	PCI/L	.0010		299-W19-17	31-JAN-91	.0012	PCI/L	.0052	
299-W10-18	24-SEP-91	-.0000	PCI/L	.0039		299-W19-29	14-JUN-91	-.0020	PCI/L	.0011	
299-W10-4	02-JAN-91	-.0022	PCI/L	.0010		299-W19-3	18-JUL-91	.0028	PCI/L	.0085	
299-W10-9	03-OCT-91	-.0014	PCI/L	.0000		299-W19-30	13-JUN-91	-.0019	PCI/L	.0009	
299-W11-18	02-OCT-91	-.0001	PCI/L	.0037		299-W19-31	01-OCT-91	-.0023	PCI/L	.0016	
299-W14-5	02-JAN-91	.0002	PCI/L	.0053		299-W19-32	01-OCT-91	-.0015	PCI/L	.0000	
299-W14-6	03-JAN-91	.0004	PCI/L	.0040		299-W22-26	04-JAN-91	-.0023	PCI/L	.0011	
299-W15-10	02-JAN-91	-.0016	PCI/L	.0000		299-W22-39	14-NOV-91	-.0014	PCI/L	.0000	
299-W15-11	02-JAN-91	-.0022	PCI/L	.0011		299-W23-10	31-DEC-91	-.0026	PCI/L	.0016	
299-W15-16	05-AUG-91	-.0014	PCI/L	.0000		299-W23-13	03-OCT-91	.0103	PCI/L	.0167	
299-W15-17	06-AUG-91	-.0014	PCI/L	.0000		299-W23-14	09-OCT-91	-.0024	PCI/L	.0013	
	06-AUG-91	-.0014	PCI/L	.0000		299-W6-2	12-AUG-91	.0014	PCI/L	.0067	
299-W15-18	09-AUG-91	.0403	PCI/L	.0767			12-AUG-91	-.0021	PCI/L	.0013	
299-W15-19	14-NOV-91	.0007	PCI/L	.0094			13-NOV-91	-.0014	PCI/L	.0000	
299-W15-20	05-AUG-91	.0026	PCI/L	.0081		299-W7-1	07-AUG-91	-.0020	PCI/L	.0011	
	12-NOV-91	-.0014	PCI/L	.0000			08-NOV-91	-.0014	PCI/L	.0000	
299-W15-22	24-SEP-91	-.0014	PCI/L	.0000		299-W7-10	09-AUG-91	-.0199	PCI/L	.0369	
299-W15-23	05-AUG-91	.2220	PCI/L	.5291			14-NOV-91	-.0014	PCI/L	.0000	
	13-NOV-91	-.0014	PCI/L	.0000		299-W7-2	07-AUG-91	-.0025	PCI/L	.0016	
299-W15-24	12-NOV-91	-.0023	PCI/L	.0018			08-NOV-91	-.0014	PCI/L	.0000	
299-W15-4	02-JAN-91	.0015	PCI/L	.0060		299-W7-3	08-AUG-91	.0280	PCI/L	.0416	

WELL NAME	SAMPLE DATE	ACTIVITY	UNITS	COUNTING ERROR	DATA REVIEW
299-W7-3	08-NOV-91	-.0040	PCI/L	.0051	
299-W7-4	12-AUG-91	-.0026	PCI/L	.0017	
	13-NOV-91	-.0029	PCI/L	.0020	
299-W7-5	09-AUG-91	-.0014	PCI/L	.0000	
	11-NOV-91	.0022	PCI/L	.0073	
299-W7-6	12-AUG-91	-.0014	PCI/L	.0000	
	08-NOV-91	.0010	PCI/L	.0049	
299-W7-7	09-AUG-91	-.0254	PCI/L	.0277	
	08-NOV-91	-.0014	PCI/L	.0104	
299-W7-8	09-AUG-91	-.0029	PCI/L	.0020	
	11-NOV-91	-.0007	PCI/L	.0063	
299-W7-9	09-AUG-91	.1410	PCI/L	.3605	
	08-NOV-91	-.0008	PCI/L	.0055	
299-W8-1	09-AUG-91	.0019	PCI/L	.0140	
	13-NOV-91	-.0021	PCI/L	.0013	
299-W9-1	08-AUG-91	-.0081	PCI/L	.0133	
	08-NOV-91	-.0014	PCI/L	.0000	
699-38-70	30-DEC-91	.0010	PCI/L	.0049	
699-40-39	31-DEC-91	-.0034	PCI/L	.0022	
699-40-62	31-DEC-91	-.0015	PCI/L	.0000	
699-42-42B	08-JUL-91	.0018	PCI/L	.0037	
699-50-53	21-JUN-91	-.0202	PCI/L	.0116	
699-53-47A	10-DEC-91	-.0032	PCI/L	.0020	
699-53-48A	29-JAN-91	-.0033	PCI/L	.0018	
699-53-48B	02-OCT-91	-.0015	PCI/L	.0000	
699-54-48	23-SEP-91	.0030	PCI/L	.0121	
699-63-25A	31-JAN-91	-.0049	PCI/L	.0049	
699-64-27	22-AUG-91	-.0025	PCI/L	.0015	
699-66-23	22-AUG-91	-.0020	PCI/L	.0012	
699-S28-E0	01-FEB-91	-.0016	PCI/L	.0000	

1991 PU-239/40 DATA						1991 PU-239/40 DATA					
WELL NAME	SAMPLE DATE	ACTIVITY	UNITS	COUNTING ERROR	DATA REVIEW	WELL NAME	SAMPLE DATE	ACTIVITY	UNITS	COUNTING ERROR	DATA REVIEW
199-F5-6	19-SEP-91	-.0002	PCI/L	.0000		299-E27-9	26-JUL-91	-.0002	PCI/L	.0000	
299-E13-14	11-JUN-91	.0103	PCI/L	.0086		299-E28-16	31-DEC-91	-.0002	PCI/L	.0000	
299-E17-13	18-JUN-91	-.0007	PCI/L	.0011		299-E28-19	20-SEP-91	-.0002	PCI/L	.0077	
	31-DEC-91	-.0008	PCI/L	.0012		299-E28-21	20-SEP-91	-.0002	PCI/L	.0000	
299-E17-14	28-AUG-91	-.0007	PCI/L	.0011		299-E28-25	31-JAN-91	13.3000	PCI/L	.3002	
299-E17-15	04-NOV-91	-.0045	PCI/L	.0086		299-E28-26	06-AUG-91	-.0002	PCI/L	.0000	
	31-DEC-91	.0022	PCI/L	.0048		299-E28-27	23-SEP-91	-.0044	PCI/L	.0049	
299-E17-16	28-AUG-91	-.0002	PCI/L	.0000		299-E28-28	01-AUG-91	-.0047	PCI/L	.0046	
299-E17-17	26-AUG-91	-.0016	PCI/L	.0021		299-E28-28	23-SEP-91	.0005	PCI/L	.0061	
299-E17-18	26-AUG-91	-.0002	PCI/L	.0000		299-E32-1	02-AUG-91	.0343	PCI/L	.0487	
299-E17-20	24-JUL-91	-.0002	PCI/L	.0000		299-E32-2	23-SEP-91	-.0002	PCI/L	.0000	
299-E17-5	26-AUG-91	-.0007	PCI/L	.0010		299-E32-3	28-JAN-91	.0079	PCI/L	.0081	
299-E17-6	26-SEP-91	.0011	PCI/L	.0035		299-E32-4	02-AUG-91	.0114	PCI/L	.0134	
299-E18-1	09-JUL-91	-.0015	PCI/L	.0000		299-E32-5	23-SEP-91	.0095	PCI/L	.0097	
299-E18-2	06-SEP-91	-.0028	PCI/L	.0030		299-E33-26	02-AUG-91	.0000	PCI/L	.0000	
299-E18-3	06-SEP-91	-.0010	PCI/L	.0017		299-E33-28	20-SEP-91	.0045	PCI/L	.0094	
299-E18-4	06-SEP-91	.0008	PCI/L	.0042		299-E33-29	20-SEP-91	.0058	PCI/L	.0085	
299-E24-12	12-DEC-91	-.0002	PCI/L	.0000		299-E33-30	05-AUG-91	-.0002	PCI/L	.0000	
299-E24-16	20-AUG-91	-.0037	PCI/L	.0071		299-E33-31	23-SEP-91	.0030	PCI/L	.0063	
299-E24-17	13-AUG-91	-.0002	PCI/L	.0000		299-E33-32	02-AUG-91	.0028	PCI/L	.0082	
299-E24-18	13-AUG-91	-.0002	PCI/L	.0000		299-E33-33	20-SEP-91	.0036	PCI/L	.0075	
299-E24-19	22-NOV-91	-.0016	PCI/L	.0020		299-E33-34	28-JAN-91	.0085	PCI/L	.0087	
299-E24-20	15-NOV-91	-.0002	PCI/L	.0000		299-E33-35	31-JUL-91	-.0002	PCI/L	.0000	
299-E25-22	12-DEC-91	.0015	PCI/L	.0045		299-E33-41	24-SEP-91	.0050	PCI/L	.0104	
299-E25-38	26-JUN-91	.0061	PCI/L	.0089		299-E33-41	08-JAN-91	.0404	PCI/L	.0189	
299-E25-41	21-NOV-91	-.0002	PCI/L	.0000		299-E33-41	05-AUG-91	.0071	PCI/L	.0103	
299-E27-10	31-JUL-91	-.0002	PCI/L	.0000		299-E33-41	23-SEP-91	.0020	PCI/L	.0058	
299-E27-12	18-NOV-91	.0013	PCI/L	.0041		299-E33-41	15-NOV-91	-.0007	PCI/L	.0011	
299-E27-13	15-NOV-91	-.0006	PCI/L	.0009		299-E33-41	22-NOV-91	-.0050	PCI/L	.0069	
299-E27-15	21-NOV-91	-.0002	PCI/L	.0000		299-E33-41	15-NOV-91	-.0013	PCI/L	.0015	
299-E27-5	09-JAN-91	.0198	PCI/L	.0126		299-E33-41	02-AUG-91	-.0016	PCI/L	.0028	
299-E27-8	01-AUG-91	.0052	PCI/L	.0108		299-E33-41	20-SEP-91	.0025	PCI/L	.0053	
						299-E33-41	30-JUL-91	.0008	PCI/L	.0082	
						299-E33-41	24-SEP-91	-.0002	PCI/L	.0000	
						299-E33-41	25-JUL-91	-.0002	PCI/L	.0051	

1991 PU-239/40 DATA							1991 PU-239/40 DATA						
WELL NAME	SAMPLE DATE	ACTIVITY	UNITS	COUNTING ERROR	DATA REVIEW		WELL NAME	SAMPLE DATE	ACTIVITY	UNITS	COUNTING ERROR	DATA REVIEW	
299-E33-41	21-NOV-91	.0080	PCI/L	.0088			299-W11-8	13-NOV-91	1.9000	PCI/L	.2837		
	21-NOV-91	-.0002	PCI/L	.0000				13-NOV-91	-.0003	PCI/L	.0000		
299-E34-1	18-JAN-91	.0673	PCI/L	.0551			299-W18-17	20-MAR-91	.0149	PCI/L	.0113		
299-E34-2	30-JUL-91	-.0002	PCI/L	.0000			299-W18-20	20-MAR-91	-.0025	PCI/L	.0013		
	30-JUL-91	-.0012	PCI/L	.0021			299-W18-21	07-AUG-91	-.0002	PCI/L	.0000		
299-E34-3	29-JUL-91	-.0008	PCI/L	.0013			299-W18-22	06-AUG-91	.0018	PCI/L	.0054		
299-E34-5	29-JUL-91	-.0030	PCI/L	.0032			299-W18-23	09-AUG-91	.0172	PCI/L	.0347		
299-E34-7	04-NOV-91	-.0002	PCI/L	.0000			299-W18-24	09-AUG-91	-.0002	PCI/L	.0000		
299-W10-13	08-AUG-91	.0121	PCI/L	.0246			299-W18-25	01-OCT-91	-.0011	PCI/L	.0019		
299-W10-14	14-AUG-91	.0069	PCI/L	.0081			299-W18-26	07-AUG-91	-.0002	PCI/L	.0000		
299-W10-15	04-OCT-91	-.0012	PCI/L	.0014				12-NOV-91	-.0009	PCI/L	.0014		
	04-OCT-91	.0013	PCI/L	.0039			299-W18-29	09-OCT-91	.0141	PCI/L	.0181		
299-W10-16	24-SEP-91	.0018	PCI/L	.0053			299-W19-13	02-OCT-91	-.0030	PCI/L	.0017		
299-W10-17	03-OCT-91	-.0011	PCI/L	.0014			299-W19-17	31-JAN-91	.0076	PCI/L	.0116		
299-W10-18	24-SEP-91	.0018	PCI/L	.0038			299-W19-29	14-JUN-91	-.0023	PCI/L	.0021		
299-W10-4	02-JAN-91	.0579	PCI/L	.0224			299-W19-3	18-JUL-91	.0115	PCI/L	.0148		
299-W10-9	03-OCT-91	.0031	PCI/L	.0054			299-W19-30	13-JUN-91	-.0002	PCI/L	.0000		
299-W11-18	02-OCT-91	.0043	PCI/L	.0064			299-W19-31	01-OCT-91	-.0010	PCI/L	.0016		
299-W14-5	02-JAN-91	.2550	PCI/L	.0515			299-W19-32	01-OCT-91	-.0020	PCI/L	.0026		
299-W14-6	03-JAN-91	-.0007	PCI/L	.0010			299-W22-26	04-JAN-91	.0127	PCI/L	.0105		
299-W15-10	02-JAN-91	.0009	PCI/L	.0044			299-W22-39	14-NOV-91	-.0002	PCI/L	.0000		
299-W15-11	02-JAN-91	.0037	PCI/L	.0064			299-W23-10	31-DEC-91	-.0002	PCI/L	.0000		
299-W15-16	05-AUG-91	.0105	PCI/L	.0145			299-W23-13	03-OCT-91	-.0031	PCI/L	.0042		
299-W15-17	06-AUG-91	-.0002	PCI/L	.0000			299-W23-14	09-OCT-91	.0012	PCI/L	.0038		
299-W15-18	06-AUG-91	-.0002	PCI/L	.0000			299-W6-2	12-AUG-91	.0015	PCI/L	.0047		
299-W15-19	14-NOV-91	.0026	PCI/L	.0056				12-AUG-91	-.0002	PCI/L	.0000		
299-W15-20	05-AUG-91	.0070	PCI/L	.0116				13-NOV-91	.0013	PCI/L	.0063		
	12-NOV-91	-.0007	PCI/L	.0012			299-W7-1	07-AUG-91	.0041	PCI/L	.0060		
299-W15-22	24-SEP-91	.0013	PCI/L	.0041				08-NOV-91	.0066	PCI/L	.0079		
299-W15-23	05-AUG-91	.2680	PCI/L	.5209			299-W7-10	09-AUG-91	-.0186	PCI/L	.0368		
	13-NOV-91	.0019	PCI/L	.0056				14-NOV-91	.0065	PCI/L	.0085		
299-W15-24	12-NOV-91	.0016	PCI/L	.0075			299-W7-2	07-AUG-91	.0053	PCI/L	.0077		
	02-JAN-91	.0014	PCI/L	.0042				08-NOV-91	-.0002	PCI/L	.0000		
							299-W7-3	08-AUG-91	.0087	PCI/L	.0316		

1991 PU-239/40 DATA

WELL NAME	SAMPLE DATE	ACTIVITY	UNITS	COUNTING ERROR	DATA REVIEW
299-W7-3	08-NOV-91	-.0002	PCI/L	.0000	
299-W7-4	12-AUG-91	.0010	PCI/L	.0050	
	13-NOV-91	-.0002	PCI/L	.0000	
299-W7-5	09-AUG-91	-.0266	PCI/L	.0374	
	11-NOV-91	-.0011	PCI/L	.0018	
299-W7-6	12-AUG-91	.0101	PCI/L	.0357	
	08-NOV-91	.0023	PCI/L	.0085	
299-W7-7	09-AUG-91	-.0161	PCI/L	.0225	
	08-NOV-91	-.0080	PCI/L	.0090	
299-W7-8	09-AUG-91	.0013	PCI/L	.0061	
	11-NOV-91	.0078	PCI/L	.0101	
299-W7-9	09-AUG-91	-.0947	PCI/L	.1337	
	08-NOV-91	.0017	PCI/L	.0052	
299-W8-1	09-AUG-91	-.0018	PCI/L	.0033	
	13-NOV-91	-.0002	PCI/L	.0000	
299-W9-1	08-AUG-91	.0727	PCI/L	.0853	
	08-NOV-91	.0032	PCI/L	.0093	
699-38-70	30-DEC-91	-.0008	PCI/L	.0012	
699-40-39	31-DEC-91	-.0002	PCI/L	.0000	
699-40-62	31-DEC-91	-.0009	PCI/L	.0014	
699-42-42B	08-JUL-91	-.0001	PCI/L	.0038	
699-50-53	21-JUN-91	-.0074	PCI/L	.0115	
699-53-47A	10-DEC-91	-.0008	PCI/L	.0012	
699-53-48A	29-JAN-91	.0339	PCI/L	.0159	
699-53-48B	02-OCT-91	.0067	PCI/L	.0074	
699-54-48	23-SEP-91	.0042	PCI/L	.0120	
699-63-25A	31-JAN-91	-.0019	PCI/L	.0077	
699-64-27	22-AUG-91	-.0007	PCI/L	.0011	
699-66-23	22-AUG-91	-.0002	PCI/L	.0000	
699-S28-E0	01-FEB-91	-.0007	PCI/L	.0010	

1991 AM-241 DATA						1991 AM-241 DATA					
WELL NAME	SAMPLE DATE	ACTIVITY	UNITS	COUNTING ERROR	DATA REVIEW	WELL NAME	SAMPLE DATE	ACTIVITY	UNITS	COUNTING ERROR	DATA REVIEW
299-E27-9	26-JUL-91	.00684	PCI/L	.01089		299-W15-24	12-NOV-91	.00314	PCI/L	.00831	
299-E28-26	06-AUG-91	-.00405	PCI/L	.00000		299-W15-8	13-NOV-91	5.90000	PCI/L	.49750	
	23-SEP-91	.00450	PCI/L	.01208		299-W18-17	20-MAR-91	.00157	PCI/L	.00921	
299-E28-27	01-AUG-91	-.00405	PCI/L	.00728		299-W18-20	20-MAR-91	.00728	PCI/L	.01602	
	23-SEP-91	-.00405	PCI/L	.00000		299-W18-21	07-AUG-91	.01910	PCI/L	.04624	
299-E28-28	02-AUG-91	-.00405	PCI/L	.00000		299-W18-22	06-AUG-91	.00065	PCI/L	.00664	
	23-SEP-91	.03510	PCI/L	.07092		299-W18-23	09-AUG-91	-.00405	PCI/L	.01023	
299-E32-2	23-SEP-91	.07430	PCI/L	.02910		299-W18-24	09-AUG-91	.00730	PCI/L	.01311	
299-E32-3	02-AUG-91	.00271	PCI/L	.00956		299-W18-26	07-AUG-91	.02660	PCI/L	.03542	
	20-SEP-91	.00750	PCI/L	.01333			12-NOV-91	.00062	PCI/L	.00661	
	20-SEP-91	.00043	PCI/L	.00896		299-W18-29	09-OCT-91	.04100	PCI/L	.02407	
299-E32-4	23-SEP-91	.05200	PCI/L	.02388		299-W6-2	12-AUG-91	-.00262	PCI/L	.00606	
299-E32-5	02-AUG-91	-.00405	PCI/L	.00000			13-NOV-91	.00234	PCI/L	.00903	
	20-SEP-91	-.00111	PCI/L	.00809		299-W7-1	08-NOV-91	.00485	PCI/L	.01033	
299-E33-28	24-SEP-91	.01350	PCI/L	.02025		299-W7-10	09-AUG-91	.02270	PCI/L	.05344	
299-E33-29	23-SEP-91	.03880	PCI/L	.02079			14-NOV-91	.00566	PCI/L	.00971	
299-E33-30	05-AUG-91	-.00202	PCI/L	.00558		299-W7-2	08-NOV-91	.00278	PCI/L	.00788	
	23-SEP-91	.05670	PCI/L	.02337		299-W7-3	08-AUG-91	.00277	PCI/L	.01364	
299-E33-34	20-SEP-91	-.00021	PCI/L	.00770			08-NOV-91	-.00405	PCI/L	.00000	
299-E33-35	30-JUL-91	-.00405	PCI/L	.00000		299-W7-4	13-NOV-91	-.00206	PCI/L	.00547	
	24-SEP-91	.08500	PCI/L	.03419		299-W7-5	09-AUG-91	.00213	PCI/L	.00874	
299-E34-2	30-JUL-91	-.00405	PCI/L	.00000			11-NOV-91	-.00100	PCI/L	.00609	
	30-JUL-91	-.00708	PCI/L	.00507		299-W7-6	12-AUG-91	-.00180	PCI/L	.00349	
299-E34-3	29-JUL-91	.00485	PCI/L	.00890			08-NOV-91	.00321	PCI/L	.01026	
299-E34-5	29-JUL-91	-.00069	PCI/L	.01163		299-W7-7	09-AUG-91	-.11300	PCI/L	.12630	
299-E34-7	04-NOV-91	-.00012	PCI/L	.01081			08-NOV-91	.00359	PCI/L	.00882	
299-W10-13	08-AUG-91	-.00405	PCI/L	.00000		299-W7-8	09-AUG-91	-.00405	PCI/L	.00000	
299-W10-14	14-AUG-91	.00756	PCI/L	.02322			11-NOV-91	.00221	PCI/L	.00886	
299-W15-16	05-AUG-91	.00993	PCI/L	.02795		299-W7-9	09-AUG-91	-.00010	PCI/L	.00789	
299-W15-17	06-AUG-91	.00611	PCI/L	.00909			08-NOV-91	-.00405	PCI/L	.00000	
	06-AUG-91	.09640	PCI/L	.10040		299-W8-1	09-AUG-91	-.00127	PCI/L	.00555	
299-W15-18	09-AUG-91	-.01580	PCI/L	.02352			13-NOV-91	.00947	PCI/L	.01281	
299-W15-19	14-NOV-91	-.00405	PCI/L	.00000		299-W9-1	08-AUG-91	-.00511	PCI/L	.00212	
299-W15-20	05-AUG-91	-.00056	PCI/L	.00697			08-NOV-91	.00692	PCI/L	.01097	
	12-NOV-91	.00430	PCI/L	.00835							
299-W15-23	13-NOV-91	.00373	PCI/L	.00898							

1991 GROSS ALPHA DATA							1991 GROSS ALPHA DATA						
WELL NAME	SAMPLE DATE	ACTIVITY	UNITS	COUNTING ERROR	DATA REVIEW		WELL NAME	SAMPLE DATE	ACTIVITY	UNITS	COUNTING ERROR	DATA REVIEW	
199-F5-4	19-SEP-91	4.56	PCI/L	2.32			199-H4-4	16-AUG-91	7.28	PCI/L			
199-F7-1	19-SEP-91	3.20	PCI/L	1.99				18-SEP-91	29.90	PCI/L	2.34		
199-H3-1	06-JUN-91	1.05	PCI/L	1.04				24-OCT-91	45.10	PCI/L	5.57		
199-H3-2A	11-APR-91	3.22	PCI/L	2.02				13-NOV-91	37.50	PCI/L	8.81		
	06-JUN-91	1.70	PCI/L	1.50				03-DEC-91	30.30	PCI/L	5.17		
	12-SEP-91	.46	PCI/L	.82				12-DEC-91	47.40	PCI/L	7.86		
199-H3-2B	22-AUG-91	2.96	PCI/L	1.72			199-H4-5	22-AUG-91	5.21	PCI/L	2.27		
199-H3-2C	06-JUN-91	1.61	PCI/L	1.18				13-SEP-91	3.29	PCI/L	2.05		
	13-SEP-91	.06	PCI/L	.52			199-H4-6	10-JUN-91	3.57	PCI/L	1.80		
199-H4-11	07-JUN-91	2.48	PCI/L	1.38				12-SEP-91	4.50	PCI/L	2.20		
	12-SEP-91	3.22	PCI/L	1.77			199-H4-7	06-JUN-91	4.82	PCI/L	2.22		
199-H4-12A	11-APR-91	3.56	PCI/L	2.21				12-SEP-91	3.49	PCI/L	1.80		
	07-JUN-91	1.91	PCI/L	1.32			199-H4-8	16-AUG-91	4.13	PCI/L	2.05		
	12-SEP-91	21.80	PCI/L	4.84				12-SEP-91	5.20	PCI/L	2.47		
199-H4-12B	22-AUG-91	5.80	PCI/L	2.65			199-H4-9	06-JUN-91	2.65	PCI/L	1.71		
	07-JUN-91	.02	PCI/L	.66				01-AUG-91	5.77	PCI/L	2.45		
199-H4-12C	12-SEP-91	.05	PCI/L	.60				16-AUG-91	3.69	PCI/L	1.99		
199-H4-13	23-AUG-91	1.53	PCI/L	1.38				12-SEP-91	2.59	PCI/L	1.55		
199-H4-14	07-JUN-91	1.58	PCI/L	1.53			199-K-11	26-SEP-91	2.92	PCI/L	1.73		
	13-SEP-91	3.89	PCI/L	1.83			199-K-27	17-APR-91	2.31	PCI/L	1.69		
199-H4-15A	22-AUG-91	1.48	PCI/L	1.47			199-K-28	17-APR-91	2.32	PCI/L	1.66		
	13-SEP-91	2.60	PCI/L	1.60			199-K-29	18-APR-91	1.11	PCI/L	1.32		
199-H4-15B	22-AUG-91	1.47	PCI/L	1.30			199-K-30	17-APR-91	1.08	PCI/L	1.23		
199-H4-16	07-JUN-91	4.71	PCI/L	2.25			199-N-14	17-JAN-91	.20	PCI/L	.56		
199-H4-17	16-AUG-91	3.60	PCI/L	1.97				28-MAR-91	28.00	PCI/L	5.52		
199-H4-18	10-APR-91	2.88	PCI/L	1.94				18-SEP-91	.67	PCI/L	.74		
	13-SEP-91	5.11	PCI/L	2.14				18-SEP-91	.08	PCI/L	.43		
199-H4-3	10-APR-91	38.40	PCI/L	6.03				18-SEP-91	.25	PCI/L	.51		
	07-JUN-91	58.50	PCI/L	10.80				05-DEC-91	.05	PCI/L	.42		
	07-JUN-91	50.70	PCI/L	10.03			199-N-3	05-FEB-91	1.27	PCI/L	1.06		
	01-AUG-91	86.10	PCI/L	13.62				10-APR-91	1.88	PCI/L	1.56		
	16-AUG-91	34.10	PCI/L	6.04				05-DEC-91	.62	PCI/L	.78		
	13-SEP-91	32.00	PCI/L	5.72			199-N-32	18-SEP-91	.36	PCI/L	.63		
	13-SEP-91	49.90	PCI/L	7.52				05-DEC-91	.65	PCI/L	.86		
	24-OCT-91	42.00	PCI/L	7.62			199-N-57	05-NOV-91	2.02	PCI/L	1.68		
	13-NOV-91	20.30	PCI/L	4.11			199-N-59	03-SEP-91	.93	PCI/L	1.18		
	12-DEC-91	24.50	PCI/L	5.03			199-N-66	05-NOV-91	.98	PCI/L	.88		
199-H4-4	16-JAN-91	26.80	PCI/L	5.33			199-N-70	17-JAN-91	.66	PCI/L	.75		
	28-MAR-91	2.99	PCI/L	1.82			299-E13-14	11-JUN-91	13.20	PCI/L	3.65		
	11-APR-91	3.24	PCI/L	1.78									
	06-JUN-91	.81	PCI/L	.87									
	06-JUN-91	1.68	PCI/L	1.27									
	01-AUG-91	29.60	PCI/L	5.47									

Y

1991 GROSS ALPHA DATA						1991 GROSS ALPHA DATA					
WELL NAME	SAMPLE DATE	ACTIVITY	UNITS	COUNTING ERROR	DATA REVIEW	WELL NAME	SAMPLE DATE	ACTIVITY	UNITS	COUNTING ERROR	DATA REVIEW
299-E17-1	13-AUG-91	2.09	PCI/L	1.54		299-E25-20	03-OCT-91	.60	PCI/L	.66	
299-E17-12	25-MAR-91	2.47	PCI/L	1.47		299-E25-21	11-JUL-91	.25	PCI/L	.84	
	13-SEP-91	3.75	PCI/L	1.74		299-E25-25	25-JUN-91	1.53	PCI/L	.99	
299-E17-13	18-JUN-91	3.11	PCI/L	1.66			25-JUN-91	1.16	PCI/L	.88	
	13-SEP-91	1.55	PCI/L	1.20			16-SEP-91	1.59	PCI/L	1.01	
299-E17-14	28-AUG-91	4.76	PCI/L	1.99		299-E25-26	27-MAR-91	1.51	PCI/L	1.19	
							27-SEP-91	.53	PCI/L	.76	
299-E17-15	03-SEP-91	1.59	PCI/L	1.28		299-E25-28	10-APR-91	1.70	PCI/L	1.41	
	01-OCT-91	4.59	PCI/L	2.15			12-JUL-91	.63	PCI/L	.84	
	19-DEC-91	5.00	PCI/L	2.35			27-SEP-91	.12	PCI/L	.60	
299-E17-16	28-AUG-91	1.40	PCI/L	1.40		299-E25-29P	25-JUN-91	1.56	PCI/L	1.19	
	19-DEC-91	1.91	PCI/L	1.45			01-NOV-91	.18	PCI/L	.58	
299-E17-17	26-AUG-91	1.97	PCI/L	1.28		299-E25-31	25-JUN-91	.36	PCI/L	.65	
							16-SEP-91	1.28	PCI/L	1.09	
299-E17-18	26-AUG-91	1.70	PCI/L	1.12		299-E25-32P	11-APR-91	2.27	PCI/L	1.38	
	19-DEC-91	3.39	PCI/L	1.68			19-JUL-91	.47	PCI/L	.72	
299-E17-20	24-JUL-91	1.44	PCI/L	1.56			19-JUL-91	.74	PCI/L	.75	
	14-AUG-91	1.88	PCI/L	1.51			26-SEP-91	1.68	PCI/L	1.11	
	30-SEP-91	3.20	PCI/L	1.85		299-E25-33	27-JUN-91	.12	PCI/L	.62	
299-E17-5	26-AUG-91	1.64	PCI/L	1.16			16-SEP-91	.49	PCI/L	.80	
299-E18-1	06-SEP-91	1.62	PCI/L	1.46		299-E25-34	10-APR-91	1.69	PCI/L	1.44	
							27-SEP-91	1.54	PCI/L	1.03	
299-E18-2	06-SEP-91	1.82	PCI/L	1.26		299-E25-35	17-APR-91	1.90	PCI/L	1.56	
299-E18-3	06-SEP-91	1.19	PCI/L	.98			19-JUL-91	1.72	PCI/L	1.40	
299-E18-4	06-SEP-91	2.08	PCI/L	1.32			19-JUL-91	.44	PCI/L	1.13	
299-E24-16	20-AUG-91	4.06	PCI/L	2.24			01-OCT-91	1.51	PCI/L	1.42	
							16-OCT-91	1.60	PCI/L	1.46	
299-E24-17	13-AUG-91	1.93	PCI/L	1.45		299-E25-36	11-JUL-91	.86	PCI/L	1.03	
299-E24-18	13-AUG-91	5.32	PCI/L	2.21			20-AUG-91	.69	PCI/L	1.08	
299-E24-19	26-JUL-91	3.13	PCI/L	1.83			30-SEP-91	1.49	PCI/L	1.14	
299-E24-2	21-MAR-91	2.25	PCI/L	1.69		299-E25-37	26-JUN-91	.77	PCI/L	.85	
299-E24-20	15-NOV-91	1.33	PCI/L	1.25			16-SEP-91	1.37	PCI/L	1.02	
299-E24-4	03-OCT-91	.60	PCI/L	.73		299-E25-38	26-JUN-91	-.02	PCI/L	.54	
299-E25-11	21-MAR-91	.26	PCI/L	.93			16-SEP-91	.84	PCI/L	.88	
299-E25-18	12-JUL-91	.56	PCI/L	.87		299-E25-39	26-JUN-91	1.22	PCI/L	.95	
	31-JUL-91	.20	PCI/L	.82			16-SEP-91	.80	PCI/L	.75	
	01-OCT-91	1.02	PCI/L	1.05		299-E25-40	20-JUL-91	.44	PCI/L	.75	
299-E25-19	18-JUL-91	.44	PCI/L	.90			20-JUL-91	.75	PCI/L	.94	
	01-OCT-91	.60	PCI/L	1.00		299-E25-41	20-NOV-91	1.24	PCI/L	1.14	
299-E25-20	16-JUL-91	.61	PCI/L	.96			26-JUL-91	1.45	PCI/L	1.51	
							21-NOV-91	1.74	PCI/L	1.25	
						299-E26-10	20-MAR-91	2.88	PCI/L	1.68	
							27-JUN-91	1.01	PCI/L	1.08	
							25-SEP-91	1.47	PCI/L	1.33	

1991 GROSS ALPHA DATA

WELL NAME	SAMPLE DATE	ACTIVITY	UNITS	COUNTING ERROR	DATA REVIEW
299-E26-11	20-MAR-91	2.03	PCI/L	1.45	
	27-JUN-91	.86	PCI/L	.88	
	27-SEP-91	1.89	PCI/L	1.28	
	27-SEP-91	2.40	PCI/L	1.38	
299-E26-6	21-MAR-91	.18	PCI/L	.48	
299-E26-9	21-MAR-91	1.86	PCI/L	1.53	
	27-JUN-91	1.23	PCI/L	1.26	
	25-SEP-91	.97	PCI/L	1.00	
299-E27-10	31-JUL-91	1.97	PCI/L	1.29	
299-E27-11	06-NOV-91	2.06	PCI/L	1.30	
299-E27-12	23-JUL-91	.74	PCI/L	.92	
	18-NOV-91	.47	PCI/L	.63	
299-E27-13	23-JUL-91	1.36	PCI/L	1.01	
	15-NOV-91	1.09	PCI/L	1.05	
299-E27-14	23-JUL-91	1.23	PCI/L	1.20	
299-E27-15	24-JUL-91	.25	PCI/L	1.22	
	21-NOV-91	1.57	PCI/L	1.11	
299-E27-16	09-SEP-91	1.29	PCI/L	1.07	
299-E27-7	25-JUL-91	1.34	PCI/L	1.48	
299-E27-8	01-AUG-91	1.36	PCI/L	1.30	
299-E27-9	26-JUL-91	1.93	PCI/L	1.49	
299-E28-11	26-MAR-91	.00	PCI/L	.60	
299-E28-15	26-MAR-91	.78	PCI/L	.89	
299-E28-17	21-MAR-91	8.23	PCI/L	3.06	
299-E28-18	21-MAR-91	14.10	PCI/L	3.77	
	13-SEP-91	10.30	PCI/L	3.19	
	13-SEP-91	12.90	PCI/L	3.30	
299-E28-26	06-AUG-91	13.10	PCI/L	3.45	
	23-SEP-91	13.80	PCI/L	3.56	
299-E28-27	01-AUG-91	6.96	PCI/L	2.41	
	23-SEP-91	4.58	PCI/L	2.10	
299-E28-28	02-AUG-91	13.00	PCI/L	3.70	
	23-SEP-91	13.60	PCI/L	3.86	
299-E32-2	02-AUG-91	1.38	PCI/L	1.42	
	23-SEP-91	3.95	PCI/L	1.90	
299-E32-3	02-AUG-91	16.30	PCI/L	4.07	
	20-SEP-91	11.30	PCI/L	3.47	
	20-SEP-91	4.68	PCI/L	1.81	

1991 GROSS ALPHA DATA

WELL NAME	SAMPLE DATE	ACTIVITY	UNITS	COUNTING ERROR	DATA REVIEW
299-E32-4	05-AUG-91	4.66	PCI/L	2.32	
	23-SEP-91	5.85	PCI/L	2.38	
299-E32-5	02-AUG-91	.93	PCI/L	1.22	
	20-SEP-91	12.50	PCI/L	3.46	
299-E33-28	31-JUL-91	.72	PCI/L	1.18	
	24-SEP-91	1.27	PCI/L	.96	
299-E33-29	31-JUL-91	.39	PCI/L	.93	
	23-SEP-91	1.14	PCI/L	1.20	
299-E33-30	05-AUG-91	2.08	PCI/L	1.45	
	23-SEP-91	.60	PCI/L	.88	
299-E33-31	23-JUL-91	.02	PCI/L	.59	
	15-NOV-91	1.08	PCI/L	1.02	
299-E33-32	23-JUL-91	2.11	PCI/L	1.51	
299-E33-33	22-JUL-91	1.07	PCI/L	.89	
	15-NOV-91	.96	PCI/L	1.01	
299-E33-34	02-AUG-91	3.07	PCI/L	1.68	
	20-SEP-91	1.69	PCI/L	1.59	
299-E33-35	30-JUL-91	.91	PCI/L	1.06	
	24-SEP-91	.22	PCI/L	.63	
299-E33-36	21-AUG-91	1.39	PCI/L	1.31	
299-E33-37	09-SEP-91	1.94	PCI/L	1.25	
299-E33-41	25-JUL-91	2.51	PCI/L	1.83	
	21-NOV-91	2.51	PCI/L	1.46	
	21-NOV-91	3.20	PCI/L	1.58	
299-E34-2	30-JUL-91	2.14	PCI/L	1.74	
	30-JUL-91	1.91	PCI/L	1.61	
299-E34-3	29-JUL-91	.75	PCI/L	1.13	
299-E34-5	29-JUL-91	3.60	PCI/L	2.06	
299-E34-7	04-NOV-91	.86	PCI/L	1.18	
299-E35-2	21-MAR-91	1.43	PCI/L	1.37	
	27-JUN-91	1.42	PCI/L	1.35	
	27-JUN-91	.16	PCI/L	.62	
	25-SEP-91	1.35	PCI/L	1.16	
299-W10-13	08-AUG-91	1.42	PCI/L	1.22	
	07-NOV-91	.30	PCI/L	.78	
299-W10-14	14-AUG-91	.21	PCI/L	.74	
	07-NOV-91	1.35	PCI/L	1.17	
299-W10-15	22-JUL-91	.29	PCI/L	1.25	
	04-OCT-91	1.68	PCI/L	1.60	
	04-OCT-91	1.74	PCI/L	1.60	

1991 GROSS ALPHA DATA						
WELL NAME	SAMPLE DATE	ACTIVITY	UNITS	COUNTING ERROR	DATA REVIEW	
299-W10-16	22-JUL-91	.14	PCI/L	.81		
	24-SEP-91	1.60	PCI/L	1.42		
299-W19-17	09-OCT-91	2.19	PCI/L	1.73		
299-W10-18	24-SEP-91	1.48	PCI/L	1.38		
299-W10-9	22-JUL-91	1.43	PCI/L	1.38		
	03-OCT-91	.06	PCI/L	.65		
299-W15-25	05-AUG-91	2.67	PCI/L	1.99		
299-W15-17	06-AUG-91	2.64	PCI/L	1.50		
	06-AUG-91	1.24	PCI/L	1.29		
299-W15-18	09-AUG-91	.31	PCI/L	.96		
299-W15-19	14-NOV-91	1.62	PCI/L	1.38		
299-W15-20	05-AUG-91	1.07	PCI/L	1.26		
	12-NOV-91	.21	PCI/L	.64		
299-W15-22	24-SEP-91	.49	PCI/L	.75		
299-W15-23	05-AUG-91	1.02	PCI/L	1.22		
	13-NOV-91	.37	PCI/L	.72		
299-W15-24	05-AUG-91	1.02	PCI/L	1.22		
	12-NOV-91	.29	PCI/L	.83		
299-W18-17	20-MAR-91	.17	PCI/L	.67		
299-W18-2	20-MAR-91	1.61	PCI/L	1.53		
299-W18-20	20-MAR-91	1.55	PCI/L	1.38		
299-W18-21	07-AUG-91	5.73	PCI/L	2.22		
299-W18-22	06-AUG-91	1.17	PCI/L	1.15		
299-W18-23	09-AUG-91	1.64	PCI/L	1.17		
299-W18-24	09-AUG-91	.76	PCI/L	.93		
299-W18-25	11-APR-91	3.03	PCI/L	1.83		
	01-OCT-91	4.16	PCI/L	1.54		
299-W18-26	07-AUG-91	1.55	PCI/L	1.16		
	12-NOV-91	.94	PCI/L	.99		
299-W18-29	09-OCT-91	.32	PCI/L	.61		
299-W19-21	03-DEC-91	26.30	PCI/L	5.30		
299-W19-24	20-MAR-91	223.00	PCI/L	15.64		
299-W19-27	03-DEC-91	21.60	PCI/L	4.73		
299-W19-29	14-JUN-91	928.00	PCI/L	32.29		
	25-NOV-91	1,030.00	PCI/L	33.02		

1991 GROSS ALPHA DATA						
WELL NAME	SAMPLE DATE	ACTIVITY	UNITS	COUNTING ERROR	DATA REVIEW	
299-W19-30	13-JUN-91	2.55	PCI/L	1.73		
299-W19-31	01-OCT-91	1.71	PCI/L	1.37		
299-W19-32	01-OCT-91	1.52	PCI/L	1.17		
299-W22-20	18-JAN-91	22.10	PCI/L	8.52		
	01-APR-91	4.87	PCI/L	2.24		
	18-JUN-91	7.93	PCI/L	4.31		
	04-SEP-91	2.83	PCI/L	1.91		
	03-OCT-91	4.30	PCI/L	2.20		
	04-DEC-91	11.40	PCI/L	5.07		
299-W22-39	14-NOV-91	3.66	PCI/L	1.73		
299-W22-40	03-SEP-91	3.06	PCI/L	1.77		
299-W22-41	03-SEP-91	1.28	PCI/L	1.51		
299-W22-42	03-SEP-91	1.71	PCI/L	1.48		
299-W22-43	04-SEP-91	3.89	PCI/L	2.03		
	04-SEP-91	1.44	PCI/L	1.13		
299-W23-13	03-OCT-91	8.68	PCI/L	2.61		
299-W23-14	09-OCT-91	10.40	PCI/L	2.81		
299-W26-10	21-AUG-91	.56	PCI/L	.91		
299-W26-12	28-AUG-91	2.21	PCI/L	1.37		
299-W26-7	21-AUG-91	.52	PCI/L	.97		
299-W26-8	28-AUG-91	6.63	PCI/L	2.15		
	28-AUG-91	9.79	PCI/L	2.78		
	30-DEC-91	9.02	PCI/L	2.63		
299-W26-9	20-AUG-91	1.04	PCI/L	1.17		
299-W6-2	12-AUG-91	1.26	PCI/L	1.18		
	12-AUG-91	1.42	PCI/L	1.39		
	13-NOV-91	1.15	PCI/L	1.19		
299-W7-1	07-AUG-91	.72	PCI/L	.96		
	08-NOV-91	.81	PCI/L	1.15		
299-W7-10	09-AUG-91	1.26	PCI/L	1.03		
	14-NOV-91	1.31	PCI/L	1.17		
299-W7-2	07-AUG-91	2.24	PCI/L	1.34		
	08-NOV-91	.58	PCI/L	.84		
299-W7-3	08-AUG-91	2.57	PCI/L	1.49		
	08-NOV-91	.01	PCI/L	.51		
299-W7-4	12-AUG-91	1.12	PCI/L	1.07		
	13-NOV-91	.56	PCI/L	1.09		
299-W7-5	09-AUG-91	1.82	PCI/L	1.41		
	11-NOV-91	.40	PCI/L	.77		

1991 GROSS ALPHA DATA						
WELL NAME	SAMPLE DATE	ACTIVITY	UNITS	COUNTING ERROR	DATA REVIEW	
299-W7-6	12-AUG-91	58.40	PCI/L	15.92		
	08-NOV-91	15.10	PCI/L	3.86		
299-W7-7	09-AUG-91	2.10	PCI/L	1.20		
	08-NOV-91	.76	PCI/L	.88		
299-W7-8	09-AUG-91	1.31	PCI/L	1.12		
	11-NOV-91	.58	PCI/L	.91		
299-W7-9	09-AUG-91	1.66	PCI/L	1.46		
	08-NOV-91	1.83	PCI/L	1.35		
299-W8-1	09-AUG-91	2.09	PCI/L	1.38		
	13-NOV-91	.80	PCI/L	1.03		
299-W9-1	08-AUG-91	3.85	PCI/L	2.03		
	08-NOV-91	.95	PCI/L	1.20		
399-1-10	15-JUL-91	53.40	PCI/L	6.14		
	06-DEC-91	73.20	PCI/L	7.23		
399-1-11	18-DEC-91	80.20	PCI/L	8.24		
399-1-12	18-JUL-91	13.50	PCI/L	2.70		
	06-DEC-91	85.30	PCI/L	7.91		
399-1-13	16-JUL-91	20.80	PCI/L	3.97		
	11-DEC-91	4.54	PCI/L	2.33		
399-1-14	16-JUL-91	17.80	PCI/L	4.20		
	11-DEC-91	5.02	PCI/L	2.25		
399-1-15	16-JUL-91	3.77	PCI/L	2.01		
	11-DEC-91	4.22	PCI/L	2.50		
399-1-16A	11-JUL-91	26.10	PCI/L	3.92		
	06-DEC-91	32.40	PCI/L	4.47		
399-1-16B	11-JUL-91	2.08	PCI/L	1.61		
	11-JUL-91	1.67	PCI/L	1.43		
	06-DEC-91	1.22	PCI/L	1.21		
399-1-17A	15-JAN-91	178.00	PCI/L	10.16		
	25-MAR-91	175.00	PCI/L	9.96		
	25-MAR-91	200.00	PCI/L	11.70		
	24-JUN-91	131.00	PCI/L	8.42		
	11-JUL-91	100.00	PCI/L	8.12		
	11-SEP-91	52.70	PCI/L	5.07		
	03-DEC-91	37.30	PCI/L	4.48		
	10-DEC-91	72.80	PCI/L	6.96		
399-1-17B	11-JUL-91	1.63	PCI/L	1.46		
	10-DEC-91	.56	PCI/L	1.05		
399-1-18A	15-JUL-91	.85	PCI/L	1.24		
	13-DEC-91	2.99	PCI/L	1.59		
399-1-7	09-JUL-91	93.60	PCI/L	8.30		
	16-DEC-91	111.00	PCI/L	10.79		

1991 GROSS ALPHA DATA						
WELL NAME	SAMPLE DATE	ACTIVITY	UNITS	COUNTING ERROR	DATA REVIEW	
399-2-1	09-JUL-91	18.20	PCI/L	3.23		
	18-DEC-91	8.54	PCI/L	2.20		
399-3-10	12-JUL-91	4.91	PCI/L	2.01		
	18-DEC-91	11.60	PCI/L	2.77		
399-3-7	12-JUL-91	14.10	PCI/L	3.58		
	17-DEC-91	7.85	PCI/L	2.57		
399-3-9	15-JUL-91	9.82	PCI/L	2.34		
	17-DEC-91	13.20	PCI/L	2.90		
399-4-1	10-JUL-91	8.71	PCI/L	2.89		
	10-DEC-91	6.70	PCI/L	2.31		
399-4-11	15-JUL-91	6.23	PCI/L	2.13		
	11-DEC-91	7.88	PCI/L	2.66		
399-4-7	09-JUL-91	19.90	PCI/L	3.68		
	10-DEC-91	31.40	PCI/L	5.22		
399-8-1	15-JUL-91	2.16	PCI/L	1.37		
	20-DEC-91	2.83	PCI/L	1.52		
	20-DEC-91	2.38	PCI/L	1.55		
699-1-18	23-DEC-91	2.88	PCI/L	1.80		
699-17-5	16-JAN-91	3.19	PCI/L	1.69		
	28-MAR-91	3.04	PCI/L	1.78		
	20-JUN-91	2.38	PCI/L	1.62		
	11-SEP-91	3.04	PCI/L	1.91		
	04-DEC-91	2.01	PCI/L	1.15		
699-2-7	21-MAR-91	5.36	PCI/L	2.51		
	18-DEC-91	3.35	PCI/L	2.03		
	18-DEC-91	4.03	PCI/L	2.16		
699-23-34	27-AUG-91	5.17	PCI/L	2.51		
	26-DEC-91	2.41	PCI/L	1.82		
	26-DEC-91	3.63	PCI/L	2.04		
699-24-33	18-JAN-91	3.50	PCI/L	1.95		
	28-MAR-91	3.59	PCI/L	1.96		
	20-JUN-91	2.21	PCI/L	1.58		
	28-AUG-91	2.76	PCI/L	1.78		
	10-SEP-91	2.68	PCI/L	1.81		
	04-DEC-91	4.60	PCI/L	2.25		
	27-DEC-91	4.64	PCI/L	2.18		
699-24-34A	27-AUG-91	3.20	PCI/L	1.96		
	26-DEC-91	3.67	PCI/L	1.94		
699-24-34B	27-AUG-91	4.64	PCI/L	2.23		
	26-DEC-91	1.77	PCI/L	1.44		
699-24-34C	27-AUG-91	4.14	PCI/L	2.13		
	26-DEC-91	3.12	PCI/L	1.92		
699-24-35	28-AUG-91	4.31	PCI/L	2.02		
	27-DEC-91	4.71	PCI/L	2.28		

1991 GROSS ALPHA DATA							1991 GROSS ALPHA DATA						
WELL NAME	SAMPLE DATE	ACTIVITY	UNITS	COUNTING ERROR	DATA REVIEW		WELL NAME	SAMPLE DATE	ACTIVITY	UNITS	COUNTING ERROR	DATA REVIEW	
699-25-33A	27-AUG-91	1.03	PCI/L	.97			699-41-1	10-SEP-91	1.82	PCI/L	1.40		
699-25-34A	27-AUG-91	1.49	PCI/L	1.35				03-DEC-91	1.85	PCI/L	1.34		
699-25-34B	27-AUG-91	1.46	PCI/L	1.16			699-41-40	10-JUL-91	2.39	PCI/L	1.64		
699-25-34C	27-AUG-91	1.46	PCI/L	1.43				11-SEP-91	2.96	PCI/L	1.72		
	26-DEC-91	3.26	PCI/L	1.99			699-42-40A	08-JUL-91	.57	PCI/L	.70		
699-26-33	27-AUG-91	1.00	PCI/L	.96			699-42-42B	08-JUL-91	1.31	PCI/L	1.05		
699-26-35A	27-AUG-91	1.07	PCI/L	1.13			699-43-41E	28-JUN-91	4.88	PCI/L	2.14		
	27-DEC-91	2.42	PCI/L	1.63				28-JUN-91	2.24	PCI/L	1.46		
699-26-35C	27-AUG-91	.68	PCI/L	.88			699-43-41F	02-JUL-91	2.86	PCI/L	1.52		
699-31-31	17-JAN-91	1.57	PCI/L	1.16			699-43-42J	02-JUL-91	1.74	PCI/L	1.29		
699-32-43	16-JAN-91	4.39	PCI/L	1.95			699-43-43	08-JUL-91	.97	PCI/L	.91		
	28-MAR-91	4.57	PCI/L	2.01			699-43-45	08-JUL-91	1.03	PCI/L	.90		
	18-JUN-91	4.18	PCI/L	1.93				11-SEP-91	.69	PCI/L	.79		
	10-SEP-91	3.20	PCI/L	1.69			699-44-42	10-JUL-91	.21	PCI/L	.74		
	04-DEC-91	2.54	PCI/L	1.52			699-44-43B	08-JUL-91	2.28	PCI/L	1.32		
699-34-8	21-AUG-91	2.16	PCI/L	1.47				11-SEP-91	2.24	PCI/L	1.33		
699-35-70	17-JAN-91	1.65	PCI/L	1.26			699-45-69A	30-DEC-91	2.06	PCI/L	1.37		
	15-APR-91	3.55	PCI/L	1.83			699-49-100C	18-JAN-91	2.61	PCI/L	1.81		
	14-JUN-91	1.13	PCI/L	1.58				04-APR-91	2.21	PCI/L	1.67		
	10-SEP-91	1.08	PCI/L	1.14				20-JUN-91	2.60	PCI/L	1.75		
	04-DEC-91	2.14	PCI/L	1.40			699-50-53	21-JUN-91	9.02	PCI/L	14.09		
699-36-46R	16-JAN-91	3.14	PCI/L	1.50				05-DEC-91	3.81	PCI/L	2.85		
699-38-65	16-JAN-91	4.24	PCI/L	2.10			699-81-58	04-SEP-91	.96	PCI/L	.86		
	01-APR-91	.75	PCI/L	1.22				04-SEP-91	.95	PCI/L	.89		
	10-SEP-91	2.53	PCI/L	1.71			699-812-3	17-JAN-91	3.04	PCI/L	1.96		
	04-DEC-91	1.91	PCI/L	1.59			699-819-11	16-JAN-91	1.97	PCI/L	1.32		
699-38-70	30-DEC-91	38.00	PCI/L	6.25				01-APR-91	2.88	PCI/L	1.74		
699-40-1	19-JAN-91	3.19	PCI/L	1.71				24-JUN-91	.83	PCI/L	1.05		
	29-MAR-91	.59	PCI/L	1.02			699-S19-E13	10-SEP-91	1.38	PCI/L	1.16		
	26-JUN-91	.15	PCI/L	.58				04-DEC-91	2.61	PCI/L	1.49		
	10-SEP-91	2.52	PCI/L	1.56			699-S30-E15A	03-DEC-91	1.75	PCI/L	1.35		
	03-DEC-91	2.30	PCI/L	1.40				18-JAN-91	1.45	PCI/L	1.26		
699-40-33A	16-JAN-91	1.47	PCI/L	1.22				29-MAR-91	1.07	PCI/L	1.19		
	15-APR-91	1.69	PCI/L	1.57				21-JUN-91	1.07	PCI/L	1.09		
	20-JUN-91	3.26	PCI/L	2.08			699-S6-E14A	09-SEP-91	1.43	PCI/L	1.20		
	10-SEP-91	1.52	PCI/L	1.38				17-JAN-91	3.42	PCI/L	1.78		
	04-DEC-91	1.83	PCI/L	1.40				29-JUL-91	1.85	PCI/L	1.61		
699-40-39	08-JUL-91	1.88	PCI/L	1.33			699-S6-E4D	17-JAN-91	1.81	PCI/L	1.44		
	11-SEP-91	2.09	PCI/L	1.48				29-MAR-91	3.82	PCI/L	2.21		
699-40-62	30-DEC-91	2.57	PCI/L	1.50				21-JUN-91	3.26	PCI/L	2.18		
699-41-1	16-JAN-91	4.15	PCI/L	1.91									
	15-APR-91	1.35	PCI/L	1.50									
	26-JUN-91	2.26	PCI/L	1.37									

1991 GROSS ALPHA DATA

WELL NAME	SAMPLE DATE	ACTIVITY	UNITS	COUNTING ERROR	DATA REVIEW
699-S6-E4D	10-SEP-91	.84	PCI/L	1.18	
	03-OCT-91	2.37	PCI/L	1.61	

1991 GROSS BETA DATA

WELL NAME	SAMPLE DATE	ACTIVITY	UNITS	COUNTING ERROR	DATA REVIEW
199-F5-4	19-SEP-91	6.0	PCI/L	2.6	
199-F7-1	19-SEP-91	8.3	PCI/L	2.9	
199-H3-1	06-JUN-91	3.2	PCI/L	2.3	
199-H3-2A	11-APR-91	7.1	PCI/L	2.7	
	06-JUN-91	13.3	PCI/L	3.3	
	12-SEP-91	5.4	PCI/L	2.5	
199-H3-2B	22-AUG-91	9.1	PCI/L	2.8	
199-H3-2C	06-JUN-91	2.6	PCI/L	2.2	
	13-SEP-91	4.0	PCI/L	2.3	
199-H4-11	07-JUN-91	47.7	PCI/L	5.2	
	12-SEP-91	87.9	PCI/L	6.9	
199-H4-12A	11-APR-91	8.7	PCI/L	2.8	
	07-JUN-91	3.5	PCI/L	2.3	
	12-SEP-91	42.5	PCI/L	5.0	
199-H4-12B	22-AUG-91	16.8	PCI/L	3.6	
199-H4-12C	07-JUN-91	5.8	PCI/L	2.6	
	12-SEP-91	3.3	PCI/L	2.3	
199-H4-13	23-AUG-91	66.2	PCI/L	6.0	
199-H4-14	07-JUN-91	6.3	PCI/L	2.7	
	13-SEP-91	7.9	PCI/L	2.7	
199-H4-15A	22-AUG-91	6.1	PCI/L	2.6	
	13-SEP-91	5.6	PCI/L	2.6	
199-H4-15B	22-AUG-91	4.1	PCI/L	2.4	
199-H4-16	07-JUN-91	35.0	PCI/L	4.6	
199-H4-17	16-AUG-91	5.6	PCI/L	2.7	
199-H4-18	10-APR-91	144.0	PCI/L	8.8	
	13-SEP-91	32.3	PCI/L	4.5	
199-H4-3	10-APR-91	95.5	PCI/L	7.1	
	07-JUN-91	161.0	PCI/L	13.2	
	01-AUG-91	168.0	PCI/L	13.6	
	16-AUG-91	254.0	PCI/L	11.6	
	13-SEP-91	163.0	PCI/L	9.3	
	13-SEP-91	255.0	PCI/L	11.7	
	13-SEP-91	244.0	PCI/L	11.4	
	24-OCT-91	118.0	PCI/L	7.9	
	13-NOV-91	83.3	PCI/L	6.8	
	12-DEC-91	151.0	PCI/L	9.0	
199-H4-4	16-JAN-91	113.0	PCI/L	7.8	
	28-MAR-91	4.5	PCI/L	2.4	
	11-APR-91	12.6	PCI/L	3.1	
	06-JUN-91	5.9	PCI/L	2.6	
	06-JUN-91	6.8	PCI/L	2.6	
	01-AUG-91	6.6	PCI/L	2.6	

1991 GROSS BETA DATA

WELL NAME	SAMPLE DATE	ACTIVITY	UNITS	COUNTING ERROR	DATA REVIEW
199-H4-4	16-AUG-91	13.5	PCI/L	3.2	
	18-SEP-91	162.0	PCI/L	9.3	
	24-OCT-91	255.0	PCI/L	11.7	
	13-NOV-91	142.0	PCI/L	8.8	
	03-DEC-91	188.0	PCI/L	9.8	
	12-DEC-91	181.0	PCI/L	9.8	
199-H4-5	22-AUG-91	6.8	PCI/L	2.7	
	13-SEP-91	9.5	PCI/L	3.0	
199-H4-6	10-JUN-91	10.2	PCI/L	3.1	
	12-SEP-91	9.4	PCI/L	2.9	
199-H4-7	06-JUN-91	5.0	PCI/L	2.6	
	12-SEP-91	7.0	PCI/L	2.7	
199-H4-8	16-AUG-91	3.2	PCI/L	2.4	
	12-SEP-91	13.2	PCI/L	3.3	
199-H4-9	06-JUN-91	5.6	PCI/L	2.6	
	01-AUG-91	19.8	PCI/L	3.7	
	16-AUG-91	8.9	PCI/L	2.8	
	12-SEP-91	63.8	PCI/L	6.0	
	24-OCT-91	38.8	PCI/L	4.8	
	13-NOV-91	20.5	PCI/L	3.7	
	12-DEC-91	22.9	PCI/L	3.9	
199-K-11	26-SEP-91	4.3	PCI/L	2.3	
199-K-27	17-APR-91	8.3	PCI/L	2.8	
199-K-28	17-APR-91	10.1	PCI/L	3.0	
199-K-29	18-APR-91	4.7	PCI/L	2.4	
199-K-30	17-APR-91	4.9	PCI/L	2.4	
199-N-14	18-SEP-91	1,140.0	PCI/L	23.1	
	18-SEP-91	1,080.0	PCI/L	22.1	
	18-SEP-91	1,170.0	PCI/L	23.5	
	05-DEC-91	1,930.0	PCI/L	68.6	
	05-DEC-91	2,090.0	PCI/L	69.4	
199-N-3	05-DEC-91	1,170.0	PCI/L	54.0	
199-N-32	18-SEP-91	17.2	PCI/L	3.3	
	05-DEC-91	190.0	PCI/L	21.6	
199-N-57	05-NOV-91	68.5	PCI/L	6.1	
199-N-59	03-SEP-91	2.1	PCI/L	2.2	
199-N-66	05-NOV-91	11.3	PCI/L	3.0	
199-N-70	17-JAN-91	13.4	PCI/L	3.1	
299-E13-14	11-JUN-91	852.0	PCI/L	20.9	
299-E17-1	13-AUG-91	22.3	PCI/L	3.8	
299-E17-12	25-MAR-91	13.2	PCI/L	3.2	

1991 GROSS BETA DATA

WELL NAME	SAMPLE DATE	ACTIVITY	UNITS	COUNTING ERROR	DATA REVIEW
299-E17-12	13-SEP-91	33.3	PCI/L	4.4	
299-E17-13	18-JUN-91	13.7	PCI/L	3.1	
	13-SEP-91	21.7	PCI/L	3.8	
299-E17-14	28-AUG-91	96.7	PCI/L	7.2	
299-E17-15	03-SEP-91	85.8	PCI/L	6.8	
	01-OCT-91	125.0	PCI/L	8.2	
	19-DEC-91	121.0	PCI/L	8.1	
299-E17-16	28-AUG-91	59.8	PCI/L	5.8	
	19-DEC-91	59.9	PCI/L	5.8	
299-E17-17	26-AUG-91	40.4	PCI/L	4.8	
299-E17-18	26-AUG-91	11.2	PCI/L	2.9	
	19-DEC-91	26.4	PCI/L	4.0	
299-E17-20	24-JUL-91	37.0	PCI/L	4.7	
	14-AUG-91	35.3	PCI/L	4.6	
	30-SEP-91	33.5	PCI/L	4.5	
299-E17-5	26-AUG-91	33.2	PCI/L	4.5	
299-E18-1	06-SEP-91	6.3	PCI/L	2.7	
299-E18-2	06-SEP-91	6.3	PCI/L	2.7	
299-E18-3	06-SEP-91	6.0	PCI/L	2.5	
299-E18-4	06-SEP-91	4.7	PCI/L	2.4	
299-E24-16	20-AUG-91	24.5	PCI/L	4.0	
299-E24-17	13-AUG-91	13.7	PCI/L	3.2	
299-E24-18	13-AUG-91	64.9	PCI/L	5.9	
299-E24-19	26-JUL-91	16.2	PCI/L	3.4	
299-E24-2	21-MAR-91	9.1	PCI/L	2.8	
299-E24-20	15-NOV-91	1.2	PCI/L	2.0	
299-E24-4	03-OCT-91	5.4	PCI/L	2.5	
299-E25-11	21-MAR-91	13.6	PCI/L	3.2	
299-E25-18	12-JUL-91	4.6	PCI/L	2.6	
	31-JUL-91	7.9	PCI/L	2.7	
	01-OCT-91	7.7	PCI/L	2.7	
299-E25-19	18-JUL-91	10.8	PCI/L	3.1	
	01-OCT-91	12.3	PCI/L	3.1	
299-E25-20	16-JUL-91	9.9	PCI/L	3.0	
	03-OCT-91	3.2	PCI/L	2.3	
299-E25-21	11-JUL-91	5.3	PCI/L	2.5	

1991 GROSS BETA DATA

WELL NAME	SAMPLE DATE	ACTIVITY	UNITS	COUNTING ERROR	DATA REVIEW
299-E25-25	25-JUN-91	4.9	PCI/L	2.4	
	25-JUN-91	2.1	PCI/L	2.1	
	16-SEP-91	1.1	PCI/L	1.9	
299-E25-26	27-MAR-91	6.4	PCI/L	2.4	
	27-SEP-91	5.7	PCI/L	2.4	
299-E25-28	10-APR-91	5.0	PCI/L	2.5	
	12-JUL-91	4.0	PCI/L	2.3	
	27-SEP-91	4.5	PCI/L	2.3	
299-E25-29P	25-JUN-91	5.5	PCI/L	2.4	
	01-NOV-91	4.0	PCI/L	2.3	
299-E25-31	25-JUN-91	10.8	PCI/L	2.9	
	16-SEP-91	2.2	PCI/L	2.1	
299-E25-32P	11-APR-91	2.7	PCI/L	2.2	
	19-JUL-91	3.6	PCI/L	2.3	
	19-JUL-91	2.3	PCI/L	2.1	
	26-SEP-91	2.8	PCI/L	2.1	
299-E25-33	27-JUN-91	-9	PCI/L	1.2	
	16-SEP-91	3.1	PCI/L	2.1	
299-E25-34	10-APR-91	2.6	PCI/L	2.1	
	27-SEP-91	3.0	PCI/L	2.1	
299-E25-35	17-APR-91	10.3	PCI/L	3.0	
	19-JUL-91	6.4	PCI/L	2.7	
	19-JUL-91	4.3	PCI/L	2.4	
	01-OCT-91	9.6	PCI/L	3.0	
	16-OCT-91	6.3	PCI/L	2.6	
299-E25-36	11-JUL-91	8.7	PCI/L	2.8	
	20-AUG-91	8.6	PCI/L	2.8	
	30-SEP-91	10.3	PCI/L	2.9	
299-E25-37	26-JUN-91	1.3	PCI/L	2.1	
	16-SEP-91	.4	PCI/L	1.9	
299-E25-38	26-JUN-91	5.7	PCI/L	2.5	
	16-SEP-91	2.9	PCI/L	2.2	
299-E25-39	26-JUN-91	1.7	PCI/L	2.0	
	16-SEP-91	2.6	PCI/L	2.0	
299-E25-40	20-JUL-91	9.7	PCI/L	2.9	
	20-JUL-91	15.8	PCI/L	3.4	
	20-NOV-91	9.3	PCI/L	2.9	
299-E25-41	26-JUL-91	9.2	PCI/L	2.9	
	21-NOV-91	3.4	PCI/L	2.2	
299-E26-10	20-MAR-91	5.9	PCI/L	2.6	
	27-JUN-91	7.1	PCI/L	2.7	
	25-SEP-91	7.8	PCI/L	2.7	
299-E26-11	20-MAR-91	3.8	PCI/L	2.3	
	27-JUN-91	3.3	PCI/L	2.4	
	27-SEP-91	5.5	PCI/L	2.5	

1991 GROSS BETA DATA						1991 GROSS BETA DATA					
WELL NAME	SAMPLE DATE	ACTIVITY	UNITS	COUNTING ERROR	DATA REVIEW	WELL NAME	SAMPLE DATE	ACTIVITY	UNITS	COUNTING ERROR	DATA REVIEW
299-E26-11	27-SEP-91	4.4	PCI/L	2.4		299-E32-5	20-SEP-91	21.6	PCI/L	3.9	
299-E26-6	21-MAR-91	1.6	PCI/L	2.0		299-E33-28	31-JUL-91	10.4	PCI/L	3.0	
299-E26-9	21-MAR-91	8.5	PCI/L	2.8		299-E33-29	24-SEP-91	16.6	PCI/L	3.3	
	27-JUN-91	3.9	PCI/L	2.4			31-JUL-91	13.3	PCI/L	3.2	
	25-SEP-91	4.0	PCI/L	2.2			23-SEP-91	9.7	PCI/L	2.9	
299-E27-10	31-JUL-91	3.9	PCI/L	2.4		299-E33-30	05-AUG-91	14.3	PCI/L	3.3	
299-E27-11	06-NOV-91	4.5	PCI/L	2.5		299-E33-31	23-SEP-91	15.2	PCI/L	3.3	
299-E27-12	23-JUL-91	5.6	PCI/L	2.5		299-E33-32	23-JUL-91	70.3	PCI/L	6.3	
	18-NOV-91	5.9	PCI/L	2.5			15-NOV-91	67.2	PCI/L	6.1	
299-E27-13	23-JUL-91	17.9	PCI/L	3.5		299-E33-33	23-JUL-91	16.1	PCI/L	3.4	
	15-NOV-91	18.0	PCI/L	3.5			22-JUL-91	5.2	PCI/L	2.5	
299-E27-14	23-JUL-91	55.2	PCI/L	5.7			15-NOV-91	5.8	PCI/L	2.6	
299-E27-15	24-JUL-91	8.0	PCI/L	2.8		299-E33-34	02-AUG-91	155.0	PCI/L	8.9	
	21-NOV-91	18.0	PCI/L	3.5			20-SEP-91	162.0	PCI/L	9.1	
299-E27-16	09-SEP-91	6.4	PCI/L	2.6		299-E33-35	30-JUL-91	62.1	PCI/L	5.9	
299-E27-7	25-JUL-91	4.9	PCI/L	2.5			24-SEP-91	70.8	PCI/L	6.1	
299-E27-8	01-AUG-91	6.4	PCI/L	2.6		299-E33-36	21-AUG-91	7.1	PCI/L	2.8	
299-E27-9	26-JUL-91	9.1	PCI/L	2.9		299-E33-37	09-SEP-91	6.3	PCI/L	2.6	
299-E28-11	26-MAR-91	.6	PCI/L	1.8		299-E33-41	25-JUL-91	66.2	PCI/L	5.9	
299-E28-15	26-MAR-91	-4	PCI/L	1.8			21-NOV-91	108.0	PCI/L	7.6	
299-E28-17	21-MAR-91	9.2	PCI/L	2.9			21-NOV-91	88.4	PCI/L	6.9	
299-E28-18	21-MAR-91	10.9	PCI/L	3.0		299-E34-2	30-JUL-91	4.3	PCI/L	2.4	
	13-SEP-91	10.1	PCI/L	2.9			30-JUL-91	7.5	PCI/L	2.7	
	13-SEP-91	12.9	PCI/L	3.1		299-E34-3	29-JUL-91	12.8	PCI/L	3.3	
299-E28-26	06-AUG-91	17.6	PCI/L	3.6		299-E34-5	29-JUL-91	8.2	PCI/L	2.9	
	23-SEP-91	11.0	PCI/L	3.0		299-E34-7	04-NOV-91	6.3	PCI/L	2.7	
299-E28-27	01-AUG-91	21.1	PCI/L	3.8		299-E35-2	21-MAR-91	9.9	PCI/L	3.0	
	23-SEP-91	22.5	PCI/L	3.9			27-JUN-91	4.3	PCI/L	2.3	
299-E28-28	02-AUG-91	14.2	PCI/L	3.3			27-JUN-91	3.8	PCI/L	2.3	
	23-SEP-91	13.7	PCI/L	3.2		299-W10-13	25-SEP-91	4.6	PCI/L	2.3	
299-E32-2	02-AUG-91	23.5	PCI/L	3.9			08-AUG-91	6.5	PCI/L	2.6	
	23-SEP-91	20.2	PCI/L	3.7			07-NOV-91	4.7	PCI/L	2.5	
299-E32-3	02-AUG-91	20.3	PCI/L	3.7		299-W10-14	14-AUG-91	1.4	PCI/L	2.1	
	20-SEP-91	19.0	PCI/L	3.7			07-NOV-91	4.8	PCI/L	2.4	
	20-SEP-91	23.4	PCI/L	4.0		299-W10-15	22-JUL-91	40.2	PCI/L	4.8	
299-E32-4	05-AUG-91	10.1	PCI/L	3.0			04-OCT-91	49.4	PCI/L	5.5	
	23-SEP-91	7.5	PCI/L	2.9			04-OCT-91	46.4	PCI/L	5.3	
299-E32-5	02-AUG-91	16.5	PCI/L	3.5		299-W10-16	22-JUL-91	18.5	PCI/L	3.6	
							24-SEP-91	18.1	PCI/L	3.6	
						299-W10-17	09-OCT-91	34.5	PCI/L	4.6	

1991 GROSS BETA DATA							1991 GROSS BETA DATA						
WELL NAME	SAMPLE DATE	ACTIVITY	UNITS	COUNTING ERROR	DATA REVIEW		WELL NAME	SAMPLE DATE	ACTIVITY	UNITS	COUNTING ERROR	DATA REVIEW	
299-W10-18	24-SEP-91	13.5	PCI/L	3.3			299-W19-32	01-OCT-91	107.0	PCI/L	7.5		
299-W10-9	22-JUL-91	39.6	PCI/L	5.0			299-W22-20	18-JAN-91	50.5	PCI/L	5.6		
	03-OCT-91	54.4	PCI/L	5.7				01-APR-91	30.1	PCI/L	4.4		
299-W15-16	05-AUG-91	8.6	PCI/L	3.0				18-JUN-91	-6.3	PCI/L	2.8		
299-W15-17	06-AUG-91	7.9	PCI/L	2.8				04-SEP-91	37.4	PCI/L	4.8		
	06-AUG-91	9.6	PCI/L	2.9				03-OCT-91	35.6	PCI/L	4.7		
299-W15-18	09-AUG-91	5.1	PCI/L	2.5				04-DEC-91	25.9	PCI/L	4.0		
299-W15-19	14-NOV-91	8.3	PCI/L	2.8			299-W22-39	14-NOV-91	92.4	PCI/L	7.0		
299-W15-20	05-AUG-91	7.5	PCI/L	2.8			299-W22-40	03-SEP-91	6.4	PCI/L	2.7		
	12-NOV-91	4.6	PCI/L	2.4			299-W22-41	03-SEP-91	22.2	PCI/L	4.0		
299-W15-22	24-SEP-91	31.9	PCI/L	4.4			299-W22-42	03-SEP-91	18.6	PCI/L	3.7		
299-W15-23	05-AUG-91	7.0	PCI/L	2.7			299-W22-43	04-SEP-91	6.3	PCI/L	2.6		
	13-NOV-91	4.0	PCI/L	2.4				04-SEP-91	8.7	PCI/L	2.9		
299-W15-24	05-AUG-91	4.5	PCI/L	2.5			299-W23-13	03-OCT-91	10.5	PCI/L	3.0		
	12-NOV-91	4.3	PCI/L	2.5			299-W23-14	09-OCT-91	11.1	PCI/L	3.0		
299-W18-17	20-MAR-91	3.4	PCI/L	2.3			299-W26-10	21-AUG-91	3.9	PCI/L	2.3		
299-W18-2	20-MAR-91	5.2	PCI/L	2.5			299-W26-12	28-AUG-91	4.3	PCI/L	2.3		
299-W18-20	20-MAR-91	7.9	PCI/L	2.6			299-W26-7	21-AUG-91	4.2	PCI/L	2.4		
299-W18-21	07-AUG-91	8.4	PCI/L	2.8			299-W26-8	28-AUG-91	8.5	PCI/L	2.8		
299-W18-22	06-AUG-91	3.7	PCI/L	2.4				28-AUG-91	14.2	PCI/L	3.2		
299-W18-23	09-AUG-91	4.2	PCI/L	2.3				30-DEC-91	6.7	PCI/L	2.6		
299-W18-24	09-AUG-91	2.9	PCI/L	2.1			299-W26-9	20-AUG-91	2.3	PCI/L	2.2		
299-W18-25	11-APR-91	8.0	PCI/L	2.6			299-W6-2	12-AUG-91	6.5	PCI/L	2.7		
	01-OCT-91	6.7	PCI/L	2.6				12-AUG-91	9.1	PCI/L	2.8		
299-W18-26	07-AUG-91	7.1	PCI/L	2.7				13-NOV-91	7.6	PCI/L	2.8		
	12-NOV-91	6.0	PCI/L	2.5			299-W7-1	07-AUG-91	4.6	PCI/L	2.5		
299-W18-29	09-OCT-91	3.2	PCI/L	2.2				08-NOV-91	3.6	PCI/L	2.5		
299-W19-21	03-DEC-91	5.0	PCI/L	2.4			299-W7-10	09-AUG-91	3.4	PCI/L	2.2		
299-W19-24	20-MAR-91	1,640.0	PCI/L	29.3				14-NOV-91	1.8	PCI/L	2.2		
299-W19-27	03-DEC-91	6.7	PCI/L	2.5			299-W7-2	07-AUG-91	5.8	PCI/L	2.6		
299-W19-29	14-JUN-91	1,480.0	PCI/L	27.6				08-NOV-91	3.4	PCI/L	2.3		
	25-NOV-91	2,110.0	PCI/L	33.0			299-W7-3	08-AUG-91	6.4	PCI/L	2.6		
299-W19-30	13-JUN-91	157.0	PCI/L	9.2				08-NOV-91	8.7	PCI/L	2.8		
299-W19-31	01-OCT-91	51.8	PCI/L	5.5			299-W7-4	12-AUG-91	10.1	PCI/L	2.9		
								13-NOV-91	12.8	PCI/L	3.2		
							299-W7-5	09-AUG-91	6.7	PCI/L	2.6		
								11-NOV-91	10.1	PCI/L	2.9		
							299-W7-6	12-AUG-91	55.2	PCI/L	13.3		
								08-NOV-91	8.4	PCI/L	2.8		

1991 GROSS BETA DATA						1991 GROSS BETA DATA					
WELL NAME	SAMPLE DATE	ACTIVITY	UNITS	COUNTING ERROR	DATA REVIEW	WELL NAME	SAMPLE DATE	ACTIVITY	UNITS	COUNTING ERROR	DATA REVIEW
299-W7-7	09-AUG-91	4.7	PCI/L	2.4		399-3-10	18-DEC-91	10.6	PCI/L	2.9	
	08-NOV-91	3.5	PCI/L	2.4		399-3-7	12-JUL-91	10.6	PCI/L	3.0	
299-W7-8	09-AUG-91	5.9	PCI/L	2.6			17-DEC-91	8.3	PCI/L	2.8	
	11-NOV-91	5.0	PCI/L	2.5		399-3-9	15-JUL-91	8.8	PCI/L	2.8	
299-W7-9	09-AUG-91	6.5	PCI/L	2.6			17-DEC-91	8.2	PCI/L	2.8	
	08-NOV-91	4.3	PCI/L	2.5		399-4-1	10-JUL-91	12.0	PCI/L	3.2	
299-W8-1	09-AUG-91	5.8	PCI/L	2.6			10-DEC-91	6.2	PCI/L	2.6	
	13-NOV-91	8.2	PCI/L	2.8		399-4-11	15-JUL-91	10.2	PCI/L	3.0	
299-W9-1	08-AUG-91	3.1	PCI/L	2.2			11-DEC-91	11.6	PCI/L	3.1	
	08-NOV-91	6.8	PCI/L	2.6		399-4-7	09-JUL-91	13.6	PCI/L	3.2	
399-1-10	15-JUL-91	34.0	PCI/L	4.6			10-DEC-91	18.6	PCI/L	3.6	
	06-DEC-91	29.7	PCI/L	4.3		399-8-1	15-JUL-91	7.0	PCI/L	2.8	
399-1-11	18-DEC-91	29.1	PCI/L	4.2			20-DEC-91	5.3	PCI/L	2.5	
399-1-12	18-JUL-91	5.7	PCI/L	2.4			20-DEC-91	4.8	PCI/L	2.5	
	06-DEC-91	31.1	PCI/L	4.3		699-1-18	23-DEC-91	13.4	PCI/L	3.3	
399-1-13	16-JUL-91	11.3	PCI/L	3.1		699-17-5	16-JAN-91	10.7	PCI/L	3.0	
	11-DEC-91	8.5	PCI/L	2.9			28-MAR-91	6.8	PCI/L	2.6	
399-1-14	16-JUL-91	15.0	PCI/L	3.3			20-JUN-91	7.0	PCI/L	2.7	
	11-DEC-91	9.4	PCI/L	2.9			11-SEP-91	6.7	PCI/L	2.7	
399-1-15	16-JUL-91	-5.8	PCI/L	.6		699-2-7	04-DEC-91	9.7	PCI/L	2.9	
	11-DEC-91	9.0	PCI/L	2.9			21-MAR-91	11.4	PCI/L	3.1	
399-1-16A	11-JUL-91	14.6	PCI/L	3.2			18-DEC-91	11.6	PCI/L	3.1	
	06-DEC-91	16.8	PCI/L	3.4				10.1	PCI/L	3.0	
399-1-16B	11-JUL-91	7.8	PCI/L	2.7			27-AUG-91	21.5	PCI/L	3.9	
	11-JUL-91	5.2	PCI/L	2.6			26-DEC-91	16.9	PCI/L	3.5	
	06-DEC-91	5.1	PCI/L	2.5		699-23-34	26-DEC-91	12.5	PCI/L	3.2	
399-1-17A	16-JAN-91	102.0	PCI/L	7.3			18-JAN-91	13.4	PCI/L	3.3	
	25-MAR-91	56.4	PCI/L	5.5			28-MAR-91	13.9	PCI/L	3.3	
	25-MAR-91	48.8	PCI/L	5.0			20-JUN-91	14.8	PCI/L	3.3	
	24-JUN-91	53.0	PCI/L	5.4			28-AUG-91	10.1	PCI/L	3.1	
	11-JUL-91	55.5	PCI/L	5.6			10-SEP-91	14.9	PCI/L	3.4	
	11-SEP-91	19.4	PCI/L	3.6			04-DEC-91	13.9	PCI/L	3.3	
	03-DEC-91	9.9	PCI/L	2.9			27-DEC-91	14.4	PCI/L	3.4	
	10-DEC-91	16.5	PCI/L	3.4		699-24-34A	27-AUG-91	13.3	PCI/L	3.3	
399-1-17B	11-JUL-91	5.2	PCI/L	2.5			26-DEC-91	12.2	PCI/L	3.3	
	10-DEC-91	5.9	PCI/L	2.7		699-24-34B	27-AUG-91	14.4	PCI/L	3.4	
399-1-18A	15-JUL-91	5.9	PCI/L	2.5			26-DEC-91	13.3	PCI/L	3.2	
	13-DEC-91	10.0	PCI/L	3.0		699-24-34C	27-AUG-91	12.8	PCI/L	3.3	
399-1-7	09-JUL-91	33.3	PCI/L	4.4			26-DEC-91	13.0	PCI/L	3.3	
	16-DEC-91	23.6	PCI/L	3.9		699-24-35	28-AUG-91	16.0	PCI/L	3.5	
399-2-1	09-JUL-91	9.7	PCI/L	2.9			27-DEC-91	13.9	PCI/L	3.3	
	16-DEC-91	7.1	PCI/L	2.6		699-25-33A	27-AUG-91	2.8	PCI/L	2.2	
399-3-10	12-JUL-91	6.4	PCI/L	2.6		699-25-34A	27-AUG-91	7.0	PCI/L	2.7	

1991 GROSS BETA DATA						1991 GROSS BETA DATA					
WELL NAME	SAMPLE DATE	ACTIVITY	UNITS	COUNTING ERROR	DATA REVIEW	WELL NAME	SAMPLE DATE	ACTIVITY	UNITS	COUNTING ERROR	DATA REVIEW
699-25-34B	27-AUG-91	10.5	PCI/L	3.0		699-41-40	11-SEP-91	2.6	PCI/L	2.2	
699-25-34C	27-AUG-91	12.0	PCI/L	3.2		699-42-40A	08-JUL-91	3.1	PCI/L	2.2	
	26-DEC-91	17.1	PCI/L	3.5		699-42-42B	08-JUL-91	1.1	PCI/L	2.0	
699-26-33	27-AUG-91	8.4	PCI/L	2.7		699-43-41E	28-JUN-91	11.6	PCI/L	3.1	
699-26-35A	27-AUG-91	14.0	PCI/L	3.3		699-43-41F	28-JUN-91	6.6	PCI/L	2.6	
	27-DEC-91	13.7	PCI/L	3.2		699-43-42J	02-JUL-91	5.5	PCI/L	2.6	
699-26-35C	27-AUG-91	13.1	PCI/L	3.2		699-43-43	02-JUL-91	4.3	PCI/L	2.4	
699-31-31	17-JAN-91	9.7	PCI/L	2.8		699-43-45	08-JUL-91	4.8	PCI/L	2.4	
699-32-43	16-JAN-91	10.9	PCI/L	3.0		699-44-42	08-JUL-91	4.7	PCI/L	2.4	
	28-MAR-91	12.3	PCI/L	3.1		699-44-43B	11-SEP-91	6.4	PCI/L	2.6	
	18-JUN-91	-2.7	PCI/L	1.8			10-JUL-91	4.1	PCI/L	2.2	
	10-SEP-91	10.9	PCI/L	3.0			08-JUL-91	5.5	PCI/L	2.5	
	04-DEC-91	11.9	PCI/L	3.1			11-SEP-91	3.4	PCI/L	2.4	
699-34-8	21-AUG-91	5.3	PCI/L	2.5		699-45-69A	30-DEC-91	5.6	PCI/L	2.6	
699-35-70	17-JAN-91	15.0	PCI/L	3.4		699-49-100C	18-JAN-91	8.1	PCI/L	2.9	
	15-APR-91	13.4	PCI/L	3.2			04-APR-91	7.3	PCI/L	2.8	
	14-JUN-91	11.7	PCI/L	3.0			20-JUN-91	7.0	PCI/L	2.7	
	10-SEP-91	13.6	PCI/L	3.2			21-JUN-91	2,020.0	PCI/L	141.7	
	04-DEC-91	14.1	PCI/L	3.3			05-DEC-91	3,130.0	PCI/L	179.4	
699-36-46R	16-JAN-91	13.0	PCI/L	3.1		699-50-53	04-SEP-91	3.8	PCI/L	2.4	
699-38-65	16-JAN-91	18.2	PCI/L	3.6		699-81-58	04-SEP-91	1.1	PCI/L	2.1	
	01-APR-91	13.0	PCI/L	3.2			17-JAN-91	15.3	PCI/L	3.4	
	10-SEP-91	18.3	PCI/L	3.6			16-JAN-91	7.3	PCI/L	2.8	
	04-DEC-91	13.7	PCI/L	3.3			01-APR-91	6.5	PCI/L	2.6	
699-38-70	30-DEC-91	365.0	PCI/L	13.9			24-JUN-91	6.4	PCI/L	2.5	
699-40-1	18-JAN-91	41.8	PCI/L	5.0			10-SEP-91	2.9	PCI/L	2.2	
	29-MAR-91	24.0	PCI/L	3.9			04-DEC-91	3.3	PCI/L	2.3	
	26-JUN-91	23.0	PCI/L	3.8			03-DEC-91	9.7	PCI/L	2.9	
	10-SEP-91	41.6	PCI/L	4.9			18-JAN-91	7.8	PCI/L	2.8	
	03-DEC-91	39.2	PCI/L	4.8			29-MAR-91	8.3	PCI/L	2.8	
699-40-33A	16-JAN-91	9.5	PCI/L	2.9			21-JUN-91	4.3	PCI/L	2.5	
	15-APR-91	4.1	PCI/L	2.4			09-SEP-91	13.7	PCI/L	3.2	
	20-JUN-91	6.8	PCI/L	2.7			03-DEC-91	8.2	PCI/L	2.8	
	10-SEP-91	7.1	PCI/L	2.7			17-JAN-91	16.2	PCI/L	3.4	
	04-DEC-91	7.3	PCI/L	2.7			29-JUL-91	16.0	PCI/L	3.4	
699-40-39	08-JUL-91	6.2	PCI/L	2.6			17-JAN-91	16.7	PCI/L	3.6	
	11-SEP-91	5.9	PCI/L	2.6			29-MAR-91	21.0	PCI/L	3.7	
699-40-62	30-DEC-91	11.9	PCI/L	3.1			21-JUN-91	17.9	PCI/L	3.6	
699-41-1	16-JAN-91	41.0	PCI/L	4.9			10-SEP-91	17.6	PCI/L	3.5	
	15-APR-91	38.5	PCI/L	4.8			03-DEC-91	17.2	PCI/L	3.5	
	26-JUN-91	24.4	PCI/L	3.9							
	10-SEP-91	42.9	PCI/L	5.0							
	03-DEC-91	42.0	PCI/L	5.0							
699-41-40	10-JUL-91	4.9	PCI/L	2.5							

APPENDIX B

CHEMICAL CONSTITUENTS

APPENDIX B

CHEMICAL CONSTITUENTS

Sodium	B.1
Magnesium	B.10
Silicon	B.19
Potassium	B.20
Calcium	B.29
Chromium	B.38
Manganese	B.47
Iron	B.56
Strontium	B.65
Barium	B.66
Other Metals and Semi-Metals	B.75
Alkalinity	B.85
Ammonia	B.87
Boron	B.88
Chloride	B.90
Cyanide	B.96
Fluoride	B.97
Nitrate	B.103
Sulfate	B.112
Sulfide	B.118
Other Anions	B.119
Coliform	B.120
Conductivity	B.122
pH	B.138
TDS	B.155
Temperature	B.156
Total Carbon	B.168
TOC	B.169
TOX	B.172
Turbidity	B.175
Carbon Tet	B.177
Chloroform	B.181
Tetrachloroethene	B.185
Trichloroethene	B.188
Trichloroethane	B.191
Other Volatiles	B.195
Semivolatiles	B.196
Pesticides	B.197

SODIUM DATA							SODIUM DATA						
WELL NAME	SAMPLE DATE	FILTERED	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW	WELL NAME	SAMPLE DATE	FILTERED	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
1199-41-13C	31-MAY-91		10.600		MG/L		199-H4-4	16-AUG-91		17000.000		UG/L	
199-B4-5	18-SEP-91		10.700		MG/L			18-SEP-91		140000.000		UG/L	
199-B4-6	19-SEP-91		10.400		MG/L			24-OCT-91		150000.000		UG/L	
199-B4-7	18-SEP-91		10.600		MG/L			13-NOV-91		16000.000		UG/L	
199-F5-4	19-SEP-91		22000.000		UG/L		199-H4-5	22-AUG-91		12000.000		UG/L	
199-F7-1	19-SEP-91	Y	56000.000		UG/L			13-SEP-91		13000.000		UG/L	
199-H3-1	06-JUN-91		12000.000		UG/L		199-H4-6	10-JUN-91		25000.000		UG/L	
199-H3-2A	06-JUN-91		20000.000		UG/L			12-SEP-91		26000.000		UG/L	
	12-SEP-91		17000.000		UG/L		199-H4-7	06-JUN-91		18000.000		UG/L	
199-H3-2B	22-AUG-91		18000.000		UG/L			12-SEP-91		18000.000		UG/L	
199-H3-2C	06-JUN-91		11000.000		UG/L		199-H4-8	16-AUG-91		13000.000		UG/L	
	13-SEP-91		11000.000		UG/L			12-SEP-91		14000.000		UG/L	
199-H4-11	07-JUN-91		13000.000		UG/L		199-H4-9	06-JUN-91		16000.000		UG/L	
	12-SEP-91		10000.000		UG/L			01-AUG-91		22000.000		UG/L	
199-H4-12A	07-JUN-91		7100.000		UG/L			16-AUG-91		23000.000		UG/L	
	12-SEP-91		34000.000		UG/L		199-K-11	26-SEP-91	Y	33000.000		UG/L	
199-H4-12B	22-AUG-91		17000.000		UG/L			18-SEP-91	Y	3000.000		UG/L	
199-H4-12C	07-JUN-91		4200.000		UG/L		199-N-14	18-SEP-91	Y	3200.000		UG/L	
	12-SEP-91		4300.000		UG/L			01-NOV-91	Y	3200.000		UG/L	
199-H4-13	23-AUG-91		7400.000		UG/L			05-DEC-91	Y	9700.000		UG/L	
199-H4-14	07-JUN-91		8800.000		UG/L			18-SEP-91		3100.000		UG/L	
	13-SEP-91		9100.000		UG/L		199-N-17	05-SEP-91	Y	3100.000		UG/L	
199-H4-15A	22-AUG-91		10000.000		UG/L			05-SEP-91		47000.000		UG/L	
	13-SEP-91		10000.000		UG/L		199-N-21	05-SEP-91	Y	140000.000		UG/L	
199-H4-15B	22-AUG-91		9500.000		UG/L			05-SEP-91		140000.000		UG/L	
199-H4-16	07-JUN-91		5900.000		UG/L		199-N-29	04-SEP-91	Y	2700.000		UG/L	
199-H4-17	16-AUG-91		15000.000		UG/L			04-SEP-91		2600.000		UG/L	
199-H4-18	13-SEP-91		15000.000		UG/L		199-N-3	05-DEC-91	Y	9600.000		UG/L	
199-H4-3	07-JUN-91		170000.000		UG/L		199-N-32	18-SEP-91	Y	3200.000		UG/L	
	01-AUG-91		310000.000		UG/L			18-SEP-91		2900.000		UG/L	
	16-AUG-91		320000.000		UG/L		199-N-33	04-SEP-91	Y	3000.000		UG/L	
	13-SEP-91		210000.000		UG/L			04-SEP-91		3300.000		UG/L	
	13-SEP-91		210000.000		UG/L		199-N-36	04-SEP-91	Y	2800.000		UG/L	
	24-OCT-91		130000.000		UG/L			04-SEP-91		2800.000		UG/L	
	13-NOV-91		120000.000		UG/L		199-N-41	30-AUG-91	Y	4200.000		UG/L	
	12-DEC-91		110000.000		UG/L			30-AUG-91		4400.000		UG/L	
199-H4-4	06-JUN-91		6800.000		UG/L		199-N-47	05-SEP-91	Y	130000.000		UG/L	
	01-AUG-91		39000.000		UG/L			05-NOV-91	Y	140000.000		UG/L	

SODIUM DATA													
WELL NAME	SAMPLE DATE	FILTERED	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW	WELL NAME	SAMPLE DATE	FILTERED	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
199-N-47	05-SEP-91		130000.000		UG/L		299-E17-17	26-AUG-91	Y	17000.000		UG/L	
	05-NOV-91		140000.000		UG/L			26-AUG-91		18000.000		UG/L	
199-N-54	05-SEP-91	Y	36000.000		UG/L		299-E17-18	26-AUG-91	Y	17000.000		UG/L	
	05-NOV-91	Y	41000.000		UG/L			26-AUG-91		17000.000		UG/L	
	05-SEP-91		37000.000		UG/L			19-DEC-91		17000.000		UG/L	
	05-NOV-91		43000.000		UG/L			19-DEC-91		17000.000		UG/L	
199-N-55	05-SEP-91	Y	55000.000		UG/L		299-E17-20	24-JUL-91	Y	21000.000		UG/L	
	05-NOV-91	Y	48000.000		UG/L			14-AUG-91	Y	21000.000		UG/L	
	05-SEP-91		51000.000		UG/L			30-SEP-91	Y	19000.000		UG/L	
	05-NOV-91		49000.000		UG/L			24-JUL-91		19000.000		UG/L	
199-N-56	05-SEP-91	Y	19000.000		UG/L			14-AUG-91		21000.000		UG/L	
	05-NOV-91	Y	19000.000		UG/L			30-SEP-91		19000.000		UG/L	
	05-SEP-91		19000.000		UG/L		299-E17-5	26-AUG-91	Y	17000.000		UG/L	
	05-NOV-91		18000.000		UG/L			26-AUG-91		17000.000		UG/L	
199-N-57	05-NOV-91	Y	62000.000		UG/L		299-E18-1	09-JUL-91	Y	25000.000		UG/L	
	05-NOV-91		61000.000		UG/L			06-SEP-91	Y	26000.000		UG/L	
199-N-59	03-SEP-91	Y	170000.000		UG/L			09-JUL-91		26000.000		UG/L	
	03-SEP-91		160000.000		UG/L		299-E18-2	06-SEP-91	Y	27000.000		UG/L	
199-N-66	05-NOV-91	Y	3300.000		UG/L			06-SEP-91		14000.000		UG/L	
	05-NOV-91		3600.000		UG/L			06-SEP-91		14000.000		UG/L	
199-N-67	22-NOV-91		4000.000		UG/L		299-E18-3	06-SEP-91	Y	5100.000		UG/L	
	22-NOV-91		3000.000		UG/L			06-SEP-91		5900.000		UG/L	
199-N-69	22-NOV-91		2600.000		UG/L		299-E18-4	06-SEP-91	Y	8400.000		UG/L	
	22-NOV-91		2800.000		UG/L			06-SEP-91		8400.000		UG/L	
199-N-70	04-SEP-91	Y	5700.000		UG/L		299-E24-16	20-AUG-91	Y	16000.000		UG/L	
	04-SEP-91		5300.000		UG/L			20-AUG-91		16000.000		UG/L	
299-E13-14	11-JUN-91		25000.000		UG/L		299-E24-17	13-AUG-91	Y	18000.000		UG/L	
299-E17-1	13-AUG-91	Y	21000.000		UG/L			13-AUG-91		18000.000		UG/L	
	13-AUG-91		21000.000		UG/L		299-E24-18	13-AUG-91	Y	19000.000		UG/L	
299-E17-12	13-SEP-91		20000.000		UG/L			13-AUG-91		19000.000		UG/L	
299-E17-13	18-JUN-91		19000.000		UG/L		299-E24-19	26-JUL-91	Y	14000.000		UG/L	
	13-SEP-91		19000.000		UG/L			22-NOV-91	Y	13000.000		UG/L	
299-E17-14	28-AUG-91	Y	19000.000		UG/L			26-JUL-91		14000.000		UG/L	
	28-AUG-91		20000.000		UG/L		299-E24-20	22-NOV-91	Y	13000.000		UG/L	
299-E17-15	03-SEP-91	Y	21000.000		UG/L			15-NOV-91		14000.000		UG/L	
	01-OCT-91	Y	28000.000		UG/L			15-NOV-91		16000.000		UG/L	
	03-SEP-91		21000.000		UG/L		299-E24-4	03-OCT-91		13000.000		UG/L	
	01-OCT-91		27000.000		UG/L								
	19-DEC-91		26000.000		UG/L		299-E25-18	12-JUL-91	Y	20000.000		UG/L	
	19-DEC-91		27000.000		UG/L			31-JUL-91	Y	21000.000		UG/L	
299-E17-16	28-AUG-91	Y	23000.000		UG/L			01-OCT-91	Y	21000.000		UG/L	
	28-AUG-91		24000.000		UG/L			12-JUL-91		21000.000		UG/L	
	19-DEC-91		18000.000		UG/L			31-JUL-91		21000.000		UG/L	
	19-DEC-91		18000.000		UG/L			01-OCT-91		22000.000		UG/L	
					UG/L		299-E25-19	18-JUL-91	Y	32000.000		UG/L	
					UG/L			01-OCT-91	Y	32000.000		UG/L	
					UG/L			18-JUL-91		33000.000		UG/L	
					UG/L			01-OCT-91		33000.000		UG/L	

SODIUM DATA							SODIUM DATA						
WELL NAME	SAMPLE DATE	FILTERED	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW	WELL NAME	SAMPLE DATE	FILTERED	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
299-E25-20	16-JUL-91	Y	36000.000		UG/L		299-E25-36	20-AUG-91		16000.000		UG/L	
	03-OCT-91	Y	9200.000		UG/L			20-AUG-91		15000.000		UG/L	
	16-JUL-91		36000.000		UG/L			30-SEP-91		16000.000		UG/L	
299-E25-21	03-OCT-91		9700.000		UG/L		299-E25-37	26-JUN-91	Y	9700.000		UG/L	
	11-JUL-91	Y	26000.000		UG/L			16-SEP-91	Y	10000.000		UG/L	
	11-JUL-91		24000.000		UG/L			26-JUN-91		9500.000		UG/L	
299-E25-25	25-JUN-91	Y	4400.000		UG/L		299-E25-38	16-SEP-91		9900.000		UG/L	
	25-JUN-91	Y	4500.000		UG/L			26-JUN-91	Y	11000.000		UG/L	
	16-SEP-91	Y	4800.000		UG/L			26-JUN-91	Y	11000.000		UG/L	
299-E25-26	25-JUN-91		4500.000		UG/L		299-E25-39	16-SEP-91		11000.000		UG/L	
	25-JUN-91		4500.000		UG/L			26-JUN-91	Y	5800.000		UG/L	
	16-SEP-91		4700.000		UG/L			16-SEP-91	Y	6100.000		UG/L	
299-E25-28	27-SEP-91	Y	8700.000		UG/L		299-E25-40	26-JUN-91		5900.000		UG/L	
	27-SEP-91		8700.000		UG/L			16-SEP-91		5900.000		UG/L	
	12-JUL-91	Y	9800.000		UG/L			16-SEP-91	Y	5900.000		UG/L	
299-E25-29P	27-SEP-91	Y	10000.000		UG/L		299-E25-41	20-JUL-91	Y	24000.000		UG/L	
	12-JUL-91	Y	10000.000		UG/L			20-JUL-91	Y	7900.000		UG/L	
	27-SEP-91		10000.000		UG/L			20-NOV-91	Y	21000.000		UG/L	
299-E25-31	25-JUN-91	Y	20000.000		UG/L		299-E26-10	20-JUL-91		23000.000		UG/L	
	01-NOV-91	Y	22000.000		UG/L			20-JUL-91		23000.000		UG/L	
	25-JUN-91	Y	20000.000		UG/L			20-NOV-91		22000.000		UG/L	
299-E25-32P	01-NOV-91		18000.000		UG/L		299-E26-11	26-JUL-91	Y	16000.000		UG/L	
	25-JUN-91	Y	18000.000		UG/L			21-NOV-91	Y	17000.000		UG/L	
	16-SEP-91	Y	40000.000		UG/L			21-NOV-91		18000.000		UG/L	
299-E25-33	25-JUN-91		16000.000		UG/L		299-E26-9	27-JUN-91	Y	18000.000		UG/L	
	16-SEP-91		26000.000		UG/L			25-SEP-91	Y	19000.000		UG/L	
	16-SEP-91		5500.000		UG/L			27-JUN-91	Y	17000.000		UG/L	
299-E25-34	19-JUL-91	Y	5400.000		UG/L		299-E27-10	27-JUN-91		18000.000		UG/L	
	19-JUL-91	Y	5700.000		UG/L			31-JUL-91	Y	14000.000		UG/L	
	26-SEP-91	Y	5600.000		UG/L			31-JUL-91		14000.000		UG/L	
299-E25-35	19-JUL-91		5300.000		UG/L		299-E27-11	06-NOV-91	Y	15000.000		UG/L	
	26-SEP-91		5600.000		UG/L			06-NOV-91		15000.000		UG/L	
	27-JUN-91	Y	25000.000		UG/L			23-JUL-91	Y	9100.000		UG/L	
299-E25-36	16-SEP-91	Y	24000.000		UG/L		299-E27-12	18-NOV-91	Y	9100.000		UG/L	
	27-JUN-91	Y	25000.000		UG/L			23-JUL-91	Y	9200.000		UG/L	
	16-SEP-91		24000.000		UG/L			18-NOV-91		8900.000		UG/L	
299-E25-37	27-SEP-91	Y	9100.000		UG/L		299-E27-13	23-JUL-91	Y	11000.000		UG/L	
	27-SEP-91		9200.000		UG/L			15-NOV-91	Y	11000.000		UG/L	
	19-JUL-91	Y	37000.000		UG/L								
299-E25-38	19-JUL-91	Y	38000.000		UG/L								
	01-OCT-91	Y	38000.000		UG/L								
	16-OCT-91	Y	37000.000		UG/L								
299-E25-39	19-JUL-91		39000.000		UG/L								
	19-JUL-91		40000.000		UG/L								
	01-OCT-91		38000.000		UG/L								
299-E25-40	16-OCT-91		40000.000		UG/L								
	11-JUL-91	Y	16000.000		UG/L								
	30-SEP-91	Y	16000.000		UG/L								
299-E25-41	11-JUL-91		16000.000		UG/L								
	30-SEP-91		16000.000		UG/L								
	11-JUL-91		16000.000		UG/L								

SODIUM DATA							SODIUM DATA							
WELL NAME	SAMPLE DATE	FILTERED	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW	WELL NAME	SAMPLE DATE	FILTERED	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW	
299-E27-13	23-JUL-91		11000.000		UG/L		299-E32-4	05-AUG-91		28000.000		UG/L		
	15-NOV-91		10000.000		UG/L	23-SEP-91			26000.000		UG/L			
299-E27-14	23-JUL-91	Y	15000.000		UG/L		299-E32-5	02-AUG-91	Y	28000.000		UG/L		
	23-JUL-91		15000.000		UG/L	20-SEP-91		Y	27000.000		UG/L			
299-E27-15	24-JUL-91	Y	9200.000		UG/L		299-E33-28	02-AUG-91		28000.000		UG/L		
	21-NOV-91	Y	11000.000		UG/L	20-SEP-91			26000.000		UG/L			
	24-JUL-91		9600.000		UG/L	31-JUL-91		Y	15000.000		UG/L			
	21-NOV-91		10000.000		UG/L	24-SEP-91		Y	16000.000		UG/L			
299-E27-16	09-SEP-91	Y	10000.000		UG/L		299-E33-29	31-JUL-91	Y	15000.000		UG/L		
	09-SEP-91		10000.000		UG/L	24-SEP-91		Y	15000.000		UG/L			
299-E27-5	09-JAN-91		23.000		MG/L			299-E33-3	31-JUL-91	Y	21000.000		UG/L	
	25-JUL-91	Y	310.000		UG/L	23-SEP-91			Y	20000.000		UG/L		
299-E27-7	25-JUL-91		8100.000		UG/L		299-E33-30		31-JUL-91		21000.000		UG/L	
	25-JUL-91				UG/L	23-SEP-91				21000.000		UG/L		
299-E27-8	01-AUG-91	Y	16000.000		UG/L			299-E33-31	08-JAN-91		21.200		MG/L	
	01-AUG-91		15000.000		UG/L	05-AUG-91			Y	20000.000		UG/L		
299-E27-9	26-JUL-91	Y	13000.000		UG/L		299-E33-32		23-SEP-91	Y	20000.000		UG/L	
	26-JUL-91		13000.000		UG/L	05-AUG-91			Y	20000.000		UG/L		
299-E28-18	13-SEP-91		20000.000		UG/L			299-E33-33	23-SEP-91		20000.000		UG/L	
	13-SEP-91		20000.000		UG/L	23-JUL-91			Y	15000.000		UG/L		
	23-SEP-91	Y	23000.000		UG/L	15-NOV-91			15000.000		UG/L			
	23-SEP-91	Y	23000.000		UG/L	23-JUL-91	Y		14000.000		UG/L			
299-E28-26	06-AUG-91		23000.000		UG/L		299-E33-34	22-NOV-91	Y	13000.000		UG/L		
	23-SEP-91	Y	23000.000		UG/L	22-JUL-91		Y	14000.000		UG/L			
	06-AUG-91		23000.000		UG/L	15-NOV-91		Y	14000.000		UG/L			
	06-AUG-91		23000.000		UG/L	22-JUL-91			14000.000		UG/L			
299-E28-27	01-AUG-91	Y	26000.000		UG/L		299-E33-35	22-NOV-91		13000.000		UG/L		
	23-SEP-91	Y	23000.000		UG/L	02-AUG-91		Y	21000.000		UG/L			
	01-AUG-91	Y	24000.000		UG/L	20-SEP-91			22000.000		UG/L			
	01-AUG-91		25000.000		UG/L	30-JUL-91		Y	15000.000		UG/L			
299-E28-28	23-SEP-91		24000.000		UG/L		299-E33-36	24-SEP-91	Y	14000.000		UG/L		
	01-AUG-91		24000.000		UG/L	30-JUL-91		Y	14000.000		UG/L			
	23-SEP-91		24000.000		UG/L	24-SEP-91			14000.000		UG/L			
	01-JAN-92		23000.000		UG/L	30-JUL-91			13000.000		UG/L			
299-E32-2	02-AUG-91	Y	24000.000		UG/L		299-E33-37	21-AUG-91		13000.000		UG/L		
	23-SEP-91	Y	24000.000		UG/L	09-SEP-91		Y	13000.000		UG/L			
	02-AUG-91		24000.000		UG/L	09-SEP-91			26000.000		UG/L			
	23-SEP-91		24000.000		UG/L	21-NOV-91		Y	17000.000		UG/L			
299-E32-3	02-AUG-91	Y	26000.000		UG/L		299-E33-41	21-NOV-91	Y	16000.000		UG/L		
	23-SEP-91	Y	23000.000		UG/L	21-NOV-91		Y	16000.000		UG/L			
	02-AUG-91		26000.000		UG/L	21-NOV-91			16000.000		UG/L			
	23-SEP-91		23000.000		UG/L	21-NOV-91			16000.000		UG/L			
299-E32-4	02-AUG-91	Y	28000.000		UG/L									
	20-SEP-91	Y	26000.000		UG/L									
	02-AUG-91	Y	28000.000		UG/L									
	20-SEP-91		26000.000		UG/L									
299-E32-2	02-AUG-91	Y	26000.000		UG/L									
	23-SEP-91	Y	23000.000		UG/L									
	02-AUG-91		26000.000		UG/L									
	23-SEP-91		23000.000		UG/L									
299-E32-3	02-AUG-91	Y	28000.000		UG/L									
	20-SEP-91	Y	26000.000		UG/L									
	02-AUG-91	Y	28000.000		UG/L									
	20-SEP-91		26000.000		UG/L									
299-E32-4	05-AUG-91	Y	27000.000		UG/L									
	05-AUG-91	Y	27000.000		UG/L									
	23-SEP-91	Y	26000.000		UG/L									
	05-AUG-91		27000.000		UG/L									

SODIUM DATA							SODIUM DATA						
WELL NAME	SAMPLE DATE	FILTERED	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW	WELL NAME	SAMPLE DATE	FILTERED	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
299-E34-1	18-JAN-91		20.800		MG/L		299-W14-6	03-JAN-91		64.300		MG/L	
299-E34-2	30-JUL-91	Y	22000.000		UG/L		299-W15-11	02-JAN-91		21.200		MG/L	
	30-JUL-91	Y	22000.000		UG/L		299-W15-16	05-AUG-91	Y	41000.000		UG/L	
	30-JUL-91		22000.000		UG/L			05-AUG-91		41000.000		UG/L	
299-E34-3	29-JUL-91	Y	17000.000		UG/L		299-W15-17	06-AUG-91	Y	18000.000		UG/L	
	29-JUL-91		17000.000		UG/L			06-AUG-91	Y	18000.000		UG/L	
299-E34-5	29-JUL-91	Y	30000.000		UG/L			06-AUG-91		18000.000		UG/L	
	29-JUL-91		25300.000		UG/L		299-W15-18	09-AUG-91	Y	25000.000		UG/L	
299-E34-7	04-NOV-91	Y	22000.000		UG/L			09-AUG-91		2400.000		UG/L	
	04-NOV-91		22000.000		UG/L		299-W15-19	14-NOV-91	Y	26000.000		UG/L	
299-E35-2	27-JUN-91	Y	22000.000		UG/L			14-NOV-91		26000.000		UG/L	
	27-JUN-91	Y	23000.000		UG/L		299-W15-20	05-AUG-91	Y	14000.000		UG/L	
	25-SEP-91	Y	18000.000		UG/L			12-NOV-91	Y	13000.000		UG/L	
	27-JUN-91		23000.000		UG/L			05-AUG-91		14000.000		UG/L	
	27-JUN-91		23000.000		UG/L			12-NOV-91		13000.000		UG/L	
	25-SEP-91		20000.000		UG/L		299-W15-22	24-SEP-91	Y	19000.000		UG/L	
299-W10-13	08-AUG-91	Y	12000.000		UG/L			24-SEP-91		19000.000		UG/L	
	07-NOV-91	Y	12000.000		UG/L		299-W15-23	05-AUG-91	Y	20000.000		UG/L	
	08-AUG-91		12000.000		UG/L			13-NOV-91	Y	19000.000		UG/L	
	07-NOV-91		12000.000		UG/L			05-AUG-91		20000.000		UG/L	
299-W10-14	14-AUG-91	Y	16000.000		UG/L			13-NOV-91		19000.000		UG/L	
	07-NOV-91	Y	17000.000		UG/L		299-W15-24	05-AUG-91	Y	18000.000		UG/L	
	14-AUG-91		17000.000		UG/L			12-NOV-91	Y	17000.000		UG/L	
	07-NOV-91		17000.000		UG/L			12-NOV-91		17000.000		UG/L	
299-W10-15	22-JUL-91	Y	180000.000		UG/L			07-AUG-91	Y	17000.000		UG/L	
	04-OCT-91	Y	180000.000		UG/L		299-W18-21	07-AUG-91		17000.000		UG/L	
	22-JUL-91		180000.000		UG/L			06-AUG-91	Y	14000.000		UG/L	
	04-OCT-91		190000.000		UG/L			06-AUG-91		14000.000		UG/L	
	04-OCT-91		200000.000		UG/L		299-W18-22	09-AUG-91	Y	14000.000		UG/L	
299-W10-16	22-JUL-91	Y	120000.000		UG/L			09-AUG-91		14000.000		UG/L	
	24-SEP-91	Y	120000.000		UG/L		299-W18-23	09-AUG-91	Y	14000.000		UG/L	
	22-JUL-91		120000.000		MG/L			09-AUG-91		14000.000		UG/L	
	22-JUL-91		119.000		MG/L		299-W18-24	09-AUG-91	Y	16000.000		UG/L	
	24-SEP-91		120000.000		UG/L			09-AUG-91	Y	20000.000		UG/L	
299-W10-17	09-OCT-91	Y	130000.000		UG/L			09-AUG-91		16000.000		UG/L	
	09-OCT-91		120000.000		UG/L			09-AUG-91	Y	20000.000		UG/L	
299-W10-18	24-SEP-91	Y	33000.000		UG/L		299-W18-25	01-OCT-91	Y	14000.000		UG/L	
	24-SEP-91		35000.000		UG/L			01-OCT-91		15000.000		UG/L	
299-W10-4	02-JAN-91		127.000		MG/L		299-W18-26	07-AUG-91	Y	25000.000		UG/L	
299-W10-9	03-OCT-91	Y	200000.000		UG/L			12-NOV-91	Y	18000.000		UG/L	
	22-JUL-91		200000.000		UG/L			07-AUG-91		25000.000		UG/L	
	22-JUL-91		200000.000		UG/L			12-NOV-91		19000.000		UG/L	
299-W14-5	02-JAN-91		25.100		MG/L		299-W18-29	09-OCT-91		5800.000		UG/L	
								09-OCT-91		5900.000		UG/L	

SODIUM DATA							SODIUM DATA						
WELL NAME	SAMPLE DATE	FILTERED	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW	WELL NAME	SAMPLE DATE	FILTERED	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
299-W19-18	02-JAN-91		35.800		MG/L		299-W6-2	13-NOV-91		9600.000		UG/L	
299-W19-29	25-NOV-91	Y	31000.000		UG/L		299-W7-1	07-AUG-91	Y	9200.000		UG/L	
	14-JUN-91		35000.000		UG/L			08-NOV-91	Y	9700.000		UG/L	
	25-NOV-91		30000.000		UG/L			07-AUG-91		9100.000		UG/L	
	25-NOV-91		31000.000		UG/L			08-NOV-91		9900.000		UG/L	
299-W19-30	13-JUN-91		44000.000		UG/L		299-W7-10	09-AUG-91	Y	8200.000		UG/L	
299-W19-31	01-OCT-91	Y	19000.000		UG/L			14-NOV-91	Y	8300.000		UG/L	
	01-OCT-91		18000.000		UG/L			09-AUG-91		8300.000		UG/L	
299-W19-32	01-OCT-91	Y	18000.000		UG/L		299-W7-2	07-AUG-91	Y	8800.000		UG/L	
	01-OCT-91		19000.000		UG/L			08-NOV-91	Y	9700.000		UG/L	
299-W22-20	03-OCT-91		52000.000		UG/L			07-AUG-91		8400.000		UG/L	
299-W22-39	14-NOV-91	Y	31000.000		UG/L		299-W7-3	08-NOV-91	Y	17000.000		UG/L	
	14-NOV-91		29000.000		UG/L			08-NOV-91	Y	19000.000		UG/L	
299-W22-40	03-SEP-91	Y	22000.000		UG/L			08-AUG-91		16000.000		UG/L	
	03-SEP-91		22000.000		UG/L		299-W7-4	08-NOV-91		19000.000		UG/L	
299-W22-41	03-SEP-91	Y	26000.000		UG/L			12-AUG-91	Y	9300.000		UG/L	
	03-SEP-91		27000.000		UG/L			13-NOV-91	Y	8300.000		UG/L	
299-W22-42	03-SEP-91	Y	29000.000		UG/L		299-W7-5	09-AUG-91	Y	9100.000		UG/L	
	03-SEP-91		29000.000		UG/L			08-NOV-91	Y	9600.000		UG/L	
299-W22-43	04-SEP-91	Y	23000.000		UG/L			12-AUG-91	Y	10000.000		UG/L	
	04-SEP-91	Y	23000.000		UG/L			11-NOV-91	Y	9200.000		UG/L	
	04-SEP-91		24000.000		UG/L		299-W7-6	09-AUG-91		9800.000		UG/L	
	04-SEP-91		23000.000		UG/L			08-NOV-91	Y	9300.000		UG/L	
299-W23-13	03-OCT-91	Y	28000.000		UG/L			08-NOV-91	Y	65000.000		UG/L	
	03-OCT-91		29000.000		UG/L			12-AUG-91		69000.000		UG/L	
299-W23-14	09-OCT-91	Y	21000.000		UG/L		299-W7-7	08-NOV-91		80000.000		UG/L	
	09-OCT-91		21000.000		UG/L			09-AUG-91	Y	8300.000		UG/L	
299-W26-10	21-AUG-91	Y	23000.000		UG/L			08-NOV-91	Y	9200.000		UG/L	
	21-AUG-91		23000.000		UG/L		299-W7-8	09-AUG-91	Y	8400.000		UG/L	
299-W26-12	28-AUG-91	Y	27000.000		UG/L			11-NOV-91	Y	9000.000		UG/L	
	28-AUG-91		28000.000		UG/L			09-AUG-91	Y	8200.000		UG/L	
299-W26-8	28-AUG-91	Y	25000.000		UG/L		299-W7-9	09-AUG-91	Y	30000.000		UG/L	
	28-AUG-91	Y	14000.000		UG/L			08-NOV-91	Y	27000.000		UG/L	
	28-AUG-91		24000.000		UG/L			09-AUG-91	Y	32000.000		UG/L	
	28-AUG-91		24000.000		UG/L			08-NOV-91	Y	30000.000		UG/L	
	30-DEC-91		22000.000		UG/L		299-W8-1	09-AUG-91	Y	9500.000		UG/L	
	30-DEC-91		23000.000		UG/L			13-NOV-91	Y	9200.000		UG/L	
299-W26-9	20-AUG-91	Y	24000.000		UG/L			09-AUG-91	Y	9900.000		UG/L	
	20-AUG-91		24000.000		UG/L			13-NOV-91	Y	9000.000		UG/L	
299-W6-2	12-AUG-91	Y	11000.000		UG/L		299-W9-1	08-AUG-91	Y	11000.000		UG/L	
	12-AUG-91	Y	10000.000		UG/L			08-NOV-91	Y	11000.000		UG/L	
	13-NOV-91	Y	10000.000		UG/L			08-AUG-91	Y	11000.000		UG/L	
	12-AUG-91		11000.000		UG/L			08-NOV-91	Y	12000.000		UG/L	

WELL NAME	SODIUM DATA				WELL NAME	SODIUM DATA			
	SAMPLE DATE	FILTERED	CONCENTRATION	QUALIFIER UNITS DATA REVIEW		SAMPLE DATE	FILTERED	CONCENTRATION	QUALIFIER UNITS DATA REVIEW
399-1-10	15-JUL-91	Y	13000.000	UG/L	399-2-1	09-JUL-91		7500.000	UG/L
	15-JUL-91		13000.000	UG/L		18-DEC-91		9000.000	UG/L
	06-DEC-91		15000.000	UG/L		18-DEC-91		9400.000	UG/L
399-1-11	18-DEC-91		19000.000	UG/L	399-3-10	12-JUL-91	Y	9300.000	UG/L
	18-DEC-91		20000.000	UG/L		18-DEC-91		9400.000	UG/L
399-1-12	18-JUL-91	Y	10000.000	UG/L		18-DEC-91		11000.000	UG/L
	18-JUL-91		11000.000	UG/L	399-3-7	12-JUL-91	Y	21000.000	UG/L
	06-DEC-91		13000.000	UG/L		12-JUL-91		21000.000	UG/L
	06-DEC-91		14000.000	UG/L		17-DEC-91		19000.000	UG/L
399-1-13	16-JUL-91	Y	16000.000	UG/L		17-DEC-91		19000.000	UG/L
	16-JUL-91		16000.000	UG/L	399-3-9	15-JUL-91	Y	9200.000	UG/L
	11-DEC-91		22000.000	UG/L		15-JUL-91		8300.000	UG/L
	11-DEC-91		22000.000	UG/L		17-DEC-91		10000.000	UG/L
399-1-14	16-JUL-91	Y	17000.000	UG/L	399-4-1	10-JUL-91	Y	17000.000	UG/L
	16-JUL-91		17000.000	UG/L		10-JUL-91		17000.000	UG/L
	11-DEC-91		21000.000	UG/L		10-DEC-91		18000.000	UG/L
	11-DEC-91		21000.000	UG/L		10-DEC-91		18000.000	UG/L
399-1-15	16-JUL-91	Y	22000.000	UG/L	399-4-11	15-JUL-91	Y	17000.000	UG/L
	16-JUL-91		22000.000	UG/L		15-JUL-91		17000.000	UG/L
	11-DEC-91		22000.000	UG/L		11-DEC-91		18000.000	UG/L
399-1-16A	11-JUL-91	Y	10000.000	UG/L	399-4-7	09-JUL-91	Y	13000.000	UG/L
	11-JUL-91		10000.000	UG/L		09-JUL-91		13000.000	UG/L
	06-DEC-91		13000.000	UG/L		10-DEC-91		18000.000	UG/L
	06-DEC-91		13000.000	UG/L		10-DEC-91		18000.000	UG/L
399-1-16B	11-JUL-91	Y	48000.000	UG/L	399-8-1	15-JUL-91	Y	16000.000	UG/L
	11-JUL-91	Y	48000.000	UG/L		15-JUL-91		17000.000	UG/L
	11-JUL-91		46000.000	UG/L		20-DEC-91		14000.000	UG/L
	11-JUL-91		47000.000	UG/L		20-DEC-91		14000.000	UG/L
	06-DEC-91		46000.000	UG/L		20-DEC-91		14000.000	UG/L
	06-DEC-91		44000.000	UG/L		20-DEC-91		14000.000	UG/L
399-1-17A	11-JUL-91	Y	13000.000	UG/L	399-8-2	18-DEC-91		17000.000	UG/L
	11-JUL-91		13000.000	UG/L	399-8-3	09-OCT-91		20.200	MG/L
	10-DEC-91		22000.000	UG/L	699-1-18	23-DEC-91		24000.000	UG/L
399-1-17B	11-JUL-91	Y	47000.000	UG/L	699-10-E12	09-DEC-91		16000.000	UG/L
	11-JUL-91		51000.000	UG/L	699-14-38	09-DEC-91		14000.000	UG/L
	10-DEC-91		48000.000	UG/L	699-2-7	18-DEC-91		38000.000	UG/L
	10-DEC-91		49000.000	UG/L	699-23-34	27-AUG-91		23000.000	UG/L
399-1-18A	15-JUL-91	Y	22000.000	UG/L		26-DEC-91		23000.000	UG/L
	15-JUL-91		23000.000	UG/L		26-DEC-91		22000.000	UG/L
	13-DEC-91		22000.000	UG/L	699-24-33	28-AUG-91		22000.000	UG/L
	13-DEC-91		23000.000	UG/L		27-DEC-91		22000.000	UG/L
399-1-7	09-JUL-91	Y	12000.000	UG/L	699-24-34A	27-AUG-91		22000.000	UG/L
	09-JUL-91		12000.000	UG/L					
	01-DEC-91		11000.000	UG/L					
399-2-1	09-JUL-91	Y	7600.000	UG/L					

SODIUM DATA							SODIUM DATA						
WELL NAME	SAMPLE DATE	FILTERED	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW	WELL NAME	SAMPLE DATE	FILTERED	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
699-24-34A	26-DEC-91		23000.000		UG/L		699-41-40	11-SEP-91		31000.000		UG/L	
699-24-34B	27-AUG-91		22000.000		UG/L		699-42-2	09-DEC-91		17000.000		UG/L	
	26-DEC-91		23000.000		UG/L		699-42-40A	08-JUL-91	Y	5300.000		UG/L	
699-24-34C	27-AUG-91		23000.000		UG/L			08-JUL-91		4600.000		UG/L	
	26-DEC-91		23000.000		UG/L		699-42-42B	08-JUL-91	Y	18000.000		UG/L	
699-24-35	28-AUG-91		24000.000		UG/L			08-JUL-91		19000.000		UG/L	
	27-DEC-91		23000.000		UG/L		699-43-3	18-JUL-91		18.800		MG/L	
699-25-33A	27-AUG-91	Y	20000.000		UG/L		699-43-41E	28-JUN-91	Y	26000.000		UG/L	
	27-AUG-91		20000.000		UG/L			28-JUN-91	Y	27000.000		UG/L	
699-25-34A	27-AUG-91	Y	23000.000		UG/L			28-JUN-91		27000.000		UG/L	
	27-AUG-91		24000.000		UG/L		699-43-41F	02-JUL-91	Y	22000.000		UG/L	
699-25-34B	27-AUG-91	Y	24000.000		UG/L			02-JUL-91		24000.000		UG/L	
	27-AUG-91		23000.000		UG/L		699-43-42J	02-JUL-91	Y	27000.000		UG/L	
699-25-34C	27-AUG-91		26000.000		UG/L			02-JUL-91		28000.000		UG/L	
	26-DEC-91		27000.000		UG/L		699-43-43	08-JUL-91	Y	7800.000		UG/L	
699-26-33	27-AUG-91	Y	21000.000		UG/L			08-JUL-91		7800.000		UG/L	
	27-AUG-91		21000.000		UG/L		699-43-45	08-JUL-91	Y	11000.000		UG/L	
699-26-35A	27-AUG-91		21000.000		UG/L			11-SEP-91	Y	10000.000		UG/L	
	27-AUG-91		21000.000		UG/L			08-JUL-91		11000.000		UG/L	
	27-DEC-91		23000.000		UG/L			11-SEP-91		10000.000		UG/L	
699-26-35C	27-AUG-91	Y	18000.000		UG/L		699-44-42	10-JUL-91	Y	15000.000		UG/L	
	27-AUG-91		18000.000		UG/L			10-JUL-91		15000.000		UG/L	
699-32-77	29-MAR-91		17.400		MG/L		699-44-43B	08-JUL-91	Y	21000.000		UG/L	
699-34-8	21-AUG-91	Y	22000.000		UG/L			11-SEP-91	Y	18000.000		UG/L	
	21-AUG-91		22000.000		UG/L			08-JUL-91		20000.000		UG/L	
699-37-E4	24-SEP-91		15.000		MG/L		699-45-2	11-SEP-91		19000.000		UG/L	
699-38-70	30-DEC-91		23000.000		UG/L			09-DEC-91		19000.000		UG/L	
	30-DEC-91		24000.000		UG/L		699-45-69A	30-DEC-91		11000.000		UG/L	
699-39-0	22-AUG-91		16.900		MG/L			30-DEC-91		11000.000		UG/L	
699-40-1	29-MAR-91		17.900		MG/L		699-46-4	19-JUL-91		22.100		MG/L	
	26-JUN-91		17.300		MG/L			19-JUL-91		20.700		MG/L	
699-40-39	08-JUL-91	Y	34000.000		UG/L		699-48-18	31-JAN-91		14.800		MG/L	
	11-SEP-91	Y	33000.000		UG/L			04-APR-91		25.200		MG/L	
	11-SEP-91		33000.000		UG/L		699-49-100C	20-JUN-91	Y	19.300		MG/L	
699-40-40B	01-JAN-92	Y	37000.000		UG/L			09-DEC-91		8500.000		UG/L	
	01-JAN-92		40000.000		UG/L		699-51-75	30-JAN-91	Y	9.750		MG/L	
699-40-62	30-DEC-91		17000.000		UG/L		699-55-76	23-AUG-91		24.500		MG/L	
	30-DEC-91		17000.000		UG/L		699-63-25A	22-AUG-91		12.700		MG/L	
699-41-40	10-JUL-91	Y	31000.000		UG/L								
	11-SEP-91	Y	31000.000		UG/L								
	10-JUL-91		30000.000		UG/L								

SODIUM DATA							SODIUM DATA						
WELL NAME	SAMPLE DATE	FILTERED	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW	WELL NAME	SAMPLE DATE	FILTERED	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
699-67-86	30-JAN-91		16.000		MG/L		699-834-E10	25-JUL-91		20.400		MG/L	
699-72-88	23-AUG-91		10.400		MG/L		699-836-E13A	30-AUG-91		5.550		MG/L	
699-78-62	30-JAN-91		17.100		MG/L		699-837-E11	29-AUG-91		16.500		MG/L	
699-81-58	04-SEP-91	Y	5000.000		UG/L		699-837-E14	29-AUG-91		2.900		MG/L	
	04-SEP-91		5100.000		UG/L		17-OCT-91			2.780		MG/L	
	04-SEP-91	Y	5000.000		UG/L		699-838-E11	29-AUG-91		21.900		MG/L	
	04-SEP-91		5500.000		UG/L		699-838-E12A	29-AUG-91		11.800		MG/L	
699-83-47	31-JAN-91		20.700		MG/L		699-838-E12B	29-AUG-91		17.000		MG/L	
699-87-55	12-SEP-91		15.000		MG/L		699-840-E14	29-AUG-91		2.100		MG/L	
699-96-49	23-AUG-91		11.300		MG/L		699-841-E11	30-AUG-91		25.100		MG/L	
699-97-43	12-SEP-91		19.500		MG/L		699-841-E13A	29-AUG-91		4.000		MG/L	
699-97-51A	12-SEP-91		10.700		MG/L		17-OCT-91			3.720		MG/L	
699-S19-E13	01-FEB-91		22.900		MG/L		699-841-E13B	29-AUG-91		14.400		MG/L	
	29-MAR-91		21.600		MG/L		17-OCT-91			14.700		MG/L	
	21-JUN-91		22.200		MG/L		699-841-E13C	29-AUG-91		15.800		MG/L	
	13-DEC-91		22000.000		UG/L		699-88-19	13-DEC-91		31000.000		UG/L	
699-S27-E14	10-DEC-91		21000.000		UG/L								
699-S29-E12	09-DEC-91		20000.000		UG/L								
699-S3-25	20-DEC-91		25000.000		UG/L								
699-S30-E10A	24-JUL-91		28.000		MG/L								
	10-DEC-91		30000.000		UG/L								
699-S30-E10B	24-JUL-91		30.300		MG/L								
	10-DEC-91		32000.000		UG/L								
699-S30-E15A	29-MAR-91		12.100		MG/L								
	21-JUN-91		14.000		MG/L								
699-S31-1	20-DEC-91		8900.000		UG/L								
699-S31-E10A	23-JUL-91		29.600		MG/L								
699-S31-E10B	23-JUL-91		28.000		MG/L								
699-S31-E10C	23-JUL-91		29.200		MG/L								
699-S31-E10D	23-JUL-91		25.300		MG/L								
699-S31-E13	24-JUL-91		13.400		MG/L								
699-S31-E8	24-JUL-91		14.400		MG/L								
699-S32-E13A	24-JUL-91		12.200		MG/L								
699-S32-E13B	25-JUL-91		15.000		MG/L								
699-S32-E8	25-JUL-91		12.300		MG/L								

MAGNESIUM DATA						MAGNESIUM DATA					
WELL NAME	SAMPLE DATE	FILTERED CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW	WELL NAME	SAMPLE DATE	FILTERED CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
199-H4-13C	31-MAY-91	9.760		MG/L		199-H4-4	16-AUG-91	5200.000		UG/L	
199-H4-5	18-SEP-91	8.170		MG/L		199-H4-5	18-SEP-91	9800.000		UG/L	
199-H4-6	19-SEP-91	7.540		MG/L		199-H4-6	24-OCT-91	10000.000		UG/L	
199-H4-7	18-SEP-91	7.240		MG/L		199-H4-7	13-NOV-91	6900.000		UG/L	
199-F5-4	19-SEP-91	19000.000		UG/L		199-H4-8	12-DEC-91	8300.000		UG/L	
199-F7-1	19-SEP-91	19000.000	Y	UG/L		199-H4-9	22-AUG-91	13000.000		UG/L	
199-H3-1	06-JUN-91	7800.000		UG/L		199-H4-11	13-SEP-91	14000.000		UG/L	
199-H3-2A	06-JUN-91	12000.000		UG/L		199-H4-12A	10-JUN-91	16000.000		UG/L	
199-H3-2B	12-SEP-91	11000.000		UG/L		199-H4-12B	12-SEP-91	16000.000		UG/L	
199-H3-2C	13-SEP-91	8200.000		UG/L		199-H4-12C	06-JUN-91	13000.000		UG/L	
199-H4-11	07-JUN-91	5400.000		UG/L		199-H4-13	12-SEP-91	13000.000		UG/L	
199-H4-12A	12-SEP-91	11000.000		UG/L		199-H4-14	01-AUG-91	14000.000		UG/L	
199-H4-12B	07-JUN-91	5200.000		UG/L		199-H4-15A	12-SEP-91	15000.000		UG/L	
199-H4-12C	12-SEP-91	13000.000		UG/L		199-H4-15B	05-DEC-91	13060.000		UG/L	
199-H4-13	23-AUG-91	8100.000		UG/L		199-H4-16	24-OCT-91	7600.000		UG/L	
199-H4-14	07-JUN-91	9200.000		UG/L		199-H4-17	13-NOV-91	9700.000		UG/L	
199-H4-15A	13-SEP-91	11000.000		UG/L		199-H4-18	12-DEC-91	6400.000		UG/L	
199-H4-15B	22-AUG-91	10000.000		UG/L		199-K-11	26-SEP-91	8500.000	Y	UG/L	
199-H4-16	07-JUN-91	7100.000		UG/L		199-N-14	18-SEP-91	3700.000	Y	UG/L	
199-H4-17	16-AUG-91	14000.000		UG/L		199-N-17	18-SEP-91	3700.000	Y	UG/L	
199-H4-18	13-SEP-91	11000.000		UG/L		199-N-21	01-NOV-91	3800.000	Y	UG/L	
199-H4-3	07-JUN-91	8200.000		UG/L		199-N-29	05-DEC-91	8800.000	Y	UG/L	
199-H4-4	07-JUN-91	8400.000		UG/L		199-N-32	18-SEP-91	3800.000		UG/L	
199-H4-5	01-AUG-91	20000.000		UG/L		199-N-36	04-SEP-91	3600.000		UG/L	
199-H4-6	16-AUG-91	19000.000		UG/L		199-N-41	01-NOV-91	4000.000		UG/L	
199-H4-7	13-SEP-91	7900.000		UG/L		199-N-47	26-SEP-91	8500.000	Y	UG/L	
199-H4-8	24-OCT-91	3200.000		UG/L			18-SEP-91	3700.000	Y	UG/L	
199-H4-9	13-NOV-91	2900.000		UG/L			04-SEP-91	5500.000	Y	UG/L	
	12-DEC-91	2600.000		UG/L			04-SEP-91	5600.000	Y	UG/L	
	06-JUN-91	4700.000		UG/L			05-DEC-91	8900.000	Y	UG/L	
	01-AUG-91	8900.000		UG/L			18-SEP-91	6100.000	Y	UG/L	
							18-SEP-91	6200.000	Y	UG/L	
							04-SEP-91	5900.000	Y	UG/L	
							04-SEP-91	6400.000	Y	UG/L	
							04-SEP-91	4700.000	Y	UG/L	
							04-SEP-91	4900.000	Y	UG/L	
							30-AUG-91	4700.000	Y	UG/L	
							30-AUG-91	4700.000	Y	UG/L	
							05-SEP-91	22000.000	Y	UG/L	
							05-NOV-91	26000.000	Y	UG/L	

MAGNESIUM DATA							MAGNESIUM DATA						
WELL NAME	SAMPLE DATE	FILTERED	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW	WELL NAME	SAMPLE DATE	FILTERED	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
199-N-47	05-SEP-91		22000.000		UG/L		299-E17-17	26-AUG-91	Y	7900.000		UG/L	
	05-NOV-91		25000.000		UG/L			26-AUG-91		7900.000		UG/L	
199-N-54	05-SEP-91	Y	17000.000		UG/L		299-E17-18	26-AUG-91	Y	7200.000		UG/L	
	05-NOV-91	Y	18000.000		UG/L			26-AUG-91		7100.000		UG/L	
	05-SEP-91		18000.000		UG/L			19-DEC-91		7900.000		UG/L	
	05-NOV-91		21000.000		UG/L			19-DEC-91		8100.000		UG/L	
199-N-55	05-SEP-91	Y	23000.000		UG/L		299-E17-20	24-JUL-91	Y	17000.000		UG/L	
	05-NOV-91	Y	20000.000		UG/L			14-AUG-91	Y	18000.000		UG/L	
	05-SEP-91		21000.000		UG/L			30-SEP-91	Y	17000.000		UG/L	
	05-NOV-91		20000.000		UG/L			24-JUL-91		16000.000		UG/L	
199-N-56	05-SEP-91	Y	19000.000		UG/L		299-E17-5	14-AUG-91		18000.000		UG/L	
	05-NOV-91	Y	16000.000		UG/L			14-AUG-91		18000.000		UG/L	
	05-SEP-91		19000.000		UG/L			30-SEP-91	Y	8300.000		UG/L	
	05-NOV-91		15000.000		UG/L			26-AUG-91		8200.000		UG/L	
199-N-57	05-NOV-91	Y	17000.000		UG/L		299-E18-1	09-JUL-91	Y	14000.000		UG/L	
	05-NOV-91		17000.000		UG/L			06-SEP-91	Y	14000.000		UG/L	
199-N-59	03-SEP-91	Y	2800.000		UG/L		299-E18-2	09-JUL-91		14000.000		UG/L	
	03-SEP-91		2800.000		UG/L			06-SEP-91		14000.000		UG/L	
199-N-66	05-NOV-91	Y	4600.000		UG/L		299-E18-3	06-SEP-91	Y	7200.000		UG/L	
	05-NOV-91		5000.000		UG/L			06-SEP-91		8300.000		UG/L	
199-N-67	22-NOV-91		5900.000		UG/L		299-E18-4	06-SEP-91	Y	8200.000		UG/L	
	22-NOV-91		4400.000		UG/L			06-SEP-91		8400.000		UG/L	
199-N-69	22-NOV-91		3900.000		UG/L		299-E24-16	20-AUG-91	Y	13000.000		UG/L	
	22-NOV-91		4100.000		UG/L			20-AUG-91		13000.000		UG/L	
199-N-70	04-SEP-91	Y	5400.000		UG/L		299-E24-17	13-AUG-91	Y	12000.000		UG/L	
	04-SEP-91		5400.000		UG/L			13-AUG-91		12000.000		UG/L	
299-E13-14	11-JUN-91		15000.000		UG/L		299-E24-18	13-AUG-91	Y	9000.000		UG/L	
299-E17-1	13-AUG-91	Y	16000.000		UG/L		299-E24-19	26-JUL-91	Y	7500.000		UG/L	
	13-AUG-91		15000.000		UG/L			22-NOV-91	Y	7200.000		UG/L	
299-E17-12	13-SEP-91		9300.000		UG/L		299-E24-20	26-JUL-91		7500.000		UG/L	
299-E17-13	18-JUN-91		8400.000		UG/L			22-NOV-91		7300.000		UG/L	
	13-SEP-91		8500.000		UG/L			15-NOV-91	Y	9700.000		UG/L	
299-E17-14	28-AUG-91	Y	14000.000		UG/L			15-NOV-91		10000.000		UG/L	
	28-AUG-91		15000.000		UG/L		03-OCT-91		7500.000		UG/L		
299-E17-15	03-SEP-91	Y	13000.000		UG/L		299-E25-18	12-JUL-91	Y	8100.000		UG/L	
	01-OCT-91	Y	17000.000		UG/L			31-JUL-91	Y	8900.000		UG/L	
	03-SEP-91		13000.000		UG/L			01-OCT-91	Y	8300.000		UG/L	
	01-OCT-91		16000.000		UG/L			12-JUL-91		8200.000		UG/L	
299-E17-16	19-DEC-91		15000.000		UG/L		299-E25-19	31-JUL-91		9000.000		UG/L	
	19-DEC-91		16000.000		UG/L			01-OCT-91		8600.000		UG/L	
	28-AUG-91	Y	14000.000		UG/L			18-JUL-91	Y	11000.000		UG/L	
	28-AUG-91		14000.000		UG/L			01-OCT-91	Y	11000.000		UG/L	
	19-DEC-91		10000.000		UG/L			18-JUL-91		11000.000		UG/L	
	19-DEC-91		10000.000		UG/L			01-OCT-91		11000.000		UG/L	

MAGNESIUM DATA							MAGNESIUM DATA						
WELL NAME	SAMPLE DATE	FILTERED	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW	WELL NAME	SAMPLE DATE	FILTERED	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
299-E25-20	16-JUL-91	Y	9800.000		UG/L		299-E25-36	20-AUG-91		7900.000		UG/L	
	03-OCT-91	Y	6100.000		UG/L			20-AUG-91		7600.000		UG/L	
	16-JUL-91		9800.000		UG/L								
299-E25-21	03-OCT-91		6300.000		UG/L		299-E25-37	26-JUN-91	Y	5900.000		UG/L	
	11-JUL-91	Y	4900.000		UG/L			16-SEP-91	Y	6200.000		UG/L	
	11-JUL-91		4600.000		UG/L			26-JUN-91		5900.000		UG/L	
299-E25-25	25-JUN-91	Y	5400.000		UG/L		299-E25-38	26-JUN-91	Y	5600.000		UG/L	
	25-JUN-91	Y	5500.000		UG/L			16-SEP-91	Y	6000.000		UG/L	
	16-SEP-91	Y	5100.000		UG/L			26-JUN-91		5400.000		UG/L	
299-E25-26	25-JUN-91		5700.000		UG/L		299-E25-39	16-SEP-91		5800.000		UG/L	
	25-JUN-91		5500.000		UG/L			26-JUN-91	Y	5400.000		UG/L	
	16-SEP-91		5200.000		UG/L			16-SEP-91	Y	5500.000		UG/L	
299-E25-28	27-SEP-91	Y	5600.000		UG/L		299-E25-40	16-SEP-91		5500.000		UG/L	
	27-SEP-91		5700.000		UG/L			20-JUL-91	Y	9800.000		UG/L	
	12-JUL-91	Y	6200.000		UG/L			20-JUL-91	Y	9400.000		UG/L	
299-E25-29P	27-SEP-91	Y	6300.000		UG/L		299-E25-41	20-NOV-91	Y	9200.000		UG/L	
	12-JUL-91	Y	6300.000		UG/L			26-JUL-91	Y	9900.000		UG/L	
	27-SEP-91		6400.000		UG/L			26-JUL-91		9400.000		UG/L	
299-E25-31	25-JUN-91	Y	6300.000		UG/L		299-E26-10	21-NOV-91		11000.000		UG/L	
	01-NOV-91	Y	6000.000		UG/L			27-JUN-91	Y	7700.000		UG/L	
	25-JUN-91	Y	6300.000		UG/L			25-SEP-91	Y	9600.000		UG/L	
299-E25-32P	16-SEP-91	Y	7200.000		UG/L		299-E26-11	27-JUN-91		9900.000		UG/L	
	25-JUN-91	Y	20000.000		UG/L			27-SEP-91	Y	10000.000		UG/L	
	16-SEP-91		6100.000		UG/L			27-SEP-91	Y	11000.000		UG/L	
299-E25-33	19-JUL-91	Y	5600.000		UG/L		299-E26-9	27-JUN-91		11000.000		UG/L	
	19-JUL-91	Y	5600.000		UG/L			25-SEP-91	Y	5900.000		UG/L	
	26-SEP-91	Y	5400.000		UG/L			27-JUN-91	Y	11000.000		UG/L	
299-E25-34	19-JUL-91		5600.000		UG/L		299-E27-10	27-SEP-91		6800.000		UG/L	
	19-JUL-91		5300.000		UG/L			31-JUL-91	Y	8600.000		UG/L	
	26-SEP-91		5800.000		UG/L			31-JUL-91		8700.000		UG/L	
299-E25-35	27-JUN-91	Y	6300.000		UG/L		299-E27-11	06-NOV-91	Y	9500.000		UG/L	
	16-SEP-91	Y	5900.000		UG/L			06-NOV-91		9800.000		UG/L	
	16-SEP-91		6500.000		UG/L								
299-E25-36	27-SEP-91	Y	5900.000		UG/L		299-E27-12	23-JUL-91	Y	7200.000		UG/L	
	27-SEP-91		6000.000		UG/L			18-NOV-91	Y	7000.000		UG/L	
	19-JUL-91	Y	21000.000		UG/L			23-JUL-91	Y	7200.000		UG/L	
299-E25-36	19-JUL-91	Y	21000.000		UG/L		299-E27-13	18-NOV-91		7100.000		UG/L	
	01-OCT-91	Y	23000.000		UG/L			23-JUL-91	Y	7400.000		UG/L	
	16-OCT-91	Y	24000.000		UG/L			15-NOV-91	Y	7500.000		UG/L	

MAGNESIUM DATA							MAGNESIUM DATA							
WELL NAME	SAMPLE DATE	FILTERED	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW	WELL NAME	SAMPLE DATE	FILTERED	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW	
299-E27-13	23-JUL-91		7500.000		UG/L		299-E32-4	05-AUG-91		14000.000		UG/L		
	15-NOV-91		7100.000		UG/L	23-SEP-91			14000.000		UG/L			
299-E27-14	23-JUL-91		9300.000		UG/L		299-E32-5	02-AUG-91	Y	16000.000		UG/L		
	23-JUL-91	Y	9500.000		UG/L	20-SEP-91		Y	15000.000		UG/L			
299-E27-15	24-JUL-91		6800.000		UG/L		299-E33-28	20-AUG-91		15000.000		UG/L		
	21-NOV-91	Y	7300.000		UG/L	20-SEP-91								
	21-NOV-91	Y	7200.000		UG/L	31-JUL-91		Y	7600.000		UG/L			
	21-NOV-91		7200.000		UG/L	24-SEP-91		Y	8200.000		UG/L			
299-E27-16	09-SEP-91	Y	5700.000		UG/L		299-E33-29	31-JUL-91		8100.000		UG/L		
	09-SEP-91		5700.000		UG/L	23-SEP-91		Y	8600.000		UG/L			
299-E27-5	09-JAN-91		7.140		MG/L			299-E33-30	31-JUL-91	Y	8700.000		UG/L	
	25-JUL-91	Y	6700.000		UG/L	23-SEP-91			Y	8700.000		UG/L		
299-E27-7	25-JUL-91		6600.000		UG/L		299-E33-3		23-SEP-91		8800.000		UG/L	
	25-JUL-91					08-JAN-91				10.400		MG/L		
299-E27-8	01-AUG-91	Y	11000.000		UG/L			299-E33-31	05-AUG-91	Y	8600.000		UG/L	
	01-AUG-91		11000.000		UG/L	23-SEP-91			Y	8600.000		UG/L		
299-E27-9	26-JUL-91	Y	10000.000		UG/L		299-E33-32		05-AUG-91		8600.000		UG/L	
	26-JUL-91		10000.000		UG/L	23-SEP-91				8900.000		UG/L		
	13-SEP-91		12000.000		UG/L	23-JUL-91		Y	9200.000		UG/L			
	13-SEP-91		12000.000		UG/L	15-NOV-91		Y	9200.000		UG/L			
299-E28-26	06-AUG-91	Y	13000.000		UG/L		299-E33-33	23-JUL-91		9200.000		UG/L		
	23-SEP-91	Y	13000.000		UG/L	15-NOV-91			9200.000		UG/L			
	06-AUG-91		13000.000		UG/L	15-NOV-91		Y	9300.000		UG/L			
	23-SEP-91		13000.000		UG/L	23-JUL-91		Y	8300.000		UG/L			
299-E28-27	01-AUG-91	Y	9700.000		UG/L		299-E33-34	22-JUL-91	Y	8300.000		UG/L		
	23-SEP-91	Y	9100.000		UG/L	15-NOV-91		Y	7900.000		UG/L			
	01-JAN-92	Y	9500.000		UG/L	22-JUL-91			8400.000		UG/L			
	01-AUG-91		9600.000		UG/L	15-NOV-91			8400.000		UG/L			
299-E28-28	23-SEP-91		9400.000		UG/L		299-E33-35	22-JUL-91		8300.000		UG/L		
	01-JAN-92		9400.000		UG/L	15-NOV-91		Y	8200.000		UG/L			
	02-AUG-91	Y	13000.000		UG/L	02-AUG-91			10000.000		UG/L			
	23-SEP-91	Y	13000.000		UG/L	20-SEP-91		Y	10000.000		UG/L			
299-E32-2	02-AUG-91	Y	10000.000		UG/L		299-E33-36	30-JUL-91	Y	8500.000		UG/L		
	23-SEP-91	Y	9300.000		UG/L	24-SEP-91		Y	8400.000		UG/L			
	02-AUG-91		10000.000		UG/L	30-JUL-91			8600.000		UG/L			
	23-SEP-91		9300.000		UG/L	24-SEP-91			8500.000		UG/L			
299-E32-3	02-AUG-91	Y	14000.000		UG/L		299-E33-37	30-JUL-91		8000.000		UG/L		
	20-SEP-91	Y	13000.000		UG/L	21-AUG-91			8200.000		UG/L			
	20-SEP-91	Y	12000.000		UG/L	09-SEP-91		Y	7300.000		UG/L			
	02-AUG-91		14000.000		UG/L	09-SEP-91			15000.000		UG/L			
299-E32-4	02-AUG-91		13000.000		UG/L		299-E33-41	21-NOV-91	Y	11000.000		UG/L		
	20-SEP-91	Y	12000.000		UG/L	21-NOV-91		Y	9100.000		UG/L			
	02-AUG-91	Y	14000.000		UG/L	21-NOV-91			8800.000		UG/L			
	23-SEP-91	Y	14000.000		UG/L	21-NOV-91			8800.000		UG/L			

MAGNESIUM DATA							MAGNESIUM DATA						
WELL NAME	SAMPLE DATE	FILTERED	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW	WELL NAME	SAMPLE DATE	FILTERED	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
299-E34-1	18-JAN-91		11.200		MG/L		299-W14-6	03-JAN-91		14.500		MG/L	
299-E34-2	30-JUL-91	Y	12000.000		UG/L		299-W15-11	02-JAN-91		14.300		MG/L	
	30-JUL-91	Y	12000.000		UG/L		299-W15-16	05-AUG-91	Y	17000.000		UG/L	
	30-JUL-91		12000.000		UG/L			05-AUG-91		17000.000		UG/L	
299-E34-3	29-JUL-91	Y	14000.000		UG/L		299-W15-17	06-AUG-91	Y	14000.000		UG/L	
	29-JUL-91		14000.000		UG/L			06-AUG-91	Y	15000.000		UG/L	
299-E34-5	29-JUL-91	Y	15000.000		UG/L			06-AUG-91		14000.000		UG/L	
	29-JUL-91		14000.000		UG/L		299-W15-18	09-AUG-91	Y	12000.000		UG/L	
299-E34-7	04-NOV-91	Y	14000.000		UG/L			09-AUG-91		12000.000		UG/L	
	04-NOV-91		14000.000		UG/L		299-W15-19	14-NOV-91	Y	14000.000		UG/L	
299-E35-2	27-JUN-91	Y	11000.000		UG/L			14-NOV-91		14000.000		UG/L	
	27-JUN-91	Y	11000.000		UG/L		299-W15-20	05-AUG-91	Y	7700.000		UG/L	
	25-SEP-91	Y	6800.000		UG/L			12-NOV-91	Y	7100.000		UG/L	
	27-JUN-91		11000.000		UG/L			05-AUG-91		7700.000		UG/L	
	27-JUN-91		12000.000		UG/L			12-NOV-91		7500.000		UG/L	
	25-SEP-91		7000.000		UG/L		299-W15-22	24-SEP-91	Y	14000.000		UG/L	
299-W10-13	08-AUG-91	Y	14000.000		UG/L			24-SEP-91		14000.000		UG/L	
	07-NOV-91	Y	15000.000		UG/L		299-W15-23	05-AUG-91	Y	7700.000		UG/L	
	08-AUG-91		14000.000		UG/L			13-NOV-91	Y	7500.000		UG/L	
	07-NOV-91		15000.000		UG/L			05-AUG-91		7800.000		UG/L	
299-W10-14	14-AUG-91	Y	12000.000		UG/L		299-W15-24	05-AUG-91	Y	6200.000		UG/L	
	07-NOV-91	Y	13000.000		UG/L			12-NOV-91	Y	6000.000		UG/L	
	14-AUG-91		12000.000		UG/L			05-AUG-91		6400.000		UG/L	
	07-NOV-91		13000.000		UG/L			12-NOV-91		6300.000		UG/L	
299-W10-15	22-JUL-91	Y	15000.000		UG/L		299-W18-21	07-AUG-91	Y	6700.000		UG/L	
	04-OCT-91	Y	16000.000		UG/L			07-AUG-91		6900.000		UG/L	
	22-JUL-91		15000.000		UG/L		299-W18-22	06-AUG-91	Y	12000.000		UG/L	
	04-OCT-91		16000.000		UG/L			06-AUG-91		12000.000		UG/L	
	04-OCT-91		16000.000		UG/L		299-W18-23	09-AUG-91	Y	7300.000		UG/L	
	04-OCT-91		16000.000		UG/L			09-AUG-91		7400.000		UG/L	
	04-OCT-91		17000.000		UG/L		299-W18-24	09-AUG-91	Y	6700.000		UG/L	
299-W10-16	22-JUL-91	Y	11000.000		UG/L			09-AUG-91	Y	6700.000		UG/L	
	28-SEP-91	Y	11000.000		UG/L			09-AUG-91		6800.000		UG/L	
	22-JUL-91		11000.000		UG/L			09-AUG-91		6600.000		UG/L	
	22-JUL-91		11.200		MG/L		299-W18-25	01-OCT-91	Y	5400.000		UG/L	
299-W10-17	09-OCT-91	Y	8100.000		UG/L			01-OCT-91		5500.000		UG/L	
	09-OCT-91		7600.000		UG/L		299-W18-26	07-AUG-91	Y	6600.000		UG/L	
299-W10-18	24-SEP-91	Y	19000.000		UG/L			12-NOV-91	Y	6700.000		UG/L	
	24-SEP-91		19000.000		UG/L			07-AUG-91		6600.000		UG/L	
299-W10-4	02-JAN-91		7.330		MG/L			12-NOV-91		6900.000		UG/L	
299-W10-9	03-OCT-91	Y	19000.000		UG/L		299-W18-29	09-OCT-91		4700.000		UG/L	
	22-JUL-91		19000.000		UG/L			09-OCT-91		4900.000		UG/L	
	22-JUL-91		20000.000		UG/L								
	03-OCT-91		18000.000		UG/L								
299-W14-5	02-JAN-91		20.100		MG/L								

MAGNESIUM DATA							MAGNESIUM DATA						
WELL NAME	SAMPLE DATE	FILTERED	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW	WELL NAME	SAMPLE DATE	FILTERED	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
299-W19-18	02-JAN-91		9.430		MG/L		299-W6-2	13-NOV-91		15000.000		UG/L	
299-W19-29	25-NOV-91	Y	30000.000		UG/L		299-W7-1	07-AUG-91	Y	15000.000		UG/L	
	14-JUN-91		41000.000		UG/L			08-NOV-91	Y	14000.000		UG/L	
	23-NOV-91		30000.000		UG/L			07-AUG-91		15000.000		UG/L	
	25-NOV-91		30000.000		UG/L			08-NOV-91		14000.000		UG/L	
299-W19-30	13-JUN-91		84000.000		UG/L		299-W7-10	09-AUG-91	Y	13000.000		UG/L	
					UG/L			14-NOV-91	Y	13000.000		UG/L	
299-W19-31	01-OCT-91	Y	11000.000		UG/L			09-AUG-91		12000.000		UG/L	
	01-OCT-91		11000.000		UG/L			14-NOV-91		13000.000		UG/L	
299-W19-32	01-OCT-91	Y	9000.000		UG/L		299-W7-2	07-AUG-91	Y	14000.000		UG/L	
	01-OCT-91		9100.000		UG/L			08-NOV-91	Y	14000.000		UG/L	
299-W22-20	03-OCT-91		22000.000		UG/L			08-NOV-91		14000.000		UG/L	
299-W22-39	14-NOV-91	Y	6900.000		UG/L		299-W7-3	08-AUG-91	Y	12000.000		UG/L	
	14-NOV-91		6800.000		UG/L			08-NOV-91	Y	11000.000		UG/L	
299-W22-40	03-SEP-91	Y	13000.000		UG/L			08-AUG-91		12000.000		UG/L	
	03-SEP-91		14000.000		UG/L		299-W7-4	08-NOV-91		11000.000		UG/L	
299-W22-41	03-SEP-91	Y	29000.000		UG/L			12-AUG-91	Y	17000.000		UG/L	
	03-SEP-91		29000.000		UG/L			13-NOV-91	Y	16000.000		UG/L	
299-W22-42	03-SEP-91	Y	24000.000		UG/L			13-NOV-91		17000.000		UG/L	
	03-SEP-91		23000.000		UG/L		299-W7-5	09-AUG-91	Y	14000.000		UG/L	
299-W22-43	04-SEP-91	Y	12000.000		UG/L			11-NOV-91	Y	14000.000		UG/L	
	04-SEP-91	Y	12000.000		UG/L			09-AUG-91		14000.000		UG/L	
	06-SEP-91		12000.000		UG/L		299-W7-6	11-NOV-91		14000.000		UG/L	
	04-SEP-91		12000.000		UG/L			08-NOV-91	Y	3300.000		UG/L	
299-W23-13	03-OCT-91	Y	7400.000		UG/L			12-AUG-91		17000.000		UG/L	
	03-OCT-91		7700.000		UG/L			08-NOV-91		9600.000		UG/L	
299-W23-14	09-OCT-91	Y	4900.000		UG/L		299-W7-7	09-AUG-91	Y	9900.000		UG/L	
	09-OCT-91		5200.000		UG/L			08-NOV-91	Y	10000.000		UG/L	
299-W26-10	21-AUG-91	Y	5800.000		UG/L			09-AUG-91		10000.000		UG/L	
	21-AUG-91		5800.000		UG/L		299-W7-8	08-NOV-91	Y	12000.000		UG/L	
299-W26-12	28-AUG-91	Y	4100.000		UG/L			11-NOV-91	Y	12000.000		UG/L	
	28-AUG-91		4300.000		UG/L			09-AUG-91		11000.000		UG/L	
299-W26-8	28-AUG-91	Y	5700.000		UG/L		299-W7-9	09-AUG-91	Y	10000.000		UG/L	
	28-AUG-91	Y	3100.000		UG/L			08-NOV-91	Y	11000.000		UG/L	
	28-AUG-91		5900.000		UG/L			09-AUG-91		10000.000		UG/L	
	28-AUG-91		5900.000		UG/L			08-NOV-91		11000.000		UG/L	
	30-DEC-91		5300.000		UG/L								
299-W26-9	20-AUG-91	Y	6100.000		UG/L		299-W8-1	09-AUG-91	Y	14000.000		UG/L	
	20-AUG-91		6200.000		UG/L			13-NOV-91	Y	13000.000		UG/L	
					UG/L			13-NOV-91		13000.000		UG/L	
299-W6-2	12-AUG-91	Y	16000.000		UG/L		299-W9-1	08-AUG-91	Y	14000.000		UG/L	
	12-AUG-91	Y	16000.000		UG/L			08-NOV-91	Y	15000.000		UG/L	
	13-NOV-91	Y	16000.000		UG/L			08-AUG-91		14000.000		UG/L	
	12-AUG-91		17000.000		UG/L			08-NOV-91		15000.000		UG/L	
	12-AUG-91		16000.000		UG/L								

MAGNESIUM DATA							MAGNESIUM DATA						
WELL NAME	SAMPLE DATE	FILTERED	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW	WELL NAME	SAMPLE DATE	FILTERED	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
399-1-10	15-JUL-91	Y	8300.000		UG/L		399-2-1	09-JUL-91		3800.000		UG/L	
	15-JUL-91		8600.000		UG/L			18-DEC-91		3600.000		UG/L	
	06-DEC-91		9900.000		UG/L			18-DEC-91		3800.000		UG/L	
399-1-11	06-DEC-91		9800.000		UG/L		399-3-10	12-JUL-91	Y	5600.000		UG/L	
	18-DEC-91		11000.000		UG/L			12-JUL-91		5500.000		UG/L	
	18-DEC-91		11000.000		UG/L			18-DEC-91		6900.000		UG/L	
399-1-12	18-JUL-91	Y	3500.000		UG/L		399-3-7	12-JUL-91	Y	9300.000		UG/L	
	18-JUL-91		3500.000		UG/L			12-JUL-91		9300.000		UG/L	
	06-DEC-91		8700.000		UG/L			17-DEC-91		8900.000		UG/L	
399-1-13	06-DEC-91		9500.000		UG/L		399-3-9	17-DEC-91		8500.000		UG/L	
	16-JUL-91	Y	9800.000		UG/L			15-JUL-91	Y	5100.000		UG/L	
	16-JUL-91		10000.000		UG/L			15-JUL-91		5100.000		UG/L	
399-1-14	11-DEC-91		9700.000		UG/L		399-4-1	17-DEC-91		5700.000		UG/L	
	11-DEC-91		9600.000		UG/L			10-JUL-91	Y	8700.000		UG/L	
	16-JUL-91	Y	9900.000		UG/L			10-JUL-91		8900.000		UG/L	
399-1-15	16-JUL-91		9500.000		UG/L		399-4-11	10-DEC-91		8000.000		UG/L	
	16-JUL-91		9800.000		UG/L			10-DEC-91		8100.000		UG/L	
	11-DEC-91		9700.000		UG/L			15-JUL-91	Y	8900.000		UG/L	
399-1-16A	16-JUL-91	Y	11000.000		UG/L		399-4-7	15-JUL-91		8800.000		UG/L	
	16-JUL-91		12000.000		UG/L			15-JUL-91		8100.000		UG/L	
	11-DEC-91		11000.000		UG/L			11-DEC-91		8100.000		UG/L	
399-1-16B	11-DEC-91		11000.000		UG/L		399-8-1	09-JUL-91	Y	6000.000		UG/L	
	11-JUL-91	Y	4900.000		UG/L			09-JUL-91		6000.000		UG/L	
	11-JUL-91		4900.000		UG/L			10-DEC-91		8600.000		UG/L	
399-1-17A	06-DEC-91		6300.000		UG/L		399-8-2	10-DEC-91		8600.000		UG/L	
	11-JUL-91	Y	5800.000		UG/L			15-JUL-91	Y	9000.000		UG/L	
	11-JUL-91	Y	5700.000		UG/L			15-JUL-91		9200.000		UG/L	
399-1-17B	11-JUL-91		5600.000		UG/L		399-8-3	20-DEC-91		8700.000		UG/L	
	11-JUL-91		5700.000		UG/L			20-DEC-91		8700.000		UG/L	
	06-DEC-91		5700.000		UG/L			20-DEC-91		8700.000		UG/L	
399-1-17C	06-DEC-91		5500.000		UG/L		699-1-18	20-DEC-91		8800.000		UG/L	
	11-JUL-91	Y	4900.000		UG/L			18-DEC-91		8100.000		UG/L	
	11-JUL-91		4700.000		UG/L			09-OCT-91		9.450		MG/L	
399-1-18A	10-DEC-91		3800.000		UG/L		699-10-E12	23-DEC-91		12000.000		UG/L	
	10-DEC-91		3700.000		UG/L			09-DEC-91		23000.000		UG/L	
	11-JUL-91	Y	6500.000		UG/L			09-DEC-91		10000.000		UG/L	
399-1-18B	11-JUL-91		7000.000		UG/L		699-2-7	18-DEC-91		20000.000		UG/L	
	10-DEC-91		6600.000		UG/L			27-AUG-91		17000.000		UG/L	
	10-DEC-91		6900.000		UG/L			26-DEC-91		18000.000		UG/L	
399-1-19A	10-DEC-91		6900.000		UG/L		699-23-34	26-DEC-91		17000.000		UG/L	
	15-JUL-91	Y	12000.000		UG/L			28-AUG-91		16000.000		UG/L	
	15-JUL-91		12000.000		UG/L			27-DEC-91		17000.000		UG/L	
399-1-7	13-DEC-91		13000.000		UG/L		699-24-33	27-AUG-91		16000.000		UG/L	
	09-JUL-91	Y	4700.000		UG/L			27-AUG-91		16000.000		UG/L	
	09-JUL-91		4600.000		UG/L			27-AUG-91		16000.000		UG/L	
399-2-1	01-DEC-91		4900.000		UG/L		699-24-34A	27-AUG-91		16000.000		UG/L	
	01-DEC-91		5000.000		UG/L			27-AUG-91		16000.000		UG/L	
	09-JUL-91	Y	3800.000		UG/L			27-AUG-91		16000.000		UG/L	

MAGNESIUM DATA							MAGNESIUM DATA						
WELL NAME	SAMPLE DATE	FILTERED	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW	WELL NAME	SAMPLE DATE	FILTERED	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
699-24-34A	26-DEC-91		17000.000		UG/L		699-41-40	11-SEP-91		11000.000		UG/L	
699-24-34B	27-AUG-91		17000.000		UG/L		699-42-2	09-DEC-91		12000.000		UG/L	
	26-DEC-91		17000.000		UG/L		699-42-40A	08-JUL-91	Y	5400.000		UG/L	
699-24-34C	27-AUG-91		17000.000		UG/L			08-JUL-91		5300.000		UG/L	
	26-DEC-91		17000.000		UG/L		699-42-42B	08-JUL-91	Y	8300.000		UG/L	
699-24-35	28-AUG-91		13000.000		UG/L			08-JUL-91		7600.000		UG/L	
	27-DEC-91		13000.000		UG/L		699-43-3	18-JUL-91		12.800		MG/L	
699-25-33A	27-AUG-91	Y	8200.000		UG/L		699-43-41E	28-JUN-91	Y	9100.000		UG/L	
	27-AUG-91		8400.000		UG/L			28-JUN-91	Y	9200.000		UG/L	
699-25-34A	27-AUG-91	Y	12000.000		UG/L			28-JUN-91		9200.000		UG/L	
	27-AUG-91		12000.000		UG/L			28-JUN-91		9400.000		UG/L	
699-25-34B	27-AUG-91	Y	13000.000		UG/L		699-43-41F	02-JUL-91	Y	10000.000		UG/L	
	27-AUG-91		13000.000		UG/L			02-JUL-91		10000.000		UG/L	
699-25-34C	27-AUG-91		13000.000		UG/L		699-43-42J	02-JUL-91	Y	5000.000		UG/L	
	26-DEC-91		15000.000		UG/L			02-JUL-91		5100.000		UG/L	
699-26-33	27-AUG-91	Y	9800.000		UG/L		699-43-43	08-JUL-91	Y	6100.000		UG/L	
	27-AUG-91		9700.000		UG/L			08-JUL-91		6300.000		UG/L	
699-26-35A	27-AUG-91		11000.000		UG/L		699-43-45	08-JUL-91	Y	6800.000		UG/L	
	27-AUG-91		10000.000		UG/L			11-SEP-91	Y	6800.000		UG/L	
	27-DEC-91		12000.000		UG/L			08-JUL-91		6800.000		UG/L	
699-26-35C	27-AUG-91	Y	11000.000		UG/L			11-SEP-91		6600.000		UG/L	
	27-AUG-91		11000.000		UG/L		699-44-42	10-JUL-91	Y	3400.000		UG/L	
	27-AUG-91		11000.000		UG/L			10-JUL-91		6300.000		UG/L	
699-32-77	29-MAR-91		8.070		MG/L		699-44-43B	08-JUL-91	Y	9300.000		UG/L	
699-34-8	21-AUG-91	Y	7100.000		UG/L			11-SEP-91	Y	8800.000		UG/L	
	21-AUG-91		7300.000		UG/L			08-JUL-91		9100.000		UG/L	
699-37-E4	24-SEP-91		12.200		MG/L			11-SEP-91		8900.000		UG/L	
699-38-70	30-DEC-91		36000.000		UG/L		699-45-2	09-DEC-91		12000.000		UG/L	
	30-DEC-91		36000.000		UG/L		699-45-69A	30-DEC-91		16000.000		UG/L	
					UG/L			30-DEC-91		15000.000		UG/L	
699-39-0	22-AUG-91		12.300		MG/L		699-46-4	19-JUL-91		12.800		MG/L	
699-40-1	29-MAR-91		12.800		MG/L		699-47-5	19-JUL-91		9.060		MG/L	
	26-JUN-91		12.300		MG/L								
699-40-39	08-JUL-91	Y	8000.000		UG/L		699-48-18	31-JAN-91		11.700		MG/L	
	11-SEP-91	Y	7600.000		UG/L			04-APR-91		22.100		MG/L	
	11-SEP-91		7800.000		UG/L		699-49-100C	20-JUN-91		16.500		MG/L	
699-40-40B	01-JAN-92	Y	5800.000		UG/L			09-DEC-91		12000.000		UG/L	
	01-JAN-92		10000.000		UG/L		699-51-75		Y				
699-40-62	30-DEC-91		16000.000		UG/L		699-55-76	30-JAN-91		13.900		MG/L	
	30-DEC-91		16000.000		UG/L		699-63-25A	23-AUG-91		13.100		MG/L	
699-41-40	10-JUL-91	Y	12000.000		UG/L			22-AUG-91		11.400		MG/L	
	11-SEP-91	Y	11000.000		UG/L		699-66-23						
	10-JUL-91		12000.000		UG/L								

MAGNESIUM DATA						MAGNESIUM DATA					
WELL NAME	SAMPLE DATE	FILTERED CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW	WELL NAME	SAMPLE DATE	FILTERED CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
699-67-86	30-JAN-91	9.160		MG/L		699-834-E10	25-JUL-91	10.800		MG/L	
699-72-88	23-AUG-91	8.450		MG/L		699-836-E13A	30-AUG-91	5.330		MG/L	
699-78-62	30-JAN-91	10.900		MG/L		699-837-E11	29-AUG-91	8.470		MG/L	
699-81-58	04-SEP-91	8300.000	Y	UG/L		699-837-E14	29-AUG-91	4.270		MG/L	
	04-SEP-91	8300.000	Y	UG/L		699-838-E11	17-OCT-91	4.280		MG/L	
	04-SEP-91	8300.000		UG/L		699-838-E11	29-AUG-91	9.210		MG/L	
	04-SEP-91	8600.000		UG/L		699-838-E12A	29-AUG-91	8.030		MG/L	
699-83-47	31-JAN-91	13.300		MG/L		699-838-E12B	29-AUG-91	6.950		MG/L	
699-87-55	12-SEP-91	10.800		MG/L		699-840-E14	29-AUG-91	3.960		MG/L	
699-96-49	23-AUG-91	11.700		MG/L		699-841-E11	30-AUG-91	15.100		MG/L	
699-97-43	12-SEP-91	9.700		MG/L		699-841-E13A	29-AUG-91	4.940		MG/L	
699-97-51A	12-SEP-91	11.000		MG/L		699-841-E13B	17-OCT-91	4.870		MG/L	
699-S19-E13	01-FEB-91	12.800		MG/L		699-841-E13B	29-AUG-91	12.900		MG/L	
	29-MAR-91	13.200		MG/L		699-841-E13C	17-OCT-91	13.300		MG/L	
	21-JUN-91	12.400		MG/L			29-AUG-91	5.460		MG/L	
	13-DEC-91	13000.000		UG/L		699-S8-19	13-DEC-91	9700.000		UG/L	
699-S27-E14	10-DEC-91	10000.000		UG/L							
699-S29-E12	09-DEC-91	9500.000		UG/L							
699-S3-25	20-DEC-91	14000.000		UG/L							
699-S30-E10A	24-JUL-91	19.800		MG/L							
	10-DEC-91	20000.000		UG/L							
699-S30-E10B	24-JUL-91	21.700		MG/L							
	10-DEC-91	23000.000		UG/L							
699-S30-E15A	29-MAR-91	13.300		MG/L							
	21-JUN-91	13.500		MG/L							
699-S31-1	20-DEC-91	6100.000		UG/L							
699-S31-E10A	23-JUL-91	22.300		MG/L							
699-S31-E10B	23-JUL-91	20.800		MG/L							
699-S31-E10C	23-JUL-91	21.700		MG/L							
699-S31-E10D	23-JUL-91	18.300		MG/L							
699-S31-E13	24-JUL-91	17.000		MG/L							
699-S31-E8	24-JUL-91	4.860		MG/L							
699-S32-E13A	24-JUL-91	15.500		MG/L							
699-S32-E13B	25-JUL-91	16.100		MG/L							
699-S32-E8	25-JUL-91	4.900		MG/L							

SILICON DATA

WELL NAME	SAMPLE DATE	FILTERED CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
299-W19-18	02-JAN-91	19.900		MG/L	

POTASSIUM DATA						POTASSIUM DATA					
WELL NAME	SAMPLE DATE	FILTERED CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW	WELL NAME	SAMPLE DATE	FILTERED CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
1199-41-13C	31-MAY-91	3.200		MG/L		199-H4-4	16-AUG-91	3400.000		UG/L	
199-H4-5	18-SEP-91	4.000		MG/L			18-SEP-91	6200.000		UG/L	
199-H4-6	19-SEP-91	3.900		MG/L			24-OCT-91	7000.000		UG/L	
199-H4-7	18-SEP-91	3.300		MG/L			13-NOV-91	4200.000		UG/L	
199-F5-4	19-SEP-91	5200.000		UG/L		199-H4-5	22-AUG-91	5500.000		UG/L	
199-F7-1	19-SEP-91	7400.000	Y	UG/L			13-SEP-91	5600.000		UG/L	
199-H3-1	06-JUN-91	4700.000		UG/L		199-H4-6	10-JUN-91	6700.000		UG/L	
199-H3-2A	06-JUN-91	6100.000		UG/L			12-SEP-91	6900.000		UG/L	
	12-SEP-91	5200.000		UG/L		199-H4-7	06-JUN-91	6100.000		UG/L	
199-H3-2B	22-AUG-91	6300.000		UG/L			12-SEP-91	6000.000		UG/L	
199-H3-2C	06-JUN-91	4300.000		UG/L		199-H4-8	16-AUG-91	5600.000		UG/L	
	13-SEP-91	4300.000		UG/L			12-SEP-91	5600.000		UG/L	
199-H4-11	07-JUN-91	2500.000		UG/L		199-H4-9	06-JUN-91	5400.000		UG/L	
	12-SEP-91	3100.000		UG/L			01-AUG-91	5400.000		UG/L	
199-H4-12A	07-JUN-91	3300.000		UG/L			16-AUG-91	5100.000		UG/L	
	12-SEP-91	5000.000		UG/L		199-K-11	26-SEP-91	4400.000	Y	UG/L	
199-H4-12B	22-AUG-91	5800.000		UG/L		199-N-14	18-SEP-91	1500.000	Y	UG/L	
199-H4-12C	07-JUN-91	5200.000		UG/L			18-SEP-91	1600.000	Y	UG/L	
	12-SEP-91	5300.000		UG/L			01-NOV-91	2100.000	Y	UG/L	
199-H4-13	23-AUG-91	2600.000		UG/L			05-DEC-91	2700.000	Y	UG/L	
199-H4-14	07-JUN-91	4900.000		UG/L		199-N-17	05-SEP-91	5800.000	Y	UG/L	
	13-SEP-91	5100.000		UG/L			05-SEP-91	5500.000		UG/L	
199-H4-15A	22-AUG-91	5300.000		UG/L		199-N-21	05-SEP-91	7800.000	Y	UG/L	
	13-SEP-91	5700.000		UG/L			05-SEP-91	7000.000		UG/L	
199-H4-15B	22-AUG-91	5400.000		UG/L		199-N-29	04-SEP-91	1700.000	Y	UG/L	
199-H4-16	07-JUN-91	3100.000		UG/L			04-SEP-91	2000.000		UG/L	
199-H4-17	16-AUG-91	7400.000		UG/L		199-N-3	05-DEC-91	2700.000	Y	UG/L	
199-H4-18	13-SEP-91	5500.000		UG/L		199-N-32	18-SEP-91	2300.000	Y	UG/L	
199-H4-3	07-JUN-91	6800.000		UG/L			18-SEP-91	3000.000		UG/L	
	07-JUN-91	6300.000		UG/L		199-N-33	04-SEP-91	2300.000	Y	UG/L	
	01-AUG-91	11000.000		UG/L			04-SEP-91	2400.000		UG/L	
	16-AUG-91	11000.000		UG/L		199-N-36	04-SEP-91	1200.000	Y	UG/L	
	13-SEP-91	6400.000		UG/L			04-SEP-91	2100.000		UG/L	
	13-SEP-91	6600.000		UG/L		199-N-41	30-AUG-91	2900.000	Y	UG/L	
	24-OCT-91	4400.000		UG/L			30-AUG-91	3100.000		UG/L	
	13-NOV-91	4000.000		UG/L		199-N-47	05-SEP-91	7800.000	Y	UG/L	
	12-DEC-91	3100.000		UG/L			05-NOV-91	8100.000	Y	UG/L	
199-H4-4	06-JUN-91	3400.000		UG/L							
	01-AUG-91	4900.000		UG/L							

POTASSIUM DATA							POTASSIUM DATA						
WELL NAME	SAMPLE DATE	FILTERED	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW	WELL NAME	SAMPLE DATE	FILTERED	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
199-N-47	05-SEP-91		7000.000		UG/L		299-E17-17	26-AUG-91	Y	4500.000		UG/L	
	05-NOV-91		7900.000		UG/L		26-AUG-91			4900.000		UG/L	
199-N-54	05-SEP-91	Y	3500.000		UG/L		299-E17-18	26-AUG-91	Y	4100.000		UG/L	
	05-NOV-91	Y	4600.000		UG/L			26-AUG-91		4200.000		UG/L	
	05-SEP-91		5300.000		UG/L			19-DEC-91		5500.000		UG/L	
	05-NOV-91		5400.000		UG/L			19-DEC-91		4700.000		UG/L	
199-N-55	05-SEP-91	Y	4800.000		UG/L		299-E17-20	24-JUL-91	Y	7300.000		UG/L	
	05-NOV-91	Y	4600.000		UG/L			14-AUG-91	Y	7100.000		UG/L	
	05-SEP-91		5100.000		UG/L			30-SEP-91	Y	5000.000		UG/L	
	05-NOV-91		4900.000		UG/L			24-JUL-91		7200.000		UG/L	
199-N-56	05-SEP-91	Y	2700.000		UG/L			14-AUG-91		7000.000		UG/L	
	05-NOV-91	Y	3300.000		UG/L			30-SEP-91		5500.000		UG/L	
	05-SEP-91		4200.000		UG/L		299-E17-5	26-AUG-91	Y	4700.000		UG/L	
	05-NOV-91		3200.000		UG/L		26-AUG-91			4400.000		UG/L	
199-N-57	05-NOV-91	Y	6200.000		UG/L		299-E18-1	09-JUL-91	Y	4700.000		UG/L	
	05-NOV-91		5900.000		UG/L			06-SEP-91	Y	5600.000		UG/L	
199-N-59	03-SEP-91	Y	3000.000		UG/L			09-JUL-91		5200.000		UG/L	
	03-SEP-91		3200.000		UG/L			06-SEP-91		5600.000		UG/L	
199-N-66	05-NOV-91	Y	2400.000		UG/L		299-E18-2	06-SEP-91	Y	5100.000		UG/L	
	05-NOV-91		2600.000		UG/L			06-SEP-91		5900.000		UG/L	
199-N-67	22-NOV-91		2200.000		UG/L		299-E18-3	06-SEP-91	Y	3900.000		UG/L	
	22-NOV-91		1200.000		UG/L			06-SEP-91		5500.000		UG/L	
199-N-69	22-NOV-91		2300.000		UG/L		299-E18-4	06-SEP-91	Y	4900.000		UG/L	
	22-NOV-91		2000.000		UG/L			06-SEP-91		5100.000		UG/L	
199-N-70	04-SEP-91	Y	3200.000		UG/L		299-E24-16	20-AUG-91	Y	5300.000		UG/L	
	04-SEP-91		2500.000		UG/L			20-AUG-91		5700.000		UG/L	
299-E13-14	11-JUN-91		6200.000		UG/L		299-E24-17	13-AUG-91	Y	5800.000		UG/L	
299-E17-1	13-AUG-91	Y	7300.000		UG/L			13-AUG-91		4900.000		UG/L	
	13-AUG-91		7800.000		UG/L		299-E24-18	13-AUG-91	Y	5600.000		UG/L	
299-E17-12	13-SEP-91		5000.000		UG/L		299-E24-19	26-JUL-91	Y	4600.000		UG/L	
299-E17-13	18-JUN-91		5400.000		UG/L			22-NOV-91	Y	4500.000		UG/L	
	13-SEP-91		5100.000		UG/L			26-JUL-91		4400.000		UG/L	
299-E17-14	28-AUG-91	Y	4900.000		UG/L		299-E24-20	15-NOV-91	Y	5300.000		UG/L	
	28-AUG-91		5200.000		UG/L			15-NOV-91		4500.000		UG/L	
299-E17-15	03-SEP-91	Y	5600.000		UG/L		299-E24-4	03-OCT-91		4700.000		UG/L	
	01-OCT-91	Y	6100.000		UG/L		299-E25-18	12-JUL-91	Y	5700.000		UG/L	
	03-SEP-91		5600.000		UG/L			31-JUL-91	Y	6100.000		UG/L	
	01-OCT-91		5500.000		UG/L			01-OCT-91	Y	3600.000		UG/L	
	19-DEC-91		5500.000		UG/L			12-JUL-91		6000.000		UG/L	
	19-DEC-91		5700.000		UG/L			31-JUL-91		5400.000		UG/L	
								01-OCT-91		4600.000		UG/L	
299-E17-16	28-AUG-91	Y	5700.000		UG/L		299-E25-19	18-JUL-91		8900.000		UG/L	
	28-AUG-91		5700.000		UG/L			01-OCT-91	Y	9200.000		UG/L	
	19-DEC-91		5100.000		UG/L			18-JUL-91		9100.000		UG/L	
	19-DEC-91		5300.000		UG/L			01-OCT-91		11000.000		UG/L	

POTASSIUM DATA							POTASSIUM DATA						
WELL NAME	SAMPLE DATE	FILTERED	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW	WELL NAME	SAMPLE DATE	FILTERED	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
299-E25-20	16-JUL-91	Y	8400.000		UG/L		299-E25-36	20-AUG-91		5400.000		UG/L	
	03-OCT-91	Y	4200.000		UG/L			20-AUG-91		5300.000		UG/L	
	16-JUL-91		8600.000		UG/L			30-SEP-91		5600.000		UG/L	
299-E25-21	03-OCT-91		4300.000		UG/L		299-E25-37	26-JUN-91	Y	4300.000		UG/L	
	11-JUL-91	Y	5900.000		UG/L			16-SEP-91	Y	4500.000		UG/L	
	11-JUL-91		6200.000		UG/L			26-JUN-91		3900.000		UG/L	
299-E25-25	25-JUN-91	Y	3100.000		UG/L		299-E25-38	16-SEP-91		3600.000		UG/L	
	25-JUN-91	Y	3200.000		UG/L			26-JUN-91	Y	3900.000		UG/L	
	16-SEP-91	Y	2900.000		UG/L			26-JUN-91	Y	4400.000		UG/L	
299-E25-26	25-JUN-91		3700.000		UG/L		299-E25-39	16-SEP-91		4300.000		UG/L	
	25-JUN-91		3300.000		UG/L			16-SEP-91	Y	4300.000		UG/L	
	16-SEP-91		3200.000		UG/L			16-SEP-91	Y	4300.000		UG/L	
299-E25-28	27-SEP-91	Y	4100.000		UG/L		299-E25-40	20-JUL-91	Y	5000.000		UG/L	
	27-SEP-91		4200.000		UG/L			20-JUL-91	Y	5400.000		UG/L	
	12-JUL-91	Y	3700.000		UG/L			20-NOV-91	Y	4900.000		UG/L	
299-E25-29P	12-JUL-91		4700.000		UG/L		299-E25-41	26-JUL-91	Y	4700.000		UG/L	
	27-SEP-91		4500.000		UG/L			21-NOV-91	Y	4800.000		UG/L	
	25-JUN-91	Y	5000.000		UG/L			26-JUL-91		5200.000		UG/L	
299-E25-31	01-NOV-91	Y	5700.000		UG/L		299-E26-10	27-JUN-91	Y	5100.000		UG/L	
	01-NOV-91	Y	4800.000		UG/L			25-SEP-91	Y	5700.000		UG/L	
	25-JUN-91		5500.000		UG/L			27-JUN-91		5000.000		UG/L	
299-E25-32P	25-JUN-91	Y	4700.000		UG/L		299-E26-11	25-SEP-91		5200.000		UG/L	
	16-SEP-91	Y	5200.000		UG/L			27-JUN-91	Y	4900.000		UG/L	
	25-JUN-91		4400.000		UG/L			27-SEP-91	Y	4800.000		UG/L	
299-E25-33	16-SEP-91		5000.000		UG/L		299-E26-9	27-SEP-91	Y	5100.000		UG/L	
	19-JUL-91	Y	3700.000		UG/L			27-JUN-91	Y	7000.000		UG/L	
	19-JUL-91	Y	3500.000		UG/L			25-SEP-91	Y	4500.000		UG/L	
299-E25-34	26-SEP-91	Y	3400.000		UG/L		299-E27-10	27-JUN-91		7100.000		UG/L	
	19-JUL-91		3500.000		UG/L			27-JUN-91		5000.000		UG/L	
	19-JUL-91		3300.000		UG/L			25-SEP-91	Y	6100.000		UG/L	
299-E25-35	26-SEP-91		2900.000		UG/L		299-E27-11	31-JUL-91		5900.000		UG/L	
	27-JUN-91	Y	4900.000		UG/L			06-NOV-91	Y	7000.000		UG/L	
	16-SEP-91	Y	4200.000		UG/L			06-NOV-91		6700.000		UG/L	
299-E25-36	27-JUN-91		4600.000		UG/L		299-E27-12	23-JUL-91	Y	5200.000		UG/L	
	16-SEP-91		4800.000		UG/L			18-NOV-91	Y	5400.000		UG/L	
	16-SEP-91		4800.000		UG/L			23-JUL-91	Y	5100.000		UG/L	
299-E25-37	27-SEP-91	Y	4300.000		UG/L		299-E27-13	18-NOV-91		4500.000		UG/L	
	27-SEP-91		4200.000		UG/L			23-JUL-91	Y	5100.000		UG/L	
	19-JUL-91	Y	5700.000		UG/L			15-NOV-91	Y	5000.000		UG/L	
299-E25-38	19-JUL-91	Y	5600.000		UG/L								
	01-OCT-91	Y	5900.000		UG/L								
	16-OCT-91	Y	5600.000		UG/L								
299-E25-39	19-JUL-91		5700.000		UG/L								
	19-JUL-91		5700.000		UG/L								
	01-OCT-91		6200.000		UG/L								
299-E25-40	16-OCT-91		6400.000		UG/L								
	11-JUL-91	Y	5200.000		UG/L								
	30-SEP-91	Y	6200.000		UG/L								
299-E25-41	11-JUL-91		5400.000		UG/L								

POTASSIUM DATA					
WELL NAME	SAMPLE DATE	FILTERED	CONCENTRATION	QUALIFIER	UNITS DATA REVIEW
299-E27-13	23-JUL-91		5500.000		UG/L
	15-NOV-91		4300.000		UG/L
299-E27-14	23-JUL-91	Y	5600.000		UG/L
	23-JUL-91		5200.000		UG/L
299-E27-15	24-JUL-91	Y	5800.000		UG/L
	21-NOV-91	Y	5500.000		UG/L
	24-JUL-91		5500.000		UG/L
	21-NOV-91		5200.000		UG/L
299-E27-16	09-SEP-91	Y	5200.000		UG/L
	09-SEP-91		4400.000		UG/L
299-E27-5	09-JAN-91		4.300		MG/L
299-E27-7	25-JUL-91	Y	4900.000		UG/L
	25-JUL-91		5400.000		UG/L
299-E27-8	01-AUG-91	Y	7000.000		UG/L
	01-AUG-91		7300.000		UG/L
299-E27-9	26-JUL-91	Y	5900.000		UG/L
	26-JUL-91		6000.000		UG/L
299-E28-18	13-SEP-91		4900.000		UG/L
	13-SEP-91		4600.000		UG/L
299-E28-26	06-AUG-91	Y	5500.000		UG/L
	23-SEP-91	Y	5500.000		UG/L
	06-AUG-91		4400.000		UG/L
	23-SEP-91		5400.000		UG/L
299-E28-27	01-AUG-91	Y	6000.000		UG/L
	23-SEP-91	Y	5900.000		UG/L
	01-JAN-92	Y	4900.000		UG/L
	01-AUG-91		6800.000		UG/L
	23-SEP-91		5900.000		UG/L
	01-JAN-92		5100.000		UG/L
299-E28-28	02-AUG-91	Y	5400.000		UG/L
	23-SEP-91	Y	6100.000		UG/L
	02-AUG-91		5600.000		UG/L
	23-SEP-91		5700.000		UG/L
299-E32-2	02-AUG-91	Y	6200.000		UG/L
	23-SEP-91	Y	5600.000		UG/L
	02-AUG-91		6500.000		UG/L
	23-SEP-91		5500.000		UG/L
299-E32-3	02-AUG-91	Y	6600.000		UG/L
	20-SEP-91	Y	6300.000		UG/L
	20-SEP-91	Y	5400.000		UG/L
	02-AUG-91		6100.000		UG/L
	20-SEP-91		5900.000		UG/L
	20-SEP-91		6100.000		UG/L
299-E32-4	05-AUG-91	Y	6200.000		UG/L
	05-AUG-91	Y	6100.000		UG/L
	23-SEP-91	Y	6500.000		UG/L
	05-AUG-91		7300.000		UG/L

POTASSIUM DATA					
WELL NAME	SAMPLE DATE	FILTERED	CONCENTRATION	QUALIFIER	UNITS DATA REVIEW
299-E32-4	05-AUG-91		7200.000		UG/L
	23-SEP-91		5900.000		UG/L
299-E32-5	02-AUG-91	Y	5600.000		UG/L
	20-SEP-91	Y	5500.000		UG/L
	02-AUG-91		6100.000		UG/L
	20-SEP-91		4900.000		UG/L
299-E33-28	31-JUL-91	Y	4800.000		UG/L
	24-SEP-91	Y	4600.000		UG/L
	31-JUL-91		5300.000		UG/L
	24-SEP-91		5200.000		UG/L
299-E33-29	31-JUL-91	Y	6400.000		UG/L
	23-SEP-91	Y	6300.000		UG/L
	31-JUL-91		6100.000		UG/L
	23-SEP-91		5800.000		UG/L
299-E33-3	06-JAN-91		4.100		MG/L
299-E33-30	05-AUG-91	Y	4700.000		UG/L
	23-SEP-91	Y	5300.000		UG/L
	05-AUG-91		5800.000		UG/L
	23-SEP-91		5800.000		UG/L
299-E33-31	23-JUL-91	Y	5000.000		UG/L
	15-NOV-91	Y	4800.000		UG/L
	23-JUL-91		5300.000		UG/L
	15-NOV-91		4900.000		UG/L
299-E33-32	23-JUL-91	Y	5000.000		UG/L
	22-NOV-91	Y	5000.000		UG/L
	23-JUL-91		5000.000		UG/L
	22-NOV-91		4700.000		UG/L
299-E33-33	22-JUL-91	Y	6000.000		UG/L
	15-NOV-91	Y	4500.000		UG/L
	22-JUL-91		5300.000		UG/L
	15-NOV-91		5900.000		UG/L
299-E33-34	02-AUG-91	Y	5300.000		UG/L
	20-SEP-91	Y	5600.000		UG/L
	02-AUG-91		4900.000		UG/L
	20-SEP-91		5700.000		UG/L
299-E33-35	30-JUL-91	Y	5200.000		UG/L
	24-SEP-91	Y	4900.000		UG/L
	30-JUL-91		5400.000		UG/L
	24-SEP-91		4900.000		UG/L
299-E33-36	30-JUL-91		5500.000		UG/L
	21-AUG-91		5600.000		UG/L
299-E33-37	09-SEP-91	Y	5700.000		UG/L
	09-SEP-91		10000.000		UG/L
299-E33-41	21-NOV-91	Y	5800.000		UG/L
	21-NOV-91	Y	5500.000		UG/L
	21-NOV-91		5300.000		UG/L
	21-NOV-91		5100.000		UG/L

POTASSIUM DATA							POTASSIUM DATA						
WELL NAME	SAMPLE DATE	FILTERED	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW	WELL NAME	SAMPLE DATE	FILTERED	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
299-E34-1	18-JAN-91		5.300		MG/L		299-W14-6	03-JAN-91		4.860		MG/L	
299-E34-2	30-JUL-91	Y	6500.000		UG/L		299-W15-11	02-JAN-91		5.000		MG/L	
	30-JUL-91	Y	6600.000		UG/L		299-W15-16	05-AUG-91	Y	4500.000		UG/L	
	30-JUL-91		6700.000		UG/L			05-AUG-91		4400.000		UG/L	
299-E34-3	29-JUL-91	Y	7200.000		UG/L		299-W15-17	06-AUG-91	Y	5500.000		UG/L	
	29-JUL-91		7000.000		UG/L			06-AUG-91	Y	5300.000		UG/L	
299-E34-5	29-JUL-91	Y	8100.000		UG/L			06-AUG-91		5100.000		UG/L	
	29-JUL-91		8700.000		UG/L			06-AUG-91		5200.000		UG/L	
299-E34-7	04-NOV-91	Y	8700.003		UG/L		299-W15-18	09-AUG-91	Y	4200.000		UG/L	
	04-NOV-91		8800.000		UG/L			09-AUG-91		3700.000		UG/L	
299-E35-2	27-JUN-91	Y	6500.000		UG/L		299-W15-19	14-NOV-91	Y	4400.000		UG/L	
	27-JUN-91	Y	6300.000		UG/L			14-NOV-91		4600.000		UG/L	
	25-SEP-91	Y	5500.000		UG/L		299-W15-20	05-AUG-91	Y	3100.000		UG/L	
	27-JUN-91		6700.000		UG/L			12-NOV-91	Y	3700.000		UG/L	
	27-JUN-91		6700.000		UG/L			05-AUG-91	Y	2900.000		UG/L	
	25-SEP-91		5900.000		UG/L			12-NOV-91		4300.000		UG/L	
299-W10-13	08-AUG-91	Y	3000.000		UG/L		299-W15-22	24-SEP-91	Y	5100.000		UG/L	
	07-NOV-91	Y	3800.000		UG/L			24-SEP-91		5000.000		UG/L	
	08-AUG-91		2800.000		UG/L		299-W15-23	05-AUG-91	Y	2800.000		UG/L	
	07-NOV-91		3900.000		UG/L			13-NOV-91	Y	4200.000		UG/L	
299-W10-14	14-AUG-91	Y	5000.000		UG/L			05-AUG-91		3000.000		UG/L	
	14-AUG-91	Y	4600.000		UG/L		299-W15-24	05-AUG-91	Y	3800.000		UG/L	
	14-AUG-91		4700.000		UG/L			12-NOV-91	Y	4300.000		UG/L	
	07-NOV-91		4800.000		UG/L			05-AUG-91		3800.000		UG/L	
299-W10-15	22-JUL-91	Y	5500.000		UG/L			12-NOV-91		4600.000		UG/L	
	04-OCT-91	Y	5600.000		UG/L		299-W18-21	07-AUG-91	Y	2400.000		UG/L	
	22-JUL-91	Y	5500.000		UG/L			07-AUG-91		2600.000		UG/L	
	04-OCT-91		4800.000		UG/L			06-AUG-91	Y	3300.000		UG/L	
	04-OCT-91		5300.000		UG/L		299-W18-22	06-AUG-91		4500.000		UG/L	
	04-OCT-91		4600.000		UG/L			06-AUG-91					
299-W10-16	22-JUL-91	Y	4600.000		UG/L			09-AUG-91	Y	2900.000		UG/L	
	24-SEP-91	Y	4100.000		UG/L		299-W18-23	09-AUG-91		3500.000		UG/L	
	22-JUL-91		4100.000		UG/L			09-AUG-91					
	22-JUL-91		4.600		MG/L		299-W18-24	09-AUG-91	Y	2800.000		UG/L	
	24-SEP-91		4200.000		UG/L			09-AUG-91	Y	4000.000		UG/L	
299-W10-17	09-OCT-91	Y	3000.000		UG/L			09-AUG-91		2500.000		UG/L	
	09-OCT-91		3500.000		UG/L			09-AUG-91		3400.000		UG/L	
299-W10-18	24-SEP-91	Y	4200.000		UG/L		299-W18-25	01-OCT-91	Y	2900.000		UG/L	
	24-SEP-91		4200.000		UG/L			01-OCT-91		3100.000		UG/L	
299-W10-4	02-JAN-91		1.900		MG/L		299-W18-26	07-AUG-91	Y	4100.000		UG/L	
299-W10-9	03-OCT-91	Y	5600.000		UG/L			12-NOV-91	Y	4400.000		UG/L	
	22-JUL-91		6100.000		UG/L			07-AUG-91		4000.000		UG/L	
	22-JUL-91		6000.000		UG/L			12-NOV-91		5100.000		UG/L	
299-W14-5	03-OCT-91		5300.000		UG/L		299-W18-29	09-OCT-91		4200.000		UG/L	
	02-JAN-91		4.860		MG/L			09-OCT-91		3500.000		UG/L	

POTASSIUM DATA							POTASSIUM DATA						
WELL NAME	SAMPLE DATE	FILTERED	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW	WELL NAME	SAMPLE DATE	FILTERED	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
299-W19-18	02-JAN-91		6.000		MG/L		299-W6-2	13-NOV-91		3900.000		UG/L	
299-W19-29	25-NOV-91	Y	5000.000		UG/L		299-W7-1	07-AUG-91	Y	3600.000		UG/L	
	14-JUN-91		6900.000		UG/L			08-NOV-91	Y	3700.000		UG/L	
	25-NOV-91		5200.000		UG/L			07-AUG-91		3700.000		UG/L	
	25-NOV-91		5500.000		UG/L			08-NOV-91		4400.000		UG/L	
299-W19-30	13-JUN-91		9800.000		UG/L		299-W7-10	09-AUG-91	Y	2600.000		UG/L	
299-W19-31	01-OCT-91	Y	2900.000		UG/L			14-NOV-91	Y	3200.000		UG/L	
	01-OCT-91		4200.000		UG/L			09-AUG-91		3100.000		UG/L	
299-W19-32	01-OCT-91	Y	3600.000		UG/L		299-W7-2	07-AUG-91	Y	2300.000		UG/L	
	01-OCT-91		3900.000		UG/L			08-NOV-91	Y	3100.000		UG/L	
299-W22-20	03-OCT-91		7500.000		UG/L			07-AUG-91		2300.000		UG/L	
299-W22-39	14-NOV-91	Y	4600.000		UG/L		299-W7-3	08-NOV-91	Y	2300.000		UG/L	
	14-NOV-91		4500.000		UG/L			08-AUG-91	Y	3100.000		UG/L	
299-W22-40	03-SEP-91	Y	3600.000		UG/L			08-AUG-91		3900.000		UG/L	
	03-SEP-91		4700.000		UG/L			08-NOV-91		5900.000		UG/L	
299-W22-41	03-SEP-91	Y	5000.000		UG/L		299-W7-4	12-AUG-91	Y	4100.000		UG/L	
	03-SEP-91		5400.000		UG/L			13-NOV-91	Y	4300.000		UG/L	
299-W22-42	03-SEP-91	Y	6400.000		UG/L			12-AUG-91		3500.000		UG/L	
	03-SEP-91		5200.000		UG/L		299-W7-5	09-AUG-91	Y	3700.000		UG/L	
299-W22-43	04-SEP-91	Y	4600.000		UG/L			11-NOV-91	Y	4000.000		UG/L	
	04-SEP-91	Y	3900.000		UG/L			09-AUG-91		3700.000		UG/L	
	04-SEP-91		5100.000		UG/L			11-NOV-91		4000.000		UG/L	
	04-SEP-91		3800.000		UG/L		299-W7-6	08-NOV-91	Y	3100.000		UG/L	
299-W23-13	03-OCT-91	Y	4300.000		UG/L			12-AUG-91		5100.000		UG/L	
	03-OCT-91		5300.000		UG/L			08-NOV-91		3800.000		UG/L	
299-W23-14	09-OCT-91	Y	2700.000		UG/L		299-W7-7	09-AUG-91	Y	3500.000		UG/L	
	09-OCT-91		3700.000		UG/L			08-NOV-91	Y	3500.000		UG/L	
299-W26-10	21-AUG-91	Y	3100.000		UG/L			09-AUG-91		3200.000		UG/L	
	21-AUG-91		2900.000		UG/L		299-W7-8	08-NOV-91	Y	3400.000		UG/L	
299-W26-12	28-AUG-91	Y	3800.000		UG/L			09-AUG-91	Y	3900.000		UG/L	
	28-AUG-91		4100.000		UG/L			11-NOV-91	Y	4300.000		UG/L	
299-W26-8	28-AUG-91	Y	4900.000		UG/L		299-W7-9	09-AUG-91	Y	4000.000		UG/L	
	28-AUG-91	Y	2400.000		UG/L			08-NOV-91	Y	5100.000		UG/L	
	28-AUG-91		4500.000		UG/L			08-NOV-91	Y	5400.000		UG/L	
	28-AUG-91		4700.000		UG/L			09-AUG-91		4800.000		UG/L	
	30-DEC-91		4700.000		UG/L			08-NOV-91		5000.000		UG/L	
	30-DEC-91		5300.000		UG/L		299-W8-1	09-AUG-91	Y	4000.000		UG/L	
299-W26-9	20-AUG-91	Y	3300.000		UG/L			13-NOV-91	Y	4900.000		UG/L	
	20-AUG-91		3500.000		UG/L			09-AUG-91		4200.000		UG/L	
299-W6-2	12-AUG-91	Y	3600.000		UG/L		299-W9-1	08-AUG-91	Y	4800.000		UG/L	
	12-AUG-91	Y	3200.000		UG/L			08-AUG-91	Y	4900.000		UG/L	
	13-NOV-91	Y	4000.000		UG/L			08-NOV-91	Y	5000.000		UG/L	
	12-AUG-91		2900.000		UG/L			08-AUG-91		4300.000		UG/L	
	12-AUG-91		3500.000		UG/L			08-NOV-91		4800.000		UG/L	

POTASSIUM DATA							POTASSIUM DATA							
WELL NAME	SAMPLE DATE	FILTERED	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW	WELL NAME	SAMPLE DATE	FILTERED	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW	
399-1-10	15-JUL-91	Y	2800.000		UG/L		399-2-1	09-JUL-91		2100.000		UG/L		
	15-JUL-91		2900.000		UG/L			18-DEC-91		3000.000		UG/L		
	06-DEC-91		3200.000		UG/L			18-DEC-91		2700.000		UG/L		
399-1-11	06-DEC-91		3200.000		UG/L		399-3-10	12-JUL-91	Y	2600.000		UG/L		
	18-DEC-91		2500.000		UG/L			12-JUL-91		2800.000		UG/L		
	18-DEC-91		3100.000		UG/L			18-DEC-91		2700.000		UG/L		
399-1-12	18-JUL-91	Y	1400.000		UG/L		399-3-7	12-JUL-91	Y	4600.000		UG/L		
	18-JUL-91		1500.000		UG/L			12-JUL-91		5300.000		UG/L		
	06-DEC-91		3000.000		UG/L			17-DEC-91		5800.000		UG/L		
399-1-13	06-DEC-91		2000.000		UG/L		399-3-9	17-DEC-91		5600.000		UG/L		
	16-JUL-91	Y	4200.000		UG/L			15-JUL-91	Y	2700.000		UG/L		
	16-JUL-91		3900.000		UG/L			15-JUL-91		2700.000		UG/L		
399-1-14	11-DEC-91		4500.000		UG/L		399-4-1	17-DEC-91		3800.000		UG/L		
	11-DEC-91		4900.000		UG/L			10-JUL-91	Y	4500.000		UG/L		
	16-JUL-91	Y	3300.000		UG/L			10-JUL-91		4600.000		UG/L		
399-1-15	16-JUL-91		3300.000		UG/L		399-4-11	10-DEC-91		4500.000		UG/L		
	11-DEC-91		3100.000		UG/L			10-DEC-91		5100.000		UG/L		
	11-DEC-91		4200.000		UG/L			15-JUL-91	Y	4800.000		UG/L		
399-1-16A	16-JUL-91	Y	6000.000		UG/L		399-4-7	15-JUL-91		5000.000		UG/L		
	16-JUL-91		6000.000		UG/L			11-DEC-91		4800.000		UG/L		
	11-DEC-91		6100.000		UG/L			11-DEC-91		4400.000		UG/L		
399-1-16B	11-DEC-91		5800.000		UG/L		399-8-1	09-JUL-91	Y	3800.000		UG/L		
	11-JUL-91	Y	2600.000		UG/L			09-JUL-91		3400.000		UG/L		
	11-JUL-91		2500.000		UG/L			10-DEC-91		5100.000		UG/L		
399-1-17A	06-DEC-91	Y	2800.000		UG/L		399-8-2	10-DEC-91		5000.000		UG/L		
	06-DEC-91		3400.000		UG/L			15-JUL-91	Y	5400.000		UG/L		
	11-JUL-91	Y	4900.000		UG/L			15-JUL-91		5300.000		UG/L		
399-1-17B	11-JUL-91	Y	4800.000		UG/L		399-8-3	20-DEC-91		4400.000		UG/L		
	11-JUL-91		5000.000		UG/L			20-DEC-91		5100.000		UG/L		
	11-JUL-91		4500.000		UG/L			20-DEC-91		4400.000		UG/L		
399-1-17C	06-DEC-91		4500.000		UG/L		699-1-18	20-DEC-91		4700.000		UG/L		
	06-DEC-91		5300.000		UG/L			18-DEC-91		5300.000		UG/L		
	11-JUL-91	Y	1300.000		UG/L			09-OCT-91		4.600		MG/L		
399-1-17D	11-JUL-91		1600.000		UG/L		699-1-18	23-DEC-91		6600.000		UG/L		
	11-JUL-91		340.000		UG/L			09-DEC-91		7100.000		UG/L		
	10-DEC-91		500.000		UG/L			09-DEC-91		4100.000		UG/L		
399-1-17E	11-DEC-91	Y	5400.000		UG/L		699-2-7	09-DEC-91		4100.000		UG/L		
	11-DEC-91		5900.000		UG/L			18-DEC-91		7800.000		UG/L		
	10-DEC-91		5400.000		UG/L			27-AUG-91		7800.000		UG/L		
399-1-17F	10-DEC-91		5500.000		UG/L		699-23-34	26-DEC-91		7800.000		UG/L		
	15-JUL-91	Y	6100.000		UG/L			28-AUG-91		6400.000		UG/L		
	15-JUL-91		6500.000		UG/L			27-DEC-91		8100.000		UG/L		
399-1-17G	13-DEC-91		5600.000		UG/L		699-24-34A	27-AUG-91		7800.000		UG/L		
	13-DEC-91		5700.000		UG/L									
	09-JUL-91	Y	1900.000		UG/L									
399-1-17H	09-JUL-91		1800.000		UG/L									
	01-DEC-91		2500.000		UG/L									
	01-DEC-91		2600.000		UG/L									
399-2-1	09-JUL-91	Y	2100.000		UG/L									

POTASSIUM DATA							POTASSIUM DATA						
WELL NAME	SAMPLE DATE	FILTERED	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW	WELL NAME	SAMPLE DATE	FILTERED	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
699-24-34A	26-DEC-91		7100.000		UG/L		699-41-40	11-SEP-91		4300.000		UG/L	
699-24-34B	27-AUG-91		7500.000		UG/L		699-42-2	09-DEC-91		4800.000		UG/L	
	26-DEC-91		7400.000		UG/L		699-42-40A	08-JUL-91	Y	2400.000		UG/L	
699-24-34C	27-AUG-91		7400.000		UG/L			08-JUL-91		2200.000		UG/L	
	26-DEC-91		7500.000		UG/L		699-42-42B	08-JUL-91	Y	4400.000		UG/L	
699-24-35	28-AUG-91		8100.000		UG/L			08-JUL-91		4100.000		UG/L	
	27-DEC-91		7500.000		UG/L		699-43-3	18-JUL-91		4.800		MG/L	
699-25-33A	27-AUG-91	Y	4100.000		UG/L		699-43-41E	28-JUN-91	Y	5100.000		UG/L	
	27-AUG-91		4200.000		UG/L			28-JUN-91	Y	4000.000		UG/L	
699-25-34A	27-AUG-91	Y	6700.000		UG/L			28-JUN-91		5300.000		UG/L	
	27-AUG-91		7000.000		UG/L			28-JUN-91		4200.000		UG/L	
699-25-34B	27-AUG-91	Y	7200.000		UG/L		699-43-41F	02-JUL-91	Y	4600.000		UG/L	
	27-AUG-91		6500.000		UG/L			02-JUL-91		3500.000		UG/L	
699-25-34C	27-AUG-91		5900.000		UG/L		699-43-42J	02-JUL-91	Y	4700.000		UG/L	
	26-DEC-91		7100.000		UG/L			02-JUL-91		5200.000		UG/L	
699-26-33	27-AUG-91	Y	5000.000		UG/L		699-43-43	08-JUL-91	Y	5600.000		UG/L	
	27-AUG-91		4600.000		UG/L			08-JUL-91		5600.000		UG/L	
699-26-35A	27-AUG-91		5200.000		UG/L		699-43-45	08-JUL-91	Y	5200.000		UG/L	
	27-AUG-91		5200.000		UG/L			11-SEP-91	Y	4900.000		UG/L	
	27-DEC-91		6900.000		UG/L			08-JUL-91		5000.000		UG/L	
699-26-35C	27-AUG-91	Y	5000.000		UG/L			11-SEP-91		5200.000		UG/L	
	27-AUG-91		4700.000		UG/L		699-44-42	10-JUL-91	Y	4200.000		UG/L	
699-32-77	29-MAR-91		3.600		MG/L			10-JUL-91		4500.000		UG/L	
699-34-8	21-AUG-91	Y	5500.000		UG/L		699-44-43B	08-JUL-91	Y	4600.000		UG/L	
	21-AUG-91		5700.000		UG/L			11-SEP-91	Y	5100.000		UG/L	
699-37-E4	24-SEP-91		4.800		MG/L			08-JUL-91		4900.000		UG/L	
699-38-70	30-DEC-91		7300.000		UG/L		699-45-2	09-DEC-91		4800.000		UG/L	
	30-DEC-91		6700.000		UG/L		699-45-69A	30-DEC-91		3500.000		UG/L	
699-39-0	22-AUG-91		6.500		MG/L			30-DEC-91		4000.000		UG/L	
699-40-1	29-MAR-91		4.700		MG/L		699-46-4	19-JUL-91		5.400		MG/L	
	26-JUN-91		6.700		MG/L		699-47-5	19-JUL-91		5.200		MG/L	
699-40-39	08-JUL-91	Y	5100.000		UG/L		699-48-18	31-JAN-91		3.700		MG/L	
	11-SEP-91	Y	4300.000		UG/L			04-APR-91		6.000		MG/L	
	11-SEP-91		4400.000		UG/L		699-49-100C	20-JUN-91		6.500		MG/L	
699-40-40B	01-JAN-92	Y	4000.000		UG/L			09-DEC-91		3300.000		UG/L	
	01-JAN-92		6800.000		UG/L		699-51-75	30-JAN-91	Y	1.400		MG/L	
699-40-62	30-DEC-91		5400.000		UG/L		699-55-76	23-AUG-91		6.000		MG/L	
	30-DEC-91		5600.000		UG/L		699-63-25A	22-AUG-91		5.600		MG/L	
699-41-40	10-JUL-91	Y	4300.000		UG/L								
	11-SEP-91	Y	4900.000		UG/L								
	10-JUL-91		3900.000		UG/L								

POTASSIUM DATA

WELL NAME	SAMPLE DATE	FILTERED CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
699-67-86	30-JAN-91	3.800		MG/L	
699-72-88	23-AUG-91	3.100		MG/L	
699-78-62	30-JAN-91	3.500		MG/L	
699-81-58	04-SEP-91	2900.000	Y	UG/L	
	04-SEP-91	3000.000		UG/L	
	04-SEP-91	2400.000	Y	UG/L	
	04-SEP-91	2300.000		UG/L	
699-83-47	31-JAN-91	3.000		MG/L	
699-87-55	12-SEP-91	9.000		MG/L	
699-96-49	23-AUG-91	4.500		MG/L	
699-97-43	12-SEP-91	3.000		MG/L	
699-97-51A	12-SEP-91	5.000		MG/L	
699-S19-E13	01-FEB-91	4.000		MG/L	
	29-MAR-91	6.400		MG/L	
	21-JUN-91	4.400		MG/L	
	13-DEC-91	7100.000		UG/L	
699-S27-E14	10-DEC-91	7000.000		UG/L	
699-S29-E12	09-DEC-91	5400.000		U2/L	
699-S3-25	20-DEC-91	7600.000		UG/L	
699-S30-E10A	24-JUL-91	7.000		MG/L	
	10-DEC-91	9600.000		UG/L	
699-S30-E10B	24-JUL-91	8.000		MG/L	
	10-DEC-91	9800.000		UG/L	
699-S30-E15A	29-MAR-91	4.700		MG/L	
	21-JUN-91	4.800		MG/L	
699-S31-1	20-DEC-91	4000.000		UG/L	
699-S31-E10A	23-JUL-91	9.000		MG/L	
699-S31-E10B	23-JUL-91	9.000		MG/L	
699-S31-E10C	23-JUL-91	8.000		MG/L	
699-S31-E10D	23-JUL-91	6.000		MG/L	
699-S31-E13	24-JUL-91	8.000		MG/L	
699-S31-E8	24-JUL-91	5.000		MG/L	
699-S32-E13A	24-JUL-91	8.000		MG/L	
699-S32-E13B	25-JUL-91	8.000		MG/L	
699-S32-E8	25-JUL-91	7.000		MG/L	

POTASSIUM DATA

WELL NAME	SAMPLE DATE	FILTERED CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
699-S34-E10	25-JUL-91	8.000		MG/L	
699-S36-E13A	30-AUG-91	7.000		MG/L	
699-S37-E11	29-AUG-91	4.200		MG/L	
699-S37-E14	29-AUG-91	1.600		MG/L	
	17-OCT-91		U	MG/L	
699-S38-E11	29-AUG-91	5.300		MG/L	
699-S38-E12A	29-AUG-91	4.500		MG/L	
699-S38-E12B	29-AUG-91	3.800		MG/L	
699-S40-E14	29-AUG-91		U	MG/L	
699-S41-E11	30-AUG-91	10.000		MG/L	
699-S41-E13A	29-AUG-91	3.200		MG/L	
	17-OCT-91	3.000		MG/L	
699-S41-E13B	29-AUG-91	5.600		MG/L	
	17-OCT-91	4.800		MG/L	
699-S41-E13C	29-AUG-91	3.400		MG/L	
699-S8-19	13-DEC-91	7800.000		UG/L	

CALCIUM DATA						CALCIUM DATA					
WELL NAME	SAMPLE DATE	FILTERED CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW	WELL NAME	SAMPLE DATE	FILTERED CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
199-H4-13C	31-MAY-91	49.700		MG/L		199-H4-4	16-AUG-91	30000.000		UG/L	
199-H4-5	18-SEP-91	49.400		MG/L			18-SEP-91	64000.000		UG/L	
199-H4-6	19-SEP-91	50.600		MG/L			24-OCT-91	70000.000		UG/L	
199-H4-7	18-SEP-91	52.600		MG/L		199-H4-5	12-DEC-91	56000.000		UG/L	
199-H4-4	19-SEP-91	83000.000		UG/L			22-AUG-91	81000.000		UG/L	
199-H4-1	19-SEP-91	60000.000	Y	MG/L		199-H4-6	13-SEP-91	80000.000		UG/L	
199-H3-1	06-JUN-91	33000.000		UG/L			10-JUN-91	80000.000		UG/L	
199-H3-2A	06-JUN-91	55000.000		UG/L		199-H4-7	12-SEP-91	78000.000		UG/L	
199-H3-2B	12-SEP-91	48000.000		UG/L			06-JUN-91	65000.000		UG/L	
199-H4-11	22-AUG-91	57000.000		UG/L		199-H4-8	12-SEP-91	59000.000		UG/L	
199-H3-2C	06-JUN-91	25000.000		UG/L			16-AUG-91	85000.000		UG/L	
199-H4-12A	13-SEP-91	25000.000		UG/L		199-H4-9	12-SEP-91	74000.000		UG/L	
199-H4-12B	07-JUN-91	37000.000		UG/L			06-JUN-91	73000.000		UG/L	
199-H4-12C	12-SEP-91	75000.000		UG/L			01-AUG-91	77000.000		UG/L	
199-H4-13	07-JUN-91	30000.000		UG/L			16-AUG-91	79000.000		UG/L	
199-H4-14	12-SEP-91	86000.000		UG/L		199-H4-11	12-SEP-91	67000.000		UG/L	
199-H4-15A	22-AUG-91	75000.000		UG/L		199-H4-12A	13-NOV-91	65000.000		UG/L	
199-H4-15B	07-JUN-91	31000.000		UG/L			12-DEC-91	35000.000		UG/L	
199-H4-16	13-SEP-91	32000.000		UG/L		199-K-11	26-SEP-91	32000.000	Y	UG/L	
199-H4-17	22-AUG-91	52000.000		UG/L		199-N-14	18-SEP-91	24000.000	Y	UG/L	
199-H4-18	07-JUN-91	50000.000		UG/L			18-SEP-91	24000.000	Y	UG/L	
199-H4-3	13-SEP-91	56000.000		UG/L			01-NOV-91	24000.000	Y	UG/L	
	22-AUG-91	48000.000		UG/L			05-DEC-91	53000.000	Y	UG/L	
	13-SEP-91	50000.000		UG/L		199-N-17	05-SEP-91	170000.000	Y	UG/L	
	22-AUG-91	47000.000		UG/L			05-SEP-91	160000.000		UG/L	
	07-JUN-91	62000.000		UG/L		199-N-21	05-SEP-91	130000.000	Y	UG/L	
	16-AUG-91	72000.000		UG/L			05-SEP-91	130000.000		UG/L	
	13-SEP-91	65000.000		UG/L		199-N-29	04-SEP-91	32000.000	Y	UG/L	
	07-JUN-91	51000.000		UG/L			04-SEP-91	31000.000		UG/L	
	01-AUG-91	52000.000		UG/L		199-N-3	05-DEC-91	53000.000	Y	UG/L	
	16-AUG-91	120000.000		UG/L		199-N-32	18-SEP-91	24000.000	Y	UG/L	
	13-SEP-91	120000.000		UG/L			18-SEP-91	25000.000		UG/L	
	13-SEP-91	45000.000		UG/L		199-N-33	04-SEP-91	35000.000	Y	UG/L	
	24-OCT-91	46000.000		UG/L			04-SEP-91	38000.000		UG/L	
	13-NOV-91	19000.000		UG/L		199-N-36	04-SEP-91	27000.000	Y	UG/L	
	12-DEC-91	15000.000		UG/L			04-SEP-91	28000.000		UG/L	
199-H4-4	06-JUN-91	26000.000		UG/L		199-N-41	30-AUG-91	22000.000	Y	UG/L	
	01-AUG-91	52000.000		UG/L			30-AUG-91	22000.000		UG/L	
						199-N-47	05-SEP-91	110000.000	Y	UG/L	
							05-NOV-91	130000.000	Y	UG/L	

CALCIUM DATA							CALCIUM DATA						
WELL NAME	SAMPLE DATE	FILTERED	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW	WELL NAME	SAMPLE DATE	FILTERED	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
199-N-47	05-SEP-91		110000.000		UG/L		299-E17-17	26-AUG-91	Y	28000.000		UG/L	
	05-NOV-91		130000.000		UG/L			26-AUG-91		28000.000		UG/L	
199-N-54	05-SEP-91	Y	110000.000		UG/L		299-E17-18	26-AUG-91	Y	25000.000		UG/L	
	05-NOV-91	Y	120000.000		UG/L			26-AUG-91		25000.000		UG/L	
	05-SEP-91		110000.000		UG/L			19-DEC-91		27000.000		UG/L	
	05-NOV-91		120000.000		UG/L			19-DEC-91		27000.000		UG/L	
199-N-55	05-SEP-91	Y	140000.000		UG/L		299-E17-20	24-JUL-91	Y	59000.000		UG/L	
	05-NOV-91	Y	120000.000		UG/L			14-AUG-91	Y	61000.000		UG/L	
	05-SEP-91		130000.000		UG/L			30-SEP-91	Y	57000.000		UG/L	
	05-NOV-91		130000.000		UG/L			24-JUL-91		56000.000		UG/L	
199-N-56	05-SEP-91	Y	140000.000		UG/L		299-E17-5	14-AUG-91		61000.000		UG/L	
	05-NOV-91	Y	100000.000		UG/L			30-SEP-91	Y	59000.000		UG/L	
	05-SEP-91		140000.000		UG/L			26-AUG-91	Y	29000.000		UG/L	
	05-NOV-91		100000.000		UG/L			26-AUG-91		29000.000		UG/L	
199-N-57	05-NOV-91	Y	910000.000		UG/L		299-E18-1	09-JUL-91	Y	60000.000		UG/L	
	05-NOV-91		900000.000		UG/L			06-SEP-91	Y	58000.000		UG/L	
199-N-59	03-SEP-91	Y	16000.000		UG/L		299-E18-2	09-JUL-91		60000.000		UG/L	
	03-SEP-91		16000.000		UG/L			06-SEP-91		58000.000		UG/L	
199-N-66	05-NOV-91	Y	29000.000		UG/L		299-E18-3	06-SEP-91	Y	27000.000		UG/L	
	05-NOV-91		31000.000		UG/L			06-SEP-91		29000.000		UG/L	
199-N-67	22-NOV-91		31000.000		UG/L		299-E18-4	06-SEP-91	Y	32000.000		UG/L	
	22-NOV-91		29000.000		UG/L			06-SEP-91		33000.000		UG/L	
199-N-69	22-NOV-91		20000.000		UG/L		299-E24-16	20-AUG-91	Y	41000.000		UG/L	
	22-NOV-91		21000.000		UG/L			20-AUG-91		42000.000		UG/L	
199-N-70	04-SEP-91	Y	20000.000		UG/L		299-E24-17	13-AUG-91	Y	44000.000		UG/L	
	04-SEP-91		20000.000		UG/L			13-AUG-91		43000.000		UG/L	
299-E13-14	11-JUN-91		45000.000		UG/L		299-E24-18	13-AUG-91	Y	31000.000		UG/L	
	13-AUG-91	Y	56000.000		UG/L			13-AUG-91		31000.000		UG/L	
299-E17-1	13-AUG-91		55000.000		UG/L		299-E24-19	26-JUL-91	Y	27000.000		UG/L	
	13-AUG-91		29000.000		UG/L			22-NOV-91	Y	24000.000		UG/L	
299-E17-12	13-SEP-91		29000.000		UG/L		299-E24-20	26-JUL-91		27000.000		UG/L	
	18-JUN-91		30000.000		UG/L			22-NOV-91		24000.000		UG/L	
299-E17-13	13-SEP-91		28000.000		UG/L		299-E24-4	15-NOV-91	Y	33000.000		UG/L	
	28-AUG-91	Y	49000.000		UG/L			15-NOV-91		35000.000		UG/L	
299-E17-14	28-AUG-91		50000.000		UG/L		299-E24-18	03-OCT-91		25000.000		UG/L	
	28-AUG-91	Y	57000.000		UG/L			12-JUL-91	Y	30000.000		UG/L	
299-E17-15	01-OCT-91	Y	71000.000		UG/L		299-E25-18	31-JUL-91	Y	32000.000		UG/L	
	03-SEP-91		58000.000		UG/L			01-OCT-91	Y	30000.000		UG/L	
	01-OCT-91		68000.000		UG/L			12-JUL-91		30000.000		UG/L	
	19-DEC-91		63000.000		UG/L			31-JUL-91		32000.000		UG/L	
299-E17-16	19-DEC-91		66000.000		UG/L		299-E25-19	01-OCT-91		31000.000		UG/L	
	28-AUG-91	Y	45000.000		UG/L			18-JUL-91	Y	42000.000		UG/L	
	28-AUG-91		47000.000		UG/L			01-OCT-91	Y	42000.000		UG/L	
	19-DEC-91		36000.000		UG/L			18-JUL-91		43000.000		UG/L	
	19-DEC-91		36000.000		UG/L			01-OCT-91		42000.000		UG/L	

CALCIUM DATA							CALCIUM DATA						
WELL NAME	SAMPLE DATE	FILTERED	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW	WELL NAME	SAMPLE DATE	FILTERED	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
299-E25-20	16-JUL-91	Y	38000.000		UG/L		299-E25-36	20-AUG-91		29000.000		UG/L	
	03-OCT-91	Y	22000.000		UG/L			20-AUG-91		28000.000		UG/L	
	16-JUL-91		38000.000		UG/L			30-SEP-91		28000.000		UG/L	
299-E25-21	03-OCT-91		23000.000		UG/L		299-E25-37	26-JUN-91	Y	22000.000		UG/L	
	11-JUL-91	Y	19000.000		UG/L			16-SEP-91	Y	22000.000		UG/L	
	11-JUL-91		17000.000		UG/L			26-JUN-91		22000.000		UG/L	
299-E25-25	25-JUN-91	Y	20000.000		UG/L		299-E25-38	26-JUN-91	Y	20000.000		UG/L	
	25-JUN-91	Y	20000.000		UG/L			16-SEP-91	Y	21000.000		UG/L	
	16-SEP-91	Y	19000.000		UG/L			26-JUN-91		20000.000		UG/L	
299-E25-26	25-JUN-91		21000.000		UG/L		299-E25-39	16-SEP-91		20000.000		UG/L	
	25-JUN-91		20000.000		UG/L			26-JUN-91	Y	20000.000		UG/L	
	16-SEP-91	Y	19000.000		UG/L			16-SEP-91	Y	20000.000		UG/L	
299-E25-28	27-SEP-91	Y	21000.000		UG/L		299-E25-40	20-JUL-91	Y	34000.000		UG/L	
	12-JUL-91	Y	22000.000		UG/L			20-JUL-91	Y	33000.000		UG/L	
	27-SEP-91		22000.000		UG/L			20-NOV-91	Y	32000.000		UG/L	
299-E25-29P	25-JUN-91	Y	26000.000		UG/L		299-E25-41	20-JUL-91		34000.000		UG/L	
	01-NOV-91	Y	24000.000		UG/L			26-JUL-91	Y	32000.000		UG/L	
	25-JUN-91		26000.000		UG/L			21-NOV-91	Y	34000.000		UG/L	
299-E25-31	25-JUN-91	Y	24000.000		UG/L		299-E26-10	21-NOV-91		36000.000		UG/L	
	16-SEP-91	Y	38000.000		UG/L			27-JUN-91	Y	33000.000		UG/L	
	25-JUN-91	Y	23000.000		UG/L			25-SEP-91	Y	40000.000		UG/L	
299-E25-32P	16-SEP-91		29000.000		UG/L		299-E26-11	27-JUN-91		33000.000		UG/L	
	19-JUL-91	Y	21000.000		UG/L			27-SEP-91		41000.000		UG/L	
	19-JUL-91	Y	21000.000		UG/L			27-JUN-91	Y	29000.000		UG/L	
299-E25-33	26-SEP-91	Y	20000.000		UG/L		299-E26-9	27-SEP-91	Y	30000.000		UG/L	
	19-JUL-91	Y	21000.000		UG/L			27-SEP-91	Y	29000.000		UG/L	
	19-JUL-91	Y	21000.000		UG/L			27-JUN-91	Y	30000.000		UG/L	
299-E25-34	26-SEP-91		19000.000		UG/L		299-E27-10	27-SEP-91		31000.000		UG/L	
	27-JUN-91	Y	24000.000		UG/L			27-SEP-91		29000.000		UG/L	
	16-SEP-91	Y	26000.000		UG/L			27-JUN-91	Y	43000.000		UG/L	
299-E25-35	27-JUN-91	Y	25000.000		UG/L		299-E27-11	25-SEP-91	Y	22000.000		UG/L	
	16-SEP-91	Y	27000.000		UG/L			27-JUN-91	Y	43000.000		UG/L	
	27-SEP-91	Y	23000.000		UG/L			25-SEP-91		26000.000		UG/L	
299-E25-36	27-SEP-91		23000.000		UG/L		299-E27-12	31-JUL-91	Y	33000.000		UG/L	
	19-JUL-91	Y	60000.000		UG/L			31-JUL-91		33000.000		UG/L	
	19-JUL-91	Y	61000.000		UG/L			06-NOV-91	Y	37000.000		UG/L	
299-E25-36	01-OCT-91	Y	60000.000		UG/L		299-E27-13	06-NOV-91		38000.000		UG/L	
	16-OCT-91	Y	59000.000		UG/L			23-JUL-91	Y	26000.000		UG/L	
	19-JUL-91	Y	64000.000		UG/L			18-NOV-91	Y	26000.000		UG/L	
299-E25-36	19-JUL-91		65000.000		UG/L		299-E27-13	23-JUL-91	Y	27000.000		UG/L	
	01-OCT-91		60000.000		UG/L			15-NOV-91	Y	27000.000		UG/L	
	16-OCT-91		62000.000		UG/L								
299-E25-36	11-JUL-91	Y	28000.000		UG/L		299-E27-13	23-JUL-91	Y	27000.000		UG/L	
	30-SEP-91	Y	28000.000		UG/L			15-NOV-91	Y	27000.000		UG/L	
	11-JUL-91		28000.000		UG/L								

WELL NAME	CALCIUM DATA					WELL NAME	CALCIUM DATA				
	SAMPLE DATE	FILTERED	CONCENTRATION	QUALIFIER	UNITS		SAMPLE DATE	FILTERED	CONCENTRATION	QUALIFIER	UNITS
					DATA REVIEW						DATA REVIEW
299-E27-13	23-JUL-91		28000.000		UG/L	299-E32-4	05-AUG-91		46000.000		UG/L
	15-NOV-91		26000.000		UG/L		23-SEP-91		43000.000		UG/L
299-E27-14	23-JUL-91	Y	34000.000		UG/L	299-E32-5	02-AUG-91	Y	59000.000		UG/L
	23-JUL-91		35000.000		UG/L		20-SEP-91	Y	58000.000		UG/L
299-E27-15	24-JUL-91	Y	25000.000		UG/L		02-AUG-91		60000.000		UG/L
	21-NOV-91	Y	27000.000		UG/L		20-SEP-91		56000.000		UG/L
	24-JUL-91		27000.000		UG/L	299-E33-28	31-JUL-91	Y	25000.000		UG/L
	21-NOV-91		26000.000		UG/L		24-SEP-91	Y	29000.000		UG/L
299-E27-16	09-SEP-91	Y	22000.000		UG/L		31-JUL-91		29000.000		UG/L
	09-SEP-91		22000.000		UG/L	299-E33-29	24-SEP-91		29000.000		UG/L
299-E27-5	09-JAN-91		24.700		MG/L		31-JUL-91	Y	29000.000		UG/L
299-E27-7	25-JUL-91	Y	25000.000		UG/L		23-SEP-91	Y	28000.000		UG/L
	25-JUL-91		24000.000		UG/L		31-JUL-91		29000.000		UG/L
299-E27-8	01-AUG-91	Y	40000.000		UG/L	299-E33-3	23-SEP-91		28000.000		UG/L
	01-AUG-91		40000.000		UG/L		08-JAN-91		37.400		MG/L
299-E27-9	26-JUL-91	Y	40000.000		UG/L	299-E33-30	05-AUG-91	Y	28000.000		UG/L
	26-JUL-91		39000.000		UG/L		23-SEP-91	Y	28000.000		UG/L
299-E28-18	13-SEP-91		43000.000		UG/L		05-AUG-91		29000.000		UG/L
	13-SEP-91		43000.000		UG/L	299-E33-31	23-JUL-91	Y	32000.000		UG/L
299-E28-26	06-AUG-91	Y	54000.000		UG/L		15-NOV-91	Y	32000.000		UG/L
	23-SEP-91	Y	50000.000		UG/L		23-JUL-91		32000.000		UG/L
	06-AUG-91		54000.000		UG/L	299-E33-32	23-JUL-91	Y	30000.000		UG/L
	23-SEP-91		51000.000		UG/L		22-NOV-91	Y	28000.000		UG/L
299-E28-27	01-AUG-91	Y	32000.000		UG/L		23-JUL-91		29000.000		UG/L
	23-SEP-91	Y	29000.000		UG/L		22-NOV-91		29000.000		UG/L
	01-JAN-92	Y	30000.000		UG/L	299-E33-33	22-JUL-91	Y	31000.000		UG/L
	01-AUG-91		31000.000		UG/L		15-NOV-91	Y	28000.000		UG/L
	23-SEP-91		30000.000		UG/L		22-JUL-91		31000.000		UG/L
	01-JAN-92		30000.000		UG/L	299-E33-34	15-NOV-91		29000.000		UG/L
299-E28-28	02-AUG-91	Y	53000.000		UG/L		02-AUG-91	Y	35000.000		UG/L
	23-SEP-91	Y	49000.000		UG/L		20-SEP-91	Y	39000.000		UG/L
	02-AUG-91		52000.000		UG/L		02-AUG-91		36000.000		UG/L
	23-SEP-91		49000.000		UG/L		20-SEP-91		39000.000		UG/L
299-E32-2	02-AUG-91	Y	33000.000		UG/L	299-E33-35	30-JUL-91	Y	30000.000		UG/L
	23-SEP-91	Y	30000.000		UG/L		24-SEP-91	Y	29000.000		UG/L
	02-AUG-91		33000.000		UG/L		30-JUL-91		30000.000		UG/L
	23-SEP-91		30000.000		UG/L	299-E33-36	24-SEP-91		29000.000		UG/L
299-E32-3	02-AUG-91	Y	52000.000		UG/L		30-JUL-91		29000.000		UG/L
	20-SEP-91	Y	48000.000		UG/L		21-AUG-91		30000.000		UG/L
	02-AUG-91	Y	52000.000		UG/L	299-E33-37	09-SEP-91	Y	27000.000		UG/L
	20-SEP-91		53000.000		UG/L		09-SEP-91		54000.000		UG/L
	20-SEP-91		49000.000		UG/L	299-E33-41	21-NOV-91	Y	37000.000		UG/L
	20-SEP-91		47000.000		UG/L		21-NOV-91	Y	32000.000		UG/L
299-E32-4	05-AUG-91	Y	46000.000		UG/L		21-NOV-91		31000.000		UG/L
	05-AUG-91	Y	45000.000		UG/L		21-NOV-91		30000.000		UG/L
	23-SEP-91	Y	43000.000		UG/L		21-NOV-91		30000.000		UG/L
	05-AUG-91		45000.000		UG/L						

CALCIUM DATA							CALCIUM DATA						
WELL NAME	SAMPLE DATE	FILTERED	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW	WELL NAME	SAMPLE DATE	FILTERED	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
299-E34-1	18-JAN-91		39.500		MG/L		299-W14-6	03-JAN-91		43.900		MG/L	
299-E34-2	30-JUL-91	Y	41000.000		UG/L		299-W15-11	02-JAN-91		48.200		MG/L	
	30-JUL-91	Y	42000.000		UG/L		299-W15-16	05-AUG-91	Y	65000.000		UG/L	
	30-JUL-91		41000.000		UG/L		05-AUG-91			65000.000		UG/L	
299-E34-3	29-JUL-91	Y	49000.000		UG/L		299-W15-17	06-AUG-91	Y	41000.000		UG/L	
	29-JUL-91		49000.000		UG/L		06-AUG-91	Y		42000.000		UG/L	
299-E34-5	29-JUL-91	Y	52000.000		UG/L			06-AUG-91		41000.000		UG/L	
	29-JUL-91		51000.000		UG/L		299-W15-18	09-AUG-91	Y	42000.000		UG/L	
299-E34-7	04-NOV-91	Y	58000.000		UG/L			09-AUG-91		41000.000		UG/L	
	04-NOV-91		55000.000		UG/L		299-W15-19	14-NOV-91	Y	49000.000		UG/L	
299-E35-2	27-JUN-91	Y	42000.000		UG/L			14-NOV-91		48000.000		UG/L	
	27-JUN-91	Y	42000.000		UG/L		299-W15-20	05-AUG-91	Y	28000.000		UG/L	
	25-SEP-91	Y	26000.000		UG/L			12-NOV-91	Y	25000.000		UG/L	
	27-JUN-91		43000.000		UG/L			05-AUG-91		28000.000		UG/L	
	27-JUN-91		44000.000		UG/L			12-NOV-91		26000.000		UG/L	
	25-SEP-91		26000.000		UG/L		299-W15-22	24-SEP-91	Y	49000.000		UG/L	
299-W10-13	08-AUG-91	Y	45000.000		UG/L			24-SEP-91		49000.000		UG/L	
	07-NOV-91	Y	45000.000		UG/L		299-W15-23	05-AUG-91	Y	29000.000		UG/L	
	08-AUG-91		44000.000		UG/L			13-NOV-91	Y	28000.000		UG/L	
	07-NOV-91		44000.000		UG/L			05-AUG-91		29000.000		UG/L	
299-W10-14	14-AUG-91	Y	36000.000		UG/L			13-NOV-91		28000.000		UG/L	
	07-NOV-91	Y	36000.000		UG/L		299-W15-24	05-AUG-91	Y	25000.000		UG/L	
	14-AUG-91		36000.000		UG/L			12-NOV-91	Y	24000.000		UG/L	
	07-NOV-91		37000.000		UG/L			05-AUG-91		25000.000		UG/L	
299-W10-15	22-JUL-91	Y	42000.000		UG/L			12-NOV-91		24000.000		UG/L	
	04-OCT-91	Y	43000.000		UG/L		299-W18-21	07-AUG-91	Y	23000.000		UG/L	
	22-JUL-91		45000.000		UG/L			07-AUG-91		23000.000		UG/L	
	04-OCT-91		44000.000		UG/L		299-W18-22	06-AUG-91	Y	37000.000		UG/L	
	04-OCT-91		46000.000		UG/L			06-AUG-91		37000.000		UG/L	
299-W10-16	22-JUL-91	Y	39000.000		UG/L		299-W18-23	09-AUG-91	Y	27000.000		UG/L	
	24-SEP-91	Y	37000.000		UG/L			09-AUG-91		28000.000		UG/L	
	22-JUL-91		38000.000		UG/L		299-W18-24	09-AUG-91	Y	23000.000		UG/L	
	22-JUL-91		36.000		MG/L			09-AUG-91	Y	23000.000		UG/L	
	24-SEP-91		37000.000		UG/L			09-AUG-91		24000.000		UG/L	
299-W10-17	09-OCT-91	Y	23000.000		UG/L			09-AUG-91		22000.000		UG/L	
	09-OCT-91		24000.000		UG/L		299-W18-25	01-OCT-91	Y	18000.000		UG/L	
299-W10-18	24-SEP-91	Y	56000.000		UG/L			01-OCT-91		18000.000		UG/L	
	24-SEP-91		56000.000		UG/L		299-W18-26	07-AUG-91	Y	27000.000		UG/L	
299-W10-4	02-JAN-91		29.300		MG/L			12-NOV-91	Y	27000.000		UG/L	
299-W10-9	03-OCT-91	Y	55000.000		UG/L			07-AUG-91		27000.000		UG/L	
	22-JUL-91		59000.000		UG/L			12-NOV-91		27000.000		UG/L	
	22-JUL-91		60000.000		UG/L		299-W18-29	09-OCT-91		23000.000		UG/L	
	03-OCT-91		54000.000		UG/L			09-OCT-91		24000.000		UG/L	
299-W14-5	02-JAN-91		65.200		MG/L								

CALCIUM DATA							CALCIUM DATA						
WELL NAME	SAMPLE DATE	FILTERED	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW	WELL NAME	SAMPLE DATE	FILTERED	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
299-W19-18	02-JAN-91		33.800		MG/L		299-W6-2	13-NOV-91		38000.000		UG/L	
299-W19-29	25-NOV-91	Y	100000.000		UG/L		299-W7-1	07-AUG-91	Y	47000.000		UG/L	
	14-JUN-91		140000.000		UG/L			08-NOV-91	Y	45000.000		UG/L	
	25-NOV-91		100000.000		UG/L			07-AUG-91		46000.000		UG/L	
	25-NOV-91		100000.000		UG/L			08-NOV-91		46000.000		UG/L	
299-W19-30	13-JUN-91		260000.000		UG/L		299-W7-10	09-AUG-91	Y	32000.000		UG/L	
	01-OCT-91	Y	38000.000		UG/L			14-NOV-91	Y	31000.000		UG/L	
299-W19-31	01-OCT-91		37000.000		UG/L			09-AUG-91		31000.000		UG/L	
	01-OCT-91	Y	31000.000		UG/L		299-W7-2	07-AUG-91	Y	30000.000		UG/L	
299-W19-32	01-OCT-91		31000.000		UG/L			08-NOV-91	Y	30000.000		UG/L	
299-W22-20	03-OCT-91		83000.000		UG/L			07-AUG-91		30000.000		UG/L	
299-W22-39	14-NOV-91	Y	22000.000		UG/L		299-W7-3	08-AUG-91	Y	30000.000		UG/L	
	14-NOV-91		21000.000		UG/L			08-NOV-91	Y	29000.000		UG/L	
299-W22-40	03-SEP-91	Y	39000.000		UG/L			08-AUG-91		29000.000		UG/L	
	03-SEP-91		40000.000		UG/L		299-W7-4	08-NOV-91		29000.000		UG/L	
299-W22-41	03-SEP-91	Y	88000.000		UG/L			12-AUG-91	Y	57000.000		UG/L	
	03-SEP-91		90000.000		UG/L			13-NOV-91	Y	51000.000		UG/L	
299-W22-42	03-SEP-91	Y	71000.000		UG/L			12-AUG-91		56000.000		UG/L	
	03-SEP-91		68000.000		UG/L		299-W7-5	13-NOV-91		53000.000		UG/L	
299-W22-43	04-SEP-91	Y	33000.000		UG/L			09-AUG-91	Y	43000.000		UG/L	
	04-SEP-91	Y	32000.000		UG/L			11-NOV-91	Y	40000.000		UG/L	
	04-SEP-91		34000.000		UG/L			09-AUG-91		42000.000		UG/L	
	04-SEP-91		33000.000		UG/L		299-W7-6	11-NOV-91		40000.000		UG/L	
299-W23-13	03-OCT-91	Y	23000.000		UG/L			08-NOV-91	Y	10000.000		UG/L	
	03-OCT-91		24000.000		UG/L			12-AUG-91		40000.000		UG/L	
299-W23-14	09-OCT-91	Y	15000.000		UG/L			08-NOV-91		12000.000		UG/L	
	09-OCT-91		15000.000		UG/L		299-W7-7	09-AUG-91	Y	30000.000		UG/L	
299-W26-10	21-AUG-91	Y	21000.000		UG/L			08-NOV-91	Y	31000.000		UG/L	
	21-AUG-91		20000.000		UG/L			09-AUG-91	Y	31000.000		UG/L	
299-W26-12	28-AUG-91	Y	14000.000		UG/L			09-AUG-91		30000.000		UG/L	
	28-AUG-91		15000.000		UG/L		299-W7-8	08-NOV-91	Y	30000.000		UG/L	
299-W26-8	28-AUG-91	Y	21000.000		UG/L			09-AUG-91	Y	36000.000		UG/L	
	28-AUG-91	Y	12000.000		UG/L			11-NOV-91	Y	34000.000		UG/L	
	28-AUG-91		22000.000		UG/L			09-AUG-91		36000.000		UG/L	
	28-AUG-91		22000.000		UG/L		299-W7-9	11-NOV-91		33000.000		UG/L	
	30-DEC-91		19800.000		UG/L			09-AUG-91	Y	36000.000		UG/L	
	30-DEC-91		20000.000		UG/L			08-NOV-91	Y	38000.000		UG/L	
299-W26-9	20-AUG-91	Y	22000.000		UG/L			09-AUG-91	Y	36000.000		UG/L	
	20-AUG-91		21000.000		UG/L			13-NOV-91		43000.000		UG/L	
299-W6-2	12-AUG-91	Y	41000.000		UG/L		299-W8-1	13-NOV-91		43000.000		UG/L	
	12-AUG-91	Y	40000.000		UG/L			08-AUG-91	Y	46000.000		UG/L	
	13-NOV-91	Y	39000.000		UG/L			13-NOV-91	Y	43000.000		UG/L	
	12-AUG-91		41000.000		UG/L			13-NOV-91		43000.000		UG/L	
	12-AUG-91		41000.000		UG/L		299-W9-1	08-AUG-91	Y	37000.000		UG/L	
					UG/L			08-NOV-91	Y	37000.000		UG/L	
					UG/L			08-AUG-91		40000.000		UG/L	
					UG/L			08-NOV-91		37000.000		UG/L	

CALCIUM DATA							CALCIUM DATA							
WELL NAME	SAMPLE DATE	FILTERED	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW	WELL NAME	SAMPLE DATE	FILTERED	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW	
399-1-10	15-JUL-91	Y	42000.000		UG/L		399-2-1	09-JUL-91		19000.000		UG/L		
	15-JUL-91		43000.000		UG/L			18-DEC-91		18000.000		UG/L		
	06-DEC-91		49000.000		UG/L			18-DEC-91		19000.000		UG/L		
399-1-11	18-DEC-91		49000.000		UG/L		399-3-10	12-JUL-91	Y	27000.000		UG/L		
	18-DEC-91		51000.000		UG/L			12-JUL-91		26000.000		UG/L		
399-1-12	18-JUL-91	Y	17000.000		UG/L			399-3-7	18-DEC-91		32000.000		UG/L	
	18-JUL-91		17000.000		UG/L		18-DEC-91			32000.000		UG/L		
	06-DEC-91		41000.000		UG/L		12-JUL-91		Y	46000.000		UG/L		
	06-DEC-91		45000.000		UG/L		12-JUL-91			46000.000		UG/L		
399-1-13	16-JUL-91	Y	50000.000		UG/L		399-3-9	17-DEC-91		41000.000		UG/L		
	16-JUL-91		52000.000		UG/L			17-DEC-91		41000.000		UG/L		
	11-DEC-91		49000.000		UG/L			15-JUL-91	Y	23000.000		UG/L		
11-DEC-91		48000.000		UG/L		15-JUL-91			23000.000		UG/L			
399-1-14	16-JUL-91	Y	53000.000		UG/L		399-4-1	17-DEC-91		26000.000		UG/L		
	16-JUL-91		50000.000		UG/L			10-JUL-91	Y	46000.000		UG/L		
	11-DEC-91		50000.000		UG/L			10-JUL-91		47000.000		UG/L		
	11-DEC-91		49000.000		UG/L			10-DEC-91		41000.000		UG/L		
399-1-15	16-JUL-91	Y	46000.000		UG/L		399-4-11	10-DEC-91		41000.000		UG/L		
	16-JUL-91		47000.000		UG/L			15-JUL-91	Y	46000.000		UG/L		
	11-DEC-91		45000.000		UG/L			15-JUL-91		46000.000		UG/L		
	11-DEC-91		45000.000		UG/L			11-DEC-91		42000.000		UG/L		
399-1-16A	11-JUL-91	Y	27000.000		UG/L		399-4-7	11-DEC-91		42000.000		UG/L		
	11-JUL-91		27000.000		UG/L			09-JUL-91	Y	33000.000		UG/L		
	06-DEC-91		35000.000		UG/L			09-JUL-91		33000.000		UG/L		
	06-DEC-91		34000.000		UG/L			10-DEC-91		44000.000		UG/L		
399-1-16B	11-JUL-91	Y	18000.000		UG/L		399-8-1	10-DEC-91		44000.000		UG/L		
	11-JUL-91	Y	18000.000		UG/L			15-JUL-91	Y	44000.000		UG/L		
	11-JUL-91		18000.000		UG/L			15-JUL-91		45000.000		UG/L		
	11-JUL-91		18000.000		UG/L			20-DEC-91		41000.000		UG/L		
399-1-17A	06-DEC-91		18000.000		UG/L		399-8-2	20-DEC-91		41000.000		UG/L		
	06-DEC-91		17000.000		UG/L			20-DEC-91		42000.000		UG/L		
	11-JUL-91	Y	23000.000		UG/L			18-DEC-91		39000.000		UG/L		
	11-JUL-91		23000.000		UG/L			18-DEC-91		39000.000		UG/L		
399-1-17B	10-DEC-91		18000.000		UG/L		399-8-3	09-OCT-91		45.100		MG/L		
	10-DEC-91		17000.000		UG/L			23-DEC-91		48000.000		UG/L		
	399-1-18A	11-JUL-91	Y	19000.000		UG/L		699-1-18	09-DEC-91		69000.000		UG/L	
		11-JUL-91		21000.000		UG/L			09-DEC-91		69000.000		UG/L	
399-1-17		10-DEC-91		19000.000		UG/L		699-14-38	09-DEC-91		33000.000		UG/L	
		10-DEC-91		19000.000		UG/L			09-DEC-91		33000.000		UG/L	
	399-1-18A	15-JUL-91	Y	46000.000		UG/L		699-2-7	18-DEC-91		75000.000		UG/L	
		15-JUL-91		48000.000		UG/L			27-AUG-91		81000.000		UG/L	
13-DEC-91			45000.000		UG/L		26-DEC-91			80000.000		UG/L		
13-DEC-91			46000.000		UG/L		26-DEC-91			78000.000		UG/L		
399-1-7	09-JUL-91	Y	25000.000		UG/L		699-24-33	28-AUG-91		73000.000		UG/L		
	09-JUL-91		25000.000		UG/L			27-DEC-91		75000.000		UG/L		
	01-DEC-91		25000.000		UG/L			27-DEC-91		75000.000		UG/L		
	01-DEC-91		26000.000		UG/L			27-AUG-91		75000.000		UG/L		
399-2-1	09-JUL-91	Y	19000.000		UG/L		699-24-34A	27-AUG-91		75000.000		UG/L		

CALCIUM DATA							CALCIUM DATA						
WELL NAME	SAMPLE DATE	FILTERED	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW	WELL NAME	SAMPLE DATE	FILTERED	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
699-24-34A	26-DEC-91		73000.000		UG/L		699-41-40	11-SEP-91		29000.000		UG/L	
699-24-34B	27-AUG-91		79000.000		UG/L		699-42-2	09-DEC-91		42000.000		UG/L	
	26-DEC-91		78000.000		UG/L		699-42-40A	08-JUL-91	Y	23000.000		UG/L	
699-24-34C	27-AUG-91		88000.000		UG/L			08-JUL-91		22000.000		UG/L	
	26-DEC-91		83000.000		UG/L		699-42-42B	08-JUL-91	Y	25000.000		UG/L	
699-24-35	28-AUG-91		55000.000		UG/L			08-JUL-91		22000.000		UG/L	
	27-DEC-91		54000.000		UG/L		699-43-3	18-JUL-91		42.200		MG/L	
699-25-33A	27-AUG-91	Y	31000.000		UG/L		699-43-41E	28-JUN-91	Y	26000.000		UG/L	
	27-AUG-91		32000.000		UG/L			28-JUN-91	Y	26000.000		UG/L	
699-25-34A	27-AUG-91	Y	46000.000		UG/L			28-JUN-91		27000.000		UG/L	
	27-AUG-91		47000.000		UG/L		699-43-41F	02-JUL-91	Y	27000.000		UG/L	
699-25-34B	27-AUG-91	Y	51000.000		UG/L			02-JUL-91		27000.000		UG/L	
	27-AUG-91		50000.000		UG/L		699-43-42J	02-JUL-91	Y	21000.000		UG/L	
699-25-34C	27-AUG-91		54000.000		UG/L			02-JUL-91		21000.000		UG/L	
	26-DEC-91		56000.000		UG/L		699-43-43	08-JUL-91	Y	27000.000		UG/L	
699-26-33	27-AUG-91	Y	36000.000		UG/L			08-JUL-91		28000.000		UG/L	
	27-AUG-91		36000.000		UG/L		699-43-45	08-JUL-91	Y	29000.000		UG/L	
699-26-35A	27-AUG-91		41000.000		UG/L			11-SEP-91	Y	28000.000		UG/L	
	27-AUG-91		39000.000		UG/L			08-JUL-91		28000.000		UG/L	
	27-DEC-91		43000.000		UG/L			11-SEP-91		27000.000		UG/L	
699-26-35C	27-AUG-91	Y	43000.000		UG/L		699-44-42	10-JUL-91	Y	24000.000		UG/L	
	27-AUG-91		42000.000		UG/L			10-JUL-91		23000.000		UG/L	
699-32-77	29-MAR-91		25.700		MG/L		699-44-43B	08-JUL-91	Y	26000.000		UG/L	
699-34-8	21-AUG-91	Y	25000.000		UG/L			11-SEP-91	Y	23000.000		UG/L	
	21-AUG-91		26000.000		UG/L			08-JUL-91		25000.000		UG/L	
699-37-E4	24-SEP-91		39.700		MG/L		699-45-2	09-DEC-91		43000.000		UG/L	
699-38-70	30-DEC-91		100000.000		UG/L		699-45-69A	30-DEC-91		42000.000		UG/L	
	30-DEC-91		100000.000		UG/L			30-DEC-91		40000.000		UG/L	
699-39-0	22-AUG-91		44.900		MG/L		699-46-4	19-JUL-91		40.400		MG/L	
699-40-1	29-MAR-91		44.000		MG/L		699-47-5	19-JUL-91		38.100		MG/L	
	26-JUN-91		44.900		MG/L		699-48-18	31-JAN-91		40.700		MG/L	
699-40-39	08-JUL-91	Y	22000.000		UG/L			04-APR-91		57.500		MG/L	
	11-SEP-91	Y	20000.000		UG/L		699-49-100C	20-JUN-91		46.100		MG/L	
	11-SEP-91		21000.000		UG/L			09-DEC-91		30000.000		UG/L	
699-40-40B	01-JAN-92	Y	23000.000		UG/L		699-51-75	30-JAN-91	Y	34.000		MG/L	
	01-JAN-92		29000.000		UG/L		699-55-76	23-AUG-91		62.500		MG/L	
699-40-62	30-DEC-91		47000.000		UG/L		699-63-25A	22-AUG-91		81.900		MG/L	
	30-DEC-91		47000.000		UG/L								
699-41-40	10-JUL-91	Y	30000.000		UG/L								
	11-SEP-91	Y	30000.000		UG/L								
	10-JUL-91		30000.000		UG/L								

CALCIUM DATA						CALCIUM DATA					
WELL NAME	SAMPLE DATE	FILTERED CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW	WELL NAME	SAMPLE DATE	FILTERED CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
699-67-86	30-JAN-91	34.400		MG/L		699-834-E10	25-JUL-91	50.100		MG/L	
699-72-88	23-AUG-91	41.000		MG/L		699-836-E13A	30-AUG-91	26.400		MG/L	
699-78-62	30-JAN-91	39.400		MG/L		699-837-E11	29-AUG-91	39.700		MG/L	
699-81-58	04-SEP-91	31000.000	Y	UG/L		699-837-E14	29-AUG-91	23.300		MG/L	
	04-SEP-91	31000.000	Y	UG/L		17-OCT-91	17-OCT-91	23.900		MG/L	
	04-SEP-91	31000.000		UG/L		699-838-E11	29-AUG-91	47.500		MG/L	
699-83-47	31-JAN-91	45.500		MG/L		699-838-E12A	29-AUG-91	38.000		MG/L	
699-87-55	12-SEP-91	29.500		MG/L		699-838-E12B	29-AUG-91	33.900		MG/L	
699-96-49	23-AUG-91	51.700		MG/L		699-840-E14	29-AUG-91	19.800		MG/L	
699-97-43	12-SEP-91	43.200		MG/L		699-841-E11	30-AUG-91	71.800		MG/L	
699-97-51A	12-SEP-91	47.500		MG/L		699-841-E13A	29-AUG-91	24.200		MG/L	
699-S19-E13	01-FEB-91	45.700		MG/L		17-OCT-91	17-OCT-91	24.600		MG/L	
	29-MAR-91	43.300		MG/L		699-841-E13B	29-AUG-91	61.100		MG/L	
	21-JUN-91	44.700		MG/L		17-OCT-91	17-OCT-91	59.200		MG/L	
	13-DEC-91	45000.000		UG/L		699-841-E13C	29-AUG-91	25.300		MG/L	
699-S27-E14	10-DEC-91	50000.000		UG/L		699-S8-19	13-DEC-91	40000.000		UG/L	
699-S29-E12	09-DEC-91	46000.000		UG/L							
699-S3-25	20-DEC-91	57000.000		UG/L							
699-S30-E10A	24-JUL-91	95.000		MG/L							
	10-DEC-91	96000.000		UG/L							
699-S30-E10B	24-JUL-91	99.500		MG/L							
	10-DEC-91	110000.000		UG/L							
699-S30-E15A	29-MAR-91	68.000		MG/L							
	21-JUN-91	74.900		MG/L							
699-S31-1	20-DEC-91	29000.000		UG/L							
699-S31-E10A	23-JUL-91	108.000		MG/L							
699-S31-E10B	23-JUL-91	99.900		MG/L							
699-S31-E10C	23-JUL-91	104.000		MG/L							
699-S31-E10D	23-JUL-91	88.600		MG/L							
699-S31-E13	24-JUL-91	83.800		MG/L							
699-S31-E8	24-JUL-91	19.800		MG/L							
699-S32-E13A	24-JUL-91	81.700		MG/L							
699-S32-E13B	25-JUL-91	72.500		MG/L							
699-S32-E8	25-JUL-91	19.600		MG/L							

CHROMIUM DATA						CHROMIUM DATA					
WELL NAME	SAMPLE DATE	FILTERED CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW	WELL NAME	SAMPLE DATE	FILTERED CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
1199-41-13C	31-MAY-91		U	MG/L		199-H4-4	16-AUG-91			UG/L	
199-B4-5	18-SEP-91	.010		MG/L			18-SEP-91	34.000		UG/L	
199-B4-6	19-SEP-91	.020		MG/L			24-OCT-91	160.000		UG/L	
199-B4-7	18-SEP-91	.020		MG/L			13-NOV-91	170.000		UG/L	
199-F5-4	19-SEP-91			UG/L			12-DEC-91	22.000		UG/L	
199-F7-1	19-SEP-91	Y		UG/L		199-H4-5	22-AUG-91	100.000		UG/L	
199-H3-1	06-JUN-91		U	UG/L			13-SEP-91	120.000		UG/L	
199-H3-2A	06-JUN-91	90.000		UG/L		199-H4-6	10-JUN-91	100.000		UG/L	
199-H3-2B	22-AUG-91	87.000		UG/L			12-SEP-91	120.000		UG/L	
199-H3-2C	13-SEP-91		U	UG/L		199-H4-7	06-JUN-91	120.000		UG/L	
199-H4-11	07-JUN-91	50.000		UG/L			12-SEP-91	130.000		UG/L	
199-H4-12A	07-JUN-91	170.000		UG/L		199-H4-8	16-AUG-91	180.000		UG/L	
199-H4-12B	22-AUG-91	30.000		UG/L			12-SEP-91	98.000		UG/L	
199-H4-12C	07-JUN-91	100.000		UG/L		199-H4-9	06-JUN-91	120.000		UG/L	
199-H4-13	23-AUG-91	70.000		UG/L			01-AUG-91	110.000		UG/L	
199-H4-14	07-JUN-91	280.000		UG/L			16-AUG-91	85.000		UG/L	
199-H4-15A	22-AUG-91	320.000		UG/L			12-SEP-91	25.000		UG/L	
199-H4-15B	22-AUG-91	73.000		UG/L			24-OCT-91		U	UG/L	
199-H4-16	07-JUN-91	82.000		UG/L			13-NOV-91	170.000		UG/L	
199-H4-17	16-AUG-91	100.000		UG/L		199-K-11	26-SEP-91		Y	UG/L	
199-H4-18	13-SEP-91	70.000		UG/L			18-SEP-91		Y	UG/L	
199-H4-3	07-JUN-91	130.000		UG/L		199-N-14	18-SEP-91		Y	UG/L	
	07-JUN-91	200.000		UG/L			18-SEP-91		Y	UG/L	
	01-AUG-91	130.000		UG/L			01-NOV-91		Y	UG/L	
	16-AUG-91	120.000		UG/L			05-DEC-91		Y	UG/L	
	13-SEP-91	260.000		UG/L			18-SEP-91		Y	UG/L	
	07-JUN-91	190.000		UG/L			18-SEP-91		Y	UG/L	
	13-SEP-91	120.000		UG/L			04-SEP-91		Y	UG/L	
	24-OCT-91	130.000		UG/L			04-SEP-91	21.000		UG/L	
	13-NOV-91	110.000		UG/L		199-N-33	04-SEP-91		Y	UG/L	
	12-DEC-91	61.000		UG/L			04-SEP-91		Y	UG/L	
199-H4-4	06-JUN-91	30.000		UG/L		199-N-36	04-SEP-91		Y	UG/L	
	01-AUG-91	83.000		UG/L			04-SEP-91		Y	UG/L	
						199-N-41	30-AUG-91		Y	UG/L	
							30-AUG-91		Y	UG/L	
						199-N-47	05-SEP-91		Y	UG/L	
							05-NOV-91		Y	UG/L	

CHROMIUM DATA					
WELL NAME	SAMPLE DATE	FILTERED	CONCENTRATION	QUALIFIER	UNITS DATA REVIEW
199-N-47	05-SEP-91			U	UG/L
	05-NOV-91			U	UG/L
199-N-54	05-SEP-91	Y		U	UG/L
	05-NOV-91	Y	72.000	U	UG/L
	05-NOV-91		61.000		UG/L
199-N-55	05-SEP-91	Y		U	UG/L
	05-SEP-91	Y		U	UG/L
	05-SEP-91		38.000	U	UG/L
	05-NOV-91				UG/L
199-N-56	05-SEP-91	Y		U	UG/L
	05-NOV-91	Y	38.000	U	UG/L
	05-SEP-91			U	UG/L
	05-NOV-91			U	UG/L
199-N-57	05-NOV-91	Y		U	UG/L
	05-NOV-91			U	UG/L
199-N-59	03-SEP-91	Y		U	UG/L
	03-SEP-91			U	UG/L
199-N-66	05-NOV-91	Y	170.000	U	UG/L
	05-NOV-91				UG/L
199-N-67	22-NOV-91		130.000	U	UG/L
	22-NOV-91				UG/L
199-N-69	22-NOV-91		54.000	U	UG/L
	22-NOV-91				UG/L
199-N-70	04-SEP-91	Y		U	UG/L
	04-SEP-91			U	UG/L
299-E13-14	11-JUN-91		22.000		UG/L
299-E17-1	13-AUG-91	Y	10.000	U	UG/L
	13-AUG-91				UG/L
299-E17-12	13-SEP-91			U	UG/L
299-E17-13	18-JUN-91			U	UG/L
	13-SEP-91			U	UG/L
299-E17-14	28-AUG-91	Y	73.000	U	UG/L
	28-AUG-91				UG/L
299-E17-15	03-SEP-91	Y	23.000	U	UG/L
	01-OCT-91	Y	160.000	U	UG/L
	03-SEP-91			U	UG/L
	01-OCT-91		78.000	U	UG/L
	19-DEC-91			U	UG/L
	19-DEC-91				UG/L
299-E17-16	28-AUG-91	Y	140.000	U	UG/L
	28-AUG-91		160.000	U	UG/L
	19-DEC-91			U	UG/L
	19-DEC-91				UG/L

CHROMIUM DATA					
WELL NAME	SAMPLE DATE	FILTERED	CONCENTRATION	QUALIFIER	UNITS DATA REVIEW
299-E17-17	26-AUG-91	Y	29.000	U	UG/L
	26-AUG-91				UG/L
299-E17-18	26-AUG-91	Y	39.000	U	UG/L
	26-AUG-91		73.000		UG/L
	19-DEC-91			U	UG/L
	19-DEC-91				UG/L
299-E17-20	24-JUL-91	Y		U	UG/L
	14-AUG-91	Y		U	UG/L
	30-SEP-91	Y	250.000	U	UG/L
	24-JUL-91		360.000		UG/L
	14-AUG-91		84.000		UG/L
	30-SEP-91				UG/L
299-E17-5	26-AUG-91	Y		U	UG/L
	26-AUG-91			U	UG/L
299-E18-1	09-JUL-91	Y		U	UG/L
	06-SEP-91	Y	150.000	U	UG/L
	09-JUL-91		96.000		UG/L
	06-SEP-91				UG/L
299-E18-2	06-SEP-91	Y		U	UG/L
	06-SEP-91			U	UG/L
299-E18-3	06-SEP-91	Y		U	UG/L
	06-SEP-91				UG/L
299-E18-4	06-SEP-91	Y	49.000	U	UG/L
	06-SEP-91				UG/L
299-E24-16	20-AUG-91	Y	84.000	U	UG/L
	20-AUG-91				UG/L
299-E24-17	13-AUG-91	Y	130.000	U	UG/L
	13-AUG-91				UG/L
299-E24-18	13-AUG-91	Y		U	UG/L
299-E24-19	26-JUL-91	Y	77.000		UG/L
	22-NOV-91	Y	260.000		UG/L
	26-JUL-91		130.000		UG/L
	22-NOV-91		420.000		UG/L
299-E24-20	15-NOV-91	Y	390.000	U	UG/L
	15-NOV-91				UG/L
299-E24-4	03-OCT-91			U	UG/L
299-E25-18	12-JUL-91	Y	23.000	U	UG/L
	31-JUL-91	Y		U	UG/L
	01-OCT-91	Y		U	UG/L
	12-JUL-91			U	UG/L
	31-JUL-91			U	UG/L
	01-OCT-91			U	UG/L
299-E25-19	18-JUL-91	Y		U	UG/L
	01-OCT-91	Y		U	UG/L
	18-JUL-91			U	UG/L
	01-OCT-91			U	UG/L

CHROMIUM DATA							CHROMIUM DATA						
WELL NAME	SAMPLE DATE	FILTERED	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW	WELL NAME	SAMPLE DATE	FILTERED	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
299-E25-20	16-JUL-91	Y	130.000		UG/L		299-E25-36	20-AUG-91		260.000		UG/L	
	03-OCT-91	Y		U	UG/L			20-AUG-91			U	UG/L	
	16-JUL-91			U	UG/L			30-SEP-91			U	UG/L	
299-E25-21	03-OCT-91						299-E25-37	26-JUN-91	Y			UG/L	
	11-JUL-91	Y		U	UG/L			16-SEP-91	Y	110.000		UG/L	
	11-JUL-91			U	UG/L			16-SEP-91		90.000		UG/L	
299-E25-25	25-JUN-91	Y		U	UG/L		299-E25-38	26-JUN-91	Y			UG/L	
	25-JUN-91	Y		U	UG/L			16-SEP-91	Y			UG/L	
	16-SEP-91	Y	20.000	U	UG/L			26-JUN-91		70.000		UG/L	
299-E25-26	25-JUN-91						299-E25-39	16-SEP-91				UG/L	
	25-JUN-91		22.000	U	UG/L			26-JUN-91	Y	120.000		UG/L	
	16-SEP-91	Y		U	UG/L			16-SEP-91	Y	130.000		UG/L	
299-E25-28	27-SEP-91			U	UG/L		299-E25-40	16-SEP-91		190.000		UG/L	
	12-JUL-91	Y		U	UG/L			20-JUL-91	Y			UG/L	
	27-SEP-91	Y		U	UG/L			20-JUL-91	Y	22.000		UG/L	
299-E25-29P	27-SEP-91			U	UG/L		299-E25-41	20-NOV-91		100.000		UG/L	
	12-JUL-91	Y		U	UG/L			20-JUL-91		130.000		UG/L	
	27-SEP-91	Y		U	UG/L			20-JUL-91		91.000		UG/L	
299-E25-31	25-JUN-91	Y		U	UG/L		299-E26-10	26-JUL-91	Y			UG/L	
	01-NOV-91	Y	110.000	U	UG/L			21-NOV-91	Y	140.000		UG/L	
	01-NOV-91		64.000		UG/L			26-JUL-91		73.000		UG/L	
299-E25-32P	25-JUN-91	Y		U	UG/L		299-E26-11	27-JUN-91	Y			UG/L	
	16-SEP-91	Y	120.000	U	UG/L			25-SEP-91	Y			UG/L	
	16-SEP-91	Y	96.000		UG/L			27-JUN-91		130.000		UG/L	
299-E25-33	19-JUL-91	Y		U	UG/L		299-E27-9	25-SEP-91				UG/L	
	19-JUL-91	Y		U	UG/L			27-JUN-91	Y			UG/L	
	26-SEP-91	Y		U	UG/L			25-SEP-91	Y			UG/L	
299-E25-34	19-JUL-91		93.000		UG/L		299-E27-10	27-JUN-91		230.000		UG/L	
	19-JUL-91		23.000		UG/L			27-SEP-91		40.000		UG/L	
	26-SEP-91		36.000		UG/L			27-SEP-91		40.000		UG/L	
299-E25-35	27-JUN-91	Y		U	UG/L		299-E27-11	27-JUN-91	Y			UG/L	
	16-SEP-91	Y	79.000	U	UG/L			25-SEP-91	Y	40.000		UG/L	
	16-SEP-91		29.000		UG/L			27-JUN-91		210.000		UG/L	
299-E25-36	27-SEP-91	Y	17.000		UG/L		299-E27-12	25-SEP-91				UG/L	
	27-SEP-91		39.000		UG/L			31-JUL-91	Y	100.000		UG/L	
	19-JUL-91	Y		U	UG/L			31-JUL-91				UG/L	
299-E25-36	19-JUL-91	Y	55.000		UG/L		299-E27-13	06-NOV-91	Y	64.000		UG/L	
	01-OCT-91	Y		U	UG/L			06-NOV-91				UG/L	
	16-OCT-91	Y		U	UG/L			23-JUL-91	Y			UG/L	
299-E25-36	19-JUL-91		56.000		UG/L		299-E27-13	18-NOV-91	Y	33.000		UG/L	
	19-JUL-91		33.000		UG/L			23-JUL-91	Y	59.000		UG/L	
	01-OCT-91		36.000		UG/L			18-NOV-91				UG/L	
299-E25-36	16-OCT-91						299-E27-13	23-JUL-91	Y			UG/L	
	11-JUL-91	Y		U	UG/L			23-JUL-91	Y			UG/L	
	30-SEP-91	Y	160.000	U	UG/L			15-NOV-91				UG/L	

CHROMIUM DATA						
WELL NAME	SAMPLE DATE	FILTERED	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
299-E27-13	23-JUL-91		83.000		UG/L	
	15-NOV-91		59.000		UG/L	
299-E27-14	23-JUL-91	Y	63.000	U	UG/L	
299-E27-15	24-JUL-91	Y		U	UG/L	
	21-NOV-91	Y		U	UG/L	
	24-JUL-91		130.000		UG/L	
	21-NOV-91		190.000		UG/L	
299-E27-16	09-SEP-91	Y		U	UG/L	
	09-SEP-91		36.000		UG/L	
299-E27-5	09-JAN-91			U	MG/L	
299-E27-7	25-JUL-91	Y		U	UG/L	
	25-JUL-91			U	UG/L	
299-E27-8	01-AUG-91	Y	79.000	U	UG/L	
	01-AUG-91				UG/L	
299-E27-9	26-JUL-91	Y		U	UG/L	
	26-JUL-91		120.000		UG/L	
299-E28-18	13-SEP-91			U	UG/L	
	13-SEP-91			U	UG/L	
299-E28-26	06-AUG-91	Y		U	UG/L	
	23-SEP-91	Y	79.000	U	UG/L	
	06-AUG-91		27.000		UG/L	
299-E28-27	01-AUG-91	Y		U	UG/L	
	23-SEP-91	Y		U	UG/L	
	01-JAN-92	Y		U	UG/L	
	01-AUG-91		74.000		UG/L	
	23-SEP-91		35.000		UG/L	
	01-JAN-92		58.000		UG/L	
299-E28-28	02-AUG-91	Y		U	UG/L	
	23-SEP-91	Y		U	UG/L	
	02-AUG-91		72.000		UG/L	
	23-SEP-91			U	UG/L	
299-E32-2	02-AUG-91	Y		U	UG/L	
	23-SEP-91	Y		U	UG/L	
	02-AUG-91		94.000		UG/L	
	23-SEP-91			U	UG/L	
299-E32-3	02-AUG-91	Y		U	UG/L	
	20-SEP-91	Y		U	UG/L	
	20-SEP-91		86.000		UG/L	
	02-AUG-91			U	UG/L	
	20-SEP-91		24.000		UG/L	
299-E32-4	05-AUG-91	Y		U	UG/L	
	05-AUG-91	Y		U	UG/L	
	23-SEP-91	Y	160.000	U	UG/L	
	05-AUG-91				UG/L	

CHROMIUM DATA						
WELL NAME	SAMPLE DATE	FILTERED	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
299-E32-4	05-AUG-91		180.000		UG/L	
	23-SEP-91		35.000		UG/L	
299-E32-5	02-AUG-91	Y		U	UG/L	
	20-SEP-91	Y		U	UG/L	
	02-AUG-91		77.000		UG/L	
	20-SEP-91		63.000		UG/L	
299-E33-28	31-JUL-91	Y		U	UG/L	
	24-SEP-91	Y		U	UG/L	
	31-JUL-91		110.000		UG/L	
	24-SEP-91		110.000		UG/L	
299-E33-29	31-JUL-91	Y		U	UG/L	
	23-SEP-91	Y		U	UG/L	
	31-JUL-91		23.000		UG/L	
	23-SEP-91			U	UG/L	
299-E33-3	08-JAN-91			U	MG/L	
299-E33-30	05-AUG-91	Y		U	UG/L	
	23-SEP-91	Y		U	UG/L	
	05-AUG-91		110.000		UG/L	
	23-SEP-91			U	UG/L	
299-E33-31	23-JUL-91	Y		U	UG/L	
	15-NOV-91	Y		U	UG/L	
	23-JUL-91		50.000		UG/L	
	15-NOV-91		97.000		UG/L	
299-E33-32	23-JUL-91	Y		U	UG/L	
	22-NOV-91	Y		U	UG/L	
	23-JUL-91		43.000		UG/L	
	22-NOV-91		67.000		UG/L	
299-E33-33	22-JUL-91	Y		U	UG/L	
	15-NOV-91	Y		U	UG/L	
	22-JUL-91		23.000		UG/L	
	15-NOV-91		92.000		UG/L	
299-E33-34	02-AUG-91	Y		U	UG/L	
	20-SEP-91	Y		U	UG/L	
	02-AUG-91		42.000		UG/L	
	20-SEP-91		52.000		UG/L	
299-E33-35	30-JUL-91	Y		U	UG/L	
	24-SEP-91	Y		U	UG/L	
	30-JUL-91		27.000		UG/L	
	24-SEP-91		21.000		UG/L	
299-E33-36	30-JUL-91			U	UG/L	
	21-AUG-91		230.000		UG/L	
299-E33-37	09-SEP-91	Y		U	UG/L	
	09-SEP-91		240.000		UG/L	
299-E33-41	21-NOV-91	Y		U	UG/L	
	21-NOV-91	Y		U	UG/L	
	21-NOV-91		110.000		UG/L	
	21-NOV-91		160.000		UG/L	

CHROMIUM DATA							CHROMIUM DATA						
WELL NAME	SAMPLE DATE	FILTERED	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW	WELL NAME	SAMPLE DATE	FILTERED	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
299-E34-1	18-JAN-91			U	MG/L		299-W14-6	03-JAN-91			U	MG/L	
299-E34-2	30-JUL-91	Y	53.000		UG/L		299-W15-11	02-JAN-91			U	MG/L	
	30-JUL-91	Y	53.000		UG/L		299-W15-16	05-AUG-91	Y	91.000	U	UG/L	
	30-JUL-91		160.000		UG/L			05-AUG-91				UG/L	
	30-JUL-91		130.000		UG/L		299-W15-17	06-AUG-91	Y	32.000	U	UG/L	
299-E34-3	29-JUL-91	Y		U	UG/L			06-AUG-91	Y			UG/L	
	29-JUL-91		23.000		UG/L			06-AUG-91		170.000		UG/L	
299-E34-5	29-JUL-91	Y		U	UG/L			06-AUG-91		140.000		UG/L	
	29-JUL-91		28.000		UG/L		299-W15-18	09-AUG-91	Y	58.000		UG/L	
299-E34-7	04-NOV-91	Y		U	UG/L			09-AUG-91		64.000		UG/L	
	04-NOV-91		71.000		UG/L		299-W15-19	14-NOV-91	Y	74.000	U	UG/L	
299-E35-2	27-JUN-91	Y		U	UG/L			14-NOV-91				UG/L	
	27-JUN-91	Y		U	UG/L		299-W15-20	05-AUG-91	Y		U	UG/L	
	25-SEP-91	Y		U	UG/L			12-NOV-91	Y		U	UG/L	
	27-JUN-91		160.000		UG/L			05-AUG-91		130.000		UG/L	
	27-JUN-91		210.000		UG/L			12-NOV-91				UG/L	
	25-SEP-91		27.000		UG/L		299-W15-22	24-SEP-91	Y	47.000	U	UG/L	
299-W10-13	08-AUG-91	Y		U	UG/L			24-SEP-91				UG/L	
	07-NOV-91	Y		U	UG/L		299-W15-23	05-AUG-91	Y		U	UG/L	
	08-AUG-91		77.000		UG/L			13-NOV-91	Y		U	UG/L	
	07-NOV-91		67.000		UG/L			05-AUG-91		44.000		UG/L	
299-W10-14	14-AUG-91	Y		U	UG/L			13-NOV-91				UG/L	
	07-NOV-91	Y		U	UG/L		299-W15-24	05-AUG-91	Y		U	UG/L	
	14-AUG-91		140.000		UG/L			12-NOV-91	Y	170.000		UG/L	
	07-NOV-91		90.000		UG/L			05-AUG-91		160.000		UG/L	
299-W10-15	22-JUL-91	Y	130.000		UG/L			12-NOV-91				UG/L	
	04-OCT-91	Y	140.000		UG/L			07-AUG-91	Y	25.000		UG/L	
	22-JUL-91		160.000		UG/L		299-W18-21	07-AUG-91		78.000		UG/L	
	22-JUL-91		200.000		UG/L			06-AUG-91	Y	29.000	U	UG/L	
	04-OCT-91		140.000		UG/L			06-AUG-91				UG/L	
	04-OCT-91		210.000		UG/L		299-W18-22	09-AUG-91	Y	48.000		UG/L	
299-W10-16	22-JUL-91	Y	35.000		UG/L			09-AUG-91		30.000		UG/L	
	24-SEP-91	Y	27.000		UG/L		299-W18-23	09-AUG-91	Y		U	UG/L	
	22-JUL-91		100.000		UG/L			09-AUG-91				UG/L	
	22-JUL-91		.020		MG/L		299-W18-24	09-AUG-91	Y	40.000	U	UG/L	
	24-SEP-91		350.000		UG/L			09-AUG-91		130.000		UG/L	
299-W10-17	09-OCT-91	Y	27.000		UG/L			01-OCT-91	Y	50.000	U	UG/L	
	03-OCT-91		52.000		UG/L		299-W18-25	01-OCT-91				UG/L	
299-W10-18	24-SEP-91	Y	44.000	U	UG/L			07-AUG-91	Y	23.000	U	UG/L	
	24-SEP-91		.048		MG/L		299-W18-26	12-NOV-91	Y	24.000		UG/L	
299-W10-4	02-JAN-91				MG/L			07-AUG-91		79.000		UG/L	
299-W10-9	03-OCT-91	Y	170.000		UG/L			12-NOV-91				UG/L	
	22-JUL-91		220.000		UG/L			07-AUG-91				UG/L	
	22-JUL-91		180.000		UG/L		299-W18-29	09-OCT-91	U		U	UG/L	
	03-OCT-91		200.000		UG/L			09-OCT-91				UG/L	
299-W14-5	02-JAN-91			U	MG/L								

CHROMIUM DATA							CHROMIUM DATA						
WELL NAME	SAMPLE DATE	FILTERED	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW	WELL NAME	SAMPLE DATE	FILTERED	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
299-W19-18	02-JAN-91			U	MG/L		299-W6-2	13-NOV-91		74.000		UG/L	
299-W19-29	25-NOV-91	Y		U	UG/L		299-W7-1	07-AUG-91	Y		U	UG/L	
	14-JUN-91			U	UG/L			08-NOV-91	Y		U	UG/L	
	25-NOV-91		180.000	U	UG/L			07-AUG-91		130.000		UG/L	
	25-NOV-91			U	UG/L			08-NOV-91		36.000		UG/L	
299-W19-30	13-JUN-91			U	UG/L		299-W7-10	09-AUG-91	Y		U	UG/L	
299-W19-31	01-OCT-91	Y	20.000		UG/L			14-NOV-91	Y		U	UG/L	
	01-OCT-91		45.000		UG/L			09-AUG-91		400.000		UG/L	
299-W19-32	01-OCT-91	Y	34.000		UG/L			14-NOV-91		210.000		UG/L	
	01-OCT-91		160.000		UG/L		299-W7-2	07-AUG-91	Y		U	UG/L	
	01-OCT-91				UG/L			08-NOV-91	Y		U	UG/L	
299-W22-20	03-OCT-91		310.000		UG/L			07-AUG-91		190.000		UG/L	
299-W22-39	14-NOV-91	Y	60.000	U	UG/L		299-W7-3	08-AUG-91	Y		U	UG/L	
	14-NOV-91				UG/L			08-NOV-91	Y		U	UG/L	
299-W22-40	03-SEP-91	Y	100.000	U	UG/L			08-AUG-91		140.000		UG/L	
	03-SEP-91				UG/L			08-NOV-91		37.000		UG/L	
299-W22-41	03-SEP-91	Y	61.000	U	UG/L		299-W7-4	12-AUG-91	Y		U	UG/L	
	03-SEP-91				UG/L			13-NOV-91	Y		U	UG/L	
299-W22-42	03-SEP-91	Y	100.000	U	UG/L			12-AUG-91		120.000		UG/L	
	03-SEP-91				UG/L		299-W7-5	09-AUG-91	Y		U	UG/L	
299-W22-43	04-SEP-91	Y	27.000	U	UG/L			11-NOV-91	Y		U	UG/L	
	04-SEP-91	Y			UG/L			09-AUG-91		180.000		UG/L	
	04-SEP-91		60.000		UG/L			11-NOV-91		110.000		UG/L	
	04-SEP-91		81.000		UG/L		299-W7-6	08-NOV-91	Y		U	UG/L	
299-W23-13	03-OCT-91	Y		U	UG/L			12-AUG-91		50.000		UG/L	
	03-OCT-91		71.000		UG/L		299-W7-7	08-NOV-91		59.000		UG/L	
299-W23-14	09-OCT-91	Y	90.000	U	UG/L			09-AUG-91	Y		U	UG/L	
	09-OCT-91				UG/L			08-NOV-91	Y		U	UG/L	
299-W26-10	21-AUG-91	Y	90.000	U	UG/L			09-AUG-91		150.000		UG/L	
	21-AUG-91				UG/L		299-W7-8	08-NOV-91		120.000		UG/L	
299-W26-12	28-AUG-91	Y		U	UG/L			09-AUG-91	Y		U	UG/L	
	28-AUG-91	Y	110.000		UG/L			11-NOV-91	Y			UG/L	
	28-AUG-91				UG/L			09-AUG-91		24.000		UG/L	
299-W26-8	28-AUG-91	Y		U	UG/L		299-W7-9	08-NOV-91		270.000		UG/L	
	28-AUG-91	Y		U	UG/L			09-AUG-91	Y		U	UG/L	
	28-AUG-91		130.000		UG/L			11-NOV-91		270.000		UG/L	
	28-AUG-91		150.000		UG/L			09-AUG-91		280.000		UG/L	
	30-DEC-91		94.000	U	UG/L			08-NOV-91	Y		U	UG/L	
299-W26-9	20-AUG-91	Y	61.000		UG/L		299-W8-1	09-AUG-91	Y		U	UG/L	
	20-AUG-91		220.000		UG/L			13-NOV-91	Y		U	UG/L	
	20-AUG-91				UG/L			09-AUG-91		160.000		UG/L	
299-W6-2	12-AUG-91	Y	27.000		UG/L			13-NOV-91		80.000		UG/L	
	12-AUG-91	Y	29.000		UG/L		299-W9-1	08-AUG-91	Y		U	UG/L	
	13-NOV-91	Y	31.000		UG/L			08-NOV-91	Y		U	UG/L	
	12-AUG-91		84.000		UG/L			08-AUG-91		90.000		UG/L	
	12-AUG-91		140.000		UG/L			08-NOV-91		53.000		UG/L	

CHROMIUM DATA							CHROMIUM DATA						
WELL NAME	SAMPLE DATE	FILTERED	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW	WELL NAME	SAMPLE DATE	FILTERED	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
399-1-10	15-JUL-91	Y		U	UG/L		399-2-1	09-JUL-91			U	UG/L	
	15-JUL-91			U	UG/L			18-DEC-91			U	UG/L	
	06-DEC-91			U	UG/L			18-DEC-91			U	UG/L	
399-1-11	18-DEC-91		43.000	U	UG/L		399-3-10	12-JUL-91	Y		U	UG/L	
	18-DEC-91			U	UG/L			12-JUL-91			U	UG/L	
399-1-12	18-JUL-91	Y		U	UG/L		399-3-7	12-JUL-91	Y		U	UG/L	
	06-DEC-91		22.000	U	UG/L			18-DEC-91			U	UG/L	
	06-DEC-91			U	UG/L			18-DEC-91			U	UG/L	
	06-DEC-91			U	UG/L			12-JUL-91		40.000	U	UG/L	
399-1-13	16-JUL-91	Y		U	UG/L		399-3-9	12-JUL-91			U	UG/L	
	16-JUL-91			U	UG/L			17-DEC-91			U	UG/L	
	11-DEC-91			U	UG/L			17-DEC-91			U	UG/L	
	11-DEC-91			U	UG/L			15-JUL-91	Y		U	UG/L	
399-1-14	16-JUL-91	Y		U	UG/L		399-4-1	10-JUL-91	Y		U	UG/L	
	16-JUL-91			U	UG/L			10-JUL-91			U	UG/L	
	11-DEC-91			U	UG/L			10-DEC-91			U	UG/L	
	11-DEC-91			U	UG/L			10-DEC-91			U	UG/L	
399-1-15	16-JUL-91	Y		U	UG/L		399-4-11	15-JUL-91	Y		U	UG/L	
	16-JUL-91			U	UG/L			15-JUL-91		22.000	U	UG/L	
	11-DEC-91			U	UG/L			11-DEC-91		22.000	U	UG/L	
	11-DEC-91			U	UG/L			11-DEC-91			U	UG/L	
399-1-16A	11-JUL-91	Y		U	UG/L		399-4-7	09-JUL-91	Y		U	UG/L	
	11-JUL-91			U	UG/L			09-JUL-91			U	UG/L	
	06-DEC-91			U	UG/L			10-DEC-91			U	UG/L	
	06-DEC-91			U	UG/L			10-DEC-91			U	UG/L	
399-1-16B	11-JUL-91	Y		U	UG/L		399-8-1	15-JUL-91	Y		U	UG/L	
	11-JUL-91	Y		U	UG/L			15-JUL-91			U	UG/L	
	11-JUL-91		27.000	U	UG/L			20-DEC-91			U	UG/L	
	11-JUL-91		41.000	U	UG/L			20-DEC-91			U	UG/L	
399-1-17A	11-JUL-91	Y		U	UG/L		399-8-2	18-DEC-91			U	UG/L	
	11-JUL-91			U	UG/L			18-DEC-91			U	UG/L	
	10-DEC-91			U	UG/L			09-OCT-91			U	MG/L	
	10-DEC-91			U	UG/L			09-OCT-91			U	UG/L	
399-1-17B	11-JUL-91	Y		U	UG/L		699-1-18	23-DEC-91			U	UG/L	
	11-JUL-91			U	UG/L			23-DEC-91			U	UG/L	
	10-DEC-91			U	UG/L			09-DEC-91			U	UG/L	
	10-DEC-91			U	UG/L			09-DEC-91			U	UG/L	
399-1-18A	15-JUL-91	Y		U	UG/L		699-2-7	18-DEC-91			U	UG/L	
	15-JUL-91		43.000	U	UG/L			18-DEC-91			U	UG/L	
	13-DEC-91		30.000	U	UG/L			27-AUG-91			U	UG/L	
	13-DEC-91			U	UG/L			26-DEC-91			U	UG/L	
399-1-7	09-JUL-91	Y		U	UG/L		699-23-34	27-AUG-91			U	UG/L	
	09-JUL-91			U	UG/L			26-DEC-91			U	UG/L	
	01-DEC-91			U	UG/L			26-DEC-91			U	UG/L	
	01-DEC-91			U	UG/L			28-AUG-91			U	UG/L	
399-2-1	09-JUL-91	Y		U	UG/L		699-24-33	27-DEC-91			U	UG/L	
				U	UG/L			27-DEC-91			U	UG/L	
	09-JUL-91			U	UG/L		699-24-34A	27-AUG-91		56.000	U	UG/L	
				U	UG/L			27-AUG-91			U	UG/L	

CHROMIUM DATA							CHROMIUM DATA						
WELL NAME	SAMPLE DATE	FILTERED	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW	WELL NAME	SAMPLE DATE	FILTERED	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
699-24-34A	26-DEC-91			U	UG/L		699-41-40	11-SEP-91		52.000		UG/L	
699-24-34B	27-AUG-91			U	UG/L		699-42-2	09-DEC-91			U	UG/L	
	26-DEC-91			U	UG/L		699-42-40A	08-JUL-91	Y		U	UG/L	
699-24-34C	27-AUG-91			U	UG/L			08-JUL-91			U	UG/L	
	26-DEC-91			U	UG/L		699-42-42B	08-JUL-91	Y		U	UG/L	
699-24-35	28-AUG-91			U	UG/L			08-JUL-91		79.000		UG/L	
	27-DEC-91			U	UG/L		699-43-3	18-JUL-91			U	MG/L	
699-25-33A	27-AUG-91	Y		U	UG/L		699-43-41E	28-JUN-91	Y		U	UG/L	
	27-AUG-91			U	UG/L			28-JUN-91	Y		U	UG/L	
699-25-34A	27-AUG-91	Y		U	UG/L			28-JUN-91		61.000		UG/L	
	27-AUG-91			U	UG/L			28-JUN-91		39.000		UG/L	
699-25-34B	27-AUG-91	Y		U	UG/L		699-43-41F	02-JUL-91	Y		U	UG/L	
	27-AUG-91			U	UG/L			02-JUL-91		46.000		UG/L	
699-25-34C	27-AUG-91			U	UG/L		699-43-42J	02-JUL-91	Y		U	UG/L	
	26-DEC-91			U	UG/L			02-JUL-91		32.000		UG/L	
699-26-33	27-AUG-91	Y		U	UG/L		699-43-43	08-JUL-91	Y		U	UG/L	
	27-AUG-91			U	UG/L			08-JUL-91		82.000		UG/L	
699-26-35A	27-AUG-91			U	UG/L		699-43-45	08-JUL-91	Y		U	UG/L	
	27-AUG-91			U	UG/L			11-SEP-91	Y		U	UG/L	
	27-DEC-91			U	UG/L			08-JUL-91		100.000		UG/L	
699-26-35C	27-AUG-91	Y		U	UG/L			11-SEP-91		38.000		UG/L	
	27-AUG-91			U	UG/L		699-44-42	10-JUL-91	Y		U	UG/L	
699-32-77	29-MAR-91			U	MG/L			10-JUL-91		29.000		UG/L	
699-34-8	21-AUG-91	Y		U	UG/L		699-44-43B	08-JUL-91	Y		U	UG/L	
	21-AUG-91		230.000		UG/L			11-SEP-91	Y		U	UG/L	
699-37-E4	24-SEP-91			U	MG/L			08-JUL-91		40.000		UG/L	
699-38-70	30-DEC-91			U	UG/L		699-45-2	09-DEC-91			U	UG/L	
	30-DEC-91			U	UG/L		699-45-69A	30-DEC-91	Y		U	UG/L	
699-39-0	22-AUG-91			U	MG/L			30-DEC-91			U	UG/L	
699-40-1	29-MAR-91			U	MG/L		699-46-4	19-JUL-91			U	MG/L	
	26-JUN-91			U	MG/L		699-47-5	19-JUL-91			U	MG/L	
699-40-39	08-JUL-91	Y		U	UG/L		699-48-18	31-JAN-91			U	MG/L	
	11-SEP-91	Y	32.000		UG/L			04-APR-91			U	MG/L	
	11-SEP-91		65.000		UG/L		699-49-100C	20-JUN-91			U	MG/L	
699-40-40B	01-JAN-92	Y		U	UG/L			09-DEC-91			U	UG/L	
	01-JAN-92		770.000		UG/L		699-51-75	30-JAN-91	Y		U	MG/L	
699-40-62	30-DEC-91			U	UG/L		699-55-76	23-AUG-91			U	MG/L	
	30-DEC-91			U	UG/L		699-63-25A	22-AUG-91			U	MG/L	
699-41-40	10-JUL-91	Y		U	UG/L								
	11-SEP-91	Y		U	UG/L		699-66-23	22-AUG-91			U	MG/L	
	10-JUL-91		73.000		UG/L								

CHROMIUM DATA						CHROMIUM DATA					
WELL NAME	SAMPLE DATE	FILTERED CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW	WELL NAME	SAMPLE DATE	FILTERED CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
699-67-86	30-JAN-91			MG/L		699-S34-E10	25-JUL-91		U	MG/L	
699-72-88	23-AUG-91			MG/L		699-S36-E13A	30-AUG-91	.010		MG/L	
699-78-62	30-JAN-91			MG/L		699-S37-E11	29-AUG-91		U	MG/L	
699-81-58	04-SEP-91	Y		UG/L		699-S37-E14	29-AUG-91		U	MG/L	
	04-SEP-91	Y		UG/L		17-OCT-91	17-OCT-91		U	MG/L	
	04-SEP-91			UG/L		699-S38-E11	29-AUG-91		U	MG/L	
						699-S38-E12A	29-AUG-91		U	MG/L	
699-83-47	31-JAN-91			MG/L		699-S38-E12B	29-AUG-91		U	MG/L	
699-87-55	12-SEP-91			MG/L		699-S40-E14	29-AUG-91		U	MG/L	
699-96-49	23-AUG-91			MG/L		699-S41-E11	30-AUG-91	.010		MG/L	
699-97-43	12-SEP-91			MG/L		699-S41-E13A	29-AUG-91		U	MG/L	
699-97-51A	12-SEP-91			MG/L		17-OCT-91	17-OCT-91		U	MG/L	
699-S19-E13	01-FEB-91			MG/L		699-S41-E13B	29-AUG-91		U	MG/L	
	29-MAR-91			MG/L		17-OCT-91	17-OCT-91		U	MG/L	
	21-JUN-91			UG/L		699-S41-E13C	29-AUG-91		U	MG/L	
	13-DEC-91			UG/L		699-S8-19	13-DEC-91		U	UG/L	
699-S27-E14	10-DEC-91			UG/L							
699-S29-E12	09-DEC-91			UG/L							
699-S3-25	20-DEC-91			UG/L							
699-S30-E10A	24-JUL-91			MG/L							
	10-DEC-91			UG/L							
699-S30-E10B	24-JUL-91	.030		MG/L							
	10-DEC-91			UG/L							
699-S30-E15A	29-MAR-91			MG/L							
	21-JUN-91			MG/L							
699-S31-1	20-DEC-91			UG/L							
699-S31-E10A	23-JUL-91			MG/L							
699-S31-E10B	23-JUL-91	.013		MG/L							
699-S31-E10C	23-JUL-91	.013		MG/L							
699-S31-E10D	23-JUL-91	.010		MG/L							
699-S31-E13	24-JUL-91			MG/L							
699-S31-E8	24-JUL-91	.010		MG/L							
699-S32-E13A	24-JUL-91			MG/L							
699-S32-E13B	25-JUL-91			MG/L							
699-S32-E8	25-JUL-91			MG/L							

MANGANESE DATA						
WELL NAME	SAMPLE DATE	FILTERED CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW	
1199-41-13C	31-MAY-91		U	MG/L		
199-B4-5	18-SEP-91		U	MG/L		
199-B4-6	19-SEP-91	.006		MG/L		
199-B4-7	18-SEP-91		U	MG/L		
199-F5-4	19-SEP-91		U	UG/L		
199-F7-1	19-SEP-91	Y	U	UG/L		
199-H3-1	06-JUN-91		U	UG/L		
199-H3-2A	06-JUN-91		U	UG/L		
	12-SEP-91		U	UG/L		
199-H3-2B	22-AUG-91		U	UG/L		
199-H3-2C	06-JUN-91		U	UG/L		
	13-SEP-91		U	UG/L		
199-H4-11	07-JUN-91		U	UG/L		
	12-SEP-91		U	UG/L		
199-H4-12A	07-JUN-91		U	UG/L		
	12-SEP-91		U	UG/L		
199-H4-12B	22-AUG-91		U	UG/L		
199-H4-12C	07-JUN-91		U	UG/L		
	12-SEP-91		U	UG/L		
199-H4-13	23-AUG-91		U	UG/L		
199-H4-14	07-JUN-91		U	UG/L		
	13-SEP-91		U	UG/L		
199-H4-15A	22-AUG-91		U	UG/L		
	13-SEP-91		U	UG/L		
199-H4-15B	22-AUG-91		U	UG/L		
199-H4-16	07-JUN-91		U	UG/L		
199-H4-17	16-AUG-91	68.000		UG/L		
199-H4-18	13-SEP-91		U	UG/L		
199-H4-3	07-JUN-91	30.000		UG/L		
	07-JUN-91	30.000	U	UG/L		
	01-AUG-91		U	UG/L		
	16-AUG-91		U	UG/L		
	13-SEP-91	11.000	U	UG/L		
	24-OCT-91	11.000	U	UG/L		
	13-NOV-91		U	UG/L		
	12-DEC-91		U	UG/L		
199-H4-4	06-JUN-91		U	UG/L		
	01-AUG-91		U	UG/L		

MANGANESE DATA						
WELL NAME	SAMPLE DATE	FILTERED CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW	
199-H4-4	16-AUG-91		U	UG/L		
	18-SEP-91		U	UG/L		
	24-OCT-91		U	UG/L		
	13-NOV-91		U	UG/L		
	12-DEC-91		U	UG/L		
199-H4-5	22-AUG-91		U	UG/L		
	13-SEP-91		U	UG/L		
199-H4-6	10-JUN-91		U	UG/L		
	12-SEP-91		U	UG/L		
199-H4-7	06-JUN-91		U	UG/L		
	12-SEP-91		U	UG/L		
199-H4-8	16-AUG-91	26.000		UG/L		
	12-SEP-91		U	UG/L		
199-H4-9	06-JUN-91	20.000		UG/L		
	01-AUG-91		U	UG/L		
	16-AUG-91		U	UG/L		
	12-SEP-91		U	UG/L		
	24-OCT-91		U	UG/L		
	13-NOV-91		U	UG/L		
	12-DEC-91		U	UG/L		
199-K-11	26-SEP-91	Y	U	UG/L		
199-N-14	18-SEP-91	Y	U	UG/L		
	18-SEP-91	Y	U	UG/L		
	01-NOV-91	Y	U	UG/L		
	05-DEC-91	21.000	U	UG/L		
	18-SEP-91		U	UG/L		
	01-NOV-91		U	UG/L		
199-N-17	05-SEP-91	Y		UG/L		
	05-SEP-91	1200.000		UG/L		
	05-SEP-91	1400.000		UG/L		
199-N-21	05-SEP-91	Y	U	UG/L		
	05-SEP-91	71.000		UG/L		
199-N-29	04-SEP-91	Y	U	UG/L		
	04-SEP-91	17.000		UG/L		
199-N-3	05-DEC-91	Y	U	UG/L		
199-N-32	18-SEP-91	Y		UG/L		
	18-SEP-91	19.000		UG/L		
	18-SEP-91	23.000		UG/L		
199-N-33	04-SEP-91	Y		UG/L		
	04-SEP-91	15.000		UG/L		
	04-SEP-91	230.000		UG/L		
199-N-36	04-SEP-91	Y	U	UG/L		
	04-SEP-91		U	UG/L		
199-N-41	30-AUG-91	Y	U	UG/L		
	30-AUG-91	14.000		UG/L		
199-N-47	05-SEP-91	Y	U	UG/L		
	05-NOV-91	Y	U	UG/L		

MANGANESE DATA							MANGANESE DATA						
WELL NAME	SAMPLE DATE	FILTERED	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW	WELL NAME	SAMPLE DATE	FILTERED	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
199-N-47	05-SEP-91			U	UG/L		299-E17-17	26-AUG-91	Y		U	UG/L	
	05-NOV-91			U	UG/L			26-AUG-91			U	UG/L	
199-N-54	05-SEP-91	Y		U	UG/L		299-E17-18	26-AUG-91	Y		U	UG/L	
	05-NOV-91			U	UG/L			26-AUG-91			U	UG/L	
	05-SEP-91	Y	110.000		UG/L			19-DEC-91			U	UG/L	
	05-NOV-91		140.000		UG/L			19-DEC-91			U	UG/L	
199-N-55	05-SEP-91	Y		U	UG/L		299-E17-20	24-JUL-91	Y		U	UG/L	
	05-NOV-91	Y		U	UG/L			14-AUG-91	Y		U	UG/L	
	05-SEP-91		31.000		UG/L			30-SEP-91	Y		U	UG/L	
	05-NOV-91		110.000		UG/L			24-JUL-91		23.000		UG/L	
199-N-56	05-SEP-91	Y		U	UG/L		299-E17-5	14-AUG-91		30.000		UG/L	
	05-NOV-91	Y		U	UG/L			30-SEP-91		10.000		UG/L	
	05-SEP-91			U	UG/L								
	05-NOV-91			U	UG/L								
199-N-57	05-NOV-91	Y		U	UG/L		299-E18-1	26-AUG-91	Y		U	UG/L	
	05-NOV-91			U	UG/L			26-AUG-91			U	UG/L	
	05-SEP-91			U	UG/L			09-JUL-91	Y		U	UG/L	
	03-SEP-91	Y		U	UG/L			06-SEP-91	Y		U	UG/L	
199-N-59	03-SEP-91	Y		U	UG/L		299-E18-2	06-SEP-91		26.000		UG/L	
	03-SEP-91			U	UG/L			06-SEP-91		16.000		UG/L	
	05-NOV-91	Y		U	UG/L								
	05-NOV-91		25.000		UG/L								
199-N-67	22-NOV-91		120.000		UG/L		299-E18-3	06-SEP-91	Y		U	UG/L	
	22-NOV-91		11.000		UG/L			06-SEP-91			U	UG/L	
	22-NOV-91			U	UG/L								
	22-NOV-91			U	UG/L								
199-N-70	04-SEP-91	Y		U	UG/L		299-E24-16	20-AUG-91	Y		U	UG/L	
	04-SEP-91			U	UG/L			20-AUG-91			U	UG/L	
	11-JUN-91			U	UG/L								
	13-AUG-91	Y		U	UG/L								
299-E17-12	13-SEP-91			U	UG/L		299-E24-17	13-AUG-91	Y		U	UG/L	
	18-JUN-91			U	UG/L			13-AUG-91		12.000		UG/L	
	13-SEP-91			U	UG/L								
	13-AUG-91	Y		U	UG/L								
299-E17-13	18-JUN-91			U	UG/L		299-E24-18	13-AUG-91	Y		U	UG/L	
	13-SEP-91			U	UG/L								
	28-AUG-91	Y		U	UG/L								
	28-AUG-91			U	UG/L								
299-E17-15	03-SEP-91	Y		U	UG/L		299-E24-19	26-JUL-91	Y	58.000		UG/L	
	01-OCT-91	Y	16.000		UG/L			22-NOV-91	Y	39.000		UG/L	
	03-SEP-91			U	UG/L			26-JUL-91		140.000		UG/L	
	01-OCT-91			U	UG/L			22-NOV-91		84.000		UG/L	
299-E17-14	28-AUG-91	Y		U	UG/L		299-E24-20	15-NOV-91	Y		U	UG/L	
	28-AUG-91			U	UG/L			15-NOV-91		38.000		UG/L	
	03-SEP-91			U	UG/L								
	01-OCT-91	Y		U	UG/L								
299-E17-16	28-AUG-91	Y		U	UG/L		299-E25-19	18-JUL-91	Y		U	UG/L	
	28-AUG-91			U	UG/L			01-OCT-91	Y		U	UG/L	
	19-DEC-91			U	UG/L			18-JUL-91		21.000		UG/L	
	19-DEC-91			U	UG/L			01-OCT-91				U	UG/L

MANGANESE DATA							MANGANESE DATA						
WELL NAME	SAMPLE DATE	FILTERED	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW	WELL NAME	SAMPLE DATE	FILTERED	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
299-E25-20	16-JUL-91	Y		U	UG/L		299-E25-36	20-AUG-91		24.000		UG/L	
	03-OCT-91	Y		U	UG/L			20-AUG-91			U	UG/L	
	16-JUL-91		44.000	U	UG/L			30-SEP-91					
299-E25-21	03-OCT-91			U	UG/L		299-E25-37	26-JUN-91	Y		U	UG/L	
	11-JUL-91	Y		U	UG/L			16-SEP-91	Y	10.000	U	UG/L	
	11-JUL-91			U	UG/L			26-JUN-91			U	UG/L	
299-E25-25	25-JUN-91	Y		U	UG/L		299-E25-38	26-JUN-91	Y		U	UG/L	
	25-JUN-91	Y		U	UG/L			16-SEP-91	Y		U	UG/L	
	16-SEP-91	Y		U	UG/L			26-JUN-91			U	UG/L	
	25-JUN-91		10.000	U	UG/L		16-SEP-91			U	UG/L		
	25-JUN-91			U	UG/L		299-E25-39	26-JUN-91	Y		U	UG/L	
	16-SEP-91	Y		U	UG/L			16-SEP-91	Y	25.000	UG/L		
27-SEP-91			U	UG/L		26-JUN-91			20.000	UG/L			
299-E25-26	27-SEP-91	Y		U	UG/L		299-E25-40	20-JUL-91	Y		U	UG/L	
	12-JUL-91	Y		U	UG/L			20-JUL-91	Y	12.000	UG/L		
	27-SEP-91	Y		U	UG/L			20-NOV-91	Y		U	UG/L	
299-E25-28	12-JUL-91			U	UG/L		299-E25-41	20-JUL-91					
	27-SEP-91			U	UG/L			21-NOV-91	Y	37.000	UG/L		
	12-JUL-91			U	UG/L			26-JUL-91	Y	15.000	UG/L		
	27-SEP-91			U	UG/L			21-NOV-91					
	27-SEP-91			U	UG/L			27-JUN-91	Y		U	UG/L	
299-E25-29P	25-JUN-91	Y		U	UG/L		299-E26-10	27-JUN-91	Y		U	UG/L	
	01-NOV-91	Y		U	UG/L			25-SEP-91	Y		U	UG/L	
	25-JUN-91		10.000	U	UG/L			27-JUN-91		10.000	U	UG/L	
	01-NOV-91			U	UG/L			25-SEP-91					
	01-NOV-91			U	UG/L			299-E26-11	27-JUN-91	Y		U	UG/L
25-JUN-91	Y		U	UG/L		27-SEP-91	Y			U	UG/L		
16-SEP-91	Y		U	UG/L		27-SEP-91	Y			U	UG/L		
16-SEP-91		20.000	U	UG/L		27-JUN-91	Y			U	UG/L		
16-SEP-91			U	UG/L		27-JUN-91	Y		20.000	UG/L			
299-E25-32P	19-JUL-91	Y		U	UG/L		299-E26-9	27-SEP-91			U	UG/L	
	19-JUL-91	Y		U	UG/L			27-JUN-91	Y		U	UG/L	
	26-SEP-91	Y		U	UG/L			25-SEP-91	Y		U	UG/L	
	19-JUL-91		13.000	U	UG/L			27-JUN-91		20.000	UG/L		
	19-JUL-91			U	UG/L			25-SEP-91					
299-E25-33	26-SEP-91			U	UG/L		299-E27-10	31-JUL-91	Y		U	UG/L	
	27-JUN-91	Y		U	UG/L			31-JUL-91		13.000	UG/L		
	16-SEP-91	Y		U	UG/L			06-NOV-91	Y		U	UG/L	
	27-JUN-91			U	UG/L			06-NOV-91					
	16-SEP-91			U	UG/L			299-E27-12	23-JUL-91	Y		U	UG/L
27-SEP-91	Y		U	UG/L		18-NOV-91	Y			U	UG/L		
19-JUL-91	Y		U	UG/L		23-JUL-91				U	UG/L		
16-OCT-91	Y		U	UG/L		18-NOV-91	Y			U	UG/L		
16-OCT-91		18.000		UG/L		18-NOV-91				U	UG/L		
299-E25-34	19-JUL-91		18.000		UG/L		299-E27-13	23-JUL-91	Y		U	UG/L	
	19-JUL-91	Y		U	UG/L			15-NOV-91	Y		U	UG/L	
	13-000			U	UG/L								
	11-000			U	UG/L								
	16-OCT-91		15.000		UG/L								
299-E25-35	19-JUL-91	Y		U	UG/L								
	19-JUL-91	Y		U	UG/L								
	01-OCT-91	Y		U	UG/L								
299-E25-36	16-OCT-91	Y		U	UG/L								
	19-JUL-91		18.000		UG/L								
	19-JUL-91		13.000		UG/L								
	13-000			U	UG/L								
	01-OCT-91		18.000		UG/L								
299-E25-36	16-OCT-91			U	UG/L								
	11-JUL-91	Y		U	UG/L								
	30-SEP-91	Y		U	UG/L								
	11-JUL-91		15.000		UG/L								

MANGANESE DATA							MANGANESE DATA						
WELL NAME	SAMPLE DATE	FILTERED	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW	WELL NAME	SAMPLE DATE	FILTERED	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
299-E34-1	18-JAN-91		.018		MG/L		299-W14-6	03-JAN-91			U	MG/L	
299-E34-2	30-JUL-91	Y		U	UG/L		299-W15-11	02-JAN-91			U	MG/L	
	30-JUL-91	Y	19.000	U	UG/L		299-W15-16	05-AUG-91	Y		U	UG/L	
	30-JUL-91		17.000		UG/L			05-AUG-91			U	UG/L	
299-E34-3	29-JUL-91	Y		U	UG/L		299-W15-17	06-AUG-91	Y	12.000		UG/L	
	29-JUL-91			U	UG/L			06-AUG-91	Y		U	UG/L	
299-E34-5	29-JUL-91	Y	12.000		UG/L			06-AUG-91		45.000		UG/L	
	29-JUL-91		12.000		UG/L			06-AUG-91		38.000		UG/L	
299-E34-7	04-NOV-91	Y	14.000		UG/L		299-W15-18	09-AUG-91	Y	20.000		UG/L	
	04-NOV-91		17.000		UG/L			09-AUG-91		21.000		UG/L	
299-E35-2	27-JUN-91	Y		U	UG/L		299-W15-19	14-NOV-91	Y		U	UG/L	
	27-JUN-91	Y		U	UG/L			14-NOV-91			U	UG/L	
	25-SEP-91	Y		U	UG/L		299-W15-20	05-AUG-91	Y		U	UG/L	
	27-JUN-91		22.000		UG/L			12-NOV-91	Y		U	UG/L	
	27-JUN-91		24.000		UG/L			05-AUG-91		13.000		UG/L	
	25-SEP-91			U	UG/L			12-NOV-91		23.000		UG/L	
299-W10-13	08-AUG-91	Y		U	UG/L		299-W15-22	24-SEP-91	Y	36.000		UG/L	
	07-NOV-91	Y		U	UG/L			24-SEP-91		98.000		UG/L	
	08-AUG-91		18.000		UG/L		299-W15-23	05-AUG-91	Y		U	UG/L	
	07-NOV-91			U	UG/L			13-NOV-91	Y		U	UG/L	
299-W10-14	14-AUG-91	Y		U	UG/L			05-AUG-91			U	UG/L	
	07-NOV-91	Y		U	UG/L			13-NOV-91			U	UG/L	
	14-AUG-91		12.000		UG/L		299-W15-24	05-AUG-91	Y	34.000		UG/L	
	07-NOV-91			U	UG/L			12-NOV-91	Y	29.000		UG/L	
299-W10-15	22-JUL-91	Y		U	UG/L			05-AUG-91		87.000		UG/L	
	04-OCT-91	Y		U	UG/L			12-NOV-91		76.000		UG/L	
	22-JUL-91			U	UG/L		299-W18-21	07-AUG-91	Y	14.000		UG/L	
	04-OCT-91		12.000		UG/L			07-AUG-91		27.000		UG/L	
	04-OCT-91			U	UG/L		299-W18-22	06-AUG-91	Y		U	UG/L	
299-W10-16	22-JUL-91	Y		U	UG/L			06-AUG-91			U	UG/L	
	24-SEP-91	Y		U	UG/L		299-W18-23	09-AUG-91	Y	13.000		UG/L	
	22-JUL-91			U	UG/L			09-AUG-91		11.000		UG/L	
	24-SEP-91		30.000		MG/L		299-W18-24	09-AUG-91	Y		U	UG/L	
				U	UG/L			09-AUG-91	Y	10.000		UG/L	
299-W10-17	09-OCT-91	Y		U	UG/L			09-AUG-91		28.000		UG/L	
	09-OCT-91			U	UG/L		299-W18-25	01-OCT-91	Y	10.000		UG/L	
299-W10-18	24-SEP-91	Y	12.000		UG/L			01-OCT-91		20.000		UG/L	
	24-SEP-91		21.000		UG/L		299-W18-26	07-AUG-91	Y		U	UG/L	
299-W10-4	02-JAN-91			U	MG/L			12-NOV-91	Y		U	UG/L	
299-W10-9	03-OCT-91	Y		U	UG/L			07-AUG-91		16.000		UG/L	
	22-JUL-91		37.000		UG/L			12-NOV-91		24.000		UG/L	
	22-JUL-91			U	UG/L		299-W18-29	09-OCT-91			U	UG/L	
	03-OCT-91		34.000		UG/L			09-OCT-91		11.000		UG/L	
299-W14-5	02-JAN-91			U	MG/L								

MANGANESE DATA					
WELL NAME	SAMPLE DATE	FILTERED	CONCENTRATION	QUALIFIER	UNITS DATA REVIEW
299-W19-18	02-JAN-91			U	MG/L
299-W19-29	25-NOV-91	Y		U	UG/L
	14-JUN-91			U	UG/L
	25-NOV-91		21.000	U	UG/L
	25-NOV-91			U	UG/L
299-W19-30	13-JUN-91			U	UG/L
299-W19-31	01-OCT-91	Y		U	UG/L
	01-OCT-91		15.000	U	UG/L
299-W19-32	01-OCT-91	Y	53.000		UG/L
	01-OCT-91		120.000		UG/L
	03-OCT-91			U	UG/L
299-W22-20	14-NOV-91	Y		U	UG/L
299-W22-39	14-NOV-91		34.000	U	UG/L
	03-SEP-91	Y		U	UG/L
299-W22-40	03-SEP-91		12.000	U	UG/L
	03-SEP-91	Y		U	UG/L
299-W22-41	03-SEP-91	Y		U	UG/L
	03-SEP-91			U	UG/L
299-W22-42	03-SEP-91	Y		U	UG/L
	03-SEP-91			U	UG/L
299-W22-43	04-SEP-91	Y	15.000		UG/L
	04-SEP-91	Y	14.000		UG/L
	04-SEP-91		16.000		UG/L
	04-SEP-91		17.000		UG/L
299-W23-13	03-OCT-91	Y		U	UG/L
	03-OCT-91		18.000		UG/L
299-W23-14	09-OCT-91	Y	12.000		UG/L
	09-OCT-91		100.000		UG/L
299-W26-10	21-AUG-91	Y	10.000		UG/L
	21-AUG-91		20.000		UG/L
299-W26-12	28-AUG-91	Y		U	UG/L
	28-AUG-91		19.000		UG/L
299-W26-8	28-AUG-91	Y	34.000		UG/L
	28-AUG-91	Y	22.000		UG/L
	28-AUG-91		51.000		UG/L
	28-AUG-91		54.000		UG/L
	30-DEC-91		21.000		UG/L
	30-DEC-91		15.000		UG/L
299-W26-9	20-AUG-91	Y	17.000		UG/L
	20-AUG-91		35.000		UG/L
299-W6-2	12-AUG-91	Y		U	UG/L
	12-AUG-91	Y		U	UG/L
	13-NOV-91	Y		U	UG/L
	12-AUG-91		12.000		UG/L

MANGANESE DATA					
WELL NAME	SAMPLE DATE	FILTERED	CONCENTRATION	QUALIFIER	UNITS DATA REVIEW
299-W6-2	13-NOV-91			U	UG/L
299-W7-1	07-AUG-91	Y		U	UG/L
	08-NOV-91	Y	10.000		UG/L
	07-AUG-91		20.000		UG/L
	08-NOV-91		10.000		UG/L
299-W7-10	09-AUG-91	Y		U	UG/L
	14-NOV-91	Y		U	UG/L
	09-AUG-91		37.000		UG/L
	14-NOV-91		21.000		UG/L
299-W7-2	07-AUG-91	Y		U	UG/L
	08-NOV-91	Y		U	UG/L
	07-AUG-91		40.000		UG/L
	08-NOV-91			U	UG/L
299-W7-3	08-AUG-91	Y	80.000		UG/L
	08-NOV-91	Y	55.000		UG/L
	08-AUG-91		92.000		UG/L
	08-NOV-91		64.000		UG/L
299-W7-4	12-AUG-91	Y		U	UG/L
	13-NOV-91	Y		U	UG/L
	12-AUG-91		12.000		UG/L
	13-NOV-91			U	UG/L
299-W7-5	09-AUG-91	Y		U	UG/L
	11-NOV-91	Y		U	UG/L
	09-AUG-91		22.000		UG/L
	11-NOV-91		12.000		UG/L
299-W7-6	08-NOV-91	Y	480.000		UG/L
	12-AUG-91		130.000		UG/L
	08-NOV-91			U	UG/L
	09-AUG-91	Y		U	UG/L
299-W7-7	08-NOV-91	Y		U	UG/L
	09-AUG-91		20.000		UG/L
	08-NOV-91		15.000		UG/L
	09-AUG-91	Y		U	UG/L
299-W7-8	09-AUG-91	Y		U	UG/L
	11-NOV-91	Y	34.000		UG/L
	09-AUG-91		27.000		UG/L
	11-NOV-91			U	UG/L
299-W7-9	09-AUG-91	Y	87.000		UG/L
	08-NOV-91	Y	26.000		UG/L
	09-AUG-91		200.000		UG/L
	08-NOV-91		32.000		UG/L
299-W8-1	09-AUG-91	Y		U	UG/L
	13-NOV-91	Y	14.000		UG/L
	09-AUG-91			U	UG/L
	13-NOV-91			U	UG/L
299-W9-1	08-AUG-91	Y	61.000		UG/L
	08-NOV-91	Y	28.000		UG/L
	08-AUG-91		52.000		UG/L
	08-NOV-91		33.000		UG/L

MANGANESE DATA				
WELL NAME	SAMPLE DATE	FILTERED CONCENTRATION	QUALIFIER	UNITS DATA REVIEW
399-1-10	15-JUL-91	Y	U	UG/L
	15-JUL-91		U	UG/L
	06-DEC-91		U	UG/L
399-1-11	18-DEC-91		U	UG/L
	18-DEC-91		U	UG/L
	18-JUL-91	Y	U	UG/L
399-1-12	18-JUL-91		U	UG/L
	06-DEC-91		U	UG/L
	06-DEC-91		U	UG/L
399-1-13	16-JUL-91	Y	U	UG/L
	11-DEC-91		U	UG/L
	11-DEC-91		U	UG/L
399-1-14	16-JUL-91	Y	U	UG/L
	11-DEC-91		U	UG/L
	11-DEC-91		U	UG/L
399-1-15	16-JUL-91	Y	U	UG/L
	11-DEC-91		U	UG/L
	11-DEC-91		U	UG/L
399-1-16A	11-JUL-91	Y	U	UG/L
	11-JUL-91		U	UG/L
	06-DEC-91		U	UG/L
399-1-16B	11-JUL-91	Y	U	UG/L
	11-JUL-91	77.000	U	UG/L
	11-JUL-91	76.000	U	UG/L
399-1-17A	11-JUL-91	Y	U	UG/L
	11-JUL-91	82.000	U	UG/L
	11-JUL-91	77.000	U	UG/L
399-1-17B	11-JUL-91	Y	U	UG/L
	11-JUL-91	82.000	U	UG/L
	11-JUL-91	87.000	U	UG/L
399-1-17C	11-JUL-91	Y	U	UG/L
	11-JUL-91	82.000	U	UG/L
	11-JUL-91	87.000	U	UG/L
399-1-18A	11-JUL-91	Y	U	UG/L
	11-JUL-91	82.000	U	UG/L
	11-JUL-91	87.000	U	UG/L
399-1-18B	11-JUL-91	Y	U	UG/L
	11-JUL-91	82.000	U	UG/L
	11-JUL-91	87.000	U	UG/L
399-1-19	11-JUL-91	Y	U	UG/L
	11-JUL-91	82.000	U	UG/L
	11-JUL-91	87.000	U	UG/L
399-1-20	11-JUL-91	Y	U	UG/L
	11-JUL-91	82.000	U	UG/L
	11-JUL-91	87.000	U	UG/L
399-1-21	11-JUL-91	Y	U	UG/L
	11-JUL-91	82.000	U	UG/L
	11-JUL-91	87.000	U	UG/L

MANGANESE DATA				
WELL NAME	SAMPLE DATE	FILTERED CONCENTRATION	QUALIFIER	UNITS DATA REVIEW
399-2-1	09-JUL-91		U	UG/L
	18-DEC-91		U	UG/L
	18-DEC-91		U	UG/L
399-3-10	12-JUL-91	Y	U	UG/L
	12-JUL-91	14.000	U	UG/L
	18-DEC-91		U	UG/L
399-3-7	12-JUL-91	Y	U	UG/L
	12-JUL-91		U	UG/L
	17-DEC-91		U	UG/L
399-3-9	15-JUL-91	Y	U	UG/L
	15-JUL-91		U	UG/L
	17-DEC-91		U	UG/L
399-4-1	10-JUL-91	Y	U	UG/L
	10-JUL-91		U	UG/L
	10-DEC-91		U	UG/L
399-4-11	15-JUL-91	Y	U	UG/L
	15-JUL-91		U	UG/L
	11-DEC-91		U	UG/L
399-4-7	09-JUL-91	Y	U	UG/L
	09-JUL-91		U	UG/L
	10-DEC-91		U	UG/L
399-8-1	15-JUL-91	Y	U	UG/L
	15-JUL-91		U	UG/L
	20-DEC-91		U	UG/L
399-8-2	18-DEC-91		U	UG/L
	18-DEC-91		U	UG/L
	09-OCT-91		U	UG/L
399-8-3	23-DEC-91		U	UG/L
	23-DEC-91		U	UG/L
	09-DEC-91		U	UG/L
399-14-38	09-DEC-91		U	UG/L
	09-DEC-91		U	UG/L
	18-DEC-91		U	UG/L
399-24-33	27-AUG-91		U	UG/L
	26-DEC-91		U	UG/L
	26-DEC-91		U	UG/L
399-24-34A	28-AUG-91		U	UG/L
	27-DEC-91		U	UG/L
	27-AUG-91		U	UG/L

MANGANESE DATA							MANGANESE DATA						
WELL NAME	SAMPLE DATE	FILTERED	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW	WELL NAME	SAMPLE DATE	FILTERED	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
699-24-34A	26-DEC-91			U	UG/L		699-41-40	11-SEP-91		21.000		UG/L	
699-24-34B	27-AUG-91			U	UG/L		699-42-2	09-DEC-91			U	UG/L	
	26-DEC-91			U	UG/L		699-42-40A	08-JUL-91	Y		U	UG/L	
699-24-34C	27-AUG-91			U	UG/L			08-JUL-91		12.000		UG/L	
	26-DEC-91			U	UG/L		699-42-42B	08-JUL-91	Y		U	UG/L	
699-24-35	28-AUG-91			U	UG/L			08-JUL-91			U	UG/L	
	27-DEC-91			U	UG/L		699-43-3	18-JUL-91			U	MG/L	
699-25-33A	27-AUG-91	Y		U	UG/L		699-43-41E	28-JUN-91	Y		U	UG/L	
	27-AUG-91			U	UG/L			28-JUN-91	Y		U	UG/L	
699-25-34A	27-AUG-91	Y		U	UG/L			28-JUN-91		12.000		UG/L	
	27-AUG-91			U	UG/L			28-JUN-91		12.000		UG/L	
699-25-34B	27-AUG-91	Y		U	UG/L		699-43-41F	02-JUL-91	Y	21.000		UG/L	
	27-AUG-91			U	UG/L			02-JUL-91		23.000		UG/L	
699-25-34C	27-AUG-91			U	UG/L		699-43-42J	02-JUL-91	Y		U	UG/L	
	26-DEC-91			U	UG/L			02-JUL-91			U	UG/L	
699-26-33	27-AUG-91	Y		U	UG/L		699-43-43	08-JUL-91	Y		U	UG/L	
	27-AUG-91			U	UG/L			08-JUL-91			U	UG/L	
699-26-35A	27-AUG-91			U	UG/L		699-43-45	08-JUL-91	Y		U	UG/L	
	27-AUG-91			U	UG/L			11-SEP-91	Y		U	UG/L	
	27-DEC-91			U	UG/L			08-JUL-91		15.000		UG/L	
				U	UG/L			11-SEP-91			U	UG/L	
699-26-35C	27-AUG-91	Y		U	UG/L		699-44-42	10-JUL-91	Y		U	UG/L	
	27-AUG-91			U	UG/L			10-JUL-91			U	UG/L	
699-32-77	29-MAR-91			U	MG/L		699-44-43B	08-JUL-91	Y	10.000		UG/L	
699-34-8	21-AUG-91	Y	20.000	U	UG/L			11-SEP-91	Y		U	UG/L	
	21-AUG-91			U	UG/L			08-JUL-91		13.000		UG/L	
699-37-E4	24-SEP-91			U	MG/L		699-45-2	09-DEC-91			U	UG/L	
699-38-70	30-DEC-91		10.000	U	UG/L		699-45-69A	30-DEC-91		56.000		UG/L	
	30-DEC-91			U	UG/L			30-DEC-91			U	UG/L	
699-39-0	22-AUG-91			U	MG/L		699-46-4	19-JUL-91			U	MG/L	
699-40-1	29-MAR-91			U	MG/L		699-47-5	19-JUL-91			U	MG/L	
	26-JUN-91			U	MG/L		699-48-18	31-JAN-91			U	MG/L	
699-40-39	08-JUL-91	Y	120.000		UG/L		699-49-100C	04-APR-91			U	MG/L	
	11-SEP-91	Y	88.000		UG/L			20-JUN-91			U	MG/L	
	11-SEP-91		90.000		UG/L								
699-40-40B	01-JAN-92	Y	300.000		UG/L		699-51-75	09-DEC-91		47.000		UG/L	
	01-JAN-92		640.000		UG/L		699-55-76	30-JAN-91	Y	.158		MG/L	
699-40-62	30-DEC-91			U	UG/L		699-63-25A	23-AUG-91			U	MG/L	
	30-DEC-91			U	UG/L								
699-41-40	10-JUL-91	Y	11.000		UG/L		699-66-23	22-AUG-91			U	MG/L	
	11-SEP-91	Y	19.000		UG/L								
	10-JUL-91				UG/L								

MANGANESE DATA					
WELL NAME	SAMPLE DATE	FILTERED CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
699-67-86	30-JAN-91	.016		MG/L	
699-72-88	23-AUG-91		U	MG/L	
699-78-62	30-JAN-91		U	MG/L	
699-81-58	04-SEP-91	Y	U	UG/L	
	04-SEP-91	Y	U	UG/L	
	04-SEP-91	13.000	U	UG/L	
699-83-47	31-JAN-91	.220		MG/L	
699-87-55	12-SEP-91		U	MG/L	
699-96-49	23-AUG-91		U	MG/L	
699-97-43	12-SEP-91		U	MG/L	
699-97-51A	12-SEP-91		U	MG/L	
699-S19-E13	01-FEB-91		U	MG/L	
	29-MAR-91		U	MG/L	
	21-JUN-91		U	MG/L	
	13-DEC-91		U	UG/L	
699-S27-E14	10-DEC-91		U	UG/L	
699-S29-E12	09-DEC-91		U	UG/L	
699-S3-25	20-DEC-91	120.000		UG/L	
699-S30-E10A	24-JUL-91		U	MG/L	
	10-DEC-91		U	UG/L	
699-S30-E10B	24-JUL-91	.048		MG/L	
	10-DEC-91	15.000		UG/L	
699-S30-E15A	29-MAR-91		U	MG/L	
	21-JUN-91		U	MG/L	
699-S31-1	20-DEC-91		U	UG/L	
699-S31-E10A	23-JUL-91		U	MG/L	
699-S31-E10B	23-JUL-91		U	MG/L	
699-S31-E10C	23-JUL-91		U	MG/L	
699-S31-E10D	23-JUL-91		U	MG/L	
699-S31-E13	24-JUL-91	.006		MG/L	
699-S31-E8	24-JUL-91	.076		MG/L	
699-S32-E13A	24-JUL-91		U	MG/L	
699-S32-E13B	25-JUL-91		U	MG/L	
699-S32-E8	25-JUL-91	.092		MG/L	

MANGANESE DATA					
WELL NAME	SAMPLE DATE	FILTERED CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
699-834-E10	25-JUL-91		U	MG/L	
699-836-E13A	30-AUG-91		U	MG/L	
699-837-E11	29-AUG-91	.005		MG/L	
699-837-E14	29-AUG-91		U	MG/L	
	17-OCT-91		U	MG/L	
699-838-E11	29-AUG-91		U	MG/L	
699-838-E12A	29-AUG-91		U	MG/L	
699-838-E12B	29-AUG-91		U	MG/L	
699-840-E14	29-AUG-91		U	MG/L	
699-841-E11	30-AUG-91		U	MG/L	
699-841-E13A	29-AUG-91		U	MG/L	
	17-OCT-91		U	MG/L	
699-841-E13B	29-AUG-91		U	MG/L	
	17-OCT-91		U	MG/L	
699-841-E13C	29-AUG-91	.072		MG/L	
699-88-19	13-DEC-91		U	UG/L	

IRON DATA							IRON DATA						
WELL NAME	SAMPLE DATE	FILTERED	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW	WELL NAME	SAMPLE DATE	FILTERED	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
1199-H4-13C	31-MAY-91		.040		MG/L		199-H4-4	16-AUG-91		44.000		UG/L	
199-B4-5	18-SEP-91		.040		MG/L			18-SEP-91		46.000		UG/L	
199-B4-6	19-SEP-91		.600		MG/L			24-OCT-91		150.000		UG/L	
199-B4-7	18-SEP-91		.050		MG/L			13-NOV-91		52.000	U	UG/L	
199-F5-4	19-SEP-91		56.000		UG/L		199-H4-5	22-AUG-91		50.000		UG/L	
199-F7-1	19-SEP-91	Y		U	UG/L			13-SEP-91		34.000		UG/L	
199-H3-1	06-JUN-91		70.000		UG/L		199-H4-6	10-JUN-91		23.000		UG/L	
199-H3-2A	06-JUN-91		50.000		UG/L			12-SEP-91		39.000		UG/L	
	12-SEP-91		32.000		UG/L		199-H4-7	06-JUN-91		160.000		UG/L	
199-H3-2B	22-AUG-91		21.000		UG/L			12-SEP-91		28.000		UG/L	
199-H3-2C	06-JUN-91		70.000		UG/L		199-H4-8	16-AUG-91		820.000		UG/L	
	13-SEP-91		31.000		UG/L			12-SEP-91		130.000		UG/L	
199-H4-11	07-JUN-91		150.000		UG/L		199-H4-9	06-JUN-91		670.000		UG/L	
	12-SEP-91		48.000		UG/L			01-AUG-91		39.000		UG/L	
199-H4-12A	07-JUN-91		40.000	U	UG/L			16-AUG-91		400.000		UG/L	
	12-SEP-91		160.000		UG/L			12-SEP-91		29.000		UG/L	
199-H4-12B	22-AUG-91		31.000	U	UG/L			24-OCT-91		100.000		UG/L	
199-H4-12C	07-JUN-91		92.000		UG/L			13-NOV-91		63.000		UG/L	
	12-SEP-91		40.000		UG/L			12-DEC-91		330.000		UG/L	
199-H4-13	23-AUG-91		40.000		UG/L		199-K-11	26-SEP-91	Y	22.000		UG/L	
199-H4-14	07-JUN-91		42.000	U	UG/L			18-SEP-91	Y	84.000		UG/L	
	13-SEP-91		23.000		UG/L		199-N-14	18-SEP-91	Y	22.000		UG/L	
199-H4-15A	22-AUG-91		37.000		UG/L			01-NOV-91	Y	310.000	U	UG/L	
	13-SEP-91		160.000		UG/L			05-DEC-91	Y	310.000		UG/L	
199-H4-15B	22-AUG-91		1800.000		UG/L			18-SEP-91	Y	240.000		UG/L	
199-H4-16	07-JUN-91		42.000		UG/L		199-N-17	05-SEP-91	Y	1200.000		UG/L	
	13-SEP-91		37.000		UG/L			05-SEP-91	Y	5800.000		UG/L	
199-H4-17	16-AUG-91		120.000	U	UG/L		199-N-21	05-SEP-91	Y	55.000		UG/L	
	13-SEP-91		160.000		UG/L			05-SEP-91	Y	1900.000		UG/L	
199-H4-18	13-SEP-91		1800.000		UG/L		199-N-29	04-SEP-91	Y	98.000		UG/L	
199-H4-3	07-JUN-91		120.000		UG/L			04-SEP-91	Y	1700.000		UG/L	
	07-JUN-91		160.000		UG/L		199-N-3	05-DEC-91	Y	24.000		UG/L	
	01-AUG-91		37.000		UG/L		199-N-32	18-SEP-91	Y	120.000		UG/L	
	16-AUG-91		22.000		UG/L			18-SEP-91	Y	570.000		UG/L	
	13-SEP-91		43.000		UG/L		199-N-33	04-SEP-91	Y	87.000		UG/L	
	13-SEP-91		71.000		UG/L			04-SEP-91	Y	1700.000		UG/L	
	24-OCT-91		60.000		UG/L		199-N-36	04-SEP-91	Y	25.000		UG/L	
	13-NOV-91		130.000		UG/L			04-SEP-91	Y	230.000		UG/L	
	12-DEC-91		79.000		UG/L		199-N-41	30-AUG-91	Y	62.000		UG/L	
199-H4-4	06-JUN-91		180.000		UG/L			30-AUG-91	Y	1000.000		UG/L	
	01-AUG-91		100.000		UG/L		199-N-47	05-SEP-91	Y	31.000		UG/L	
					UG/L			05-NOV-91	Y	64.000		UG/L	

IRON DATA							IRON DATA							
WELL NAME	SAMPLE DATE	FILTERED	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW	WELL NAME	SAMPLE DATE	FILTERED	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW	
199-N-47	05-SEP-91		120.000		UG/L		299-E17-17	23-AUG-91	Y	61.000		UG/L		
	05-NOV-91		85.000		UG/L			26-AUG-91		170.000		UG/L		
199-N-54	05-SEP-91	Y	250.000		UG/L		299-E17-18	26-AUG-91	Y	53.000		UG/L		
	05-NOV-91	Y	100.000		UG/L			26-AUG-91		230.000		UG/L		
	05-SEP-91		5400.000		UG/L			19-DEC-91		300.000		UG/L		
	05-NOV-91		7300.000		UG/L			19-DEC-91		44.000		UG/L		
199-N-55	05-SEP-91	Y	26.000		UG/L		299-E17-20	24-JUL-91	Y	47.000		UG/L		
	05-NOV-91	Y	36.000		UG/L			14-AUG-91	Y	20.000		UG/L		
	05-SEP-91		580.000		UG/L			30-SEP-91	Y	22.000		UG/L		
	05-NOV-91		1900.000		UG/L			24-JUL-91		1200.000		UG/L		
199-N-56	05-SEP-91	Y	82.000		UG/L		299-E17-5	14-AUG-91		1500.000		UG/L		
	05-NOV-91	Y	72.000		UG/L			30-SEP-91		380.000		UG/L		
	05-SEP-91		400.000		UG/L			26-AUG-91	Y	25.000		UG/L		
	05-NOV-91		140.000		UG/L			26-AUG-91		60.000		UG/L		
199-N-57	05-NOV-91	Y	280.000		UG/L		299-E18-1	09-JUL-91	Y	49.000		UG/L		
	05-NOV-91		320.000		UG/L			06-SEP-91	Y	31.000		UG/L		
199-N-59	03-SEP-91	Y	58.000		UG/L		299-E18-2	09-JUL-91		1100.000		UG/L		
	03-SEP-91		52.000		UG/L			06-SEP-91		600.000		UG/L		
199-N-66	05-NOV-91	Y	100.000		UG/L		299-E18-3	06-SEP-91	Y	38.000		UG/L		
	05-NOV-91		1100.000		UG/L			06-SEP-91		130.000		UG/L		
199-N-67	22-NOV-91		6300.000		UG/L		299-E18-4	06-SEP-91		64.000		UG/L		
	22-NOV-91		310.000		UG/L			06-SEP-91		45.000		UG/L		
199-N-69	22-NOV-91		330.000		UG/L		299-E24-16	06-SEP-91	Y	49.000		UG/L		
	22-NOV-91		47.000		UG/L			06-SEP-91		300.000		UG/L		
199-N-70	04-SEP-91	Y	65.000		UG/L		299-E24-17	20-AUG-91	Y	30.000		UG/L		
	04-SEP-91		88.000		UG/L			20-AUG-91		380.000		UG/L		
299-E13-14	11-JUN-91				UG/L		299-E24-18	13-AUG-91	Y	61.000		UG/L		
	13-AUG-91	Y	49.000		UG/L			13-AUG-91		590.000		UG/L		
299-E17-1	13-AUG-91		65.000		UG/L		299-E24-19	13-AUG-91	Y	61.000		UG/L		
	13-SEP-91				UG/L			26-JUL-91	Y	580.000		UG/L		
299-E17-12	18-JUN-91		33.000		UG/L		299-E17-13	22-NOV-91	Y	620.000		UG/L		
	13-SEP-91		33.000		UG/L			26-JUL-91	Y	1500.000		UG/L		
299-E17-14	28-AUG-91	Y	53.000		UG/L		299-E24-20	22-NOV-91		1500.000		UG/L		
	28-AUG-91		330.000		UG/L			15-NOV-91	Y	47.000		UG/L		
299-E17-15	03-SEP-91	Y	84.000		UG/L		299-E24-4	15-NOV-91		1600.000		UG/L		
	01-OCT-91	Y	44.000		UG/L			15-NOV-91				U		
	03-SEP-91		770.000		UG/L			03-OCT-91						
	01-OCT-91		190.000		UG/L			12-JUL-91	Y	36.000		UG/L		
	19-DEC-91		360.000		UG/L			31-JUL-91	Y	51.000		UG/L		
	19-DEC-91		52.000		UG/L			01-OCT-91	Y			U		
299-E17-16	28-AUG-91	Y	32.000		UG/L		299-E25-19	12-JUL-91		270.000		UG/L		
	28-AUG-91		590.000		UG/L			31-JUL-91		75.000		UG/L		
	19-DEC-91		690.000		UG/L			01-OCT-91		120.000		UG/L		
	19-DEC-91		36.000		UG/L			18-JUL-91	Y	31.000		UG/L		
							01-OCT-91	Y	2800.000		UG/L			
								01-OCT-91		230.000		UG/L		

IRON DATA							IRON DATA						
WELL NAME	SAMPLE DATE	FILTERED	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW	WELL NAME	SAMPLE DATE	FILTERED	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
299-E25-20	16-JUL-91	Y	20.000		UG/L		299-E25-36	20-AUG-91		1100.000		UG/L	
	03-OCT-91	Y		U	UG/L			20-AUG-91		46.000		UG/L	
	16-JUL-91		2300.000		UG/L			30-SEP-91		67.000		UG/L	
299-E25-21	03-OCT-91		460.000		UG/L		299-E25-37	26-JUN-91	Y	30.000		UG/L	
	11-JUL-91	Y	28.000		UG/L			16-SEP-91	Y	40.000		UG/L	
	11-JUL-91		260.000		UG/L			26-JUN-91		510.000		UG/L	
299-E25-25	25-JUN-91	Y		U	UG/L		299-E25-38	16-SEP-91		550.000		UG/L	
	25-JUN-91	Y		U	UG/L			26-JUN-91	Y	50.000		UG/L	
	16-SEP-91	Y		U	UG/L			16-SEP-91	Y	34.000		UG/L	
299-E25-26	25-JUN-91		290.000		UG/L		299-E25-39	26-JUN-91		340.000		UG/L	
	25-JUN-91		450.000		UG/L			16-SEP-91		110.000		UG/L	
	16-SEP-91		200.000		UG/L			26-JUN-91	Y	20.000		UG/L	
299-E25-28	27-SEP-91	Y	29.000		UG/L		299-E25-40	16-SEP-91	Y	1100.000		UG/L	
	27-SEP-91		44.000		UG/L			26-JUN-91	Y	880.000		UG/L	
	12-JUL-91	Y		U	UG/L			16-SEP-91		1100.000		UG/L	
299-E25-29P	27-SEP-91	Y		U	UG/L		299-E25-41	20-JUL-91	Y	60.000		UG/L	
	12-JUL-91	Y		U	UG/L			20-JUL-91	Y	160.000		UG/L	
	27-SEP-91		45.000		UG/L			20-NOV-91	Y	25.000		UG/L	
299-E25-31	27-SEP-91		68.000		UG/L		299-E26-10	20-JUL-91		950.000		UG/L	
	25-JUN-91	Y	90.000		UG/L			20-JUL-91		1200.000		UG/L	
	01-NOV-91	Y	40.000		UG/L			20-NOV-91		560.000		UG/L	
299-E25-32P	01-NOV-91		520.000		UG/L		299-E26-11	26-JUL-91	Y	81.000		UG/L	
	25-JUN-91	Y	270.000		UG/L			21-NOV-91	Y	23.000		UG/L	
	16-SEP-91	Y	50.000		UG/L			26-JUL-91		1200.000		UG/L	
299-E25-33	16-SEP-91	Y	820.000		UG/L		299-E26-9	27-JUN-91	Y	40.000		UG/L	
	25-JUN-91	Y	460.000		UG/L			25-SEP-91	Y	48.000		UG/L	
	16-SEP-91				UG/L			27-JUN-91		660.000		UG/L	
299-E25-34	19-JUL-91	Y	45.000		UG/L		299-E27-10	25-SEP-91		350.000		UG/L	
	19-JUL-91	Y	41.000		UG/L			27-JUN-91	Y	70.000		UG/L	
	26-SEP-91	Y	540.000		UG/L			27-SEP-91	Y	41.000		UG/L	
299-E25-35	19-JUL-91		230.000		UG/L		299-E27-11	27-SEP-91	Y	23.000		UG/L	
	26-SEP-91		210.000		UG/L			27-JUN-91	Y	1100.000		UG/L	
	27-JUN-91	Y	51.000		UG/L			27-SEP-91		250.000		UG/L	
299-E25-36	16-SEP-91	Y	380.000		UG/L		299-E27-12	27-SEP-91		220.000		UG/L	
	27-JUN-91	Y	150.000		UG/L			27-JUN-91	Y	30.000		UG/L	
	16-SEP-91				UG/L			25-SEP-91	Y	81.000		UG/L	
299-E25-37	27-SEP-91	Y	55.000		UG/L		299-E27-13	27-JUN-91		170.000		UG/L	
	27-SEP-91		250.000		UG/L			27-JUN-91	Y	1000.000		UG/L	
	19-JUL-91	Y	51.000		UG/L			31-JUL-91	Y	37.000		UG/L	
299-E25-38	19-JUL-91	Y	260.000		UG/L		299-E27-14	31-JUL-91		590.000		UG/L	
	01-OCT-91	Y	47.000		UG/L			06-NOV-91	Y	35.000		UG/L	
	16-OCT-91	Y	56.000		UG/L			06-NOV-91		300.000		UG/L	
299-E25-39	19-JUL-91		650.000		UG/L		299-E27-15	23-JUL-91	Y	39.000		UG/L	
	19-JUL-91		360.000		UG/L			18-NOV-91	Y	36.000		UG/L	
	01-OCT-91		440.000		UG/L			23-JUL-91	Y	160.000		UG/L	
299-E25-40	16-OCT-91		530.000		UG/L		299-E27-16	18-NOV-91		370.000		UG/L	
	11-JUL-91	Y	82.000		UG/L			23-JUL-91	Y	37.000		UG/L	
	30-SEP-91	Y	47.000		UG/L			15-NOV-91	Y	21.000		UG/L	
299-E25-41	11-JUL-91		730.000		UG/L		299-E27-17	23-JUL-91					

WELL NAME	SAMPLE DATE	IRON DATA			QUALIFIER	UNITS	DATA REVIEW
		DATE	FILTERED	CONCENTRATION			
299-E27-13	23-JUL-91			570.000	UG/L		
	15-NOV-91			290.000	UG/L		
299-E27-14	23-JUL-91		Y	610.000	UG/L	U	
299-E27-15	24-JUL-91		Y	41.000	UG/L		
	21-NOV-91		Y	45.000	UG/L		
	24-JUL-91			810.000	UG/L		
	21-NOV-91			990.000	UG/L		
299-E27-16	09-SEP-91		Y	46.000	UG/L		
	09-SEP-91			260.000	UG/L		
299-E27-5	09-JAN-91			.019	MG/L		
299-E27-7	25-JUL-91		Y	34.000	UG/L		
	25-JUL-91			150.000	UG/L		
299-E27-8	01-AUG-91		Y	57.000	UG/L		
	01-AUG-91			380.000	UG/L		
299-E27-9	26-JUL-91		Y	26.000	UG/L		
	26-JUL-91			630.000	UG/L		
299-E28-18	13-SEP-91			33.000	UG/L	U	
	13-SEP-91				UG/L		
299-E28-26	06-AUG-91		Y	55.000	UG/L		
	23-SEP-91		Y	32.000	UG/L		
	06-AUG-91			490.000	UG/L		
	23-SEP-91			250.000	UG/L		
299-E28-27	01-AUG-91		Y	57.000	UG/L		
	23-SEP-91		Y	36.000	UG/L		
	01-JAN-92		Y	62.000	UG/L		
	01-AUG-91			410.000	UG/L		
	23-SEP-91			270.000	UG/L		
	01-JAN-92			270.000	UG/L		
299-E28-28	02-AUG-91		Y	58.000	UG/L		
	23-SEP-91		Y	78.000	UG/L		
	02-AUG-91			730.000	UG/L		
	23-SEP-91			130.000	UG/L		
299-E32-2	02-AUG-91		Y	47.000	UG/L		
	23-SEP-91		Y	30.000	UG/L		
	02-AUG-91			520.000	UG/L		
	23-SEP-91			500.000	UG/L		
299-E32-3	02-AUG-91		Y	91.000	UG/L		
	20-SEP-91		Y	52.000	UG/L		
	20-SEP-91		Y	67.000	UG/L		
	02-AUG-91			460.000	UG/L		
	20-SEP-91			130.000	UG/L		
299-E32-4	05-AUG-91		Y	200.000	UG/L		
	23-SEP-91		Y	78.000	UG/L		
	05-AUG-91			24.000	UG/L		
	05-AUG-91			1400.000	UG/L		

WELL NAME	SAMPLE DATE	IRON DATA			QUALIFIER	UNITS	DATA REVIEW
		DATE	FILTERED	CONCENTRATION			
299-E32-4	05-AUG-91			1700.000	UG/L		
	23-SEP-91			300.000	UG/L		
299-E32-5	02-AUG-91		Y	73.000	UG/L		
	20-SEP-91		Y	47.000	UG/L		
	02-AUG-91			550.000	UG/L		
	20-SEP-91			320.000	UG/L		
299-E33-28	31-JUL-91		Y	35.000	UG/L		
	24-SEP-91		Y	40.000	UG/L		
	31-JUL-91			690.000	UG/L		
	24-SEP-91			680.000	UG/L		
299-E33-29	31-JUL-91		Y	36.000	UG/L		
	23-SEP-91		Y	220.000	UG/L	U	
	31-JUL-91			120.000	UG/L		
299-E33-3	08-JAN-91				MG/L	U	
299-E33-30	05-AUG-91		Y	69.000	UG/L		
	23-SEP-91		Y	34.000	UG/L		
	05-AUG-91			580.000	UG/L		
	23-SEP-91			120.000	UG/L		
299-E33-31	23-JUL-91		Y	72.000	UG/L		
	15-NOV-91		Y	44.000	UG/L		
	23-JUL-91			650.000	UG/L		
	15-NOV-91			460.000	UG/L		
299-E33-32	23-JUL-91		Y	22.000	UG/L		
	22-NOV-91		Y	32.000	UG/L		
	23-JUL-91			190.000	UG/L		
	22-NOV-91			310.000	UG/L		
299-E33-33	22-JUL-91		Y	66.000	UG/L		
	15-NOV-91		Y	29.000	UG/L		
	22-JUL-91			270.000	UG/L		
	15-NOV-91			430.000	UG/L		
299-E33-34	02-AUG-91		Y	42.000	UG/L		
	20-SEP-91		Y	34.000	UG/L		
	02-AUG-91			200.000	UG/L		
	20-SEP-91			250.000	UG/L		
299-E33-35	30-JUL-91		Y	47.000	UG/L		
	24-SEP-91		Y	31.000	UG/L		
	30-JUL-91			170.000	UG/L		
	24-SEP-91			110.000	UG/L		
299-E33-36	30-JUL-91			1000.000	UG/L	U	
	21-AUG-91				UG/L		
299-E33-37	09-SEP-91		Y	64.000	UG/L		
	09-SEP-91			1200.000	UG/L		
299-E33-41	21-NOV-91		Y	85.000	UG/L		
	21-NOV-91		Y	36.000	UG/L		
	21-NOV-91			540.000	UG/L		
	21-NOV-91			800.000	UG/L		

IRON DATA							IRON DATA						
WELL NAME	SAMPLE DATE	FILTERED	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW	WELL NAME	SAMPLE DATE	FILTERED	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
299-E34-1	18-JAN-91		.052		MG/L		299-W14-6	03-JAN-91		.406		MG/L	
299-E34-2	30-JUL-91	Y	300.000		UG/L		299-W15-11	02-JAN-91		.025		MG/L	
	30-JUL-91	Y	390.000		UG/L		299-W15-16	05-AUG-91	Y	38.000		UG/L	
	30-JUL-91		980.000		UG/L			05-AUG-91		450.000		UG/L	
	30-JUL-91		870.000		UG/L		299-W15-17	06-AUG-91	Y	410.000		UG/L	
299-E34-3	29-JUL-91	Y	91.000	U	UG/L			06-AUG-91	Y	92.000		UG/L	
	29-JUL-91				UG/L			06-AUG-91		2100.000		UG/L	
299-E34-5	29-JUL-91	Y	54.000		UG/L			06-AUG-91		1900.000		UG/L	
	29-JUL-91		210.000		UG/L		299-W15-18	09-AUG-91	Y	370.000		UG/L	
299-E34-7	04-NOV-91	Y	33.000		UG/L			09-AUG-91		440.000		UG/L	
	04-NOV-91		550.000		UG/L		299-W15-19	14-NOV-91	Y	38.000		UG/L	
299-E35-2	27-JUN-91	Y	68.000		UG/L			14-NOV-91		300.000		UG/L	
	27-JUN-91	Y	38.000		UG/L		299-W15-20	05-AUG-91	Y	61.000		UG/L	
	25-SEP-91	Y	23.000		UG/L			12-NOV-91	Y	73.000		UG/L	
	27-JUN-91		700.000		UG/L			05-AUG-91		300.000		UG/L	
	27-JUN-91		940.000		UG/L			12-NOV-91		760.000		UG/L	
	25-SEP-91		160.000		UG/L		299-W15-22	24-SEP-91	Y	290.000		UG/L	
299-W10-13	08-AUG-91	Y	50.000		UG/L			24-SEP-91		1900.000		UG/L	
	07-NOV-91	Y	590.000	U	UG/L		299-W15-23	05-AUG-91	Y	44.000		UG/L	
	08-AUG-91		330.000		UG/L			13-NOV-91	Y	36.000		UG/L	
	07-NOV-91				UG/L			03-AUG-91		130.000		UG/L	
299-W10-14	14-AUG-91	Y	63.000		UG/L			13-NOV-91		180.000		UG/L	
	07-NOV-91	Y	66.000		UG/L		299-W15-24	05-AUG-91	Y	39.000		UG/L	
	14-AUG-91		660.000		UG/L			12-NOV-91	Y	180.000		UG/L	
	07-NOV-91		340.000		UG/L			05-AUG-91		2100.000		UG/L	
299-W10-15	22-JUL-91	Y	31.000		UG/L			12-NOV-91		2200.000		UG/L	
	04-OCT-91	Y	31.000		UG/L		299-W18-21	07-AUG-91	Y	300.000		UG/L	
	22-JUL-91	Y	160.000		UG/L			07-AUG-91		1200.000		UG/L	
	04-OCT-91		370.000		UG/L		299-W18-22	06-AUG-91	Y	61.000		UG/L	
	04-OCT-91		400.000		UG/L			06-AUG-91		210.000		UG/L	
299-W10-16	22-JUL-91	Y	39.000		UG/L		299-W18-23	09-AUG-91	Y	630.000		UG/L	
	24-SEP-91	Y	76.000		UG/L			09-AUG-91		420.000		UG/L	
	22-JUL-91		610.000		MG/L		299-W18-24	09-AUG-91	Y	45.000		UG/L	
	22-JUL-91		.042		UG/L			09-AUG-91	Y	92.000		UG/L	
	24-SEP-91		1800.000		UG/L			09-AUG-91		240.000		UG/L	
299-W10-17	09-OCT-91	Y	40.000		UG/L			09-AUG-91		1200.000		UG/L	
	09-OCT-91		190.000		UG/L		299-W18-25	01-OCT-91	Y	50.000		UG/L	
299-W10-18	24-SEP-91	Y	80.000		UG/L			01-OCT-91		680.000		UG/L	
	24-SEP-91		510.000		UG/L		299-W18-26	07-AUG-91	Y	38.000		UG/L	
299-W10-4	02-JAN-91		.024		MG/L			12-NOV-91	Y	220.000		UG/L	
299-W10-9	03-OCT-91	Y	21.000		UG/L			07-AUG-91	Y	340.000		UG/L	
	22-JUL-91		2400.000	U	UG/L			12-NOV-91		760.000		UG/L	
	22-JUL-91		2200.000		UG/L		299-W18-29	09-OCT-91		20.000		UG/L	
	03-OCT-91				UG/L			09-OCT-91		400.000		UG/L	
299-W14-5	02-JAN-91		.099		MG/L								

IRON DATA							IRON DATA						
WELL NAME	SAMPLE DATE	FILTERED	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW	WELL NAME	SAMPLE DATE	FILTERED	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
299-W19-18	02-JAN-91		0.30		MG/L		299-W6-2	13-NOV-91		220.000		UG/L	
299-W19-29	25-NOV-91	Y	33.000		UG/L		299-W7-1	07-AUG-91	Y	30.000		UG/L	
	14-JUN-91		24.000		UG/L			08-NOV-91	Y	80.000		UG/L	
	25-NOV-91		840.000		UG/L			07-AUG-91		570.000		UG/L	
	25-NOV-91		81.000		UG/L			08-NOV-91		180.000		UG/L	
299-W19-30	13-JUN-91		55.000		UG/L		299-W7-10	09-AUG-91	Y	80.000		UG/L	
299-W19-31	01-OCT-91	Y	220.000		UG/L			14-NOV-91	Y	20.000		UG/L	
	01-OCT-91		690.000		UG/L			09-AUG-91		1700.000		UG/L	
								14-NOV-91		850.000		UG/L	
299-W19-32	01-OCT-91	Y	230.000		UG/L		299-W7-2	07-AUG-91	Y	52.000		UG/L	
	01-OCT-91		2100.000		UG/L			08-NOV-91	Y	63.000		UG/L	
299-W22-20	03-OCT-91			U	UG/L			07-AUG-91		1300.000		UG/L	
299-W22-39	14-NOV-91	Y	110.000		UG/L		299-W7-3	08-AUG-91	Y	110.000		UG/L	
	14-NOV-91		890.000		UG/L			08-NOV-91	Y	96.000		UG/L	
299-W22-40	03-SEP-91	Y	50.000		UG/L			08-AUG-91		860.000		UG/L	
	03-SEP-91		420.000		UG/L			08-NOV-91		280.000		UG/L	
299-W22-41	03-SEP-91	Y	52.000		UG/L		299-W7-4	12-AUG-91	Y	61.000		UG/L	
	03-SEP-91		250.000		UG/L			13-NOV-91	Y	72.000		UG/L	
299-W22-42	03-SEP-91	Y	52.000		UG/L			12-AUG-91		520.000		UG/L	
	03-SEP-91		470.000		UG/L		299-W7-5	13-NOV-91		290.000		UG/L	
299-W22-43	04-SEP-91	Y	190.000		UG/L			09-AUG-91	Y	49.000		UG/L	
	04-SEP-91	Y	120.000		UG/L			11-NOV-91	Y	64.000		UG/L	
	04-SEP-91		270.000		UG/L			09-AUG-91		800.000		UG/L	
	04-SEP-91		430.000		UG/L		299-W7-6	11-NOV-91		440.000		UG/L	
299-W23-13	03-OCT-91	Y	33.000		UG/L			08-NOV-91	Y	310.000		UG/L	
	03-OCT-91		890.000		UG/L			12-AUG-91		11000.000		UG/L	
299-W23-14	09-OCT-91	Y	340.000		UG/L			08-NOV-91		17000.000		UG/L	
	09-OCT-91		4700.000		UG/L		299-W7-7	09-AUG-91	Y	24.000		UG/L	
299-W26-10	21-AUG-91	Y	140.000		UG/L			08-NOV-91	Y	37.000		UG/L	
	21-AUG-91		1100.000		UG/L			09-AUG-91	Y	830.000		UG/L	
299-W26-12	28-AUG-91	Y	140.000		UG/L		299-W7-8	08-NOV-91		660.000		UG/L	
	28-AUG-91		900.000		UG/L			09-AUG-91	Y	74.000		UG/L	
299-W26-8	28-AUG-91	Y	46.000		UG/L			11-NOV-91	Y	91.000		UG/L	
	28-AUG-91	Y	35.000		UG/L		299-W7-9	09-AUG-91	Y	1200.000		UG/L	
	28-AUG-91		1300.000		UG/L			08-NOV-91	Y	370.000		UG/L	
	28-AUG-91		1300.000		UG/L			09-AUG-91		7000.000		UG/L	
	30-DEC-91		430.000		UG/L			08-NOV-91		690.000		UG/L	
	30-DEC-91		33.000		UG/L		299-W8-1	09-AUG-91	Y	54.000		UG/L	
299-W26-9	20-AUG-91	Y	790.000		UG/L			13-NOV-91	Y	69.000		UG/L	
	20-AUG-91		1800.000		UG/L			09-AUG-91		680.000		UG/L	
299-W6-2	12-AUG-91	Y	51.000		UG/L			13-NOV-91		330.000		UG/L	
	12-AUG-91	Y	46.000		UG/L		299-W9-1	08-AUG-91	Y	68.000		UG/L	
	13-NOV-91	Y	46.000		UG/L			08-NOV-91	Y	110.000		UG/L	
	12-AUG-91		300.000		UG/L			08-AUG-91		2000.000		UG/L	
	12-AUG-91		580.000		UG/L			08-NOV-91		440.000		UG/L	

IRON DATA							IRON DATA						
WELL NAME	SAMPLE DATE	FILTERED	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW	WELL NAME	SAMPLE DATE	FILTERED	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
399-1-10	15-JUL-91	Y	34.000		UG/L		399-2-1	09-JUL-91		110.000		UG/L	
	15-JUL-91		99.000		UG/L			18-DEC-91		320.000		UG/L	
	06-DEC-91		46.000	U	UG/L			18-DEC-91		78.000		UG/L	
399-1-11	06-DEC-91						399-3-10	12-JUL-91	Y	43.000		UG/L	
	18-DEC-91		180.000		UG/L			12-JUL-91		2600.000		UG/L	
	18-DEC-91		22.000		UG/L			18-DEC-91		180.000		UG/L	
399-1-12	18-JUL-91	Y	37.000		UG/L		399-3-7	12-JUL-91	Y	80.000		UG/L	
	18-JUL-91		130.000		UG/L			12-JUL-91		270.000		UG/L	
	06-DEC-91		86.000	U	UG/L			17-DEC-91		30.000	U	UG/L	
399-1-13	06-DEC-91						399-3-9	17-DEC-91					
	16-JUL-91	Y	29.000		UG/L			15-JUL-91	Y	28.000		UG/L	
	16-JUL-91		41.000		UG/L			15-JUL-91		110.000		UG/L	
399-1-14	11-DEC-91		90.000		UG/L		399-4-1	17-DEC-91		120.000		UG/L	
	11-DEC-91		37.000		UG/L			17-DEC-91		45.000		UG/L	
	16-JUL-91	Y			UG/L			10-JUL-91	Y	25.000		UG/L	
399-1-15	16-JUL-91		33.000	U	UG/L		399-4-11	10-JUL-91		89.000		UG/L	
	16-JUL-91		32.000	U	UG/L			10-JUL-91		30.000		UG/L	
	11-DEC-91				UG/L			10-DEC-91		25.000		UG/L	
399-1-16A	11-DEC-91		54.000		UG/L		399-4-7	15-JUL-91	Y	25.000		UG/L	
	16-JUL-91	Y	30.000		UG/L			15-JUL-91		110.000		UG/L	
	11-DEC-91		39.000		UG/L			11-DEC-91		110.000		UG/L	
399-1-16B	11-DEC-91		46.000		UG/L		399-8-1	11-DEC-91		25.000		UG/L	
	11-JUL-91	Y	28.000		UG/L			09-JUL-91	Y	31.000		UG/L	
	11-JUL-91		52.000		UG/L			09-JUL-91		120.000	U	UG/L	
399-1-17A	06-DEC-91		92.000	U	UG/L		399-8-2	10-DEC-91		25.000		UG/L	
	06-DEC-91							15-JUL-91	Y	24.000		UG/L	
	11-JUL-91	Y	130.000		UG/L			15-JUL-91		260.000	U	UG/L	
399-1-17B	11-JUL-91	Y	120.000		UG/L		399-8-3	20-DEC-91		300.000	U	UG/L	
	11-JUL-91		260.000		UG/L			20-DEC-91		130.000		UG/L	
	11-JUL-91		150.000		UG/L			18-DEC-91		170.000		UG/L	
399-1-18A	06-DEC-91		250.000		UG/L		699-1-18	09-OCT-91		.050	MG/L		
	06-DEC-91		110.000		UG/L			23-DEC-91	U			UG/L	
	11-JUL-91	Y	39.000		UG/L			09-DEC-91	U			UG/L	
399-1-18B	11-JUL-91		76.000		UG/L		699-10-E12	18-DEC-91		110.000		UG/L	
	10-DEC-91		42.000		UG/L			27-AUG-91		28.000		UG/L	
	10-DEC-91		22.000		UG/L			26-DEC-91		50.000		UG/L	
399-1-7	11-JUL-91	Y	500.000		UG/L		699-24-33	09-DEC-91		41.000		UG/L	
	11-JUL-91		560.000		UG/L			28-AUG-91		62.000		UG/L	
	10-DEC-91		440.000		UG/L			27-DEC-91		21.000		UG/L	
399-2-1	10-DEC-91		430.000		UG/L		699-24-34A	27-AUG-91		590.000		UG/L	
	15-JUL-91	Y	24.000		UG/L								
	15-JUL-91		220.000		UG/L								
399-1-7	13-DEC-91		260.000		UG/L								
	13-DEC-91		26.000		UG/L								
	09-JUL-91	Y	42.000		UG/L								
399-2-1	09-JUL-91		230.000		UG/L								
	01-DEC-91		320.000		UG/L								
	01-DEC-91		49.000		UG/L								

IRON DATA												
WELL NAME	SAMPLE DATE	FILTERED	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW						
699-24-34A	26-DEC-91		150.000		UG/L							
699-24-34B	27-AUG-91		29.000		UG/L							
	26-DEC-91		130.000		UG/L							
699-24-34C	27-AUG-91		55.000		UG/L							
	26-DEC-91		140.000		UG/L							
699-24-35	28-AUG-91		52.000		UG/L							
	27-DEC-91		41.000		UG/L							
699-25-33A	27-AUG-91	Y	31.000		UG/L							
	27-AUG-91		160.000		UG/L							
699-25-34A	27-AUG-91	Y	32.000		UG/L							
	27-AUG-91		1800.000		UG/L							
699-25-34B	27-AUG-91	Y	160.000	U	UG/L							
	27-AUG-91				UG/L							
699-25-34C	27-AUG-91		53.000		UG/L							
	26-DEC-91		28.000		UG/L							
699-26-33	27-AUG-91	Y	28.000		UG/L							
	27-AUG-91		1600.000		UG/L							
699-26-35A	27-AUG-91		21.000		UG/L							
	27-AUG-91		190.000	U	UG/L							
	27-DEC-91				UG/L							
699-26-35C	27-AUG-91	Y	24.000		UG/L							
	27-AUG-91		130.000		UG/L							
699-32-77	29-MAR-91		.030		MG/L							
699-34-8	21-AUG-91	Y	60.000		UG/L							
	21-AUG-91		1000.000		UG/L							
699-37-E4	24-SEP-91		.040		MG/L							
699-38-70	30-DEC-91		210.000		UG/L							
	30-DEC-91		73.000		UG/L							
699-39-0	22-AUG-91		.030		MG/L							
699-40-1	29-MAR-91		.040		MG/L							
	26-JUN-91		.030		MG/L							
699-40-39	08-JUL-91	Y	230.000		UG/L							
	11-SEP-91	Y	92.000		UG/L							
	11-SEP-91		500.000		UG/L							
699-40-40B	01-JAN-92	Y	77.000		UG/L							
	01-JAN-92		22000.000		UG/L							
699-40-62	30-DEC-91		83.000	U	UG/L							
	30-DEC-91				UG/L							
699-41-40	10-JUL-91	Y	140.000		UG/L							
	11-SEP-91	Y	66.000		UG/L							
	10-JUL-91		650.000		UG/L							

IRON DATA				
WELL NAME	SAMPLE DATE	FILTERED CONCENTRATION	QUALIFIER	UNITS DATA REVIEW
699-67-86	30-JAN-91	2.770		MG/L
699-72-88	23-AUG-91	.040		MG/L
699-78-62	30-JAN-91	.091		MG/L
699-81-58	04-SEP-91	30.000		UG/L
	04-SEP-91	27.000		UG/L
	04-SEP-91	460.000		UG/L
	04-SEP-91	470.000		UG/L
699-83-47	31-JAN-91	3.430		MG/L
699-87-55	12-SEP-91	.070		MG/L
699-96-49	23-AUG-91	.040		MG/L
699-97-43	12-SEP-91	.030		MG/L
699-97-51A	12-SEP-91	.040		MG/L
699-819-E13	01-FEB-91	.064		MG/L
	29-MAR-91	.040		MG/L
	21-JUN-91	.037		MG/L
	13-DEC-91	38.000		UG/L
699-827-E14	10-DEC-91		U	UG/L
699-829-E12	09-DEC-91		V	UG/L
699-83-25	20-DEC-91	160.000		UG/L
699-830-E10A	24-JUL-91	.030		MG/L
	10-DEC-91	78.000		UG/L
699-830-E10B	24-JUL-91	.140		MG/L
699-830-E15A	10-DEC-91		U	UG/L
699-830-E15A	29-MAR-91	.130		MG/L
	21-JUN-91	.049		MG/L
699-831-1	20-DEC-91		U	UG/L
699-831-E10A	23-JUL-91	.040		MG/L
699-831-E10B	23-JUL-91	.050		MG/L
699-831-E10C	23-JUL-91	.040		MG/L
699-831-E10D	23-JUL-91	.030		MG/L
699-831-E13	24-JUL-91	.150		MG/L
699-831-E8	24-JUL-91	.060		MG/L
699-832-E13A	24-JUL-91	.090		MG/L
699-832-E13B	25-JUL-91	.070		MG/L
699-832-E8	25-JUL-91	.050		MG/L

IRON DATA				
WELL NAME	SAMPLE DATE	FILTERED CONCENTRATION	QUALIFIER	UNITS DATA REVIEW
699-834-E10	25-JUL-91	.210		MG/L
699-836-E13A	30-AUG-91	.060		MG/L
699-837-E11	29-AUG-91	.110		MG/L
699-837-E14	29-AUG-91	.050		MG/L
	17-OCT-91	.030		MG/L
699-838-E11	29-AUG-91	.040		MG/L
699-838-E12A	29-AUG-91	.070		MG/L
699-838-E12B	29-AUG-91	.030		MG/L
699-840-E14	29-AUG-91	.050		MG/L
699-841-E11	30-AUG-91	.090		MG/L
699-841-E13A	29-AUG-91	.040		MG/L
	17-OCT-91	.050		MG/L
699-841-E13B	29-AUG-91	.050		MG/L
	17-OCT-91	.050		MG/L
699-841-E13C	29-AUG-91	.040		MG/L
699-88-19	13-DEC-91	54.000		UG/L

STRONTIUM DATA

WELL NAME	SAMPLE DATE	FILTERED CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
299-W19-18	02-JAN-91	.140		MG/L	

BARIUM DATA						BARIUM DATA					
WELL NAME	SAMPLE DATE	FILTERED CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW	WELL NAME	SAMPLE DATE	FILTERED CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
1199-H1-13C	31-MAY-91	.030		MG/L		199-H4-4	16-AUG-91	25.000		UG/L	
199-B4-5	18-SEP-91	.017		MG/L			18-SEP-91	83.000		UG/L	
199-B4-6	19-SEP-91	.020		MG/L			24-OCT-91	90.000		UG/L	
199-B4-7	18-SEP-91	.019		MG/L		199-H4-5	13-NOV-91	29.000		UG/L	
199-F5-4	19-SEP-91	43.000		UG/L			12-DEC-91	72.000		UG/L	
199-F7-1	19-SEP-91	44.000		UG/L			22-AUG-91	72.000		UG/L	
199-H3-1	06-JUN-91	20.000		UG/L			13-SEP-91	68.000		UG/L	
199-H3-2A	06-JUN-91	30.000		UG/L		199-H4-6	10-JUN-91	53.000		UG/L	
199-H3-2B	12-SEP-91	27.000		UG/L			12-SEP-91	48.000		UG/L	
199-H3-2C	22-AUG-91	38.000		UG/L		199-H4-7	06-JUN-91	50.000		UG/L	
199-H4-11	07-JUN-91	30.000		UG/L			12-SEP-91	37.000		UG/L	
199-H4-12A	12-SEP-91	44.000		UG/L		199-H4-8	16-AUG-91	49.000		UG/L	
199-H4-12B	07-JUN-91	30.000		UG/L			12-SEP-91	40.000		UG/L	
199-H4-12C	12-SEP-91	78.000		UG/L		199-H4-9	06-JUN-91	50.000		UG/L	
199-H4-13	23-AUG-91	29.000		UG/L			01-AUG-91	55.000		UG/L	
199-H4-14	07-JUN-91	30.000		UG/L			16-AUG-91	56.000		UG/L	
199-H4-15A	22-AUG-91	73.000		UG/L			12-SEP-91	47.000		UG/L	
199-H4-15B	13-SEP-91	78.000		UG/L			24-OCT-91	30.000		UG/L	
199-H4-16	22-AUG-91	110.000		UG/L			13-NOV-91	83.000		UG/L	
199-H4-17	07-JUN-91	30.000		UG/L		199-K-11	26-SEP-91	22.000		UG/L	
199-H4-18	16-AUG-91	70.000		UG/L							
199-H4-19	13-SEP-91	37.000		UG/L		199-N-14	18-SEP-91		U	UG/L	
199-H4-20	07-JUN-91	50.000		UG/L			18-SEP-91		U	UG/L	
199-H4-21	01-AUG-91	50.000		UG/L			01-NOV-91		U	UG/L	
199-H4-22	16-AUG-91	130.000		UG/L			05-DEC-91	49.000		UG/L	
199-H4-23	16-AUG-91	120.000		UG/L			18-SEP-91		U	UG/L	
199-H4-24	13-SEP-91	49.000		UG/L		199-N-17	05-SEP-91	120.000		UG/L	
199-H4-25	13-SEP-91	50.000		UG/L			05-SEP-91	130.000		UG/L	
199-H4-26	24-OCT-91	20.000		UG/L		199-N-21	05-SEP-91	36.000		UG/L	
199-H4-27	13-NOV-91	20.000		UG/L			05-SEP-91	86.000		UG/L	
199-H4-28	06-JUN-91	20.000		UG/L		199-N-29	04-SEP-91		U	UG/L	
199-H4-29	01-AUG-91	47.000		UG/L			04-SEP-91		U	UG/L	
199-H4-30				UG/L		199-N-3	05-DEC-91	47.000		UG/L	
199-H4-31				UG/L		199-N-32	18-SEP-91		U	UG/L	
199-H4-32				UG/L			18-SEP-91		U	UG/L	
199-H4-33				UG/L		199-N-33	04-SEP-91	25.000		UG/L	
199-H4-34				UG/L			04-SEP-91	52.000		UG/L	
199-H4-35				UG/L		199-N-36	04-SEP-91		U	UG/L	
199-H4-36				UG/L			04-SEP-91		U	UG/L	
199-H4-37				UG/L		199-N-41	30-AUG-91		U	UG/L	
199-H4-38				UG/L			30-AUG-91		U	UG/L	
199-H4-39				UG/L		199-N-47	05-SEP-91	40.000		UG/L	
199-H4-40				UG/L			05-NOV-91	38.000		UG/L	

BARIUM DATA						BARIUM DATA						
WELL NAME	SAMPLE DATE	FILTERED CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW	WELL NAME	SAMPLE DATE	FILTERED CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW	
199-N-47	05-SEP-91	40.000		UG/L		299-E17-17	26-AUG-91	40.000		UG/L		
	05-NOV-91	36.000		UG/L			26-AUG-91	40.000	Y		UG/L	
199-N-54	05-SEP-91	79.000	Y	UG/L		299-E17-18	26-AUG-91	39.000	Y		UG/L	
	05-NOV-91	86.000	Y	UG/L			26-AUG-91	40.000			UG/L	
	05-SEP-91	130.000		UG/L			19-DEC-91	37.000			UG/L	
	05-NOV-91	140.000		UG/L			19-DEC-91	38.000			UG/L	
199-N-55	05-SEP-91	42.000	Y	UG/L		299-E17-20	24-JUL-91	69.000	Y		UG/L	
	05-NOV-91	32.000	Y	UG/L			14-AUG-91	70.000	Y		UG/L	
	05-SEP-91	67.000		UG/L			30-SEP-91	68.000	Y		UG/L	
	05-NOV-91	80.000		UG/L			24-JUL-91	66.000			UG/L	
199-N-56	05-SEP-91	110.000	Y	UG/L		299-E17-5	14-AUG-91	70.000			UG/L	
	05-NOV-91	81.000	Y	UG/L			30-SEP-91	70.000			UG/L	
	05-SEP-91	110.000		UG/L								
	05-NOV-91	77.000		UG/L								
199-N-57	05-NOV-91	84.000	Y	UG/L		299-E18-1	26-AUG-91	31.000	Y		UG/L	
	05-NOV-91	83.000		UG/L			26-AUG-91	30.000			UG/L	
199-N-59	03-SEP-91		Y	UG/L		299-E18-2	09-JUL-91	25.000	Y		UG/L	
	03-SEP-91			UG/L			06-SEP-91	24.000	Y		UG/L	
199-N-66	05-NOV-91	21.000	Y	UG/L		299-E18-3	09-JUL-91	30.000			UG/L	
	05-NOV-91	27.000		UG/L			06-SEP-91	26.000			UG/L	
199-N-67	22-NOV-91	79.000		UG/L		299-E18-4	06-SEP-91	51.000	Y		UG/L	
	22-NOV-91	28.000		UG/L			06-SEP-91	51.000			UG/L	
199-N-69	22-NOV-91			UG/L		299-E24-16	06-SEP-91	50.000	Y		UG/L	
	22-NOV-91			UG/L			06-SEP-91	54.000	Y		UG/L	
199-N-70	04-SEP-91		Y	UG/L		299-E24-17	20-AUG-91	48.000	Y		UG/L	
	04-SEP-91			UG/L			20-AUG-91	49.000			UG/L	
299-E13-14	11-JUN-91	55.000		UG/L		299-E24-18	13-AUG-91	47.000	Y		UG/L	
							13-AUG-91	47.000			UG/L	
299-E17-1	13-AUG-91	58.000	Y	UG/L		299-E24-19	13-AUG-91	44.000	Y		UG/L	
	13-AUG-91	58.000		UG/L			26-JUL-91	33.000	Y		UG/L	
299-E17-12	13-SEP-91	34.000		UG/L		299-E24-20	22-NOV-91	21.000	Y		UG/L	
	18-JUN-91	38.000		UG/L			26-JUL-91	38.000			UG/L	
299-E17-13	13-SEP-91	35.000		UG/L		299-E24-4	22-NOV-91	27.000			UG/L	
							15-NOV-91	28.000	Y		UG/L	
299-E17-14	28-AUG-91	48.000	Y	UG/L		299-E25-18	15-NOV-91	31.000			UG/L	
	28-AUG-91	49.000		UG/L			03-OCT-91			U	UG/L	
299-E17-15	03-SEP-91	48.000	Y	UG/L		299-E25-19	12-JUL-91		Y		UG/L	
	01-OCT-91	53.000	Y	UG/L			31-JUL-91	20.000	Y		UG/L	
	03-SEP-91	48.000		UG/L			01-OCT-91		Y		UG/L	
	01-OCT-91	53.000		UG/L			12-JUL-91			U	UG/L	
299-E17-16	19-DEC-91	51.000		UG/L			31-JUL-91			U	UG/L	
	19-DEC-91	51.000		UG/L			01-OCT-91			U	UG/L	
	28-AUG-91	41.000	Y	UG/L			18-JUL-91	50.000	Y		UG/L	
	28-AUG-91	43.000		UG/L			01-OCT-91	52.000	Y		UG/L	
	19-DEC-91	34.000		UG/L			18-JUL-91	53.000			UG/L	
	19-DEC-91	33.000		UG/L			01-OCT-91	52.000			UG/L	

BARIUM DATA							BARIUM DATA						
WELL NAME	SAMPLE DATE	FILTERED	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW	WELL NAME	SAMPLE DATE	FILTERED	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
299-E25-20	16-JUL-91	Y	37.000		UG/L		299-E25-36	20-AUG-91		23.000		UG/L	
	03-OCT-91	Y		U	UG/L			20-AUG-91		22.000	U	UG/L	
	16-JUL-91		37.000	U	UG/L			30-SEP-91					
299-E25-21	03-OCT-91				UG/L		299-E25-37	26-JUN-91	Y		U	UG/L	
	11-JUL-91	Y		U	UG/L			16-SEP-91	Y		U	UG/L	
	11-JUL-91			U	UG/L			26-JUN-91			U	UG/L	
299-E25-25	25-JUN-91	Y		U	UG/L		299-E25-38	16-SEP-91	Y		U	UG/L	
	25-JUN-91	Y		U	UG/L			16-SEP-91	Y		U	UG/L	
	16-SEP-91	Y		U	UG/L			26-JUN-91			U	UG/L	
299-E25-26	25-JUN-91			U	UG/L		299-E25-39	16-SEP-91			U	UG/L	
	25-JUN-91			U	UG/L			26-JUN-91	Y		U	UG/L	
	16-SEP-91	Y		U	UG/L			16-SEP-91	Y		U	UG/L	
299-E25-28	27-SEP-91	Y		U	UG/L		299-E25-40	26-JUN-91	Y		U	UG/L	
	27-SEP-91			U	UG/L			20-JUL-91	Y		U	UG/L	
	12-JUL-91	Y		U	UG/L			20-NOV-91	Y		U	UG/L	
299-E25-29P	27-SEP-91			U	UG/L		299-E25-41	20-JUL-91	Y		U	UG/L	
	25-JUN-91	Y	20.000	U	UG/L			21-NOV-91	Y		U	UG/L	
	01-NOV-91	Y	20.000	U	UG/L			26-JUL-91					
299-E25-31	25-JUN-91	Y	30.000		UG/L		299-E26-10	27-JUN-91	Y	30.000		UG/L	
	16-SEP-91	Y	51.000		UG/L			25-SEP-91	Y	32.000		UG/L	
	25-JUN-91		30.000		UG/L			27-JUN-91		30.000	U	UG/L	
299-E25-32P	16-SEP-91		36.000		UG/L		299-E26-11	25-SEP-91		34.000		UG/L	
	19-JUL-91	Y		U	UG/L			27-JUN-91	Y	40.000		UG/L	
	19-JUL-91	Y		U	UG/L			27-SEP-91	Y	33.000		UG/L	
299-E25-33	19-JUL-91	Y		U	UG/L		299-E26-9	27-SEP-91	Y	32.000		UG/L	
	26-SEP-91	Y		U	UG/L			27-JUN-91	Y	24.000		UG/L	
	27-JUN-91	Y	32.000		UG/L			25-SEP-91		40.000		UG/L	
299-E25-34	16-SEP-91	Y	29.000		UG/L		299-E27-10	27-JUN-91		40.000		UG/L	
	27-JUN-91	Y	34.000		UG/L			31-JUL-91	Y	33.000		UG/L	
	16-SEP-91		30.000		UG/L			06-NOV-91	Y	42.000		UG/L	
299-E25-35	27-SEP-91	Y	20.000	U	UG/L		299-E27-11	06-NOV-91		42.000		UG/L	
	27-SEP-91				UG/L			23-JUL-91	Y	29.000		UG/L	
	19-JUL-91	Y	32.000		UG/L			16-NOV-91	Y	26.000		UG/L	
299-E25-36	19-JUL-91	Y	33.000		UG/L		299-E27-12	23-JUL-91		27.000		UG/L	
	01-OCT-91	Y	31.000		UG/L			18-NOV-91					
	16-OCT-91	Y	31.000		UG/L			23-JUL-91	Y	24.000		UG/L	
299-E25-36	16-OCT-91		35.000		UG/L		299-E27-13	23-JUL-91	Y	23.000		UG/L	
	11-JUL-91	Y	33.000		UG/L			15-NOV-91	Y				
	30-SEP-91	Y	36.000		UG/L								

BARIUM DATA						BARIUM DATA					
WELL NAME	SAMPLE DATE	FILTERED CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW	WELL NAME	SAMPLE DATE	FILTERED CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
299-E27-13	23-JUL-91	27.000		UG/L		299-E32-4	05-AUG-91	80.000		UG/L	
	15-NOV-91	22.000		UG/L			23-SEP-91	68.000		UG/L	
299-E27-14	23-JUL-91	29.000	Y	UG/L		299-E32-5	02-AUG-91	52.000	Y	UG/L	
	23-JUL-91	30.000		UG/L			20-SEP-91	47.000	Y	UG/L	
299-E27-15	24-JUL-91	34.000	Y	UG/L			02-AUG-91	55.000		UG/L	
	21-NOV-91	36.000	Y	UG/L		299-E33-28	20-SEP-91	43.000		UG/L	
	24-JUL-91	36.000		UG/L			31-JUL-91	31.000	Y	UG/L	
	21-NOV-91	36.000		UG/L			24-SEP-91	36.000	Y	UG/L	
299-E27-16	09-SEP-91	26.000	Y	UG/L			31-JUL-91	35.000		UG/L	
	09-SEP-91	26.000		UG/L		299-E33-29	24-SEP-91	35.000		UG/L	
299-E27-5	09-JAN-91	.028		MG/L			31-JUL-91	37.000	Y	UG/L	
299-E27-7	25-JUL-91		Y	UG/L			23-SEP-91	34.000	Y	UG/L	
	25-JUL-91			UG/L			31-JUL-91	36.000		UG/L	
299-E27-8	01-AUG-91	32.000	Y	UG/L		299-E33-3	23-SEP-91	33.000		UG/L	
	01-AUG-91	31.000		UG/L			08-JAN-91	.026		MG/L	
299-E27-9	26-JUL-91	28.000	Y	UG/L		299-E33-30	05-AUG-91	25.000	Y	UG/L	
	26-JUL-91	29.000		UG/L			23-SEP-91	21.000	Y	UG/L	
299-E28-18	13-SEP-91	21.000		UG/L			05-AUG-91	26.000		UG/L	
	13-SEP-91	20.000		UG/L		299-E33-31	23-SEP-91	22.000		UG/L	
299-E28-26	06-AUG-91	35.000	Y	UG/L			23-JUL-91	34.000	Y	UG/L	
	23-SEP-91	30.000	Y	UG/L			15-NOV-91	32.000	Y	UG/L	
	06-AUG-91	34.000		UG/L		299-E33-32	23-JUL-91	36.000		UG/L	
	23-SEP-91	32.000		UG/L			15-NOV-91	32.000		UG/L	
299-E28-27	01-AUG-91	46.000	Y	UG/L			23-JUL-91	32.000	Y	UG/L	
	23-SEP-91	39.000	Y	UG/L		299-E33-33	22-NOV-91	29.000	Y	UG/L	
	01-JAN-92	41.000	Y	UG/L			22-JUL-91	36.000	Y	UG/L	
	01-AUG-91	44.000		UG/L			15-NOV-91	31.000	Y	UG/L	
	23-SEP-91	41.000		UG/L			22-JUL-91	37.000		UG/L	
	01-JAN-92	40.000		UG/L		299-E33-34	15-NOV-91	32.000		UG/L	
299-E28-28	02-AUG-91	47.000	Y	UG/L			02-AUG-91	29.000	Y	UG/L	
	23-SEP-91	39.000	Y	UG/L			20-SEP-91	28.000	Y	UG/L	
	02-AUG-91	49.000		UG/L		299-E33-35	02-AUG-91	30.000		UG/L	
	23-SEP-91	39.000		UG/L			20-SEP-91	29.000		UG/L	
299-E32-2	02-AUG-91	38.000	Y	UG/L			30-JUL-91	35.000	Y	UG/L	
	23-SEP-91	31.000	Y	UG/L			24-SEP-91	29.000	Y	UG/L	
	02-AUG-91	42.000		UG/L			30-JUL-91	35.000		UG/L	
	23-SEP-91	32.000		UG/L		299-E33-36	24-SEP-91	30.000		UG/L	
299-E32-3	02-AUG-91	55.000	Y	UG/L			30-JUL-91	39.000		UG/L	
	20-SEP-91	48.000	Y	UG/L			21-AUG-91	42.000		UG/L	
	20-SEP-91	47.000	Y	UG/L		299-E33-37	09-SEP-91	37.000	Y	UG/L	
	02-AUG-91	56.000		UG/L			09-SEP-91	74.000		UG/L	
	20-SEP-91	48.000		UG/L		299-E33-41	21-NOV-91	37.000	Y	UG/L	
	20-SEP-91	48.000		UG/L			21-NOV-91	33.000	Y	UG/L	
299-E32-4	05-AUG-91	74.000	Y	UG/L			21-NOV-91	32.000		UG/L	
	05-AUG-91	74.000	Y	UG/L			21-NOV-91	32.000		UG/L	
	23-SEP-91	68.000	Y	UG/L							
	05-AUG-91	77.000		UG/L							

BARIUM DATA							BARIUM DATA						
WELL NAME	SAMPLE DATE	FILTERED	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW	WELL NAME	SAMPLE DATE	FILTERED	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
299-E34-1	18-JAN-91		.019		MG/L		299-W14-6	03-JAN-91		.047		MG/L	
299-E34-2	30-JUL-91	Y	29.000		UG/L		299-W15-11	02-JAN-91		.045		MG/L	
	30-JUL-91	Y	30.000		UG/L		299-W15-16	05-AUG-91	Y	68.000		UG/L	
	30-JUL-91		31.000		UG/L			05-AUG-91		68.000		UG/L	
299-E34-3	29-JUL-91	Y	64.000		UG/L		299-W15-17	06-AUG-91	Y	75.000		UG/L	
	29-JUL-91		62.000		UG/L			06-AUG-91	Y	77.000		UG/L	
299-E34-5	29-JUL-91	Y	28.000		UG/L			06-AUG-91		85.000		UG/L	
	29-JUL-91		29.000		UG/L			06-AUG-91		83.000		UG/L	
299-E34-7	04-NOV-91	Y	54.000		UG/L		299-W15-18	09-AUG-91	Y	51.000		UG/L	
	04-NOV-91		55.000		UG/L			09-AUG-91		48.000		UG/L	
299-E35-2	27-JUN-91	Y	41.000		UG/L		299-W15-19	14-NOV-91	Y	60.000		UG/L	
	27-JUN-91	Y	41.000		UG/L			14-NOV-91		60.000		UG/L	
	25-SEP-91	Y	29.000		UG/L		299-W15-20	05-AUG-91	Y	41.000		UG/L	
	27-JUN-91		41.000		UG/L			12-NOV-91	Y	36.000		UG/L	
	27-JUN-91		42.000		UG/L			05-AUG-91		42.000		UG/L	
	25-SEP-91		30.000		UG/L			12-NOV-91		42.000		UG/L	
299-W10-13	08-AUG-91	Y	33.000		UG/L		299-W15-22	24-SEP-91	Y	52.000		UG/L	
	07-NOV-91	Y	36.000		UG/L			24-SEP-91		58.000		UG/L	
	08-AUG-91		34.000		UG/L		299-W15-23	05-AUG-91	Y	29.000		UG/L	
	07-NOV-91		34.000		UG/L			13-NOV-91	Y	27.000		UG/L	
299-W10-14	14-AUG-91	Y	67.000		UG/L			05-AUG-91		30.000		UG/L	
	07-NOV-91	Y	67.000		UG/L			05-AUG-91		28.000		UG/L	
	14-AUG-91		69.000		UG/L		299-W15-24	05-AUG-91	Y	45.000		UG/L	
	07-NOV-91		69.000		UG/L			12-NOV-91	Y	43.000		UG/L	
299-W10-15	22-JUL-91	Y	71.000		UG/L			05-AUG-91		54.000		UG/L	
	04-OCT-91	Y	69.000		UG/L			12-NOV-91		55.000		UG/L	
	22-JUL-91		76.000		UG/L		299-W18-21	07-AUG-91	Y	24.000		UG/L	
	04-OCT-91		73.000		UG/L			07-AUG-91		27.000		UG/L	
	04-OCT-91		75.000		UG/L		299-W18-22	06-AUG-91	Y	53.000		UG/L	
	04-OCT-91		77.000		UG/L			06-AUG-91		52.000		UG/L	
299-W10-16	22-JUL-91	Y	46.000		UG/L		299-W18-23	09-AUG-91	Y	30.000		UG/L	
	24-SEP-91	Y	42.000		UG/L			09-AUG-91		29.000		UG/L	
	22-JUL-91		46.000		MG/L		299-W18-24	09-AUG-91	Y	24.000		UG/L	
	22-JUL-91		.043		UG/L			09-AUG-91	Y	32.000		UG/L	
	24-SEP-91		43.000		UG/L			09-AUG-91		25.000		UG/L	
299-W10-17	09-OCT-91	Y	30.000		UG/L			09-AUG-91		35.000		UG/L	
	09-OCT-91		27.000		UG/L		299-W18-25	01-OCT-91	Y	20.000	U	UG/L	
299-W10-18	24-SEP-91	Y	58.000		UG/L			01-OCT-91				UG/L	
	24-SEP-91		63.000		UG/L		299-W18-26	07-AUG-91	Y	37.000		UG/L	
299-W10-4	02-JAN-91		.030		MG/L			12-NOV-91	Y	42.000		UG/L	
299-W10-9	03-OCT-91	Y	67.000		UG/L			07-AUG-91		37.000		UG/L	
	22-JUL-91		78.000		UG/L			12-NOV-91		44.000		UG/L	
	22-JUL-91		75.000		UG/L		299-W18-29	09-OCT-91		24.000		UG/L	
	03-OCT-91		71.000		UG/L			09-OCT-91		28.000		UG/L	
299-W14-5	02-JAN-91		.061		MG/L								

BARIUM DATA						BARIUM DATA					
WELL NAME	SAMPLE DATE	FILTERED CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW	WELL NAME	SAMPLE DATE	FILTERED CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
299-W19-18	02-JAN-91	.037		MG/L		299-W6-2	13-NOV-91	35.000		UG/L	
299-W19-29	25-NOV-91	72.000	Y	UG/L		299-W7-1	07-AUG-91	30.000	Y	UG/L	
	14-JUN-91	110.000		UG/L			08-NOV-91	30.000	Y	UG/L	
	25-NOV-91	74.000		UG/L			07-AUG-91	30.000		UG/L	
	25-NOV-91	74.000		UG/L			08-NOV-91	30.000		UG/L	
299-W19-30	13-JUN-91	190.000		UG/L		299-W7-10	09-AUG-91	39.000	Y	UG/L	
299-W19-31	01-OCT-91	38.000	Y	UG/L			14-NOV-91	34.000	Y	UG/L	
	01-OCT-91	38.000		UG/L			09-AUG-91	38.000		UG/L	
299-W19-32	01-OCT-91	56.000	Y	UG/L		299-W7-2	07-AUG-91	33.000	Y	UG/L	
	01-OCT-91	69.000		UG/L			08-NOV-91	32.000	Y	UG/L	
299-W22-20	03-OCT-91	48.000		UG/L			07-AUG-91	35.000		UG/L	
299-W22-39	14-NOV-91	28.000	Y	UG/L		299-W7-3	08-AUG-91	37.000	Y	UG/L	
	14-NOV-91	31.000		UG/L			08-NOV-91	35.000	Y	UG/L	
299-W22-40	03-SEP-91	42.000	Y	UG/L			08-AUG-91	37.000		UG/L	
	03-SEP-91	40.000		UG/L			08-NOV-91	35.000		UG/L	
299-W22-41	03-SEP-91	76.000	Y	UG/L		299-W7-4	12-AUG-91	38.000	Y	UG/L	
	03-SEP-91	77.000		UG/L			13-NOV-91	31.000	Y	UG/L	
299-W22-42	03-SEP-91	67.000	Y	UG/L			12-AUG-91	38.000		UG/L	
	03-SEP-91	67.000		UG/L		299-W7-5	09-AUG-91	34.000	Y	UG/L	
299-W22-43	04-SEP-91	33.000	Y	UG/L			11-NOV-91	29.000	Y	UG/L	
	04-SEP-91	31.000	Y	UG/L			09-AUG-91	35.000		UG/L	
	04-SEP-91	35.000		UG/L			11-NOV-91	29.000		UG/L	
	04-SEP-91	33.000		UG/L		299-W7-6	08-NOV-91	24.000	Y	UG/L	
299-W23-13	03-OCT-91	21.000	Y	UG/L			12-AUG-91	280.000		UG/L	
	03-OCT-91	41.000		UG/L			08-NOV-91	130.000		UG/L	
299-W23-14	09-OCT-91	20.000	Y	UG/L		299-W7-7	09-AUG-91	32.000	Y	UG/L	
	09-OCT-91	41.000		UG/L			08-NOV-91	31.000	Y	UG/L	
299-W26-10	21-AUG-91	30.000	Y	UG/L			09-AUG-91	35.000		UG/L	
	21-AUG-91	30.000		UG/L		299-W7-8	08-NOV-91	31.000		UG/L	
299-W26-12	28-AUG-91	23.000	Y	UG/L			09-AUG-91	35.000		UG/L	
	28-AUG-91	26.000		UG/L			08-NOV-91	31.000		UG/L	
299-W26-8	28-AUG-91	49.000	Y	UG/L		299-W7-9	09-AUG-91	35.000	Y	UG/L	
	28-AUG-91	27.000	Y	UG/L			11-NOV-91	27.000	Y	UG/L	
	28-AUG-91	48.000		UG/L			09-AUG-91	34.000		UG/L	
	28-AUG-91	45.000		UG/L			11-NOV-91	29.000		UG/L	
	30-DEC-91	43.000		UG/L			09-AUG-91	45.000	Y	UG/L	
	30-DEC-91	44.000		UG/L		299-W8-1	08-NOV-91	50.000	Y	UG/L	
299-W26-9	20-AUG-91	25.000	Y	UG/L			09-AUG-91	48.000	Y	UG/L	
	20-AUG-91	26.000		UG/L			08-NOV-91	49.000		UG/L	
299-W6-2	12-AUG-91	38.000	Y	UG/L			09-AUG-91	49.000		UG/L	
	12-AUG-91	36.000	Y	UG/L			08-NOV-91	32.000	Y	UG/L	
	13-NOV-91	39.000	Y	UG/L			13-NOV-91	27.000	Y	UG/L	
	12-AUG-91	39.000		UG/L			09-AUG-91	34.000		UG/L	
							13-NOV-91	28.000		UG/L	
						299-W9-1	08-AUG-91	27.000	Y	UG/L	
							08-NOV-91	27.000	Y	UG/L	
							08-AUG-91	30.000		UG/L	
							08-NOV-91	31.000		UG/L	

BARIUM DATA							BARIUM DATA						
WELL NAME	SAMPLE DATE	FILTERED	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW	WELL NAME	SAMPLE DATE	FILTERED	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
399-1-10	15-JUL-91	Y	45.000		UG/L		399-2-1	09-JUL-91		29.000		UG/L	
	15-JUL-91		46.000		UG/L			18-DEC-91		30.000		UG/L	
	06-DEC-91		52.000		UG/L			18-DEC-91		32.000		UG/L	
399-1-11	06-DEC-91		51.000		UG/L		399-3-10	12-JUL-91	Y	44.000		UG/L	
	18-DEC-91		36.000		UG/L			12-JUL-91		46.000		UG/L	
	18-DEC-91		36.000		UG/L			18-DEC-91		47.000		UG/L	
399-1-12	18-JUL-91	Y		U	UG/L		399-3-7	12-JUL-91	Y	42.000		UG/L	
	18-JUL-91		31.000	U	UG/L			12-JUL-91		42.000		UG/L	
	06-DEC-91		34.000		UG/L			17-DEC-91		36.000		UG/L	
399-1-13	16-JUL-91	Y	40.000		UG/L		399-3-9	15-JUL-91	Y	39.000		UG/L	
	16-JUL-91		40.000		UG/L			15-JUL-91		42.000		UG/L	
	11-DEC-91		40.000		UG/L			17-DEC-91		48.000		UG/L	
399-1-14	16-JUL-91	Y	39.000		UG/L		399-4-1	10-JUL-91	Y	36.000		UG/L	
	16-JUL-91		37.000		UG/L			10-JUL-91		39.000		UG/L	
	11-DEC-91		41.000		UG/L			10-DEC-91		32.000		UG/L	
399-1-15	16-JUL-91	Y	45.000		UG/L		399-4-11	15-JUL-91	Y	38.000		UG/L	
	16-JUL-91		46.000		UG/L			15-JUL-91		38.000		UG/L	
	11-DEC-91		45.000		UG/L			11-DEC-91		36.000		UG/L	
399-1-16A	11-JUL-91	Y	33.000		UG/L		399-4-7	09-JUL-91	Y	32.000		UG/L	
	11-JUL-91		33.000		UG/L			09-JUL-91		31.000		UG/L	
	06-DEC-91		41.000		UG/L			10-DEC-91		41.000		UG/L	
399-1-16B	11-JUL-91	Y	50.000		UG/L		399-8-1	15-JUL-91	Y	37.000		UG/L	
	11-JUL-91	Y	52.000		UG/L			15-JUL-91		37.000		UG/L	
	11-JUL-91		50.000		UG/L			20-DEC-91		32.000		UG/L	
399-1-17A	06-DEC-91		46.000		UG/L		399-8-2	20-DEC-91		32.000		UG/L	
	06-DEC-91		45.000		UG/L			20-DEC-91		32.000		UG/L	
	11-JUL-91	Y		U	UG/L			18-DEC-91		34.000		UG/L	
399-1-17B	11-JUL-91	Y	66.000		UG/L		399-8-3	09-OCT-91		.040		MG/L	
	11-JUL-91		70.000		UG/L			23-DEC-91		42.000		UG/L	
	10-DEC-91		62.000		UG/L			09-DEC-91		55.000		UG/L	
399-1-18A	13-DEC-91	Y	64.000		UG/L		699-14-38	09-DEC-91		40.000		UG/L	
	15-JUL-91	Y	46.000		UG/L			18-DEC-91		58.000		UG/L	
	15-JUL-91		47.000		UG/L			27-AUG-91		84.000		UG/L	
399-1-7	13-DEC-91		44.000		UG/L		699-23-34	26-DEC-91		84.000		UG/L	
	09-JUL-91	Y	21.000	U	UG/L			26-DEC-91		83.000		UG/L	
	09-JUL-91		22.000		UG/L			28-AUG-91		62.000		UG/L	
399-2-1	01-DEC-91		22.000		UG/L		699-24-33	27-DEC-91		63.000		UG/L	
	09-JUL-91	Y	28.000		UG/L			27-AUG-91		69.000		UG/L	

BARIUM DATA						BARIUM DATA					
WELL NAME	SAMPLE DATE	FILTERED CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW	WELL NAME	SAMPLE DATE	FILTERED CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
699-24-34A	26-DEC-91	69.000		UG/L		699-41-40	11-SEP-91	75.000		UG/L	
699-24-34B	27-AUG-91	73.000		UG/L		699-42-2	09-DEC-91	39.000		UG/L	
	26-DEC-91	71.000		UG/L		699-42-40A	08-JUL-91		U	UG/L	
699-24-34C	27-AUG-91	61.000		UG/L			08-JUL-91		U	UG/L	
	26-DEC-91	56.000		UG/L		699-42-42B	08-JUL-91	26.000		UG/L	
699-24-35	28-AUG-91	53.000		UG/L			08-JUL-91	24.000		UG/L	
	27-DEC-91	57.000		UG/L		699-43-3	18-JUL-91	.046		MG/L	
699-25-33A	27-AUG-91	26.000	Y	UG/L		699-43-41E	28-JUN-91	38.000		UG/L	
	27-AUG-91	25.000		UG/L			28-JUN-91	40.000		UG/L	
699-25-34A	27-AUG-91	39.000	Y	UG/L			28-JUN-91	41.000		UG/L	
	27-AUG-91	41.000		UG/L			28-JUN-91	42.000		UG/L	
699-25-34B	27-AUG-91	39.000	Y	UG/L		699-43-41F	02-JUL-91	37.000		UG/L	
	27-AUG-91	39.000		UG/L			02-JUL-91	38.000		UG/L	
699-25-34C	27-AUG-91	45.000		UG/L		699-43-42J	02-JUL-91		U	UG/L	
	26-DEC-91	45.000		UG/L			02-JUL-91		U	UG/L	
699-26-33	27-AUG-91	33.000	Y	UG/L		699-43-43	08-JUL-91		U	UG/L	
	27-AUG-91	32.000		UG/L			08-JUL-91		U	UG/L	
699-26-35A	27-AUG-91	31.000		UG/L		699-43-45	08-JUL-91	37.000		UG/L	
	27-AUG-91	32.000		UG/L			11-SEP-91	36.000		UG/L	
	27-DEC-91	32.000		UG/L			08-JUL-91	41.000		UG/L	
699-26-35C	27-AUG-91	40.000	Y	UG/L			11-SEP-91	37.000		UG/L	
	27-AUG-91	39.000		UG/L		699-44-42	10-JUL-91		U	UG/L	
699-32-77	29-MAR-91	.022		MG/L			10-JUL-91		U	UG/L	
699-34-8	21-AUG-91	40.000	Y	UG/L		699-44-43B	08-JUL-91	50.000		UG/L	
	21-AUG-91	40.000		UG/L			11-SEP-91	43.000		UG/L	
699-37-24	24-SEP-91	.036		MG/L			08-JUL-91	49.000		UG/L	
699-38-70	30-DEC-91	100.000		UG/L		699-45-2	09-DEC-91	29.000		UG/L	
	30-DEC-91	99.000		UG/L		699-45-69A	30-DEC-91	28.000		UG/L	
699-39-0	22-AUG-91	.065		MG/L			30-DEC-91	23.000		UG/L	
699-40-1	29-MAR-91	.061		MG/L		699-46-4	19-JUL-91	.034		MG/L	
	26-JUN-91	.061		MG/L		699-47-5	19-JUL-91	.023		MG/L	
699-40-39	08-JUL-91	120.000	Y	UG/L		699-48-18	31-JAN-91	.026		MG/L	
	11-SEP-91	110.000	Y	UG/L		699-49-100C	04-APR-91	.089		MG/L	
	11-SEP-91	120.000		UG/L			20-JUN-91	.070		MG/L	
699-40-40B	01-JAN-92	83.000	Y	UG/L		699-51-75	09-DEC-91	26.000		UG/L	
	01-JAN-92	170.000		UG/L		699-55-76	30-JAN-91	.043	Y	MG/L	
699-40-62	30-DEC-91	59.000		UG/L		699-63-25A	23-AUG-91	.053		MG/L	
	30-DEC-91	57.000		UG/L		699-66-23	22-AUG-91	.071		MG/L	
699-41-40	10-JUL-91	75.000	Y	UG/L							
	11-SEP-91	72.000	Y	UG/L							
	10-JUL-91	76.000		UG/L							

BARIUM DATA						BARIUM DATA					
WELL NAME	SAMPLE DATE	FILTERED CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW	WELL NAME	SAMPLE DATE	FILTERED CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
699-67-86	30-JAN-91			MG/L		699-834-E10	25-JUL-91	.055		MG/L	
699-72-88	23-AUG-91			MG/L		699-836-E13A	30-AUG-91	.018		MG/L	
699-70-62	30-JAN-91			MG/L		699-837-E11	29-AUG-91	.037		MG/L	
699-81-58	04-SEP-91	Y	U	UG/L		699-837-E14	29-AUG-91	.012		MG/L	
	04-SEP-91	Y	U	UG/L		17-OCT-91	17-OCT-91	.011		MG/L	
	04-SEP-91		U	UG/L		699-838-E11	29-AUG-91	.035		MG/L	
	04-SEP-91			UG/L		699-838-E12A	29-AUG-91	.037		MG/L	
699-83-47	31-JAN-91			MG/L		699-838-E12B	29-AUG-91	.046		MG/L	
699-87-55	12-SEP-91			MG/L		699-840-E14	29-AUG-91	.011		MG/L	
699-96-49	23-AUG-91			MG/L		699-841-E11	30-AUG-91	.059		MG/L	
699-97-43	12-SEP-91			MG/L		699-841-E13A	29-AUG-91	.016		MG/L	
699-97-51A	12-SEP-91			MG/L		17-OCT-91	17-OCT-91	.015		MG/L	
699-819-E13	01-FEB-91			MG/L		699-841-E13B	29-AUG-91	.053		MG/L	
	29-MAR-91			MG/L		17-OCT-91	17-OCT-91	.053		MG/L	
	21-JUN-91			UG/L		699-841-E13C	29-AUG-91	.020		MG/L	
	13-DEC-91			UG/L		699-88-19	13-DEC-91	48.000		UG/L	
699-827-E14	10-DEC-91			UG/L							
699-829-E12	09-DEC-91			UG/L							
699-S3-25	20-DEC-91			UG/L							
699-S30-E10A	24-JUL-91			MG/L							
	10-DEC-91			UG/L							
699-S30-E10B	24-JUL-91			MG/L							
	10-DEC-91			UG/L							
699-S30-E15A	29-MAR-91			MG/L							
	21-JUN-91			MG/L							
699-S31-1	20-DEC-91		U	UG/L							
699-S31-E10A	23-JUL-91			MG/L							
699-S31-E10B	23-JUL-91			MG/L							
699-S31-E10C	23-JUL-91			MG/L							
699-S31-E10D	23-JUL-91			MG/L							
699-S31-E13	24-JUL-91			MG/L							
699-S31-E8	24-JUL-91			MG/L							
699-S32-E13A	24-JUL-91			MG/L							
699-S32-E13B	25-JUL-91			MG/L							
699-S32-E8	25-JUL-91			MG/L							

METALS AND SEMI-METALS DATA					METALS AND SEMI-METALS DATA				
WELL NAME	ANALYTE	SAMPLE DATE	FILT	CONCENTRATION	QUAL	UNITS	DATA REVIEW		
1199-H4-13C	SILVER	31-MAY-91		.007	MG/L				
199-B4-5	COPPER	18-SEP-91		.003	MG/L				
	NICKEL	18-SEP-91		.026	MG/L				
199-B4-6	COPPER	19-SEP-91		.003	MG/L				
	NICKEL	19-SEP-91		.021	MG/L				
	ZINC	19-SEP-91		.360	MG/L				
199-B4-7	COPPER	18-SEP-91		.005	MG/L				
199-F5-4	COPPER	19-SEP-91		22.000	UG/L				
199-F7-1	COPPER	19-SEP-91	Y	24.000	UG/L				
	ZINC	19-SEP-91	Y	16.000	UG/L				
199-H3-1	ZINC	06-JUN-91		10.000	UG/L				
199-H3-2A	ZINC	06-JUN-91		20.000	UG/L				
199-H3-2C	VANADIUM	13-SEP-91		31.000	UG/L				
199-H4-12C	ZINC	07-JUN-91		10.000	UG/L				
199-H4-14	ZINC	07-JUN-91		10.000	UG/L				
199-H4-15B	ZINC	22-AUG-91		11.000	UG/L				
199-H4-17	COPPER	16-AUG-91		29.000	UG/L				
199-H4-3	COPPER	16-AUG-91		37.000	UG/L				
	COPPER	13-NOV-91		36.000	UG/L				
	NICKEL	01-AUG-91		53.000	UG/L				
	NICKEL	16-AUG-91		48.000	UG/L				
	ZINC	07-JUN-91		10.000	UG/L				
	ZINC	13-NOV-91		15.000	UG/L				
	ZINC	12-DEC-91		13.000	UG/L				
199-H4-4	COPPER	24-OCT-91		20.000	UG/L				
	ZINC	16-AUG-91		21.000	UG/L				
	ZINC	18-SEP-91		14.000	UG/L				
	ZINC	24-OCT-91		40.000	UG/L				
	ZINC	12-DEC-91		18.000	UG/L				
199-H4-5	ZINC	22-AUG-91		25.000	UG/L				
	ZINC	13-SEP-91		24.000	UG/L				
199-H4-6	ZINC	10-JUN-91		23.000	UG/L				
	ZINC	12-SEP-91		21.000	UG/L				
199-H4-8	COPPER	16-AUG-91		22.000	UG/L				
	NICKEL	16-AUG-91		32.000	UG/L				
199-H4-9	COPPER	01-AUG-91		21.000	UG/L				
	COPPER	13-NOV-91		33.000	UG/L				
	ZINC	06-JUN-91		10.000	UG/L				
	ZINC	16-AUG-91		13.000	UG/L				
	ZINC	24-OCT-91		20.000	UG/L				
	ZINC	13-NOV-91		18.000	UG/L				
199-N-14	COPPER	01-NOV-91	Y	23.000	UG/L				
	ZINC	18-SEP-91	Y	11.000	UG/L				
	ZINC	18-SEP-91	Y	11.000	UG/L				
	ZINC	01-NOV-91	Y	26.000	UG/L				
	ZINC	05-DEC-91	Y	21.000	UG/L				
	ZINC	01-NOV-91		13.000	UG/L				
199-N-17	COPPER	05-SEP-91		39.000	UG/L				
	ZINC	05-SEP-91	Y	37.000	UG/L				
	ZINC	05-SEP-91		47.000	UG/L				
199-N-21	ZINC	05-SEP-91	Y	23.000	UG/L				
	ZINC	05-SEP-91		15.000	UG/L				
199-N-3	LEAD	05-DEC-91		5.700	UG/L				
199-N-32	COPPER	18-SEP-91	Y	33.000	UG/L				
	ZINC	18-SEP-91	Y	12.000	UG/L				
	ZINC	18-SEP-91		11.000	UG/L				
199-N-33	ZINC	04-SEP-91		22.000	UG/L				
199-N-41	ZINC	30-AUG-91		17.000	UG/L				
199-N-47	COPPER	05-NOV-91	Y	32.000	UG/L				
	COPPER	05-SEP-91		32.000	UG/L				
	ZINC	05-SEP-91	Y	20.000	UG/L				
	ZINC	05-SEP-91		15.000	UG/L				
	ZINC	05-NOV-91		11.000	UG/L				
199-N-54	COPPER	05-SEP-91	Y	35.000	UG/L				
	COPPER	05-NOV-91	Y	43.000	UG/L				
	COPPER	05-NOV-91		68.000	UG/L				
	LEAD	05-NOV-91		11.000	UG/L				
	ZINC	05-SEP-91	Y	22.000	UG/L				
	ZINC	05-SEP-91		31.000	UG/L				
	ZINC	05-NOV-91		27.000	UG/L				
199-N-55	COPPER	05-SEP-91	Y	43.000	UG/L				
	COPPER	05-NOV-91	Y	28.000	UG/L				
	NICKEL	05-NOV-91		33.000	UG/L				
	ZINC	05-SEP-91	Y	20.000	UG/L				
199-N-56	COPPER	05-SEP-91		44.000	UG/L				
	ZINC	05-SEP-91	Y	43.000	UG/L				
	ZINC	05-SEP-91		21.000	UG/L				
199-N-57	ZINC	05-NOV-91	Y	14.000	UG/L				
	ZINC	05-NOV-91		18.000	UG/L				
199-N-59	ZINC	03-SEP-91	Y	17.000	UG/L				
199-N-66	COPPER	05-NOV-91	Y	47.000	UG/L				
	COPPER	05-NOV-91		28.000	UG/L				
	NICKEL	05-NOV-91		87.000	UG/L				
	ZINC	05-NOV-91		16.000	UG/L				
199-N-67	LEAD	22-NOV-91		8.200	UG/L				
	NICKEL	22-NOV-91		88.000	UG/L				
	ZINC	22-NOV-91		22.000	UG/L				

METALS AND SEMI-METALS DATA					METALS AND SEMI-METALS DATA				
WELL NAME	ANALYTE	SAMPLE DATE	DATE	FILT	CONCENTRATION	QUAL	UNITS	REVIEW	DATA
299-E24-17	ANALYTE	13-AUG-91	13-AUG-91	Y	31.000	UG/L	UG/L		
	ZINC	13-AUG-91	13-AUG-91		13.000	UG/L	UG/L		
	ZINC	13-AUG-91	13-AUG-91		11.000	UG/L	UG/L		
299-E24-19	ARSENIC	22-NOV-91	22-NOV-91	Y	7.000	UG/L	UG/L		
	ARSENIC	22-NOV-91	22-NOV-91		9.900	UG/L	UG/L		
	COPPER	26-JUL-91	26-JUL-91		42.000	UG/L	UG/L		
	COPPER	22-NOV-91	22-NOV-91		24.000	UG/L	UG/L		
	LEAD	22-NOV-91	22-NOV-91		6.000	UG/L	UG/L		
	NICKEL	26-JUL-91	26-JUL-91	Y	130.000	UG/L	UG/L		
	NICKEL	22-NOV-91	22-NOV-91	Y	130.000	UG/L	UG/L		
	NICKEL	26-JUL-91	26-JUL-91		190.000	UG/L	UG/L		
	NICKEL	22-NOV-91	22-NOV-91		220.000	UG/L	UG/L		
	ZINC	26-JUL-91	26-JUL-91	Y	22.000	UG/L	UG/L		
	ZINC	26-JUL-91	26-JUL-91		89.000	UG/L	UG/L		
	ZINC	22-NOV-91	22-NOV-91		11.000	UG/L	UG/L		
299-E24-20	ARSENIC	15-NOV-91	15-NOV-91	Y	9.900	UG/L	UG/L		
	ARSENIC	15-NOV-91	15-NOV-91		9.600	UG/L	UG/L		
	COPPER	15-NOV-91	15-NOV-91		47.000	UG/L	UG/L		
	NICKEL	15-NOV-91	15-NOV-91		160.000	UG/L	UG/L		
	VANADIUM	15-NOV-91	15-NOV-91	Y	32.000	UG/L	UG/L		
	VANADIUM	15-NOV-91	15-NOV-91		37.000	UG/L	UG/L		
	ZINC	15-NOV-91	15-NOV-91		11.000	UG/L	UG/L		
299-E24-4	VANADIUM	03-OCT-91	03-OCT-91		36.000	UG/L	UG/L		
299-E25-18	VANADIUM	12-JUL-91	12-JUL-91	Y	33.000	UG/L	UG/L		
	VANADIUM	31-JUL-91	31-JUL-91	Y	34.000	UG/L	UG/L		
	VANADIUM	12-JUL-91	12-JUL-91		33.000	UG/L	UG/L		
	ZINC	31-JUL-91	31-JUL-91	Y	10.000	UG/L	UG/L		
	ZINC	01-OCT-91	01-OCT-91	Y	12.000	UG/L	UG/L		
	ZINC	12-JUL-91	12-JUL-91		11.000	UG/L	UG/L		
	ZINC	31-JUL-91	31-JUL-91		10.000	UG/L	UG/L		
299-E25-19	ARSENIC	18-JUL-91	18-JUL-91		9.000	UG/L	UG/L		
	VANADIUM	18-JUL-91	18-JUL-91	Y	33.000	UG/L	UG/L		
	VANADIUM	01-OCT-91	01-OCT-91	Y	32.000	UG/L	UG/L		
	VANADIUM	18-JUL-91	18-JUL-91		39.000	UG/L	UG/L		
	ZINC	18-JUL-91	18-JUL-91	Y	19.000	UG/L	UG/L		
	ZINC	01-OCT-91	01-OCT-91	Y	23.000	UG/L	UG/L		
	ZINC	18-JUL-91	18-JUL-91		54.000	UG/L	UG/L		
	ZINC	01-OCT-91	01-OCT-91		33.000	UG/L	UG/L		
299-E25-20	ARSENIC	16-JUL-91	16-JUL-91		11.000	UG/L	UG/L		
	COPPER	16-JUL-91	16-JUL-91	Y	40.000	UG/L	UG/L		
	COPPER	16-JUL-91	16-JUL-91		50.000	UG/L	UG/L		
	LEAD	16-JUL-91	16-JUL-91		7.000	UG/L	UG/L		
	VANADIUM	16-JUL-91	16-JUL-91	Y	43.000	UG/L	UG/L		
	VANADIUM	16-JUL-91	16-JUL-91		44.000	UG/L	UG/L		
	VANADIUM	03-OCT-91	03-OCT-91		33.000	UG/L	UG/L		
	ZINC	16-JUL-91	16-JUL-91	Y	16.000	UG/L	UG/L		
	ZINC	03-OCT-91	03-OCT-91	Y	11.000	UG/L	UG/L		
	ZINC	16-JUL-91	16-JUL-91		40.000	UG/L	UG/L		
	ZINC	03-OCT-91	03-OCT-91		29.000	UG/L	UG/L		
299-E25-21	VANADIUM	11-JUL-91	11-JUL-91	Y	60.000	UG/L	UG/L		
	VANADIUM	11-JUL-91	11-JUL-91		57.000	UG/L	UG/L		
	ZINC	11-JUL-91	11-JUL-91	Y	14.000	UG/L	UG/L		
	ZINC	11-JUL-91	11-JUL-91		18.000	UG/L	UG/L		
199-N-69	ZINC	22-NOV-91	22-NOV-91		11.000	UG/L	UG/L		
199-N-70	ZINC	04-SEP-91	04-SEP-91		14.000	UG/L	UG/L		
299-E17-1	ZINC	13-AUG-91	13-AUG-91		17.000	UG/L	UG/L		
299-E17-12	COPPER	13-SEP-91	13-SEP-91		25.000	UG/L	UG/L		
	ZINC	13-SEP-91	13-SEP-91		12.000	UG/L	UG/L		
299-E17-13	ARSENIC	18-JUN-91	18-JUN-91		6.000	UG/L	UG/L		
	COPPER	13-SEP-91	13-SEP-91		23.000	UG/L	UG/L		
	LEAD	18-JUN-91	18-JUN-91		7.000	UG/L	UG/L		
	ZINC	18-JUN-91	18-JUN-91		16.000	UG/L	UG/L		
	ZINC	13-SEP-91	13-SEP-91		13.000	UG/L	UG/L		
299-E17-15	ARSENIC	19-DEC-91	19-DEC-91		8.100	UG/L	UG/L		
	ARSENIC	19-DEC-91	19-DEC-91		7.700	UG/L	UG/L		
	COPPER	03-SEP-91	03-SEP-91	Y	21.000	UG/L	UG/L		
	COPPER	03-SEP-91	03-SEP-91		35.000	UG/L	UG/L		
	COPPER	01-OCT-91	01-OCT-91		29.000	UG/L	UG/L		
	NICKEL	03-SEP-91	03-SEP-91		69.000	UG/L	UG/L		
	NICKEL	19-DEC-91	19-DEC-91		42.000	UG/L	UG/L		
299-E17-16	ARSENIC	19-DEC-91	19-DEC-91		8.400	UG/L	UG/L		
	ARSENIC	19-DEC-91	19-DEC-91		8.400	UG/L	UG/L		
	NICKEL	19-DEC-91	19-DEC-91		72.000	UG/L	UG/L		
	VANADIUM	19-DEC-91	19-DEC-91		31.000	UG/L	UG/L		
299-E17-18	ARSENIC	19-DEC-91	19-DEC-91		8.800	UG/L	UG/L		
	ARSENIC	19-DEC-91	19-DEC-91		8.800	UG/L	UG/L		
	LEAD	19-DEC-91	19-DEC-91		5.600	UG/L	UG/L		
	NICKEL	19-DEC-91	19-DEC-91		50.000	UG/L	UG/L		
299-E17-20	NICKEL	24-JUL-91	24-JUL-91		140.000	UG/L	UG/L		
	NICKEL	14-AUG-91	14-AUG-91		170.000	UG/L	UG/L		
	NICKEL	30-SEP-91	30-SEP-91		30.000	UG/L	UG/L		
	ZINC	14-AUG-91	14-AUG-91		10.000	UG/L	UG/L		
299-E18-1	BERYLLIUM	09-JUL-91	09-JUL-91		3.800	UG/L	UG/L		
	NICKEL	09-JUL-91	09-JUL-91		67.000	UG/L	UG/L		
	NICKEL	06-SEP-91	06-SEP-91		42.000	UG/L	UG/L		
	ZINC	09-JUL-91	09-JUL-91		12.000	UG/L	UG/L		
	ZINC	06-SEP-91	06-SEP-91		12.000	UG/L	UG/L		
299-E18-2	COPPER	06-SEP-91	06-SEP-91	Y	22.000	UG/L	UG/L		
	ZINC	06-SEP-91	06-SEP-91		13.000	UG/L	UG/L		
299-E18-3	COPPER	06-SEP-91	06-SEP-91	Y	30.000	UG/L	UG/L		
	ZINC	06-SEP-91	06-SEP-91	Y	11.000	UG/L	UG/L		
	ZINC	06-SEP-91	06-SEP-91		13.000	UG/L	UG/L		
299-E18-4	NICKEL	06-SEP-91	06-SEP-91		64.000	UG/L	UG/L		
	VANADIUM	06-SEP-91	06-SEP-91		32.000	UG/L	UG/L		
299-E24-16	COPPER	20-AUG-91	20-AUG-91	Y	34.000	UG/L	UG/L		
	NICKEL	20-AUG-91	20-AUG-91		36.000	UG/L	UG/L		
299-E24-17	NICKEL	13-AUG-91	13-AUG-91	Y	68.000	UG/L	UG/L		
	VANADIUM	13-AUG-91	13-AUG-91		30.000	UG/L	UG/L		

METALS AND SEMI-METALS DATA										METALS AND SEMI-METALS DATA										
WELL NAME	ANALYTE	SAMPLE DATE	DATE	FILT	CONCENTRATION	QUAL	UNITS	DATA REVIEW		WELL NAME	ANALYTE	SAMPLE DATE	DATE	FILT	CONCENTRATION	QUAL	UNITS	DATA REVIEW		
299-E25-25	LEAD	25-JUN-91			6.000		UG/L			299-E25-36	VANADIU	11-JUL-91			31.000		UG/L			
299-E25-28	VANADIU	12-JUL-91			33.000		UG/L			VANADIU	20-AUG-91				32.000		UG/L			
	VANADIU	12-JUL-91		Y	35.000		UG/L			VANADIU	20-AUG-91				33.000		UG/L			
	VANADIU	27-SEP-91			33.000		UG/L			ZINC	20-AUG-91				130.000		UG/L			
	ZINC	27-SEP-91		Y	13.000		UG/L													
	ZINC	27-SEP-91			15.000		UG/L			NICKEL	26-JUN-91				50.000		UG/L			
299-E25-29P	ARSENIC	01-NOV-91			11.000		UG/L			VANADIU	16-SEP-91				38.000		UG/L			
	ARSENIC	25-JUN-91		Y	11.000		UG/L			VANADIU	26-JUN-91				30.000		UG/L			
	ARSENIC	01-NOV-91			12.000		UG/L			ARSENIC	26-JUN-91				9.000		UG/L			
	COPPER	01-NOV-91			33.000		UG/L			LEAD	26-JUN-91				5.000		UG/L			
	LEAD	25-JUN-91			16.000		UG/L			NICKEL	26-JUN-91				30.000		UG/L			
	LEAD	01-NOV-91			5.600		UG/L			SELENIU	26-JUN-91				10.000		UG/L			
	NICKEL	25-JUN-91			60.000		UG/L			VANADIU	26-JUN-91		Y		30.000		UG/L			
	VANADIU	25-JUN-91		Y	30.000		UG/L			VANADIU	16-SEP-91		Y		36.000		UG/L			
	VANADIU	01-NOV-91		Y	31.000		UG/L			VANADIU	16-SEP-91				40.000		UG/L			
	VANADIU	25-JUN-91			30.000		UG/L								35.000		UG/L			
299-E25-31	VANADIU	25-JUN-91			37.000		UG/L			299-E25-39	COPPER	16-SEP-91			27.000		UG/L			
	VANADIU	01-NOV-91			30.000		UG/L			NICKEL	16-SEP-91				71.000		UG/L			
	VANADIU	25-JUN-91			37.000		UG/L			NICKEL	26-JUN-91		Y		60.000		UG/L			
	ZINC	01-NOV-91		Y	10.000		UG/L			NICKEL	16-SEP-91				98.000		UG/L			
	ZINC	01-NOV-91			13.000		UG/L			VANADIU	26-JUN-91		Y		20.000		UG/L			
299-E25-32P	ARSENIC	25-JUN-91			8.000		UG/L			ZINC	16-SEP-91		Y		33.000		UG/L			
	NICKEL	25-JUN-91			70.000		UG/L			299-E25-40	ARSENIC	20-NOV-91		Y		11.000		UG/L		
	ZINC	25-JUN-91		Y	10.000		UG/L			ARSENIC	20-NOV-91				12.000		UG/L			
	ZINC	25-JUN-91			10.000		UG/L			COPPER	20-JUL-91				21.000		UG/L			
	COPPER	19-JUL-91			27.000		UG/L			LEAD	20-NOV-91				7.900		UG/L			
299-E25-33	COPPER	26-SEP-91			27.000		UG/L			NICKEL	20-JUL-91		Y		36.000		UG/L			
	NICKEL	19-JUL-91			44.000		UG/L			NICKEL	20-JUL-91				63.000		UG/L			
	ZINC	19-JUL-91			13.000		UG/L			NICKEL	20-JUL-91				89.000		UG/L			
	ARSENIC	27-JUN-91			15.000		UG/L			VANADIU	20-JUL-91				32.000		UG/L			
	NICKEL	27-JUN-91			39.000		UG/L			VANADIU	20-NOV-91				34.000		UG/L			
299-E25-34	VANADIU	27-JUN-91			39.000		UG/L			ZINC	20-JUL-91		Y		18.000		UG/L			
	VANADIU	27-JUN-91		Y	37.000		UG/L			ZINC	20-NOV-91		Y		59.000		UG/L			
	VANADIU	16-SEP-91			32.000		UG/L			ZINC	20-JUL-91				45.000		UG/L			
	ZINC	27-JUN-91			14.000		UG/L			ZINC	20-JUL-91				52.000		UG/L			
	COPPER	27-SEP-91			37.000		UG/L			ZINC	20-NOV-91				17.000		UG/L			
299-E25-35	COPPER	27-SEP-91		Y	45.000		UG/L			299-E25-41	ARSENIC	21-NOV-91		Y		10.000		UG/L		
	VANADIU	27-SEP-91		Y	34.000		UG/L			ARSENIC	21-NOV-91				11.000		UG/L			
	VANADIU	27-SEP-91			35.000		UG/L			NICKEL	26-JUL-91				69.000		UG/L			
	ZINC	27-SEP-91			11.000		UG/L			VANADIU	21-NOV-91		Y		31.000		UG/L			
	COPPER	19-JUL-91			25.000		UG/L			VANADIU	26-JUL-91				33.000		UG/L			
299-E25-36	COPPER	19-JUL-91			31.000		UG/L			VANADIU	21-NOV-91				31.000		UG/L			
	COPPER	01-OCT-91			31.000		UG/L			VANADIU	21-NOV-91		Y		31.000		UG/L			
	COPPER	16-OCT-91			35.000		UG/L			ZINC	26-JUL-91		Y		12.000		UG/L			
	NICKEL	19-JUL-91			51.000		UG/L			ZINC	26-JUL-91				24.000		UG/L			
	VANADIU	19-JUL-91		Y	36.000		UG/L			ARSENIC	27-JUN-91				8.000		UG/L			
299-E25-36	ZINC	01-OCT-91			18.000		UG/L			LEAD	27-JUN-91				6.000		UG/L			
	ZINC	16-OCT-91			24.000		UG/L			NICKEL	27-JUN-91				70.000		UG/L			
	COPPER	11-JUL-91			24.000		UG/L			VANADIU	27-JUN-91				30.000		UG/L			
	COPPER	20-AUG-91			23.000		UG/L			ZINC	25-SEP-91		Y		29.000		UG/L			
	NICKEL	11-JUL-91			76.000		UG/L			ARSENIC	27-JUN-91				6.000		UG/L			
	NICKEL	20-AUG-91			120.000		UG/L		COPPER	27-SEP-91				52.000		UG/L				
									NICKEL	27-SEP-91				120.000		UG/L				
									NICKEL	27-SEP-91				34.000		UG/L				
									VANADIU	27-SEP-91		Y		31.000		UG/L				

METALS AND SEMI-METALS DATA					METALS AND SEMI-METALS DATA				
WELL NAME	ANALYTE	SAMPLE DATE	FILT	CONCENTRATION	QUAL	UNITS	REVIEW	DATA	
299-E26-11	ZINC	27-SEP-91		11.000		UG/L			
299-E26-9	ARSENIC	27-JUN-91		6.000		UG/L			
	COPPER	25-SEP-91		30.000		UG/L			
	NICKEL	25-SEP-91		100.000		UG/L			
	VANADIUM	25-SEP-91		49.000		UG/L			
	ZINC	25-SEP-91	Y	24.000		UG/L			
299-E27-10	NICKEL	31-JUL-91		80.000		UG/L			
299-E27-11	ARSENIC	06-NOV-91	Y	7.400		UG/L			
	ARSENIC	06-NOV-91		7.700		UG/L			
	COPPER	06-NOV-91		34.000		UG/L			
	ZINC	06-NOV-91		13.000		UG/L			
299-E27-12	ARSENIC	18-NOV-91	Y	7.200		UG/L			
	ARSENIC	18-NOV-91		7.800		UG/L			
	LEAD	18-NOV-91	Y	6.500		UG/L			
299-E27-13	ARSENIC	15-NOV-91	Y	8.700		UG/L			
	ARSENIC	15-NOV-91		9.300		UG/L			
	COPPER	23-JUL-91	Y	21.000		UG/L			
	NICKEL	23-JUL-91		37.000		UG/L			
	VANADIUM	15-NOV-91	Y	35.000		UG/L			
	VANADIUM	15-NOV-91		32.000		UG/L			
	ZINC	15-NOV-91		17.000		UG/L			
299-E27-14	COPPER	23-JUL-91	Y	33.000		UG/L			
	COPPER	23-JUL-91		26.000		UG/L			
	NICKEL	23-JUL-91		40.000		UG/L			
299-E27-15	ARSENIC	21-NOV-91	Y	8.200		UG/L			
	ARSENIC	21-NOV-91		8.200		UG/L			
	NICKEL	24-JUL-91		51.000		UG/L			
	NICKEL	21-NOV-91		100.000		UG/L			
	ZINC	28-JUL-91		17.000		UG/L			
	ZINC	21-NOV-91		26.000		UG/L			
299-E27-16	NICKEL	09-SEP-91		35.000		UG/L			
299-E27-8	NICKEL	01-AUG-91		41.000		UG/L			
299-E27-9	COPPER	26-JUL-91		25.000		UG/L			
	NICKEL	26-JUL-91		70.000		UG/L			
	VANADIUM	26-JUL-91	Y	32.000		UG/L			
	VANADIUM	26-JUL-91		34.000		UG/L			
299-E28-18	COPPER	13-SEP-91		39.000		UG/L			
	ZINC	13-SEP-91		28.000		UG/L			
	ZINC	13-SEP-91		34.000		UG/L			
299-E28-26	COPPER	06-AUG-91		31.000		UG/L			
	COPPER	23-SEP-91		23.000		UG/L			
	NICKEL	06-AUG-91		45.000		UG/L			
	ZINC	06-AUG-91		11.000		UG/L			
	ZINC	06-AUG-91		11.000		UG/L			
299-E28-27	ARSENIC	01-JAN-92	Y	5.200		UG/L			
	ARSENIC	01-JAN-92		5.400		UG/L			
	COPPER	23-SEP-91		32.000		UG/L			
	NICKEL	01-AUG-91		46.000		UG/L			
	NICKEL	01-AUG-91		46.000		UG/L			
WELL NAME	ANALYTE	SAMPLE DATE	FILT	CONCENTRATION	QUAL	UNITS	REVIEW	DATA	
299-E28-27	NICKEL	23-SEP-91		32.000		UG/L			
	ZINC	01-AUG-91		11.000		UG/L			
299-E28-28	COPPER	23-SEP-91	Y	40.000		UG/L			
	COPPER	02-AUG-91		34.000		UG/L			
	NICKEL	02-AUG-91		53.000		UG/L			
	NICKEL	02-AUG-91		69.000		UG/L			
299-E32-2	NICKEL	02-AUG-91		39.000		UG/L			
299-E32-3	COPPER	20-SEP-91	Y	40.000		UG/L			
	COPPER	20-SEP-91	Y	56.000		UG/L			
	NICKEL	02-AUG-91	Y	19.000		UG/L			
	ZINC	20-SEP-91	Y	19.000		UG/L			
299-E32-4	COPPER	05-AUG-91	Y	33.000		UG/L			
	COPPER	23-SEP-91		25.000		UG/L			
	NICKEL	05-AUG-91		85.000		UG/L			
	NICKEL	05-AUG-91		98.000		UG/L			
	ZINC	05-AUG-91		21.000		UG/L			
	ZINC	05-AUG-91		23.000		UG/L			
299-E32-5	COPPER	20-SEP-91	Y	33.000		UG/L			
	COPPER	02-AUG-91		21.000		UG/L			
	NICKEL	02-AUG-91		52.000		UG/L			
	NICKEL	20-SEP-91		55.000		UG/L			
299-E33-28	NICKEL	31-JUL-91		45.000		UG/L			
	NICKEL	24-SEP-91		42.000		UG/L			
299-E33-29	COPPER	31-JUL-91	Y	51.000		UG/L			
299-E33-30	COPPER	05-AUG-91		23.000		UG/L			
	NICKEL	05-AUG-91		61.000		UG/L			
299-E33-31	ARSENIC	15-NOV-91	Y	8.700		UG/L			
	ARSENIC	15-NOV-91		8.400		UG/L			
299-E33-32	ARSENIC	22-NOV-91	Y	9.500		UG/L			
	ARSENIC	22-NOV-91		9.200		UG/L			
	COPPER	23-JUL-91	Y	25.000		UG/L			
	COPPER	23-JUL-91		21.000		UG/L			
299-E33-33	ARSENIC	15-NOV-91	Y	8.400		UG/L			
	ARSENIC	15-NOV-91		8.700		UG/L			
	COPPER	22-JUL-91		37.000		UG/L			
	COPPER	02-AUG-91	Y	32.000		UG/L			
299-E33-34	COPPER	02-AUG-91		23.000		UG/L			
	NICKEL	20-SEP-91		43.000		UG/L			
299-E33-35	COPPER	30-JUL-91	Y	26.000		UG/L			
	COPPER	24-SEP-91	Y	25.000		UG/L			
	COPPER	30-JUL-91		35.000		UG/L			
	ZINC	30-JUL-91		11.000		UG/L			
299-E33-36	NICKEL	21-AUG-91		110.000		UG/L			
	VANADIUM	21-AUG-91		30.000		UG/L			
	ZINC	21-AUG-91		15.000		UG/L			

WELL NAME	METALS AND SEMI-METALS DATA				DATA	
	ANALYTE	SAMPLE DATE	FILT	CONCENTRATION	QUAL	UNITS REVIEW
299-E33-37	COPPER	09-SEP-91		44.000	UG/L	
	NICKEL	09-SEP-91		120.000	UG/L	
	VANADIUM	09-SEP-91		45.000	UG/L	
	ZINC	09-SEP-91		14.000	UG/L	
299-E33-41	ARSENIC	21-NOV-91	Y	9.900	UG/L	
	ARSENIC	21-NOV-91	Y	9.500	UG/L	
	ARSENIC	21-NOV-91		11.000	UG/L	
	ARSENIC	21-NOV-91		10.000	UG/L	
	COPPER	21-NOV-91	Y	24.000	UG/L	
	NICKEL	21-NOV-91		50.000	UG/L	
	NICKEL	21-NOV-91		94.000	UG/L	
	VANADIUM	21-NOV-91	Y	37.000	UG/L	
	ZINC	21-NOV-91	Y	11.000	UG/L	
	ZINC	21-NOV-91		14.000	UG/L	
	ZINC	21-NOV-91		15.000	UG/L	
299-E34-2	COPPER	30-JUL-91	Y	30.000	UG/L	
	COPPER	30-JUL-91		34.000	UG/L	
	NICKEL	30-JUL-91	Y	34.000	UG/L	
	NICKEL	30-JUL-91	Y	34.000	UG/L	
	NICKEL	30-JUL-91		77.000	UG/L	
	NICKEL	30-JUL-91		54.000	UG/L	
	ZINC	30-JUL-91	Y	15.000	UG/L	
	ZINC	30-JUL-91		12.000	UG/L	
299-E34-3	COPPER	29-JUL-91	Y	33.000	UG/L	
299-E34-5	NICKEL	29-JUL-91	Y	59.000	UG/L	
	NICKEL	29-JUL-91		63.000	UG/L	
299-E34-7	COPPER	04-NOV-91	Y	21.000	UG/L	
	LEAD	04-NOV-91		8.300	UG/L	
	NICKEL	04-NOV-91		47.000	UG/L	
	SELENIUM	04-NOV-91	Y	6.500	UG/L	
	SELENIUM	04-NOV-91		6.400	UG/L	
	ZINC	04-NOV-91		20.000	UG/L	
299-E35-2	ARSENIC	27-JUN-91		6.000	UG/L	
	ARSENIC	27-JUN-91		6.000	UG/L	
	COPPER	27-JUN-91		21.000	UG/L	
	NICKEL	27-JUN-91		86.000	UG/L	
	NICKEL	27-JUN-91		130.000	UG/L	
	ZINC	27-JUN-91		12.000	UG/L	
299-W10-13	COPPER	08-AUG-91	Y	20.000	UG/L	
	COPPER	07-NOV-91	Y	39.000	UG/L	
	COPPER	08-AUG-91		21.000	UG/L	
	COPPER	07-NOV-91		27.000	UG/L	
	LEAD	07-NOV-91		13.000	UG/L	
	NICKEL	08-AUG-91		64.000	UG/L	
	NICKEL	07-NOV-91		62.000	UG/L	
	ZINC	08-AUG-91		15.000	UG/L	
299-W10-14	COPPER	14-AUG-91	Y	53.000	UG/L	
	COPPER	07-NOV-91	Y	26.000	UG/L	
	COPPER	07-NOV-91		33.000	UG/L	
	NICKEL	14-AUG-91		72.000	UG/L	
	NICKEL	07-NOV-91		38.000	UG/L	
299-W10-14	VANADIUM	14-AUG-91	Y	32.000	UG/L	
	VANADIUM	07-NOV-91	Y	31.000	UG/L	
	VANADIUM	14-AUG-91		32.000	UG/L	
	ZINC	14-AUG-91	Y	12.000	UG/L	
	ZINC	14-AUG-91		12.000	UG/L	
299-W10-15	COPPER	22-JUL-91	Y	22.000	UG/L	
	COPPER	22-JUL-91		25.000	UG/L	
	NICKEL	22-JUL-91	Y	49.000	UG/L	
	VANADIUM	22-JUL-91	Y	41.000	UG/L	
	VANADIUM	04-OCT-91	Y	35.000	UG/L	
	VANADIUM	22-JUL-91		41.000	UG/L	
	VANADIUM	04-OCT-91		39.000	UG/L	
	VANADIUM	04-OCT-91		32.000	UG/L	
	VANADIUM	04-OCT-91		38.000	UG/L	
	ZINC	04-OCT-91		20.000	UG/L	
	ZINC	04-OCT-91		13.000	UG/L	
299-W10-16	COPPER	22-JUL-91		27.000	UG/L	
	COPPER	24-SEP-91		23.000	UG/L	
	NICKEL	24-SEP-91		150.000	UG/L	
	VANADIUM	22-JUL-91	Y	30.000	UG/L	
	VANADIUM	24-SEP-91	Y	32.000	UG/L	
	VANADIUM	22-JUL-91		39.000	UG/L	
	VANADIUM	24-SEP-91		35.000	UG/L	
	ZINC	24-SEP-91		11.000	UG/L	
299-W10-17	VANADIUM	09-OCT-91	Y	41.000	UG/L	
	VANADIUM	09-OCT-91		43.000	UG/L	
299-W10-18	NICKEL	24-SEP-91	Y	94.000	UG/L	
	NICKEL	24-SEP-91		110.000	UG/L	
	ZINC	24-SEP-91		15.000	UG/L	
299-W10-4	COPPER	02-JAN-91		.003	MG/L	
299-W10-9	VANADIUM	03-OCT-91	Y	61.000	UG/L	
	VANADIUM	22-JUL-91		68.000	UG/L	
	VANADIUM	22-JUL-91		58.000	UG/L	
	VANADIUM	03-OCT-91		63.000	UG/L	
	ZINC	22-JUL-91		23.000	UG/L	
	ZINC	03-OCT-91		12.000	UG/L	
299-W15-16	COPPER	05-AUG-91	Y	21.000	UG/L	
	NICKEL	05-AUG-91		36.000	UG/L	
299-W15-17	NICKEL	06-AUG-91	Y	49.000	UG/L	
	NICKEL	06-AUG-91	Y	43.000	UG/L	
	NICKEL	06-AUG-91		110.000	UG/L	
	NICKEL	06-AUG-91		100.000	UG/L	
	VANADIUM	06-AUG-91	Y	32.000	UG/L	
	VANADIUM	06-AUG-91		34.000	UG/L	
	VANADIUM	06-AUG-91	Y	34.000	UG/L	
	ZINC	06-AUG-91	Y	16.000	UG/L	
	ZINC	06-AUG-91		10.000	UG/L	
	ZINC	06-AUG-91		55.000	UG/L	
	ZINC	06-AUG-91		50.000	UG/L	
299-W15-18	NICKEL	09-AUG-91	Y	37.000	UG/L	

METALS AND SEMI-METALS DATA					METALS AND SEMI-METALS DATA				
WELL NAME	ANALYTE	SAMPLE DATE	FILT	CONCENTRATION	QUAL	UNITS	REVIEW	DATA	
299-W15-18	NICKEL	09-AUG-91		34.000		UG/L			
	ZINC	09-AUG-91	Y	12.000		UG/L			
	ZINC	09-AUG-91		11.000		UG/L			
299-W15-19	COPPER	14-NOV-91		20.000		UG/L			
	NICKEL	14-NOV-91		39.000		UG/L			
	ZINC	14-NOV-91		14.000		UG/L			
299-W15-20	COPPER	12-NOV-91	Y	31.000		UG/L			
	COPPER	12-NOV-91		24.000		UG/L			
	NICKEL	12-NOV-91		56.000		UG/L			
299-W15-22	COPPER	24-SEP-91	Y	21.000		UG/L			
	COPPER	24-SEP-91		37.000		UG/L			
	NICKEL	24-SEP-91		40.000		UG/L			
	ZINC	24-SEP-91		19.000		UG/L			
299-W15-23	LEAD	13-NOV-91	Y	6.000		UG/L			
	VANADIUM	05-AUG-91		34.000		UG/L			
	ZINC	13-NOV-91		14.000		UG/L			
299-W15-24	COPPER	12-NOV-91		47.000		UG/L			
	NICKEL	05-AUG-91		89.000		UG/L			
	NICKEL	12-NOV-91		76.000		UG/L			
	ZINC	12-NOV-91		12.000		UG/L			
299-W18-21	COPPER	07-AUG-91		32.000		UG/L			
	NICKEL	07-AUG-91		43.000		UG/L			
	VANADIUM	07-AUG-91		30.000		UG/L			
	ZINC	07-AUG-91		16.000		UG/L			
299-W18-23	VANADIUM	09-AUG-91	Y	33.000		UG/L			
	ZINC	09-AUG-91	Y	15.000		UG/L			
	ZINC	09-AUG-91		13.000		UG/L			
299-W18-24	COPPER	09-AUG-91	Y	43.000		UG/L			
	NICKEL	09-AUG-91		41.000		UG/L			
	VANADIUM	09-AUG-91	Y	37.000		UG/L			
	VANADIUM	09-AUG-91		35.000		UG/L			
	ZINC	09-AUG-91		26.000		UG/L			
299-W18-25	COPPER	01-OCT-91		20.000		UG/L			
	VANADIUM	01-OCT-91		30.000		UG/L			
	ZINC	01-OCT-91		10.000		UG/L			
299-W18-26	COPPER	12-NOV-91	Y	42.000		UG/L			
	COPPER	12-NOV-91		37.000		UG/L			
	LEAD	12-NOV-91		15.000		UG/L			
	NICKEL	12-NOV-91		34.000		UG/L			
	ZINC	12-NOV-91	Y	22.000		UG/L			
	ZINC	12-NOV-91		49.000		UG/L			
299-W18-29	VANADIUM	09-OCT-91		30.000		UG/L			
	ZINC	09-OCT-91		22.000		UG/L			
299-W19-18	COPPER	02-JAN-91		.005		MG/L			
299-W19-29	COPPER	25-NOV-91		27.000		UG/L			
	NICKEL	25-NOV-91		77.000		UG/L			
299-W19-30	ZINC	13-JUN-91		18.000		UG/L			
299-W19-31	NICKEL	01-OCT-91		33.000		UG/L			
	ZINC	01-OCT-91		25.000		UG/L			
299-W19-32	COPPER	01-OCT-91		35.000		UG/L			
	NICKEL	01-OCT-91		65.000		UG/L			
	ZINC	01-OCT-91		55.000		UG/L			
299-W22-39	ARSENIC	14-NOV-91	Y	5.500		UG/L			
	ARSENIC	14-NOV-91		5.800		UG/L			
	COPPER	14-NOV-91	Y	32.000		UG/L			
	COPPER	14-NOV-91		38.000		UG/L			
	VANADIUM	14-NOV-91		32.000		UG/L			
	ZINC	14-NOV-91	Y	10.000		UG/L			
	ZINC	14-NOV-91		40.000		UG/L			
299-W22-40	COPPER	03-SEP-91	Y	20.000		UG/L			
	NICKEL	03-SEP-91		42.000		UG/L			
	VANADIUM	03-SEP-91	Y	31.000		UG/L			
299-W22-41	COPPER	03-SEP-91	Y	23.000		UG/L			
	COPPER	03-SEP-91		21.000		UG/L			
	ZINC	03-SEP-91	Y	17.000		UG/L			
299-W22-42	COPPER	03-SEP-91		28.000		UG/L			
	NICKEL	03-SEP-91		58.000		UG/L			
	ZINC	03-SEP-91	Y	17.000		UG/L			
	ZINC	03-SEP-91		14.000		UG/L			
299-W22-43	COPPER	04-SEP-91	Y	29.000		UG/L			
	COPPER	04-SEP-91		41.000		UG/L			
	NICKEL	04-SEP-91	Y	75.000		UG/L			
	NICKEL	04-SEP-91	Y	50.000		UG/L			
	NICKEL	04-SEP-91		69.000		UG/L			
	NICKEL	04-SEP-91		93.000		UG/L			
	VANADIUM	04-SEP-91	Y	33.000		UG/L			
	ZINC	04-SEP-91	Y	18.000		UG/L			
	ZINC	04-SEP-91	Y	14.000		UG/L			
	ZINC	04-SEP-91		16.000		UG/L			
299-W23-13	NICKEL	03-OCT-91		63.000		UG/L			
	VANADIUM	03-OCT-91		35.000		UG/L			
	ZINC	03-OCT-91		73.000		UG/L			
299-W23-14	NICKEL	09-OCT-91		69.000		UG/L			
	ZINC	09-OCT-91		110.000		UG/L			
299-W26-10	NICKEL	21-AUG-91		50.000		UG/L			
	VANADIUM	21-AUG-91	Y	30.000		UG/L			
	VANADIUM	21-AUG-91		30.000		UG/L			
	ZINC	21-AUG-91		10.000		UG/L			
299-W26-12	NICKEL	28-AUG-91		56.000		UG/L			
299-W26-8	COPPER	28-AUG-91	Y	32.000		UG/L			
	COPPER	28-AUG-91		130.000		UG/L			
	LEAD	30-DEC-91		6.100		UG/L			
	NICKEL	28-AUG-91		66.000		UG/L			
	NICKEL	28-AUG-91		110.000		UG/L			

METALS AND SEMI-METALS DATA					METALS AND SEMI-METALS DATA				
WELL NAME	ANALYTE	SAMPLE DATE	FILT	CONCENTRATION	QUAL	UNITS	REVIEW	DATA	
299-W26-8	NICKEL	30-DEC-91		57.000		UG/L			
	ZINC	28-AUG-91		25.000		UG/L			
	ZINC	28-AUG-91		22.000		UG/L			
	ZINC	30-DEC-91		16.000		UG/L			
	ZINC	30-DEC-91		320.000		UG/L			
299-W26-9	COPPER	20-AUG-91	Y	36.000		UG/L			
	NICKEL	20-AUG-91		120.000		UG/L			
	VANADIUM	20-AUG-91	Y	39.000		UG/L			
	ZINC	20-AUG-91		53.000		UG/L			
299-W6-2	COPPER	12-AUG-91	Y	31.000		UG/L			
	COPPER	12-AUG-91		35.000		UG/L			
	COPPER	12-AUG-91		53.000		UG/L			
	NICKEL	12-AUG-91		70.000		UG/L			
	ZINC	12-AUG-91		12.000		UG/L			
299-W7-1	COPPER	08-NOV-91	Y	33.000		UG/L			
	COPPER	08-NOV-91		26.000		UG/L			
	NICKEL	08-NOV-91	Y	33.000		UG/L			
	NICKEL	07-AUG-91		80.000		UG/L			
	NICKEL	08-NOV-91		39.000		UG/L			
	ZINC	08-NOV-91	Y	10.000		UG/L			
299-W7-10	COPPER	14-NOV-91	Y	25.000		UG/L			
	COPPER	09-AUG-91		31.000		UG/L			
	COPPER	14-NOV-91		44.000		UG/L			
	LEAD	14-NOV-91	Y	6.100		UG/L			
	NICKEL	09-AUG-91		180.000		UG/L			
	NICKEL	14-NOV-91		82.000		UG/L			
	ZINC	14-NOV-91	Y	19.000		UG/L			
	ZINC	14-NOV-91		15.000		UG/L			
299-W7-2	COPPER	08-NOV-91		32.000		UG/L			
	NICKEL	07-AUG-91		83.000		UG/L			
	VANADIUM	08-NOV-91		30.000		UG/L			
	ZINC	07-AUG-91		20.000		UG/L			
	ZINC	08-NOV-91		17.000		UG/L			
299-W7-3	COPPER	08-NOV-91	Y	38.000		UG/L			
	COPPER	08-NOV-91		32.000		UG/L			
	NICKEL	08-AUG-91		60.000		UG/L			
	ZINC	08-AUG-91		78.000		UG/L			
	ZINC	08-NOV-91		20.000		UG/L			
299-W7-4	COPPER	12-AUG-91	Y	29.000		UG/L			
	COPPER	13-NOV-91	Y	30.000		UG/L			
	COPPER	12-AUG-91		35.000		UG/L			
	LEAD	13-NOV-91		5.300		UG/L			
	NICKEL	12-AUG-91		65.000		UG/L			
299-W7-5	COPPER	09-AUG-91	Y	28.000		UG/L			
	COPPER	11-NOV-91		30.000		UG/L			
	COPPER	11-NOV-91	Y	25.000		UG/L			
	NICKEL	09-AUG-91		110.000		UG/L			
	NICKEL	11-NOV-91		54.000		UG/L			
299-W7-6	ARSENIC	08-NOV-91		5.600		UG/L			
	BERYLLIUM	12-AUG-91		4.800		UG/L			
299-W7-6	COPPER	08-NOV-91	Y	21.000		UG/L			
	COPPER	12-AUG-91		69.000		UG/L			
	LEAD	08-NOV-91		20.000		UG/L			
	NICKEL	12-AUG-91		67.000		UG/L			
	VANADIUM	12-AUG-91		30.000		UG/L			
	ZINC	12-AUG-91		200.000		UG/L			
	ZINC	08-NOV-91		64.000		UG/L			
299-W7-7	COPPER	08-NOV-91	Y	28.000		UG/L			
	COPPER	08-NOV-91		45.000		UG/L			
	NICKEL	09-AUG-91		64.000		UG/L			
	NICKEL	08-NOV-91		44.000		UG/L			
299-W7-8	COPPER	11-NOV-91	Y	45.000		UG/L			
	COPPER	11-NOV-91		33.000		UG/L			
	NICKEL	09-AUG-91		120.000		UG/L			
	NICKEL	11-NOV-91		125.000		UG/L			
	ZINC	09-AUG-91		17.000		UG/L			
299-W7-9	COPPER	09-AUG-91	Y	36.000		UG/L			
	COPPER	09-AUG-91		47.000		UG/L			
	COPPER	08-NOV-91		30.000		UG/L			
	NICKEL	09-AUG-91	Y	160.000		UG/L			
	NICKEL	09-AUG-91		880.000		UG/L			
	NICKEL	08-NOV-91		49.000		UG/L			
	ZINC	09-AUG-91	Y	14.000		UG/L			
	ZINC	08-NOV-91	Y	63.000		UG/L			
	ZINC	09-AUG-91		24.000		UG/L			
	ZINC	08-NOV-91		34.000		UG/L			
299-W8-1	COPPER	09-AUG-91	Y	23.000		UG/L			
	COPPER	13-NOV-91		26.000		UG/L			
	NICKEL	09-AUG-91		88.000		UG/L			
	VANADIUM	09-AUG-91		31.000		UG/L			
299-W9-1	COPPER	08-AUG-91	Y	41.000		UG/L			
	COPPER	08-NOV-91	Y	36.000		UG/L			
	NICKEL	08-AUG-91	Y	330.000		UG/L			
	NICKEL	08-NOV-91	Y	180.000		UG/L			
	NICKEL	08-AUG-91		210.000		UG/L			
	NICKEL	08-NOV-91		200.000		UG/L			
	ZINC	08-AUG-91	Y	14.000		UG/L			
	ZINC	08-NOV-91	Y	11.000		UG/L			
	ZINC	08-AUG-91		24.000		UG/L			
399-1-11	COPPER	18-DEC-91		22.000		UG/L			
	NICKEL	18-DEC-91		48.000		UG/L			
	ZINC	18-DEC-91		14.000		UG/L			
399-1-12	COPPER	18-JUL-91		28.000		UG/L			
	NICKEL	18-JUL-91		34.000		UG/L			
	NICKEL	06-DEC-91		44.000		UG/L			
	NICKEL	06-DEC-91		32.000		UG/L			
	ZINC	18-JUL-91		10.000		UG/L			
399-1-13	LEAD	11-DEC-91		13.000		UG/L			
399-1-14	COPPER	16-JUL-91		43.000		UG/L			
	LEAD	11-DEC-91		11.000		UG/L			

METALS AND SEMI-METALS DATA					METALS AND SEMI-METALS DATA				
WELL NAME	ANALYTE	SAMPLE DATE	FILT	CONCENTRATION	QUAL	UNITS	REVIEW	DATA	
399-1-15	ARSENIC	16-JUL-91		7.000		UG/L			
399-1-16A	COPPER	11-JUL-91		21.000		UG/L			
	NICKEL	11-JUL-91	Y	67.000		UG/L			
	NICKEL	11-JUL-91		58.000		UG/L			
	NICKEL	06-DEC-91		85.000		UG/L			
399-1-16B	NICKEL	06-DEC-91		70.000		UG/L			
	ZINC	11-JUL-91		14.000		UG/L			
	LEAD	06-DEC-91		5.200		UG/L			
	ZINC	11-JUL-91	Y	10.000		UG/L			
399-1-17A	ZINC	11-JUL-91		11.000		UG/L			
	ZINC	11-JUL-91		13.000		UG/L			
	COPPER	11-JUL-91		31.000		UG/L			
	ZINC	10-DEC-91		20.000		UG/L			
399-1-17B	ZINC	10-DEC-91		11.000		UG/L			
	ZINC	10-DEC-91		15.000		UG/L			
	ARSENIC	13-DEC-91		5.300		UG/L			
	ARSENIC	13-DEC-91		5.800		UG/L			
399-1-17C	LEAD	13-DEC-91		5.300		UG/L			
	NICKEL	15-JUL-91		31.000		UG/L			
	COPPER	09-JUL-91	Y	24.000		UG/L			
	LEAD	01-DEC-91		5.700		UG/L			
399-2-1	NICKEL	01-DEC-91		32.000		UG/L			
	COPPER	09-JUL-91	Y	22.000		UG/L			
	COPPER	18-DEC-91		22.000		UG/L			
	ZINC	18-DEC-91		47.000		UG/L			
399-3-10	ZINC	18-DEC-91		18.000		UG/L			
	COPPER	12-JUL-91		32.000		UG/L			
	ZINC	12-JUL-91		13.000		UG/L			
	NICKEL	12-JUL-91	Y	38.000		UG/L			
399-3-7	ZINC	12-JUL-91		12.000		UG/L			
	COPPER	15-JUL-91		24.000		UG/L			
	LEAD	17-DEC-91		5.900		UG/L			
	ZINC	15-JUL-91		13.000		UG/L			
399-3-9	ZINC	17-DEC-91		13.000		UG/L			
	ARSENIC	10-DEC-91		5.100		UG/L			
	ARSENIC	10-DEC-91		5.800		UG/L			
	ZINC	10-DEC-91		13.000		UG/L			
399-4-1	ZINC	10-DEC-91		16.000		UG/L			
	COPPER	15-JUL-91	Y	21.000		UG/L			
	ZINC	10-DEC-91		14.000		UG/L			
	ARSENIC	15-JUL-91		5.000		UG/L			
399-4-7	ARSENIC	20-DEC-91		5.100		UG/L			
	ARSENIC	20-DEC-91		5.200		UG/L			
	ARSENIC	20-DEC-91		5.300		UG/L			
	ARSENIC	20-DEC-91		5.400		UG/L			
399-4-11	COPPER	15-JUL-91	Y	40.000		UG/L			
	ZINC	10-DEC-91		14.000		UG/L			
	ARSENIC	15-JUL-91		5.000		UG/L			
	ARSENIC	20-DEC-91		5.100		UG/L			
399-8-1	ARSENIC	20-DEC-91		5.200		UG/L			
	ARSENIC	20-DEC-91		5.300		UG/L			
	ARSENIC	20-DEC-91		5.400		UG/L			
	COPPER	15-JUL-91	Y	40.000		UG/L			

METALS AND SEMI-METALS DATA					METALS AND SEMI-METALS DATA				
WELL NAME	ANALYTE	SAMPLE DATE	FILT	CONCENTRATION	QUAL	UNITS	REVIEW	DATA	
699-43-3	MOLYBDEN	18-JUL-91		.017		MG/L			
699-43-41E	LEAD	28-JUN-91		14.000		UG/L			
	NICKEL	28-JUN-91		44.000		UG/L			
	NICKEL	28-JUN-91		36.000		UG/L			
	ZINC	28-JUN-91	Y	15.000		UG/L			
	ZINC	28-JUN-91		27.000		UG/L			
	ZINC	28-JUN-91		42.000		UG/L			
699-43-41F	ARSENIC	02-JUL-91		7.000		UG/L			
	ZINC	02-JUL-91	Y	17.000		UG/L			
	ZINC	02-JUL-91		22.000		UG/L			
699-43-42J	ARSENIC	02-JUL-91		15.000		UG/L			
	VANADIUM	02-JUL-91	Y	67.000		UG/L			
	VANADIUM	02-JUL-91		65.000		UG/L			
699-43-43	COPPER	08-JUL-91		22.000		UG/L			
	NICKEL	08-JUL-91		32.000		UG/L			
	VANADIUM	08-JUL-91	Y	33.000		UG/L			
	VANADIUM	08-JUL-91		33.000		UG/L			
	ZINC	08-JUL-91	Y	58.000		UG/L			
699-43-45	COPPER	11-SEP-91		26.000		UG/L			
	NICKEL	08-JUL-91		40.000		UG/L			
	VANADIUM	08-JUL-91	Y	32.000		UG/L			
	VANADIUM	11-SEP-91	Y	41.000		UG/L			
	VANADIUM	08-JUL-91		33.000		UG/L			
	VANADIUM	11-SEP-91		31.000		UG/L			
	ZINC	11-SEP-91		14.000		UG/L			
699-44-42	VANADIUM	10-JUL-91	Y	46.000		UG/L			
	VANADIUM	10-JUL-91		56.000		UG/L			
699-44-43B	NICKEL	08-JUL-91		39.000		UG/L			
	VANADIUM	08-JUL-91	Y	40.000		UG/L			
	VANADIUM	08-JUL-91		37.000		UG/L			
	VANADIUM	11-SEP-91		33.000		UG/L			
	ZINC	08-JUL-91	Y	20.000		UG/L			
	ZINC	08-JUL-91		13.000		UG/L			
	ZINC	11-SEP-91		12.000		UG/L			
699-45-2	ZINC	09-DEC-91		13.000		UG/L			
699-45-69A	LEAD	30-DEC-91		7.000		UG/L			
	VANADIUM	30-DEC-91		33.000		UG/L			
699-46-4	LEAD	19-JUL-91		.060		MG/L			
699-49-100C	COPPER	04-APR-91		.009		MG/L			
	COPPER	20-JUN-91		.006		MG/L			
	ZINC	04-APR-91		1.140		MG/L			
	ZINC	20-JUN-91		.800		MG/L			
699-55-76	ZINC	30-JAN-91	Y	.023		MG/L			
699-67-86	ZINC	30-JAN-91		.032		MG/L			
699-78-62	ZINC	30-JAN-91		.092		MG/L			

METALS AND SEMI-METALS DATA					METALS AND SEMI-METALS DATA				
WELL NAME	ANALYTE	SAMPLE DATE	FILT	CONCENTRATION	QUAL	UNITS	REVIEW	DATA	
699-81-58	COPPER	04-SEP-91	Y	23.000		UG/L			
	ZINC	04-SEP-91	Y	15.000		UG/L			
	ZINC	04-SEP-91		13.000		UG/L			
699-83-47	COPPER	31-JAN-91		.012		MG/L			
	ZINC	31-JAN-91		.102		MG/L			
699-87-55	COPPER	12-SEP-91		.004		MG/L			
	ZINC	12-SEP-91		.040		MG/L			
699-97-43	COPPER	12-SEP-91		.003		MG/L			
699-97-51A	COPPER	12-SEP-91		.004		MG/L			
699-827-E14	ZINC	10-DEC-91		25.000		UG/L			
699-829-E12	ZINC	09-DEC-91		16.000		UG/L			
699-83-25	ZINC	20-DEC-91		13.000		UG/L			
699-830-E10A	COPPER	24-JUL-91		.004		MG/L			
	ZINC	10-DEC-91		22.000		UG/L			
699-830-E10B	COPPER	24-JUL-91		.007		MG/L			
	NICKEL	24-JUL-91		.020		MG/L			
	ZINC	10-DEC-91		11.000		UG/L			
699-830-E15A	ZINC	29-MAR-91		.130		MG/L			
	ZINC	21-JUN-91		.027		MG/L			
699-831-E10A	COPPER	23-JUL-91		.007		MG/L			
699-831-E10B	COPPER	23-JUL-91		.006		MG/L			
	SILVER	23-JUL-91		.020		MG/L			
	ZINC	23-JUL-91		.040		MG/L			
699-831-E10C	COPPER	23-JUL-91		.006		MG/L			
699-831-E10D	COPPER	23-JUL-91		.003		MG/L			
699-831-E13	COPPER	24-JUL-91		.003		MG/L			
699-831-E8	COPPER	24-JUL-91		.003		MG/L			
	ZINC	24-JUL-91		.050		MG/L			
699-832-E13A	COPPER	24-JUL-91		.004		MG/L			
	ZINC	24-JUL-91		.030		MG/L			
699-832-E13B	COPPER	25-JUL-91		.005		MG/L			
	ZINC	25-JUL-91		.030		MG/L			
699-836-E13A	COPPER	30-AUG-91		.005		MG/L			
	ZINC	30-AUG-91		.020		MG/L			
699-837-E14	COPPER	17-OCT-91		.006		MG/L			
	ZINC	29-AUG-91		.100		MG/L			
699-841-E11	COPPER	30-AUG-91		.002		MG/L			
	NICKEL	30-AUG-91		.040		MG/L			
	ZINC	30-AUG-91		.040		MG/L			

METALS AND SEMI-METALS DATA

WELL NAME	ANALYTE	SAMPLE DATE	FILT	CONCENTRATION	QUAL	UNITS	DATA REVIEW
699-S41-E13A	COPPER	17-OCT-91		.005		MC/L	
699-S41-E13B	COPPER	17-OCT-91		.004		MC/L	
	NICKEL	17-OCT-91		.030		MC/L	

WELL NAME	ALKALINITY DATA			ALKALINITY DATA		
	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW	
199-H3-1	06-JUN-91	100.000		MG/L		
199-H3-2A	06-JUN-91	130.000		MG/L		
199-H3-2C	06-JUN-91	110.000		MG/L		
199-H4-11	07-JUN-91	95.000		MG/L		
199-H4-12A	07-JUN-91	82.000		MG/L		
199-H4-12C	07-JUN-91	110.000		MG/L		
199-H4-14	07-JUN-91	100.000		MG/L		
199-H4-16	07-JUN-91	120.000		MG/L		
199-H4-3	07-JUN-91	160.000		MG/L		
	07-JUN-91	160.000		MG/L		
199-H4-4	06-JUN-91	79.000		MG/L		
199-H4-6	10-JUN-91	150.000		MG/L		
199-H4-7	06-JUN-91	150.000		MG/L		
199-H4-9	06-JUN-91	160.000		MG/L		
199-N-47	05-NOV-91	190.000		MG/L		
199-N-54	05-NOV-91	160.000		MG/L		
199-N-55	05-NOV-91	130.000		MG/L		
199-N-56	05-NOV-91	130.000		MG/L		
299-E17-15	19-DEC-91	93.000		MG/L		
299-E17-16	19-DEC-91	89.000		MG/L		
299-E17-18	19-DEC-91	90.000		MG/L		
299-E25-25	25-JUN-91	71.000		MG/L		
	25-JUN-91	72.000		MG/L		
299-E25-29P	25-JUN-91	94.000		MG/L		
	01-NOV-91	90.000		MG/L		
299-E25-31	25-JUN-91	95.000		MG/L		
299-E25-33	27-JUN-91	93.000		MG/L		
299-E25-37	26-JUN-91	88.000		MG/L		
299-E25-38	26-JUN-91	77.000		MG/L		
299-E25-39	26-JUN-91	74.000		MG/L		
399-1-10	15-JUL-91	77.000		MG/L		
	06-DEC-91	110.000		MG/L		
399-1-11	18-DEC-91	120.000		MG/L		
399-1-12	18-JUL-91	55.000		MG/L		
	06-DEC-91	98.000		MG/L		
399-1-13	16-JUL-91	102.000		MG/L		
	11-DEC-91	120.000		MG/L		
399-1-14	16-JUL-91	114.000		MG/L		
	11-DEC-91	120.000		MG/L		
399-1-15	16-JUL-91	130.000		MG/L		
	11-DEC-91	130.000		MG/L		
399-1-16A	06-DEC-91	79.000		MG/L		
399-1-16B	06-DEC-91	130.000		MG/L		
399-1-17A	10-DEC-91	59.000		MG/L		
399-1-18A	15-JUL-91	120.000		MG/L		
	13-DEC-91	130.000		MG/L		
399-1-7	01-DEC-91	51.000		MG/L		
399-2-1	18-DEC-91	55.000		MG/L		
399-3-10	18-DEC-91	84.000		MG/L		
399-3-7	17-DEC-91	120.000		MG/L		
399-3-9	15-JUL-91	110.000		MG/L		
	17-DEC-91	63.000		MG/L		
399-4-1	10-DEC-91	120.000		MG/L		
399-4-11	15-JUL-91	120.000		MG/L		
	11-DEC-91	120.000		MG/L		
399-4-7	10-DEC-91	110.000		MG/L		
399-8-1	15-JUL-91	120.000		MG/L		
	20-DEC-91	110.000		MG/L		
	20-DEC-91	110.000		MG/L		
699-14-38	09-DEC-91	140.000		MG/L		
699-23-34	26-DEC-91	260.000		MG/L		
	26-DEC-91	260.000		MG/L		
699-24-33	27-DEC-91	240.000		MG/L		
699-24-34A	26-DEC-91	230.000		MG/L		
699-24-34B	26-DEC-91	240.000		MG/L		
699-24-34C	26-DEC-91	260.000		MG/L		
699-24-35	27-DEC-91	160.000		MG/L		
699-25-34C	26-DEC-91	170.000		MG/L		
699-26-35A	27-DEC-91	130.000		MG/L		

WELL NAME	ALKALINITY DATA		
	SAMPLE DATE	CONCENTRATION	QUALIFIER UNITS DATA REVIEW
699-51-75	09-DEC-91	120.869	MG/L
699-83-25	20-DEC-91	140.000	MG/L
699-531-1	20-DEC-91	97.000	MG/L
699-88-19	13-DEC-91	160.000	MG/L

ARSONIA DATA, 1991

WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
299-W9-1	08-NOV-91	120.000		UG/L	

BORON DATA					BORON DATA				
WELL NAME	SAMPLE DATE	FILTERED CONCENTRATION	QUALIFIER	UNITS DATA REVIEW	WELL NAME	SAMPLE DATE	FILTERED CONCENTRATION	QUALIFIER	UNITS DATA REVIEW
1199-41-13C	31-MAY-91	.020		MG/L	699-87-55	12-SEP-91	.670		MG/L
199-B4-5	18-SEP-91	.020		MG/L	699-96-49	23-AUG-91	.014		MG/L
199-B4-6	19-SEP-91	.020		MG/L	699-97-43	12-SEP-91	.030		MG/L
199-B4-7	18-SEP-91	.020		MG/L	699-97-51A	12-SEP-91	.030		MG/L
299-E27-5	09-JAN-91	.042		MG/L	699-819-E13	01-FEB-91	.038		MG/L
299-E33-3	08-JAN-91	.022		MG/L	29-MAR-91	29-MAR-91	.030		MG/L
299-E34-1	18-JAN-91	.038		MG/L	21-JUN-91	21-JUN-91	.024		MG/L
299-W10-1b	22-JUL-91	.027		MG/L	699-830-E10A	24-JUL-91	.038		MG/L
299-W10-4	02-JAN-91	.035		MG/L	699-830-E10B	24-JUL-91	.049		MG/L
299-W14-5	02-JAN-91	.025		MG/L	699-830-E15A	29-MAR-91	.040		MG/L
299-W14-6	03-JAN-91	.041		MG/L	21-JUN-91	21-JUN-91	.033		MG/L
299-W15-11	02-JAN-91	.028		MG/L	699-831-E10A	23-JUL-91	.100		MG/L
299-W19-18	02-JAN-91	.070		MG/L	699-831-E10B	23-JUL-91	.080		MG/L
399-8-3	09-OCT-91	.040		MG/L	699-831-E10C	23-JUL-91	.090		MG/L
699-32-77	29-MAR-91	.040		MG/L	699-831-E10D	23-JUL-91	.060		MG/L
699-37-E4	24-SEP-91	.030		MG/L	699-831-E13	24-JUL-91	.080		MG/L
699-39-0	22-AUG-91	.031		MG/L	699-831-E8	24-JUL-91	.030		MG/L
699-40-1	29-MAR-91	.050		MG/L	699-832-E13A	24-JUL-91	.060		MG/L
699-43-3	18-JUL-91	.026		MG/L	699-832-E13B	25-JUL-91	.040		MG/L
699-46-4	19-JUL-91	.064		MG/L	699-832-E8	25-JUL-91	.030		MG/L
699-47-5	19-JUL-91	.023		MG/L	699-834-E10	25-JUL-91	.030		MG/L
699-48-18	31-JAN-91	.012		MG/L	699-836-E13A	30-AUG-91	.030		MG/L
699-49-100C	04-APR-91	.020		MG/L	699-837-E11	29-AUG-91	.021		MG/L
	20-JUN-91	.120		MG/L	699-837-E14	29-AUG-91	.070	U	MG/L
699-55-76	30-JAN-91	.060		MG/L	17-OCT-91	17-OCT-91	.020		MG/L
699-63-25A	23-AUG-91	.017		MG/L	699-838-E11	29-AUG-91	.030		MG/L
699-66-23	22-AUG-91	.023		MG/L	699-838-E12A	29-AUG-91	.040		MG/L
699-67-86	30-JAN-91	.025		MG/L	699-838-E12B	29-AUG-91	.020		MG/L
699-72-88	23-AUG-91	.026		MG/L	699-840-E14	29-AUG-91	.070		MG/L
699-78-62	30-JAN-91	.019		MG/L	699-841-E11	30-AUG-91	.020		MG/L
699-83-47	31-JAN-91	.098		MG/L	699-841-E13A	29-AUG-91	.020		MG/L
					17-OCT-91	17-OCT-91	.030		MG/L
					29-AUG-91	29-AUG-91			

BORON DATA

WELL NAME	SAMPLE DATE	FILTERED CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
699-S41-E13B	17-OCT-91	.030		MC/L	
699-S41-E13C	29-AUG-91	.030		MC/L	

CHLORIDE DATA					
WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
1199-41-13C	31-MAY-91	6		MG/L	
199-B4-2	11-DEC-91	10000		UG/L	
199-B4-3	30-MAY-91	11		MG/L	
199-B4-5	18-SEP-91	11		MG/L	
199-B4-6	19-SEP-91	11		MG/L	
199-B4-7	18-SEP-91	12		MG/L	
199-F5-3	31-MAY-91	2		MG/L	
199-F5-6	19-SEP-91	9		MG/L	
199-F8-2	19-SEP-91	18		MG/L	
199-H3-1	06-JUN-91	6400		UG/L	
199-H3-2A	06-JUN-91	9400		UG/L	
199-H3-2C	06-JUN-91	2500		UG/L	
199-H4-11	07-JUN-91	3500		UG/L	
199-H4-12A	07-JUN-91	2700		UG/L	
199-H4-12C	07-JUN-91	3100		UG/L	
199-H4-14	07-JUN-91	7800		UG/L	
199-H4-16	07-JUN-91	8400		UG/L	
199-H4-3	07-JUN-91	12000		UG/L	
	07-JUN-91	11000		UG/L	
	24-OCT-91	12000		UG/L	
	13-NOV-91	8300		UG/L	
	12-DEC-91	7400		UG/L	
199-H4-4	16-JAN-91	6		MG/L	
	28-MAR-91	3		MG/L	
	06-JUN-91	2		UG/L	
	06-JUN-91	2400		UG/L	
	16-AUG-91	3		MG/L	
	18-SEP-91	10		MG/L	
	24-OCT-91	14000		UG/L	
	13-NOV-91	9200		UG/L	
	03-DEC-91	9500		UG/L	
	12-DEC-91	9800		UG/L	
199-H4-6	10-JUN-91	15000		UG/L	
199-H4-7	06-JUN-91	11000		UG/L	
199-H4-9	06-JUN-91	10000		UG/L	
	13-NOV-91	6500		UG/L	
	12-DEC-91	6800		UG/L	
199-N-14	18-SEP-91	1		MG/L	
	01-NOV-91	1400		UG/L	

CHLORIDE DATA					
WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
199-N-14	05-DEC-91	1300		UG/L	
199-N-20	08-OCT-91	20		MG/L	
199-N-25	08-OCT-91	13		MG/L	
199-N-3	05-DEC-91	5500		UG/L	
199-N-32	05-DEC-91	1600		UG/L	
199-N-41	25-SEP-91	2		MG/L	
199-N-47	05-NOV-91	14000		UG/L	
199-N-50	30-OCT-91	2000		UG/L	
199-N-51	30-OCT-91	2900		UG/L	
199-N-54	05-NOV-91	9300		UG/L	
199-N-55	05-NOV-91	14000		UG/L	
199-N-56	05-NOV-91	6000		UG/L	
199-N-57	05-NOV-91	13000		UG/L	
199-N-66	05-NOV-91	2100		UG/L	
199-N-67	22-NOV-91	1600		UG/L	
199-N-69	22-NOV-91	1500		UG/L	
299-E13-14	11-JUN-91	17000		UG/L	
299-E17-13	18-JUN-91	4700		UG/L	
299-E17-15	19-DEC-91	4500		UG/L	
299-E17-16	19-DEC-91	4500		UG/L	
299-E17-18	19-DEC-91	4200		UG/L	
299-E17-2	04-NOV-91	4400		UG/L	
299-E17-8	18-JUN-91	4		MG/L	
299-E18-2	06-SEP-91	6		MG/L	
299-E18-3	06-SEP-91	7		MG/L	
299-E18-4	06-SEP-91	8		MG/L	
299-E23-1	24-MAY-91	5		MG/L	
299-E24-1	29-MAY-91	4		MG/L	
299-E24-11	29-MAY-91	6		MG/L	
299-E24-19	22-NOV-91	4200		UG/L	
299-E24-20	15-NOV-91	4300		UG/L	

CHLORIDE DATA					
WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
299-E24-4	03-OCT-91			MG/L	
299-E25-13	04-JUN-91	30		MG/L	
299-E25-19	18-JUL-91	3200		UG/L	
299-E25-20	16-JUL-91	3600		UG/L	
299-E25-25	25-JUN-91	2600		UG/L	
	25-JUN-91	2600		UG/L	
299-E25-29P	25-JUN-91	3300		UG/L	
	01-NOV-91	2800		UG/L	
299-E25-3	29-MAY-91	3		MG/L	
299-E25-30P	29-MAY-91	2		MG/L	
299-E25-31	25-JUN-91	31000		UG/L	
299-E25-33	27-JUN-91	4300		UG/L	
299-E25-37	26-JUN-91	3400		UG/L	
299-E25-38	26-JUN-91	3700		UG/L	
299-E25-39	26-JUN-91	3100		UG/L	
299-E25-40	20-NOV-91	5400		UG/L	
299-E25-41	21-NOV-91	5400		UG/L	
299-E26-10	27-JUN-91	7300		UG/L	
299-E26-11	27-JUN-91	7400		UG/L	
299-E26-4	24-MAY-91	3		MG/L	
299-E26-9	27-JUN-91	14000		UG/L	
299-E27-11	06-NOV-91	7800		UG/L	
299-E27-12	18-NOV-91	5200		UG/L	
299-E27-13	15-NOV-91	4200		UG/L	
299-E27-15	21-NOV-91	5000		UG/L	
299-E27-5	09-JAN-91	15		MG/L	
299-E28-12	16-MAY-91	9		MG/L	
299-E28-24	23-SEP-91	202		MG/L	
299-E28-27	01-JAN-92	12000		UG/L	
299-E28-9	16-MAY-91	8		MG/L	
299-E33-3	08-JAN-91	5		MG/L	

CHLORIDE DATA					
WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
299-E33-31	15-NOV-91	5100		UG/L	
299-E33-32	22-NOV-91	4400		UG/L	
299-E33-33	15-NOV-91	4600		UG/L	
299-E33-41	25-JUL-91	4600		UG/L	
	21-NOV-91	5000		UG/L	
	21-NOV-91	5100		UG/L	
299-E33-7	08-JAN-91	5		MG/L	
299-E34-1	18-JAN-91	13		MG/L	
299-E34-7	04-NOV-91	18000		UG/L	
299-E35-2	27-JUN-91	13000		UG/L	
	27-JUN-91	13000		UG/L	
299-W10-1	04-JAN-91	27		MG/L	
299-W10-13	07-NOV-91	26000		UG/L	
299-W10-14	07-NOV-91	9300		UG/L	
299-W10-17	08-MAY-91	26		MG/L	
299-W10-18	08-MAY-91	27		MG/L	
299-W10-4	02-JAN-91	19		MG/L	
299-W11-14	17-MAY-91	52		MG/L	
299-W14-5	02-JAN-91	37		MG/L	
299-W14-6	03-JAN-91	42		MG/L	
	17-MAY-91	31		MG/L	
299-W15-10	02-JAN-91	29		MG/L	
299-W15-11	02-JAN-91	25		MG/L	
299-W15-12	04-NOV-91	38000		UG/L	
299-W15-19	14-NOV-91	15000		UG/L	
299-W15-20	12-NOV-91	4700		UG/L	
299-W15-22	18-APR-91	15		MG/L	
299-W15-23	13-NOV-91	5400		UG/L	
299-W15-24	12-NOV-91	4100		UG/L	
299-W15-3	04-JUN-91	31		MG/L	
299-W15-4	02-JAN-91	35		MG/L	
299-W15-6	08-MAY-91	19		MG/L	
299-W15-8	04-NOV-91	45000		UG/L	

CHLORIDE DATA

WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
299-W18-17	29-JAN-91	3		MG/L	
299-W18-20	06-FEB-91	3		MG/L	
299-W18-26	12-NOV-91	8900		UG/L	
299-W18-4	04-NOV-91	9800		UG/L	
299-W19-1	03-DEC-91	5400		UG/L	
299-W19-18	02-JAN-91	15		MG/L	
299-W19-28	10-OCT-91	30		MG/L	
299-W19-29	14-JUN-91	19000		UG/L	
	25-NOV-91	18000		UG/L	
299-W19-30	13-JUN-91	26000		UG/L	
299-W22-18	08-JAN-91	3		MG/L	
299-W22-2	03-DEC-91	2200		UG/L	
299-W22-20	18-JAN-91	22		MG/L	
	01-APR-91	21		MG/L	
	18-JUN-91	24		MG/L	
	04-SEP-91	25		MG/L	
	04-DEC-91	25000		UG/L	
299-W22-26	04-JAN-91	2		MG/L	
299-W22-39	14-NOV-91	6100		UG/L	
299-W23-1	03-DEC-91	8100		UG/L	
299-W23-3	04-JAN-91	5		MG/L	
299-W23-9	25-NOV-91	3300		UG/L	
299-W26-8	30-DEC-91	3300		UG/L	
299-W6-2	13-NOV-91	5000		UG/L	
299-W7-1	08-NOV-91	11000		UG/L	
299-W7-10	14-NOV-91	4600		UG/L	
299-W7-2	08-NOV-91	4400		UG/L	
299-W7-3	08-NOV-91	4400		UG/L	
299-W7-4	13-NOV-91	19000		UG/L	
299-W7-5	11-NOV-91	16000		UG/L	
299-W7-6	08-NOV-91	5400		UG/L	
299-W7-7	08-NOV-91	4400		UG/L	
299-W7-8	11-NOV-91	6500		UG/L	

CHLORIDE DATA

WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
299-W7-9	08-NOV-91	16000		UG/L	
299-W8-1	13-NOV-91	17000		UG/L	
299-W9-1	08-NOV-91	19000		UG/L	
399-1-15	16-JUL-91	17		MG/L	
399-1-17A	16-JAN-91	19		MG/L	
	25-MAR-91	15		MG/L	
	24-JUN-91	12		MG/L	
	11-SEP-91	5		MG/L	
	24-OCT-91	4600		UG/L	
	29-OCT-91	3900		UG/L	
	05-NOV-91	5700		UG/L	
	15-NOV-91	6600		UG/L	
	22-NOV-91	3400		UG/L	
	03-DEC-91	5500		UG/L	
	03-DEC-91	5400		UG/L	
	19-DEC-91	12000		UG/L	
	27-DEC-91	21000		UG/L	
399-8-1	15-JUL-91	14		MG/L	
	20-DEC-91	13000		UG/L	
399-8-2	18-DEC-91	9600		UG/L	
399-8-3	09-OCT-91	18		MG/L	
499-80-7	18-JAN-91	13		MG/L	
	24-JUN-91	11		MG/L	
	29-JUL-91	11		MG/L	
	15-AUG-91	12		MG/L	
	09-SEP-91	12		MG/L	
	10-OCT-91	13		MG/L	
	23-DEC-91	12000		UG/L	
499-80-8	18-JAN-91	11		MG/L	
	24-JUN-91	10		MG/L	
	29-JUL-91	10		MG/L	
	15-AUG-91	10		MG/L	
	09-SEP-91	10		MG/L	
	10-OCT-91	12		MG/L	
	23-DEC-91	9900		UG/L	
499-81-8J	18-JAN-91	9		MG/L	
	01-JUL-91	12		MG/L	
	29-JUL-91	9		MG/L	
	15-AUG-91	8		MG/L	
	09-SEP-91	8		MG/L	
	10-OCT-91	13		MG/L	
	23-DEC-91	7900		UG/L	
699-1-18	30-JUL-91	9		MG/L	
	30-JUL-91	9		MG/L	
	23-DEC-91	8500		UG/L	
699-10-812	09-DEC-91	8900		UG/L	

CHLORIDE DATA						CHLORIDE DATA						
WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW	WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW	
699-14-38	09-DEC-91	4400		UG/L		699-32-43	10-SEP-91	6		MG/L		
699-17-5	16-JAN-91	17		MG/L		699-32-70B	18-DEC-91	12000		UG/L		
	28-MAR-91	12		MG/L		699-32-77	29-MAR-91	7		MG/L		
	20-JUN-91	16		MG/L			699-34-41B	15-OCT-91	3		MG/L	
	11-SEP-91	15		MG/L				699-35-66	15-AUG-91	19		MG/L
	04-DEC-91	14000		UG/L		699-35-70	17-JAN-91	23		MG/L		
699-17-70	15-OCT-91	12		MG/L		15-APR-91	19		MG/L			
	29-JUL-91	11		MG/L		14-JUN-91	19		MG/L			
	18-DEC-91	25000		UG/L		10-SEP-91	20		MG/L			
699-2-7	18-DEC-91	26000		UG/L		04-DEC-91	21000		UG/L			
	31-JUL-91	11		MG/L		699-35-9	05-SEP-91	13		MG/L		
699-20-20	16-DEC-91	2400		UG/L		699-36-46R	16-JAN-91	3		MG/L		
699-20-E12	16-DEC-91	9000		UG/L		699-36-61A	15-AUG-91	9		MG/L		
699-20-E12P	30-JUL-91	10		MG/L		699-36-61B	17-SEP-91	10		MG/L		
699-21-6	26-DEC-91	7300		UG/L		699-36-93	17-SEP-91	23		MG/L		
699-23-34	26-DEC-91	7300		UG/L		699-37-43	23-DEC-91	17000		UG/L		
699-24-1T	16-DEC-91	8900		UG/L		699-37-82A	15-AUG-91	16		MG/L		
699-24-33	18-JAN-91	7		MG/L		699-37-E4	24-SEP-91	9		MG/L		
	28-MAR-91	4		MG/L		699-38-15	21-AUG-91	12		MG/L		
	20-JUN-91	7		MG/L			699-38-65	16-JAN-91	17		MG/L	
	10-SEP-91	7		MG/L			01-APR-91	16		MG/L		
699-24-34A	27-DEC-91	6800		UG/L		14-JUN-91	14		MG/L			
	26-DEC-91	7300		UG/L		10-SEP-91	16		MG/L			
699-24-34B	26-DEC-91	7100		UG/L		04-DEC-91	15000		UG/L			
699-24-34C	26-DEC-91	7300		UG/L		699-38-70	30-DEC-91	24000		UG/L		
699-24-35	27-DEC-91	7300		UG/L		699-39-0	22-AUG-91	10		MG/L		
699-25-34A	27-AUG-91	6		MG/L		699-39-39	30-AUG-91	58		MG/L		
699-25-34C	26-DEC-91	6800		UG/L		699-40-1	18-JAN-91	11		MG/L		
699-26-35A	27-DEC-91	6500		UG/L		29-MAR-91	11		MG/L			
	15-AUG-91	10		MG/L		26-JUN-91	11		MG/L			
699-27-8	16-AUG-91	9		MG/L		03-DEC-91	10000		UG/L			
699-29-4	17-JAN-91	4		MG/L		699-40-33A	16-JAN-91	3		MG/L		
699-31-31	16-DEC-91	2900		UG/L		15-APR-91	4		MG/L			
	31-JUL-91	6		MG/L		20-JUN-91	3		MG/L			
699-31-31P	16-DEC-91	2900		UG/L		699-40-40B	01-JAN-92	4400		UG/L		
699-32-22	31-JUL-91	6		MG/L		699-40-62	30-DEC-91	8800		UG/L		
699-32-43	16-JAN-91	5		MG/L		31-DEC-91	8800		UG/L			
	28-MAR-91	4		MG/L		699-41-1	16-JAN-91	11		MG/L		
	18-JUN-91	6		MG/L								

CHLORIDE DATA

WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
699-41-1	15-APR-91	11		MG/L	
	26-JUN-91	11		MG/L	
	03-DEC-91	10000		UG/L	
699-41-23	05-SEP-91	6		MG/L	
699-42-2	09-DEC-91	11000		UG/L	
699-43-3	18-JUL-91	12		MG/L	
699-43-41E	28-JUN-91	7200		UG/L	
	28-JUN-91	7300		UG/L	
699-43-41F	02-JUL-91	6300		UG/L	
699-43-42J	02-JUL-91	3500		UG/L	
699-44-64	10-DEC-91	14000		UG/L	
699-44-7	26-MAR-91	13		MG/L	
699-45-2	09-DEC-91	12000		UG/L	
699-45-69A	09-DEC-91	8100		UG/L	
	30-DEC-91	8100		UG/L	
699-46-4	19-JUL-91	12		MG/L	
699-47-5	26-MAR-91	17		MG/L	
	19-JUL-91	9		MG/L	
699-47-60	23-AUG-91	10		MG/L	
699-49-100C	18-JAN-91	21		MG/L	
	04-APR-91	18		MG/L	
	20-JUN-91	18		MG/L	
699-49-55A	23-AUG-91	12		MG/L	
699-49-79	29-JAN-91	10		MG/L	
699-50-53	21-JUN-91	38		MG/L	
	05-DEC-91	36000		UG/L	
699-51-75	09-DEC-91	2700		UG/L	
699-52-19	14-OCT-91	4		MG/L	
699-53-47A	10-DEC-91	25000		UG/L	
699-53-48B	02-OCT-91	123		MG/L	
699-55-40	15-OCT-91	26		MG/L	
699-58-24	14-OCT-91	5		MG/L	
699-60-60	14-OCT-91	2		MG/L	
699-61-62	26-AUG-91	9		MG/L	
699-62-31	22-AUG-91	9		MG/L	

CHLORIDE DATA

WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
699-63-25A	23-AUG-91	16		MG/L	
699-63-58	30-AUG-91	8		MG/L	
699-64-27	22-AUG-91	26		MG/L	
699-66-58	23-SEP-91	5		MG/L	
699-72-88	23-AUG-91	8		MG/L	
699-73-61	23-AUG-91	6		MG/L	
699-77-36	22-AUG-91	15		MG/L	
699-8-17	30-JUL-91	10		MG/L	
	09-DEC-91	11000		UG/L	
699-8-25	30-JUL-91	8		MG/L	
	09-DEC-91	8200		UG/L	
699-90-45	23-SEP-91	5		MG/L	
699-96-49	23-AUG-91	22		MG/L	
699-811-E12A	29-JUL-91	9		MG/L	
699-812-3	17-JAN-91	38		MG/L	
	31-JUL-91	24		MG/L	
699-819-11	16-JAN-91	10		MG/L	
	01-APR-91	9		MG/L	
	24-JUN-91	10		MG/L	
	04-DEC-91	9400		UG/L	
699-819-E13	29-MAR-91	16		MG/L	
	21-JUN-91	17		MG/L	
	03-DEC-91	16000		UG/L	
	13-DEC-91	17000		UG/L	
699-827-E14	10-DEC-91	13000		UG/L	
699-829-E12	09-DEC-91	12000		UG/L	
699-83-25	20-DEC-91	29000		UG/L	
699-830-E10A	24-JUL-91	21		MG/L	
	10-DEC-91	27000		UG/L	
699-830-E10B	24-JUL-91	24		MG/L	
	10-DEC-91	28000		UG/L	
699-830-E15A	18-JAN-91	6		MG/L	
	29-MAR-91	7		MG/L	
	21-JUN-91	7		MG/L	
	03-DEC-91	6500		UG/L	
699-831-1	20-DEC-91	5200		UG/L	
699-831-E10A	23-JUL-91	17		MG/L	

CHLORIDE DATA

WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
599-S31-E10B	23-JUL-91	16		MG/L	
599-S31-E10C	23-JUL-91	16		MG/L	
599-S31-E10D	23-JUL-91	14		MG/L	
599-S31-E13	24-JUL-91	9		MG/L	
599-S31-E8	24-JUL-91	2		MG/L	
599-S32-E13A	24-JUL-91	9		MG/L	
599-S32-E13B	25-JUL-91	9		MG/L	
599-S32-E8	25-JUL-91	2		MG/L	
599-S34-E10	25-JUL-91	12		MG/L	
599-S36-E12B	25-JUL-91	2		MG/L	
599-S36-E13A	30-AUG-91	2		MG/L	
599-S36-E13B	30-AUG-91	4		MG/L	
599-S37-E11	29-AUG-91	8		MG/L	
599-S37-E14	29-AUG-91	1		MG/L	
	17-OCT-91	1		MG/L	
599-S38-E11	29-AUG-91	13		MG/L	
599-S38-E12A	29-AUG-91	8		MG/L	
599-S38-E12B	29-AUG-91	6		MG/L	
599-S40-E14	29-AUG-91	1		MG/L	
599-S41-E11	30-AUG-91	32		MG/L	
599-S41-E13A	29-AUG-91	1		MG/L	
	17-OCT-91	1		MG/L	
599-S41-E13B	29-AUG-91	9		MG/L	
	17-OCT-91	9		MG/L	
599-S41-E13C	29-AUG-91	3		MG/L	
599-S43-E12	25-JUL-91	29		MG/L	
599-S6-E14A	17-JAN-91	17		MG/L	
	29-JUL-91	11		MG/L	
	29-JUL-91	16		MG/L	
599-S6-E4D	17-JAN-91	19		MG/L	
	29-MAR-91	16		MG/L	
	21-JUN-91	17		MG/L	
	03-DEC-91	16000		UG/L	
599-S8-19	13-DEC-91	22000		UG/L	

CYANIDE DATA						CYANIDE DATA					
WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW	WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
299-E24-19	22-NOV-91		U	UG/L		299-W7-4	13-NOV-91		U	UG/L	
299-E24-20	15-NOV-91		U	UG/L		299-W7-5	11-NOV-91		U	UG/L	
299-E25-40	20-NOV-91		U	UG/L		299-W7-6	08-NOV-91		U	UG/L	
299-E25-41	21-NOV-91		U	UG/L		299-W7-7	08-NOV-91		U	UG/L	
299-E27-11	06-NOV-91		U	UG/L		299-W7-8	11-NOV-91		U	UG/L	
299-E27-12	18-NOV-91		U	UG/L		299-W7-9	08-NOV-91		U	UG/L	
299-E27-13	15-NOV-91		U	UG/L		299-W8-1	13-NOV-91		U	UG/L	
299-E27-15	21-NOV-91		U	UG/L		299-W9-1	08-NOV-91		U	UG/L	
299-E28-27	01-JAN-92		U	UG/L		699-40-62	30-DEC-91		U	UG/L	
299-E33-31	15-NOV-91		U	UG/L		699-44-64	10-DEC-91		U	UG/L	
299-E33-32	22-NOV-91		U	UG/L		699-45-69A	30-DEC-91		U	UG/L	
299-E33-53	15-NOV-91		U	UG/L		699-50-53	21-JUN-91	760.000		UG/L	
299-E33-41	25-JUL-91		U	UG/L							
	21-NOV-91		U	UG/L							
	21-NOV-91		U	UG/L							
299-E34-7	04-NOV-91		U	UG/L							
299-W10-13	07-NOV-91		U	UG/L							
299-W10-1'	07-NOV-91		U	UG/L							
299-W15-19	14-NOV-91		U	UG/L							
299-W15-20	12-NOV-91		U	UG/L							
299-W15-23	13-NOV-91		U	UG/L							
299-W15-24	12-NOV-91		U	UG/L							
299-W18-26	12-NOV-91		U	UG/L							
299-W19-29	14-JUN-91		U	UG/L							
	25-NOV-91		U	UG/L							
299-W19-30	13-JUN-91		U	UG/L							
299-W22-39	14-NOV-91		U	UG/L							
299-W6-2	13-NOV-91		U	UG/L							
299-W7-1	08-NOV-91		U	UG/L							
299-W7-10	14-NOV-91		U	UG/L							
299-W7-2	08-NOV-91		U	UG/L							
299-W7-3	08-NOV-91		U	UG/L							

FLUORIDE DATA						FLUORIDE DATA					
WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW	WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
1199-41-13C	31-MAY-91			MG/L		199-N-14	05-DEC-91	500		UG/L	
199-B4-2	11-DEC-91	400		UG/L		199-N-20	08-OCT-91	1		MG/L	
199-B4-3	30-MAY-91			MG/L		159-N-25	08-OCT-91	1		MG/L	
199-B4-5	18-SEP-91			MG/L		199-N-3	05-DEC-91	600		UG/L	
199-B4-6	19-SEP-91			MG/L		199-N-32	18-SEP-91			MG/L	
199-B4-7	18-SEP-91			MG/L			05-DEC-91	500		UG/L	
199-F5-3	31-MAY-91			MG/L		199-N-41	25-SEP-91		U	MG/L	
199-F5-6	19-SEP-91			MG/L		199-N-47	05-NOV-91	1300		UG/L	
199-F8-2	19-SEP-91	1		MG/L		199-N-50	30-OCT-91	200		UG/L	
199-H3-1	06-JUN-91	540		UG/L		199-N-51	30-OCT-91	300		UG/L	
199-H3-2A	06-JUN-91	690		UG/L		199-N-54	05-NOV-91	900		UG/L	
199-H3-2C	06-JUN-91	480		UG/L		199-N-55	05-NOV-91	1000		UG/L	
199-H4-11	07-JUN-91	550		UG/L		159-N-56	05-NOV-91	800		UG/L	
199-H4-12A	07-JUN-91	340		UG/L		199-N-57	05-NOV-91	1000		UG/L	
199-H4-12C	07-JUN-91	550		UG/L		199-N-66	05-NOV-91	600		UG/L	
199-H4-14	07-JUN-91	550		UG/L		199-N-67	22-NOV-91	300		UG/L	
199-H4-16	07-JUN-91	490		UG/L		199-N-69	22-NOV-91	400		UG/L	
199-H4-3	07-JUN-91	1600		UG/L		299-E13-14	11-JUN-91	1100		UG/L	
	07-JUN-91	1800		UG/L		299-E17-13	18-JUN-91	700		UG/L	
	24-OCT-91	600		UG/L		299-E17-15	19-DEC-91	500		UG/L	
	13-NOV-91	1300		UG/L		299-E17-16	19-DEC-91	500		UG/L	
	12-DEC-91	900		UG/L		299-E17-18	19-DEC-91	500		UG/L	
199-H4-4	16-JAN-91		U	MG/L		299-E17-2	04-NOV-91	900		UG/L	
	28-MAR-91			MG/L		299-E17-8	18-JUN-91	1		MG/L	
	06-JUN-91	290		UG/L		299-E18-2	06-SEP-91	1		MG/L	
	06-JUN-91			MG/L		299-E18-3	06-SEP-91			MG/L	
	16-AUG-91	1		MG/L		299-E18-4	06-SEP-91			MG/L	
	16-SEP-91	800		UG/L		299-E23-1	24-MAY-91	1		MG/L	
	24-OCT-91	1200		UG/L		299-E24-1	29-MAY-91	1		MG/L	
	13-NOV-91	1000		UG/L		299-E24-11	29-MAY-91	1		MG/L	
	03-DEC-91	800		UG/L		299-E24-19	22-NOV-91	600		UG/L	
	12-DEC-91			UG/L							
199-H4-6	10-JUN-91	850		UG/L							
199-H4-7	06-JUN-91	660		UG/L							
199-H4-9	06-JUN-91	700		UG/L							
	13-NOV-91	1000		UG/L							
	12-DEC-91	600		UG/L							
199-N-14	18-SEP-91		U	MG/L							
	01-NOV-91	500		UG/L							

FLUORIDE DATA						FLUORIDE DATA					
WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW	WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
299-E24-20	15-NOV-91	300		UG/L		299-E33-32	22-NOV-91	600		UG/L	
299-E24-4	03-OCT-91			MG/L		299-E33-33	15-NOV-91	400		UG/L	
299-E24-7	23-MAY-91	1		MG/L		299-E33-41	25-JUL-91	540		UG/L	
299-E25-13	04-JUN-91	1		MG/L			21-NOV-91	700		UG/L	
299-E25-19	18-JUL-91	730		UG/L			21-NOV-91	700		UG/L	
299-E25-20	16-JUL-91	910		UG/L		299-E34-1	18-JAN-91	1		MG/L	
299-E25-25	25-JUN-91	240		UG/L		299-E34-7	04-NOV-91	900		UG/L	
	25-JUN-91	180		UG/L		299-E35-2	27-JUN-91	660		UG/L	
							27-JUN-91	650		UG/L	
299-E25-29P	25-JUN-91	590		UG/L		299-W10-13	07-NOV-91	700		UG/L	
	01-NOV-91	900		UG/L		299-W10-14	07-NOV-91	800		UG/L	
299-E25-3	29-MAY-91			MG/L		299-W10-17	08-MAY-91	2		MG/L	
299-E25-30P	29-MAY-91			MG/L		299-W10-18	08-MAY-91	1		MG/L	
299-E25-31	25-JUN-91	510		UG/L		299-W10-4	02-JAN-91	3		MG/L	
299-E25-33	27-JUN-91	810		UG/L		299-W11-14	17-MAY-91	1		MG/L	
299-E25-37	26-JUN-91	350		UG/L		299-W14-5	02-JAN-91	2		MG/L	
299-E25-38	26-JUN-91	310		UG/L		299-W14-6	03-JAN-91			MG/L	
299-E25-39	26-JUN-91	270		UG/L			17-MAY-91	2		MG/L	
299-E25-40	20-NOV-91	700		UG/L		299-W15-10	02-JAN-91			MG/L	
299-E25-41	21-NOV-91	600		UG/L		299-W15-11	02-JAN-91			MG/L	
299-E26-10	27-JUN-91	560		UG/L		299-W15-12	04-NOV-91	2100		UG/L	
299-E26-11	27-JUN-91	610		UG/L		299-W15-19	14-NOV-91	500		UG/L	
299-E26-4	24-MAY-91			MG/L		299-W15-20	12-NOV-91	1000		UG/L	
299-E26-9	27-JUN-91	580		UG/L		299-W15-22	18-APR-91	1		MG/L	
299-E27-11	06-NOV-91	900		UG/L		299-W15-23	13-NOV-91	1000		UG/L	
299-E27-12	18-NOV-91	200		UG/L		299-W15-24	12-NOV-91	1100		UG/L	
299-E27-13	15-NOV-91	300		UG/L		299-W15-3	04-JUN-91	2		MG/L	
299-E27-15	21-NOV-91	500		UG/L		299-W15-4	02-JAN-91	7		MG/L	
299-E28-12	16-MAY-91	1		MG/L		299-W15-6	08-MAY-91	1		MG/L	
299-E28-24	23-SEP-91	1		MG/L		299-W15-8	04-NOV-91	2500		UG/L	
299-E28-27	01-JAN-92	400		UG/L		299-W18-17	29-JAN-91			MG/L	
299-E28-9	16-MAY-91	1		MG/L		299-W18-20	06-FEB-91	1		MG/L	
299-E33-31	15-NOV-91	400		UG/L							

FLUORIDE DATA						FLUORIDE DATA					
WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW	WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
299-W18-26	12-NOV-91	1000		UG/L		399-1-15	16-JUL-91	1		MG/L	
299-W18-4	04-NOV-91	1600		UG/L		399-1-17A	16-JAN-91		U	MG/L	
299-W19-1	03-DEC-91	800		UG/L			25-MAR-91			MG/L	
299-W19-18	02-JAN-91	1		MG/L			24-JUN-91		U	MG/L	
299-W19-28	10-OCT-91	1		MG/L			11-SEP-91		U	UG/L	
299-W19-29	14-JUN-91	2100		UG/L			24-OCT-91	100		UG/L	
299-W19-30	25-NOV-91	800		UG/L			29-OCT-91	600		UG/L	
299-W22-2	13-JUN-91	4000		UG/L			05-NOV-91	200		UG/L	
299-W22-20	03-DEC-91	800		UG/L			15-NOV-91	400		UG/L	
299-W22-20	18-JAN-91	1		MG/L			22-NOV-91	400		UG/L	
299-W23-1	01-APR-91	1		MG/L			03-DEC-91	600		UG/L	
299-W23-3	18-JUN-91	1		MG/L			19-DEC-91	500		UG/L	
299-W23-9	04-SEP-91	1		UG/L			27-DEC-91	200	U	UG/L	
299-W26-8	04-DEC-91	1100		UG/L						UG/L	
299-W6-2	04-JAN-91			MG/L		399-8-1	15-JUL-91	300		MG/L	
299-W7-1	14-NOV-91	600		UG/L		399-8-2	20-DEC-91	400		UG/L	
299-W7-10	03-DEC-91	1000		UG/L		399-8-3	18-DEC-91	400		UG/L	
299-W7-2	04-JAN-91			MG/L		499-80-7	09-OCT-91	1		MG/L	
299-W7-3	25-NOV-91	600		UG/L			18-JAN-91		U	MG/L	
299-W7-4	30-DEC-91	300		UG/L			24-JUN-91	1		MG/L	
299-W7-5	13-NOV-91	900		UG/L			29-JUL-91	1		MG/L	
299-W7-6	08-NOV-91	800		UG/L		499-80-8	15-AUG-91	1		MG/L	
299-W7-7	08-NOV-91	900		UG/L			09-SEP-91	1		MG/L	
299-W7-8	14-NOV-91	400		UG/L			10-OCT-91	300		UG/L	
299-W7-9	08-NOV-91	900		UG/L			23-DEC-91			MG/L	
299-W8-1	08-NOV-91	900		UG/L		499-81-8J	18-JAN-91		U	MG/L	
299-W9-1	13-NOV-91	1000		UG/L			24-JUN-91	1		MG/L	
	08-NOV-91	900		UG/L			29-JUL-91	1		MG/L	
	11-NOV-91	900		UG/L			15-AUG-91	1		MG/L	
	08-NOV-91	900		UG/L			09-SEP-91	1		MG/L	
	13-NOV-91	900		UG/L			10-OCT-91	300		UG/L	
	11-NOV-91	1000		UG/L			23-DEC-91			MG/L	
	08-NOV-91	1200		UG/L		699-1-18	30-JUL-91	1		MG/L	
	08-NOV-91	900		UG/L			30-JUL-91	1		MG/L	
	11-NOV-91	900		UG/L			23-DEC-91	400		UG/L	
	08-NOV-91	900		UG/L			23-DEC-91	400		UG/L	
	08-NOV-91	900		UG/L		699-10-E12	09-DEC-91	500		UG/L	
	11-NOV-91	900		UG/L		699-14-38	09-DEC-91	500		UG/L	
	08-NOV-91	1000		UG/L		699-17-5	16-JAN-91		U	MG/L	
	13-NOV-91	800		UG/L			28-MAR-91			MG/L	
	08-NOV-91	900		UG/L			20-JUN-91			MG/L	
							11-SEP-91			MG/L	
							04-DEC-91	600		UG/L	

FLUORIDE DATA						FLUORIDE DATA					
WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW	WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
699-17-70	15-OCT-91	1		MG/L		699-35-66	15-AUG-91	1		MG/L	
699-2-3	29-JUL-91	1		MG/L		699-35-70	17-JAN-91	1		MG/L	
699-2-7	18-DEC-91	600		UG/L			15-APR-91	1		MG/L	
	18-DEC-91	600		UG/L			14-JUN-91	1		MG/L	
699-20-20	31-JUL-91			MG/L			10-SEP-91	1		MG/L	
							04-DEC-91	800		UG/L	
699-20-E12	16-DEC-91	200		UG/L		699-35-9	05-SEP-91			MG/L	
699-20-E12P	16-DEC-91	600		UG/L		699-36-46R	16-JAN-91		U	MG/L	
699-21-6	30-JUL-91			MG/L		699-36-61A	15-AUG-91			MG/L	
699-23-34	26-DEC-91	600		UG/L		699-36-61B	17-SEP-91	1		MG/L	
	26-DEC-91	600		UG/L		699-36-93	17-SEP-91			MG/L	
699-24-1T	16-DEC-91	500		UG/L		699-37-43	23-DEC-91	700		UG/L	
699-24-33	18-JAN-91	1		MG/L		699-37-82A	15-AUG-91			MG/L	
	28-MAR-91	1		MG/L		699-37-E4	24-SEP-91			MG/L	
	20-JUN-91	1		MG/L		699-38-15	21-AUG-91	1		MG/L	
	10-SEP-91	1		UG/L							
	27-DEC-91	600		UG/L		699-38-65	16-JAN-91		U	MG/L	
699-24-34A	26-DEC-91	500		UG/L			01-APR-91	1		MG/L	
699-24-34B	26-DEC-91	600		UG/L			14-JUN-91			MG/L	
699-24-34C	26-DEC-91	600		UG/L			10-SEP-91	1		MG/L	
699-24-35	27-DEC-91	500		UG/L			04-DEC-91	800		UG/L	
699-25-34A	27-AUG-91	1		MG/L		699-38-70	30-DEC-91	700		UG/L	
699-25-34C	26-DEC-91	500		UG/L		699-39-0	22-AUG-91			MG/L	
699-26-35A	27-DEC-91	500		UG/L		699-39-39	30-AUG-91	1		MG/L	
699-27-8	15-AUG-91			MG/L		699-40-1	18-JAN-91	1		MG/L	
699-29-4	16-AUG-91			MG/L			29-MAR-91	1		MG/L	
699-31-31	17-JAN-91	1		MG/L			26-JUN-91	1		MG/L	
699-31-31P	16-DEC-91	800		UG/L			03-DEC-91	700		UG/L	
699-32-22	31-JUL-91	1		MG/L		699-40-33A	16-JAN-91	1		MG/L	
699-32-43	16-JAN-91	1		MG/L			15-APR-91	1		MG/L	
	28-MAR-91	1		MG/L		699-40-40B	20-JUN-91	1		MG/L	
	18-JUN-91	1		MG/L			01-JAN-92	600		UG/L	
	10-SEP-91	1		MG/L		699-40-62	30-DEC-91	300		UG/L	
699-32-70B	18-DEC-91	400		UG/L			31-DEC-91	300		UG/L	
699-32-77	29-MAR-91	1		MG/L		699-41-1	16-JAN-91	1		MG/L	
699-34-41B	15-OCT-91	1		MG/L			15-APR-91	1	U	MG/L	
							26-JUN-91	1		MG/L	
							03-DEC-91	800		UG/L	
						699-41-23	05-SEP-91	1		MG/L	
						699-42-2	09-DEC-91	500		UG/L	

FLUORIDE DATA						FLUORIDE DATA					
WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW	WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
699-43-3	18-JUL-91	1		MG/L		699-66-23	22-AUG-91			MG/L	
699-43-41E	28-JUN-91	720		UG/L		699-66-58	23-SEP-91	1		MG/L	
	28-JUN-91	690		UG/L		699-72-88	23-AUG-91			MG/L	
699-43-41F	02-JUL-91	620		UG/L		699-73-61	23-AUG-91	1		MG/L	
699-43-42J	02-JUL-91	560		UG/L		699-77-36	22-AUG-91	1		MG/L	
699-44-64	10-DEC-91	600		UG/L		699-8-17	30-JUL-91	1		MG/L	
						09-DEC-91	09-DEC-91	600		UG/L	
699-44-7	26-MAR-91	1		MG/L		699-8-25	30-JUL-91	1		MG/L	
699-45-2	09-DEC-91	600		UG/L		09-DEC-91	09-DEC-91	600		UG/L	
699-45-69A	09-DEC-91	600		UG/L		699-90-45	23-SEP-91	1		MG/L	
	30-DEC-91	300		UG/L		699-96-49	23-AUG-91			MG/L	
699-46-4	19-JUL-91	1		MG/L		699-811-E12A	29-JUL-91	1		MG/L	
699-47-5	26-MAR-91	1		MG/L		699-812-3	17-JAN-91	1		MG/L	
	19-JUL-91	1		MG/L		31-JUL-91				MG/L	
699-47-60	23-AUG-91	1		MG/L		699-819-11	16-JAN-91		U	MG/L	
699-49-100C	18-JAN-91	1		MG/L			01-APR-91			MG/L	
	04-APR-91	1		MG/L			24-JUN-91			MG/L	
	20-JUN-91	1		MG/L			04-DEC-91	600		UG/L	
699-49-55A	23-AUG-91	1		MG/L		699-819-E13	29-MAR-91	1		MG/L	
699-49-79	29-JAN-91	1		MG/L			21-JUN-91	1		MG/L	
699-50-53	21-JUN-91	2		MG/L			03-DEC-91	700		UG/L	
	05-DEC-91	1700		UG/L			13-DEC-91	400		UG/L	
699-51-75	09-DEC-91	500		UG/L		699-827-E14	10-DEC-91	500		UG/L	
699-52-19	14-OCT-91			MG/L		699-829-E12	09-DEC-91	600		UG/L	
699-53-47A	10-DEC-91	200		UG/L		699-83-25	20-DEC-91	600		UG/L	
699-53-48B	02-OCT-91			MG/L		699-830-E10A	24-JUL-91	1		MG/L	
699-55-40	15-OCT-91	1		MG/L			10-DEC-91	700		UG/L	
699-58-24	14-OCT-91	1		MG/L		699-830-E10B	24-JUL-91	1		MG/L	
699-60-60	14-OCT-91	1		MG/L			10-DEC-91	700		UG/L	
699-61-62	26-AUG-91	1		MG/L		699-830-E15A	18-JAN-91		U	MG/L	
699-62-31	22-AUG-91	1		MG/L			29-MAR-91			MG/L	
699-63-25A	23-AUG-91	1		MG/L			21-JUN-91			MG/L	
699-63-58	30-AUG-91	1		MG/L			03-DEC-91	700		UG/L	
						699-831-1	20-DEC-91	200		UG/L	
699-64-27	22-AUG-91			MG/L		699-831-E10A	23-JUL-91	1		MG/L	
						699-831-E10B	23-JUL-91	1		MG/L	
						699-831-E10C	23-JUL-91	1		MG/L	
						699-831-E10D	23-JUL-91	1		MG/L	

FLUORIDE DATA

WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
699-S31-E8	24-JUL-91			MG/L	
699-S32-E13B	25-JUL-91	1		MG/L	
699-S32-E8	25-JUL-91			MG/L	
699-S34-E10	25-JUL-91			MG/L	
699-S36-E12B	25-JUL-91		U	MG/L	
699-S36-E13A	30-AUG-91			MG/L	
699-S36-E13B	30-AUG-91			MG/L	
699-S37-E11	29-AUG-91			MG/L	
699-S37-E14	29-AUG-91			MG/L	
	17-OCT-91			MG/L	
699-S38-E11	29-AUG-91	1		MG/L	
699-S38-E12A	29-AUG-91			MG/L	
699-S38-E12B	29-AUG-91			MG/L	
699-S40-E14	29-AUG-91			MG/L	
699-S41-E11	30-AUG-91			MG/L	
699-S41-E13A	29-AUG-91			MG/L	
	17-OCT-91			MG/L	
699-S41-E13B	29-AUG-91			MG/L	
	17-OCT-91	1		MG/L	
699-S41-E13C	29-AUG-91			MG/L	
699-S43-E12	25-JUL-91			MG/L	
699-S6-E14A	17-JAN-91	1		MG/L	
	29-JUL-91			MG/L	
	29-JUL-91	1		MG/L	
699-S6-E4D	17-JAN-91	1		MG/L	
	29-MAR-91	1		MG/L	
	21-JUN-91	1		MG/L	
	03-DEC-91	800		UG/L	
699-S8-19	13-DEC-91	1100		UG/L	

1991 NITRATE DATA						1991 NITRATE DATA					
WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW	WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
1199-41-13C	31-MAY-91	4,990		UG/L		199-H4-4	16-JAN-91	132,000		UG/L	
199-B4-2	11-DEC-91	18,000		UG/L			28-MAR-91	15,400		UG/L	
199-B4-3	30-MAY-91	21,200		UG/L			06-JUN-91	6,520		UG/L	
199-B4-5	18-SEP-91	20,200		UG/L			01-AUG-91	53,400		PPB	
199-B4-6	19-SEP-91	20,100		UG/L			16-AUG-91	19,800		UG/L	
199-B4-7	18-SEP-91	19,700		UG/L			16-AUG-91	19,600		PPB	
199-F5-3	31-MAY-91	7,330		UG/L			18-SEP-91	355,000		UG/L	
199-F5-4	19-SEP-91	59,000		PPB			18-SEP-91	343,000		PPB	
199-F5-6	19-SEP-91	1,480		UG/L			24-OCT-91	443,000		UG/L	
199-F7-1	19-SEP-91	75,000		PPB			13-NOV-91	327,000		UG/L	
199-F8-2	19-SEP-91	91,600		UG/L			03-DEC-91	274,000		UG/L	
199-H3-2A	12-SEP-91	220		PPB			12-DEC-91	283,000		UG/L	
199-H3-2B	22-AUG-91	26,700		PPB		199-H4-5	22-AUG-91	44,500		PPB	
199-H3-2C	13-SEP-91	2,900		PPB			13-SEP-91	45,000		PPB	
199-H4-11	12-SEP-91	66,000		PPB		199-H4-6	10-JUN-91	40,000		PPB	
199-H4-12A	12-SEP-91	103,000		PPB			12-SEP-91	43,000		PPB	
199-H4-12B	22-AUG-91	46,200		PPB		199-H4-7	12-SEP-91	30,000		PPB	
199-H4-12C	12-SEP-91	6,000		PPB			16-AUG-91	42,400		PPB	
199-H4-13	23-AUG-91	23,000		PPB		199-H4-8	12-SEP-91	35,600		PPB	
199-H4-14	13-SEP-91	26,500		PPB			01-AUG-91	48,400		PPB	
199-H4-15A	22-AUG-91	25,400		PPB		199-H4-9	16-AUG-91	55,000		PPB	
199-H4-15B	13-SEP-91	21,700		PPB			12-SEP-91	91,000		PPB	
199-H4-17	16-AUG-91	49,000		PPB			13-NOV-91	28,800		UG/L	
199-H4-18	13-SEP-91	50,000		PPB			12-DEC-91	5,500		UG/L	
199-H4-3	01-AUG-91	951,000		PPB		199-K-11	26-SEP-91	28,400		PPB	
	16-AUG-91	970,000		PPB			18-SEP-91	6,850		UG/L	
	13-SEP-91	460,000		PPB		199-N-14	18-SEP-91	6,200		PPB	
	13-SEP-91	460,000		PPB			05-DEC-91	27,400		UG/L	
	24-OCT-91	160,000		UG/L			05-DEC-91	6,200		UG/L	
	13-NOV-91	130,000		UG/L		199-N-17	05-SEP-91	2,800		PPB	
	12-DEC-91	150,000		UG/L			08-OCT-91	9,160		UG/L	
						199-N-20	05-SEP-91	9,700		PPB	
						199-N-21	08-OCT-91	1,390		UG/L	
						199-N-25	04-SEP-91	12,600		PPB	
							05-DEC-91	15,500		UG/L	
						199-N-3	18-SEP-91	11,200		UG/L	
						199-N-32	18-SEP-91	9,700		UG/L	
							05-DEC-91	15,500		UG/L	
						199-N-33	04-SEP-91	11,000		PPB	
						199-N-36	04-SEP-91	19,600		PPB	
						199-N-41	30-AUG-91	6,600		PPB	
							25-SEP-91	6,770		UG/L	

1991 NITRATE DATA

WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
199-N-47	05-SEP-91	11,600		PPB	
	05-NOV-91	12,800		UG/L	
199-N-50	30-OCT-91	6,200		UG/L	
199-N-51	30-OCT-91	15,000		UG/L	
199-N-54	05-SEP-91	17,700		PPB	
	05-NOV-91	17,300		UG/L	
199-N-55	05-SEP-91	17,700		PPB	
	05-NOV-91	18,000		UG/L	
199-N-56	05-SEP-91	16,200		PPB	
	05-NOV-91	12,400		UG/L	
199-N-57	05-NOV-91	11,500		UG/L	
199-N-59	03-SEP-91	3,300		PPB	
199-N-66	05-NOV-91	8,410		UG/L	
199-N-67	22-NOV-91	11,000		UG/L	
199-N-69	22-NOV-91	3,760		UG/L	
199-N-70	04-SEP-91	9,200		PPB	
299-E17-1	13-AUG-91	163,000		PPB	
299-E17-12	13-SEP-91	35,000		PPB	
299-E17-13	18-JUN-91	39,500		PPB	
	13-SEP-91	34,000		PPB	
299-E17-14	28-AUG-91	140,000		PPB	
299-E17-15	03-SEP-91	158,000		PPB	
	01-OCT-91	224,000		PPB	
	19-DEC-91	180,000		UG/L	
299-E17-16	28-AUG-91	128,000		PPB	
	19-DEC-91	70,800		UG/L	
299-E17-17	26-AUG-91	31,700		PPB	
299-E17-18	26-AUG-91	21,300		PPB	
	19-DEC-91	30,500		UG/L	
299-E17-2	04-NOV-91	100,000		UG/L	
299-E17-20	24-JUL-91	182,000		PPB	
	14-AUG-91	187,000		PPB	
	30-SEP-91	169,000		PPB	
299-E17-5	26-AUG-91	32,500		PPB	
299-E17-8	18-JUN-91	66,600		UG/L	
299-E18-1	09-JUL-91	13,300		PPB	
	06-SEP-91	11,400		PPB	

1991 NITRATE DATA

WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
299-E18-2	06-SEP-91	328		UG/L	
	06-SEP-91	390		PPB	
299-E18-3	06-SEP-91	404		UG/L	
	06-SEP-91	430		PPB	
299-E18-4	06-SEP-91	270		UG/L	
	06-SEP-91	430		PPB	
299-E23-1	24-MAY-91	20,200		UG/L	
299-E24-1	29-MAY-91	112,000		UG/L	
299-E24-11	29-MAY-91	88,800		UG/L	
299-E24-16	20-AUG-91	103,000		PPB	
299-E24-17	13-AUG-91	84,800		PPB	
299-E24-18	13-AUG-91	22,900		PPB	
299-E24-19	26-JUL-91	5,100		PPB	
	22-NOV-91	3,200		UG/L	
299-E24-20	15-NOV-91	44,300		UG/L	
299-E24-4	03-OCT-91	1,760		UG/L	
	03-OCT-91	1,790		PPB	
299-E24-7	23-MAY-91	22,200		UG/L	
299-E25-11	11-JUL-91	7,180		PPB	
299-E25-13	04-JUN-91	293,000		UG/L	
299-E25-18	12-JUL-91	47,800		PPB	
	31-JUL-91	64,000		PPB	
	01-OCT-91	55,000		PPB	
299-E25-19	18-JUL-91	137,000		PPB	
	01-OCT-91	131,000		PPB	
299-E25-20	16-JUL-91	118,000		PPB	
	03-OCT-91	1,440		PPB	
299-E25-21	11-JUL-91	2,420		PPB	
299-E25-25	25-JUN-91	670		PPB	
	25-JUN-91	690		PPB	
	16-SEP-91	840		PPB	
299-E25-26	27-SEP-91	1,210		PPB	
299-E25-28	12-JUL-91	1,190		PPB	
	27-SEP-91	1,520		PPB	
299-E25-29P	25-JUN-91	8,550		PPB	
	01-NOV-91	5,800		UG/L	
299-E25-3	29-MAY-91	1,840		UG/L	

Y

1991 NITRATE DATA						1991 NITRATE DATA					
WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW	WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
299-E25-30P	29-MAY-91	6,110		UG/L		299-E27-5	09-JAN-91	8,080		UG/L	
299-E25-31	16-SEP-91	5,700		PPB		299-E27-7	25-JUL-91	1,650		PPB	
299-E25-32P	19-JUL-91	600		PPB		299-E27-8	01-AUG-91	7,170		PPB	
	19-JUL-91	1,010		PPB		299-E27-9	26-JUL-91	7,230		PPB	
	26-SEP-91	870		PPB		299-E28-12	16-MAY-91	219,000		UG/L	
299-E25-33	27-JUN-91	6,950		PPB		299-E28-18	13-SEP-91	36,000		PPB	
	16-SEP-91	10,600		PPB		299-E28-24	13-SEP-91	35,000		PPB	
299-E25-34	27-SEP-91	1,500		PPB		299-E28-26	23-SEP-91		U	UG/L	
299-E25-35	19-JUL-91	4,570		PPB		299-E28-27	06-AUG-91	41,800		PPB	
	19-JUL-91	4,680		PPB		299-E28-28	23-SEP-91	41,700		PPB	
	01-OCT-91	4,580		PPB							
	16-OCT-91	4,580		PPB							
299-E25-36	11-JUL-91	15,800		PPB							
	20-AUG-91	17,000		PPB							
	30-SEP-91	15,700		PPB							
299-E25-37	16-SEP-91	1,200		PPB							
299-E25-38	16-SEP-91	1,730		PPB							
299-E25-39	16-SEP-91	1,070		PPB							
299-E25-40	20-JUL-91	4,450		PPB							
	20-JUL-91	5,100		PPB							
	20-NOV-91	3,200		UG/L							
299-E25-41	26-JUL-91	3,040		PPB							
	21-NOV-91	3,580		UG/L							
299-E26-10	25-SEP-91	7,540		PPB							
299-E26-11	27-JUN-91	4,900		PPB							
	27-SEP-91	5,430		PPB							
	27-SEP-91	5,480		PPB							
299-E26-4	24-MAY-91	1,210		UG/L							
299-E26-9	25-SEP-91	1,780		PPB							
299-E27-10	31-JUL-91	4,210		PPB							
299-E27-11	06-NOV-91	7,100		UG/L							
299-E27-12	23-JUL-91	2,030		PPB							
	18-NOV-91	2,600		UG/L							
299-E27-13	23-JUL-91	1,750		PPB							
	15-NOV-91	2,000		UG/L							
299-E27-14	23-JUL-91	7,270		PPB							
299-E27-15	24-JUL-91	2,140		PPB							
	21-NOV-91	2,480		UG/L							
299-E27-16	09-SEP-91	2,180		PPB							

1991 NITRATE DATA

WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
299-E33-34	02-AUG-91 20-SEP-91	48,400 50,000		PPB PPB	
299-E33-35	30-JUL-91 24-SEP-91	13,700 17,400		PPB PPB	
299-E33-36	21-AUG-91	3,800		PPB	
299-E33-37	09-SEP-91	2,390		PPB	
299-E33-41	25-JUL-91 21-NOV-91 21-NOV-91	13,600 11,000 11,000		PPB UG/L UG/L	
299-E33-7	08-JAN-91	129,000		UG/L	
299-E34-1	18-JAN-91	7,260		UG/L	
299-E34-2	30-JUL-91 30-JUL-91	10,900 10,900		PPB PPB	
299-E34-3	29-JUL-91	11,800		PPB	
299-E34-5	29-JUL-91	14,800		PPB	
299-E34-7	04-NOV-91	11,000		UG/L	
299-E35-2	25-SEP-91	2,140		PPB	
299-W10-1	04-JAN-91	529,000		UG/L	
299-W10-13	08-AUG-91 07-NOV-91	33,900 27,000		PPB UG/L	
299-W10-14	14-AUG-91 07-NOV-91	20,100 19,900		PPB UG/L	
299-W10-15	22-JUL-91 04-OCT-91 04-OCT-91	417,000 426,000 421,000		PPB PPB PPB	
299-W10-16	22-JUL-91 24-SEP-91	195,000 196,000		PPB PPB	
299-W10-17	08-MAY-91 09-OCT-91	121,000 131,000		UG/L PPB	
299-W10-18	08-MAY-91 24-SEP-91	54,100 70,000		UG/L PPB	
299-W10-4	02-JAN-91	180,000		UG/L	
299-W10-9	22-JUL-91 03-OCT-91	495,000 480,000		PPB PPB	
299-W11-14	17-MAY-91	109,000		UG/L	
299-W14-5	02-JAN-91	92,700		UG/L	
299-W14-6	03-JAN-91 17-MAY-91	119,000 73,600		UG/L UG/L	

1991 NITRATE DATA

WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
299-W15-10	02-JAN-91	32,500		UG/L	
299-W15-11	02-JAN-91	40,300		UG/L	
299-W15-12	04-NOV-91	97,400		UG/L	
299-W15-16	05-AUG-91	71,200		PPB	
299-W15-17	06-AUG-91 06-AUG-91	17,300 17,600		PPB PPB	
299-W15-18	09-AUG-91	114,000		PPB	
299-W15-19	14-NOV-91	92,900		UG/L	
299-W15-20	05-AUG-91 12-NOV-91	7,230 8,900		PPB UG/L	
299-W15-22	18-APR-91 24-SEP-91	63,400 74,300		UG/L PPB	
299-W15-23	05-AUG-91 13-NOV-91	24,900 26,600		PPB UG/L	
299-W15-24	05-AUG-91 12-NOV-91	12,500 19,500		PPB UG/L	
299-W15-3	04-JUN-91	117,000		UG/L	
299-W15-4	02-JAN-91	791,000		UG/L	
299-W15-6	08-MAY-91	4,710		UG/L	
299-W15-8	04-NOV-91	1,500,000		UG/L	
299-W18-17	29-JAN-91	6,940		UG/L	
299-W18-20	06-FEB-91	486		UG/L	
299-W18-21	07-AUG-91	3,210		PPB	
299-W18-22	06-AUG-91	16,700		PPB	
299-W18-23	09-AUG-91	5,800		PPB	
299-W18-24	09-AUG-91	13,100		PPB	
299-W18-25	01-OCT-91	800		PPB	
299-W18-26	07-AUG-91 12-NOV-91	1,980 4,430		PPB UG/L	
299-W18-29	09-OCT-91	760		PPB	
299-W18-4	04-NOV-91	7,080		UG/L	
299-W19-1	03-DEC-91	.	U	UG/L	
299-W19-18	02-JAN-91	25,200		UG/L	
299-W19-28	10-OCT-91	368,000		UG/L	

1991 NITRATE DATA					
WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
299-W19-29	14-JUN-91 25-NOV-91	496,000 300,000		PPB UG/L	
299-W19-31	01-OCT-91	16,000		PPB	
299-W19-32	01-OCT-91	5,500		PPB	
299-W22-18	08-JAN-91	5,090		UG/L	
299-W22-2	03-DEC-91	3,980		UG/L	
299-W22-20	18-JAN-91 01-APR-91 18-JUN-91 04-SEP-91 03-OCT-91 04-DEC-91	122,000 132,000 136,000 136,000 145,000 124,000		UG/L UG/L UG/L UG/L PPB UG/L	
299-W22-26	04-JAN-91	1,110		UG/L	
299-W22-39	14-NOV-91	18,000		UG/L	
299-W22-40	03-SEP-91	26,000		PPB	
299-W22-41	03-SEP-91	300,000		PPB	
299-W22-42	03-SEP-91	220,000		PPB	
299-W22-43	04-SEP-91 04-SEP-91	20,000 17,000		PPB PPB	
299-W23-1	03-DEC-91	3,670		UG/L	
299-W23-13	03-OCT-91	9,200		PPB	
299-W23-14	09-OCT-91	2,800		PPB	
299-W23-3	04-JAN-91	11,000		UG/L	
299-W23-9	25-NOV-91	7,500		UG/L	
299-W26-10	21-AUG-91	2,700		PPB	
299-W26-12	28-AUG-91	520		PPB	
299-W26-7	21-AUG-91	3,500		PPB	
299-W26-8	28-AUG-91 28-AUG-91 30-DEC-91	990 960 885		PPB PPB UG/L	
299-W26-9	20-AUG-91	5,400		PPB	
299-W6-2	12-AUG-91 12-AUG-91 13-NOV-91	58,100 57,500 53,000		PPB PPB UG/L	
299-W7-1	07-AUG-91 08-NOV-91	43,000 44,000		PPB UG/L	

1991 NITRATE DATA					
WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
299-W7-10	09-AUG-91 14-NOV-91	17,700 17,000		PPB UG/L	
299-W7-2	07-AUG-91 08-NOV-91	26,100 29,200		PPB UG/L	
299-W7-3	08-AUG-91 08-NOV-91	3,400 4,070		PPB UG/L	
299-W7-4	12-AUG-91 13-NOV-91	85,900 92,900		PPB UG/L	
299-W7-5	09-AUG-91 11-NOV-91	51,600 49,000		PPB UG/L	
299-W7-6	12-AUG-91 08-NOV-91	5,210 5,310		PPB UG/L	
299-W7-7	09-AUG-91 08-NOV-91	14,100 15,000		PPB UG/L	
299-W7-8	09-AUG-91 11-NOV-91	33,600 32,300		PPB UG/L	
299-W7-9	09-AUG-91 08-NOV-91	26,200 30,500		PPB UG/L	
299-W8-1	09-AUG-91 13-NOV-91	28,600 29,700		PPB UG/L	
299-W9-1	08-AUG-91 08-NOV-91	32,900 25,200		PPB UG/L	
399-1-15	16-JUL-91	24,500		UG/L	
399-1-17A	16-JAN-91 25-MAR-91 24-JUN-91 01-AUG-91 08-AUG-91 14-AUG-91 23-AUG-91 29-AUG-91 04-SEP-91 11-SEP-91 11-SEP-91 17-SEP-91 26-SEP-91 04-OCT-91 09-OCT-91 17-OCT-91 24-OCT-91 29-OCT-91 05-NOV-91 15-NOV-91 22-NOV-91 03-DEC-91 03-DEC-91 19-DEC-91 27-DEC-91	1,860 1,530 1,730 1,130 3,510 2,760 1,500 920 1,280 1,320 1,400 1,010 970 1,140 1,000 1,080 1,700 5,310 2,300 1,500 1,500 1,500 1,500 1,500 1,370 1,680		UG/L UG/L UG/L PPB PPB PPB PPB PPB PPB UG/L PPB PPB PPB PPB PPB PPB UG/L UG/L UG/L UG/L UG/L UG/L UG/L UG/L UG/L UG/L	

1991 NITRATE DATA						
WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW	
399-8-1	15-JUL-91 20-DEC-91	15,300 20,400		UG/L UG/L		
399-8-2	18-DEC-91	16,400		UG/L		
399-8-3	09-OCT-91	17,000		UG/L		
499-SO-7	18-JAN-91 24-JUN-91 29-JUL-91 15-AUG-91 09-SEP-91 10-OCT-91 23-DEC-91	3,720 4,600 3,900 3,800 3,950 5,510 4,200		UG/L UG/L UG/L UG/L UG/L UG/L UG/L		
499-SO-8	18-JAN-91 24-JUN-91 29-JUL-91 15-AUG-91 09-SEP-91 10-OCT-91 23-DEC-91	2,050 15,600 17,100 17,500 15,900 17,200 2,790		UG/L UG/L UG/L UG/L UG/L UG/L UG/L		
499-SI-8J	18-JAN-91 01-JUL-91 29-JUL-91 15-AUG-91 09-SEP-91 10-OCT-91 23-DEC-91	203 2,380 286 . . 1,380 .		UG/L UG/L UG/L UG/L UG/L UG/L UG/L		
699-1-18	30-JUL-91 30-JUL-91 23-DEC-91	19,800 19,600 19,000 19,000		UG/L UG/L UG/L UG/L		
699-10-E12	09-DEC-91	21,200		UG/L		
699-14-38	09-DEC-91	4,290		UG/L		
699-17-5	16-JAN-91 28-MAR-91 20-JUN-91 11-SEP-91 04-DEC-91	47,900 53,900 54,500 53,900 49,000		UG/L UG/L UG/L UG/L UG/L		
699-17-70	15-OCT-91	49,400		UG/L		
699-2-3	29-JUL-91	32,200		UG/L		
699-2-7	18-DEC-91 18-DEC-91	66,400 66,400		UG/L UG/L		
699-20-20	31-JUL-91	37,400		UG/L		
699-20-E12	16-DEC-91	29,000		UG/L		
699-20-E12P	16-DEC-91	.		UG/L		
699-21-6	30-JUL-91	45,100		UG/L		
1991 NITRATE DATA						
WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW	
699-23-34	27-AUG-91 26-DEC-91 26-DEC-91	19,700 17,700 18,100		PPB UG/L UG/L		
699-24-1T	16-DEC-91	266		UG/L		
699-24-33	18-JAN-91 20-JUN-91 28-AUG-91 10-SEP-91 27-DEC-91	37,800 36,800 37,000 35,400 33,200		UG/L UG/L PPB UG/L UG/L		
699-24-34A	27-AUG-91 26-DEC-91	24,800 23,000		PPB UG/L		
699-24-34B	27-AUG-91 26-DEC-91	31,700 31,400		PPB UG/L		
699-24-34C	27-AUG-91 26-DEC-91	33,500 33,600		PPB UG/L		
699-24-35	28-AUG-91 27-DEC-91	21,000 18,600		PPB UG/L		
699-25-33A	27-AUG-91	3,600		PPB		
699-25-34A	27-AUG-91 27-AUG-91	31,100 29,500		UG/L PPB		
699-25-34B	27-AUG-91	30,200		PPB		
699-25-34C	27-AUG-91 26-DEC-91	33,800 33,000		PPB UG/L		
699-26-33	27-AUG-91	28,000		PPB		
699-26-35A	27-AUG-91 27-DEC-91	32,000 32,300		PPB UG/L		
699-26-35C	27-AUG-91	21,400		PPB		
699-27-8	15-AUG-91	32,500		UG/L		
699-29-4	16-AUG-91	34,400		UG/L		
699-31-31	17-JAN-91	2,780		UG/L		
699-31-31P	16-DEC-91	.	U	UG/L		
699-32-22	31-JUL-91	13,600		UG/L		
699-32-43	16-JAN-91 28-MAR-91 18-JUN-91 10-SEP-91	30,900 29,600 30,200 28,400		UG/L UG/L UG/L UG/L		
699-32-70B	18-DEC-91	20,400		UG/L		
699-32-77	29-MAR-91	6,240		UG/L		
699-34-41B	15-OCT-91	11,200		UG/L		

1991 NITRATE DATA						1991 NITRATE DATA					
WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW	WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
699-34-8	21-AUG-91	9,000		PPB		699-41-23	05-SEP-91	8,230		UG/L	
699-35-66	15-AUG-91	23,000		UG/L		699-41-40	10-JUL-91	20,600		PPB	
699-35-70	17-JAN-91	23,200		UG/L		699-42-2	09-DEC-91	37,600		UG/L	
	15-APR-91	25,900		UG/L		699-42-40A	08-JUL-91	820		PPB	
	14-JUN-91	23,800		UG/L		699-42-42B	08-JUL-91	5,880		PPB	
	10-SEP-91	25,600		UG/L		699-43-3	18-JUL-91	39,300		UG/L	
	04-DEC-91	21,700		UG/L		699-43-41E	28-JUN-91	7,300		PPB	
699-35-9	05-SEP-91	41,300		UG/L		699-43-41F	02-JUL-91	9,990		PPB	
699-36-46R	16-JAN-91		U	UG/L		699-43-42J	02-JUL-91	3,920		PPB	
699-36-61A	15-AUG-91	21,500		UG/L		699-43-43	08-JUL-91	820		PPB	
699-36-61B	17-SEP-91	20,000		UG/L		699-43-45	08-JUL-91	1,170		PPB	
699-36-93	17-SEP-91	53,000		UG/L		699-43-45	11-SEP-91	1,180		PPB	
699-37-43	23-DEC-91	11,900		UG/L		699-44-42	10-JUL-91	1,340		PPB	
699-37-82A	15-AUG-91	44,200		UG/L		699-44-43B	08-JUL-91	6,180		PPB	
699-37-E4	24-SEP-91	33,300		UG/L		699-44-64	10-DEC-91	80,000		UG/L	
699-38-15	21-AUG-91	42,500		UG/L		699-44-7	26-MAR-91		U	UG/L	
699-38-65	16-JAN-91	150,000		UG/L		699-45-2	09-DEC-91	38,900		UG/L	
	01-APR-91	172,000		UG/L		699-45-69A	09-DEC-91	27,000		UG/L	
	14-JUN-91	160,000		UG/L		699-46-4	19-JUL-91	34,900		UG/L	
	10-SEP-91	172,000		UG/L		699-47-5	26-MAR-91		U	UG/L	
	04-DEC-91	155,000		UG/L		699-47-60	19-JUL-91	19,700		UG/L	
699-38-70	30-DEC-91	305,000		UG/L		699-49-100C	23-AUG-91	24,700		UG/L	
699-39-0	22-AUG-91	40,700		UG/L		699-49-55A	18-JAN-91	13,100		UG/L	
699-39-39	30-AUG-91	54,000		UG/L		699-49-79	04-APR-91	14,300		UG/L	
699-40-1	18-JAN-91	44,400		UG/L		699-50-53	20-JUN-91	13,500		UG/L	
	29-MAR-91	40,900		UG/L			23-AUG-91	40,900		UG/L	
	26-JUN-91	41,200		UG/L			18-JAN-91	13,100		UG/L	
	03-DEC-91	35,400		UG/L			04-APR-91	14,300		UG/L	
699-40-33A	16-JAN-91	283		UG/L			20-JUN-91	13,500		UG/L	
	15-APR-91		U	UG/L			23-AUG-91	40,900		UG/L	
	20-JUN-91		U	UG/L			29-JAN-91	41,600		UG/L	
699-40-39	08-JUL-91	280		PPB			21-JUN-91	665,000		UG/L	
	11-SEP-91	220		PPB			05-DEC-91	620,000		UG/L	
699-40-62	30-DEC-91	48,700		UG/L			09-DEC-91	2,100		UG/L	
	30-DEC-91	48,700		UG/L			14-OCT-91	1,100		UG/L	
	31-DEC-91	11,000		UG/L							
699-41-1	16-JAN-91	44,800		UG/L							
	15-APR-91	41,300		UG/L							
	26-JUN-91	41,400		UG/L							
	03-DEC-91	36,000		UG/L							

1991 NITRATE DATA					
WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
699-53-47A	10-DEC-91	5,310		UG/L	
699-53-48B	02-OCT-91	113,000		UG/L	
699-55-40	15-OCT-91		U	UG/L	
699-58-24	14-OCT-91	3,960		UG/L	
699-60-60	14-OCT-91	3,320		UG/L	
699-61-62	26-AUG-91	39,100		UG/L	
699-62-31	22-AUG-91	41,400		UG/L	
699-63-25A	23-AUG-91	18,200		UG/L	
699-63-58	30-AUG-91	31,500		UG/L	
699-64-27	22-AUG-91	40,800		UG/L	
699-66-23	22-AUG-91	33,200		UG/L	
699-66-58	23-SEP-91	21,200		UG/L	
699-72-88	23-AUG-91	14,500		UG/L	
699-73-61	23-AUG-91	8,870		UG/L	
699-77-36	22-AUG-91	44,200		UG/L	
699-8-17	30-JUL-91	31,600		UG/L	
	09-DEC-91	30,100		UG/L	
699-8-25	30-JUL-91	22,800		UG/L	
	09-DEC-91	21,700		UG/L	
699-81-58	04-SEP-91	5,300		PPB	
699-90-45	23-SEP-91	4,560		UG/L	
699-96-49	23-AUG-91	23,700		UG/L	
699-811-E12A	29-JUL-91	21,900		UG/L	
699-812-3	17-JUN-91	2,080		UG/L	
	31-JUL-91	412		UG/L	
	15-OCT-91		U	UG/L	
699-819-11	16-JAN-91	11,300		UG/L	
	01-APR-91	11,700		UG/L	
	24-JUN-91	12,200		UG/L	
	04-DEC-91	18,100		UG/L	
699-819-E13	29-MAR-91	23,800		UG/L	
	21-JUN-91	24,700		UG/L	
	03-DEC-91	20,400		UG/L	
	13-DEC-91	22,100		UG/L	
699-827-E14	10-DEC-91	24,800		UG/L	
699-829-E12	09-DEC-91	16,400		UG/L	

1991 NITRATE DATA					
WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
699-83-25	20-DEC-91	1,200		UG/L	
699-830-E10A	24-JUL-91	178,000		UG/L	
	10-DEC-91	155,000		UG/L	
699-830-E10B	24-JUL-91	212,000		UG/L	
	10-DEC-91	199,000		UG/L	
699-830-E15A	18-JAN-91	9,540		UG/L	
	29-MAR-91	12,200		UG/L	
	21-JUN-91	12,400		UG/L	
	03-DEC-91	9,740		UG/L	
699-831-1	20-DEC-91	3,980		UG/L	
699-831-E10A	23-JUL-91	234,000		UG/L	
699-831-E10B	23-JUL-91	210,000		UG/L	
699-831-E10C	23-JUL-91	208,000		UG/L	
699-831-E10D	23-JUL-91	162,000		UG/L	
699-831-E13	24-JUL-91	18,100		UG/L	
699-831-E8	24-JUL-91		U	UG/L	
699-832-E13A	24-JUL-91	17,500		UG/L	
699-832-E13B	25-JUL-91	17,300		UG/L	
699-832-E8	25-JUL-91		U	UG/L	
699-834-E10	25-JUL-91	24,900		UG/L	
699-836-E12B	25-JUL-91		U	UG/L	
699-836-E13A	30-AUG-91	2,410		UG/L	
699-836-E13B	30-AUG-91		U	UG/L	
699-837-E11	29-AUG-91	10,800		UG/L	
699-837-E14	29-AUG-91	708		UG/L	
	17-OCT-91	754		UG/L	
699-838-E11	29-AUG-91	13,200		UG/L	
699-838-E12A	29-AUG-91	8,540		UG/L	
699-838-E12B	29-AUG-91	7,240		UG/L	
699-840-E14	29-AUG-91	609		UG/L	
699-841-E11	30-AUG-91	22,300		UG/L	
699-841-E13A	29-AUG-91	3,670		UG/L	
	17-OCT-91	2,440		UG/L	
699-841-E13B	29-AUG-91	2,040		UG/L	
	17-OCT-91	2,020		UG/L	

1991 NITRATE DATA					
WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
699-S41-E13C	29-AUG-91	.	U	UG/L	
699-S43-E12	25-JUL-91	19,800		UG/L	
699-S6-E14A	17-JAN-91	17,800		UG/L	
	29-JUL-91	3,000		UG/L	
	29-JUL-91	18,300		UG/L	
699-S6-E4D	17-JAN-91	26,300		UG/L	
	29-MAR-91	26,700		UG/L	
	21-JUN-91	26,300		UG/L	
	03-DEC-91	23,500		UG/L	
699-S8-19	13-DEC-91	6,600		UG/L	

SULFATE DATA					SULFATE DATA						
WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW	WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
1199-41-13C	31-MAY-91	9		MG/L		199-N-20	08-OCT-91	424		MG/L	
199-B4-2	11-DEC-91	47000		UG/L		199-N-25	08-OCT-91	996		MG/L	
199-B4-3	30-MAY-91	56		MG/L		199-N-3	05-DEC-91	35000		UG/L	
199-B4-5	18-SEP-91	53		MG/L		199-N-32	18-SEP-91	24		MG/L	
199-B4-6	19-SEP-91	53		MG/L			05-DEC-91	21000		UG/L	
199-B4-7	18-SEP-91	53		MG/L		199-N-41	25-SEP-91	12		MG/L	
199-F5-3	31-MAY-91	23		MG/L		199-N-47	05-NOV-91	490000		UG/L	
199-F8-2	19-SEP-91	88		MG/L		199-N-50	30-OCT-91	15000		UG/L	
199-H3-1	06-JUN-91	24000		UG/L		199-N-51	30-OCT-91	25000		UG/L	
199-H3-2A	06-JUN-91	78000		UG/L		199-N-54	05-NOV-91	260000		UG/L	
199-H3-2C	06-JUN-91	15000		UG/L		199-N-55	05-NOV-91	310000		UG/L	
199-H4-11	07-JUN-91	26000		UG/L		199-N-56	05-NOV-91	220000		UG/L	
199-H4-12A	07-JUN-91	19000		UG/L		199-N-57	05-NOV-91	310000		UG/L	
199-H4-12C	07-JUN-91	23000		UG/L		199-N-66	05-NOV-91	26000		UG/L	
199-H4-14	07-JUN-91	45000		UG/L		199-N-67	22-NOV-91	12000		UG/L	
199-H4-16	07-JUN-91	45000		UG/L		199-N-69	22-NOV-91	11000		UG/L	
199-H4-3	07-JUN-91	83000		UG/L		299-E13-14	11-JUN-91	100000		UG/L	
	07-JUN-91	81000		UG/L		299-E17-13	18-JUN-91	31000		UG/L	
	24-OCT-91	61000		UG/L		299-E17-15	19-DEC-91	38000		UG/L	
	13-NOV-91	54000		UG/L		299-E17-16	19-DEC-91	41000		UG/L	
	12-DEC-91	36000		UG/L		299-E17-18	19-DEC-91	23000		UG/L	
199-H4-4	16-JAN-91	54		MG/L		299-E17-2	04-NOV-91	32000		UG/L	
	28-MAR-91	28		MG/L		299-E17-8	18-JUN-91	33		MG/L	
	06-JUN-91	17		UG/L		299-E18-2	06-SEP-91	27		MG/L	
	06-JUN-91	17000		UG/L		299-E18-3	06-SEP-91	12		MG/L	
	16-AUG-91	25		MG/L		299-E18-4	06-SEP-91	13		MG/L	
	18-SEP-91	83		UG/L		299-E23-1	24-MAY-91	71		MG/L	
	24-OCT-91	100000		UG/L		299-E24-1	29-MAY-91	30		MG/L	
	13-NOV-91	81000		UG/L		299-E24-11	29-MAY-91	34		MG/L	
	03-DEC-91	72000		UG/L		299-E24-19	22-NOV-91	17000		UG/L	
	12-DEC-91	72000		UG/L		299-E24-20	15-NOV-91	21000		UG/L	
199-H4-6	10-JUN-91	120000		UG/L							
199-H4-7	06-JUN-91	68000		UG/L							
199-H4-9	06-JUN-91	68000		UG/L							
	13-NOV-91	24000		UG/L							
	12-DEC-91	23000		UG/L							
199-N-14	18-SEP-91	12		MG/L							
	01-NOV-91	10000		UG/L							
	05-FEC-91	10000		UG/L							

SULFATE DATA						SULFATE DATA					
WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW	WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
299-E24-4	03-OCT-91	13		MG/L		299-E33-31	15-NOV-91	24000		UG/L	
299-E24-7	23-MAY-91	54		MG/L		299-E33-32	22-NOV-91	17000		UG/L	
299-E25-13	04-JUN-91	291		MG/L		299-E33-33	15-NOV-91	33000		UG/L	
299-E25-19	18-JUL-91	33000		UG/L		299-E33-41	25-JUL-91	25000		UG/L	
299-E25-20	16-JUL-91	33000		UG/L			21-NOV-91	26000		UG/L	
299-E25-25	25-JUN-91	11000		UG/L		299-E33-7	08-JAN-91	36		MG/L	
	25-JUN-91	11000		UG/L		299-E34-1	18-JAN-91	84		MG/L	
299-E25-29P	25-JUN-91	37000		UG/L		299-E34-7	04-NOV-91	100000		UG/L	
	01-NOV-91	30000		UG/L		299-E35-2	27-JUN-91	88000		UG/L	
299-E25-3	29-MAY-91	15		MG/L			27-JUN-91	83000		UG/L	
299-E25-30P	29-MAY-91	91		MG/L		299-W10-1	04-JAN-91	62		MG/L	
299-E25-31	25-JUN-91	22000		UG/L		299-W10-13	07-NOV-91	35000		UG/L	
299-E25-33	27-JUN-91	33000		UG/L		299-W10-14	07-NOV-91	25000		UG/L	
299-E25-37	26-JUN-91	13000		UG/L		299-W10-17	08-MAY-91	65		MG/L	
299-E25-38	26-JUN-91	17000		UG/L		299-W10-18	08-MAY-91	62		MG/L	
299-E25-39	26-JUN-91	12000		UG/L		299-W10-4	02-JAN-91	53		MG/L	
299-E25-40	20-NOV-91	52000		UG/L		299-W11-14	17-MAY-91	73		MG/L	
299-E25-41	21-NOV-91	49000		UG/L		299-W14-5	02-JAN-91	49		MG/L	
299-E26-10	27-JUN-91	33000		UG/L		299-W14-6	03-JAN-91	35		MG/L	
299-E26-11	27-JUN-91	48000		UG/L			17-MAY-91	36		MG/L	
299-E26-4	24-MAY-91	11		MG/L		299-W15-10	02-JAN-91	37		MG/L	
299-E26-9	27-JUN-91	76000		UG/L		299-W15-11	02-JAN-91	42		MG/L	
299-E27-11	06-NOV-91	44000		UG/L		299-W15-12	04-NOV-91	49000		UG/L	
299-E27-12	18-NOV-91	20000		UG/L		299-W15-19	14-NOV-91	32000		UG/L	
299-E27-13	15-NOV-91	18000		UG/L		299-W15-20	12-NOV-91	15000		UG/L	
299-E27-15	21-NOV-91	19000		UG/L		299-W15-22	18-APR-91	33		MG/L	
299-E27-5	09-JAN-91	26		MG/L		299-W15-23	13-NOV-91	16000		UG/L	
299-E28-12	16-MAY-91	59	U	MG/L		299-W15-24	12-NOV-91	20000		UG/L	
299-E28-24	23-SEP-91			MG/L		299-W15-3	04-JUN-91	56		MG/L	
299-E28-27	01-JAN-92	37000		UG/L		299-W15-4	02-JAN-91	63		MG/L	
299-E28-9	16-MAY-91	69		MG/L		299-W15-6	08-MAY-91	33		MG/L	
299-E33-3	08-JAN-91	32		MG/L							

WELL NAME	SULFATE DATA				DATA REVIEW
	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	
299-W15-8	04-NOV-91	71000		UG/L	
299-W18-17	29-JAN-91	17		MG/L	
299-W18-20	06-FEB-91	14		MG/L	
299-W18-26	12-NOV-91	18000		UG/L	
299-W18-4	04-NOV-91	22000		UG/L	
299-W19-1	03-DEC-91	20000		UG/L	
299-W19-18	02-JAN-91	30		MG/L	
299-W19-28	10-OCT-91	83		MG/L	
299-W19-29	14-JUN-91	62000		UG/L	
	25-NOV-91	57000		UG/L	
299-W19-30	13-JUN-91	77000		UG/L	
299-W22-18	08-JAN-91	14		MG/L	
299-W22-2	03-DEC-91	12000		UG/L	
299-W22-20	18-JAN-91	157		MG/L	
	01-APR-91	156		MG/L	
	18-JUN-91	161		MG/L	
	04-SEP-91	155		MG/L	
	04-DEC-91	150000		UG/L	
299-W22-26	04-JAN-91	12		MG/L	
299-W22-39	14-NOV-91	20000		UG/L	
299-W23-1	03-DEC-91	19000		UG/L	
299-W23-3	04-JAN-91	19		MG/L	
299-W23-9	25-NOV-91	13000		UG/L	
299-W26-8	30-DEC-91	9500		UG/L	
299-W6-2	13-NOV-91	26000		UG/L	
299-W7-1	08-NOV-91	51000		UG/L	
299-W7-10	14-NOV-91	21000		UG/L	
299-W7-2	08-NOV-91	28000		UG/L	
299-W7-3	08-NOV-91	24000		UG/L	
299-W7-4	13-NOV-91	33000		UG/L	
299-W7-5	11-NOV-91	28000		UG/L	
299-W7-6	08-NOV-91	36000		UG/L	
299-W7-7	08-NOV-91	20000		UG/L	
299-W7-8	11-NOV-91	24000		UG/L	
299-W7-9	08-NOV-91	50000		UG/L	
299-W8-1	13-NOV-91	46000		UG/L	
299-W9-1	08-NOV-91	56000		UG/L	
399-1-15	16-JUL-91	53		MG/L	
399-1-17A	16-JAN-91	17		MG/L	
	25-MAR-91	19		MG/L	
	24-JUN-91	18		MG/L	
	11-SEP-91	14		MG/L	
	24-OCT-91	14000		UG/L	
	29-OCT-91	14000		UG/L	
	05-NOV-91	13000		UG/L	
	15-NOV-91	13000		UG/L	
	22-NOV-91	13000		UG/L	
	03-DEC-91	13000		UG/L	
	03-DEC-91	13000		UG/L	
	19-DEC-91	15000		UG/L	
	27-DEC-91	12000		UG/L	
399-8-1	15-JUL-91	36		MG/L	
	20-DEC-91	31000		UG/L	
399-8-2	18-DEC-91	26000		UG/L	
399-8-3	09-OCT-91	44		MG/L	
499-80-7	18-JAN-91	50		MG/L	
	24-JUN-91	48		MG/L	
	29-JUL-91	49		MG/L	
	15-AUG-91	50		MG/L	
	09-SEP-91	52		MG/L	
	10-OCT-91	47000		UG/L	
	23-DEC-91				
499-80-8	18-JAN-91	39		MG/L	
	24-JUN-91	51		MG/L	
	29-JUL-91	53		MG/L	
	15-AUG-91	54		MG/L	
	09-SEP-91	53		MG/L	
	10-OCT-91	56		MG/L	
	23-DEC-91	35000		UG/L	
499-81-8J	18-JAN-91	35		MG/L	
	01-JUL-91	49		MG/L	
	29-JUL-91	35		MG/L	
	15-AUG-91	36		MG/L	
	09-SEP-91	35		MG/L	
	10-OCT-91	43		MG/L	
	23-DEC-91	35000		UG/L	
699-1-18	30-JUL-91	59		MG/L	
	30-JUL-91	58		MG/L	
	23-DEC-91	55000		UG/L	
	23-DEC-91	56000		UG/L	
699-10-E12	09-DEC-91	29000		UG/L	

SULFATE DATA						SULFATE DATA					
WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW	WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
699-14-38	09-DEC-91	23000		UG/L		699-32-43	18-JUN-91	38		MG/L	
699-17-5	16-JAN-91	54		MG/L		10-SEP-91	37		MG/L		
	28-MAR-91	53		MG/L							
	20-JUN-91	52		MG/L		699-32-70B	18-DEC-91	24000		UG/L	
	11-SEP-91	50		MG/L		699-32-77	29-MAR-91	21		MG/L	
	04-DEC-91	44000		UG/L		699-34-41B	15-OCT-91	25		MG/L	
699-17-70	15-OCT-91	38		MG/L		699-35-66	15-AUG-91	28		MG/L	
699-2-3	29-JUL-91	57		MG/L		699-35-70	17-JAN-91	24		MG/L	
699-2-7	18-DEC-91	71000		UG/L		15-APR-91	29		MG/L		
	18-DEC-91	68000		UG/L		14-JUN-91	28		MG/L		
699-20-20	31-JUL-91	46		MG/L		10-SEP-91	28		MG/L		
						04-DEC-91	23000		UG/L		
699-20-E12	16-DEC-91	12000		UG/L		699-35-9	05-SEP-91	47		MG/L	
699-20-E12P	16-DEC-91	1700		UG/L		699-36-46R	16-JAN-91	18		MG/L	
699-21-6	30-JUL-91	31		MG/L		699-36-61A	15-AUG-91	31		MG/L	
699-23-34	26-DEC-91	45000		UG/L		699-36-61B	17-SEP-91	32		MG/L	
	26-DEC-91	46000		UG/L		699-36-93	17-SEP-91	62		MG/L	
699-24-1T	16-DEC-91	9500		UG/L		699-37-43	23-DEC-91	250000		UG/L	
699-24-33	18-JAN-91	41		MG/L		699-37-82A	15-AUG-91	57		MG/L	
	28-MAR-91	43		MG/L		699-37-E4	24-SEP-91	32		MG/L	
	20-JUN-91	42		MG/L		699-38-15	21-AUG-91	52		MG/L	
	10-SEP-91	41		MG/L		699-38-65	16-JAN-91	32		MG/L	
	27-DEC-91	39000		UG/L		01-APR-91	34		MG/L		
699-24-34A	26-DEC-91	45000		UG/L		14-JUN-91	32		MG/L		
699-24-34B	26-DEC-91	43000		UG/L		10-SEP-91	33		MG/L		
699-24-34C	26-DEC-91	41000		UG/L		04-DEC-91	28000		UG/L		
699-24-35	27-DEC-91	47000		UG/L		699-38-70	30-DEC-91	57000		UG/L	
699-25-34A	27-AUG-91	37		MG/L		699-39-0	22-AUG-91	41		MG/L	
699-25-34C	26-DEC-91	43000		UG/L		699-39-39	30-AUG-91	207		MG/L	
699-26-35A	27-DEC-91	37000		UG/L		699-40-1	18-JAN-91	41		MG/L	
699-27-8	15-AUG-91	44		MG/L		29-MAR-91	42		MG/L		
						26-JUN-91	41		MG/L		
699-29-4	16-AUG-91	34		MG/L		03-DEC-91	35000		UG/L		
699-31-31	17-JAN-91	16		MG/L		699-40-33A	16-JAN-91	1		MG/L	
699-31-31P	16-DEC-91		U			15-APR-91	1		MG/L		
						20-JUN-91	1		MG/L		
699-32-22	31-JUL-91	29		MG/L		699-40-40B	01-JAN-92	21000		UG/L	
699-32-43	16-JAN-91	37		MG/L		699-40-62	30-DEC-91	35000		UG/L	
	28-MAR-91	40		MG/L			31-DEC-91	35000		UG/L	

SULFATE DATA						SULFATE DATA					
WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW	WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
699-41-1	16-JAN-91	41		MG/L		699-62-31	22-AUG-91	35		MG/L	
	15-APR-91	43		MG/L		699-63-25A	23-AUG-91	87		MG/L	
	26-JUN-91	41		MG/L		699-63-58	30-AUG-91	39		MG/L	
	03-DEC-91	36000		UG/L		699-64-27	22-AUG-91	172		MG/L	
699-41-23	05-SEP-91	32		MG/L		699-66-58	23-SEP-91	29		MG/L	
699-42-2	09-DEC-91	38000		UG/L		699-72-88	23-AUG-91	50		MG/L	
699-43-3	18-JUL-91	44		MG/L		699-73-61	23-AUG-91	47		MG/L	
699-43-41E	28-JUN-91	30000		UG/L		699-77-36	22-AUG-91	50		MG/L	
	28-JUN-91	31000		UG/L		699-8-17	30-JUL-91	57		MG/L	
699-43-41F	02-JUL-91	27000		UG/L		09-DEC-91	55000			UG/L	
699-43-42J	02-JUL-91	15000		UG/L		699-8-25	30-JUL-91	51		MG/L	
699-44-64	10-DEC-91	35000		UG/L		09-DEC-91	49000			UG/L	
699-44-7	26-MAR-91	6		MG/L		699-90-45	23-SEP-91	40		MG/L	
699-45-2	09-DEC-91	42000		UG/L		699-96-49	23-AUG-91	83		MG/L	
699-45-69A	09-DEC-91	32000		UG/L		699-811-E12A	29-JUL-91	28		MG/L	
	30-DEC-91	31000		UG/L		699-812-3	17-JAN-91	24		MG/L	
699-46-4	19-JUL-91	50		MG/L		31-JUL-91	5			MG/L	
699-47-5	26-MAR-91	1		MG/L		699-819-11	16-JAN-91	35		MG/L	
	19-JUL-91	41		MG/L		01-APR-91	37			MG/L	
699-47-60	23-AUG-91	45		MG/L		24-JUN-91	36			MG/L	
699-49-100C	18-JAN-91	79		MG/L		04-DEC-91	33000			UG/L	
	04-APR-91	83		MG/L		29-MAR-91	54			MG/L	
	20-JUN-91	80		MG/L		21-JUN-91	52			MG/L	
699-49-55A	23-AUG-91	108		MG/L		03-DEC-91	45000			UG/L	
699-49-79	29-JAN-91	48		MG/L		13-DEC-91	50000			UG/L	
699-50-53	21-JUN-91	498		MG/L		10-DEC-91	36000			UG/L	
	05-DEC-91	420000		UG/L		699-827-E14	09-DEC-91	33000		UG/L	
699-51-75	09-DEC-91	24000		UG/L		699-829-E12	20-DEC-91	82000		UG/L	
699-52-19	14-OCT-91	12		MG/L		699-83-25	24-JUL-91	70		MG/L	
699-53-47A	10-DEC-91	17000		UG/L		10-DEC-91	67000			UG/L	
699-53-48B	02-OCT-91	143		MG/L		699-830-E10B	24-JUL-91	75		MG/L	
699-55-40	15-OCT-91			MG/L		10-DEC-91	75000			UG/L	
699-58-24	14-OCT-91	22		MG/L		699-830-E15A	18-JAN-91	15		MG/L	
699-60-60	14-OCT-91	11		MG/L		29-MAR-91	17			MG/L	
						21-JUN-91	18			MG/L	
						03-DEC-91	15000			UG/L	
						699-831-1	20-DEC-91	17000		UG/L	
699-61-62	26-AUG-91	53		MG/L		699-831-E10A	23-JUL-91	72		MG/L	

WELL NAME	SULFATE DATA				UNITS	DATA REVIEW
	SAMPLE DATE	CONCENTRATION	QUALIFIER			
699-S31-E10B	23-JUL-91	68			MG/L	
699-S31-E10C	23-JUL-91	70			MG/L	
699-S31-E10D	23-JUL-91	58			MG/L	
699-S31-E13	24-JUL-91	20			MG/L	
699-S31-E8	24-JUL-91	11			MG/L	
699-S32-E13A	24-JUL-91	19			MG/L	
699-S32-E13B	25-JUL-91	22			MG/L	
699-S32-E8	25-JUL-91	10			MG/L	
699-S34-E10	25-JUL-91	41			MG/L	
699-S36-E12B	25-JUL-91				MG/L	
699-S36-E13A	30-AUG-91	11			MG/L	
699-S36-E13B	30-AUG-91				MG/L	
699-S37-E11	29-AUG-91	20			MG/L	
699-S37-E14	29-AUG-91	8			MG/L	
	17-OCT-91	10			MG/L	
699-S38-E11	29-AUG-91	35			MG/L	
699-S38-E12A	29-AUG-91	17			MG/L	
699-S38-E12B	29-AUG-91	17			MG/L	
699-S40-E14	29-AUG-91	8			MG/L	
699-S41-E11	30-AUG-91	27			MG/L	
699-S41-E13A	29-AUG-91	9			MG/L	
	17-OCT-91	9			MG/L	
699-S41-E13B	29-AUG-91	10			MG/L	
	17-OCT-91	10			MG/L	
699-S41-E13C	29-AUG-91	14			MG/L	
699-S43-E12	25-JUL-91	20			MG/L	
699-S6-E14A	17-JAN-91	53			MG/L	
	29-JUL-91	26			MG/L	
	29-JUL-91	50			MG/L	
699-S6-E4D	17-JAN-91	72			MG/L	
	29-MAR-91	69			MG/L	
	21-JUN-91	67			MG/L	
	03-DEC-91	60000			UG/L	
699-S8-19	13-DEC-91	19000			UG/L	

WELL NAME	SULFIDE DATA			UNITS	DATA REVIEW
	SAMPLE DATE	CONCENTRATION	QUALIFIER		
299-E24-19	22-NOV-91		U	UG/L	
299-E24-20	15-NOV-91		U	UG/L	
299-E25-40	20-NOV-91		U	UG/L	
299-E25-41	21-NOV-91		U	UG/L	
299-E27-12	18-NOV-91		U	UG/L	
299-E27-13	15-NOV-91		U	UG/L	
299-E27-15	21-NOV-91		U	UG/L	
299-E33-31	15-NOV-91		U	UG/L	
299-E33-32	22-NOV-91		U	UG/L	
299-E33-33	15-NOV-91		U	UG/L	
299-E33-41	21-NOV-91		U	UG/L	
299-E33-41	21-NOV-91		U	UG/L	
299-W22-39	14-NOV-91		U	UG/L	

WELL NAME	SAMPLE DATE	ANALYTE	ANION DATA, 1991		QUALIFIER	UNITS	DATA REVIEW
			CONCENTRATION	CONCENTRATION			
199-N-41	25-SEP-91	PHOSPHA	.244			MG/L	
299-E25-30P	29-MAY-91	PHOSPHA	.521			MG/L	
299-E27-5	09-JAN-91	PHOSPHA	.092			MG/L	
299-W10-1	04-JAN-91	PHOSPHA	.458			MG/L	
299-W18-20	06-FEB-91	PHOSPHA	.370			MG/L	
299-W18-4	04-NOV-91	NITRITE	530.000			UG/L	
299-W19-29	25-NOV-91	NITRITE	1700.000			UG/L	
299-W23-9	25-NOV-91	NITRITE	3300.000			UG/L	
399-1-17A	25-MAR-91	PHOSPHA	.203			MG/L	
	24-JUN-91		.231			MG/L	
	11-SEP-91		.220			MG/L	
699-2-7	18-DEC-91	BROMIDE	100.000			UG/L	
	18-DEC-91		100.000			UG/L	
699-24-1T	16-DEC-91	NITRITE	950.000			UG/L	
699-34-41B	15-OCT-91	PHOSPHA	.239			MG/L	
699-35-70	15-APR-91	PHOSPHA	.211			MG/L	
699-40-40B	01-JAN-92	PHOSPHA	200.000			UG/L	
699-43-41E	28-JUN-91	PHOSPHA	500.000			UG/L	
	28-JUN-91		550.000			UG/L	
699-43-41F	02-JUL-91	PHOSPHA	560.000			UG/L	
699-44-64	10-DEC-91	BROMIDE	100.000			UG/L	
699-47-5	26-MAR-91	PHOSPHA	.662			MG/L	
699-52-19	14-OCT-91	PHOSPHA	.207			MG/L	
699-53-47A	10-DEC-91	BROMIDE	200.000			UG/L	
699-58-24	14-OCT-91	PHOSPHA	.217			MG/L	
699-60-60	14-OCT-91	PHOSPHA	.340			MG/L	
699-527-E14	10-DEC-91	BROMIDE	100.000			UG/L	
699-53-25	20-DEC-91	BROMIDE	200.000			UG/L	
699-537-E14	17-OCT-91	PHOSPHA	.212			MG/L	
699-S41-E13A	17-OCT-91	PHOSPHA	.263			MG/L	
699-S41-E13B	17-OCT-91	PHOSPHA	.248			MG/L	
699-S41-E13C	29-AUG-91	PHOSPHA	.763			MG/L	

COLIFORM DATA

WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
199-N-14	01-NOV-91		U	C/DL	
199-N-3	05-DEC-91		U	C/DL	
199-N-57	05-NOV-91		U	C/DL	
199-N-66	05-NOV-91		U	C/DL	
199-N-67	22-NOV-91		U	C/DL	
199-N-69	22-NOV-91		U	C/DL	
299-E17-15	19-DEC-91		U	C/DL	
299-E17-16	19-DEC-91		U	C/DL	
299-E17-18	19-DEC-91		U	C/DL	
299-E24-19	22-NOV-91		U	C/DL	
299-E24-20	15-NOV-91		U	C/DL	
299-E25-29P	01-NOV-91		U	C/DL	
299-E25-31	02-DEC-91		U	C/DL	
299-E25-34	02-DEC-91		U	C/DL	
299-E25-35	02-DEC-91		U	C/DL	
299-E25-40	20-NOV-91		U	C/DL	
	02-DEC-91		U	C/DL	
	02-DEC-91		U	C/DL	
299-E25-41	21-NOV-91		U	C/DL	
	02-DEC-91		U	C/DL	
299-E27-11	06-NOV-91		U	C/DL	
299-E27-12	18-NOV-91		U	C/DL	
	02-DEC-91		U	C/DL	
299-E27-13	15-NOV-91		U	C/DL	
	02-DEC-91		U	C/DL	
299-E27-15	21-NOV-91		U	C/DL	
299-E28-27	01-JAN-92		U	C/DL	
299-E32-3	02-DEC-91		U	C/DL	
	02-DEC-91		U	C/DL	
299-E33-30	03-DEC-91		U	C/DL	
299-E33-31	15-NOV-91		U	C/DL	
299-E33-32	22-NOV-91		U	C/DL	
299-E33-33	15-NOV-91		U	C/DL	

COLIFORM DATA

WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
299-E33-34	03-DEC-91		U	C/DL	
299-E33-41	21-NOV-91		U	C/DL	
	21-NOV-91		U	C/DL	
299-E34-6	02-DEC-91		U	C/DL	
299-E34-7	04-NOV-91		U	C/DL	
	02-DEC-91		U	C/DL	
299-W10-13	07-NOV-91		U	C/DL	
299-W10-14	07-NOV-91		U	C/DL	
299-W10-16	25-NOV-91		U	C/DL	
299-W10-17	25-NOV-91		U	C/DL	
299-W15-19	14-NOV-91	1.00		C/DL	
299-W15-20	12-NOV-91		U	C/DL	
299-W15-23	13-NOV-91		U	C/DL	
299-W15-24	12-NOV-91		U	C/DL	
299-W18-25	05-DEC-91		U	C/DL	
299-W18-26	12-NOV-91		U	C/DL	
299-W19-29	25-NOV-91		U	C/DL	
299-W19-31	05-DEC-91		U	C/DL	
299-W19-32	05-DEC-91		U	C/DL	
299-W22-39	14-NOV-91	2.00		C/DL	
299-W26-8	30-DEC-91		U	C/DL	
299-W6-2	13-NOV-91		U	C/DL	
299-W7-1	08-NOV-91		U	C/DL	
299-W7-10	14-NOV-91		U	C/DL	
299-W7-2	08-NOV-91		U	C/DL	
299-W7-3	08-NOV-91		U	C/DL	
299-W7-4	13-NOV-91		U	C/DL	
299-W7-5	11-NOV-91		U	C/DL	
299-W7-6	08-NOV-91		U	C/DL	
299-W7-7	08-NOV-91		U	C/DL	
299-W7-8	11-NOV-91		U	C/DL	
299-W7-9	08-NOV-91		U	C/DL	

COLIFORM DATA						COLIFORM DATA					
WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW	WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
299-W8-1	13-NOV-91		U	C/DL		699-24-35	27-DEC-91		U	C/DL	
299-W9-1	08-NOV-91		U	C/DL		699-25-34C	26-DEC-91		U	C/DL	
399-1-10	06-DEC-91		U	C/DL		699-26-35A	27-DEC-91		U	C/DL	
399-1-11	18-DEC-91	.00		C/DL		699-38-70	30-DEC-91		U	C/DL	
399-1-12	06-DEC-91		U	C/DL		699-40-40B	01-JAN-92		U	C/DL	
399-1-13	11-DEC-91		U	C/DL		699-40-62	30-DEC-91		U	C/DL	
399-1-14	11-DEC-91		U	C/DL		699-45-69A	30-DEC-91		U	C/DL	
399-1-15	11-DEC-91		U	C/DL							
399-1-16A	06-DEC-91		U	C/DL							
399-1-16B	06-DEC-91		U	C/DL							
399-1-17A	10-DEC-91	.00		C/DL							
399-1-17B	10-DEC-91	.00		C/DL							
399-1-18A	13-DEC-91		U	C/DL							
399-1-7	01-DEC-91		U	C/DL							
399-2-1	18-DEC-91	.00		C/DL							
399-3-10	12-JUL-91	12.00	U	C/DL							
	18-DEC-91			C/DL							
399-3-7	17-DEC-91		U	C/DL							
399-3-9	15-JUL-91		U	C/DL							
	17-DEC-91		U	C/DL							
399-4-1	10-DEC-91	.00		C/DL							
399-4-11	11-DEC-91		U	C/DL							
399-4-7	09-JUL-91	5.00		C/DL							
	10-DEC-91	24.00		C/DL							
399-8-1	20-DEC-91		U	C/DL							
	20-DEC-91		U	C/DL							
699-2-7	18-DEC-91	.00		C/DL							
699-23-34	26-DEC-91		U	C/DL							
	26-DEC-91		U	C/DL							
699-24-33	27-DEC-91		U	C/DL							
699-24-34A	26-DEC-91		U	C/DL							
699-24-34B	26-DEC-91		U	C/DL							
699-24-34C	26-DEC-91		U	C/DL							

CONDUCTIVITY DATA

WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
199-41-13C	31-MAY-91	385.00		UMHO	
199-B3-1	11-DEC-91	378.00		UMHO	
199-B4-1	11-DEC-91	378.00		UMHO	
199-B4-2	11-DEC-91	382.00		UMHO	
199-B4-3	30-MAY-91	401.00		UMHO	
199-B4-4	11-DEC-91	366.00		UMHO	
199-B4-5	18-SEP-91	396.00		UMHO	
199-B4-6	19-SEP-91	386.00		UMHO	
199-B4-7	18-SEP-91	390.00		UMHO	
199-B9-1	11-DEC-91	392.00		UMHO	
199-D2-5	30-OCT-91	585.00		UMHO	
199-D5-12	30-OCT-91	575.00		UMHO	
199-D8-3	30-OCT-91	545.00		UMHO	
199-F5-1	30-OCT-91	271.00		UMHO	
199-F5-3	31-MAY-91	220.00		UMHO	
199-F5-4	19-SEP-91	698.00		UMHO	
199-F5-6	19-SEP-91	232.00		UMHO	
199-F7-1	19-SEP-91	718.00		UMHO	
199-F8-2	19-SEP-91	827.00		UMHO	
199-H3-1	06-JUN-91	292.00		UMHO	
199-H3-2A	11-APR-91	538.00		UMHO	
	06-JUN-91	467.00		UMHO	
	12-SEP-91	414.00		UMHO	
199-H3-2B	22-AUG-91	410.00		UMHO	
199-H3-2C	06-JUN-91	243.00		UMHO	
	13-SEP-91	240.00		UMHO	
199-H4-11	07-JUN-91	436.00		UMHO	
	12-SEP-91	490.00		UMHO	
199-H4-12A	11-APR-91	389.00		UMHO	
	07-JUN-91	233.00		UMHO	
	12-SEP-91	676.00		UMHO	
199-H4-12B	22-AUG-91	516.00		UMHO	
199-H4-12C	07-JUN-91	277.00		UMHO	
	12-SEP-91	260.00		UMHO	

CONDUCTIVITY DATA

WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
199-H4-13	23-AUG-91	355.00		UMHO	
	08-OCT-91	340.00		UMHO	
199-H4-14	07-JUN-91	375.00		UMHO	
	13-SEP-91	417.00		UMHO	
199-H4-15A	22-AUG-91	365.00		UMHO	
	13-SEP-91	391.00		UMHO	
199-H4-15B	22-AUG-91	346.00		UMHO	
199-H4-16	07-JUN-91	534.00		UMHO	
199-H4-17	16-AUG-91	538.00		UMHO	
199-H4-18	10-APR-91	626.00		UMHO	
	13-SEP-91	493.00		UMHO	
199-H4-3	28-MAR-91	1056.00		UMHO	
	10-APR-91	1068.00		UMHO	
	07-JUN-91	1091.00		UMHO	
	01-AUG-91	2380.00		UMHO	
	16-AUG-91	2280.00		UMHO	
	13-SEP-91	1330.00		UMHO	
	24-OCT-91	738.00		UMHO	
	13-NOV-91	633.00		UMHO	
	12-DEC-91	630.00		UMHO	
199-H4-4	16-JAN-91	598.00		UMHO	
	28-MAR-91	266.00		UMHO	
	11-APR-91	295.00		UMHO	
	06-JUN-91	206.00		UMHO	
	01-AUG-91	475.00		UMHO	
	16-AUG-91	268.00		UMHO	
	18-SEP-91	1082.00		UMHO	
	24-OCT-91	1090.00		UMHO	
	13-NOV-91	1041.00		UMHO	
	03-DEC-91	1076.00		UMHO	
	12-DEC-91	1060.00		UMHO	
199-H4-5	22-AUG-91	555.00		UMHO	
	13-SEP-91	550.00		UMHO	
199-H4-6	10-JUN-91	642.00		UMHO	
	12-SEP-91	615.00		UMHO	
199-H4-7	06-JUN-91	519.00		UMHO	
	12-SEP-91	472.00		UMHO	
199-H4-8	16-AUG-91	543.00		UMHO	
	12-SEP-91	520.00		UMHO	
199-H4-9	06-JUN-91	536.00		UMHO	
	01-AUG-91	554.00		UMHO	
	16-AUG-91	591.00		UMHO	
	12-SEP-91	555.00		UMHO	
	24-OCT-91	324.00		UMHO	
	13-NOV-91	303.00		UMHO	
	12-DEC-91	310.00		UMHO	
199-K-11	26-SEP-91	374.00		UMHO	

WELL NAME	CONDUCTIVITY DATA			CONDUCTIVITY DATA		
	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW	UNITS DATA REVIEW
199-K-27	26-FEB-91	364.00		UMHO		
	17-APR-91	320.00		UMHO		
199-K-28	26-FEB-91	523.00		UMHO		
	17-APR-91	481.00		UMHO		
199-K-29	26-FEB-91	368.00		UMHO		
	18-APR-91	346.00		UMHO		
199-K-30	26-FEB-91	353.00		UMHO		
	17-APR-91	352.00		UMHO		
199-N-14	17-JAN-91	166.00		UMHO		
	28-MAR-91	161.00		UMHO		
	18-SEP-91	161.00		UMHO		
	05-DEC-91	162.00		UMHO		
199-N-17	05-SEP-91	1118.00		UMHO		
	26-SEP-91	1170.00		UMHO		
199-N-20	08-OCT-91	1070.00		UMHO		
199-N-21	05-SEP-91	1346.00		UMHO		
	26-SEP-91	1350.00		UMHO		
199-N-25	08-OCT-91	1753.00		UMHO		
199-N-28	11-DEC-91	213.00		UMHO		
199-N-29	04-SEP-91	226.00		UMHO		
	04-SEP-91	225.00		UMHO		
	04-SEP-91	226.00		UMHO		
	04-SEP-91	229.00		UMHO		
199-N-3	05-FEB-91	335.00		UMHO		
	25-MAR-91	363.00		UMHO		
	10-APR-91	352.00		UMHO		
	05-DEC-91	365.00		UMHO		
199-N-32	10-APR-91	192.00		UMHO		
	18-SEP-91	203.00		UMHO		
	05-DEC-91	212.00		UMHO		
199-N-33	04-SEP-91	235.00		UMHO		
	04-SEP-91	234.00		UMHO		
	04-SEP-91	233.00		UMHO		
	04-SEP-91	234.00		UMHO		
199-N-36	04-SEP-91	205.00		UMHO		
	04-SEP-91	206.00		UMHO		
	04-SEP-91	207.00		UMHO		
	04-SEP-91	207.00		UMHO		
199-N-41	25-SEP-91	180.00		UMHO		
199-N-47	05-SEP-91	1270.00		UMHO		
	05-NOV-91	1146.00		UMHO		
199-N-5	08-OCT-91	460.00		UMHO		

WELL NAME	CONDUCTIVITY DATA				CONDUCTIVITY DATA			
	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS DATA REVIEW	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS DATA REVIEW
299-E17-15	03-SEP-91	529.00		UMHO	299-E18-2	06-SEP-91	259.00	UMHO
	03-SEP-91	532.00		UMHO		06-SEP-91	259.00	UMHO
	03-SEP-91	532.00		UMHO		06-SEP-91	259.00	UMHO
299-E17-16	01-OCT-91	656.00		UMHO	299-E18-3	06-SEP-91	228.00	UMHO
	04-NOV-91	532.00		UMHO		06-SEP-91	227.00	UMHO
	19-DEC-91	595.00		UMHO		06-SEP-91	225.00	UMHO
	19-DEC-91	555.00		UMHO		06-SEP-91	225.00	UMHO
	19-DEC-91	604.00		UMHO	299-E18-4	06-SEP-91	251.00	UMHO
	19-DEC-91	595.00		UMHO		06-SEP-91	252.00	UMHO
	31-DEC-91	477.00		UMHO		06-SEP-91	253.00	UMHO
299-E17-17	28-AUG-91	509.00		UMHO		06-SEP-91	252.00	UMHO
	28-AUG-91	498.00		UMHO	299-E23-1	24-MAY-91	473.00	UMHO
	28-AUG-91	513.00		UMHO		29-MAY-91	457.00	UMHO
	28-AUG-91	510.00		UMHO		29-MAY-91	457.00	UMHO
	19-DEC-91	367.00		UMHO	299-E24-11	29-MAY-91	424.00	UMHO
	19-DEC-91	372.00		UMHO		29-MAY-91	424.00	UMHO
	19-DEC-91	376.00		UMHO		29-MAY-91	424.00	UMHO
299-E17-18	26-AUG-91	305.00		UMHO	299-E24-12	12-DEC-91	351.00	UMHO
	26-AUG-91	305.00		UMHO		28-JAN-91	250.00	UMHO
	26-AUG-91	306.00		UMHO		28-JAN-91	250.00	UMHO
	26-AUG-91	305.00		UMHO	299-E24-16	20-AUG-91	445.00	UMHO
	26-AUG-91	270.00		UMHO		20-AUG-91	436.00	UMHO
	26-AUG-91	270.00		UMHO		20-AUG-91	437.00	UMHO
	26-AUG-91	270.00		UMHO		20-AUG-91	440.00	UMHO
299-E17-19	26-AUG-91	270.00		UMHO	299-E24-17	13-AUG-91	408.00	UMHO
	26-AUG-91	269.00		UMHO		13-AUG-91	406.00	UMHO
	26-AUG-91	271.00		UMHO		13-AUG-91	406.00	UMHO
	26-AUG-91	271.00		UMHO		13-AUG-91	409.00	UMHO
	19-DEC-91	290.00		UMHO	299-E24-18	13-AUG-91	304.00	UMHO
	19-DEC-91	290.00		UMHO		13-AUG-91	320.00	UMHO
	19-DEC-91	290.00		UMHO		13-AUG-91	319.00	UMHO
299-E17-20	19-DEC-91	291.00		UMHO		13-AUG-91	320.00	UMHO
	10-OCT-91	412.00		UMHO	299-E24-19	26-JUL-91	272.00	UMHO
	04-NOV-91	670.00		UMHO		26-JUL-91	270.00	UMHO
	24-JUL-91	593.00		UMHO		26-JUL-91	274.00	UMHO
	14-AUG-91	591.00		UMHO		26-JUL-91	273.00	UMHO
	14-AUG-91	592.00		UMHO	299-E24-2	22-NOV-91	248.00	UMHO
	14-AUG-91	592.00		UMHO		22-NOV-91	255.00	UMHO
299-E17-5	30-SEP-91	563.00		UMHO		22-NOV-91	246.00	UMHO
	26-AUG-91	306.00		UMHO		22-NOV-91	246.00	UMHO
	26-AUG-91	307.00		UMHO	299-E24-20	21-MAR-91	522.00	UMHO
	26-AUG-91	306.00		UMHO		15-NOV-91	317.00	UMHO
	26-AUG-91	307.00		UMHO		15-NOV-91	319.00	UMHO
	26-AUG-91	307.00		UMHO		15-NOV-91	311.00	UMHO
299-E17-6	26-AUG-91	307.00		UMHO		15-NOV-91	318.00	UMHO
	26-SEP-91	320.00		UMHO	299-E24-4	03-OCT-91	237.00	UMHO
	18-JUN-91	426.00		UMHO		23-MAY-91	495.00	UMHO
	09-JUL-91	521.00		UMHO		21-MAR-91	240.00	UMHO
	06-SEP-91	515.00		UMHO		25-MAR-91	294.00	UMHO
	06-SEP-91	516.00		UMHO				
	06-SEP-91	515.00		UMHO				
299-E18-2	06-SEP-91	255.00		UMHO				

CONDUCTIVITY DATA						CONDUCTIVITY DATA							
WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW	WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW		
299-E25-11	11-JUL-91	240.00		UMHO		299-E25-29P	01-NOV-91	254.00		UMHO			
299-E25-13	04-JUN-91	1256.00		UMHO		299-E25-31	31-DEC-91	212.00		UMHO			
299-E25-18	12-JUL-91	330.00		UMHO		299-E25-3	29-MAY-91	199.00		UMHO			
	31-JUL-91	374.00		UMHO			29-MAY-91	488.00		UMHO			
	31-JUL-91	372.00		UMHO			25-JUN-91	237.00		UMHO			
	31-JUL-91	372.00		UMHO			25-JUN-91	238.00		UMHO			
	31-JUL-91	372.00		UMHO			25-JUN-91	250.00		UMHO			
299-E25-19	01-OCT-91	335.00		UMHO		299-E25-30P	25-JUN-91	250.00		UMHO			
	18-JUL-91	528.00		UMHO			25-JUN-91	270.00		UMHO			
	18-JUL-91	500.00		UMHO			25-JUN-91	240.00		UMHO			
	01-OCT-91	501.00		UMHO			25-JUN-91	240.00		UMHO			
	16-JUL-91	486.00		UMHO			25-JUN-91	239.00		UMHO			
299-E25-20	16-JUL-91	480.00		UMHO			16-SEP-91	234.00		UMHO			
	03-OCT-91	202.00		UMHO			16-SEP-91	236.00		UMHO			
	11-JUL-91	251.00		UMHO			16-SEP-91	233.00		UMHO			
299-E25-21	31-DEC-91	240.00		UMHO			02-DEC-91	260.00		UMHO			
	12-DEC-91	231.00		UMHO			299-E25-32P	11-APR-91	190.00		UMHO		
299-E25-22	18-JUL-91	231.00		UMHO				19-JUL-91	163.00		UMHO		
	25-JUN-91	164.00		UMHO				26-SEP-91	171.00		UMHO		
	25-JUN-91	165.00		UMHO				299-E25-33	27-JUN-91	283.00		UMHO	
	25-JUN-91	190.00		UMHO					27-JUN-91	290.00		UMHO	
	25-JUN-91	170.00		UMHO			27-JUN-91		290.00		UMHO		
25-JUN-91	170.00		UMHO		27-JUN-91	280.00			UMHO				
25-JUN-91	190.00		UMHO		27-JUN-91	285.00			UMHO				
299-E25-23	25-JUN-91	166.00		UMHO		27-JUN-91	287.00			UMHO			
	25-JUN-91	166.00		UMHO		27-JUN-91	286.00			UMHO			
	25-JUN-91	166.00		UMHO		16-SEP-91	287.00			UMHO			
	16-SEP-91	147.00		UMHO		16-SEP-91	285.00			UMHO			
	16-SEP-91	151.00		UMHO		16-SEP-91	285.00			UMHO			
299-E25-24	16-SEP-91	151.00		UMHO		299-E25-34	10-APR-91		213.00		UMHO		
	27-MAR-91	206.00		UMHO			27-SEP-91		204.00		UMHO		
	17-APR-91	205.00		UMHO			02-DEC-91	261.00		UMHO			
	17-APR-91	204.00		UMHO			299-E25-35	17-APR-91	699.00		UMHO		
	17-APR-91	205.00		UMHO				19-JUL-91	642.00		UMHO		
17-APR-91	205.00		UMHO		01-OCT-91	710.00			UMHO				
17-APR-91	188.00		UMHO		02-DEC-91	790.00			UMHO				
299-E25-25	10-APR-91	215.00		UMHO		299-E25-36		11-JUL-91	292.00		UMHO		
	17-APR-91	213.00		UMHO			20-AUG-91	283.00		UMHO			
	17-APR-91	213.00		UMHO			20-AUG-91	284.00		UMHO			
	17-APR-91	213.00		UMHO			20-AUG-91	283.00		UMHO			
	17-APR-91	213.00		UMHO			20-AUG-91	283.00		UMHO			
	12-JUL-91	206.00		UMHO			30-SEP-91	291.00		UMHO			
	27-SEP-91	202.00		UMHO			299-E25-37	26-JUN-91	209.00		UMHO		
	25-JUN-91	273.00		UMHO				26-JUN-91	210.00		UMHO		
	25-JUN-91	274.00		UMHO				26-JUN-91	211.00		UMHO		
	25-JUN-91	290.00		UMHO				26-JUN-91	210.00		UMHO		
25-JUN-91	275.00		UMHO		26-JUN-91	210.00			UMHO				
299-E25-26	25-JUN-91	280.00		UMHO		299-E25-37	26-JUN-91	210.00		UMHO			
	25-JUN-91	280.00		UMHO			26-JUN-91	210.00		UMHO			
	25-JUN-91	280.00		UMHO			26-JUN-91	210.00		UMHO			
	25-JUN-91	280.00		UMHO			26-JUN-91	210.00		UMHO			
	25-JUN-91	280.00		UMHO			26-JUN-91	210.00		UMHO			
299-E25-27	25-JUN-91	274.00		UMHO		299-E25-37	26-JUN-91	210.00		UMHO			
	25-JUN-91	274.00		UMHO			26-JUN-91	210.00		UMHO			
	25-JUN-91	274.00		UMHO			26-JUN-91	210.00		UMHO			
	25-JUN-91	274.00		UMHO			26-JUN-91	210.00		UMHO			
	25-JUN-91	274.00		UMHO			26-JUN-91	210.00		UMHO			

WELL NAME	CONDUCTIVITY DATA				CONDUCTIVITY DATA			
	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS DATA REVIEW	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS DATA REVIEW
299-E25-37	26-JUN-91	209.00		UMHO	25-SEP-91	378.00		UMHO
	16-SEP-91	201.00		UMHO	25-SEP-91	378.00		UMHO
	16-SEP-91	202.00		UMHO				
	16-SEP-91	202.00		UMHO				
299-E25-38	26-JUN-91	195.00		UMHO	27-JUN-91	317.00		UMHO
	26-JUN-91	194.00		UMHO	27-JUN-91	330.00		UMHO
	26-JUN-91	197.00		UMHO	27-JUN-91	330.00		UMHO
	26-JUN-91	200.00		UMHO	27-JUN-91	320.00		UMHO
	26-JUN-91	200.00		UMHO	27-JUN-91	330.00		UMHO
	26-JUN-91	210.00		UMHO	27-JUN-91	321.00		UMHO
	26-JUN-91	197.00		UMHO	27-JUN-91	323.00		UMHO
	16-SEP-91	195.00		UMHO	27-JUN-91	320.00		UMHO
	16-SEP-91	196.00		UMHO	27-SEP-91	325.00		UMHO
	16-SEP-91	194.00		UMHO	27-SEP-91	324.00		UMHO
					27-SEP-91	325.00		UMHO
299-E25-39	26-JUN-91	185.00		UMHO	28-OCT-91	275.00		UMHO
	26-JUN-91	182.00		UMHO	28-OCT-91	247.00		UMHO
	26-JUN-91	180.00		UMHO	24-MAY-91	288.00		UMHO
	26-JUN-91	180.00		UMHO				
	26-JUN-91	180.00		UMHO	21-MAR-91	160.00		UMHO
	26-JUN-91	184.00		UMHO				
	26-JUN-91	185.00		UMHO	27-JUN-91	409.00		UMHO
	16-SEP-91	164.00		UMHO	27-JUN-91	408.00		UMHO
	16-SEP-91	164.00		UMHO	27-JUN-91	408.00		UMHO
	16-SEP-91	164.00		UMHO	27-JUN-91	420.00		UMHO
	16-SEP-91	164.00		UMHO	27-JUN-91	420.00		UMHO
	16-SEP-91	164.00		UMHO	27-JUN-91	420.00		UMHO
299-E25-40	20-JUL-91	405.00		UMHO	27-JUN-91	408.00		UMHO
	20-JUL-91	398.00		UMHO	25-SEP-91	238.00		UMHO
	20-JUL-91	396.00		UMHO	25-SEP-91	237.00		UMHO
	20-JUL-91	404.00		UMHO	25-SEP-91	236.00		UMHO
	20-NOV-91	386.00		UMHO	25-SEP-91	237.00		UMHO
	02-DEC-91	366.00		UMHO				
	26-JUL-91	355.00		UMHO	31-JUL-91	290.00		UMHO
	26-JUL-91	347.00		UMHO	31-JUL-91	291.00		UMHO
	26-JUL-91	351.00		UMHO	31-JUL-91	291.00		UMHO
	26-JUL-91	353.00		UMHO				
	21-NOV-91	315.00		UMHO	06-NOV-91	306.00		UMHO
	21-NOV-91	434.00		UMHO				
299-E25-42	21-NOV-91	420.00		UMHO	23-JUL-91	229.00		UMHO
	21-NOV-91	431.00		UMHO	23-JUL-91	228.00		UMHO
	02-DEC-91	462.00		UMHO	23-JUL-91	229.00		UMHO
					23-JUL-91	228.00		UMHO
					18-NOV-91	252.00		UMHO
					18-NOV-91	251.00		UMHO
					18-NOV-91	250.00		UMHO
					18-NOV-91	250.00		UMHO
					02-DEC-91	233.00		UMHO
	28-OCT-91	299.00		UMHO	23-JUL-91	242.00		UMHO
	27-JUN-91	297.00		UMHO	23-JUL-91	242.00		UMHO
	27-JUN-91	297.00		UMHO	23-JUL-91	241.00		UMHO
299-E26-10	27-JUN-91	310.00		UMHO	23-JUL-91	242.00		UMHO
	27-JUN-91	310.00		UMHO	23-JUL-91	242.00		UMHO
	27-JUN-91	297.00		UMHO	23-JUL-91	242.00		UMHO
	27-JUN-91	297.00		UMHO	23-JUL-91	242.00		UMHO
	27-JUN-91	297.00		UMHO	23-JUL-91	242.00		UMHO
	27-JUN-91	297.00		UMHO	23-JUL-91	242.00		UMHO
	27-JUN-91	297.00		UMHO	23-JUL-91	242.00		UMHO
	27-JUN-91	297.00		UMHO	23-JUL-91	242.00		UMHO
	27-JUN-91	297.00		UMHO	23-JUL-91	242.00		UMHO
	27-JUN-91	297.00		UMHO	23-JUL-91	242.00		UMHO
	27-JUN-91	297.00		UMHO	23-JUL-91	242.00		UMHO
	27-JUN-91	297.00		UMHO	23-JUL-91	242.00		UMHO

CONDUCTIVITY DATA						CONDUCTIVITY DATA					
WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW	WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
299-E27-13	15-NOV-91	236.00		UMHO		299-E28-27	01-AUG-91	349.00		UMHO	
	02-DEC-91	239.00		UMHO			23-SEP-91	349.00		UMHO	
299-E27-14	23-JUL-91	360.00		UMHO		299-E28-28	02-AUG-91	475.00		UMHO	
	23-JUL-91	361.00		UMHO			23-SEP-91	453.00		UMHO	
	23-JUL-91	362.00		UMHO			01-FEB-91	373.00		UMHO	
	23-JUL-91	360.00		UMHO		299-E28-9	16-MAY-91	511.00		UMHO	
299-E27-15	24-JUL-91	232.00		UMHO		299-E32-1	28-JAN-91	411.00		UMHO	
	24-JUL-91	232.00		UMHO			02-AUG-91	329.00		UMHO	
	24-JUL-91	233.00		UMHO		23-SEP-91	3.40		UMHO		
	24-JUL-91	233.00		UMHO		299-E32-3	26-MAR-91	467.00		UMHO	
	21-NOV-91	251.00		UMHO			02-AUG-91	448.00		UMHO	
21-NOV-91	249.00		UMHO		20-SEP-91		500.00		UMHO		
299-E27-16	21-NOV-91	246.00		UMHO		299-E32-4	02-DEC-91	493.00		UMHO	
	21-NOV-91	246.00		UMHO			05-AUG-91	459.00		UMHO	
	21-NOV-91	245.00		UMHO			23-SEP-91	438.00		UMHO	
	09-SEP-91	215.00		UMHO		299-E32-5	26-MAR-91	538.00		UMHO	
	09-SEP-91	215.00		UMHO			02-AUG-91	491.00		UMHO	
09-SEP-91	215.00		UMHO		20-SEP-91		549.00		UMHO		
299-E27-5	09-SEP-91	215.00		UMHO		299-E33-26	28-JAN-91	471.00		UMHO	
	09-JAN-91	308.00		UMHO			31-JUL-91	287.00		UMHO	
299-E27-7	25-JUL-91	224.00		UMHO		299-E33-28	24-SEP-91	285.00		UMHO	
	25-JUL-91	224.00		UMHO			31-JUL-91	287.00		UMHO	
	25-JUL-91	224.00		UMHO		299-E33-29	31-JUL-91	315.00		UMHO	
	25-JUL-91	223.00		UMHO			23-SEP-91	311.00		UMHO	
	25-JUL-91	223.00		UMHO			08-JAN-91	401.00		UMHO	
299-E27-8	01-AUG-91	349.00		UMHO		299-E33-30	05-AUG-91	311.00		UMHO	
	01-AUG-91	347.00		UMHO			23-SEP-91	306.00		UMHO	
	01-AUG-91	346.00		UMHO		03-DEC-91	310.00		UMHO		
	01-AUG-91	346.00		UMHO		299-E33-31	23-JUL-91	298.00		UMHO	
	01-AUG-91	346.00		UMHO			23-JUL-91	300.00		UMHO	
26-JUL-91	341.00		UMHO		23-JUL-91		299.00		UMHO		
299-E27-9	26-JUL-91	339.00		UMHO		299-E33-32	23-JUL-91	299.00		UMHO	
	26-JUL-91	338.00		UMHO			15-NOV-91	333.00		UMHO	
	26-JUL-91	349.00		UMHO			15-NOV-91	331.00		UMHO	
	26-JUL-91	349.00		UMHO		15-NOV-91	282.00		UMHO		
	26-JUL-91	349.00		UMHO		15-NOV-91	280.00		UMHO		
299-E28-11	26-MAR-91	163.00		UMHO		299-E33-33	23-JUL-91	282.00		UMHO	
	26-MAR-91	163.00		UMHO			23-JUL-91	280.00		UMHO	
299-E28-12	16-MAY-91	840.00		UMHO			23-JUL-91	280.00		UMHO	
299-E28-16	31-DEC-91	462.00		UMHO		23-JUL-91	282.00		UMHO		
299-E28-17	21-MAR-91	531.00		UMHO		23-JUL-91	278.00		UMHO		
299-E28-18	21-MAR-91	521.00		UMHO		23-JUL-91	273.00		UMHO		
	13-SEP-91	417.00		UMHO		22-NOV-91	273.00		UMHO		
	20-SEP-91	491.00		UMHO		22-NOV-91	269.00		UMHO		
299-E28-19	20-SEP-91	478.00		UMHO		22-NOV-91	271.00		UMHO		
299-E28-21	20-SEP-91	1028.00		UMHO		22-JUL-91	289.00		UMHO		
299-E28-24	23-SEP-91	324.00		UMHO							
299-E28-25	31-JAN-91	468.00		UMHO							
	26-MAR-91	482.00		UMHO							
299-E28-26	06-AUG-91	472.00		UMHO							

CONDUCTIVITY DATA						
WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW	
299-E33-33	22-JUL-91	289.00		UMHO		
	22-JUL-91	290.00		UMHO		
	22-JUL-91	289.00		UMHO		
	15-NOV-91	259.00		UMHO		
	15-NOV-91	258.00		UMHO		
299-E33-34	15-NOV-91	251.00		UMHO		
	15-NOV-91	255.00		UMHO		
	02-AUG-91	400.00		UMHO		
	20-SEP-91	401.00		UMHO		
	03-DEC-91	411.00		UMHO		
299-E33-35	30-JUL-91	283.00		UMHO		
	24-SEP-91	279.00		UMHO		
299-E33-36	21-AUG-91	287.00		UMHO		
	21-AUG-91	285.00		UMHO		
	21-AUG-91	285.00		UMHO		
	21-AUG-91	287.00		UMHO		
299-E33-37	09-SEP-91	255.00		UMHO		
	09-SEP-91	254.00		UMHO		
	09-SEP-91	253.00		UMHO		
	09-SEP-91	254.00		UMHO		
	25-JUL-91	305.00		UMHO		
299-E33-41	21-NOV-91	303.00		UMHO		
	21-NOV-91	300.00		UMHO		
	21-NOV-91	300.00		UMHO		
	21-NOV-91	301.00		UMHO		
299-E33-7	08-JAN-91	416.00		UMHO		
299-E34-1	18-JAN-91	407.00		UMHO		
	30-JUL-91	442.00		UMHO		
299-E34-2	30-JUL-91	439.00		UMHO		
	30-JUL-91	440.00		UMHO		
	30-JUL-91	444.00		UMHO		
	29-JUL-91	480.00		UMHO		
299-E34-3	29-JUL-91	483.00		UMHO		
	29-JUL-91	484.00		UMHO		
	29-JUL-91	483.00		UMHO		
	29-JUL-91	516.00		UMHO		
299-E34-5	29-JUL-91	520.00		UMHO		
	29-JUL-91	519.00		UMHO		
	29-JUL-91	519.00		UMHO		
	21-OCT-91	390.00		UMHO		
299-E34-6	02-DEC-91	417.00		UMHO		
	04-NOV-91	531.00		UMHO		
299-E34-7	02-DEC-91	501.00		UMHO		
	27-JUN-91	425.00		UMHO		
299-E35-2	27-JUN-91	425.00		UMHO		
	27-JUN-91	430.00		UMHO		
	27-JUN-91	430.00		UMHO		
	27-JUN-91	430.00		UMHO		
	27-JUN-91	430.00		UMHO		

CONDUCTIVITY DATA						
WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW	
299-E35-2	27-JUN-91	430.00		UMHO		
	27-JUN-91	426.00		UMHO		
	27-JUN-91	424.00		UMHO		
	25-SEP-91	277.00		UMHO		
	25-SEP-91	277.00		UMHO		
299-W10-1	25-SEP-91	277.00		UMHO		
	04-JAN-91	1703.00		UMHO		
	08-AUG-91	402.00		UMHO		
	07-NOV-91	358.00		UMHO		
	14-AUG-91	340.00		UMHO		
299-W10-13	07-NOV-91	332.00		UMHO		
	22-JUL-91	1217.00		UMHO		
	22-JUL-91	1215.00		UMHO		
	22-JUL-91	1212.00		UMHO		
	22-JUL-91	1225.00		UMHO		
299-W10-14	04-OCT-91	1214.00		UMHO		
	04-OCT-91	1214.00		UMHO		
	04-OCT-91	1207.00		UMHO		
	04-OCT-91	1208.00		UMHO		
	22-JUL-91	880.00		UMHO		
299-W10-15	22-JUL-91	885.00		UMHO		
	22-JUL-91	888.00		UMHO		
	22-JUL-91	880.00		UMHO		
	24-SEP-91	880.00		UMHO		
	24-SEP-91	873.00		UMHO		
299-W10-16	24-SEP-91	877.00		UMHO		
	24-SEP-91	876.00		UMHO		
	25-NOV-91	834.00		UMHO		
	09-OCT-91	762.00		UMHO		
	09-OCT-91	772.00		UMHO		
299-W10-17	09-OCT-91	772.00		UMHO		
	09-OCT-91	770.00		UMHO		
	25-NOV-91	782.00		UMHO		
	24-SEP-91	590.00		UMHO		
	24-SEP-91	591.00		UMHO		
299-W10-18	24-SEP-91	591.00		UMHO		
	24-SEP-91	591.00		UMHO		
	02-JAN-91	856.00		UMHO		
	22-JUL-91	1335.00		UMHO		
	22-JUL-91	1342.00		UMHO		
299-W10-9	22-JUL-91	1346.00		UMHO		
	22-JUL-91	1346.00		UMHO		
	03-OCT-91	1325.00		UMHO		
	03-OCT-91	1329.00		UMHO		
	03-OCT-91	1329.00		UMHO		
299-W11-14	03-OCT-91	1330.00		UMHO		
	17-MAY-91	794.00		UMHO		
	02-OCT-91	580.00		UMHO		
	299-W11-18					

WELL NAME	CONDUCTIVITY DATA				CONDUCTIVITY DATA			
	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS DATA REVIEW	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS DATA REVIEW
299-W14-5	02-JAN-91	685.00	UMHO		299-W15-24	05-AUG-91	260.00	UMHO
299-W14-6	03-JAN-91	657.00	UMHO		05-AUG-91	259.00	UMHO	
	17-MAY-91	528.00	UMHO		05-AUG-91	260.00	UMHO	
299-W15-10	02-JAN-91	440.00	UMHO		12-NOV-91	261.00	UMHO	
299-W15-11	02-JAN-91	479.00	UMHO		12-NOV-91	264.00	UMHO	
299-W15-12	04-NOV-91	632.00	UMHO		12-NOV-91	264.00	UMHO	
299-W15-15	25-OCT-91	329.00	UMHO		12-NOV-91	264.00	UMHO	
	04-NOV-91	341.00	UMHO		25-NOV-91	265.00	UMHO	
299-W15-16	30-JAN-91	642.00	UMHO		04-JUN-91	715.00	UMHO	
	05-AUG-91	644.00	UMHO		02-JAN-91	2500.00	UMHO	
	05-AUG-91	645.00	UMHO		30-JAN-91	322.00	UMHO	
	05-AUG-91	641.00	UMHO		06-FEB-91	315.00	UMHO	
	05-AUG-91	645.00	UMHO		09-APR-91	375.00	UMHO	
299-W15-17	06-AUG-91	386.00	UMHO		08-MAY-91	351.00	UMHO	
	06-AUG-91	379.00	UMHO		04-NOV-91	3870.00	UMHO	
	06-AUG-91	388.00	UMHO		13-NOV-91	3720.00	UMHO	
	06-AUG-91	383.00	UMHO		31-JAN-91	643.00	UMHO	
299-W15-18	09-AUG-91	468.00	UMHO		29-JAN-91	246.00	UMHO	
	09-AUG-91	469.00	UMHO		20-MAR-91	229.00	UMHO	
	09-AUG-91	471.00	UMHO		20-MAR-91	436.00	UMHO	
	09-AUG-91	470.00	UMHO		06-FEB-91	205.00	UMHO	
299-W15-19	14-NOV-91	476.00	UMHO		20-MAR-91	207.00	UMHO	
	14-NOV-91	478.00	UMHO		07-AUG-91	230.00	UMHO	
	14-NOV-91	475.00	UMHO		07-AUG-91	232.00	UMHO	
	14-NOV-91	476.00	UMHO		07-AUG-91	231.00	UMHO	
	25-NOV-91	479.00	UMHO		07-AUG-91	232.00	UMHO	
299-W15-2	20-DEC-91	289.00	UMHO		06-AUG-91	348.00	UMHO	
299-W15-20	05-AUG-91	250.00	UMHO		06-AUG-91	347.00	UMHO	
	05-AUG-91	250.00	UMHO		06-AUG-91	345.00	UMHO	
	05-AUG-91	250.00	UMHO		06-AUG-91	346.00	UMHO	
	05-AUG-91	250.00	UMHO		09-AUG-91	259.00	UMHO	
	12-NOV-91	271.00	UMHO		09-AUG-91	261.00	UMHO	
	12-NOV-91	272.00	UMHO		09-AUG-91	260.00	UMHO	
	12-NOV-91	272.00	UMHO		09-AUG-91	261.00	UMHO	
	12-NOV-91	272.00	UMHO		25-NOV-91	258.00	UMHO	
299-W15-22	24-SEP-91	478.00	UMHO		09-AUG-91	252.00	UMHO	
	24-SEP-91	478.00	UMHO		09-AUG-91	253.00	UMHO	
	24-SEP-91	478.00	UMHO		09-AUG-91	253.00	UMHO	
	24-SEP-91	478.00	UMHO		09-AUG-91	253.00	UMHO	
299-W15-23	05-AUG-91	279.00	UMHO		02-OCT-91	236.00	UMHO	
	05-AUG-91	279.00	UMHO		01-OCT-91	195.00	UMHO	
	05-AUG-91	281.00	UMHO		01-OCT-91	194.00	UMHO	
	05-AUG-91	280.00	UMHO		01-OCT-91	194.00	UMHO	
	13-NOV-91	300.00	UMHO		01-OCT-91	193.00	UMHO	
	13-NOV-91	301.00	UMHO		05-DEC-91	191.00	UMHO	
	13-NOV-91	301.00	UMHO					
	13-NOV-91	300.00	UMHO		07-AUG-91	293.00	UMHO	

CONDUCTIVITY DATA

WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
299-W18-26	07-AUG-91	293.00		UMHO	
	07-AUG-91	293.00		UMHO	
	07-AUG-91	293.00		UMHO	
	12-NOV-91	287.00		UMHO	
	12-NOV-91	287.00		UMHO	
	12-NOV-91	287.00		UMHO	
	12-NOV-91	287.00		UMHO	
299-W18-29	09-OCT-91	192.00		UMHO	
	09-OCT-91	190.00		UMHO	
	09-OCT-91	189.00		UMHO	
	09-OCT-91	189.00		UMHO	
299-W18-4	04-NOV-91	214.00		UMHO	
299-W18-9	06-FEB-91	263.00		UMHO	
299-W19-1	03-DEC-91	223.00		UMHO	
299-W19-13	02-OCT-91	358.00		UMHO	
299-W19-17	31-JAN-91	314.00		UMHO	
299-W19-18	02-JAN-91	5.88		UMHO	
299-W19-21	20-MAR-91	283.00		UMHO	
	03-DEC-91	449.00		UMHO	
299-W19-24	20-MAR-91	2650.00		UMHO	
299-W19-27	20-MAR-91	280.00		UMHO	
	03-DEC-91	489.00		UMHO	
299-W19-28	10-OCT-91	1104.00		UMHO	
299-W19-29	14-JUN-91	1402.00		UMHO	
	14-JUN-91	1200.00		UMHO	
	25-NOV-91	950.00		UMHO	
	25-NOV-91	965.00		UMHO	
299-W19-3	18-JUL-91	362.00		UMHO	
299-W19-30	13-JUN-91	2310.00		UMHO	
	13-JUN-91	2100.00		UMHO	
299-W19-31	01-OCT-91	373.00		UMHO	
	01-OCT-91	263.00		UMHO	
	01-OCT-91	366.00		UMHO	
	01-OCT-91	366.00		UMHO	
299-W19-32	01-OCT-91	329.00		UMHO	
	01-OCT-91	327.00		UMHO	
	01-OCT-91	326.00		UMHO	
	01-OCT-91	327.00		UMHO	
	05-DEC-91	325.00		UMHO	
299-W22-18	08-JAN-91	225.00		UMHO	
299-W22-2	03-DEC-91	188.00		UMHO	
299-W22-20	18-JAN-91	820.00		UMHO	

CONDUCTIVITY DATA

WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
299-W22-20	01-APR-91	871.00		UMHO	
	18-JUN-91	970.00		UMHO	
	04-SEP-91	875.00		UMHO	
	03-OCT-91	900.00		UMHO	
	04-DEC-91	808.00		UMHO	
299-W22-26	02-JAN-91	201.00		UMHO	
299-W22-39	14-NOV-91	288.00		UMHO	
	14-NOV-91	282.00		UMHO	
	14-NOV-91	283.00		UMHO	
	14-NOV-91	283.00		UMHO	
299-W22-40	03-SEP-91	414.00		UMHO	
	03-SEP-91	414.00		UMHO	
	03-SEP-91	413.00		UMHO	
	03-SEP-91	414.00		UMHO	
299-W22-41	03-SEP-91	858.00		UMHO	
	03-SEP-91	857.00		UMHO	
	03-SEP-91	857.00		UMHO	
	03-SEP-91	861.00		UMHO	
299-W22-42	03-SEP-91	703.00		UMHO	
	03-SEP-91	702.00		UMHO	
	03-SEP-91	698.00		UMHO	
	03-SEP-91	705.00		UMHO	
299-W22-43	04-SEP-91	378.00		UMHO	
	04-SEP-91	381.00		UMHO	
	04-SEP-91	383.00		UMHO	
	04-SEP-91	384.00		UMHO	
299-W23-1	03-DEC-91	228.00		UMHO	
299-W23-10	31-DEC-91	286.00		UMHO	
299-W23-13	03-OCT-91	298.00		UMHO	
	03-OCT-91	297.00		UMHO	
	03-OCT-91	298.00		UMHO	
	03-OCT-91	296.00		UMHO	
299-W23-14	09-OCT-91	203.00		UMHO	
	09-OCT-91	202.00		UMHO	
	09-OCT-91	202.00		UMHO	
	09-OCT-91	203.00		UMHO	
299-W23-3	04-JAN-91	294.00		UMHO	
299-W23-4	31-DEC-91	348.00		UMHO	
299-W23-7	29-JAN-91	369.00		UMHO	
299-W23-9	25-NOV-91	206.00		UMHO	
299-W26-10	21-AUG-91	270.00		UMHO	
	21-AUG-91	266.00		UMHO	
	21-AUG-91	266.00		UMHO	
	21-AUG-91	268.00		UMHO	
299-W26-12	28-AUG-91	218.00		UMHO	

CONDUCTIVITY DATA						CONDUCTIVITY DATA					
WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW	WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
299-W26-12	28-AUG-91	218.00		UMHO		299-W8-1	13-NOV-91	414.00		UMHO	
	28-AUG-91	218.00		UMHO		299-W9-1	08-AUG-91	380.00		UMHO	
	28-AUG-91	218.00		UMHO			08-NOV-91	421.00		UMHO	
299-W26-7	21-AUG-91	256.00		UMHO		399-1-1	25-JAN-91	166.00		UMHO	
	21-AUG-91	255.00		UMHO		399-1-10	15-JUL-91	345.00		UMHO	
	21-AUG-91	257.00		UMHO			06-DEC-91	416.00		UMHO	
	21-AUG-91	256.00		UMHO		399-1-11	18-DEC-91	429.00		UMHO	
	21-AUG-91	256.00		UMHO		399-1-12	18-JUL-91	167.00		UMHO	
299-W26-8	28-AUG-91	239.00		UMHO			06-DEC-91	394.00		UMHO	
	28-AUG-91	239.00		UMHO		399-1-13	16-JUL-91	406.00		UMHO	
	28-AUG-91	240.00		UMHO			11-DEC-91	437.00		UMHO	
	28-AUG-91	239.00		UMHO		399-1-14	16-JUL-91	420.00		UMHO	
	28-AUG-91	240.00		UMHO			11-DEC-91	443.00		UMHO	
299-W26-9	28-AUG-91	240.00		UMHO		399-1-15	16-JUL-91	444.00		UMHO	
	28-AUG-91	248.00		UMHO			11-DEC-91	448.00		UMHO	
	30-DEC-91	244.00		UMHO		399-1-16A	11-JUL-91	225.00		UMHO	
	30-DEC-91	247.00		UMHO			06-DEC-91	309.00		UMHO	
	30-DEC-91	246.00		UMHO		399-1-16B	11-JUL-91	332.00		UMHO	
299-W6-2	20-AUG-91	262.00		UMHO			06-DEC-91	###		UMHO	
	20-AUG-91	264.00		UMHO		399-1-17A	16-JAN-91	222.00		UMHO	
	20-AUG-91	265.00		UMHO			25-MAR-91	196.00		UMHO	
	20-AUG-91	264.00		UMHO			24-JUN-91	199.00		UMHO	
	20-AUG-91	264.00		UMHO		299-W7-10	11-JUL-91	227.00		UMHO	
299-W6-2	12-AUG-91	367.00		UMHO			01-AUG-91	185.00		UMHO	
	13-NOV-91	374.00		UMHO		299-W7-2	08-AUG-91	202.00		UMHO	
	20-NOV-91	380.00		UMHO			14-AUG-91	191.00		UMHO	
	07-AUG-91	406.00		UMHO		299-W7-3	23-AUG-91	147.00		UMHO	
	08-NOV-91	367.00		UMHO			29-AUG-91	152.00		UMHO	
299-W7-1	07-AUG-91	406.00		UMHO		299-W7-4	04-SEP-91	153.00		UMHO	
	08-NOV-91	367.00		UMHO			11-SEP-91	156.00		UMHO	
	09-AUG-91	284.00		UMHO		299-W7-5	17-SEP-91	147.00		UMHO	
	14-NOV-91	287.00		UMHO			26-SEP-91	150.00		UMHO	
	07-AUG-91	292.00		UMHO		299-W7-6	04-OCT-91	145.00		UMHO	
299-W7-2	08-NOV-91	290.00		UMHO			09-OCT-91	148.00		UMHO	
	08-AUG-91	296.00		UMHO		299-W7-7	17-OCT-91	146.00		UMHO	
	08-NOV-91	315.00		UMHO			24-OCT-91	150.00		UMHO	
	27-MAR-91	461.00		UMHO		299-W7-8	29-OCT-91	152.00		UMHO	
	12-AUG-91	412.00		UMHO			05-NOV-91	150.00		UMHO	
299-W7-3	13-NOV-91	496.00		UMHO		299-W7-9	15-NOV-91	153.00		UMHO	
	27-MAR-91	360.00		UMHO			22-NOV-91	154.00		UMHO	
	09-AUG-91	372.00		UMHO		299-W7-10	03-DEC-91	168.00		UMHO	
	11-NOV-91	392.00		UMHO			10-DEC-91	234.00		UMHO	
	12-AUG-91	440.00		UMHO		299-W7-8	19-DEC-91	185.00		UMHO	
299-W7-4	08-NOV-91	334.00		UMHO			27-DEC-91	286.00		UMHO	
	19-NOV-91	324.00		UMHO		399-1-17B	11-JUL-91	357.00		UMHO	
	09-AUG-91	274.00		UMHO			10-DEC-91	366.00		UMHO	
	08-NOV-91	272.00		UMHO		399-1-18A	15-JUL-91	444.00		UMHO	
	09-AUG-91	312.00		UMHO			13-DEC-91	417.00		UMHO	
299-W7-5	11-NOV-91	309.00		UMHO							
	09-AUG-91	414.00		UMHO							
	08-NOV-91	414.00		UMHO							
	09-AUG-91	394.00		UMHO							
	09-AUG-91	394.00		UMHO							

CONDUCTIVITY DATA						CONDUCTIVITY DATA					
WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW	WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
399-1-18A	13-DEC-91	417.00		UMHO		399-8-1	15-JUL-91	375.00		UMHO	
399-1-18B	09-OCT-91	399.00		UMHO			20-DEC-91	350.00		UMHO	
399-1-18C	09-OCT-91	360.00		UMHO		399-8-2	18-DEC-91	360.00		UMHO	
399-1-3	13-DEC-91	215.00		UMHO		399-8-3	09-OCT-91	432.00		UMHO	
399-1-4	16-DEC-91	440.00		UMHO		499-80-7	18-JAN-91	373.00		UMHO	
399-1-6	13-DEC-91	404.00		UMHO			24-JUN-91	395.00		UMHO	
399-1-7	09-JUL-91	220.00		UMHO			29-JUL-91	383.00		UMHO	
	16-DEC-91	210.00		UMHO			15-AUG-91	391.00		UMHO	
399-1-8	09-OCT-91	190.00		UMHO			09-SEP-91	371.00		UMHO	
399-1-9	09-OCT-91	289.00		UMHO		499-80-8	10-OCT-91	385.00		UMHO	
399-2-1	09-JUL-91	158.00		UMHO			27-NOV-91	403.00		UMHO	
	18-DEC-91	184.00		UMHO			23-DEC-91	374.00		UMHO	
399-2-2	17-DEC-91	255.00		UMHO				369.00		UMHO	
399-2-3	17-DEC-91	238.00		UMHO			18-JAN-91	429.00		UMHO	
399-3-1	13-DEC-91	226.00		UMHO		499-81-7B	24-JUN-91	418.00		UMHO	
399-3-10	12-JUL-91	224.00		UMHO		499-81-7C	15-AUG-91	403.00		UMHO	
	18-DEC-91	292.00		UMHO			09-SEP-91	403.00		UMHO	
399-3-11	25-JAN-91	324.00		UMHO		499-81-8A	10-OCT-91	427.00		UMHO	
399-3-12	19-DEC-91	405.00		UMHO			27-NOV-91	410.00		UMHO	
399-3-2	25-JAN-91	306.00		UMHO		499-81-8B	23-DEC-91	361.00		UMHO	
399-3-3	25-JAN-91	351.00		UMHO				244.00		UMHO	
399-3-6	25-JAN-91	311.00		UMHO		499-81-8J	25-JAN-91	707.00		UMHO	
399-3-7	12-JUL-91	412.00		UMHO			28-JAN-91	498.00		UMHO	
	17-DEC-91	384.00		UMHO			25-JAN-91	600.00		UMHO	
399-3-9	15-JUL-91	201.00		UMHO						UMHO	
	17-DEC-91	257.00		UMHO		699-1-18	18-JAN-91	341.00		UMHO	
399-4-1	10-JUL-91	384.00		UMHO			01-JUL-91	741.00		UMHO	
	10-DEC-91	362.00		UMHO		699-10-5AA	29-JUL-91	403.00		UMHO	
399-4-10	25-JAN-91	262.00		UMHO		699-10-812	15-AUG-91	359.00		UMHO	
399-4-11	15-JUL-91	379.00		UMHO			09-SEP-91	353.00		UMHO	
	11-DEC-91	370.00		UMHO			10-OCT-91	423.00		UMHO	
399-4-7	09-JUL-91	279.00		UMHO		699-14-38	27-NOV-91	374.00		UMHO	
	10-DEC-91	389.00		UMHO			23-DEC-91	406.00		UMHO	
399-4-9	18-JUL-91	247.00		UMHO						UMHO	
399-5-1	25-JAN-91	524.00		UMHO		699-1-18	30-JUL-91	444.00		UMHO	
							23-DEC-91	450.00		UMHO	
						699-10-5AA	09-DEC-91	309.00		UMHO	
						699-10-812	09-DEC-91	600.00		UMHO	
							09-DEC-91	590.00		UMHO	
						699-14-38	09-DEC-91	330.00		UMHO	
							09-DEC-91	325.00		UMHO	
						699-17-5	16-JAN-91	457.00		UMHO	
							28-MAR-91	399.00		UMHO	
							20-JUN-91	456.00		UMHO	
							11-SEP-91	433.00		UMHO	
							04-DEC-91	457.00		UMHO	
						699-17-70	15-OCT-91	258.00		UMHO	

CONDUCTIVITY DATA						CONDUCTIVITY DATA					
WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW	WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
699-19-88	28-JAN-91	265.00		UMHO		699-24-34C	27-AUG-91	627.00		UMHO	
	29-JUL-91	427.00		UMHO			27-AUG-91	626.00		UMHO	
	21-MAR-91	737.00		UMHO			26-DEC-91	625.00		UMHO	
699-2-3	18-DEC-91	730.00		UMHO		699-24-35	26-DEC-91	624.00		UMHO	
	18-DEC-91	730.00		UMHO			26-DEC-91	622.00		UMHO	
	18-DEC-91	685.00		UMHO			26-DEC-91	615.00		UMHO	
699-20-20	31-JUL-91	401.00		UMHO		699-25-33A	28-AUG-91	472.00		UMHO	
699-20-E12	16-DEC-91	314.00		UMHO			28-AUG-91	470.00		UMHO	
699-20-E12P	16-DEC-91	393.00		UMHO			28-AUG-91	469.00		UMHO	
699-21-6	30-JUL-91	347.00		UMHO		699-25-34A	28-AUG-91	470.00		UMHO	
	27-AUG-91	610.00		UMHO			27-DEC-91	499.00		UMHO	
	27-AUG-91	621.00		UMHO			27-DEC-91	497.00		UMHO	
699-23-34	27-AUG-91	621.00		UMHO		699-25-34B	27-DEC-91	488.00		UMHO	
	27-AUG-91	622.00		UMHO			27-DEC-91	495.00		UMHO	
	26-DEC-91	609.00		UMHO			27-AUG-91	318.00		UMHO	
699-24-1T	26-DEC-91	608.00		UMHO		699-25-34C	27-AUG-91	318.00		UMHO	
	26-DEC-91	607.00		UMHO			27-AUG-91	317.00		UMHO	
	26-DEC-91	605.00		UMHO			27-AUG-91	435.00		UMHO	
699-24-33	16-DEC-91	1073.00		UMHO		699-26-33	27-AUG-91	435.00		UMHO	
	18-JAN-91	584.00		UMHO			17-APR-91	425.00		UMHO	
	28-MAR-91	583.00		UMHO			17-APR-91	423.00		UMHO	
699-24-34A	20-JUN-91	604.00		UMHO		699-26-34	17-APR-91	423.00		UMHO	
	28-AUG-91	578.00		UMHO			27-AUG-91	425.00		UMHO	
	28-AUG-91	579.00		UMHO			27-AUG-91	434.00		UMHO	
699-24-34B	28-AUG-91	578.00		UMHO		699-26-35A	27-AUG-91	519.00		UMHO	
	28-AUG-91	578.00		UMHO			27-AUG-91	520.00		UMHO	
	10-SEP-91	581.00		UMHO			27-AUG-91	520.00		UMHO	
699-24-34C	04-DEC-91	608.00		UMHO		699-26-35A	27-AUG-91	519.00		UMHO	
	27-DEC-91	642.00		UMHO			26-DEC-91	517.90		UMHO	
	27-DEC-91	644.00		UMHO			26-DEC-91	522.00		UMHO	
699-24-34D	27-DEC-91	648.00		UMHO		699-26-35B	26-DEC-91	520.00		UMHO	
	27-DEC-91	645.00		UMHO			26-DEC-91	520.00		UMHO	
	27-AUG-91	568.00		UMHO			27-AUG-91	372.00		UMHO	
699-24-34E	27-AUG-91	564.00		UMHO		699-26-35C	27-AUG-91	372.00		UMHO	
	27-AUG-91	564.00		UMHO			27-AUG-91	372.00		UMHO	
	27-AUG-91	565.00		UMHO			27-AUG-91	372.00		UMHO	
699-24-34F	26-DEC-91	590.00		UMHO		699-26-35D	27-AUG-91	374.00		UMHO	
	26-DEC-91	590.00		UMHO			27-AUG-91	373.00		UMHO	
	26-DEC-91	590.00		UMHO			27-AUG-91	374.00		UMHO	
699-24-34G	26-DEC-91	590.00		UMHO		699-26-35E	27-AUG-91	374.00		UMHO	
	27-AUG-91	592.00		UMHO			27-AUG-91	399.00		UMHO	
	27-AUG-91	588.00		UMHO			27-AUG-91	401.00		UMHO	
699-24-34H	27-AUG-91	588.00		UMHO		699-26-35F	27-AUG-91	400.00		UMHO	
	26-DEC-91	586.00		UMHO			27-AUG-91	399.00		UMHO	
	26-DEC-91	585.00		UMHO			27-DEC-91	436.00		UMHO	
699-24-34I	26-DEC-91	583.00		UMHO		699-26-35G	27-DEC-91	447.00		UMHO	
	26-DEC-91	583.00		UMHO			27-DEC-91	448.00		UMHO	
	27-AUG-91	628.00		UMHO			27-DEC-91	447.00		UMHO	

WELL NAME	CONDUCTIVITY DATA				CONDUCTIVITY DATA			
	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS DATA REVIEW	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS DATA REVIEW
699-26-35C	27-AUG-91	393.00		UMHO	699-38-65	16-JAN-91	665.00	UMHO
699-27-8	15-AUG-91	395.00		UMHO		01-APR-91	655.00	UMHO
699-29-4	16-AUG-91	384.00		UMHO		14-JUN-91	723.00	UMHO
699-29-78	28-JAN-91	260.00		UMHO		10-SEP-91	661.00	UMHO
699-31-31	17-JAN-91	224.00		UMHO		04-DEC-91	704.00	UMHO
699-31-31P	16-DEC-91	252.00		UMHO	699-38-70	29-JAN-91	1083.00	UMHO
699-32-22	31-JUL-91	320.00		UMHO		30-DEC-91	966.00	UMHO
699-32-43	16-JAN-91	376.00		UMHO		22-AUG-91	421.00	UMHO
	28-MAR-91	380.00		UMHO	699-39-39	30-AUG-91	833.00	UMHO
	18-JUN-91	479.00		UMHO		29-JAN-91	280.00	UMHO
	10-SEP-91	380.00		UMHO	699-40-1	17-JAN-91	422.00	UMHO
	04-DEC-91	388.00		UMHO		29-MAR-91	417.00	UMHO
699-32-70B	18-DEC-91	372.00		UMHO		26-JUN-91	424.00	UMHO
699-32-72	18-DEC-91	285.00		UMHO		26-JUN-91	420.00	UMHO
699-32-77	29-MAR-91	275.00		UMHO		10-SEP-91	413.00	UMHO
699-34-41B	15-OCT-91	170.00		UMHO		03-DEC-91	423.00	UMHO
699-34-8	21-AUG-91	265.00		UMHO	699-40-33A	16-JAN-91	307.00	UMHO
	21-AUG-91	262.00		UMHO		15-APR-91	308.00	UMHO
	21-AUG-91	261.00		UMHO		20-JUN-91	313.00	UMHO
	21-AUG-91	262.00		UMHO		10-SEP-91	312.00	UMHO
699-35-66	15-AUG-91	452.00		UMHO		04-DEC-91	316.00	UMHO
699-35-70	17-JAN-91	420.00		UMHO	699-40-39	15-APR-91	336.00	UMHO
	15-APR-91	417.00		UMHO		08-JUL-91	306.00	UMHO
	14-JUN-91	465.00		UMHO		11-SEP-91	303.00	UMHO
	10-SEP-91	416.00		UMHO		31-DEC-91	297.00	UMHO
	04-DEC-91	413.00		UMHO	699-40-62	30-DEC-91	448.00	UMHO
699-35-78A	25-SEP-91	210.00		UMHO		16-JAN-91	413.00	UMHO
699-35-9	05-SEP-91	439.00		UMHO		15-APR-91	439.00	UMHO
699-36-46Q	16-JAN-91	252.00		UMHO		26-JUN-91	423.00	UMHO
699-36-61A	15-AUG-91	403.00		UMHO		10-SEP-91	415.00	UMHO
699-36-61B	17-SEP-91	414.00		UMHO		03-DEC-91	422.00	UMHO
699-36-93	17-SEP-91	504.00		UMHO	699-41-23	05-SEP-91	310.00	UMHO
699-37-43	23-DEC-91	792.00		UMHO		15-APR-91	378.00	UMHO
699-37-82A	15-AUG-91	329.00		UMHO	699-41-40	10-JUL-91	383.00	UMHO
699-37-E4	24-SEP-91	340.00		UMHO		11-SEP-91	375.00	UMHO
699-38-15	21-AUG-91	437.00		UMHO	699-42-12A	04-JAN-91	448.00	UMHO
						06-FEB-91	436.00	UMHO
						06-MAR-91	424.00	UMHO
					699-42-2	09-DEC-91	430.00	UMHO
						09-DEC-91	419.00	UMHO
					699-42-40A	08-JUL-91	171.00	UMHO
						08-JUL-91	250.00	UMHO
					699-42-42B	04-JAN-91	436.00	UMHO
						04-JAN-91	436.00	UMHO
					699-43-3	06-FEB-91	420.00	UMHO

CONDUCTIVITY DATA						CONDUCTIVITY DATA							
WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW	WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW		
699-43-3	06-MAR-91	410.00		UMHO		699-47-60	23-AUG-91	384.00		UMHO			
	18-JUL-91	419.00		UMHO			699-48-18	31-JAN-91	389.00		UMHO		
	18-JUL-91	420.00		UMHO				699-49-100C	18-JAN-91	538.00		UMHO	
699-43-41E	07-FEB-91	321.00		UMHO		04-APR-91			558.00		UMHO		
	18-APR-91	333.00		UMHO		20-JUN-91	595.00			UMHO			
	18-APR-91	333.00		UMHO		699-49-28	28-JAN-91		239.00		UMHO		
	18-APR-91	333.00		UMHO			699-49-55A	23-AUG-91	550.00		UMHO		
	28-JUN-91	333.00		UMHO				21-MAY-91	269.00		UMHO		
	28-JUN-91	330.00		UMHO		699-49-79		29-JAN-91	419.00		UMHO		
	28-JUN-91	330.00		UMHO			699-50-53	21-JUN-91	2330.00		UMHO		
	11-SEP-91	331.00		UMHO				05-DEC-91	2450.00		UMHO		
699-43-41F	07-FEB-91	320.00		UMHO		699-50-53B		20-MAY-91	336.00		UMHO		
	18-APR-91	316.00		UMHO			699-51-63	28-JAN-91	323.00		UMHO		
	18-APR-91	318.00		UMHO				699-51-75	09-DEC-91	290.00		UMHO	
	18-APR-91	317.00		UMHO		09-DEC-91			279.00		UMHO		
699-43-42J	18-APR-91	317.00		UMHO		699-52-19	14-OCT-91		319.00		UMHO		
	18-APR-91	317.00		UMHO			699-53-47A	10-DEC-91	391.00		UMHO		
	02-JUL-91	314.00		UMHO				699-53-48A	29-JAN-91	1038.00		UMHO	
	02-JUL-91	320.00		UMHO		699-53-48B			02-OCT-91	699.00		UMHO	
11-SEP-91	312.00		UMHO		699-54-34		28-JAN-91		242.00		UMHO		
699-43-43	02-JUL-91	268.00		UMHO				699-54-48	23-SEP-91	569.00		UMHO	
	02-JUL-91	270.00		UMHO			699-54-57		13-MAY-91	281.00		UMHO	
	08-JUL-91	217.00		UMHO		699-55-40			15-OCT-91	164.00		UMHO	
699-43-45	08-JUL-91	238.00		UMHO				699-55-76	30-JAN-91	336.00		UMHO	
	11-SEP-91	235.00		UMHO			699-55-89		30-JAN-91	301.00		UMHO	
	699-43-88	29-JAN-91	291.00		UMHO				699-57-29A	30-JAN-91	323.00		UMHO
699-44-42		10-JUL-91	233.00		UMHO			30-JAN-91		316.00		UMHO	
		699-44-43B	08-JUL-91	281.00		UMHO		30-JAN-91		321.00		UMHO	
	11-SEP-91		285.00		UMHO		30-JAN-91	389.00		UMHO			
699-44-64	10-DEC-91		478.00		UMHO		699-58-24	14-OCT-91	322.00		UMHO		
	699-45-2	09-DEC-91	430.00		UMHO			699-59-58	31-JAN-91	291.00		UMHO	
		09-DEC-91	427.00		UMHO				699-60-60	14-OCT-91	637.00		UMHO
699-45-69A		09-DEC-91	363.00		UMHO		699-61-37			30-JAN-91	327.00		UMHO
	30-DEC-91	402.00		UMHO		699-61-41		30-JAN-91		342.00		UMHO	
	699-46-21B	28-JAN-91	410.00		UMHO								
699-46-4		04-JAN-91	428.00		UMHO								
		06-FEB-91	448.00		UMHO								
	06-MAR-91	421.00		UMHO									
	19-JUL-91	416.00		UMHO									
699-47-35A	28-JAN-91	311.00		UMHO									
	699-47-46A	28-JAN-91	436.00		UMHO								
		699-47-5	04-JAN-91	399.00		UMHO							
06-FEB-91			420.00		UMHO								
06-MAR-91	384.00			UMHO									
	19-JUL-91	375.00		UMHO									

CONDUCTIVITY DATA						CONDUCTIVITY DATA					
WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW	WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
699-61-62	26-AUG-91	419.00		UMHO		699-90-45	23-SEP-91	333.00		UMHO	
699-61-66	30-JAN-91	330.00		UMHO		699-96-49	23-AUG-91	447.00		UMHO	
699-62-31	22-AUG-91	415.00		UMHO		699-97-43	12-SEP-91	400.00		UMHO	
699-63-25A	31-JAN-91	528.00		UMHO		699-97-51A	12-SEP-91	398.00		UMHO	
	23-AUG-91	525.00		UMHO		699-811-E12A	29-JUL-91	369.00		UMHO	
699-63-55	30-JAN-91	349.00		UMHO		699-812-29	05-FEB-91	311.00		UMHO	
	06-SEP-91	301.00		UMHO		699-812-3	17-JAN-91	254.00		UMHO	
699-63-58	30-AUG-91	383.00		UMHO			31-JUL-91	230.00		UMHO	
699-63-90	30-JAN-91	316.00		UMHO			15-OCT-91	215.00		UMHO	
699-64-27	22-AUG-91	785.00		UMHO		699-819-11	16-JAN-91	332.00		UMHO	
699-64-62	06-SEP-91	395.00		UMHO			01-APR-91	325.00		UMHO	
699-65-59A	31-JAN-91	353.00		UMHO			24-JUN-91	333.00		UMHO	
	06-SEP-91	307.00		UMHO			10-SEP-91	326.00		UMHO	
699-66-23	22-AUG-91	558.00		UMHO		699-819-E13	01-FEB-91	302.00		UMHO	
699-66-38	31-JAN-91	678.00		UMHO			01-FEB-91	427.00		UMHO	
699-66-39	30-JAN-91	515.00		UMHO			29-MAR-91	439.00		UMHO	
699-66-58	31-JAN-91	305.00		UMHO			21-JUN-91	445.00		UMHO	
	23-SEP-91	325.00		UMHO			13-DEC-91	450.00		UMHO	
699-67-51	31-JAN-91	274.00		UMHO		699-827-E14	10-DEC-91	447.00		UMHO	
699-67-86	30-JAN-91	302.00		UMHO			10-DEC-91	450.00		UMHO	
699-72-88	23-AUG-91	334.00		UMHO		699-828-E0	01-FEB-91	446.00		UMHO	
699-73-61	23-AUG-91	342.00		UMHO		699-829-E12	09-DEC-91	318.00		UMHO	
699-74-44	31-JAN-91	322.00		UMHO			09-DEC-91	420.00		UMHO	
699-77-36	22-AUG-91	590.00		UMHO		699-83-25	20-DEC-91	422.00		UMHO	
699-77-54	31-JAN-91	384.00		UMHO			20-DEC-91	530.00		UMHO	
699-78-62	30-JAN-91	352.00		UMHO		699-83-E12	12-SEP-91	517.00		UMHO	
699-8-17	30-JUL-91	431.00		UMHO		699-830-E10A	24-JUL-91	330.00		UMHO	
	09-DEC-91	438.00		UMHO			10-DEC-91	773.00		UMHO	
699-8-25	30-JUL-91	472.00		UMHO		699-830-E10B	24-JUL-91	783.00		UMHO	
	09-DEC-91	483.00		UMHO			10-DEC-91	830.00		UMHO	
699-81-58	04-SEP-91	236.00		UMHO		699-830-E15A	18-JAN-91	891.00		UMHO	
	25-SEP-91	226.00		UMHO			29-MAR-91	476.00		UMHO	
699-83-47	31-JAN-91	330.00		UMHO			21-JUN-91	483.00		UMHO	
699-87-55	12-SEP-91	313.00		UMHO			21-JUN-91	514.00		UMHO	
							09-SEP-91	504.00		UMHO	
						699-831-1	20-DEC-91	461.00		UMHO	
							20-DEC-91	250.00		UMHO	
						699-831-E10A	23-JUL-91	257.00		UMHO	
						699-831-E10B	23-JUL-91	923.00		UMHO	
							23-JUL-91	880.00		UMHO	

WELL NAME	CONDUCTIVITY DATA				UNITS	DATA REVIEW
	SAMPLE DATE	CONCENTRATION	QUALIFIER			
699-S31-E10C	23-JUL-91	886.00			UMHO	
699-S31-E10D	23-JUL-91	762.00			UMHO	
699-S31-E13	24-JUL-91	545.00			UMHO	
699-S31-E8	24-JUL-91	199.00			UMHO	
699-S32-E13A	24-JUL-91	540.00			UMHO	
699-S32-E13B	25-JUL-91	546.00			UMHO	
699-S32-E8	25-JUL-91	211.00			UMHO	
699-S34-E10	25-JUL-91	443.00			UMHO	
699-S36-E12B	25-JUL-91	133.00			UMHO	
699-S36-E13A	30-AUG-91	198.00			UMHO	
699-S36-E13B	30-AUG-91	170.00			UMHO	
699-S37-E11	29-AUG-91	344.00			UMHO	
699-S37-E14	29-AUG-91	169.00			UMHO	
	17-OCT-91	320.00			UMHO	
699-S38-E11	29-AUG-91	432.00			UMHO	
699-S38-E12A	29-AUG-91	320.00			UMHO	
699-S38-E12B	29-AUG-91	298.00			UMHO	
699-S40-E14	29-AUG-91	140.00			UMHO	
699-S41-E11	30-AUG-91	600.00			UMHO	
699-S41-E13A	29-AUG-91	182.00			UMHO	
	17-OCT-91	182.00			UMHO	
699-S41-E13B	29-AUG-91	426.00			UMHO	
	17-OCT-91	427.00			UMHO	
699-S41-E13C	29-AUG-91	248.00			UMHO	
699-S43-E12	25-JUL-91	566.00			UMHO	
699-S6-E14A	29-JUL-91	268.00			UMHO	
	29-JUL-91	458.00			UMHO	
699-S6-E4B	17-JAN-91	428.00			UMHO	
699-S6-E4D	17-JAN-91	475.00			UMHO	
	29-MAR-91	485.00			UMHO	
	21-JUN-91	484.00			UMHO	
	10-SEP-91	486.00			UMHO	
	03-DEC-91	491.00			UMHO	
699-S8-19	13-DEC-91	430.00			UMHO	
	13-DEC-91	443.00			UMHO	

PH DATA				PH DATA			
WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER
UNITS	DATA	REVIEW		UNITS	DATA	REVIEW	
1199-41-13C	31-MAY-91	7.30	PH	199-H4-12B	22-AUG-91	7.52	PH
199-B3-1	11-DEC-91	7.44	PH	199-H4-12C	07-JUN-91	7.81	PH
199-B4-1	11-DEC-91	7.74	PH		07-JUN-91	7.85	PH
199-B4-2	11-DEC-91	7.55	PH		12-SEP-91	7.51	PH
199-B4-3	30-MAY-91	7.83	PH	199-H4-13	23-AUG-91	7.69	PH
199-B4-4	11-DEC-91	7.76	PH		08-OCT-91	7.24	PH
199-B4-5	18-SEP-91	7.61	PH	199-H4-14	07-JUN-91	7.70	PH
199-B4-6	19-SEP-91	7.58	PH		07-JUN-91	7.90	PH
199-B4-7	18-SEP-91	7.46	PH		13-SEP-91	7.90	PH
199-B9-1	11-DEC-91	7.71	PH	199-H4-15A	22-AUG-91	7.59	PH
199-D2-5	30-OCT-91	7.80	PH		13-SEP-91	7.71	PH
199-D5-12	30-OCT-91	7.26	PH	199-H4-15B	22-AUG-91	7.61	PH
199-D8-3	30-OCT-91	9.56	PH	199-H4-16	07-JUN-91	6.83	PH
199-F5-1	30-OCT-91	6.98	PH		07-JUN-91	7.70	PH
199-F5-3	31-MAY-91	7.59	PH	199-H4-17	16-AUG-91	7.49	PH
199-F5-4	19-SEP-91	8.00	PH	199-H4-18	10-APR-91	7.46	PH
199-F5-6	19-SEP-91	8.56	PH		13-SEP-91	7.73	PH
199-F7-1	19-SEP-91	7.91	PH	199-H4-3	28-MAR-91	7.45	PH
199-F8-2	19-SEP-91	8.01	PH		10-APR-91	7.36	PH
199-H3-1	06-JUN-91	7.79	PH		07-JUN-91	7.48	PH
	06-JUN-91	8.15	PH		07-JUN-91	7.70	PH
199-H3-2A	11-APR-91	7.27	PH		07-JUN-91	7.68	PH
	06-JUN-91	6.84	PH		01-AUG-91	7.29	PH
	06-JUN-91	7.60	PH		16-AUG-91	7.83	PH
	12-SEP-91	7.93	PH		13-SEP-91	7.40	PH
199-H3-2B	22-AUG-91	6.88	PH		24-OCT-91	7.68	PH
199-H3-2C	06-JUN-91	7.74	PH		13-NOV-91	7.68	PH
	06-JUN-91	7.90	PH		12-DEC-91	8.29	PH
	13-SEP-91	7.01	PH	199-H4-4	16-JAN-91	7.61	PH
199-H4-11	07-JUN-91	7.35	PH		28-MAR-91	6.95	PH
	07-JUN-91	7.90	PH		11-APR-91	7.80	PH
	12-SEP-91	7.69	PH		06-JUN-91	7.90	PH
199-H4-12A	11-APR-91	7.90	PH		06-JUN-91	7.80	PH
	07-JUN-91	7.89	PH		01-AUG-91	7.06	PH
	07-JUN-91	7.75	PH		16-AUG-91	7.79	PH
	12-SEP-91	7.90	PH		18-SEP-91	6.92	PH
					24-OCT-91	7.86	PH
					13-NOV-91	7.62	PH
					03-DEC-91	7.69	PH
					12-DEC-91	7.85	PH
				199-H4-5	22-AUG-91	7.56	PH
					13-SEP-91	7.37	PH
				199-H4-6	10-JUN-91	7.82	PH
					10-JUN-91	7.55	PH
					12-SEP-91	7.63	PH
				199-H4-7	06-JUN-91	7.58	PH
					06-JUN-91	7.75	PH
					12-SEP-91	7.70	PH

PH DATA						PH DATA						
WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW	WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW	
199-H4-8	16-AUG-91	7.56		PH		199-N-33	04-SEP-91	8.10		PH		
	12-SEP-91	7.67		PH			199-N-36	04-SEP-91	8.14		PH	
199-H4-9	06-JUN-91	7.62		PH		04-SEP-91		8.13		PH		
	06-JUN-91	7.75		PH		04-SEP-91		8.15		PH		
	01-AUG-91	7.22		PH		04-SEP-91		8.16		PH		
	16-AUG-91	7.59		PH		199-N-41	30-AUG-91	7.63		PH		
	12-SEP-91	7.55		PH			30-AUG-91	7.65		PH		
	24-OCT-91	7.42		PH			30-AUG-91	7.67		PH		
13-NOV-91	7.60		PH		30-AUG-91		7.66		PH			
12-DEC-91	7.88		PH		25-SEP-91		7.99		PH			
199-K-11	26-SEP-91	6.97		PH		199-N-47	05-SEP-91	7.45		PH		
							05-NOV-91	7.92		PH		
199-K-27	26-FEB-91	7.60		PH		199-N-5	08-OCT-91	7.68		PH		
	17-APR-91	7.33		PH			199-N-50	30-OCT-91	8.08		PH	
199-K-28	26-FEB-91	7.45		PH		199-N-51		30-OCT-91	8.21		PH	
	17-APR-91	7.26		PH			199-N-54	05-SEP-91	7.17		PH	
199-K-29	26-FEB-91	7.59		PH		02-OCT-91		7.45		PH		
	18-APR-91	7.50		PH		11-OCT-91		7.70		PH		
199-K-30	26-FEB-91	7.18		PH		199-N-55		05-NOV-91	7.76		PH	
	17-APR-91	7.83		PH				05-SEP-91	7.25		PH	
199-N-14	17-JAN-91	8.10		PH		02-OCT-91	6.88		PH			
	28-MAR-91	7.97		PH		11-OCT-91	6.86		PH			
	18-SEP-91	6.79		PH		05-NOV-91	5.46		PH			
	05-DEC-91	8.22		PH		199-N-56	05-SEP-91	7.09		PH		
199-N-17	05-SEP-91	6.82		PH			02-OCT-91	7.09		PH		
	26-SEP-91	6.57		PH			11-OCT-91	7.49		PH		
199-N-20	08-OCT-91	7.67		PH			199-N-57	05-NOV-91	7.07		PH	
						25-MAR-91		7.47		PH		
199-N-21	05-SEP-91	7.40		PH		199-N-59	05-NOV-91	7.77		PH		
	26-SEP-91	7.40		PH			27-MAR-91	7.81		PH		
199-N-25	08-OCT-91	6.60		PH		199-N-66	03-SEP-91	8.53		PH		
							05-NOV-91	8.02		PH		
199-N-28	11-DEC-91	7.86		PH		199-N-67	25-MAR-91	7.58		PH		
							22-NOV-91	7.58		PH		
	04-SEP-91	8.05		PH			199-N-69	22-NOV-91	7.96		PH	
	04-SEP-91	8.04		PH				17-JAN-91	7.93		PH	
199-N-29	04-SEP-91	8.05		PH		199-N-70	04-SEP-91	7.98		PH		
	04-SEP-91	8.04		PH			04-SEP-91	8.01		PH		
	04-SEP-91	8.05		PH			04-SEP-91	7.99		PH		
							04-SEP-91	8.03		PH		
199-N-3	05-FEB-91	7.35		PH		199-N-70	02-OCT-91	8.15		PH		
	25-MAR-91	7.65		PH			11-JUN-91	7.24		PH		
	10-APR-91	7.79		PH			11-JUN-91	8.20		PH		
	05-DEC-91	7.54		PH			299-E13-14	13-AUG-91	7.97		PH	
199-N-32	10-APR-91	7.98		PH		299-E17-1						
	18-SEP-91	8.08		PH								
	05-DEC-91	8.12		PH								
199-N-33	04-SEP-91	8.03		PH								
	04-SEP-91	8.05		PH								
	04-SEP-91	8.10		PH								

WELL NAME	PH DATA			PH DATA		
	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW	UNITS DATA REVIEW
299-E17-1	13-AUG-91	7.96		PH		PH
	13-AUG-91	7.96		PH		PH
	13-AUG-91	7.95		PH		PH
299-E17-12	25-MAR-91	7.70		PH		PH
	13-SEP-91	7.87		PH		PH
299-E17-13	18-JUN-91	7.82		PH		PH
	18-JUN-91	7.80		PH		PH
	18-JUN-91	8.00		PH		PH
	18-JUN-91	8.00		PH		PH
	13-SEP-91	7.80		PH		PH
299-E17-14	31-DEC-91	7.89		PH		PH
	28-AUG-91	7.59		PH		PH
	28-AUG-91	7.59		PH		PH
	28-AUG-91	7.59		PH		PH
	28-AUG-91	7.59		PH		PH
299-E17-15	03-SEP-91	6.95		PH		PH
	03-SEP-91	7.08		PH		PH
	03-SEP-91	7.06		PH		PH
	03-SEP-91	7.01		PH		PH
	01-OCT-91	7.41		PH		PH
	04-NOV-91	7.76		PH		PH
	19-DEC-91	7.22		PH		PH
	19-DEC-91	7.23		PH		PH
	19-DEC-91	7.22		PH		PH
	19-DEC-91	7.22		PH		PH
	31-DEC-91	6.50		PH		PH
299-E17-16	28-AUG-91	7.92		PH		PH
	28-AUG-91	7.93		PH		PH
	28-AUG-91	7.94		PH		PH
	28-AUG-91	7.95		PH		PH
	28-AUG-91	7.77		PH		PH
299-E17-17	19-DEC-91	7.77		PH		PH
	19-DEC-91	7.78		PH		PH
	19-DEC-91	7.78		PH		PH
	26-AUG-91	7.09		PH		PH
	26-AUG-91	7.15		PH		PH
299-E17-18	26-AUG-91	7.19		PH		PH
	26-AUG-91	7.12		PH		PH
	26-AUG-91	7.88		PH		PH
	26-AUG-91	7.85		PH		PH
	26-AUG-91	7.82		PH		PH
299-E17-19	26-AUG-91	7.80		PH		PH
	10-OCT-91	7.77		PH		PH
299-E17-20	04-NOV-91	5.59		PH		PH
	24-JUL-91	7.80		PH		PH
299-E17-21	14-AUG-91	7.21		PH		PH
	14-AUG-91	7.22		PH		PH
	14-AUG-91	7.21		PH		PH
	14-AUG-91	7.21		PH		PH
	14-AUG-91	6.96		PH		PH

PH DATA					PH DATA				
WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS DATA REVIEW	WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS DATA REVIEW
299-E24-19	22-NOV-91	7.49		PH	299-E25-25	16-SEP-91	8.11		PH
	22-NOV-91	7.49		PH		16-SEP-91	8.12		PH
299-E24-2	21-MAR-91	7.72		PH	299-E25-26	27-MAR-91	7.68		PH
299-E24-20	15-NOV-91	7.70		PH		17-APR-91	7.99		PH
	15-NOV-91	7.71		PH		17-APR-91	8.00		PH
	15-NOV-91	7.71		PH		17-APR-91	7.99		PH
	15-NOV-91	7.70		PH		17-APR-91	8.00		PH
299-E24-4	03-OCT-91	7.98		PH		27-SEP-91	8.00		PH
	23-MAY-91	6.96		PH	299-E25-28	10-APR-91	7.94		PH
299-E24-7	21-MAR-91	6.45		PH		17-APR-91	7.89		PH
	25-MAR-91	6.78		PH		17-APR-91	7.88		PH
	11-JUL-91	7.57		PH		17-APR-91	7.88		PH
299-E25-11	04-JUN-91	7.03		PH		12-JUL-91	8.27		PH
	12-JUL-91	8.04		PH		27-SEP-91	8.12		PH
299-E25-13	31-JUL-91	8.01		PH	299-E25-29P	25-JUN-91	7.96		PH
	31-JUL-91	8.02		PH		25-JUN-91	8.05		PH
	31-JUL-91	8.02		PH		25-JUN-91	8.10		PH
	31-JUL-91	8.02		PH		25-JUN-91	8.00		PH
	01-OCT-91	8.03		PH		25-JUN-91	7.00		PH
299-E25-19	18-JUL-91	7.58		PH		25-JUN-91	7.95		PH
	18-JUL-91	8.00		PH		25-JUN-91	7.94		PH
	18-JUL-91	8.00		PH		25-JUN-91	7.95		PH
	18-JUL-91	7.80		PH		01-NOV-91	8.15		PH
	18-JUL-91	8.00		PH		31-DEC-91	7.13		PH
299-E25-20	01-OCT-91	7.04		PH	299-E25-3	29-MAY-91	8.31		PH
	16-JUL-91	8.02		PH		29-MAY-91	7.82		PH
	16-JUL-91	8.00		PH	299-E25-30P	25-JUN-91	7.90		PH
299-E25-21	16-JUL-91	8.00		PH		25-JUN-91	8.10		PH
	16-JUL-91	8.00		PH		25-JUN-91	8.00		PH
	16-JUL-91	8.00		PH		25-JUN-91	8.00		PH
	16-JUL-91	8.00		PH		25-JUN-91	8.10		PH
	03-OCT-91	7.39		PH		25-JUN-91	7.00		PH
299-E25-22	11-JUL-91	8.26		PH		25-JUN-91	7.00		PH
	31-DEC-91	8.71		PH	299-E25-32P	25-JUN-91	7.88		PH
299-E25-23	12-DEC-91	8.16		PH		25-JUN-91	7.86		PH
	18-JUL-91	7.55		PH		25-JUN-91	7.86		PH
299-E25-25	25-JUN-91	8.15		PH		16-SEP-91	8.02		PH
	25-JUN-91	8.25		PH		16-SEP-91	8.03		PH
	25-JUN-91	8.25		PH		16-SEP-91	8.03		PH
	25-JUN-91	7.00		PH		16-SEP-91	8.03		PH
	25-JUN-91	8.25		PH		02-DEC-91	8.05		PH
299-E25-33	25-JUN-91	7.00		PH	299-E25-33P	11-APR-91	8.07		PH
	25-JUN-91	7.00		PH		19-JUL-91	8.25		PH
	25-JUN-91	7.00		PH		26-SEP-91	8.15		PH
	25-JUN-91	8.14		PH	299-E25-33	27-JUN-91	7.93		PH
	25-JUN-91	8.09		PH		27-JUN-91	8.00		PH
299-E25-33	25-JUN-91	8.11		PH		27-JUN-91	8.05		PH
	25-JUN-91	8.11		PH		27-JUN-91	8.10		PH
	16-SEP-91	8.11		PH		27-JUN-91	8.10		PH

WELL NAME	PH DATA				UNITS	DATA REVIEW
	SAMPLE DATE	CONCENTRATION	QUALIFIER			
299-E25-33	27-JUN-91	7.94			PH	
	27-JUN-91	7.95			PH	
	27-JUN-91	7.95			PH	
	27-JUN-91	8.00			PH	
	16-SEP-91	8.09			PH	
	16-SEP-91	8.16			PH	
	16-SEP-91	8.11			PH	
	16-SEP-91	8.11			PH	
	10-APR-91	7.79			PH	
	27-SEP-91	6.44			PH	
299-E25-34	02-DEC-91	8.04			PH	
	17-APR-91	7.50			PH	
	19-JUL-91	7.66			PH	
	01-OCT-91	7.59			PH	
299-E25-35	02-DEC-91	7.69			PH	
	11-JUL-91	8.12			PH	
	20-AUG-91	7.79			PH	
	20-AUG-91	7.80			PH	
299-E25-36	20-AUG-91	7.79			PH	
	20-AUG-91	7.79			PH	
	30-SEP-91	7.81			PH	
	26-JUN-91	8.70			PH	
	26-JUN-91	8.68			PH	
	26-JUN-91	8.00			PH	
	26-JUN-91	8.15			PH	
	26-JUN-91	8.15			PH	
	26-JUN-91	8.00			PH	
	26-JUN-91	8.69			PH	
299-E25-37	26-JUN-91	7.80			PH	
	16-SEP-91	8.06			PH	
	16-SEP-91	8.09			PH	
	16-SEP-91	8.08			PH	
	16-SEP-91	8.07			PH	
	26-JUN-91	8.13			PH	
	26-JUN-91	8.14			PH	
	26-JUN-91	8.15			PH	
	26-JUN-91	8.16			PH	
	26-JUN-91	8.20			PH	
299-E25-38	26-JUN-91	8.20			PH	
	26-JUN-91	8.20			PH	
	26-JUN-91	8.20			PH	
	26-JUN-91	8.00			PH	
	26-JUN-91	8.00			PH	
	16-SEP-91	8.08			PH	
	16-SEP-91	8.10			PH	
	16-SEP-91	8.11			PH	
	16-SEP-91	8.11			PH	
	26-JUN-91	6.83			PH	
299-E25-39	26-JUN-91	8.15			PH	
	26-JUN-91	8.15			PH	
	26-JUN-91	8.20			PH	
	26-JUN-91	8.05			PH	
	26-JUN-91	8.00			PH	
	26-JUN-91	8.00			PH	

WELL NAME	PH DATA				UNITS	DATA REVIEW
	SAMPLE DATE	CONCENTRATION	QUALIFIER			
299-E25-39	26-JUN-91	8.00			PH	
	26-JUN-91	6.86			PH	
	26-JUN-91	6.87			PH	
	26-JUN-91	6.83			PH	
	16-SEP-91	8.10			PH	
	16-SEP-91	8.14			PH	
	16-SEP-91	8.13			PH	
	16-SEP-91	8.16			PH	
	20-JUL-91	7.84			PH	
	20-JUL-91	7.87			PH	
299-E25-40	20-JUL-91	7.87			PH	
	20-JUL-91	7.86			PH	
	20-JUL-91	7.77			PH	
	20-NOV-91	7.79			PH	
	20-NOV-91	7.79			PH	
	20-NOV-91	7.80			PH	
	02-DEC-91	7.88			PH	
	26-JUL-91	8.00			PH	
	26-JUL-91	8.04			PH	
	26-JUL-91	8.04			PH	
299-E25-41	26-JUL-91	8.02			PH	
	21-NOV-91	7.73			PH	
	21-NOV-91	7.72			PH	
	21-NOV-91	7.73			PH	
	21-NOV-91	7.72			PH	
	02-DEC-91	7.94			PH	
	28-OCT-91	8.12			PH	
	27-JUN-91	7.74			PH	
	27-JUN-91	7.73			PH	
	27-JUN-91	8.00			PH	
299-E25-42	27-JUN-91	8.00			PH	
	27-JUN-91	7.95			PH	
	27-JUN-91	8.00			PH	
	27-JUN-91	8.00			PH	
	27-JUN-91	8.00			PH	
	27-JUN-91	8.00			PH	
	27-JUN-91	8.00			PH	
	27-JUN-91	7.73			PH	
	27-JUN-91	7.74			PH	
	25-SEP-91	7.96			PH	
299-E26-10	25-SEP-91	7.96			PH	
	25-SEP-91	7.96			PH	
	25-SEP-91	7.96			PH	
	25-SEP-91	7.96			PH	
	27-JUN-91	7.78			PH	
	27-JUN-91	7.05			PH	
	27-JUN-91	8.00			PH	
	27-JUN-91	8.00			PH	
	27-JUN-91	7.95			PH	
	27-JUN-91	8.00			PH	
299-E26-11	27-JUN-91	8.00			PH	
	27-JUN-91	8.00			PH	
	27-JUN-91	6.28			PH	
	27-JUN-91	7.77			PH	
	27-JUN-91	7.95			PH	
	27-JUN-91	7.44			PH	
	27-SEP-91	7.39			PH	
	27-SEP-91	7.38			PH	
	27-SEP-91	7.38			PH	
	27-SEP-91	7.38			PH	

PH DATA						PH DATA					
WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW	WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
299-E26-11	27-SEP-91	7.38		PH		299-E27-15	21-NOV-91	7.97		PH	
299-E26-12	28-OCT-91	8.28		PH			21-NOV-91	7.95		PH	
299-E26-13	28-OCT-91	7.87		PH			21-NOV-91	7.94		PH	
299-E26-4	24-MAY-91	8.06		PH		299-E27-16	09-SEP-91	7.66		PH	
299-E26-6	21-MAR-91	6.69		PH			09-SEP-91	7.91		PH	
29 E26-9	27-JUN-91	7.42		PH		299-E27-5	09-JAN-91	7.44		PH	
	27-JUN-91	7.42		PH		299-E27-7	25-JUL-91	8.26		PH	
	27-JUN-91	7.41		PH			25-JUL-91	8.23		PH	
	27-JUN-91	8.00		PH			25-JUL-91	8.24		PH	
	27-JUN-91	7.95		PH			01-AUG-91	7.90		ph	
	27-JUN-91	8.00		PH		299-E27-8	01-AUG-91	7.90		ph	
	27-JUN-91	7.95		PH			01-AUG-91	7.89		ph	
	27-JUN-91	8.00		PH			01-AUG-91	7.90		ph	
	27-JUN-91	7.42		PH			26-JUL-91	7.97		PH	
	27-JUN-91	7.85		PH		299-E27-9	26-JUL-91	7.99		PH	
	25-SEP-91	8.14		PH			26-JUL-91	7.99		PH	
	25-SEP-91	8.14		PH			26-JUL-91	7.99		PH	
	25-SEP-91	8.15		PH			26-JUL-91	8.00		PH	
299-E27-10	31-JUL-91	8.05		PH		299-E28-11	26-MAR-91	7.64		PH	
	31-JUL-91	8.04		PH		299-E28-12	16-MAY-91	6.80		PH	
	31-JUL-91	8.05		PH		299-E28-16	31-DEC-91	8.21		PH	
299-E27-11	06-NOV-91	7.16		PH		299-E28-17	21-MAR-91	6.45		PH	
299-E27-12	23-JUL-91	8.09		PH		299-E28-18	21-MAR-91	7.43		PH	
	23-JUL-91	8.07		PH			13-SEP-91	7.59		PH	
	23-JUL-91	8.09		PH		299-E28-19	20-SEP-91	7.35		PH	
	23-JUL-91	8.08		PH			20-SEP-91	7.62		PH	
	18-NOV-91	7.99		PH		299-E28-21	20-SEP-91	7.62		PH	
	18-NOV-91	7.99		PH		299-E28-24	23-SEP-91	6.80		PH	
	18-NOV-91	7.99		PH		299-E28-25	31-JAN-91	6.35		PH	
	02-DEC-91	8.13		PH		299-E28-26	26-MAR-91	7.39		PH	
299-E27-13	23-JUL-91	8.12		PH			06-AUG-91	7.49		PH	
	23-JUL-91	8.10		PH		299-E28-27	23-SEP-91	7.69		PH	
	23-JUL-91	8.11		PH			01-AUG-91	8.16		PH	
	23-JUL-91	8.11		PH		299-E28-28	23-SEP-91	7.83		PH	
	23-JUL-91	8.16		PH			02-AUG-91	7.80		PH	
	15-NOV-91	8.17		PH		299-E28-7	01-FEB-91	7.93		PH	
	15-NOV-91	8.17		PH		299-E28-9	16-MAY-91	7.52		PH	
	15-NOV-91	8.17		PH		299-E32-1	28-JAN-91	7.82		PH	
	02-DEC-91	8.13		PH							
299-E27-14	23-JUL-91	8.17		PH							
	23-JUL-91	8.16		PH							
	23-JUL-91	8.17		PH							
	23-JUL-91	8.17		PH							
299-E27-15	24-JUL-91	7.64		PH							
	24-JUL-91	7.67		PH							
	24-JUL-91	7.70		PH							
	24-JUL-91	7.69		PH							

WELL NAME	PH DATA			PH DATA		
	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW	
299-E32-2	02-AUG-91	7.83		PH		
	23-SEP-91	8.16		PH		
299-E32-3	26-MAR-91	7.03		PH		
	02-AUG-91	7.61		PH		
	20-SEP-91	7.70		PH		
	02-DEC-91	7.63		PH		
299-E32-4	05-AUG-91	7.25		PH		
	23-SEP-91	8.25		PH		
299-E32-5	26-MAR-91	7.69		PH		
	02-AUG-91	7.55		PH		
	20-SEP-91	8.02		PH		
299-E33-26	28-JAN-91	7.52		PH		
299-E33-28	31-JUL-91	7.97		PH		
	24-SEP-91	6.24		PH		
299-E33-29	31-JUL-91	7.87		PH		
	23-SEP-91	7.92		PH		
299-E33-3	08-JAN-91	7.57		PH		
299-E33-30	05-AUG-91	7.80		PH		
	23-SEP-91	7.78		PH		
	03-DEC-91	7.93		PH		
299-E33-31	23-JUL-91	7.84		PH		
	23-JUL-91	7.85		PH		
	23-JUL-91	7.85		PH		
	23-JUL-91	7.85		PH		
	15-NOV-91	8.50		PH		
	15-NOV-91	8.45		PH		
	15-NOV-91	8.48		PH		
	15-NOV-91	8.48		PH		
299-E33-32	23-JUL-91	7.08		PH		
	23-JUL-91	7.13		PH		
	23-JUL-91	7.17		PH		
	23-JUL-91	7.16		PH		
	22-NOV-91	7.43		PH		
	22-NOV-91	7.46		PH		
	22-NOV-91	7.52		PH		
	22-NOV-91	7.50		PH		
299-E33-33	22-JUL-91	8.24		PH		
	22-JUL-91	8.22		PH		
	22-JUL-91	8.23		PH		
	22-JUL-91	8.23		PH		
	15-NOV-91	8.53		PH		
	15-NOV-91	8.64		PH		
	15-NOV-91	8.88		PH		
	15-NOV-91	8.80		PH		
299-E33-34	02-AUG-91	7.82		PH		
	20-SEP-91	7.97		PH		
	03-DEC-91	7.87		PH		
299-E33-35	30-JUL-91	8.14		PH		
299-E33-35	24-SEP-91	6.46		PH		
299-E33-36	21-AUG-91	7.87		PH		
	21-AUG-91	7.87		PH		
	21-AUG-91	7.89		PH		
	21-AUG-91	7.89		PH		
299-E33-37	09-SEP-91	7.98		PH		
	09-SEP-91	7.98		PH		
	09-SEP-91	7.99		PH		
	09-SEP-91	7.99		PH		
299-E33-41	25-JUL-91	8.06		PH		
	21-NOV-91	7.49		PH		
	21-NOV-91	7.52		PH		
	21-NOV-91	7.51		PH		
	21-NOV-91	7.50		PH		
299-E33-7	08-JAN-91	7.79		PH		
299-E34-1	18-JAN-91	7.80		PH		
299-E34-2	30-JUL-91	8.05		PH		
	30-JUL-91	8.03		PH		
	30-JUL-91	8.03		PH		
	30-JUL-91	8.04		PH		
299-E34-3	29-JUL-91	7.65		PH		
	29-JUL-91	7.65		PH		
	29-JUL-91	7.64		PH		
	29-JUL-91	7.65		PH		
299-E34-5	29-JUL-91	7.30		PH		
	29-JUL-91	7.35		PH		
	29-JUL-91	7.35		PH		
	29-JUL-91	7.35		PH		
299-E34-6	21-OCT-91	8.70		PH		
	02-DEC-91	8.29		PH		
299-E34-7	04-NOV-91	8.49		PH		
	02-DEC-91	8.17		PH		
299-E35-2	27-JUN-91	7.67		PH		
	27-JUN-91	7.66		PH		
	27-JUN-91	7.67		PH		
	27-JUN-91	8.00		PH		
	27-JUN-91	8.00		PH		
	27-JUN-91	8.00		PH		
	27-JUN-91	8.00		PH		
	27-JUN-91	7.85		PH		
	27-JUN-91	8.00		PH		
	27-JUN-91	7.95		PH		
	27-JUN-91	8.00		PH		
	27-JUN-91	8.00		PH		
	27-JUN-91	8.00		PH		
	27-JUN-91	7.67		PH		
	25-SEP-91	8.40		PH		
	25-SEP-91	8.35		PH		
	25-SEP-91	8.34		PH		
	25-SEP-91	8.38		PH		

PH DATA					PH DATA				
WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS DATA REVIEW	WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS DATA REVIEW
299-W10-1	04-JAN-91	6.47		PH	299-W15-11	02-JAN-91	7.91		PH
299-W10-13	08-AUG-91	8.09		PH	299-W15-12	04-NOV-91	7.69		PH
	07-NOV-91	8.34		PH	299-W15-15	25-OCT-91	7.90		PH
299-W10-14	14-AUG-91	8.02		PH		04-NOV-91	7.20		PH
	07-NOV-91	8.14		PH	299-W15-16	30-JAN-91	7.63		PH
299-W10-15	22-JUL-91	7.80		PH		05-AUG-91	7.74		PH
	22-JUL-91	7.77		PH		05-AUG-91	7.72		PH
	22-JUL-91	7.76		PH		05-AUG-91	7.73		PH
	22-JUL-91	7.75		PH		05-AUG-91	7.73		PH
	04-OCT-91	8.00		PH		06-AUG-91	8.00		PH
	04-OCT-91	7.95		PH	299-W15-17	06-AUG-91	7.95		PH
	04-OCT-91	7.93		PH		06-AUG-91	7.92		PH
	04-OCT-91	7.94		PH		06-AUG-91	7.90		PH
299-W10-16	22-JUL-91	8.01		PH	299-W15-18	09-AUG-91	7.75		PH
	22-JUL-91	8.00		PH		09-AUG-91	7.71		PH
	22-JUL-91	7.99		PH		09-AUG-91	7.73		PH
	22-JUL-91	8.00		PH		09-AUG-91	7.72		PH
	24-SEP-91	7.33		PH		14-NOV-91	7.96		PH
	24-SEP-91	7.34		PH	299-W15-19	14-NOV-91	7.97		PH
	24-SEP-91	7.36		PH		14-NOV-91	7.97		PH
	24-SEP-91	7.33		PH		14-NOV-91	7.98		PH
	25-NOV-91	7.98		PH		25-NOV-91	7.69		PH
299-W10-17	09-OCT-91	7.88		PH	299-W15-2	20-DEC-91	8.70		PH
	09-OCT-91	7.88		PH		05-AUG-91	7.22		PH
	09-OCT-91	7.87		PH	299-W15-20	05-AUG-91	7.26		PH
	09-OCT-91	7.87		PH		05-AUG-91	7.30		PH
	25-NOV-91	7.89		PH		05-AUG-91	7.29		PH
299-W10-18	24-SEP-91	7.64		PH		12-NOV-91	8.06		PH
	24-SEP-91	7.64		PH		12-NOV-91	8.03		PH
	24-SEP-91	7.63		PH		12-NOV-91	8.04		PH
	24-SEP-91	7.64		PH		12-NOV-91	8.04		PH
299-W10-4	02-JAN-91	7.66		PH	299-W15-22	24-SEP-91	7.47		PH
299-W10-9	22-JUL-91	7.40		PH		24-SEP-91	7.47		PH
	22-JUL-91	7.43		PH		24-SEP-91	7.46		PH
	22-JUL-91	7.45		PH		24-SEP-91	7.45		PH
	22-JUL-91	7.47		PH	299-W15-23	05-AUG-91	7.74		PH
	03-OCT-91	6.56		PH		05-AUG-91	7.73		PH
	03-OCT-91	6.66		PH		05-AUG-91	7.74		PH
	03-OCT-91	6.61		PH		05-AUG-91	7.74		PH
	03-OCT-91	6.61		PH		13-NOV-91	7.71		PH
299-W11-14	17-MAY-91	6.34		PH		13-NOV-91	7.71		PH
299-W11-18	02-OCT-91	6.79		PH		13-NOV-91	7.72		PH
299-W14-5	02-JAN-91	7.76		PH	299-W15-24	05-AUG-91	8.29		PH
299-W14-6	03-JAN-91	7.90		PH		05-AUG-91	8.32		PH
	17-MAY-91	7.88		PH		05-AUG-91	8.32		PH
299-W15-10	02-JAN-91	7.78		PH		05-AUG-91	8.33		PH
						12-NOV-91	8.28		PH
						12-NOV-91	8.27		PH
						12-NOV-91	8.27		PH

PH DATA

WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
299-W15-24	12-NOV-91	8.27		PH	
	25-NOV-91	8.39		PH	
299-W15-3	04-JUN-91	7.55		PH	
299-W15-4	02-JAN-91	7.75		PH	
299-W15-6	30-JAN-91	7.60		PH	
	06-FEB-91	7.35		PH	
	09-APR-91	6.46		PH	
	08-MAY-91	7.87		PH	
299-W15-8	04-NOV-91	7.22		PH	
	13-NOV-91	7.07		PH	
299-W15-9	31-JAN-91	6.46		PH	
299-W18-17	29-JAN-91	7.80		PH	
	20-MAR-91	7.17		PH	
299-W18-2	20-MAR-91	7.35		PH	
299-W18-20	06-FEB-91	7.49		PH	
	20-MAR-91	7.88		PH	
299-W18-21	07-AUG-91	8.41		PH	
	07-AUG-91	8.36		PH	
	07-AUG-91	8.38		PH	
	07-AUG-91	8.34		PH	
299-W18-22	06-AUG-91	8.09		PH	
	06-AUG-91	8.06		PH	
	06-AUG-91	8.06		PH	
	06-AUG-91	8.06		PH	
299-W18-23	09-AUG-91	7.54		PH	
	09-AUG-91	7.59		PH	
	09-AUG-91	7.58		PH	
	09-AUG-91	7.62		PH	
	25-NOV-91	6.99		PH	
299-W18-24	09-AUG-91	7.92		PH	
	09-AUG-91	7.90		PH	
	09-AUG-91	7.89		PH	
	09-AUG-91	7.89		PH	
299-W18-25	01-OCT-91	7.82		PH	
	01-OCT-91	7.81		PH	
	01-OCT-91	7.80		PH	
	01-OCT-91	7.81		PH	
	05-DEC-91	7.76		PH	
299-W18-26	07-AUG-91	8.24		PH	
	07-AUG-91	8.11		PH	
	07-AUG-91	8.15		PH	
	07-AUG-91	8.18		PH	
	12-NOV-91	7.97		PH	
	12-NOV-91	7.96		PH	
	12-NOV-91	7.97		PH	
	12-NOV-91	7.97		PH	

PH DATA

WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
299-W18-29	09-OCT-91	7.50		PH	
	09-OCT-91	7.57		PH	
	09-OCT-91	7.55		PH	
	09-OCT-91	7.57		PH	
299-W18-4	04-NOV-91	8.67		PH	
299-W18-9	06-FEB-91	677.00		PH	
299-W19-1	03-DEC-91	9.29		PH	
299-W19-13	02-OCT-91	6.93		PH	
299-W19-17	31-JAN-91	7.61		PH	
299-W19-18	02-JAN-91	8.25		PH	
299-W19-21	20-MAR-91	8.42		PH	
299-W19-24	20-MAR-91	7.29		PH	
299-W19-27	20-MAR-91	8.01		PH	
	03-DEC-91	7.52		PH	
299-W19-28	10-OCT-91	7.55		PH	
299-W19-29	14-JUN-91	7.36		PH	
	14-JUN-91	7.70		PH	
	25-NOV-91	8.00		PH	
	25-NOV-91	7.28		PH	
299-W19-3	18-JUL-91	7.96		PH	
299-W19-30	13-JUN-91	6.95		PH	
	13-JUN-91	7.55		PH	
299-W19-31	01-OCT-91	7.28		PH	
	01-OCT-91	7.27		PH	
	01-OCT-91	7.27		PH	
	01-OCT-91	7.27		PH	
299-W19-32	01-OCT-91	7.34		PH	
	01-OCT-91	7.33		PH	
	01-OCT-91	7.35		PH	
	01-OCT-91	7.34		PH	
	05-DEC-91	7.94		PH	
299-W22-18	08-JAN-91	6.97		PH	
299-W22-2	03-DEC-91	7.82		PH	
299-W22-20	18-JAN-91	7.12		PH	
	01-APR-91	7.39		PH	
	18-JUN-91	8.70		PH	
	04-SEP-91	7.48		PH	
	03-OCT-91	7.47		PH	
	04-DEC-91	7.44		PH	
299-W22-26	04-JAN-91	7.97		PH	
299-W22-39	14-NOV-91	7.98		PH	

WELL NAME	PH DATA				PH DATA			
	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS DATA REVIEW	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS DATA REVIEW
299-W22-39	14-NOV-91	7.96		PH	299-W26-8	28-AUG-91	8.22	PH
	14-NOV-91	7.93		PH		28-AUG-91	8.24	PH
	14-NOV-91	8.03		PH		28-AUG-91	8.25	PH
299-W22-40	03-SEP-91	7.69		PH		28-AUG-91	8.27	PH
	03-SEP-91	7.69		PH		30-DEC-91	7.70	PH
	03-SEP-91	7.69		PH		30-DEC-91	7.74	PH
	03-SEP-91	7.69		PH		30-DEC-91	7.71	PH
	03-SEP-91	7.69		PH		30-DEC-91	7.76	PH
299-W22-41	03-SEP-91	6.90		PH	299-W26-9	20-AUG-91	7.83	PH
	03-SEP-91	6.95		PH		20-AUG-91	7.83	PH
	03-SEP-91	6.98		PH		20-AUG-91	7.83	PH
	03-SEP-91	6.92		PH		20-AUG-91	7.83	PH
299-W22-42	03-SEP-91	7.44		PH	299-W6-2	12-AUG-91	7.72	PH
	03-SEP-91	7.49		PH		13-NOV-91	8.08	PH
	03-SEP-91	7.46		PH		20-NOV-91	8.02	PH
	03-SEP-91	7.47		PH	299-W7-1	07-AUG-91	7.97	PH
299-W22-43	04-SEP-91	7.71		PH		08-NOV-91	7.80	PH
	04-SEP-91	7.71		PH	299-W7-10	09-AUG-91	7.81	PH
	04-SEP-91	7.71		PH		14-NOV-91	7.57	PH
	04-SEP-91	7.71		PH	299-W7-2	07-AUG-91	8.29	PH
299-W23-1	03-DEC-91	7.92		PH		08-NOV-91	7.89	PH
299-W23-10	31-DEC-91	8.41		PH	299-W7-3	08-AUG-91	8.90	PH
299-W23-13	03-OCT-91	7.78		PH		08-NOV-91	8.01	PH
	03-OCT-91	7.76		PH	299-W7-4	27-MAR-91	7.50	PH
	03-OCT-91	7.77		PH		12-AUG-91	7.26	PH
	03-OCT-91	7.78		PH		13-NOV-91	7.94	PH
299-W23-14	09-OCT-91	5.77		PH	299-W7-5	27-MAR-91	7.68	PH
	09-OCT-91	5.84		PH		09-AUG-91	7.99	PH
	09-OCT-91	5.96		PH		11-NOV-91	7.83	PH
	09-OCT-91	5.90		PH	299-W7-6	12-AUG-91	9.08	PH
299-W23-3	04-JAN-91	8.16		PH		08-NOV-91	8.68	PH
299-W23-4	31-DEC-91	5.50		PH		19-NOV-91	8.79	PH
299-W23-7	29-JAN-91	6.94		PH	299-W7-7	09-AUG-91	8.19	PH
299-W23-9	25-NOV-91	9.10		PH		08-NOV-91	7.77	PH
299-W26-10	21-AUG-91	7.79		PH	299-W7-8	09-AUG-91	7.80	PH
	21-AUG-91	7.78		PH		11-NOV-91	7.72	PH
	21-AUG-91	7.78		PH	299-W7-9	09-AUG-91	7.81	PH
	21-AUG-91	7.79		PH		08-NOV-91	8.04	PH
299-W26-12	28-AUG-91	7.04		PH	299-W8-1	09-AUG-91	6.92	PH
	28-AUG-91	7.06		PH		13-NOV-91	7.25	PH
	28-AUG-91	7.09		PH	299-W9-1	08-AUG-91	8.14	PH
	28-AUG-91	7.11		PH		08-NOV-91	7.79	PH
299-W26-7	21-AUG-91	7.75		PH	399-1-1	25-JAN-91	8.51	PH
	21-AUG-91	7.73		PH	399-1-10	15-JUL-91	7.70	PH
	21-AUG-91	7.74		PH		15-JUL-91	7.00	PH
	21-AUG-91	7.72		PH				

PH DATA						PH DATA					
WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW	WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
399-1-10	15-JUL-91	7.00				399-1-17B	11-JUL-91	7.95		PH	
	15-JUL-91	7.00			PH		10-DEC-91	7.93		PH	
	06-DEC-91	7.00									
399-1-11	18-DEC-91	7.07				399-1-18A	15-JUL-91	7.66		PH	
	18-JUL-91	7.29			PH		15-JUL-91	8.00			
	18-JUL-91	8.00					15-JUL-91	8.00		PH	
399-1-12	18-JUL-91	8.00				399-1-18B	13-DEC-91	7.51		PH	
	18-JUL-91	8.00			PH		13-DEC-91	7.51		PH	
	06-DEC-91	7.47					09-OCT-91	7.97		PH	
399-1-13	16-JUL-91	7.69				399-1-18C	09-OCT-91	7.16		PH	
	16-JUL-91	7.00			PH		09-OCT-91	7.16		PH	
	16-JUL-91	7.00					13-DEC-91	7.39		PH	
399-1-14	11-DEC-91	7.76				399-1-4	16-DEC-91	7.13		PH	
	16-JUL-91	7.50			PH		13-DEC-91	7.52		PH	
	16-JUL-91	8.00					09-JUL-91	7.56		PH	
399-1-15	16-JUL-91	8.00				399-1-7	16-DEC-91	7.16		PH	
	16-JUL-91	8.00			PH		09-OCT-91	7.66		PH	
	11-DEC-91	7.55					09-OCT-91	7.60		PH	
399-1-16A	16-JUL-91	7.76				399-2-1	09-JUL-91	7.15		PH	
	16-JUL-91	8.00			PH		18-DEC-91	7.06		PH	
	16-JUL-91	8.00					17-DEC-91	7.43		PH	
399-1-16B	11-JUL-91	7.50				399-2-2	17-DEC-91	7.16		PH	
	06-DEC-91	7.03			PH		17-DEC-91	7.16		PH	
	11-JUL-91	8.07			PH		13-DEC-91	6.83		PH	
399-1-17A	06-DEC-91	7.93				399-3-10	12-JUL-91	7.22		PH	
	16-JAN-91	7.51			PH		18-DEC-91	7.30		PH	
	25-MAR-91	7.54			PH		25-JAN-91	7.25		PH	
399-1-17B	24-JUN-91	7.48				399-3-11	19-DEC-91	7.96		PH	
	11-JUL-91	7.06			PH		25-JAN-91	7.75		PH	
	01-AUG-91	7.24			PH		25-JAN-91	7.45		PH	
399-1-17C	08-AUG-91	7.59				399-3-12	25-JAN-91	9.00		PH	
	14-AUG-91	6.89			PH		12-JUL-91	7.71		PH	
	23-AUG-91	8.98			PH		17-DEC-91	7.85		PH	
399-1-17D	29-AUG-91	7.41				399-3-9	15-JUL-91	7.15		PH	
	04-SEP-91	7.30			PH		15-JUL-91	8.00			
	11-SEP-91	7.50			PH		15-JUL-91	8.00			
399-1-17E	17-SEP-91	7.91				399-4-1	17-DEC-91	7.49		PH	
	26-SEP-91	7.45			PH		10-JUL-91	7.77		PH	
	04-OCT-91	5.99			PH		10-DEC-91	7.82		PH	
399-1-17F	09-OCT-91	7.63									
	17-OCT-91	7.34			PH						
	24-OCT-91	7.79			PH						
399-1-17G	29-OCT-91	7.09									
	05-NOV-91	7.40			PH						
	15-NOV-91	7.63			PH						
399-1-17H	22-NOV-91	7.82									
	03-DEC-91	7.81			PH						
	10-DEC-91	8.76			PH						
399-1-17I	19-DEC-91	7.35									
	27-DEC-91	6.42			PH						

PH DATA						PH DATA								
WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW	WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW			
399-4-10	25-JAN-91	7.42		PH		699-1-18	30-JUL-91	7.76		PH				
	15-JUL-91	7.90		PH			23-DEC-91	8.20		PH				
	15-JUL-91	8.00												
	15-JUL-91	8.00												
	11-DEC-91	7.61		PH										
399-4-7	09-JUL-91	7.56		PH		699-10-54A	09-DEC-91	8.24		PH				
	10-DEC-91	7.55		PH										
399-4-9	18-JUL-91	6.76		PH			699-10-E12	09-DEC-91	7.72		PH			
	25-JAN-91	7.34		PH				09-DEC-91	7.14		PH			
399-5-1	15-JUL-91	7.86		PH				699-14-38	09-DEC-91	7.99		PH		
	15-JUL-91	8.00				09-DEC-91			7.86		PH			
	15-JUL-91	8.00				699-17-5			16-JAN-91	7.83		PH		
	15-JUL-91	8.00			28-MAR-91		7.62			PH				
	20-DEC-91	7.02		PH			20-JUN-91		7.79		PH			
399-8-2	18-DEC-91	7.40		PH		699-17-70	15-OCT-91	8.20		PH				
	09-OCT-91	7.76		PH			699-19-88	28-JAN-91	7.41		PH			
	18-JAN-91	7.56		PH				699-2-3	29-JUL-91	7.93		PH		
	24-JUN-91	8.25		PH					699-2-7	21-MAR-91	6.81		PH	
	29-JUL-91	8.01		PH						18-DEC-91	7.70		PH	
499-S0-7	15-AUG-91	8.00		PH		699-20-20		31-JUL-91	8.02		PH			
	09-SEP-91	7.03		PH			699-20-E12	16-DEC-91	7.45		PH			
	10-OCT-91	7.87		PH				599-20-E12P	16-DEC-91	7.81		PH		
	27-NOV-91	7.48		PH					699-21-6	30-JUL-91	7.98		PH	
	23-DEC-91	7.82		PH						699-23-34	27-AUG-91	6.91		PH
499-S0-8	18-JAN-91	7.73		PH		27-AUG-91					6.95		PH	
	24-JUN-91	8.14		PH		27-AUG-91	6.90				PH			
	29-JUL-91	8.10		PH		27-AUG-91	6.85		PH					
	15-AUG-91	8.04		PH		26-DEC-91	7.10		PH					
	09-SEP-91	7.71		PH		26-DEC-91	7.10		PH					
499-S1-7B	10-OCT-91	7.84		PH		699-24-1T	26-DEC-91	7.10		PH				
	27-NOV-91	7.71		PH			16-DEC-91	11.29		PH				
	23-DEC-91	7.94		PH			699-24-33	18-JAN-91	7.39		PH			
	25-JAN-91	7.80		PH				28-MAR-91	7.43		PH			
	25-JAN-91	7.40		PH				20-JUN-91	7.05		PH			
499-S1-8A	28-JAN-91	7.83		PH		28-AUG-91		6.68		PH				
	25-JAN-91	7.51		PH		28-AUG-91		6.69		PH				
	499-S1-8B	18-JAN-91	6.97		PH		28-AUG-91	6.69		PH				
		01-JUL-91	8.72		PH		28-AUG-91	6.69		PH				
		29-JUL-91	8.41		PH		10-SEP-91	7.26		PH				
15-AUG-91		8.53		PH		04-DEC-91	7.15		PH					
09-SEP-91		7.35		PH		27-DEC-91	6.98		PH					
499-S1-8J	10-OCT-91	8.03		PH		699-24-33	27-DEC-91	6.94		PH				
	27-NOV-91	7.92		PH			27-DEC-91	6.96		PH				
	23-DEC-91	7.78		PH			27-DEC-91	6.97		PH				

WELL NAME	PH DATA				WELL NAME	PH DATA			
	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS DATA REVIEW		SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS DATA REVIEW
699-24-34A	27-AUG-91	6.75		PH	699-26-33	27-AUG-91	7.57		PH
	27-AUG-91	6.75		PH		27-AUG-91	7.59		PH
	27-AUG-91	6.72		PH		27-AUG-91	7.60		PH
	27-AUG-91	6.73		PH		27-AUG-91	7.60		PH
	26-DEC-91	7.13		PH	699-26-34	27-AUG-91	6.97		PH
699-24-34B	26-DEC-91	7.12		PH		27-AUG-91	7.03		PH
	26-DEC-91	7.12		PH		27-AUG-91	6.99		PH
	26-DEC-91	7.13		PH		27-AUG-91	6.99		PH
	27-AUG-91	6.87		PH		27-AUG-91	6.54		PH
699-24-34C	27-AUG-91	6.89		PH	699-26-35A	27-AUG-91	6.64		PH
	27-AUG-91	6.89		PH		27-AUG-91	6.63		PH
	27-AUG-91	6.88		PH		27-AUG-91	6.57		PH
	26-DEC-91	7.16		PH		27-DEC-91	7.34		PH
	26-DEC-91	7.15		PH		27-DEC-91	7.32		PH
699-24-35	26-DEC-91	7.15		PH	699-26-35C	27-DEC-91	7.32		PH
	26-DEC-91	7.16		PH		27-DEC-91	7.33		PH
	27-AUG-91	7.00		PH		27-AUG-91	7.77		PH
	27-AUG-91	6.99		PH		15-AUG-91	8.29		PH
	27-AUG-91	7.02		PH	699-29-4	16-AUG-91	7.17		PH
699-25-33A	27-AUG-91	7.02		PH		28-JAN-91	7.42		PH
	26-DEC-91	7.09		PH		17-JAN-91	8.06		PH
	26-DEC-91	7.08		PH		16-DEC-91	9.34		PH
	26-DEC-91	7.08		PH		31-JUL-91	8.07		PH
699-25-34A	26-DEC-91	7.09		PH	699-32-43	16-JAN-91	7.72		PH
	28-AUG-91	7.25		PH		28-MAR-91	7.60		PH
	28-AUG-91	7.31		PH		18-JUN-91	8.36		PH
	28-AUG-91	7.32		PH		10-SEP-91	7.85		PH
	28-AUG-91	7.31		PH		04-DEC-91	7.88		PH
699-25-34B	27-DEC-91	7.16		PH	699-32-70B	18-DEC-91	7.60		PH
	27-DEC-91	7.09		PH		18-DEC-91	6.47		PH
	27-DEC-91	7.05		PH		29-MAR-91	7.80		PH
	27-DEC-91	7.11		PH		15-OCT-91	8.33		PH
	27-AUG-91	7.66		PH	699-34-8	21-AUG-91	7.98		PH
699-25-34C	27-AUG-91	7.68		PH		21-AUG-91	7.98		PH
	27-AUG-91	7.69		PH		21-AUG-91	7.98		PH
	27-AUG-91	7.66		PH		21-AUG-91	7.98		PH
	27-AUG-91	7.65		PH	699-35-66	15-AUG-91	8.13		PH
	27-AUG-91	7.66		PH		17-JAN-91	7.44		PH
699-25-34D	27-AUG-91	7.68		PH		15-APR-91	8.27		PH
	27-AUG-91	7.68		PH		14-JUN-91	7.10		PH
	17-APR-91	7.49		PH		10-SEP-91	7.50		PH
	17-APR-91	7.49		PH	699-35-70A	04-DEC-91	7.65		PH
	17-APR-91	7.50		PH		25-SEP-91	8.26		PH

PH DATA					
WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
699-35-9	05-SEP-91	7.69		PH	
699-36-46Q	16-JAN-91	8.48		PH	
699-36-61A	15-AUG-91	8.20		PH	
699-36-61B	17-SEP-91	7.58		PH	
699-36-93	17-SEP-91	7.76		PH	
699-37-43	23-DEC-91	8.27		PH	
699-37-82A	15-AUG-91	9.91		PH	
699-37-E4	24-SEP-91	7.37		PH	
699-38-15	21-AUG-91	7.74		PH	
699-38-65	16-JAN-91	7.54		PH	
	01-AIR-91	7.26		PH	
	14-JUN-91	7.40		PH	
	10-SEP-91	7.74		PH	
	04-DEC-91	7.77		PH	
699-38-70	29-JAN-91	7.20		PH	
	30-DEC-91	7.89		PH	
699-39-0	22-AUG-91	7.78		PH	
699-39-39	30-AUG-91	6.89		PH	
699-39-79	29-JAN-91	7.99		PH	
699-40-1	18-JAN-91	7.77		PH	
	29-MAR-91	7.78		PH	
	26-JUN-91	7.75		PH	
	26-JUN-91	7.80		PH	
	10-SEP-91	7.90		PH	
	03-DEC-91	7.79		PH	
699-40-33A	16-JAN-91	8.14		PH	
	15-APR-91	8.61		PH	
	20-JUN-91	8.17		PH	
	10-SEP-91	8.21		PH	
	04-DEC-91	8.28		PH	
699-40-39	15-APR-91	7.15		PH	
	08-JUL-91	8.08		PH	
	11-SEP-91	8.00		PH	
	31-DEC-91	7.63		PH	
699-40-62	30-DEC-91	8.01		PH	
699-41-1	16-JAN-91	8.24		PH	
	15-APR-91	7.60		PH	
	26-JUN-91	7.71		PH	
	10-SEP-91	7.79		PH	
	03-DEC-91	7.82		PH	
699-41-23	05-SEP-91	8.33		PH	

PH DATA					
WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
699-41-40	15-APR-91	8.38		PH	
	10-JUL-91	8.33		PH	
	11-SEP-91	8.31		PH	
699-42-12A	04-JAN-91	7.57		PH	
	06-FEB-91	7.61		PH	
	06-MAR-91	8.07		PH	
699-42-2	09-DEC-91	7.98		PH	
	09-DEC-91	7.84		PH	
699-42-40A	08-JUL-91	8.01		PH	
699-42-42B	08-JUL-91	8.13		PH	
699-43-3	04-JAN-91	7.55		PH	
	04-JAN-91	7.55		PH	
	06-FEB-91	7.68		PH	
	06-MAR-91	7.90		PH	
	18-JUL-91	7.79		PH	
	18-JUL-91	7.80		PH	
699-43-41E	07-FEB-91	8.53		PH	
	18-APR-91	8.51		PH	
	18-APR-91	8.50		PH	
	18-APR-91	8.49		PH	
	18-APR-91	8.48		PH	
	28-JUN-91	8.16		PH	
	28-JUN-91	8.00		PH	
	28-JUN-91	8.20		PH	
	28-JUN-91	8.00		PH	
	28-JUN-91	8.30		PH	
	28-JUN-91	8.00		PH	
	28-JUN-91	8.00		PH	
	28-JUN-91	8.00		PH	
	28-JUN-91	8.00		PH	
	11-SEP-91	8.15		PH	
699-43-41F	07-FEB-91	8.22		PH	
	18-APR-91	7.98		PH	
	18-APR-91	7.99		PH	
	18-APR-91	7.99		PH	
	18-APR-91	8.00		PH	
	02-JUL-91	8.21		PH	
	02-JUL-91	8.00		PH	
	02-JUL-91	8.00		PH	
	02-JUL-91	8.00		PH	
	11-SEP-91	7.79		PH	
699-43-42J	02-JUL-91	8.25		PH	
	02-JUL-91	8.15		PH	
	02-JUL-91	8.00		PH	
	02-JUL-91	8.00		PH	
	02-JUL-91	8.00		PH	
699-43-43	08-JUL-91	8.14		PH	
699-43-45	08-JUL-91	8.15		PH	
	11-SEP-91	8.15		PH	

PH DATA						PH DATA					
WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW	WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
699-43-88	29-JAN-91	7.65		PH		699-53-48A	29-JAN-91	6.90		PH	
699-44-42	10-JUL-91	8.20		PH		699-53-48B	02-OCT-91	9.87		PH	
699-44-43B	08-JUL-91	8.13		PH		699-54-34	28-JAN-91	6.46		PH	
	11-SEP-91	8.28		PH		699-54-48	23-SEP-91	8.00		PH	
699-44-64	10-DEC-91	7.76		PH		699-54-57	13-MAY-91	8.44		PH	
699-45-2	09-DEC-91	7.96		PH		699-55-40	15-OCT-91	9.89		PH	
	09-DEC-91	7.71		PH		699-55-76	30-JAN-91	7.93		PH	
699-45-69A	09-DEC-91	7.93		PH		699-55-89	30-JAN-91	8.01		PH	
	30-DEC-91	8.15		PH		699-57-29A	30-JAN-91	7.38		PH	
699-46-21B	28-JAN-91	6.38		PH		30-JAN-91	30-JAN-91	6.86		PH	
699-46-4	04-JAN-91	7.58		PH		30-JAN-91	30-JAN-91	6.67		PH	
	06-FEB-91	8.08		PH		30-JAN-91	30-JAN-91	6.68		PH	
	06-MAR-91	7.35		PH							
	19-JUL-91	7.85		PH		699-58-24	14-OCT-91	8.37		PH	
699-47-35A	28-JAN-91	8.05		PH		699-59-58	31-JAN-91	8.27		PH	
699-47-46A	28-JAN-91	6.92		PH		699-60-60	14-OCT-91	9.23		PH	
699-47-5	04-JAN-91	7.67		PH		699-61-37	30-JAN-91	7.72		PH	
	06-FEB-91	7.84		PH		699-61-41	30-JAN-91	7.82		PH	
	06-MAR-91	7.50		PH		699-61-62	26-AUG-91	7.36		PH	
	19-JUL-91	7.79		PH		699-61-66	30-JAN-91	7.83		PH	
699-47-60	23-AUG-91	7.76		PH		699-62-31	22-AUG-91	7.45		PH	
699-48-18	31-JAN-91	7.64		PH		699-63-25A	31-JAN-91	7.81		PH	
699-49-100C	18-JAN-91	7.72		PH			23-AUG-91	23-AUG-91	7.71		PH
	04-APR-91	6.97		PH		699-63-55	30-JAN-91	7.98		PH	
	20-JUN-91	7.70		PH		06-SEP-91	06-SEP-91	8.00		PH	
699-49-28	28-JAN-91	7.15		PH		699-63-58	30-AUG-91	8.05		PH	
699-49-55A	23-AUG-91	7.85		PH		699-63-90	30-JAN-91	7.88		PH	
699-49-57B	21-MAY-91	7.86		PH		699-64-27	22-AUG-91	7.75		PH	
699-49-79	29-JAN-91	7.79		PH		699-64-62	06-SEP-91	7.88		PH	
699-50-53	21-JUN-91	7.52		PH		699-65-59A	31-JAN-91	7.95		PH	
	05-DEC-91	7.35		PH		06-SEP-91	06-SEP-91	7.94		PH	
699-50-53B	20-MAY-91	7.98		PH		699-66-23	22-AUG-91	7.80		PH	
699-51-63	28-JAN-91	7.58		PH		699-66-38	31-JAN-91	8.23		PH	
699-51-75	09-DEC-91	8.41		PH		699-66-39	30-JAN-91	8.51		PH	
	09-DEC-91	8.19		PH							
699-52-19	14-OCT-91	8.00		PH							
699-53-47A	10-DEC-91	7.73		PH							

PH DATA				PH DATA			
WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER
699-66-58	31-JAN-91	8.07	PH	699-827-E14	10-LJC-91	7.50	PH
	23-SEP-91	7.84	PH	699-828-E0	01-FEB-91	7.86	PH
699-67-51	31-JAN-91	8.28	PH	699-829-E12	09-DEC-91	7.93	PH
699-67-80	30-JAN-91	7.81	PH		09-DEC-91	7.57	PH
699-72-88	23-AUG-91	7.83	PH	699-83-25	20-DEC-91	8.10	PH
699-73-61	23-AUG-91	8.15	PH		20-DEC-91	8.19	PH
699-74-44	31-JAN-91	8.28	PH	699-83-E12	12-SEP-91	7.72	PH
699-77-36	22-AUG-91	7.64	PH	699-830-E10A	24-JUL-91	7.65	PH
699-77-54	31-JAN-91	7.88	PH		10-DEC-91	7.51	PH
699-78-62	30-JAN-91	7.91	PH	699-830-E10B	24-JUL-91	7.69	PH
699-8-17	30-JUL-91	7.85	PH		10-DEC-91	7.53	PH
	09-DEC-91	8.12	PH	699-830-E15A	18-JAN-91	7.38	PH
699-8-25	30-JUL-91	7.50	PH		29-MAR-91	6.92	PH
	09-DEC-91	7.85	PH		21-JUN-91	7.61	PH
699-81-58	04-SEP-91	7.97	PH		21-JUN-91	7.55	PH
	25-SEP-91	8.20	PH		09-SEP-91	6.57	PH
699-83-47	31-JAN-91	7.91	PH	699-831-1	20-DEC-91	8.00	PH
699-87-55	12-SEP-91	6.78	PH		20-DEC-91	7.95	PH
699-90-45	23-SEP-91	7.65	PH	699-831-E10A	23-JUL-91	7.73	PH
699-96-49	23-AUG-91	8.13	PH	699-831-E10B	23-JUL-91	7.59	PH
699-97-43	12-SEP-91	7.49	PH	699-831-E10C	23-JUL-91	7.93	PH
699-97-51A	12-SEP-91	7.40	PH	699-831-E10D	23-JUL-91	7.74	PH
699-811-E12A	29-JUL-91	7.83	PH	699-831-E13	24-JUL-91	7.37	PH
699-812-29	05-FEB-91	7.97	PH	699-831-E8	24-JUL-91	8.22	PH
699-812-3	17-JAN-91	8.08	PH	699-832-E13A	24-JUL-91	7.49	PH
	31-JUL-91	8.54	PH	699-832-E13B	25-JUL-91	7.44	PH
	15-OCT-91	9.54	PH	699-832-E8	25-JUL-91	7.98	PH
699-819-11	16-JAN-91	7.78	PH	699-834-E10	25-JUL-91	7.82	PH
	01-APR-91	7.90	PH	699-836-E12B	25-JUL-91	9.26	PH
	24-JUN-91	7.80	PH	699-836-E13A	30-AUG-91	6.95	PH
	10-SEP-91	7.77	PH	699-836-E13B	30-AUG-91	7.12	PH
	04-DEC-91	7.73	PH	699-837-E11	29-AUG-91	7.77	PH
699-819-E13	01-FEB-91	7.94	PH	699-837-E14	29-AUG-91	8.07	PH
	29-MAR-91	7.51	PH		17-OCT-91	7.90	PH
	21-JUN-91	8.02	PH	699-838-E11	29-AUG-91	7.80	PH
	13-DEC-91	8.28	PH	699-838-E12A	29-AUG-91	7.89	PH
699-827-E14	10-DEC-91	8.00	PH				

WELL NAME	PH DATA			UNITS	DATA REVIEW
	SAMPLE DATE	CONCENTRATION	QUALIFIER		
699-S38-E12B	29-AUG-91	7.79		PH	
699-S40-E14	29-AUG-91	7.87		PH	
699-S41-E11	30-AUG-91	8.06		PH	
699-S41-E13A	29-AUG-91	7.09		PH	
	17-OCT-91	7.83		PH	
699-S41-E13B	29-AUG-91	7.41		PH	
	17-OCT-91	7.32		PH	
699-S41-E13C	29-AUG-91	8.07		PH	
699-S43-E12	25-JUL-91	7.62		PH	
699-S6-E14A	29-JUL-91	8.33		PH	
	29-JUL-91	7.83		PH	
699-S6-E4B	17-JAN-91	7.89		PH	
699-S6-E4D	17-JAN-91	8.18		PH	
	29-MAR-91	7.57		PH	
	21-JUN-91	7.88		PH	
	10-SEP-91	7.29		PH	
699-S8-19	03-DEC-91	7.75		PH	
	13-DEC-91	8.26		PH	
	13-DEC-91	7.92		PH	

WELL NAME	TDS DATA			QUALIFIER	UNITS	DATA REVIEW
	SAMPLE DATE	CONCENTRATION				
299-E13-14	11-JUN-91	310.00			MG/L	
299-E17-13	18-JUN-91	220.00			MG/L	
299-E24-19	22-NOV-91	140.00			MG/L	
299-E25-41	21-NOV-91	270.00			MG/L	
299-E27-15	21-NOV-91	190.00			MG/L	
299-W15-19	25-NOV-91	360.00			MG/L	
299-W15-24	25-NOV-91	210.00			MG/L	
299-W19-29	14-JUN-91	870.00			MG/L	
	25-NOV-91	740.00			MG/L	
299-W19-30	13-JUN-91	2100.00			MG/L	
299-W6-2	20-NOV-91	280.00			MG/L	
299-W7-6	19-NOV-91	420.00			MG/L	
699-30-70	30-DEC-91	680.00			MG/L	
699-40-62	30-DEC-91	310.00			MG/L	
699-45-69A	30-DEC-91	260.00			MG/L	

TEMPERATURE DATA						TEMPERATURE DATA					
WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW	WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
1199-41-13C	31-MAY-91	17.40		DEG-C		199-H4-14	07-JUN-91	18.50		DEG-C	
199-B3-1	11-DEC-91	24.20		DEG-C			13-SEP-91	19.40		DEG-C	
199-B4-1	11-DEC-91	24.50		DEG-C		199-H4-15A	22-AUG-91	18.30		DEG-C	
199-B4-2	11-DEC-91	23.60		DEG-C			13-SEP-91	18.70		DEG-C	
199-B4-3	30-MAY-91	25.20		DEG-C		199-H4-15B	22-AUG-91	16.60		DEG-C	
199-B4-4	11-DEC-91	24.00		DEG-C		199-H4-16	07-JUN-91	18.10		DEG-C	
199-B4-5	18-SEP-91	25.00		DEG-C		199-H4-17	16-AUG-91	20.20		DEG-C	
199-B4-6	19-SEP-91	23.40		DEG-C		199-H4-18	10-APR-91	18.20		DEG C	
199-B4-7	18-SEP-91	23.90		DEG-C			13-SEP-91	19.10		DEG-C	
199-B9-1	11-DEC-91	23.40		DEG-C		199-H4-3	28-MAR-91	18.50		DEG C	
199-D2-5	30-OCT-91	18.10		DEG-C			10-APR-91	19.20		DEG C	
199-D5-12	30-OCT-91	22.80		DEG-C			07-JUN-91	19.90		DEG-C	
199-D8-3	30-OCT-91	27.80		DEG-C			16-AUG-91	20.30		DEG-C	
199-F5-1	30-OCT-91	18.90		DEG-C		199-H4-4	24-OCT-91	19.30		DEG-C	
199-F5-3	31-MAY-91	19.70		DEG-C			13-NOV-91	19.30		DEG-C	
199-F5-4	19-SEP-91	19.10		DEG-C			03-DEC-91	19.40		DEG-C	
199-F5-6	19-SEP-91	24.70		DEG-C			12-DEC-91	18.10		DEG-C	
199-F7-1	19-SEP-91	16.90		DEG-C		199-H4-5	22-AUG-91	18.50		DEG-C	
199-F8-2	19-SEP-91	17.90		DEG-C			13-SEP-91	18.60		DEG-C	
199-H3-1	06-JUN-91	17.40		DEG-C		199-H4-6	10-JUN-91	18.10		DEG-C	
199-H3-2A	11-APR-91	17.50		DEG C			12-SEP-91	18.60		DEG-C	
	06-JUN-91	18.30		DEG-C		199-H4-7	06-JUN-91	18.30		DEG-C	
	12-SEP-91	18.40		DEG-C			12-SEP-91	18.50		DEG-C	
199-H3-2C	06-JUN-91	18.40		DEG-C		199-H4-8	16-AUG-91	18.30		DEG-C	
	13-SEP-91	19.40		DEG-C			12-SEP-91	18.80		DEG-C	
199-H4-11	07-JUN-91	18.60		DEG-C		199-H4-9	06-JUN-91	18.90		DEG-C	
	12-SEP-91	19.20		DEG-C			01-AUG-91	17.80		DEG-C	
199-H4-12A	11-APR-91	17.80		DEG C			16-AUG-91	18.70		DEG-C	
	07-JUN-91	18.40		DEG-C			12-SEP-91	18.20		DEG-C	
	12-SEP-91	19.30		DEG-C			24-OCT-91	18.20		DEG-C	
199-H4-12B	22-AUG-91	19.60		DEG-C			13-NOV-91	18.80		DEG-C	
							12-DEC-91	17.90		DEG-C	
199-H4-12C	07-JUN-91	20.10		DEG-C		199-K-11	26-SEP-91	20.40		DEG-C	
	12-SEP-91	19.90		DEG-C		199-K-27	26-FEB-91	15.70		DEG C	
199-H4-13	23-AUG-91	20.40		DEG-C			17-APR-91	15.10		DEG C	
	08-OCT-91	21.80		DEG-C							

TEMPERATURE DATA						TEMPERATURE DATA					
WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW	WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
199-K-28	26-FEB-91	15.60		DEG C		199-N-55	05-NOV-91	19.00		DEG-C	
	17-APR-91	15.10		DEG C		199-N-56	05-SEP-91	20.80		DEG-C	
199-K-29	26-FEB-91	16.40		DEG C			02-OCT-91	20.70		DEG-C	
	18-APR-91	15.50		DEG C			11-OCT-91	20.50		DEG-C	
199-K-30	26-FEB-91	15.00		DEG C			05-NOV-91	19.90		DEG-C	
	17-APR-91	15.10		DEG C		199-N-57	25-MAR-91	17.50		DEG C	
199-N-14	17-JAN-91	20.30		DEG C			05-NOV-91	18.60		DEG-C	
	28-MAR-91	20.30		DEG C		199-N-59	27-MAR-91	16.90		DEG C	
	18-SEP-91	21.10		DEG-C			03-SEP-91	17.60		DEG-C	
	05-DEC-91	20.60		DEG-C		199-N-66	05-NOV-91	18.20		DEG-C	
199-N-17	05-SEP-91	22.00		DEG-C		199-N-67	25-MAR-91	20.00		DEG C	
	26-SEP-91	24.20		DEG-C			22-NOV-91	21.20		DEG-C	
199-N-20	08-OCT-91	19.80		DEG-C		199-N-69	22-NOV-91	21.10		DEG-C	
199-N-21	05-SEP-91	20.40		DEG-C		199-N-70	17-JAN-91	18.90		DEG C	
	26-SEP-91	24.60		DEG-C			04-SEP-91	19.40		DEG-C	
199-N-25	08-OCT-91	19.30		DEG-C			02-OCT-91	19.30		DEG-C	
199-N-28	11-DEC-91	19.40		DEG-C		299-E13-14	11-JUN-91	22.00		DEG-C	
199-N-29	04-SEP-91	18.70		DEG-C		299-E17-1	13-AUG-91	24.90		DEG-C	
199-N-3	05-FEB-91	19.80		DEG C		299-E17-12	25-MAR-91	19.50		DEG C	
	25-MAR-91	20.50		DEG C			13-SEP-91	18.90		DEG-C	
	10-APR-91	20.70		DEG C		299-E17-13	18-JUN-91	19.40		DEG-C	
	05-DEC-91	20.90		DEG-C			13-SEP-91	19.70		DEG-C	
199-N-32	10-APR-91	17.90		DEG C			31-DEC-91	19.30		DEG-C	
	18-SEP-91	19.50		DEG-C		299-E17-14	28-AUG-91	21.20		DEG-C	
	05-DEC-91	18.10		DEG-C		299-E17-15	03-SEP-91	19.00		DEG-C	
199-N-33	04-SEP-91	18.50		DEG-C			01-OCT-91	20.90		DEG-C	
199-N-36	04-SEP-91	18.90		DEG-C			04-NOV-91	20.00		DEG-C	
199-N-41	25-SEP-91	21.10		DEG-C			19-DEC-91	16.30		DEG-C	
199-N-47	05-SEP-91	21.10		DEG-C			31-DEC-91	17.80		DEG-C	
	05-NOV-91	20.50		DEG-C		299-E17-16	28-AUG-91	18.60		DEG-C	
199-N-5	08-OCT-91	20.00		DEG-C			19-DEC-91	17.60		DEG-C	
199-N-50	30-OCT-91	19.90		DEG-C		299-E17-17	26-AUG-91	18.20		DEG-C	
199-N-51	30-OCT-91	19.60		DEG-C		299-E17-18	26-AUG-91	18.30		DEG-C	
199-N-54	05-SEP-91	20.30		DEG-C			19-DEC-91	14.70		DEG-C	
	02-OCT-91	19.60		DEG-C		299-E17-19	10-OCT-91	23.40		DEG-C	
	11-OCT-91	19.80		DEG-C		299-E17-2	04-NOV-91	18.10		DEG-C	
	05-NOV-91	19.70		DEG-C		299-E17-20	24-JUL-91	21.60		DEG-C	
199-N-55	05-SEP-91	18.90		DEG-C			14-AUG-91	21.90		DEG-C	
	02-OCT-91	19.70		DEG-C			30-SEP-91	21.10		DEG-C	
	11-OCT-91	19.30		DEG-C		299-E17-5	26-AUG-91	19.80		DEG-C	

TEMPERATURE DATA

WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
299-E17-6	26-SEP-91	21.30		DEG-C	
299-E17-8	18-JUN-91	21.00		DEG-C	
299-E18-1	09-JUL-91	21.50		DEG-C	
299-E18-2	06-SEP-91	22.30		DEG-C	
299-E18-3	06-SEP-91	19.80		DEG-C	
299-E18-4	06-SEP-91	19.70		DEG-C	
299-E23-1	24-MAY-91	19.60		DEG-C	
299-E24-1	29-MAY-91	18.90		DEG-C	
299-E24-11	29-MAY-91	21.40		DEG-C	
299-E24-12	12-DEC-91	19.10		DEG-C	
299-E24-13	28-JAN-91	18.50		DEG-C	
299-E24-16	20-AUG-91	15.80		DEG C	
299-E24-17	13-AUG-91	22.20		DEG-C	
299-E24-18	13-AUG-91	21.40		DEG-C	
299-E24-19	26-JUL-91	19.00		DEG-C	
299-E24-2	22-NOV-91	18.90		DEG-C	
299-E24-20	21-MAR-91	17.30		DEG-C	
299-E24-24	15-NOV-91	20.30		DEG C	
299-E24-4	03-OCT-91	16.80		DEG-C	
299-E24-7	23-MAY-91	19.10		DEG-C	
299-E25-11	21-MAR-91	20.10		DEG-C	
299-E25-13	11-JUL-91	20.00		DEG C	
299-E25-18	04-JUN-91	22.20		DEG C	
299-E25-19	12-JUL-91	20.10		DEG-C	
299-E25-20	31-JUL-91	177.00		DEG-C	
299-E25-21	01-OCT-91	18.20		DEG-C	
299-E25-22	16-JUL-91	20.00		DEG-C	
	03-OCT-91	19.90		DEG-C	
	18-JUL-91	20.20		DEG-C	
	01-OCT-91	21.30		DEG-C	
	16-JUL-91	20.30		DEG-C	
	03-OCT-91	17.30		DEG-C	
	11-JUL-91	24.90		DEG-C	
	31-DEC-91	23.20		DEG-C	
	12-DEC-91	19.70		DEG-C	

Y

TEMPERATURE DATA

WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
299-E25-23	18-JUL-91	31.80		DEG-C	
299-E25-25	25-JUN-91	13.30		DEG-C	
299-E25-26	16-SEP-91	13.90		DEG-C	
299-E25-28	27-MAR-91	16.60		DEG C	
299-E25-30P	27-SEP-91	16.90		DEG C	
299-E25-31	10-APR-91	21.20		DEG-C	
299-E25-32P	17-APR-91	16.80		DEG C	
299-E25-33	12-JUL-91	16.90		DEG C	
299-E25-34	27-JUN-91	17.20		DEG-C	
299-E25-35	01-DEC-91	18.00		DEG-C	
299-E25-36	25-JUN-91	16.70		DEG-C	
299-E25-37	31-DEC-91	20.40		DEG-C	
299-E25-38	29-MAY-91	15.60		DEG-C	
299-E25-39	29-MAY-91	19.00		DEG-C	
299-E25-40	25-JUN-91	25.60		DEG-C	
299-E25-41	25-JUN-91	16.90		DEG-C	
299-E25-42	16-SEP-91	17.10		DEG-C	
299-E25-43	02-DEC-91	15.80		DEG-C	
299-E25-44	11-APR-91	16.10		DEG C	
299-E25-45	19-JUL-91	14.50		DEG-C	
299-E25-46	26-SEP-91	14.50		DEG-C	
299-E25-47	27-JUN-91	16.70		DEG-C	
299-E25-48	16-SEP-91	16.80		DEG-C	
299-E25-49	10-APR-91	16.30		DEG C	
299-E25-50	27-SEP-91	16.60		DEG-C	
299-E25-51	02-DEC-91	15.40		DEG-C	
299-E25-52	17-APR-91	19.60		DEG C	
299-E25-53	19-JUL-91	20.20		DEG-C	
299-E25-54	01-OCT-91	20.80		DEG-C	
299-E25-55	02-DEC-91	18.80		DEG-C	
299-E25-56	11-JUL-91	16.90		DEG-C	
299-E25-57	20-AUG-91	17.20		DEG-C	
299-E25-58	30-SEP-91	17.40		DEG-C	
299-E25-59	26-JUN-91	17.60		DEG-C	
299-E25-60	16-SEP-91	19.50		DEG-C	
299-E25-61	26-JUN-91	16.50		DEG-C	
299-E25-62	16-SEP-91	18.20		DEG-C	
299-E25-63	26-JUN-91	15.90		DEG-C	
299-E25-64	16-SEP-91	16.60		DEG-C	
299-E25-65	20-JUL-91	17.90		DEG-C	
299-E25-66	20-NOV-91	17.20		DEG-C	
299-E25-67	02-DEC-91	16.50		DEG-C	
299-E25-68	26-JUL-91	18.90		DEG-C	
299-E25-69	21-NOV-91	16.80		DEG-C	

TEMPERATURE DATA						TEMPERATURE DATA					
WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW	WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
299-E25-41	02-DEC-91	16.50		DEG-C		299-E28-19	20-SEP-91	21.70		DEG-C	
299-E25-42	28-OCT-91	18.00		DEG-C		299-E28-21	20-SEP-91	20.20		DEG-C	
299-E26-10	27-JUN-91	18.50		DEG-C		299-E28-24	23-SEP-91	17.40		DEG-C	
	25-SEP-91	21.40		DEG-C							
299-E26-11	27-JUN-91	17.50		DEG-C		299-E28-25	31-JAN-91	14.60		DEG C	
	27-SEP-91	20.60		DEG-C		299-E28-26	26-MAR-91	18.80		DEG C	
299-E26-12	28-OCT-91	13.60		DEG-C			06-AUG-91	19.60		DEG-C	
299-E26-13	28-OCT-91	19.30		DEG-C			23-SEP-91	20.80		DEG-C	
299-E26-4	24-MAY-91	17.80		DEG-C		299-E28-27	01-AUG-91	18.40		DEG-1	
							23-SEP-91	18.50		DEG-C	
299-E26-6	21-MAR-91	8.00		DEG C		299-E28-28	02-AUG-91	19.30		DEG-C	
							23-SEP-91	18.70		DEG-C	
299-E26-9	27-JUN-91	19.20		DEG-C		299-E28-7	01-FEB-91	17.00		DEG C	
	25-SEP-91	22.30		DEG-C							
299-E27-10	31-JUL-91	19.40		DEG-C		299-E28-9	16-MAY-91	22.90		DEG C	
299-E27-11	06-NOV-91	17.50		DEG-C		299-E32-1	28-JAN-91	16.10		DEG C	
299-E27-12	23-JUL-91	19.30		DEG-C		299-E32-2	02-AUG-91	18.20		DEG-C	
	18-NOV-91	19.00		DEG-C			23-SEP-91	17.40		DEG-C	
	02-DEC-91	19.00		DEG-C		299-E32-3	26-MAR-91	18.10		DEG C	
299-E27-13	23-JUL-91	19.20		DEG-C			02-AUG-91	18.20		DEG-C	
	15-NOV-91	19.00		DEG-C			20-SEP-91	19.40		DEG-C	
	02-DEC-91	18.30		DEG-C			02-DEC-91	17.70		DEG-C	
299-E27-14	23-JUL-91	19.00		DEG-C		299-E32-4	05-AUG-91	19.70		DEG-C	
							23-SEP-91	18.00		DEG-C	
299-E27-15	24-JUL-91	19.20		DEG-C		299-E32-5	26-MAR-91	18.90		DEG C	
	21-NOV-91	18.60		DEG-C			02-AUG-91	18.20		DEG-C	
299-E27-16	09-SEP-91	18.70		DEG-C			20-SEP-91	19.10		DEG-C	
299-E27-5	09-JAN-91	17.70		DEG C		299-E33-26	28-JAN-91	17.80		DEG C	
299-E27-7	25-JUL-91	20.10		DEG-C		299-E33-28	31-JUL-91	17.80		DEG-C	
							24-SEP-91	17.80		DEG-C	
299-E27-8	01-AUG-91	19.90		DEG-C		299-E33-29	31-JUL-91	16.80		DEG-C	
	01-AUG-91	19.80		DEG-C			23-SEP-91	19.20		DEG-C	
	01-AUG-91	19.90		DEG-C							
	01-AUG-91	19.90		DEG-C		299-E33-3	08-JAN-91	17.90		DEG C	
299-E27-9	26-JUL-91	20.30		DEG-C							
299-E28-11	26-MAR-91	8.00		DEG C		299-E33-30	05-AUG-91	18.40		DEG-C	
							23-SEP-91	19.10		DEG-C	
299-E28-12	16-MAY-91	20.30		DEG-C			03-DEC-91	18.10		DEG-C	
299-E28-16	31-DEC-91	22.20		DEG-C		299-E33-31	23-JUL-91	18.90		DEG-C	
							15-NOV-91	18.40		DEG-C	
299-E28-17	21-MAR-91	18.50		DEG C		299-E33-32	23-JUL-91	18.40		DEG-C	
							22-NOV-91	18.50		DEG-C	
299-E28-18	21-MAR-91	19.10		DEG C		299-E33-33	22-JUL-91	17.90		DEG-C	
	13-SEP-91	20.50		DEG-C							

TEMPERATURE DATA						TEMPERATURE DATA					
WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW	WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
299-E33-33	15-NOV-91	18.00		DEG-C		299-W14-5	02-JAN-91	22.30		DEG C	
299-E33-34	02-AUG-91	18.20		DEG-C		299-W14-6	03-JAN-91	21.70		DEG C	
	03-SEP-91	19.70		DEG-C			17-MAY-91	22.20		DEG-C	
	20-DEC-91	18.40		DEG-C							
299-E33-35	30-JUL-91	18.70		DEG-C		299-W15-10	02-JAN-91	19.70		DEG C	
	24-SEP-91	17.80		DEG-C		299-W15-11	02-JAN-91	18.70		DEG C	
299-E33-36	21-AUG-91	18.40		DEG-C		299-W15-12	04-NOV-91	20.00		DEG-C	
299-E33-37	09-SEP-91	18.00		DEG-C		299-W15-15	25-OCT-91	17.10		DEG-C	
299-E33-41	25-JUL-91	18.60		DEG-C			04-NOV-91	17.50		DEG-C	
	21-NOV-91	17.90		DEG-C		299-W15-16	30-JAN-91	17.70		DEG C	
299-E33-7							05-AUG-91	19.00		DEG-C	
	08-JAN-91	17.60		DEG C		299-W15-17	06-AUG-91	21.20		DEG-C	
299-E34-1	18-JAN-91	17.70		DEG C		299-W15-18	09-AUG-91	22.60		DEG-C	
299-E34-2	30-JUL-91	19.10		DEG-C		299-W15-19	14-NOV-91	18.30		DEG-C	
299-E34-3	29-JUL-91	20.20		DEG-C			25-NOV-91	17.50		DEG-C	
299-E34-5	29-JUL-91	17.50		DEG-C		299-W15-20	05-AUG-91	17.60		DEG-C	
299-E34-6	21-OCT-91	17.70		DEG-C			12-NOV-91	17.60		DEG-C	
	02-DEC-91	16.60		DEG-C		299-W15-22	24-SEP-91	18.50		DEG-C	
299-E34-7	04-NOV-91	20.30		DEG-C		299-W15-23	05-AUG-91	17.20		DEG-C	
	02-DEC-91	20.50		DEG-C			13-NOV-91	17.70		DEG-C	
299-E35-2						299-W15-24	05-AUG-91	17.80		DEG-C	
	27-JUN-91	20.00		DEG-C			12-NOV-91	17.20		DEG-C	
	25-SEP-91	21.90		DEG-C			25-NOV-91	17.50		DEG-C	
299-W10-1	04-JAN-91	17.60		DEG C		299-W15-3	04-JUN-91	21.10		DEG-C	
299-W10-13						299-W15-4	02-JAN-91	23.00		DEG C	
	08-AUG-91	20.60		DEG-C		299-W15-6	30-JAN-91	16.40		DEG C	
299-W10-14	07-NOV-91	18.90		DEG-C			06-FEB-91	17.40		DEG C	
	14-AUG-91	21.10		DEG-C			09-APR-91	17.46		DEG C	
299-W10-15	07-NOV-91	19.40		DEG-C			08-MAY-91	18.10		DEG C	
	22-JUL-91	18.20		DEG-C		299-W15-8	04-NOV-91	18.60		DEG-C	
	04-OCT-91	18.50		DEG-C			13-NOV-91	18.30		DEG-C	
299-W10-16						299-W15-9	31-JAN-91	14.50		DEG C	
	22-JUL-91	18.80		DEG-C		299-W18-17	29-JAN-91	20.30		DEG C	
	24-SEP-91	18.30		DEG-C			20-MAR-91	20.80		DEG C	
299-W10-17	25-NOV-91	18.70		DEG-C		299-W18-2	20-MAR-91	18.60		DEG C	
						299-W18-20	06-FEB-91	23.30		DEG C	
	09-OCT-91	18.40		DEG-C			20-MAR-91	22.40		DEG C	
299-W10-18	25-NOV-91	18.00		DEG-C		299-W18-21	07-AUG-91	16.90		DEG-C	
299-W10-4	24-SEP-91	20.50		DEG-C							
299-W10-9	02-JAN-91	18.70		DEG C							
299-W11-14	22-JUL-91	18.80		DEG-C							
	03-OCT-91	19.30		DEG-C							
	17-MAY-91	18.40		DEG-C							

TEMPERATURE DATA						TEMPERATURE DATA					
WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW	WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
299-W18-22	06-AUG-91	19.40		DEG-C		299-W22-26	04-JAN-91	19.00		DEG C	
299-W18-23	09-AUG-91	19.60		DEG-C		299-W22-39	14-NOV-91	19.40		DEG-C	
	25-NOV-91	16.40		DEG-C		299-W22-40	03-SEP-91	19.20		DEG-C	
299-W18-24	09-AUG-91	21.10		DEG-C		299-W22-41	03-SEP-91	20.00		DEG-C	
	02-OCT-91	15.40		DEG-C		299-W22-42	03-SEP-91	19.40		DEG-C	
299-W18-25	01-OCT-91	16.90		DEG-C		299-W22-43	04-SEP-91	19.00		DEG-C	
	05-DEC-91	17.20		DEG-C		299-W23-1	03-DEC-91	17.60		DEG-C	
299-W18-26	07-AUG-91	18.40		DEG-C		299-W23-10	31-DEC-91	17.30		DEG-C	
	12-NOV-91	17.30		DEG-C		299-W23-13	03-OCT-91	17.10		DEG-C	
299-W18-29	09-OCT-91	22.40		DEG-C		299-W23-14	09-OCT-91	17.40		DEG-C	
299-W18-4	04-NOV-91	20.00		DEG-C		299-W23-3	04-JAN-91	16.90		DEG C	
299-W18-9	06-FEB-91	17.90		DEG C		299-W23-4	31-DEC-91	15.30		DEG-C	
299-W19-1	03-DEC-91	15.90		DEG-C		299-W23-7	29-JAN-91	17.00		DEG C	
299-W19-13	02-OCT-91	17.90		DEG-C		299-W23-9	25-NOV-91	17.60		DEC-C	
299-W19-17	31-JAN-91	17.20		DEG C		299-W26-10	21-AUG-91	16.80		DEG-C	
299-W19-18	02-JAN-91	18.60		DEG C		299-W26-12	28-AUG-91	16.60		DEG-C	
299-W19-21	20-MAR-91	17.30		DEG C		299-W26-7	21-AUG-91	19.20		DEG-C	
	03-DEC-91	16.40		DEG-C		299-W26-8	28-AUG-91	17.50		DEG-C	
299-W19-24	20-MAR-91	19.30		DEG C		299-W26-9	30-DEC-91	16.40		DEG-C	
299-W19-27	20-MAR-91	17.40		DEG C		299-W26-9	20-AUG-91	17.60		DEG-C	
	03-DEC-91	14.70		DEG-C		299-W6-2	12-AUG-91	17.40		DEG-C	
299-W19-28	10-OCT-91	19.20		DEG-C			13-NOV-91	16.60		DEG-C	
299-W19-29	14-JUN-91	19.80		DEG-C			20-NOV-91	16.20		DEG-C	
	25-NOV-91	17.60		DEG-C		299-W7-1	07-AUG-91	19.20		DEG-C	
299-W19-3	18-JUL-91	18.60		DEG-C			08-NOV-91	18.60		DEG-C	
299-W19-30	13-JUN-91	19.80		DEG-C		299-W7-10	09-AUG-91	17.90		DEG-C	
299-W19-31	01-OCT-91	17.20		DEG-C			14-NOV-91	16.40		DEG-C	
299-W19-32	01-OCT-91	17.20		DEG-C		299-W7-2	07-AUG-91	17.90		DEG-C	
	05-DEC-91	17.20		DEG-C			08-NOV-91	16.20		DEG-C	
299-W22-18	08-JAN-91	15.20		DEG C		299-W7-3	08-AUG-91	18.30		DEG-C	
299-W22-2	03-DEC-91	17.50		DEG-C			08-NOV-91	16.90		DEG-C	
299-W22-20	18-JAN-91	20.00		DEG C		299-W7-4	27-MAR-91	14.90		DEG C	
	01-APR-91	20.50		DEG C			12-AUG-91	16.00		DEG-C	
	18-JUN-91	19.90		DEG-C			13-NOV-91	15.00		DEG-C	
	04-SEP-91	19.90		DEG-C		299-W7-5	27-MAR-91	14.70		DEG C	
	03-OCT-91	21.60		DEG-C			09-AUG-91	16.20		DEG-C	
	04-DEC-91	20.10		DEG-C							

TEMPERATURE DATA						TEMPERATURE DATA					
WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW	WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
299-W7-5	11-NOV-91	14.70		DEG-C		399-1-17A	17-OCT-91	22.10		DEG-C	
299-W7-6	12-AUG-91	17.60		DEG-C			24-OCT-91	21.00		DEG-C	
	08-NOV-91	16.70		DEG-C			29-OCT-91	18.90		DEG-C	
	19-NOV-91	16.50		DEG-C			05-NOV-91	19.30		DEG-C	
299-W7-7	09-AUG-91	16.40		DEG-C			15-NOV-91	20.40		DEG-C	
	08-NOV-91	15.60		DEG-C			22-NOV-91	19.60		DEG-C	
299-W7-8	09-AUG-91	18.10		DEG-C			03-DEC-91	19.90		DEG-C	
	11-NOV-91	17.00		DEG-C			10-DEC-91	18.40		DEG-C	
299-W7-9	09-AUG-91	19.60		DEG-C		399-1-17B	11-JUL-91	17.50		DEG-C	
	08-NOV-91	18.50		DEG-C			10-DEC-91	17.10		DEG-C	
299-W8-1	09-AUG-91	19.40		DEG-C		399-1-18A	15-JUL-91	16.50		DEG-C	
	13-NOV-91	18.80		DEG-C			13-DEC-91	16.10		DEG-C	
299-W9-1	08-AUG-91	20.90		DEG-C		399-1-18B	09-OCT-91	17.70		DEG-C	
	08-NOV-91	19.80		DEG-C		399-1-18C	09-OCT-91	17.40		DEG-C	
399-1-1	25-JAN-91	18.50		DEG C		399-1-3	13-DEC-91	20.60		DEG-C	
399-1-10	15-JUL-91	15.90		DEG-C		399-1-4	16-DEC-91	15.70		DEG-C	
	06-DEC-91	16.50		DEG-C		399-1-6	13-DEC-91	17.60		DEG-C	
399-1-11	18-DEC-91	16.70		DEG-C		399-1-7	09-JUL-91	15.50		DEG-C	
399-1-12	18-JUL-91	20.20		DEG-C			16-DEC-91	20.30		DEG-C	
	06-DEC-91	17.40		DEG-C		399-1-8	09-OCT-91	18.00		DEG-C	
399-1-13	16-JUL-91	18.10		DEG-C		399-1-9	09-OCT-91	18.40		DEG-C	
	11-DEC-91	16.30		DEG-C		399-2-1	09-JUL-91	15.30		DEG-C	
399-1-14	16-JUL-91	19.90		DEG-C			18-DEC-91	19.10		DEG-C	
	11-DEC-91	16.10		DEG-C		399-2-2	17-DEC-91	19.20		DEG-C	
399-1-15	16-JUL-91	16.80		DEG-C		399-2-3	17-DEC-91	18.00		DEG-C	
	11-DEC-91	16.30		DEG-C		399-3-1	13-DEC-91	20.10		DEG-C	
399-1-16A	11-JUL-91	15.80		DEG-C		399-3-10	12-JUL-91	16.50		DEG-C	
	06-DEC-91	19.20		DEG-C			18-DEC-91	16.00		DEG-C	
399-1-16B	11-JUL-91	16.50		DEG-C		399-3-11	25-JAN-91	16.30		DEG C	
	06-DEC-91	17.30		DEG-C		399-3-12	19-DEC-91	16.60		DEG-C	
399-1-17A	16-JAN-91	12.60		DEG C		399-3-2	25-JAN-91	16.70		DEG C	
	25-MAR-91	11.20		DEG C		399-3-3	25-JAN-91	14.90		DEG C	
	24-JUN-91	17.80		DEG-C		399-3-6	25-JAN-91	13.90		DEG C	
	11-JUL-91	17.60		DEG-C		399-3-7	12-JUL-91	16.90		DEG-C	
	01-AUG-91	21.10		DEG-C			17-DEC-91	15.50		DEG-C	
	08-AUG-91	22.90		DEG-C		399-3-9	15-JUL-91	16.00		DEG-C	
	14-AUG-91	23.60		DEG-C							
	23-AUG-91	27.80		DEG-C							
	29-AUG-91	26.20		DEG-C							
	04-SEP-91	26.10		DEG-C							
	11-SEP-91	25.60		DEG-C							
	17-SEP-91	24.70		DEG-C							
	26-SEP-91	18.00		DEG-C							
	04-OCT-91	24.30		DEG-C							
	09-OCT-91	23.90		DEG-C							

TEMPERATURE DATA

WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
399-3-9	17-DEC-91	16.60		DEG-C	
399-4-1	10-JUL-91	16.50		DEG-C	
	10-DEC-91	16.90		DEG-C	
399-4-10	25-JAN-91	17.60		DEG C	
399-4-11	15-JUL-91	16.00		DEG-C	
	11-DEC-91	16.90		DEG-C	
399-4-7	09-JUL-91	16.70		DEG-C	
	10-DEC-91	16.90		DEG-C	
399-4-9	18-JUL-91	16.30		DEG-C	
399-5-1	25-JAN-91	17.50		DEG C	
399-8-1	15-JUL-91	16.40		DEG-C	
	20-DEC-91	16.10		DEG-C	
399-8-2	18-DEC-91	15.50		DEG-C	
399-8-3	09-OCT-91	17.60		DEG-C	
499-80-7	18-JAN-91	16.00		DEG C	
	24-JUN-91	20.10		DEG-C	
	29-JUL-91	21.30		DEG-C	
	15-AUG-91	19.30		DEG-C	
	09-SEP-91	19.00		DEG-C	
	10-OCT-91	18.90		DEG-C	
	27-NOV-91	18.20		DEG-C	
	23-DEC-91	18.40		DEG-C	
499-50-8	18-JAN-91	14.50		DEG C	
	24-JUN-91	20.10		DEG-C	
	29-JUL-91	21.40		DEG-C	
	15-AUG-91	19.00		DEG-C	
	09-SEP-91	19.70		DEG-C	
	10-OCT-91	18.70		DEG-C	
	27-NOV-91	18.20		DEG-C	
	23-DEC-91	16.80		DEG-C	
499-51-7B	25-JAN-91	17.10		DEG C	
499-51-7C	25-JAN-91	18.80		DEG C	
499-51-8A	28-JAN-91	18.60		DEG C	
499-51-8B	25-JAN-91	18.90		DEG C	
499-51-8J	18-JAN-91	18.20		DEG C	
	01-JUL-91	19.10		DEG-C	
	29-JUL-91	21.50		DEG-C	
	15-AUG-91	20.00		DEG-C	
	09-SEP-91	19.70		DEG-C	
	10-OCT-91	19.60		DEG-C	
	27-NOV-91	19.30		DEG-C	
	23-DEC-91	19.20		DEG-C	
699-1-18	30-JUL-91	18.60		DEG-C	

TEMPERATURE DATA

WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
699-10-54A	09-DEC-91	16.70		DEG-C	
699-10-E12	09-DEC-91	17.00		DEG-C	
699-14-38	09-DEC-91	17.70		DEG-C	
699-17-5	16-JAN-91	15.20		DEG C	
	28-MAR-91	16.20		DEG C	
	20-JUN-91	17.80		DEG-C	
	11-SEP-91	18.20		DEG-C	
	04-DEC-91	17.70		DEG-C	
699-17-70	15-OCT-91	17.60		DEG-C	
699-19-88	28-JAN-91	16.20		DEG C	
699-2-3	29-JUL-91	19.30		DEG-C	
699-2-7	21-MAR-91	17.50		DEG C	
	18-DEC-91	17.20		DEG-C	
699-20-20	31-JUL-91	18.80		DEG-C	
699-20-E12	16-DEC-91	16.50		DEG-C	
699-20-E12P	15-DEC-91	15.70		DEG-C	
699-21-6	30-JUL-91	17.50		DEG-C	
699-23-34	27-AUG-91	18.30		DEG-C	
	26-DEC-91	18.10		DEG-C	
699-24-1T	16-DEC-91	13.70		DEG-C	
699-24-33	18-JAN-91	19.60		DEG C	
	28-MAR-91	19.50		DEG C	
	20-JUN-91	19.90		DEG-C	
	28-AUG-91	21.00		DEG-C	
	10-SEP-91	20.00		DEG-C	
	04-DEC-91	18.40		DEG-C	
	27-DEC-91	18.50		DEG-C	
699-24-34A	27-AUG-91	20.10		DEG-C	
	26-DEC-91	17.90		DEG-C	
699-24-34B	27-AUG-91	20.20		DEG-C	
	26-DEC-91	18.20		DEG-C	
699-24-34C	27-AUG-91	20.10		DEG-C	
	26-DEC-91	17.90		DEG-C	
699-24-35	28-AUG-91	18.60		DEG-C	
	27-DEC-91	17.80		DEG-C	
699-25-33A	27-AUG-91	21.00		DEG-C	
699-25-34A	27-AUG-91	19.60		DEG-C	
699-25-34B	17-APR-91	19.40		DEG C	
	27-AUG-91	20.60		DEG-C	

TEMPERATURE DATA						TEMPERATURE DATA					
WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW	WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
699-25-34C	27-AUG-91	19.40		DEG-C		699-37-24	24-SEP-91	17.50		DEG-C	
	26-DEC-91	18.20		DEG-C		699-38-15	21-AUG-91	17.20		DEG-C	
699-26-33	27-AUG-91	19.80		DEG-C		699-38-65	15-JAN-91	20.00		DEG C	
699-26-35A	27-AUG-91	19.90		DEG-C			01-APR-91	22.60		DEG C	
	27-DEC-91	18.60		DEG-C			14-JUN-91	21.00		DEG-C	
699-26-35C	27-AUG-91	20.30		DEG-C			10-SEP-91	22.30		DEG-C	
							04-DEC-91	21.90		DEG-C	
699-27-8	15-AUG-91	16.50		DEG-C		699-38-70	29-JAN-91	19.00		DEG C	
699-29-4	16-AUG-91	19.40		DEG-C			30-DEC-91	19.90		DEG-C	
699-29-78	28-JAN-91	17.40		DEG C		699-39-0	22-AUG-91	17.50		DEG-C	
699-31-31	17-JAN-91	20.40		DEG C		699-39-39	30-AUG-91	18.90		DEG-C	
699-31-31P	16-DEC-91	19.00		DEG-C		699-39-79	29-JAN-91	14.30		DEG C	
699-32-22	31-JUL-91	19.80		DEG-C		699-40-1	18-JAN-91	17.20		DEG C	
699-32-43	16-JAN-91	20.10		DEG C			29-MAR-91	17.50		DEG C	
	28-MAR-91	19.60		DEG C			26-JUN-91	19.20		DEG-C	
	18-JUN-91	19.30		DEG-C			10-SEP-91	17.90		DEG-C	
	10-SEP-91	20.50		DEG-C			03-DEC-91	16.70		DEG-C	
	04-DEC-91	18.90		DEG-C		699-40-33A	16-JAN-91	16.70		DEG C	
699-32-708	18-DEC-91	19.70		DEG-C			15-APR-91	18.00		DEG C	
699-32-72	18-DEC-91	19.90		DEG-C			20-JUN-91	181.00		DEG-C	Y
699-32-77	29-MAR-91	17.80		DEG C			10-SEP-91	18.60		DEG-C	
699-34-41B	15-OCT-91	18.90		DEG-C			04-DEC-91	16.70		DEG-C	
699-34-8	21-AUG-91	18.00		DEG-C		699-40-39	15-APR-91	15.80		DEG C	
							08-JUL-91	17.90		DEG-C	
699-35-66	15-AUG-91	22.30		DEG-C			11-SEP-91	17.70		DEG-C	
699-35-70	17-JAN-91	19.30		DEG C			31-DEC-91	15.90		DEG-C	
	15-APR-91	20.10		DEG C		699-40-62	30-DEC-91	20.60		DEG-C	
	14-JUN-91	20.50		DEG-C		699-41-1	16-JAN-91	17.80		DEG C	
	10-SEP-91	20.80		DEG-C			15-APR-91	17.20		DEG C	
	04-DEC-91	20.10		DEG-C			26-JUN-91	18.80		DEG-C	
699-35-78A	25-SEP-91	15.70		DEG-C			10-SEP-91	17.90		DEG-C	
699-35-9	05-SEP-91	17.80		DEG-C			03-DEC-91	16.50		DEG-C	
699-36-46Q	16-JAN-91	24.60		DEG C		699-41-23	05-SEP-91	19.20		DEG-C	
699-36-61A	15-AUG-91	23.30		DEG-C		699-41-40	15-APR-91	15.80		DEG C	
699-36-61B	17-SEP-91	23.20		DEG-C			10-JUL-91	16.50		DEG-C	
699-36-93	17-SEP-91	19.70		DEG-C			11-SEP-91	17.30		DEG-C	
699-37-43	23-DEC-91	17.50		DEG-C		699-42-12A	04-JAN-91	15.90		DEG C	
							06-FEB-91	17.20		DEG C	
							06-MAR-91	16.50		DEG C	
						699-42-2	09-DEC-91	16.70		DEG-C	
						699-42-40A	08-JUL-91	17.00		DEG-C	
699-37-82A	15-AUG-91	17.60		DEG-C		699-42-42B	08-JUL-91	16.30		DEG-C	

TEMPERATURE DATA				
WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS DATA REVIEW
699-43-3	04-JAN-91	16.00	DEG C	
	04-JAN-91	16.00	DEG C	
	06-FEB-91	17.90	DEG C	
	06-MAR-91	17.20	DEG C	
	18-JUL-91	17.50	DEG C	
699-43-41E	07-FEB-91	16.10	DEG C	
	18-APR-91	15.60	DEG C	
	28-JUN-91	16.20	DEG C	
	11-SEP-91	16.80	DEG C	
699-43-41F	07-FEB-91	16.10	DEG C	
	18-APR-91	16.00	DEG C	
	02-JUL-91	17.70	DEG C	
	11-SEP-91	16.20	DEG C	
699-43-42J	02-JUL-91	17.40	DEG C	
699-43-43	08-JUL-91	17.10	DEG C	
699-43-45	08-JUL-91	19.20	DEG C	
	11-SEP-91	18.90	DEG C	
699-43-88	29-JAN-91	17.20	DEG C	
699-44-42	10-JUL-91	16.70	DEG C	
699-44-43B	08-JUL-91	17.20	DEG C	
	11-SEP-91	17.30	DEG C	
699-44-64	10-DEC-91	19.90	DEG C	
699-45-2	09-DEC-91	16.50	DEG C	
699-45-69A	09-DEC-91	19.30	DEG C	
	30-DEC-91	19.10	DEG C	
699-46-21B	28-JAN-91	16.70	DEG C	
699-46-4	04-JAN-91	15.70	DEG C	
	06-FEB-91	17.00	DEG C	
	06-MAR-91	18.00	DEG C	
	19-JUL-91	17.40	DEG C	
699-47-35A	28-JAN-91	16.00	DEG C	
699-47-46A	28-JAN-91	17.40	DEG C	
699-47-5	04-JAN-91	15.80	DEG C	
	06-FEB-91	17.00	DEG C	
	06-MAR-91	17.50	DEG C	
	19-JUL-91	16.30	DEG C	
699-47-60	23-AUG-91	19.20	DEG C	
699-48-18	31-JAN-91	16.70	DEG C	
699-49-100C	18-JAN-91	17.10	DEG C	
	04-APR-91	11.90	DEG C	
	20-JUN-91	18.90	DEG C	

TEMPERATURE DATA				
WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS DATA REVIEW
699-49-28	28-JAN-91	14.20	DEG C	
699-49-55A	23-AUG-91	17.40	DEG C	
699-49-57B	21-MAY-91	19.80	DEG C	
699-49-79	29-JAN-91	17.80	DEG C	
699-50-53	21-JUN-91	19.10	DEG C	
	05-DEC-91	16.60	DEG C	
699-50-53B	20-MAY-91	18.10	DEG C	
699-51-63	28-JAN-91	17.10	DEG C	
699-51-75	09-DEC-91	18.10	DEG C	
699-52-19	14-OCT-91	17.20	DEG C	
699-53-47A	10-DEC-91	15.50	DEG C	
699-53-48A	29-JAN-91	15.20	DEG C	
699-53-48B	02-OCT-91	18.40	DEG C	
699-54-34	28-JAN-91	18.40	DEG C	
699-54-48	23-SEP-91	17.50	DEG C	
699-54-57	13-MAY-91	19.20	DEG C	
699-55-40	15-OCT-91	19.00	DEG C	
699-55-76	30-JAN-91	17.30	DEG C	
699-55-89	30-JAN-91	17.60	DEG C	
699-57-29A	30-JAN-91	18.40	DEG C	
699-58-24	14-OCT-91	17.60	DEG C	
699-59-58	31-JAN-91	16.70	DEG C	
699-60-60	14-OCT-91	17.40	DEG C	
699-61-37	30-JAN-91	18.40	DEG C	
699-61-41	30-JAN-91	18.40	DEG C	
699-61-62	26-AUG-91	18.30	DEG C	
699-61-66	30-JAN-91	18.10	DEG C	
699-62-31	22-AUG-91	17.40	DEG C	
699-63-25A	31-JAN-91	16.60	DEG C	
	23-AUG-91	16.60	DEG C	
699-63-55	30-JAN-91	17.40	DEG C	
	06-SEP-91	17.00	DEG C	

TEMPERATURE DATA

WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
699-63-58	30-AUG-91	17.00		DEG-C	
699-63-90	30-JAN-91	17.90		DEG C	
699-64-27	22-AUG-91	16.30		DEG-C	
699-64-62	06-SEP-91	17.50		DEG-C	
699-65-59A	31-JAN-91	16.40		DEG C	
	06-SEP-91	16.80		DEG-C	
699-66-23	22-AUG-91	14.90		DEG-C	
699-66-38	31-JAN-91	17.70		DEG C	
699-66-39	30-JAN-91	16.40		DEG C	
699-66-58	31-JAN-91	16.70		DEG C	
	23-SEP-91	17.10		DEG-C	
699-67-51	31-JAN-91	19.20		DEG C	
699-67-86	30-JAN-91	23.40		DEG C	
699-72-88	23-AUG-91	19.80		DEG-C	
699-73-61	23-AUG-91	18.70		DEG-C	
699-74-44	31-JAN-91	17.50		DEG C	
699-77-36	22-AUG-91	16.40		DEG-C	
699-77-54	31-JAN-91	17.10		DEG C	
699-78-62	30-JAN-91	16.80		DEG C	
699-8-17	30-JUL-91	18.80		DEG-C	
	09-DEC-91	18.10		DEG-C	
699-8-25	30-JUL-91	18.90		DEG-C	
	09-DEC-91	17.60		DEG-C	
699-81-58	04-SEP-91	17.10		DEG-C	
	25-SEP-91	17.10		DEG-C	
699-83-47	31-JAN-91	17.30		DEG C	
699-87-55	12-SEP-91	17.20		DEG-C	
699-90-45	23-SEP-91	16.30		DEG-C	
699-96-49	23-AUG-91	20.20		DEG-C	
699-97-43	12-SEP-91	16.80		DEG-C	
699-97-51A	12-SEP-91	17.40		DEG-C	
699-811-E12A	29-JUL-91	16.60		DEG-C	
699-S12-29	05-FEB-91	19.10		DEG C	

TEMPERATURE DATA

WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
699-812-3	17-JAN-91	13.70		DEG C	
	31-JUL-91	20.70		DEG-C	
	15-OCT-91	15.40		DEG-C	
699-819-11	16-JAN-91	16.40		DEG C	
	01-APR-91	16.00		DEG C	
	24-JUN-91	18.80		DEG-C	
	10-SEP-91	17.40		DEG-C	
	04-DEC-91	17.50		DEG-C	
699-819-E13	01-FEB-91	17.30		DEG C	
	29-MAR-91	17.00		DEG C	
	21-JUN-91	182.00		DEG-C	
	13-DEC-91	16.80		DEG-C	
	10-DEC-91	16.00		DEG-C	
699-827-E14	01-FEB-91	15.00		DEG C	
699-828-E0	09-DEC-91	16.50		DEG-C	
699-829-E12	20-DEC-91	17.40		DEG-C	
699-83-25	12-SEP-91	17.20		DEG-C	
699-83-E12	24-JUL-91	16.40		DEG-C	
699-830-E10A	10-DEC-91	14.90		DEG-C	
699-830-E10B	24-JUL-91	16.50		DEG-C	
	10-DEC-91	14.80		DEG-C	
699-830-E15A	18-JAN-91	15.30		DEG C	
	29-MAR-91	15.60		DEG C	
	21-JUN-91	17.30		DEG-C	
	09-SEP-91	16.20		DEG-C	
699-831-1	20-DEC-91	16.70		DEG-C	
699-831-E10A	23-JUL-91	16.80		DEG-C	
699-831-E10B	23-JUL-91	16.70		DEG-C	
699-831-E10C	23-JUL-91	16.90		DEG-C	
699-831-E10D	23-JUL-91	15.80		DEG-C	
699-831-E13	24-JUL-91	17.10		DEG-C	
699-831-E8	24-JUL-91	16.60		DEG-C	
699-832-E13A	24-JUL-91	15.40		DEG-C	
699-832-E13B	25-JUL-91	15.80		DEG-C	
699-832-E8	25-JUL-91	16.40		DEG-C	
699-834-E10	25-JUL-91	16.00		DEG-C	
699-836-E12B	25-JUL-91	16.70		DEG-C	
699-836-E13A	30-AUG-91	16.40		DEG-C	

Y

TEMPERATURE DATA			
WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER UNITS DATA REVIEW
699-S36-E13B	30-AUG-91	19.40	DEG-C
699-S37-E11	29-AUG-91	17.60	DEG-C
699-S37-E14	29-AUG-91	15.50	DEG-C
	17-OCT-91	18.10	DEG-C
699-S38-E11	29-AUG-91	16.80	DEG-C
699-S38-E12A	29-AUG-91	16.90	DEG-C
699-S38-E12B	29-AUG-91	16.60	DEG-C
699-S40-E14	29-AUG-91	21.70	DEG-C
699-S41-E11	30-AUG-91	16.50	DEG-C
699-S41-E13A	29-AUG-91	16.30	DEG-C
	17-OCT-91	16.00	DEG-C
699-S41-E13B	29-AUG-91	16.60	DEG-C
	17-OCT-91	16.00	DEG-C
699-S41-E13C	29-AUG-91	16.50	DEG-C
699-S43-E12	25-JUL-91	17.70	DEG-C
699-S6-E14A	29-JUL-91	17.20	DEG-C
	29-JUL-91	19.10	DEG-C
699-S6-E4B	17-JAN-91	18.90	DEG C
699-S6-E4D	17-JAN-91	17.70	DEG C
	29-MAR-91	17.00	DEG C
	21-JUN-91	17.50	DEG-C
	10-SEP-91	18.10	DEG-C
	03-DEC-91	16.40	DEG-C
699-S8-19	13-DEC-91	17.60	DEG-C

TOTAL CARBON DATA						TOTAL CARBON DATA					
WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW	WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
299-E24-19	22-NOV-91	27000.00		UG/L		299-W22-39	14-NOV-91	26000.00		UG/L	
299-E24-20	15-NOV-91	25000.00		UG/L		299-W26-8	30-DEC-91	26000.00		UG/L	
299-E25-25	25-JUN-91	18000.00		UG/L		299-W6-2	13-NOV-91	28000.00		UG/L	
299-E25-29P	25-JUN-91	18000.00		UG/L		299-W7-1	08-NOV-91	24000.00		UG/L	
	01-NOV-91	23000.00		UG/L		299-W7-10	14-NOV-91	26000.00		UG/L	
		22000.00		UG/L		299-W7-2	08-NOV-91	24000.00		UG/L	
299-E25-31	25-JUN-91	24000.00		UG/L		299-W7-3	08-NOV-91	31000.00		UG/L	
299-E25-33	27-JUN-91	23000.00		UG/L		299-W7-4	13-NOV-91	26000.00		UG/L	
299-E25-37	26-JUN-91	21000.00		UG/L		299-W7-5	11-NOV-91	24000.00		UG/L	
299-E25-38	26-JUN-91	19000.00		UG/L		299-W7-6	08-NOV-91	33000.00		UG/L	
299-E25-39	26-JUN-91	18000.00		UG/L		299-W7-7	08-NOV-91	25000.00		UG/L	
299-E25-40	20-NOV-91	26000.00		UG/L		299-W7-8	11-NOV-91	25000.00		UG/L	
299-E25-41	21-NOV-91	28000.00		UG/L		299-W7-9	08-NOV-91	26000.00		UG/L	
299-E27-11	06-NOV-91	26000.00		UG/L		299-W8-1	13-NOV-91	26000.00		UG/L	
299-E27-12	18-NOV-91	23000.00		UG/L		299-W9-1	08-NOV-91	21000.00		UG/L	
299-E27-13	15-NOV-91	25000.00		UG/L		699-23-34	26-DEC-91	74000.00		UG/L	
299-E27-15	21-NOV-91	26000.00		UG/L			26-DEC-91	70000.00		UG/L	
299-E28-27	01-JAN-92	25000.00		UG/L		699-24-33	27-DEC-91	60000.00		UG/L	
299-E33-31	15-NOV-91	27000.00		UG/L		699-24-34A	26-DEC-91	70000.00		UG/L	
299-E33-32	22-NOV-91	29000.00		UG/L		699-24-34B	26-DEC-91	65000.00		UG/L	
299-E33-33	15-NOV-91	25000.00		UG/L		699-24-34C	26-DEC-91	63000.00		UG/L	
299-E33-40	30-MAY-91	27000.00		UG/L		699-24-35	27-DEC-91	38000.00		UG/L	
299-E33-41	21-NOV-91	29000.00		UG/L		699-25-34C	26-DEC-91	45000.00		UG/L	
	21-NOV-91	30000.00		UG/L		699-26-35A	27-DEC-91	31000.00		UG/L	
299-E34-7	04-NOV-91	23000.00		UG/L		699-49-55B	20-MAY-91	31000.00		UG/L	
299-W10-13	07-NOV-91	23000.00		UG/L		699-49-57B	21-MAY-91	35000.00		UG/L	
299-W10-14	07-NOV-91	30000.00		UG/L		699-50-53B	20-MAY-91	30000.00		UG/L	
299-W15-19	14-NOV-91	29000.00		UG/L		699-54-57	13-MAY-91	32000.00		UG/L	
299-W15-20	12-NOV-91	27000.00		UG/L							
299-W15-23	13-NOV-91	27000.00		UG/L							
299-W15-24	12-NOV-91	25000.00		UG/L							
299-W18-26	12-NOV-91	30000.00		UG/L							

TOC DATA						TOC DATA					
WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW	WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
199-H3-1	06-JUN-91		U	UG/L		299-E24-20	15-NOV-91		U	UG/L	
199-H3-2A	06-JUN-91		U	UG/L		299-E25-19	18-JUL-91		U	UG/L	
199-H3-2C	06-JUN-91		U	UG/L		299-E25-20	16-JUL-91		U	UG/L	
199-H4-11	07-JUN-91		U	UG/L		299-E25-25	25-JUN-91		U	UG/L	
199-H4-12A	07-JUN-91		U	UG/L			25-JUN-91		U	UG/L	
199-H4-12C	07-JUN-91		U	UG/L			25-JUN-91		U	UG/L	
199-H4-14	07-JUN-91		U	UG/L		299-E25-29P	25-JUN-91		U	UG/L	
199-H4-16	07-JUN-91		U	UG/L			25-JUN-91		U	UG/L	
199-H4-3	07-JUN-91	1100.00		UG/L			25-JUN-91		U	UG/L	
07-JUN-91			U	UG/L			01-NOV-91		U	UG/L	
199-H4-4	06-JUN-91	1200.00		UG/L			01-NOV-91		U	UG/L	
199-H4-6	10-JUN-91	1100.00		UG/L		299-E25-31	25-JUN-91		U	UG/L	
199-H4-7	06-JUN-91		U	UG/L			25-JUN-91		U	UG/L	
199-H4-9	06-JUN-91		U	UG/L		299-E25-33	27-JUN-91		U	UG/L	
199-N-14	01-NOV-91		U	UG/L			27-JUN-91		U	UG/L	
199-N-3	05-DEC-91	2000.00		UG/L			27-JUN-91		U	UG/L	
199-N-57	05-NOV-91		U	UG/L		299-E25-37	26-JUN-91		U	UG/L	
199-N-66	05-NOV-91		U	UG/L			26-JUN-91		U	UG/L	
199-N-67	22-NOV-91		U	UG/L		299-E25-38	26-JUN-91		U	UG/L	
199-N-69	22-NOV-91		U	UG/L			26-JUN-91		U	UG/L	
299-E17-15	19-DEC-91		U	UG/L			26-JUN-91		U	UG/L	
	19-DEC-91		U	UG/L		299-E25-39	26-JUN-91		U	UG/L	
	19-DEC-91		U	UG/L			26-JUN-91		U	UG/L	
	19-DEC-91		U	UG/L			26-JUN-91		U	UG/L	
299-E17-16	19-DEC-91		U	UG/L		299-E25-40	20-NOV-91		U	UG/L	
	19-DEC-91		U	UG/L			20-NOV-91		U	UG/L	
	19-DEC-91		U	UG/L			20-NOV-91		U	UG/L	
	19-DEC-91		U	UG/L		299-E25-41	21-NOV-91		U	UG/L	
299-E17-18	19-DEC-91		U	UG/L			21-NOV-91		U	UG/L	
	19-DEC-91		U	UG/L			21-NOV-91		U	UG/L	
	19-DEC-91		U	UG/L			21-NOV-91		U	UG/L	
299-E24-19	22-NOV-91		U	UG/L		299-E26-10	27-JUN-91		U	UG/L	
	22-NOV-91		U	UG/L			27-JUN-91		U	UG/L	
	22-NOV-91		U	UG/L			27-JUN-91		U	UG/L	
299-E24-20	15-NOV-91		U	UG/L		299-E26-11	27-JUN-91		U	UG/L	
	15-NOV-91		U	UG/L			27-JUN-91		U	UG/L	

TOC DATA						TOC DATA						
WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW	WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW	
299-E26-11	27-JUN-91		U	UG/L		299-E35-2	27-JUN-91		U	UG/L		
	27-JUN-91		U	UG/L			27-JUN-91		U	UG/L		
	27-JUN-91		U	UG/L								
299-E26-9	27-JUN-91		U	UG/L		299-W10-13	07-NOV-91		U	UG/L		
	27-JUN-91		U	UG/L			299-W10-14	07-NOV-91		U	UG/L	
	27-JUN-91		U	UG/L				14-NOV-91		U	UG/L	
299-E27-11	27-JUN-91		U	UG/L		299-W15-19		14-NOV-91		U	UG/L	
	27-JUN-91		U	UG/L			14-NOV-91		U	UG/L		
	27-JUN-91		U	UG/L			14-NOV-91		U	UG/L		
299-E27-12	06-NOV-91		U	UG/L		299-W15-20	12-NOV-91		U	UG/L		
	06-NOV-91	3300.00	U	UG/L			12-NOV-91		U	UG/L		
	06-NOV-91		U	UG/L			12-NOV-91		U	UG/L		
299-E27-13	18-NOV-91		U	UG/L		299-W15-23	13-NOV-91		U	UG/L		
	18-NOV-91	1000.00	U	UG/L			13-NOV-91		U	UG/L		
	18-NOV-91	1000.00	U	UG/L			13-NOV-91		U	UG/L		
299-E27-15	15-NOV-91		U	UG/L		299-W18-26	12-NOV-91		U	UG/L		
	15-NOV-91		U	UG/L			12-NOV-91		U	UG/L		
	15-NOV-91		U	UG/L			12-NOV-91		U	UG/L		
299-E28-27	21-NOV-91		U	UG/L		299-W19-29	25-NOV-91	1000.00		UG/L		
	21-NOV-91	1000.00	U	UG/L			299-W22-39	14-NOV-91		U	UG/L	
	21-NOV-91		U	UG/L				14-NOV-91		U	UG/L	
299-E33-32	22-NOV-91		U	UG/L		299-W26-8		30-DEC-91		U	UG/L	
	22-NOV-91		U	UG/L			30-DEC-91		U	UG/L		
	22-NOV-91		U	UG/L			30-DEC-91		U	UG/L		
299-E33-33	15-NOV-91		U	UG/L		299-W6-2	13-NOV-91		U	UG/L		
	15-NOV-91		U	UG/L			299-W7-1	08-NOV-91		U	UG/L	
	15-NOV-91		U	UG/L				14-NOV-91		U	UG/L	
299-E33-40	30-MAY-91		U	UG/L		299-W7-10		08-NOV-91		U	UG/L	
	21-NOV-91		U	UG/L			299-W7-2	08-NOV-91		U	UG/L	
	21-NOV-91		U	UG/L				08-NOV-91		U	UG/L	
299-E34-7	04-NOV-91		U	UG/L		299-W7-3		1000.00		UG/L		
	04-NOV-91		U	UG/L			299-W7-4	13-NOV-91		U	UG/L	
	04-NOV-91		U	UG/L				11-NOV-91		U	UG/L	
299-E35-2	27-JUN-91		U	UG/L		299-W7-5		08-NOV-91		U	UG/L	
	27-JUN-91		U	UG/L			299-W7-6	08-NOV-91		U	UG/L	
			U	UG/L				08-NOV-91		U	UG/L	

TOC DATA						TOC DATA					
WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW	WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
299-W7-8	11-NOV-91		U	UG/L		699-2-7	18-DEC-91		U	UG/L	
299-W7-9	08-NOV-91		U	UG/L		699-23-34	26-DEC-91		U	UG/L	
299-W8-1	13-NOV-91		U	UG/L			26-DEC-91		U	UG/L	
299-W9-1	08-NOV-91		U	UG/L		699-24-33	27-DEC-91		U	UG/L	
399-1-10	15-JUL-91		U	UG/L			27-DEC-91		U	UG/L	
	06-DEC-91	2000.00		UG/L			27-DEC-91		U	UG/L	
399-1-11	18-DEC-91		U	UG/L		699-24-34A	26-DEC-91		U	UG/L	
399-1-12	18-JUL-91		U	UG/L			26-DEC-91		U	UG/L	
	06-DEC-91	1000.00		UG/L			26-DEC-91		U	UG/L	
399-1-13	16-JUL-91		U	UG/L		699-24-34B	26-DEC-91		U	UG/L	
	11-DEC-91	1300.00		UG/L			26-DEC-91		U	UG/L	
399-1-14	16-JUL-91		U	UG/L			26-DEC-91		U	UG/L	
	11-DEC-91		U	UG/L		699-24-34C	26-DEC-91		U	UG/L	
399-1-15	16-JUL-91		U	UG/L			26-DEC-91		U	UG/L	
	11-DEC-91		U	UG/L			26-DEC-91		U	UG/L	
399-1-16A	06-DEC-91	1000.00		UG/L		699-24-35	27-DEC-91		U	UG/L	
399-1-16B	06-DEC-91	1000.00		UG/L			27-DEC-91		U	UG/L	
399-1-17A	10-DEC-91		U	UG/L			27-DEC-91		U	UG/L	
399-1-17B	10-DEC-91		U	UG/L		699-25-34C	26-DEC-91		U	UG/L	
399-1-18A	15-JUL-91		U	UG/L			26-DEC-91		U	UG/L	
	13-DEC-91		U	UG/L			26-DEC-91		U	UG/L	
399-1-7	01-DEC-91		U	UG/L		699-26-35A	27-DEC-91		U	UG/L	
399-2-1	18-DEC-91	600.00		UG/L			27-DEC-91		U	UG/L	
399-3-10	18-DEC-91	700.00		UG/L			27-DEC-91		U	UG/L	
399-3-7	17-DEC-91		U	UG/L		699-40-40B	01-JAN-92	800.00		UG/L	
399-3-9	15-JUL-91		U	UG/L		699-43-41E	28-JUN-91		U	UG/L	
	17-DEC-91		U	UG/L			28-JUN-91		U	UG/L	
399-4-1	10-DEC-91		U	UG/L		699-43-41F	02-JUL-91		U	UG/L	
399-4-11	15-JUL-91		U	UG/L		699-43-42J	02-JUL-91	1100.00		UG/L	
	11-DEC-91		U	UG/L		699-49-55B	20-MAY-91		U	UG/L	
399-4-7	10-DEC-91		U	UG/L		699-49-57B	21-MAY-91		U	UG/L	
399-8-1	15-JUL-91		U	UG/L		699-50-53B	20-MAY-91		U	UG/L	
	20-DEC-91		U	UG/L		699-54-57	13-MAY-91		U	UG/L	
699-1-18	23-DEC-91		U	UG/L							

WELL NAME	TOX DATA			TOX DATA		
	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW	
299-E26-10	27-JUN-91		U	UG/L		
	27-JUN-91		U	UG/L		
	27-JUN-91		U	UG/L		
299-E26-11	27-JUN-91		U	UG/L		
	27-JUN-91		U	UG/L		
	27-JUN-91		U	UG/L		
299-E26-9	27-JUN-91		U	UG/L		
	27-JUN-91		U	UG/L		
	27-JUN-91		U	UG/L		
299-E27-11	06-NOV-91		U	UG/L		
	06-NOV-91		U	UG/L		
	06-NOV-91		U	UG/L		
	06-NOV-91		U	UG/L		
299-E27-12	18-NOV-91		U	UG/L		
	18-NOV-91	20.00	U	UG/L		
	18-NOV-91		U	UG/L		
	19-NOV-91	20.00	U	UG/L		
299-E27-13	15-NOV-91		U	UG/L		
	15-NOV-91		U	UG/L		
	15-NOV-91	60.00	U	UG/L		
	15-NOV-91		U	UG/L		
299-E27-15	21-NOV-91		U	UG/L		
	21-NOV-91		U	UG/L		
	21-NOV-91		U	UG/L		
	21-NOV-91		U	UG/L		
299-E28-27	01-JAN-92		U	UG/L		
299-E33-31	15-NOV-91		U	UG/L		
	15-NOV-91		U	UG/L		
	15-NOV-91		U	UG/L		
	15-NOV-91		U	UG/L		
299-E33-32	22-NOV-91		U	UG/L		
	22-NOV-91		U	UG/L		
	22-NOV-91		U	UG/L		
	22-NOV-91		U	UG/L		
299-E33-33	15-NOV-91		U	UG/L		
	15-NOV-91		U	UG/L		
	15-NOV-91		U	UG/L		
	15-NOV-91		U	UG/L		
299-E33-41	21-NOV-91		U	UG/L		
	21-NOV-91		U	UG/L		
	21-NOV-91		U	UG/L		
	21-NOV-91		U	UG/L		
299-E34-7	04-NOV-91		U	UG/L		
	04-NOV-91		U	UG/L		
	04-NOV-91		U	UG/L		
	04-NOV-91		U	UG/L		

TURBIDITY DATA

WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
199-H3-1	06-JUN-91	1.00		NTU	
199-H3-2A	06-JUN-91	.10		NTU	
199-H3-2C	06-JUN-91	.10		NTU	
199-H4-11	07-JUN-91	13.00		NTU	
199-H4-12A	07-JUN-91		U	NTU	
199-H4-12C	07-JUN-91	.10		NTU	
199-H4-14	07-JUN-91	.50		NTU	
199-H4-16	07-JUN-91	.30		NTU	
199-H4-3	07-JUN-91	75.00		NTU	
	07-JUN-91	10.00		NTU	
199-H4-4	06-JUN-91	.30		NTU	
199-H4-6	10-JUN-91	1.00		NTU	
199-H4-7	06-JUN-91	1.80		NTU	
199-H4-9	06-JUN-91	53.00		NTU	
199-N-14	01-NOV-91	.10		NTU	
199-N-3	05-DEC-91	.60		NTU	
199-N-47	05-NOV-91	.20		NTU	
199-N-54	05-NOV-91	47.00		NTU	
199-N-55	05-NOV-91	10.00		NTU	
199-N-56	05-NOV-91	.30		NTU	
199-N-57	05-NOV-91	2.50		NTU	
199-N-66	05-NOV-91	15.00		NTU	
199-N-67	22-NOV-91	62.00		NTU	
199-N-69	22-NOV-91	1.10		NTU	
299-E13-14	11-JUN-91	2.00		NTU	
299-E17-13	18-JUN-91	.30		NTU	
299-E17-15	19-DEC-91	.90		NTU	
299-E17-16	19-DEC-91	.60		NTU	
299-E17-18	19-DEC-91	.50		NTU	
299-E24-19	22-NOV-91	2.70		NTU	
299-E24-20	15-NOV-91	1.80		NTU	

TURBIDITY DATA

WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
299-E25-19	18-JUL-91	2.00		NTU	
299-E25-20	16-JUL-91	.50		NTU	
299-E25-25	25-JUN-91	.80		NTU	
299-E25-29P	25-JUN-91	.70		NTU	
	01-NOV-91	.70		NTU	
299-E25-31	25-JUN-91	1.80		NTU	
299-E25-33	27-JUN-91	1.00		NTU	
299-E25-37	26-JUN-91	1.00		NTU	
299-E25-38	26-JUN-91	.80		NTU	
299-E25-39	26-JUN-91	4.10		NTU	
299-E25-40	20-NOV-91	2.30		NTU	
299-E25-41	21-NOV-91	2.90		NTU	
299-E26-10	27-JUN-91	.60		NTU	
299-E26-11	27-JUN-91	.90		NTU	
299-E26-9	27-JUN-91	.80		NTU	
299-E27-11	06-NOV-91	.30		NTU	
299-E27-12	18-NOV-91	1.40		NTU	
299-E27-13	15-NOV-91	.70		NTU	
299-E27-15	21-NOV-91	1.50		NTU	
299-E28-27	01-JAN-92	.50		NTU	
299-E33-31	15-NOV-91	1.00		NTU	
299-E33-32	22-NOV-91		U	NTU	
299-E33-33	15-NOV-91	.40		NTU	
299-E33-41	21-NOV-91	1.00		NTU	
	21-NOV-91	.90		NTU	
299-E34-7	04-NOV-91	1.00		NTU	
299-E35-2	27-JUN-91	.70		NTU	
	27-JUN-91	1.00		NTU	
299-W10-13	07-NOV-91	.40		NTU	
299-W10-14	07-NOV-91	.40		NTU	
299-W15-19	14-NOV-91	.50		NTU	
299-W15-20	12-NOV-91	3.10		NTU	

WELL NAME	TURBIDITY DATA			UNITS	DATA REVIEW
	SAMPLE DATE	CONCENTRATION	QUALIFIER		
299-W15-23	13-NOV-91	.30		NTU	
299-W15-24	12-NOV-91	17.00		NTU	
299-W18-26	12-NOV-91	2.70		NTU	
299-W19-29	14-JUN-91	1.30		NTU	
299-W19-30	13-JUN-91	2.60		NTU	
299-W22-39	14-NOV-91	7.00		NTU	
299-W26-8	30-DEC-91	1.00		NTU	
299-W6-2	13-NOV-91	.50		NTU	
299-W7-1	08-NOV-91	.40		NTU	
299-W7-10	14-NOV-91	1.00		NTU	
299-W7-2	08-NOV-91	.90		NTU	
299-W7-3	08-NOV-91	.60		NTU	
299-W7-4	13-NOV-91			NTU	
299-W7-5	11-NOV-91	.40		NTU	
299-W7-6	08-NOV-91	120.00		NTU	
299-W7-7	08-NOV-91	2.80		NTU	
299-W7-8	11-NOV-91	.80		NTU	
299-W7-9	08-NOV-91	2.00		NTU	
299-W8-1	13-NOV-91	.90		NTU	
299-W9-1	08-NOV-91	1.50		NTU	
699-40-40B	01-JAN-92	60.00		NTU	
699-43-41E	28-JUN-91	5.50		NTU	
	28-JUN-91	5.20		NTU	
699-43-41F	02-JUL-91	1.40		NTU	
699-43-42J	02-JUL-91	.70		NTU	

CARBON TET DATA						CARBON TET DATA					
WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW	WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
1199-41-13C	31-MAY-91		U	PPB		299-W10-17	08-MAY-91	1162.000		PPB	
199-B3-1	11-DEC-91		U	PPB		299-W10-18	08-MAY-91	705.000		PPB	
199-B4-1	11-DEC-91		U	PPB		299-W10-4	02-JAN-91	692.000		PPB	
199-B4-4	11-DEC-91		U	PPB		299-W14-5	02-JAN-91	121.000		PPB	
199-B4-5	18-SEP-91		U	PPB		299-W14-6	03-JAN-91	188.000		PPB	
199-B4-6	19-SEP-91		U	PPB		299-W15-10	02-JAN-91	1003.000		PPB	
199-B4-7	18-SEP-91		U	PPB		299-W15-11	02-JAN-91	1129.000		PPB	
199-B9-1	11-DEC-91		U	PPB		299-W15-15	04-NOV-91	839.000		PPB	
199-D2-5	30-OCT-91		U	PPB		299-W15-16	30-JAN-91	7429.000		PPB	
199-D5-12	30-OCT-91		U	PPB		299-W15-17	06-AUG-91	1.200	J	PPB	
199-D8-3	30-OCT-91		U	PPB		299-W15-18	09-AUG-91	1492.000		PPB	
199-F5-1	30-OCT-91		U	PPB		299-W15-19	14-NOV-91	1200.000		UG/L	
199-F5-4	19-SEP-91		U	PPB		299-W15-20	05-AUG-91	156.000		PPB	
199-F7-1	19-SEP-91		U	PPB			12-NOV-91	230.000		UG/L	
299-E13-14	11-JUN-91		U	UG/L		299-W15-22	18-APR-91	1204.000		PPB	
299-E17-13	18-JUN-91		U	UG/L		299-W15-23	13-NOV-91	100.000		UG/L	
299-E24-19	21-OCT-91		U	UG/L		299-W15-24	05-AUG-91	386.000		PPB	
	22-NOV-91		U	UG/L			12-NOV-91	360.000		UG/L	
299-E25-29P	01-NOV-91		U	UG/L		299-W15-4	02-JAN-91	225.000		PPB	
299-E25-37	26-JUN-91		U	PPB		299-W15-6	09-APR-91	5770.000		PPB	
299-E25-41	21-NOV-91		U	UG/L			09-APR-91	3784.000		PPB	
							08-MAY-91	2651.000		PPB	
299-E27-11	06-NOV-91		U	UG/L		299-W18-17	29-JAN-91	1190.000		PPB	
299-E27-15	21-NOV-91		U	UG/L			20-MAR-91	1004.000		PPB	
299-E27-5	09-JAN-91		U	PPB		299-W18-2	20-MAR-91	929.000		PPB	
299-E33-3	08-JAN-91		U	PPB		299-W18-20	06-FEB-91	193.000		PPB	
299-E33-40	30-MAY-91		U	PPB			20-MAR-91	173.000		PPB	
299-E33-41	21-NOV-91		U	UG/L		299-W18-23	09-AUG-91	667.000		PPB	
299-E34-1	18-JAN-91		U	PPB			25-NOV-91	688.000		PPB	
299-E34-7	04-NOV-91		U	UG/L		299-W18-24	09-AUG-91	587.000		PPB	
299-W10-13	08-AUG-91	16.000		PPB			02-OCT-91	293.000		PPB	
	07-NOV-91	14.000		UG/L		299-W18-26	07-AUG-91	81.600		PPB	
							12-NOV-91	170.000		UG/L	
299-W10-14	07-NOV-91		U	UG/L		299-W19-18	02-JAN-91	91.000		PPB	
						299-W19-28	10-OCT-91	81.000		PPB	

CARBON TET DATA						CARBON TET DATA					
WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW	WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
299-W19-29	14-JUN-91	19.000		UG/L		399-1-17A	29-OCT-91		U	UG/L	
	25-NOV-91	110.000		UG/L			05-NOV-91		U	UG/L	
299-W19-30	13-JUN-91	18.000		UG/L			15-NOV-91		U	UG/L	
299-W22-20	18-JAN-91	11.000		PPB			22-NOV-91		U	UG/L	
	01-APR-91	7.800		PPB			03-DEC-91		U	UG/L	
	18-JUN-91	9.100		PPB			10-DEC-91		U	UG/L	
299-W22-26	04-JAN-91		U	PPB			19-DEC-91		U	UG/L	
	30-DEC-91	2.400		UG/L			27-DEC-91		U	UG/L	
299-W26-8	12-AUG-91	102.000		PPB			10-DEC-91		U	UG/L	
299-W6-2	13-NOV-91	84.000		UG/L			13-DEC-91		U	UG/L	
299-W7-1	08-NOV-91		U	UG/L			01-DEC-91		U	UG/L	
299-W7-10	14-NOV-91	4.300		UG/L			18-DEC-91		U	PPB	
299-W7-2	08-NOV-91		U	UG/L			17-DEC-91		U	UG/L	
299-W7-3	08-NOV-91		U	UG/L			17-DEC-91		U	UG/L	
299-W7-4	13-NOV-91	360.000		UG/L			10-JUL-91		U	PPB	
299-W7-5	11-NOV-91	49.000		UG/L			10-DEC-91		U	UG/L	
299-W7-6	08-NOV-91		U	UG/L			11-DEC-91		U	UG/L	
299-W7-7	09-AUG-91	2.200		PPB			10-DEC-91		U	UG/L	
	08-NOV-91	2.400		UG/L			15-JUL-91		U	PPB	
299-W7-8	11-NOV-91	5.900		UG/L			20-DEC-91		U	PPB	
299-W7-9	08-NOV-91		U	UG/L			20-DEC-91		U	UG/L	
299-W8-1	13-NOV-91	4.700		UG/L			09-OCT-91		U	PPB	
299-W9-1	08-NOV-91		U	UG/L			10-OCT-91	1.500	J	PPB	
399-1-10	06-DEC-91		U	UG/L			09-DEC-91		U	PPB	
399-1-11	18-DEC-91		U	UG/L			09-DEC-91		U	PPB	
399-1-12	18-JUL-91		U	UG/L			27-AUG-91		U	PPB	
	06-DEC-91		U	UG/L			26-DEC-91		U	UG/L	
399-1-13	11-DEC-91		U	UG/L			26-DEC-91		U	UG/L	
399-1-14	11-DEC-91		U	UG/L			18-JAN-91		U	PPB	
399-1-15	11-DEC-91		U	UG/L			28-MAR-91		U	PPB	
399-1-16A	06-DEC-91		U	UG/L			20-JUN-91		U	PPB	
399-1-16B	11-JUL-91		U	PPB			27-AUG-91		U	PPB	
	06-DEC-91		U	UG/L			26-DEC-91		U	UG/L	
399-1-17A	24-OCT-91		U	UG/L			27-AUG-91		U	PPB	
							26-DEC-91	4.000		UG/L	

CARBON TET DATA						CARBON TET DATA					
WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW	WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
699-25-34C	26-DEC-91		U	UG/L		699-S27-E14	10-DEC-91		U	PPB	
699-32-77	29-MAR-91		U	PPB		699-S29-E12	09-DEC-91		U	PPB	
699-37-E4	24-SEP-91		U	PPB		699-S3-25	20-DEC-91		U	PPB	
699-38-70	29-JAN-91	41.000		PPB		699-S30-E10A	24-JUL-91		U	PPB	
	30-DEC-91	42.000		PPB			10-DEC-91		U	PPB	
699-39-0	22-AUG-91		U	PPB		699-S30-E10B	24-JUL-91		U	PPB	
699-39-79	29-JAN-91	624.000		PPB			10-DEC-91		U	PPB	
699-40-1	18-JAN-91		U	PPB		699-S30-E15A	18-JAN-91		U	PPB	
	29-MAR-91		U	PPB			29-MAR-91		U	PPB	
	26-JUN-91		U	PPB			21-JUN-91		U	PPB	
699-40-62	30-DEC-91		U	UG/L		699-S31-1	20-DEC-91		U	PPB	
699-42-2	09-DEC-91		U	PPB		699-S31-E10A	23-JUL-91		U	PPB	
699-43-3	18-JUL-91		U	PPB		699-S31-E10B	23-JUL-91		U	PPB	
699-45-2	09-DEC-91		U	PPB		699-S31-E10C	23-JUL-91		U	PPB	
699-45-69A	30-DEC-91		U	UG/L		699-S31-E10D	23-JUL-91		U	PPB	
699-46-4	19-JUL-91		U	PPB		699-S31-E13	24-JUL-91		U	PPB	
699-47-5	19-JUL-91		U	PPB		699-S31-E8	24-JUL-91		U	PPB	
699-49-100C	18-JAN-91		U	PPB		699-S32-E13A	24-JUL-91		U	PPB	
	04-APR-91		U	PPB		699-S32-E13B	25-JUL-91		U	PPB	
	20-JUN-91		U	PPB		699-S32-E8	25-JUL-91		U	PPB	
699-49-55B	20-MAY-91		U	PPB		699-S34-E10	25-JUL-91		U	PPB	
699-49-57B	21-MAY-91		U	PPB		699-S36-E13A	30-AUG-91		U	PPB	
699-50-53B	20-MAY-91		U	PPB		699-S37-E11	29-AUG-91		U	PPB	
699-51-75	09-DEC-91		U	PPB		699-S37-E14	29-AUG-91		U	PPB	
699-54-57	13-MAY-91		U	PPB			17-OCT-91		U	PPB	
699-63-25A	23-AUG-91		U	PPB		699-S38-E11	29-AUG-91		U	PPB	
699-66-23	22-AUG-91		U	PPB		699-S38-E12A	29-AUG-91		U	PPB	
699-72-88	23-AUG-91		U	PPB		699-S38-E12B	29-AUG-91		U	PPB	
699-77-36	22-AUG-91		U	PPB		699-S40-E14	29-AUG-91		U	PPB	
699-87-55	12-SEP-91		U	PPB		699-S41-E11	30-AUG-91		U	PPB	
699-97-43	12-SEP-91		U	PPB		699-S41-E13A	29-AUG-91		U	PPB	
699-97-51A	12-SEP-91		U	PPB			17-OCT-91		U	PPB	
699-S19-E13	13-DEC-91		U	PPB		699-S41-E13B	29-AUG-91		U	PPB	
							17-OCT-91		U	PPB	

CARBON TET DATA

WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
699-S41-E13C	29-AUG-91		U	PPB	
699-S8-19	13-DEC-91		U	PPB	

CHLOROFORM						CHLOROFORM					
WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW	WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
1199-41-13C	31-MAY-91		U	PPB		299-W10-17	08-MAY-91	37.000		PPB	
199-B3-1	11-DEC-91		U	PPB		299-W10-18	08-MAY-91	18.000		PPB	
199-B4-1	11-DEC-91		U	PPB		299-W10-4	02-JAN-91	15.000		PPB	
199-B4-4	11-DEC-91		U	PPB		299-W14-5	02-JAN-91	3.700		PPB	
199-B4-5	18-SEP-91		U	PPB		299-W14-6	03-JAN-91	2.500		PPB	
199-B4-6	19-SEP-91		U	PPB		299-W15-10	02-JAN-91	13.000		PPB	
199-B4-7	18-SEP-91		U	PPB		299-W15-11	02-JAN-91	16.000		PPB	
199-B9-2	11-DEC-91		U	PPB		299-W15-15	04-NOV-91	7.200		PPB	
199-D2-5	30-OCT-91		U	PPB		299-W15-16	30-JAN-91	38.000		PPB	
199-D5-12	30-OCT-91	6.900		PPB		299-W15-17	06-AUG-91	.800	J	PPB	
199-D8-3	30-OCT-91	1.100	J	PPB		299-W15-18	09-AUG-91	17.000		PPB	
199-F5-1	30-OCT-91		U	PPB		299-W15-19	14-NOV-91	110.000		UG/L	
199-F5-4	19-SEP-91	1.400	J	PPB		299-W15-20	05-AUG-91	8.300		PPB	
199-F7-1	19-SEP-91		U	PPB		299-W15-22	12-NOV-91	8.700		UG/L	
299-E13-14	11-JUN-91		U	UG/L		299-W15-23	18-APR-91	63.000		PPB	
299-E17-13	18-JUN-91		U	UG/L		299-W15-24	13-NOV-91		U	UG/L	
299-E24-19	21-OCT-91		U	UG/L			05-AUG-91	45.000		PPB	
	22-NOV-91		U	UG/L			12-NOV-91	60.000		UG/L	
299-E25-29P	01-NOV-91		U	UG/L		299-W15-4	02-JAN-91	21.000		PPB	
299-E25-37	26-JUN-91		U	PPB		299-W15-6	09-APR-91	43.000		PPB	
299-E25-41	21-NOV-91		U	UG/L		299-W18-17	09-APR-91	22.000		PPB	
299-E27-11	06-NOV-91		U	UG/L			08-MAY-91	64.000		PPB	
299-E27-15	21-NOV-91		U	UG/L			29-JAN-91	30.000		PPB	
299-E27-5	09-JAN-91		U	PPB			20-MAR-91	45.000		PPB	
299-E33-3	08-JAN-91		U	PPB		299-W18-2	20-MAR-91	654.000		PPB	
299-E33-40	30-MAY-91		U	PPB		299-W18-20	06-FEB-91	14.000		PPB	
299-E33-41	21-NOV-91		U	UG/L			20-MAR-91	15.000		PPB	
299-E34-1	18-JAN-91		U	PPB		299-W18-23	09-AUG-91	7.100		PPB	
299-E34-7	04-NOV-91		U	UG/L			25-NOV-91	9.400		PPB	
299-W10-13	08-AUG-91		U	PPB		299-W18-24	09-AUG-91	18.000		PPB	
	07-NOV-91		U	UG/L			02-OCT-91	3.900		PPB	
			U	UG/L		299-W18-26	07-AUG-91	14.300		PPB	
			U	UG/L			12-NOV-91	15.000		UG/L	
			U	UG/L		299-W19-18	02-JAN-91	2.400		PPB	
299-W10-14	07-NOV-91		U	UG/L		299-W19-28	10-OCT-91	4.700		PPB	

CHLOROFORM						CHLOROFORM					
WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW	WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
299-W19-29	14-JUN-91		U	UG/L		399-1-17A	29-OCT-91	13.000		UG/L	
	25-NOV-91	6.300		UG/L			05-NOV-91	14.000		UG/L	
							15-NOV-91	14.000		UG/L	
299-W19-30	13-JUN-91		U	UG/L			22-NOV-91	13.000		UG/L	
299-W22-20	18-JAN-91	12.000		PPB			03-DEC-91	14.000		UG/L	
	01-APR-91	9.100		PPB			10-DEC-91	11.000		UG/L	
	18-JUN-91	11.000		PPB			19-DEC-91	10.000		UG/L	
299-W22-26	04-JAN-91		U	PPB		399-1-17B	27-DEC-91	9.900		UG/L	
299-W26-6	30-DEC-91		U	UG/L			10-DEC-91		U	UG/L	
299-W6-2	12-AUG-91	1.400	J	PPB		399-1-18A	13-DEC-91		U	UG/L	
	13-NOV-91	1.500		UG/L		399-1-7	01-DEC-91	14.000		UG/L	
299-W7-1	03-NOV-91		U	UG/L		399-2-1	18-DEC-91	4.400		UG/L	
299-W7-10	14-NOV-91		U	UG/L		399-2-2	17-DEC-91	11.000		PPB	
299-W7-2	08-NOV-91		U	UG/L		399-3-10	18-DEC-91	5.600		UG/L	
299-W7-3	08-NOV-91		U	UG/L		399-3-7	17-DEC-91	6.400		UG/L	
299-W7-4	13-NOV-91	6.300		UG/L		399-3-9	17-DEC-91	6.600		UG/L	
299-W7-5	11-NOV-91	2.500		UG/L		399-4-1	10-JUL-91	11.000		PPB	
299-W7-6	08-NOV-91		U	UG/L			10-DEC-91	5.200		UG/L	
299-W7-7	09-AUG-91		U	PPB		399-4-11	11-DEC-91	3.200		UG/L	
	08-NOV-91		U	UG/L		399-4-7	10-DEC-91	8.000		UG/L	
299-W7-8	11-NOV-91	.990	J	UG/L		399-8-1	15-JUL-91		U	PPB	
299-W7-9	08-NOV-91		U	UG/L			20-DEC-91		U	PPB	
299-W8-1	13-NOV-91		U	UG/L			20-DEC-91		U	UG/L	
299-W9-1	08-NOV-91		U	UG/L		399-8-2	18-DEC-91		U	PPB	
399-1-10	06-DEC-91	1.700		UG/L		399-8-3	09-OCT-91		U	PPB	
399-1-11	18-DEC-91		U	UG/L		699-10-E12	09-DEC-91		U	PPB	
399-1-12	18-JUL-91	29.000		UG/L		699-14-38	09-DEC-91		U	PPB	
	06-DEC-91	3.800		UG/L		699-23-34	27-AUG-91		U	PPB	
399-1-13	11-DEC-91		U	UG/L			26-DEC-91	.500		UG/L	
399-1-14	11-DEC-91		U	UG/L		699-24-33	26-DEC-91		U	PPB	
399-1-15	11-DEC-91		U	UG/L			18-JAN-91		U	PPB	
399-1-16A	06-DEC-91	41000.000		UG/L			28-MAR-91		U	PPB	
399-1-16B	11-JUL-91	1.400	J	PPB		699-24-34A	20-JUN-91		U	PPB	
	06-DEC-91		U	UG/L			27-AUG-91		U	PPB	
399-1-17A	24-OCT-91	17.000		UG/L		699-24-34B	26-DEC-91	.500		UG/L	
						699-24-34C	27-AUG-91		U	PPB	
							26-DEC-91	1.500		UG/L	

CHLOROFORM						CHLOROFORM					
WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW	WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
699-25-34C	26-DEC-91		U	UG/L		699-827-E14	10-DEC-91		U	PPB	
699-32-77	29-MAR-91		U	PPB		699-829-E12	09-DEC-91		U	PPB	
699-37-E4	24-SEP-91		U	PPB		699-83-25	20-DEC-91		U	PPB	
699-38-70	29-JAN-91	1.400	J	PPB		699-830-E10A	24-JUL-91		U	PPB	
	30-DEC-91	2.900		PPB			10-DEC-91		U	PPB	
699-39-0	22-AUG-91		U	PPB		699-830-E10B	24-JUL-91		U	PPB	
699-39-79	29-JAN-91	8.500		PPB			10-DEC-91		U	PPB	
699-40-1	18-JAN-91		U	PPB		699-830-E15A	18-JAN-91	2.700		PPB	
	29-MAR-91		U	PPB			29-MAR-91	2.200		PPB	
	26-JUN-91		U	PPB			21-JUN-91	2.700		PPB	
699-40-62	30-DEC-91		U	UG/L		699-831-1	20-DEC-91		U	PPB	
699-42-2	09-DEC-91		U	PPB		699-831-E10A	23-JUL-91		U	PPB	
699-43-3	18-JUL-91		U	PPB		699-831-E10B	23-JUL-91		U	PPB	
699-45-2	09-DEC-91		U	PPB		699-831-E10C	23-JUL-91		U	PPB	
699-45-69A	30-DEC-91	3.600		UG/L		699-831-E10D	23-JUL-91		U	PPB	
699-46-4	19-JUL-91		U	PPB		699-831-E13	24-JUL-91		U	PPB	
699-47-5	19-JUL-91		U	PPB		699-831-E8	24-JUL-91		U	PPB	
699-49-100C	18-JAN-91		U	PPB		699-832-E13A	24-JUL-91		U	PPB	
	04-APR-91		U	PPB		699-832-E13B	25-JUL-91		U	PPB	
	20-JUN-91		U	PPB		699-832-E8	25-JUL-91		U	PPB	
699-49-55B	20-MAY-91		U	PPB		699-834-E10	25-JUL-91		U	PPB	
699-49-57B	21-MAY-91		U	PPB		699-836-E13A	30-AUG-91		U	PPB	
699-50-53B	20-MAY-91		U	PPB		699-837-E11	29-AUG-91		U	PPB	
699-51-75	09-DEC-91		U	PPB		699-837-E14	29-AUG-91	1.500	J	PPB	
699-54-57	13-MAY-91		U	PPB			17-OCT-91	2.500		PPB	
699-63-25A	23-AUG-91		U	PPB		699-838-E11	29-AUG-91		U	PPB	
699-66-23	22-AUG-91		U	PPB		699-838-E12A	29-AUG-91		U	PPB	
699-72-88	23-AUG-91		U	PPB		699-838-E12B	29-AUG-91		U	PPB	
699-77-36	22-AUG-91		U	PPB		699-840-E14	29-AUG-91		U	PPB	
699-87-55	12-SEP-91	2.100		PPB		699-841-E11	30-AUG-91		U	PPB	
699-97-43	12-SEP-91		U	PPB		699-841-E13A	29-AUG-91		U	PPB	
699-97-51A	12-SEP-91		U	PPB			17-OCT-91		U	PPB	
699-919-E13	13-DEC-91		U	PPB		699-841-E13B	29-AUG-91		U	PPB	
							17-OCT-91		U	PPB	

CHLOROFORM

WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
699-841-E13C	29-AUG-91		U	PPB	
699-88-19	13-DEC-91		U	PPB	

TETRACHLOROETHENE						TETRACHLOROETHENE					
WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW	WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
1199-41-13C	31-MAY-91	.600		PPB		299-W10-17	08-MAY-91	1.000		PPB	
199-B3-1	11-DEC-91		U	PPB		299-W10-18	08-MAY-91		U	PPB	
199-B4-1	11-DEC-91		U	PPB		299-W10-4	02-JAN-91	1.200		PPB	
199-B4-4	11-DEC-91		U	PPB		299-W14-5	02-JAN-91		U	PPB	
199-B4-5	18-SEP-91		U	PPB		299-W14-6	03-JAN-91		U	PPB	
199-B4-6	19-SEP-91		U	PPB		299-W15-10	02-JAN-91		U	PPB	
199-B4-7	18-SEP-91		U	PPB		299-W15-11	02-JAN-91	1.200		PPB	
199-B9-1	11-DEC-91		U	PPB		299-W15-15	04-NOV-91		U	PPB	
199-D2-5	30-OCT-91		U	PPB		299-W15-16	30-JAN-91	1.700		PPB	
199-D5-12	30-OCT-91		U	PPB		299-W15-17	06-AUG-91		U	PPB	
199-D8-3	30-OCT-91		U	PPB		299-W15-18	09-AUG-91	.800		PPB	
199-F5-1	30-OCT-91		U	PPB		299-W15-19	14-NOV-91		U	UG/L	
199-F5-4	19-SEP-91		U	PPB		299-W15-20	05-AUG-91		U	PPB	
199-F7-1	19-SEP-91		U	PPB			12-NOV-91		U	UG/L	
299-E13-14	11-JUN-91		U	UG/L		299-W15-22	18-APR-91	1.000		PPB	
299-E17-13	18-JUN-91		U	UG/L		299-W15-23	13-NOV-91		U	UG/L	
299-E24-19	21-OCT-91		U	UG/L		299-W15-24	05-AUG-91		U	PPB	
	22-NOV-91		U	UG/L			12-NOV-91		U	UG/L	
299-E25-29P	01-NOV-91		U	UG/L		299-W15-6	09-APR-91	3.000		PPB	
299-E25-37	26-JUN-91		U	PPB			09-APR-91	1.400		PPB	
299-E25-41	21-NOV-91		U	UG/L			08-MAY-91	1.200		PPB	
299-E27-11	06-NOV-91		U	UG/L		299-W18-17	29-JAN-91	.600		PPB	
			U	UG/L			20-MAR-91		U	PPB	
299-E27-15	21-NOV-91		U	UG/L		299-W18-2	20-MAR-91	1.100		PPB	
299-E27-5	09-JAN-91		U	PPB		299-W18-20	06-FEB-91	.200	J	PPB	
			U	PPB			20-MAR-91		U	PPB	
299-E33-3	08-JAN-91		U	PPB		299-W18-23	09-AUG-91		U	PPB	
299-E33-40	30-MAY-91		U	PPB			25-NOV-91		U	PPB	
299-E33-41	21-NOV-91		U	UG/L		299-W18-24	09-AUG-91	.400	J	PPB	
			U	UG/L			02-OCT-91		U	PPB	
299-E34-1	18-JAN-91		U	PPB		299-W18-26	07-AUG-91		U	PPB	
			U	UG/L			12-NOV-91		U	UG/L	
299-E34-7	04-NOV-91		U	UG/L		299-W19-18	02-JAN-91		U	PPB	
299-W10-13	08-AUG-91		U	PPB		299-W19-28	10-OCT-91		U	PPB	
	07-NOV-91		U	UG/L							
299-W10-14	07-NOV-91		U	UG/L		299-W19-29	14-JUN-91		U	UG/L	

TETRACHLOROETHENE						TETRACHLOROETHENE					
WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW	WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
299-W19-29	25-NOV-91		U	UG/L		399-1-17A	22-NOV-91		U	UG/L	
299-W19-30	13-JUN-91		U	UG/L			03-DEC-91		U	UG/L	
299-W22-20	18-JAN-91		U	PPB			10-DEC-91		U	UG/L	
	01-APR-91		U	PPB			19-DEC-91		U	UG/L	
	18-JUN-91		U	PPB			27-DEC-91		U	UG/L	
299-W22-26	04-JAN-91		U	PPB		399-1-17B	10-DEC-91		U	UG/L	
299-W26-8	30-DEC-91		U	UG/L		399-1-18A	13-DEC-91		U	UG/L	
299-W6-2	12-AUG-91		U	PPB		399-1-7	01-DEC-91		U	UG/L	
	13-NOV-91		U	UG/L		399-2-1	18-DEC-91		U	UG/L	
299-W7-1	08-NOV-91		U	UG/L		399-2-2	17-DEC-91		U	PPB	
299-W7-10	14-NOV-91		U	UG/L		399-3-10	18-DEC-91		U	UG/L	
299-W7-2	08-NOV-91		U	UG/L		399-3-7	17-DEC-91		U	UG/L	
299-W7-3	08-NOV-91		U	UG/L		399-3-9	17-DEC-91		U	UG/L	
299-W7-4	13-NOV-91		U	UG/L		399-4-1	10-JUL-91		U	PPB	
299-W7-5	11-NOV-91		U	UG/L			10-DEC-91		U	UG/L	
299-W7-6	08-NOV-91		U	UG/L		399-4-11	11-DEC-91		U	UG/L	
299-W7-7	08-NOV-91		U	UG/L		399-4-7	10-DEC-91		U	UG/L	
299-W7-8	11-NOV-91		U	UG/L		399-8-1	15-JUL-91		U	PPB	
299-W7-9	08-NOV-91		U	UG/L			20-DEC-91		U	PPB	
299-W8-1	13-NOV-91		U	UG/L			20-DEC-91		U	UG/L	
299-W9-1	08-NOV-91		U	UG/L			20-DEC-91		U	UG/L	
399-1-10	06-DEC-91		U	UG/L		399-8-2	18-DEC-91	2.500		PPB	
399-1-11	18-DEC-91		U	UG/L		399-8-3	09-OCT-91		U	PPB	
399-1-12	06-DEC-91		U	UG/L		699-10-E12	09-DEC-91		U	PPB	
399-1-13	11-DEC-91		U	UG/L		699-14-38	09-DEC-91		U	PPB	
399-1-14	11-DEC-91		U	UG/L		699-23-34	27-AUG-91	5.300	J	PPB	
399-1-15	11-DEC-91		U	UG/L			26-DEC-91	5.400		UG/L	
399-1-16A	06-DEC-91		U	UG/L			26-DEC-91	5.400		UG/L	
399-1-16B	11-JUL-91		U	PPB		699-24-33	18-JAN-91	5.400		PPB	
	06-DEC-91		U	UG/L			28-MAR-91	5.100		PPB	
399-1-17A	24-OCT-91		U	UG/L		699-24-34A	20-JUN-91	4.900		PPB	
	29-OCT-91		U	UG/L			27-AUG-91	7.100		PPB	
	05-NOV-91		U	UG/L			26-DEC-91	4.600		UG/L	
	15-NOV-91		U	UG/L		699-24-34B	27-AUG-91	8.500		PPB	
			U	UG/L			26-DEC-91	6.300		UG/L	
			U	UG/L		699-24-34C	27-AUG-91	8.300		PPB	
			U	UG/L			26-DEC-91	7.800		UG/L	
			U	UG/L		699-25-34C	26-DEC-91	1.500		UG/L	

TETRACHLOROETHENE					
WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
699-32-77	29-MAR-91		U	PPB	
699-37-E4	24-SEP-91		U	PPB	
699-38-70	29-JAN-91		U	PPB	
	30-DEC-91		U	PPB	
699-39-0	22-AUG-91		U	PPB	
699-39-79	29-JAN-91		U	PPB	
699-40-1	18-JAN-91		U	PPB	
	29-MAR-91		U	PPB	
	26-JUN-91		U	PPB	
699-40-62	30-DEC-91		U	UG/L	
699-42-2	09-DEC-91		U	PPB	
699-43-3	18-JUL-91		U	PPB	
699-45-2	09-DEC-91		U	PPB	
699-45-69A	30-DEC-91		U	UG/L	
699-46-4	19-JUL-91		U	PPB	
699-47-5	19-JUL-91		U	PPB	
699-49-100C	18-JAN-91		U	PPB	
	04-APR-91		U	PPB	
	20-JUN-91		U	PPB	
699-49-55B	20-MAY-91		U	PPB	
699-49-57B	21-MAY-91		U	PPB	
699-50-53B	20-MAY-91		U	PPB	
699-51-75	09-DEC-91		U	PPB	
699-63-25A	23-AUG-91		U	PPB	
699-66-23	22-AUG-91		U	PPB	
699-72-88	23-AUG-91		U	PPB	
699-77-36	22-AUG-91		U	PPB	
699-87-55	12-SEP-91	4.300	U	PPB	
699-97-43	12-SEP-91		U	PPB	
699-97-51A	12-SEP-91		U	PPB	
699-S19-113	13-DEC-91		U	PPB	
699-S27-E14	10-DEC-91		U	PPB	
699-S29-E12	09-DEC-91		U	PPB	

TETRACHLOROETHENE					
WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
699-83-25	20-DEC-91		U	PPB	
699-830-E10A	24-JUL-91		U	PPB	
	10-DEC-91		U	PPB	
699-830-E10B	24-JUL-91	.300	U	PPB	
	10-DEC-91		J	PPB	
699-830-E15A	18-JAN-91	.200	J	PPB	
	29-MAR-91		U	PPB	
	21-JUN-91	.200	J	PPB	
699-831-1	20-DEC-91		U	PPB	
699-831-E10A	23-JUL-91	.700		PPB	
699-831-E10B	23-JUL-91		U	PPB	
699-831-E10C	23-JUL-91	.300	J	PPB	
699-831-E10D	23-JUL-91	.300	J	PPB	
699-831-E13	24-JUL-91		U	PPB	
699-831-E8	24-JUL-91		U	PPB	
699-832-E13A	24-JUL-91		U	PPB	
699-832-E13B	25-JUL-91		U	PPB	
699-832-E8	25-JUL-91		U	PPB	
699-834-E10	25-JUL-91		U	PPB	
699-836-E13A	30-AUG-91	.200	J	PPB	
699-837-E11	29-AUG-91	2.700		PPB	
699-837-E14	29-AUG-91		U	PPB	
	17-OCT-91		U	PPB	
699-838-E11	29-AUG-91		U	PPB	
699-838-E12A	29-AUG-91	.700		PPB	
699-838-E12B	29-AUG-91	.700	U	PPB	
699-840-E14	29-AUG-91		U	PPB	
699-841-E11	30-AUG-91		U	PPB	
699-841-E13A	29-AUG-91		U	PPB	
	17-OCT-91		U	PPB	
699-841-E13B	29-AUG-91		U	PPB	
	17-OCT-91		U	PPB	
699-841-E13C	29-AUG-91		U	PPB	
699-S8-19	13-DEC-91		U	PPB	

TRICHLOROETHENE DATA

WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
1199-41-13C	31-MAY-91		U	PPB	
199-B3-1	11-DEC-91	1.000		PPB	
199-B4-1	11-DEC-91	1.200		PPB	
199-B4-4	11-DEC-91	1.700		PPB	
199-B4-5	18-SEP-91	1.700		PPB	
199-B4-6	19-SEP-91	1.800		PPB	
199-B4-7	18-SEP-91	1.600		PPB	
199-B9-1	11-DEC-91	1.200		PPB	
199-D2-5	30-OCT-91		U	PPB	
199-D5-12	30-OCT-91		U	PPB	
199-D8-3	30-OCT-91		U	PPB	
199-F5-1	30-OCT-91		U	PPB	
199-F5-4	19-SEP-91	2.800		PPB	
199-F7-1	19-SEP-91	19.000		PPB	
299-E13-14	11-JUN-91		U	UG/L	
299-E17-13	18-JUN-91		U	UG/L	
299-E24-19	21-OCT-91		U	UG/L	
	22-NOV-91		U	UG/L	
299-E25-29P	01-NOV-91		U	UG/L	
299-E25-37	26-JUN-91		U	PPB	
299-E25-41	21-NOV-91		U	UG/L	
299-E27-11	06-NOV-91		U	UG/L	
299-E27-15	21-NOV-91		U	UG/L	
299-E27-5	09-JAN-91		U	PPB	
299-E33-3	08-JAN-91		U	PPB	
299-E33-40	30-MAY-91		U	PPB	
299-E33-41	21-NOV-91		U	UG/L	
299-E34-1	18-JAN-91		U	PPB	
299-E34-7	04-NOV-91		U	UG/L	
299-W10-13	08-AUG-91		U	PPB	
	07-NOV-91		U	UG/L	
299-W10-14	07-NOV-91		U	UG/L	

TRICHLOROETHENE DATA

WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
299-W10-17	08-MAY-91	1.000		PPB	
299-W10-18	08-MAY-91	5.900		PPB	
299-W10-4	02-JAN-91	23.000		PPB	
299-W14-5	02-JAN-91	.500		PPB	
299-W14-6	03-JAN-91	.600		PPB	
299-W15-10	02-JAN-91	5.500		PPB	
299-W15-11	02-JAN-91	7.800		PPB	
299-W15-15	04-NOV-91	.800		PPB	
299-W15-16	30-JAN-91	7.800		PPB	
299-W15-17	06-AUG-91	.800		PPB	
299-W15-18	09-AUG-91	2.800		PPB	
299-W15-19	14-NOV-91		U	UG/L	
299-W15-20	05-AUG-91	.300	J	PPB	
	12-NOV-91		U	UG/L	
299-W15-22	18-APR-91	7.900	U	PPB	
299-W15-23	13-NOV-91		U	UG/L	
299-W15-24	05-AUG-91	.300	J	PPB	
	12-NOV-91		U	UG/L	
299-W15-4	02-JAN-91	2.500		PPB	
299-W15-6	09-APR-91	2.100		PPB	
	09-APR-91	1.600		PPB	
	08-MAY-91	1.300		PPB	
299-W18-17	29-JAN-91	8.500		PPB	
	20-MAR-91	9.400		PPB	
299-W18-2	20-MAR-91	1.700		PPB	
299-W18-20	06-FEB-91	1.000		PPB	
	20-MAR-91	.900		PPB	
299-W18-23	09-AUG-91	.500		PPB	
	25-NOV-91	.500		PPB	
299-W18-24	09-AUG-91	1.200	J	PPB	
	02-OCT-91	.400		PPB	
299-W18-26	07-AUG-91		U	UG/L	
	12-NOV-91		U	UG/L	
299-W19-18	02-JAN-91	1.200		PPB	
299-W19-28	10-OCT-91	2.600		PPB	

TRICHLOROETHENE DATA						TRICHLOROETHENE DATA					
WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW	WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
299-W19-29	14-JUN-91		U	UG/L		399-1-17A	29-OCT-91		U	UG/L	
	25-NOV-91	5.500		UG/L			05-NOV-91		U	UG/L	
299-W19-30	13-JUN-91		U	UG/L			15-NOV-91		U	UG/L	
299-W22-20	18-JAN-91	50.000		PPB			22-NOV-91		U	UG/L	
	01-APR-91	41.000		PPB			03-DEC-91		U	UG/L	
	18-JUN-91	49.000		PPB			10-DEC-91		U	UG/L	
299-W22-26	04-JAN-91		U	PPB		399-1-17B	19-DEC-91		U	UG/L	
	30-DEC-91		U	UG/L			27-DEC-91		U	UG/L	
299-W26-8	12-AUG-91		U	UG/L		399-1-18A	10-DEC-91		U	UG/L	
	13-NOV-91	1.500		PPB			13-DEC-91		U	UG/L	
299-W6-2	08-NOV-91		U	UG/L		399-1-7	01-DEC-91		U	UG/L	
	14-NOV-91		U	UG/L		399-2-1	18-DEC-91		U	UG/L	
299-W7-1	08-NOV-91		U	UG/L		399-2-2	17-DEC-91	4.700		PPB	
	08-NOV-91		U	UG/L		399-3-10	18-DEC-91		U	UG/L	
299-W7-10	08-NOV-91		U	UG/L		399-3-7	17-DEC-91	2.600		UG/L	
299-W7-2	08-NOV-91		U	UG/L		399-3-9	17-DEC-91		U	UG/L	
299-W7-3	08-NOV-91		U	UG/L		399-4-1	10-JUL-91	4.700		PPB	
299-W7-4	13-NOV-91		U	UG/L			10-DEC-91	3.800		UG/L	
299-W7-5	11-NOV-91		U	UG/L		399-4-11	11-DEC-91	2.900		UG/L	
299-W7-6	08-NOV-91		U	UG/L		399-4-7	10-DEC-91	3.400		UG/L	
299-W7-7	09-AUG-91		U	PPB		399-8-1	15-JUL-91	1.300		PPB	
	08-NOV-91		U	UG/L			20-DEC-91	1.600	U	PPB	
299-W7-8	11-NOV-91		U	UG/L			20-DEC-91		U	UG/L	
299-W7-9	08-NOV-91		U	UG/L		399-8-2	20-DEC-91		U	UG/L	
	13-NOV-91		U	UG/L			18-DEC-91	.300	J	PPB	
299-W8-1	08-NOV-91		U	UG/L		399-8-3	09-OCT-91	1.500		PPB	
299-W9-1	08-NOV-91		U	UG/L		499-80-8	15-AUG-91		U	PPB	
399-1-10	06-DEC-91		U	UG/L		699-10-E12	09-DEC-91		U	PPB	
399-1-11	18-DEC-91		U	UG/L		699-14-38	09-DEC-91		U	PPB	
399-1-12	18-JUL-91		U	UG/L		699-23-34	27-AUG-91	4.200		PPB	
	06-DEC-91		U	UG/L			26-DEC-91	4.000		UG/L	
399-1-13	11-DEC-91		U	UG/L			26-DEC-91	4.000		UG/L	
399-1-14	11-DEC-91		U	UG/L		699-24-33	18-JAN-91	2.400		PPB	
399-1-15	11-DEC-91		U	UG/L			28-MAR-91	2.200		PPB	
399-1-16A	06-DEC-91	2.500		UG/L		699-24-34A	20-JUN-91	2.200		PPB	
							27-AUG-91	2.800		PPB	
399-1-16B	11-JUL-91	12.000		PPB		699-24-34B	26-DEC-91	2.000		UG/L	
	06-DEC-91	10.000		UG/L			27-AUG-91	2.900		PPB	
399-1-17A	24-OCT-91		U	UG/L			26-DEC-91	3.000		UG/L	

TRICHLOROETHENE DATA					TRICHLOROETHENE DATA						
WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW	WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
699-24-34C	27-AUG-91	2.800		PPB		699-83-25	20-DEC-91		U	PPB	
	26-DEC-91	4.000		UG/L		699-830-E10A	24-JUL-91	3.600		PPB	
699-25-34C	26-DEC-91	1.000		UG/L			10-DEC-91	3.100		PPB	
699-32-77	29-MAR-91		U	PPB		699-830-E10B	24-JUL-91	3.400		PPB	
699-37-E4	24-SEP-91		U	PPB			10-DEC-91	10.200		PPB	
699-38-70	29-JAN-91	4.600		PPB		699-830-E15A	18-JAN-91	.200	J	PPB	
	30-DEC-91	5.100		PPB			29-MAR-91		U	PPB	
699-39-0	22-AUG-91		U	PPB			21-JUN-91	.200	J	PPB	
699-39-79	29-JAN-91	.500		PPB		699-831-1	20-DEC-91		U	PPB	
699-40-1	18-JAN-91		U	PPB		699-831-E10A	23-JUL-91	81.000		PPB	
	29-MAR-91		U	PPB		699-831-E10B	23-JUL-91	69.000		PPB	
	26-JUN-91		U	PPB		699-831-E10C	23-JUL-91	45.000		PPB	
699-40-62	30-DEC-91		U	UG/L		699-831-E10D	23-JUL-91	48.000		PPB	
699-42-2	09-DEC-91		U	PPB		699-831-E13	24-JUL-91		U	PPB	
699-43-3	18-JUL-91		U	PPB		699-831-E8	24-JUL-91		U	PPB	
699-45-2	09-DEC-91		U	PPB		699-832-E13A	24-JUL-91		U	PPB	
699-45-69A	30-DEC-91		U	UG/L		699-832-E13B	25-JUL-91		U	PPB	
699-46-4	19-JUL-91		U	PPB		699-832-E8	25-JUL-91		U	PPB	
699-47-5	19-JUL-91		U	PPB		699-834-E10	25-JUL-91		U	PPB	
699-49-100C	18-JAN-91		U	PPB		699-836-E13A	30-AUG-91		U	PPB	
	04-APR-91		U	PPB		699-837-E11	29-AUG-91		U	PPB	
	20-JUN-91		U	PPB		699-837-E14	29-AUG-91		U	PPB	
699-49-55B	20-MAY-91		U	PPB			17-OCT-91		U	PPB	
699-49-57B	21-MAY-91		U	PPB		699-838-E11	29-AUG-91		U	PPB	
699-50-53B	20-MAY-91		U	PPB		699-838-E12A	29-AUG-91		U	PPB	
699-51-75	09-DEC-91		U	PPB		699-838-E12B	29-AUG-91		U	PPB	
699-54-57	13-MAY-91		U	PPB		699-840-E14	29-AUG-91		U	PPB	
699-63-25A	23-AUG-91		U	PPB		699-841-E11	30-AUG-91		U	PPB	
699-66-23	22-AUG-91		U	PPB		699-841-E13A	29-AUG-91		U	PPB	
699-72-88	23-AUG-91		U	PPB			17-OCT-91		U	PPB	
699-77-36	22-AUG-91	30.000		PPB		699-841-E13B	29-AUG-91		U	PPB	
699-819-E13	13-DEC-91		U	PPB			17-OCT-91		U	PPB	
699-827-E14	10-DEC-91	1.000		PPB		699-841-E13C	29-AUG-91		U	PPB	
699-829-E12	09-DEC-91		U	PPB		699-S8-19	13-DEC-91		U	PPB	

TRICHLOROETHANE DATA						TRICHLOROETHANE DATA					
WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW	WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
1199-41-13C	31-MAY-91	.900	J	PPB		299-W10-17	08-MAY-91		U	PPB	
199-B3-1	11-DEC-91		U	PPB		299-W10-18	08-MAY-91		U	PPB	
199-B4-1	11-DEC-91		U	PPB		299-W10-4	02-JAN-91		U	PPB	
199-B4-4	11-DEC-91		U	PPB		299-W14-5	02-JAN-91		U	PPB	
199-B4-5	18-SEP-91		U	PPB		299-W14-6	03-JAN-91		U	PPB	
199-B4-6	19-SEP-91		U	PPB		299-W15-10	02-JAN-91		U	PPB	
199-B4-7	18-SEP-91		U	PPB		299-W15-11	02-JAN-91		U	PPB	
199-B9-1	11-DEC-91		U	PPB		299-W15-15	04-NOV-91		U	PPB	
199-D2-5	30-OCT-91		U	PPB		299-W15-16	30-JAN-91		U	PPB	
199-D5-12	30-OCT-91		U	PPB		299-W15-17	06-AUG-91		U	PPB	
199-D8-3	30-OCT-91		U	PPB		299-W15-18	09-AUG-91		U	PPB	
199-F5-1	30-OCT-91		U	PPB		299-W15-19	14-NOV-91		U	UG/L	
199-F5-4	19-SEP-91		U	PPB		299-W15-20	05-AUG-91		U	PPB	
199-F7-1	19-SEP-91		U	PPB			12-NOV-91		U	UG/L	
299-E13-14	11-JUN-91		U	UG/L		299-W15-22	18-APR-91		U	PPB	
299-E17-13	18-JUN-91		U	UG/L		299-W15-23	13-NOV-91		U	UG/L	
299-E24-19	21-OCT-91		U	UG/L		299-W15-24	05-AUG-91		U	PPB	
	22-NOV-91		U	UG/L			12-NOV-91		U	UG/L	
299-E25-29P	01-NOV-91		U	UG/L		299-W15-4	02-JAN-91		U	PPB	
299-E25-37	26-JUN-91		U	PPB		299-W15-6	09-APR-91		U	PPB	
299-E25-41	21-NOV-91		U	UG/L			09-APR-91		U	PPB	
299-E27-11	06-NOV-91		U	UG/L			08-MAY-91		U	PPB	
299-E27-15	21-NOV-91		U	UG/L		299-W18-17	29-JAN-91		U	PPB	
299-E27-5	09-JAN-91		U	PPB			20-MAR-91		U	PPB	
299-E33-3	08-JAN-91		U	PPB		299-W18-2	20-MAR-91		U	PPB	
299-E33-40	30-MAY-91		U	PPB		299-W18-20	06-FEB-91		U	PPB	
299-E33-41	21-NOV-91		U	UG/L			20-MAR-91		U	PPB	
299-E34-1	18-JAN-91		U	PPB		299-W18-23	09-AUG-91		U	PPB	
299-E34-7	04-NOV-91		U	UG/L			25-NOV-91		U	PPB	
299-W10-13	08-AUG-91		U	PPB		299-W18-24	09-AUG-91		U	PPB	
	07-NOV-91		U	UG/L			02-OCT-91		U	PPB	
299-W10-14	07-NOV-91		U	UG/L		299-W18-26	07-AUG-91		U	PPB	
							12-NOV-91		U	UG/L	
						299-W19-18	02-JAN-91		U	PPB	
						299-W19-28	10-OCT-91		U	PPB	

TRICHLOROETHANE DATA

WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
299-W19-29	14-JUN-91		U	UG/L	
	25-NOV-91		U	UG/L	
299-W19-30	13-JUN-91		U	UG/L	
299-W22-20	18-JAN-91		U	PPB	
	01-APR-91		U	PPB	
	18-JUN-91		U	PPB	
299-W22-26	04-JAN-91		U	PPB	
299-W26-8	30-DEC-91		U	UG/L	
299-W6-2	12-AUG-91		U	PPB	
	13-NOV-91		U	UG/L	
299-W7-1	08-NOV-91		U	UG/L	
299-W7-10	14-NOV-91		U	UG/L	
299-W7-2	08-NOV-91		U	UG/L	
299-W7-3	08-NOV-91		U	UG/L	
299-W7-4	13-NOV-91		U	UG/L	
299-W7-5	11-NOV-91		U	UG/L	
299-W7-6	08-NOV-91		U	UG/L	
299-W7-7	09-AUG-91		U	PPB	
	08-NOV-91		U	UG/L	
299-W7-8	11-NOV-91		U	UG/L	
299-W7-9	08-NOV-91		U	UG/L	
299-W8-1	13-NOV-91		U	UG/L	
299-W9-1	08-NOV-91		U	UG/L	
399-1-10	06-DEC-91		U	UG/L	
399-1-11	18-DEC-91		U	UG/L	
399-1-12	18-JUL-91		U	UG/L	
	06-DEC-91		U	UG/L	
399-1-13	11-DEC-91		U	UG/L	
399-1-14	11-DEC-91		U	UG/L	
399-1-15	11-DEC-91		U	UG/L	
399-1-16A	06-DEC-91		U	UG/L	
399-1-16B	11-JUL-91		U	PPB	
	06-DEC-91		U	UG/L	
399-1-17A	24-OCT-91		U	UG/L	

TRICHLOROETHANE DATA

WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
399-1-17A	29-OCT-91		U	UG/L	
	05-NOV-91		U	UG/L	
	15-NOV-91		U	UG/L	
	22-NOV-91		U	UG/L	
	03-DEC-91		U	UG/L	
	10-DEC-91		U	UG/L	
	19-DEC-91		U	UG/L	
	27-DEC-91		U	UG/L	
399-1-17B	10-DEC-91		U	UG/L	
399-1-18A	13-DEC-91		U	UG/L	
399-1-7	01-DEC-91		U	UG/L	
399-2-1	18-DEC-91		U	UG/L	
399-2-2	17-DEC-91		U	PPB	
399-3-10	18-DEC-91		U	UG/L	
399-3-7	17-DEC-91		U	UG/L	
399-3-9	17-DEC-91		U	UG/L	
399-4-1	10-JUL-91		U	PPB	
	10-DEC-91		U	UG/L	
399-4-11	11-DEC-91		U	UG/L	
399-4-7	10-DEC-91		U	UG/L	
399-8-1	15-JUL-91		U	PPB	
	20-DEC-91		U	PPB	
	20-DEC-91		U	UG/L	
	20-DEC-91		U	UG/L	
399-8-2	18-DEC-91		U	PPB	
399-8-3	09-OCT-91		U	PPB	
699-10-E12	09-DEC-91		U	PPB	
699-14-38	09-DEC-91		U	PPB	
699-23-34	27-AUG-91	30.000		PPB	
	26-DEC-91	33.000		UG/L	
	26-DEC-91	32.000		UG/L	
699-24-33	18-JAN-91	22.000		PPB	
	28-MAR-91	13.000		PPB	
	20-JUN-91	16.000		PPB	
699-24-34A	27-AUG-91	22.000		PPB	
	26-DEC-91	15.000		UG/L	
699-24-34B	27-AUG-91	21.000		PPB	
	26-DEC-91	17.000		UG/L	
699-24-34C	27-AUG-91	20.000		PPB	
	26-DEC-91	16.000		UG/L	

TRICHLOROETHANE DATA						TRICHLOROETHANE DATA					
WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW	WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
699-25-34C	26-DEC-91	5.300		UG/L		699-827-E14	10-DEC-91		U	PPB	
699-32-77	29-MAR-91		U	PPB		699-829-E12	09-DEC-91		U	PPB	
699-37-E4	24-SEP-91		U	PPB		699-83-25	20-DEC-91		U	PPB	
699-38-70	29-JAN-91		U	PPB		699-830-E10A	24-JUL-91	.500	J	PPB	
	30-DEC-91		U	PPB			10-DEC-91	.800	J	PPB	
699-39-0	22-AUG-91		U	PPB		699-830-E10B	24-JUL-91	.400	J	PPB	
699-39-79	29-JAN-91		U	PPB			10-DEC-91	1.300	J	PPB	
699-40-1	18-JAN-91		U	PPB		699-830-E15A	18-JAN-91	.200	J	PPB	
	29-MAR-91		U	PPB			29-MAR-91		U	PPB	
	26-JUN-91		U	PPB			21-JUN-91		U	PPB	
699-40-62	30-DEC-91		U	UG/L		699-831-1	20-DEC-91		U	PPB	
699-42-2	09-DEC-91		U	PPB		699-831-E10A	23-JUL-91	1.300	J	PPB	
699-43-3	18-JUL-91		U	PPB		699-831-E10B	23-JUL-91	.900	J	PPB	
699-45-2	09-DEC-91		U	PPB		699-831-E10C	23-JUL-91		U	PPB	
699-45-69A	30-DEC-91		U	UG/L		699-831-E10D	23-JUL-91	.400	J	PPB	
699-46-4	19-JUL-91		U	PPB		699-831-E13	24-JUL-91		U	PPB	
699-47-5	19-JUL-91		U	PPB		699-831-E8	24-JUL-91		U	PPB	
699-49-100C	18-JAN-91		U	PPB		699-832-E13A	24-JUL-91		U	PPB	
	04-APR-91		U	PPB		699-832-E13B	25-JUL-91		U	PPB	
	20-JUN-91		U	PPB		699-832-E8	25-JUL-91		U	PPB	
699-49-55B	20-MAY-91		U	PPB		699-834-E10	25-JUL-91		U	PPB	
699-49-57B	21-MAY-91		U	PPB		699-836-E13A	30-AUG-91		U	PPB	
699-50-53B	20-MAY-91		U	PPB		699-837-E11	29-AUG-91	1.100	J	PPB	
699-51-75	09-DEC-91		U	PPB		699-837-E14	29-AUG-91		U	PPB	
699-54-57	12-MAY-91		U	PPB			17-OCT-91		U	PPB	
699-63-25A	23-AUG-91		U	PPB		699-838-E11	29-AUG-91		U	PPB	
699-66-23	22-AUG-91		U	PPB		699-838-E12A	29-AUG-91		U	PPB	
699-72-88	23-AUG-91		U	PPB		699-838-E12B	29-AUG-91	2.100		PPB	
699-77-36	22-AUG-91		U	PPB		699-840-E14	29-AUG-91		U	PPB	
699-87-55	12-SEP-91		U	PPB		699-841-E11	30-AUG-91		U	PPB	
699-97-43	12-SEP-91		U	PPB		699-841-E13A	29-AUG-91		U	PPB	
699-97-51A	12-SEP-91		U	PPB			17-OCT-91		U	PPB	
699-519-E13	13-DEC-91		U	PPB		699-841-E13B	17-OCT-91		U	PPB	

TRICHLOROETHANE DATA

WELL NAME	SAMPLE DATE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
699-841-E13C	29-AUG-91		U	PPB	
699-88-19	13-DEC-91		U	PPB	

WELL NAME	VOA DATA										UNITS	DATA REVIEW
	SAMPLE DATE	ANALYTE	CONCENTRATION	QUALIFIER								
299-E24-19	21-OCT-91	ACETONE	4.700		UG/L							
299-E25-29P	01-NOV-91	METHYCH	.370	J	UG/L							
299-E27-5	09-JAN-91	M-XYLE	1.000		PPB							
299-W10-14	07-NOV-91	ACETONE	51.000		UG/L							
299-W10-4	02-JAN-91	CISDCE	.200	J	PPB							
299-W15-24	05-AUG-91	METHYCH	.400	J	PPB							
299-W15-6	08-MAY-91	M-XYLE	.400	J	PPB							
	08-MAY-91	METHYCH	2.000	J	PPB							
299-W19-29	25-NOV-91	METHYCH	1.400	J	UG/L							
299-W22-20	18-JAN-91	1,2-DCL	4.100		PPB							
	01-APR-91	1,2-DCL	4.600		PPB							
	18-JUN-91	1,2-DCL	3.800		PPB							
299-W6-2	13-NOV-91	METHYCH	.370	J	UG/L							
299-W7-5	11-NOV-91	METHYCH	.340	J	UG/L							
299-W7-8	11-NOV-91	METHYCH	1.300	J	UG/L							
399-1-10	06-DEC-91	ACETONE	10.000		UG/L							
	06-DEC-91	METHYCH	5.900		UG/L							
399-1-12	18-JUL-91	METHYCH	7.000	B	UG/L							
	06-DEC-91	ACETONE	6.900		UG/L							
399-1-16A	06-DEC-91	1,2-DCL	86.000		UG/L							Y
	06-DEC-91	4MET2PE	3000.000		UG/L							Y
	06-DEC-91	BENZENE	31.000		UG/L							Y
	06-DEC-91	METHONE	44.000		UG/L							Y
	06-DEC-91	TETHYDF	13000.000		UG/L							Y
	06-DEC-91	TRANDCE	8700.000		UG/L							Y
399-1-16B	11-JUL-91	CISDCE	110.000		PPB							
	11-JUL-91	METHYCH	17.000		PPB							
	11-JUL-91	TRANDCE	.800		PPB							
	06-DEC-91	TRANDCE	100.000		UG/L							
399-1-17A	24-OCT-91	METHYCH	2.000		UG/L							
	29-OCT-91	METHYCH	.440	J	UG/L							
	22-NOV-91	METHYCH	2.700		UG/L							
	10-DEC-91	METHYCH	5.700		UG/L							
399-1-17B	10-DEC-91	TRANDCE	4.900		UG/L							
399-1-18A	13-DEC-91	METHYCH	.540	J	UG/L							
399-2-2	17-DEC-91	CISDCE	.500		PPB							
699-23-34	27-AUG-91	1,1-DCL	2.700	J	PPB							
	26-DEC-91	1,1-DCL	4.000		UG/L							
	26-DEC-91	1,1-DCL	4.000		UG/L							
699-24-33	18-JAN-91	1,1-DCL	1.600	J	PPB							

WELL NAME	SEMI-VOLATILE ANALYSES					UNITS		DATA REVIEW	
	SAMPLE DATE	ANALYTE	CONCENTRATION	QUALIFIER	UNITS				
199-N-14	01-NOV-91	24-dcbp	25000.000		UG/L			Y	
	01-NOV-91	2NITRPH	4000.000		UG/L			Y	
	01-NOV-91	46DINIT	120.000		UG/L			Y	
	01-NOV-91	1PHENOL	1200.000		UG/L			Y	
199-N-3	01-NOV-91	TRICHPH	3100.000		UG/L			Y	
	05-DEC-91	24-dcbp	53000.000		UG/L			Y	
	05-DEC-91	2NITRPH	8800.000		UG/L			Y	
	05-DEC-91	46DINIT	310.000		UG/L			Y	
299-E17-16	05-DEC-91	CHLCRES	49.000		UG/L			Y	
	05-DEC-91	1PHENOL	2700.000		UG/L			Y	
	05-DEC-91	NITPHEN	21.000		UG/L			Y	
	05-DEC-91	TRICHPH	9700.000		UG/L			Y	
299-E17-18	19-DEC-91	24-dcbp	26.000		UG/L				
299-W15-24	19-DEC-91	24DIMET	20.000		UG/L				
299-W19-29	12-NOV-91	BUTDINP	11.000		UG/L				
299-W22-39	25-NOV-91	DODECAN	100000.000		UG/L			Y	
	25-NOV-91	1PHENOL	840.000		UG/L			Y	
	25-NOV-91	MCRESOL	74.000		UG/L			Y	
	25-NOV-91	PENTCHP	27.000		UG/L			Y	
	25-NOV-91	TETRADE	180.000		UG/L			Y	
	25-NOV-91	TRIEUPH	30000.000		UG/L			Y	
299-W7-8	14-NOV-91	TRICHPH	5.000		UG/L				
	11-NOV-91	BUTDINP	15.000		UG/L				

PESTICIDE DATA

WELL NAME	SAMPLE DATE	ANALYTE	CONCENTRATION	QUALIFIER	UNITS	DATA REVIEW
399-1-12	06-DEC-91	B-BHC	.190		UG/L	
	06-DEC-91	CAM-BHC	.100		UG/L	
399-1-13	11-DEC-91	BUTDINP	40.000		UG/L	
399-1-15	11-DEC-91	BUTDINP	41.000		UG/L	

DISTRIBUTION

No. of
Copies

No. of
Copies

OFFSITE

13 Pacific Northwest Laboratory

2 DOE/Office of Scientific and
Technical Information

D. J. Bates
R. W. Bryce
P. G. Doctor
P. E. Dresel
J. K. Merz
Publishing Coordination
Public Reading Room
Technical Report Files (5)

ONSITE

3 DOE Richland Field Office

R. D. Hildebrand (2)
M. W. Tiernan

Routing

Westinghouse Hanford Company

K. R. Fecht

R. M. Ecker
M. J. Graham
P. M. Irving
R. L. Skaggs
C. S. Sloane
P. C. Hays (last)

END

**DATE
FILMED**

5 / 24 / 93