PNL--8583

DE93 010365

EVALUATION OF S-101 COURSE
"SUPERVISORS' ORIENTATION TO OCCUPATIONAL
SAFETY IN DOE" TAUGHT IN
IDAHO FALLS, IDAHO
January 19-22, 1993

T. S. Wright

March 1993

Prepared for
the U.S. Department of Energy
under Contract DE-AC06-76RLO 1830

Pacific Northwest Laboratory
Richland, Washington 99352

MASTER

NO REPRODUCTION OF THIS DOCUMENT IS UNAUTHORIZED

EXECUTIVE SUMMARY

This section summarizes trainee evaluations for the Safety Training Section course, "Supervisors' Orientation to Occupational Safety in DOE", (S-101) which was conducted January 19-22, 1993 at Idaho National Engineering Laboratory, in Idaho Falls, Idaho.

Sections 1.1 and 1.2 of this report summarize the quantitative course evaluations that trainees provided upon completion of the course. Section 2.0 covers examination results, and Section 3.0 presents recommendations for course improvement. Appendix A provides a transcript of the trainees' written comments, and Appendix B provides the evaluation form.

Numeric course ratings were generally positive and show that the course material and instruction were very effective.

Section two of the student manual is due for an update to reflect recent changes in administration. These changes will be incorporated into the new manual.

CONTENTS

SUMMARY	iii
1.0 SUMMARY OF TRAINEE COURSE EVALUATIONS	1.1
1.1 NUMERIC RATINGS	1.1
1.2 WRITTEN COMMENTS	1.3
2.0 EXAMINATION RESULTS	2.1
3.0 RECOMMENDATIONS FOR COURSE IMPROVEMENT	3.1
APPENDIX A - EVALUATION COMMENTS	A.1
APPENDIX B - TRAINEE EVALUATION FORM	B.1

1.0 SUMMARY OF TRAINEE COURSE EVALUATIONS

This course was conducted at Idaho National Engineering Laboratory in Idaho Falls, Idaho, January 19-22, 1993. Tommy Wright and Troy Corbin presented the course to 26 WINCO and EG&G employees.

1.1 NUMERIC RATINGS

Twenty-one trainees completed a course evaluation form upon finishing the course. The first rating area of the form covered seven items dealing with course content; the second rating area covered one item dealing with testing materials; and the third rating area covered fifteen items specifically associated with course topic areas.

For the first and second rating areas, respondents were instructed to rate the degree to which they agreed or disagreed with each statement using a five-point scale with 1 (low) "strongly disagree" to 5 (high) "strongly agree". The ratings are as follows:

COURSE CONTENT AND TESTING MATERIALS RATINGS

1. Developed specific skills and competencies in health and safety that I can use as a supervisor on the job.
Average Class Rating - 4.24
2. Gained a greater understanding of safety liability, hazard recognition, hazard evaluation and hazard control.
Average Class Rating - 4.32
3. Gained factual knowledge about health and safety issues and procedures (terminology, classifications, regulations).
Average Class Rating - 4.27
4. Learned fundamental principles, generalizations, and theories.
Average Class Rating - 4.05
5. Can use the course materials to improve thinking, problem-solving, and decision-making of supervisory health and safety work.
Average Class Rating - 4.45

6. Would recommend this course to others.

Average Class Rating - 4.68

7. This course will help supervisors to make their work environments safer.

Average Class Rating - 4.68

8. The final test was a good measure of the knowledge gained in the course.

Average Class Rating - 4.05

The average class rating for the course content area and testing materials area was 4.34. This high rating reinforces the applicability of the course content to the trainees' interests and work environments.

The third rating area asked the respondents to rate the value of each of the fifteen topic areas using a five-point scale with 1 (Unsatisfactory), 2 (Satisfactory), 3 (Good), 4 (Very Good), or 5 (Excellent). The following are the average class ratings that dealt with topic content as well as with the value of the instructor:

INSTRUCTOR	TOPICAL AREAS PRESENTED	CONTENT	INSTRUCT
Tommye Wright	Requirements and consequences	4.15	4.47
Tommye Wright	OSHA compliance and DOE orders	3.95	4.41
Tommye Wright	Fire hazards	4.15	4.53
Troy Corbin	Physical hazards	4.20	4.59
Troy Corbin	Confined space hazards	4.28	4.60
Tommye Wright	Machine safeguards	4.12	4.47
Tommye Wright	Hand and portable power tools	4.11	4.44
Troy Corbin	Material handling and storage	3.89	4.31
Troy Corbin	Electrical hazards	4.11	4.44
Troy Corbin	Chemical hazards	4.16	4.50
Troy Corbin	Measurement and testing	4.00	4.47
Troy Corbin	Hazard communication	4.11	4.44
Troy Corbin	Inspections and investigations	4.05	4.35
Tommye Wright	Job safety analysis	3.85	4.47
Troy Corbin	Hazard reduction and elimination	4.05	4.53

The overall average class rating for specific topic content was 4.08. The average instructor rating for Tommye Wright was 4.47, overall rating for Troy Corbin was 4.47.

1.2 WRITTEN COMMENTS

After providing numeric course evaluations, participants provided written comments about the course. Written comments were transcribed and are presented in Appendix A.

2.0 EXAMINATION RESULTS

On the last day of the course, a final examination was administered to 22 attendees. There were 25 multiple-choice questions. The scores ranged from 92% to 100%, with the average score being 96%. Twenty-two persons successfully completed the class.

The exam has been revised and tested in two classes. It appears to be a good measure of the material covered.

3.0 RECOMMENDATIONS FOR COURSE IMPROVEMENT

Section 2.0 of the student manual will be updated to reflect recent changes in administration. Tiger Team comments will be de-emphasized and supplemented with new data from the SPMS system.

In order to structure the walk through inspections, a checklist will be generated that will help the attendees look for typical problems.

APPENDIX A

EVALUATION COMMENTS

"SUPERVISORS' ORIENTATION TO OCCUPATIONAL SAFETY IN DOE"

JANUARY 19-22, 1993

IDAHO FALLS, IDAHO (IDAHO NATIONAL ENGINEERING LABORATORY)

APPENDIX A

TRAINEE EVALUATION RESPONSES

S101, "SUPERVISORS' ORIENTATION TO OCCUPATIONAL SAFETY IN DOE"

JANUARY 19-22, 1993--IDAHO FALLS, IDAHO

IDAHO NATIONAL ENGINEERING LABORATORY

Please briefly describe how your expectations of this course were or were not met.

The usage of the code books really served to cement their uses.

Satisfied.

My expectations were met by receiving exposure to methods for identifying requirements for occupational safety and techniques for identifying safety problems.

Better than expected.

Met an overall coverage of OSHA.

Learning to use standards better.

This course did meet the minimum of CFR use, could use a little greater "This is how DOE interprets".

Were met fully. Got a lot of good knowledge.

The most helpful topics covered or activities presented in this course were:
Hazard look-up, actual walk-through.

Understanding access to specific OSHA requirements.

Activity-facility walk-thru.

Machine guarding.

Use of the CFR's.

Understanding CFR codes.

All were equally good.

Hazard communication, electrical.

OSHA, DOE interface and how to use CFR.

Use of standards.

1910.120, workshop list, inspection visit.

The least helpful things discussed or done were:
Chemical hazards.

Got into maybe too much detail on many topics.

Electrical film.

More emphasis should be given to:
Walk-thru's, spotting the problems.

How to use charts.

Less emphasis should be given to:
No comments.

What specific suggestions do you have for improving future sessions?
Stop using acronyms TWA/DTL etc., without prior explanation, i.e., hazards.

A more structured walk-through workshop.

A little shorter.

Other materials to supplement or substitute for the provided handouts?
Handouts of some of the additional overheads on major topics would be nice.

Instructors used extras O/H's but didn't pass them out. I need them.

Daily schedule/timing of activities, worktime?
Time was okay.

Good.

Okay.

I appreciate set lunch breaks because I can schedule work or interviews.
This did not happen in this course.

Facilities/training room arrangements?

The room always seemed to be a little cold.

Fair.

Okay.

Room was cold.

Room was cold, so was coffee.

Some place with better heating/chairs.

Poor! I think it is less than professional to work out of the back of a bar!!

Much better facilities in Idaho Falls than Elks Lodge.

What other types of safety training courses would you like to see available?
EPA - DOE interface.

Each subpart in itself.

Any further comments?

Breaking up the class with video, lecture, and exercises was very effective.

Good videos.

Teaching staff was excellent.

Why not throw section 2 student guide out! We never followed it anyway. Second half was well guided by. Please, always read the article number before discussing the topic. Many times we were on a different page.

APPENDIX B

TRAINEE EVALUATION FORM

EVALUATION FORM

S-101—Supervisors Orientation to Occupational Safety in DOE

Date _____
 Name (optional) _____
 Title _____
 Location _____

Please evaluate various features of the course you have just completed. The information you provide here will be combined with that from other trainees and summarized for the sponsor, the U.S. Department of Energy. Results from this evaluation will be used to improve this course.

Course Content	Strongly Agree	Agree	Neither Agree nor Disagree	Disagree	Strongly Disagree
Overall, as a result of this course I believe that I:					
developed specific skills and competencies in health and safety that I can use on the job.5	4	3	2	1	
gained a greater understanding of safety liability, hazard recognition, hazard evaluation and hazard control.5	4	3	2	1	
gained factual knowledge about health and safety issues and procedures (terminology, classifications, regulations)...5	4	3	2	1	
learned fundamental principles, generalizations, and theories.5	4	3	2	1	
can use the course materials to improve thinking, problem-solving, and decision-making of supervisory health and safety work.5	4	3	2	1	
would recommend this course to others.5	4	3	2	1	
this course will help supervisors to make their work environments safer.5	4	3	2	1	

Testing Materials	Strongly Agree	Agree	Neither Agree nor Disagree	Disagree	Strongly Disagree
The final test was a good measure of the knowledge gained in the course.5	4	3	2	1	

Topic Areas

Please evaluate each topic area using the 5-point scale below.

5 Excellent 4 Very Good 3 Good 2 Satisfactory 1 Unsatisfactory

	Content					Instructor				
Introduction to DOE safety and health program5	4	3	2	1		5	4	3	2	1
Safety responsibility5	4	3	2	1		5	4	3	2	1
Electrical hazards5	4	3	2	1		5	4	3	2	1
Fire hazards5	4	3	2	1		5	4	3	2	1
Material handling and storage5	4	3	2	1		5	4	3	2	1
Physical hazards5	4	3	2	1		5	4	3	2	1
Chemical hazards5	4	3	2	1		5	4	3	2	1
Confined space hazards5	4	3	2	1		5	4	3	2	1
Hazard communication5	4	3	2	1		5	4	3	2	1
Hand and portable power tools5	4	3	2	1		5	4	3	2	1
Machine safeguards5	4	3	2	1		5	4	3	2	1
Inspections and investigations5	4	3	2	1		5	4	3	2	1
Job safety analysis5	4	3	2	1		5	4	3	2	1
Measurement and testing5	4	3	2	1		5	4	3	2	1
Hazard reduction and elimination5	4	3	2	1		5	4	3	2	1

Comments

1. Please briefly describe how your expectations of this course were or were not met. _____

2. The **most** helpful topics covered or activities presented in this course were: _____

3. The **least** helpful topics or activities in this course were: _____

4. More emphasis should be given to: _____

5. Less emphasis should be given to: _____

6. What specific suggestions do you have for improving future sessions?

7. Other materials to supplement or substitute for the provided handouts? _____

8. Daily schedule/timing of activities, worktime? _____

9. Facilities/training room arrangements? _____

10. What other types of safety training courses would you like to see available? _____

11. Any further comments? _____

12. **Overall rating:** Based on your comments above, please rate the course on a 5-point scale by circling the number of your choice.

5 Excellent 4 Very Good 3 Good 2 Satisfactory 1 Unsatisfactory

DISTRIBUTION

No. of
Copies

No. of
Copies

OFFSITE

ONSITE

12 DOE/Office of Scientific and
Technical Information

R. E. Gibbs
Office of Occupational Safety
U.S. Department of Energy
19901 Germantown Rd.
Germantown, MD 20874

G. R. Florczak
U.S. Department of Energy
EH-31.2
19901 Germantown Rd.
Germantown, MD 20874

John Curtis
Idah National Engineering
Laboratory
1955 Freemont
MS 3603
Idaho Falls, ID 83415

Troy Corbin
Marine and Environmental
Testing
PO Box 5693
Portland, OR 97228-5693

DOE Richland Field Office

D. R. Segna

13 Pacific Northwest Laboratory

H. N. Bowers
T. S. Wright
M. A. Leckband (5)
Publishing Coordination
Technical Report Files (5)

END

DATE
FILMED

6 / 14 / 93