WSRC-TR-92-111

**SANITARY LANDFILL 1991 ANNUAL REPORT -
GROUNDWATER MONITORING REPORT (U)**

RECEIVED

FEB - 4 1993

OSTI

by C. Y. Thompson

Westinghouse Savannah River Company
Savannah River Site
Aiken, South Carolina 29808

WSRC-TR--92-111

DE93 006840

Other Authors:

G. T. Norrell
(WSRC)
C. B. Bennett
(WSRC)

This paper was prepared in connection with work done under Contract No. DE-AC09-89SR18035 with the U. S. Department of Energy. By acceptance of this paper, the publisher and/or recipient acknowledges the U. S. Government's right to retain a nonexclusive, royalty-free license in and to any copyright covering this paper, along with the right to reproduce and to authorize others to reproduce all or part of the copyrighted paper.

MASTER

COPIES OF THIS DOCUMENT IS UNLIMITED

**SANITARY LANDFILL
1991 ANNUAL GROUNDWATER MONITORING
REPORT (U)**

Publication Date: February 1992

Westinghouse Savannah River Company
Savannah River Site
Aiken, SC 29808

RV
Chapman

Christine Y. Thompson

4B
THIS DOCUMENT IS UNCLASSIFIED

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

This report has been reproduced directly from the best available copy.

Available to DOE and DOE contractors from the Office of Scientific and Technical Information, P. O. Box 62, Oak Ridge, TN 37831; prices available from (615) 576-8401.

Available to the public from the National Technical Information Service, U. S. Department of Commerce, 5285 Port Royal Rd., Springfield, VA 22161.

**SANITARY LANDFILL
1991 ANNUAL GROUNDWATER MONITORING
REPORT (U)**

Gregory T. Norrell
Christopher B. Bennett
Christine Thompson

Unclassified

Authorized Derivative Classifier

Publication Date: February 1992

ABSTRACT

Concentrations of at least one of the following constituents: tritium, vinyl chloride, total radium, cadmium, 1,1,1-trichloroethane, 1,2 dichloroethane, 1,4 dichlorobenzene, trichloroethylene (TCE), tetrachloroethylene, and 1,1 dichloroethylene in excess of the primary drinking water standards were observed in at least one well monitoring the Sanitary Landfill during the third quarter of 1991. All of these constituents, except radium, were observed in the lower half of the original thirty-two acre site or the southern expansion site.

Trichloroethylene and vinyl chloride are the primary organic contaminants in groundwater beneath the Sanitary Landfill. Vinyl chloride has become the primary contaminant during 1991. Elevated levels of benzene were consistently detected in LFW 7 in the past, but were not present in any LFW wells during the third quarter of 1991. A minor tritium plume is present in the central part of original thirty-two acre landfill. Elevated levels of tritium above the PDWS were consistently present in LFW 10A through 1991. This well has exhibited elevated tritium activities since the second quarter of 1989.

EXECUTIVE SUMMARY

Results from the first through third quarter 1991 groundwater monitoring data continue to show evidence of elevated levels of several hazardous constituents beneath the Sanitary Landfill. These data also indicate that the southern expansion, as well as the original thirty-two acre site, may be contributing to the contamination. Estimated horizontal flow rates for the Water Table hydrologic unit support the supposition that some impact is from the southern expansion, since it is unlikely that contamination from the original site has had sufficient time to travel to points downgradient of the southern expansion. Point sources for contamination appear to be present in both the original landfill and the southern expansion.

Groundwater samples from the Sanitary Landfill exceeded the Primary Drinking Water Standards (PDWS) for ten constituents (eight hazardous and two radioactive) for the third quarter of 1991. Tritium, trichloroethylene (TCE), and vinyl chloride are the primary contaminants present in the groundwater. Only one well (LFW 10A) had a tritium activity (63 pCi/ml) exceeding the PDWS during the third quarter of 1991. Thirteen wells (LFW 10A, 16, 21, 22, 37, 38, 39, 40, 58D, 59C, 59D, 61C, and 61D) had third quarter TCE concentrations in excess of the PDWS. The highest TCE concentration for the quarter was observed at LFW 10A (28 ug/l). Most of the elevated levels of contamination can be observed in the lower half of the original thirty-two acre site or the southern expansion. Groundwater flow in the Water Table hydrologic unit below the Sanitary Landfill is southerly (SRS coordinates) toward Upper Three Runs (UTR).

INTRODUCTION

The Savannah River Site (SRS) Sanitary Landfill is an approximately seventy acre site located just south of SRS Road C between the Savannah River Site's B-Area and Upper Three Runs Creek (Figure 1). Figure 2 depicts the topographic setting of the Sanitary Landfill.

Figure 1

SANITARY LANDFILL
LOCATION MAP

SANITARY LANDFILL
TOPOGRAPHIC SETTING

Figure 2

UTM GRID AND 1981 MAGNETIC NORTH
OCCUPATION AT CENTER OF SHEET

0 1000 FEET

The Sanitary Landfill has been receiving waste since 1974, and is currently operating under Domestic Waste Permit Modification #087-A which was renewed on August 24, 1991. The new reporting schedule, specified in the renewed permit, is effective for 1992 Groundwater Reports. This Groundwater Quality Assessment Report reviews field and analytical data through the third quarter of 1991. A previously submitted report was based on data from the first and second quarters of 1991. Future annual reports will include data for the entire previous year, but data interpretation will be based primarily on data from quarters four through three. Fourth quarter data will be included in an appendix, since it is not possible to incorporate that data in the text and figures under the permitted reporting schedule.

The original landfill is a thirty-two acre square shaped area that was filled to capacity in early 1987. In 1987, two expansion areas were permitted to the north and south of the original landfill. The northern expansion is a sixteen acre tract and the southern expansion is a twenty-two acre tract. The southern expansion is approximately three-fourths full at this time. The Domestic Waste Permit Modification #087-A has been revised and implemented allowing the utilization of the northern expansion for waste disposal and requires groundwater monitoring and reporting. The northern expansion has not yet been used. Figure 3 is a map depicting the boundaries of the original tract and the northern and southern expansion.

Fifty-seven wells currently monitor groundwater quality at the Sanitary Landfill (Figure 4). Most of the wells are screened in the Water Table hydrologic unit. Fourteen of the wells are in or around the boundaries of the original thirty two acre landfill and were installed from 1981 to 1984. These wells include: LFW 6, 7, 8, 10A, 16, 17, 18, 19, 20, 21, 22, 23, 24, and 25. Seventeen additional wells were installed in late 1986, around the southern and northern expansions. These wells include: LFW 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, and 42. Groundwater monitoring data from all of the LFW wells for the third and fourth quarters of 1991 are included in Appendices B and C, respectively.

Eight wells (LFW 6, 7, 8, 16, 17, 18, 19, and 20) were installed in 1981. LFW 6, 7, and 8 are constructed of 4" galvanized steel casings with PVC screens. LFW 16-20 are constructed with PVC casings and screens. LFW 10A, 21, 22, 23, 24,

SANITARY LANDFILL BOUNDARY

Figure 3

SANITARY LANDFILL WELL LOCATIONS

Figure 4

and 25 were installed in 1984, and are constructed with PVC casings and screens. LFW 26 through 42 were installed in late 1986 around the southern and northern expansions of the landfill and are constructed with PVC casings and screens. LFW-43B through 62D were installed in mid 1991, and are constructed with PVC casings and screens.

A Groundwater Quality Assessment Plan was approved by SCDHEC to install additional monitoring wells. Twenty-six wells (43B,C,D; 44D; 45D; 46D; 47C,D; 48C,D; 55C,D; 56D; 57B,C,D; 58D; 59B,C,D; 60D; 61C,D; 62B,C,D) were installed in accordance with this plan during 1991. These wells are located outside the boundaries of the sanitary landfill (Figure 4). LFW 43B, C, D are upgradient wells and well clusters LFW 58, 59, 60, 61, and 62 are downgradient wells. Well clusters LFW 44, 45, 46, 47, 48, 55, 56, and 57 are located west of the original landfill and southern expansion. Due to health and safety risks from high methane gas concentrations within the sanitary landfill, nine of the originally proposed wells were not installed (approved by SCDHEC). The remaining wells were installed in accordance with the approved Groundwater Quality Assessment Plan.

MONITORING DATA

The Sanitary Landfill groundwater quality data include field and lab analyses from monitoring wells sampled during the third quarter of 1991. Most of the wells monitor the Water Table unit. A map indicating the locations of the wells in and around the landfill is included as Figure 4.

Concentrations of at least one of the following constituents: tritium, vinyl chloride, 1,2 dichloroethylene, 1,4 dichlorobenzene, 1,1 dichloroethylene, total radium, tetrachloroethylene, trichloroethylene, 1,1,1-trichloroethane, and cadmium were observed in at least one well in excess of the primary drinking water standards monitoring the Sanitary Landfill for the third quarter of 1991. The following wells exceeded the primary drinking water standards for the indicated constituents as shown below:

THIRD QUARTER 1991

<u>Contaminant and Wells</u>	<u>Location</u>
A) CADMIUM: LFW 22	SE
B) 1,1 DICHLOROETHYLENE: LFW 17	O
C) TRITIUM: LFW 10A	O
D) TOTAL RADIUM: LFW 7, 16, 25, 27, 42, 46D	O,NE,SE
E) TCE: LFW 10A, 16, 21, 22, 37, 38, 39,40, 58D,59C, 59D, 61C, 61D	O,SE
F) VINYL CHLORIDE: LFW 7, 8, 47C,48D	O
G) TETRACHLOROETHYLENE: 10A, 16, 21, 39,	O,SE
H) 1,4 DICHLOROBENZENE: LFW 7	O
I) 1,2 DICHLOROETHANE: LFW 17	O

O = Original Site

SE = Southern Expansion

NE = Northern Expansion

Most of the wells are downgradient of areas that have been used to landfill waste. Groundwater wells monitoring the northern expansion did not exhibit elevated levels of contaminants above the PDWS. In general, wells which produced samples with elevated radioactive parameters are located in the original landfill and wells which produced samples with elevated organic constituents are located mostly in the southern expansion. Figures 5 through 7 are maps depicting tritium, total radium, trichloroethylene, and vinyl chloride, (the most consistently detected constituents) for all of the LFW wells from the third quarter of 1991. Figure 7A represents the vinyl chloride concentrations measured in the fourth quarter of 1991.

As can be seen above, virtually all of the contaminants are present in wells in the original thirty-two acre site or the southern expansion. In past quarters, wells which produced samples with elevated radioactive parameters were typically located in the original landfill and wells which produced samples with elevated organic constituents were located mostly in the southern expansion.

Appendix A contains time-series plots for potential groundwater contaminants at the SRS Sanitary Landfill.

SANITARY LANDFILL 3Q91 WATER TABLE: TRITIUM (pCi/mL)

Figure 5

SANITARY LANDFILL 3Q91 WATER TABLE: TOTAL RADIUM (pCi/L)

Figure 5A

SCALE 1 inch = 500 FEET

(MINUS SIGN DENOTES LESS THAN DETECTION LIMIT)

SANITARY LANDFILL 3Q91 WATER TABLE: TRICHLOROETHYLENE (ug/l)

Figure 6

SANITARY LANDFILL 3Q91 WATER TABLE: VINYL CHLORIDE ($\mu\text{g/L}$)

SANITARY LANDFILL 4Q91 WATER TABLE: VINYL CHLORIDE ($\mu\text{g/L}$)

Figure 7A

SCALE 1 inch = 500 FEET

(MINUS SIGN DENOTES LESS THAN DETECTION LIMIT)
0 - INDICATES WELL NOT SAMPLED

Radionuclides

The only recorded tritium concentration above the PDWS in the third quarter of 1991 was observed in LFW 10A. Most of the LFW monitoring wells exhibited slightly elevated tritium activities typical of tritium in the shallow aquifer from percolation of weakly tritiated rainfall (Figure 5). In the lower half of the original thirty-two acre site and the western portion of the southern expansion, a plume of tritiated groundwater exists indicative of a point source release. This point source most likely occurred in the south-central portion of the original landfill.

Figure 5 depicts tritium concentrations during the third quarter of 1991, throughout the Sanitary Landfill. The elevated levels of tritium are centered around the lower portion of the original site and the northern end of the southern expansion. LFW 10A continues to exhibit the highest concentrations of tritium above the PDWS. During the third quarter of 1989, LFW 10A exhibited a sharp upward trend in tritium concentrations. Since the increase, this well has consistently exhibited elevated tritium activities, although values have fluctuated from quarter to quarter.

Tritium in the LFW-Series Monitoring Wells

Six wells (LFW 7, 16, 25, 27, 42, 46D) were observed to have elevated total radium activities above the PDWS during the third quarter of 1991. In each case, the activity is very close to the PDWS of 5 pCi/L. Examination of Figure 5A

that the slightly elevated radium activities occur in all portions of the landfill, without regard for flow directions. The natural pH of groundwater beneath the sanitary landfill is acidic, and is potentially responsible for the dissolution of natural radium from the sedimentary matrix in sufficient concentrations to generate the observed activity levels. Below are time-series plots for total radium at several LFW wells. Appendix A contains the time-series data for all the LFW wells.

Total Radium in the LFW-Series Monitoring Wells

Total Radium in the LFW-Series Monitoring Wells

Organics

TCE was observed in concentrations above the PDWS at thirteen groundwater monitoring wells during the third quarter (Table 1). The highest level of TCE was observed in LFW 10A (28 ug/l). LFW 10A has historically been the most contaminated well in the Sanitary Landfill well network. It currently possesses elevated levels of TCE, tritium, and tetrachloroethylene above the PDWS's. Figure 6 illustrates the contoured TCE data for the LFW wells. Two point sources for this contaminant appear to be present, one in the south-central portion of the original landfill (identical to the tritium point source) and one in the lower portion of the southern expansion.

Figure 6 depicts TCE concentrations during the third quarter of 1991. LFW 10A was observed to have the highest TCE concentration (28 ug/l). Until second quarter 1991, LFW 10A had been experiencing an upward trend in TCE concentrations; at that time, however, there was a slight decrease, and that decrease has continued through the third quarter. LFW 21 has exhibited the highest TCE concentrations in the past, however, this well is also experiencing a downward trend of TCE.

In late 1987, groundwater monitoring wells LFW 37 and 38 exhibited levels of TCE above 30 ug/l. Since then, these wells have experienced a downward trend of TCE concentrations. As depicted on Figure 4, these wells are located in the southwest corner of the southern expansion site. The source of the elevated TCE may be attributable to wastes deposited in the southern section of the southern expansion in late 1987.

TCE and tetrachloroethylene have been the primary, consistently detected organic contaminants in the Sanitary Landfill groundwater monitoring network. LFW 10A, 21, 22, 37, 38, and 39 have consistently exhibited elevated levels of TCE above detection during 1991. Vinyl chloride, however, has become a primary contaminant during 1991, as shown in the below time series plots and in Appendix A. Figures 7 and 7A represent the concentrations of vinyl chloride measured in the monitoring wells during the third and fourth quarters of 1991, respectively.

Vinyl Chloride in the LFW-Series Monitoring Wells

Vinyl Chloride in the LFW-Series Monitoring Wells

There are several possible origins for the vinyl chloride to be considered. First, vinyl chloride (C_2H_3Cl) and 1,2-dichloroethylene ($C_2H_2Cl_2$) can be produced by microbial dehalogenation of TCE (C_2HCl_3) under methanogenic conditions. Since methanogenic conditions are favored at the landfill, this biodegradation origin for the vinyl chloride (VC) is plausible. One potential problem with this hypothesis

stems from the relative proportions of TCE and VC in the landfill. Specifically, the recently observed VC concentrations are substantially higher than the maximum observed TCE concentrations in the landfill. It is not likely that TCE dissolved in groundwater at the 50-100 ppb range could be dehalogenated to produce VC in the 100-400 ppb range downgradient of the source. If however, due to the low solubility of TCE, the biodegradation occurred at presumed solvent rag source areas of TCE in concentrations substantially greater than that dispersed in groundwater, VC could be generated and then subsequently disperse into the surrounding groundwater. Since VC is a more polar substance than TCE, the theoretical solubility should be greater, and higher concentrations of VC than TCE might result in the groundwater.

Another possible source for the VC is the potential reaction of plastics in the landfill with other chlorinated solvents. VC is used in copolymers, adhesives for plastics, and in other organic synthetic processes. Since plasticizers used to manufacture plastics typically contain phthalates, the deterioration of plastics could release both vinyl chloride (from the copolymers) and phthalates (from the plasticizer) to the environment. Bis(2-ethylhexyl)phthalate is a commonly used plasticizing agent. A review of the historical database reveals that this compound has been present in high concentrations in the past.

Bis(2-ethylhexyl) Phthalate in the LFW-Series Monitoring Wells

Bis(2-ethylhexyl) Phthalate in the LFW-Series Monitoring Wells

Bis(2-ethylhexyl) Phthalate in the LFW-Series Monitoring Wells

Benzene has been above drinking water standards at multiple wells in past quarters, but was not elevated above the PDWS at any well during the third quarter of 1991. Other organic contaminants are sporadically elevated in the Sanitary Landfill groundwater monitoring network. Sporadic hits of other organics in low concentrations may be related to biological degradation of trichloroethylene and tetrachloroethylene.

WATER LEVELS

A comparison of water level data from the second quarter of 1991 to the third quarter of 1991 reveals that water levels increased an average of .0145 feet over that time period. Appendix E displays time-trend plots for water elevations in the Water Table.

GROUNDWATER FLOW RATES AND DIRECTIONS

The flow direction in the Water Table unit underlying the Sanitary Landfill is southerly (site coordinates) toward Upper Three Runs Creek, as determined from a potentiometric map of the Water Table aquifer.. The average change in head is approximately twenty feet from the extreme northern boundary of the landfill to the extreme southern boundary (Figure 8).

To derive flow directions at specific areas within the landfill, we can calculate flow triplets from the historical water levels at three or more given monitoring wells. All possible triangular planes are determined for the set of wells, and the flow potentials, which represents the maximum dip direction of a given calculated plane, is graphically illustrated. Positive values are degrees clockwise from site north. Negative values represent degrees counter-clockwise from site north.

The following time-series plots (Figures A-F) illustrate derived flow potentials for specific well triplets through the Sanitary Landfill. Figure 8 shows the well locations and the locations of the flow triplets used in the calculations.

SANITARY LANDFILL WELL LOCATIONS

Figure 8

SAINTARY LANDFILL 3Q91 WATER TABLE FLOW RATE AND DIRECTIONS

Figure 9

A: Groundwater Flow Directions at Triplets of LFW-Series Wells

Examination of Figure A reveals that the groundwater flow potential in the Water Table aquifer in the southeastern portion of the original landfill is 180 degrees from site north, or due south. This direction has been relatively consistent since at least 1984.

Figure B, below, graphically presents the flow potentials over time in the southwestern part of the original landfill, where the vinyl chloride plume has developed.

B: Groundwater Flow Directions at Triplets of LFW-Series Wells

Flow directions for this area through time are slightly to the east of site south. During 1991, the potentials have been slightly to the west of site south.

Figures C and D illustrate flow potentials in the Water Table aquifer for the northern expansion of the landfill.

As shown, flow potentials for the northern expansion are close to site south, similar to those observed from the original landfill area.

Figures E and F illustrate the flow potentials, respectively, for the southwestern part and the southeastern part of the landfill's southern expansion. The data available for this area are more limited, but the same general relationship holds, with primarily southerly flow potentials.

E: Groundwater Flow Directions at Triplets of LFW-Series Wells

F: Groundwater Flow Directions at Triplets of LFW-Series Wells

To estimate an average flow rate in the Water Table unit under the Sanitary Landfill, one can take the gradient just described, an estimated hydraulic conductivity (K_h) for the Water Table hydrologic unit at SRS (10.0 ft/day), a conservatively low estimate of effective porosity (n) of 20%, and use the following one-dimensional horizontal flow equation:

$$V = \frac{K_h}{n} \times \frac{dh}{dl} \quad \text{where} \quad \begin{aligned} K_h &= \text{hydraulic conductivity} \\ n &= \text{porosity} \\ dh &= \text{change in head} \\ dl &= \text{length of the flow path} \end{aligned}$$

Figure 9 depicts the average groundwater flow direction underneath the landfill for the third quarter of 1991. The change in head (dh) and length of the run (dl) were established by using Figure 9. By utilization of the base equation to derive an average horizontal groundwater velocity underneath the landfill during the third quarter of 1991, we obtain:

$$V_1 = \frac{10}{0.20} \times \frac{24}{3450} = 0.347 \text{ ft/day} \times 365 \text{ days}$$

$$= 127 \text{ ft/yr}$$

$$V_2 = \frac{10}{0.20} \times \frac{13}{1400} = 0.464 \text{ ft/day} \times 365 \text{ days}$$

$$= 170 \text{ ft/yr}$$

V_1 and V_2 represent averaged horizontal flow rates along two separate flow paths throughout the landfill, as illustrated in Figure 9. V_1 was determined by using the hydraulic gradient (dh/dl) from the northern end of the facility to the southern end to estimate total groundwater flow throughout the entire facility. V_2 was determined by using the hydraulic gradient (dh/dl) from the potentiometric surface line 158. This was an arbitrary point picked to determine flow rate from another location within the facility..

Values for the dips of the triplet planes can be used as hydraulic gradients in the one-dimensional horizontal flow rate equation. Figures A' through F' graphically present the angles of dip of the calculated triplet planes through time. Again, A' and B' are from the original landfill area. C' and D' are from the northern expansion, and E' and F' are from the southern expansion

A': Groundwater Flow Gradients at Triplets of LFW-Series Wells

B': Groundwater Flow Gradients at Triplets of LFW-Series Wells

E': Groundwater Flow Gradients at Triplets of LFW-Series Wells

F': Groundwater Flow Gradients at Triplets of LFW-Series Wells

The averaged hydraulic gradients along the two flow paths used for calculating V_1 and V_2 can be converted to dip angles with the following equation:

$$\alpha = \arctan(dh/dl)$$

The resulting calculated dips are $\alpha_1 = 0.40$ and $\alpha_2 = 0.53$, which are consistent with the dip angles determined from the calculated triplets (Figures A' through E'). Groundwater flow rates during the third quarter of 1991 in the Water Table average approximately 150 ft/yr.

CONCLUSIONS

Groundwater beneath the SRS Sanitary Landfill has been contaminated with tritium (low levels) and organics. Elevated levels of tritium are consistently being detected in LFW 10A. Cadmium has been observed in low concentrations. Total radium has also been observed at levels near the PDWS, but does not appear to be related to a point source of contamination. Elevated radium is likely due to naturally low pH groundwater leaching radium of matrix sediments. Elevated levels of total radium, 1,2 dichloroethane, 1,1 dichloroethylene, and tetrachloroethylene continue to be detected at levels above the primary drinking water standards in different wells from quarter to quarter that monitor the Sanitary Landfill. TCE has been the most consistently elevated organic contaminant in the landfill groundwater wells. Other organic contaminants periodically are observed in a number of wells throughout the facility. The appearance of the periodic organic plumes could be from an isolated plume migrating south/southeast with the groundwater and being discharged into Upper Three Runs Creek. Also, these periodic observances of elevated levels organic contaminants (other than TCE), could be from buried waste decomposing in a particular area within the Sanitary Landfill that is independent of the larger organic plume. Vinyl chloride has recently become a primary contaminant in groundwater beneath the sanitary landfill. The recent occurrence could be from microbial dehalogenation of TCE, or from the decomposition of plastics in the landfill. Current data best support the latter hypothesis. Further analysis will be directed toward clearly elucidating the origin of the vinyl chloride.

Several point sources appear to be present for contamination in the Sanitary Landfill. A single source of tritium appears to be present in the south-central part of the original 32 acre landfill. This area also appears to be a point source for TCE contamination. A second TCE point source appears to be present in the lower part of the southern extension of the landfill. Vinyl chloride has become a primary contaminant during 1991, and appears to originate near the southwestern corner of the original 32 acre landfill.

**FEDERAL PRIMARY DRINKING WATER STANDARDS FOR
RADIOACTIVE AND NONRADIOACTIVE CONSTITUENTS**

<u>CONSTITUENT</u>	<u>LIMIT</u>
ARSENIC (As)	50 ug/l
BARIUM (Ba)	1,000 ug/l
BENZENE	5 ug/l
CADMIUM (Cd)	10 ug/l
CARBON TETRACHLORIDE	5 ug/l
CHROMIUM (Cr)	50 ug/l
CHLOROFORM	100 ug/l
COLIFORM BACTERIA	1 PER 100 ml
1,1-DICHLOROETHYLENE	7 ug/l
1,2 DICHLOROETHANE	5 ug/l
2,4-D	100 ug/l
ENDRIN	0.2 ug/l
FLUORIDE (F ⁻) limit is temp. dependent	4,000 ug/l
GROSS ALPHA	15 pCi/l
GROSS BETA	4 mrem/yr
LEAD (Pb)	50 ug/l
LINDANE	4 ug/l
MERCURY (Hg)	2 ug/l
METHOXYCHLOR	5 ug/l
NITRATE AS NITROGEN (NO ₃)	10,000 ug/l
PARA-DICHLOROBENZENE	75 ug/l
RADIUM (Ra ²²⁶ plus Ra ²²⁸)	5 pCi/l
SELENIUM (Se)	10 ug/l
SILVER (Ag)	50 ug/l
2,4,5-TP (SILVEX)	10 ug/l
STRONTIUM-90	8 pCi/l
TETRACHLOROETHYLENE	5 ug/l
TOXAPHENE	100 ug/l
TRICHLOROETHYLENE (TCE)	5 ug/l
1,1,1-TRICHLOROETHANE (1,1,1-TCA)	200 ug/l
TRIHALOMETHANES (CHX ₃ ; X is any grouping of F, Cl, Br, OR I)	100 ug/l
TRITIUM (H ³)	20 pCi/ml
VINYL CHLORIDE	2 ug/l
NONVOLATILE BETA	approx. 50 pCi/l

APPENDIX A

TIME-SERIES PLOTS OF ANALYTICAL DATA

Tetrachloroethylene in the LFW-Series Monitoring Wells

Benzene in the LFW-Series Monitoring Wells

The graph displays PCB concentrations in mg/L over four quarters in 1991. The y-axis is scaled from 0 to 0.005 mg/L in increments of 0.0005. The x-axis marks the quarters 91Q1, 91Q2, 91Q3, and 91Q4. Data points are plotted for several locations: PDWS (dashed line), LFW 55D (solid square), LFW 56D (open square), LFW 57B (solid diamond), LFW 57C (open diamond), LFW 57D (solid triangle), and LFW 58D (open triangle). LFW 57D shows a notable peak in 91Q3, reaching approximately 0.0025 mg/L, while all other locations remain below 0.0005 mg/L throughout the period.

Location	91Q1	91Q2	91Q3	91Q4
PDWS	0.0050	0.0050	0.0050	0.0050
LFW 55D	0.0000	0.0000	0.0000	0.0000
LFW 56D	0.0000	0.0000	0.0000	0.0000
LFW 57B	0.0000	0.0000	0.0000	0.0000
LFW 57C	0.0000	0.0000	0.0000	0.0000
LFW 57D	0.0000	0.0000	0.0025	0.0005
LFW 58D	0.0000	0.0000	0.0005	0.0005

Quarter	PDWS	LFW 46D	LFW 47C	LFW 47D	LFW 48C	LFW 48D	LFW 55C
91Q1	0.005	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
91Q2	0.005	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
91Q3	0.005	0.0000	0.0000	0.0000	0.0000	0.0040	0.0038
91Q4	0.005	0.0000	0.0000	0.0000	0.0000	0.0005	0.0005

Benzene in the LFW-Series Monitoring Wells

Benzene in the LFW-Series Monitoring Wells

Benzene in the LFW-Series Monitoring Wells

Quarter	PDWS	LFW 59B	LFW 59C	LFW 59D	LFW 60D	LFW 61C	LFW 61D
91Q1	~0.005	~0.0001	~0.0001	~0.0001	~0.0001	~0.005	~0.0001
91Q2	~0.005	~0.0001	~0.0001	~0.0001	~0.0001	~0.005	~0.0001
91Q3	~0.005	~0.0001	~0.0001	~0.0001	~0.0001	~0.0005	~0.0001
91Q4	~0.005	~0.0001	~0.0001	~0.0001	~0.0001	~0.0005	~0.0001

Benzene In the LFW-Series Monitoring Wells

Benzene in the LFW-Series Monitoring Wells

Benzene in the LFW-Series Monitoring Wells

Total Organic Halogens in the LFW-Series Monitoring Wells

Total Organic Halogens in the LFW-Series Monitoring Wells

Total Organic Halogens in the LFW-Series Monitoring Wells

Total Organic Halogens in the LFW-Series Monitoring Wells

Total Organic Halogens in the LFW-Series Monitoring Wells

Total Organic Halogens in the LFW-Series Monitoring Wells

Total Organic Halogens in the LFW-Series Monitoring Wells

Total Organic Halogens in the LFW-Series Monitoring Wells

Total Organic Halogens in the LFW-Series Monitoring Wells

mg/L

0.15

0.12

0.09

0.06

0.03

0

87Q 87Q 87Q 87Q 88Q 88Q 88Q 88Q 89Q 89Q 89Q 89Q 90Q 90Q 90Q 90Q 91Q 91Q 91Q 91Q

1 2 3 4 1 2 3 4 1 2 3 4 1 2 3 4 1 2 3 4

■ LFW 41 □ LFW 42 • LFW 43B ◇ LFW 43C ▲ LFW 43D △ LFW 44D

1,1,1-Trichloroethane in the LFW-Series Monitoring Wells

1,1,1-Trichloroethane in the LFW-Series Monitoring Wells

1,1,1-Trichloroethane in the LFW-Series Monitoring Wells

mg/L

0.2

0.16

0.12

0.08

0.04

0

91Q1 91Q2 91Q3 91Q4

--- PDWS ■ LFW 46D □ LFW 47C ◆ LFW 47D ◇ LFW 48C ▲ LFW 48D △ LFW 55C

1,1,1-Trichloroethane in the LFW-Series Monitoring Wells

1,1,1-Trichloroethane in the LFW-Series Monitoring Wells

1,1,1-Trichloroethane in the LFW-Series Monitoring Wells

Figure 1 is a line graph showing the concentration of 1,1,1-trichloroethane (mg/L) versus time (days). The y-axis ranges from 0 to 0.2 mg/L with major ticks every 0.04 mg/L. The x-axis shows dates from 87Q 1 to 91Q 4. Data series include PDWS (dashed line), LFW 24 (solid square), LFW 25 (open square), LFW 26 (solid diamond), LFW 27 (open diamond), LFW 28 (solid triangle), and LFW 29 (open triangle). All data points are clustered near the 0 mg/L line, indicating very low concentrations.

1,1,1-Trichloroethane in the LFW-Series Monitoring Wells

1,1,1-Trichloroethane in the LFW-Series Monitoring Wells

1,1,1-Trichloroethane in the LFW-Series Monitoring Wells

1,1,2-Trichloroethane in the LFW-Series Monitoring Wells

1,1,2-Trichloroethane in the LFW-Series Monitoring Wells

1,1,2-Trichloroethane in the LFW-Series Monitoring Wells

1,1,2-Trichloroethane in the LFW-Series Monitoring Wells

1,1,2-Trichloroethane in the LFW-Series Monitoring Wells

1,1,2-Trichloroethane in the LFW-Series Monitoring Wells

1,1,2-Trichloroethane in the LFW-Series Monitoring Wells

1,1,2-Trichloroethane in the LFW-Series Monitoring Wells

1,1,2-Trichloroethane in the LFW-Series Monitoring Wells

1,1,2-Trichloroethane in the LFW-Series Monitoring Wells

1,1-Dichloroethylene in the LFW-Series Monitoring Wells

1,1-Dichloroethylene in the LFW-Series Monitoring Wells

1,1-Dichloroethylene in the LFW-Series Monitoring Wells

1,1-Dichloroethylene in the LFW-Series Monitoring Wells

1,1-Dichloroethylene in the LFW-Series Monitoring Wells

1,1-Dichloroethylene in the LFW-Series Monitoring Wells

1,1-Dichloroethylene in the LFW-Series Monitoring Wells

1,1-Dichloroethylene in the LFW-Series Monitoring Wells

1,1-Dichloroethylene in the LFW-Series Monitoring Wells

1,1-Dichloroethylene in the LFW-Series Monitoring Wells

1,2-Dichloroethane in the LFW-Series Monitoring Wells

1,2-Dichloroethane in the LFW-Series Monitoring Wells

1,2-Dichloropropane in the LFW-Series Monitoring Wells

1,2-Dichloropropane in the LFW-Series Monitoring Wells

1,2-Dichloropropane in the LFW-Series Monitoring Wells

1,4-Dichlorobenzene in the LFW-Series Monitoring Wells

1,4-Dichlorobenzene in the LFW-Series Monitoring Wells

1,4-Dichlorobenzene in the LFW-Series Monitoring Wells

Tritium in the LFW-Series Monitoring Wells

Tritium in the LFW-Series Monitoring Wells

Tritium in the LFW-Series Monitoring Wells

Tritium in the LFW-Series Monitoring Wells

Tritium in the LFW-Series Monitoring Wells

Tritium in the LFW-Series Monitoring Wells

Tritium In the LFW-Series Monitoring Wells

Tritium in the LFW-Series Monitoring Wells

Tritium In the LFW-Series Monitoring Wells

Total Radium in the LFW-Series Monitoring Wells

Total Radium in the LFW-Series Monitoring Wells

Total Radium in the LFW-Series Monitoring Wells

Total Radium in the LFW-Series Monitoring Wells

Total Radium in the LFW-Series Monitoring Wells

Total Radium in the LFW-Series Monitoring Wells

Total Radium in the LFW-Series Monitoring Wells

Gross Alpha in the LFW-Series Monitoring Wells

Gross Alpha in the LFW-Series Monitoring Wells

Gross Alpha in the LFW-Series Monitoring Wells

Gross Alpha in the LFW-Series Monitoring Wells

Gross Alpha in the LFW-Series Monitoring Wells

Gross Alpha in the LFW-Series Monitoring Wells

Gross Alpha in the LFW-Series Monitoring Wells

Gross Alpha in the LFW-Series Monitoring Wells

Gross Alpha in the LFW-Series Monitoring Wells

Gross Alpha In the LFW-Series Monitoring Wells

[illegible]

Cadmium in the LFW-Series Monitoring Wells

Cadmium in the LFW-Series Monitoring Wells

Cadmium in the LFW-Series Monitoring Wells

Cadmium in the LFW-Series Monitoring Wells

Cadmium in the LFW-Series Monitoring Wells

Cadmium in the LFW-Series Monitoring Wells

Cadmium in the LFW-Series Monitoring Wells

Cadmium in the LFW-Series Monitoring Wells

Trichloroethylene in the LFW-Series Monitoring Wells

Trichloroethylene in the LFW-Series Monitoring Wells

Trichloroethylene in the LFW-Series Monitoring Wells

Trichloroethylene in the LFW-Series Monitoring Wells

Trichloroethylene in the LFW-Series Monitoring Wells

Trichloroethylene in the LFW-Series Monitoring Wells

Trichloroethylene in the LFW-Series Monitoring Wells

Trichloroethylene in the LFW-Series Monitoring Wells

Trichloroethylene in the LFW-Series Monitoring Wells

Trichloroethylene in the LFW-Series Monitoring Wells

Vinyl Chloride in the LFW-Series Monitoring Wells

Vinyl Chloride in the LFW-Series Monitoring Wells

Vinyl Chloride in the LFW-Series Monitoring Wells

Quarter	PDWS	LFW 59B	LFW 59C	LFW 59D	LFW 60D	LFW 61C	LFW 61D
91Q1	0.002	0	0	0	0	0	0
91Q2	0.002	0	0	0	0	0	0
91Q3	0.002	0	0	0	0.0005	0.0005	0.0005
91Q4	0.002	0	0	0	0.004	0.005	0.0045

The graph displays Total Dissolved Solids (mg/L) for seven different wells over four quarters. The y-axis is labeled 'mg/L' and ranges from 0.0005 to 0.0025. The x-axis shows quarters 91Q1, 91Q2, 91Q3, and 91Q4. The legend identifies the wells: PDWS (dashed line), LFW 55D (solid square), LFW 56D (open square), LFW 57B (solid diamond), LFW 57C (open diamond), LFW 57D (solid triangle), and LFW 58D (open triangle). LFW 58D has a notable spike in 91Q3, reaching approximately 0.0025 mg/L. LFW 57D also shows a slight increase in 91Q3 compared to other quarters. The other wells remain relatively stable and low throughout the period.

Well	91Q1	91Q2	91Q3	91Q4
PDWS	0.0005	0.0005	0.0005	0.0005
LFW 55D	0.0005	0.0005	0.0005	0.0005
LFW 56D	0.0005	0.0005	0.0005	0.0005
LFW 57B	0.0005	0.0005	0.0005	0.0005
LFW 57C	0.0005	0.0005	0.0005	0.0005
LFW 57D	0.0005	0.0005	0.0006	0.0005
LFW 58D	0.0005	0.0005	0.0025	0.0005

Vinyl Chloride in the LFW-Series Monitoring Wells

Vinyl Chloride in the LFW-Series Monitoring Wells

Vinyl Chloride in the LFW-Series Monitoring Wells

Vinyl Chloride in the LFW-Series Monitoring Wells

Vinyl Chloride in the LFW-Series Monitoring Wells

Vinyl Chloride in the LFW-Series Monitoring Wells

Vinyl Chloride in the LFW-Series Monitoring Wells

Tetrachloroethylene In the LFW-Series Monitoring Wells

Tetrachloroethylene in the LFW-Series Monitoring Wells

Tetrachloroethylene in the LFW-Series Monitoring Wells

Tetrachloroethylene in the LFW-Series Monitoring Wells

Tetrachloroethylene in the LFW-Series Monitoring Wells

Tetrachloroethylene in the LFW-Series Monitoring Wells

Tetrachloroethylene in the LFW-Series Monitoring Wells

Tetrachloroethylene in the LFW-Series Monitoring Wells

Tetrachloroethylene in the LFW-Series Monitoring Wells

APPENDIX B

THIRD QUARTER 1991 ANALYTICAL DATA

WELL LFW 6

SRS Grid N 84537.8 Latitude 33.286553 N
 Coordinates E 45241.2 Longitude 81.711886 W
 Screen Zone Elevation 160.4-141.1 ft msl
 Top of Casing Elevation 170.20 ft msl

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/13/91 Time 1205
 Depth to water = 15.17 ft (4.62 m) below the TOC
 Water elevation = 155.03 ft (47.25 m) msl
 pH = 5.3 Alkalinity = 19 mg/L
 Specific conductance = 84 umhos/cm
 Water temperature = 20.9 degrees Celsius
 Water evacuated from the well prior to sampling = 43 gal

LABORATORY ANALYSES

Specific conductance		75.00 umh/cm	Gen. Eng.
pH		5.68 pH	Gen. Eng.
Silver	LT	2.00 ug/L	Gen. Eng.
Aluminum	LT	20.00 ug/L	Gen. Eng.
Aldrin	LT	0.05 ug/L	Gen. Eng.
Arsenic	LT	2.00 ug/L	Gen. Eng.
Barium		17.90 ug/L	Gen. Eng.
beta-Benzene hexachloride	LT	0.05 ug/L	Gen. Eng.
Bromodichloromethane	LT	1.00 ug/L	Gen. Eng.
Calcium		2990.00 ug/L	Gen. Eng.
Trichlorofluoromethane	LT	1.00 ug/L	Gen. Eng.
Carbon tetrachloride	LT	1.00 ug/L	Gen. Eng.
Cadmium	LT	2.00 ug/L	Gen. Eng.
Bromoform	LT	1.00 ug/L	Gen. Eng.
Chloroform	LT	1.00 ug/L	Gen. Eng.
Dichloromethane (Methylene chloride)		12.00 ug/L	Gen. Eng.
Bromomethane (Methyl bromide)	LT	1.00 ug/L	Gen. Eng.
Chloromethane (Methyl chloride)	LT	1.00 ug/L	Gen. Eng.
Chloride		3020.00 ug/L	Gen. Eng.
Chlorobenzene	LT	1.00 ug/L	Gen. Eng.
Chromium	LT	4.00 ug/L	Gen. Eng.
Copper	LT	4.00 ug/L	Gen. Eng.
Chloroethene (Vinyl chloride)	LT	1.00 ug/L	Gen. Eng.
Chloroethane	LT	1.00 ug/L	Gen. Eng.
Benzene	LT	1.00 ug/L	Gen. Eng.
Dibromochloromethane	LT	1.00 ug/L	Gen. Eng.
Endrin	LT	0.01 ug/L	Gen. Eng.
Endosulfan sulfate	LT	0.10 ug/L	Gen. Eng.
Ethylbenzene	LT	1.00 ug/L	Gen. Eng.
Fluoride		100.00 ug/L	Gen. Eng.
Iron		8420.00 ug/L	Gen. Eng.
Mercury	LT	0.20 ug/L	Gen. Eng.
Potassium		539.00 ug/L	Gen. Eng.
Lindane	LT	0.00 ug/L	Gen. Eng.
Toluene	LT	1.00 ug/L	Gen. Eng.

CONTINUED

WELL LFW 6 COLLECTED ON 08/13/91 LABORATORY ANALYSES CONTINUED

Methoxychlor	LT	0.50 ug/L	Gen. Eng.
Magnesium		3610.00 ug/L	Gen. Eng.
Manganese		18.40 ug/L	Gen. Eng.
Sodium		3670.00 ug/L	Gen. Eng.
Nickel	LT	4.00 ug/L	Gen. Eng.
Nitrate as nitrogen	LT	50.00 ug/L	Gen. Eng.
Lead	LT	3.00 ug/L	Gen. Eng.
Antimony	LT	2.00 ug/L	Gen. Eng.
Selenium	LT	2.00 ug/L	Gen. Eng.
Silica		7710.00 ug/L	Gen. Eng.
2,4,5-TP (Silvex)	LT	0.09 ug/L	Gen. Eng.
Sulfate		3710.00 ug/L	Gen. Eng.
1,1,2,2-Tetrachloroethane	LT	1.00 ug/L	Gen. Eng.
Tetrachloroethylene	LT	1.00 ug/L	Gen. Eng.
Thallium	LT	2.00 ug/L	Gen. Eng.
Total organic carbon		2000.00 ug/L	Gen. Eng.
Total organic nitrogen	LT	100.00 ug/L	Gen. Eng.
Total organic halogens		28.40 ug/L	Gen. Eng.
Total phosphates (as P)	LT	100.00 ug/L	Gen. Eng.
Trichloroethylene	LT	1.00 ug/L	Gen. Eng.
Toxaphene	LT	0.24 ug/L	Gen. Eng.
trans-1,2-Dichloroethylene	LT	1.00 ug/L	Gen. Eng.
trans-1,3-Dichloropropene	LT	1.00 ug/L	Gen. Eng.
Vanadium	LT	10.00 ug/L	Gen. Eng.
1,1-Dichloroethylene	LT	1.00 ug/L	Gen. Eng.
1,1-Dichloroethane		3.00 ug/L	Gen. Eng.
1,1,1-Trichloroethane	LT	1.00 ug/L	Gen. Eng.
1,1,2-Trichloroethane	LT	1.00 ug/L	Gen. Eng.
1,2-Dichloroethane	LT	1.00 ug/L	Gen. Eng.
1,2-Dichloropropane	LT	1.00 ug/L	Gen. Eng.
cis-1,3-Dichloropropene	LT	1.00 ug/L	Gen. Eng.
1,4-Dichlorobenzene	LT	10.00 ug/L	Gen. Eng.
2-Chloroethyl vinyl ether	LT	1.00 ug/L	Gen. Eng.
2,4-Dichlorophenoxyacetic acid	LT	0.30 ug/L	Gen. Eng.
Gross alpha	2.40+-	1.60 pCi/L	Gen. Eng.
Nonvolatile beta	LT	2.00 pCi/L	Gen. Eng.
Total radium	4.80+-	3.50 pCi/L	Gen. Eng.
Tritium	1.82+-	0.20 pCi/mL	Gen. Eng.

WELL LFW 7

SRS Grid N 84310.3 Latitude 33.286177 N
 Coordinates E 45318.9 Longitude 81.711239 W
 Screen Zone Elevation 159.8-140.5 ft msl
 Top of Casing Elevation 169.60 ft msl

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/13/91 Time 1130
 Depth to water = 16.70 ft (5.09 m) below the TOC
 Water elevation = 152.90 ft (46.60 m) msl
 pH = 6.4 Alkalinity = 121 mg/L
 Specific conductance = 491 umhos/cm
 Water temperature = 19.5 degrees Celsius
 Water evacuated from the well prior to sampling = 40 gal

LABORATORY ANALYSES

Specific conductance		325.00 umh/cm	Gen. Eng.
pH		6.42 pH	Gen. Eng.
Silver	LT	2.00 ug/L	Gen. Eng.
Aluminum	LT	20.00 ug/L	Gen. Eng.
Aldrin	LT	0.05 ug/L	Gen. Eng.
Arsenic		34.10 ug/L	Gen. Eng.
Barium		26.90 ug/L	Gen. Eng.
beta-Benzene hexachloride	LT	0.05 ug/L	Gen. Eng.
Bromodichloromethane	LT	1.00 ug/L	Gen. Eng.
Calcium		11000.00 ug/L	Gen. Eng.
Trichlorofluoromethane	LT	1.00 ug/L	Gen. Eng.
Carbon tetrachloride	LT	1.00 ug/L	Gen. Eng.
Cadmium		5.29 ug/L	Gen. Eng.
Bromoform	LT	1.00 ug/L	Gen. Eng.
Chloroform	LT	1.00 ug/L	Gen. Eng.
Dichloromethane (Methylene chloride)		23.00 ug/L	Gen. Eng.
Bromomethane (Methyl bromide)	LT	1.00 ug/L	Gen. Eng.
Chloromethane (Methyl chloride)	LT	1.00 ug/L	Gen. Eng.
Chloride		26600.00 ug/L	Gen. Eng.
Chlorobenzene		52.00 ug/L	Gen. Eng.
Chromium	LT	4.00 ug/L	Gen. Eng.
Copper	LT	4.00 ug/L	Gen. Eng.
* Chloroethene (Vinyl chloride)		400.00 ug/L	Gen. Eng.
Chloroethane	LT	1.00 ug/L	Gen. Eng.
Benzene		4.00 ug/L	Gen. Eng.
Dibromochloromethane	LT	1.00 ug/L	Gen. Eng.
Endrin	LT	0.01 ug/L	Gen. Eng.
Endosulfan sulfate	LT	0.10 ug/L	Gen. Eng.
Ethylbenzene		18.00 ug/L	Gen. Eng.
Fluoride		116.00 ug/L	Gen. Eng.
Iron		58400.00 ug/L	Gen. Eng.
Mercury	LT	0.20 ug/L	Gen. Eng.
Potassium		3810.00 ug/L	Gen. Eng.
Lindane	LT	0.00 ug/L	Gen. Eng.
Toluene		17.00 ug/L	Gen. Eng.
Methoxychlor	LT	0.50 ug/L	Gen. Eng.
Magnesium		18300.00 ug/L	Gen. Eng.

CONTINUED

WELL LFW 7 COLLECTED ON 08/13/91 LABORATORY ANALYSES CONTINUED

Manganese		3.70 ug/L	Gen. Eng.
Sodium		32100.00 ug/L	Gen. Eng.
Nickel	LT	4.00 ug/L	Gen. Eng.
Nitrate as nitrogen	LT	50.00 ug/L	Gen. Eng.
Lead	LT	3.00 ug/L	Gen. Eng.
Antimony	LT	2.00 ug/L	Gen. Eng.
Selenium	LT	2.00 ug/L	Gen. Eng.
Silica		6750.00 ug/L	Gen. Eng.
2,4,5-TP (Silvex)	LT	0.09 ug/L	Gen. Eng.
Sulfate	LT	1000.00 ug/L	Gen. Eng.
1,1,2,2-Tetrachloroethane	LT	1.00 ug/L	Gen. Eng.
Tetrachloroethylene	LT	1.00 ug/L	Gen. Eng.
Thallium	LT	2.00 ug/L	Gen. Eng.
Total organic carbon		10000.00 ug/L	Gen. Eng.
Total organic nitrogen	LT	100.00 ug/L	Gen. Eng.
Total organic halogens		612.00 ug/L	Gen. Eng.
Total phosphates (as P)	LT	100.00 ug/L	Gen. Eng.
Trichloroethylene	LT	1.00 ug/L	Gen. Eng.
Toxaphene	LT	0.24 ug/L	Gen. Eng.
trans-1,2-Dichloroethylene	LT	1.00 ug/L	Gen. Eng.
trans-1,3-Dichloropropene	LT	1.00 ug/L	Gen. Eng.
Vanadium	LT	10.00 ug/L	Gen. Eng.
1,1-Dichloroethylene	LT	1.00 ug/L	Gen. Eng.
1,1-Dichloroethane		28.00 ug/L	Gen. Eng.
1,1,1-Trichloroethane	LT	1.00 ug/L	Gen. Eng.
1,1,2-Trichloroethane	LT	1.00 ug/L	Gen. Eng.
1,2-Dichloroethane	LT	1.00 ug/L	Gen. Eng.
1,2-Dichloropropane	LT	1.00 ug/L	Gen. Eng.
cis-1,3-Dichloropropene	LT	1.00 ug/L	Gen. Eng.
* 1,4-Dichlorobenzene		99.00 ug/L	Gen. Eng.
2-Chloroethyl vinyl ether	LT	1.00 ug/L	Gen. Eng.
2,4-Dichlorophenoxyacetic acid	LT	0.30 ug/L	Gen. Eng.
Gross alpha	LT	2.00 pCi/L	Gen. Eng.
Nonvolatile beta	24.80+-	16.00 pCi/L	Gen. Eng.
* Total radium	6.90+-	4.00 pCi/L	Gen. Eng.
Tritium	16.60+-	0.60 pCi/mL	Gen. Eng.

WELL LFW 8

SRS Grid N 84032.6 Latitude 33.285720 N
Coordinates E 45415.3 Longitude 81.710445 W
Screen Zone Elevation 159.2-139.9 ft msl
Top of Casing Elevation 169.00 ft msl

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/14/91 Time 1340
Depth to water = 18.24 ft (5.56 m) below the TOC
Water elevation = 150.76 ft (45.95 m) msl
pH = 5.8 Alkalinity = 15 mg/L
Specific conductance = 86 umhos/cm
Water temperature = 20.5 degrees Celsius
Water evacuated from the well prior to sampling = 44 gal

LABORATORY ANALYSES

Specific conductance		90.00 umh/cm	Gen. Eng.
pH		6.19 pH	Gen. Eng.
Silver	LT	2.00 ug/L	Gen. Eng.
Aluminum	LT	20.00 ug/L	Gen. Eng.
Aldrin	LT	0.05 ug/L	Gen. Eng.
Arsenic	LT	2.00 ug/L	Gen. Eng.
Barium		7.56 ug/L	Gen. Eng.
beta-Benzene hexachloride	LT	0.05 ug/L	Gen. Eng.
Bromodichloromethane	LT	1.00 ug/L	Gen. Eng.
Calcium		3010.00 ug/L	Gen. Eng.
Trichlorofluoromethane	LT	1.00 ug/L	Gen. Eng.
Carbon tetrachloride	LT	1.00 ug/L	Gen. Eng.
Cadmium	LT	2.00 ug/L	Gen. Eng.
Bromoform	LT	1.00 ug/L	Gen. Eng.
Chloroform	LT	1.00 ug/L	Gen. Eng.
Dichloromethane (Methylene chloride)		6.00 ug/L	Gen. Eng.
Bromomethane (Methyl bromide)	LT	1.00 ug/L	Gen. Eng.
Chloromethane (Methyl chloride)	LT	1.00 ug/L	Gen. Eng.
Chloride		8500.00 ug/L	Gen. Eng.
Chlorobenzene		3.00 ug/L	Gen. Eng.
Chromium	LT	4.00 ug/L	Gen. Eng.
Copper		16.40 ug/L	Gen. Eng.
* Chloroethene (Vinyl chloride)		67.00 ug/L	Gen. Eng.
Chloroethane	LT	1.00 ug/L	Gen. Eng.
Benzene		1.00 ug/L	Gen. Eng.
Dibromochloromethane	LT	1.00 ug/L	Gen. Eng.
Endrin	LT	0.01 ug/L	Gen. Eng.
Endosulfan sulfate	LT	0.10 ug/L	Gen. Eng.
Ethylbenzene		9.00 ug/L	Gen. Eng.
Fluoride	LT	100.00 ug/L	Gen. Eng.
Iron		6240.00 ug/L	Gen. Eng.
Mercury	LT	0.20 ug/L	Gen. Eng.
Potassium		1010.00 ug/L	Gen. Eng.
Lindane	LT	0.00 ug/L	Gen. Eng.
Toluene		4.00 ug/L	Gen. Eng.
Methoxychlor	LT	0.50 ug/L	Gen. Eng.
Magnesium		4460.00 ug/L	Gen. Eng.

CONTINUED

WELL LFW 8 COLLECTED ON 08/14/91 LABORATORY ANALYSES CONTINUED

Manganese		7.71 ug/L	Gen. Eng.
Sodium		10600.00 ug/L	Gen. Eng.
Nickel	LT	4.00 ug/L	Gen. Eng.
Nitrate as nitrogen		1400.00 ug/L	Gen. Eng.
Lead	LT	3.00 ug/L	Gen. Eng.
Antimony	LT	2.00 ug/L	Gen. Eng.
Selenium	LT	2.00 ug/L	Gen. Eng.
Silica		5730.00 ug/L	Gen. Eng.
2,4,5-TP (Silvex)	LT	0.09 ug/L	Gen. Eng.
Sulfate	LT	1000.00 ug/L	Gen. Eng.
1,1,2,2-Tetrachloroethane	LT	1.00 ug/L	Gen. Eng.
Tetrachloroethylene	LT	1.00 ug/L	Gen. Eng.
Thallium	LT	2.00 ug/L	Gen. Eng.
Total organic carbon		4000.00 ug/L	Gen. Eng.
Total organic nitrogen	LT	100.00 ug/L	Gen. Eng.
Total organic halogens		77.00 ug/L	Gen. Eng.
Total phosphates (as P)	LT	100.00 ug/L	Gen. Eng.
Trichloroethylene	LT	1.00 ug/L	Gen. Eng.
Toxaphene	LT	0.24 ug/L	Gen. Eng.
trans-1,2-Dichloroethylene	LT	1.00 ug/L	Gen. Eng.
trans-1,3-Dichloropropene	LT	1.00 ug/L	Gen. Eng.
Vanadium	LT	10.00 ug/L	Gen. Eng.
1,1-Dichloroethylene		1.00 ug/L	Gen. Eng.
1,1-Dichloroethane		15.00 ug/L	Gen. Eng.
1,1,1-Trichloroethane	LT	1.00 ug/L	Gen. Eng.
1,1,2-Trichloroethane	LT	1.00 ug/L	Gen. Eng.
1,2-Dichloroethane	LT	1.00 ug/L	Gen. Eng.
1,2-Dichloropropane	LT	1.00 ug/L	Gen. Eng.
cis-1,3-Dichloropropene	LT	1.00 ug/L	Gen. Eng.
1,4-Dichlorobenzene		27.00 ug/L	Gen. Eng.
2-Chloroethyl vinyl ether	LT	1.00 ug/L	Gen. Eng.
2,4-Dichlorophenoxyacetic acid	LT	0.30 ug/L	Gen. Eng.
Gross alpha	LT	2.00 pCi/L	Gen. Eng.
Nonvolatile beta	4.30+-	2.40 pCi/L	Gen. Eng.
Total radium	4.20+-	4.40 pCi/L	Gen. Eng.
Tritium	3.21+-	0.30 pCi/mL	Gen. Eng.

WELL LFW 10A

SRS Grid N 84369.6 Latitude 33.287315 N
 Coordinates E 45935.6 Longitude 81.709731 W
 Screen Zone Elevation 159.2-129.2 ft msl
 Top of Casing Elevation 174.20 ft msl

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/15/91 Time 920
 Depth to water = 20.47 ft (6.24 m) below the TOC
 Water elevation = 153.73 ft (46.86 m) msl
 pH = 6.0 Alkalinity = 79 mg/L
 Specific conductance = 265 umhos/cm
 Water temperature = 20.9 degrees Celsius
 Water evacuated from the well prior to sampling = 88 gal

LABORATORY ANALYSES

Specific conductance		285.00 umh/cm	Gen. Eng.
pH		6.11 pH	Gen. Eng.
Silver	LT	2.00 ug/L	Gen. Eng.
Aluminum	LT	20.00 ug/L	Gen. Eng.
Aldrin	LT	0.05 ug/L	Gen. Eng.
Arsenic		2.61 ug/L	Gen. Eng.
Barium		12.20 ug/L	Gen. Eng.
beta-Benzene hexachloride	LT	0.05 ug/L	Gen. Eng.
Bromodichloromethane	LT	1.00 ug/L	Gen. Eng.
Calcium		11600.00 ug/L	Gen. Eng.
Trichlorofluoromethane		43.00 ug/L	Gen. Eng.
Carbon tetrachloride		1.77 ug/L	Gen. Eng.
Cadmium		4.26 ug/L	Gen. Eng.
Bromoform	LT	1.00 ug/L	Gen. Eng.
Chloroform	LT	1.00 ug/L	Gen. Eng.
Dichloromethane (Methylene chloride)		215.00 ug/L	Gen. Eng.
Bromomethane (Methyl bromide)	LT	1.00 ug/L	Gen. Eng.
Chloromethane (Methyl chloride)	LT	1.00 ug/L	Gen. Eng.
Chloride		24000.00 ug/L	Gen. Eng.
Chlorobenzene	LT	1.00 ug/L	Gen. Eng.
Chromium	LT	4.00 ug/L	Gen. Eng.
Copper	LT	4.00 ug/L	Gen. Eng.
Chloroethene (Vinyl chloride)	LT	1.00 ug/L	Gen. Eng.
Chloroethane	LT	1.00 ug/L	Gen. Eng.
Benzene		4.22 ug/L	Gen. Eng.
Dibromochloromethane	LT	1.00 ug/L	Gen. Eng.
Endrin	LT	0.01 ug/L	Gen. Eng.
Endosulfan sulfate	LT	0.10 ug/L	Gen. Eng.
Ethylbenzene	LT	1.00 ug/L	Gen. Eng.
Fluoride		101.00 ug/L	Gen. Eng.
Iron		56100.00 ug/L	Gen. Eng.
Mercury	LT	0.20 ug/L	Gen. Eng.
Potassium		2390.00 ug/L	Gen. Eng.
Lindane	LT	0.00 ug/L	Gen. Eng.
Toluene	LT	1.00 ug/L	Gen. Eng.
Methoxychlor	LT	0.50 ug/L	Gen. Eng.
Magnesium		8160.00 ug/L	Gen. Eng.

CONTINUED

WELL LFW 10A COLLECTED ON 08/15/91 LABORATORY ANALYSES CONTINUED

Manganese		30.30 ug/L	Gen. Eng.
Sodium		18400.00 ug/L	Gen. Eng.
Nickel	LT	4.00 ug/L	Gen. Eng.
Nitrate as nitrogen		220.00 ug/L	Gen. Eng.
Lead	LT	3.00 ug/L	Gen. Eng.
Antimony	LT	2.00 ug/L	Gen. Eng.
Selenium	LT	2.00 ug/L	Gen. Eng.
Silica		10100.00 ug/L	Gen. Eng.
2,4,5-TP (Silvex)	LT	0.09 ug/L	Gen. Eng.
Sulfate		4790.00 ug/L	Gen. Eng.
1,1,2,2-Tetrachloroethane	LT	1.00 ug/L	Gen. Eng.
Tetrachloroethylene	LT	1.00 ug/L	Gen. Eng.
Thallium	LT	2.00 ug/L	Gen. Eng.
Total organic carbon		38000.00 ug/L	Gen. Eng.
Total organic nitrogen		170.00 ug/L	Gen. Eng.
Total organic halogens		561.00 ug/L	Gen. Eng.
Total phosphates (as P)	LT	100.00 ug/L	Gen. Eng.
* Trichloroethylene		28.10 ug/L	Gen. Eng.
Toxaphene	LT	0.24 ug/L	Gen. Eng.
trans-1,2-Dichloroethylene	LT	1.00 ug/L	Gen. Eng.
trans-1,3-Dichloropropene	LT	1.00 ug/L	Gen. Eng.
Vanadium	LT	10.00 ug/L	Gen. Eng.
1,1-Dichloroethylene	LT	1.00 ug/L	Gen. Eng.
1,1-Dichloroethane		70.00 ug/L	Gen. Eng.
1,1,1-Trichloroethane		15.10 ug/L	Gen. Eng.
1,1,2-Trichloroethane	LT	1.00 ug/L	Gen. Eng.
1,2-Dichloroethane	LT	1.00 ug/L	Gen. Eng.
1,2-Dichloropropane	LT	1.00 ug/L	Gen. Eng.
cis-1,3-Dichloropropene	LT	1.00 ug/L	Gen. Eng.
1,4-Dichlorobenzene	LT	10.00 ug/L	Gen. Eng.
2-Chloroethyl vinyl ether	LT	1.00 ug/L	Gen. Eng.
2,4-Dichlorophenoxyacetic acid	LT	0.30 ug/L	Gen. Eng.
Gross alpha	2.30+-	1.80 pCi/L	Gen. Eng.
Nonvolatile beta	4.80+-	2.40 pCi/L	Gen. Eng.
Total radium	3.50+-	3.40 pCi/L	Gen. Eng.
* Tritium	63.30+-	1.40 pCi/mL	Gen. Eng.

WELL LFW 10A

SRS Grid N 84369.6 Latitude 33.287315 N
 Coordinates E 45935.6 Longitude 81.709731 W
 Screen Zone Elevation 159.2-129.2 ft msl
 Top of Casing Elevation 174.20 ft msl

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/15/91 Time 920
 Depth to water = 20.47 ft (6.24 m) below the TOC
 Water elevation = 153.73 ft (46.86 m) msl
 pH = 6.0 Alkalinity = 79 mg/L
 Specific conductance = 265 umhos/cm
 Water temperature = 20.9 degrees Celsius
 Water evacuated from the well prior to sampling = 88 gal

LABORATORY ANALYSES

Specific conductance		290.00 umh/cm	Gen. Eng.
pH		6.06 pH	Gen. Eng.
Silver	LT	2.00 ug/L	Gen. Eng.
Aluminum	LT	20.00 ug/L	Gen. Eng.
Aldrin	LT	0.05 ug/L	Gen. Eng.
Arsenic		2.60 ug/L	Gen. Eng.
Barium		12.20 ug/L	Gen. Eng.
beta-Benzene hexachloride	LT	0.05 ug/L	Gen. Eng.
Bromodichloromethane	LT	1.00 ug/L	Gen. Eng.
Calcium		11600.00 ug/L	Gen. Eng.
Trichlorofluoromethane		63.60 ug/L	Gen. Eng.
Carbon tetrachloride		2.90 ug/L	Gen. Eng.
Cadmium		4.46 ug/L	Gen. Eng.
Bromoform	LT	1.00 ug/L	Gen. Eng.
Chloroform	LT	1.00 ug/L	Gen. Eng.
Dichloromethane (Methylene chloride)		219.03 ug/L	Gen. Eng.
Bromomethane (Methyl bromide)	LT	1.00 ug/L	Gen. Eng.
Chloromethane (Methyl chloride)	LT	1.00 ug/L	Gen. Eng.
Chloride		23400.00 ug/L	Gen. Eng.
Chlorobenzene	LT	1.00 ug/L	Gen. Eng.
Chromium	LT	4.00 ug/L	Gen. Eng.
Copper	LT	4.00 ug/L	Gen. Eng.
Chloroethene (Vinyl chloride)	LT	1.00 ug/L	Gen. Eng.
Chloroethane	LT	1.00 ug/L	Gen. Eng.
Benzene		4.04 ug/L	Gen. Eng.
Dibromochloromethane	LT	1.00 ug/L	Gen. Eng.
Endrin	LT	0.01 ug/L	Gen. Eng.
Endosulfan sulfate	LT	0.10 ug/L	Gen. Eng.
Ethylbenzene		21.20 ug/L	Gen. Eng.
Fluoride		105.00 ug/L	Gen. Eng.
Iron		56000.00 ug/L	Gen. Eng.
Mercury	LT	0.20 ug/L	Gen. Eng.
Potassium		2350.00 ug/L	Gen. Eng.
Lindane	LT	0.00 ug/L	Gen. Eng.
Toluene		53.50 ug/L	Gen. Eng.
Methoxychlor	LT	0.50 ug/L	Gen. Eng.
Magnesium		8140.00 ug/L	Gen. Eng.

CONTINUED

WELL LFW 10A COLLECTED ON 08/15/91 LABORATORY ANALYSES CONTINUED

Manganese		29.60 ug/L	Gen. Eng.
Sodium		18500.00 ug/L	Gen. Eng.
Nickel	LT	4.00 ug/L	Gen. Eng.
Nitrate as nitrogen		200.00 ug/L	Gen. Eng.
Lead	LT	3.00 ug/L	Gen. Eng.
Antimony	LT	2.00 ug/L	Gen. Eng.
Selenium	LT	2.00 ug/L	Gen. Eng.
Silica		10100.00 ug/L	Gen. Eng.
2,4,5-TP (Silvex)	LT	0.09 ug/L	Gen. Eng.
Sulfate		4540.00 ug/L	Gen. Eng.
1,1,2,2-Tetrachloroethane	LT	1.00 ug/L	Gen. Eng.
* Tetrachloroethylene		15.60 ug/L	Gen. Eng.
Thallium	LT	2.00 ug/L	Gen. Eng.
Total organic carbon		44000.00 ug/L	Gen. Eng.
Total organic carbon		44000.00 ug/L	Gen. Eng.
Total organic nitrogen		250.00 ug/L	Gen. Eng.
Total organic halogens		493.00 ug/L	Gen. Eng.
Total phosphates (as P)		120.00 ug/L	Gen. Eng.
* Trichloroethylene		27.80 ug/L	Gen. Eng.
Toxaphene	LT	0.24 ug/L	Gen. Eng.
trans-1,2-Dichloroethylene	LT	1.00 ug/L	Gen. Eng.
trans-1,3-Dichloropropene	LT	1.00 ug/L	Gen. Eng.
Vanadium	LT	10.00 ug/L	Gen. Eng.
1,1-Dichloroethylene		3.68 ug/L	Gen. Eng.
1,1-Dichloroethane		74.40 ug/L	Gen. Eng.
1,1,1-Trichloroethane		24.70 ug/L	Gen. Eng.
1,1,2-Trichloroethane	LT	1.00 ug/L	Gen. Eng.
1,2-Dichloroethane	LT	1.00 ug/L	Gen. Eng.
1,2-Dichloropropane	LT	1.00 ug/L	Gen. Eng.
cis-1,3-Dichloropropene	LT	1.00 ug/L	Gen. Eng.
1,4-Dichlorobenzene	LT	10.00 ug/L	Gen. Eng.
2-Chloroethyl vinyl ether	LT	1.00 ug/L	Gen. Eng.
2,4-Dichlorophenoxyacetic acid	LT	0.30 ug/L	Gen. Eng.
Gross alpha	2.10+-	2.30 pCi/L	Gen. Eng.
Nonvolatile beta	5.30+-	4.10 pCi/L	Gen. Eng.
Total radium	4.10+-	3.60 pCi/L	Gen. Eng.
* Tritium	68.40+-	1.40 pCi/mL	Gen. Eng.

WELL LFW 16

SRS Grid N 84748.9 Latitude 33.288018 N
 Coordinates E 45852.6 Longitude 81.710687 W
 Screen Zone Elevation 161.2-131.2 ft msl
 Top of Casing Elevation 177.20 ft msl

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/13/91 Time 955
 Depth to water = 20.91 ft (6.37 m) below the TOC
 Water elevation = 156.29 ft (47.64 m) msl
 pH = 4.8 Alkalinity = 1 mg/L
 Specific conductance = 53 umhos/cm
 Water temperature = 20.9 degrees Celsius
 Water evacuated from the well prior to sampling = 71 gal

LABORATORY ANALYSES

Specific conductance		45.00 umh/cm	Gen. Eng.
pH		5.27 pH	Gen. Eng.
Silver	LT	2.00 ug/L	Gen. Eng.
Aluminum	LT	20.00 ug/L	Gen. Eng.
Aldrin	LT	0.05 ug/L	Gen. Eng.
Arsenic	LT	2.00 ug/L	Gen. Eng.
Barium		11.00 ug/L	Gen. Eng.
beta-Benzene hexachloride	LT	0.05 ug/L	Gen. Eng.
Bromodichloromethane	LT	1.00 ug/L	Gen. Eng.
Calcium		2300.00 ug/L	Gen. Eng.
Trichlorofluoromethane	LT	1.00 ug/L	Gen. Eng.
Carbon tetrachloride	LT	1.00 ug/L	Gen. Eng.
Cadmium	LT	2.00 ug/L	Gen. Eng.
Bromoform	LT	1.00 ug/L	Gen. Eng.
Chloroform	LT	1.00 ug/L	Gen. Eng.
Dichloromethane (Methylene chloride)		16.00 ug/L	Gen. Eng.
Bromomethane (Methyl bromide)	LT	1.00 ug/L	Gen. Eng.
Chloromethane (Methyl chloride)	LT	1.00 ug/L	Gen. Eng.
Chloride		5000.00 ug/L	Gen. Eng.
Chlorobenzene		1.00 ug/L	Gen. Eng.
Chromium	LT	4.00 ug/L	Gen. Eng.
Copper	LT	4.00 ug/L	Gen. Eng.
Chloroethene (Vinyl chloride)	LT	1.00 ug/L	Gen. Eng.
Chloroethane	LT	1.00 ug/L	Gen. Eng.
Benzene	LT	1.00 ug/L	Gen. Eng.
Dibromochloromethane	LT	1.00 ug/L	Gen. Eng.
Endrin	LT	0.01 ug/L	Gen. Eng.
Endosulfan sulfate	LT	0.10 ug/L	Gen. Eng.
Ethylbenzene		2.00 ug/L	Gen. Eng.
Fluoride	LT	100.00 ug/L	Gen. Eng.
Iron		75.00 ug/L	Gen. Eng.
Mercury	LT	0.20 ug/L	Gen. Eng.
Potassium		725.00 ug/L	Gen. Eng.
Lindane	LT	0.00 ug/L	Gen. Eng.
Toluene		1.00 ug/L	Gen. Eng.
Methoxychlor	LT	0.50 ug/L	Gen. Eng.
Magnesium		2080.00 ug/L	Gen. Eng.

CONTINUED

WELL LFW 16 COLLECTED ON 08/13/91 LABORATORY ANALYSES CONTINUED

Manganese	LT	2.00 ug/L	Gen. Eng.
Sodium		2700.00 ug/L	Gen. Eng.
Nickel		9.84 ug/L	Gen. Eng.
Nitrate as nitrogen		1140.00 ug/L	Gen. Eng.
Lead	LT	3.00 ug/L	Gen. Eng.
Antimony	LT	2.00 ug/L	Gen. Eng.
Selenium	LT	2.00 ug/L	Gen. Eng.
Silica		11700.00 ug/L	Gen. Eng.
2,4,5-TP (Silvex)	LT	0.09 ug/L	Gen. Eng.
Sulfate		1350.00 ug/L	Gen. Eng.
1,1,2,2-Tetrachloroethane	LT	1.00 ug/L	Gen. Eng.
* Tetrachloroethylene		7.00 ug/L	Gen. Eng.
Thallium	LT	2.00 ug/L	Gen. Eng.
Total organic carbon		1000.00 ug/L	Gen. Eng.
Total organic nitrogen	LT	100.00 ug/L	Gen. Eng.
Total organic halogens		259.00 ug/L	Gen. Eng.
Total phosphates (as P)	LT	100.00 ug/L	Gen. Eng.
* Trichloroethylene		9.00 ug/L	Gen. Eng.
Toxaphene	LT	0.24 ug/L	Gen. Eng.
trans-1,2-Dichloroethylene	LT	1.00 ug/L	Gen. Eng.
trans-1,3-Dichloropropene	LT	1.00 ug/L	Gen. Eng.
Vanadium	LT	10.00 ug/L	Gen. Eng.
1,1-Dichloroethylene	LT	1.00 ug/L	Gen. Eng.
1,1-Dichloroethane		34.00 ug/L	Gen. Eng.
1,1,1-Trichloroethane		11.00 ug/L	Gen. Eng.
1,1,2-Trichloroethane	LT	1.00 ug/L	Gen. Eng.
1,2-Dichloroethane	LT	1.00 ug/L	Gen. Eng.
1,2-Dichloropropane	LT	1.00 ug/L	Gen. Eng.
cis-1,3-Dichloropropene	LT	1.00 ug/L	Gen. Eng.
1,4-Dichlorobenzene	LT	10.00 ug/L	Gen. Eng.
2-Chloroethyl vinyl ether	LT	1.00 ug/L	Gen. Eng.
2,4-D chlorophenoxyacetic acid	LT	0.30 ug/L	Gen. Eng.
Gross alpha	LT	2.00 pCi/L	Gen. Eng.
Nonvolatile beta	LT	2.00 pCi/L	Gen. Eng.
* Total radium	5.50+-	3.70 pCi/L	Gen. Eng.
Tritium	13.80+-	0.50 pCi/mL	Gen. Eng.

WELL LFW 17

SRS Grid N 84602.8 Latitude 33.287295 N
 Coordinates E 45607.3 Longitude 81.711048 W
 Screen Zone Elevation 158.5-128.5 ft msl
 Top of Casing Elevation 176.50 ft msl

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/13/91 Time 1025
 Depth to water = 20.78 ft (6.33 m) below the TOC
 Water elevation = 155.72 ft (47.46 m) msl
 pH = 6.4 Alkalinity = 103 mg/L
 Specific conductance = 318 umhos/cm
 Water temperature = 19.5 degrees Celsius
 Water evacuated from the well prior to sampling = 95 gal

LABORATORY ANALYSES

Specific conductance		200.00 umh/cm	Gen. Eng.
pH		6.38 pH	Gen. Eng.
Silver	LT	2.00 ug/L	Gen. Eng.
Aluminum	LT	20.00 ug/L	Gen. Eng.
Aldrin	LT	0.05 ug/L	Gen. Eng.
Arsenic		21.70 ug/L	Gen. Eng.
Barium		5.05 ug/L	Gen. Eng.
beta-Benzene hexachloride	LT	0.05 ug/L	Gen. Eng.
Bromodichloromethane	LT	1.00 ug/L	Gen. Eng.
Calcium		5340.00 ug/L	Gen. Eng.
Trichlorofluoromethane	LT	1.00 ug/L	Gen. Eng.
Carbon tetrachloride	LT	1.00 ug/L	Gen. Eng.
Cadmium		2.40 ug/L	Gen. Eng.
Bromoform	LT	1.00 ug/L	Gen. Eng.
Chloroform	LT	1.00 ug/L	Gen. Eng.
Dichloromethane (Methylene chloride)		8.00 ug/L	Gen. Eng.
Bromomethane (Methyl bromide)	LT	1.00 ug/L	Gen. Eng.
Chloromethane (Methyl chloride)	LT	1.00 ug/L	Gen. Eng.
Chloride		24800.00 ug/L	Gen. Eng.
Chlorobenzene		55.00 ug/L	Gen. Eng.
Chromium	LT	4.00 ug/L	Gen. Eng.
Copper	LT	4.00 ug/L	Gen. Eng.
Chloroethene (Vinyl chloride)	LT	1.00 ug/L	Gen. Eng.
Chloroethane	LT	1.00 ug/L	Gen. Eng.
Benzene		3.00 ug/L	Gen. Eng.
Dibromochloromethane	LT	1.00 ug/L	Gen. Eng.
Endrin	LT	0.01 ug/L	Gen. Eng.
Endosulfan sulfate	LT	0.10 ug/L	Gen. Eng.
Ethylbenzene		22.00 ug/L	Gen. Eng.
Fluoride	LT	100.00 ug/L	Gen. Eng.
Iron		22700.00 ug/L	Gen. Eng.
Mercury	LT	0.20 ug/L	Gen. Eng.
Potassium		758.00 ug/L	Gen. Eng.
Lindane	LT	0.00 ug/L	Gen. Eng.
Toluene		6.00 ug/L	Gen. Eng.
Methoxychlor	LT	0.50 ug/L	Gen. Eng.
Magnesium		8910.00 ug/L	Gen. Eng.

CONTINUED

WELL LFW 17 COLLECTED ON 08/13/91 LABORATORY ANALYSES CONTINUED

Manganese		25.80 ug/L	Gen. Eng.
Sodium		21200.00 ug/L	Gen. Eng.
Nickel	LT	4.00 ug/L	Gen. Eng.
Nitrate as nitrogen		55.00 ug/L	Gen. Eng.
Lead	LT	3.00 ug/L	Gen. Eng.
Antimony	LT	2.00 ug/L	Gen. Eng.
Selenium	LT	2.00 ug/L	Gen. Eng.
Silica		6470.00 ug/L	Gen. Eng.
2,4,5-TP (Silvex)	LT	0.09 ug/L	Gen. Eng.
Sulfate		1580.00 ug/L	Gen. Eng.
1,1,2,2-Tetrachloroethane	LT	1.00 ug/L	Gen. Eng.
Tetrachloroethylene	LT	1.00 ug/L	Gen. Eng.
Thallium	LT	2.00 ug/L	Gen. Eng.
Total organic carbon		7000.00 ug/L	Gen. Eng.
Total organic carbon		8000.00 ug/L	Gen. Eng.
Total organic nitrogen	LT	100.00 ug/L	Gen. Eng.
Total organic halogens		177.00 ug/L	Gen. Eng.
Total phosphates (as P)	LT	100.00 ug/L	Gen. Eng.
Trichloroethylene		1.00 ug/L	Gen. Eng.
Toxaphene	LT	0.24 ug/L	Gen. Eng.
trans-1,2-Dichloroethylene	LT	1.00 ug/L	Gen. Eng.
trans-1,3-Dichloropropene	LT	1.00 ug/L	Gen. Eng.
Vanadium	LT	10.00 ug/L	Gen. Eng.
1,1-Dichloroethylene	LT	1.00 ug/L	Gen. Eng.
1,1-Dichloroethane		30.00 ug/L	Gen. Eng.
1,1,1-Trichloroethane	LT	1.00 ug/L	Gen. Eng.
1,1,2-Trichloroethane	LT	1.00 ug/L	Gen. Eng.
* 1,2-Dichloroethane		5.00 ug/L	Gen. Eng.
1,2-Dichloropropane	LT	1.00 ug/L	Gen. Eng.
cis-1,3-Dichloropropene	LT	1.00 ug/L	Gen. Eng.
1,4-Dichlorobenzene		26.00 ug/L	Gen. Eng.
2-Chloroethyl vinyl ether	LT	1.00 ug/L	Gen. Eng.
2,4-Dichlorophenoxyacetic acid	LT	0.30 ug/L	Gen. Eng.
Gross alpha	LT	2.00 pCi/L	Gen. Eng.
Nonvolatile beta	5.60+-	14.00 pCi/L	Gen. Eng.
Total radium	3.60+-	3.20 pCi/L	Gen. Eng.
Tritium	9.17+-	0.40 pCi/mL	Gen. Eng.
Tritium	9.07+-	0.40 pCi/mL	Gen. Eng.

WELL LFW 18

SRS Grid N 84577.3 Latitude 33.286997 N
 Coordinates E 45459.4 Longitude 81.711388 W
 Screen Zone Elevation 160.1-130.1 ft msl
 Top of Casing Elevation 174.10 ft msl

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/13/91 Time 1055
 Depth to water - 17.98 ft (5.48 m) below the TOC
 Water elevation - 156.12 ft (47.59 m) msl
 pH - 6.4 Alkalinity - 145 mg/L
 Specific conductance - 352 umhos/cm
 Water temperature - 20.1 degrees Celsius
 Water evacuated from the well prior to sampling - 73 gal

LABORATORY ANALYSES

Specific conductance		200.00 umh/cm	Gen. Eng.
pH		6.26 pH	Gen. Eng.
Silver	LT	2.00 ug/L	Gen. Eng.
Aluminum	LT	20.00 ug/L	Gen. Eng.
Aldrin	LT	0.05 ug/L	Gen. Eng.
Arsenic		25.40 ug/L	Gen. Eng.
Barium		7.25 ug/L	Gen. Eng.
beta-Benzene hexachloride	LT	0.05 ug/L	Gen. Eng.
Bromodichloromethane	LT	1.00 ug/L	Gen. Eng.
Calcium		5320.00 ug/L	Gen. Eng.
Trichlorofluoromethane	LT	1.00 ug/L	Gen. Eng.
Carbon tetrachloride	LT	1.00 ug/L	Gen. Eng.
Cadmium		5.15 ug/L	Gen. Eng.
Bromoform	LT	1.00 ug/L	Gen. Eng.
Chloroform	LT	1.00 ug/L	Gen. Eng.
Dichloromethane (Methylene chloride)		4.42 ug/L	Gen. Eng.
Bromomethane (Methyl bromide)	LT	1.00 ug/L	Gen. Eng.
Chloromethane (Methyl chloride)	LT	1.00 ug/L	Gen. Eng.
Chloride		17400.00 ug/L	Gen. Eng.
Chlorobenzene		2.00 ug/L	Gen. Eng.
Chromium	LT	4.00 ug/L	Gen. Eng.
Copper	LT	4.00 ug/L	Gen. Eng.
Chloroethene (Vinyl chloride)	LT	1.00 ug/L	Gen. Eng.
Chloroethane		18.50 ug/L	Gen. Eng.
Benzene		2.30 ug/L	Gen. Eng.
Dibromochloromethane	LT	1.00 ug/L	Gen. Eng.
Endrin	LT	0.01 ug/L	Gen. Eng.
Endosulfan sulfate	LT	0.10 ug/L	Gen. Eng.
Ethylbenzene		18.60 ug/L	Gen. Eng.
Fluoride		117.00 ug/L	Gen. Eng.
Iron		55300.00 ug/L	Gen. Eng.
Mercury	LT	0.20 ug/L	Gen. Eng.
Potassium		1880.00 ug/L	Gen. Eng.
Lindane	LT	0.00 ug/L	Gen. Eng.
Toluene		7.91 ug/L	Gen. Eng.
Methoxychlor	LT	0.50 ug/L	Gen. Eng.
Magnesium		10500.00 ug/L	Gen. Eng.

CONTINUED

WELL LFW 18 COLLECTED ON 08/13/91 LABORATORY ANALYSES CONTINUED

Manganese		15.80 ug/L	Gen. Eng.
Sodium		13600.00 ug/L	Gen. Eng.
Nickel	LT	4.00 ug/L	Gen. Eng.
Nitrate as nitrogen		79.00 ug/L	Gen. Eng.
Lead	LT	3.00 ug/L	Gen. Eng.
Antimony	LT	2.00 ug/L	Gen. Eng.
Selenium	LT	2.00 ug/L	Gen. Eng.
Silica		8390.00 ug/L	Gen. Eng.
2,4,5-TP (Silvex)	LT	0.09 ug/L	Gen. Eng.
Sulfate	LT	1000.00 ug/L	Gen. Eng.
1,1,2,2-Tetrachloroethane	LT	1.00 ug/L	Gen. Eng.
Tetrachloroethylene	LT	1.00 ug/L	Gen. Eng.
Thallium	LT	2.00 ug/L	Gen. Eng.
Total organic carbon		5000.00 ug/L	Gen. Eng.
Total organic nitrogen	LT	100.00 ug/L	Gen. Eng.
Total organic halogens		174.00 ug/L	Gen. Eng.
Total phosphates (as P)	LT	100.00 ug/L	Gen. Eng.
Trichloroethylene	LT	1.00 ug/L	Gen. Eng.
Toxaphene	LT	0.24 ug/L	Gen. Eng.
trans-1,2-Dichloroethylene	LT	1.00 ug/L	Gen. Eng.
trans-1,3-Dichloropropene	LT	1.00 ug/L	Gen. Eng.
Vanadium	LT	10.00 ug/L	Gen. Eng.
1,1-Dichloroethylene	LT	1.00 ug/L	Gen. Eng.
1,1-Dichloroethane		15.90 ug/L	Gen. Eng.
1,1,1-Trichloroethane	LT	1.00 ug/L	Gen. Eng.
1,1,2-Trichloroethane	LT	1.00 ug/L	Gen. Eng.
1,2-Dichloroethane		4.57 ug/L	Gen. Eng.
1,2-Dichloropropane	LT	1.00 ug/L	Gen. Eng.
cis-1,3-Dichloropropene	LT	1.00 ug/L	Gen. Eng.
1,4-Dichlorobenzene		61.00 ug/L	Gen. Eng.
2-Chloroethyl vinyl ether	LT	1.00 ug/L	Gen. Eng.
2,4-Dichlorophenoxyacetic acid	LT	0.30 ug/L	Gen. Eng.
Gross alpha	LT	2.00 pCi/L	Gen. Eng.
Nonvolatile beta	6.20+-	2.40 pCi/L	Gen. Eng.
Total radium	4.60+-	3.40 pCi/L	Gen. Eng.
Tritium	6.78+-	0.40 pCi/mL	Gen. Eng.

WELL LFW 19

SRS Grid N 84817.2 Latitude 33.286998 N
Coordinates E 45135.4 Longitude 81.712707 W
Screen Zone Elevation 160.0-130.0 ft msl
Top of Casing Elevation 175.00 ft msl

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/13/91 Time 1230
Depth to water = 18.40 ft (5.61 m) below the TOC
Water elevation = 156.60 ft (47.73 m) msl
pH = 4.8 Alkalinity = 1 mg/L
Specific conductance = 17 umhos/cm
Water temperature = 19.1 degrees Celsius
Water evacuated from the well prior to sampling = 75 gal

LABORATORY ANALYSES

Specific conductance		15.00 umh/cm	Gen. Eng.
pH		5.35 pH	Gen. Eng.
Silver	LT	2.00 ug/L	Gen. Eng.
Aluminum	LT	20.00 ug/L	Gen. Eng.
Aldrin	LT	0.05 ug/L	Gen. Eng.
Arsenic	LT	2.00 ug/L	Gen. Eng.
Barium	LT	3.00 ug/L	Gen. Eng.
beta-Benzene hexachloride	LT	0.05 ug/L	Gen. Eng.
Bromodichloromethane	LT	1.00 ug/L	Gen. Eng.
Calcium		353.00 ug/L	Gen. Eng.
Trichlorofluoromethane	LT	1.00 ug/L	Gen. Eng.
Carbon tetrachloride	LT	1.00 ug/L	Gen. Eng.
Cadmium	LT	2.00 ug/L	Gen. Eng.
Bromoform	LT	1.00 ug/L	Gen. Eng.
Chloroform	LT	1.00 ug/L	Gen. Eng.
Dichloromethane (Methylene chloride)		1.62 ug/L	Gen. Eng.
Bromomethane (Methyl bromide)	LT	1.00 ug/L	Gen. Eng.
Chloromethane (Methyl chloride)	LT	1.00 ug/L	Gen. Eng.
Chloride		2320.00 ug/L	Gen. Eng.
Chlorobenzene	LT	1.00 ug/L	Gen. Eng.
Chromium	LT	4.00 ug/L	Gen. Eng.
Copper	LT	4.00 ug/L	Gen. Eng.
Chloroethene (Vinyl chloride)	LT	1.00 ug/L	Gen. Eng.
Chloroethane	LT	1.00 ug/L	Gen. Eng.
Benzene	LT	1.00 ug/L	Gen. Eng.
Dibromochloromethane	LT	1.00 ug/L	Gen. Eng.
Endrin	LT	0.01 ug/L	Gen. Eng.
Endosulfan sulfate	LT	0.10 ug/L	Gen. Eng.
Ethylbenzene	LT	1.00 ug/L	Gen. Eng.
Fluoride	LT	100.00 ug/L	Gen. Eng.
Iron		54.20 ug/L	Gen. Eng.
Mercury	LT	0.20 ug/L	Gen. Eng.
Potassium	LT	500.00 ug/L	Gen. Eng.
Lindane	LT	0.00 ug/L	Gen. Eng.
Toluene	LT	1.00 ug/L	Gen. Eng.
Methoxychlor	LT	0.50 ug/L	Gen. Eng.
Magnesium		421.00 ug/L	Gen. Eng.

CONTINUED

WELL LFW 19 COLLECTED ON 08/13/91 LABORATORY ANALYSES CONTINUED

Manganese	LT	2.00 ug/L	Gen. Eng.
Sodium		1370.00 ug/L	Gen. Eng.
Nickel		4.60 ug/L	Gen. Eng.
Nitrate as nitrogen		170.00 ug/L	Gen. Eng.
Lead		4.05 ug/L	Gen. Eng.
Antimony	LT	2.00 ug/L	Gen. Eng.
Selenium	LT	2.00 ug/L	Gen. Eng.
Silica		6810.00 ug/L	Gen. Eng.
2,4,5-TP (Silvex)	LT	0.09 ug/L	Gen. Eng.
Sulfate	LT	1000.00 ug/L	Gen. Eng.
1,1,2,2-Tetrachloroethane	LT	1.00 ug/L	Gen. Eng.
Tetrachloroethylene	LT	1.00 ug/L	Gen. Eng.
Thallium	LT	2.00 ug/L	Gen. Eng.
Total organic carbon	LT	1000.00 ug/L	Gen. Eng.
Total organic nitrogen	LT	100.00 ug/L	Gen. Eng.
Total organic halogens		9.90 ug/L	Gen. Eng.
Total phosphates (as P)	LT	100.00 ug/L	Gen. Eng.
Trichloroethylene	LT	1.00 ug/L	Gen. Eng.
Toxaphene	LT	0.24 ug/L	Gen. Eng.
trans-1,2-Dichloroethylene	LT	1.00 ug/L	Gen. Eng.
trans-1,3-Dichloropropene	LT	1.00 ug/L	Gen. Eng.
Vanadium	LT	10.00 ug/L	Gen. Eng.
1,1-Dichloroethylene	LT	1.00 ug/L	Gen. Eng.
1,1-Dichloroethane	LT	1.00 ug/L	Gen. Eng.
1,1,1-Trichloroethane	LT	1.00 ug/L	Gen. Eng.
1,1,2-Trichloroethane	LT	1.00 ug/L	Gen. Eng.
1,2-Dichloroethane	LT	1.00 ug/L	Gen. Eng.
1,2-Dichloropropane	LT	1.00 ug/L	Gen. Eng.
cis-1,3-Dichloropropene	LT	1.00 ug/L	Gen. Eng.
1,4-Dichlorobenzene	LT	10.00 ug/L	Gen. Eng.
2-Chloroethyl vinyl ether	LT	1.00 ug/L	Gen. Eng.
2,4-Dichlorophenoxyacetic acid	LT	0.30 ug/L	Gen. Eng.
Gross alpha	LT	2.00 pCi/L	Gen. Eng.
Nonvolatile beta	3.90+-	2.10 pCi/L	Gen. Eng.
Total radium	1.40+-	2.40 pCi/L	Gen. Eng.
Tritium	3.17+-	0.30 pCi/mL	Gen. Eng.

WELL LFW 20

SRS Grid N 85262.6 Latitude 33.288714 N
 Coordinates E 45582.9 Longitude 81.712395 W
 Screen Zone Elevation 165.0-135.0 ft msl
 Top of Casing Elevation 179.00 ft msl

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/13/91 Time 925
 Depth to water = 18.78 ft (5.72 m) below the TOC
 Water elevation = 160.22 ft (48.84 m) msl
 pH = 4.8 Alkalinity = 0 mg/L
 Specific conductance = 17 umhos/cm
 Water temperature = 20.0 degrees Celsius
 Water evacuated from the well prior to sampling = 72 gal

LABORATORY ANALYSES

Specific conductance		15.00 umh/cm	Gen. Eng.
pH		5.24 pH	Gen. Eng.
Silver	LT	2.00 ug/L	Gen. Eng.
Aluminum	LT	20.00 ug/L	Gen. Eng.
Aldrin	LT	0.05 ug/L	Gen. Eng.
Arsenic	LT	2.00 ug/L	Gen. Eng.
Barium		4.13 ug/L	Gen. Eng.
beta-Benzene hexachloride	LT	0.05 ug/L	Gen. Eng.
Bromodichloromethane	LT	1.00 ug/L	Gen. Eng.
Calcium		187.00 ug/L	Gen. Eng.
Trichlorofluoromethane	LT	1.00 ug/L	Gen. Eng.
Carbon tetrachloride	LT	1.00 ug/L	Gen. Eng.
Cadmium	LT	2.00 ug/L	Gen. Eng.
Bromoform	LT	1.00 ug/L	Gen. Eng.
Chloroform	LT	1.00 ug/L	Gen. Eng.
Dichloromethane (Methylene chloride)		2.22 ug/L	Gen. Eng.
Bromomethane (Methyl bromide)	LT	1.00 ug/L	Gen. Eng.
Chloromethane (Methyl chloride)	LT	1.00 ug/L	Gen. Eng.
Chloride		2530.00 ug/L	Gen. Eng.
Chlorobenzene	LT	1.00 ug/L	Gen. Eng.
Chromium	LT	4.00 ug/L	Gen. Eng.
Copper		7.55 ug/L	Gen. Eng.
Chloroethene (Vinyl chloride)	LT	1.00 ug/L	Gen. Eng.
Chloroethane	LT	1.00 ug/L	Gen. Eng.
Benzene	LT	1.00 ug/L	Gen. Eng.
Dibromochloromethane	LT	1.00 ug/L	Gen. Eng.
Endrin	LT	0.01 ug/L	Gen. Eng.
Endosulfan sulfate	LT	0.10 ug/L	Gen. Eng.
Ethylbenzene	LT	1.00 ug/L	Gen. Eng.
Fluoride	LT	100.00 ug/L	Gen. Eng.
Fluoride	LT	100.00 ug/L	Gen. Eng.
Iron		55.40 ug/L	Gen. Eng.
Mercury	LT	0.20 ug/L	Gen. Eng.
Potassium	LT	500.00 ug/L	Gen. Eng.
Lindane	LT	0.00 ug/L	Gen. Eng.
Toluene	LT	1.00 ug/L	Gen. Eng.
Methoxychlor	LT	0.50 ug/L	Gen. Eng.

CONTINUED

WELL LFW 20 COLLECTED ON 08/13/91 LABORATORY ANALYSES CONTINUED

Magnesium		309.00 ug/L	Gen. Eng.
Manganese		2.20 ug/L	Gen. Eng.
Sodium		1330.00 ug/L	Gen. Eng.
Nickel		5.66 ug/L	Gen. Eng.
Nitrate as nitrogen		170.00 ug/L	Gen. Eng.
Lead		4.83 ug/L	Gen. Eng.
Antimony	LT	2.00 ug/L	Gen. Eng.
Selenium	LT	2.00 ug/L	Gen. Eng.
Silica		6180.00 ug/L	Gen. Eng.
2,4,5-TP (Silvex)	LT	0.09 ug/L	Gen. Eng.
Sulfate	LT	1000.00 ug/L	Gen. Eng.
1,1,2,2-Tetrachloroethane	LT	1.00 ug/L	Gen. Eng.
Tetrachloroethylene	LT	1.00 ug/L	Gen. Eng.
Thallium	LT	2.00 ug/L	Gen. Eng.
Total organic carbon	LT	1000.00 ug/L	Gen. Eng.
Total organic nitrogen	LT	100.00 ug/L	Gen. Eng.
Total organic halogens	LT	5.00 ug/L	Gen. Eng.
Total phosphates (as P)	LT	100.00 ug/L	Gen. Eng.
Trichloroethylene	LT	1.00 ug/L	Gen. Eng.
Toxaphene	LT	0.24 ug/L	Gen. Eng.
trans-1,2-Dichloroethylene	LT	1.00 ug/L	Gen. Eng.
trans-1,3-Dichloropropene	LT	1.00 ug/L	Gen. Eng.
Vanadium	LT	10.00 ug/L	Gen. Eng.
1,1-Dichloroethylene	LT	1.00 ug/L	Gen. Eng.
1,1-Dichloroethane	LT	1.00 ug/L	Gen. Eng.
1,1,1-Trichloroethane	LT	1.00 ug/L	Gen. Eng.
1,1,2-Trichloroethane	LT	1.00 ug/L	Gen. Eng.
1,2-Dichloroethane	LT	1.00 ug/L	Gen. Eng.
1,2-Dichloropropane	LT	1.00 ug/L	Gen. Eng.
cis-1,3-Dichloropropene	LT	1.00 ug/L	Gen. Eng.
1,4-Dichlorobenzene	LT	10.00 ug/L	Gen. Eng.
2-Chloroethyl vinyl ether	LT	1.00 ug/L	Gen. Eng.
2,4-Dichlorophenoxyacetic acid	LT	0.30 ug/L	Gen. Eng.
Gross alpha	LT	2.00 pCi/L	Gen. Eng.
Nonvolatile beta	2.20+-	1.90 pCi/L	Gen. Eng.
Total radium	3.70+-	3.90 pCi/L	Gen. Eng.
Tritium	2.83+-	0.30 pCi/mL	Gen. Eng.

WELL LFW 21

SRS Grid N 84178.3 Latitude 33.287241 N
 Coordinates E 46149.4 Longitude 81.708796 W
 Screen Zone Elevation 158.9-128.9 ft msl
 Top of Casing Elevation 173.90 ft msl

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/14/91 Time 1415
 Depth to water = 22.23 ft (6.78 m) below the TOC
 Water elevation = 151.67 ft (46.23 m) msl
 pH = 6.0 Alkalinity = 106 mg/L
 Specific conductance = 301 umhos/cm
 Water temperature = 20.6 degrees Celsius
 Water evacuated from the well prior to sampling = 64 gal

LABORATORY ANALYSES

Specific conductance		250.00 umh/cm	Gen. Eng.
Carbon 12-labeled 2,3,7,8-TCDD	LT	0.45 ng/L	Gen. Eng.
Carbon 12-labeled TCDF	LT	0.40 ng/L	Gen. Eng.
Heptachlorodibenzo-p-dioxin isomers	LT	0.65 ng/L	Gen. Eng.
Heptachlorodibenzo-p-furan isomers	LT	0.45 ng/L	Gen. Eng.
Hexachlorodibenzo-p-dioxin isomers	LT	0.45 ng/L	Gen. Eng.
Hexachlorodibenzo-p-furan isomers	LT	0.40 ng/L	Gen. Eng.
Octachlorodibenzo-p-dioxin isomers	LT	1.00 ng/L	Gen. Eng.
Octachlorodibenzo-p-furan isomers	LT	1.00 ng/L	Gen. Eng.
Pentachlorodibenzo-p-dioxin isomers	LT	0.55 ng/L	Gen. Eng.
Pentachlorodibenzo-p-furan isomers	LT	0.55 ng/L	Gen. Eng.
pH		6.32 pH	Gen. Eng.
Tetrachlorodibenzo-p-dioxin isomers	LT	0.45 ng/L	Gen. Eng.
Tetrachlorodibenzo-p-furan isomers	LT	0.40 ng/L	Gen. Eng.
1,2,3,4,6,7,8-HPCDD	LT	0.65 ng/L	Gen. Eng.
1,2,3,4,6,7,8-HHPCDF	LT	0.45 ng/L	Gen. Eng.
1,2,3,4,7,8-Hexachlorodibenzo-p-dioxin	LT	0.45 ng/L	Gen. Eng.
1,2,3,4,7,8-Hexachlorodibenzo-p-furan	LT	0.40 ng/L	Gen. Eng.
1,2,3,7,8-Pentachlorodibenzo-p-dioxin	LT	0.55 ng/L	Gen. Eng.
1,2,3,7,8-Pentachlorodibenzo-p-furan	LT	0.55 ng/L	Gen. Eng.
alpha-Dimethylphenethylamine	LT	10.00 ug/L	Gen. Eng.
alpha-Benzene hexachloride	LT	0.05 ug/L	Gen. Eng.
Acetone	LT	1.00 ug/L	Gen. Eng.
Acetophenone	LT	10.00 ug/L	Gen. Eng.
Acrolein	LT	20.00 ug/L	Gen. Eng.
Acrylonitrile	LT	20.00 ug/L	Gen. Eng.
Silver	LT	2.00 ug/L	Gen. Eng.
Aluminum	LT	20.00 ug/L	Gen. Eng.
Aldrin	LT	0.05 ug/L	Gen. Eng.
Acenaphthene	LT	10.00 ug/L	Gen. Eng.
Acenaphthylene	LT	10.00 ug/L	Gen. Eng.
Aniline	LT	10.00 ug/L	Gen. Eng.
Anthracene	LT	10.00 ug/L	Gen. Eng.
Aramite	LT	10.00 ug/L	Gen. Eng.
Arsenic	LT	2.00 ug/L	Gen. Eng.
Allyl chloride	LT	50.00 ug/L	Gen. Eng.
Barium		6.53 ug/L	Gen. Eng.

CONTINUED

WELL LFW 21 COLLECTED ON 08/14/91 LABORATORY ANALYSES CONTINUED

Benzo(a)anthracene	LT	10.00 ug/L	Gen. Eng.
Benzo(a)pyrene	LT	10.00 ug/L	Gen. Eng.
Benzo(b)fluoranthene	LT	10.00 ug/L	Gen. Eng.
beta-Benzene hexachloride	LT	0.05 ug/L	Gen. Eng.
Butylbenzyl phthalate	LT	10.00 ug/L	Gen. Eng.
Bis(chloromethyl-ethyl)ether	LT	10.00 ug/L	Gen. Eng.
Beryllium	LT	5.00 ug/L	Gen. Eng.
Benzo(g,h,i)perylene	LT	10.00 ug/L	Gen. Eng.
Benzo(k)fluoranthene	LT	10.00 ug/L	Gen. Eng.
Bromodichloromethane	LT	1.00 ug/L	Gen. Eng.
Benzyl alcohol	LT	10.00 ug/L	Gen. Eng.
Bis(2-chloroethoxy) methane	LT	10.00 ug/L	Gen. Eng.
Bis(2-chloroethyl) ether	LT	10.00 ug/L	Gen. Eng.
Bis(2-ethylhexyl) phthalate	LT	10.00 ug/L	Gen. Eng.
Calcium		6530.00 ug/L	Gen. Eng.
Dichlorodifluoromethane	LT	1.00 ug/L	Gen. Eng.
Trichlorofluoromethane	LT	1.00 ug/L	Gen. Eng.
Carbon tetrachloride	LT	1.00 ug/L	Gen. Eng.
Cadmium		5.03 ug/L	Gen. Eng.
Bromoform	LT	1.00 ug/L	Gen. Eng.
Chloroform	LT	1.00 ug/L	Gen. Eng.
Chrysene	LT	10.00 ug/L	Gen. Eng.
Dibromomethane (Methylene bromide)	LT	1.00 ug/L	Gen. Eng.
Dichloromethane (Methylene chloride)		275.00 ug/L	Gen. Eng.
Bromomethane (Methyl bromide)	LT	1.00 ug/L	Gen. Eng.
Chloromethane (Methyl chloride)	LT	1.00 ug/L	Gen. Eng.
Acetonitrile (Methyl cyanide)	LT	1.00 ug/L	Gen. Eng.
Chloride		11400.00 ug/L	Gen. Eng.
Chlorobenzilate	LT	10.00 ug/L	Gen. Eng.
Chlorobenzene		1.00 ug/L	Gen. Eng.
Chlordane	LT	0.50 ug/L	Gen. Eng.
Chloroprene	LT	200.00 ug/L	Gen. Eng.
Pentachlorobenzene	LT	10.00 ug/L	Gen. Eng.
Pentachloroethane	LT	10.00 ug/L	Gen. Eng.
Pentachloronitrobenzene	LT	10.00 ug/L	Gen. Eng.
Hexachlorobenzene	LT	10.00 ug/L	Gen. Eng.
Hexachlorocyclopentadiene	LT	10.00 ug/L	Gen. Eng.
Hexachloroethane	LT	10.00 ug/L	Gen. Eng.
Cobalt	LT	4.00 ug/L	Gen. Eng.
Chromium	LT	4.00 ug/L	Gen. Eng.
Carbon disulfide	LT	1.00 ug/L	Gen. Eng.
Copper	LT	4.00 ug/L	Gen. Eng.
Cyanide	LT	5.00 ug/L	Gen. Eng.
Cyanide	LT	5.00 ug/L	Gen. Eng.
Chloroethene (Vinyl chloride)	LT	1.00 ug/L	Gen. Eng.
Chloroethane	LT	1.00 ug/L	Gen. Eng.
Benzene		2.80 ug/L	Gen. Eng.
Dibenz(a,h)anthracene	LT	10.00 ug/L	Gen. Eng.
delta-Benzene hexachloride	LT	0.05 ug/L	Gen. Eng.
Dibromochloromethane	LT	1.00 ug/L	Gen. Eng.
Diethyl phthalate	LT	10.00 ug/L	Gen. Eng.
Diallate	LT	10.00 ug/L	Gen. Eng.
Dibenzofuran	LT	10.00 ug/L	Gen. Eng.
Dimethoate	LT	10.00 ug/L	Gen. Eng.

CONTINUED

WELL LFW 21 COLLECTED ON 08/14/91 LABORATORY ANALYSES CONTINUED

Disulfoton	LT	10.00 ug/L	Gen. Eng.
Dieldrin	LT	0.50 ug/L	Gen. Eng.
Dimethyl phthalate	LT	10.00 ug/L	Gen. Eng.
Di-n-butyl phthalate	LT	10.00 ug/L	Gen. Eng.
Di-n-octyl phthalate	LT	10.00 ug/L	Gen. Eng.
Diphenylamine	LT	10.00 ug/L	Gen. Eng.
Ethyl methanesulfonate	LT	10.00 ug/L	Gen. Eng.
Endrin aldehyde	LT	0.10 ug/L	Gen. Eng.
Endrin	LT	0.01 ug/L	Gen. Eng.
Endosulfan I	LT	0.10 ug/L	Gen. Eng.
Endosulfan II	LT	0.10 ug/L	Gen. Eng.
Endosulfan sulfate	LT	0.10 ug/L	Gen. Eng.
Ethylbenzene		18.10 ug/L	Gen. Eng.
Ethyl methacrylate	LT	10.00 ug/L	Gen. Eng.
Fluoride		137.00 ug/L	Gen. Eng.
Famphur	LT	10.00 ug/L	Gen. Eng.
Fluoranthene	LT	10.00 ug/L	Gen. Eng.
Iron		63500.00 ug/L	Gen. Eng.
Fluorene	LT	10.00 ug/L	Gen. Eng.
Hexachlorobutadiene	LT	10.00 ug/L	Gen. Eng.
Hexachlorophene	LT	10.00 ug/L	Gen. Eng.
Hexachloropropene	LT	10.00 ug/L	Gen. Eng.
Mercury	LT	0.20 ug/L	Gen. Eng.
Heptachlor	LT	0.05 ug/L	Gen. Eng.
Heptachlor epoxide	LT	0.05 ug/L	Gen. Eng.
Indeno(1,2,3-c,d)pyrene	LT	10.00 ug/L	Gen. Eng.
Iodomethane (Methyl iodide)	LT	15.00 ug/L	Gen. Eng.
Isosafrole	LT	10.00 ug/L	Gen. Eng.
Isobutyl alcohol	LT	100.00 ug/L	Gen. Eng.
Isodrin	LT	10.00 ug/L	Gen. Eng.
Isophorone	LT	10.00 ug/L	Gen. Eng.
Potassium	LT	500.00 ug/L	Gen. Eng.
Kepone	LT	10.00 ug/L	Gen. Eng.
Lindane	LT	0.00 ug/L	Gen. Eng.
Methacrylonitrile	LT	50.00 ug/L	Gen. Eng.
Toluene		19.10 ug/L	Gen. Eng.
Methyl ethyl ketone		39.40 ug/L	Gen. Eng.
Methyl methacrylate	LT	10.00 ug/L	Gen. Eng.
Methyl methanesulfonate	LT	10.00 ug/L	Gen. Eng.
Methoxychlor	LT	0.50 ug/L	Gen. Eng.
Magnesium		6660.00 ug/L	Gen. Eng.
Methyl isobutyl ketone		74.00 ug/L	Gen. Eng.
Manganese		120.00 ug/L	Gen. Eng.
Methapyrilene	LT	10.00 ug/L	Gen. Eng.
Sodium		18500.00 ug/L	Gen. Eng.
Naphthalene	LT	10.00 ug/L	Gen. Eng.
Nitrobenzene	LT	10.00 ug/L	Gen. Eng.
N-Nitrosodimethylamine	LT	10.00 ug/L	Gen. Eng.
N-Nitrosodi-n-butylamine	LT	10.00 ug/L	Gen. Eng.
N-Nitrosodi-propylamine	LT	10.00 ug/L	Gen. Eng.
N-Nitrosodiethylamine	LT	10.00 ug/L	Gen. Eng.
N-Nitrosomethylethylamine	LT	10.00 ug/L	Gen. Eng.
Nickel	LT	4.00 ug/L	Gen. Eng.
N-Nitrosomorpholine	LT	10.00 ug/L	Gen. Eng.

CONTINUED

WELL LFW 21 COLLECTED ON 08/14/91 LABORATORY ANALYSES CONTINUED

N-Nitrosodiphenylamine	LT	10.00 ug/L	Gen. Eng.
N-Nitrosopiperidine	LT	10.00 ug/L	Gen. Eng.
N-Nitrosopyrrolidine	LT	10.00 ug/L	Gen. Eng.
Nitrate as nitrogen		150.00 ug/L	Gen. Eng.
Nitrate as nitrogen		170.00 ug/L	Gen. Eng.
4-Nitroquinoline-1-oxide	LT	10.00 ug/L	Gen. Eng.
5-Nitro-o-toluidine	LT	10.00 ug/L	Gen. Eng.
o-Toluidine	LT	10.00 ug/L	Gen. Eng.
Lead	LT	3.00 ug/L	Gen. Eng.
PCB 1016	LT	0.50 ug/L	Gen. Eng.
PCB 1221	LT	0.50 ug/L	Gen. Eng.
PCB 1232	LT	0.50 ug/L	Gen. Eng.
PCB 1242	LT	0.50 ug/L	Gen. Eng.
PCB 1248	LT	0.50 ug/L	Gen. Eng.
PCB 1254	LT	1.00 ug/L	Gen. Eng.
PCB 1260	LT	1.00 ug/L	Gen. Eng.
Pentachlorophenol	LT	10.00 ug/L	Gen. Eng.
p-Phenylenediamine	LT	10.00 ug/L	Gen. Eng.
p-Dimethylaminobenzene	LT	10.00 ug/L	Gen. Eng.
Phenacetin	LT	10.00 ug/L	Gen. Eng.
Phenanthrene	LT	10.00 ug/L	Gen. Eng.
Phenol	LT	10.00 ug/L	Gen. Eng.
Phorate	LT	0.10 ug/L	Gen. Eng.
p,p'-DDD	LT	0.10 ug/L	Gen. Eng.
p,p'-DDE	LT	0.10 ug/L	Gen. Eng.
p,p'-DDT	LT	0.10 ug/L	Gen. Eng.
Pronamid	LT	10.00 ug/L	Gen. Eng.
Propionitrile	LT	200.00 ug/L	Gen. Eng.
Parathion	LT	0.05 ug/L	Gen. Eng.
Parathion methyl	LT	0.05 ug/L	Gen. Eng.
Pyrene	LT	10.00 ug/L	Gen. Eng.
Pyridine	LT	10.00 ug/L	Gen. Eng.
Safrole	LT	10.00 ug/L	Gen. Eng.
Antimony	LT	2.00 ug/L	Gen. Eng.
2-sec-Butyl-4,6-dinitrophenol	LT	10.00 ug/L	Gen. Eng.
Selenium	LT	2.00 ug/L	Gen. Eng.
Silica		11300.00 ug/L	Gen. Eng.
2,4,5-TP (Silvex)	LT	0.09 ug/L	Gen. Eng.
Tin	LT	2.00 ug/L	Gen. Eng.
Sulfate		4240.00 ug/L	Gen. Eng.
Sulfate		4300.00 ug/L	Gen. Eng.
Sulfotep	LT	10.00 ug/L	Gen. Eng.
Styrene	LT	1.00 ug/L	Gen. Eng.
Sulfide	LT	1000.00 ug/L	Gen. Eng.
1,2,4,5-Tetrachlorobenzene	LT	10.00 ug/L	Gen. Eng.
1,1,2,2-Tetrachloroethane	LT	1.00 ug/L	Gen. Eng.
1,1,1,2-Tetrachloroethane	LT	1.00 ug/L	Gen. Eng.
* Tetrachloroethylene		9.80 ug/L	Gen. Eng.
0,0,0-Triethyl phosphorothioate	LT	10.00 ug/L	Gen. Eng.
Thionazin	LT	10.00 ug/L	Gen. Eng.
Thallium	LT	2.00 ug/L	Gen. Eng.
Total organic carbon		11000.00 ug/L	Gen. Eng.
Total organic carbon		12000.00 ug/L	Gen. Eng.
Total organic nitrogen	LT	100.00 ug/L	Gen. Eng.

CONTINUED

WELL LFW 21 COLLECTED ON 08/14/91 LABORATORY ANALYSES CONTINUED

Total organic halogens		612.00 ug/L	Gen. Eng.
Total phosphates (as P)	LT	100.00 ug/L	Gen. Eng.
* Trichloroethylene		17.70 ug/L	Gen. Eng.
Toxaphene	LT	0.24 ug/L	Gen. Eng.
trans-1,2-Dichloroethylene	LT	1.00 ug/L	Gen. Eng.
trans-1,3-Dichloropropene	LT	1.00 ug/L	Gen. Eng.
trans-1,4-Dichloro-2-butene	LT	30.00 ug/L	Gen. Eng.
Vanadium	LT	10.00 ug/L	Gen. Eng.
Vinyl acetate	LT	1.00 ug/L	Gen. Eng.
Xylenes		70.00 ug/L	Gen. Eng.
1-Naphthylamine	LT	10.00 ug/L	Gen. Eng.
1,1-Dichloroethylene	LT	1.00 ug/L	Gen. Eng.
1,1-Dichloroethane		74.20 ug/L	Gen. Eng.
1,1,1-Trichloroethane		15.50 ug/L	Gen. Eng.
1,1,2-Trichloroethane	LT	1.00 ug/L	Gen. Eng.
1,2-Dibromoethane	LT	20.00 ug/L	Gen. Eng.
1,2-Dibromo-3-chloropropane	LT	1.00 ug/L	Gen. Eng.
1,2-Dichlorobenzene	LT	10.00 ug/L	Gen. Eng.
1,2-Dichloroethane	LT	1.00 ug/L	Gen. Eng.
1,2-Dichloropropane		1.20 ug/L	Gen. Eng.
1,2,3-Trichloropropane	LT	20.00 ug/L	Gen. Eng.
1,2,4-Trichlorobenzene	LT	10.00 ug/L	Gen. Eng.
1,3-Dichlorobenzene	LT	10.00 ug/L	Gen. Eng.
cis-1,3-Dichloropropene	LT	1.00 ug/L	Gen. Eng.
1,3-Dinitrobenzene	LT	10.00 ug/L	Gen. Eng.
1,3,5-Trinitrobenzene	LT	10.00 ug/L	Gen. Eng.
1,4-Dichlorobenzene	LT	10.00 ug/L	Gen. Eng.
1,4-Dioxane	LT	10.00 ug/L	Gen. Eng.
1,4-Naphthoquinone	LT	10.00 ug/L	Gen. Eng.
2-Acetylaminofluorene	LT	10.00 ug/L	Gen. Eng.
2-Chloroethyl vinyl ether	LT	10.00 ug/L	Gen. Eng.
2-Chlorophenol	LT	10.00 ug/L	Gen. Eng.
2-Chloronaphthalene	LT	10.00 ug/L	Gen. Eng.
2-Hexanone	LT	1.00 ug/L	Gen. Eng.
2-Methylnaphthalene	LT	10.00 ug/L	Gen. Eng.
o-Cresol (2-Methylphenol)	LT	10.00 ug/L	Gen. Eng.
2-Nitroaniline	LT	10.00 ug/L	Gen. Eng.
2-Naphthylamine	LT	10.00 ug/L	Gen. Eng.
2-Nitrophenol	LT	10.00 ug/L	Gen. Eng.
2-Picoline	LT	10.00 ug/L	Gen. Eng.
2,3,4,6-Tetrachlorophenol	LT	10.00 ug/L	Gen. Eng.
2,4-Dichlorophenoxyacetic acid	LT	0.30 ug/L	Gen. Eng.
2,4-Dichlorophenol	LT	10.00 ug/L	Gen. Eng.
2,4-Dimethylphenol	LT	10.00 ug/L	Gen. Eng.
2,4-Dinitrophenol	LT	45.00 ug/L	Gen. Eng.
2,4-Dinitrotoluene	LT	10.00 ug/L	Gen. Eng.
2,4,5-Trichlorophenoxyacetic acid	LT	0.09 ug/L	Gen. Eng.
2,4,5-Trichlorophenol	LT	10.00 ug/L	Gen. Eng.
2,4,6-Trichlorophenol	LT	10.00 ug/L	Gen. Eng.
2,6-Dichlorophenol	LT	10.00 ug/L	Gen. Eng.
2,6-Dinitrotoluene	LT	10.00 ug/L	Gen. Eng.
3-Methylcholanthrene	LT	10.00 ug/L	Gen. Eng.
m-Cresol (3-Methylphenol)	LT	10.00 ug/L	Gen. Eng.
3-Nitroaniline	LT	10.00 ug/L	Gen. Eng.

CONTINUED

WELL LFW 21 COLLECTED ON 08/14/91 LABORATORY ANALYSES CONTINUED

3,3'-Dichlorobenzidine	LT	20.00 ug/L	Gen. Eng.
3,3'-Dimethylbenzidine	LT	10.00 ug/L	Gen. Eng.
4-Aminobiphenyl	LT	10.00 ug/L	Gen. Eng.
4-Bromophenyl phenyl ether	LT	10.00 ug/L	Gen. Eng.
4-Chloroaniline	LT	10.00 ug/L	Gen. Eng.
4-Chlorophenyl phenyl ether	LT	10.00 ug/L	Gen. Eng.
para-Chloro-meta-cresol	LT	10.00 ug/L	Gen. Eng.
p-Cresol (4-Methylphenol)	LT	10.00 ug/L	Gen. Eng.
4-Nitroaniline	LT	10.00 ug/L	Gen. Eng.
4-Nitrophenol	LT	10.00 ug/L	Gen. Eng.
2-Methyl-4,6-dinitrophenol	LT	50.00 ug/L	Gen. Eng.
7,12-Dimethylbenz(a)anthracene	LT	10.00 ug/L	Gen. Eng.
Zinc		13.40 ug/L	Gen. Eng.
Gross alpha	LT	2.00 pCi/L	Gen. Eng.
Nonvolatile beta	2.70+-	2.20 pCi/L	Gen. Eng.
Total radium	2.40+-	3.00 pCi/L	Gen. Eng.
Tritium	4.80+-	0.40 pCi/mL	Gen. Eng.

WELL LFW 22

SRS Grid N 84223.6 Latitude 33.287628 N
 Coordinates E 46325.2 Longitude 81.708421 W
 Screen Zone Elevation 152.4-122.4 ft msl
 Top of Casing Elevation 172.40 ft msl

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/15/91 Time 1450
 Depth to water = 19.22 ft (5.86 m) below the TOC
 Water elevation = 153.18 ft (46.69 m) msl
 pH = 6.3 Alkalinity = 202 mg/L
 Specific conductance = 597 umhos/cm
 Water temperature = 20.8 degrees Celsius
 Water evacuated from the well prior to sampling = 86 gal

LABORATORY ANALYSES

Specific conductance		430.00 umh/cm	Gen. Eng.
Carbon 12-labeled 2,3,7,8-TCDD	LT	0.45 ng/L	Gen. Eng.
Carbon 12-labeled TCDF	LT	0.40 ng/L	Gen. Eng.
Heptachlorodibenzo-p-dioxin isomers	LT	0.65 ng/L	Gen. Eng.
Heptachlorodibenzo-p-furan isomers	LT	0.45 ng/L	Gen. Eng.
Hexachlorodibenzo-p-dioxin isomers	LT	0.45 ng/L	Gen. Eng.
Hexachlorodibenzo-p-furan isomers	LT	0.40 ng/L	Gen. Eng.
Octachlorodibenzo-p-dioxin isomers	LT	1.00 ng/L	Gen. Eng.
Octachlorodibenzo-p-furan isomers	LT	1.00 ng/L	Gen. Eng.
Pentachlorodibenzo-p-dioxin isomers	LT	0.55 ng/L	Gen. Eng.
Pentachlorodibenzo-p-furan isomers	LT	0.55 ng/L	Gen. Eng.
pH		6.08 pH	Gen. Eng.
Tetrachlorodibenzo-p-dioxin isomers	LT	0.45 ng/L	Gen. Eng.
Tetrachlorodibenzo-p-furan isomers	LT	0.40 ng/L	Gen. Eng.
1,2,3,4,6,7,8-HPCDD	LT	0.65 ng/L	Gen. Eng.

CONTINUED

WELL LFW 22 COLLECTED ON 08/15/91. LABORATORY ANALYSES CONTINUED

1,2,3,4,6,7,8-HHPCDF	LT	0.45 ng/L	Gen. Eng.
1,2,3,4,7,8-Hexachlorodibenzo-p-dioxin	LT	0.45 ng/L	Gen. Eng.
1,2,3,4,7,8-Hexachlorodibenzo-p-furan	LT	0.40 ng/L	Gen. Eng.
1,2,3,7,8-Pentachlorodibenzo-p-dioxin	LT	0.55 ng/L	Gen. Eng.
1,2,3,7,8-Pentachlorodibenzo-p-furan	LT	0.55 ng/L	Gen. Eng.
a,a-Dimethylphenethylamine	LT	10.00 ug/L	Gen. Eng.
alpha-Benzene hexachloride	LT	0.05 ug/L	Gen. Eng.
Acetone		24.80 ug/L	Gen. Eng.
Acetophenone	LT	10.00 ug/L	Gen. Eng.
Acrolein	LT	20.00 ug/L	Gen. Eng.
Acrylonitrile	LT	20.00 ug/L	Gen. Eng.
Silver	LT	2.00 ug/L	Gen. Eng.
Aluminum	LT	20.00 ug/L	Gen. Eng.
Aldrin	LT	0.05 ug/L	Gen. Eng.
Acenaphthene	LT	10.00 ug/L	Gen. Eng.
Acenaphthylene	LT	10.00 ug/L	Gen. Eng.
Aniline	LT	10.00 ug/L	Gen. Eng.
Anthracene	LT	10.00 ug/L	Gen. Eng.
Aramite	LT	10.00 ug/L	Gen. Eng.
Arsenic		5.96 ug/L	Gen. Eng.
Allyl chloride	LT	50.00 ug/L	Gen. Eng.
Barium		13.80 ug/L	Gen. Eng.
Benzo(a)anthracene	LT	10.00 ug/L	Gen. Eng.
Benzo(a)pyrene	LT	10.00 ug/L	Gen. Eng.
Benzo(b)fluoranthene	LT	10.00 ug/L	Gen. Eng.
beta-Benzene hexachloride	LT	0.05 ug/L	Gen. Eng.
Butylbenzyl phthalate	LT	10.00 ug/L	Gen. Eng.
Bis(chloromethyl-ethyl)ether	LT	10.00 ug/L	Gen. Eng.
Beryllium	LT	5.00 ug/L	Gen. Eng.
Benzo(g,h,i)perylene	LT	10.00 ug/L	Gen. Eng.
Benzo(k)fluoranthene	LT	10.00 ug/L	Gen. Eng.
Bromodichloromethane	LT	1.00 ug/L	Gen. Eng.
Benzyl alcohol	LT	10.00 ug/L	Gen. Eng.
Bis(2-chloroethoxy) methane	LT	10.00 ug/L	Gen. Eng.
Bis(2-chloroethyl) ether	LT	10.00 ug/L	Gen. Eng.
Bis(2-ethylhexyl) phthalate	LT	10.00 ug/L	Gen. Eng.
Calcium		4710.00 ug/L	Gen. Eng.
Dichlorodifluoromethane	LT	1.00 ug/L	Gen. Eng.
Trichlorofluoromethane		625.00 ug/L	Gen. Eng.
Carbon tetrachloride	LT	1.00 ug/L	Gen. Eng.
* Cadmium		20.90 ug/L	Gen. Eng.
Bromoform	LT	1.00 ug/L	Gen. Eng.
Chloroform	LT	1.00 ug/L	Gen. Eng.
Chrysene	LT	10.00 ug/L	Gen. Eng.
Dibromomethane (Methylene bromide)	LT	1.00 ug/L	Gen. Eng.
Dichloromethane (Methylene chloride)	LT	1.00 ug/L	Gen. Eng.
Bromomethane (Methyl bromide)	LT	1.00 ug/L	Gen. Eng.
Chloromethane (Methyl chloride)	LT	1.00 ug/L	Gen. Eng.
Acetonitrile (Methyl cyanide)	LT	1.00 ug/L	Gen. Eng.
Chloride		25200.00 ug/L	Gen. Eng.
Chlorobenzilate	LT	10.00 ug/L	Gen. Eng.
Chlorobenzene	LT	1.00 ug/L	Gen. Eng.
Chlordane	LT	0.50 ug/L	Gen. Eng.
Chloroprene	LT	200.00 ug/L	Gen. Eng.

CONTINUED

WELL LFW 22 COLLECTED ON 08/15/91 LABORATORY ANALYSES CONTINUED

Pentachlorobenzene	LT	10.00 ug/L	Gen. Eng.
Pentachloroethane	LT	10.00 ug/L	Gen. Eng.
Pentachloronitrobenzene	LT	10.00 ug/L	Gen. Eng.
Hexachlorobenzene	LT	10.00 ug/L	Gen. Eng.
Hexachlorocyclopentadiene	LT	10.00 ug/L	Gen. Eng.
Hexachloroethane	LT	10.00 ug/L	Gen. Eng.
Cobalt	LT	4.00 ug/L	Gen. Eng.
Chromium	LT	4.00 ug/L	Gen. Eng.
Carbon disulfide	LT	1.00 ug/L	Gen. Eng.
Copper	LT	4.00 ug/L	Gen. Eng.
Cyanide	LT	5.00 ug/L	Gen. Eng.
Chloroethene (Vinyl chloride)	LT	1.00 ug/L	Gen. Eng.
Chloroethane	LT	1.00 ug/L	Gen. Eng.
Benzene		3.00 ug/L	Gen. Eng.
Dibenz(a,h)anthracene	LT	10.00 ug/L	Gen. Eng.
delta-Benzene hexachloride	LT	0.05 ug/L	Gen. Eng.
Dibromochloromethane	LT	1.00 ug/L	Gen. Eng.
Diethyl phthalate	LT	10.00 ug/L	Gen. Eng.
Diallyl	LT	10.00 ug/L	Gen. Eng.
Dibenzofuran	LT	10.00 ug/L	Gen. Eng.
Dimethoate	LT	10.00 ug/L	Gen. Eng.
Disulfoton	LT	10.00 ug/L	Gen. Eng.
Dieldrin	LT	0.50 ug/L	Gen. Eng.
Dimethyl phthalate	LT	10.00 ug/L	Gen. Eng.
Di-n-butyl phthalate	LT	10.00 ug/L	Gen. Eng.
Di-n-octyl phthalate	LT	10.00 ug/L	Gen. Eng.
Diphenylamine	LT	10.00 ug/L	Gen. Eng.
Ethyl methanesulfonate	LT	10.00 ug/L	Gen. Eng.
Endrin aldehyde	LT	0.10 ug/L	Gen. Eng.
Endrin	LT	0.01 ug/L	Gen. Eng.
Endosulfan I	LT	0.10 ug/L	Gen. Eng.
Endosulfan II	LT	0.10 ug/L	Gen. Eng.
Endosulfan sulfate	LT	0.10 ug/L	Gen. Eng.
Ethylbenzene		64.00 ug/L	Gen. Eng.
Ethyl methacrylate	LT	10.00 ug/L	Gen. Eng.
Fluoride		114.00 ug/L	Gen. Eng.
Famphur	LT	10.00 ug/L	Gen. Eng.
Fluoranthene	LT	10.00 ug/L	Gen. Eng.
Iron		166000.00 ug/L	Gen. Eng.
Fluorene	LT	10.00 ug/L	Gen. Eng.
Hexachlorobutadiene	LT	10.00 ug/L	Gen. Eng.
Hexachlorophene	LT	10.00 ug/L	Gen. Eng.
Hexachloropropene	LT	10.00 ug/L	Gen. Eng.
Mercury	LT	0.20 ug/L	Gen. Eng.
Heptachlor	LT	0.05 ug/L	Gen. Eng.
Heptachlor epoxide	LT	0.05 ug/L	Gen. Eng.
Indeno(1,2,3-c,d)pyrene	LT	10.00 ug/L	Gen. Eng.
Iodomethane (Methyl iodide)	LT	15.00 ug/L	Gen. Eng.
Isosafrole	LT	10.00 ug/L	Gen. Eng.
Isobutyl alcohol	LT	100.00 ug/L	Gen. Eng.
Isodrin	LT	10.00 ug/L	Gen. Eng.
Isophorone	LT	10.00 ug/L	Gen. Eng.
Potassium	LT	500.00 ug/L	Gen. Eng.
Kepone	LT	10.00 ug/L	Gen. Eng.

CONTINUED

WELL LFW 22. COLLECTED ON 08/15/91 LABORATORY ANALYSES CONTINUED

Lindane	LT	0.00 ug/L	Gen. Eng.
Methacrylonitrile	LT	50.00 ug/L	Gen. Eng.
Toluene		170.00 ug/L	Gen. Eng.
Methyl ethyl ketone		638.00 ug/L	Gen. Eng.
Methyl methacrylate	LT	10.00 ug/L	Gen. Eng.
Methyl methanesulfonate	LT	10.00 ug/L	Gen. Eng.
Methoxychlor	LT	0.50 ug/L	Gen. Eng.
Magnesium		8380.00 ug/L	Gen. Eng.
Methyl isobutyl ketone		1680.00 ug/L	Gen. Eng.
Manganese		21.60 ug/L	Gen. Eng.
Methapyrilene	LT	10.00 ug/L	Gen. Eng.
Sodium		21400.00 ug/L	Gen. Eng.
Naphthalene	LT	10.00 ug/L	Gen. Eng.
Nitrobenzene	LT	10.00 ug/L	Gen. Eng.
N-Nitrosodimethylamine	LT	10.00 ug/L	Gen. Eng.
N-Nitrosodi-n-butylamine	LT	10.00 ug/L	Gen. Eng.
N-Nitrosodi-propylamine	LT	10.00 ug/L	Gen. Eng.
N-Nitrosodiethylamine	LT	10.00 ug/L	Gen. Eng.
N-Nitrosomethylethylamine	LT	10.00 ug/L	Gen. Eng.
Nickel	LT	4.00 ug/L	Gen. Eng.
N-Nitrosomorpholine	LT	10.00 ug/L	Gen. Eng.
N-Nitrosodiphenylamine	LT	10.00 ug/L	Gen. Eng.
N-Nitrosopiperidine	LT	10.00 ug/L	Gen. Eng.
N-Nitrosopyrrolidine	LT	10.00 ug/L	Gen. Eng.
Nitrate as nitrogen		310.00 ug/L	Gen. Eng.
4-Nitroquinoline-1-oxide	LT	10.00 ug/L	Gen. Eng.
5-Nitro-o-toluidine	LT	10.00 ug/L	Gen. Eng.
o-Toluidine	LT	10.00 ug/L	Gen. Eng.
Lead	LT	3.00 ug/L	Gen. Eng.
PCB 1016	LT	0.50 ug/L	Gen. Eng.
PCB 1221	LT	0.50 ug/L	Gen. Eng.
PCB 1232	LT	0.50 ug/L	Gen. Eng.
PCB 1242	LT	0.50 ug/L	Gen. Eng.
PCB 1248	LT	0.50 ug/L	Gen. Eng.
PCB 1254	LT	1.00 ug/L	Gen. Eng.
PCB 1260	LT	1.00 ug/L	Gen. Eng.
Pentachlorophenol	LT	10.00 ug/L	Gen. Eng.
p-Phenylenediamine	LT	10.00 ug/L	Gen. Eng.
p-Dimethylaminoazobenzene	LT	10.00 ug/L	Gen. Eng.
Phenacetin	LT	10.00 ug/L	Gen. Eng.
Phenanthrene	LT	10.00 ug/L	Gen. Eng.
Phenol	LT	10.00 ug/L	Gen. Eng.
Phorate	LT	0.10 ug/L	Gen. Eng.
p,p'-DDD	LT	0.10 ug/L	Gen. Eng.
p,p'-DDE	LT	0.10 ug/L	Gen. Eng.
p,p'-DDT	LT	0.10 ug/L	Gen. Eng.
Pronamid	LT	10.00 ug/L	Gen. Eng.
Propionitrile	LT	200.00 ug/L	Gen. Eng.
Parathion	LT	0.05 ug/L	Gen. Eng.
Parathion methyl	LT	0.05 ug/L	Gen. Eng.
Pyrene	LT	10.00 ug/L	Gen. Eng.
Pyridine	LT	10.00 ug/L	Gen. Eng.
Safrole	LT	10.00 ug/L	Gen. Eng.
Antimony	LT	2.00 ug/L	Gen. Eng.

CONTINUED

WELL LFW 22 COLLECTED ON 08/15/91 LABORATORY ANALYSES CONTINUED

2-sec-Butyl-4,6-dinitrophenol	LT	10.00 ug/L	Gen. Eng.
Selenium	LT	2.00 ug/L	Gen. Eng.
Silica		13900.00 ug/L	Gen. Eng.
2,4,5-TP (Silvex)	LT	0.09 ug/L	Gen. Eng.
Tin	LT	2.00 ug/L	Gen. Eng.
Sulfate		2200.00 ug/L	Gen. Eng.
Sulfotep	LT	10.00 ug/L	Gen. Eng.
Styrene	LT	1.00 ug/L	Gen. Eng.
Sulfide	LT	1000.00 ug/L	Gen. Eng.
1,2,4,5-Tetrachlorobenzene	LT	10.00 ug/L	Gen. Eng.
1,1,2,2-Tetrachloroethane	LT	1.00 ug/L	Gen. Eng.
1,1,1,2-Tetrachloroethane	LT	1.00 ug/L	Gen. Eng.
Tetrachloroethylene		3.00 ug/L	Gen. Eng.
0,0,0-Triethyl phosphorothioate	LT	10.00 ug/L	Gen. Eng.
Thionazin	LT	10.00 ug/L	Gen. Eng.
Thallium	LT	2.00 ug/L	Gen. Eng.
Total organic carbon		83000.00 ug/L	Gen. Eng.
Total organic nitrogen		460.00 ug/L	Gen. Eng.
Total organic halogens		481.00 ug/L	Gen. Eng.
Total phosphates (as P)	LT	100.00 ug/L	Gen. Eng.
* Trichloroethylene		25.00 ug/L	Gen. Eng.
Toxaphene	LT	0.24 ug/L	Gen. Eng.
trans-1,2-Dichloroethylene	LT	1.00 ug/L	Gen. Eng.
trans-1,3-Dichloropropene	LT	1.00 ug/L	Gen. Eng.
trans-1,4-Dichloro-2-butene	LT	30.00 ug/L	Gen. Eng.
Vanadium	LT	10.00 ug/L	Gen. Eng.
Vinyl acetate	LT	1.00 ug/L	Gen. Eng.
Xylenes		140.00 ug/L	Gen. Eng.
1-Naphthylamine	LT	10.00 ug/L	Gen. Eng.
* 1,1-Dichloroethylene		13.00 ug/L	Gen. Eng.
1,1-Dichloroethane		100.00 ug/L	Gen. Eng.
1,1,1-Trichloroethane		26.00 ug/L	Gen. Eng.
1,1,2-Trichloroethane	LT	1.00 ug/L	Gen. Eng.
1,2-Dibromoethane	LT	20.00 ug/L	Gen. Eng.
1,2-Dibromo-3-chloropropane	LT	1.00 ug/L	Gen. Eng.
1,2-Dichlorobenzene	LT	10.00 ug/L	Gen. Eng.
1,2-Dichloroethane	LT	1.00 ug/L	Gen. Eng.
1,2-Dichloropropane		2.00 ug/L	Gen. Eng.
1,2,3-Trichloropropane	LT	20.00 ug/L	Gen. Eng.
1,2,4-Trichlorobenzene	LT	10.00 ug/L	Gen. Eng.
1,3-Dichlorobenzene	LT	10.00 ug/L	Gen. Eng.
cis-1,3-Dichloropropene	LT	1.00 ug/L	Gen. Eng.
1,3-Dinitrobenzene	LT	10.00 ug/L	Gen. Eng.
1,3,5-Trinitrobenzene	LT	10.00 ug/L	Gen. Eng.
1,4-Dichlorobenzene	LT	10.00 ug/L	Gen. Eng.
1,4-Dioxane	LT	10.00 ug/L	Gen. Eng.
1,4-Naphthoquinone	LT	10.00 ug/L	Gen. Eng.
2-Acetylaminofluorene	LT	10.00 ug/L	Gen. Eng.
2-Chloroethyl vinyl ether	LT	10.00 ug/L	Gen. Eng.
2-Chlorophenol	LT	10.00 ug/L	Gen. Eng.
2-Chloronaphthalene	LT	10.00 ug/L	Gen. Eng.
2-Hexanone		4.00 ug/L	Gen. Eng.
2-Methylnaphthalene	LT	10.00 ug/L	Gen. Eng.
o-Cresol (2-Methylphenol)	LT	10.00 ug/L	Gen. Eng.

CONTINUED

WELL LFW 22 COLLECTED ON 08/15/91 LABORATORY ANALYSES CONTINUED

2-Nitroaniline	LT	10.00 ug/L	Gen. Eng.
2-Naphthylamine	LT	10.00 ug/L	Gen. Eng.
2-Nitrophenol	LT	10.00 ug/L	Gen. Eng.
2-Picoline	LT	10.00 ug/L	Gen. Eng.
2,3,4,6-Tetrachlorophenol	LT	10.00 ug/L	Gen. Eng.
2,4-Dichlorophenoxyacetic acid	LT	0.30 ug/L	Gen. Eng.
2,4-Dichlorophenol	LT	10.00 ug/L	Gen. Eng.
2,4-Dimethyl phenol	LT	10.00 ug/L	Gen. Eng.
2,4-Dinitrophenol	LT	45.00 ug/L	Gen. Eng.
2,4-Dinitrotoluene	LT	10.00 ug/L	Gen. Eng.
2,4,5-Trichlorophenoxyacetic acid	LT	0.09 ug/L	Gen. Eng.
2,4,5-Trichlorophenol	LT	10.00 ug/L	Gen. Eng.
2,4,6-Trichlorophenol	LT	10.00 ug/L	Gen. Eng.
2,6-Dichlorophenol	LT	10.00 ug/L	Gen. Eng.
2,6-Dinitrotoluene	LT	10.00 ug/L	Gen. Eng.
3-Methylcholanthrene	LT	10.00 ug/L	Gen. Eng.
m-Cresol (3-Methylphenol)	LT	10.00 ug/L	Gen. Eng.
3-Nitroaniline	LT	10.00 ug/L	Gen. Eng.
3,3'-Dichlorobenzidine	LT	20.00 ug/L	Gen. Eng.
3,3'-Dimethylbenzidine	LT	10.00 ug/L	Gen. Eng.
4-Aminobiphenyl	LT	10.00 ug/L	Gen. Eng.
4-Bromophenyl phenyl ether	LT	10.00 ug/L	Gen. Eng.
4-Chloroaniline	LT	10.00 ug/L	Gen. Eng.
4-Chlorophenyl phenyl ether	LT	10.00 ug/L	Gen. Eng.
para-Chloro-meta-cresol	LT	10.00 ug/L	Gen. Eng.
p-Cresol (4-Methylphenol)	LT	10.00 ug/L	Gen. Eng.
4-Nitroaniline	LT	10.00 ug/L	Gen. Eng.
4-Nitrophenol	LT	10.00 ug/L	Gen. Eng.
2-Methyl-4,6-dinitrophenol	LT	50.00 ug/L	Gen. Eng.
7,12-Dimethylbenz(a)anthracene	LT	10.00 ug/L	Gen. Eng.
Zinc		38.20 ug/L	Gen. Eng.
Gross alpha	LT	2.00 pCi/L	Gen. Eng.
Nonvolatile beta	LT	2.00 pCi/L	Gen. Eng.
Total radium	2.00+-	2.80 pCi/L	Gen. Eng.
Tritium	3.25+-	0.60 pCi/mL	Gen. Eng.

WELL LFW 23

SRS Grid N 84251.3 Latitude 33.287903 N
 Coordinates E 46456.1 Longitude 81.708131 W
 Screen Zone Elevation 155.1-125.1 ft msl
 Top of Casing Elevation 170.10 ft msl

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/14/91 Time 1500
 Depth to water - 15.92 ft (4.85 m) below the TOC
 Water elevation - 154.18 ft (46.99 m) msl
 pH - 4.6 Alkalinity - 0 mg/L
 Specific conductance - 27 umhos/cm
 Water temperature - 20.1 degrees Celsius
 Water evacuated from the well prior to sampling - 82 gal

LABORATORY ANALYSES

Specific conductance		25.00 umh/cm	Gen. Eng.
pH		5.10 pH	Gen. Eng.
Silver	LT	2.00 ug/L	Gen. Eng.
Aluminum	LT	20.00 ug/L	Gen. Eng.
Aldrin	LT	0.05 ug/L	Gen. Eng.
Arsenic	LT	2.00 ug/L	Gen. Eng.
Barium		4.90 ug/L	Gen. Eng.
beta-Benzene hexachloride	LT	0.05 ug/L	Gen. Eng.
Bromodichloromethane	LT	1.00 ug/L	Gen. Eng.
Calcium		341.00 ug/L	Gen. Eng.
Trichlorofluoromethane	LT	1.00 ug/L	Gen. Eng.
Carbox tetrachloride	LT	1.00 ug/L	Gen. Eng.
Cadmium	LT	2.00 ug/L	Gen. Eng.
Bromoform	LT	1.00 ug/L	Gen. Eng.
Chloroform	LT	1.00 ug/L	Gen. Eng.
Dichloromethane (Methylene chloride)		9.00 ug/L	Gen. Eng.
Bromomethane (Methyl bromide)	LT	1.00 ug/L	Gen. Eng.
Chloromethane (Methyl chloride)	LT	1.00 ug/L	Gen. Eng.
Chloride		2270.00 ug/L	Gen. Eng.
Chlorobenzene	LT	1.00 ug/L	Gen. Eng.
Chromium	LT	4.00 ug/L	Gen. Eng.
Copper		4.25 ug/L	Gen. Eng.
Chloroethene (Vinyl chloride)	LT	1.00 ug/L	Gen. Eng.
Chloroethane	LT	1.00 ug/L	Gen. Eng.
Benzene	LT	1.00 ug/L	Gen. Eng.
Dibromochloromethane	LT	1.00 ug/L	Gen. Eng.
Endrin	LT	0.01 ug/L	Gen. Eng.
Endosulfan sulfate	LT	0.10 ug/L	Gen. Eng.
Ethylbenzene		1.00 ug/L	Gen. Eng.
Fluoride	LT	100.00 ug/L	Gen. Eng.
Iron		51.50 ug/L	Gen. Eng.
Mercury	LT	0.20 ug/L	Gen. Eng.
Potassium	LT	500.00 ug/L	Gen. Eng.
Lindane	LT	0.00 ug/L	Gen. Eng.
Toluene	LT	1.00 ug/L	Gen. Eng.
Methoxychlor	LT	0.50 ug/L	Gen. Eng.
Magnesium		528.00 ug/L	Gen. Eng.

CONTINUED

WELL LFW 23 COLLECTED ON 08/14/91 LABORATORY ANALYSES CONTINUED

Manganese	LT	2.00 ug/L	Gen. Eng.
Sodium		2580.00 ug/L	Gen. Eng.
Nickel		4.17 ug/L	Gen. Eng.
Nitrate as nitrogen		1100.00 ug/L	Gen. Eng.
Lead		5.45 ug/L	Gen. Eng.
Antimony	LT	2.00 ug/L	Gen. Eng.
Selenium	LT	2.00 ug/L	Gen. Eng.
Silica		8540.00 ug/L	Gen. Eng.
2,4,5-TP (Silvex)	LT	0.09 ug/L	Gen. Eng.
Sulfate	LT	1000.00 ug/L	Gen. Eng.
1,1,2,2-Tetrachloroethane	LT	1.00 ug/L	Gen. Eng.
Tetrachloroethylene	LT	1.00 ug/L	Gen. Eng.
Thallium	LT	2.00 ug/L	Gen. Eng.
Total organic carbon	LT	1000.00 ug/L	Gen. Eng.
Total organic nitrogen	LT	100.00 ug/L	Gen. Eng.
Total organic halogens		16.10 ug/L	Gen. Eng.
Total phosphates (as P)	LT	100.00 ug/L	Gen. Eng.
Trichloroethylene	LT	1.00 ug/L	Gen. Eng.
Toxaphene	LT	0.24 ug/L	Gen. Eng.
trans-1,2-Dichloroethylene	LT	1.00 ug/L	Gen. Eng.
trans-1,3-Dichloropropene	LT	1.00 ug/L	Gen. Eng.
Vanadium	LT	10.00 ug/L	Gen. Eng.
1,1-Dichloroethylene	LT	1.00 ug/L	Gen. Eng.
1,1-Dichloroethane	LT	1.00 ug/L	Gen. Eng.
1,1,1-Trichloroethane	LT	1.00 ug/L	Gen. Eng.
1,1,2-Trichloroethane	LT	1.00 ug/L	Gen. Eng.
1,2-Dichloroethane	LT	1.00 ug/L	Gen. Eng.
1,2-Dichloropropane	LT	1.00 ug/L	Gen. Eng.
cis-1,3-Dichloropropene	LT	1.00 ug/L	Gen. Eng.
1,4-Dichlorobenzene	LT	10.00 ug/L	Gen. Eng.
2-Chloroethyl vinyl ether	LT	1.00 ug/L	Gen. Eng.
2,4-Dichlorophenoxyacetic acid	LT	0.30 ug/L	Gen. Eng.
Gross alpha	LT	2.00 pCi/L	Gen. Eng.
Nonvolatile beta	LT	2.00 pCi/L	Gen. Eng.
Total radium	2.50+-	3.00 pCi/L	Gen. Eng.
Tritium	2.12+-	0.20 pCi/mL	Gen. Eng.

WELL LFW 24

SRS Grid N 84544.2 Latitude 33.288656 N
 Coordinates E 46520.8 Longitude 81.708530 W
 Screen Zone Elevation 154.5-124.5 ft msl
 Top of Casing Elevation 169.50 ft msl

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/15/91 Time 1420
 Depth to water = 12.61 ft (3.84 m) below the TOC
 Water elevation = 156.89 ft (47.82 m) msl
 pH = 5.1 Alkalinity = 0 mg/L
 Specific conductance = 19 umhos/cm
 Water temperature = 19.5 degrees Celsius
 Water evacuated from the well prior to sampling = 91 gal

LABORATORY ANALYSES

Specific conductance		20.00 umh/cm	Gen. Eng.
pH		5.27 pH	Gen. Eng.
Silver	LT	2.00 ug/L	Gen. Eng.
Aluminum	LT	20.00 ug/L	Gen. Eng.
Aldrin	LT	0.05 ug/L	Gen. Eng.
Arsenic	LT	2.00 ug/L	Gen. Eng.
Barium		4.46 ug/L	Gen. Eng.
beta-Benzene hexachloride	LT	0.05 ug/L	Gen. Eng.
Bromodichloromethane	LT	1.00 ug/L	Gen. Eng.
Calcium		480.00 ug/L	Gen. Eng.
Trichlorofluoromethane	LT	1.00 ug/L	Gen. Eng.
Carbon tetrachloride	LT	1.00 ug/L	Gen. Eng.
Cadmium	LT	2.00 ug/L	Gen. Eng.
Bromoform	LT	1.00 ug/L	Gen. Eng.
Chloroform	LT	1.00 ug/L	Gen. Eng.
Dichloromethane (Methylene chloride)		12.90 ug/L	Gen. Eng.
Bromomethane (Methyl bromide)	LT	1.00 ug/L	Gen. Eng.
Chloromethane (Methyl chloride)	LT	1.00 ug/L	Gen. Eng.
Chloride		2080.00 ug/L	Gen. Eng.
Chlorobenzene	LT	1.00 ug/L	Gen. Eng.
Chromium	LT	4.00 ug/L	Gen. Eng.
Copper		4.81 ug/L	Gen. Eng.
Chloroethene (Vinyl chloride)	LT	1.00 ug/L	Gen. Eng.
Chloroethane	LT	1.00 ug/L	Gen. Eng.
Benzene	LT	1.00 ug/L	Gen. Eng.
Dibromochloromethane	LT	1.00 ug/L	Gen. Eng.
Endrin	LT	0.01 ug/L	Gen. Eng.
Endosulfan sulfate	LT	0.10 ug/L	Gen. Eng.
Ethylbenzene	LT	1.00 ug/L	Gen. Eng.
Fluoride	LT	100.00 ug/L	Gen. Eng.
Iron		18.10 ug/L	Gen. Eng.
Mercury	LT	0.20 ug/L	Gen. Eng.
Potassium	LT	500.00 ug/L	Gen. Eng.
Lindane	LT	0.00 ug/L	Gen. Eng.
Toluene	LT	1.00 ug/L	Gen. Eng.
Methoxychlor	LT	0.50 ug/L	Gen. Eng.
Magnesium		477.00 ug/L	Gen. Eng.

CONTINUED

WELL LFW 24 COLLECTED ON 08/15/91 LABORATORY ANALYSES CONTINUED

Manganese	LT	2.00 ug/L	Gen. Eng.
Sodium		1190.00 ug/L	Gen. Eng.
Nickel	LT	4.00 ug/L	Gen. Eng.
Nitrate as nitrogen		570.00 ug/L	Gen. Eng.
Lead	LT	3.00 ug/L	Gen. Eng.
Antimony	LT	2.00 ug/L	Gen. Eng.
Selenium	LT	2.00 ug/L	Gen. Eng.
Silica		6510.00 ug/L	Gen. Eng.
2,4,5-TP (Silvex)	LT	0.09 ug/L	Gen. Eng.
Sulfate	LT	1000.00 ug/L	Gen. Eng.
1,1,2,2-Tetrachloroethane	LT	1.00 ug/L	Gen. Eng.
Tetrachloroethylene	LT	1.00 ug/L	Gen. Eng.
Thallium	LT	2.00 ug/L	Gen. Eng.
Total organic carbon	LT	1000.00 ug/L	Gen. Eng.
Total organic nitrogen	LT	100.00 ug/L	Gen. Eng.
Total organic halogens		8.20 ug/L	Gen. Eng.
Total phosphates (as P)	LT	100.00 ug/L	Gen. Eng.
Trichloroethylene	LT	1.00 ug/L	Gen. Eng.
Toxaphene	LT	0.24 ug/L	Gen. Eng.
trans-1,2-Dichloroethylene	LT	1.00 ug/L	Gen. Eng.
trans-1,3-Dichloropropene	LT	1.00 ug/L	Gen. Eng.
Vanadium	LT	10.00 ug/L	Gen. Eng.
1,1-Dichloroethylene	LT	1.00 ug/L	Gen. Eng.
1,1-Dichloroethane	LT	1.00 ug/L	Gen. Eng.
1,1,1-Trichloroethane	LT	1.00 ug/L	Gen. Eng.
1,1,2-Trichloroethane	LT	1.00 ug/L	Gen. Eng.
1,2-Dichloroethane	LT	1.00 ug/L	Gen. Eng.
1,3-Dichloropropene	LT	1.00 ug/L	Gen. Eng.
cis-1,3-Dichloropropene	LT	1.50 ug/L	Gen. Eng.
2-Chloroethyl vinyl ether	LT	1.00 ug/L	Gen. Eng.
2,4-Dichlorophenoxyacetic acid	LT	0.30 ug/L	Gen. Eng.
Gross alpha	LT	2.00 pCi/L	Gen. Eng.
Nonvolatile beta	3.70+-	2.30 pCi/L	Gen. Eng.
Total radium	3.60+-	3.50 pCi/L	Gen. Eng.
Tritium	1.82+-	0.20 pCi/mL	Gen. Eng.

WELL LFW 25

SRS Grid N 84967.2 Latitude 33.289436 N
 Coordinates E 46425.7 Longitude 81.709602 W
 Screen Zone Elevation 153.2-123.2 ft msl
 Top of Casing Elevation 173.20 ft msl

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/12/91 Time 840
 Depth to water = 14.00 ft (4.27 m) below the TOC
 Water elevation = 159.20 ft (48.52 m) msl
 pH = 4.9 Alkalinity = 0 mg/L
 Specific conductance = 16 umhos/cm
 Water temperature = 19.0 degrees Celsius
 Water evacuated from the well prior to sampling = 99 gal

LABORATORY ANALYSES

Specific conductance		15.00 umh/cm	Gen. Eng.
pH		5.05 pH	Gen. Eng.
Silver	LT	2.00 ug/L	Gen. Eng.
Aluminum	LT	20.00 ug/L	Gen. Eng.
Aldrin	LT	0.05 ug/L	Gen. Eng.
Arsenic	LT	2.00 ug/L	Gen. Eng.
Barium		5.00 ug/L	Gen. Eng.
beta-Benzene hexachloride	LT	0.05 ug/L	Gen. Eng.
Bromodichloromethane	LT	1.00 ug/L	Gen. Eng.
Calcium		239.00 ug/L	Gen. Eng.
Trichlorofluoromethane	LT	1.00 ug/L	Gen. Eng.
Carbon tetrachloride	LT	1.00 ug/L	Gen. Eng.
Cadmium	LT	2.00 ug/L	Gen. Eng.
Bromoform	LT	1.00 ug/L	Gen. Eng.
Chloroform	LT	1.00 ug/L	Gen. Eng.
Dichloromethane (Methylene chloride)		7.00 ug/L	Gen. Eng.
Bromomethane (Methyl bromide)	LT	1.00 ug/L	Gen. Eng.
Chloromethane (Methyl chloride)	LT	1.00 ug/L	Gen. Eng.
Chloride		1640.00 ug/L	Gen. Eng.
Chloride		1680.00 ug/L	Gen. Eng.
Chlorobenzene	LT	1.00 ug/L	Gen. Eng.
Chromium	LT	4.00 ug/L	Gen. Eng.
Copper	LT	4.00 ug/L	Gen. Eng.
Chloroethene (Vinyl chloride)	LT	1.00 ug/L	Gen. Eng.
Chloroethane	LT	1.00 ug/L	Gen. Eng.
Benzene	LT	1.00 ug/L	Gen. Eng.
Dibromochloromethane	LT	1.00 ug/L	Gen. Eng.
Endrin	LT	0.01 ug/L	Gen. Eng.
Endosulfan sulfate	LT	0.10 ug/L	Gen. Eng.
Ethylbenzene	LT	1.00 ug/L	Gen. Eng.
Fluoride	LT	100.00 ug/L	Gen. Eng.
Iron		13.70 ug/L	Gen. Eng.
Mercury	LT	0.20 ug/L	Gen. Eng.
Potassium	LT	500.00 ug/L	Gen. Eng.
Lindane	LT	0.00 ug/L	Gen. Eng.
Toluene	LT	1.00 ug/L	Gen. Eng.
Methoxychlor	LT	0.50 ug/L	Gen. Eng.

CONTINUED

WELL LFW 25 COLLECTED ON 08/12/91 LABORATORY ANALYSES CONTINUED

Magnesium		430.00 ug/L	Gen. Eng.
Manganese	LT	2.00 ug/L	Gen. Eng.
Sodium		957.00 ug/L	Gen. Eng.
Nickel	LT	4.00 ug/L	Gen. Eng.
Nitrate as nitrogen		550.00 ug/L	Gen. Eng.
Nitrate as nitrogen		540.00 ug/L	Gen. Eng.
Lead	LT	3.00 ug/L	Gen. Eng.
Antimony	LT	2.00 ug/L	Gen. Eng.
Selenium	LT	2.00 ug/L	Gen. Eng.
Silica		6640.00 ug/L	Gen. Eng.
2,4,5-TP (Silvex)	IT	0.09 ug/L	Gen. Eng.
Sulfate	LT	1000.00 ug/L	Gen. Eng.
Sulfate	LT	1000.00 ug/L	Gen. Eng.
1,1,2,2-Tetrachloroethane	LT	1.00 ug/L	Gen. Eng.
Tetrachloroethylene	LT	1.00 ug/L	Gen. Eng.
Thallium	LT	2.00 ug/L	Gen. Eng.
Total organic carbon		6000.00 ug/L	Gen. Eng.
Total organic nitrogen		360.00 ug/L	Gen. Eng.
Total organic halogens	LT	5.00 ug/L	Gen. Eng.
Total phosphates (as P)	LT	100.00 ug/L	Gen. Eng.
Trichloroethylene		1.00 ug/L	Gen. Eng.
Toxaphene	LT	0.24 ug/L	Gen. Eng.
trans-1,2-Dichloroethylene	LT	1.00 ug/L	Gen. Eng.
trans-1,3-Dichloropropene	LT	1.00 ug/L	Gen. Eng.
Vanadium	LT	10.00 ug/L	Gen. Eng.
1,1-Dichloroethylene	LT	1.00 ug/L	Gen. Eng.
1,1-Dichloroethane	LT	1.00 ug/L	Gen. Eng.
1,1,1-Trichloroethane	LT	1.00 ug/L	Gen. Eng.
1,1,2-Trichloroethane	LT	1.00 ug/L	Gen. Eng.
1,2-Dichloroethane	LT	1.00 ug/L	Gen. Eng.
1,2-Dichloropropane	LT	1.00 ug/L	Gen. Eng.
cis-1,3-Dichloropropene	LT	1.00 ug/L	Gen. Eng.
2-Chloroethyl vinyl ether	LT	1.00 ug/L	Gen. Eng.
2,4-Dichlorophenoxyacetic acid	LT	0.30 ug/L	Gen. Eng.
Gross alpha	LT	2.00 pCi/L	Gen. Eng.
Nonvolatile beta	10.00+-	2.90 pCi/L	Gen. Eng.
* Total radium	8.00+-	4.30 pCi/L	Gen. Eng.
Tritium	2.68+-	0.30 pCi/mL	Gen. Eng.

WELL LFW 26

SRS Grid N 85654.6 Latitude 33.289663 N
 Coordinates E 45633.8 Longitude 81.713023 W
 Screen Zone Elevation 164.2-143.2 ft msl
 Top of Casing Elevation 184.20 ft msl

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/13/91 Time 900
 Depth to water = 22.49 ft (6.86 m) below the TOC
 Water elevation = 161.71 ft (49.29 m) msl
 pH = 5.0 Alkalinity = 1 mg/L
 Specific conductance = 17 umhos/cm
 Water temperature = 19.4 degrees Celsius
 Water evacuated from the well prior to sampling = 54 gal

LABORATORY ANALYSES

Specific conductance		15.00 umh/cm	Gen. Eng.
pH		5.19 pH	Gen. Eng.
Silver	LT	2.00 ug/L	Gen. Eng.
Aluminum	LT	20.00 ug/L	Gen. Eng.
Aldrin	LT	0.05 ug/L	Gen. Eng.
Arsenic	LT	2.00 ug/L	Gen. Eng.
Barium		3.61 ug/L	Gen. Eng.
beta-Benzene hexachloride	LT	0.05 ug/L	Gen. Eng.
Bromodichloromethane	LT	1.00 ug/L	Gen. Eng.
Calcium		182.00 ug/L	Gen. Eng.
Trichlorofluoromethane	LT	1.00 ug/L	Gen. Eng.
Carbon tetrachloride	LT	1.00 ug/L	Gen. Eng.
Cadmium	LT	2.00 ug/L	Gen. Eng.
Bromoform	LT	1.00 ug/L	Gen. Eng.
Chloroform	LT	1.00 ug/L	Gen. Eng.
Dichloromethane (Methylene chloride)		2.25 ug/L	Gen. Eng.
Bromomethane (Methyl bromide)	LT	1.00 ug/L	Gen. Eng.
Chloromethane (Methyl chloride)	LT	1.00 ug/L	Gen. Eng.
Chloride		2170.00 ug/L	Gen. Eng.
Chlorobenzene	LT	1.00 ug/L	Gen. Eng.
Chromium	LT	4.00 ug/L	Gen. Eng.
Copper	LT	4.00 ug/L	Gen. Eng.
Chloroethene (Vinyl chloride)	LT	1.00 ug/L	Gen. Eng.
Chloroethane	LT	1.00 ug/L	Gen. Eng.
Benzene	LT	1.00 ug/L	Gen. Eng.
Dibromochloromethane	LT	1.00 ug/L	Gen. Eng.
Endrin	LT	0.01 ug/L	Gen. Eng.
Endosulfan sulfate	LT	0.10 ug/L	Gen. Eng.
Ethylbenzene	LT	1.00 ug/L	Gen. Eng.
Fluoride	LT	100.00 ug/L	Gen. Eng.
Iron		19.20 ug/L	Gen. Eng.
Mercury	LT	0.20 ug/L	Gen. Eng.
Potassium	LT	500.00 ug/L	Gen. Eng.
Lindane	LT	0.00 ug/L	Gen. Eng.
Toluene	LT	1.00 ug/L	Gen. Eng.
Methoxychlor	LT	0.50 ug/L	Gen. Eng.
Magnesium		233.00 ug/L	Gen. Eng.

CONTINUED

WELL LFW 26 COLLECTED ON 08/13/91 LABORATORY ANALYSES CONTINUED

Manganese	LT	2.00 ug/L	Gen. Eng.
Sodium		1220.00 ug/L	Gen. Eng.
Nickel	LT	4.00 ug/L	Gen. Eng.
Nitrate as nitrogen		100.00 ug/L	Gen. Eng.
Lead	LT	3.00 ug/L	Gen. Eng.
Antimony	LT	2.00 ug/L	Gen. Eng.
Selenium	LT	2.00 ug/L	Gen. Eng.
Silica		5750.00 ug/L	Gen. Eng.
2,4,5-TP (Silvex)	LT	0.09 ug/L	Gen. Eng.
Sulfate	LT	1000.00 ug/L	Gen. Eng.
Sulfate	LT	1000.00 ug/L	Gen. Eng.
1,1,2,2-Tetrachloroethane	LT	1.00 ug/L	Gen. Eng.
Tetrachloroethylene	LT	1.00 ug/L	Gen. Eng.
Thallium	LT	2.00 ug/L	Gen. Eng.
Total organic carbon	LT	1000.00 ug/L	Gen. Eng.
Total organic nitrogen	LT	100.00 ug/L	Gen. Eng.
Total organic halogens		191.00 ug/L	Gen. Eng.
Total phosphates (as P)	LT	100.00 ug/L	Gen. Eng.
Trichloroethylene		1.22 ug/L	Gen. Eng.
Toxaphene	LT	0.24 ug/L	Gen. Eng.
trans-1,2-Dichloroethylene	LT	1.00 ug/L	Gen. Eng.
trans-1,3-Dichloropropene	LT	1.00 ug/L	Gen. Eng.
Vanadium	LT	10.00 ug/L	Gen. Eng.
1,1-Dichloroethylene	LT	1.00 ug/L	Gen. Eng.
1,1-Dichloroethane	LT	1.00 ug/L	Gen. Eng.
1,1,1-Trichloroethane	LT	1.00 ug/L	Gen. Eng.
1,1,2-Trichloroethane	LT	1.00 ug/L	Gen. Eng.
1,2-Dichloroethane	LT	1.00 ug/L	Gen. Eng.
1,2-Dichloropropane	LT	1.00 ug/L	Gen. Eng.
cis-1,3-Dichloropropene	LT	1.00 ug/L	Gen. Eng.
1,4-Dichlorobenzene	LT	10.00 ug/L	Gen. Eng.
2-Chloroethyl vinyl ether	LT	1.00 ug/L	Gen. Eng.
2,4-Dichlorophenoxyacetic acid	LT	0.30 ug/L	Gen. Eng.
Gross alpha	LT	2.00 pCi/L	Gen. Eng.
Nonvolatile beta	LT	2.00 pCi/L	Gen. Eng.
Total radium	3.50+-	3.30 pCi/L	Gen. Eng.
Tritium	2.58+-	0.30 pCi/mL	Gen. Eng.

WELL LFW 27

SRS Grid N 85839.1 Latitude 33.290010 N
 Coordinates E 45596.1 Longitude 81.713481 W
 Screen Zone Elevation 163.9-142.9 ft msl
 Top of Casing Elevation 186.90 ft msl

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/13/91 Time 830
 Depth to water = 24.36 ft (7.43 m) below the TOC
 Water elevation = 162.54 ft (49.54 m) msl
 pH = 5.3 Alkalinity = 1 mg/L
 Specific conductance = 21 umhos/cm
 Water temperature = 19.7 degrees Celsius
 Water evacuated from the well prior to sampling = 59 gal

LABORATORY ANALYSES

Specific conductance		15.00 umh/cm	Gen. Eng.
pH		5.38 pH	Gen. Eng.
Silver	LT	2.00 ug/L	Gen. Eng.
Aluminum	LT	20.00 ug/L	Gen. Eng.
Aldrin	LT	0.05 ug/L	Gen. Eng.
Arsenic	LT	2.00 ug/L	Gen. Eng.
Barium		4.06 ug/L	Gen. Eng.
beta-Benzene hexachloride	LT	0.05 ug/L	Gen. Eng.
Bromodichloromethane	LT	1.00 ug/L	Gen. Eng.
Calcium		356.00 ug/L	Gen. Eng.
Trichlorofluoromethane	LT	1.00 ug/L	Gen. Eng.
Carbon tetrachloride	LT	1.00 ug/L	Gen. Eng.
Cadmium	LT	2.00 ug/L	Gen. Eng.
Bromoform	LT	1.00 ug/L	Gen. Eng.
Chloroform	LT	1.00 ug/L	Gen. Eng.
Dichloromethane (Methylene chloride)		12.00 ug/L	Gen. Eng.
Bromomethane (Methyl bromide)	LT	1.00 ug/L	Gen. Eng.
Chloromethane (Methyl chloride)	LT	1.00 ug/L	Gen. Eng.
Chloride		1880.00 ug/L	Gen. Eng.
Chlorobenzene	LT	1.00 ug/L	Gen. Eng.
Chromium	LT	4.00 ug/L	Gen. Eng.
Copper	LT	4.00 ug/L	Gen. Eng.
Chloroethene (Vinyl chloride)	LT	1.00 ug/L	Gen. Eng.
Chloroethane	LT	1.00 ug/L	Gen. Eng.
Benzene	LT	1.00 ug/L	Gen. Eng.
Dibromochloromethane	LT	1.00 ug/L	Gen. Eng.
Endrin	LT	0.01 ug/L	Gen. Eng.
Endosulfan sulfate	LT	0.10 ug/L	Gen. Eng.
Ethylbenzene	LT	1.00 ug/L	Gen. Eng.
Fluoride	LT	100.00 ug/L	Gen. Eng.
Iron		24.50 ug/L	Gen. Eng.
Mercury	LT	0.20 ug/L	Gen. Eng.
Potassium	LT	500.00 ug/L	Gen. Eng.
Lindane	LT	0.00 ug/L	Gen. Eng.
Toluene		1.00 ug/L	Gen. Eng.
Methoxychlor	LT	0.50 ug/L	Gen. Eng.
Magnesium		240.00 ug/L	Gen. Eng.

CONTINUED

WELL LFW 27 COLLECTED ON 08/13/91 LABORATORY ANALYSES CONTINUED

Manganese		2.28 ug/L	Gen. Eng.
Sodium		2160.00 ug/L	Gen. Eng.
Nickel	LT	4.00 ug/L	Gen. Eng.
Nitrate as nitrogen		96.00 ug/L	Gen. Eng.
Lead	LT	3.00 ug/L	Gen. Eng.
Antimony	LT	2.00 ug/L	Gen. Eng.
Selenium	LT	2.00 ug/L	Gen. Eng.
Silica		6380.00 ug/L	Gen. Eng.
2,4,5-TP (Silvex)	LT	0.09 ug/L	Gen. Eng.
Sulfate		1390.00 ug/L	Gen. Eng.
1,1,2,2-Tetrachloroethane	LT	1.00 ug/L	Gen. Eng.
Tetrachloroethylene	LT	1.00 ug/L	Gen. Eng.
Thallium	LT	2.00 ug/L	Gen. Eng.
Total organic carbon	LT	1000.00 ug/L	Gen. Eng.
Total organic nitrogen	LT	100.00 ug/L	Gen. Eng.
Total organic halogens		10.30 ug/L	Gen. Eng.
Total phosphates (as P)	LT	100.00 ug/L	Gen. Eng.
Total phosphates (as P)	LT	100.00 ug/L	Gen. Eng.
Trichloroethylene	LT	1.00 ug/L	Gen. Eng.
Toxaphene	LT	0.24 ug/L	Gen. Eng.
trans-1,2-Dichloroethylene	LT	1.00 ug/L	Gen. Eng.
trans-1,3-Dichloropropene	LT	1.00 ug/L	Gen. Eng.
Vanadium	LT	10.00 ug/L	Gen. Eng.
1,1-Dichloroethylene	LT	1.00 ug/L	Gen. Eng.
1,1-Dichloroethane	LT	1.00 ug/L	Gen. Eng.
1,1,1-Trichloroethane	LT	1.00 ug/L	Gen. Eng.
1,1,2-Trichloroethane	LT	1.00 ug/L	Gen. Eng.
1,2-Dichloroethane	LT	1.00 ug/L	Gen. Eng.
1,2-Dichloropropane	LT	1.00 ug/L	Gen. Eng.
cis-1,3-Dichloropropene	LT	1.00 ug/L	Gen. Eng.
2-Chloroethyl vinyl ether	LT	1.00 ug/L	Gen. Eng.
2,4-Dichlorophenoxyacetic acid	LT	0.30 ug/L	Gen. Eng.
Gross alpha	LT	2.00 pCi/L	Gen. Eng.
Nonvolatile beta	LT	2.00 pCi/L	Gen. Eng.
* Total radium	5.40+-	3.60 pCi/L	Gen. Eng.
Tritium	1.80+-	0.20 pCi/mL	Gen. Eng.

WELL LFW 28

SRS Grid N 86079.6 Latitude 33.290475 N
 Coordinates E 45555.3 Longitude 81.714056 W
 Screen Zone Elevation 162.1-141.1 ft msl
 Top of Casing Elevation 190.10 ft msl

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/16/91 Time 815
 Depth to water = 26.01 ft (7.93 m) below the TOC
 Water elevation = 164.09 ft (50.02 m) msl
 pH = 6.1 Alkalinity = 19 mg/L
 Specific conductance = 76 umhos/cm
 Water temperature = 19.7 degrees Celsius
 Water evacuated from the well prior to sampling = 16 gal
 The well went dry during purging.

LABORATORY ANALYSES

Specific conductance		75.00 umh/cm	Gen. Eng.
pH		6.35 pH	Gen. Eng.
Silver	LT	2.00 ug/L	Gen. Eng.
Aluminum	LT	20.00 ug/L	Gen. Eng.
Aldrin	LT	0.05 ug/L	Gen. Eng.
Arsenic	LT	2.00 ug/L	Gen. Eng.
Barium		14.80 ug/L	Gen. Eng.
beta-Benzene hexachloride	LT	0.05 ug/L	Gen. Eng.
Bromodichloromethane	LT	1.00 ug/L	Gen. Eng.
Calcium		4760.00 ug/L	Gen. Eng.
Trichlorofluoromethane	LT	1.00 ug/L	Gen. Eng.
Carbon tetrachloride	LT	1.00 ug/L	Gen. Eng.
Cadmium	LT	2.00 ug/L	Gen. Eng.
Bromoform	LT	1.00 ug/L	Gen. Eng.
Chloroform	LT	1.00 ug/L	Gen. Eng.
Dichloromethane (Methylene chloride)		12.10 ug/L	Gen. Eng.
Bromomethane (Methyl bromide)	LT	1.00 ug/L	Gen. Eng.
Chloromethane (Methyl chloride)	LT	1.00 ug/L	Gen. Eng.
Chloride		1460.00 ug/L	Gen. Eng.
Chloride		1460.00 ug/L	Gen. Eng.
Chlorobenzene	LT	1.00 ug/L	Gen. Eng.
Chromium	LT	4.00 ug/L	Gen. Eng.
Copper	LT	4.00 ug/L	Gen. Eng.
Chloroethene (Vinyl chloride)	LT	1.00 ug/L	Gen. Eng.
Chloroethane	LT	1.00 ug/L	Gen. Eng.
Benzene	LT	1.00 ug/L	Gen. Eng.
Dibromochloromethane	LT	1.00 ug/L	Gen. Eng.
Endrin	LT	0.01 ug/L	Gen. Eng.
Endosulfan sulfate	LT	0.10 ug/L	Gen. Eng.
Ethylbenzene	LT	1.00 ug/L	Gen. Eng.
Fluoride	LT	100.00 ug/L	Gen. Eng.
Iron		21.00 ug/L	Gen. Eng.
Mercury	LT	0.20 ug/L	Gen. Eng.
Potassium		7150.00 ug/L	Gen. Eng.
Lindane	LT	0.00 ug/L	Gen. Eng.
Toluene	LT	1.00 ug/L	Gen. Eng.
Methoxychlor	LT	0.50 ug/L	Gen. Eng.

CONTINUED

WELL LFW 28 COLLECTED ON 08/16/91 LABORATORY ANALYSES CONTINUED

Magnesium		481.00 ug/L	Gen. Eng.
Manganese		3.46 ug/L	Gen. Eng.
Sodium		4370.00 ug/L	Gen. Eng.
Nickel	LT	4.00 ug/L	Gen. Eng.
Nitrate as nitrogen		1120.00 ug/L	Gen. Eng.
Lead	LT	3.00 ug/L	Gen. Eng.
Antimony	LT	2.00 ug/L	Gen. Eng.
Selenium	LT	2.00 ug/L	Gen. Eng.
Silica		6140.00 ug/L	Gen. Eng.
2,4,5-TP (Silvex)	LT	0.09 ug/L	Gen. Eng.
Sulfate		2060.00 ug/L	Gen. Eng.
Sulfate		2110.00 ug/L	Gen. Eng.
1,1,2,2-Tetrachloroethane	LT	1.00 ug/L	Gen. Eng.
Tetrachloroethylene	LT	1.00 ug/L	Gen. Eng.
Thallium	LT	2.00 ug/L	Gen. Eng.
Total organic carbon	LT	1000.00 ug/L	Gen. Eng.
Total organic carbon	LT	1000.00 ug/L	Gen. Eng.
Total organic nitrogen	LT	100.00 ug/L	Gen. Eng.
Total organic halogens		27.90 ug/L	Gen. Eng.
Total phosphates (as P)	LT	100.00 ug/L	Gen. Eng.
Trichloroethylene	LT	1.00 ug/L	Gen. Eng.
Toxaphene	LT	0.24 ug/L	Gen. Eng.
trans-1,2-Dichloroethylene	LT	1.00 ug/L	Gen. Eng.
trans-1,3-Dichloropropene	LT	1.00 ug/L	Gen. Eng.
Vanadium	LT	10.00 ug/L	Gen. Eng.
1,1-Dichloroethylene	LT	1.00 ug/L	Gen. Eng.
1,1-Dichloroethane	LT	1.00 ug/L	Gen. Eng.
1,1,1-Trichloroethane	LT	1.00 ug/L	Gen. Eng.
1,1,2-Trichloroethane	LT	1.00 ug/L	Gen. Eng.
1,2-Dichloroethane	LT	1.00 ug/L	Gen. Eng.
1,2-Dichloropropane	LT	1.00 ug/L	Gen. Eng.
cis-1,3-Dichloropropene	LT	1.00 ug/L	Gen. Eng.
2-Chloroethyl vinyl ether	LT	1.00 ug/L	Gen. Eng.
2,4-Dichlorophenoxyacetic acid	LT	0.30 ug/L	Gen. Eng.
Gross alpha	LT	2.00 pCi/L	Gen. Eng.
Nonvolatile beta	7.70+-	2.30 pCi/L	Gen. Eng.
Total radium	1.70+-	2.70 pCi/L	Gen. Eng.
Tritium	6.96+-	0.40 pCi/mL	Gen. Eng.

WELL LFW 29

SRS Grid N 86372.7 Latitude 33.291038 N
 Coordinates E 45503.3 Longitude 81.714763 W
 Screen Zone Elevation 164.9-143.9 ft msl
 Top of Casing Elevation 192.90 ft msl

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/15/91 Time 1250
 Depth to water = 27.94 ft (8.52 m) below the TOC
 Water elevation = 164.96 ft (50.28 m) msl
 pH = 4.5 Alkalinity = 0 mg/L
 Specific conductance = 25 umhos/cm
 Water temperature = 18.5 degrees Celsius
 Water evacuated from the well prior to sampling = 63 gal

LABORATORY ANALYSES

Specific conductance		20.00 umh/cm	Gen. Eng.
Carbon 12-labeled 2,3,7,8-TCDD	LT	0.45 ng/L	Gen. Eng.
Carbon 12-labeled TCDF	LT	0.40 ng/L	Gen. Eng.
Heptachlorodibenzo-p-dioxin isomers	LT	0.65 ng/L	Gen. Eng.
Heptachlorodibenzo-p-furan isomers	LT	0.45 ng/L	Gen. Eng.
Hexachlorodibenzo-p-dioxin isomers	LT	0.45 ng/L	Gen. Eng.
Hexachlorodibenzo-p-furan isomers	LT	0.40 ng/L	Gen. Eng.
Octachlorodibenzo-p-dioxin isomers	LT	1.00 ng/L	Gen. Eng.
Octachlorodibenzo-p-furan isomers	LT	1.00 ng/L	Gen. Eng.
Pentachlorodibenzo-p-dioxin isomers	LT	0.55 ng/L	Gen. Eng.
Pentachlorodibenzo-p-furan isomers	LT	0.55 ng/L	Gen. Eng.
pH		5.12 pH	Gen. Eng.
Tetrachlorodibenzo-p-dioxin isomers	LT	0.45 ng/L	Gen. Eng.
Tetrachlorodibenzo-p-furan isomers	LT	0.40 ng/L	Gen. Eng.
1,2,3,4,6,7,8-HPCDD	LT	0.65 ng/L	Gen. Eng.
1,2,3,4,6,7,8-HHPCDF	LT	0.45 ng/L	Gen. Eng.
1,2,3,4,7,8-Hexachlorodibenzo-p-dioxin	LT	0.45 ng/L	Gen. Eng.
1,2,3,4,7,8-Hexachlorodibenzo-p-furan	LT	0.40 ng/L	Gen. Eng.
1,2,3,7,8-Pentachlorodibenzo-p-dioxin	LT	0.55 ng/L	Gen. Eng.
1,2,3,7,8-Pentachlorodibenzo-p-furan	LT	0.55 ng/L	Gen. Eng.
a,a-Dimethylphenethylamine	LT	10.00 ug/L	Gen. Eng.
alpha-Benzene hexachloride	LT	0.05 ug/L	Gen. Eng.
Acetone		11.00 ug/L	Gen. Eng.
Acetophenone	LT	10.00 ug/L	Gen. Eng.
Acrolein	LT	20.00 ug/L	Gen. Eng.
Acrylonitrile	LT	20.00 ug/L	Gen. Eng.
Silver	LT	2.00 ug/L	Gen. Eng.
Aluminum	LT	20.00 ug/L	Gen. Eng.
Aldrin	LT	0.05 ug/L	Gen. Eng.
Acenaphthene	LT	10.00 ug/L	Gen. Eng.
Acenaphthylene	LT	10.00 ug/L	Gen. Eng.
Aniline	LT	10.00 ug/L	Gen. Eng.
Anthracene	LT	10.00 ug/L	Gen. Eng.
Aramite	LT	10.00 ug/L	Gen. Eng.
Arsenic	LT	2.00 ug/L	Gen. Eng.
Allyl chloride	LT	50.00 ug/L	Gen. Eng.
Barium		7.67 ug/L	Gen. Eng.

CONTINUED

WELL LFW 29 COLLECTED ON 08/15/91 LABORATORY ANALYSES CONTINUED

Benzo(a)anthracene	LT	10.00 ug/L	Gen. Eng.
Benzo(a)pyrene	LT	10.00 ug/L	Gen. Eng.
Benzo(b)fluoranthene	LT	10.00 ug/L	Gen. Eng.
beta-Benzene hexachloride	LT	0.05 ug/L	Gen. Eng.
Butylbenzyl phthalate	LT	10.00 ug/L	Gen. Eng.
Bis(chloromethyl-ethyl)ether	LT	10.00 ug/L	Gen. Eng.
Beryllium	LT	5.00 ug/L	Gen. Eng.
Benzo(g,h,i)perylene	LT	10.00 ug/L	Gen. Eng.
Benzo(k)fluoranthene	LT	10.00 ug/L	Gen. Eng.
Bromodichloromethane	LT	1.00 ug/L	Gen. Eng.
Benzyl alcohol	LT	10.00 ug/L	Gen. Eng.
Bis(2-chloroethoxy) methane	LT	10.00 ug/L	Gen. Eng.
Bis(2-chloroethyl) ether	LT	10.00 ug/L	Gen. Eng.
Bis(2-ethylhexyl) phthalate	LT	10.00 ug/L	Gen. Eng.
Calcium		502.00 ug/L	Gen. Eng.
Dichlorodifluoromethane	LT	1.00 ug/L	Gen. Eng.
Trichlorofluoromethane		6.00 ug/L	Gen. Eng.
Carbon tetrachloride	LT	1.00 ug/L	Gen. Eng.
Cadmium	LT	2.00 ug/L	Gen. Eng.
Bromoform	LT	1.00 ug/L	Gen. Eng.
Chloroform	LT	1.00 ug/L	Gen. Eng.
Chrysene	LT	10.00 ug/L	Gen. Eng.
Dibromomethane (Methylene bromide)	LT	1.00 ug/L	Gen. Eng.
Dichloromethane (Methylene chloride)		1.00 ug/L	Gen. Eng.
Bromomethane (Methyl bromide)	LT	1.00 ug/L	Gen. Eng.
Chloromethane (Methyl chloride)	LT	1.00 ug/L	Gen. Eng.
Acetonitrile (Methyl cyanide)	LT	1.00 ug/L	Gen. Eng.
Chloride		2140.00 ug/L	Gen. Eng.
Chlorobenzilate	LT	10.00 ug/L	Gen. Eng.
Chlorobenzene	LT	1.00 ug/L	Gen. Eng.
Chlordane	LT	0.50 ug/L	Gen. Eng.
Chloroprene	LT	200.00 ug/L	Gen. Eng.
Pentachlorobenzene	LT	10.00 ug/L	Gen. Eng.
Pentachloroethane	LT	10.00 ug/L	Gen. Eng.
Pentachloronitrobenzene	LT	10.00 ug/L	Gen. Eng.
Hexachlorobenzene	LT	10.00 ug/L	Gen. Eng.
Hexachlorocyclopentadiene	LT	10.00 ug/L	Gen. Eng.
Hexachloroethane	LT	10.00 ug/L	Gen. Eng.
Cobalt	LT	4.00 ug/L	Gen. Eng.
Chromium	LT	4.00 ug/L	Gen. Eng.
Carbon disulfide	LT	1.00 ug/L	Gen. Eng.
Copper	LT	4.00 ug/L	Gen. Eng.
Cyanide	LT	5.00 ug/L	Gen. Eng.
Chloroethene (Vinyl chloride)	LT	1.00 ug/L	Gen. Eng.
Chloroethane	LT	1.00 ug/L	Gen. Eng.
Benzene	LT	1.00 ug/L	Gen. Eng.
Dibenz(a,h)anthracene	LT	10.00 ug/L	Gen. Eng.
delta-Benzene hexachloride	LT	0.05 ug/L	Gen. Eng.
Dibromochloromethane	LT	1.00 ug/L	Gen. Eng.
Diethyl phthalate	LT	10.00 ug/L	Gen. Eng.
Diallate	LT	10.00 ug/L	Gen. Eng.
Dibenzofuran	LT	10.00 ug/L	Gen. Eng.
Dimethoate	LT	10.00 ug/L	Gen. Eng.
Disulfoton	LT	10.00 ug/L	Gen. Eng.

CONTINUED

WELL LFW 29 COLLECTED ON 08/15/91 LABORATORY ANALYSES CONTINUED

Dieldrin	LT	0.50 ug/L	Gen. Eng.
Dimethyl phthalate	LT	10.00 ug/L	Gen. Eng.
Di-n-butyl phthalate	LT	10.00 ug/L	Gen. Eng.
Di-n-octyl phthalate	LT	10.00 ug/L	Gen. Eng.
Diphenylamine	LT	10.00 ug/L	Gen. Eng.
Ethyl methanesulfonate	LT	10.00 ug/L	Gen. Eng.
Endrin aldehyde	LT	0.10 ug/L	Gen. Eng.
Endrin	LT	0.01 ug/L	Gen. Eng.
Endosulfan I	LT	0.10 ug/L	Gen. Eng.
Endosulfan II	LT	0.10 ug/L	Gen. Eng.
Endosulfan sulfate	LT	0.10 ug/L	Gen. Eng.
Ethylbenzene	LT	1.00 ug/L	Gen. Eng.
Ethyl methacrylate	LT	10.00 ug/L	Gen. Eng.
Fluoride	LT	100.00 ug/L	Gen. Eng.
Famphur	LT	10.00 ug/L	Gen. Eng.
Fluoranthene	LT	10.00 ug/L	Gen. Eng.
Iron		13.80 ug/L	Gen. Eng.
Fluorene	LT	10.00 ug/L	Gen. Eng.
Hexachlorobutadiene	LT	10.00 ug/L	Gen. Eng.
Hexachlorophene	LT	10.00 ug/L	Gen. Eng.
Hexachloropropene	LT	10.00 ug/L	Gen. Eng.
Mercury	LT	0.20 ug/L	Gen. Eng.
Heptachlor	LT	0.05 ug/L	Gen. Eng.
Heptachlor epoxide	LT	0.05 ug/L	Gen. Eng.
Indeno(1,2,3-c,d)pyrene	LT	10.00 ug/L	Gen. Eng.
Iodomethane (Methyl iodide)	LT	15.00 ug/L	Gen. Eng.
Isosafrole	LT	10.00 ug/L	Gen. Eng.
Isobutyl alcohol	LT	100.00 ug/L	Gen. Eng.
Isodrin	LT	10.00 ug/L	Gen. Eng.
Isophorone	LT	10.00 ug/L	Gen. Eng.
Potassium	LT	500.00 ug/L	Gen. Eng.
Kepone	LT	10.00 ug/L	Gen. Eng.
Lindane	LT	0.00 ug/L	Gen. Eng.
Methacrylonitrile	LT	50.00 ug/L	Gen. Eng.
Toluene	LT	1.00 ug/L	Gen. Eng.
Methyl ethyl ketone	LT	1.00 ug/L	Gen. Eng.
Methyl methacrylate	LT	10.00 ug/L	Gen. Eng.
Methyl methanesulfonate	LT	10.00 ug/L	Gen. Eng.
Methoxychlor	LT	0.50 ug/L	Gen. Eng.
Magnesium		535.00 ug/L	Gen. Eng.
Methyl isobutyl ketone		2.00 ug/L	Gen. Eng.
Manganese		3.63 ug/L	Gen. Eng.
Methapyrilene	LT	10.00 ug/L	Gen. Eng.
Sodium		1290.00 ug/L	Gen. Eng.
Naphthalene	LT	10.00 ug/L	Gen. Eng.
Nitrobenzene	LT	10.00 ug/L	Gen. Eng.
N-Nitrosodimethylamine	LT	10.00 ug/L	Gen. Eng.
N-Nitrosodi-n-butylamine	LT	10.00 ug/L	Gen. Eng.
N-Nitrosodi-propylamine	LT	10.00 ug/L	Gen. Eng.
N-Nitrosodiethylamine	LT	10.00 ug/L	Gen. Eng.
N-Nitrosomethylethylamine	LT	10.00 ug/L	Gen. Eng.
Nickel	LT	4.00 ug/L	Gen. Eng.
N-Nitrosomorpholine	LT	10.00 ug/L	Gen. Eng.
N-Nitrosodiphenylamine	LT	10.00 ug/L	Gen. Eng.

CONTINUED

WELL LFW 29 COLLECTED ON 08/15/91 LABORATORY ANALYSES CONTINUED

N-Nitrosopiperidine	LT	10.00 ug/L	Gen. Eng.
N-Nitrosopyrrolidine	LT	10.00 ug/L	Gen. Eng.
Nitrate as nitrogen		410.00 ug/L	Gen. Eng.
4-Nitroquinoline 1-oxide	LT	10.00 ug/L	Gen. Eng.
5-Nitro-o-toluidine	LT	10.00 ug/L	Gen. Eng.
o-Toluidine	LT	10.00 ug/L	Gen. Eng.
Lead	LT	3.00 ug/L	Gen. Eng.
PCB 1016	LT	0.50 ug/L	Gen. Eng.
PCB 1221	LT	0.50 ug/L	Gen. Eng.
PCB 1232	LT	0.50 ug/L	Gen. Eng.
PCB 1242	LT	0.50 ug/L	Gen. Eng.
PCB 1248	LT	0.50 ug/L	Gen. Eng.
PCB 1254	LT	1.00 ug/L	Gen. Eng.
PCB 1260	LT	1.00 ug/L	Gen. Eng.
Pentachlorophenol	LT	10.00 ug/L	Gen. Eng.
p-Phenylenediamine	LT	10.00 ug/L	Gen. Eng.
p-Dimethylaminoazobenzene	LT	10.00 ug/L	Gen. Eng.
Phenacetin	LT	10.00 ug/L	Gen. Eng.
Phenanthrene	LT	10.00 ug/L	Gen. Eng.
Phenol	LT	10.00 ug/L	Gen. Eng.
Phorate	LT	0.10 ug/L	Gen. Eng.
p,p'-DDD	LT	0.10 ug/L	Gen. Eng.
p,p'-DDE	LT	0.10 ug/L	Gen. Eng.
p,p'-DDT	LT	0.10 ug/L	Gen. Eng.
Pronamid	LT	10.00 ug/L	Gen. Eng.
Propionitrile	LT	200.00 ug/L	Gen. Eng.
Parathion	LT	0.05 ug/L	Gen. Eng.
Parathion methyl	LT	0.05 ug/L	Gen. Eng.
Pyrene	LT	10.00 ug/L	Gen. Eng.
Pyridine	LT	10.00 ug/L	Gen. Eng.
Safrole	LT	10.00 ug/L	Gen. Eng.
Antimony	LT	2.00 ug/L	Gen. Eng.
2-sec-Butyl-4,6-dinitrophenol	LT	10.00 ug/L	Gen. Eng.
Selenium	LT	2.00 ug/L	Gen. Eng.
Silica		6320.00 ug/L	Gen. Eng.
2,4,5-TP (Silvex)	LT	0.09 ug/L	Gen. Eng.
Tin	LT	2.00 ug/L	Gen. Eng.
Sulfate		1420.00 ug/L	Gen. Eng.
Sulfotepp	LT	10.00 ug/L	Gen. Eng.
Styrene	LT	1.00 ug/L	Gen. Eng.
Sulfide	LT	1000.00 ug/L	Gen. Eng.
Sulfide	LT	1000.00 ug/L	Gen. Eng.
1,2,4,5-Tetrachlorobenzene	LT	10.00 ug/L	Gen. Eng.
1,1,2,2-Tetrachloroethane	LT	1.00 ug/L	Gen. Eng.
1,1,1,2-Tetrachloroethane	LT	1.00 ug/L	Gen. Eng.
Tetrachloroethylene	LT	1.00 ug/L	Gen. Eng.
O,O,O-Triethyl phosphorothioate	LT	10.00 ug/L	Gen. Eng.
Thionazin	LT	10.00 ug/L	Gen. Eng.
Thallium	LT	2.00 ug/L	Gen. Eng.
Total organic carbon	LT	1000.00 ug/L	Gen. Eng.
Total organic nitrogen	LT	100.00 ug/L	Gen. Eng.
Total organic halogens		20.10 ug/L	Gen. Eng.
Total phosphates (as P)	LT	100.00 ug/L	Gen. Eng.
Trichloroethylene	LT	1.00 ug/L	Gen. Eng.

CONTINUED

WELL LFW 29 COLLECTED ON 08/15/91 LABORATORY ANALYSES CONTINUED

Toxaphene	LT	0.24 ug/L	Gen. Eng.
trans-1,2-Dichloroethylene	LT	1.00 ug/L	Gen. Eng.
trans-1,3-Dichloropropene	LT	1.00 ug/L	Gen. Eng.
trans-1,4-Dichloro-2-butene	LT	30.00 ug/L	Gen. Eng.
Vanadium	LT	10.00 ug/L	Gen. Eng.
Vinyl acetate	LT	1.00 ug/L	Gen. Eng.
Xylenes	LT	1.00 ug/L	Gen. Eng.
1-Naphthylamine	LT	10.00 ug/L	Gen. Eng.
1,1-Dichloroethylene	LT	1.00 ug/L	Gen. Eng.
1,1-Dichloroethane	LT	1.00 ug/L	Gen. Eng.
1,1,1-Trichloroethane	LT	1.00 ug/L	Gen. Eng.
1,1,2-Trichloroethane	LT	1.00 ug/L	Gen. Eng.
1,2-Dibromoethane	LT	20.00 ug/L	Gen. Eng.
1,2-Dibromo-3-chloropropane	LT	1.00 ug/L	Gen. Eng.
1,2-Dichlorobenzene	LT	10.00 ug/L	Gen. Eng.
1,2-Dichloroethane	LT	1.00 ug/L	Gen. Eng.
1,2-Dichloropropane	LT	1.00 ug/L	Gen. Eng.
1,2,3-Trichloropropane	LT	20.00 ug/L	Gen. Eng.
1,2,4-Trichlorobenzene	LT	10.00 ug/L	Gen. Eng.
1,3-Dichlorobenzene	LT	10.00 ug/L	Gen. Eng.
cis-1,3-Dichloropropene	LT	1.00 ug/L	Gen. Eng.
1,3-Dinitrobenzene	LT	10.00 ug/L	Gen. Eng.
1,3,5-Trinitrobenzene	LT	10.00 ug/L	Gen. Eng.
1,4-Dichlorobenzene	LT	10.00 ug/L	Gen. Eng.
1,4-Dioxane	LT	10.00 ug/L	Gen. Eng.
1,4-Naphthoquinone	LT	10.00 ug/L	Gen. Eng.
2-Acetylaminofluorene	LT	10.00 ug/L	Gen. Eng.
2-Chloroethyl vinyl ether	LT	10.00 ug/L	Gen. Eng.
2-Chlorophenol	LT	10.00 ug/L	Gen. Eng.
2-Chloronaphthalene	LT	10.00 ug/L	Gen. Eng.
2-Hexanone	LT	1.00 ug/L	Gen. Eng.
2-Methylnaphthalene	LT	10.00 ug/L	Gen. Eng.
o-Cresol (2-Methylphenol)	LT	10.00 ug/L	Gen. Eng.
2-Nitroaniline	LT	10.00 ug/L	Gen. Eng.
2-Naphthylamine	LT	10.00 ug/L	Gen. Eng.
2-Nitrophenol	LT	10.00 ug/L	Gen. Eng.
2-Picoline	LT	10.00 ug/L	Gen. Eng.
2,3,4,6-Tetrachlorophenol	LT	10.00 ug/L	Gen. Eng.
2,4-Dichlorophenoxyacetic acid	LT	0.30 ug/L	Gen. Eng.
2,4-Dichlorophenol	LT	10.00 ug/L	Gen. Eng.
2,4-Dimethylphenol	LT	10.00 ug/L	Gen. Eng.
2,4-Dinitrophenol	LT	45.00 ug/L	Gen. Eng.
2,4-Dinitrotoluene	LT	10.00 ug/L	Gen. Eng.
2,4,5-Trichlorophenoxyacetic acid	LT	0.09 ug/L	Gen. Eng.
2,4,5-Trichlorophenol	LT	10.00 ug/L	Gen. Eng.
2,4,6-Trichlorophenol	LT	10.00 ug/L	Gen. Eng.
2,6-Dichlorophenol	LT	10.00 ug/L	Gen. Eng.
2,6-Dinitrotoluene	LT	10.00 ug/L	Gen. Eng.
3-Methylcholanthrene	LT	10.00 ug/L	Gen. Eng.
m-Cresol (3-Methylphenol)	LT	10.00 ug/L	Gen. Eng.
3-Nitroaniline	LT	10.00 ug/L	Gen. Eng.
3,3'-Dichlorobenzidine	LT	20.00 ug/L	Gen. Eng.
3,3'-Dimethylbenzidine	LT	10.00 ug/L	Gen. Eng.
4-Aminobiphenyl	LT	10.00 ug/L	Gen. Eng.

CONTINUED

WELL LFW 29 COLLECTED ON 08/15/91 LABORATORY ANALYSES CONTINUED

4-Bromophenyl phenyl ether	LT	10.00 ug/L	Gen. Eng.
4-Chloroaniline	LT	10.00 ug/L	Gen. Eng.
4-Chlorophenyl phenyl ether	LT	10.00 ug/L	Gen. Eng.
para-Chloro-meta-cresol	LT	10.00 ug/L	Gen. Eng.
p-Cresol (4-Methylphenol)	LT	10.00 ug/L	Gen. Eng.
4-Nitroaniline	LT	10.00 ug/L	Gen. Eng.
4-Nitrophenol	LT	10.00 ug/L	Gen. Eng.
2-Methyl-4,6-dinitrophenol	LT	50.00 ug/L	Gen. Eng.
7,12-Dimethylbenz(a)anthracene	LT	10.00 ug/L	Gen. Eng.
Zinc	LT	2.00 ug/L	Gen. Eng.
Gross alpha	LT	2.00 pCi/L	Gen. Eng.
Nonvolatile beta	4.70+-	2.30 pCi/L	Gen. Eng.
Total radium	4.20+-	4.30 pCi/L	Gen. Eng.
Tritium	1.90+-	0.20 pCi/mL	Gen. Eng.

WELL LFW 30

SRS Grid N 86318.4 Latitude 33.290375 N
 Coordinates E 45170.9 Longitude 81.715532 W
 Screen Zone Elevation 162.7-141.7 ft msl
 Top of Casing Elevation 207.70 ft msl

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/15/91 Time 1210
 Depth to water = 42.87 ft (13.07 m) below the TOC
 Water elevation = 164.83 ft (50.24 m) msl
 pH = 5.1 Alkalinity = 1 mg/L
 Specific conductance = 18 umhos/cm
 Water temperature = 18.5 degrees Celsius
 Water evacuated from the well prior to sampling = 61 gal

LABORATORY ANALYSES

Specific conductance		20.00 umh/cm	Gen. Eng.
Carbon 12-labeled 2,3,7,8-TCDD	LT	0.45 ng/L	Gen. Eng.
Carbon 12-labeled TCDF	LT	0.40 ng/L	Gen. Eng.
Heptachlorodibenzo-p-dioxin isomers	LT	0.65 ng/L	Gen. Eng.
Heptachlorodibenzo-p-furan isomers	LT	0.45 ng/L	Gen. Eng.
Hexachlorodibenzo-p-dioxin isomers	LT	0.45 ng/L	Gen. Eng.
Hexachlorodibenzo-p-furan isomers	LT	0.40 ng/L	Gen. Eng.
Octachlorodibenzo-p-dioxin isomers	LT	1.00 ng/L	Gen. Eng.
Octachlorodibenzo-p-furan isomers	LT	1.00 ng/L	Gen. Eng.
Pentachlorodibenzo-p-dioxin isomers	LT	0.55 ng/L	Gen. Eng.
Pentachlorodibenzo-p-furan isomers	LT	0.55 ng/L	Gen. Eng.
pH		5.30 pH	Gen. Eng.
Tetrachlorodibenzo-p-dioxin isomers	LT	0.45 ng/L	Gen. Eng.
Tetrachlorodibenzo-p-furan isomers	LT	0.40 ng/L	Gen. Eng.
1,2,3,4,6,7,8-HPCDD	LT	0.65 ng/L	Gen. Eng.
1,2,3,4,6,7,8-HHPCDF	LT	0.45 ng/L	Gen. Eng.
1,2,3,4,7,8-Hexachlorodibenzo-p-dioxin	LT	0.45 ng/L	Gen. Eng.
1,2,3,4,7,8-Hexachlorodibenzo-p-furan	LT	0.40 ng/L	Gen. Eng.

CONTINUED

WELL LFW 30 COLLECTED ON 08/15/91 LABORATORY ANALYSES CONTINUED

1,2,3,7,8-Pentachlorodibenzo-p-dioxin	LT	0.55 ng/L	Gen. Eng.
1,2,3,7,8-Pentachlorodibenzo-p-furan	LT	0.55 ng/L	Gen. Eng.
a,a-Dimethylphenethylamine	LT	10.00 ug/L	Gen. Eng.
alpha-Benzene hexachloride	LT	0.05 ug/L	Gen. Eng.
Acetone	LT	1.00 ug/L	Gen. Eng.
Acetophenone	LT	10.00 ug/L	Gen. Eng.
Acrolein	LT	20.00 ug/L	Gen. Eng.
Acrylonitrile	LT	20.00 ug/L	Gen. Eng.
Silver	LT	2.00 ug/L	Gen. Eng.
Aluminum	LT	20.00 ug/L	Gen. Eng.
Aldrin	LT	0.05 ug/L	Gen. Eng.
Acenaphthene	LT	10.00 ug/L	Gen. Eng.
Acenaphthylene	LT	10.00 ug/L	Gen. Eng.
Aniline	LT	10.00 ug/L	Gen. Eng.
Anthracene	LT	10.00 ug/L	Gen. Eng.
Aramite	LT	10.00 ug/L	Gen. Eng.
Arsenic	LT	2.00 ug/L	Gen. Eng.
Allyl chloride	LT	50.00 ug/L	Gen. Eng.
Barium		5.57 ug/L	Gen. Eng.
Benzo(a)anthracene	LT	10.00 ug/L	Gen. Eng.
Benzo(a)pyrene	LT	10.00 ug/L	Gen. Eng.
Benzo(b)fluoranthene	LT	10.00 ug/L	Gen. Eng.
beta-Benzene hexachloride	LT	0.05 ug/L	Gen. Eng.
Butylbenzyl phthalate	LT	10.00 ug/L	Gen. Eng.
Bis(chloromethyl-ethyl)ether	LT	10.00 ug/L	Gen. Eng.
Beryllium	LT	5.00 ug/L	Gen. Eng.
Benzo(g,h,i)perylene	LT	10.00 ug/L	Gen. Eng.
Benzo(k)fluoranthene	LT	10.00 ug/L	Gen. Eng.
Bromodichloromethane	LT	1.00 ug/L	Gen. Eng.
Benzyl alcohol	LT	10.00 ug/L	Gen. Eng.
Bis(2-chloroethoxy) methane	LT	10.00 ug/L	Gen. Eng.
Bis(2-chloroethyl) ether	LT	10.00 ug/L	Gen. Eng.
Bis(2-ethylhexyl) phthalate	LT	10.00 ug/L	Gen. Eng.
Calcium		878.00 ug/L	Gen. Eng.
Dichlorodifluoromethane	LT	1.00 ug/L	Gen. Eng.
Trichlorofluoromethane	LT	1.00 ug/L	Gen. Eng.
Carbon tetrachloride	LT	1.00 ug/L	Gen. Eng.
Cadmium	LT	2.00 ug/L	Gen. Eng.
Bromoform	LT	1.00 ug/L	Gen. Eng.
Chloroform	LT	1.00 ug/L	Gen. Eng.
Chrysene	LT	10.00 ug/L	Gen. Eng.
Dibromomethane (Methylene bromide)	LT	1.00 ug/L	Gen. Eng.
Dichloromethane (Methylene chloride)		1.70 ug/L	Gen. Eng.
Bromomethane (Methyl bromide)	LT	1.00 ug/L	Gen. Eng.
Chloromethane (Methyl chloride)	LT	1.00 ug/L	Gen. Eng.
Acetonitrile (Methyl cyanide)	LT	1.00 ug/L	Gen. Eng.
Chloride		1620.00 ug/L	Gen. Eng.
Chlorobenzilate	LT	10.00 ug/L	Gen. Eng.
Chlorobenzene	LT	1.00 ug/L	Gen. Eng.
Chlordane	LT	0.50 ug/L	Gen. Eng.
Chloroprene	LT	200.00 ug/L	Gen. Eng.
Pentachlorobenzene	LT	10.00 ug/L	Gen. Eng.
Pentachloroethane	LT	10.00 ug/L	Gen. Eng.
Pentachloronitrobenzene	LT	10.00 ug/L	Gen. Eng.

CONTINUED

WELL LFW 30 COLLECTED ON 08/15/91 LABORATORY ANALYSES CONTINUED

Hexachlorobenzene	LT	10.00 ug/L	Gen. Eng.
Hexachlorocyclopentadiene	LT	10.00 ug/L	Gen. Eng.
Hexachloroethane	LT	10.00 ug/L	Gen. Eng.
Cobalt	LT	4.00 ug/L	Gen. Eng.
Chromium	LT	4.00 ug/L	Gen. Eng.
Carbon disulfide	LT	1.00 ug/L	Gen. Eng.
Copper	LT	4.00 ug/L	Gen. Eng.
Cyanide	LT	5.00 ug/L	Gen. Eng.
Chloroethene (Vinyl chloride)	LT	1.00 ug/L	Gen. Eng.
Chloroethane	LT	1.00 ug/L	Gen. Eng.
Benzene	LT	1.00 ug/L	Gen. Eng.
Dibenz(a,h)anthracene	LT	10.00 ug/L	Gen. Eng.
delta-Benzene hexachloride	LT	0.05 ug/L	Gen. Eng.
Dibromochloromethane	LT	1.00 ug/L	Gen. Eng.
Diethyl phthalate	LT	10.00 ug/L	Gen. Eng.
Diallyl	LT	10.00 ug/L	Gen. Eng.
Dibenzofuran	LT	10.00 ug/L	Gen. Eng.
Dimethoate	LT	10.00 ug/L	Gen. Eng.
Disulfoton	LT	10.00 ug/L	Gen. Eng.
Dieldrin	LT	0.50 ug/L	Gen. Eng.
Dimethyl phthalate	LT	10.00 ug/L	Gen. Eng.
Di-n-butyl phthalate	LT	10.00 ug/L	Gen. Eng.
Di-n-octyl phthalate	LT	10.00 ug/L	Gen. Eng.
Diphenylamine	LT	10.00 ug/L	Gen. Eng.
Ethyl methanesulfonate	LT	10.00 ug/L	Gen. Eng.
Endrin aldehyde	LT	0.10 ug/L	Gen. Eng.
Endrin	LT	0.01 ug/L	Gen. Eng.
Endosulfan I	LT	0.10 ug/L	Gen. Eng.
Endosulfan II	LT	0.10 ug/L	Gen. Eng.
Endosulfan sulfate	LT	0.10 ug/L	Gen. Eng.
Ethylbenzene	LT	1.00 ug/L	Gen. Eng.
Ethyl methacrylate	LT	10.00 ug/L	Gen. Eng.
Fluoride	LT	100.00 ug/L	Gen. Eng.
Famphur	LT	10.00 ug/L	Gen. Eng.
Fluoranthene	LT	10.00 ug/L	Gen. Eng.
Iron		8.41 ug/L	Gen. Eng.
Fluorene	LT	10.00 ug/L	Gen. Eng.
Hexachlorobutadiene	LT	10.00 ug/L	Gen. Eng.
Hexachlorophene	LT	10.00 ug/L	Gen. Eng.
Hexachloropropene	LT	10.00 ug/L	Gen. Eng.
Mercury	LT	0.20 ug/L	Gen. Eng.
Heptachlor	LT	0.05 ug/L	Gen. Eng.
Heptachlor epoxide	LT	0.05 ug/L	Gen. Eng.
Indeno(1,2,3-c,d)pyrene	LT	10.00 ug/L	Gen. Eng.
Iodomethane (Methyl iodide)	LT	15.00 ug/L	Gen. Eng.
Isosafrole	LT	10.00 ug/L	Gen. Eng.
Isobutyl alcohol	LT	100.00 ug/L	Gen. Eng.
Isodrin	LT	10.00 ug/L	Gen. Eng.
Isophorone	LT	10.00 ug/L	Gen. Eng.
Potassium	LT	500.00 ug/L	Gen. Eng.
Kepone	LT	10.00 ug/L	Gen. Eng.
Lindane	LT	0.00 ug/L	Gen. Eng.
Methacrylonitrile	LT	50.00 ug/L	Gen. Eng.
Toluene	LT	1.00 ug/L	Gen. Eng.

CONTINUED

WELL LFW 30 COLLECTED ON 08/15/91 LABORATORY ANALYSES CONTINUED

Methyl ethyl ketone	LT	1.00 ug/L	Gen. Eng.
Methyl methacrylate	LT	10.00 ug/L	Gen. Eng.
Methyl methanesulfonate	LT	10.00 ug/L	Gen. Eng.
Methoxychlor	LT	0.50 ug/L	Gen. Eng.
Magnesium		471.00 ug/L	Gen. Eng.
Methyl isobutyl ketone	LT	1.00 ug/L	Gen. Eng.
Manganese		3.79 ug/L	Gen. Eng.
Methapyrilene	LT	10.00 ug/L	Gen. Eng.
Sodium		888.00 ug/L	Gen. Eng.
Naphthalene	LT	10.00 ug/L	Gen. Eng.
Nitrobenzene	LT	10.00 ug/L	Gen. Eng.
N-Nitrosodimethylamine	LT	10.00 ug/L	Gen. Eng.
N-Nitrosodi-n-butylamine	LT	10.00 ug/L	Gen. Eng.
N-Nitrosodi-propylamine	LT	10.00 ug/L	Gen. Eng.
N-Nitrosodiethylamine	LT	10.00 ug/L	Gen. Eng.
N-Nitrosomethylethylamine	LT	10.00 ug/L	Gen. Eng.
Nickel	LT	4.00 ug/L	Gen. Eng.
N-Nitrosomorpholine	LT	10.00 ug/L	Gen. Eng.
N-Nitrosodiphenylamine	LT	10.00 ug/L	Gen. Eng.
N-Nitrosopiperidine	LT	10.00 ug/L	Gen. Eng.
N-Nitrosopyrrolidine	LT	10.00 ug/L	Gen. Eng.
Nitrate as nitrogen		470.00 ug/L	Gen. Eng.
4-Nitroquinoline-1-oxide	LT	10.00 ug/L	Gen. Eng.
5-Nitro-o-toluidine	LT	10.00 ug/L	Gen. Eng.
o-Toluidine	LT	10.00 ug/L	Gen. Eng.
Lead	LT	3.00 ug/L	Gen. Eng.
PCB 1016	LT	0.50 ug/L	Gen. Eng.
PCB 1221	LT	0.50 ug/L	Gen. Eng.
PCB 1232	LT	0.50 ug/L	Gen. Eng.
PCB 1242	LT	0.50 ug/L	Gen. Eng.
PCB 1248	LT	0.50 ug/L	Gen. Eng.
PCB 1254	LT	1.00 ug/L	Gen. Eng.
PCB 1260	LT	1.00 ug/L	Gen. Eng.
Pentachlorophenol	LT	10.00 ug/L	Gen. Eng.
p-Phenylenediamine	LT	10.00 ug/L	Gen. Eng.
p-Dimethylaminoazobenzene	LT	10.00 ug/L	Gen. Eng.
Phenacetin	LT	10.00 ug/L	Gen. Eng.
Phenanthrene	LT	10.00 ug/L	Gen. Eng.
Phenol	LT	10.00 ug/L	Gen. Eng.
Phorate	LT	0.10 ug/L	Gen. Eng.
p,p'-DDD	LT	0.10 ug/L	Gen. Eng.
p,p'-DDE	LT	0.10 ug/L	Gen. Eng.
p,p'-DDT	LT	0.10 ug/L	Gen. Eng.
Pronamid	LT	10.00 ug/L	Gen. Eng.
Propionitrile	LT	200.00 ug/L	Gen. Eng.
Parathion	LT	0.05 ug/L	Gen. Eng.
Parathion methyl	LT	0.05 ug/L	Gen. Eng.
Pyrene	LT	10.00 ug/L	Gen. Eng.
Pyridine	LT	10.00 ug/L	Gen. Eng.
Safrole	LT	10.00 ug/L	Gen. Eng.
Antimony	LT	2.00 ug/L	Gen. Eng.
2-sec-Butyl-4,6-dinitrophenol	LT	10.00 ug/L	Gen. Eng.
Selenium	LT	2.00 ug/L	Gen. Eng.
Silica		6100.00 ug/L	Gen. Eng.

CONTINUED

WELL LFW 30 COLLECTED ON 08/15/91 LABORATORY ANALYSES CONTINUED

2,4,5-TP (Silvex)	LT	0.09 ug/L	Gen. Eng.
Tin	LT	2.00 ug/L	Gen. Eng.
Sulfate	LT	1000.00 ug/L	Gen. Eng.
Sulfotepp	LT	10.00 ug/L	Gen. Eng.
Styrene	LT	1.00 ug/L	Gen. Eng.
Sulfide	LT	1000.00 ug/L	Gen. Eng.
1,2,4,5-Tetrachlorobenzene	LT	10.00 ug/L	Gen. Eng.
1,1,2,2-Tetrachloroethane	LT	1.00 ug/L	Gen. Eng.
1,1,1,2-Tetrachloroethane	LT	1.00 ug/L	Gen. Eng.
Tetrachloroethylene	LT	1.00 ug/L	Gen. Eng.
0,0,0-Triethyl phosphorothioate	LT	10.00 ug/L	Gen. Eng.
Thionazin	LT	10.00 ug/L	Gen. Eng.
Thallium	LT	2.00 ug/L	Gen. Eng.
Total organic carbon		2000.00 ug/L	Gen. Eng.
Total organic nitrogen	LT	100.00 ug/L	Gen. Eng.
Total organic halogens		9.10 ug/L	Gen. Eng.
Total phosphates (as P)	LT	100.00 ug/L	Gen. Eng.
Trichloroethylene	LT	1.00 ug/L	Gen. Eng.
Toxaphene	LT	0.24 ug/L	Gen. Eng.
trans-1,2-Dichloroethylene	LT	1.00 ug/L	Gen. Eng.
trans-1,3-Dichloropropene	LT	1.00 ug/L	Gen. Eng.
trans-1,4-Dichloro-2-butene	LT	30.00 ug/L	Gen. Eng.
Vanadium	LT	10.00 ug/L	Gen. Eng.
Vinyl acetate	LT	1.00 ug/L	Gen. Eng.
Xylenes	LT	1.00 ug/L	Gen. Eng.
1-Naphthylamine	LT	10.00 ug/L	Gen. Eng.
1,1-Dichloroethylene	LT	1.00 ug/L	Gen. Eng.
1,1-Dichloroethane	LT	1.00 ug/L	Gen. Eng.
1,1,1-Trichloroethane	LT	1.00 ug/L	Gen. Eng.
1,1,2-Trichloroethane	LT	1.00 ug/L	Gen. Eng.
1,2-Dibromoethane	LT	20.00 ug/L	Gen. Eng.
1,2-Dibromo-3-chloropropane	LT	1.00 ug/L	Gen. Eng.
1,2-Dichlorobenzene	LT	10.00 ug/L	Gen. Eng.
1,2-Dichloroethane	LT	1.00 ug/L	Gen. Eng.
1,2-Dichloropropane	LT	1.00 ug/L	Gen. Eng.
1,2,3-Trichloropropane	LT	20.00 ug/L	Gen. Eng.
1,2,4-Trichlorobenzene	LT	10.00 ug/L	Gen. Eng.
1,3-Dichlorobenzene	LT	10.00 ug/L	Gen. Eng.
cis-1,3-Dichloropropene	LT	1.00 ug/L	Gen. Eng.
1,3-Dinitrobenzene	LT	10.00 ug/L	Gen. Eng.
1,3,5-Trinitrobenzene	LT	10.00 ug/L	Gen. Eng.
1,4-Dichlorobenzene	LT	10.00 ug/L	Gen. Eng.
1,4-Dioxane	LT	10.00 ug/L	Gen. Eng.
1,4-Naphthoquinone	LT	10.00 ug/L	Gen. Eng.
2-Acetylaminofluorene	LT	10.00 ug/L	Gen. Eng.
2-Chloroethyl vinyl ether	LT	10.00 ug/L	Gen. Eng.
2-Chlorophenol	LT	10.00 ug/L	Gen. Eng.
2-Chloronaphthalene	LT	10.00 ug/L	Gen. Eng.
2-Hexanone	LT	1.00 ug/L	Gen. Eng.
2-Methylnaphthalene	LT	10.00 ug/L	Gen. Eng.
o-Cresol (2-Methylphenol)	LT	10.00 ug/L	Gen. Eng.
2-Nitroaniline	LT	10.00 ug/L	Gen. Eng.
2-Naphthylamine	LT	10.00 ug/L	Gen. Eng.
2-Nitrophenol	LT	10.00 ug/L	Gen. Eng.

CONTINUED

WELL LFW 30 COLLECTED ON 08/15/91 LABORATORY ANALYSES CONTINUED

2-Picoline	LT	10.00 ug/L	Gen. Eng.
2,3,4,6-Tetrachlorophenol	LT	10.00 ug/L	Gen. Eng.
2,4-Dichlorophenoxyacetic acid	LT	0.30 ug/L	Gen. Eng.
2,4-Dichlorophenol	LT	10.00 ug/L	Gen. Eng.
2,4-Dimethyl phenol	LT	10.00 ug/L	Gen. Eng.
2,4-Dinitrophenol	LT	45.00 ug/L	Gen. Eng.
2,4-Dinitrotoluene	LT	10.00 ug/L	Gen. Eng.
2,4,5-Trichlorophenoxyacetic acid	LT	0.09 ug/L	Gen. Eng.
2,4,5-Trichlorophenol	LT	10.00 ug/L	Gen. Eng.
2,4,6-Trichlorophenol	LT	10.00 ug/L	Gen. Eng.
2,6-Dichlorophenol	LT	10.00 ug/L	Gen. Eng.
2,6-Dinitrotoluene	LT	10.00 ug/L	Gen. Eng.
3-Methylcholanthrene	LT	10.00 ug/L	Gen. Eng.
m-Cresol (3-Methylphenol)	LT	10.00 ug/L	Gen. Eng.
3-Nitroaniline	LT	10.00 ug/L	Gen. Eng.
3,3'-Dichlorobenzidine	LT	20.00 ug/L	Gen. Eng.
3,3'-Dimethylbenzidine	LT	10.00 ug/L	Gen. Eng.
4-Aminobiphenyl	LT	10.00 ug/L	Gen. Eng.
4-Bromophenyl phenyl ether	LT	10.00 ug/L	Gen. Eng.
4-Chloroaniline	LT	10.00 ug/L	Gen. Eng.
4-Chlorophenyl phenyl ether	LT	10.00 ug/L	Gen. Eng.
para-Chloro-meta-cresol	LT	10.00 ug/L	Gen. Eng.
p-Cresol (4-Methylphenol)	LT	10.00 ug/L	Gen. Eng.
4-Nitroaniline	LT	10.00 ug/L	Gen. Eng.
4-Nitrophenol	LT	10.00 ug/L	Gen. Eng.
2-Methyl-4,6-dinitrophenol	LT	50.00 ug/L	Gen. Eng.
7,12-Dimethylbenz(a)anthracene	LT	10.00 ug/L	Gen. Eng.
Zinc		5.36 ug/L	Gen. Eng.
Gross alpha	LT	2.00 pCi/L	Gen. Eng.
Nonvolatile beta	2.10+-	1.90 pCi/L	Gen. Eng.
Total radium	1.10+-	2.50 pCi/L	Gen. Eng.
Tritium	2.26+-	0.20 pCi/mL	Gen. Eng.

WELL LFW 31

SRS Grid N 86262.2 Latitude 33.289758 N
 Coordinates E 44869.0 Longitude 81.716217 W
 Screen Zone Elevation 166.0-145.0 ft msl
 Top of Casing Elevation 227.00 ft msl

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/15/91 Time 1145
 Depth to water = 63.03 ft (19.21 m) below the TOC
 Water elevation = 163.97 ft (49.98 m) msl
 pH = 5.1 Alkalinity = 1 mg/L
 Specific conductance = 21 umhos/cm
 Water temperature = 18.4 degrees Celsius
 Water evacuated from the well prior to sampling = 58 gal

LABORATORY ANALYSES

Specific conductance		20.00 umh/cm	Gen. Eng.
pH		5.40 pH	Gen. Eng.
Silver	LT	2.00 ug/L	Gen. Eng.
Aluminum	LT	20.00 ug/L	Gen. Eng.
Aldrin	LT	0.05 ug/L	Gen. Eng.
Arsenic	LT	2.00 ug/L	Gen. Eng.
Barium		4.48 ug/L	Gen. Eng.
beta-Benzene hexachloride	LT	0.05 ug/L	Gen. Eng.
Bromodichloromethane	LT	1.00 ug/L	Gen. Eng.
Calcium		674.00 ug/L	Gen. Eng.
Trichlorofluoromethane	LT	1.00 ug/L	Gen. Eng.
Carbon tetrachloride	LT	1.00 ug/L	Gen. Eng.
Cadmium	LT	2.00 ug/L	Gen. Eng.
Bromoform	LT	1.00 ug/L	Gen. Eng.
Chloroform	LT	1.00 ug/L	Gen. Eng.
Dichloromethane (Methylene chloride)		13.80 ug/L	Gen. Eng.
Bromomethane (Methyl bromide)	LT	1.00 ug/L	Gen. Eng.
Chloromethane (Methyl chloride)	LT	1.00 ug/L	Gen. Eng.
Chloride		2440.00 ug/L	Gen. Eng.
Chlorobenzene	LT	1.00 ug/L	Gen. Eng.
Chromium	LT	4.00 ug/L	Gen. Eng.
Copper		10.40 ug/L	Gen. Eng.
Chloroethene (Vinyl chloride)	LT	1.00 ug/L	Gen. Eng.
Chloroethane	LT	1.00 ug/L	Gen. Eng.
Benzene	LT	1.00 ug/L	Gen. Eng.
Dibromochloromethane	LT	1.00 ug/L	Gen. Eng.
Endrin	LT	0.01 ug/L	Gen. Eng.
Endosulfan sulfate	LT	0.10 ug/L	Gen. Eng.
Ethylbenzene	LT	1.00 ug/L	Gen. Eng.
Fluoride	LT	100.00 ug/L	Gen. Eng.
Fluoride	LT	100.00 ug/L	Gen. Eng.
Iron		22.60 ug/L	Gen. Eng.
Mercury	LT	0.20 ug/L	Gen. Eng.
Potassium		633.00 ug/L	Gen. Eng.
Lindane	LT	0.00 ug/L	Gen. Eng.
Toluene	LT	1.00 ug/L	Gen. Eng.
Methoxychlor	LT	0.50 ug/L	Gen. Eng.

CONTINUED

WELL LFW 31 COLLECTED ON 08/15/91 LABORATORY ANALYSES CONTINUED

Magnesium		350.00 ug/L	Gen. Eng.
Manganese		3.29 ug/L	Gen. Eng.
Sodium		1720.00 ug/L	Gen. Eng.
Nickel	LT	4.00 ug/L	Gen. Eng.
Nitrate as nitrogen		270.00 ug/L	Gen. Eng.
Lead	LT	3.00 ug/L	Gen. Eng.
Antimony	LT	2.00 ug/L	Gen. Eng.
Selenium	LT	2.00 ug/L	Gen. Eng.
Silica		6370.00 ug/L	Gen. Eng.
2,4,5-TP (Silvex)	LT	0.09 ug/L	Gen. Eng.
Sulfate		1890.00 ug/L	Gen. Eng.
1,1,2,2-Tetrachloroethane	LT	1.00 ug/L	Gen. Eng.
Tetrachloroethylene	LT	1.00 ug/L	Gen. Eng.
Thallium	LT	2.00 ug/L	Gen. Eng.
Total organic carbon	LT	1000.00 ug/L	Gen. Eng.
Total organic nitrogen	LT	100.00 ug/L	Gen. Eng.
Total organic halogens	LT	5.00 ug/L	Gen. Eng.
Total organic halogens	LT	5.00 ug/L	Gen. Eng.
Total phosphates (as P)	LT	100.00 ug/L	Gen. Eng.
Trichloroethylene	LT	1.00 ug/L	Gen. Eng.
Toxaphene	LT	0.24 ug/L	Gen. Eng.
trans-1,2-Dichloroethylene	LT	1.00 ug/L	Gen. Eng.
trans-1,3-Dichloropropene	LT	1.00 ug/L	Gen. Eng.
Vanadium	LT	10.00 ug/L	Gen. Eng.
1,1-Dichloroethylene	LT	1.00 ug/L	Gen. Eng.
1,1-Dichloroethane	LT	1.00 ug/L	Gen. Eng.
1,1,1-Trichloroethane	LT	1.00 ug/L	Gen. Eng.
1,1,2-Trichloroethane	LT	1.00 ug/L	Gen. Eng.
1,2-Dichloroethane	LT	1.00 ug/L	Gen. Eng.
1,2-Dichloropropane	LT	1.00 ug/L	Gen. Eng.
cis-1,3-Dichloropropene	LT	1.00 ug/L	Gen. Eng.
2-Chloroethyl vinyl ether	LT	1.00 ug/L	Gen. Eng.
2,4-Dichlorophenoxyacetic acid	LT	0.30 ug/L	Gen. Eng.
Gross alpha		2.00 pCi/L	Gen. Eng.
Nonvolatile beta	LT	2.00 pCi/L	Gen. Eng.
Total radium	1.80+-	3.40 pCi/L	Gen. Eng.
Tritium	2.41+-	0.20 pCi/mL	Gen. Eng.

WELL LFW 32

SRS Grid N 85836.8 Latitude 33.288927 N
 Coordinates E 44935.9 Longitude 81.715214 W
 Screen Zone Elevation 165.3-144.3 ft msl
 Top of Casing Elevation 221.30 ft msl

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/15/91 Time 1120
 Depth to water = 59.49 ft (18.13 m) below the TOC
 Water elevation = 161.81 ft (49.32 m) msl
 pH = 4.9 Alkalinity = 0 mg/L
 Specific conductance = 18 umhos/cm
 Water temperature = 18.6 degrees Celsius
 Water evacuated from the well prior to sampling = 54 gal

LABORATORY ANALYSES

Specific conductance		20.00 umh/cm	Gen. Eng.
pH		5.30 pH	Gen. Eng.
Silver	LT	2.00 ug/L	Gen. Eng.
Aluminum	LT	20.00 ug/L	Gen. Eng.
Aldrin	LT	0.05 ug/L	Gen. Eng.
Arsenic	LT	2.00 ug/L	Gen. Eng.
Barium		4.14 ug/L	Gen. Eng.
beta-Benzene hexachloride	LT	0.05 ug/L	Gen. Eng.
Bromodichloromethane	LT	1.00 ug/L	Gen. Eng.
Calcium		295.00 ug/L	Gen. Eng.
Trichlorofluoromethane	LT	1.00 ug/L	Gen. Eng.
Carbon tetrachloride	LT	1.00 ug/L	Gen. Eng.
Cadmium	LT	2.00 ug/L	Gen. Eng.
Bromoform	LT	1.00 ug/L	Gen. Eng.
Chloroform	LT	1.00 ug/L	Gen. Eng.
Dichloromethane (Methylene chloride)		11.20 ug/L	Gen. Eng.
Bromomethane (Methyl bromide)	LT	1.00 ug/L	Gen. Eng.
Chloromethane (Methyl chloride)	LT	1.00 ug/L	Gen. Eng.
Chloride		2360.00 ug/L	Gen. Eng.
Chloride		2360.00 ug/L	Gen. Eng.
Chlorobenzene	LT	1.00 ug/L	Gen. Eng.
Chromium	LT	4.00 ug/L	Gen. Eng.
Copper	LT	4.00 ug/L	Gen. Eng.
Chloroethene (Vinyl chloride)	LT	1.00 ug/L	Gen. Eng.
Chloroethane	LT	1.00 ug/L	Gen. Eng.
Benzene	LT	1.00 ug/L	Gen. Eng.
Dibromochloromethane	LT	1.00 ug/L	Gen. Eng.
Endrin	LT	0.01 ug/L	Gen. Eng.
Endosulfan sulfate	LT	0.10 ug/L	Gen. Eng.
Ethylbenzene	LT	1.00 ug/L	Gen. Eng.
Fluoride	LT	100.00 ug/L	Gen. Eng.
Iron		39.50 ug/L	Gen. Eng.
Mercury	LT	0.20 ug/L	Gen. Eng.
Potassium		512.00 ug/L	Gen. Eng.
Lindane	LT	0.00 ug/L	Gen. Eng.
Toluene	LT	1.00 ug/L	Gen. Eng.
Methoxychlor	LT	0.50 ug/L	Gen. Eng.

CONTINUED

WELL LFW 32 COLLECTED ON 08/15/91 LABORATORY ANALYSES CONTINUED

Magnesium		341.00 ug/L	Gen. Eng.
Manganese	LT	2.00 ug/L	Gen. Eng.
Sodium		1410.00 ug/L	Gen. Eng.
Nickel	LT	4.00 ug/L	Gen. Eng.
Nitrate as nitrogen		350.00 ug/L	Gen. Eng.
Nitrate as nitrogen		350.00 ug/L	Gen. Eng.
Lead	LT	3.00 ug/L	Gen. Eng.
Antimony	LT	2.00 ug/L	Gen. Eng.
Selenium	LT	2.00 ug/L	Gen. Eng.
Silica		6380.00 ug/L	Gen. Eng.
2,4,5-TP (Silvex)	LT	0.09 ug/L	Gen. Eng.
Sulfate	LT	1000.00 ug/L	Gen. Eng.
Sulfate	LT	1000.00 ug/L	Gen. Eng.
1,1,2,2-Tetrachloroethane	LT	1.00 ug/L	Gen. Eng.
Tetrachloroethylene	LT	1.00 ug/L	Gen. Eng.
Thallium	LT	2.00 ug/L	Gen. Eng.
Total organic carbon		6000.00 ug/L	Gen. Eng.
Total organic nitrogen	LT	100.00 ug/L	Gen. Eng.
Total organic halogens		26.80 ug/L	Gen. Eng.
Total phosphates (as P)	LT	100.00 ug/L	Gen. Eng.
Trichloroethylene	LT	1.00 ug/L	Gen. Eng.
Toxaphene	LT	0.24 ug/L	Gen. Eng.
trans-1,2-Dichloroethylene	LT	1.00 ug/L	Gen. Eng.
trans-1,3-Dichloropropene	LT	1.00 ug/L	Gen. Eng.
Vanadium	LT	10.00 ug/L	Gen. Eng.
1,1-Dichloroethylene	LT	1.00 ug/L	Gen. Eng.
1,1-Dichloroethane	LT	1.00 ug/L	Gen. Eng.
1,1,1-Trichloroethane	LT	1.00 ug/L	Gen. Eng.
1,1,2-Trichloroethane	LT	1.00 ug/L	Gen. Eng.
1,2-Dichloroethane	LT	1.00 ug/L	Gen. Eng.
1,2-Dichloropropane	LT	1.00 ug/L	Gen. Eng.
cis-1,3-Dichloropropene	LT	1.00 ug/L	Gen. Eng.
1,4-Dichlorobenzene	LT	10.00 ug/L	Gen. Eng.
2-Chloroethyl vinyl ether	LT	1.00 ug/L	Gen. Eng.
2,4-Dichlorophenoxyacetic acid	LT	0.30 ug/L	Gen. Eng.
Gross alpha	LT	2.00 pCi/L	Gen. Eng.
Nonvolatile beta	2.90+-	2.10 pCi/L	Gen. Eng.
Total radium	1.70+-	2.70 pCi/L	Gen. Eng.
Tritium	3.30+-	0.30 pCi/mL	Gen. Eng.

WELL LFW 33

SRS Grid N 85633.8 Latitude 33.288538 N
 Coordinates E 44973.0 Longitude 81.714722 W
 Screen Zone Elevation 165.4-144.4 ft msl
 Top of Casing Elevation 211.40 ft msl

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/15/91 Time 1055
 Depth to water = 50.59 ft (15.42 m) below the TOC
 Water elevation = 160.81 ft (49.02 m) msl
 pH = 4.8 Alkalinity = 0 mg/L
 Specific conductance = 17 umhos/cm
 Water temperature = 18.7 degrees Celsius
 Water evacuated from the well prior to sampling = 56 gal

LABORATORY ANALYSES

Specific conductance		15.00 umh/cm	Gen. Eng.
pH		5.21 pH	Gen. Eng.
Silver	LT	2.00 ug/L	Gen. Eng.
Aluminum	LT	20.00 ug/L	Gen. Eng.
Aldrin	LT	0.05 ug/L	Gen. Eng.
Arsenic	LT	2.00 ug/L	Gen. Eng.
Barium	LT	3.00 ug/L	Gen. Eng.
beta-Benzene hexachloride	LT	0.05 ug/L	Gen. Eng.
Bromodichloromethane	LT	1.00 ug/L	Gen. Eng.
Calcium		279.00 ug/L	Gen. Eng.
Trichlorofluoromethane	LT	1.00 ug/L	Gen. Eng.
Carbon tetrachloride	LT	1.00 ug/L	Gen. Eng.
Cadmium	LT	2.00 ug/L	Gen. Eng.
Bromoform	LT	1.00 ug/L	Gen. Eng.
Chloroform	LT	1.00 ug/L	Gen. Eng.
Dichloromethane (Methylene chloride)		11.60 ug/L	Gen. Eng.
Bromomethane (Methyl bromide)	LT	1.00 ug/L	Gen. Eng.
Chloromethane (Methyl chloride)	LT	1.00 ug/L	Gen. Eng.
Chloride		2130.00 ug/L	Gen. Eng.
Chlorobenzene	LT	1.00 ug/L	Gen. Eng.
Chromium	LT	4.00 ug/L	Gen. Eng.
Copper	LT	4.00 ug/L	Gen. Eng.
Chloroethene (Vinyl chloride)	LT	1.00 ug/L	Gen. Eng.
Chloroethane	LT	1.00 ug/L	Gen. Eng.
Benzene	LT	1.00 ug/L	Gen. Eng.
Dibromochloromethane	LT	1.00 ug/L	Gen. Eng.
Endrin	LT	0.01 ug/L	Gen. Eng.
Endosulfan sulfate	LT	0.10 ug/L	Gen. Eng.
Ethylbenzene	LT	1.00 ug/L	Gen. Eng.
Fluoride	LT	100.00 ug/L	Gen. Eng.
Iron		8.66 ug/L	Gen. Eng.
Mercury	LT	0.20 ug/L	Gen. Eng.
Potassium	LT	500.00 ug/L	Gen. Eng.
Lindane	LT	0.00 ug/L	Gen. Eng.
Toluene	LT	1.00 ug/L	Gen. Eng.
Methoxychlor	LT	0.50 ug/L	Gen. Eng.
Magnesium		355.00 ug/L	Gen. Eng.

CONTINUED

WELL LFW 33 COLLECTED ON 08/15/91 LABORATORY ANALYSES CONTINUED

Manganese	LT	2.00 ug/L	Gen. Eng.
Sodium		1140.00 ug/L	Gen. Eng.
Nickel	LT	4.00 ug/L	Gen. Eng.
Nitrate as nitrogen		260.00 ug/L	Gen. Eng.
Lead	LT	3.00 ug/L	Gen. Eng.
Antimony	LT	2.00 ug/L	Gen. Eng.
Selenium	LT	2.00 ug/L	Gen. Eng.
Silica		6280.00 ug/L	Gen. Eng.
2,4,5-TP (Silvex)	LT	0.09 ug/L	Gen. Eng.
Sulfate	LT	1000.00 ug/L	Gen. Eng.
1,1,2,2-Tetrachloroethane	LT	1.00 ug/L	Gen. Eng.
Tetrachloroethylene	LT	1.00 ug/L	Gen. Eng.
Thallium	LT	2.00 ug/L	Gen. Eng.
Total organic carbon	LT	1000.00 ug/L	Gen. Eng.
Total organic nitrogen	LT	100.00 ug/L	Gen. Eng.
Total organic halogens		39.10 ug/L	Gen. Eng.
Total phosphates (as P)	LT	100.00 ug/L	Gen. Eng.
Trichloroethylene	LT	1.00 ug/L	Gen. Eng.
Toxaphene	LT	0.24 ug/L	Gen. Eng.
trans-1,2-Dichloroethylene	LT	1.00 ug/L	Gen. Eng.
trans-1,3-Dichloropropene	LT	1.00 ug/L	Gen. Eng.
Vanadium	LT	10.00 ug/L	Gen. Eng.
1,1-Dichloroethylene	LT	1.00 ug/L	Gen. Eng.
1,1-Dichloroethane	LT	1.00 ug/L	Gen. Eng.
1,1,1-Trichloroethane	LT	1.00 ug/L	Gen. Eng.
1,1,2-Trichloroethane	LT	1.00 ug/L	Gen. Eng.
1,2-Dichloroethane	LT	1.00 ug/L	Gen. Eng.
1,2-Dichloropropane	LT	1.00 ug/L	Gen. Eng.
cis-1,3-Dichloropropene	LT	1.00 ug/L	Gen. Eng.
2-Chloroethyl vinyl ether	LT	1.00 ug/L	Gen. Eng.
2,4-Dichlorophenoxyacetic acid	LT	0.30 ug/L	Gen. Eng.
Gross alpha	LT	2.00 pCi/L	Gen. Eng.
Nonvolatile beta	8.70+-	2.70 pCi/L	Gen. Eng.
Total radium	1.80+-	2.70 pCi/L	Gen. Eng.
Tritium	3.27+-	0.30 pCi/mL	Gen. Eng.

WELL LFW 34

SRS Grid N 85409.5 Latitude 33.288114 N
 Coordinates E 45016.9 Longitude 81.714171 W
 Screen Zone Elevation 164.7-143.7 ft msl
 Top of Casing Elevation 198.70 ft msl

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/15/91 Time 1025
 Depth to water = 39.08 ft (11.91 m) below the TOC
 Water elevation = 159.62 ft (48.65 m) msl
 pH = 4.8 Alkalinity = 0 mg/L
 Specific conductance = 20 umhos/cm
 Water temperature = 18.8 degrees Celsius
 Water evacuated from the well prior to sampling = 50 gal

LABORATORY ANALYSES

Specific conductance		20.00 umh/cm	Gen. Eng.
pH		5.27 pH	Gen. Eng.
Silver	LT	2.00 ug/L	Gen. Eng.
Aluminum	LT	20.00 ug/L	Gen. Eng.
Aldrin	LT	0.05 ug/L	Gen. Eng.
Arsenic	LT	2.00 ug/L	Gen. Eng.
Barium		4.59 ug/L	Gen. Eng.
beta-Benzene hexachloride	LT	0.05 ug/L	Gen. Eng.
Bromodichloromethane	LT	1.00 ug/L	Gen. Eng.
Calcium		411.00 ug/L	Gen. Eng.
Trichlorofluoromethane	LT	1.00 ug/L	Gen. Eng.
Carbon tetrachloride	LT	1.00 ug/L	Gen. Eng.
Cadmium	LT	2.00 ug/L	Gen. Eng.
Bromoform	LT	1.00 ug/L	Gen. Eng.
Chloroform	LT	1.00 ug/L	Gen. Eng.
Dichloromethane (Methylene chloride)		12.00 ug/L	Gen. Eng.
Bromomethane (Methyl bromide)	LT	1.00 ug/L	Gen. Eng.
Chloromethane (Methyl chloride)	LT	1.00 ug/L	Gen. Eng.
Chloride		2600.00 ug/L	Gen. Eng.
Chlorobenzene	LT	1.00 ug/L	Gen. Eng.
Chromium	LT	4.00 ug/L	Gen. Eng.
Copper	LT	4.00 ug/L	Gen. Eng.
Chloroethene (Vinyl chloride)	LT	1.00 ug/L	Gen. Eng.
Chloroethane	LT	1.00 ug/L	Gen. Eng.
Benzene	LT	1.00 ug/L	Gen. Eng.
Dibromochloromethane	LT	1.00 ug/L	Gen. Eng.
Endrin	LT	0.01 ug/L	Gen. Eng.
Endosulfan sulfate	LT	0.10 ug/L	Gen. Eng.
Ethylbenzene	LT	1.00 ug/L	Gen. Eng.
Fluoride	LT	100.00 ug/L	Gen. Eng.
Iron		17.10 ug/L	Gen. Eng.
Mercury	LT	0.20 ug/L	Gen. Eng.
Potassium		517.00 ug/L	Gen. Eng.
Lindane	LT	0.00 ug/L	Gen. Eng.
Toluene	LT	1.00 ug/L	Gen. Eng.
Methoxychlor	LT	0.50 ug/L	Gen. Eng.
Magnesium		447.00 ug/L	Gen. Eng.

CONTINUED

WELL LFW 34 COLLECTED ON 08/15/91 LABORATORY ANALYSES CONTINUED

Manganese		2.15 ug/L	Gen. Eng.
Sodium		1240.00 ug/L	Gen. Eng.
Nickel	LT	4.00 ug/L	Gen. Eng.
Nitrate as nitrogen		420.00 ug/L	Gen. Eng.
Lead	LT	3.00 ug/L	Gen. Eng.
Antimony	LT	2.00 ug/L	Gen. Eng.
Selenium	LT	2.00 ug/L	Gen. Eng.
Silica		6490.00 ug/L	Gen. Eng.
2,4,5-TP (Silvex)	LT	0.09 ug/L	Gen. Eng.
Sulfate	LT	1000.00 ug/L	Gen. Eng.
1,1,2,2-Tetrachloroethane	LT	1.00 ug/L	Gen. Eng.
Tetrachloroethylene	LT	1.00 ug/L	Gen. Eng.
Thallium	LT	2.00 ug/L	Gen. Eng.
Total organic carbon	LT	1000.00 ug/L	Gen. Eng.
Total organic nitrogen	LT	100.00 ug/L	Gen. Eng.
Total organic halogens		14.50 ug/L	Gen. Eng.
Total phosphates (as P)	LT	100.00 ug/L	Gen. Eng.
Trichloroethylene	LT	1.00 ug/L	Gen. Eng.
Toxaphene	LT	0.24 ug/L	Gen. Eng.
trans-1,2-Dichloroethylene	LT	1.00 ug/L	Gen. Eng.
trans-1,3-Dichloropropene	LT	1.00 ug/L	Gen. Eng.
Vanadium	LT	10.00 ug/L	Gen. Eng.
1,1-Dichloroethylene	LT	1.00 ug/L	Gen. Eng.
1,1-Dichloroethane	LT	1.00 ug/L	Gen. Eng.
1,1,1-Trichloroethane	LT	1.00 ug/L	Gen. Eng.
1,1,2-Trichloroethane	LT	1.00 ug/L	Gen. Eng.
1,2-Dichloroethane	LT	1.00 ug/L	Gen. Eng.
1,2-Dichloropropane	LT	1.00 ug/L	Gen. Eng.
cis-1,3-Dichloropropene	LT	1.00 ug/L	Gen. Eng.
2-Chloroethyl vinyl ether	LT	1.00 ug/L	Gen. Eng.
2,4-Dichlorophenoxyacetic acid	LT	0.30 ug/L	Gen. Eng.
Gross alpha	LT	2.00 pCi/L	Gen. Eng.
Nonvolatile beta	2.00+-	2.10 pCi/L	Gen. Eng.
Total radium	4.70+-	3.70 pCi/L	Gen. Eng.
Tritium	3.29+-	0.30 pCi/mL	Gen. Eng.

WELL LFW 35

SRS Grid N 85237.4 Latitude 33.288325 N
 Coordinates E 45378.8 Longitude 81.712883 W
 Screen Zone Elevation 164.4-143.4 ft msl
 Top of Casing Elevation 181.40 ft msl

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/15/91 Time 1000
 Depth to water = 22.42 ft (6.83 m) below the TOC
 Water elevation = 158.98 ft (48.46 m) msl
 pH = 4.8 Alkalinity = 0 mg/L
 Specific conductance = 22 umhos/cm
 Water temperature = 20.0 degrees Celsius
 Water evacuated from the well prior to sampling = 49 gal

LABORATORY ANALYSES

Specific conductance		25.00 umh/cm	Gen. Eng.
pH		5.15 pH	Gen. Eng.
Silver	LT	2.00 ug/L	Gen. Eng.
Aluminum	LT	20.00 ug/L	Gen. Eng.
Aldrin	LT	0.05 ug/L	Gen. Eng.
Arsenic	LT	2.00 ug/L	Gen. Eng.
Barium		5.26 ug/L	Gen. Eng.
beta-Benzene hexachloride	LT	0.05 ug/L	Gen. Eng.
Bromodichloromethane	LT	1.00 ug/L	Gen. Eng.
Calcium		332.00 ug/L	Gen. Eng.
Trichlorofluoromethane	LT	1.00 ug/L	Gen. Eng.
Carbon tetrachloride	LT	1.00 ug/L	Gen. Eng.
Cadmium	LT	2.00 ug/L	Gen. Eng.
Bromoform	LT	1.00 ug/L	Gen. Eng.
Chloroform	LT	1.00 ug/L	Gen. Eng.
Dichloromethane (Methylene chloride)		12.00 ug/L	Gen. Eng.
Bromomethane (Methyl bromide)	LT	1.00 ug/L	Gen. Eng.
Chloromethane (Methyl chloride)	LT	1.00 ug/L	Gen. Eng.
Chloride		2830.00 ug/L	Gen. Eng.
Chlorobenzene	LT	1.00 ug/L	Gen. Eng.
Chromium	LT	4.00 ug/L	Gen. Eng.
Copper	LT	4.00 ug/L	Gen. Eng.
Chloroethene (Vinyl chloride)	LT	1.00 ug/L	Gen. Eng.
Chloroethane	LT	1.00 ug/L	Gen. Eng.
Benzene	LT	1.00 ug/L	Gen. Eng.
Dibromochloromethane	LT	1.00 ug/L	Gen. Eng.
Endrin	LT	0.01 ug/L	Gen. Eng.
Endosulfan sulfate	LT	0.10 ug/L	Gen. Eng.
Ethylbenzene	LT	1.00 ug/L	Gen. Eng.
Fluoride	LT	100.00 ug/L	Gen. Eng.
Iron		11.20 ug/L	Gen. Eng.
Mercury	LT	0.20 ug/L	Gen. Eng.
Potassium	LT	500.00 ug/L	Gen. Eng.
Lindane	LT	0.00 ug/L	Gen. Eng.
Toluene	LT	1.00 ug/L	Gen. Eng.
Methoxychlor	LT	0.50 ug/L	Gen. Eng.
Magnesium		576.00 ug/L	Gen. Eng.

CONTINUED

WELL LFW 35 COLLECTED ON 08/15/91 LABORATORY ANALYSES CONTINUED

Manganese		2.78 ug/L	Gen. Eng.
Sodium		2550.00 ug/L	Gen. Eng.
Nickel	LT	4.00 ug/L	Gen. Eng.
Nitrate as nitrogen		1320.00 ug/L	Gen. Eng.
Lead	LT	3.00 ug/L	Gen. Eng.
Antimony	LT	2.00 ug/L	Gen. Eng.
Selenium	LT	2.00 ug/L	Gen. Eng.
Silica		6760.00 ug/L	Gen. Eng.
2,4,5-TP (Silvex)	LT	0.09 ug/L	Gen. Eng.
Sulfate	LT	1000.00 ug/L	Gen. Eng.
1,1,2,2-Tetrachloroethane	LT	1.00 ug/L	Gen. Eng.
Tetrachloroethylene	LT	1.00 ug/L	Gen. Eng.
Thallium	LT	2.00 ug/L	Gen. Eng.
Total organic carbon	LT	1000.00 ug/L	Gen. Eng.
Total organic nitrogen	LT	100.00 ug/L	Gen. Eng.
Total organic halogens		6.70 ug/L	Gen. Eng.
Total phosphates (as P)	LT	100.00 ug/L	Gen. Eng.
Trichloroethylene	LT	1.00 ug/L	Gen. Eng.
Toxaphene	LT	0.24 ug/L	Gen. Eng.
trans-1,2-Dichloroethylene	LT	1.00 ug/L	Gen. Eng.
trans-1,3-Dichloropropene	LT	1.00 ug/L	Gen. Eng.
Vanadium	LT	10.00 ug/L	Gen. Eng.
1,1-Dichloroethylene	LT	1.00 ug/L	Gen. Eng.
1,1-Dichloroethane	LT	1.00 ug/L	Gen. Eng.
1,1,1-Trichloroethane	LT	1.00 ug/L	Gen. Eng.
1,1,2-Trichloroethane	LT	1.00 ug/L	Gen. Eng.
1,2-Dichloroethane	LT	1.00 ug/L	Gen. Eng.
1,2-Dichloropropane	LT	1.00 ug/L	Gen. Eng.
cis-1,3-Dichloropropene	LT	1.00 ug/L	Gen. Eng.
2-Chloroethyl vinyl ether	LT	1.00 ug/L	Gen. Eng.
2,4-Dichlorophenoxyacetic acid	LT	0.30 ug/L	Gen. Eng.
Gross alpha	LT	2.00 pCi/L	Gen. Eng.
Nonvolatile beta	2.50+-	2.10 pCi/L	Gen. Eng.
Total radium	2.30+-	2.90 pCi/L	Gen. Eng.
Tritium	2.41+-	0.20 pCi/mL	Gen. Eng.
Tritium	1.97+-	0.20 pCi/mL	Gen. Eng.

WELL LFW 36

SRS Grid N 83535.5 Latitude 33.284894 N
 Coordinates E 45582.3 Longitude 81.709040 W
 Screen Zone Elevation 151.3-130.3 ft msl
 Top of Casing Elevation 168.30 ft msl

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/15/91 Time 1605
 Depth to water = 22.44 ft (6.84 m) below the TOC
 Water elevation = 145.86 ft (44.46 m) msl
 pH = 5.8 Alkalinity = 43 mg/L
 Specific conductance = 158 umhos/cm
 Water temperature = 20.9 degrees Celsius
 Water evacuated from the well prior to sampling = 61 gal

LABORATORY ANALYSES

Specific conductance		180.00 umh/cm	Gen. Eng.
Carbon 12-labeled 2,3,7,8-TCDD	LT	0.45 ng/L	Gen. Eng.
Carbon 12-labeled TCDF	LT	0.40 ng/L	Gen. Eng.
Heptachlorodibenzo-p-dioxin isomers	LT	0.65 ng/L	Gen. Eng.
Heptachlorodibenzo-p-furan isomers	LT	0.45 ng/L	Gen. Eng.
Hexachlorodibenzo-p-dioxin isomers	LT	0.45 ng/L	Gen. Eng.
Hexachlorodibenzo-p-furan isomers	LT	0.40 ng/L	Gen. Eng.
Octachlorodibenzo-p-dioxin isomers	LT	1.00 ng/L	Gen. Eng.
Octachlorodibenzo-p-furan isomers	LT	1.00 ng/L	Gen. Eng.
Pentachlorodibenzo-p-dioxin isomers	LT	0.55 ng/L	Gen. Eng.
Pentachlorodibenzo-p-furan isomers	LT	0.55 ng/L	Gen. Eng.
pH		6.25 pH	Gen. Eng.
Tetrachlorodibenzo-p-dioxin isomers	LT	0.45 ng/L	Gen. Eng.
Tetrachlorodibenzo-p-furan isomers	LT	0.40 ng/L	Gen. Eng.
1,2,3,4,6,7,8-HPCDD	LT	0.65 ng/L	Gen. Eng.
1,2,3,4,6,7,8-HIIPCDF	LT	0.45 ng/L	Gen. Eng.
1,2,3,4,7,8-Hexachlorodibenzo-p-dioxin	LT	0.45 ng/L	Gen. Eng.
1,2,3,4,7,8-Hexachlorodibenzo-p-furan	LT	0.40 ng/L	Gen. Eng.
1,2,3,7,8-Pentachlorodibenzo-p-dioxin	LT	0.55 ng/L	Gen. Eng.
1,2,3,7,8-Pentachlorodibenzo-p-furan	LT	0.55 ng/L	Gen. Eng.
a,a-Dimethylphenethylamine	LT	10.00 ug/L	Gen. Eng.
alpha-Benzene hexachloride	LT	0.05 ug/L	Gen. Eng.
Acetone		10.00 ug/L	Gen. Eng.
Acetophenone	LT	10.00 ug/L	Gen. Eng.
Acrolein	LT	20.00 ug/L	Gen. Eng.
Acrylonitrile	LT	20.00 ug/L	Gen. Eng.
Silver	LT	2.00 ug/L	Gen. Eng.
Aluminum	LT	20.00 ug/L	Gen. Eng.
Aldrin	LT	0.05 ug/L	Gen. Eng.
Acenaphthene	LT	10.00 ug/L	Gen. Eng.
Acenaphthylene	LT	10.00 ug/L	Gen. Eng.
Aniline	LT	10.00 ug/L	Gen. Eng.
Anthracene	LT	10.00 ug/L	Gen. Eng.
Aramite	LT	10.00 ug/L	Gen. Eng.
Arsenic	LT	2.00 ug/L	Gen. Eng.
Allyl chloride	LT	50.00 ug/L	Gen. Eng.
Barium		16.40 ug/L	Gen. Eng.

CONTINUED

WELL LFW 36 COLLECTED ON 08/15/91 LABORATORY ANALYSES CONTINUED

Benzo(a)anthracene	LT	10.00 ug/L	Gen. Eng.
Benzo(a)pyrene	LT	10.00 ug/L	Gen. Eng.
Benzo(b)fluoranthene	LT	10.00 ug/L	Gen. Eng.
beta-Benzene hexachloride	LT	0.05 ug/L	Gen. Eng.
Butylbenzyl phthalate	LT	10.00 ug/L	Gen. Eng.
Bis(chloromethyl-ethyl)ether	LT	10.00 ug/L	Gen. Eng.
Beryllium	LT	5.00 ug/L	Gen. Eng.
Benzo(g,h,i)perylene	LT	10.00 ug/L	Gen. Eng.
Benzo(k)fluoranthene	LT	10.00 ug/L	Gen. Eng.
Bromodichloromethane	LT	1.00 ug/L	Gen. Eng.
Benzyl alcohol	LT	10.00 ug/L	Gen. Eng.
Bis(2-chloroethoxy) methane	LT	10.00 ug/L	Gen. Eng.
Bis(2-chloroethyl) ether	LT	10.00 ug/L	Gen. Eng.
Bis(2-ethylhexyl) phthalate	LT	10.00 ug/L	Gen. Eng.
Calcium		4150.00 ug/L	Gen. Eng.
Dichlorodifluoromethane	LT	1.00 ug/L	Gen. Eng.
Trichlorofluoromethane		260.00 ug/L	Gen. Eng.
Carbon tetrachloride	LT	1.00 ug/L	Gen. Eng.
Cadmium	LT	2.00 ug/L	Gen. Eng.
Bromoform	LT	1.00 ug/L	Gen. Eng.
Chloroform	LT	1.00 ug/L	Gen. Eng.
Chrysene	LT	10.00 ug/L	Gen. Eng.
Dibromomethane (Methylene bromide)	LT	1.00 ug/L	Gen. Eng.
Dichloromethane (Methylene chloride)		4.00 ug/L	Gen. Eng.
Bromomethane (Methyl bromide)	LT	1.00 ug/L	Gen. Eng.
Chloromethane (Methyl chloride)	LT	1.00 ug/L	Gen. Eng.
Acetonitrile (Methyl cyanide)	LT	1.00 ug/L	Gen. Eng.
Chloride		20400.00 ug/L	Gen. Eng.
Chlorobenzilate	LT	10.00 ug/L	Gen. Eng.
Chlorobenzene		2.00 ug/L	Gen. Eng.
Chlordane	LT	0.50 ug/L	Gen. Eng.
Chloroprene	LT	200.00 ug/L	Gen. Eng.
Pentachlorobenzene	LT	10.00 ug/L	Gen. Eng.
Pentachloroethane	LT	10.00 ug/L	Gen. Eng.
Pentachloronitrobenzene	LT	10.00 ug/L	Gen. Eng.
Hexachlorobenzene	LT	10.00 ug/L	Gen. Eng.
Hexachlorocyclopentadiene	LT	10.00 ug/L	Gen. Eng.
Hexachloroethane	LT	10.00 ug/L	Gen. Eng.
Cobalt	LT	4.00 ug/L	Gen. Eng.
Chromium	LT	4.00 ug/L	Gen. Eng.
Carbon disulfide	LT	1.00 ug/L	Gen. Eng.
Copper	LT	4.00 ug/L	Gen. Eng.
Cyanide	LT	5.00 ug/L	Gen. Eng.
Chloroethene (Vinyl chloride)	LT	1.00 ug/L	Gen. Eng.
Chloroethane	LT	1.00 ug/L	Gen. Eng.
Benzene		3.00 ug/L	Gen. Eng.
Dibenz(a,h)anthracene	LT	10.00 ug/L	Gen. Eng.
delta-Benzene hexachloride	LT	0.05 ug/L	Gen. Eng.
Dibromochloromethane	LT	1.00 ug/L	Gen. Eng.
Diethyl phthalate	LT	10.00 ug/L	Gen. Eng.
Diallylate	LT	10.00 ug/L	Gen. Eng.
Dibenzofuran	LT	10.00 ug/L	Gen. Eng.
Dimethoate	LT	10.00 ug/L	Gen. Eng.
Disulfoton	LT	10.00 ug/L	Gen. Eng.

CONTINUED

WELL LFW 36 COLLECTED ON 08/15/91 LABORATORY ANALYSES CONTINUED

Dieldrin	LT	0.50 ug/L	Gen. Eng.
Dimethyl phthalate	LT	10.00 ug/L	Gen. Eng.
Di-n-butyl phthalate	LT	10.00 ug/L	Gen. Eng.
Di-n-octyl phthalate	LT	10.00 ug/L	Gen. Eng.
Diphenylamine	LT	10.00 ug/L	Gen. Eng.
Ethyl methanesulfonate	LT	10.00 ug/L	Gen. Eng.
Endrin aldehyde	LT	0.10 ug/L	Gen. Eng.
Endrin	LT	0.01 ug/L	Gen. Eng.
Endosulfan I	LT	0.10 ug/L	Gen. Eng.
Endosulfan II	LT	0.10 ug/L	Gen. Eng.
Endosulfan sulfate	LT	0.10 ug/L	Gen. Eng.
Ethylbenzene		1.00 ug/L	Gen. Eng.
Ethyl methacrylate	LT	10.00 ug/L	Gen. Eng.
Fluoride	LT	100.00 ug/L	Gen. Eng.
Fluoride	LT	100.00 ug/L	Gen. Eng.
Famphur	LT	10.00 ug/L	Gen. Eng.
Fluoranthene	LT	10.00 ug/L	Gen. Eng.
Iron		1100.00 ug/L	Gen. Eng.
Fluorene	LT	10.00 ug/L	Gen. Eng.
Hexachlorobutadiene	LT	10.00 ug/L	Gen. Eng.
Hexachlorophene	LT	10.00 ug/L	Gen. Eng.
Hexachloropropene	LT	10.00 ug/L	Gen. Eng.
Mercury	LT	0.20 ug/L	Gen. Eng.
Heptachlor	LT	0.05 ug/L	Gen. Eng.
Heptachlor epoxide	LT	0.05 ug/L	Gen. Eng.
Indeno(1,2,3-c,d)pyrene	LT	10.00 ug/L	Gen. Eng.
Iodomethane (Methyl iodide)	LT	15.00 ug/L	Gen. Eng.
Isosafrole	LT	10.00 ug/L	Gen. Eng.
Isobutyl alcohol	LT	100.00 ug/L	Gen. Eng.
Isodrin	LT	10.00 ug/L	Gen. Eng.
Isophorone	LT	10.00 ug/L	Gen. Eng.
Potassium		692.00 ug/L	Gen. Eng.
Kepone	LT	10.00 ug/L	Gen. Eng.
Lindane	LT	0.00 ug/L	Gen. Eng.
Methacrylonitrile	LT	50.00 ug/L	Gen. Eng.
Toluene	LT	1.00 ug/L	Gen. Eng.
Methyl ethyl ketone	LT	1.00 ug/L	Gen. Eng.
Methyl methacrylate	LT	10.00 ug/L	Gen. Eng.
Methyl methanesulfonate	LT	10.00 ug/L	Gen. Eng.
Methoxychlor	LT	0.50 ug/L	Gen. Eng.
Magnesium		8310.00 ug/L	Gen. Eng.
Methyl isobutyl ketone	LT	1.00 ug/L	Gen. Eng.
Manganese		12.10 ug/L	Gen. Eng.
Methapyrilene	LT	10.00 ug/L	Gen. Eng.
Sodium		17100.00 ug/L	Gen. Eng.
Naphthalene	LT	10.00 ug/L	Gen. Eng.
Nitrobenzene	LT	10.00 ug/L	Gen. Eng.
N-Nitrosodimethylamine	LT	10.00 ug/L	Gen. Eng.
N-Nitrosodi-n-butylamine	LT	10.00 ug/L	Gen. Eng.
N-Nitrosodi-propylamine	LT	10.00 ug/L	Gen. Eng.
N-Nitrosodiethylamine	LT	10.00 ug/L	Gen. Eng.
N-Nitrosomethylethylamine	LT	10.00 ug/L	Gen. Eng.
Nickel	LT	4.00 ug/L	Gen. Eng.
N-Nitrosomorpholine	LT	10.00 ug/L	Gen. Eng.

CONTINUED

WELL LFW 36 COLLECTED ON 08/15/91 LABORATORY ANALYSES CONTINUED

N-Nitrosodiphenylamine	LT	10.00 ug/L	Gen. Eng.
N-Nitrosopiperidine	LT	10.00 ug/L	Gen. Eng.
N-Nitrosopyrrolidine	LT	10.00 ug/L	Gen. Eng.
Nitrate as nitrogen	LT	50.00 ug/L	Gen. Eng.
4-Nitroquinoline-1-oxide	LT	10.00 ug/L	Gen. Eng.
5-Nitro-o-toluidine	LT	10.00 ug/L	Gen. Eng.
o-Toluidine	LT	10.00 ug/L	Gen. Eng.
Lead	LT	3.00 ug/L	Gen. Eng.
PCB 1016	LT	0.50 ug/L	Gen. Eng.
PCB 1221	LT	0.50 ug/L	Gen. Eng.
PCB 1232	LT	0.50 ug/L	Gen. Eng.
PCB 1242	LT	0.50 ug/L	Gen. Eng.
PCB 1248	LT	0.50 ug/L	Gen. Eng.
PCB 1254	LT	1.00 ug/L	Gen. Eng.
PCB 1260	LT	1.00 ug/L	Gen. Eng.
Pentachlorophenol	LT	10.00 ug/L	Gen. Eng.
p-Phenylenediamine	LT	10.00 ug/L	Gen. Eng.
p-Dimethylaminoazobenzene	LT	10.00 ug/L	Gen. Eng.
Phenacetin	LT	10.00 ug/L	Gen. Eng.
Phenanthrene	LT	10.00 ug/L	Gen. Eng.
Phenol	LT	10.00 ug/L	Gen. Eng.
Phorate	LT	0.10 ug/L	Gen. Eng.
p,p'-DDD	LT	0.10 ug/L	Gen. Eng.
p,p'-DDE	LT	0.10 ug/L	Gen. Eng.
p,p'-DDT	LT	0.10 ug/L	Gen. Eng.
Pronamid	LT	10.00 ug/L	Gen. Eng.
Propionitrile	LT	200.00 ug/L	Gen. Eng.
Parathion	LT	0.05 ug/L	Gen. Eng.
Parathion methyl	LT	0.05 ug/L	Gen. Eng.
Pyrene	LT	10.00 ug/L	Gen. Eng.
Pyridine	LT	10.00 ug/L	Gen. Eng.
Safrole	LT	10.00 ug/L	Gen. Eng.
Antimony	LT	2.00 ug/L	Gen. Eng.
2-sec-Butyl-4,6-dinitrophenol	LT	10.00 ug/L	Gen. Eng.
Selenium	LT	2.00 ug/L	Gen. Eng.
Silica		8130.00 ug/L	Gen. Eng.
2,4,5-TP (Silvex)	LT	0.09 ug/L	Gen. Eng.
Tin	LT	2.00 ug/L	Gen. Eng.
Sulfate		2670.00 ug/L	Gen. Eng.
Sulfotepp	LT	10.00 ug/L	Gen. Eng.
Styrene	LT	1.00 ug/L	Gen. Eng.
Sulfide	LT	1000.00 ug/L	Gen. Eng.
1,2,4,5-Tetrachlorobenzene	LT	10.00 ug/L	Gen. Eng.
1,1,2,2-Tetrachloroethane	LT	1.00 ug/L	Gen. Eng.
1,1,1,2-Tetrachloroethane	LT	1.00 ug/L	Gen. Eng.
Tetrachloroethylene		1.40 ug/L	Gen. Eng.
O,O,O-Triethyl phosphorothioate	LT	10.00 ug/L	Gen. Eng.
Thionazin	LT	10.00 ug/L	Gen. Eng.
Thallium	LT	2.00 ug/L	Gen. Eng.
Total organic carbon		16000.00 ug/L	Gen. Eng.
Total organic nitrogen	LT	100.00 ug/L	Gen. Eng.
Total organic halogens		343.00 ug/L	Gen. Eng.
Total phosphates (as P)	LT	100.00 ug/L	Gen. Eng.
Trichloroethylene		1.30 ug/L	Gen. Eng.

CONTINUED

WELL LFW 36 COLLECTED ON 08/15/91 LABORATORY ANALYSES CONTINUED

Toxaphene	LT	0.24 ug/L	Gen. Eng.
trans-1,2-Dichloroethylene	LT	1.00 ug/L	Gen. Eng.
trans-1,3-Dichloropropene	LT	1.00 ug/L	Gen. Eng.
trans-1,4-Dichloro-2-butene	LT	30.00 ug/L	Gen. Eng.
Vanadium	LT	10.00 ug/L	Gen. Eng.
Vinyl acetate	LT	1.00 ug/L	Gen. Eng.
Xylenes	LT	1.00 ug/L	Gen. Eng.
1-Naphthylamine	LT	10.00 ug/L	Gen. Eng.
1,1-Dichloroethylene	LT	1.00 ug/L	Gen. Eng.
1,1-Dichloroethane		46.00 ug/L	Gen. Eng.
1,1,1-Trichloroethane		11.00 ug/L	Gen. Eng.
1,1,2-Trichloroethane	LT	1.00 ug/L	Gen. Eng.
1,2-Dibromoethane	LT	20.00 ug/L	Gen. Eng.
1,2-Dibromo-3-chloropropane	LT	1.00 ug/L	Gen. Eng.
1,2-Dichlorobenzene	LT	10.00 ug/L	Gen. Eng.
1,2-Dichloroethane		3.00 ug/L	Gen. Eng.
1,2-Dichloropropane	LT	1.00 ug/L	Gen. Eng.
1,2,3-Trichloropropane	LT	20.00 ug/L	Gen. Eng.
1,2,4-Trichlorobenzene	LT	10.00 ug/L	Gen. Eng.
1,3-Dichlorobenzene	LT	10.00 ug/L	Gen. Eng.
cis-1,3-Dichloropropene	LT	1.00 ug/L	Gen. Eng.
1,3-Dinitrobenzene	LT	10.00 ug/L	Gen. Eng.
1,3,5-Trinitrobenzene	LT	10.00 ug/L	Gen. Eng.
1,4-Dichlorobenzene	LT	10.00 ug/L	Gen. Eng.
1,4-Dioxane	LT	10.00 ug/L	Gen. Eng.
1,4-Naphthoquinone	LT	10.00 ug/L	Gen. Eng.
2-Acetylaminofluorene	LT	10.00 ug/L	Gen. Eng.
2-Chloroethyl vinyl ether	LT	10.00 ug/L	Gen. Eng.
2-Chlorophenol	LT	10.00 ug/L	Gen. Eng.
2-Chloronaphthalene	LT	10.00 ug/L	Gen. Eng.
2-Hexanone	LT	1.00 ug/L	Gen. Eng.
2-Methylnaphthalene	LT	10.00 ug/L	Gen. Eng.
o-Cresol (2-Methylphenol)	LT	10.00 ug/L	Gen. Eng.
2-Nitroaniline	LT	10.00 ug/L	Gen. Eng.
2-Naphthylamine	LT	10.00 ug/L	Gen. Eng.
2-Nitrophenol	LT	10.00 ug/L	Gen. Eng.
2-Picoline	LT	10.00 ug/L	Gen. Eng.
2,3,4,6-Tetrachlorophenol	LT	10.00 ug/L	Gen. Eng.
2,4-Dichlorophenoxyacetic acid	LT	0.30 ug/L	Gen. Eng.
2,4-Dichlorophenol	LT	10.00 ug/L	Gen. Eng.
2,4-Dimethyl phenol	LT	10.00 ug/L	Gen. Eng.
2,4-Dinitrophenol	LT	45.00 ug/L	Gen. Eng.
2,4-Dinitrotoluene	LT	10.00 ug/L	Gen. Eng.
2,4,5-Trichlorophenoxyacetic acid	LT	0.09 ug/L	Gen. Eng.
2,4,5-Trichlorophenol	LT	10.00 ug/L	Gen. Eng.
2,4,6-Trichlorophenol	LT	10.00 ug/L	Gen. Eng.
2,6-Dichlorophenol	LT	10.00 ug/L	Gen. Eng.
2,6-Dinitrotoluene	LT	10.00 ug/L	Gen. Eng.
3-Methylcholanthrene	LT	10.00 ug/L	Gen. Eng.
m-Cresol (3-Methylphenol)	LT	10.00 ug/L	Gen. Eng.
3-Nitroaniline	LT	10.00 ug/L	Gen. Eng.
3,3'-Dichlorobenzidine	LT	20.00 ug/L	Gen. Eng.
3,3'-Dimethylbenzidine	LT	10.00 ug/L	Gen. Eng.
4-Aminobiphenyl	LT	10.00 ug/L	Gen. Eng.

CONTINUED

WELL LFW 36 COLLECTED ON 08/15/91 LABORATORY ANALYSES CONTINUED

4-Bromophenyl phenyl ether	LT	10.00 ug/L	Gen. Eng.
4-Chloroaniline	LT	10.00 ug/L	Gen. Eng.
4-Chlorophenyl phenyl ether	LT	10.00 ug/L	Gen. Eng.
para-Chloro-meta-cresol	LT	10.00 ug/L	Gen. Eng.
p-Cresol (4-Methylphenol)	LT	10.00 ug/L	Gen. Eng.
4-Nitroaniline	LT	10.00 ug/L	Gen. Eng.
4-Nitrophenol	LT	10.00 ug/L	Gen. Eng.
2-Methyl-4,6-dinitrophenol	LT	50.00 ug/L	Gen. Eng.
7,12-Dimethylbenz(a)anthracene	LT	10.00 ug/L	Gen. Eng.
Zinc		3.69 ug/L	Gen. Eng.
Gross alpha	LT	2.00 pCi/L	Gen. Eng.
Nonvolatile beta	2.40+-	2.00 pCi/L	Gen. Eng.
Total radium	3.40+-	3.40 pCi/L	Gen. Eng.
Tritium	10.30+-	0.50 pCi/mL	Gen. Eng.

WELL LFW 37

SRS Grid N 83113.2 Latitude 33.284100 N
 Coordinates E 45667.7 Longitude 81.707994 W
 Screen Zone Elevation 150.8-129.8 ft msl
 Top of Casing Elevation 167.80 ft msl

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/15/91 Time 1530
 Depth to water = 25.15 ft (7.67 m) below the TOC
 Water elevation = 142.65 ft (43.48 m) msl
 pH = 5.2 Alkalinity = 0 mg/L
 Specific conductance = 98 umhos/cm
 Water temperature = 19.3 degrees Celsius
 Water evacuated from the well prior to sampling = 62 gal

LABORATORY ANALYSES

Specific conductance		95.00 umh/cm	Gen. Eng.
Carbon 12-labeled 2,3,7,8-TCDD	LT	0.45 ng/L	Gen. Eng.
Carbon 12-labeled TCDF	LT	0.40 ng/L	Gen. Eng.
Heptachlorodibenzo-p-dioxin isomers	LT	0.65 ng/L	Gen. Eng.
Heptachlorodibenzo-p-furan isomers	LT	0.45 ng/L	Gen. Eng.
Hexachlorodibenzo-p-dioxin isomers	LT	0.45 ng/L	Gen. Eng.
Hexachlorodibenzo-p-furan isomers	LT	0.40 ng/L	Gen. Eng.
Octachlorodibenzo-p-dioxin isomers	LT	1.00 ng/L	Gen. Eng.
Octachlorodibenzo-p-furan isomers	LT	1.00 ng/L	Gen. Eng.
Pentachlorodibenzo-p-dioxin isomers	LT	0.55 ng/L	Gen. Eng.
Pentachlorodibenzo-p-furan isomers	LT	0.55 ng/L	Gen. Eng.
pH		5.47 pH	Gen. Eng.
Tetrachlorodibenzo-p-dioxin isomers	LT	0.45 ng/L	Gen. Eng.
Tetrachlorodibenzo-p-furan isomers	LT	0.40 ng/L	Gen. Eng.
1,2,3,4,6,7,8-HPCDD	LT	0.65 ng/L	Gen. Eng.
1,2,3,4,6,7,8-HHPCDF	LT	0.45 ng/L	Gen. Eng.
1,2,3,4,7,8-Hexachlorodibenzo-p-dioxin	LT	0.45 ng/L	Gen. Eng.
1,2,3,4,7,8-Hexachlorodibenzo-p-furan	LT	0.40 ng/L	Gen. Eng.

CONTINUED

WELL LFW 37 COLLECTED ON 08/15/91 LABORATORY ANALYSES CONTINUED

1,2,3,7,8-Pentachlorodibenzo-p-dioxin	LT	0.55 ng/L	Gen. Eng.
1,2,3,7,8-Pentachlorodibenzo-p-furan	LT	0.55 ng/L	Gen. Eng.
a,a-Dimethylphenethylamine	LT	10.00 ug/L	Gen. Eng.
alpha-Benzene hexachloride	LT	0.05 ug/L	Gen. Eng.
Acetone		11.00 ug/L	Gen. Eng.
Acetophenone	LT	10.00 ug/L	Gen. Eng.
Acrolein	LT	20.00 ug/L	Gen. Eng.
Acrylonitrile	LT	20.00 ug/L	Gen. Eng.
Silver	LT	2.00 ug/L	Gen. Eng.
Aluminum	LT	20.00 ug/L	Gen. Eng.
Aldrin	LT	0.05 ug/L	Gen. Eng.
Acenaphthene	LT	10.00 ug/L	Gen. Eng.
Acenaphthylene	LT	10.00 ug/L	Gen. Eng.
Aniline	LT	10.00 ug/L	Gen. Eng.
Anthracene	LT	10.00 ug/L	Gen. Eng.
Aramite	LT	10.00 ug/L	Gen. Eng.
Arsenic	LT	2.00 ug/L	Gen. Eng.
Allyl chloride	LT	50.00 ug/L	Gen. Eng.
Barium		6.05 ug/L	Gen. Eng.
Benzo(a)anthracene	LT	10.00 ug/L	Gen. Eng.
Benzo(a)pyrene	LT	10.00 ug/L	Gen. Eng.
Benzo(b)fluoranthene	LT	10.00 ug/L	Gen. Eng.
beta-Benzene hexachloride	LT	0.05 ug/L	Gen. Eng.
Butylbenzyl phthalate	LT	10.00 ug/L	Gen. Eng.
Bis(chloromethyl-ethyl)ether	LT	10.00 ug/L	Gen. Eng.
Beryllium	LT	5.00 ug/L	Gen. Eng.
Benzo(g,h,i)perylene	LT	10.00 ug/L	Gen. Eng.
Benzo(k)fluoranthene	LT	10.00 ug/L	Gen. Eng.
Bromodichloromethane	LT	1.00 ug/L	Gen. Eng.
Benzyl alcohol	LT	10.00 ug/L	Gen. Eng.
Bis(2-chloroethoxy) methane	LT	10.00 ug/L	Gen. Eng.
Bis(2-chloroethyl) ether	LT	10.00 ug/L	Gen. Eng.
Bis(2-ethylhexyl) phthalate	LT	10.00 ug/L	Gen. Eng.
Calcium		1510.00 ug/L	Gen. Eng.
Dichlorodifluoromethane	LT	1.00 ug/L	Gen. Eng.
Trichlorofluoromethane		87.00 ug/L	Gen. Eng.
Carbon tetrachloride	LT	1.00 ug/L	Gen. Eng.
Cadmium	LT	2.00 ug/L	Gen. Eng.
Bromoform	LT	1.00 ug/L	Gen. Eng.
Chloroform	LT	1.00 ug/L	Gen. Eng.
Chrysene	LT	10.00 ug/L	Gen. Eng.
Dibromomethane (Methylene bromide)	LT	1.00 ug/L	Gen. Eng.
Dichloromethane (Methylene chloride)		37.00 ug/L	Gen. Eng.
Bromomethane (Methyl bromide)	LT	1.00 ug/L	Gen. Eng.
Chloromethane (Methyl chloride)	LT	1.00 ug/L	Gen. Eng.
Acetonitrile (Methyl cyanide)	LT	1.00 ug/L	Gen. Eng.
Chloride		20600.00 ug/L	Gen. Eng.
Chlorobenzilate	LT	10.00 ug/L	Gen. Eng.
Chlorobenzene	LT	1.00 ug/L	Gen. Eng.
Chlordane	LT	0.50 ug/L	Gen. Eng.
Chloroprene	LT	200.00 ug/L	Gen. Eng.
Pentachlorobenzene	LT	10.00 ug/L	Gen. Eng.
Pentachloroethane	LT	10.00 ug/L	Gen. Eng.
Pentachloronitrobenzene	LT	10.00 ug/L	Gen. Eng.

CONTINUED

WELL LFW 37 COLLECTED ON 08/15/91 LABORATORY ANALYSES CONTINUED

Hexachlorobenzene	LT	10.00 ug/L	Gen. Eng.
Hexachlorocyclopentadiene	LT	10.00 ug/L	Gen. Eng.
Hexachloroethane	LT	10.00 ug/L	Gen. Eng.
Cobalt	LT	4.00 ug/L	Gen. Eng.
Chromium	LT	4.00 ug/L	Gen. Eng.
Carbon disulfide	LT	1.00 ug/L	Gen. Eng.
Copper	LT	4.00 ug/L	Gen. Eng.
Cyanide	LT	5.00 ug/L	Gen. Eng.
Chloroethene (Vinyl chloride)	LT	1.00 ug/L	Gen. Eng.
Chloroethane	LT	1.00 ug/L	Gen. Eng.
Benzene		2.00 ug/L	Gen. Eng.
Dibenz(a,h)anthracene	LT	10.00 ug/L	Gen. Eng.
delta-Benzene hexachloride	LT	0.05 ug/L	Gen. Eng.
Dibromochloromethane	LT	1.00 ug/L	Gen. Eng.
Diethyl phthalate	LT	10.00 ug/L	Gen. Eng.
Diallate	LT	10.00 ug/L	Gen. Eng.
Dibenzofuran	LT	10.00 ug/L	Gen. Eng.
Dimethoate	LT	10.00 ug/L	Gen. Eng.
Disulfoton	LT	10.00 ug/L	Gen. Eng.
Dieldrin	LT	0.50 ug/L	Gen. Eng.
Dimethyl phthalate	LT	10.00 ug/L	Gen. Eng.
Di-n-butyl phthalate	LT	10.00 ug/L	Gen. Eng.
Di-n-octyl phthalate	LT	10.00 ug/L	Gen. Eng.
Diphenylamine	LT	10.00 ug/L	Gen. Eng.
Ethyl methanesulfonate	LT	10.00 ug/L	Gen. Eng.
Endrin aldehyde	LT	0.10 ug/L	Gen. Eng.
Endrin	LT	0.01 ug/L	Gen. Eng.
Endosulfan I	LT	0.10 ug/L	Gen. Eng.
Endosulfan II	LT	0.10 ug/L	Gen. Eng.
Endosulfan sulfate	LT	0.10 ug/L	Gen. Eng.
Ethylbenzene		1.00 ug/L	Gen. Eng.
Ethyl methacrylate	LT	10.00 ug/L	Gen. Eng.
Fluoride	LT	100.00 ug/L	Gen. Eng.
Fluoride	LT	100.00 ug/L	Gen. Eng.
Famphur	LT	10.00 ug/L	Gen. Eng.
Fluoranthene	LT	10.00 ug/L	Gen. Eng.
Iron		18.00 ug/L	Gen. Eng.
Fluorene	LT	10.00 ug/L	Gen. Eng.
Hexachlorobutadiene	LT	10.00 ug/L	Gen. Eng.
Hexachlorophene	LT	10.00 ug/L	Gen. Eng.
Hexachloropropene	LT	10.00 ug/L	Gen. Eng.
Mercury	LT	0.20 ug/L	Gen. Eng.
Heptachlor	LT	0.05 ug/L	Gen. Eng.
Heptachlor epoxide	LT	0.05 ug/L	Gen. Eng.
Indeno(1,2,3-c,d)pyrene	LT	10.00 ug/L	Gen. Eng.
Iodomethane (Methyl iodide)	LT	15.00 ug/L	Gen. Eng.
Isosafrole	LT	10.00 ug/L	Gen. Eng.
Isobutyl alcohol	LT	100.00 ug/L	Gen. Eng.
Isodrin	LT	10.00 ug/L	Gen. Eng.
Isophorone	LT	10.00 ug/L	Gen. Eng.
Potassium	LT	500.00 ug/L	Gen. Eng.
Kepone	LT	10.00 ug/L	Gen. Eng.
Lindane	LT	0.00 ug/L	Gen. Eng.
Methacrylonitrile	LT	50.00 ug/L	Gen. Eng.

CONTINUED

WELL LFW 37 COLLECTED ON 08/15/91 LABORATORY ANALYSES CONTINUED

Toluene	LT	1.00 ug/L	Gen. Eng.
Methyl ethyl ketone	LT	1.00 ug/L	Gen. Eng.
Methyl methacrylate	LT	10.00 ug/L	Gen. Eng.
Methyl methanesulfonate	LT	10.00 ug/L	Gen. Eng.
Methoxychlor	LT	0.50 ug/L	Gen. Eng.
Magnesium		2410.00 ug/L	Gen. Eng.
Methyl isobutyl ketone	LT	1.00 ug/L	Gen. Eng.
Manganese		2.85 ug/L	Gen. Eng.
Methapyrilene	LT	10.00 ug/L	Gen. Eng.
Sodium		11800.00 ug/L	Gen. Eng.
Naphthalene	LT	10.00 ug/L	Gen. Eng.
Nitrobenzene	LT	10.00 ug/L	Gen. Eng.
N-Nitrosodimethylamine	LT	10.00 ug/L	Gen. Eng.
N-Nitrosodi-n-butylamine	LT	10.00 ug/L	Gen. Eng.
N-Nitrosodi-propylamine	LT	10.00 ug/L	Gen. Eng.
N-Nitrosodiethylamine	LT	10.00 ug/L	Gen. Eng.
N-Nitrosomethylethylamine	LT	10.00 ug/L	Gen. Eng.
Nickel	LT	4.00 ug/L	Gen. Eng.
N-Nitrosomorpholine	LT	10.00 ug/L	Gen. Eng.
N-Nitrosodiphenylamine	LT	10.00 ug/L	Gen. Eng.
N-Nitrosopiperidine	LT	10.00 ug/L	Gen. Eng.
N-Nitrosopyrrolidine	LT	10.00 ug/L	Gen. Eng.
Nitrate as nitrogen		66.00 ug/L	Gen. Eng.
4-Nitroquinoline-1-oxide	LT	10.00 ug/L	Gen. Eng.
5-Nitro-o-toluidine	LT	10.00 ug/L	Gen. Eng.
o-Toluidine	LT	10.00 ug/L	Gen. Eng.
Lead	LT	3.00 ug/L	Gen. Eng.
PCB 1016	LT	0.50 ug/L	Gen. Eng.
PCB 1221	LT	0.50 ug/L	Gen. Eng.
PCB 1232	LT	0.50 ug/L	Gen. Eng.
PCB 1242	LT	0.50 ug/L	Gen. Eng.
PCB 1248	LT	0.50 ug/L	Gen. Eng.
PCB 1254	LT	1.00 ug/L	Gen. Eng.
PCB 1260	LT	1.00 ug/L	Gen. Eng.
Pentachlorophenol	LT	10.00 ug/L	Gen. Eng.
p-Phenylenediamine	LT	10.00 ug/L	Gen. Eng.
p-Dimethylaminoazobenzene	LT	10.00 ug/L	Gen. Eng.
Phenacetin	LT	10.00 ug/L	Gen. Eng.
Phenanthrene	LT	10.00 ug/L	Gen. Eng.
Phenol	LT	10.00 ug/L	Gen. Eng.
Phorate	LT	0.10 ug/L	Gen. Eng.
p,p'-DDD	LT	0.10 ug/L	Gen. Eng.
p,p'-DDE	LT	0.10 ug/L	Gen. Eng.
p,p'-DDT	LT	0.10 ug/L	Gen. Eng.
Pronamid	LT	10.00 ug/L	Gen. Eng.
Propionitrile	LT	200.00 ug/L	Gen. Eng.
Parathion	LT	0.05 ug/L	Gen. Eng.
Parathion methyl	LT	0.05 ug/L	Gen. Eng.
Pyrene	LT	10.00 ug/L	Gen. Eng.
Pyridine	LT	10.00 ug/L	Gen. Eng.
Safrole	LT	10.00 ug/L	Gen. Eng.
Antimony	LT	2.00 ug/L	Gen. Eng.
2-sec-Butyl-4,6-dinitrophenol	LT	10.00 ug/L	Gen. Eng.
Selenium	LT	2.00 ug/L	Gen. Eng.

CONTINUED

WELL LFW 37 COLLECTED ON 08/15/91 LABORATORY ANALYSES CONTINUED

Silica		10600.00 ug/L	Gen. Eng.
2,4,5-TP (Silvex)	LT	0.09 ug/L	Gen. Eng.
Tin	LT	2.00 ug/L	Gen. Eng.
Sulfate		1470.00 ug/L	Gen. Eng.
Sulfotep	LT	10.00 ug/L	Gen. Eng.
Styrene	LT	1.00 ug/L	Gen. Eng.
Sulfide	LT	1000.00 ug/L	Gen. Eng.
1,2,4,5-Tetrachlorobenzene	LT	10.00 ug/L	Gen. Eng.
1,1,2,2-Tetrachloroethane	LT	1.00 ug/L	Gen. Eng.
1,1,1,2-Tetrachloroethane	LT	1.00 ug/L	Gen. Eng.
Tetrachloroethylene		1.00 ug/L	Gen. Eng.
0,0,0-Triethyl phosphorothioate	LT	10.00 ug/L	Gen. Eng.
Thionazin	LT	10.00 ug/L	Gen. Eng.
Thallium	LT	2.00 ug/L	Gen. Eng.
Total organic carbon		3000.00 ug/L	Gen. Eng.
Total organic nitrogen	LT	100.00 ug/L	Gen. Eng.
Total organic halogens		406.00 ug/L	Gen. Eng.
Total phosphates (as P)	LT	100.00 ug/L	Gen. Eng.
* Trichloroethylene		6.00 ug/L	Gen. Eng.
Toxaphene	LT	0.24 ug/L	Gen. Eng.
trans-1,2-Dichloroethylene	LT	1.00 ug/L	Gen. Eng.
trans-1,3-Dichloropropene	LT	1.00 ug/L	Gen. Eng.
trans-1,4-Dichloro-2-butene	LT	30.00 ug/L	Gen. Eng.
Vanadium	LT	10.00 ug/L	Gen. Eng.
Vinyl acetate	LT	1.00 ug/L	Gen. Eng.
Xylenes	LT	1.00 ug/L	Gen. Eng.
1-Naphthylamine	LT	10.00 ug/L	Gen. Eng.
1,1-Dichloroethylene	LT	1.00 ug/L	Gen. Eng.
1,1-Dichloroethane		67.00 ug/L	Gen. Eng.
1,1,1-Trichloroethane		8.00 ug/L	Gen. Eng.
1,1,2-Trichloroethane	LT	1.00 ug/L	Gen. Eng.
1,2-Dibromoethane	LT	20.00 ug/L	Gen. Eng.
1,2-Dibromo-3-chloropropane	LT	1.00 ug/L	Gen. Eng.
1,2-Dichlorobenzene	LT	10.00 ug/L	Gen. Eng.
1,2-Dichloroethane		4.00 ug/L	Gen. Eng.
1,2-Dichloropropane	LT	1.00 ug/L	Gen. Eng.
1,2,3-Trichloropropane	LT	20.00 ug/L	Gen. Eng.
1,2,4-Trichlorobenzene	LT	10.00 ug/L	Gen. Eng.
1,3-Dichlorobenzene	LT	10.00 ug/L	Gen. Eng.
cis-1,3-Dichloropropene	LT	1.00 ug/L	Gen. Eng.
1,3-Dinitrobenzene	LT	10.00 ug/L	Gen. Eng.
1,3,5-Trinitrobenzene	LT	10.00 ug/L	Gen. Eng.
1,4-Dichlorobenzene		25.00 ug/L	Gen. Eng.
1,4-Dioxane	LT	10.00 ug/L	Gen. Eng.
1,4-Naphthoquinone	LT	10.00 ug/L	Gen. Eng.
2-Acetylaminofluorene	LT	10.00 ug/L	Gen. Eng.
2-Chloroethyl vinyl ether	LT	10.00 ug/L	Gen. Eng.
2-Chlorophenol	LT	10.00 ug/L	Gen. Eng.
2-Chloronaphthalene	LT	10.00 ug/L	Gen. Eng.
2-Hexanone	LT	1.00 ug/L	Gen. Eng.
2-Methylnaphthalene	LT	10.00 ug/L	Gen. Eng.
o-Cresol (2-Methylphenol)	LT	10.00 ug/L	Gen. Eng.
2-Nitroaniline	LT	10.00 ug/L	Gen. Eng.
2-Naphthylamine	LT	10.00 ug/L	Gen. Eng.

CONTINUED

WELL LFW 37 COLLECTED ON 08/15/91 LABORATORY ANALYSES CONTINUED

2-Nitrophenol	LT	10.00 ug/L	Gen. Eng.
2-Picoline	LT	10.00 ug/L	Gen. Eng.
2,3,4,6-Tetrachlorophenol	LT	10.00 ug/L	Gen. Eng.
2,4-Dichlorophenoxyacetic acid	LT	0.30 ug/L	Gen. Eng.
2,4-Dichlorophenol	LT	10.00 ug/L	Gen. Eng.
2,4-Dimethyl phenol	LT	10.00 ug/L	Gen. Eng.
2,4-Dinitrophenol	LT	45.00 ug/L	Gen. Eng.
2,4-Dinitrotoluene	LT	10.00 ug/L	Gen. Eng.
2,4,5-Trichlorophenoxyacetic acid	LT	0.09 ug/L	Gen. Eng.
2,4,5-Trichlorophenol	LT	10.00 ug/L	Gen. Eng.
2,4,6-Trichlorophenol	LT	10.00 ug/L	Gen. Eng.
2,6-Dichlorophenol	LT	10.00 ug/L	Gen. Eng.
2,6-Dinitrotoluene	LT	10.00 ug/L	Gen. Eng.
3-Methylcholanthrene	LT	10.00 ug/L	Gen. Eng.
m-Cresol (3-Methylphenol)	LT	10.00 ug/L	Gen. Eng.
3-Nitroaniline	LT	10.00 ug/L	Gen. Eng.
3,3'-Dichlorobenzidine	LT	20.00 ug/L	Gen. Eng.
3,3'-Dimethylbenzidine	LT	10.00 ug/L	Gen. Eng.
4-Aminobiphenyl	LT	10.00 ug/L	Gen. Eng.
4-Bromophenyl phenyl ether	LT	10.00 ug/L	Gen. Eng.
4-Chloroaniline	LT	10.00 ug/L	Gen. Eng.
4-Chlorophenyl phenyl ether	LT	10.00 ug/L	Gen. Eng.
para-Chloro-meta-cresol	LT	10.00 ug/L	Gen. Eng.
p-Cresol (4-Methylphenol)	LT	10.00 ug/L	Gen. Eng.
4-Nitroaniline	LT	10.00 ug/L	Gen. Eng.
4-Nitrophenol	LT	10.00 ug/L	Gen. Eng.
2-Methyl-4,6-dinitrophenol	LT	50.00 ug/L	Gen. Eng.
7,12-Dimethylbenz(a)anthracene	LT	10.00 ug/L	Gen. Eng.
Zinc	LT	2.00 ug/L	Gen. Eng.
Gross alpha	LT	2.00 pCi/L	Gen. Eng.
Nonvolatile beta	6.70+-	2.40 pCi/L	Gen. Eng.
Total radium	2.00+-	2.90 pCi/L	Gen. Eng.
Tritium	11.30+-	0.50 pCi/mL	Gen. Eng.

WELL LFW 38

SRS Grid N 83172.3 Latitude 33.284803 N
 Coordinates E 46018.5 Longitude 81.707185 W
 Screen Zone Elevation 151.5-130.5 ft msl
 Top of Casing Elevation 168.50 ft msl

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/26/91 Time 1200
 Depth to water = 24.81 ft (7.56 m) below the TOC
 Water elevation = 143.69 ft (43.80 m) msl
 pH = 4.7 Alkalinity = 0 mg/L
 Specific conductance = 54 umhos/cm
 Water temperature = 19.9 degrees Celsius
 Water evacuated from the well prior to sampling = 42 gal

LABORATORY ANALYSES

Specific conductance		50.00 umh/cm	Gen. Eng.
Carbon 12-labeled 2,3,7,8-TCDD	LT	0.45 ng/L	Gen. Eng.
Heptachlorodibenzo-p-dioxin isomers	LT	0.65 ng/L	Gen. Eng.
Heptachlorodibenzo-p-furan isomers	LT	0.65 ng/L	Gen. Eng.
Hexachlorodibenzo-p-dioxin isomers	LT	0.45 ng/L	Gen. Eng.
Hexachlorodibenzo-p-furan isomers	LT	0.45 ng/L	Gen. Eng.
Octachlorodibenzo-p-dioxin isomers	LT	1.00 ng/L	Gen. Eng.
Octachlorodibenzo-p-furan isomers	LT	1.00 ng/L	Gen. Eng.
Pentachlorodibenzo-p-dioxin isomers	LT	0.55 ng/L	Gen. Eng.
Pentachlorodibenzo-p-furan isomers	LT	0.55 ng/L	Gen. Eng.
pH		5.00 pH	Gen. Eng.
Tetrachlorodibenzo-p-dioxin isomers	LT	0.45 ng/L	Gen. Eng.
Tetrachlorodibenzo-p-furan isomers	LT	0.45 ng/L	Gen. Eng.
1,2,3,4,6,7,8-HPCDD	LT	0.65 ng/L	Gen. Eng.
1,2,3,4,7,8-Hexachlorodibenzo-p-dioxin	LT	0.45 ng/L	Gen. Eng.
1,2,3,7,8-Pentachlorodibenzo-p-dioxin	LT	0.55 ng/L	Gen. Eng.
a,a-Dimethylphenethylamine	LT	10.00 ug/L	Gen. Eng.
alpha-Benzene hexachloride	LT	0.05 ug/L	Gen. Eng.
Acetone	LT	1.00 ug/L	Gen. Eng.
Acetophenone	LT	10.00 ug/L	Gen. Eng.
Acrolein	LT	20.00 ug/L	Gen. Eng.
Acrylonitrile	LT	20.00 ug/L	Gen. Eng.
Silver	LT	2.00 ug/L	Gen. Eng.
Aluminum		25.60 ug/L	Gen. Eng.
Aldrin	LT	0.05 ug/L	Gen. Eng.
Acenaphthene	LT	10.00 ug/L	Gen. Eng.
Acenaphthylene	LT	10.00 ug/L	Gen. Eng.
Aniline	LT	10.00 ug/L	Gen. Eng.
Anthracene	LT	10.00 ug/L	Gen. Eng.
Aramite	LT	10.00 ug/L	Gen. Eng.
Arsenic	LT	2.00 ug/L	Gen. Eng.
Allyl chloride	LT	50.00 ug/L	Gen. Eng.
Barium		5.81 ug/L	Gen. Eng.
Benzo(a)anthracene	LT	10.00 ug/L	Gen. Eng.
Benzo(a)pyrene	LT	10.00 ug/L	Gen. Eng.
Benzo(b)fluoranthene	LT	10.00 ug/L	Gen. Eng.
beta-Benzene hexachloride	LT	0.05 ug/L	Gen. Eng.

CONTINUED

WELL LFW 38 COLLECTED ON 08/26/91 LABORATORY ANALYSES CONTINUED

Butylbenzyl phthalate	LT	10.00 ug/L	Gen. Eng.
Bis(chloromethyl-ethyl)ether	LT	10.00 ug/L	Gen. Eng.
Beryllium	LT	5.00 ug/L	Gen. Eng.
Benzo(g,h,i)perylene	LT	10.00 ug/L	Gen. Eng.
Benzo(k)fluoranthene	LT	10.00 ug/L	Gen. Eng.
Bromodichloromethane	LT	1.00 ug/L	Gen. Eng.
Benzyl alcohol	LT	10.00 ug/L	Gen. Eng.
Bis(2-chloroethoxy) methane	LT	10.00 ug/L	Gen. Eng.
Bis(2-chloroethyl) ether	LT	10.00 ug/L	Gen. Eng.
Bis(2-ethylhexyl) phthalate	LT	10.00 ug/L	Gen. Eng.
Calcium		661.00 ug/L	Gen. Eng.
Dichlorodifluoromethane		74.50 ug/L	Gen. Eng.
Trichlorofluoromethane		63.90 ug/L	Gen. Eng.
Carbon tetrachloride	LT	1.00 ug/L	Gen. Eng.
Cadmium	LT	2.00 ug/L	Gen. Eng.
Bromoform	LT	1.00 ug/L	Gen. Eng.
Chloroform		4.54 ug/L	Gen. Eng.
Chrysene	LT	10.00 ug/L	Gen. Eng.
Dibromomethane (Methylene bromide)	LT	1.00 ug/L	Gen. Eng.
Dichloromethane (Methylene chloride)		21.10 ug/L	Gen. Eng.
Bromomethane (Methyl bromide)	LT	1.00 ug/L	Gen. Eng.
Chloromethane (Methyl chloride)		45.80 ug/L	Gen. Eng.
Acetonitrile (Methyl cyanide)	LT	1.00 ug/L	Gen. Eng.
Chloride		13300.00 ug/L	Gen. Eng.
Chloride		13300.00 ug/L	Gen. Eng.
Chloride		13000.00 ug/L	Gen. Eng.
Chlorobenzilate	LT	10.00 ug/L	Gen. Eng.
Chlorobenzene	LT	1.00 ug/L	Gen. Eng.
Chlordane	LT	0.50 ug/L	Gen. Eng.
Chloroprene	LT	200.00 ug/L	Gen. Eng.
Pentachlorobenzene	LT	10.00 ug/L	Gen. Eng.
Pentachloroethane	LT	10.00 ug/L	Gen. Eng.
Pentachloronitrobenzene	LT	10.00 ug/L	Gen. Eng.
Hexachlorobenzene	LT	10.00 ug/L	Gen. Eng.
Hexachlorocyclopentadiene	LT	10.00 ug/L	Gen. Eng.
Hexachloroethane	LT	10.00 ug/L	Gen. Eng.
Cobalt	LT	4.00 ug/L	Gen. Eng.
Chromium	LT	4.00 ug/L	Gen. Eng.
Carbon disulfide	LT	1.00 ug/L	Gen. Eng.
Copper	LT	4.00 ug/L	Gen. Eng.
Cyanide	LT	5.00 ug/L	Gen. Eng.
Chloroethene (Vinyl chloride)	LT	1.00 ug/L	Gen. Eng.
Chloroethane	LT	1.00 ug/L	Gen. Eng.
Benzene	LT	1.00 ug/L	Gen. Eng.
Dibenz(a,h)anthracene	LT	10.00 ug/L	Gen. Eng.
delta-Benzene hexachloride	LT	0.05 ug/L	Gen. Eng.
Dibromochloromethane	LT	1.00 ug/L	Gen. Eng.
Diethyl phthalate	LT	10.00 ug/L	Gen. Eng.
Diallyl	LT	10.00 ug/L	Gen. Eng.
Dibenzofuran	LT	10.00 ug/L	Gen. Eng.
Dimethoate	LT	10.00 ug/L	Gen. Eng.
Disulfoton	LT	10.00 ug/L	Gen. Eng.
Dieldrin	LT	0.50 ug/L	Gen. Eng.
Dimethyl phthalate	LT	10.00 ug/L	Gen. Eng.

CONTINUED

WELL LFW 38 COLLECTED ON 08/26/91 LABORATORY ANALYSES CONTINUED

trans-1,2-Dichloroethylene	LT	1.00 ug/L	Gen. Eng.
trans-1,3-Dichloropropene	LT	1.00 ug/L	Gen. Eng.
trans-1,4-Dichloro-2-butene	LT	30.00 ug/L	Gen. Eng.
Vanadium	LT	10.00 ug/L	Gen. Eng.
Vinyl acetate	LT	1.00 ug/L	Gen. Eng.
Xylenes	LT	1.00 ug/L	Gen. Eng.
1-Naphthylamine	LT	10.00 ug/L	Gen. Eng.
1,1-Dichloroethylene	LT	1.00 ug/L	Gen. Eng.
1,1-Dichloroethane		44.70 ug/L	Gen. Eng.
1,1,1-Trichloroethane		13.60 ug/L	Gen. Eng.
1,1,2-Trichloroethane	LT	1.00 ug/L	Gen. Eng.
1,2-Dibromoethane	LT	20.00 ug/L	Gen. Eng.
1,2-Dibromo-3-chloropropane	LT	1.00 ug/L	Gen. Eng.
1,2-Dichlorobenzene	LT	10.00 ug/L	Gen. Eng.
1,2-Dichloroethane		2.13 ug/L	Gen. Eng.
1,2-Dichloropropane	LT	1.00 ug/L	Gen. Eng.
1,2,3-Trichloropropane	LT	20.00 ug/L	Gen. Eng.
1,2,4-Trichlorobenzene	LT	10.00 ug/L	Gen. Eng.
1,3-Dichlorobenzene	LT	10.00 ug/L	Gen. Eng.
cis-1,3-Dichloropropene	LT	1.00 ug/L	Gen. Eng.
1,3-Dinitrobenzene	LT	10.00 ug/L	Gen. Eng.
1,3,5-Trinitrobenzene	LT	10.00 ug/L	Gen. Eng.
1,4-Dichlorobenzene	LT	10.00 ug/L	Gen. Eng.
1,4-Dioxane	LT	10.00 ug/L	Gen. Eng.
1,4-Naphthoquinone	LT	10.00 ug/L	Gen. Eng.
2-Acetylaminofluorene	LT	10.00 ug/L	Gen. Eng.
2-Chloroethyl vinyl ether	LT	10.00 ug/L	Gen. Eng.
2-Chlorophenol	LT	10.00 ug/L	Gen. Eng.
2-Chloronaphthalene	LT	10.00 ug/L	Gen. Eng.
2-Hexanone	LT	1.00 ug/L	Gen. Eng.
2-Methylnaphthalene	LT	10.00 ug/L	Gen. Eng.
o-Cresol (2-Methylphenol)	LT	10.00 ug/L	Gen. Eng.
2-Nitroaniline	LT	10.00 ug/L	Gen. Eng.
2-Naphthylamine	LT	10.00 ug/L	Gen. Eng.
2-Nitrophenol	LT	10.00 ug/L	Gen. Eng.
2-Picoline	LT	10.00 ug/L	Gen. Eng.
2,3,4,6-Tetrachlorophenol	LT	10.00 ug/L	Gen. Eng.
2,4-Dichlorophenoxyacetic acid	LT	0.30 ug/L	Gen. Eng.
2,4-Dichlorophenol	LT	10.00 ug/L	Gen. Eng.
2,4-Dimethyl phenol	LT	10.00 ug/L	Gen. Eng.
2,4-Dinitrophenol	LT	45.00 ug/L	Gen. Eng.
2,4-Dinitrotoluene	LT	10.00 ug/L	Gen. Eng.
2,4,5-Trichlorophenoxyacetic acid	LT	0.09 ug/L	Gen. Eng.
2,4,5-Trichlorophenol	LT	10.00 ug/L	Gen. Eng.
2,4,6-Trichlorophenol	LT	10.00 ug/L	Gen. Eng.
2,6-Dichlorophenol	LT	10.00 ug/L	Gen. Eng.
2,6-Dinitrotoluene	LT	10.00 ug/L	Gen. Eng.
3-Methylcholanthrene	LT	10.00 ug/L	Gen. Eng.
m-Cresol (3-Methylphenol)	LT	10.00 ug/L	Gen. Eng.
3-Nitroaniline	LT	10.00 ug/L	Gen. Eng.
3,3'-Dichlorobenzidine	LT	20.00 ug/L	Gen. Eng.
3,3'-Dimethylbenzidine	LT	10.00 ug/L	Gen. Eng.
4-Aminobiphenyl	LT	10.00 ug/L	Gen. Eng.
4-Bromophenyl phenyl ether	LT	10.00 ug/L	Gen. Eng.

CONTINUED

WELL LFW 38 COLLECTED ON 08/26/91 LABORATORY ANALYSES CONTINUED

Nitrate as nitrogen	LT	50.00 ug/L	Gen. Eng.
Nitrate as nitrogen		57.00 ug/L	Gen. Eng.
4-Nitroquinoline-1-oxide	LT	10.00 ug/L	Gen. Eng.
5-Nitro-o-toluidine	LT	10.00 ug/L	Gen. Eng.
o-Toluidine	LT	10.00 ug/L	Gen. Eng.
Lead	LT	3.00 ug/L	Gen. Eng.
PCB 1016	LT	0.50 ug/L	Gen. Eng.
PCB 1221	LT	0.50 ug/L	Gen. Eng.
PCB 1232	LT	0.50 ug/L	Gen. Eng.
PCB 1242	LT	0.50 ug/L	Gen. Eng.
PCB 1248	LT	0.50 ug/L	Gen. Eng.
PCB 1254	LT	1.00 ug/L	Gen. Eng.
PCB 1260	LT	1.00 ug/L	Gen. Eng.
Pentachlorophenol	LT	10.00 ug/L	Gen. Eng.
p-Phenylenediamine	LT	10.00 ug/L	Gen. Eng.
p-Dimethylaminoazobenzene	LT	10.00 ug/L	Gen. Eng.
Phenacetin	LT	10.00 ug/L	Gen. Eng.
Phenanthrene	LT	10.00 ug/L	Gen. Eng.
Phenol	LT	10.00 ug/L	Gen. Eng.
Phorate	LT	0.10 ug/L	Gen. Eng.
p,p'-DDD	LT	0.10 ug/L	Gen. Eng.
p,p'-DDE	LT	0.10 ug/L	Gen. Eng.
p,p'-DDT	LT	0.10 ug/L	Gen. Eng.
Pronamid	LT	10.00 ug/L	Gen. Eng.
Propionitrile	LT	200.00 ug/L	Gen. Eng.
Parathion	LT	0.05 ug/L	Gen. Eng.
Parathion methyl	LT	0.05 ug/L	Gen. Eng.
Pyrene	LT	10.00 ug/L	Gen. Eng.
Pyridine	LT	10.00 ug/L	Gen. Eng.
Safrole	LT	10.00 ug/L	Gen. Eng.
Antimony	LT	2.00 ug/L	Gen. Eng.
2-sec-Butyl-4,6-dinitrophenol	LT	10.00 ug/L	Gen. Eng.
Selenium	LT	2.00 ug/L	Gen. Eng.
Silica		10900.00 ug/L	Gen. Eng.
2,4,5-TP (Silvex)	LT	0.09 ug/L	Gen. Eng.
Tin	LT	2.00 ug/L	Gen. Eng.
Sulfate		2370.00 ug/L	Gen. Eng.
Sulfotepp	LT	10.00 ug/L	Gen. Eng.
Styrene	LT	1.00 ug/L	Gen. Eng.
Sulfide	LT	1000.00 ug/L	Gen. Eng.
Sulfide	LT	1000.00 ug/L	Gen. Eng.
1,2,4,5-Tetrachlorobenzene	LT	10.00 ug/L	Gen. Eng.
1,1,2,2-Tetrachloroethane	LT	1.00 ug/L	Gen. Eng.
1,1,1,2-Tetrachloroethane	LT	1.00 ug/L	Gen. Eng.
Tetrachloroethylene	LT	1.00 ug/L	Gen. Eng.
O,O,O-Triethyl phosphorothioate	LT	10.00 ug/L	Gen. Eng.
Thionazin	LT	10.00 ug/L	Gen. Eng.
Thallium	LT	2.00 ug/L	Gen. Eng.
Total organic carbon		1000.00 ug/L	Gen. Eng.
Total organic nitrogen		100.00 ug/L	Gen. Eng.
Total organic halogens		248.00 ug/L	Gen. Eng.
Total phosphates (as P)	LT	100.00 ug/L	Gen. Eng.
* Trichloroethylene		17.90 ug/L	Gen. Eng.
Toxaphene	LT	0.24 ug/L	Gen. Eng.

CONTINUED

WELL LFW 38 . COLLECTED ON 08/26/91 LABORATORY ANALYSES CONTINUED

Di-n-butyl phthalate	LT	10.00 ug/L	Gen. Eng.
Di-n-octyl phthalate	LT	10.00 ug/L	Gen. Eng.
Diphenylamine	LT	10.00 ug/L	Gen. Eng.
Ethyl methanesulfonate	LT	10.00 ug/L	Gen. Eng.
Endrin aldehyde	LT	0.10 ug/L	Gen. Eng.
Endrin	LT	0.01 ug/L	Gen. Eng.
Endosulfan I	LT	0.10 ug/L	Gen. Eng.
Endosulfan II	LT	0.10 ug/L	Gen. Eng.
Endosulfan sulfate	LT	0.10 ug/L	Gen. Eng.
Ethylbenzene	LT	1.00 ug/L	Gen. Eng.
Ethyl methacrylate	LT	10.00 ug/L	Gen. Eng.
Fluoride	LT	100.00 ug/L	Gen. Eng.
Famphur	LT	10.00 ug/L	Gen. Eng.
Fluoranthene	LT	10.00 ug/L	Gen. Eng.
Iron		28.30 ug/L	Gen. Eng.
Fluorene	LT	10.00 ug/L	Gen. Eng.
Hexachlorobutadiene	LT	10.00 ug/L	Gen. Eng.
Hexachlorophene	LT	10.00 ug/L	Gen. Eng.
Hexachloropropene	LT	10.00 ug/L	Gen. Eng.
Mercury	LT	0.20 ug/L	Gen. Eng.
Heptachlor	LT	0.05 ug/L	Gen. Eng.
Heptachlor epoxide	LT	0.05 ug/L	Gen. Eng.
Indeno(1,2,3-c,d)pyrene	LT	10.00 ug/L	Gen. Eng.
Iodomethane (Methyl iodide)	LT	15.00 ug/L	Gen. Eng.
Isosafrole	LT	10.00 ug/L	Gen. Eng.
Isobutyl alcohol	LT	100.00 ug/L	Gen. Eng.
Isodrin	LT	10.00 ug/L	Gen. Eng.
Isophorone	LT	10.00 ug/L	Gen. Eng.
Potassium	LT	500.00 ug/L	Gen. Eng.
Kepone	LT	10.00 ug/L	Gen. Eng.
Lindane	LT	0.00 ug/L	Gen. Eng.
Methacrylonitrile	LT	50.00 ug/L	Gen. Eng.
Toluene	LT	1.00 ug/L	Gen. Eng.
Methyl ethyl ketone	LT	1.00 ug/L	Gen. Eng.
Methyl methacrylate	LT	10.00 ug/L	Gen. Eng.
Methyl methanesulfonate	LT	10.00 ug/L	Gen. Eng.
Methoxychlor	LT	0.50 ug/L	Gen. Eng.
Magnesium		918.00 ug/L	Gen. Eng.
Methyl isobutyl ketone	LT	1.00 ug/L	Gen. Eng.
Manganese		3.29 ug/L	Gen. Eng.
Methapyrilene	LT	10.00 ug/L	Gen. Eng.
Sodium		5100.00 ug/L	Gen. Eng.
Naphthalene	LT	10.00 ug/L	Gen. Eng.
Nitrobenzene	LT	10.00 ug/L	Gen. Eng.
N-Nitrosodimethylamine	LT	10.00 ug/L	Gen. Eng.
N-Nitrosodi-n-butylamine	LT	10.00 ug/L	Gen. Eng.
N-Nitrosodi-propylamine	LT	10.00 ug/L	Gen. Eng.
N-Nitrosodiethylamine	LT	10.00 ug/L	Gen. Eng.
N-Nitrosomethylethylamine	LT	10.00 ug/L	Gen. Eng.
Nickel	LT	4.00 ug/L	Gen. Eng.
N-Nitrosomorpholine	LT	10.00 ug/L	Gen. Eng.
N-Nitrosodiphenylamine	LT	10.00 ug/L	Gen. Eng.
N-Nitrosopiperidine	LT	10.00 ug/L	Gen. Eng.
N-Nitrosopyrrolidine	LT	10.00 ug/L	Gen. Eng.

CONTINUED

WELL LFW 38 COLLECTED ON 08/26/91 LABORATORY ANALYSES CONTINUED

4-Chloroaniline	LT	10.00 ug/L	Gen. Eng.
4-Chlorophenyl phenyl ether	LT	10.00 ug/L	Gen. Eng.
para-Chloro-meta-cresol	LT	10.00 ug/L	Gen. Eng.
m-Cresol (4-Methylphenol)	LT	10.00 ug/L	Gen. Eng.
4-Nitroaniline	LT	10.00 ug/L	Gen. Eng.
4-Nitrophenol	LT	10.00 ug/L	Gen. Eng.
2-Methyl-4,6-dinitrophenol	LT	50.00 ug/L	Gen. Eng.
7,12-Dimethylbenz(a)anthracene	LT	10.00 ug/L	Gen. Eng.
Zinc	LT	2.00 ug/L	Gen. Eng.
Gross alpha	LT	2.00 pCi/L	Gen. Eng.
Nonvolatile beta	2.80+-	2.00 pCi/L	Gen. Eng.
Total radium	2.20+-	2.90 pCi/L	Gen. Eng.
Tritium	7.40+-	0.40 pCi/mL	Gen. Eng.

WELL LFW 39

SRS Grid N 83213.1 Latitude 33.285220 N
 Coordinates E 46218.5 Longitude 81.706738 W
 Screen Zone Elevation 152.2-131.2 ft msl
 Top of Casing Elevation 169.20 ft msl

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/26/91 Time 1135
 Depth to water - 25.63 ft (7.81 m) below the TOC
 Water elevation - 143.57 ft (43.76 m) msl
 pH - 4.8 Alkalinity - 0 mg/L
 Specific conductance - 41 umhos/cm
 Water temperature - 19.7 degrees Celsius
 Water evacuated from the well prior to sampling - 40 gal

LABORATORY ANALYSES

Specific conductance		35.00 umh/cm	Gen. Eng.
pH		5.00 pH	Gen. Eng.
Silver	LT	2.00 ug/L	Gen. Eng.
Aluminum		23.90 ug/L	Gen. Eng.
Aldrin	LT	0.05 ug/L	Gen. Eng.
Arsenic	LT	2.00 ug/L	Gen. Eng.
Barium		5.98 ug/L	Gen. Eng.
beta-Benzene hexachloride	LT	0.05 ug/L	Gen. Eng.
Bromodichloromethane	LT	1.00 ug/L	Gen. Eng.
Calcium		402.00 ug/L	Gen. Eng.
Trichlorofluoromethane		400.00 ug/L	Gen. Eng.
Carbon tetrachloride	LT	1.00 ug/L	Gen. Eng.
Cadmium	LT	2.00 ug/L	Gen. Eng.
Bromoform	LT	1.00 ug/L	Gen. Eng.
Chloroform	LT	1.00 ug/L	Gen. Eng.
Dichloromethane (Methylene chloride)		51.00 ug/L	Gen. Eng.
Bromomethane (Methyl bromide)	LT	1.00 ug/L	Gen. Eng.
Chloromethane (Methyl chloride)	LT	1.00 ug/L	Gen. Eng.
Chloride		5600.00 ug/L	Gen. Eng.

CONTINUED

WELL LFW 40

SRS Grid N 83248.8 Latitude 33.285587 N
 Coordinates E 46395.1 Longitude 81.706343 W
 Screen Zone Elevation 152.2-131.2 ft msl
 Top of Casing Elevation 169.20 ft msl

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/26/91 Time 1105
 Depth to water = 25.69 ft (7.83 m) below the TOC
 Water elevation = 143.51 ft (43.74 m) msl
 pH = 4.9 Alkalinity = 0 mg/L
 Specific conductance = 26 umhos/cm
 Water temperature = 19.6 degrees Celsius
 Water evacuated from the well prior to sampling = 40 gal

LABORATORY ANALYSES

Specific conductance		20.00 umh/cm	Gen. Eng.
pH		5.32 pH	Gen. Eng.
Silver	LT	2.00 ug/L	Gen. Eng.
Aluminum	LT	20.00 ug/L	Gen. Eng.
Aldrin	LT	0.05 ug/L	Gen. Eng.
Arsenic	LT	2.00 ug/L	Gen. Eng.
Barium		3.39 ug/L	Gen. Eng.
beta-Benzene hexachloride	LT	0.05 ug/L	Gen. Eng.
Bromodichloromethane	LT	1.00 ug/L	Gen. Eng.
Calcium		497.00 ug/L	Gen. Eng.
Trichlorofluoromethane		400.00 ug/L	Gen. Eng.
Carbon tetrachloride	LT	1.00 ug/L	Gen. Eng.
Cadmium	LT	2.00 ug/L	Gen. Eng.
Bromoform	LT	1.00 ug/L	Gen. Eng.
Chloroform	LT	1.00 ug/L	Gen. Eng.
Dichloromethane (Methylene chloride)		27.00 ug/L	Gen. Eng.
Bromomethane (Methyl bromide)	LT	1.00 ug/L	Gen. Eng.
Chloromethane (Methyl chloride)	LT	1.00 ug/L	Gen. Eng.
Chloride		2980.00 ug/L	Gen. Eng.
Chlorobenzene	LT	1.00 ug/L	Gen. Eng.
Chromium	LT	4.00 ug/L	Gen. Eng.
Copper	LT	4.00 ug/L	Gen. Eng.
Chloroethene (Vinyl chloride)	LT	1.00 ug/L	Gen. Eng.
Chloroethane	LT	1.00 ug/L	Gen. Eng.
Benzene	LT	1.00 ug/L	Gen. Eng.
Dibromochloromethane	LT	1.00 ug/L	Gen. Eng.
Endrin	LT	0.01 ug/L	Gen. Eng.
Endosulfan sulfate	LT	0.10 ug/L	Gen. Eng.
Ethylbenzene	LT	1.00 ug/L	Gen. Eng.
Fluoride	LT	100.00 ug/L	Gen. Eng.
Iron	LT	4.00 ug/L	Gen. Eng.
Mercury	LT	0.20 ug/L	Gen. Eng.
Potassium	LT	500.00 ug/L	Gen. Eng.
Lindane	LT	0.00 ug/L	Gen. Eng.
Toluene	LT	1.00 ug/L	Gen. Eng.
Methoxychlor	LT	0.50 ug/L	Gen. Eng.
Magnesium		601.00 ug/L	Gen. Eng.

CONTINUED

WELL LFW 40 COLLECTED ON 08/26/91 LABORATORY ANALYSES CONTINUED

Manganese	LT	2.00 ug/L	Gen. Eng.
Sodium		2250.00 ug/L	Gen. Eng.
Nickel	LT	4.00 ug/L	Gen. Eng.
Nitrate as nitrogen		170.00 ug/L	Gen. Eng.
Lead	LT	3.00 ug/L	Gen. Eng.
Antimony	LT	2.00 ug/L	Gen. Eng.
Selenium	LT	2.00 ug/L	Gen. Eng.
Silica		8570.00 ug/L	Gen. Eng.
2,4,5-TP (Silvex)	LT	0.09 ug/L	Gen. Eng.
Sulfate		1810.00 ug/L	Gen. Eng.
1,1,2,2-Tetrachloroethane	LT	1.00 ug/L	Gen. Eng.
Tetrachloroethylene		4.00 ug/L	Gen. Eng.
Thallium	LT	2.00 ug/L	Gen. Eng.
Total organic carbon	LT	1000.00 ug/L	Gen. Eng.
Total organic nitrogen	LT	100.00 ug/L	Gen. Eng.
Total organic halogens		498.00 ug/L	Gen. Eng.
Total phosphates (as P)	LT	100.00 ug/L	Gen. Eng.
Total phosphates (as P)	LT	100.00 ug/L	Gen. Eng.
* Trichloroethylene		12.00 ug/L	Gen. Eng.
Toxaphene	LT	0.24 ug/L	Gen. Eng.
trans-1,2-Dichloroethylene	LT	1.00 ug/L	Gen. Eng.
trans-1,3-Dichloropropene	LT	1.00 ug/L	Gen. Eng.
Vanadium	LT	10.00 ug/L	Gen. Eng.
1,1-Dichloroethylene	LT	1.00 ug/L	Gen. Eng.
1,1-Dichloroethane		18.00 ug/L	Gen. Eng.
1,1,1-Trichloroethane		44.00 ug/L	Gen. Eng.
1,1,2-Trichloroethane	LT	1.00 ug/L	Gen. Eng.
1,2-Dichloroethane	LT	1.00 ug/L	Gen. Eng.
1,2-Dichloropropane	LT	1.00 ug/L	Gen. Eng.
cis-1,3-Dichloropropene	LT	1.00 ug/L	Gen. Eng.
1,4-Dichlorobenzene	LT	10.00 ug/L	Gen. Eng.
2-Chloroethyl vinyl ether	LT	1.00 ug/L	Gen. Eng.
2,4-Dichlorophenoxyacetic acid	LT	0.30 ug/L	Gen. Eng.
Gross alpha	LT	2.00 pCi/L	Gen. Eng.
Nonvolatile beta	LT	2.00 pCi/L	Gen. Eng.
Total radium	3.00+-	3.10 pCi/L	Gen. Eng.
Tritium	2.70+-	0.30 pCi/mL	Gen. Eng.

WELL LFW 40

SRS Grid N 83248.8 Latitude 33.285587 N
 Coordinates E 46395.1 Longitude 81.706343 W
 Screen Zone Elevation 152.2-131.2 ft msl
 Top of Casing Elevation 169.20 ft msl

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/26/91 Time 1105
 Depth to water = 25.69 ft (7.83 m) below the TOC
 Water elevation = 143.51 ft (43.74 m) msl
 pH = 4.9 Alkalinity = 0 mg/L
 Specific conductance = 26 umhos/cm
 Water temperature = 19.6 degrees Celsius
 Water evacuated from the well prior to sampling = 40 gal

LABORATORY ANALYSES

Specific conductance		20.00 umh/cm	Gen. Eng.
pH		5.15 pH	Gen. Eng.
Silver	LT	2.00 ug/L	Gen. Eng.
Aluminum	LT	20.00 ug/L	Gen. Eng.
Aldrin	LT	0.05 ug/L	Gen. Eng.
Arsenic	LT	2.00 ug/L	Gen. Eng.
Barium		3.15 ug/L	Gen. Eng.
beta-Benzene hexachloride	LT	0.05 ug/L	Gen. Eng.
Bromodichloromethane	LT	1.00 ug/L	Gen. Eng.
Calcium		494.00 ug/L	Gen. Eng.
Trichlorofluoromethane		400.00 ug/L	Gen. Eng.
Carbon tetrachloride	LT	1.00 ug/L	Gen. Eng.
Cadmium	LT	2.00 ug/L	Gen. Eng.
Bromoform	LT	1.00 ug/L	Gen. Eng.
Chloroform	LT	1.00 ug/L	Gen. Eng.
Dichloromethane (Methylene chloride)		28.00 ug/L	Gen. Eng.
Bromomethane (Methyl bromide)	LT	1.00 ug/L	Gen. Eng.
Chloromethane (Methyl chloride)	LT	1.00 ug/L	Gen. Eng.
Chloride		2910.00 ug/L	Gen. Eng.
Chlorobenzene	LT	1.00 ug/L	Gen. Eng.
Chromium	LT	4.00 ug/L	Gen. Eng.
Copper	LT	4.00 ug/L	Gen. Eng.
Chloroethene (Vinyl chloride)	LT	1.00 ug/L	Gen. Eng.
Chloroethane	LT	1.00 ug/L	Gen. Eng.
Benzene	LT	1.00 ug/L	Gen. Eng.
Dibromochloromethane	LT	1.00 ug/L	Gen. Eng.
Endrin	LT	0.01 ug/L	Gen. Eng.
Endosulfan sulfate	LT	0.10 ug/L	Gen. Eng.
Ethylbenzene	LT	1.00 ug/L	Gen. Eng.
Fluoride	LT	100.00 ug/L	Gen. Eng.
Iron	LT	4.00 ug/L	Gen. Eng.
Mercury	LT	0.20 ug/L	Gen. Eng.
Potassium	LT	500.00 ug/L	Gen. Eng.
Lindane	LT	0.00 ug/L	Gen. Eng.
Toluene	LT	1.00 ug/L	Gen. Eng.
Methoxychlor	LT	0.50 ug/L	Gen. Eng.
Magnesium		585.00 ug/L	Gen. Eng.

CONTINUED

WELL LFW 40 COLLECTED ON 08/26/91 LABORATORY ANALYSES CONTINUED

Manganese	LT	2.00 ug/L	Gen. Eng.
Sodium		2170.00 ug/L	Gen. Eng.
Nickel	LT	4.00 ug/L	Gen. Eng.
Nitrate as nitrogen		190.00 ug/L	Gen. Eng.
Lead	LT	3.00 ug/L	Gen. Eng.
Antimony	LT	2.00 ug/L	Gen. Eng.
Selenium	LT	2.00 ug/L	Gen. Eng.
Silica		8150.00 ug/L	Gen. Eng.
2,4,5-TP (Silvex)	LT	0.09 ug/L	Gen. Eng.
Sulfate		2360.00 ug/L	Gen. Eng.
1,1,2,2-Tetrachloroethane	LT	1.00 ug/L	Gen. Eng.
Tetrachloroethylene		3.00 ug/L	Gen. Eng.
Thallium	LT	2.00 ug/L	Gen. Eng.
Total organic carbon		2000.00 ug/L	Gen. Eng.
Total organic nitrogen		370.00 ug/L	Gen. Eng.
Total organic halogens		461.00 ug/L	Gen. Eng.
Total phosphates (as P)	LT	100.00 ug/L	Gen. Eng.
* Trichloroethylene		11.00 ug/L	Gen. Eng.
Toxaphene	LT	0.24 ug/L	Gen. Eng.
trans-1,2-Dichloroethylene	LT	1.00 ug/L	Gen. Eng.
trans-1,3-Dichloropropene	LT	1.00 ug/L	Gen. Eng.
Vanadium	LT	10.00 ug/L	Gen. Eng.
1,1-Dichloroethylene	LT	1.00 ug/L	Gen. Eng.
1,1-Dichloroethane		17.00 ug/L	Gen. Eng.
1,1,1-Trichloroethane		46.00 ug/L	Gen. Eng.
1,1,2-Trichloroethane	LT	1.00 ug/L	Gen. Eng.
1,2-Dichloroethane	LT	1.00 ug/L	Gen. Eng.
1,2-Dichloropropane	LT	1.00 ug/L	Gen. Eng.
cis-1,3-Dichloropropene	LT	1.00 ug/L	Gen. Eng.
1,4-Dichlorobenzene	LT	10.00 ug/L	Gen. Eng.
2-Chloroethyl vinyl ether	LT	1.00 ug/L	Gen. Eng.
2,4-Dichlorophenoxyacetic acid	LT	0.30 ug/L	Gen. Eng.
Gross alpha	LT	2.00 pCi/L	Gen. Eng.
Nonvolatile beta	LT	2.00 pCi/L	Gen. Eng.
Total radium	3.50+-	3.30 pCi/L	Gen. Eng.
Tritium	2.65+-	0.30 pCi/mL	Gen. Eng.

WELL LFW 41

SRS Grid N 83304.9 Latitude 33.286089 N
 Coordinates E 46626.9 Longitude 81.705841 W
 Screen Zone Elevation 151.3-130.3 ft msl
 Top of Casing Elevation 168.30 ft msl

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/26/91 Time 1035
 Depth to water = 21.95 ft (6.69 m) below the TOC
 Water elevation = 146.35 ft (44.61 m) msl
 pH = 5.0 Alkalinity = 1 mg/L
 Specific conductance = 17 umhos/cm
 Water temperature = 19.2 degrees Celsius
 Water evacuated from the well prior to sampling = 50 gal

LABORATORY ANALYSES

Specific conductance		15.00 umh/cm	Gen. Eng.
pH		5.34 pH	Gen. Eng.
Silver	LT	2.00 ug/L	Gen. Eng.
Aluminum	LT	20.00 ug/L	Gen. Eng.
Aldrin	LT	0.05 ug/L	Gen. Eng.
Arsenic	LT	2.00 ug/L	Gen. Eng.
Barium	LT	3.00 ug/L	Gen. Eng.
beta-Benzene hexachloride	LT	0.05 ug/L	Gen. Eng.
Bromodichloromethane	LT	1.00 ug/L	Gen. Eng.
Calcium		207.00 ug/L	Gen. Eng.
Trichlorofluoromethane		44.00 ug/L	Gen. Eng.
Carbon tetrachloride	LT	1.00 ug/L	Gen. Eng.
Cadmium	LT	2.00 ug/L	Gen. Eng.
Bromoform	LT	1.00 ug/L	Gen. Eng.
Chloroform	LT	1.00 ug/L	Gen. Eng.
Dichloromethane (Methylene chloride)		7.00 ug/L	Gen. Eng.
Bromomethane (Methyl bromide)	LT	1.00 ug/L	Gen. Eng.
Chloromethane (Methyl chloride)	LT	1.00 ug/L	Gen. Eng.
Chloride		2020.00 ug/L	Gen. Eng.
Chlorobenzene	LT	1.00 ug/L	Gen. Eng.
Chromium	LT	4.00 ug/L	Gen. Eng.
Copper	LT	4.00 ug/L	Gen. Eng.
Chloroethene (Vinyl chloride)	LT	1.00 ug/L	Gen. Eng.
Chloroethane	LT	1.00 ug/L	Gen. Eng.
Benzene	LT	1.00 ug/L	Gen. Eng.
Dibromochloromethane	LT	1.00 ug/L	Gen. Eng.
Endrin	LT	0.01 ug/L	Gen. Eng.
Endosulfan sulfate	LT	0.10 ug/L	Gen. Eng.
Ethylbenzene	LT	1.00 ug/L	Gen. Eng.
Fluoride	LT	100.00 ug/L	Gen. Eng.
Iron	LT	4.00 ug/L	Gen. Eng.
Mercury	LT	0.20 ug/L	Gen. Eng.
Potassium	LT	500.00 ug/L	Gen. Eng.
Lindane	LT	0.00 ug/L	Gen. Eng.
Toluene	LT	1.00 ug/L	Gen. Eng.
Methoxychlor	LT	0.50 ug/L	Gen. Eng.
Magnesium		276.00 ug/L	Gen. Eng.

CONTINUED

WELL LFW 41 COLLECTED ON 08/26/91 LABORATORY ANALYSES CONTINUED

Manganese	LT	2.00 ug/L	Gen. Eng.
Sodium		1430.00 ug/L	Gen. Eng.
Nickel	LT	4.00 ug/L	Gen. Eng.
Nitrate as nitrogen	LT	50.00 ug/L	Gen. Eng.
Lead	LT	3.00 ug/L	Gen. Eng.
Antimony	LT	2.00 ug/L	Gen. Eng.
Selenium	LT	2.00 ug/L	Gen. Eng.
Silica		7350.00 ug/L	Gen. Eng.
2,4,5-TP (Silvex)	LT	0.09 ug/L	Gen. Eng.
Sulfate		1100.00 ug/L	Gen. Eng.
1,1,2,2-Tetrachloroethane	LT	1.00 ug/L	Gen. Eng.
Tetrachloroethylene	LT	1.00 ug/L	Gen. Eng.
Thallium	LT	2.00 ug/L	Gen. Eng.
Total organic carbon	LT	1000.00 ug/L	Gen. Eng.
Total organic nitrogen	LT	100.00 ug/L	Gen. Eng.
Total organic halogens		6.00 ug/L	Gen. Eng.
Total phosphates (as P)	LT	100.00 ug/L	Gen. Eng.
Trichloroethylene	LT	1.00 ug/L	Gen. Eng.
Toxaphene	LT	0.24 ug/L	Gen. Eng.
trans-1,2-Dichloroethylene	LT	1.00 ug/L	Gen. Eng.
trans-1,3-Dichloropropene	LT	1.00 ug/L	Gen. Eng.
Vanadium	LT	10.00 ug/L	Gen. Eng.
1,1-Dichloroethylene	LT	1.00 ug/L	Gen. Eng.
1,1-Dichloroethane	LT	1.00 ug/L	Gen. Eng.
1,1,1-Trichloroethane		4.00 ug/L	Gen. Eng.
1,1,2-Trichloroethane	LT	1.00 ug/L	Gen. Eng.
1,2-Dichloroethane	LT	1.00 ug/L	Gen. Eng.
1,2-Dichloropropane	LT	1.00 ug/L	Gen. Eng.
cis-1,3-Dichloropropene	LT	1.00 ug/L	Gen. Eng.
1,4-Dichlorobenzene	LT	10.00 ug/L	Gen. Eng.
2-Chloroethyl vinyl ether	LT	1.00 ug/L	Gen. Eng.
2,4-Dichlorophenoxyacetic acid	LT	0.30 ug/L	Gen. Eng.
Gross alpha	LT	2.00 pCi/L	Gen. Eng.
Nonvolatile beta	LT	2.00 pCi/L	Gen. Eng.
Total radium	3.50+-	3.40 pCi/L	Gen. Eng.
Tritium	2.90+-	0.30 pCi/mL	Gen. Eng.

WELL LFW 42

SRS Grid N 83776.2 Latitude 33.286978 N
 Coordinates E 46532.9 Longitude 81.707005 W
 Screen Zone Elevation 151.2-130.2 ft msl
 Top of Casing Elevation 168.20 ft msl

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/26/91 Time 1005
 Depth to water = 20.03 ft (6.11 m) below the TOC
 Water elevation = 148.17 ft (45.16 m) msl
 pH = 5.0 Alkalinity = 0 mg/L
 Specific conductance = 15 umhos/cm
 Water temperature = 19.5 degrees Celsius
 Water evacuated from the well prior to sampling = 55 gal

LABORATORY ANALYSES

Specific conductance		10.00 umh/cm	Gen. Eng.
pH		5.33 pH	Gen. Eng.
Silver	LT	2.00 ug/L	Gen. Eng.
Aluminum	LT	20.00 ug/L	Gen. Eng.
Aldrin	LT	0.05 ug/L	Gen. Eng.
Arsenic	LT	2.00 ug/L	Gen. Eng.
Barium	LT	3.00 ug/L	Gen. Eng.
beta-Benzene hexachloride	LT	0.05 ug/L	Gen. Eng.
Bromodichloromethane	LT	1.00 ug/L	Gen. Eng.
Calcium		231.00 ug/L	Gen. Eng.
Trichlorofluoromethane		69.20 ug/L	Gen. Eng.
Carbon tetrachloride	LT	1.00 ug/L	Gen. Eng.
Cadmium	LT	2.00 ug/L	Gen. Eng.
Bromoform	LT	1.00 ug/L	Gen. Eng.
Chloroform	LT	1.00 ug/L	Gen. Eng.
Dichloromethane (Methylene chloride)		1.58 ug/L	Gen. Eng.
Bromomethane (Methyl bromide)	LT	1.00 ug/L	Gen. Eng.
Chloromethane (Methyl chloride)	LT	1.00 ug/L	Gen. Eng.
Chloride		2070.00 ug/L	Gen. Eng.
Chlorobenzene	LT	1.00 ug/L	Gen. Eng.
Chromium	LT	4.00 ug/L	Gen. Eng.
Copper	LT	4.00 ug/L	Gen. Eng.
Chloroethene (Vinyl chloride)	LT	1.00 ug/L	Gen. Eng.
Chloroethane	LT	1.00 ug/L	Gen. Eng.
Benzene	LT	1.00 ug/L	Gen. Eng.
Dibromochloromethane	LT	1.00 ug/L	Gen. Eng.
Endrin	LT	0.01 ug/L	Gen. Eng.
Endosulfan sulfate	LT	0.10 ug/L	Gen. Eng.
Ethylbenzene	LT	1.00 ug/L	Gen. Eng.
Fluoride	LT	100.00 ug/L	Gen. Eng.
Fluoride	LT	100.00 ug/L	Gen. Eng.
Iron	LT	4.00 ug/L	Gen. Eng.
Mercury	LT	0.20 ug/L	Gen. Eng.
Potassium	LT	500.00 ug/L	Gen. Eng.
Lindane	LT	0.00 ug/L	Gen. Eng.
Toluene	LT	1.00 ug/L	Gen. Eng.
Methoxychlor	LT	0.50 ug/L	Gen. Eng.

CONTINUED

WELL LFW 42 COLLECTED ON 08/26/91 LABORATORY ANALYSES CONTINUED

Magnesium		282.00 ug/L	Gen. Eng.
Manganese	LT	2.00 ug/L	Gen. Eng.
Sodium		1380.00 ug/L	Gen. Eng.
Nickel	LT	4.00 ug/L	Gen. Eng.
Nitrate as nitrogen	LT	50.00 ug/L	Gen. Eng.
Lead	LT	3.00 ug/L	Gen. Eng.
Antimony	LT	2.00 ug/L	Gen. Eng.
Selenium	LT	2.00 ug/L	Gen. Eng.
Silica		7370.00 ug/L	Gen. Eng.
2,4,5-TP (Silvex)	LT	0.09 ug/L	Gen. Eng.
Sulfate	LT	1000.00 ug/L	Gen. Eng.
Sulfate	LT	1000.00 ug/L	Gen. Eng.
1,1,2,2-Tetrachloroethane	LT	1.00 ug/L	Gen. Eng.
Tetrachloroethylene		1.10 ug/L	Gen. Eng.
Thallium	LT	2.00 ug/L	Gen. Eng.
Total organic carbon	LT	1000.00 ug/L	Gen. Eng.
Total organic carbon	LT	1000.00 ug/L	Gen. Eng.
Total organic nitrogen	LT	100.00 ug/L	Gen. Eng.
Total organic halogens		35.90 ug/L	Gen. Eng.
Total phosphates (as P)	LT	100.00 ug/L	Gen. Eng.
Trichloroethylene	LT	1.00 ug/L	Gen. Eng.
Toxaphene	LT	0.24 ug/L	Gen. Eng.
trans-1,2-Dichloroethylene	LT	1.00 ug/L	Gen. Eng.
trans-1,3-Dichloropropene	LT	1.00 ug/L	Gen. Eng.
Vanadium	LT	10.00 ug/L	Gen. Eng.
1,1-Dichloroethylene	LT	1.00 ug/L	Gen. Eng.
1,1-Dichloroethane		1.45 ug/L	Gen. Eng.
1,1,1-Trichloroethane		23.40 ug/L	Gen. Eng.
1,1,2-Trichloroethane	LT	1.00 ug/L	Gen. Eng.
1,2-Dichloroethane	LT	1.00 ug/L	Gen. Eng.
1,2-Dichloropropane	LT	1.00 ug/L	Gen. Eng.
cis-1,3-Dichloropropene	LT	1.00 ug/L	Gen. Eng.
1,4-Dichlorobenzene	LT	10.00 ug/L	Gen. Eng.
2-Chloroethyl vinyl ether	LT	1.00 ug/L	Gen. Eng.
2,4-Dichlorophenoxyacetic acid	LT	0.30 ug/L	Gen. Eng.
Gross alpha	LT	2.00 pCi/L	Gen. Eng.
Nonvolatile beta	2.70+-	2.00 pCi/L	Gen. Eng.
* Total radium	5.40+-	3.90 pCi/L	Gen. Eng.
Tritium	1.93+-	0.20 pCi/mL	Gen. Eng.

WELL LFW 43B

SRS Grid N 86459.2 Latitude 33.290800 N
 Coordinates E 45240.5 Longitude 81.715622 W
 Screen Zone Elevation 99.9-89.9 ft msl
 Top of Casing Elevation 200.50 ft msl

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/02/91 Time 950
 Depth to water = 35.92 ft (10.95 m) below the TOC
 Water elevation = 164.58 ft (50.16 m) msl
 pH = 6.4 Alkalinity = 11 mg/L
 Specific conductance = 39 umhos/cm
 Water temperature = 18.5 degrees Celsius
 Water evacuated from the well prior to sampling = 203 gal

LABORATORY ANALYSES

Specific conductance		40.00 umh/cm	Gen. Eng.
pH		6.54 pH	Gen. Eng.
Silver	LT	2.00 ug/L	Gen. Eng.
Arsenic	LT	2.00 ug/L	Gen. Eng.
Barium		9.61 ug/L	Gen. Eng.
Bromodichloromethane	LT	1.00 ug/L	Gen. Eng.
Calcium		3150.00 ug/L	Gen. Eng.
Trichlorofluoromethane	LT	1.00 ug/L	Gen. Eng.
Carbon tetrachloride	LT	1.00 ug/L	Gen. Eng.
Cadmium	LT	2.00 ug/L	Gen. Eng.
Bromoform	LT	1.00 ug/L	Gen. Eng.
Chloroform	LT	1.00 ug/L	Gen. Eng.
Dichloromethane (Methylene chloride)		1.00 ug/L	Gen. Eng.
Bromomethane (Methyl bromide)	LT	1.00 ug/L	Gen. Eng.
Chloromethane (Methyl chloride)	LT	1.00 ug/L	Gen. Eng.
Chloride		1560.00 ug/L	Gen. Eng.
Chlorobenzene	LT	1.00 ug/L	Gen. Eng.
Chromium	LT	4.00 ug/L	Gen. Eng.
Chloroethene (Vinyl chloride)	LT	1.00 ug/L	Gen. Eng.
Chloroethane	LT	1.00 ug/L	Gen. Eng.
Benzene	LT	1.00 ug/L	Gen. Eng.
Dibromochloromethane	LT	1.00 ug/L	Gen. Eng.
Endrin	LT	0.01 ug/L	Gen. Eng.
Ethylbenzene	LT	1.00 ug/L	Gen. Eng.
Fluoride	LT	100.00 ug/L	Gen. Eng.
Iron		21.20 ug/L	Gen. Eng.
Mercury	LT	0.20 ug/L	Gen. Eng.
Potassium		803.00 ug/L	Gen. Eng.
Lindane	LT	0.00 ug/L	Gen. Eng.
Toluene	LT	1.00 ug/L	Gen. Eng.
Methoxychlor	LT	0.50 ug/L	Gen. Eng.
Magnesium		247.00 ug/L	Gen. Eng.
Manganese		10.80 ug/L	Gen. Eng.
Sodium		3040.00 ug/L	Gen. Eng.
Nitrate as nitrogen		880.00 ug/L	Gen. Eng.
Lead	LT	3.00 ug/L	Gen. Eng.
Selenium	LT	2.00 ug/L	Gen. Eng.

CONTINUED

WELL LFW 43B COLLECTED ON 09/02/91 LABORATORY ANALYSES CONTINUED

Silica		8760.00 ug/L	Gen. Eng.
2,4,5-TP (Silvex)	LT	0.09 ug/L	Gen. Eng.
Sulfate	LT	1000.00 ug/L	Gen. Eng.
1,1,2,2-Tetrachloroethane	LT	1.00 ug/L	Gen. Eng.
Tetrachloroethylene	LT	1.00 ug/L	Gen. Eng.
Total dissolved solids		56000.00 ug/L	Gen. Eng.
Total organic carbon	LT	1000.00 ug/L	Gen. Eng.
Total organic halogens		49.90 ug/L	Gen. Eng.
Phenols	LT	5.00 ug/L	Gen. Eng.
Total phosphates (as P)	LT	100.00 ug/L	Gen. Eng.
Trichloroethylene	LT	1.00 ug/L	Gen. Eng.
Toxaphene	LT	0.24 ug/L	Gen. Eng.
trans-1,2-Dichloroethylene	LT	1.00 ug/L	Gen. Eng.
trans-1,3-Dichloropropene	LT	1.00 ug/L	Gen. Eng.
1,1-Dichloroethylene	LT	1.00 ug/L	Gen. Eng.
1,1-Dichloroethane	LT	1.00 ug/L	Gen. Eng.
1,1,1-Trichloroethane	LT	1.00 ug/L	Gen. Eng.
1,1,2-Trichloroethane	LT	1.00 ug/L	Gen. Eng.
1,2-Dichloroethane	LT	1.00 ug/L	Gen. Eng.
1,2-Dichloropropene	LT	1.00 ug/L	Gen. Eng.
cis-1,3-Dichloropropene	LT	1.00 ug/L	Gen. Eng.
2-Chloroethyl vinyl ether	LT	1.00 ug/L	Gen. Eng.
2,4-Dichlorophenoxyacetic acid	LT	0.30 ug/L	Gen. Eng.
Gross alpha	LT	2.00 pCi/L	Gen. Eng.
Nonvolatile beta	LT	2.00 pCi/L	Gen. Eng.
Total radium	LT	1.00 pCi/L	Gen. Eng.
Tritium	0.86+-	0.20 pCi/mL	Gen. Eng.

WELL LFW 43C

SRS Grid N 86480.6 Latitude 33.290838 N
 Coordinates E 45234.9 Longitude 81.715679 W
 Screen Zone Elevation 138.1-128.1 ft msl
 Top of Casing Elevation 200.10 ft msl

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/02/91 Time 905
 Depth to water - 35.02 ft (10.67 m) below the TOC
 Water elevation - 165.08 ft (50.32 m) msl
 pH - 5.8 Alkalinity - 8 mg/L
 Specific conductance - 34 umhos/cm
 Water temperature - 18.5 degrees Celsius
 Water evacuated from the well prior to sampling - 104 gal

LABORATORY ANALYSES

Specific conductance		35.00 umh/cm	Gen. Eng.
pH		6.13 pH	Gen. Eng.
Silver	LT	2.00 ug/L	Gen. Eng.
Arsenic	LT	2.00 ug/L	Gen. Eng.
Barium		12.30 ug/L	Gen. Eng.

CONTINUED

WELL LFW 43C COLLECTED ON 09/02/91 LABORATORY ANALYSES CONTINUED

Bromodichloromethane	LT	1.00 ug/L	Gen. Eng.
Calcium		3350.00 ug/L	Gen. Eng.
Trichlorofluoromethane	LT	1.00 ug/L	Gen. Eng.
Carbon tetrachloride	LT	1.00 ug/L	Gen. Eng.
Cadmium	LT	2.00 ug/L	Gen. Eng.
Bromoform	LT	1.00 ug/L	Gen. Eng.
Chloroform	LT	1.00 ug/L	Gen. Eng.
Dichloromethane (Methylene chloride)		1.00 ug/L	Gen. Eng.
Bromomethane (Methyl bromide)	LT	1.00 ug/L	Gen. Eng.
Chloromethane (Methyl chloride)	LT	1.00 ug/L	Gen. Eng.
Chloride		1600.00 ug/L	Gen. Eng.
Chloride		1600.00 ug/L	Gen. Eng.
Chlorobenzene	LT	1.00 ug/L	Gen. Eng.
Chromium	LT	4.00 ug/L	Gen. Eng.
Chloroethene (Vinyl chloride)	LT	1.00 ug/L	Gen. Eng.
Chloroethane	LT	1.00 ug/L	Gen. Eng.
Benzene	LT	1.00 ug/L	Gen. Eng.
Dibromochloromethane	LT	1.00 ug/L	Gen. Eng.
Endrin	LT	0.01 ug/L	Gen. Eng.
Ethylbenzene	LT	1.00 ug/L	Gen. Eng.
Fluoride	LT	100.00 ug/L	Gen. Eng.
Fluoride	LT	100.00 ug/L	Gen. Eng.
Iron		4.10 ug/L	Gen. Eng.
Mercury	LT	0.20 ug/L	Gen. Eng.
Potassium	LT	500.00 ug/L	Gen. Eng.
Lindane	LT	0.00 ug/L	Gen. Eng.
Toluene	LT	1.00 ug/L	Gen. Eng.
Methoxychlor	LT	0.50 ug/L	Gen. Eng.
Magnesium		442.00 ug/L	Gen. Eng.
Manganese		17.50 ug/L	Gen. Eng.
Sodium		1520.00 ug/L	Gen. Eng.
Nitrate as nitrogen		530.00 ug/L	Gen. Eng.
Lead	LT	3.00 ug/L	Gen. Eng.
Selenium	LT	2.00 ug/L	Gen. Eng.
Silica		7750.00 ug/L	Gen. Eng.
2,4,5-TP (Silvex)	LT	0.09 ug/L	Gen. Eng.
Sulfate	LT	1000.00 ug/L	Gen. Eng.
Sulfate	LT	1000.00 ug/L	Gen. Eng.
1,1,2,2-Tetrachloroethane	LT	1.00 ug/L	Gen. Eng.
Tetrachloroethylene	LT	1.00 ug/L	Gen. Eng.
Total dissolved solids		47000.00 ug/L	Gen. Eng.
Total organic carbon	LT	1000.00 ug/L	Gen. Eng.
Total organic halogens		119.00 ug/L	Gen. Eng.
Phenols	LT	5.00 ug/L	Gen. Eng.
Total phosphates (as P)	LT	100.00 ug/L	Gen. Eng.
Trichloroethylene	LT	1.00 ug/L	Gen. Eng.
Toxaphene	LT	0.24 ug/L	Gen. Eng.
trans-1,2-Dichloroethylene	LT	1.00 ug/L	Gen. Eng.
trans-1,3-Dichloropropene	LT	1.00 ug/L	Gen. Eng.
1,1-Dichloroethylene	LT	1.00 ug/L	Gen. Eng.
1,1-Dichloroethane	LT	1.00 ug/L	Gen. Eng.
1,1,1-Trichloroethane	LT	1.00 ug/L	Gen. Eng.
1,1,2-Trichloroethane	LT	1.00 ug/L	Gen. Eng.
1,2-Dichloroethane	LT	1.00 ug/L	Gen. Eng.

CONTINUED

WELL LFW 43C COLLECTED ON 09/02/91 LABORATORY ANALYSES CONTINUED

1,2-Dichloropropane	LT	1.00 ug/L	Gen. Eng.
cis-1,3-Dichloropropene	LT	1.00 ug/L	Gen. Eng.
2-Chloroethyl vinyl ether	LT	1.00 ug/L	Gen. Eng.
2,4-Dichlorophenoxyacetic acid	LT	0.30 ug/L	Gen. Eng.
Gross alpha	LT	2.00 pCi/L	Gen. Eng.
Nonvolatile beta	LT	2.00 pCi/L	Gen. Eng.
Total radium	LT	1.00 pCi/L	Gen. Eng.
Tritium	2.03+-	0.20 pCi/mL	Gen. Eng.

WELL LFW 43D

SRS Grid N 86443.2 Latitude 33.290771 N
 Coordinates E 45244.5 Longitude 81.715581 W
 Screen Zone Elevation 170.4-150.4 ft msl
 Top of Casing Elevation 200.40 ft msl

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/02/91 Time 1015
 Depth to water = 34.23 ft (10.43 m) below the TOC
 Water elevation = 166.17 ft (50.65 m) msl
 pH = 5.3 Alkalinity = 11 mg/L
 Specific conductance = 29 umhos/cm
 Water temperature = 19.1 degrees Celsius
 Water evacuated from the well prior to sampling = 72 gal

LABORATORY ANALYSES

Specific conductance		30.00 umh/cm	Gen. Eng.
pH		5.56 pH	Gen. Eng.
Silver	LT	2.00 ug/L	Gen. Eng.
Arsenic	LT	2.00 ug/L	Gen. Eng.
Barium		10.50 ug/L	Gen. Eng.
Bromodichloromethane	LT	1.00 ug/L	Gen. Eng.
Calcium		1410.00 ug/L	Gen. Eng.
Trichlorofluoromethane		40.00 ug/L	Gen. Eng.
Carbon tetrachloride	LT	1.00 ug/L	Gen. Eng.
Cadmium	LT	2.00 ug/L	Gen. Eng.
Bromoform	LT	1.00 ug/L	Gen. Eng.
Chloroform	LT	1.00 ug/L	Gen. Eng.
Dichloromethane (Methylene chloride)		1.00 ug/L	Gen. Eng.
Bromomethane (Methyl bromide)	LT	1.00 ug/L	Gen. Eng.
Chloromethane (Methyl chloride)	LT	1.00 ug/L	Gen. Eng.
Chloride		2520.00 ug/L	Gen. Eng.
Chlorobenzene	LT	1.00 ug/L	Gen. Eng.
Chromium	LT	4.00 ug/L	Gen. Eng.
Chloroethene (Vinyl chloride)	LT	1.00 ug/L	Gen. Eng.
Chloroethane	LT	1.00 ug/L	Gen. Eng.
Benzene	LT	1.00 ug/L	Gen. Eng.
Dibromochloromethane	LT	1.00 ug/L	Gen. Eng.
Endrin	LT	0.01 ug/L	Gen. Eng.
Ethylbenzene	LT	1.00 ug/L	Gen. Eng.

CONTINUED

WELL LFW 43D COLLECTED ON 09/02/91 LABORATORY ANALYSES CONTINUED

Fluoride	LT	100.00 ug/L	Gen. Eng.
Iron		8.02 ug/L	Gen. Eng.
Mercury	LT	0.20 ug/L	Gen. Eng.
Potassium	LT	500.00 ug/L	Gen. Eng.
Lindane	LT	0.00 ug/L	Gen. Eng.
Toluene	LT	1.00 ug/L	Gen. Eng.
Methoxychlor	LT	0.50 ug/L	Gen. Eng.
Magnesium		652.00 ug/L	Gen. Eng.
Manganese		31.60 ug/L	Gen. Eng.
Sodium		2190.00 ug/L	Gen. Eng.
Nitrate as nitrogen		920.00 ug/L	Gen. Eng.
Lead	LT	3.00 ug/L	Gen. Eng.
Selenium	LT	2.00 ug/L	Gen. Eng.
Silica		6250.00 ug/L	Gen. Eng.
2,4,5-TP (Silvex)	LT	0.09 ug/L	Gen. Eng.
Sulfate	LT	1000.00 ug/L	Gen. Eng.
1,1,2,2-Tetrachloroethane	LT	1.00 ug/L	Gen. Eng.
Tetrachloroethylene	LT	1.00 ug/L	Gen. Eng.
Total dissolved solids		31000.00 ug/L	Gen. Eng.
Total organic carbon	LT	1000.00 ug/L	Gen. Eng.
Total organic halogens		32.30 ug/L	Gen. Eng.
Phenols	LT	5.00 ug/L	Gen. Eng.
Total phosphates (as P)	LT	100.00 ug/L	Gen. Eng.
Trichloroethylene	LT	1.00 ug/L	Gen. Eng.
Toxaphene	LT	0.24 ug/L	Gen. Eng.
trans-1,2-Dichloroethylene	LT	1.00 ug/L	Gen. Eng.
trans-1,3-Dichloropropene	LT	1.00 ug/L	Gen. Eng.
1,1-Dichloroethylene	LT	1.00 ug/L	Gen. Eng.
1,1-Dichloroethane	LT	1.00 ug/L	Gen. Eng.
1,1,1-Trichloroethane	LT	1.00 ug/L	Gen. Eng.
1,1,2-Trichloroethane	LT	1.00 ug/L	Gen. Eng.
1,2-Dichloroethane	LT	1.00 ug/L	Gen. Eng.
1,2-Dichloropropane	LT	1.00 ug/L	Gen. Eng.
cis-1,3-Dichloropropene	LT	1.00 ug/L	Gen. Eng.
2-Chloroethyl vinyl ether	LT	1.00 ug/L	Gen. Eng.
2,4-Dichlorophenoxyacetic acid	LT	0.30 ug/L	Gen. Eng.
Gross alpha	LT	2.00 pCi/L	Gen. Eng.
Nonvolatile beta	LT	2.00 pCi/L	Gen. Eng.
Total radium	1.00+-	1.20 pCi/L	Gen. Eng.
Tritium	1.68+-	0.20 pCi/mL	Gen. Eng.

WELL LFW 44D

SRS Grid N 84524.4 Latitude 33.286167 N
 Coordinates E 45022.6 Longitude 81.712435 W
 Screen Zone Elevation 159.3-139.5 ft msl
 Top of Casing Elevation 168.30 ft msl

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/02/91 Time 1120
 Depth to water = 14.18 ft (4.32 m) below the TOC
 Water elevation = 154.12 ft (46.98 m) msl
 pH = 4.9 Alkalinity = 0 mg/L
 Specific conductance = 19 umhos/cm
 Water temperature = 19.7 degrees Celsius
 Water evacuated from the well prior to sampling = 45 gal

LABORATORY ANALYSES

Specific conductance		20.00 umh/cm	Gen. Eng.
pH		5.15 pH	Gen. Eng.
Silver	LT	2.00 ug/L	Gen. Eng.
Arsenic	LT	2.00 ug/L	Gen. Eng.
Barium		3.38 ug/L	Gen. Eng.
Bromodichloromethane	LT	1.00 ug/L	Gen. Eng.
Calcium		369.00 ug/L	Gen. Eng.
Trichlorofluoromethane	LT	1.00 ug/L	Gen. Eng.
Carbon tetrachloride	LT	1.00 ug/L	Gen. Eng.
Cadmium	LT	2.00 ug/L	Gen. Eng.
Bromoform	LT	1.00 ug/L	Gen. Eng.
Chloroform	LT	1.00 ug/L	Gen. Eng.
Dichloromethane (Methylene chloride)		1.00 ug/L	Gen. Eng.
Bromomethane (Methyl bromide)	LT	1.00 ug/L	Gen. Eng.
Chloromethane (Methyl chloride)	LT	1.00 ug/L	Gen. Eng.
Chloride		2910.00 ug/L	Gen. Eng.
Chlorobenzene	LT	1.00 ug/L	Gen. Eng.
Chromium	LT	4.00 ug/L	Gen. Eng.
Chloroethene (Vinyl chloride)	LT	1.00 ug/L	Gen. Eng.
Chloroethane	LT	1.00 ug/L	Gen. Eng.
Benzene	LT	1.00 ug/L	Gen. Eng.
Dibromochloromethane	LT	1.00 ug/L	Gen. Eng.
Endrin	LT	0.01 ug/L	Gen. Eng.
Ethylbenzene	LT	1.00 ug/L	Gen. Eng.
Fluoride	LT	100.00 ug/L	Gen. Eng.
Iron		10.40 ug/L	Gen. Eng.
Mercury	LT	0.20 ug/L	Gen. Eng.
Potassium		624.00 ug/L	Gen. Eng.
Lindane	LT	0.00 ug/L	Gen. Eng.
Toluene	LT	1.00 ug/L	Gen. Eng.
Methoxychlor	LT	0.50 ug/L	Gen. Eng.
Magnesium		344.00 ug/L	Gen. Eng.
Manganese		1.15 ug/L	Gen. Eng.
Sodium		1400.00 ug/L	Gen. Eng.
Nitrate as nitrogen		400.00 ug/L	Gen. Eng.
Lead	LT	3.00 ug/L	Gen. Eng.
Selenium	LT	2.00 ug/L	Gen. Eng.

CONTINUED

WELL LFW 44D COLLECTED ON 09/02/91 LABORATORY ANALYSES CONTINUED

Silica		6470.00 ug/L	Gen. Eng.
2,4,5-TP (Silvex)	LT	0.09 ug/L	Gen. Eng.
Sulfate	LT	1000.00 ug/L	Gen. Eng.
1,1,2,2-Tetrachloroethane	LT	1.00 ug/L	Gen. Eng.
Tetrachloroethylene	LT	1.00 ug/L	Gen. Eng.
Total dissolved solids		23000.00 ug/L	Gen. Eng.
Total organic carbon	LT	1000.00 ug/L	Gen. Eng.
Total organic halogens		90.50 ug/L	Gen. Eng.
Phenols	LT	5.00 ug/L	Gen. Eng.
Total phosphates (as P)	LT	100.00 ug/L	Gen. Eng.
Trichloroethylene	LT	1.00 ug/L	Gen. Eng.
Toxaphene	LT	0.24 ug/L	Gen. Eng.
trans-1,2-Dichloroethylene	LT	1.00 ug/L	Gen. Eng.
trans-1,3-Dichloropropene	LT	1.00 ug/L	Gen. Eng.
1,1-Dichloroethylene	LT	1.00 ug/L	Gen. Eng.
1,1-Dichloroethane	LT	1.00 ug/L	Gen. Eng.
1,1,1-Trichloroethane	LT	1.00 ug/L	Gen. Eng.
1,1,2-Trichloroethane	LT	1.00 ug/L	Gen. Eng.
1,2-Dichloroethane	LT	1.00 ug/L	Gen. Eng.
1,2-Dichloropropane	LT	1.00 ug/L	Gen. Eng.
cis-1,3-Dichloropropene	LT	1.00 ug/L	Gen. Eng.
2-Chloroethyl vinyl ether	LT	1.00 ug/L	Gen. Eng.
2,4-Dichlorophenoxyacetic acid	LT	0.30 ug/L	Gen. Eng.
Gross alpha	LT	2.00 pCi/L	Gen. Eng.
Nonvolatile beta	LT	2.00 pCi/L	Gen. Eng.
Total radium	1.40+-	1.20 pCi/L	Gen. Eng.
Tritium	3.20+-	0.30 pCi/mL	Gen. Eng.

WELL LFW 45D

SRS Grid N 84217.8 Latitude 33.285684 N
 Coordinates E 45142.0 Longitude 81.711525 W
 Screen Zone Elevation 154.7-134.7 ft msl
 Top of Casing Elevation 164.40 ft msl

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/02/91 Time 1200
 Depth to water - 13.01 ft (3.97 m) below the TOC
 Water elevation - 151.39 ft (46.14 m) msl
 pH - 5.0 Alkalinity - 0 mg/L
 Specific conductance - 20 umhos/cm
 Water temperature - 19.7 degrees Celsius
 Water evacuated from the well prior to sampling - 50 gal

LABORATORY ANALYSES

Specific conductance		20.00 umh/cm	Gen. Eng.
pH		5.31 pH	Gen. Eng.
Silver	LT	2.00 ug/L	Gen. Eng.
Arsenic	LT	2.00 ug/L	Gen. Eng.
Barium		5.19 ug/L	Gen. Eng.

CONTINUED

WELL LFW 45D COLLECTED ON 09/02/91 LABORATORY ANALYSES CONTINUED

Bromodichloromethane	LT	1.00 ug/L	Gen. Eng.
Calcium		548.00 ug/L	Gen. Eng.
Trichlorofluoromethane	LT	1.00 ug/L	Gen. Eng.
Carbon tetrachloride	LT	1.00 ug/L	Gen. Eng.
Cadmium	LT	2.00 ug/L	Gen. Eng.
Bromoform	LT	1.00 ug/L	Gen. Eng.
Chloroform	LT	1.00 ug/L	Gen. Eng.
Dichloromethane (Methylene chloride)		1.00 ug/L	Gen. Eng.
Bromomethane (Methyl bromide)	LT	1.00 ug/L	Gen. Eng.
Chloromethane (Methyl chloride)	LT	1.00 ug/L	Gen. Eng.
Chloride		2860.00 ug/L	Gen. Eng.
Chlorobenzene	LT	1.00 ug/L	Gen. Eng.
Chromium	LT	4.00 ug/L	Gen. Eng.
Chloroethene (Vinyl chloride)	LT	1.00 ug/L	Gen. Eng.
Chloroethane	LT	1.00 ug/L	Gen. Eng.
Benzene	LT	1.00 ug/L	Gen. Eng.
Dibromochloromethane	LT	1.00 ug/L	Gen. Eng.
Endrin	LT	0.01 ug/L	Gen. Eng.
Ethylbenzene	LT	1.00 ug/L	Gen. Eng.
Fluoride	LT	100.00 ug/L	Gen. Eng.
Iron		7.29 ug/L	Gen. Eng.
Mercury	LT	0.20 ug/L	Gen. Eng.
Potassium		684.00 ug/L	Gen. Eng.
Lindane	LT	0.00 ug/L	Gen. Eng.
Toluene	LT	1.00 ug/L	Gen. Eng.
Methoxychlor	LT	0.50 ug/L	Gen. Eng.
Magnesium		333.00 ug/L	Gen. Eng.
Manganese		5.38 ug/L	Gen. Eng.
Sodium		1380.00 ug/L	Gen. Eng.
Nitrate as nitrogen		230.00 ug/L	Gen. Eng.
Lead	LT	3.00 ug/L	Gen. Eng.
Selenium	LT	2.00 ug/L	Gen. Eng.
Silica		6650.00 ug/L	Gen. Eng.
2,4,5-TP (Silvex)	LT	0.09 ug/L	Gen. Eng.
Sulfate	LT	1000.00 ug/L	Gen. Eng.
1,1,2,2-Tetrachloroethane	LT	1.00 ug/L	Gen. Eng.
Tetrachloroethylene	LT	1.00 ug/L	Gen. Eng.
Total dissolved solids		33000.00 ug/L	Gen. Eng.
Total dissolved solids		39000.00 ug/L	Gen. Eng.
Total organic carbon	LT	1000.00 ug/L	Gen. Eng.
Total organic halogens	LT	5.00 ug/L	Gen. Eng.
Phenols	LT	5.00 ug/L	Gen. Eng.
Total phosphates (as P)	LT	100.00 ug/L	Gen. Eng.
Trichloroethylene	LT	1.00 ug/L	Gen. Eng.
Toxaphene	LT	0.24 ug/L	Gen. Eng.
trans-1,2-Dichloroethylene	LT	1.00 ug/L	Gen. Eng.
trans-1,3-Dichloropropene	LT	1.00 ug/L	Gen. Eng.
1,1-Dichloroethylene	LT	1.00 ug/L	Gen. Eng.
1,1-Dichloroethane	LT	1.00 ug/L	Gen. Eng.
1,1,1-Trichloroethane	LT	1.00 ug/L	Gen. Eng.
1,1,2-Trichloroethane	LT	1.00 ug/L	Gen. Eng.
1,2-Dichloroethane	LT	1.00 ug/L	Gen. Eng.
1,2-Dichloropropane	LT	1.00 ug/L	Gen. Eng.
cis-1,3-Dichloropropene	LT	1.00 ug/L	Gen. Eng.

CONTINUED

WELL LFW 45D COLLECTED ON 09/02/91 LABORATORY ANALYSES CONTINUED

2-Chloroethyl vinyl ether	LT	1.00 ug/L	Gen. Eng.
2,4-Dichlorophenoxyacetic acid	LT	0.30 ug/L	Gen. Eng.
Gross alpha	LT	2.00 pCi/L	Gen. Eng.
Nonvolatile beta	LT	2.00 pCi/L	Gen. Eng.
Total radium	LT	1.00 pCi/L	Gen. Eng.
Tritium	2.18+-	0.20 pCi/mL	Gen. Eng.

WELL LFW 46D

SRS Grid N 84054.0 Latitude 33.285356 N
 Coordinates E 45162.8 Longitude 81.711152 W
 Screen Zone Elevation 157.1-137.3 ft msl
 Top of Casing Elevation 163.10 ft msl

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/02/91 Time 1235
 Depth to water = 13.25 ft (4.04 m) below the TOC
 Water elevation = 149.85 ft (45.67 m) msl
 pH = 5.5 Alkalinity = 4 mg/L
 Specific conductance = 92 umhos/cm
 Water temperature = 21.2 degrees Celsius
 Water evacuated from the well prior to sampling = 39 gal

LABORATORY ANALYSES

Specific conductance		100.00 umh/cm	Gen. Eng.
pH		5.75 pH	Gen. Eng.
Silver	LT	2.00 ug/L	Gen. Eng.
Arsenic	LT	2.00 ug/L	Gen. Eng.
Barium		13.20 ug/L	Gen. Eng.
Bromodichloromethane	LT	1.00 ug/L	Gen. Eng.
Calcium		6960.00 ug/L	Gen. Eng.
Trichlorofluoromethane	LT	1.00 ug/L	Gen. Eng.
Carbon tetrachloride	LT	1.00 ug/L	Gen. Eng.
Cadmium	LT	2.00 ug/L	Gen. Eng.
Bromoform	LT	1.00 ug/L	Gen. Eng.
Chloroform	LT	1.00 ug/L	Gen. Eng.
Dichloromethane (Methylene chloride)		2.00 ug/L	Gen. Eng.
Bromomethane (Methyl bromide)	LT	1.00 ug/L	Gen. Eng.
Chloromethane (Methyl chloride)	LT	1.00 ug/L	Gen. Eng.
Chloride		2370.00 ug/L	Gen. Eng.
Chlorobenzene	LT	1.00 ug/L	Gen. Eng.
Chromium	LT	4.00 ug/L	Gen. Eng.
Chloroethene (Vinyl chloride)	LT	1.00 ug/L	Gen. Eng.
Chloroethane	LT	1.00 ug/L	Gen. Eng.
Benzene	LT	1.00 ug/L	Gen. Eng.
Dibromochloromethane	LT	1.00 ug/L	Gen. Eng.
Endrin	LT	0.01 ug/L	Gen. Eng.
Ethylbenzene	LT	1.00 ug/L	Gen. Eng.
Fluoride	LT	100.00 ug/L	Gen. Eng.
Iron	LT	4.00 ug/L	Gen. Eng.

CONTINUED

WELL LFW 46D COLLECTED ON 09/02/91 LABORATORY ANALYSES CONTINUED

Mercury	LT	0.20 ug/L	Gen. Eng.
Potassium		946.00 ug/L	Gen. Eng.
Lindane	LT	0.00 ug/L	Gen. Eng.
Toluene	LT	1.00 ug/L	Gen. Eng.
Methoxychlor	LT	0.50 ug/L	Gen. Eng.
Magnesium		3740.00 ug/L	Gen. Eng.
Manganese		4.74 ug/L	Gen. Eng.
Sodium		1180.00 ug/L	Gen. Eng.
Nitrate as nitrogen		300.00 ug/L	Gen. Eng.
Lead	LT	3.00 ug/L	Gen. Eng.
Selenium	LT	2.00 ug/L	Gen. Eng.
Silica		6580.00 ug/L	Gen. Eng.
2,4,5-TP (Silvex)	LT	0.09 ug/L	Gen. Eng.
Sulfate		28400.00 ug/L	Gen. Eng.
1,1,2,2-Tetrachloroethane	LT	1.00 ug/L	Gen. Eng.
Tetrachloroethylene	LT	1.00 ug/L	Gen. Eng.
Total dissolved solids		88000.00 ug/L	Gen. Eng.
Total organic carbon	LT	1000.00 ug/L	Gen. Eng.
Total organic halogens		84.10 ug/L	Gen. Eng.
Phenols	LT	5.00 ug/L	Gen. Eng.
Total phosphates (as P)	LT	100.00 ug/L	Gen. Eng.
Trichloroethylene	LT	1.00 ug/L	Gen. Eng.
Toxaphene	LT	0.24 ug/L	Gen. Eng.
trans-1,2-Dichloroethylene	LT	1.00 ug/L	Gen. Eng.
trans-1,3-Dichloropropene	LT	1.00 ug/L	Gen. Eng.
1,1-Dichloroethylene	LT	1.00 ug/L	Gen. Eng.
1,1-Dichloroethane	LT	1.00 ug/L	Gen. Eng.
1,1,1-Trichloroethane	LT	1.00 ug/L	Gen. Eng.
1,1,2-Trichloroethane	LT	1.00 ug/L	Gen. Eng.
1,2-Dichloroethane	LT	1.00 ug/L	Gen. Eng.
1,2-Dichloropropane	LT	1.00 ug/L	Gen. Eng.
cis-1,3-Dichloropropene	LT	1.00 ug/L	Gen. Eng.
2-Chloroethyl vinyl ether	LT	1.00 ug/L	Gen. Eng.
2,4-Dichlorophenoxyacetic acid	LT	0.30 ug/L	Gen. Eng.
Gross alpha	LT	2.00 pCi/L	Gen. Eng.
Nonvolatile beta	3.90+-	2.30 pCi/L	Gen. Eng.
* Total radium	5.00+-	2.10 pCi/L	Gen. Eng.
Tritium	1.74+-	0.20 pCi/mL	Gen. Eng.

WELL LFW 47C

SRS Grid N 83843.9 Latitude 33.284917 N
 Coordinates E 45178.6 Longitude 81.710702 W
 Screen Zone Elevation 115.8-105.7 ft msl
 Top of Casing Elevation 159.30 ft msl

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/02/91 Time 1420
 Depth to water = 12.04 ft (3.67 m) below the TOC
 Water elevation = 147.26 ft (44.89 m) msl
 pH = 5.2 Alkalinity = 1 mg/L
 Specific conductance = 30 umhos/cm
 Water temperature = 18.5 degrees Celsius
 Water evacuated from the well prior to sampling = 115 gal

LABORATORY ANALYSES

Specific conductance		30.00 umh/cm	Gen. Eng.
pH		5.41 pH	Gen. Eng.
Silver	LT	2.00 ug/L	Gen. Eng.
Arsenic	LT	2.00 ug/L	Gen. Eng.
Barium		4.89 ug/L	Gen. Eng.
Bromodichloromethane	LT	1.00 ug/L	Gen. Eng.
Calcium		729.00 ug/L	Gen. Eng.
Trichlorofluoromethane	LT	1.00 ug/L	Gen. Eng.
Carbon tetrachloride	LT	1.00 ug/L	Gen. Eng.
Cadmium	LT	2.00 ug/L	Gen. Eng.
Bromoform	LT	1.00 ug/L	Gen. Eng.
Chloroform	LT	1.00 ug/L	Gen. Eng.
Dichloromethane (Methylene chloride)		1.00 ug/L	Gen. Eng.
Bromomethane (Methyl bromide)	LT	1.00 ug/L	Gen. Eng.
Chloromethane (Methyl chloride)	LT	1.00 ug/L	Gen. Eng.
Chloride		3680.00 ug/L	Gen. Eng.
Chlorobenzene	LT	1.00 ug/L	Gen. Eng.
Chromium	LT	4.00 ug/L	Gen. Eng.
* Chloroethene (Vinyl chloride)		3.00 ug/L	Gen. Eng.
Chloroethane	LT	1.00 ug/L	Gen. Eng.
Benzene	LT	1.00 ug/L	Gen. Eng.
Dibromochloromethane	LT	1.00 ug/L	Gen. Eng.
Endrin	LT	0.01 ug/L	Gen. Eng.
Ethylbenzene	LT	1.00 ug/L	Gen. Eng.
Fluoride	LT	100.00 ug/L	Gen. Eng.
Iron		11.50 ug/L	Gen. Eng.
Mercury	LT	0.20 ug/L	Gen. Eng.
Potassium		553.00 ug/L	Gen. Eng.
Lindane	LT	0.00 ug/L	Gen. Eng.
Toluene	LT	1.00 ug/L	Gen. Eng.
Methoxychlor	LT	0.50 ug/L	Gen. Eng.
Magnesium		1000.00 ug/L	Gen. Eng.
Manganese		10.30 ug/L	Gen. Eng.
Sodium		2100.00 ug/L	Gen. Eng.
Nitrate as nitrogen		420.00 ug/L	Gen. Eng.
Lead	LT	3.00 ug/L	Gen. Eng.
Selenium	LT	2.00 ug/L	Gen. Eng.

CONTINUED

WELL LFW 47C COLLECTED ON 09/02/91 LABORATORY ANALYSES CONTINUED

Silica		7640.00 ug/L	Gen. Eng.
2,4,5-TP (Silvex)	LT	0.09 ug/L	Gen. Eng.
Sulfate	LT	1000.00 ug/L	Gen. Eng.
1,1,2,2-Tetrachloroethane	LT	1.00 ug/L	Gen. Eng.
Tetrachloroethylene	LT	1.00 ug/L	Gen. Eng.
Total dissolved solids		29000.00 ug/L	Gen. Eng.
Total organic carbon	LT	1000.00 ug/L	Gen. Eng.
Total organic halogens		63.90 ug/L	Gen. Eng.
Phenols	LT	5.00 ug/L	Gen. Eng.
Total phosphates (as P)	LT	100.00 ug/L	Gen. Eng.
Trichloroethylene	LT	1.00 ug/L	Gen. Eng.
Toxaphene	LT	0.24 ug/L	Gen. Eng.
trans-1,2-Dichloroethylene	LT	1.00 ug/L	Gen. Eng.
trans-1,3-Dichloropropene	LT	1.00 ug/L	Gen. Eng.
1,1-Dichloroethylene	LT	1.00 ug/L	Gen. Eng.
1,1-Dichloroethane		2.00 ug/L	Gen. Eng.
1,1,1-Trichloroethane	LT	1.00 ug/L	Gen. Eng.
1,1,2-Trichloroethane	LT	1.00 ug/L	Gen. Eng.
1,2-Dichloroethane	LT	1.00 ug/L	Gen. Eng.
1,2-Dichloropropene	LT	1.00 ug/L	Gen. Eng.
cis-1,3-Dichloropropene	LT	1.00 ug/L	Gen. Eng.
2-Chloroethyl vinyl ether	LT	1.00 ug/L	Gen. Eng.
2,4-Dichlorophenoxyacetic acid	LT	0.30 ug/L	Gen. Eng.
Gross alpha	LT	2.00 pCi/L	Gen. Eng.
Nonvolatile beta	LT	2.00 pCi/L	Gen. Eng.
Total radium	2.00+-	1.40 pCi/L	Gen. Eng.
Tritium	4.96+-	0.30 pCi/mL	Gen. Eng.

WELL LFW 47D

SRS Grid N 83859.3 Latitude 33.284933 N
Coordinates E 45167.9 Longitude 81.710760 W
Screen Zone Elevation 154.7-134.9 ft msl
Top of Casing Elevation 159.70 ft msl

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/02/91 Time 1440
Depth to water = 11.89 ft (3.62 m) below the TOC
Water elevation = 147.81 ft (45.05 m) msl
pH = 5.2 Alkalinity = 1 mg/L
Specific conductance = 24 umhos/cm
Water temperature = 20.7 degrees Celsius
Water evacuated from the well prior to sampling = 40 gal

LABORATORY ANALYSES

Specific conductance		25.00 umh/cm	Gen. Eng.
pH		5.46 pH	Gen. Eng.
Silver	LT	2.00 ug/L	Gen. Eng.
Arsenic	LT	2.00 ug/L	Gen. Eng.
Barium		14.80 ug/L	Gen. Eng.

CONTINUED

WELL LFW 47D COLLECTED ON 09/02/91 LABORATORY ANALYSES CONTINUED

Bromodichloromethane	LT	1.00 ug/L	Gen. Eng.
Calcium		1460.00 ug/L	Gen. Eng.
Trichlorofluoromethane		51.00 ug/L	Gen. Eng.
Carbon tetrachloride	LT	1.00 ug/L	Gen. Eng.
Cadmium	LT	2.00 ug/L	Gen. Eng.
Bromoform	LT	1.00 ug/L	Gen. Eng.
Chloroform	LT	1.00 ug/L	Gen. Eng.
Dichloromethane (Methylene chloride)		2.00 ug/L	Gen. Eng.
Bromomethane (Methyl bromide)	LT	1.00 ug/L	Gen. Eng.
Chloromethane (Methyl chloride)	LT	1.00 ug/L	Gen. Eng.
Chloride		1490.00 ug/L	Gen. Eng.
Chlorobenzene	LT	1.00 ug/L	Gen. Eng.
Chromium	LT	4.00 ug/L	Gen. Eng.
Chloroethene (Vinyl chloride)	LT	1.00 ug/L	Gen. Eng.
Chloroethane	LT	1.00 ug/L	Gen. Eng.
Benzene	LT	1.00 ug/L	Gen. Eng.
Dibromochloromethane	LT	1.00 ug/L	Gen. Eng.
Endrin	LT	0.01 ug/L	Gen. Eng.
Ethylbenzene	LT	1.00 ug/L	Gen. Eng.
Fluoride	LT	100.00 ug/L	Gen. Eng.
Iron		4.05 ug/L	Gen. Eng.
Mercury	LT	0.20 ug/L	Gen. Eng.
Potassium		647.00 ug/L	Gen. Eng.
Lindane	LT	0.00 ug/L	Gen. Eng.
Toluene	LT	1.00 ug/L	Gen. Eng.
Methoxychlor	LT	0.50 ug/L	Gen. Eng.
Magnesium		767.00 ug/L	Gen. Eng.
Manganese		3.49 ug/L	Gen. Eng.
Sodium		749.00 ug/L	Gen. Eng.
Nitrate as nitrogen		330.00 ug/L	Gen. Eng.
Lead	LT	3.00 ug/L	Gen. Eng.
Selenium	LT	2.00 ug/L	Gen. Eng.
Silica		5140.00 ug/L	Gen. Eng.
2,4,5-TP (Silvex)	LT	0.09 ug/L	Gen. Eng.
Sulfate		4880.00 ug/L	Gen. Eng.
1,1,2,2-Tetrachloroethane	LT	1.00 ug/L	Gen. Eng.
Tetrachloroethylene	LT	1.00 ug/L	Gen. Eng.
Total dissolved solids		24000.00 ug/L	Gen. Eng.
Total organic carbon	LT	1000.00 ug/L	Gen. Eng.
Total organic halogens	LT	5.00 ug/L	Gen. Eng.
Phenols	LT	5.00 ug/L	Gen. Eng.
Total phosphates (as P)	LT	100.00 ug/L	Gen. Eng.
Trichloroethylene	LT	1.00 ug/L	Gen. Eng.
Toxaphene	LT	0.24 ug/L	Gen. Eng.
trans-1,2-Dichloroethylene	LT	1.00 ug/L	Gen. Eng.
trans-1,3-Dichloropropene	LT	1.00 ug/L	Gen. Eng.
1,1-Dichloroethylene	LT	1.00 ug/L	Gen. Eng.
1,1-Dichloroethane	LT	1.00 ug/L	Gen. Eng.
1,1,1-Trichloroethane	LT	1.00 ug/L	Gen. Eng.
1,1,2-Trichloroethane	LT	1.00 ug/L	Gen. Eng.
1,2-Dichloroethane	LT	1.00 ug/L	Gen. Eng.
1,2-Dichloropropane	LT	1.00 ug/L	Gen. Eng.
cis-1,3-Dichloropropene	LT	1.00 ug/L	Gen. Eng.
2-Chloroethyl vinyl ether	LT	1.00 ug/L	Gen. Eng.

CONTINUED

WELL LFW 47D COLLECTED ON 09/02/91 LABORATORY ANALYSES CONTINUED

2,4-Dichlorophenoxyacetic acid	LT	0.30 ug/L	Gen. Eng.
Gross alpha	LT	2.00 pCi/L	Gen. Eng.
Nonvolatile beta	LT	2.00 pCi/L	Gen. Eng.
Total radium	LT	1.00 pCi/L	Gen. Eng.
Tritium	2.21+-	0.20 pCi/mL	Gen. Eng.

WELL LFW 48C

SRS Grid N 83877.0 Latitude 33.285401 N
 Coordinates E 45430.3 Longitude 81.710103 W
 Screen Zone Elevation 118.2-108.2 ft msl
 Top of Casing Elevation 167.20 ft msl

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/02/91 Time 1315
 Depth to water = 19.70 ft (6.00 m) below the TOC
 Water elevation = 147.50 ft (44.96 m) msl
 pH = 5.6 Alkalinity = 3 mg/L
 Specific conductance = 29 umhos/cm
 Water temperature = 19.0 degrees Celsius
 Water evacuated from the well prior to sampling = 110 gal

LABORATORY ANALYSES

Specific conductance		28.00 umh/cm	Gen. Eng.
pH		5.81 pH	Gen. Eng.
Silver	LT	2.00 ug/L	Gen. Eng.
Arsenic	LT	2.00 ug/L	Gen. Eng.
Barium		7.42 ug/L	Gen. Eng.
Bromodichloromethane	LT	1.00 ug/L	Gen. Eng.
Calcium		946.00 ug/L	Gen. Eng.
Trichlorofluoromethane	LT	1.00 ug/L	Gen. Eng.
Carbon tetrachloride	LT	1.00 ug/L	Gen. Eng.
Cadmium	LT	2.00 ug/L	Gen. Eng.
Bromoform	LT	1.00 ug/L	Gen. Eng.
Chloroform	LT	1.00 ug/L	Gen. Eng.
Dichloromethane (Methylene chloride)		2.00 ug/L	Gen. Eng.
Bromomethane (Methyl bromide)	LT	1.00 ug/L	Gen. Eng.
Chloromethane (Methyl chloride)	LT	1.00 ug/L	Gen. Eng.
Chloride		1850.00 ug/L	Gen. Eng.
Chlorobenzene	LT	1.00 ug/L	Gen. Eng.
Chromium	LT	4.00 ug/L	Gen. Eng.
Chloroethene (Vinyl chloride)	LT	1.00 ug/L	Gen. Eng.
Chloroethane	LT	1.00 ug/L	Gen. Eng.
Benzene	LT	1.00 ug/L	Gen. Eng.
Dibromochloromethane	LT	1.00 ug/L	Gen. Eng.
Endrin	LT	0.01 ug/L	Gen. Eng.
Ethylbenzene	LT	1.00 ug/L	Gen. Eng.
Fluoride	LT	100.00 ug/L	Gen. Eng.
Iron		6.17 ug/L	Gen. Eng.
Mercury	LT	0.20 ug/L	Gen. Eng.

CONTINUED

WELL LFW 48C COLLECTED ON 09/02/91 LABORATORY ANALYSES CONTINUED

Potassium		806.00 ug/L	Gen. Eng.
Lindane	LT	0.00 ug/L	Gen. Eng.
Toluene	LT	1.00 ug/L	Gen. Eng.
Methoxychlor	LT	0.50 ug/L	Gen. Eng.
Magnesium		372.00 ug/L	Gen. Eng.
Manganese		17.50 ug/L	Gen. Eng.
Sodium		2570.00 ug/L	Gen. Eng.
Nitrate as nitrogen		580.00 ug/L	Gen. Eng.
Lead	LT	3.00 ug/L	Gen. Eng.
Selenium	LT	2.00 ug/L	Gen. Eng.
Silica		7140.00 ug/L	Gen. Eng.
2,4,5-TP (Silvex)	LT	0.09 ug/L	Gen. Eng.
Sulfate	LT	1000.00 ug/L	Gen. Eng.
1,1,2,2-Tetrachloroethane	LT	1.00 ug/L	Gen. Eng.
Tetrachloroethylene	LT	1.00 ug/L	Gen. Eng.
Total dissolved solids		26000.00 ug/L	Gen. Eng.
Total organic carbon	LT	1000.00 ug/L	Gen. Eng.
Total organic carbon	LT	1000.00 ug/L	Gen. Eng.
Total organic halogens		94.90 ug/L	Gen. Eng.
Phenols	LT	5.00 ug/L	Gen. Eng.
Total phosphates (as P)	LT	100.00 ug/L	Gen. Eng.
Trichloroethylene	LT	1.00 ug/L	Gen. Eng.
Toxaphene	LT	0.24 ug/L	Gen. Eng.
trans-1,2-Dichloroethylene	LT	1.00 ug/L	Gen. Eng.
trans-1,3-Dichloropropene	LT	1.00 ug/L	Gen. Eng.
1,1-Dichloroethylene	LT	1.00 ug/L	Gen. Eng.
1,1-Dichloroethane	LT	1.00 ug/L	Gen. Eng.
1,1,1-Trichloroethane	LT	1.00 ug/L	Gen. Eng.
1,1,2-Trichloroethane	LT	1.00 ug/L	Gen. Eng.
1,2-Dichloroethane	LT	1.00 ug/L	Gen. Eng.
1,2-Dichloropropane	LT	1.00 ug/L	Gen. Eng.
cis-1,3-Dichloropropene	LT	1.00 ug/L	Gen. Eng.
2-Chloroethyl vinyl ether	LT	1.00 ug/L	Gen. Eng.
2,4-Dichlorophenoxyacetic acid	LT	0.30 ug/L	Gen. Eng.
Gross alpha	LT	2.00 pCi/L	Gen. Eng.
Nonvolatile beta	LT	2.00 pCi/L	Gen. Eng.
Total radium	LT	1.00 pCi/L	Gen. Eng.
Tritium	3.73+-	0.30 pCi/mL	Gen. Eng.

WELL LFW 48D

SRS Grid N 83877.5 Latitude 33.285424 N
 Coordinates E 45443.7 Longitude 81.710069 W
 Screen Zone Elevation 155.0-134.9 ft msl
 Top of Casing Elevation 167.50 ft msl

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/02/91 Time 1335
 Depth to water - 19.30 ft (5.88 m) below the TOC
 Water elevation - 148.20 ft (45.17 m) msl
 pH - 6.6 Alkalinity - 101 mg/L
 Specific conductance - 342 umhos/cm
 Water temperature - 19.2 degrees Celsius
 Water evacuated from the well prior to sampling - 42 gal

LABORATORY ANALYSES

Specific conductance		270.00 umh/cm	Gen. Eng.
pH		6.47 pH	Gen. Eng.
Silver	LT	2.00 ug/L	Gen. Eng.
Arsenic		5.77 ug/L	Gen. Eng.
Barium		10.80 ug/L	Gen. Eng.
Bromodichloromethane	LT	1.00 ug/L	Gen. Eng.
Calcium		5480.00 ug/L	Gen. Eng.
Trichlorofluoromethane	LT	1.00 ug/L	Gen. Eng.
Carbon tetrachloride	LT	1.00 ug/L	Gen. Eng.
Cadmium	LT	2.00 ug/L	Gen. Eng.
Bromoform	LT	1.00 ug/L	Gen. Eng.
Chloroform	LT	1.00 ug/L	Gen. Eng.
Dichloromethane (Methylene chloride)		10.00 ug/L	Gen. Eng.
Bromomethane (Methyl bromide)	LT	1.00 ug/L	Gen. Eng.
Chloromethane (Methyl chloride)		2.00 ug/L	Gen. Eng.
Chloride		30600.00 ug/L	Gen. Eng.
Chlorobenzene		2.00 ug/L	Gen. Eng.
Chromium	LT	4.00 ug/L	Gen. Eng.
* Chloroethene (Vinyl chloride)		114.00 ug/L	Gen. Eng.
Chloroethane		10.00 ug/L	Gen. Eng.
Benzene		4.00 ug/L	Gen. Eng.
Dibromochloromethane	LT	1.00 ug/L	Gen. Eng.
Endrin	LT	0.01 ug/L	Gen. Eng.
Ethylbenzene		20.00 ug/L	Gen. Eng.
Fluoride		222.00 ug/L	Gen. Eng.
Iron		25000.00 ug/L	Gen. Eng.
Mercury	LT	0.20 ug/L	Gen. Eng.
Potassium		947.00 ug/L	Gen. Eng.
Lindane	LT	0.00 ug/L	Gen. Eng.
Toluene		10.00 ug/L	Gen. Eng.
Methoxychlor	LT	0.50 ug/L	Gen. Eng.
Magnesium		9100.00 ug/L	Gen. Eng.
Manganese		35.00 ug/L	Gen. Eng.
Sodium		27400.00 ug/L	Gen. Eng.
Nitrate as nitrogen	LT	50.00 ug/L	Gen. Eng.
Lead	LT	3.00 ug/L	Gen. Eng.
Selenium	LT	2.00 ug/L	Gen. Eng.

CONTINUED

WELL LFW 48D COLLECTED ON 09/02/91 LABORATORY ANALYSES CONTINUED

Silica		6320.00 ug/L	Gen. Eng.
2,4,5-TP (Silvex)	LT	0.09 ug/L	Gen. Eng.
Sulfate	LT	1000.00 ug/L	Gen. Eng.
1,1,2,2-Tetrachloroethane	LT	1.00 ug/L	Gen. Eng.
Tetrachloroethylene	LT	1.00 ug/L	Gen. Eng.
Total dissolved solids		170000.00 ug/L	Gen. Eng.
Total organic carbon		7000.00 ug/L	Gen. Eng.
Total organic carbon		7000.00 ug/L	Gen. Eng.
Total organic halogens		339.00 ug/L	Gen. Eng.
Total organic halogens		331.00 ug/L	Gen. Eng.
Phenols	LT	5.00 ug/L	Gen. Eng.
Total phosphates (as P)	LT	100.00 ug/L	Gen. Eng.
Trichloroethylene	LT	1.00 ug/L	Gen. Eng.
Toxaphene	LT	0.24 ug/L	Gen. Eng.
trans-1,2-Dichloroethylene	LT	1.00 ug/L	Gen. Eng.
trans-1,3-Dichloropropene	LT	1.00 ug/L	Gen. Eng.
1,1-Dichloroethylene	LT	1.00 ug/L	Gen. Eng.
1,1-Dichloroethane		86.00 ug/L	Gen. Eng.
1,1,1-Trichloroethane	LT	1.00 ug/L	Gen. Eng.
1,1,2-Trichloroethane	LT	1.00 ug/L	Gen. Eng.
1,2-Dichloroethane		4.00 ug/L	Gen. Eng.
1,2-Dichloropropane	LT	1.00 ug/L	Gen. Eng.
cis-1,3-Dichloropropene	LT	1.00 ug/L	Gen. Eng.
2-Chloroethyl vinyl ether	LT	1.00 ug/L	Gen. Eng.
2,4-Dichlorophenoxyacetic acid	LT	0.30 ug/L	Gen. Eng.
Gross alpha	LT	2.00 pCi/L	Gen. Eng.
Nonvolatile beta	3.50+-	2.10 pCi/L	Gen. Eng.
Total radium	LT	1.00 pCi/L	Gen. Eng.
Tritium	15.90+-	0.60 pCi/mL	Gen. Eng.

WELL LFW 55C

SRS Grid N 83613.2 Latitude 33.284451 N
 Coordinates E 45205.9 Longitude 81.710181 W
 Screen Zone Elevation 103.9-93.9 ft msl
 Top of Casing Elevation 153.90 ft msl

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/03/91 Time 1130
 Depth to water = 9.17 ft (2.80 m) below the TOC
 Water elevation = 144.73 ft (44.11 m) msl
 pH = 5.3 Alkalinity = 1 mg/L
 Specific conductance = 35 umhos/cm
 Water temperature = 18.7 degrees Celsius
 Water evacuated from the well prior to sampling = 140 gal

LABORATORY ANALYSES

Specific conductance		36.00 umh/cm	Gen. Eng.
pH		5.47 pH	Gen. Eng.
Silver	LT	2.00 ug/L	Gen. Eng.

CONTINUED

WELL LFW 55C COLLECTED ON 09/03/91 LABORATORY ANALYSES CONTINUED

Arsenic	LT	2.00 ug/L	Gen. Eng.
Barium		3.56 ug/L	Gen. Eng.
Bromodichloromethane	LT	1.00 ug/L	Gen. Eng.
Calcium		867.00 ug/L	Gen. Eng.
Trichlorofluoromethane	LT	1.00 ug/L	Gen. Eng.
Carbon tetrachloride	LT	1.00 ug/L	Gen. Eng.
Cadmium	LT	2.00 ug/L	Gen. Eng.
Bromoform	LT	1.00 ug/L	Gen. Eng.
Chloroform	LT	1.00 ug/L	Gen. Eng.
Dichloromethane (Methylene chloride)		1.00 ug/L	Gen. Eng.
Bromomethane (Methyl bromide)	LT	1.00 ug/L	Gen. Eng.
Chloromethane (Methyl chloride)	LT	1.00 ug/L	Gen. Eng.
Chloride		3560.00 ug/L	Gen. Eng.
Chlorobenzene	LT	1.00 ug/L	Gen. Eng.
Chromium	LT	4.00 ug/L	Gen. Eng.
Chloroethene (Vinyl chloride)	LT	1.00 ug/L	Gen. Eng.
Chloroethane	LT	1.00 ug/L	Gen. Eng.
Benzene	LT	1.00 ug/L	Gen. Eng.
Dibromochloromethane	LT	1.00 ug/L	Gen. Eng.
Endrin	LT	0.01 ug/L	Gen. Eng.
Ethylbenzene	LT	1.00 ug/L	Gen. Eng.
Fluoride	LT	100.00 ug/L	Gen. Eng.
Iron		9.25 ug/L	Gen. Eng.
Mercury	LT	0.20 ug/L	Gen. Eng.
Potassium	LT	500.00 ug/L	Gen. Eng.
Lindane	LT	0.00 ug/L	Gen. Eng.
Toluene	LT	1.00 ug/L	Gen. Eng.
Methoxychlor	LT	0.50 ug/L	Gen. Eng.
Magnesium		1160.00 ug/L	Gen. Eng.
Manganese		10.30 ug/L	Gen. Eng.
Sodium		2760.00 ug/L	Gen. Eng.
Nitrate as nitrogen		970.00 ug/L	Gen. Eng.
Lead	LT	3.00 ug/L	Gen. Eng.
Selenium	LT	2.00 ug/L	Gen. Eng.
Silica		7690.00 ug/L	Gen. Eng.
2,4,5-TP (Silvex)	LT	0.09 ug/L	Gen. Eng.
Sulfate	LT	1000.00 ug/L	Gen. Eng.
1,1,2,2-Tetrachloroethane	LT	1.00 ug/L	Gen. Eng.
Tetrachloroethylene	LT	1.00 ug/L	Gen. Eng.
Total dissolved solids		27000.00 ug/L	Gen. Eng.
Total organic carbon	LT	1000.00 ug/L	Gen. Eng.
Total organic carbon	LT	1000.00 ug/L	Gen. Eng.
Total organic halogens		8.20 ug/L	Gen. Eng.
Phenols	LT	5.00 ug/L	Gen. Eng.
Total phosphates (as P)	LT	100.00 ug/L	Gen. Eng.
Trichloroethylene	LT	1.00 ug/L	Gen. Eng.
Toxaphene	LT	0.24 ug/L	Gen. Eng.
trans-1,2-Dichloroethylene	LT	1.00 ug/L	Gen. Eng.
trans-1,3-Dichloropropene	LT	1.00 ug/L	Gen. Eng.
1,1-Dichloroethylene	LT	1.00 ug/L	Gen. Eng.
1,1-Dichloroethane	LT	1.00 ug/L	Gen. Eng.
1,1,1-Trichloroethane	LT	1.00 ug/L	Gen. Eng.
1,1,2-Trichloroethane	LT	1.00 ug/L	Gen. Eng.
1,2-Dichloroethane	LT	1.00 ug/L	Gen. Eng.

CONTINUED

WELL LFW 55C COLLECTED ON 09/03/91 LABORATORY ANALYSES CONTINUED

1,2-Dichloropropane	LT	1.00 ug/L	Gen. Eng.
cis-1,3-Dichloropropene	LT	1.00 ug/L	Gen. Eng.
2-Chloroethyl vinyl ether	LT	1.00 ug/L	Gen. Eng.
2,4-Dichlorophenoxyacetic acid	LT	0.30 ug/L	Gen. Eng.
Gross alpha	LT	2.00 pCi/L	Gen. Eng.
Nonvolatile beta	LT	2.00 pCi/L	Gen. Eng.
Total radium	1.50+-	2.40 pCi/L	Gen. Eng.
Tritium	2.03+-	0.20 pCi/mL	Gen. Eng.

WELL LFW 55D

SRS Grid N 83601.3 Latitude 33.284398 N
 Coordinates E 45189.3 Longitude 81.710202 W
 Screen Zone Elevation 141.4-121.2 ft msl
 Top of Casing Elevation 153.40 ft msl

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/03/91 Time 1105
 Depth to water = 8.08 ft (2.46 m) below the TOC
 Water elevation = 145.32 ft (44.29 m) msl
 pH = 5.2 Alkalinity = 1 mg/L
 Specific conductance = 22 umhos/cm
 Water temperature = 19.3 degrees Celsius
 Water evacuated from the well prior to sampling = 70 gal

LABORATORY ANALYSES

Specific conductance		23.00 umh/cm	Gen. Eng.
pH		5.33 pH	Gen. Eng.
Silver	LT	2.00 ug/L	Gen. Eng.
Arsenic	LT	2.00 ug/L	Gen. Eng.
Barium		9.80 ug/L	Gen. Eng.
Bromodichloromethane	LT	1.00 ug/L	Gen. Eng.
Calcium		862.00 ug/L	Gen. Eng.
Trichlorofluoromethane	LT	1.00 ug/L	Gen. Eng.
Carbon tetrachloride	LT	1.00 ug/L	Gen. Eng.
Cadmium	LT	2.00 ug/L	Gen. Eng.
Bromoform	LT	1.00 ug/L	Gen. Eng.
Chloroform	LT	1.00 ug/L	Gen. Eng.
Dichloromethane (Methylene chloride)	LT	1.00 ug/L	Gen. Eng.
Bromomethane (Methyl bromide)	LT	1.00 ug/L	Gen. Eng.
Chloromethane (Methyl chloride)	LT	1.00 ug/L	Gen. Eng.
Chloride		2530.00 ug/L	Gen. Eng.
Chlorobenzene	LT	1.00 ug/L	Gen. Eng.
Chromium	LT	4.00 ug/L	Gen. Eng.
Chloroethene (Vinyl chloride)	LT	1.00 ug/L	Gen. Eng.
Chloroethane	LT	1.00 ug/L	Gen. Eng.
Benzene	LT	1.00 ug/L	Gen. Eng.
Dibromochloromethane	LT	1.00 ug/L	Gen. Eng.
Endrin	LT	0.01 ug/L	Gen. Eng.
Ethylbenzene	LT	1.00 ug/L	Gen. Eng.

CONTINUED

WELL LFW 55D COLLECTED ON 09/03/91 LABORATORY ANALYSES CONTINUED

Fluoride	LT	100.00 ug/L	Gen. Eng.
Iron		6.79 ug/L	Gen. Eng.
Mercury	LT	0.20 ug/L	Gen. Eng.
Potassium		644.00 ug/L	Gen. Eng.
Lindane	LT	0.00 ug/L	Gen. Eng.
Toluene	LT	1.00 ug/L	Gen. Eng.
Methoxychlor	LT	0.50 ug/L	Gen. Eng.
Magnesium		471.00 ug/L	Gen. Eng.
Manganese		20.80 ug/L	Gen. Eng.
Sodium		1220.00 ug/L	Gen. Eng.
Nitrate as nitrogen		280.00 ug/L	Gen. Eng.
Lead	LT	3.00 ug/L	Gen. Eng.
Selenium	LT	2.00 ug/L	Gen. Eng.
Silica		6350.00 ug/L	Gen. Eng.
2,4,5-TP (Silvex)	LT	0.09 ug/L	Gen. Eng.
Sulfate	LT	1000.00 ug/L	Gen. Eng.
1,1,2,2-Tetrachloroethane	LT	1.00 ug/L	Gen. Eng.
Tetrachloroethylene	LT	1.00 ug/L	Gen. Eng.
Total dissolved solids		24000.00 ug/L	Gen. Eng.
Total organic carbon	LT	1000.00 ug/L	Gen. Eng.
Total organic halogens	LT	5.00 ug/L	Gen. Eng.
Total organic halogens	LT	5.00 ug/L	Gen. Eng.
Phenols	LT	5.00 ug/L	Gen. Eng.
Total phosphates (as P)	LT	100.00 ug/L	Gen. Eng.
Trichloroethylene	LT	1.00 ug/L	Gen. Eng.
Toxaphene	LT	0.24 ug/L	Gen. Eng.
trans-1,2-Dichloroethylene	LT	1.00 ug/L	Gen. Eng.
trans-1,3-Dichloropropene	LT	1.00 ug/L	Gen. Eng.
1,1-Dichloroethylene	LT	1.00 ug/L	Gen. Eng.
1,1-Dichloroethane	LT	1.00 ug/L	Gen. Eng.
1,1,1-Trichloroethane	LT	1.00 ug/L	Gen. Eng.
1,1,2-Trichloroethane	LT	1.00 ug/L	Gen. Eng.
1,2-Dichloroethane	LT	1.00 ug/L	Gen. Eng.
1,2-Dichloropropane	LT	1.00 ug/L	Gen. Eng.
cis-1,3-Dichloropropene	LT	1.00 ug/L	Gen. Eng.
2-Chloroethyl vinyl ether	LT	1.00 ug/L	Gen. Eng.
2,4-Dichlorophenoxyacetic acid	LT	0.30 ug/L	Gen. Eng.
Gross alpha	LT	2.00 pCi/L	Gen. Eng.
Nonvolatile beta	2.10+-	1.96 pCi/L	Gen. Eng.
Total radium	LT	1.00 pCi/L	Gen. Eng.
Tritium	2.99+-	0.30 pCi/mL	Gen. Eng.

WELL LFW 5GD

SRS Grid N 83398.0 Latitude 33.284140 N
 Coordinates E 45306.6 Longitude 81.709498 W
 Screen Zone Elevation 151.4-131.3 ft msl
 Top of Casing Elevation 155.90 ft msl

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/03/91 Time 1215
 Depth to water = 12.28 ft (3.74 m) below the TOC
 Water elevation = 143.62 ft (43.78 m) msl
 pH = 5.1 Alkalinity = 2 mg/L
 Specific conductance = 15 umhos/cm
 Water temperature = 19.9 degrees Celsius
 Water evacuated from the well prior to sampling = 39 gal

LABORATORY ANALYSES

Specific conductance		18.00 umh/cm	Gen. Eng.
pH		5.38 pH	Gen. Eng.
Silver	LT	2.00 ug/L	Gen. Eng.
Arsenic	LT	2.00 ug/L	Gen. Eng.
Barium		3.80 ug/L	Gen. Eng.
Bromodichloromethane	LT	1.00 ug/L	Gen. Eng.
Calcium		399.00 ug/L	Gen. Eng.
Trichlorofluoromethane		57.00 ug/L	Gen. Eng.
Carbon tetrachloride	LT	1.00 ug/L	Gen. Eng.
Cadmium	LT	2.00 ug/L	Gen. Eng.
Bromoform	LT	1.00 ug/L	Gen. Eng.
Chloroform	LT	1.00 ug/L	Gen. Eng.
Dichloromethane (Methylene chloride)	LT	1.00 ug/L	Gen. Eng.
Bromomethane (Methyl bromide)	LT	1.00 ug/L	Gen. Eng.
Chloromethane (Methyl chloride)	LT	1.00 ug/L	Gen. Eng.
Chloride		1650.00 ug/L	Gen. Eng.
Chlorobenzene	LT	1.00 ug/L	Gen. Eng.
Chromium	LT	4.00 ug/L	Gen. Eng.
Chloroethene (Vinyl chloride)	LT	1.00 ug/L	Gen. Eng.
Chloroethane	LT	1.00 ug/L	Gen. Eng.
Benzene	LT	1.00 ug/L	Gen. Eng.
Dibromochloromethane	LT	1.00 ug/L	Gen. Eng.
Endrin	LT	0.01 ug/L	Gen. Eng.
Ethylbenzene	LT	1.00 ug/L	Gen. Eng.
Fluoride	LT	100.00 ug/L	Gen. Eng.
Iron	LT	4.00 ug/L	Gen. Eng.
Mercury	LT	0.20 ug/L	Gen. Eng.
Potassium	LT	500.00 ug/L	Gen. Eng.
Lindane	LT	0.00 ug/L	Gen. Eng.
Toluene	LT	1.00 ug/L	Gen. Eng.
Methoxychlor	LT	0.50 ug/L	Gen. Eng.
Magnesium		327.00 ug/L	Gen. Eng.
Manganese		4.36 ug/L	Gen. Eng.
Sodium		1070.00 ug/L	Gen. Eng.
Nitrate as nitrogen		82.00 ug/L	Gen. Eng.
Lead	LT	3.00 ug/L	Gen. Eng.
Selenium	LT	2.00 ug/L	Gen. Eng.

CONTINUED

WELL LFW 56D COLLECTED ON 09/03/91. LABORATORY ANALYSES CONTINUED

Silica		6130.00 ug/L	Gen. Eng.
2,4,5-TP (Silvex)	LT	0.09 ug/L	Gen. Eng.
Sulfate	LT	1000.00 ug/L	Gen. Eng.
1,1,2,2-Tetrachloroethane	LT	1.00 ug/L	Gen. Eng.
Tetrachloroethylene	LT	1.00 ug/L	Gen. Eng.
Total dissolved solids		18000.00 ug/L	Gen. Eng.
Total organic carbon	LT	1000.00 ug/L	Gen. Eng.
Total organic halogens		13.20 ug/L	Gen. Eng.
Phenols	LT	5.00 ug/L	Gen. Eng.
Total phosphates (as P)	LT	100.00 ug/L	Gen. Eng.
Trichloroethylene	LT	1.00 ug/L	Gen. Eng.
Toxaphene	LT	0.24 ug/L	Gen. Eng.
trans-1,2-Dichloroethylene	LT	1.00 ug/L	Gen. Eng.
trans-1,3-Dichloropropene	LT	1.00 ug/L	Gen. Eng.
1,1-Dichloroethylene	LT	1.00 ug/L	Gen. Eng.
1,1-Dichloroethane	LT	1.00 ug/L	Gen. Eng.
1,1,1-Trichloroethane	LT	1.00 ug/L	Gen. Eng.
1,1,2-Trichloroethane	LT	1.00 ug/L	Gen. Eng.
1,2-Dichloroethane	LT	1.00 ug/L	Gen. Eng.
1,2-Dichloropropane	LT	1.00 ug/L	Gen. Eng.
cis-1,3-Dichloropropene	LT	1.00 ug/L	Gen. Eng.
2-Chloroethyl vinyl ether	LT	1.00 ug/L	Gen. Eng.
2,4-Dichlorophenoxyacetic acid	LT	0.30 ug/L	Gen. Eng.
Gross alpha	LT	2.00 pCi/L	Gen. Eng.
Nonvolatile beta	LT	2.00 pCi/L	Gen. Eng.
Total radium	1.50+-	2.40 pCi/L	Gen. Eng.
Tritium	3.92+-	0.30 pCi/mL	Gen. Eng.

WELL LFW 57B

SRS Grid N 83196.7 Latitude 33.283914 N
Coordinates E 45440.6 Longitude 81.708754 W
Screen Zone Elevation 78.4-68.4 ft msl
Top of Casing Elevation 163.40 ft msl

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/03/91 Time 1020
Depth to water = 21.17 ft (6.45 m) below the TOC
Water elevation = 142.23 ft (43.35 m) msl
pH = 4.7 Alkalinity = 1 mg/L
Specific conductance = 49 umhos/cm
Water temperature = 19.0 degrees Celsius
Water evacuated from the well prior to sampling = 200 gal

LABORATORY ANALYSES

Specific conductance		49.00 umh/cm	Gen. Eng.
pH		4.89 pH	Gen. Eng.
Silver	LT	2.00 ug/L	Gen. Eng.
Arsenic	LT	2.00 ug/L	Gen. Eng.
Barium		11.10 ug/L	Gen. Eng.

CONTINUED

WELL LFW 57B COLLECTED ON 09/03/91 LABORATORY ANALYSES CONTINUED

Bromodichloromethane	LT	1.00 ug/L	Gen. Eng.
Calcium		1640.00 ug/L	Gen. Eng.
Trichlorofluoromethane		4.00 ug/L	Gen. Eng.
Carbon tetrachloride	LT	1.00 ug/L	Gen. Eng.
Cadmium	LT	2.00 ug/L	Gen. Eng.
Bromoform	LT	1.00 ug/L	Gen. Eng.
Chloroform	LT	1.00 ug/L	Gen. Eng.
Dichloromethane (Methylene chloride)	LT	1.00 ug/L	Gen. Eng.
Bromomethane (Methyl bromide)	LT	1.00 ug/L	Gen. Eng.
Chloromethane (Methyl chloride)	LT	1.00 ug/L	Gen. Eng.
Chloride		2370.00 ug/L	Gen. Eng.
Chlorobenzene	LT	1.00 ug/L	Gen. Eng.
Chromium	LT	4.00 ug/L	Gen. Eng.
Chloroethene (Vinyl chloride)	LT	1.00 ug/L	Gen. Eng.
Chloroethane	LT	1.00 ug/L	Gen. Eng.
Benzene	LT	1.00 ug/L	Gen. Eng.
Dibromochloromethane	LT	1.00 ug/L	Gen. Eng.
Endrin	LT	0.01 ug/L	Gen. Eng.
Ethylbenzene	LT	1.00 ug/L	Gen. Eng.
Fluoride	LT	100.00 ug/L	Gen. Eng.
Iron		147.00 ug/L	Gen. Eng.
Mercury	LT	0.20 ug/L	Gen. Eng.
Potassium	LT	500.00 ug/L	Gen. Eng.
Lindane	LT	0.00 ug/L	Gen. Eng.
Toluene	LT	1.00 ug/L	Gen. Eng.
Methoxychlor	LT	0.50 ug/L	Gen. Eng.
Magnesium		560.00 ug/L	Gen. Eng.
Manganese		39.00 ug/L	Gen. Eng.
Sodium		3060.00 ug/L	Gen. Eng.
Nitrate as nitrogen		940.00 ug/L	Gen. Eng.
Lead	LT	3.00 ug/L	Gen. Eng.
Selenium	LT	2.00 ug/L	Gen. Eng.
Silica		10500.00 ug/L	Gen. Eng.
2,4,5-TP (Silvex)	LT	0.09 ug/L	Gen. Eng.
Sulfate		13200.00 ug/L	Gen. Eng.
1,1,2,2-Tetrachloroethane	LT	1.00 ug/L	Gen. Eng.
Tetrachloroethylene	LT	1.00 ug/L	Gen. Eng.
Total dissolved solids		34000.00 ug/L	Gen. Eng.
Total organic carbon	LT	1000.00 ug/L	Gen. Eng.
Total organic halogens	LT	5.00 ug/L	Gen. Eng.
Phenols	LT	5.00 ug/L	Gen. Eng.
Total phosphates (as P)	LT	100.00 ug/L	Gen. Eng.
Trichloroethylene	LT	1.00 ug/L	Gen. Eng.
Toxaphene	LT	0.24 ug/L	Gen. Eng.
trans-1,2-Dichloroethylene	LT	1.00 ug/L	Gen. Eng.
trans-1,3-Dichloropropene	LT	1.00 ug/L	Gen. Eng.
1,1-Dichloroethylene	LT	1.00 ug/L	Gen. Eng.
1,1-Dichloroethane	LT	1.00 ug/L	Gen. Eng.
1,1,1-Trichloroethane	LT	1.00 ug/L	Gen. Eng.
1,1,2-Trichloroethane	LT	1.00 ug/L	Gen. Eng.
1,2-Dichloroethane	LT	1.00 ug/L	Gen. Eng.
1,2-Dichloropropane	LT	1.00 ug/L	Gen. Eng.
cis-1,3-Dichloropropene	LT	1.00 ug/L	Gen. Eng.
2-Chloroethyl vinyl ether	LT	1.00 ug/L	Gen. Eng.

CONTINUED

WELL LFW 57B COLLECTED ON 09/03/91 LABORATORY ANALYSES CONTINUED

2,4-Dichlorophenoxyacetic acid	LT	0.30 ug/L	Gen. Eng.
Gross alpha	LT	2.00 pCi/L	Gen. Eng.
Nonvolatile beta	5.10+-	2.10 pCi/L	Gen. Eng.
Total radium	LT	1.00 pCi/L	Gen. Eng.
Tritium	LT	0.70 pCi/mL	Gen. Eng.

WELL LFW 57C

SRS Grid N 83200.1 Latitude 33.283873 N
 Coordinates E 45411.1 Longitude 81.708838 W
 Screen Zone Elevation 117.9-107.8 ft msl
 Top of Casing Elevation 162.90 ft msl

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/03/91 Time 925
 Depth to water = 20.63 ft (6.29 m) below the TOC
 Water elevation = 142.27 ft (43.36 m) msl
 pH = 5.7 Alkalinity = 5 mg/L
 Specific conductance = 39 umhos/cm
 Water temperature = 18.5 degrees Celsius
 Water evacuated from the well prior to sampling = 97 gal

LABORATORY ANALYSES

Specific conductance		37.00 umh/cm	Gen. Eng.
pH		5.75 pH	Gen. Eng.
Silver	LT	2.00 ug/L	Gen. Eng.
Arsenic	LT	2.00 ug/L	Gen. Eng.
Barium		6.45 ug/L	Gen. Eng.
Bromide	LT	1000.00 ug/L	Gen. Eng.
Bromodichloromethane	LT	1.00 ug/L	Gen. Eng.
Calcium		1180.00 ug/L	Gen. Eng.
Trichlorofluoromethane	LT	1.00 ug/L	Gen. Eng.
Carbon tetrachloride	LT	1.00 ug/L	Gen. Eng.
Cadmium	LT	2.00 ug/L	Gen. Eng.
Bromoform	LT	1.00 ug/L	Gen. Eng.
Chloroform	LT	1.00 ug/L	Gen. Eng.
Dichloromethane (Methylene chloride)		1.70 ug/L	Gen. Eng.
Bromomethane (Methyl bromide)	LT	1.00 ug/L	Gen. Eng.
Chloromethane (Methyl chloride)	LT	1.00 ug/L	Gen. Eng.
Chloride		4040.00 ug/L	Gen. Eng.
Chlorobenzene	LT	1.00 ug/L	Gen. Eng.
Chromium	LT	4.00 ug/L	Gen. Eng.
Chloroethene (Vinyl chloride)	LT	1.00 ug/L	Gen. Eng.
Chloroethane	LT	1.00 ug/L	Gen. Eng.
Benzene	LT	1.00 ug/L	Gen. Eng.
Dibromochloromethane	LT	1.00 ug/L	Gen. Eng.
Endrin	LT	0.01 ug/L	Gen. Eng.
Ethylbenzene	LT	1.00 ug/L	Gen. Eng.
Fluoride	LT	100.00 ug/L	Gen. Eng.
Fluoride	LT	100.00 ug/L	Gen. Eng.

CONTINUED

WELL LFW 57C COLLECTED ON 09/03/91 LABORATORY ANALYSES CONTINUED

Iron		38.80 ug/L	Gen. Eng.
Mercury	LT	0.20 ug/L	Gen. Eng.
Potassium	LT	500.00 ug/L	Gen. Eng.
Lindane	LT	0.00 ug/L	Gen. Eng.
Toluene	LT	1.00 ug/L	Gen. Eng.
Methoxychlor	LT	0.50 ug/L	Gen. Eng.
Magnesium		1180.00 ug/L	Gen. Eng.
Manganese		17.50 ug/L	Gen. Eng.
Sodium		2680.00 ug/L	Gen. Eng.
Nitrate as nitrogen		560.00 ug/L	Gen. Eng.
Lead	LT	3.00 ug/L	Gen. Eng.
Selenium	LT	2.00 ug/L	Gen. Eng.
Silica		7350.00 ug/L	Gen. Eng.
2,4,5-TP (Silvex)	LT	0.09 ug/L	Gen. Eng.
Sulfate	LT	1000.00 ug/L	Gen. Eng.
1,1,2,2-Tetrachloroethane	LT	1.00 ug/L	Gen. Eng.
Tetrachloroethylene	LT	1.00 ug/L	Gen. Eng.
Total dissolved solids		2000.00 ug/L	Gen. Eng.
Total organic carbon	LT	1000.00 ug/L	Gen. Eng.
Total organic halogens		37.20 ug/L	Gen. Eng.
Phenols	LT	5.00 ug/L	Gen. Eng.
Total phosphates (as P)	LT	100.00 ug/L	Gen. Eng.
Trichloroethylene	LT	1.00 ug/L	Gen. Eng.
Toxaphene	LT	0.24 ug/L	Gen. Eng.
trans-1,2-Dichloroethylene	LT	1.00 ug/L	Gen. Eng.
trans-1,3-Dichloropropene	LT	1.00 ug/L	Gen. Eng.
1,1-Dichloroethylene	LT	1.00 ug/L	Gen. Eng.
1,1-Dichloroethane		6.00 ug/L	Gen. Eng.
1,1,1-Trichloroethane	LT	1.00 ug/L	Gen. Eng.
1,1,2-Trichloroethane	LT	1.00 ug/L	Gen. Eng.
1,2-Dichloroethane	LT	1.00 ug/L	Gen. Eng.
1,2-Dichloropropane	LT	1.00 ug/L	Gen. Eng.
cis-1,3-Dichloropropene	LT	1.00 ug/L	Gen. Eng.
2-Chloroethyl vinyl ether	LT	1.00 ug/L	Gen. Eng.
2,4-Dichlorophenoxyacetic acid	LT	0.30 ug/L	Gen. Eng.
Gross alpha	LT	2.00 pCi/L	Gen. Eng.
Nonvolatile beta	2.10+-	1.60 pCi/L	Gen. Eng.
Total radium	1.70+-	2.50 pCi/L	Gen. Eng.
Tritium	3.27+-	0.30 pCi/mL	Gen. Eng.

WELL LFW 57D

SRS Grid N 83190.2 Latitude 33.283861 N
 Coordinates E 45417.4 Longitude 81.708802 W
 Screen Zone Elevation 150.4-130.6 ft msl
 Top of Casing Elevation 162.90 ft msl

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/03/91 Time 945
 Depth to water = 20.44 ft (6.23 m) below the TOC
 Water elevation = 142.46 ft (43.42 m) msl
 pH = 5.6 Alkalinity = 3 mg/L
 Specific conductance = 15 umhos/cm
 Water temperature = 19.0 degrees Celsius
 Water evacuated from the well prior to sampling = 38 gal

LABORATORY ANALYSES

Specific conductance		21.00 umh/cm	Gen. Eng.
pH		5.80 pH	Gen. Eng.
Silver	LT	2.00 ug/L	Gen. Eng.
Arsenic	LT	2.00 ug/L	Gen. Eng.
Barium		6.38 ug/L	Gen. Eng.
Bromide	LT	1000.00 ug/L	Gen. Eng.
Bromodichloromethane	LT	1.00 ug/L	Gen. Eng.
Calcium		1010.00 ug/L	Gen. Eng.
Trichlorofluoromethane	LT	1.00 ug/L	Gen. Eng.
Carbon tetrachloride	LT	1.00 ug/L	Gen. Eng.
Cadmium	LT	2.00 ug/L	Gen. Eng.
Bromoform	LT	1.00 ug/L	Gen. Eng.
Chloroform	LT	1.00 ug/L	Gen. Eng.
Dichloromethane (Methylene chloride)		1.00 ug/L	Gen. Eng.
Bromomethane (Methyl bromide)	LT	1.00 ug/L	Gen. Eng.
Chloromethane (Methyl chloride)	LT	1.00 ug/L	Gen. Eng.
Chloride		2010.00 ug/L	Gen. Eng.
Chlorobenzene	LT	1.00 ug/L	Gen. Eng.
Chromium	LT	4.00 ug/L	Gen. Eng.
Chloroethene (Vinyl chloride)	LT	1.00 ug/L	Gen. Eng.
Chloroethane	LT	1.00 ug/L	Gen. Eng.
Benzene	LT	1.00 ug/L	Gen. Eng.
Dibromochloromethane	LT	1.00 ug/L	Gen. Eng.
Endrin	LT	0.01 ug/L	Gen. Eng.
Ethylbenzene	LT	1.00 ug/L	Gen. Eng.
Fluoride	LT	100.00 ug/L	Gen. Eng.
Iron	LT	4.00 ug/L	Gen. Eng.
Mercury	LT	0.20 ug/L	Gen. Eng.
Potassium	LT	500.00 ug/L	Gen. Eng.
Lindane	LT	0.00 ug/L	Gen. Eng.
Toluene	LT	1.00 ug/L	Gen. Eng.
Methoxychlor	LT	0.50 ug/L	Gen. Eng.
Magnesium		734.00 ug/L	Gen. Eng.
Manganese		21.20 ug/L	Gen. Eng.
Sodium		2360.00 ug/L	Gen. Eng.
Nitrate as nitrogen	LT	50.00 ug/L	Gen. Eng.
Lead	LT	3.00 ug/L	Gen. Eng.

CONTINUED

WELL LFW 57D COLLECTED ON 09/03/91 LABORATORY ANALYSES CONTINUED

Selenium	LT	2.00 ug/L	Gen. Eng.
Silica		5530.00 ug/L	Gen. Eng.
2,4,5-TP (Silvex)	LT	0.09 ug/L	Gen. Eng.
Sulfate	LT	1000.00 ug/L	Gen. Eng.
1,1,2,2-Tetrachloroethane	LT	1.00 ug/L	Gen. Eng.
Tetrachloroethylene	LT	1.00 ug/L	Gen. Eng.
Total dissolved solids		38000.00 ug/L	Gen. Eng.
Total organic carbon	LT	1000.00 ug/L	Gen. Eng.
Total organic halogens		24.80 ug/L	Gen. Eng.
Phenols	LT	5.00 ug/L	Gen. Eng.
Total phosphates (as P)	LT	100.00 ug/L	Gen. Eng.
Trichloroethylene	LT	1.00 ug/L	Gen. Eng.
Toxaphene	LT	0.24 ug/L	Gen. Eng.
trans-1,2-Dichloroethylene	LT	1.00 ug/L	Gen. Eng.
trans-1,3-Dichloropropene	LT	1.00 ug/L	Gen. Eng.
1,1-Dichloroethylene	LT	1.00 ug/L	Gen. Eng.
1,1-Dichloroethane		4.00 ug/L	Gen. Eng.
1,1,1-Trichloroethane	LT	1.00 ug/L	Gen. Eng.
1,1,2-Trichloroethane	LT	1.00 ug/L	Gen. Eng.
1,2-Dichloroethane	LT	1.00 ug/L	Gen. Eng.
1,2-Dichloropropane	LT	1.00 ug/L	Gen. Eng.
cis-1,3-Dichloropropene	LT	1.00 ug/L	Gen. Eng.
2-Chloroethyl vinyl ether	LT	1.00 ug/L	Gen. Eng.
2,4-Dichlorophenoxyacetic acid	LT	0.30 ug/L	Gen. Eng.
Gross alpha	LT	2.00 pCi/L	Gen. Eng.
Nonvolatile beta	2.90+-	1.80 pCi/L	Gen. Eng.
Total radium	1.10+-	2.40 pCi/L	Gen. Eng.
Tritium	1.99+-	0.20 pCi/mL	Gen. Eng.

WELL LFW 58D

SRS Grid N 82940.6 Latitude 33.283771 N
 Coordinates E 45700.2 Longitude 81.707573 W
 Screen Zone Elevation 147.6-127.5 ft msl
 Top of Casing Elevation 165.60 ft msl

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/03/91 Time 1250
 Depth to water = 24.98 ft (7.61 m) below the TOC
 Water elevation = 140.62 ft (42.86 m) msl
 pH = 5.2 Alkalinity = 2 mg/L
 Specific conductance = 23 umhos/cm
 Water temperature = 19.3 degrees Celsius
 Water evacuated from the well prior to sampling = 41 gal

LABORATORY ANALYSES

Specific conductance		25.00 umh/cm	Gen. Eng.
pH		5.38 pH	Gen. Eng.
Silver	LT	2.00 ug/L	Gen. Eng.
Arsenic	LT	2.00 ug/L	Gen. Eng.

CONTINUED

WELL LFW 58D COLLECTED ON 09/03/91 LABORATORY ANALYSES CONTINUED

Barium		6.88 ug/L	Gen. Eng.
Bromide	LT	1000.00 ug/L	Gen. Eng.
Bromodichloromethane	LT	5.00 ug/L	Gen. Eng.
Calcium		1050.00 ug/L	Gen. Eng.
Trichlorofluoromethane		145.00 ug/L	Gen. Eng.
Carbon tetrachloride	LT	5.00 ug/L	Gen. Eng.
Cadmium	LT	2.00 ug/L	Gen. Eng.
Bromoform	LT	5.00 ug/L	Gen. Eng.
Chloroform	LT	5.00 ug/L	Gen. Eng.
Dichloromethane (Methylene chloride)		15.00 ug/L	Gen. Eng.
Bromomethane (Methyl bromide)	LT	5.00 ug/L	Gen. Eng.
Chloromethane (Methyl chloride)	LT	5.00 ug/L	Gen. Eng.
Chloride		3260.00 ug/L	Gen. Eng.
Chlorobenzene	LT	5.00 ug/L	Gen. Eng.
Chromium	LT	4.00 ug/L	Gen. Eng.
Chloroethene (Vinyl chloride)	LT	5.00 ug/L	Gen. Eng.
Chloroethane	LT	5.00 ug/L	Gen. Eng.
Benzene	LT	5.00 ug/L	Gen. Eng.
Dibromochloromethane	LT	5.00 ug/L	Gen. Eng.
Endrin	LT	0.01 ug/L	Gen. Eng.
Ethylbenzene	LT	5.00 ug/L	Gen. Eng.
Fluoride	LT	100.00 ug/L	Gen. Eng.
Iron		7.76 ug/L	Gen. Eng.
Mercury		0.90 ug/L	Gen. Eng.
Potassium	LT	500.00 ug/L	Gen. Eng.
Lindane	LT	0.00 ug/L	Gen. Eng.
Toxene	LT	5.00 ug/L	Gen. Eng.
Methoxychlor	LT	0.50 ug/L	Gen. Eng.
Magnesium		419.00 ug/L	Gen. Eng.
Manganese		27.90 ug/L	Gen. Eng.
Sodium		2060.00 ug/L	Gen. Eng.
Nitrate as nitrogen		80.00 ug/L	Gen. Eng.
Lead	LT	3.00 ug/L	Gen. Eng.
Selenium	LT	2.00 ug/L	Gen. Eng.
Silica		9020.00 ug/L	Gen. Eng.
2,4,5-TP (Silvex)	LT	0.09 ug/L	Gen. Eng.
Sulfate	LT	1000.00 ug/L	Gen. Eng.
1,1,2,2-Tetrachloroethane	LT	5.00 ug/L	Gen. Eng.
Tetrachloroethylene	LT	5.00 ug/L	Gen. Eng.
Total dissolved solids		69000.00 ug/L	Gen. Eng.
Total organic carbon	LT	1000.00 ug/L	Gen. Eng.
Total organic halogens		58.50 ug/L	Gen. Eng.
Phenols	LT	5.00 ug/L	Gen. Eng.
Phenols	LT	5.00 ug/L	Gen. Eng.
Total phosphates (as P)	LT	100.00 ug/L	Gen. Eng.
* Trichloroethylene		5.00 ug/L	Gen. Eng.
Toxaphene	LT	0.24 ug/L	Gen. Eng.
trans-1,2-Dichloroethylene	LT	5.00 ug/L	Gen. Eng.
trans-1,3-Dichloropropene	LT	5.00 ug/L	Gen. Eng.
1,1-Dichloroethylene	LT	5.00 ug/L	Gen. Eng.
1,1-Dichloroethane		11.50 ug/L	Gen. Eng.
1,1,1-Trichloroethane		14.00 ug/L	Gen. Eng.
1,1,2-Trichloroethane	LT	5.00 ug/L	Gen. Eng.
1,2-Dichloroethane	LT	5.00 ug/L	Gen. Eng.

CONTINUED

WELL LFW 58D COLLECTED ON 09/03/91 LABORATORY ANALYSES CONTINUED

1,2-Dichloropropane	LT	5.00 ug/L	Gen. Eng.
cis-1,3-Dichloropropene	LT	5.00 ug/L	Gen. Eng.
2-Chloroethyl vinyl ether	LT	5.00 ug/L	Gen. Eng.
2,4-Dichlorophenoxyacetic acid	LT	0.30 ug/L	Gen. Eng.
Gross alpha	LT	2.00 pCi/L	Gen. Eng.
Nonvolatile beta	2.50+-	1.70 pCi/L	Gen. Eng.
Total radium	1.60+-	2.50 pCi/L	Gen. Eng.
Tritium	2.57+-	0.30 pCi/mL	Gen. Eng.

WELL LFW 59B

SRS Grid N 83027.1 Latitude 33.284529 N
 Coordinates E 46047.4 Longitude 81.706827 W
 Screen Zone Elevation 75.6-65.6 ft msl
 Top of Casing Elevation 165.60 ft msl

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/04/91 Time 1030
 Depth to water = 24.42 ft (7.44 m) below the TOC
 Water elevation = 141.18 ft (43.03 m) msl
 pH = 4.3 Alkalinity = 0 mg/L
 Specific conductance = 45 umhos/cm
 Water temperature = 19.5 degrees Celsius
 Water evacuated from the well prior to sampling = 205 gal

LABORATORY ANALYSES

Specific conductance		41.00 umh/cm	Gen. Eng.
pH		4.53 pH	Gen. Eng.
Silver	LT	2.00 ug/L	Gen. Eng.
Arsenic	LT	2.00 ug/L	Gen. Eng.
Barium		9.28 ug/L	Gen. Eng.
Bromide	LT	1000.00 ug/L	Gen. Eng.
Bromodichloromethane	LT	1.00 ug/L	Gen. Eng.
Calcium		1550.00 ug/L	Gen. Eng.
Trichlorofluoromethane	LT	1.00 ug/L	Gen. Eng.
Carbon tetrachloride	LT	1.00 ug/L	Gen. Eng.
Cadmium	LT	2.00 ug/L	Gen. Eng.
Bromoform	LT	1.00 ug/L	Gen. Eng.
Chloroform	LT	1.00 ug/L	Gen. Eng.
Dichloromethane (Methylene chloride)	LT	1.00 ug/L	Gen. Eng.
Bromomethane (Methyl bromide)	LT	1.00 ug/L	Gen. Eng.
Chloromethane (Methyl chloride)	LT	1.00 ug/L	Gen. Eng.
Chloride		2130.00 ug/L	Gen. Eng.
Chlorobenzene	LT	1.00 ug/L	Gen. Eng.
Chromium	LT	4.00 ug/L	Gen. Eng.
Chloroethene (Vinyl chloride)	LT	1.00 ug/L	Gen. Eng.
Chloroethane	LT	1.00 ug/L	Gen. Eng.
Benzene	LT	1.00 ug/L	Gen. Eng.
Dibromochloromethane	LT	1.00 ug/L	Gen. Eng.
Endrin	LT	0.01 ug/L	Gen. Eng.

CONTINUED

WELL LFW 59B COLLECTED ON 09/04/91 LABORATORY ANALYSES CONTINUED

Ethylbenzene	LT	1.00 ug/L	Gen. Eng.
Fluoride	LT	100.00 ug/L	Gen. Eng.
Iron		24.90 ug/L	Gen. Eng.
Mercury	LT	0.20 ug/L	Gen. Eng.
Potassium	LT	500.00 ug/L	Gen. Eng.
Lindane	LT	0.00 ug/L	Gen. Eng.
Toluene	LT	1.00 ug/L	Gen. Eng.
Methoxychlor	LT	0.50 ug/L	Gen. Eng.
Magnesium		457.00 ug/L	Gen. Eng.
Manganese		52.10 ug/L	Gen. Eng.
Sodium		1890.00 ug/L	Gen. Eng.
Nitrate as nitrogen		530.00 ug/L	Gen. Eng.
Lead	LT	3.00 ug/L	Gen. Eng.
Selenium	LT	2.00 ug/L	Gen. Eng.
Silica		10900.00 ug/L	Gen. Eng.
2,4,5-TP (Silvex)	LT	0.09 ug/L	Gen. Eng.
Sulfate		9600.00 ug/L	Gen. Eng.
1,1,2,2-Tetrachloroethane	LT	1.00 ug/L	Gen. Eng.
Tetrachloroethylene	LT	1.00 ug/L	Gen. Eng.
Total dissolved solids		23000.00 ug/L	Gen. Eng.
Total organic carbon	LT	1000.00 ug/L	Gen. Eng.
Total organic halogens	LT	5.00 ug/L	Gen. Eng.
Phenols	LT	5.00 ug/L	Gen. Eng.
Total phosphates (as P)	LT	100.00 ug/L	Gen. Eng.
Trichloroethylene	LT	1.00 ug/L	Gen. Eng.
Toxaphene	LT	0.24 ug/L	Gen. Eng.
trans-1,2-Dichloroethylene	LT	1.00 ug/L	Gen. Eng.
trans-1,3-Dichloropropene	LT	1.00 ug/L	Gen. Eng.
1,1-Dichloroethylene	LT	1.00 ug/L	Gen. Eng.
1,1-Dichloroethane	LT	1.00 ug/L	Gen. Eng.
1,1,1-Trichloroethane	LT	1.00 ug/L	Gen. Eng.
1,1,2-Trichloroethane	LT	1.00 ug/L	Gen. Eng.
1,2-Dichloroethane	LT	1.00 ug/L	Gen. Eng.
1,2-Dichloropropane	LT	1.00 ug/L	Gen. Eng.
cis-1,3-Dichloropropene	LT	1.00 ug/L	Gen. Eng.
2-Chloroethyl vinyl ether	LT	1.00 ug/L	Gen. Eng.
2,4-Dichlorophenoxyacetic acid	LT	0.30 ug/L	Gen. Eng.
Gross alpha	LT	2.00 pCi/L	Gen. Eng.
Nonvolatile beta	3.50+-	1.90 pCi/L	Gen. Eng.
Total radium	3.90+-	3.20 pCi/L	Gen. Eng.
Tritium	LT	0.70 pCi/mL	Gen. Eng.

WELL LFW 59C

SRS Grid N 83011.0 Latitude 33.284501 N
 Coordinates E 46052.0 Longitude 81.706784 W
 Screen Zone Elevation 109.8-99.8 ft msl
 Top of Casing Elevation 164.80 ft msl

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/04/91 Time 1050
 Depth to water = 24.02 ft (7.32 m) below the TOC
 Water elevation = 140.78 ft (42.91 m) msl
 pH = 4.9 Alkalinity = 0 mg/L
 Specific conductance = 44 umhos/cm
 Water temperature = 19.3 degrees Celsius
 Water evacuated from the well prior to sampling = 143 gal

LABORATORY ANALYSES

Specific conductance		42.00 umh/cm	Gen. Eng.
pH		5.55 pH	Gen. Eng.
Silver	LT	2.00 ug/L	Gen. Eng.
Arsenic	LT	2.00 ug/L	Gen. Eng.
Barium		9.89 ug/L	Gen. Eng.
Bromodichloromethane	LT	1.00 ug/L	Gen. Eng.
Calcium		1170.00 ug/L	Gen. Eng.
Trichlorofluoromethane		8.00 ug/L	Gen. Eng.
Carbon tetrachloride	LT	1.00 ug/L	Gen. Eng.
Cadmium	LT	2.00 ug/L	Gen. Eng.
Bromoform	LT	1.00 ug/L	Gen. Eng.
Chloroform	LT	1.00 ug/L	Gen. Eng.
Dichloromethane (Methylene chloride)		13.00 ug/L	Gen. Eng.
Bromomethane (Methyl bromide)	LT	1.00 ug/L	Gen. Eng.
Chloromethane (Methyl chloride)	LT	1.00 ug/L	Gen. Eng.
Chloride		5450.00 ug/L	Gen. Eng.
Chlorobenzene	LT	1.00 ug/L	Gen. Eng.
Chromium	LT	4.00 ug/L	Gen. Eng.
Chloroethene (Vinyl chloride)	LT	1.00 ug/L	Gen. Eng.
Chloroethane	LT	1.00 ug/L	Gen. Eng.
Benzene	LT	1.00 ug/L	Gen. Eng.
Dibromochloromethane	LT	1.00 ug/L	Gen. Eng.
Endrin	LT	0.01 ug/L	Gen. Eng.
Ethylbenzene	LT	1.00 ug/L	Gen. Eng.
Fluoride	LT	100.00 ug/L	Gen. Eng.
Iron		63.80 ug/L	Gen. Eng.
Mercury	LT	0.20 ug/L	Gen. Eng.
Potassium	LT	500.00 ug/L	Gen. Eng.
Lindane	LT	0.00 ug/L	Gen. Eng.
Toluene	LT	1.00 ug/L	Gen. Eng.
Methoxychlor	LT	0.50 ug/L	Gen. Eng.
Magnesium		991.00 ug/L	Gen. Eng.
Manganese		17.60 ug/L	Gen. Eng.
Sodium		3650.00 ug/L	Gen. Eng.
Nitrate as nitrogen		1080.00 ug/L	Gen. Eng.
Lead	LT	3.00 ug/L	Gen. Eng.
Selenium	LT	2.00 ug/L	Gen. Eng.

CONTINUED

WELL LFW 59C COLLECTED ON 09/04/91 LABORATORY ANALYSES CONTINUED

Silica		9180.00 ug/L	Gen. Eng.
2,4,5-TP (Silvex)	LT	0.09 ug/L	Gen. Eng.
Sulfate	LT	1000.00 ug/L	Gen. Eng.
1,1,2,2-Tetrachloroethane	LT	1.00 ug/L	Gen. Eng.
Tetrachloroethylene	LT	1.00 ug/L	Gen. Eng.
Total dissolved solids		38000.00 ug/L	Gen. Eng.
Total dissolved solids		32000.00 ug/L	Gen. Eng.
Total organic carbon	LT	1000.00 ug/L	Gen. Eng.
Total organic halogens		65.60 ug/L	Gen. Eng.
Phenols	LT	5.00 ug/L	Gen. Eng.
Total phosphates (as P)	LT	100.00 ug/L	Gen. Eng.
Total phosphates (as P)	LT	100.00 ug/L	Gen. Eng.
* Trichloroethylene		7.00 ug/L	Gen. Eng.
Toxaphene	LT	0.24 ug/L	Gen. Eng.
trans-1,2-Dichloroethylene	LT	1.00 ug/L	Gen. Eng.
trans-1,3-Dichloropropene	LT	1.00 ug/L	Gen. Eng.
1,1-Dichloroethylene		1.00 ug/L	Gen. Eng.
1,1-Dichloroethane		11.00 ug/L	Gen. Eng.
1,1,1-Trichloroethane		1.00 ug/L	Gen. Eng.
1,1,2-Trichloroethane	LT	1.00 ug/L	Gen. Eng.
1,2-Dichloroethane	LT	1.00 ug/L	Gen. Eng.
1,2-Dichloropropane	LT	1.00 ug/L	Gen. Eng.
cis-1,3-Dichloropropene	LT	1.00 ug/L	Gen. Eng.
2-Chloroethyl vinyl ether	LT	1.00 ug/L	Gen. Eng.
2,4-Dichlorophenoxyacetic acid	LT	0.30 ug/L	Gen. Eng.
Gross alpha	LT	2.00 pCi/L	Gen. Eng.
Nonvolatile beta	2.30+-	2.00 pCi/L	Gen. Eng.
Total radium	2.20+-	2.60 pCi/L	Gen. Eng.
Tritium	11.40+-	0.50 pCi/mL	Gen. Eng.

WELL LFW 59D

SRS Grid N 83000.1 Latitude 33.284484 N
 Coordinates E 46056.1 Longitude 81.706752 W
 Screen Zone Elevation 149.1-129.1 ft msl
 Top of Casing Elevation 165.10 ft msl

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/04/91 Time 1120
 Depth to water = 23.10 ft (7.04 m) below the TOC
 Water elevation = 142.00 ft (43.28 m) msl
 pH = 5.0 Alkalinity = 0 mg/L
 Specific conductance = 30 umhos/cm
 Water temperature = 19.4 degrees Celsius
 Water evacuated from the well prior to sampling = 41 gal

LABORATORY ANALYSES

Specific conductance		33.00 umh/cm	Gen. Eng.
pH		5.21 pH	Gen. Eng.
Silver	LT	2.00 ug/L	Gen. Eng.

CONTINUED

WELL LFW 59D COLLECTED ON 09/04/91 LABORATORY ANALYSES CONTINUED

Arsenic	LT	2.00 ug/L	Gen. Eng.
Barium		8.43 ug/L	Gen. Eng.
Bromide	LT	1000.00 ug/L	Gen. Eng.
Bromodichloromethane	LT	1.00 ug/L	Gen. Eng.
Calcium		948.00 ug/L	Gen. Eng.
Trichlorofluoromethane		47.00 ug/L	Gen. Eng.
Carbon tetrachloride	LT	1.00 ug/L	Gen. Eng.
Cadmium	LT	2.00 ug/L	Gen. Eng.
Bromoform	LT	1.00 ug/L	Gen. Eng.
Chloroform	LT	1.00 ug/L	Gen. Eng.
Dichloromethane (Methylene chloride)		8.00 ug/L	Gen. Eng.
Bromomethane (Methyl bromide)	LT	1.00 ug/L	Gen. Eng.
Chloromethane (Methyl chloride)	LT	1.00 ug/L	Gen. Eng.
Chloride		5100.00 ug/L	Gen. Eng.
Chloride		5100.00 ug/L	Gen. Eng.
Chlorobenzene	LT	1.00 ug/L	Gen. Eng.
Chromium	LT	4.00 ug/L	Gen. Eng.
Chloroethene (Vinyl chloride)	LT	1.00 ug/L	Gen. Eng.
Chloroethane		6.00 ug/L	Gen. Eng.
Benzene	LT	1.00 ug/L	Gen. Eng.
Dibromochloromethane	LT	1.00 ug/L	Gen. Eng.
Endrin	LT	0.01 ug/L	Gen. Eng.
Ethylbenzene	LT	1.00 ug/L	Gen. Eng.
Fluoride	LT	100.00 ug/L	Gen. Eng.
Iron		52.60 ug/L	Gen. Eng.
Mercury	LT	0.20 ug/L	Gen. Eng.
Potassium	LT	500.00 ug/L	Gen. Eng.
Lindane	LT	0.00 ug/L	Gen. Eng.
Toluene	LT	1.00 ug/L	Gen. Eng.
Methoxychlor	LT	0.50 ug/L	Gen. Eng.
Magnesium		815.00 ug/L	Gen. Eng.
Manganese		21.40 ug/L	Gen. Eng.
Sodium		3260.00 ug/L	Gen. Eng.
Nitrate as nitrogen	LT	50.00 ug/L	Gen. Eng.
Lead	LT	3.00 ug/L	Gen. Eng.
Selenium	LT	2.00 ug/L	Gen. Eng.
Silica		10400.00 ug/L	Gen. Eng.
2,4,5-TP (Silvex)	LT	0.09 ug/L	Gen. Eng.
Sulfate	LT	1000.00 ug/L	Gen. Eng.
1,1,2,2-Tetrachloroethane	LT	1.00 ug/L	Gen. Eng.
Tetrachloroethylene		4.00 ug/L	Gen. Eng.
Total dissolved solids		36000.00 ug/L	Gen. Eng.
Total organic carbon	LT	1000.00 ug/L	Gen. Eng.
Total organic halogens		170.00 ug/L	Gen. Eng.
Phenols	LT	5.00 ug/L	Gen. Eng.
Phenols	LT	5.00 ug/L	Gen. Eng.
Total phosphates (as P)	LT	100.00 ug/L	Gen. Eng.
* Trichloroethylene		28.00 ug/L	Gen. Eng.
Toxaphene	LT	0.24 ug/L	Gen. Eng.
trans-1,2-Dichloroethylene	LT	1.00 ug/L	Gen. Eng.
trans-1,3-Dichloropropene	LT	1.00 ug/L	Gen. Eng.
1,1-Dichloroethylene		6.00 ug/L	Gen. Eng.
1,1-Dichloroethane		20.00 ug/L	Gen. Eng.
1,1,1-Trichloroethane		39.00 ug/L	Gen. Eng.

CONTINUED

WELL LFW 59D COLLECTED ON 09/04/91 LABORATORY ANALYSES CONTINUED

1,1,2-Trichloroethane	LT	1.00 ug/L	Gen. Eng.
1,2-Dichloroethane	LT	1.00 ug/L	Gen. Eng.
1,2-Dichloropropane	LT	1.00 ug/L	Gen. Eng.
cis-1,3-Dichloropropene	LT	1.00 ug/L	Gen. Eng.
2-Chloroethyl vinyl ether	LT	1.00 ug/L	Gen. Eng.
2,4-Dichlorophenoxyacetic acid	LT	0.30 ug/L	Gen. Eng.
Gross alpha	LT	2.00 pCi/L	Gen. Eng.
Nonvolatile beta	3.30+-	1.80 pCi/L	Gen. Eng.
Total radium	1.70+-	2.60 pCi/L	Gen. Eng.
Tritium	3.59+-	0.30 pCi/mL	Gen. Eng.

WELL LFW 60D

SRS Grid N 82531.5 Latitude 33.282903 N
 Coordinates E 45722.3 Longitude 81.706720 W
 Screen Zone Elevation 143.2-123.2 ft msl
 Top of Casing Elevation 154.60 ft msl

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/05/91 Time 910
 Depth to water - 18.30 ft (5.58 m) below the TOC
 Water elevation - 136.30 ft (41.54 m) msl
 pH - 6.4 Alkalinity - 22 mg/L
 Specific conductance - 94 umhos/cm
 Water temperature - 19.8 degrees Celsius
 Water evacuated from the well prior to sampling - 15 gal
 The well went dry during purging.

LABORATORY ANALYSES

Specific conductance		60.00 umh/cm	Gen. Eng.
pH		6.70 pH	Gen. Eng.
Silver	LT	2.00 ug/L	Gen. Eng.
Arsenic	LT	2.00 ug/L	Gen. Eng.
Barium		7.51 ug/L	Gen. Eng.
Bromodichloromethane	LT	1.00 ug/L	Gen. Eng.
Calcium		2530.00 ug/L	Gen. Eng.
Trichlorofluoromethane		90.00 ug/L	Gen. Eng.
Carbon tetrachloride		1.00 ug/L	Gen. Eng.
Cadmium	LT	2.00 ug/L	Gen. Eng.
Bromoform	LT	1.00 ug/L	Gen. Eng.
Chloroform	LT	1.00 ug/L	Gen. Eng.
Dichloromethane (Methylene chloride)		2.00 ug/L	Gen. Eng.
Bromomethane (Methyl bromide)	LT	1.00 ug/L	Gen. Eng.
Chloromethane (Methyl chloride)		22.00 ug/L	Gen. Eng.
Chloride		3040.00 ug/L	Gen. Eng.
Chloride		3040.00 ug/L	Gen. Eng.
Chlorobenzene	LT	1.00 ug/L	Gen. Eng.
Chromium	LT	4.00 ug/L	Gen. Eng.
Chloroethene (Vinyl chloride)	LT	1.00 ug/L	Gen. Eng.
Chloroethane	LT	1.00 ug/L	Gen. Eng.
Benzene	LT	1.00 ug/L	Gen. Eng.

CONTINUED

WELL LFW 60D COLLECTED ON 09/05/91 LABORATORY ANALYSES CONTINUED

Dibromochloromethane	LT	1.00 ug/L	Gen. Eng.
Endrin	LT	0.01 ug/L	Gen. Eng.
Ethylbenzene	LT	1.00 ug/L	Gen. Eng.
Fluoride	LT	100.00 ug/L	Gen. Eng.
Iron		71.50 ug/L	Gen. Eng.
Mercury	LT	0.20 ug/L	Gen. Eng.
Potassium		599.00 ug/L	Gen. Eng.
Lindane	LT	0.00 ug/L	Gen. Eng.
Toluene	LT	1.00 ug/L	Gen. Eng.
Methoxychlor	LT	0.50 ug/L	Gen. Eng.
Magnesium		458.00 ug/L	Gen. Eng.
Manganese		31.10 ug/L	Gen. Eng.
Sodium		9170.00 ug/L	Gen. Eng.
Nitrate as nitrogen		220.00 ug/L	Gen. Eng.
Lead	LT	3.00 ug/L	Gen. Eng.
Selenium	LT	2.00 ug/L	Gen. Eng.
Silica		7330.00 ug/L	Gen. Eng.
2,4,5-TP (Silvex)	LT	0.09 ug/L	Gen. Eng.
Sulfate		2810.00 ug/L	Gen. Eng.
1,1,2,2-Tetrachloroethane	LT	1.00 ug/L	Gen. Eng.
Tetrachloroethylene		2.00 ug/L	Gen. Eng.
Total dissolved solids		40000.00 ug/L	Gen. Eng.
Total organic carbon	LT	1000.00 ug/L	Gen. Eng.
Total organic halogens		41.60 ug/L	Gen. Eng.
Phenols	LT	5.00 ug/L	Gen. Eng.
Total phosphates (as P)	LT	100.00 ug/L	Gen. Eng.
Trichloroethylene		3.00 ug/L	Gen. Eng.
Toxaphene	LT	0.24 ug/L	Gen. Eng.
trans-1,2-Dichloroethylene	LT	1.00 ug/L	Gen. Eng.
trans-1,3-Dichloropropene	LT	1.00 ug/L	Gen. Eng.
1,1-Dichloroethylene		1.00 ug/L	Gen. Eng.
1,1-Dichloroethane		8.00 ug/L	Gen. Eng.
1,1,1-Trichloroethane		13.00 ug/L	Gen. Eng.
1,1,2-Trichloroethane	LT	1.00 ug/L	Gen. Eng.
1,2-Dichloroethane	LT	1.00 ug/L	Gen. Eng.
1,2-Dichloropropane	LT	1.00 ug/L	Gen. Eng.
cis-1,3-Dichloropropene	LT	1.00 ug/L	Gen. Eng.
2-Chloroethyl vinyl ether	LT	1.00 ug/L	Gen. Eng.
2,4-Dichlorophenoxyacetic acid	LT	0.30 ug/L	Gen. Eng.
Gross alpha	LT	2.00 pCi/L	Gen. Eng.
Nonvolatile beta	LT	2.00 pCi/L	Gen. Eng.
Total radium	1.80+-	2.30 pCi/L	Gen. Eng.
Tritium	1.28+-	0.20 pCi/mL	Gen. Eng.

WELL LFW 61C

SRS Grid N 83084.4 Latitude 33.285378 N
 Coordinates E 46489.6 Longitude 81.705774 W
 Screen Zone Elevation 120.8-110.7 ft msl
 Top of Casing Elevation 165.80 ft msl

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/04/91 Time 915
 Depth to water = 25.40 ft (7.74 m) below the TOC
 Water elevation = 140.40 ft (42.79 m) msl
 pH = 5.5 Alkalinity = 3 mg/L
 Specific conductance = 32 umhos/cm
 Water temperature = 18.7 degrees Celsius
 Water evacuated from the well prior to sampling = 84 gal

LABORATORY ANALYSES

Specific conductance		31.00 umh/cm	Gen. Eng.
pH		5.46 pH	Gen. Eng.
Silver	LT	2.00 ug/L	Gen. Eng.
Arsenic	LT	2.00 ug/L	Gen. Eng.
Barium		8.57 ug/L	Gen. Eng.
Bromodichloromethane	LT	1.00 ug/L	Gen. Eng.
Calcium		1410.00 ug/L	Gen. Eng.
Trichlorofluoromethane		250.00 ug/L	Gen. Eng.
Carbon tetrachloride	LT	1.00 ug/L	Gen. Eng.
Cadmium	LT	2.00 ug/L	Gen. Eng.
Bromoform	LT	1.00 ug/L	Gen. Eng.
Chloroform	LT	1.00 ug/L	Gen. Eng.
Dichloromethane (Methylene chloride)		25.00 ug/L	Gen. Eng.
Bromomethane (Methyl bromide)	LT	1.00 ug/L	Gen. Eng.
Chloromethane (Methyl chloride)	LT	1.00 ug/L	Gen. Eng.
Chloride		2780.00 ug/L	Gen. Eng.
Chlorobenzene	LT	1.00 ug/L	Gen. Eng.
Chromium	LT	4.00 ug/L	Gen. Eng.
Chloroethene (Vinyl chloride)	LT	1.00 ug/L	Gen. Eng.
Chloroethane		11.00 ug/L	Gen. Eng.
Benzene	LT	1.00 ug/L	Gen. Eng.
Dibromochloromethane	LT	1.00 ug/L	Gen. Eng.
Endrin	LT	0.01 ug/L	Gen. Eng.
Ethylbenzene	LT	1.00 ug/L	Gen. Eng.
Fluoride	LT	100.00 ug/L	Gen. Eng.
Iron		4.34 ug/L	Gen. Eng.
Mercury	LT	0.20 ug/L	Gen. Eng.
Potassium		922.00 ug/L	Gen. Eng.
Lindane	LT	0.00 ug/L	Gen. Eng.
Toluene	LT	1.00 ug/L	Gen. Eng.
Methoxychlor	LT	0.50 ug/L	Gen. Eng.
Magnesium		660.00 ug/L	Gen. Eng.
Manganese		23.00 ug/L	Gen. Eng.
Sodium		2790.00 ug/L	Gen. Eng.
Nitrate as nitrogen		740.00 ug/L	Gen. Eng.
Lead	LT	3.00 ug/L	Gen. Eng.
Selenium	LT	2.00 ug/L	Gen. Eng.

CONTINUED

WELL LFW 61C COLLECTED ON 09/04/91 LABORATORY ANALYSES CONTINUED

Silica		7890.00 ug/L	Gen. Eng.
2,4,5-TP (Silvex)	LT	0.09 ug/L	Gen. Eng.
Sulfate	LT	1000.00 ug/L	Gen. Eng.
1,1,2,2-Tetrachloroethane	LT	1.00 ug/L	Gen. Eng.
Tetrachloroethylene		2.00 ug/L	Gen. Eng.
Total dissolved solids		32000.00 ug/L	Gen. Eng.
Total organic carbon	LT	1000.00 ug/L	Gen. Eng.
Total organic halogens		191.00 ug/L	Gen. Eng.
Phenols	LT	5.00 ug/L	Gen. Eng.
Total phosphates (as P)	LT	100.00 ug/L	Gen. Eng.
* Trichloroethylene		6.00 ug/L	Gen. Eng.
Toxaphene	LT	0.24 ug/L	Gen. Eng.
trans-1,2-Dichloroethylene	LT	1.00 ug/L	Gen. Eng.
trans-1,3-Dichloropropene	LT	1.00 ug/L	Gen. Eng.
1,1-Dichloroethylene		4.00 ug/L	Gen. Eng.
1,1-Dichloroethane		9.00 ug/L	Gen. Eng.
1,1,1-Trichloroethane		22.00 ug/L	Gen. Eng.
1,1,2-Trichloroethane	LT	1.00 ug/L	Gen. Eng.
1,2-Dichloroethane	LT	1.00 ug/L	Gen. Eng.
1,2-Dichloropropene	LT	1.00 ug/L	Gen. Eng.
cis-1,3-Dichloropropene	LT	1.00 ug/L	Gen. Eng.
2-Chloroethyl vinyl ether	LT	1.00 ug/L	Gen. Eng.
2,4-Dichlorophenoxyacetic acid	LT	0.30 ug/L	Gen. Eng.
Gross alpha	LT	2.00 pCi/L	Gen. Eng.
Nonvolatile beta	LT	2.00 pCi/L	Gen. Eng.
Total radium	LT	1.00 pCi/L	Gen. Eng.
Tritium		2.84+- 0.30 pCi/mL	Gen. Eng.

WELL LFW 61D

SRS Grid N 83089.1 Latitude 33.285358 N
 Coordinates E 46471.1 Longitude 81.705832 W
 Screen Zone Elevation 150.4-130.3 ft msl
 Top of Casing Elevation 166.40 ft msl

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/04/91 Time 935
 Depth to water - 22.66 ft (6.91 m) below the TOC
 Water elevation - 143.74 ft (43.81 m) msl
 pH - 4.9 Alkalinity - 0 mg/L
 Specific conductance - 23 umhos/cm
 Water temperature - 18.7 degrees Celsius
 Water evacuated from the well prior to sampling - 42 gal

LABORATORY ANALYSES

Specific conductance		25.00 umh/cm	Gen. Eng.
pH		5.13 pH	Gen. Eng.
Silver	LT	2.00 ug/L	Gen. Eng.
Arsenic	LT	2.00 ug/L	Gen. Eng.
Barium		3.66 ug/L	Gen. Eng.

CONTINUED

WELL LFW 61D COLLECTED ON 09/04/91 LABORATORY ANALYSES CONTINUED

Bromide	LT	1000.00 ug/L	Gen. Eng.
Bromodichloromethane	LT	10.00 ug/L	Gen. Eng.
Calcium		390.00 ug/L	Gen. Eng.
Trichlorofluoromethane		310.00 ug/L	Gen. Eng.
Carbon tetrachloride	LT	10.00 ug/L	Gen. Eng.
Cadmium	LT	2.00 ug/L	Gen. Eng.
Bromoform	LT	10.00 ug/L	Gen. Eng.
Chloroform	LT	10.00 ug/L	Gen. Eng.
Dichloromethane (Methylene chloride)		30.00 ug/L	Gen. Eng.
Bromomethane (Methyl bromide)	LT	10.00 ug/L	Gen. Eng.
Chloromethane (Methyl chloride)	LT	10.00 ug/L	Gen. Eng.
Chloride		2960.00 ug/L	Gen. Eng.
Chlorobenzene	LT	10.00 ug/L	Gen. Eng.
Chromium	LT	4.00 ug/L	Gen. Eng.
Chloroethene (Vinyl chloride)	LT	10.00 ug/L	Gen. Eng.
Chloroethane	LT	10.00 ug/L	Gen. Eng.
Benzene	LT	10.00 ug/L	Gen. Eng.
Dibromochloromethane	LT	10.00 ug/L	Gen. Eng.
Endrin	LT	0.01 ug/L	Gen. Eng.
Ethylbenzene	LT	10.00 ug/L	Gen. Eng.
Fluoride	LT	100.00 ug/L	Gen. Eng.
Iron	LT	4.00 ug/L	Gen. Eng.
Mercury	LT	0.20 ug/L	Gen. Eng.
Potassium	LT	500.00 ug/L	Gen. Eng.
Lindane	LT	0.00 ug/L	Gen. Eng.
Toluene	LT	10.00 ug/L	Gen. Eng.
Methoxychlor	LT	0.50 ug/L	Gen. Eng.
Magnesium		607.00 ug/L	Gen. Eng.
Manganese	LT	2.00 ug/L	Gen. Eng.
Sodium		1790.00 ug/L	Gen. Eng.
Nitrate as nitrogen		150.00 ug/L	Gen. Eng.
Lead	LT	3.00 ug/L	Gen. Eng.
Selenium	LT	2.00 ug/L	Gen. Eng.
Silica		8420.00 ug/L	Gen. Eng.
2,4,5-TP (Silvex)	LT	0.09 ug/L	Gen. Eng.
Sulfate	LT	1000.00 ug/L	Gen. Eng.
1,1,2,2-Tetrachloroethane	LT	10.00 ug/L	Gen. Eng.
* Tetrachloroethylene		20.00 ug/L	Gen. Eng.
Total dissolved solids		25000.00 ug/L	Gen. Eng.
Total dissolved solids		26000.00 ug/L	Gen. Eng.
Total organic carbon	LT	1000.00 ug/L	Gen. Eng.
Total organic halogens		224.00 ug/L	Gen. Eng.
Total organic halogens		235.00 ug/L	Gen. Eng.
Phenols	LT	5.00 ug/L	Gen. Eng.
Total phosphates (as P)	LT	100.00 ug/L	Gen. Eng.
Total phosphates (as P)	LT	100.00 ug/L	Gen. Eng.
Trichloroethylene	LT	10.00 ug/L	Gen. Eng.
Toxaphene	LT	0.24 ug/L	Gen. Eng.
trans-1,2-Dichloroethylene	LT	10.00 ug/L	Gen. Eng.
trans-1,3-Dichloropropene	LT	10.00 ug/L	Gen. Eng.
1,1-Dichloroethylene	LT	10.00 ug/L	Gen. Eng.
1,1-Dichloroethane	LT	10.00 ug/L	Gen. Eng.
1,1,1-Trichloroethane		90.00 ug/L	Gen. Eng.
1,1,2-Trichloroethane	LT	10.00 ug/L	Gen. Eng.

CONTINUED

WELL LFW 61D COLLECTED ON 09/04/91 LABORATORY ANALYSES CONTINUED

1,2-Dichloroethane	LT	10.00 ug/L	Gen. Eng.
1,2-Dichloropropane	LT	10.00 ug/L	Gen. Eng.
cis-1,3-Dichloropropene	LT	10.00 ug/L	Gen. Eng.
2-Chloroethyl vinyl ether	LT	10.00 ug/L	Gen. Eng.
2,4-Dichlorophenoxyacetic acid	LT	0.30 ug/L	Gen. Eng.
Gross alpha	LT	2.00 pCi/L	Gen. Eng.
Nonvolatile beta	3.60+-	1.90 pCi/L	Gen. Eng.
Total radium	1.10+-	2.30 pCi/L	Gen. Eng.
Tritium	2.83+-	0.30 pCi/mL	Gen. Eng.

WELL LFW 62B

SRS Grid N 83001.2 Latitude 33.284257 N
 Coordinates E 45915.5 Longitude 81.707124 W
 Screen Zone Elevation 72.4-62.4 ft msl
 Top of Casing Elevation 162.40 ft msl

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/04/91 Time 1210
 Depth to water = 22.09 ft (6.73 m) below the TOC
 Water elevation = 140.31 ft (42.77 m) msl
 pH = 5.4 Alkalinity = 0 mg/L
 Specific conductance = 39 umhos/cm
 Water temperature = 19.5 degrees Celsius
 Water evacuated from the well prior to sampling = 211 gal

LABORATORY ANALYSES

Specific conductance		40.00 umh/cm	Gen. Eng.
pH		5.59 pH	Gen. Eng.
Silver	LT	2.00 ug/L	Gen. Eng.
Arsenic	LT	2.00 ug/L	Gen. Eng.
Barium		4.37 ug/L	Gen. Eng.
Bromodichloromethane	LT	1.00 ug/L	Gen. Eng.
Calcium		682.00 ug/L	Gen. Eng.
Trichlorofluoromethane	LT	1.00 ug/L	Gen. Eng.
Carbon tetrachloride	LT	1.00 ug/L	Gen. Eng.
Cadmium	LT	2.00 ug/L	Gen. Eng.
Bromoform	LT	1.00 ug/L	Gen. Eng.
Chloroform	LT	1.00 ug/L	Gen. Eng.
Dichloromethane (Methylene chloride)	LT	1.00 ug/L	Gen. Eng.
Bromomethane (Methyl bromide)	LT	1.00 ug/L	Gen. Eng.
Chloromethane (Methyl chloride)	LT	1.00 ug/L	Gen. Eng.
Chloride		1940.00 ug/L	Gen. Eng.
Chlorobenzene	LT	1.00 ug/L	Gen. Eng.
Chromium	LT	4.00 ug/L	Gen. Eng.
Chloroethene (Vinyl chloride)	LT	1.00 ug/L	Gen. Eng.
Chloroethane	LT	1.00 ug/L	Gen. Eng.
Benzene	LT	1.00 ug/L	Gen. Eng.
Dibromochloromethane	LT	1.00 ug/L	Gen. Eng.
Endrin	LT	0.01 ug/L	Gen. Eng.

CONTINUED

WELL LFW 62B COLLECTED ON 09/04/91 LABORATORY ANALYSES CONTINUED

Ethylbenzene	LT	1.00 ug/L	Gen. Eng.
Fluoride	LT	100.00 ug/L	Gen. Eng.
Fluoride	LT	100.00 ug/L	Gen. Eng.
Iron		16.10 ug/L	Gen. Eng.
Mercury	LT	0.20 ug/L	Gen. Eng.
Potassium		515.00 ug/L	Gen. Eng.
Lindane	LT	0.00 ug/L	Gen. Eng.
Toluene	LT	1.00 ug/L	Gen. Eng.
Methoxychlor	LT	0.50 ug/L	Gen. Eng.
Magnesium		219.00 ug/L	Gen. Eng.
Manganese		15.00 ug/L	Gen. Eng.
Sodium		5430.00 ug/L	Gen. Eng.
Nitrate as nitrogen		580.00 ug/L	Gen. Eng.
Lead	LT	3.00 ug/L	Gen. Eng.
Selenium	LT	2.00 ug/L	Gen. Eng.
Silica		10700.00 ug/L	Gen. Eng.
2,4,5-TP (Silvex)	LT	0.09 ug/L	Gen. Eng.
Sulfate		6340.00 ug/L	Gen. Eng.
1,1,2,2-Tetrachloroethane	LT	1.00 ug/L	Gen. Eng.
Tetrachloroethylene	LT	1.00 ug/L	Gen. Eng.
Total dissolved solids		65000.00 ug/L	Gen. Eng.
Total organic carbon		2000.00 ug/L	Gen. Eng.
Total organic halogens		10.10 ug/L	Gen. Eng.
Phenols	LT	5.00 ug/L	Gen. Eng.
Total phosphates (as P)	LT	100.00 ug/L	Gen. Eng.
Trichloroethylene		1.00 ug/L	Gen. Eng.
Toxaphene	LT	0.24 ug/L	Gen. Eng.
trans-1,2-Dichloroethylene	LT	1.00 ug/L	Gen. Eng.
trans-1,3-Dichloropropene	LT	1.00 ug/L	Gen. Eng.
1,1-Dichloroethylene	LT	1.00 ug/L	Gen. Eng.
1,1-Dichloroethane	LT	1.00 ug/L	Gen. Eng.
1,1,1-Trichloroethane	LT	1.00 ug/L	Gen. Eng.
1,1,2-Trichloroethane	LT	1.00 ug/L	Gen. Eng.
1,2-Dichloroethane	LT	1.00 ug/L	Gen. Eng.
1,2-Dichloropropane	LT	1.00 ug/L	Gen. Eng.
cis-1,3-Dichloropropene	LT	1.00 ug/L	Gen. Eng.
2-Chloroethyl vinyl ether	LT	1.00 ug/L	Gen. Eng.
2,4-Dichlorophenoxyacetic acid	LT	0.30 ug/L	Gen. Eng.
Gross alpha	LT	2.00 pCi/L	Gen. Eng.
Nonvolatile beta	LT	2.00 pCi/L	Gen. Eng.
Total radium	3.50+-	3.00 pCi/L	Gen. Eng.
Tritium	LT	0.70 pCi/mL	Gen. Eng.

WELL LFW 62C

SRS Grid N 83012.7 Latitude 33.284268 N
 Coordinates E 45906.7 Longitude 81.707169 W
 Screen Zone Elevation 118.0-108.0 ft msl
 Top of Casing Elevation 163.00 ft msl

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/04/91 Time 1235
 Depth to water = 22.02 ft (6.71 m) below the TOC
 Water elevation = 140.98 ft (42.97 m) msl
 pH = 5.6 Alkalinity = 1 mg/L
 Specific conductance = 27 umhos/cm
 Water temperature = 19.4 degrees Celsius
 Water evacuated from the well prior to sampling = 93 gal

LABORATORY ANALYSES

Specific conductance		30.00 umh/cm	Gen. Eng.
pH		5.62 pH	Gen. Eng.
Silver	LT	2.00 ug/L	Gen. Eng.
Arsenic	LT	2.00 ug/L	Gen. Eng.
Barium		7.07 ug/L	Gen. Eng.
Bromide	LT	1000.00 ug/L	Gen. Eng.
Bromodichloromethane	LT	1.00 ug/L	Gen. Eng.
Calcium		1240.00 ug/L	Gen. Eng.
Trichlorofluoromethane		4.00 ug/L	Gen. Eng.
Carbon tetrachloride	LT	1.00 ug/L	Gen. Eng.
Cadmium	LT	2.00 ug/L	Gen. Eng.
Bromoform	LT	1.00 ug/L	Gen. Eng.
Chloroform	LT	1.00 ug/L	Gen. Eng.
Dichloromethane (Methylene chloride)		2.00 ug/L	Gen. Eng.
Bromomethane (Methyl bromide)	LT	1.00 ug/L	Gen. Eng.
Chloromethane (Methyl chloride)	LT	1.00 ug/L	Gen. Eng.
Chloride		1740.00 ug/L	Gen. Eng.
Chlorobenzene	LT	1.00 ug/L	Gen. Eng.
Chromium	LT	4.00 ug/L	Gen. Eng.
Chloroethene (Vinyl chloride)	LT	1.00 ug/L	Gen. Eng.
Chloroethane	LT	1.00 ug/L	Gen. Eng.
Benzene	LT	1.00 ug/L	Gen. Eng.
Dibromochloromethane	LT	1.00 ug/L	Gen. Eng.
Endrin	LT	0.01 ug/L	Gen. Eng.
Ethylbenzene	LT	1.00 ug/L	Gen. Eng.
Fluoride	LT	100.00 ug/L	Gen. Eng.
Iron	LT	4.00 ug/L	Gen. Eng.
Mercury	LT	0.20 ug/L	Gen. Eng.
Potassium		510.00 ug/L	Gen. Eng.
Lindane	LT	0.00 ug/L	Gen. Eng.
Toluene	LT	1.00 ug/L	Gen. Eng.
Methoxychlor	LT	0.50 ug/L	Gen. Eng.
Magnesium		731.00 ug/L	Gen. Eng.
Manganese		21.20 ug/L	Gen. Eng.
Sodium		1450.00 ug/L	Gen. Eng.
Nitrate as nitrogen		1600.00 ug/L	Gen. Eng.
Lead	LT	3.00 ug/L	Gen. Eng.

CONTINUED

WELL LFW 62C COLLECTED ON 09/04/91 LABORATORY ANALYSES CONTINUED

Selenium	LT	2.00 ug/L	Gen. Eng.
Silica		7670.00 ug/L	Gen. Eng.
2,4,5-TP (Silvex)	LT	0.09 ug/L	Gen. Eng.
Sulfate	LT	1000.00 ug/L	Gen. Eng.
1,1,2,2-Tetrachloroethane	LT	1.00 ug/L	Gen. Eng.
Tetrachloroethylene		1.00 ug/L	Gen. Eng.
Total dissolved solids		30000.00 ug/L	Gen. Eng.
Total organic carbon	LT	1000.00 ug/L	Gen. Eng.
Total organic halogens		27.90 ug/L	Gen. Eng.
Phenols	LT	5.00 ug/L	Gen. Eng.
Total phosphates (as P)	LT	100.00 ug/L	Gen. Eng.
Trichloroethylene		4.00 ug/L	Gen. Eng.
Toxaphene	LT	0.24 ug/L	Gen. Eng.
trans-1,2-Dichloroethylene	LT	1.00 ug/L	Gen. Eng.
trans-1,3-Dichloropropene	LT	1.00 ug/L	Gen. Eng.
1,1-Dichloroethylene	LT	1.00 ug/L	Gen. Eng.
1,1-Dichloroethane		2.00 ug/L	Gen. Eng.
1,1,1-Trichloroethane	LT	1.00 ug/L	Gen. Eng.
1,1,2-Trichloroethane	LT	1.00 ug/L	Gen. Eng.
1,2-Dichloroethane	LT	1.00 ug/L	Gen. Eng.
1,2-Dichloropropane	LT	1.00 ug/L	Gen. Eng.
cis-1,3-Dichloropropene	LT	1.00 ug/L	Gen. Eng.
2-Chloroethyl vinyl ether	LT	1.00 ug/L	Gen. Eng.
2,4-Dichlorophenoxyacetic acid	LT	0.30 ug/L	Gen. Eng.
Gross alpha	LT	2.00 pCi/L	Gen. Eng.
Nonvolatile beta	2.70+-	1.70 pCi/L	Gen. Eng.
Total radium	LT	1.00 pCi/L	Gen. Eng.
Tritium	3.82+-	0.30 pCi/mL	Gen. Eng.

WELL LFW 62D

SRS Grid N 82991.6 Latitude 33.284247 N
 Coordinates E 45922.9 Longitude 81.707086 W
 Screen Zone Elevation 147.6-127.6 ft msl
 Top of Casing Elevation 162.60 ft msl

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/05/91 Time 930
 Depth to water = 20.18 ft (6.15 m) below the TOC
 Water elevation = 142.42 ft (43.41 m) msl
 pH = 5.1 Alkalinity = 10 mg/L
 Specific conductance = 26 umhos/cm
 Water temperature = 19.1 degrees Celsius
 Water evacuated from the well prior to sampling = 12 gal
 The well went dry during purging.

LABORATORY ANALYSES

Specific conductance		20.00 umh/cm	Gen. Eng.
pH		5.54 pH	Gen. Eng.
Silver	LT	2.00 ug/L	Gen. Eng.
Arsenic	LT	2.00 ug/L	Gen. Eng.

CONTINUED

WELL LFW 62D COLLECTED ON 09/05/91 LABORATORY ANALYSES CONTINUED

Barium		4.63 ug/L	Gen. Eng.
Bromodichloromethane	LT	1.00 ug/L	Gen. Eng.
Calcium		655.00 ug/L	Gen. Eng.
Trichlorofluoromethane		11.00 ug/L	Gen. Eng.
Carbon tetrachloride	LT	1.00 ug/L	Gen. Eng.
Cadmium	LT	2.00 ug/L	Gen. Eng.
Bromoform	LT	1.00 ug/L	Gen. Eng.
Chloroform	LT	1.00 ug/L	Gen. Eng.
Dichloromethane (Methylene chloride)	LT	1.00 ug/L	Gen. Eng.
Bromomethane (Methyl bromide)	LT	1.00 ug/L	Gen. Eng.
Chloromethane (Methyl chloride)	LT	1.00 ug/L	Gen. Eng.
Chloride		2830.00 ug/L	Gen. Eng.
Chlorobenzene	LT	1.00 ug/L	Gen. Eng.
Chromium	LT	4.00 ug/L	Gen. Eng.
Chloroethene (Vinyl chloride)	LT	1.00 ug/L	Gen. Eng.
Chloroethane	LT	1.00 ug/L	Gen. Eng.
Benzene	LT	1.00 ug/L	Gen. Eng.
Dibromochloromethane	LT	1.00 ug/L	Gen. Eng.
Endrin	LT	0.01 ug/L	Gen. Eng.
Ethylbenzene	LT	1.00 ug/L	Gen. Eng.
Fluoride	LT	100.00 ug/L	Gen. Eng.
Fluoride	LT	100.00 ug/L	Gen. Eng.
Iron		22.00 ug/L	Gen. Eng.
Mercury	LT	0.20 ug/L	Gen. Eng.
Potassium	LT	500.00 ug/L	Gen. Eng.
Lindane	LT	0.00 ug/L	Gen. Eng.
Toluene	LT	1.00 ug/L	Gen. Eng.
Methoxychlor	LT	0.50 ug/L	Gen. Eng.
Magnesium		386.00 ug/L	Gen. Eng.
Manganese		19.70 ug/L	Gen. Eng.
Sodium		2510.00 ug/L	Gen. Eng.
Nitrate as nitrogen		130.00 ug/L	Gen. Eng.
Lead	LT	3.00 ug/L	Gen. Eng.
Selenium	LT	2.00 ug/L	Gen. Eng.
Silica		8050.00 ug/L	Gen. Eng.
2,4,5-TP (Silvex)	LT	0.09 ug/L	Gen. Eng.
Sulfate	LT	1000.00 ug/L	Gen. Eng.
1,1,2,2-Tetrachloroethane	LT	1.00 ug/L	Gen. Eng.
Tetrachloroethylene	LT	1.00 ug/L	Gen. Eng.
Total dissolved solids		8000.00 ug/L	Gen. Eng.
Total dissolved solids		7000.00 ug/L	Gen. Eng.
Total organic carbon	LT	1000.00 ug/L	Gen. Eng.
Total organic halogens		380.00 ug/L	Gen. Eng.
Phenols	LT	5.00 ug/L	Gen. Eng.
Total phosphates (as P)	LT	100.00 ug/L	Gen. Eng.
Total phosphates (as P)	LT	100.00 ug/L	Gen. Eng.
Trichloroethylene	LT	1.00 ug/L	Gen. Eng.
Toxaphene	LT	0.24 ug/L	Gen. Eng.
trans-1,2-Dichloroethylene	LT	1.00 ug/L	Gen. Eng.
trans-1,3-Dichloropropene	LT	1.00 ug/L	Gen. Eng.
1,1-Dichloroethylene	LT	1.00 ug/L	Gen. Eng.
1,1-Dichloroethane	LT	1.00 ug/L	Gen. Eng.
1,1,1-Trichloroethane	LT	1.00 ug/L	Gen. Eng.
1,1,2-Trichloroethane	LT	1.00 ug/L	Gen. Eng.

CONTINUED

WELL LFW 62D COLLECTED ON 09/05/91 LABORATORY ANALYSES CONTINUED

1,2-Dichloroethane	LT	1.00 ug/L	Gen. Eng.
1,2-Dichloropropane	LT	1.00 ug/L	Gen. Eng.
cis-1,3-Dichloropropene	LT	1.00 ug/L	Gen. Eng.
2-Chloroethyl vinyl ether	LT	1.00 ug/L	Gen. Eng.
2,4-Dichlorophenoxyacetic acid	LT	0.30 ug/L	Gen. Eng.
Gross alpha	LT	2.00 pCi/L	Gen. Eng.
Nonvolatile beta	LT	2.00 pCi/L	Gen. Eng.
Total radium	1.20+-	2.20 pCi/L	Gen. Eng.
Tritium	1.17+-	0.20 pCi/mL	Gen. Eng.

APPENDIX C

FOURTH QUARTER 1991 ANALYTICAL DATA

WELL LFW 6

<u>SRS Coord.</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>
N84537.8 E45241.2	160.4-141.1 ft msl	171.7 ft msl	4" Steel

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 10/24/91
Depth to water: 16.29 ft (4.97 m) below TOC
Water elevation: 155.41 ft (47.37 m) msl
Sp. conductance: 429 μ S/cm
Water evacuated before sampling: 50 gal

Time: 15:05
pH: 6.3
Alkalinity: 96 mg/L
Water temperature: 20.5°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	6.2	pH	0	GE
		Specific conductance	300	μ S/cm	1	GE
		Aluminum	<20	μ g/L	0	GE
		Antimony	<2.0	μ g/L	0	GE
		Arsenic	5.1	μ g/L	0	GE
		Barium	11	μ g/L	0	GE
		Benzene	2.2	μ g/L	0	GE
		Bromodichloromethane	<1.0	μ g/L	0	GE
		Bromoform	<1.0	μ g/L	0	GE
		Bromomethane (Methyl bromide)	<1.0	μ g/L	0	GE
		Cadmium	<2.0	μ g/L	0	GE
		Calcium	5,090	μ g/L	0	GE
		Carbon tetrachloride	<1.0	μ g/L	0	GE
		Chloride	11,200	μ g/L	0	GE
		Chlorobenzene	1.1	μ g/L	0	GE
		Chloroethane	4.1	μ g/L	0	GE
	■	Chloroethene (Vinyl chloride)	4.7	μ g/L	2	GE
		2-Chloroethyl vinyl ether	<1.0	μ g/L	0	GE
		Chloroform	<1.0	μ g/L	0	GE
		Chloromethane (Methyl chloride)	<1.0	μ g/L	0	GE
		Chromium	<4.0	μ g/L	0	GE
		Copper	<4.0	μ g/L	0	GE
		Dibromochloromethane	<1.0	μ g/L	0	GE
		1,1-Dichloroethane	7.7	μ g/L	1	GE
		1,2-Dichloroethane	<1.0	μ g/L	0	GE
		1,1-Dichloroethylene	<1.0	μ g/L	0	GE
		trans-1,2-Dichloroethylene	<1.0	μ g/L	0	GE
		Dichloromethane (Methylene chloride)	5.1	μ g/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30	μ g/L	0	GE
		1,2-Dichloropropane	<1.0	μ g/L	0	GE
		trans-1,3-Dichloropropene	<1.0	μ g/L	0	GE
		cis-1,3-Dichloropropene	<1.0	μ g/L	0	GE
		Endrin	<0.0060	μ g/L	0	GE
		Ethylbenzene	<1.0	μ g/L	0	GE
		Fluoride	120	μ g/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard

WELL LFW 6, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Lead	<3.0	µg/L	0	GE
		Lindane	<0.0050	µg/L	0	GE
		Magnesium	11,000	µg/L	0	GE
		Manganese	36	µg/L	1	GE
		Mercury	<0.20	µg/L	0	GE
		Methoxychlor	<0.50	µg/L	0	GE
		Nickel	5.8	µg/L	0	GE
		Nitrate as nitrogen	62	µg/L	0	GE
		Potassium	2,470	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	9,460	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	10,400	µg/L	0	GE
		Sulfate	3,130	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0	µg/L	0	GE
		Tetrachloroethylene	<1.0	µg/L	0	GE
		Toluene	<1.0	µg/L	0	GE
		Total organic carbon	5,000	µg/L	1	GE
		Total organic halogens	153	µg/L	2	GE
		Toxaphene	<0.24	µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0	µg/L	0	GE
		1,1,2-Trichloroethane	<1.0	µg/L	0	GE
		Trichloroethylene	<1.0	µg/L	0	GE
		Trichlorofluoromethane	<1.0	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Gross alpha	<2.0E+00	pCi/L	0	GE
		Nonvolatile beta	<2.0E+00	pCi/L	0	GE
		Total radium	<1.0E+00	pCi/L	0	GE
		Tritium	<7.0E-01	pCi/mL	0	GE

WELL LFW 8

<u>SRS Coord.</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>
N84032.6 E45415.3	159.2-139.9 ft msl	170.5 ft msl	4" Steel

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 10/28/91
 Depth to water: 19.64 ft (5.99 m) below TOC
 Water elevation: 150.86 ft (45.98 m) msl
 Sp. conductance: 389 µS/cm
 Water evacuated before sampling: 32 gal

Time: 12:30
 pH: 6.6
 Alkalinity: 173 mg/L
 Water temperature: 21.0°C

● = exceeded holding time. ■ = exceeded primary drinking water standard.

LABORATORY ANALYSES

H	D	Analyte	Result	Unit	Flag	Lab
•		pH	6.4	pH	0	GE
		Specific conductance	270	µS/cm	1	GE
		Aluminum	<20	µg/L	0	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	8.4	µg/L	0	GE
		Barium	6.5	µg/L	0	GE
■		Benzene	5.1	µg/L	2	GE
		Bromodichloromethane	<1.0	µg/L	0	GE
		Bromoform	<1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	6,960	µg/L	0	GE
		Carbon tetrachloride	<1.0	µg/L	0	GE
		Chloride	25,400	µg/L	0	GE
		Chlorobenzene	13	µg/L	2	GE
		Chloroethane	8.6	µg/L	1	GE
■		Chloroethene (Vinyl chloride)	167	µg/L	2	GE
		2-Chloroethyl vinyl ether	<1.0	µg/L	0	GE
		Chloroform	<1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Copper	<4.0	µg/L	0	GE
		Dibromochloromethane	<1.0	µg/L	0	GE
		1,1-Dichloroethane	53	µg/L	2	GE
		1,2-Dichloroethane	2.3	µg/L	0	GE
		1,1-Dichloroethylene	<1.0	µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	5.4	µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30	µg/L	0	GE
		1,2-Dichloropropane	<1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0	µg/L	0	GE
		Endrin	<0.0060	µg/L	0	GE
		Endrin	<0.0060	µg/L	0	GE
		Ethylbenzene	22	µg/L	0	GE
		Fluoride	216	µg/L	0	GE
■		Lead	16	µg/L	2	GE
		Lindane	<0.0050	µg/L	0	GE
		Lindane	<0.0050	µg/L	0	GE
		Magnesium	14,100	µg/L	0	GE
		Manganese	22	µg/L	0	GE
		Mercury	<0.20	µg/L	0	GE
		Methoxychlor	<0.50	µg/L	0	GE
		Methoxychlor	<0.50	µg/L	0	GE
		Nickel	<4.0	µg/L	0	GE
		Nitrate as nitrogen	<50	µg/L	0	GE
		Potassium	1,700	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	6,060	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	21,300	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard

WELL LFW 8, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Sulfate	<1,000	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0	µg/L	0	GE
		Tetrachloroethylene	<1.0	µg/L	0	GE
		Toluene	8.9	µg/L	0	GE
		Total organic carbon	8,000	µg/L	1	GE
		Total organic halogens	210	µg/L	2	GE
		Toxaphene	<0.24	µg/L	0	GE
		Toxaphene	<0.24	µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0	µg/L	0	GE
		1,1,2-Trichloroethane	<1.0	µg/L	0	GE
		Trichloroethylene	<1.0	µg/L	0	GE
		Trichlorofluoromethane	<1.0	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Gross alpha	4.5E+00 ± 1.8E+00	pCi/L	0	GE
		Nonvolatile beta	9.5E+00 ± 1.9E+00	pCi/L	0	GE
		Total radium	1.6E+00 ± 1.5E+00	pCi/L	0	GE
		Tritium	..9E+00 ± 7.0E-01	pCi/mL	0	GE

WELL LFW 10A

<u>SRS Coord.</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>
N84369.6	159.2-129.2 ft msl	175.5 ft msl	4" PVC
E45935.6			

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 10/24/91
 Depth to water: 21.61 ft (6.59 m) below TOC
 Water elevation: 153.89 ft (46.91 m) msl
 Sp. conductance: 668 µS/cm
 Water evacuated before sampling: 67 gal

Time: 9:15
 pH: 6.4
 Alkalinity: 131 mg/L
 Water temperature: 20.5°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	6.1	pH	0	GE
		Specific conductance	500	µS/cm	2	GE
		Aluminum	<20	µg/L	0	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	5.5	µg/L	0	GE
		Barium	12	µg/L	0	GE
■		Benzene	9.9	µg/L	2	GE
		Bromodichloromethane	<1.0	µg/L	0	GE
		Bromoform	<1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	25,800	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 10A, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Carbon tetrachloride	< 1.0	µg/L	0	GE
		Chloride	36,400	µg/L	0	GE
		Chlorobenzene	< 1.0	µg/L	0	GE
		Chloroethane	< 1.0	µg/L	0	GE
		Chloroethene (Vinyl chloride)	< 1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	< 1.0	µg/L	0	GE
		Chloroform	< 1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	< 1.0	µg/L	0	GE
		Chromium	< 4.0	µg/L	0	GE
		Copper	< 4.0	µg/L	0	GE
		Dibromochloromethane	< 1.0	µg/L	0	GE
		1,1-Dichloroethane	6.6	µg/L	1	GE
		1,2-Dichloroethane	< 20	µg/L	0	GE
■		1,1-Dichloroethylene	7.6	µg/L	2	GE
		trans-1,2-Dichloroethylene	< 1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	757	µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	< 0.30	µg/L	0	GE
		1,2-Dichloropropane	< 1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	< 1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	< 1.0	µg/L	0	GE
		Endrin	< 0.0060	µg/L	0	GE
		Ethylbenzene	36	µg/L	0	GE
		Fluoride	188	µg/L	0	GE
		Lead	< 3.0	µg/L	0	GE
		Lindane	< 0.0050	µg/L	0	GE
		Magnesium	19,700	µg/L	0	GE
		Manganese	91	µg/L	2	GE
		Mercury	< 0.20	µg/L	0	GE
		Methoxychlor	< 0.50	µg/L	0	GE
		Nickel	6.5	µg/L	0	GE
		Nitrate as nitrogen	63	µg/L	0	GE
		Potassium	< 500	µg/L	0	GE
		Selenium	< 2.0	µg/L	0	GE
		Silica	10,300	µg/L	0	GE
		Silver	< 2.0	µg/L	0	GE
		Sodium	45,300	µg/L	0	GE
		Sulfate	3,080	µg/L	0	GE
		Sulfate	3,100	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	< 1.0	µg/L	0	GE
■		Tetrachloroethylene	23	µg/L	2	GE
		Toluene	87	µg/L	0	GE
		Total organic carbon	47,000	µg/L	2	GE
		Total organic halogens	982	µg/L	2	GE
		Toxaphene	< 0.24	µg/L	0	GE
		2,4,5-TP (Silvex)	0.11	µg/L	0	GE
		1,1,1-Trichloroethane	21	µg/L	0	GE
		1,1,2-Trichloroethane	< 1.0	µg/L	0	GE
■		Trichloroethylene	50	µg/L	2	GE
		Trichlorofluoromethane	< 1.0	µg/L	0	GE
		Vanadium	< 8.0	µg/L	0	GE
		Gross alpha	< 2.0E+00	pCi/L	0	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard

WELL LFW 10A, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Nonvolatile beta	4.6E+00 ± 8.4E+00	pCi/L	0	GE
		Total radium	1.0E+00 ± 8.0E-01	pCi/L	0	GE
	■	Tritium	1.2E+02 ± 1.9E+00	pCi/mL	2	GE

WELL LFW 16

<u>SRS Coord.</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>
N84748.9 E45852.6	161.2-131.2 ft msl	178.8 ft msl	4" PVC

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 10/24/91
 Depth to water: 21.46 ft (6.54 m) below TOC
 Water elevation: 157.34 ft (47.96 m) msl
 Sp. conductance: 79 µS/cm
 Water evacuated before sampling: 69 gal

Time: 8:45
 pH: 5.2
 Alkalinity: 9 mg/L
 Water temperature: 21.3°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.5	pH	0	GE
		Specific conductance	75	µS/cm	0	GE
		Aluminum	< 20	µg/L	0	GE
		Antimony	< 2.0	µg/L	0	GE
		Arsenic	< 2.0	µg/L	0	GE
		Barium	10	µg/L	0	GE
		Benzene	1.5	µg/L	0	GE
		Bromodichloromethane	< 1.0	µg/L	0	GE
		Bromoform	< 1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	< 1.0	µg/L	0	GE
		Cadmium	< 2.0	µg/L	0	GE
		Calcium	3,730	µg/L	0	GE
		Carbon tetrachloride	< 1.0	µg/L	0	GE
		Chloride	5,400	µg/L	0	GE
		Chloride	5,250	µg/L	0	GE
		Chlorobenzene	< 1.0	µg/L	0	GE
		Chloroethane	< 1.0	µg/L	0	GE
		Chloroethene (Vinyl chloride)	< 1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	< 1.0	µg/L	0	GE
		Chloroform	< 1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	< 1.0	µg/L	0	GE
		Chromium	< 4.0	µg/L	0	GE
		Copper	< 4.0	µg/L	0	GE
		Dibromochloromethane	< 1.0	µg/L	0	GE
		1,1-Dichloroethane	42	µg/L	2	GE
		1,2-Dichloroethane	< 1.0	µg/L	0	GE
		1,1-Dichloroethylene	< 1.0	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 16, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		trans-1,2-Dichloroethylene	< 1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	20	µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	< 0.050	µg/L	0	GE
		1,2-Dichloropropane	< 1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	< 1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	< 1.0	µg/L	0	GE
		Endrin	< 0.0060	µg/L	0	GE
		Ethylbenzene	12	µg/L	0	GE
		Fluoride	< 100	µg/L	0	GE
		Lead	4.3	µg/L	0	GE
		Lindane	< 0.0050	µg/L	0	GE
		Magnesium	3,370	µg/L	0	GE
		Manganese	4.9	µg/L	0	GE
		Mercury	< 0.20	µg/L	0	GE
		Methoxychlor	< 0.50	µg/L	0	GE
		Nickel	7.0	µg/L	0	GE
		Nitrate as nitrogen	830	µg/L	0	GE
		Potassium	< 500	µg/L	0	GE
		Selenium	< 2.0	µg/L	0	GE
		Silica	11,700	µg/L	0	GE
		Silver	< 2.0	µg/L	0	GE
		Sodium	4,300	µg/L	0	GE
		Sulfate	6,330	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	< 1.0	µg/L	0	GE
	■	Tetrachloroethylene	5.3	µg/L	2	GE
		Toluene	4.4	µg/L	0	GE
		Total organic carbon	1,000	µg/L	0	GE
		Total organic halogens	255	µg/L	2	GE
		Toxaphene	< 0.24	µg/L	0	GE
		2,4,5-TP (Silvex)	< 0.10	µg/L	0	GE
		1,1,1-Trichloroethane	5.5	µg/L	0	GE
		1,1,2-Trichloroethane	< 1.0	µg/L	0	GE
	■	Trichloroethylene	8.2	µg/L	2	GE
		Trichlorofluoromethane	< 1.0	µg/L	0	GE
		Vanadium	< 8.0	µg/L	0	GE
		Gross alpha	4.0E+00 ± 1.6E+00	pCi/L	0	GE
		Nonvolatile beta	7.6E+00 ± 1.8E+00	pCi/L	0	GE
		Total radium	1.2E+00 ± 9.0E-01	pCi/L	0	GE
		Tritium	5.2E+00 ± 7.0E-01	pCi/mL	0	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard

WELL LFW 17

<u>SRS Coord.</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>
N84602.8 E45607.3	158.5-128.5 ft msl	177.8 ft msl	4" PVC

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 10/24/91
 Depth to water: 21.38 ft (6.52 m) below TOC
 Water elevation: 156.42 ft (47.68 m) msl
 Sp. conductance: 301 μ S/cm
 Water evacuated before sampling: 93 gal

Time: 14:40
 pH: 6.4
 Alkalinity: 106 mg/L
 Water temperature: 20.0°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	6.4	pH	0	GE
		Specific conductance	160	μ S/cm	0	GE
		Aluminum	<20	μ g/L	0	GE
		Antimony	<2.0	μ g/L	0	GE
		Arsenic	18	μ g/L	0	GE
		Barium	4.1	μ g/L	0	GE
		Benzene	3.9	μ g/L	1	GE
		Bromodichloromethane	<1.0	μ g/L	0	GE
		Bromoform	<1.0	μ g/L	0	GE
		Bromomethane (Methyl bromide)	<1.0	μ g/L	0	GE
		Cadmium	<2.0	μ g/L	0	GE
		Calcium	4,740	μ g/L	0	GE
		Carbon tetrachloride	<1.0	μ g/L	0	GE
		Chloride	14,700	μ g/L	0	GE
		Chlorobenzene	79	μ g/L	2	GE
		Chloroethane	3.9	μ g/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0	μ g/L	0	GE
		2-Chloroethyl vinyl ether	<1.0	μ g/L	0	GE
		Chloroform	<1.0	μ g/L	0	GE
		Chloromethane (Methyl chloride)	<1.0	μ g/L	0	GE
		Chromium	<4.0	μ g/L	0	GE
		Copper	<4.0	μ g/L	0	GE
		Dibromochloromethane	<1.0	μ g/L	0	GE
		1,1-Dichloroethane	28	μ g/L	2	GE
		1,2-Dichloroethane	4.4	μ g/L	1	GE
		1,1-Dichloroethylene	<1.0	μ g/L	0	GE
		trans-1,2-Dichloroethylene	<1.0	μ g/L	0	GE
		Dichloromethane (Methylene chloride)	3.0	μ g/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.050	μ g/L	0	GE
		1,2-Dichloropropane	<1.0	μ g/L	0	GE
		trans-1,3-Dichloropropene	<1.0	μ g/L	0	GE
		cis-1,3-Dichloropropene	<1.0	μ g/L	0	GE
		Endrin	<0.0060	μ g/L	0	GE
		Ethylbenzene	25	μ g/L	0	GE
		Fluoride	<100	μ g/L	0	GE
		Lead	<3.0	μ g/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 17, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Lindane	<0.0050	µg/L	0	GE
		Magnesium	8,240	µg/L	0	GE
		Manganese	32	µg/L	1	GE
		Mercury	<0.20	µg/L	0	GE
		Methoxychlor	<0.50	µg/L	0	GE
		Nickel	8.7	µg/L	0	GE
		Nitrate as nitrogen	110	µg/L	0	GE
		Potassium	515	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	6,470	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	15,700	µg/L	0	GE
		Sulfate	1,160	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0	µg/L	0	GE
		Tetrachloroethylene	<1.0	µg/L	0	GE
		Toluene	6.0	µg/L	0	GE
		Total organic carbon	5,000	µg/L	1	GE
		Total organic halogens	184	µg/L	2	GE
		Toxaphene	<0.24	µg/L	0	GE
		2,4,5-TP (Silvex)	<0.10	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0	µg/L	0	GE
		1,1,2-Trichloroethane	<1.0	µg/L	0	GE
		Trichloroethylene	<1.0	µg/L	0	GE
		Trichlorofluoromethane	<1.0	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Gross alpha	2.5E+00 ± 1.4E+00	pCi/L	0	GE
		Nonvolatile beta	<2.0E+00	pCi/L	0	GE
		Total radium	<1.0E+00	pCi/L	0	GE
		Tritium	2.3E+00 ± 7.0E-01	pCi/mL	0	GE

WELL LFW 18

<u>SRS Coord.</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>
N84577.3 E45459.4	160.1-130.1 ft msl	175.0 ft msl	4" PVC

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 10/24/91	Time: 14:10
Depth to water: 18.98 ft (5.79 m) below TOC	pH: 6.4
Water elevation: 156.02 ft (47.56 m) msl	Alkalinity: 117 mg/L
Sp. conductance: 258 µS/cm	Water temperature: 20.9°C
Water evacuated before sampling: 70 gal	

● = exceeded holding time. ■ = exceeded primary drinking water standard

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	6.2	pH	0	GE
		Specific conductance	165	µS/cm	0	GE
		Aluminum	<20	µg/L	0	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	19	µg/L	0	GE
		Barium	4.9	µg/L	0	GE
		Benzene	1.5	µg/L	0	GE
		Bromodichloromethane	<1.0	µg/L	0	GE
		Bromoform	<1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	3,130	µg/L	0	GE
		Carbon tetrachloride	<1.0	µg/L	0	GE
		Chloride	10,100	µg/L	0	GE
		Chlorobenzene	7.6	µg/L	1	GE
		Chloroethane	<1.0	µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0	µg/L	0	GE
		Chloroform	<1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Copper	<4.0	µg/L	0	GE
		Dibromochloromethane	<1.0	µg/L	0	GE
		1,1-Dichloroethane	9.2	µg/L	1	GE
		1,2-Dichloroethane	2.0	µg/L	0	GE
		1,1-Dichloroethylene	<1.0	µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	2.1	µg/L	0	GE
•		2,4-Dichlorophenoxyacetic acid	<0.30	µg/L	0	GE
		1,2-Dichloropropane	<1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0	µg/L	0	GE
		Endrin	<0.0060	µg/L	0	GE
		Ethylbenzene	9.6	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE
		Lindane	<0.0050	µg/L	0	GE
		Magnesium	5,760	µg/L	0	GE
		Manganese	13	µg/L	0	GE
		Mercury	<0.20	µg/L	0	GE
		Methoxychlor	<0.50	µg/L	0	GE
		Nickel	<4.0	µg/L	0	GE
		Nitrate as nitrogen	<50	µg/L	0	GE
		Potassium	1,100	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	7,680	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	8,010	µg/L	0	GE
		Sulfate	<1,000	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0	µg/L	0	GE
		Tetrachloroethylene	<1.0	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 18, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Toluene	1.9	µg/L	0	GE
		Total organic carbon	2.000	µg/L	0	GE
		Total organic halogens	155	µg/L	2	GE
		Toxaphene	<0.24	µg/L	0	GE
•		2,4,5-TP (Silvex)	<0.090	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0	µg/L	0	GE
		1,1,2-Trichloroethane	<1.0	µg/L	0	GE
		Trichloroethylene	<1.0	µg/L	0	GE
		Trichlorofluoromethane	<1.0	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Gross alpha	<2.0E+00	pCi/L	0	GE
		Nonvolatile beta	4.6E+00 ± 1.6E+00	pCi/L	0	GE
		Total radium	1.9E+00 ± 1.0E+00	pCi/L	0	GE
		Tritium	<7.0E-01	pCi/mL	0	GE

WELL LFW 19

<u>SRS Coord.</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>
N84817.2 E45135.4	160.0-130.0 ft msl	176.7 ft msl	4" PVC

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 10/24/91 Time: 13:50
Inaccessibility or pump failure prevented sample collection.

WELL LFW 19

<u>SRS Coord.</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>
N84817.2 E45135.4	160.0-130.0 ft msl	176.7 ft msl	4" PVC

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 12/16/91 Time: 15:40
Depth to water: 20.14 ft (6.14 m) below TOC pH: 5.1
Water elevation: 156.56 ft (47.72 m) msl Alkalinity: 0 mg/L
Sp. conductance: 18 µS/cm Water temperature: 17.4°C
Water evacuated before sampling: 70 gal

• = exceeded holding time. ■ = exceeded primary drinking water standard

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.2	pH	0	GE
		Specific conductance	20	µS/cm	0	GE
		Aluminum	<20	µg/L	0	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	<3.0	µg/L	0	GE
		Benzene	<1.0	µg/L	0	GE
		Bromodichloromethane	<1.0	µg/L	0	GE
		Bromoform	<1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	374	µg/L	0	GE
		Carbon tetrachloride	<1.0	µg/L	0	GE
		Chloride	2,230	µg/L	0	GE
		Chlorobenzene	<1.0	µg/L	0	GE
		Chloroethane	<1.0	µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0	µg/L	0	GE
		Chloroform	<1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Copper	4.6	µg/L	0	GE
		Dibromochloromethane	<1.0	µg/L	0	GE
		1,1-Dichloroethane	<1.0	µg/L	0	GE
		1,2-Dichloroethane	<1.0	µg/L	0	GE
		1,1-Dichloroethylene	<1.0	µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	1.6	µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30	µg/L	0	GE
		1,2-Dichloropropane	<1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0	µg/L	0	GE
		Endrin	<0.0060	µg/L	0	GE
		Ethylbenzene	<1.0	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE
		Lead	7.4	µg/L	0	GE
		Lindane	<0.0050	µg/L	0	GE
		Magnesium	441	µg/L	0	GE
		Manganese	3.6	µg/L	0	GE
		Mercury	<0.20	µg/L	0	GE
		Methoxychlor	<0.50	µg/L	0	GE
		Nickel	4.0	µg/L	0	GE
		Nitrate as nitrogen	380	µg/L	0	GE
		Potassium	<500	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	6,910	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	1,150	µg/L	0	GE
		Sulfate	<1,000	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0	µg/L	0	GE
		Tetrachloroethylene	<1.0	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 19, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Toluene	<1.0	µg/L	0	GE
		Total organic carbon	2,000	µg/L	0	GE
•		Total organic halogens	<5.0	µg/L	0	GE
		Toxaphene	<0.24	µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0	µg/L	0	GE
		1,1,2-Trichloroethane	<1.0	µg/L	0	GE
		Trichloroethylene	<1.0	µg/L	0	GE
		Trichlorofluoromethane	<1.0	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Gross alpha	1.0E+01 ± 2.5E+00	pCi/L	1	GE
		Nonvolatile beta	4.7E+00 ± 2.5E+00	pCi/L	0	GE
■		Total radium	8.4E+00 ± 1.6E+00	pCi/L	2	GE
		Tritium	6.8E+00 ± 7.0E-01	pCi/mL	0	GE

WELL LFW 20

<u>SRS Coord.</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>
N85262.6 E45582.9	165.0-135.0 ft msl	180.5 ft msl	4" PVC

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 10/24/91
 Depth to water: 19.70 ft (6.00 m) below TOC
 Water elevation: 160.80 ft (49.01 m) msl
 Sp. conductance: 16 µS/cm
 Water evacuated before sampling: 70 gal

Time: 13:30
 pH: 4.8
 Alkalinity: 0 mg/L
 Water temperature: 21.1°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.2	pH	0	GE
		Specific conductance	20	µS/cm	0	GE
		Aluminum	<20	µg/L	0	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	3.9	µg/L	0	GE
		Benzene	<1.0	µg/L	0	GE
		Bromodichloromethane	<1.0	µg/L	0	GE
		Bromoform	<1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	190	µg/L	0	GE
		Carbon tetrachloride	<1.0	µg/L	0	GE
		Chloride	3,060	µg/L	0	GE
		Chlorobenzene	<1.0	µg/L	0	GE
		Chloroethane	<1.0	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard

WELL LFW 20, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Chloroethene (Vinyl chloride)	< 1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	< 1.0	µg/L	0	GE
		Chloroform	< 1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	< 1.0	µg/L	0	GE
		Chromium	< 4.0	µg/L	0	GE
		Copper	11	µg/L	0	GE
		Dibromochloromethane	< 1.0	µg/L	0	GE
		1,1-Dichloroethane	< 1.0	µg/L	0	GE
		1,2-Dichloroethane	< 1.0	µg/L	0	GE
		1,1-Dichloroethylene	< 1.0	µg/L	0	GE
		trans-1,2-Dichloroethylene	< 1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	< 1.0	µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	< 0.30	µg/L	0	GE
		1,2-Dichloropropane	< 1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	< 1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	< 1.0	µg/L	0	GE
		Endrin	< 0.0060	µg/L	0	GE
		Ethylbenzene	< 1.0	µg/L	0	GE
		Fluoride	< 100	µg/L	0	GE
		Lead	5.7	µg/L	0	GE
		Lindane	< 0.0050	µg/L	0	GE
		Magnesium	293	µg/L	0	GE
		Manganese	2.6	µg/L	0	GE
		Mercury	< 0.20	µg/L	0	GE
		Methoxychlor	< 0.50	µg/L	0	GE
		Nickel	11	µg/L	0	GE
		Nitrate as nitrogen	300	µg/L	0	GE
		Potassium	< 500	µg/L	0	GE
		Selenium	< 2.0	µg/L	0	GE
		Silica	5,670	µg/L	0	GE
		Silver	< 2.0	µg/L	0	GE
		Sodium	1,250	µg/L	0	GE
		Sulfate	< 1,000	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	< 1.0	µg/L	0	GE
		Tetrachloroethylene	< 1.0	µg/L	0	GE
		Toluene	< 1.0	µg/L	0	GE
		Total organic carbon	< 1,000	µg/L	0	GE
		Total organic halogens	66	µg/L	2	GE
		Toxaphene	< 0.24	µg/L	0	GE
		2,4,5-TP (Silvex)	< 0.090	µg/L	0	GE
		1,1,1-Trichloroethane	< 1.0	µg/L	0	GE
		1,1,2-Trichloroethane	< 1.0	µg/L	0	GE
		Trichloroethylene	< 1.0	µg/L	0	GE
		Trichlorofluoromethane	< 1.0	µg/L	0	GE
		Vanadium	< 8.0	µg/L	0	GE
		Gross alpha	< 2.0E+00	pCi/L	0	GE
		Nonvolatile beta	2.9E+00 ± 1.5E+00	pCi/L	0	GE
■		Total radium	1.4E+01 ± 3.9E+00	pCi/L	2	GE
		Tritium	< 7.0E-01	pCi/mL	0	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 21

<u>SRS Coord.</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>
N84178.3 E46149.4	158.9-128.9 ft msl	175.6 ft msl	4" PVC

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 10/25/91	Time: 12:30
Depth to water: 23.78 ft (7.25 m) below TOC	pH: 6.3
Water elevation: 151.82 ft (46.28 m) msl	Alkalinity: 216 mg/L
Sp. conductance: 522 μ S/cm	Water temperature: 21.3°C
Water evacuated before sampling: 74 gal	

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	6.1	pH	0	GE
		Specific conductance	360	μ S/cm	1	GE
		Aluminum	<20	μ g/L	0	GE
		Antimony	<2.0	μ g/L	0	GE
		Arsenic	3.4	μ g/L	0	GE
		Barium	8.6	μ g/L	0	GE
■		Benzene	5.6	μ g/L	2	GE
		Bromodichloromethane	<1.0	μ g/L	0	GE
		Bromoform	<1.0	μ g/L	0	GE
		Bromomethane (Methyl bromide)	<1.0	μ g/L	0	GE
		Cadmium	<2.0	μ g/L	0	GE
		Calcium	10,100	μ g/L	0	GE
		Carbon tetrachloride	<1.0	μ g/L	0	GE
		Chloride	15,400	μ g/L	0	GE
		Chlorobenzene	1.2	μ g/L	0	GE
		Chloroethane	<1.0	μ g/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0	μ g/L	0	GE
		2-Chloroethyl vinyl ether	<1.0	μ g/L	0	GE
		Chloroform	<1.0	μ g/L	0	GE
		Chloromethane (Methyl chloride)	<1.0	μ g/L	0	GE
		Chromium	<4.0	μ g/L	0	GE
		Copper	<4.0	μ g/L	0	GE
		Dibromochloromethane	<1.0	μ g/L	0	GE
		1,1-Dichloroethane	82	μ g/L	2	GE
		1,2-Dichloroethane	<1.0	μ g/L	0	GE
		1,1-Dichloroethylene	3.9	μ g/L	1	GE
		trans-1,2-Dichloroethylene	<1.0	μ g/L	0	GE
		Dichloromethane (Methylene chloride)	633	μ g/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30	μ g/L	0	GE
		1,2-Dichloropropane	<1.0	μ g/L	0	GE
		trans-1,3-Dichloropropene	<1.0	μ g/L	0	GE
		cis-1,3-Dichloropropene	<1.0	μ g/L	0	GE
		Endrin	<0.0060	μ g/L	0	GE
		Endrin	<0.0060	μ g/L	0	GE
		Ethylbenzene	23	μ g/L	0	GE
		Fluoride	230	μ g/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard

WELL LFW 21, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Lead	<3.0	µg/L	0	GE
		Lindane	<0.0050	µg/L	0	GE
		Lindane	<0.0050	µg/L	0	GE
		Magnesium	10,500	µg/L	0	GE
		Manganese	142	µg/L	2	GE
		Mercury	<0.20	µg/L	0	GE
		Methoxychlor	<0.50	µg/L	0	GE
		Methoxychlor	<0.50	µg/L	0	GE
		Nickel	4.6	µg/L	0	GE
		Nitrate as nitrogen	<50	µg/L	0	GE
		Potassium	<500	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	10,800	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	30,700	µg/L	0	GE
		Sulfate	3,810	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0	µg/L	0	GE
■		Tetrachloroethylene	6.4	µg/L	2	GE
		Toluene	30	µg/L	0	GE
		Total organic carbon	38,000	µg/L	2	GE
		Total organic halogens	468	µg/L	2	GE
		Toxaphene	<0.24	µg/L	0	GE
		Toxaphene	<0.24	µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090	µg/L	0	GE
		1,1,1-Trichloroethane	8.3	µg/L	0	GE
		1,1,2-Trichloroethane	<1.0	µg/L	0	GE
■		Trichloroethylene	5.6	µg/L	2	GE
		Trichlorofluoromethane	<1.0	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Gross alpha	<2.0E+00	pCi/L	0	GE
		Nonvolatile beta	<2.0E+00	pCi/L	0	GE
		Total radium	4.2E+00 ± 1.6E+00	pCi/L	1	GE
		Tritium	<7.0E-01	pCi/mL	0	GE

WELL LFW 22

<u>SRS Coord.</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>
N84223.6 E46325.2	152.4-122.4 ft msl	174.2 ft msl	4" PVC

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 10/25/91
 Depth to water: 21.80 ft (6.64 m) below TOC
 Water elevation: 152.40 ft (46.45 m) msl
 Sp. conductance: 434 µS/cm
 Water evacuated before sampling: 80 gal

Time: 11:55
 pH: 6.3
 Alkalinity: 153 mg/L
 Water temperature: 20.9°C

● = exceeded holding time. ■ = exceeded primary drinking water standard.

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.7	pH	0	GE
		Specific conductance	230	µS/cm	0	GE
		Aluminum	<20	µg/L	0	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	4.3	µg/L	0	GE
		Barium	5.5	µg/L	0	GE
		Benzene	2.3	µg/L	0	GE
		Bromodichloromethane	<1.0	µg/L	0	GE
		Bromoform	<1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	3,040	µg/L	0	GE
		Carbon tetrachloride	<1.0	µg/L	0	GE
		Chloride	17,700	µg/L	0	GE
		Chlorobenzene	<1.0	µg/L	0	GE
		Chloroethane	<1.0	µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0	µg/L	0	GE
		Chloroform	<1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Copper	<4.0	µg/L	0	GE
		Dibromochloromethane	<1.0	µg/L	0	GE
		1,1-Dichloroethane	64	µg/L	2	GE
		1,2-Dichloroethane	<1.0	µg/L	0	GE
		1,1-Dichloroethylene	4.6	µg/L	1	GE
		trans-1,2-Dichloroethylene	<1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	103	µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30	µg/L	0	GE
		1,2-Dichloropropane	<1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0	µg/L	0	GE
		Endrin	<0.0060	µg/L	0	GE
		Endrin	<0.0060	µg/L	0	GE
		Ethylbenzene	39	µg/L	0	GE
		Fluoride	149	µg/L	0	GE
		Fluoride	148	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE
		Lindane	<0.0050	µg/L	0	GE
		Lindane	<0.0050	µg/L	0	GE
		Magnesium	5,760	µg/L	0	GE
		Manganese	31	µg/L	1	GE
		Mercury	0.22	µg/L	0	GE
		Methoxychlor	<0.50	µg/L	0	GE
		Methoxychlor	<0.50	µg/L	0	GE
		Nickel	<4.0	µg/L	0	GE
		Nitrate as nitrogen	100	µg/L	0	GE
		Potassium	<500	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	7,530	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard

WELL LFW 22, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Sodium	9,950	µg/L	0	GE
		Sulfate	3,260	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	< 1.0	µg/L	0	GE
		Tetrachloroethylene	2.1	µg/L	0	GE
		Toluene	74	µg/L	0	GE
		Total organic carbon	50,000	µg/L	2	GE
		Total organic halogens	461	µg/L	2	GE
		Toxaphene	< 0.24	µg/L	0	GE
		Toxaphene	< 0.24	µg/L	0	GE
		2,4,5-TP (Silvex)	< 0.090	µg/L	0	GE
		1,1,1-Trichloroethane	11	µg/L	0	GE
		1,1,2-Trichloroethane	< 1.0	µg/L	0	GE
■		Trichloroethylene	12	µg/L	2	GE
		Trichlorofluoromethane	102	µg/L	2	GE
		Vanadium	< 8.0	µg/L	0	GE
		Gross alpha	4.4E+00 ± 1.9E+00	pCi/L	0	GE
		Nonvolatile beta	< 2.0E+00	pCi/L	0	GE
		Total radium	< 1.0E+00	pCi/L	0	GE
		Tritium	< 7.0E-01	pCi/mL	0	GE

WELL LFW 23

<u>SRS Coord.</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>
N84251.3 E46456.1	155.1-125.1 ft msl	171.8 ft msl	4" PVC

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 10/25/91
 Depth to water: 19.16 ft (5.84 m) below TOC
 Water elevation: 152.64 ft (46.53 m) msl
 Sp. conductance: 21 µS/cm
 Water evacuated before sampling: 73 gal

Time: 11:30
 pH: 4.6
 Alkalinity: 0 mg/L
 Water temperature: 20.8°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.0	pH	0	GE
		Specific conductance	20	µS/cm	0	GE
		Aluminum	< 20	µg/L	0	GE
		Antimony	< 2.0	µg/L	0	GE
		Arsenic	< 2.0	µg/L	0	GE
		Barium	4.1	µg/L	0	GE
		Benzene	< 1.0	µg/L	0	GE
		Bromodichloromethane	< 1.0	µg/L	0	GE
		Bromoform	< 1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	< 1.0	µg/L	0	GE
		Cadmium	< 2.0	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 23, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Calcium	317	µg/L	0	GE
		Carbon tetrachloride	<1.0	µg/L	0	GE
		Chloride	2,100	µg/L	0	GE
		Chlorobenzene	<1.0	µg/L	0	GE
		Chloroethane	<1.0	µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0	µg/L	0	GE
		Chloroform	<1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Copper	6.1	µg/L	0	GE
		Dibromochloromethane	<1.0	µg/L	0	GE
		1,1-Dichloroethane	<1.0	µg/L	0	GE
		1,2-Dichloroethane	<1.0	µg/L	0	GE
		1,1-Dichloroethylene	<1.0	µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	5.9	µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30	µg/L	0	GE
		1,2-Dichloropropane	<1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0	µg/L	0	GE
		Endrin	<0.0060	µg/L	0	GE
		Endrin	<0.0060	µg/L	0	GE
		Ethylbenzene	2.9	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE
		Lead	5.6	µg/L	0	GE
		Lindane	<0.0050	µg/L	0	GE
		Lindane	<0.0050	µg/L	0	GE
		Magnesium	485	µg/L	0	GE
		Manganese	<2.0	µg/L	0	GE
		Mercury	<0.20	µg/L	0	GE
		Methoxychlor	<0.50	µg/L	0	GE
		Methoxychlor	<0.50	µg/L	0	GE
		Nickel	9.6	µg/L	0	GE
		Nitrate as nitrogen	660	µg/L	0	GE
		Potassium	<500	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	8,020	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	1,680	µg/L	0	GE
		Sulfate	<1,000	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0	µg/L	0	GE
		Tetrachloroethylene	<1.0	µg/L	0	GE
		Toluene	<1.0	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	8.8	µg/L	0	GE
		Toxaphene	<0.24	µg/L	0	GE
		Toxaphene	<0.24	µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0	µg/L	0	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard

WELL LFW 23, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		1,1,2-Trichloroethane	<1.0	µg/L	0	GE
		Trichloroethylene	<1.0	µg/L	0	GE
		Trichlorofluoromethane	1.5	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Gross alpha	<2.0E+00	pCi/L	0	GE
		Nonvolatile beta	2.4E+00 ± 1.4E+00	pCi/L	0	GE
		Total radium	2.9E+00 ± 1.4E+00	pCi/L	1	GE
		Tritium	<7.0E-01	pCi/mL	0	GE

WELL LFW 24

<u>SRS Coord.</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>
N84544.2 E46520.8	154.5-124.5 ft msl	171.3 ft msl	4" PVC

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 10/25/91
 Depth to water: 15.99 ft (4.87 m) below TOC
 Water elevation: 155.31 ft (47.34 m) msl
 Sp. conductance: 17 µS/cm
 Water evacuated before sampling: 82 gal

Time: 11:00
 pH: 4.6
 Alkalinity: 0 mg/L
 Water temperature: 19.7°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	4.9	pH	0	GE
		Specific conductance	20	µS/cm	0	GE
		Aluminum	<20	µg/L	0	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	5.5	µg/L	0	GE
		Benzene	<1.0	µg/L	0	GE
		Bromodichloromethane	<1.0	µg/L	0	GE
		Bromoform	<1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	317	µg/L	0	GE
		Carbon tetrachloride	<1.0	µg/L	0	GE
		Chloride	2,440	µg/L	0	GE
		Chlorobenzene	<1.0	µg/L	0	GE
		Chloroethane	<1.0	µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0	µg/L	0	GE
		Chloroform	<1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Copper	7.6	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 24, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Dibromochloromethane	<1.0	µg/L	0	GE
		1,1-Dichloroethane	<1.0	µg/L	0	GE
		1,2-Dichloroethane	<1.0	µg/L	0	GE
		1,1-Dichloroethylene	<1.0	µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	3.3	µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30	µg/L	0	GE
		1,2-Dichloropropane	<1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0	µg/L	0	GE
		Endrin	<0.0060	µg/L	0	GE
		Endrin	<0.0060	µg/L	0	GE
		Ethylbenzene	<1.0	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE
		Lead	4.4	µg/L	0	GE
		Lindane	<0.0050	µg/L	0	GE
		Lindane	<0.0050	µg/L	0	GE
		Magnesium	622	µg/L	0	GE
		Manganese	<2.0	µg/L	0	GE
		Mercury	<0.20	µg/L	0	GE
		Methoxychlor	<0.50	µg/L	0	GE
		Methoxychlor	<0.50	µg/L	0	GE
		Nickel	7.1	µg/L	0	GE
		Nitrate as nitrogen	790	µg/L	0	GE
		Potassium	<500	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	6,500	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	1,080	µg/L	0	GE
		Sulfate	4,660	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0	µg/L	0	GE
		Tetrachloroethylene	<1.0	µg/L	0	GE
		Toluene	<1.0	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	GE
		Toxaphene	<0.24	µg/L	0	GE
		Toxaphene	<0.24	µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0	µg/L	0	GE
		1,1,2-Trichloroethane	<1.0	µg/L	0	GE
		Trichloroethylene	<1.0	µg/L	0	GE
		Trichlorofluoromethane	<1.0	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Gross alpha	3.3E+00 ± 1.4E+00	pCi/L	0	GE
		Nonvolatile beta	6.7E+00 ± 1.7E+00	pCi/L	0	GE
		Total radium	1.8E+00 ± 1.1E+00	pCi/L	0	GE
		Tritium	<7.0E-01	pCi/mL	0	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard

WELL LFW 25

<u>SRS Coord.</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>
N84967.2 E46425.7	153.2-123.2 ft msl	174.7 ft msl	4" PVC

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 10/25/91	Time: 9:10
Depth to water: 16.41 ft (5.00 m) below TOC	pH: 4.7
Water elevation: 158.29 ft (48.25 m) msl	Alkalinity: 0 mg/L
Sp. conductance: 16 μ S/cm	Water temperature: 19.3°C
Water evacuated before sampling: 93 gal	

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.0	pH	0	GE
		Specific conductance	15	μ S/cm	0	GE
		Aluminum	<20	μ g/L	0	GE
		Antimony	<2.0	μ g/L	0	GE
		Arsenic	<2.0	μ g/L	0	GE
		Barium	4.6	μ g/L	0	GE
		Benzene	<1.0	μ g/L	0	GE
		Bromodichloromethane	<1.0	μ g/L	0	GE
		Bromoform	<1.0	μ g/L	0	GE
		Bromomethane (Methyl bromide)	<1.0	μ g/L	0	GE
		Cadmium	<2.0	μ g/L	0	GE
		Calcium	212	μ g/L	0	GE
		Carbon tetrachloride	<1.0	μ g/L	0	GE
		Chloride	1,720	μ g/L	0	GE
		Chlorobenzene	<1.0	μ g/L	0	GE
		Chloroethane	<1.0	μ g/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0	μ g/L	0	GE
		2-Chloroethyl vinyl ether	<1.0	μ g/L	0	GE
		Chloroform	<1.0	μ g/L	0	GE
		Chloromethane (Methyl chloride)	<1.0	μ g/L	0	GE
		Chromium	<4.0	μ g/L	0	GE
		Copper	5.8	μ g/L	0	GE
		Dibromochloromethane	<1.0	μ g/L	0	GE
		1,1-Dichloroethane	<1.0	μ g/L	0	GE
		1,2-Dichloroethane	<1.0	μ g/L	0	GE
		1,1-Dichloroethylene	<1.0	μ g/L	0	GE
		trans-1,2-Dichloroethylene	<1.0	μ g/L	0	GE
		Dichloromethane (Methylene chloride)	5.4	μ g/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30	μ g/L	0	GE
		1,2-Dichloropropane	<1.0	μ g/L	0	GE
		trans-1,3-Dichloropropene	<1.0	μ g/L	0	GE
		cis-1,3-Dichloropropene	<1.0	μ g/L	0	GE
		Endrin	<0.0060	μ g/L	0	GE
		Endrin	<0.0060	μ g/L	0	GE
		Ethylbenzene	<1.0	μ g/L	0	GE
		Fluoride	<100	μ g/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 25, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Lead	< 3.0	µg/L	0	GE
		Lindane	< 0.0050	µg/L	0	GE
		Lindane	< 0.0050	µg/L	0	GE
		Magnesium	464	µg/L	0	GE
		Manganese	< 2.0	µg/L	0	GE
		Mercury	< 0.20	µg/L	0	GE
		Methoxychlor	< 0.50	µg/L	0	GE
		Methoxychlor	< 0.50	µg/L	0	GE
		Nickel	5.7	µg/L	0	GE
		Nitrate as nitrogen	650	µg/L	0	GE
		Nitrate as nitrogen	650	µg/L	0	GE
		Potassium	< 500	µg/L	0	GE
		Selenium	< 2.0	µg/L	0	GE
		Silica	6,320	µg/L	0	GE
		Silver	< 2.0	µg/L	0	GE
		Sodium	967	µg/L	0	GE
		Sulfate	2,090	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	< 1.0	µg/L	0	GE
		Tetrachloroethylene	< 1.0	µg/L	0	GE
		Toluene	< 1.0	µg/L	0	GE
		Total organic carbon	< 1,000	µg/L	0	GE
		Total organic halogens	12	µg/L	0	GE
		Toxaphene	< 0.24	µg/L	0	GE
		Toxaphene	< 0.24	µg/L	0	GE
		2,4,5-TP (Silvex)	< 0.090	µg/L	0	GE
		1,1,1-Trichloroethane	< 1.0	µg/L	0	GE
		1,1,2-Trichloroethane	< 1.0	µg/L	0	GE
		Trichloroethylene	< 1.0	µg/L	0	GE
		Trichlorofluoromethane	< 1.0	µg/L	0	GE
		Vanadium	< 8.0	µg/L	0	GE
		Gross alpha	5.9E+00 ± 1.7E+00	pCi/L	0	GE
		Nonvolatile beta	1.1E+01 ± 1.9E+00	pCi/L	0	GE
		Total radium	2.7E+00 ± 1.4E+00	pCi/L	1	GE
		Tritium	< 7.0E-01	pCi/mL	0	GE

WELL LFW 26

<u>SRS Coord.</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>
N85654.6	164.2-143.2 ft msl	186.5 ft msl	4" PVC
E45633.8			

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 10/25/91	Time: 10:30
Depth to water: 23.35 ft (7.12 m) below TOC	pH: 4.7
Water elevation: 163.15 ft (49.73 m) msl	Alkalinity: 0 mg/L
Sp. conductance: 13 µS/cm	Water temperature: 19.8°C
Water evacuated before sampling: 52 gal	

● = exceeded holding time. ■ = exceeded primary drinking water standard

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.2	pH	0	GE
		Specific conductance	15	µS/cm	0	GE
		Aluminum	< 20	µg/L	0	GE
		Antimony	< 2.0	µg/L	0	GE
		Arsenic	< 2.0	µg/L	0	GE
		Barium	3.4	µg/L	0	GE
		Benzene	< 1.0	µg/L	0	GE
		Bromodichloromethane	< 1.0	µg/L	0	GE
		Bromoform	< 1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	< 1.0	µg/L	0	GE
		Cadmium	< 2.0	µg/L	0	GE
		Calcium	165	µg/L	0	GE
		Carbon tetrachloride	< 1.0	µg/L	0	GE
		Chloride	2,320	µg/L	0	GE
		Chlorobenzene	< 1.0	µg/L	0	GE
		Chloroethane	< 1.0	µg/L	0	GE
		Chloroethene (Vinyl chloride)	< 1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	< 1.0	µg/L	0	GE
		Chloroform	< 1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	< 1.0	µg/L	0	GE
		Chromium	< 4.0	µg/L	0	GE
		Copper	< 4.0	µg/L	0	GE
		Dibromochloromethane	< 1.0	µg/L	0	GE
		1,1-Dichloroethane	< 1.0	µg/L	0	GE
		1,2-Dichloroethane	< 1.0	µg/L	0	GE
		1,1-Dichloroethylene	< 1.0	µg/L	0	GE
		trans-1,2-Dichloroethylene	< 1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	8.5	µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	< 0.30	µg/L	0	GE
		1,2-Dichloropropane	< 1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	< 1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	< 1.0	µg/L	0	GE
		Endrin	< 0.0060	µg/L	0	GE
		Endrin	< 0.0060	µg/L	0	GE
		Ethylbenzene	< 1.0	µg/L	0	GE
		Fluoride	< 100	µg/L	0	GE
		Lead	< 3.0	µg/L	0	GE
		Lindane	< 0.0050	µg/L	0	GE
		Lindane	< 0.0050	µg/L	0	GE
		Magnesium	247	µg/L	0	GE
		Manganese	< 2.0	µg/L	0	GE
		Mercury	< 0.20	µg/L	0	GE
		Methoxychlor	< 0.50	µg/L	0	GE
		Methoxychlor	< 0.50	µg/L	0	GE
		Nickel	< 4.0	µg/L	0	GE
		Nitrate as nitrogen	120	µg/L	0	GE
		Potassium	< 500	µg/L	0	GE
		Selenium	< 2.0	µg/L	0	GE
		Silica	5,490	µg/L	0	GE
		Silver	< 2.0	µg/L	0	GE
		Sodium	1,060	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 26, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Sulfate	< 1,000	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	< 1.0	µg/L	0	GE
		Tetrachloroethylene	< 1.0	µg/L	0	GE
		Toluene	< 1.0	µg/L	0	GE
		Total organic carbon	< 1,000	µg/L	0	GE
		Total organic halogens	9.6	µg/L	0	GE
		Toxaphene	< 0.24	µg/L	0	GE
		Toxaphene	< 0.24	µg/L	0	GE
		2,4,5-TP (Silvex)	< 0.090	µg/L	0	GE
		1,1,1-Trichloroethane	< 1.0	µg/L	0	GE
		1,1,2-Trichloroethane	< 1.0	µg/L	0	GE
		Trichloroethylene	< 1.0	µg/L	0	GE
		Trichlorofluoromethane	< 1.0	µg/L	0	GE
		Vanadium	< 8.0	µg/L	0	GE
		Gross alpha	< 2.0E+00	pCi/L	0	GE
		Nonvolatile beta	2.6E+00 ± 1.4E+00	pCi/L	0	GE
		Total radium	< 1.0E+00	pCi/L	0	GE
		Tritium	< 7.0E-01	pCi/mL	0	GE

WELL LFW 27

<u>SRS Coord.</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>
N85839.1	163.9-142.9 ft msl	189.2 ft msl	4" PVC
E45596.1			

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 10/25/91
 Depth to water: 25.18 ft (7.67 m) below TOC
 Water elevation: 164.02 ft (49.99 m) msl
 Sp. conductance: 14 µS/cm
 Water evacuated before sampling: 57 gal

Time: 10:00
 pH: 4.9
 Alkalinity: 0 mg/L
 Water temperature: 19.5°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.2	pH	0	GE
•		pH	5.3	pH	0	GE
		Specific conductance	15	µS/cm	0	GE
		Specific conductance	15	µS/cm	0	GE
		Aluminum	< 20	µg/L	0	GE
		Aluminum	< 20	µg/L	0	GE
		Antimony	< 2.0	µg/L	0	GE
		Antimony	< 2.0	µg/L	0	GE
		Arsenic	< 2.0	µg/L	0	GE
		Arsenic	< 2.0	µg/L	0	GE
		Barium	3.7	µg/L	0	GE
		Barium	3.8	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard

WELL LFW 27, laboratory analyses (cont.)

H	D	Analyte	Result	Unit	Flag	Lab
		Benzene	<1.0	µg/L	0	GE
•		Benzene	<1.0	µg/L	0	GE
		Bromodichloromethane	<1.0	µg/L	0	GE
•		Bromodichloromethane	<1.0	µg/L	0	GE
		Bromoform	<1.0	µg/L	0	GE
•		Bromoform	<1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0	µg/L	0	GE
•		Bromomethane (Methyl bromide)	<1.0	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	248	µg/L	0	GE
		Calcium	250	µg/L	0	GE
		Carbon tetrachloride	<1.0	µg/L	0	GE
•		Carbon tetrachloride	<1.0	µg/L	0	GE
		Chloride	2,140	µg/L	0	GE
		Chloride	2,100	µg/L	0	GE
		Chlorobenzene	<1.0	µg/L	0	GE
•		Chlorobenzene	<1.0	µg/L	0	GE
		Chloroethane	<1.0	µg/L	0	GE
•		Chloroethane	<1.0	µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0	µg/L	0	GE
•		Chloroethene (Vinyl chloride)	<1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0	µg/L	0	GE
•		2-Chloroethyl vinyl ether	<1.0	µg/L	0	GE
		Chloroform	<1.0	µg/L	0	GE
•		Chloroform	<1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0	µg/L	0	GE
•		Chloromethane (Methyl chloride)	<1.0	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Copper	<4.0	µg/L	0	GE
		Copper	<4.0	µg/L	0	GE
		Dibromochloromethane	<1.0	µg/L	0	GE
•		Dibromochloromethane	<1.0	µg/L	0	GE
		1,1-Dichloroethane	<1.0	µg/L	0	GE
•		1,1-Dichloroethane	<1.0	µg/L	0	GE
		1,2-Dichloroethane	<1.0	µg/L	0	GE
•		1,2-Dichloroethane	<1.0	µg/L	0	GE
		1,1-Dichloroethylene	<1.0	µg/L	0	GE
•		1,1-Dichloroethylene	<1.0	µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0	µg/L	0	GE
•		trans-1,2-Dichloroethylene	<1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	7.5	µg/L	0	GE
•		Dichloromethane (Methylene chloride)	<1.0	µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30	µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30	µg/L	0	GE
		1,2-Dichloropropane	<1.0	µg/L	0	GE
•		1,2-Dichloropropane	<1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0	µg/L	0	GE
•		trans-1,3-Dichloropropene	<1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 27, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		cis-1,3-Dichloropropene	<1.0	µg/L	0	GE
		Endrin	<0.0060	µg/L	0	GE
		Endrin	<0.0060	µg/L	0	GE
		Endrin	<0.0060	µg/L	0	GE
		Ethylbenzene	<1.0	µg/L	0	GE
•		Ethylbenzene	<1.0	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE
		Lindane	<0.0050	µg/L	0	GE
		Lindane	<0.0050	µg/L	0	GE
		Lindane	<0.0050	µg/L	0	GE
		Magnesium	255	µg/L	0	GE
		Magnesium	255	µg/L	0	GE
		Manganese	2.1	µg/L	0	GE
		Manganese	2.1	µg/L	0	GE
		Mercury	1.1	µg/L	1	GE
		Mercury	<0.20	µg/L	0	GE
		Methoxychlor	<0.50	µg/L	0	GE
		Methoxychlor	<0.50	µg/L	0	GE
		Methoxychlor	<0.50	µg/L	0	GE
		Nickel	<4.0	µg/L	0	GE
		Nickel	<4.0	µg/L	0	GE
•		Nitrate as nitrogen	230	µg/L	0	GE
		Nitrate as nitrogen	130	µg/L	0	GE
		Potassium	<500	µg/L	0	GE
		Potassium	<500	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	6,290	µg/L	0	GE
		Silica	6,310	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	1,400	µg/L	0	GE
		Sodium	1,420	µg/L	0	GE
		Sulfate	<1,000	µg/L	0	GE
		Sulfate	<1,000	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0	µg/L	0	GE
•		1,1,2,2-Tetrachloroethane	<1.0	µg/L	0	GE
		Tetrachloroethylene	<1.0	µg/L	0	GE
•		Tetrachloroethylene	<1.0	µg/L	0	GE
		Toluene	<1.0	µg/L	0	GE
•		Toluene	<1.0	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	GE
		Toxaphene	<0.24	µg/L	0	GE
		Toxaphene	<0.24	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard

WELL LFW 27, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Toxaphene	<0.24	µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090	µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0	µg/L	0	GE
•		1,1,1-Trichloroethane	<1.0	µg/L	0	GE
		1,1,2-Trichloroethane	<1.0	µg/L	0	GE
•		1,1,2-Trichloroethane	<1.0	µg/L	0	GE
		Trichloroethylene	<1.0	µg/L	0	GE
•		Trichloroethylene	<1.0	µg/L	0	GE
		Trichlorofluoromethane	<1.0	µg/L	0	GE
•		Trichlorofluoromethane	<1.0	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Gross alpha	<2.0E+00	pCi/L	0	GE
		Gross alpha	<2.0E+00	pCi/L	0	GE
		Nonvolatile beta	3.1E+00 ± 1.5E+00	pCi/L	0	GE
		Nonvolatile beta	<2.0E+00	pCi/L	0	GE
		Total radium	1.1E+00 ± 1.2E+00	pCi/L	0	GE
		Total radium	1.3E+00 ± 1.2E+00	pCi/L	0	GE
		Tritium	<7.0E-01	pCi/mL	0	GE
		Tritium	<7.0E-01	pCi/mL	0	GE

WELL LFW 27

<u>SRS Coord.</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>
N85839.1 E45596.1	163.9-142.9 ft msl	189.2 ft msl	4" PVC

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 10/25/91
 Depth to water: 25.18 ft (7.67 m) below TOC
 Water elevation: 164.02 ft (49.99 m) msl
 Sp. conductance: 14 µS/cm
 Water evacuated before sampling: 57 gal

Time: 10:00
 pH: 4.9
 Alkalinity: 0 mg/L
 Water temperature: 19.5°C

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 28

<u>SRS Coord.</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>
N86079.6 E45555.3	162.1-141.1 ft msl	192.4 ft msl	4" PVC

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 10/29/91	Time: 9:00
Depth to water: 27.06 ft (8.25 m) below TOC	pH: 5.5
Water elevation: 165.34 ft (50.40 m) msl	Alkalinity: 7 mg/L
Sp. conductance: 31 μ S/cm	Water temperature: 18.5°C
Water evacuated before sampling: 16 gal	
The well went dry during purging.	

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.7	pH	0	GE
		Specific conductance	30	μ S/cm	0	GE
		Aluminum	<20	μ g/L	0	GE
		Antimony	<2.0	μ g/L	0	GE
		Antimony	<2.0	μ g/L	0	GE
		Arsenic	<2.0	μ g/L	0	GE
		Arsenic	<2.0	μ g/L	0	GE
		Barium	8.9	μ g/L	0	GE
		Benzene	<1.0	μ g/L	0	GE
		Bromodichloromethane	<1.0	μ g/L	0	GE
		Bromoform	<1.0	μ g/L	0	GE
		Bromomethane (Methyl bromide)	<1.0	μ g/L	0	GE
		Cadmium	<2.0	μ g/L	0	GE
		Calcium	2,810	μ g/L	0	GE
		Carbon tetrachloride	<1.0	μ g/L	0	GE
		Chloride	1,580	μ g/L	0	GE
		Chlorobenzene	<1.0	μ g/L	0	GE
		Chloroethane	<1.0	μ g/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0	μ g/L	0	GE
		2-Chloroethyl vinyl ether	<1.0	μ g/L	0	GE
		Chloroform	<1.0	μ g/L	0	GE
		Chloromethane (Methyl chloride)	<1.0	μ g/L	0	GE
		Chromium	<4.0	μ g/L	0	GE
		Copper	4.6	μ g/L	0	GE
		Dibromochloromethane	<1.0	μ g/L	0	GE
		1,1-Dichloroethane	<1.0	μ g/L	0	GE
		1,2-Dichloroethane	<1.0	μ g/L	0	GE
		1,1-Dichloroethylene	<1.0	μ g/L	0	GE
		trans-1,2-Dichloroethylene	<1.0	μ g/L	0	GE
		Dichloromethane (Methylene chloride)	8.0	μ g/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30	μ g/L	0	GE
		1,2-Dichloropropane	<1.0	μ g/L	0	GE
		trans-1,3-Dichloropropene	<1.0	μ g/L	0	GE
		cis-1,3-Dichloropropene	<1.0	μ g/L	0	GE
		Endrin	<0.0060	μ g/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard

WELL LFW 28, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Endrin	<0.0060	µg/L	0	GE
		Ethylbenzene	<1.0	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE
		Lindane	<0.0050	µg/L	0	GE
		Lindane	<0.0050	µg/L	0	GE
		Magnesium	424	µg/L	0	GE
		Manganese	4.5	µg/L	0	GE
		Mercury	<0.20	µg/L	0	GE
		Methoxychlor	<0.50	µg/L	0	GE
		Methoxychlor	<0.50	µg/L	0	GE
		Nickel	<4.0	µg/L	0	GE
		Nitrate as nitrogen	76	µg/L	0	GE
		Potassium	1,870	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	7,960	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	1,250	µg/L	0	GE
		Sulfate	<1,000	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0	µg/L	0	GE
		Tetrachloroethylene	<1.0	µg/L	0	GE
		Toluene	<1.0	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	GE
		Toxaphene	<0.24	µg/L	0	GE
		Toxaphene	<0.24	µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0	µg/L	0	GE
		1,1,2-Trichloroethane	<1.0	µg/L	0	GE
		Trichloroethylene	<1.0	µg/L	0	GE
		Trichlorofluoromethane	<1.0	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Gross alpha	2.2E+00 ± 1.3E+00	pCi/L	0	GE
		Nonvolatile beta	3.8E+00 ± 1.6E+00	pCi/L	0	GE
		Total radium	<1.0E+00	pCi/L	0	GE
		Tritium	<7.0E-01	pCi/mL	0	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 29

<u>SRS Coord.</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>
N86372.7 E45503.3	164.9-143.9 ft msl	195.3 ft msl	4" PVC

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 10/28/91	Time: 9:45
Depth to water: 28.40 ft (8.66 m) below TOC	pH: 4.5
Water elevation: 166.90 ft (50.87 m) msl	Alkalinity: 0 mg/L
Sp. conductance: 21 μ S/cm	Water temperature: 18.3°C
Water evacuated before sampling: 62 gal	

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.1	pH	0	GE
		Specific conductance	20	μ S/cm	0	GE
		Aluminum	<20	μ g/L	0	GE
		Antimony	<2.0	μ g/L	0	GE
		Arsenic	<2.0	μ g/L	0	GE
		Barium	8.2	μ g/L	0	GE
		Benzene	<1.0	μ g/L	0	GE
		Bromodichloromethane	<1.0	μ g/L	0	GE
		Bromoform	<1.0	μ g/L	0	GE
		Bromomethane (Methyl bromide)	<1.0	μ g/L	0	GE
		Cadmium	<2.0	μ g/L	0	GE
		Calcium	605	μ g/L	0	GE
		Carbon tetrachloride	<1.0	μ g/L	0	GE
		Chloride	1,810	μ g/L	0	GE
		Chlorobenzene	<1.0	μ g/L	0	GE
		Chloroethane	<1.0	μ g/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0	μ g/L	0	GE
		2-Chloroethyl vinyl ether	<1.0	μ g/L	0	GE
		Chloroform	<1.0	μ g/L	0	GE
		Chloromethane (Methyl chloride)	<1.0	μ g/L	0	GE
		Chromium	<4.0	μ g/L	0	GE
		Copper	<4.0	μ g/L	0	GE
		Dibromochloromethane	<1.0	μ g/L	0	GE
		1,1-Dichloroethane	<1.0	μ g/L	0	GE
		1,2-Dichloroethane	<1.0	μ g/L	0	GE
		1,1-Dichloroethylene	<1.0	μ g/L	0	GE
		trans-1,2-Dichloroethylene	<1.0	μ g/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0	μ g/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30	μ g/L	0	GE
		1,2-Dichloropropane	<1.0	μ g/L	0	GE
		trans-1,3-Dichloropropene	<1.0	μ g/L	0	GE
		cis-1,3-Dichloropropene	<1.0	μ g/L	0	GE
		Endrin	<0.0060	μ g/L	0	GE
		Ethylbenzene	<1.0	μ g/L	0	GE
		Fluoride	<100	μ g/L	0	GE
		Lead	<3.0	μ g/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard

WELL LFW 29, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Lindane	<0.0050	µg/L	0	GE
		Magnesium	587	µg/L	0	GE
		Manganese	4.0	µg/L	0	GE
		Mercury	<0.20	µg/L	0	GE
		Methoxychlor	<0.50	µg/L	0	GE
		Nickel	<4.0	µg/L	0	GE
		Nitrate as nitrogen	860	µg/L	0	GE
		Potassium	<500	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	6,200	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	1,010	µg/L	0	GE
		Sulfate	<1,000	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0	µg/L	0	GE
		Tetrachloroethylene	<1.0	µg/L	0	GE
		Toluene	<1.0	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	12	µg/L	0	GE
		Toxaphene	<0.24	µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0	µg/L	0	GE
		1,1,2-Trichloroethane	<1.0	µg/L	0	GE
		Trichloroethylene	<1.0	µg/L	0	GE
		Trichlorofluoromethane	<1.0	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Gross alpha	<2.0E+00	pCi/L	0	GE
		Nonvolatile beta	2.0E+00 ± 1.5E+00	pCi/L	0	GE
		Total radium	3.5E+00 ± 1.5E+00	pCi/L	1	GE
		Tritium	<7.0E-01	pCi/mL	0	GE

WELL LFW 30

<u>SRS Coord.</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>
N86318.4 E45170.9	162.7-141.7 ft msl	210.0 ft msl	4" PVC

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 10/28/91
 Depth to water: 42.76 ft (13.03 m) below TOC
 Water elevation: 167.24 ft (50.98 m) msl
 Sp. conductance: 22 µS/cm
 Water evacuated before sampling: 45 gal

Time: 9:15
 pH: 5.1
 Alkalinity: 0 mg/L
 Water temperature: 18.1°C

● = exceeded holding time. ■ = exceeded primary drinking water standard.

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.4	pH	0	GE
		Specific conductance	20	µS/cm	0	GE
		Aluminum	20	µg/L	0	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	5.3	µg/L	0	GE
		Benzene	<1.0	µg/L	0	GE
		Bromodichloromethane	<1.0	µg/L	0	GE
		Bromoform	<1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	927	µg/L	0	GE
		Carbon tetrachloride	<1.0	µg/L	0	GE
		Chloride	1,580	µg/L	0	GE
		Chlorobenzene	<1.0	µg/L	0	GE
		Chloroethane	<1.0	µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0	µg/L	0	GE
		Chloroform	<1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Copper	<4.0	µg/L	0	GE
		Dibromochloromethane	<1.0	µg/L	0	GE
		1,1-Dichloroethane	<1.0	µg/L	0	GE
		1,2-Dichloroethane	<1.0	µg/L	0	GE
		1,1-Dichloroethylene	<1.0	µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0	µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30	µg/L	0	GE
		1,2-Dichloropropane	<1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0	µg/L	0	GE
		Endrin	<0.0060	µg/L	0	GE
		Ethylbenzene	<1.0	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE
		Lindane	<0.0050	µg/L	0	GE
		Magnesium	505	µg/L	0	GE
		Manganese	3.8	µg/L	0	GE
		Mercury	0.32	µg/L	0	GE
		Methoxychlor	<0.50	µg/L	0	GE
		Nickel	<4.0	µg/L	0	GE
		Nitrate as nitrogen	560	µg/L	0	GE
		Potassium	<500	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	6,010	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	1,100	µg/L	0	GE
		Sulfate	<1,000	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0	µg/L	0	GE
		Tetrachloroethylene	<1.0	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard

WELL LFW 30, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Toluene	< 1.0	µg/L	0	GE
		Total organic carbon	< 1,000	µg/L	0	GE
		Total organic halogens	12	µg/L	0	GE
		Toxaphene	< 0.24	µg/L	0	GE
		2,4,5-TP (Silvex)	< 0.090	µg/L	0	GE
		1,1,1-Trichloroethane	< 1.0	µg/L	0	GE
		1,1,2-Trichloroethane	< 1.0	µg/L	0	GE
		Trichloroethylene	< 1.0	µg/L	0	GE
		Trichlorofluoromethane	< 1.0	µg/L	0	GE
		Vanadium	< 8.0	µg/L	0	GE
		Gross alpha	< 2.0E+00	pCi/L	0	GE
		Nonvolatile beta	5.3E+00 ± 1.6E+00	pCi/L	0	GE
		Total radium	1.5E+00 ± 1.3E+00	pCi/L	0	GE
		Tritium	< 7.0E-01	pCi/mL	0	GE

WELL LFW 31

<u>SRS Coord.</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>
N86262.2 E44869.0	166.0-145.0 ft msl	229.3 ft msl	4" PVC

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 10/25/91
 Depth to water: 62.50 ft (19.05 m) below TOC
 Water elevation: 166.80 ft (50.84 m) msl
 Sp. conductance: 24 µS/cm
 Water evacuated before sampling: 59 gal

Time: 14:20
 pH: 5.0
 Alkalinity: 0 mg/L
 Water temperature: 18.5°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.5	pH	0	GE
		Specific conductance	25	µS/cm	0	GE
		Aluminum	< 20	µg/L	0	GE
		Antimony	< 2.0	µg/L	0	GE
		Arsenic	< 2.0	µg/L	0	GE
		Barium	4.5	µg/L	0	GE
		Benzene	< 1.0	µg/L	0	GE
		Bromodichloromethane	< 1.0	µg/L	0	GE
		Bromoform	< 1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	< 1.0	µg/L	0	GE
		Cadmium	< 2.0	µg/L	0	GE
		Calcium	676	µg/L	0	GE
		Carbon tetrachloride	< 1.0	µg/L	0	GE
		Chloride	3,520	µg/L	0	GE
		Chlorobenzene	< 1.0	µg/L	0	GE
		Chloroethane	< 1.0	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 31, laboratory analyses (cont.)

<u>H</u> <u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
	Chloroethene (Vinyl chloride)	< 1.0	µg/L	0	GE
	2-Chloroethyl vinyl ether	< 1.0	µg/L	0	GE
	Chloroform	< 1.0	µg/L	0	GE
	Chloromethane (Methyl chloride)	< 1.0	µg/L	0	GE
	Chromium	< 4.0	µg/L	0	GE
	Copper	5.4	µg/L	0	GE
	Dibromochloromethane	< 1.0	µg/L	0	GE
	1,1-Dichloroethane	< 1.0	µg/L	0	GE
	1,2-Dichloroethane	< 1.0	µg/L	0	GE
	1,1-Dichloroethylene	< 1.0	µg/L	0	GE
	trans-1,2-Dichloroethylene	< 1.0	µg/L	0	GE
	Dichloromethane (Methylene chloride)	11	µg/L	0	GE
	2,4-Dichlorophenoxyacetic acid	< 0.30	µg/L	0	GE
	1,2-Dichloropropane	< 1.0	µg/L	0	GE
	trans-1,3-Dichloropropene	< 1.0	µg/L	0	GE
	cis-1,3-Dichloropropene	< 1.0	µg/L	0	GE
	Endrin	< 0.0060	µg/L	0	GE
	Ethylbenzene	< 1.0	µg/L	0	GE
	Fluoride	< 100	µg/L	0	GE
	Lead	< 3.0	µg/L	0	GE
	Lindane	< 0.0050	µg/L	0	GE
	Magnesium	423	µg/L	0	GE
	Manganese	2.3	µg/L	0	GE
	Mercury	< 0.20	µg/L	0	GE
	Methoxychlor	< 0.50	µg/L	0	GE
	Nickel	< 4.0	µg/L	0	GE
	Nitrate as nitrogen	530	µg/L	0	GE
	Potassium	811	µg/L	0	GE
	Selenium	< 2.0	µg/L	0	GE
	Silica	5,920	µg/L	0	GE
	Silver	< 2.0	µg/L	0	GE
	Sodium	2,230	µg/L	0	GE
	Sulfate	1,440	µg/L	0	GE
	1,1,2,2-Tetrachloroethane	< 1.0	µg/L	0	GE
	Tetrachloroethylene	< 1.0	µg/L	0	GE
	Toluene	< 1.0	µg/L	0	GE
	Total organic carbon	< 1,000	µg/L	0	GE
	Total organic halogens	10	µg/L	0	GE
	Toxaphene	< 0.24	µg/L	0	GE
	2,4,5-TP (Silvex)	< 0.090	µg/L	0	GE
	1,1,1-Trichloroethane	< 1.0	µg/L	0	GE
	1,1,2-Trichloroethane	< 1.0	µg/L	0	GE
	Trichloroethylene	< 1.0	µg/L	0	GE
	Trichlorofluoromethane	< 1.0	µg/L	0	GE
	Vanadium	< 8.0	µg/L	0	GE
	Gross alpha	< 2.0E+00	pCi/L	0	GE
	Nonvolatile beta	< 2.0E+00	pCi/L	0	GE
	Total radium	< 1.0E+00	pCi/L	0	GE
	Tritium	< 7.0E-01	pCi/mL	0	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard

WELL LFW 32

<u>SRS Coord.</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>
N85836.8 E44935.9	165.3-144.3 ft msl	223.7 ft msl	4" PVC

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 10/25/91	Time: 13:55
Depth to water: 59.14 ft (18.03 m) below TOC	pH: 4.9
Water elevation: 164.56 ft (50.16 m) msl	Alkalinity: 0 mg/L
Sp. conductance: 21 μ S/cm	Water temperature: 18.8°C
Water evacuated before sampling: 55 gal	

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.2	pH	0	GE
		Specific conductance	20	μ S/cm	0	GE
		Aluminum	<20	μ g/L	0	GE
		Antimony	<2.0	μ g/L	0	GE
		Arsenic	<2.0	μ g/L	0	GE
		Barium	3.3	μ g/L	0	GE
		Benzene	<1.0	μ g/L	0	GE
		Bromodichloromethane	<1.0	μ g/L	0	GE
		Bromoform	<1.0	μ g/L	0	GE
		Bromomethane (Methyl bromide)	<1.0	μ g/L	0	GE
		Cadmium	<2.0	μ g/L	0	GE
		Calcium	292	μ g/L	0	GE
		Carbon tetrachloride	<1.0	μ g/L	0	GE
		Chloride	2,700	μ g/L	0	GE
		Chlorobenzene	<1.0	μ g/L	0	GE
		Chloroethane	<1.0	μ g/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0	μ g/L	0	GE
		2-Chloroethyl vinyl ether	<1.0	μ g/L	0	GE
		Chloroform	<1.0	μ g/L	0	GE
		Chloromethane (Methyl chloride)	<1.0	μ g/L	0	GE
		Chromium	<4.0	μ g/L	0	GE
		Copper	<4.0	μ g/L	0	GE
		Dibromochloromethane	<1.0	μ g/L	0	GE
		1,1-Dichloroethane	<1.0	μ g/L	0	GE
		1,2-Dichloroethane	<1.0	μ g/L	0	GE
		1,1-Dichloroethylene	<1.0	μ g/L	0	GE
		trans-1,2-Dichloroethylene	<1.0	μ g/L	0	GE
		Dichloromethane (Methylene chloride)	7.3	μ g/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30	μ g/L	0	GE
		1,2-Dichloropropane	<1.0	μ g/L	0	GE
		trans-1,3-Dichloropropene	<1.0	μ g/L	0	GE
		cis-1,3-Dichloropropene	<1.0	μ g/L	0	GE
		Endrin	<0.0060	μ g/L	0	GE
		Ethylbenzene	<1.0	μ g/L	0	GE
		Fluoride	<100	μ g/L	0	GE
		Lead	<3.0	μ g/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 32, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Lindane	<0.0050	µg/L	0	GE
		Magnesium	436	µg/L	0	GE
		Manganese	<2.0	µg/L	0	GE
		Mercury	<0.20	µg/L	0	GE
		Methoxychlor	<0.50	µg/L	0	GE
		Nickel	<4.0	µg/L	0	GE
		Nitrate as nitrogen	450	µg/L	0	GE
		Potassium	563	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	6,100	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	1,730	µg/L	0	GE
		Sulfate	<1,000	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0	µg/L	0	GE
		Tetrachloroethylene	<1.0	µg/L	0	GE
		Toluene	<1.0	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	8.1	µg/L	0	GE
		Toxaphene	<0.24	µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0	µg/L	0	GE
		1,1,2-Trichloroethane	<1.0	µg/L	0	GE
		Trichloroethylene	<1.0	µg/L	0	GE
		Trichlorofluoromethane	<1.0	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Gross alpha	2.5E+00 ± 1.3E+00	pCi/L	0	GE
		Nonvolatile beta	3.5E+00 ± 1.5E+00	pCi/L	0	GE
		Total radium	<1.0E+00	pCi/L	0	GE
		Tritium	<7.0E-01	pCi/mL	0	GE

WELL LFW 33

<u>SRS Coord.</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>
N85633.8 E44973.0	165.4-144.4 ft msl	213.7 ft msl	4" PVC

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 10/25/91
 Depth to water: 50.52 ft (15.40 m) below TOC
 Water elevation: 163.18 ft (49.74 m) msl
 Sp. conductance: 18 µS/cm
 Water evacuated before sampling: 51 gal

Time: 13:30
 pH: 4.9
 Alkalinity: 0 mg/L
 Water temperature: 18.8°C

● = exceeded holding time. ■ = exceeded primary drinking water standard

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.2	pH	0	GE
		Specific conductance	20	µS/cm	0	GE
		Aluminum	< 20	µg/L	0	GE
		Antimony	< 2.0	µg/L	0	GE
		Arsenic	< 2.0	µg/L	0	GE
		Barium	3.5	µg/L	0	GE
		Benzene	< 1.0	µg/L	0	GE
		Bromodichloromethane	< 1.0	µg/L	0	GE
		Bromoform	< 1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	< 1.0	µg/L	0	GE
		Cadmium	< 2.0	µg/L	0	GE
		Calcium	368	µg/L	0	GE
		Carbon tetrachloride	< 1.0	µg/L	0	GE
		Chloride	2,800	µg/L	0	GE
		Chlorobenzene	< 1.0	µg/L	0	GE
		Chloroethane	< 1.0	µg/L	0	GE
		Chloroethene (Vinyl chloride)	< 1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	< 1.0	µg/L	0	GE
		Chloroform	< 1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	< 1.0	µg/L	0	GE
		Chromium	< 4.0	µg/L	0	GE
		Copper	< 4.0	µg/L	0	GE
		Dibromochloromethane	< 1.0	µg/L	0	GE
		1,1-Dichloroethane	< 1.0	µg/L	0	GE
		1,2-Dichloroethane	< 1.0	µg/L	0	GE
		1,1-Dichloroethylene	< 1.0	µg/L	0	GE
		trans-1,2-Dichloroethylene	< 1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	< 1.0	µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	< 0.30	µg/L	0	GE
		1,2-Dichloropropane	< 1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	< 1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	< 1.0	µg/L	0	GE
		Endrin	< 0.0060	µg/L	0	GE
		Ethylbenzene	< 1.0	µg/L	0	GE
		Fluoride	< 100	µg/L	0	GE
		Lead	< 3.0	µg/L	0	GE
		Lindane	< 0.0050	µg/L	0	GE
		Magnesium	460	µg/L	0	GE
		Manganese	< 2.0	µg/L	0	GE
		Mercury	< 0.20	µg/L	0	GE
		Methoxychlor	< 0.50	µg/L	0	GE
		Nickel	< 4.0	µg/L	0	GE
		Nitrate as nitrogen	380	µg/L	0	GE
		Potassium	538	µg/L	0	GE
		Selenium	< 2.0	µg/L	0	GE
		Silica	6,120	µg/L	0	GE
		Silver	< 2.0	µg/L	0	GE
		Sodium	1,260	µg/L	0	GE
		Sulfate	< 1,000	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	< 1.0	µg/L	0	GE
		Tetrachloroethylene	< 1.0	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 33, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Toluene	< 1.0	µg/L	0	GE
		Total organic carbon	< 1,000	µg/L	0	GE
		Total organic halogens	11	µg/L	0	GE
		Toxaphene	< 0.24	µg/L	0	GE
		2,4,5-TP (Silvex)	< 0.090	µg/L	0	GE
		1,1,1-Trichloroethane	< 1.0	µg/L	0	GE
		1,1,2-Trichloroethane	< 1.0	µg/L	0	GE
		Trichloroethylene	< 1.0	µg/L	0	GE
		Trichlorofluoromethane	< 1.0	µg/L	0	GE
		Vanadium	< 8.0	µg/L	0	GE
		Gross alpha	< 2.0E+00	pCi/L	0	GE
		Nonvolatile beta	9.4E+00 ± 1.9E+00	pCi/L	0	GE
■		Total radium	5.0E+00 ± 5.6E+00	pCi/L	2	GE
		Tritium	< 7.0E-01	pCi/mL	0	GE

WELL LFW 34

<u>SRS Coord.</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>
N85409.5 E45016.9	164.7-143.7 ft msl	201.0 ft msl	4" PVC

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 10/25/91
 Depth to water: 39.23 ft (11.96 m) below TOC
 Water elevation: 161.77 ft (49.31 m) msl
 Sp. conductance: 19 µS/cm
 Water evacuated before sampling: 49 gal

Time: 13:05
 pH: 5.1
 Alkalinity: 0 mg/L
 Water temperature: 19.0°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.3	pH	0	GE
		Specific conductance	20	µS/cm	0	GE
		Aluminum	< 20	µg/L	0	GE
		Antimony	< 2.0	µg/L	0	GE
		Arsenic	< 2.0	µg/L	0	GE
		Barium	6.8	µg/L	0	GE
•		Benzene	< 1.0	µg/L	0	GE
•		Bromodichloromethane	< 1.0	µg/L	0	GE
•		Bromoform	< 1.0	µg/L	0	GE
•		Bromomethane (Methyl bromide)	< 1.0	µg/L	0	GE
		Cadmium	< 2.0	µg/L	0	GE
		Calcium	746	µg/L	0	GE
•		Carbon tetrachloride	< 1.0	µg/L	0	GE
		Chloride	2,650	µg/L	0	GE
•		Chlorobenzene	< 1.0	µg/L	0	GE
•		Chloroethane	< 1.0	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard

WELL LFW 34, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		Chloroethene (Vinyl chloride)	<1.0	µg/L	0	GE
•		2-Chloroethyl vinyl ether	<1.0	µg/L	0	GE
•		Chloroform	<1.0	µg/L	0	GE
•		Chloromethane (Methyl chloride)	<1.0	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Copper	<4.0	µg/L	0	GE
•		Dibromochloromethane	<1.0	µg/L	0	GE
•		1,1-Dichloroethane	<1.0	µg/L	0	GE
•		1,2-Dichloroethane	<1.0	µg/L	0	GE
•		1,1-Dichloroethylene	<1.0	µg/L	0	GE
•		trans-1,2-Dichloroethylene	<1.0	µg/L	0	GE
•		Dichloromethane (Methylene chloride)	<1.0	µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30	µg/L	0	GE
•		1,2-Dichloropropane	<1.0	µg/L	0	GE
•		trans-1,3-Dichloropropene	<1.0	µg/L	0	GE
•		cis-1,3-Dichloropropene	<1.0	µg/L	0	GE
		Endrin	<0.0060	µg/L	0	GE
•		Ethylbenzene	<1.0	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE
		Lindane	<0.0050	µg/L	0	GE
		Magnesium	460	µg/L	0	GE
		Manganese	2.3	µg/L	0	GE
		Mercury	<0.20	µg/L	0	GE
		Methoxychlor	<0.50	µg/L	0	GE
		Nickel	<4.0	µg/L	0	GE
•		Nitrate as nitrogen	450	µg/L	0	GE
		Potassium	<500	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	6,260	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	1,320	µg/L	0	GE
		Sulfate	<1,000	µg/L	0	GE
•		1,1,2,2-Tetrachloroethane	<1.0	µg/L	0	GE
•		Tetrachloroethylene	<1.0	µg/L	0	GE
•		Toluene	<1.0	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	GE
		Toxaphene	<0.24	µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090	µg/L	0	GE
•		1,1,1-Trichloroethane	<1.0	µg/L	0	GE
•		1,1,2-Trichloroethane	<1.0	µg/L	0	GE
•		Trichloroethylene	<1.0	µg/L	0	GE
•		Trichlorofluoromethane	<1.0	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Gross alpha	<2.0E+00	pCi/L	0	GE
		Nonvolatile beta	4.0E+00 ± 1.6E+00	pCi/L	0	GE
		Total radium	4.2E+00 ± 1.5E+00	pCi/L	1	GE
		Tritium	<7.0E-01	pCi/mL	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 35

<u>SRS Coord.</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>
N85237.4 E45378.8	164.4-143.4 ft msl	183.7 ft msl	4" PVC

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 10/24/91
 Depth to water: 23.18 ft (7.07 m) below TOC
 Water elevation: 160.52 ft (48.93 m) msl
 Sp. conductance: 23 μ S/cm
 Water evacuated before sampling: 47 gal

Time: 13:05
 pH: 4.8
 Alkalinity: 0 mg/L
 Water temperature: 20.7°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.1	pH	0	GE
		Specific conductance	25	μ S/cm	0	GE
		Aluminum	<20	μ g/L	0	GE
		Antimony	<2.0	μ g/L	0	GE
		Arsenic	<2.0	μ g/L	0	GE
		Barium	4.9	μ g/L	0	GE
		Benzene	<1.0	μ g/L	0	GE
		Bromodichloromethane	<1.0	μ g/L	0	GE
		Bromoform	<1.0	μ g/L	0	GE
		Bromomethane (Methyl bromide)	<1.0	μ g/L	0	GE
		Cadmium	<2.0	μ g/L	0	GE
		Calcium	365	μ g/L	0	GE
		Carbon tetrachloride	<1.0	μ g/L	0	GE
		Chloride	2,580	μ g/L	0	GE
		Chlorobenzene	<1.0	μ g/L	0	GE
		Chloroethane	<1.0	μ g/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0	μ g/L	0	GE
		2-Chloroethyl vinyl ether	<1.0	μ g/L	0	GE
		Chloroform	<1.0	μ g/L	0	GE
		Chloromethane (Methyl chloride)	<1.0	μ g/L	0	GE
		Chromium	<4.0	μ g/L	0	GE
		Copper	<4.0	μ g/L	0	GE
		Dibromochloromethane	<1.0	μ g/L	0	GE
		1,1-Dichloroethane	<1.0	μ g/L	0	GE
		1,2-Dichloroethane	<1.0	μ g/L	0	GE
		1,1-Dichloroethylene	<1.0	μ g/L	0	GE
		trans-1,2-Dichloroethylene	<1.0	μ g/L	0	GE
		Dichloromethane (Methylene chloride)	1.1	μ g/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30	μ g/L	0	GE
		1,2-Dichloropropane	<1.0	μ g/L	0	GE
		trans-1,3-Dichloropropene	<1.0	μ g/L	0	GE
		cis-1,3-Dichloropropene	<1.0	μ g/L	0	GE
		Endrin	<0.0060	μ g/L	0	GE
		Ethylbenzene	<1.0	μ g/L	0	GE
		Fluoride	<100	μ g/L	0	GE
		Fluoride	<100	μ g/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard

WELL LFW 35, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Lead	<3.0	µg/L	0	GE
		Lindane	<0.0050	µg/L	0	GE
		Magnesium	618	µg/L	0	GE
		Manganese	3.2	µg/L	0	GE
		Mercury	<0.20	µg/L	0	GE
		Methoxychlor	<0.50	µg/L	0	GE
		Nickel	<4.0	µg/L	0	GE
		Nitrate as nitrogen	1,240	µg/L	0	GE
		Potassium	<500	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	6,420	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	2,710	µg/L	0	GE
		Sulfate	<1,000	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0	µg/L	0	GE
		Tetrachloroethylene	<1.0	µg/L	0	GE
		Toluene	<1.0	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	44	µg/L	1	GE
		Total organic halogens	45	µg/L	1	GE
		Toxaphene	<0.24	µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0	µg/L	0	GE
		1,1,2-Trichloroethane	<1.0	µg/L	0	GE
		Trichloroethylene	<1.0	µg/L	0	GE
		Trichlorofluoromethane	<1.0	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Gross alpha	<2.0E+00	pCi/L	0	GE
		Nonvolatile beta	2.9E+00 ± 1.5E+00	pCi/L	0	GE
		Total radium	<1.0E+00	pCi/L	0	GE
		Tritium	<7.0E-01	pCi/mL	0	GE

WELL LFW 36

<u>SRS Coord.</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>
N83535.5 E45582.3	151.3-130.3 ft msl	170.4 ft msl	4" PVC

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 10/24/91	Time: 12:35
Depth to water: 23.96 ft (7.30 m) below TOC	pH: 6.4
Water elevation: 146.44 ft (44.64 m) msl	Alkalinity: 96 mg/L
Sp. conductance: 323 µS/cm	Water temperature: 20.2°C
Water evacuated before sampling: 45 gal	

■ = exceeded holding time. ■ = exceeded primary drinking water standard.

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	6.4	pH	0	GE
		Specific conductance	240	µS/cm	0	GE
		Aluminum	<20	µg/L	0	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	4.0	µg/L	0	GE
		Benzene	4.9	µg/L	1	GE
		Bromodichloromethane	<1.0	µg/L	0	GE
		Bromoform	<1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	5,610	µg/L	0	GE
		Carbon tetrachloride	<1.0	µg/L	0	GE
		Chloride	25,300	µg/L	0	GE
		Chlorobenzene	6.0	µg/L	1	GE
		Chloroethane	4.1	µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0	µg/L	0	GE
		Chloroform	<1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Copper	<4.0	µg/L	0	GE
		Dibromochloromethane	<1.0	µg/L	0	GE
		1,1-Dichloroethane	72	µg/L	2	GE
		1,2-Dichloroethane	2.9	µg/L	1	GE
		1,1-Dichloroethylene	<1.0	µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	5.2	µg/L	0	GE
•		2,4-Dichlorophenoxyacetic acid	<0.30	µg/L	0	GE
		1,2-Dichloropropane	<1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0	µg/L	0	GE
		Endrin	<0.0060	µg/L	0	GE
		Ethylbenzene	1.7	µg/L	0	GE
		Fluoride	127	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE
		Lindane	<0.0050	µg/L	0	GE
		Magnesium	15,800	µg/L	0	GE
		Manganese	21	µg/L	0	GE
		Mercury	<0.20	µg/L	0	GE
		Methoxychlor	<0.50	µg/L	0	GE
		Nickel	<4.0	µg/L	0	GE
		Nitrate as nitrogen	<50	µg/L	0	GE
		Potassium	<500	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	7,530	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	26,700	µg/L	0	GE
		Sulfate	2,640	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0	µg/L	0	GE
		Tetrachloroethylene	<1.0	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard

WELL LFW 36, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Toluene	1.0	µg/L	0	GE
		Total organic carbon	5,000	µg/L	1	GE
		Total organic halogens	309	µg/L	2	GE
		Toxaphene	<0.24	µg/L	0	GE
•		2,4,5-TP (Silvex)	0.58	µg/L	0	GE
		1,1,1-Trichloroethane	4.1	µg/L	0	GE
		1,1,2-Trichloroethane	<1.0	µg/L	0	GE
		Trichloroethylene	1.3	µg/L	0	GE
		Trichlorofluoromethane	16	µg/L	2	GE
		Vanadium	<8.0	µg/L	0	GE
		Gross alpha	5.9E+00 ± 1.9E+00	pCi/L	0	GE
		Nonvolatile beta	4.3E+00 ± 1.6E+00	pCi/L	0	GE
		Total radium	1.9E+00 ± 1.5E+00	pCi/L	0	GE
		Tritium	1.6E+00 ± 7.0E-01	pCi/mL	0	GE

WELL LFW 37

<u>SRS Coord.</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>
N83113.2 E45667.7	150.8-129.8 ft msl	169.9 ft msl	4" PVC

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 10/24/91
 Depth to water: 26.84 ft (8.18 m) below TOC
 Water elevation: 143.06 ft (43.61 m) msl
 Sp. conductance: 115 µS/cm
 Water evacuated before sampling: 37 gal

Time: 12:05
 pH: 5.1
 Alkalinity: 0 mg/L
 Water temperature: 19.7°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.3	pH	0	GE
		Specific conductance	110	µS/cm	0	GE
		Aluminum	<20	µg/L	0	GE
		Antimony	2.3	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	6.5	µg/L	0	GE
		Benzene	4.9	µg/L	1	GE
		Bromodichloromethane	<1.0	µg/L	0	GE
		Bromoform	<1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	1,700	µg/L	0	GE
		Carbon tetrachloride	<1.0	µg/L	0	GE
		Chloride	23,100	µg/L	0	GE
		Chlorobenzene	<1.0	µg/L	0	GE
		Chloroethane	<1.0	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 37, laboratory analyses (cont.)

H	D	Analyte	Result	Unit	Flag	Lab
		Chloroethene (Vinyl chloride)	< 1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	< 1.0	µg/L	0	GE
		Chloroform	< 1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	< 1.0	µg/L	0	GE
		Chromium	< 4.0	µg/L	0	GE
		Copper	< 4.0	µg/L	0	GE
		Dibromochloromethane	< 1.0	µg/L	0	GE
		1,1-Dichloroethane	95	µg/L	2	GE
		1,2-Dichloroethane	3.9	µg/L	1	GE
		1,1-Dichloroethylene	1.9	µg/L	0	GE
		trans-1,2-Dichloroethylene	< 1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	33	µg/L	0	GE
•		2,4-Dichlorophenoxyacetic acid	< 0.30	µg/L	0	GE
		1,2-Dichloropropane	< 1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	< 1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	< 1.0	µg/L	0	GE
		Endrin	< 0.0060	µg/L	0	GE
		Ethylbenzene	< 1.0	µg/L	0	GE
		Fluoride	< 100	µg/L	0	GE
		Lead	< 3.0	µg/L	0	GE
		Lindane	< 0.0050	µg/L	0	GE
		Magnesium	2,760	µg/L	0	GE
		Manganese	< 2.0	µg/L	0	GE
		Mercury	< 0.20	µg/L	0	GE
		Methoxychlor	< 0.50	µg/L	0	GE
		Nickel	< 4.0	µg/L	0	GE
		Nitrate as nitrogen	< 50	µg/L	0	GE
		Potassium	< 500	µg/L	0	GE
		Selenium	< 2.0	µg/L	0	GE
		Silica	10,700	µg/L	0	GE
		Silver	< 2.0	µg/L	0	GE
		Sodium	15,900	µg/L	0	GE
		Sulfate	1,840	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	< 1.0	µg/L	0	GE
		Tetrachloroethylene	1.1	µg/L	0	GE
		Toluene	< 1.0	µg/L	0	GE
		Total organic carbon	3,000	µg/L	0	GE
		Total organic halogens	299	µg/L	2	GE
		Toxaphene	< 0.24	µg/L	0	GE
•		2,4,5-TP (Silvex)	< 0.090	µg/L	0	GE
		1,1,1-Trichloroethane	5.1	µg/L	0	GE
		1,1,2-Trichloroethane	< 1.0	µg/L	0	GE
■		Trichloroethylene	7.4	µg/L	2	GE
		Trichlorofluoromethane	20	µg/L	2	GE
		Vanadium	< 8.0	µg/L	0	GE
		Gross alpha	2.5E+00 ± 1.7E+00	pCi/L	0	GE
		Nonvolatile beta	7.0E+00 ± 1.8E+00	pCi/L	0	GE
		Total radium	< 1.0E+00	pCi/L	0	GE
		Tritium	6.3E+00 ± 8.0E-01	pCi/mL	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard

WELL LFW 38

<u>SRS Coord.</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>
N83172.3 E46018.5	151.5-130.5 ft msl	170.3 ft msl	4" PVC

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 10/24/91	Time: 11:40
Depth to water: 26.45 ft (8.06 m) below TOC	pH: 4.6
Water elevation: 143.85 ft (43.85 m) msl	Alkalinity: 0 mg/L
Sp. conductance: 54 μ S/cm	Water temperature: 20.1 °C
Water evacuated before sampling: 38 gal	

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	4.9	pH	0	GE
		Specific conductance	50	μ S/cm	0	GE
		Aluminum	30	μ g/L	0	GE
		Antimony	<2.0	μ g/L	0	GE
		Arsenic	<2.0	μ g/L	0	GE
		Barium	6.3	μ g/L	0	GE
		Benzene	2.6	μ g/L	1	GE
		Bromodichloromethane	<1.0	μ g/L	0	GE
		Bromoform	<1.0	μ g/L	0	GE
		Bromomethane (Methyl bromide)	<1.0	μ g/L	0	GE
		Cadmium	<2.0	μ g/L	0	GE
		Calcium	849	μ g/L	0	GE
		Carbon tetrachloride	<1.0	μ g/L	0	GE
		Chloride	11,200	μ g/L	0	GE
		Chloride	10,900	μ g/L	0	GE
		Chlorobenzene	<1.0	μ g/L	0	GE
		Chloroethane	<1.0	μ g/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0	μ g/L	0	GE
		2-Chloroethyl vinyl ether	<1.0	μ g/L	0	GE
		Chloroform	2.1	μ g/L	0	GE
		Chloromethane (Methyl chloride)	<1.0	μ g/L	0	GE
		Chromium	<4.0	μ g/L	0	GE
		Copper	<4.0	μ g/L	0	GE
		Dibromochloromethane	<1.0	μ g/L	0	GE
		1,1-Dichloroethane	42	μ g/L	2	GE
		1,2-Dichloroethane	1.5	μ g/L	0	GE
		1,1-Dichloroethylene	2.7	μ g/L	0	GE
		trans-1,2-Dichloroethylene	<1.0	μ g/L	0	GE
		Dichloromethane (Methylene chloride)	37	μ g/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30	μ g/L	0	GE
		1,2-Dichloropropane	<1.0	μ g/L	0	GE
		trans-1,3-Dichloropropene	<1.0	μ g/L	0	GE
		cis-1,3-Dichloropropene	<1.0	μ g/L	0	GE
		Endrin	<0.0060	μ g/L	0	GE
		Ethylbenzene	<1.0	μ g/L	0	GE
		Fluoride	<100	μ g/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 38, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Lead	<3.0	µg/L	0	GE
		Lindane	<0.0050	µg/L	0	GE
		Magnesium	1,070	µg/L	0	GE
		Manganese	8.6	µg/L	0	GE
		Mercury	<0.20	µg/L	0	GE
		Methoxychlor	<0.50	µg/L	0	GE
		Nickel	<4.0	µg/L	0	GE
		Nitrate as nitrogen	<50	µg/L	0	GE
		Nitrate as nitrogen	<50	µg/L	0	GE
		Potassium	<500	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	10,500	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	6,460	µg/L	0	GE
		Sulfate	<1,000	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0	µg/L	0	GE
		Tetrachloroethylene	2.7	µg/L	1	GE
		Toluene	<1.0	µg/L	0	GE
		Total organic carbon	1,000	µg/L	0	GE
		Total organic halogens	236	µg/L	2	GE
		Toxaphene	<0.24	µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090	µg/L	0	GE
		1,1,1-Trichloroethane	10	µg/L	0	GE
		1,1,2-Trichloroethane	<1.0	µg/L	0	GE
■		Trichloroethylene	15	µg/L	2	GE
		Trichlorofluoromethane	19	µg/L	2	GE
		Vanadium	<8.0	µg/L	0	GE
		Gross alpha	<2.0E+00	pCi/L	0	GE
		Nonvolatile beta	3.3E+00 ± 1.5E+00	pCi/L	0	GE
		Total radium	<1.0E+00	pCi/L	0	GE
		Tritium	<7.0E-01	pCi/mL	0	GE

WELL LFW 39

<u>SRS Coord.</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>
N83213.1	152.2-131.2 ft msl	171.4 ft msl	4" PVC
E46218.5			

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 10/24/91
 Depth to water: 27.31 ft (8.32 m) below TOC
 Water elevation: 144.09 ft (43.92 m) msl
 Sp. conductance: 34 µS/cm
 Water evacuated before sampling: 36 gal

Time: 11:15
 pH: 4.5
 Alkalinity: 0 mg/L
 Water temperature: 20.0°C

● = exceeded holding time. ■ = exceeded primary drinking water standard

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	4.9	pH	0	GE
		Specific conductance	30	µS/cm	0	GE
		Aluminum	26	µg/L	0	GE
		Antimony	< 2.0	µg/L	0	GE
		Arsenic	< 2.0	µg/L	0	GE
		Barium	5.5	µg/L	0	GE
		Benzene	< 1.0	µg/L	0	GE
		Bromodichloromethane	< 1.0	µg/L	0	GE
		Bromoform	< 1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	< 1.0	µg/L	0	GE
		Cadmium	< 2.0	µg/L	0	GE
		Calcium	477	µg/L	0	GE
		Carbon tetrachloride	< 1.0	µg/L	0	GE
		Chloride	4,120	µg/L	0	GE
		Chlorobenzene	< 1.0	µg/L	0	GE
		Chloroethane	< 1.0	µg/L	0	GE
		Chloroethene (Vinyl chloride)	< 1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	< 1.0	µg/L	0	GE
		Chloroform	< 1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	< 1.0	µg/L	0	GE
		Chromium	< 4.0	µg/L	0	GE
		Copper	< 4.0	µg/L	0	GE
		Dibromochloromethane	< 1.0	µg/L	0	GE
		1,1-Dichloroethane	42	µg/L	2	GE
		1,2-Dichloroethane	< 1.0	µg/L	0	GE
■		1,1-Dichloroethylene	34	µg/L	2	GE
		trans-1,2-Dichloroethylene	< 1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	14	µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	< 0.30	µg/L	0	GE
		1,2-Dichloropropane	< 1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	< 1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	< 1.0	µg/L	0	GE
		Endrin	< 0.0060	µg/L	0	GE
		Ethylbenzene	< 1.0	µg/L	0	GE
		Fluoride	< 100	µg/L	0	GE
		Lead	< 3.0	µg/L	0	GE
		Lindane	< 0.0050	µg/L	0	GE
		Magnesium	879	µg/L	0	GE
		Manganese	2.6	µg/L	0	GE
		Mercury	1.2	µg/L	1	GE
		Methoxychlor	< 0.50	µg/L	0	GE
		Nickel	< 4.0	µg/L	0	GE
		Nitrate as nitrogen	990	µg/L	0	GE
		Potassium	< 500	µg/L	0	GE
		Selenium	< 2.0	µg/L	0	GE
		Silica	9,440	µg/L	0	GE
		Silver	< 2.0	µg/L	0	GE
		Sodium	3,310	µg/L	0	GE
		Sulfate	< 1,000	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	< 1.0	µg/L	0	GE
■		Tetrachloroethylene	9.0	µg/L	2	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 39, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Toluene	<1.0	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	716	µg/L	2	GE
		Toxaphene	<0.24	µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090	µg/L	0	GE
■		1,1,1-Trichloroethane	249	µg/L	2	GE
		1,1,2-Trichloroethane	<1.0	µg/L	0	GE
■		Trichloroethylene	9.7	µg/L	2	GE
		Trichlorofluoromethane	206	µg/L	2	GE
		Vanadium	<8.0	µg/L	0	GE
		Gross alpha	3.3E+00 ± 1.4E+00	pCi/L	0	GE
		Nonvolatile beta	3.1E+00 ± 1.5E+00	pCi/L	0	GE
		Total radium	1.1E+00 ± 1.3E+00	pCi/L	0	GE
		Tritium	<7.0E-01	pCi/mL	0	GE

WELL LFW 40

<u>SRS Coord.</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>
N83248.8 E46395.1	152.2-131.2 ft msl	171.0 ft msl	4" PVC

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 10/24/91
 Depth to water: 27.36 ft (8.34 m) below TOC
 Water elevation: 143.64 ft (43.78 m) msl
 Sp. conductance: 14 µS/cm
 Water evacuated before sampling: 36 gal

Time: 10:45
 pH: 4.7
 Alkalinity: 0 mg/L
 Water temperature: 19.9°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
●		pH	5.2	pH	0	GE
		Specific conductance	15	µS/cm	0	GE
		Aluminum	<20	µg/L	0	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	<3.0	µg/L	0	GE
		Benzene	<1.0	µg/L	0	GE
		Bromodichloromethane	<1.0	µg/L	0	GE
		Bromoform	<1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	265	µg/L	0	GE
		Carbon tetrachloride	<1.0	µg/L	0	GE
		Chloride	1,780	µg/L	0	GE
		Chlorobenzene	<1.0	µg/L	0	GE
		Chloroethane	3.4	µg/L	0	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard

WELL LFW 40, laboratory analyses (cont.)

H	D	Analyte	Result	Unit	Flag	Lab
		Chloroethene (Vinyl chloride)	< 1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	< 1.0	µg/L	0	GE
		Chloroform	< 1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	< 1.0	µg/L	0	GE
		Chromium	< 4.0	µg/L	0	GE
		Copper	< 4.0	µg/L	0	GE
		Dibromochloromethane	< 1.0	µg/L	0	GE
		1,1-Dichloroethane	11	µg/L	2	GE
		1,2-Dichloroethane	< 1.0	µg/L	0	GE
		1,1-Dichloroethylene	3.6	µg/L	1	GE
		trans-1,2-Dichloroethylene	< 1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	26	µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	< 0.30	µg/L	0	GE
		1,2-Dichloropropane	< 1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	< 1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	< 1.0	µg/L	0	GE
		Endrin	< 0.0060	µg/L	0	GE
		Ethylbenzene	< 1.0	µg/L	0	GE
		Fluoride	< 100	µg/L	0	GE
		Lead	< 3.0	µg/L	0	GE
		Lindane	< 0.0050	µg/L	0	GE
		Magnesium	320	µg/L	0	GE
		Manganese	< 2.0	µg/L	0	GE
		Mercury	< 0.20	µg/L	0	GE
		Methoxychlor	< 0.50	µg/L	0	GE
		Nickel	< 4.0	µg/L	0	GE
		Nitrate as nitrogen	66	µg/L	0	GE
		Potassium	< 500	µg/L	0	GE
		Selenium	< 2.0	µg/L	0	GE
		Silica	6,660	µg/L	0	GE
		Silver	< 2.0	µg/L	0	GE
		Sodium	1,360	µg/L	0	GE
		Sulfate	< 1,000	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	< 1.0	µg/L	0	GE
		Tetrachloroethylene	2.0	µg/L	0	GE
		Toluene	< 1.0	µg/L	0	GE
		Total organic carbon	< 1,000	µg/L	0	GE
		Total organic halogens	144	µg/L	2	GE
		Toxaphene	< 0.24	µg/L	0	GE
		2,4,5-TP (Silvex)	< 0.090	µg/L	0	GE
		1,1,1-Trichloroethane	14	µg/L	0	GE
		1,1,2-Trichloroethane	< 1.0	µg/L	0	GE
■		Trichloroethylene	5.4	µg/L	2	GE
		Trichlorofluoromethane	63	µg/L	2	GE
		Vanadium	< 8.0	µg/L	0	GE
		Gross alpha	2.5E+00 ± 1.3E+00	pCi/L	0	GE
		Nonvolatile beta	< 2.0E+00	pCi/L	0	GE
		Total radium	< 1.0E+00	pCi/L	0	GE
		Tritium	< 7.0E-01	pCi/mL	0	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 41

<u>SRS Coord.</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>
N83304.9 E46626.9	151.3-130.3 ft msl	170.5 ft msl	4" PVC

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 10/24/91	Time: 10:15
Depth to water: 24.95 ft (7.60 m) below TOC	pH: 4.8
Water elevation: 145.55 ft (44.36 m) msl	Alkalinity: 0 mg/L
Sp. conductance: 14 μ S/cm	Water temperature: 19.3°C
Water evacuated before sampling: 42 gal	

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.3	pH	0	GE
		Specific conductance	10	μ S/cm	0	GE
		Aluminum	<20	μ g/L	0	GE
		Antimony	<2.0	μ g/L	0	GE
		Arsenic	<2.0	μ g/L	0	GE
		Barium	<3.0	μ g/L	0	GE
		Benzene	<1.0	μ g/L	0	GE
		Bromodichloromethane	<1.0	μ g/L	0	GE
		Bromoform	<1.0	μ g/L	0	GE
		Bromomethane (Methyl bromide)	<1.0	μ g/L	0	GE
		Cadmium	<2.0	μ g/L	0	GE
		Calcium	196	μ g/L	0	GE
		Carbon tetrachloride	<1.0	μ g/L	0	GE
		Chloride	1,900	μ g/L	0	GE
		Chlorobenzene	<1.0	μ g/L	0	GE
		Chloroethane	<1.0	μ g/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0	μ g/L	0	GE
		2-Chloroethyl vinyl ether	<1.0	μ g/L	0	GE
		Chloroform	<1.0	μ g/L	0	GE
		Chloromethane (Methyl chloride)	<1.0	μ g/L	0	GE
		Chromium	<4.0	μ g/L	0	GE
		Copper	<4.0	μ g/L	0	GE
		Dibromochloromethane	<1.0	μ g/L	0	GE
		1,1-Dichloroethane	<1.0	μ g/L	0	GE
		1,2-Dichloroethane	<1.0	μ g/L	0	GE
		1,1-Dichloroethylene	<1.0	μ g/L	0	GE
		trans-1,2-Dichloroethylene	<1.0	μ g/L	0	GE
		Dichloromethane (Methylene chloride)	1.4	μ g/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30	μ g/L	0	GE
		1,2-Dichloropropane	<1.0	μ g/L	0	GE
		trans-1,3-Dichloropropene	<1.0	μ g/L	0	GE
		cis-1,3-Dichloropropene	<1.0	μ g/L	0	GE
		Endrin	<0.0060	μ g/L	0	GE
		Ethylbenzene	<1.0	μ g/L	0	GE
		Fluoride	<100	μ g/L	0	GE
		Lead	<3.0	μ g/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard

WELL LFW 41, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Lindane	<0.0050	µg/L	0	GE
		Magnesium	269	µg/L	0	GE
		Manganese	<2.0	µg/L	0	GE
		Mercury	<0.20	µg/L	0	GE
		Methoxychlor	<0.50	µg/L	0	GE
		Nickel	<4.0	µg/L	0	GE
		Nitrate as nitrogen	<50	µg/L	0	GE
		Potassium	<500	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	6,650	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	1,410	µg/L	0	GE
		Sulfate	<1,000	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0	µg/L	0	GE
		Tetrachloroethylene	4.2	µg/L	1	GE
		Toluene	<1.0	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	36	µg/L	1	GE
		Toxaphene	<0.24	µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090	µg/L	0	GE
		1,1,1-Trichloroethane	2.2	µg/L	0	GE
		1,1,2-Trichloroethane	<1.0	µg/L	0	GE
		Trichloroethylene	<1.0	µg/L	0	GE
		Trichlorofluoromethane	20	µg/L	2	GE
		Vanadium	<8.0	µg/L	0	GE
		Gross alpha	2.9E+00 ± 1.3E+00	pCi/L	0	GE
		Nonvolatile beta	2.7E+00 ± 1.4E+00	pCi/L	0	GE
		Total radium	1.1E+00 ± 1.2E+00	pCi/L	0	GE
		Tritium	<7.0E-01	pCi/mL	0	GE

WELL LFW 42

<u>SRS Coord.</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>
N83776.2 E46532.9	151.2-130.2 ft msl	170.1 ft msl	4" PVC

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 10/24/91	Time: 9:50
Depth to water: 22.37 ft (6.82 m) below TOC	pH: 4.8
Water elevation: 147.73 ft (45.03 m) msl	Alkalinity: 0 mg/L
Sp. conductance: 14 µS/cm	Water temperature: 20.0°C
Water evacuated before sampling: 49 gal	

● = exceeded holding time. ■ = exceeded primary drinking water standard.

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.4	pH	0	GE
		Specific conductance	15	µS/cm	0	GE
		Aluminum	<20	µg/L	0	GE
		Antimony	3.0	µg/L	1	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	<3.0	µg/L	0	GE
		Benzene	<1.0	µg/L	0	GE
		Bromodichloromethane	<1.0	µg/L	0	GE
		Bromoform	<1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	217	µg/L	0	GE
		Carbon tetrachloride	<1.0	µg/L	0	GE
		Chloride	1,930	µg/L	0	GE
		Chloride	1,890	µg/L	0	GE
		Chlorobenzene	<1.0	µg/L	0	GE
		Chloroethane	<1.0	µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0	µg/L	0	GE
		Chloroform	<1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Copper	<4.0	µg/L	0	GE
		Dibromochloromethane	<1.0	µg/L	0	GE
		1,1-Dichloroethane	<1.0	µg/L	0	GE
		1,2-Dichloroethane	<1.0	µg/L	0	GE
		1,1-Dichloroethylene	<1.0	µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0	µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30	µg/L	0	GE
		1,2-Dichloropropane	<1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0	µg/L	0	GE
		Endrin	<0.0060	µg/L	0	GE
		Ethylbenzene	<1.0	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE
		Lindane	<0.0050	µg/L	0	GE
		Magnesium	281	µg/L	0	GE
		Manganese	<2.0	µg/L	0	GE
		Mercury	<0.20	µg/L	0	GE
		Methoxychlor	<0.50	µg/L	0	GE
		Nickel	<4.0	µg/L	0	GE
		Nitrate as nitrogen	<50	µg/L	0	GE
		Nitrate as nitrogen	<50	µg/L	0	GE
		Potassium	<500	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	6,840	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	1,360	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard

WELL LFW 42, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Sulfate	<1,000	µg/L	0	GE
		Sulfate	<1,000	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0	µg/L	0	GE
		Tetrachloroethylene	<1.0	µg/L	0	GE
		Toluene	<1.0	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	19	µg/L	0	GE
		Toxaphene	<0.24	µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090	µg/L	0	GE
		1,1,1-Trichloroethane	6.6	µg/L	0	GE
		1,1,2-Trichloroethane	<1.0	µg/L	0	GE
		Trichloroethylene	<1.0	µg/L	0	GE
		Trichlorofluoromethane	7.8	µg/L	1	GE
		Vanadium	<8.0	µg/L	0	GE
		Gross alpha	4.0E+00 ± 1.5E+00	pCi/L	0	GE
		Nonvolatile beta	3.6E+00 ± 1.5E+00	pCi/L	0	GE
		Total radium	<1.0E+00	pCi/L	0	GE
		Tritium	<7.0E-01	pCi/mL	0	GE

WELL LFW 43B

<u>SRS Coord.</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>
N86459.2 E45240.5	100.4-90.4 ft msl	203.0 ft msl	4" PVC

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 10/28/91
 Depth to water: 36.08 ft (11.00 m) below TOC
 Water elevation: 166.92 ft (50.88 m) msl
 Sp. conductance: 30 µS/cm
 Water evacuated before sampling: 253 gal

Time: 11:05
 pH: 6.0
 Alkalinity: 9 mg/L
 Water temperature: 18.5°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	6.3	pH	0	GE
•		pH	6.3	pH	0	GE
		Specific conductance	30	µS/cm	0	GE
		Specific conductance	30	µS/cm	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	8.3	µg/L	0	GE
		Barium	8.3	µg/L	0	GE
		Benzene	<1.0	µg/L	0	GE
		Benzene	<1.0	µg/L	0	GE
		Bromodichloromethane	<1.0	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 43B, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Bromodichloromethane	< 1.0	µg/L	0	GE
		Bromoform	< 1.0	µg/L	0	GE
		Bromoform	< 1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	< 1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	< 1.0	µg/L	0	GE
		Cadmium	< 2.0	µg/L	0	GE
		Cadmium	< 2.0	µg/L	0	GE
		Calcium	2,630	µg/L	0	GE
		Calcium	2,640	µg/L	0	GE
		Carbon tetrachloride	< 1.0	µg/L	0	GE
		Carbon tetrachloride	< 1.0	µg/L	0	GE
		Chloride	1,440	µg/L	0	GE
		Chloride	1,510	µg/L	0	GE
		Chlorobenzene	< 1.0	µg/L	0	GE
		Chlorobenzene	< 1.0	µg/L	0	GE
		Chloroethane	< 1.0	µg/L	0	GE
		Chloroethane	< 1.0	µg/L	0	GE
		Chloroethene (Vinyl chloride)	< 1.0	µg/L	0	GE
		Chloroethene (Vinyl chloride)	< 1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	< 1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	< 1.0	µg/L	0	GE
		Chloroform	< 1.0	µg/L	0	GE
		Chloroform	< 1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	< 1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	< 1.0	µg/L	0	GE
		Chromium	< 4.0	µg/L	0	GE
		Chromium	< 4.0	µg/L	0	GE
		Dibromochloromethane	< 1.0	µg/L	0	GE
		Dibromochloromethane	< 1.0	µg/L	0	GE
		1,1-Dichloroethane	< 1.0	µg/L	0	GE
		1,1-Dichloroethane	< 1.0	µg/L	0	GE
		1,2-Dichloroethane	< 1.0	µg/L	0	GE
		1,2-Dichloroethane	< 1.0	µg/L	0	GE
		1,1-Dichloroethylene	< 1.0	µg/L	0	GE
		1,1-Dichloroethylene	< 1.0	µg/L	0	GE
		trans-1,2-Dichloroethylene	< 1.0	µg/L	0	GE
		trans-1,2-Dichloroethylene	< 1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	< 1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	9.0	µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	< 0.30	µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	< 0.30	µg/L	0	GE
		1,2-Dichloropropane	< 1.0	µg/L	0	GE
		1,2-Dichloropropane	< 1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	< 1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	< 1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	< 1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	< 1.0	µg/L	0	GE
		Endrin	< 0.0060	µg/L	0	GE
		Endrin	< 0.0060	µg/L	0	GE
		Ethylbenzene	< 1.0	µg/L	0	GE
		Ethylbenzene	< 1.0	µg/L	0	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard

WELL LFW 43B, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Fluoride	<100	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE
		Iron	15	µg/L	0	GE
		Iron	24	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE
		Lindane	<0.0050	µg/L	0	GE
		Lindane	<0.0050	µg/L	0	GE
		Magnesium	255	µg/L	0	GE
		Magnesium	258	µg/L	0	GE
		Manganese	12	µg/L	0	GE
		Manganese	12	µg/L	0	GE
		Mercury	0.25	µg/L	0	GE
		Mercury	<0.20	µg/L	0	GE
		Methoxychlor	<0.50	µg/L	0	GE
		Methoxychlor	<0.50	µg/L	0	GE
		Nitrate as nitrogen	810	µg/L	0	GE
		Nitrate as nitrogen	810	µg/L	0	GE
		Phenols	<5.0	µg/L	0	GE
		Phenols	<5.0	µg/L	0	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	534	µg/L	0	GE
		Potassium	518	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	8,120	µg/L	0	GE
		Silica	8,290	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	2,110	µg/L	0	GE
		Sodium	2,100	µg/L	0	GE
		Sulfate	<1,000	µg/L	0	GE
		Sulfate	<1,000	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0	µg/L	0	GE
		Tetrachloroethylene	<1.0	µg/L	0	GE
		Tetrachloroethylene	<1.0	µg/L	0	GE
		Toluene	<1.0	µg/L	0	GE
		Toluene	<1.0	µg/L	0	GE
•		Total dissolved solids	13,000	µg/L	0	GE
•		Total dissolved solids	17,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	GE
		Total phosphates (as P)	<50	µg/L	0	GE
		Total phosphates (as P)	<50	µg/L	0	GE
		Total phosphates (as P)	<50	µg/L	0	GE
		Toxaphene	<0.24	µg/L	0	GE
		Toxaphene	<0.24	µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 43B, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		2,4,5-TP (Silvex)	<0.090	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0	µg/L	0	GE
		1,1,2-Trichloroethane	<1.0	µg/L	0	GE
		1,1,2-Trichloroethane	<1.0	µg/L	0	GE
		Trichloroethylene	<1.0	µg/L	0	GE
		Trichloroethylene	<1.0	µg/L	0	GE
		Trichlorofluoromethane	<1.0	µg/L	0	GE
		Trichlorofluoromethane	<1.0	µg/L	0	GE
		Gross alpha	<2.0E+00	pCi/L	0	GE
		Gross alpha	<2.0E+00	pCi/L	0	GE
		Nonvolatile beta	<2.0E+00	pCi/L	0	GE
		Nonvolatile beta	<2.0E+00	pCi/L	0	GE
		Total radium	1.0E+00 ± 1.4E+00	pCi/L	0	GE
		Total radium	<1.0E+00	pCi/L	0	GE
		Tritium	<7.0E-01	pCi/mL	0	GE
		Tritium	<7.0E-01	pCi/mL	0	GE

WELL LFW 43B

<u>SRS Coord.</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>
N86459.2	100.4-90.4 ft msl	203.0 ft msl	4" PVC
E45240.5			

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 10/28/91	Time: 11:05
Depth to water: 36.08 ft (11.00 m) below TOC	pH: 6.0
Water elevation: 166.92 ft (50.88 m) msl	Alkalinity: 9 mg/L
Sp. conductance: 30 µS/cm	Water temperature: 18.5°C
Water evacuated before sampling: 253 gal	

WELL LFW 43C

<u>SRS Coord.</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>
N86480.6	138.5-128.5 ft msl	202.6 ft msl	4" PVC
E45234.9			

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 10/28/91	Time: 10:30
Depth to water: 35.36 ft (10.78 m) below TOC	pH: 5.3
Water elevation: 167.24 ft (50.98 m) msl	Alkalinity: 3 mg/L
Sp. conductance: 21 µS/cm	Water temperature: 18.3°C
Water evacuated before sampling: 103 gal	

● = exceeded holding time. ■ = exceeded primary drinking water standard

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.8	pH	0	GE
		Specific conductance	20	µS/cm	0	GE
		Arsenic	< 2.0	µg/L	0	GE
		Barium	7.6	µg/L	0	GE
		Benzene	< 1.0	µg/L	0	GE
		Bromodichloromethane	< 1.0	µg/L	0	GE
		Bromoform	< 1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	< 1.0	µg/L	0	GE
		Cadmium	< 2.0	µg/L	0	GE
		Calcium	1,850	µg/L	0	GE
		Carbon tetrachloride	< 1.0	µg/L	0	GE
		Chloride	1,610	µg/L	0	GE
		Chlorobenzene	< 1.0	µg/L	0	GE
		Chloroethane	< 1.0	µg/L	0	GE
		Chloroethene (Vinyl chloride)	< 1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	< 1.0	µg/L	0	GE
		Chloroform	< 1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	< 1.0	µg/L	0	GE
		Chromium	< 4.0	µg/L	0	GE
		Dibromochloromethane	< 1.0	µg/L	0	GE
		1,1-Dichloroethane	< 1.0	µg/L	0	GE
		1,2-Dichloroethane	< 1.0	µg/L	0	GE
		1,1-Dichloroethylene	< 1.0	µg/L	0	GE
		trans-1,2-Dichloroethylene	< 1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	8.0	µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	< 0.30	µg/L	0	GE
		1,2-Dichloropropane	< 1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	< 1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	< 1.0	µg/L	0	GE
		Endrin	< 0.0060	µg/L	0	GE
		Ethylbenzene	< 1.0	µg/L	0	GE
		Fluoride	< 100	µg/L	0	GE
		Iron	5.7	µg/L	0	GE
		Lead	< 3.0	µg/L	0	GE
		Lindane	< 0.0050	µg/L	0	GE
		Magnesium	361	µg/L	0	GE
		Manganese	13	µg/L	0	GE
		Mercury	< 0.20	µg/L	0	GE
		Methoxychlor	< 0.50	µg/L	0	GE
		Nitrate as nitrogen	420	µg/L	0	GE
		Phenols	< 5.0	µg/L	0	GE
		Potassium	< 500	µg/L	0	GE
		Selenium	< 2.0	µg/L	0	GE
		Silica	7,050	µg/L	0	GE
		Silver	< 2.0	µg/L	0	GE
		Sodium	1,140	µg/L	0	GE
		Sulfate	< 1,000	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 43C, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		1,1,2,2-Tetrachloroethane	< 1.0	µg/L	0	GE
		Tetrachloroethylene	< 1.0	µg/L	0	GE
		Toluene	< 1.0	µg/L	0	GE
•		Total dissolved solids	9,000	µg/L	0	GE
		Total organic carbon	< 1,000	µg/L	0	GE
		Total organic halogens	< 5.0	µg/L	0	GE
		Total phosphates (as P)	< 50	µg/L	0	GE
		Toxaphene	< 0.24	µg/L	0	GE
		2,4,5-TP (Silvex)	< 0.090	µg/L	0	GE
		1,1,1-Trichloroethane	< 1.0	µg/L	0	GE
		1,1,2-Trichloroethane	< 1.0	µg/L	0	GE
		Trichloroethylene	< 1.0	µg/L	0	GE
		Trichlorofluoromethane	< 1.0	µg/L	0	GE
		Gross alpha	< 2.0E+00	pCi/L	0	GE
		Nonvolatile beta	2.6E+00 ± 1.5E+00	pCi/L	0	GE
		Total radium	< 1.0E+00	pCi/L	0	GE
		Tritium	< 7.0E-01	pCi/mL	0	GE

WELL LFW 43D

<u>SRS Coord.</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>
N86443.2 E45244.5	170.9-150.9 ft msl	202.9 ft msl	4" PVC

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 10/28/91
 Depth to water: 34.96 ft (10.66 m) below TOC
 Water elevation: 167.94 ft (51.19 m) msl
 Sp. conductance: 24 µS/cm
 Water evacuated before sampling: 46 gal

Time: 10:45
 pH: 5.1
 Alkalinity: 1 mg/L
 Water temperature: 18.6°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.4	pH	0	GE
		Specific conductance	25	µS/cm	0	GE
		Arsenic	< 2.0	µg/L	0	GE
		Barium	11	µg/L	0	GE
		Benzene	< 1.0	µg/L	0	GE
		Bromodichloromethane	< 1.0	µg/L	0	GE
		Bromoform	< 1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	< 1.0	µg/L	0	GE
		Cadmium	< 2.0	µg/L	0	GE
		Calcium	1,030	µg/L	0	GE
		Carbon tetrachloride	< 1.0	µg/L	0	GE
		Chloride	2,150	µg/L	0	GE
		Chlorobenzene	< 1.0	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard

WELL LFW 43D, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Chloroethane	< 1.0	µg/L	0	GE
		Chloroethene (Vinyl chloride)	< 1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	< 1.0	µg/L	0	GE
		Chloroform	< 1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	< 1.0	µg/L	0	GE
		Chromium	< 4.0	µg/L	0	GE
		Dibromochloromethane	< 1.0	µg/L	0	GE
		1,1-Dichloroethane	< 1.0	µg/L	0	GE
		1,2-Dichloroethane	< 1.0	µg/L	0	GE
		1,1-Dichloroethylene	< 1.0	µg/L	0	GE
		trans-1,2-Dichloroethylene	< 1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	3.0	µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	< 0.30	µg/L	0	GE
		1,2-Dichloropropane	< 1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	< 1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	< 1.0	µg/L	0	GE
		Endrin	< 0.0060	µg/L	0	GE
		Ethylbenzene	< 1.0	µg/L	0	GE
		Fluoride	< 100	µg/L	0	GE
		Iron	6.6	µg/L	0	GE
		Lead	< 3.0	µg/L	0	GE
		Lindane	< 0.0050	µg/L	0	GE
		Magnesium	697	µg/L	0	GE
		Manganese	22	µg/L	0	GE
		Mercury	< 0.20	µg/L	0	GE
		Methoxychlor	< 0.50	µg/L	0	GE
		Nitrate as nitrogen	840	µg/L	0	GE
		Phenols	< 5.0	µg/L	0	GE
		Potassium	< 500	µg/L	0	GE
		Selenium	< 2.0	µg/L	0	GE
		Silica	5,800	µg/L	0	GE
		Silver	< 2.0	µg/L	0	GE
		Sodium	1,440	µg/L	0	GE
		Sulfate	< 1,000	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	< 1.0	µg/L	0	GE
		Tetrachloroethylene	< 1.0	µg/L	0	GE
		Toluene	< 1.0	µg/L	0	GE
•		Total dissolved solids	8,000	µg/L	0	GE
•		Total dissolved solids	9,000	µg/L	0	GE
		Total organic carbon	< 1,000	µg/L	0	GE
		Total organic halogens	< 5.0	µg/L	0	GE
		Total organic halogens	< 5.0	µg/L	0	GE
		Total phosphates (as P)	< 50	µg/L	0	GE
		Toxaphene	< 0.24	µg/L	0	GE
		2,4,5-TP (Silvex)	< 0.090	µg/L	0	GE
		1,1,1-Trichloroethane	< 1.0	µg/L	0	GE
		1,1,2-Trichloroethane	< 1.0	µg/L	0	GE
		Trichloroethylene	< 1.0	µg/L	0	GE
		Trichlorofluoromethane	< 1.0	µg/L	0	GE
		Gross alpha	< 2.0E+00	pCi/L	0	GE
		Nonvolatile beta	< 2.0E+00	pCi/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 43D, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Total radium	<1.0E+00	pCi/L	0	GE
		Tritium	<7.0E-01	pCi/mL	0	GE

WELL LFW 44D

<u>SRS Coord.</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>
N84524.4 E45022.6	159.3-139.5 ft msl	170.3 ft msl	4" PVC

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 10/28/91
 Depth to water: 14.81 ft (4.51 m) below TOC
 Water elevation: 155.49 ft (47.39 m) msl
 Sp. conductance: 20 μ S/cm
 Water evacuated before sampling: 43 gal

Time: 12:05
 pH: 4.8
 Alkalinity: 0 mg/L
 Water temperature: 19.4°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.2	pH	0	GE
		Specific conductance	20	μ S/cm	0	GE
		Arsenic	<2.0	μ g/L	0	GE
		Barium	3.2	μ g/L	0	GE
		Benzene	<1.0	μ g/L	0	GE
		Bromodichloromethane	<1.0	μ g/L	0	GE
		Bromoform	<1.0	μ g/L	0	GE
		Bromomethane (Methyl bromide)	<1.0	μ g/L	0	GE
		Cadmium	<2.0	μ g/L	0	GE
		Calcium	432	μ g/L	0	GE
		Carbon tetrachloride	<1.0	μ g/L	0	GE
		Chloride	3,180	μ g/L	0	GE
		Chlorobenzene	<1.0	μ g/L	0	GE
		Chloroethane	<1.0	μ g/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0	μ g/L	0	GE
		2-Chloroethyl vinyl ether	<1.0	μ g/L	0	GE
		Chloroform	<1.0	μ g/L	0	GE
		Chloromethane (Methyl chloride)	<1.0	μ g/L	0	GE
		Chromium	<4.0	μ g/L	0	GE
		Dibromochloromethane	<1.0	μ g/L	0	GE
		1,1-Dichloroethane	<1.0	μ g/L	0	GE
		1,2-Dichloroethane	<1.0	μ g/L	0	GE
		1,1-Dichloroethylene	<1.0	μ g/L	0	GE
		trans-1,2-Dichloroethylene	<1.0	μ g/L	0	GE
		Dichloromethane (Methylene chloride)	16	μ g/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30	μ g/L	0	GE
		1,2-Dichloropropane	<1.0	μ g/L	0	GE
		trans-1,3-Dichloropropene	<1.0	μ g/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard

WELL LFW 44D, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		cis-1,3-Dichloropropene	< 1.0	µg/L	0	GE
		Endrin	< 0.0060	µg/L	0	GE
		Ethylbenzene	< 1.0	µg/L	0	GE
		Fluoride	< 100	µg/L	0	GE
		Iron	14	µg/L	0	GE
		Lead	< 3.0	µg/L	0	GE
		Lindane	< 0.0050	µg/L	0	GE
		Magnesium	368	µg/L	0	GE
		Manganese	2.9	µg/L	0	GE
		Mercury	< 0.20	µg/L	0	GE
		Methoxychlor	< 0.50	µg/L	0	GE
		Nitrate as nitrogen	390	µg/L	0	GE
		Phenols	< 5.0	µg/L	0	GE
		Potassium	600	µg/L	0	GE
		Selenium	< 2.0	µg/L	0	GE
		Silica	6,360	µg/L	0	GE
		Silver	< 2.0	µg/L	0	GE
		Sodium	1,390	µg/L	0	GE
		Sulfate	1,600	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	< 1.0	µg/L	0	GE
		Tetrachloroethylene	< 1.0	µg/L	0	GE
		Toluene	< 1.0	µg/L	0	GE
•		Total dissolved solids	8,000	µg/L	0	GE
		Total organic carbon	< 1,000	µg/L	0	GE
		Total organic halogens	< 5.0	µg/L	0	GE
		Total phosphates (as P)	< 50	µg/L	0	GE
		Toxaphene	< 0.24	µg/L	0	GE
		2,4,5-TP (Silvex)	< 0.090	µg/L	0	GE
		1,1,1-Trichloroethane	< 1.0	µg/L	0	GE
		1,1,2-Trichloroethane	< 1.0	µg/L	0	GE
		Trichloroethylene	< 1.0	µg/L	0	GE
		Trichlorofluoromethane	< 1.0	µg/L	0	GE
		Gross alpha	< 2.0E+00	pCi/L	0	GE
		Nonvolatile beta	2.9E+00 ± 1.4E+00	pCi/L	0	GE
■		Total radium	5.0E+00 ± 1.7E+00	pCi/L	2	GE
		Tritium	< 7.0E-01	pCi/mL	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 45D

<u>SRS Coord.</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>
N84217.8 E45142.0	154.7-134.7 ft msl	166.3 ft msl	4" PVC

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 10/28/91	Time: 14:45
Depth to water: 13.55 ft (4.13 m) below TOC	pH: 4.9
Water elevation: 152.75 ft (46.56 m) msl	Alkalinity: 0 mg/L
Sp. conductance: 15 μ S/cm	Water temperature: 20.0°C
Water evacuated before sampling: 49 gal	

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.2	pH	0	GE
		Specific conductance	15	μ S/cm	0	GE
		Arsenic	<2.0	μ g/L	0	GE
		Arsenic	<2.0	μ g/L	0	GE
		Barium	3.8	μ g/L	0	GE
•		Benzene	<1.0	μ g/L	0	GE
•		Benzene	<1.0	μ g/L	0	GE
•		Bromodichloromethane	<1.0	μ g/L	0	GE
•		Bromodichloromethane	<1.0	μ g/L	0	GE
•		Bromoform	<1.0	μ g/L	0	GE
•		Bromoform	<1.0	μ g/L	0	GE
•		Bromomethane (Methyl bromide)	<1.0	μ g/L	0	GE
•		Bromomethane (Methyl bromide)	<1.0	μ g/L	0	GE
		Cadmium	<2.0	μ g/L	0	GE
		Calcium	337	μ g/L	0	GE
•		Carbon tetrachloride	<1.0	μ g/L	0	GE
•		Carbon tetrachloride	<1.0	μ g/L	0	GE
		Chloride	2,100	μ g/L	0	GE
•		Chlorobenzene	<1.0	μ g/L	0	GE
•		Chlorobenzene	<1.0	μ g/L	0	GE
•		Chloroethane	<1.0	μ g/L	0	GE
•		Chloroethane	<1.0	μ g/L	0	GE
•		Chloroethene (Vinyl chloride)	<1.0	μ g/L	0	GE
•		Chloroethene (Vinyl chloride)	<1.0	μ g/L	0	GE
•		2-Chloroethyl vinyl ether	<1.0	μ g/L	0	GE
•		2-Chloroethyl vinyl ether	<1.0	μ g/L	0	GE
•		Chloroform	<1.0	μ g/L	0	GE
•		Chloroform	<1.0	μ g/L	0	GE
•		Chloromethane (Methyl chloride)	<1.0	μ g/L	0	GE
•		Chloromethane (Methyl chloride)	<1.0	μ g/L	0	GE
		Chromium	<4.0	μ g/L	0	GE
•		Dibromochloromethane	<1.0	μ g/L	0	GE
•		Dibromochloromethane	<1.0	μ g/L	0	GE
•		1,1-Dichloroethane	<1.0	μ g/L	0	GE
•		1,1-Dichloroethane	<1.0	μ g/L	0	GE
•		1,2-Dichloroethane	<1.0	μ g/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard

WELL LFW 45D, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		1,2-Dichloroethane	< 1.0	µg/L	0	GE
•		1,1-Dichloroethylene	< 1.0	µg/L	0	GE
•		1,1-Dichloroethylene	< 1.0	µg/L	0	GE
•		trans-1,2-Dichloroethylene	< 1.0	µg/L	0	GE
•		trans-1,2-Dichloroethylene	< 1.0	µg/L	0	GE
•		Dichloromethane (Methylene chloride)	< 1.0	µg/L	0	GE
•		Dichloromethane (Methylene chloride)	< 1.0	µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	< 0.30	µg/L	0	GE
•		1,2-Dichloropropane	< 1.0	µg/L	0	GE
•		1,2-Dichloropropane	< 1.0	µg/L	0	GE
•		trans-1,3-Dichloropropene	< 1.0	µg/L	0	GE
•		trans-1,3-Dichloropropene	< 1.0	µg/L	0	GE
•		cis-1,3-Dichloropropene	< 1.0	µg/L	0	GE
•		cis-1,3-Dichloropropene	< 1.0	µg/L	0	GE
		Endrin	< 0.0060	µg/L	0	GE
		Endrin	< 0.0060	µg/L	0	GE
•		Ethylbenzene	< 1.0	µg/L	0	GE
•		Ethylbenzene	< 1.0	µg/L	0	GE
		Fluoride	< 100	µg/L	0	GE
		Lead	< 3.0	µg/L	0	GE
		Lead	< 3.0	µg/L	0	GE
		Lindane	< 0.0050	µg/L	0	GE
		Lindane	< 0.0050	µg/L	0	GE
		Magnesium	286	µg/L	0	GE
		Manganese	3.9	µg/L	0	GE
		Mercury	< 0.20	µg/L	0	GE
		Methoxychlor	< 0.50	µg/L	0	GE
		Methoxychlor	< 0.50	µg/L	0	GE
		Nitrate as nitrogen	170	µg/L	0	GE
		Phenols	< 5.0	µg/L	0	GE
		Phenols	< 5.0	µg/L	0	GE
		Potassium	699	µg/L	0	GE
		Selenium	< 2.0	µg/L	0	GE
		Selenium	< 2.0	µg/L	0	GE
		Silica	6,580	µg/L	0	GE
		Silver	< 2.0	µg/L	0	GE
		Sodium	934	µg/L	0	GE
		Sulfate	< 1,000	µg/L	0	GE
•		1,1,2,2-Tetrachloroethane	< 1.0	µg/L	0	GE
•		1,1,2,2-Tetrachloroethane	< 1.0	µg/L	0	GE
•		Tetrachloroethylene	< 1.0	µg/L	0	GE
•		Tetrachloroethylene	< 1.0	µg/L	0	GE
•		Toluene	< 1.0	µg/L	0	GE
•		Toluene	< 1.0	µg/L	0	GE
•		Total dissolved solids	7,000	µg/L	0	GE
		Total organic carbon	< 1,000	µg/L	0	GE
		Total organic halogens	< 5.0	µg/L	0	GE
		Total organic halogens	< 5.0	µg/L	0	GE
		Total phosphates (as P)	< 50	µg/L	0	GE
		Toxaphene	< 0.24	µg/L	0	GE
		Toxaphene	< 0.24	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 45D, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		2,4,5-TP (Silvex)	<0.090	µg/L	0	GE
•		1,1,1-Trichloroethane	<1.0	µg/L	0	GE
•		1,1,1-Trichloroethane	<1.0	µg/L	0	GE
•		1,1,2-Trichloroethane	<1.0	µg/L	0	GE
•		1,1,2-Trichloroethane	<1.0	µg/L	0	GE
•		Trichloroethylene	<1.0	µg/L	0	GE
•		Trichloroethylene	<1.0	µg/L	0	GE
•		Trichlorofluoromethane	<1.0	µg/L	0	GE
•		Trichlorofluoromethane	<1.0	µg/L	0	GE
		Gross alpha	<2.0E+00	pCi/L	0	GE
		Nonvolatile beta	<2.0E+00	pCi/L	0	GE
		Total radium	<1.0E+00	pCi/L	0	GE
		Tritium	1.3E+00 ± 7.0E-01	pCi/mL	0	GE

WELL LFW 46D

<u>SRS Coord.</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>
N84054.0 E45162.8	157.1-137.3 ft msl	165.1 ft msl	4" PVC

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 10/28/91
 Depth to water: 13.75 ft (4.19 m) below TOC
 Water elevation: 151.35 ft (46.13 m) msl
 Sp. conductance: 97 µS/cm
 Water evacuated before sampling: 38 gal

Time: 14:05
 pH: 5.5
 Alkalinity: 64 mg/L
 Water temperature: 20.6°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.7	pH	0	GE
		Specific conductance	90	µS/cm	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	13	µg/L	0	GE
		Benzene	<1.0	µg/L	0	GE
		Bromodichloromethane	<1.0	µg/L	0	GE
		Bromoform	<1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	8,150	µg/L	0	GE
		Carbon tetrachloride	<1.0	µg/L	0	GE
		Chloride	2,730	µg/L	0	GE
		Chlorobenzene	<1.0	µg/L	0	GE
		Chloroethane	<1.0	µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0	µg/L	0	GE
		Chloroform	<1.0	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard

WELL LFW 46D, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Chloromethane (Methyl chloride)	< 1.0	µg/L	0	GE
		Chromium	< 4.0	µg/L	0	GE
		Dibromochloromethane	< 1.0	µg/L	0	GE
		1,1-Dichloroethane	< 1.0	µg/L	0	GE
		1,2-Dichloroethane	< 1.0	µg/L	0	GE
		1,1-Dichloroethylene	< 1.0	µg/L	0	GE
		trans-1,2-Dichloroethylene	< 1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	1.0	µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	< 0.30	µg/L	0	GE
		1,2-Dichloropropane	< 1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	< 1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	< 1.0	µg/L	0	GE
		Endrin	< 0.0060	µg/L	0	GE
		Endrin	< 0.0060	µg/L	0	GE
		Ethylbenzene	< 1.0	µg/L	0	GE
		Fluoride	< 100	µg/L	0	GE
		Iron	12	µg/L	0	GE
		Lead	< 3.0	µg/L	0	GE
		Lindane	< 0.0050	µg/L	0	GE
		Lindane	< 0.0050	µg/L	0	GE
		Magnesium	3,970	µg/L	0	GE
		Manganese	7.0	µg/L	0	GE
		Mercury	< 0.20	µg/L	0	GE
		Methoxychlor	< 0.50	µg/L	0	GE
		Methoxychlor	< 0.50	µg/L	0	GE
		Nitrate as nitrogen	87	µg/L	0	GE
		Phenols	< 5.0	µg/L	0	GE
		Potassium	867	µg/L	0	GE
		Selenium	< 2.0	µg/L	0	GE
		Silica	6,180	µg/L	0	GE
		Silver	< 2.0	µg/L	0	GE
		Sodium	1,220	µg/L	0	GE
		Sulfate	26,400	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	< 1.0	µg/L	0	GE
		Tetrachloroethylene	< 1.0	µg/L	0	GE
		Toluene	< 1.0	µg/L	0	GE
•		Total dissolved solids	46,000	µg/L	0	GE
		Total organic carbon	< 1,000	µg/L	0	GE
		Total organic halogens	< 5.0	µg/L	0	GE
		Total organic halogens	5.8	µg/L	0	GE
		Total phosphates (as P)	410	µg/L	0	GE
		Toxaphene	< 0.24	µg/L	0	GE
		Toxaphene	< 0.24	µg/L	0	GE
		2,4,5-TP (Silvex)	< 0.090	µg/L	0	GE
		1,1,1-Trichloroethane	< 1.0	µg/L	0	GE
		1,1,2-Trichloroethane	< 1.0	µg/L	0	GE
		Trichloroethylene	< 1.0	µg/L	0	GE
		Trichlorofluoromethane	< 1.0	µg/L	0	GE
		Gross alpha	3.6E+00 ± 1.5E+00	pCi/L	0	GE
		Nonvolatile beta	5.2E+00 ± 1.7E+00	pCi/L	0	GE
		Total radium	3.1E+00 ± 1.7E+00	pCi/L	1	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 46D, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Tritium	<7.0E-01	pCi/mL	0	GE

WELL LFW 47C

<u>SRS Coord.</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>
N83843.9 E45178.6	115.8-105.7 ft msl	161.4 ft msl	4" PVC

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 10/28/91
 Depth to water: 12.46 ft (3.80 m) below TOC
 Water elevation: 148.94 ft (45.40 m) msl
 Sp. conductance: 42 μ S/cm
 Water evacuated before sampling: 114 gal

Time: 13:35
 pH: 5.2
 Alkalinity: 2 mg/L
 Water temperature: 18.3°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.5	pH	0	GE
		Specific conductance	40	μ S/cm	0	GE
		Arsenic	<2.0	μ g/L	0	GE
		Barium	4.9	μ g/L	0	GE
		Benzene	<1.0	μ g/L	0	GE
		Bromodichloromethane	<1.0	μ g/L	0	GE
		Bromoform	<1.0	μ g/L	0	GE
		Bromomethane (Methyl bromide)	<1.0	μ g/L	0	GE
		Cadmium	<2.0	μ g/L	0	GE
		Calcium	1,060	μ g/L	0	GE
		Carbon tetrachloride	<1.0	μ g/L	0	GE
		Chloride	5,120	μ g/L	0	GE
		Chlorobenzene	<1.0	μ g/L	0	GE
		Chloroethane	<1.0	μ g/L	0	GE
■		Chloroethene (Vinyl chloride)	10	μ g/L	2	GE
		2-Chloroethyl vinyl ether	<1.0	μ g/L	0	GE
		Chloroform	<1.0	μ g/L	0	GE
		Chloromethane (Methyl chloride)	<1.0	μ g/L	0	GE
		Chromium	<4.0	μ g/L	0	GE
		Dibromochloromethane	<1.0	μ g/L	0	GE
		1,1-Dichloroethane	3.8	μ g/L	0	GE
		1,2-Dichloroethane	<1.0	μ g/L	0	GE
		1,1-Dichloroethylene	<1.0	μ g/L	0	GE
		trans-1,2-Dichloroethylene	<1.0	μ g/L	0	GE
		Dichloromethane (Methylene chloride)	1.6	μ g/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30	μ g/L	0	GE
		1,2-Dichloropropane	<1.0	μ g/L	0	GE
		trans-1,3-Dichloropropene	<1.0	μ g/L	0	GE
		cis-1,3-Dichloropropene	<1.0	μ g/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard

WELL LFW 47C, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Endrin	<0.0060	µg/L	0	GE
		Endrin	<0.0060	µg/L	0	GE
		Ethylbenzene	<1.0	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE
		Iron	9.0	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE
		Lindane	<0.0050	µg/L	0	GE
		Lindane	<0.0050	µg/L	0	GE
		Magnesium	1,730	µg/L	0	GE
		Manganese	8.3	µg/L	0	GE
		Mercury	<0.20	µg/L	0	GE
		Methoxychlor	<0.50	µg/L	0	GE
		Methoxychlor	<0.50	µg/L	0	GE
		Nitrate as nitrogen	330	µg/L	0	GE
		Phenols	<5.0	µg/L	0	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	513	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	7,860	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	3,020	µg/L	0	GE
		Sulfate	<1,000	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0	µg/L	0	GE
		Tetrachloroethylene	<1.0	µg/L	0	GE
		Toluene	<1.0	µg/L	0	GE
•		Total dissolved solids	19,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	45	µg/L	1	GE
		Total phosphates (as P)	<50	µg/L	0	GE
		Toxaphene	<0.24	µg/L	0	GE
		Toxaphene	<0.24	µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0	µg/L	0	GE
		1,1,2-Trichloroethane	<1.0	µg/L	0	GE
		Trichloroethylene	<1.0	µg/L	0	GE
		Trichlorofluoromethane	<1.0	µg/L	0	GE
		Gross alpha	<2.0E+00	pCi/L	0	GE
		Nonvolatile beta	2.0E+00 ± 1.5E+00	pCi/L	0	GE
		Total radium	<1.0E+00	pCi/L	0	GE
		Tritium	<7.0E-01	pCi/mL	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 47D

<u>SRS Coord.</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>
N83859.3 E45167.9	154.7-134.9 ft msl	161.7 ft msl	4" PVC

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 10/28/91	Time: 13:10
Depth to water: 12.22 ft (3.72 m) below TOC	pH: 5.2
Water elevation: 149.48 ft (45.56 m) msl	Alkalinity: 1 mg/L
Sp. conductance: 24 μ S/cm	Water temperature: 20.1°C
Water evacuated before sampling: 40 gal	

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.5	pH	0	GE
		Specific conductance	25	μ S/cm	0	GE
		Arsenic	<2.0	μ g/L	0	GE
		Barium	11	μ g/L	0	GE
		Benzene	<1.0	μ g/L	0	GE
		Bromodichloromethane	<1.0	μ g/L	0	GE
		Bromoform	<1.0	μ g/L	0	GE
		Bromomethane (Methyl bromide)	<1.0	μ g/L	0	GE
		Cadmium	<2.0	μ g/L	0	GE
		Calcium	1,360	μ g/L	0	GE
		Carbon tetrachloride	<1.0	μ g/L	0	GE
		Chloride	1,490	μ g/L	0	GE
		Chlorobenzene	<1.0	μ g/L	0	GE
		Chloroethane	<1.0	μ g/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0	μ g/L	0	GE
		2-Chloroethyl vinyl ether	<1.0	μ g/L	0	GE
		Chloroform	<1.0	μ g/L	0	GE
		Chloromethane (Methyl chloride)	<1.0	μ g/L	0	GE
		Chromium	<4.0	μ g/L	0	GE
		Dibromochloromethane	<1.0	μ g/L	0	GE
		1,1-Dichloroethane	<1.0	μ g/L	0	GE
		1,2-Dichloroethane	<1.0	μ g/L	0	GE
		1,1-Dichloroethylene	<1.0	μ g/L	0	GE
		trans-1,2-Dichloroethylene	<1.0	μ g/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0	μ g/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30	μ g/L	0	GE
		1,2-Dichloropropane	<1.0	μ g/L	0	GE
		trans-1,3-Dichloropropene	<1.0	μ g/L	0	GE
		cis-1,3-Dichloropropene	<1.0	μ g/L	0	GE
		Endrin	<0.0060	μ g/L	0	GE
		Endrin	<0.0060	μ g/L	0	GE
		Ethylbenzene	<1.0	μ g/L	0	GE
		Fluoride	<100	μ g/L	0	GE
		Fluoride	<100	μ g/L	0	GE
		Iron	31	μ g/L	0	GE
		Lead	<3.0	μ g/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard

WELL LFW 47D, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Lindane	<0.0050	µg/L	0	GE
		Lindane	<0.0050	µg/L	0	GE
		Magnesium	734	µg/L	0	GE
		Manganese	3.5	µg/L	0	GE
		Mercury	<0.20	µg/L	0	GE
		Methoxychlor	<0.50	µg/L	0	GE
		Methoxychlor	<0.50	µg/L	0	GE
		Nitrate as nitrogen	50	µg/L	0	GE
		Nitrate as nitrogen	<50	µg/L	0	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	657	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	5,100	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	730	µg/L	0	GE
		Sulfate	4,800	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0	µg/L	0	GE
		Tetrachloroethylene	<1.0	µg/L	0	GE
		Toluene	<1.0	µg/L	0	GE
•		Total dissolved solids	18,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	12	µg/L	0	GE
		Total phosphates (as P)	<50	µg/L	0	GE
		Toxaphene	<0.24	µg/L	0	GE
		Toxaphene	<0.24	µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0	µg/L	0	GE
		1,1,2-Trichloroethane	<1.0	µg/L	0	GE
		Trichloroethylene	<1.0	µg/L	0	GE
		Trichlorofluoromethane	<1.0	µg/L	0	GE
		Gross alpha	<2.0E+00	pCi/L	0	GE
		Nonvolatile beta	<2.0E+00	pCi/L	0	GE
		Total radium	1.0E+00 ± 1.4E+00	pCi/L	0	GE
		Tritium	<7.0E-01	pCi/mL	0	GE

WELL LFW 48C

<u>SRS Coord.</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>
N83877.0 E45430.3	118.2-108.2 ft msl	169.3 ft msl	4" PVC

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 10/29/91
 Depth to water: 20.29 ft (6.18 m) below TOC
 Water elevation: 149.01 ft (45.42 m) msl
 Sp. conductance: 25 µS/cm
 Water evacuated before sampling: 135 gal

Time: 9:50
 pH: 5.4
 Alkalinity: 3 mg/L
 Water temperature: 18.1°C

• = exceeded holding time. ■ = exceeded primary drinking water standard.

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.5	pH	0	GE
		Specific conductance	20	µS/cm	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	6.3	µg/L	0	GE
		Benzene	<1.0	µg/L	0	GE
		Bromodichloromethane	<1.0	µg/L	0	GE
		Bromoform	<1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	998	µg/L	0	GE
		Carbon tetrachloride	<1.0	µg/L	0	GE
		Chloride	1,780	µg/L	0	GE
		Chlorobenzene	<1.0	µg/L	0	GE
		Chloroethane	<1.0	µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0	µg/L	0	GE
		Chloroform	<1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Dibromochloromethane	<1.0	µg/L	0	GE
		1,1-Dichloroethane	<1.0	µg/L	0	GE
		1,2-Dichloroethane	<1.0	µg/L	0	GE
		1,1-Dichloroethylene	<1.0	µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	4.1	µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30	µg/L	0	GE
		1,2-Dichloropropane	<1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0	µg/L	0	GE
		Endrin	<0.0060	µg/L	0	GE
		Endrin	<0.0060	µg/L	0	GE
		Ethylbenzene	<1.0	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE
		Lindane	<0.0050	µg/L	0	GE
		Lindane	<0.0050	µg/L	0	GE
		Magnesium	363	µg/L	0	GE
		Manganese	18	µg/L	0	GE
		Mercury	<0.20	µg/L	0	GE
		Methoxychlor	<0.50	µg/L	0	GE
		Methoxychlor	<0.50	µg/L	0	GE
		Nitrate as nitrogen	430	µg/L	0	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	508	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	7,050	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	1,440	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard

WELL LFW 48C, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Sulfate	<1,000	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0	µg/L	0	GE
		Tetrachloroethylene	<1.0	µg/L	0	GE
		Toluene	<1.0	µg/L	0	GE
•		Total dissolved solids	14,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	7.7	µg/L	0	GE
		Total phosphates (as P)	<50	µg/L	0	GE
		Toxaphene	<0.24	µg/L	0	GE
		Toxaphene	<0.24	µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0	µg/L	0	GE
		1,1,2-Trichloroethane	<1.0	µg/L	0	GE
		Trichloroethylene	<1.0	µg/L	0	GE
		Trichlorofluoromethane	<1.0	µg/L	0	GE
		Gross alpha	<2.0E+00	pCi/L	0	GE
		Nonvolatile beta	<2.0E+00	pCi/L	0	GE
		Total radium	<1.0E+00	pCi/L	0	GE
		Tritium	<7.0E-01	pCi/mL	0	GE

WELL LFW 48D

<u>SRS Coord.</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>
N83877.5 E45443.7	155.0-134.9 ft msl	169.5 ft msl	4" PVC

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 10/29/91
 Depth to water: 20.16 ft (6.14 m) below TOC
 Water elevation: 149.34 ft (45.52 m) msl
 Sp. conductance: 405 µS/cm
 Water evacuated before sampling: 39 gal

Time: 9:30
 pH: 6.7
 Alkalinity: 168 mg/L
 Water temperature: 18.9°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	6.5	pH	0	GE
		Specific conductance	275	µS/cm	1	GE
		Arsenic	9.8	µg/L	0	GE
		Arsenic	9.8	µg/L	0	GE
		Barium	8.2	µg/L	0	GE
		Benzene	<1.0	µg/L	0	GE
		Bromodichloromethane	<1.0	µg/L	0	GE
		Bromoform	<1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 48D, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Calcium	8,480	µg/L	0	GE
		Carbon tetrachloride	< 1.0	µg/L	0	GE
		Chloride	27,600	µg/L	0	GE
		Chlorobenzene	13	µg/L	2	GE
		Chloroethane	12	µg/L	2	GE
■		Chloroethene (Vinyl chloride)	108	µg/L	2	GE
		2-Chloroethyl vinyl ether	< 1.0	µg/L	0	GE
		Chloroform	< 1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	< 1.0	µg/L	0	GE
		Chromium	< 4.0	µg/L	0	GE
		Dibromochloromethane	< 1.0	µg/L	0	GE
		1,1-Dichloroethane	98	µg/L	2	GE
■		1,2-Dichloroethane	5.0	µg/L	2	GE
		1,1-Dichloroethylene	< 1.0	µg/L	0	GE
		trans-1,2-Dichloroethylene	< 1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	6.7	µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	< 0.30	µg/L	0	GE
		1,2-Dichloropropane	< 1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	< 1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	< 1.0	µg/L	0	GE
		Endrin	< 0.0060	µg/L	0	GE
		Endrin	< 0.0060	µg/L	0	GE
		Ethylbenzene	21	µg/L	0	GE
		Fluoride	330	µg/L	0	GE
		Fluoride	323	µg/L	0	GE
		Lead	< 3.0	µg/L	0	GE
		Lead	< 3.0	µg/L	0	GE
		Lindane	< 0.0050	µg/L	0	GE
		Lindane	< 0.0050	µg/L	0	GE
		Magnesium	16,400	µg/L	0	GE
		Manganese	27	µg/L	1	GE
		Mercury	< 0.20	µg/L	0	GE
		Methoxychlor	< 0.50	µg/L	0	GE
		Methoxychlor	< 0.50	µg/L	0	GE
		Nitrate as nitrogen	< 50	µg/L	0	GE
		Nitrate as nitrogen	< 50	µg/L	0	GE
		Phenols	< 5.0	µg/L	0	GE
		Potassium	1,670	µg/L	0	GE
		Selenium	< 2.0	µg/L	0	GE
		Selenium	< 2.0	µg/L	0	GE
		Silica	5,800	µg/L	0	GE
		Silver	< 2.0	µg/L	0	GE
		Sodium	25,500	µg/L	0	GE
		Sulfate	< 1,000	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	< 1.0	µg/L	0	GE
		Tetrachloroethylene	< 1.0	µg/L	0	GE
		Toluene	8.0	µg/L	0	GE
●		Total dissolved solids	143,000	µg/L	0	GE
		Total organic carbon	7,000	µg/L	1	GE
		Total organic halogens	449	µg/L	2	GE
		Total phosphates (as P)	< 50	µg/L	0	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard

WELL LFW 48D, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Toxaphene	<0.24	µg/L	0	GE
		Toxaphene	<0.24	µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0	µg/L	0	GE
		1,1,2-Trichloroethane	<1.0	µg/L	0	GE
		Trichloroethylene	<1.0	µg/L	0	GE
		Trichlorofluoromethane	<1.0	µg/L	0	GE
		Gross alpha	2.1E+00 ± 1.4E+00	pCi/L	0	GE
		Nonvolatile beta	4.2E+00 ± 1.6E+00	pCi/L	0	GE
		Total radium	<1.0E+00	pCi/L	0	GE
		Tritium	5.3E+00 ± 7.0E-01	pCi/mL	0	GE

WELL LFW 55C

<u>SRS Coord.</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>
N83613.2 E45205.9	104.1-94.1 ft msl	156.4 ft msl	4" PVC

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 10/29/91
 Depth to water: 9.38 ft (2.86 m) below TOC
 Water elevation: 147.02 ft (44.81 m) msl
 Sp. conductance: 40 µS/cm
 Water evacuated before sampling: 139 gal

Time: 10:50
 pH: 5.2
 Alkalinity: 1 mg/L
 Water temperature: 18.0°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.5	pH	0	GE
		Specific conductance	35	µS/cm	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	3.4	µg/L	0	GE
		Benzene	<1.0	µg/L	0	GE
		Bromodichloromethane	<1.0	µg/L	0	GE
		Bromoform	<1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	1,060	µg/L	0	GE
		Carbon tetrachloride	<1.0	µg/L	0	GE
		Chloride	4,540	µg/L	0	GE
		Chlorobenzene	<1.0	µg/L	0	GE
		Chloroethane	<1.0	µg/L	0	GE
■		Chloroethene (Vinyl chloride)	5.6	µg/L	2	GE
		2-Chloroethyl vinyl ether	<1.0	µg/L	0	GE
		Chloroform	<1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 55D, laboratory analyses (cont.)

<u>H</u> <u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
	Endrin	<0.0060	µg/L	0	GE
	Ethylbenzene	<1.0	µg/L	0	GE
	Fluoride	<100	µg/L	0	GE
	Lead	<3.0	µg/L	0	GE
	Lead	<3.0	µg/L	0	GE
	Lindane	<0.0050	µg/L	0	GE
	Lindane	<0.0050	µg/L	0	GE
	Magnesium	643	µg/L	0	GE
	Manganese	19	µg/L	0	GE
	Mercury	<0.20	µg/L	0	GE
	Methoxychlor	<0.50	µg/L	0	GE
	Methoxychlor	<0.50	µg/L	0	GE
	Nitrate as nitrogen	220	µg/L	0	GE
	Phenols	<5.0	µg/L	0	GE
	Potassium	827	µg/L	0	GE
	Selenium	<2.0	µg/L	0	GE
	Selenium	<2.0	µg/L	0	GE
	Silica	6,570	µg/L	0	GE
	Silver	<2.0	µg/L	0	GE
	Sodium	1,150	µg/L	0	GE
	Sulfate	2,350	µg/L	0	GE
	1,1,2,2-Tetrachloroethane	<1.0	µg/L	0	GE
	Tetrachloroethylene	<1.0	µg/L	0	GE
	Toluene	<1.0	µg/L	0	GE
•	Total dissolved solids	10,000	µg/L	0	GE
	Total organic carbon	<1,000	µg/L	0	GE
	Total organic halogens	19	µg/L	0	GE
	Total phosphates (as P)	<50	µg/L	0	GE
	Total phosphates (as P)	<50	µg/L	0	GE
	Total phosphates (as P)	<50	µg/L	0	GE
	Toxaphene	<0.24	µg/L	0	GE
	Toxaphene	<0.24	µg/L	0	GE
	2,4,5-TP (Silvex)	<0.090	µg/L	0	GE
	1,1,1-Trichloroethane	<1.0	µg/L	0	GE
	1,1,2-Trichloroethane	<1.0	µg/L	0	GE
	Trichloroethylene	<1.0	µg/L	0	GE
	Trichlorofluoromethane	<1.0	µg/L	0	GE
	Gross alpha	<2.0E+00	pCi/L	0	GE
	Nonvolatile beta	<2.0E+00	pCi/L	0	GE
	Total radium	<1.0E+00	pCi/L	0	GE
	Tritium	<7.0E-01	pCi/mL	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard

WELL LFW 56D

<u>SRS Coord.</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>
N83398.0 E45306.6	151.4-131.3 ft msl	158.1 ft msl	4" PVC

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 10/29/91	Time: 11:30
Depth to water: 12.61 ft (3.84 m) below TOC	pH: 4.9
Water elevation: 145.49 ft (44.35 m) msl	Alkalinity: 0 mg/L
Sp. conductance: 16 μ S/cm	Water temperature: 19.5°C
Water evacuated before sampling: 38 gal	

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.3	pH	0	GE
		Specific conductance	15	μ S/cm	0	GE
		Arsenic	<2.0	μ g/L	0	GE
		Arsenic	<2.0	μ g/L	0	GE
		Barium	<3.0	μ g/L	0	GE
		Benzene	<1.0	μ g/L	0	GE
		Bromodichloromethane	<1.0	μ g/L	0	GE
		Bromoform	<1.0	μ g/L	0	GE
		Bromomethane (Methyl bromide)	<1.0	μ g/L	0	GE
		Cadmium	<2.0	μ g/L	0	GE
		Calcium	368	μ g/L	0	GE
		Carbon tetrachloride	<1.0	μ g/L	0	GE
		Chloride	2,220	μ g/L	0	GE
		Chlorobenzene	<1.0	μ g/L	0	GE
		Chloroethane	<1.0	μ g/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0	μ g/L	0	GE
		2-Chloroethyl vinyl ether	<1.0	μ g/L	0	GE
		Chloroform	<1.0	μ g/L	0	GE
		Chloromethane (Methyl chloride)	<1.0	μ g/L	0	GE
		Chromium	<4.0	μ g/L	0	GE
		Dibromochloromethane	<1.0	μ g/L	0	GE
		1,1-Dichloroethane	1.8	μ g/L	0	GE
		1,2-Dichloroethane	<1.0	μ g/L	0	GE
		1,1-Dichloroethylene	<1.0	μ g/L	0	GE
		trans-1,2-Dichloroethylene	<1.0	μ g/L	0	GE
		Dichloromethane (Methylene chloride)	3.4	μ g/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30	μ g/L	0	GE
		1,2-Dichloropropane	<1.0	μ g/L	0	GE
		trans-1,3-Dichloropropene	<1.0	μ g/L	0	GE
		cis-1,3-Dichloropropene	<1.0	μ g/L	0	GE
		Endrin	<0.0060	μ g/L	0	GE
		Endrin	<0.0060	μ g/L	0	GE
		Ethylbenzene	<1.0	μ g/L	0	GE
		Fluoride	<100	μ g/L	0	GE
		Lead	<3.0	μ g/L	0	GE
		Lead	<3.0	μ g/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 57B

<u>SRS Coord.</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>
N83196.7 E45440.6	78.4-68.4 ft msl	165.4 ft msl	4" PVC

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 10/29/91
 Depth to water: 21.60 ft (6.58 m) below TOC
 Water elevation: 143.80 ft (43.83 m) msl
 Sp. conductance: 55 μ S/cm
 Water evacuated before sampling: 249 gal

Time: 12:40
 pH: 4.2
 Alkalinity: 0 mg/L
 Water temperature: 18.5°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	4.4	pH	0	GE
		Specific conductance	50	μ S/cm	0	GE
		Arsenic	<2.0	μ g/L	0	GE
		Arsenic	<2.0	μ g/L	0	GE
		Barium	8.1	μ g/L	0	GE
		Benzene	<1.0	μ g/L	0	GE
		Bromodichloromethane	<1.0	μ g/L	0	GE
		Bromoform	<1.0	μ g/L	0	GE
		Bromomethane (Methyl bromide)	<1.0	μ g/L	0	GE
		Cadmium	<2.0	μ g/L	0	GE
		Calcium	1,480	μ g/L	0	GE
		Carbon tetrachloride	<1.0	μ g/L	0	GE
		Chloride	2,550	μ g/L	0	GE
		Chlorobenzene	<1.0	μ g/L	0	GE
		Chloroethane	<1.0	μ g/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0	μ g/L	0	GE
		2-Chloroethyl vinyl ether	<1.0	μ g/L	0	GE
		Chloroform	<1.0	μ g/L	0	GE
		Chloromethane (Methyl chloride)	<1.0	μ g/L	0	GE
		Chromium	<4.0	μ g/L	0	GE
		Dibromochloromethane	<1.0	μ g/L	0	GE
		1,1-Dichloroethane	<1.0	μ g/L	0	GE
		1,2-Dichloroethane	<1.0	μ g/L	0	GE
		1,1-Dichloroethylene	<1.0	μ g/L	0	GE
		trans-1,2-Dichloroethylene	<1.0	μ g/L	0	GE
		Dichloromethane (Methylene chloride)	3.1	μ g/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30	μ g/L	0	GE
		1,2-Dichloropropane	<1.0	μ g/L	0	GE
		trans-1,3-Dichloropropene	<1.0	μ g/L	0	GE
		cis-1,3-Dichloropropene	<1.0	μ g/L	0	GE
		Endrin	<0.0060	μ g/L	0	GE
		Endrin	<0.0060	μ g/L	0	GE
		Ethylbenzene	<1.0	μ g/L	0	GE
		Fluoride	<100	μ g/L	0	GE
		Lead	<3.0	μ g/L	0	GE
		Lead	<3.0	μ g/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 57B, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Lindane	<0.0050	µg/L	0	GE
		Lindane	<0.0050	µg/L	0	GE
		Magnesium	554	µg/L	0	GE
		Manganese	35	µg/L	1	GE
		Mercury	<0.20	µg/L	0	GE
		Methoxychlor	<0.50	µg/L	0	GE
		Methoxychlor	<0.50	µg/L	0	GE
		Nitrate as nitrogen	980	µg/L	0	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	<500	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	10,400	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	2,050	µg/L	0	GE
		Sulfate	44,200	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0	µg/L	0	GE
		Tetrachloroethylene	<1.0	µg/L	0	GE
		Toluene	<1.0	µg/L	0	GE
•		Total dissolved solids	25,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	10	µg/L	0	GE
		Total phosphates (as P)	60	µg/L	0	GE
		Toxaphene	<0.24	µg/L	0	GE
		Toxaphene	<0.24	µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0	µg/L	0	GE
		1,1,2-Trichloroethane	<1.0	µg/L	0	GE
		Trichloroethylene	<1.0	µg/L	0	GE
		Trichlorofluoromethane	<1.0	µg/L	0	GE
		Gross alpha	6.5E+00 ± 1.8E+00	pCi/L	0	GE
		Nonvolatile beta	4.6E+00 ± 1.6E+00	pCi/L	0	GE
		Total radium	2.9E+00 ± 1.4E+00	pCi/L	1	GE
		Tritium	<7.0E-01	pCi/mL	0	GE

WELL LFW 57C

<u>SRS Coord.</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>
N83200.1	117.9-107.8 ft msl	165.0 ft msl	4" PVC
E45411.1			

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 10/29/91
 Depth to water: 21.08 ft (6.43 m) below TOC
 Water elevation: 143.92 ft (43.87 m) msl
 Sp. conductance: 31 µS/cm
 Water evacuated before sampling: 96 gal

Time: 12:15
 pH: 5.3
 Alkalinity: 2 mg/L
 Water temperature: 18.1°C

• = exceeded holding time. ■ = exceeded primary drinking water standard

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.6	pH	0	GE
		Specific conductance	30	µS/cm	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	5.2	µg/L	0	GE
•		Benzene	<1.0	µg/L	0	GE
•		Bromodichloromethane	<1.0	µg/L	0	GE
•		Bromoform	<1.0	µg/L	0	GE
•		Bromomethane (Methyl bromide)	<1.0	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	1,040	µg/L	0	GE
•		Carbon tetrachloride	<1.0	µg/L	0	GE
		Chloride	3,440	µg/L	0	GE
•		Chlorobenzene	<1.0	µg/L	0	GE
•		Chloroethane	<1.0	µg/L	0	GE
•		Chloroethene (Vinyl chloride)	<1.0	µg/L	0	GE
•		2-Chloroethyl vinyl ether	<1.0	µg/L	0	GE
•		Chloroform	<1.0	µg/L	0	GE
•		Chloromethane (Methyl chloride)	<1.0	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
•		Dibromochloromethane	<1.0	µg/L	0	GE
•		1,1-Dichloroethane	3.0	µg/L	0	GE
•		1,2-Dichloroethane	<1.0	µg/L	0	GE
•		1,1-Dichloroethylene	<1.0	µg/L	0	GE
•		trans-1,2-Dichloroethylene	<1.0	µg/L	0	GE
•		Dichloromethane (Methylene chloride)	1.0	µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30	µg/L	0	GE
•		1,2-Dichloropropane	<1.0	µg/L	0	GE
•		trans-1,3-Dichloropropene	<1.0	µg/L	0	GE
•		cis-1,3-Dichloropropene	<1.0	µg/L	0	GE
		Endrin	<0.0060	µg/L	0	GE
•		Ethylbenzene	<1.0	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE
		Lindane	<0.0050	µg/L	0	GE
		Magnesium	832	µg/L	0	GE
		Manganese	13	µg/L	0	GE
		Mercury	<0.20	µg/L	0	GE
		Methoxychlor	<0.50	µg/L	0	GE
		Nitrate as nitrogen	790	µg/L	0	GE
		Potassium	<500	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	8,090	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	2,160	µg/L	0	GE
		Sulfate	<1,000	µg/L	0	GE
•		1,1,2,2-Tetrachloroethane	<1.0	µg/L	0	GE
•		Tetrachloroethylene	<1.0	µg/L	0	GE
•		Toluene	<1.0	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 57C, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	12	µg/L	0	GE
		Total organic halogens	13	µg/L	0	GE
		Toxaphene	<0.24	µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090	µg/L	0	GE
•		1,1,1-Trichloroethane	<1.0	µg/L	0	GE
•		1,1,2-Trichloroethane	<1.0	µg/L	0	GE
•		Trichloroethylene	<1.0	µg/L	0	GE
•		Trichlorofluoromethane	<1.0	µg/L	0	GE
		Gross alpha	<2.0E+00	pCi/L	0	GE
		Nonvolatile beta	<2.0E+00	pCi/L	0	GE
		Total radium	<1.0E+00	pCi/L	0	GE
		Tritium	<7.0E-01	pCi/mL	0	GE

WELL LFW 57D

<u>SRS Coord.</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>
N83190.2 E45417.4	150.4-130.6 ft msl	164.8 ft msl	4" PVC

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 10/29/91
 Depth to water: 20.91 ft (6.37 m) below TOC
 Water elevation: 143.89 ft (43.86 m) msl
 Sp. conductance: 19 µS/cm
 Water evacuated before sampling: 36 gal

Time: 12:00
 pH: 5.4
 Alkalinity: 7 mg/L
 Water temperature: 19.3°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.9	pH	0	GE
		Specific conductance	30	µS/cm	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	5.0	µg/L	0	GE
		Benzene	<1.0	µg/L	0	GE
		Bromodichloromethane	<1.0	µg/L	0	GE
		Bromoform	<1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	1,210	µg/L	0	GE
		Carbon tetrachloride	<1.0	µg/L	0	GE
		Chloride	3,280	µg/L	0	GE
		Chlorobenzene	<1.0	µg/L	0	GE
		Chloroethane	<1.0	µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard

WELL LFW 57D, laboratory analyses (cont.)

H	D	Analyte	Result	Unit	Flag	Lab
		2-Chloroethyl vinyl ether	< 1.0	µg/L	0	GE
		Chloroform	< 1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	< 1.0	µg/L	0	GE
		Chromium	< 4.0	µg/L	0	GE
		Dibromochloromethane	< 1.0	µg/L	0	GE
		1,1-Dichloroethane	12	µg/L	2	GE
		1,2-Dichloroethane	< 1.0	µg/L	0	GE
		1,1-Dichloroethylene	< 1.0	µg/L	0	GE
		trans-1,2-Dichloroethylene	< 1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	4.4	µg/L	0	GE
•		2,4-Dichlorophenoxyacetic acid	< 0.30	µg/L	0	GE
		1,2-Dichloropropane	< 1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	< 1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	< 1.0	µg/L	0	GE
		Endrin	< 0.0060	µg/L	0	GE
		Endrin	< 0.0060	µg/L	0	GE
		Ethylbenzene	< 1.0	µg/L	0	GE
		Fluoride	< 100	µg/L	0	GE
		Lead	< 3.0	µg/L	0	GE
		Lead	< 3.0	µg/L	0	GE
		Lindane	< 0.0050	µg/L	0	GE
		Lindane	< 0.0050	µg/L	0	GE
		Magnesium	1,370	µg/L	0	GE
		Manganese	20	µg/L	0	GE
		Mercury	< 0.20	µg/L	0	GE
		Methoxychlor	< 0.50	µg/L	0	GE
		Methoxychlor	< 0.50	µg/L	0	GE
		Nitrate as nitrogen	< 50	µg/L	0	GE
		Phenols	< 5.0	µg/L	0	GE
		Potassium	< 500	µg/L	0	GE
		Selenium	< 2.0	µg/L	0	GE
		Selenium	< 2.0	µg/L	0	GE
		Silica	5,890	µg/L	0	GE
		Silver	< 2.0	µg/L	0	GE
		Sodium	2,950	µg/L	0	GE
		Sulfate	1,220	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	< 1.0	µg/L	0	GE
		Tetrachloroethylene	< 1.0	µg/L	0	GE
		Toluene	< 1.0	µg/L	0	GE
•		Total dissolved solids	14,000	µg/L	0	GE
		Total organic carbon	< 1,000	µg/L	0	GE
		Total organic halogens	19	µg/L	0	GE
		Total phosphates (as P)	< 50	µg/L	0	GE
		Toxaphene	< 0.24	µg/L	0	GE
		Toxaphene	< 0.24	µg/L	0	GE
•		2,4,5-TP (Silvex)	< 0.090	µg/L	0	GE
		1,1,1-Trichloroethane	< 1.0	µg/L	0	GE
		1,1,2-Trichloroethane	< 1.0	µg/L	0	GE
		Trichloroethylene	< 1.0	µg/L	0	GE
		Trichlorofluoromethane	< 1.0	µg/L	0	GE
		Gross alpha	< 2.0E + 00	pCi/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 57D, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Nonvolatile beta	< 2.0E+00	pCi/L	0	GE
		Total radium	1.2E+00 ± 1.3E+00	pCi/L	0	GE
		Tritium	< 7.0E-01	pCi/mL	0	GE

WELL LFW 58D

<u>SRS Coord.</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>
N82940.6 E45700.2	147.6-127.5 ft msl	167.6 ft msl	4" PVC

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 10/29/91
 Depth to water: 25.67 ft (7.82 m) below TOC
 Water elevation: 141.93 ft (43.26 m) msl
 Sp. conductance: 32 μ S/cm
 Water evacuated before sampling: 49 gal

Time: 13:20
 pH: 5.1
 Alkalinity: 3 mg/L
 Water temperature: 19.4°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.3	pH	0	GE
•		pH	5.3	pH	0	GE
		Specific conductance	30	μ S/cm	0	GE
		Specific conductance	30	μ S/cm	0	GE
		Arsenic	< 2.0	μ g/L	0	GE
		Arsenic	< 2.0	μ g/L	0	GE
		Arsenic	< 2.0	μ g/L	0	GE
		Arsenic	< 2.0	μ g/L	0	GE
		Barium	6.7	μ g/L	0	GE
		Barium	6.5	μ g/L	0	GE
		Benzene	< 1.0	μ g/L	0	GE
		Benzene	< 1.0	μ g/L	0	GE
		Bromodichloromethane	< 1.0	μ g/L	0	GE
		Bromodichloromethane	< 1.0	μ g/L	0	GE
		Bromoform	< 1.0	μ g/L	0	GE
		Bromoform	< 1.0	μ g/L	0	GE
		Bromomethane (Methyl bromide)	< 1.0	μ g/L	0	GE
		Bromomethane (Methyl bromide)	< 1.0	μ g/L	0	GE
		Cadmium	< 2.0	μ g/L	0	GE
		Cadmium	< 2.0	μ g/L	0	GE
		Calcium	1,140	μ g/L	0	GE
		Calcium	1,130	μ g/L	0	GE
		Carbon tetrachloride	< 1.0	μ g/L	0	GE
		Carbon tetrachloride	< 1.0	μ g/L	0	GE
		Chloride	4,620	μ g/L	0	GE
		Chloride	4,360	μ g/L	0	GE
		Chlorobenzene	< 1.0	μ g/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard

WELL LFW 58D, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Chlorobenzene	< 1.0	µg/L	0	GE
		Chloroethane	< 1.0	µg/L	0	GE
		Chloroethane	< 1.0	µg/L	0	GE
		Chloroethene (Vinyl chloride)	< 1.0	µg/L	0	GE
		Chloroethene (Vinyl chloride)	< 1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	< 1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	< 1.0	µg/L	0	GE
		Chloroform	< 1.0	µg/L	0	GE
		Chloroform	< 1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	< 1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	< 1.0	µg/L	0	GE
		Chromium	< 4.0	µg/L	0	GE
		Chromium	< 4.0	µg/L	0	GE
		Dibromochloromethane	< 1.0	µg/L	0	GE
		Dibromochloromethane	< 1.0	µg/L	0	GE
		1,1-Dichloroethane	< 1.0	µg/L	0	GE
		1,1-Dichloroethane	24	µg/L	2	GE
		1,2-Dichloroethane	< 1.0	µg/L	0	GE
		1,2-Dichloroethane	< 1.0	µg/L	0	GE
		1,1-Dichloroethylene	< 1.0	µg/L	0	GE
		1,1-Dichloroethylene	< 1.0	µg/L	0	GE
		trans-1,2-Dichloroethylene	< 1.0	µg/L	0	GE
		trans-1,2-Dichloroethylene	< 1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	17	µg/L	0	GE
		Dichloromethane (Methylene chloride)	8.0	µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	< 0.60	µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	< 0.30	µg/L	0	GE
		1,2-Dichloropropane	< 1.0	µg/L	0	GE
		1,2-Dichloropropane	< 1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	< 1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	< 1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	< 1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	< 1.0	µg/L	0	GE
		Endrin	< 0.0060	µg/L	0	GE
		Endrin	< 0.0060	µg/L	0	GE
		Endrin	< 0.0060	µg/L	0	GE
		Endrin	< 0.0060	µg/L	0	GE
		Ethylbenzene	< 1.0	µg/L	0	GE
		Ethylbenzene	< 1.0	µg/L	0	GE
		Fluoride	< 100	µg/L	0	GE
		Fluoride	< 100	µg/L	0	GE
		Lead	< 3.0	µg/L	0	GE
		Lead	< 3.0	µg/L	0	GE
		Lead	< 3.0	µg/L	0	GE
		Lead	< 3.0	µg/L	0	GE
		Lindane	< 0.0050	µg/L	0	GE
		Lindane	< 0.0050	µg/L	0	GE
		Lindane	< 0.0050	µg/L	0	GE
		Lindane	< 0.0050	µg/L	0	GE
		Magnesium	608	µg/L	0	GE
		Magnesium	595	µg/L	0	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 58D, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Manganese	30	µg/L	1	GE
		Manganese	30	µg/L	1	GE
		Mercury	1.7	µg/L	1	GE
		Mercury	1.6	µg/L	1	GE
		Methoxychlor	<0.50	µg/L	0	GE
		Methoxychlor	<0.50	µg/L	0	GE
		Methoxychlor	<0.50	µg/L	0	GE
		Methoxychlor	<0.50	µg/L	0	GE
		Nitrate as nitrogen	190	µg/L	0	GE
		Nitrate as nitrogen	170	µg/L	0	GE
		Phenols	<5.0	µg/L	0	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	<500	µg/L	0	GE
		Potassium	<500	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	10,700	µg/L	0	GE
		Silica	10,600	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	3,010	µg/L	0	GE
		Sodium	2,990	µg/L	0	GE
		Sulfate	<1,000	µg/L	0	GE
		Sulfate	<1,000	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0	µg/L	0	GE
		Tetrachloroethylene	<1.0	µg/L	0	GE
		Tetrachloroethylene	2.0	µg/L	0	GE
		Toluene	1.0	µg/L	0	GE
		Toluene	<1.0	µg/L	0	GE
•		Total dissolved solids	16,000	µg/L	0	GE
•		Total dissolved solids	19,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	103	µg/L	2	GE
		Total organic halogens	129	µg/L	2	GE
		Total phosphates (as P)	<50	µg/L	0	GE
		Total phosphates (as P)	<50	µg/L	0	GE
		Toxaphene	<0.24	µg/L	0	GE
		Toxaphene	<0.24	µg/L	0	GE
		Toxaphene	<0.24	µg/L	0	GE
		Toxaphene	<0.24	µg/L	0	GE
		2,4,5-TP (Silvex)	<0.10	µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090	µg/L	0	GE
		1,1,1-Trichloroethane	3.0	µg/L	0	GE
		1,1,1-Trichloroethane	19	µg/L	0	GE
		1,1,2-Trichloroethane	<1.0	µg/L	0	GE
		1,1,2-Trichloroethane	<1.0	µg/L	0	GE
		Trichloroethylene	<1.0	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard

WELL LFW 58D, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
■		Trichloroethylene	8.3	µg/L	2	GE
		Trichlorofluoromethane	< 1.0	µg/L	0	GE
		Trichlorofluoromethane	123	µg/L	2	GE
		Gross alpha	< 2.0E+00	pCi/L	0	GE
		Gross alpha	< 2.0E+00	pCi/L	0	GE
		Nonvolatile beta	< 2.0E+00	pCi/L	0	GE
		Nonvolatile beta	< 2.0E+00	pCi/L	0	GE
		Total radium	< 1.0E+00	pCi/L	0	GE
		Total radium	< 1.0E+00	pCi/L	0	GE
		Tritium	< 7.0E-01	pCi/mL	0	GE
		Tritium	3.0E+00 ± 7.0E-01	pCi/mL	0	GE

WELL LFW 58D

<u>SRS Coord.</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>
N82940.6 E45700.2	147.6-127.5 ft msl	167.6 ft msl	4" PVC

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 10/29/91
 Depth to water: 25.67 ft (7.82 m) below TOC
 Water elevation: 141.93 ft (43.26 m) msl
 Sp. conductance: 32 µS/cm
 Water evacuated before sampling: 49 gal

Time: 13:20
 pH: 5.1
 Alkalinity: 3 mg/L
 Water temperature: 19.4°C

WELL LFW 59B

<u>SRS Coord.</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>
N83027.1 E46047.4	76.0-66.0 ft msl	168.1 ft msl	4" PVC

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 10/31/91
 Depth to water: 25.07 ft (7.64 m) below TOC
 Water elevation: 143.03 ft (43.60 m) msl
 Sp. conductance: 46 µS/cm
 Water evacuated before sampling: 203 gal

Time: 12:45
 pH: 3.9
 Alkalinity: 0 mg/L
 Water temperature: 19.0°C

● = exceeded holding time. ■ = exceeded primary drinking water standard.

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	4.4	pH	0	GE
		Specific conductance	40	µS/cm	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	6.3	µg/L	0	GE
		Benzene	<1.0	µg/L	0	GE
		Bromodichloromethane	<1.0	µg/L	0	GE
		Bromoform	<1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	1,110	µg/L	0	GE
		Carbon tetrachloride	<1.0	µg/L	0	GE
		Chloride	2,430	µg/L	0	GE
		Chlorobenzene	<1.0	µg/L	0	GE
		Chloroethane	<1.0	µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0	µg/L	0	GE
		Chloroform	<1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Dibromochloromethane	<1.0	µg/L	0	GE
		1,1-Dichloroethane	<1.0	µg/L	0	GE
		1,2-Dichloroethane	<1.0	µg/L	0	GE
		1,1-Dichloroethylene	<1.0	µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0	µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30	µg/L	0	GE
		1,2-Dichloropropane	<1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0	µg/L	0	GE
		Endrin	<0.0060	µg/L	0	GE
		Ethylbenzene	<1.0	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE
		Iron	19	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE
		Lindane	<0.0050	µg/L	0	GE
		Magnesium	449	µg/L	0	GE
		Manganese	31	µg/L	1	GE
		Mercury	<0.20	µg/L	0	GE
		Methoxychlor	<0.50	µg/L	0	GE
		Nitrate as nitrogen	480	µg/L	0	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	<500	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	10,600	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	1,530	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard

WELL LFW 59B, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Sulfate	4,710	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	< 1.0	µg/L	0	GE
		Tetrachloroethylene	< 1.0	µg/L	0	GE
		Toluene	< 1.0	µg/L	0	GE
		Total dissolved solids	19,000	µg/L	0	GE
		Total organic carbon	< 1,000	µg/L	0	GE
		Total organic halogens	6.9	µg/L	0	GE
		Total phosphates (as P)	< 50	µg/L	0	GE
		Toxaphene	< 0.24	µg/L	0	GE
		2,4,5-TP (Silvex)	< 0.090	µg/L	0	GE
		1,1,1-Trichloroethane	< 1.0	µg/L	0	GE
		1,1,2-Trichloroethane	< 1.0	µg/L	0	GE
		Trichloroethylene	< 1.0	µg/L	0	GE
		Trichlorofluoromethane	< 1.0	µg/L	0	GE
		Gross alpha	3.3E+00 ± 1.4E+00	pCi/L	0	GE
		Nonvolatile beta	< 2.0E+00	pCi/L	0	GE
		Total radium	< 1.0E+00	pCi/L	0	GE
		Tritium	< 7.0E-01	pCi/mL	0	GE

WELL LFW 59C

<u>SRS Coord.</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>
N83011.0 E46052.0	110.3-100.3 ft msl	167.3 ft msl	4" PVC

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 10/31/91
 Depth to water: 24.92 ft (7.60 m) below TOC
 Water elevation: 142.38 ft (43.40 m) msl
 Sp. conductance: 45 µS/cm
 Water evacuated before sampling: 112 gal

Time: 12:25
 pH: 4.5
 Alkalinity: 0 mg/L
 Water temperature: 19.0°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.0	pH	0	GE
		Specific conductance	40	µS/cm	0	GE
		Arsenic	< 2.0	µg/L	0	GE
		Barium	9.5	µg/L	0	GE
		Benzene	< 1.0	µg/L	0	GE
		Bromodichloromethane	< 1.0	µg/L	0	GE
		Bromoform	< 1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	< 1.0	µg/L	0	GE
		Cadmium	< 2.0	µg/L	0	GE
		Calcium	1,150	µg/L	0	GE
		Carbon tetrachloride	< 1.0	µg/L	0	GE
		Chloride	5,950	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 59C, laboratory analyses (cont.)

H	D	Analyte	Result	Unit	Flag	Lab
		Chloride	5,950	µg/L	0	GE
		Chlorobenzene	< 1.0	µg/L	0	GE
		Chloroethane	< 1.0	µg/L	0	GE
		Chloroethene (Vinyl chloride)	< 1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	< 1.0	µg/L	0	GE
		Chloroform	1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	< 1.0	µg/L	0	GE
		Chromium	< 4.0	µg/L	0	GE
		Dibromochloromethane	< 1.0	µg/L	0	GE
		1,1-Dichloroethane	17	µg/L	2	GE
		1,2-Dichloroethane	1.0	µg/L	0	GE
		1,1-Dichloroethylene	2.0	µg/L	0	GE
		trans-1,2-Dichloroethylene	< 1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	10	µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	< 0.30	µg/L	0	GE
		1,2-Dichloropropane	< 1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	< 1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	< 1.0	µg/L	0	GE
		Endrin	< 0.0060	µg/L	0	GE
		Ethylbenzene	< 1.0	µg/L	0	GE
		Fluoride	< 100	µg/L	0	GE
		Iron	44	µg/L	0	GE
		Lead	< 3.0	µg/L	0	GE
		Lindane	< 0.0050	µg/L	0	GE
		Magnesium	1,150	µg/L	0	GE
		Manganese	12	µg/L	0	GE
		Mercury	0.31	µg/L	0	GE
		Methoxychlor	< 0.50	µg/L	0	GE
		Nitrate as nitrogen	1,030	µg/L	0	GE
		Phenols	< 5.0	µg/L	0	GE
		Potassium	578	µg/L	0	GE
		Selenium	< 2.0	µg/L	0	GE
		Silica	9,400	µg/L	0	GE
		Silver	< 2.0	µg/L	0	GE
		Sodium	3,880	µg/L	0	GE
		Sulfate	1,830	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	< 1.0	µg/L	0	GE
		Tetrachloroethylene	1.0	µg/L	0	GE
		Toluene	< 1.0	µg/L	0	GE
		Total dissolved solids	22,000	µg/L	0	GE
		Total organic carbon	< 1,000	µg/L	0	GE
		Total organic halogens	266	µg/L	2	GE
		Total phosphates (as P)	< 50	µg/L	0	GE
		Toxaphene	< 0.24	µg/L	0	GE
		2,4,5-TP (Silvex)	< 0.090	µg/L	0	GE
		1,1,1-Trichloroethane	1.0	µg/L	0	GE
		1,1,2-Trichloroethane	< 1.0	µg/L	0	GE
■		Trichloroethylene	8.0	µg/L	2	GE
		Trichlorofluoromethane	< 1.0	µg/L	0	GE
		Gross alpha	< 2.0E+00	pCi/L	0	GE
		Nonvolatile beta	< 2.0E+00	pCi/L	0	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard

WELL LFW 59C, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Total radium	1.1E+00 ± 1.2E+00	pCi/L	0	GE
		Tritium	2.3E+00 ± 7.0E-01	pCi/mL	0	GE

WELL LFW 59D

<u>SRS Coord.</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>
N83000.1 E46056.1	149.3-129.3 ft msl	167.6 ft msl	4" PVC

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 10/31/91
 Depth to water: 24.66 ft (7.52 m) below TOC
 Water elevation: 142.94 ft (43.57 m) msl
 Sp. conductance: 26 µS/cm
 Water evacuated before sampling: 36 gal

Time: 13:05
 pH: 4.8
 Alkalinity: 0 mg/L
 Water temperature: 19.7°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.3	pH	0	GE
		Specific conductance	25	µS/cm	0	GE
		Arsenic	<2.0	µg/L	0	3E
		Barium	7.1	µg/L	0	GE
		Benzene	<1.0	µg/L	0	GE
		Bromodichloromethane	<1.0	µg/L	0	GE
		Bromoform	<1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	835	µg/L	0	GE
		Carbon tetrachloride	<1.0	µg/L	0	GE
		Chloride	3,880	µg/L	0	GE
		Chlorobenzene	<1.0	µg/L	0	GE
		Chloroethane	<1.0	µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0	µg/L	0	GE
		Chloroform	<1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Dibromochloromethane	<1.0	µg/L	0	GE
		1,1-Dichloroethane	19	µg/L	2	GE
		1,2-Dichloroethane	<1.0	µg/L	0	GE
		1,1-Dichloroethylene	3.8	µg/L	1	GE
		trans-1,2-Dichloroethylene	<1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	3.8	µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30	µg/L	0	GE
		1,2-Dichloropropane	<1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 59D, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		cis-1,3-Dichloropropene	<1.0	µg/L	0	GE
		Endrin	<0.0060	µg/L	0	GE
		Ethylbenzene	<1.0	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE
		Iron	6.6	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE
		Lindane	<0.0050	µg/L	0	GE
		Magnesium	738	µg/L	0	GE
		Manganese	19	µg/L	0	GE
		Mercury	<0.20	µg/L	0	GE
		Methoxychlor	<0.50	µg/L	0	GE
		Nitrate as nitrogen	<50	µg/L	0	GE
		Nitrate as nitrogen	<50	µg/L	0	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	<500	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	10,600	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	2,140	µg/L	0	GE
		Sulfate	<1,000	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0	µg/L	0	GE
		Tetrachloroethylene	2.5	µg/L	1	GE
		Toluene	<1.0	µg/L	0	GE
		Total dissolved solids	15,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	271	µg/L	2	GE
		Total phosphates (as P)	<50	µg/L	0	GE
		Toxaphene	<0.24	µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090	µg/L	0	GE
		1,1,1-Trichloroethane	40	µg/L	0	GE
		1,1,2-Trichloroethane	<1.0	µg/L	0	GE
■		Trichloroethylene	27	µg/L	2	GE
		Trichlorofluoromethane	109	µg/L	2	GE
		Gross alpha	<2.0E+00	pCi/L	0	GE
		Nonvolatile beta	<2.0E+00	pCi/L	0	GE
■		Total radium	9.3E+00 ± 2.2E+00	pCi/L	2	GE
		Tritium	<7.0E-01	pCi/mL	0	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard

WELL LFW 60D

<u>SRS Coord.</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>
N82531.5 E45722.3	143.8-123.8 ft msl	157.1 ft msl	4" PVC

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 10/29/91
 Depth to water: 18.79 ft (5.73 m) below TOC
 Water elevation: 138.31 ft (42.16 m) msl
 Sp. conductance: 40 μ S/cm
 Water evacuated before sampling: 10 gal
 The well went dry during purging.

Time: 13:55
 pH: 6.0
 Alkalinity: 12 mg/L
 Water temperature: 19.1°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	6.5	pH	0	GE
		Specific conductance	30	μ S/cm	0	GE
		Arsenic	<2.0	μ g/L	0	GE
		Barium	5.5	μ g/L	0	GE
		Benzene	<1.0	μ g/L	0	GE
		Bromodichloromethane	<1.0	μ g/L	0	GE
		Bromoform	<1.0	μ g/L	0	GE
		Bromomethane (Methyl bromide)	<1.0	μ g/L	0	GE
		Cadmium	<2.0	μ g/L	0	GE
		Calcium	1,930	μ g/L	0	GE
		Carbon tetrachloride	<1.0	μ g/L	0	GE
		Chloride	2,210	μ g/L	0	GE
		Chlorobenzene	<1.0	μ g/L	0	GE
		Chloroethane	<1.0	μ g/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0	μ g/L	0	GE
		2-Chloroethyl vinyl ether	<1.0	μ g/L	0	GE
		Chloroform	1.0	μ g/L	0	GE
		Chloromethane (Methyl chloride)	<1.0	μ g/L	0	GE
		Chromium	<4.0	μ g/L	0	GE
		Dibromochloromethane	<1.0	μ g/L	0	GE
		1,1-Dichloroethane	<1.0	μ g/L	0	GE
		1,2-Dichloroethane	<1.0	μ g/L	0	GE
		1,1-Dichloroethylene	<1.0	μ g/L	0	GE
		trans-1,2-Dichloroethylene	<1.0	μ g/L	0	GE
		Dichloromethane (Methylene chloride)	12	μ g/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30	μ g/L	0	GE
		1,2-Dichloropropane	<1.0	μ g/L	0	GE
		trans-1,3-Dichloropropene	<1.0	μ g/L	0	GE
		cis-1,3-Dichloropropene	<1.0	μ g/L	0	GE
		Endrin	<0.0060	μ g/L	0	GE
		Ethylbenzene	<1.0	μ g/L	0	GE
		Fluoride	<100	μ g/L	0	GE
		Lead	<3.0	μ g/L	0	GE
		Lindane	<0.0050	μ g/L	0	GE
		Magnesium	374	μ g/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 60D, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Manganese	26	µg/L	1	GE
		Mercury	<0.20	µg/L	0	GE
		Methoxychlor	<0.50	µg/L	0	GE
		Nitrate as nitrogen	60	µg/L	0	GE
		Potassium	<500	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	6,970	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	4,380	µg/L	0	GE
		Sulfate	<1,000	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0	µg/L	0	GE
		Tetrachloroethylene	<1.0	µg/L	0	GE
		Toluene	<1.0	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	GE
		Toxaphene	<0.24	µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0	µg/L	0	GE
		1,1,2-Trichloroethane	<1.0	µg/L	0	GE
		Trichloroethylene	<1.0	µg/L	0	GE
		Trichlorofluoromethane	<1.0	µg/L	0	GE
		Gross alpha	<2.0E+00	pCi/L	0	GE
		Nonvolatile beta	<2.0E+00	pCi/L	0	GE
		Total radium	<1.0E+00	pCi/L	0	GE
		Tritium	<7.0E-01	pCi/mL	0	GE

WELL LFW 61C

<u>SRS Coord.</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>
N83084.4 E46489.6	121.1-111.0 ft msl	168.3 ft msl	4" PVC

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 10/31/91
 Depth to water: 26.60 ft (8.11 m) below TOC
 Water elevation: 141.70 ft (43.19 m) msl
 Sp. conductance: 25 µS/cm
 Water evacuated before sampling: 81 gal

Time: 13:50
 pH: 5.0
 Alkalinity: 1 mg/L
 Water temperature: 19.0°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.5	pH	0	GE
		Specific conductance	20	µS/cm	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	6.2	µg/L	0	GE
		Benzene	<1.0	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard

WELL LFW 61C, laboratory analyses (cont.)

H	D	Analyte	Result	Unit	Flag	Lab
		Bromodichloromethane	< 1.0	µg/L	0	GE
		Bromoform	< 1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	< 1.0	µg/L	0	GE
		Cadmium	< 2.0	µg/L	0	GE
		Calcium	926	µg/L	0	GE
		Carbon tetrachloride	< 1.0	µg/L	0	GE
		Chloride	2,460	µg/L	0	GE
		Chlorobenzene	< 1.0	µg/L	0	GE
		Chloroethane	< 1.0	µg/L	0	GE
		Chloroethene (Vinyl chloride)	< 1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	< 1.0	µg/L	0	GE
		Chloroform	< 1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	< 1.0	µg/L	0	GE
		Chromium	< 4.0	µg/L	0	GE
		Dibromochloromethane	< 1.0	µg/L	0	GE
		1,1-Dichloroethane	6.0	µg/L	1	GE
		1,2-Dichloroethane	< 1.0	µg/L	0	GE
		1,1-Dichloroethylene	2.0	µg/L	0	GE
		trans-1,2-Dichloroethylene	< 1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	10	µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	< 0.30	µg/L	0	GE
		1,2-Dichloropropane	< 1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	< 1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	< 1.0	µg/L	0	GE
		Endrin	< 0.0060	µg/L	0	GE
		Ethylbenzene	< 1.0	µg/L	0	GE
		Fluoride	< 100	µg/L	0	GE
		Iron	7.2	µg/L	0	GE
		Lead	< 3.0	µg/L	0	GE
		Lindane	< 0.0050	µg/L	0	GE
		Magnesium	594	µg/L	0	GE
		Manganese	17	µg/L	0	GE
		Mercury	< 0.20	µg/L	0	GE
		Methoxychlor	< 0.50	µg/L	0	GE
		Nitrate as nitrogen	400	µg/L	0	GE
		Phenols	< 5.0	µg/L	0	GE
		Potassium	900	µg/L	0	GE
		Selenium	< 2.0	µg/L	0	GE
		Silica	7,600	µg/L	0	GE
		Silver	< 2.0	µg/L	0	GE
		Sodium	2,120	µg/L	0	GE
		Sulfate	< 1,000	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	< 1.0	µg/L	0	GE
		Tetrachloroethylene	1.0	µg/L	0	GE
		Toluene	< 1.0	µg/L	0	GE
		Total dissolved solids	17,000	µg/L	0	GE
		Total organic carbon	< 1,000	µg/L	0	GE
		Total organic halogens	196	µg/L	2	GE
		Total phosphates (as P)	< 50	µg/L	0	GE
		Toxaphene	< 0.24	µg/L	0	GE
		2,4,5-TP (Silvex)	< 0.090	µg/L	0	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 61C, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		1,1,1-Trichloroethane	13	µg/L	0	GE
		1,1,2-Trichloroethane	<1.0	µg/L	0	GE
		Trichloroethylene	4.0	µg/L	1	GE
		Trichlorofluoromethane	54	µg/L	2	GE
		Gross alpha	<2.0E+00	pCi/L	0	GE
		Nonvolatile beta	<2.0E+00	pCi/L	0	GE
		Total radium	<1.0E+00	pCi/L	0	GE
		Tritium	<7.0E-01	pCi/mL	0	GE

WELL LFW 61D

<u>SRS Coord.</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>
N83089.1 E46471.1	150.4-130.3 ft msl	168.3 ft msl	4" PVC

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 10/31/91
 Depth to water: 24.88 ft (7.58 m) below TOC
 Water elevation: 143.42 ft (43.71 m) msl
 Sp. conductance: 25 µS/cm
 Water evacuated before sampling: 36 gal

Time: 13:35
 pH: 4.5
 Alkalinity: 0 mg/L
 Water temperature: 19.0°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.1	pH	0	GE
		Specific conductance	20	µS/cm	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	3.8	µg/L	0	GE
		Benzene	<1.0	µg/L	0	GE
		Bromodichloromethane	<1.0	µg/L	0	GE
		Bromoform	<1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	458	µg/L	0	GE
		Carbon tetrachloride	<1.0	µg/L	0	GE
		Chloride	2,900	µg/L	0	GE
		Chlorobenzene	<1.0	µg/L	0	GE
		Chloroethane	<1.0	µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0	µg/L	0	GE
		Chloroform	<1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Dibromochloromethane	<1.0	µg/L	0	GE
		1,1-Dichloroethane	17	µg/L	2	GE
		1,2-Dichloroethane	<1.0	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard

WELL LFW 61D, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
■		1,1-Dichloroethylene	13	µg/L	2	GE
		trans-1,2-Dichloroethylene	<1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	5.9	µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30	µg/L	0	GE
		1,2-Dichloropropane	<1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0	µg/L	0	GE
		Endrin	<0.0060	µg/L	0	GE
		Ethylbenzene	<1.0	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE
		Iron	4.1	µg/L	0	GE
		Lead	6.3	µg/L	0	GE
		Lindane	<0.0050	µg/L	0	GE
		Magnesium	715	µg/L	0	GE
		Manganese	<2.0	µg/L	0	GE
		Mercury	<0.20	µg/L	0	GE
		Methoxychlor	<0.50	µg/L	0	GE
		Nitrate as nitrogen	150	µg/L	0	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	<500	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	8,710	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	1,830	µg/L	0	GE
		Sulfate	1,160	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0	µg/L	0	GE
■		Tetrachloroethylene	30	µg/L	2	GE
		Toluene	<1.0	µg/L	0	GE
		Total dissolved solids	17,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	231	µg/L	2	GE
		Total phosphates (as P)	90	µg/L	0	GE
		Toxaphene	<0.24	µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090	µg/L	0	GE
		1,1,1-Trichloroethane	70	µg/L	0	GE
		1,1,2-Trichloroethane	<1.0	µg/L	0	GE
■		Trichloroethylene	8.6	µg/L	2	GE
		Trichlorofluoromethane	116	µg/L	2	GE
		Gross alpha	4.5E+00 ± 1.6E+00	pCi/L	0	GE
		Nonvolatile beta	<2.0E+00	pCi/L	0	GE
		Total radium	3.2E+00 ± 1.5E+00	pCi/L	1	GE
		Tritium	<7.0E-01	pCi/mL	0	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 62B

<u>SRS Coord.</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>
N83001.2 E45915.5	72.8-62.8 ft msl	164.9 ft msl	4" PVC

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 10/31/91	Time: 11:40
Depth to water: 22.59 ft (6.89 m) below TOC	pH: 5.0
Water elevation: 142.31 ft (43.38 m) msl	Alkalinity: 0 mg/L
Sp. conductance: 32 μ S/cm	Water temperature: 19.1°C
Water evacuated before sampling: 210 gal	

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.3	pH	0	GE
		Specific conductance	30	μ S/cm	0	GE
		Arsenic	<2.0	μ g/L	0	GE
		Barium	5.2	μ g/L	0	GE
		Benzene	<1.0	μ g/L	0	GE
		Bromodichloromethane	<1.0	μ g/L	0	GE
		Bromoform	<1.0	μ g/L	0	GE
		Bromomethane (Methyl bromide)	<1.0	μ g/L	0	GE
		Cadmium	<2.0	μ g/L	0	GE
		Calcium	785	μ g/L	0	GE
		Carbon tetrachloride	<1.0	μ g/L	0	GE
		Chloride	1,830	μ g/L	0	GE
		Chlorobenzene	<1.0	μ g/L	0	GE
		Chloroethane	<1.0	μ g/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0	μ g/L	0	GE
		2-Chloroethyl vinyl ether	<1.0	μ g/L	0	GE
		Chloroform	<1.0	μ g/L	0	GE
		Chloromethane (Methyl chloride)	<1.0	μ g/L	0	GE
		Chromium	<4.0	μ g/L	0	GE
		Dibromochloromethane	<1.0	μ g/L	0	GE
		1,1-Dichloroethane	<1.0	μ g/L	0	GE
		1,2-Dichloroethane	<1.0	μ g/L	0	GE
		1,1-Dichloroethylene	<1.0	μ g/L	0	GE
		trans-1,2-Dichloroethylene	<1.0	μ g/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0	μ g/L	0	GE
•		2,4-Dichlorophenoxyacetic acid	<0.30	μ g/L	0	GE
		1,2-Dichloropropane	<1.0	μ g/L	0	GE
		trans-1,3-Dichloropropene	<1.0	μ g/L	0	GE
		cis-1,3-Dichloropropene	<1.0	μ g/L	0	GE
		Endrin	<0.0060	μ g/L	0	GE
		Ethylbenzene	<1.0	μ g/L	0	GE
		Fluoride	<100	μ g/L	0	GE
		Iron	20	μ g/L	0	GE
		Lead	14	μ g/L	1	GE
		Lindane	<0.0050	μ g/L	0	GE
		Magnesium	259	μ g/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard

WELL LFW 62B, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Manganese	19	µg/L	0	GE
		Mercury	<0.20	µg/L	0	GE
		Methoxychlor	<0.50	µg/L	0	GE
		Nitrate as nitrogen	530	µg/L	0	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	<500	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	10,400	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	3,960	µg/L	0	GE
		Sulfate	5,660	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0	µg/L	0	GE
		Tetrachloroethylene	<1.0	µg/L	0	GE
		Toluene	<1.0	µg/L	0	GE
		Total dissolved solids	45,000	µg/L	0	GE
		Total dissolved solids	47,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	10	µg/L	0	GE
		Total phosphates (as P)	200	µg/L	0	GE
		Toxaphene	<0.24	µg/L	0	GE
•		2,4,5-TP (Silvex)	<0.090	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0	µg/L	0	GE
		1,1,2-Trichloroethane	<1.0	µg/L	0	GE
		Trichloroethylene	<1.0	µg/L	0	GE
		Trichlorofluoromethane	<1.0	µg/L	0	GE
		Gross alpha	1.4E+01 ± 4.8E+00	pCi/L	1	GE
		Nonvolatile beta	7.7E+00 ± 4.3E+00	pCi/L	0	GE
		Total radium	2.2E+00 ± 1.7E+00	pCi/L	0	GE
		Tritium	<7.0E-01	pCi/mL	0	GE

WELL LFW 62C

<u>SRS Coord.</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>
N83012.7 E45906.7	118.4-108.4 ft msl	165.5 ft msl	4" PVC

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 10/29/91
 Depth to water: 22.87 ft (6.97 m) below TOC
 Water elevation: 142.63 ft (43.47 m) msl
 Sp. conductance: 26 µS/cm
 Water evacuated before sampling: 91 gal

Time: 14:45
 pH: 5.2
 Alkalinity: 1 mg/L
 Water temperature: 19.1°C

• = exceeded holding time. ■ = exceeded primary drinking water standard.

LABORATORY ANALYSES

H	D	Analyte	Result	Unit	Flag	Lab
•		pH	5.4	pH	0	GE
		Specific conductance	25	µS/cm	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	6.3	µg/L	0	GE
		Benzene	<1.0	µg/L	0	GE
		Bromodichloromethane	<1.0	µg/L	0	GE
		Bromoform	<1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	1,250	µg/L	0	GE
		Carbon tetrachloride	<1.0	µg/L	0	GE
		Chloride	2,100	µg/L	0	GE
		Chlorobenzene	<1.0	µg/L	0	GE
		Chloroethane	<1.0	µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0	µg/L	0	GE
		Chloroform	<1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Dibromochloromethane	<1.0	µg/L	0	GE
		1,1-Dichloroethane	5.0	µg/L	1	GE
		1,2-Dichloroethane	<1.0	µg/L	0	GE
		1,1-Dichloroethylene	2.0	µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	5.0	µg/L	0	GE
•		2,4-Dichlorophenoxyacetic acid	<0.30	µg/L	0	GE
		1,2-Dichloropropane	<1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0	µg/L	0	GE
		Endrin	<0.0060	µg/L	0	GE
		Endrin	<0.0060	µg/L	0	GE
		Ethylbenzene	<1.0	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE
		Lindane	<0.0050	µg/L	0	GE
		Lindane	<0.0050	µg/L	0	GE
		Magnesium	812	µg/L	0	GE
		Manganese	18	µg/L	0	GE
		Mercury	0.34	µg/L	0	GE
		Methoxychlor	<0.50	µg/L	0	GE
		Methoxychlor	<0.50	µg/L	0	GE
		Nitrate as nitrogen	1,470	µg/L	0	GE
		Phenols	<5.0	µg/L	0	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	540	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	7,940	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard

WELL LFW 62C, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Sodium	1,360	µg/L	0	GE
		Sulfate	<1,000	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0	µg/L	0	GE
		Tetrachloroethylene	2.0	µg/L	0	GE
		Toluene	<1.0	µg/L	0	GE
•		Total dissolved solids	17,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	22	µg/L	0	GE
		Total phosphates (as P)	<50	µg/L	0	GE
		Toxaphene	<0.24	µg/L	0	GE
		Toxaphene	<0.24	µg/L	0	GE
•		2,4,5-TP (Silvex)	<0.090	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0	µg/L	0	GE
		1,1,2-Trichloroethane	<1.0	µg/L	0	GE
■		Trichloroethylene	6.0	µg/L	2	GE
		Trichlorofluoromethane	1.0	µg/L	0	GE
		Gross alpha	<2.0E+00	pCi/L	0	GE
		Nonvolatile beta	<2.0E+00	pCi/L	0	GE
		Total radium	<1.0E+00	pCi/L	0	GE
		Tritium	<7.0E-01	pCi/mL	0	GE

WELL LFW 62D

<u>SRS Coord.</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>
N82991.6 E45922.9	147.6-127.6 ft msl	164.8 ft msl	4" PVC

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 10/29/91
 Depth to water: 21.69 ft (6.61 m) below TOC
 Water elevation: 143.11 ft (43.62 m) msl
 Sp. conductance: 34 µS/cm
 Water evacuated before sampling: 10 gal
 The well went dry during purging.

Time: 14:25
 pH: 5.0
 Alkalinity: 5 mg/L
 Water temperature: 19.1°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.4	pH	0	GE
		Specific conductance	30	µS/cm	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	9.4	µg/L	0	GE
		Benzene	<1.0	µg/L	0	GE
		Bromodichloromethane	<1.0	µg/L	0	GE
		Bromoform	<1.0	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 62D, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Bromomethane (Methyl bromide)	< 1.0	µg/L	0	GE
		Cadmium	< 2.0	µg/L	0	GE
		Calcium	1,450	µg/L	0	GE
		Carbon tetrachloride	< 1.0	µg/L	0	GE
		Chloride	4,380	µg/L	0	GE
		Chlorobenzene	< 1.0	µg/L	0	GE
		Chloroethane	< 1.0	µg/L	0	GE
		Chloroethene (Vinyl chloride)	< 1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	< 1.0	µg/L	0	GE
		Chloroform	< 1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	< 1.0	µg/L	0	GE
		Chromium	< 4.0	µg/L	0	GE
		Dibromochloromethane	< 1.0	µg/L	0	GE
		1,1-Dichloroethane	27	µg/L	2	GE
		1,2-Dichloroethane	< 1.0	µg/L	0	GE
		1,1-Dichloroethylene	4.0	µg/L	1	GE
		trans-1,2-Dichloroethylene	< 1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	10	µg/L	0	GE
•		2,4-Dichlorophenoxyacetic acid	< 0.30	µg/L	0	GE
		1,2-Dichloropropane	< 1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	< 1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	< 1.0	µg/L	0	GE
		Endrin	< 0.0060	µg/L	0	GE
		Endrin	< 0.0060	µg/L	0	GE
		Ethylbenzene	< 1.0	µg/L	0	GE
		Fluoride	< 100	µg/L	0	GE
		Lead	< 3.0	µg/L	0	GE
		Lead	< 3.0	µg/L	0	GE
		Lindane	< 0.0050	µg/L	0	GE
		Lindane	< 0.0050	µg/L	0	GE
		Magnesium	729	µg/L	0	GE
		Manganese	46	µg/L	1	GE
		Mercury	< 0.20	µg/L	0	GE
		Methoxychlor	< 0.50	µg/L	0	GE
		Methoxychlor	< 0.50	µg/L	0	GE
		Nitrate as nitrogen	270	µg/L	0	GE
		Phenols	< 5.0	µg/L	0	GE
		Potassium	< 500	µg/L	0	GE
		Selenium	< 2.0	µg/L	0	GE
		Selenium	< 2.0	µg/L	0	GE
		Silica	11,600	µg/L	0	GE
		Silver	< 2.0	µg/L	0	GE
		Sodium	3,020	µg/L	0	GE
		Sulfate	< 1,000	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	< 1.0	µg/L	0	GE
		Tetrachloroethylene	4.0	µg/L	1	GE
		Toluene	< 1.0	µg/L	0	GE
•		Total dissolved solids	26,000	µg/L	0	GE
		Total organic carbon	< 1,000	µg/L	0	GE
		Total organic halogens	247	µg/L	2	GE
		Total phosphates (as P)	< 50	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard

WELL LFW 62D, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Toxaphene	<0.24	µg/L	0	GE
		Toxaphene	<0.24	µg/L	0	GE
●		2,4,5-TP (Silvex)	<0.090	µg/L	0	GE
		1,1,1-Trichloroethane	36	µg/L	0	GE
		1,1,2-Trichloroethane	<1.0	µg/L	0	GE
■		Trichloroethylene	8.0	µg/L	2	GE
		Trichlorofluoromethane	26	µg/L	2	GE
		Gross alpha	<2.0E+00	pCi/L	0	GE
		Nonvolatile beta	<2.0E+00	pCi/L	0	GE
		Total radium	<1.0E+00	pCi/L	0	GE
		Tritium	<7.0E-01	pCi/mL	0	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard.

APPENDIX D

FIELD MEASUREMENTS

APPENDIX D:

FIELD MEASUREMENTS

Water Level in the LFW-Series Monitoring Wells

Water Level in the LFW-Series Monitoring Wells

APPENDIX D:

FIELD MEASUREMENTS

Water Level in the LFW-Series Monitoring Wells

Water Level in the LFW-Series Monitoring Wells

APPENDIX D:

FIELD MEASUREMENTS

Field pH in the LFW-Series Monitoring Wells

Field pH in the LFW-Series Monitoring Wells

APPENDIX D: FIELD MEASUREMENTS

Field pH in the LFW-Series Monitoring Wells

Field pH in the LFW-Series Monitoring Wells

APPENDIX D: FIELD MEASUREMENTS

Field Conductivity in the LFW-Series Monitoring Wells

Field Conductivity in the LFW-Series Monitoring Wells

APPENDIX D: FIELD MEASUREMENTS

Field Conductivity in the LFW-Series Monitoring Wells

Field Conductivity in the LFW-Series Monitoring Wells

APPENDIX E

TIME-SERIES OF WATER LEVELS

LFW 57C Water Elevations (ft)

elevation (ft)

170

166

162

158

154

150

146

142

138

3Q91

TIME (QUARTERS)

—□— WATER TABLE

empty space denotes dry well or no data

LFW 57D

Water Elevations (ft)

empty space denotes dry well or no data

LFW 58D

Water Elevations (ft)

TIME (QUARTERS)

—□— WATER TABLE

empty space denotes dry well or no data

LFW 59B

Water Elevations (ft)

TIME (QUARTERS)

—■— WATER TABLE

empty space denotes dry well or no data

LFW 59C

Water Elevations (ft)

—□— WATER TABLE

empty space denotes dry well or no data

LFW 59D

Water Elevations (ft)

elevation (ft)

170
166
162
158
154
150
146
142
138

3Q91

TIME (QUARTERS)

—□— WATER TABLE

empty space denotes dry well or no data

LFW 60D

Water Elevations (ft)

—□— WATER TABLE

empty space denotes dry well or no data

LFW 61C

Water Elevations (ft)

empty space denotes dry well or no data

LFW 61D

Water Elevations (ft)

—□— WATER TABLE

empty space denotes dry well or no data

LFW 62B

Water Elevations (ft)

TIME (QUARTERS)

—□— WATER TABLE

empty space denotes dry well or no data

LFW 62C

Water Elevations (ft)

TIME (QUARTERS)

—□— WATER TABLE

empty space denotes dry well or no data

LFW 62D

Water Elevations (ft)

—■— WATER TABLE

empty space denotes dry well or no data

LFW 6 Water Elevations (ft)

—□— WATER TABLE

empty space denotes dry well or no data

LFW 7

Water Elevations (ft)

—□— WATER TABLE

empty space denotes dry well or no data

LFW 8

Water Elevations (ft)

---□--- WATER TABLE

empty space denotes dry well or no data

LFW 10A

Water Elevations (ft)

—□— WATER TABLE

empty space denotes dry well or no data

LFW 19 Water Elevations (ft)

—□— WATER TABLE

empty space denotes dry well or no data

LFW 20 Water Elevations (ft)

—□— WATER TABLE

empty space denotes dry well or no data

LFW 21 Water Elevations (ft)

—□— WATER TABLE

empty space denotes dry well or no data

LFW 22 Water Elevations (ft)

—□— WATER TABLE

empty space denotes dry well or no data

LFW 24

Water Elevations (ft)

—□— WATER TABLE

empty space denotes dry well or no data

LFW 25

Water Elevations (ft)

—□— WATER TABLE

empty space denotes dry well or no data

LFW 27

Water Elevations (ft)

—□— WATER TABLE

empty space denotes dry well or no data

LFW 28

Water Elevations (ft)

—□— WATER TABLE

empty space denotes dry well or no data

LFW 29

Water Elevations (ft)

—□— WATER TABLE

empty space denotes dry well or no data

LFW 30

Water Elevations (ft)

—□— WATER TABLE

empty space denotes dry well or no data

LFW 31

Water Elevations (ft)

empty space denotes dry well or no data

LFW 32

Water Elevations (ft)

—□— WATER TABLE

empty space denotes dry well or no data

LFW 33

Water Elevations (ft)

—□— WATER TABLE

empty space denotes dry well or no data

LFW 34

Water Elevations (ft)

—□— WATER TABLE

empty space denotes dry well or no data

LFW 35

Water Elevations (ft)

—□— WATER TABLE

empty space denotes dry well or no data

LFW 36 Water Elevations (ft)

—□— WATER TABLE

empty space denotes dry well or no data

LFW 37

Water Elevations (ft)

—□— WATER TABLE

empty space denotes dry well or no data

LFW 38 Water Elevations (ft)

—□— WATER TABLE

empty space denotes dry well or no data

LFW 39

Water Elevations (ft)

—□— WATER TABLE

empty space denotes dry well or no data

LFW 40 Water Elevations (ft)

—□— WATER TABLE

empty space denotes dry well or no data

LFW 41 Water Elevations (ft)

—□— WATER TABLE

empty space denotes dry well or no data

LFW 42

Water Elevations (ft)

empty space denotes dry well or no data

LFW 43B

Water Elevations (ft)

—□— WATER TABLE

empty space denotes dry well or no data

LFW 43C

Water Elevations (ft)

TIME (QUARTERS)

—□— WATER TABLE

empty space denotes dry well or no data

LFW 43D

Water Elevations (ft)

TIME (QUARTERS)

—□— WATER TABLE

empty space denotes dry well or no data

LFW 44D

Water Elevations (ft)

—■— WATER TABLE

empty space denotes dry well or no data

LFW 45D

Water Elevations (ft)

empty space denotes dry well or no data

LFW 46D

Water Elevations (ft)

—□— WATER TABLE

empty space denotes dry well or no data

LFW 47D

Water Elevations (ft)

—□— WATER TABLE

empty space denotes dry well or no data

LFW 47C

Water Elevations (ft)

TIME (QUARTERS)

—□— WATER TABLE

empty space denotes dry well or no data

LFW 48C

Water Elevations (ft)

TIME (QUARTERS)

—□— WATER TABLE

empty space denotes dry well or no data

LFW 48D

Water Elevations (ft)

empty space denotes dry well or no data

LFW 55C

Water Elevations (ft)

—□— WATER TABLE

empty space denotes dry well or no data

LFW 55D

Water Elevations (ft)

TIME (QUARTERS)

—□— WATER TABLE

empty space denotes dry well or no data

LFW 56D

Water Elevations (ft)

TIME (QUARTERS)

—B— WATER TABLE

empty space denotes dry well or no data

LFW 57B

Water Elevations (ft)

elevation (ft)

170

166

162

158

154

150

146

142

138

3Q91

TIME (QUARTERS)

—□— WATER TABLE

empty space denotes dry well or no data

END

**DATE
FILMED**

5 / 4 / 93