83
5-3-78
NTLS
LA-7174-MS

Informal Report

NRC-1

MASTER

**Multigroup and Few-Group Cross Sections for
ENDF/B-IV Fission Products; The TOAFEW
Collapsing Code and Data File of
154-Group Fission-Product Cross Sections**

Issued: March 1978

los alamos
scientific laboratory
of the University of California
LOS ALAMOS, NEW MEXICO 87545

An Affirmative Action/Equal Opportunity Employer

DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED

UNITED STATES
DEPARTMENT OF ENERGY
CONTRACT W-7405-ENG. 38

Multigroup and Few-Group Cross Sections for ENDF/B-IV Fission Products; The TOAFEW Collapsing Code and Data File of 154-Group Fission-Product Cross Sections

W. B. Wilson
T. R. England
R. J. LaBauve

Manuscript completed: February 1978
Issued: March 1978

NOTICE
This report was prepared as an account of work sponsored by the United States Government. Neither the United States nor the United States Department of Energy, nor any of their employees, nor any of their contractors, subcontractors, or their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness or usefulness of any information, apparatus, product or process disclosed, or represents that its use would not infringe privately owned rights.

Prepared for the US Nuclear Regulatory Commission
Office of Nuclear Regulatory Research

DISSEMINATION OF THIS DOCUMENT

109

CONTENTS

	ABSTRACT	1
I.	INTRODUCTION	1
II.	CROSS-SECTION PROCESSING	2
	A. PRS Flux Weighting Function	3
	B. PRS 154-Group Neutron Multigroup Structure	6
III.	MULTIGROUP CROSS-SECTION FILE	6
IV.	TOAFEW COLLAPSING CODE	17
	A. Cross-Section Collapsing	17
	B. User Flux Weighting Functions	20
	1. Functional Flux (IFLX = 1)	20
	2. Log-Log Interpolation (IFLX = 2,3)	21
	3. Histogram Values (IFLX $\geq$ 4)	21
	C. Input and Output Files	21
	D. Local System Routine Limitations	21
V.	TOAFEW CARD INPUT (INPUT FILE)	21
VI.	FOUR-GROUP (n,γ) CROSS SECTIONS	24
	REFERENCES	24
	APPENDIX A. TOAFEW CODE LISTING	29
	APPENDIX B. SAMPLE PROBLEMS	45
	TABLES	
I.	PRS FLUX WEIGHTING FUNCTION	4
II.	THE 154-GROUP PRS NEUTRON MULTIGROUP STRUCTURE	7
III.	IDENTIFICATION OF MT REACTION TYPES	11
IV.	NUCLIDES AND REACTIONS	12
V.	DESCRIPTION OF DATA FILE RECORDS 1-69	16
VI.	DESCRIPTION OF CROSS-SECTION TABULATION 27-RECORD SET	16
VII.	FOUR-GROUP CROSS SECTIONS	25
	FIGURES	
1.	PRS flux weighting function	5
2.	Multigroup and few-group energy structures	18

MULTIGROUP AND FEW-GROUP CROSS SECTIONS
FOR ENDF/B-IV FISSION PRODUCTS; THE TOAFEW
COLLAPSING CODE AND DATA FILE OF
154-GROUP FISSION-PRODUCT CROSS SECTIONS

by

W. B. Wilson,
T. R. England, and R. J. LaBauve

ABSTRACT

The ENDF/B-IV fission-product data file includes data describing 824 nuclides. Cross sections, given for 181 of these nuclides, have been processed into 154 neutron energy groups. The production of the data file is described. The TOAFEW code, useful in collapsing the multigroup values to few-group cross sections, is presented with instructions and examples of its use. The file of multigroup cross sections is available on request.

I. INTRODUCTION

Version four of the Evaluated Nuclear Data File (ENDF/B-IV) includes a library of data for fission-product nuclides. The fission-product library includes radioactive decay, neutron reaction, and fission yield data for 824 nuclides. Basic nuclear data parameters for all nuclides contained in the library have been succinctly presented in Ref. 1, listing half-lives, modes of decay, decay branching fractions, and average decay energies.

Of the 824 nuclides, 181 have neutron cross-section evaluations for total, elastic, total inelastic, and radiative capture reactions from 10^{-5} eV to 20 MeV. Additional cross-section evaluations are included for 36 of the 181 nuclides for other neutron absorption reactions, e.g., (n,2n), (n,p), etc. The thermal (0.0253-eV) value and resonance integral ($E_{\text{cut}} = 0.5$ eV; $T = 0$ K) of radiative capture cross sections are also tabulated in Ref. 1, along with branching fractions to radiative capture products.

The cross-section evaluations of the ENDF/B-IV fission-product data file have been processed into multigroup form, as described in Sec. II and Sec. III. The multigroup library has been collapsed to a four-group cross-section set, which was combined with ENDF/B-IV radioactive decay and fission yield data to form a fission-product data library for an updated version of the CINDER code.²

The TOAFEW code, used in producing few-group values from the multigroup library, is described in Sec. IV and Sec. V. Four-group (n,γ) cross sections produced by the code are given in Sec. VI. A listing of the code is given in Appendix A, and sample problems are described in Appendix B.

II. CROSS-SECTION PROCESSING

Cross sections of the 181 nuclides (MATs) of the ENDF/B-IV fission-product data library having cross-section evaluations were processed into multigroup form using the NJOY cross-section processing code.³ This procedure first requires, for each reaction (MT), the formation of a set of linear-linear interpolation points from the interpretation of the 0 K cross-section data representation of ENDF/B-IV, consisting of resonance parameters, tabulated cross-section values, and various interpolation schemes. Cross-section tabulations produced in this linear-linear form are combined with other linearized data and parameters to form a point energy nuclear data file, or PENDF.⁴

Cross sections described in the PENDF file are then Doppler broadened to desired temperatures and included in PENDF files corresponding to the elevated temperatures. The formation of Doppler broadened PENDF files represents the greatest computational time and expense in the processing procedure, and these files are generally recorded for future utilization.

Of the 181 nuclides (MATs) of the ENDF/B-IV fission-product file having evaluated cross sections, 25 also appear in the ENDF/B-IV general-purpose file. Multigroup cross sections for 20 of these MATs were processed from 900 K PENDF files retained from previous processing. The remaining 161 MATs were processed from 1000 K PENDF files produced from the fission-product data file.

Multigroup cross-section values are computed as flux weighted energy-group averaged values of the cross section. The group j cross-section value σ_j is thus calculated as

$$\sigma_j = \frac{\int_{E_{j+1}}^{E_j} \sigma(E) \phi(E) dE}{\int_{E_{j+1}}^{E_j} \phi(E) dE} = \frac{\int_{E_{j+1}}^{E_j} \sigma(E) \phi(E) dE}{\phi_j} \quad , \quad (1)$$

where

$\sigma(E)$ is the energy-dependent cross section of the PENDF representation,

$\phi(E)$ is the energy-dependent neutron flux spectrum weighting function,

E_j and E_{j+1} are the upper and lower energy boundaries, respectively, of energy group j ,

and ϕ_j is the group j flux value, the integral of $\phi(E)$ over the energy range of group j .

The neutron flux spectrum weighting function used in processing multigroup cross sections should reflect the spectrum appropriate to the cross-section application. Because this work is directed at light water reactor (LWR) calculations, we have defined a flux weighting function and multigroup energy structure appropriate to power reactor studies (PRS).

A. PRS Flux Weighting Function

The PRS flux description, the product of an investigation of structure found in the flux spectrum of a mid-life PWR, is applicable to the processing of neutron multigroup cross sections for power reactor studies. The flux weighting function $\phi(E)$, described by a set of 115 log-log interpolation points given in Table I and shown in Fig. 1, was constructed in the following manner,

$1.0 \times 10^{-5} \text{ eV} \text{ --- } 0.625 \text{ eV}$

$\phi(E)$ approximates a mid-life PWR thermal spectrum from a 172-group calculation.⁵

$0.625 \text{ eV} \text{ --- } 3.0 \times 10^4 \text{ eV}$

$\phi(E)$ approximates the spectrum from MC² (Ref. 6) "ultrafine" multigroup calculations with over 2000 energy groups to vividly display flux perturbations due to ²³⁸U resonances at 6.67 eV, 20.9 eV, 36.7 eV, and 66.0 eV. No attempt was made to include observed minor flux depressions due to ²³⁸U resonances at higher energies.

$3.0 \times 10^4 \text{ eV} \text{ --- } 3.0 \times 10^6 \text{ eV}$

$\phi(E)$ approximates the spectrum from MC² "fine" multigroup calculations. Flux perturbations due to ¹⁶⁰Gd resonances at 442 keV, 1.0 MeV, and 1.3 MeV and the ¹⁶⁰Gd window at 2.35 MeV are clearly present.

$3.0 \times 10^6 \text{ eV} \text{ --- } 1.0 \times 10^7 \text{ eV}$

$\phi(E)$ assumes the shape of a fission spectrum with the temperature of 1.3427 MeV, approximating the calculated MC² multigroup spectrum.

$1.0 \times 10^7 \text{ eV} \text{ --- } 1.257 \times 10^7 \text{ eV}$

$\phi(E)$ varies as $1/E$.

$1.257 \times 10^7 \text{ eV} \text{ --- } 1.557 \times 10^7 \text{ eV}$

$\phi(E)$ is a velocity exponential fusion peak.⁷

$1.557 \times 10^7 \text{ eV} \text{ --- } 2.0 \times 10^7 \text{ eV}$

$\phi(E)$ varies as $1/E$.

In the energy range of typical LWR calculations below 10 MeV, the weighting function accurately describes the appropriate spectrum. Above this energy the spectrum applies to fusion systems and approximates a functional form suggested by D. W. Muir and R. Roussin.⁷

TABLE I

PRS FLUX WEIGHTING FUNCTION

POINT	ENERGY, (EV)	FLUX	POINT	ENERGY, (EV)	FLUX	POINT	ENERGY, (EV)	FLUX
1	1.000E-05	5.2500E-04	40	3.560E+01	7.4897E-04	78	3.000E+06	3.1142E-03
2	9.000E-03	3.5500E-01	41	3.5900E+01	6.7872E-04	79	4.000E+06	1.7073E-03
3	1.600E-02	5.5200E-01	42	3.6700E+01	9.1595E-06	80	5.000E+06	9.0679E-09
4	2.400E-02	7.1200E-01	43	3.7400E+01	6.5453E-04	81	6.000E+06	4.7535E-09
5	2.900E-02	7.8500E-01	44	3.8700E+01	8.2618E-04	82	8.000E+06	1.2276E-09
6	3.300E-02	8.2900E-01	45	6.1200E+01	5.5873E-04	83	1.000E+07	3.0953E-10
7	4.300E-02	8.9800E-01	46	6.4900E+01	4.8243E-04	84	1.250E+07	2.4619E-10
8	5.000E-02	9.1800E-01	47	6.600E+01	4.5797E-05	85	1.2600E+07	3.4731E-10
9	5.400E-02	9.2100E-01	48	6.7100E+01	4.7326E-04	86	1.2700E+07	1.0357E-09
10	5.900E-02	9.1800E-01	49	6.8200E+01	4.8362E-04	87	1.2900E+07	2.8436E-09
11	7.000E-02	8.9200E-01	50	1.0100E+03	3.7829E-05	88	1.2900E+07	7.1910E-09
12	9.000E-02	7.9900E-01	51	2.000E+04	2.2571E-06	89	1.300E+07	1.6766E-08
13	1.1200E-01	6.8600E-01	52	3.0700E+04	1.5571E-06	90	1.3100E+07	3.6132E-03
14	1.400E-01	5.200E-01	53	6.0700E+04	9.1595E-07	91	1.3200E+07	7.1864E-03
15	1.700E-01	3.8300E-01	54	1.200E+05	5.7834E-07	92	1.3300E+07	1.3222E-07
16	2.100E-01	2.5200E-01	55	2.0100E+05	4.3845E-07	93	1.3400E+07	2.2511E-07
17	3.000E-01	1.0800E-01	56	2.8300E+05	3.8309E-07	94	1.3500E+07	3.5512E-07
18	4.000E-01	6.8700E-02	57	3.5600E+05	3.6926E-07	95	1.3600E+07	5.1945E-07
19	4.900E-01	5.1000E-02	58	3.7700E+05	3.4827E-07	96	1.3700E+07	7.0476E-07
20	5.700E-01	4.3700E-02	59	3.9900E+05	2.7387E-07	97	1.3800E+07	8.8835E-07
21	6.000E-01	4.1300E-02	60	4.4200E+05	1.0075E-07	98	1.3900E+07	1.0403E-06
22	1.000E+00	2.4414E-02	61	4.7400E+05	2.1754E-07	99	1.4070E+07	1.1540E-06
23	1.3518E+00	1.8502E-02	62	5.0200E+05	2.633E-07	100	1.4200E+07	1.0570E-06
24	4.0100E+00	6.3200E-03	63	5.4000E+05	2.0901E-07	101	1.4300E+07	9.5757E-07
25	5.5047E+00	4.6164E-03	64	6.5000E+05	2.9493E-07	102	1.4400E+07	7.8794E-07
26	5.8842E+00	4.1950E-03	65	7.7000E+05	2.5005E-07	103	1.4500E+07	6.0493E-07
27	6.1350E+00	3.7279E-03	66	9.0000E+05	2.1179E-07	104	1.4600E+07	4.3317E-07
28	6.4490E+00	3.1254E-03	67	9.4100E+05	1.7861E-07	105	1.4700E+07	2.9041E-07
29	6.6700E+00	5.3125E-05	68	1.0000E+06	9.1595E-08	106	1.4800E+07	1.8213E-07
30	6.8940E+00	1.7632E-03	69	1.0500E+06	1.1518E-07	107	1.4900E+07	1.0699E-07
31	7.0100E+00	2.9219E-03	70	1.1200E+06	1.5348E-07	108	1.5000E+07	5.8832E-08
32	7.3080E+00	3.6042E-03	71	1.1900E+06	1.5799E-07	109	1.5100E+07	3.0354E-03
33	1.7530E+01	1.7156E-03	72	1.2100E+06	1.5222E-07	110	1.5200E+07	1.4087E-03
34	1.9860E+01	1.3858E-03	73	1.3100E+06	6.8696E-08	111	1.5300E+07	2.6683E-09
35	2.0370E+01	1.0973E-03	74	1.4000E+06	1.2182E-07	112	1.5400E+07	6.8450E-09
36	2.0900E+01	1.3739E-05	75	2.200E+06	5.9033E-08	113	1.5500E+07	1.1406E-09
37	2.1400E+01	1.0588E-03	76	2.3500E+06	9.1595E-08	114	1.5676E+07	1.9780E-10
38	2.2500E+01	1.3565E-03	77	2.6300E+06	3.9981E-08	115	2.000E+07	1.5477E-10
39	3.4400E+01	8.1519E-04						

FLUX VALUES ARE GIVEN IN UNITS OF NEUTRONS/ CM**2 SEC. EV.

Fig. 1.
PRS flux weighting function.

B. PRS 154-Group Neutron Multigroup Structure

The PRS 154-Group Structure,⁸ a subset of the LASL comprehensive 347-Group Structure,⁸ is primarily intended for use in power reactor studies. The structure extends from 10^{-5} eV to 20 MeV and includes all of the energy bounds of GAM-1, GRANIT, LASER, LASL-30, and EPRI-4 group structures. Additional groups were added to extend the upper and lower energy limits; to better treat the resonances of a number of fuel, fission-product, and structural nuclides; and to provide detail of the fission spectrum region. These additional energy boundaries were selected from the CSEWG 239-group structure, where practical.

The energy and lethargy values of the group boundaries are given in Table II. The corresponding energy group boundary indices of the various subsets listed above are also identified.

III. MULTIGROUP CROSS-SECTION FILE

Multigroup cross sections were processed with the NJOY code,³ using the PRS 154-group structure and neutron flux spectrum weighting function previously described. All multigroup cross sections processed are infinitely dilute, with a value of $\sigma_0 = 10^{10}$ barns used in the Bondarenko resonance self-shielding scheme.⁹ All cross sections of the 181 nuclides were processed, except for the redundant nonelastic cross section (MT = 3) and cross sections for inelastic scattering to isolated levels (MT = 51, 52, ..., 90) and to the continuum (MT = 91). The reaction types corresponding to MT values encountered here are identified in Table III.

The 181 nuclides (MATs) and reactions (MTs) for which multigroup cross sections are tabulated are listed in Table IV. It should be noted that this tabulation is the same ordering as the nuclide data in the multigroup cross-section file. This ordering is, in order, on Z, A, S, and MT. Here Z and A are the nuclear charge and mass number, S is the nuclear state (0 = ground, 1 = first isomeric level), and MT is the ENDF/B-IV reaction type identification number. This ordering does not correspond to the MAT number ordering of nuclides in the ENDF/B-IV data files.

The multigroup cross-section file contains a total of 25 989 BCD card image records. The first 69 records of the data file (described in Table V) contain descriptive information and data on the data file and the group structure and weighting function used in its production. Multigroup cross-section tabulations (described in Table VI) consist of 960 sets of 27 records each, beginning with record 70. The first record of each cross-section tabulation 27-record set contains alphanumeric information, identifying the nuclide and reaction, for examination of a data file listing.

TABLE II

THE 154-GROUP PRS NEUTRON MULTIGROUP STRUCTURE

GROUP NO.	UPPER ENERGY BOUND, (eV)	GROUP ENERGY WIDTH, (eV)	LETHARGY	CORRESPONDS WITH UPPER BOUND OF GROUPS IN THE FOLLOWING				
				GAMI 68	GRANIT 48	LASER 35	LASL 30	EPRI 4
1	2.000000000E+07	1.7788120E+06	-6.931472E-01	9.314718E-02				1
2	1.822118800E+07	1.3165995E+06	-6.000000E-01	7.500000E-02				2
3	1.690458848E+07	1.9863415E+06	-5.250000E-01	1.250000E-01				3
4	1.491824698E+07	1.4196589E+06	-4.000000E-01	1.000000E-01				4
5	1.349858808E+07	1.5861259E+06	-3.000000E-01	1.250000E-01				5
6	1.191246217E+07	1.9124622E+06	-1.750000E-01	1.750000E-01				6
7	1.000000000E+07	2.2119922E+06	0.	2.500000E-01				7
8	7.788007831E+06	1.7227012E+06	2.500000E-01	2.500000E-01				8
9	6.065306597E+06	1.3416411E+06	5.000000E-01	2.500000E-01				9
10	4.723665527E+06	1.0448711E+06	7.500000E-01	2.500000E-01				10
11	3.678794412E+06	8.1314644E+05	1.000000E+00	2.500000E-01				11
12	2.865047969E+06	6.3374637E+05	1.250000E+00	2.500000E-01				12
13	2.231301601E+06	4.9356217E+05	1.500000E+00	2.500000E-01				13
14	1.737739435E+06	3.8438660E+05	1.750000E+00	2.500000E-01				14
15	1.353352832E+06	2.9936059E+05	2.000000E+00	2.500000E-01				15
16	1.053992246E+06	1.0030062E+05	2.250000E+00	1.000000E-01				16
17	9.536916222E+05	1.3284164E+05	2.350000E+00	1.500000E-01				17
18	8.208499862E+05	7.8114204E+04	2.500000E+00	1.000000E-01				18
19	7.427357821E+05	1.0345717E+05	2.600000E+00	1.500000E-01				19
20	6.392786121E+05	6.0835403E+04	2.750000E+00	1.000000E-01				20
21	5.784432087E+05	8.0572525E+04	2.850000E+00	1.500000E-01				21
22	4.978706837E+05	4.7378600E+04	3.000000E+00	1.000000E-01				22
23	4.504920239E+05	6.2749946E+04	3.100000E+00	1.500000E-01				23
24	3.677420783E+05	3.6898537E+04	3.250000E+00	1.000000E-01				24
25	3.503435110E+05	4.8869707E+04	3.350000E+00	1.500000E-01				25
26	3.019738342E+05	2.8736610E+04	3.500000E+00	1.000000E-01				26
27	2.732372445E+05	3.8059766E+04	3.600000E+00	1.500000E-01				27
28	2.351774566E+05	2.2380094E+04	3.750000E+00	1.000000E-01				28
29	2.127973644E+05	2.9640976E+04	3.850000E+00	1.500000E-01				29
30	1.831563889E+05	4.0514050E+04	4.000000E+00	2.500000E-01				30
31	1.426423391E+05	3.1552374E+04	4.250000E+00	2.500000E-01				31
32	1.10899554E+05	2.47373013E+04	4.500000E+00	2.500000E-01				32
33	8.651695203E+04	1.9137482E+04	4.750000E+00	2.500000E-01				33
34	6.737946999E+04	1.4904286E+04	5.000000E+00	2.500000E-01				34
35	5.247518399E+04	1.1607470E+04	5.250000E+00	2.500000E-01				35
36	4.086771438E+04	9.0399064E+03	5.500000E+00	2.500000E-01				36
37	3.182780797E+04	3.7398660E+03	5.750000E+00	1.250000E-01				37
38	2.808794195E+04	2.0295368E+03	5.875000E+00	7.500000E-02				38

TABLE II (cont.)

GROUP NO.	UPPER ENERGY BOUND, (eV)	GROUP ENERGY WIDTH, (eV)	LETHARGY	CORRESPONDS WITH UPPER BOUND OF GROUPS IN THE FOLLOWING			
				LETHARGY DIFFERENCE	GAMI 48	LASER 35	LASL 30 EPRI 4
39	2.605840518E+04	1.2708834E+03	5.950000E+00	5.000000E-02	25		18
40	2.478752177E+03	1.2089017E+03	6.000000E+00	5.000000E-02			
41	2.357862006E+04	4.2740787E+03	6.050000E+00	2.000000E-01	26		
42	1.930454136E+04	4.2701494E+03	6.250000E+00	2.500000E-01	27		
43	1.503439193E+04	3.3255957E+03	6.500000E+00	2.500000E-01	28		
44	1.17087521E+04	2.5899766E+03	6.750000E+00	2.500000E-01	29		
45	9.11881955E+03	2.0170758E+03	7.000000E+00	2.500000E-01	30		
46	7.10174388E+03	1.5709002E+03	7.250000E+00	2.500000E-01	31		3
47	5.30843701E+03	1.2234183E+03	7.500000E+00	2.500000E-01	32		
48	4.307425406E+03	9.5279913E+02	7.750000E+00	2.500000E-01	33		
49	3.354626279E+03	7.4304071E+02	8.000000E+00	2.500000E-01	34		
50	2.612585573E+03	5.7790188E+02	8.250000E+00	2.500000E-01	35		
51	2.034683690E+03	4.5007044E+02	8.500000E+00	2.500000E-01	36		
52	1.584613251E+03	3.5051521E+02	8.750000E+00	2.500000E-01	37		21
53	1.234098041E+03	2.7298152E+02	9.000000E+00	2.500000E-01	38		
54	9.611165206E+02	2.1259822E+02	9.250000E+00	2.500000E-01	39		
55	7.485182989E+02	1.6557166E+02	9.500000E+00	2.500000E-01	40		
56	5.829466373E+02	1.2894734E+02	9.750000E+00	2.500000E-01	41		22
57	4.53992976E+02	1.0042429E+02	1.000000E+01	2.500000E-01	42		
58	3.53575085E+02	7.8210515E+01	1.025000E+01	2.500000E-01	43		
59	2.753644335E+02	6.0910410E+01	1.050000E+01	2.500000E-01	44		
60	2.144540832E+02	4.7437075E+01	1.075000E+01	2.500000E-01	45		23
61	1.670170079E+02	3.6944031E+01	1.100000E+01	2.500000E-01	46		
62	1.300729765E+02	2.8772040E+01	1.125000E+01	2.500000E-01	47		
63	1.013009360E+02	2.2407688E+01	1.150000E+01	2.500000E-01	48		
64	7.889324627E+01	5.2932483E+00	1.175000E+01	6.945063E-02			
65	6.975000000E+01	3.8500000E+00	1.181945E+01	5.372761E-02			
66	6.975000000E+01	1.2000000E+00	1.187318E+01	1.735401E-02			
67	6.550000000E+01	1.5500000E+00	1.189053E+01	2.287079E-02			
68	6.700000000E+01	5.578765E+00	1.191340E+01	8.659697E-02	49		24
69	6.144212353E+01	1.5421235E+00	1.200000E+01	2.541915E-02			
70	5.990000000E+01	8.5000000E-01	1.202542E+01	1.429196E-02			
71	5.905000000E+01	6.5000000E-01	1.203971E+01	1.106865E-02			
72	5.840000000E+01	1.0548826E+01	1.205078E+01	1.992202E-01	50		
73	4.785117392E+01	7.8511739E+00	1.225000E+01	1.792162E-01			
74	4.000000000E+01	2.7334683E+00	1.242922E+01	7.078380E-02	51		
75	3.726653172E+01	1.2165317E+00	1.250000E+01	3.318879E-02			
76	3.650000000E+01	1.0500000E+00	1.253319E+01	2.95580E-02			
77	3.500000000E+01	5.9767959E+00	1.256275E+01	1.872524E-01	52		
78	2.902320409E+01	5.3132041E+00	1.275000E+01	2.021988E-01			
79	2.371000000E+01	5.1000000E-01	1.295220E+01	2.174462E-02			
80	2.320000000E+01	5.9670593E-01	1.297394E+01	2.605663E-02	53		25
81	2.260329407E+01	5.0329407E-01	1.300000E+01	2.251804E-02			

TABLE II (cont)

GROUP No.	UPPER ENERGY BOUND, (eV)	GROUP ENERGY WIDTH, (eV)	LETHARGY	LETHARGY DIFFERENCE	CORRESPONDS WITH UPPER BOUND OF GROUPS IN THE FOLLOWING				
					GAMI 68	GRANIT 48	LASER 35	LASL 30	EPKI 4
82	2.21000000E+01	6.000000E-01	1.302252E+01	2.752467E-02					
83	2.15000000E+01	1.200000E+00	1.305004E+01	5.743205E-02					
84	2.03000000E+01	2.696536E+00	1.310747E+01	1.425252E-01					
85	1.760346312E+01	3.8938723E+00	1.325000E+01	2.500000E-01	54				
86	1.370959086E+01	3.0325508E+00	1.350000E+01	2.500000E-01	55				
87	1.067704010E+01	2.3617529E+00	1.375000E+01	2.500000E-01	56				
88	8.315287191E+00	1.3152872E+00	1.400000E+01	1.721855E-01	57				
89	7.00000000E+00	5.2404782E-01	1.417219E+01	7.781450E-02					26
90	6.475952176E+00	1.4324755E+00	1.425000E+01	2.500000E-01	58				
91	5.043476626E+00	1.1156131E+00	1.450000E+01	2.500000E-01	59				
92	3.927863545E+00	8.6884034E-01	1.475000E+01	2.500000E-01	60				
93	3.059023205E+00	4.9817846E-01	1.500000E+01	1.777585E-01	61				
94	2.560847446E+00	1.7847508E-01	1.517776E+01	7.224153E-02		48			27
95	2.382362668E+00	6.6344444E-02	1.525000E+01	2.824320E-02	62	46			
96	2.316025224E+00	2.1734124E-02	1.527824E+01	9.428544E-03		45			
97	2.294291100E+00	2.1631664E-02	1.528767E+01	9.473203E-03		44			
98	2.272659436E+00	2.1529203E-02	1.529714E+01	9.518288E-03		43			
99	2.251130233E+00	7.9001595E-02	1.530666E+01	3.572479E-02		42			
100	2.172128648E+00	7.8050829E-02	1.534239E+01	3.659436E-02		41			
101	2.094077819E+00	7.6170895E-02	1.537898E+01	3.705248E-02		40			
102	2.017908324E+00	8.2290918E-02	1.541603E+01	4.163517E-02		39			
103	1.935616006E+00	8.0224643E-02	1.545767E+01	4.232897E-02		38			
104	1.855391363E+00	4.6123297E-02	1.550000E+01	2.533910E-02	63	37			35
105	1.808968066E+00	4.5913180E-02	1.552534E+01	2.570852E-02		36			
106	1.763659886E+00	3.6974385E-02	1.555105E+01	2.119480E-02		35			34
107	1.726080501E+00	8.3486240E-03	1.557224E+01	4.848487E-03					
108	1.717731877E+00	7.0146149E-02	1.557709E+01	4.169372E-02		34			
109	1.647585728E+00	5.2054518E-02	1.561878E+01	3.248041E-02		33			
110	1.594931210E+00	1.6429054E-02	1.565127E+01	1.035421E-02					33
111	1.578502156E+00	1.2108290E-01	1.566162E+01	7.980916E-02		32			
112	1.457419257E+00	1.2439011E-02	1.574143E+01	8.571589E-03					32
113	1.444980246E+00	1.3712785E-01	1.575000E+01	9.970925E-02		31			
114	1.307852359E+00	9.9180537E-02	1.584971E+01	7.886428E-02	64	30			31
115	1.208671859E+00	4.2290688E-02	1.592857E+01	3.561618E-02					
116	1.166381711E+00	4.1029424E-02	1.596419E+01	3.581029E-02	65				30
117	1.125351747E+00	2.6670325E-02	1.600000E+01	2.398490E-02		29			28
118	1.098681422E+00	2.6513205E-02	1.602398E+01	2.442778E-02		28			
119	1.072168217E+00	9.8589660E-03	1.604641E+01	9.237892E-03		27			
120	1.062309251E+00	9.8134280E-03	1.605765E+01	9.288759E-03		26			
121	1.052495823E+00	9.7678900E-03	1.606693E+01	9.324026E-03		25			
122	1.042727933E+00	2.9030442E-02	1.607626E+01	6.823576E-02		24			
123	1.013697491E+00	6.3044759E-02	1.610449E+01	6.421097E-02		23			
124	9.506527323E-01	7.4227910E-02	1.616870E+01	8.129791E-02					

TABLE II (cont)

GROUP NO.	UPPER ENERGY BOUND, (EV)	GROUP ENERGY WIDTH, (EV)	LETHARGY	LETHARGY DIFFERENCE	CORRESPONDS WITH UPPER BOUND OF GROUPS IN THE FOLLOWING				
					GAMI 68	GRANIT 48	LASER 35	LASL 30	EPRI 4
125	8.764248219E-01	9.4345983E-02	1.625000E+01	1.138954E-01	66				
126	7.820788385E-01	9.9518501E-02	1.636390E+01	1.361045E-01		22	22		
127	6.825603376E-01	5.7500338E-02	1.650000E+01	8.800328E-02	67				
*128	6.250600000E-01	9.3481475E-02	1.658800E+01	1.619967E-01		21	21		4
129	5.315785254E-01	2.8343722E-02	1.675000E+01	5.479406E-02	68				
130	5.032348036E-01	8.6218515E-02	1.680479E+01	1.879316E-01		20	20		
131	4.170162887E-01	3.0225168E-03	1.699273E+01	7.274353E-03		19	19		
*132	4.139937719E-01	5.6328609E-02	1.700000E+01	1.462537E-01	BOT			29	
133	3.576651631E-01	3.7037531E-02	1.714625E+01	1.093168E-01		18	18		
134	3.206276321E-01	1.9507951E-02	1.725557E+01	6.277263E-02		17	17		
135	3.011196812E-01	1.0382652E-02	1.731834E+01	3.508862E-02		16	16		
136	2.907370290E-01	2.0218849E-02	1.735343E+01	7.207987E-02		15	15		
137	2.705181801E-01	1.9490242E-02	1.742551E+01	7.477506E-02		14	14		
138	2.510279384E-01	2.3338198E-02	1.750029E+01	9.758033E-02		13	13		
139	2.276897460E-01	4.3261051E-02	1.759787E+01	2.107210E-01		12	12		
140	1.844286894E-01	3.2128892E-02	1.780859E+01	1.914120E-01		11	11		
141	1.522997974E-01	6.5783638E-03	1.800000E+01	4.415412E-02				30	
142	1.457214336E-01	3.4153461E-02	1.804415E+01	2.670628E-01		10	10		
143	1.115679726E-01	2.9599666E-02	1.831122E+01	3.083014E-01		9	9		
144	8.196830640E-02	2.5045871E-02	1.861952E+01	3.646431E-01		8	8		
145	5.692243500E-02	1.4167362E-02	1.898416E+01	2.862017E-01		7	7		
146	4.275507340E-02	1.2143453E-02	1.927036E+01	3.341082E-01		6	6		
147	3.061162060E-02	1.0119544E-02	1.960447E+01	4.013414E-01		5	5		
148	2.049207660E-02	8.0956352E-03	2.000581E+01	5.026289E-01		4	4		
149	1.239644140E-02	6.0717264E-03	2.050844E+01	6.729445E-01		3	3		
150	6.324715000E-03	4.0478176E-03	2.118139E+01	1.021651E+00		2	2		
151	2.276897400E-03	1.5166787E-03	2.220304E+01	1.096963E+00		1	1		
152	7.602187410E-04	5.0723014E-04	2.330000E+01	1.100262E+00					
153	2.529886000E-04	1.1410916E-04	2.440026E+01	5.997382E-01		BOT	BOT		
154	1.388794386E-04	1.2887944E-04	2.500000E+01	2.631021E+00				BOT	
LOWER BOUND	1.000000000E+05		2.763102E+01						BOT

*THE UPPER ENERGY BOUNDRIES OF GROUPS 104, 128, AND 132 CORRESPOND TO LETHARGY VALUES OF 15.5, 16.588, AND 17.0 OF THE CSEWG 239-GROUP STRUCTURE. THESE ENERGIES DIFFER SLIGHTLY FROM THE VELOCITY-SPECIFIED BOUNDRIES OF GROUP STRUCTURES USED WITH GRANIT AND LASER.

TABLE III
IDENTIFICATION OF MT REACTION TYPES

<u>MT</u>	<u>Description</u>
1	Total
2	Elastic
4	Total Inelastic
16	(n,2n)
17	(n,3n)
22	(n,n' α)
28	(n,n'p)
102	(n, γ)
103	(n,p)
104	(n,d)
105	(n,t)
106	(n, ^3He)
107	(n, α)

TABLE IV
NUCLIDES AND REACTIONS

		REACTION MT VALUES													
NUCLIDE	MAT	1	2	4	16	17	22	28	102	103	104	105	106	107	
32-GE- 72	48	X	X	X					X						
32-GE- 73	49	X	X	X					X						
32-GE- 74	51	X	X	X					X						
32-GE- 76	54	X	X	X					X						
33-AS- 75	68	X	X	X					X						
34-SE- 76	85	X	X	X					X						
34-SE- 77	86	X	X	X					X						
34-SE- 78	88	X	X	X					X						
34-SE- 80	91	X	X	X					X						
34-SE- 82	94	X	X	X					X						
35-BR- 79	108	X	X	X					X						
35-BR- 81	112	X	X	X					X						
36-KR- 80	131	X	X	X	X				X	X	X	X	X	X	
36-KR- 82	134	X	X	X	X				X	X	X	X	X	X	
36-KR- 83	135	X	X	X	X	X			X	X	X	X	X	X	
36-KR- 84	137	X	X	X	X				X	X	X	X	X	X	
36-KR- 85	138	X	X	X					X						
36-KR- 86	140	X	X	X	X	X			X	X	X	X		X	
37-RB- 85	153	X	X	X					X						
37-RB- 86	154	X	X	X					X						
37-RB- 87	156	X	X	X					X						
38-SR- 86	172	X	X	X					X						
38-SR- 87	173	X	X	X					X						
38-SR- 88	175	X	X	X					X						
38-SR- 89	176	X	X	X					X						
38-SR- 90	177	X	X	X					X						
39-Y - 89	192	X	X	X					X						
39-Y - 90	194	X	X	X					X						
39-Y - 91	196	X	X	X					X						
40-ZR- 90	215	X	X	X					X						
40-ZR- 91	217	X	X	X					X						
40-ZR- 92	218	X	X	X					X						
40-ZR- 93	219	X	X	X					X						
40-ZR- 94	220	X	X	X					X						
40-ZR- 95	221	X	X	X					X						
40-ZR- 96	222	X	X	X					X						
41-NB- 93	1189	X	X	X	X	X	X		X	X				X	
41-NB- 94	238	X	X	X					X						
41-NB- 95	240	X	X	X					X						
42-MO- 94	264	X	X	X					X						
42-MO- 95	265	X	X	X					X						
42-MO- 96	266	X	X	X					X						
42-MO- 97	267	X	X	X					X						

TABLE IV (cont)

SAMPLE	WT	REACTION										WT VALUES				
		1	2	~	16	17	22	24	102	103	104	105	106	107		
42-RU-99	263	X	X	X					X							
42-RU-99	269	X	X	X					X							
42-RU-100	270	X	X	X					X							
43-TC-99	1137	X	X	X	X				X							
44-RU-99	308	X	X	X					X							
44-RU-100	309	X	X	X					X							
44-RU-101	310	X	X	X					X							
44-RU-102	311	X	X	X					X							
44-RU-103	312	X	X	X					X							
44-RU-104	313	X	X	X					X							
44-RU-105	314	X	X	X					X							
44-RU-106	315	X	X	X					X							
45-RH-103	1125	X	X	X	X				X							
45-RH-105	334	X	X	X					X							
46-PD-104	358	X	X	X					X							
46-PD-105	359	X	X	X					X							
46-PD-106	360	X	X	X					X							
46-PD-107	361	X	X	X					X							
46-PD-108	363	X	X	X					X							
46-PD-110	366	X	X	X					X							
47-AG-107	1138	X	X	X	X				X	X				X	X	
47-AG-109	1139	X	X	X	X				X	X				X	X	
47-AG-111	391	X	X	X					X							
48-CD-108	415	X	X	X					X							
48-CD-110	417	X	X	X					X							
48-CD-111	418	X	X	X					X							
48-CD-112	420	X	X	X					X							
48-CD-113	1282	X	X	X	X				X							
48-CD-114	423	X	X	X					X					X		
48-CD-115M	425	X	X	X					X							
48-CD-116	426	X	X	X					X							
49-IN-113	445	X	X	X					X							
49-IN-115	449	X	X	X					X							
50-SN-115	482	X	X	X					X							
50-SN-116	483	X	X	X					X							
50-SN-117	484	X	X	X					X							
50-SN-118	486	X	X	X					X							
50-SN-119	487	X	X	X					X							
50-SN-120	489	X	X	X					X							
50-SN-122	492	X	X	X					X							
50-SN-123	493	X	X	X					X							
50-SN-124	495	X	X	X					X							
50-SN-125	496	X	X	X					X							
50-SN-126	498	X	X	X					X							
51-SB-121	511	X	X	X					X							
51-SB-123	514	X	X	X					X							
51-SB-124	515	X	X	X					X							
51-SB-125	518	X	X	X					X							
51-SB-126	519	X	X	X					X							

TABLE IV (cont)

NUCLIDE	MAT	REACTION MT VALUES												
		1	2	4	16	17	22	28	102	103	104	105	106	107
52-TE-122	538	X	X	X					X					
52-TE-123	539	X	X	X					X					
52-TE-124	541	X	X	X					X					
52-TE-125	542	X	X	X					X					
52-TE-126	544	X	X	X					X					
52-TE-127M	546	X	X	X					X					
52-TE-128	547	X	X	X					X					
52-TE-129M	549	X	X	X					X					
52-TE-130	550	X	X	X					X					
52-TE-132	553	X	X	X					X					
53-I -127	565	X	X	X					X					
53-I -129	567	X	X	X					X					
53-I -130	568	X	X	X					X					
53-I -131	570	X	X	X					X					
53-I -135	576	X	X	X					X					
54-XE-128	1173	X	X	X	X	X			X	X	X	X		X
54-XE-129	589	X	X	X	X	X			X	X	X	X		X
54-XE-130	1174	X	X	X	X	X			X	X	X	X		X
54-XE-131	1175	X	X	X	X	X			X	X	X	X		X
54-XE-132	1176	X	X	X	X	X			X	X	X	X		X
54-XE-133	595	X	X	X					X					
54-XE-134	1177	X	X	X	X	X			X	X	X	X		X
54-XE-135	1294	X	X	X					X					
54-XE-136	1178	X	X	X	X	X			X	X	X	X		X
55-CS-133	1141	X	X	X	X				X	X				X
55-CS-134	614	X	X	X					X					
55-CS-135	616	X	X	X					X					
55-CS-136	618	X	X	X					X					
55-CS-137	619	X	X	X					X					
56-BA-134	634	X	X	X					X					
56-BA-135	635	X	X	X					X					
56-BA-136	637	X	X	X					X					
56-BA-137	639	X	X	X					X					
56-BA-138	641	X	X	X					X					
56-BA-140	643	X	X	X					X					
57-LA-139	657	X	X	X					X					
57-LA-140	658	X	X	X					X					
58-CE-140	674	X	X	X					X					
58-CE-141	675	X	X	X					X					
58-CE-142	676	X	X	X					X					
58-CE-143	677	X	X	X					X					
58-CE-144	678	X	X	X					X					
59-PR-141	692	X	X	X	X	X	X	X	X	X	X	X	X	X
59-PR-142	693	X	X	X					X					
59-PR-143	695	X	X	X					X					
60-ND-142	713	X	X	X					X					
60-ND-143	714	X	X	X	X	X	X	X	X	X	X	X	X	X
60-ND-144	715	X	X	X					X					
60-ND-145	716	X	X	X	X	X	X	X	X	X	X	X	X	X

TABLE IV (cont)

NUCLIDE	MAT	REACTION MT VALUES												
		1	2	4	16	17	22	28	102	103	104	105	106	107
60-ND-146	717	X	X	X	X	X	X	X	X	X	X	X	X	X
60-ND-147	718	X	X	X					X					
60-ND-148	719	X	X	X	X	X	X	X	X	X	X	X	X	X
60-ND-150	721	X	X	X	X	X	X	X	X	X	X	X		X
61-PM-147	733	X	X	X	X	X	X	X	X	X	X	X	X	X
61-PM-148	734	X	X	X					X					
61-PM-148M	735	X	X	X					X					
61-PM-149	736	X	X	X					X					
61-PM-151	738	X	X	X					X					
62-SM-147	753	X	X	X	X	X	X	X	X	X	X	X	X	X
62-SM-148	754	X	X	X					X					
62-SM-149	1027	X	X	X	X	X			X	X				X
62-SM-150	756	X	X	X					X					
62-SM-151	757	X	X	X	X	X	X	X	X	X	X	X	X	X
62-SM-152	758	X	X	X	X	X	X	X	X	X	X	X	X	X
62-SM-153	759	X	X	X					X					
62-SM-154	760	X	X	X					X					
63-EU-151	1290	X	X	X	X	X	X	X	X	X	X	X	X	X
63-EU-152	1292	X	X	X	X	X	X	X	X	X	X	X	X	X
63-EU-153	1291	X	X	X	X	X	X	X	X	X	X	X	X	X
63-EU-154	1293	X	X	X	X	X	X	X	X	X	X	X	X	X
63-EU-155	778	X	X	X	X	X	X	X	X	X	X	X	X	X
63-EU-156	779	X	X	X					X					
63-EU-157	780	X	X	X					X					
64-GD-154	791	X	X	X					X					
64-GD-155	792	X	X	X					X					
64-GD-156	793	X	X	X					X					
64-GD-157	794	X	X	X					X					
64-GD-158	795	X	X	X					X					
64-GD-160	797	X	X	X					X					
65-TB-159	803	X	X	X					X					
65-TB-160	804	X	X	X					X					
66-DY-160	811	X	X	X					X					
66-DY-161	812	X	X	X					X					
66-DY-162	813	X	X	X					X					
66-DY-163	814	X	X	X					X					
66-DY-164	1031	X	X	X	X	X			X	X				X
67-HO-165	820	X	X	X					X					
68-ER-166	823	X	X	X					X					
68-ER-167	824	X	X	X					X					

*THE 181 NUCLIDES DESCRIBED ABOVE ARE CONTAINED IN THE ENDF/B-IV FISSION-PRODUCT DATA FILE. TWENTY-FIVE OF THESE ALSO APPEAR IN THE ENDF/B-IV GENERAL PURPOSE FILE UNDER DIFFERENT MAT NUMBERS. MULTIGROUP CROSS SECTIONS FOR TWENTY OF THESE, IDENTIFIED WITH MAT NUMBERS GREATER THAN 1000, WERE PRODUCED FROM 900K PENDF FILES RETAINED FROM PREVIOUS G.P. FILE PROCESSING. MULTIGROUP CROSS SECTIONS FOR THE REMAINING 161 NUCLIDES WERE PRODUCED FROM 1000K PENDF FILES PROCESSED FROM THE F.P. FILE.

TABLE V

DESCRIPTION OF DATA FILE RECORDS 1-69

<u>Record (s)</u>	<u>Format</u>	<u>Description</u>
1	(20A4)	file heading
2	(17A4,I4)	group structure heading, NGr
3 - 28	(6E12.5)	group structure energy boundaries (EF(I),I=1,155)
29	(17A4,I4)	flux weighting function heading, NFXP
30 - 68	(6E12.5)	flux weighting function points (EFLUXP(I),FLUXP(I),I=1,115)
69	(20A4)	cross-section tabulations heading

TABLE VI

DESCRIPTION OF CROSS-SECTION TABULATION 27-RECORD SET

<u>Record (s)</u>	<u>Column (s)</u>	<u>Format and Description</u>
1		(A6,A5,2I3,I1,I4,2I2,I3,2E9.3,2A10)
	1 - 11	nuclide identification
	12 - 14	IZ, nuclide Z value
	15 - 17	IA, nuclide A value
	18	IS, nuclide state I.D.
	19 - 22	MAT, ENDF/B nuclide I.D.
	23 - 24	IVER, ENDF/B version
	25 - 26	MF, ENDF/B file number
	27 - 29	MT, ENDF/B reaction I.D.
	30 - 38	TEMP, temperature (K)
	39 - 47	SZ, σ_0 value
	48 - 67	reaction identification
2 - 27		(6E12.5)
	(1 - 72)	multigroup cross-section values (CXF(I),I=1,154)

IV. TOAFEW COLLAPSING CODE

The TOAFEW code produces few-group flux weighted average cross sections by collapsing multigroup values, using either a flux weighting function provided by the user or a log-log flux weighting function read from the data file. Fine-group cross sections processed and collapsed to a few-group subset with a common flux weighting function yield few-group values identical to those processed directly into the few-group structure with that flux description. Few-group cross sections for use in calculations with a spectrum different from that used in processing may be closely approximated by collapsing with the appropriate flux spectrum. Few-group values so produced are generally far more sensitive to the flux description used in collapsing than to that used in processing the multigroup values.

A. Cross-Section Collapsing

Few-group cross-section values appropriate for a flux spectrum $\psi(E)$ are defined by

$$\sigma_J = \frac{\int_{E_{J+1}}^{E_J} \sigma(E) \psi(E) dE}{\int_{E_{J+1}}^{E_J} \psi(E) dE} = \frac{\int_{E_{J+1}}^{E_J} \sigma(E) \psi(E) dE}{\psi_J} \quad (2)$$

If the energy boundaries of group J of the few-group structure, shown in Fig. 2, lie in groups m and n of the multigroup structure such that $E_{n+1} \leq E_{J+1} \leq E_n$ and $E_{m+1} \leq E_J \leq E_m$, then we may write

$$\sigma_J = \frac{\int_{E_{J+1}}^{E_n} \sigma(E) \psi(E) dE + \sum_{j=m+1}^{n-1} \int_{E_{j+1}}^{E_j} \sigma(E) \psi(E) dE + \int_{E_{m+1}}^{E_J} \sigma(E) \psi(E) dE}{\psi_J} \quad (3)$$

If we assume that the multigroup values are relatively insensitive to the flux weighting function used in processing, then

$$\sigma_j = \frac{\int_{E_{j+1}}^{E_j} \sigma(E) \phi(E) dE}{\phi_j} \approx \frac{\int_{E_{j+1}}^{E_j} \sigma(E) \psi(E) dE}{\psi_j} \quad (4)$$

or

Fig. 2.

Multigroup and few-group energy structures.

$$\int_{E_{j+1}}^{E_j} \sigma(E) \psi(E) dE \approx \sigma_j \psi_j \quad . \quad (5)$$

The few-group cross-section expression may now be written as

$$\sigma_J \approx \frac{\int_{E_{J+1}}^{E_n} \sigma(E) \psi(E) dE + \sum_{j=m+1}^{n-1} \sigma_j \psi_j + \int_{E_{m+1}}^{E_J} \sigma(E) \psi(E) dE}{\psi_J} \quad . \quad (6)$$

If we also assume that $\sigma(E)$ is approximately constant in groups m and n , then

$$\sigma_J \approx \frac{\sigma_n \int_{E_{j+1}}^{E_n} \psi(E) dE + \sum_{j=m+1}^{n-1} \sigma_j \psi_j + \sigma_m \int_{E_{m+1}}^{E_J} \psi(E) dE}{\psi_J} \quad . \quad (7)$$

If the few-group structure is a subset of the multigroup structure such that $E_{J+1} = E_{n+1}$ and $E_J = E_m$, then the second assumption above is not required and

$$\sigma_J \approx \sum_{j=m}^n \sigma_j \psi_j / \sum_{j=m}^n \psi_j \quad . \quad (8)$$

If, in addition, the user flux $\psi(E)$ is chosen to be the flux description $\phi(E)$ used in processing, then the approximation of Eq. (4) is not required. The few-group cross section is then given exactly by

$$\sigma_J = \sum_{j=m}^n \sigma_j \phi_j / \sum_{j=m}^n \phi_j \quad . \quad (9)$$

The TOA FEW code collapses a set of multigroup (fine) cross sections $\{CXF(j)\}$ to a set of few-group (coarse) values $\{CXC(J)\}$ using Eq. (7). The locations of fine groups m and n containing the few-group energy boundaries E_J and E_{J+1} are determined as $LFG(J)$ and $LFG(J+1)$, respectively. All integrals of the user flux $\psi(E)$ over that part of fine group j that lies within coarse group J are computed by the code as $FLXIM(J,j)$. Integrals of the user flux over each coarse group are computed by the code as $FLXI(J)$. The algorithm corresponding to Eq. (7) is then

$$CXC(J) = \left[\sum_{j=LFG(J)}^{LFG(J+1)} CXF(j) * FLXIM(J,j) \right] / FLXI(J) \quad . \quad (10)$$

In addition to few-group cross sections, the TOAFEW code generates, for each reaction, an effective thermal cross-section value σ_{NGC}^{eff} . This quantity is calculated as the thermal group value σ_{NGC} divided by $\langle \sigma_{1/v} \rangle$, where $\langle \sigma_{1/v} \rangle$ is the thermal group value of a cross section that varies as $1/v$ and is equal to unity at 2200 m/s. The value of $\langle \sigma_{1/v} \rangle$ is calculated by the code, using the user flux description.

A glossary of terms used in the code is included in the code listing of Appendix A.

B. User Flux Weighting Functions

1. Functional Flux (IFLX=1). A functional expression for neutron flux spectra often used in neutron cross-section processing consists of a fission spectrum, $1/E$ "slowing down" region, and a thermal Maxwellian distribution. This scheme has been extended by Roussin⁷ to higher energies, as described in Sec. II.A, by adding a fusion peak bounded on each flank by a $1/E$ region. These six regions have been incorporated into a flexible, generalized flux function that is built into the code as a user flux option. The regions, ordered in increasing energy, are as follows:

Region 1, Maxwellian Distribution, $EX(1) \leq E \leq EX(2)$

$$\psi(E) = C(1) E e^{-E/TKM}$$

Region 2, Log-Log Slope, $EX(2) \leq E \leq EX(3)$

$$\psi(E) = C(2) E^{SLPA}$$

Region 3, Fission Spectrum, $EX(3) \leq E \leq EX(4)$

$$\psi(E) = C(3) \sqrt{E} e^{-E/THETA}$$

Region 4, Log-Log Slope, $EX(4) \leq E \leq EX(5)$

$$\psi(E) = C(4) E^{SLPB}$$

Region 5, Fusion Peak, $EX(5) \leq E \leq EX(6)$

$$\psi(E) = C(5) e^{-5/TKF(\sqrt{E} - \sqrt{EP})^2}$$

Region 6, Log-Log Slope, $EX(6) \leq E \leq EX(7)$

$$\psi(E) = C(6) E^{SLPC}$$

Use of the functional flux description requires user input of region boundary values ($EX(I), I=1,2,\dots$), distribution parameters ($TKM, THETA, TKF, EP$), and log-log

slopes (SLPA,SLPB,SLPC). Coefficients C(I) are calculated in the routine COEFS by equating flux expressions at the common boundaries. Regions I-1 and I+1 may be joined and Region I omitted by defining identical values for EX(I) and EX(I+1). Low-lying regions not required must be specified with appropriate parameters, yet may be negated by equating nonzero energy boundaries. Parameters of higher energy regions not desired must be specified, although coefficients of regions above the few-group energy structure are not calculated.

2. Log-Log Interpolation (IFLX=2,3). The description of neutron flux spectra as a series of log-log segments is commonly used to provide a detailed accounting of energy structure. The user may specify such a flux description by setting IFLX=3 and supplying a set of NFX energy and flux values. Alternatively, the log-log flux description given in the data file may be selected by setting IFLX=2. Flux values specified under this option must be in units of flux-per-unit-energy, i.e., n/cm²-s-eV.

3. Histogram Values (IFLX≥4). Group flux values may be determined in external multigroup transport or diffusion calculations and supplied to the code. NFX group fluxes may be specified in units of flux-per-unit-energy (IFLX=4), flux-per-unit-lethargy (IFLX=5), or as integrated group fluxes (IFLX=6). Group flux values are transformed to (if not furnished in) a histogram representation to $\psi(E)$; accuracy is obviously increased with the use of a large number of groups. The user must also supply NFX+1 histogram energy boundary values.

C. Input and Output Files

Files input to the TOAFEW code are INPUT, the card input file described in the following section, and TAPE1, the cross-section data file described in Sec. III. Files output from the code are OUTPUT, TAPE2, and FILM. The OUTPUT print file includes a summary of all input information, intermediate calculated values, and collapsed few-group values. TAPE2 is a print file tabulating only the collapsed few-group cross sections in a form useful in reporting. FILM is a graphics plot file useful in comparing the neutron flux spectra used in processing and collapsing the multigroup cross sections.

Examples of the files INPUT, OUTPUT and TAPE2 and flux spectrum produced from FILM are given in Appendix B for a variety of sample problems.

D. Local System Routine Limitations

The error function routine EXF called in function subprogram ENTEG and the min/max vector value routines MINV and MAXV and plotting package PLOTM called in subroutine PLOTX are particular to LASL. Calls to these routines must be examined and, if necessary, modified to correspond with equivalent user system routines.

V. TOAFEW CARD INPUT (INPUT FILE)

Card input is supplied by the user to the code in the sequence below. All energy values supplied to and generated by the code are in units of electron volts. Integer values must be right adjusted. All variables are clearly described in the code listing of Appendix A.

<u>CARD</u>	<u>COLUMN (S)</u>	<u>FORMAT AND CARD CONTENT</u>
<u>TITLE</u>		(20A4)
	1 - 80	Problem description (alphanumeric)
<u>CONTROL</u>		(16I5)
	1 - 5	IFLX, collapsing flux control
	6 - 10	NFX, number of user-supplied flux values
	11 - 15	$\pm$ NGC, number of coarse groups; sign controls input of EC values, cards E and F below
	16 - 20	NT, table number for TAPE2 heading
	21 - 25	IPLTFX, flux plot control
<u>LIMITS</u>		(6I5,4E10.3)
	1 - 5	MINZ
	6 - 10	MAXZ
	11 - 15	MINA
	16 - 20	MAXA
	21 - 25	MINMT
	26 - 30	MAXMT
	31 - 40	SZMIN
	41 - 50	SZMAX
	51 - 60	TEMIN
	61 - 70	TEMAX

Cards A1, A2, B1, and B2 are supplied only if IFLX=1 (see Sec. IV. B. 1 for functional flux description).

<u>A1</u>		(6E12.5) Region Boundaries
	1 - 12	EX(1)
	13 - 24	EX(2)
	25 - 36	EX(3)
	37 - 48	EX(4)
	49 - 60	EX(5)
	61 - 72	EX(6)
<u>A2</u>		(6E12.5) Region Boundaries (continued)
	1 - 12	EX(7)
<u>B1</u>		(6E12.5) Flux Parameters
	1 - 12	TKM, Maxwellian temperature
	13 - 24	SLPA, region 2 flux slope
	25 - 36	THETA, fission spectrum temperature
	37 - 48	SLPB, region 4 flux slope
	49 - 60	TKF, fusion peak temperature
	61 - 72	EP, fusion peak energy
<u>B2</u>		(6E12.5) Flux Parameters (continued)
	1 - 12	SLPC, region 6 flux slope

Cards C are supplied only if IFLX=3. Values may be in increasing or decreasing energy.

<u>C</u>		(6E12.5) Log-Log Flux Points
	1 - 12	EFLUX(1)
	13 - 24	FLUX(1)
	25 - 36	EFLUX(2)
	.	.
	.	.
	.	.
	.	EFLUX(NFX)
	.	FLUX(NFX)

Cards D1 and D2 are supplied only if IFLX $\geq$ 4. Values may be in increasing or decreasing energy.

<u>D1</u>		(6E12.5) Histogram Flux Boundaries
	1 - 12	EFLUX(1)
	13 - 24	EFLUX(2)
	25 - 36	EFLUX(3)
	.	.
	.	.
	.	.
	.	EFLUX(NFX+1)

<u>D2</u>		(6E12.5) Histogram Flux Values
	1 - 12	FLUX(1)
	13 - 24	FLUX(2)
	25 - 36	FLUX(3)
	.	.
	.	.
	.	.
	.	FLUX(NFX)

A positive sign on NGC of the CONTROL card requires that coarse-group structure boundaries [EC(I), I=1, NGC+1] be read from card(s) E. A negative sign on NGC requires that fine-group structure boundary indices [LB(I), I=1, NGC+1] be read from card(s) F; coarse-group structure boundaries are selected from fine-group structure boundaries according to EC(IGC) = EF[LB(IGC)].

<u>E</u>		(6E12.5) Coarse-Group Structure
	1 - 12	EC(1)
	13 - 24	EC(2)
	.	.
	.	.
	.	.
	.	EC(NGC+1)

<u>F</u>		(16I5) Coarse-Group Structure
	1 - 5	LB(1)
	5 - 10	LB(2)
	.	.
	.	.
	.	.
	.	LB(NGC+1)

VI. FOUR-GROUP (n,γ) CROSS SECTIONS

Four-group (n,γ) cross sections have been generated with the TOAFEW code and data file in the EPRI 4-group structure for use in the EPRI-CINDER Data Set.² The radiative capture ($MT=102$) cross sections of all nuclides present were collapsed using the PRS flux description. Group cross sections for all other neutron absorption reactions were found to be negligible in the computation of parasitic neutron absorption in thermal reactors.

The four-group values, tabulated in Table VII, may be adequate for many user applications. In addition to the four-group values, an effective thermal cross section for each reaction is tabulated. This quantity is defined in Sec. IV.A and in a footnote to Table VII.

REFERENCES

1. T. R. England and R. E. Schenter, "ENDF/B-IV Fission-Product Files: Summary of Major Nuclear Data," Los Alamos Scientific Laboratory report LA-6116-MS (ENDF-223) (October 1975).
2. T. R. England, W. B. Wilson, and M. G. Stamatelatos, "Fission Product Data for Thermal Reactors, Part 1: A Data Set for EPRI-CINDER Using ENDF/B-IV," Los Alamos Scientific Laboratory report LA-6745-MS (December 1976); "Fission Product Data for Thermal Reactors, Part 2: Users Manual for EPRI-CINDER Code and Data," Los Alamos Scientific Laboratory report LA-6746-MS (December 1976). (Also published as Electric Power Research Institute reports EPRI NP-356, Part 1 and Part 2 (December 1976)).
3. R. E. MacFarlane and R. M. Boicourt, "NJOY-A Neutron and Photon Cross-Section Processing System," Trans. Am. Nucl. Soc. 22, 720 (1975).
4. R. J. LaBauve, C. R. Weisbin, R. E. Seamon, M. E. Battat, D. R. Harris, P. G. Young, and M. M. Klein, "PENEUF: A Library of Nuclear Data for Monte Carlo Calculations Derived from Data in the ENDF/B Format," Los Alamos Scientific Laboratory report LA-5687 (October 1974).
5. N. G. Demas, Westinghouse Electric Corporation, Nuclear Energy Systems, private communications, 1976, on calculations using methods described in Nucl. Sci. Eng. 23, 58 (1967).
6. B. J. Toppel, A. L. Rago, and D. M. O'Shea, "MC², A Code to Calculate Multigroup Cross Sections," Argonne National Laboratory report ANL-7318 (1967).
7. R. Roussin, Radiation Shielding Information Center, Oak Ridge National Laboratory, private communication, 1975.
8. R. J. LaBauve and W. B. Wilson, "Proposal to Extend CSEWG Neutron and Photon Multigroup Structures for Wider Applications," Los Alamos Scientific Laboratory report LA-6240-P (February 1976).
9. I. I. Bondarenko, Ed., "Group Constants for Nuclear Reactor Calculations," Consultants Bureau, New York (1964).

TABLE VII
FOUR GROUP CROSS SECTIONS

NUCLIDE	Z	A	S	MAT	MF	NT	TEMP DEG K	SIGMA ZERO	GROUP 1 CROSS SECTION	GROUP 2 CROSS SECTION	GROUP 3 CROSS SECTION	GROUP 4 CROSS SECTION	EFFECT. THERMAL CROSS SECTION
GE 72	32	72	0	48	3	102	1000	1.0E+10	2.099716E-02	5.432289E-02	8.043696E-02	5.476937E-01	9.855840E-01
GE 73	32	73	0	49	3	102	1000	1.0E+10	4.379093E-02	1.769910E-01	8.051783E+00	8.381628E+00	1.512879E+01
GE 74	32	74	0	51	3	102	1000	1.0E+10	9.484258E-02	3.185840E-02	4.402822E-02	2.141804E-01	3.865945E-01
GE 76	32	76	0	54	3	102	1000	1.0E+10	2.688907E-03	9.268426E-03	1.632492E-01	7.940105E-02	1.433044E-01
AS 75	33	75	0	68	3	102	1000	1.0E+10	3.174023E-02	2.399267E-02	7.086404E+00	4.406837E+00	4.347936E+00
SE 76	34	76	0	85	3	102	1000	1.0E+10	3.043771E-02	1.025647E-01	3.870424E+00	4.754410E+01	8.582406E+01
SE 77	34	77	0	86	3	102	1000	1.0E+10	2.397112E-02	2.570206E-01	5.211681E+00	2.346095E+01	4.234658E+01
SE 78	34	78	0	88	3	102	1000	1.0E+10	1.233379E-02	4.559368E-02	5.350883E-01	2.234162E-01	4.032650E-01
SE 80	34	80	0	91	3	102	1000	1.0E+10	1.224080E-02	4.557911E-02	8.982662E-02	3.412230E-01	6.159661E-01
SE 82	34	82	0	94	3	102	1000	1.0E+10	3.747510E-03	1.079513E-02	1.686120E-03	2.513117E-02	4.530163E-02
SE 79	35	79	0	103	3	102	1000	1.0E+10	6.182080E-02	4.360678E-01	1.200473E+01	6.222752E+00	1.123203E+01
BR 81	35	81	0	112	3	102	1000	1.0E+10	4.217744E-02	2.609681E-01	5.719194E+00	1.503798E+00	2.714345E+00
KR 80	36	80	0	131	3	102	1000	1.0E+10	3.268930E-02	1.358841E-01	6.926419E+00	7.974773E+00	1.439442E+01
KR 82	36	82	0	134	3	102	1000	1.0E+10	3.209319E-02	1.243721E-01	1.984203E+01	1.635921E+01	3.043078E+01
KR 83	36	83	0	135	3	102	1000	1.0E+10	6.710000E-02	3.993594E-01	1.841473E+01	1.119001E+02	2.019750E+02
KR 84	36	84	0	137	3	102	1000	1.0E+10	4.472712E-03	1.912670E-02	4.376474E-01	4.633101E+02	8.362721E+02
KR 85	36	85	0	138	3	102	1000	1.0E+10	4.383344E-03	2.664559E-02	1.606500E-01	9.295652E-01	1.671860E+00
KR 86	36	86	0	140	3	102	1000	1.0E+10	1.108620E-03	3.162755E-03	1.545394E-02	3.441191E-02	6.212414E-02
RB 85	37	85	0	153	3	102	1000	1.0E+10	2.080914E-02	2.157803E-01	5.395406E-01	2.576161E-01	4.645955E-01
RB 86	37	86	0	154	3	102	1000	1.0E+10	4.296598E-03	9.237312E-02	2.813636E+00	2.735252E+00	4.937115E+00
RB 87	37	87	0	156	3	102	1000	1.0E+10	1.287121E-03	8.266843E-03	2.536605E-01	6.710316E-02	1.211204E-01
SR 86	38	86	0	172	3	102	1000	1.0E+10	1.688432E-02	4.158945E-02	5.744211E-01	1.588873E+00	2.867997E+00
SR 87	38	87	0	173	3	102	1000	1.0E+10	1.609480E-02	7.775032E-02	1.045327E-01	9.270804E+00	1.673388E+01
SR 88	38	88	0	175	3	102	1000	1.0E+10	1.329117E-03	1.164227E-03	2.201289E-04	3.246619E-03	5.263735E-03
SR 89	38	89	0	176	3	102	1000	1.0E+10	8.295333E-03	2.038847E-02	3.876895E-02	2.345315E-01	4.238156E-01
SR 90	38	90	0	177	3	102	1000	1.0E+10	4.920037E-03	1.560162E-02	3.375063E-02	5.026414E-01	9.372664E-01
Y 90	39	90	0	194	3	102	1000	1.0E+10	7.136131E-03	2.253123E-02	8.226018E-02	7.165044E-01	1.293395E+00
Y 91	39	91	0	196	3	102	1000	1.0E+10	1.344481E-02	1.146555E-01	4.373381E-01	1.954493E+00	3.527849E+00
ZR 90	40	90	0	215	3	102	1000	1.0E+10	4.217073E-03	3.264697E-02	1.633325E-01	7.861059E-01	1.412760E+00
ZR 91	40	91	0	217	3	102	1000	1.0E+10	1.508096E-02	2.520522E-02	1.987868E-02	5.568877E-02	1.008428E-01
ZR 92	40	92	0	218	3	102	1000	1.0E+10	1.715130E-02	5.507396E-02	6.700608E-01	5.758814E-01	1.039463E+00
ZR 93	40	93	0	219	3	102	1000	1.0E+10	1.042367E-02	3.130879E-02	8.308115E-02	1.4654376E-01	2.622433E+00
ZR 94	40	94	0	220	3	102	1000	1.0E+10	2.049521E-02	5.156442E-02	3.654891E+00	1.390955E+00	2.521695E+00
ZR 95	40	95	0	221	3	102	1000	1.0E+10	5.447404E-03	2.595021E-02	2.019570E-02	3.128906E-02	5.647657E-02
ZR 96	40	96	0	222	3	102	1000	1.0E+10	3.771503E-02	1.168058E-01	5.797073E-01	2.774112E-01	4.947719E-01
NB 93	41	93	0	189	3	102	900	1.0E+10	2.684158E-02	2.165040E-02	6.357629E-03	8.862928E-03	1.599754E+00
NB 94	41	94	0	230	3	102	1000	1.0E+10	1.604464E-02	1.5811663E-01	1.036644E+00	6.392347E-01	1.153815E+00
MB 95	41	95	0	240	3	102	1000	1.0E+10	5.739899E-03	1.688129E-01	1.173433E+01	7.640611E+00	1.379126E+01
MO 94	42	94	0	264	3	102	1000	1.0E+10	5.266054E-02	2.650329E-02	2.503124E+00	8.380113E-01	1.512600E+00
MO 95	42	95	0	265	3	102	1000	1.0E+10	1.622583E-02	3.166593E-02	9.483320E-02	8.925915E-03	1.611123E-02
MO 96	42	96	0	266	3	102	1000	1.0E+10	3.417280E-02	2.320801E-01	1.257062E+01	8.099988E+00	1.462043E+01
MO 95	42	96	0	266	3	102	1000	1.0E+10	1.622694E-02	4.8955669E-02	2.259066E+00	5.590317E-01	1.009040E+00

TABLE VII (cont)

NUCLIDE	Z	A	S	MAT	MF	MT	TEMP DEG K	SIGMA ZERO	GROUP 1		GROUP 2		GROUP 3		GROUP 4		EFFECT-THERMAL CROSS SECTION
									CROSS SE	1106	CR	35 SECTION	CROSS SECTION	CROSS SECTION	CROSS SECTION	CROSS SECTION	
MO 97	42	97	0	267	3	102	1000	1.0E+10	2.95795E-02	2.424307E-01	2.424307E-01	1.719731E+00	1.215624E+00	2.194506E+00	2.194506E+00	2.194506E+00	2.194506E+00
MO 98	42	98	0	268	3	102	1000	1.0E+10	2.51636E-02	7.105372E-01	7.105372E-01	7.677731E+00	7.105372E-01	1.280253E+01	1.280253E+01	1.280253E+01	1.280253E+01
MO 99	42	99	0	269	3	102	1000	1.0E+10	4.23615E-02	4.069317E-01	4.069317E-01	2.847712E+00	9.494035E-01	1.711333E+00	1.711333E+00	1.711333E+00	1.711333E+00
MO 100	42	100	0	270	3	102	1000	1.0E+10	9.07471E-03	5.444319E-02	5.444319E-02	4.474732E-01	1.111105E-01	2.002252E-01	2.002252E-01	2.002252E-01	2.002252E-01
TC 99	43	99	0	1137	3	102	900	1.0E+10	3.61675E-02	3.61675E-01	3.61675E-01	3.004752E-01	1.055275E-01	1.255275E-01	1.255275E-01	1.255275E-01	1.255275E-01
RU 99	44	99	0	308	3	102	1000	1.0E+10	3.85009E-02	3.723555E-01	3.723555E-01	1.424175E-01	2.83373E+00	5.114722E+00	5.114722E+00	5.114722E+00	5.114722E+00
RU 100	44	100	0	309	3	102	1000	1.0E+10	3.85577E-02	1.130395E-01	1.130395E-01	1.131105E+00	3.29939E+00	5.84799E+00	5.84799E+00	5.84799E+00	5.84799E+00
RU 101	44	101	0	310	3	102	1000	1.0E+10	2.69374E-02	4.460372E-01	4.460372E-01	9.421592E+00	1.743797E+00	3.14754E+00	3.14754E+00	3.14754E+00	3.14754E+00
RU 102	44	102	0	311	3	102	1000	1.0E+10	6.95545E-02	1.577375E-01	1.577375E-01	3.492452E-01	7.274915E-01	1.31312E+00	1.31312E+00	1.31312E+00	1.31312E+00
RU 103	44	103	0	312	3	102	1000	1.0E+10	2.49535E-02	3.67115E-01	3.67115E-01	7.18773E-01	2.44715E-01	4.4455E-01	4.4455E-01	4.4455E-01	4.4455E-01
RU 104	44	104	0	313	3	102	1000	1.0E+10	3.27471E-02	1.054925E-01	1.054925E-01	7.18773E-01	2.44715E-01	4.4455E-01	4.4455E-01	4.4455E-01	4.4455E-01
RU 105	44	105	0	314	3	102	1000	1.0E+10	2.33471E-02	3.23365E-01	3.23365E-01	6.39375E-01	1.11745E-01	2.0125E-01	2.0125E-01	2.0125E-01	2.0125E-01
RU 106	44	106	0	315	3	102	1000	1.0E+10	6.34405E-03	5.25357E-02	5.25357E-02	2.47237E-01	3.15375E-02	1.47105E-01	1.47105E-01	1.47105E-01	1.47105E-01
RU 107	44	107	0	316	3	102	1000	1.0E+10	4.65621E-02	5.57110E-01	5.57110E-01	9.04555E-01	9.73112E-01	1.75172E-01	1.75172E-01	1.75172E-01	1.75172E-01
RU 108	44	108	0	334	3	102	1000	1.0E+10	9.12504E-02	4.91906E-01	4.91906E-01	7.00165E-02	4.93401E-03	8.5593E-03	8.5593E-03	8.5593E-03	8.5593E-03
PD 104	46	104	0	358	3	102	1000	1.0E+10	6.53149E-02	1.09435E-01	1.09435E-01	2.01915E-02	2.10645E-01	3.91035E-01	3.91035E-01	3.91035E-01	3.91035E-01
PD 105	46	105	0	359	3	102	1000	1.0E+10	8.90701E-02	7.12147E-01	7.12147E-01	9.28745E-02	1.64362E+00	1.4570E+00	1.4570E+00	1.4570E+00	1.4570E+00
PD 106	46	106	0	360	3	102	1000	1.0E+10	4.73975E-02	1.28331E-01	1.28331E-01	7.7327E-01	1.33215E-01	2.4740E-01	2.4740E-01	2.4740E-01	2.4740E-01
PD 107	46	107	0	361	3	102	1000	1.0E+10	6.75275E-02	4.69477E-01	4.69477E-01	7.13546E-02	5.55543E+00	1.05579E+00	1.05579E+00	1.05579E+00	1.05579E+00
PD 108	46	108	0	363	3	102	1000	1.0E+10	4.74930E-02	1.25476E-01	1.25476E-01	2.27476E-01	0.54444E+00	1.35444E+00	1.35444E+00	1.35444E+00	1.35444E+00
AG 107	47	107	0	1138	3	102	900	1.0E+10	1.55093E-02	7.31126E-02	7.31126E-02	8.3566E-01	1.17961E-01	2.2546E-01	2.2546E-01	2.2546E-01	2.2546E-01
AG 109	47	109	0	1139	3	102	900	1.0E+10	4.48595E-02	3.5353E-01	3.5353E-01	1.30259E-01	5.25710E-01	9.4642E-01	9.4642E-01	9.4642E-01	9.4642E-01
AG 111	47	111	0	391	3	102	1000	1.0E+10	2.61150E-02	3.3345E-01	3.3345E-01	1.21217E-01	1.67195E+00	3.0750E+00	3.0750E+00	3.0750E+00	3.0750E+00
CU 108	48	108	0	415	3	102	1000	1.0E+10	9.59134E-02	1.60507E-01	1.60507E-01	3.70204E-01	6.20740E+00	1.11745E+00	1.11745E+00	1.11745E+00	1.11745E+00
CD 110	48	110	0	417	3	102	1000	1.0E+10	1.15515E-01	2.03347E-01	2.03347E-01	4.66354E+00	1.39711E+00	2.4740E+00	2.4740E+00	2.4740E+00	2.4740E+00
CD 111	48	111	0	418	3	102	1000	1.0E+10	3.74336E-02	3.24567E-01	3.24567E-01	5.5745E+00	1.57111E+00	2.4740E+00	2.4740E+00	2.4740E+00	2.4740E+00
CD 112	48	112	0	420	3	102	1000	1.0E+10	9.31413E-02	1.52452E-01	1.52452E-01	1.42411E+00	1.57111E+00	2.4740E+00	2.4740E+00	2.4740E+00	2.4740E+00
CD 113	48	113	0	1282	3	102	900	1.0E+10	4.03543E-02	2.53657E-01	2.53657E-01	2.02741E+00	1.67195E+00	3.0750E+00	3.0750E+00	3.0750E+00	3.0750E+00
CD 114	48	114	0	423	3	102	1000	1.0E+10	9.64431E-02	2.3457E-01	2.3457E-01	2.23459E+00	1.73124E+00	3.0750E+00	3.0750E+00	3.0750E+00	3.0750E+00
CD 115M	48	115	1	425	3	102	1000	1.0E+10	3.42601E-02	3.3457E-01	3.3457E-01	2.23459E+00	1.73124E+00	3.0750E+00	3.0750E+00	3.0750E+00	3.0750E+00
CD 116	48	116	0	426	3	102	1000	1.0E+10	4.11477E-02	9.27431E-02	9.27431E-02	2.23459E+00	1.73124E+00	3.0750E+00	3.0750E+00	3.0750E+00	3.0750E+00
IN 113	49	113	0	445	3	102	1000	1.0E+10	2.49439E-01	5.23505E-01	5.23505E-01	2.10160E+00	6.9565E+00	1.5745E+00	1.5745E+00	1.5745E+00	1.5745E+00
IN 115	49	115	0	449	3	102	1000	1.0E+10	1.22919E-01	3.75476E-01	3.75476E-01	2.84446E+00	1.5745E+00	2.5365E+00	2.5365E+00	2.5365E+00	2.5365E+00
SN 115	50	115	0	482	3	102	1000	1.0E+10	3.73509E-02	3.15454E-02	3.15454E-02	2.05354E+00	2.74903E+00	5.0451E+00	5.0451E+00	5.0451E+00	5.0451E+00
SN 116	50	116	0	483	3	102	1000	1.0E+10	3.17515E-02	4.36454E-02	4.36454E-02	1.39495E+00	0.73470E+00	1.3153E+00	1.3153E+00	1.3153E+00	1.3153E+00
SN 117	50	117	0	484	3	102	1000	1.0E+10	3.27440E-02	1.65179E-01	1.65179E-01	1.95444E+00	1.47455E+00	2.6710E+00	2.6710E+00	2.6710E+00	2.6710E+00
SN 118	50	118	0	486	3	102	1000	1.0E+10	6.93207E-02	8.60712E-02	8.60712E-02	0.91107E-01	4.61011E+00	5.3144E+00	5.3144E+00	5.3144E+00	5.3144E+00
SN 119	50	119	0	487	3	102	1000	1.0E+10	6.31471E-03	4.04073E-02	4.04073E-02	3.97471E-01	1.59401E+00	1.47455E+00	1.47455E+00	1.47455E+00	1.47455E+00
SN 120	50	120	0	489	3	102	1000	1.0E+10	1.80332E-02	2.93361E-02	2.93361E-02	1.33512E-01	7.65121E+00	1.47455E+00	1.47455E+00	1.47455E+00	1.47455E+00
SN 121	50	121	0	492	3	102	1000	1.0E+10	1.33731E-02	1.52714E-02	1.52714E-02	7.59552E-02	1.01017E+00	1.6345E+00	1.6345E+00	1.6345E+00	1.6345E+00
SN 122	50	122	0	493	3	102	1000	1.0E+10	3.94730E-02	8.52334E-02	8.52334E-02	2.77400E-01	1.59401E+00	3.3566E+00	3.3566E+00	3.3566E+00	3.3566E+00
SN 123	50	123	0	493	3	102	1000	1.0E+10	1.84951E-02	2.41510E-02	2.41510E-02	8.10248E-01	7.27491E-01	1.3153E+00	1.3153E+00	1.3153E+00	1.3153E+00
SN 124	50	124	0	495	3	102	1000	1.0E+10	1.84951E-02	2.41510E-02	2.41510E-02	8.10248E-01	7.27491E-01	1.3153E+00	1.3153E+00	1.3153E+00	1.3153E+00
SN 125	50	125	0	496	3	102	1000	1.0E+10	9.91938E-03	4.68694E-02	4.68694E-02	1.98413E+00	3.07457E+00	5.5004E+00	5.5004E+00	5.5004E+00	5.5004E+00
SN 126	50	126	0	498	3	102	1000	1.0E+10	5.67530E-03	7.30359E-03	7.30359E-03	1.09852E-02	1.67771E+00	3.0627E+00	3.0627E+00	3.0627E+00	3.0627E+00
SB 121	51	121	0	511	3	102	1000	1.0E+10	1.10632E-01	4.00950E-01	4.00950E-01	1.67782E-01	3.56068E+00	9.4270E+00	9.4270E+00	9.4270E+00	9.4270E+00
SB 123	51	123	0	514	3	102	1000	1.0E+10	5.05995E-02	2.10047E-01	2.10047E-01	8.32622E+00	2.434903E+00	4.34995E+00	4.34995E+00	4.34995E+00	4.34995E+00

TABLE VII (cont)

NUCLIDE	Z	A	S	MAT	MF	NT	DEG	TEMP K	SIGMA ZERO	CROSS SECTION GROUP 1	CROSS SECTION GROUP 2	CROSS SECTION GROUP 3	CROSS SECTION GROUP 4	EFFEC. INTER- POLATION
SB124	51	124	0	515	3	102	1000	1.0E+10	2.54370E-02	5.40360E-01	2.47494E+00	3.6359E+00	6.5556E+00	6.5556E+00
SB125	51	125	0	518	3	102	1000	1.0E+10	7.51737E-02	2.30315E-01	2.10149E+00	5.67350E-01	1.00479E+00	1.00479E+00
SB126	51	126	0	519	3	102	1000	1.0E+10	1.84816E-01	3.05379E-01	5.15749E+00	5.4777E+00	9.8952E+00	9.8952E+00
TE122	52	122	0	538	3	102	1000	1.0E+10	1.20751E-01	2.60400E-01	8.4113E+00	1.6049E+00	2.8560E+00	2.8560E+00
TE123	52	123	0	539	3	102	1000	1.0E+10	6.19797E-02	3.66601E-01	4.86797E+00	3.4057E+00	4.4599E+00	4.4599E+00
TE124	52	124	0	541	3	102	1000	1.0E+10	1.10459E-01	1.8375E-01	7.7307E+00	3.8051E+00	6.8735E+00	6.8735E+00
TE125	52	125	0	542	3	102	1000	1.0E+10	2.61315E-01	2.5574E-01	1.6843E+00	5.6587E-01	1.5458E+00	1.5458E+00
TE126	52	126	0	546	3	102	1000	1.0E+10	3.71486E-02	8.3671E-02	4.7204E+00	5.7501E+00	9.5617E+00	9.5617E+00
TE127M	52	127	1	544	3	102	1000	1.0E+10	5.41435E-02	2.65594E-01	4.7204E+00	5.7501E+00	9.5617E+00	9.5617E+00
TE128	52	128	0	547	3	102	1000	1.0E+10	4.52949E-02	8.66336E-02	2.6707E+00	5.1403E+00	1.1070E+00	1.1070E+00
TE129M	52	129	1	549	3	102	1000	1.0E+10	9.47297E-03	8.66336E-02	6.8667E+00	5.1403E+00	1.1070E+00	1.1070E+00
TE130M	52	130	0	550	3	102	1000	1.0E+10	3.76077E-03	1.83493E-01	2.6707E+00	5.1403E+00	1.1070E+00	1.1070E+00
TE132	52	132	0	553	3	102	1000	1.0E+10	5.71011E-04	4.9439E-01	1.7333E+00	1.1170E+00	2.0171E+00	2.0171E+00
TE129	53	129	0	565	3	102	1000	1.0E+10	5.61275E-02	3.94381E-01	1.7333E+00	1.1170E+00	2.0171E+00	2.0171E+00
TE130	53	130	0	567	3	102	1000	1.0E+10	4.80056E-02	2.54701E-01	3.7314E+00	1.6135E+00	1.5141E+00	1.5141E+00
TE131	53	131	0	568	3	102	1000	1.0E+10	1.83746E-02	2.6761E-01	1.9407E+00	1.6049E+00	1.6049E+00	1.6049E+00
TE132	53	132	0	570	3	102	1000	1.0E+10	9.47025E-03	7.3576E-02	9.2607E+00	3.9113E+00	1.6049E+00	1.6049E+00
TE133	53	133	0	576	3	102	1000	1.0E+10	4.68494E-04	5.73931E-04	7.3576E+00	1.1157E+00	1.6049E+00	1.6049E+00
TE128	54	128	0	1173	3	102	900	1.0E+10	5.31236E-02	3.93798E-01	2.6707E+00	1.6049E+00	1.6049E+00	1.6049E+00
XE129	54	129	0	589	3	102	1000	1.0E+10	5.32377E-02	3.03319E-01	2.6707E+00	1.6049E+00	1.6049E+00	1.6049E+00
XE130	54	130	0	1174	3	102	900	1.0E+10	3.40457E-02	1.8370E-01	8.4113E+00	3.4045E+00	4.4599E+00	4.4599E+00
XE131	54	131	0	1175	3	102	900	1.0E+10	1.33154E-02	1.8370E-01	8.4113E+00	3.4045E+00	4.4599E+00	4.4599E+00
XE132	54	132	0	1176	3	102	900	1.0E+10	1.81476E-02	6.0167E-02	1.9407E+00	1.6049E+00	1.6049E+00	1.6049E+00
XE133	54	133	0	595	3	102	1000	1.0E+10	5.95076E-03	3.94381E-01	3.4045E+00	1.6049E+00	1.6049E+00	1.6049E+00
XE134	54	134	0	1177	3	102	900	1.0E+10	1.05401E-02	3.4045E-02	3.4045E+00	1.6049E+00	1.6049E+00	1.6049E+00
XE135	54	135	0	1294	3	102	900	1.0E+10	5.56401E-04	3.71597E-03	1.0723E+00	1.6049E+00	1.6049E+00	1.6049E+00
XE136	54	136	0	1178	3	102	900	1.0E+10	1.0723E-03	3.2958E-03	1.0723E+00	1.6049E+00	1.6049E+00	1.6049E+00
CS133	55	133	0	1141	3	102	900	1.0E+10	5.10335E-02	3.72361E-01	3.3706E+00	1.6049E+00	1.6049E+00	1.6049E+00
CS134	55	134	0	614	3	102	1000	1.0E+10	1.28663E-02	3.4425E-01	2.6707E+00	1.6049E+00	1.6049E+00	1.6049E+00
CS135	55	135	0	616	3	102	1000	1.0E+10	3.15031E-03	4.1357E-02	4.5411E+00	4.6059E+00	4.6059E+00	4.6059E+00
CS136	55	136	0	618	3	102	1000	1.0E+10	1.9475E-02	1.9475E-01	3.5679E+00	1.6049E+00	1.6049E+00	1.6049E+00
CS137	55	137	0	619	3	102	1000	1.0E+10	1.56756E-03	5.5531E-03	5.5531E+00	1.6049E+00	1.6049E+00	1.6049E+00
BA134	56	134	0	634	3	102	1000	1.0E+10	3.52434E-02	8.61255E-02	2.6707E+00	1.6049E+00	1.6049E+00	1.6049E+00
BA135	56	135	0	635	3	102	1000	1.0E+10	2.66749E-02	3.1347E-01	1.1143E+00	2.6707E+00	1.6049E+00	1.6049E+00
BA136	56	136	0	637	3	102	1000	1.0E+10	1.31266E-02	3.1347E-02	1.1143E+00	2.6707E+00	1.6049E+00	1.6049E+00
BA137	56	137	0	639	3	102	1000	1.0E+10	7.22913E-03	3.1347E-02	4.9031E+00	1.6049E+00	1.6049E+00	1.6049E+00
BA138	56	138	0	641	3	102	1000	1.0E+10	9.21466E-03	5.5531E-03	1.2866E+00	1.6049E+00	1.6049E+00	1.6049E+00
BA140	56	140	0	643	3	102	1000	1.0E+10	1.68906E-03	5.5531E-03	1.5014E+00	8.4146E+00	1.6049E+00	1.6049E+00
LA139	57	139	0	657	3	102	1000	1.0E+10	6.96937E-03	2.9674E-02	1.4440E+00	5.0131E+00	4.4599E+00	4.4599E+00
LA140	57	140	0	658	3	102	1000	1.0E+10	2.94571E-02	1.2970E-01	7.0839E+00	1.6049E+00	1.6049E+00	1.6049E+00
CE140	58	140	0	674	3	102	1000	1.0E+10	1.70353E-02	1.70353E-02	1.7035E+00	1.6049E+00	1.6049E+00	1.6049E+00
CE141	58	141	0	675	3	102	1000	1.0E+10	4.51061E-02	1.0545E-01	2.3469E+00	1.6049E+00	1.6049E+00	1.6049E+00
CE142	58	142	0	676	3	102	1000	1.0E+10	1.48523E-02	3.39443E-02	5.9256E+00	5.3071E+00	9.8952E+00	9.8952E+00
CE143	58	143	0	677	3	102	1000	1.0E+10	9.57770E-03	7.57713E-02	3.5487E+00	3.5487E+00	6.0499E+00	6.0499E+00
CE144	58	144	0	678	3	102	1000	1.0E+10	1.09090E-02	2.40560E-02	2.31466E+00	5.5662E+00	1.0043E+00	1.0043E+00
PR141	59	141	0	692	3	102	1000	1.0E+10	2.54860E-02	9.5911E-02	2.10539E+00	6.4394E+00	1.16231E+01	1.16231E+01
PR142	59	142	0	693	3	102	1000	1.0E+10	1.60491E-02	2.54718E-01	1.52727E+00	1.11762E+00	2.0171E+00	2.0171E+00

TABLE VII (cont)

NUCLIDE	Z	A	S	MAT	MF	MT	TEMP DEG K	SIGMA ZERO	GROUP 1 CROSS SECTION	GROUP 2 CROSS SECTION	GROUP 3 CROSS SECTION	GROUP 4 CROSS SECTION	EFFECT. THERMAL CROSS SECTION
PR143	59	143	0	695	3	102	1000	1.0E+10	4.842014E-02	2.101495E-01	1.913981E+01	4.977769E+01	8.986831E+01
ND142	60	142	0	713	3	102	1000	1.0E+10	2.773231E-02	3.127668E-02	7.312654E+01	1.044265E+01	1.854594E+01
ND143	60	143	0	714	3	102	1000	1.0E+10	5.923338E-02	1.938598E-01	1.209111E+01	1.773136E+02	3.212445E+02
ND144	60	144	0	715	3	102	1000	1.0E+10	4.188973E-02	6.863372E-02	5.867006E+01	2.013942E+00	3.635276E+00
ND145	60	145	0	716	3	102	1000	1.0E+10	6.803414E-02	1.963844E-01	2.250151E+01	2.355985E+01	4.252540E+01
ND146	60	146	0	717	3	102	1000	1.0E+10	5.710881E-02	1.982633E-01	2.903151E+01	7.627770E-01	1.412696E+00
ND147	60	147	0	718	3	102	1000	1.0E+10	5.106341E-02	3.928675E-01	6.013407E+01	2.740049E+01	4.945773E+01
ND148	60	148	0	719	3	102	1000	1.0E+10	1.435365E-01	1.316842E-01	2.284639E+00	1.359507E+00	2.525102E+00
ND150	60	150	0	721	3	102	1000	1.0E+10	5.230297E-02	1.742157E-01	1.805556E+00	6.713311E-01	1.211749E+00
PM147	61	147	0	733	3	102	1000	1.0E+10	1.383008E-01	8.116927E-01	1.918325E+02	9.917021E+01	1.793317E+02
PM148	61	148	0	734	3	102	1000	1.0E+10	4.921926E-01	2.574234E+00	2.332976E+03	2.594150E+03	4.662421E+03
PM148M	61	148	1	735	3	102	1000	1.0E+10	4.921928E-01	2.574234E+00	3.182157E+02	1.909160E+04	3.446623E+04
PM149	61	149	0	736	3	102	1000	1.0E+10	5.268164E-01	2.133433E+00	7.332632E+01	7.811904E+02	1.410044E+03
PM151	61	151	0	738	3	102	1000	1.0E+10	1.012214E-03	2.037357E-02	1.742156E+02	3.910634E+02	7.055672E+02
SM147	62	147	0	753	3	102	1000	1.0E+10	1.180276E-01	5.432755E-01	7.514796E+01	3.454724E+01	6.235757E+01
SM148	62	148	0	754	3	102	1000	1.0E+10	2.023254E-01	2.596760E-01	3.134567E+00	1.509549E+00	2.728549E+00
SM149	62	149	0	1027	3	102	900	1.0E+10	5.637011E-02	9.344683E-01	2.770664E+02	4.841073E+04	8.735118E+04
SM150	62	150	0	756	3	102	1000	1.0E+10	1.313939E-01	2.862236E-01	1.162903E+01	5.471648E+01	9.875299E+01
SM151	62	151	0	757	3	102	1000	1.0E+10	2.315041E-01	1.356167E+00	2.844607E+02	4.669738E+03	8.428550E+03
SM152	62	152	0	758	3	102	1000	1.0E+10	7.520442E-02	2.877061E-01	2.755117E+02	1.173507E+02	2.115181E+02
SM153	62	153	0	759	3	102	1000	1.0E+10	2.260670E-04	1.191724E-02	2.413654E+02	1.846096E+02	3.333271E+02
SM154	62	154	0	760	3	102	1000	1.0E+10	5.706727E-02	1.425114E-01	3.851160E+00	3.075005E+00	5.555233E+00
EU151	63	151	0	1290	3	102	900	1.0E+10	4.181577E-01	2.402754E+00	2.044276E+02	4.717469E+03	8.515003E+03
EU152	63	152	0	1292	3	102	900	1.0E+10	1.744222E-01	3.245252E+00	3.250580E+02	7.677340E+02	1.365840E+03
EU153	63	153	0	1291	3	102	900	1.0E+10	2.431446E-01	1.539698E+00	1.474531E+02	2.197333E+02	3.966174E+02
EU154	63	154	0	1293	3	102	900	1.0E+10	7.241066E-02	1.875663E+00	2.225410E+02	4.972313E+02	8.974997E+02
EU155	63	155	0	778	3	102	1000	1.0E+10	9.062116E-01	1.543263E+00	1.540107E+02	2.256836E+03	4.077167E+03
EU156	63	156	0	779	3	102	1000	1.0E+10	5.008924E-04	3.539738E-02	1.016701E+02	2.696344E+02	4.866554E+02
EU157	63	157	0	780	3	102	1000	1.0E+10	3.121641E-03	2.526199E-02	8.471598E+01	1.059332E+02	1.912049E+02
GD154	64	154	0	791	3	102	1000	1.0E+10	3.041554E-01	6.280531E-01	2.531751E+01	4.755081E+01	8.582544E+01
GD155	64	155	0	792	3	102	1000	1.0E+10	1.513230E-01	1.467746E+00	1.313034E+02	1.920002E+04	3.466444E+04
GD156	64	156	0	793	3	102	1000	1.0E+10	1.177736E-01	2.925910E-01	1.303447E+01	8.292483E-01	1.446788E+00
GD157	64	157	0	794	3	102	1000	1.0E+10	1.068337E-01	7.193253E-01	3.871128E+01	8.261895E+04	1.491231E+04
GD158	64	158	0	795	3	102	1000	1.0E+10	4.647452E-02	1.882511E-01	6.519249E+00	1.403779E+00	2.533814E+00
GD160	64	160	0	797	3	102	1000	1.0E+10	8.083934E-02	1.503751E-01	9.311766E-01	6.500954E-01	7.752493E-01
Ts159	65	159	0	803	3	102	1000	1.0E+10	9.138257E-02	7.922879E-01	4.634542E+01	1.437343E+01	2.555444E+01
Ts160	65	160	0	804	3	102	1000	1.0E+10	1.434563E-03	7.845290E-02	8.016738E+01	2.928134E+02	5.250756E+02
DY160	66	160	0	811	3	102	1000	1.0E+10	7.939340E-01	1.200462E+00	1.503596E+02	3.609337E+01	6.514924E+01
DY161	66	161	0	812	3	102	1000	1.0E+10	5.945760E-02	1.227134E+00	1.166236E+02	3.112586E+02	5.618201E+02
DY162	66	162	0	813	3	102	1000	1.0E+10	2.803023E-01	5.297747E-01	2.471440E+02	1.147570E+02	2.071357E+02
DY163	66	163	0	814	3	102	1000	1.0E+10	5.480995E-02	5.190151E-01	1.336405E+02	7.776202E+02	1.403600E+02
DY164	66	164	0	1031	3	102	900	1.0E+10	9.006775E-02	1.905334E-01	2.300530E+01	2.347525E+03	2.347525E+03
HO165	67	165	0	820	3	102	1000	1.0E+10	8.922674E-02	8.753142E-01	7.475623E+01	3.753369E+01	6.774510E+01
ER166	68	166	0	823	3	102	1000	1.0E+10	1.431152E-01	2.983558E-01	1.481533E+01	1.954315E+01	3.527527E+01
ER167	68	167	0	824	3	102	1000	1.0E+10	6.106630E-02	8.024943E-01	1.590069E+02	1.101003E+03	1.987304E+03

NOTE THAT THE EFFECTIVE THERMAL CROSS SECTION IS THE GROUP 4 CROSS SECTION DIVIDED BY SIGMA(1/V)
WHERE SIGMA(1/V) IS THE GROUP 4 VALUE OF A 1/V CROSS SECTION EQUAL TO UNITY AT 2200 M/S .554018

APPENDIX A

TOAFEW CODE LISTING

LASL Identification No. LP-0886

PROGRAM TOAFEW (INPUT,OUTPUT,FILM,TAPE1,TAPE2)

```

C*****
C*
C* W.B.WILSON, T.R.ENGLAND, R.J.LA BAUVE          FEBRUARY 1978
C* GROUP T-2, NUCLEAR DATA
C* LOS ALAMOS SCIENTIFIC LABORATORY
C*
C*****
C*****
C*TOAFEW COLLAPSES MULTIGROUP CROSS SECTIONS READ FROM A COMPATIBLE
C*DATA FILE, USING EITHER A LOG-LOG FLUX DESCRIPTION GIVEN IN THE DATA
C*FILE OR A FLUX DESCRIPTION PROVIDED BY THE USER.
C*****
C
C TAPE 1 IS THE INPUT DATA FILE
C TAPE 2 IS AN OUTPUT PRINT FILE OF COLLAPSED CROSS SECTIONS
C
C DESCRIPTION OF VARIABLES
C*****
C C(I)          =COEFFICIENT OF FUNCTIONAL FLUX,REGION I, CALC. IN COEFS
C CX(IGC)       =COARSE GROUP IGC CROSS SECTION CALCULATED
C CXF(IGF)      =FINE GROUP IGF CROSS SECTION INPUT
C CXFLXI(IGC)=INTEGRAL OVER COARSE GROUP IGC, FROM EC(IGC+1) TO EC(IGC),
C              OF THE PRODUCT OF WEIGHTING FLUX AND FINE GROUP
C              CROSS SECTIONS
C EC(IGC)       =COARSE-GROUP IGC UPPER ENERGY BOUND
C EF(IGF)       =FINE-GROUP IGF UPPER ENERGY BOUND
C EFLUX(IFX)    =ENERGY AT FLUX DISCONTINUITY OR HISTOGRAM BOUNDARY IFX
C EFLUXP(I)     =ENERGY VALUE I AT DATA FILE FLUX VALUE FLUXP(I)
C EP           =ENERGY OF FUSION PEAK IN FUNCTIONAL FLUX DESCRIPTION
C EX(I)        =ENERGY BOUNDARY I OF FUNCTIONAL FLUX DESCRIPTION
C FLUX(IFX)     =FLUX AT DISCONTINUITY OR HISTOGRAM GROUP IFX
C FLXI(IGC)     =INTEGRAL OVER COARSE GROUP IGC, FROM EC(IGC+1) TO EC(IGC),
C              OF THE WEIGHTING FLUX
C FLXIM(IGC,
C      IGF)=INTEGRAL OF FLUX OVER THAT PART OF FINE GROUP IGF
C          WITHIN COARSE GROUP IGC
C FLUXP(I)      =DATA FILE FLUX VALUE I AT ENERGY VALUE EFLUXP(I)
C IFLX         =1, COLLAPSE TO FLUX FUNCTION BUILT INTO COEFS,ENTEG,PLOTX
C              =2, COLLAPSE TO LOG-LOG FLUX READ FROM DATA FILE
C              =3, COLLAPSE TO LOG-LOG FLUX READ FROM CARD INPUT
C              =4, COLLAPSE TO HISTOGRAM FLUX, N/CM**2-SEC-UNIT ENERGY
C              =5, COLLAPSE TO HISTOGRAM FLUX, N/CM**2-SEC-UNIT LETHARGY
C              =6, COLLAPSE TO HISTOGRAM FLUX, N/CM**2-SEC (INTEGRAL)
C IA          =A VALUE OF NUCLIDE
C IS          =0, GROUND STATE
C              =1, ISOMERIC STATE
C IVER        =ENDF/B VERSION FROM WHICH MULTIGROUP VALUES PROCESSED
C IZ          =2 VALUE OF NUCLIDE
C LB(IGC)      =FINE GROUP BOUND CORRESPONDING TO COARSE GROUP BOUND IGC
C LFG(IGC)     =FINE GROUP WITHIN WHICH COARSE GROUP BOUNDARY IGC LIES
C MAT         =ENDF/B-IVER NUCLIDE IDENTIFICATION NUMBER
C MINA,MAXA   =LIMITS OF IA WITHIN WHICH CROSS SECTIONS TO BE COLLAPSED
C MINZ,MAXZ   =LIMITS OF IZ WITHIN WHICH CROSS SECTIONS TO BE COLLAPSED
C MINMT,MAXMT=LIMITS OF MT WITHIN WHICH CROSS SECTIONS TO BE COLLAPSED

```



```

C MT          =ENDF/B REACTION IDENTIFICATION NUMBER
C NGC          =NUMBER OF COARSE GROUPS
C NGF          =NUMBER OF FINE GROUPS
C NFX          =NUMBER OF FLUX DISCONTINUITY POINTS, IF IFLX=2 OR 3
C              =NUMBER OF FLUX HISTOGRAM VALUES, IF IFLX=4,5 OR 6
C NFXP         =NUMBER OF DATA FILE FLUX LOG-LOG POINTS
C SLPA         =LOG-LOG FLUX SLOPE, REGION 2, FUNCTIONAL FLUX
C SLPB         =LOG-LOG FLUX SLOPE, REGION 4, FUNCTIONAL FLUX
C SLPC         =LOG-LOG FLUX SLOPE, REGION 6, FUNCTIONAL FLUX
C SYM(IZ)      =CHEMICAL SYMBOL OF ELEMENT WITH Z=IZ
C SZ          =SIGMA-0 USED IN PROCESSING WITH BONDORINKO SELF SHIELDING
C THERM        =THERMAL GROUP VALUE OF 1/V CROSS SECTION= UNITY AT 2200M/S
C THETA        =FISSION SPECTRUM TEMP.(MEV),FUNCTIONAL FLUX
C TKM          =NEUTRON TEMP.(MEV) OF MAXWELLIAN, FUNCTIONAL FLUX
C TKF          =NEUTRON TEMP.(MEV) OF FUSION PEAK, FUNCTIONAL FLUX
C *****
C
C *****
C *THIS VERSION OF TOAFW IS DIMENSIONED FOR THE FOLLOWING VALUES *
C * NGC=4   NGF=154   NFX=200   NFXP=115 *
C *ARRAYS ARE DIMENSIONED AS FOLLOWS *
C * EFLUX(NFX+1) EF(NGF+1) EC(NGC+1) CXF(NGF) CXC(NGC) *
C * LB(NGC+1) LFG(NGC+1) CXFLXI(NGC) FLXI(NGC) *
C * FLUX(NFX) FLXIM(NGC,NGF) EFLUXP(NFXP) FLUXP(NFXP) *
C *****
C STORAGE
C *****
COMMON /A/ EFLUX(201),FLUX(200),EF(155),EC(5),CXF(154),CXC(4)
COMMON /B/ LB(5), LFG(5),CXFLXI(4),FLXI(4)
COMMON /C/ IFLX,NFX,NFXP,NGF,NGC,TITLE(20),TITL(17)
COMMON /D/ FLXIM(4,154),SYM(103)
COMMON /E/ EFLUXP(115),FLUXP(115)
COMMON /F/ C(6),EX(7),TKM,SLPA,THETA,SLPB,TKF,EP,SLPC
C
DATA SYM/2H H,2HHE,2HLI,2HBE,2H B,2H C,2H N,2H O,2H F,2HNE,2HNA,2H
1MG,2HAL,2HSI,2H P,2H S,2HCL,2HAR,2H K,2HCA,2HSC,2HTI,2H V,2HCR,2HM
2N,2HFE,2HCO,2HNI,2HCU,2HZN,2HGA,2HGE,2HAS,2HSE,2HBR,2HXR,2HBB,2HBR
3,2H Y,2HZR,2HNB,2HMO,2HTC,2HRU,2HRH,2HPD,2HAG,2HCD,2HIN,2HSN,2HSB,
42HTE,2H I,2HXE,2HCS,2HBA,2HLA,2HCE,2HPR,2HND,2HPM,2HSM,2HEU,2HGD,2
5HTB,2HDY,2HHO,2HER,2HTM,2HYB,2HLU,2HHF,2HTA,2H W,2HRE,2HOS,2HIR,2H
6PT,2HAU,2HHG,2HTL,2HPB,2HBI,2HPO,2HAT,2HRN,2HFR,2HRA,2HAC,2HTH,2HP
7A,2H U,2HNP,2HPU,2HAM,2HCM,2HBK,2HCF,2HES,2HFM,2HMD,2HNO,2HLR/
C
C *****
C
C READ JOB DESCRIPTIVE PARAMETERS
C *****
READ 390, TITLE
PRINT 420
READ 400, IFLX,NFX,NGC,NT,IPLTFX
PRINT 430, TITLE
IGCFLG=0
IF(NGC.LT.0) IGCFLG=1
NGC=IABS(NGC)
PRINT 470, IFLX,NFX,NGC,NT,IPLTFX
READ 405,MINZ,MAXZ,MINA,MAXA,MINMT,MAXMT,SZMIN,SZMAX,TEMIN,TEMAX
PRINT 710,MINZ,MAXZ,MINA,MAXA,MINMT,MAXMT,SZMIN,SZMAX,TENIN,TEMAX
NGCP1=NGC+1
C READ DATA FILE HEADING
C *****
READ ( 1,390)TITLE

```

```

      PRINT 440, TITLE
C READ MULTIGROUP STRUCTURE
C*****
      READ ( 1,395)TITL, NGF
      PRINT 440, TITL
      NGFP1= NGF + 1
      READ ( 1,410)(EF(IGF),IGF=1,NGFP1)
      PRINT 450, (EF(IGF),IGF=1,NGFP1)
C READ DATA SET FLUX WEIGHTING FUNCTION
C*****
      READ ( 1,395)TITL, NFXP
      PRINT 440, TITL
      READ ( 1,410)(EFLUXP(I),FLUXP(I),I=1,NFXP)
      PRINT 450, (EFLUXP(I),FLUXP(I),I=1,NFXP)
C READ COLLAPSING FLUX DESCRIPTION
C*****
      IF(IFLX.NE.2) GO TO 30
C COLLAPSE TO DATA SET LOG-LOG FLUX
C*****
      NFX=NFXP
      DO 20 I=1,NFXP
      EFLUX(I)=EFLUXP(I)
      20 FLUX(I)=FLUXP(I)
      GO TO 140
C COLLAPSE TO WT.FUNCTION OTHER THAN THAT READ FROM DATA FILESET
C*****
C BRANCH ON INPUT FLUX DESCRIPTION
C*****
      30 GO TO (35,40,140,60,60,60), IFLX
C READ PARAMETERS OF FUNCTIONAL FLUX
C*****
      35 READ 410, (EX(I),I=1,7)
      READ 410, TKM,SLPA,THETA,SLPB,TKF,EP,SLPC
      GO TO 140
C READ LOG-LOG ENERGY-FLUX INTERPOLATION POINTS FROM CARDS
C*****
      40 READ 410, (EFLUX(I),FLUX(I),I=1,NFX)
      IF (EFLUX(1).GT.EFLUX(NFX)) GO TO 140
C ORDER IN DECREASING ENERGY
C*****
      NP=NFX/2
      DO 50 IP=1,NP
      STOWE=EFLUX(NFX+1-IP)
      STOWF=FLUX(NFX+1-IP)
      EFLUX(NFX+1-IP)=EFLUX(IP)
      FLUX(NFX+1-IP)=FLUX(IP)
      EFLUX(IP)=STOWE
      50 FLUX(IP)=STOWF
      GO TO 140
C READ HISTOGRAM FLUXES FROM CARDS
C*****
      60 NFXP1=NFX+1
      READ 410, (EFLUX(I),I=1,NFXP1)
      READ 410, (FLUX(I),I=1,NFX)
      IF (EFLUX(1).GT.EFLUX(NFXP1)) GO TO 90
C ORDER IN DECREASING ENERGY
C*****
      NP=NFXP1/2
      DO 70 IP=1,NP
      STOWE=EFLUX(NFXP1+1-IP)
      EFLUX(NFXP1+1-IP)=EFLUX(IP)

```

```

70 EFLUX(IP)=STOWE
   NP=NFX/2
   DO 80 IP=1,NP
   STOWF=FLUX(NFX+1-IP)
   FLUX(NFX+1-IP)=FLUX(IP)
80 FLUX(IP)=STOWF
C CONVERT HISTOGRAM FLUXES TO UNITS OF N/CM**2 SEC EV
C*****
90 GO TO (140,140,140,140,100,120), IFLX
C GROUP FLUXES INPUT AS PER-UNIT-LETHARGY
C*****
100 DO 110 I=1,NFX
110 FLUX(I)=FLUX(I)*ALOG(EFLUX(I)/EFLUX(I+1))/(EFLUX(I)-EFLUX(I+1))
   GO TO 140
C GROUP FLUXES INPUT AS INTEGRAL GROUP FLUXES
C*****
120 DO 130 I=1,NFX
130 FLUX(I)=FLUX(I)/(EFLUX(I)-EFLUX(I+1))
140 CONTINUE
   DO 150 IGC=1,NGC
   DO 150 IGF=1,NGF
150 FLXIM(IGC,IGF)=0.0
C
C READ COARSE-GROUP STRUCTURE FROM CARDS
C*****
   IF(IGCFLG.EQ.0) GO TO 155
   READ 400, (LB(IGC),IGC=1,NGCP1)
   DO 153 IGC=1,NGCP1
   IJ=LB(IGC)
153 EC(IGC)=EF(IJ)
   GO TO 157
155 READ 410, (EC(IGC),IGC=1,NGCP1)
157 IF (EC(1).GT.EC(NGCP1)) GO TO 170
C ORDER IN DECREASING ENERGY
C*****
   NP=NGCP1/2
   DO 160 IP=1,NP
   STOWE=EC(NGC+2-IP)
   EC(NGC+2-IP)=EC(IP)
160 EC(IP)=STOWE
170 PRINT 700
   PRINT 450, (EC(I),I=1,NGCP1)
C
C PRINT USER FLUX
C*****
   GO TO (190,200,175,180,180,180), IFLX
175 PRINT 540, NFX
   PRINT 450, (EFLUX(I),FLUX(I),I=1,NFX)
   GO TO 200
180 PRINT 600, NFX
   PRINT 450, (EFLUX(I),FLUX(I),I=1,NFX),EFLUX(NFXP1)
   GO TO 200
190 CALL COEFS
   PRINT 690, EX(1),C(1),TKM,EX(2),C(2),SLPA,EX(3),C(3),THETA,EX(4),
1C(4),SLPB,EX(5),C(5),TKF,EX(6),EP,C(6),EX(7),SLPC
C
C DETERMINE LFG VALUES
C*****
200 N=1
   IF (EF(1).GT.EC(1)) GO TO 220
   IF (EF(1).EQ.EC(1)) GO TO 210

```

```

        PRINT 490, EF(1),EC(1)
        STOP
210 LFG(1)=1
    N=2
220 IF (EC(NGCP1).GE.EF(NGFP1)) GO TO 230
    PRINT 510, EF(NGFP1),EC(NGCP1)
    STOP
230 DO 250 IGF=1,NGF
240 IF (EC(N).LT.EF(IGF+1)) GO TO 250
    LFG(N)=IGF
    N=N+1
    IF (N.GT.NGCP1) GO TO 255
    GO TO 240
250 CONTINUE
255 PRINT 520, NGCP1
    PRINT 460, (LFG(I),I=1,NGCP1)
C CALCULATE FINE-AND COARSE-GROUP FLUX INTEGRALS
C*****
260 DO 280 IGC=1,NGC
    IGCP1=IGC+1
    FLXI(IGC)=ENTEG(EC(IGCP1),EC(IGC),2)
    L=LFG(IGCP1)-1
    M=LFG(IGC)+1
    MM1=M-1
    LP1=L+1
    FLXIM(IGC,MM1)=ENTEG(EF(M),EC(IGC),2)
    FLXIM(IGC,LP1)=ENTEG(EC(IGCP1),EF(LP1),2)
    DO 270 IGF=M,L
        IGFP1=IGF+1
270 FLXIM(IGC,IGF)=ENTEG(EF(IGFP1),EF(IGF),2)
280 CONTINUE
C CALCULATE FLUX-WEIGHTED-AVERAGE OF 1/V CROSS SECTION =UNITY AT 2200M/S
C*****
    TOP=ENTEG(EC(NGCP1),EC(NGC),1)
    BOT=ENTEG(EC(NGCP1),EC(NGC),2)
    THERM=TOP/BOT
    IF(NGC.LE.4) PRINT 530, TOP,BOT,THERM
C PRINT COARSE GROUP FLUXES FOR USERS FLUX
C*****
    TFX=THERM*FLXI(NGC)
    PRINT 720, NGC
    PRINT 450, (FLXI(IGC), IGC=1,NGC)
    IF(NGC.LE.4) PRINT 730, TFX
    READ ( 1,390)TITLE
    PRINT 440, TITLE
    IF(NGC.GT.4) WRITE(2,585) NT,NGC
    INUM=0
    IPAGE=0
C READ FINE-GROUP CROSS SECTIONS AND TEST EOF AND Z,A, AND MT LIMITS
C*****
290 READ ( 1,570)TAG1,TAG2,IZ,IA,IS,MAT,IVER,MF,MT,TEMP,SZ,R1,R2
    IF (EOF, 1) 380,300
300 READ ( 1,410)(CXF(I),I=1,NGF)
    IF (IZ.LT.MINZ) GO TO 290
    IF (IZ.GT.MAXZ) GO TO 380
    IF (IA.LT.MINA.OR.IA.GT.MAXA) GO TO 290
    IF (MT.LT.MIHM.T.OR.MT.GT.MAXMT) GO TO 290
    IF (SZ.LT.SZMIN.OR.SZ.GT.SZMAX) GO TO 290
    IF (TEMP.LT.TEMIN.OR.TEMP.GT.TEMAX) GO TO 290
    INUM=INUM+1
    IF (INUM.EQ.48) INUM=1

```

```

C*****
C*COLLAPSE FINE GROUP CROSS SECTIONS*
C*****
      DO 320 IGC=1,NGC
      CXFLXI(IGC)=0.0
      L1=LFG(IGC)
      L3=LFG(IGC+1)
      DO 310 IGF=L1,L3
310  CXFLXI(IGC)=CXFLXI(IGC)+FLXIM(IGC,IGF)*CXF(IGF)
320  CXC(IGC)=CXFLXI(IGC)/FLXI(IGC)
C OUTPUT COLLAPSED CROSS SECTIONS
C*****
      W=1H
      IF(IS.NE.0) W=1HM
      IF(NGC.LE.4) GO TO 325
      WRITE(2,565) SYM(IZ),IA,W,MAT,MF,MT,TEMP,SZ
      PRINT 565, SYM(IZ),IA,W,MAT,MF,MT,TEMP,SZ
      WRITE(2,450) (CXC(IGC),IGC=1,NGC)
      PRINT 450, (CXC(IGC),IGC=1,NGC)
      GO TO 290
325  EFFEC=CXC(NGC)/THERM
      IF (INUM.NE.1) GO TO 370
      IPAGE=IPAGE+1
      IF (IPAGE.EQ.1) INUM=6
      WRITE (2,420)
      GO TO (330,340,350,360), NGC
330  IF (IPAGE.EQ.1) WRITE (2,620)NT
      IF(IPAGE.EQ.1) PRINT 660
      WRITE (2,660)
      GO TO 370
340  IF (IPAGE.EQ.1) WRITE (2,630)NT
      IF(IPAGE.EQ.1) PRINT 670
      WRITE (2,670)
      GO TO 370
350  IF (IPAGE.EQ.1) WRITE (2,640)NT
      IF(IPAGE.EQ.1) PRINT 680
      WRITE (2,680)
      GO TO 370
360  IF (IPAGE.EQ.1) WRITE (2,580)NT
      IF(IPAGE.EQ.1) PRINT 550
      WRITE (2,550)
370  CONTINUE
      WRITE (2,560)SYM(IZ),IA,W,IZ,IA,IS,MAT,MF,MT,TEMP,SZ,(CXC(IGC),IGC
1=1,NGC),EFFEC
      PRINT 560, SYM(IZ),IA,W,IZ,IA,IS,MAT,MF,MT,TEMP,SZ,
1 (CXC(IGC),IGC=1,NGC), EFFEC
C RETURN TO READ NEXT FINE-GROUP CROSS SECTIONS ABOVE
C*****
      GO TO 290
380  IF(NGC.LE.4) WRITE (2,590)NGC,NGC,THERM
      WRITE (2,420)
      END FILE 2
C GO PLOT FLUX, IF DESIRED
C*****
      IF (IPLTFX.NE.0) CALL PLOTX
C*
C THIS IS THE END***THIS IS THE END***THIS IS THE END***
C*****
C*
C FORMATS
C*****

```

```

390 FORMAT (20A4)
395 FORMAT(17A4,I4)
400 FORMAT (16I5)
405 FORMAT(6I5,'E10.3')
410 FORMAT (6E12.5)
420 FORMAT (1H1)
430 FORMAT(20X,20A4)
440 FORMAT (3X,23HECHO FROM DATA FILE      ,20A4)
450 FORMAT (1X,'E12.5')
460 FORMAT (1X,16I6)
470 FORMAT(10X,40H**SUMMARY OF PROBLEM CONTROL INPUT***/,5X,6HIFLX
  1 =,I3,3X,83H,WHERE 1=COLLAPSE TO BUILT-IN FUNCTIONAL FLUX, WITH PA
  2RAMETERS READ FROM CARD INPUT,/,24X,87H2=COLLAPSE TO FLUX DESCRIBE
  3D BY SET OF LOG-LOG INTERPOLATION POINTS READ FROM DATA FILE,/,24X
  4,88H3=COLLAPSE TO FLUX DESCRIBED BY SET OF LOG-LOG INTERPOLATION P
  5OINTS READ FROM CARD INPUT,/,24X,74H4=COLLAPSE TO HISTOGRAM FLUX R
  6EAD FROM CARD INPUT IN UNITS N/CM**2-SEC-EV,/,24X,85H5=COLLAPSE T
  7O HISTOGRAM FLUX READ FROM CARD INPUT IN UNITS N/CM**2-SEC-UNIT L
  8ETHARGY,/,24X,95H6=COLLAPSE TO HISTOGRAM FLUX READ FROM CARD INPUT
  9 IN UNITS N/CM**2-SEC (GROUP INTEGRAL FLUXES),/,6X,5HNFx =,I3,3X,
 158H,NUMBER OF FLUX VALUES IN USER COLLAPSING FLUX DESCRIPTION,
  2 3X,31H(SET TO NFXP BY CODE IF IFLX=2) ,/,
  36X,5HNGC =,I3,3X,24H,NUMBER OF COARSE GROUPS,/,7X,4HNT =,I3,3X,
  431H,TABLE NUMBER FOR TAPE2 HEADING,/,3X,8HIPLTFX =,I3,3X,24H,WHERE
  5 0=NO PLOT OF FLUX,/,24X,87H1=MAKE PLOT OF LOG-LOG FLUX READ FROM
  6DATA FILE AND, IF DIFFERENT, USER COLLAPSING FLUX)
490 FORMAT(1X,46HFINE GROUP CROSS SECTIONS WITH UPPER BOUND OF ,E12.5,
  13X,20HCAN NOT BE COLLAPSED ,/,5X,46HTO COARSE GROUP STRUCTURE WITH
  2 UPPER BOUND OF ,E12.5,/,20X,9HI GIVE UP )
510 FORMAT (//,1X,45HFINE GROUP CROSS SECTIONS WITH LOWER BOUND OF,1PE
  112.5,3X,20HCAN NOT BE COLLAPSED,/,5X,45HTO COARSE GROUP STRUCTURE
  2WITH LOWER BOUND OF,1PE12.5,//,20X,9HI GIVE UP,/)
520 FORMAT(3X,16H(LFG(IGC),IGC=1,,I3,1H),3HARE,8I5)
530 FORMAT(3X,88HFLUX-WEIGHTED AVERAGE OF 1/V CROSS SECTION (UNITY AT
  1 2200M/S ) OVER LOWEST COARSE GROUP,/,30X,1H=,E12.5,
  2 3H / ,E12.5,3H = ,E12.5)
540 FORMAT (/,10X,21HINPUT WEIGHT FUNCTION,10X,I5,6HPOINTS,/)
560 FORMAT (1X,A2,I3,A1,1X,I3,1X,I3,1X,I1,1X,I4,1X,I2,1X,I3,F6.0,E8.1,
  15E14.6)
565 FORMAT(/,1X,A2,I3,A1,5X,3HMAT,I4,5X,2HMF,I3,5X,2HMT,I3,5X,
  1 5HTEMP=,F6.0,5X,8HSIGMA 0=,E8.1)
570 FORMAT (A6,A5,2I3,I1,I4,2I2,I3,2E9.3,2A10)
590 FORMAT(/,1X,58HNOTE THAT THE EFFECTIVE THERMAL CROSS SECTION IS TH
  1E GROUP,I2,36H CROSS SECTION DIVIDED BY SIGMA(1/V),/,2X,30HWHERE S
  2IGMA(1/V) IS THE GROUP ,I2,56H VALUE OF A 1/V CROSS SECTION EQUAL
  3TO UNITY AT 2200 M/S ,F9.6)
600 FORMAT (/,10X,21HINPUT WEIGHT FUNCTION,10X,I5,16HHISTOGRAM VALUES,
  110X,20HFLUX-PER-UNIT-ENERGY )
620 FORMAT (///,32X,5HTABLE,I3,/,24X,24HONE GROUP CROSS SECTIONS)
630 FORMAT (///,39X,5HTABLE,I3,/,31X,24HTWO GROUP CROSS SECTIONS)
640 FORMAT (///,46X,5HTABLE,I3,/,37X,26HTHREE GROUP CROSS SECTIONS)
580 FORMAT(///,53X,5HTABLE,I3,/,45X,25HFOUR GROUP CROSS SECTIONS)
585 FORMAT(///,56X,5HTABLE,I3,/,48X,I3,21H GROUP CROSS SECTIONS,/)
660 FORMAT (///,31X,40HTEMP SIGMA GROUP 1 EFFEC.THERMAL,/,43H
  1NUCLIDE Z A S MAT MF MT DEG K ZERO ,2(14H CROSS SECTION),/,
  243.1 ----- 2(14H -----
  3))
670 FORMAT (///,31X,54HTEMP SIGMA GROUP 1 GROUP 2 EFFEC.
  1THERMAL,/,43H NUCLIDE Z A S MAT MF MT DEG K ZERO ,3(14H CRO
  2SS SECTION),/,43H ----- 3(14H
  3 -----))

```

```

680 FORMAT (///,31X,68HTEMP SIGMA GROUP 1 GROUP 2 GRO
1UP 3 EFFEC.THERMAL,/,43H NUCLIDE Z A S MAT MF MT DEG K ZE
2RO ,/,43H -----,4(14H -----
3-----))
550 FORMAT (///,31X,82HTEMP SIGMA GROUP 1 GROUP 2 GRO
1UP 3 GROUP 4 EFFEC.THERMAL,/,43H NUCLIDE Z A S MAT MF
2 MT DEG K ZERO ,5(14H CROSS SECTION),/,1X,42H----- -- -- --
3--- -- -- --,5(14H -----))
690 FORMAT(//,10X,46HFUNCTIONAL FLUX DESCRIPTION USED IN COLLAPSING,//
1,5X,13HENERGY LIMITS,25X,13HFLUX FUNCTION,21X,31HINPUT AND CALCULA
2TED PARAMETERS,/,1X,21(1H-),3X,49(1H-),3X,38(1H-),/,7H EX(1)=,E13.
36,3H EV,54X,6HC(1) =E13.6,/,25X,23HF(E)=C(1)*EXP(-E/TKM),29X,6HT
4KM =,E13.6,3H EV,/,7H EX(2)=,E13.6,3H EV,54X,6HC(2) =,E13.6,/,25X
5,17HF(E)=C(2)*E**SLPA,35X,6HSLPA =,E13.6,/,7H EX(3)=,E13.6,3H EV,5
64X,6HC(3) =,E13.6,/,25X,31HF(E)=C(3)*SQRT(E)*EXP(-E/THETA),21X,6HT
7HETA=,E13.6,3H EV,/,7H EX(4)=,E13.6,3H EV,54X,6HC(4) =,E13.6,/,25X
8,17HF(E)=C(4)*E**SLPB,35X,6HSLPB =,E13.6,/,7H EX(5)=,E13.6,3H EV,5
94X,6HC(5) =,E13.6,/,25X,49HF(E)=C(5)*EXP(-5.*(SQRT(E/TKF)-SQRT(EP/
1TKF))**2.),3X,6HTKF =,E13.6,3H EV,/,7H EX(6)=,E13.6,3H EV,54X,6HE
2P =,E13.6,3H EV,/,25X,17HF(E)=C(6)*E**SLPC,35X,6HC(6) =,E13.6,/,
37H EX(7)=,E13.6,3H EV,54X,6HSLPC =,E13.6)
700 FORMAT (1H1,/,10X,22HCOARSE GROUP STRUCTURE ,)
710 FORMAT(/,5X,62HCOLLAPSE CROSS-SECTION TABULATIONS WITHIN THE FOLLO
1WING LIMITS,/,5X,11H*****Z*****,4X,11H*****A*****,3X,13H*REACTION
2MT*,4X,27H***BONDARENKO SIGMA ZERO***,4X,27H*****TEMPERATURE (K)*
3*****,/, 3(5X,13,4H TO ,13), 2(6X,E10.3,5H TO ,E10.3),/)
720 FORMAT(5X,46HINTEGRATED MULTIGROUP FLUXES, FLXI(IGC),IGC=1,I3,
11H))
730 FORMAT(5X,29HEFFECTIVE THERMAL GROUP FLUX=,E15.6)
END
FUNCTION ENTEG (E1,E2,ITS)

```

```

C
C*****
C*
C*ENTEГ INTEGRATES FROM E1 TO E2 THE FOLLOWING-
C*FOR ITS=1, THE PRODUCT OF FLUX AND 1/V CROSS SECTION=UNITY AT 2200M/S*
C*FOR ITS=2, THE FLUX
C*****
C
COMMON /A/ EFLUX(201),FLUX(200),EF(155),EC(5),CXF(154),CXC(4)
COMMON /B/ LB(5), LFG(5),CXFLXI(4),FLXI(4)
COMMON /C/ IFLX,NFX,NFXP,NGF,NGC,TITLE(20),TITL(17)
COMMON /F/ C(6),EX(7),TKM,SLPA,THETA,SLPB,TKF,EP,SLPC

C
NFXP1=NFX+1
ENTEГ=0.0
IF (E1.EQ.E2) RETURN
IF (E2.LT.E1) GO TO 520
C BRANCH ON FLUX DESCRIPTION
C*****
GO TO (10,310,310.420,420,420), IFLX

C
C FUNCTIONAL CALCULATION OF FLUX INTEGRAL HERE FOR IFLX=1
C*****
10 PI=3.141592654
NX=6
NXP1=NX+1
EPS=0.000001
C DETERMINE REGIONS OF E1 AND E2
C*****
DO 20 IX=1,NX

```

```

      IF (E1.GE.EX(IX).AND.E1.LT.EX(IX+1)) GO TO 30
20  CONTINUE
      PRINT 570, E1,(EX(I),I=1,NXP1)
      PRINT 550, E2
      STOP
30  LE1=IX
      DO 40 IX=LE1,NX
      IF (E2.GT.EX(IX).AND.E2.LE.EX(IX+1)) GO TO 50
40  CONTINUE
      PRINT 560, E1
      PRINT 580, E2,(EX(I),I=1,NXP1)
      STOP
50  LE2=IX
      GO TO (60,90,130,160,200,270), LE1
C REGION 1
C*****
60  TK=TKM
      EA=EX(1)
      EB=EX(2)
      IF (E1.GT.EA) EA=E1
      IF (E2.LT.EB) EB=E2
      RA=EA/TK
      RB=EB/TK
      IF (ITS.EQ.1) GO TO 70
      ENTEG=ENTE+G+C(1)*(TK**2.)*((1.+RA)*EXP(-1.*RA)-(1.+RB)*EXP(-1.*RB)
1)
      GO TO 80
70  SRA=SQRT(RA)
      SRB=SQRT(RB)
      XA=EXP(-1.*RA*RA)
      XB=EXP(-1.*RB*RB)
      ENTEG=ENTE+G+C(1)*(TK**1.5)*SQRT(0.0253)*(SRA*XA-SRB*XB+(SQRT(PI)/2
1.)*(ERF(SRB)-ERF(SRA)))
80  IF (LE2.EQ.1) RETURN
C REGION 2
C*****
90  EA=EX(2)
      EB=EX(3)
      IF (E1.GT.EA) EA=E1
      IF (E2.LT.EB) EB=E2
      R=EB/EA
      CON=C(2)
      SLOPE=SLPA
      IF (ITS.EQ.2) GO TO 100
      CON=CON*SQRT(.0253)
      SLOPE=SLPA-0.5
100 TEST=ABS(SLOPE+1.0)
      IF (TEST.LT.EPS) GO TO 110
      ENTEG=ENTE+CON*(EB**((SLOPE+1.))-EA**((SLOPE+1.)))/(SLOPE+1.)
      GO TO 120
110 ENTEG=ENTE+CON*ALOG(R)
120 IF (LE2.EQ.2) RETURN
C REGION 3
C*****
130 LA=EX(3)
      EB=EX(4)
      IF (E1.GT.EA) EA=E1
      IF (E2.LT.EB) EB=E2
      RA=EA/THETA
      SRA=SQRT(RA)
      RB=EB/THETA

```



```

SRB=SQRT(RB)
TP=THETA*PI
SA=SQRT(EA)
SB=SQRT(EB)
XA=EXP(-1.*RA)
XB=EXP(-1.*RB)
STP=SQRT(TP)
IF (ITS.EQ.2) GO TO 140
ENTEG=ENTEG+C(3)*SQRT(.0253)*THETA*(XA-XB)
GO TO 150
140 ENTEG=ENTEG+C(3)*THETA*(SA*XA-SB*XB+(STP/2.)*(ERF(SRB)-ERF(SRA)))
150 IF (LE2.EQ.3) RETURN
C REGION 4
C*****
160 EA=EX(4)
EB=EX(5)
IF (E1.GT.EA) EA=E1
IF (E2.LT.EB) EB=E2
R=EB/EA
CON=C(4)
SLOPE=SLPB
IF (ITS.EQ.2) GO TO 170
CON=CON*SQRT(.0253)
SLOPE=SLPB-0.5
170 TEST=ABS(SLOPE+1.0)
IF (TEST.LT.EPS) GO TO 180
ENTEG=ENTEG+CON*(EB**((SLOPE+1.))-EA**((SLOPE+1.)))/(SLOPE+1.)
GO TO 190
180 ENTEG=ENTEG+CON*ALOG(R)
190 IF (LE2.EQ.4) RETURN
C REGION 5
C*****
200 TK=TKF
EA=EX(5)
EB=EX(6)
IF (E1.GT.EA) EA=E1
IF (E2.LT.EB) EB=E2
A1=(-5./TK)*(SQRT(EA)-SQRT(EP))*(SQRT(EA)-SQRT(EP))
A2=(-5./TK)*(SQRT(EB)-SQRT(EP))*(SQRT(EB)-SQRT(EP))
A3=(TK*EP*PI)/5.
A4=(5.*EB)/TK
A5=(5.*EP)/TK
A6=SQRT(A4)-SQRT(A5)
A7=(5.*EA)/TK
A8=SQRT(A7)-SQRT(A5)
IF (ITS.EQ.1) GO TO 230
TERM=C(5)*(TK/5.)*(EXP(A1)-EXP(A2))
IF (A6.LT.0.) GO TO 210
IF (A8.GT.0.) GO TO 220
ENTEG=ENTEG+TERM+C(5)*SQRT(A3)*(ERF(A8)+ERF(A6))
GO TO 260
210 ENTEG=ENTEG+TERM+C(5)*SQRT(A3)*(ERF(A8)-ERF(A6))
GO TO 260
220 ENTEG=ENTEG+TERM+C(5)*SQRT(A3)*(ERF(A6)-ERF(A8))
GO TO 260
230 CON=C(5)*SQRT(.0253*PI*TK/5.)
IF (A6.LT.0.) GO TO 240
IF (A8.GT.0.) GO TO 250
ENTEG=ENTEG+CON*(ERF(A8)+ERF(A6))
GO TO 260
240 ENTEG=ENTEG+CON*(ERF(A8)-ERF(A6))

```

```

      GO TO 260
250 ENTEG=ENTEG+CON*(ERF(A6)-ERF(A8))
260 IF (LE2.EQ.5) RETURN
C REGION 6
C*****
270 EA=EX(6)
    EB=EX(7)
    IF (E1.GT.EA) EA=E1
    IF (E2.LT.EB) EB=E2
    R=EB/EA
    CON=C(6)
    SLOPE=SLPC
    IF (ITS.EQ.2) GO TO 280
    CON=CON*SQRT(.0253)
    SLOPE=SLPC-0.5
280 TEST=ABS(SLOPE+1.)
    IF (TEST.LT.EPS) GO TO 290
    ENTEG=ENTEG+CON*(EB**((SLOPE+1.)-EA**((SLOPE+1.)))/(SLOPE+1.))
    GO TO 300
290 ENTEG=ENTEG+CON*ALOG(R)
300 RETURN
C
C IFLX=2 OR 3, LOG-LOG INTERPOLATION
C*****
C FIND CORRECT FLUX SEGMENT FOR E1 AND E2
C*****
310 NFXM1=NFX-1
    DO 320 IFX=1,NFXM1
    IF (E2.LE.EFLUX(IFX).AND.E2.GT.EFLUX(IFX+1)) GO TO 330
320 CONTINUE
330 LFH=IFX
    DO 340 IFX=LFH,NFXM1
    IF (E1.LT.EFLUX(IFX).AND.E1.GE.EFLUX(IFX+1)) GO TO 350
340 CONTINUE
350 LFL=IFX
C INTEGRATE LOG-LOG FLUX
C*****
    DO 410 IFX=LFH,LFL
    EH=EFLUX(IFX)
    EL=EFLUX(IFX+1)
    IF (E2.LT.EFLUX(IFX)) EH=E2
    IF (E1.GT.EFLUX(IFX+1)) EL=E1
    R1=FLUX(IFX)/FLUX(IFX+1)
    R2=EFLUX(IFX)/EFLUX(IFX+1)
    S=ALOG(R1)/ALOG(R2)
    IF (ITS.EQ.1) GO TO 380
    IF (R1.EQ.1.) GO TO 370
    IF (ABS(S+1.).LT.1.0E-05) GO TO 360
    R1=EH*(EH/EFLUX(IFX+1))**S
    R2=EL*(EL/EFLUX(IFX+1))**S
    ENTEG=ENTEG+FLUX(IFX+1)*((R1-R2)/(S+1.))
    GO TO 410
360 R3=EH/EL
    R4=ALOG(R3)
    ENTEG=ENTEG+EFLUX(IFX)*FLUX(IFX)*ABS(R4)
    GO TO 410
370 ENTEG=ENTEG+FLUX(IFX)*(EH-EL)
    GO TO 410
380 IF (ABS(S+.5).LT.1.0E-05) GO TO 390
    IF (ABS(S-.5).LT.1.0E-05) GO TO 400
    R1=SQRT(EH)*(EH/EFLUX(IFX+1))**S

```

```

      R2=SQRT(EL)*(EL/EFLUX(IFX+1))**S
      ENTEG=ENTE+(FLUX(IFX+1)*SQRT(.0253)/(S+0.5))*(R1-R2)
      GO TO 410
390  R3=EH/EL
      R4=ALOG(R3)
      CO=FLUX(IFX+1)/EFLUX(IFX+1)**S
      ENTEG=ENTE+CO*SQRT(0.0253)*ABS(R4)
      GO TO 410
400  CO=FLUX(IFX+1)/EFLUX(IFX+1)**S
      ENTEG=ENTE+CO*SQRT(0.0253)*(EH-EL)
410  CONTINUE
      RETURN
C
C IFLX=4,5 OR 6, ARBITRARY HISTOGRAM FLUX TREATMENT
C*****
      420 IF (E1.GE.EFLUX(1)) RETURN
      IF (E2.LE.EFLUX(NFXP1)) RETURN
C
C LOCATE FLUX HISTOGRAM GROUP LOCATIONS OF E1 AND E2
C*****
      DO 430 IH=1,NFX
      IF (E2.LE.EFLUX(IH).AND.E2.GE.EFLUX(IH+1)) GO TO 440
430  CONTINUE
      STOP
440  LH=IH
      DO 450 IH=LH,NFX
      IF (E1.LE.EFLUX(IH).AND.E1.GE.EFLUX(IH+1)) GO TO 460
450  CONTINUE
      STOP
460  LL=IH
C INTEGRATE FLUX HISTOGRAM
C*****
      IF (ITS.EQ.1) GO TO 490
      ENTEG=(E2-EFLUX(LH+1))*FLUX(LH)
      IF (LH.EQ.LL) GO TO 480
      L=LH+1
      DO 470 IH=L,LL
470  ENTEG=ENTE+(EFLUX(IH)-EFLUX(IH+1))*FLUX(IH)
480  ENTEG=ENTE-(E1-EFLUX(LL+1))*FLUX(LL)
      RETURN
490  L=LH+1
      ENTEG=2.*SQRT(.0253)*FLUX(LH)*(SQRT(E2)-SQRT(EFLUX(L)))
      IF (LH.EQ.LL) GO TO 510
      DO 500 IH=L,LL
      IHP1=IH+1
500  ENTEG=ENTE+2.*SQRT(.0253)*FLUX(IH)*(SQRT(EFLUX(IH))-SQRT(EFLUX
      1(IHP1)))
510  LLP1=LL+1
      ENTEG=ENTE-2.*SQRT(.0253)*FLUX(LL)*(SQRT(E1)-SQRT(EFLUX(LLP1)))
      RETURN
520  PRINT 590, E1,E2
      STOP
C*****
C FORMATS
C*****
550  FORMAT (/ ,10X,4HE2= , E12.5,/)
560  FORMAT (/ ,10X,4HE1= , E12.5,/)
570  FORMAT(/ ,10X,3HE1= , E12.5,3X,48HCANNOT BE FOUNL IN THE FOLLOWING E
      1NERGY SEGMENTS,/ ,3X,10E12.5,/)
580  FORMAT (/ ,10X,3HE2= ,E12.5,3X,48HCANNOT BE FOUNL IN THE FOLLOWING E
      1NERGY SEGMENTS,/ ,3X,10E12.5,/)

```

```

590 FORMAT(/,10X,21HENTEG CALLED WITH E1=,E12.5,3X,16HGREATER THAN E2=
1 , E12.5,3X,6H STOP,/)
END
SUBROUTINE PLOTX
C
C* *****
C* PLOTX PLOTS THE LOG-LOG FLUX WEIGHTING FUNCTION READ FROM THE DATA *
C* FILE. A USER-SUPPLIED FLUX DESCRIPTION IF NORMALIZED TO THIS BY *
C* EQUATING FLUX INTEGRALS OVER THE ENERGY RANGE OF THE COARSE GROUP *
C* STRUCTURE AND SUPERIMPOSED ON THE FLUX PLOT. *
C* *****
COMMON /A/ EFLUX(201),FLUX(200),EF(155),EC(5),CXF(154),CXC(4)
COMMON /C/ IFLX,NFX,NFXP,NGF,NGC,TITLE(20),TITL(17)
COMMON /E/ EFLUXP(115),FLUXP(115)
COMMON /F/ C(6),EX(7),TKM,SLPA,THETA,SLPB,TKF,EP,SLPC
DIMENSION EB(400), FB(400),V(2),H(2)
C
C
C BRANCH ON FLUX DESCRIPTION
C *****
GO TO (10,210,140,160,160,160), IFLX
C
C BUILT IN FUNCTIONAL FLUX---CALCULATE FLUXES FOR PLOTTING
C *****
10 NPR=20
FN=NPR
NPRP1=NPR+1
I=0
NGFP1=NGF+1
NGCP1=NGC+1
C REGION 1
C *****
IF (EX(2).LE.EF(NGFP1).OR.EX(1).EQ.EX(2)) GO TO 30
I=1
EB(1)=EX(1)
IF (EX(1).LT.EF(NGFP1)) EB(1)=EF(NGFP1)
TK=TKM
ET=EX(2)
IF (EX(2).GT.EF(1)) ET=EF(1)
DO 20 I=1,NPRP1
IF (I.EQ.1) GO TO 20
FIM1=I-1
EB(I)=EB(1)*((ET/EB(1))**(FIM1/FN))
20 FB(I)=C(1)*EB(I)*EXP(-1.*EB(I)/TK)
IF (ET.GT.EC(1)) GO TO 130
C REGION 2
C *****
30 IF (EX(3).I.E.EF(NGFP1).OR.EX(2).EQ.EX(3)) GO TO 50
IF(C(2).LE.0.) GO TO 130
I=I+1
EB(I)=EX(2)
IF (EX(2).LT.EF(NGFP1)) EB(I)=EF(NGFP1)
K=1
ET=EX(3)
IF (EX(3).GT.EF(1)) ET=EF(1)
DO 40 J=1,NPRP1
IF (J.EQ.1) GO TO 40
I=I+1
FJM1=J-1
EB(I)=EB(K)*((ET/EB(K))**(FJM1/FN))
40 FB(I)=C(2)*EB(I)**SLPA

```

```

      IF (ET.GE.EC(1)) GO TO 130
C REGION 3
C*****
50 IF (EX(4).LE.EF(NGFP1).OR.EX(3).EQ.EX(4)) GO TO 70
   IF(C(3).LE.0.) GO TO 130
   I=I+1
   EB(I)=EX(3)
   IF (EX(3).LT.EF(NGFP1)) EB(I)=EF(NGFP1)
   K=I
   ET=EX(4)
   IF (EX(4).GT.EF(1)) ET=EF(1)
   DO 60 J=1,NPRP1
   IF (J.EQ.1) GO TO 60
   I=I+1
   FJM1=J-1
   EB(I)=EB(K)*((ET/EB(K))**(FJM1/FN))
60 FB(I)=C(3)*SQRT(EB(I))*EXP(-1.*EB(I)/THETA)
   IF (ET.GE.EC(1)) GO TO 130
C REGION 4
C*****
70 IF (EX(5).LE.EF(NGFP1).OR.EX(4).EQ.EX(5)) GO TO 90
   IF(C(4).LE.0.) GO TO 130
   I=I+1
   EB(I)=EX(4)
   IF (EX(4).LT.EF(NGFP1)) EB(I)=EF(NGFP1)
   K=I
   ET=EX(5)
   IF (EX(5).GT.EF(1)) ET=EF(1)
   DO 80 J=1,NPRP1
   IF (J.EQ.1) GO TO 80
   I=I+1
   FJM1=J-1
   EB(I)=EB(K)*((ET/EB(K))**(FJM1/FN))
80 FB(I)=C(4)*EB(I)**SLPC
   IF (ET.GE.EC(1)) GO TO 130
C REGION 5
C*****
90 IF (EX(6).LE.EF(NGFP1).OR.EX(5).EQ.EX(6)) GO TO 110
   IF(C(5).LE.0.) GO TO 130
   I=I+1
   TK=TKF
   EB(I)=EX(5)
   IF (EX(5).LT.EF(NGFP1)) EB(I)=EF(NGFP1)
   K=I
   ET=EX(6)
   IF (EX(6).GT.EF(1)) ET=EF(1)
   DO 100 J=1,NPRP1
   IF (J.EQ.1) GO TO 100
   I=I+1
   FJM1=J-1
   EB(I)=EB(K)*((ET/EB(K))**(FJM1/FN))
100 FB(I)=C(5)*EXP((-5./TK)*(SQRT(EB(I))-SQRT(EP))*(SQRT(EB(I))-SQRT
   1(EP)))
   IF (ET.GE.EC(1)) GO TO 130
C REGION 6
C*****
110 IF(C(6).LE.0.) GO TO 130
   I=I+1
   EB(I)=EX(6)
   IF (EX(6).LT.EF(NGFP1)) EB(I)=EF(NGFP1)
   ET=EX(7)

```

```

      IF (ET.GT.EF(1)) ET=EF(1)
      K=I
      DO 120 J=1,NPRP1
      IF (J.EQ.1) GO TO 120
      I=I+1
      FJM1=J-1
      EB(I)=EB(K)*((ET/EB(K))**(FJM1/FN))
120   FB(I)=C(6)*EB(I)**SLPC
130   NB=I
      EL=EC(NGC+1)
      EH=EC(1)
      FN=ENTEG(EL,EH,2)
      GO TO 180
C FLUX IS SET OF LOG-LOG INTERPOLATION POINTS
C*****
140   EH=EC(1)
      EL=EC(NGC+1)
      FN=ENTEG(EL,EH,2)
      DO 150 I=1,NFX
      EB(I)=EFLUX(I)
150   FB(I)=FLUX(I)
      NB=NFX
      GO TO 180
C FLUX HISTOGRAM, ARBITRARY STRUCTURE
C*****
160   EL=EC(NGC+1)
      EH=EC(1)
      FN=ENTEG(EL,EH,2)
      IB=0
      DO 170 IH=1,NFX
      IB=IB+1
      EB(IB)=EFLUX(IH)
      FB(IB)=FLUX(IH)
      IB=IB+1
      EB(IB)=EFLUX(IH+1)
170   FB(IB)=FLUX(IH)
      NB=IB
C NOW INTEGRATE THE LOG-LOG FLUX READ FROM THE DATA FILE OVER THE LIMITS
C OF THE USER COARSE GROUP STRUCTURE. NORMALIZE THE USER FLUX FOR PLOT.
C*****
180   DO 190 I=1,NFXP
      EFLUX(I)=EFLUXP(I)
190   FLUX(I)=FLUXP(I)
      LFLX=IFLX
      IFLX=2
      NFX=NFXP
      FN=ENTEG(EL,EH,2)/FN
      DO 200 I=1,NB
200   FB(I)=FB(I)*FN
C PLOT DATA FILE FLUX AND DIFFERENT USER FLUX
C*****
C DETERMINE MIN VALUE V1L AND MAX VALUE V1H OF DATA FILE FLUX
      CALL MINV(FLUX,1,NFX,L1,V1L)
      CALL MAXV(FLUX,1,NFX,L2,V1H)
C DETERMINE MIN VALUE V2L AND MAX VALUE V2H OF USERS FLUX
      CALL MINV(FB,1,NB,L3,V2L)
      CALL MAXV(FB,1,NB,L4,V2H)
C SET LIMITS OF ORDINATE FOR PLOTTING
      V(1)= AMIN1(V1L,V2L)
      V(2)= AMAX1(V1H,V2H)
C SET LIMITS OF ABSCISSA FOR PLOTTING

```

```

      H(1)= EF(NGF+1)
      H(2)= EF(1)
C PLOT BLANK LOG-LOG FRAME WITH CAPTIONS
      CALL PLOTM(H,V,-2,-1,-1,45,1.,1.,1.,15HFLUX COMPARISON,15,
      1 11HENERGY, EV.,11,22HFLUX (N/CM**2 SEC EV) ,22)
C PLOT DATA FILE FLUX ON FRAME
      CALL PLOTM(EFLUX,FLUX,-NFX,-1, 1,-48,-1.)
C PLOT USER FLUX ON FRAME
      IFLX=LFLX
      L=-1
      C=1.
      IF(IFLX.LT.4) GO TO 205
C IF HISTOGRAM USER FLUX, DRAW HISTOGRAM
      L=1
      C=-1.
      205 CALL PLOTM(EB,FB,-NB,-1,L,-39,C)
      RETURN
C PLOT DATA FILE FLUX, USED IN COLLAPSING
C*****
      210 CALL PLOTM(EFLUX,FLUX,-NFX,-1,1,39,-1.,1.,1.,38HFLUX FROM DATA FIL
      1E USED IN COLLAPSING,38,11HENERGY, EV.,11,22HFLUX (N/CM**2 SEC EV
      2),22)
      RETURN
      END
      SUBROUTINE COEFS
C
C*****
C*
C*COEFS CALCULATES THE COEFFICIENTS OF THE FUNCTIONAL FLUX EXPRESSION *
C*
C*****
C
      COMMON /A/ EFLUX(201),FLUX(200),EF(155),EC(5),CXF(154),CXC(4)
      COMMON /C/ IFLX,NFX,NFXP,NGF,NGC,TITLE(20),TITL(17)
      COMMON /F/ C(6),EX(7),TKM,SLPA,THETA,SLPB,TKF,EP,SLPC
C
      IF (EX(1).GT.EC(NGC+1)) EX(1)=EC(NGC+1)
      IF (EX(7).LT.EC(1)) EX(7)=EC(1)
      C(1)=1.0
      C(2)=C(3)=C(4)=C(5)=C(6)=0.0
      IF(EX(2).GE.EC(1)) GO TO 200
      C(2)=C(1)*EX(2)*EXP(-1.*EX(2)/TKM)/EX(2)**SLPA
      IF(EX(3).GE.EC(1)) GO TO 200
      C(3)=C(2)*EX(3)**(SLPA-0.5)*EXP(EX(3)/THETA)
      IF(EX(4).GE.EC(1)) GO TO 200
      C(4)=C(3)*EX(4)**(0.5-SLPB)*EXP(-1.*EX(4)/THETA)
      IF(EX(5).GE.EC(1)) GO TO 200
      RP=EP/TKF
      RX5=EX(5)/TKF
      SRP=SQRT(RP)
      SRX5=SQRT(RX5)
      C(5)=C(4)*(EX(5)**SLPB)*EXP(-5.*(SRX5-SRP)*(SRX5-SRP))
      IF(EX(6).GE.EC(1)) GO TO 200
      RX6=EX(6)/TKF
      SRX6=SQRT(RX6)
      C(6)=(C(5)/EX(6)**SLPC)*EXP(-5.*(SRX6-SRP)*(SRX6-SRP))
      200 CONTINUE
      RETURN
      END

```

APPENDIX B

SAMPLE PROBLEMS

SAMPLE CALCULATIONS WERE PERFORMED FOR FOUR DIFFERENT, TYPICAL PROBLEMS. THE PROBLEMS ARE EACH PRESENTED WITH A SHORT DESCRIPTION, LISTINGS OF THE INPUT, OUTPUT, AND TAPE2 FILES, AND THE FLUX PLOT GENERATED FROM THE FILM FILE.

SAMPLE PROBLEM 1. CALCULATE 4-GROUP CROSS SECTIONS FOR ALL REACTIONS OF XE-135 TABULATED IN THE DATA FILE IN THE EPRI 4-GROUP STRUCTURE. COLLAPSE WITH THE PRS FLUX WEIGHTING FUNCTION. INPUT THE COARSE GROUP STRUCTURE BY AGGING NGC NEGATIVE AND SPECIFYING THE (LB(IGC), IGC=1,5) VALUES.

CARD INPUT FOR SAMPLE PROBLEM 1

SAMPLE PROBLEM 1 EPRI 4-GROUP CROSS SECTIONS/ XE-135 /ALL MT /PRS FLUX
 2 0 -4 8 1
 54 54 135 135 1 1021.0 +101.0 +109.0 +021.0 +03
 7 18 47 128 155

OUTPUT FILE FROM SAMPLE PROBLEM 1

SAMPLE PROBLEM 1 EPRI 4-GROUP CROSS SECTIONS/ XE-135 /ALL MT /PRS FLUX
 SUMMARY OF PROBLEM CONTROL INPUT***
 IFLX = 2 ,WHERE 1=COLLAPSE TO BUILT-IN FUNCTIONAL FLUX, WITH PARAMETERS READ FROM CARD INPUT
 2=COLLAPSE TO FLUX DESCRIBED BY SET OF LOG-LOG INTERPOLATION POINTS READ FROM DATA FILE
 3=COLLAPSE TO FLUX DESCRIBED BY SET OF LOG-LOG INTERPOLATION POINTS READ FROM CARD INPUT
 4=COLLAPSE TO HISTOGRAM FLUX READ FROM CARD INPUT IN UNITS N/CM**2-SEC-EV
 5=COLLAPSE TO HISTOGRAM FLUX READ FROM CARD INPUT IN UNITS N/CM**2-SEC-UNIT LETHARGY
 6=COLLAPSE TO HISTOGRAM FLUX READ FROM CARD INPUT IN UNITS N/CM**2-SEC (GROUP INTEGRAL FLUXES)
 NFX = 0 ,NUMBER OF FLUX VALUES IN USER COLLAPSING FLUX DESCRIPTION (SET TO NFXP BY CODE IF IFLX=2)
 NGC = 4 ,NUMBER OF COARSE GROUPS
 NT = 8 ,TABLE NUMBER FOR TAPE2 HEADING
 IPLTFX = 1 ,WHERE 0=NO PLOT OF FLUX
 1=MAKE PLOT OF LOG-LOG FLUX READ FROM DATA FILE AND, IF DIFFERENT, USER COLLAPSING FLUX
 COLLAPSE CROSS-SECTION TABULATIONS WITHIN THE FOLLOWING LIMITS

 *****A***** *REACTION MT* ***BONDARENKO SIGMA ZERO*** *****TEMPERATURE (K)*****
 54 TO 54 135 TO 135 1 TO 102 1.000E+10 TO 1.000E+10 9.000E+02 TO 1.000E+03
 ECHO FROM DATA FILE LASL 154-GP FISSION PRODUCT CROSS-SECTION FILE/WILSON, ENGLAND AND LA BAUVE 6-77

ECHO FROM DATA FILE PRS 144-GROUP NEUTRON MULTI-STEP STRUCTURE

```

2.00000E+07 1.82212E+07 1.69040E+07 1.49182E+07 1.34938E+07 1.19134E+07 1.00000E+07 7.78831E+06 6.00531E+06 4.72357E+05
3.67879E+06 2.86505E+06 2.23130E+06 1.73774E+06 1.35335E+06 1.05399E+06 9.53692E+05 8.20650E+05 7.42735E+05 6.39279E+05
5.78443E+05 4.97871E+05 4.50492E+05 3.87742E+05 3.50844E+05 3.01974E+05 2.73237E+05 2.35177E+05 2.12797E+05 1.83156E+05
1.42642E+05 1.11090E+05 8.65170E+04 6.73795E+04 5.24752E+04 4.08677E+04 3.18278E+04 2.80879E+04 2.60584E+04 2.47875E+04
2.35786E+04 1.93045E+04 1.50344E+04 1.17088E+04 9.11887E+03 7.12174E+03 5.53084E+03 4.30743E+03 3.35463E+03 2.61259E+03
2.03468E+03 1.58461E+03 1.23410E+03 9.61117E+02 7.48518E+02 5.82947E+02 4.53999E+02 3.53575E+02 2.75364E+02 2.14454E+02
1.67017E+02 1.30073E+02 1.01301E+02 7.88932E+01 7.36001E+01 6.97500E+01 6.85500E+01 6.70000E+01 6.14421E+01 5.99000E+01
5.90500E+01 5.84000E+01 4.78512E+01 4.00000E+01 3.72605E+01 3.60500E+01 3.50000E+01 2.90232E+01 2.37100E+01 2.32000E+01
2.26033E+01 2.21000E+01 2.15000E+01 2.03000E+01 1.76035E+01 1.37096E+01 1.06770E+01 8.31529E+00 7.00000E+00 6.47595E+00
5.04348E+00 3.92786E+00 3.05902E+00 2.56084E+00 2.36237E+00 2.31603E+00 2.29429E+00 2.27266E+00 2.25113E+00 2.17213E+00
2.09408E+00 2.01791E+00 1.93562E+00 1.85539E+00 1.80497E+00 1.76305E+00 1.72608E+00 1.71773E+00 1.64759E+00 1.59493E+00
1.57850E+00 1.45742E+00 1.44498E+00 1.30785E+00 1.20367E+00 1.16638E+00 1.12535E+00 1.09868E+00 1.07217E+00 1.06231E+00
1.05250E+00 1.04273E+00 1.01370E+00 9.50653E-01 8.76425E-01 7.82079E-01 6.82560E-01 6.25060E-01 5.31579E-01 5.03235E-01
4.17016E-01 4.13994E-01 3.57665E-01 3.20628E-01 3.01120E-01 2.90737E-01 2.70518E-01 2.51028E-01 2.27690E-01 1.84425E-01
1.52300E-01 1.45721E-01 1.11568E-01 8.19683E-02 5.69224E-02 4.27551E-02 3.06116E-02 2.04921E-02 1.23964E-02 6.32472E-03
2.27690E-03 7.60219E-04 2.52989E-04 1.38879E-04 1.00000E-05

```

ECHO FROM DATA FILE PRS NEUTRON FLUX WEIGHTING FUNCTION 115 LOG-LOG INTERPOLATION PTS

```

2.00000E+07 1.54770E+07 1.56760E+07 1.97800E+07 1.55000E+07 1.14060E+07 1.54000E+07 2.84500E+06 1.53000E+06 6.66660E+05
1.52000E+07 1.46870E+06 1.51000E+07 3.03540E+06 1.50000E+07 5.88320E+06 1.49000E+07 1.06990E+07 1.48000E+07 1.82130E+07
1.47000E+07 2.90410E+07 1.46000E+07 4.33170E+07 1.45000E+07 6.04030E+07 1.44000E+07 7.87040E+07 1.43000E+07 9.57570E+07
1.42000E+07 1.08700E+06 1.40700E+07 1.15400E+06 1.39000E+07 1.04080E+06 1.38000E+07 9.66250E+07 1.37000E+07 7.04780E+07
1.36000E+07 5.19460E+07 1.35000E+07 3.55120E+07 1.34000E+07 2.25110E+07 1.33000E+07 1.32220E+07 1.32000E+07 7.18640E+06
1.31000E+07 3.61220E+08 1.30000E+07 1.67760E+08 1.29000E+07 7.19100E+09 1.28000E+07 2.84300E+09 1.27000E+07 1.03570E+09
1.26000E+07 3.47310E+10 1.25700E+07 2.46190E+10 1.00000E+07 3.09530E+10 8.00000E+06 1.22760E+09 6.00000E+06 4.71530E+09
5.00000E+06 9.05790E+09 4.00000E+06 1.70730E+08 3.00000E+06 3.11420E+03 2.63000E+06 3.99210E+03 2.35000E+06 9.15950E+05
2.22000E+06 5.50330E+08 1.40000E+06 1.21820E+07 1.31000E+06 6.86960E+08 1.21000E+06 1.50220E+07 1.19000E+06 1.54740E+07
1.12000E+06 1.36480E+07 1.05000E+06 1.15180E+07 1.00000E+06 9.15950E+08 9.41000E+05 1.78610E+07 9.00000E+05 2.14790E+07
7.70000E+05 2.50050E+07 6.50000E+05 2.94930E+07 5.40000E+05 3.05010E+07 5.02000E+05 2.63330E+07 4.74000E+05 2.17540E+07
4.42000E+05 1.00750E+07 3.99000E+05 2.73670E+07 3.77000E+05 3.40270E+07 3.56000E+05 3.69200E+07 2.83000E+05 3.53390E+07
2.01000E+05 4.30450E+07 1.20000E+05 5.79340E+07 6.07000E+04 9.15950E+07 3.07000E+04 1.55710E+06 2.00000E+04 2.22570E+06
1.01000E+03 3.78290E+05 6.82000E+01 4.83620E+04 6.71000E+01 4.72260E+04 6.60000E+01 4.57970E+05 6.49000E+01 4.82430E+04
6.12000E+01 5.58730E+04 3.87000E+01 8.26180E+04 3.74000E+01 6.54530E+01 3.67000E+01 9.15950E+06 3.59000E+01 6.75720E+04
3.56000E+01 7.48970E+04 3.44000E+01 8.15190E+04 2.25000E+01 1.35550E+03 2.14000E+01 1.05880E+03 2.09000E+01 1.37390E+05
2.03700E+01 1.09730E+03 1.98600E+01 1.38580E+03 1.75300E+01 1.71560E+03 7.30800E+00 3.60420E+03 7.01000E+00 2.52190E+03
6.89400E+00 1.76320E+03 6.67000E+00 5.31250E+05 6.44900E+00 1.65240E+03 6.13500E+00 3.72790E+03 5.88420E+00 4.19500E+03
5.50470E+00 4.61640E+03 4.01000E+00 6.32000E+03 1.35180E+00 1.85020E+02 1.00000E+00 2.49140E+02 6.00000E+01 4.13000E+02
5.70000E+01 4.37000E+02 4.90000E+01 5.10000E+02 4.00000E+01 6.87000E+02 3.00000E+01 1.08000E+01 2.10000E+01 2.52000E+01
1.70000E+01 3.83000E+01 1.40000E+01 5.20000E+01 1.20000E+01 6.86000E+01 9.00000E+02 7.99000E+01 7.00000E+02 8.92000E+01
5.90000E+02 9.18000E+01 5.40000E+02 9.21000E+01 5.00000E+02 9.18000E+01 4.30000E+02 8.96000E+01 3.30000E+02 8.29000E+01
2.90000E+02 7.85000E+01 2.40000E+02 7.12000E+01 1.60000E+02 5.52000E+01 9.00000E+03 3.55000E+01 1.00000E+05 5.25000E+04

```

COARSE GROUP STRUCTURE

```

1.00000E+07 8.20850E+05 5.53084E+03 6.25060E+01 1.00000E+05

```

```

(LFG(IGC), IGC=1, 5)ARE

```

```

6 17 46 127 154

```

```

FLUX-WEIGHTED AVERAGE OF 1/V CROSS SECTION (UNITY AT 2200M/S) OVER LOWEST COARSE GROUP
= 8.89715E-02 / 1.60593E-01 = 5.54018E-01

```

```

INTEGRATED MULTIGROUP FLUXES, FLXI(IGC), IGC=1, 4)

```

```

2.37019E-01 3.75805E-01 2.86382E-01 1.60593E-01

```

```

EFFECTIVE THERMAL GROUP FLUX= 8.89715E-02

```

ECHO FROM DATA FILE MULTIGROUP CROSS SECTIONS ORDERED ON Z, A, STATE, AND REACTION MT

NUCLIDE	Z	A	S	MAT	MF	MT	TEMP DEG K	SIGMA ZERO	GROUP 1 CROSS SECTION	GROUP 2 CROSS SECTION	GROUP 3 CROSS SECTION	GROUP 4 CROSS SECTION	EFFEC.THERMAL CROSS SECTION
XE135	54	135	0	1294	3	1	900	1.0E+10	5.971888E+00	6.352873E+00	6.506110E+02	1.975492E+06	3.565752E+06
XE135	54	135	0	1294	3	2	900	1.0E+10	5.090378E+00	6.341942E+00	2.871072E+02	3.049013E+05	5.503451E+05
XE135	54	135	0	1294	3	4	900	1.0E+10	8.814840E-01	7.834933E-01	0.	0.	0.
XE135	54	135	0	1294	3	102	900	1.0E+10	5.564618E-04	3.218521E-03	3.634285E+02	1.670657E+06	3.015526E+06

TAPE2 FILE FROM SAMPLE PROBLEM 1

TABLE 8
FOUR-GROUP CROSS SECTIONS

NUCLIDE	Z	A	S	MAT	MF	MT	TEMP DEG K	SIGMA ZERO	GROUP 1 CROSS SECTION	GROUP 2 CROSS SECTION	GROUP 3 CROSS SECTION	GROUP 4 CROSS SECTION	EFFEC.THERMAL CROSS SECTION
XE135	54	135	0	1294	3	1	900	1.0E+10	5.971888E+00	6.352873E+00	6.506110E+02	1.975492E+06	3.565752E+06
XE135	54	135	0	1294	3	2	900	1.0E+10	5.090378E+00	6.341942E+00	2.871072E+02	3.049013E+05	5.503451E+05
XE135	54	135	0	1294	3	4	900	1.0E+10	8.814840E-01	7.834933E-03	0.	0.	0.
XE135	54	135	0	1294	3	102	900	1.0E+10	5.564618E-04	3.218521E-03	3.634285E+02	1.670657E+06	3.015526E+06

NOTE THAT THE EFFECTIVE THERMAL CROSS SECTION IS THE GROUP 4 CROSS SECTION DIVIDED BY SIGMA(1/V)
WHERE SIGMA(1/V) IS THE GROUP 4 VALUE OF A 1/V CROSS SECTION EQUAL TO UNITY AT 2200 M/S .554018

FLUX FROM DATA FILE USED IN COLLAPSING

Flux Plot from Sample Problem 1.

CARD INPUT FOR SAMPLE PROBLEM 2

[illegible]

OUTPUT FILE FROM SAMPLE PROBLEM 2

```

SAMPLE PROBLEM 2 B+W 2-GROUP (N,GAMMA) FOR ALL XENON/HISTOGRAM 111-GROUP FLUX
**SUMMARY OF PROBLEM CONTROL INPUT*****
IFLX = 6 ,WHERE 1=COLLAPSE TO BUILT-IN FUNCTIONAL FLUX, WITH PARAMETERS READ FROM CARD INPUT
                2=COLLAPSE TO FLUX DESCRIBED BY SET OF LOG-LOG INTERPOLATION POINTS READ FROM DATA FILE
                3=COLLAPSE TO FLUX DESCRIBED BY SET OF LOG-LOG INTERPOLATION POINTS READ FROM CARD INPUT
                4=COLLAPSE TO HISTOGRAM FLUX READ FROM CARD INPUT IN UNITS N/CM**2-SEC-EV
                5=COLLAPSE TO HISTOGRAM FLUX READ FROM CARD INPUT IN UNITS N/CM**2-SEC-UNIT LETHARGY
                6=COLLAPSE TO HISTOGRAM FLUX READ FROM CARD INPUT IN UNITS N/CM**2-SEC (GROUP INTEGRAL FLUXES)
NFX = 111 ,NUMBER OF FLUX VALUES IN USER COLLAPSING FLUX DESCRIPTION (SET TO NFXP BY CODE IF IFLX=2)
NGC = 2 ,NUMBER OF COARSE GROUPS
NT = 9 ,TABLE NUMBER FOR TAPE2 HEADING
IPLTFX = 1 ,WHERE 0=NO PLOT OF FLUX
                1=MAKE PLOT OF LOG-LOG FLUX READ FROM DATA FILE AND, IF DIFFERENT, USER COLLAPSING FLUX

COLLAPSE CROSS-SECTION TABULATIONS WITHIN THE FOLLOWING LIMITS
*****Z***** *****A***** *REACTION MT* ***BONDARENKO SIGMA ZERO*** *****TEMPERATURE (K)*****
54 TO 54 128 TO 136 102 TO 102 1.000E+10 TO 1.000E+10 9.000E+02 TO 1.000E+03

ECHO FROM DATA FILE LASL 154-GP FISSION PRODUCT CROSS-SECTION FILE/WILSON,ENGLAND AND LA BAUVE 6-77
ECHO FROM DATA FILE PRS 154-GROUP NEUTRON MULTIGROUP STRUCTURE
2.00000E+07 1.82212E+07 1.69046E+07 1.49182E+07 1.34986E+07 1.19125E+07 1.00000E+07 7.78801E+06 6.06531E+06 4.72267E+06
3.67879E+06 2.86505E+06 2.23130E+06 1.73774E+06 1.35335E+06 1.05399E+06 9.53692E+05 8.20850E+05 7.42735E+05 6.39279E+05
5.78443E+05 4.97871E+05 4.50492E+05 3.87742E+05 3.50844E+05 3.01974E+05 2.73237E+05 2.35177E+05 2.12797E+05 1.83150E+05
1.42642E+05 1.11090E+05 8.65170E+04 6.73795E+04 5.24752E+04 4.08677E+04 3.18278E+04 2.60879E+04 2.60584E+04 2.47875E+04
2.35786E+04 1.93045E+04 1.50344E+04 1.17088E+04 9.11862E+03 7.10174E+03 5.53084E+03 4.30743E+03 3.35463E+03 2.51259E+03
2.03458E+03 1.58461E+03 1.23410E+03 9.61117E+02 7.48518E+02 5.82947E+02 4.53999E+02 3.53575E+02 2.75364E+02 2.14454E+02
1.67017E+02 1.30073E+02 1.01301E+02 7.88932E+01 7.36000E+01 6.97500E+01 6.85500E+01 6.70000E+01 6.14421E+01 5.99000E+01
5.90500E+01 5.84000E+01 4.78512E+01 4.00000E+01 3.72665E+01 3.60500E+01 3.50000E+01 2.90232E+01 2.37100E+01 2.32000E+01
2.26033E+01 2.21000E+01 2.15000E+01 2.03000E+01 1.76035E+01 1.37096E+01 1.06770E+01 8.31529E+00 7.00000E+00 6.47595E+00
5.04348E+00 3.92786E+00 3.05902E+00 2.56084E+00 2.38237E+00 2.31603E+00 2.29429E+00 2.27266E+00 2.25113E+00 2.17213E+00
2.09408E+00 2.01791E+00 1.93562E+00 1.85539E+00 1.80897E+00 1.76305E+00 1.72608E+00 1.71773E+00 1.64759E+00 1.59493E+00
1.57850E+00 1.45742E+00 1.44498E+00 1.30785E+00 1.20867E+00 1.16638E+00 1.12535E+00 1.09868E+00 1.07217E+00 1.06231E+00
1.05250E+00 1.04273E+00 1.01370E+00 9.50653E-01 8.76425E-01 7.82079E-01 6.82560E-01 6.25060E-01 5.31579E-01 5.03235E-01
4.17016E-01 4.13994E-01 3.57605E-01 3.20628E-01 3.01120E-01 2.90737E-01 2.70518E-01 2.51028E-01 2.27690E-01 1.84429E-01
1.52300E-01 1.45721E-01 1.11568E-01 8.19683E-02 5.69224E-02 4.27551E-02 3.06116E-02 2.04921E-02 1.23964E-02 6.32472E-03
2.27690E-03 7.60219E-04 2.52989E-04 1.38879E-04 1.00000E-05

```

ECHO FROM DATA FILE PKR NEUTRON FLUX WEIGHTING FUNCTION 115 LOG-LOG INTERPOLATION PTS

2.00000E+07	1.54770E-10	1.56760E+07	1.97800E-10	1.55000E+07	1.14060E-09	1.54000E+07	2.84500E-09	1.53000E+07	6.66800E-09
1.52000E+07	1.46870E-08	1.51000E+07	3.03540E-08	1.50000E+07	5.88320E-08	1.49000E+07	1.06990E-07	1.48000E+07	1.82130E-07
1.47000E+07	2.90410E-07	1.46000E+07	4.33170E-07	1.45000E+07	6.04030E-07	1.44000E+07	7.87040E-07	1.43000E+07	9.57570E-07
1.42000E+07	1.08700E-06	1.40700E+07	1.15400E-06	1.39000E+07	1.04080E-06	1.38000E+07	8.88250E-07	1.37000E+07	7.04780E-07
1.36000E+07	5.19460E-07	1.35000E+07	3.55120E-07	1.34000E+07	2.25110E-07	1.33000E+07	1.32220E-07	1.32000E+07	7.18640E-08
1.31000E+07	3.61220E-08	1.30000E+07	1.67760E-08	1.29000E+07	7.19100E-09	1.28000E+07	2.84360E-09	1.27000E+07	1.03570E-09
1.26000E+07	3.47310E-10	1.25700E+07	2.46190E-10	1.00000E+07	3.09530E-10	8.00000E+06	1.22760E-09	6.00000E+06	4.71530E-09
5.00000E+06	9.06790E-09	4.00000E+06	1.70730E-08	3.00000E+06	3.11420E-08	2.63000E+06	3.99510E-08	2.35000E+06	9.15550E-08
2.22000E+06	5.90330E-03	1.40000E+06	1.21820E-07	1.31000E+06	6.86960E-08	1.21000E+06	1.50220E-07	1.19000E+06	1.54750E-07
1.12000E+06	1.36480E-07	1.05000E+06	1.15180E-07	1.00000E+06	9.15950E-08	9.41000E+05	1.78610E-07	9.00000E+05	2.14790E-07
7.70000E+05	2.50050E-07	6.50000E+05	2.94930E-07	5.40000E+05	3.05010E-07	5.02000E+05	2.63330E-07	4.74000E+05	2.17540E-07
4.42000E+05	1.00750E-07	3.99000E+05	2.73870E-07	3.77000E+05	3.40270E-07	3.56000E+05	3.69260E-07	2.83000E+05	3.83000E-07
2.01000E+05	4.36450E-07	1.20000E+05	5.79340E-07	6.07000E+04	9.15950E-07	3.07000E+04	1.55710E-06	2.00000E+04	2.22570E-06
1.01000E+03	3.78290E-05	8.82000E+01	4.83620E-04	6.77000E+01	4.72260E-04	6.60000E+01	4.57970E-05	6.49000E+01	4.82430E-04
6.12000E+01	5.58730E-04	3.87000E+01	8.26180E-04	3.74000E+01	6.54530E-04	3.67000E+01	9.15950E-06	3.59000E+01	6.78720E-04
3.56000E+01	7.48970E-04	3.44000E+01	8.15190E-04	2.25000E+01	1.35050E-03	2.14000E+01	1.05880E-03	2.09000E+01	1.37390E-05
2.03700E+01	1.09730E-03	1.98600E+01	1.37000E-03	1.75300E+01	1.71560E-03	7.30300E+00	3.60420E-03	7.01000E+00	2.92190E-03
6.89400E+00	1.76320E-03	6.67000E+00	5.31250E-05	6.44900E+00	1.65240E-03	6.13500E+00	3.72790E-03	5.88420E+00	4.19500E-03
5.50470E+00	4.61640E-03	4.01000E+00	6.32000E-03	1.35180E+00	1.85020E-02	1.00000E+00	2.49140E-02	6.00000E-01	4.13000E-02
5.70300E-01	4.37000E-02	4.90000E-01	5.10000E-02	4.00000E-01	6.87000E-02	3.00000E-01	1.08000E-01	2.10000E-01	2.52000E-01
1.70000E-01	3.83000E-01	1.40000E-01	5.20000E-01	1.12000E-01	6.86000E-01	9.00000E-02	7.99000E-01	7.00000E-02	8.92000E-01
5.90000E-02	9.18000E-01	5.40000E-02	9.21000E-01	5.00000E-02	9.18000E-01	4.30000E-02	8.98000E-01	3.30000E-02	8.29000E-01
2.90000E-02	7.85000E-01	2.40000E-02	7.12000E-01	1.60000E-02	5.52000E-01	9.00000E-03	3.55000E-01	1.00000E-05	5.25000E-04

COARSE GROUP STRUCTURE

1.00000E+07 1.85540E+00 1.00000E-05

INPUT WEIGHT FUNCTION			111 HISTOGRAM VALUES			FLUX-PER-UNIT-ENERGY			
1.00000E+07	1.62141E-07	6.06531E+06	1.27991E-06	3.67879E+06	3.96040E-06	2.23130E+06	7.77618E-06	1.35335E+06	1.07546E-05
8.20350E+05	1.57001E-05	4.27871E+05	3.33364E-05	3.01974E+05	3.55314E-05	1.83156E+05	4.48147E-05	1.11090E+05	6.09450E-05
6.73795E+04	8.65543E-05	4.03677E+04	1.28109E-04	2.47874E+04	1.91566E-04	1.50344E+04	3.06135E-04	9.11832E+03	4.82990E-04
5.53084E+03	7.69995E-04	3.35463E+03	1.25690E-03	2.03463E+03	2.04186E-03	1.23410E+03	3.34130E-03	7.48518E+02	5.41464E-03
4.53999E+02	8.71232E-03	2.75364E+02	1.40897E-02	1.67017E+02	2.24429E-02	1.01301E+02	3.59439E-02	6.14421E+01	5.83897E-02
3.72655E+01	9.15844E-02	2.26033E+01	1.42727E-01	1.37096E+01	2.28171E-01	8.31529E+00	3.42205E-01	5.04348E+00	5.58516E-01
3.05902E+00	9.03171E-01	1.85540E+00	1.18595E+00	1.80001E+00	1.14624E+00	1.75001E+00	1.17316E+00	1.70001E+00	1.20795E+00
1.65300E+00	1.24498E+00	1.60001E+00	1.20800E+00	1.55001E+00	1.11699E+00	1.51002E+00	1.33776E+00	1.47001E+00	1.30557E+00
1.43001E+00	1.40387E+00	1.39002E+00	1.45093E+00	1.35001E+00	1.49390E+00	1.31001E+00	1.54105E+00	1.28001E+00	1.57602E+00
1.25001E+00	1.60830E+00	1.22001E+00	1.63604E+00	1.19001E+00	1.66076E+00	1.16001E+00	1.65514E+00	1.14001E+00	1.71137E+00
1.12001E+00	1.74449E+00	1.10001E+00	1.78279E+00	1.08001E+00	1.81439E+00	1.07001E+00	1.83583E+00	1.06001E+00	1.85515E+00
1.05001E+00	1.87948E+00	1.04001E+00	1.91338E+00	1.02001E+00	1.95984E+00	1.00001E+00	2.00623E+00	9.80014E-01	2.05405E+00
9.60014E-01	2.10326E+00	9.40014E-01	2.16825E+00	9.10014E-01	2.25095E+00	8.80014E-01	2.33888E+00	8.50013E-01	2.43339E+00
8.20013E-01	2.53486E+00	7.90012E-01	2.64477E+00	7.60013E-01	2.76402E+00	7.30012E-01	2.89446E+00	7.00011E-01	3.03726E+00
6.70012E-01	3.19460E+00	6.40012E-01	3.36859E+00	6.10011E-01	3.56361E+00	5.80010E-01	3.78289E+00	5.50010E-01	4.03241E+00
5.20010E-01	4.32187E+00	4.90011E-01	4.66192E+00	4.60011E-01	5.07116E+00	4.30011E-01	5.57182E+00	4.00011E-01	6.05735E+00
3.80011E-01	6.58377E+00	3.60010E-01	7.18380E+00	3.40010E-01	7.91582E+00	3.20010E-01	8.54798E+00	3.10010E-01	9.08811E+00
3.00010E-01	9.68032E+00	2.90010E-01	1.03549E+01	2.80010E-01	1.12131E+01	2.70010E-01	1.19945E+01	2.60010E-01	1.35262E+01
2.40010E-01	1.60437E+01	2.20010E-01	1.91837E+01	2.00011E-01	2.30576E+01	1.80011E-01	2.77560E+01	1.60011E-01	3.32937E+01
1.40011E-01	3.95644E+01	1.20011E-01	4.45627E+01	1.10011E-01	4.78913E+01	1.00011E-01	5.10814E+01	9.00010E-02	5.3930E+01
8.00108E-02	5.62488E+01	7.00103E-02	5.76214E+01	6.00104E-02	5.76253E+01	5.00104E-02	5.566734E+01	4.00104E-02	5.10475E+01
3.00100E-02	4.28747E+01	2.00100E-02	3.00678E+01	1.00102E-02	1.66907E+01	5.01010E-03	6.93149E+00	1.01004E-03	1.35526E+00

(LFG(IGC), IGC=1, 3) ARE
6 103 154

FLUX-WEIGHTED AVERAGE OF 1/V CROSS SECTION (UNITY AT 2200M/S) OVER LOWEST COARSE GROUP
= 6.23457E+00 / 1.33865E+01 = 4.65735E-01

INTEGRATED MULTIGROUP FLUXES, FLXI(IGC), IGC=1, 2)
7.50227E+01 1.33865E+01

EFFECTIVE THERMAL GROUP FLUX= 6.234570E+00
 ECHO FROM DATA FILE MULTIGROUP CROSS SECTIONS ORDERED ON Z, A, STATE AND REACTION MT

NUCLIDE	Z	A	S	MAT	MF	MT	TEMP DEG K	SIGMA ZERO	GROUP 1 CROSS SECTION	GROUP 2 CROSS SECTION	EFFEC.THERMAL CROSS SECTION
XE128	54	128	0	1173	3	102	900	1.0E+10	7.950522E+00	8.444517E+00	1.813160E+01
XE129	54	129	0	589	3	102	1000	1.0E+10	7.939349E+00	8.496994E+00	1.824427E+01
XE130	54	130	0	1174	3	102	900	1.0E+10	1.300260E-01	2.898171E+00	6.222791E+00
XE131	54	131	0	1175	3	102	900	1.0E+10	2.578177E+01	4.271934E+01	9.172458E+01
XE132	54	132	0	1176	3	102	900	1.0E+10	8.607339E-02	2.103460E-01	4.516432E-01
XE133	54	133	0	595	3	102	1000	1.0E+10	1.124755E+01	8.934066E+01	1.918273E+02
XE134	54	134	0	1177	3	102	900	1.0E+10	2.837469E-02	1.207665E-01	2.593032E-01
XE135	54	135	0	1294	3	102	900	1.0E+10	6.854973E+00	1.287427E+06	2.764291E+06
XE136	54	136	0	1178	3	102	900	1.0E+10	3.968694E-03	7.462344E-02	1.602273E-01

TAPE2 FILE FROM SAMPLE PROBLEM 2

TABLE 9
 TWO GROUP CROSS SECTIONS

NUCLIDE	Z	A	S	MAT	MF	MT	TEMP DEG K	SIGMA ZERO	GROUP 1 CROSS SECTION	GROUP 2 CROSS SECTION	EFFEC.THERMAL CROSS SECTION
XE128	54	128	0	1173	3	102	900	1.0E+10	7.950522E+00	8.444517E+00	1.813160E+01
XE129	54	129	0	589	3	102	1000	1.0E+10	7.939349E+00	8.496994E+00	1.824427E+01
XE130	54	130	0	1174	3	102	900	1.0E+10	1.300260E-01	2.898171E+00	6.222791E+00
XE131	54	131	0	1175	3	102	900	1.0E+10	2.578177E+01	4.271934E+01	9.172458E+01
XE132	54	132	0	1176	3	102	900	1.0E+10	8.607339E-02	2.103460E-01	4.516432E-01
XE133	54	133	0	595	3	102	1000	1.0E+10	1.124755E+01	8.934066E+01	1.918273E+02
XE134	54	134	0	1177	3	102	900	1.0E+10	2.837469E-02	1.207665E-01	2.593032E-01
XE135	54	135	0	1294	3	102	900	1.0E+10	6.854973E+00	1.287427E+06	2.764291E+06
XE136	54	136	0	1178	3	102	900	1.0E+10	3.968694E-03	7.462344E-02	1.602273E-01

NOTE THAT THE EFFECTIVE THERMAL CROSS SECTION IS THE GROUP 2 CROSS SECTION DIVIDED BY SIGMA(1/V)
 WHERE SIGMA(1/V) IS THE GROUP 2 VALUE OF A 1/V CROSS SECTION EQUAL TO UNITY AT 2200 M/S .465735

FLUX COMPARISON

Flux Plot from Sample Problem 2.

SAMPLE PROBLEM 3. CALCULATE 3-GROUP RADIATIVE CAPTURE CROSS SECTIONS FOR ALL DYSPROSIUM
NUCLIDES USING NTR FLUX SPECTRUM. USE FUNCTIONAL FLUX DESCRIPTION FOR
THERMAL MAXWELLIAN AT 343.2K (.0295738EV.) BELOW 0.105 eV. AND 1/E
ABOVE THIS ENERGY. DEFINE 3-GROUP STRUCTURE WITH BOUNDARIES 1.E-05EV.,
0.105EV., 5.53KEV., AND 10 MEV.

CARD INPUT FOR SAMPLE PROBLEM 3

SAMPLE PROBLEM 3 3-GP (N,GAMMA) FOR ALL DYSPROSIUM/ FUNCTIONAL FLUX FOR MTR

1	0	3	10	1				
66	66	160	164	102	1021.0	+101.0	+109.0	+021.0 +03
1.0	-051.05		-011.0		+071.0	+071.0	+071.0	+07
1.0	+07							
2.95738	-02-1.0		0.		0.	0.	0.	
0.								
1.0	-051.05		-015.53		+031.0	+07		

OUTPUT FILE FROM SAMPLE PROBLEM 3

SAMPLE PROBLEM 3 3-GP (N,GAMMA) FOR ALL DYSPROSIUM/ FUNCTIONAL FLUX FOR MTR
 SUMMARY OF PROBLEM CONTROL INPUT
 IFLX = 1 ,WHERE 1=COLLAPSE TO BUILT-IN FUNCTIONAL FLUX, WITH PARAMETERS READ FROM CARD INPUT
 2=COLLAPSE TO FLUX DESCRIBED BY SET OF LOG-LOG INTERPOLATION POINTS READ FROM DATA FILE
 3=COLLAPSE TO FLUX DESCRIBED BY SET OF LOG-LOG INTERPOLATION POINTS READ FROM CARD INPUT
 4=COLLAPSE TO HISTOGRAM FLUX READ FROM CARD INPUT IN UNITS N/CM**2-SEC-EV
 5=COLLAPSE TO HISTOGRAM FLUX READ FROM CARD INPUT IN UNITS N/CM**2-SEC-UNIT LETHARGY
 6=COLLAPSE TO HISTOGRAM FLUX READ FROM CARD INPUT IN UNITS N/CM**2-SEC (GROUP INTEGRAL FLUXES)
 NFX = 0 ,NUMBER OF FLUX VALUES IN USER COLLAPSING FLUX DESCRIPTION (SET TO NFXP BY CODE IF IFLX=2)
 NGC = 3 ,NUMBER OF COARSE GROUPS
 NT = 10 ,TABLE NUMBER FOR TAPE2 HEADING
 IPLTFX = 1 ,WHERE 0=NO PLOT OF FLUX
 1=MAKE PLOT OF LOG-LOG FLUX READ FROM DATA FILE AND, IF DIFFERENT, USER COLLAPSING FLUX

COLLAPSE CROSS-SECTION TABULATIONS WITHIN THE FOLLOWING LIMITS

*****Z***** *****A***** *REACTION MT* ****BORNENKO SIGMA ZERO*** *****TEMPERATURE (K)*****
 66 TO 66 160 TO 164 102 TO 102 1.000E+10 TO 1.000E+10 9.000E+02 TO 1.000E+03

ECHO FROM DATA FILE LASL 154-GP FISSION PRODUCT CROSS-SECTION FILE/WILSON,ENGLAND AND LA BAUME 6-77
 ECHO FROM DATA FILE PRS 154-GROUP NEUTRON MULTIGROUP STRUCTURE

2.00000E+07	1.82212E+07	1.69046E+07	1.49182E+07	1.34936E+07	1.19125E+07	1.00000E+07	7.78831E+06	6.05531E+06	4.70367E+06
3.67879E+06	2.86505E+06	2.23130E+06	1.73774E+06	1.35335E+06	1.05399E+06	9.53692E+05	8.10852E+05	7.42136E+05	6.34074E+05
5.78443E+05	4.97871E+05	4.50492E+05	3.87742E+05	3.50844E+05	3.01974E+05	2.73217E+05	2.35177E+05	2.12797E+05	1.83156E+05
1.42642E+05	1.11090E+05	8.55170E+04	6.73795E+04	5.24752E+04	4.08677E+04	3.18278E+04	2.50874E+04	2.00844E+04	1.61785E+04
2.35786E+04	1.93045E+04	1.50344E+04	1.17058E+04	9.11631E+03	7.10174E+03	5.53384E+03	4.30743E+03	3.35453E+03	2.60714E+03
2.03468E+03	1.58461E+03	1.23410E+03	9.61117E+02	7.45518E+02	5.82947E+02	4.53999E+02	3.53575E+02	2.75164E+02	2.14444E+02
1.67017E+02	1.30073E+02	1.01301E+02	7.86932E+01	7.35000E+01	5.97500E+01	4.85510E+01	3.70000E+01	2.81442E+01	2.14400E+01
5.90500E+01	5.84000E+01	4.78512E+01	4.00000E+01	3.72555E+01	3.60500E+01	3.50000E+01	2.90242E+01	2.37102E+01	2.30000E+01
2.26033E+01	2.21000E+01	2.15000E+01	2.03000E+01	1.76045E+01	1.37056E+01	1.06770E+01	8.31575E+00	7.00000E+00	6.45555E+00
5.04348E+00	3.92766E+00	3.05902E+00	2.56044E+00	2.38237E+00	2.31603E+00	2.29429E+00	2.27266E+00	2.25132E+00	2.17219E+00
2.09408E+00	2.01791E+00	1.93562E+00	1.85539E+00	1.80031E+00	1.76305E+00	1.72606E+00	1.67771E+00	1.64764E+00	1.59413E+00
1.57850E+00	1.45742E+00	1.44498E+00	1.30785E+00	1.20867E+00	1.16638E+00	1.12515E+00	1.09889E+00	1.07217E+00	1.06241E+00
1.05250E+00	1.04273E+00	1.01370E+00	9.50653E-01	8.76425E-01	7.82079E-01	6.82560E-01	6.25060E-01	5.31579E-01	5.03235E-01
4.17016E-01	4.13994E-01	3.57665E-01	3.20628E-01	3.01120E-01	2.90737E-01	2.70518E-01	2.51023E-01	2.27690E-01	1.84424E-01
1.52300E-01	1.45721E-01	1.11568E-01	8.19683E-02	5.69224E-02	4.27551E-02	3.06116E-02	2.04921E-02	1.23964E-02	6.32472E-03
2.27690E-03	7.60219E-04	2.52989E-04	1.38879E-04	1.00000E-05					

ECHO FROM DATA FILE PRS NEUTRON FLUX WEIGHTING FUNCTION 115 LOG-LOG INTERPOLATION PLO

2.00000E+07	1.54770E-10	1.56760E+07	1.97600E-10	1.55000E+07	1.14060E-09	1.54000E+07	2.84500E-09	1.53000E+07	6.06860E-09
1.52000E+07	1.46870E-08	1.51000E+07	3.03540E-08	1.50000E+07	5.86320E-08	1.49000E+07	1.06940E-07	1.48000E+07	1.82170E-07
1.47000E+07	2.90410E-07	1.46000E+07	4.33170E-07	1.45000E+07	6.04030E-07	1.44000E+07	7.87040E-07	1.43000E+07	9.57570E-07
1.42000E+07	1.08700E-06	1.40700E+07	1.15400E-06	1.39000E+07	1.04030E-06	1.38000E+07	8.88260E-07	1.37000E+07	7.04760E-07
1.36000E+07	5.19460E-07	1.35000E+07	3.55120E-07	1.34000E+07	2.25110E-07	1.33000E+07	1.32220E-07	1.32000E+07	7.16540E-06
1.31000E+07	3.61220E-08	1.30000E+07	1.67760E-08	1.29000E+07	7.19100E-09	1.28000E+07	2.34360E-09	1.27000E+07	1.05570E-07
1.26000E+07	3.47310E-10	1.25700E+07	2.46190E-10	1.00000E+07	3.09530E-10	8.00000E+06	1.22760E-09	6.00000E+06	4.75530E-09
5.00000E+06	9.06790E-09	4.00000E+06	1.70730E-08	3.00000E+06	3.11420E-08	2.63000E+06	3.99810E-08	2.35000E+06	9.15350E-08
2.22000E+06	5.90330E-08	1.40000E+06	1.21820E-07	1.31000E+06	6.86960E-08	1.21000E+06	1.50000E-07	1.19000E+06	1.54790E-07
1.12000E+06	1.36480E-07	1.05000E+06	1.15180E-07	1.00000E+06	9.15950E-08	9.41000E+05	1.78610E-07	9.00000E+05	2.14790E-07
7.70000E+05	2.50050E-07	6.50000E+05	2.94930E-07	5.40000E+05	3.05010E-07	5.02000E+05	2.63330E-07	4.74000E+05	2.17540E-07
4.42000E+05	1.00750E-07	3.99000E+05	2.73870E-07	3.77000E+05	3.40270E-07	3.56000E+05	3.89200E-07	2.83000E+05	3.83990E-07
2.01000E+05	4.36450E-07	1.20000E+05	5.79340E-07	6.07000E+04	9.15950E-07	3.07000E+04	1.55710E-06	2.00000E+04	2.72570E-06
1.01000E+03	3.78290E-05	6.82000E+01	4.83520E-04	6.71000E+01	4.72260E-04	6.60000E+01	4.57970E-05	6.49000E+01	4.82430E-04
6.12000E+01	5.58730E-04	3.87000E+01	8.26180E-04	3.74000E+01	6.54530E-04	3.67000E+01	9.15950E-06	3.59000E+01	6.76740E-04
3.56000E+01	7.48970E-04	3.44000E+01	8.15190E-04	2.25000E+01	1.35650E-03	2.14000E+01	1.05550E-03	2.09000E+01	1.37330E-05
2.03700E+01	1.09730E-03	1.98600E+01	1.38580E-03	1.75300E+01	1.71500E-03	7.30500E+00	3.00420E-03	7.01000E+00	2.92150E-03
6.89400E+00	1.76320E-03	6.67000E+00	5.31250E-05	6.44900E+00	1.65240E-03	6.13500E+00	3.72750E-03	5.88420E+00	4.19500E-03
5.50470E+00	4.61640E-03	4.01000E+00	6.32000E-03	1.35180E+00	1.85020E-02	1.00000E+00	2.49140E-02	6.00000E-01	4.15000E-02
5.70000E-01	4.37000E-02	4.90000E-01	5.10000E-02	4.00000E-01	6.87000E-02	3.00000E-01	1.05000E-01	2.10000E-01	2.52000E-01
1.70000E-01	3.83000E-01	1.40000E-01	5.20000E-01	1.12000E-01	6.66000E-01	9.00000E-02	7.99000E-01	7.00000E-02	6.92000E-01
5.90000E-02	9.18000E-01	5.40000E-02	9.21000E-01	5.00000E-02	9.16000E-01	4.30000E-02	8.45000E-01	3.30000E-02	8.29000E-01
2.90000E-02	7.85000E-01	2.40000E-02	7.12000E-01	1.60000E-02	5.52000E-01	9.00000E-03	3.55000E-01	1.00000E-05	5.25000E-04

COARSE GROUP STRUCTURE

1.00000E+07	5.53000E+03	1.05000E-01	1.00000E-05
-------------	-------------	-------------	-------------

FUNCTIONAL FLUX DESCRIPTION USED IN COLLAPSING

ENERGY LIMITS	FLUX FUNCTION	INPUT AND CALCULATED PARAMETERS
EX(1)= 1.000000E-05 EV	F(E)=C(1)*E*EXP(-E/TKM)	C(1) = 1.000000E+00 TKM = 2.957360E-02 EV
EX(2)= 1.050000E-01 EV	F(E)=C(2)*E**SLPA	C(2) = 3.165499E-04 SLPA = -1.000000E+00
EX(3)= 1.000000E+07 EV	F(E)=C(3)*SQRT(E)*EXP(-E/THETA)	C(3) = 0. THETA = 0. EV
EX(4)= 1.000000E+07 EV	F(E)=C(4)*E**SLPB	C(4) = 0. SLPB = 0.
EX(5)= 1.000000E+07 EV	F(E)=C(5)*EXP(-5.*(SQRT(E/TKF)-SQRT(EP/TKF))**2.)	C(5) = 0. TKF = 0. EV EP = 0. EV
EX(6)= 1.000000E+07 EV	F(E)=C(6)*E**SLPC	C(6) = 0. SLPC = 0.
EX(7)= 1.000000E+07 EV (LFG(IGC), IGC=1, 4) ARE 6 47 143 154		
FLUX-WEIGHTED AVERAGE OF 1/V CROSS SECTION (UNITY AT 2200M/S) OVER LOWEST COARSE GROUP = 7.11385E-04 / 7.60340E-04 = 9.35615E-01		
INTEGRATED MULTIGROUP FLUXES, FLXI(IGC), IGC=1, 3)		
2.37417E-03 3.44145E-03 7.60340E-04		
EFFECTIVE THERMAL GROUP FLUX= 7.113851E-04		

ECHO FROM DATA FILE MULTIGROUP CROSS SECTIONS ORDERED ON Z, A, STATE AND REACTION MT

NUCLIDE	Z	A	S	MAT	MF	MT	TEMP DEG K	SIGMA ZERO	GROUP 1	GROUP 2	GROUP 3	EFFEC.THERMAL
DY160	66	160	0	811	3	102	1000	1.0E+10	1.213757E+00	1.575490E+02	5.423726E+01	5.796966E+01
DY161	66	161	0	812	3	102	1000	1.0E+10	1.248979E+00	1.361589E+02	5.115268E+02	5.467281E+02
DY162	66	162	0	813	3	102	1000	1.0E+10	5.115748E-01	2.875909E+02	1.766576E+02	1.888145E+02
DY163	66	163	0	814	3	102	1000	1.0E+10	5.194179E-01	1.420322E+02	1.186120E+02	1.267744E+02
DY164	66	164	0	1031	3	102	900	1.0E+10	1.710835E-01	1.322543E+02	2.176068E+03	2.325817E+03

TAPE2 FILE FROM SAMPLE PROBLEM 3

TABLE 10
THREE GROUP CROSS SECTIONS

NUCLIDE	Z	A	S	MAT	MF	MT	TEMP DEG K	SIGMA ZERO	GROUP 1	GROUP 2	GROUP 3	EFFEC.THERMAL
DY160	66	160	0	811	3	102	1000	1.0E+10	1.213757E+00	1.575490E+02	5.423726E+01	5.796966E+01
DY161	66	161	0	812	3	102	1000	1.0E+10	1.248979E+00	1.361589E+02	5.115268E+02	5.467281E+02
DY162	66	162	0	813	3	102	1000	1.0E+10	5.115748E-01	2.875909E+02	1.766576E+02	1.888145E+02
DY163	66	163	0	814	3	102	1000	1.0E+10	5.194179E-01	1.420322E+02	1.186120E+02	1.267744E+02
DY164	66	164	0	1031	3	102	900	1.0E+10	1.710835E-01	1.322543E+02	2.176068E+03	2.325817E+03

NOTE THAT THE EFFECTIVE THERMAL CROSS SECTION IS THE GROUP 3 CROSS SECTION DIVIDED BY SIGMA(1/V)
WHERE SIGMA(1/V) IS THE GROUP 3 VALUE OF A 1/V CROSS SECTION EQUAL TO UNITY AT 2200 M/S .935615

FLUX COMPARISON

Flux Plot from Sample Problem 3.

ECHO FROM DATA FILE

PHS 144-GROUP NEUTRON MULTIGROUP STRUCTURE

2.00000E+07	1.82212E+07	1.69046E+07	1.49182E+07	1.35385E+07	1.19121E+07	1.00600E+07	7.74801E+06	6.06531E+06	4.72437E+06
3.67879E+06	2.86305E+06	2.23130E+06	1.73177E+06	1.35335E+06	1.05399E+06	8.53692E+05	7.42736E+05	6.39279E+05	5.78433E+05
5.78433E+05	4.97871E+05	4.50492E+05	3.87742E+05	3.50544E+05	3.01974E+05	2.73337E+05	2.35177E+05	2.12757E+05	2.47875E+04
1.42678E+05	1.11090E+05	8.65170E+04	6.73770E+04	5.24752E+04	4.06677E+04	3.16278E+04	2.80879E+04	2.60584E+04	2.61259E+03
2.35786E+04	1.93045E+04	1.50344E+04	1.17085E+04	9.11882E+03	7.10174E+03	5.53099E+03	4.30743E+03	3.35453E+03	2.14545E+02
2.03468E+03	1.58461E+03	1.23410E+03	9.61117E+02	7.48518E+02	5.82947E+02	4.53999E+02	3.57575E+02	2.75364E+02	2.14545E+02
1.67017E+02	1.30073E+02	1.01301E+02	7.89332E+01	6.30000E+01	4.97500E+01	3.85500E+01	2.90332E+01	2.37100E+01	2.32000E+01
5.90500E+01	5.84000E+01	4.78512E+01	4.00000E+01	3.72655E+01	3.60500E+01	3.50000E+01	3.31529E+01	3.25113E+01	2.17213E+00
2.26033E+01	2.21000E+01	2.15000E+01	2.03000E+01	1.76035E+01	1.70966E+01	1.66779E+01	1.62726E+01	1.59475E+01	1.64759E+00
5.04348E+00	3.92786E+00	3.05902E+00	2.56084E+00	2.38337E+00	2.31603E+00	2.29429E+00	2.27266E+00	2.25113E+00	1.64759E+00
2.09408E+00	2.01791E+00	1.85362E+00	1.85339E+00	1.80897E+00	1.76305E+00	1.72608E+00	1.69368E+00	1.67173E+00	1.06231E+00
1.57250E+00	1.45742E+00	1.44498E+00	1.30785E+00	1.20867E+00	1.16038E+00	1.12535E+00	1.09368E+00	1.07217E+00	5.31579E+01
4.17016E+01	4.13944E+01	4.01370E+00	3.50653E+01	8.76425E+01	7.82079E+01	6.82560E+01	6.25560E+01	5.31579E+01	5.31579E+01
1.52300E+01	1.45721E+01	1.11568E+01	3.20828E+01	3.01120E+01	2.90737E+01	2.70518E+01	2.51028E+01	2.27690E+01	1.64429E+01
2.27090E+03	7.60219E+04	2.52989E+04	1.38879E+04	5.69244E+02	4.27551E+02	3.06116E+02	2.04921E+02	1.23364E+02	6.32472E+03

ECHO FROM DATA FILE

PHS NEUTRON FLUX WEIGHTING FUNCTION

115 LOG-LOG INTERPOLATION PTS

2.00000E+07	1.54770E+10	1.56760E+07	1.97800E+10	1.55000E+07	1.40600E+09	1.54000E+07	2.84300E+09	1.53000E+07	6.68800E+09
1.52000E+07	1.46370E+08	1.51000E+07	3.03340E+08	1.50000E+07	5.88320E+08	1.49000E+07	1.06390E+07	1.48000E+07	1.82130E+07
1.47000E+07	2.90410E+07	1.46000E+07	4.33170E+07	1.45000E+07	6.04030E+07	1.44000E+07	7.87400E+07	1.43000E+07	9.57370E+07
1.42000E+07	1.08700E+06	1.40700E+07	1.15400E+06	1.39000E+07	1.04030E+06	1.38000E+07	8.68230E+07	1.37000E+07	7.04780E+07
1.36000E+07	5.19460E+07	1.35000E+07	3.55120E+07	1.34000E+07	2.25110E+07	1.33000E+07	1.32220E+07	1.32000E+07	7.15240E+05
1.31000E+07	3.61220E+03	1.30000E+07	1.67760E+08	1.29000E+07	7.19100E+09	1.28000E+07	2.84360E+09	1.27000E+07	1.03370E+09
1.26000E+07	3.47310E+10	1.25700E+07	2.46190E+10	1.00000E+07	3.09530E+10	8.00000E+06	1.22760E+09	6.00000E+06	4.71530E+04
5.00000E+06	9.06730E+09	4.00000E+06	1.70730E+08	3.00000E+06	3.11420E+08	2.63000E+06	3.99310E+03	2.35000E+06	9.15350E+03
2.22000E+06	5.90330E+08	1.40000E+06	1.21820E+07	1.31000E+06	6.66960E+06	1.21000E+06	1.50290E+07	1.19000E+06	1.54790E+07
1.12000E+06	1.36480E+07	1.05000E+06	1.15180E+07	1.00000E+06	9.15950E+08	9.41000E+05	1.78010E+07	9.00000E+05	2.14790E+07
7.70000E+05	2.500750E+07	6.50000E+05	2.94930E+07	5.40000E+05	3.05010E+07	5.02000E+05	2.63330E+07	4.74000E+05	2.17540E+07
4.42000E+05	2.00750E+07	3.99000E+05	2.73870E+07	3.77000E+05	3.40270E+07	3.56000E+05	3.69260E+07	2.83000E+05	3.83390E+07
2.01000E+05	4.36450E+07	1.20000E+05	5.79340E+07	6.07000E+04	9.15950E+07	3.07000E+04	1.55710E+06	2.00000E+04	2.22370E+06
1.01000E+03	3.78290E+05	6.82000E+01	4.63620E+04	6.71000E+01	4.72260E+04	6.60000E+01	4.57970E+05	6.49000E+01	4.82430E+04
6.12000E+01	5.58730E+04	3.87000E+01	8.26180E+04	3.74000E+01	6.54530E+04	3.67000E+01	9.15950E+05	3.59000E+01	6.75720E+04
3.03700E+01	1.09730E+03	3.44000E+01	1.8580E+03	1.75300E+01	1.71560E+03	2.14000E+01	1.05330E+03	2.09000E+01	1.37390E+05
6.89400E+00	1.76320E+03	6.67000E+00	5.31250E+05	6.44000E+00	1.65240E+03	6.13500E+00	3.72790E+03	5.88420E+00	4.19490E+03
5.57000E+00	4.61640E+03	4.01000E+00	6.32000E+03	1.35160E+00	1.85020E+02	1.00000E+00	2.49140E+02	6.00000E+01	4.13000E+02
5.70000E+00	4.37000E+02	4.90000E+01	5.10000E+02	4.00000E+01	6.87000E+02	3.00000E+01	1.08000E+01	2.10000E+01	2.52000E+01
1.70300E+01	3.83300E+01	1.40000E+01	5.20000E+01	1.12000E+01	6.80000E+01	9.00000E+02	7.99000E+02	7.00000E+02	8.92000E+01
5.90000E+02	9.18000E+01	5.40000E+02	9.21000E+01	5.00000E+02	9.18000E+01	4.30000E+02	8.93000E+01	3.30000E+02	8.25000E+01
2.90000E+02	7.60000E+01	2.40000E+02	7.12000E+01	1.60000E+02	5.52000E+01	9.00000E+03	3.55000E+01	1.00000E+05	5.25000E+04

COARSE GROUP STRUCTURE

1.00000E+07	7.78801E+06	6.06531E+06	4.72307E+06	3.67879E+06	2.86505E+06	2.23130E+06	1.73774E+06	1.35335E+06	1.05355E+06
8.20350E+05	6.39279E+05	4.97871E+05	3.87742E+05	3.01974E+05	2.35177E+05	1.83150E+05	1.42442E+05	1.11090E+05	8.65170E+04
6.73795E+04	5.24752E+04	4.06677E+04	3.16278E+04	2.47875E+04	1.93044E+04	1.50344E+04	1.17028E+04	9.11882E+03	7.10174E+03
5.53084E+03	4.30743E+03	3.35453E+03	2.61259E+03	2.03468E+03	1.58461E+03	1.23410E+03	9.61117E+02	7.48518E+02	5.82947E+02
4.53999E+02	3.57575E+02	2.75364E+02	2.14545E+02	1.67017E+02	1.30073E+02	1.01301E+02	7.89332E+01	6.14215E+01	4.78512E+01
3.72665E+01	2.90332E+01	2.37100E+01	1.76035E+01	1.37096E+01	1.06779E+01	8.31529E+01	6.47595E+01	5.04348E+01	3.92786E+01
3.05902E+00	2.38337E+00	1.85339E+00	1.44498E+00	1.12535E+00	8.76425E+00	6.82560E+00	5.31579E+00	4.13994E+00	

(LFG(IGC), IGC=1, 69) JARE

6	7	8	9	10	11	12	13	14	15	17	19	21	23	25	27
29	30	31	32	33	34	35	36	39	41	42	43	44	45	46	47
48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63
68	72	74	77	80	84	85	86	87	89	90	92	94	103	112	
116	124	126	128	131											

INTEGRATED MULTIGROUP FLUXES, FLX1(IGC),IGC=1, 6.4)

1.57700E-03	4.44467E-03	9.60783E-03	1.57722E-02	2.14780E-02	3.40394E-02	3.51326E-02	3.56047E-02	3.53772E-02	3.50366E-02
4.80386E-02	4.16709E-02	2.11615E-02	3.11154E-02	2.61921E-02	2.24547E-02	1.98891E-02	1.77933E-02	1.62701E-02	1.49539E-02
1.38708E-02	1.30922E-02	1.23866E-02	1.17779E-02	1.12995E-02	1.10376E-02	1.08473E-02	1.07588E-02	1.06221E-02	1.04879E-02
1.03538E-02	1.02221E-02	1.00922E-02	9.95394E-03	9.83729E-03	9.71226E-03	9.58863E-03	9.46134E-03	9.33311E-03	9.20675E-03
9.08204E-03	8.95901E-03	8.83765E-03	8.71794E-03	8.59955E-03	8.48335E-03	8.36844E-03	8.25405E-03	8.13981E-03	8.02566E-03
6.16962E-03	7.43635E-03	5.80991E-03	7.38241E-03	7.10614E-03	6.84335E-03	6.48464E-03	6.75192E-03	6.34147E-03	6.32461E-03
6.30545E-03	6.24835E-03	6.24801E-03	6.22845E-03	6.21163E-03	6.21073E-03	6.16103E-03			

ECIU FROM DATA FILE MULTIGROUP CROSS SECTIONS ORDERED ON Z, A, STATE AND REACTION MT

I127	MAT 565	MF 3	MT 3	TEMP= 1000	SIGMA 0= 1.0E+10
4.03993E+00	3.83602E+00	4.11400E+00	4.46616E+00	4.92021E+00	5.47503E+00
6.24417E+00	5.15385E+00	6.05723E+00	5.97455E+00	5.87447E+00	5.85335E+00
5.93155E+00	6.07983E+00	6.19214E+00	6.31714E+00	6.51224E+00	6.71814E+00
8.00994E+00	8.49404E+00	9.02749E+00	9.65343E+00	1.11984E+01	1.02487E+01
3.35969E+01	7.32774E+00	1.73561E+01	3.17532E+01	4.15051E+00	4.07205E+01
1.91428E+02	3.65907E+00	1.63889E+01	3.21990E+00	3.39048E+00	3.46574E+00
7.79744E+00	3.80445E+00	3.98112E+00	4.09026E+00	4.21119E+00	4.34555E+00

I129	MAT 567	MF 3	MT 3	TEMP= 1000	SIGMA 0= 1.0E+10
4.04724E+00	3.90359E+00	4.15071E+00	4.53899E+00	5.04179E+00	5.56037E+00
6.18672E+00	5.05272E+00	5.93467E+00	5.83583E+00	5.76894E+00	5.73051E+00
5.92288E+00	6.03291E+00	6.12771E+00	6.23351E+00	6.48631E+00	6.73072E+00
8.63312E+00	9.23102E+00	9.88661E+00	1.08553E+01	1.15291E+01	1.25423E+01
1.78424E+01	1.90941E+01	2.07230E+01	1.95051E+01	3.78152E+01	6.39331E+00
5.25137E+00	5.35801E+00	5.48759E+00	5.62012E+00	5.76656E+00	5.93750E+00
7.16690E+00	7.52456E+00	7.91301E+00	8.36547E+00	8.88712E+00	9.45555E+00

I130	MAT 568	MF 3	MT 3	TEMP= 1000	SIGMA 0= 1.0E+10
4.05201E+00	3.9958E+00	4.17059E+00	4.58618E+00	5.10607E+00	5.59685E+00
6.15060E+00	5.9942E+00	5.86653E+00	5.77315E+00	5.70726E+00	5.66869E+00
5.80406E+00	6.03371E+00	6.20577E+00	6.39123E+00	6.60333E+00	6.80456E+00
9.07592E+00	9.69269E+00	1.04419E+01	1.17095E+01	1.33753E+01	1.55271E+01
3.10360E+01	3.56278E+01	4.10767E+01	4.75259E+01	5.52670E+01	6.46327E+01
1.29333E+02	8.02412E+01	1.68598E+01	5.42135E+00	5.52019E+00	5.62358E+00
6.44820E+00	6.67603E+00	6.94472E+00	7.24562E+00	7.58155E+00	7.96431E+00

I131	MAT 570	MF 3	MT 3	TEMP= 1000	SIGMA 0= 1.0E+10
4.05829E+00	3.91627E+00	4.18839E+00	4.58618E+00	5.16078E+00	5.62626E+00
6.13711E+00	5.99008E+00	5.83950E+00	5.72125E+00	5.66378E+00	5.61857E+00
5.93068E+00	6.07369E+00	6.27742E+00	6.48918E+00	6.71813E+00	7.01764E+00
9.69454E+00	1.05070E+01	1.14349E+01	1.25332E+01	1.37313E+01	1.50052E+01
2.44391E+01	2.60230E+01	1.65799E+01	4.45836E+00	4.72522E+00	4.72647E+00
4.73571E+00	4.73822E+00	4.74125E+00	4.74450E+00	4.74231E+00	4.75259E+00
4.76462E+00	4.79396E+00	4.80464E+00	4.81630E+00	4.82381E+00	4.84637E+00

I135	MAT 576	MF 3	MT 3	TEMP= 1000	SIGMA 0= 1.0E+10
4.09065E+00	3.95751E+00	4.25544E+00	4.64313E+00	5.31525E+00	5.84090E+00
6.07285E+00	5.87484E+00	5.67817E+00	5.53863E+00	5.49217E+00	5.45471E+00
6.11507E+00	6.36334E+00	6.69307E+00	7.03747E+00	7.40574E+00	7.87665E+00
4.81205E+00	4.81205E+00	4.81206E+00	4.81206E+00	4.81209E+00	4.81209E+00
4.81216E+00	4.81219E+00	4.81221E+00	4.81222E+00	4.81227E+00	4.81231E+00
4.81261E+00	4.81269E+00	4.81280E+00	4.81291E+00	4.81305E+00	4.81312E+00
4.81453E+00	4.81499E+00	4.81545E+00	4.81607E+00	4.81655E+00	4.81765E+00

TABLE 11

68 GROUP CROSS SECTIONS

I127	NAT 565	NF	3	MT	1	TEMP=	100J	SIGMA 0= 1.0E+10	
4.03993E+00	3.83602E+00	4.11400E+00	4.40616E+00	4.92021E+00	5.43503E+00	5.84755E+00	6.14650E+00	6.28610E+00	6.33952E+00
6.24417E+00	6.15385E+00	6.07233E+00	5.97545E+00	5.91467E+00	5.67441E+00	5.55338E+00	5.84797E+00	5.80011E+00	5.83700E+00
5.91555E+00	5.99559E+00	6.07983E+00	6.19214E+00	6.31761E+00	6.51224E+00	6.71814E+00	6.95372E+00	7.24921E+00	7.59931E+00
8.00994E+00	8.49404E+00	9.02749E+00	9.65343E+00	1.03674E+01	1.11953E+01	1.02457E+01	1.37049E+01	1.80306E+01	1.54450E+01
3.35969E+01	7.36974E+00	1.73561E+01	6.87833E+01	3.17532E+01	4.15051E+00	4.07295E+01	4.72923E+01	6.49541E+00	3.65130E+02
1.91428E+02	3.65907E+00	1.63885E+01	3.21993E+01	3.29028E+00	3.39064E+00	3.46574E+01	3.56163E+00	3.63441E+00	3.71303E+00
3.73744E+00	3.83445E+00	3.93112E+00	4.09026E+00	4.21119E+00	4.34555E+00	4.49692E+00	4.67110E+00		
I129	NAT 567	NF	3	MT	1	TEMP=	100J	SIGMA 0= 1.0E+10	
4.04724E+00	3.90359E+00	4.15071E+00	4.53695E+00	5.04179E+00	5.50037E+00	5.95785E+00	6.22660E+00	6.32242E+00	6.25914E+00
6.18672E+00	6.05927E+00	5.93467E+00	5.83563E+00	5.76894E+00	5.73051E+00	5.72036E+00	5.73393E+00	5.76844E+00	5.85362E+00
5.80268E+00	6.00291E+00	6.12771E+00	6.23351E+00	6.40033E+00	6.70723E+00	7.00111E+00	7.30679E+00	7.60192E+00	8.11507E+00
8.63312E+00	9.21022E+00	9.88661E+00	1.10291E+01	1.19291E+01	1.25423E+01	1.30651E+01	1.47613E+01	1.56474E+01	1.66501E+01
1.78424E+01	1.90941E+01	2.07230E+01	1.98051E+01	3.78152E+01	6.39931E+00	6.08874E+01	2.74127E+01	4.97711E+00	5.12235E+00
5.25137E+00	5.35801E+00	5.48759E+00	5.62012E+00	5.76656E+00	5.93750E+00	6.10580E+00	6.35222E+00	6.56633E+00	6.85565E+00
7.16690E+00	7.52456E+00	7.91301E+00	8.36547E+00	8.88712E+00	9.45555E+00	1.01502E+01	1.03955E+01		
I130	NAT 568	NF	3	MT	1	TEMP=	100J	SIGMA 0= 1.0E+10	
4.05201E+00	3.90958E+00	4.17059E+00	4.58618E+00	5.10007E+00	5.59532E+00	6.00045E+00	6.23213E+00	6.26926E+00	6.26521E+00
6.15060E+00	5.99842E+00	5.86653E+00	5.77350E+00	5.70720E+00	5.66869E+00	5.66724E+00	5.69395E+00	5.73545E+00	5.83793E+00
5.90406E+00	6.03711E+00	6.20577E+00	6.39123E+00	6.60333E+00	6.86456E+00	7.17418E+00	7.52591E+00	7.99414E+00	8.55001E+00
9.07592E+00	9.69209E+00	1.04419E+01	1.17095E+01	1.33750E+01	1.55271E+01	1.83280E+01	2.11127E+01	2.33707E+01	2.71539E+01
3.10360E+01	3.58278E+01	4.10767E+01	4.75259E+01	5.52678E+01	6.46327E+01	7.48122E+01	8.55759E+01	9.89355E+01	1.14124E+02
1.29313E+02	8.02412E+01	1.68598E+01	5.42139E+00	5.52015E+00	5.62688E+00	5.73660E+00	5.90555E+00	6.07455E+00	6.23823E+00
6.44320E+00	6.67603E+00	6.94472E+00	7.24562E+00	7.593155E+00	7.96431E+00	8.42754E+00	8.93310E+00		
I131	NAT 570	NF	3	MT	1	TEMP=	100J	SIGMA 0= 1.0E+10	
4.05829E+00	3.91627E+00	4.18839E+00	4.62023E+00	5.16078E+00	5.67626E+00	6.05783E+00	6.27431E+00	6.29025E+00	6.27093E+00
6.13711E+00	5.90008E+00	5.83950E+00	5.72125E+00	5.63376E+00	5.61627E+00	5.63450E+00	5.60956E+00	5.71717E+00	5.83793E+00
5.93068E+00	6.07369E+00	6.27742E+00	6.48918E+00	6.76613E+00	7.01764E+00	7.37469E+00	7.70716E+00	8.19575E+00	8.95501E+00
9.09454E+00	1.05070E+01	1.14349E+01	1.25333E+01	1.37333E+01	1.50052E+01	1.64484E+01	1.81031E+01	1.99736E+01	2.25330E+01
2.44391E+01	2.60230E+01	1.65799E+01	6.49836E+00	4.73522E+00	4.81209E+00	4.72784E+00	4.72936E+00	4.73125E+00	4.73339E+00
4.73571E+00	4.73822E+00	4.74125E+00	4.74450E+00	4.74831E+00	4.75259E+00	4.75687E+00	4.76331E+00	4.76936E+00	4.77621E+00
4.78462E+00	4.79396E+00	4.80464E+00	4.81630E+00	4.82938E+00	4.84607E+00	4.86371E+00	4.88591E+00		
I135	NAT 576	NF	3	MT	1	TEMP=	100J	SIGMA 0= 1.0E+10	
4.09065E+00	3.95751E+00	4.25544E+00	4.64313E+00	5.31525E+00	5.84090E+00	6.25975E+00	6.44558E+00	6.40710E+00	6.29335E+00
6.07235E+00	5.87484E+00	5.67817E+00	5.53809E+00	5.40217E+00	5.45781E+00	5.51930E+00	5.61096E+00	5.72054E+00	5.95545E+00
6.11507E+00	6.30334E+00	6.69307E+00	7.03147E+00	7.40574E+00	7.87665E+00	7.47193E+00	5.21008E+00	4.81231E+00	4.81204E+00
4.81206E+00	4.81205E+00	4.81207E+00	4.81206E+00	4.81206E+00	4.81209E+00	4.81209E+00	4.81209E+00	4.81211E+00	4.81214E+00
4.81216E+00	4.81219E+00	4.81221E+00	4.81222E+00	4.81227E+00	4.81231E+00	4.81236E+00	4.81241E+00	4.81246E+00	4.81253E+00
4.81261E+00	4.81269E+00	4.81280E+00	4.81291E+00	4.81305E+00	4.81321E+00	4.81337E+00	4.81362E+00	4.81367E+00	4.81417E+00
4.81453E+00	4.81496E+00	4.81545E+00	4.81607E+00	4.81680E+00	4.81766E+00	4.81871E+00	4.82009E+00		