Hanford Environmental Dose
Reconstruction Project

Pre-Decisional Draft

BN-SA--3667-HEDR

DE93 006345

Software Development Plan for DESCARTES and CIDER

Version 1.0
December 8, 1992

•Author: _____
Paul W. Eslinger, Lead Developer

Concur: _____
Bill Farris, HEDR Code Development Task Leader

Concur: _____
Bruce Napier, HEDR Technical Integration Task Leader

Concur: _____
Chris Larmy, HEDR Quality Engineer

Approve: _____
Dil Shipler, HEDR Project Manager

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

MASTER

Table of Contents

1.0	Introduction	1
1.1	Purpose	1
1.2	Background	1
1.3	Applicable Software Requirements	1
1.4	Description of the Codes	1
1.4.1	DESCARTES	1
1.4.2	CIDER	1
2.0	Staffing and Budget	2
2.1	Code Development Team	2
2.2	Configuration Management	2
2.3	Quality Assurance	2
2.4	Budget	2
3.0	Development Standards	3
3.1	Programming Language	3
3.2	Modularity of the Codes	3
3.3	Portability of the Codes	3
3.4	Code Internal Documentation	3
3.5	Setting of Array Limits	4
4.0	Software Development Management	5
4.1	Management Plans	5
4.2	Facilities Required	5
4.3	Linkages to other HEDR Tasks	5
4.4	Contingency Planning	5
4.5	Project Records	5
5.0	Configuration Management	6
5.1	Configuration Management Plan	6
5.2	CM of Documentation	6
5.3	CM of Source Code	6
5.4	CM of Executables and Large Data Files	6
5.5	Change Control	6
6.0	Documentation Required	7
6.1	Software Development Plan	7
6.2	Interface Requirements	7
6.3	Data Dictionary	7
6.4	Software Design Documentation	7
6.5	Module Development Folders	7
6.6	Verification Plans	8
6.7	Verification Procedures and Test Cases	8
6.8	User Manuals	8

Table of Contents

7.0	Software Life Cycle Model and Requirements	9
7.1	Development Planning	9
7.2	Requirements Phase	9
7.3	Design Description Phase	9
7.4	Implementation Phase	10
7.5	Final Internal Development Review	10
7.6	Testing and Installation Phase	10
7.6.1	Module Testing	10
7.6.2	Integration Testing	10
7.6.3	Independent Team Testing	11
7.7	Operation and Maintenance Phase	11
7.8	Development of Documentation	11
7.8.1	Verification Plan Development	11
7.8.2	Test Procedures and Test Cases	11
7.8.3	User Documentation	12
8.0	Activities, Deliverables and Schedules	13
8.1	Deliverables	13
8.1.1	Code Development Task Deliverables	13
8.1.2	Other HEDR Deliverables	14
8.2	Schedule for Activities	14
9.0	List of Abbreviations	16

Exhibits

Exhibit 1:	Software Design Description Content	17
Exhibit 2:	Software Verification Plan Content	20
Exhibit 3:	Test Procedure and Cases Content	22
Exhibit 4:	Software User Documentation Content	24
Exhibit 5:	Module Development Folder Content	28
Exhibit 6:	Code Walkthrough Review Checklist	29

1.0 Introduction

1.1 Purpose

This Software Development Plan (SDP) outlines all software activities required to obtain functional environmental accumulation and individual dose codes for the Hanford Environmental Dose Reconstruction (HEDR) project. The modeling activities addressed use the output of the air transport code RATCHET to compute radionuclide concentrations in environmental pathways, and continue on through calculations of dose for individuals.

Work items covered in this SDP are those specific to the code development team. Some items are mentioned that will be performed by staff on other HEDR tasks. Any activities or deliverables not the responsibility of the code development team will be specifically identified as such.

1.2 Background

The Hanford Environmental Dose Reconstruction (HEDR) Project has a deliverable in the June 1993 time frame to be able to start computing doses to individuals from nuclear-related activities on the Hanford Site during and following World War II. This project has high visibility with the client (Center for Disease Control [CDC]) and with the public through a Technical Steering Panel (TSP), which provides technical direction to the HEDR Project.

1.3 Applicable Software Requirements

The software requirements for this software development task are given in the document "Software Requirements Specification for the Hanford Environmental Dose Reconstruction Project Air Pathway Environmental Accumulation and Dose Models", draft dated November 10, 1992.

1.4 Description of the Codes

The Software Requirements Specification (SRS) identifies the need for two separate codes to handle the environmental accumulation and individual dose calculations. The codes will be named DESCARTES and CIDER, respectively.

1.4.1 DESCARTES

The DESCARTES code will compute the environmental concentrations of radionuclides and pass them to the CIDER code. The projected size of the code is 4000 lines.

1.4.2 CIDER

The CIDER code will compute doses and their uncertainties for individuals living in the contaminated environment computed by DESCARTES. The projected size of the code is 3000 lines.

2.0 Staffing and Budget

The mix of technical skills required to produce and document the DESCARTES and CIDER codes include the following areas of expertise: i) design of data flow and program logic, ii) FORTRAN coding, iii) C coding, iv) Unix operating system, v) writing of documentation, and vi) configuration management.

2.1 Code Development Team

The code development team will consist of the following five people.

- **Paul Eslinger - Development Team Leader**
Skills: management, FORTRAN coding, writing documentation, and stochastic applications
Education: BS, MA in mathematics, Ph.D. in statistics
- **Terri Miley**
Skills: Writing documentation, FORTRAN coding
- **Steve Ouderkirk**
Skills: FORTRAN and C code, code requirements, code design, writing documentation
- **Will Nichols**
Skills: FORTRAN coding, code design, writing documentation
- **Kelly Lessor**
Skills: Unix operating system, FORTRAN and C coding

2.2 Configuration Management

The team member that will address configuration management issues has not been identified. This team member will be identified after the Technical Steering Panel (TSP) authorizes funds for the continued development of DESCARTES and CIDER. A decision by the TSP is not expected until after January 8, 1993.

2.3 Quality Assurance

The HEDR quality engineer, Chris Larmy, will assist the code development team with quality assurance related issues.

2.4 Budget

The budget for the code development team is \$100K between October 1, 1992 and January 8, 1993. This budget is not enough for the team to work full-time, therefore, Steve Ouderkirk will work full-time; and Paul Eslinger, Terri Miley, and Will Nichols will work about 2/3 time.

The budget after January 8th, 1993, is still to be negotiated.

3.0 Development Standards

Required standards and conventions in the design and coding are discussed in this section.

3.1 Programming Language

The codes will be developed in FORTRAN or C. At the current time the choice is to use FORTRAN for DESCARTES and C for CIDER. A mix of the two languages is permissible even within the same code, if required to achieve timing requirements or to meet disk space limitations.

Code written in FORTRAN shall be written to ANSI Standard FORTRAN 77 conventions. Any extensions to the language standard that are used must be identified and the reason for use documented.

Code written in C shall be written to ANSI Standard C conventions. Any extensions to the language standard that are used must be identified and the reason for use documented.

Verification that the code is written to the programming language standards will be done in two ways. First, during the code walkthroughs the reviewers will be instructed to look for nonstandard language use, and second, options are available on the language compilers to identify nonstandard syntax and constructs.

3.2 Modularity of the Codes

The code shall be designed in a modular function. In general, a module should perform only one function. A particular function that is performed in several places in the codes should be implemented in a single module. Verification of the modular design of the code shall be performed in the final design review.

3.3 Portability of the Codes

There is no requirement for the code to be portable to any machine other than the HEDR Sun. However, use of only standard language features will enhance the future portability to another platform.

3.4 Code Internal Documentation

Each module, function, or subroutine of the code shall contain internal comments. The purpose of the comments is to allow a person other than the developer to follow the program logic and be able to modify the code.

Each module shall contain a header that incorporates the following information:

- name and version of the module
- date of completion
- history of modifications and modification dates
- purpose of the module
- short description of the algorithms in the module
- major assumptions
- a description of all input and output variables, including data type, storage, accuracy, and units if applicable
- references, if applicable
- calling sequence
- error reporting and/or recovery
- auxiliary routines needed

Each variable in a common block or global storage location shall be described in embedded comments. The comments shall describe the purpose of the variable and identify any constraints on the use or modification of the variable.

3.5 Setting of Array Limits

All length of arrays or dimension statements shall be set using the FORTRAN PARAMETER convention or the C #define convention.

4.0 Software Development Management

4.1 Management Plans

The work performed in this activity is controlled by the HEDR Project Management Plan and the HEDR Environmental Accumulation and Dose Code Development Work Plan (October 30, 1992).

4.2 Facilities Required

The software shall operate on the HEDR Sun 690 platform. The machine has 128 Mb of memory and approximately 24 Gb of disk storage. Each member of the development team requires simultaneous access to the HEDR Sun.

4.3 Linkages to other HEDR Tasks

It is recognized that this coding effort will use data produced by several other HEDR tasks. The data is required to allow the environmental pathways and dose codes to be run to completion. Interface definitions, test files and final data files must be available on a timely basis for the code design to proceed. It is assumed that the other HEDR tasks will be able to provide the data in the agreed upon format to the code development task. Impacts on the scheduled deliverables may occur if this assumption is incorrect.

The code development team will work with the HEDR Technical Turnover lead, Bill Farris, in defining interactions with other HEDR tasks.

4.4 Contingency Planning

The software development and documentation schedule is very tight for meeting a June, 1993, production schedule. Funding perturbations, hardware or system software problems, or staff turnover may all impact the work schedule. Contingency planning is limited, at this time, to identifying any difficulties as early as possible, and promptly bringing them to management attention for resolution.

4.5 Project Records

All documents or code listings produced by the development team shall become project records. The time that each item becomes a project record is the time identified in later sections of this SVP where the item is baselined or submitted to configuration management. A copy of the contents of the module development folders shall be entered as a project record when the developer has finished the implementation and developer test for that module. Any later modifications to the contents of a module development folder shall be entered as a project record at the successful completion of the operational readiness review.

5.0 Configuration Management

5.1 Configuration Management Plan

Configuration management (CM) is required for versions of the software and documentation released to testing. A change request system for tracking modification to CM versions of software and documentation must be implemented. The CM system will also be used to track data files delivered to the code development task from other tasks on HEDR. Both test and final versions of these files will be maintained in CM.

A configuration management plan will be written to cover all aspects of configuration management of the code, documentation, and associated data. This plan will be initiated following the Technical Steering Panel (TSP) meeting in early January, 1993. The current plan is to use a slight modification of the procedure PNL-YMPO-SCP-3, "Software Configuration Management" for controlling configuration management.

Configuration management of software items prior to creation and approval of the CM plan may be limited to having signed, dated, versions of documentation stored as project records.

5.2 CM of Documentation

Configuration management of software documentation is required. It is anticipated that all documentation for the codes will be written in Word Perfect 5.1 for a PC. The documentation could be developed and managed on a PC server. A CM tool such as the software product PVCS could be used to track versions of the software documentation.

5.3 CM of Source Code

Configuration management of the source code is required. CM of the source code could be done on the HEDR Sun if desired, or the source code could be offloaded to a PC server with the documentation.

5.4 CM of Executables and Large Data Files

Configuration management of executables and data files is required. An automated CM tool for handling large ASCII or binary data files or code executables may need to be purchased. It is anticipated that all large files will reside on the HEDR Sun.

5.5 Change Control

A change control system will be developed and implemented. This system will be initiated following the TSP meeting in early January, 1993. The current plan is to use a slight modification of the procedure PNL-YMPO-SCP-4, "Change Control" for controlling changes to the codes.

6.0 Documentation Required

Extensive documentation requirements are listed in the requirements specification. However, these documents only have to be completed as drafts by the end of the development effort - they can be published later.

Both DESCARTES and CIDER will require the documentation items outlined in the subsections below. Pre-processors and post-processors developed by this coding team will only require a User's Guide and a module development folder.

Mathematical model descriptions have already been published as HEDR documents. Documentation generated for this coding task will include the mathematical models by reference.

6.1 Software Development Plan

A SDP (this document) shall be written to provide management control of the remainder of the development work for each task.

6.2 Interface Requirements

The codes being developed require input in several forms from other HEDR tasks. Interfaces to each of these data items will be specified and documented. The interfaces between the two codes will also be formally documented. This information will be published as appendices to the DESCARTES and CIDER design documents.

6.3 Data Dictionary

A data dictionary will be developed for each code. The data dictionary will provide a link between the symbols in the mathematical equations and their implementation in the code. Information such as variable name, variable type, storage location, data units, and variable description will be included in the data dictionary.

6.4 Software Design Documentation

Documents will be written describing the design of the DESCARTES and CIDER codes. Requirements for the content of these documents are given in Exhibit 1.

6.5 Module Development Folders

Module development folders will be maintained for each module. They will contain such information as the requirements (input, computational, and output) for the module, a code listing, and documentation of developer test of the module. Items contained in the module development folder need not be typed, but must be legible and copier reproducible. Requirements for the contents of the module development folders are given in Exhibit 5.

6.6 Verification Plans

Software Verification Plans (SVP's) will be written describing the tests to be run to verify correct operation of the codes. Requirements for the contents of the SVP's are given in Exhibit 2. A draft of the SVP's will be written by the development team.

The independent test team shall have the freedom to add or delete tests and will be responsible for finalizing the SVP's. It is anticipated that the SVP for Jeanne Simpson's sensitivity code will provide the basis for many of the tests needed for DESCARTES and CIDER.

6.7 Verification Procedures and Test Cases

Specific verification tests for the codes will be run using documented test procedures and cases. Requirements for the content of the test procedures and cases are given in Exhibit 3.

6.8 User Manuals

The User's Manual will contain discussions on: i) assumptions on running the code, ii) generation of control data, iii) use of data files, and iv) system requirements. The intent of this draft document will be to provide trained HEDR staff with enough information to successfully run the environmental pathways and dose codes. Requirements for the content of the User's Manuals are given in Exhibit 4.

In addition to user's manuals for DESCARTES and CIDER, user instructions will be developed for the pre-processors and post-processors necessary to input data or analyze output data.

7.0 Software Life Cycle Model and Requirements

Development of the DESCARTES and CIDER codes will be controlled through use of PNL's software control procedures. Documentation and review requirements for the codes will be specified through application of SCP-70-312 "Determination of Software Requirements". The software life cycle model to be followed in the development of DESCARTES and CIDER is outlined in this section, and additional requirements are identified. The additional requirements are underlined.

7.1 Development Planning

This SDP serves as the guiding document for all subsequent development activities. It documents the life cycle appropriate to the activity, designates the point at which the major pieces of documentation and source code will be generated, reviewed, and baselined, and lists the formal reviews to be performed.

Upon completion of the review and incorporation of any comments, the SDP is approved and submitted to Configuration Management (CM) as a baseline document. All revisions to the baseline SDP require formal change requests.

7.2 Requirements Phase

The Requirements phase of the life cycle documents the performance, design constraints, attributes, functionality and the external interfaces of the computer software. During this phase, the requirements that the software must satisfy are defined and formally documented in the SRS. The SRS is then formally reviewed to the SOW and other specified requirements by independent reviewers.

Upon completion of the review and incorporation of any comments, the SRS is approved by the project manager and submitted to Configuration Management (CM) as a baseline document. All revisions to the baseline SRS require formal change requests.

7.3 Design Description Phase

During the design description phase of the life cycle the software design is established and documented in the Software Design Description (SDD). The SDD specifies the overall structure of the code and the reduction of the model into physical solutions, such as data flow and data control. The structure of the models, data structure, component algorithms, assumptions, application, location, and numerical stability of the models are identified. Input to the Verification Plan and test cases is provided in this phase of the software development. The content of the SDD is described in Exhibit 1.

Upon completion of a formal review and incorporation of any comments, the SDD is approved by the project manager and submitted to CM as a baseline document. All revisions to the baseline SDD require formal change requests.

7.4 Implementation Phase

During the Implementation phase the design is translated into code using a programming language and inputs from the SDD. Code debugging is performed and code walkthroughs are done to remove errors in the coding. The Software Users Document (SUD) is initiated, and final input to the Software Verification Plan and test cases is provided. Exhibit 4 gives requirements for the contents of the SUD.

A module development folder shall be maintained for each module. The folder shall contain design information and documentation of developer testing. Exhibit 5 gives requirements for the contents of the module development folder.

A code walkthrough shall be performed when the implementation phase is approximately 80% complete for each of the DESCARTES and CIDER codes. The walkthrough reviewers shall use the checklist PNL-HEDR-CHK-COD in their review.

7.5 Final Internal Development Review

At the conclusion of the implementation phase, the code and its documentation shall be subjected to a Final Internal Development Review per SCP-70-313.

Items already peer reviewed may be incorporated in the review by reference.

7.6 Testing and Installation Phase

Three types of testing are covered in this section: Module Testing, Integration Testing, and Independent Testing. An operational readiness review shall be conducted by project management at the completion of all the tests per SCP-70-315.

7.6.1 Module Testing

Program modules shall be tested in accordance with the approved Software Verification Plan (SVP) and the Test Procedures and Cases to assure functional requirements have been met. Documented module tests from the module development folders can be used to satisfy this requirement.

7.6.2 Integration Testing

During Integration Testing, the program elements are integrated and tested together in accordance with the approved SVP and the Test Procedures and Cases

to assure functional and interface requirements have been met. The Integration testing shall be performed by the development team.

7.6.3 Independent Team Testing

The software is then installed in its operational environment and tested to ensure that it performs as required. The testing is performed in accordance with the approved SVP and the Test Procedures and Cases. The tests shall be run by an independent test team. The test team members shall be chosen by the project manager. They cannot have been involved in the implementation (coding) of the code they are testing.

Documentation of the testing, to include test results and evaluation of test results against the SVP, shall be accomplished prior to proceeding to the operational readiness review.

7.7 Operation and Maintenance Phase

During the Operation and Maintenance Phase, the software is placed in its operational environment and monitored for satisfactory performance. As appropriate, the software is modified to correct errors, or to accommodate changing client, user or internal requirements.

Revisions to the software in the operation and maintenance phase requires a formal change request.

7.8 Development of Documentation

The Software Verification Plan (SVP), Test Procedures and Cases, and User documents must be written during the development lifecycle of the computer code. The following sections describe when these documents should be initiated and completed.

7.8.1 Verification Plan Development

The SVP shall be initiated by the Lead Developer in the Requirements phase of the software life cycle. The final SVP will address the requirements specified in Exhibit 2 with input from the SRS, SDP and the SDD. The independent test team may contribute additional tests to the SVP prior to formal review. The SVP shall be subjected to a formal review. It shall be completed prior to the start of the independent testing.

Upon completion of the review and incorporation of any comments, the SVP is approved by the project manager and submitted to CM as a baseline document.

7.8.2 Test Procedures and Test Cases

Following the approval of the SVP, Test Procedures and Cases are developed by the Lead Developer with input from the Test Team Leader, containing the elements given in Exhibit 3.

Upon completion, the Test Procedures and Cases are approved by the Project Manager and submitted to the CM Coordinator for control as a baseline.

7.8.3 User Documentation

The Software User Document (SUD) shall be initiated during the Implementation Phase by the Lead Developer to address the requirements specified in Exhibit 4, with input from the Code listing, SRS, SDP, and SDD. The SUD is reviewed and exercised during the Test phase for correctness, functionality and other specified requirements by independent reviewers.

Upon completion of the independent review and incorporation of any comments, the SUD is approved by the project manager and submitted to CM as a baseline document.

8.0 Activities, Deliverables and Schedules

This section addresses activities, schedules and deliverables for the code development effort. Since the budget has not been finalized, the following dates are to be considered as target, rather than firm, dates. Firm dates can only be established after the budget has been finalized.

8.1 Deliverables

The software related deliverables for the task are divided into two areas of responsibility, one for the code development team, and the other for other HEDR tasks

8.1.1 Code Development Task Deliverables

The deliverables for the development team and the responsible authors are as follows:

Author	Date	Document
Eslinger	12/10/92	Software Development Plan
Eslinger	1/12/93	Software Requirements Specification
Eslinger	2/15/93	Configuration Management Plan
Eslinger	12/18/92	CIDER Benchmarking Report
Eslinger	12/18/92	DESCARTES Benchmarking Report
Nichols	1/30/93	DESCARTES Software Design Description
Ouderkirk	1/30/93	CIDER Software Design Description
Nichols	1/30/93	DESCARTES Interface Specification
Ouderkirk	1/30/93	CIDER Interface Specification
Nichols	2/15/93	DESCARTES Data Dictionary
Ouderkirk	2/15/93	CIDER Data Dictionary
Miley	4/15/93	DESCARTES User's Guide
Ouderkirk	5/1/93	CIDER User's Guide
Eslinger	4/1/93	Draft DESCARTES Verification Plan
Eslinger	4/15/93	Draft CIDER Verification Plan
Nichols	4/15/93	DESCARTES code listing
Ouderkirk	5/1/93	CIDER code listing

8.1.2 Other HEDR Deliverables

Related deliverables that are the responsibility of other HEDR tasks include:

- HEDR Data Management Plan
- Final Software Verification Plan (SVP)
- Final Software Test Procedures (STP)
- Review Reports (Final Internal Development Review [FIDR])
- Review Reports (Independent Testing)
- Review Reports (Operational Readiness)

8.2 Schedule for Activities

Person	Date	Activity
		General Items
Shoemaker	11/9/92	Finish draft Software Requirements Specification (SRS)
Eslinger	1/12/93	Baseline the Software Requirements Specification (SRS)
Eslinger	12/10/92	Specify the benchmarking tests to be performed
Eslinger	12/10/92	Finish the Software Development Plan (SDP)
*	1/8/93	TSP review of the development effort
Eslinger	1/12/93	Initiate Configuration Management Plan
Eslinger	3/1/93	Implement Configuration Management plan
		DESCARTES-Related Items
Eslinger	12/18/92	Finish the benchmarking tests for DESCARTES
Nichols	1/30/93	Design complete for DESCARTES
*	2/10/93	Final Software Design Review for DESCARTES
Nichols	2/15/93	Baseline Software Design (including Data Dictionary and Interface Specifications) for DESCARTES
---	2/16/93	Begin implementation of DESCARTES
Miley	2/16/93	Begin DESCARTES User's Guide
Eslinger	2/16/93	Begin Software Verification Plan (SVP) for DESCARTES
*	3/25/93	Perform DESCARTES walkthrough
Eslinger	4/1/93	Finish draft software verification plan (SVP) for DESCARTES
*	4/15/93	Baseline software verification plan (SVP) for DESCARTES
Miley	4/15/93	Finish User's guide for DESCARTES
*	4/15/93	Finish verification procedures and cases for DESCARTES
*	4/15/93	Final Independent Development Review (FIDR) for DESCARTES

Person	Date	Activity
Nichols	4/15/93	Baseline the DESCARTES code
*	4/16/93	Start independent testing of DESCARTES
Miley	5/30/93	Baseline User's Guide for DESCARTES
*	5/30/93	Perform operational readiness review for DESCARTES
		CIDER-Related Items
Eslinger	12/3/92	Finish the benchmarking tests for CIDER
Ouderkirk	1/30/93	Design complete for CIDER
*	2/10/93	Final Software Design Review for CIDER
Ouderkirk	2/15/93	Baseline Software Design (including Data Dictionary and Interface Specifications) for CIDER
---	2/16/93	Begin implementation of CIDER
Ouderkirk	2/16/93	Begin CIDER User's Guide
Eslinger	2/16/93	Begin Software Verification Plan (SVP) for CIDER
*	3/25/93	Perform CIDER walkthrough
Eslinger	4/15/93	Finish draft software verification plan (SVP) for CIDER
*	5/1/93	Baseline software verification plan for CIDER
Ouderkirk	5/1/93	Finish User's guide for CIDER
*	5/1/93	Finish verification procedures and cases for CIDER
Ouderkirk	5/1/93	Baseline the CIDER code
*	5/1/93	Final Independent Development Review (FIDR) for CIDER
*	5/1/93	Start independent testing of CIDER
Ouderkirk	5/30/93	Baseline User's Guide for CIDER
*	5/30/93	Perform operational readiness review for CIDER

* Activity performed by persons or organizations other than the software development team.

9.0 List of Abbreviations

The following abbreviations are used in this document:

CDC	Centers for Disease Control
CM	Configuration management
FIDR	Final internal development review
HEDR	Hanford Environmental Dose Reconstruction
MDF	Module development folder
SDD	Software design description
SDP	Software development plan
SOW	Statement of work
SRS	Software requirements specification
STP	Software test procedures
SUD	Software user document
SVP	Software verification plan
TSP	Technical Steering Panel

Exhibit 1: Software Design Description Content

The software design shall be described in a manner that is easily traceable to the computer software requirements. The format may be modified so long as the required content is addressed. Justification must be provided for those portions of the content deemed to be not applicable to the specific activity.

Standard Heading

Project: Hanford Environmental Dose Reconstruction Project

Program:

Title of Document:

Configuration Item ID No.:

Table of Contents

Include page numbers and titles for each numbered section, and all figures, tables, and appendices.

1. Relationship to Requirements.

Provide a description of the major components of the computer software design as they relate to the requirements in the computer software requirements specification. Show how each requirement for the code will be met in the design. Document, using a table, matrix or other structure, where each functional requirement for the code will be met.

2. Mathematical Model & Numerical Methods.

Provide descriptions of mathematical models and numerical methods. This section of the design description provides a complete explanation of the methods used. As described below, it shall include a derivation of and justification for the model and will clearly explain its capabilities and limitations.

The discussions of mathematical models and of numerical methods may be separated into different sections provided they are adequately cross-referenced.

- a. Mathematical Model Derivation. Derive from first principles the mathematical model. Justify each step in the derivation and note how assumptions and limitations are introduced. It is acceptable to provide references to published material containing a derivation in lieu of a new derivation.
- b. General numerical procedure. Describe the numerical solution strategy and computational sequence. Use flowcharts and block diagrams. Give

references for the basic numerical procedure. Show how the numerical strategy is related to the mathematical strategy (e.g., how the boundary conditions are introduced).

- c. Numerical method type. Characterize any numerical method used in the model which goes beyond simple algebra (e.g., finite-difference, Simpson's rule, cubic splines). Derive the numerical procedure from the mathematical component model. Give references for all numerical methods. Give the final form of the numerical model and explain the algorithm. State what variables are input to and output from the component model.
- d. Numerical stability and accuracy. Discuss the stability and accuracy of the numerical model. Distinguish between those aspects of stability and accuracy which have been proven mathematically and those which have been observed in practice.

3. Software Structure.

Provide a technical description of the computer software with respect to control logic, data flow, and data structures. Describe briefly the role of each component model within the overall structure of the code. Show how each component model contributes to the overall solution of the problem.

For each component model, provide the following:

- a. Purpose. Describe the purpose and scope of the component model. State in general terms the input to and the output from the model and the way the information is processed. If the model is used only in certain cases, state under what circumstances it is used.
- b. Assumptions and Limitations. Describe the assumptions and limitations of the component model. Include the known ranges of validity of the model for all variables. State any known uncertainty about the validity of the model.
- c. Notation. Identify all algebraic variables used in equations. Give the mathematical symbols used in both the fundamental equations and their equivalents in the numerical formulation.
- d. Application. Discuss the applicability of the component model for its intended use. Point out any extrapolation of the model or use out-of-range. Describe any restrictions on the use of the model. State whether the validity of the model will be affected by unusual or extreme conditions.

4. Data Descriptions

Provide a description of the allowable and tolerable ranges for inputs and outputs.

- a. Control Inputs. Discuss the general approach used to enter all control information to the code. Describe in detail all input control values.
- b. Data Inputs. Discuss the general approach for entering data into the code. Describe the content and format of all input data files.
- c. Outputs. Describe the content and format of all output files. Discuss the size of the data files under different program options.

5. Experience.

Discuss the overall performance of the entire model. Note the conditions under which the model is expected to yield good or bad results. Point out specific component models known to perform poorly under certain circumstances. Give any general rules or recommendations to follow in use of the models.

Signatures:

Approval: Project Manager
Concur: Quality Engineer
Author : Lead Developer

Exhibit 2: Software Verification Plan Content

This exhibit establishes the required content for the Software Verification Plan. The format may be modified so long as the required content is addressed. Justification must be provided for those portions of the content deemed to be not applicable to the specific activity.

Standard Heading

Project: Hanford Environmental Dose Reconstruction Project
Program:
Title of Document:
Item ID No.:

Table of Contents

Include page numbers and titles for each numbered section, and all figures, tables, and appendices.

1.0 Scope

Identify the system or project and items to which this SVP applies and state the purpose of the SVP.

2.0 Verification Tasks

Specify the verification activities required by the Software Development Plan, e.g. Software Requirements Review, Software Design Review, and Test Phase Activities. Describe the methods (e.g., inspection, analysis, demonstrations, and tests) to be used in performing the verification activities and the acceptance criteria to evaluate the results of the verification tasks. Identify specific tools and techniques that may be required for the performance of the verification tasks.

3.0 Resources

Identify the resources for the performance of each verification task. Classify resources in categories such as staffing, training, equipment, facilities, etc. If specific tools are required for the performance of verification tasks, specify the source of these tools and their availability.

4.0 Test Documentation

Describe all test procedure(s) and related test case specifications.

5.0 Verification Matrix

Describe through use of a matrix or similar method how each of the requirements in the SRS will be verified and how the code will be validated through performance of the planned V&V activities, i.e., for each requirement, cross reference to the associated test case(s) or validation activity.

6.0 Verification Schedule

Develop a timetable or schedule indicating the projected date for completion of the software verification activity.

7.0 Hardware Requirements

Identify the specific hardware configuration and software environment (i.e. operating system, compiler, linker) under which the Validation activities shall be performed.

Signatures:

Approval: Project Manager
Concur: Quality Engineer
Author: Lead Developer

Exhibit 3: Test Procedure and Cases Content

This exhibit establishes the required content for the Test Procedures and related Test Case Specifications. The format may be modified so long as the required content is addressed. Provide justification for those portions of the required content deemed to be not applicable to the specific activity.

Standard Heading

Project: Hanford Environmental Dose Reconstruction Project
Program:
Title of Document:
Item ID No.:

Table of Contents

Include page numbers and titles for each numbered section, and all figures, tables, and appendices.

1.0 Introduction

Summarize the features that are to be tested. State whether the subject testing is unit/integration or installation testing.

2.0 Scope

Identify the test items including their version/revision level. Identify all features to be tested including the test case specifications associated with each feature. (Test Case Specifications will be Section 8.0 of the Test Procedure Document, or optionally, the Test Case Specifications may be separate documents with separate configuration management control identification numbers.) Identify all items and features that are to be excluded from the testing, state reasons for exclusion. Identify special requirements necessary for the execution of this procedure.

3.0 Approach

Describe the approach to testing to ensure adequate testing of all features. Identify major testing tasks and the time required to perform each of these tasks. Identify activities, techniques and tools necessary to prepare for and perform testing. Identify test item pass/fail criteria, suspension/resumption criteria, and test deliverables.

4.0 Resources

Identify the physical characteristics of test facilities and software or supplies or special test tools that may be needed. Specify the level of security that must be provided and the source for all needs that are not currently available to the test group. Identify the personnel responsible for managing, designing, preparing, executing, witnessing, checking and resolving

tests. Specify test staffing needs, and identify training options for providing necessary skills.

5.0 Schedule

Specify the schedule for each testing task and test milestone. Specify the period of use for each testing resource.

6.0 Assumptions and Risks

Identify assumptions and associated risks. Specify the names and titles of all personnel who shall approve the test procedure.

7.0 Procedure Steps

Describe the sequence of actions necessary for preparation before execution, beginning of execution, and during execution of the procedure. Describe methods or formats for logging the results of test execution and test incidents. Describe how test measurements will be made. Describe the sequence of actions necessary for shutdown, restart, execution halt and restoration of the hardware/software environment. Describe the actions necessary for dealing with anomalies that may occur during execution.

8.0 Test Cases

Document each test case specification separately and include the following content for each.

- a. Introduction. Specify the unique identifier assigned to the test case specification. Identify and briefly describe the items and features to be exercised by the test case. Provide the rationale for selection of the test case. Specify pass/fail criteria for all the features to be tested.
- b. Input/Output Specifications. Specify all inputs and relationships among inputs required to execute the test case. Specify all outputs and features required of the test items.
- c. Requirements/Resources. Specify the characteristics and configurations of any hardware or software or unique facility required to execute the test case. Describe any constraints on the test procedure that executes the test case. Summarize the nature of intercase dependencies.

Signatures:

Approval: Project Manager
Concur: Quality Engineer
Author: Lead Developer

Exhibit 4: Software User Documentation Content

This exhibit establishes the required content for the User Documentation. The format may be modified so long as the required content is addressed. Justification must be provided for those portions of the content deemed to be not applicable to the specific activity.

The User's Documentation, in combination with the Software Source Code, will provide sufficient information for the user to set up and run problems as well as resolve possible difficulties. If any of the information described below is documented in the code, the lines in which the information may be found may simply be referenced.

1.0 Standard Heading

Project: Hanford Environmental Dose Reconstruction Project
Program:
Title of Document:
Item ID No.:

2.0 Table of Contents

Include page numbers and titles for each numbered section, and all figures, tables, and appendices.

3.0 Program Considerations

- 3.1 Program options - Discuss the function of each major program option; give special attention to effects of combinations of options. Relate options to the input values which control them.
- 3.2 Program paths - Describe the purpose of each subroutine. Use flowcharts and block diagrams to explain the paths the program can take. If parts of the code are executed only under certain conditions, state those conditions. Show how the computational sequence and solution strategy described in the Software Design Description are related to the program flow.
- 3.3 Data structures - Discuss how data are stored during computation. Describe the purpose and content of important common blocks and arrays. State the array dimensions. If dynamic dimensioning is used, describe the indexing algorithm. This section, together with a code listing, shall be sufficient to allow the user to follow the flow of important data through the computational sequence.
- 3.4 Initialization - Provide any values automatically assigned to important variables. These shall include values of physical significance and parameters which affect program execution. State

where the values are initialized and whether they are default or fixed values.

- 3.5 Restart procedures - Describe any restart capabilities of the code and how they are used.
- 3.6 Error processing - Describe the points of origin and likely causes of all major error messages, error switches, and abnormal stops.

4.0 Data Files - Internal & External

- 4.1 Content - Outline the general content, purpose, structure, units, ranges, and organization of each data file.
- 4.2 Use by program - Describe how and when the files are read and written by the program.
- 4.3 Auxiliary processing - Describe any available auxiliary programs which create, modify, or use the files.

5.0 Input Data

5.1 General considerations

- a. Techniques - Describe special input techniques and requirements, e.g., blank field treatment, order of items, field delineation, handling of stochastic parameters.
- b. Consecutive cases - If the code is able to retain input data from previous cases, give conditions for retention and reinitialization.
- c. Defaults - Give the general conventions governing default values.

5.2 Individual input records

- a. Record identifier - Give the line identifier, if any, for this type of record.
- b. Input variables - State the code variables which will contain data given on this record.
- c. Format - Specify the format of this record, if any.
- d. Need - For each variable, specify whether input is necessary or optional for both start and restart runs.
- e. Repetition - State how many of these input records are required or may be used optionally.
- f. Units - For each input field, state the dimensional units.

- g. Default - State any default values for each field.
- h. Description - Define the meaning of each variable and discuss its primary use within the code. State how the user will assign values in setting up a run.
- i. Range - State the acceptable limits for each variable necessary for successful operation of the model in the programming sense.

6.0 System Interface

- 6.1 System-dependent features - List the external references in the program which must be supplied by the system, and state the purpose of each. Include plot and mathematical libraries, but omit standard programming language intrinsic functions.
- 6.2 Compiler requirements - Specify what compilers have been used and any special load options that are necessary. Include compiler options, such as indirect large core memory addressing.
- 6.3 Hardware requirements - Describe any special features needed. State the amount of central memory required for a typical case, or give an algorithm for determining the required amount of memory.
- 6.4 Command files - All computer codes require some system commands to control program initiation, manipulation of files, and interaction with other programs. Describe the command files necessary to run the code as part of a modeling analysis. The appropriate level of detail will depend on the degree to which command files contain logic affecting program flow, manipulation of files, and communication among programs. Give sample command files. Discuss application dependence.

7.0 Output

Discuss the code output. Relate edited output to input options, and state the origin and meaning of the output variables. Describe any normalization of results and list associated dimensional units. Describe any graphical capabilities of the code.

8.0 Sample Problems

Choose a few problems which demonstrate how the code is used. These problems need not have known solutions or experimental data. However, they shall exercise a large portion of the available programmed options, but should use only a reasonable amount of computer time. Input deck listings and sample output should be given and explained.

9.0 Reporting Problems

Give information for obtaining user and maintenance support.

Signatures:

Approval: Project Manager
Concur: Quality Engineer
Author: Lead Developer

Exhibit 5: Module Development Folder Content

This exhibit establishes the required content for the Module Development Folders (MDF). The format may be modified so long as the required content is addressed. The MDF is considered a working document. Entries in the MDF are not required to be typed or peer reviewed as they are entered. However, each item must be legible and capable of reproduction.

The MDF will provide sufficient information to meet the following criteria:

- i) allow another developer to finish a partially implemented module in the absence of the original developer, and
- ii) provide documentation of developer tests.

1.0 Standard Heading

Project: Hanford Environmental Dose Reconstruction Project
Program:
Title of Module:
Item ID No.:

2.0 Table of Contents

Include page numbers and titles for items entered.

3.0 Design Information

Include items such as:

- description of the algorithm
- data flow diagrams
- description of inputs, including storage location and units
- description of outputs, including storage locations and units
- tradeoffs made in choosing between implementation options
- justification and description of extensions to language standards

4.0 Developer Test Information

Module level tests will be reviewed during the FIDR to evaluate readiness of the code to proceed to independent testing. In addition, they may be used by the independent test team during their evaluation of the code.

Include such items as:

- description of the test
- results of hand calculations
- test results
- complete enough description of inputs and outputs so the test can be rerun

Exhibit 6: Code Walkthrough Review Checklist

The following items shall be considered in the review of the code listing. Items marked with a "*" identify information that is required. Items marked with a "." identify information that will enhance the quality of the product, but are not required.

1. SDP and SDD Requirements

- * Are all of the software functional requirements in the SDD addressed?
- * Does the code adhere to the coding standards and conventions required in the SDP?
- * Is the code written in the language specified in the SDP?
- Does the code contain identification and configuration management numbers? Are these numbers written to all applicable output files?

2. Developer Test and Inspection

- * Has the developer performed tests to remove coding errors?
- * Has the developer performed inspections
- * Has each module or subroutine been unit tested?
- * Has each routine been checked for a range of variables?
- Has each routine been tested for every logic path within the routine?
- Have debug statements been incorporated and used to print variables for checking?

3. Data Reference Considerations

- Are there variables referenced whose values are not set or uninitialized?
- For all array references, is each subscript value within the bounds of the corresponding dimension statement definition?
- For all array references, does each subscript have an integer value? (Not necessarily a defect in all languages.)
- For all references to storage arrays through pointers or intermediate reference variables, is the referenced storage currently allocated?

- When a storage area has alias names with differing attributes (such as EQUIVALENCE'd INTEGER and REAL arrays), does the data value in this area have the correct attributes when referenced via one of these names? (Aliasing is a poor practice and should be avoided.)
- Does a variable's value have a type or attribute other than that expected by the program when used?
- Are there any explicit or implicit addressing problems on the machine being used, for instance, if the units of storage allocation are smaller (e.g., bits) than the units of storage addressability (e.g., bytes or words)?
- If a data structure (e.g., array) is referenced in multiple procedures or subroutines, is the structure defined identically in each procedure?
- When indexing into a string, are the limits of the string exceeded?
- Are there any "off by one" errors in indexing operations or in subscript references to arrays?
- Is the format of the data being read from each file consistent with that of the data being written to that file?
- Are the number and type of variables being read consistent with that written?
- Are all values properly stored after they are calculated?
- If a queue is being manipulated, can the execution be interrupted; if so, is the queue protected by a locking structure?
- Can a queue be destroyed during an interrupt procedure?
- Are all registers being restored on exits from the interrupt procedure?
- Should any registers be saved on entry to the interrupt procedure?
- Check that measures specified to provide consistency in real-time and concurrent programs are actually employed on shared resources in the prescribed way.
- Are parameters used in the program dimensionally correct, and invoked in proper calling sequences?
- Is scaling everywhere proper to realize correct precision and desired results?

4. Data Declaration Considerations

- Have all variables in the program been explicitly declared? (A failure to do so is not necessarily an error, but it is a common source of trouble.)
- If all attributes of a variable are not explicitly stated in the declaration statements, are the defaults well understood?
- Where a variable is initialized in declaration (DATA) statement, is it properly initialized?
- Is the initialization of a variable consistent with its storage type and use?
- Are there any variables with similar names (e.g., VOLT and VOLTS)? (This is not necessarily a defect, but the names may be confused.)
- Are all variables properly specified and used?
- Are there any unused variables?
- Are dimensions and subscripts consistent with the array bounds?
- Are proper units used with each variable?
- Are labeled common variable names, type, location and size of arrays consistent throughout the program?
- Are all constants defined as parameters?
- If character strings are created, are they complete?
- Is the data base structure as implemented self-consistent and hierarchically arranged?

5. Computation Considerations

- Are there any computations using variables having inconsistent attributes or data types. (This kind of programming will inevitably lead to portability problems.)
- Are there any mixed-mode computations? (e.g., an example is the addition of a floating-point variable to an integer variable. Not necessarily a defect, but will lead to portability problems.)
- Are there any computations using variables having the same data type but different bit lengths?

- Is the maximum permitted size of the target variable in an assignment statement smaller than the right-hand expression?
- Is an intermediate overflow or underflow possible during the computation of an expression?
- Is it possible for the divisor in a division operation to be zero?
- If the underlying machine represents variables in a base-2 format, are there any consequences of the resulting inaccuracy of decimal fraction representation?
- Where applicable, can the value of a variable go outside its meaningful or physical range?
- For expressions containing more than one operator, are the assumptions about the order of evaluation and precedence of operators correct?
- Are there any invalid uses of integer arithmetic, particularly division?
- Are the various calculations and tasks defined properly?
- Are mixed mode expressions clearly identified to eliminate unintentional mixed mode errors?
- Are results of calculations checked to be reasonable values within the design specification?
- Does code produce correct output for prescribed inputs?
- Are the arithmetic results correct for nominal conditions?
- Are the minimum and maximum inputs processed correctly?
- Are singularities and other conditional occurrences of data processed correctly?

6. Comparison Considerations

- Are there any comparisons between variables having inconsistent data types (e.g., comparing a real variable to a Hollerith string)?
- Are there any mixed-mode comparisons or comparisons between variables of different lengths? If so, ensure that the conversion rules are well understood.
- Are the comparison operators correct? (Especially such relationships as: at most, at least, greater than, not less than, less than or equal.)

- Does each Boolean expression state what it is supposed to state?
- Are the operands of Boolean operator logical variables?
- Are there any comparisons between fractional or floating point numbers that are represented in base-2 by the underlying machine? (This is an occasional source of errors because of the truncation and base-2 approximations of base-10 numbers.)
- For expressions containing more than one Boolean operator, are the assumptions about the order of evaluation and the precedence of operators correct? (Parentheses should always be liberally used.)
- Does the way in which the compiler evaluates Boolean expressions affect the program? For instance, the statement "IF ((X.NE.O.) .AND. (Y/X.GT.Z))" is acceptable for some Fortran compilers (i.e., compilers that end the test as soon as one side of an .AND. is false), but causes a division by zero when compiled with other compilers which do not.
- Is the correct condition of the expression tested (e.g., IF(X.EQ.TRUE) versus IF(Y.EQ.FALSE))?
- Are null THEN's/ELSE's included as appropriate?
- Is each branch of the target of IF/THEN's correct?
- Is the most frequently exercised test leg the THEN clause?

7. Control Flow Considerations

- If the program contains a multi-way branch (e.g., a computed GO TO in Fortran), can the indexed variable ever exceed the number of branch possibilities? Will every loop eventually terminate?
- Will the program, module, or subroutine eventually terminate?
- Is it possible that, because of the conditions upon entry, a loop will never execute? If so, does this represent an oversight?
- For a loop controlled by both iteration and a Boolean condition (e.g., a searching loop), what are the consequences of "loop fall-through"?
- Are there any "off by one" errors (e.g., one to many or too few iterations)?
- Are there any nonexhaustive decisions? (For instance, if an input parameter's expected values are 1,2, or 3, does the logic assume that it must be 3 if it is not 1 or 2?) If so, is the assumption valid?

- Is the logic clearly understandable?
- Is the logical approach valid?
- Is the logical approach unnecessarily complex or confusing?
- Is the program properly segmented?
- Are subroutine calls properly formulated?
- Have all error conditions been properly processed?
- Are timing and resource allocations properly mechanized?
- Is task sequencing proper to mechanize the function in correct execution order?
- Are all increment counters properly initialized?

8. Interface Considerations

- Does the number of parameters received by a module equal the number of arguments sent by each of the calling modules? Is the order correct?
- Do the attributes (e.g., type and size) of each parameter in the calling routine match the attributes of each corresponding argument in the subroutine?
- Does the number of arguments transmitted by this module to another module equal the number of parameters expected by that module?
- Does the units system of each argument transmitted to another module match the units system of the corresponding parameter in that module?
- If built-in functions are invoked, are the number, attributes, and order of the arguments correct?
- If a module has multiple entry points, is a parameter ever referenced that is not associated with the current point of entry? (Multiple entries should in general be avoided.)
- Does a subroutine alter a parameter that is intended to be only an input value?
- If global variables are present (e.g.: variables listed in Fortran COMMON statements), do they have the same definition and attributes? (Not necessarily a defect, but a poor programming practice.)

- Are constants ever passed as arguments? (Not necessarily a defect, but a poor programming practice.)
- Do all calls to a routine transfer consistent data variables?
- Are the number of variables and the type of each variable the same in both the calling and called routine?
- Are all the required parameters passed correctly?
- If register parameters are used, is the correct register number specified?
- If interconnection is a macro, does the in-line expansion contain all required code?
- Are there register or storage conflicts between macro and calling modules?
- If the interconnection returns, do all returned parameters get processed correctly?
- Are the interfaces between routines, and to external devices, well designed and described?

9. INPUT/OUTPUT Considerations

- If files are explicitly declared, are their attributes correct?
- Are the attributes on the file OPEN statement correct?
- Does the format specification agree with the information in the I/O statement?
- Is the size of the I/O area in storage greater than or equal to the record size?
- Have all files been opened before use?
- Are end-of-file conditions detected and handled correctly?
- Are I/O error conditions handled correctly?
- Are there spelling or grammatical errors in any text that is printed or displayed by the program?
- Are data input and output variables defined correctly?
- Are the reading and writing of I/O files clearly defined?

- Is there satisfactory input error checking?
- Are external data files checked to assure that the correct data file is being read and the data is in proper format?
- Is invalid input considered and handled?
- Are all unique values explicitly tested on input parameters?
- Are all defaults explicitly checked on input parameters?

10. Other Checks

- If the compiler produces a cross-reference listing of identifiers, has it been examined for variables that are never referenced or referenced only once?
- If the compiler produces an attribute listing, have the attributes of each variable been checked to ensure that no unexpected default attributes have been assigned.
- If the program compiled successfully, but the compiler produced one or more "warning" or "informational" messages, have they been examined? Warning messages are indications that the compiler suspects that you are doing something of questionable validity.
- Are there functions missing from the program?
- Are there any syntax errors?
- Are there compiler diagnostics or errors?
- Is the source code concise and does it generate efficient, relocatable machine code?

11. Internal Documentation Consideration

A software product is self descriptive to the extent that it contains enough information for a reader to determine or verify its objectives, assumptions, constraints, inputs, outputs, components, and revision status.

- Does each program module contain a header block of comments which describes: (1) program name, (2) effective date, (3) accuracy requirements, (4) purpose, (5) limitations and restrictions, (6) modification history, (7) inputs and outputs, (8) computational methods, (9) major assumptions, (10) error recovery procedures for all foreseeable error exits that exist?

- Are decision points and subsequent branching alternatives adequately described?
- Are the functions of the modules as well as inputs/outputs defined adequately enough to allow module testing?
- Are the comments provided to support selection of specific input values to permit performance of specialized program testing?
- Is information provided to support assessment of the impact of a change in other portions of the program?
- Is information provided to support identification of program code which must be modified to effect a required change?
- Where there is a module dependence, is it clearly specified by comments, program documentation, or inherent program structure?
- Are variable names descriptive of the physical or functional property represented?
- Are adequate descriptions provided to allow correlation of variable names with the physical property or entity which they represent?
- Do uniquely recognizable functions contain adequate descriptive information (e.g., comments) so that the purpose of each is clear?
- Are sufficient comment statements provided to give adequate definition of each routine?
- Are special coding features such as mixed mode, word packing and non-ANSI coding clearly identified?
- Is the program easily readable and understandable?
- Are names contextually understandable and useful?
- Are any additional comments needed?
- Are there superfluous comments?
- Are all assumptions clearly stated?
- Are the source code and its descriptions self-consistent and uniform?

12. STANDARDS, PROCEDURES, CONVENTIONS Considerations

- * Have the programming constraints or requirements set forth in the SRS, or SDD been met, such as:
 - a. Programming language(s) used,
 - b. Use of existing capabilities,
 - c. Compile-unit modularization,
 - d. Reentrance considerations?
- * Have that any project-specific standards identified in the SRS, SDP, and SDD been verified, such as:
 - a. Register names, usage standards,
 - b. Module-to-submodule linking methods,
 - c. Definition of compiler parameters, literals, internal program labels, and special storage structures?
- * Have any functions been omitted, or have any extra functions been inserted, except as necessary coding considerations to support the given design?
- * Is the software coded in accordance with the Software Requirements Specification (SRS)?
- Does the coding conform to ANSI standard coding language?
- Does the coding conform to company procedures?
- Are standard indentation rules followed?
- Are standard constructs implemented properly (e.g. CASE)?
- Is the documentation of the code complete, descriptive, consistent, and conform to applicable standards?
- Does the software show modularity and simplicity?
- Is the source code maintainable, usable and reliable, in terms of:
 - structure,
 - consistency,
 - expandability/modifiability
 - testability,
 - device independence,
 - self-contained,
 - robustness/integrity,
 - accessibility?
- Is the software consistent internally and with earlier baselines?
 - Is the coding logically consistent with the design specifications?
 - Does error detection result in consistent error messages and recovery?

- Does the code take the same modular form as the design, except as provided for in special programming standards or waivers?
- Are coded modules properly cross-referenced to the design and annotated so as to make clear that the code does, in fact, match the design, box for box, on the structure chart (or equivalent)?
- Inspect the explanatory documentation provided in support of bridging the design to the code, such as:
 - a. Cross-reference lists charts, or equivalent.
 - b. Index-register usage tables or standards.
 - c. Glossary of special variables or literals not in the design and not easily defined by name or use context.
 - d. Memory use map.
 - e. Timing diagrams.
 - f. Interrupt-handling procedures and relationships.
 - g. File, table, and data set descriptions.
 - h. Examples of input and associated output.
 - i. Listing of special flags, pointers and other indicators together with the usage (which routines, areas or times of applicability).
 - j. Commentary describing features of code that link performance to design documents.
 - k. Lists of error conditions, codes, and messages, cross-referenced to both the design charts and the code itself.
 - l. Restrictions on the use of code that is particularly sensitive to changes in design (mainly time and memory space, but also functional limits to subroutines, etc.).
 - m. Data usage, such as shared public files versus restricted-access files.
 - n. Hardware or software constraints.
 - o. Use of privileged instructions?

**DATE
FILMED**

3 / 22 / 93