40
SAND80-1964/3
Unlimited Release
UC-62

Di. 2339
MASTER

Midtemperature Solar Systems Test Facility Predictions for Thermal Performance of the Acurex Solar Collector With Fek 244 Reflector Surface

Thomas D. Harrison

Prepared by Sandia National Laboratories, Albuquerque, New Mexico 87185
and Livermore, California 94550 for the United States Department
of Energy under Contract DE-AC04-76DP00789

Printed January 1981

Sandia National Laboratories

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency Thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

DISCLAIMER

Portions of this document may be illegible in electronic image products. Images are produced from the best available original document.

Issued by Sandia Laboratories, operated for the United States
Department of Energy by Sandia Corporation.

NOTICE

This report was prepared as an account of work sponsored by the United States Government. Neither the United States nor the Department of Energy, nor any of their employees, nor any of their contractors, subcontractors, or their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness or usefulness of any information, apparatus, product or process disclosed, or represents that its use would not infringe privately owned rights.

Printed in the United States of America

Available from
National Technical Information Services
U. S. Department of Commerce
5285 Port Royal Road
Springfield, VA 22161
Price: Printed Copy \$4.50; Microfiche \$3.00

PAGES 1 to 2
WERE INTENTIONALLY
LEFT BLANK

SAND80-1964/3
Unlimited Release
Printed January 1981

Category
UC 62

MIDTEMPERATURE SOLAR SYSTEMS TEST FACILITY PREDICTIONS
FOR THERMAL PERFORMANCE OF THE ACUREX
SOLAR COLLECTOR WITH FEK 244
REFLECTOR SURFACE

Thomas D. Harrison
Experimental Systems Operation Division
Sandia National Laboratories
Albuquerque, NM 87185

ABSTRACT

Thermal performance predictions are presented for the Acurex solar collector, with FEK 244 reflector surface, for three output temperatures at five cities in the United States.

DISCLAIMER

This work was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED

CONTENTS

	<u>Page</u>
Introduction	7
Description of the Collector	8
Results of the Test Program	8
Prediction of Thermal Performance	12
Previously Published Predictions	18
Reference	18

ILLUSTRATIONS

<u>Figure</u>		
1	Acurex Solar Collector	9
2	Peak Efficiency Plot for the Acurex Solar Collector with FEK 244 Reflector Surface	10
3	Heat Loss Plot for the Acurex Solar Collector with FEK 244 Reflector Surface	11
4	Thermal Output of the Acurex Solar Collector with FEK 244 Reflector Surface with E-W and N-S Orientation and Fresno TMY Solar Data	13
5	Thermal Output of the Acurex Solar Collector with FEK 244 Reflector Surface with E-W and N-S Orientation and Albuquerque TMY Solar Data	14
6	Thermal Output of the Acurex Solar Collector with FEK 244 Reflector Surface with E-W and N-S Orientation and Fort Worth TMY Solar Data	15
7	Thermal Output of the Acurex Solar Collector with FEK 244 Reflector Surface with E-W and N-S Orientation and Charleston TMY Solar Data	16
8	Thermal Output of the Acurex Solar Collector with FEK 244 Reflector Surface with E-W and N-S Orientation and Boston TMY Solar Data	17

TABLE

Table

1

Predicted Annual Thermal Output

Page

18

MIDTEMPERATURE SOLAR SYSTEMS TEST FACILITY PREDICTIONS
FOR THERMAL PERFORMANCE OF THE ACUREX
SOLAR COLLECTOR WITH FEK 244
REFLECTOR SURFACE

Introduction

Sandia National Laboratories, Albuquerque (SNLA), is currently conducting a program to predict the performance and measure the characteristics of commercially available solar collectors that have the potential for use in industrial process heat and enhanced oil recovery applications. A detailed account of the methods used to make the predictions is given in Reference 1. For the convenience of the reader, some of this information is repeated in this document. This document presents the thermal performance predictions for the Acurex solar line-focusing collector. The program is limited to thermal performance only and does not include consideration of other factors, such as

1. Losses at the ends, at gaps, and from shadowing due to packing,
2. Collector warm-up penalties,
3. Degradation of performance,
4. Cost of the collector,
5. Losses in the energy transport system and system warm-up penalties,
6. Reliability,
7. Cost of installation,
8. Cost of operation and maintenance, and
9. Wind effects.

The program is authorized by the Department of Energy, Division of Solar Thermal Energy Systems, and partially funded through the Solar Energy Research Institute.

Description of the Collector

A photograph of the Acurex solar collector is shown in Figure 1. The module has the following characteristics.

Reflector configuration	Parabolic trough
Reflective surface	FEK 244
Aperture dimensions	1.80 m x 6.10 m (5.9 ft x 20 ft)
Aperture area	10.98 m ² (118 ft ²)
Support structure	Sheet metal with steel ribs connected to steel pipe backbone
Tracking system	Shadow band (Acurex)
Drive mechanism	Electric
Heat transfer fluid	Therminol-66®
Operating range	100° to 300°C (212° to 572°F)
Manufacturer	Acurex Corporation 485 Clyde Ave. Mountain View, CA 94042

Results of the Test Program

This collector was tested at the Collector Module Test Facility (CMTF) at SNLA. From the test data, three parameters were defined.

1. Peak efficiency (η_p) -- the efficiency of the collector, when the sun's rays are at normal incidence to the aperture plane (equivalent to solar noon) expressed as a function of $\Delta t/I$. Δt is the temperature difference between the heat transfer fluid outlet temperature and the ambient temperature in degrees Centigrade. I is the irradiance of the sun in watts per square meter.

$$\eta_p = 64.0 - 9.86 \Delta t/I - 141.4 (\Delta t/I)^2 \text{ . (\%)} .$$

Peak efficiency is plotted in Figure 2.

2. Receiver thermal loss (Q_L) -- the heat lost per unit aperture area expressed as a function of Δt .

Figure 1. Acurex Solar Collector

Figure 2. Peak Efficiency Plot for the Acurex Solar Collector with FEK 244 Reflector Surface

$$Q_L = 0.0139 + 0.0639 \Delta t + 0.00172(\Delta t)^2 \text{ . (W/m}^2\text{)}$$

Heat loss is plotted in Figure 3.

Figure 3. Heat Loss Plot for the Acurex Solar Collector with FEK 244 Reflector Surface.

3. Optical loss coefficient (K_O) -- K_O , in conjunction with the end-loss coefficient, K_E , and the "cosine effect," determine the incident angle modifier, K . Specifically, $K = K_O K_E \cos \theta$. See Reference 1.

The values of K_o as a function of θ are

θ (degrees)	K_o	θ (degrees)	K_o
0	1.00	40	0.90
10	1.00	50	0.84
20	0.97	60	0.70
30	0.96	70	0.53

Prediction of Thermal Performance

A computer program calculates the predicted thermal performance of the collector. The performance parameters defined above are the input data describing the collector while solar and weather data are provided by TMY data tapes. With this input, the computer program calculates the thermal output of the collector for each month of the TMY in units of kilowatt hours per square meter (kWh/m^2) of collector aperture area. This calculation was made for five locations: Fresno, California; Albuquerque, New Mexico; Fort Worth, Texas; Charleston, South Carolina; and Boston, Massachusetts. Three different collector output temperatures and both E-W and N-S orientations were considered. Figures 4 through 8 are graphical displays of the results of the computer prediction. These figures show the monthly thermal output ($\text{kWh/m}^2\cdot\text{mo}$) for each location, output temperature, and orientation. The monthly outputs have been summed to give the annual output for each parameter variation, and the results are shown in Table 1. The computer predictions assume 1 square meter of aperture area in the middle of a row of infinite length, with no end or gap losses and no shadowing due to packing.

Figure 4. Thermal Output of the Acurex Solar Collector with FEK 244 Reflector Surface with E-W and N-S Orientation and Fresno TMY Solar Data

Figure 5. Thermal Output of the Acurex Solar Collector with FEK 244 Reflector Surface with E-W and N-S Orientation and Albuquerque TMY Solar Data

Figure 6. Thermal Output of the Acurex Solar Collector with FEK 244 Reflector Surface with E-W and N-S Orientation and Fort Worth TMY Solar Data

Figure 7. Thermal Output of the Acurex Solar Collector with FEK 244 Reflector Surface with E-W and N-S Orientation and Charleston TMY Solar Data

Figure 8. Thermal Output of the Acurex Solar Collector with FEK 244 Reflector Surface with E-W and N-S Orientation and Boston TMY Solar Data

Table 1
Predicted Annual Thermal Output ($\text{kWh/m}^2 \cdot \text{yr}$)

	Solar Energy Available	Output Temperature					
		100°C		200°C		300°C	
		Orientation		Orientation		Orientation	
		E-W	N-S	E-W	N-S	E-W	N-S
Fresno	2260	959	1154	824	962	635	713
Albuquerque	2583	1114	1283	978	1098	787	853
Fort Worth	1764	767	864	644	692	475	484
Charleston	1358	605	631	474	474	316	300
Boston	1173	484	512	371	375	237	228

Previously Published Predictions

Thomas D. Harrison, Midtemperature Solar Systems Test Facility Predictions for Thermal Performance of the Solar Kinetics T-700 Solar Collector with FEK 224 Reflector Surface, SAND80-1964/1 (Albuquerque: Sandia National Laboratories, November 1980).

Thomas D. Harrison, Midtemperature Solar Systems Test Facility Predictions for Thermal Performance of the Suntec Solar Collector with Heat-Formed Glass Reflector Surface, SAND80-1964/2 (Albuquerque: Sandia National Laboratories, November 1980).

Reference

¹T. D. Harrison, Midtemperature Solar Systems Test Facility Program for Predicting Thermal Performance of Line-Focusing, Concentrating Solar Collectors, SAND80-1964 (Albuquerque: Sandia National Laboratories, November 1980).

DISTRIBUTION:

TID-4500-R66, UC62 (268), 11/80

AAI Corporation
P.O. Box 6787
Baltimore, MD 21204

Acurex Aerotherm (20)
485 Clyde Avenue
Mountain View, CA 94042
Attn: J. Vindum

Advanco Corporation
999 N. Sepulveda Blvd.
Suite 314
El Segundo, CA 90245
Attn: B. J. Washom

Alpha Solarco
1014 Vine Street
Suite 2230
Cincinnati, OH 45202

American Boa, Inc.
Suite 4907, One World
Trade Center
New York, NY 10048
Attn: R. Brundage

Anaconda Metal Hose Co.
698 South Main Street
Waterbury, CT 06720
Attn: W. Genshino

Applied Concepts Corp.
P.O. Box 2760
Reston, VA 20090
Attn: J. S. Hauger

Applied Solar Resources, Inc.
490 East Pima
Phoenix, AZ 85004
Attn: W. H. Coady

Arizona Public Service Co.
Box 21666 MS 1795
Phoenix, AZ 85036
Attn: Dr. B. L. Broussard

Argonne National Laboratory (3)
9700 South Cass Avenue
Argonne, IL 60439
Attn: K. Reed
W. W. Schertz
R. Winston

BDM Corporation
1801 Randolph Street
Albuquerque, NM 87106
Attn: T. Reynolds

Battelle Memorial Institute
Pacific Northwest Laboratory
P.O. Box 999
Richland, WA 99352
Attn: K. Drumheller

Bechtel National, Inc.
P.O. Box 3965
50 Beale Street
San Francisco, CA 94119
Attn: E. Y. Lam

Black and Veatch (2)
P.O. Box 8405
Kansas City, MO 64114
Attn: Dr. J. C. Grosskreutz
D. C. Gray

Boeing Space Center (2)
M/S 86-01
Kent, WA 98131
Attn: S. Duzick
A. Lunde

Boomer-Fiske, Inc.
4000 S. Princeton
Chicago, IL 60609
Attn: C. Cain

Budd Company
Fort Washington, PA 19034
Attn: W. W. Dickhart

The Budd Company
Plastic R&D Center
356 Executive Drive
Troy, MI 48084
Attn: J. N. Epel

DISTRIBUTION (Continued)

Carrier Corp.
Energy Systems Div.
Summit Landing
P.O. Box 4895
Syracuse, NY 13221
Attn: R. A. English

Compudrive Corp.
76 Treble Core Road
N. Billerica, MA 01862
Attn: T. Black

Cone Drive
Division of Excello Corp.
P.O. Box 272
240 E. 12 St.
Traverse City, MI 49684
Attn: J. E. McGuire

Congressional Research Service
Library of Congress
Washington, DC 20540
Attn: H. Bullis

Corning Glass Co. (2)
Corning, NY 14830
Attn: A. F. Shoemaker
W. Baldwin

Custom Engineering, Inc.
2805 S. Tejon St.
Englewood, CO 80110
Attn: C. A. deMoraes

DSET
Black Canyon Stage
P.O. Box 185
Phoenix, AZ 85029
Attn: G. A. Zerlaut

Del Manufacturing Co.
905 Monterey Pass Road
Monterey Park, CA 91754
Attn: M. M. Delgado

Desert Research Institute
Energy Systems Laboratory
1500 Buchanan Blvd.
Boulder City, NV 89005
Attn: J. O. Bradley

Donnelly Mirrors, Inc.
49 West Third Street
Holland, MI 49423
Attn: J. A. Knister

E-Systems, Inc.,
Energy Tech. Center
P.O. Box 226118
Dallas, TX 75266
Attn: R. R. Walters

Easton Utilities Commission
219 North Washington St.
Easton, MD 21601
Attn: Mr. W. H. Corkran, Jr.

Eaton Corporation
Industrial Drives Operations
Cleveland Division
3249 East 80 St.
Cleveland, OH 44104
Attn: R. Glatt

Edison Electric Institute
90 Park Avenue
New York, NY 10016
Attn: L. O. Elsaesser

Electric Power Research
Institute (2)
3412 Hillview Avenue
Palo Alto, CA 94303
Attn: Dr. J. Cummings
J. E. Bigger

Energetics
833 E. Arapahoe Street
Suite 202
Richardson, TX 75081
Attn: G. Bond

Energy Institute
1700 Las Lomas NE
Albuquerque, NM 87131

Eurodrive, Inc.
2001 W. Main St.
Troy, OH 45373
Attn: S. D. Warner

DISTRIBUTION (Continued)

Exxon Enterprises (3)
P.O. Box 592
Florham Park, NJ 07923
Attn: J. Hamilton
P. Joy
Dr. M. C. Noland

Florida Solar Energy Center (2)
300 State Road, Suite 401
Cape Canaveral, FL 32920
Attn: C. Beech
D. Block

Ford Aerospace and Communications
3939 Fabian Way
Palo Alto, CA 94303
Attn: H. J. Sund

Ford Glass Division
Glass Technical Center
25500 West Outer Drive
Lincoln Park, MI 48146
Attn: H. A. Hill

General Atomic
P.O. Box 81608
San Diego, CA 92138
Attn: A. Schwartz

General Electric Co. (2)
P.O. Box 8661
Philadelphia, PA 19101
Attn: W. Pijawka
C. Billingsley

General Motors
Harrison Radiator Division
Bldg. 6, Dept. 003
Lockport, NY 14094
Attn: L. Brock

General Motors Corporation
Technical Center
Warren, MI 48090
Attn: J. F. Brill

Georgia Institute of Technology
Atlanta, GA 30332
Attn: J. D. Walton

Georgia Power Company
270 Peachtree
P.O. Box 4545
Atlanta, GA 30302
Attn: J. Roberts

Glitsch, Inc.
P.O. Box 226227
Dallas, TX 75266
Attn: R. W. McClain

Haveg Industries, Inc.
1287 E. Imperial Highway
Santa Fe Springs, CA 90670
Attn: J. Flynt

Hexcel
11711 Dublin Blvd.
Dublin, CA 94566
Attn: R. Johnston

Highland Plating
1128 N. Highland
Los Angeles, CA 90038
Attn: M. Faeth

Honeywell, Inc.
Energy Resources Center
2600 Ridgeway Parkway
Minneapolis, MN 55413
Attn: J. R. Williams

Insights West
900 Wilshire Blvd.
Los Angeles, CA 90017
Attn: J. H. Williams

Jacobs Engineering Co. (2)
251 South Lake Avenue
Pasadena, CA 91101
Attn: B. Eldridge
R. Morton

Jet Propulsion Laboratory (3)
4800 Oak Grove Drive
Pasadena, CA 91103
Attn: J. Becker
J. Lucas
V. C. Truscello

DISTRIBUTION (Continued)

Kingston Industries Corporation
205 Lexington Ave.
New York, NY 10016

Lawrence Livermore Laboratory
University of California
P.O. Box 808
Livermore, CA 94500
Attn: W. C. Dickinson

Los Alamos National Lab. (3)
Los Alamos, NM 87545
Attn: J. D. Balcomb
C. D. Bankston
D. P. Grimmer

McDonnell Douglas
Astronautics Company (3)
5301 Bolsa Avenue
Huntington Beach, CA 92647
Attn: J. B. Blackmon
J. Rogan
D. Steinmeyer

Morse Chain
Division of Borg-Warner Corp.
4650 Steele St.
Denver, CO 80211
Attn: G. Fukayama

Motorola Inc.
Government Electronics Division
8201 E. McDowell Road
P.O. Box 1417
Scottsdale, AZ 85252
Attn: R. Kendall

New Mexico State University
Solar Energy Department
Las Cruces, NM 88001

Oak Ridge National Laboratory (3)
P.O. Box Y
Oak Ridge, TN 37830
Attn: S. I. Kaplan
G. Lawson
W. R. Nixon

Office of Technology Assessment
U.S. Congress
Washington, DC 20510
Attn: R. Rowberg

Omnium G
1815 Orangethorpe Park
Anaheim, CA 92801
Attn: S. P. Lazzara

Owens-Illinois
1020 N. Westwood
Toledo, OH 43614
Attn: Y. K. Pei

PPG Industries, Inc.
One Gateway Center
Pittsburgh, PA 15222
Attn: C. R. Frownfelter

PRC Energy Analysis Company
7600 Old Springhouse Road
McLean, VA 22102
Attn: J. Meglan

Parsons of California
3437 S. Airport Way
Stockton, CA 95206
Attn: D. R. Biddle

Progress Industries, Inc.
7290 Murdy Circle
Huntington Beach, CA 92647
Attn: K. Busche

Ronel Technetics, Inc.
501 West Sheridan Rd.
McHenry, IL 60050
Attn: N. Wensel

Scientific Applications, Inc.
100 Mercantile, Commerce Bldg.
Dallas, TX 75201
Attn: Dr. J. W. Doane

Scientific Atlanta, Inc.
3845 Pleasantdale Road
Atlanta, GA 30340
Attn: A. Ferguson

Schott America
11 East 26th St.
New York, NY 10010
Attn: J. Schrauth

DISTRIBUTION (Continued)

Solar Energy Information Center
1536 Cole Blvd.
Golden, CO 80401
Attn: R. Ortiz

Solar Energy Research
Institute (113)
1536 Cole Blvd.
Golden, CO 80401
Attn: B. L. Butler
L. G. Dunham (4)
B. P. Gupta
F. Kreith
J. Thornton
K. Touryan
N. Woodley
D. W. Kearney
C. Bishop
B. Feasby
A. Lewandowski (100)

Solar Energy Technology
Rocketdyne Division
6633 Canoga Avenue
Canoga Park, CA 91304
Attn: J. M. Friefeld

Solar Kinetics Inc.
P.O. Box 47045
8120 Chancellor Row
Dallas, TX 75247
Attn: G. Hutchinson

Southwest Research Institute
P.O. Box 28510
San Antonio, TX 78284
Attn: D. M. Deffenbaugh

Stanford Research Institute
Menlo Park, CA 94025
Attn: A. J. Slemmons

Stearns-Roger
4500 Cherry Creek
Denver, CO 80217
Attn: W. R. Lang

W. B. Stine
317 Monterey Rd., Apt. 22
South Pasadena, CA 91303

Sun Gas Company
Suite 800, 2 No. Pk. E
Dallas, TX 75231
Attn: R. C. Clark

Sun Heet, Inc.
2624 So. Zuni
Englewood, CO 80110

Sundstrand Electric Power
4747 Harrison Avenue
Rockford, IL 61101
Attn: A. W. Adam

Sunpower Systems Corp.
510 S. 52nd St., Suite 101
Tempe, AZ 85281
Attn: W. C. Matlock

Suntec Systems, Inc.
2101 Woodale Drive
St. Paul, MN 55110
Attn: L. W. Rees

Swedlow, Inc.
12122 Western Avenue
Garden Grove, CA 92645
Attn: E. Nixon

3M-Decorative Products Division
209-2N 3M Center
St. Paul, MN 55101
Attn: B. Benson

3M-Product Development
Energy Control Products
207-1W 3M Center
St. Paul, MN 55101
Attn: J. R. Roche

Texas Tech University
Dept. of Electrical Engineering
P.O. Box 4709
Lubbock, TX 79409
Attn: J. D. Reichert

TRW, Inc.
Energy Systems Group of TRW, Inc.
One Space Park Bldg. R4,
Room 2074
Redondo Beach, CA 90278
Attn: J. M. Cherne

DISTRIBUTION (Continued)

Toltec Industries, Inc.
40th and East Main
Clear Lake, IA 50428
Attn: D. Chenault

U.S. Department of Energy (3)
Albuquerque Operations Office
P.O. Box 5400
Albuquerque, NM 87185
Attn: G. N. Pappas
C. B. Quinn
J. Weisiger

U.S. Department of Energy
Division of Energy Storage
Systems
Washington, DC 20545
Attn: J. Gahimer

U.S. Department of Energy (8)
Division of Solar Thermal
Energy Systems
Washington, DC 20585
Attn: W. W. Auer
G. W. Braun
J. E. Greyerbiehl
M. U. Gutstein
L. Melamed
J. E. Rannels
F. Wilkins
J. Dollard

U.S. Department of Energy (2)
San Francisco Operations Office
1333 Broadway, Wells Fargo Bldg.
Oakland, CA 94612
Attn: R. W. Hughey

University of Kansas Center for
Research, CRINC
2291 Irving Hall Rd.
Lawrence, KS 66045
Attn: R. F. Riordan

University of New Mexico (2)
Department of Mechanical Eng.
Albuquerque, NM 87113
Attn: M. W. Wilden
W. A. Cross

Viking Solar Systems
3467 Ocean View Blvd.
Glendale, CA 91208
Attn: G. Goranson

Winsmith
Div. of UMC Industries, Inc.
Springville, NY 14141
Attn: R. Bhise

Wyle Laboratories
7800 Governor's Drive West
Huntsville, AL 35807
Attn: R. Losey

1520 T. J. Hoban
1530 W. E. Caldes
1550 F. W. Neilson
2320 K. L. Gillespie
2323 C. M. Gabriel
2324 R. S. Pinkham
2326 G. M. Heck
3161 J. E. Mitchell
3600 R. W. Hunnicutt
Attn: H. H. Pastorius,
3640

3700 J. C. Strassell
4000 A. Narath
4231 J. H. Renken
4700 J. H. Scott
4710 G. E. Brandvold
4713 B. W. Marshall
4714 R. P. Stromberg (20)
4715 R. H. Braasch
4718 E. Burgess
4719 D. G. Schueler
4720 V. L. Dugan (100)
4721 Author (30)
4721 J. V. Otts
4722 J. F. Banas
4723 W. P. Schimmel
4725 J. A. Leonard
4730 H. M. Stoller
5510 D. B. Hayes
5513 D. W. Larson
5520 T. B. Lane
5523 R. C. Reuter
5810 R. G. Kepler
5820 R. E. Whan
5830 M. J. Davis
5833 J. L. Jellison
5840 N. Magnani
8266 E. A. Aas (2)
8450 R. C. Wayne
8451 C. F. Melius
8452 A. C. Skinrood
8452 T. Bramlette

DISTRIBUTION (Continued)

8453 W. G. Wilson

3141 T. L. Werner (5)

3151 W. L. Garner (3)
(Unlimited Release)

For DOE/TIC

(Unlimited Release)

6011 Patents

[illegible]