334
1/27/81 T.S.
SAND80-1964/1
Unlimited Release
UC-62

(1)

Dr. 2232

R-1424

MASTER

Midtemperature Solar Systems Test Facility Predictions for Thermal Performance of the Solar Kinetics T-700 Solar Collector With FEK 244 Reflector Surface

Thomas D. Harrison

Prepared by Sandia National Laboratories, Albuquerque, New Mexico 87185
and Livermore, California 94550 for the United States Department
of Energy under Contract DE-AC04-76DP00789

Printed November 1980

Sandia National Laboratories

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency Thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

DISCLAIMER

Portions of this document may be illegible in electronic image products. Images are produced from the best available original document.

Issued by Sandia Laboratories, operated for the United States
Department of Energy by Sandia Corporation.

NOTICE

This report was prepared as an account of work sponsored by the United States Government. Neither the United States nor the Department of Energy, nor any of their employees, nor any of their contractors, subcontractors, or their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness or usefulness of any information, apparatus, product or process disclosed, or represents that its use would not infringe privately owned rights.

SF 1004-DF(11-77)

Printed in the United States of America

Available from
National Technical Information Service
U. S. Department of Commerce
5285 Port Royal Road
Springfield, VA 22161
Price: Printed Copy \$4.00; Microfiche \$3.00

PAGES 1 to 2
WERE INTENTIONALLY
LEFT BLANK

SAND80-1964/1
Unlimited Release
Printed November 1980

Category
UC 62

MIDTEMPERATURE SOLAR SYSTEMS TEST FACILITY PREDICTIONS
FOR THERMAL PERFORMANCE OF THE SOLAR
KINETICS T-700 SOLAR COLLECTOR
WITH FEK 244 REFLECTOR SURFACE

Thomas D. Harrison
Experimental Systems Operation Division
Sandia National Laboratories
Albuquerque, NM 87185

DISCLAIMER

This book was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

ABSTRACT

Thermal performance predictions are presented for the Solar Kinetics T-700 solar collector, with FEK 244 reflector surface, for three output temperatures at five cities in the United States.

DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED

CONTENTS

	<u>Page</u>
Introduction	7
Description of the Collector	8
Results of the Test Program	8
Prediction of Thermal Performance	12
Reference	18

ILLUSTRATIONS

Figure

1	Solar Kinetics T-700 Collector	9
2	Peak Efficiency Plot for the Solar Kinetics T-700 Solar Collector with FEK 244 Reflector Surface	10
3	Heat Loss Plot for the Solar Kinetics T-700 Solar Collector with FEK 244 Reflector Surface	11
4	Thermal Output of the Solar Kinetics T-700 Collector with FEK 244 Reflector Surface with E-W and N-S Orientation and Fresno TMY Solar Data	13
5	Thermal Output of the Solar Kinetics T-700 Collector with FEK 244 Reflector Surface with E-W and N-S Orientation and Albuquerque TMY Solar Data	14
6	Thermal Output of the Solar Kinetics T-700 Collector with FEK 244 Reflector Surface with E-W and N-S Orientation and Fort Worth TMY Solar Data	15
7	Thermal Output of the Solar Kinetics T-700 Collector with FEK 244 Reflector Surface with E-W and N-S Orientation and Charleston TMY Solar Data	16
8	Thermal Output of the Solar Kinetics T-700 Collector with FEK 244 Reflector Surface with E-W and N-S Orientation and Boston TMY Solar Data	17

TABLE

<u>Table</u>		<u>Page</u>
1	Predicted Annual Thermal Output	18

MIDTEMPERATURE SOLAR SYSTEMS TEST FACILITY PREDICTIONS
FOR THERMAL PERFORMANCE OF THE SOLAR
KINETICS T-700 SOLAR COLLECTOR
WITH FEK 244 REFLECTOR SURFACE

Introduction

Sandia National Laboratories, Albuquerque (SNLA) is currently conducting a program to predict the performance and measure the characteristics of commercially available solar collectors that have the potential for use in industrial process heat and enhanced oil recovery applications. A detailed account of the methods used to make the predictions is given in Reference 1. For the convenience of the reader, some of this information is repeated in this document. This document presents the thermal performance predictions for the Solar Kinetics T-700 solar line-focusing collector. The program is limited to thermal performance only and does not include consideration of other factors, such as

1. Losses at the ends, at gaps, and from shadowing due to packing,
2. Collector warm-up penalties,
3. Degradation of performance,
4. Cost of the collector,
5. Losses in the energy transport system and system warm-up penalties,
6. Reliability,
7. Cost of installation,
8. Cost of operation and maintenance, and
9. Wind effects.

The program is authorized by the Department of Energy, Division of Solar Thermal Energy Systems, and is partially funded through the Solar Energy Research Institute.

Description of the Collector

A photograph of the Solar Kinetics T-700 collector is shown in Figure 1. The module has the following characteristics.

Reflector configuration	Parabolic trough
Reflective surface	FEK 244
Aperture dimensions	2.13 m x 6.10 m (7 ft x 20 ft)
Aperture area	13 m ² (140 ft ²)
Support structure	Aluminum monocoque
Tracking system	Shadow band (Delevan)
Drive mechanism	Hydraulic
Heat transfer fluid	Therminol-66®
Operating range	100° to 300°C (212° to 572°F)
Manufacturer	Solar Kinetics P.O. Box 10764 Dallas, Texas 75207

Results of the Test Program

This collector was tested at the Collector Module Test Facility (CMTF) at SNLA. From the test data, three parameters were defined.

1. Peak efficiency (η_p) -- the efficiency of the collector, when the sun's rays are at normal incidence to the aperture plane (equivalent to solar noon) expressed as a function of $\Delta t/I$. Δt is the temperature difference between the heat transfer fluid outlet temperature and the ambient temperature in degrees Centigrade. I is the irradiance of the sun in watts per square meter.

$$\eta_p = 66.0 - 23.3 \Delta t/I - 128.5 (\Delta t/I)^2 \quad . \quad (\%)$$

Peak efficiency is plotted in Figure 2.

Figure 1. Solar Kinetics T-700 Collector

Figure 2. Peak Efficiency Plot for the Solar Kinetics T-700 Solar Collector with FEK 244 Reflector Surface

2. Receiver thermal loss (Q_L) -- the heat lost per unit aperture area expressed as a function of Δt .

$$Q_L = 0.00 + 0.233 \Delta t + 1.29 \times 10^{-3} (\Delta t)^2 \text{ . (W/m}^2\text{)}$$

Heat loss is plotted in Figure 3.

Figure 3. Heat Loss Plot for the Solar Kinetics T-700 Solar Collector with FEK 244 Reflector Surface

3. Optical loss coefficient (K_O) -- K_O , in conjunction with the end-loss coefficient, K_E , and the "cosine effect," determine the incident angle modifier, K . Specifically, $K = K_O K_E \cos \theta$. See Reference 1.

The values of K_o as a function of θ are

<u>θ (degrees)</u>	<u>K_o</u>	<u>θ (degrees)</u>	<u>K_o</u>
0	1.00	35	0.99
5	1.00	40	0.95
10	1.00	45	0.91
15	0.99	50	0.87
20	0.99	55	0.85
25	0.99	60	0.82
30	0.99		

The Solar Kinetics T-700 solar collector had been under test at the CMTF for approximately 1 year before taking the data for calculating the above parameters. It is possible that the receiver suffered some degradation in that time interval. The performance of the collector is sensitive to receiver degradation.

Prediction of Thermal Performance

A computer program calculates the predicted thermal performance of the collector. The performance parameters defined above are the input data describing the collector while solar and weather data are provided by TMY data tapes. With this input, the computer program calculates the thermal output of the collector for each month of the TMY in units of kilowatt hours per square meter (kWh/m^2) of collector aperture area. This calculation was made for five locations: Fresno, California; Albuquerque, New Mexico; Fort Worth, Texas; Charleston, South Carolina; and Boston, Massachusetts. Three different collector output temperatures and both E-W and N-S orientations were considered. Figures 4 through 8 are graphical displays of the results of the computer prediction. These figures show the monthly thermal output ($\text{kWh/m}^2 \cdot \text{mo}$) for each location, output temperature, and orientation. The monthly outputs have been summed to give the annual output for each parameter variation, and the results are shown in Table 1. The computer predictions assume 1 square meter of collector aperture in the middle of a row of infinite length, with no end or gap losses and no shadowing due to packing.

Figure 4. Thermal Output of the Solar Kinetics T-700 Collector with FEK 244 Reflector Surface with E-W and N-S Orientation and Fresno TMY Solar Data

Figure 5. Thermal Output of the Solar Kinetics T-700 Collector with FEK 244 Reflector Surface with E-W and N-S Orientation and Albuquerque TMY Solar Data

Figure 6. Thermal Output of the Solar Kinetics T-700 Collector with FEK 244 Reflector Surface with E-W and N-S Orientation and Fort Worth TMY Solar Data

Figure 7. Thermal Output of the Solar Kinetics T-700 Collector with FEK 244 Reflector Surface with E-W and N-S Orientation and Charleston TMY Solar Data

Figure 8. Thermal Output of the Solar Kinetics T-700 Collector with FEK 244 Reflector Surface with E-W and N-S Orientation and Boston TMY Solar Data

Table 1

Predicted Annual Thermal Output (kWh/m².yr)

		Output Temperature					
		100°C		200°C		300°C	
		<u>Orientation</u>		<u>Orientation</u>		<u>Orientation</u>	
	<u>Solar Energy Available</u>	<u>E-W</u>	<u>N-S</u>	<u>E-W</u>	<u>N-S</u>	<u>E-W</u>	<u>N-S</u>
Fresno	2260	999	1195	844	977	639	712
Albuquerque	2583	1160	1334	1001	1121	792	857
Fort Worth	1764	805	894	662	702	479	482
Charleston	1358	633	652	485	480	315	298
Boston	1173	505	533	378	382	236	228

Reference

¹T. D. Harrison, Midtemperature Solar Systems Test Facility Program for Predicting Thermal Performance of Line-Focusing, Concentrating Solar Collectors, SAND80-1964 (Albuquerque: Sandia National Laboratories, November 1980).

DISTRIBUTION:

TID-4500-R66, UC62 (268), 9/80

AAI Corporation
P.O. Box 6787
Baltimore, MD 21204

Acurex Aerotherm
485 Clyde Avenue
Mountain View, CA 94042
Attn: J. Vindum

Alpha Solarco
1014 Vine Street
Suite 2230
Cincinnati, OH 45202

Applied Solar Resources, Inc.
490 East Pima
Phoenix, AZ 85004
Attn: W. H. Coady

Argonne National Laboratory (3)
9700 South Cass Avenue
Argonne, IL 60439
Attn: K. Reed
W. W. Schertz
R. Winston

BDM Corporation
1801 Randolph Street
Albuquerque, NM 87106
Attn: T. Reynolds

Barber Nichols Engineering
6325 W. 55th Avenue
Arvada, CO 80022
Attn: R. G. Olander

Battelle Memorial Institute
Pacific Northwest Laboratory
P.O. Box 999
Richland, WA 99352
Attn: K. Drumheller

Bechtel National, Inc.
P.O. Box 3965
50 Beale Street
San Francisco, CA 94119
Attn: E. Y. Lam

Boeing Space Center (2)
M/S 86-01
Kent, WA 98131
Attn: S. Duzick
A. Lunde

Budd Company
Fort Washington, PA 19034
Attn: W. W. Dickhart

The Budd Company
Plastic R&D Center
356 Executive Drive
Troy, MI 48084
Attn: J. N. Epel

Congressional Research Service
Library of Congress
Washington, DC 20540
Attn: H. Bullis

Corning Glass Co.
Corning, NY 14830
Attn: A. F. Shoemaker

Corning Glass Works
Electric Products Division
Corning, NY 14830
Attn: C. M. Lemrow

DSET
Black Canyon Stage
P.O. Box 185
Phoenix, AZ 85029
Attn: G. A. Zerlaut

Del Manufacturing Co.
905 Monterey Pass Road
Monterey Park, CA 91754
Attn: M. M. Delgado

Desert Research Institute Energy
Systems Laboratory
1500 Buchanan Blvd.
Boulder City, NV 89005
Attn: J. O. Bradley

Donnelly Mirrors, Inc.
49 West Third Street
Holland, MI 49423
Attn: R. E. Cook

DISTRIBUTION (Continued)

EPRI
3412 Hillview Avenue
Palo Alto, CA 94303
Attn: J. E. Bigger

E-Systems, Inc., Energy Tech.
Center
P.O. Box 226118
Dallas, TX 75266
Attn: R. R. Walters

Edison Electric Institute
90 Park Avenue
New York, NY 10016
Attn: L. O. Elsaesser,
Director of Research

Energetics
833 E. Arapahoe Street, Suite 202
Richardson, TX 75081
Attn: G. Bond

Energy Institute
1700 Las Lomas
Albuquerque, NM 87131

Exxon Enterprises
P.O. Box 592
Florham Park, NJ 07923
Attn: J. Hamilton

Florida Solar Energy Center (2)
300 State Road, Suite 401
Cape Canaveral, FL 32920
Attn: C. Beech
D. Block

Ford Aerospace and Communications
3939 Fabian Way
Palo Alto, CA 94303
Attn: H. J. Sund

Ford Glass Division
300 Renaissance Center
P.O. Box 43343
Detroit, MI 48243
Attn: P. Bender

Ford Motor Company
Room E-3184
Scientific Research Labs
Dearborn, MI 48121
Attn: W. J. Nagle

General Atomic
P.O. Box 81608
San Diego, CA 92138
Attn: A. Schwartz

General Electric Co.
P.O. Box 8661
Philadelphia, PA 19101
Attn: W. Pijawka

General Motors
Harrison Radiator Division
Lockport, NY
Attn: A. Stocker

General Motors Corporation
Technical Center
Warren, MI 48090
Attn: J. F. Britt

Georgia Institute of Technology
Atlanta, GA 30332
Attn: J. D. Walton

Georgia Power Company
270 Peachtree, P.O. Box 4545
Atlanta, GA 30302
Attn: J. Roberts

Haveg Industries, Inc.
1287 E. Imperial Highway
Santa Fe Springs, CA 90670
Attn: D. Lombardo

Hexcel
11711 Dublin Blvd.
Dublin, CA 94566
Attn: G. P. Branch

Highland Plating
1128 N. Highland
Los Angeles, CA 90038
Attn: M. Faeth

Honeywell, Inc.
Energy Resources Center
2600 Ridgeway Parkway
Minneapolis, MN 55413
Attn: J. R. Williams

DISTRIBUTION (Continued)

Jacobs Engineering Co.
251 South Lake Avenue
Pasadena, CA 91101
Attn: B. Eldridge

Jet Propulsion Laboratory (3)
4800 Oak Grove Drive
Pasadena, CA 91103
Attn: J. Becker
J. Lucas
V. C. Truscello

Lawrence Berkeley Laboratory
University of California
Berkeley, CA 94720
Attn: M. Wallig

Lawrence Livermore Laboratory
University of California
P.O. Box 808
Livermore, CA 94500
Attn: W. C. Dickinson

Los Alamos Scientific Lab. (3)
Los Alamos, NM 87545
Attn: J. D. Balcomb
C. D. Bankston
D. P. Grimmer

Martin Marietta Aerospace
P.O. Box 179
Denver, CO 80201
Attn: P. Brown

McDonnell Douglas Astronautics
Company (3)
5301 Bolsa Avenue
Huntington Beach, CA 92647
Attn: J. B. Blackmon
J. Rogan
D. Steinmeyer

Motorola Inc.
Government Electronics Division
8201 E. McDowell Road
P.O. Box 1417
Scottsdale, AZ 85252
Attn: R. Kendall

NASA-Lewis Research Center
Cleveland, OH 44135
Attn: R. Hyland

New Mexico State University
Solar Energy Department
Las Cruces, NM 88001

Oak Ridge National Laboratory (3)
P.O. Box Y
Oak Ridge, TN 37830
Attn: S. I. Kaplan
G. Lawson
W. R. Mixon

Office of Technology Assessment
U.S. Congress
Washington, DC 20510
Attn: R. Rowberg

Omnium G
1815 Orangethorpe Park
Anaheim, CA 92801
Attn: S. P. Lazzara

PPG Industries, Inc.
1 Gateway Center
Pittsburgh, PA 15222
Attn: R. C. Frounfelter

PPG Industries, Inc.
Glass Research Center
Box 11472
Pittsburgh, PA 15238
Attn: D. L. Thomas

PRC Energy Analysis Company
7600 Old Springhouse Road
McLean, VA 22102
Attn: K. T. Cherian

Scientific Atlanta, Inc.
3845 Pleasantdale Road
Atlanta, GA 30340
Attn: A. Ferguson

DISTRIBUTION (Continued)

Solar Energy Research Institute
(110)

1536 Cole Blvd.

Golden, CO 80401

Attn: B. L. Butler
L. G. Dunham (4)
B. P. Gupta
F. Kreith
J. Thornton
K. Touryan
N. Woodley
A. Lewandowski (100)

Solar Energy Technology

Rocketdyne Division

6633 Canoga Avenue

Canoga Park, CA 91304

Attn: J. M. Friefeld

Solar Kinetics Inc. (20)

P.O. Box 47045

Dallas, TX 75247

Attn: G. Hutchinson

Southwest Research Institute

P.O. Box 28510

San Antonio, TX 78284

Attn: D. M. Deffenbaugh

Stanford Research Institute

Menlo Park, CA 94025

Attn: A. J. Slemmons

Sun Gas Company

Suite 800, 2 No. Pk. E

Dallas, TX 75231

Attn: R. C. Clark

Sundstrand Electric Power

4747 Harrison Avenue

Rockford, IL 61101

Attn: A. W. Adam

Sun-Heet, Inc.

2624 S. Zuni

Englewood, CO 80110

Suntec Systems Inc.

2101 Wooddale Drive

St. Paul, MN 55110

Attn: L. W. Rees

Swedlow, Inc.

12122 Western Avenue

Garden Grove, CA 92645

Attn: E. Nixon

TRW, Inc.

Energy Systems Group of TRW, Inc.

One Space Park

Bldg. R4, Room 2074

Redondo Beach, CA 90278

Attn: J. M. Cherne

Texas Tech University

Dept. of Electrical Engineering

P.O. Box 4709

Lubbock, TX 79409

Attn: J. D. Reichert

Toltec Industries, Inc.

40th and East Main

Clear Lake, IA 50428

Attn: D. Chenault

U.S. Department of Energy (3)

Albuquerque Operations Office

P.O. Box 5400

Albuquerque, NM 87185

Attn: G. N. Pappas

C. B. Quinn

J. Weisiger

U.S. Department of Energy

Division of Energy Storage

Systems

Washington, DC 20545

Attn: J. Gahimer

U.S. Department of Energy (7)

Division of Solar Thermal

Energy Systems

Washington, DC 20545

Attn: W. W. Auer

G. W. Braun

J. E. Greyerbiehl

M. U. Gutstein

L. Melamed

J. E. Rannels

F. Wilkin

DISTRIBUTION (Continued)

U.S. Department of Energy (2)
San Francisco Operations Office
1333 Broadway, Wells Fargo Bldg.
Oakland, CA 94612
Attn: R. W. Hughey

University of New Mexico (2)
Department of Mechanical Eng.
Albuquerque, NM 87113
Attn: W. A. Cross
M. W. Wilden

Veterans Administration
Director, Research Staff
Office of Construction
Washington, DC 20420
Attn: Bill Schmidt

Westinghouse Electric Corp.
P.O. Box 10864
Pittsburgh, PA 15236
Attn: J. Buggy

1520 T. J. Hoban
1530 W. E. Caldes
1550 F. W. Neilson
2320 K. L. Gillespie
2323 C. M. Gabriel
2324 R. S. Pinkham
2326 G. M. Heck
3161 J. E. Mitchell
3600 R. W. Hunnicutt
Attn: H. H. Pastorius,
3640

3700 J. C. Strassell
4000 A. Narath
4231 J. H. Renken
4700 J. H. Scott
4710 G. E. Brandvold
4713 B. W. Marshall
4714 R. P. Stromberg (20)
4715 R. H. Braasch
4718 E. Burgess
4719 D. G. Schueler
4720 V. L. Dugan (100)
4721 Author (20)
4721 J. V. Otts
4722 J. F. Banas
4723 W. P. Schimmel
4725 J. A. Leonard
4730 H. M. Stoller

5510 D. B. Hayes
5520 T. B. Lane
5523 R. C. Reuter
5810 R. G. Kepler
5820 R. E. Whan
5830 M. J. Davis
5833 J. L. Jellison
5840 H. J. Saxton
8450 R. Wayne
8450 T. T. Bramlette
8451 P. Eicker
8452 A. C. Skinrood
8453 W. G. Wilson
8266 E. A. Aas (2)
3141 T. L. Werner (5)
3151 W. L. Garner (3)
For DOE/TIC
(Unlimited Release)
6011 Patents