SECOND QUARTER 1992

F-AREA SEEPAGE BASINS GROUNDWATER MONITORING REPORT (U)

PUBLICATION DATE: SEPTEMBER 1992

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

MASTER

WESTINGHOUSE SAVANNAH RIVER COMPANY
SAVANNAH RIVER SITE
AIKEN, SC 29808

Prepared for the U.S. Department of Energy under Contract No. DE-AC09-89SR18035

DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED

**F-AREA SEEPAGE BASINS GROUNDWATER MONITORING
REPORT (U) - SECOND QUARTER 1992**

by WSRC Contact - C. Y. Thompson
Westinghouse Savannah River Company
Savannah River Site
Aiken, South Carolina 29808

Other Authors:

This paper was prepared in connection with work done under Contract No. DE-AC09-89SR18035 with the U. S. Department of Energy. By acceptance of this paper, the publisher and/or recipient acknowledges the U. S. Government's right to retain a nonexclusive, royalty-free license in and to any copyright covering this paper, along with the right to reproduce and to authorize others to reproduce all or part of the copyrighted paper.

DEC 17 1992

SECOND QUARTER 1992

**F-AREA SEEPAGE BASINS
GROUNDWATER
MONITORING REPORT (U)**

PUBLICATION DATE: SEPTEMBER 1992

Authorized Derivative Classifier:

M. A. Ebra

Westinghouse Savannah River Company
Savannah River Site
Aiken, SC 29808

All copies of this groundwater quality assessment report transmitted to the regulatory agencies are stamped by a registered professional geologist (P.G.) of South Carolina. Copies of the report retained at the Savannah River Site for reference do not include the registered P.G. stamp.

Abstract

During second quarter 1992, tritium, gross alpha, total alpha-emitting radium (radium-224 and radium-226), nitrate, nonvolatile beta, lead, cadmium, mercury, nickel, radium-228, trichloroethylene, and tetrachloroethylene exceeded the U.S. Environmental Protection Agency Primary Drinking Water Standards (PDWS) in one or more groundwater samples from monitoring wells at the F-Area Seepage Basins (FASB). Tritium and nitrate were the most widespread constituents; 56 (67%) of the 84 monitored wells exhibited tritium activities and 41 (49%) wells contained nitrate concentrations that exceeded the PDWS. These two constituents were found primarily in Aquifer Zone IIB₂ (Water Table) and Aquifer Zone IIB₁ (Barnwell/McBean). Tritium activities exceeding the PDWS occurred in 8 (44%) of the 18 Aquifer Unit IIA (Congaree) wells. The highest tritium activity and the highest nitrate concentration were found in Aquifer Zone IIB₂ (Water Table).

One or more of 49 downgradient Aquifer Zone IIB₂ (Water Table) and Aquifer Zone IIB₁ (Barnwell/McBean) wells contained levels of tritium, gross alpha, total alpha-emitting radium, nitrate, nonvolatile beta, lead, cadmium, mercury, nickel, trichloroethylene, or tetrachloroethylene that exceeded the PDWS. Upgradient wells FSB 76C and 108D did not contain elevated levels of any of these constituents; however, upgradient wells FSB 99D and 109D exhibited tritium activities that exceeded the PDWS. Upgradient well FSB 99D also contained elevated levels of cadmium.

Six downgradient wells in the upper portion of Aquifer Unit IIA (Congaree) contained elevated levels of tritium. Elevated tritium was not found in upgradient wells FSB 76B, 96AR, and 98AR; however, upgradient well FSB 78B exhibited elevated tritium, and upgradient well FSB 79B contained elevated radium-228. No constituents exceeded the PDWS in wells in the lower portion of Aquifer Unit IIA (Congaree).

Contents

	Page
Abstract	iii
List of Figures	vii
List of Tables	x
Executive Summary	1
Introduction	3
Description of Facilities	3
Hydrostratigraphic Units	4
Monitoring Well Nomenclature	4
Discussion	5
Integrity of the Monitoring Well Network	5
Groundwater Monitoring Data	6
Analytical Results Exceeding Standards	6
Tritium, Nitrate, and pH Time-Trend Data	7
Water Levels	9
Groundwater Flow Rates and Directions	9
Upgradient Versus Downgradient Results	10
Conclusions	12
Errata	14
References Cited	15
Appendix A – Primary Drinking Water Standards	A-1
Appendix B – Flagging Criteria	B-1
Appendix C – Figures	C-1
Appendix D – Groundwater Monitoring Results Tables	D-1
Appendix E – Time Series Plots	E-1
Appendix F – Hydrographs	F-1

List of Figures

	Page
1. Site-Specific Hydrostratigraphic Nomenclature	C-2
2. Regional Correlation of Hydrostratigraphic and Lithostratigraphic Nomenclatures	C-3
3. Location of the F-Area Seepage Basins at the Savannah River Site	C-4
4. Location of Groundwater Monitoring Wells and Well Clusters at the F-Area Seepage Basins	C-5
5. Location of Aquifer Zone IIB ₂ (Water Table) Monitoring Wells at the F-Area Seepage Basins	C-6
6. Location of Aquifer Zone IIB ₁ (Barnwell/McBean) Monitoring Wells at the F-Area Seepage Basins	C-7
7. Location of Upper Portion of Aquifer Unit IIA (Congaree) Monitoring Wells at the F-Area Seepage Basins	C-8
8. Location of Lower Portion of Aquifer Unit IIA (Congaree) Monitoring Wells at the F-Area Seepage Basins	C-9
9. Tritium Activities in Aquifer Zone IIB ₂ (Water Table) at the F-Area Seepage Basins, Second Quarter 1992	C-10
10. Nitrate Concentrations in Aquifer Zone IIB ₂ (Water Table) at the F-Area Seepage Basins, Second Quarter 1992	C-11
11. Gross Alpha Activities in Aquifer Zone IIB ₂ (Water Table) at the F-Area Seepage Basins, Second Quarter 1992	C-12
12. Nonvolatile Beta Activities in Aquifer Zone IIB ₂ (Water Table) at the F-Area Seepage Basins, Second Quarter 1992	C-13
13. Tritium Activities in Aquifer Zone IIB ₁ (Barnwell/McBean) at the F-Area Seepage Basins, Second Quarter 1992	C-14
14. Nitrate Concentrations in Aquifer Zone IIB ₁ (Barnwell/McBean) at the F-Area Seepage Basins, Second Quarter 1992	C-15
15. Gross Alpha Activities in Aquifer Zone IIB ₁ (Barnwell/McBean) at the F-Area Seepage Basins, Second Quarter 1992	C-16

16.	Nonvolatile Beta Activities in Aquifer Zone IIB ₁ (Barnwell/McBean) at the F-Area Seepage Basins, Second Quarter 1992	C-17
17.	Tritium Activities in Upper Portion of Aquifer Unit IIA (Congaree) at the F-Area Seepage Basins, Second Quarter 1992	C-18
18.	Nitrate Concentrations in Upper Portion of Aquifer Unit IIA (Congaree) at the F-Area Seepage Basins, Second Quarter 1992	C-19
19.	Gross Alpha Activities in Upper Portion of Aquifer Unit IIA (Congaree) at the F-Area Seepage Basins, Second Quarter 1992	C-20
20.	Nonvolatile Beta Activities in Upper Portion of Aquifer Unit IIA (Congaree) at the F-Area Seepage Basins, Second Quarter 1992	C-21
21.	Tritium Activities in Lower Portion of Aquifer Unit IIA (Congaree) at the F-Area Seepage Basins, Second Quarter 1992	C-22
22.	Nitrate Concentrations in Lower Portion of Aquifer Unit IIA (Congaree) at the F-Area Seepage Basins, Second Quarter 1992	C-23
23.	Gross Alpha Activities in Lower Portion of Aquifer Unit IIA (Congaree) at the F-Area Seepage Basins, Second Quarter 1992	C-24
24.	Nonvolatile Beta Activities in Lower Portion of Aquifer Unit IIA (Congaree) at the F-Area Seepage Basins, Second Quarter 1992	C-25
25.	Lead Concentrations in Aquifer Zone IIB ₂ (Water Table) at the F-Area Seepage Basins, Second Quarter 1992	C-26
26.	Cadmium Concentrations in Aquifer Zone IIB ₂ (Water Table) at the F-Area Seepage Basins, Second Quarter 1992	C-27
27.	Lead Concentrations in Aquifer Zone IIB ₁ (Barnwell/McBean) at the F-Area Seepage Basins, Second Quarter 1992	C-28
28.	Cadmium Concentrations in Aquifer Zone IIB ₁ (Barnwell/McBean) at the F-Area Seepage Basins, Second Quarter 1992	C-29
29.	Lead Concentrations in Upper Portion of Aquifer Unit IIA (Congaree) at the F-Area Seepage Basins, Second Quarter 1992	C-30
30.	Cadmium Concentrations in Upper Portion of Aquifer Unit IIA (Congaree) at the F-Area Seepage Basins, Second Quarter 1992	C-31
31.	Lead Concentrations in Lower Portion of Aquifer Unit IIA (Congaree) at the F-Area Seepage Basins, Second Quarter 1992	C-32

32.	Cadmium Concentrations in Lower Portion of Aquifer Unit IIA (Congaree) at the F-Area Seepage Basins, Second Quarter 1992	C-33
33.	Specific Conductance in Aquifer Zone IIB ₂ (Water Table) at the F-Area Seepage Basins, Second Quarter 1992	C-34
34.	pH Values in Aquifer Zone IIB ₂ (Water Table) at the F-Area Seepage Basins, Second Quarter 1992	C-35
35.	Specific Conductance in Aquifer Zone IIB ₁ (Barnwell/McBean) at the F-Area Seepage Basins, Second Quarter 1992	C-36
36.	pH Values in Aquifer Zone IIB ₁ (Barnwell/McBean) at the F-Area Seepage Basins, Second Quarter 1992	C-37
37.	Specific Conductance in Upper Portion of Aquifer Unit IIA (Congaree) at the F-Area Seepage Basins, Second Quarter 1992	C-38
38.	pH Values in Upper Portion of Aquifer Unit IIA (Congaree) at the F-Area Seepage Basins, Second Quarter 1992	C-39
39.	Specific Conductance in Lower Portion of Aquifer Unit IIA (Congaree) at the F-Area Seepage Basins, Second Quarter 1992	C-40
40.	pH Values in Lower Portion of Aquifer Unit IIA (Congaree) at the F-Area Seepage Basins, Second Quarter 1992	C-41
41.	Piezometric Surface Map of Aquifer Zone IIB ₂ (Water Table) at the F-Area Seepage Basins	C-42
42.	Potentiometric Surface Map of Aquifer Zone IIB ₁ (Barnwell/McBean) at the F-Area Seepage Basins	C-43
43.	Potentiometric Surface Map of Upper Portion of Aquifer Unit IIA (Congaree) at the F-Area Seepage Basins	C-44
44.	Potentiometric Surface Map of Lower Portion of Aquifer Unit IIA (Congaree) at the F-Area Seepage Basins	C-45

List of Tables

	Page
1. Constituents Exceeding the Primary Drinking Water Standards	D-3
2. Constituents Exceeding Half the Primary Drinking Water Standards or Other Flag 1 or Flag 2 Criteria	D-11
3. Groundwater Monitoring Results for Individual Wells	D-19

Executive Summary

In 1955, three F-Area Seepage Basins (FASB) were constructed to contain wastewater from the F-Area Separations Facility at the Savannah River Site (SRS). These unlined, hydraulically connected basins received wastewater that typically contained elevated amounts of nitrate, tritium, and other constituents until they were closed in November 1988. As a result of this operation, the groundwater at the FASB contains elevated levels of low-level radionuclides and other constituents. The recent revision of the Resource Conservation and Recovery Act (RCRA) Part B Post-Closure Care Permit Application, submitted March 13, 1992, to the South Carolina Department of Health and Environmental Control (SCDHEC), provides for field demonstrations of alternative technologies coupled with an Alternative Concentration Limit Demonstration and a South Carolina Hazardous Waste Management Regulations (SCHWMR) Mixing Zone request (WSRC, 1992).

Currently, 84 wells monitor the groundwater in the uppermost aquifer beneath the FASB as required by SCHWMR. The wells are sampled and analyzed quarterly for certain indicator parameters, heavy metals, radionuclides, and other constituents. This groundwater quality assessment report describes the monitoring results that exceeded the U.S. Environmental Protection Agency (EPA) Primary Drinking Water Standards (PDWS) or the SRS flagging criteria for second quarter 1992. Reports for first, second, and third quarters are submitted to SCDHEC 90 days after the end of each quarter as required by Administrative Consent Order 85-70-SW (as amended in 1988). The fourth quarter report, which includes the annual report, is submitted to SCDHEC 90 days after the end of the fourth quarter as negotiated by SCDHEC with EPA.

During second quarter 1992, tritium, gross alpha, total alpha-emitting radium (radium-224 and radium-226), nitrate, nonvolatile beta, lead, cadmium, mercury, nickel, radium-228, trichloroethylene, or tetrachloroethylene exceeded the PDWS at one or more wells at the FASB. As in previous quarters, tritium and nitrate were the primary constituents found in the groundwater at the FASB. Of the 84 groundwater monitoring wells, 56 (67%) exhibited tritium activities and 41 (49%) contained nitrate concentrations that exceeded the PDWS. These two constituents were found primarily in Aquifer Zone IIB₂ (Water Table) and Aquifer Zone IIB₁ (Barnwell/McBean). Tritium activities exceeding the PDWS occurred in 8 (44%) of the 18 Aquifer Unit IIA (Congaree) wells. The highest tritium activity occurred in Aquifer Zone IIB₂ (Water Table) well FSB 94DR (3.0E+04 pCi/mL). The highest nitrate concentration was found in Aquifer Zone IIB₂ (Water Table) well FSB 95DR (572,000 µg/L).

Historically, lead, cadmium, and mercury have been the primary heavy metals exhibiting elevated concentrations at the FASB. During second quarter 1992, lead was elevated in 6 wells (FSB 76, 77, 90D, 93D, 95DR, and 97D) in Aquifer Zone IIB₂ (Water Table) and 1 (FSB 78C) well in Aquifer Zone IIB₁ (Barnwell/McBean). Cadmium was elevated in 6 wells (FSB 78, 92D, 93D, 94DR, 99D, and 104D) in Aquifer Zone IIB₂ (Water Table) and in 6 wells (FSB 78C, 79C, 94C, 95CR, 106C, and 112C) in Aquifer Zone IIB₁ (Barnwell/McBean). Mercury was elevated in 4 wells (FSB 77, 79, 88D, and 94DR) in Aquifer Zone IIB₂ (Water Table) only.

Groundwater flow in Aquifer Zone IIB₂ (Water Table) and Aquifer Zone IIB₁ (Barnwell/McBean) is south toward Fourmile Branch. Flow in the upper portion of Aquifer Unit IIA (Congaree) is north-northwest and flow in the lower portion of Aquifer Unit IIA (Congaree) is northwest toward Upper Three Runs Creek. Estimated flow rates are approximately 140, 190, 630, and 370 ft/yr in Aquifer Zone IIB₂ (Water Table), Aquifer Zone IIB₁ (Barnwell/McBean), the upper portion of Aquifer Unit IIA (Congaree), and the lower portion of Aquifer Unit IIA (Congaree), respectively.

One or more of 49 downgradient Aquifer Zone IIB₂ (Water Table) and Aquifer Zone IIB₁ (Barnwell/McBean) wells contained levels of tritium, gross alpha, total alpha-emitting radium, nitrate, nonvolatile beta, lead, cadmium, mercury, nickel, trichloroethylene, or tetrachloroethylene that exceeded the PDWS during second quarter 1992. Upgradient wells FSB 76C and 108D did not contain elevated levels of any of these constituents; however, upgradient wells FSB 99D and 109D exhibited tritium activities that exceeded the PDWS. Upgradient well FSB 99D also contained elevated cadmium.

Six downgradient wells in the upper portion of Aquifer Unit IIA (Congaree) contained elevated levels of tritium. Elevated tritium was not found in upgradient wells FSB 76B, 96AR, and 98AR; however, upgradient well FSB 78B exhibited elevated tritium, and upgradient well FSB 79B contained elevated radium-228. No constituents exceeded the PDWS in wells in the lower portion of Aquifer Unit IIA (Congaree).

Introduction

Description of Facilities

The F-Area Seepage Basins (FASB) at the Savannah River Site (SRS) (Figure 3, Appendix C) began operating in 1955 to replace the Old F-Area Seepage Basin. These unlined, hydraulically connected basins primarily received wastewater that included low-level radioactivity and chemicals from the F-Area Separations Facility. The wastewater typically contained elevated amounts of nitrate and tritium. Primary sources for this wastewater included the nitric acid recovery overheads, the general purpose evaporator overheads, overheads from several other process evaporators, cooling water from the tritium facilities, and retention basin transfers (Heffner and Exploration Resources, 1991).

The basins allowed the wastewater either to evaporate or to percolate into the underlying soils where some of the waste constituents were removed from the water by interaction with the soils. However, tritium does not interact with the soils but instead continues to migrate downward into the groundwater. Some of the tritium in groundwater decays before reaching surface water. The half-life of tritium is 12.26 years.

Use of the FASB was discontinued on November 7, 1988, and the basins were closed in 1988 as required by the South Carolina Hazardous Waste Management Regulations (SCHWMR) (SCDHEC, 1990). The Resource Conservation and Recovery Act (RCRA) Part B Post-Closure Care Permit Application submitted by SRS in April 1988 proposed alternate concentration limits (ACL) for hazardous constituents in lieu of groundwater remediation. The original ACL demonstration was denied, and SRS conducted an extensive hydrogeologic investigation and research of remediation techniques in order to prepare a groundwater remediation program at the FASB. On December 3, 1990, SRS submitted a RCRA Part B Post-Closure Care Permit Application (WSRC, 1990), which includes an implementable plan for groundwater remediation, to the South Carolina Department of Health and Environmental Control (SCDHEC). On March 13, 1992, SRS submitted Revision 5 of this document, replacing the implementable plan with field demonstrations of alternative technologies coupled with an ACL Demonstration and a SCHWMR Mixing Zone request (WSRC, 1992). A baseline risk assessment has been submitted with a feasibility study in the integrated RCRA/Comprehensive Environmental Response, Compensation, and Liability Act program.

A low-permeability cap has been constructed over the FASB. The activities for the cap consist of stabilizing basin sediments, backfilling the basin excavations with clean soils, compacting the filled areas, and installing a multilayer cap over each basin. A final cover has been constructed over each basin that minimizes migration of liquids through the closed impoundment, functions with little maintenance, promotes drainage and minimizes erosion or abrasion of the final cover, accommodates settling and subsidence so that cover integrity is maintained, and maintains a permeability less than or equal to the permeability of the natural soils.

The groundwater at the FASB contains elevated concentrations of tritium, nitrate, cadmium, nonvolatile beta, gross alpha, lead, and other constituents from the 30 years of operation

of the FASB. Tritium and nitrate are the primary constituents and are mainly exhibited in Aquifer Zones IIB₂ (Water Table) and IIB₁ (Barnwell/McBean) of the uppermost aquifer.

Hydrostratigraphic Units

Historically, groundwater quality assessment reports for the FASB have used the nomenclature "Water Table," "Barnwell," "McBean," and "Congaree" to identify hydrologic units. However, an interim alphanumeric system developed by Aadland (1990) (Figure 1, Appendix C) defines the aquifer and aquitard units at SRS by their hydraulic properties (hydraulic conductivity, transmissivity, specific storage, etc.) using hydrostratigraphic rather than lithostratigraphic designations. Figure 2 (Appendix C) shows a correlation of these designations. For clarity, this report uses the newer nomenclature and also includes the older names used in earlier reports. The FASB RCRA Part B Post-Closure Care Permit Application (WSRC, 1990), submitted December 1990, includes an in-depth explanation of the new nomenclature.

The FASB RCRA Part B Post-Closure Care Permit Application also includes a detailed description of the geologic and hydrogeologic systems at the FASB. To summarize this description, the FASB well network monitors three distinct hydrostratigraphic units in the uppermost aquifer beneath the facility: Aquifer Zone IIB₂ (Water Table), which is supported by Confining Zone IIB₁-IIB₂ (Tan Clay); the poorly confined Aquifer Zone IIB₁ (Barnwell/McBean); and the semi-confined Aquifer Unit IIA (Congaree), which is separated from the overlying Aquifer Zone IIB₁ (Barnwell/McBean) by Confining Unit IIA-IIB (Green Clay). The base of the uppermost aquifer is defined as the uppermost bed of Confining System I-II (Ellenton Formation), which lies approximately 300 ft below the surface of the area.

Monitoring Well Nomenclature

Generally, groundwater monitoring wells are designated with a waste management unit abbreviation prefix (e.g., FSB), a number (1 through 999), and a suffix (A, B, C, D) designating the hydrostratigraphic unit being monitored. At the FASB, if the groundwater monitoring well prefix and number are followed by a "D" suffix, the well monitors Aquifer Zone IIB₂ (Water Table); if they are followed by a "C" suffix, the well monitors Aquifer Zone IIB₁ (Barnwell/McBean); if they are followed by an "A" or "B" suffix, the well monitors Aquifer Unit IIA (Congaree). An "R" designation following the "A," "B," "C," or "D" suffix indicates a replacement well.

There are exceptions to this nomenclature. For example, four active wells have no designating suffix; FSB 76, 77, 78, and 79 all monitor Aquifer Zone IIB₂ (Water Table).

Discussion

Integrity of the Monitoring Well Network

The FASB groundwater monitoring well network (Figure 4, Appendix C) provides groundwater samples from the three hydrologic units in the uppermost aquifer below the facility. A program is in place to rehabilitate and replace wells that do not produce representative samples from the units being monitored.

Wells FSB 94D, 95C, 95D, 96A, 98A, and 105D have been replaced by wells FSB 94DR, 95CR, 95DR, 96AR, 98AR, and 105DR. Well FSB 98A was officially abandoned fourth quarter 1991, and wells FSB 94D, 95C, 95D, 96A, and 105D were officially abandoned first quarter 1992. These wells either were contaminated with grout or they consistently purged dry. Well FSB 121DR, to replace well FSB 121D, is scheduled for sampling third quarter 1992.

The standard practice at SRS is to purge a minimum of four well volumes from each well and to ensure that the field parameters have stabilized before sample collection. A well that goes dry before purging is completed is allowed to recover and is then sampled without purging within 24 hours. Table 3 (Appendix D) lists the amount of water purged from each of the wells. Wells that did not yield four well volumes prior to sampling are described below.

The 35 Aquifer Zone IIB₂ (Water Table) wells are FSB 76, 77, 78, 79, 87D, 88D, 89D, 90D, 91D, 92D, 93D, 94DR, 95DR, 97D, 98D, 99D, 104D, 105DR, 106D, 107D, 108D, 109D, 110D, 111D, 112D, 113D, 114D, 115D, 116D, 117D, 118D, 119D, 120D, 122D, and 123D (Figure 5, Appendix C). During second quarter 1992, wells FSB 90D, 93D, 97D, 108D, 109D, 116D, and 120D pumped dry before purging was completed. Well FSB 106D went dry after field analysis and did not yield enough water for complete laboratory analysis. Well FSB 79 could not be sampled because the pump has been removed.

The 31 Aquifer Zone IIB₁ (Barnwell/McBean) wells are FSB 76C, 78C, 79C, 87C, 88C, 89C, 90C, 91C, 93C, 94C, 95CR, 97C, 98C, 99C, 102C, 103C, 104C, 105C, 106C, 107C, 110C, 111C, 112C, 113C, 114C, 115C, 116C, 120C, 121C, 122C, and 123C (Figure 6, Appendix C). Wells FSB 78C, 91C, 94C, 113C, and 115C pumped dry during purging.

Eighteen wells monitor Aquifer Unit IIA (Congaree), 14 in the upper portion (wells FSB 76B, 78B, 79B, 87B, 96AR, 97A, 98AR, 99A, 100A, 101A, 112A, 113A, 114A, and 120A) and 4 in the lower portion (wells FSB 76A, 78A, 79A, and 87A) (Figures 7 and 8, Appendix C). Well FSB 97A could not be sampled because the pump is broken.

Samples from wells FSB 77, 78, 79, 79C, 87D, 89D, 91D, 92D, 93D, 94DR, 95DR, 97C, 97D, 98C, 98D, 104D, 105C, 105DR, 107D, 110D, 112D, 117D, and 119D had field pH values equal to or less than 4; samples from wells FSB 113A, 113C, 114A, and 120A had field pH values equal to or greater than 8.

Groundwater Monitoring Data

During second quarter 1992, samples from wells at the FASB were analyzed for indicator parameters, heavy metals, radionuclides, and other constituents. Monitoring results that exceeded the U.S. Environmental Protection Agency (EPA) Primary Drinking Water Standards (PDWS) (see Appendix A) or other SRS flagging criteria (see Appendix B) are discussed in this report.

In general, the flagging criteria established by the Environmental Monitoring Section of the Environmental Protection Department at SRS for identifying constituents in high concentrations in groundwater are as follows:

- Flag 2 criteria are based on the PDWS; for constituents that do not have a PDWS, Flag 2 criteria are based on the Secondary Drinking Water Standards (SDWS) or 10 times the method detection limits (MDL) as described in Appendix B. Constituent levels that equal or exceed Flag 2 criteria are described as *elevated*.
- Flag 1 criteria are based on half the PDWS; for constituents that do not have a PDWS, Flag 1 criteria are based on half the SDWS or 5 times the MDL as described in Appendix B. Flag 1 levels for a constituent may reflect analytical error or may indicate the initial detection of a constituent. Thus, constituents exceeding Flag 1 criteria are included in this report and are described as *slightly elevated*.
- Flag 0 criteria are based on constituent levels below Flag 1 criteria or below the sample detection limits.

Illustrations of the hydrostratigraphic units beneath the FASB at SRS (Figures 1 and 2); the monitored waste management unit (Figure 3); the individual monitoring wells (Figure 4); the monitoring wells in the different hydrostratigraphic zones and units (Figures 5 through 8); the lateral distributions of tritium, nitrate, gross alpha, nonvolatile beta, cadmium, lead, specific conductance, and pH (Figures 9 through 40); and the water-elevation contours of the different hydrostratigraphic zones and units and the groundwater flow directions (Figures 41 through 44) are in Appendix C. The monitoring results tables as well as analyses that exceeded holding times and PDWS are in Appendix D; time series plots of tritium, nitrate, and pH for selected wells are in Appendix E; and hydrographs are in Appendix F.

Analytical Results Exceeding Standards

Results for analytes that exceeded the PDWS (see Appendix A) during second quarter 1992 are summarized in Table 1 (Appendix D).

Twenty-seven of the 35 Aquifer Zone IIB₂ (Water Table) wells contained tritium, gross alpha, total alpha-emitting radium (radium-224 and radium-226), nitrate, nonvolatile beta, lead, cadmium, mercury, nickel, or tetrachloroethylene in levels that exceeded the PDWS. Tritium was elevated in 26 wells, with activities up to 3.0E+04 pCi/mL in well FSB 94DR; gross alpha was elevated in 22 wells, with activities up to 1.5E+03 pCi/L in well FSB105DR; total

alpha-emitting radium was elevated in 21 wells, with activities up to $2.9\text{E}+02$ pCi/L in well FSB105DR; nitrate was elevated in 20 wells, with concentrations up to 572,000 $\mu\text{g/L}$ in well FSB 95DR; and nonvolatile beta was elevated in 20 wells, with activities up to $4.2\text{E}+03$ pCi/L in well FSB112D. Lead and cadmium were elevated in 8 wells each, mercury in 4 wells, nickel in 2 wells, and tetrachloroethylene in 1 well.

Twenty-three of the 31 Aquifer Zone IIB₁ (Barnwell/McBean) wells contained levels of tritium, nitrate, nonvolatile beta, total alpha-emitting radium, gross alpha, cadmium, lead, or trichloroethylene that exceeded the PDWS. Tritium was elevated in 23 wells, with activities up to $1.2\text{E}+04$ pCi/mL in well FSB 94C; nitrate was elevated in 21 wells, with concentrations up to 288,000 $\mu\text{g/L}$ in well FSB 94C; nonvolatile beta was elevated in 17 wells, with activities up to $3.2\text{E}+03$ pCi/L in well FSB 79C; total alpha-emitting radium was elevated in 14 wells, with activities up to $1.6\text{E}+02$ pCi/L in well FSB105C; and gross alpha was elevated in 11 wells, with activities up to $5.4\text{E}+02$ pCi/L in well FSB 95CR. Cadmium was elevated in 6 wells, lead in 1 well, and trichloroethylene in 1 well.

Eight of the 14 wells that monitor the upper portion of Aquifer Unit IIA (Congaree) contained levels of tritium or radium-228 that exceeded the PDWS. Tritium was elevated in 7 wells, with activities up to $2.4\text{E}+02$ pCi/mL in well FSB 78B. Radium-228 was elevated only in well FSB 79B. None of the wells in the lower portion of this hydrostratigraphic unit contained elevated constituents.

During second quarter 1992, lead was elevated in 6 wells in Aquifer Zone IIB₂ (Water Table) (FSB 76, 77, 90D, 93D, 95DR, and 97D), and 1 well in Aquifer Zone IIB₁ (Barnwell/McBean) (FSB 78C). Lead was not elevated in Aquifer Unit IIA (Congaree) wells. Cadmium was elevated in 6 wells (FSB 78, 92D, 93D, 94DR, 99D, and 104D) in Aquifer Zone IIB₂ (Water Table) and in 6 wells (FSB 78C, 79C, 94C, 95CR, 106C, and 112C) in Aquifer Zone IIB₁ (Barnwell/McBean). Mercury was elevated in 4 wells (FSB 77, 79, 88D, and 94DR) in Aquifer Zone IIB₂ (Water Table) only.

Results for analytes that exceeded other SRS flagging criteria (see Appendix B) during second quarter 1992 are summarized in Table 2 (Appendix D). The results for all constituents are presented in Table 3 (Appendix D). Table 3 also identifies any constituent whose analysis exceeded the EPA-approved holding time.

The lateral distributions of tritium, nitrate, gross alpha, nonvolatile beta, lead, cadmium, specific conductance, and pH for Aquifer Zone IIB₂ (Water Table), Aquifer Zone IIB₁ (Barnwell/McBean), and Aquifer Unit IIA (Congaree) wells during second quarter 1992 are presented in Figures 9 through 40.

Tritium, Nitrate, and pH Time-Trend Data

Time series plots for tritium, nitrate, and pH from first quarter 1989 through second quarter 1992 for certain wells and well clusters at the FASB appear in Appendix E. The designations "Barnwell" and "McBean" used in Appendix E represent the upper and lower portions, respectively, of Aquifer Zone IIB₁ (Barnwell/McBean).

Tritium activities in wells FSB 76C, 78A, 79A, 79B, 87A, 88C, 96A and its replacement well FSB 96AR, 98A and its replacement well FSB 98AR, 108D, 111C, and 111D have been consistently near or below the PDWS since at least 1989. Most of the other wells shown in Appendix E exhibit tritium levels that have exceeded the PDWS since at least 1989. The time series plots for wells FSB 76, 78, 90D, 91D, 93D, 98D, 102C, 107D, 109D, and 110D show declining tritium levels with time; time series plots for wells FSB 99A, 100A, and 103C indicate increasing tritium levels. Data for wells FSB 106D, 117D, 118D, 119D, and 121C and for well clusters FSB 95, 96, 112, 113, 114, 115, 116, 120, 122, and 123 are not sufficient to detect long-term patterns. However, tritium results for wells FSB 113D, 118D, and 120D and well clusters FSB 96, 114, 115, 116, and 123 have been near or below the PDWS since these wells were first sampled in first quarter 1991. The time series plots for the remaining wells show no detectable long-term trends.

Nitrate concentrations in wells FSB 76A, 76B, 76C, 78A, 78B, 79A, 79B, 87A, 87B, 88C, 89C, 98A and its replacement well FSB 98AR, 99A, 99D, 100A, 101A, 107C, 108D, 109D, and 111C have been consistently near or below the PDWS since at least 1989. Most of the other wells illustrated in Appendix E have exhibited nitrate concentrations that have exceeded the PDWS since at least 1989. The time series plots for wells FSB 78, 88D, 89D, 90D, 91D, 93D, 102C, 104D, 109D, and 110D show declining nitrate concentrations over time; the time series plot for well FSB 100A indicates nitrate concentrations are increasing with time. Data for wells FSB 106D, 117D, 118D, 119D, and 121C and for well clusters FSB 95, 96, 112, 113, 114, 115, 116, 120, 122, and 123 are not sufficient to detect long-term patterns. However, nitrate concentrations for wells FSB 106D, 118D, 120A, 120D, 121C, and 122D and well clusters FSB 96, 113, 114, 115, 116, and 123 have been near or below the PDWS since these wells were first sampled in early 1991. The time series plots for the remaining wells in Appendix E show no detectable long-term trends.

Well clusters FSB 76, 88, 99, and 107; Aquifer Zone IIB₁ (Barnwell/McBean) wells FSB 102C and 103C; and Aquifer Unit IIA (Congaree) well FSB 96AR are used to characterize pH levels at specific locations at the FASB. The pH in well cluster FSB 76, which is upgradient of FASB, ranges from neutral to somewhat acidic. Well clusters FSB 88, 99, and 107, located near the edges of the basins at the FASB, show the following pH trends: the pH levels in well cluster FSB 88 have remained between approximately pH 4 and 6 since the first quarter of 1988; the pH levels in well cluster FSB 99 have ranged from about neutral in the Aquifer Unit IIA (Congaree) well to pH 4 to 5 in the Aquifer Zone IIB₂ (Water Table) well; the pH values in well cluster 107 have fluctuated around neutral in the Aquifer Zone IIB₁ (Barnwell/McBean) well and have ranged approximately between pH 3 and 4 in the Aquifer Zone IIB₂ (Water Table) well. The pH in Aquifer Unit IIA (Congaree) replacement well FSB 96AR, also located near the edge of the basins, has been near neutral since monitoring began in late 1990. The pH levels in Aquifer Zone IIB₁ (Barnwell/McBean) wells FSB 102C and 103C, located downgradient of the FASB, have demonstrated pH values of near pH 4 and pH 6, respectively.

Water Levels

Hydrographs showing the water elevations for certain wells and well clusters at the FASB over time are provided in Appendix F. The average water elevation in Aquifer Zone IIB₂ (Water Table) during second quarter 1992 was 211.10 ft msl. Compared to the average water elevation of 211.02 ft msl during first quarter 1992, the water level in this zone rose an average of 0.08 ft. The average water level in Aquifer Zone IIB₁ (Barnwell/McBean) during second quarter 1992 was 205.95 ft msl; compared to the first quarter 1992 average water elevation of 206.81 ft msl, the water level decreased an average of 0.86 ft. The average water level in the upper portion of Aquifer Unit IIA (Congaree) during second quarter 1992 was 153.61 ft msl. Compared to the first quarter 1992 water elevation of 153.62 ft msl, the water level fell an average of 0.01 ft. The average water level in the lower portion of Aquifer Unit IIA (Congaree) during second quarter 1992 was 156.50 ft msl; compared to the average water level of 156.56 ft msl during first quarter 1992, the water level fell an average of 0.06 ft.

A consistent vertical head relationship exists between the hydrologic zones and units monitored at the FASB. Flow potential is downward from Aquifer Zone IIB₂ (Water Table) to Aquifer Zone IIB₁ (Barnwell/McBean) and downward from Aquifer Zone IIB₁ (Barnwell/McBean) to Aquifer Unit IIA (Congaree). A head reversal exists between the lower and upper components of Aquifer Unit IIA (Congaree) at the FASB, which indicates the potential for upward flow within the aquifer. This vertical head relationship between the different monitored zones has remained essentially unchanged through the past several quarters.

Groundwater Flow Rates and Directions

Groundwater flow directions beneath the FASB in Aquifer Zone IIB₂ (Water Table), Aquifer Zone IIB₁ (Barnwell/McBean), and Aquifer Unit IIA (Congaree) have remained relatively unchanged by closure activities. Water-level maps (Figures 41 through 44, Appendix C) for the monitored water-bearing units illustrate these flow patterns. Flow directions in this report are presented according to SRS grid coordinates. Flow in Aquifer Zone IIB₂ (Water Table) and Aquifer Zone IIB₁ (Barnwell/McBean) is generally south toward Fourmile Branch. Flow in Aquifer Unit IIA (Congaree) is north-northwest in the upper portion and northwest in the lower toward Upper Three Runs Creek.

To estimate the maximum transport rate of any potential contamination originating from the FASB, the maximum horizontal flow rate of groundwater is estimated for each hydro-stratigraphic unit. Flow rate calculations are approximations based on inferred or estimated parameters. For this reason, estimations of flow rates should be considered accurate to an order of magnitude only. The groundwater flow rate estimations for Aquifer Zone IIB₂ (Water Table), Aquifer Zone IIB₁ (Barnwell/McBean), and Aquifer Unit IIA (Congaree) beneath the FASB are based on the following one-dimensional flow equation:

$$\text{Flow (ft/day)} = \frac{\text{Hydraulic Conductivity (ft/day)}}{\text{Porosity (unitless)}} \times \frac{dh \text{ (ft)}}{dl \text{ (ft)}}$$

The hydraulic conductivity (Kh) constant for Aquifer Zone IIB₂ (Water Table) is 10.0 ft/day. For Aquifer Zone IIB₁ (Barnwell/McBean), Kh = 10.4 ft/day; for Aquifer Unit IIA (Congaree), Kh = 65 ft/day (Geraghty & Miller, 1990). An effective porosity value of 20% is used for each

hydrostratigraphic unit (Jaegge et al., 1987). This value is a conservative assumption based on field and laboratory measurements of porosity. The gradient in each calculation represents the change in head (dh) divided by the horizontal distance (dl) along each plotted arrow. Flow rate estimates vary depending on the vertical gradient between wells, the size of the area under consideration, and the number of data points.

The groundwater flow rate in Aquifer Zone IIB₂ (Water Table) is estimated as follows (see Figure 41, Appendix C):

$$\frac{10}{0.20} \times \frac{10}{1690} = 0.39 \text{ ft/day}$$

$$0.39 \text{ ft/day} \times 365 \text{ days} = 140 \text{ ft/yr}$$

The groundwater flow rate in Aquifer Zone IIB₁ (Barnwell/McBean) is estimated as follows (see Figure 42, Appendix C):

$$\frac{10.4}{0.20} \times \frac{18}{1760} = 0.53 \text{ ft/day}$$

$$0.53 \text{ ft/day} \times 365 \text{ days} = 190 \text{ ft/yr}$$

The groundwater flow rate in the upper component of Aquifer Unit IIA (Congaree) is estimated as follows (see Figure 43, Appendix C):

$$\frac{65}{0.20} \times \frac{6}{1130} = 1.73 \text{ ft/day}$$

$$1.73 \text{ ft/day} \times 365 \text{ days} = 630 \text{ ft/yr}$$

The groundwater flow rate in the lower component of the Congaree is estimated as follows (see Figure 44, Appendix C):

$$\frac{65}{0.20} \times \frac{2}{640} = 1.02 \text{ ft/day}$$

$$1.02 \text{ ft/day} \times 365 \text{ days} = 370 \text{ ft/yr}$$

Upgradient Versus Downgradient Results

Groundwater flow in Aquifer Zone IIB₂ (Water Table) is south toward Fourmile Branch (see Figure 41, Appendix C). Wells 99D, 108D, and 109D are the designated upgradient wells for Aquifer Zone IIB₂ (Water Table) (see Figure 5, Appendix C). Although well FSB 76 lies upgradient of the facility, it does not represent "true" upgradient groundwater; this well is downgradient of a collapsed process sewer line that has contaminated the groundwater. Thus, well FSB 76 is not used in this report for downgradient comparisons. All remaining Aquifer Zone IIB₂ (Water Table) wells monitor downgradient water quality.

Groundwater flow in Aquifer Zone IIB₁ (Barnwell/McBean) is also south toward Fourmile Branch (see Figure 42, Appendix C). Well FSB 76C is the designated upgradient well for Aquifer Zone IIB₁ (Barnwell/McBean) (see Figure 6, Appendix C). All of the other Aquifer Zone IIB₁ (Barnwell/McBean) wells monitor groundwater downgradient of the basins.

Flow in the upper and lower portions of Aquifer Unit IIA (Congaree) is north-northwest and northwest, respectively, toward Upper Three Runs Creek (see Figures 43 and 44). Unlike the shallower water-bearing units, Aquifer Unit IIA (Congaree) is not incised by Fourmile Branch, but by Upper Three Runs Creek. Wells FSB 76B, 78B, 79B, 96AR, and 98AR are the designated upgradient wells for the upper component of Aquifer Unit IIA (Congaree) (see Figure 7, Appendix C). The designated upgradient well for the lower component of Aquifer Unit IIA (Congaree) is FSB 78A (see Figure 8, Appendix C).

One or more of 49 downgradient Aquifer Zone IIB₂ (Water Table) and Aquifer Zone IIB₁ (Barnwell/McBean) wells contained levels of tritium, gross alpha, total alpha-emitting radium, nitrate, nonvolatile beta, lead, cadmium, mercury, nickel, trichloroethylene, or tetrachloroethylene that exceeded the PDWS during second quarter 1992. Upgradient wells FSB 76C and 108D did not contain elevated levels of any of these constituents; however, upgradient wells FSB 99D and 109D exhibited tritium activities that exceeded the PDWS. Well FSB 99D also contained elevated cadmium.

Six downgradient wells in the upper portion of Aquifer Unit IIA (Congaree) contained elevated levels of tritium. Elevated tritium was not found in upgradient wells FSB 76B, 96AR, and 98AR; however, upgradient well FSB 78B exhibited elevated tritium, and upgradient well FSB 79B contained elevated radium-228. No constituents exceeded the PDWS in wells in the lower portion of Aquifer Unit IIA (Congaree).

Conclusions

The groundwater at the FASB contains elevated levels of low-level radionuclides and chemicals from 30 years of receiving contaminated wastewater from the F-Area Separations Facility. During second quarter 1992, tritium, gross alpha, total alpha-emitting radium, nitrate, nonvolatile beta, lead, cadmium, mercury, nickel, radium-228, trichloroethylene, or tetrachloroethylene exceeded the PDWS at one or more wells at the FASB.

As in previous quarters, tritium and nitrate were the primary constituents found in the groundwater at the FASB. Of the 84 groundwater monitoring wells, 56 (67%) exhibited tritium activities and 41 (49%) contained nitrate concentrations that exceeded the PDWS. These two constituents were found primarily in Aquifer Zone IIB₂ (Water Table) and Aquifer Zone IIB₁ (Barnwell/McBean), suggesting that the horizontal component of groundwater flow is dominant beneath this unit. However, tritium activities exceeding the PDWS occurred in 8 (44%) of the 18 Aquifer Unit IIA (Congaree) wells, indicating that vertical pathways into the deeper water-bearing units exist at the FASB. A current groundwater flow model for the General Separations Area indicates that the vertical component beneath this area is important (GeoTrans, Inc., 1992). The highest tritium activity occurred in Aquifer Zone IIB₂ (Water Table) well FSB 94DR (3.0E+04 pCi/mL). The highest nitrate concentration was found in Aquifer Zone IIB₂ (Water Table) well FSB 95DR (572,000 µg/L). Tritium and nitrate levels appear to be decreasing over time since closure of the FASB, at least in Aquifer Zone IIB₂ (Water Table).

Historically, lead, cadmium, and mercury have been the primary heavy metals exhibiting elevated concentrations at the FASB. During second quarter 1992, lead was elevated in 6 wells in Aquifer Zone IIB₂ (Water Table) (FSB 76, 77, 90D, 93D, 95DR, and 97D) and 1 well in Aquifer Zone IIB₁ (Barnwell/McBean) (FSB 78C). Cadmium was elevated in 6 wells (FSB 78, 92D, 93D, 94DR, 99D, and 104D) in Aquifer Zone IIB₂ (Water Table) and in 6 wells (FSB 78C, 79C, 94C, 95CR, 106C, and 112C) in Aquifer Zone IIB₁ (Barnwell/McBean). Mercury was elevated in 4 wells (FSB 77, 79, 88D, and 94DR) in Aquifer Zone IIB₂ (Water Table) only. Mercury concentrations in well FSB 89D, which has characteristically contained elevated levels of mercury, did not exceed PDWS during second quarter 1992.

Wells screened in clayey zones, as are some water-table wells at the FASB, seem to be associated with elevated levels of lead, cadmium, and mercury. This relationship may be the effect of low-pH water from the FASB leaching metals from the clays, or metal constituents may have become adsorbed to the clay particles over time and then released during sampling.

Concentrations of volatile organic compounds appear to be declining since closure of the FASB. Tetrachloroethylene exceeded the PDWS only in Aquifer Zone IIB₂ (Water Table) well FSB118D during second quarter 1992.

One or more of 49 downgradient Aquifer Zone IIB₂ (Water Table) and Aquifer Zone IIB₁ (Barnwell/McBean) wells contained levels of tritium, gross alpha, total alpha-emitting radium, nitrate, nonvolatile beta, lead, cadmium, mercury, nickel, trichloroethylene, or tetrachloroethylene that exceeded the PDWS during second quarter 1992. Upgradient wells FSB 76C

and 108D did not contain elevated levels of any of these constituents; however, upgradient wells FSB 99D and 109D exhibited tritium activities that exceeded the PDWS. Upgradient well FSB 99D also contained elevated cadmium. Generally, elevated levels of constituents found in downgradient wells but not in upgradient wells at a waste management unit are considered products of the waste management unit.

Estimated flow rates during second quarter 1992 were approximately 140, 190, 630, and 370 ft/yr in Aquifer Zone IIB₂ (Water Table), Aquifer Zone IIB₁ (Barnwell/McBean), the upper portion of Aquifer Unit IIA (Congaree), and the lower portion of Aquifer Unit IIA (Congaree), respectively.

Six downgradient wells in the upper portion of Aquifer Unit IIA (Congaree) contained elevated levels of tritium. Elevated tritium was not found in upgradient wells FSB 76B, 96AR, and 98AR; however, upgradient well FSB 78B exhibited elevated tritium, and upgradient well FSB 79B contained elevated radium-228. No constituents exceeded the PDWS in wells in the lower portion of Aquifer Unit IIA (Congaree).

Errata

Fourth Quarter 1991 and 1991 Summary:

- Page 6, Integrity of the Monitoring Well Network, paragraph 3, line 3: Table 3 (Appendix D) does not list the amount of water purged from each of the wells.
- Page 10, Water Levels, paragraph 1, line 4: The measurement 0.17 ft should be "0.16 ft."

First Quarter 1992:

- Page 1, paragraph 1, line 6; page 3, paragraph 3, line 8: The December 1990 Part B Post-Closure Care Permit Application is no longer the active document. This statement should identify the revised permit application submitted March 13, 1992.
- Page 1, paragraph 2, line 7: The statement referring to Administrative Consent Order 85-70-SW should be corrected to indicate that the first, second, and third quarters are submitted to SCDHEC 90 days after the end of each quarter as required by Administrative Consent Order 85-70-SW (as amended in 1988). The fourth quarter report, which includes the annual report, is submitted to SCDHEC 90 days after the end of the quarter as negotiated by SCDHEC with EPA.
- Page 5, paragraph 4, line 1: The number of wells in the groundwater monitoring network in Aquifer Zone IIB₂ (Water Table) is incorrectly stated as 36. The correct number is 35.
- Page 5, paragraph 4, lines 3 and 4: Well FSB121DR is incorrectly listed as part of the groundwater monitoring network in Aquifer Zone IIB₂ (Water Table). Well FSB121DR is scheduled for sampling the first time third quarter 1992; only wells scheduled for sampling are considered part of the network.
- Page 5, paragraph 5, line 1: The number of wells in the groundwater monitoring network in Aquifer Zone IIB₁ (Barnwell/McBean) is incorrectly stated as 32. The correct number is 31.
- Page 5, paragraph 5, lines 2, 4, and 5: Well FSB 92C is incorrectly listed as part of the groundwater monitoring network in Aquifer Zone IIB₁ (Barnwell/McBean). Well FSB 92C has not been scheduled for sampling since mid-1991.
- Page 10, Upgradient Versus Downgradient Results, paragraph 3, line 6: The statement concerning upgradient wells in the lower component of Aquifer Unit IIA (Congaree) incorrectly identifies wells FSB 79A as an upgradient well. Well FSB 78A is the only designated upgradient well in this hydrostratigraphic unit.
- Page C-14: The 5,000 pCi/mL contour is missing from the map.

References Cited

Aadland, R. K., and H. W. Bledsoe, 1990. **Classification of Hydrostratigraphic Units at the Savannah River Site, South Carolina**, WSRC-RP-90-987. Westinghouse Savannah River Company, Savannah River Site, Aiken, SC.

Aucott, W. R., M. E. Davis and G. K. Speiran, 1987. **Geohydrologic Framework of the Coastal Plain Aquifers of South Carolina**, U.S. Geological Survey Water-Resources Investigations Report 85-4271.

DuPont (E. I. du Pont de Nemours & Company), 1989. **Final Safety Analysis Report of the Defense Waste Processing Facility**, DPSTSA-200-10. Savannah River Plant, Aiken, SC.

GeoTrans, Inc., 1988. **A Numerical Model of the Hydrogeological System Underlying the Savannah River Plant**, Final Report submitted to Savannah River Laboratory.

GeoTrans, Inc., 1992. **Groundwater Flow Model for the General Separations Area, Savannah River Site**. Prepared for Westinghouse Savannah River Company, Environmental Restoration Department, Savannah River Site, Aiken, SC.

Geraghty & Miller, Inc., 1990. **Evaluation of Integrated Waste Facility Closure Capping on Ground-Water Flow and Solute Transport in General Separations Area, Savannah River Site: Flow Model and Particle-Tracking Analysis, Final Report**. Prepared by Geraghty & Miller Modeling Group for Westinghouse Savannah River Company, Waste Management Technology, Savannah River Site, Aiken, SC.

Heffner, J. D., and Exploration Resources, Inc., 1991. **Technical Summary of Groundwater Quality Protection Program at the Savannah River Site (1952-1986), Volume I—Site Geohydrology and Waste Sites**, DPSP-88-1002. Westinghouse Savannah River Company, Aiken, SC.

Jaegge, W. J., N. L. Kolb, B. B. Looney, I. W. Marine, O. A. Towler, and J. R. Cook, 1987. **Radioactive Waste Burial Grounds**, DPST-85-694. Savannah River Laboratory, E. I. du Pont de Nemours & Company, Aiken, SC.

SCDHEC (South Carolina Department of Health and Environmental Control), 1990. **South Carolina Hazardous Waste Management Regulations**; R.61-79.124, .260 through .266, .268, and .270; November 1990. Columbia, SC.

Siple, G. E., 1967. **Geology and Ground Water of the Savannah River Plant and Vicinity, South Carolina**. Geological Survey Water-Supply Paper 1841, Reston, VA.

WSRC (Westinghouse Savannah River Company), 1990. **Application for a Hazardous Waste Part B Post-Closure Care Permit. Volume IV. F-Area Hazardous Waste Management Facility.** Revision 2, December 3, 1990. Savannah River Site, Aiken, SC.

WSRC (Westinghouse Savannah River Company), 1992. **Application for a Hazardous Waste Part B Post-Closure Care Permit. Volume IV. F-Area Hazardous Waste Management Facility.** Revision 5, March 13, 1992. Savannah River Site, Aiken, SC.

Appendix A – Primary Drinking Water Standards

Primary Drinking Water Standards

Analyte	Unit	Level	Status	Reference
Americium-241	pCi/L	6.34E+00	Proposed	EPA, 1991
Americium-243	pCi/L	6.37E+00	Proposed	EPA, 1991
Antimony	µg/L	5 ^a	Proposed	EPA, 1990
Antimony-125	pCi/L	3E+02	Final	EPA, 1977
Arsenic	µg/L	50	Final	CFR, 1991
Barium	µg/L	2,000	Final	CFR, 1991
Barium-140	pCi/L	9E+01	Final	EPA, 1977
Benzene	µg/L	5	Final	CFR, 1991
Benzo[a]anthracene	µg/L	0.1	Proposed	EPA, 1990
Benzo[b]fluoranthene	µg/L	0.2	Proposed	EPA, 1990
Benzo[k]fluoranthene	µg/L	0.2	Proposed	EPA, 1990
Benzo[a]pyrene	µg/L	0.2	Proposed	EPA, 1990
Beryllium	µg/L	1	Proposed	EPA, 1990
Beryllium-7	pCi/L	6E+03	Final	EPA, 1977
Bromodichloromethane	µg/L	100	Final	CFR, 1991
Bromoform	µg/L	100	Final	CFR, 1991
2-sec-Butyl-4,6-dinitrophenol (Dinoseb)	µg/L	7	Proposed	EPA, 1990
Cadmium	µg/L	5	Final	CFR, 1991
Carbon-14	pCi/L	2E+03	Final	EPA, 1977
Carbon tetrachloride	µg/L	5	Final	CFR, 1991
Cerium-141	pCi/L	3E+02	Final	EPA, 1977
Cerium-144	pCi/L	2.61E+02	Proposed	EPA, 1991
Cesium-134	pCi/L	8.13E+02 ^b	Proposed	EPA, 1991
Cesium-137	pCi/L	2E+02	Final	EPA, 1977
Chlordane	µg/L	2	Final	CFR, 1991
Chloroethene (Vinyl chloride)	µg/L	2	Final	CFR, 1991
Chloroform	µg/L	100	Final	CFR, 1991
Chromium	µg/L	100	Final	CFR, 1991
Chromium-51	pCi/L	6E+03	Final	EPA, 1977
Chrysene	µg/L	0.2	Proposed	EPA, 1990
Cobalt-57	pCi/L	1E+03	Final	EPA, 1977
Cobalt-58	pCi/L	9E+03	Final	EPA, 1977
Cobalt-60	pCi/L	1E+02	Final	EPA, 1977
Copper	µg/L	1,300	Final	CFR, 1991
Curium-242	pCi/L	1.33E+02	Proposed	EPA, 1991
Curium-243	pCi/L	8.3E+00	Proposed	EPA, 1991
Curium-244	pCi/L	9.84E+00	Proposed	EPA, 1991
Curium-246	pCi/L	6.27E+00	Proposed	EPA, 1991
Cyanide	µg/L	200	Proposed	EPA, 1990
Dibenz[a,h]anthracene	µg/L	0.3	Proposed	EPA, 1990
Dibromochloromethane	µg/L	100	Final	CFR, 1991
Dibromochloropropane	µg/L	0.2	Final	CFR, 1991
1,2-Dichlorobenzene	µg/L	600	Final	CFR, 1991
1,4-Dichlorobenzene	µg/L	75	Final	CFR, 1991
1,2-Dichloroethane	µg/L	5	Final	CFR, 1991
1,1-Dichloroethylene	µg/L	7	Final	CFR, 1991
cis-1,2-Dichloroethylene	µg/L	70	Final	CFR, 1991
trans-1,2-Dichloroethylene	µg/L	100	Final	CFR, 1991
Dichloromethane (Methylene chloride)	µg/L	5	Proposed	EPA, 1990
2,4-Dichlorophenoxyacetic acid	µg/L	70	Final	CFR, 1991
1,2-Dichloropropane	µg/L	5	Final	CFR, 1991
Endrin	µg/L	0.2	Final	CFR, 1991
Ethylbenzene	µg/L	700	Final	CFR, 1991
Europium-154	pCi/L	2E+02	Final	EPA, 1977

<u>Analyte</u>	<u>Unit</u>	<u>Level</u>	<u>Status</u>	<u>Reference</u>
Europium-155	pCi/L	6E+02	Final	EPA, 1977
Fluoride	µg/L	4,000	Final	CFR, 1991
Gross alpha ^c	pCi/L	1.5E+01	Final	CFR, 1991
Heptachlor	µg/L	0.4	Final	CFR, 1991
Heptachlor epoxide	µg/L	0.2	Final	CFR, 1991
Hexachlorobenzene	µg/L	1	Proposed	EPA, 1990
Hexachlorocyclopentadiene	µg/L	50	Proposed	EPA, 1990
Iodine-129	pCi/L	1E+00	Final	EPA, 1977
Iodine-131	pCi/L	3E+00	Final	EPA, 1977
Iron-55	pCi/L	2E+03	Final	EPA, 1977
Iron-59	pCi/L	2E+02	Final	EPA, 1977
Lanthanum-140	pCi/L	6E+01	Final	EPA, 1977
Lead	µg/L	15	Final	CFR, 1991
Lindane	µg/L	0.2	Final	CFR, 1991
Manganese-54	pCi/L	3E+02	Final	EPA, 1977
Mercury	µg/L	2	Final	CFR, 1991
Methoxychlor	µg/L	40	Final	CFR, 1991
Neptunium-237	pCi/L	7.06E+00	Proposed	EPA, 1991
Nickel	µg/L	100	Proposed	EPA, 1990
Nickel-59	pCi/L	3E+02	Final	EPA, 1977
Nickel-63	pCi/L	5E+01	Final	EPA, 1977
Niobium-95	pCi/L	3E+02	Final	EPA, 1977
Nitrate as nitrogen	µg/L	10,000	Final	CFR, 1991
Nitrite as nitrogen	µg/L	1,000	Final	CFR, 1991
Nonvolatile beta	pCi/L	5E+01	Proposed	EPA, 1986
PCBs ^d	µg/L	0.5	Final	CFR, 1991
Pentachlorophenol	µg/L	1	Final	CFR, 1991
Plutonium-238	pCi/L	7.02E+00	Proposed	EPA, 1991
Plutonium-239	pCi/L	6.21E+01	Proposed	EPA, 1991
Plutonium-239/240 ^e	pCi/L	6.21E+01	Proposed	EPA, 1991
Plutonium-240	pCi/L	6.22E+01	Proposed	EPA, 1991
Plutonium-241	pCi/L	6.26E+01	Proposed	EPA, 1991
Plutonium-242	pCi/L	6.54E+01	Proposed	EPA, 1991
Potassium-40	pCi/L	3E+02	Proposed	EPA, 1986
Radium-226	pCi/L	1.57E+01	Proposed	EPA, 1991
Radium-228	pCi/L	7.85E+00	Proposed	EPA, 1991
Radon-222	pCi/L	3E+02	Proposed	EPA, 1991
Ruthenium-103	pCi/L	2E+02	Final	EPA, 1977
Ruthenium-106	pCi/L	3E+01	Final	EPA, 1977
Selenium	µg/L	50	Final	CFR, 1991
Silver	µg/L	50	Final	CFR, 1991
Sodium-22	pCi/L	4.66E+02	Proposed	EPA, 1991
Strontium-89	pCi/L	2E+01 ^f	Final	EPA, 1977
Strontium-89/90 ^e	pCi/L	8E+00	Final	CFR, 1991
Strontium-90	pCi/L	8E+00	Final	CFR, 1991
Styrene	µg/L	100	Final	CFR, 1991
Sulfate	µg/L	400,000 ^a	Proposed	EPA, 1990
Technetium-99	pCi/L	9E+02	Final	EPA, 1977
Tetrachloroethylene	µg/L	5	Final	CFR, 1991
Thallium	µg/L	1	Proposed	EPA, 1990
Thorium-228	pCi/L	1.25E+02	Proposed	EPA, 1991
Thorium-230	pCi/L	7.92E+01	Proposed	EPA, 1991
Thorium-232	pCi/L	8.8E+01	Proposed	EPA, 1991
Thorium-234	pCi/L	4.01E+02	Proposed	EPA, 1991
Tin-113	pCi/L	3E+02	Final	EPA, 1977
Toluene	µg/L	1,000	Final	CFR, 1991

<u>Analyte</u>	<u>Unit</u>	<u>Level</u>	<u>Status</u>	<u>Reference</u>
Total radium	pCi/L	5E+00	Final	CFR, 1991
Total trihalomethanes	µg/L	100	Final	CFR, 1991
Toxaphene	µg/L	3	Final	CFR, 1991
2,4,5-TP (Silvex)	µg/L	50	Final	CFR, 1991
1,2,4-Trichlorobenzene	µg/L	9	Proposed	EPA, 1990
1,1,1-Trichloroethane	µg/L	200	Final	CFR, 1991
1,1,2-Trichloroethane	µg/L	5	Proposed	EPA, 1990
Trichloroethylene	µg/L	5	Final	CFR, 1991
Tritium	pCi/mL	2E+01	Final	CFR, 1991
Uranium	µg/L	20	Proposed	EPA, 1991
Uranium alpha activity	pCi/L	3E+01	Proposed	EPA, 1991
Uranium-233/234 ^a	pCi/L	1.38E+01	Proposed	EPA, 1991
Uranium-234	pCi/L	1.39E+01	Proposed	EPA, 1991
Uranium-235	pCi/L	1.45E+01	Proposed	EPA, 1991
Uranium-238	pCi/L	1.46E+01	Proposed	EPA, 1991
Xylenes	µg/L	10,000	Final	CFR, 1991
Zinc-65	pCi/L	3E+02	Final	EPA, 1977
Zirconium-95	pCi/L	2E+02	Final	EPA, 1977
Zirconium/Niobium-95 ^e	pCi/L	2E+02	Final	EPA, 1977

Note: Drinking water standards set by EPA (1977) correspond to the level at which each radionuclide contributes 4 mrem/yr of dose to an individual consuming 2 L of contaminated liquid a day. See EPA (1977) for details.

- ^a This value is the lower of two proposed levels.
- ^b EPD/EMS uses the proposed standard because it is a lower value; the final PDWS in 1977 may have been in error.
- ^c The standard given is for gross alpha including radium-226 but excluding radon and uranium.
- ^d Analyses were conducted in 1992 for the following: PCB 1016, PCB 1221, PCB 1232, PCB 1242, PCB 1248, PCB 1254, and PCB 1260.
- ^e For double radionuclide analyses where each separate radionuclide has its own standard, the more stringent standard is used.
- ^f This value is the lower of two levels given for strontium-89.

References

CFR (Code of Federal Regulations), 1991. *National Primary Drinking Water Regulations*, 40 CFR, Part 141, pp. 578-715. Washington, DC.

EPA (U.S. Environmental Protection Agency), 1977. *National Interim Primary Drinking Water Regulations*, EPA-570/9-76-003. Washington, DC.

EPA (U.S. Environmental Protection Agency), 1986. *Water Pollution Control; National Primary Drinking Water Regulations, Radionuclides (Proposed)*, *Federal Register*, September 30, 1986, pp. 34835-34862. Washington, DC.

EPA (U.S. Environmental Protection Agency), 1990. *National Primary and Secondary Drinking Water Regulations; Synthetic Organic Chemicals and Inorganic Chemicals; Proposed Rule*, *Federal Register*, July 25, 1990, pp. 30369-30448. Washington, DC.

EPA (U.S. Environmental Protection Agency), 1991. *National Primary Drinking Water Regulations; Radionuclides; Proposed Rule*, *Federal Register*, July 18, 1991, pp. 33052-33127. Washington, DC.

Appendix B – Flagging Criteria

Flagging Criteria

Beginning in 1991, the Environmental Monitoring Section of the Environmental Protection Department (EPD/EMS) modified its guidelines for flagging constituents in the Groundwater Monitoring Program. These flagging criteria are as follows:

- Flag 2 criteria for constituents equal the U.S. Environmental Protection Agency (EPA) Primary Drinking Water Standard, the EPA proposed Primary Drinking Water Standard, or the EPA Secondary Drinking Water Standard. If a constituent does not have a drinking water standard, the Flag 2 criterion equals 10 times the method detection limit (MDL) calculated as the 90th percentile detection limit obtained recently by one of the primary analytical laboratories.
- Flag 1 criteria for constituents equal one-half of the EPA Primary Drinking Water Standard, one-half the EPA proposed Primary Drinking Water Standard, or one-half the EPA Secondary Drinking Water Standard. If a constituent does not have an EPA drinking water standard, the Flag 1 criterion equals 5 times the MDL calculated as the 90th percentile detection limit obtained recently by one of the primary analytical laboratories.
- Analytical results for constituents below Flag 1 or below sample detection limits are classified as Flag 0.

The following parameters are not assigned flagging criteria: alkalinity, calcium, carbonate, color, corrosivity, magnesium, odor, potassium, Eh, silica, sodium, total dissolved solids, total phosphorus, total phosphates (as P), and turbidity. In addition, common laboratory contaminants and cleaners including phthalates, methylene chloride, ketones, and toluene are not assigned flagging criteria.

Analyte	Unit	Flag 1	Flag 2	Source
Acenaphthene	µg/L	50	100	EPA Method 8270
Acenaphthylene	µg/L	50	100	EPA Method 8270
Acetone	µg/L	50	100	EPA Method 8240
Acetonitrile (Methyl cyanide)	µg/L	500	1,000	EPA Method 8240
Acetophenone	µg/L	50	100	EPA Method 8270
2-Acetylaminofluorene	µg/L	50	100	EPA Method 8270
Acrolein	µg/L	100	200	EPA Method 8240
Acrylonitrile	µg/L	100	200	EPA Method 8240
Aldrin	µg/L	2.5	5	EPA Method 8080
Alkalinity (as CaCO ₃)		No flag	No flag	Set by EPD/EMS
Allyl chloride	µg/L	250	500	EPA Method 8240
Aluminum	µg/L	100	200	EPA Method 6010
Americium-241	pCi/L	3.17E+00	6.34E+00	Proposed DWS (EPA, 1991)
Americium-243	pCi/L	3.19E+00	6.37E+00	Proposed DWS (EPA, 1991)
4-Aminobiphenyl	µg/L	50	100	EPA Method 8270
Ammonia	µg/L	500	1,000	APHA Method 417B
Ammonia nitrogen	µg/L	50	100	EPA Method 350.1
Aniline	µg/L	50	100	EPA Method 8270
Anthracene	µg/L	50	100	EPA Method 8270
Antimony	µg/L	2.5	5	Proposed DWS (EPA, 1990)
Antimony-125	pCi/L	1.5E+02	3E+02	Final DWS (EPA, 1977)

Analyte	Unit	Flag 1	Flag 2	Source
Aramite	µg/L	50	100	EPA Method 8270
Arsenic	µg/L	25	50	Final DWS (CFR, 1991a)
Azobenzene	µg/L	50	100	EPA Method 625
Barium	µg/L	1,000	2,000	Final DWS (CFR, 1991a)
Barium-140	pCi/L	4.5E+01	9E+01	Final DWS (EPA, 1977)
Benzene	µg/L	2.5	5	Final DWS (CFR, 1991a)
alpha-Benzene hexachloride	µg/L	2.5	5	EPA Method 8080
beta-Benzene hexachloride	µg/L	2.5	5	EPA Method 8080
delta-Benzene hexachloride	µg/L	2.5	5	EPA Method 8080
Benidine	µg/L	250	500	EPA Method 8270
Benzo[a]anthracene	µg/L	0.05	0.1	Proposed DWS (EPA, 1990)
Benzo[b]fluoranthene	µg/L	0.1	0.2	Proposed DWS (EPA, 1990)
Benzo[k]fluoranthene	µg/L	0.1	0.2	Proposed DWS (EPA, 1990)
Benzo[g,h,i]perylene	µg/L	50	100	EPA Method 8270
Benzo[a]pyrene	µg/L	0.1	0.2	Proposed DWS (EPA, 1990)
Benzoic acid	µg/L	250	500	EPA Method 8270
1,4-Benzoquinone	µg/L	50	100	EPA Method 8270
Benzyl alcohol	µg/L	100	200	EPA Method 8270
Beryllium	µg/L	0.5	1	Proposed DWS (EPA, 1990)
Beryllium-7	pCi/L	3E+03	6E+03	Final DWS (EPA, 1977)
Bis(2-chloroethoxy) methane	µg/L	50	100	EPA Method 8270
Bis(2-chloroethyl) ether	µg/L	50	100	EPA Method 8270
Bis(2-chloroisopropyl) ether	µg/L	50	100	EPA Method 8270
Bis(chloromethyl) ether	µg/L	50	100	EPA Method 8270
Bis(chloromethyl-ethyl) ether	µg/L	50	100	EPA Method 8270
Bis(2-ethylhexyl) phthalate		No flag	No flag	Set by EPD/EMS
Bromide	µg/L	5,000	10,000	EPA Method 300.0
Bromodichloromethane	µg/L	50	100	Final DWS (CFR, 1991a)
Bromoform	µg/L	50	100	Final DWS (CFR, 1991a)
Bromomethane (Methyl bromide)	µg/L	5	10	EPA Method 8240
4-Bromophenyl phenyl ether	µg/L	50	100	EPA Method 8270
2-sec-Butyl-4,6-dinitrophenol	µg/L	3.5	7	Proposed DWS (EPA, 1990)
Butylbenzyl phthalate		No flag	No flag	Set by EPD/EMS
Cadmium	µg/L	2.5	5	Final DWS (CFR, 1991a)
Calcium		No flag	No flag	Set by EPD/EMS
Carbon disulfide	µg/L	5	10	EPA Method 8240
Carbon tetrachloride	µg/L	2.5	5	Final DWS (CFR, 1991a)
Carbon-14	pCi/L	1E+03	2E+03	Final DWS (EPA, 1977)
Carbonate	µg/L	500	1,000	EPA Method 310.1
Cerium-141	pCi/L	1.5E+02	3E+02	Final DWS (EPA, 1977)
Cerium-144	pCi/L	1.31E+02	2.61E+02	Proposed DWS (EPA, 1991)
Cesium-134	pCi/L	4.07E+01	8.13E+01	Proposed DWS (EPA, 1991)
Cesium-137	pCi/L	1E+02	2E+02	Final DWS (EPA, 1977)
Chlordane	µg/L	1	2	Final DWS (CFR, 1991a)
Chloride	µg/L	125,000	250,000	Secondary DWS (CFR, 1991b)
4-Chloroaniline	µg/L	50	100	EPA Method 8270
Chlorobenzene	µg/L	5	10	EPA Method 8240
Chlorobenzilate	µg/L	50	100	EPA Method 8270
Chloroethane	µg/L	5	10	EPA Method 8240
Chloroethene (Vinyl chloride)	µg/L	1	2	Final DWS (CFR, 1991a)
Chloroethyl vinyl ether	µg/L	5	10	EPA Method 8240
2-Chloroethyl vinyl ether	µg/L	5	10	EPA Method 8240
Chloroform	µg/L	50	100	Final DWS (CFR, 1991a)
para-Chloro-meta-cresol	µg/L	50	100	EPA Method 8270
Chloromethane (Methyl chloride)	µg/L	5	10	EPA Method 8240
2-Chloronaphthalene	µg/L	50	100	EPA Method 8240

Analyte	Unit	Flag 1	Flag 2	Source
2-Chlorophenol	µg/L	50	100	EPA Method 8270
4-Chlorophenyl phenyl ether	µg/L	50	100	EPA Method 8270
Chloroprene	µg/L	1,000	2,000	EPA Method 8240
Chromium	µg/L	50	100	Final DWS (CFR, 1991a)
Chromium-51	pCi/L	3E+03	6E+03	Final DWS (EPA, 1977)
Chrysene	µg/L	0.1	0.2	Proposed DWS (EPA, 1990)
Cobalt	µg/L	20	40	EPA Method 6010
Cobalt-57	pCi/L	5E+02	1E+03	Final DWS (EPA, 1977)
Cobalt-58	pCi/L	4.5E+03	9E+03	Final DWS (EPA, 1977)
Cobalt-60	pCi/L	5E+01	1E+02	Final DWS (EPA, 1977)
Color		No flag	No flag	Set by EPD/EMS
Copper	µg/L	650	1,300	Final DWS (CFR, 1991a)
Corrosivity		No flag	No flag	Set by EPD/EMS
m-Cresol (3-Methylphenol)	µg/L	50	100	EPA Method 8270
o-Cresol (2-Methylphenol)	µg/L	50	100	EPA Method 8270
p-Cresol (4-Methylphenol)	µg/L	50	100	EPA Method 8270
Curium-242	pCi/L	6.65E+01	1.33E+02	Proposed DWS (EPA, 1991)
Curium-243	pCi/L	4.15E+00	8.3E+00	Proposed DWS (EPA, 1991)
Curium-244	pCi/L	4.92E+00	9.84E+00	Proposed DWS (EPA, 1991)
Curium-246	pCi/L	3.14E+00	6.27E+00	Proposed DWS (EPA, 1991)
Cyanide	µg/L	100	200	Proposed DWS (EPA, 1990)
p,p'-DDD	µg/L	2.5	5	EPA Method 8080
p,p'-DDE	µg/L	2.5	5	EPA Method 8080
p,p'-DDT	µg/L	2.5	5	EPA Method 8080
Di-n-butyl phthalate		No flag	No flag	Set by EPD/EMS
Di-n-octyl phthalate		No flag	No flag	Set by EPD/EMS
Diallate	µg/L	50	100	EPA Method 8270
Dibenz[a,h]anthracene	µg/L	0.15	0.3	Proposed DWS (EPA, 1990)
Dibenzofuran	µg/L	50	100	EPA Method 8270
Dibromochloromethane	µg/L	50	100	Final DWS (CFR, 1991a)
Dibromochloropropane	µg/L	0.1	0.2	Final DWS (CFR, 1991a)
1,2-Dibromo-3-chloropropane	µg/L	250	500	EPA Method 8240
1,2-Dibromoethane	µg/L	100	200	EPA Method 8240
Dibromomethane				
(Methylene bromide)	µg/L	5	10	EPA Method 8240
1,2-Dichlorobenzene	µg/L	300	600	Final DWS (CFR, 1991a)
1,3-Dichlorobenzene	µg/L	50	100	EPA Method 8270
1,4-Dichlorobenzene	µg/L	37.5	75	Final DWS (CFR, 1991a)
3,3'-Dichlorobenzidine	µg/L	50	100	EPA Method 8270
trans-1,4-Dichloro-2-butene	µg/L	150	300	EPA Method 8240
Dichlorodifluoromethane	µg/L	5	10	EPA Method 8240
1,1-Dichloroethane	µg/L	5	10	EPA Method 8240
1,2-Dichloroethane	µg/L	2.5	5	Final DWS (CFR, 1991a)
cis-1,2-Dichloroethene	µg/L	35	70	Final DWS (CFR, 1991a)
1,1-Dichloroethylene	µg/L	3.5	7	Final DWS (CFR, 1991a)
1,2-Dichloroethylene	µg/L	25	50	EPA Method 8240
trans-1,2-Dichloroethylene	µg/L	50	100	Final DWS (CFR, 1991a)
Dichloromethane				
(Methylene chloride)		No flag	No flag	Set by EPD/EMS
2,4-Dichlorophenol	µg/L	50	100	EPA Method 8270
2,6-Dichlorophenol	µg/L	50	100	EPA Method 8270
2,4-Dichlorophenoxyacetic acid	µg/L	35	70	Final DWS (CFR, 1991a)
1,2-Dichloropropane	µg/L	2.5	5	Final DWS (CFR, 1991a)
cis-1,3-Dichloropropene	µg/L	5	10	EPA Method 8240
trans-1,3-Dichloropropene	µg/L	5	10	EPA Method 8240
Dieldrin	µg/L	2.5	5	EPA Method 8080

Analyte	Unit	Flag 1	Flag 2	Source
Diethyl phthalate		No flag	No flag	Set by EPD/EMS
Dimethoate	µg/L	50	100	EPA Method 8270
p-Dimethylaminoazobenzene	µg/L	50	100	EPA Method 8270
p-(Dimethylamino)ethylbenzene	µg/L	50	100	EPA Method 8270
7,12-Dimethylbenz[a]anthracene	µg/L	50	100	EPA Method 8270
3,3'-Dimethylbenzidine	µg/L	50	100	EPA Method 8270
a,a-Dimethylphenethylamine	µg/L	50	100	EPA Method 8270
2,4-Dimethyl phenol	µg/L	50	100	EPA Method 8270
Dimethyl phthalate		No flag	No flag	Set by EPD/EMS
1,3-Dinitrobenzene	µg/L	50	100	EPA Method 8270
4,6-Dinitro-ortho-cresol	µg/L	250	500	EPA Method 8270
2,4-Dinitrophenol	µg/L	250	500	EPA Method 8270
2,4-Dinitrotoluene	µg/L	50	100	EPA Method 8270
2,6-Dinitrotoluene	µg/L	50	100	EPA Method 8270
1,4-Dioxane	µg/L	50	100	EPA Method 8270
Diphenylamine	µg/L	50	100	EPA Method 8270
1,2-Diphenylhydrazine	µg/L	50	100	EPA Method 8270
Dissolved organic carbon	µg/L	5,000	10,000	EPA Method 9060
Disulfoton	µg/L	50	100	EPA Method 8270
Eh		No flag	No flag	Set by EPD/EMS
alpha-Endosulfan	µg/L	50	100	EPA Method 8270
beta-Endosulfan	µg/L	50	100	EPA Method 8270
Endosulfan I	µg/L	2.5	5	EPA Method 8080
Endosulfan II	µg/L	2.5	5	EPA Method 8080
Endosulfan sulfate	µg/L	2.5	5	EPA Method 8080
Endrin	µg/L	0.1	0.2	Final DWS (CFR, 1991a)
Endrin aldehyde	µg/L	2.5	5	EPA Method 8080
Endrin ketone		No flag	No flag	Set by EPD/EMS
Ethyl methacrylate	µg/L	50	100	EPA Method 8270
Ethyl methanesulfonate	µg/L	50	100	EPA Method 8270
Ethylbenzene	µg/L	350	700	Final DWS (CFR, 1991a)
Europium-154	pCi/L	1E+02	2E+02	Final DWS (EPA, 1977)
Europium-155	pCi/L	3E+02	6E+02	Final DWS (EPA, 1977)
Famphur	µg/L	50	100	EPA Method 8270
Fluoranthene	µg/L	50	100	EPA Method 8270
Fluorene	µg/L	50	100	EPA Method 8270
Fluoride	µg/L	2,000	4,000	Final DWS (CFR, 1991a)
Gross alpha	pCi/L	7.5E+00	1.5E+01	Final DWS (CFR, 1991a)
Heptachlor	µg/L	0.2	0.4	Final DWS (CFR, 1991a)
Heptachlor epoxide	µg/L	0.1	0.2	Final DWS (CFR, 1991a)
Heptachlorodibenzo-p-dioxin isomers	µg/L	0.00325	0.0065	EPA Method 8280
1,2,3,4,6,7,8-Heptachlorodibenzo-p-dioxin	µg/L	0.00325	0.0065	EPA Method 8280
Heptachlorodibenzo-p-furan isomers	µg/L	0.00225	0.0045	EPA Method 8280
1,2,3,4,6,7,8-Heptachlorodibenzo-p-furan	µg/L	0.00225	0.0045	EPA Method 8280
Hexachlorobenzene	µg/L	0.5	1	Proposed DWS (EPA, 1990)
Hexachlorobutadiene	µg/L	50	100	EPA Method 8270
Hexachlorocyclopentadiene	µg/L	25	50	Proposed DWS (EPA, 1990)
Hexachlorodibenzo-p-dioxin isomers	µg/L	0.00225	0.0045	EPA Method 8280
1,2,3,4,7,8-Hexachlorodibenzo-p-dioxin	µg/L	0.00225	0.0045	EPA Method 8280
Hexachlorodibenzo-p-furan isomers	µg/L	0.002	0.004	EPA Method 8280

<u>Analyte</u>	<u>Unit</u>	<u>Flag 1</u>	<u>Flag 2</u>	<u>Source</u>
1,2,3,4,7,8-Hexachlorodibenzo- p-furan	µg/L	0.002	0.004	EPA Method 8280
Hexachloroethane	µg/L	50	100	EPA Method 8270
Hexachlorophene	µg/L	250	500	EPA Method 8270
Hexachloropropene	µg/L	50	100	EPA Method 8270
2-Hexanone	µg/L	100	200	EPA Method 8240
Indeno[1,2,3-c,d]pyrene	µg/L	50	100	EPA Method 8270
Iodine	µg/L	500	1,000	EPA Method 415
Iodine-129	pCi/L	5E-01	1E+00	Final DWS (EPA, 1977)
Iodine-131	pCi/L	1.5E+00	3E+00	Final DWS (EPA, 1977)
Iodomethane (Methyl iodide)	µg/L	75	150	EPA Method 8240
Iron	µg/L	150	300	Secondary DWS (CFR, 1991b)
Iron-55	pCi/L	1E+03	2E+03	Final DWS (EPA, 1977)
Iron-59	pCi/L	1E+02	2E+02	Final DWS (EPA, 1977)
Isobutyl alcohol	µg/L	500	1,000	EPA Method 8240
Isodrin	µg/L	50	100	EPA Method 8270
Isophorone	µg/L	50	100	EPA Method 8270
Isosafrole	µg/L	50	100	EPA Method 8270
Kepone	µg/L	50	100	EPA Method 8270
Lanthanum-140	pCi/L	3E+01	6E+01	Final DWS (EPA, 1977)
Lead	µg/L	7.5	15	Final DWS (CFR, 1991a)
Lindane	µg/L	0.1	0.2	Final DWS (CFR, 1991a)
Lithium	µg/L	25	50	EPA Method 6010
Magnesium		No flag	No flag	Set by EPD/EMS
Manganese	µg/L	25	50	Secondary DWS (CFR, 1991b)
Manganese-54	pCi/L	1.5E+02	3E+02	Final DWS (EPA, 1977)
Mercury	µg/L	1	2	Final DWS (CFR, 1991a)
Methacrylonitrile	µg/L	250	500	EPA Method 8240
Methapyrilene	µg/L	50	100	EPA Method 8270
Methoxychlor	µg/L	20	40	Final DWS (CFR, 1991a)
3-Methylcholanthrene	µg/L	50	100	EPA Method 8270
2-Methyl-4,6-dinitrophenol	µg/L	250	500	EPA Method 8270
Methyl ethyl ketone		No flag	No flag	Set by EPD/EMS
Methyl isobutyl ketone		No flag	No flag	Set by EPD/EMS
Methyl methacrylate	µg/L	50	100	EPA Method 8270
Methyl methanesulfonate	µg/L	50	100	EPA Method 8270
2-Methylnaphthalene	µg/L	50	100	EPA Method 8270
Molybdenum	µg/L	250	500	EPA Method 6010
Naphthalene	µg/L	50	100	EPA Method 8270
1,4-Napthoquinone	µg/L	50	100	EPA Method 8270
1-Naphthylamine	µg/L	50	100	EPA Method 8270
2-Naphthylamine	µg/L	50	100	EPA Method 8270
Neptunium-237	pCi/L	3.53E+00	7.06E+00	Proposed DWS (EPA, 1991)
Nickel	µg/L	50	100	Proposed DWS (EPA, 1990)
Nickel-59	pCi/L	1.5E+02	3E+02	Final DWS (EPA, 1977)
Nickel-63	pCi/L	2.5E+01	5E+01	Final DWS (EPA, 1977)
Niobium-95	pCi/L	1.5E+02	3E+02	Final DWS (EPA, 1977)
Nitrate as nitrogen	µg/L	5,000	10,000	Final DWS (CFR, 1991a)
Nitrite as nitrogen	µg/L	500	1,000	Final DWS (CFR, 1991a)
2-Nitroaniline	µg/L	50	100	EPA Method 8270
3-Nitroaniline	µg/L	50	100	EPA Method 8270
4-Nitroaniline	µg/L	50	100	EPA Method 8270
Nitrobenzene	µg/L	50	100	EPA Method 8270
Nitrogen by Kjeldahl method	µg/L	500	1,000	EPA Method 351.2
2-Nitrophenol	µg/L	50	100	EPA Method 8270
4-Nitrophenol	µg/L	50	100	EPA Method 8270

Analyte	Unit	Flag 1	Flag 2	Source
4-Nitroquinoline-1-oxide	µg/L	50	100	EPA Method 8270
N-Nitrosodi-n-butylamine	µg/L	50	100	EPA Method 8270
N-Nitrosodiethylamine	µg/L	50	100	EPA Method 8270
N-Nitrosodimethylamine	µg/L	50	100	EPA Method 8270
N-Nitrosodiphenylamine	µg/L	50	100	EPA Method 8270
N-Nitrosodi-propylamine	µg/L	50	100	EPA Method 8270
N-Nitrosomethylethylamine	µg/L	50	100	EPA Method 8270
N-Nitrosomorpholine	µg/L	50	100	EPA Method 8270
N-Nitrosopiperidine	µg/L	50	100	EPA Method 8270
N-Nitrosopyrrolidine	µg/L	50	100	EPA Method 8270
5-Nitro-o-toluidine	µg/L	50	100	EPA Method 8270
Nonvolatile beta	pCi/L	2.5E+01	5E+01	Proposed DWS (EPA, 1986)
Octachlorodibenzo-p-dioxin isomers	µg/L	0.005	0.01	EPA Method 8280
Octachlorodibenzo-p-furan isomers	µg/L	0.005	0.01	EPA Method 8280
Odor		No flag	No flag	Set by EPD/EMS
Oil & Grease	µg/L	5,000	10,000	EPA Method 413.1
Parathion	µg/L	2.5	5	EPA Method 8080
Parathion methyl	µg/L	2.5	5	EPA Method 8080
PCB 1016	µg/L	0.25	0.5	Final DWS (CFR, 1991a)
PCB 1221	µg/L	0.25	0.5	Final DWS (CFR, 1991a)
PCB 1232	µg/L	0.25	0.5	Final DWS (CFR, 1991a)
PCB 1242	µg/L	0.25	0.5	Final DWS (CFR, 1991a)
PCB 1248	µg/L	0.25	0.5	Final DWS (CFR, 1991a)
PCB 1254	µg/L	0.25	0.5	Final DWS (CFR, 1991a)
PCB 1260	µg/L	0.25	0.5	Final DWS (CFR, 1991a)
PCB 1262	µg/L	0.25	0.5	Final DWS (CFR, 1991a)
Pentachlorobenzene	µg/L	50	100	EPA Method 8270
Pentachlorodibenzo-p-dioxin isomers	µg/L	0.00275	0.0055	EPA Method 8280
1,2,3,7,8-Pentachlorodibenzo-p-dioxin	µg/L	0.00275	0.0055	EPA Method 8280
Pentachlorodibenzo-p-furan isomers	µg/L	0.00275	0.0055	EPA Method 8280
1,2,3,7,8-Pentachlorodibenzo-p-furan	µg/L	0.00275	0.0055	EPA Method 8280
Pentachloroethane	µg/L	50	100	EPA Method 8270
Pentachloronitrobenzene	µg/L	50	100	EPA Method 8270
Pentachlorophenol	µg/L	0.5	1	Final DWS (CFR, 1991a)
pH	pH	8	10	Set by EPD/EMS
pH	pH	4	3	Set by EPD/EMS
Phenacetin	µg/L	50	100	EPA Method 8270
Phenanthrene	µg/L	50	100	EPA Method 8270
Phenol	µg/L	50	100	EPA Method 8270
Phenols	µg/L	25	50	EPA Method 420.2
p-Phenylenediamine	µg/L	50	100	EPA Method 8270
Phorate	µg/L	2.5	5	EPA Method 8080
2-Picoline	µg/L	50	100	EPA Method 8270
Plutonium-238	pCi/L	3.51E+00	7.02E+00	Proposed DWS (EPA, 1991)
Plutonium-239	pCi/L	3.11E+01	6.21E+01	Proposed DWS (EPA, 1991)
Plutonium-239/240 ^a	pCi/L	3.11E+01	6.21E+01	Proposed DWS (EPA, 1991)
Plutonium-240	pCi/L	3.11E+01	6.22E+01	Proposed DWS (EPA, 1991)
Plutonium-241	pCi/L	3.13E+01	6.26E+01	Proposed DWS (EPA, 1991)
Plutonium-242	pCi/L	3.27E+01	6.54E+01	Proposed DWS (EPA, 1991)
Potassium		No flag	No flag	Set by EPD/EMS
Potassium-40	pCi/L	1.5E+02	3E+02	Proposed DWS (EPA, 1986)
Pronamid	µg/L	50	100	EPA Method 8270
Propionitrile	µg/L	1,000	2,000	EPA Method 8240

<u>Analyte</u>	<u>Unit</u>	<u>Flag 1</u>	<u>Flag 2</u>	<u>Source</u>
Pyrene	µg/L	50	100	EPA Method 8270
Pyridine	µg/L	50	100	EPA Method 8270
Radium-226	pCi/L	7.85E+00	1.57E+01	Proposed DWS (EPA, 1991)
Radium-228	pCi/L	3.93E+00	7.85E+00	Proposed DWS (EPA, 1991)
Radon-222	pCi/L	1.5E+02	3E+02	Proposed DWS (EPA, 1991)
Ruthenium-103	pCi/L	1E+02	2E+02	Final DWS (EPA, 1977)
Ruthenium-106	pCi/L	1.5E+01	3E+01	Final DWS (EPA, 1977)
Safrole	µg/L	50	100	EPA Method 8270
Selenium	µg/L	25	50	Final DWS (CFR, 1991a)
Silica		No flag	No flag	Set by EPD/EMS
Silver	µg/L	25	50	Final DWS (CFR, 1991a)
Sodium		No flag	No flag	Set by EPD/EMS
Sodium-22	pCi/L	2.33E+02	4.66E+02	Proposed DWS (EPA, 1991)
Specific conductance	µS/cm	250	500	Set by EPD/EMS
Strontium-89	pCi/L	1E+01	2E+01	Final DWS (EPA, 1977)
Strontium-89/90 ^a	pCi/L	4E+00	8E+00	Final DWS (CFR, 1991a)
Strontium-90	pCi/L	4E+00	8E+00	Final DWS (CFR, 1991a)
Styrene	µg/L	50	100	Final DWS (CFR, 1991a)
Sulfate	µg/L	200,000	400,000	Proposed DWS (EPA, 1990)
Sulfide	µg/L	5,000	10,000	EPA Method 9030
Sulfotep	µg/L	50	100	EPA Method 8270
Surfactants		No flag	No flag	Set by EPD/EMS
2,3,7,8-TCDD	µg/L	0.00225	0.0045	EPA Method 8280
2,3,7,8-TCDF	µg/L	0.002	0.004	EPA Method 8280
Technetium-99	pCi/L	4.5E+02	9E+02	Final DWS (EPA, 1977)
1,2,4,5-Tetrachlorobenzene	µg/L	50	100	EPA Method 8270
Tetrachlorodibenzo-p-dioxin isomers	µg/L	0.00225	0.0045	EPA Method 8280
Tetrachlorodibenzo-p-furan isomers	µg/L	0.002	0.004	EPA Method 8280
1,1,1,2-Tetrachloroethane	µg/L	5	10	EPA Method 8240
1,1,2,2-Tetrachloroethane	µg/L	5	10	EPA Method 8240
Tetrachloroethylene	µg/L	2.5	5	Final DWS (CFR, 1991a)
2,3,4,6-Tetrachlorophenol	µg/L	50	100	EPA Method 8270
Tetraethyl dithiopyrophosphate	µg/L	50	100	EPA Method 8270
Thallium	µg/L	0.5	1	Proposed DWS (EPA, 1990)
Thionazin	µg/L	50	100	EPA Method 8270
Thorium-228	pCi/L	6.25E+01	1.25E+02	Proposed DWS (EPA, 1991)
Thorium-230	pCi/L	3.96E+01	7.92E+01	Proposed DWS (EPA, 1991)
Thorium-232	pCi/L	4.4E+01	8.8E+01	Proposed DWS (EPA, 1991)
Thorium-234	pCi/L	2E+02	4.01E+02	Proposed DWS (EPA, 1991)
Tin	µg/L	10	20	EPA Method 282.2
Tin-113	pCi/L	1.5E+02	3E+02	Final DWS (EPA, 1977)
Toluene	µg/L	500	1,000	Final DWS (CFR, 1991a)
o-Toluidine	µg/L	50	100	EPA Method 8270
Total carbon	µg/L	5,000	10,000	EPA Method 9060
Total dissolved solids		No flag	No flag	Set by EPD/EMS
Total hydrocarbons	µg/L	5,000	10,000	EPA Method 418.1
Total inorganic carbon	µg/L	5,000	10,000	EPA Method 9060
Total organic carbon	µg/L	5,000	10,000	EPA Method 9060
Total organic halogens	µg/L	25	50	EPA Method 9020
Total organic nitrogen	µg/L	500	1,000	EPA Method 420
Total petroleum hydrocarbons	µg/L	5,000	10,000	EPA Method 418.1
Total phosphates (as P)		No flag	No flag	Set by EPD/EMS
Total phosphorus		No flag	No flag	Set by EPD/EMS
Total radium	pCi/L	2.5E+00	5E+00	Final DWS (CFR, 1991a)

<u>Analyte</u>	<u>Unit</u>	<u>Flag 1</u>	<u>Flag 2</u>	<u>Source</u>
Total silica	µg/L	500	1,000	EPA Method 6010
Total trihalomethanes	µg/L	50	100	Final DWS (CFR, 1991a)
Toxaphene	µg/L	1.5	3	Final DWS (CFR, 1991a)
2,4,5-TP (Silvex)	µg/L	25	50	Final DWS (CFR, 1991a)
Tributyl phosphate	µg/L	50	100	EPA Method 8270
1,2,4-Trichlorobenzene	µg/L	4.5	9	Proposed DWS (EPA, 1990)
1,1,1-Trichloroethane	µg/L	100	200	Final DWS (CFR, 1991a)
1,1,2-Trichloroethane	µg/L	2.5	5	Proposed DWS (EPA, 1990)
Trichloroethylene	µg/L	2.5	5	Final DWS (CFR, 1991a)
Trichlorofluoromethane	µg/L	5	10	EPA Method 8240
2,4,5-Trichlorophenol	µg/L	50	100	EPA Method 8270
2,4,6-Trichlorophenol	µg/L	50	100	EPA Method 8270
2,4,5-Trichlorophenoxyacetic acid	µg/L	2.5	5	EPA Method 8150
1,2,3-Trichloropropane	µg/L	5	10	EPA Method 8240
O,O,O-Triethyl phosphorothioate	µg/L	50	100	EPA Method 8270
1,3,5-Trinitrobenzene	µg/L	50	100	EPA Method 8270
Tritium	pCi/mL	1E+01	2E+01	Final DWS (CFR, 1991a)
Turbidity		No flag	No flag	Set by EPD/EMS
Uranium	µg/L	10	20	Proposed DWS (EPA, 1991)
Uranium alpha activity	pCi/L	1.5E+01	3E+01	Proposed DWS (EPA, 1991)
Uranium-233/234 ^a	pCi/L	6.9E-00	1.38E+01	Proposed DWS (EPA, 1991)
Uranium-234	pCi/L	6.95E+00	1.39E+01	Proposed DWS (EPA, 1991)
Uranium-235	pCi/L	7.25E+00	1.45E+01	Proposed DWS (EPA, 1991)
Uranium-238	pCi/L	7.3E+00	1.46E+01	Proposed DWS (EPA, 1991)
Vanadium	µg/L	50	100	EPA Method 6010
Vinyl acetate	µg/L	5	10	EPA Method 8240
Xylenes	µg/L	5,000	10,000	Final DWS (CFR, 1991a)
Zinc	µg/L	2,500	5,000	Secondary DWS (CFR, 1991b)
Zinc-65	pCi/L	1.5E+02	3E+02	Final DWS (EPA, 1977)
Zirconium-95	pCi/L	1E+02	2E+02	Final DWS (EPA, 1977)
Zirconium/Niobium-95 ^a	pCi/L	1E+02	2E+02	Final DWS (EPA, 1977)

^a For double radionuclide analyses where each separate radionuclide has its own standard, the more stringent standard is used.

References

APHA (American Public Health Association, American Water Works Association, and Water Pollution Control Federation), 1985. **Standard Methods for the Examination of Water and Wastewater**, 16th edition. Washington, DC.

CFR (Code of Federal Regulations), 1991a. *National Primary Drinking Water Regulations*, 40 CFR, Part 141, pp. 578-715. Washington, DC.

CFR (Code of Federal Regulations), 1991b. *National Secondary Drinking Water Regulations*, 40 CFR, Part 143, pp. 758-762. Washington, DC.

EPA (U.S. Environmental Protection Agency), 1977. **National Interim Primary Drinking Water Regulations**, EPA-570/9-76-003. Washington, DC.

EPA (U.S. Environmental Protection Agency), 1986. *Water Pollution Control; National Primary Drinking Water Regulations, Radionuclides (Proposed)*. **Federal Register**, September 30, 1986, pp. 34836-34862. Washington, DC.

EPA (U.S. Environmental Protection Agency), 1990. *National Primary and Secondary Drinking Water Regulations; Synthetic Organic Chemicals and Inorganic Chemicals (Proposed Rule)*. **Federal Register**, July 25, 1990, pp. 30369-30448. Washington, DC.

EPA (U.S. Environmental Protection Agency), 1991. *National Primary Drinking Water Regulations; Radionuclides; Proposed Rule*. **Federal Register**, July 18, 1991, pp. 33052-33127. Washington, DC.

Appendix C – Figures

GEOLOGIC AGE	Lithostratigraphic Units		Hydrostratigraphic Units				
TERTIARY	Upland Unit		Regulatory "Uppermost Aquifer"	Aquifer Zone IIB2		Aquifer Unit IIB	Aquifer System II
		Tobacco Rd Formation		Confining Zone IIB1-IIB2			
		Dry Branch Formation		Aquifer Zone IIB1			
	McBean Formation Green Clay			Confining Unit IIA-IIB			
	Congaree			Aquifer Unit IIA			
	Williamsburg Formation		Confining System I-II				
	Ellenton Formation						

Source: WSRC, 1990a, 1990b.

Figure 1. Site-Specific Hydrostratigraphic Nomenclature

AADLAND (1990)					DUPONT (1989)					AUCOTT (1987)		GEOTRANS (1988)		SRP BASELINE HYDROGEOLOGIC STUDY		SIPLE (1967)			
<div><div>AQUIFER UNIT I/IC</div><div>AQUIFER UNIT IIB (1)</div><div>AQUIFER UNIT IIA</div><div>AQUIFER UNIT IIB (2)</div><div>AQUIFER UNIT I/IIA</div><div>AQUIFER UNIT I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT I/IIA-I/IIIB</div><div>CONFINING UNIT</div></div>

Figure 3. Location of the F-Area Seepage Basins at the Savannah River Site

Figure 7. Location of Upper Portion of Aquifer Unit IIA (Congaree) Monitoring Wells at the F-Area Seepage Basins

Figure 8. Location of Lower Portion of Aquifer Unit IIA (Congaree) Monitoring Wells at the F-Area Seepage Basins

Figure 9. Tritium Activities in Aquifer Zone IIB₂ (Water Table) at the F-Area Seepage Basins, Second Quarter 1992

Figure 11. Gross Alpha Activities in Aquifer Zone IIB₂ (Water Table) at the F-Area Seepage Basins, Second Quarter 1992

Figure 12. Nonvolatile Beta Activities in Aquifer Zone IIB₂ (Water Table) at the F-Area Seepage Basins, Second Quarter 1992

Figure 17. Tritium Activities in Upper Portion of Aquifer Unit IIA (Congaree) at the F-Area Seepage Basins, Second Quarter 1992

Figure 19. Gross Alpha Activities in Upper Portion of Aquifer Unit IIA (Congaree) at the F-Area Seepage Basins, Second Quarter 1992

Figure 20. Nonvolatile Beta Activities in Upper Portion of Aquifer Unit IIA (Congaree) at the F-Area Seepage Basins, Second Quarter 1992

Figure 21. Tritium Activities in Lower Portion of Aquifer Unit IIA (Congaree) at the F-Area Seepage Basins, Second Quarter 1992

Figure 22. Nitrate Concentrations in Lower Portion of Aquifer Unit IIA (Congaree) at the F-Area Seepage Basins, Second Quarter 1992

Figure 23. Gross Alpha Activities in Lower Portion of Aquifer Unit IIA (Congaree) at the F-Area Seepage Basins, Second Quarter 1992

Figure 32. Cadmium Concentrations in Lower Portion of Aquifer Unit IIA (Congaree) at the F-Area Seepage Basins, Second Quarter 1992

Figure 33. Specific Conductance in Aquifer Zone IIB₂ (Water Table) at the F-Area Seepage Basins, Second Quarter 1992

Figure 35. Specific Conductance in Aquifer Zone IIB, (Barnwell/McBean) at the F-Area Seepage Basins, Second Quarter 1992

Figure 36. pH Values in Aquifer Zone IIB₁ (Barnwell/McBean) at the F-Area Seepage Basins, Second Quarter 1992

Figure 37. Specific Conductance in Upper Portion of Aquifer Unit IIA (Congaree) at the F-Area Seepage Basins, Second Quarter 1992

Figure 38. pH Values in Upper Portion of Aquifer Unit IIA (Congaree) at the F-Area Seepage Basins, Second Quarter 1992

Figure 39. Specific Conductance in Lower Portion of Aquifer Unit IIA (Congaree) at the F-Area Seepage Basins, Second Quarter 1992

Figure 40. pH Values in Lower Portion of Aquifer Unit IIA (Congaree) at the F-Area Seepage Basins, Second Quarter 1992

Figure 41. Piezometric Surface Map of Aquifer Zone IIB₂ (Water Table) at the F-Area Seepage Basins

Figure 42. Potentiometric Surface Map of Aquifer Zone IIB₁ (Barnwell/McBean) at the F-Area Seepage Basins

Appendix D – Groundwater Monitoring Results Tables

Key to Reading the Tables

The following abbreviations may appear in the tabular data:

BA = Barringer Laboratories, Inc.
CN = Clemson Technical Center, Inc.
D = drinking water standard
E = exponential notation (e.g., $1.1E-09 = 1.1 \times 10^{-9} = 0.0000000011$)
EM = EPD/EMS Laboratory
GE = General Engineering Laboratories
GP = Environmental Physics, Inc.
H = holding time
1,2,3,4,6,7,8-HPCDD = 1,2,3,4,6,7,8-heptachlorodibenzo-p-dioxin
1,2,3,4,6,7,8-HPCDF = 1,2,3,4,6,7,8-heptachlorodibenzo-p-furan
1,2,3,4,7,8-HXCDD = 1,2,3,4,7,8-hexachlorodibenzo-p-dioxin
1,2,3,4,7,8-HXCDF = 1,2,3,4,7,8-hexachlorodibenzo-p-furan
Lindane = gamma-benzene hexachloride
MA = M-Area Laboratory
msl = mean sea level
MSL = million structures/liter
NTU = turbidity unit
pH = pH unit
pCi/L = picocuries per liter
pCi/mL = picocuries per milliliter
Sp. = specific
PVC = polyvinyl chloride
TCDD = tetrachlorodibenzo-p-dioxin
TCDF = tetrachlorodibenzo-p-furan
TE = Teledyne Isotopes, Inc.
TM = TMA/Eberline
TOC = top of casing
WA = Roy F. Weston, Inc.
 $\mu\text{g/L}$ = micrograms per liter
 $\mu\text{S/cm}$ = microsiemens per centimeter

Holding Times

Standard analytical methods include a limit, called holding time, on the maximum elapsed time between sample collection and extraction or analysis by the laboratory. In the data tables, a large dot (●) in the H (holding time) column indicates that holding time was exceeded. Analyses performed beyond holding time may not yield valid results.

South Carolina Department of Health and Environmental Control (SCDHEC) allows only 15 minutes to elapse between sampling and analysis for pH. Thus, laboratory pH analyses always exceed holding time.

Laboratory-initiated procedures for reducing the number of other analyses performed out of holding time include subcontracting analyses when difficulties with equipment, personnel, or work load would prevent timely analyses. Beginning fourth quarter 1991, SRS reduced the compensation to laboratories for analyses performed out of holding time.

Table 1. Constituents Exceeding the Primary Drinking Water Standards

Aquifer Zone IIB₂ (Water Table)

<u>Well</u>	<u>Constituent</u>	<u>Unit</u>	<u>1Q92</u>	<u>2Q92</u>
FSB 76	Lead	µg/L	29	46
	Gross alpha	pCi/L	— ^a	1.6E+01
	Total alpha-emitting radium ^b	pCi/L	5.4E+00	6.5E+00
	Tritium	pCi/mL	4.6E+02	5.2E+02
FSB 77	Cadmium	µg/L	5.1	—
	Gross alpha	pCi/L	1.1E+03	9.5E+02
	Lead	µg/L	24	19
	Mercury	µg/L	—	5.8
	Nitrate as nitrogen	µg/L	143,000	126,000
	Nonvolatile beta	pCi/L	1.7E+03	1.8E+03
	Total alpha-emitting radium	pCi/L	8.2E+01	9.9E+01
	Tritium	pCi/mL	8.6E+03	7.8E+03
FSB 78	Cadmium	µg/L	37	18
	Gross alpha	pCi/L	8.6E+02	6.6E+02
	Lead	µg/L	17	—
	Nitrate as nitrogen	µg/L	278,000	304,000
	Nonvolatile beta	pCi/L	3.5E+03	2.8E+03
	Total alpha-emitting radium	pCi/L	7.8E+01	1.1E+02
	Tritium	pCi/mL	1.8E+04	2.0E+04
FSB 79	Gross alpha	pCi/L	NA ^c	4.8E+02 ^d
	Gross alpha	pCi/L	NA	4.2E+02 ^d
	Mercury	µg/L	NA	2.2
	Nitrate as nitrogen	µg/L	NA	160,000 ^e
	Nitrate as nitrogen	µg/L	NA	156,000 ^e
	Nonvolatile beta	pCi/L	NA	7.2E+02 ^f
	Nonvolatile beta	pCi/L	NA	8.7E+02 ^f
	Total alpha-emitting radium	pCi/L	NA	5.1E+01 ^g
	Total alpha-emitting radium	pCi/L	NA	6.3E+01 ^g
	Tritium	pCi/mL	NA	1.0E+04 ^h
	Tritium	pCi/mL	NA	1.0E+04 ^h
FSB 87D	Gross alpha	pCi/L	6.2E+01	1.1E+02
	Nonvolatile beta	pCi/L	5.8E+01	—
	Tritium	pCi/mL	2.1E+02	9.5E+01
FSB 88D	Mercury	µg/L	—	2.8
	Gross alpha	pCi/L	—	8.4E+01
	Nitrate as nitrogen	µg/L	10,500	38,500
	Nonvolatile beta	pCi/L	—	2.8E+02
	Total alpha-emitting radium	pCi/L	—	9.6E+00 ^g
	Total alpha-emitting radium	pCi/L	NA	9.2E+00 ^g
	Tritium	pCi/mL	4.2E+02	3.4E+03
FSB 89D	Gross alpha	pCi/L	1.5E+02	1.5E+02
	Mercury	µg/L	3.3	—
	Nitrate as nitrogen	µg/L	27,500	29,600
	Nonvolatile beta	pCi/L	3.5E+02	3.3E+02

Aquifer Zone IIB₂ (Water Table)

<u>Well</u>	<u>Constituent</u>	<u>Unit</u>	<u>1Q92</u>	<u>2Q92</u>
	Total alpha-emitting radium	pCi/L	1.4E+01	1.5E+01 ^g
	Total alpha-emitting radium	pCi/L	NA	1.6E+01 ^g
	Tritium	pCi/mL	1.8E+03	1.3E+03
FSB 90D	Antimony	µg/L	8.3	-
	Gross alpha	pCi/L	2.9E+02	2.9E+02
	Lead	µg/L	24	58
	Nitrate as nitrogen	µg/L	40,500	54,000
	Nonvolatile beta	pCi/L	6.1E+02	1.0E+03
	Total alpha-emitting radium	pCi/L	-	2.1E+01
	Tritium	pCi/mL	1.6E+03	2.5E+03
FSB 91D	Cadmium	µg/L	5.8	-
	Gross alpha	pCi/L	2.9E+02	2.4E+02
	Nitrate as nitrogen	µg/L	93,500	74,000
	Nonvolatile beta	pCi/L	8.4E+02	7.6E+02
	Total alpha-emitting radium	pCi/L	1.8E+01	4.2E+01
	Tritium	pCi/mL	4.6E+03	3.8E+03
FSB 92D	Cadmium	µg/L	15	11
	Gross alpha	pCi/L	2.8E+02	3.2E+02
	Nitrate as nitrogen	µg/L	200,000	250,000
	Nonvolatile beta	pCi/L	2.1E+03	2.3E+03
	Total alpha-emitting radium	pCi/L	8.8E+01	1.6E+02
	Tritium	pCi/mL	1.2E+04	2.4E+04
FSB 93D	Cadmium	µg/L	23	22
	Gross alpha	pCi/L	1.6E+02	2.3E+02
	Lead	µg/L	16	20
	Nitrate as nitrogen	µg/L	107,000	121,000
	Nonvolatile beta	pCi/L	2.3E+03	3.3E+03
	Total alpha-emitting radium	pCi/L	5.7E+01	4.8E+01
	Tritium	pCi/mL	9.2E+03	1.0E+04 ^h
	Tritium	pCi/mL	NA	1.0E+04 ^h
FSB 94DR	Cadmium	µg/L	-	5.1
	Gross alpha	pCi/L	1.5E+03	1.2E+03
	Mercury	µg/L	3.5	4.0
	Nitrate as nitrogen	µg/L	420,000	402,000
	Nonvolatile beta	pCi/L	1.6E+03	2.6E+03
	Sulfate	µg/L	426,000	-
	Thallium	µg/L	2.6	-
	Total alpha-emitting radium	pCi/L	9.3E+01	8.5E+01
	Tritium	pCi/mL	3.0E+04	3.0E+04
FSB 95DR	Gross alpha	pCi/L	1.2E+03	1.3E+03
	Lead	µg/L	25	28
	Nitrate as nitrogen	µg/L	370,000	572,000 ^e
	Nitrate as nitrogen	µg/L	NA	572,000 ^e
	Nonvolatile beta	pCi/L	1.7E+03	3.0E+03
	Total alpha-emitting radium	pCi/L	6.4E+01	6.9E+01
	Tritium	pCi/mL	2.5E+04	2.8E+04

Aquifer Zone IIB₂ (Water Table)

<u>Well</u>	<u>Constituent</u>	<u>Unit</u>	<u>1092</u>	<u>2092</u>
FSB 97D	Gross alpha	pCi/L	1.3E+03	1.3E+03 ^d
	Gross alpha	pCi/L	NA	1.2E+03 ^d
	Lead	µg/L	130	113
	Nitrate as nitrogen	µg/L	356,000	358,000
	Nonvolatile beta	pCi/L	1.3E+03	1.9E+03 ^f
	Nonvolatile beta	pCi/L	NA	2.1E+03 ^f
	Sulfate	µg/L	536,000	-
	Total alpha-emitting radium	pCi/L	3.8E+01	4.9E+01
	Tritium	pCi/mL	2.7E+04	2.5E+04
FSB 98D	Cadmium	µg/L	6.3	-
	Gross alpha	pCi/L	1.1E+03	1.3E+03
	Lead	µg/L	22	-
	Nitrate as nitrogen	µg/L	335,000	262,000
	Nonvolatile beta	pCi/L	1.5E+03	1.6E+03
	Total alpha-emitting radium	pCi/L	5.0E+01	1.5E+02
	Tritium	pCi/mL	2.2E+04	1.7E+04
FSB 99D	Cadmium	µg/L	-	7.2
	Tritium	pCi/mL	1.1E+02	6.9E+01
FSB104D	Cadmium	µg/L	14	12
	Gross alpha	pCi/L	5.7E+02	4.0E+02 ^d
	Gross alpha	pCi/L	NA	4.1E+02 ^d
	Nitrate as nitrogen	µg/L	115,000	140,000
	Nonvolatile beta	pCi/L	1.6E+03	1.8E+03 ^f
	Nonvolatile beta	pCi/L	NA	1.7E+03 ^f
	Total alpha-emitting radium	pCi/L	2.6E+01	5.9E+01 ^g
	Total alpha-emitting radium	pCi/L	NA	5.6E+01 ^g
	Tritium	pCi/mL	1.0E+04	9.1E+03
FSB105DR	Gross alpha	pCi/L	1.3E+03	1.4E+03 ^d
	Gross alpha	pCi/L	NA	1.5E+03 ^d
	Nitrate as nitrogen	µg/L	386,000	430,000
	Nonvolatile beta	pCi/L	1.5E+03	1.5E+03 ^f
	Nonvolatile beta	pCi/L	NA	1.5E+03 ^f
	Total alpha-emitting radium	pCi/L	1.1E+02	2.9E+02 ^g
	Total alpha-emitting radium	pCi/L	NA	2.5E+02 ^g
	Tritium	pCi/mL	3.3E+04	2.7E+04
FSB106D	Nickel	µg/L	-	376
	Tritium	pCi/mL	4.3E+01	3.1E+01
FSB107D	Gross alpha	pCi/L	3.0E+02	1.4E+02
	Nitrate as nitrogen	µg/L	19,200	13,100
	Nonvolatile beta	pCi/L	5.0E+02	2.8E+02
	Total alpha-emitting radium	pCi/L	1.9E+01	1.0E+01
	Tritium	pCi/mL	8.9E+01	1.1E+02
FSB109D	Tritium	pCi/mL	4.0E+01	2.5E+01
FSB110D	Gross alpha	pCi/L	7.1E+02	7.9E+02
	Nitrate as nitrogen	µg/L	210,000	227,000
	Nonvolatile beta	pCi/L	7.2E+02	1.0E+03

Aquifer Zone IIB₂ (Water Table)

<u>Well</u>	<u>Constituent</u>	<u>Unit</u>	<u>1Q92</u>	<u>2Q92</u>
	Sulfate	μg/L	464,000	-
	Total alpha-emitting radium	pCi/L	1.5E+01	2.5E+01 ^g
	Total alpha-emitting radium	pCi/L	NA	2.4E+01 ^g
	Tritium	pCi/mL	1.8E+04	1.5E+04
FSB112D	Gross alpha	pCi/L	1.6E+02	2.1E+02
	Nitrate as nitrogen	μg/L	211,000	213,000
	Nonvolatile beta	pCi/L	3.4E+03	4.2E+03
	Total alpha-emitting radium	pCi/L	2.6E+02	2.4E+02
	Tritium	pCi/mL	1.0E+04	9.7E+03
FSB113D	Uranium	μg/L	600	NA
FSB117D	Gross alpha	pCi/L	1.1E+03	1.0E+03
	Nitrate as nitrogen	μg/L	71,500	94,200
	Nonvolatile beta	pCi/L	1.4E+03	1.6E+03
	Total alpha-emitting radium	pCi/L	6.4E+01	6.4E+01
	Tritium	pCi/mL	5.2E+03	3.6E+03
FSB118D	Tetrachloroethylene	μg/L	-	5.6
FSB119D	Gross alpha	pCi/L	8.8E+02	7.6E+02
	Nitrate as nitrogen	μg/L	225,000 ^e	257,000
	Nitrate as nitrogen	μg/L	230,000 ^e	NA
	Nonvolatile beta	pCi/L	1.4E+03	2.4E+03
	Total alpha-emitting radium	pCi/L	9.2E+01	1.1E+02
	Tritium	pCi/mL	2.2E+04	2.2E+04
FSB122D	Nickel	μg/L	-	186
	Tritium	pCi/mL	4.5E+02	5.1E+02

Aquifer Zone IIB₁ (Barnwell/McBean)

<u>Well</u>	<u>Constituent</u>	<u>Unit</u>	<u>1Q92</u>	<u>2Q92</u>
FSB 78C	Cadmium	μg/L	14	12
	Gross alpha	pCi/L	7.7E+01	1.9E+02
	Lead	μg/L	27	44
	Nitrate as nitrogen	μg/L	255,000 ^e	255,000
	Nitrate as nitrogen	μg/L	255,000 ^e	NA
	Nonvolatile beta	pCi/L	2.0E+03	1.8E+03
	Thallium	μg/L	2.0	-
	Total alpha-emitting radium	pCi/L	5.5E+01	4.7E+01
	Tritium	pCi/mL	9.8E+03	9.1E+03 ^h
	Tritium	pCi/mL	NA	9.6E+03 ^h
FSB 79C	Cadmium	μg/L	19	30 ⁱ
	Cadmium	μg/L	NA	32 ⁱ
	Gross alpha	pCi/L	4.6E+02	3.5E+02
	Nitrate as nitrogen	μg/L	175,000	170,000 ^e
	Nitrate as nitrogen	μg/L	NA	170,000 ^e

Aquifer Zone IIB₁ (Barnwell/McBean)

<u>Well</u>	<u>Constituent</u>	<u>Unit</u>	<u>1Q92</u>	<u>2Q92</u>
	Nonvolatile beta	pCi/L	3.3E+03	3.2E+03
	Total alpha-emitting radium	pCi/L	1.1E+02	4.6E+01 ^g
	Total alpha-emitting radium	pCi/L	NA	5.2E+01 ^g
	Tritium	pCi/mL	1.0E+04	1.0E+04
FSB 87C	Nitrate as nitrogen	µg/L	14,500	11,900
	Tritium	pCi/mL	9.6E+02	7.7E+02
FSB 88C	Tritium	pCi/mL	2.6E+01	-
FSB 89C	Tritium	pCi/mL	2.5E+01 ^h	-
	Tritium	pCi/mL	2.4E+01 ^h	NA
	Tritium	pCi/mL	2.5E+01 ^h	NA
	Tritium	pCi/mL	2.4E+01 ^h	NA
FSB 90C	Nitrate as nitrogen	µg/L	12,000 ^e	13,500
	Nitrate as nitrogen	µg/L	12,000 ^e	NA
	Tritium	pCi/mL	7.7E+02	7.6E+02
FSB 91C	Gross alpha	pCi/L	5.6E+01	3.9E+01
	Nitrate as nitrogen	µg/L	52,500	49,000
	Nonvolatile beta	pCi/L	9.1E+02	1.1E+03
	Total alpha-emitting radium	pCi/L	3.7E+01	5.9E+01
	Tritium	pCi/mL	2.2E+03	1.9E+03
FSB 93C	Nitrate as nitrogen	µg/L	39,000	42,000
	Tritium	pCi/mL	1.8E+03	1.6E+03
FSB 94C	Cadmium	µg/L	10	8.9
	Gross alpha	pCi/L	4.8E+01	6.2E+01
	Nitrate as nitrogen	µg/L	280,000 ^e	288,000
	Nitrate as nitrogen	µg/L	280,000 ^e	NA
	Nonvolatile beta	pCi/L	2.3E+03	2.9E+03
	Total alpha-emitting radium	pCi/L	3.2E+01	7.1E+01
	Tritium	pCi/mL	2.0E+04	1.2E+04
FSB 95CR	Cadmium	µg/L	8.0	6.4
	Gross alpha	pCi/L	4.0E+02	5.4E+02
	Nitrate as nitrogen	µg/L	216,000	216,000
	Nonvolatile beta	pCi/L	2.2E+03	3.0E+03
	Total alpha-emitting radium	pCi/L	1.2E+02	1.1E+02
	Trichloroethylene	µg/L	20	-
	Tritium	pCi/mL	9.1E+03	8.9E+03 ^g
	Tritium	pCi/mL	NA	9.2E+03 ^g
FSB 97C	Gross alpha	pCi/L	1.1E+03	1.2E+02
	Nitrate as nitrogen	µg/L	355,000	180,000
	Nonvolatile beta	pCi/L	1.6E+03	7.4E+02
	Lead	µg/L	20	-
	Total alpha-emitting radium	pCi/L	6.8E+01	1.0E+02
	Tritium	pCi/mL	2.1E+04	1.0E+04

Aquifer Zone IIB₁ (Barnwell/McBean)

<u>Well</u>	<u>Constituent</u>	<u>Unit</u>	<u>1Q92</u>	<u>2Q92</u>
FSB 98C	Gross alpha	pCi/L	8.1E+02	4.9E+02
	Nitrate as nitrogen	µg/L	202,000	256,000
	Nonvolatile beta	pCi/L	1.4E+03	1.8E+03
	Thallium	µg/L	2.2	-
	Total alpha-emitting radium	pCi/L	1.2E+02	1.4E+02
	Tritium	pCi/mL	1.3E+04	1.4E+04
FSB 99C	Gross alpha	pCi/L	2.0E+01	1.5E+01
	Nitrate as nitrogen	µg/L	38,500	36,400
	Nonvolatile beta	pCi/L	1.1E+02	1.4E+02
	Total alpha-emitting radium	pCi/L	1.2E+01	9.8E+00 ^g
	Total alpha-emitting radium	pCi/L	NA	1.1E+01 ^g
	Trichloroethylene	µg/mL	-	26
	Tritium	pCi/mL	2.0E+03	1.9E+03
FSB102C	Nitrate as nitrogen	µg/L	39,500	37,000
	Nonvolatile beta	pCi/L	3.8E+02	4.6E+02
	Total alpha-emitting radium	pCi/L	-	7.7E+00
	Tritium	pCi/mL	1.2E+03	1.1E+03
FSB103C	Nitrate as nitrogen	µg/L	24,500 ^e	25,400
	Nitrate as nitrogen	µg/L	24,500 ^e	NA
	Tritium	pCi/mL	7.5E+02	7.4E+02
FSB104C	Nitrate as nitrogen	µg/L	41,500	47,000
	Nonvolatile beta	pCi/L	5.8E+01	7.3E+01
	Tritium	pCi/mL	1.2E+03	1.3E+03 ^h
	Tritium	pCi/mL	NA	1.3E+03 ^h
FSB105C	Cadmium	µg/L	5.4	-
	Gross alpha	pCi/L	4.0E+02	3.0E+02
	Nitrate as nitrogen	µg/L	205,000	192,000
	Nonvolatile beta	pCi/L	1.1E+03	1.5E+03
	Total alpha-emitting radium	pCi/L	1.3E+02	1.6E+02
	Tritium	pCi/mL	1.1E+04	1.1E+04
FSB106C	Cadmium	µg/L	7.4	5.3
	Gross alpha	pCi/L	1.8E+01	3.1E+01
	Nitrate as nitrogen	µg/L	67,500	66,700
	Nonvolatile beta	pCi/L	9.2E+02	9.4E+02
	Total alpha-emitting radium	pCi/L	1.4E+01	3.4E+01 ^g
	Total alpha-emitting radium	pCi/L	NA	3.7E+01 ^g
	Tritium	pCi/mL	2.1E+03	1.9E+03
FSB107C	Nitrate as nitrogen	µg/L	-	12,900
	Nonvolatile beta	pCi/L	6.3E+01	1.0E+02
	Tritium	pCi/mL	1.9E+02	2.5E+02
FSB110C	Nitrate as nitrogen	µg/L	31,000	33,000
	Nonvolatile beta	pCi/L	-	5.4E+01
	Tritium	pCi/mL	9.2E+02	1.1E+03
FSB112C	Cadmium	µg/L	14	11
	Gross alpha	pCi/L	1.2E+02	1.3E+02

Aquifer Zone IIB₁ (Barnwell/McBean)

<u>Well</u>	<u>Constituent</u>	<u>Unit</u>	<u>1Q92</u>	<u>2Q92</u>
	Nitrate as nitrogen	µg/L	200,000	207,000
	Nonvolatile beta	pCi/L	1.9E+03	2.6E+03
	Total alpha-emitting radium	pCi/L	6.3E+01	1.3E+02
	Tritium	pCi/mL	7.3E+03	7.3E+03
FSB113C	Tritium	pCi/mL	6.4E+01	5.8E+01 ^h
	Tritium	pCi/mL	NA	5.8E+01 ^h
FSB120C	Nitrate as nitrogen	µg/L	53,500 ^e	53,500
	Nitrate as nitrogen	µg/L	53,500 ^e	NA
	Nonvolatile beta	pCi/L	5.2E+01	5.3E+01 ^f
	Nonvolatile beta	pCi/L	NA	5.8E+01 ^f
	Total alpha-emitting radium	pCi/L	1.4E+01	9.8E+00
	Tritium	pCi/mL	2.2E+03	1.9E+03
FSB121C	Tritium	pCi/mL	7.2E+01	7.8E+01
FSB122C	Nitrate as nitrogen	µg/L	61,000	58,400
	Nonvolatile beta	pCi/L	9.9E+01	1.2E+02
	Total alpha-emitting radium	pCi/L	6.3E+00	6.1E+00
	Tritium	pCi/mL	2.1E+03	2.0E+03

Aquifer Unit IIA (Congaree)

<u>Well</u>	<u>Constituent</u>	<u>Unit</u>	<u>1Q92</u>	<u>2Q92</u>
FSB 78A	Tritium	pCi/mL	4.0E+01	-
FSB 78B	Tritium	pCi/mL	2.5E+02	2.4E+02
FSB 79B	Radium-228	pCi/L	NA	1.8E+01 ^j
	Radium-228	pCi/L	NA	1.8E+01 ^j
FSB 87B	Tritium	pCi/mL	6.2E+01	6.3E+01
FSB 99A	Tritium	pCi/mL	1.1E+02	1.2E+02
FSB100A	Tritium	pCi/mL	1.9E+02	1.8E+02
FSB112A	Tritium	pCi/mL	6.8E+01	6.1E+01 ^h
	Tritium	pCi/mL	NA	5.6E+01 ^h
	Tritium	pCi/mL	NA	5.7E+01 ^h
	Tritium	pCi/mL	NA	4.7E+01 ^h
FSB113A	Tritium	pCi/mL	-	3.2E+01
FSB120A	Tritium	pCi/mL	7.6E+01	1.6E+02

^a - = analyzed but not above PDWS.

^b The PDWS for total radium was applied to total alpha-emitting radium.

^c NA = not analyzed.

- d Duplicate samples of gross alpha.
- e Duplicate samples of nitrate as nitrogen.
- f Duplicate samples of nonvolatile beta.
- g Duplicate samples of total alpha-emitting radium.
- h Duplicate samples of tritium.
- i Duplicate samples of cadmium.
- j Duplicate samples of radium-228.

Table 2. Constituents Exceeding Half the Primary Drinking Water Standards or Other Flag 1 or Flag 2 Criteria

Aquifer Zone IIB₂ (Water Table)

<u>Well</u>	<u>Constituent</u>	<u>Unit</u>	<u>2Q92</u>	<u>Flag</u>
FSB 76	Aluminum	µg/L	136	1
FSB 77	Aluminum	µg/L	24,600	2
	Cadmium	µg/L	4.8	1
	Manganese	µg/L	519	2
	pH	pH	3.6	1
	Specific conductance	uS/cm	1,250	2
FSB 78	Aluminum	µg/L	48,500	2
	Manganese	µg/L	1,160	2
	pH	pH	3.2	1
	Specific conductance	uS/cm	2,800	2
FSB 79	Aluminum	µg/L	44,100	2
	Cadmium	µg/L	3.3	1
	Cobalt	µg/L	158	2
	Iron	µg/L	162	1
	Manganese	µg/L	3,310	2
	pH	pH	3.5 ^a	1
	pH	pH	3.4 ^a	1
	Specific conductance	uS/cm	1,210 ^b	2
	Specific conductance	uS/cm	1,210 ^b	2
FSB 87D	Aluminum	µg/L	1,450	2
	Manganese	µg/L	33	1
	Nonvolatile beta	pCi/L	3.7E+01	1
	Total alpha-emitting radium ^c	pCi/L	4.7E+00	1
FSB 88D	Aluminum	µg/L	2,740 ^d	2
	Aluminum	µg/L	2,710 ^d	2
	Manganese	µg/L	157 ^e	2
	Manganese	µg/L	156 ^e	2
	Specific conductance	uS/cm	290	1
FSB 89D	Aluminum	µg/L	2,980	2
	Manganese	µg/L	158	2
	Mercury	µg/L	1.8	1
	Specific conductance	uS/cm	265	1
FSB 90D	Aluminum	µg/L	9,190 ^d	2
	Aluminum	µg/L	9,270 ^d	2
	Cadmium	µg/L	4.7 ^f	1
	Cadmium	µg/L	4.6 ^f	1
	Manganese	µg/L	581 ^e	2
	Manganese	µg/L	578 ^e	2
	pH	pH	4.0	1
	Specific conductance	uS/cm	435	1

Aquifer Zone IIB₂ (Water Table)

<u>Well</u>	<u>Constituent</u>	<u>Unit</u>	<u>2092</u>	<u>Flag</u>
FSB 91D	Aluminum	µg/L	25,500	2
	<i>Cadmium</i>	µg/L	4.3	1
	Manganese	µg/L	408	2
	pH	pH	3.6	1
	Specific conductance	uS/cm	750	2
FSB 92D	Aluminum	µg/L	50,500	2
	Manganese	µg/L	730	2
	pH	pH	3.3	1
	Specific conductance	uS/cm	1,920	2
FSB 93D	Aluminum	µg/L	19,700	2
	Iron	µg/L	247	1
	Manganese	µg/L	648	2
	Specific conductance	uS/cm	900	2
FSB 94DR	Aluminum	µg/L	114,000	2
	<i>Barium</i>	µg/L	1,150	1
	Cobalt	µg/L	77	2
	Manganese	µg/L	5,770	2
	<i>Nickel</i>	µg/L	57	1
	pH	pH	3.1	1
	Specific conductance	uS/cm	3,300	2
	Total organic carbon	µg/L	5,000	1
FSB 95DR	Aluminum	µg/L	105,000	2
	Cobalt	µg/L	47	2
	Iron	µg/L	152	1
	Manganese	µg/L	6,870	2
	<i>Mercury</i>	µg/L	1.8	1
	<i>Nickel</i>	µg/L	57	1
	pH	pH	3.2	1
	Specific conductance	uS/cm	3,180	2
FSB 97D	Aluminum	µg/L	70,200	2
	<i>Cadmium</i>	µg/L	2.8	1
	Cobalt	µg/L	61	2
	Iron	µg/L	903	2
	Manganese	µg/L	5,320	2
	pH	pH	3.6	1
	Specific conductance	uS/cm	2,600	2
FSB 98D	Aluminum	µg/L	54,900	2
	<i>Barium</i>	µg/L	1,780	1
	Cobalt	µg/L	162	2
	Iron	µg/L	165	1
	<i>Lead</i>	µg/L	9.6	1
	Manganese	µg/L	3,370	2
	pH	pH	3.2	1
	Specific conductance	uS/cm	1,900	2
FSB 99D	Aluminum	µg/L	130	1
	<i>Gross alpha</i>	pCi/L	1.2E+01	1

Aquifer Zone IIB₂ (Water Table)

<u>Well</u>	<u>Constituent</u>	<u>Unit</u>	<u>2Q92</u>	<u>Flag</u>
FSB104D	Aluminum	µg/L	39,500	2
	Cobalt	µg/L	30	1
	Manganese	µg/L	839	2
	pH	pH	3.6 ^a	1
	pH	pH	3.6 ^a	1
	Specific conductance	uS/cm	1,000 ^b	2
	Specific conductance	uS/cm	1,000 ^b	2
FSB105DR	Aluminum	µg/L	62,600	2
	Barium	µg/L	1,200	1
	Cobalt	µg/L	346	2
	Iron	µg/L	156	1
	Manganese	µg/L	4,160	2
	Nickel	µg/L	70	1
	pH	pH	3.4 ^a	1
	pH	pH	3.4 ^a	1
	Specific conductance	uS/cm	2,650 ^b	2
	Specific conductance	uS/cm	2,650 ^b	2
	Trichlorofluoromethane	µg/L	9.6	1
FSB106D	Manganese	µg/L	36	1
	Zinc	µg/L	2,700	1
FSB107D	Aluminum	µg/L	2,950	2
	Manganese	µg/L	129	2
	pH	pH	4.0	1
FSB108D	Tritium	pCi/mL	1.2E+01	1
FSB109D	Total organic halogens	µg/L	26	1
FSB110D	Aluminum	µg/L	44,000	2
	Manganese	µg/L	338	2
	pH	pH	3.1 ^a	1
	pH	pH	3.1 ^a	1
	Specific conductance	uS/cm	1,650 ^b	2
	Specific conductance	uS/cm	1,600 ^b	2
FSB111D	Tritium	pCi/mL	1.2E+01	1
FSB112D	Aluminum	µg/L	18,100	2
	Cadmium	µg/L	3.0	1
	Cobalt	µg/L	70	2
	Manganese	µg/L	1,290	2
	pH	pH	3.6	1
	Specific conductance	uS/cm	1,250	2
FSB113D	Tritium	pCi/mL	1.4E+01	1
FSB115D	Tritium	pCi/mL	1.4E+01	1
FSB116D	Tritium	pCi/mL	1.6E+01	1

Aquifer Zone IIB₂ (Water Table)

<u>Well</u>	<u>Constituent</u>	<u>Unit</u>	<u>2Q92</u>	<u>Flag</u>
FSB117D	Aluminum	µg/L	35,500	2
	Cadmium	µg/L	2.9	1
	Iron	µg/L	150	1
	Manganese	µg/L	719	2
	pH	pH	3.6	1
	Specific conductance	uS/cm	750 ^b	2
	Specific conductance	uS/cm	750 ^b	2
FSB118D	Manganese	µg/L	26	1
	Trichlorofluoromethane	µg/L	10	2
	Tritium	pCi/mL	1.4E+01	1
FSB119D	Aluminum	µg/L	89,200	2
	Cadmium	µg/L	3.8	1
	Cobalt	µg/L	35	1
	Iron	µg/L	686	2
	Lead	µg/L	10	1
	Manganese	µg/L	1,720	2
	pH	pH	3.4 ^a	1
	pH	pH	3.4 ^a	1
	Specific conductance	uS/cm	1,800 ^b	2
	Specific conductance	uS/cm	1,780 ^b	2
FSB120D	Tritium	pCi/mL	1.6E+01	1
FSB122D	Aluminum	µg/L	122	1
	Chromium	µg/L	57	1
	Manganese	µg/L	76	2

Aquifer Zone IIB₁ (Barnwell/McBean)

<u>Wells</u>	<u>Constituent</u>	<u>Unit</u>	<u>2Q92</u>	<u>Flag</u>
FSB 78C	Aluminum	µg/L	10,700	2
	Cobalt	µg/L	220	2
	Manganese	µg/L	5,180	2
	Nickel	µg/L	85	1
	Specific conductance	uS/cm	2,100	2
	Total organic carbon	µg/L	6,000	1
FSB 79C	Aluminum	µg/L	42,200 ^d	2
	Aluminum	µg/L	43,100 ^d	2
	Cobalt	µg/L	95 ^g	2
	Cobalt	µg/L	104 ^g	2
	Manganese	µg/L	1,990 ^e	2
	Manganese	µg/L	2,190 ^e	2
	pH	pH	3.7	1
	Specific conductance	uS/cm	1,500	2
FSB 88C	Tritium	pCi/mL	1.8E+01	1

Aquifer Zone IIB₁ (Barnwell/McBean)

<u>Wells</u>	<u>Constituent</u>	<u>Unit</u>	<u>2Q92</u>	<u>Flag</u>
FSB 89C	Total organic halogens	µg/L	27	1
	<i>Tritium</i>	pCi/mL	2.0E+01	1
FSB 91C	Aluminum	µg/L	1,000	2
	<i>Cadmium</i>	µg/L	3.0	1
	Manganese	µg/L	217	2
	Specific conductance	uS/cm	420	1
FSB 93C	Manganese	µg/L	88	2
	<i>Nonvolatile beta</i>	pCi/L	3.9E+01	1
	Specific conductance	uS/cm	380	1
	<i>Total alpha-emitting radium</i>	pCi/L	3.1E+00	1
FSB 94C	Aluminum	µg/L	14,300	2
	Cobalt	µg/L	206	2
	<i>Fluoride</i>	µg/L	3,960	1
	Iron	µg/L	186	1
	<i>Lead</i>	µg/L	12	1
	Manganese	µg/L	5,500	2
	<i>Nickel</i>	µg/L	53	1
	Specific conductance	uS/cm	2,050	2
FSB 95CR	Aluminum	µg/L	16,600	2
	Cobalt	µg/L	191	2
	Manganese	µg/L	3,390	2
	Specific conductance	uS/cm	1,500	2
FSB 97C	Aluminum	µg/L	29,100	2
	<i>Cadmium</i>	µg/L	3.1	1
	Cobalt	µg/L	149	2
	<i>Lead</i>	µg/L	13 ^h	1
	<i>Lead</i>	µg/L	13 ^h	1
	Manganese	µg/L	2,070	2
	pH	pH	3.5	1
	Specific conductance	uS/cm	1,300	2
FSB 98C	Aluminum	µg/L	24,000	2
	<i>Cadmium</i>	µg/L	3.2	1
	Cobalt	µg/L	101	2
	Manganese	µg/L	1,690	2
	pH	pH	3.3	1
	Specific conductance	uS/cm	1,500	2
FSB 99C	Aluminum	µg/L	204	2
	Manganese	µg/L	111	2
	Specific conductance	uS/cm	315	1
FSB102C	Aluminum	µg/L	726	2
	<i>Cadmium</i>	µg/L	4.7	1
	Cobalt	µg/L	33	1
	Manganese	µg/L	758	2
	Specific conductance	uS/cm	310	1
	Total organic halogens	µg/L	29	1

Aquifer Zone IIB₁ (Barnwell/McBean)

<u>Wells</u>	<u>Constituent</u>	<u>Unit</u>	<u>2Q92</u>	<u>Flag</u>
FSB103C	<i>Nonvolatile beta</i>	pCi/L	3.0E+01	1
FSB104C	Manganese	µg/L	30	1
	Specific conductance	uS/cm	400	1
	Total organic halogens	µg/L	38	1
FSB105C	Aluminum	µg/L	22,600	2
	<i>Cadmium</i>	µg/L	4.9	1
	Cobalt	µg/L	229	2
	Manganese	µg/L	2,130	2
	pH	pH	3.5	1
FSB106C	Aluminum	µg/L	1,140	2
	Cobalt	µg/L	27	1
	Manganese	µg/L	588	2
	Specific conductance	uS/cm	500	2
	Total organic halogens	µg/L	28	1
FSB107C	Manganese	µg/L	86	2
FSB110C	Aluminum	µg/L	860	2
	Specific conductance	uS/cm	350	1
FSB111C	<i>Cadmium</i>	µg/L	2.5	1
FSB112C	Aluminum	µg/L	2,960	2
	Cobalt	µg/L	73	2
	Manganese	µg/L	1,420	2
	Specific conductance	uS/cm	1,700	2
FSB113C	Aluminum	µg/L	246	2
	pH	pH	11	2
	Specific conductance	uS/cm	650	2
	<i>Tetrachloroethylene</i>	µg/L	3.2	1
	Total organic halogens	µg/L	32	1
FSB116C	<i>Tritium</i>	pCi/mL	1.5E+01	1
FSB120C	Aluminum	µg/L	212	2
	<i>Gross alpha</i>	pCi/L	7.8E+00 ⁱ	1
	<i>Gross alpha</i>	pCi/L	8.3E+00 ⁱ	1
	Manganese	µg/L	271	2
	Specific conductance	uS/cm	420	1
	Total organic halogens	µg/L	70	2
FSB122C	Aluminum	µg/L	548 ^d	2
	Aluminum	µg/L	550 ^d	2
	<i>Gross alpha</i>	pCi/L	1.4E+01	1
	Manganese	µg/L	175 ^e	2
	Manganese	µg/L	176 ^e	2
	Specific conductance	uS/cm	450 ^b	1
	Specific conductance	uS/cm	480 ^b	1
FSB123C	Total organic halogens	µg/L	29	1

Aquifer Unit IIA (Congaree)

<u>Well</u>	<u>Constituent</u>	<u>Unit</u>	<u>2Q92</u>	<u>Flag</u>
FSB 78A	<i>Tritium</i>	pCi/mL	1.5E+01	1
FSB 78B	<i>Nitrate as nitrogen</i>	µg/L	7,300	1
	Total organic halogens	µg/L	28	1
FSB 79A	<i>Tritium</i>	pCi/mL	1.1E+01	1
FSB 79B	Total organic carbon	µg/L	6,810 ^j	1
	Total organic carbon	µg/L	6,810 ^j	1
	Total organic halogens	µg/L	30 ^k	1
	Total organic halogens	µg/L	30 ^k	1
	<i>Tritium</i>	pCi/mL	1.8E+01 ^l	1
	<i>Tritium</i>	pCi/mL	1.7E+01 ⁱ	1
	<i>Tritium</i>	pCi/mL	1.6E+01 ^l	1
	<i>Tritium</i>	pCi/mL	1.5E+01 ^l	1
	<i>Tritium</i>	pCi/mL	1.5E+01 ^l	1
FSB 96AR	<i>Tritium</i>	pCi/mL	1.1E+01	1
FSB 98AR	<i>Total alpha-emitting radium</i>	pCi/L	2.9E+00	1
	Total organic carbon	µg/L	16,800	2
	<i>Tritium</i>	pCi/mL	1.7E+01	1
FSB 99A	Total organic halogens	µg/L	87	2
FSB100A	<i>Nitrate as nitrogen</i>	µg/L	6,000	1
FSB101A	<i>Antimony</i>	µg/L	4.5	1
	<i>Lead</i>	µg/L	7.7	1
FSB113A	Aluminum	µg/L	3,750	2
	pH	pH	12	2
	Specific conductance	uS/cm	800	2
FSB114A	pH	pH	8.5	1
	<i>Tetrachloroethylene</i>	µg/L	4.9	1
FSB120A	Aluminum	µg/L	2,160	2
	<i>Nitrate as nitrogen</i>	µg/L	5,000 ^m	1
	<i>Nitrate as nitrogen</i>	µg/L	5,000 ^m	1
	pH	pH	12	2
	Specific conductance	uS/cm	400 ^b	1
	Specific conductance	uS/cm	400 ^b	1

Note: Constituents exceeding half the PDWS appear italicized.

^a Duplicate samples of pH.

^b Duplicate samples of specific conductance.

^c Flagging criteria for total radium were applied to total alpha-emitting radium.

^d Duplicate samples of aluminum.

^e Duplicate samples of manganese.

^f Duplicate samples of cadmium.

^g Duplicate samples of cobalt.

- h Duplicate samples of lead.
- i Duplicate samples of gross alpha.
- j Duplicate samples of total organic carbon.
- k Duplicate samples of total organic halogens.
- l Duplicate samples of tritium.
- m Duplicate samples of nitrate as nitrogen.

Table 3. Groundwater Monitoring Results for Individual Wells

WELL FSB 76

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N76141.6 E51388.8	33.278022 °N 81.679386 °W	227.0-197.0 ft msl	294.2 ft msl	4" PVC	Water Table (IIB ₂)

FIELD MEASUREMENTS

Sample date: 04/26/92
 Depth to water: 75.46 ft (23.00 m) below TOC
 Water elevation: 218.74 ft (66.67 m) msl
 Sp. conductance: 79 µS/cm
 Water evacuated before sampling: 57 gal

Time: 12:25
 pH: 4.6
 Alkalinity: 0 mg/L
 Water temperature: 20.3°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	4.9	pH	0	GE
•		pH	4.9	pH	0	GE
		Specific conductance	72	µS/cm	0	GE
		Aluminum	136	µg/L	1	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	11	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	955	µg/L	0	GE
		Chloride	2,060	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	<4.0	µg/L	0	GE
		Copper	614	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE
		Iron	24	µg/L	0	GE
	■	Lead	46	µg/L	2	GE
		Magnesium	1,480	µg/L	0	GE
		Manganese	8.0	µg/L	0	GE
		Mercury	<0.20	µg/L	0	GE
		Nickel	12	µg/L	0	GE
		Nitrate as nitrogen	740	µg/L	0	GE
		Potassium	<500	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	7,030	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	8,330	µg/L	0	GE
		Sulfate	<1,000	µg/L	0	GE
		Thallium	<2.0	µg/L	0	GE
		Total dissolved solids	64,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	GE
		Total phosphates (as P)	280	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	200	µg/L	0	GE
	■	Gross alpha	1.6E+01 ± 1.1E+00	pCi/L	2	GE
		Nonvolatile beta	1.3E+01 ± 7.9E-01	pCi/L	0	GE
	■	Total alpha-emitting radium	6.5E+00 ± 1.3E+00	pCi/L	2	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB 76 collected on 04/26/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
■		Tritium	5.2E+02 ± 3.5E+00	pCi/mL	2	GE

WELL FSB 76A

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N76131.9	33.278005 °N	47.4-36.9 ft msl	293.9 ft msl	PVC	L. Congaree (IIA)
E51391.6	81.679359 °W				

FIELD MEASUREMENTS

Sample date: 04/26/92	Time: 13:15
Depth to water: 138.26 ft (42.14 m) below TOC	pH: 6.4
Water elevation: 155.64 ft (47.44 m) msl	Alkalinity: 39 mg/L
Sp. conductance: 121 µS/cm	Water temperature: 20.7°C
Water evacuated before sampling: 312 gal	

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	6.8	pH	0	GE
		Specific conductance	100	µS/cm	0	GE
		Aluminum	21	µg/L	0	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	23	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	19,100	µg/L	0	GE
		Chloride	2,380	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	<4.0	µg/L	0	GE
		Copper	<4.0	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Fluoride	145	µg/L	0	GE
		Iron	<4.0	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE
		Magnesium	601	µg/L	0	GE
		Manganese	<2.0	µg/L	0	GE
		Mercury	<0.20	µg/L	0	GE
		Nickel	<4.0	µg/L	0	GE
		Nitrate as nitrogen	<50	µg/L	0	GE
		Potassium	1,370	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	29,200	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	1,810	µg/L	0	GE
		Sulfate	8,200	µg/L	0	GE
		Thallium	<2.0	µg/L	0	GE
		Total dissolved solids	84,000	µg/L	0	GE
		Total dissolved solids	84,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB 76A collected on 04/26/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Total phosphates (as P)	270	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	<2.0	µg/L	0	GE
		Gross alpha	<2.0E+00	pCi/L	0	GE
		Nonvolatile beta	<2.0E+00	pCi/L	0	GE
		Total alpha-emitting radium	<1.0E+00	pCi/L	0	GE
		Tritium	<7.0E-01	pCi/mL	0	GE

WELL FSB 76B

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N76122.4	33.277983 °N	109.7-99.2 ft msl	293.8 ft msl	PVC	U. Congaree (IIA)
E51394.0	81.679335 °W				

FIELD MEASUREMENTS

Sample date: 04/26/92
 Depth to water: 141.87 ft (43.24 m) below TOC
 Water elevation: 151.93 ft (46.31 m) msl
 Sp. conductance: 131 µS/cm
 Water evacuated before sampling: 138 gal

Time: 13:00
 pH: 6.7
 Alkalinity: 55 mg/L
 Water temperature: 20.3°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	7.0	pH	0	GE
		Specific conductance	108	µS/cm	0	GE
		Aluminum	<20	µg/L	0	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	18	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	22,600	µg/L	0	GE
		Chloride	2,350	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	<4.0	µg/L	0	GE
		Copper	6.7	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Fluoride	140	µg/L	0	GE
		Iron	<4.0	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE
		Magnesium	672	µg/L	0	GE
		Manganese	<2.0	µg/L	0	GE
		Mercury	<0.20	µg/L	0	GE
		Nickel	<4.0	µg/L	0	GE
		Nitrate as nitrogen	480	µg/L	0	GE
		Potassium	650	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	21,300	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	1,560	µg/L	0	GE
		Sulfate	3,020	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB 76B collected on 04/26/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Thallium	<2.0	µg/L	0	GE
		Total dissolved solids	76,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	GE
		Total phosphates (as P)	300	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	<2.0	µg/L	0	GE
		Gross alpha	<2.0E+00	pCi/L	0	GE
		Gross alpha	<2.0E+00	pCi/L	0	GE
		Nonvolatile beta	<2.0E+00	pCi/L	0	GE
		Nonvolatile beta	<2.0E+00	pCi/L	0	GE
		Total alpha-emitting radium	<1.0E+00	pCi/L	0	GE
		Tritium	<7.0E-01	pCi/mL	0	GE

WELL FSB 76C

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N76112.4	33.277970 °N	165.3-154.8 ft msl	293.6 ft msl	PVC	Barnwell (IIB ₁)
E51396.4	81.679309 °W				

FIELD MEASUREMENTS

Sample date: 04/03/92
 Depth to water: 81.32 ft (24.79 m) below TOC
 Water elevation: 212.28 ft (64.70 m) msl
 Sp. conductance: 42 µS/cm
 Water evacuated before sampling: 151 gal

Time: 15:25
 pH: 5.7
 Alkalinity: 10 mg/L
 Water temperature: 18.2°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.9	pH	0	GE
		Specific conductance	40	µS/cm	0	GE
		Specific conductance	40	µS/cm	0	GE
		Aluminum	<20	µg/L	0	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	6.8	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	5,270	µg/L	0	GE
		Chloride	2,460	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	<4.0	µg/L	0	GE
		Copper	6.1	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE
		Iron	<4.0	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE
		Magnesium	362	µg/L	0	GE
		Manganese	4.6	µg/L	0	GE
		Mercury	<0.20	µg/L	0	GE
		Nickel	<4.0	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB 76C collected on 04/03/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Nitrate as nitrogen	1,250	µg/L	0	GE
		Potassium	<500	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	9,960	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	2,130	µg/L	0	GE
		Sulfate	<1,000	µg/L	0	GE
		Thallium	<2.0	µg/L	0	GE
		Total dissolved solids	32,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	GE
		Total phosphates (as P)	<50	µg/L	0	GE
		Total phosphates (as P)	60	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	15	µg/L	0	GE
		Gross alpha	<2.0E+00	pCi/L	0	GE
		Gross alpha	<2.0E+00	pCi/L	0	GE
		Nonvolatile beta	<2.0E+00	pCi/L	0	GE
		Nonvolatile beta	<2.0E+00	pCi/L	0	GE
		Total alpha-emitting radium	<1.0E+00	pCi/L	0	GE
		Tritium	2.8E+00 ± 4.0E-01	pCi/mL	0	GE

WELL FSB 77

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N75129.4 E50713.1	33.274681 °N 81.679198 °W	216.4-186.4 ft msl	273.3 ft msl	4" PVC	Water Table (IIB ₂)

FIELD MEASUREMENTS

Sample date: 04/01/92
 Depth to water: 60.03 ft (18.30 m) below TOC
 Water elevation: 213.27 ft (65.01 m) msl
 Sp. conductance: 1050 µS/cm
 Water evacuated before sampling: 71 gal

Time: 9:15
 pH: 3.4
 Alkalinity: 0 mg/L
 Water temperature: 19.0°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	3.6	pH	1	GE
		Specific conductance	1,250	µS/cm	2	GE
		Aluminum	24,600	µg/L	2	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	131	µg/L	0	GE
		Cadmium	4.8	µg/L	1	GE
		Calcium	1,770	µg/L	0	GE
		Chloride	2,140	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	8.5	µg/L	0	GE
		Copper	47	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB 77 collected on 04/01/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		Cyanide	<5.0	µg/L	0	GE
		Fluoride	651	µg/L	0	GE
		Iron	27	µg/L	0	GE
■		Lead	19	µg/L	2	GE
		Magnesium	1,260	µg/L	0	GE
		Manganese	519	µg/L	2	GE
■		Mercury	5.8	µg/L	2	GE
		Nickel	15	µg/L	0	GE
■		Nitrate as nitrogen	126,000	µg/L	2	GE
		Potassium	628	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	16,600	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	42,700	µg/L	0	GE
		Sulfate	2,400	µg/L	0	GE
		Thallium	<2.0	µg/L	0	GE
		Total dissolved solids	561,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
•		Total organic halogens	<5.0	µg/L	0	GE
		Total phosphates (as P)	<50	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	35	µg/L	0	GE
■		Gross alpha	9.5E+02 ± 2.0E+01	pCi/L	2	GE
■		Nonvolatile beta	1.8E+03 ± 1.6E+01	pCi/L	2	GE
■		Total alpha-emitting radium	9.9E+01 ± 2.5E+00	pCi/L	2	GE
■		Tritium	7.8E+03 ± 1.4E+01	pCi/mL	2	GE

WELL FSB 77

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N75129.4	33.274681 °N	216.4-186.4 ft msl	273.3 ft msl	4" PVC	Water Table (IIB ₂)
E50713.1	81.679198 °W				

FIELD MEASUREMENTS

Sample date: 06/02/92
 Depth to water: 60.46 ft (18.43 m) below TOC
 Water elevation: 212.84 ft (64.87 m) msl
 Sp. conductance: 1147 µS/cm
 Water evacuated before sampling: 69 gal
 Time: 10:10
 pH: 3.8
 Alkalinity: 0 mg/L
 Water temperature: 20.4°C

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB 77

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N75129.4 E50713.1	33.274681 °N 81.679198 °W	216.4-186.4 ft msl	273.3 ft msl	4" PVC	Water Table (IIB ₂)

FIELD MEASUREMENTS

Sample date: 06/08/92
Depth to water: 60.61 ft (18.47 m) below TOC
Water elevation: 212.69 ft (64.83 m) msl
Sp. conductance: 1147 $\mu\text{S}/\text{cm}$
Water evacuated before sampling: 69 gal

Time: 9:15
pH: 3.5
Alkalinity: 0 mg/L
Water temperature: 21.2°C

WELL FSB 78

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N74764.0 E50164.7	33.272978 °N 81.679932 °W	217.7-187.7 ft msl	272.6 ft msl	4" PVC	Water Table (IIB ₂)

FIELD MEASUREMENTS

Sample date: 04/01/92
Depth to water: 62.65 ft (19.10 m) below TOC
Water elevation: 209.95 ft (63.99 m) msl
Sp. conductance: 2290 $\mu\text{S}/\text{cm}$
Water evacuated before sampling: 58 gal

Time: 12:00
pH: 3.1
Alkalinity: 0 mg/L
Water temperature: 20.3°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	3.2	pH	1	GE
		Specific conductance	2,800	$\mu\text{S}/\text{cm}$	2	GE
		Aluminum	48,500	$\mu\text{g}/\text{L}$	2	GE
		Antimony	<2.0	$\mu\text{g}/\text{L}$	0	GE
		Arsenic	<2.0	$\mu\text{g}/\text{L}$	0	GE
		Barium	331	$\mu\text{g}/\text{L}$	0	GE
	■	Cadmium	18	$\mu\text{g}/\text{L}$	2	GE
		Calcium	2,540	$\mu\text{g}/\text{L}$	0	GE
		Chloride	1,950	$\mu\text{g}/\text{L}$	0	GE
		Chromium	7.0	$\mu\text{g}/\text{L}$	0	GE
		Cobalt	20	$\mu\text{g}/\text{L}$	0	GE
		Copper	43	$\mu\text{g}/\text{L}$	0	GE
•		Cyanide	<5.0	$\mu\text{g}/\text{L}$	0	GE
•		Cyanide	<5.0	$\mu\text{g}/\text{L}$	0	GE
		Fluoride	167	$\mu\text{g}/\text{L}$	0	GE
		Iron	90	$\mu\text{g}/\text{L}$	0	GE
		Lead	5.3	$\mu\text{g}/\text{L}$	0	GE
		Magnesium	1,990	$\mu\text{g}/\text{L}$	0	GE
		Manganese	1,160	$\mu\text{g}/\text{L}$	2	GE
		Mercury	0.82	$\mu\text{g}/\text{L}$	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB 78 collected on 04/01/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Nickel	29	µg/L	0	GE
■		Nitrate as nitrogen	304,000	µg/L	2	GE
		Potassium	6,640	µg/L	0	GE
		Selenium	< 2.0	µg/L	0	GE
		Silica	138,000	µg/L	0	GE
		Silver	< 2.0	µg/L	0	GE
		Sodium	223,000	µg/L	0	GE
		Sulfate	42,100	µg/L	0	GE
		Thallium	< 2.0	µg/L	0	GE
		Total dissolved solids	1.8E+06	µg/L	0	GE
		Total organic carbon	3,000	µg/L	0	GE
		Total organic carbon	3,000	µg/L	0	GE
●		Total organic halogens	14	µg/L	0	GE
		Total phosphates (as P)	< 50	µg/L	0	GE
		Vanadium	< 8.0	µg/L	0	GE
		Zinc	98	µg/L	0	GE
■		Gross alpha	6.6E+02 ± 6.6E+00	pCi/L	2	GE
■		Nonvolatile beta	2.8E+03 ± 9.9E+00	pCi/L	2	GE
■		Total alpha-emitting radium	1.1E+02 ± 1.5E+00	pCi/L	2	GE
■		Tritium	2.0E+04 ± 2.2E+01	pCi/mL	2	GE

WELL FSB 78

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N74764.0	33.272978 °N	217.7-187.7 ft msl	272.6 ft msl	4" PVC	Water Table (IIB ₂)
E50164.7	81.679932 °W				

FIELD MEASUREMENTS

Sample date: 06/02/92
 Depth to water: 63.11 ft (19.24 m) below TOC
 Water elevation: 209.49 ft (63.85 m) msl
 Sp. conductance: 2430 µS/cm
 Water evacuated before sampling: 57 gal

Time: 11:20
 pH: 3.6
 Alkalinity: 0 mg/L
 Water temperature: 22.5°C

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB 78

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N74764.0 E50164.7	33.272978 °N 81.679932 °W	217.7-187.7 ft msl	272.6 ft msl	4" PVC	Water Table (IIB ₂)

FIELD MEASUREMENTS

Sample date: 06/08/92
 Depth to water: 63.11 ft (19.24 m) below TOC
 Water elevation: 209.49 ft (63.85 m) msl
 Sp. conductance: 2430 μ S/cm
 Water evacuated before sampling: 57 gal

Time: 10:25
 pH: 3.1
 Alkalinity: 0 mg/L
 Water temperature: 21.6°C

WELL FSB 78A

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N74757.7 E50172.8	33.272977 °N 81.679898 °W	37.5-27.0 ft msl	272.6 ft msl	PVC	L. Congaree (IIA)

FIELD MEASUREMENTS

Sample date: 04/01/92
 Depth to water: 115.57 ft (35.23 m) below TOC
 Water elevation: 157.03 ft (47.86 m) msl
 Sp. conductance: 101 μ S/cm
 Water evacuated before sampling: 341 gal

Time: 12:55
 pH: 6.4
 Alkalinity: 31 mg/L
 Water temperature: 21.2°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	6.6	pH	0	GE
•		pH	6.6	pH	0	GE
		Specific conductance	118	μ S/cm	0	GE
		Aluminum	32	μ g/L	0	GE
		Antimony	<2.0	μ g/L	0	GE
		Arsenic	<2.0	μ g/L	0	GE
		Barium	22	μ g/L	0	GE
		Cadmium	<2.0	μ g/L	0	GE
		Calcium	17,400	μ g/L	0	GE
		Chloride	2,210	μ g/L	0	GE
		Chromium	<4.0	μ g/L	0	GE
		Cobalt	<4.0	μ g/L	0	GE
		Copper	<4.0	μ g/L	0	GE
		Cyanide	<5.0	μ g/L	0	GE
		Fluoride	125	μ g/L	0	GE
		Iron	<4.0	μ g/L	0	GE
		Lead	<3.0	μ g/L	0	GE
		Magnesium	622	μ g/L	0	GE
		Manganese	3.7	μ g/L	0	GE
		Mercury	<0.20	μ g/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB 78A collected on 04/01/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Nickel	<4.0	µg/L	0	GE
		Nitrate as nitrogen	270	µg/L	0	GE
		Potassium	971	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	30,700	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	1,950	µg/L	0	GE
		Sulfate	6,890	µg/L	0	GE
		Thallium	<2.0	µg/L	0	GE
		Total dissolved solids	71,000	µg/L	0	GE
		Total organic carbon	1,000	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	GE
		Total phosphates (as P)	210	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	<2.0	µg/L	0	GE
		Gross alpha	<2.0E+00	pCi/L	0	GE
		Nonvolatile beta	2.1E+00 ± 5.1E-01	pCi/L	0	GE
		Total alpha-emitting radium	<1.0E+00	pCi/L	0	GE
		Tritium	1.5E+01 ± 7.0E-01	pCi/mL	1	GE

WELL FSB 78B

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N74765.9	33.273005 °N	92.8-82.4 ft msl	272.8 ft msl	PVC	U. Congaree (IIA)
E50178.8	81.679898 °W				

FIELD MEASUREMENTS

Sample date: 04/01/92
 Depth to water: 117.46 ft (35.80 m) below TOC
 Water elevation: 155.34 ft (47.35 m) msl
 Sp. conductance: 214 µS/cm
 Water evacuated before sampling: 191 gal

Time: 13:20
 pH: 7.1
 Alkalinity: 63 mg/L
 Water temperature: 21.2°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	7.3	pH	0	GE
		Specific conductance	182	µS/cm	0	GE
		Aluminum	<20	µg/L	0	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	41	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	35,600	µg/L	0	GE
		Chloride	2,120	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	<4.0	µg/L	0	GE
		Copper	<4.0	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB 78B collected on 04/01/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Iron	<4.0	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE
		Magnesium	798	µg/L	0	GE
		Manganese	<2.0	µg/L	0	GE
		Mercury	<0.20	µg/L	0	GE
		Nickel	<4.0	µg/L	0	GE
		Nitrate as nitrogen	7,300	µg/L	1	GE
		Potassium	634	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	18,100	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	5,190	µg/L	0	GE
		Sulfate	<1,000	µg/L	0	GE
		Thallium	<2.0	µg/L	0	GE
		Total dissolved solids	155,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	28	µg/L	1	GE
		Total phosphates (as P)	50	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	2.1	µg/L	0	GE
		Gross alpha	<2.0E+00	pCi/L	0	GE
		Nonvolatile beta	2.5E+00 ± 5.3E-01	pCi/L	0	GE
		Total alpha-emitting radium	1.1E+00 ± 4.0E-01	pCi/L	0	GE
■		Tritium	2.4E+02 ± 2.4E+00	pCi/mL	2	GE

WELL FSB 78C

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N74772.5 E50170.2	33.273006 °N 81.679934 °W	151.4-141.6 ft msl	273.5 ft msl	PVC	Barnwell (IIB ₁)

FIELD MEASUREMENTS

Sample date: 04/02/92
 Depth to water: 63.96 ft (19.50 m) below TOC
 Water elevation: 209.54 ft (63.87 m) msl
 Sp. conductance: 1730 µS/cm
 Water evacuated before sampling: 26 gal
 The well went dry during purging.

Time: 9:05
 pH: 4.4
 Alkalinity: 0 mg/L
 Water temperature: 18.1°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	4.6	pH	0	GE
		Specific conductance	2,100	µS/cm	2	GE
		Aluminum	10,700	µg/L	2	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	393	µg/L	0	GE
■		Cadmium	12	µg/L	2	GE
		Calcium	114,000	µg/L	0	GE
		Chloride	2,360	µg/L	0	GE
		Chromium	<8.0	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB 78C collected on 04/02/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Cobalt	220	µg/L	2	GE
		Copper	198	µg/L	0	GE
•		Cyanide	< 5.0	µg/L	0	GE
		Fluoride	1,950	µg/L	0	GE
		Iron	138	µg/L	0	GE
	■	Lead	44	µg/L	2	GE
		Magnesium	20,700	µg/L	0	GE
		Manganese	5,180	µg/L	2	GE
		Mercury	< 0.20	µg/L	0	GE
		Nickel	85	µg/L	1	GE
	■	Nitrate as nitrogen	255,000	µg/L	2	GE
		Potassium	2,550	µg/L	0	GE
		Selenium	< 2.0	µg/L	0	GE
		Silica	13,400	µg/L	0	GE
		Silver	< 4.0	µg/L	0	GE
		Sodium	80,500	µg/L	0	GE
		Sulfate	< 1,000	µg/L	0	GE
		Thallium	< 2.0	µg/L	0	GE
		Total dissolved solids	1.5E+06	µg/L	0	GE
		Total organic carbon	6,000	µg/L	1	GE
		Total organic halogens	< 5.0	µg/L	0	GE
		Total phosphates (as P)	< 50	µg/L	0	GE
		Vanadium	< 16	µg/L	0	GE
		Zinc	428	µg/L	0	GE
	■	Gross alpha	1.9E+02 ± 3.8E+00	pCi/L	2	GE
	■	Nonvolatile beta	1.8E+03 ± 9.8E+00	pCi/L	2	GE
	■	Total alpha-emitting radium	4.7E+01 ± 8.0E-01	pCi/L	2	GE
	■	Tritium	9.1E+03 ± 1.5E+01	pCi/mL	2	GE
	■	Tritium	9.6E+03 ± 1.5E+01	pCi/mL	2	GE

WELL FSB 79

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N73663.1 E50139.7	33.270502 °N 81.677859 °W	204.1-174.1 ft msl	217.8 ft msl	4" PVC	Water Table (IIB ₂)

FIELD MEASUREMENTS

Sample date: 05/21/92 Time: 9:30
 Depth to water: 15.58 ft (4.75 m) below TOC
 Water elevation: 202.22 ft (61.64 m) msl
 Inaccessibility or pump failure prevented sample collection.

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB 79

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N73663.1 E50139.7	33.270502 °N 81.677859 °W	204.1-174.1 ft msl	217.8 ft msl	4" PVC	Water Table (IIB ₂)

FIELD MEASUREMENTS

Sample date: 06/01/92	Time: 11:25
Depth to water: 15.60 ft (4.75 m) below TOC	pH: 3.5
Water elevation: 202.20 ft (61.63 m) msl	Alkalinity: 0 mg/L
Sp. conductance: 1308 µS/cm	Water temperature: 20.5°C
Water evacuated before sampling: 74 gal	

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	3.5	pH	1	GE
•		pH	3.4	pH	1	GE
		Specific conductance	1,210	µS/cm	2	GE
		Specific conductance	1,210	µS/cm	2	GE
		Aluminum	44,100	µg/L	2	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	378	µg/L	0	GE
		Cadmium	3.3	µg/L	1	GE
		Calcium	1,840	µg/L	0	GE
		Chloride	1,540	µg/L	0	GE
		Chloride	1,550	µg/L	0	GE
		Chromium	<1.0	µg/L	0	GE
		Cobalt	158	µg/L	2	GE
		Copper	31	µg/L	0	GE
•		Cyanide	<5.0	µg/L	0	GE
		Fluoride	203	µg/L	0	GE
		Iron	162	µg/L	1	GE
		Lead	<3.0	µg/L	0	GE
		Magnesium	942	µg/L	0	GE
		Manganese	3,310	µg/L	2	GE
■		Mercury	2.2	µg/L	2	GE
		Nickel	25	µg/L	0	GE
■		Nitrate as nitrogen	160,000	µg/L	2	GE
■		Nitrate as nitrogen	156,000	µg/L	2	GE
		Potassium	775	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	57,000	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	56,400	µg/L	0	GE
		Sulfate	10,200	µg/L	0	GE
		Sulfate	10,500	µg/L	0	GE
		Thallium	<2.0	µg/L	0	GE
		Total dissolved solids	632,000	µg/L	0	GE
		Total organic carbon	1,000	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	GE
		Total phosphates (as P)	60	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	63	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB 79 collected on 06/01/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
■		Gross alpha	4.8E+02 ± 1.7E+01	pCi/L	2	GE
■		Gross alpha	4.2E+02 ± 1.6E+01	pCi/L	2	GE
■		Nonvolatile beta	7.2E+02 ± 2.5E+01	pCi/L	2	GE
■		Nonvolatile beta	8.7E+02 ± 2.7E+01	pCi/L	2	GE
■		Total alpha-emitting radium	5.1E+01 ± 3.2E+00	pCi/L	2	GE
■		Total alpha-emitting radium	6.3E+01 ± 4.0E+00	pCi/L	2	GE
■		Tritium	1.0E+04 ± 1.6E+01	pCi/mL	2	GE
■		Tritium	1.0E+04 ± 1.6E+01	pCi/mL	2	GE

WELL FSB 79

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N73663.1 E50139.7	33.270502 °N 81.677859 °W	204.1-174.1 ft msl	217.8 ft msl	4" PVC	Water Table (IIB ₂)

FIELD MEASUREMENTS

Sample date: 06/08/92
 Depth to water: 15.74 ft (4.80 m) below TOC
 Water elevation: 202.06 ft (61.59 m) msl
 Sp. conductance: 1307 µS/cm
 Water evacuated before sampling: 73 gal

Time: 7:35
 pH: 3.4
 Alkalinity: 0 mg/L
 Water temperature: 19.3°C

WELL FSB 79A

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N73664.5 E50149.6	33.270522 °N 81.677836 °W	34.4-24.0 ft msl	218.1 ft msl	PVC	L. Congaree (IIA)

FIELD MEASUREMENTS

Sample date: 04/01/92
 Depth to water: 59.53 ft (18.14 m) below TOC
 Water elevation: 158.57 ft (48.33 m) msl
 Sp. conductance: 76 µS/cm
 Water evacuated before sampling: 353 gal

Time: 11:00
 pH: 6.3
 Alkalinity: 23 mg/L
 Water temperature: 17.8°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
●		pH	6.4	pH	0	GE
●		pH	6.5	pH	0	GE
		Specific conductance	79	µS/cm	0	GE
		Aluminum	<20	µg/L	0	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	18	µg/L	0	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB 79A collected on 04/01/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Cadmium	<2.0	µg/L	0	GE
		Calcium	12,700	µg/L	0	GE
		Chloride	2,180	µg/L	0	GE
		Chloride	2,230	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	<4.0	µg/L	0	GE
		Copper	<4.0	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE
		Iron	<4.0	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE
		Magnesium	559	µg/L	0	GE
		Manganese	<2.0	µg/L	0	GE
		Mercury	<0.20	µg/L	0	GE
		Nickel	<4.0	µg/L	0	GE
		Nitrate as nitrogen	420	µg/L	0	GE
		Potassium	733	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	21,000	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	1,670	µg/L	0	GE
		Sulfate	3,540	µg/L	0	GE
		Sulfate	3,550	µg/L	0	GE
		Thallium	<2.0	µg/L	0	GE
		Total dissolved solids	60,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	GE
		Total phosphates (as P)	130	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	<2.0	µg/L	0	GE
		Gross alpha	<2.0E+00	pCi/L	0	GE
		Nonvolatile beta	2.5E+00 ± 5.6E-01	pCi/L	0	GE
		Total alpha-emitting radium	<1.0E+00	pCi/L	0	GE
		Tritium	1.1E+01 ± 6.0E-01	pCi/mL	1	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB 79B

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casings</u>	<u>Casing</u>	<u>Formation</u>
N73666.1 E50159.2	33.270541 °N 81.677813 °W	91.2-80.7 ft msl	218.2 ft msl	PVC	U. Congaree (IIA)

FIELD MEASUREMENTS

Sample date: 04/09/92	Time: 10:15
Depth to water: 59.55 ft (18.15 m) below TOC	pH: 6.9
Water elevation: 158.65 ft (48.36 m) msl	Alkalinity: 66 mg/L
Sp. conductance: 154 µS/cm	Water temperature: 19.1°C
Water evacuated before sampling: 205 gal	

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	7.3	pH	0	GE
•		pH	7.4	pH	0	GE
•		pH	7.0	pH	0	WA
•		pH	6.9	pH	0	WA
•		pH	6.9	pH	0	WA
		Specific conductance	148	µS/cm	0	GE
		Specific conductance	149	µS/cm	0	GE
•		Specific conductance	150	µS/cm	0	WA
•		Specific conductance	146	µS/cm	0	WA
•		Specific conductance	146	µS/cm	0	WA
		Aluminum	<20	µg/L	0	GE
		Aluminum	<20	µg/L	0	GE
		Aluminum	34	µg/L	0	WA
		Aluminum	<15	µg/L	0	WA
		Aluminum	89	µg/L	0	WA
		Antimony	<2.0	µg/L	0	GE
		Antimony	<2.0	µg/L	0	GE
		Antimony	<2.0	µg/L	0	GE
		Antimony	<2.6	µg/L	0	WA
		Antimony	<2.6	µg/L	0	WA
		Antimony	<2.6	µg/L	0	WA
		Arsenic	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	WA
		Arsenic	<2.0	µg/L	0	WA
		Arsenic	<2.0	µg/L	0	WA
		Barium	29	µg/L	0	GE
		Barium	29	µg/L	0	GE
		Barium	29	µg/L	0	WA
		Barium	30	µg/L	0	WA
		Barium	30	µg/L	0	WA
		Cadmium	<2.0	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Cadmium	0.97	µg/L	0	WA
		Cadmium	<0.35	µg/L	0	WA
		Cadmium	<0.35	µg/L	0	WA
		Calcium	30,000	µg/L	0	GE
		Calcium	29,700	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB 79B collected on 04/09/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Calcium	30,900	µg/L	0	WA
		Calcium	33,000	µg/L	0	WA
		Calcium	32,300	µg/L	0	WA
		Chloride	2,150	µg/L	0	GE
		Chloride	2,150	µg/L	0	GE
		Chloride	2,150	µg/L	0	GE
		Chloride	2,670	µg/L	0	WA
		Chloride	2,710	µg/L	0	WA
		Chromium	<4.0	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Chromium	2.1	µg/L	0	WA
		Chromium	1.2	µg/L	0	WA
		Chromium	1.2	µg/L	0	WA
		Cobalt	<4.0	µg/L	0	GE
		Cobalt	<4.0	µg/L	0	GE
		Cobalt	<0.88	µg/L	0	WA
		Cobalt	<0.88	µg/L	0	WA
		Cobalt	<0.88	µg/L	0	WA
		Copper	<4.0	µg/L	0	GE
		Copper	<4.0	µg/L	0	GE
		Copper	1.2	µg/L	0	WA
		Copper	<1.1	µg/L	0	WA
		Copper	<1.1	µg/L	0	WA
		Cyanide	<5.0	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	WA
		Cyanide	<5.0	µg/L	0	WA
		Fluoride	127	µg/L	0	GE
		Fluoride	142	µg/L	0	GE
		Fluoride	131	µg/L	0	WA
		Fluoride	132	µg/L	0	WA
		Fluoride	129	µg/L	0	WA
		Iron	<4.0	µg/L	0	GE
		Iron	<4.0	µg/L	0	GE
		Iron	33	µg/L	0	WA
		Iron	7.3	µg/L	0	WA
		Iron	143	µg/L	0	WA
		Lead	<3.0	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE
		Lead	<2.0	µg/L	0	WA
		Lead	<2.0	µg/L	0	WA
		Lead	<2.0	µg/L	0	WA
		Magnesium	631	µg/L	0	GE
		Magnesium	640	µg/L	0	GE
		Magnesium	720	µg/L	0	WA
		Magnesium	660	µg/L	0	WA
		Magnesium	689	µg/L	0	WA
		Manganese	<2.0	µg/L	0	GE
		Manganese	<2.0	µg/L	0	GE
		Manganese	1.0	µg/L	0	WA
		Manganese	0.60	µg/L	0	WA
		Manganese	5.7	µg/L	0	WA
		Mercury	<0.20	µg/L	0	GE
		Mercury	<0.20	µg/L	0	GE
		Mercury	<0.20	µg/L	0	WA

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB 79B collected on 04/09/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Mercury	<0.20	µg/L	0	WA
		Nickel	<4.0	µg/L	0	GE
		Nickel	<4.0	µg/L	0	GE
		Nickel	<3.1	µg/L	0	WA
		Nickel	<3.1	µg/L	0	WA
		Nickel	<3.1	µg/L	0	WA
		Nitrate as nitrogen	870	µg/L	0	GE
		Nitrate as nitrogen	900	µg/L	0	GE
		Nitrate as nitrogen	982	µg/L	0	WA
		Nitrate as nitrogen	1,060	µg/L	0	WA
		Potassium	528	µg/L	0	GE
		Potassium	560	µg/L	0	GE
		Potassium	600	µg/L	0	WA
		Potassium	522	µg/L	0	WA
		Potassium	372	µg/L	0	WA
		Selenium	<2.0	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Selenium	<2.0	µg/L	0	WA
		Selenium	<2.0	µg/L	0	WA
		Selenium	<2.0	µg/L	0	WA
		Silica	26,300	µg/L	0	GE
		Silica	26,400	µg/L	0	GE
		Silica	23,500	µg/L	0	WA
		Silica	24,900	µg/L	0	WA
		Silica	23,700	µg/L	0	WA
		Silver	<2.0	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Silver	<0.70	µg/L	0	WA
		Silver	<0.70	µg/L	0	WA
		Silver	<0.70	µg/L	0	WA
		Sodium	1,770	µg/L	0	GE
		Sodium	1,790	µg/L	0	GE
		Sodium	1,750	µg/L	0	WA
		Sodium	1,900	µg/L	0	WA
		Sodium	1,820	µg/L	0	WA
		Sulfate	2,240	µg/L	0	GE
		Sulfate	2,250	µg/L	0	GE
		Sulfate	2,290	µg/L	0	GE
		Sulfate	2,530	µg/L	0	WA
		Sulfate	2,470	µg/L	0	WA
		Thallium	<2.0	µg/L	0	GE
		Thallium	<2.0	µg/L	0	GE
		Thallium	<2.0	µg/L	0	GE
		Thallium	<2.0	µg/L	0	WA
		Thallium	<2.0	µg/L	0	WA
		Thallium	<2.0	µg/L	0	WA
		Total dissolved solids	117,000	µg/L	0	GE
		Total dissolved solids	118,000	µg/L	0	GE
		Total dissolved solids	106,000	µg/L	0	WA
		Total dissolved solids	106,000	µg/L	0	WA
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic carbon	6,810	µg/L	1	WA
		Total organic carbon	6,810	µg/L	1	WA
		Total organic carbon	<500	µg/L	0	WA

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB 79B collected on 04/09/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Total organic halogens	<5.0	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	GE
		Total organic halogens	30	µg/L	1	WA
		Total organic halogens	30	µg/L	1	WA
		Total phosphates (as P)	320	µg/L	0	GE
		Total phosphates (as P)	450	µg/L	0	GE
		Total phosphates (as P)	362	µg/L	0	WA
		Total phosphates (as P)	358	µg/L	0	WA
		Total phosphates (as P)	719	µg/L	0	WA
		Uranium	0.17 ± 2.0E-02	µg/L	0	TM
		Uranium	0.15 ± 2.0E-02	µg/L	0	TM
		Uranium	0.16 ± 2.0E-02	µg/L	0	TM
		Vanadium	<8.0	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Vanadium	<0.88	µg/L	0	WA
		Vanadium	<0.88	µg/L	0	WA
		Vanadium	<0.88	µg/L	0	WA
		Zinc	2.8	µg/L	0	GE
		Zinc	2.8	µg/L	0	GE
		Zinc	55	µg/L	0	WA
		Zinc	19	µg/L	0	WA
		Zinc	8.0	µg/L	0	WA
		Gross alpha	<2.0E+00	pCi/L	0	GE
		Gross alpha	<2.0E+00	pCi/L	0	GE
		Gross alpha	1.8E+00 ± 7.0E-01	pCi/L	0	TM
		Gross alpha	2.1E+00 ± 7.0E-01	pCi/L	0	TM
		Gross alpha	1.4E+00 ± 7.0E-01	pCi/L	0	TM
		Nonvolatile beta	2.2E+00 ± 5.0E-01	pCi/L	0	GE
		Nonvolatile beta	3.9E+00 ± 6.8E-01	pCi/L	0	GE
		Nonvolatile beta	2.6E+00 ± 9.0E-01	pCi/L	0	TM
		Nonvolatile beta	4.3E+00 ± 9.0E-01	pCi/L	0	TM
		Nonvolatile beta	2.8E+00 ± 9.0E-01	pCi/L	0	TM
		Radium-226	3.7E-01 ± 4.6E-01	pCi/L	0	TM
		Radium-226	5.2E-01 ± 4.4E-01	pCi/L	0	TM
		Radium-226	8.0E-02 ± 1.2E-01	pCi/L	0	TM
■		Radium-228	1.8E+01 ± 1.5E+00	pCi/L	2	TM
■		Radium-228	1.5E+01 ± 1.1E+00	pCi/L	2	TM
		Radium-228	1.0E+00 ± 5.8E-01	pCi/L	0	TM
		Total alpha-emitting radium	<1.0E+00	pCi/L	0	GE
		Total alpha-emitting radium	<1.0E+00	pCi/L	0	GE
		Tritium	1.8E+01 ± 7.0E-01	pCi/mL	1	GE
		Tritium	1.7E+01 ± 7.0E-01	pCi/mL	1	GE
		Tritium	1.6E+01 ± 1.3E+00	pCi/mL	1	TM
		Tritium	1.5E+01 ± 1.0E+00	pCi/mL	1	TM
		Tritium	1.5E+01 ± 1.9E+00	pCi/mL	1	TM

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB 79C

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Formation
N73668.0 E50171.3	33.270565 °N 81.677785 °W	159.6-149.8 ft msl	218.4 ft msl	PVC	Barnwell (IIB ₁)

FIELD MEASUREMENTS

Sample date: 04/01/92	Time: 10:15
Depth to water: 21.04 ft (6.41 m) below TOC	pH: 3.5
Water elevation: 197.36 ft (60.16 m) msl	Alkalinity: 0 mg/L
Sp. conductance: 1265 µS/cm	Water temperature: 17.6°C
Water evacuated before sampling: 125 gal	

LABORATORY ANALYSES

H	D	Analyte	Result	Unit	Flag	Lab
•		pH	3.7	pH	1	GE
		Specific conductance	1,500	µS/cm	2	GE
		Aluminum	42,200	µg/L	2	GE
		Aluminum	43,100	µg/L	2	GE
		Antimony	< 2.0	µg/L	0	GE
		Arsenic	< 2.0	µg/L	0	GE
		Barium	496	µg/L	0	GE
		Barium	528	µg/L	0	GE
	■	Cadmium	30	µg/L	2	GE
	■	Cadmium	32	µg/L	2	GE
		Calcium	16,400	µg/L	0	GE
		Calcium	18,100	µg/L	0	GE
		Chloride	2,840	µg/L	0	GE
		Chromium	< 20	µg/L	0	GE
		Chromium	< 20	µg/L	0	GE
		Cobalt	95	µg/L	2	GE
		Cobalt	104	µg/L	2	GE
		Copper	49	µg/L	0	GE
		Copper	52	µg/L	0	GE
•		Cyanide	< 5.0	µg/L	0	GE
		Fluoride	694	µg/L	0	GE
		Iron	< 20	µg/L	0	GE
		Iron	< 20	µg/L	0	GE
		Lead	3.2	µg/L	0	GE
		Magnesium	14,000	µg/L	0	GE
		Magnesium	14,500	µg/L	0	GE
		Manganese	1,990	µg/L	2	GE
		Manganese	2,190	µg/L	2	GE
		Mercury	0.27	µg/L	0	GE
		Nickel	31	µg/L	0	GE
		Nickel	43	µg/L	0	GE
	■	Nitrate as nitrogen	170,000	µg/L	2	GE
	■	Nitrate as nitrogen	170,000	µg/L	2	GE
		Potassium	< 2,500	µg/L	0	GE
		Potassium	< 2,500	µg/L	0	GE
		Selenium	< 2.0	µg/L	0	GE
		Silica	16,700	µg/L	0	GE
		Silica	16,700	µg/L	0	GE
		Silver	< 20	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB 79C collected on 04/01/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Silver	<10	µg/L	0	GE
		Sodium	61,400	µg/L	0	GE
		Sodium	65,400	µg/L	0	GE
		Sulfate	<1,000	µg/L	0	GE
		Thallium	<2.0	µg/L	0	GE
		Total dissolved solids	737,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
●		Total organic halogens	10	µg/L	0	GE
		Total phosphates (as P)	<50	µg/L	0	GE
		Vanadium	<40	µg/L	0	GE
		Vanadium	<40	µg/L	0	GE
		Zinc	107	µg/L	0	GE
		Zinc	119	µg/L	0	GE
■		Gross alpha	3.5E+02 ± 7.9E+00	pCi/L	2	GE
■		Nonvolatile beta	3.2E+03 ± 2.2E+01	pCi/L	2	GE
■		Total alpha-emitting radium	4.6E+01 ± 1.2E+00	pCi/L	2	GE
■		Total alpha-emitting radium	5.2E+01 ± 1.2E+00	pCi/L	2	GE
■		Tritium	1.0E+04 ± 1.5E+01	pCi/mL	2	GE

WELL FSB 79C

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N73668.0	33.270565 °N	159.6-149.8 ft msl	218.4 ft msl	PVC	Barnwell (IIB ₁)
E50171.3	81.677785 °W				

FIELD MEASUREMENTS

Sample date: 06/01/92	Time: 10:55
Depth to water: 21.61 ft (6.59 m) below TOC	pH: 3.6
Water elevation: 196.79 ft (59.98 m) msl	Alkalinity: 0 mg/L
Sp. conductance: 1314 µS/cm	Water temperature: 20.3°C
Water evacuated before sampling: 123 gal	

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB 79C

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N73668.0	33.270565 °N	159.6-149.8 ft msl	218.4 ft msl	PVC	Barnwell (IIB ₁)
E50171.3	81.677785 °W				

FIELD MEASUREMENTS

Sample date: 06/08/92	Time: 7:15
Depth to water: 21.62 ft (6.59 m) below TOC	pH: 3.5
Water elevation: 196.78 ft (59.98 m) msl	Alkalinity: 0 mg/L
Sp. conductance: 1327 µS/cm	Water temperature: 19.7°C
Water evacuated before sampling: 123 gal	

WELL FSB 87A

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N75601.7	33.274751 °N	43.6-33.1 ft msl	287.8 ft msl	PVC	L. Congaree (IIA)
E50115.8	81.681688 °W				

FIELD MEASUREMENTS

Sample date: 04/02/92	Time: 11:00
Depth to water: 133.03 ft (40.55 m) below TOC	pH: 6.2
Water elevation: 154.77 ft (47.17 m) msl	Alkalinity: 35 mg/L
Sp. conductance: 93 µS/cm	Water temperature: 19.2°C
Water evacuated before sampling: 319 gal	

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	6.4	pH	0	GE
		Specific conductance	80	µS/cm	0	GE
		Aluminum	<20	µg/L	0	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	18	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	16,400	µg/L	0	GE
		Chloride	2,290	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	<4.0	µg/L	0	GE
		Copper	<4.0	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Fluoride	150	µg/L	0	GE
		Iron	<4.0	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE
		Magnesium	627	µg/L	0	GE
		Manganese	<2.0	µg/L	0	GE
		Mercury	<0.20	µg/L	0	GE
		Nickel	<4.0	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB 87A collected on 04/02/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Nitrate as nitrogen	150	µg/L	0	GE
		Potassium	912	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	28,400	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	1,650	µg/L	0	GE
		Sulfate	5,140	µg/L	0	GE
		Thallium	<2.0	µg/L	0	GE
		Total dissolved solids	53,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	11	µg/L	0	GE
		Total phosphates (as P)	270	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	<2.0	µg/L	0	GE
		Gross alpha	<2.0E+00	pCi/L	0	GE
		Nonvolatile beta	<2.0E+00	pCi/L	0	GE
		Total alpha-emitting radium	<1.0E+00	pCi/L	0	GE
		Tritium	5.4E+00 ± 5.0E-01	pCi/mL	0	GE

WELL FSB 87B

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N75597.0 E50104.9	33.274722 °N 81.681708 °W	100.5-90.0 ft msl	237.5 ft msl	PVC	U. Congaree (IIA)

FIELD MEASUREMENTS

Sample date: 04/02/92

Depth to water: 135.80 ft (41.39 m) below TOC

Water elevation: 151.70 ft (46.24 m) msl

Sp. conductance: 64 µS/cm

Water evacuated before sampling: 162 gal

Time: 10:25

pH: 6.0

Alkalinity: 6 mg/L

Water temperature: 19.4°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.9	pH	0	GE
		Specific conductance	60	µS/cm	0	GE
		Aluminum	35	µg/L	0	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	<3.0	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	8,910	µg/L	0	GE
		Chloride	1,820	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	<4.0	µg/L	0	GE
		Copper	5.6	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Fluoride	342	µg/L	0	GE
		Iron	<4.0	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB 87B collected on 04/02/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Magnesium	576	µg/L	0	GE
		Manganese	12	µg/L	0	GE
		Mercury	<0.20	µg/L	0	GE
		Nickel	<4.0	µg/L	0	GE
		Nitrate as nitrogen	4,550	µg/L	C	GE
		Potassium	670	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	14,700	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	2,330	µg/L	0	GE
		Sulfate	<1,000	µg/L	0	GE
		Thallium	<2.0	µg/L	0	GE
		Total dissolved solids	63,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	12	µg/L	0	GE
		Total phosphates (as P)	1,290	µg/L	0	GE
		Total phosphates (as P)	1,340	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	5.3	µg/L	0	GE
		Gross alpha	<2.0E+00	pCi/L	0	GE
		Nonvolatile beta	3.9E+00 ± 5.4E-01	pCi/L	0	GE
		Total alpha-emitting radium	<1.0E+00	pCi/L	0	GE
■		Tritium	6.3E+01 ± 1.2E+00	pCi/mL	2	GE

WELL FSB 87C

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N75591.9	33.274692 °N	159.3-148.8 ft msl	287.5 ft msl	PVC	Barnwell (IIB ₁)
E50093.4	81.681728 °W				

FIELD MEASUREMENTS

Sample date: 04/01/92
 Depth to water: 77.19 ft (23.53 m) below TOC
 Water elevation: 210.31 ft (64.10 m) msl
 Sp. conductance: 122 µS/cm
 Water evacuated before sampling: 161 gal

Time: 14:50
 pH: 5.5
 Alkalinity: 6 mg/L
 Water temperature: 20.3°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	6.1	pH	0	GE
		Specific conductance	108	µS/cm	0	GE
		Aluminum	<20	µg/L	0	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	19	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	9,480	µg/L	0	GE
		Chloride	2,200	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	<4.0	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB 87C collected on 04/01/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Copper	13	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE
		Iron	<4.0	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE
		Magnesium	1,520	µg/L	0	GE
		Manganese	6.4	µg/L	0	GE
		Mercury	<0.20	µg/L	0	GE
		Nickel	<4.0	µg/L	0	GE
■		Nitrate as nitrogen	11,900	µg/L	2	GE
		Potassium	504	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	9,470	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	10,300	µg/L	0	GE
		Sulfate	<1,000	µg/L	0	GE
		Thallium	<2.0	µg/L	0	GE
		Total dissolved solids	116,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	24	µg/L	0	GE
		Total phosphates (as P)	200	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	20	µg/L	0	GE
		Gross alpha	<2.0E+00	pCi/L	0	GE
		Nonvolatile beta	8.7E+00 ± 7.2E-01	pCi/L	0	GE
		Total alpha-emitting radium	1.2E+00 ± 4.0E-01	pCi/L	0	GE
■		Tritium	7.7E+02 ± 4.2E+00	pCi/mL	2	GE

WELL FSB 87D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N75586.3	33.274660 °N	216.8-187.4 ft msl	287.3 ft msl	PVC	Water Table (IIB ₂)
E50081.1	81.681749 °W				

FIELD MEASUREMENTS

Sample date: 04/01/92
 Depth to water: 74.08 ft (22.58 m) below TOC
 Water elevation: 213.22 ft (64.99 m) msl
 Sp. conductance: 88 µS/cm
 Water evacuated before sampling: 68 gal

Time: 15:45
 pH: 3.7
 Alkalinity: 0 mg/L
 Water temperature: 20.3°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	4.1	pH	0	GE
		Specific conductance	90	µS/cm	0	GE
		Aluminum	1,450	µg/L	2	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	16	µg/L	0	GE
		Cadmium	2.0	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB 87D collected on 04/01/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Calcium	1,050	µg/L	0	GE
		Chloride	580	µg/L	0	GE
		Chromium	< 4.0	µg/L	0	GE
		Cobalt	< 4.0	µg/L	0	GE
		Copper	441	µg/L	0	GE
		Cyanide	< 5.0	µg/L	0	GE
		Fluoride	< 100	µg/L	0	GE
		Iron	18	µg/L	0	GE
		Lead	6.3	µg/L	0	GE
		Magnesium	516	µg/L	0	GE
		Manganese	33	µg/L	1	GE
		Mercury	< 0.20	µg/L	0	GE
		Nickel	< 4.0	µg/L	0	GE
		Nitrate as nitrogen	4,750	µg/L	0	GE
		Potassium	< 500	µg/L	0	GE
		Selenium	< 2.0	µg/L	0	GE
		Silica	95,700	µg/L	0	GE
		Silver	< 2.0	µg/L	0	GE
		Sodium	4,300	µg/L	0	GE
		Sulfate	10,700	µg/L	0	GE
		Thallium	< 2.0	µg/L	0	GE
		Total dissolved solids	115,000	µg/L	0	GE
		Total organic carbon	< 1,000	µg/L	0	GE
		Total organic halogens	< 5.0	µg/L	0	GE
		Total phosphates (as P)	< 50	µg/L	0	GE
		Vanadium	< 8.0	µg/L	0	GE
		Zinc	28	µg/L	0	GE
■		Gross alpha	1.1E+02 ± 3.0E+00	pCi/L	2	GE
		Nonvolatile beta	3.7E+01 ± 1.5E+00	pCi/L	1	GE
		Total alpha-emitting radium	4.7E+00 ± 7.0E-01	pCi/L	1	GE
■		Tritium	9.5E+01 ± 1.5E+00	pCi/mL	2	GE

WELL FSB 88C

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N75619.4	33.277078 °N	168.4-158.4 ft msl	283.0 ft msl	4" PVC	Barnwell (IIB ₁)
E51518.0	81.678031 °W				

FIELD MEASUREMENTS

Sample date: 04/03/92
 Depth to water: 69.27 ft (21.11 m) below TOC
 Water elevation: 213.73 ft (65.15 m) msl
 Sp. conductance: 41 µS/cm
 Water evacuated before sampling: 145 gal

Time: 9:20
 pH: 5.5
 Alkalinity: 5 mg/L
 Water temperature: 16.8°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.8	pH	0	GE
		Specific conductance	40	µS/cm	0	GE
		Aluminum	< 20	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB 88C collected on 04/03/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	10	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	3,360	µg/L	0	GE
		Chloride	3,210	µg/L	0	GE
		Chloride	3,280	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	<4.0	µg/L	0	GE
		Copper	<4.0	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE
		Iron	4.2	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE
		Magnesium	540	µg/L	0	GE
		Manganese	6.3	µg/L	0	GE
		Mercury	<0.20	µg/L	0	GE
		Nickel	<4.0	µg/L	0	GE
		Nitrate as nitrogen	1,760	µg/L	0	GE
		Potassium	<500	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	8,650	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	3,850	µg/L	0	GE
		Sulfate	<1,000	µg/L	0	GE
		Sulfate	<1,000	µg/L	0	GE
		Thallium	<2.0	µg/L	0	GE
		Total dissolved solids	32,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	16	µg/L	0	GE
		Total phosphates (as P)	90	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	9.3	µg/L	0	GE
		Gross alpha	<2.0E+00	pCi/L	0	GE
		Nonvolatile beta	<2.0E+00	pCi/L	0	GE
		Total alpha-emitting radium	<1.0E+00	pCi/L	0	GE
		Tritium	1.8E+01 ± 7.0E-01	pCi/mL	1	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB 88D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N75621.8	33.277098 °N	222.1-202.1 ft msl	282.4 ft msl	4" PVC	Water Table (IIB ₂)
E51527.0	81.678012 °W				

FIELD MEASUREMENTS

Sample date: 04/03/92
Depth to water: 64.97 ft (19.80 m) below TOC
Water elevation: 217.43 ft (66.27 m) msl
Sp. conductance: 320 µS/cm
Water evacuated before sampling: 50 gal

Time: 10:25
pH: 4.7
Alkalinity: 0 mg/L
Water temperature: 18.0°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	4.8	pH	0	GE
		Specific conductance	290	µS/cm	1	GE
		Aluminum	2,740	µg/L	2	GE
		Aluminum	2,710	µg/L	2	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	89	µg/L	0	GE
		Barium	89	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	7,740	µg/L	0	GE
		Calcium	7,730	µg/L	0	GE
		Chloride	1,570	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	<4.0	µg/L	0	GE
		Cobalt	<4.0	µg/L	0	GE
		Copper	<4.0	µg/L	0	GE
		Copper	<4.0	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Fluoride	182	µg/L	0	GE
		Iron	12	µg/L	0	GE
		Iron	12	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE
		Magnesium	1,390	µg/L	0	GE
		Magnesium	1,380	µg/L	0	GE
		Manganese	157	µg/L	2	GE
		Manganese	156	µg/L	2	GE
■		Mercury	2.8	µg/L	2	GE
		Nickel	4.7	µg/L	0	GE
		Nickel	6.4	µg/L	0	GE
■		Nitrate as nitrogen	38,500	µg/L	2	GE
		Potassium	12,500	µg/L	0	GE
		Potassium	12,500	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	27,700	µg/L	0	GE
		Silica	27,400	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB 88D collected on 04/03/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Sodium	40,600	µg/L	0	GE
		Sodium	40,000	µg/L	0	GE
		Sulfate	1,530	µg/L	0	GE
		Thallium	<2.0	µg/L	0	GE
		Total dissolved solids	267,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	12	µg/L	0	GE
		Total phosphates (as P)	<50	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	18	µg/L	0	GE
		Zinc	18	µg/L	0	GE
■		Gross alpha	8.4E+01 ± 2.9E+00	pCi/L	2	GE
■		Nonvolatile beta	2.8E+02 ± 4.1E+00	pCi/L	2	GE
■		Total alpha-emitting radium	9.6E+00 ± 5.0E-01	pCi/L	2	GE
■		Total alpha-emitting radium	9.2E+00 ± 5.0E-01	pCi/L	2	GE
■		Tritium	3.4E+03 ± 8.8E+00	pCi/mL	2	GE

WELL FSB 89C

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N75553.2	33.276650 °N	166.1-156.1 ft msl	281.3 ft msl	4" PVC	Barnwell (IIB ₁)
E51345.2	81.678357 °W				

FIELD MEASUREMENTS

Sample date: 04/02/92
 Depth to water: 68.09 ft (20.75 m) below TOC
 Water elevation: 213.21 ft (64.99 m) msl
 Sp. conductance: 62 µS/cm
 Water evacuated before sampling: 150 gal

Time: 12:50
 pH: 5.9
 Alkalinity: 12 mg/L
 Water temperature: 19.0°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.9	pH	0	GE
		Specific conductance	50	µS/cm	0	GE
		Aluminum	<20	µg/L	0	GE
		Antimony	<2.0	µg/L	0	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	12	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	6,340	µg/L	0	GE
		Chloride	3,080	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	<4.0	µg/L	0	GE
		Copper	<4.0	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB 89C collected on 04/02/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Iron	<4.0	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE
		Magnesium	468	µg/L	0	GE
		Manganese	2.2	µg/L	0	GE
		Mercury	<0.20	µg/L	0	GE
		Nickel	<4.0	µg/L	0	GE
		Nitrate as nitrogen	1,840	µg/L	0	GE
		Potassium	<500	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	9,340	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	3,320	µg/L	0	GE
		Sulfate	<1,000	µg/L	0	GE
		Thallium	<2.0	µg/L	0	GE
		Thallium	<2.0	µg/L	0	GE
		Total dissolved solids	41,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	27	µg/L	1	GE
		Total phosphates (as P)	<50	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	2.8	µg/L	0	GE
		Gross alpha	<2.0E+00	pCi/L	0	GE
		Nonvolatile beta	<2.0E+00	pCi/L	0	GE
		Total alpha-emitting radium	<1.0E+00	pCi/L	0	GE
		Tritium	2.0E+01 ± 7.0E-01	pCi/mL	1	GE

WELL FSB 89D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N75548.3	33.276623 °N	221.9-201.9 ft msl	281.2 ft msl	4" PVC	Water Table (IIB ₂)
E51335.8	81.678372 °W				

FIELD MEASUREMENTS

Sample date: 04/02/92
 Depth to water: 64.40 ft (19.63 m) below TOC
 Water elevation: 216.80 ft (66.08 m) msl
 Sp. conductance: 282 µS/cm
 Water evacuated before sampling: 39 gal

Time: 12:15
 pH: 4.0
 Alkalinity: 0 mg/L
 Water temperature: 19.0°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	4.1	pH	0	GE
		Specific conductance	265	µS/cm	1	GE
		Aluminum	2,980	µg/L	2	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	38	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB 89D collected on 04/02/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Calcium	1,480	µg/L	0	GE
		Chloride	3,980	µg/L	0	GE
		Chromium	< 4.0	µg/L	0	GE
		Cobalt	5.4	µg/L	0	GE
		Copper	15	µg/L	0	GE
		Cyanide	< 5.0	µg/L	0	GE
		Fluoride	134	µg/L	0	GE
		Iron	15	µg/L	0	GE
		Lead	4.9	µg/L	0	GE
		Magnesium	518	µg/L	0	GE
		Manganese	158	µg/L	2	GE
		Mercury	1.8	µg/L	1	GE
		Nickel	4.2	µg/L	0	GE
■		Nitrate as nitrogen	29,600	µg/L	2	GE
		Potassium	< 500	µg/L	0	GE
		Selenium	< 2.0	µg/L	0	GE
		Silica	12,400	µg/L	0	GE
		Silver	< 2.0	µg/L	0	GE
		Sodium	35,300	µg/L	0	GE
		Sulfate	2,310	µg/L	0	GE
		Thallium	< 2.0	µg/L	0	GE
		Total dissolved solids	186,000	µg/L	0	GE
		Total organic carbon	< 1,000	µg/L	0	GE
		Total organic halogens	< 5.0	µg/L	0	GE
		Total phosphates (as P)	< 50	µg/L	0	GE
		Vanadium	< 8.0	µg/L	0	GE
		Zinc	22	µg/L	0	GE
■		Gross alpha	1.5E+02 ± 3.8E+00	pCi/L	2	GE
■		Nonvolatile beta	3.3E+02 ± 4.0E+00	pCi/L	2	GE
■		Total alpha-emitting radium	1.5E+01 ± 8.0E-01	pCi/L	2	GE
■		Total alpha-emitting radium	1.6E+01 ± 8.0E-01	pCi/L	2	GE
■		Tritium	1.3E+03 ± 5.6E+00	pCi/mL	2	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB 90C

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Formation
N75382.9 E51148.6	33.275952 °N 81.678544 °W	168.1-158.1 ft msl	278.4 ft msl	4" PVC	Barnwell (IIB ₁)

FIELD MEASUREMENTS

Sample date: 04/02/92	Time: 14:35
Depth to water: 66.37 ft (20.23 m) below TOC	pH: 6.4
Water elevation: 212.03 ft (64.63 m) msl	Alkalinity: 45 mg/L
Sp. conductance: 204 µS/cm	Water temperature: 21.1°C
Water evacuated before sampling: 177 gal	

LABORATORY ANALYSES

H	D	Analyte	Result	Unit	Flag	Lab
•		pH	6.7	pH	0	GE
		Specific conductance	200	µS/cm	0	GE
		Aluminum	62	µg/L	0	GE
		Aluminum	62	µg/L	0	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	52	µg/L	0	GE
		Barium	52	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	17,400	µg/L	0	GE
		Calcium	17,500	µg/L	0	GE
		Chloride	3,590	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	<4.0	µg/L	0	GE
		Cobalt	<4.0	µg/L	0	GE
		Copper	<4.0	µg/L	0	GE
		Copper	<4.0	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Fluoride	306	µg/L	0	GE
		Iron	<4.0	µg/L	0	GE
		Iron	<4.0	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE
		Magnesium	6,500	µg/L	0	GE
		Magnesium	6,490	µg/L	0	GE
		Manganese	25	µg/L	0	GE
		Manganese	25	µg/L	0	GE
		Mercury	<0.20	µg/L	0	GE
		Nickel	5.3	µg/L	0	GE
		Nickel	4.8	µg/L	0	GE
■		Nitrate as nitrogen	13,500	µg/L	2	GE
		Potassium	1,030	µg/L	0	GE
		Potassium	1,090	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	9,950	µg/L	0	GE
		Silica	9,930	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB 90C collected on 04/02/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Sodium	12,300	µg/L	0	GE
		Sodium	12,300	µg/L	0	GE
		Sulfate	1,220	µg/L	0	GE
		Thallium	<2.0	µg/L	0	GE
		Total dissolved solids	151,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	GE
		Total phosphates (as P)	<50	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	9.0	µg/L	0	GE
		Zinc	9.1	µg/L	0	GE
		Gross alpha	<2.0E+00	pCi/L	0	GE
		Nonvolatile beta	1.7E+01 ± 1.1E+00	pCi/L	0	GE
		Total alpha-emitting radium	2.4E+00 ± 6.0E-01	pCi/L	0	GE
■		Tritium	7.6E+02 ± 4.3E+00	pCi/mL	2	GE

WELL FSB 90D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N75376.9	33.275926 °N	225.1-205.1 ft msl	278.6 ft msl	4" PVC	Water Table (IIB ₂)
E51140.7	81.678553 °W				

FIELD MEASUREMENTS

Sample date: 04/15/92
 Depth to water: 44.02 ft (13.42 m) below TOC
 Water elevation: 234.58 ft (71.50 m) msl
 Sp. conductance: 450 µS/cm
 Water evacuated before sampling: 9 gal
 The well went dry during purging.

Time: 12:45
 pH: 4.3
 Alkalinity: 0 mg/L
 Water temperature: 22.5°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	4.0	pH	1	GE
		Specific conductance	435	µS/cm	1	GE
		Aluminum	9,190	µg/L	2	GE
		Aluminum	9,270	µg/L	2	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	119	µg/L	0	GE
		Barium	119	µg/L	0	GE
		Cadmium	4.7	µg/L	1	GE
		Cadmium	4.6	µg/L	1	GE
		Calcium	2,030	µg/L	0	GE
		Calcium	2,010	µg/L	0	GE
•		Chloride	1,380	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	12	µg/L	0	GE
		Cobalt	11	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB 90D collected on 04/15/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Copper	36	µg/L	0	GE
		Copper	36	µg/L	0	GE
		Cyanide	< 5.0	µg/L	0	GE
		Cyanide	< 5.0	µg/L	0	GE
		Fluoride	660	µg/L	0	GE
		Iron	141	µg/L	0	GE
		Iron	140	µg/L	0	GE
■		Lead	58	µg/L	2	GE
		Magnesium	1,090	µg/L	0	GE
		Magnesium	1,310	µg/L	0	GE
		Manganese	581	µg/L	2	GE
		Manganese	578	µg/L	2	GE
		Mercury	0.64	µg/L	0	GE
		Nickel	13	µg/L	0	GE
		Nickel	12	µg/L	0	GE
■		Nitrate as nitrogen	54,000	µg/L	2	GE
		Potassium	634	µg/L	0	GE
		Potassium	624	µg/L	0	GE
		Selenium	< 2.0	µg/L	0	GE
		Silica	16,500	µg/L	0	GE
		Silica	16,500	µg/L	0	GE
		Silver	< 2.0	µg/L	0	GE
		Silver	< 2.0	µg/L	0	GE
		Sodium	45,600	µg/L	0	GE
		Sodium	54,000	µg/L	0	GE
●		Sulfate	1,540	µg/L	0	GE
		Thallium	< 2.0	µg/L	0	GE
●		Total dissolved solids	270,000	µg/L	0	GE
		Total organic carbon	< 1,000	µg/L	0	GE
●		Total organic halogens	< 5.0	µg/L	0	GE
		Total phosphates (as P)	70	µg/L	0	GE
		Vanadium	< 8.0	µg/L	0	GE
		Vanadium	< 8.0	µg/L	0	GE
		Zinc	64	µg/L	0	GE
		Zinc	64	µg/L	0	GE
■		Gross alpha	2.9E+02 ± 7.4E+00	pCi/L	2	GE
■		Nonvolatile beta	1.0E+03 ± 1.0E+01	pCi/L	2	GE
■		Total alpha-emitting radium	2.1E+01 ± 2.2E+00	pCi/L	2	GE
■		Tritium	2.5E+03 ± 7.8E+00	pCi/mL	2	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB 91C

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N75213.3 E50953.5	33.275259 °N 81.678728 °W	159.1-149.1 ft msl	279.3 ft msl	4" PVC	Barnwell (IIB ₁)

FIELD MEASUREMENTS

Sample date: 04/15/92
 Depth to water: 67.43 ft (20.55 m) below TOC
 Water elevation: 211.87 ft (64.58 m) msl
 Sp. conductance: 428 μ S/cm
 Water evacuated before sampling: 24 gal
 The well went dry during purging.

Time: 12:25
 pH: 5.4
 Alkalinity: 10 mg/L
 Water temperature: 21.0°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.8	pH	0	GE
•		pH	5.6	pH	0	GE
		Specific conductance	420	μ S/cm	1	GE
		Aluminum	1,000	μ g/L	2	GE
		Antimony	<2.0	μ g/L	0	GE
		Antimony	<2.0	μ g/L	0	GE
		Arsenic	<2.0	μ g/L	0	GE
		Arsenic	<2.0	μ g/L	0	GE
		Barium	64	μ g/L	0	GE
		Cadmium	3.0	μ g/L	1	GE
		Calcium	9,620	μ g/L	0	GE
		Chloride	1,990	μ g/L	0	GE
		Chromium	<4.0	μ g/L	0	GE
		Cobalt	7.1	μ g/L	0	GE
		Copper	5.2	μ g/L	0	GE
		Cyanide	<5.0	μ g/L	0	GE
		Fluoride	950	μ g/L	0	GE
		Iron	15	μ g/L	0	GE
		Lead	4.0	μ g/L	0	GE
		Lead	4.1	μ g/L	0	GE
		Magnesium	1,320	μ g/L	0	GE
		Manganese	217	μ g/L	2	GE
		Mercury	<0.20	μ g/L	0	GE
		Nickel	4.3	μ g/L	0	GE
■		Nitrate as nitrogen	49,000	μ g/L	2	GE
		Potassium	613	μ g/L	0	GE
		Selenium	<2.0	μ g/L	0	GE
		Selenium	<2.0	μ g/L	0	GE
		Silica	2,800	μ g/L	0	GE
		Silver	<2.0	μ g/L	0	GE
		Sodium	11,700	μ g/L	0	GE
		Sulfate	<1,000	μ g/L	0	GE
		Thallium	<2.0	μ g/L	0	GE
		Thallium	<2.0	μ g/L	0	GE
		Total dissolved solids	359,000	μ g/L	0	GE
		Total dissolved solids	339,000	μ g/L	0	GE
		Total organic carbon	<1,000	μ g/L	0	GE
•		Total organic halogens	<5.0	μ g/L	0	GE
		Total phosphates (as P)	<50	μ g/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB 91C collected on 04/15/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Vanadium	<8.0	µg/L	0	GE
		Zinc	18	µg/L	0	GE
	■	Gross alpha	3.9E+01 ± 5.2E+00	pCi/L	2	GE
	■	Nonvolatile beta	1.1E+03 ± 1.7E+01	pCi/L	2	GE
	■	Total alpha-emitting radium	5.9E+01 ± 3.2E+00	pCi/L	2	GE
	■	Tritium	1.9E+03 ± 6.8E+00	pCi/mL	2	GE

WELL FSB 91D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N75207.6	33.275235 °N	220.9-200.9 ft msl	279.2 ft msl	4" PVC	Water Table (IIB ₂)
E50946.6	81.678735 °W				

FIELD MEASUREMENTS

Sample date: 04/02/92
 Depth to water: 64.51 ft (19.66 m) below TOC
 Water elevation: 214.69 ft (65.44 m) msl
 Sp. conductance: 655 µS/cm
 Water evacuated before sampling: 36 gal

Time: 15:25
 pH: 3.5
 Alkalinity: 0 mg/L
 Water temperature: 20.0°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	3.6	pH	1	GE
		Specific conductance	750	µS/cm	2	GE
		Aluminum	25,500	µg/L	2	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	221	µg/L	0	GE
		Cadmium	4.3	µg/L	1	GE
		Calcium	3,770	µg/L	0	GE
		Chloride	2,050	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	5.5	µg/L	0	GE
		Copper	9.9	µg/L	0	GE
•		Cyanide	<5.0	µg/L	0	GE
		Fluoride	866	µg/L	0	GE
		Iron	21	µg/L	0	GE
		Lead	6.5	µg/L	0	GE
		Magnesium	2,920	µg/L	0	GE
		Manganese	408	µg/L	2	GE
		Mercury	0.48	µg/L	0	GE
		Nickel	10	µg/L	0	GE
	■	Nitrate as nitrogen	74,000	µg/L	2	GE
		Potassium	917	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	13,100	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	25,800	µg/L	0	GE
		Sulfate	1,230	µg/L	0	GE
		Thallium	<2.0	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB 91D collected on 04/02/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Total dissolved solids	318,000	µg/L	0	GE
		Total organic carbon	< 1,000	µg/L	0	GE
		Total organic halogens	< 5.0	µg/L	0	GE
		Total phosphates (as P)	< 50	µg/L	0	GE
		Vanadium	< 8.0	µg/L	0	GE
		Zinc	32	µg/L	0	GE
■		Gross alpha	2.4E+02 ± 4.9E+00	pCi/L	2	GE
■		Nonvolatile beta	7.6E+02 ± 6.7E+00	pCi/L	2	GE
■		Total alpha-emitting radium	4.2E+01 ± 9.0E-01	pCi/L	2	GE
■		Tritium	3.8E+03 ± 9.6E+00	pCi/mL	2	GE

WELL FSB 92D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N75045.8	33.274242 °N	221.7-201.7 ft msl	275.9 ft msl	4" PVC	Water Table (IB ₂)
E50557.6	81.679445 °W				

FIELD MEASUREMENTS

Sample date: 04/14/92
 Depth to water: 62.90 ft (19.17 m) below TOC
 Water elevation: 213.00 ft (64.92 m) msl
 Sp. conductance: 1734 µS/cm
 Water evacuated before sampling: 30 gal

Time: 13:45
 pH: 3.4
 Alkalinity: 0 mg/L
 Water temperature: 20.7°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	3.3	pH	1	GE
		Specific conductance	1,920	µS/cm	2	GE
		Aluminum	50,500	µg/L	2	GE
		Antimony	< 2.0	µg/L	0	GE
		Arsenic	< 8.0	µg/L	0	GE
		Barium	386	µg/L	0	GE
■		Cadmium	11	µg/L	2	GE
		Calcium	8,770	µg/L	0	GE
•		Chloride	4,140	µg/L	0	GE
		Chromium	< 4.0	µg/L	0	GE
		Cobalt	9.9	µg/L	0	GE
		Copper	4.9	µg/L	0	GE
		Cyanide	< 5.0	µg/L	0	GE
		Fluoride	1,250	µg/L	0	GE
		Iron	11	µg/L	0	GE
		Lead	3.5	µg/L	0	GE
		Magnesium	6,880	µg/L	0	GE
		Manganese	730	µg/L	2	GE
		Mercury	0.27	µg/L	0	GE
		Nickel	19	µg/L	0	GE
■		Nitrate as nitrogen	250,000	µg/L	2	GE
		Potassium	1,940	µg/L	0	GE
		Selenium	< 2.0	µg/L	0	GE
		Silica	8,240	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB 92D collected on 04/14/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Silver	<2.0	µg/L	0	GE
		Sodium	53,400	µg/L	0	GE
•		Sulfate	2,730	µg/L	0	GE
		Thallium	<2.0	µg/L	0	GE
•		Total dissolved solids	746,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
•		Total organic halogens	6.4	µg/L	0	GE
		Total phosphates (as P)	120	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	56	µg/L	0	GE
	■	Gross alpha	3.2E+02 ± 1.5E+01	pCi/L	2	GE
	■	Nonvolatile beta	2.3E+03 ± 3.2E+01	pCi/L	2	GE
	■	Total alpha-emitting radium	1.6E+02 ± 6.1E+00	pCi/L	2	GE
	■	Tritium	2.4E+04 ± 2.4E+01	pCi/mL	2	GE

WELL FSB 93C

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N74897.3	33.273752 °N	152.0-142.0 ft msl	276.2 ft msl	4" PVC	Barnwell (IIB ₁)
E50458.3	81.679418 °W				

FIELD MEASUREMENTS

Sample date: 04/14/92
 Depth to water: 66.30 ft (20.21 m) below TOC
 Water elevation: 209.90 ft (63.98 m) msl
 Sp. conductance: 341 µS/cm
 Water evacuated before sampling: 178 gal

Time: 13:15
 pH: 4.8
 Alkalinity: 0 mg/L
 Water temperature: 20.2°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	4.9	pH	0	GE
		Specific conductance	380	µS/cm	1	GE
		Aluminum	74	µg/L	0	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	65	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	25,100	µg/L	0	GE
		Chloride	3,190	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	<4.0	µg/L	0	GE
		Copper	5.6	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE
		Iron	<4.0	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE
		Magnesium	6,780	µg/L	0	GE
		Manganese	88	µg/L	2	GE
		Mercury	<0.20	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB 93C collected on 04/14/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Nickel	7.8	µg/L	0	GE
■		Nitrate as nitrogen	42,000	µg/L	2	GE
		Potassium	1,310	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	10,700	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	26,500	µg/L	0	GE
		Sulfate	<1,000	µg/L	0	GE
		Thallium	<2.0	µg/L	0	GE
●		Total dissolved solids	268,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
●		Total organic halogens	<5.0	µg/L	0	GE
		Total phosphates (as P)	<50	µg/L	0	GE
		Total phosphates (as P)	<50	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	88	µg/L	0	GE
		Gross alpha	5.1E+00 ± 1.4E+00	pCi/L	0	GE
		Nonvolatile beta	3.9E+01 ± 3.2E+00	pCi/L	1	GE
		Total alpha-emitting radium	3.1E+00 ± 8.0E-01	pCi/L	1	GE
■		Tritium	1.6E+03 ± 6.3E+00	pCi/mL	2	GE

WELL FSB 93C

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N74897.3	33.273752 °N	152.0-142.0 ft msl	276.2 ft msl	4" PVC	Barnwell (IIB ₁)
E50458.3	81.679418 °W				

FIELD MEASUREMENTS

Sample date: 06/02/92
 Depth to water: 66.46 ft (20.26 m) below TOC
 Water elevation: 209.74 ft (63.93 m) msl
 Sp. conductance: 347 µS/cm
 Water evacuated before sampling: 178 gal

Time: 10:40
 pH: 4.9
 Alkalinity: 0 mg/L
 Water temperature: 20.9°C

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB 93C

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Formation
N74897.3 E50458.3	33.273752 °N 81.679418 °W	152.0-142.0 ft msl	276.2 ft msl	4" PVC	Barnwell (IIB ₁)

FIELD MEASUREMENTS

Sample date: 06/08/92	Time: 10:25
Depth to water: 66.72 ft (20.34 m) below TOC	pH: 4.9
Water elevation: 209.48 ft (63.85 m) msl	Alkalinity: 0 mg/L
Sp. conductance: 346 µS/cm	Water temperature: 22.3°C
Water evacuated before sampling: 177 gal	

WELL FSB 93D

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Formation
N74888.5 E50452.4	33.273723 °N 81.679416 °W	217.9-197.9 ft msl	276.1 ft msl	4" PVC	Water Table (IIB ₂)

FIELD MEASUREMENTS

Sample date: 04/14/92	Time: 12:40
Depth to water: 64.55 ft (19.66 m) below TOC	pH: 3.9
Water elevation: 211.55 ft (64.48 m) msl	Alkalinity: 0 mg/L
Sp. conductance: 909 µS/cm	Water temperature: 20.4°C
Water evacuated before sampling: 8 gal	
The well went dry during purging.	

LABORATORY ANALYSES

H	D	Analyte	Result	Unit	Flag	Lab
•		pH	4.1	pH	0	GE
		Specific conductance	900	µS/cm	2	GE
		Aluminum	19,700	µg/L	2	GE
		Antimony	< 2.0	µg/L	0	GE
		Arsenic	< 2.0	µg/L	0	GE
		Barium	334	µg/L	0	GE
	■	Cadmium	22	µg/L	2	GE
		Calcium	19,300	µg/L	0	GE
•		Chloride	2,860	µg/L	0	GE
		Chromium	< 4.0	µg/L	0	GE
		Cobalt	9.1	µg/L	0	GE
		Copper	27	µg/L	0	GE
		Cyanide	< 5.0	µg/L	0	GE
		Fluoride	955	µg/L	0	GE
		Iron	247	µg/L	1	GE
	■	Lead	20	µg/L	2	GE
		Magnesium	10,400	µg/L	0	GE
		Manganese	648	µg/L	2	GE
		Mercury	< 0.20	µg/L	0	GE
		Nickel	14	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB 93D collected on 04/14/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
	■	Nitrate as nitrogen	121,000	µg/L	2	GE
		Potassium	2,250	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	13,300	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	64,600	µg/L	0	GE
	●	Sulfate	5,410	µg/L	0	GE
		Thallium	<2.0	µg/L	0	GE
	●	Total dissolved solids	524,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
	●	Total organic halogens	<5.0	µg/L	0	GE
		Total phosphates (as P)	70	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	57	µg/L	0	GE
	■	Gross alpha	2.3E+02 ± 8.1E+00	pCi/L	2	GE
	■	Nonvolatile beta	3.3E+03 ± 2.0E+01	pCi/L	2	GE
	■	Total alpha-emitting radium	4.8E+01 ± 3.2E+00	pCi/L	2	GE
	■	Tritium	1.0E+04 ± 1.6E+01	pCi/mL	2	GE
	■	Tritium	1.0E+04 ± 1.6E+01	pCi/mL	2	GE

WELL FSB 94C

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N74869.0	33.273235 °N	149.8-139.8 ft msl	281.1 ft msl	4" PVC	Barnwell (IIB ₁)
E50180.0	81.680096 °W				

FIELD MEASUREMENTS

Sample date: 04/14/92
 Depth to water: 71.36 ft (21.75 m) below TOC
 Water elevation: 209.74 ft (63.93 m) msl
 Sp. conductance: 1933 µS/cm
 Water evacuated before sampling: 34 gal
 The well went dry during purging.

Time: 11:00
 pH: 4.7
 Alkalinity: 0 mg/L
 Water temperature: 19.6°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
	●	pH	4.2	pH	0	GE
		Specific conductance	2,050	µS/cm	2	GE
		Aluminum	14,300	µg/L	2	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	223	µg/L	0	GE
	■	Cadmium	8.9	µg/L	2	GE
		Calcium	39,200	µg/L	0	GE
	●	Chloride	2,220	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	206	µg/L	2	GE
		Copper	9.3	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Fluoride	3,960	µg/L	1	GE
		Iron	186	µg/L	1	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB 94C collected on 04/14/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Lead	12	µg/L	1	GE
		Magnesium	14,900	µg/L	0	GE
		Manganese	5,500	µg/L	2	GE
		Mercury	<0.20	µg/L	0	GE
		Nickel	53	µg/L	1	GE
	■	Nitrate as nitrogen	288,000	µg/L	2	GE
		Potassium	3,430	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	2,950	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	109,000	µg/L	0	GE
	●	Sulfate	5,980	µg/L	0	GE
		Thallium	<2.0	µg/L	0	GE
	●	Total dissolved solids	1.3E+06	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
	●	Total organic halogens	<5.0	µg/L	0	GE
		Total phosphates (as P)	130	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	86	µg/L	0	GE
	■	Gross alpha	6.2E+01 ± 7.5E+00	pCi/L	2	GE
	■	Nonvolatile beta	2.9E+03 ± 3.7E+01	pCi/L	2	GE
	■	Total alpha-emitting radium	7.1E+01 ± 3.9E+00	pCi/L	2	GE
	■	Tritium	1.2E+04 ± 1.7E+01	pCi/mL	2	GE

WELL FSB 94DR

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N74869.1	33.273207 °N	203.4-183.3 ft msl	280.5 ft msl	4" PVC	Water Table (IIB ₂)
E50162.9	81.680141 °W				

FIELD MEASUREMENTS

Sample date: 04/14/92
 Depth to water: 69.81 ft (21.28 m) below TOC
 Water elevation: 210.69 ft (64.22 m) msl
 Sp. conductance: 2790 µS/cm
 Water evacuated before sampling: 25 gal

Time: 11:25
 pH: 3.0
 Alkalinity: 0 mg/L
 Water temperature: 20.6°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
	●	pH	3.1	pH	1	GE
		Specific conductance	3,300	µS/cm	2	GE
		Aluminum	114,000	µg/L	2	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<8.0	µg/L	0	GE
		Barium	1,150	µg/L	1	GE
		Benzene	<1.0	µg/L	0	GE
		Bromodichloromethane	<1.0	µg/L	0	GE
		Bromoform	<1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0	µg/L	0	GE
	■	Cadmium	5.1	µg/L	2	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB 94DR collected on 04/14/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Calcium	3,510	µg/L	0	GE
		Carbon tetrachloride	<1.0	µg/L	0	GE
•		Chloride	2,340	µg/L	0	GE
•		Chloride	2,620	µg/L	0	GE
		Chlorobenzene	<1.0	µg/L	0	GE
		Chloroethane	<1.0	µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0	µg/L	0	GE
		Chloroform	<1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0	µg/L	0	GE
		Chromium	7.2	µg/L	0	GE
		Cobalt	77	µg/L	2	GE
		Copper	85	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Dibromochloromethane	<1.0	µg/L	0	GE
		1,1-Dichloroethane	<1.0	µg/L	0	GE
		1,2-Dichloroethane	<1.0	µg/L	0	GE
		1,1-Dichloroethylene	<1.0	µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0	µg/L	0	GE
•		2,4-Dichlorophenoxyacetic acid	<0.30	µg/L	0	GE
		1,2-Dichloropropane	<1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0	µg/L	0	GE
•		Endrin	<0.0060	µg/L	0	GE
		Ethylbenzene	<1.0	µg/L	0	GE
		Fluoride	415	µg/L	0	GE
		Iron	60	µg/L	0	GE
		Lead	6.4	µg/L	0	GE
•		Lindane	<0.0050	µg/L	0	GE
		Magnesium	4,050	µg/L	0	GE
		Manganese	5,770	µg/L	2	GE
■		Mercury	4.0	µg/L	2	GE
•		Methoxychlor	<0.50	µg/L	0	GE
		Nickel	57	µg/L	1	GE
■		Nitrate as nitrogen	402,000	µg/L	2	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	2,260	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	97,400	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	211,000	µg/L	0	GE
•		Sulfate	24,300	µg/L	0	GE
•		Sulfate	24,600	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0	µg/L	0	GE
		Tetrachloroethylene	<1.0	µg/L	0	GE
		Thallium	<2.0	µg/L	0	GE
		Toluene	<1.0	µg/L	0	GE
•		Total dissolved solids	1.6E+06	µg/L	0	GE
		Total organic carbon	5,000	µg/L	1	GE
•		Total organic halogens	13	µg/L	0	GE
		Total phosphates (as P)	80	µg/L	0	GE
•		Toxaphene	<0.24	µg/L	0	GE
•		2,4,5-TP (Silvex)	<0.090	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0	µg/L	0	GE
		1,1,2-Trichloroethane	<1.0	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB 94DR collected on 04/14/92, laboratory analyses (cont.)

H	D	Analyte	Result	Unit	Flag	Lab
		Trichloroethylene	< 1.0	µg/L	0	GE
		Trichlorofluoromethane	< 1.0	µg/L	0	GE
		Vanadium	< 8.0	µg/L	0	GE
		Zinc	142	µg/L	0	GE
■		Gross alpha	1.2E+03 ± 3.0E+01	pCi/L	2	GE
■		Nonvolatile beta	2.6E+03 ± 3.2E+01	pCi/L	2	GE
■		Total alpha-emitting radium	8.5E+01 ± 4.3E+00	pCi/L	2	GE
■		Tritium	3.0E+04 ± 2.7E+01	pCi/mL	2	GE

WELL FSB 95CR

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Formation
N75001.9	33.273215 °N	161.9-151.9 ft msl	284.0 ft msl	4" PVC	Barnwell (IIB ₁)
E49987.8	81.680860 °W				

FIELD MEASUREMENTS

Sample date: 04/27/92
 Depth to water: 75.54 ft (23.02 m) below TOC
 Water elevation: 208.46 ft (63.54 m) msl
 Sp. conductance: 1633 µS/cm
 Water evacuated before sampling: 148 gal

Time: 14:50
 pH: 4.6
 Alkalinity: 0 mg/L
 Water temperature: 19.6°C

LABORATORY ANALYSES

H	D	Analyte	Result	Unit	Flag	Lab
•		pH	4.3	pH	0	GE
		Specific conductance	1,500	µS/cm	2	GE
		Aluminum	16,600	µg/L	2	GE
		Antimony	< 2.0	µg/L	0	GE
		Arsenic	< 2.0	µg/L	0	GE
		Barium	398	µg/L	0	GE
		Benzene	< 1.0	µg/L	0	GE
		Benzene	< 1.0	µg/L	0	GE
		Benzene	< 1.0	µg/L	0	GE
		Bromodichloromethane	< 1.0	µg/L	0	GE
		Bromodichloromethane	< 1.0	µg/L	0	GE
		Bromodichloromethane	< 1.0	µg/L	0	GE
		Bromoform	< 1.0	µg/L	0	GE
		Bromoform	< 1.0	µg/L	0	GE
		Bromoform	< 1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	< 1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	< 1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	< 1.0	µg/L	0	GE
■		Cadmium	6.4	µg/L	2	GE
		Calcium	38,800	µg/L	0	GE
		Carbon tetrachloride	< 1.0	µg/L	0	GE
		Carbon tetrachloride	< 1.0	µg/L	0	GE
		Carbon tetrachloride	< 1.0	µg/L	0	GE
		Chloride	3,230	µg/L	0	GE
		Chloride	3,320	µg/L	0	GE
		Chlorobenzene	< 1.0	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB 95CR collected on 04/27/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Chlorobenzene	<1.0	µg/L	0	GE
		Chlorobenzene	<1.0	µg/L	0	GE
		Chloroethane	<1.0	µg/L	0	GE
		Chloroethane	<1.0	µg/L	0	GE
		Chloroethane	<1.0	µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0	µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0	µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0	µg/L	0	GE
		Chloroform	<1.0	µg/L	0	GE
		Chloroform	<1.0	µg/L	0	GE
		Chloroform	<1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	191	µg/L	2	GE
		Copper	15	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Dibromochloromethane	<1.0	µg/L	0	GE
		Dibromochloromethane	<1.0	µg/L	0	GE
		Dibromochloromethane	<1.0	µg/L	0	GE
		1,1-Dichloroethane	<1.0	µg/L	0	GE
		1,1-Dichloroethane	<1.0	µg/L	0	GE
		1,1-Dichloroethane	<1.0	µg/L	0	GE
		1,2-Dichloroethane	<1.0	µg/L	0	GE
		1,2-Dichloroethane	<1.0	µg/L	0	GE
		1,2-Dichloroethane	<1.0	µg/L	0	GE
		1,1-Dichloroethylene	<1.0	µg/L	0	GE
		1,1-Dichloroethylene	<1.0	µg/L	0	GE
		1,1-Dichloroethylene	<1.0	µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0	µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0	µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0	µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30	µg/L	0	GE
		1,2-Dichloropropane	<1.0	µg/L	0	GE
		1,2-Dichloropropane	<1.0	µg/L	0	GE
		1,2-Dichloropropane	<1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0	µg/L	0	GE
		Endrin	<0.0060	µg/L	0	GE
		Ethylbenzene	<1.0	µg/L	0	GE
		Ethylbenzene	<1.0	µg/L	0	GE
		Ethylbenzene	<1.0	µg/L	0	GE
		Fluoride	845	µg/L	0	GE
		Iron	<4.0	µg/L	0	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB 95CR collected on 04/27/92, laboratory analyses (cont.)

H	D	Analyte	Result	Unit	Flag	Lab
		Lead	<3.0	µg/L	0	GE
		Lindane	<0.0050	µg/L	0	GE
		Magnesium	7,350	µg/L	0	GE
		Manganese	3,390	µg/L	2	GE
		Mercury	<0.20	µg/L	0	GE
		Methoxychlor	<0.50	µg/L	0	GE
		Nickel	35	µg/L	0	GE
■		Nitrate as nitrogen	216,000	µg/L	2	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	3,310	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	12,100	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	56,200	µg/L	0	GE
		Sulfate	5,650	µg/L	0	GE
		Sulfate	5,520	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0	µg/L	0	GE
		Tetrachloroethylene	<1.0	µg/L	0	GE
		Tetrachloroethylene	<1.0	µg/L	0	GE
		Tetrachloroethylene	<1.0	µg/L	0	GE
		Thallium	<2.0	µg/L	0	GE
		Toluene	<1.0	µg/L	0	GE
		Toluene	<1.0	µg/L	0	GE
		Toluene	<1.0	µg/L	0	GE
		Total dissolved solids	1.2E+06	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
●		Total organic halogens	<5.0	µg/L	0	GE
		Total phosphates (as P)	<50	µg/L	0	GE
		Toxaphene	<0.24	µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0	µg/L	0	GE
		1,1,2-Trichloroethane	<1.0	µg/L	0	GE
		1,1,2-Trichloroethane	<1.0	µg/L	0	GE
		1,1,2-Trichloroethane	<1.0	µg/L	0	GE
		Trichloroethylene	<1.0	µg/L	0	GE
		Trichloroethylene	<1.0	µg/L	0	GE
		Trichloroethylene	<1.0	µg/L	0	GE
		Trichlorofluoromethane	<1.0	µg/L	0	GE
		Trichlorofluoromethane	<1.0	µg/L	0	GE
		Trichlorofluoromethane	<1.0	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	128	µg/L	0	GE
■		Gross alpha	5.4E+02 ± 1.5E+01	pCi/L	2	GE
■		Nonvolatile beta	3.0E+03 ± 2.6E+01	pCi/L	2	GE
■		Total alpha-emitting radium	1.1E+02 ± 5.9E+00	pCi/L	2	GE
■		Tritium	8.9E+03 ± 1.5E+01	pCi/mL	2	GE
■		Tritium	9.2E+03 ± 1.5E+01	pCi/mL	2	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB 95DR

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N74991.7 E49996.0	33.273206 °N 81.680818 °W	207.0-187.0 ft msl	284.1 ft msl	4" PVC	Water Table (IIB ₂)

FIELD MEASUREMENTS

Sample date: 04/14/92
 Depth to water: 73.16 ft (22.30 m) below TOC
 Water elevation: 210.94 ft (64.30 m) msl
 Sp. conductance: 2630 µS/cm
 Water evacuated before sampling: 63 gal

Time: 14:50
 pH: 2.9
 Alkalinity: 0 mg/L
 Water temperature: 20.9°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	3.2	pH	1	GE
		Specific conductance	3,180	µS/cm	2	GE
		Aluminum	105,000	µg/L	2	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<8.0	µg/L	0	GE
		Barium	831	µg/L	0	GE
		Benzene	<1.0	µg/L	0	GE
		Bromodichloromethane	<1.0	µg/L	0	GE
		Bromoform	<1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0	µg/L	0	GE
		Cadmium	2.2	µg/L	0	GE
		Calcium	2,120	µg/L	0	GE
		Carbon tetrachloride	<1.0	µg/L	0	GE
•		Chloride	2,140	µg/L	0	GE
		Chlorobenzene	<1.0	µg/L	0	GE
		Chloroethane	<1.0	µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0	µg/L	0	GE
		Chloroform	<1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0	µg/L	0	GE
		Chromium	6.9	µg/L	0	GE
		Cobalt	47	µg/L	2	GE
		Copper	123	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Dibromochloromethane	<1.0	µg/L	0	GE
		1,1-Dichloroethane	<1.0	µg/L	0	GE
		1,2-Dichloroethane	<1.0	µg/L	0	GE
		1,1-Dichloroethylene	<1.0	µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0	µg/L	0	GE
•		2,4-Dichlorophenoxyacetic acid	<0.30	µg/L	0	GE
		1,2-Dichloropropane	<1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0	µg/L	0	GE
•		Endrin	<0.0060	µg/L	0	GE
		Ethylbenzene	<1.0	µg/L	0	GE
		Fluoride	347	µg/L	0	GE
		Iron	152	µg/L	1	GE
■		Lead	28	µg/L	2	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB 95DR collected on 04/14/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		Lindane	<0.0050	µg/L	0	GE
		Magnesium	1,450	µg/L	0	GE
		Manganese	6,870	µg/L	2	GE
		Mercury	1.8	µg/L	1	GE
•		Methoxychlor	<0.50	µg/L	0	GE
		Nickel	57	µg/L	1	GE
■		Nitrate as nitrogen	572,000	µg/L	2	GE
■		Nitrate as nitrogen	572,000	µg/L	2	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	2,420	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	122,000	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	262,000	µg/L	0	GE
•		Sulfate	45,900	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0	µg/L	0	GE
		Tetrachloroethylene	<1.0	µg/L	0	GE
		Thallium	<2.0	µg/L	0	GE
		Toluene	<1.0	µg/L	0	GE
•		Total dissolved solids	1.7E+06	µg/L	0	GE
		Total organic carbon	3,000	µg/L	0	GE
•		Total organic halogens	6.3	µg/L	0	GE
		Total phosphates (as P)	100	µg/L	0	GE
•		Toxaphene	<0.24	µg/L	0	GE
•		2,4,5-TP (Silvex)	<0.090	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0	µg/L	0	GE
		1,1,2-Trichloroethane	<1.0	µg/L	0	GE
		Trichloroethylene	<1.0	µg/L	0	GE
		Trichlorofluoromethane	<1.0	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	153	µg/L	0	GE
■		Gross alpha	1.3E+03 ± 3.3E+01	pCi/L	2	GE
■		Nonvolatile beta	3.0E+03 ± 3.5E+01	pCi/L	2	GE
■		Total alpha-emitting radium	6.9E+01 ± 3.8E+00	pCi/L	2	GE
■		Tritium	2.8E+04 ± 2.6E+01	pCi/mL	2	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB 96AR

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N74914.9 E49746.6	33.272629 °N 81.681326 °W	89.0-79.0 ft msl	281.2 ft msl	4" PVC	U. Congaree (IIA)

FIELD MEASUREMENTS

Sample date: 04/03 J2	Time: 11:15
Depth to water: 127.39 ft (38.83 m) below TOC	pH: 7.3
Water elevation: 153.81 ft (46.88 m) msl	Alkalinity: 73 mg/L
Sp. conductance: 163 µS/cm	Water temperature: 19.4°C
Water evacuated before sampling: 196 gal	

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	7.2	pH	0	GE
		Specific conductance	145	µS/cm	0	GE
		Aluminum	<20	µg/L	0	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	37	µg/L	0	GE
		Benzene	<1.0	µg/L	0	GE
		Benzene	<1.0	µg/L	0	GE
		Bromodichloromethane	<1.0	µg/L	0	GE
		Bromodichloromethane	<1.0	µg/L	0	GE
		Bromoform	<1.0	µg/L	0	GE
		Bromoform	<1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	30,000	µg/L	0	GE
		Carbon tetrachloride	<1.0	µg/L	0	GE
		Carbon tetrachloride	<1.0	µg/L	0	GE
		Chloride	2,260	µg/L	0	GE
		Chlorobenzene	<1.0	µg/L	0	GE
		Chlorobenzene	<1.0	µg/L	0	GE
		Chloroethane	<1.0	µg/L	0	GE
		Chloroethane	<1.0	µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0	µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0	µg/L	0	GE
		Chloroform	<1.0	µg/L	0	GE
		Chloroform	<1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	<4.0	µg/L	0	GE
		Copper	<4.0	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Dibromochloromethane	<1.0	µg/L	0	GE
		Dibromochloromethane	<1.0	µg/L	0	GE
		1,1-Dichloroethane	<1.0	µg/L	0	GE
		1,1-Dichloroethane	<1.0	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB 96AR collected on 04/03/92, laboratory analyses (cont.)

H	D	Analyte	Result	Unit	Flag	Lab
		1,2-Dichloroethane	<1.0	µg/L	0	GE
		1,2-Dichloroethane	<1.0	µg/L	0	GE
		1,1-Dichloroethylene	<1.0	µg/L	0	GE
		1,1-Dichloroethylene	<1.0	µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0	µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	1.9	µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30	µg/L	0	GE
		1,2-Dichloropropane	<1.0	µg/L	0	GE
		1,2-Dichloropropane	<1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0	µg/L	0	GE
		Endrin	<0.0060	µg/L	0	GE
		Ethylbenzene	<1.0	µg/L	0	GE
		Ethylbenzene	<1.0	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE
		Iron	<4.0	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE
		Lindane	<0.0050	µg/L	0	GE
		Magnesium	645	µg/L	0	GE
		Manganese	4.5	µg/L	0	GE
		Mercury	<0.20	µg/L	0	GE
		Methoxychlor	<0.50	µg/L	0	GE
		Nickel	<4.0	µg/L	0	GE
		Nitrate as nitrogen	310	µg/L	0	GE
		Nitrate as nitrogen	340	µg/L	0	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	996	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	23,600	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	2,200	µg/L	0	GE
		Sulfate	1,680	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0	µg/L	0	GE
		Tetrachloroethylene	<1.0	µg/L	0	GE
		Tetrachloroethylene	<1.0	µg/L	0	GE
		Thallium	<2.0	µg/L	0	GE
		Toluene	<1.0	µg/L	0	GE
		Toluene	<1.0	µg/L	0	GE
		Total dissolved solids	106,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	GE
		Total phosphates (as P)	60	µg/L	0	GE
		Toxaphene	<0.24	µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0	µg/L	0	GE
		1,1,2-Trichloroethane	<1.0	µg/L	0	GE
		1,1,2-Trichloroethane	<1.0	µg/L	0	GE
		Trichloroethylene	<1.0	µg/L	0	GE
		Trichloroethylene	<1.0	µg/L	0	GE
		Trichlorofluoromethane	<1.0	µg/L	0	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB 96AR collected on 04/03/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Trichlorofluoromethane	<1.0	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	3.3	µg/L	0	GE
		Gross alpha	<2.0E+00	pCi/L	0	GE
		Nonvolatile beta	<2.0E+00	pCi/L	0	GE
		Total alpha-emitting radium	<1.0E+00	pCi/L	0	GE
		Tritium	1.1E+01 ± 6.0E-01	pCi/mL	1	GE

WELL FSB 97A

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N75171.2	33.273554 °N	95.8-85.8 ft msl	286.1 ft msl		U. Congaree (IIA)
E49965.7	81.681247 °W				

FIELD MEASUREMENTS

Sample date: 04/09/92 Time: 11:30
 Depth to water: 131.53 ft (40.09 m) below TOC
 Water elevation: 154.57 ft (47.11 m) msl
 Water evacuated before sampling: 12 gal
 Inaccessibility or pump failure prevented sample collection.

WELL FSB 97C

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N75179.6	33.273580 °N	153.8-143.8 ft msl	286.1 ft msl	4" PVC	Barnwell (IIB ₁)
E49970.6	81.681250 °W				

FIELD MEASUREMENTS

Sample date: 04/09/92 Time: 14:00
 Depth to water: 76.39 ft (23.28 m) below TOC pH: 3.9
 Water elevation: 209.71 ft (63.92 m) msl Alkalinity: 0 mg/L
 Sp. conductance: 1387 µS/cm Water temperature: 23.4°C
 Water evacuated before sampling: 173 gal

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	3.5	pH	1	GE
		Specific conductance	1,300	µS/cm	2	GE
		Aluminum	29,100	µg/L	2	GE
		Antimony	<2.0	µg/L	0	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	236	µg/L	0	GE
		Cadmium	3.1	µg/L	1	GE
		Calcium	17,200	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB 97C collected on 04/09/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Chloride	920	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	149	µg/L	2	GE
		Copper	31	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Fluoride	653	µg/L	0	GE
		Iron	43	µg/L	0	GE
		Lead	13	µg/L	1	GE
		Lead	13	µg/L	1	GE
		Magnesium	3,290	µg/L	0	GE
		Manganese	2,070	µg/L	2	GE
		Mercury	<0.20	µg/L	0	GE
		Nickel	30	µg/L	0	GE
■		Nitrate as nitrogen	180,000	µg/L	2	GE
		Potassium	1,190	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	12,100	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	25,900	µg/L	0	GE
		Sulfate	1,540	µg/L	0	GE
		Thallium	<2.0	µg/L	0	GE
		Thallium	<2.0	µg/L	0	GE
		Total dissolved solids	744,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
●		Total organic halogens	17	µg/L	0	GE
		Total phosphates (as P)	<50	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	81	µg/L	0	GE
■		Gross alpha	1.2E+02 ± 6.2E+00	pCi/L	2	GE
■		Nonvolatile beta	7.4E+02 ± 1.3E+01	pCi/L	2	GE
■		Total alpha-emitting radium	1.0E+02 ± 3.0E+00	pCi/L	2	GE
■		Tritium	1.0E+04 ± 1.6E+01	pCi/mL	2	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB 97D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N75188.9 E49975.5	33.273609 °N 81.681255 °W	216.9-196.9 ft msl	286.0 ft msl	4" PVC	Water Table (IIB ₂)

FIELD MEASUREMENTS

Sample date: 04/15/92
 Depth to water: 74.09 ft (22.58 m) below TOC
 Water elevation: 211.91 ft (64.59 m) msl
 Sp. conductance: 254 μ S/cm
 Water evacuated before sampling: 12 gal
 The well went dry during purging.

Time: 11:30
 pH: 3.8
 Alkalinity: 0 mg/L
 Water temperature: 21.3°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	3.6	pH	1	GE
		Specific conductance	2,600	μ S/cm	2	GE
		Aluminum	70,200	μ g/L	2	GE
		Antimony	< 2.0	μ g/L	0	GE
		Arsenic	< 8.0	μ g/L	0	GE
		Barium	963	μ g/L	0	GE
		Cadmium	2.8	μ g/L	1	GE
		Calcium	57,600	μ g/L	0	GE
•		Chloride	2,020	μ g/L	0	GE
		Chromium	< 4.0	μ g/L	0	GE
		Cobalt	61	μ g/L	2	GE
		Copper	73	μ g/L	0	GE
		Cyanide	< 5.0	μ g/L	0	GE
		Fluoride	653	μ g/L	0	GE
		Iron	903	μ g/L	2	GE
■		Lead	113	μ g/L	2	GE
		Magnesium	3,240	μ g/L	0	GE
		Manganese	5,320	μ g/L	2	GE
		Mercury	< 0.20	μ g/L	0	GE
		Nickel	47	μ g/L	0	GE
■		Nitrate as nitrogen	358,000	μ g/L	2	GE
		Potassium	1,950	μ g/L	0	GE
		Selenium	< 2.0	μ g/L	0	GE
		Silica	62,500	μ g/L	0	GE
		Silver	< 2.0	μ g/L	0	GE
		Sodium	294,000	μ g/L	0	GE
•		Sulfate	33,100	μ g/L	0	GE
		Thallium	< 2.0	μ g/L	0	GE
•		Total dissolved solids	1.8E+06	μ g/L	0	GE
		Total organic carbon	3,000	μ g/L	0	GE
•		Total organic halogens	6.4	μ g/L	0	GE
		Total phosphates (as P)	80	μ g/L	0	GE
		Vanadium	< 8.0	μ g/L	0	GE
		Zinc	197	μ g/L	0	GE
■		Gross alpha	1.3E+03 $\pm$ 2.6E+01	pCi/L	2	GE
■		Gross alpha	1.2E+03 $\pm$ 7.9E+01	pCi/L	2	GE
■		Nonvolatile beta	1.9E+03 $\pm$ 2.2E+01	pCi/L	2	GE
■		Nonvolatile beta	2.1E+03 $\pm$ 7.0E+01	pCi/L	2	GE
■		Total alpha-emitting radium	4.9E+01 $\pm$ 3.3E+00	pCi/L	2	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB 97D collected on 04/15/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
■		Tritium	2.5E + 04 ± 2.5E + 01	pCi/mL	2	GE

WELL FSB 98AR

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N75362.0 E50105.8	33.162714 °N 81.405249 °W		284.0 ft msl		U. Congaree (IIA)

FIELD MEASUREMENTS

Sample date: 05/12/92
Depth to water: 131.74 ft (40.15 m) below TOC
Sp. conductance: 157 µS/cm
Water evacuated before sampling: 186 gal

Time: 16:00
pH: 7.1
Water temperature: 20.4°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	7.5	pH	0	GE
		Specific conductance	159	µS/cm	0	GE
		Aluminum	42	µg/L	0	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	43	µg/L	0	GE
•		Benzene	<5.0	µg/L	0	GE
•		Bromodichloromethane	<5.0	µg/L	0	GE
•		Bromoform	<5.0	µg/L	0	GE
•		Bromomethane (Methyl bromide)	<5.0	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	24,600	µg/L	0	GE
•		Carbon tetrachloride	<5.0	µg/L	0	GE
		Chloride	2,080	µg/L	0	GE
•		Chlorobenzene	<5.0	µg/L	0	GE
•		Chloroethane	<5.0	µg/L	0	GE
•		Chloroethene (Vinyl chloride)	<5.0	µg/L	0	GE
•		2-Chloroethyl vinyl ether	<5.0	µg/L	0	GE
•		Chloroform	<5.0	µg/L	0	GE
•		Chloromethane (Methyl chloride)	<5.0	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	<4.0	µg/L	0	GE
		Copper	<4.0	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
•		Dibromochloromethane	<5.0	µg/L	0	GE
•		1,1-Dichloroethane	<5.0	µg/L	0	GE
•		1,2-Dichloroethane	<5.0	µg/L	0	GE
•		1,1-Dichloroethylene	<5.0	µg/L	0	GE
•		trans-1,2-Dichloroethylene	<5.0	µg/L	0	GE
•		Dichloromethane (Methylene chloride)	7.4	µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30	µg/L	0	GE
•		1,2-Dichloropropane	<5.0	µg/L	0	GE
•		cis-1,3-Dichloropropene	<5.0	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB 98AR collected on 05/12/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		trans-1,3-Dichloropropene	<5.0	µg/L	0	GE
		Endrin	<0.0060	µg/L	0	GE
•		Ethylbenzene	<5.0	µg/L	0	GE
		Fluoride	120	µg/L	0	GE
		Iron	<4.0	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE
		Lindane	<0.0050	µg/L	0	GE
		Magnesium	733	µg/L	0	GE
		Manganese	17	µg/L	0	GE
		Mercury	<0.20	µg/L	0	GE
		Methoxychlor	<0.50	µg/L	0	GE
		Nickel	<4.0	µg/L	0	GE
		Nitrate as nitrogen	1,080	µg/L	0	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	2,910	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	19,000	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	3,740	µg/L	0	GE
		Sulfate	1,180	µg/L	0	GE
•		1,1,2,2-Tetrachloroethane	<5.0	µg/L	0	GE
•		Tetrachloroethylene	<5.0	µg/L	0	GE
		Thallium	<2.0	µg/L	0	GE
•		Toluene	<5.0	µg/L	0	GE
		Total dissolved solids	100,000	µg/L	0	GE
		Total organic carbon	16,800	µg/L	2	GE
		Total organic halogens	<5.0	µg/L	0	GE
		Total phosphates (as P)	130	µg/L	0	GE
		Toxaphene	<0.24	µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090	µg/L	0	GE
•		1,1,1-Trichloroethane	<5.0	µg/L	0	GE
•		1,1,2-Trichloroethane	<5.0	µg/L	0	GE
•		Trichloroethylene	<5.0	µg/L	0	GE
•		Trichlorofluoromethane	<5.0	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	<2.0	µg/L	0	GE
		Gross alpha	<2.0E+00	pCi/L	0	GE
		Gross alpha	<2.0E+00	pCi/L	0	GE
		Nonvolatile beta	6.5E+00 ± 5.9E-01	pCi/L	0	GE
		Nonvolatile beta	5.5E+00 ± 4.1E-01	pCi/L	0	GE
		Total alpha-emitting radium	2.9E+00 ± 1.3E+00	pCi/L	1	GE
		Tritium	1.7E+01 ± 7.0E-01	pCi/mL	1	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB 98C

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N75381.2 E50116.5	33.274264 °N 81.681258 °W	156.8-146.8 ft msl	283.1 ft msl	4" PVC	Barnwell (IIB ₁)

FIELD MEASUREMENTS

Sample date: 05/12/92	Time: 15:50
Depth to water: 83.87 ft (25.56 m) below TOC	pH: 3.4
Water elevation: 199.23 ft (60.73 m) msl	Alkalinity: 0 mg/L
Sp. conductance: 1788 µS/cm	Water temperature: 20.9°C
Water evacuated before sampling: 138 gal	

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	3.3	pH	1	GE
		Specific conductance	1,500	µS/cm	2	GE
		Aluminum	24,000	µg/L	2	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	190	µg/L	0	GE
		Cadmium	3.2	µg/L	1	GE
		Calcium	2,710	µg/L	0	GE
•		Chloride	2,750	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	101	µg/L	2	GE
		Copper	23	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Fluoride	462	µg/L	0	GE
		Iron	6.3	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE
		Magnesium	1,230	µg/L	0	GE
		Manganese	1,690	µg/L	2	GE
		Mercury	0.35	µg/L	0	GE
		Mercury	0.34	µg/L	0	GE
		Nickel	13	µg/L	0	GE
■		Nitrate as nitrogen	256,000	µg/L	2	GE
		Potassium	<500	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	17,300	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	18,400	µg/L	0	GE
		Sulfate	2,790	µg/L	0	GE
		Thallium	<2.0	µg/L	0	GE
•		Total dissolved solids	842,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	GE
		Total phosphates (as P)	50	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	33	µg/L	0	GE
■		Gross alpha	4.9E+02 ± 1.1E+01	pCi/L	2	GE
■		Nonvolatile beta	1.8E+03 ± 1.5E+01	pCi/L	2	GE
■		Total alpha-emitting radium	1.4E+02 ± 8.4E+00	pCi/L	2	GE
■		Tritium	1.4E+04 ± 1.9E+01	pCi/mL	2	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB 98D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N75371.9 E50111.6	33.274235 °N 81.681253 °W	218.8-198.8 ft msl	283.1 ft msl	4" PVC	Water Table (IIB ₂)

FIELD MEASUREMENTS

Sample date: 04/09/92	Time: 15:50
Depth to water: 70.03 ft (21.35 m) below TOC	pH: 3.4
Water elevation: 213.07 ft (64.94 m) msl	Alkalinity: 0 mg/L
Sp. conductance: 1973 µS/cm	Water temperature: 24.0°C
Water evacuated before sampling: 37 gal	

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	3.2	pH	1	GE
		Specific conductance	1,900	µS/cm	2	GE
		Aluminum	54,900	µg/L	2	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	1,780	µg/L	1	GE
		Cadmium	2.2	µg/L	0	GE
		Calcium	3,860	µg/L	0	GE
		Chloride	1,420	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	162	µg/L	2	GE
		Copper	71	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Fluoride	363	µg/L	0	GE
		Iron	165	µg/L	1	GE
		Lead	9.6	µg/L	1	GE
		Magnesium	1,330	µg/L	0	GE
		Manganese	3,370	µg/L	2	GE
		Mercury	<0.20	µg/L	0	GE
		Nickel	46	µg/L	0	GE
■		Nitrate as nitrogen	262,000	µg/L	2	GE
		Potassium	1,700	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	72,400	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	230,000	µg/L	0	GE
		Sulfate	2,340	µg/L	0	GE
		Thallium	<2.0	µg/L	0	GE
		Total dissolved solids	1.3E+06	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
•		Total organic halogens	<5.0	µg/L	0	GE
		Total phosphates (as P)	<50	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	98	µg/L	0	GE
■		Gross alpha	1.3E+03 ± 1.9E+01	pCi/L	2	GE
■		Nonvolatile beta	1.6E+03 ± 1.4E+01	pCi/L	2	GE
■		Total alpha-emitting radium	1.5E+02 ± 3.7E+00	pCi/L	2	GE
■		Tridium	1.7E+04 ± 2.0E+01	pCi/mL	2	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB 99A

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Formation
N75675.6 E50314.8	33.275239 °N 81.681308 °W	102.9-92.9 ft msl	287.6 ft msl		U. Congaree (IIA)

FIELD MEASUREMENTS

Sample date: 04/03/92	Time: 12:55
Depth to water: 136.31 ft (41.55 m) below TOC	pH: 6.8
Water elevation: 151.29 ft (46.11 m) msl	Alkalinity: 56 mg/L
Sp. conductance: 147 µS/cm	Water temperature: 20.0°C
Water evacuated before sampling: 153 gal	

LABORATORY ANALYSES

H	D	Analyte	Result	Unit	Flag	Lab
•		pH	7.1	pH	0	GE
		Specific conductance	128	µS/cm	0	GE
		Aluminum	34	µg/L	0	GE
		Antimony	< 2.0	µg/L	0	GE
		Arsenic	< 2.0	µg/L	0	GE
		Barium	36	µg/L	0	GE
		Cadmium	< 2.0	µg/L	0	GE
		Calcium	23,900	µg/L	0	GE
		Chloride	2,020	µg/L	0	GE
		Chromium	< 4.0	µg/L	0	GE
		Cobalt	< 4.0	µg/L	0	GE
		Copper	< 4.0	µg/L	0	GE
		Cyanide	< 5.0	µg/L	0	GE
		Cyanide	< 5.0	µg/L	0	GE
		Fluoride	146	µg/L	0	GE
		Iron	< 4.0	µg/L	0	GE
		Lead	< 3.0	µg/L	0	GE
		Magnesium	1,200	µg/L	0	GE
		Manganese	6.5	µg/L	0	GE
		Mercury	< 0.20	µg/L	0	GE
		Nickel	< 4.0	µg/L	0	GE
		Nitrate as nitrogen	3,450	µg/L	0	GE
		Potassium	882	µg/L	0	GE
		Selenium	< 2.0	µg/L	0	GE
		Silica	17,300	µg/L	0	GE
		Silver	< 2.0	µg/L	0	GE
		Sodium	3,240	µg/L	0	GE
		Sulfate	1,020	µg/L	0	GE
		Thallium	< 2.0	µg/L	0	GE
		Total dissolved solids	110,000	µg/L	0	GE
		Total dissolved solids	105,000	µg/L	0	GE
		Total organic carbon	< 1,000	µg/L	0	GE
		Total organic halogens	87	µg/L	2	GE
		Total phosphates (as P)	250	µg/L	0	GE
		Vanadium	< 8.0	µg/L	0	GE
		Zinc	< 2.0	µg/L	0	GE
		Gross alpha	< 2.0E+00	pCi/L	0	GE
		Nonvolatile beta	2.6E+00 ± 5.5E-01	pCi/L	0	GE
		Total alpha-emitting radium	< 1.0E+00	pCi/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB 99A collected on 04/03/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
■		Tritium	1.2E+02 ± 1.7E+00	pCi/mL	2	GE

WELL FSB 99C

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N75683.7 E50320.6	33.275266 °N 81.681308 °W	167.2-157.2 ft msl	287.7 ft msl	4" PVC	Barnwell (IIB ₁)

FIELD MEASUREMENTS

Sample date: 04/13/92
 Depth to water: 76.81 ft (23.41 m) below TOC
 Water elevation: 210.89 ft (64.28 m) msl
 Sp. conductance: 318 µS/cm
 Water evacuated before sampling: 141 gal

Time: 15:15
 pH: 5.1
 Alkalinity: 1 mg/L
 Water temperature: 20.8°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.8	pH	0	GE
		Specific conductance	315	µS/cm	1	GE
		Aluminum	204	µg/L	2	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	83	µg/L	0	GE
		Benzene	<1.0	µg/L	0	GE
		Bromodichloromethane	<1.0	µg/L	0	GE
		Bromoform	<1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0	µg/L	0	GE
		Cadmium	2.3	µg/L	0	GE
		Calcium	15,200	µg/L	0	GE
		Carbon tetrachloride	<1.0	µg/L	0	GE
		Chloride	3,900	µg/L	0	GE
		Chlorobenzene	<1.0	µg/L	0	GE
		Chloroethane	<1.0	µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0	µg/L	0	GE
		Chloroform	<1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	5.9	µg/L	0	GE
		Copper	<4.0	µg/L	0	GE
•		Cyanide	<5.0	µg/L	0	GE
		Dibromochloromethane	<1.0	µg/L	0	GE
		1,1-Dichloroethane	<1.0	µg/L	0	GE
		1,2-Dichloroethane	<1.0	µg/L	0	GE
		1,1-Dichloroethylene	<1.0	µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0	µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30	µg/L	0	GE
		1,2-Dichloropropane	<1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB 99C collected on 04/13/92, laboratory analyses (cont.)

H	D	Analyte	Result	Unit	Flag	Lab
		trans-1,3-Dichloropropene	<1.0	µg/L	0	GE
		Endrin	<0.0060	µg/L	0	GE
		Ethylbenzene	<1.0	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE
		Iron	9.0	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE
		Lindane	<0.0050	µg/L	0	GE
		Magnesium	7,900	µg/L	0	GE
		Manganese	111	µg/L	2	GE
		Mercury	<0.20	µg/L	0	GE
		Methoxychlor	<0.50	µg/L	0	GE
		Nickel	<4.0	µg/L	0	GE
■		Nitrate as nitrogen	36,400	µg/L	2	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	989	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	9,230	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	26,400	µg/L	0	GE
		Sulfate	<1,000	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0	µg/L	0	GE
		Tetrachloroethylene	<1.0	µg/L	0	GE
		Thallium	<2.0	µg/L	0	GE
		Toluene	<1.0	µg/L	0	GE
		Total dissolved solids	227,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	10	µg/L	0	GE
		Total phosphates (as P)	<50	µg/L	0	GE
		Toxaphene	<0.24	µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0	µg/L	0	GE
		1,1,2-Trichloroethane	<1.0	µg/L	0	GE
■		Trichloroethylene	26	µg/L	2	GE
		Trichlorofluoromethane	<1.0	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	38	µg/L	0	GE
■		Gross alpha	1.5E+01 ± 1.6E+00	pCi/L	2	GE
■		Nonvolatile beta	1.4E+02 ± 3.3E+00	pCi/L	2	GE
■		Total alpha-emitting radium	1.1E+01 ± 6.0E-01	pCi/L	2	GE
■		Total alpha-emitting radium	9.8E+00 ± 6.0E-01	pCi/L	2	GE
■		Tritium	1.9E+03 ± 6.8E+00	pCi/mL	2	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB 99D

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Formation
N75691.7 E50326.9	33.275294 °N 81.681307 °W	218.1-198.1 ft msl	287.6 ft msl	4" PVC	Water Table (IIB ₂)

FIELD MEASUREMENTS

Sample date: 04/03/92	Time: 12:20
Depth to water: 73.08 ft (22.28 m) below TOC	pH: 4.9
Water elevation: 214.52 ft (65.39 m) msl	Alkalinity: 0 mg/L
Sp. conductance: 41 µS/cm	Water temperature: 19.1°C
Water evacuated before sampling: 43 gal	

LABORATORY ANALYSES

H	D	Analyte	Result	Unit	Flag	Lab
•		pH	4.9	pH	0	GE
		Specific conductance	40	µS/cm	0	GE
		Aluminum	130	µg/L	1	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	8.9	µg/L	0	GE
■		Cadmium	7.2	µg/L	2	GE
		Calcium	950	µg/L	0	GE
		Chloride	2,470	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	<4.0	µg/L	0	GE
		Copper	<4.0	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE
		Iron	15	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE
		Magnesium	226	µg/L	0	GE
		Manganese	14	µg/L	0	GE
		Mercury	<0.20	µg/L	0	GE
		Nickel	<4.0	µg/L	0	GE
		Nitrate as nitrogen	2,340	µg/L	0	GE
		Potassium	<500	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	11,900	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	5,370	µg/L	0	GE
		Sulfate	3,340	µg/L	0	GE
		Thallium	<2.0	µg/L	0	GE
		Total dissolved solids	33,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	11	µg/L	0	GE
		Total phosphates (as P)	60	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	10	µg/L	0	GE
		Gross alpha	1.2E+01 ± 9.5E-01	pCi/L	1	GE
		Nonvolatile beta	9.5E+00 ± 7.4E-01	pCi/L	0	GE
		Total alpha-emitting radium	1.1E+00 ± 4.0E-01	pCi/L	0	GE
■		Tritium	6.9E+01 ± 1.3E+00	pCi/mL	2	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB 99D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N75691.7 E50326.9	33.275294 °N 81.681307 °W	218.1-198.1 ft msl	287.6 ft msl	4" PVC	Water Table (IIB ₂)

FIELD MEASUREMENTS

Sample date: 06/01/92	Time: 13:25
Depth to water: 73.60 ft (22.43 m) below TOC	pH: 4.7
Water elevation: 214.00 ft (65.23 m) msl	Alkalinity: 0 mg/L
Sp. conductance: 44 µS/cm	Water temperature: 22.3°C
Water evacuated before sampling: 42 gal	

WELL FSB 99D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N75691.7 E50326.9	33.275294 °N 81.681307 °W	218.1-198.1 ft msl	287.6 ft msl	4" PVC	Water Table (IIB ₂)

FIELD MEASUREMENTS

Sample date: 06/08/92	Time: 10:45
Depth to water: 73.77 ft (22.49 m) below TOC	pH: 4.6
Water elevation: 213.83 ft (65.18 m) msl	Alkalinity: 0 mg/L
Sp. conductance: 46 µS/cm	Water temperature: 21.5°C
Water evacuated before sampling: 28 gal	

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB100A

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N75534.4 E50958.4	33.275977 °N 81.679339 °W	105.8-95.8 ft msl	286.0 ft msl		U. Congaree (IIA)

FIELD MEASUREMENTS

Sample date: 04/03/92	Time: 14:00
Depth to water: 133.95 ft (40.83 m) below TOC	pH: 6.9
Water elevation: 152.05 ft (46.35 m) msl	Alkalinity: 60 mg/L
Sp. conductance: 180 µS/cm	Water temperature: 18.7°C
Water evacuated before sampling: 148 gal	

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	7.2	pH	0	GE
		Specific conductance	157	µS/cm	0	GE
		Aluminum	<20	µg/L	0	GE
		Antimony	<2.0	µg/L	0	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	44	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	26,000	µg/L	0	GE
		Chloride	2,290	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	<4.0	µg/L	0	GE
		Copper	<4.0	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Fluoride	102	µg/L	0	GE
		Iron	<4.0	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE
		Magnesium	1,600	µg/L	0	GE
		Manganese	<2.0	µg/L	0	GE
		Mercury	<0.20	µg/L	0	GE
		Nickel	<4.0	µg/L	0	GE
		Nitrate as nitrogen	6,000	µg/L	1	GE
		Potassium	1,600	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	17,200	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	7,310	µg/L	0	GE
		Sulfate	1,330	µg/L	0	GE
		Thallium	<2.0	µg/L	0	GE
		Thallium	<2.0	µg/L	0	GE
		Total dissolved solids	131,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	GE
		Total phosphates (as P)	210	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	4.4	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB100A collected on 04/03/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Gross alpha	2.0E+00 ± 4.5E-01	pCi/L	0	GE
		Nonvolatile beta	3.0E+00 ± 6.2E-01	pCi/L	0	GE
		Total alpha-emitting radium	1.2E+00 ± 4.0E-01	pCi/L	0	GE
■		Tritium	1.8E+02 ± 2.1E+00	pCi/mL	2	GE

WELL FSB101A

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N75719.0	33.276765 °N	102.9-92.9 ft msl	285.2 ft msl		U. Congaree (IIA)
E51191.3	81.679085 °W				

FIELD MEASUREMENTS

Sample date: 04/26/92
 Depth to water: 132.98 ft (40.53 m) below TOC
 Water elevation: 152.22 ft (46.40 m) msl
 Sp. conductance: 161 µS/cm
 Water evacuated before sampling: 156 gal

Time: 11:50
 pH: 7.2
 Alkalinity: 58 mg/L
 Water temperature: 19.5°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	7.7	pH	0	GE
•		pH	7.6	pH	0	GE
•		pH	7.8	pH	0	WA
•		pH	7.8	pH	0	WA
•		pH	7.5	pH	0	WA
		Specific conductance	132	µS/cm	0	GE
		Specific conductance	132	µS/cm	0	GE
		Specific conductance	135	µS/cm	0	GE
•		Specific conductance	153	µS/cm	0	WA
•		Specific conductance	153	µS/cm	0	WA
•		Specific conductance	151	µS/cm	0	WA
		Aluminum	<20	µg/L	0	GE
		Aluminum	<20	µg/L	0	GE
		Aluminum	<20	µg/L	0	GE
		Aluminum	16	µg/L	0	WA
		Aluminum	<15	µg/L	0	WA
		Aluminum	<15	µg/L	0	WA
		Antimony	<2.0	µg/L	0	GE
		Antimony	<2.0	µg/L	0	GE
		Antimony	4.5	µg/L	1	WA
		Antimony	<2.6	µg/L	0	WA
		Antimony	<2.6	µg/L	0	WA
		Arsenic	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	WA
		Arsenic	<2.0	µg/L	0	WA
		Arsenic	<2.0	µg/L	0	WA
		Barium	31	µg/L	0	GE
		Barium	31	µg/L	0	GE
		Barium	31	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB101A collected on 04/26/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Barium	33	µg/L	0	WA
		Barium	32	µg/L	0	WA
		Barium	30	µg/L	0	WA
		Cadmium	<2.0	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Cadmium	<0.35	µg/L	0	WA
		Cadmium	<0.35	µg/L	0	WA
		Cadmium	2.1	µg/L	0	WA
		Calcium	26,200	µg/L	0	GE
		Calcium	26,400	µg/L	0	GE
		Calcium	26,100	µg/L	0	GE
		Calcium	27,700	µg/L	0	WA
		Calcium	27,500	µg/L	0	WA
		Calcium	26,100	µg/L	0	WA
		Chloride	2,620	µg/L	0	GE
		Chloride	2,650	µg/L	0	GE
		Chloride	3,300	µg/L	0	WA
		Chloride	3,230	µg/L	0	WA
		Chromium	<4.0	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Chromium	1.8	µg/L	0	WA
		Chromium	1.2	µg/L	0	WA
		Chromium	1.5	µg/L	0	WA
		Cobalt	<4.0	µg/L	0	GE
		Cobalt	<4.0	µg/L	0	GE
		Cobalt	<4.0	µg/L	0	GE
		Cobalt	<0.88	µg/L	0	WA
		Cobalt	<0.88	µg/L	0	WA
		Cobalt	<0.88	µg/L	0	WA
		Copper	<4.0	µg/L	0	GE
		Copper	<4.0	µg/L	0	GE
		Copper	<4.0	µg/L	0	GE
		Copper	3.2	µg/L	0	WA
		Copper	2.0	µg/L	0	WA
		Copper	1.2	µg/L	0	WA
		Cyanide	<5.0	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	WA
		Cyanide	<5.0	µg/L	0	WA
		Fluoride	<100	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE
		Fluoride	<100	µg/L	0	WA
		Fluoride	<100	µg/L	0	WA
		Fluoride	<100	µg/L	0	WA
		Iron	<4.0	µg/L	0	GE
		Iron	<4.0	µg/L	0	GE
		Iron	<4.0	µg/L	0	GE
		Iron	5.8	µg/L	0	WA
		Iron	3.7	µg/L	0	WA
		Iron	8.5	µg/L	0	WA
		Lead	<3.0	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE
		Lead	7.7	µg/L	1	WA

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB101A collected on 04/26/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Lead	<2.0	µg/L	0	WA
		Lead	<2.0	µg/L	0	WA
		Magnesium	620	µg/L	0	GE
		Magnesium	621	µg/L	0	GE
		Magnesium	620	µg/L	0	GE
		Magnesium	654	µg/L	0	WA
		Magnesium	630	µg/L	0	WA
		Magnesium	618	µg/L	0	WA
		Manganese	<2.0	µg/L	0	GE
		Manganese	<2.0	µg/L	0	GE
		Manganese	<2.0	µg/L	0	GE
		Manganese	0.38	µg/L	0	WA
		Manganese	0.38	µg/L	0	WA
		Manganese	0.38	µg/L	0	WA
		Mercury	<0.20	µg/L	0	GE
		Mercury	<0.20	µg/L	0	GE
		Mercury	<0.20	µg/L	0	WA
		Mercury	<0.20	µg/L	0	WA
		Nickel	<4.0	µg/L	0	GE
		Nickel	<4.0	µg/L	0	GE
		Nickel	<4.0	µg/L	0	GE
		Nickel	<3.1	µg/L	0	WA
		Nickel	<3.1	µg/L	0	WA
		Nickel	<3.1	µg/L	0	WA
		Nitrate as nitrogen	1,350	µg/L	0	GE
		Nitrate as nitrogen	1,440	µg/L	0	GE
		Nitrate as nitrogen	1,550	µg/L	0	WA
		Nitrate as nitrogen	1,870	µg/L	0	WA
		Potassium	2,890	µg/L	0	GE
		Potassium	2,810	µg/L	0	GE
		Potassium	2,890	µg/L	0	GE
		Potassium	3,250	µg/L	0	WA
		Potassium	3,000	µg/L	0	WA
		Potassium	2,480	µg/L	0	WA
		Selenium	<2.0	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Selenium	<2.0	µg/L	0	WA
		Selenium	<2.0	µg/L	0	WA
		Selenium	<2.0	µg/L	0	WA
		Silica	17,500	µg/L	0	GE
		Silica	17,500	µg/L	0	GE
		Silica	17,400	µg/L	0	GE
		Silica	16,100	µg/L	0	WA
		Silica	15,700	µg/L	0	WA
		Silica	14,800	µg/L	0	WA
		Silver	<2.0	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Silver	<0.70	µg/L	0	WA
		Silver	<0.70	µg/L	0	WA
		Silver	<0.70	µg/L	0	WA
		Sodium	2,610	µg/L	0	GE
		Sodium	2,610	µg/L	0	GE
		Sodium	2,620	µg/L	0	GE
		Sodium	3,030	µg/L	0	WA
		Sodium	2,940	µg/L	0	WA

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB101A collected on 04/26/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Sodium	2,690	µg/L	0	WA
		Sulfate	1,690	µg/L	0	GE
		Sulfate	1,640	µg/L	0	GE
		Sulfate	1,770	µg/L	0	WA
		Sulfate	1,720	µg/L	0	WA
		Thallium	<2.0	µg/L	0	GE
		Thallium	<2.0	µg/L	0	GE
		Thallium	<2.0	µg/L	0	WA
		Thallium	<2.0	µg/L	0	WA
		Thallium	<2.0	µg/L	0	WA
		Total dissolved solids	96,000	µg/L	0	GE
		Total dissolved solids	94,000	µg/L	0	GE
		Total dissolved solids	97,000	µg/L	0	WA
		Total dissolved solids	99,000	µg/L	0	WA
		Total dissolved solids	98,000	µg/L	0	WA
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic carbon	534	µg/L	0	WA
		Total organic carbon	534	µg/L	0	WA
		Total organic halogens	<5.0	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	WA
		Total organic halogens	<20	µg/L	0	WA
		Total organic halogens	<20	µg/L	0	WA
		Total phosphates (as P)	120	µg/L	0	GE
		Total phosphates (as P)	110	µg/L	0	GE
		Total phosphates (as P)	121	µg/L	0	WA
		Total phosphates (as P)	119	µg/L	0	WA
		Total phosphates (as P)	115	µg/L	0	WA
		Uranium	0.80	µg/L	0	BA
		Uranium	0.40	µg/L	0	BA
		Vanadium	<8.0	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Vanadium	0.95	µg/L	0	WA
		Vanadium	<0.88	µg/L	0	WA
		Vanadium	<0.88	µg/L	0	WA
		Zinc	<2.0	µg/L	0	GE
		Zinc	<2.0	µg/L	0	GE
		Zinc	<2.0	µg/L	0	GE
		Zinc	6.5	µg/L	0	WA
		Zinc	16	µg/L	0	WA
		Zinc	3.7	µg/L	0	WA
		Gross alpha	<2.0E+00	pCi/L	0	GE
		Gross alpha	<2.0E+00	pCi/L	0	GE
		Gross alpha	<1.8E+00	pCi/L	0	BA
		Gross alpha	3.3E+00 ± 2.4E+00	pCi/L	0	BA
		Gross alpha	1.6E+00 ± 2.1E+00	pCi/L	0	BA
		Nonvolatile beta	3.0E+00 ± 5.7E-01	pCi/L	0	GE
		Nonvolatile beta	<2.0E+00	pCi/L	0	GE
		Nonvolatile beta	3.9E+00 ± 1.9E+00	pCi/L	0	BA
		Nonvolatile beta	6.6E+00 ± 2.0E+00	pCi/L	0	BA
		Radium-226	<5.0E-01	pCi/L	0	BA
		Radium-226	<5.0E-01	pCi/L	0	BA
		Radium-228	<1.6E+00	pCi/L	0	BA
		Radium-228	<1.7E+00	pCi/L	0	BA

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB101A collected on 04/26/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Total alpha-emitting radium	< 1.0E+00	pCi/L	0	GE
		Total alpha-emitting radium	< 1.0E+00	pCi/L	0	GE
		Tritium	< 7.0E-01	pCi/mL	0	GE
		Tritium	< 7.0E-01	pCi/mL	0	GE
		Tritium	< 7.0E-01	pCi/mL	0	GE
		Tritium	3.0E-01 ± 2.9E-01	pCi/mL	0	BA
		Tritium	4.5E-01 ± 2.9E-01	pCi/mL	0	BA

WELL FSB102C

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N73582.9	33.271459 °N	155.9-145.9 ft msl	201.1 ft msl	4" PVC	Barnwell (IIB ₁)
E50834.8	81.675873 °W				

FIELD MEASUREMENTS

Sample date: 04/13/92
 Depth to water: 5.51 ft (1.68 m) below TOC
 Water elevation: 195.59 ft (59.62 m) msl
 Sp. conductance: 311 µS/cm
 Water evacuated before sampling: 130 gal

Time: 9:40
 pH: 4.1
 Alkalinity: 0 mg/L
 Water temperature: 17.8°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
●		pH	4.1	pH	0	GE
		Specific conductance	310	µS/cm	1	GE
		Aluminum	726	µg/L	2	GE
		Antimony	< 2.0	µg/L	0	GE
		Arsenic	< 2.0	µg/L	0	GE
		Barium	86	µg/L	0	GE
		Cadmium	4.7	µg/L	1	GE
		Calcium	14,500	µg/L	0	GE
		Chloride	1,720	µg/L	0	GE
		Chromium	< 4.0	µg/L	0	GE
		Cobalt	33	µg/L	1	GE
		Copper	< 4.0	µg/L	0	GE
		Cyanide	< 5.0	µg/L	0	GE
		Fluoride	345	µg/L	0	GE
		Iron	4.2	µg/L	0	GE
		Lead	< 3.0	µg/L	0	GE
		Magnesium	4,710	µg/L	0	GE
		Manganese	758	µg/L	2	GE
		Mercury	0.50	µg/L	0	GE
		Nickel	13	µg/L	0	GE
■		Nitrate as nitrogen	37,000	µg/L	2	GE
		Potassium	922	µg/L	0	GE
		Selenium	< 2.0	µg/L	0	GE
		Silica	10,900	µg/L	0	GE
		Silver	< 2.0	µg/L	0	GE
		Sodium	31,000	µg/L	0	GE
		Sulfate	< 1,000	µg/L	0	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB102C collected on 04/13/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Thallium	<2.0	µg/L	0	GE
		Total dissolved solids	202,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	29	µg/L	1	GE
		Total phosphates (as P)	<50	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	33	µg/L	0	GE
		Gross alpha	5.7E+00 ± 7.7E-01	pCi/L	0	GE
■		Nonvolatile beta	4.6E+02 ± 5.0E+00	pCi/L	2	GE
■		Total alpha-emitting radium	7.7E+00 ± 8.0E-01	pCi/L	2	GE
■		Tritium	1.1E+03 ± 5.2E+00	pCi/mL	2	GE

WELL FSB103C

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N74210.0	33.270915 °N	157.1-147.1 ft msl	242.4 ft msl	4" PVC	Barnwell (IIB ₁)
E49651.3	81.680207 °W				

FIELD MEASUREMENTS

Sample date: 04/13/92
 Depth to water: 38.52 ft (11.74 m) below TOC
 Water elevation: 203.88 ft (62.14 m) msl
 Sp. conductance: 234 µS/cm
 Water evacuated before sampling: 150 gal

Time: 12:10
 pH: 5.7
 Alkalinity: 7 mg/L
 Water temperature: 21.1°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.8	pH	0	GE
		Specific conductance	235	µS/cm	0	GE
		Aluminum	<20	µg/L	0	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	39	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	28,100	µg/L	0	GE
		Chloride	2,380	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	<4.0	µg/L	0	GE
		Copper	<4.0	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE
		Iron	<4.0	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE
		Magnesium	2,670	µg/L	0	GE
		Manganese	16	µg/L	0	GE
		Mercury	<0.20	µg/L	0	GE
		Nickel	6.0	µg/L	0	GE
■		Nitrate as nitrogen	25,400	µg/L	2	GE
		Potassium	1,030	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB103C collected on 04/13/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Silica	14,200	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	9,530	µg/L	0	GE
		Sulfate	1,080	µg/L	0	GE
		Thallium	<2.0	µg/L	0	GE
		Total dissolved solids	205,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	GE
		Total phosphates (as P)	<50	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	34	µg/L	0	GE
		Gross alpha	<2.0E+00	pCi/L	0	GE
		Nonvolatile beta	3.0E+01 ± 1.3E+00	pCi/L	1	GE
		Total alpha-emitting radium	1.7E+00 ± 5.0E-01	pCi/L	0	GE
■		Tritium	7.4E+02 ± 4.2E+00	pCi/mL	2	GE

WELL FSB103C

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N74210.0	33.270915 °N	157.1-147.1 ft msl	242.4 ft msl	4" PVC	Barnwell (IIB ₁)
E49651.3	81.680207 °W				

FIELD MEASUREMENTS

Sample date: 06/02/92
 Depth to water: 39.17 ft (11.94 m) below TOC
 Water elevation: 203.23 ft (61.95 m) msl
 Sp. conductance: 260 µS/cm
 Water evacuated before sampling: 147 gal

Time: 13:25
 pH: 5.6
 Alkalinity: 7 mg/L
 Water temperature: 22.0°C

WELL FSB103C

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N74210.0	33.270915 °N	157.1-147.1 ft msl	242.4 ft msl	4" PVC	Barnwell (IIB ₁)
E49651.3	81.680207 °W				

FIELD MEASUREMENTS

Sample date: 06/08/92
 Depth to water: 39.10 ft (11.92 m) below TOC
 Water elevation: 203.30 ft (61.97 m) msl
 Sp. conductance: 241 µS/cm
 Water evacuated before sampling: 147 gal

Time: 10:20
 pH: 5.5
 Alkalinity: 7 mg/L
 Water temperature: 20.8°C

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB104C

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Formation
N73872.6 E49248.6	33.269511 °N 81.680612 °W	160.7-150.7 ft msl	219.1 ft msl	4" PVC	Barnwell (IIB ₁)

FIELD MEASUREMENTS

Sample date: 04/13/92	Time: 13:30
Depth to water: 16.92 ft (5.16 m) below TOC	pH: 5.7
Water elevation: 202.18 ft (61.63 m) msl	Alkalinity: 0 mg/L
Sp. conductance: 389 μ S/cm	Water temperature: 19.3°C
Water evacuated before sampling: 135 gal	

LABORATORY ANALYSES

H	D	Analyte	Result	Unit	Flag	Lab
•		pH	5.0	pH	0	GE
		Specific conductance	400	μ S/cm	1	GE
		Aluminum	59	μ g/L	0	GE
		Antimony	<2.0	μ g/L	0	GE
		Arsenic	<2.0	μ g/L	0	GE
		Barium	83	μ g/L	0	GE
		Cadmium	<2.0	μ g/L	0	GE
		Calcium	42,200	μ g/L	0	GE
		Chloride	2,560	μ g/L	0	GE
		Chromium	<4.0	μ g/L	0	GE
		Cobalt	<4.0	μ g/L	0	GE
		Copper	<4.0	μ g/L	0	GE
		Cyanide	<5.0	μ g/L	0	GE
		Fluoride	<100	μ g/L	0	GE
		Iron	27	μ g/L	0	GE
		Lead	<3.0	μ g/L	0	GE
		Magnesium	6,040	μ g/L	0	GE
		Manganese	30	μ g/L	1	GE
		Mercury	<0.20	μ g/L	0	GE
		Nickel	14	μ g/L	0	GE
■		Nitrate as nitrogen	47,000	μ g/L	2	GE
		Potassium	1,600	μ g/L	0	GE
		Selenium	<2.0	μ g/L	0	GE
		Silica	12,600	μ g/L	0	GE
		Silver	<2.0	μ g/L	0	GE
		Sodium	17,300	μ g/L	0	GE
		Sulfate	<1,000	μ g/L	0	GE
		Thallium	<2.0	μ g/L	0	GE
		Total dissolved solids	287,000	μ g/L	0	GE
		Total organic carbon	<1,000	μ g/L	0	GE
		Total organic carbon	<1,000	μ g/L	0	GE
		Total organic halogens	38	μ g/L	1	GE
		Total phosphates (as P)	210	μ g/L	0	GE
		Vanadium	<8.0	μ g/L	0	GE
		Zinc	55	μ g/L	0	GE
		Gross alpha	<2.0E+00	pCi/L	0	GE
■		Nonvolatile beta	7.3E+01 $\pm$ 2.0E+00	pCi/L	2	GE
		Total alpha-emitting radium	1.5E+00 $\pm$ 5.0E-01	pCi/L	0	GE
■		Tritium	1.3E+03 $\pm$ 5.6E+00	pCi/mL	2	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB104C collected on 04/13/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
	■	Tritium	1.3E+03 ± 5.7E+00	pCi/mL	2	GE

WELL FSB104D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N73865.2	33.269506 °N	210.4-190.4 ft msl	219.2 ft msl	4" PVC	Water Table (IIB ₂)
E49255.4	81.680579 °W				

FIELD MEASUREMENTS

Sample date: 04/13/92
 Depth to water: 13.68 ft (4.17 m) below TOC
 Water elevation: 205.52 ft (62.64 m) msl
 Sp. conductance: 892 μ S/cm
 Water evacuated before sampling: 50 gal

Time: 12:55
 pH: 3.5
 Alkalinity: 0 mg/L
 Water temperature: 18.2°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
●		pH	3.6	pH	1	GE
●		pH	3.6	pH	1	GE
		Specific conductance	1,000	μ S/cm	2	GE
		Specific conductance	1,000	μ S/cm	2	GE
		Aluminum	39,500	μ g/L	2	GE
		Antimony	<2.0	μ g/L	0	GE
		Arsenic	<2.0	μ g/L	0	GE
		Barium	191	μ g/L	0	GE
	■	Cadmium	12	μ g/L	2	GE
		Calcium	4,000	μ g/L	0	GE
		Chloride	2,400	μ g/L	0	GE
		Chloride	2,410	μ g/L	0	GE
		Chromium	<4.0	μ g/L	0	GE
		Cobalt	30	μ g/L	1	GE
		Copper	40	μ g/L	0	GE
●		Cyanide	<5.0	μ g/L	0	GE
		Fluoride	454	μ g/L	0	GE
		Fluoride	438	μ g/L	0	GE
		Iron	36	μ g/L	0	GE
		Lead	6.5	μ g/L	0	GE
		Magnesium	2,650	μ g/L	0	GE
		Manganese	839	μ g/L	2	GE
		Mercury	<0.20	μ g/L	0	GE
		Nickel	19	μ g/L	0	GE
	■	Nitrate as nitrogen	140,000	μ g/L	2	GE
		Potassium	552	μ g/L	0	GE
		Selenium	<2.0	μ g/L	0	GE
		Silica	32,100	μ g/L	0	GE
		Silver	<2.0	μ g/L	0	GE
		Sodium	50,600	μ g/L	0	GE
		Sulfate	2,220	μ g/L	0	GE
		Sulfate	2,190	μ g/L	0	GE
		Thallium	<2.0	μ g/L	0	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB104D collected on 04/13/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		Total dissolved solids	411,000	µg/L	0	GE
•		Total dissolved solids	401,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	GE
		Total phosphates (as P)	<50	µg/L	0	GE
		Total phosphates (as P)	<50	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	62	µg/L	0	GE
■		Gross alpha	4.0E+02 ± 8.0E+00	pCi/L	2	GE
■		Gross alpha	4.1E+02 ± 2.9E+00	pCi/L	2	GE
■		Nonvolatile beta	1.8E+03 ± 1.2E+01	pCi/L	2	GE
■		Nonvolatile beta	1.7E+03 ± 4.2E+00	pCi/L	2	GE
■		Total alpha-emitting radium	5.9E+01 ± 1.3E+00	pCi/L	2	GE
■		Total alpha-emitting radium	5.6E+01 ± 1.3E+00	pCi/L	2	GE
■		Tritium	9.1E+03 ± 1.5E+01	pCi/mL	2	GE

WELL FSB105C

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N75234.2	33.273468 °N	151.5-141.5 ft msl	285.8 ft msl	4" PVC	Barnwell (IIB ₁)
E49828.0	81.681732 °W				

FIELD MEASUREMENTS

Sample date: 04/13/92
 Depth to water: 76.59 ft (23.34 m) below TOC
 Water elevation: 209.21 ft (63.77 m) msl
 Sp. conductance: 1520 µS/cm
 Water evacuated before sampling: 178 gal

Time: 14:35
 pH: 3.5
 Alkalinity: 0 mg/L
 Water temperature: 21.4°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	3.5	pH	1	GE
		Specific conductance	90	µS/cm	0	GE
		Aluminum	22,600	µg/L	2	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	237	µg/L	0	GE
		Cadmium	4.9	µg/L	1	GE
		Calcium	4,970	µg/L	0	GE
		Chloride	2,940	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	229	µg/L	2	GE
		Copper	20	µg/L	0	GE
•		Cyanide	<5.0	µg/L	0	GE
		Fluoride	851	µg/L	0	GE
		Iron	11	µg/L	0	GE
		Lead	7.0	µg/L	0	GE
		Magnesium	2,160	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB105C collected on 04/13/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Manganese	2,130	µg/L	2	GE
		Mercury	<0.20	µg/L	0	GE
		Nickel	28	µg/L	0	GE
■		Nitrate as nitrogen	192,000	µg/L	2	GE
		Potassium	526	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	9,210	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	20,000	µg/L	0	GE
		Sulfate	<1,000	µg/L	0	GE
		Thallium	<2.0	µg/L	0	GE
●		Total dissolved solids	643,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	GE
		Total phosphates (as P)	<50	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	55	µg/L	0	GE
■		Gross alpha	3.0E+02 ± 2.5E+00	pCi/L	2	GE
■		Nonvolatile beta	1.5E+03 ± 4.0E+00	pCi/L	2	GE
■		Total alpha-emitting radium	1.6E+02 ± 2.1E+00	pCi/L	2	GE
■		Tritium	1.1E+04 ± 1.6E+01	pCi/mL	2	GE

WELL FSB105C

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N75234.2	33.273468 °N	151.5-141.5 ft msl	285.8 ft msl	4" PVC	Barnwell (IIB ₁)
E49828.0	81.681732 °W				

FIELD MEASUREMENTS

Sample date: 06/01/92
 Depth to water: 77.26 ft (23.55 m) below TOC
 Water elevation: 208.54 ft (63.56 m) msl
 Sp. conductance: 1547 µS/cm
 Water evacuated before sampling: 176 gal
 Time: 9:35
 pH: 3.7
 Alkalinity: 0 mg/L
 Water temperature: 19.8°C

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB105C

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N75234.2 E49828.0	33.273468 °N 81.681732 °W	151.5-141.5 ft msl	285.8 ft msl	4" PVC	Barnwell (IIB ₁)

FIELD MEASUREMENTS

Sample date: 06/08/92	Time: 6:55
Depth to water: 77.39 ft (23.59 m) below TOC	pH: 3.4
Water elevation: 208.41 ft (63.52 m) msl	Alkalinity: 0 mg/L
Sp. conductance: 1465 µS/cm	Water temperature: 20.6°C
Water evacuated before sampling: 176 gal	

WELL FSB105DR

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N75258.1 E49841.0	33.273542 °N 81.681744 °W	208.6-188.5 ft msl	285.6 ft msl	4" PVC	Water Table (IIB ₂)

FIELD MEASUREMENTS

Sample date: 05/21/92	Time: 9:55
Depth to water: 73.96 ft (22.54 m) below TOC	pH: 3.8
Water elevation: 211.64 ft (64.51 m) msl	Alkalinity: 0 mg/L
Sp. conductance: 2810 µS/cm	Water temperature: 21.0°C
Water evacuated before sampling: 61 gal	

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	3.4	pH	1	GE
•		pH	3.4	pH	1	GE
		Specific conductance	2,650	µS/cm	2	GE
		Specific conductance	2,650	µS/cm	2	GE
		Aluminum	62,600	µg/L	2	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	1,200	µg/L	1	GE
		Benzene	<1.0	µg/L	0	GE
		Bromodichloromethane	<1.0	µg/L	0	GE
		Bromoform	<1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	3,450	µg/L	0	GE
		Carbon tetrachloride	<1.0	µg/L	0	GE
		Chloride	2,200	µg/L	0	GE
		Chlorobenzene	<1.0	µg/L	0	GE
		Chloroethane	<1.0	µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB105DR collected on 05/21/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Chloroform	< 1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	< 1.0	µg/L	0	GE
		Chromium	< 4.0	µg/L	0	GE
		Cobalt	346	µg/L	2	GE
		Copper	89	µg/L	0	GE
		Cyanide	< 5.0	µg/L	0	GE
		Dibromochloromethane	< 1.0	µg/L	0	GE
		1,1-Dichloroethane	< 1.0	µg/L	0	GE
		1,2-Dichloroethane	< 1.0	µg/L	0	GE
		1,1-Dichloroethylene	< 1.0	µg/L	0	GE
		trans-1,2-Dichloroethylene	< 1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	< 1.0	µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	< 0.30	µg/L	0	GE
		1,2-Dichloropropane	< 1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	< 1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	< 1.0	µg/L	0	GE
		Endrin	< 0.0060	µg/L	0	GE
		Ethylbenzene	< 1.0	µg/L	0	GE
		Fluoride	601	µg/L	0	GE
		Iron	156	µg/L	1	GE
		Lead	< 3.0	µg/L	0	GE
		Lindane	< 0.0050	µg/L	0	GE
		Magnesium	1,090	µg/L	0	GE
		Manganese	4,160	µg/L	2	GE
		Mercury	0.38	µg/L	0	GE
		Methoxychlor	< 0.50	µg/L	0	GE
		Nickel	70	µg/L	1	GE
■		Nitrate as nitrogen	430,000	µg/L	2	GE
		Phenols	< 5.0	µg/L	0	GE
		Potassium	1,620	µg/L	0	GE
		Selenium	< 2.0	µg/L	0	GE
		Silica	43,000	µg/L	0	GE
		Silver	< 2.0	µg/L	0	GE
		Sodium	376,000	µg/L	0	GE
		Sulfate	2,250	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	< 1.0	µg/L	0	GE
		Tetrachloroethylene	< 1.0	µg/L	0	GE
		Thallium	< 2.0	µg/L	0	GE
		Toluene	1.2	µg/L	0	GE
		Total dissolved solids	1.9E+06	µg/L	0	GE
		Total dissolved solids	1.8E+06	µg/L	0	GE
		Total organic carbon	2,060	µg/L	0	GE
		Total organic halogens	8.0	µg/L	0	GE
		Total phosphates (as P)	< 50	µg/L	0	GE
		Toxaphene	< 0.24	µg/L	0	GE
		2,4,5-TP (Silvex)	< 0.090	µg/L	0	GE
		1,1,1-Trichloroethane	< 1.0	µg/L	0	GE
		1,1,2-Trichloroethane	< 1.0	µg/L	0	GE
		Trichloroethylene	< 1.0	µg/L	0	GE
		Trichlorofluoromethane	9.6	µg/L	1	GE
		Vanadium	< 8.0	µg/L	0	GE
		Zinc	109	µg/L	0	GE
■		Gross alpha	1.4E+03 ± 1.2E+01	pCi/L	2	GE
■		Gross alpha	1.5E+03 ± 1.1E+01	pCi/L	2	GE
■		Nonvolatile beta	1.5E+03 ± 8.0E+00	pCi/L	2	GE
■		Nonvolatile beta	1.5E+03 ± 7.7E+00	pCi/L	2	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB105DR collected on 05/21/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
■		Total alpha-emitting radium	2.9E+02 ± 1.8E+01	pCi/L	2	GE
■		Total alpha-emitting radium	2.5E+02 ± 1.6E+01	pCi/L	2	GE
■		Tritium	2.7E+04 ± 2.6E+01	pCi/mL	2	GE

WELL FSB106C

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N74190.1	33.272503 °N	166.0-156.0 ft msl	235.1 ft msl	4" PVC	Barnwell (IIB ₁)
E50651.3	81.677536 °W				

FIELD MEASUREMENTS

Sample date: 04/26/92
 Depth to water: 33.46 ft (10.20 m) below TOC
 Water elevation: 201.64 ft (61.46 m) msl
 Sp. conductance: 577 µS/cm
 Water evacuated before sampling: 120 gal

Time: 10:45
 pH: 6.1
 Alkalinity: 9 mg/L
 Water temperature: 18.6°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
●		pH	5.8	pH	0	GE
		Specific conductance	500	µS/cm	2	GE
		Aluminum	1,140	µg/L	2	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	92	µg/L	0	GE
■		Cadmium	5.3	µg/L	2	GE
		Calcium	19,700	µg/L	0	GE
		Chloride	2,820	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	27	µg/L	1	GE
		Copper	<4.0	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Fluoride	317	µg/L	0	GE
		Iron	<4.0	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE
		Magnesium	3,730	µg/L	0	GE
		Manganese	588	µg/L	2	GE
		Mercury	<0.20	µg/L	0	GE
		Nickel	8.4	µg/L	0	GE
■		Nitrate as nitrogen	66,700	µg/L	2	GE
		Potassium	953	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	4,820	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	27,100	µg/L	0	GE
		Sulfate	<1,000	µg/L	0	GE
		Thallium	<2.0	µg/L	0	GE
		Total dissolved solids	490,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB106C collected on 04/26/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		Total organic halogens	28	µg/L	1	GE
		Total phosphates (as P)	<50	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	23	µg/L	0	GE
■		Gross alpha	3.1E+01 ± 3.5E+00	pCi/L	2	GE
■		Nonvolatile beta	9.4E+02 ± 1.4E+01	pCi/L	2	GE
■		Total alpha-emitting radium	3.4E+01 ± 1.5E+00	pCi/L	2	GE
■		Total alpha-emitting radium	3.7E+01 ± 1.6E+00	pCi/L	2	GE
■		Tritium	1.9E+03 ± 6.8E+00	pCi/mL	2	GE

WELL FSB106C

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N74190.1	33.272503 °N	166.0-156.0 ft msl	235.1 ft msl	4" PVC	Barnwell (IIB ₁)
E50651.3	81.677536 °W				

FIELD MEASUREMENTS

Sample date: 06/02/92
 Depth to water: 33.73 ft (10.28 m) below TOC
 Water elevation: 201.37 ft (61.38 m) msl
 Sp. conductance: 570 µS/cm
 Water evacuated before sampling: 119 gal

Time: 11:00
 pH: 5.5
 Alkalinity: 5 mg/L
 Water temperature: 20.1°C

WELL FSB106C

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N74190.1	33.272503 °N	166.0-156.0 ft msl	235.1 ft msl	4" PVC	Barnwell (IIB ₁)
E50651.3	81.677536 °W				

FIELD MEASUREMENTS

Sample date: 06/08/92
 Depth to water: 33.85 ft (10.32 m) below TOC
 Water elevation: 201.25 ft (61.34 m) msl
 Sp. conductance: 541 µS/cm
 Water evacuated before sampling: 119 gal

Time: 8:55
 pH: 5.1
 Alkalinity: 5 mg/L
 Water temperature: 20.2°C

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB106D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N74193.0 E50636.8	33.272485 °N 81.677580 °W	222.9-202.9 ft msl	234.9 ft msl	4" PVC	Water Table (IIB ₂)

FIELD MEASUREMENTS

Sample date: 04/26/92	Time: 10:25
Depth to water: 28.33 ft (8.64 m) below TOC	pH: 6.9
Water elevation: 206.57 ft (62.96 m) msl	Alkalinity: 58 mg/L
Sp. conductance: 138 µS/cm	Water temperature: 16.8°C
Water evacuated before sampling: 1 gal	
There was insufficient water to fill all or some sample bottles.	

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	6.8	pH	0	GE
		Specific conductance	115	µS/cm	0	GE
		Aluminum	<20	µg/L	0	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	19	µg/L	0	GE
		Benzene	<1.0	µg/L	0	GE
		Benzene	<1.0	µg/L	0	GE
		Bromodichloromethane	<1.0	µg/L	0	GE
		Bromodichloromethane	<1.0	µg/L	0	GE
		Bromoform	<1.0	µg/L	0	GE
		Bromoform	<1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	18,400	µg/L	0	GE
		Carbon tetrachloride	<1.0	µg/L	0	GE
		Carbon tetrachloride	<1.0	µg/L	0	GE
		Chloride	1,270	µg/L	0	GE
		Chlorobenzene	<1.0	µg/L	0	GE
		Chlorobenzene	<1.0	µg/L	0	GE
		Chloroethane	<1.0	µg/L	0	GE
		Chloroethane	<1.0	µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0	µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0	µg/L	0	GE
		Chloroform	<1.0	µg/L	0	GE
		Chloroform	<1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	<4.0	µg/L	0	GE
		Copper	18	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Dibromochloromethane	<1.0	µg/L	0	GE
		Dibromochloromethane	<1.0	µg/L	0	GE
		1,1-Dichloroethane	<1.0	µg/L	0	GE
		1,1-Dichloroethane	<1.0	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB106D collected on 04/26/92, laboratory analyses (cont.)

H	D	Analyte	Result	Unit	Flag	Lab
		1,2-Dichloroethane	<1.0	µg/L	0	GE
		1,2-Dichloroethane	<1.0	µg/L	0	GE
		1,1-Dichloroethylene	<1.0	µg/L	0	GE
		1,1-Dichloroethylene	<1.0	µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0	µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0	µg/L	0	GE
		1,2-Dichloropropane	<1.0	µg/L	0	GE
		1,2-Dichloropropane	<1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0	µg/L	0	GE
		Ethylbenzene	<1.0	µg/L	0	GE
		Ethylbenzene	<1.0	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE
		Iron	5.9	µg/L	0	GE
		Lead	4.2	µg/L	0	GE
		Magnesium	853	µg/L	0	GE
		Manganese	36	µg/L	1	GE
		Mercury	<0.20	µg/L	0	GE
■		Nickel	376	µg/L	2	GE
		Nitrate as nitrogen	160	µg/L	0	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	703	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	5,990	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	4,970	µg/L	0	GE
		Sulfate	1,460	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0	µg/L	0	GE
		Tetrachloroethylene	<1.0	µg/L	0	GE
		Tetrachloroethylene	<1.0	µg/L	0	GE
		Thallium	<2.0	µg/L	0	GE
		Toluene	<1.0	µg/L	0	GE
		Toluene	<1.0	µg/L	0	GE
		Total dissolved solids	68,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	GE
		Total phosphates (as P)	<50	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0	µg/L	0	GE
		1,1,1-Trichloroethane	1.0	µg/L	0	GE
		1,1,2-Trichloroethane	<1.0	µg/L	0	GE
		1,1,2-Trichloroethane	<1.0	µg/L	0	GE
		Trichloroethylene	<1.0	µg/L	0	GE
		Trichloroethylene	<1.0	µg/L	0	GE
		Trichlorofluoromethane	<1.0	µg/L	0	GE
		Trichlorofluoromethane	<1.0	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	2,700	µg/L	1	GE
		Gross alpha	<2.0E+00	pCi/L	0	GE
		Nonvolatile beta	2.6E+00 ± 5.4E-01	pCi/L	0	GE
		Total alpha-emitting radium	<1.0E+00	pCi/L	0	GE
■		Tritium	3.1E+01 ± 9.0E-01	pCi/mL	2	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB107C

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N75184.0 E51158.1	33.275528 °N 81.678133 °W	160.8-150.8 ft msl	270.9 ft msl	4" PVC	Barnwell (IIB ₁)

FIELD MEASUREMENTS

Sample date: 04/10/92	Time: 11:20
Depth to water: 59.62 ft (18.17 m) below TOC	pH: 6.5
Water elevation: 211.28 ft (64.40 m) msl	Alkalinity: 60 mg/L
Sp. conductance: 234 µS/cm	Water temperature: 20.0°C
Water evacuated before sampling: 159 gal	

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	6.9	pH	0	GE
		Specific conductance	238	µS/cm	0	GE
		Aluminum	<20	µg/L	0	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	47	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	32,800	µg/L	0	GE
		Chloride	2,920	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	<4.0	µg/L	0	GE
		Copper	<4.0	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE
		Iron	<4.0	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE
		Magnesium	3,180	µg/L	0	GE
		Manganese	86	µg/L	2	GE
		Mercury	<0.20	µg/L	0	GE
		Nickel	<4.0	µg/L	0	GE
■		Nitrate as nitrogen	12,900	µg/L	2	GE
		Potassium	641	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	8,650	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	9,170	µg/L	0	GE
		Sulfate	<1,000	µg/L	0	GE
		Thallium	<2.0	µg/L	0	GE
		Total dissolved solids	164,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	17	µg/L	0	GE
		Total phosphates (as P)	50	µg/L	0	GE
		Total phosphates (as P)	<50	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	11	µg/L	0	GE
		Gross alpha	<2.0E+00	pCi/L	0	GE
■		Nonvolatile beta	1.0E+02 ± 2.1E+00	pCi/L	2	GE
		Total alpha-emitting radium	1.5E+00 ± 5.0E-01	pCi/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB107C collected on 04/10/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		■ Tritium	2.5E+02 ± 2.5E+00	pCi/mL	2	GE

WELL FSB107D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N75177.2 E51149.8	33.275499 °N 81.678141 °W	220.9-200.9 ft msl	271.0 ft msl	4" PVC	Water Table (IIB ₂)

FIELD MEASUREMENTS

Sample date: 05/21/92
 Depth to water: 56.40 ft (17.19 m) below TOC
 Water elevation: 214.60 ft (65.41 m) msl
 Sp. conductance: 154 µS/cm
 Water evacuated before sampling: 36 gal

Time: 9:05
 pH: 3.8
 Alkalinity: 0 mg/L
 Water temperature: 19.1 °C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		pH	4.0	pH	1	GE
		Specific conductance	160	µS/cm	0	GE
		Aluminum	2,950	µg/L	2	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	38	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	527	µg/L	0	GE
		Chloride	330	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	<4.0	µg/L	0	GE
		Copper	10	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Fluoride	252	µg/L	0	GE
		Fluoride	246	µg/L	0	GE
		Iron	7.9	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE
		Magnesium	365	µg/L	0	GE
		Manganese	129	µg/L	2	GE
		Mercury	0.78	µg/L	0	GE
		Nickel	<4.0	µg/L	0	GE
	■	Nitrate as nitrogen	13,100	µg/L	2	GE
		Potassium	<500	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	19,600	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	7,100	µg/L	0	GE
		Sulfate	<1,000	µg/L	0	GE
		Thallium	<2.0	µg/L	0	GE
		Total dissolved solids	56,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB107D collected on 05/21/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Total phosphates (as P)	< 50	µg/L	0	GE
		Vanadium	< 8.0	µg/L	0	GE
		Zinc	9.2	µg/L	0	GE
■		Gross alpha	1.4E+02 ± 3.2E+00	pCi/L	2	GE
■		Nonvolatile beta	2.8E+02 ± 3.5E+00	pCi/L	2	GE
■		Total alpha-emitting radium	1.0E+01 ± 1.9E+00	pCi/L	2	GE
■		Tritium	1.1E+02 ± 1.7E+00	pCi/mL	2	GE

WELL FSB107D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N75177.2	33.275499 °N	220.9-200.9 ft msl	271.0 ft msl	4" PVC	Water Table (IIB ₂)
E51149.8	81.678141 °W				

FIELD MEASUREMENTS

Sample date: 06/01/92
 Depth to water: 56.48 ft (17.22 m) below TOC
 Water elevation: 214.52 ft (65.39 m) msl
 Sp. conductance: 250 µS/cm
 Water evacuated before sampling: 36 gal

Time: 10:20
 pH: 3.7
 Alkalinity: 0 mg/L
 Water temperature: 21.0°C

WELL FSB107D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N75177.2	33.275499 °N	220.9-200.9 ft msl	271.0 ft msl	4" PVC	Water Table (IIB ₂)
E51149.8	81.678141 °W				

FIELD MEASUREMENTS

Sample date: 06/08/92
 Depth to water: 56.58 ft (17.25 m) below TOC
 Water elevation: 214.42 ft (65.36 m) msl
 Sp. conductance: 158 µS/cm
 Water evacuated before sampling: 35 gal

Time: 9:55
 pH: 3.9
 Alkalinity: 0 mg/L
 Water temperature: 22.0°C

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB108D

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Formation
N76260.7 E51142.3	33.277883 °N 81.680266 °W	223.8-203.8 ft msl	298.0 ft msl	4" PVC	Water Table (IIB ₂)

FIELD MEASUREMENTS

Sample date: 04/26/92	Time: 11:15
Depth to water: 79.93 ft (24.36 m) below TOC	pH: 6.5
Water elevation: 218.07 ft (66.47 m) msl	Alkalinity: 11 mg/L
Sp. conductance: 54 µS/cm	Water temperature: 19.8°C
Water evacuated before sampling: 10 gal	
The well went dry during purging.	

LABORATORY ANALYSES

H	D	Analyte	Result	Unit	Flag	Lab
•		pH	6.5	pH	0	GE
		Specific conductance	45	µS/cm	0	GE
		Aluminum	<20	µg/L	0	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	13	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	5,660	µg/L	0	GE
		Chloride	2,850	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	<4.0	µg/L	0	GE
		Copper	<4.0	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE
		Iron	31	µg/L	0	GE
		Lead	3.7	µg/L	0	GE
		Magnesium	498	µg/L	0	GE
		Manganese	18	µg/L	0	GE
		Mercury	<0.20	µg/L	0	GE
		Nickel	5.1	µg/L	0	GE
		Nitrate as nitrogen	1,090	µg/L	0	GE
		Potassium	<500	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	8,410	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	3,070	µg/L	0	GE
		Sulfate	<1,000	µg/L	0	GE
		Thallium	<2.0	µg/L	0	GE
		Total dissolved solids	28,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	GE
		Total phosphates (as P)	60	µg/L	0	GE
		Total phosphates (as P)	<50	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	29	µg/L	0	GE
		Gross alpha	<2.0E+00	pCi/L	0	GE
		Nonvolatile beta	<2.0E+00	pCi/L	0	GE
		Total alpha-emitting radium	<1.0E+00	pCi/L	0	GE
		Total alpha-emitting radium	<1.0E+00	pCi/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB108D collected on 04/26/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Tritium	1.2E+01 ± 6.0E-01	pCi/mL	1	GE

WELL FSB109D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N75855.9	33.275921 °N	225.8-205.8 ft msl	293.1 ft msl	4" PVC	Water Table (IIB ₂)
E50488.6	81.681200 °W				

FIELD MEASUREMENTS

Sample date: 04/26/92	Time: 11:00
Depth to water: 78.01 ft (23.78 m) below TOC	pH: 6.9
Water elevation: 215.09 ft (65.56 m) msl	Alkalinity: 21 mg/L
Sp. conductance: 68 µS/cm	Water temperature: 20.4°C
Water evacuated before sampling: 8 gal	
The well went dry during purging.	

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	6.8	pH	0	GE
		Specific conductance	50	µS/cm	0	GE
		Aluminum	30	µg/L	0	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	11	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	3,230	µg/L	0	GE
		Chloride	1,010	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	<4.0	µg/L	0	GE
		Copper	8.4	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE
		Iron	19	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE
		Magnesium	1,020	µg/L	0	GE
		Manganese	4.4	µg/L	0	GE
		Mercury	<0.20	µg/L	0	GE
		Nickel	5.1	µg/L	0	GE
		Nitrate as nitrogen	890	µg/L	0	GE
		Potassium	3,250	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	8,630	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	5,430	µg/L	0	GE
		Sulfate	<1,000	µg/L	0	GE
		Thallium	<2.0	µg/L	0	GE
		Total dissolved solids	31,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	26	µg/L	1	GE
		Total phosphates (as P)	<50	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB109D collected on 04/26/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Zinc	323	µg/L	0	GE
		Gross alpha	< 2.0E+00	pCi/L	0	GE
		Nonvolatile beta	< 2.0E+00	pCi/L	0	GE
		Total alpha-emitting radium	< 1.0E+00	pCi/L	0	GE
■		Tritium	2.5E+01 ± 8.0E-01	pCi/mL	2	GE

WELL FSB110C

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N74190.7 E50150.6	33.271687 °N 81.678855 °W	147.2-137.2 ft msl	234.5 ft msl	4" PVC	Barnwell (IIB ₁)

FIELD MEASUREMENTS

Sample date: 04/14/92
 Depth to water: 31.91 ft (9.73 m) below TOC
 Water elevation: 202.59 ft (61.75 m) msl
 Sp. conductance: 306 µS/cm
 Water evacuated before sampling: 172 gal

Time: 10:20
 pH: 6.1
 Alkalinity: 8 mg/L
 Water temperature: 18.7°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
●		pH	6.5	pH	0	GE
		Specific conductance	350	µS/cm	1	GE
		Aluminum	860	µg/L	2	GE
		Antimony	< 2.0	µg/L	0	GE
		Arsenic	< 2.0	µg/L	0	GE
		Barium	75	µg/L	0	GE
		Cadmium	< 2.0	µg/L	0	GE
		Calcium	35,900	µg/L	0	GE
		Chloride	2,830	µg/L	0	GE
		Chromium	< 4.0	µg/L	0	GE
		Cobalt	< 4.0	µg/L	0	GE
		Copper	< 4.0	µg/L	0	GE
		Cyanide	< 5.0	µg/L	0	GE
		Fluoride	< 100	µg/L	0	GE
		Iron	4.8	µg/L	0	GE
		Lead	< 3.0	µg/L	0	GE
		Magnesium	4,520	µg/L	0	GE
		Manganese	23	µg/L	0	GE
		Mercury	< 0.20	µg/L	0	GE
		Nickel	4.9	µg/L	0	GE
■		Nitrate as nitrogen	33,000	µg/L	2	GE
		Potassium	2,200	µg/L	0	GE
		Selenium	< 2.0	µg/L	0	GE
		Silica	14,900	µg/L	0	GE
		Silver	< 2.0	µg/L	0	GE
		Sodium	15,700	µg/L	0	GE
		Sulfate	< 1,000	µg/L	0	GE
		Thallium	< 2.0	µg/L	0	GE
●		Total dissolved solids	283,000	µg/L	0	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB110C collected on 04/14/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	8.1	µg/L	0	GE
		Total phosphates (as P)	<50	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	52	µg/L	0	GE
		Gross alpha	3.6E+00 ± 1.3E+00	pCi/L	0	GE
■		Nonvolatile beta	5.4E+01 ± 3.7E+00	pCi/L	2	GE
		Total alpha-emitting radium	1.2E+00 ± 6.0E-01	pCi/L	0	GE
■		Tritium	1.1E+03 ± 5.2E+00	pCi/mL	2	GE

WELL FSB110C

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N74190.7	33.271687 °N	147.2-137.2 ft msl	234.5 ft msl	4" PVC	Barnwell (IIB ₁)
E50150.6	81.678855 °W				

FIELD MEASUREMENTS

Sample date: 06/01/92
 Depth to water: 32.40 ft (9.88 m) below TOC
 Water elevation: 202.10 ft (61.60 m) msl
 Sp. conductance: 328 µS/cm
 Water evacuated before sampling: 170 gal

Time: 12:45
 pH: 5.7
 Alkalinity: 13 mg/L
 Water temperature: 21.3°C

WELL FSB110C

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N74190.7	33.271687 °N	147.2-137.2 ft msl	234.5 ft msl	4" PVC	Barnwell (IIB ₁)
E50150.6	81.678855 °W				

FIELD MEASUREMENTS

Sample date: 06/08/92
 Depth to water: 32.53 ft (9.92 m) below TOC
 Water elevation: 201.97 ft (61.56 m) msl
 Sp. conductance: 353 µS/cm
 Water evacuated before sampling: 170 gal

Time: 8:35
 pH: 5.5
 Alkalinity: 10 mg/L
 Water temperature: 21.1°C

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB110D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N74193.3 E50141.6	33.271678 °N 81.678884 °W	211.1-191.1 ft msl	234.5 ft msl	4" PVC	Water Table (IIB ₂)

FIELD MEASUREMENTS

Sample date: 04/14/92	Time: 9:30
Depth to water: 28.36 ft (8.64 m) below TOC	pH: 3.1
Water elevation: 206.14 ft (62.83 m) msl	Alkalinity: 0 mg/L
Sp. conductance: 1433 µS/cm	Water temperature: 19.3°C
Water evacuated before sampling: 39 gal	

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	3.1	pH	1	GE
•		pH	3.1	pH	1	GE
		Specific conductance	1,650	µS/cm	2	GE
		Specific conductance	1,600	µS/cm	2	GE
		Aluminum	44,000	µg/L	2	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	71	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	735	µg/L	0	GE
•		Chloride	950	µg/L	0	GE
		Chromium	4.9	µg/L	0	GE
		Cobalt	6.6	µg/L	0	GE
		Copper	42	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Fluoride	235	µg/L	0	GE
		Fluoride	243	µg/L	0	GE
		Iron	133	µg/L	0	GE
		Lead	4.4	µg/L	0	GE
		Magnesium	433	µg/L	0	GE
		Manganese	338	µg/L	2	GE
		Mercury	0.41	µg/L	0	GE
		Nickel	19	µg/L	0	GE
■		Nitrate as nitrogen	227,000	µg/L	2	GE
		Potassium	766	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	126,000	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	150,000	µg/L	0	GE
•		Sulfate	31,500	µg/L	0	GE
		Thallium	<2.0	µg/L	0	GE
•		Total dissolved solids	922,000	µg/L	0	GE
•		Total dissolved solids	1.0E+06	µg/L	0	GE
		Total organic carbon	4,000	µg/L	0	GE
		Total organic carbon	4,000	µg/L	0	GE
•		Total organic halogens	<5.0	µg/L	0	GE
•		Total organic halogens	<5.0	µg/L	0	GE
		Total phosphates (as P)	70	µg/L	0	GE
		Total phosphates (as P)	80	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB110D collected on 04/14/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Vanadium	<8.0	µg/L	0	GE
		Zinc	63	µg/L	0	GE
■		Gross alpha	7.9E+02 ± 1.8E+01	pCi/L	2	GE
■		Nonvolatile beta	1.0E+03 ± 1.5E+01	pCi/L	2	GE
■		Total alpha-emitting radium	2.5E+01 ± 1.5E+00	pCi/L	2	GE
■		Total alpha-emitting radium	2.4E+01 ± 1.5E+00	pCi/L	2	GE
■		Tritium	1.5E+04 ± 1.9E+01	pCi/mL	2	GE

WELL FSB110D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N74193.3	33.271678 °N	211.1-191.1 ft msl	234.5 ft msl	4" PVC	Water Table (IIB ₂)
E50141.6	81.678884 °W				

FIELD MEASUREMENTS

Sample date: 06/01/92
 Depth to water: 28.80 ft (8.78 m) below TOC
 Water elevation: 205.70 ft (62.70 m) msl
 Sp. conductance: 1417 µS/cm
 Water evacuated before sampling: 46 gal

Time: 12:00
 pH: 3.3
 Alkalinity: 0 mg/L
 Water temperature: 22.1°C

WELL FSB110D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N74193.3	33.271678 °N	211.1-191.1 ft msl	234.5 ft msl	.4" PVC	Water Table (IIB ₂)
E50141.6	81.678884 °W				

FIELD MEASUREMENTS

Sample date: 06/08/92
 Depth to water: 28.93 ft (8.82 m) below TOC
 Water elevation: 205.57 ft (62.66 m) msl
 Sp. conductance: 1318 µS/cm
 Water evacuated before sampling: 38 gal

Time: 7:55
 pH: 3.1
 Alkalinity: 0 mg/L
 Water temperature: 20.8°C

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB111C

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Formation
N75383.3 E51526.3	33.276569 °N 81.677550 °W	169.0-159.0 ft msl	276.3 ft msl	4' PVC	Barnwell (IIB ₁)

FIELD MEASUREMENTS

Sample date: 04/16/92	Time: 14:20
Depth to water: 63.30 ft (19.29 m) below TOC	pH: 5.3
Water elevation: 213.00 ft (64.92 m) msl	Alkalinity: 9 mg/L
Sp. conductance: 51 µS/cm	Water temperature: 21.7°C
Water evacuated before sampling: 142 gal	

LABORATORY ANALYSES

H	D	Analyte	Result	Unit	Flag	Lab
•		pH	5.8	pH	0	GE
		Specific conductance	55	µS/cm	0	GE
		Aluminum	21	µg/L	0	GE
		Aluminum	20	µg/L	0	GE
		Antimony	<2.0	µg/L	0	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	8.1	µg/L	0	GE
		Barium	8.3	µg/L	0	GE
		Cadmium	2.2	µg/L	0	GE
		Cadmium	2.5	µg/L	1	GE
		Calcium	5,430	µg/L	0	GE
		Calcium	5,510	µg/L	0	GE
		Chloride	3,270	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	<4.0	µg/L	0	GE
		Cobalt	<4.0	µg/L	0	GE
		Copper	<4.0	µg/L	0	GE
		Copper	<4.0	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE
		Iron	<4.0	µg/L	0	GE
		Iron	<4.0	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE
		Magnesium	377	µg/L	0	GE
		Magnesium	378	µg/L	0	GE
		Manganese	4.2	µg/L	0	GE
		Manganese	4.2	µg/L	0	GE
		Mercury	<0.20	µg/L	0	GE
		Nickel	<4.0	µg/L	0	GE
		Nickel	<4.0	µg/L	0	GE
		Nitrate as nitrogen	1,810	µg/L	0	GE
		Potassium	<500	µg/L	0	GE
		Potassium	<500	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB111C collected on 04/16/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Silica	9,540	µg/L	0	GE
		Silica	9,630	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	3,390	µg/L	0	GE
		Sodium	3,410	µg/L	0	GE
		Sulfate	<1,000	µg/L	0	GE
		Thallium	<2.0	µg/L	0	GE
		Thallium	<2.0	µg/L	0	GE
		Total dissolved solids	40,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	7.5	µg/L	0	GE
		Total phosphates (as P)	100	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	6.2	µg/L	0	GE
		Zinc	6.2	µg/L	0	GE
		Gross alpha	<2.0E+00	pCi/L	0	GE
		Nonvolatile beta	<2.0E+00	pCi/L	0	GE
		Total alpha-emitting radium	<1.0E+00	pCi/L	0	GE
		Tritium	5.3E+00 ± 5.0E-01	pCi/mL	0	GE

WELL FSB111D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N75382.9	33.276552 °N	221.7-201.7 ft msl	276.6 ft msl	4" PVC	Water Table (IIB ₂)
E51515.9	81.677577 °W				

FIELD MEASUREMENTS

Sample date: 04/16/92
 Depth to water: 60.09 ft (18.32 m) below TOC
 Water elevation: 216.51 ft (65.99 m) msl
 Sp. conductance: 31 µS/cm
 Water evacuated before sampling: 39 gal

Time: 14:40
 pH: 4.7
 Alkalinity: 0 mg/L
 Water temperature: 22.5°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.2	pH	0	GE
		Specific conductance	30	µS/cm	0	GE
		Aluminum	<20	µg/L	0	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	11	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	1,200	µg/L	0	GE
		Chloride	2,600	µg/L	0	GE
		Chloride	2,650	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	<4.0	µg/L	0	GE
		Copper	4.3	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB111D collected on 04/16/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Cyanide	<5.0	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE
		Iron	7.7	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE
		Magnesium	575	µg/L	0	GE
		Manganese	9.6	µg/L	0	GE
		Mercury	<0.20	µg/L	0	GE
		Nickel	<4.0	µg/L	0	GE
		Nitrate as nitrogen	1,330	µg/L	0	GE
		Potassium	<500	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	7,770	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	3,110	µg/L	0	GE
		Sulfate	<1,000	µg/L	0	GE
		Sulfate	<1,000	µg/L	0	GE
		Thallium	<2.0	µg/L	0	GE
		Total dissolved solids	20,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	19	µg/L	0	GE
		Total phosphates (as P)	<50	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	14	µg/L	0	GE
		Gross alpha	<2.0E+00	pCi/L	0	GE
		Nonvolatile beta	5.8E+00 ± 1.9E+00	pCi/L	0	GE
		Total alpha-emitting radium	1.1E+00 ± 4.0E-01	pCi/L	0	GE
		Tritium	1.2E+01 ± 6.0E-01	pCi/mL	1	GE

WELL FSB112A

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N74231.4 E48809.1	33.269588 °N 81.682466 °W	91.0-81.0 ft msl	229.1 ft msl	4" PVC	U. Congaree (IIA)

FIELD MEASUREMENTS

Sample date: 04/15/92
 Depth to water: 75.62 ft (23.05 m) below TOC
 Water elevation: 153.48 ft (46.78 m) msl
 Sp. conductance: 157 µS/cm
 Water evacuated before sampling: 190 gal
 Time: 10:30
 pH: 7.1
 Alkalinity: 50 mg/L
 Water temperature: 18.8°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	7.1	pH	0	GE
•		pH	7.2	pH	0	GE
•		pH	5.8	pH	0	WA
•		pH	5.9	pH	0	WA
•		pH	6.8	pH	0	WA
		Specific conductance	150	µS/cm	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB112A collected on 04/15/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Specific conductance	150	μS/cm	0	GE
•		Specific conductance	152	μS/cm	0	WA
•		Specific conductance	153	μS/cm	0	WA
•		Specific conductance	146	μS/cm	0	WA
		Aluminum	46	μg/L	0	GE
		Aluminum	46	μg/L	0	GE
		Aluminum	47	μg/L	0	GE
		Aluminum	21	μg/L	0	WA
		Aluminum	54	μg/L	0	WA
		Antimony	<2.0	μg/L	0	GE
		Antimony	<2.0	μg/L	0	GE
		Antimony	<2.0	μg/L	0	GE
		Antimony	<2.6	μg/L	0	WA
		Antimony	<2.6	μg/L	0	WA
		Arsenic	<2.0	μg/L	0	GE
		Arsenic	<2.0	μg/L	0	GE
		Arsenic	<2.0	μg/L	0	GE
		Arsenic	<2.0	μg/L	0	WA
		Arsenic	<2.0	μg/L	0	WA
		Barium	46	μg/L	0	GE
		Barium	47	μg/L	0	GE
		Barium	47	μg/L	0	GE
		Barium	45	μg/L	0	WA
		Barium	50	μg/L	0	WA
		Benzene	<1.0	μg/L	0	GE
		Benzene	<1.0	μg/L	0	GE
		Benzene	<5.0	μg/L	0	WA
		Benzene	<5.0	μg/L	0	WA
		Bromodichloromethane	<1.0	μg/L	0	GE
		Bromodichloromethane	<1.0	μg/L	0	GE
		Bromodichloromethane	<5.0	μg/L	0	WA
		Bromodichloromethane	<5.0	μg/L	0	WA
		Bromoform	<1.0	μg/L	0	GE
		Bromoform	<1.0	μg/L	0	GE
		Bromoform	<5.0	μg/L	0	WA
		Bromoform	<5.0	μg/L	0	WA
		Bromomethane (Methyl bromide)	<1.0	μg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0	μg/L	0	GE
		Bromomethane (Methyl bromide)	<10	μg/L	0	WA
		Bromomethane (Methyl bromide)	<10	μg/L	0	WA
		Cadmium	<2.0	μg/L	0	GE
		Cadmium	<2.0	μg/L	0	GE
		Cadmium	<2.0	μg/L	0	GE
		Cadmium	<0.35	μg/L	0	WA
		Cadmium	<0.35	μg/L	0	WA
		Calcium	27,000	μg/L	0	GE
		Calcium	27,200	μg/L	0	GE
		Calcium	27,500	μg/L	0	GE
		Calcium	27,200	μg/L	0	WA
		Calcium	30,100	μg/L	0	WA
		Carbon tetrachloride	<1.0	μg/L	0	GE
		Carbon tetrachloride	<1.0	μg/L	0	GE
		Carbon tetrachloride	<5.0	μg/L	0	WA
		Carbon tetrachloride	<5.0	μg/L	0	WA
		Chloride	2,150	μg/L	0	GE
		Chloride	2,300	μg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB112A collected on 04/15/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Chloride	2,940	µg/L	0	WA
		Chloride	2,960	µg/L	0	WA
		Chlorobenzene	<1.0	µg/L	0	GE
		Chlorobenzene	<1.0	µg/L	0	GE
		Chlorobenzene	<5.0	µg/L	0	WA
		Chlorobenzene	<5.0	µg/L	0	WA
		Chloroethane	<1.0	µg/L	0	GE
		Chloroethane	<1.0	µg/L	0	GE
		Chloroethane	<10	µg/L	0	WA
		Chloroethane	<10	µg/L	0	WA
		Chloroethene (Vinyl chloride)	<1.0	µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0	µg/L	0	GE
		Chloroethene (Vinyl chloride)	<10	µg/L	0	WA
		Chloroethene (Vinyl chloride)	<10	µg/L	0	WA
		2-Chloroethyl vinyl ether	<1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	<10	µg/L	0	WA
		2-Chloroethyl vinyl ether	<10	µg/L	0	WA
		Chloroform	<1.0	µg/L	0	GE
		Chloroform	<1.0	µg/L	0	GE
		Chloroform	<5.0	µg/L	0	WA
		Chloroform	<5.0	µg/L	0	WA
		Chloromethane (Methyl chloride)	<1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	<10	µg/L	0	WA
		Chloromethane (Methyl chloride)	<10	µg/L	0	WA
		Chromium	<4.0	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Chromium	<1.1	µg/L	0	WA
		Chromium	<1.1	µg/L	0	WA
		Cobalt	<4.0	µg/L	0	GE
		Cobalt	<4.0	µg/L	0	GE
		Cobalt	<4.0	µg/L	0	GE
		Cobalt	<0.88	µg/L	0	WA
		Cobalt	<0.88	µg/L	0	WA
		Copper	<4.0	µg/L	0	GE
		Copper	<4.0	µg/L	0	GE
		Copper	<4.0	µg/L	0	GE
		Copper	<1.1	µg/L	0	WA
		Copper	<1.1	µg/L	0	WA
		Cyanide	<5.0	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	WA
		Cyanide	<5.0	µg/L	0	WA
		Cyanide	<5.0	µg/L	0	WA
		Dibromochloromethane	<1.0	µg/L	0	GE
		Dibromochloromethane	<1.0	µg/L	0	GE
		Dibromochloromethane	<5.0	µg/L	0	WA
		Dibromochloromethane	<5.0	µg/L	0	WA
		1,1-Dichloroethane	<1.0	µg/L	0	GE
		1,1-Dichloroethane	<1.0	µg/L	0	GE
		1,1-Dichloroethane	<5.0	µg/L	0	WA
		1,1-Dichloroethane	<5.0	µg/L	0	WA
		1,2-Dichloroethane	<1.0	µg/L	0	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB112A collected on 04/15/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		1,2-Dichloroethane	<1.0	µg/L	0	GE
		1,2-Dichloroethane	<5.0	µg/L	0	WA
		1,2-Dichloroethane	<5.0	µg/L	0	WA
		1,1-Dichloroethylene	<1.0	µg/L	0	GE
		1,1-Dichloroethylene	<1.0	µg/L	0	GE
		1,1-Dichloroethylene	<5.0	µg/L	0	WA
		1,1-Dichloroethylene	<5.0	µg/L	0	WA
		trans-1,2-Dichloroethylene	<1.0	µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0	µg/L	0	GE
		trans-1,2-Dichloroethylene	<5.0	µg/L	0	WA
		trans-1,2-Dichloroethylene	<5.0	µg/L	0	WA
		Dichloromethane (Methylene chloride)	<1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	<5.0	µg/L	0	WA
		Dichloromethane (Methylene chloride)	<5.0	µg/L	0	WA
		2,4-Dichlorophenoxyacetic acid	<0.30	µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30	µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<1.0	µg/L	0	WA
		2,4-Dichlorophenoxyacetic acid	<1.0	µg/L	0	WA
		2,4-Dichlorophenoxyacetic acid	<2.2	µg/L	0	WA
		1,2-Dichloropropane	<1.0	µg/L	0	GE
		1,2-Dichloropropane	<1.0	µg/L	0	GE
		1,2-Dichloropropane	<5.0	µg/L	0	WA
		1,2-Dichloropropane	<5.0	µg/L	0	WA
		cis-1,3-Dichloropropene	<1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	<5.0	µg/L	0	WA
		cis-1,3-Dichloropropene	<5.0	µg/L	0	WA
		trans-1,3-Dichloropropene	<1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	<5.0	µg/L	0	WA
		trans-1,3-Dichloropropene	<5.0	µg/L	0	WA
		Endrin	<0.0060	µg/L	0	GE
		Endrin	<0.0060	µg/L	0	GE
		Endrin	<0.11	µg/L	0	WA
		Endrin	<0.22	µg/L	0	WA
		Endrin	<0.11	µg/L	0	WA
		Ethylbenzene	<1.0	µg/L	0	GE
		Ethylbenzene	<1.0	µg/L	0	GE
		Ethylbenzene	<5.0	µg/L	0	WA
		Ethylbenzene	<5.0	µg/L	0	WA
		Fluoride	303	µg/L	0	GE
		Fluoride	300	µg/L	0	GE
		Fluoride	258	µg/L	0	WA
		Fluoride	246	µg/L	0	WA
		Fluoride	256	µg/L	0	WA
		Iron	<4.0	µg/L	0	GE
		Iron	<4.0	µg/L	0	GE
		Iron	<4.0	µg/L	0	GE
		Iron	4.2	µg/L	0	WA
		Iron	3.8	µg/L	0	WA
		Lead	<3.0	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE
		Lead	<2.0	µg/L	0	WA
		Lead	<2.0	µg/L	0	WA

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB112A collected on 04/15/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Lindane	<0.0050	µg/L	0	GE
		Lindane	<0.0050	µg/L	0	GE
		Lindane	<0.053	µg/L	0	WA
		Lindane	<0.11	µg/L	0	WA
		Lindane	<0.053	µg/L	0	WA
		Magnesium	629	µg/L	0	GE
		Magnesium	640	µg/L	0	GE
		Magnesium	633	µg/L	0	GE
		Magnesium	611	µg/L	0	WA
		Magnesium	650	µg/L	0	WA
		Manganese	5.4	µg/L	0	GE
		Manganese	5.6	µg/L	0	GE
		Manganese	5.3	µg/L	0	GE
		Manganese	12	µg/L	0	WA
		Manganese	4.8	µg/L	0	WA
		Mercury	<0.20	µg/L	0	GE
		Mercury	<0.20	µg/L	0	GE
		Mercury	<0.20	µg/L	0	WA
		Mercury	<0.20	µg/L	0	WA
		Methoxychlor	<0.50	µg/L	0	GE
		Methoxychlor	<0.50	µg/L	0	GE
		Methoxychlor	<0.53	µg/L	0	WA
		Methoxychlor	<1.1	µg/L	0	WA
		Methoxychlor	<2.2	µg/L	0	WA
		Methoxychlor	<0.53	µg/L	0	WA
		Nickel	<4.0	µg/L	0	GE
		Nickel	<4.0	µg/L	0	GE
		Nickel	<4.0	µg/L	0	GE
		Nickel	<3.1	µg/L	0	WA
		Nickel	<3.1	µg/L	0	WA
		Nitrate as nitrogen	1,030	µg/L	0	GE
		Nitrate as nitrogen	1,110	µg/L	0	GE
		Nitrate as nitrogen	1,040	µg/L	0	WA
		Nitrate as nitrogen	924	µg/L	0	WA
		Phenols	<5.0	µg/L	0	GE
		Phenols	<5.0	µg/L	0	GE
		Phenols	<5.0	µg/L	0	WA
		Phenols	<5.0	µg/L	0	WA
		Potassium	2,220	µg/L	0	GE
		Potassium	2,290	µg/L	0	GE
		Potassium	2,340	µg/L	0	GE
		Potassium	2,020	µg/L	0	WA
		Potassium	2,450	µg/L	0	WA
		Selenium	<4.0	µg/L	0	GE
		Selenium	<4.0	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Selenium	<2.0	µg/L	0	WA
		Selenium	<2.0	µg/L	0	WA
		Silica	37,000	µg/L	0	GE
		Silica	37,500	µg/L	0	GE
		Silica	37,500	µg/L	0	GE
		Silica	33,300	µg/L	0	WA
		Silica	35,400	µg/L	0	WA
		Silver	<2.0	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB112A collected on 04/15/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Silver	<0.70	µg/L	0	WA
		Silver	<0.70	µg/L	0	WA
		Sodium	3,190	µg/L	0	GE
		Sodium	3,240	µg/L	0	GE
		Sodium	3,230	µg/L	0	GE
		Sodium	3,170	µg/L	0	WA
		Sodium	3,600	µg/L	0	WA
		Sulfate	10,100	µg/L	0	GE
		Sulfate	9,650	µg/L	0	GE
		Sulfate	10,500	µg/L	0	WA
		Sulfate	10,300	µg/L	0	WA
		1,1,2,2-Tetrachloroethane	<1.0	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<5.0	µg/L	0	WA
		1,1,2,2-Tetrachloroethane	<5.0	µg/L	0	WA
		Tetrachloroethylene	<1.0	µg/L	0	GE
		Tetrachloroethylene	<1.0	µg/L	0	GE
		Tetrachloroethylene	<5.0	µg/L	0	WA
		Tetrachloroethylene	<5.0	µg/L	0	WA
		Thallium	<2.0	µg/L	0	GE
		Thallium	<2.0	µg/L	0	GE
		Thallium	<2.0	µg/L	0	GE
		Thallium	<2.0	µg/L	0	WA
		Thallium	<2.0	µg/L	0	WA
		Toluene	<1.0	µg/L	0	GE
		Toluene	<1.0	µg/L	0	GE
		Toluene	<5.0	µg/L	0	WA
		Toluene	<5.0	µg/L	0	WA
		Total dissolved solids	116,000	µg/L	0	GE
		Total dissolved solids	112,000	µg/L	0	GE
		Total dissolved solids	150,000	µg/L	0	WA
		Total dissolved solids	131,000	µg/L	0	WA
		Total dissolved solids	131,000	µg/L	0	WA
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic carbon	534	µg/L	0	WA
		Total organic carbon	<500	µg/L	0	WA
		Total organic halogens	11	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	WA
		Total organic halogens	<5.0	µg/L	0	WA
		Total phosphates (as P)	650	µg/L	0	GE
		Total phosphates (as P)	340	µg/L	0	GE
		Total phosphates (as P)	366	µg/L	0	WA
		Total phosphates (as P)	519	µg/L	0	WA
		Toxaphene	<0.24	µg/L	0	GE
		Toxaphene	<0.24	µg/L	0	GE
		Toxaphene	<1.1	µg/L	0	WA
		Toxaphene	<2.2	µg/L	0	WA
		Toxaphene	<4.4	µg/L	0	WA
		Toxaphene	<1.1	µg/L	0	WA
		2,4,5-TP (Silvex)	<0.090	µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090	µg/L	0	GE
		2,4,5-TP (Silvex)	<0.51	µg/L	0	WA
		2,4,5-TP (Silvex)	<0.51	µg/L	0	WA
		2,4,5-TP (Silvex)	<1.1	µg/L	0	WA

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB112A collected on 04/15/92, laboratory analyses (cont.)

H	D	Analyte	Result	Unit	Flag	Lab
		1,1,1-Trichloroethane	<1.0	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0	µg/L	0	GE
		1,1,1-Trichloroethane	<5.0	µg/L	0	WA
		1,1,1-Trichloroethane	<5.0	µg/L	0	WA
		1,1,2-Trichloroethane	<1.0	µg/L	0	GE
		1,1,2-Trichloroethane	<1.0	µg/L	0	GE
		1,1,2-Trichloroethane	<5.0	µg/L	0	WA
		1,1,2-Trichloroethane	<5.0	µg/L	0	WA
		Trichloroethylene	<1.0	µg/L	0	GE
		Trichloroethylene	<1.0	µg/L	0	GE
		Trichloroethylene	<5.0	µg/L	0	WA
		Trichloroethylene	<5.0	µg/L	0	WA
		Trichlorofluoromethane	<1.0	µg/L	0	GE
		Trichlorofluoromethane	<1.0	µg/L	0	GE
		Trichlorofluoromethane	<5.0	µg/L	0	WA
		Trichlorofluoromethane	<5.0	µg/L	0	WA
		Uranium	0.50	µg/L	0	BA
		Uranium	1.2	µg/L	0	BA
		Vanadium	<8.0	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Vanadium	<0.88	µg/L	0	WA
		Vanadium	<0.88	µg/L	0	WA
		Zinc	<2.0	µg/L	0	GE
		Zinc	<2.0	µg/L	0	GE
		Zinc	<2.0	µg/L	0	GE
		Zinc	6.4	µg/L	0	WA
		Zinc	6.0	µg/L	0	WA
		Gross alpha	<2.0E+00	pCi/L	0	GE
		Gross alpha	<2.0E+00	pCi/L	0	GE
		Gross alpha	1.4E+00 ± 1.6E+00	pCi/L	0	BA
		Gross alpha	1.5E+00 ± 1.8E+00	pCi/L	0	BA
		Nonvolatile beta	1.3E+01 ± 1.0E+00	pCi/L	0	GE
		Nonvolatile beta	1.2E+01 ± 9.9E-01	pCi/L	0	GE
		Nonvolatile beta	1.5E+01 ± 2.0E+00	pCi/L	0	BA
		Nonvolatile beta	1.6E+01 ± 2.0E+00	pCi/L	0	BA
		Radium-226	<4.0E-01	pCi/L	0	BA
		Radium-226	2.0E-01 ± 5.0E-01	pCi/L	0	BA
		Radium-228	<2.3E+00	pCi/L	0	BA
		Radium-228	<2.3E+00	pCi/L	0	BA
		Total alpha-emitting radium	<1.0E+00	pCi/L	0	GE
		Total alpha-emitting radium	1.3E+00 ± 4.0E-01	pCi/L	0	GE
■		Tritium	6.1E+01 ± 1.3E+00	pCi/mL	2	GE
■		Tritium	5.6E+01 ± 1.2E+00	pCi/mL	2	GE
■		Tritium	5.7E+01 ± 1.0E+00	pCi/mL	2	BA
■		Tritium	4.7E+01 ± 1.0E+00	pCi/mL	2	BA

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB112C

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N74227.5 E48794.8	33.269556 °N 81.682496 °W	130.1-129.1 ft msl	229.1 ft msl	4" PVC	Barnwell (IIB ₁)

FIELD MEASUREMENTS

Sample date: 04/15/92	Time: 13:15
Depth to water: 26.27 ft (8.01 m) below TOC	pH: 4.7
Water elevation: 202.83 ft (61.82 m) msl	Alkalinity: 0 mg/L
Sp. conductance: 1501 µS/cm	Water temperature: 21.4°C
Water evacuated before sampling: 193 gal	

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	4.9	pH	0	GE
		Specific conductance	1,700	µS/cm	2	GE
		Aluminum	2,960	µg/L	2	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	222	µg/L	0	GE
		Benzene	<1.0	µg/L	0	GE
		Bromodichloromethane	<1.0	µg/L	0	GE
		Bromoform	<1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0	µg/L	0	GE
■		Cadmium	11	µg/L	2	GE
		Calcium	32,400	µg/L	0	GE
		Carbon tetrachloride	<1.0	µg/L	0	GE
•		Chloride	6,000	µg/L	0	GE
		Chlorobenzene	<1.0	µg/L	0	GE
		Chloroethane	<1.0	µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0	µg/L	0	GE
		Chloroform	<1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	73	µg/L	2	GE
		Copper	<4.0	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Dibromochloromethane	<1.0	µg/L	0	GE
		1,1-Dichloroethane	<1.0	µg/L	0	GE
		1,2-Dichloroethane	<1.0	µg/L	0	GE
		1,1-Dichloroethylene	<1.0	µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	1.0	µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30	µg/L	0	GE
		1,2-Dichloropropane	<1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0	µg/L	0	GE
		Endrin	<0.0060	µg/L	0	GE
		Ethylbenzene	<1.0	µg/L	0	GE
		Fluoride	1,420	µg/L	0	GE
		Iron	<4.0	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB112C collected on 04/15/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Lindane	<0.0050	µg/L	0	GE
		Magnesium	13,300	µg/L	0	GE
		Manganese	1,420	µg/L	2	GE
		Mercury	<0.20	µg/L	0	GE
		Methoxychlor	<0.50	µg/L	0	GE
		Nickel	24	µg/L	0	GE
	■	Nitrate as nitrogen	207,000	µg/L	2	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	1,720	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	3,070	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	43,200	µg/L	0	GE
	●	Sulfate	2,830	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0	µg/L	0	GE
		Tetrachloroethylene	<1.0	µg/L	0	GE
		Thallium	<2.0	µg/L	0	GE
		Toluene	<1.0	µg/L	0	GE
	●	Total dissolved solids	1.2E+06	µg/L	0	GE
		Total organic carbon	<1,000	µg/L		GE
	●	Total organic halogens	<5.0	µg/L	0	GE
		Total phosphates (as P)	80	µg/L	0	GE
		Toxaphene	<0.24	µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0	µg/L	0	GE
		1,1,2-Trichloroethane	<1.0	µg/L	0	GE
		Trichloroethylene	<1.0	µg/L	0	GE
		Trichlorofluoromethane	<1.0	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	46	µg/L	0	GE
	■	Gross alpha	1.3E+02 ± 9.8E+00	pCi/L	2	GE
	■	Nonvolatile beta	2.6E+03 ± 3.5E+01	pCi/L	2	GE
	■	Total alpha-emitting radium	1.3E+02 ± 5.3E+00	pCi/L	2	GE
	■	Tritium	7.3E+03 ± 1.3E+01	pCi/mL	2	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB112D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N74223.7 E48780.0	33.269523 °N 81.682527 °W	208.9-188.9 ft msl	229.6 ft msl	4" PVC	Water Table (IIB ₂)

FIELD MEASUREMENTS

Sample date: 04/15/92
 Depth to water: 22.73 ft (6.93 m) below TOC
 Water elevation: 206.87 ft (63.05 m) msl
 Sp. conductance: 1676 µS/cm
 Water evacuated before sampling: 47 gal

Time: 11:40
 pH: 3.5
 Alkalinity: 0 mg/L
 Water temperature: 18.7°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	3.6	pH	1	GE
		Specific conductance	1,250	µS/cm	2	GE
		Aluminum	19,100	µg/L	2	GE
		Antimony	<2.0	µg/L	0	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<8.0	µg/L	0	GE
		Arsenic	<8.0	µg/L	0	GE
		Barium	210	µg/L	0	GE
		Benzene	<1.0	µg/L	0	GE
		Bromodichloromethane	<1.0	µg/L	0	GE
		Bromoform	<1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0	µg/L	0	GE
		Cadmium	3.0	µg/L	1	GE
		Calcium	2,070	µg/L	0	GE
		Carbon tetrachloride	<1.0	µg/L	0	GE
•		Chloride	1,700	µg/L	0	GE
		Chlorobenzene	<1.0	µg/L	0	GE
		Chloroethane	<1.0	µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0	µg/L	0	GE
		Chloroform	<1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	70	µg/L	2	GE
		Copper	25	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Dibromochloromethane	<1.0	µg/L	0	GE
		1,1-Dichloroethane	<1.0	µg/L	0	GE
		1,2-Dichloroethane	<1.0	µg/L	0	GE
		1,1-Dichloroethylene	<1.0	µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0	µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30	µg/L	0	GE
		1,2-Dichloropropane	<1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0	µg/L	0	GE
		Endrin	<0.0060	µg/L	0	GE
		Ethylbenzene	<1.0	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB112D collected on 04/15/92, laboratory analyses (cont.)

H	D	Analyte	Result	Unit	Flag	Lab
		Fluoride	782	µg/L	0	GE
		Iron	20	µg/L	0	GE
		Lead	6.6	µg/L	0	GE
		Lead	5.9	µg/L	0	GE
		Lindane	<0.0050	µg/L	0	GE
		Magnesium	828	µg/L	0	GE
		Manganese	1,290	µg/L	2	GE
		Mercury	<0.20	µg/L	0	GE
		Methoxychlor	<0.50	µg/L	0	GE
		Nickel	29	µg/L	0	GE
	■	Nitrate as nitrogen	213,000	µg/L	2	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	<500	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	2,530	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	27,100	µg/L	0	GE
	●	Sulfate	2,720	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0	µg/L	0	GE
		Tetrachloroethylene	<1.0	µg/L	0	GE
		Thallium	<2.0	µg/L	0	GE
		Thallium	<2.0	µg/L	0	GE
		Toluene	<1.0	µg/L	0	GE
	●	Total dissolved solids	1.1E+06	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
	●	Total organic halogens	<5.0	µg/L	0	GE
		Total phosphates (as P)	70	µg/L	0	GE
		Toxaphene	<0.24	µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0	µg/L	0	GE
		1,1,2-Trichloroethane	<1.0	µg/L	0	GE
		Trichloroethylene	<1.0	µg/L	0	GE
		Trichlorofluoromethane	<1.0	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	36	µg/L	0	GE
	■	Gross alpha	2.1E+02 ± 1.2E+01	pCi/L	2	GE
	■	Nonvolatile beta	4.2E+03 ± 4.3E+01	pCi/L	2	GE
	■	Total alpha-emitting radium	2.4E+02 ± 7.0E+00	pCi/L	2	GE
	■	Tritium	9.7E+03 ± 1.6E+01	pCi/mL	2	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB113A

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N74167.5 E51068.1	33.273133 °N 81.676395 °W	91.3-81.0 ft msl	223.2 ft msl	4" PVC	U. Congaree (IIA)

FIELD MEASUREMENTS

Sample date: 04/15/92
 Depth to water: 64.20 ft (19.57 m) below TOC
 Water elevation: 159.00 ft (48.46 m) msl
 Sp. conductance: 712 μ S/cm
 Water evacuated before sampling: 254 gal

Time: 15:35
 pH: 11.1
 Alkalinity: 162 mg/L
 Water temperature: 19.9°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	12	pH	2	GE
		Specific conductance	800	μ S/cm	2	GE
		Aluminum	3,750	μ g/L	2	GE
		Antimony	<2.0	μ g/L	0	GE
		Arsenic	<2.0	μ g/L	0	GE
		Barium	70	μ g/L	0	GE
		Benzene	<1.0	μ g/L	0	GE
		Benzene	<1.0	μ g/L	0	GE
		Bromodichloromethane	<1.0	μ g/L	0	GE
		Bromodichloromethane	<1.0	μ g/L	0	GE
		Bromoform	<1.0	μ g/L	0	GE
		Bromoform	<1.0	μ g/L	0	GE
		Bromomethane (Methyl bromide)	<1.0	μ g/L	0	GE
		Bromomethane (Methyl bromide)	<1.0	μ g/L	0	GE
		Cadmium	<2.0	μ g/L	0	GE
		Calcium	67,000	μ g/L	0	GE
		Carbon tetrachloride	<1.0	μ g/L	0	GE
		Carbon tetrachloride	<1.0	μ g/L	0	GE
		Chloride	1,730	μ g/L	0	GE
		Chlorobenzene	<1.0	μ g/L	0	GE
		Chlorobenzene	<1.0	μ g/L	0	GE
		Chloroethane	<1.0	μ g/L	0	GE
		Chloroethane	<1.0	μ g/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0	μ g/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0	μ g/L	0	GE
		2-Chloroethyl vinyl ether	<1.0	μ g/L	0	GE
		2-Chloroethyl vinyl ether	<1.0	μ g/L	0	GE
		Chloroform	<1.0	μ g/L	0	GE
		Chloroform	<1.0	μ g/L	0	GE
		Chloromethane (Methyl chloride)	<1.0	μ g/L	0	GE
		Chloromethane (Methyl chloride)	<1.0	μ g/L	0	GE
		Chromium	<4.0	μ g/L	0	GE
		Cobalt	<4.0	μ g/L	0	GE
		Copper	<4.0	μ g/L	0	GE
		Cyanide	<5.0	μ g/L	0	GE
		Dibromochloromethane	<1.0	μ g/L	0	GE
		Dibromochloromethane	<1.0	μ g/L	0	GE
		1,1-Dichloroethane	<1.0	μ g/L	0	GE
		1,1-Dichloroethane	<1.0	μ g/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB113A collected on 04/15/92, laboratory analyses (cont.)

H	D	Analyte	Result	Unit	Flag	Lab
		1,2-Dichloroethane	<1.0	µg/L	0	GE
		1,2-Dichloroethane	<1.0	µg/L	0	GE
		1,1-Dichloroethylene	<1.0	µg/L	0	GE
		1,1-Dichloroethylene	<1.0	µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0	µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0	µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30	µg/L	0	GE
		1,2-Dichloropropane	<1.0	µg/L	0	GE
		1,2-Dichloropropane	<1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0	µg/L	0	GE
		Endrin	<0.0060	µg/L	0	GE
		Ethylbenzene	<1.0	µg/L	0	GE
		Ethylbenzene	<1.0	µg/L	0	GE
		Fluoride	222	µg/L	0	GE
		Iron	5.1	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE
		Lindane	<0.0050	µg/L	0	GE
		Magnesium	111	µg/L	0	GE
		Manganese	<2.0	µg/L	0	GE
		Mercury	<0.20	µg/L	0	GE
		Methoxychlor	<0.50	µg/L	0	GE
		Nickel	<4.0	µg/L	0	GE
		Nitrate as nitrogen	860	µg/L	0	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	10,500	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	6,080	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	10,400	µg/L	0	GE
		Sulfate	4,580	µg/L	0	GE
		1,1,1,2-Tetrachloroethane	<1.0	µg/L	0	GE
		1,1,1,2-Tetrachloroethane	<1.0	µg/L	0	GE
		Tetrachloroethylene	<1.0	µg/L	0	GE
		Tetrachloroethylene	<1.0	µg/L	0	GE
		Thallium	<2.0	µg/L	0	GE
		Toluene	<1.0	µg/L	0	GE
		Toluene	<1.0	µg/L	0	GE
		Total dissolved solids	206,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	GE
		Total phosphates (as P)	<50	µg/L	0	GE
		Toxaphene	<0.24	µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0	µg/L	0	GE
		1,1,2-Trichloroethane	<1.0	µg/L	0	GE
		1,1,2-Trichloroethane	<1.0	µg/L	0	GE
		Trichloroethylene	<1.0	µg/L	0	GE
		Trichloroethylene	<1.0	µg/L	0	GE
		Trichlorofluoromethane	<1.0	µg/L	0	GE
		Trichlorofluoromethane	<1.0	µg/L	0	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB113A collected on 04/15/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Vanadium	16	µg/L	0	GE
		Zinc	<2.0	µg/L	0	GE
		Gross alpha	<2.0E+00	pCi/L	0	GE
		Nonvolatile beta	9.7E+00 ± 8.8E-01	pCi/L	0	GE
		Total alpha-emitting radium	<1.0E+00	pCi/L	0	GE
■		Tritium	3.2E+01 ± 9.0E-01	pCi/mL	2	GE

WELL FSB113C

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N74160.7	33.273144 °N	164.0-154.0 ft msl	222.9 ft msl	4" PVC	Barnwell (IIB ₁)
E51084.2	81.676339 °W				

FIELD MEASUREMENTS

Sample date: 04/16/92
 Depth to water: 19.84 ft (6.05 m) below TOC
 Water elevation: 203.06 ft (61.89 m) msl
 Sp. conductance: 661 µS/cm
 Water evacuated before sampling: 30 gal
 The well went dry during purging.

Time: 13:10
 pH: 11.6
 Alkalinity: 123 mg/L
 Water temperature: 25.2°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	11	pH	2	GE
		Specific conductance	650	µS/cm	2	GE
		Aluminum	246	µg/L	2	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	127	µg/L	0	GE
		Benzene	<1.0	µg/L	0	GE
		Bromodichloromethane	<1.0	µg/L	0	GE
		Bromoform	<1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	51,500	µg/L	0	GE
		Carbon tetrachloride	<1.0	µg/L	0	GE
		Chloride	2,200	µg/L	0	GE
		Chlorobenzene	<1.0	µg/L	0	GE
		Chloroethane	<1.0	µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0	µg/L	0	GE
		Chloroform	<1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	<4.0	µg/L	0	GE
		Copper	<4.0	µg/L	0	GE
•		Cyanide	<5.0	µg/L	0	GE
		Dibromochloromethane	<1.0	µg/L	0	GE
		1,1-Dichloroethane	<1.0	µg/L	0	GE
..		1,2-Dichloroethane	<1.0	µg/L	0	GE
		1,1-Dichloroethylene	<1.0	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB113C collected on 04/16/92, laboratory analyses (cont.)

H	D	Analyte	Result	Unit	Flag	Lab
		trans-1,2-Dichloroethylene	< 1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	< 1.0	µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	< 0.30	µg/L	0	GE
		1,2-Dichloropropane	< 1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	< 1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	< 1.0	µg/L	0	GE
		Endrin	< 0.0060	µg/L	0	GE
		Ethylbenzene	< 1.0	µg/L	0	GE
		Fluoride	150	µg/L	0	GE
		Iron	< 4.0	µg/L	0	GE
		Lead	< 3.0	µg/L	0	GE
		Lindane	< 0.0050	µg/L	0	GE
		Magnesium	246	µg/L	0	GE
		Manganese	< 2.0	µg/L	0	GE
		Mercury	< 0.20	µg/L	0	GE
		Mercury	< 0.20	µg/L	0	GE
		Methoxychlor	< 0.50	µg/L	0	GE
		Nickel	< 4.0	µg/L	0	GE
		Nitrate as nitrogen	3,750	µg/L	0	GE
		Phenols	< 5.0	µg/L	0	GE
		Potassium	1,300	µg/L	0	GE
		Selenium	< 2.0	µg/L	0	GE
		Silica	7,790	µg/L	0	GE
		Silver	< 2.0	µg/L	0	GE
		Sodium	8,050	µg/L	0	GE
		Sulfate	6,170	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	< 1.0	µg/L	0	GE
		Tetrachloroethylene	3.2	µg/L	1	GE
		Thallium	< 2.0	µg/L	0	GE
		Toluene	< 1.0	µg/L	0	GE
		Total dissolved solids	178,000	µg/L	0	GE
		Total organic carbon	1,000	µg/L	0	GE
		Total organic halogens	32	µg/L	1	GE
		Total phosphates (as P)	170	µg/L	0	GE
		Total phosphates (as P)	180	µg/L	0	GE
		Toxaphene	< 0.24	µg/L	0	GE
		2,4,5-TP (Silvex)	< 0.090	µg/L	0	GE
		1,1,1-Trichloroethane	< 1.0	µg/L	0	GE
		1,1,2-Trichloroethane	< 1.0	µg/L	0	GE
		Trichloroethylene	< 1.0	µg/L	0	GE
		Trichlorofluoromethane	< 1.0	µg/L	0	GE
		Vanadium	< 8.0	µg/L	0	GE
		Zinc	2.1	µg/L	0	GE
		Gross alpha	< 2.0E+00	pCi/L	0	GE
		Nonvolatile beta	4.3E+00 ± 9.0E-01	pCi/L	0	GE
		Total alpha-emitting radium	1.6E+00 ± 4.0E-01	pCi/L	0	GE
		Total alpha-emitting radium	1.5E+00 ± 3.0E-01	pCi/L	0	GE
■		Tritium	5.8E+01 ± 1.2E+00	pCi/mL	2	GE
■		Tritium	5.8E+01 ± 1.2E+00	pCi/mL	2	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB113D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N74154.8 E51098.4	33.273154 °N 81.676290 °W	209.6-189.6 ft msl	222.5 ft msl	4" PVC	Water Table (IIB ₂)

FIELD MEASUREMENTS

Sample date: 04/15/92	Time: 14:45
Depth to water: 14.83 ft (4.52 m) below TOC	pH: 4.6
Water elevation: 207.67 ft (63.30 m) msl	Alkalinity: 0 mg/L
Sp. conductance: 24 µS/cm	Water temperature: 20.3°C
Water evacuated before sampling: 47 gal	

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.2	pH	0	GE
		Specific conductance	30	µS/cm	0	GE
		Specific conductance	30	µS/cm	0	GE
		Aluminum	57	µg/L	0	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	6.9	µg/L	0	GE
		Benzene	<1.0	µg/L	0	GE
		Bromodichloromethane	<1.0	µg/L	0	GE
		Bromoform	<1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	699	µg/L	0	GE
		Carbon tetrachloride	<1.0	µg/L	0	GE
		Chloride	2,630	µg/L	0	GE
		Chloride	2,640	µg/L	0	GE
		Chlorobenzene	<1.0	µg/L	0	GE
		Chloroethane	<1.0	µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0	µg/L	0	GE
		Chloroform	<1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	<4.0	µg/L	0	GE
		Copper	<4.0	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Dibromochloromethane	<1.0	µg/L	0	GE
		1,1-Dichloroethane	<1.0	µg/L	0	GE
		1,2-Dichloroethane	<1.0	µg/L	0	GE
		1,1-Dichloroethylene	<1.0	µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0	µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30	µg/L	0	GE
		1,2-Dichloropropane	<1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0	µg/L	0	GE
		Endrin	<0.0060	µg/L	0	GE
		Ethylbenzene	<1.0	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB113D collected on 04/15/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Fluoride	< 100	µg/L	0	GE
		Iron	18	µg/L	0	GE
		Lead	< 3.0	µg/L	0	GE
		Lindane	< 0.0050	µg/L	0	GE
		Magnesium	698	µg/L	0	GE
		Manganese	14	µg/L	0	GE
		Mercury	< 0.20	µg/L	0	GE
		Methoxychlor	< 0.50	µg/L	0	GE
		Nickel	< 4.0	µg/L	0	GE
		Nitrate as nitrogen	740	µg/L	0	GE
		Nitrate as nitrogen	750	µg/L	0	GE
		Phenols	< 5.0	µg/L	0	GE
		Potassium	< 500	µg/L	0	GE
		Selenium	< 2.0	µg/L	0	GE
		Silica	6,650	µg/L	0	GE
		Silver	< 2.0	µg/L	0	GE
		Sodium	2,050	µg/L	0	GE
		Sulfate	< 1,000	µg/L	0	GE
		Sulfate	< 1,000	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	< 1.0	µg/L	0	GE
		Tetrachloroethylene	< 1.0	µg/L	0	GE
		Thallium	< 2.0	µg/L	0	GE
		Toluene	< 1.0	µg/L	0	GE
		Total dissolved solids	11,000	µg/L	0	GE
		Total organic carbon	< 1,000	µg/L	0	GE
		Total organic halogens	< 5.0	µg/L	0	GE
		Total organic halogens	< 5.0	µg/L	0	GE
		Total phosphates (as P)	< 50	µg/L	0	GE
		Toxaphene	< 0.24	µg/L	0	GE
		2,4,5-TP (Silvex)	< 0.090	µg/L	0	GE
		1,1,1-Trichloroethane	< 1.0	µg/L	0	GE
		1,1,2-Trichloroethane	< 1.0	µg/L	0	GE
		Trichloroethylene	< 1.0	µg/L	0	GE
		Trichlorofluoromethane	< 1.0	µg/L	0	GE
		Vanadium	< 8.0	µg/L	0	GE
		Zinc	5.6	µg/L	0	GE
		Gross alpha	< 2.0E+00	pCi/L	0	GE
		Nonvolatile beta	< 2.0E+00	pCi/L	0	GE
		Total alpha-emitting radium	< 1.0E+00	pCi/L	0	GE
		Tritium	1.4E+01 ± 7.0E-01	pCi/mL	1	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB114A

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N75297.4 E52046.6	33.277229 °N 81.676014 °W	105.0-95.2 ft msl	252.0 ft msl	4" PVC	U. Congaree (IIA)

FIELD MEASUREMENTS

Sample date: 04/10/92
 Depth to water: 96.68 ft (29.47 m) below TOC
 Water elevation: 155.32 ft (47.34 m) msl
 Sp. conductance: 174 µS/cm
 Water evacuated before sampling: 279 gal

Time: 13:25
 pH: 8.5
 Alkalinity: 82 mg/L
 Water temperature: 22.5°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	8.5	pH	1	GE
		Specific conductance	180	µS/cm	0	GE
		Aluminum	72	µg/L	0	GE
		Antimony	<2.0	µg/L	0	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	67	µg/L	0	GE
		Benzene	<1.0	µg/L	0	GE
		Bromodichloromethane	<1.0	µg/L	0	GE
		Bromoform	<1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	29,800	µg/L	0	GE
		Carbon tetrachloride	<1.0	µg/L	0	GE
		Chloride	2,740	µg/L	0	GE
		Chlorobenzene	<1.0	µg/L	0	GE
		Chloroethane	<1.0	µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0	µg/L	0	GE
		Chloroform	<1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	<4.0	µg/L	0	GE
		Copper	<4.0	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Dibromochloromethane	<1.0	µg/L	0	GE
		1,1-Dichloroethane	<1.0	µg/L	0	GE
		1,2-Dichloroethane	<1.0	µg/L	0	GE
		1,1-Dichloroethylene	<1.0	µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0	µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30	µg/L	0	GE
		1,2-Dichloropropane	<1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0	µg/L	0	GE
		Endrin	<0.0060	µg/L	0	GE
		Ethylbenzene	<1.0	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB114A collected on 04/10/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Iron	4.8	µg/L	0	GE
		Lead	< 3.0	µg/L	0	GE
		Lead	< 3.0	µg/L	0	GE
		Lindane	< 0.0050	µg/L	0	GE
		Magnesium	639	µg/L	0	GE
		Manganese	5.2	µg/L	0	GE
		Mercury	< 0.20	µg/L	0	GE
		Methoxychlor	< 0.50	µg/L	0	GE
		Nickel	< 4.0	µg/L	0	GE
		Nitrate as nitrogen	1,720	µg/L	0	GE
		Phenols	< 5.0	µg/L	0	GE
		Potassium	5,170	µg/L	0	GE
		Selenium	< 2.0	µg/L	0	GE
		Selenium	< 2.0	µg/L	0	GE
		Silica	16,300	µg/L	0	GE
		Silver	< 2.0	µg/L	0	GE
		Sodium	3,170	µg/L	0	GE
		Sulfate	1,690	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	< 1.0	µg/L	0	GE
		Tetrachloroethylene	4.9	µg/L	1	GE
		Thallium	< 2.0	µg/L	0	GE
		Thallium	< 2.0	µg/L	0	GE
		Toluene	< 1.0	µg/L	0	GE
		Total dissolved solids	115,000	µg/L	0	GE
		Total organic carbon	< 1,000	µg/L	0	GE
		Total organic halogens	< 5.0	µg/L	0	GE
		Total organic halogens	< 5.0	µg/L	0	GE
		Total phosphates (as P)	120	µg/L	0	GE
		Toxaphene	< 0.24	µg/L	0	GE
		2,4,5-TP (Silvex)	< 0.090	µg/L	0	GE
		1,1,1-Trichloroethane	< 1.0	µg/L	0	GE
		1,1,2-Trichloroethane	< 1.0	µg/L	0	GE
		Trichloroethylene	< 1.0	µg/L	0	GE
		Trichlorofluoromethane	< 1.0	µg/L	0	GE
		Vanadium	< 8.0	µg/L	0	GE
		Zinc	3.0	µg/L	0	GE
		Gross alpha	< 2.0E+00	pCi/L	0	GE
		Nonvolatile beta	4.4E+00 ± 5.6E-01	pCi/L	0	GE
		Total alpha-emitting radium	< 1.0E+00	pCi/L	0	GE
		Tritium	< 7.0E-01	pCi/mL	0	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB114C

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N75288.5 E52033.8	33.277188 °N 81.676030 °W	168.0-158.0 ft msl	252.2 ft msl	4" PVC	Barnwell (IIB ₁)

FIELD MEASUREMENTS

Sample date: 04/10/92	Time: 14:25
Depth to water: 38.61 ft (11.77 m) below TOC	pH: 5.5
Water elevation: 213.59 ft (65.10 m) msl	Alkalinity: 8 mg/L
Sp. conductance: 55 µS/cm	Water temperature: 22.3°C
Water evacuated before sampling: 184 gal	

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.9	pH	0	GE
		Specific conductance	54	µS/cm	0	GE
		Aluminum	<20	µg/L	0	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	15	µg/L	0	GE
		Benzene	<1.0	µg/L	0	GE
		Bromodichloromethane	<1.0	µg/L	0	GE
		Bromoform	<1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	4,920	µg/L	0	GE
		Carbon tetrachloride	<1.0	µg/L	0	GE
		Chloride	3,580	µg/L	0	GE
		Chlorobenzene	<1.0	µg/L	0	GE
		Chloroethane	<1.0	µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0	µg/L	0	GE
		Chloroform	<1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	<4.0	µg/L	0	GE
		Copper	<4.0	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Dibromochloromethane	<1.0	µg/L	0	GE
		1,1-Dichloroethane	<1.0	µg/L	0	GE
		1,2-Dichloroethane	<1.0	µg/L	0	GE
		1,1-Dichloroethylene	<1.0	µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	1.5	µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30	µg/L	0	GE
		1,2-Dichloropropane	<1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0	µg/L	0	GE
		Endrin	<0.0060	µg/L	0	GE
		Ethylbenzene	<1.0	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE
		Iron	4.4	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB114C collected on 04/10/92, laboratory analyses (cont.)

H	D	Analyte	Result	Unit	Flag	Lab
		Lindane	<0.0050	µg/L	0	GE
		Magnesium	478	µg/L	0	GE
		Manganese	6.3	µg/L	0	GE
		Mercury	<0.20	µg/L	0	GE
		Methoxychlor	<0.50	µg/L	0	GE
		Nickel	<4.0	µg/L	0	GE
		Nitrate as nitrogen	2,140	µg/L	0	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	633	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	10,300	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	3,710	µg/L	0	GE
		Sulfate	<1,000	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0	µg/L	0	GE
		Tetrachloroethylene	<1.0	µg/L	0	GE
		Thallium	<2.0	µg/L	0	GE
		Toluene	<1.0	µg/L	0	GE
		Total dissolved solids	42,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	GE
		Total phosphates (as P)	<50	µg/L	0	GE
		Toxaphene	<0.24	µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0	µg/L	0	GE
		1,1,2-Trichloroethane	<1.0	µg/L	0	GE
		Trichloroethylene	1.5	µg/L	0	GE
		Trichlorofluoromethane	<1.0	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	13	µg/L	0	GE
		Gross alpha	<2.0E+00	pCi/L	0	GE
		Nonvolatile beta	<2.0E+00	pCi/L	0	GE
		Total alpha-emitting radium	<1.0E+00	pCi/L	0	GE
		Total alpha-emitting radium	<1.0E+00	pCi/L	0	GE
		Tritium	4.5E+00 ± 5.0E-01	pCi/mL	0	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB114D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N75278.6 E52018.6	33.277141 °N 81.676051 °W	217.8-197.7 ft msl	252.2 ft msl	4" PVC	Water Table (IIB ₂)

FIELD MEASUREMENTS

Sample date: 04/10/92	Time: 12:25
Depth to water: 35.31 ft (10.76 m) below TOC	pH: 5.0
Water elevation: 216.89 ft (66.11 m) msl	Alkalinity: 0 mg/L
Sp. conductance: 41 µS/cm	Water temperature: 20.0°C
Water evacuated before sampling: 51 gal	

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	4.9	pH	0	GE
		Specific conductance	49	µS/cm	0	GE
		Aluminum	27	µg/L	0	GE
		Aluminum	26	µg/L	0	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	9.5	µg/L	0	GE
		Barium	9.4	µg/L	0	GE
		Benzene	<1.0	µg/L	0	GE
		Bromodichloromethane	<1.0	µg/L	0	GE
		Bromoform	<1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	886	µg/L	0	GE
		Calcium	890	µg/L	0	GE
		Carbon tetrachloride	<1.0	µg/L	0	GE
		Chloride	3,880	µg/L	0	GE
		Chlorobenzene	<1.0	µg/L	0	GE
		Chloroethane	<1.0	µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0	µg/L	0	GE
		Chloroform	<1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	<4.0	µg/L	0	GE
		Cobalt	<4.0	µg/L	0	GE
		Copper	<4.0	µg/L	0	GE
		Copper	<4.0	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Dibromochloromethane	<1.0	µg/L	0	GE
		1,1-Dichloroethane	<1.0	µg/L	0	GE
		1,2-Dichloroethane	<1.0	µg/L	0	GE
		1,1-Dichloroethylene	<1.0	µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	1.2	µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30	µg/L	0	GE
		1,2-Dichloropropane	<1.0	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB114D collected on 04/10/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		cis-1,3-Dichloropropene	<1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0	µg/L	0	GE
		Endrin	<0.0060	µg/L	0	GE
		Ethylbenzene	<1.0	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE
		Iron	6.6	µg/L	0	GE
		Iron	4.9	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE
		Lindane	<0.0050	µg/L	0	GE
		Magnesium	493	µg/L	0	GE
		Magnesium	490	µg/L	0	GE
		Manganese	23	µg/L	0	GE
		Manganese	23	µg/L	0	GE
		Mercury	<0.20	µg/L	0	GE
		Methoxychlor	<0.50	µg/L	0	GE
		Nickel	<4.0	µg/L	0	GE
		Nickel	<4.0	µg/L	0	GE
		Nitrate as nitrogen	2,440	µg/L	0	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	<500	µg/L	0	GE
		Potassium	<500	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	6,820	µg/L	0	GE
		Silica	6,810	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	6,540	µg/L	0	GE
		Sodium	6,510	µg/L	0	GE
		Sulfate	1,960	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0	µg/L	0	GE
		Tetrachloroethylene	<1.0	µg/L	0	GE
		Thallium	<2.0	µg/L	0	GE
		Toluene	<1.0	µg/L	0	GE
		Total dissolved solids	25,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	18	µg/L	0	GE
		Total phosphates (as P)	<50	µg/L	0	GE
		Toxaphene	<0.24	µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0	µg/L	0	GE
		1,1,2-Trichloroethane	<1.0	µg/L	0	GE
		Trichloroethylene	<1.0	µg/L	0	GE
		Trichlorofluoromethane	<1.0	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	11	µg/L	0	GE
		Zinc	11	µg/L	0	GE
		Gross alpha	2.6E+00 ± 5.1E-01	pCi/L	0	GE
		Nonvolatile beta	<2.0E+00	pCi/L	0	GE
		Total alpha-emitting radium	1.8E+00 ± 5.0E-01	pCi/L	0	GE
		Tritium	7.9E+00 ± 5.0E-01	pCi/mL	0	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB115C

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N72515.5 E49736.0	33.267306 °N 81.676692 °W	173.8-163.8 ft msl	207.8 ft msl	4" PVC	Barnwell (IIB ₁)

FIELD MEASUREMENTS

Sample date: 04/26/92	Time: 9:55
Depth to water: 23.09 ft (7.04 m) below TOC	pH: 6.3
Water elevation: 184.71 ft (56.30 m) msl	Alkalinity: 6 mg/L
Sp. conductance: 31 µS/cm	Water temperature: 16.9°C
Water evacuated before sampling: 13 gal	
The well went dry during purging.	

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	6.3	pH	0	GE
		Specific conductance	30	µS/cm	0	GE
		Aluminum	<20	µg/L	0	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	6.8	µg/L	0	GE
		Benzene	<1.0	µg/L	0	GE
		Bromodichloromethane	<1.0	µg/L	0	GE
		Bromoform	<1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	1,700	µg/L	0	GE
		Carbon tetrachloride	<1.0	µg/L	0	GE
		Chloride	1,590	µg/L	0	GE
		Chlorobenzene	<1.0	µg/L	0	GE
		Chloroethane	<1.0	µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0	µg/L	0	GE
		Chloroform	<1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	<4.0	µg/L	0	GE
		Copper	<4.0	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Dibromochloromethane	<1.0	µg/L	0	GE
		1,1-Dichloroethane	<1.0	µg/L	0	GE
		1,2-Dichloroethane	<1.0	µg/L	0	GE
		1,1-Dichloroethylene	<1.0	µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0	µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30	µg/L	0	GE
		1,2-Dichloropropane	<1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0	µg/L	0	GE
		Endrin	<0.0060	µg/L	0	GE
		Ethylbenzene	<1.0	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE
		Iron	51	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB115C collected on 04/26/92, laboratory analyses (cont.)

H	D	Analyte	Result	Unit	Flag	Lab
		Lead	<3.0	µg/L	0	GE
		Lindane	<0.0050	µg/L	0	GE
		Magnesium	315	µg/L	0	GE
		Manganese	6.8	µg/L	0	GE
		Mercury	<0.20	µg/L	0	GE
		Methoxychlor	<0.50	µg/L	0	GE
		Nickel	<4.0	µg/L	0	GE
		Nitrate as nitrogen	650	µg/L	0	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	1,200	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	8,760	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	2,930	µg/L	0	GE
		Sulfate	2,290	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0	µg/L	0	GE
		Tetrachloroethylene	<1.0	µg/L	0	GE
		Thallium	<2.0	µg/L	0	GE
		Toluene	<1.0	µg/L	0	GE
		Total dissolved solids	15,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	GE
		Total phosphates (as P)	<50	µg/L	0	GE
		Toxaphene	<0.24	µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0	µg/L	0	GE
		1,1,2-Trichloroethane	<1.0	µg/L	0	GE
		Trichloroethylene	<1.0	µg/L	0	GE
		Trichlorofluoromethane	<1.0	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	22	µg/L	0	GE
		Gross alpha	<2.0E+00	pCi/L	0	GE
		Nonvolatile beta	<2.0E+00	pCi/L	0	GE
		Total alpha-emitting radium	<1.0E+00	pCi/L	0	GE
		Tritium	9.4E+00 ± 6.0E-01	pCi/mL	0	GE
		Tritium	9.7E+00 ± 6.0E-01	pCi/mL	0	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB115D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N72504.3 E49728.3	33.267268 °N 81.676691 °W	192.5-182.5 ft msl	208.5 ft msl	4" PVC	Water Table (IIB ₂)

FIELD MEASUREMENTS

Sample date: 04/16/92	Time: 10:45
Depth to water: 16.58 ft (5.05 m) below TOC	pH: 4.8
Water elevation: 191.92 ft (58.50 m) msl	Alkalinity: 3 mg/L
Sp. conductance: 15 µS/cm	Water temperature: 18.4°C
Water evacuated before sampling: 31 gal	

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.5	pH	0	GE
		Specific conductance	18	µS/cm	0	GE
		Aluminum	<20	µg/L	0	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	7.4	µg/L	0	GE
		Benzene	<1.0	µg/L	0	GE
		Bromodichloromethane	<1.0	µg/L	0	GE
		Bromoform	<1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	459	µg/L	0	GE
		Carbon tetrachloride	<1.0	µg/L	0	GE
		Chloride	1,680	µg/L	0	GE
		Chlorobenzene	<1.0	µg/L	0	GE
		Chloroethane	<1.0	µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0	µg/L	0	GE
		Chloroform	<1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	<4.0	µg/L	0	GE
		Copper	10	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Dibromochloromethane	<1.0	µg/L	0	GE
		1,1-Dichloroethane	<1.0	µg/L	0	GE
		1,2-Dichloroethane	<1.0	µg/L	0	GE
		1,1-Dichloroethylene	<1.0	µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0	µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30	µg/L	0	GE
		1,2-Dichloropropane	<1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0	µg/L	0	GE
		Endrin	<0.0060	µg/L	0	GE
		Ethylbenzene	<1.0	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE
		Iron	5.5	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB115D collected on 04/16/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Lindane	<0.0050	µg/L	0	GE
		Magnesium	342	µg/L	0	GE
		Manganese	14	µg/L	0	GE
		Mercury	<0.20	µg/L	0	GE
		Methoxychlor	<0.50	µg/L	0	GE
		Nickel	<4.0	µg/L	0	GE
		Nitrate as nitrogen	210	µg/L	0	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	<500	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	6,940	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	1,380	µg/L	0	GE
		Sulfate	<1,000	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0	µg/L	0	GE
		Tetrachloroethylene	<1.0	µg/L	0	GE
		Thallium	<2.0	µg/L	0	GE
		Toluene	<1.0	µg/L	0	GE
		Total dissolved solids	13,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	GE
		Total phosphates (as P)	90	µg/L	0	GE
		Toxaphene	<0.24	µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0	µg/L	0	GE
		1,1,2-Trichloroethane	<1.0	µg/L	0	GE
		Trichloroethylene	<1.0	µg/L	0	GE
		Trichlorofluoromethane	<1.0	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	15	µg/L	0	GE
		Gross alpha	4.9E+00 ± 7.0E-01	pCi/L	0	GE
		Nonvolatile beta	3.1E+00 ± 6.0E-01	pCi/L	0	GE
		Total alpha-emitting radium	<1.0E+00	pCi/L	0	GE
		Tritium	1.4E+01 ± 7.0E-01	pCi/mL	1	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB116C

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N72725.5 E50645.9	33.269255 °N 81.674705 °W	170.5-160.5 ft msl	202.5 ft msl	4" PVC	Barnwell (IIB ₁)

FIELD MEASUREMENTS

Sample date: 04/16/92	Time: 9:50
Depth to water: 12.68 ft (3.86 m) below TOC	pH: 4.9
Water elevation: 189.82 ft (57.86 m) msl	Alkalinity: 1 mg/L
Sp. conductance: 21 µS/cm	Water temperature: 18.7°C
Water evacuated before sampling: 77 gal	

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.3	pH	0	GE
		Specific conductance	22	µS/cm	0	GE
		Aluminum	31	µg/L	0	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	5.1	µg/L	0	GE
		Benzene	<1.0	µg/L	0	GE
		Bromodichloromethane	<1.0	µg/L	0	GE
		Bromoform	<1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	989	µg/L	0	GE
		Carbon tetrachloride	<1.0	µg/L	0	GE
		Chloride	1,790	µg/L	0	GE
		Chlorobenzene	<1.0	µg/L	0	GE
		Chloroethane	<1.0	µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0	µg/L	0	GE
		Chloroform	<1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	<4.0	µg/L	0	GE
		Copper	<4.0	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Dibromochloromethane	<1.0	µg/L	0	GE
		1,1-Dichloroethane	<1.0	µg/L	0	GE
		1,2-Dichloroethane	<1.0	µg/L	0	GE
		1,1-Dichloroethylene	<1.0	µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0	µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30	µg/L	0	GE
		1,2-Dichloropropane	<1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0	µg/L	0	GE
		Endrin	<0.0060	µg/L	0	GE
		Ethylbenzene	<1.0	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE
		Iron	8.9	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB116C collected on 04/16/92, laboratory analyses (cont.)

H	D	Analyte	Result	Unit	Flag	Lab
		Lindane	<0.0050	µg/L	0	GE
		Magnesium	454	µg/L	0	GE
		Manganese	7.9	µg/L	0	GE
		Mercury	<0.20	µg/L	0	GE
		Methoxychlor	<0.50	µg/L	0	GE
		Nickel	<4.0	µg/L	0	GE
		Nitrate as nitrogen	1,320	µg/L	0	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	<500	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	7,300	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	2,050	µg/L	0	GE
		Sulfate	<1,000	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0	µg/L	0	GE
		Tetrachloroethylene	<1.0	µg/L	0	GE
		Thallium	<2.0	µg/L	0	GE
		Toluene	<1.0	µg/L	0	GE
		Total dissolved solids	15,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	GE
		Total phosphates (as P)	<50	µg/L	0	GE
		Toxaphene	<0.24	µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0	µg/L	0	GE
		1,1,2-Trichloroethane	<1.0	µg/L	0	GE
		Trichloroethylene	<1.0	µg/L	0	GE
		Trichlorofluoromethane	<1.0	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	11	µg/L	0	GE
		Gross alpha	<2.0E+00	pCi/L	0	GE
		Nonvolatile beta	<2.0E+00	pCi/L	0	GE
		Total alpha-emitting radium	<1.0E+00	pCi/L	0	GE
		Tritium	1.5E+01 ± 7.0E-01	pCi/mL	1	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB116D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N72727.4 E50629.7	33.269233 °N 81.674751 °W	196.4-186.4 ft msl	202.9 ft msl	4" PVC	Water Table (IIB ₂)

FIELD MEASUREMENTS

Sample date: 04/26/92	Time: 9:35
Depth to water: 10.24 ft (3.12 m) below TOC	pH: 5.2
Water elevation: 192.66 ft (58.72 m) msl	Alkalinity: 2 mg/L
Sp. conductance: 27 µS/cm	Water temperature: 16.8°C
Water evacuated before sampling: 2 gal	
The well went dry during purging.	

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.2	pH	0	GE
		Specific conductance	22	µS/cm	0	GE
		Aluminum	23	µg/L	0	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	8.5	µg/L	0	GE
		Benzene	<1.0	µg/L	0	GE
		Bromodichloromethane	<1.0	µg/L	0	GE
		Bromoform	<1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	646	µg/L	0	GE
		Carbon tetrachloride	<1.0	µg/L	0	GE
		Chloride	3,880	µg/L	0	GE
		Chlorobenzene	<1.0	µg/L	0	GE
		Chloroethane	<1.0	µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0	µg/L	0	GE
		Chloroform	<1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	<4.0	µg/L	0	GE
		Copper	12	µg/L	0	GE
•		Cyanide	<5.0	µg/L	0	GE
		Dibromochloromethane	<1.0	µg/L	0	GE
		1,1-Dichloroethane	<1.0	µg/L	0	GE
		1,2-Dichloroethane	<1.0	µg/L	0	GE
		1,1-Dichloroethylene	<1.0	µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	1.9	µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30	µg/L	0	GE
		1,2-Dichloropropane	<1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0	µg/L	0	GE
		Endrin	<0.0060	µg/L	0	GE
		Ethylbenzene	<1.0	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE
		Iron	18	µg/L	0	GE
		Lead	4.9	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB116D collected on 04/26/92, laboratory analyses (cont.)

H	D	Analyte	Result	Unit	Flag	Lab
		Lindane	<0.0050	µg/L	0	GE
		Magnesium	578	µg/L	0	GE
		Manganese	21	µg/L	0	GE
		Mercury	<0.20	µg/L	0	GE
		Methoxychlor	<0.50	µg/L	0	GE
		Nickel	4.8	µg/L	0	GE
		Nitrate as nitrogen	140	µg/L	0	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	<500	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	6,500	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	2,550	µg/L	0	GE
		Sulfate	<1,000	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0	µg/L	0	GE
		Tetrachloroethylene	<1.0	µg/L	0	GE
		Thallium	<2.0	µg/L	0	GE
		Toluene	<1.0	µg/L	0	GE
		Total dissolved solids	<1,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	GE
		Total phosphates (as P)	200	µg/L	0	GE
		Toxaphene	<0.24	µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0	µg/L	0	GE
		1,1,2-Trichloroethane	<1.0	µg/L	0	GE
		Trichloroethylene	<1.0	µg/L	0	GE
		Trichlorofluoromethane	<1.0	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	149	µg/L	0	GE
		Gross alpha	5.5E+00 ± 7.9E-01	pCi/L	0	GE
		Gross alpha	5.8E+00 ± 6.8E-01	pCi/L	0	GE
		Nonvolatile beta	4.5E+00 ± 6.3E-01	pCi/L	0	GE
		Nonvolatile beta	5.3E+00 ± 5.4E-01	pCi/L	0	GE
		Total alpha-emitting radium	1.3E+00 ± 6.0E-01	pCi/L	0	GE
		Total alpha-emitting radium	1.4E+00 ± 8.0E-01	pCi/L	0	GE
		Tritium	1.6E+01 ± 7.0E-01	pCi/mL	1	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB117D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N74070.4 E50486.8	33.271970 °N 81.677736 °W	209.7-189.7 ft msl	230.7 ft msl	4" PVC	Water Table (IIB ₂)

FIELD MEASUREMENTS

Sample date: 04/27/92
 Depth to water: 25.38 ft (7.74 m) below TOC
 Water elevation: 205.32 ft (62.58 m) msl
 Sp. conductance: 843 µS/cm
 Water evacuated before sampling: 41 gal

Time: 13:30
 pH: 3.7
 Alkalinity: 0 mg/L
 Water temperature: 18.2°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	3.6	pH	1	GE
		Specific conductance	750	µS/cm	2	GE
		Specific conductance	750	µS/cm	2	GE
		Aluminum	35,500	µg/L	2	GE
		Antimony	< 2.0	µg/L	0	GE
		Antimony	< 2.0	µg/L	0	GE
		Arsenic	< 2.0	µg/L	0	GE
		Arsenic	< 2.0	µg/L	0	GE
		Barium	233	µg/L	0	GE
		Benzene	< 1.0	µg/L	0	GE
		Bromodichloromethane	< 1.0	µg/L	0	GE
		Bromoform	< 1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	< 1.0	µg/L	0	GE
		Cadmium	2.9	µg/L	1	GE
		Calcium	1,930	µg/L	0	GE
		Carbon tetrachloride	< 1.0	µg/L	0	GE
		Chloride	1,440	µg/L	0	GE
		Chlorobenzene	< 1.0	µg/L	0	GE
		Chloroethane	< 1.0	µg/L	0	GE
		Chloroethene (Vinyl chloride)	< 1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	< 1.0	µg/L	0	GE
		Chloroform	< 1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	< 1.0	µg/L	0	GE
		Chromium	< 4.0	µg/L	0	GE
		Cobalt	17	µg/L	0	GE
		Copper	33	µg/L	0	GE
		Cyanide	< 5.0	µg/L	0	GE
		Dibromochloromethane	< 1.0	µg/L	0	GE
		1,1-Dichloroethane	< 1.0	µg/L	0	GE
		1,2-Dichloroethane	< 1.0	µg/L	0	GE
		1,1-Dichloroethylene	< 1.0	µg/L	0	GE
		trans-1,2-Dichloroethylene	< 1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	< 1.0	µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	< 0.30	µg/L	0	GE
		1,2-Dichloropropane	< 1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	< 1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	< 1.0	µg/L	0	GE
		Endrin	< 0.0060	µg/L	0	GE
		Ethylbenzene	< 1.0	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB117D collected on 04/27/92, laboratory analyses (cont.)

H	D	Analyte	Result	Unit	Flag	Lab
		Fluoride	312	µg/L	0	GE
		Iron	150	µg/L	1	GE
		Lead	< 3.0	µg/L	0	GE
		Lead	< 3.0	µg/L	0	GE
		Lindane	< 0.0050	µg/L	0	GE
		Magnesium	1,390	µg/L	0	GE
		Manganese	719	µg/L	2	GE
		Mercury	< 0.20	µg/L	0	GE
		Methoxychlor	< 0.50	µg/L	0	GE
		Nickel	12	µg/L	0	GE
■		Nitrate as nitrogen	94,200	µg/L	2	GE
		Phenols	< 5.0	µg/L	0	GE
		Potassium	925	µg/L	0	GE
		Selenium	< 2.0	µg/L	0	GE
		Selenium	< 2.0	µg/L	0	GE
		Silica	19,200	µg/L	0	GE
		Silver	< 2.0	µg/L	0	GE
		Sodium	21,900	µg/L	0	GE
		Sulfate	2,830	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	< 1.0	µg/L	0	GE
		Tetrachloroethylene	< 1.0	µg/L	0	GE
		Thallium	< 2.0	µg/L	0	GE
		Thallium	< 2.0	µg/L	0	GE
		Toluene	< 1.0	µg/L	0	GE
		Total dissolved solids	261,000	µg/L	0	GE
		Total organic carbon	< 1,000	µg/L	0	GE
●		Total organic halogens	< 5.0	µg/L	0	GE
		Total phosphates (as P)	< 50	µg/L	0	GE
		Toxaphene	< 0.24	µg/L	0	GE
		2,4,5-TP (Silvex)	< 0.090	µg/L	0	GE
		1,1,1-Trichloroethane	< 1.0	µg/L	0	GE
		1,1,2-Trichloroethane	< 1.0	µg/L	0	GE
		Trichloroethylene	< 1.0	µg/L	0	GE
		Trichlorofluoromethane	< 1.0	µg/L	0	GE
		Vanadium	< 8.0	µg/L	0	GE
		Zinc	38	µg/L	0	GE
■		Gross alpha	1.0E+03 ± 1.9E+01	pCi/L	2	GE
■		Nonvolatile beta	1.6E+03 ± 1.7E+01	pCi/L	2	GE
■		Total alpha-emitting radium	6.4E+01 ± 4.4E+00	pCi/L	2	GE
■		Tritium	3.6E+03 ± 9.2E+00	pCi/mL	2	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB118D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N74697.9 E51276.3	33.274646 °N 81.676877 °W	211.3-191.3 ft msl	243.3 ft msl	4" PVC	Water Table (IB ₂)

FIELD MEASUREMENTS

Sample date: 04/10/92	Time: 15:20
Depth to water: 31.70 ft (9.66 m) below TOC	pH: 4.6
Water elevation: 211.60 ft (64.50 m) msl	Alkalinity: 1 mg/L
Sp. conductance: 31 µS/cm	Water temperature: 20.0°C
Water evacuated before sampling: 54 gal	

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.4	pH	0	GE
		Specific conductance	38	µS/cm	0	GE
		Aluminum	<20	µg/L	0	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	19	µg/L	0	GE
		Benzene	<1.0	µg/L	0	GE
		Bromodichloromethane	<1.0	µg/L	0	GE
		Bromoform	<1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	1,950	µg/L	0	GE
		Carbon tetrachloride	<1.0	µg/L	0	GE
		Chloride	2,820	µg/L	0	GE
		Chlorobenzene	<1.0	µg/L	0	GE
		Chloroethane	<1.0	µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0	µg/L	0	GE
		Chloroform	<1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	<4.0	µg/L	0	GE
		Copper	<4.0	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Dibromochloromethane	<1.0	µg/L	0	GE
		1,1-Dichloroethane	<1.0	µg/L	0	GE
		1,2-Dichloroethane	<1.0	µg/L	0	GE
		1,1-Dichloroethylene	<1.0	µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0	µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30	µg/L	0	GE
		1,2-Dichloropropane	<1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0	µg/L	0	GE
		Endrin	<0.0060	µg/L	0	GE
		Endrin	<0.0060	µg/L	0	GE
		Ethylbenzene	<1.0	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE
		Iron	11	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB118D collected on 04/10/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Lead	<3.0	µg/L	0	GE
		Lindane	<0.0050	µg/L	0	GE
		Lindane	<0.0050	µg/L	0	GE
		Magnesium	659	µg/L	0	GE
		Manganese	26	µg/L	1	GE
		Mercury	<0.20	µg/L	0	GE
		Methoxychlor	<0.50	µg/L	0	GE
		Methoxychlor	<0.50	µg/L	0	GE
		Nickel	<4.0	µg/L	0	GE
		Nitrate as nitrogen	1,260	µg/L	0	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	<500	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	8,020	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	2,700	µg/L	0	GE
		Sulfate	<1,000	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0	µg/L	0	GE
■		Tetrachloroethylene	5.6	µg/L	2	GE
		Thallium	<2.0	µg/L	0	GE
		Toluene	<1.0	µg/L	0	GE
		Total dissolved solids	20,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	9.9	µg/L	0	GE
		Total phosphates (as P)	<50	µg/L	0	GE
		Toxaphene	<0.24	µg/L	0	GE
		Toxaphene	<0.24	µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0	µg/L	0	GE
		1,1,2-Trichloroethane	<1.0	µg/L	0	GE
		Trichloroethylene	<1.0	µg/L	0	GE
		Trichlorofluoromethane	10	µg/L	2	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	29	µg/L	0	GE
		Gross alpha	2.2E+00 ± 4.5E-01	pCi/L	0	GE
		Nonvolatile beta	<2.0E+00	pCi/L	0	GE
		Total alpha-emitting radium	1.1E+00 ± 4.0E-01	pCi/L	0	GE
		Tritium	1.4E+01 ± 7.0E-01	pCi/mL	1	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB119D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N74599.7 E50600.6	33.273326 °N 81.678465 °W	213.1-193.1 ft msl	254.1 ft msl	4" PVC	Water Table (IIB ₂)

FIELD MEASUREMENTS

Sample date: 04/27/92	Time: 12:40
Depth to water: 45.34 ft (13.82 m) below TOC	pH: 3.6
Water elevation: 208.76 ft (63.63 m) msl	Alkalinity: 0 mg/L
Sp. conductance: 1907 µS/cm	Water temperature: 19.8°C
Water evacuated before sampling: 41 gal	

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	3.4	pH	1	GE
•		pH	3.4	pH	1	GE
		Specific conductance	1,800	µS/cm	2	GE
		Specific conductance	1,780	µS/cm	2	GE
		Aluminum	89,200	µg/L	2	GE
		Antimony	< 2.0	µg/L	0	GE
		Arsenic	< 1.0	µg/L	0	GE
		Barium	317	µg/L	0	GE
		Benzene	< 1.0	µg/L	0	GE
		Bromodichloromethane	< 1.0	µg/L	0	GE
		Bromoform	< 1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	< 1.0	µg/L	0	GE
		Cadmium	3.8	µg/L	1	GE
		Calcium	2,840	µg/L	0	GE
		Carbon tetrachloride	< 1.0	µg/L	0	GE
		Chloride	2,500	µg/L	0	GE
		Chlorobenzene	< 1.0	µg/L	0	GE
		Chloroethane	< 1.0	µg/L	0	GE
		Chloroethene (Vinyl chloride)	< 1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	< 1.0	µg/L	0	GE
		Chloroform	< 1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	< 1.0	µg/L	0	GE
		Chromium	< 4.0	µg/L	0	GE
		Cobalt	35	µg/L	1	GE
		Copper	53	µg/L	0	GE
		Cyanide	< 5.0	µg/L	0	GE
		Dibromochloromethane	< 1.0	µg/L	0	GE
		1,1-Dichloroethane	< 1.0	µg/L	0	GE
		1,2-Dichloroethane	< 1.0	µg/L	0	GE
		1,1-Dichloroethylene	< 1.0	µg/L	0	GE
		trans-1,2-Dichloroethylene	< 1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	< 1.0	µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	< 0.30	µg/L	0	GE
		1,2-Dichloropropane	< 1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	< 1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	< 1.0	µg/L	0	GE
•		Endrin	< 0.0060	µg/L	0	GE
		Ethylbenzene	< 1.0	µg/L	0	GE
		Fluoride	417	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB119D collected on 04/27/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Iron	686	µg/L	2	GE
		Lead	10	µg/L	1	GE
•		Lindane	<0.0050	µg/L	0	GE
		Magnesium	1,690	µg/L	0	GE
		Manganese	1,720	µg/L	2	GE
		Mercury	0.44	µg/L	0	GE
•		Methoxychlor	<0.50	µg/L	0	GE
		Nickel	32	µg/L	0	GE
■		Nitrate as nitrogen	257,000	µg/L	2	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	1,300	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	24,400	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	59,800	µg/L	0	GE
		Sulfate	2,980	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0	µg/L	0	GE
		Tetrachloroethylene	<1.0	µg/L	0	GE
		Thallium	<2.0	µg/L	0	GE
		Toluene	<1.0	µg/L	0	GE
		Total dissolved solids	677,000	µg/L	0	GE
		Total organic carbon	2,000	µg/L	0	GE
•		Total organic halogens	5.1	µg/L	0	GE
		Total phosphates (as P)	80	µg/L	0	GE
•		Toxaphene	<0.24	µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090	µg/L	0	GE
		1,1,1 Trichloroethane	<1.0	µg/L	0	GE
		1,1,2-Trichloroethane	<1.0	µg/L	0	GE
		Trichloroethylene	<1.0	µg/L	0	GE
		Trichlorofluoromethane	<1.0	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	87	µg/L	0	GE
■		Gross alpha	7.6E+02 ± 1.8E+01	pCi/L	2	GE
■		Nonvolatile beta	2.4E+03 ± 2.4E+01	pCi/L	2	GE
■		Total alpha-emitting radium	1.1E+02 ± 5.7E+00	pCi/L	2	GE
■		Tritium	2.2E+04 ± 2.3E+01	pCi/mL	2	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB120A

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N75538.9 E49175.7	33.273077 °N 81.684041 °W	109.0-99.0 ft msl	280.1 ft msl	4" PVC	U. Congaree (IIA)

FIELD MEASUREMENTS

Sample date: 04/16/92
 Depth to water: 131.18 ft (39.98 m) below TOC
 Water elevation: 148.92 ft (45.39 m) msl
 Sp. conductance: 506 µS/cm
 Water evacuated before sampling: 131 gal

Time: 15:35
 pH: 10.9
 Alkalinity: 119 mg/L
 Water temperature: 21.9°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	12	pH	2	GE
		Specific conductance	400	µS/cm	1	GE
		Specific conductance	400	µS/cm	1	GE
		Aluminum	2,160	µg/L	2	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	61	µg/L	0	GE
		Benzene	<1.0	µg/L	0	GE
		Bromodichloromethane	<1.0	µg/L	0	GE
		Bromoform	<1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	50,000	µg/L	0	GE
		Carbon tetrachloride	<1.0	µg/L	0	GE
		Chloride	2,360	µg/L	0	GE
		Chlorobenzene	<1.0	µg/L	0	GE
		Chloroethane	<1.0	µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0	µg/L	0	GE
		Chloroform	<1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	<4.0	µg/L	0	GE
		Copper	<4.0	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Dibromochloromethane	<1.0	µg/L	0	GE
		1,1-Dichloroethane	<1.0	µg/L	0	GE
		1,2-Dichloroethane	<1.0	µg/L	0	GE
		1,1-Dichloroethylene	<1.0	µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0	µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30	µg/L	0	GE
		1,2-Dichloropropane	<1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0	µg/L	0	GE
		Endrin	<0.0060	µg/L	0	GE
		Ethylbenzene	<1.0	µg/L	0	GE
		Fluoride	129	µg/L	0	GE
		Iron	5.5	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB120A collected on 04/16/92, laboratory analyses (cont.)

H	D	Analyte	Result	Unit	Flag	Lab
		Lead	<3.0	µg/L	0	GE
		Lindane	<0.0050	µg/L	0	GE
		Magnesium	130	µg/L	0	GE
		Manganese	<2.0	µg/L	0	GE
		Mercury	<0.20	µg/L	0	GE
		Methoxychlor	<0.50	µg/L	0	GE
		Nickel	<4.0	µg/L	0	GE
		Nitrate as nitrogen	5,000	µg/L	1	GE
		Nitrate as nitrogen	5,000	µg/L	1	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	7,370	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	9,970	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	7,740	µg/L	0	GE
		Sulfate	1,130	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0	µg/L	0	GE
		Tetrachloroethylene	<1.0	µg/L	0	GE
		Thallium	<2.0	µg/L	0	GE
		Toluene	<1.0	µg/L	0	GE
		Total dissolved solids	158,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	GE
		Total phosphates (as P)	220	µg/L	0	GE
		Toxaphene	<0.24	µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0	µg/L	0	GE
		1,1,2-Trichloroethane	<1.0	µg/L	0	GE
		Trichloroethylene	<1.0	µg/L	0	GE
		Trichlorofluoromethane	<1.0	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	<2.0	µg/L	0	GE
		Gross alpha	<2.0E+00	pCi/L	0	GE
		Nonvolatile beta	1.3E+01 ± 1.3E+00	pCi/L	0	GE
		Total alpha-emitting radium	<1.0E+00	pCi/L	0	GE
■		Tritium	1.6E+02 ± 2.0E+00	pCi/mL	2	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB120C

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N75549.8 E49171.1	33.273094 °N 81.684074 °W	160.7-150.7 ft msl	279.7 ft msl	4" PVC	Barnwell (IIB ₁)

FIELD MEASUREMENTS

Sample date: 04/26/92	Time: 14:10
Depth to water: 72.54 ft (22.11 m) below TOC	pH: 5.3
Water elevation: 207.16 ft (63.14 m) msl	Alkalinity: 2 mg/L
Sp. conductance: 455 µS/cm	Water temperature: 19.0°C
Water evacuated before sampling: 148 gal	

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	6.0	pH	0	GE
		Specific conductance	420	µS/cm	1	GE
		Aluminum	212	µg/L	2	GE
		Antimony	<2.0	µg/L	0	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	130	µg/L	0	GE
		Benzene	<1.0	µg/L	0	GE
		Bromodichloromethane	<1.0	µg/L	0	GE
		Bromoform	<1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	27,900	µg/L	0	GE
		Carbon tetrachloride	<1.0	µg/L	0	GE
		Chloride	2,920	µg/L	0	GE
		Chlorobenzene	<1.0	µg/L	0	GE
		Chloroethane	<1.0	µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0	µg/L	0	GE
		Chloroform	<1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	11	µg/L	0	GE
		Copper	<4.0	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Dibromochloromethane	<1.0	µg/L	0	GE
		1,1-Dichloroethane	<1.0	µg/L	0	GE
		1,2-Dichloroethane	<1.0	µg/L	0	GE
		1,1-Dichloroethylene	<1.0	µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	1.8	µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30	µg/L	0	GE
		1,2-Dichloropropane	<1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0	µg/L	0	GE
		Endrin	<0.0060	µg/L	0	GE
		Ethylbenzene	<1.0	µg/L	0	GE
		Fluoride	142	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB120C collected on 04/26/92, laboratory analyses (cont.)

H	D	Analyte	Result	Unit	Flag	Lab
		Iron	<4.0	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE
		Lindane	<0.0050	µg/L	0	GE
		Magnesium	12,000	µg/L	0	GE
		Manganese	271	µg/L	2	GE
		Mercury	<0.20	µg/L	0	GE
		Methoxychlor	<0.50	µg/L	0	GE
		Nickel	11	µg/L	0	GE
■		Nitrate as nitrogen	53,500	µg/L	2	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	2,240	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	9,910	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	36,600	µg/L	0	GE
		Sulfate	1,960	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0	µg/L	0	GE
		Tetrachloroethylene	<1.0	µg/L	0	GE
		Thallium	<2.0	µg/L	0	GE
		Thallium	<2.0	µg/L	0	GE
		Toluene	<1.0	µg/L	0	GE
		Total dissolved solids	358,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	70	µg/L	2	GE
		Total phosphates (as P)	<50	µg/L	0	GE
		Toxaphene	<0.24	µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0	µg/L	0	GE
		1,1,2-Trichloroethane	<1.0	µg/L	0	GE
		Trichloroethylene	<1.0	µg/L	0	GE
		Trichlorofluoromethane	<1.0	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	31	µg/L	0	GE
		Gross alpha	7.8E+00 ± 1.1E+00	pCi/L	1	GE
		Gross alpha	8.3E+00 ± 7.8E-01	pCi/L	1	GE
■		Nonvolatile beta	5.3E+01 ± 1.8E+00	pCi/L	2	GE
■		Nonvolatile beta	5.8E+01 ± 1.5E+00	pCi/L	2	GE
■		Total alpha-emitting radium	9.8E+00 ± 1.5E+00	pCi/L	2	GE
■		Tritium	1.9E+03 ± 6.7E+00	pCi/mL	2	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB120D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N75568.7 E49163.7	33.273124 °N 81.684130 °W	216.5-196.5 ft msl	280.5 ft msl	4" PVC	Water Table (IIB ₂)

FIELD MEASUREMENTS

Sample date: 04/26/92	Time: 13:55
Depth to water: 69.67 ft (21.24 m) below TOC	pH: 6.6
Water elevation: 210.83 ft (64.26 m) msl	Alkalinity: 26 mg/L
Sp. conductance: 85 µS/cm	Water temperature: 18.7°C
Water evacuated before sampling: 11 gal	
The well went dry during purging.	

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	7.1	pH	0	GE
		Specific conductance	70	µS/cm	0	GE
		Aluminum	<20	µg/L	0	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	11	µg/L	0	GE
		Benzene	<1.0	µg/L	0	GE
		Bromodichloromethane	<1.0	µg/L	0	GE
		Bromoform	<1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	2,440	µg/L	0	GE
		Carbon tetrachloride	<1.0	µg/L	0	GE
		Chloride	2,140	µg/L	0	GE
		Chlorobenzene	<1.0	µg/L	0	GE
		Chloroethane	<1.0	µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0	µg/L	0	GE
		Chloroform	<1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	<4.0	µg/L	0	GE
		Copper	<4.0	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Dibromochloromethane	<1.0	µg/L	0	GE
		1,1-Dichloroethane	<1.0	µg/L	0	GE
		1,2-Dichloroethane	<1.0	µg/L	0	GE
		1,1-Dichloroethylene	<1.0	µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	1.2	µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30	µg/L	0	GE
		1,2-Dichloropropane	<1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0	µg/L	0	GE
		Endrin	<0.0060	µg/L	0	GE
		Ethylbenzene	<1.0	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE
		Iron	<4.0	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB120D collected on 04/26/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Lindane	<0.0050	µg/L	0	GE
		Magnesium	203	µg/L	0	GE
		Manganese	20	µg/L	0	GE
		Mercury	<0.20	µg/L	0	GE
		Methoxychlor	<0.50	µg/L	0	GE
		Nickel	6.3	µg/L	0	GE
		Nitrate as nitrogen	120	µg/L	0	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	6,730	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	6,640	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	11,100	µg/L	0	GE
		Sulfate	3,980	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0	µg/L	0	GE
		Tetrachloroethylene	<1.0	µg/L	0	GE
		Thallium	<2.0	µg/L	0	GE
		Toluene	<1.0	µg/L	0	GE
		Total dissolved solids	45,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	GE
		Total phosphates (as P)	<50	µg/L	0	GE
		Toxaphene	<0.24	µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0	µg/L	0	GE
		1,1,2-Trichloroethane	<1.0	µg/L	0	GE
		Trichloroethylene	<1.0	µg/L	0	GE
		Trichlorofluoromethane	<1.0	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	55	µg/L	0	GE
		Gross alpha	<2.0E+00	pCi/L	0	GE
		Nonvolatile beta	5.3E+00 ± 6.8E-01	pCi/L	0	GE
		Total alpha-emitting radium	<1.0E+00	pCi/L	0	GE
		Tritium	1.6E+01 ± 7.0E-01	pCi/mL	1	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB121C

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N75155.7 E48413.1	33.270985 °N 81.685304 °W	158.4-148.4 ft msl	256.5 ft msl	4" PVC	Barnwell (IIB ₁)

FIELD MEASUREMENTS

Sample date: 04/26/92	Time: 14:45
Depth to water: 51.03 ft (15.55 m) below TOC	pH: 5.9
Water elevation: 205.47 ft (62.63 m) msl	Alkalinity: 9 mg/L
Sp. conductance: 47 µS/cm	Water temperature: 18.6°C
Water evacuated before sampling: 150 gal	

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	6.3	pH	0	GE
		Specific conductance	38	µS/cm	0	GE
		Aluminum	21	µg/L	0	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	43	µg/L	0	GE
		Benzene	<1.0	µg/L	0	GE
		Bromodichloromethane	<1.0	µg/L	0	GE
		Bromoform	<1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	3,670	µg/L	0	GE
		Carbon tetrachloride	<1.0	µg/L	0	GE
		Chloride	2,790	µg/L	0	GE
		Chlorobenzene	<1.0	µg/L	0	GE
		Chloroethane	<1.0	µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0	µg/L	0	GE
		Chloroform	<1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	<4.0	µg/L	0	GE
		Copper	<4.0	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Dibromochloromethane	<1.0	µg/L	0	GE
		1,1-Dichloroethane	<1.0	µg/L	0	GE
		1,2-Dichloroethane	<1.0	µg/L	0	GE
		1,1-Dichloroethylene	<1.0	µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0	µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30	µg/L	0	GE
		1,2-Dichloropropane	<1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0	µg/L	0	GE
		Endrin	<0.0060	µg/L	0	GE
		Ethylbenzene	<1.0	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE
		Iron	<4.0	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB121C collected on 04/26/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Lindane	<0.0050	µg/L	0	GE
		Magnesium	398	µg/L	0	GE
		Manganese	14	µg/L	0	GE
		Mercury	<0.20	µg/L	0	GE
		Methoxychlor	<0.50	µg/L	0	GE
		Nickel	<4.0	µg/L	0	GE
		Nitrate as nitrogen	660	µg/L	0	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	1,440	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	10,500	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	3,320	µg/L	0	GE
		Sulfate	<1,000	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0	µg/L	0	GE
		Tetrachloroethylene	<1.0	µg/L	0	GE
		Thallium	<2.0	µg/L	0	GE
		Toluene	<1.0	µg/L	0	GE
		Total dissolved solids	27,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	GE
		Total phosphates (as P)	<50	µg/L	0	GE
		Toxaphene	<0.24	µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0	µg/L	0	GE
		1,1,2-Trichloroethane	<1.0	µg/L	0	GE
		Trichloroethylene	<1.0	µg/L	0	GE
		Trichlorofluoromethane	<1.0	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	3.3	µg/L	0	GE
		Gross alpha	<2.0E+00	pCi/L	0	GE
		Nonvolatile beta	3.9E+00 ± 5.7E-01	pCi/L	0	GE
		Total alpha-emitting radium	<1.0E+00	pCi/L	0	GE
■		Tritium	7.8E+01 ± 1.4E+00	pCi/mL	2	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB122C

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N73881.8 E48195.0	33.267812 °N 81.683403 °W	170.0-160.0 ft msl	218.0 ft msl	4" PVC	Barnwell (IIB ₁)

FIELD MEASUREMENTS

Sample date: 04/27/92	Time: 14:20
Depth to water: 17.55 ft (5.35 m) below TOC	pH: 4.5
Water elevation: 200.45 ft (61.10 m) msl	Alkalinity: 0 mg/L
Sp. conductance: 493 µS/cm	Water temperature: 18.0°C
Water evacuated before sampling: 106 gal	

LABORATORY ANALYSIS

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	4.6	pH	0	GE
•		pH	4.7	pH	0	GE
		Specific conductance	450	µS/cm	1	GE
		Specific conductance	480	µS/cm	1	GE
		Aluminum	548	µg/L	2	GE
		Aluminum	550	µg/L	2	GE
		Antimony	< 2.0	µg/L	0	GE
		Antimony	< 2.0	µg/L	0	GE
		Arsenic	< 2.0	µg/L	0	GE
		Arsenic	< 2.0	µg/L	0	GE
		Barium	125	µg/L	0	GE
		Barium	126	µg/L	0	GE
		Benzene	< 1.0	µg/L	0	GE
		Bromodichloromethane	< 1.0	µg/L	0	GE
		Bromoform	< 1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	< 1.0	µg/L	0	GE
		Cadmium	< 2.0	µg/L	0	GE
		Cadmium	< 2.0	µg/L	0	GE
		Calcium	22,300	µg/L	0	GE
		Calcium	22,400	µg/L	0	GE
		Carbon tetrachloride	< 1.0	µg/L	0	GE
		Chloride	3,460	µg/L	0	GE
		Chloride	3,600	µg/L	0	GE
		Chlorobenzene	< 1.0	µg/L	0	GE
		Chloroethane	< 1.0	µg/L	0	GE
		Chloroethene (Vinyl chloride)	< 1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	< 1.0	µg/L	0	GE
		Chloroform	< 1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	< 1.0	µg/L	0	GE
		Chromium	< 4.0	µg/L	0	GE
		Chromium	< 4.0	µg/L	0	GE
		Cobalt	10	µg/L	0	GE
		Cobalt	11	µg/L	0	GE
		Copper	< 4.0	µg/L	0	GE
		Copper	< 4.0	µg/L	0	GE
		Cyanide	< 5.0	µg/L	0	GE
		Dibromochloromethane	< 1.0	µg/L	0	GE
		1,1-Dichloroethane	< 1.0	µg/L	0	GE
		1,2-Dichloroethane	< 1.0	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB122C collected on 04/27/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		1,1-Dichloroethylene	<1.0	µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0	µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30	µg/L	0	GE
		1,2-Dichloropropane	<1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0	µg/L	0	GE
		Endrin	<0.0060	µg/L	0	GE
		Ethylbenzene	<1.0	µg/L	0	GE
		Fluoride	209	µg/L	0	GE
		Fluoride	211	µg/L	0	GE
		Iron	6.2	µg/L	0	GE
		Iron	6.0	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE
		Lindane	<0.0050	µg/L	0	GE
		Magnesium	12,000	µg/L	0	GE
		Magnesium	12,100	µg/L	0	GE
		Manganese	175	µg/L	2	GE
		Manganese	176	µg/L	2	GE
		Mercury	<0.20	µg/L	0	GE
		Methoxychlor	<0.50	µg/L	0	GE
		Nickel	11	µg/L	0	GE
		Nickel	11	µg/L	0	GE
■		Nitrate as nitrogen	58,400	µg/L	2	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	1,520	µg/L	0	GE
		Potassium	1,570	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	10,300	µg/L	0	GE
		Silica	10,300	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	41,600	µg/L	0	GE
		Sodium	41,800	µg/L	0	GE
		Sulfate	1,270	µg/L	0	GE
		Sulfate	1,200	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0	µg/L	0	GE
		Tetrachloroethylene	<1.0	µg/L	0	GE
		Thallium	<2.0	µg/L	0	GE
		Thallium	<2.0	µg/L	0	GE
		Toluene	<1.0	µg/L	0	GE
		Total dissolved solids	359,000	µg/L	0	GE
		Total dissolved solids	356,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
●		Total organic halogens	<5.0	µg/L	0	GE
		Total phosphates (as P)	70	µg/L	0	GE
		Total phosphates (as P)	<50	µg/L	0	GE
		Toxaphene	<0.24	µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0	µg/L	0	GE
		1,1,2-Trichloroethane	<1.0	µg/L	0	GE
		Trichloroethylene	<1.0	µg/L	0	GE
		Trichlorofluoromethane	<1.0	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB122C collected on 04/27/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Vanadium	<8.0	µg/L	0	GE
		Zinc	73	µg/L	0	GE
		Zinc	73	µg/L	0	GE
		Gross alpha	1.4E+01 ± 2.3E+00	pCi/L	1	GE
		Nonvolatile beta	1.2E+02 ± 5.4E+00	pCi/L	2	GE
		Total alpha-emitting radium	6.1E+00 ± 1.5E+00	pCi/L	2	GE
		Tritium	2.0E+03 ± 6.9E+00	pCi/mL	2	GE

WELL FSB122D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N73865.5	33.267787 °N	206.6-186.6 ft msl	217.6 ft msl	4" PVC	Water Table (IIB ₂)
E48201.7	81.683354 °W				

FIELD MEASUREMENTS

Sample date: 04/27/92
 Depth to water: 13.37 ft (4.08 m) below TOC
 Water elevation: 204.23 ft (62.25 m) msl
 Sp. conductance: 107 µS/cm
 Water evacuated before sampling: 46 gal

Time: 14:00
 pH: 5.3
 Alkalinity: 1 mg/L
 Water temperature: 17.2°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.4	pH	0	GE
		Specific conductance	100	µS/cm	0	GE
		Specific conductance	100	µS/cm	0	GE
		Aluminum	122	µg/L	1	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	39	µg/L	0	GE
		Benzene	<1.0	µg/L	0	GE
		Bromodichloromethane	<1.0	µg/L	0	GE
		Bromoform	<1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	4,900	µg/L	0	GE
		Carbon tetrachloride	<1.0	µg/L	0	GE
		Chloride	3,120	µg/L	0	GE
		Chlorobenzene	<1.0	µg/L	0	GE
		Chloroethane	<1.0	µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0	µg/L	0	GE
		Chloroform	<1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0	µg/L	0	GE
		Chromium	57	µg/L	1	GE
		Cobalt	5.0	µg/L	0	GE
		Copper	8.1	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Dibromochloromethane	<1.0	µg/L	0	GE
		1,1-Dichloroethane	<1.0	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB122D collected on 04/27/92, laboratory analyses (cont.)

H	D	Analyte	Result	Unit	Flag	Lab
		1,2-Dichloroethane	<1.0	µg/L	0	GE
		1,1-Dichloroethylene	<1.0	µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0	µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30	µg/L	0	GE
		1,2-Dichloropropane	<1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0	µg/L	0	GE
		Endrin	<0.0060	µg/L	0	GE
		Ethylbenzene	<1.0	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE
		Iron	96	µg/L	0	GE
		Lead	4.4	µg/L	0	GE
		Lindane	<0.0050	µg/L	0	GE
		Magnesium	3,210	µg/L	0	GE
		Manganese	76	µg/L	2	GE
		Mercury	<0.20	µg/L	0	GE
		Methoxychlor	<0.50	µg/L	0	GE
■		Nickel	186	µg/L	2	GE
		Nitrate as nitrogen	1,090	µg/L	0	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	<500	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	6,030	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	7,760	µg/L	0	GE
		Sulfate	<1,000	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0	µg/L	0	GE
		Tetrachloroethylene	1.3	µg/L	0	GE
		Thallium	<2.0	µg/L	0	GE
		Toluene	<1.0	µg/L	0	GE
		Total dissolved solids	80,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	GE
		Total phosphates (as P)	<50	µg/L	0	GE
		Toxaphene	<0.24	µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0	µg/L	0	GE
		1,1,2-Trichloroethane	<1.0	µg/L	0	GE
		Trichloroethylene	2.3	µg/L	0	GE
		Trichlorofluoromethane	<1.0	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	33	µg/L	0	GE
		Gross alpha	<2.0E+00	pCi/L	0	GE
		Nonvolatile beta	2.0E+01 ± 1.0E+00	pCi/L	0	GE
		Total alpha-emitting radium	1.2E+00 ± 7.0E-01	pCi/L	0	GE
■		Tritium	5.1E+02 ± 3.5E+00	pCi/mL	2	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB123C

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N74566.7 E51750.5	33.275129 °N 81.675374 °W	165.3-155.3 ft msl	238.1 ft msl	4" PVC	Barnwell (IIB ₁)

FIELD MEASUREMENTS

Sample date: 04/16/92
 Depth to water: 27.19 ft (8.29 m) below TOC
 Water elevation: 210.91 ft (64.29 m) msl
 Sp. conductance: 72 µS/cm
 Water evacuated before sampling: 146 gal

Time: 12:35
 pH: 5.5
 Alkalinity: 11 mg/L
 Water temperature: 19.8°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	6.1	pH	0	GE
		Specific conductance	78	µS/cm	0	GE
		Aluminum	<20	µg/L	0	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	20	µg/L	0	GE
		Benzene	<1.0	µg/L	0	GE
		Bromodichloromethane	<1.0	µg/L	0	GE
		Bromoform	<1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	8,530	µg/L	0	GE
		Carbon tetrachloride	<1.0	µg/L	0	GE
		Chloride	3,710	µg/L	0	GE
		Chlorobenzene	<1.0	µg/L	0	GE
		Chloroethane	<1.0	µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0	µg/L	0	GE
		Chloroform	<1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	<4.0	µg/L	0	GE
		Copper	<4.0	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Dibromochloromethane	<1.0	µg/L	0	GE
		1,1-Dichloroethane	<1.0	µg/L	0	GE
		1,2-Dichloroethane	<1.0	µg/L	0	GE
		1,1-Dichloroethylene	<1.0	µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	1.8	µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30	µg/L	0	GE
		1,2-Dichloropropane	<1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0	µg/L	0	GE
		Endrin	<0.0060	µg/L	0	GE
		Ethylbenzene	<1.0	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE
		Iron	<4.0	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB123C collected on 04/16/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Lindane	<0.0050	µg/L	0	GE
		Magnesium	652	µg/L	0	GE
		Manganese	13	µg/L	0	GE
		Mercury	<0.20	µg/L	0	GE
		Methoxychlor	<0.50	µg/L	0	GE
		Nickel	<4.0	µg/L	0	GE
		Nitrate as nitrogen	4,050	µg/L	0	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	551	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	12,800	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	3,980	µg/L	0	GE
		Sulfate	<1,000	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0	µg/L	0	GE
		Tetrachloroethylene	<1.0	µg/L	0	GE
		Thallium	<2.0	µg/L	0	GE
		Toluene	<1.0	µg/L	0	GE
		Total dissolved solids	55,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	29	µg/L	1	GE
		Total phosphates (as P)	250	µg/L	0	GE
		Toxaphene	<0.24	µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0	µg/L	0	GE
		1,1,2-Trichloroethane	<1.0	µg/L	0	GE
		Trichloroethylene	1.5	µg/L	0	GE
		Trichlorofluoromethane	<1.0	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	17	µg/L	0	GE
		Gross alpha	<2.0E+00	pCi/L	0	GE
		Nonvolatile beta	<2.0E+00	pCi/L	0	GE
		Total alpha-emitting radium	<1.0E+00	pCi/L	0	GE
		Tritium	2.5E+00 ± 4.0E-01	pCi/mL	0	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB123D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N74562.7 E51734.8	33.275095 °N 81.675407 °W	214.1-194.1 ft msl	238.1 ft msl	4" PVC	Water Table (IIB ₂)

FIELD MEASUREMENTS

Sample date: 04/16/92	Time: 11:55
Depth to water: 25.86 ft (7.88 m) below TOC	pH: 4.6
Water elevation: 212.24 ft (64.69 m) msl	Alkalinity: 0 mg/L
Sp. conductance: 40 µS/cm	Water temperature: 19.0°C
Water evacuated before sampling: 48 gal	

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.0	pH	0	GE
		Specific conductance	40	µS/cm	0	GE
		Aluminum	62	µg/L	0	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	11	µg/L	0	GE
		Benzene	<1.0	µg/L	0	GE
		Bromodichloromethane	<1.0	µg/L	0	GE
		Bromoform	<1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	629	µg/L	0	GE
		Carbon tetrachloride	<1.0	µg/L	0	GE
		Chloride	4,250	µg/L	0	GE
		Chlorobenzene	<1.0	µg/L	0	GE
		Chloroethane	<1.0	µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0	µg/L	0	GE
		Chloroform	<1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	<4.0	µg/L	0	GE
		Copper	<4.0	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Dibromochloromethane	<1.0	µg/L	0	GE
		1,1-Dichloroethane	<1.0	µg/L	0	GE
		1,2-Dichloroethane	<1.0	µg/L	0	GE
		1,1-Dichloroethylene	<1.0	µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0	µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30	µg/L	0	GE
		1,2-Dichloropropane	<1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0	µg/L	0	GE
		Endrin	<0.0060	µg/L	0	GE
		Ethylbenzene	<1.0	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE
		Iron	9.2	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

LL FSB123D collected on 04/16/92, laboratory analyses (cont.)

<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
	Lindane	<0.0050	µg/L	0	GE
	Magnesium	750	µg/L	0	GE
	Manganese	13	µg/L	0	GE
	Mercury	<0.20	µg/L	0	GE
	Methoxychlor	<0.50	µg/L	0	GE
	Nickel	<4.0	µg/L	0	GE
	Nitrate as nitrogen	2,120	µg/L	0	GE
	Phenols	<5.0	µg/L	0	GE
	Potassium	<500	µg/L	0	GE
	Selenium	<2.0	µg/L	0	GE
	Silica	7,240	µg/L	0	GE
	Silver	<2.0	µg/L	0	GE
	Sodium	5,170	µg/L	0	GE
	Sulfate	<1,000	µg/L	0	GE
	1,1,2,2-Tetrachloroethane	1.5	µg/L	0	GE
	Tetrachloroethylene	<1.0	µg/L	0	GE
	Thallium	<2.0	µg/L	0	GE
	Toluene	<1.0	µg/L	0	GE
	Total dissolved solids	24,000	µg/L	0	GE
	Total organic carbon	<1,000	µg/L	0	GE
	Total organic halogens	18	µg/L	0	GE
	Total phosphates (as P)	<50	µg/L	0	GE
	Toxaphene	<0.24	µg/L	0	GE
	2,4,5-TP (Silvex)	<0.090	µg/L	0	GE
	1,1,1-Trichloroethane	<1.0	µg/L	0	GE
	1,1,2-Trichloroethane	<1.0	µg/L	0	GE
	Trichloroethylene	<1.0	µg/L	0	GE
	Trichlorofluoromethane	<1.0	µg/L	0	GE
	Vanadium	<8.0	µg/L	0	GE
	Zinc	8.1	µg/L	0	GE
	Gross alpha	<2.0E+00	pCi/L	0	GE
	Nonvolatile beta	<2.0E+00	pCi/L	0	GE
	Total alpha-emitting radium	1.6E+00 ± 4.0E-01	pCi/L	0	GE
	Tritium	9.5E+00 ± 6.0E-01	pCi/mL	0	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard.

Appendix E – Time Series Plots

CLUSTER - FSB 76

Nitrate

—•— WATER TABLE (IIB2)
 —△— L. CONGAREE (IIA)
 —×— BARNWELL (IIB1)
 —□— U. CONGAREE (IIA)

PDWS 10,000 µg/L
empty space denotes no data or dry well

FSB 77

Nitrate

—•— WATER TABLE (IIB2)

PDWS 10,000 µg/L
empty space denotes no data or dry well

CLUSTER - FSB 78

Nitrate

--- WATER TABLE (IIB2)
 --- U. CONGAREE (IIA)
 --- BARNWELL (IIB1)
 --- L. CONGAREE (IIA)

PDWS 10,000 µg/L
empty space denotes no data or dry well

CLUSTER - FSB 79

Nitrate

—•— WATER TABLE (IIB2)

—△— U. CONGAREE (IIA)

—x— BARNWELL (IIB1)

—x— L. CONGAREE (IIA)

PDWS 10,000 µg/L
empty space denotes no data or dry well

CLUSTER - FSB 87

Nitrate

—•— WATER TABLE (IIB2)
 —△— U. CONGAREE (IIA)
 —x— BARNWELL (IIB1)
 —x— L. CONGAREE (IIA)

PDWS 10,000 µg/L
empty space denotes no data or dry well

CLUSTER - FSB 88

Nitrate

—•— WATER TABLE (IIB2) —*— BARNWELL (IIB1)

PDWS 10,000 µg/L
empty space denotes no data or dry well

CLUSTER - FSB 89

Nitrate

PDWS 10,000 µg/L
empty space denotes no data or dry well

CLUSTER - FSB 90

Nitrate

PDWS 10,000 µg/L
empty space denotes no data or dry well

CLUSTER - FSB 91

Nitrate

PDWS 10,000 µg/L
empty space denotes no data or dry well

FSB 92D

Nitrate

—•— WATER TABLE (IIB2)

PDWS 10,000 µg/L
empty space denotes no data or dry well

CLUSTER - FSB 93

Nitrate

PDWS 10,000 µg/L
empty space denotes no data or dry well

CLUSTER - FSB 94

Nitrate

PDWS 10,000 µg/L
empty space denotes no data or dry well;
(R) denotes a replacement well

CLUSTER - FSB 95

Nitrate

PDWS 10,000 µg/L
empty space denotes no data or dry well;
(R) denotes a replacement well

CLUSTER - FSB 96

Nitrate

△ U. CONGAREE (IIA) × U. CONGAREE (IIA)(R)

PDWS 10,000 µg/L
empty space denotes no data or dry well;
(R) denotes a replacement well

CLUSTER - FSB 97

Nitrate

PDWS 10,000 µg/L
empty space denotes no data or dry well

CLUSTER - FSB 98

Nitrate

WATER TABLE (IIB2)
U. CONGAREE (IIA)

BARNWELL (IIB1)
U. CONGAREE (IIA)(R)

PDWS 10,000 µg/L
empty space denotes no data or dry well;
(R) denotes a replacement well

CLUSTER - FSB 99

Nitrate

PDWS 10,000 $\mu\text{g/L}$
 empty space denotes no data or dry well

FSB100A

Nitrate

PDWS 10,000 µg/L
empty space denotes no data or dry well

FSB101A

Nitrate

U. CONGAREE (IIA)

PDWS 10,000 µg/L
empty space denotes no data or dry well

FSB102C

Nitrate

PDWS 10,000 µg/L
empty space denotes no data or dry well

FSB103C

Nitrate

PDWS 10,000 µg/L
empty space denotes no data or dry well

CLUSTER - FSB104

Nitrate

PDWS 10,000 µg/L
empty space denotes no data or dry well

CLUSTER - FSB105

Nitrate

PDWS 10,000 µg/L
 empty space denotes no data or dry well;
 (R) denotes a replacement well

CLUSTER - FSB106

Nitrate

PDWS 10,000 µg/L
empty space denotes no data or dry well

CLUSTER - FSB107

Nitrate

PDWS 10,000 µg/L
empty space denotes no data or dry well

FSB108D

Nitrate

WATER TABLE (IIB2)

PDWS 10,000 µg/L
empty space denotes no data or dry well

FSB109D

Nitrate

--- WATER TABLE (IIB2)

PDWS 10,000 µg/L
empty space denotes no data or dry well

CLUSTER - FSB110

Nitrate

PDWS 10,000 µg/L
empty space denotes no data or dry well

CLUSTER - FSB111

Nitrate

PDWS 10,000 µg/L
empty space denotes no data or dry well

CLUSTER - FSB112

Nitrate

PDWS 10,000 µg/L
empty space denotes no data or dry well

CLUSTER - FSB113

Nitrate

PDWS 10,000 µg/L
empty space denotes no data or dry well

CLUSTER - FSB114

Nitrate

PDWS 10,000 µg/L
empty space denotes no data or dry well

CLUSTER - FSB115

Nitrate

PDWS 10,000 µg/L
empty space denotes no data or dry well

CLUSTER - FSB116

Nitrate

PDWS 10,000 µg/L
 empty space denotes no data or dry well

FSB117D

Nitrate

PDWS 10,000 µg/L
empty space denotes no data or dry well

FSB118D

Nitrate

PDWS 10,000 $\mu\text{g/L}$
empty space denotes no data or dry well

FSB119D

Nitrate

PDWS 10,000 $\mu\text{g/L}$
empty space denotes no data or dry well

CLUSTER - FSB120

Nitrate

PDWS 10,000 µg/L
empty space denotes no data or dry well

FSB121C

Nitrate

PDWS 10,000 µg/L
empty space denotes no data or dry well

CLUSTER - FSB122

Nitrate

—•— WATER TABLE (IIB2) —x— BARNWELL (IIB1)

PDWS 10,000 µg/L
empty space denotes no data or dry well

CLUSTER - FSB123

Nitrate

PDWS 10,000 µg/L
empty space denotes no data or dry well

CLUSTER FSB 76 pH

■ WATER TABLE (IIB2) ◆ BARNWELL (IIB1) × U. CONGAREE (IIA) ▲ L. CONGAREE (IIA)

Note: Breaks in lines indicate no data available.

CLUSTER FSB 88 pH

Note: Breaks in lines indicate no data available.

FSB 96 pH

Note: Breaks in lines indicate no data available.

CLUSTER FSB 99 pH

Note: Breaks in lines indicate no data available.

FSB102C (BARNWELL, IIB1) pH

Note: Breaks in lines indicate no data available.

FSB103C (BARNWELL, IIB1) pH

Note: Breaks in lines indicate no data available.

CLUSTER FSB107 pH

Note: Breaks in lines indicate no data available.

CLUSTER - FSB 76

Tritium

--- WATER TABLE (IIB2)
 --- L. CONGAREE (IIA)

--- BARNWELL (IIB1)
 --- U. CONGAREE (IIA)

PDWS 20 pCi/mL
 empty space denotes no data or dry well

FSB 77 Tritium

PDWS 20 pCi/mL
empty space denotes no data or dry well

CLUSTER - FSB 78

Tritium

—•— WATER TABLE (IIB2)
 —△— U. CONGAREE (IIA)

—x— BARNWELL (IIB1)
 —x— L. CONGAREE (IIA)

PDWS 20 pCi/mL
 empty space denotes no data or dry well

CLUSTER - FSB 79

Tritium

PDWS 20 pCi/mL
empty space denotes no data or dry well

CLUSTER - FSB 87

Tritium

PDWS 20 pCi/mL
empty space denotes no data or dry well

CLUSTER - FSB 88

Tritium

PDWS 20 pCi/mL
empty space denotes no data or dry well

CLUSTER - FSB 89

Tritium

PDWS 20 pCi/mL
empty space denotes no data or dry well

CLUSTER - FSB 90

Tritium

—•— WATER TABLE (IIB2) —x— BARNWELL (IIB1)

PDWS 20 pCi/mL
empty space denotes no data or dry well

CLUSTER - FSB 91

Tritium

PDWS 20 pCi/mL
empty space denotes no data or dry well

FSB 92D Tritium

PDWS 20 pCi/mL
empty space denotes no data or dry well

CLUSTER - FSB 93

Tritium

PDWS 20 pCi/mL
empty space denotes no data or dry well

CLUSTER - FSB 94

Tritium

+ WATER TBL (IIB2) (R) x BARNWELL (IIB1)

PDWS 20 pCi/mL
 empty space denotes no data or dry well;
 (R) denotes a replacement well

CLUSTER - FSB 95

Tritium

PDWS 20 pCi/mL
 empty space denotes no data or dry well;
 (R) denotes a replacement well

CLUSTER - FSB 96

Tritium

PDWS 20 pCi/mL
 empty space denotes no data or dry well;
 (R) denotes a replacement well

CLUSTER - FSB 97

Tritium

PDWS 20 pCi/mL
empty space denotes no data or dry well

CLUSTER - FSB 98

Tritium

—•— WATER TABLE (IIB2)
 —△— U. CONGAREE (IIA)

—x— BARNWELL (IIB1)
 —x— U. CONGAREE (IIA)(R)

PDWS 20 pCi/mL
 empty space denotes no data or dry well;
 (R) denotes a replacement well

CLUSTER - FSB 99

Tritium

PDWS 20 pCi/mL
empty space denotes no data or dry well

FSB100A

Tritium

PDWS 20 pCi/mL
empty space denotes no data or dry well

FSB102C

Tritium

PDWS 20 pCi/mL
empty space denotes no data or dry well

FSB103C

Tritium

—*— BARNWELL (IIB1)

PDWS 20 pCi/mL
empty space denotes no data or dry well

CLUSTER - FSB104

Tritium

PDWS 20 pCi/mL
 empty space denotes no data or dry well

CLUSTER - FSB105

Tritium

PDWS 20 pCi/mL
 empty space denotes no data or dry well;
 (R) denotes a replacement well

CLUSTER - FSB106

Tritium

PDWS 20 pCi/mL
empty space denotes no data or dry well

CLUSTER - FSB107

Tritium

PDWS 20 pCi/mL
empty space denotes no data or dry well

FSB108D Tritium

PDWS 20 pCi/mL
empty space denotes no data or dry well

FSB109D Tritium

PDWS 20 pCi/mL
empty space denotes no data or dry well

CLUSTER - FSB110

Tritium

PDWS 20 pCi/mL
empty space denotes no data or dry well

CLUSTER - FSB111

Tritium

—•— WATER TABLE (IIB2) —x— BARNWELL (IIB1)

PDWS 20 pCi/mL
empty space denotes no data or dry well

CLUSTER - FSB112

Tritium

PDWS 20 pCi/mL
empty space denotes no data or dry well

CLUSTER - FSB113

Tritium

PDWS 20 pCi/mL
 empty space denotes no data or dry well

CLUSTER - FSB114

Tritium

PDWS 20 pCi/mL
empty space denotes no data or dry well

CLUSTER - FSB115

Tritium

PDWS 20 pCi/mL
empty space denotes no data or dry well

CLUSTER - FSB116

Tritium

PDWS 20 pCi/mL
empty space denotes no data or dry well

FSB117D

Tritium

—•— WATER TABLE (IIB2)

PDWS 20 pCi/mL
empty space denotes no data or dry well

FSB118D Tritium

PDWS 20 pCi/mL
empty space denotes no data or dry well

FSB119D Tritium

WATER TABLE (IIB2)

PDWS 20 pCi/mL
empty space denotes no data or dry well

CLUSTER - FSB120

Tritium

PDWS 20 pCi/mL
empty space denotes no data or dry well

FSB121C

Tritium

BARNWELL (IIB1)

PDWS 20 pCi/mL
empty space denotes no data or dry well

CLUSTER - FSB122

Tritium

PDWS 20 pCi/mL
 empty space denotes no data or dry well

CLUSTER - FSB123

Tritium

PDWS 20 pCi/mL
empty space denotes no data or dry well

Appendix F – Hydrographs

CLUSTER - FSB 76

Water Elevations

—•— WATER TABLE (IIB2)
 —△— U. CONGAREE (IIA)
 —x— BARNWELL (IIB1)
 —z— L. CONGAREE (IIIA)

empty space denotes no data or dry well

FSB 77

Water Elevations

—•— WATER TABLE (IIB2)

empty space denotes no data or dry well

CLUSTER - FSB 78

Water Elevations

empty space denotes no data or dry well

CLUSTER - FSB 79

Water Elevations

—•— WATER TABLE (IIB2)
 —△— U. CONGAREE (IIA)
 —x— BARNWELL (IIB1)
 —x— L. CONGAREE (IIA)

empty space denotes no data or dry well

CLUSTER - FSB 87

Water Elevations

—•— WATER TABLE (IIB2) —x— BARNWELL (IIB1)
 -△- U. CONGAREE (IIA) -x- L. CONGAREE (IIA)

empty space denotes no data or dry well

CLUSTER - FSB 88

Water Elevations

empty space denotes no data or dry well

CLUSTER - FSB 89

Water Elevations

—•— WATER TABLE (IIB2) —x— BARNWELL (IIB1)

empty space denotes no data or dry well

CLUSTER - FSB 90

Water Elevations

empty space denotes no data or dry well

CLUSTER - FSB 91

Water Elevations

—•— WATER TABLE (IIB2) —x— BARNWELL (IIB1)

empty space denotes no data or dry well

FSB 92D Water Elevations

empty space denotes no data or dry well

CLUSTER - FSB 93

Water Elevations

—•— WATER TABLE (IIB2) —x— BARNWELL (IIB1)

empty space denotes no data or dry well

CLUSTER - FSB 94

Water Elevations

—+— WATER TBL (IIB2) (R) —x— BARNWELL (IIB1)

empty space denotes no data or dry well;
(R) denotes a replacement well

CLUSTER - FSB 95

Water Elevations

empty space denotes no data or dry well;
(R) denotes a replacement well

CLUSTER - FSB 96

Water Elevations

△ U. CONGAREE (IIA) x U. CONGAREE (IIA)(R)

empty space denotes no data or dry well;
(R) denotes a replacement well

CLUSTER - FSB 97

Water Elevations

empty space denotes no data or dry well

CLUSTER - FSB 98

Water Elevations

empty space denotes no data or dry well;
(R) denotes a replacement well

CLUSTER - FSB 99

Water Elevations

FSB100A

Water Elevations

△ U. CONGAREE (IIA)

empty space denotes no data or dry well

FSB101A

Water Elevations

△ U. CONGAREE (IIA)

empty space denotes no data or dry well

FSB102C

Water Elevations

—x— BARNWELL (IIB1)

empty space denotes no data or dry well

FSB103C

Water Elevations

—x— BARNWELL (IIB1)

empty space denotes no data or dry well

CLUSTER - FSB104

Water Elevations

CLUSTER - FSB105

Water Elevations

—•— WATER TABLE (IIB2) —+— WATER TBL (IIB2) (R) —*— BARNWELL (IIB1)

empty space denotes no data or dry well;
(R) denotes a replacement well

CLUSTER - FSB106

Water Elevations

empty space denotes no data or dry well

CLUSTER - FSB107

Water Elevations

empty space denotes no data or dry well

FSB108D

Water Elevations

—•— WATER TABLE (IIB2)

empty space denotes no data or dry well

FSB109D

Water Elevations

—•— WATER TABLE (IIB2)

empty space denotes no data or dry well

CLUSTER - FSB110

Water Elevations

—•— WATER TABLE (IIB2) —x— BARNWELL (IIB1)

empty space denotes no data or dry well

CLUSTER - FSB111

Water Elevations

empty space denotes no data or dry well

CLUSTER - FSB112

Water Elevations

—•— WATER TABLE (IIB2) —x— BARNWELL (IIB1) —△— U. CONGAREE (IIA)

empty space denotes no data or dry well

CLUSTER - FSB113

Water Elevations

—•— WATER TABLE (IIB2) —x— BARNWELL (IIB1) —△— U. CONGAREE (IIA)

empty space denotes no data or dry well

CLUSTER - FSB114

Water Elevations

empty space denotes no data or dry well

CLUSTER - FSB115

Water Elevations

empty space denotes no data or dry well

CLUSTER - FSB116

Water Elevations

—•— WATER TABLE (IIB2) —x— BARNWELL (IIB1)

empty space denotes no data or dry well

FSB117D

Water Elevations

—•— WATER TABLE (IIB2)

empty space denotes no data or dry well

FSB118D

Water Elevations

--- WATER TABLE (IIB2)

empty space denotes no data or dry well

FSB119D

Water Elevations

empty space denotes no data or dry well

CLUSTER - FSB120

Water Elevations

empty space denotes no data or dry well

FSB121C

Water Elevations

—x— BARNWELL (IIB1)

empty space denotes no data or dry well

CLUSTER - FSB122

Water Elevations

—•— WATER TABLE (IIB2) —x— BARNWELL (IIB1)

empty space denotes no data or dry well

CLUSTER - FSB123

Water Elevations

—•— WATER TABLE (IIB2) —x— BARNWELL (IIB1)

empty space denotes no data or dry well

END

**DATE
FILMED**

3 / 18 / 93