DOE/ER/61233-2

DOE/ER/61233--2

CHROMOSOME-SPECIFIC cDNAs/STSs

DE93 011534

Progress Report
for the Period of March 1st 1992 to February 28th, 1993

Marcelo Bento Soares (PI) and Argiris Efstratiadis (Co-PI)

Columbia University
722W 168th St, Box#41, New York, N.Y. 10032

October 1992

Prepared for

THE U.S. DEPARTMENT OF ENERGY
AGREEMENT No. DE-FG02-91ER61233

10/10/92
10/10/92
TI

MASTER

eb
DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED

NOTICE

This report was prepared as an account of work sponsored by the United States Government. Neither the United States nor the Department of Energy, nor any of their employees, nor any of their contractors, subcontractors, or their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product or process disclosed or represents that its use would not infringe privately-owned rights.

ABSTRACT

This project has three main goals: (1) to construct high-quality normalized cDNA libraries from human tissues, (2) to develop methods for isolation of chromosome-specific cDNAs, (3) to contribute sequence information to the expanding cDNA/EST database.

In our previous report submitted in November 1991, we described the construction of a human infant brain cDNA library with several desirable features: (a) very high complexity, (b) short poly (A) tails; (c) long size inserts; (d) undetectable co-cloning events; (e) low background of non-recombinants.

This library was distributed to the following DOE supported laboratories : (a) Dr. Craig Venter (then at NIH); (b) Dr. James Sikela (University of Colorado); (c) Radomir Crkvenjakov (Argonne National Laboratory); (d) Greg Lennon (Lawrence Livermore). Over 2,000 ESTs have already been successfully derived from this library by this joint effort. As a result, this library has become one of the best characterized thus far. For example, Craig Venter's group only found one non-recombinant clone among 1,600 randomly picked clones. Over 900 clones were digested for determination of insert length: the average size is 1.7 kb. Chimeric clones have not been detected yet.

Since the submission of the last report we made significant progress in two fronts: normalization of cDNA libraries and identification of chromosome-specific cDNAs. These results are summarized below.

Percent efforts: The PI and Co-PI devoted 80% and 10% of their times to this project, respectively. The same percent efforts are expected to be devoted by both the PI and Co-PI during the third budget period.

cDNA Library Normalization

Having established the protocol to construct high quality cDNA libraries, I started devoting very major effort into the development of a method to normalize cDNA libraries constructed in phagemid vectors. Very recently I have succeeded in normalizing the infant brain cDNA library. Briefly, this method involves priming of the library in the form of single-stranded circles with a Not I-oligo (dT) primer and controlled extensions with Klenow in the presence of dNTPs and ddNTPs. After purification of the partial duplexes over HAP, melting and reannealing to a moderate Cot, unhybridized (normalized) single-stranded circles are purified by HAP and electroporated into bacteria, generating a normalized library. The extent of normalization of the infant brain cDNA library has been determined by a series of screenings with probes that represent mRNAs from the 3 frequency classes. Following is a summary of the results obtained thus far:

FREQUENCIES OF cDNA CLONES IN THE INFANT BRAIN LIBRARY BEFORE AND AFTER NORMALIZATION

cDNA clone	FREQUENCIES	
	BEFORE NORMALIZATION	AFTER NORMALIZATION
Elongation factor 1 α	4.6%	0.04%
α Tubulin	3.7%-4.4%	0.045%
β -Tubulin	2.9%	0.4%
Myelin Basic Protein	1%	0.09%
γ -actin	0.35 %	0.1%
Aldolase	0.6%	0.03%
Hsp 89	0.4%	0.05%
Secretogranin	0.07-0.1%	0.01%
Cot109+103bio20unknown	0.08%	0.005%
CH13-cDNA#20	0.02%	0.02%
Cot109+103#4 unknown	0.014%	0.005%
Histone H2b.1	0.014%	0.015%
CH13-cDNA#8	0.01%	0.035%

MAP		0.0033%
Cot 250#1 unknown	0.008%	0.015%
Cot 8-16 # 103 unknown	not determined	0.013%
Cot 8-16 # 120 unknown	not determined	0.003%
Cot 8-16 # 122 unknown	not determined	0.007%
Cot 8-16 # 138 unknown	not determined	0.02%
YAC4 cDNA#1		0.006%
MAP		0.0033%

Additional normalized libraries obtained after reassociation to different Cot values are also under characterization. As soon as these preliminary analyses are completed, and I know which Cot value resulted in the best extent of normalization, the normalized library will be made available to the entire scientific community.

Chromosome-specific cDNAs

Another major goal under this DOE-supported project has been the development of a method for identification of transcribed sequences in the human genome. We have successfully developed such a method, which we applied for the identification of Chromosome 13 cDNAs. Briefly, in this method a normalized cDNA library, in the form of single-stranded circles, is hybridized to a filter immobilized chromosome 13 phage library and cDNA/ λ pairs are visualized by subsequent hybridization with a vector probe. Both members of a cDNA/ λ pair are then simultaneously isolated: the λ clone is purified by standard procedures, and the cDNA circles are eluted off the filter and electroporated into bacteria. Verification of correct cDNA selection is done by back hybridization with the corresponding λ clone. While the λ clone is used as a probe to position the gene to a cytogenetic band by in situ hybridization, the corresponding cDNA is sequenced from both ends for tentative gene function identification. We have identified over 10 chromosome 13 genes by this procedure. A manuscript describing this method and the chromosome 13 genes that were identified is in preparation.

Sequencing effort

While optimizing the protocols to normalize cDNA libraries, a number of quasi-normalized libraries were generated and partially characterized by single-pass sequencing from the 3' end. This effort yielded a number of ESTs which are being deposited into the NCBI/Genbank databases.

END

**DATE
FILMED**

5 / 11 / 93