Technical Progress Report

TITLE: RESEARCH IN THEORETICAL PHYSICS

P.I.: Don Robson, Florida State University, Tallahassee, FL 32306

Tony Williams, Florida State University, Tallahassee, FL 32306

D.O.E. Award No. DEFG-05-86-ER-40273

Period: March 1, 1990 - present.

I. Overall Progress

A. Hamiltonian Lattice Gauge Theory in 3+1 dimensions

Recent work in QCD using Monte Carlo techniques has benefited from the addition in May 1990 of a graduate student - George Frichter. Using both the SCRI-Cray and recently purchased DEC- 5000 workstations we have obtained reliable statistics for scalar (0^{++}) glueball states for a pure gluon Hamiltonian which has an exact vacuum state. Mass eigenvalues are minimized within a basis set of eleven non-orthogonal states which includes the single plaquette excitation plus ten possible double plaquette states sharing at least one link. Results show no evidence of asymptotic scaling and the need for new basis states encompassing more plaquettes.

The extension of the basis to include larger loops encompassing at least three plaquettes will involve choosing a subset of all possible states. Since there are very strong correlations between states (i.e., their overlaps are over 90%) we anticipate a subset will be adequate to obtain accurate upper bounds on eigenvalues. Formal aspects of finding lower bounds are being studied.

B. Hadronic Models

The inclusion of strange quarks into the chiral potential model¹⁾ is the Ph.D. project of Allison Haydel. One particular objective is to understand the meson-nucleon sigma terms $\Sigma_{\pi N}$ and Σ_{KN} . The standard quark- model approach using lowest order theory for the chiral symmetry breaking part of the QCD Lagrangian seriously underestimates the value of $\Sigma_{\pi N}$. Attempts to reduce the discrepancy involve modifying the treatment of the strange quark sea to allow for possible non-linearities in the behavior of static properties of the nucleon as one approaches the infra-red regime. Quark core contributions to the energy eigenvalues of SU(3) octet baryons have been calculated. Some meson effects have been incorporated via quark self-energy corrections to the eigenvalues. A form for the sigma term has been derived for the model we are using.

Work in the coming period will involve calculating the static properties of the baryon octet in order to set the values of model parameters. Meson effects will be incorporated order by order into the Hamiltonian and the nucleon ground state. At each order the sigma term can be calculated so that the trends will provide insight into the strange quark content of the nucleon. Models with correlated quark confinements are also being studied.

The Ph.D. work of Joe Hoffmann is complete. The description of $\vec{p}+\vec{p}$ elastic scattering observables at high momentum transfer has been accepted for publication in the Physical Review. This work shows that the effects of absorption dominate the elastic scattering observables and therefore exclusive processes of this type cannot be described by simple perturbative QCD.

Covariant models are being developed^{2,3-5)} by Tony Williams and new graduate students - Fred Hawes, Joel Parramore and Sameer Tipnis. Particular interest has been given to the computational solution of the Schwinger-Dyson equation for the quark self-energy using dressed gluon propagators which have the large momentum transfer limits appropriate to perturbative QCD. Improved calculations of dynamical chiral symmetry breaking using coupled integral equations rather than the traditional approximation involving the solution of a simpler single differential equation have been carried out with G. Krein and C. Roberts. The quark mass function has been calculated as a function of momentum squared for several perturbative QCD masses. The quark mass function changes by over twelve orders of magnitude and in each case reproduces the correct perturbative QCD behavior in the asymptotically free regime. Other physical quantities have also been calculated and good agreement with experimental values achieved. These have been further extended with F. Hawes by including an improved quark-gluon vertex related to QCD gauge invariance. Calculations use the CRAY Y-MP, the DECstation 5000's and preliminary investigations are being undertaken on the Connection Machine.

The calculation⁶⁾ of the ϕ -production cross section in electron-proton and ν -proton scattering as a means of probing the strangeness content of the nucleon are being done with E. Henley and G. Krein. The calculations involve a four dimensional phase space integral which has been evaluated on the DECstation 5000's. Extensions of these calculations to more complex nuclear targets and to polarization experiments are currently being pursued. This research provides a natural connection with the CEBAF interests of the experimental nuclear physics group at F.S.U.

II. New Developments

The addition of Jorge Pickarwicz as a CEBAF/SCRI Research Scientist and Adam Szczepaniak as a post-doctoral Research Associate on this contract in the past few weeks has increased our manpower and collaborative efforts significantly. The number of new students (4) interested in this area is also very significant and perhaps more than we can

handle via DOE funds. Fortunately Allison Haydel is partially supported by a CEBAF fellowship for the period August 90-August 91 and has reapplied for what should be her last year before graduation. Also Fred Hawes has a SCRI fellowship. Currently George Frichter is supported by the contract and the physics department is supporting Joel Parramore and Sameer Tipnis. The addition of DECstation 5000 workstations has provided the necessary computational power for the group. A stronger overlap with CEBAF is being developed via a workshop at F.S.U. in December 1990. The next year should see lots of good research being tackled as we have a stable manpower situation and appropriate computer resources.

Recent Publications

1. T. Gutsche and D. Robson, Phys. Letts. B**229**, 333 (1989).
2. M. Encinosa and D. Robson, Phys. Letts. B**244**, 19 (1990).
3. D. Robson, Phys. Rev. Lett. **63**, 1890 (1989).
4. J. Hoffman and D. Robson, Phys. Rev. C, in press.
5. G. Krein and A.G. Williams, Mod. Phys. Lett. A**5**, 399 (1990).
6. G. Krein, P. Tang, L. Wilets, and A.G. Williams, Nucl. Phys. A., in press.

Additional Publications

1. D. Trcka, A.D. Frawley, K.W. Kemper, D. Robson, J.D. Fox and E.G. Myers, Phys. Rev. C**41**, 2134 (1990).
2. C.F. Moore *et al.*, submitted to Phys. Rev. C.
3. M. Encinosa and D. Robson, submitted to Nucl. Phys. A.
4. A.G. Williams, G. Krein, and C.D. Roberts, submitted to Phys. Rev. D.
5. G. Krein and A.G. Williams, submitted to Phys. Rev. D.
6. G. Krein and A.G. Williams, talk given at 1990 PANIC meeting.
7. E.M. Henley, G. Krein, and A.G. Williams, submitted to 1990 PANIC meeting.

References

1. T. Gutsche and D. Robson, Phys. Letts. B**229**, 333 (1989).
2. G. Krein and A.G. Williams, Mod. Phys. Lett. A**5**, 399 (1990).
3. A.G. Williams, G. Krein, and C.D. Roberts, submitted to Phys. Rev. D.
4. G. Krein and A.G. Williams, submitted to Phys. Rev. D.
5. G. Krein and A.G. Williams, talk given at 1990 PANIC meeting.
6. E.M. Henley, G. Krein, and A.G. Williams, submitted to 1990 PANIC meeting.

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

END

DATE FILMED

12 / 10 / 90