THEORETICAL INVESTIGATION AND CALCULATION OF CERTAIN ATOMIC AND
MOLECULAR PROCESSES IMPORTANT IN THE FORMATION AND DESTRUCTION OF
EXCITED STABLE GAS MOLECULES (OR EXCIMERS)

Final Report

MASTER

M. R. Flannery

School of Physics
Georgia Institute of Technology
Atlanta, Georgia

October 1, 1978 - November 30, 1979

DISCLAIMER

This book was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

PREPARED FOR THE DIVISION OF LASER FUSION
U. S. DEPARTMENT OF ENERGY
UNDER CONTRACT NO. DE-AS05-76DP40017
(formerly EY-76-S-05-5002)

DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED

EDB

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency Thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

DISCLAIMER

Portions of this document may be illegible in electronic image products. Images are produced from the best available original document.

Table of Contents

	page
1. Title and Abstract	1
2. Work performed and results obtained	2
3. Refereed papers published under contract	5

1. Title and Abstract

Title: Theoretical Investigation and Calculation of Certain Atomic and Molecular Processes Important in the Formation and Destruction of Excited Stable Gas Molecules (or Excimers).

Abstract: The work performed during the contract period 1 October 1978 - 30 November 1979 is fully documented and is as follows:

(a) Atomic and Molecular Collision Processes in Rare-Gas-Halide Lasers and Rare-Gas Excimer Lasers.

(b) Semiquantal Treatment of Excited-Atom-Excited-Atom Collisions.

(c) Systematic Trends in the Inelastic Cross Sections and Form Factors for $n\ell \rightarrow n'\ell'$ Direct Collisional Transitions.

(d) Multistate Semiclassical Orbital Treatment of Li^+-H_2 and H^+-H_2 Collisions.

(e) Elastic Scattering and Rotational Excitation in Ion-Molecule Collisions.

II. Li^+-H_2 and H^+-H_2 Collisions.

2. Work Performed and Results Obtained

The following topics were initiated and completed since the previous Technical Progress Report ORO-EY-76-S-05-5002/78 covering the period October 1, 1977 - September 30, 1978:

(A) Atomic and Molecular Collision Processes in Rare-Gas-Halide Lasers and Rare-Gas Excimer Lasers.

The key cycles of atomic and molecular collision processes contributing to the formation and quenching of the excited molecular states in exciplex (such as KrF^*) laser systems are delineated and discussed.

(B) Semiquantal Treatment of Excited-Atom-Excited-Atom Collisions.

The semiquantal treatment of collision processes such as $\text{H}(n\ell) + \text{H}(n_0\ell_0) \rightarrow \text{H}(n'\ell') + \text{H}^+ + e$ is described. The associated cross sections display systematic trends in the distribution over final angular momentum states in keeping with those previously predicted for $e\text{-H}(n\ell)$ inelastic collisions. Deexcitation between close-neighboring levels n and n' of the projectile (with simultaneous ionization of the target) is generally more rapid than the endothermic processes involving the reverse transition in the projectile and, as n is increased, becomes quite competitive with those processes associated with no internal-energy change in the projectile, particularly at the lower impact energies. The cross sections, with appropriate statistical weights, for forward and reverse transitions in the projectile tend to the same high-energy limit.

(C) Systematic Trends in the Inelastic Cross Sections and Form Factors for $n\ell \rightarrow n'\ell'$ Direct Collisional Transitions.

Certain theoretical predictions are presented for the preferential population of final states with angular momentum ℓ' in collisions involving an initially excited atom. Varying ℓ' , we find that the maxima of both the inelastic form factors and cross sections for the $n\ell \rightarrow n'\ell'$ transitions in hydrogen,

induced by collision with electrons and heavy particles, in general, oscillate on a background which rises as ℓ' is increased, until they both attain a pronounced peak at a unique value $\ell'_{\max}$ which is strongly dependent on only the initial principal quantum number n and which is fairly insensitive to changes in ℓ and n' . An expression for $\ell'_{\max}$ is derived. For $\ell' > \ell'_{\max}$, the form factors and associated cross sections exhibit a dramatic decline, resulting in negligible population of those states. The predictions differ from those suggested by the Bethe high-energy asymptotic limit which favors dipole transitions, and assume significance in situations where excited states are important as in laser modeling, astrophysical and fusion plasmas, and in laboratory studies of excited Rydberg states. For heavy-particle ($n\ell \rightarrow n'\ell'$) collisional transitions the additional undulations which appear in the cross sections over a wide energy range are predicted and explained.

(D) Multistate Semiclassical Orbital Treatment of Li^+-H_2 and H^+-H_2

Collisions.

A semiclassical orbital description of elastic scattering and of rotational excitation in ion-molecule collisions is presented. Specific account is taken of interference effects between the classical trajectories that contribute to a given scattering angle, and of rainbow scattering. Excellent agreement with full quantal differential cross sections is obtained.

(E) Elastic Scattering and Rotational Excitation in Ion-Molecule Collisions.

II. Li^+-H_2 and H^+-H_2 Collisions.

A general semiclassical treatment of elastic scattering and of rotational excitation in ion-molecule collisions is presented. When the orbits associated with the different channels corresponding to the internal modes do not differ significantly, simplification occurs and the internal degrees of freedom can then be coupled to the relative motion via the introduction of an optical

potential (which in turn depends on the transition amplitudes). Total energy is consequently conserved. An expression is derived for the inelastic scattering amplitude which acknowledges various interference effects and possible rainbow scattering. With all phase-information suppressed, the procedure, when compared with the full quantum-mechanical results, reproduces the background elastic and inelastic scattering in $\text{Li}^+\text{-H}_2$ and in $\text{H}^+\text{-H}_2$ collisions. Restoration of the phases, particularly of the eikonal or action phases associated with the different classical paths that contribute to a specified scattering angle, produces the interference oscillations present in the differential cross section for scattering angles less than the rainbow angle. The method, when compared with the full quantal procedure, is remarkably efficient and accurate.

3. Refereed Papers Published Under Contract.

Since the initiation of contract DE-AS05-76DP40017 (formerly EY-76-S-05-5002) on October 1, 1976 until its completion on September 30, 1979 the following work has been completed, written up for publication and published:

1. "Molecular Charge Transfer Reactions of Tritium," with T. F. Moran, K. J. McCann and D. L. Albritton, J. Chem. Phys. 65, 3172-80 (1976).
2. "Formation of Vibrationally Excited Neutral Molecules in Charge Transfer Reactions," with T. F. Moran, J. Phys. B (Atom. Molec. Phys.) 9, 1509-12 (1976).
3. "The Effect of Reactant Vibrational State on Differential Charge Transfer Cross Sections for $T_2^+(X^2 \Sigma_g^+, v'_0) + T_2(X^1 \Sigma_g^+, v'')$ Collisions," with K. J. McCann and T. F. Moran, Chem. Phys. Letts. 39, 374-78 (1976).
4. "Ionic Recombination," in Atomic Processes and Applications, ed. P. B. Burke and B. L. Moiseiwitsch (Amsterdam, North Holland) pp. 407-466 (1976).
5. "Cross Sections for Ionization of Metastable Rare Gas Atoms (Ne^* , Ar^* , Kr^* , Xe^*) and of Metastable N_2 and CO^* by Electron Impact," with D. Ton-That, Phys. Rev. A 16, 517-26 (1977).
6. "Photoionization of Vibrationally Excited Molecular Hydrogen," with H. Tai, Phys. Rev. A 16, 1124-1135 (1977).
7. "Photoionization of Metastable Rare-Gas Atoms (He^* , Ne^* , Ar^* , Kr^* , Xe^*)," with K. J. McCann, Appl. Phys. Letts. 31, 599-601 (1977).
8. "Cross Sections for the Photoionization of $X_2(X^1 \Sigma_g^+, v_i=0-14)$ with the formation of $H_2^+(X^2 \Sigma_g^+, v_f=0-18)$, Vibrational Overlaps and R^n -Centroids ($n=1,2$) for the Associated $H_2(v_i) \rightarrow H_2^+(v_f)$ Vibrational Transitions," with H. Tai and D. L. Albritton, At. Data and Nucl. Data Tables 20, 563-585 (1977).
9. "Ionic Recombination of Rare-Gas Atomic Ions X^+ with F^- in a Dense Gas X ," with T. P. Yang, Appl. Phys. Letts. 32, 327-329 (1978).

10. "Ionic Recombination of Rare-Gas Molecular Ions X_2^+ with F^- in a Dense Gas X," with T. P. Yang, Appl. Phys. Letts. 32, 356-357 (1978).
11. "Three-Body Ion-Ion Recombination in Mercury-Halide Lasers," Chem. Phys. Letts. 56, 143-148 (1978).
12. "Ionic Recombination of Kr^+ and Kr_2^+ with F^- in Dense Buffer Rare Gases," with T. P. Yang, Appl. Phys. Letts. 33, 574-576 (1978).
13. "Elastic Scattering and Rotational Excitation in Ion-Molecule Collisions II, Li^+-H_2 and H^+-H_2 Collisions," with K. J. McCann, J. Chem. Phys. 69, 5275 (1978).
14. "Systematic Trends in the Inelastic Cross Sections and Form-Factors for $n\ell \rightarrow n'\ell'$ Direct Collisional Transitions," with K. J. McCann, J. Phys. B 12, 427 (1979).
15. "Multistate Semiclassical Orbital Treatment of Li^+-H_2 and H^+-H_2 Collisions," with K. J. McCann, Chem. Phys. Letts. 60, 523-527 (1979).
16. "Semiquantal Treatment of Excited Atom-Excited Atom Collisions," with K. J. McCann, Phys. Rev. A 19, 2206-2213 (1979).
17. "Atomic and Molecular Collision Processes in Rare-Halide Lasers and Rare Gas-Excimer Lasers," int. J. Quant. Chem.: Quant. Chem. Symp. 13, 501-529 (1979).

Reprints Removed -