JHU/APL
ANSP-M-22
DOE/NE 32140-22
March 1992

Copy No:

Aerospace Nuclear Safety Program

**Follow-up Investigations of
GPHS Motion During Heat
Pulse Intervals of Reentries from
Gravity-Assist Trajectories**

Johns Hopkins University Applied Physics Laboratory

DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency Thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

DISCLAIMER

Portions of this document may be illegible in electronic image products. Images are produced from the best available original document.

Disclaimer

This work was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product or process disclosed, or represents that its use would not infringe privately owned rights. References herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

JHU/APL
ANSP-M-22*
DOE/NE 32140-22
March 1992

Copy No:

Aerospace Nuclear Safety Program

Follow-up Investigations of GPHS Motion During Heat Pulse Intervals of Reentries from Gravity-Assist Trajectories

* Formerly Issued as

AM-92-D0022
BFD-2-92-012
March 23, 1992

Johns Hopkins University Applied Physics Laboratory
Johns Hopkins Road, Laurel, Maryland 20723-6099
Operating under Contract N00039-92-C-5301

MASTER

DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED

Follow-up Investigations of GPHS Motion During Heat Pulse Intervals of Reentries From Gravity-Assist Trajectories

Prepared by:

R. C. Sharbaugh

Approved by:

E. F. Lucero
Deputy Program Manager
Aerospace Nuclear Safety Program

March 1992

SUMMARY

Motion studies of the General Purpose Heat Source Module, GPHS, were conducted in the heat pulse intervals associated with entries from earth gravity assist trajectories. The APL six-degree-of-freedom reentry program designated TMAGRA6C was used. The objectives of the studies were to (1) determine whether the GPHS module entering the earth's atmosphere from an earth-gravity-assist trajectory has a preferred orientation during the heat pulse of reentry, (2) determine the effect of magnus force on the roll rate and angle of attack of the GPHS during an EGA entry, (3) determine the effect of the magnitude of pitch and roll damping on the GPHS motion.

For easy visualization of the initial conditions investigated and to provide a quick-look of the resulting motion, roll rate and angle of attack, the results are given in summary form in Tables 1 through 12. Selected values of initial pitch rate, roll rate, and combinations of these within the range 0 to 1000°/sec were investigated for initial reentry angles of -7° (shallow), and -30° (intermediate), -50° (intermediate) and -90° (steep) and initial angles of attack of 0° (broadface to the wind), 30°, 45°, 75° and 90° (see List of Figures on page 5).

A sufficient number of reentry conditions (initial altitude, reentry angle, angle of attack, rotational motion, increased pitch and roll damping derivatives, increased magnus force) have been studied to deduce certain trends. The results show five GPHS orientations that predominate - all with some pitch oscillations and rolling motion. These are: angles of attack, $\alpha_R = 0^\circ, 30^\circ, 75^\circ, 90^\circ$ and tumbling. The largest percent of occurrence is for $\alpha = 0^\circ$ (broadside), approximately 42% of the cases investigated. The other cases, by and large, occur equally as frequently, between 10% and 20% of the time. The highest roll rate achieved in this study is 16000°/s.

In the majority of the cases examined, increases in pitch and roll damping seemed to have little or no effect on the angle of attack history. This investigation also verifies that magnus force and moment are not significant contributors to GPHS motion.

TABLE OF CONTENTS

	<u>Page</u>
LIST OF TABLES	3
LIST OF FIGURES	5
SYMBOLS AND NOMENCLATURE	6
BACKGROUND	7
OBJECTIVE	7
DISCUSSION	7
A. Initial Conditions	7
B. Geometry	8
C. General Trajectory Parameters	8
RESULTS	8
A. General	8
B. Effect of Zero Initial Rotational Rates	9
C. Effect of Pitch Rate	9
D. Effect of Roll Rate	11
E. Effect of Combined Initial Pitch and Roll Rates	13
F. Effect of Magnus Forces	15
G. Effect of Pitch and Roll Damping	16
CONCLUSIONS AND RECOMMENDATIONS	17
REFERENCES	19

LIST OF TABLES

<u>Title</u>	<u>Table No.</u>
Synopsis of α_R History and p_{max} During the GPHS Heat Pulse - $\gamma_o = -7^\circ$ $\alpha_{R_o} = 0^\circ$	1
Synopsis of α_R History and p_{max} During the GPHS Heat Pulse - $\gamma_o = -7^\circ$ $\alpha_{R_o} = 30^\circ$	2
Synopsis of α_R History and p_{max} During the GPHS Heat Pulse - $\gamma_o = -7^\circ$ $\alpha_{R_o} = 45^\circ$	3
Synopsis of α_R History and p_{max} During the GPHS Heat Pulse - $\gamma_o = -7^\circ$ $\alpha_{R_o} = 75^\circ$	4
Synopsis of α_R History and p_{max} During the GPHS Heat Pulse - $\gamma_o = -7^\circ$ $\alpha_{R_o} = 90^\circ$	5
Synopsis of α_R History and p_{max} During the GPHS Heat Pulse - $\gamma_o = -30^\circ$ $\alpha_{R_o} = 0^\circ$	6
Synopsis of α_R History and p_{max} During the GPHS Heat Pulse - $\gamma_o = -30^\circ$ $\alpha_{R_o} = 90^\circ$	7
Synopsis of α_R History and p_{max} During the GPHS Heat Pulse - $\gamma_o = -50^\circ$ $\alpha_{R_o} = 0^\circ$	8
Synopsis of α_R History and p_{max} During the GPHS Heat Pulse - $\gamma_o = -50^\circ$ $\alpha_{R_o} = 90^\circ$	9
Synopsis of α_R History and p_{max} During the GPHS Heat Pulse - $\gamma_o = -90^\circ$ $\alpha_{R_o} = 0^\circ$	10
Synopsis of α_R History and p_{max} During the GPHS Heat Pulse - $\gamma_o = -90^\circ$ $\alpha_{R_o} = 45^\circ$	11

LIST OF TABLES (Cont'd)

Synopsis of α_R History and p_{max} During the GPHS	
Heat Pulse - $\gamma_o = -90^\circ$ $\alpha_{R_o} = 90^\circ$	12
Effect of Magnus Force on Reentry Motion of GPHS	13
Frequency of Occurrence of Average Angle of Attack	14

LIST OF FIGURES

<u>General Description</u>	<u>Figure No.</u>
Altitude - Gamma Inputs	1-2
Geometry	3-4
Axis System	5
Altitude, Mach number, Deceleration and Dynamic Pressure Histories	6-21
Effect of Pitch Rate	
• $\gamma_o = -7^\circ : \alpha_o = 0^\circ, 30^\circ, 45^\circ, 75^\circ, 90^\circ$	22-49
• $\gamma_o = -30^\circ : \alpha_o = 0^\circ, 90^\circ$	50-61
• $\gamma_o = -50^\circ : \alpha_o = 0^\circ, 90^\circ$	62-73
• $\gamma_o = -90^\circ : \alpha_o = 0^\circ, 45^\circ, 90^\circ$	74-91
Effect of Roll Rate	
• $\gamma_o = -7^\circ : \alpha_o = 0^\circ, 90^\circ$	92-107
• $\gamma_o = -30^\circ : \alpha_o = 0^\circ, 90^\circ$	108-119
• $\gamma_o = -50^\circ : \alpha_o = 0^\circ, 90^\circ$	120-131
• $\gamma_o = -90^\circ : \alpha_o = 0^\circ, 45^\circ, 90^\circ$	132-145
Effect of Combined Pitch and Roll Rate	
• $\gamma_o = -7^\circ : \alpha_o = 0^\circ, 30^\circ, 45^\circ, 75^\circ, 90^\circ$	146-179
• $\gamma_o = -30^\circ : \alpha_o = 0^\circ, 90^\circ$	180-193
• $\gamma_o = -50^\circ : \alpha_o = 0^\circ, 90^\circ$	194-207
• $\gamma_o = -90^\circ : \alpha_o = 0^\circ, 45^\circ, 90^\circ$	208-229
Effect of Pitch and Roll Damping	230-237

SYMBOLS AND NOMENCLATURE

(See Figure 5 for direction of forces, moments, and angles.)

C_m	pitching moment coefficient, $C_m = \frac{\text{Pitching moment (in-lbs)}}{\bar{q}SL}$	
C_{l_p}	roll damping coefficient, $C_{l_p} = \frac{\partial C_l}{\partial \left[\frac{\dot{\phi}L}{V} \right]}$	(per/rad)
C_{m_q}	pitch damping coefficient, $C_{m_q} = \frac{\partial C_m}{\partial \left[\frac{\dot{\theta}L}{V} \right]}$	(per/rad)
H	altitude	ft
H5	approximate altitude at end of heat pulse	ft
L	reference length, 3.826 inches	
$p (\dot{\phi})$	roll rate	deg/s
$q (\dot{\theta})$	pitch rate	deg/s
$\bar{q}$	dynamic pressure	lbs/ft ²
$r (\dot{\psi})$	yaw rate	deg/s
S	reference area, 0.0975 ft ²	
t5	approximate time at end of heat pulse	secs
V	velocity	ft/s
$\alpha_R (\alpha)$	resultant angle-of-attack; angle between x axis of GPHS and velocity vector (see Figure 5)	deg
γ	flight path angle measured negatively from the local horizontal to the velocity vector (γ_o is initial flight path or reentry angle)	deg
Subscripts		
o	initial conditions	

BACKGROUND

The DoE Aerospace Nuclear Safety Community (including JHU/APL) expressed concern that the assumption of broadface trim attitude for the GPHS module in thermal analyses may not be valid. It was surmised that ablation would tend to destabilize the GPHS, thus broadface trim would not persist during the heat pulse.

A year ago a study was undertaken to investigate the effects that ablation had on reentry motion and to initiate a statistical investigation of the most probable angle of attack during the heat pulse (Reference 1). The study revealed that the most probable GPHS reentry angles of attack are $\alpha_R = 0^\circ$ (broadside to the wind), $\alpha_R = 30^\circ$, $\alpha_R = 90^\circ$ and tumbling. These analyses addressed only the extremes in reentry angle and angle of attack, i.e., 0° and $|90^\circ|$ and were also based on estimated damping characteristics at hypersonic speeds.

OBJECTIVE

It is the objective of this study to continue the investigation, using the JHU/APL 6 DOF Reentry Program, of the probable reentry orientation of GPHS during the heat pulse resulting from Earth Gravity Assist (EGA) entry. The effects of initial pitch, yaw and roll rates, p_0 , q_0 , r_0 , reentry angle (γ_0), and angle of attack (α_0) investigated herein complement the original statistical investigations of a year ago (Reference 1).

The effects of magnitude of pitch and roll damping and magnus forces are also explored.

DISCUSSION

A. Initial Conditions

The 6 DOF Reentry Program used in this study was developed to allow for varying aerodynamic characteristics and mass properties thus permitting investigation of the effects of ablation, References 2 and 3. This was done by programming a linear variation with an altitude parameter, H5, of the aerodynamic coefficients, C_x , and mass properties, Reference 2. The parameter H5 is the altitude at the end of the heat pulse, Figure 1. The value of H5 is primarily dependent on γ_0 and only weakly dependent on the initial altitude H_0 . The initial altitude is taken from the breakup altitude - γ_0 charts for various entry velocities, V_0 , as generated by JPL. The most likely entry velocity of 46720 ft/s was selected for the JHU/APL thermal studies. For this value of V_0 , D. W. Conn developed, Reference 4, from the JPL results the $H_0 - \gamma_0$ charts of Figure 2 - which were used in the thermal studies for LWRHU and GPHS and are used here for consistency. To recap, for these studies, the initial velocity for all cases is 46720 ft/s; the $H_0 - \gamma_0$ relation is given in Figure 2; and, the

aerodynamic coefficients and mass properties are linearized between H_0 and H_5 (Figure 1) for ablation effects according to Reference 2.

B. Geometry

The initial geometry is, of course, the baseline configuration, Figure 3. The aerodynamics of the ablated body were taken from test configurations patterned after a GPHS module intentionally ablated completely on the broadface, Reference 5, as shown in Figure 4. No ablation data are available for other orientations thus the ablation effects are crude approximations.

Figure 5 shows the body axis system used in the simulation.

C. General Trajectory Parameters

For reference, altitude, Mach number, deceleration and dynamic pressure histories are given for the EGA trajectories in Figures 6 through 21 for $\gamma_0 = -7^\circ, -30^\circ, -50^\circ, \text{ and } -90^\circ$. For a given angle of attack, the effect of initial rates on these parameters is minimal.

RESULTS

A. General

The results of the 6 DOF motion studies for selected EGA trajectory reentries are presented in summary in Tables 1 to 13 and in detail in Figures 22 to 237. The histories of the resultant angle-of-attack, α_R , and roll rate, p , are the primary parameters considered. The combinations of γ_0 , α_0 , p_0 and q_0 were selected on the basis of the observed results for previous cases rather than running arbitrary combinations. This process provides maximum information for minimum cost. On the selection of γ_0 , the intermediate values were selected on the basis of the trends with γ_0 predicted for recession and heating rates.

In Tables 1 through 12 an attempt is made to summarize the history of angle-of-attack and roll rate for the twelve initial orientations investigated. This summary gives initial conditions, and rough averages of the varying angle-of-attack along with approximate deviations. It also gives the highest roll rate achieved. Where averages do not represent the history of the entire heat pulse interval, Tables 1-12 give the approximate condition for the first period of the heat pulse and the condition of the second period.

Some differences in roll rate between previously published results and present results may be detected. The reason for this is that in the previous simulations a term in the rolling moment equation was inadvertently omitted. The general conclusions for angle of attack were not significantly changed by this omission. The roll rate is lower than previously published.

The most predominant angles of attack through the heat pulse are on the average $\alpha = 0^\circ$ (broadside stable), 30° , 75° , 90° (side on) and tumbling. Pending additional studies, these angles are recommended for thermal and thermo-structural modelling and analysis. All cases have pitch and roll motion associated with this average angle of attack.

B. Effect of Zero Initial Rotational Rates; $p_o = q_o = r = 0^\circ/\text{s}$

For zero initial rotational motion and $\alpha_{R_o} = 0^\circ, 30^\circ, 45^\circ, 75^\circ, 90^\circ$, when $\gamma_o = -7^\circ, -30^\circ, -50^\circ$, and -90° , the angle of attack gradually increases or continuously dampens out to $\alpha = 5^\circ$ at the end of their respective heat pulses, H5. In all of these cases the final roll rate is less than $2000^\circ/\text{s}$.

C. Effect of Pitch Rate; $p_o = r_o = 0^\circ/\text{s}$ (Figures 22 through 91)

1. $\gamma_o = -7^\circ; \alpha_{R_o} = 0^\circ$

For shallow reentry, and initial pitch rate of $250^\circ/\text{s}$, α_R oscillates early in the heat pulse then dampens out to 10° at H5, the resulting roll rate is zero, Figures 24 and 25. If $q_o = 400^\circ/\text{s}$ for the present case, the GPHS starts tumbling mid-way through the heat pulse then α_R dampens out to $75^\circ \pm 25^\circ$ with a roll rate at end of heat pulse of $10000^\circ/\text{s}$, Figures 26 and 27. For higher initial pitch rates, $q_o = 700^\circ/\text{s}$ and $1000^\circ/\text{s}$, the GPHS tumbles for most of the heat pulse then assumes an average angle of attack of $75^\circ \pm 25^\circ$ at H5, Figures 28 and 30; the roll rate is $6500^\circ/\text{s}$ in both cases, Figures 29 and 31.

2. $\gamma_o = -7^\circ; \alpha_{R_o} = 75^\circ$

For an initial pitch rate of $400^\circ/\text{s}$, the angle of attack tumbles early in the heat pulse then gradually dampens out to $30^\circ \pm 20^\circ$ at H5, where the final roll rate is $4500^\circ/\text{s}$, Figures 38 and 39.

3. $\gamma_o = -7^\circ; \alpha_{R_o} = 90^\circ$

When the initial pitching rate is $\leq 400^\circ/\text{s}$, α_R dampens out to $75^\circ \pm 25^\circ$ at the end of heat pulse and the roll rates are approximately $10000^\circ/\text{s}$, Figures 42 through 45. For initial pitch rates of $700^\circ/\text{s}$ and $1000^\circ/\text{s}$, the GPHS tumbles during almost the entire heat pulse then dampens out to $90^\circ \pm 20^\circ$ and $75^\circ \pm 25^\circ$ respectively at end of heat pulse, H5, with resulting roll rates of $4000^\circ/\text{s}$ and $9000^\circ/\text{s}$, Figures 46 through 49.

4. $\gamma_o = -30^\circ; \alpha_{R_o} = 0^\circ$

When $\alpha_{R_o} = 0^\circ$ for an intermediate reentry, and initial pitch rates of $700^\circ/\text{s}$ and $1000^\circ/\text{s}$, the GPHS tumbles very early in the heat pulse then α_R rapidly damps out to 5° at the end of heat pulse, with final roll rates less than $\pm 1000^\circ/\text{s}$, Figures 52 through 55.

5. $\gamma_o = -30^\circ; \alpha_{R_o} = 90^\circ$

For an initial pitch rate of $400^\circ/\text{s}$, α_R continuously dampens out to $10^\circ \pm 5^\circ$ at H5, where the roll rate is $\pm 1000^\circ/\text{s}$, Figures 58 and 59. When $q_o = 1000^\circ/\text{s}$, the GPHS tumbles during the first half of the heat pulse then assumes a final angle of attack of $30^\circ \pm 20^\circ$; the final roll rate is $4500^\circ/\text{s}$, Figures 60 and 61.

6. $\gamma_o = -50^\circ; \alpha_{R_o} = 0^\circ$

The angle of attack history for an initial roll rate of $700^\circ/\text{s}$ is presented in Figure 64. It shows that α_R damps out gradually to a small value of $5^\circ \pm 5^\circ$. When $q_o = 1000^\circ/\text{s}$, α_R damps out to $25^\circ \pm 25^\circ$ at H5, Figure 66. The final roll rate in these two cases, $p_{\text{final}} = \pm 2000^\circ/\text{s}$, Figures 65 and 67.

7. $\gamma_o = -50^\circ; \alpha_{R_o} = 90^\circ$

For initial pitch rates, $q_o = 400^\circ/\text{s}$ and $1000^\circ/\text{s}$ and intermediate entry, $\gamma_o = -50^\circ$, the GPHS pitching motion continuously damps out to $\alpha_R \approx 10^\circ \pm 5^\circ$ at H5, Figures 70 and 72. At the end of the heat pulse the roll rates are zero, Figures 71 and 73.

8. $\gamma_o = -90^\circ; \alpha_{R_o} = 0^\circ$

When $q_o = 700^\circ/\text{s}$ and $1000^\circ/\text{s}$, α_R achieves its maximum amplitude during the early portion of the heat pulse, $\alpha_R \leq 150^\circ$, then damps out to $\alpha_R = 5^\circ \pm 5^\circ$, Figures 76 and 78. The roll rate at the end of the heat pulse is $p_o \leq 1000^\circ/\text{s}$, Figures 77 and 79.

9. $\gamma_o = -90^\circ; \alpha_{R_o} = 45^\circ$

For steep reentry, α_R averages approximately 30° throughout the heat pulse when the initial pitch rate is $700^\circ/\text{s}$, Figure 82. When the initial rate

is increased to 1000°/s, Figure 84, α_R damps out gradually to $\alpha_R \approx 5^\circ$ at the end of heat pulse following an initial rapid increase to 150°.

The final roll rate for these cases is less than 1000°/s.

10. $\gamma_o = -90^\circ; \alpha_{R_o} = 90^\circ$

Early in the heat pulse, when $q_o = 400^\circ/\text{s}$, α_R rises rapidly and oscillates about 150° before rapidly damping out to 5°, Figure 88. Even at a larger pitch rate of 1000°/s, α_R damps out gradually to 5° after tumbling during the initial heat pulse phase, Figure 90. The roll rates are zero in both of these cases.

D. Effect of Roll Rate; $q_o = r_o = 0^\circ/\text{s}$ (Figures 92 through 145)

1. $\gamma_o = -7^\circ; \alpha_{R_o} = 0^\circ$

For an initial roll rate of 400°/s, α_R averages $7.5^\circ \pm 7.5^\circ$ throughout the heat pulse, with a final roll rate of $\pm 400^\circ/\text{s}$, Figures 94 and 95. When p_o is increased to 1000°/s, $\alpha_R = \alpha_{R_o} = 0^\circ$ for the first half of the heat pulse then α_R averages $75^\circ \pm 50^\circ$ until H5 and the roll rate reverses and reaches -4000°/s at H5 (H = 145K feet), Figures 96 and 97.

2. $\gamma_o = -7^\circ; \alpha_{R_o} = 90^\circ$

When $\alpha_{R_o} = 90^\circ$ for a shallow reentry, and initial pitch rates of 100°/s, 400°/s, 700°/s and 1000°/s, α_R averages 90° for the first half of the heat pulse then damps out to $\alpha_R = 75^\circ \pm 25^\circ$ at H5, Figures 100, 102, 104, and 106.

The maximum and final roll rate for all these cases is 10000°/s, Figures 101, 103, 105, and 107.

3. $\gamma_o = -30^\circ; \alpha_{R_o} = 0^\circ$

For initial roll rates of 400°/s and 1000°/s, $\alpha_R = \alpha_{R_o} = 0^\circ$, for the first half of the heat pulse then the GPHS assumes an average angle of attack of

$5^\circ \pm 5^\circ$ until the end of heat pulse, $H = 107K$ feet, Figures 110 and 112. The final roll rates are less than $500^\circ/s$.

4. $\gamma_o = -30^\circ; \alpha_R = 90^\circ$

When $p_o = 400^\circ/s$, $\alpha_R = \alpha_{R_o} = 90^\circ$ for about seventy-five percent of the heat pulse then damps out to $25^\circ \pm 25^\circ$ at H5, Figure 116. The final roll rate is $5500^\circ/s$. The angle of attack averages 90° throughout the entire heat pulse when p_o is increased to $1000^\circ/s$, and the final roll rate becomes large, $16000^\circ/s$, the largest roll rate achieved in this study, Figures 118 and 119.

5. $\gamma_o = -50^\circ; \alpha_R = 0^\circ$

For initial roll rates of $400^\circ/s$ and $1000^\circ/s$, $\alpha_{R_o} = \alpha_R = 0^\circ$ for the first quarter of the heat pulse then damps out to $5^\circ \pm 5^\circ$ at H5 ($H = 98000$ feet), Figures 122 and 124. The history of α_R is very similar to that obtained when $\gamma_o = -30^\circ$ and $p_o = 400^\circ/s$ and $1000^\circ/s$; compare with Figures 110 and 112. The history of α_R also compares favorably to that of Figure 94 when $\gamma_o = -7$ and $p_o = 400^\circ/s$.

6. $\gamma_o = -50^\circ; \alpha_R = 90^\circ$

GPS assumes an average α_R of $80^\circ \pm 20^\circ$ throughout the entire heat pulse when $p_o = 400^\circ/s$; the final roll rate is $12000^\circ/s$, Figures 128 and 129. When p_o is increased to $1000^\circ/s$, $\alpha_R = \alpha_{R_o} = 90^\circ$ throughout, and the roll reaches $16000^\circ/s$, Figures 130 and 131.

7. $\gamma_o = -90^\circ; \alpha_{R_o} = 0^\circ$

When $\alpha_{R_o} = 0^\circ$ for a steep entry, and $p_o = 1000^\circ/s$, α_R remains at zero for the entire heat pulse, with a roll rate of $\pm 500^\circ/s$, Figures 134 and 135.

8. $\gamma_o = -90^\circ; \alpha_{R_o} = 45^\circ$

The angle of attack dampens out rapidly to $\alpha_R = 5^\circ \pm 5^\circ$ at the end of the heat pulse when $p_o = 1000^\circ/s$. The final roll rate is zero, Figures 138 and 139.

9. $\gamma_o = -90^\circ; \alpha_R = 90^\circ$

For an initial roll rate of $400^\circ/\text{s}$, α_R averages approximately 75° throughout the heat pulse, Figure 142. The final roll rate for this case is zero, Figure 143. When p_o is increased to $1000^\circ/\text{s}$, $\alpha_{R_o} = \alpha_R = 90^\circ$ for the entire heat pulse, with a large final roll rate, Figures 144 and 145. The history of angle of attack is very similar to that obtained when $\gamma_o = -30^\circ$ and $p_o = 1000^\circ/\text{s}$; see Figures 118 and 119.

E. Effect of Combined Initial Pitch and Roll Rates (Figures 146 - 229)

1. $\gamma_o = -7^\circ; \alpha_{R_o} = 0^\circ$

For a shallow entry, when $p_o = 400^\circ/\text{s}$ and $q_o = 400^\circ/\text{s}$, α_R slowly builds up to $75^\circ \pm 25^\circ$ at H5, $H = 145000$ feet. The maximum roll rate at the end of the heat pulse is $8000^\circ/\text{s}$, Figures 148 and 149. Similar trends apply when $p_o = q_o = 500^\circ/\text{s}$, i.e., α_R slowly builds up to an angle of attack of $90^\circ \pm 20^\circ$ at H5 with a maximum roll rate of $9000^\circ/\text{s}$, Figures 150 and 151. When $p_o = q_o = 1000^\circ/\text{s}$, α_R assumes an average of $30^\circ \pm 30^\circ$ throughout the heat pulse and obtains a final roll rate of $4500^\circ/\text{s}$, Figures 152 and 153. For $p_o = 250^\circ/\text{s}$ and $q_o = 500^\circ/\text{s}$, the GPHS tumbles just prior to the end of heat pulse, but assumes an average α_R of $30^\circ \pm 30^\circ$ during most of the heat pulse, Figure 154. The roll rate at H5 is $5000^\circ/\text{s}$. When $p_o = 700^\circ/\text{s}$ and $q_o = 250^\circ/\text{s}$, α_R gradually reaches $30^\circ \pm 30^\circ$ half way through the heat pulse, Figure 156. The roll rate at H5 is $5500^\circ/\text{s}$, Figure 157.

2. $\gamma_o = -7^\circ; \alpha_{R_o} = 30^\circ$

The angle of attack averages $30^\circ \pm 30^\circ$ for the entire heat pulse with initial rates, $p_o = q_o = 1000^\circ/\text{s}$, Figure 160. The final roll rate is $5000^\circ/\text{s}$.

3. $\gamma_o = -7^\circ; \alpha_{R_o} = 45^\circ$

During the first half of the heat pulse α_R oscillates about 50° then steadies out at $30^\circ \pm 30^\circ$ at H5; the initial pitch and roll rate is $1000^\circ/\text{s}$. The final roll rate is $5000^\circ/\text{s}$, Figures 164 and 165.

4. $\gamma_o = -7^\circ; \alpha_{R_o} = 75^\circ$

When $p_o = q_o = 1000^\circ/\text{s}$, α_R averages $75^\circ \pm 25^\circ$ throughout the heat pulse, with a maximum roll rate of $10500^\circ/\text{s}$, Figures 168 and 169.

5. $\gamma_o = -7^\circ; \alpha_{R_o} = 90^\circ$

For a shallow reentry, $\gamma_o = -7^\circ$, and $\alpha_{R_o} = 90^\circ$, α_R averages between 75° and $90^\circ \pm 25^\circ$ throughout the entire heat pulse, for initial conditions of $p_o = q_o = 250^\circ/\text{s}$, $400^\circ/\text{s}$, $500^\circ/\text{s}$ and $1000^\circ/\text{s}$. In all of these cases the final roll rate is between $10000^\circ/\text{s}$ and $12000^\circ/\text{s}$, Figures 172 through 179.

6. $\gamma_o = -30^\circ; \alpha_{R_o} = 0^\circ$

When $p_o = q_o = 500^\circ/\text{s}$, α_R oscillates about 30° for the first half of the heat pulse then damps out to $10^\circ \pm 5^\circ$ at H5 ($H = 107000$ feet), Figure 182. The roll rate for this case is $\pm 200^\circ/\text{s}$. When $p_o = q_o$ is increased to $1000^\circ/\text{s}$, α_R averages $30^\circ \pm 30^\circ$, Figure 184. The maximum roll rate under these conditions is $6500^\circ/\text{s}$, Figure 185.

7. $\gamma_o = -30^\circ; \alpha_{R_o} = 90^\circ$

When $p_o = q_o = 250^\circ/\text{s}$, $500^\circ/\text{s}$, and $1000^\circ/\text{s}$ α_R averages between 75° and $90^\circ \pm 25^\circ$ during the heat pulse, Figures 188, 190, and 192. These α_R histories are similar to those obtained when $\gamma_o = -7^\circ$, $\alpha_{R_o} = 90^\circ$ and $p_o = q_o = 250^\circ/\text{s}$, $500^\circ/\text{s}$ and $1000^\circ/\text{s}$; compare with Figures 172, 176, and 178. The roll rates are also similar with the exception of $p_o = q_o = 1000^\circ/\text{s}$, where roll rate reverses sign and is $-2000^\circ/\text{s}$ at H5. For roll rate comparisons compare Figures 189, 191, and 193 with Figures 173, 177, and 179.

8. $\gamma_o = -50^\circ; \alpha_{R_o} = 0^\circ$

When $p_o = q_o = 500^\circ/\text{s}$, α_R builds up to 40° then continuously dampens out to $10^\circ \pm 5^\circ$ during the last half of the heat pulse, Figure 196. The roll rate is $\pm 1000^\circ/\text{s}$. By increasing the initial pitch and roll rate to $1000^\circ/\text{s}$, α_R averages about 50° for 95% of the heat pulse then achieves a value of $90^\circ \pm 10^\circ$ at H5 ($H = 98000$ feet), Figure 198. The roll rate is $5000^\circ/\text{s}$.

9. $\gamma_o = -50^\circ; \alpha_{R_o} = 90^\circ$

For an intermediate entry, $\gamma_o = -50^\circ$, and $p_o = q_o = 250^\circ$, α_R dampens out continuously to $10^\circ \pm 5^\circ$ at the end of heat pulse, Figure 202 with a final roll rate of zero. When $p_o = q_o = 500^\circ/\text{s}$, α_R averages $75^\circ \pm 25^\circ$ for the first three quarters of the heat pulse then decreases to $25^\circ \pm 25^\circ$ at H5, and the roll rate is approximately zero, Figures 204 and 205. For $p_o = q_o = 1000^\circ/\text{s}$, the angle of attack averages about $75^\circ \pm 25^\circ$ throughout the heat pulse, and the roll rate reaches a maximum of $12500^\circ/\text{s}$, Figures 206 and 207.

10. $\gamma_o = -90^\circ; \alpha_{R_o} = 0^\circ$

For a steep reentry, when $p_o = q_o = 400^\circ/\text{s}$, $500^\circ/\text{s}$ and $1000^\circ/\text{s}$, α_R achieves its maximum amplitude during the first half of the heat pulse then damps out to $5^\circ \pm 5^\circ$ at H5 ($H = 90000$ feet), Figures 210, 212 and 214. The maximum roll rate is less than $1000^\circ/\text{s}$ in all these cases.

11. $\gamma_o = -90^\circ; \alpha_{R_o} = 45^\circ$

When $p_o = q_o = 500^\circ/\text{s}$, α_R continuously damps out to $5^\circ \pm 5^\circ$ by the end of the heat pulse, Figure 218. The final roll rate is zero.

12. $\gamma_o = -90^\circ; \alpha_{R_o} = 90^\circ$

The angle of attack reaches its maximum amplitude early in the heat pulse then dampens out to $5^\circ \pm 5^\circ$ when $p_o = q_o = 400^\circ/\text{s}$, Figure 222; the roll rate at the end of the heat pulse is zero. When $p_o = q_o = 500^\circ/\text{s}$, the angle of attack averages $80^\circ \pm 20^\circ$ for the entire heat pulse, Figure 224; the maximum roll rate is $11000^\circ/\text{s}$. When $p_o = q_o = 1000^\circ/\text{s}$, α_R assumes an average of $90^\circ \pm 20^\circ$ during the heat pulse, Figure 226; the final roll rate is $10000^\circ/\text{s}$. When $p_o = 400^\circ/\text{s}$ and $q_o = 1000^\circ/\text{s}$, early in the heat pulse α_R oscillates about 100° , then averages about 150° for a long period before quickly dropping off to 25° at the end of the heat pulse, Figure 228; the roll rate is zero for 90% of the heat pulse but builds up to $4000^\circ/\text{s}$ at H5, Figure 229.

F. Effect of Magnus Forces

The effect of magnus force and magnus moment on the roll rate and angle of attack of GPHS during an earth gravity assist, EGA, entry was also investigated. The impetus for this study was the comments offered by JHU/APL to Aerospace Corporation on an Aerospace proposal, as reported in Reference 6. For reference and completeness, these comments were:

"Proposed Magnus Moment Studies"

It is not clear that there is a payoff (relative to other aerodynamic problems on GPHS motion studies) in this proposed effort for the following reasons (extracted from work done by Platou, Uselton and others):

- a. Magnus force, where it has been measured, is a small value ($\approx 5\%$ of normal force).
- b. GPHS being a low aspect ratio, ($\approx 1/2$) parallelepiped can be expected to have only a short moment arm for magnus force. Therefore, the magnus moment coefficient can be expected to be small.
- c. It has been shown that magnus force decreases with increasing Mach number.
- d. The reduced frequency (angle) for the magnus moment can be expected to be small even for the high roll rates, p , because the velocity, V , of GPHS during the heat pulse is high (Mach number > 5), thus for $p = 20000^\circ/\text{sec}$, and $V = 50000 \text{ ft/sec}$ and 5000 ft/sec , $pd/V \approx 0.002 \text{ rad}$; 0.02 rad .
- e. Finally, it is not clear that a rotating parallelepiped can sustain the circulation required to generate a magnus force. Platou has concluded from his extensive studies that a magnus moment can be generated by cruciform fins only for certain conditions including laminar boundary layers, low supersonic Mach numbers, thin fins and low angles of attack ($\alpha < 3^\circ$).

APL has provision for calculating magnus moments in its 6 DOF reentry simulation but so far we have not made any parametric investigations nor estimates of magnus force because it was felt that this term for GPHS was not a primary effect for the reasons given above."

Platou's investigation referred to herein was reported in Reference 7. As noted, magnus force, where it has been measured, is about 5% of normal force. This value was used in the simulation and no appreciable effect of magnus force on angle of attack was found. A synopsis of results of the 6-DOF investigations, given in Table 13, verify that magnus force and moment are not significant (if real) contributors to GPHS motion.

G. Effect of Pitch and Roll Damping

As stated in Reference 1, these analyses are based on estimated damping characteristics at hypersonic speeds. The magnitude of the pitch and roll damping coefficients C_{m_q} and C_{l_p} , were varied by factors of 0, 1, 2, and 10.

In a few cases at shallow entry angles $\gamma_o = -7^\circ$ and initial pitch and roll rates $\leq 500^\circ/\text{s}$, a tendency was observed toward large roll rates accompanied by near side-on trim even though the initial angle of attack was zero, Figures 230 and 231. Results show that at the high reentry speeds resulting from an earth gravity assist, EGA, trajectory, the important parameter for reducing rolling and pitching motion is C_{mq} . When C_{mq} was increased by a factor of two, roll rate decreased appreciably and the angle of attack converged to smaller values following large excursions during the first half of the trajectory, Figures 232 and 233.

Another example at shallow entry angle $\gamma_o = -7^\circ$ and initial pitch and roll rates equal to $500^\circ/\text{s}$, the results show that with a C_{mq} factor of one the angle of attack continuously increases from $\alpha_{R_o} = 0^\circ$ to $90^\circ \pm 25^\circ$ (side on trim) at the end of the heat pulse with a rather large roll rate near $10000^\circ/\text{s}$, Figures 234 and 235. When C_{mq} was increased by a factor of two, roll rate decreased by 30% and the angle of attack assumed an average of $30^\circ \pm 30^\circ$ throughout the trajectory, Figures 236 and 237. In the majority of the cases examined, increases in pitch and roll damping seemed to have little or no effect on the angle of attack history, indicating that dynamic stability wind tunnel tests are not warranted at this time. A variation in roll damping factor from 0 to 2 had no appreciable effect on either angle of attack or roll rate.

CONCLUSIONS AND RECOMMENDATIONS

1. The most probable average GPHS reentry angles of attack indicated in this analyses are $\alpha_R = 0^\circ$ (broadface to the wind), $\alpha_R = 30^\circ$, $\alpha_R = 75^\circ$, $\alpha_R = 90^\circ$ and tumbling. The frequency and percentage of occurrence for the cases investigated (with the constraints discussed in this and previous reports) is given in Table 14 as derived from Tables 1-12. The largest percent of occurrence is for $\alpha = 0^\circ$ (broadside) - approximately 42% of the cases investigated. The other cases, by and large, occur equally as frequently - between 10% and 20% of the time.

2. The largest roll rates achieved were $16000^\circ/\text{s}$. This was obtained when the initial roll rate was $p_o = 1000^\circ/\text{s}$, the initial angle of attack was $\alpha_{R_o} = 90^\circ$ and initial entry angles were $\gamma_o = -30^\circ$, -50° , and -90° .

3. In the majority of the cases examined, increases in pitch and roll damping seemed to have little effect on the angle of attack history, indicating that wind tunnel tests to obtain dynamic stability data are not warranted at this time.

4. No appreciable effect of magnus force on angle of attack of the GPHS during an earth gravity assist, EGA, entry was found.

REFERENCES

1. E. F. Lucero and R. C. Sharbaugh, "GPHS Motion Studies for Heat Pulse Intervals of Reentries from Gravity Assist Trajectories," AM-90-D0020/BFD-2-90-006, March 26, 1990.
2. E. F. Lucero and R. C. Sharbaugh, "Required Revisions to 6 DOF Reentry Program TMAGRA6B to Simulate Ablation Effects on Motion," AM-89-D0016/BFD-2-89-004, January 5, 1989.
3. R. C. Sharbaugh, "Users Manual for Aerospace Nuclear Safety Program Six-Degree-of-Freedom Reentry Simulation (TMAGRA6C)," ANSP-M-20/DOE/OSA/32140-20, February 1990.
4. D. W. Conn, "Galileo-VEEGA Failure Boundaries and Related Computational Requirements," BFD-2-87-017/EM-5434, September 21, 1987.
5. S. A. Lutz, "GPHS/GIS Module Ablation Response Testing at the NASA Ames 20 NW Aerodynamic Heating Facility: Final Test Report," EM-5514/BFD-2-88-030, December 5, 1988.
6. Fax, from J. C. Hagan/E. F. Lucero, JHU/APL, to Dr. William Ailor, The Aerospace Corporation, 10 June 1991.
7. Platou, A. S. "Magnus Characteristics of Finned and Non-finned Projectiles," AIAA Journal, Vol. 3, No. 1, January 1965, pp. 83-90.

**Initial Distribution External to the Applied Physics Laboratory
ANSP-M-22**

The Aerospace Corporation
P. O. Box 92957
Los Angeles, CA 90009

Dr. William H. Ailor, M4/942

Battelle Columbus Laboratories
505 King Avenue
Columbus, OH 43201

C. A. Alexander

Fairchild Space
20301 Century Building
Germantown, MD 20707

Robert T. Carpenter
Program Manager

General Electric Company
Astro-Space Division
Building B
P. O. Box 8555
Philadelphia, PA 19101

C. Thomas Bradshaw, 29B12-KB
M. J. Dunn, 20B41
R. J. Hemler, 29B12-KB

Jet Propulsion Laboratory
California Institute of Technology
4800 Oak Grove Drive
Pasadena, CA 91103

A. D. McDonald, MS 157-102

Los Alamos National Laboratory
P. O. Box 1663
Los Alamos, NM 87545

R. W. Zocher, CMB-11

LAI/EG&G Mound Applied Technologies
P. O. Box 3000
Miamisburg, OH 45342

E. Johnson, Bldg 88
W. R. Amos

NASA Headquarters
600 Independence Avenue, SW
Washington, DC 20546

L. B. Gray/DS

HNUS Corporation
910 Clopper Road
Gaithersburg, MD 20878

B. W. Bartrum

F. R. Vaughan

Teledyne Energy Systems
110 W. Timonium Road
Timonium, MD 21093

P. J. Dick

W. M. Brittain

**Initial Distribution External to the Applied Physics Laboratory
ANSP-M-22
(cont)**

U. S. Department of Energy
Office of Scientific and Technical Information (OSTI)
Special Assistant for Reproduction and Processing
P. O. Box 62
Oak Ridge, TN 37830

U. S. Department of Energy/GTN
Office of Special Applications
Washington, DC 20585

R. G. Lange, Director, NE-53
W. J. Barnett, NE-53
S. Bartos, NE-53
B. A. Cook, NE-53
R. R. Furlong, NE-53
E. F. Mastal, NE-53
A. Mehner, NE-53
W. D. Owings, NE-53

U. S. Department of Energy
Office of Procurement Operations
1000 Independence Avenue, SW
Washington, DC 20585

Contracting Officer, MA-453.2

TABLE 1

Synopsis of α_R History and $p_{\max}$ (α/p) During the GPHS Heat Pulse
 $\gamma_o = -7^\circ$ $\alpha_{R_o} = 0^\circ$

p_o q_o	0	100	250	400	500	700	1000
0	$8^\circ \pm 8^\circ$ ^a		$10^\circ \pm 5^\circ$	$75^\circ \pm 25^\circ$ t $10000^\circ/s$		$75^\circ \pm 25^\circ$ t $6500^\circ/s$	$75^\circ \pm 25^\circ$ t $6500^\circ/s$
100							
250					$30^\circ \pm 30^\circ$ a $5000^\circ/s$		
400	$7.5^\circ \pm 7.5^\circ$ ^a $\pm 400^\circ/s$			$75^\circ \pm 25^\circ$ $8000^\circ/s$			
500					$90^\circ \pm 20^\circ$ m $9000^\circ/s$		
700			$30^\circ \pm 30^\circ$ a $5500^\circ/s$				
1000	$75^\circ \pm 50^\circ$ ^a $-4000^\circ/s$						$30^\circ \pm 30^\circ$ a $4500^\circ/s$

a - Average

m - Maximum amplitude in first half of heat pulse

t - Tumbling (usually occurs in the first half of the heat pulse)

Heat Pulse: 348K ft to 145K ft (200 K interval); $\dot{q}_{\max}$ at H = 170K ft

TABLE 2

Synopsis of α_R History and $p_{\max}$ (α/p) During the GPHS Heat Pulse
 $\gamma_o = -7^\circ$ $\alpha_{R_o} = 30^\circ$

p_o q_o	0	100	250	400	500	700	1000
0	$5^\circ \pm 5^\circ$ $\pm 100^\circ/\text{s}$						
100							
250							
400							
500							
700							
1000							$30^\circ \pm 30^\circ$ a $5000^\circ/\text{s}$

a - Average

TABLE 3

Synopsis of α_R History and $p_{\max}$ (α/p) During the GPHS Heat Pulse
 $\gamma_o = -7^\circ$ $\alpha_{R_o} = 45^\circ$

p_o q_o	0	100	250	400	500	700	1000
0	$5^\circ \pm 5^\circ$ $\pm 100^\circ/s$						
100							
250							
400							
500							
700							
1000							$30^\circ \pm 30^\circ$ m $5000^\circ/s$

m - Maximum amplitude in first half of trajectory

TABLE 4

Synopsis of α_R History and $p_{\max}$ (α/p) During the GPHS Heat Pulse
 $\gamma_o = -7^\circ$ $\alpha_{R_o} = 75^\circ$

p_o q_o	0	100	250	400	500	700	1000
0	$5^\circ \pm 5^\circ$ $0^\circ/s$			$30^\circ \pm 20^\circ$ t $4500^\circ/s$			
100							
250							
400							
500							
700							
1000							$75^\circ \pm 25^\circ$ a $10500^\circ/s$

a - Average

t - Tumbling

TABLE 5

Synopsis of α_R History and $p_{\max}$ (α/p) During the GPHS Heat Pulse
 $\gamma_o = -7^\circ$ $\alpha_{R_o} = 90^\circ$

P_o	q_o	0	100	250	400	500	700	1000
0		$7^\circ \pm 7^\circ$ a	$75^\circ \pm 25^\circ$ m 9000°/s		$75^\circ \pm 25^\circ$ a 10500°/s		$90^\circ \pm 20^\circ$ t 4000°/s	$75^\circ \pm 25^\circ$ t 9000°/s
100		$75^\circ \pm 25^\circ$ m 10000°/s						
250				$75^\circ \pm 25^\circ$ a 10000°/s				
400		$80^\circ \pm 20^\circ$ 10500°/s			$75^\circ \pm 25^\circ$ a 10000°/s			
500						$90^\circ \pm 25^\circ$ a 11000°/s		
700		$75^\circ \pm 25^\circ$ 10000°/s						
1000		$75^\circ \pm 25^\circ$ 10000°/s						$95^\circ \pm 25^\circ$ a 12500°/s

a - Average

m - Maximum amplitude in first half of trajectory

t - Tumbling

TABLE 6

Synopsis of α_R History and $p_{\max}(\alpha/p)$ During the GPHS Heat Pulse
 $\gamma_o = -30^\circ$ $\alpha_{R_o} = 0^\circ$

P_o	q_o	0	100	250	400	500	700	1000
0		$8^\circ \pm 8^\circ$ a					$5^\circ \pm 5^\circ$ t $\pm 300^\circ/s$	$5^\circ \pm 5^\circ$ t $\pm 1000^\circ/s$
100								
250								
400		$5^\circ \pm 5^\circ$ a $\pm 200^\circ/s$						
500						$10^\circ \pm 5^\circ$ m $\pm 200^\circ/s$		
700								
1000		$5^\circ \pm 5^\circ$ a $0^\circ/s$						$30^\circ \pm 30^\circ$ a $6500^\circ/s$

a - Average

m - Maximum amplitude in first half of trajectory

t - Tumbling

Heat Pulse: 293K ft to 107K ft (186 K interval); $\bar{q}_{\max}$ at H = 120K ft

TABLE 7

Synopsis of α_R History and $p_{\max}$ (α/p) During the GPHS Heat Pulse
 $\gamma_o = -30^\circ$ $\alpha_{R_o} = 90^\circ$

p_o	q_o	0	100	250	400	500	700	1000
0		$5^\circ \pm 5^\circ$ m			$10^\circ \pm 5^\circ$ m $0^\circ/s$			$30^\circ \pm 20^\circ$ t $4500^\circ/s$
100								
250				$90^\circ \pm 20^\circ$ a $11500^\circ/s$				
400		$25^\circ \pm 25^\circ$ m $5500^\circ/s$						
500						$75^\circ \pm 25^\circ$ a $12500^\circ/s$		
700								
1000		90° a $16000^\circ/s$						$75^\circ \pm 25^\circ$ a $-2000^\circ/s$

a - Average

m - Maximum amplitude in first half of trajectory

t - Tumbling

TABLE 8

Synopsis of α_R History and $p_{\max}$ (α/p) During the GPHS Heat Pulse

$$\gamma_o = -50^\circ \quad \alpha_{R_o} = 0^\circ$$

P_o	q_o	0	100	250	400	500	700	1000
0		$5^\circ \pm 5^\circ$ a					$5^\circ \pm 5^\circ$ m $\pm 1500^\circ/s$	$25^\circ \pm 25^\circ$ m $-2000^\circ/s$
100								
250								
400		$5^\circ \pm 5^\circ$ a $0^\circ/s$						
500						10° m $\pm 1000^\circ/s$		
700								
1000		$7.5^\circ \pm 7.5^\circ$ a $0^\circ/s$						$90^\circ \pm 10^\circ$ m $5000^\circ/s$

a - Average

m - Maximum amplitude in first half of trajectory

Heat Pulse: 277K ft to 98K ft (180 K interval); $\dot{q}_{\max}$ at H = 107K ft

TABLE 9

Synopsis of α_R History and $p_{\max}$ (α/p) During the GPHS Heat Pulse
 $\gamma_o = -50^\circ$ $\alpha_{R_o} = 90^\circ$

p_o	q_o	0	100	250	400	500	700	1000
0		$5^\circ \pm 5^\circ$			$10^\circ \pm 10^\circ$ $0^\circ/s$			$5^\circ \pm 5^\circ$ m $0^\circ/s$
100								
250				$10^\circ \pm 5^\circ$ m $0^\circ/s$				
400		$80^\circ \pm 20^\circ$ a $12000^\circ/s$						
500						$25^\circ \pm 25^\circ$ a 0°		
700								
1000		90° a $16000^\circ/s$						$75^\circ \pm 25^\circ$ a $12500^\circ/s$

a - Average

m - Maximum amplitude in first half of trajectory

TABLE 10

Synopsis of α_R History and $p_{\max}$ (α/p) During the GPHS Heat Pulse

$$\gamma_o = -90^\circ \quad \alpha_{R_o} = 0^\circ$$

p_o	q_o	0	100	250	400	500	700	1000
0	0°						$5^\circ \pm 5^\circ \text{ m}$ $1000^\circ/\text{s}$	$10^\circ \pm 5^\circ \text{ m}$ $2000^\circ/\text{s}$
100								
250								
400					$5^\circ \pm 3^\circ$ $0^\circ/\text{s}$			
500						$5^\circ \pm 3^\circ \text{ m}$ $\pm 1000^\circ/\text{s}$		
700								
1000	0° $0^\circ/\text{s}$							$5^\circ \pm 5^\circ \text{ m}$ $\pm 500^\circ/\text{s}$

m - Maximum amplitude in first half of trajectory

Heat Pulse: 264K ft to 90K ft (174 K interval); $\dot{q}_{\max}$ at H = 100K ft

TABLE 11

Synopsis of α_R History and $p_{\max}$ (α/p) During the GPHS Heat Pulse
 $\gamma_o = -90^\circ$ $\alpha_{R_o} = 45^\circ$

P_o	q_o	0	100	250	400	500	700	1000
0		$5^\circ \pm 5^\circ$ $\pm 500^\circ/s$					30° $0^\circ/s$ a	5° $-1000^\circ/s$
100								
250								
400								
500						$5^\circ \pm 5^\circ$ m $0^\circ/s$		
700								
1000		$5^\circ \pm 5^\circ$ m $0^\circ/s$						

a - Average

m - Maximum amplitude in first half of trajectory

TABLE 12

Synopsis of α_R History and $p_{\max}$ (α/p) During the GPHS Heat Pulse

$$\gamma_0 = -90^\circ \quad \alpha_{R_0} = 90^\circ$$

p_0	q_0	0	100	250	400	500	700	1000
0		$5^\circ \pm 5^\circ$			$5^\circ \pm 5^\circ$ m $0^\circ/s$			$5^\circ \pm 5^\circ$ t $0^\circ/s$
100								
250								
400		$75^\circ \pm 25^\circ$ a $0^\circ/s$			$5^\circ \pm 5^\circ$ m $0^\circ/s$			25° m $4000^\circ/s$
500						$80^\circ \pm 20^\circ$ a $11000^\circ/s$		
700								
1000		90° a $16000^\circ/s$						$90^\circ \pm 20^\circ$ a $10000^\circ/s$

a - Average

m - Maximum amplitude in first half of trajectory

t - Tumbling

TABLE 14
Frequency of Occurrence of Average Angle of Attack
for All Cases Investigated

$\alpha_{Average}$						
α	0	30	75	90	Tumbling*	All
Number of occurrences	39	13	20	12	10	94
Percent	41.5	13.8	21.3	12.8	10.6	100.0

* Tumbling which usually occurs during the first half of heat pulse is added as additional cases when it occurs. Thus the total number is greater than 84 the cases studied.

TABLE 13
Effect of Magnus Force on Reentry Motion of GPHS

γ_o (deg) $q_o = r_o = 0 \text{ deg/sec}$	α_{R_o} (deg)	p_o (deg/sec)	C_{N_p}	$\frac{X_{Mag}}{X_{c.g.}}$	p_f (deg/sec)	α_f (deg)
-7	0	0	0	-	± 300	8 ± 8
-7	0	0	0.05	1.0	± 300	8 ± 6
-7	0	0	0.05	0.9	± 300	8 ± 4
-7	0	0	0.05	1.1	± 300	8 ± 6
-7	0	0	0.05	1.2	± 200	8 ± 6
-7	0	1000	0	-	-4000	75
-7	0	1000	0.05	1.0	+ 5000	75
-7	0	1000	0.05	0.9	0	10
-7	0	1000	0.05	1.1	0	10
-7	0	1000	0.05	1.2	0	10
-90	90	0	0	-	± 1500	5
-90	90	0	0.05	1.0	± 1500	5
-90	90	0	0.05	0.9	± 1500	5
-90	90	0	0.05	1.1	± 1000	5
-90	90	0	0.05	1.2	± 1500	5
-90	90	1000	0	-	+ 17000	90
-90	90	1000	0.05	1.0	+ 17000	90
-90	90	1000	0.05	0.9	+ 17000	90
-90	90	1000	0.05	1.1	+ 17000	90
-90	90	1000	0.05	1.2	+ 15000	90

- γ_o = initial reentry angle
 α_{R_o} = initial reentry resultant angle of attack
 p_o, q_o, r_o = initial roll, pitch, and yaw rate
 C_{N_p} = Magnus force coefficient = $\frac{N \text{ (lbs)}}{qS(L_p/V)}$
 $\frac{X_{Mag}}{X_{c.g.}}$ = distance from GPHS L.E. at $\alpha = 0$ to location of Magnus force (center of gravity)
Sub f = value at end of heat pulse
L = reference length, inches
S = reference area, in²
V = Velocity, ft/sec

Fig. 1 Altitude H5 representing End of Heat Pulse — Input to 6 DOF TMAGRA6C

Fig. 2 Variation of initial altitude versus flight path angle for the maximum and expected initial velocities for discrete GPHS module reentries; Galileo-VEEGA mission profile.

Fig. 3 Sketch of GPHS module.

FIGURE 4 - GPHS models for $M = 10$ aerodynamic tests.

Fig. 5 Model-fixed axis system.

Altitude History, VEEGA Shallow GPHS Reentry, Ablating Body

Mach No. History, VEEGA Shallow GPHS Reentry, Ablating Body

Figure 7

Acceleration Along Flight Path, VEEGA Shallow GPHS Reentry, Ablating Body

Figure

Dynamic Pressure History, VEEGA Shallow GPHS Reentry, Ablating Body

Figure 9

Altitude History, VEEGA Intermediate GPHS Reentry, Ablating Body

Mach No. History, VEEGA Intermediate GPHS Reentry, Ablating Body

The Johns Hopkins University
Applied Physics Laboratory
Laurel, Maryland 20723-6099

Figure 11

Acceleration Along Flight Path, VEEGA Intermediate GPHS Reentry, Ablating Body

Figure

Dynamic Pressure History, VEEGA Intermediate GPHS Reentry, Ablating Body

Figure 13

Altitude History, VEEGA Intermediate GPHS Reentry, Ablating Body

The Johns Hopkins University
Applied Physics Laboratory
Laurel, Maryland 20723-6099

Figure 1

Mach No. History, VEEGA Intermediate GPHS Reentry, Ablating Body

The Johns Hopkins University
Applied Physics Laboratory
Laurel, Maryland 20723-6099

Figure 15

Acceleration Along Flight Path, VEEGA Intermediate GPHS Reentry, Ablating Body

Figure 16

Dynamic Pressure History, VEEGA Intermediate GPHS Reentry, Ablating Body

Figure 17

Altitude History, VEEGA Steep GPHS Reentry, Ablating Body

Figure 18

Mach No. History, VEEGA Steep GPHS Reentry, Ablating Body

Figure 19

Acceleration Along Flight Path, VEEGA Steep GPHS Reentry, Ablating Body

Figure 20

Dynamic Pressure History, VEEGA Steep GPHS Reentry, Ablating Body

Figure 21

VEEGA Shallow GPHS Reentry, Ablating Body

Figure 22

Figure 23

Effect of Pitch Rate, VEEGA Shallow GPHS Reentry, Ablating Body

Figure 24

Effect of Pitch Rate, VEEGA Shallow GPHS Reentry, Ablating Body

Figure 25

Effect of Pitch Rate, VEEGA Shallow GPHS Reentry, Ablating Body

Figure 26

Effect of Pitch Rate, VEEGA Shallow GPHS Reentry, Ablating Body

Figure 27

Effect of Pitch Rate, VEEGA Shallow GPHS Reentry, Ablating Body

Figure 28

Effect of Pitch Rate, VEEGA Shallow GPHS Reentry, Ablating Body

Figure 29

Effect of Pitch Rate, VEEGA Shallow GPHS Reentry, Ablating Body

Figure 30

Effect of Pitch Rate, VEEGA Shallow GPHS Reentry, Ablating Body

Figure 31

Figure 32

Figure 33

VEEGA Shallow GPHS Reentry, Ablating Body

Figure 34

VEEGA Shallow GPHS Reentry, Ablating Body

Figure 35

Figure 36

Figure 37

Effect of Pitch Rate, VEEGA Shallow GPHS Reentry, Ablating Body

Effect of Pitch Rate, VEEGA Shallow GPHS Reentry, Ablating Body

The Johns Hopkins University
Applied Physics Laboratory
Laurel, Maryland 20723-6099

Figure 39

VEEGA Shallow GPHS Reentry, Ablating Body

Figure 40

VEEGA Shallow GPHS Reentry, Ablating Body

Figure 41

Effect of Pitch Rate, VEEGA Shallow GPHS Reentry, Ablating Body

Effect of Pitch Rate, VEEGA Shallow GPHS Reentry, Ablating Body

The Johns Hopkins University
Applied Physics Laboratory
Laurel, Maryland 20723-6099

Figure 43

Effect of Pitch Rate, VEEGA Shallow GPHS Reentry, Ablating Body

The Johns Hopkins University
Applied Physics Laboratory
Laurel, Maryland 20723-6099

Figure 44

Effect of Pitch Rate, VEEGA Shallow GPHS Reentry, Ablating Body

The Johns Hopkins University
Applied Physics Laboratory
Laurel, Maryland 20723-6099

Figure 45

Effect of Pitch Rate, VEEGA Shallow GPHS Reentry, Ablating Body

The Johns Hopkins University
Applied Physics Laboratory
Laurel, Maryland 20723-6099

Figure 46

Effect of Pitch Rate, VEEGA Shallow GPHS Reentry, Ablating Body

The Johns Hopkins University
Applied Physics Laboratory
Laurel, Maryland 20723-6099

Figure 47

Effect of Pitch Rate, VEEGA Shallow GPHS Reentry, Ablating Body

The Johns Hopkins University
Applied Physics Laboratory
Laurel, Maryland 20723-6099

Figure 48

Effect of Pitch Rate, VEEGA Shallow GPHS Reentry, Ablating Body

The Johns Hopkins University
Applied Physics Laboratory
Laurel, Maryland 20723-6089

Figure 49

VEEGA Intermediate GPHS Reentry, Ablating Body

Figure 50

VEEGA Intermediate GPHS Reentry, Ablating Body

Figure 51

Effect of Pitch Rate, VEEGA Intermediate GPHS Reentry, Ablating Body

Figure 52

Effect of Pitch Rate, VEEGA Intermediate GPHS Reentry, Ablating Body

Figure 53

Effect of Pitch Rate, VEEGA Intermediate GPHS Reentry, Ablating Body

Figure 54

Effect of Pitch Rate, VEEGA Intermediate GPHS Reentry, Ablating Body

Figure 55

VEEGA Intermediate GPHS Reentry, Ablating Body

Figure 56

VEEGA Intermediate GPHS Reentry, Ablating Body

Figure 57

Effect of Pitch Rate, VEEGA Intermediate GPHS Reentry, Ablating Body

The Johns Hopkins University
Applied Physics Laboratory
Laurel, Maryland 20723-6099

Figure 58

Effect of Pitch Rate, VEEGA Intermediate GPHS Reentry, Ablating Body

Figure 59

Effect of Pitch Rate, VEEGA Intermediate GPHS Reentry, Ablating Body

Figure 60

Effect of Pitch Rate, VEEGA Intermediate GPHS Reentry, Ablating Body

The Johns Hopkins University
Applied Physics Laboratory
Laurel, Maryland 20723-6099

Figure 61

VEEGA Intermediate GPHS Reentry, Ablating Body

Figure 62

VEEGA Intermediate GPHS Reentry, Ablating Body

Figure 63

Effect of Pitch Rate, VEEGA Intermediate GPHS Reentry, Ablating Body

Effect of Pitch Rate, VEEGA Intermediate GPHS Reentry, Ablating Body

Effect of Pitch Rate, VEEGA Intermediate GPHS Reentry, Ablating Body

Figure 66

Effect of Pitch Rate, VEEGA Intermediate GPHS Reentry, Ablating Body

The Johns Hopkins University
Applied Physics Laboratory
Laurel, Maryland 20723-6099

Figure 67

VEEGA Intermediate GPHS Reentry, Ablating Body

Figure 68

VEEGA Intermediate GPHS Reentry, Ablating Body

Figure 69

Effect of Pitch Rate, VEEGA Intermediate GPHS Reentry, Ablating Body

Effect of Pitch Rate, VEEGA Intermediate GPHS Reentry, Ablating Body

The Johns Hopkins University
Applied Physics Laboratory
Laurel, Maryland 20723-6099

Figure 71

Effect of Pitch Rate, VEEGA Intermediate GPHS Reentry, Ablating Body

Effect of Pitch Rate, VEEGA Intermediate GPHS Reentry, Ablating Body

The Johns Hopkins University
Applied Physics Laboratory
Laurel, Maryland 20723-6099

Figure 73

VEEGA Steep GPHS Reentry, Ablating Body

Figure

VEEGA Steep GPHS Reentry, Ablating Body

Figure 75

Effect of Pitch Rate, VEEGA Steep GPHS Reentry, Ablating Body

Effect of Pitch Rate, VEEGA Steep GPHS Reentry, Ablating Body

The Johns Hopkins University
Applied Physics Laboratory
Laurel, Maryland 20723-6099

Figure 77

Effect of Pitch Rate, VEEGA Steep GPHS Reentry, Ablating Body

Effect of Pitch Rate, VEEGA Steep GPHS Reentry, Ablating Body

Figure 79

VEEGA Steep GPHS Reentry, Ablating Body

Figure 1

VEEGA Steep GPHS Reentry, Ablating Body

Figure 81

Effect of Pitch Rate, VEEGA Steep GPHS Reentry, Ablating Body

The Johns Hopkins University
Applied Physics Laboratory
Laurel, Maryland 20723-6089

Figure

Effect of Pitch Rate, VEEGA Steep GPHS Reentry, Ablating Body

Effect of Pitch Rate, VEEGA Steep GPHS Reentry, Ablating Body

Effect of Pitch Rate, VEEGA Steep GPHS Reentry, Ablating Body

The Johns Hopkins University
Applied Physics Laboratory
Laurel, Maryland 20723-6089

Figure 85

Figure 86

Figure 87

Effect of Pitch Rate, VEEGA Steep GPHS Reentry, Ablating Body

The Johns Hopkins University
Applied Physics Laboratory
Laurel, Maryland 20723-6099

Figure 8.

Effect of Pitch Rate, VEEGA Steep GPHS Reentry, Ablating Body

Figure 89

Effect of Pitch Rate, VEEGA Steep GPHS Reentry, Ablating Body

Figure 9C

Effect of Pitch Rate, VEEGA Steep GPHS Reentry, Ablating Body

Figure 91

VEEGA Shallow GPHS Reentry, Ablating Body

Figure 92

Figure 93

Effect of Roll Rate, VEEGA Shallow GPHS Reentry, Ablating Body

The Johns Hopkins University
Applied Physics Laboratory
Laurel, Maryland 20723-6099

Figure 94

Effect of Roll Rate, VEEGA Shallow GPHS Reentry, Ablating Body

Figure 95

Effect of Roll Rate, VEEGA Shallow GPHS Reentry, Ablating Body

Figure 96

Effect of Roll Rate, VEEGA Shallow GPHS Reentry, Ablating Body

Figure 97

VEEGA Shallow GPHS Reentry, Ablating Body

Figure 98

VEEGA Shallow GPHS Reentry, Ablating Body

Figure 99

Effect of Roll Rate, VEEGA Shallow GPHS Reentry, Ablating Body

Figure 100

Effect of Roll Rate, VEEGA Shallow GPHS Reentry, Ablating Body

The Johns Hopkins University
Applied Physics Laboratory
Laurel, Maryland 20723-6099

Figure 101

Effect of Roll Rate, VEEGA Shallow GPHS Reentry, Ablating Body

The Johns Hopkins University
Applied Physics Laboratory
Laurel, Maryland 20723-6099

Figure 10

Effect of Roll Rate, VEEGA Shallow GPHS Reentry, Ablating Body

The Johns Hopkins University
Applied Physics Laboratory
Laurel, Maryland 20723-6099

Figure 103

Effect of Roll Rate, VEEGA Shallow GPHS Reentry, Ablating Body

Effect of Roll Rate, VEEGA Shallow GPHS Reentry, Ablating Body

The Johns Hopkins University
Applied Physics Laboratory
Laurel, Maryland 20723-6099

Figure 105

Effect of Roll Rate, VEEGA Shallow GPHS Reentry, Ablating Body

Figure 106

Effect of Roll Rate, VEEGA Shallow GPHS Reentry, Ablating Body

The Johns Hopkins University
Applied Physics Laboratory
Laurel, Maryland 20723-6089

Figure 107

VEEGA Intermediate GPHS Reentry, Ablating Body

Figure 108

VEEGA Intermediate GPHS Reentry, Ablating Body

Figure 109

Effect of Roll Rate, VEEGA Intermediate GPHS Reentry, Ablating Body

Figure 110

Effect of Roll Rate, VEEGA Intermediate GPHS Reentry, Ablating Body

Figure 111

Effect of Roll Rate, VEEGA Intermediate GPHS Reentry, Ablating Body

The Johns Hopkins University
Applied Physics Laboratory
Laurel, Maryland 20723-6089

Figure 112

Effect of Roll Rate, VEEGA Intermediate GPHS Reentry, Ablating Body

The Johns Hopkins University
Applied Physics Laboratory
Laurel, Maryland 20723-6089

Figure 113

VEEGA Intermediate GPHS Reentry, Ablating Body

Figure 114

VEEGA Intermediate GPHS Reentry, Ablating Body

Figure 115

Effect of Roll Rate, VEEGA Intermediate GPHS Reentry, Ablating Body

Effect of Roll Rate, VEEGA Intermediate GPHS Reentry, Ablating Body

The Johns Hopkins University
Applied Physics Laboratory
Laurel, Maryland 20723-6099

Figure 117

Effect of Roll Rate, VEEGA Intermediate GPHS Reentry, Ablating Body

The Johns Hopkins University
Applied Physics Laboratory
Laurel, Maryland 20723-6099

Figure 118

Effect of Roll Rate, VEEGA Intermediate GPHS Reentry, Ablating Body

The Johns Hopkins University
Applied Physics Laboratory
Laurel, Maryland 20723-6099

Figure 119

VEEGA Intermediate GPHS Reentry, Ablating Body

Figure 120

Figure 121

Effect of Roll Rate, VEEGA Intermediate GPHS Reentry, Ablating Body

Effect of Roll Rate, VEEGA Intermediate GPHS Reentry, Ablating Body

The Johns Hopkins University
Applied Physics Laboratory
Laurel, Maryland 20723-6099

Figure 123

Effect of Roll Rate, VEEGA Intermediate GPHS Reentry, Ablating Body

The Johns Hopkins University
Applied Physics Laboratory
Laurel, Maryland 20723-6099

Figure 124

Effect of Roll Rate, VEEGA Intermediate GPHS Reentry, Ablating Body

Figure 125

VEEGA Intermediate GPHS Reentry, Ablating Body

Figure 126

VEEGA Intermediate GPHS Reentry, Ablating Body

Figure 127

Effect of Roll Rate, VEEGA Intermediate GPHS Reentry, Ablating Body

Effect of Roll Rate, VEEGA Intermediate GPHS Reentry, Ablating Body

The Johns Hopkins University
Applied Physics Laboratory
Laurel, Maryland 20723-6098

Figure 129

Effect of Roll Rate, VEEGA Intermediate GPHS Reentry, Ablating Body

Effect of Roll Rate, VEEGA Intermediate GPHS Reentry, Ablating Body

The Johns Hopkins University
Applied Physics Laboratory
Laurel, Maryland 20723-6089

Figure 131

VEEGA Steep GPHS Reentry, Ablating Body

Figure 132

Figure 133

Effect of Roll Rate, VEEGA Steep GPHS Reentry, Ablating Body

Figure 134

Effect of Roll Rate, VEEGA Steep GPHS Reentry, Ablating Body

Figure 135

VEEGA Steep GPHS Reentry, Ablating Body

Figure 136

VEEGA Steep GPHS Reentry, Ablating Body

Figure 137

Effect of Roll Rate, VEEGA Steep GPHS Reentry, Ablating Body

The Johns Hopkins University
Applied Physics Laboratory
Laurel, Maryland 20723-6099

Figure

Effect of Roll Rate, VEEGA Steep GPHS Reentry, Ablating Body

The Johns Hopkins University
Applied Physics Laboratory
Laurel, Maryland 20723-6099

Figure 139

VEEGA Steep GPHS Reentry, Ablating Body

Figure 141

Effect of Roll Rate, VEEGA Steep GPHS Reentry, Ablating Body

Effect of Roll Rate, VEEGA Steep GPHS Reentry, Ablating Body

The Johns Hopkins University
Applied Physics Laboratory
Laurel, Maryland 20723-6099

Effect of Roll Rate, VEEGA Steep GPHS Reentry, Ablating Body

Effect of Roll Rate, VEEGA Steep GPHS Reentry, Ablating Body

The Johns Hopkins University
Applied Physics Laboratory
Laurel, Maryland 20723-6099

Figure 145

VEEGA Shallow GPHS Reentry, Ablating Body

VEEGA Shallow GPHS Reentry, Ablating Body

Figure 147

Effect of Combined Pitch and Roll Rate, VEEGA Shallow GPHS Reentry, Ablating Body

Effect of Combined Pitch and Roll Rate, VEEGA Shallow GPHS Reentry, Ablating Body

Figure 149

Effect of Combined Pitch and Roll Rate, VEEGA Shallow GPHS Reentry, Ablating Body

Figure

Effect of Combined Pitch and Roll Rate, VEEGA Shallow GPHS Reentry, Ablating Body

Figure 151

Effect of Combined Pitch and Roll Rate, VEEGA Shallow GPHS Reentry, Ablating Body

Effect of Combined Pitch and Roll Rate, VEEGA Shallow GPHS Reentry, Ablating Body

Figure 153

Effect of Combined Pitch and Roll Rate, VEEGA Shallow GPHS Reentry, Ablating Body

Figure 154

Effect of Combined Pitch and Roll Rate, VEEGA Shallow GPHS Reentry, Ablating Body

Figure 155

Effect of Combined Pitch and Roll Rate, VEEGA Shallow GPHS Reentry, Ablating Body

Figure 156

Effect of Combined Pitch and Roll Rate, VEEGA Shallow GPHS Reentry, Ablating Body

Figure 157

Figure 1

Figure 159

Effect of Combined Pitch and Roll Rate, VEEGA Shallow GPHS Reentry, Ablating Body

Effect of Combined Pitch and Roll Rate, VEEGA Shallow GPHS Reentry, Ablating Body

Figure 161

VEEGA Shallow GPHS Reentry, Ablating Body

Figure 16

VEEGA Shallow GPHS Reentry, Ablating Body

Figure 163

Effect of Combined Pitch and Roll Rate, VEEGA Shallow GPHS Reentry, Ablating Body

Figure 16

Effect of Combined Pitch and Roll Rate, VEEGA Shallow GPHS Reentry, Ablating Body

Figure 165

Figure 16

Figure 167

Effect of Combined Pitch and Roll Rate, VEEGA Shallow GPHS Reentry, Ablating Body

Figure 16

Effect of Combined Pitch and Roll Rate, VEEGA Shallow GPHS Reentry, Ablating Body

Figure 169

VEEGA Shallow GPHS Reentry, Ablating Body

Figure 17

VEEGA Shallow GPHS Reentry, Ablating Body

Figure 171

Effect of Combined Pitch and Roll Rate, VEEGA Shallow GPHS Reentry, Ablating Body

Figure 172

Effect of Combined Pitch and Roll Rate, VEEGA Shallow GPHS Reentry, Ablating Body

Figure 173

Effect of Combined Pitch and Roll Rate, VEEGA Shallow GPHS Reentry, Ablating Body

Figure 174

Effect of Combined Pitch and Roll Rate, VEEGA Shallow GPHS Reentry, Ablating Body

Figure 175

Effect of Combined Pitch and Roll Rate, VEEGA Shallow GPHS Reentry, Ablating Body

Figure 176

Effect of Combined Pitch and Roll Rate, VEEGA Shallow GPHS Reentry, Ablating Body

Figure 177

Effect of Combined Pitch and Roll Rate, VEEGA Shallow GPHS Reentry, Ablating Body

Figure 178

Effect of Combined Pitch and Roll Rate, VEEGA Shallow GPHS Reentry, Ablating Body

Figure 179

Figure 180

Figure 181

Effect of Combined Pitch and Roll Rate, VEEGA Intermediate GPHS Reentry, Ablating Body

Figure 182

Effect of Combined Pitch and Roll Rate, VEEGA Intermediate GPHS Reentry, Ablating Body

Figure 183

.. Effect of Combined Pitch and Roll Rate, VEEGA Intermediate GPHS Reentry, Ablating Body

Figure 184

Effect of Combined Pitch and Roll Rate, VEEGA Intermediate GPHS Reentry, Ablating Body

Figure 185

VEEGA Intermediate GPHS Reentry, Ablating Body

Figure 186

Figure 187

Effect of Combined Pitch and Roll Rate, VEEGA Intermediate GPHS Reentry, Ablating Body

Figure 188

Effect of Combined Pitch and Roll Rate, VEEGA Intermediate GPHS Reentry, Ablating Body

Figure 189

Effect of Combined Pitch and Roll Rate, VEEGA Intermediate GPHS Reentry, Ablating Body

Figure 190

Effect of Combined Pitch and Roll Rate, VEEGA Intermediate GPHS Reentry, Ablating Body

Figure 191

Effect of Combined Pitch and Roll Rate, VEEGA Intermediate GPHS Reentry, Ablating Body

Figure 192

Effect of Combined Pitch and Roll Rate, VEEGA Intermediate GPHS Reentry, Ablating Body

Figure 193

VEEGA Intermediate GPHS Reentry, Ablating Body

Figure 194

VEEGA Intermediate GPHS Reentry, Ablating Body

Figure 195

Effect of Combined Pitch and Roll Rate, VEEGA Intermediate GPHS Reentry, Ablating Body

Figure 196

Effect of Combined Pitch and Roll Rate, VEEGA Intermediate GPHS Reentry, Ablating Body

Figure 197

Effect of Combined Pitch and Roll Rate, VEEGA Intermediate GPHS Reentry, Ablating Body

Figure 198

Effect of Combined Pitch and Roll Rate, VEEGA Intermediate GPHS Reentry, Ablating Body

Figure 199

VEEGA Intermediate GPHS Reentry, Ablating Body

Figure 200

VEEGA Intermediate GPHS Reentry, Ablating Body

Figure 201

Effect of Combined Pitch and Roll Rate, VEEGA Intermediate GPHS Reentry, Ablating Body

Figure 202

Effect of Combined Pitch and Roll Rate, VEEGA Intermediate GPHS Reentry, Ablating Body

Figure 203

Effect of Combined Pitch and Roll Rate, VEEGA Intermediate GPHS Reentry, Ablating Body

Figure 204

Effect of Combined Pitch and Roll Rate, VEEGA Intermediate GPHS Reentry, Ablating Body

Figure 205

Effect of Combined Pitch and Roll Rate, VEEGA Intermediate GPHS Reentry, Ablating Body

Effect of Combined Pitch and Roll Rate, VEEGA Intermediate GPHS Reentry, Ablating Body

Figure 207

VEEGA Steep GPHS Reentry, Ablating Body

Figure 209

Effect of Combined Pitch and Roll Rate, VEEGA Steep GPHS Reentry, Ablating Body

Figure 2

Effect of Combined Pitch and Roll Rate, VEEGA Steep GPHS Reentry, Ablating Body

Figure 211

Effect of Combined Pitch and Roll Rate, VEEGA Steep GPHS Reentry, Ablating Body

Effect of Combined Pitch and Roll Rate, VEEGA Steep GPHS Reentry, Ablating Body

Figure 213

Effect of Combined Pitch and Roll Rate, VEEGA Steep GPHS Reentry, Ablating Body

Figure 2

Effect of Combined Pitch and Roll Rate, VEEGA Steep GPHS Reentry, Ablating Body

Figure 215

VEEGA Steep GPHS Reentry, Ablating Body

Figure

Figure 217

Effect of Combined Pitch and Roll Rate, VEEGA Steep GPHS Reentry, Ablating Body

Figure 2

Effect of Combined Pitch and Roll Rate, VEEGA Steep GPHS Reentry, Ablating Body

Figure 219

VEEGA Steep GPHS Reentry, Ablating Body

Figure

VEEGA Steep GPHS Reentry, Ablating Body

Figure 221

Effect of Combined Pitch and Roll Rate, VEEGA Steep GPHS Reentry, Ablating Body

Figure 2c

Effect of Combined Pitch and Roll Rate, VEEGA Steep GPHS Reentry, Ablating Body

Figure 223

Effect of Combined Pitch and Roll Rate, VEEGA Steep GPHS Reentry, Ablating Body

Figure 22

Effect of Combined Pitch and Roll Rate, VEEGA Steep GPHS Reentry, Ablating Body

Figure 225

Effect of Combined Pitch and Roll Rate, VEEGA Steep GPHS Reentry, Ablating Body

Effect of Combined Pitch and Roll Rate, VEEGA Steep GPHS Reentry, Ablating Body

Figure 227

Effect of Combined Pitch and Roll Rate, VEEGA Steep GPHS Reentry, Ablating Body

Figure 228

Effect of Combined Pitch and Roll Rate, VEEGA Steep GPHS Reentry, Ablating Body

Figure 229

Effect Of Pitch Damping

Cmq Factor = 1 Clp Factor = 1

Effect Of Pitch Damping

Cmq Factor = 1 Clp Factor = 1

Figure 231

Effect Of Pitch Damping

Cmq Factor = 2 Clp Factor = 1

Effect Of Pitch Damping

Cmq Factor = 2 Clp Factor = 1

Figure 233

Effect Of Pitch Damping

Cmq Factor = 1 Clp Factor = 1

Figure 234

Effect Of Pitch Damping

Cmq Factor = 1 Clp Factor = 1

Figure 235

Figure 236

Effect Of Pitch Damping

Cmq Factor = 2 Clp Factor = 1

Figure 237