**Development of an Advanced, Continuous
Mild Gasification Process for
the Production of Co-Products
Addendum to Technical Evaluation**

Final Report

Work Performed Under Contract No.: DE-AC21-87MC24267

**For
U.S. Department of Energy
Office of Fossil Energy
Morgantown Energy Technology Center
P.O. Box 880
Morgantown, West Virginia 26507-0880**

**By
University of North Dakota
Energy and Environmental Research Center
Box 8213
University Station
Grand Forks, North Dakota 58202**

November 1992

CONTINUOUS FLUID-BED REACTOR AND PROCESS RESEARCH UNIT SELECTED RAW DATA

INTRODUCTION

This report contains the material balance data for Wyodak, Indiana No. 3, and Cannelton coals that were tested in the mild gasification program. Data include tests conducted using the 1- to 4-lb/hr continuous fluid-bed reactor (CFBR) and the 100-lb/hr Process Research Unit (PRU).

All raw analysis data were reduced to calculate product yields as a percentage of the product mass divided by the maf coal feed, as shown in Table 1. The material closure was then determined, and losses were assigned to one or a combination of the three product streams: char, condensate (includes condensed steam), and gas. Mass was added proportionally to each constituent of the stream until the closure was 100%. For example, in Table 1 the material closure for Run M020-22 is 84.1%. Either 170.2 grams or any portion of the unrecovered mass can be added to the grams out of each of the three product streams to produce a normalized yield. The maf char, moisture, and ash weight percentages were 86.04, 2.90, and 11.06, respectively. Fifty percent of the 170.2 grams (85.1 g) was added to the char stream:

1. 86.04% of 85.1 g was added to the maf char (73.22 g),
2. 2.90% of 85.1 g was added to the moisture in the char (2.5 g), and
3. 11.06% of 85.1 g was added to the ash in the char (9.41 g).

When these additions were made, the yields were recalculated to determine the normalized yield data. The maf char grams out was then 100.9 g plus the 73.22 g for a total of 174.12 grams. This total was divided by the grams of maf coal feed (362.9 g) which is a yield of 48%. A similar procedure was conducted on the ash yields, except the grams in was subtracted from the grams out and then divided by the maf coal feed for a yields determination. The grams out included the 9.41 additional grams due to the normalization.

Several assumptions are used as a basis in determining the appropriate mass loss assignment, including: mass of ash in the feed coal equals mass of ash out of the char and nitrogen in feed gas equals nitrogen in product gas. Closures used to determine mass loss assignment include: overall material balance, carbon balance, and hydrogen balance.

Appendices A, B, and C contain data generated for Wyodak, Indiana No. 3, and Cannelton coals, respectively.

TABLE 1

Product Yields for Run M020-22

Wyodak Coal
Run No: M020-22
Temp: 1110°F
Steam: 50%

	Grams In	Grams Out	Yield (%)	Normalized Yield (%)
Coal/Char, maf	362.9	100.9	27.8	48.0
H ₂ O	204.3	214.4	2.7	3.4
Ash	22.3	12.9	-2.6	0.0
Condensate Total		12.1	3.3	3.3
IBP-220		0.0	0.0	0.0
220-375		0.0	0.0	0.0
375-550		0.0	0.0	0.0
550-1000		0.0	0.0	0.0
BP-1000		5.1	1.4	1.4
CO ₂	446.5	497.7	14.1	36.3
N ₂	0.0	0.3	0.1	0.1
O ₂	0.0	0.0	0.0	0.0
H ₂	0.0	3.5	1.0	1.1
CO	0.0	14.2	3.9	4.5
Others	0.0	9.7	2.6	3.2
Gas Total	446.5	525.4	21.7	45.2
Total	1036.0	865.8	52.9	100.0
Material Balance Closure	84%			
Loss to Char	50%			
Loss to Condensate	0%			
Loss to Gas	50%			

APPENDIX A

MATERIAL BALANCE AND YIELD DATA - WYODAK COAL

MATERIAL BALANCE AND YIELD DATA - WYODAK COAL

The 23 test conditions investigated on the Wyodak coal in the CFBR are shown by Table A1. This appendix has two parts, the first part giving the material balance data and the second part giving the coal analysis data.

TABLE A1

Test Matrix for Wyodak Coal

Temp.	Gas	% Steam ^a			
		0-29	30-59	60-89	90-100
930°F	N ₂ /CO ₂ ^b	1, 2 ^c	3	4	--
	N ₂ ^d	--	--	--	--
	CO ₂ ^e	11	12	13	14
1020°F	N ₂ /CO ₂	--	--	--	--
	N ₂	15,16	17	--	--
	CO ₂	--	--	--	--
1110°F	N ₂ /CO ₂	--	--	--	--
	N ₂	321,322	323	324	--
	CO ₂	21	22	23	24,200
	N ₂ /CO ₂ /O ₂ ^f	25	26	27	--

^a % steam in fluidization gas.

^b Remainder of fluidization gas is 90% N₂/10% CO₂, which is a simulated flue gas that represents stoichiometric combustion of a carbon source.

^c Matrix test number.

^d Remainder of fluidization gas is N₂.

^e Remainder of fluidization gas is CO₂.

^f Remainder of fluidization gas is 89% N₂/9% CO₂/2% O₂, which is a simulated flue gas that represents stoichiometric combustion of a carbon source with 12% excess air.

	Grams In	Grams Out	Yields	Normalized Yields		
MAF (Coal/char)	362.9	256.3	70.6	47.2		12/8/89
H2O in coal/Char	69.3	6.8	-17.2	-17.8		
H2O in Steam/Cond.	0.0	180.9	49.8	21.0	Run #	M020_21
Ash	22.3	33.2	3.0	-0.0	Wyodak	
Sulfur	1.6	1.1	-0.1	-0.2	Temp.	1110
Ash (sulfur free)	20.7	32.1	3.1	0.1	% Steam	0.00

Cond. Total		11.11	3.06	1.29	% CO2	100.00
					% H2	0.00

ibp-165		0.00	0.00	0.00		
<C10		0.00	0.00	0.00	Steam Vol.	0.00
BXT		0.00	0.00	0.00	Gas Vol.	21.43
165-220		0.00	0.00	0.00		
C10-C12		0.00	0.00	0.00		
Phenols		0.00	0.00	0.00		
Cresols		0.00	0.00	0.00		
Naphthal.		0.00	0.00	0.00		
220-375		0.00	0.00	0.00		
C13-C22		0.00	0.00	0.00		
C2-Phenol		0.00	0.00	0.00		
Phytene		0.00	0.00	0.00		
375-550		0.00	0.00	0.00		
C23-C30		0.00	0.00	0.00		
550-1000		0.00	0.00	0.00		
Aliphatics		0.00	0.00	0.00		
Phenolics		0.00	0.00	0.00		
BP>1000		4.73	1.30	1.30		
Char Fines		3.97	1.09	1.09		
Residue		0.76	0.21	0.21		

Gas Total	395.0	570.7	48.4	48.4
H2		1.9	0.5	0.5
CO2	395.0	543.3	40.9	40.9
C3H8		0.0	0.0	0.0
C3H6		0.7	0.2	0.2
i-C4		0.0	0.0	0.0
CO2		0.0	0.0	0.0
n-C4		0.2	0.0	0.0
H2S		0.5	0.1	0.1
1-Bu		0.2	0.1	0.1
n-2-Bu		0.0	0.0	0.0
i-C5		0.0	0.0	0.0
n-2-Bu		0.0	0.0	0.0
n-C5		0.0	0.0	0.0
C2H4		1.2	0.3	0.3
C2H6		1.4	0.4	0.4
O2	0.0	0.0	0.0	0.0
N2	0.0	0.0	0.0	0.0
CH4		8.2	2.3	2.3
CO		14.6	4.0	4.0
NH3		0.0	0.0	0.0

Total	849.5	1059.0	157.7	100.0
-------	-------	--------	-------	-------

Mat. Balance	124.7
--------------	-------

% loss to char	47
% loss to liq	53
% loss to gas	0

	Grams In	Grams Out	Yields	Normalized Yields		
MAF (Coal/char)	362.9	100.9	27.8	48.0		12/8/89
H2O in coal/Char	69.3	3.4	-18.2	-17.5		
H2O in Steam/Cond.	135.0	211.0	20.9	20.9	Run #	M020_22
Ash	22.3	12.9	-2.6	0.0	Wyodak	
Sulfur	1.6	0.4	-0.3	-0.3	Temp.	1110
Ash (sulfur free)	20.7	12.6	-2.2	0.3	% Steam	42.50

Cond. Total		12.12	3.34	3.34	% CO2	100.00
					% H2	0.00

ibp-165		0.00	0.00	0.00		
<C10		0.00	0.00	0.00	Steam Vol.	17.90
BXT		0.00	0.00	0.00	Gas Vol.	24.23
165-220		0.00	0.00	0.00		
C10-C12		0.00	0.00	0.00		
Phenols		0.00	0.00	0.00		
Cresols		0.00	0.00	0.00		
Naphthal.		0.00	0.00	0.00		
220-375		0.00	0.00	0.00		
C13-C22		0.00	0.00	0.00		
C2-Phenol		0.00	0.00	0.00		
Phytene		0.00	0.00	0.00		
375-550		0.00	0.00	0.00		
C23-C30		0.00	0.00	0.00		
550-1000		0.00	0.00	0.00		
Aliphatics		0.00	0.00	0.00		
Phenolics		0.00	0.00	0.00		
BP>1000		5.09	1.40	1.40		
Char Fines		4.28	1.18	1.18		
Residue		0.81	0.22	0.22		

Gas Total	446.5	525.4	21.7	45.2
H2		3.5	1.0	1.1
CO2	446.5	497.7	14.1	36.3
C3H8		0.0	0.0	0.0
C3H6		0.7	0.2	0.2
i-C4		0.0	0.0	0.0
CO2		0.0	0.0	0.0
n-C4		0.0	0.0	0.0
H2S		0.4	0.1	0.1
1-Bu		0.2	0.1	0.1
n-2-Bu		0.0	0.0	0.0
i-C5		0.0	0.0	0.0
n-2-Bu		0.0	0.0	0.0
n-C5		0.0	0.0	0.0
C2H4		1.3	0.3	0.4
C2H6		1.0	0.3	0.3
O2	0.0	0.0	0.0	0.0
N2	0.0	0.3	0.1	0.1
CH4		6.4	1.8	2.0
CO		14.2	3.9	4.5
NH3		0.0	0.0	0.0

Total	1036.0	865.8	53.1	100.0
-------	--------	-------	------	-------

Mat. Balance	83.6
--------------	------

% loss to char	50
% loss to liq	0
% loss to gas	50

	Grams In	Grams Out	Yields	Normalized Yields		
MAF (Coal/char)	362.9	181.9	50.1	50.1		12/2/89
H2O in coal/Char	69.3	8.3	-16.8	-16.8		
H2O in Steam/Cond.	740.0	787.0	13.0	15.5	Run #	M020_23
Ash	22.3	22.5	0.1	0.1	Wyodak	
Sulfur	0.0	0.5	0.1	0.1	Temp.	1110
Ash (sulfur free)	22.3	22.1	-0.1	-0.1	% Steam	90.26

Cond. Total		15.26	4.21	4.25	% CO2	100.00
					% N2	0.00

ibp-165		0.00	0.00	0.00		
<C10		0.00	0.00	0.00	Steam Vol.	98.14
BXT		0.00	0.00	0.00	Gas Vol.	10.59
165-220		0.00	0.00	0.00		
C10-C12		0.00	0.00	0.00		
Phenols		0.00	0.00	0.00		
Cresols		0.00	0.00	0.00		
Naphthal.		0.00	0.00	0.00		
220-375		0.00	0.00	0.00		
C13-C22		0.00	0.00	0.00		
C2-Phenol		0.00	0.00	0.00		
Phytene		0.00	0.00	0.00		
375-550		0.00	0.00	0.00		
C23-C30		0.00	0.00	0.00		
550-1000		0.00	0.00	0.00		
Aliphatics		0.00	0.00	0.00		
Phenolics		0.00	0.00	0.00		
BP>1000		5.12	1.41	1.41		
Char Fines		4.30	1.19	1.19		
Residue		0.82	0.23	0.23		

Gas Total	195.1	302.6	29.6	46.9
H2		4.0	1.1	1.3
CO2	195.1	274.8	21.9	37.6
C3H8		0.0	0.0	0.0
C3H6		1.7	0.5	0.6
i-C4		0.0	0.0	0.0
CO2		0.0	0.0	0.0
n-C4		0.1	0.0	0.0
H2S		0.6	0.2	0.2
1-Bu		0.3	0.1	0.1
t-2-Bu		0.1	0.0	0.0
i-C5		0.0	0.0	0.0
c-2-Bu		0.0	0.0	0.0
n-C5		0.0	0.0	0.0
C2H4		1.6	0.4	0.5
C2H6		1.2	0.3	0.4
O2	0.0	0.0	0.0	0.0
N2	0.0	0.6	0.2	0.2
CH4		7.8	2.1	2.6
CO		10.4	2.9	3.5
NH3		0.0	0.0	0.0

Total	1389.6	1317.6	80.1	100.0
-------	--------	--------	------	-------

Mat. Balance	96.8
--------------	------

% loss to char	0
% loss to liq	13
% loss to gas	87

	Grams In	Grams Out	Yields	Normalized Yields		
MAF (Coal/char)	358.9	161.2	44.9	44.9		12/8/39
H2O in coal/Char	73.5	19.1	-15.2	-15.2		
H2O in Steam/Cond.	1435.0	1498.8	17.8	17.8	Run #	M026_24
Ash	22.1	20.7	-0.4	-0.4	Wyodak	
Sulfur	0.0	0.5	0.1	0.1	Temp.	1110
Ash (sulfur free)	22.1	20.2	-0.5	-0.5	% Steam	99.10

Cond. Total		34.23	9.54	9.54	% CO2	100.00
					% N2	0.00
ibp-165		0.00	0.00	0.00		
<C10		0.00	0.00	0.00	Steam Vol.	190.32
BXT		0.00	0.00	0.00	Gas Vol.	1.72
165-220		0.00	0.00	0.00		
C10-C12		0.00	0.00	0.00		
Phenols		0.00	0.00	0.00		
Cresols		0.00	0.00	0.00		
Naphthal.		0.00	0.00	0.00		
220-375		0.00	0.00	0.00		
C13-C22		0.00	0.00	0.00		
C2-Phenol		0.00	0.00	0.00		
Phytene		0.00	0.00	0.00		
375-550		0.00	0.00	0.00		
C23-C30		0.00	0.00	0.00		
550-1000		0.00	0.00	0.00		
Aliphatics		0.00	0.00	0.00		
Phenolics		0.00	0.00	0.00		
BP>1000		10.32	2.88	2.88		
Char Fines		8.67	2.42	2.42		
Residue		1.65	0.46	0.46		

Gas Total	31.7	174.7	39.8	43.3		
H2		4.7	1.3	1.4		
CO2	31.7	144.1	31.3	34.2		
C3H8		0.0	0.0	0.0		
C3H6		1.7	0.5	0.5		
i-C4		0.2	0.0	0.0		
CO2		0.0	0.0	0.0		
n-C4		0.1	0.0	0.0		
H2S		0.3	0.1	0.1		
1-Bu		0.3	0.1	0.1		
i-2-Bu		0.1	0.0	0.0		
i-C5		0.0	0.0	0.0		
n-2-Bu		0.0	0.0	0.0		
n-C5		0.0	0.0	0.0		
C2H4		1.4	0.4	0.4		
C2H6		1.4	0.4	0.4		
O2	0.0	0.0	0.0	0.0		
N2	0.0	1.0	0.3	0.3		
CH4		8.2	2.3	2.4		
CO		11.0	3.1	3.3		
NH3		0.0	0.0	0.0		

Total	1921.2	1908.7	96.5	100.0		
Mat. Balance		99.3				
% loss to char	0					
% loss to liq	0					
% loss to gas	100					

	Grams In	Grams Out	Yields	Normalized Yields		
MAF (Coal/char)	360.9	158.1	43.8	43.8		12/9/89
H2O in coal/Char	71.4	9.5	-17.2	-17.2		
H2O in Steam/Cond.	925.0	1073.5	41.1	22.4	Run #	M027_200
Ash	22.2	22.1	-0.0	-0.0	Wyccak	
Sulfur	0.0	0.3	0.1	0.1	Temp.	1110
Ash (sulfur free)	22.2	21.8	-0.1	-0.1	% Steam	95.08

Cond. Total		28.60	7.92	7.42	% CO2	100.00
					% N2	0.00

ibp-165		0.00	0.00	0.00		
<C10		0.00	0.00	0.00	Steam Vol.	122.68
BXT		0.00	0.00	0.00	Gas Vol.	6.35
165-220		0.00	0.00	0.00		
C10-C12		0.00	0.00	0.00		
Phenols		0.00	0.00	0.00		
Cresols		0.00	0.00	0.00		
Naphthal.		0.00	0.00	0.00		
220-375		0.00	0.00	0.00		
C13-C22		0.00	0.00	0.00		
C2-Phenol		0.00	0.00	0.00		
Phytene		0.00	0.00	0.00		
375-550		0.00	0.00	0.00		
C23-C30		0.00	0.00	0.00		
550-1000		0.00	0.00	0.00		
Aliphatics		0.00	0.00	0.00		
Phenolics		0.00	0.00	0.00		
BP>1000		8.20	2.27	2.27		
Char Fines		6.89	1.91	1.91		
Residue		1.31	0.36	0.36		

Gas Total	117.0	291.6	48.4	43.6
H2		5.2	1.4	1.4
CO2	117.0	260.7	39.8	35.5
C3H8		0.0	0.0	0.0
C3H6		1.0	0.3	0.3
i-C4		0.0	0.0	0.0
CO2		0.0	0.0	0.0
n-C4		0.1	0.0	0.0
H2S		0.5	0.1	0.1
1-Bu		0.3	0.1	0.1
t-2-Bu		0.0	0.0	0.0
i-C5		0.0	0.0	0.0
c-2-Bu		0.0	0.0	0.0
n-C5		0.0	0.0	0.0
C2H4		1.4	0.4	0.4
C2H6		1.4	0.4	0.4
O2	0.0	0.0	0.0	0.0
N2	0.0	1.0	0.3	0.3
CH4		8.5	2.4	2.2
CO		11.4	3.2	3.0
NH3		0.0	0.0	0.0

Total	1496.5	1583.4	124.1	100.0
-------	--------	--------	-------	-------

Mat. Balance	105.8
--------------	-------

% loss to char	0
% loss to liq	80
% loss to gas	20

	Grams In	Grams Out	Yields	Normalized Yields		
MAF (Coal/char)	303.5	145.7	48.0	44.3		12/8/89
H2O in coal/Char	132.4	2.0	-43.0	-43.0		
H2O in Steam/Cond.	0.0	177.9	58.6	45.6	Run #	M029_25
Ash	18.6	20.3	0.5	0.0	Wyodak	
Sulfur	0.0	0.6	0.2	0.2	Temp.	1110
Ash (sulfur free)	18.6	19.7	0.3	-0.2	% Steam	0.00

Cond. Total	29.39	9.69	7.53	% CO2	20.17
				% N2	77.94

ibp-165	0.00	0.00	0.00		
<C10	0.00	0.00	0.00	Steam Vol.	0.00
BXT	0.00	0.00	0.00	Gas Vol.	32.64
165-220	0.00	0.00	0.00		
C10-C12	0.00	0.00	0.00		
Phenols	0.00	0.00	0.00		
Cresols	0.00	0.00	0.00		
Naphthal.	0.00	0.00	0.00		
220-375	0.00	0.00	0.00		
C13-C22	0.00	0.00	0.00		
C2-Phenol	0.00	0.00	0.00		
Phytene	0.00	0.00	0.00		
375-550	0.00	0.00	0.00		
C23-C30	0.00	0.00	0.00		
550-1000	0.00	0.00	0.00		
Aliphatics	0.00	0.00	0.00		
Phenolics	0.00	0.00	0.00		
BP>1000	13.15	4.33	4.33		
Char Fines	11.05	3.64	3.64		
Residue	2.10	0.69	0.69		

Gas Total	394.9	533.3	45.6	45.6
H2		3.9	1.3	1.3
CO2	79.6	195.7	38.3	38.3
C3H8		0.0	0.0	0.0
C3H6		1.5	0.5	0.5
i-C4		0.0	0.0	0.0
CO2		0.0	0.0	0.0
n-C4		0.0	0.0	0.0
H2S		0.3	0.1	0.1
1-3u		0.2	0.1	0.1
t-2-3u		0.0	0.0	0.0
i-C5		0.0	0.0	0.0
c-2-3u		0.0	0.0	0.0
n-C5		0.0	0.0	0.0
C2H4		1.0	0.3	0.3
C2H6		1.4	0.5	0.5
O2	7.9	0.0	-2.6	-2.6
N2	307.3	307.6	0.1	0.1
CH4		9.3	3.1	3.1
CO		12.4	4.1	4.1
NH3		0.0	0.0	0.0

Total	849.4	908.6	119.5	100.0
-------	-------	-------	-------	-------

Mat. Balance	107.0
--------------	-------

% loss to char	22
% loss to liq	78
% loss to gas	0

	Grams In	Grams Out	Yields	Normalized Yields		
MAF (Coal/char)	303.5	223.4	73.6	48.8		12/9/89
H2O in coal/Char	132.4	3.3	-42.5	-42.9		
H2O in Steam/Cond.	220.0	350.0	42.8	42.5	Run #	M028_26
Ash	18.6	28.3	3.2	0.0	Wyodak	
Sulfur	0.0	0.5	0.2	0.1	Temp.	1110
Ash (sulfur free)	18.6	27.7	3.0	-0.1	% Steam	53.54

Cond. Total		28.38	9.35	9.35	% CO2	18.95
					% N2	79.02
ibp-165		0.00	0.00	0.00		
<C10		0.00	0.00	0.00	Steam Vol.	29.18
BXT		0.00	0.00	0.00	Gas Vol.	25.32
165-220		0.00	0.00	0.00		
C10-C12		0.00	0.00	0.00		
Phenols		0.00	0.00	0.00		
Cresols		0.00	0.00	0.00		
Naphthal.		0.00	0.00	0.00		
220-375		0.00	0.00	0.00		
C13-C22		0.00	0.00	0.00		
C2-Phenol		0.00	0.00	0.00		
Phytene		0.00	0.00	0.00		
375-550		0.00	0.00	0.00		
C23-C30		0.00	0.00	0.00		
550-1000		0.00	0.00	0.00		
Aliphatics		0.00	0.00	0.00		
Phenolics		0.00	0.00	0.00		
BP>1000		11.83	3.90	3.90		
Char Fines		9.93	3.27	3.27		
Residue		1.89	0.62	0.62		

Gas Total	306.3	433.5	41.9	41.9
H2		4.0	1.3	1.3
CO2	58.1	166.2	35.6	35.6
C3H8		0.0	0.0	0.0
C3H6		1.5	0.5	0.5
i-C4		0.0	0.0	0.0
CO2		0.0	0.0	0.0
n-C4		0.1	0.0	0.0
H2S		0.5	0.2	0.2
1-Bu		0.3	0.1	0.1
t-2-Bu		0.0	0.0	0.0
i-C5		0.0	0.0	0.0
c-2-Bu		0.0	0.0	0.0
n-C5		0.0	0.0	0.0
C2H4		1.1	0.4	0.4
C2H6		1.3	0.4	0.4
O2	6.2	0.0	-2.0	-2.0
N2	242.1	242.2	0.0	0.0
CH4		8.0	2.6	2.6
CO		8.1	2.7	2.7
NH3		0.0	0.0	0.0

Total	980.8	1066.9	128.4	100.0
-------	-------	--------	-------	-------

Mat. Balance	108.8
--------------	-------

% loss to char	100
% loss to liq	0
% loss to gas	0

	Grams In	Grams Out	Yields	Normalized Yields		
MAF (Coal/char)	303.5	139.9	46.1	46.8		12/8/39
H2O in coal/Char	132.4	4.9	-42.0	-42.0		
H2O in Steam/Cond.	680.0	796.6	38.4	43.2	Run #	M028_27
Ash	18.6	18.2	-0.1	-0.0	Wyodak	
Sulfur	0.0	0.3	0.1	0.1	Temp.	1110
Ash (sulfur free)	18.6	17.9	-0.3	-0.2	% Steam	82.41

Cond. Total	38.44	12.67	12.90	% CO2	35.23
				% N2	63.15
ibp-165	0.00	0.00	0.00		
<C10	0.00	0.00	0.00	Steam Vol.	90.19
BXT	0.00	0.00	0.00	Gas Vol.	19.25
165-220	0.00	0.00	0.00		
C10-C12	0.00	0.00	0.00		
Phenols	0.00	0.00	0.00		
Cresols	0.00	0.00	0.00		
Naphthal.	0.00	0.00	0.00		
220-375	0.00	0.00	0.00		
C13-C22	0.00	0.00	0.00		
C2-Phenol	0.00	0.00	0.00		
Phytene	0.00	0.00	0.00		
375-550	0.00	0.00	0.00		
C23-C30	0.00	0.00	0.00		
550-1000	0.00	0.00	0.00		
Aliphatics	0.00	0.00	0.00		
Phenolics	0.00	0.00	0.00		
BP>1000	8.41	2.77	2.77		
Char Fines	7.06	2.33	2.33		
Residue	1.34	0.44	0.44		

Gas Total	232.9	343.3	36.4	39.1
H2		4.1	1.3	1.4
CO2	82.0	170.8	29.2	30.6
C3H8		0.0	0.0	0.0
C3H6		2.0	0.7	0.7
i-C4		0.0	0.0	0.0
CO2		0.0	0.0	0.0
n-C4		0.1	0.0	0.0
H2S		0.7	0.2	0.2
1-Bu		0.3	0.1	0.1
n-2-Bu		0.0	0.0	0.0
i-C5		0.0	0.0	0.0
n-2-Bu		0.0	0.0	0.0
n-C5		0.0	0.0	0.0
C2H4		1.3	0.4	0.4
C2H6		1.4	0.5	0.5
O2	3.8	0.0	-1.2	-1.2
N2	147.1	144.8	-0.7	0.4
CH4		8.3	2.7	2.8
CO		9.0	3.0	3.0
NH3		0.0	0.0	0.0

Total	1367.4	1341.3	91.4	100.0
-------	--------	--------	------	-------

Mat. Balance	98.1
--------------	------

% loss to char	10
% loss to liq	52
% loss to gas	32

	Grams In	Grams Out	Yields	Normalized Yields		
MAF (Coal/char)	309.4	167.0	54.0	54.1		12/8/89
H2O in coal/Char	126.1	0.9	-40.5	-40.5		
H2O in Steam/Cond.	0.0	131.4	42.5	42.5	Run #	M044_1
Ash	19.0	19.1	0.0	0.0	Wyodak	
Sulfur	1.3	0.7	-0.2	-0.2	Temp.	930
Ash (sulfur free)	17.7	18.3	0.2	0.2	% Steam	0.00

Cond. Total		40.64	13.14	13.14	% CO2	27.84
					% N2	72.09

ibp-165		0.00	0.00	0.00		
<C10		0.00	0.00	0.00	Steam Vol.	0.00
BXT		0.00	0.00	0.00	Gas Vol.	25.25
165-220		0.00	0.00	0.00		
C10-C12		0.00	0.00	0.00		
Phenols		0.00	0.00	0.00		
Cresols		0.00	0.00	0.00		
Napthal.		0.00	0.00	0.00		
220-375		0.00	0.00	0.00		
C13-C22		0.00	0.00	0.00		
C2-Phenol		0.00	0.00	0.00		
Phytene		0.00	0.00	0.00		
375-550		0.00	0.00	0.00		
C23-C30		0.00	0.00	0.00		
550-1000		0.00	0.00	0.00		
Aliphatics		0.00	0.00	0.00		
Phenolics		0.00	0.00	0.00		
BP>1000		23.50	7.60	7.60		
Char Fines		19.74	6.38	6.38		
Residue		3.76	1.22	1.22		

Gas Total	354.1	449.1	30.7	30.7		
H2		0.1	0.0	0.0		
CO2	98.6	178.8	25.9	25.9		
C3H8		0.0	0.0	0.0		
C3H6		1.3	0.4	0.4		
i-C4		0.0	0.0	0.0		
COS		0.0	0.0	0.0		
n-C4		0.2	0.1	0.1		
H2S		0.0	0.0	0.0		
1-Bu		0.2	0.1	0.1		
t-2-Bu		1.3	0.4	0.4		
i-C5		1.1	0.4	0.4		
c-2-Bu		0.0	0.0	0.0		
n-C5		0.0	0.0	0.0		
C2H4		0.6	0.2	0.2		
C2H6		1.0	0.3	0.3		
O2	0.3	0.0	-0.1	-0.1		
N2	255.3	255.3	0.0	0.0		
CH4		3.0	1.0	1.0		
CO		7.5	2.4	2.4		
NH3		0.0	0.0	0.0		

Total	808.6	808.1	99.8	100.0		
-------	-------	-------	------	-------	--	--

Mat. Balance 99.9

% loss to char 100
 % loss to liq 0
 % loss to gas 0

	Grams In	Grams Out	Yields	Normalized Yields		
MAF (Coal/char)	309.4	163.9	53.0	48.2		12/8/89
H2O in coal/Char	126.1	1.3	-40.3	-40.4		
H2O in Steam/Cond.	50.0	205.5	50.3	44.8	Run #	M044_2
Ash	19.0	20.8	0.6	-0.0	Wyodak	
Sulfur	1.3	0.7	-0.2	-0.2	Temp.	930
Ash (sulfur free)	17.7	20.1	0.8	0.2	% Steam	28.08

Cond. Total		43.51	14.07	12.91	% CO2	19.43
					% N2	80.48

ibp-165		0.00	0.00	0.00		
<C10		0.00	0.00	0.00	Steam Vol.	5.37
BXT		0.00	0.00	0.00	Gas Vol.	15.04
165-220		0.00	0.00	0.00		
C10-C12		0.00	0.00	0.00		
Phenols		0.00	0.00	0.00		
Cresols		0.00	0.00	0.00		
Naphthal.		0.00	0.00	0.00		
220-375		0.00	0.00	0.00		
C13-C22		0.00	0.00	0.00		
C2-Phenol		0.00	0.00	0.00		
Phytene		0.00	0.00	0.00		
375-550		0.00	0.00	0.00		
C23-C30		0.00	0.00	0.00		
550-1000		0.00	0.00	0.00		
Aliphatics		0.00	0.00	0.00		
Phenolics		0.00	0.00	0.00		
BP>1000		8.02	2.59	2.59		
Char Fines		6.74	2.18	2.18		
Residue		1.28	0.41	0.41		

Gas Total	210.9	317.7	34.5	34.5		
H2		0.1	0.0	0.0		
CO2	41.0	134.8	30.3	30.3		
C3H8		0.0	0.0	0.0		
C3H6		1.5	0.5	0.5		
i-C4		0.0	0.0	0.0		
COS		0.0	0.0	0.0		
n-C4		0.2	0.1	0.1		
H2S		0.3	0.1	0.1		
1-Bu		0.2	0.1	0.1		
t-2-Bu		0.1	0.0	0.0		
i-C5		0.0	0.0	0.0		
c-2-Bu		0.0	0.0	0.0		
n-C5		0.0	0.0	0.0		
C2H4		0.5	0.2	0.2		
C2H6		1.2	0.4	0.4		
O2	0.2	0.0	-0.1	-0.1		
N2	169.8	169.8	0.0	0.0		
CH4		3.2	1.0	1.0		
CO		5.6	1.8	1.8		
NH3		0.0	0.0	0.0		

Total	715.4	752.7	112.0	100.0		
-------	-------	-------	-------	-------	--	--

Mat. Balance	105.2					
--------------	-------	--	--	--	--	--

% loss to char	45					
% loss to liq	55					
% loss to gas	0					

	Grams In	Grams Out	Yields	Normalized Yields		
MAF (Coal/char)	309.4	107.4	34.7	48.8		12/8/89
H2O in coal/Char	126.1	1.0	-40.5	-40.3		
H2O in Steam/Cond.	120.0	279.4	51.5	51.5	Run #	M044_3
Ash	19.0	13.6	-1.8	0.0	Wyodak	
Sulfur	1.3	0.5	-0.3	-0.2	Temp.	930
Ash (sulfur free)	17.7	13.1	-1.5	0.3	% Steam	52.54

Cond. Total		28.63	9.25	9.25	% CO2	24.78
					% N2	75.14

ibp-165		0.00	0.00	0.00		
<C10		0.00	0.00	0.00	Steam Vol.	14.09
BXT		0.00	0.00	0.00	Gas Vol.	12.73
165-220		0.00	0.00	0.00		
C10-C12		0.00	0.00	0.00		
Phenols		0.00	0.00	0.00		
Cresols		0.00	0.00	0.00		
Naphthal.		0.00	0.00	0.00		
220-375		0.00	0.00	0.00		
C13-C22		0.00	0.00	0.00		
C2-Phenol		0.00	0.00	0.00		
Phytene		0.00	0.00	0.00		
375-550		0.00	0.00	0.00		
C23-C30		0.00	0.00	0.00		
550-1000		0.00	0.00	0.00		
Aliphatics		0.00	0.00	0.00		
Phenolics		0.00	0.00	0.00		
BP>1000		8.71	2.81	2.81		
Char Fines		7.31	2.36	2.36		
Residue		1.39	0.45	0.45		

Gas Total	178.6	226.0	15.3	30.7		
H2		0.1	0.0	0.0		
CO2	44.2	103.1	19.0	26.0		
C3H8		0.0	0.0	0.0		
C3H6		1.2	0.4	0.5		
i-C4		0.0	0.0	0.0		
COS		0.0	0.0	0.0		
n-C4		0.2	0.1	0.1		
H2S		0.3	0.1	0.1		
1-Bu		0.2	0.1	0.1		
t-2-Bu		0.1	0.0	0.0		
i-C5		0.0	0.0	0.0		
n-2-Bu		0.0	0.0	0.0		
n-C5		0.0	0.0	0.0		
C2H4		0.5	0.2	0.2		
C2H6		1.0	0.3	0.4		
O2	0.1	0.0	-0.0	-0.0		
N2	134.2	113.0	-6.9	0.8		
CH4		2.4	0.8	0.9		
CO		3.9	1.3	1.5		
NH3		0.0	0.0	0.0		

Total	753.1	656.0	68.6	100.0		
-------	-------	-------	------	-------	--	--

Mat. Balance	87.1					
--------------	------	--	--	--	--	--

% loss to char	51					
% loss to liq	0					
% loss to gas	49					

	Grams In	Grams Out	Yields	Normalized Yields		
MAF (Coal/char)	309.4	115.8	37.4	46.7		12/8/89
H2O in coal/Char	126.1	4.9	-39.2	-38.8		
H2O in Steam/Cond.	315.0	431.2	37.6	38.7	Run #	M044_4
Ash	19.0	15.3	-1.2	0.0	Wyodak	
Sulfur	0.0	0.4	0.1	0.2	Temp.	930
Ash (sulfur free)	19.0	14.9	-1.3	-0.1	% Steam	87.55

Cond. Total		34.77	11.24	11.33	% CO2	99.50
					% H2	0.50
ibp-165		0.00	0.00	0.00		
<C10		0.00	0.00	0.00	Steam Vol.	36.99
BXT		0.00	0.00	0.00	Gas Vol.	5.26
165-220		0.00	0.00	0.00		
C10-C12		0.00	0.00	0.00		
Phenols		0.00	0.00	0.00		
Cresols		0.00	0.00	0.00		
Naphtnal.		0.00	0.00	0.00		
220-375		0.00	0.00	0.00		
C13-C22		0.00	0.00	0.00		
C2-Phenol		0.00	0.00	0.00		
Phytene		0.00	0.00	0.00		
375-550		0.00	0.00	0.00		
C23-C30		0.00	0.00	0.00		
550-1000		0.00	0.00	0.00		
Aliphatics		0.00	0.00	0.00		
Phenolics		0.00	0.00	0.00		
BP>1000		13.35	4.32	4.32		
Char Fines		11.21	3.62	3.62		
Residue		2.14	0.69	0.69		

Gas Total	73.8	116.9	13.9	42.1		
H2		0.3	0.1	0.1		
CO2	73.4	104.0	9.9	36.9		
C3H8		0.0	0.0	0.0		
C3H6		0.1	0.0	0.1		
i-C4		0.0	0.0	0.0		
COS		0.0	0.0	0.0		
n-C4		0.1	0.0	0.1		
H2S		0.3	0.1	0.2		
1-Bu		0.2	0.1	0.1		
c-2-Bu		0.1	0.0	0.0		
i-C5		0.0	0.0	0.0		
c-2-Bu		0.1	0.0	0.0		
n-C5		0.7	0.2	0.4		
C2H4		0.5	0.2	0.3		
C2H6		1.1	0.3	0.6		
O2	0.0	0.0	-0.0	-0.0		
N2	0.4	1.1	0.2	0.5		
CH4		3.1	1.0	1.8		
CO		5.4	1.7	3.0		
NH3		0.0	0.0	0.0		

Total	843.3	718.9	59.8	100.0		
Mat. Balance		85.3				
% loss to char	27					
% loss to liq	3					
% loss to gas	70					

	Grams In	Grams Out	Yields	Normalized Yields		
MAF (Coal/char)	303.1	212.0	70.0	54.9		12/8/89
H2O in coal/Char	132.8	1.2	-43.4	-43.5		
H2O in Steam/Cond.	0.0	135.0	44.5	43.0	Run #	M046_15
Ash	18.6	23.8	1.7	0.0	Wyodak	
Sulfur	0.0	0.7	0.2	0.2	Temp.	1020
Ash (sulfur free)	18.6	23.1	1.5	-0.2	% Steam	0.00

Cond. Total	21.99	7.25	7.01		% CO2	3.14
					% H2	96.36

ibp-165	0.00	0.00	0.00			
<C10	0.00	0.00	0.00		Steam Vol.	0.00
3XT	0.00	0.00	0.00		Gas Vol.	215.34
165-220	0.00	0.00	0.00			
C10-C12	0.00	0.00	0.00			
Phenols	0.00	0.00	0.00			
Cresols	0.00	0.00	0.00			
Napthal.	0.00	0.00	0.00			
220-375	0.00	0.00	0.00			
C13-C22	0.00	0.00	0.00			
C2-Phenol	0.00	0.00	0.00			
Phytene	0.00	0.00	0.00			
375-550	0.00	0.00	0.00			
C23-C30	0.00	0.00	0.00			
550-1000	0.00	0.00	0.00			
Alipnatics	0.00	0.00	0.00			
Phenolics	0.00	0.00	0.00			
BP>1000	3.38	1.12	1.12			
Char Fines	2.84	0.94	0.94			
Residue	0.54	0.18	0.18			

Gas Total	2685.5	3015.2	108.8	38.6
H2		0.6	0.2	0.2
CO2	84.3	195.3	36.6	32.1
C3H8		0.0	0.0	0.0
C3H6		0.0	0.0	0.0
i-C4		0.0	0.0	0.0
CO2		0.0	0.0	0.0
n-C4		0.0	0.0	0.0
H2S		0.0	0.0	0.0
1-3u		0.0	0.0	0.0
c-2-3u		0.0	0.0	0.0
i-C5		0.0	0.0	0.0
c-2-3u		0.0	0.0	0.0
n-C5		0.0	0.0	0.0
C2H4		0.6	0.2	0.2
C2H6		0.6	0.2	0.2
O2	0.0	0.0	0.0	0.0
N2	2601.2	2797.0	64.6	-0.5
CH4		11.2	3.7	3.4
CO		7.1	2.3	2.2
NH3		0.0	0.0	0.0

Total	3140.0	3409.2	188.8	100.0
-------	--------	--------	-------	-------

Mat. Balance 108.6

% loss to char 19
 % loss to liq 2
 % loss to gas 79

	Grams In	Grams Out	Yields	Normalized Yields		
MAF (Coal/char)	303.1	144.4	47.6	48.3		12/8/89
H2O in coal/Char	132.3	2.1	-43.1	-43.1		
H2O in Steam/Cond.	225.0	361.1	44.9	44.9	Run #	M046_16
Ash	18.5	18.4	-0.1	0.0	Wyodak	
Sulfur	0.0	0.5	0.2	0.2	Temp.	1020
Ash (sulfur free)	18.5	18.0	-0.2	-0.1	% Steam	17.09

Cond. Total		12.88	4.25	4.25	% CO2	4.30
					% H2	95.20

ibo-165		0.00	0.00	0.00		
<C10		0.00	0.00	0.00	Steam Vol.	28.13
BXT		0.00	0.00	0.00	Gas Vol.	136.50
165-220		0.00	0.00	0.00		
C10-C12		0.00	0.00	0.00		
Phenols		0.00	0.00	0.00		
Cresols		0.00	0.00	0.00		
Naphthal.		0.00	0.00	0.00		
220-375		0.00	0.00	0.00		
C13-C22		0.00	0.00	0.00		
C2-Phenol		0.00	0.00	0.00		
Phytene		0.00	0.00	0.00		
375-550		0.00	0.00	0.00		
C23-C30		0.00	0.00	0.00		
550-1000		0.00	0.00	0.00		
Aliphatics		0.00	0.00	0.00		
Phenolics		0.00	0.00	0.00		
BP>1000		1.87	0.62	0.62		
Char Fines		1.57	0.52	0.52		
Residue		0.30	0.10	0.10		

Gas Total	1698.3	1730.2	10.5	45.6
H2		0.5	0.2	0.2
CO2	81.6	186.3	34.6	38.3
C3H8		0.0	0.0	0.0
C3H6		0.5	0.2	0.2
i-C4		0.0	0.0	0.0
CO2		0.0	0.0	0.0
n-C4		0.0	0.0	0.0
H2S		0.0	0.0	0.0
1-3u		0.0	0.0	0.0
c-2-3u		0.0	0.0	0.0
i-C5		0.0	0.0	0.0
c-2-3u		0.0	0.0	0.0
n-C5		0.0	0.0	0.0
C2H4		0.7	0.2	0.2
C2H6		1.1	0.4	0.4
O2	0.0	0.0	0.0	0.0
N2	1616.7	1524.7	-30.4	0.6
CH4		8.2	2.7	2.9
CO		7.7	2.5	2.7
NH3		0.0	0.0	0.0

Total	2377.8	2269.2	64.2	100.0
-------	--------	--------	------	-------

Mat. Balance	95.4
--------------	------

% loss to char	2
% loss to liq	0
% loss to gas	98

	Grams In	Grams Out	Yields	Normalized Yields		
MAF (Coal/char)	303.1	195.8	64.6	55.7		12/8/89
H2O in coal/Char	132.3	2.4	-43.0	-43.1		
H2O in Steam/Cond.	410.0	553.1	47.2	43.1	Run #	M046_17
Ash	18.6	21.7	1.0	0.0	Wyodak	
Sulfur	0.0	0.6	0.2	0.2	Temp.	1020
Ash (sulfur free)	18.6	21.2	0.8	-0.1	% Steam	39.64

Cond. Total		21.89	7.22	7.06	% CO2	14.16
					% H2	85.84
ibp-165		0.00	0.00	0.00		
<C10		0.00	0.00	0.00	Steam Vol.	51.26
BXT		0.00	0.00	0.00	Gas Vol.	78.06
165-220		0.00	0.00	0.00		
C10-C12		0.00	0.00	0.00		
Phenols		0.00	0.00	0.00		
Cresols		0.00	0.00	0.00		
Naphthal.		0.00	0.00	0.00		
220-375		0.00	0.00	0.00		
C13-C22		0.00	0.00	0.00		
C2-Phenol		0.00	0.00	0.00		
Phytene		0.00	0.00	0.00		
375-550		0.00	0.00	0.00		
C23-C30		0.00	0.00	0.00		
550-1000		0.00	0.00	0.00		
Aliphatics		0.00	0.00	0.00		
Phenolics		0.00	0.00	0.00		
BP>1000		4.63	1.53	1.53		
Char Fines		3.89	1.28	1.28		
Residue		0.74	0.24	0.24		

Gas Total	971.3	1127.4	51.5	37.2		
H2		0.7	0.2	0.2		
CO2	137.5	239.5	33.7	30.6		
C3H8		0.0	0.0	0.0		
C3H6		5.2	1.7	1.7		
i-C4		0.0	0.0	0.0		
CO2		0.0	0.0	0.0		
n-C4		0.0	0.0	0.0		
H2S		0.0	0.0	0.0		
1-Bu		0.0	0.0	0.0		
c-2-3u		0.0	0.0	0.0		
i-C5		0.0	0.0	0.0		
c-2-3u		0.0	0.0	0.0		
n-C5		0.0	0.0	0.0		
C2H4		0.6	0.2	0.2		
C2H6		1.1	0.4	0.4		
O2	0.0	0.0	0.0	0.0		
N2	833.7	867.9	11.3	0.3		
CH4		6.0	2.0	1.9		
CO		6.1	2.0	1.9		
NH3		0.0	0.0	0.0		

Total	1835.8	1922.4	128.6	100.0		
Mat. Balance		104.7				
% loss to char	35					
% loss to liq	15					
% loss to gas	50					

	Grams In	Grams Out	Yields	Normalized Yields		
MAF (Coal/char)	307.5	158.2	51.4	50.7		12/8/89
H2O in coal/Char	128.1	4.7	-40.1	-40.1		
H2O in Steam/Cond.	245.0	379.7	43.8	40.7	Run #	M047_322
Ash	18.9	19.1	0.1	-0.0	Wyodak	
Sulfur	0.0	0.9	0.3	0.3	Temp.	1110
Ash (sulfur free)	18.9	18.3	-0.2	-0.3	% Steam	20.64

Cond. Total		1.27	0.41	0.40	% CO2	4.92
					% N2	95.08
ibp-165		0.00	0.00	0.00		
<C10		0.00	0.00	0.00	Steam Vol.	32.49
BXT		0.00	0.00	0.00	Gas Vol.	124.96
165-220		0.00	0.00	0.00		
C10-C12		0.00	0.00	0.00		
Phenols		0.00	0.00	0.00		
Cresols		0.00	0.00	0.00		
Naphthal.		0.00	0.00	0.00		
220-375		0.00	0.00	0.00		
C13-C22		0.00	0.00	0.00		
C2-Phenol		0.00	0.00	0.00		
Phytene		0.00	0.00	0.00		
375-550		0.00	0.00	0.00		
C23-C30		0.00	0.00	0.00		
550-1000		0.00	0.00	0.00		
Aliphatics		0.00	0.00	0.00		
Phenolics		0.00	0.00	0.00		
BP>1000		0.64	0.21	0.21		
Char Fines		0.53	0.17	0.17		
Residue		0.10	0.03	0.03		

Gas Total	1465.7	1693.1	73.9	49.1		
H2		2.9	0.9	0.9		
CO2	72.1	216.1	46.8	43.7		
C3H8		0.0	0.0	0.0		
C3H6		1.5	0.5	0.5		
i-C4		0.0	0.0	0.0		
CO2		0.0	0.0	0.0		
n-C4		0.0	0.0	0.0		
H2S		0.0	0.0	0.0		
1-Bu		0.0	0.0	0.0		
n-2-Bu		0.0	0.0	0.0		
i-C5		0.0	0.0	0.0		
n-2-Bu		0.0	0.0	0.0		
n-C5		0.0	0.0	0.0		
C2H4		0.8	0.3	0.3		
C2H6		1.1	0.3	0.3		
O2	0.0	0.0	0.0	0.0		
N2	1393.6	1459.1	21.3	-0.1		
CH4		7.1	2.3	2.2		
CO		8.1	2.6	2.5		
NH3		0.0	0.0	0.0		

Total	2165.2	2256.1	129.6	100.0		
Mat. Balance		104.2				
% loss to char	3					
% loss to liq	13					
% loss to gas	34					

	Grams In	Grams Out	Yields	Normalized Yields		
MAF (Coal/char)	307.5	122.2	39.7	46.0		12/8/89
H2O in coal/Char	128.1	1.4	-41.2	-41.1		
H2O in Steam/Cond.	415.0	543.2	41.7	41.7	Run #	M047_323
Ash	18.9	16.4	-0.8	0.0	Wyodak	
Sulfur	0.0	0.4	0.1	0.1	Temp.	1110
Ash (sulfur free)	18.9	16.0	-0.9	-0.1	% Steam	37.25

Cond. Total		6.77	2.20	2.20	% CO2	5.41
					% N2	94.59
ibp-165		0.00	0.00	0.00		
<C10		0.00	0.00	0.00	Steam Vol.	55.04
BXT		0.00	0.00	0.00	Gas Vol.	92.71
165-220		0.00	0.00	0.00		
C10-C12		0.00	0.00	0.00		
Phenols		0.00	0.00	0.00		
Cresols		0.00	0.00	0.00		
Naphthal.		0.00	0.00	0.00		
220-375		0.00	0.00	0.00		
C13-C22		0.00	0.00	0.00		
C2-Phenol		0.00	0.00	0.00		
Phytene		0.00	0.00	0.00		
375-550		0.00	0.00	0.00		
C23-C30		0.00	0.00	0.00		
550-1000		0.00	0.00	0.00		
Aliphatics		0.00	0.00	0.00		
Phenolics		0.00	0.00	0.00		
BP>1000		0.39	0.13	0.13		
Char Fines		0.33	0.11	0.11		
Residue		0.06	0.02	0.02		

Gas Total	1087.4	1205.2	38.3	51.2		
H2		3.3	1.1	1.1		
CO2	58.9	187.6	41.8	43.8		
C3H8		0.0	0.0	0.0		
C3H6		1.4	0.5	0.5		
i-C4		0.0	0.0	0.0		
COS		0.0	0.0	0.0		
n-C4		0.0	0.0	0.0		
H2S		0.0	0.0	0.0		
1-Bu		0.0	0.0	0.0		
t-2-Bu		0.0	0.0	0.0		
i-C5		0.0	0.0	0.0		
c-2-Bu		0.0	0.0	0.0		
n-C5		0.0	0.0	0.0		
C2H4		0.8	0.3	0.3		
C2H6		0.9	0.3	0.3		
O2	0.0	0.0	0.0	0.0		
N2	1028.5	995.8	-10.6	-0.0		
CH4		7.4	2.4	2.5		
CO		7.3	2.4	2.5		
NH3		0.0	0.0	0.0		

Total	1956.9	1895.2	80.0	100.0		
Mat. Balance		96.9				
% loss to char	36					
% loss to liq	0					
% loss to gas	64					

	Grams In	Grams Out	Yields	Normalized Yields		
MAF (Coal/char)	307.5	117.9	38.3	46.4		12/8/89
H2O in coal/Char	128.1	3.6	-40.5	-40.2		
H2O in Steam/Cond.	910.0	990.0	26.0	39.3	Run #	M047_324
Ash	18.9	15.5	-1.1	-0.0	Wyodak	
Sulfur	0.0	0.3	0.1	0.1	Temp.	1110
Ash (sulfur free)	18.9	15.2	-1.2	-0.1	% Steam	87.68

Cond. Total	29.97	9.74	10.15	% CO2	36.52
				% H2	63.48

ibp-165	0.00	0.00	0.00		
<C10	0.00	0.00	0.00	Steam Vol.	120.69
BXT	0.00	0.00	0.00	Gas Vol.	16.95
165-220	0.00	0.00	0.00		
C10-C12	0.00	0.00	0.00		
Phenols	0.00	0.00	0.00		
Cresols	0.00	0.00	0.00		
Naphthal.	0.00	0.00	0.00		
220-375	0.00	0.00	0.00		
C13-C22	0.00	0.00	0.00		
C2-Phenol	0.00	0.00	0.00		
Phytene	0.00	0.00	0.00		
375-550	0.00	0.00	0.00		
C23-C30	0.00	0.00	0.00		
550-1000	0.00	0.00	0.00		
Aliphatics	0.00	0.00	0.00		
Phenolics	0.00	0.00	0.00		
BP>1000	1.78	0.58	0.58		
Char Fines	1.49	0.49	0.49		
Residue	0.28	0.09	0.09		

Gas Total	198.8	322.0	40.1	44.4
H2		3.8	1.2	1.3
CO2	72.6	177.4	34.1	36.5
C3H8		0.0	0.0	0.0
C3H6		1.4	0.5	0.5
i-C4		0.0	0.0	0.0
COS		0.0	0.0	0.0
n-C4		0.1	0.0	0.0
H2S		0.4	0.1	0.1
1-Bu		0.2	0.1	0.1
t-2-Bu		0.0	0.0	0.0
i-C5		0.0	0.0	0.0
c-2-Bu		0.0	0.0	0.0
n-C5		0.0	0.0	0.0
C2H4		1.1	0.3	0.4
C2H6		1.2	0.4	0.4
O2	0.0	0.0	0.0	0.0
N2	126.2	121.1	-1.6	0.0
CH4		6.7	2.2	2.3
CO		8.3	2.7	2.8
NH3		0.0	0.0	0.0

Total	1563.3	1479.0	72.6	100.0
-------	--------	--------	------	-------

Mat. Balance	94.6
--------------	------

% loss to char	34
% loss to liq	50
% loss to gas	16

Char Data Sheet

Run # M020_21

Char Analysis

As Recd.

Proximate Analysis

Moisture	2.30
Volatile Matter	15.11
Fixed Carbon	71.63
Ash	11.21

BTU/lb	0.00
Surface Area	0.00

Ultimate Analysis

Hydrogen	2.44
Carbon	77.06
Nitrogen	1.26
Sulfur	0.38
Oxygen (Diff)	7.90

Sulfer

Sulfate	0.00
Pyritic	0.00
Organic	0.00

Char Data Sheet

Run # M020_22

Char Analysis As Recd.

Proximate Analysis

Moisture	2.90	BTU/lb	0.00
Volatile Matter	13.44	Surface Area	0.00
Fixed Carbon	72.60		
Ash	11.04		

Ultimate Analysis

Hydrogen	2.22
Carbon	77.38
Nitrogen	1.18
Sulfur	0.31
Oxygen (Diff)	7.86

Sulfur

Sulfate	0.00
Pyritic	0.00
Organic	0.00

Char Data Sheet

Run # M020_23

Char Analysis

As Recd.

Proximate Analysis

Moisture	3.90
Volatile Matter	14.65
Fixed Carbon	70.83
Ash	10.60

BTU/lb	0.00
Surface Area	0.00

Ultimate Analysis

Hydrogen	2.35
Carbon	75.54
Nitrogen	1.18
Sulfur	0.22
Oxygen (Diff)	10.10

Sulfur

Sulfate	0.00
Pyritic	0.00
Organic	0.00

Char Data Sheet

Run # m026_24

Char Analysis As Recd.

Proximate Analysis

Moisture	9.50
Volatile Matter	15.55
Fixed Carbon	64.62
Ash	10.31

BTU/lb	0.00
Surface Area	0.00

Ultimate Analysis

Hydrogen	3.42
Carbon	69.67
Nitrogen	1.00
Sulfur	0.24
Oxygen (Diff)	15.35

Sulfur

Sulfate	0.00
Pyritic	0.00
Organic	0.00

Char Data Sheet

Run # M027_200

Char Analysis As Recd.

Proximate Analysis
Moisture
Volatile Matter
Fixed Carbon
Ash

5.00
13.77
69.55
11.66

BTU/lb 0.00
Surface Area 0.00

Ultimate Analysis

Hydrogen 2.48
Carbon 76.01
Nitrogen 1.10
Sulfur 0.14
Oxygen (Diff) 8.60

Sulfur

Sulfate 0.00
Pyritic 0.00
Organic 0.00

Char Data Sheet

Run # M028_25

Char Analysis As Recd.

Proximate Analysis

Moisture	1.20
Volatile Matter	13.32
Fixed Carbon	73.37
Ash	12.09

BTU/lb	0.00
Surface Area	0.00

Ultimate Analysis

Hydrogen	2.07
Carbon	79.58
Nitrogen	1.20
Sulfur	0.37
Oxygen (Diff)	4.68

Sulfur

Sulfate	0.00
Pyritic	0.00
Organic	0.00

Char Data Sheet

Run # M028_26

Char Analysis As Recd.

Proximate Analysis

Moisture	1.30
Volatile Matter	13.21
Fixed Carbon	74.40
Ash	11.08

BTU/lb	0.00
Surface Area	0.00

Ultimate Analysis

Hydrogen	2.26
Carbon	80.68
Nitrogen	1.20
Sulfur	0.20
Oxygen (Diff)	4.57

Sulfur

Sulfate	0.00
Pyritic	0.00
Organic	0.00

Char Data Sheet

Run # M028_27

Char Analysis As Recd.

Proximate Analysis

Moisture	3.00
Volatile Matter	15.37
Fixed Carbon	70.44
Ash	11.18

BTU/lb	0.00
Surface Area	0.00

Ultimate Analysis

Hydrogen	2.46
Carbon	76.94
Nitrogen	1.16
Sulfur	0.21
Oxygen (Diff)	8.04

Sulfur

Sulfate	0.00
Pyritic	0.00
Organic	0.00

Char Data Sheet

Run # M044_1

Char Analysis As Recd.

Proximate Analysis

Moisture	0.50
Volatile Matter	27.98
Fixed Carbon	61.31
Ash	10.19

BTU/lb	0.00
Surface Area	0.00

Ultimate Analysis

Hydrogen	3.48
Carbon	72.22
Nitrogen	1.11
Sulfur	0.38
Oxygen (Diff)	12.61

Sulfer

Sulfate	0.00
Pyritic	0.00
Organic	0.00

Char Data Sheet

Run # M044_2

Char Analysis

As Recd.

Proximate Analysis

Moisture	0.70	BTU/lb	0.00
Volatile Matter	24.74	Surface Area	0.00
Fixed Carbon	63.36		
Ash	11.18		

Ultimate Analysis

Hydrogen	3.22
Carbon	72.78
Nitrogen	1.13
Sulfur	0.35
Oxygen (Diff)	11.33

Sulfur

Sulfate	0.00
Pyritic	0.00
Organic	0.00

Char Data Sheet

Run # M044_3

Char Analysis As Recd.

Proximate Analysis

Moisture	0.80
Volatile Matter	24.89
Fixed Carbon	63.15
Ash	11.14

BTU/lb	0.00
Surface Area	0.00

Ultimate Analysis

Hydrogen	3.32
Carbon	72.44
Nitrogen	1.16
Sulfur	0.40
Oxygen (Diff)	11.53

Sulfur

Sulfate	0.00
Pyritic	0.00
Organic	0.00

Char Data Sheet

Run # M044_4

Char Analysis

As Recd.

Proximate Analysis

Moisture	3.60
Volatile Matter	22.41
Fixed Carbon	62.75
Ash	11.23

BTU/lb

0.00

Surface Area

0.00

Ultimate Analysis

Hydrogen	3.42
Carbon	70.00
Nitrogen	1.09
Sulfur	0.30
Oxygen (Diff)	13.95

Sulfur

Sulfate	0.00
Pyritic	0.00
Organic	0.00

Char Data Sheet

Run # M046_15

Char Analysis

As Recd.

Proximate Analysis

Moisture	0.50
Volatile Matter	19.76
Fixed Carbon	69.69
Ash	10.03

BTU/lb	0.00
Surface Area	0.00

Ultimate Analysis

Hydrogen	2.84
Carbon	76.76
Nitrogen	1.22
Sulfur	0.30
Oxygen (Diff)	8.84

Sulfur

Sulfate	0.00
Pyritic	0.00
Organic	0.00

Char Data Sheet

Run # M046_16

Char Analysis As Recd.

Proximate Analysis

Moisture	1.30	BTU/lb	0.00
Volatile Matter	20.54	Surface Area	0.00
Fixed Carbon	66.96		
Ash	11.18		

Ultimate Analysis

Hydrogen	2.91
Carbon	74.64
Nitrogen	1.18
Sulfur	0.30
Oxygen (Diff)	9.78

Sulfer

Sulfate	0.00
Pyritic	0.00
Organic	0.00

Char Data Sheet

Run # M046_17

Char Analysis

As Recd.

Proximate Analysis

Moisture	1.10
Volatile Matter	18.67
Fixed Carbon	70.33
Ash	9.88

BTU/lb	0.00
Surface Area	0.00

Ultimate Analysis

Hydrogen	2.82
Carbon	76.60
Nitrogen	1.18
Sulfur	0.26
Oxygen (Diff)	9.25

Sulfer

Sulfate	0.00
Pyritic	0.00
Organic	0.00

Char Data Sheet

Run # M047_322

Char Analysis As Recd.

Proximate Analysis

Moisture	2.60
Volatile Matter	19.62
Fixed Carbon	67.27
Ash	10.50

BTU/lb	0.00
Surface Area	0.00

Ultimate Analysis

Hydrogen	2.99
Carbon	74.99
Nitrogen	1.14
Sulfur	0.47
Oxygen (Diff)	9.90

Sulfur

Sulfate	0.00
Pyritic	0.00
Organic	0.00

Char Data Sheet

Run # M047_323

Char Analysis

	As Recd.	BTU/lb	
Proximate Analysis			
Moisture	1.00		0.00
Volatile Matter	15.29	Surface Area	0.00
Fixed Carbon	71.97		
Ash	11.73		
Ultimate Analysis			
Hydrogen	2.33		
Carbon	77.74		
Nitrogen	1.26		
Sulfur	0.27		
Oxygen (Diff)	6.66		
Sulfur			
Sulfate	0.00		
Pyritic	0.00		
Organic	0.00		

Char Data Sheet

Run # M047_324

Char Analysis As Recd.

Proximate Analysis

Moisture	2.60
Volatile Matter	15.95
Fixed Carbon	70.10
Ash	11.34

BTU/lb	0.00
Surface Area	0.00

Ultimate Analysis

Hydrogen	2.56
Carbon	76.76
Nitrogen	1.20
Sulfur	0.24
Oxygen (Diff)	7.89

Sulfur

Sulfate	0.00
Pyritic	0.00
Organic	0.00

APPENDIX B

MATERIAL BALANCE AND YIELD DATA - INDIANA NO. 3 COAL

MATERIAL BALANCE AND YIELD DATA - INDIANA NO. 3 COAL

The test matrix for the Indiana No. 3 test series in the CFBR is shown in Table B1. The matrix is divided into four areas representing different methods for testing agglomeration: 1) feed coal injection into char bed, 2) preoxidation of coal feed, 3) oxidation within the reactor bed, and 4) staged heating of the coal. This appendix has two parts, the first part giving the material balance data and the second part giving the coal analysis data.

TABLE B1

Test Matrix for Indiana No. 3 Coal

Temp.	Gas	% Steam ^a			
		0-29	30-59	60-89	90-100
Coal Injection into Char Bed, 1020°F	N ₂		106		
Preoxidation, 1020°F	N ₂		105		
Internal Oxidation, 1020°F	N ₂		108		
Staged					
660°F	N ₂ -CO ₂ ^b	303,304 ^c	305		301
	N ₂ ^d		325,308,309	307	306
700°F	N ₂ -CO ₂				300-A,300-B
750°F	N ₂	221	220,222		
780°F	N ₂		302		302
840°F	N ₂	330,337	336,315,338	339,332	
930°F	N ₂	224	223,331	226	311-A,311-B
1020°F	N ₂ -CO ₂		225,227		
1470°F	N ₂	402,404	403,405		

^a % steam in fluidization gas.

^b Remainder of fluidization gas is 90% N₂/10% CO₂, which is a simulated flue gas that represents stoichiometric combustion of carbon.

^c Matrix test number.

^d Remainder of fluidization gas is N₂.

	Grams In	Grams Out	Yields	Normalized Yields		12/8/89
MAF (Coal/char)	370.5	287.1	77.5	92.6		
H2O in coal/Char	30.9	15.6	-4.1	-3.3		
H2O in Steam/Cond.	3355.0	3320.1	-9.4	5.5	Run #	M035,300 -A
Ash	53.1	44.3	-2.4	-0.0	Indiana	
Sulfur	2.4	1.9	-0.1	-0.0	Temp.	700
Ash (sulfur free)	50.7	42.4	-2.3	-0.0	% Steam	91.10

Cond. Total	4.92	1.33	1.35	% CO2	26.97
				% N2	72.96

ibp-165	0.00	0.00	0.00		
<C10	0.00	0.00	0.00	Steam Vol.	329.76
BXT	0.00	0.00	0.00	Gas Vol.	32.12
165-220	0.00	0.00	0.00		
C10-C12	0.00	0.00	0.00		
Phenols	0.00	0.00	0.00		
Cresols	0.00	0.00	0.00		
Naphthal.	0.00	0.00	0.00		
220-375	0.00	0.00	0.00		
C13-C22	0.00	0.00	0.00		
C2-Phenol	0.00	0.00	0.00		
Phytene	0.00	0.00	0.00		
375-550	0.00	0.00	0.00		
C23-C30	0.00	0.00	0.00		
550-1000	0.00	0.00	0.00		
Aliphatics	0.00	0.00	0.00		
Phenolics	0.00	0.00	0.00		
BP>1000	0.40	0.11	0.11		
Char Fines	0.34	0.09	0.09		
Residue >	0.06	0.02	0.02		

Gas Total	539.9	554.5	3.9	3.9
H2		0.0	0.0	0.0
CO2	145.6	159.9	3.9	3.9
C3H8		0.0	0.0	0.0
C3H6		0.0	0.0	0.0
i-C4		0.0	0.0	0.0
COS		0.0	0.0	0.0
n-C4		0.0	0.0	0.0
H2S		0.7	0.2	0.2
1-Bu		0.0	0.0	0.0
c-2-Bu		0.0	0.0	0.0
i-C5		0.0	0.0	0.0
c-2-Bu		0.0	0.0	0.0
n-C5		0.0	0.0	0.0
C2H4		0.0	0.0	0.0
C2H6		0.0	0.0	0.0
O2	0.4	0.0	-0.1	-0.1
N2	393.9	393.9	-0.0	-0.0
CH4		0.0	0.0	0.0
CO		0.0	0.0	0.0
NH3		0.0	0.0	0.0

Total	4349.4	4226.5	66.8	100.0
-------	--------	--------	------	-------

Mat. Balance 97.2

% loss to char 55
 % loss to liq 45
 % loss to gas 0

	Grams In	Grams Out	Yields	Normalized Yields		
MAF (Coal/char)	369.7	316.0	85.5	91.0		12/8/89
H2O in coal/Char	30.9	17.2	-3.7	-3.4		
H2O in Steam/Cond.	3960.0	3993.8	9.1	9.1	Run #	M035,300-B
Ash	53.9	48.8	-1.4	-0.5	Indiana	
Sulfur	2.4	2.1	-0.1	-0.0	Temp.	700
Ash (sulfur free)	51.5	46.7	-1.3	-0.5	% Steam	92.03

Cond. Total		6.19	1.67	1.67	% CO2	12.92
					% N2	87.08
ibp-165		0.00	0.00	0.00		
<C10		0.00	0.00	0.00	Steam Vol.	388.05
BXT		0.00	0.00	0.00	Gas Vol.	33.59
165-220		0.00	0.00	0.00		
C10-C12		0.00	0.00	0.00		
Phenols		0.00	0.00	0.00		
Cresols		0.00	0.00	0.00		
Naphthal.		0.00	0.00	0.00		
220-375		0.00	0.00	0.00		
C13-C22		0.00	0.00	0.00		
C2-Phenol		0.00	0.00	0.00		
Phytene		0.00	0.00	0.00		
375-550		0.00	0.00	0.00		
C23-C30		0.00	0.00	0.00		
550-1000		0.00	0.00	0.00		
Aliphatics		0.00	0.00	0.00		
Phenolics		0.00	0.00	0.00		
BP>1000		2.35	0.64	0.64		
Char Fines		1.98	0.53	0.53		
Residue		0.38	0.10	0.10		

Gas Total	533.3	541.3	2.2	2.2		
H2		0.0	0.0	0.0		
CO2	68.9	75.8	1.9	1.9		
C3H8		0.0	0.0	0.0		
C3H6		0.0	0.0	0.0		
i-C4		0.0	0.0	0.0		
CO2		0.0	0.0	0.0		
n-C4		0.0	0.0	0.0		
H2S		0.6	0.2	0.2		
1-Bu		0.0	0.0	0.0		
t-2-Bu		0.0	0.0	0.0		
i-C5		0.0	0.0	0.0		
c-2-Bu		0.0	0.0	0.0		
n-C5		0.0	0.0	0.0		
C2H4		0.0	0.0	0.0		
C2H6		0.0	0.0	0.0		
O2	0.0	0.0	0.0	0.0		
N2	464.4	464.5	0.0	0.0		
CH4		0.0	0.0	0.0		
CO		0.0	0.0	0.0		
NH3		0.0	0.0	0.0		

Total	4947.8	4923.3	93.4	100.0		
Mat. Balance		99.5				
% loss to char	100					
% loss to liq	0					
% loss to gas	0					

	Grams In	Grams Out	Yields	Normalized Yields		
MAF (Coal/char)	386.2	383.2	99.2	95.7		12/8/89
H2O in coal/Char	12.0	15.8	1.0	0.8		
H2O in Steam/Cond.	3830.0	3847.5	4.5	-0.3	Run #	M041_306
Ash	56.4	52.0	-1.1	-1.6	Indiana	
Sulfur	2.5	2.2	-0.1	-0.1	Temp.	660
Ash (sulfur free)	53.8	49.8	-1.0	-1.5	% Steam	93.84

Cond. Total		6.45	1.67	1.66	% CO2	15.34
					% N2	84.66
ibp-165		0.00	0.00	0.00		
<C10		0.00	0.00	0.00	Steam Vol.	362.37
BXT		0.00	0.00	0.00	Gas Vol.	23.79
165-220		0.00	0.00	0.00		
C10-C12		0.00	0.00	0.00		
Phenols		0.00	0.00	0.00		
Cresols		0.00	0.00	0.00		
Naphthal.		0.00	0.00	0.00		
220-375		0.00	0.00	0.00		
C13-C22		0.00	0.00	0.00		
C2-Phenol		0.00	0.00	0.00		
Phytene		0.00	0.00	0.00		
375-550		0.00	0.00	0.00		
C23-C30		0.00	0.00	0.00		
550-1000		0.00	0.00	0.00		
Aliphatics		0.00	0.00	0.00		
Phenolics		0.00	0.00	0.00		
BP>1000		1.78	0.46	0.46		
Char Fines		1.49	0.39	0.38		
Residue		0.28	0.07	0.07		

Gas Total	391.2	424.4	8.6	3.7		
H2		0.0	0.0	0.0		
CO2	60.0	77.3	4.5	3.6		
C3H8		0.0	0.0	0.0		
C3H6		0.0	0.0	0.0		
i-C4		0.0	0.0	0.0		
COS		0.0	0.0	0.0		
n-C4		0.0	0.0	0.0		
H2S		0.4	0.1	0.1		
1-Bu		0.0	0.0	0.0		
t-2-Bu		0.0	0.0	0.0		
i-C5		0.0	0.0	0.0		
c-2-Bu		0.0	0.0	0.0		
n-C5		0.0	0.0	0.0		
C2H4		0.0	0.0	0.0		
C2H6		0.0	0.0	0.0		
O2	0.0	0.0	0.0	0.0		
N2	331.1	346.5	4.0	-0.0		
CH4		0.0	0.0	0.0		
CO		0.2	0.1	0.0		
NH3		0.0	0.0	0.0		

Total	4675.7	4729.4	113.9	100.0		
Mat. Balance		101.2				
% loss to char	30					
% loss to liq	35					
% loss to gas	35					

	Grams In	Grams Out	Yields	Normalized Yields		
MAF (Coal/char)	386.2	339.9	88.0	95.4		12/8/89
H2O in coal/Char	12.0	24.4	3.2	3.7		
H2O in Steam/Cond.	3010.0	3004.3	-1.5	-1.5	Run #	M041_307
Ash	56.4	48.7	-2.0	-0.9	Indiana	
Sulfur	2.5	2.0	-0.1	-0.1	Temp.	660
Ash (sulfur free)	53.8	46.7	-1.9	-0.8	% Steam	77.71

Cond. Total		3.65	0.95	0.95	% CO2	3.32
					% N2	96.18

ibp-165		0.00	0.00	0.00		
<C10		0.00	0.00	0.00	Steam Vol.	284.79
BXT		0.00	0.00	0.00	Gas Vol.	81.70
165-220		0.00	0.00	0.00		
C10-C12		0.00	0.00	0.00		
Phenols		0.00	0.00	0.00		
Cresols		0.00	0.00	0.00		
Naphthal.		0.00	0.00	0.00		
220-375		0.00	0.00	0.00		
C13-C22		0.00	0.00	0.00		
C2-Phenol		0.00	0.00	0.00		
Phytene		0.00	0.00	0.00		
375-550		0.00	0.00	0.00		
C23-C30		0.00	0.00	0.00		
550-1000		0.00	0.00	0.00		
Aliphatics		0.00	0.00	0.00		
Phenolics		0.00	0.00	0.00		
BP>1000		2.73	0.71	0.71		
Char Fines		2.30	0.59	0.59		
Residue		0.44	0.11	0.11		

Gas Total	1343.2	1300.4	-11.1	2.3
H2		0.0	0.0	0.0
CO2	51.3	57.3	1.6	2.1
C3H8		0.0	0.0	0.0
C3H6		0.0	0.0	0.0
i-C4		0.0	0.0	0.0
COS		0.0	0.0	0.0
n-C4		0.0	0.0	0.0
H2S		0.0	0.0	0.0
1-Bu		0.0	0.0	0.0
t-2-Bu		0.0	0.0	0.0
i-C5		0.0	0.0	0.0
c-2-Bu		0.0	0.0	0.0
n-C5		0.0	0.0	0.0
C2H4		0.0	0.0	0.0
C2H6		0.0	0.0	0.0
O2	0.0	0.0	0.0	0.0
N2	1291.9	1242.5	-12.8	-0.0
CH4		0.0	0.0	0.0
CO		0.0	0.0	0.0
NH3		0.0	0.0	0.0

Total	4807.7	4721.4	77.7	100.0
-------	--------	--------	------	-------

Mat. Balance	98.2
--------------	------

% loss to char	40
% loss to liq	0
% loss to gas	60

	Grams In	Grams Out	Yields	Normalized Yields		
MAF (Coal/char)	386.2	349.7	90.5	97.0		12/8/89
H2O in coal/Char	12.0	2.4	-2.5	-2.4		
H2O in Steam/Cond.	2400.0	2331.8	-17.7	4.5	Run #	M041_309
Ash	56.4	43.0	-3.5	-2.7	Indiana	
Sulfur	25.6	17.9	-2.0	-1.7	Temp.	660
Ash (sulfur free)	30.8	25.1	-1.5	-0.7	% Steam	58.11

Cond. Total		1.24	0.32	0.33	% CO2	0.91
					% N2	99.09

ibp-165		0.00	0.00	0.00		
<C10		0.00	0.00	0.00	Steam Vol.	227.07
BXT		0.00	0.00	0.00	Gas Vol.	163.71
165-220		0.00	0.00	0.00		
C10-C12		0.00	0.00	0.00		
Phenols		0.00	0.00	0.00		
Cresols		0.00	0.00	0.00		
Naphthal.		0.00	0.00	0.00		
220-375		0.00	0.00	0.00		
C13-C22		0.00	0.00	0.00		
C2-Phenol		0.00	0.00	0.00		
Phytene		0.00	0.00	0.00		
375-550		0.00	0.00	0.00		
C23-C30		0.00	0.00	0.00		
550-1000		0.00	0.00	0.00		
Aliphatics		0.00	0.00	0.00		
Phenolics		0.00	0.00	0.00		
BP>1000		0.64	0.17	0.17		
Char Fines		0.54	0.14	0.14		
Residue		0.10	0.03	0.03		

Gas Total	2691.7	2653.1	-10.0	3.3
H2		0.1	0.0	0.0
CO2	24.5	36.5	3.1	3.3
C3H8		0.0	0.0	0.0
C3H6		0.0	0.0	0.0
i-C4		0.0	0.0	0.0
CO2		0.0	0.0	0.0
n-C4		0.0	0.0	0.0
H2S		0.0	0.0	0.0
1-Bu		0.0	0.0	0.0
t-2-Bu		0.0	0.0	0.0
i-C5		0.0	0.0	0.0
c-2-Bu		0.0	0.0	0.0
n-C5		0.0	0.0	0.0
C2H4		0.0	0.0	0.0
C2H6		0.0	0.0	0.0
O2	0.0	0.0	0.0	0.0
N2	2667.1	2616.7	-13.1	0.0
CH4		0.0	0.0	0.0
CO		0.0	0.0	0.0
NH3		0.0	0.0	0.0

Total	5546.2	5381.1	57.3	100.0
-------	--------	--------	------	-------

Mat. Balance	97.0
--------------	------

% loss to char	17
% loss to liq	52
% loss to gas	31

	Grams In	Grams Out	Yields	Normalized Yields		
MAF (Coal/char)	409.6	319.7	78.1	83.3		12/8/89
H2O in coal/Char	18.9	49.1	7.4	8.2		
H2O in Steam/Cond.	1520.0	1487.1	-8.0	-8.0	Run #	M042_311-A
Ash	55.6	51.2	-1.1	-0.2	Indiana	
Sulfur	2.4	1.3	-0.3	-0.2	Temp.	1020
Ash (sulfur free)	53.2	49.9	-0.8	0.0	% Steam	94.40

Cond. Total		22.86	5.58	5.58	% CO2	56.41
					% N2	43.59
ibp-165		0.00	0.00	0.00		
<C10		0.00	0.00	0.00	Steam Vol.	190.04
BXT		0.00	0.00	0.00	Gas Vol.	11.23
165-220		0.00	0.00	0.00		
C10-C12		0.00	0.00	0.00		
Phenols		0.00	0.00	0.00		
Cresols		0.00	0.00	0.00		
Naphthal.		0.00	0.00	0.00		
220-375		0.00	0.00	0.00		
C13-C22		0.00	0.00	0.00		
C2-Phenol		0.00	0.00	0.00		
Phytene		0.00	0.00	0.00		
375-550		0.00	0.00	0.00		
C23-C30		0.00	0.00	0.00		
550-1000		0.00	0.00	0.00		
Aliphatics		0.00	0.00	0.00		
Phenolics		0.00	0.00	0.00		
BP>1000		5.48	1.34	1.34		
Char Fines		4.61	1.12	1.12		
Residue		0.88	0.21	0.21		

Gas Total	140.3	145.9	1.4	11.2		
H2		0.3	0.1	0.1		
CO2	79.2	86.9	1.9	7.8		
C3H8		0.0	0.0	0.0		
C3H6		0.9	0.2	0.3		
i-C4		0.0	0.0	0.0		
COS		0.0	0.0	0.0		
n-C4		0.1	0.0	0.0		
H2S		1.6	0.4	0.5		
1-Bu		0.2	0.1	0.1		
t-2-Bu		0.1	0.0	0.0		
i-C5		0.0	0.0	0.0		
c-2-Bu		0.0	0.0	0.0		
n-C5		0.1	0.0	0.0		
C2H4		0.5	0.1	0.2		
C2H6		1.2	0.3	0.4		
O2	0.0	0.0	0.0	0.0		
N2	61.2	47.9	-3.2	-0.0		
CH4		3.7	0.9	1.2		
CO		2.5	0.6	0.8		
NH3		0.0	0.0	0.0		

Total	2144.3	2075.9	83.3	100.0		
Mat. Balance		96.8				
% loss to char	41					
% loss to liq	0					
% loss to gas	59					

	Grams In	Grams Out	Yields	Normalized Yields		
MAF (Coal/char)	409.6	136.6	33.4	78.0		12/8/89
H2O in coal/Char	18.9	16.0	-0.7	4.5		
H2O in Steam/Cond.	1620.0	1485.7	-32.8	-3.8	Run #	M042,311-B
Ash	55.6	23.4	-7.9	-0.2	Indiana	
Sulfur	2.4	0.7	-0.4	-0.2	Temp.	1020
Ash (sulfur free)	53.2	22.7	-7.5	-0.0	% Steam	90.55

Cond. Total	13.32	3.25	3.51	% CO2	86.20
				% N2	13.79

ibp-165	0.00	0.00	0.00		
<C10	0.00	0.00	0.00	Steam Vol.	202.54
BXT	0.00	0.00	0.00	Gas Vol.	21.14
165-220	0.00	0.00	0.00		
C10-C12	0.00	0.00	0.00		
Phenols	0.00	0.00	0.00		
Cresols	0.00	0.00	0.00		
Naphthal.	0.00	0.00	0.00		
220-375	0.00	0.00	0.00		
C13-C22	0.00	0.00	0.00		
C2-Phenol	0.00	0.00	0.00		
Phytene	0.00	0.00	0.00		
375-550	0.00	0.00	0.00		
C23-C30	0.00	0.00	0.00		
550-1000	0.00	0.00	0.00		
Aliphatics	0.00	0.00	0.00		
Phenolics	0.00	0.00	0.00		
BP>1000	2.52	0.61	0.61		
Char Fines	2.11	0.52	0.52		
Residue	0.40	0.10	0.10		

Gas Total	278.4	307.9	7.2	17.9
H2		0.2	0.0	0.1
CO2	240.0	269.8	7.3	16.7
C3H8		0.0	0.0	0.0
C3H6		1.5	0.4	0.4
i-C4		0.0	0.0	0.0
COS		0.0	0.0	0.0
n-C4		0.0	0.0	0.0
H2S		0.5	0.1	0.1
1-Bu		0.0	0.0	0.0
t-2-Bu		0.0	0.0	0.0
i-C5		0.0	0.0	0.0
c-2-Bu		0.0	0.0	0.0
n-C5		0.0	0.0	0.0
C2H4		0.1	0.0	0.0
C2H6		0.3	0.1	0.1
O2	0.0	0.0	-0.0	-0.0
N2	38.4	33.7	-1.1	0.0
CH4		1.1	0.3	0.3
CO		0.6	0.2	0.2
NH3		0.0	0.0	0.0

Total	2382.4	1982.9	2.4	100.0
-------	--------	--------	-----	-------

Mat. Balance 83.2

% loss to char 59
 % loss to liq 30
 % loss to gas 11

	Grams In	Grams Out	Yields	Normalized Yields		
MAF (Coal/char)	390.8	309.3	79.2	90.4		12/8/89
H2O in coal/Char	1.0	10.1	2.3	2.7		
H2O in Steam/Cond.	1120.0	995.4	-31.9	-2.2	Run #	M052_333
Asn	62.7	54.6	-2.1	-0.1	Indiana	
Sulfur	2.6	1.9	-0.2	-0.1	Temp.	840
Asn (sulfur free)	60.1	52.7	-1.9	0.0	% Steam	55.38

Cond. Total		4.59	1.17	1.31	% CO2	5.38
					% N2	94.62

ibp-165		0.00	0.00	0.00		
<C10		0.00	0.00	0.00	Steam Vol.	123.00
BXT		0.00	0.00	0.00	Gas Vol.	95.16
165-220		0.00	0.00	0.00		
C10-C12		0.00	0.00	0.00		
Phenols		0.00	0.00	0.00		
Cresols		0.00	0.00	0.00		
Naphthal.		0.00	0.00	0.00		
220-375		0.00	0.00	0.00		
C13-C22		0.00	0.00	0.00		
C2-Phenol		0.00	0.00	0.00		
Phytene		0.00	0.00	0.00		
375-550		0.00	0.00	0.00		
C23-C30		0.00	0.00	0.00		
550-1000		0.00	0.00	0.00		
Aliphatics		0.00	0.00	0.00		
Phenolics		0.00	0.00	0.00		
BP>1000		0.28	0.07	0.07		
Char Fines		0.24	0.06	0.06		
Residue		0.05	0.01	0.01		

Gas Total	1347.9	1344.0	-1.0	7.9
H2		0.1	0.0	0.0
CO2	72.5	100.5	7.2	7.8
C3H8		0.0	0.0	0.0
C3H6		0.0	0.0	0.0
i-C4		0.0	0.0	0.0
CO2		0.0	0.0	0.0
n-C4		0.0	0.0	0.0
H2S		0.0	0.0	0.0
1-Bu		0.0	0.0	0.0
t-2-Bu		0.0	0.0	0.0
i-C5		0.0	0.0	0.0
c-2-Bu		0.0	0.0	0.0
n-C5		0.0	0.0	0.0
C2H4		0.0	0.0	0.0
C2H6		0.0	0.0	0.0
O2	0.0	0.0	0.0	0.0
N2	1275.3	1242.9	-8.3	-0.1
CH4		0.0	0.0	0.0
CO		0.0	0.0	0.0
NH3		0.0	0.0	0.0

Total	2922.4	2718.0	47.7	100.0
-------	--------	--------	------	-------

Mat. Balance	93.0
--------------	------

% loss to char	26
% loss to liq	57
% loss to gas	17

	Grams In	Grams Out	Yields	Normalized Yields		
MAF (Coal/char)	388.6	276.3	71.1	91.3		12/8/89
H2O in coal/Char	3.5	9.0	1.4	2.1		
H2O in Steam/Cond.	1760.0	1637.1	-31.6	2.0	Run #	M058_339
Ash	62.3	48.7	-3.5	0.1	Indiana	
Sulfur	2.6	2.0	-0.2	-0.0	Temp.	840
Ash (sulfur free)	59.8	46.8	-3.3	0.1	% Steam	78.74

Cond. Total		11.98	3.08	3.33	% CO2	2.94
					% H2	97.06

ibp-165		0.00	0.00	0.00		
<C10		0.00	0.00	0.00	Steam Vol.	193.28
BXT		0.00	0.00	0.00	Gas Vol.	52.18
165-220		0.00	0.00	0.00		
C10-C12		0.00	0.00	0.00		
Phenols		0.00	0.00	0.00		
Cresols		0.00	0.00	0.00		
Naphthal.		0.00	0.00	0.00		
220-375		0.00	0.00	0.00		
C13-C22		0.00	0.00	0.00		
C2-Phenol		0.00	0.00	0.00		
Phytene		0.00	0.00	0.00		
375-550		0.00	0.00	0.00		
C23-C30		0.00	0.00	0.00		
550-1000		0.00	0.00	0.00		
Aliphatics		0.00	0.00	0.00		
Phenolics		0.00	0.00	0.00		
BP>1000		0.65	0.17	0.17		
Char Fines		0.55	0.14	0.14		
Residue		0.10	0.03	0.03		

Gas Total	739.1	739.4	0.1	1.2		
H2		0.0	0.0	0.0		
CO2	21.8	25.8	1.0	1.1		
C3H8		0.0	0.0	0.0		
C3H6		0.0	0.0	0.0		
i-C4		0.0	0.0	0.0		
CO2		0.0	0.0	0.0		
n-C4		0.0	0.0	0.0		
H2S		0.0	0.0	0.0		
1-Bu		0.0	0.0	0.0		
t-2-Bu		0.0	0.0	0.0		
i-C5		0.0	0.0	0.0		
c-2-Bu		0.0	0.0	0.0		
n-C5		0.0	0.0	0.0		
C2H4		0.0	0.0	0.0		
C2H6		0.0	0.0	0.0		
O2	0.0	0.0	0.0	0.0		
N2	717.4	713.1	-1.1	0.0		
CH4		0.0	0.0	0.0		
CO		0.0	0.0	0.0		
NH3		0.0	0.0	0.0		

Total	2953.6	2722.4	40.5	100.0		
-------	--------	--------	------	-------	--	--

Mat. Balance 92.2

% loss to char 41
 % loss to liq 57
 % loss to gas 2

	Grams In	Grams Out	Yields	Normalized Yields	
MAF (Coal/char)	660.7	406.1	61.5	77.5	12/8/89
H2O in coal/Char	6.0	1.5	-0.7	-0.6	
H2O in Steam/Cond.	290.0	461.2	25.9	25.9	Run # M059_337
Ash	106.0	83.4	-3.4	-0.1	Indiana
Sulfur	4.3	2.7	-0.3	-0.1	Temp. 840
Ash (sulfur free)	101.6	80.7	-3.2	0.0	% Steam 13.17

Cond. Total		22.66	3.43	3.43	% CO2 5.53
					% N2 94.47

ibp-165		0.00	0.00	0.00	
<C10		0.00	0.00	0.00	Steam Vol. 31.85
BXT		0.00	0.00	0.00	Gas Vol. 209.97
165-220		0.00	0.00	0.00	
C10-C12		0.00	0.00	0.00	
Phenols		0.00	0.00	0.00	
Cresols		0.00	0.00	0.00	
Naphthal.		0.00	0.00	0.00	
220-375		0.00	0.00	0.00	
C13-C22		0.00	0.00	0.00	
C2-Phenol		0.00	0.00	0.00	
Phytene		0.00	0.00	0.00	
375-550		0.00	0.00	0.00	
C23-C30		0.00	0.00	0.00	
550-1000		0.00	0.00	0.00	
Aliphatics		0.00	0.00	0.00	
Phenolics		0.00	0.00	0.00	
BP>1000		0.79	0.12	0.12	
Char Fines		0.66	0.10	0.10	
Residue		0.13	0.02	0.02	

Gas Total	2974.2	2749.7	-34.0	-6.1
H2		0.1	0.0	0.0
CO2	164.4	194.4	4.5	6.5
C3H8		0.0	0.0	0.0
C3H6		1.6	0.2	0.3
i-C4		0.0	0.0	0.0
CO2		0.0	0.0	0.0
n-C4		0.0	0.0	0.0
H2S		0.3	0.0	0.1
1-3u		0.0	0.0	0.0
t-2-3u		0.0	0.0	0.0
i-C5		0.0	0.0	0.0
c-2-3u		0.0	0.0	0.0
n-C5		0.0	0.0	0.0
C2H4		0.0	0.0	0.0
C2H6		0.0	0.0	0.0
O2	0.0	0.0	0.0	0.0
N2	2809.7	2552.1	-39.0	-13.1
CH4		0.0	0.0	0.0
CO		0.0	0.0	0.0
NH3		0.0	0.0	0.0

Total	4036.8	3724.6	52.7	100.0
-------	--------	--------	------	-------

Mat. Balance	92.3
--------------	------

% loss to char	41
% loss to liq	0
% loss to gas	59

	Grams In	Grams Out	Yields	Normalized Yields		
MAF (Coal/char)	391.5	414.6	105.9	96.4		12/8/89
H2O in coal/Char	3.7	0.5	-0.8	-0.8		
H2O in Steam/Cond.	1610.0	1652.2	10.8	-0.6	Run #	M064_220
Ash	59.2	63.9	1.2	-0.3	Indiana	
Sulfur	2.3	2.0	-0.1	-0.1	Temp.	750
Ash (sulfur free)	56.9	61.9	1.3	-0.2	% Steam	57.28

Cond. Total	15.77	4.03	3.92	% CO2	5.21
				% H2	94.79

ibp-165	0.00	0.00	0.00		
<C10	0.00	0.00	0.00	Steam Vol.	164.57
BXT	0.00	0.00	0.00	Gas Vol.	122.75
165-220	0.00	0.00	0.00		
C10-C12	0.00	0.00	0.00		
Phenols	0.00	0.00	0.00		
Cresols	0.00	0.00	0.00		
Napthal.	0.00	0.00	0.00		
220-375	0.00	0.00	0.00		
C13-C22	0.00	0.00	0.00		
C2-Phenol	0.00	0.00	0.00		
Phytene	0.00	0.00	0.00		
375-550	0.00	0.00	0.00		
C23-C30	0.00	0.00	0.00		
550-1000	0.00	0.00	0.00		
Aliphatics	0.00	0.00	0.00		
Phenolics	0.00	0.00	0.00		
SP>1000	0.56	0.14	0.14		
Char Fines	0.47	0.12	0.12		
Residue	0.09	0.02	0.02		

Gas Total	1868.0	1972.8	26.8	1.4
H2		0.1	0.0	0.0
CO2	97.4	107.3	2.5	1.2
C3H8		0.0	0.0	0.0
C3H6		0.0	0.0	0.0
i-C4		0.0	0.0	0.0
COS		0.0	0.0	0.0
n-C4		0.0	0.0	0.0
H2S		0.7	0.2	0.2
1-Bu		0.0	0.0	0.0
t-2-Bu		0.0	0.0	0.0
i-C5		0.0	0.0	0.0
c-2-Bu		0.0	0.0	0.0
n-C5		0.0	0.0	0.0
C2H4		0.0	0.0	0.0
C2H6		0.0	0.0	0.0
O2	0.0	0.0	0.0	0.0
N2	1770.6	1864.5	24.0	0.0
CH4		0.0	0.0	0.0
CO		0.0	0.0	0.0
NH3		0.0	0.0	0.0

Total	3932.5	4119.8	147.8	100.0
-------	--------	--------	-------	-------

Mat. Balance	104.8
--------------	-------

% loss to char	23
% loss to liq	24
% loss to gas	53

	Grams In	Grams Out	Yields	Normalized Yields		
MAF (Coal/char)	391.5	454.0	115.9	96.3		12/9/89
H2O in coal/Char	3.7	0.0	-1.0	-1.0		
H2O in Steam/Cond.	320.0	313.5	-1.7	-1.7	Run #	M064_221
Ash	59.2	73.0	3.5	0.4	Indiana	
Sulfur	2.3	3.3	0.2	0.1	Temp.	750
Ash (sulfur free)	56.9	69.8	3.3	0.3	% Steam	6.80

Cond. Total		6.53	1.67	1.67	% CO2	1.57
					% N2	98.43

ibp-165		0.00	0.00	0.00		
<C10		0.00	0.00	0.00	Steam Vol.	32.71
BXT		0.00	0.00	0.00	Gas Vol.	443.51
165-220		0.00	0.00	0.00		
C10-C12		0.00	0.00	0.00		
Phenols		0.00	0.00	0.00		
Cresols		0.00	0.00	0.00		
Naphthal.		0.00	0.00	0.00		
220-375		0.00	0.00	0.00		
C13-C22		0.00	0.00	0.00		
C2-Phenol		0.00	0.00	0.00		
Phytene		0.00	0.00	0.00		
375-550		0.00	0.00	0.00		
C23-C30		0.00	0.00	0.00		
550-1000		0.00	0.00	0.00		
Aliphatics		0.00	0.00	0.00		
Phenolics		0.00	0.00	0.00		
BP>1000		0.86	0.22	0.22		
Char Fines		0.72	0.18	0.18		
Residue		0.14	0.03	0.03		

Gas Total	6825.6	6864.7	10.0	4.3
H2		0.1	0.0	0.0
CO2	107.2	123.3	4.1	4.0
C3H8		0.0	0.0	0.0
C3H6		0.0	0.0	0.0
i-C4		0.0	0.0	0.0
CO2		0.0	0.0	0.0
n-C4		0.0	0.0	0.0
H2S		0.0	0.0	0.0
1-Bu		0.0	0.0	0.0
t-2-Bu		0.0	0.0	0.0
i-C5		0.0	0.0	0.0
c-2-Bu		0.0	0.0	0.0
n-C5		0.0	0.0	0.0
C2H4		0.0	0.0	0.0
C2H6		0.0	0.0	0.0
O2	0.0	0.0	0.0	0.0
N2	6718.4	6741.0	5.8	0.2
CH4		0.0	0.0	0.0
CO		0.0	0.0	0.0
NH3		0.0	0.0	0.0

Total	7600.1	7711.7	128.5	100.0
-------	--------	--------	-------	-------

Mat. Balance	101.5
--------------	-------

% loss to char	80
% loss to liq	0
% loss to gas	20

	Grams In	Grams Out	Yields	Normalized Yields		
MAF (Coal/char)	386.7	179.3	46.4	92.6		12/8/89
H2O in coal/Char	3.5	3.9	0.1	1.1		
H2O in Steam/Cond.	120.0	108.3	-3.0	-3.0	Run #	M070_224
Ash	67.5	33.8	-8.7	-0.0	Indiana	
Sulfur	2.5	1.2	-0.3	-0.0	Temp.	930
Ash (sulfur free)	65.0	32.6	-8.4	0.0	% Steam	6.73

Cond. Total		26.74	6.91	6.91	% CO2	3.40
					% N2	96.60
ibp-165		0.00	0.00	0.00		
<C10		0.00	0.00	0.00	Steam Vol.	14.09
BXT		0.00	0.00	0.00	Gas Vol.	195.38
165-220		0.00	0.00	0.00		
C10-C12		0.00	0.00	0.00		
Phenols		0.00	0.00	0.00		
Cresols		0.00	0.00	0.00		
Naphthal.		0.00	0.00	0.00		
220-375		0.00	0.00	0.00		
C13-C22		0.00	0.00	0.00		
C2-Phenol		0.00	0.00	0.00		
Phytene		0.00	0.00	0.00		
375-550		0.00	0.00	0.00		
C23-C30		0.00	0.00	0.00		
550-1000		0.00	0.00	0.00		
Aliphatics		0.00	0.00	0.00		
Phenolics		0.00	0.00	0.00		
BP>1000		26.53	6.34	6.34		
Char Fines		20.61	5.33	5.33		
Residue		3.92	1.01	1.01		

Gas Total	2588.3	2597.9	2.5	2.5		
H2		0.3	0.1	0.1		
CO2	88.1	92.2	1.1	1.1		
C3H8		0.0	0.0	0.0		
C3H6		0.4	0.1	0.1		
i-C4		0.0	0.0	0.0		
COS		0.0	0.0	0.0		
n-C4		0.0	0.0	0.0		
H2S		0.9	0.2	0.2		
1-Bu		0.0	0.0	0.0		
t-2-Bu		0.0	0.0	0.0		
i-C5		0.0	0.0	0.0		
c-2-Bu		0.0	0.0	0.0		
n-C5		0.0	0.0	0.0		
C2H4		0.3	0.1	0.1		
C2H6		0.8	0.2	0.2		
O2	0.0	0.0	0.0	0.0		
N2	2500.2	2490.3	-2.6	-2.6		
CH4		10.7	2.8	2.8		
CO		0.0	0.0	0.0		
NH3		0.0	0.0	0.0		

Total	3166.1	2949.9	44.1	100.0		
Mat. Balance		93.2				
% loss to char	100					
% loss to liq	0					
% loss to gas	0					

	Grams In	Grams Out	Yields	Normalized Yields	
MAF (Coal/char)	1556.4	173.6	11.2	85.4	12/3/89
H2O in coal/Char	14.2	1.3	-0.8	-0.3	
H2O in Steam/Cond.	1325.0	1298.2	-1.7	-1.7	Run # MC70_225
Ash	271.8	34.2	-15.3	-0.7	Indiana
Sulfur	10.1	1.2	-0.6	-0.0	Temp. 930
Ash (sulfur free)	261.7	32.9	-14.7	-0.6	% Steam 33.03

Cond. Total	239.81	15.41	15.41	% CO2 4.47
				% N2 95.53

ibp-165	0.00	0.00	0.00	
<C10	0.00	0.00	0.00	Steam Vol. 155.58
BXT	0.00	0.00	0.00	Gas Vol. 315.43
165-220	0.00	0.00	0.00	
C10-C12	0.00	0.00	0.00	
Phenols	0.00	0.00	0.00	
Cresols	0.00	0.00	0.00	
Naphthal.	0.00	0.00	0.00	
220-375	0.00	0.00	0.00	
C13-C22	0.00	0.00	0.00	
C2-Phenol	0.00	0.00	0.00	
Phytene	0.00	0.00	0.00	
375-550	0.00	0.00	0.00	
C23-C30	0.00	0.00	0.00	
550-1000	0.00	0.00	0.00	
Aliphatics	0.00	0.00	0.00	
Phenolics	0.00	0.00	0.00	
BP>1000	2.54	0.16	0.16	
Char Fines	2.14	0.14	0.14	
Residue	0.41	0.03	0.03	

Gas Total	4179.3	4135.7	-2.8	1.9
H2		0.9	0.1	0.1
CO2	186.9	229.8	2.8	3.0
C3H8		0.0	0.0	0.0
C3H6		0.0	0.0	0.0
i-C4		0.0	0.0	0.0
COS		0.0	0.0	0.0
n-C4		0.0	0.0	0.0
H2S		0.0	0.0	0.0
1-Bu		0.0	0.0	0.0
t-2-Bu		0.0	0.0	0.0
i-C5		0.0	0.0	0.0
c-2-Bu		0.0	0.0	0.0
n-C5		0.0	0.0	0.0
C2H4		2.0	0.1	0.1
C2H6		0.4	0.0	0.0
O2	0.0	0.0	0.0	0.0
N2	3992.4	3900.4	-5.9	-1.5
CH4		0.0	0.0	0.0
CO		0.0	0.0	0.0
NH3		0.0	0.0	0.0

Total	7346.7	5882.7	5.9	100.0
-------	--------	--------	-----	-------

Mat. Balance	80.1
--------------	------

% loss to char	95
% loss to liq	0
% loss to gas	5

	Grams In	Grams Out	Yields	Normalized Yields		
MAF (Coal/char)	470.1	125.0	26.6	87.4		12/8/89
H2O in coal/Char	4.3	0.6	-0.8	-0.5		
H2O in Steam/Cond.	2010.0	2001.3	-1.9	-1.9	Run #	M070_226
Ash	82.1	23.4	-12.5	-1.1	Indiana	
Sulfur	3.0	0.8	-0.5	-0.1	Temp.	930
Ash (sulfur free)	79.1	22.6	-12.0	-1.0	% Steam	87.82

Cond. Total		58.71	12.49	12.49	% CO2	35.22
					% N2	64.78
ibp-165		0.00	0.00	0.00		
<C10		0.00	0.00	0.00	Steam Vol.	236.02
BXT		0.00	0.00	0.00	Gas Vol.	32.74
165-220		0.00	0.00	0.00		
C10-C12		0.00	0.00	0.00		
Phenols		0.00	0.00	0.00		
Cresols		0.00	0.00	0.00		
Naphthal.		0.00	0.00	0.00		
220-375		0.00	0.00	0.00		
C13-C22		0.00	0.00	0.00		
C2-Phenol		0.00	0.00	0.00		
Phytene		0.00	0.00	0.00		
375-550		0.00	0.00	0.00		
C23-C30		0.00	0.00	0.00		
550-1000		0.00	0.00	0.00		
Aliphatics		0.00	0.00	0.00		
Phenolics		0.00	0.00	0.00		
BP>1000		10.54	2.24	2.24		
Char Fines		8.85	1.88	1.88		
Residue		1.69	0.36	0.36		

Gas Total	433.7	450.2	3.5	3.5		
H2		0.5	0.1	0.1		
CO2	152.7	155.5	0.6	0.6		
C3H8		0.0	0.0	0.0		
C3H6		1.2	0.3	0.3		
i-C4		0.0	0.0	0.0		
CO2		0.0	0.0	0.0		
n-C4		0.2	0.0	0.0		
H2S		2.5	0.5	0.5		
1-Bu		0.4	0.1	0.1		
n-2-Bu		0.0	0.0	0.0		
i-C5		0.0	0.0	0.0		
n-2-Bu		0.0	0.0	0.0		
n-C5		0.0	0.0	0.0		
C2H4		0.8	0.2	0.2		
C2H6		1.5	0.3	0.3		
O2	0.0	0.0	0.0	0.0		
N2	281.0	280.8	-0.0	-0.0		
CH4		4.5	1.0	1.0		
CO		2.1	0.5	0.5		
NH3		0.0	0.0	0.0		

Total	3000.2	2659.2	27.5	100.0		

Mat. Balance		88.6				
% loss to char	100					
% loss to liq	0					
% loss to gas	0					

	Grams In	Grams Out	Yields	Normalized Yields		
MAF (Coal/char)	1524.0	764.2	50.1	82.1		12/8/89
H2O in coal/Char	4.9	7.6	0.2	0.5		
H2O in Steam/Cond.	0.0	59.1	3.9	3.9	Run #	MC72_402
Ash	289.1	177.2	-7.3	0.1	Indiana	
Sulfur	8.4	6.0	-0.2	0.1	Temp.	1470
Ash (sulfur free)	280.7	171.2	-7.2	-0.0	% Steam	0.00

Cond. Total		2.76	0.18	0.18	% CO2	6.31
					% N2	93.69
ibp-165		0.00	0.00	0.00		
<C10		0.00	0.00	0.00	Steam Vol.	0.00
BXT		0.00	0.00	0.00	Gas Vol.	753.26
165-220		0.00	0.00	0.00		
C10-C12		0.00	0.00	0.00		
Phenols		0.00	0.00	0.00		
Cresols		0.00	0.00	0.00		
Naphthal.		0.00	0.00	0.00		
220-375		0.00	0.00	0.00		
C13-C22		0.00	0.00	0.00		
C2-Phenol		0.00	0.00	0.00		
Phytene		0.00	0.00	0.00		
375-550		0.00	0.00	0.00		
C23-C30		0.00	0.00	0.00		
550-1000		0.00	0.00	0.00		
Aliphatics		0.00	0.00	0.00		
Phenolics		0.00	0.00	0.00		
BP>1000		0.80	0.05	0.05		
Char Fines		0.67	0.04	0.04		
Residue		0.13	0.01	0.01		

Gas Total	7234.6	7436.6	13.3	13.3		
H2		7.3	0.5	0.5		
CO2	456.5	583.2	8.3	8.3		
C3H8		0.0	0.0	0.0		
C3H6		1.1	0.1	0.1		
i-C4		0.0	0.0	0.0		
COS		0.0	0.0	0.0		
n-C4		0.0	0.0	0.0		
H2S		0.0	0.0	0.0		
1-Bu		0.0	0.0	0.0		
t-2-Bu		0.0	0.0	0.0		
i-C5		0.0	0.0	0.0		
c-2-Bu		0.0	0.0	0.0		
n-C5		0.0	0.0	0.0		
C2H4		8.8	0.6	0.6		
C2H6		1.6	0.1	0.1		
O2	0.0	0.0	0.0	0.0		
N2	6778.1	6778.5	0.0	0.0		
CH4		26.0	1.7	1.7		
CO		25.7	1.7	1.7		
NH3		0.0	0.0	0.0		

Total	9052.6	8447.4	60.3	100.0		
Mat. Balance		93.3				
% loss to char	100					
% loss to liq	0					
% loss to gas	0					

Char Data Sheet

Date: 02/15/90

Run # M035_300

Char Analysis
As Recd.

Proximate Analysis

Moisture	4.50
Volatile Matter	37.89
Fixed Carbon	44.82
Ash	12.77

BTU/lb	0.00
Surface Area	0.00

Ultimate Analysis

Hydrogen	5.08
Carbon	64.20
Nitrogen	1.26
Sulfur	4.35
Oxygen (Diff)	12.33

Sulfur

Sulfate	0.00
Pyritic	0.00
Organic	0.00

Run # M041_306

Char Analysis
As Recd.

Proximate Analysis

Moisture	3.50	BTU/lb	0.00
Volatile Matter	33.10	Surface Area	0.00
Fixed Carbon	51.85		
Ash	11.53		

Ultimate Analysis

Hydrogen	4.74
Carbon	66.57
Nitrogen	1.18
Sulfur	4.23
Oxygen (Diff)	11.74

Sulfer

Sulfate	0.00
Pyritic	0.00
Organic	0.00

Char Data Sheet

Date: 02/15/90

Run # M041_307

Char Analysis

	As Recd.	BTU/lb	
Proximate Analysis			
Moisture	5.90		0.00
Volatile Matter	33.52	Surface Area	0.00
Fixed Carbon	48.78		
Ash	11.79		
Ultimate Analysis			
Hydrogen	4.74		
Carbon	64.43		
Nitrogen	1.12		
Sulfur	4.16		
Oxygen (Diff)	13.75		
Sulfur			
Sulfate	0.00		
Pyritic	0.00		
Organic	0.00		

Char Data Sheet

Date: 02/15/90

Run # M041_309

Char Analysis
As Recd.

Proximate Analysis

Moisture	0.60	BTU/lb	0.00
Volatile Matter	35.13	Surface Area	0.00
Fixed Carbon	53.38		
Ash	10.88		

Ultimate Analysis

Hydrogen	4.54
Carbon	69.82
Nitrogen	1.28
Sulfur	4.52
Oxygen (Diff)	8.95

Sulfur

Sulfate	0.00
Pyritic	0.00
Organic	0.00

Char Data Sheet

Date: 02/15/90

Run # M042_311-A

Char Analysis
As Recd.

Proximate Analysis

Moisture	11.70
Volatile Matter	18.07
Fixed Carbon	58.02
Ash	12.19

BTU/lb	0.00
Surface Area	0.00

Ultimate Analysis

Hydrogen	3.99
Carbon	63.03
Nitrogen	1.25
Sulfur	2.46
Oxygen (Diff)	17.06

Sulfur

Sulfate	0.00
Pyritic	0.00
Organic	0.00

Char Data Sheet

Date: 02/15/90

Run # M042_311-B

Char Analysis

Proximate Analysis	As Recd.	BTU/lb	Surface Area
Moisture	9.10		0.00
Volatile Matter	16.52		0.00
Fixed Carbon	61.07		
Ash	13.29		

Ultimate Analysis	
Hydrogen	3.59
Carbon	66.15
Nitrogen	1.37
Sulfur	2.94
Oxygen (Diff)	12.63

Sulfur	
Sulfate	0.00
Pyritic	0.00
Organic	0.00

Char Data Sheet

Date: 02/15/90

Run # M058_338

Char Analysis

As Recd.

Proximate Analysis

Moisture	2.70
Volatile Matter	27.53
Fixed Carbon	55.26
Ash	14.59

BTU/lb	0.00
Surface Area	0.00

Ultimate Analysis

Hydrogen	4.69
Carbon	67.29
Nitrogen	1.20
Sulfur	3.48
Oxygen (Diff)	12.18

Sulfur

Sulfate	0.00
Pyritic	0.00
Organic	0.00

Char Data Sheet

Date: 02/15/90

Run # M058_339

Char Analysis
As Recd.

Proximate Analysis

Moisture	2.70	BTU/lb	0.00
Volatile Matter	27.53	Surface Area	0.00
Fixed Carbon	55.26		
Ash	14.59		

Ultimate Analysis

Hydrogen	4.58
Carbon	70.70
Nitrogen	1.36
Sulfur	4.01
Oxygen (Diff)	9.15

Sulfur

Sulfate	0.00
Pyritic	0.00
Organic	0.00

Char Data Sheet

Date: 02/15/90

Run # M059_337

Char Analysis

	As Recd.	BTU/lb	
Proximate Analysis		Surface Area	0.00
Moisture	0.30		0.00
Volatile Matter	19.84		
Fixed Carbon	63.37		
Ash	16.99		
Ultimate Analysis			
Hydrogen	4.71		
Carbon	73.70		
Nitrogen	1.41		
Sulfur	3.22		
Oxygen (Diff)	8.24		
Sulfur			
Sulfate	0.00		
Pyritic	0.00		
Organic	0.00		

Char Data Sheet

Date: 02/15/90

Run # M064_220

Char Analysis

As Recd.

Proximate Analysis

Moisture	0.10
Volatile Matter	34.92
Fixed Carbon	51.83
Ash	13.34

BTU/lb	0.00
Surface Area	0.00

Ultimate Analysis

Hydrogen	4.76
Carbon	71.46
Nitrogen	1.36
Sulfur	3.17
Oxygen (Diff)	8.46

Sulfer

Sulfate	0.00
Pyritic	0.00
Organic	0.00

Char Data Sheet

Date: 02/15/90

Run # M064_221

Char Analysis

As Recd.

Proximate Analysis

Moisture	0.00
Volatile Matter	35.20
Fixed Carbon	50.94
Ash	13.86

BTU/lb	0.00
Surface Area	0.00

Ultimate Analysis

Hydrogen	4.10
Carbon	70.38
Nitrogen	1.32
Sulfur	4.46
Oxygen (Diff)	6.99

Sulfur

Sulfate	0.07
Pyritic	2.13
Organic	1.90

Char Data Sheet

Date: 02/15/90

Run # M070_224

Char Analysis
As Recd.

Proximate Analysis

Moisture	1.80
Volatile Matter	20.77
Fixed Carbon	65.50
Ash	15.56

BTU/lb	0.00
Surface Area	0.00

Ultimate Analysis

Hydrogen	3.43
Carbon	69.71
Nitrogen	1.30
Sulfur	3.44
Oxygen (Diff)	7.20

Sulfer

Sulfate	0.00
Pyritic	0.00
Organic	0.00

Char Data Sheet

Date: 02/15/90

Run # M070_225

Char Analysis

	As Recd.	BTU/lb	
Proximate Analysis		Surface Area	0.00
Moisture	0.60		0.00
Volatile Matter	0.00		
Fixed Carbon	91.91		
Ash	16.35		
Ultimate Analysis			
Hydrogen	2.55		
Carbon	71.39		
Nitrogen	1.38		
Sulfur	3.62		
Oxygen (Diff)	13.56		
Sulfer			
Sulfate	0.00		
Pyritic	0.00		
Organic	0.00		

Char Data Sheet

Date: 02/15/90

Run # M070_226

Char Analysis
As Recd.Proximate Analysis
Moisture
Volatile Matter
Fixed Carbon
Ash0.40
15.95
68.71
15.73BTU/lb
Surface Area0.00
0.00

Ultimate Analysis

Hydrogen
Carbon
Nitrogen
Sulfur
Oxygen (Diff)2.96
73.52
1.49
3.50
4.45

Sulfur

Sulfate
Pyritic
Organic0.00
0.00
0.00

Char Data Sheet

Date: 02/15/90

Run # M072_402

Char Analysis

	As Recd.	BTU/lb	
Proximate Analysis			
Moisture	0.80	Surface Area	0.00
Volatile Matter	8.50		0.00
Fixed Carbon	74.04		
Ash	18.67		
Ultimate Analysis			
Hydrogen	1.58		
Carbon	75.58		
Nitrogen	1.47		
Sulfur	3.36		
Oxygen (Diff)	1.35		
Sulfer			
Sulfate	0.00		
Pyritic	0.00		
Organic	0.00		

APPENDIX C

MATERIAL BALANCE AND YIELD DATA - CANNELTON COAL

CANNELTON CHAR ANALYSIS

	Gms In	Gms Out	Yields	N Yields
MAF (Coal/char)	12438.8	12373.8	99.5	99.5
H2O in coal/Char	333.8	7.1	-2.6	-2.6
H2O in H2O/Cond.	0.0	302.1	2.4	2.4
Ash	1739.4	1786.2	0.4	0.4

11/18/92

Run # M247

Cannelton

Temp. 660

Pressure 19.7 psia

Cond. Total	1.90	0.02	0.02
ibp-165	0.00	0.00	0.00
<C10	0.00	0.00	0.00
BXT	0.00	0.00	0.00
165-220	0.00	0.00	0.00
C10-C12	0.00	0.00	0.00
Phenols	0.00	0.00	0.00
Cresols	0.00	0.00	0.00
Naphthal.	0.00	0.00	0.00
220-375	0.00	0.00	0.00
C13-C22	0.00	0.00	0.00
C2-Phenol	0.00	0.00	0.00
Phytene	0.00	0.00	0.00
375-550	0.00	0.00	0.00
C23-C30	0.00	0.00	0.00
550-1000	0.00	0.00	0.00
Aliphatics	0.00	0.00	0.00
Phenolics	0.00	0.00	0.00
BP>1000	0.00	0.00	0.00
Char Fines	0.00	0.00	0.00
Residue	0.00	0.00	0.00

% H2O 0.0

% Ar 0.0

% N2 100.0

% NO 0.0

% CO2 0.0

					SCF
Gas Total	65356.0	68137.4	22.4	0.3	1.3
H2		1.9	0.0	0.0	0.8
CO2		0.0	0.0	0.0	0.0
C3H8		0.0	0.0	0.0	0.0
C3H6		0.0	0.0	0.0	0.0
i-C4		0.0	0.0	0.0	0.0
COS		0.0	0.0	0.0	0.0
n-C4		0.0	0.0	0.0	0.0
H2S		0.0	0.0	0.0	0.0
1-Bu		0.0	0.0	0.0	0.0
t-2-Bu		0.0	0.0	0.0	0.0
i-C5		0.0	0.0	0.0	0.0
c-2-Bu		0.0	0.0	0.0	0.0
n-C5		0.0	0.0	0.0	0.0
C2H4		0.0	0.0	0.0	0.0
C2H6		0.0	0.0	0.0	0.0
O2	0.0	0.0	0.0	0.0	0.0
N2	65356.0	68135.5	22.3	0.3	1.2
CH4		0.0	0.0	0.0	0.0
CO		0.0	0.0	0.0	0.0
NH3		0.0	0.0	0.0	0.0

Total	79868.0	82608.4	122.0	100.0
-------	---------	---------	-------	-------

Mat. Balance	103.4
--------------	-------

% loss to char1	0
-----------------	---

% loss to char2	0
-----------------	---

% loss to liq	0
---------------	---

% loss to gas	100
---------------	-----

	Gms In	Gms Out	Yields	N Yields	
MAF (Coal/char)	38186.7	34666.0	90.8	99.0	11/18/92
H2O in coal/Char	0.0	5.3	0.0	0.0	
H2O in H2O/Cond.	0.0	0.0	0.0	0.0	Run # M248
Ash	5445.3	4944.7	-1.3	-0.1	Cannelton Char
					Temp. 735
Cond. Total		334.00	0.87	0.87	Pressure 10 psig
ibp-165		0.00	0.00	0.00	
<C10		0.00	0.00	0.00	% H2O 0.0
BXT		0.00	0.00	0.00	% Ar 0.0
165-220		0.00	0.00	0.00	% N2 100.0
C10-C12		0.00	0.00	0.00	% NO 0.0
Phenols		0.00	0.00	0.00	% CO2 0.0
Cresols		0.00	0.00	0.00	
Naphthal.		0.00	0.00	0.00	
220-375		0.00	0.00	0.00	
C13-C22		0.00	0.00	0.00	
C2-Phenol		0.00	0.00	0.00	
Phytene		0.00	0.00	0.00	
375-550		0.00	0.00	0.00	
C23-C30		0.00	0.00	0.00	
550-1000		0.00	0.00	0.00	
Aliphatics		0.00	0.00	0.00	
Phenolics		0.00	0.00	0.00	
BP>1000		0.00	0.00	0.00	
Char Fines		210.65	0.55	0.55	
Residue		0.00	0.00	0.00	
					SCF
Gas Total	168500.0	168587.6	0.2	0.2	2.7
H2		6.0	0.0	0.0	2.6
CO2		0.0	0.0	0.0	0.0
C3H8		0.0	0.0	0.0	0.0
C3H6		0.0	0.0	0.0	0.0
i-C4		0.0	0.0	0.0	0.0
COS		0.0	0.0	0.0	0.0
n-C4		0.0	0.0	0.0	0.0
H2S		0.0	0.0	0.0	0.0
1-Bu		0.0	0.0	0.0	0.0
t-2-Bu		0.0	0.0	0.0	0.0
i-C5		0.0	0.0	0.0	0.0
c-2-Bu		0.0	0.0	0.0	0.0
n-C5		0.0	0.0	0.0	0.0
C2H4		0.0	0.0	0.0	0.0
C2H6		0.0	0.0	0.0	0.0
O2	0.0	0.0	0.0	0.0	0.0
N2	168500.0	168581.6	0.2	0.2	2.5
CH4		0.0	0.0	0.0	0.0
CO		0.0	0.0	0.0	0.0
NH3		0.0	0.0	0.0	0.0
Total	212132.0	208537.6	90.6	100.0	
Mat. Balance		98.3			
% loss to char1	0				
% loss to char2	100				
% loss to liq	0				
% loss to gas	0				

	Gas In	Gas Out	Yields	N Yields
MAF (Coal/char)	3170.8	3536.6	111.5	98.4
H2O in coal/Char	0.0	2.8	0.1	0.0
H2O in H2O/Cond.	0.0	0.0	0.0	0.0
Ash	457.2	474.6	0.5	-0.3

11/18/92

Run # M256
 Cannerton Char
 Temp. 790
 Pressure 10 psig

Cond. Total	134.00	4.23	1.88
ibp-165	0.00	0.00	0.00
<C10	0.00	0.00	0.00
BXT	0.00	0.00	0.00
165-220	0.00	0.00	0.00
C10-C12	0.00	0.00	0.00
Phenols	0.00	0.00	0.00
Cresols	0.00	0.00	0.00
Naphthal.	0.00	0.00	0.00
220-375	0.00	0.00	0.00
C13-C22	0.00	0.00	0.00
C2-Phenol	0.00	0.00	0.00
Phytene	0.00	0.00	0.00
375-550	0.00	0.00	0.00
C23-C30	0.00	0.00	0.00
550-1000	0.00	0.00	0.00
Aliphatics	0.00	0.00	0.00
Phenolics	0.00	0.00	0.00
BP>1000	0.00	0.00	0.00
Char Fines	0.00	0.00	0.00
Residue	0.00	0.00	0.00

% H2O 0.0
 % Ar 0.0
 % H2 100.0
 % MO 0.0
 % CO2 0.0

	Gas Total				SCF
Gas Total	15470.0	15521.9	1.6	0.0	0.0
H2		1.1	0.0	0.0	0.5
CO2		0.0	0.0	0.0	0.0
C3H8		0.0	0.0	0.0	0.0
C3H6		0.0	0.0	0.0	0.0
i-C4		0.0	0.0	0.0	0.0
COS		0.0	0.0	0.0	0.0
n-C4		0.0	0.0	0.0	0.0
H2S		0.0	0.0	0.0	0.0
1-Bu		0.0	0.0	0.0	0.0
t-2-Bu		0.0	0.0	0.0	0.0
i-C5		0.0	0.0	0.0	0.0
c-2-Bu		0.0	0.0	0.0	0.0
n-C5		0.0	0.0	0.0	0.0
C2H4		0.0	0.0	0.0	0.0
C2H6		0.0	0.0	0.0	0.0
O2	0.0	0.0	0.0	0.0	0.0
H2	15470.0	15520.8	1.6	-0.0	-0.0
CH4		0.0	0.0	0.0	0.0
CO		0.0	0.0	0.0	0.0
NH3		0.0	0.0	0.0	0.0

Total	19098.0	19669.9	118.0	100.0
-------	---------	---------	-------	-------

Mat. Balance	103.0
--------------	-------

% loss to char1	78
% loss to char2	0
% loss to liq	13
% loss to gas	9

	Gms In	Gms Out	Yields	N Yields
MAF (Coal/char)	12561.6	7790.3	62.0	94.2
H2O in coal/Char	0.0	24.5	0.2	0.3
H2O in H2O/Cond.	0.0	0.0	0.0	0.0
Ash	1950.4	1216.2	-5.8	-0.4

11/18/92

Run # M257
 Cannelton Char
 Temp. 860
 Pressure 10 psig

Cond. Total	689.00	5.48	5.48
ibp-165	0.00	0.00	0.00
<C10	0.00	0.00	0.00
BXT	0.00	0.00	0.00
165-220	0.00	0.00	0.00
C10-C12	0.00	0.00	0.00
Phenols	0.00	0.00	0.00
Cresols	0.00	0.00	0.00
Naphthal.	0.00	0.00	0.00
220-375	0.00	0.00	0.00
C13-C22	0.00	0.00	0.00
C2-Phenol	0.00	0.00	0.00
Phytene	0.00	0.00	0.00
375-550	0.00	0.00	0.00
C23-C30	0.00	0.00	0.00
550-1000	0.00	0.00	0.00
Aliphatics	0.00	0.00	0.00
Phenolics	0.00	0.00	0.00
BP>1000	0.00	0.00	0.00
Char Fines	0.00	0.00	0.00
Residue	0.00	0.00	0.00

				SCF
Gas Total	46700.0	46449.2	-2.0	0.4
H2		1.3	0.0	0.0
CO2		7.3	0.1	0.1
C3H8		7.3	0.1	0.1
C3H6		0.0	0.0	0.0
i-C4		0.0	0.0	0.0
CO2		0.0	0.0	0.0
n-C4		0.0	0.0	0.0
H2S		0.0	0.0	0.0
1-Bu		0.0	0.0	0.0
t-2-Bu		0.0	0.0	0.0
i-C5		0.0	0.0	0.0
c-2-Bu		0.0	0.0	0.0
n-C5		0.0	0.0	0.0
C2H4		0.0	0.0	0.0
C2H6		19.9	0.2	0.2
O2	0.0	0.0	0.0	0.0
N2	46700.0	46413.3	-2.3	0.1
CH4		0.0	0.0	0.0
CO		0.0	0.0	0.0
NH3		0.0	0.0	0.0

Total	61212.0	56169.2	59.9	100.0
-------	---------	---------	------	-------

Mat. Balance	91.8
--------------	------

% loss to char1	0
% loss to char2	94
% loss to liq	0
% loss to gas	6

	Gas In	Gas Out	Yields	N Yields	
MAF (Coal/char)	11639.1	10377.2	89.2	89.2	11/18/92
H2O in coal/Char	0.0	5.5	0.0	0.0	
H2O in H2O/Cond.	0.0	0.0	0.0	0.0	Run # M258
Ash	1965.9	2021.3	0.5	0.5	Cannelton Char
					Temp. 930
					Pressure 10 psig
Cond. Total		247.00	2.12	6.55	
ibp-165		0.00	0.00	0.00	
<C10		0.00	0.00	0.00	% H2O 0.0
BXT		0.00	0.00	0.00	% Ar 0.0
165-220		0.00	0.00	0.00	% H2 100.0
C10-C12		0.00	0.00	0.00	% NO 0.0
Phenols		0.00	0.00	0.00	% CO2 0.0
Cresols		0.00	0.00	0.00	
Naphthal.		0.00	0.00	0.00	
220-375		0.00	0.00	0.00	
C13-C22		0.00	0.00	0.00	
C2-Phenol		0.00	0.00	0.00	
Phytene		0.00	0.00	0.00	
375-550		0.00	0.00	0.00	
C23-C30		0.00	0.00	0.00	
550-1000		0.00	0.00	0.00	
Aliphatics		0.00	0.00	0.00	
Phenolics		0.00	0.00	0.00	
BP>1000		0.00	0.00	0.00	
Char Fines		0.00	0.00	0.00	
Residue		0.00	0.00	0.00	
					SCF
Gas Total	41598.0	41264.9	-2.9	3.8	13.6
H2		3.3	0.0	0.0	1.4
CO2		19.6	0.2	0.2	0.4
C3H8		6.5	0.1	0.1	0.1
C3H6		6.2	0.1	0.1	0.1
i-C4		0.0	0.0	0.0	0.0
COS		0.0	0.0	0.0	0.0
n-C4		0.0	0.0	0.0	0.0
H2S		0.0	0.0	0.0	0.0
1-Bu		0.0	0.0	0.0	0.0
t-2-Bu		0.0	0.0	0.0	0.0
i-C5		0.0	0.0	0.0	0.0
c-2-Bu		0.0	0.0	0.0	0.0
n-C5		0.0	0.0	0.0	0.0
C2H4		0.0	0.0	0.0	0.0
C2H6		22.2	0.2	0.2	0.7
O2	0.0	0.0	0.0	0.0	0.0
N2	41598.0	40905.8	-5.9	0.6	2.3
CH4		301.3	2.6	2.6	9.5
CO		0.0	0.0	0.0	0.0
NH3		0.0	0.0	0.0	0.0
Total	55203.0	53915.9	88.9	100.0	
Mat. Balance		97.7			
% loss to char1	0				
% loss to char2	0				
% loss to liq	40				
% loss to gas	60				

	Gas In	Gas Out	Yields	N Yields
MAF (Coal/char)	3866.9	2791.1	72.2	90.9
H2O in coal/Char	0.0	12.2	0.3	0.4
H2O in H2O/Cond.	0.0	0.0	0.0	0.0
Ash	783.1	593.7	-4.9	-0.3

11/18/92

Run # H259
Cannelton Char
Temp. 1292
Pressure 10 psig

Cond. Total	238.00	6.15	6.15
ibp-165	0.00	0.00	0.00
<C10	0.00	0.00	0.00
BXT	0.00	0.00	0.00
165-220	0.00	0.00	0.00
C10-C12	0.00	0.00	0.00
Phenols	0.00	0.00	0.00
Cresols	0.00	0.00	0.00
Naphthal.	0.00	0.00	0.00
220-375	0.00	0.00	0.00
C13-C22	0.00	0.00	0.00
C2-Phenol	0.00	0.00	0.00
Phytene	0.00	0.00	0.00
375-550	0.00	0.00	0.00
C23-C30	0.00	0.00	0.00
550-1000	0.00	0.00	0.00
Aliphatics	0.00	0.00	0.00
Phenolics	0.00	0.00	0.00
BP>1000	0.00	0.00	0.00
Char Fines	0.00	0.00	0.00
Residue	0.00	0.00	0.00

% H2O 0.0
% Ar 0.0
% H2 100.0
% NO 0.0
% CO2 0.0

	Gas In	Gas Out	Yields	N Yields	SCF
Gas Total	8637.0	8443.5	-5.0	2.8	3.5
H2		17.4	0.5	0.5	7.8
CO2		12.4	0.3	0.3	0.3
C3H8		0.0	0.0	0.0	0.0
C3H6		0.0	0.0	0.0	0.0
i-C4		0.0	0.0	0.0	0.0
COS		0.0	0.0	0.0	0.0
n-C4		0.0	0.0	0.0	0.0
H2S		0.0	0.0	0.0	0.0
1-Bu		0.0	0.0	0.0	0.0
t-2-Bu		0.0	0.0	0.0	0.0
i-C5		0.0	0.0	0.0	0.0
c-2-Bu		0.0	0.0	0.0	0.0
n-C5		0.0	0.0	0.0	0.0
C2H4		1.8	0.0	0.0	0.1
C2H6		1.9	0.0	0.1	0.1
O2	0.0	0.0	0.0	0.0	0.0
N2	8637.0	8339.9	-7.7	0.0	0.0
CH4		70.2	1.8	1.9	2.2
CO		0.0	0.0	0.0	0.0
NH3		0.0	0.0	0.0	0.0

Total	13287.0	12078.5	68.7	100.0
-------	---------	---------	------	-------

Mat. Balance	90.9
--------------	------

% loss to char1	0
% loss to char2	75
% loss to liq	0
% loss to gas	25

Char Data Sheet

Date: 10/16/92

Run # M247

Char Analysis

As Recd.

Proximate Analysis

Moisture	0.00
Volatile Matter	32.92
Fixed Carbon	54.44
Ash	12.61

BTU/lb

Surface Area

Ultimate Analysis

Hydrogen	4.66
Carbon	73.94
Nitrogen	1.33
Sulfur	0.94
Oxygen (Diff)	6.51

Sulfur

Sulfate	0.00
Pyritic	0.00
Organic	0.00

Char Data Sheet

Date: 10/16/92

Run # M248

Char Analysis

As Recd.

Proximate Analysis

Moisture	0.00
Volatile Matt	32.71
Fixed Carbon	54.82
Ash	12.48

BTU/lb
Surface Area

Ultimate Analysis

Hydrogen	4.80
Carbon	73.79
Nitrogen	1.24
Sulfur	0.98
Oxygen (Diff)	6.64

Sulfur

Sulfate	0.00
Pyritic	0.00
Organic	0.00

Char Data Sheet

Date: 10/16/92

Run # M256

Char Analysis
As Recd.

Proximate Analysis

		BTU/lb Surface Area
Moisture	0.00	
Volatile Matt	29.70	
Fixed Carbon	56.86	
Ash	13.44	

Ultimate Analysis

Hydrogen	4.26
Carbon	74.50
Nitrogen	1.14
Sulfur	0.75
Oxygen (Diff)	5.90

Sulfur

Sulfate	74.50
Pyritic	0.00
Organic	1.14

Char Data Sheet

Date: 10/16/92

Run # M257

Char Analysis

As Recd.

Proximate Analysis

Moisture	0.34
Volatile Matt	20.42
Fixed Carbon	64.83
Ash	14.45

BTU/lb
Surface Area

Ultimate Analysis

Hydrogen	3.64
Carbon	74.26
Nitrogen	1.23
Sulfur	0.77
Oxygen (Diff)	5.66

Sulfur

Sulfate	0.00
Pyritic	0.00
Organic	0.00

Char Data Sheet

Date: 10/16/92

Run # M258

Char Analysis
As Recd.

Proximate Analysis

Moisture	0.00
Volatile Matt	17.32
Fixed Carbon	65.84
Ash	16.84

BTU/lb
Surface Area

Ultimate Analysis

Hydrogen	3.28
Carbon	74.20
Nitrogen	1.48
Sulfur	0.78
Oxygen (Diff)	5.20

Sulfur

Sulfate	0.00
Pyritic	0.00
Organic	0.00

Char Data Sheet

Date: 10/16/92

Run # M259

Char Analysis

As Recd.

Proximate Analysis

		BTU/lb Surface Area
Moisture	0.50	
Volatile Matt	6.70	
Fixed Carbon	73.14	
Ash	19.65	

Ultimate Analysis

Hydrogen	1.66
Carbon	74.04
Nitrogen	1.50
Sulfur	0.77
Oxygen (Diff)	2.37

Sulfur

Sulfate	0.00
Pyritic	0.00
Organic	0.00

CANNELTON - CONDENSABLE ANALYSIS

Cannelton coal liquids.

APPENDIX D
MATERIAL BALANCE AND YIELD DATA - PRU

MATERIAL BALANCE AND YIELD DATA - PRU

This report contains a summary of the raw data generated under the EERC. Table D1 shows the run conditions and product yields for the PRU tests. The following data includes: char analysis, condensable simulated distillation curves, product gas analysis, and char upgrading results.

TABLE D1

Carbonization Tests

Run Number	Coal	Temperature (°F/°C)	Quench System	Test Parameter	Char Yield	Cond. Yield	Gas Yield
P001	Refractory Cure	2200/1200	Water	Shakedown Gas System			
P002	Petroleum Coke	1100/600	Water	Shakedown Solids Handling			
P003	Wyodak	1100/600	Water	Shakedown Water Quench			
P004	Wyodak	1100/600	Water	Early Shutdown			
P005	Wyodak		Water	Early Shutdown			
P006	Wyodak	1020/550	Tar/Oil	Shakedown Tar/Oil			
P007	Indiana	1020/550	Tar/Oil	Shakedown Indiana Coal			
P008	Wyodak	820/440	Tar/Oil	Quench Liquid Entrainment			
P009	Wyodak	820/440	Tar/Oil	Quench Liquid Entrainment			
P010	Wyodak	1100/600	Tar/Oil	Quench New Configuration	49.0	9.0	42.0
P011	Indiana	1100/600	Tar/Oil	Quench New Configuration			
P024	Indiana	1200/650	Tar/Oil	Production	44.9	19.3	35.8
P025	Indiana	1100/600	Tar/Oil	Production	51.6	12.5	35.9
P026	Indiana	1020/550	Tar/Oil	Production	51.2	13.8	35.0
P027	Indiana	1020/550	Tar/Oil	Production	55.5	9.4	35.2
P028	Indiana	1070/575	Tar/Oil	Production	59.3	9.7	31.0

PRU-CHAR ANALYSIS

Run No. P005

CARBONIZER CHAR ANALYSES

	Char Off- Take Leg	Primary Cyclone	Secondary Cyclone	Bed Drain
Proximate Analysis				
Moisture	1.45	2.49	4.16	
Volatile Matter	15.74	14.96	15.95	
Fixed Carbon	73.91	69.19	65.48	
Ash	8.90	13.38	14.39	
Ultimate Analysis				
Hydrogen				
Carbon				
Nitrogen				
Sulfur				

Run No. P006

CARBONIZER CHAR ANALYSES

	Char Off- Take Leg	Primary Cyclone	Secondary Cyclone	Bed Drain
Proximate Analysis				
Moisture	1.39	1.99	6.11	
Volatile Matter	23.79	25.24	18.80	
Fixed Carbon	66.62	61.57	62.22	
Ash	8.21	11.21	12.85	
Ultimate Analysis				
Hydrogen				
Carbon				
Nitrogen				
Sulfur	0.27	0.59	0.51	

Run No. P007

CARBONIZER CHAR ANALYSES

	Char Off- Take Leg	Primary Cyclone	Secondary Cyclone	Bed Drain
Proximate Analysis				
Moisture	1.45	1.81	4.69	
Volatile Matter	11.53	19.91	19.51	
Fixed Carbon	69.14	65.72	63.23	
Ash	17.88	12.57	12.56	
Ultimate Analysis				
Hydrogen				
Carbon				
Nitrogen				
Sulfur	3.60	0.67	0.61	

MATERIAL BALANCE AND YIELD DATA - PRU

This report contains a summary of the raw data generated under the EERC. Table D1 shows the run conditions and product yields for the PRU tests. The following data includes: char analysis, condensable simulated distillation curves, product gas analysis, and char upgrading results.

TABLE D1

Carbonization Tests

Run Number	Coal	Temperature (°F/°C)	Quench System	Test Parameter	Char Yield	Cond. Yield	Gas Yield
P001	Refractory Cure	2200/1200	Water	Shakedown Gas System			
P002	Petroleum Coke	1100/600	Water	Shakedown Solids Handling			
P003	Wyodak	1100/600	Water	Shakedown Water Quench			
P004	Wyodak	1100/600	Water	Early Shutdown			
P005	Wyodak		Water	Early Shutdown			
P006	Wyodak	1020/550	Tar/Oil	Shakedown Tar/Oil			
P007	Indiana	1020/550	Tar/Oil	Shakedown Indiana Coal			
P008	Wyodak	820/440	Tar/Oil	Quench Liquid Entrainment			
P009	Wyodak	820/440	Tar/Oil	Quench Liquid Entrainment			
P010	Wyodak	1100/600	Tar/Oil	Quench New Configuration	49.0	9.0	42.0
P011	Indiana	1100/600	Tar/Oil	Quench New Configuration			
P024	Indiana	1200/650	Tar/Oil	Production	44.9	19.3	35.8
P025	Indiana	1100/600	Tar/Oil	Production	51.6	12.5	35.9
P026	Indiana	1020/550	Tar/Oil	Production	51.2	13.8	35.0
P027	Indiana	1020/550	Tar/Oil	Production	55.5	9.4	35.2
P028	Indiana	1070/575	Tar/Oil	Production	59.3	9.7	31.0

PRU-CHAR ANALYSIS

Run No. P005

CARBONIZER CHAR ANALYSES

	Char Off- Take Leg	Primary Cyclone	Secondary Cyclone	Bed Drain
Proximate Analysis				
Moisture	1.45	2.49	4.16	
Volatile Matter	15.74	14.96	15.95	
Fixed Carbon	73.91	69.19	65.48	
Ash	8.90	13.38	14.39	
Ultimate Analysis				
Hydrogen				
Carbon				
Nitrogen				
Sulfur				

Run No. P006

CARBONIZER CHAR ANALYSES

	Char Off- Take Leg	Primary Cyclone	Secondary Cyclone	Bed Drain
Proximate Analysis				
Moisture	1.39	1.99	6.11	
Volatile Matter	23.79	25.24	18.80	
Fixed Carbon	66.62	61.57	62.22	
Ash	8.21	11.21	12.85	
Ultimate Analysis				
Hydrogen				
Carbon				
Nitrogen				
Sulfur	0.27	0.59	0.51	

Run No. P007

CARBONIZER CHAR ANALYSES

	Char Off- Take Leg	Primary Cyclone	Secondary Cyclone	Bed Drain
Proximate Analysis				
Moisture	1.45	1.81	4.69	
Volatile Matter	11.53	19.91	19.51	
Fixed Carbon	69.14	65.72	63.23	
Ash	17.88	12.57	12.56	
Ultimate Analysis				
Hydrogen				
Carbon				
Nitrogen				
Sulfur	3.60	0.67	0.61	

Run No. P009

CARBONIZER CHAR ANALYSES

	Char Off- Take Leg	Primary Cyclone	Secondary Cyclone	Bed Drain
Proximate Analysis				
Moisture	1.36	2.10		
Volatile Matter	30.16	28.06		
Fixed Carbon	60.73	59.24		
Ash	7.76	10.59		
Ultimate Analysis				
Hydrogen				
Carbon				
Nitrogen				
Sulfur	0.40	0.71		

Run No. P010

CARBONIZER CHAR ANALYSES

	Char Off- Take Leg	Primary Cyclone	Secondary Cyclone	Bed Drain
Proximate Analysis				
Moisture	0.55	3.70		
Volatile Matter	18.05	18.46		
Fixed Carbon	69.70	66.81		
Ash	11.70	11.01		
Ultimate Analysis				
Hydrogen	2.20	2.71		
Carbon	82.73	76.07		
Nitrogen	1.33	1.26		
Sulfur	0.40	0.50		

Run No. P011

CARBONIZER CHAR ANALYSES

	Char Off- Take Leg	Primary Cyclone	Secondary Cyclone	Bed Drain
Proximate Analysis				
Moisture	2.90	0.30		
Volatile Matter	12.69	15.07		
Fixed Carbon	65.38	62.81		
Ash	19.01	21.80		
Ultimate Analysis				
Hydrogen	1.95	2.00		
Carbon	71.67	67.96		
Nitrogen	1.22	1.52		
Sulfur	3.40	4.79		

Run No. P024

CARBONIZER CHAR ANALYSES

	Char Off- Take Leg	Primary Cyclone	Secondary Cyclone	Bed Drain
Proximate Analysis				
Moisture	0.50	0.70	4.80	
Volatile Matter	13.30	14.70	15.80	
Fixed Carbon	64.20	57.40	61.40	
Ash	22.00	27.20	18.00	
Ultimate Analysis				
Hydrogen				
Carbon		.		
Nitrogen				
Sulfur	3.00	3.20	2.60	

Run No. P025

CARBONIZER CHAR ANALYSES

	Char Off- Take Leg	Primary Cyclone	Secondary Cyclone	Bed Drain
Proximate Analysis				
Moisture	0.30	0.30	4.70	
Volatile Matter	12.40	14.80	19.10	
Fixed Carbon	69.30	65.20	57.80	
Ash	18.00	19.70	18.30	
Ultimate Analysis				
Hydrogen				
Carbon				
Nitrogen				
Sulfur	3.10	3.20	2.60	

Run No. P026

CARBONIZER CHAR ANALYSES

	Char Off- Take Leg	Primary Cyclone	Secondary Cyclone	Bed Drain
Proximate Analysis				
Moisture	0.20	0.80	0.30	
Volatile Matter	14.80	18.30	19.30	
Fixed Carbon	66.90	63.50	59.40	
Ash	18.10	17.50	19.50	
Ultimate Analysis				
Hydrogen				
Carbon				
Nitrogen				
Sulfur	2.50	3.10	2.70	

Run No. P027

CARBONIZER CHAR ANALYSES

	Char Off- Take Leg	Primary Cyclone	Secondary Cyclone	Bed Drain
Proximate Analysis				
Moisture	1.70	1.80		
Volatile Matter	20.00	20.00		
Fixed Carbon	59.50	57.30		
Ash	18.80	21.70		
Ultimate Analysis				
Hydrogen				
Carbon				
Nitrogen				
Sulfur	2.70	3.10		

Run No. P028

CARBONIZER CHAR ANALYSES

	Char Off- Take Leg	Primary Cyclone	Secondary Cyclone	Bed Drain
Proximate Analysis				
Moisture	0.93	1.74	0.87	
Volatile Matter	16.15	16.78	19.98	
Fixed Carbon	64.26	62.87	58.38	
Ash	19.59	20.35	20.75	
Ultimate Analysis				
Hydrogen	2.63	2.56	2.18	
Carbon	68.24	68.85	68.10	
Nitrogen	1.61	1.73	1.29	
Sulfur	2.94	3.20	3.05	

PRU-PARTICLE SIZE DISTRIBUTIONS

EEPC No. D00019 042 S

Particle-size distribution analyses for P010.

Particle-size distribution analyses of P011 feed coal and char products.

Carbonizer solids particle-size distribution (P024).

Carbonizer solids particle-size distribution (P025).

Carbonizer solids particle-size distribution (P026).

Carbonizer solids particle-size distribution (P027).

Carbonizer solids particle-size distribution (P028).

PRU-CONDENSABLE ANALYSIS

Condensation train collection points.

Condensable simulated distillation curves (P004).

Condensable simulated distillation curves (P006).

Condensable simulated distillation curves from sieve tower (P006).

Condensable simulated distillation curves (P007).

Sieve Tower

Sieve tower condensable simulated distillation curves (P010).

Water scrubber condensable simulated distillation curves (P010).

Simulated distillation curves (1st 5-hour interval) (P010).

Simulated distillation curves (2nd 5-hour interval) (P010).

Simulated distillation curves (3rd 5-hour interval) (P010).

Sulfur content simulated distillation curves (P010).

Tar scrubber flame ionization detector, sulfur, and hydrogen simulated distillation curves (P010).

Sieve tower sulfur simulated distillation curves (P010).

Sieve tower FID, sulfur, and hydrogen simulated distillation curves (P010).

Water scrubber sulfur simulated distillation curves (P010).

Water scrubber FID, sulfur, and hydrogen simulated distillation curves (P010).

Sulfur content simulated distillation curve, Sample 1 (P010).

Sulfur content simulated distillation curve, sample 2 (P010).

Sulfur content simulated distillation curve, sample 3 (P010).

Sulfur content simulated distillation curves (P011).

Hydrogen content simulated distillation curves (P011).

Tar scrubber tar FID, sulfur, and hydrogen simulated distillation curves (P011).

Water scrubber tar FID, sulfur, and hydrogen simulated distillation curves.

Tar scrubber condensable simulated distillation curves (P024).

Sieve tower condensable simulated distillation curves (P024).

Water scrubber condensable simulated distillation curves (P024).

Tar scrubber condensable simulated distillation curves (P025).

Sieve tower condensable simulated distillation curves (P025).

Water scrubber condensable simulated distillation curves (P025).

Tar scrubber condensable simulated distillation curves (P026).

Sieve tower condensable simulated distillation curves (P026).

Water scrubber condensable simulated distillation curves (P026).

Tar scrubber condensable simulated distillation curves (P027).

Sieve tower condensable simulated distillation curves (P027).

Water scrubber condensable simulated distillation curves (P027)

Tar scrubber condensable simulated distillation curves (P028).

PRU-GAS ANALYSIS

Product Gas Analysis (P010)

	Mole Percent		
	Sample 1 3:02 ¹	Sample 2 16:27	Sample 3 21:52
Helium	0.04	0.04	0.03
Hydrogen	4.36	4.80	4.11
Carbon Dioxide	12.09	12.26	11.58
Propylene	0.07	0.06	0.07
Hydrogen Sulfide	0.06	0.00	0.00
Ethylene	0.13	0.16	0.16
Ethane	0.14	0.18	0.15
Oxygen/Argon	0.83	0.91	0.70
Nitrogen	78.92	77.78	80.00
Methane	1.84	1.95	1.73
Carbon Monoxide	1.51	1.85	1.47
Calculated Btu/scf			
Saturated	43.50	47.70	41.80
Dry	44.30	48.60	42.60
Calculated Specific			
Gravity (g/mL)	0.99	0.99	0.99
Calculated Average Molecular			
Weight (g/mol)	28.60	28.50	28.60

¹ Run time ("03:02" means 3 hours and 2 minutes into the test).

Product Gas Composition

Gas Analysis	P024	P025	P026	P027	P028
H ₂	5.6 (30.6)	4.4 (24.5)	2.8 (20.5)	3.9 (24.9)	3.6 (25.4)
CO ₂	7.2 (39.5)	8.4 (46.7)	6.8 (50.4)	7.5 (48.6)	6.7 (47.8)
Propane	0.1 (0.3)	0.1 (0.3)	0.1 (0.5)	0.0 (0.0)	0.1 (0.4)
Propylene	0.1 (0.4)	0.0 (0.5)	0.0 (0.3)	0.0 (0.3)	0.0 (0.3)
I-Butene	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)
COS	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)
H ₂ S	0.1 (0.8)	0.4 (2.3)	0.3 (2.0)	0.0 (0.0)	0.3 (2.0)
1-Butene	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)
T-2-Butene	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)
I-Pentane	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)
C-2-Butane	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)
N-Pentane	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)
Ethylene	0.0 (0.2)	0.2 (1.0)	0.0 (0.0)	0.1 (0.7)	0.1 (0.6)
Ethene	0.2 (0.9)	0.2 (1.2)	0.1 (0.6)	0.1 (0.9)	0.1 (0.9)
O ₂ /Ar	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)
N ₂	81.7 (0.0)	82.0 (0.0)	86.6 (0.0)	84.5 (0.0)	85.9 (0.0)
CH ₄	2.0 (10.7)	2.2 (12.4)	1.3 (10.0)	1.7 (10.7)	1.3 (9.5)
CO	3.0 (16.5)	2.0 (11.0)	2.1 (15.5)	2.2 (13.9)	1.9 (13.1)
	100 (99.9)	100 (100)	100 (100)	100 (100)	100 (100)

() Represents gas analysis on a nitrogen-free basis.

PRU-CHAR UPGRADING

Permanent Roll Magnetic Separation of Indiana No. 3 Coal

Treatment	Fraction	Weight Recovery, % (dry basis)	Ash	Volatile	Analysis, % (Dry Basis)			
					S (total)	S (pyritic)	S (SO ₄)	S (organic)
None (Feed Coal, 14 x 50 mesh) Total	Nonmagnetics	85.1	9.66	38.86	4.03	0.91	0.79	2.33
	Magnetics	14.9	19.13	33.21	3.53	0.87	1.41	1.25
		100.0	11.07	38.02	3.96	0.91	0.89	2.17
None (Feed Coal, 50 x 100 mesh) Total	Nonmagnetics	31.7	15.09	35.82	4.20	0.74	1.09	2.37
	Magnetics	68.3	19.28	33.17	3.71	0.63	1.55	1.54
		100.0	17.95	34.01	3.87	0.66	1.40	1.80

Permanent Roll Magnetic Separation of Indiana No. 3 Coal

Treatment	Fraction	Weight Recovery, % (dry basis)	Ash	Volatile	Analysis, % (dry basis)			
					S (total)	S (pyritic)	S (SO ₂)	S (organic)
1020°F (550°C) From Chinook Feed Coal Total	Nonmagnetics	22.8	13.87	12.94	1.98	0.49	0.08	1.41
	Magnetics	77.2	17.29	12.43	2.99	0.12	0.14	2.73
		100.0	16.51	12.55	2.76	0.20	0.13	2.43
1020°F (550°C) From non-magnetic Chinook Coal Total	Nonmagnetics	32.2	14.09	10.14	2.76	0.11	0.06	2.58
	Magnetics	67.8	14.25	10.39	3.07	0.15	0.08	2.84
		100.0	14.20	10.31	2.97	0.14	0.07	2.76

Analysis of Indiana No. 3 Char (P007)

Analysis, % (as-received)

Size Fraction	Weight	H ₂ O	Ash	Volatile Matter	C	H	N	S
>4 mesh	5.8	1.72	20.41	11.71	68.68	2.21	0.71	2.40
4 x 6 mesh	7.5	2.10	20.65	14.58	67.08	2.38	0.69	2.34
6 x 8 mesh	10.0	2.14	20.12	12.65	68.84	2.31	0.73	2.73
8 x 12 mesh	17.2	1.90	21.65	14.08	67.87	2.23	0.71	3.16
12 x 16 mesh	27.0	2.07	19.59	13.55	69.77	2.28	0.72	2.48
16 x 20 mesh	18.2	2.12	19.31	13.71	68.91	2.35	0.73	2.44
20 x 30 mesh	6.1	2.15	20.07	14.68	68.33	2.35	0.66	2.28
30 x 40 mesh	2.8	2.40	18.31	15.66	59.94	2.48	0.66	2.10
40 x 50 mesh	1.8	2.68	16.21	16.15	71.27	2.56	0.63	1.54
50 x 70 mesh	1.7	2.69	14.69	16.39	74.33	2.43	0.57	1.12
<70 mesh	1.9	2.75	15.99	16.62	72.08	2.40	0.57	1.22
Head	100.0	1.68	19.41	14.32	70.00	2.40	0.81	2.50
Calculated Head	100.0	2.09	19.85	13.83	68.94	2.31	0.71	2.51

Permanent Roll Magnetic Separation of Indiana No. 3 Char (P007)

Size Fraction	Magnetic Fraction	Moisture, %	Weight Recovery, % (dry basis)			Analysis, % (dry basis)					
			Of Size Fraction	Of Total Char	Ash	Volatile	S (total)	S (pyritic)	S (SO ₄)	S (organic)	
> 1/4-inch Char	Nonmagnetics	1.47	69.2	1.2	14.39	12.17	2.56	0.21	0.06	2.28	
	Middlings	1.71	8.4	0.1	14.18	13.26	3.37	0.67	0.08	2.62	
	Magnetics	1.53	22.3	0.4	16.49	13.34	4.29	1.09	0.10	3.10	
	Total	1.57	100.0	1.7	14.84	12.52	3.01	0.45	0.07	2.50	
1/4-inch x 14-mesh Char	Nonmagnetics	1.11	35.2	27.1	20.47	12.47	2.37	0.20	0.08	2.08	
	Middlings	1.12	16.7	12.8	19.34	12.67	3.00	0.32	0.15	2.53	
	Magnetics	1.09	48.1	36.9	20.72	12.80	4.05	0.58	0.18	3.29	
	Total	1.10	100.0	76.8	20.40	12.66	3.28	0.41	0.14	2.74	
14- x 100-mesh Char	Nonmagnetics	2.10	22.4	4.7	13.83	15.16	0.94	0.07	0.05	0.82	
	Middlings	1.68	13.7	2.9	17.57	12.98	2.49	0.16	0.13	2.20	
	Magnetics	1.38	63.9	13.5	20.21	14.08	3.67	0.63	0.23	2.81	
	Total	1.58	100.0	21.0	18.42	14.17	2.90	0.44	0.18	2.28	
<100-mesh Char	Total	1.47	100.0	0.5	19.59	17.70	2.94	0.78	0.28	1.88	
	Total Char	1.21	100.0	100.0	19.89	13.00	3.20	0.42	0.15	2.63	
	Nonmagnetics	1.26	33.1	32.9	19.31	12.84	2.17	0.18	0.08	1.91	
> 100-mesh Char	Middlings	1.23	15.9	15.8	18.97	12.73	2.91	0.30	0.14	2.47	
	Nonmagnetics + Middlings	1.25	49.0	48.7	19.20	12.81	2.41	0.22	0.10	2.09	
	Magnetics	1.17	51.0	50.8	20.55	13.14	3.95	0.60	0.19	3.16	
	Total	1.21	100.0	99.5	19.89	12.98	3.20	0.41	0.15	2.64	

Float/Sink Separation of Indiana No. 3 Char (P007)

Weight Recovery, % (dry basis)				Analysis, % (Dry Basis)						
Size Fraction	Gravity Fraction	Moisture %	Of Size Fraction	Of Total Char	Ash	Volatile	S (total)	S (pyritic)	S (SO ₄)	S (organic)
> 1/4-inch Char	1.3 Float	2.16	100.0	1.7	15.42	12.07	3.28	0.42	0.07	2.80
	1.5 x 1.3	0.00	0.0	0.0			0.00	0.00	0.00	0.00
	1.9 x 1.5	0.00	0.0	0.0			0.00	0.00	0.00	0.00
	1.9 Sink	0.00	0.0	0.0			0.00	0.00	0.00	0.00
1/4-inch x 14-mesh Char	Total	2.16	100.0	1.7	15.42	12.07	3.28	0.42	0.07	2.80
	1.3 Float	1.84	85.4	65.3	16.39	12.42	3.35	0.40	0.11	2.84
	1.5 x 1.3	0.92	8.0	6.2	24.65	12.40	2.53	0.47	0.15	1.92
	1.9 x 1.5	0.90	4.0	3.1	45.22	11.58	3.77	0.73	0.33	2.71
	1.9 Sink	0.47	2.6	2.0	67.24	11.19	9.57	2.14	0.71	6.66
14 x 100-mesh Char	Total	1.68	100.0	76.6	19.52	12.35	3.46	0.46	0.14	2.86
	1.3 Float	1.09	50.3	10.7	14.96	12.75	3.29	0.32	0.13	2.83
	1.5 x 1.3	0.89	38.0	8.1	15.57	13.82	2.51	0.34	0.13	2.05
	1.9 x 1.5	1.26	7.9	1.7	31.44	14.94	3.50	0.76	0.36	2.39
	1.9 Sink	0.60	3.7	0.8	63.93	15.02	9.48	2.68	1.16	5.64
< 100-mesh Char	Total	0.96	100.0	21.2	18.30	13.41	3.24	0.45	0.18	2.60
	Total	1.47	100.0	0.5	19.59	17.70	2.94	0.78	0.28	1.88
> 100-mesh Char	1.3 Float	1.74	78.0	77.7	16.17	12.46	3.34	0.39	0.11	2.84
	1.5 x 1.3	0.90	14.3	14.2	19.50	13.21	2.52	0.40	0.13	1.99
	1.9 x 1.5	1.03	4.8	4.7	40.33	12.77	3.68	0.74	0.34	2.60
	1.9 Sink	0.51	2.8	2.8	66.31	12.26	9.50	2.29	0.84	6.38
	1.5 Float	1.61	92.4	91.9	16.69	12.57	3.21	0.39	0.12	2.71
Total Char	1.9 Float	1.68	97.1	96.7	17.85	12.58	3.24	0.41	0.13	2.70
	Total	1.55	100.0	99.5	19.21	12.57	3.41	0.45	0.15	2.81
	Total	1.54	100.0	100.0	19.19	12.60	3.41	0.46	0.15	2.80

Effect of Dry Gravity and Dry-Gravity Separations on Indiana No. 3 Coal Quality

Sample ID	Analysis, % (dry basis)									Btu/lb
	H ₂ O	Weight ^a	Weight ^b	Ash	Volatile	S (total)	S (pyritic)	S (SO ₂)	S (organic)	
Crushed Feed Coal										
6 x 10 mesh	7.71	29.65	29.65	11.85	39.04	5.26	1.02	1.08	3.17	12,437
10 x 20 mesh	7.82	25.42	25.42	12.70	38.57	5.50	1.11	1.15	3.24	12,425
20 x 65 mesh	7.89	31.09	31.09	12.79	37.94	5.32	1.01	1.29	3.01	12,464
<65 mesh	8.29	13.84	13.84	13.75	37.78	5.58	1.30	1.77	2.52	11,944
Total (calculated)	7.87	100.00	100.00	12.62	38.40	5.38	1.08	1.26	3.05	12,374
Total (measured)	8.20	100.00	100.00	13.15	37.91	5.21	1.02	1.42	2.77	12,130
Dry-Gravity Lights										
6 x 10 mesh	7.65	88.11	26.13	8.87	40.09	4.97	0.70	1.01	3.25	12,708
10 x 20 mesh	7.77	80.16	20.37	9.54	39.51	5.09	0.69	1.05	3.35	12,640
20 x 65 mesh	7.73	85.62	26.62	10.94	38.45	5.06	0.77	1.22	3.06	12,386
Total (calculated)	7.71	84.87	73.12	9.81	39.33	5.04	0.72	1.10	3.21	12,572
Dry-Gravity Reject										
6 x 10 mesh	5.87	11.89	3.53	33.96	31.23	7.29	3.35	1.51	2.43	8,660
10 x 20 mesh	6.95	19.84	5.04	25.49	34.78	7.11	2.83	1.53	2.76	9,888
20 x 65 mesh	7.06	14.38	4.47	23.79	34.92	6.74	2.42	1.67	2.65	10,058
Total (calculated)	6.71	15.13	13.04	27.20	33.87	7.03	2.83	1.57	2.63	9,615
Nonmagnetics										
6 x 10 mesh	5.87	88.58	23.14	7.92	40.03	4.28	0.54	0.87	2.88	12,788
10 x 20 mesh	6.95	83.05	16.92	8.51	40.26	4.05	0.50	0.87	2.69	12,884
20 x 65 mesh	7.06	85.41	22.74	8.78	36.69	4.20	0.48	0.91	2.81	12,859
Total Clean Coal	6.61	85.81	62.80	8.69	38.88	4.19	0.51	0.88	2.80	12,840
Magnetic Rejects										
6 x 10 mesh	9.25	11.42	2.98	16.21	36.37	7.34	2.21	2.36	2.77	10,932
10 x 20 mesh	7.89	16.95	3.45	15.37	36.69	6.45	1.64	1.94	2.87	11,243
20 x 65 mesh	9.35	14.59	3.88	21.49	35.94	7.99	2.52	3.13	2.34	9,700
Total	8.75	14.19	10.32	17.92	36.32	7.28	2.14	2.51	2.64	10,573

^a Weight recovery for each test.

^b Cumulative weight recovery based on feed coal.

Effect of Dry Gravity and Dry-Gravity Separations on Indiana No. 3 Char Quality (P011)

Sample ID	Analysis, % (Dry Basis)										Btu/lb
	H ₂ O	Weight ^a	Weight ^b	Ash	Volatile	S (total)	S (pyritic)	S (SO ₂)	S (organic)		
Crushed Feed Coal											
6 x 10 mesh	0.24	34.46	34.46	24.23	7.97	4.42	0.36	0.07	3.99	10,968	
10 x 20 mesh	0.21	36.81	36.81	25.71	7.42	4.31	0.25	0.07	3.99	10,880	
20 x 65 mesh	0.23	23.15	23.15	26.82	8.43	4.79	0.17	0.15	4.48	10,664	
<65 mesh	0.28	5.59	5.59	26.15	9.62	4.77	0.34	0.20	4.24	10,592	
Total (calculated)	0.23	100.00	100.00	25.48	7.97	4.48	0.27	0.09	4.12	10,844	
Total (measured)	0.49	100.00	100.00	24.31	6.61	4.28	0.23	0.06	3.98	10,892	
Dry-Gravity Lights											
6 x 10 mesh	1.37	75.71	26.09	16.18	7.74	4.58	0.35	0.06	4.17	12,005	
10 x 20 mesh	1.65	72.13	26.55	17.73	6.92	4.44	0.24	0.06	4.15	11,827	
20 x 65 mesh ^c											
Total (calculated)											
Dry-Gravity Reject											
6 x 10 mesh	1.12	24.29	8.37	49.34	8.69	4.11	0.41	0.09	3.60	7,543	
10 x 20 mesh	1.20	27.87	10.26	46.35	8.72	4.17	0.30	0.10	3.77	7,980	
20 x 65 mesh ^c											
Total (calculated)											
Nonmagnetics											
6 x 10 mesh	1.56	80.58	21.02	15.31	8.61	4.05	0.33	0.05	3.67	12,090	
10 x 20 mesh	1.58	80.74	21.43	17.05	6.93	4.13	0.22	0.05	3.86	11,832	
20 x 65 mesh ^c											
Total Clean Coal											
Magnetic Rejects											
6 x 10 mesh	1.61	19.42	5.07	18.20	8.97	4.78	0.60	0.10	4.07	11,662	
10 x 20 mesh	1.49	19.26	5.11	20.55	8.45	5.29	0.48	0.10	4.71	11,367	
20 x 65 mesh ^c											
Total											

^a Weight recovery for each test.

^b Cumulative weight recovery based on feed coal.

^c Insufficient sample.

Air Table Cleaning of Indiana No. 3 Coal

	Screened Analysis				Reject Analysis				Dust Analysis				Reject and Dust				Cleaned Sample, Clean Blended Product			
	Composite Head Sample				Composite Heavies				Composite Dust				Analysis Total Reject							
	As- Received	Dry Basis	As- Received	Dry Basis	As- Received	Dry Basis	As- Received	Dry Basis	As- Received	Dry Basis	As- Received	Dry Basis	As- Received	Dry Basis	As- Received	Dry Basis	As- Received	Dry Basis	As- Received	Dry Basis
Moisture, %	6.80	-	3.69	-	4.34	-	3.92	-	4.57	-	3.92	-	4.57	-	3.92	-	4.57	-	3.92	-
Proximate Analysis, %																				
Ash	12.17	12.92	26.69	27.71	22.48	23.60	25.19	26.22	9.84	10.31	9.84	10.31	26.22	26.22	9.84	10.31	26.22	26.22	9.84	10.31
Volatiles	35.91	38.12	32.51	33.78	33.86	34.88	32.82	34.16	37.33	38.12	37.33	38.12	34.16	34.16	37.33	38.12	34.16	34.16	37.33	38.12
Fixed Carbon	46.12	48.96	37.11	38.53	39.82	41.63	38.07	39.63	48.26	50.57	48.26	50.57	39.63	39.63	48.26	50.57	39.63	39.63	48.26	50.57
Sulfur Analysis, %																				
S (total)	4.52	4.80	6.89	7.16	6.26	6.50	6.31	6.57	8.88	9.07	8.88	9.07	6.57	6.57	8.88	9.07	6.57	6.57	8.88	9.07
S (pyrite)	1.54	1.64	3.72	3.86	1.11	1.16	2.79	2.91	1.19	1.25	1.19	1.25	2.91	2.91	1.19	1.25	2.91	2.91	1.19	1.25
S (sulfate)	0.68	0.72	0.76	0.79	2.16	2.25	1.26	1.31	0.55	0.57	0.55	0.57	1.31	1.31	0.55	0.57	1.31	1.31	0.55	0.57
S (organic)	2.30	2.45	2.41	2.50	1.99	2.08	2.26	2.35	2.14	2.25	2.14	2.25	2.35	2.35	2.14	2.25	2.35	2.35	2.14	2.25
Btu/lb	11,570	12,282	9,597	9,965	9,315	9,738	9,497	9,885	12,474	13,071	12,474	13,071	9,885	9,885	12,474	13,071	9,885	9,885	12,474	13,071
maf Btu/lb	-	14,105	-	13,785	-	12,729	-	13,397	-	14,574	-	14,574	13,397	13,397	-	14,574	13,397	13,397	-	14,574
Weight Collected, Pounds	17,308	16,304	2,562	2,467	1,416	1,355	3,978	3,822	13,329	12,779	13,329	12,779	3,978	3,822	13,329	12,779	13,329	12,779	13,329	12,779
Percentage by Class	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
Overall																				
Weight Distribution	100.00	100.00	14.80	15.13	8.18	8.31	22.98	23.44	77.01	78.38	77.01	78.38	23.44	23.44	77.01	78.38	23.44	23.44	77.01	78.38
Ash Distribution		100.00		32.45		15.11		47.56		62.53		62.53	47.56	47.56		62.53	47.56	47.56		62.53
Sulfur Distribution		100.00		22.55		9.51		32.06		66.34		66.34	32.06	32.06		66.34	32.06	32.06		66.34
Btu Distribution		100.00		12.28		6.59		18.87		83.42		83.42	18.87	18.87		83.42	18.87	18.87		83.42
Ultimate Analysis, %																				
C	63.79	67.72	54.93	57.03	55.09	57.59	54.99	57.23	68.07	71.33	68.07	71.33	57.23	57.23	68.07	71.33	57.23	57.23	68.07	71.33
H	4.05	4.30	3.68	3.82	3.66	3.83	3.67	3.82	4.97	4.67	4.97	4.67	3.82	3.82	4.97	4.67	3.82	3.82	4.97	4.67
N	1.53	1.62	1.18	1.22	1.18	1.24	1.18	1.23	1.95	2.04	1.95	2.04	1.23	1.23	1.95	2.04	1.23	1.23	1.95	2.04
S	4.04	4.29	6.13	6.36	4.72	4.94	5.63	5.86	4.05	4.24	4.05	4.24	5.86	5.86	4.05	4.24	5.86	5.86	4.05	4.24
O ^a	8.26	8.77	7.38	7.66	9.36	9.79	8.08	8.41	6.75	7.07	6.75	7.07	8.41	8.41	6.75	7.07	8.41	8.41	6.75	7.07
O ^b	8.60	9.13	3.71	3.85	8.52	8.91	5.42	5.64	6.56	7.41	6.56	7.41	5.64	5.64	6.56	7.41	5.64	5.64	6.56	7.41

^a Measured.
^b By difference.

Magnetic Separation of Indiana No. 3 Char (P025)

Test	Feed Rate, lb/hr	Roll, rpm	Magnetic, wt%			Nonmagnetic, wt%		
			Recovery	Sulfur	Ash	Recovery	Sulfur	Ash
1	5.9	20	47.6	3.67	19.2	52.2	2.41	15.9
2	5.9	40	23.6	3.94	22.1	76.3	2.69	16.4
3	5.9	50	7.7	4.97	23.8	91.7	2.98	18.1
4	22.6	40	23.8	4.28	22.1	78.5	2.71	16.8
5	22.6	50	11.6	4.98	24.2	91.1	2.84	21.1

END

DATE
FILMED

8 / 13 / 93