NOTICE

**CERTAIN DATA
CONTAINED IN THIS
DOCUMENT MAY BE
DIFFICULT TO READ
IN MICROFICHE
PRODUCTS.**

UNCLASSIFIED

HW--8549

DE91 002386

OSTI
INV
89

HW-854

This document consists of 22 pages.

THE TREND OF CONTAMINATION IN THE AIR, THE COLUMBIA RIVER,
RAIN, SANITARY WATER, VEGETATION, AND WASTES, AT THE HANFORD
WORKS FOR THE PERIOD JULY, AUGUST, SEPTEMBER, --- 1947

[REDACTED]

By: W. Singlevich

Date: December 28, 1947

[REDACTED]

Medical Department (H. I. Section)

General Electric Company

Hanford Works

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

UNCLASSIFIED

CLASSIFICATION [REDACTED]
CHANGED TO UNCLASSIFIED
BY AUTHORITY OF [REDACTED]
BY [REDACTED] DATE 11-1-88

UNCLASSIFIED

THE TREND OF CONTAMINATION OF THE AIR, THE COLUMBIA RIVER, RAIN,
SANITARY WATER, VEGETATION, AND WASTES, AT THE HANFORD WORKS
FROM THE PERIOD OF JULY, AUGUST, SEPTEMBER -- 1947

INTRODUCTION

This report summarizes the contamination observed at the Hanford Works and vicinity for the period July, August, and September, 1947.

Daily or weekly trends for all sampling locations as included in previous reports are omitted except in those cases where a true trend can be established. Statistical analysis to determine significant values and differences is used whenever possible.

The report is divided into the following topic sections:

SECTIONS:

- Section I Meteorological - Wind conditions
- Section II Extent of beta contamination in air and radiation level in air
- Section III Extent of contamination in the Columbia River
- Section IV Extent of beta contamination in rain
- Section V Extent of alpha and beta contamination in sanitary water
- Section VI Extent of beta contamination on vegetation
- Section VII Extent of contamination in Hanford wastes.

An appraisal and review of all the results is considered in detail for each section.

Map 1 is a Project map in which are shown the types of samples taken, and their locations from which the data in this report were gathered.

UNCLASSIFIED

Notes on Log Data

A summary of the meteorological conditions as observed and measured at the meteorology station, 622 Building, 200 West Area, is graphically represented in Figures 1-A, 1, and 2. Figure 1 shows the fraction of time that the wind prevailed at broken down to averages per month for the period July, August, and September, 1947. Figure 1-A shows the overall three month average wind direction expressed as percent of time observed.

For this period, the wind direction prevailed 22% of the time from the WNW (44) the prevailing quadrant for the wind direction being from the West 66% of the time. This varies somewhat from the prevailing wind from the North (54% of the time) for the last quarter (April, May, June, 1947).

Figure 2 shows the wind dilution factors observed. A study of the graph indicates a trend towards dilution factors which are greater than 500:1 ratios. It is of interest to observe that the fraction of time when the dilution factor was in a ratio of less than 500:1 for the overall period of July, August, and September was about 11% of the time while a study of the wind dilution factors during actual hours of dissolving shows that the fraction of time at which the dilution factor was less than 500:1 ratio is negligible. (Actually, only one hour of dissolving time was during a period when the dilution factor was less than 500:1 ratio).

The dilution factors are considerably more favorable towards dispersing the stock gases formed during dissolving in the 200 Area than those observed during the last quarter in which the dilution factor was less than 500:1 about 10% of the time, and 500 - 1000:1 about 20% of the time.

SECTION III

Air-Borne Contamination and Air Radiation Level

Radiation levels in the air and airborne contamination have been measured with detachable ionization chambers and filters, respectively. Map 2 is a location map of the air sampling equipment.

Table I summarizes the radiation levels observed using the "M" and "S" type detachable ionization chambers. The readings vary from 0.45 mrep per 24 hours at the 100 Area region to 0.88 mrep per 24 hours near the 300 Area. These readings are lower by a factor of 2 to 4 from the levels observed for the last period.

"S" chamber readings (see Table I) varied from 0.24 mrep per 24 hours at 100 Area to 0.50 mrep per 24 hours at 200-East Area.

Table III shows results obtained by use of filters. 200-East Area showed less than one-half as much airborne contamination as for the previous quarter. Table Mountain Area was about four times less for this quarter as compared to the last quarter. Benton City, Richland, 300 Area, and 400 Area, were all slightly less than that observed in the last period.

UNCLASSIFIED

12-211

-5-

12/28/47

Figure 3 is a graphical representation of the beta activity found on the filters at the listed locations. A statistical analysis of these data indicated that on the basis of twelve to thirteen samples taken at each location over a period of three months, no significant difference was found among samples taken at Pasco, Richland, 300 Area, and Hanford. The highest T value of 1.40 was found in comparing Pasco and Richland. Benton Site was found to be significantly higher than the above mentioned locations.

METHODS AND EVALUATION

The M and S Chambers are cylindrical type, aluminum covered ionization chambers, placed in pairs at the various locations. These chambers are charged by a minometer and the rate of discharge is measured at regular intervals using the same minometer. The C chamber is basically the same as the M and S chamber except that the sides are constructed of heavy semi-waterproof cardboard.

The filter program consists of a continuous intake of air through a filter about 1-3/4 inches in diameter. The rate of air flow through the filter is about two cubic feet per minute. These filters are counted directly on thin mica-window counters. Corrections are made on these filters for geometry and decay with the assumption that all beta activity comes from ^{131}I .

(SEE TABLES I AND II)

SECTION III

Columbia River Contamination

The average flow of the Columbia River during the period July, August, and September, 1947, as measured by the Power Department near Richland was 1,000,000 gallons per second; the peak flow during this period was 2,025,000 gallons per second. The river flow is now receding and the recorded flow for the latter part of September was only about 540,000 gallons per second; this is still slightly higher than the average flow for the first three months of 1947 which was about 350,000 gallons per second. Figure 5 shows graphically the trend of Columbia River flow for the period, July, August, and September, 1947.

Figure 6 shows the average beta contamination in the Columbia River at various locations. The lowest levels observed were at 181-F and 181-D; the activity was less than 10^{-5} uc per liter. Contrary to previous findings, the north and south banks of the Columbia River at Hanford were not significantly different in the average beta activity found. The middle of the river was significantly lower than the north and south banks. Findings for the last quarter indicated that the south bank of the river was significantly higher than the middle and north bank, respectively. The river showed somewhat higher concentrations of activity than that observed for the last quarter; this is an anticipated trend following the decrease in flow of the Columbia River.

UNCLASSIFIED

43-211

-6-

1/2/58

Figures 7 and 8 portray graphically the results of a special survey of the Columbia River in which samples of the river were taken at various locations within a time interval of 2-3 hours and measured for beta activity within another two hours. The purpose of this test was to determine the activity of the river at various locations at a given time, and to determine how much of this activity was present in some of the Kennewick drinking water which is supplied from the Columbia River.

Positive indications of beta activity were found in the Columbia River ranging from 7.6×10^{-4} $\mu\text{c/liter}$ at a point two miles below 100-D Area, to 2.4×10^{-5} $\mu\text{c/liter}$ in the Columbia River near Sacojawa Park. A reading of 4.0×10^{-5} $\mu\text{c/liter}$ was measured in the Kennewick drinking water as supplied from the Columbia River; this is significantly lower (about 1/2) than 7.8×10^{-5} $\mu\text{c/liter}$ measured at the Kennewick Pump House on the Columbia, but significantly higher than the 1.8×10^{-5} $\mu\text{c/liter}$ observed in a sample of water from the Bus Depot in Kennewick (source of supply - Municipal Well in Kennewick). Absorption and decay studies of the activity in the Kennewick domestic water showed that most of the activity was due to ^{24}Na having a half-life of 14.8 hours. The observed readings of 4.0×10^{-5} $\mu\text{c/liter}$ for radio-sodium is well below the present established tolerance of 4.9×10^{-7} $\mu\text{c/liter}$ of water. No significant alpha activity was found in the Kennewick water.

METHODS AND EVALUATION:

All river water is analyzed by evaporating a 500 ml. portion of the sample and transferring the residue to a 1-1/2 inch diameter stainless steel plate. The residue is counted directly for beta and alpha activity on a thin-window counter and on a standard 52% geometry alpha counter, respectively.

Laboratory tests indicate essentially a 100% yield for measuring the beta activity with 1.0 MEV energy beta, and slightly less than 50% for alpha activity.

All counting rates are corrected for geometry and decay.

SECTION IV Extent Beta Activity in Rain

Figure 9 shows the average beta activity found in rain at various locations around the Project. A maximum average activity of 3.5×10^{-2} $\mu\text{c/liter}$ was found in the 100-West Area; this reading is significantly higher than the 1.6×10^{-2} $\mu\text{c/liter}$ found in the 200-East Area. This condition is the reverse of what one would expect after observing that the overall average for surface (Fig. 3) and vegetation (Fig. 10) contamination found was consistently higher in 200-East Area rather than 200-West Area.

Because of the relatively small number of samples analyzed (ranging from a total of 2 to 3 samples per area), a T test shows that there is no significant difference among the activities found at Paces, Bonser City, Richland, YOC, 200-East, Hanford, and the 100 Areas.

514

METHODS AND EVALUATION:

Rain samples were collected in open bottles placed at the various locations. The rain was evaporated (after removing the iron iodine with sodium thio-sulfate to prevent loss by volatilization), and counted directly on a thin-window counter. It is assumed that all the activity is due to 8-day iodine, average energy 0.185 MeV.

It should be noted that current gamma monitor evidence indicated the presence of an active filterable substance in some rain samples. Preliminary investigation revealed that filtering of the rain removes most of the activity from the rain; a radiograph of the filter showed that most of the activity was soaked out on the filter paper. Small individual particles which were slightly more active than the overall contamination on the filter were isolated. The exact origin of these particles is not yet known. Decay curves of some of these very active rain samples indicate a relatively long half-life.

Rain samples analyzed for this quarter were not filtered and some of them may be in error as all corrections were made with the assumption that all activity was due to I^{131} . All current rain samples are being filtered and both filtrate and filter are resampled for contamination.

SECTION V

Extent of Contamination in Sanitary Drinking Water

Table III summarizes the average beta contamination found in the sanitary and drinking water. No significant alpha contamination was found in any of the drinking water which could be duplicated on a resample except for the 300 Area Sanitary Water and 300 Area Wells #1 and #2 which are known to be contaminated with uranium. Some minute quantities of alpha activity from uranium are being found in Richland Well #13, Bouton City water, and White Bluffs water, ranging from 2 to 10 parts per billion; this quantity of uranium is probably a natural source present in this water.

Figure 12 shows the trend of alpha activity from uranium in the 300 Area Well #1. With the river flow reaching its minimum level, and with a corresponding drop in the level of water in the well, the contamination in the well is dropping off to negligible quantities. The 300 Area Sanitary water and Well #2 are following the same trend.

A statistical analysis of some of the sanitary waters was made with the following summary: (Please refer to Table III for levels of contamination).

No significant difference was found in comparing the average activity found in Richland Durand #13 and 201-East Area sanitary water; between Kennewick and Pasco, and between 100-8 and 100-9 sanitary water. There was a doubtful significant difference found in the beta activity when Richland Well #13 and Kennewick drinking water at 61st Building were compared; White Bluffs water was found to be significantly higher in beta activity than that detected in Richland Durand Well #13.

METHODS AND EVALUATION:

The procedures and limitations for analyzing sanitary water are essentially the same as described for analyzing river water. All samples analyzed in laboratory areas free from all contamination.

UNCLASSIFIED

SECTION VI Radioactive Vegetation Contamination

The total amount of radioactive iodine and xenon expelled from the 200-East and 200-West Area stacks, which accounts for the contamination found on the vegetation at the Hanford Works and vicinity, as calculated for the period July, August, and September, 1977, is tabulated below:

200-East Area			200-West Area	
Month	8-Day Iodine	Xenon	8-Day Iodine	Xenon
July	1176	103.5	891	74
August	351	71.5	717	53.5
September	566	37.5	509	33.5

Note: All above values are in curies (c).

The overall average beta contamination on vegetation (see Fig. 10) found for this quarter is lower by a factor of about 2 when compared to the previous quarter.

The overall average vegetation contamination found at Pasco, Wenatchee, Benton City, Richland, Hanford, and the 100 Areas was well below one-half the tolerance value of 0.2 pc/kg. The levels in the 200 East and 200 West Areas have dropped by more than a factor of 2 when compared to the average level found in the last quarter.

A series of T tests were calculated in an effort to determine significant differences between averages of contamination found at the various locations.

A summary of this study follows: (Please refer to Fig. 10 for relative levels of contamination).

No significant difference between Richland NE and Pasco NE was found; significant between Pasco and Benton City; Richland NE and Benton City indicated a doubtful significant difference. Samples taken at the meteorology station, 200-West Area, Hanford Gate, and Table Mountain were significantly higher than those taken in Richland.

Map 3 is an isodose chart showing the spread of stack gas contamination (radioiodine) on vegetation lying to the west and southwest of the 200 West Area stacks; this trend is in accordance with the average overall wind direction observed as shown on Map 3. The overall contamination is less this quarter than that observed last quarter. The spots found at the 100 Areas, which are higher than the immediate area readings, were found to be significantly higher. However, the average value of 0.105 pc/kg found near Richland Hospital in Richland was found, by statistical analysis, not to be

significantly different from the average value of 0.044 $\mu\text{c/kg}$ found in the northeast section of Richland. The value 0.105 $\mu\text{c/kg}$ is 240% below the currently accepted tolerance value of 0.2 $\mu\text{c/kg}$ for 8 day I^{131} .

A special survey of the Benton Gap region was made in August. Samples were taken at 50 foot elevations from river level of about 400 feet to summit of about 3400 feet. The average beta contamination found on that part of the Gap to the northwest side of the Yakima River was 0.023 $\mu\text{c/kg}$; the maximum value found was 0.085 $\mu\text{c/kg}$ at 2790 feet. A statistical analysis shows that this maximum value is significantly higher than the overall average. The average beta contamination found on the part of the Gap to the southeast of the Yakima River was 0.035 $\mu\text{c/kg}$; the maximum value was 0.071 $\mu\text{c/kg}$ at an elevation of 600 feet. A statistical analysis of the averages of contamination found on each side of the Gap yielded a T value of 1.12 which indicated no significant difference between the amount of contamination found on each side of the Gap. Figure 11 shows graphically the individual amounts of contamination found at the various altitudes of one side of the Benton Gap region. Points 1, 2, and 3, shown on the graph are values significantly higher than the overall average found for the beta vegetation contamination there. Figure 4 summarizes the beta contamination found in areas off the reservation and beyond Pasco.

METHODS AND EVALUATION

For the measurement of activity in vegetation, one gram samples are weighed, mounted on standardized mounting cards and counted directly on a thin mica-window beta counter. Corrections for self-absorption losses, geometry, and decay are based on the assumption that all the activity was due to 8-day radiiodine, (I^{131}).

SECTION VII Waste Contamination

The average contamination observed in the 100 Area wastes for the period July, August, and September 1977 was:

<u>Location</u>	<u>Beta Contamination</u>	<u>Alpha Contamination</u>
100-B	$4.0 \times 10^{-5} \mu\text{c/liter}$	$1.0 \pm [1.5] \text{ d/m/liter}$
100-D	$14.4 \times 10^{-5} \text{ " "}$	$0.6 \pm [1.2] \text{ " " "}$
100-F	$36.2 \times 10^{-5} \text{ " "}$	$0.6 \pm [1.2] \text{ " " "}$

The average contamination detected by means of a portable CM counter at the 200 North Area ditches for this period was:

"B" Ditch	about 56,000 counts per minute
"D" Ditch	44,000 " "
"F" Ditch	63,000 " " "

Flight surveys of the fourteen test holes around the waste lines in the 200 West Area as measured by a GM probe indicated no unusual readings except Test Hole "T" which consistently read higher than the background of 90 counts per minute by a factor varying from 2 to 3.

07/20/67

Two complete surveys of the 10 test holes in 200-East Area by the same method indicated no unusual readings except at Test Holes #1, #8, #12, and #23 which were about twice the background of about 50 c/m.

Twelve surveys of the 200-West and 200-East waste lines for this period by means of a GM portable counter showed no consistently significant readings above the normal background.

A brief summary of the 241-T Swamp Area contamination is tabulated below. This summary covers the period from January to August, 1967.

Water Samples	Beta Activity		Alpha Activity	
	Location	$\mu\text{c/liter}$ Maximum	$\mu\text{c/liter}$ Average	d/m/liter Maximum d/m/liter Average
T Swamp	Inlet	5.1×10^{-4}	4×10^{-5}	100 20
T Swamp	W. Side	5.6×10^{-4}	1×10^{-4}	960 150
T Swamp	So. Side	0.31	1.2×10^{-3}	800 150

Mud Samples	Beta Activity		Alpha Activity	
	Location	$\mu\text{c/kg}$ Maximum	$\mu\text{c/kg}$ Average	d/m/gm Maximum d/m/gm Average
T Swamp	W. Side	1.2	0.27	60 30
T Swamp	So. Side	1.4	0.5	120 40

A brief summary of the beta contamination found in the 300 Area Retention Basin based on twenty-eight waste solution samples and thirty waste solid samples for this period is tabulated below:

Type Sample	$\mu\text{c per liter}$			$\mu\text{c per liter}$
	July	August	September	Overall Average
Waste Solutions	1.1×10^{-3}	6.7×10^{-3}	2×10^{-3}	3.3×10^{-3}
Waste Solids	$\mu\text{c per kg}$			$\mu\text{c per kg}$
	0.8	3.2	1.0	1.7

957

METHODS AND EVALUATION

The test holes surveys were made by lowering a G.M. probe to within six inches of the approximately eleven foot deep hole and taking an overall count for a period of five minutes.

The waste line surveys are made by use of a G.M. probe mounted on the side of a carryall truck such that the probe rests about six inches from the ground. The truck is driven along at a slow constant speed. The rate of activity contamination, if any, is automatically recorded on a Micro-max recorder.

Analysis for waste solutions is made by evaporation of a 100 ml. sample and counting the residue directly for alpha activity in the standard alpha counter and for beta activity on a thin mica-window counter. No correction is made for self-absorption losses, but recent preliminary investigations indicate that the alpha activity reported for direct counts without corrections is low by a factor varying from 2 to 10, depending upon location of sampling.

Waste solids are analyzed by drying a one-gram sample and counting directly for alpha and beta activity. In this report the waste solid data is not corrected for self-absorption losses, but preliminary investigation indicates that the direct counts are low by a factor varying from 2 to 20, depending upon where the samples are taken. These current correction factors are only approximations; more data is needed before these factors can be used.

WS:swc

W. Singlevich
W. Singlevich

12/28/47

NW-8549

Radiation Levels Observed
With
Detachable Ionization Chambers
(Mrep per 24 Hours)

CHAMBER READINGS

"C" Chambers in mrep per 24 hours				1947
Location	July	August	September	Average
100-D	.25	.28	.34	.29
100-B	.26	.21	.26	.24
100-F	.31	.31	.33	.32
200-E	.58	.51	.40	.50
200-W	.32	.49	.33	.38
300	.33	.35	.41	.36

"M" & "S" Chambers in mrep per 24 hours				1947
Location	July	August	September	Average
100 Area and Environs				
Rt. 1 Mile 8	0.43	0.24	0.48	0.45
Rt. 2 Mile 10	0.43	0.24	0.24	
Rt. 2W Mile 5	0.43	0.48	0.24	
Rt. 11A Mile 1	0.72	0.72	0.72	
Rt. 1 Mile 5	0.24	0.48	0.48	
Within 5 miles of 200 Areas				
Rt. 4S Mile 6	1.44	0.72	0.48	0.76
Rt. 11A Mile 6	0.72	0.72	0.72	
Rt. 3 Mile 1	0.72	0.72	0.48	
622 Building	0.72	1.20	0.48	
Within 10 miles of 200 Areas				
Rt. 4S Mile 10	0.96	0.96	0.72	0.76
Rt. 10 Mile 1	0.43	0.72	0.48	
Rt. 10 Mile 3	0.96	0.72	0.48	
Rt. 2S Mile 4	0.72	0.72	1.20	
Near 300 Area				
Rt. 4S Mile 16	0.72	1.44	0.48	0.88
Rt. 4S Mile 22	0.72	1.44	0.48	

All the above values include the background measurements at the monitored locality.

TABLE IIAIR SAMPLING PROGRAM

Period - July, August, Sept.

1947

Location	pc per liter
1. Pasco	4.9×10^{-10}
2. Richland	2.2×10^{-10}
3. Benton City	8.8×10^{-10}
4. 300 Area	4.0×10^{-10}
5. 200 East SE	35.1×10^{-10}
6. 200 East Tower	20.7×10^{-10}
7. 200 East Tower #18	34.4×10^{-10}
8. 200 West - East Center	57.8×10^{-10}
9. Hanford	3.6×10^{-10}
10. Gable Mountain	10.3×10^{-10}
11. 100-D	26.4×10^{-10}

12/28/47

100-8549

Sanitary Water Surveys
Hanford Works and Vicinity

July - August - September

1947

Location of Sample	Average Beta Activity	
	No. Samples	$\mu\text{c per liter}$
Columbia Camp	13	4.1×10^{-6}
Kennebec (at 614 Bldg.)	13	9.3×10^{-6}
Pasco	13	7.2×10^{-6}
Richland Durand #13	64	4.5×10^{-6}
3000 Area #2	13	5.3×10^{-6}
Kennebec - Std. Station Rt. 410	2	0.9×10^{-6}
300 Area Well #1	62	5.1×10^{-6}
300 Area Well #2	63	6.9×10^{-6}
300 Area Sanitary	62	6.0×10^{-6}
200 East Sanitary	9	3.6×10^{-6}
200 West Sanitary	14	3.5×10^{-6}
White Bluffs	58	7.2×10^{-6}
100-E Sanitary	13	10.0×10^{-6}
100-D Sanitary	13	4.4×10^{-6}
100-F Sanitary	13	6.1×10^{-6}
Headgate	13	3.1×10^{-6}

19

These documents consist of _____ Pages No. 24 Contained Series A

WIND DIRECTIONS
OVERALL AVERAGES

PER CENT TIME OBSERVED

工

У	
С	

三

2

25

P

14

1

1

10

1	2	3
4	5	6
7	8	9
10	11	12
13	14	15
16	17	18
19	20	21
22	23	24
25	26	27
28	29	30
31	32	33
34	35	36
37	38	39
40	41	42
43	44	45
46	47	48
49	50	51
52	53	54
55	56	57
58	59	60
61	62	63
64	65	66
67	68	69
70	71	72
73	74	75
76	77	78
79	80	81
82	83	84
85	86	87
88	89	90
91	92	93
94	95	96
97	98	99
100	101	102
103	104	105
106	107	108
109	110	111
112	113	114
115	116	117
118	119	120
121	122	123
124	125	126
127	128	129
130	131	132
133	134	135
136	137	138
139	140	141
142	143	144
145	146	147
148	149	150
151	152	153
154	155	156
157	158	159
160	161	162
163	164	165
166	167	168
169	170	171
172	173	174
175	176	177
178	179	180
181	182	183
184	185	186
187	188	189
190	191	192
193	194	195
196	197	198
199	200	201
202	203	204
205	206	207
208	209	210
211	212	213
214	215	216
217	218	219
220	221	222
223	224	225
226	227	228
229	230	231
232	233	234
235	236	237
238	239	240
241	242	243
244	245	246
247	248	249
250	251	252
253	254	255
256	257	258
259	260	261
262	263	264
265	266	267
268	269	270
271	272	273
274	275	276
277	278	279
280	281	282
283	284	285
286	287	288
289	290	291
292	293	294
295	296	297
298	299	300
301	302	303
304	305	306
307	308	309
310	311	312
313	314	315
316	317	318
319	320	321
322	323	324
325	326	327
328	329	330
331	332	333
334	335	336
337	338	339
340	341	342
343	344	345
346	347	348
349	350	351
352	353	354
355	356	357
358	359	360
361	362	363
364	365	366
367	368	369
370	37	

FIG. I-A

SUMMARY WIND DIRECTIONS - 200-W
AVERAGE - JUL. AUG. SEPT.
1947

FIG. 2.

SUMMARY AIR CONDITIONS

622 ALDG

JUL AUG. SEPT. 1947

WIND DILUTION FACTORS – 200-W

DILUTION DURING DISSOLVING PERIODS ONLY

DILUTION - OVERALL AVERAGE

PER CENT TIME OBSERVED

AIR FILTER PROGRAM FOR PERIOD

FIG. 3

JULY AUGUST SEPT

1947

Fig. 4.

[Faint, illegible vertical text]

COLUMBIA RIVER FLOW
JUL. AUG. SEPT.
1947

FIG. 5.

KEUFFEL & ESSER CO. N. Y. NO. 3885
PRINTED IN THE U.S.A.

Extent Beta Contamination

194Y

FIG. 6.

COLUMBIA	RIVER
----------	-------

JULY - AUGUST - SEPT.

 1×10^4

13.76

-364

150

1250

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	-----

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100	101	102	103	104	105	106	107	108	109	110	111	112	113	114	115	116	117	118	119	120	121	122	123	124	125	126	127	128	129	130	131	132	133	134	135	136	137	138	139	140	141	142	143	144	145	146	147	148	149	150	151	152	153	154	155	156	157	158	159	160	161	162	163	164	165	166	167	168	169	170	171	172	173	174	175	176	177	178	179	180	181	182	183	184	185	186	187	188	189	190	191	192	193	194	195	196	197	198	199	200	201	202	203	204	205	206	207	208	209	210	211	212	213	214	215	216	217	218	219	220	221	222	223	224	225	226	227	228	229	230	231	232	233	234	235	236	237	238	239	240	241	242	243	244	245	246	247	248	249	250	251	252	253	254	255	256	257	258	259	260	261	262	263	264	265	266	267	268	269	270	271	272	273	274	275	276	277	278	279	280	281	282	283	284	285	286	287	288	289	290	291	292	293	294	295	296	297	298	299	300	301	302	303	304	305	306	307	308	309	310	311	312	313	314	315	316	317	318	319	320	321	322	323	324	325	326	327	328	329	330	331	332	333	334	335	336	337	338	339	340	341	342	343	344	345	346	347	348	349	350	351	352	353	354	355	356	357	358	359	360	361	362	363	364	365	366	367	368	369	370	371	372	373	374	375	376	377	378	379	380	381	382	383	384	385	386	387	388	389	390	391	392	393	394	395	396	397	398	399	400	401	402	403	404	405	406	407	408	409	410	411	412	413	414	415	416	417	418	419	420	421	422	423	424	425	426	427	428	429	430	431	432	433	434	435	436	437	438	439	440	441	442	443	444	445	446	447	448	449	450	451	452	453	454	455	456	457	458	459	460	461	462	463	464	465	466
---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

1111

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100	101	102	103	104	105	106	107	108	109	110	111	112	113	114	115	116	117	118	119	120	121	122	123	124	125	126	127	128	129	130	131	132	133	134	135	136	137	138	139	140	141	142	143	144	145	146	147	148	149	150	151	152	153	154	155	156	157	158	159	160	161	162	163	164	165	166	167	168	169	170	171	172	173	174	175	176	177	178	179	180	181	182	183	184	185	186	187	188	189	190	191	192	193	194	195	196	197	198	199	200	201	202	203	204	205	206	207	208	209	210	211	212	213	214	215	216	217	218	219	220	221	222	223	224	225	226	227	228	229	230	231	232	233	234	235	236	237	238	239	240	241	242	243	244	245	246	247	248	249	250	251	252	253	254	255	256	257	258	259	260	261	262	263	264	265	266	267	268	269	270	271	272	273	274	275	276	277	278	279	280	281	282	283	284	285	286	287	288	289	290	291	292	293	294	295	296	297	298	299	300	301	302	303	304	305	306	307	308	309	310	311	312	313	314	315	316	317	318	319	320	321	322	323	324	325	326	327	328	329	330	331	332	333	334	335	336	337	338	339	340	341	342	343	344	345	346	347	348	349	350	351	352	353	354	355	356	357	358	359	360	361	362	363	364	365	366	367	368	369	370	371	372	373	374	375	376	377	378	379	380	381	382	383	384	385	386	387	388	389	390	391	392	393	394	395	396	397	398	399	400	401	402	403	404	405	406	407	408	409	410	411	412	413	414	415	416	417	418	419	420	421	422	423	424	425	426	427	428	429	430	431	432	433	434	435	436	437	438	439	440	441	442	443	444	445	446	447	448	449	450	451	452	453	454	455	456	457	458	459	460	461	462	463	464	465	466
---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

100

11

1

— d/m/L — Disintegrations Per Minute Per Liter — d/m/L

COASCO

YAKIMA BRIDGE

RICHLAND

300 AREA

AT	LANE	CRD - \$0.	BANK	RIVER
----	------	------------	------	-------

AT HANFORD — MIDDLE RIVER

AT JANIPOD - NO. BANK RIVER

AREA

200-AREA

TWO RAKA

ABOVE 00-8 ABLE

Micro-Cunes Pet Litter —

100

31

100

SPECIAL COLUMBIA RIVER SURVEY

FOR PERIOD

JULY - AUG. - SEPT.

(ALL SAMPLES TAKEN & COUNTED SEPT. 11, 1947)

FIG. 7.

SPECIAL COLUMBIA RIVER SURVEY
DATA IN UC PER LITER

— Sampled And Counted —
— Sept. 11, 1947. —

FIG. 8.

76
 $\times 10^{-3}$

0.02
 $\times 10^{-3}$

0.9
 $\times 10^{-3}$

236
 $\times 10^{-3}$

COLUMBIA

RIVER

HANFORD WORKS

ROAD MAP

PROJECT & VICINITY

DATE 9-6-47

DRAWN BY E.M.L.

W. Lingervick
12-8-47

0.14
 $\times 10^{-3}$

2.7
 $\times 10^{-3}$

7.2
 $\times 10^{-3}$

3.6
 $\times 10^{-3}$

1.8
 $\times 10^{-3}$

4.0
 $\times 10^{-3}$

7.1
 $\times 10^{-3}$

1.8
 $\times 10^{-3}$

7.3
 $\times 10^{-3}$

0.09
 $\times 10^{-3}$

2.5
 $\times 10^{-3}$

FIG. 9.

EXTENT BETA ACTIVITY

in
RAINat
HANFORD WORKS & VICINITYJULY - AUG. - SEPT.
1947.

EXTENT
BETA CONTAMINATION
IN
VEGETATION
HANFORD WORKS
AND
VICINITY

FIG. 10.

Micro-Curies Per Kg.

PERIOD
JUL. AUG. SEPT
1947
N.S.

1.5

1.4

1.3

1.2

1.1

1.0

0.9

0.8

0.7

0.6

0.5

0.4

0.3

0.2

0.1

0

PASCO

KENNEWICK

BENTON CITY

RICHLAND

COLUMBIA-CAMP

RATTLESNAKE SPRING

200 E. AREA

METEOROLOGY STATION - 200 W. AREA

200 W. AREA

200 W. AREA
OUTSIDE GATE

HANFORD

GABLE MT. AREA

MIDWAY

RIVERLAND

VEGETATION
CONTAMINATION TREND AT 50' ALTITUDES ON BENTON GAP
(NORTHWEST SIDE OF YAKIMA RIVER)

FIG. 11.

FIG. 1, 2, 3. Significantly Higher Than Average.

FIG. 12.

TREND
ALPHA ACTIVITY
in

300 AREA WELL # 1

JULY - AUG. SEPT.

1947.

UNCLASSIFIED

29

HW-0540

MAP - 2.

● DETACHABLE "MB" & "SB" CHAMBERS
○ DETACHABLE "C" CHAMBERS

1 100C SW
2 100C NE
3 100C SE
4 100C NW
5 100B NE
6 100B SW
7 100B SE
8 100B NW
9 100A SW
10 100A SE
11 100A NW
12 100A NE
13 2N MI 5
14 200W WC
15 200W EC
16 200W NC
17 200W BC
18 200E WC
19 1A MI 6
20 200E EC
21 200E NC
22 200E BC
23 25 MI 4
24 25 MI 6
25 25 MI 8
26 45 MI 10
27 10 MI 1
28 10 MI 3
29 45 MI 15
30 45 MI 22
31 300
32 BENTON CITY
33 PASCO

H. I. DEVELOPMENT SITE SURVEY
DATE 12-15-47
DRAWN BY E.M.L.

29

UNCLASSIFIED

30

HW-8540

MAP-3

30

21870

END

DATE FILMED

12 / 20 / 90