ORNL-4972/R2

**OAK RIDGE
NATIONAL
LABORATORY**

MARTIN MARIETTA

**The MORSE Monte Carlo Radiation
Transport Code System**

M. B. Emmett

OPERATED BY
MARTIN MARIETTA ENERGY SYSTEMS, INC.
FOR THE UNITED STATES
DEPARTMENT OF ENERGY

DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency Thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

DISCLAIMER

Portions of this document may be illegible in electronic image products. Images are produced from the best available original document.

Printed in the United States of America. Available from
National Technical Information Service
U.S. Department of Commerce
5285 Port Royal Road, Springfield, Virginia 22161
NTIS price codes—Printed Copy: A04; Microfiche A01

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

DO NOT MICROFILM
COVER

ORNL--4972/R2

DE84 017312

Contract No. DE-AC05-84OR21400

Computer Services

THE MORSE MONTE CARLO RADIATION TRANSPORT CODE SYSTEM

M. B. Emmett*

NOTE:

This Work supported by
DEFENSE NUCLEAR AGENCY
Under Subtask PE 074

*Computer Services, Martin Marietta Energy Systems, Inc.

Originally Published February 1975

REVISION 1 FEBRUARY 1983

REVISION 2 JULY 1984

OAK RIDGE NATIONAL LABORATORY
Oak Ridge, Tennessee 37830
operated by
Martin Marietta Energy Systems, Inc.
for the
U. S. DEPARTMENT OF ENERGY

MASTER

DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED

ELB

PREFACE

This report is an addendum to the MORSE report, ORNL-4972, originally published in 1975 and updated in 1983. This addendum contains descriptions of a set of nine sample problems which includes the two previously published problems in order to make this document complete within itself. All pages have been three-hole punched so that users having loose-leaf copies of the original report can insert these pages in their binders; others can treat this as a third volume of ORNL-4972.

THE
FEDERAL
BUREAU OF
INVESTIGATION
OF THE
DEPARTMENT OF JUSTICE
WASHINGTON, D. C. 20535

TABLE OF CONTENTS

	<u>Page</u>
3.1 MORSE Sample Problem Notebook	3.1-1
3.2 MORSE Sample Problem #1	3.2-1
3.3 MORSE PICTURE Sample Problem	3.3-1
3.4 MORSE Sample Problem #2	3.4-1
3.5 MORSE Sample Problem #3 Adjoint Case	3.5-1
3.6 MORSE Sample Problem #4 - Fission Problem	3.6-1
3.7 MORSE Sample Problem #5 - Time Dependent Fission	3.7-1
3.8 MORSE Sample Problem #6 Gamma Only.	3.8-1
3.9 MORSE Sample Problem #7 - XCHEKR Run.	3.9-1
3.10 MORSE Sample Problem #8 - Collision Density Problem	3.10-1
3.11 References.	3.11-1

LIST OF TABLES

<u>Table</u>	<u>Page</u>
3.1 Fission Spectrum in 14-Group Structure	3.2-2
3.2 Listing of Input Cards for MORSE Sample Problem #1	3.2-3
3.3 Listing of Input Cards for PICTURE Sample Problem.	3.3-2
3.4 Neutron and Gamma Group Structure and Response Functions . .	3.4-2
3.5 Listing of Input Data for MORSE Sample Problem #2.	3.4-3
3.6 Listing of Input Data for MORSE Sample Problem #3.	3.5-2
3.7 Listing of Input Data for MORSE Sample Problem #4.	3.6-2
3.8 Listing of Input Data for MORSE Sample Problem #5.	3.7-2
3.9 Listing of Input Data for MORSE Sample Problem #6.	3.8-2
3.10 Listing of Input Data for MORSE Sample Problem #7.	3.9-2
3.11 Listing of Input Data for MORSE Sample Problem #8.	3.10-2

3.1 MORSE Sample Problem Notebook

For a number of years the MORSE user community has requested additional help in setting up problems using various options. The sample problems distributed with MORSE did not fully demonstrate the capability of the code. At Oak Ridge National Laboratory the code originators had a complete set of sample problems, but funds for documenting and distributing them were never available. Recently the number of requests for listings of input data and results for running some particular option the user was trying to implement has increased to the point where it is not feasible to handle them on an individual basis. Consequently it was decided to package a set of sample problems which illustrates more adequately how to run MORSE.

This write-up may be added to Part III of the MORSE report. In order to make this document complete in itself the write-up for Sample Problem 1 and the PICTURE sample problem are repeated here even though they are part of the original report.

These sample problems include a combined neutron-gamma case, a neutron only case, a gamma only case, an adjoint case, a fission case, a time-dependent fission case, the collision density case, an XCHEKR run and a PICTUR run. It is hoped that users will be able to more clearly understand the options in MORSE as a result of running these problems. The amount of execution time is quite small for each problem. From a quality assurance point-of-view this should verify the accuracy of the code the user receives from the code center whereas in the past the small number of options addressed by the sample problems left a strong possibility of undetected errors in code transmission.

3.2 MORSE Sample Problem #1

The fast-neutron fluence at several radial distances is calculated by MORSE for a point, isotropic, fission source in an infinite medium of air. The air was assumed to be made up of only oxygen and nitrogen with a total density of 1.29 g/l. The combinatorial geometry package (CG) was used to describe the concentric spherical shells of air surrounding the point source. Although the entire medium was air, the geometry medium numbers alternate between each of the shells for use with the boundary-crossing estimator.[†] This estimator requires that each detector lie on a boundary separating two media. The cross sections for air used in this calculation were for 22 neutron groups with five Legendre coefficients used for the angular expansion. Only the top 13 neutron groups were analyzed. The group structure with the corresponding fraction of particles emitted in each group is given in Table 3.1. Splitting, Russian roulette, and path length stretching were also implemented. Input data is listed in Table 3.2. The output listing is on microfiche.

For this problem, the standard SOURCE is used, and BANKR is modified to call SDATA and BDRYX during the particle walk. SDATA is a routine for analysis of uncollided fluence, and BDRYX is for analysis of all boundary crossings (equivalent to path length/unit volume). (See Part 4, Section 4.6.4).

[†] See Part 4, Section 4.5.3, pg. 4.5-28.

Table 3.1. Fission Spectrum in 14-Group Structure

Group No.	Energy Limits (MeV)	Fraction of Source Neutrons
1	15.0-12.21	1.5579(-4) ^a
2	12.21-10.0	8.9338(-4)
3	10.0-8.187	3.4786(-3)
4	8.187-6.36	1.3903(-2)
5	6.36-4.966	3.4557(-2)
6	4.966-4.066	3.5047(-2)
7	4.066-3.012	1.0724(-1)
8	3.012-2.466	8.8963(-2)
9	2.466-2.350	2.3186(-2)
10	2.350-1.827	1.2030(-1)
11	1.827-1.108	2.1803(-1)
12	1.108-0.5502	1.9837(-1)
13	0.5502-0.1111	1.4036(-1)
14	0.1111-0.3355	1.5489(-2)

^aRead as 1.5579×10^{-4} .

[illegible]

Table 3.2 (continued)

1	1	1	1	1	1	1	1	1	1	1	1	1	1
1	2	1	2	1	2	1	2	1	2	1	2	1	0
22	GROUP	AIR	CROSS	SECTIONS	---	P5	---	DENSITY	=	1.29	G/L		
22	22	0	0	22	25	4	1	1	1	6	3	1	
0	0	0	0	0	0	0	0	0	0	0	0		
0	+12031-	9 0 +	0+ 0 0	+70247-	9 0	+22067-	921R+	0+ 0 0	+11281-	9			1
0	+	0+ 0 0	+65243-	9 0	+21194-	9 0	+14055-	920R+	0+ 0 0	+10355-	9		2
0	+	0+ 0 0	+57910-	9 0	+19527-	9 0	+14377-	9 0	+31171-	1019R+	0+ 0		3
0	+92492-	10 0 +	0+ 0 0	+57436-	9 0	+23946-	9 0	+16100-	9 0	+32754-	10		4
0	+29281-	1018R+	0+ 0 0	+90745-	10 0 +	0+ 0 0	+63100-	9 0	+27823-	9			5
0	+19310-	9 0	+16113-	10 0	+23152-	10 0	+34498-	1017R+	0+ 0 0	+14621-	9		6
0	+	0+ 0 0	+72884-	9 0	+29980-	9 0	+22082-	9 0	+70348-	11 0	+13142-	10	7
0	+21940-	10 0	+25880-	1016R+	0+ 0 0	+13259-	9 0 +	0+ 0 0	+86261-	9			8
0	+42031-	9 0	+27697-	9 0	+28517-	10 0	+97520-	11 0	+19957-	10 0	+33094-	10	9
0	+32588-	1015R+	0+ 0 0	+70810-	10 0 +	0+ 0 0	+62171-	9 0	+23374-	9			10
0	+26782-	9 0	+52500-	15 0	+22719-	11 0	+56244-	11 0	+14450-	10 0	+17795-	10	11
0	+17006-	1014R+	0+ 0 0	+33771-	10 0 +	0+ 0 0	+53538-	9 0	+75580-	10			12
0	+88161-	10 0	+31414-	10 0	+38131-	13 0	+63038-	12 0	+12152-	11 0	+29969-	11	13
0	+37520-	11 0	+35440-	1113R+	0+ 0 0	+36572-	10 0 +	0+ 0 0	+74575-	9			14
0	+35996-	9 0	+41220-	9 0	+22817-	9 0	+79882-	11 0	+84728-	12 0	+28782-	11	15
0	+54518-	11 0	+22246-	10 0	+16442-	10 0	+15359-	1012R+	0+ 0 0	+26696-	10		16
0	+	0+ 0 0	+10111-	8 0	+72009-	9 0	+34923-	9 0	+13828-	10 0 +	0+ 0		17
0	+28461-	12 0	+25686-	11 0	+37451-	11 0	+95473-	11 0	+20771-	10 0	+19773-	10	18
0	+18079-	1011R+	0+ 0 0	+13894-	10 0 +	0+ 0 0	+10127-	8 0	+80896-	9			19
0	+26435-	9 3R+	0+ 0 0	+11923-	11 0	+16928-	11 0	+22410-	11 0	+74300-	11		20
0	+71270-	11 0	+10911-	10 0	+97580-	1110R+	0+ 0 0	+23108-	11 0 +	0+ 0			21
0	+15950-	8 0	+14549-	8 0	+18991-	9 3R+	0+ 0 0	+60646-	12 0	+97578-	12		22
0	+69178-	12 0	+89141-	12 0	+31607-	11 0	+23569-	11 0	+40836-	11 0	+35918-	11	23
9R+	0+ 0 0	+56899-	12 0 +	0+ 0 0	+27466-	8 0	+26402-	8 0	+13777-	9			24
4R+	0+ 0 0	+24320-	12 0	+50672-	13 0	+35016-	13 0	+44416-	13 0	+10237-	12		25
0	+11424-	12 0	+19655-	12 0	+17135-	12 8R+	0+ 0 0	+27307-	11 0 +	0+ 0			26
0	+35854-	8 0	+33087-	8 0	+10590-	9 5R+	0+ 0 0	+53689-	15 0	+61250-	16		27
0	+44470-	16 0	+57069-	16 0	+99544-	16 0	+15180-	15 0	+27607-	15 0	+24655-	15	28
7R+	0+ 0 0	+70094-	11 0 +	0+ 0 0	+38206-	8 0	+35239-	8 0	+27393-	9			29
6R+	0+ 0 0	+39690-	16 0	+38084-	17 0	+19369-	17 0	+23157-	17 0	+28545-	17		30
0	+11206-	16 0	+20683-	16 0	+16798-	16 6R+	0+ 0 0	+14998-	10 0 +	0+ 0			31
0	+39881-	8 0	+35523-	8 0	+28970-	913R+	0+ 0 0	+23985-	21 0	+11837-	19		32
5R+	0+ 0 0	+26343-	10 0 +	0+ 0 0	+40234-	8 0	+34704-	8 0	+42079-	9			33
14R+	0+ 0 0	+59279-	22 0	+24502-	20 4R+	0+ 0 0	+46455-	10 0 +	0+ 0				34
0	+40905-	8 0	+36293-	8 0	+52676-	916R+	0+ 0 0	+40545-	21 3R+	0+ 0			35
0	+81039-	10 0 +	0+ 0 0	+41602-	8 0	+35628-	8 0	+41478-	920R+	0+ 0			36
0	+13300-	9 0 +	0+ 0 0	+42106-	8 0	+35798-	8 0	+51629-	920R+	0+ 0			37
0	+57942-	9 0 +	0+ 0 0	+46612-	8 0	+40818-	8 0	+49769-	920R+	0+ 0			38
2R+	0+ 0 0	+70247-	9 0	+55366-	923R+	0+ 0 0	+65243-	9 0	+51812-	9			1
0	+28039-	1022R+	0+ 0 0	+57910-	9 0	+46511-	9 0	+82529-	12 0	-34105-	10		2

Table 3.2 (continued)

21R+	0+	0	0	+57436-	9	0	+52074-	9	0	-56910-	10	0	-33645-	1021R+	0+	0	3	
0	+63100-	9	0	+56259-	9	0	-95744-	10	0	-39411-	1121R+	0+	0	0	+72884-	9	4	
0	+67834-	9	0	-16134-	9	0	-86327-	1121R+	0+	0	0	+86261-	9	0	+75179-	9	5	
0	-17914-	9	0	-68136-	1021R+	0+	0	0	+62171-	9	0	+46303-	9	0	-30410-	9	6	
22R+	0+	0	0	+53538-	9	0	+20210-	9	0	+67313-	10	0	-77370-	1021R+	0+	0	7	
0	+74575-	9	0	+57669-	9	0	+84142-	10	0	-29471-	9	0	-22037-	1020R+	0+	0	8	
0	+10111-	8	0	+64755-	9	0	-25951-	9	0	-38164-	1021R+	0+	0	0	+10127-	8	9	
0	+42570-	9	0	-23334-	922R+	0+	0	0	+15950-	8	0	+36793-	9	0	-13650-	9	10	
22R+	0+	0	0	+27466-	8	0	+47370-	9	0	-12684-	922R+	0+	0	0	+35854-	8	11	
0	+76560-	9	0	-95901-	1022R+	0+	0	0	+38206-	8	0	+81388-	9	0	-24833-	9	12	
22R+	0+	0	0	+39881-	8	0	+95671-	9	0	-26278-	922R+	0+	0	0	+40234-	8	13	
0	+10563-	8	0	-38215-	922R+	0+	0	0	+40905-	8	0	+96174-	9	0	-47822-	9	14	
22R+	0+	0	0	+41602-	8	0	+10593-	8	0	-37673-	922R+	0+	0	0	+42106-	8	15	
0	+10270-	8	0	-46872-	922R+	0+	0	0	+46612-	8	0	+	0+	0	0	-45480-	9	16
20R+	0+	0	0														17	
2R+	0+	0	0	+70247-	9	0	+69107-	923R+	0+	0	0	+65243-	9	0	+62392-	9	1	
0	-72000-	1022R+	0+	0	0	+57910-	9	0	+54463-	9	0	-78847-	10	0	+40544-	10	2	
21R+	0+	0	0	+57436-	9	0	+56525-	9	0	-69713-	10	0	+38568-	1021R+	0+	0	3	
0	+63100-	9	0	+54019-	9	0	-40874-	10	0	+56019-	1121R+	0+	0	0	+72884-	9	4	
0	+69678-	9	0	-17789-	10	0	+11990-	1021R+	0+	0	0	+86261-	9	0	+74494-	9	5	
0	+15360-	9	0	+76303-	1021R+	0+	0	0	+62171-	9	0	+34577-	9	0	+21974-	9	6	
22R+	0+	0	0	+53538-	9	0	+26501-	9	0	-44031-	10	0	+84248-	1021R+	0+	0	7	
0	+74575-	9	0	+28015-	9	0	-15857-	9	0	+43965-	10	0	+30911-	1020R+	0+	0	8	
0	+10111-	8	0	+40335-	9	0	-77993-	11	0	+53547-	1021R+	0+	0	0	+10127-	8	9	
0	+22675-	9	0	+98275-	1022R+	0+	0	0	+15950-	8	0	+13766-	9	0	-31135-	10	10	
22R+	0+	0	0	+27466-	8	0	+48445-	10	0	-10203-	1022R+	0+	0	0	+35854-	8	11	
0	+75791-	10	0	-90808-	1122R+	0+	0	0	+38206-	8	0	+80502-	10	0	-23240-	10	12	
22R+	0+	0	0	+39881-	8	0	+93603-	10	0	-24438-	1022R+	0+	0	0	+40234-	8	13	
0	+10285-	9	0	-35087-	1022R+	0+	0	0	+40905-	8	0	+93944-	10	0	-43949-	10	14	
22R+	0+	0	0	+41602-	8	0	+10258-	9	0	-34279-	1022R+	0+	0	0	+42106-	8	15	
0	+10426-	9	0	-42212-	1022R+	0+	0	0	+46612-	8	0	+	0+	0	0	-34698-	10	16
20R+	0+	0	0														17	
2R+	0+	0	0	+70247-	9	0	+70321-	923R+	0+	0	0	+65243-	9	0	+62536-	9	1	
0	+13849-	1022R+	0+	0	0	+57910-	9	0	+54199-	9	0	+29572-	10	0	-34172-	10	2	
21R+	0+	0	0	+57436-	9	0	+54680-	9	0	+50026-	10	0	-30256-	1021R+	0+	0	3	
0	+63100-	9	0	+47578-	9	0	+69933-	10	0	-61050-	1121R+	0+	0	0	+72884-	9	4	
0	+54800-	9	0	+51915-	10	0	-12584-	1021R+	0+	0	0	+86261-	9	0	+54971-	9	5	
0	-76147-	10	0	-54466-	1021R+	0+	0	0	+62171-	9	0	+18010-	9	0	-10531-	9	6	
22R+	0+	0	0	+53538-	9	0	+25118-	9	0	-43162-	10	0	-55490-	1021R+	0+	0	7	
0	+74575-	9	0	+10308-	9	0	-12354-	9	0	-27625-	10	0	-32964-	1020R+	0+	0	8	
0	+10111-	8	0	+19170-	9	0	-44569-	10	0	-57015-	1021R+	0+	0	0	+10127-	8	9	
0	+96616-	11	0	-57384-	1022R+	0+	0	0	+15950-	8	0	+14942-	10	0	-17019-	10	10	
22R+	0+	0	0	+27466-	8	0	-29453-	10	0	-11580-	1122R+	0+	0	0	+35854-	8	11	
0	-40830-	10	0	-22594-	1122R+	0+	0	0	+38206-	8	0	-43758-	10	0	-57987-	11	12	
22R+	0+	0	0	+39881-	8	0	-43381-	10	0	-61287-	1122R+	0+	0	0	+40234-	8	13	
0	-41300-	10	0	-88550-	1122R+	0+	0	0	+40905-	8	0	-44037-	10	0	-11322-	10	14	

Table 3.2 (continued)

22R+	0+ 0 0 +41602- 8 0 -41799-10 0 -92138-1122R+	0+ 0 0 +42106- 8	15
0	-24206-10 0 -11908-1022R+	0+ 0 0 +46612- 8 0 + 0+ 0 0 -19669-10	16
20R+	0+ 0		17
2R+	0+ 0 0 +70247- 9 0 +63319- 923R+	0+ 0 0 +65243- 9 0 +56598- 9	1
0	+79906-1022R+	0+ 0 0 +57910- 9 0 +47662- 9 0 +85919-10 0 +23298-10	2
21R+	0+ 0 0 +57436- 9 0 +41757- 9 0 +94751-10 0 +18275-1021R+	0+ 0	3
0	+63100- 9 0 +31740- 9 0 +50361-10 0 +54739-1121R+	0+ 0 0 +72884- 9	4
0	+33677- 9 0 -65477-10 0 +10656-1021R+	0+ 0 0 +86261- 9 0 +22392- 9	5
0	-99578-10 0 +21930-1021R+	0+ 0 0 +62171- 9 0 +99323-10 0 -63973-10	6
22R+	0+ 0 0 +53538- 9 0 +17702- 9 0 -60963-10 0 +15008-1021R+	0+ 0	7
0	+74575- 9 0 +47284-10 0 -20232- 9 0 +51567-10 0 +28578-1020R+	0+ 0	8
0	+10111- 8 0 +73559-10 0 -79020-11 0 +49040-1021R+	0+ 0 0 +10127- 8	9
0	+10166-10 0 -44963-1022R+	0+ 0 0 +15950- 8 0 +93530-11 0 -89195-11	10
22R+	0+ 0 0 +27466- 8 0 +83113-10 0 +22143-1122R+	0+ 0 0 +35854- 8	11
0	+75510-10 0 +52998-1122R+	0+ 0 0 +38206- 8 0 +80679-10 0 +13709-10	12
22R+	0+ 0 0 +39881- 8 0 +78252-10 0 +14581-1022R+	0+ 0 0 +40234- 8	13
0	+73370-10 0 +21203-1022R+	0+ 0 0 +40905- 8 0 +79796-10 0 +26730-10	14
22R+	0+ 0 0 +41602- 8 0 +74416-10 0 +21278-1022R+	0+ 0 0 +42106- 8	15
0	+16455- 9 0 +26768-1022R+	0+ 0 0 +46612- 8 0 + 0+ 0 0 +41974-10	16
20R+	0+ 0		17
2R+	0+ 0 0 +70247- 9 0 +48470- 923R+	0+ 0 0 +65243- 9 0 +42755- 9	1
0	-37301-1022R+	0+ 0 0 +57910- 9 0 +32130- 9 0 -55982-10 0 -15807-10	2
21R+	0+ 0 0 +57436- 9 0 +19518- 9 0 -81760-10 0 -11315-1021R+	0+ 0	3
0	+63100- 9 0 +10832- 9 0 -13409- 9 0 -40247-1121R+	0+ 0 0 +72884- 9	4
0	+11598- 9 0 -21523-10 0 -71699-1121R+	0+ 0 0 +86261- 9 0 +67571-10	5
0	-67094-10 0 +78990-1221R+	0+ 0 0 +62171- 9 0 +40592-10 0 -16550-10	6
22R+	0+ 0 0 +53538- 9 0 +78886-10 0 -36437-10 0 +11706-1021R+	0+ 0	7
0	+74575- 9 0 +61549-11 0 -60885-10 0 +22592-10 0 -19893-1020R+	0+ 0	8
0	+10111- 8 0 +10090-10 0 -14219-10 0 -33189-1021R+	0+ 0 0 +10127- 8	9
0	-29733-11 0 -22978-1022R+	0+ 0 0 +15950- 8 0 -10402-10 0 -18486-11	10
22R+	0+ 0 0 +27466- 8 0 -75968-10 0 -20242-1122R+	0+ 0 0 +35854- 8	11
0	-97342-10 0 -11581-1022R+	0+ 0 0 +38206- 8 0 -10417- 9 0 -30083-10	12
22R+	0+ 0 0 +39881- 8 0 -95899-10 0 -31970-1022R+	0+ 0 0 +40234- 8	13
0	-85091-10 0 -46541-1022R+	0+ 0 0 +40905- 8 0 -99314-10 0 -58362-10	14
22R+	0+ 0 0 +41602- 8 0 -89912-10 0 -46163-1022R+	0+ 0 0 +42106- 8	15
0	-46088-10 0 -57320-1022R+	0+ 0 0 +46612- 8 0 + 0+ 0 0 -88991-10	16
20R+	0+ 0		17
1	-1 1.16		

Table 3.2 (continued)

SAMBO ANALYSIS INPUT DATA

\$\$ 7 0 0 0 0 1 0 1

##

0.	0.	1.0E+4
0.	0.	2.0E+4
0.	0.	3.0E+4
0.	0.	6.0E+4
0.	0.	7.0E+4
0.	0.	9.0E+4
0.	0.	12.0E+4

4 PI R**2 FLUENCE

22R1.0

† \$\$\$\$\$\$\$\$ MORSE SAMPLE PROBLEM 1 \$\$\$\$\$\$\$\$

† Required only for IBM version.

3.3 MORSE PICTURE Sample Problem

This problem illustrates the use of the PICTURE^{1,†} program for looking at the geometry of a given problem. The geometry being illustrated is a tank. This tank model was constructed purely as an illustration of the combinatorial geometry and is in no way accurate or detailed. Both the use of the OR operator and the ARB body is demonstrated. The input data is listed in Table 3.3. The picture produced by the problem is on microfiche.

[†] See Part 5 of this document.

Table 3.3. Listing of Input Cards for PICTURE Sample Problem

```

7
.1ETAO
0 0 COMBINATORIAL GEOMETRY TANK SAMPLE PROBLEM
ARB 1.25 -1.25 .5 1.25 -2.0 0.0
    1.25 2.0 0.0 1.25 1.25 .5
    -1.25 -1.25 .5 -1.25 -2.0 0.0
    -1.25 2.0 0.0 -1.25 1.25 .5
    1234. 4158. 6587. 2673. 5621. 4378.
ELL 0.0 -.5 .5 0.0 .5 .5
    1.5
TRC 0.0 0.0 .8 0.0 2.5 0.0
    .1 .05
ARB 1.25 -2.0 0.0 1.25 -1.8 -.8
    1.25 2.0 0.0 1.25 1.8 -.8
    -1.25 2.0 0.0 -1.25 1.8 -.8
    -1.25 -2.0 0.0 -1.25 -1.8 -.8
    1243. 7135. 8756. 2864. 7821. 3465.
BOX 1.25 -1.979 -.6895 0.0 .358 .179
    0.0 -.2 .4 -2.5 0.0 0.0
BOX 1.25 1.979 -.6895 0.0 -.358 .179
    0.0 .2 .4 -2.5 0.0 0.0
RCC 1.25 -2.0 -.2 -2.5 0.0 0.0
    .2
RCC 1.25 -1.8 -.6 -2.5 0.0 0.0
    .2
RCC 1.25 2.0 -.2 -2.5 0.0 0.0
    .2
RCC 1.25 1.80 -.6 -2.5 0.0 0.0
    .2
RCC 1.25 -.9 -.6 -2.5 0.0 0.0
    .2
RCC 1.25 -.45 -.2 -2.5 0.0 0.0
    .2
RCC 1.25 0.0 -.6 -2.5 0.0 0.0
    .2
RCC 1.25 .45 -.2 -2.5 0.0 0.0
    .2
RCC 1.25 .9 -.6 -2.5 0.0 0.0
    .2
RPP -10. 10. -10. 10. -10. 10.
END
1 +1
2 +2 -1
3 +3 -2
4 OR +4 -7 -8 -9 -10 -11 -12 -13 -14
    -15OR +5 -7 -8OR +6 -9 -10
5 OR +7OR +8OR +9OR +10OR +11OR +12OR +13OR +14OR +15
6 +16 -1 -2 -3 -4 -5 -6 -7 -8
    -9 -10

```

Table 3.3 (continued)

END	1	1	1	1	1	1	
	1	2	3	4	5	1000	
0 0	THIS	IS	A	COMBINATORIAL	GEOMETRY	TANK.	
0.0		-3.0		-2.0	0.0	3.0	2.0
0.0		1.0		0.0	0.0	0.0	1.0
	130						

3.4 MORSE Sample Problem #2

The secondary gamma-ray dose rate due to neutrons of energies greater than .011 MeV at several radial distances is calculated by MORSE for a point, isotropic, 12.2-15 MeV source in an infinite medium of air. The air was assumed to be made up of only oxygen and nitrogen with a total density of 1.29 g/l. The combinatorial geometry package (CG) was used to describe the concentric spherical shells of air surrounding the point source. Although the entire medium was air, the geometry medium numbers alternate between each of the shells for use with the boundary-crossing estimator.[†] This estimator requires that each detector lie on a boundary separating two media. The cross sections for air used in this calculation were for 22 neutron groups and 18 gamma groups with five Legendre coefficients used for the angular expansion. Only the top 13 neutron groups and the top 17 gamma groups were analyzed. The group structure and the response functions are given in Table 3.4. Splitting, Russian roulette, and path length stretching were also implemented. Input data is listed in Table 3.5. The output listing is on microfiche.

This problem is similar to Problem #1 except that the gamma rays must be produced and transported. The same user routines (SOURCE, BANKR, SDATA, BRDYX) written for problem #1 are used here. Also, additional input is required for time-dependent analysis and for the GWLOW array.

[†]See Part 4, Section 4.5.3, pg. 4.5-28.

Table 3.4. Neutron and Gamma Group Structure and Response Functions

Group	Upper Neutron Energy (eV)	Henderson Tissue Dose	Upper Gamma Energy (eV)	Henderson * Tissue Dose
1	14.0 (+6)	5.4579 (-9)	10.0(+6)	2.7727(-9)
2	12.2 (+6)	5.1339 (-9)	8.0(+6)	2.318 (-9)
3	10.0 (+6)	4.8409 (-9)	6.5(+6)	1.9373(-9)
4	8.18(+6)	4.6175 (-9)	5.0(+6)	1.6091(-9)
5	6.36(+6)	4.4454 (-9)	4.0(+6)	1.3389(-9)
6	4.96(+6)	4.3144 (-9)	3.0(+6)	1.1299(-9)
7	4.06(+6)	4.0126 (-9)	2.5(+6)	9.8058(-10)
8	3.01(+6)	3.3938 (-9)	2.0(+6)	8.4739(-10)
9	2.46(+6)	3.1489 (-9)	1.66(+6)	7.3278(-10)
10	2.35(+6)	3.0892 (-9)	1.33(+6)	6.0565(-10)
11	1.83(+6)	2.6435 (-9)	1.0(+6)	4.6558(-10)
12	1.11(+6)	1.9751 (-9)	0.8(+6)	3.6869(-10)
13	5.50(+5)	1.1236 (-9)	0.6(+6)	2.8622(-10)
14	1.11(+5)	2.2958(-10)	0.4(+6)	1.9841(-10)
15	3.35(+3)	0	0.3(+6)	1.3585(-10)
16	5.83(+2)	0	0.2(+6)	7.3791(-11)
17	1.01(+2)	0	0.1(+6)	3.6825(-11)
18	2.90(+1)	0	0.05(+6)	0
19	1.07(+1)	0		
20	3.06(+0)	0		
21	1.12(+0)	0		
22	0.414(+0)	0		

*Units of rad (Y/cm^2).

Table 3.5. Listing of Input Data for MORSE Sample Problem #2

SAMPLE PROBLEM 2

500	1000	10	1	13	17	22	40	0	0	3.2	1	0
1	0	0		1.		.025		1.E+4	1.			2.2E+5
0.		0.		0.		0.		0.	0.			0.

1.5000E+07 1.2200E+07 1.0000E+07 8.1800E+06 6.3600E+06 4.9600E+06 4.0600E+06
 3.01 E+06 2.46 E+06 2.35 E+06 1.826E+06 1.108E+06 5.502E+05 1.109E+05
 3.3546E+3 5.8294E+2 1.0130E+2 2.9020E+1 1.0677E+1 3.0590E+0 1.1253E+0
 4.1400E-01 1.0000E+07 8.0000E+06 6.5000E+06 5.0000E+06 4.0000E+06 3.0000E+06
 2.5000E+06 2.0000E+06 1.6600E+06 1.3300E+06 1.0000E+06 8.0000E+05 6.0000E+05
 4.0000E+05 3.0000E+05 2.0000E+05 1.0000E+05 5.E+4

5317A47C8301

1	1	1	0	0	1	40						
1	1	13	1	1	1	10.		1.E-3	.5			0.5
14	1	19	1	1	1	10.		1.E-3	.5			0.
20	1	22	1	1	1	2.		1.E-3	.2			0.0
23	1	35	1	1	1	5.0		1.E-03	1.0	E+00	5.0	E-01
36	1	40	1	1	1	2.0		1.E-03	.5	E+00		0.0
-1												
0	0	0	0									
.7		.7		.5		.3		.1	.05			.005
.1 E-2		0.0		0.		0.0		0.0	0.			0.
0.		5.E-4		5.E-4		5.E-3		1.E-3	2.E-3			2.E-3
1.E-2												

SAMPLE PROB. 1 FOR MORSE

SPH	0.	0.	0.	3.0E+03
SPH	0.	0.	0.	5.0E+03
SPH	0.	0.	0.	7.5E+03
SPH	0.	0.	0.	1.0E+04
SPH	0.	0.	0.	1.5E+04
SPH	0.	0.	0.	2.0E+04
SPH	0.	0.	0.	3.0E+04
SPH	0.	0.	0.	6.0E+04
SPH	0.	0.	0.	7.0E+04
SPH	0.	0.	0.	9.0E+04
SPH	0.	0.	0.	1.2E+05
SPH	0.	0.	0.	1.5E+05
SPH	0.	0.	0.	1.0E+06
SPH	0.	0.	0.	1.0E+07

END

AIR	+1	
AIR	+2	-1
AIR	+3	-2
AIR	+4	-3
AIR	+5	-4
AIR	+6	-5
AIR	+7	-6
AIR	+8	-7
AIR	+9	-8
AIR	+10	-9
AIR	+11	-10
AIR	+12	-11
AIR	+13	-12
AIR	+14	-13

END

Table 3.5 (continued)

	1	1	1	1	1	1	1	1	1	1	1	1	1
	1	2	1	2	1	2	1	2	1	2	1	2	1
AIR XSECT	22	22	18	18	40	43	4	1	1	1	6	3	0
	0				0								
0 +12031- 9 0 +	0+ 0 0	+70247- 9 0	+22067- 939R+	0+ 0 0	+11281- 9								1
0 + 0+ 0 0	+65243- 9 0	+21194- 9 0	+14055- 938R+	0+ 0 0	+10355- 9								2
0 + 0+ 0 0	+57910- 9 0	+19527- 9 0	+14377- 9 0	+31171-1037R+	0+ 0								3
0 +92492-10 0 +	0+ 0 0	+57436- 9 0	+23946- 9 0	+16100- 9 0	+32754-10								4
0 +29281-1036R+	0+ 0 0	+90745-10 0 +	0+ 0 0	+63100- 9 0	+27823- 9								5
0 +19310- 9 0	+16113-10 0	+23152-10 0	+34498-1035R+	0+ 0 0	+14621- 9								6
0 + 0+ 0 0	+72884- 9 0	+29980- 9 0	+22082- 9 0	+70348-11 0	+13142-10								7
0 +21940-10 0	+25880-1034R+	0+ 0 0	+13259- 9 0 +	0+ 0 0	+86261- 9								8
0 +42031- 9 0	+27697- 9 0	+28517-10 0	+97520-11 0	+19957-10 0	+33094-10								9
0 +32588-1033R+	0+ 0 0	+70810-10 0 +	0+ 0 0	+62171- 9 0	+23374- 9								10
0 +26782- 9 0	+52500-15 0	+22719-11 0	+56244-11 0	+14450-10 0	+17795-10								11
0 +17006-1032R+	0+ 0 0	+33771-10 0 +	0+ 0 0	+53538- 9 0	+75580-10								12
0 +88161-10 0	+31414-10 0	+38131-13 0	+63038-12 0	+12152-11 0	+29969-11								13
0 +37520-11 0	+35440-1131R+	0+ 0 0	+36572-10 0 +	0+ 0 0	+74575- 9								14
0 +35996- 9 0	+41220- 9 0	+22817- 9 0	+79882-11 0	+84728-12 0	+28782-11								15
0 +54518-11 0	+22246-10 0	+16442-10 0	+15359-1030R+	0+ 0 0	+26696-10								16
0 + 0+ 0 0	+10111- 8 0	+72009- 9 0	+34923- 9 0	+13828-10 0 +	0+ 0								17
0 +28461-12 0	+25686-11 0	+37451-11 0	+95473-11 0	+20771-10 0	+19773-10								18
0 +18079-1029R+	0+ 0 0	+13894-10 0 +	0+ 0 0	+10127- 8 0	+80896- 9								19
0 +26435- 9 3R+	0+ 0 0	+11923-11 0	+16928-11 0	+22410-11 0	+74300-11								20
0 +71270-11 0	+10911-10 0	+97580-1128R+	0+ 0 0	+23108-11 0 +	0+ 0								21
0 +15950- 8 0	+14549- 8 0	+18991- 9 3R+	0+ 0 0	+60646-12 0	+97578-12								22
0 +69178-12 0	+89141-12 0	+31607-11 0	+23569-11 0	+40836-11 0	+35918-11								23
27R+ 0+ 0 0	+56899-12 0 +	0+ 0 0	+27466- 8 0	+26402- 8 0	+13777- 9								24
4R+ 0+ 0 0	+24320-12 0	+50672-13 0	+35016-13 0	+44416-13 0	+10237-12								25
0 +11424-12 0	+19655-12 0	+17135-1226R+	0+ 0 0	+27307-11 0 +	0+ 0								26
0 +35854- 8 0	+33087- 8 0	+10590- 9 5R+	0+ 0 0	+53689-15 0	+61250-16								27
0 +44470-16 0	+57069-16 0	+99544-16 0	+15180-15 0	+27607-15 0	+24655-15								28
25R+ 0+ 0 0	+70094-11 0 +	0+ 0 0	+38206- 8 0	+35239- 8 0	+27393- 9								29
6R+ 0+ 0 0	+39690-16 0	+38084-17 0	+19369-17 0	+23157-17 0	+28545-17								30
0 +11206-16 0	+20683-16 0	+16798-1624R+	0+ 0 0	+14998-10 0 +	0+ 0								31
0 +39881- 8 0	+35523- 8 0	+28970- 913R+	0+ 0 0	+23985-21 0	+11837-19								32
23R+ 0+ 0 0	+26343-10 0 +	0+ 0 0	+40234- 8 0	+34704- 8 0	+42079- 9								33
14R+ 0+ 0 0	+59279-22 0	+24502-2022R+	0+ 0 0	+46455-10 0 +	0+ 0								34
0 +40905- 8 0	+36293- 8 0	+52676- 916R+	0+ 0 0	+40545-2121R+	0+ 0								35
0 +81039-10 0 +	0+ 0 0	+41602- 8 0	+35628- 8 0	+41478- 938R+	0+ 0								36
0 +13300- 9 0 +	0+ 0 0	+42106- 8 0	+35798- 8 0	+51629- 938R+	0+ 0								37
0 +57942- 9 0 +	0+ 0 0	+46612- 8 0	+40818- 8 0	+49769- 938R+	0+ 0								38
0 +14909- 8 0 +	0+ 0 0	+23065- 9 0	+97723-11 0	+15540-11 0	+28676-12								39
0 +17278-12 0	+95847-13 0	+54470-13 0	+29422-13 0	+11928-13 0	+35389-14								40
0 +16010-1510R+	0+ 0 0	+17539-11 0	+83066-11 0	+12818-1017R+	0+ 0								41
0 +12621- 8 0 +	0+ 0 0	+25258- 9 0	+11325-10 0	+16034-10 0	+24536-11								42
0 +45278-12 0	+27281-12 0	+15134-12 0	+86008-13 0	+46455-13 0	+18834-13								43
0 +55877-14 0	+25280-15 9R+	0+ 0 0	+29731-12 0	+10293-10 0	+32203-10								44
0 +47365-1016R+	0+ 0 0	+10663- 8 0 +	0+ 0 0	+28176- 9 0	+17754-10								45
0 +24667-10 0	+16988-10 0	+28898-10 0	+53325-11 0	+32131-11 0	+17825-11								46
0 +10130-11 0	+54714-12 0	+22182-12 0	+65812-13 0	+29774-14 7R+	0+ 0								47
0 +90377-14 0	+65386-11 0	+39159-10 0	+84145-10 0	+94747-10 0	+87075-10								48
15R+ 0+ 0 0	+89866- 9 0 +	0+ 0 0	+31825- 9 0	+19466-10 0	+26223-10								49

Table 3.5 (continued)

0	+17461-10	0	+12607-10	0	+43620-11	0	+80493-12	0	+48498-12	0	+26905-12	50
0	+15290-12	0	+82587-13	0	+33483-13	0	+99337-14	0	+44943-15	7R+	0+ 0	51
0	+31632-13	0	+42177-11	0	+16061-10	0	+26326-10	0	+46104-10	0	+49634-10	52
14R+	0+ 0 0	+75663-	9 0 +	0+ 0 0	+36329-	9 0	+31606-10	0	+42413-10			53
0	+27871-10	0	+19599-10	0	+14732-10	0	+87240-11	0	+16099-11	0	+97000-12	54
0	+53809-12	0	+30580-12	0	+16517-12	0	+66964-13	0	+19867-13	0	+89882-15	55
6R+	0+ 0 0	+89610-13	0	+35759-12	0	+62391-12	0	+33847-10	0	+20618-10		56
0	+30743-10	0	+29184-10	13R+	0+ 0 0	+64344-	9 0 +	0+ 0 0	+41235-	9		57
0	+26227-10	0	+34982-10	0	+22263-10	0	+15443-10	0	+11335-10	0	+87715-11	58
14R+	0+ 0 0	+27262-12	0	+12975-11	0	+28653-11	0	+50697-11	0	+10311-10		59
0	+25347-10	0	+53925-10	0	+55999-10	12R+	0+ 0 0	+56065-	9 0 +	0+ 0		60
0	+45958-	9 0	+38616-10	0	+55355-10	0	+35994-10	0	+24124-10	0	+17406-10	61
0	+13146-10	0	+10359-10	14R+	0+ 0 0	+27262-12	0	+12975-11	0	+28653-11		62
0	+11068-10	0	+19609-10	0	+29237-10	0	+55912-10	0	+14506-10	11R+	0+ 0	63
0	+48582-	9 0 +	0+ 0 0	+51319-	9 0	+40002-10	0	+55975-10	0	+38163-10		64
0	+26100-10	0	+18343-10	0	+13679-10	0	+10565-10	0	+84396-11	15R+	0+ 0	65
0	+17429-14	0	+10324-11	0	+37041-11	0	+77040-11	0	+18449-10	0	+35409-10	66
0	+31797-10	10R+	0+ 0 0	+41895-	9 0 +	0+ 0 0	+57095-	9 0	+57287-10			67
0	+80911-10	0	+54588-10	0	+38988-10	0	+27927-10	0	+20417-10	0	+15615-10	68
0	+12257-10	0	+98841-11	15R+	0+ 0 0	+20390-14	0	+12078-11	0	+43333-11		69
0	+90130-11	0	+21745-10	0	+43555-10	0	+44825-10	9R+	0+ 0 0	+34438-	9	70
0	+ 0+ 0 0	+64989-	9 0	+91749-10	0	+11931-	9 0	+80671-10	0	+57855-10		71
0	+43634-10	0	+32810-10	0	+24903-10	0	+19473-10	0	+15493-10	0	+12587-10	72
19R+	0+ 0 0	+12419-12	0	+11824-10	0	+25207-10	8R+	0+ 0 0	+27898-	9		73
0	+ 0+ 0 0	+73725-	9 0	+94243-10	0	+11707-	9 0	+71452-10	0	+51747-10		74
0	+39388-10	0	+31125-10	0	+24289-10	0	+18921-10	0	+15005-10	0	+12035-10	75
0	+98177-11	29R+	0+ 0 0	+22337-	9 0 +	0+ 0 0	+82914-	9 0	+14997-	9		76
0	+18813-	9 0	+11300-	9 0	+75921-10	0	+58659-10	0	+46854-10	0	+38279-10	77
0	+30584-10	0	+24178-10	0	+19312-10	0	+15542-10	0	+12696-10	19R+	0+ 0	78
0	+43907-12	0	+17079-10	0	+32956-10	6R+	0+ 0 0	+16033-	9 0 +	0+ 0		79
0	+96123-	9 0	+27222-	9 0	+29044-	9 0	+17723-	9 0	+12407-	9 0	+95320-10	80
0	+82964-10	0	+75743-10	0	+73191-10	0	+75192-10	0	+80989-10	0	+90084-10	81
0	+10111-	9 0	+11386-	927R+	0+ 0 0	+11650-	9 0 +	0+ 0 0	+11068-	8		82
0	+28177-	9 0	+26614-	9 0	+13999-	9 0	+10499-	9 0	+83506-10	0	+67594-10	83
0	+56960-10	0	+47718-10	0	+39928-10	0	+32207-10	0	+25463-10	0	+20238-10	84
0	+16187-10	0	+13146-10	26R+	0+ 0 0	+76425-10	0	+ 0+ 0 0	+12528-	8		85
0	+48854-	9 0	+48508-	9 0	+27591-	9 0	+20533-	9 0	+16774-	9 0	+12049-	86
0	+84732-10	0	+64076-10	0	+48604-10	0	+37219-10	0	+27467-10	0	+19989-10	87
0	+14887-10	0	+11296-10	0	+88155-11	25R+	0+ 0 0	+28050-10	0	+ 0+ 0		88
0	+14826-	8 0	+11150-	8 0	+76423-	9 0	+33997-	9 0	+14694-	9 0	+43437-10	89
0	+49124-11	34R+	0+ 0 0	+13163-10	0	+ 0+ 0 0	+18120-	8 0	+15464-	8		90
0	+36124-	938R+	0+ 0 0	+39665-10	0	+ 0+ 0 0	+30831-	8 0	+18936-	8		91
0	+19302-	938R+	0+ 0									92
2R+	0+ 0 0	+70247-	9 0	+55366-	941R+	0+ 0 0	+65243-	9 0	+51812-	9		1
0	+28039-10	40R+	0+ 0 0	+57910-	9 0	+46511-	9 0	+82529-12	0	+34105-10		2
39R+	0+ 0 0	+57436-	9 0	+52074-	9 0	+56910-10	0	+33645-10	39R+	0+ 0		3
0	+63100-	9 0	+56259-	9 0	+95744-10	0	+39411-11	39R+	0+ 0 0	+72884-	9	4
0	+67834-	9 0	+16134-	9 0	+86327-11	39R+	0+ 0 0	+86261-	9 0	+75179-	9	5
0	+17914-	9 0	+68136-10	39R+	0+ 0 0	+62171-	9 0	+46303-	9 0	+30410-	9	6
40R+	0+ 0 0	+53538-	9 0	+20210-	9 0	+67313-10	0	+77370-10	39R+	0+ 0		7
0	+74575-	9 0	+57669-	9 0	+84142-10	0	+29471-	9 0	+22037-10	38R+	0+ 0	8
0	+10111-	8 0	+64755-	9 0	+25951-	9 0	+38164-10	39R+	0+ 0 0	+10127-	8	9
0	+42570-	9 0	+23334-	940R+	0+ 0 0	+15950-	8 0	+36793-	9 0	+13650-	9	10
40R+	0+ 0 0	+27466-	8 0	+47370-	9 0	+12684-	940R+	0+ 0 0	+35854-	8		11

Table 3.5 (continued)

0	+76560-	9	0	-95901-1040R+	0+	0	0	+38206-	8	0	+81388-	9	0	-24833-	9	12		
40R+	0+	0	0	+39881-	8	0	+95671-	9	0	-26278-	940R+	0+	0	0	+40234-	8	13	
0	+10563-	8	0	-38215-	940R+	0+	0	0	+40905-	8	0	+96174-	9	0	-47822-	9	14	
40R+	0+	0	0	+41602-	8	0	+10593-	8	0	-37673-	940R+	0+	0	0	+42106-	8	15	
0	+10270-	8	0	-46872-	940R+	0+	0	0	+46612-	8	0	+12485-	8	0	-45480-	9	16	
41R+	0+	0	0	+29197-	1042R+	0+	0	0	+33815-	10	0	+47462-	1041R+	0+	0	17		
0	+52860-	10	0	+72650-	10	0	+49328-	1040R+	0+	0	0	+57917-	10	0	+76802-	10	18	
0	+50128-	10	0	+35669-	1039R+	0+	0	0	+93539-	10	0	+12314-	9	0	+78833-	10	19	
0	+54300-	10	0	+40201-	1038R+	0+	0	0	+77820-	10	0	+10102-	9	0	+62002-	10	20	
0	+41858-	10	0	+30073-	10	0	+22908-	1037R+	0+	0	0	+11396-	9	0	+15931-	9	21	
0	+99394-	10	0	+64137-	10	0	+44978-	10	0	+33217-	10	0	+25746-	1036R+	0+	0	22	
0	+11799-	9	0	+15953-	9	0	+10385-	9	0	+67977-	10	0	+45900-	10	0	+33211-	10	23
0	+25049-	10	0	+19660-	1035R+	0+	0	0	+16769-	9	0	+22785-	9	0	+14516-	9	24	
0	+98656-	10	0	+67390-	10	0	+47185-	10	0	+34924-	10	0	+26717-	10	0	+21134-	10	25
34R+	0+	0	0	+26435-	9	0	+32393-	9	0	+20319-	9	0	+13657-	9	0	+97363-	10	26
0	+69335-	10	0	+50085-	10	0	+37713-	10	0	+29121-	10	0	+23137-	1033R+	0+	0	27	
0	+27134-	9	0	+30856-	9	0	+16619-	9	0	+11026-	9	0	+77720-	10	0	+57429-	10	28
0	+41965-	10	0	+30774-	10	0	+23294-	10	0	+17999-	10	0	+14278-	1032R+	0+	0	29	
0	+42040-	9	0	+47552-	9	0	+24132-	9	0	+13851-	9	0	+95526-	10	0	+68882-	10	30
0	+51368-	10	0	+37443-	10	0	+27157-	10	0	+20260-	10	0	+15423-	10	0	+12076-	10	31
31R+	0+	0	0	+71461-	9	0	+62461-	9	0	+28527-	9	0	+14941-	9	0	+83629-	10	32
0	+53598-	10	0	+34329-	10	0	+21838-	10	0	+12590-	10	0	+65477-	11	0	+32062-	11	33
0	+13292-	11	0	+34417-	1230R+	0+	0	0	+73814-	9	0	+48461-	9	0	+11223-	9	34	
0	+29187-	10	0	-94859-	11	0	-28060-	10	0	-34528-	10	0	-36323-	10	0	-35402-	10	35
0	-32278-	10	0	-28050-	10	0	-23771-	10	0	-19918-	10	0	-16711-	1029R+	0+	0	36	
0	+11194-	8	0	+64242-	9	0	-41841-	10	0	-23481-	9	0	-27414-	9	0	-22433-	9	37
0	-17056-	9	0	-13519-	9	0	-10639-	9	0	-83880-	10	0	-63537-	10	0	-47278-	10	38
0	-35777-	10	0	-27480-	10	0	-21633-	1028R+	0+	0	0	+10869-	8	0	-32793-	9	39	
0	-55365-	9	0	-32797-	9	0	-11704-	9	0	-14331-	1037R+	0+	0	0	+70727-	9	40	
0	-40510-	941R+	0+	0	0	+34960-	9	0	-22139-	938R+	0+	0	0	41				
2R+	0+	0	0	+70247-	9	0	+69107-	941R+	0+	0	0	+65243-	9	0	+62392-	9	1	
0	-72000-	1040R+	0+	0	0	+57910-	9	0	+54463-	9	0	-78847-	10	0	+40544-	10	2	
39R+	0+	0	0	+57436-	9	0	+56525-	9	0	-69713-	10	0	+38568-	1039R+	0+	0	3	
0	+63100-	9	0	+54019-	9	0	-40874-	10	0	+56019-	1139R+	0+	0	0	+72884-	9	4	
0	+69678-	9	0	-17789-	10	0	+11990-	1039R+	0+	0	0	+86261-	9	0	+74494-	9	5	
0	+15360-	9	0	+76303-	1039R+	0+	0	0	+62171-	9	0	+34577-	9	0	+21974-	9	6	
40R+	0+	0	0	+53538-	9	0	+26501-	9	0	-44031-	10	0	+84248-	1039R+	0+	0	7	
0	+74575-	9	0	+28015-	9	0	-15857-	9	0	+43965-	10	0	+30911-	1038R+	0+	0	8	
0	+10111-	8	0	+40335-	9	0	-77993-	11	0	+53547-	1039R+	0+	0	0	+10127-	8	9	
0	+22675-	9	0	+98275-	1040R+	0+	0	0	+15950-	8	0	+13766-	9	0	-31135-	10	10	
40R+	0+	0	0	+27466-	8	0	+48445-	10	0	-10203-	1040R+	0+	0	0	+35854-	8	11	
0	+75791-	10	0	-90808-	1140R+	0+	0	0	+38206-	8	0	+80502-	10	0	-23240-	10	12	
40R+	0+	0	0	+39881-	8	0	+93603-	10	0	-24438-	1040R+	0+	0	0	+40234-	8	13	
0	+10285-	9	0	-35087-	1040R+	0+	0	0	+40905-	8	0	+93944-	10	0	-43949-	10	14	
40R+	0+	0	0	+41602-	8	0	+10258-	9	0	-34279-	1040R+	0+	0	0	+42106-	8	15	
0	+10426-	9	0	-42212-	1040R+	0+	0	0	+46612-	8	0	+20124-	8	0	-34698-	10	16	
41R+	0+	0	0	+48262-	1042R+	0+	0	0	+55824-	10	0	+76992-	1041R+	0+	0	17		
0	+86777-	10	0	+11666-	9	0	+76887-	1040R+	0+	0	0	+94949-	10	0	+12191-	9	18	
0	+76281-	10	0	+52585-	1039R+	0+	0	0	+15170-	9	0	+19197-	9	0	+11618-	9	19	
0	+76399-	10	0	+54607-	1038R+	0+	0	0	+12685-	9	0	+15571-	9	0	+88254-	10	20	
0	+55957-	10	0	+38162-	10	0	+27935-	1037R+	0+	0	0	+18375-	9	0	+24382-	9	21	
0	+13884-	9	0	+81835-	10	0	+53376-	10	0	+37100-	10	0	+27440-	1036R+	0+	0	22	
0	+19006-	9	0	+23912-	9	0	+14018-	9	0	+82361-	10	0	+49895-	10	0	+33028-	10	23
0	+23096-	10	0	+17080-	1035R+	0+	0	0	+26596-	9	0	+33286-	9	0	+18549-	9	24	
0	+11072-	9	0	+65836-	10	0	+39913-	10	0	+26121-	10	0	+17928-	10	0	+12984-	10	25

Table 3.5 (continued)

34R+	0+	0	0	+40590-	9	0	+43623-	9	0	+22575-	9	0	+12469-	9	0	+72422-10	26
0	+40450-	10	0	+21948-	10	0	+12387-	10	0	+70396-	11	0	+41032-	1133R+	0+	0	27
0	+41605-	9	0	+38745-	9	0	+14448-	9	0	+67026-	10	0	+29800-	10	0	+10834-10	28
0	-28409-	13	0	-53883-	11	0	-72210-	11	0	-75310-	11	0	-71404-	1132R+	0+	0	29
0	+60980-	9	0	+53849-	9	0	+15134-	9	0	+23221-	10	0	-15261-	10	0	-31345-10	30
0	-37142-	10	0	-37361-	10	0	-34334-	10	0	-30014-	10	0	-25659-	10	0	-21809-10	31
31R+	0+	0	0	+90134-	9	0	+43434-	9	0	-38515-	10	0	-14482-	9	0	-16185- 9	32
0	-15345-	9	0	-13786-	9	0	-12064-	9	0	-10060-	9	0	-81418-	10	0	-65624-10	33
0	-52964-	10	0	-43254-	1030R+	0+	0	0	+92634-	9	0	+13215-	9	0	-25480- 9	34	
0	-24263-	9	0	-19751-	9	0	-15135-	9	0	-11839-	9	0	-90768-	10	0	-69108-10	35
0	-49873-	10	0	-35013-	10	0	-25030-	10	0	-18207-	10	0	-13673-	1029R+	0+	0	36
0	+10438-	8	0	-21793-	9	0	-51822-	9	0	-18886-	9	0	+30595-	10	0	+88969-10	37
0	+96279-	10	0	+90949-	10	0	+80992-	10	0	+69941-	10	0	+57224-	10	0	+45329-10	38
0	+35828-	10	0	+28422-	10	0	+22891-	1028R+	0+	0	0	+71362-	9	0	-21019- 9	39	
0	+10505-	9	0	+27276-	9	0	+15570-	9	0	+22573-	1037R+	0+	0	0	+83690- 9	40	
0	+15353-	941R+	0+	0	0	+95711-	9	0	+87501-	1038R+	0+	0				41	
2R+	0+	0	0	+70247-	9	0	+70321-	941R+	0+	0	0	+65243-	9	0	+62536- 9	1	
0	+13849-	1040R+	0+	0	0	+57910-	9	0	+54199-	9	0	+29572-	10	0	-34172-10	2	
39R+	0+	0	0	+57436-	9	0	+54680-	9	0	+50026-	10	0	-30256-	1039R+	0+	0	3
0	+63100-	9	0	+47578-	9	0	+69933-	10	0	-61050-	1139R+	0+	0	0	+72884- 9	4	
0	+54800-	9	0	+51915-	10	0	-12584-	1039R+	0+	0	0	+86261-	9	0	+54971- 9	5	
0	-76147-	10	0	-54466-	1039R+	0+	0	0	+62171-	9	0	+18010-	9	0	-10531- 9	6	
40R+	0+	0	0	+53538-	9	0	+25118-	9	0	-43162-	10	0	-55490-	1039R+	0+	0	7
0	+74575-	9	0	+10308-	9	0	-12354-	9	0	-27625-	10	0	-32964-	1038R+	0+	0	8
0	+10111-	8	0	+19170-	9	0	-44569-	10	0	-57015-	1039R+	0+	0	0	+10127- 8	9	
0	+96616-	11	0	-57384-	1040R+	0+	0	0	+15950-	8	0	+14942-	10	0	-17019-10	10	
40R+	0+	0	0	+27466-	8	0	-29453-	10	0	-11580-	1140R+	0+	0	0	+35854- 8	11	
0	-40830-	10	0	-22594-	1140R+	0+	0	0	+38206-	8	0	-43758-	10	0	-57987-11	12	
40R+	0+	0	0	+39881-	8	0	-43381-	10	0	-61287-	1140R+	0+	0	0	+40234- 8	13	
0	-41300-	10	0	-88550-	1140R+	0+	0	0	+40905-	8	0	-44037-	10	0	-11322-10	14	
40R+	0+	0	0	+41602-	8	0	-41799-	10	0	-92138-	1140R+	0+	0	0	+42106- 8	15	
0	-24206-	10	0	-11908-	1040R+	0+	0	0	+46612-	8	0	+27279-	8	0	-19669-10	16	
41R+	0+	0	0	+66736-	1042R+	0+	0	0	+77043-	10	0	+10344-	941R+	0+	0	17	
0	+11875-	9	0	+15428-	9	0	+96937-	1040R+	0+	0	0	+12967-	9	0	+15831- 9	18	
0	+92397-	10	0	+60255-	1039R+	0+	0	0	+20380-	9	0	+24225-	9	0	+13315- 9	19	
0	+80272-	10	0	+53443-	1038R+	0+	0	0	+17175-	9	0	+19289-	9	0	+94830-10	20	
0	+52922-	10	0	+32008-	10	0	+21138-	1037R+	0+	0	0	+24467-	9	0	+29854- 9	21	
0	+14401-	9	0	+69658-	10	0	+37450-	10	0	+21330-	10	0	+13060-	1036R+	0+	0	22
0	+25269-	9	0	+28271-	9	0	+13555-	9	0	+61405-	10	0	+25857-	10	0	+10815-10	23
0	+36953-	11	0	+41985-	1235R+	0+	0	0	+34526-	9	0	+37653-	9	0	+15902- 9	24	
0	+65122-	10	0	+19233-	10	0	-13584-	11	0	-86688-	11	0	-11009-	10	0	-11159-10	25
34R+	0+	0	0	+50095-	9	0	+42416-	9	0	+12987-	9	0	+18959-	10	0	-24138-10	26
0	-40168-	10	0	-42765-	10	0	-39398-	10	0	-34549-	10	0	-29761-	1033R+	0+	0	27
0	+51235-	9	0	+32405-	9	0	+64317-	11	0	-58394-	10	0	-73734-	10	0	-72815-10	28
0	-64578-	10	0	-54181-	10	0	-44573-	10	0	-36470-	10	0	-30058-	1032R+	0+	0	29
0	+68706-	9	0	+34715-	9	0	-10960-	9	0	-17566-	9	0	-16349-	9	0	-13980- 9	30
0	-11637-	9	0	-92113-	10	0	-71035-	10	0	-55109-	10	0	-43120-	10	0	-34390-10	31
31R+	0+	0	0	+80153-	9	0	-11137-	9	0	-43859-	9	0	-33995-	9	0	-22734- 9	32
0	-15685-	9	0	-10485-	9	0	-68502-	10	0	-40201-	10	0	-21174-	10	0	-10462-10	33
0	-43928-	11	0	-11919-	1130R+	0+	0	0	+81503-	9	0	-39359-	9	0	-30894- 9	34	
0	-92549-	10	0	+30163-	10	0	+87236-	10	0	+10321-	9	0	+10362-	9	0	+96341-10	35
0	+83255-	10	0	+68602-	10	0	+55582-	10	0	+44848-	10	0	+36527-	1029R+	0+	0	36
0	+52661-	9	0	-68876-	9	0	+79093-	10	0	+35210-	9	0	+19167-	9	0	+97629-10	37
0	+45348-	10	0	+16698-	10	0	-12900-	11	0	-11341-	10	0	-16450-	10	0	-17666-10	38
0	-16546-	10	0	-14659-	10	0	-12686-	1028R+	0+	0	0	+32512-	9	0	-21775- 9	39	

Table 3.5 (continued)

0	+24147-	9	0	-62774-10	0	-15044-	9	0	-28992-1037R+	0+	0	0	+19444-	9	40			
0	-99845-1041R+	0+	0	0	+75158-10	0	-56136-1038R+	0+	0						41			
2R+	0+	0	0	+70247-	9	0	+63319-	941R+	0+	0	0	+65243-	9	0	+56598-	9	1	
0	+79906-1040R+	0+	0	0	+57910-	9	0	+47662-	9	0	+85919-10	0	+23298-10			2		
39R+	0+	0	0	+57436-	9	0	+41757-	9	0	+94751-10	0	+18275-1039R+	0+	0		3		
0	+63100-	9	0	+31740-	9	0	+50361-10	0	+54739-1139R+	0+	0	0	+72884-	9		4		
0	+33677-	9	0	-65477-10	0	+10656-1039R+	0+	0	0	+86261-	9	0	+22392-	9		5		
0	-99578-10	0	+21930-1039R+	0+	0	0	+62171-	9	0	+99323-10	0	-63973-10				6		
40R+	0+	0	0	+53538-	9	0	+17702-	9	0	-60963-10	0	+15008-1039R+	0+	0		7		
0	+74575-	9	0	+47284-10	0	-20232-	9	0	+51567-10	0	+28578-1038R+	0+	0			8		
0	+10111-	8	0	+73559-10	0	-79020-11	0	+49040-1039R+	0+	0	0	+10127-	8			9		
0	+10166-10	0	-44963-1040R+	0+	0	0	+15950-	8	0	+93530-11	0	-89195-11				10		
40R+	0+	0	0	+27466-	8	0	+83113-10	0	+22143-1140R+	0+	0	0	+35854-	8		11		
0	+75510-10	0	+52998-1140R+	0+	0	0	+38206-	8	0	+80679-10	0	+13709-10				12		
40R+	0+	0	0	+39881-	8	0	+78252-10	0	+14581-1040R+	0+	0	0	+40234-	8		13		
0	+73370-10	0	+21203-1040R+	0+	0	0	+40905-	8	0	+79796-10	0	+26730-10				14		
40R+	0+	0	0	+41602-	8	0	+74416-10	0	+21278-1040R+	0+	0	0	+42106-	8		15		
0	+16455-	9	0	+26768-1040R+	0+	0	0	+46612-	8	0	+22557-	7	0	+41974-10		16		
41R+	0+	0	0	+84392-1042R+	0+	0	0	+97169-10	0	+12576-	941R+	0+	0			17		
0	+14807-	9	0	+18345-	9	0	+10739-	940R+	0+	0	0	+16124-	9	0	+18340-	9	18	
0	+96066-10	0	+56936-1039R+	0+	0	0	+24784-	9	0	+26910-	9	0	+12607-	9		19		
0	+63920-10	0	+35836-1038R+	0+	0	0	+21110-	9	0	+20831-	9	0	+79188-10			20		
0	+32204-10	0	+12261-10	0	+37564-1137R+	0+	0	0	+29396-	9	0	+31671-	9			21		
0	+11184-	9	0	+28871-10	0	+81641-12	0	-94773-11	0	-12563-1036R+	0+	0				22		
0	+30297-	9	0	+28355-	9	0	+88302-10	0	+94040-11	0	-18528-10	0	-24692-10			23		
0	-24478-10	0	-22228-1035R+	0+	0	0	+40050-	9	0	+35052-	9	0	+69393-10			24		
0	-24527-10	0	-53130-10	0	-55725-10	0	-49456-10	0	-41961-10	0	-35245-10					25		
34R+	0+	0	0	+54101-	9	0	+29057-	9	0	-51960-10	0	-13033-	9	0	-13557-	9	26	
0	-11657-	9	0	-93122-10	0	-73265-10	0	-57736-10	0	-46220-1033R+	0+	0				27		
0	+55147-	9	0	+13896-	9	0	-17759-	9	0	-18086-	9	0	-14765-	9	0	-11444-	9	28
0	-83074-10	0	-58527-10	0	-41980-10	0	-30646-10	0	-23090-1032R+	0+	0					29		
0	+64823-	9	0	-11440-10	0	-35895-	9	0	-26528-	9	0	-17648-	9	0	-11096-	9	30	
0	-66982-10	0	-34616-10	0	-14139-10	0	-35175-11	0	+19187-11	0	+43478-11					31		
31R+	0+	0	0	+51070-	9	0	-57030-	9	0	-44880-	9	0	-12047-	9	0	+48006-10		32
0	+10580-	9	0	+12524-	9	0	+12513-	9	0	+11276-	9	0	+95290-10	0	+78298-10		33	
0	+63740-10	0	+52206-1030R+	0+	0	0	+50635-	9	0	-53953-	9	0	+12054-	9			34	
0	+27085-	9	0	+23351-	9	0	+15595-	9	0	+97619-10	0	+52666-10	0	+22012-10			35	
0	+35102-12	0	-11788-10	0	-16381-10	0	-17333-10	0	-16520-1029R+	0+	0					36		
0	+91303-10	0	-30733-	9	0	+32627-	9	0	-62178-10	0	-11032-	9	0	-11289-	9		37	
0	-10282-	9	0	-82080-10	0	-60430-10	0	-42429-10	0	-26698-10	0	-15341-10				38		
0	-85746-11	0	-45642-11	0	-23310-1128R+	0+	0	0	+57140-10	0	+47368-12					39		
0	-67201-10	0	-11076-	9	0	+10757-	9	0	+33124-1037R+	0+	0	0	+17792-10			40		
0	-77441-1141R+	0+	0	0	-83743-11	0	+20626-1138R+	0+	0							41		
2R+	0+	0	0	+70247-	9	0	+48470-	941R+	0+	0	0	+65243-	9	0	+42755-	9	1	
0	-37301-1040R+	0+	0	0	+57910-	9	0	+32130-	9	0	-55982-10	0	-15807-10			2		
39R+	0+	0	0	+57436-	9	0	+19518-	9	0	-81760-10	0	-11315-1039R+	0+	0		3		
0	+63100-	9	0	+10832-	9	0	-13409-	9	0	-40247-1139R+	0+	0	0	+72884-	9		4	
0	+11598-	9	0	-21523-10	0	-71699-1139R+	0+	0	0	+86261-	9	0	+67571-10			5		
0	-67094-10	0	+78990-1239R+	0+	0	0	+62171-	9	0	+40592-10	0	-16550-10				6		
40R+	0+	0	0	+53538-	9	0	+78886-10	0	-36437-10	0	+11706-1039R+	0+	0			7		
0	+74575-	9	0	+61549-11	0	-60885-10	0	+22592-10	0	-19893-1038R+	0+	0				8		
0	+10111-	8	0	+10090-10	0	-14219-10	0	-33189-1039R+	0+	0	0	+10127-	8			9		
0	-29733-11	0	-22978-1040R+	0+	0	0	+15950-	8	0	-10402-10	0	-18486-11				10		
40R+	0+	0	0	+27466-	8	0	-75968-10	0	-20242-1140R+	0+	0	0	+35854-	8		11		

Table 3.5 (continued)

0	-97342-10	0	-11581-1040R+	0+	0	0	+38206- 8	0	-10417- 9	0	-30083-10	12	
40R+	0+	0	0	+39881- 8	0	-95899-10	0	-31970-1040R+	0+	0	0	+40234- 8	13
0	-85091-10	0	-46541-1040R+	0+	0	0	+40905- 8	0	-99314-10	0	-58362-10	14	
40R+	0+	0	0	+41602- 8	0	-89912-10	0	-46163-1040R+	0+	0	0	+42106- 8	15
0	-46088-10	0	-57320-1040R+	0+	0	0	+46612- 8	0	+42903- 8	0	-88991-10	16	
41R+	0+	0	0	+10102- 942R+	0+	0	0	+11594- 9	0	+14303- 941R+	0+	0	17
0	+17413- 9	0	+20256- 9	0	+10696- 940R+	0+	0	0	+18894- 9	0	+19535- 9	18	
0	+86299-10	0	+42511-1039R+	0+	0	0	+28226- 9	0	+26989- 9	0	+94944-10	19	
0	+29405-10	0	+48324-1138R+	0+	0	0	+24372- 9	0	+20009- 9	0	+42977-10	20	
0	-22504-11	0	-16242-10	0	-19284-1037R+	0+	0	0	+32956- 9	0	+29594- 9	21	
0	+47209-10	0	-30563-10	0	-45104-10	0	-44123-10	0	-39138-1036R+	0+	0	22	
0	+33872- 9	0	+24110- 9	0	+73474-11	0	-58257-10	0	-66102-10	0	-57324-10	23	
0	-47065-10	0	-38404-1035R+	0+	0	0	+42875- 9	0	+25900- 9	0	-60377-10	24	
0	-12550- 9	0	-11711- 9	0	-92250-10	0	-69951-10	0	-53077-10	0	-41139-10	25	
34R+	0+	0	0	+52557- 9	0	+71770-10	0	-24918- 9	0	-24480- 9	0	-18950- 9	26
0	-12935- 9	0	-83420-10	0	-54593-10	0	-36310-10	0	-25082-1033R+	0+	0	27	
0	+53310- 9	0	-10533- 9	0	-30484- 9	0	-20765- 9	0	-12089- 9	0	-63792-10	28	
0	-24766-10	0	-23640-11	0	+76428-11	0	+11726-10	0	+12728-1032R+	0+	0	29	
0	+51611- 9	0	-37834- 9	0	-41246- 9	0	-13785- 9	0	-10953-10	0	+50313-10	30	
0	+75258-10	0	+80390-10	0	+74273-10	0	+63905-10	0	+53500-10	0	+44575-10	31	
31R+	0+	0	0	+18863- 9	0	-62380- 9	0	-43746-10	0	+25321- 9	0	+27072- 9	32
0	+21879- 9	0	+15932- 9	0	+10955- 9	0	+66485-10	0	+35865-10	0	+18030-10	33	
0	+77616-11	0	+22917-1130R+	0+	0	0	+16922- 9	0	-22540- 9	0	+38173- 9	34	
0	+15113- 9	0	-49413-10	0	-13734- 9	0	-15074- 9	0	-13780- 9	0	-11579- 9	35	
0	-88425-10	0	-63649-10	0	-45497-10	0	-32689-10	0	-24110-1029R+	0+	0	36	
0	-20953-10	0	+40017-10	0	-19294-10	0	-11363- 9	0	-76470-10	0	-22474-10	37	
0	+33486-10	0	+52268-10	0	+55341-10	0	+50710-10	0	+41415-10	0	+31486-10	38	
0	+23450-10	0	+17436-10	0	+13222-1028R+	0+	0	0	-29008-11	0	+34866-10	39	
0	-16767- 9	0	+13002- 9	0	-45312-10	0	-34741-1037R+	0+	0	0	-10107-10	40	
0	-18460-1141R+	0+	0	0	+11634-10	0	+13325-1138R+	0+	0	0	41		
1	-1	1.16											

1 -1 1.16

SAMBO DATA FOR SAMPLE PROBLEM 2

\$\$ 10 0 0 0 0 2 0 1
 **

0.	0.	5.0E+3
0.	0.	7.5E+3
0.	0.	1.0E+4
0.	0.	1.5E+4
0.	0.	3.0E+4
0.	0.	6.0E+4
0.	0.	7.0E+4
0.	0.	9.0E+4
0.	0.	12.0E+4
0.	0.	15.0E+4

(CM**2 RAD/SOURCE)

4 PI R**2 NEUTRON DOSE RATE

**

5.4579E-9 5.1339E-9 4.8409E-9 4.6175E-9 4.4454E-9 4.3144E-9 4.0126E-9
 3.3938E-9 3.1489E-9 3.0892E-9 2.6435E-9 1.9751E-9 1.1236E-9
 2.2958E-10 26R0.0

Table 3.5 (continued)

4 PI R**2 GAMMA DOSE RATE

**

22R0.0

2.7727-9 2.3180-9 1.9373-9 1.6091-9 1.3389-9 1.1299-9 9.8058-10

8.4739-10 7.3278-10 6.0565-10 4.6558-10 3.6869-10 2.8622-10 1.9841-10

1.3585-10 7.3791-11 3.6825-11 F0.0

+
\$\$\$\$\$\$\$ MORSE SAMPLE PROBLEM 2 \$\$\$\$\$\$\$

+ Required only for IBM version.

3.5 MORSE Sample Problem #3 Adjoint Case

The time-dependent secondary gamma-ray dose rate versus range due to both fission and 12.2-15 MeV neutron sources is calculated by MORSE in infinite air of density 1.29 g/l. Cross sections are 22 neutron groups and 18 gamma groups P_5 .

The source and analysis routines from Problem Nos. 1 and 2 are used, but the adjoint option is chosen since results for two source energy distributions are required. The input data is similar to Problem No. 2; but the gamma response function is now the source spectrum, and the source group 1 has become a response function with a value of '1' for group one and '0' for other groups. The second response function for this problem is the fission source spectrum from Problem #1. Note that for an adjoint problem the GWLOW array has NMTG-NMGP values. Input data is listed in Table 3.6. Output listing is on microfiche.

REMINDER: MORSE will adjoint everything for the user; input should be forward group structure.

Table 3.6. Listing of Input Data for MORSE Sample Problem #3

SAMPLE PROBLEM 3 (ADJOINT)

500	1000	30	1	22	17	22	40	0	1	5	1	0
-1	40	0		1.		.025		0.		1.		2.2E +5
0.												
0.		0.		0.		0.		0.		0.		0.
0.		0.		0.		0.		0.		0.		0.
0.		0.		0.		0.		0.		0.		0.

0.02.7727E-092.3180E-091.9373E-091.6091E-091.3389E-091.1299E-09
 9.8058E-108.4739E-107.3278E-106.0565E-104.6558E-103.6869E-102.8622E-10
 1.9841E-101.3585E-107.3791E-113.6825E-11
 1.5000E 071.2200E 071.0000E 078.1800E 066.3600E 064.9600E 064.0600E 06
 3.01 E 06 2.46 E 06 2.35 E 06 1.826E 06 1.108E 06 5.502E 05 1.109E 05
 3.3546E+3 5.8294E+2 1.0130E+2 2.9020E+1 1.0677E+1 3.0590E+0 1.1253E+0
 4.1400E-011.0000E 078.0000E 066.5000E 065.0000E 064.0000E 063.0000E 06
 2.5000E 062.0000E 061.6600E 061.3300E 061.0000E 068.0000E 056.0000E 05
 4.0000E 053.0000E 052.0000E 051.0000E 05 5. E+4
 5317A47C8301

1	1	1	0	0	1	40						
1	1	13	1	1	1	10.		1.E-3		.5		0.5
14	1	19	1	1	1	10.		1.E-3		.5		0.
20	1	22	1	1	1	2.		1.E-3		.2		0.0
23	1	35	1	1	1	5.0 E 00		1. E-03	1.0 E 00	5.0 E-01		
36	1	40	1	1	1	2.0 E 00		1. E-03	.5 E 00			0.0

-1												
0												
.1		.2		1.		.5		.3		.3		.2
.2		.2		.2		.01		.05		.1		.2
.2		.2		.3		.3						

0	0											
SAMPLE PROB. 1 FOR MORSE												
SPH		0.		0.		0.		3.0E+03				
SPH		0.		0.		0.		5.0E+03				
SPH		0.		0.		0.		7.5E+03				
SPH		0.		0.		0.		1.0E+04				
SPH		0.		0.		0.		1.5E+04				
SPH		0.		0.		0.		2.0E+04				
SPH		0.		0.		0.		3.0E+04				
SPH		0.		0.		0.		6.0E+04				
SPH		0.		0.		0.		7.0E+04				
SPH		0.		0.		0.		9.0E+04				
SPH		0.		0.		0.		1.2E+05				
SPH		0.		0.		0.		1.5E+05				
SPH		0.		0.		0.		1.0E+06				
SPH		0.		0.		0.		1.0E+07				

END

AIR	+1	
AIR	+2	-1
AIR	+3	-2
AIR	+4	-3
AIR	+5	-4
AIR	+6	-5

Table 3.6 (continued)

AIR		+7		-6										
AIR		+8		-7										
AIR		+9		-8										
AIR		+10		-9										
AIR		+11		-10										
AIR		+12		-11										
AIR		+13		-12										
AIR		+14		-13										
END														
	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	1	2	1	2	1	2	1	2	1	2	1	2	1	0

AIR XSECT

22	22	18	18	40	43	4	1	1	1	6	3	1
0	0	0	0	0	0	0						

INSERT HERE THE SAME CROSS SECTION DATA AS USED IN S. PROB #2

1 -1 1.16

SAMBO FOR SAMPLE ADJOINT PROBLEM TEST CASE

\$\$

10	0	0	-25	0	2	0	1
----	---	---	-----	---	---	---	---

##

0.	0.	5.0+3
0.	0.	7.5+3
0.	0.	1.0+4
0.	0.	1.5+4
0.	0.	3.0+4
0.	0.	6.0+4
0.	0.	7.0+4
0.	0.	9.0+4
0.	0.	1.20+5
0.	0.	1.50+5

(CM**2 RAD/SOURCE)

4 PI R**2 GAMMA DOSE (14 MEV SOURCE)

##	1.	0.	0.	0.	0.	0.	0.
	0.	0.	0.	0.	0.	0.	0.
	0.	0.	0.	0.	0.	0.	0.
	0.	0.	0.	0.	0.	0.	0.
	0.	0.	0.	0.	0.	0.	0.
	0.	0.	0.	0.	0.	0.	0.

4 PI R**2 GAMMA DOSE (FISSION SOURCE)

##

1.5579-4 8.9338-4 3.4786-3 1.3903-2 3.4557-2 3.5047-2 1.0724E-1

8.8963-2 2.3186-2 1.203E-1 2.1803-1 1.9837-1 1.4036-1 1.5489E-2

26R0.0

Table 3.6 (continued)

(NEUTRONS/EV/SEC/SOURCE)				(ADJOINT)		
**	.3E-6	.6E-6	1.E-6	1.5E-6	2.E-6	3.0E-6
	5.E-6	6.0E-6	8.E-6	1.2E-5	1.8-5	3.00-5
	1.0-4	2.0-4	4.0-4	8.0-4	2.0-3	5.0-3
	7.0-2	2.0-1	7.0-1	1.0		2.0-2

† \$\$\$\$\$\$ MORSE SAMPLE PROBLEM 3 \$\$\$\$\$\$

† Required only for IBM version.

3.6 MORSE Sample Problem #4 - Fission Problem

The k_{eff} and the fraction of leakage fluence and absorptions for neutrons in each group for the GODIVA sphere is calculated by MORSE. The GODIVA sphere has an 8.71 cm radius and contains a mixture of ^{235}U and ^{238}U . Cross sections used are six-group Hansen-Roach and are isotropic.

User routines which were written for this problem include SOURCE, BANKR, ESCAPE and RELCOL. SOURCE provides for the first batch a spatial distribution of the source neutrons. For subsequent batches, SOURCE selects only the energy since the spatial distribution is obtained from the fission bank where it was stored during the previous batch, BANKR calls ESCAPE to score the fluence leaking in each group and RELCOL to score the absorption weight (the difference between incoming and outgoing weight) as a function of group. Response function arrays are used to store the desired information.

Input data is listed in Table 3.7. Output listing is on microfiche.

Table 3.7. Listing of Input Data for MORSE Sample Problem #4

SAMPLE PROBLEM 4

100	500	200	1	6	0	6	6	0	0	4	1	0
-1	6	0		1.		0.		0.		1.E-6	2.9E+8	
0.												
.204	.344	.168	.18	.09	.014							
18.0E+6	3.E+6	1.4E+6	.9E+6	.4E+6	.1E+6							

01734C8B93A3

1	1	0	0	0	1	6						
1	1	6	1	1	1	2.5	.01	.5				
-1												
1	1	3	1									
1.												

.204	.344	.168	.18	.09	.014							
------	------	------	-----	-----	------	--	--	--	--	--	--	--

0 0 SPHERE

SPH 1 0. 0. 0. 8.71

SPH 2 0. 0. 0. 10.

END

IS 50 +1

EV +2 -1

END

1 1

1 0

6 GROUP HANSEN ROACH CROSS SECTIONS FOR U-235 AND U-238 DTF-IV ANL 7416

6	6	0	0	6	9	4	1	2	2	1	0
---	---	---	---	---	---	---	---	---	---	---	---

1	1	0	0	1	0	1					
---	---	---	---	---	---	---	--	--	--	--	--

U235 HANSEN ROACH XSECT DTF-IV ANL 7416

1.260	3.557	4.25	1.20	0.0	0.0
0.0	0.0	0.0	1.30	3.196	4.5
1.77	.27	0.0	0.0	0.0	0.0
1.33	3.087	4.65	2.30	.24	.37
0.0	0.0	0.0	1.35	2.988	5.20
3.42	.55	.67	.65	0.0	0.0
1.66	3.518	7.90	6.16	.35	.4
.45	.44	0.0	2.94	5.71	12.0
9.06	.08	.08	.07	.07	.06

U238 HANSEN ROACH XSECT DTF-IV ANL 7416

.566	1.725	4.0	1.254	0.0	0.0
0.0	0.0	0.0	.535	1.213	4.4
1.825	.33	0.0	0.0	0.0	0.0
.144	.108	4.5	2.906	.35	.46
0.0	0.0	0.0	.14	0.0	5.25
4.53	.80	.96	.79	0.0	0.0
0.16	0.0	8.2	7.96	.5	.55
.64	.53	0.0	.40	0.0	11.8
11.4	.08	.08	.1	.09	.07

1 1 .045447

1 -2 .00256

Table 3.7 (continued)

SAMBO FOR FISSION PROBLEM

\$\$ 2 0 0 0 0 6 0 0
 ** 0. 0. 0.
 0. 0. 0.

RESULTS FOR 1 SOURCE NEUTRON

FOR DET. 1 ABSORBED WEIGHT - FOR DET. 2 LEAKAGE WGT - FOR ENERGY GROUP 1
 ** 1. 5R0.0

FOR DET. 1 ABSORBED WEIGHT - FOR DET. 2 LEAKAGE WGT - FOR ENERGY GROUP 2
 ** 0. 1. 4R0.0

FOR DET. 1 ABSORBED WEIGHT - FOR DET. 2 LEAKAGE WGT - FOR ENERGY GROUP 3
 ** 2R0.0 1. 3R0.0

FOR DET. 1 ABSORBED WEIGHT - FOR DET. 2 LEAKAGE WGT - FOR ENERGY GROUP 4
 ** 3R0.0 1. 2R0.0

FOR DET. 1 ABSORBED WEIGHT - FOR DET. 2 LEAKAGE WGT - FOR ENERGY GROUP 5
 ** 4R0.0 1.0 0.0

FOR DET. 1 ABSORBED WEIGHT - FOR DET. 2 LEAKAGE WGT - FOR ENERGY GROUP 6
 ** 5R0.0 1.0

†
 \$\$\$\$\$\$ MORSE SAMPLE PROBLEM 4 \$\$\$\$\$\$

† Required only for IBM version.

3.7 MORSE Sample Problem #5 - Time Dependent Fission

The k_{eff} and the time-dependent fission rate in a bare uranium sphere of 7.5 cm radius is calculated by MORSE. This problem is similar to Problem No. 4 with the exception that the desired results are time-dependent.

In order to determine statistics for the time-dependent fission problem a modification to subroutine BANKR is made and multiple consecutive runs are made (NQUIT>1). BANKR also calls subroutine FISN to sum the fission weight in addition to calling the RELCOL and ESCAPE routines from Problem No. 4 to calculate absorptions and time-dependent leakage. Subroutine SOURCE is the same one as in Problem No. 4 except RAD = 7.5 cm.

Input data is given in Table 3.8. Output listing is on microfiche.

Table 3.8. Listing of Input Data for MORSE Sample Problem #5

SAMPLE PROBLEM 5 - FISSION PROB

50 250 50 4 6 0 6 6 0 0 5 1 0 CARD B
 -1 6 0 1. 0. 0. 1.E-6 2.9E+8
 0.
 .204 .344 .168 .18 .09 .014
 18.0E+6 3.E+6 1.4E+6 .9E+6 .4E+6 .1E+6
 75863A42C351
 1 1 0 0 0 1 6
 1 1 6 1 1 1 2.5 .01 .5
 -1
 1 1 3 1
 .85
 .204 .344 .168 .18 .09 .014
 0 0 TEST
 SPH 0. 0. 0. 7.5
 SPH 0. 0. 0. 10.
 END
 IS 50 +1
 EV +2 -1
 END

6 GROUP HANSEN ROACH CROSS SECTIONS FOR U-235 AND U-238 DTF-IV ANL 7416

6 6 0 0 6 9 4 1 2 2 1 0 0
 1 1 0 0 1 0 1

U235 HANSEN ROACH XSECT DTF-IV ANL 7416

1.260	3.557	4.25	1.20	0.0	0.0
0.0	0.0	0.0	1.30	3.196	4.5
1.77	.27	0.0	0.0	0.0	0.0
1.33	3.087	4.65	2.30	.24	.37
0.0	0.0	0.0	1.35	2.988	5.20
3.42	.55	.67	.65	0.0	0.0
1.66	3.518	7.90	6.16	.35	.4
.45	.44	0.0	2.94	5.71	12.0
9.06	.08	.08	.07	.07	.06

U238 HANSEN ROACH XSECT DTF-IV ANL 7416

.566	1.725	4.0	1.254	0.0	0.0
0.0	0.0	0.0	.535	1.213	4.4
1.825	.33	0.0	0.0	0.0	0.0
.144	.108	4.5	2.906	.35	.46
0.0	0.0	0.0	.14	0.0	5.25
4.53	.80	.96	.79	0.0	0.0
0.16	0.0	8.2	7.96	.5	.55
.64	.53	0.0	.40	0.0	11.8
11.4	.08	.08	.1	.09	.07

Table 3.8 (continued)

```

      1      1 .045447
      1     -2 .00256
SAMBO FOR FISSION PROBLEM
$$$ 3      0      0  -14      0      7      0      0
** 0.          0.          0.
   0.          0.          0.
   0.          0.          0.
RESULTS FOR 1 SOURCE NEUTRON
FOR DET. 1 ABSORBED WEIGHT - FOR DET. 2 LEAKAGE WGT - FOR ENERGY GROUP 1
** 1. 5R0.0
FOR DET. 1 ABSORBED WEIGHT - FOR DET. 2 LEAKAGE WGT - FOR ENERGY GROUP 2
** 0. 1. 4R0.0
FOR DET. 1 ABSORBED WEIGHT - FOR DET. 2 LEAKAGE WGT - FOR ENERGY GROUP 3
** 2R0. 1. 3R0.0
FOR DET. 1 ABSORBED WEIGHT - FOR DET. 2 LEAKAGE WGT - FOR ENERGY GROUP 4
** 3R0.0 1. 2R0.0
FOR DET. 1 ABSORBED WEIGHT - FOR DET. 2 LEAKAGE WGT - FOR ENERGY GROUP 5
** 4R0.0 1. 0.0
FOR DET. 1 ABSORBED WEIGHT - FOR DET. 2 LEAKAGE WGT - FOR ENERGY GROUP 6
** 5R0.0 1.0
FISSIONS/SOURCE
** 6R1.0
(FISSIONS/SEC/SOURCE)
** .2E-7      .4E-7      .6E-7      .8E-7      1.E-7      1.5E-7      2.E-7
   2.5E-7      3.E-7      3.5E-7      4.E-7      4.5E-7      5.E-7      1.-5
+
$$$$$$$$$ MORSE SAMPLE PROBLEM 5 $$$$$$$$

```

[†] Required only for IBM version.

3.8 MORSE Sample Problem #6 Gamma Only

The gamma ray dose rate for a point, isotropic, 4-5 MeV source in an infinite medium of air is calculated by MORSE. The air is assumed to be made up of only oxygen and nitrogen with a total density of 1.29 g/l. The cross section data had 22 neutron-18 gamma groups, but MORSE selected only the 18 gamma groups when preparing the cross section mixture. Users will note that this means inputting only the gamma-ray energy group structure.

This problem is similar to Problem #1 except it is a gamma only problem. The same user routines (BANKR, SDATA, BDRYX, SOURCE, DIREC and GTMED) written for Problem #1 are used here.

Input data is given in Table 3.9 and output is on microfiche.

Table 3.9 (continued)

22 GROUP AIR CROSS SECTIONS --- P5 --- DENSITY = 1.29 G/L
 0 0 18 18 40 43 4 1 1 1 6 3 0
 0 0 0 0 0 0 0 0 0 0 0 0

INSERT HERE THE SAME CROSS SECTION DATA AS USED FOR S. PROB. #2

1 -1 1.16

SAMBO ANALYSIS INPUT DATA

\$\$ 10 0 0 0 0 1 0 1

** 0. 0. 5.E+3

0. 0. 7.5E+3

0. 0. 1.0E+4

0. 0. 1.5E+4

0. 0. 3.0E+4

0. 0. 6.0E+4

0. 0. 7.0E+4

0. 0. 9.0E+4

0. 0. 12.0E+4

0. 0. 15.0E+4

4 PI R**2 GAMMA DOSE RATE

**

2.7727-9 2.3180-9 1.9373-9 1.6091-9 1.3389-9 1.1299-9 9.8058-10

8.4739-10 7.3278-10 6.0565-10 4.6558-10 3.6869-10 2.8622-10 1.9841-10

1.3585-10 7.3791-11 3.6825-11 F0.0

† \$\$\$\$\$\$\$\$ MORSE SAMPLE PROBLEM 6 \$\$\$\$\$\$\$\$

† Required only for IBM version.

3.9 MORSE Sample Problem #7 - XCHEKR Run

This problem demonstrates running XCHEKR to premix cross sections for MORSE so that the MORSE run itself requires only the permanent portion of the cross section storage. This is a good way to reduce the size of the blank common array in MORSE, and it also serves to check your cross section data.

This sample problem represents such a simple case that ordinarily a user would not premix, but it is designed just to show how to set up an XCHEKR run.

Input data is given in Table 3.10 and output is on microfiche. The mixed cross section data is written on TAPE2 (JXTAPE=2) which would be read in MORSE by setting IXTAPE = -2 on Card XC of the input.[†]

[†] See pp. 12-14 of section 4.3, ORNL-4972 (the MORSE report).

Table 3.10. Listing of Input Data for MORSE Sample Problem #7

```

      0      1      22      40
22 GROUP AIR CROSS SECTIONS --- P5 --- DENSITY = 1.29 G/L
      22      22      18      18      40      43      4      1      1      1      6      3      0
      0      0      0      0      0      0      0      0      2      0      0
INSERT HERE THE SAME CROSS SECTION DATA AS USED IN S. PROB #2
      1      -1      1.16

```

3.10 MORSE Sample Problem #8 - Collision Density Problem

The collision density sample problem is similar to Sample Problem #1 except in the types of estimates calculated. First, a boundary crossing estimator is used for five spherical shells ($NDC = 5$). Second, a collision density estimator is used in RELCOL for nine detector regions. Third, subroutine ENDRUN as described in Reference 2 is used to obtain estimates of the collision density fluence averaged over regions specified by the geometry input. Also, in versions of MORSE containing the track length/unit volume calculation, ENDRUN calculates track length per unit volume estimators for the geometry regions.

This problem uses special versions of subroutines INSCOR, BRDYX, RELCOL, RGTOMD, SDATA, BANKR as well as the SOURCE and GTMED routines from Sample Problem 1. INSCOR reads in NDC, the number of detectors to be stored in by BDRYX and SDATA; RELCOL uses detector numbers $NDC+1$ to ND.

Input is in Table 3.11, and output is on microfiche.

Table 3.11 (continued)

5.E-4	5.E-4	1.E-3	1.E-3	1.E-3	1.E-3	1.E-2
1.E-2						
.3	.3	.2	.2	.2	.1	.05
.1 E-1	.1 E-1	.1 E-1	.1 E-1	.5E-2	.1 E-2	.5 E-3
5.E-4	5.E-4	1.E-3	1.E-3	1.E-3	1.E-3	1.E-2
1.E-2						
.3	.3	.2	.2	.2	.1	.05
.1 E-1	.1 E-1	.1 E-1	.1 E-1	.5E-2	.1 E-2	.5 E-3
5.E-4	5.E-4	1.E-3	1.E-3	1.E-3	1.E-3	1.E-2
1.E-2						
.3	.3	.2	.2	.2	.1	.05
.1 E-1	.1 E-1	.1 E-1	.1 E-1	.5E-2	.1 E-2	.5 E-3
5.E-4	5.E-4	1.E-3	1.E-3	1.E-3	1.E-3	1.E-2
1.E-2						
.3	.3	.2	.2	.2	.1	.05
.1 E-1	.1 E-1	.1 E-1	.1 E-1	.5E-2	.1 E-2	.5 E-3
5.E-4	5.E-4	1.E-3	1.E-3	1.E-3	1.E-3	1.E-2
1.E-2						
1	0	COMBINATORIAL GEOMETRY FOR INFINITE AIR PROBLEM				
SPH	0.0	0.0	0.0	10000.		
SPH	0.0	0.0	0.0	15000.		
SPH	0.0	0.0	0.0	20000.		
SPH	0.0	0.0	0.0	30000.		
SPH	0.0	0.0	0.0	40000.		
SPH	0.0	0.0	0.0	45000.		
SPH	0.0	0.0	0.0	50000.		
SPH	0.0	0.0	0.0	70000.		
SPH	0.0	0.0	0.0	75000.		
SPH	0.0	0.0	0.0	80000.		
SPH	0.0	0.0	0.0	90000.		
SPH	0.0	0.0	0.0	100000.		
SPH	0.0	0.0	0.0	120000.		
SPH	0.0	0.0	0.0	140000.		
SPH	0.0	0.0	0.0	500000.		
SPH	0.0	0.0	0.0	900000.		
END						
1	+	1				
2	+	2	-	1		
3	+	3	-	2		
4	+	4	-	3		
5	+	5	-	4		
6	+	6	-	5		
7	+	7	-	6		
8	+	8	-	7		
9	+	9	-	8		
10	+	10	-	9		
11	+	11	-	10		
12	+	12	-	11		
13	+	13	-	12		
14	+	14	-	13		
15	+	15	-	14		
16	+	16	-	15		

Table 3.11 (continued)

END

1	2	2	3	3	4	4	5	6	6	7	7	8	9
10	10												
1	1	2	2	1	1	2	2	2	1	1	2	2	2
2	0												

AIR XSECT

22	22	18	18	40	43	4	1	1	1	6	3	1
				1								

INSERT HERE THE SAME CROSS SECTION DATA AS USED IN S. PROB #2

1 -1 1.16

SAMBO FOR 10 REGION AIR

\$\$	14	7	10	0	1	5	12	1
------	----	---	----	---	---	---	----	---

**

0.	0.	1.5E+4
0.	0.	3.0E+4
0.	0.	4.5E+4
0.	0.	7.5E+4
0.	0.	9.0E+4
0.	0.	1.0E+4
0.	0.	2.0E+4
0.	0.	4.0E+4
0.	0.	5.0E+4
0.	0.	7.0E+4
0.	0.	8.0E+4
0.	0.	10.0E+4
0.	0.	12.0E+4
0.	0.	14.0E+4

4 PI R**2 GROUP 1 FLUENCE (NEUTRONS/SOURCE)

**

1.0 39R0.0

4 PI R**2 GROUP 10 + 11 FLUENCE (NEUTRONS/SOURCE)

**

9R0.0 2R1.0 29R0.0

4 PI R**2 GROUP 28 FLUENCE (GAMMAS/SOURCE)

**

27R0.0 1.0 12R0.0

4 PI R**2 FAST NEUTRON FLUENCE (NEUTRONS/SOURCE)

**

22R1.0 18R0.0

4 PI R**2 GAMMA RAY FLUENCE (GAMMAS/SOURCE)

**

22R0.0 18R1.0

(NEUTRONS/EV/SOURCE)

\$\$	1	3	4	6	9	11	13	27	28	39
	5									

† \$\$\$\$\$\$ MORSE COLLISION DENSITY PROBLEM 8 \$\$\$\$\$\$

† Required only for IBM version.

3.11 REFERENCES

1. D. C. Irving and G. W. Morrison, "PICTURE: An Aid in Debugging Geometry Input Data," ORNL-TM-2892 (May 1970).
2. E. A. Straker and M. B. Emmett, "Collision Site Plotting Routines and Collision Density Fluence Estimates for the MORSE Monte Carlo Code," ORNL-TM-3585 (October 1971).

INTERNAL DISTRIBUTION

1. Central Research Library	124. J. R. Knight
2. ORNL - Y-12 Technical Library	125. R. A. Lillie
Document Reference Section	126. J. L. Lucius
3-4. Laboratory Records Department	127. R. E. Maerker
5. Laboratory Records, ORNL RC	128. F. C. Maienschein
6-105. RSIC Library	129. G. W. Morrison
106. L. S. Abbott	130. W. A. Rhoades
107. J. M. Barnes	131. R. W. Roussin
108. T. J. Burns	132. R. T. Santoro
109. S. N. Cramer	133. C. O. Slater
110. H. L. Dodds	134. J. S. Tang
111-120. M. B. Emmett	135. F. R. Mynatt
121. W. W. Engle, Jr.	136. R. M. Westfall
122. T. A. Gabriel	137. G. E. Whitesides
123. F. B. K. Kam	138. A. Zucker

EXTERNAL DISTRIBUTION

139. W. H. Scott, Science Applications, Inc., P. O. Box 2351, La Jolla, CA 92037
140. V. R. Cain, Science Applications, Inc., 800 Oak Ridge Turnpike, Oak Ridge, TN 37830
141. W. H. Harless, General Electric Co., 310 DeGuigne Drive, Sunnyvale, CA 94086
142. John Kinch, U. S. Army Ballistic Research Laboratory, AMXBR-VL, Aberdeen Proving Ground, MD 21005
143. P. Stevens, Department of Nuclear Engineering, University of Tennessee, Knoxville, TN 37916
144. E. A. Straker, Science Applications, Inc., P. O. Box 2351, La Jolla, CA 92037
145. W. Zobel, Tennessee Valley Authority, 400 Commerce Avenue, Knoxville, TN 37902
146. Charles Myers, Tennessee Valley Authority, 400 Commerce Avenue, Knoxville, TN 37902
147. F. A. R. Schmidt, Institute for Kernenergetik, 7000 Stuttgart 80, Pffaffenwoldring 31, Germany
148. R. K. Disney, Westinghouse Electric Corporation, Advance Reactor Division, P. O. Box 158, Waltz Mill Site, Madison, PA 15663
149. R. W. Tayloe, Jr., Nuclear Criticality Safety Engineering Development, Goodyear Atomic Corp., P. O. Box 628, Piketon, OH 45661
150. Roy Castelli, Knolls Atomic Power Lab., Bldg. D-2, Room 114, P. O. Box 1072, Schnectady, NY 12301
151. George Schneider, U. S. Bureau of Mines Bldg. 20, Denver Federal Center, Denver, CO 80225

DISTRIBUTION (continued)

152. B. J. McGregor, Physics Division, AAEC, RES EST, Lucas Heights, Sidney, Australia
153. Dean C. Kaul, Science Applications, Inc., 1 Woodfield Place Bldg., Suite 819, 1701 E. Woodfield Road, Schaumburg, IL 60195
154. P. B. Hemmig, Reactor Physics Branch, Reactor Research & Technology Division, U. S. Department of Energy, Washington, DC 20545
155. John Kallfelz, Georgia Institute of Technology, Atlanta, GA
156. W. L. Bunch, Radiation and Shield Analysis, WADCO, P. O. Box 1970, Richland, WA 99352
157. C. M. Kim, Nuclear Analysis Group, Burns and Roe, Inc., 700 Kinderkamack Road, Oradell, NJ 07649
158. E. M. Gelbard, Argonne National Laboratory, 9700 South Cass Avenue, Argonne, IL 60439
159. L. Levitt, Rockwell International, P. O. Box 309, Canoga Park, CA 91304
160. M. Shirbacheh, M. S. 77102, Jet Propulsion Lab, 4800 Oak Grove Drive, Pasadena, CA 91109
161. M. Moghari, Energy Technology Center, 6003 Executive Blvd., Rockville, MD 20852
162. W. C. Hopkins, Bechtel Power Corporation, P. O. Box 607, 15740 Shady Dell Road, Gaithersburg, MD 20760
163. J. T. West, III, Los Alamos National Laboratory, P. O. Box 1663, Los Alamos, NM 87544
- 164-231. DNA Radiation Transport Distribution
232. Alan W. Dooley, USAF/AFWL/NTAT, Kirtland AFB, NM 87117
233. Delia E. Sartori, NUCOR (Building 1500), P. O. Box X256, Pretoria, South Africa 0001
234. Bill Yucker, McDonnell Douglas, 5301 Balsa Avenue, Huntington Beach, CA 92647
235. Office of Asst. Manager for Energy Research and Development, Department of Energy/ORO, Oak Ridge, TN 37830
- 236-237. Technical Information Center, Oak Ridge, TN 37830