12
2/24/92 Jm

PNL-6842
UC-350

Technical Support Document

Survey Data Used in Revising the Energy Conservation Requirements in the Manufactured Home Construction and Safety Standards

A. D. Lee
C. C. Conner

February 1992

Prepared for
the U.S. Department of Housing
and Urban Development
under a Related Services Agreement
with the U.S. Department of Energy
Contract DE-AC06-76RLO 1830

Pacific Northwest Laboratory
Operated for the U.S. Department of Energy
by Battelle Memorial Institute

PNL-6842

DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor Battelle Memorial Institute, nor any of their employees, makes any **warranty, expressed or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights.** Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof, or Battelle Memorial Institute. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

PACIFIC NORTHWEST LABORATORY
operated by
BATTELLE MEMORIAL INSTITUTE
for the
UNITED STATES DEPARTMENT OF ENERGY
under Contract DE-AC06-76RLO 1830

Printed in the United States of America

Available to DOE and DOE contractors from the
Office of Scientific and Technical Information, P.O. Box 62, Oak Ridge, TN 37831;
prices available from (615) 576-8401. FTS 626-8401.

Available to the public from the National Technical Information Service,
U.S. Department of Commerce, 5285 Port Royal Rd., Springfield, VA 22161.

PNL--6842

DE92 007502

TECHNICAL SUPPORT DOCUMENT -

SURVEY DATA USED IN REVISING THE ENERGY CONSERVATION
REQUIREMENTS IN THE MANUFACTURED HOME CONSTRUCTION
AND SAFETY STANDARDS

A. D. Lee
C. C. Conner

February 1992

Prepared for
the U.S. Department of Housing and Urban Development
under a Related Services Agreement
with the U.S. Department of Energy
Contract DE-AC06-76RLO 1830

Pacific Northwest Laboratory
Richland, Washington 99352

MASTER

DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED

SUMMARY

This report documents data used in the development of revised energy conservation standards for manufactured housing. The approach used in developing the proposed standard revision is a cost-benefit analysis in which the costs of energy conservation measures (ECM) are balanced against the benefits of energy savings. The analysis used to develop the recommendations for revision of the U.S. Department of Housing and Urban Development (HUD) energy conservation standards for manufactured housing requires information on specific ECMs. This technical support document contains the data from two of the three surveys that were used primarily to characterize the available ECMs and their associated costs. The analyses of these data are provided in separate reports.

CONTENTS

SUMMARY	iii
1.0 INTRODUCTION	1.1
2.0 SURVEY DESCRIPTIONS	2.1
3.0 REFERENCES	3.1
APPENDIX A - HUD NATIONAL MANUFACTURERS SURVEY INSTRUMENT.	A.1
APPENDIX B - HUD NATIONAL MANUFACTURERS SURVEY DATA	B.1
APPENDIX C - WINDOW CHARACTERISTICS SURVEY INSTRUMENT	C.1
APPENDIX D - WINDOW CHARACTERISTICS DATA SURVEY	D.1

1.0 INTRODUCTION

Congress passed legislation (CR 1987; CS 1987; HCD/A 1987) that requires the U.S. Department of Housing and Urban Development (HUD) to revise energy conservation standards for manufactured housing. The HUD(a) brought the Pacific Northwest Laboratory (PNL)(b) under contract to assist in developing a revision to the energy conservation requirement in HUDs existing Manufactured Home Construction and Safety Standards (MHCSS).

The approach used in developing the proposed standard revision is a cost-benefit analysis in which the costs of energy conservation measures (ECM) are balanced against the benefits of energy savings. The resulting standard will specify an overall level of energy conservation in terms of a building shell U-value (thermal transmittance) that produces the lowest life-cycle cost to the owner of a manufactured home.

The analysis used to develop the recommendations for revision of the HUD manufactured housing energy conservation standard requires information on specific ECMs. This analysis determines the homeowner's optimum investment in energy conservation by minimizing the sum of the costs (including ECM purchase) and benefits of an investment in energy conservation using a life-cycle cost analysis.

This technical support document contains the data from two of the three surveys that were used primarily to characterize the available ECMs and their associated costs. The analyses of these data are provided in separate reports.

-
- (a) The HUD was represented by William Freeborne, Government Technical Representative, Policy Research and Development; and by Donald R. Fairman, Chief, Standards and Products Branch, Manufactured Housing and Construction Standards Division, who served as Government Technical Monitor.
 - (b) Operated by Battelle Memorial Institute for the U.S. Department of Energy under Contract DE-AC06-76RLO 1830.

2.0 THE SURVEYS

Data from several sources were used in this work. Three surveys of manufacturers were the primary source of the ECM data used in the analysis to generate the proposed standard. The largest survey was done in 1987 in support of a separate study performed by PNL for HUD on the impacts of alternative manufactured housing energy standards. At that time, HUD was examining the consequences of deregulating the energy standards portion of the MHCSS. The results of that study were presented in Nesse, et al.(a) and at a briefing to HUD's National Manufactured Home Advisory Council on October 29, 1987.

During that same study for HUD, PNL conducted interviews with 83 manufacturing plants in 22 states throughout the United States, excluding the Pacific Northwest. The locations and manufacturers were selected to take into account the geographic regions, climates, and distribution of production throughout the country. The survey instrument and resulting data are presented in Appendixes A and B of this document.

In addition to the HUD survey, PNL collected data from manufacturers in the Pacific Northwest (Oregon, Washington, and Idaho) during mid-1987. The interviews for this Bonneville Power Administration (BPA) sponsored study collected data similar to that obtained for the HUD study and complemented them by covering the Pacific Northwest to complete the coverage of the United States. The interview instrument, data, supplemental data (from manufacturers' literature and price sheets), and results of the analysis were presented previously (Harkreader, Lee, and Sherman 1987). Information was obtained from 15 of the 17 manufacturers in the region at that time.

In addition, a third survey, which focused on window characteristics was required to characterize window ECMs, including window cost. A telephone survey of manufacturers was conducted in October 1988 to collect data on window

(a) Nesse, R. J., J. W. Callaway, R. F. Darwin, A. D. Lee, and S. A. Harkreader. 1987. Analysis of Alternative Manufactured Housing Energy Standards. (Draft), Pacific Northwest Laboratory, Richland, Washington.

characteristics and costs. The sample design followed the same specifications as the HUD and BPA surveys, and interviews were completed with representatives from 50 plants distributed around the United States. The window survey instrument and results are documented in Appendixes C and D of this report.

3.0 REFERENCES

Congressional Record - House (CR). November 6, 1987, H9727.

Congressional Record - Senate (CS). December 21, 1987, S186101.

Federal Register. 1984. Department of Housing and Urban Development - "Manufactured Home Construction and Safety Standards." Vol. 49, No. 155, pp. 31966.

Harkreader, S. A., A. D. Lee, and M. P. Sherman. 1987. Current Construction Practice in Pacific Northwest Manufactured Houses and Upgrade Possibilities. DOE/BP-846, Pacific Northwest Laboratory, Richland, Washington.

Housing and Community Development Act of 1987, (HCDA), Section 569.

APPENDIX A

HUD NATIONAL MANUFACTURERS SURVEY INSTRUMENT

APPENDIX A

HUD NATIONAL MANUFACTURERS SURVEY INSTRUMENT

This survey was performed by Dr. John Tarnai and Lesli Peterson Scott of the Social and Economic Sciences Research Center, Washington State University, Pullman Washington. Steve Harkreader of the PNL oversaw the survey.

References in this report to manufacturers refer to specific manufacturing plants which were surveyed, rather than the whole of any specific company. Individual companies may have several plants in different states.

Q1. Enter Interview ID Number. _____

Q2. Enter State Code. ____

Q3. Enter Interviewer ID Number (your ID number). ____

Q4-Q5 Enter Today's Date Q4. DD ____ Q5. MM ____

Q6. Enter Beginning Time of Interview. (XXXX) ____

DIAL THE PHONE NUMBER: 6 - (Access Code) -## - (Area Code) - XXX - XXXX.

Q7. Hello, this is _____ calling from Washington State University. We are conducting interviews for the U.S. Department of Energy with manufacturers of HUD code manufactured homes. I need to talk with someone who can answer questions about your company's construction practices - probably the plant manager or engineer. Can you tell me who that person would be and may I talk with him or her?

1.....Yes (Continue)

2.....Not Available (Find out name and time to call back)

[WHEN YOU REACH THE CORRECT PERSON TO INTERVIEW:]

Q8. Hello, this is _____ calling from Washington State University. We are conducting interviews for the U.S. Department of Energy concerning current construction practices for HUD code homes.

The Department of Energy is particularly interested in learning more about energy efficiency and housing costs. This interview is confidential -- your name and the company name will not be identified with the results of the survey. Let me start by asking, does your company produce HUD code manufactured homes?

1.....Yes

2.....No (Terminate interview)

Battelle HUD Code House Survey
September, 1987

Q9-12 I'm going to read a list of heating fuels. Please tell me about what percentage of your HUD code manufactured homes use each as a primary heating fuel. The first one is Natural Gas.

About what percent of your homes are equipped to use (_____) as a primary heating fuel? The next one is ...

	Percent
Q9. Natural Gas	____%
Q10. Oil	____%
Q11. Wood	____%
Q12. Electricity	____% (IF 0% -----> GOTO Q18)

Q13-17 About what percentage of your electrically heated homes are heated with the following systems? The first one is Electric Forced Air Furnaces.

The next one is ...

	Percent
Q13. Electric Forced Air Furnaces	____%
Q14. Electric Baseboard Heat	____%
Q15. Electric Heat Pump	____%
Q16. Some Other Electric System I've Not Yet Mentioned	____% (IF 0% ----->GOTO Q18)

Q17. What is the Other Electric System? _____

Q18. Are there any other types of primary fuels that I haven't mentioned that you equip some of your homes to use?

1.....Yes
2.....No----->GOTO Q21

Battelle HUD Code House Survey
September, 1987

Q19. What are the other types?

Q20. What percent of your homes are equipped to use the other type(s)
of heating fuel? _____ %

Q21-Q30 I'm going to read a list of air infiltration measures that your company may or may not use in producing its homes. For each one, please tell me whether or not this measure is a Standard Feature. If not, please tell me if it is an optional feature and how much extra it costs above the wholesale price of the standard feature as an option. The first one is Weatherstripping.

The Next one is ...

[1 = STANDARD 2= OPTIONAL 3=NOT AVAILABLE]

	Is this a Standard or Optional Feature or Not Available?	What's the Cost?
Weatherstripping	Q21. ____	Q22. \$ ____
Infiltration barriers	Q23. ____	Q24. \$ ____
Vapor barriers	Q25. ____	Q26. \$ ____
Caulking of joints	Q27. ____	Q28. \$ ____
Caulking penetrations	Q29. ____	Q30. \$ ____

Q31. Are there any other Air Infiltration Measures that your company practices in producing its homes? (What are they? Are they standard? If they are optional, what is the cost?)

Battelle HUD Code House Survey
September, 1987

Q32. Now I would like to ask about single section homes. Does your company produce single section HUD code manufactured homes?

1.....Yes

2.....No-----> GOTO Q112

Q33. What percentage of your production is single section homes? ____%

Q34-36 What are the dimensions of your MOST COMMONLY produced single section home? First, what is the interior height of your MOST COMMONLY produced home?

Next what is the ...

Q34. Interior height _____ in.

Q35. Exterior Length _____ ft.

Q36. Exterior Width _____ ft.

Q37-Q41 For your most popular single section home, what are the minimum insulation levels for the BASE MODEL your company uses to meet the HUD code requirements? First, what is the "R" Value of the Ceiling Insulation?

Next what is the "R" Value of ...

Q37. Ceiling insulation _____

Q38. Floor insulation _____

Q39. Wall insulation _____

What are the wall stud dimensions? Q40. ____ by Q41. ____

Q42-Q46 Now, what are the MOST COMMON insulation levels used in your MOST POPULAR single section home? First, what is the "R" Value of the Ceiling Insulation?

Next what is the "R" Value of ...

Q42. Ceiling insulation _____

Q43. Floor insulation _____

Q44. Wall insulation _____

What are the wall stud dimensions? Q45. ____ by Q46. ____

Battelle HUD Code House Survey
September, 1987

Q47-Q68 What are the optional insulation levels you offer for your MOST POPULAR single section home and how much does each of these levels cost above the minimum insulation level? Let's start with the Ceiling Insulation.

What's the (lowest/next) optional level R-value? How much does this option cost?

Ceiling Insulation

	R-Value	Extra Cost
Level One	Q47. ____	Q48. \$ ____
Level Two	Q49. ____	Q50. \$ ____
Level Three	Q51. ____	Q52. \$ ____
Level Four	Q53. ____	Q54. \$ ____
Level Five	Q55. ____	Q56. \$ ____

Floor Insulation

Level One	Q57. ____	Q58. \$ ____
Level Two	Q59. ____	Q60. \$ ____
Level Three	Q61. ____	Q62. \$ ____

Wall Insulation

Level One	Q63. ____	Q64. \$ ____
Level Two	Q65. ____	Q66. \$ ____
Level Three	Q67. ____	Q68. \$ ____

Q69. What is the TOTAL exterior door area of your MOST POPULAR single section home in square feet? _____

Q70. How many exterior doors are there in your MOST POPULAR single section home? _____

Battelle HUD Code House Survey
September, 1987

Q71-Q83 I'm going to read a list of different types of exterior FRONT doors. For each type, please tell me whether or not it is a standard or optional feature of your MOST POPULAR single section home. If it is optional, what is the extra wholesale cost? The first FRONT door is a Metal Door.

The next FRONT door is (a/an) ...

[1 = STANDARD 2= OPTIONAL 3=NOT AVAILABLE]

	Is this a Standard or Optional Feature or Not Available?	What's the Cost?
Metal Door	Q71. ____	Q72. \$ ____
Insulated Metal Door	Q73. ____	Q74. \$ ____
Wood Door	Q75. ____	Q76. \$ ____
Insulated Metal Door with Storm Door	Q77. ____	Q78. \$ ____
Wood Door with Storm Door	Q79. ____	Q80. \$ ____
Some other type not mentioned	Q81. ____	Q82. \$ ____

Q83. What is the other type of door? _____

Battelle HUD Code House Survey
September, 1987

Q84-Q96 I'm going to read a list of different types of exterior BACK doors. For each type, please tell me whether or not it is a standard or optional feature of your MOST POPULAR single section home. If it is optional, what is the extra wholesale cost? The first BACK door is a Metal Door.

The next BACK door is ...

[1 = STANDARD 2= OPTIONAL 3=NOT AVAILABLE]

	Is this a Standard or Optional Feature or Not Available?	What's the Cost?
Metal Door	Q84. ____	Q85. \$ ____
Insulated Metal Door	Q86. ____	Q87. \$ ____
Wood Door	Q88. ____	Q89. \$ ____
Insulated Metal Door with Storm Door	Q90. ____	Q91. \$ ____
Wood Door with Storm Door	Q92. ____	Q93. \$ ____
Some other type not mentioned	Q94. ____	Q95. \$ ____

Q96. What is the other type of door? _____

Q97-Q110 I'm going to read a list of different types of windows. Please tell me whether or not each is a standard or optional feature of your MOST POPULAR single section home. If it is optional, what is the extra wholesale cost? The first one is Single Pane.

The next one is ...

[1 = STANDARD 2= OPTIONAL 3=NOT AVAILABLE]

	Is this a Standard or Optional Feature or Not Available?	What's the Cost?
Single Pane	Q97. ____	Q98. \$ ____
Dual Pane	Q99. ____	Q100. \$ ____
Triple Pane	Q101. ____	Q102. \$ ____
Storm Windows	Q103. ____	Q104. \$ ____
Aluminum Sash	Q105. ____	Q106. \$ ____
Aluminum Thermal Break Sash	Q107. ____	Q108. \$ ____
Wood Sash	Q109. ____	Q110. \$ ____

Battelle HUD Code House Survey
September, 1987

Q111. What is the approximate window area in your most popular single section home in square feet? _____ Sq Ft.

Q112. Now I would like to ask about double section homes. Does your company produce double section HUD code manufactured homes?

1.....Yes

2.....No----->GOTO Q192

Q113. What percentage of your production is double section homes? _____%

Q114-Q116 What are the dimensions of your MOST COMMONLY produced double section home? First, what is the interior height of your MOST COMMONLY produced home?

Next what is the ...

Q114. Interior height _____ in.

Q115. Exterior Length _____ ft.

Q116. Exterior Width _____ ft.

Q117-Q121 For your most popular double section home, what are the minimum insulation levels for the BASE MODEL your company uses to meet the HUD code requirements? First, what is the "R" Value of the Ceiling Insulation?

Next what is the "R" Value of ...

Q117. Ceiling insulation _____

Q118. Floor insulation _____

Q119. Wall insulation _____

What are the wall stud dimensions? Q120. __ by Q121. __

Battelle HUD Code House Survey
September, 1987

Q122-Q126 Now, what are the MOST COMMON insulation levels used in your MOST POPULAR double section home? First, what is the "R" Value of the Ceiling Insulation?

Next what is the "R" Value of ...

Q122. Ceiling insulation _____

Q123. Floor insulation _____

Q124. Wall insulation _____

What are the wall stud dimensions? Q125. ____ by Q126. ____

Q127-Q148 What are the optional insulation levels you offer for your MOST POPULAR double section home and how much does each of these levels cost above the minimum insulation level? Let's start with the Ceiling Insulation.

What's the (lowest/next) optional level R-value? How much does this option cost?

Ceiling Insulation

	R-Value	Extra Cost
Level One	Q127. _____	Q128. \$ _____
Level Two	Q129. _____	Q130. \$ _____
Level Three	Q131. _____	Q132. \$ _____
Level Four	Q133. _____	Q134. \$ _____
Level Five	Q135. _____	Q136. \$ _____

Floor Insulation

Level One	Q137. _____	Q138. \$ _____
Level Two	Q139. _____	Q140. \$ _____
Level Three	Q141. _____	Q142. \$ _____

Wall Insulation

Level One	Q143. _____	Q144. \$ _____
Level Two	Q145. _____	Q146. \$ _____
Level Three	Q147. _____	Q148. \$ _____

Q149. What is the TOTAL exterior door area of your MOST POPULAR double section home in square feet? _____

Battelle HUD Code House Survey
September, 1987

Q150. How many exterior doors are there in your MOST POPULAR double section home? _____

Q151-Q163 I'm going to read a list of different types of exterior FRONT doors. For each type, please tell me whether or not it is a standard or optional feature of your MOST POPULAR double section home. If it is optional, what is the extra wholesale cost? The first FRONT door is a Metal Door.

The next FRONT door is (a/an) ...

[1 = STANDARD 2= OPTIONAL 3=NOT AVAILABLE]

Is this a Standard or Optional
Feature or Not Available?

What's the Cost?

Metal Door	Q151. ____	Q152. \$ ____
Insulated Metal Door	Q153. ____	Q154. \$ ____
Wood Door	Q155. ____	Q156. \$ ____
Insulated Metal Door with Storm Door	Q157. ____	Q158. \$ ____
Wood Door with Storm Door	Q159. ____	Q160. \$ ____
Some other type not mentioned	Q161. ____	Q162. \$ ____

Q163. What is the other type of door? _____

Battelle HUD Code House Survey
September, 1987

Q164-Q176 I'm going to read a list of different types of exterior BACK doors. For each type, please tell me whether or not it is a standard or optional feature of your MOST POPULAR double section home. If it is optional, what is the extra wholesale cost? The first BACK door is a Metal Door.

The next BACK door is ...

[1 = STANDARD 2= OPTIONAL 3=NOT AVAILABLE]

	Is this a Standard or Optional Feature or Not Available?	What's the Cost?
Metal Door	Q164. ____	Q165. \$ ____
Insulated Metal Door	Q166. ____	Q167. \$ ____
Wood Door	Q168. ____	Q169. \$ ____
Insulated Metal Door with Storm Door	Q170. ____	Q171. \$ ____
Wood Door with Storm Door	Q172. ____	Q173. \$ ____
Some other type not mentioned	Q174. ____	Q175. \$ ____

Q176. What is the other type of door? _____

Q177-Q190 I'm going to read a list of different types of windows. Please tell me whether or not each is a standard or optional feature of your MOST POPULAR double section home. If it is optional, what is the extra wholesale cost? The first one is Single Pane.

The next one is ...

[1 = STANDARD 2= OPTIONAL 3=NOT AVAILABLE]

	Is this a Standard or Optional Feature or Not Available?	What's the Cost?
Single Pane	Q177. ____	Q178. \$ ____
Dual Pane	Q179. ____	Q180. \$ ____
Triple Pane	Q181. ____	Q182. \$ ____
Storm Windows	Q183. ____	Q184. \$ ____
Aluminum Sash	Q185. ____	Q186. \$ ____
Aluminum Thermal Break Sash	Q187. ____	Q188. \$ ____
Wood Sash	Q189. ____	Q190. \$ ____

Battelle HUD Code House Survey
September, 1987

Q191. What is the approximate window area in your most popular double section home in square feet? _____ Sq Ft.

Q192. Do you construct multiple section homes that contain more than double sections?

- 1.....Yes
2.....No

Q193-Q208 In what states do you site your homes and what percentage of your production is sited in each?

State Code	Percent
Q193. _____	Q194. _____%
Q195. _____	Q196. _____%
Q197. _____	Q198. _____%
Q199. _____	Q200. _____%
Q201. _____	Q202. _____%
Q203. _____	Q204. _____%
Q205. _____	Q206. _____%
Q207. _____	Q208. _____%

Q209. What percentage of your homes are sold through your own dealers? _____ %

Q210. What percentage of your homes are sold through dealers other than your own? _____ %

Q211. For the last question, I would like for you to consider a hypothetical situation. Suppose your company manufactures an energy efficient model. If this energy efficient model costs \$1000 more to produce than a similar BASE MODEL, what would be the difference between the wholesale price of your energy inefficient model and the wholesale price of the BASE MODEL? \$ _____

Q212. What do you THINK the difference would be at the retail level? \$ _____

Battelle HUD Code House Survey
September, 1987

Q213. This completes the interview. I want to thank you for taking the time to talk with me. If you have any other comments I could write them down now.

This image shows a single page of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There is no handwriting or other markings on the paper.

Q214. Enter ending time. (XXXX)

Q215. Enter Termination Code.

- 1.....No Answer or Busy
- 2.....Appointment Made/Call Back
- 3.....Interview Completed
- 4.....Refused
- 5.....Disconnected
- 6.....No Eligible Respondent
- 7.....Terminated by Interviewer
- 8.....Other (Explain on Call Record)

APPENDIX B

HUD NATIONAL MANUFACTURERS' SURVEY DATA

APPENDIX B

HUD NATIONAL MANUFACTURERS SURVEY DATA

M(a)	Question																		
	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	
1	19	8	28	9	1100	1	1	0	95	0	5	1	99	0	0	0	2	0	
2	45	15	28	9	1110	1	1	0	0	0	100	100	0	0	0	0	2	0	
3	38	12	28	9	141	1	1	80	35	0	5	100	0	0	0	0	2	0	
4	38	15	30	9	1055	1	1	10	80	0	10	15	85	0	0	0	2	0	
5	3	15	28	9	300	1	1	75	0	0	25	100	0	0	0	0	2	0	
6	3	15	28	9	330	1	1	50	0	0	50	100	0	0	0	0	2	0	
7	38	1	30	9	135	1	1	50	0	0	40	50	0	50	0	0	1	14	
8	5	50	29	9	1000	1	1	98	0	0	2	100	0	0	0	0	1	40	
9	1	9	29	9	1155	1	1	85	0	0	30	.	0	.	0	0	1	41	
10	14	15	28	9	120	1	1	85	5	0	10	75	25	0	0	0	2	0	
11	5	12	28	9	345	1	1	70	0	0	30	100	0	0	0	0	2	0	
12	49	1	28	9	200	1	1	60	5	0	20	100	.	.	.	0	1	70	
13	15	30	29	9	912	1	1	75	5	1	15	50	40	10	2	17	1	19	
14	41	7	29	9	925	1	1	95	0	1	4	100	0	0	0	0	2	0	
15	9	7	29	9	805	1	1	25	0	0	75	50	0	50	.	0	2	0	
16	9	1	29	9	145	1	1	0	0	0	20	50	0	50	0	0	1	1	
17	10	1	29	9	250	1	1	50	0	0	50	100	0	0	0	0	2	0	
18	22	15	29	9	1015	1	1	100	0	0	0	.	.	.	.	0	2	0	
19	5	7	28	9	245	1	1	99	0	0	1	100	0	0	0	0	2	0	
20	9	1	30	9	1103	1	1	5	0	0	95	80	0	20	.	0	2	0	
21	8	15	28	9	310	1	1	90	0	.	10	100	.	.	.	0	2	0	
22	8	1	28	9	330	1	1	70	0	0	30	100	0	0	0	0	2	0	
23	8	8	29	9	825	1	1	99	0	0	1	100	0	0	0	0	2	0	
24	5	1	28	9	405	1	1	95	0	0	5	100	0	0	0	0	2	0	
25	33	15	1	10	1130	1	1	5	5	0	90	100	0	0	0	0	2	0	
26	5	15	28	9	410	1	1	90	0	0	10	100	0	0	0	0	2	0	
27	3	12	28	9	304	1	1	25	0	0	75	100	0	0	0	0	2	0	
28	33	1	30	9	1035	1	1	5	0	0	95	85	0	15	0	0	2	0	
29	9	15	30	9	1110	1	1	0	0	0	90	1	0	99	0	0	1	22	
30	43	15	2	10	105	1	1	25	5	1	70	98	0	5	.	0	2	0	
31	3	30	30	9	825	1	1	50	0	0	50	100	.	0	0	0	1	113	
32	3	30	29	9	200	1	1	50	0	0	45	100	0	0	0	0	1	22	
33	43	41	30	9	845	2	1	50	0	0	50	50	0	0	.	0	2	0	
34	20	3	30	9	1000	1	1	80	30	0	10	10	2	8	0	0	2	0	
35	40	7	29	9	1215	1	1	1	1	0	98	50	.	50	0	0	2	0	
36	1	15	29	9	245	1	1	30	0	0	70	98	0	2	0	0	1	0	
37	1	1	2	10	107	1	1	12	1	0	87	100	0	0	0	0	2	0	
38	1	50	30	9	902	1	1	30	0	0	70	100	.	.	.	0	2	0	
39	1	1	1	10	807	1	1	10	0	0	90	100	0	0	0	0	2	0	
40	1	24	30	9	850	2	1	25	0	0	75	100	0	0	0	0	2	0	
41	42	41	30	9	930	1	1	3	1	0	90	90	0	0	0	0	2	0	
42	42	50	30	9	1041	1	1	10	10	0	80	100	0	0	0	0	2	0	

(a) Manufacturer number.

Question																		
M	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
43	42	3	1	10	820	1	1	5	1	0	94	100	.	.	.	0	2	0
44	42	1	30	9	1130	1	1	1	1	0	98	99	0	1	0	0	2	0
45	42	50	30	9	830	1	1	1	1	0	98	100	0	0	0	0	2	0
46	43	1	30	9	915	1	1	85	0	0	15	100	0	0	0	0	2	0
47	16	50	30	9	919	1	1	85	0	0	15	100	0	0	0	0	1	66
48	16	15	2	10	210	1	1	95	.	.	5	100	.	.	.	0	2	0
49	38	41	1	10	1045	1	1	45	45	0	10	1	99	0	0	0	2	0
50	38	3	1	10	855	1	1	20	75	0	5	4	1	0	0	0	2	0
51	38	3	1	10	1000	1	1	30	40	0	20	25	75	0	0	0	2	0
52	38	41	1	10	1125	1	1	7	90	0	3	40	60	0	0	0	2	0
53	38	50	1	10	1200	1	1	15	80	0	5	100	.	.	.	0	2	0
54	13	41	1	10	1005	1	1	90	.	.	10	0	0	100	1	73	.	75
55	14	12	2	10	217	1	1	75	25	.	.	.	.	.	.	0	2	0
56	14	12	2	10	110	1	1	90	.	.	10	100	.	.	.	0	2	0
57	14	1	2	10	834	1	1	0	0	0	25	30	3	30	30	37	1	39
58	14	12	20	9	1230	1	1	85	8	0	7	00	40	0	0	0	2	0
59	14	12	30	9	1210	1	1	90	1	0	4	1	99	0	0	0	2	0
60	43	30	1	2	850	1	1	50	5	.	45	50	0	50	.	0	2	0
61	43	41	1	10	850	1	1	5	0	0	95	95	0	3	0	0	2	0
62	43	1	1	10	900	1	1	45	0	0	55	98	0	2	0	0	2	0
63	43	15	1	10	1035	1	1	90	0	0	10	100	0	0	0	0	2	0
64	43	15	1	10	911	1	1	60	0	0	33	100	0	0	0	0	2	0
65	43	50	1	10	920	1	1	100	0	0	0	.	.	.	.	0	0	118
66	43	15	1	10	1105	1	1	30	0	0	70	100	0	0	0	0	2	0
67	43	3	1	10	931	1	1	80	0	0	20	100	.	.	.	0	1	151
68	43	3	1	10	1030	1	1	45	0	.	55	55	.	.	.	0	2	0
69	10	49	1	10	1115	1	1	50	0	0	50	100	.	.	.	0	2	0
70	10	1	1	10	1013	1	1	50	0	0	50	75	0	25	0	0	2	0
71	10	49	1	10	1205	1	1	54	1	0	45	100	0	0	0	0	2	0
72	10	41	1	10	1020	1	1	85	0	0	15	100	0	0	0	0	2	0
73	10	3	1	10	1102	1	1	1	1	0	98	97	0	1	0	0	1	123
74	33	50	1	10	1149	1	1	9	1	0	90	100	0	0	0	0	2	0
75	33	15	1	10	1245	1	1	5	0	0	95	100	0	0	0	0	2	0
76	23	49	2	10	817	1	1	90	5	0	5	5	0	0	.	0	2	0
77	9	41	2	10	825	1	1	0	0	0	100	0	0	100	0	0	2	0
78	33	1	2	10	1013	1	1	2	1	0	97	100	0	0	0	0	2	0
79	33	1	2	10	917	1	1	10	5	0	85	100	0	0	0	0	2	0
80	9	8	2	10	1035	1	1	0	0	0	100	100	0	0	0	0	2	0
81	10	1	2	10	1047	1	1	48	2	2	48	100	0	0	0	0	2	0
82	10	12	2	10	1130	1	1	70	.	.	30	100	.	.	.	0	2	0
83	33	1	2	10	107	1	1	1	1	0	99	99	0	1	0	0	2	0

Question																					
M	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
1	.	3	.	1	.	1	.	1	.	1	.	1	1	80	90	88	14	22	11	11	2
2	.	1	.	2	.	1	.	1	.	1	.	1	1	60	90	88	14	14	7	11	2
3	.	2	250	3	.	1	.	1	.	1	.	29	1	50	84	70	14	11	11	7	2
4	.	1	.	2	.	1	.	1	.	1	.	0	1	20	84	88	14	14	7	11	2
5	.	1	.	1	.	1	.	3	.	1	.	127	1	50	84	64	16	11	7	7	2
6	.	1	.	1	.	1	.	1	.	3	.	0	1	40	90	80	16	14	7	7	2
7	10	3	.	2	75	1	.	1	.	1	.	19	1	75	84	80	14	10	12	11	2
8	2	1	.	1	.	1	.	1	.	1	.	0	1	2	90	80	14	11	7	7	2
9	5	1	.	3	.	1	.	1	.	1	.	0	1	10	90	80	14	14	7	7	2
10	.	1	.	1	.	1	.	1	.	1	.	54	1	75	90	88	13	19	11	11	2
11	.	1	.	1	.	1	.	1	.	1	.	159	1	48	100	70	14	14	7	14	2
12	15	1	.	1	.	1	.	1	.	1	.	75	1	60	84	80	16	22	11	19	2
13	1	3	.	1	.	1	.	1	.	1	.	24	2	.	.	.	.	.	.	.	.
14	.	1	.	1	.	1	.	1	.	1	.	29	1	50	90	75	14	19	11	11	2
15	.	1	.	1	.	2	.	1	.	1	.	85	1	10	84	58	14	11	7	7	2
16	80	1	.	2	350	1	.	1	.	1	.	6	1	10	84	88	14	11	11	7	2
17	.	1	.	1	.	1	.	1	.	1	.	54	1	30	84	88	14	11	7	7	2
18	.	1	.	1	.	1	.	1	.	3	.	0	1	50	.	.	.	11	11	7	2
19	.	1	.	1	.	1	.	1	.	1	.	86	2	.	.	.	.	.	.	.	.
20	.	1	.	2	250	2	400	3	.	1	.	104	2	.	.	.	.	.	.	.	.
21	.	1	.	1	.	3	.	1	.	1	.	59	1	20	90	74	16	11	11	11	2
22	.	1	.	1	.	1	.	1	.	1	.	181	1	45	84	78	14	11	11	11	2
23	.	1	.	1	.	1	.	1	.	1	.	56	1	1	90	80	16	19	11	14	2
24	.	1	.	3	.	1	.	1	.	3	.	0	2	.	.	.	.	.	.	.	.
25	.	1	.	2	.	1	.	1	.	1	.	123	1	50	90	88	14	14	7	7	.
26	.	1	.	1	.	1	.	1	.	3	.	143	1	12	90	88	14	14	7	7	2
27	.	1	.	1	.	1	.	1	.	1	.	105	1	20	90	72	16	30	11	11	2
28	.	1	.	1	.	1	.	1	.	1	.	1	1	18	90	70	14	14	11	11	2
29	10	1	.	1	.	1	.	1	.	1	.	27	1	30	84	52	14	14	7	11	2
30	.	1	.	1	.	1	.	1	.	1	.	0	1	60	84	70	14	11	7	7	2
31	.	1	.	1	.	1	.	1	.	1	.	118	1	50	84	80	16	11	7	11	2
32	5	1	.	1	.	2	100	1	.	1	.	27	1	40	90	88	16	14	14	14	2
33	.	1	.	1	.	1	.	1	.	1	.	0	1	20	114	80	16	20	11	11	2
34	.	1	.	1	.	1	.	1	.	1	.	63	1	33	84	88	14	11	11	11	2
35	.	1	.	1	.	1	.	1	.	1	.	0	1	15	84	88	13	30	19	11	2
36	.	1	.	1	.	1	.	1	.	1	.	1	1	55	84	70	14	12	7	7	2
37	.	1	.	1	.	1	.	1	.	1	.	0	1	33	96	88	14	14	7	7	2
38	.	1	.	2	230	1	.	1	.	3	.	47	1	90	96	80	14	12	7	7	2
39	.	1	.	1	.	1	.	1	.	1	.	85	1	75	96	70	14	11	7	7	2
40	.	1	.	2	.	2	.	2	.	1	.	0	1	50	84	70	15	12	7	7	2
41	.	1	.	1	.	2	30	1	.	1	.	61	1	100	84	88	14	21	14	11	2
42	.	3	.	1	.	1	.	1	.	1	.	17	1	60	90	72	14	14	11	11	2

Question																					
M	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
43	.	3	.	2	105	3	.	1	.	1	.	145	1	100	84	66	14	14	7	11	2
44	.	2	100	1	.	1	.	1	.	1	.	8	1	100	120	56	14	16	14	11	2
45	.	1	.	1	.	1	.	1	.	1	.	0	1	100	84	50	14	11	11	11	2
46	.	3	.	1	.	3	.	1	.	1	.	88	1	100	84	80	16	14	7	7	2
47	.	3	.	1	.	1	.	3	.	3	.	71	1	70	84	66	14	10	11	11	2
48	.	1	.	1	.	1	.	1	.	1	.	0	1	10	90	80	16	14	11	11	2
49	.	1	.	1	.	1	.	1	.	1	.	20	1	30	90	70	14	19	11	19	2
50	.	1	.	2	250	1	.	3	.	1	.	216	1	50	84	66	14	11	11	11	2
51	.	1	.	1	.	1	.	1	.	1	.	17	1	40	90	70	14	19	11	13	2
52	.	1	.	1	.	1	.	1	.	1	.	167	1	90	96	70	14	19	11	11	2
53	.	1	.	1	.	1	.	1	.	1	.	0	1	80	84	70	14	14	7	7	2
54	.	1	.	1	.	1	.	1	.	1	.	80	2	.	.	.	.	.	.	.	.
55	.	1	.	1	.	1	.	3	.	1	.	0	1	60	96	66	14	19	11	19	2
56	.	3	.	2	100	1	.	1	.	1	.	113	1	70	84	72	14	11	7	7	2
57	15	1	.	1	.	1	.	1	.	1	.	44	1	10	94	44	24	22	19	11	2
58	.	1	.	1	.	1	.	1	.	1	.	32	1	60	92	65	14	19	11	13	2
59	.	3	.	1	.	1	.	1	.	1	.	1	1	30	90	66	14	19	11	19	2
60	.	1	.	2	150	1	.	1	.	3	.	172	1	20	84	60	14	14	11	11	2
61	.	3	.	1	.	1	.	1	.	1	.	1	1	25	96	76	16	21	7	11	2
62	.	1	.	3	.	1	.	1	.	1	.	197	1	20	96	78	16	19	11	11	2
63	.	1	.	2	150	1	.	1	.	1	.	62	1	45	90	80	17	14	7	7	2
64	.	1	.	2	150	1	.	1	.	1	.	45	1	60	96	76	16	12	7	7	2
65	0	1	.	1	.	1	.	1	.	1	.	123	1	25	100	76	14	11	7	7	2
66	.	1	.	1	.	1	.	1	.	1	.	1	2	.	.	.	.	.	.	.	.
67	.	1	.	3	.	1	.	1	.	1	.	156	1	90	84	76	16	12	7	7	2
68	.	1	.	1	.	1	.	1	.	1	.	48	1	2	90	76	16	12	7	7	2
69	.	1	.	1	.	1	.	1	.	1	.	0	1	40	84	70	14	14	7	7	2
70	.	1	.	.	.	1	.	1	.	3	.	90	1	50	84	70	14	14	7	7	2
71	.	1	.	1	.	1	.	1	.	1	.	176	1	30	90	66	14	14	11	13	2
72	.	1	.	1	.	1	.	1	.	1	.	95	1	50	84	66	14	11	7	7	2
73	2	1	.	1	.	1	.	3	.	3	.	128	1	53	84	70	14	11	7	7	2
74	.	1	.	1	.	1	.	1	.	1	.	139	1	75	84	72	14	14	11	7	2
75	.	1	.	1	.	1	.	1	.	1	.	164	1	60	84	66	14	11	7	7	2
76	.	1	.	1	.	1	.	1	.	1	.	0	1	70	84	80	16	19	7	11	2
77	.	1	.	1	.	3	.	1	.	1	.	204	1	10	90	38	12	19	7	11	2
78	.	1	.	1	.	1	.	1	.	1	.	4	1	52	84	66	14	11	11	7	2
79	.	3	.	1	.	1	.	1	.	3	.	0	1	30	84	70	14	11	11	7	2
80	.	1	.	2	150	1	.	1	.	1	.	0	1	2	84	34	12	26	7	11	2
81	.	3	.	1	.	1	.	1	.	1	.	160	1	50	84	70	14	14	7	7	2
82	.	1	.	1	.	1	.	1	.	1	.	0	1	20	84	56	14	14	7	7	.
83	.	1	.	1	.	1	.	1	.	1	.	141	1	100	84	70	14	12	11	11	2

Question																			
M	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59
1	4	22	11	11	2	4	33	200	.	.	.	.	.	.	.	.	22	300	.
2	4	.	.	.	2	4	19	.	30	.	.	.	.	.	.	.	11	.	19
3	4	11	11	11	2	4	21	155	.	.	.	.	.	.	.	.	27	240	.
4	44	14	7	11	2	4	19	.	30	.	.	.	.	.	.	.	11	.	14
5	4	33	7	11	2	4	22	185	33	185	.	.	.	.	.	.	11	80	.
6	4	22	11	11	2	4	22	155	.	.	.	.	.	.	.	.	11	100	14
7	4	10	12	11	2	4	18	50	33	175	.	.	.	.	.	.	18	50	.
8	6	11	7	7	6	6	18	110	.	.	.	.	.	.	.	.	11	65	18
9	4	19	11	11	2	4	16	.	19	.	21	.	28	.	30	.	11	.	14
10	4	19	11	11	2	4	30	225	38	350	.	.	.	.	.	.	22	250	.
11	4	21	7	14	2	4	21	.	24	.	27	.	31	.	.	.	14	.	.
12	6	22	11	19	2	6	33	100	.	.	.	.	.	.	.	.	22	100	.
13	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
14	6	19	11	19	2	6	28	180	.	.	.	.	.	.	.	99	.	.	.
15	4	11	7	7	2	4	14	.	21	.	28	.	.	.	.	.	14	.	.
16	4	11	11	7	2	4	17	.	.	.	.	.	.	.	.	.	22	.	.
17	4	11	7	7	2	4	22	100	30	250	.	.	.	.	.	.	14	75	21
18	4	11	11	7	2	4	.	.	.	.	.	.	.	.	.	.	.	.	.
19	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
20	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
21	4	22	11	19	2	4	22	150	33	310	.	.	.	.	.	.	22	155	33
22	4	21	11	11	2	4	21	125	33	285	.	.	.	.	.	.	22	125	.
23	6	28	11	19	2	6	28	400	38	600	.	.	.	.	.	.	22	300	.
24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25	.	14	11	11	.	.	30	.	22	.	14	.	.	.	.	.	11	.	19
26	4	14	7	7	2	4	21	.	.	.	.	.	.	.	.	.	14	.	.
27	4	30	11	11	2	4	.	.	.	.	.	.	.	.	.	.	.	.	.
28	4	22	11	11	2	4	22	80	30	200	.	.	.	.	.	.	22	165	.
29	4	30	11	19	2	4	19	.	30	.	.	.	.	.	.	.	7	.	11
30	3	14	11	11	2	3	14	.	19	.	30	.	.	.	.	.	11	.	14
31	4	11	7	11	2	4	19	180	30	360	.	.	.	.	.	.	11	360	.
32	4	30	14	14	2	4	21	.	30	.	.	.	.	.	.	.	.	.	.
33	4	20	11	11	2	4	.	.	.	.	.	.	.	.	.	.	.	.	.
34	4	22	11	11	2	4	22	200	30	400	.	.	.	.	.	.	22	300	.
35	4	30	19	11	2	4	.	.	.	.	.	.	.	.	.	.	.	.	.
36	4	17	7	11	2	4	17	100	21	150	.	.	.	.	.	.	11	100	14
37	4	14	14	11	2	4	21	150	28	300	.	.	.	.	.	.	14	150	21
38	4	19	7	7	2	4	19	100	28	207	.	.	.	.	.	.	14	90	21
39	4	14	11	11	2	4	14	145	21	240	28	325	.	.	.	.	11	50	14
40	4	12	7	7	2	4	29	.	.	.	.	.	.	.	.	.	19	.	.
41	4	21	14	11	2	4	.	.	.	.	.	.	.	.	.	.	.	.	.
42	4	21	11	11	2	4	21	95	28	185	.	.	.	.	.	.	22	95	.

Question																			
M	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59
43	4	14	7	11	2	4	21	93	.	.	.	.	.	.	.	.	11	50	.
44	4	21	14	11	2	4	21	128	.	.	.	.	.	.	.	.	.	.	.
45	4	11	11	11	2	4	18	60	26	300	.	.	.	.	.	.	22	100	.
46	4	14	7	7	2	4	21	175	28	320	.	.	.	.	.	.	11	80	.
47	4	21	11	11	2	4	21	150	.	.	.	.	.	.	.	.	.	.	.
48	4	22	11	19	2	6	22	125	33	225	.	.	.	.	.	.	.	.	22
49	6	30	11	19	2	6	30	200	.	.	.	.	.	.	.	.	22	200	.
50	4	19	11	11	2	4	19	200	.	.	.	.	.	.	.	.	19	200	.
51	4	26	19	13	2	4	26	135	.	.	.	.	.	.	.	.	19	175	.
52	6	19	11	19	2	6	30	130	.	.	.	.	.	.	.	.	22	60	.
53	4	19	11	11	2	4	19	.	.	.	.	.	.	.	.	.	14	.	.
54	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
55	6	19	11	19	2	6	30	175	.	.	.	.	.	.	.	.	22	175	.
56	4	21	11	19	2	6	.	.	.	.	.	.	.	.	.	.	.	.	.
57	4	22	19	13	2	4	30	300	35	401	40	422	50	464	.	.	.	.	.
58	4	30	11	19	2	6	30	150	.	.	.	.	.	.	.	.	22	150	.
59	6	19	11	19	2	6	30	150	.	.	.	.	.	.	.	.	19	100	.
60	4	11	11	11	2	4	19	.	22	.	28	.	30	.	.	.	14	.	19
61	4	21	7	11	2	4	30	.	.	.	.	.	.	.	.	.	11	.	.
62	4	30	11	19	2	6	30	300	.	.	.	.	.	.	.	.	.	.	.
63	4	24	11	11	2	4	24	100	30	150	.	.	.	.	.	.	11	75	19
64	4	12	7	7	2	4	20	135	30	168	.	.	.	.	.	.	11	68	.
65	4	11	7	7	2	4	22	.	.	.	.	.	.	.	.	.	14	.	.
66	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
67	4	12	7	7	2	4	19	100	33	125	.	.	.	.	.	.	14	100	.
68	4	20	11	11	2	4	19	.	28	.	30	.	.	.	.	.	11	.	.
69	4	14	7	7	2	4	22	100	.	.	.	.	.	.	.	.	14	500	.
70	4	21	7	11	2	4	21	150	28	150	.	.	.	.	.	.	21	200	.
71	4	21	11	13	2	4	28	.	.	.	.	.	.	.	.	.	22	.	.
72	4	11	7	7	2	4	17	.	.	.	.	.	.	.	.	.	11	.	.
73	4	19	9	9	2	4	14	.	24	.	30	.	.	.	.	.	19	.	.
74	4	22	11	11	2	4	.	.	.	.	.	.	.	.	.	.	.	.	.
75	4	11	7	7	2	4	14	.	19	.	26	.	.	.	.	.	11	.	11
76	4	21	11	19	2	6	.	.	.	.	.	.	.	.	.	.	11	75	.
77	4	19	7	11	2	4	30	100	.	.	.	.	.	.	.	.	.	.	.
78	4	11	11	11	2	4	22	240	.	.	.	.	.	.	.	.	22	240	.
79	4	11	11	11	2	4	22	125	26	145	33	165	.	.	.	.	22	125	.
80	4	26	7	11	2	4	.	.	.	.	.	.	.	.	.	.	14	50	.
81	4	14	7	7	2	4	21	107	30	200	.	.	.	.	.	.	14	107	19
82	.	21	14	14	.	.	21	.	.	.	.	.	.	.	.	.	14	.	.
83	4	12	11	11	2	4	19	85	30	230	.	.	.	.	.	.	22	164	.

Question																					
M	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80
1	.	.	.	19	.	.	.	.	.	40	2	1	.	1	.	3	.	1	.	3	.
2	.	.	.	11	.	19	.	.	.	35	2	1	.	1	.	3	.	2	3	3	.
3	.	.	.	11	180	.	.	.	.	36	2	1	.	3	.	3	.	2	230	3	.
4	.	19	.	14	.	19	.	.	.	35	2	2	.	1	.	2	.	2	.	2	.
5	.	.	.	11	80	.	.	.	.	34	2	2	175	1	.	3	.	1	.	3	.
6	160	.	.	.	.	.	.	.	.	32	2	3	.	1	.	3	.	2	.	3	.
7	.	.	.	19	200	.	.	.	.	42	2	3	.	1	.	3	.	1	.	3	.
8	150	.	.	.	.	11	60	.	.	36	2	1	.	1	.	2	300	3	.	3	.
9	.	.	.	11	.	19	.	.	.	40	3	1	.	1	.	2	.	2	.	2	.
10	.	.	.	19	225	.	.	.	.	40	2	2	.	1	.	3	.	1	.	3	.
11	.	.	.	21	.	.	.	.	.	56	2	3	.	1	.	2	.	2	.	2	.
12	.	.	.	.	.	.	.	.	.	40	2	3	.	3	.	3	.	3	.	.	.
13	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
14	.	.	.	19	75	.	.	.	.	34	2	1	.	1	.	3	.	2	85	2	.
15	.	.	.	11	.	.	.	.	.	35	2	3	.	3	.	3	.	2	.	3	.
16	.	.	.	11	.	.	.	.	.	33	2	1	.	3	.	3	.	2	230	3	.
17	150	.	.	11	125	.	.	.	.	36	2	1	.	3	.	3	.	2	105	3	.
18	.	.	.	.	.	.	.	.	.	33	2	1	.	1	.	3	.	3	.	3	.
19	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
20	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
21	310	.	.	19	495	23	495	.	.	38	2	3	.	1	.	3	.	2	115	3	.
22	.	.	.	.	210	.	.	.	.	.	2	1	.	3	.	3	.	3	.	3	.
23	.	.	.	19	196	.	.	.	.	32	2	1	.	1	.	3	.	2	125	3	.
24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25	.	.	.	11	.	.	.	.	.	34	2	3	.	2	.	2	.	1	.	2	.
26	.	.	.	11	.	.	.	.	.	37	2	3	.	1	.	3	.	3	.	3	.
27	.	.	.	19	600	.	.	.	.	36	2	1	.	1	.	2	300	2	175	2	475
28	.	.	.	.	.	.	.	.	.	40	2	3	.	1	.	3	.	2	60	.	.
29	.	22	.	19	.	.	.	.	.	36	2	1	.	2	.	3	.	2	.	3	.
30	.	16	.	11	.	19	.	.	.	40	2	1	.	2	.	3	.	2	.	3	.
31	.	.	.	.	.	.	.	.	.	36	2	1	.	1	.	3	.	2	190	3	.
32	.	.	.	19	.	.	.	.	.	34	2	3	.	1	.	3	.	2	80	3	.
33	.	.	.	.	.	19	550	.	.	48	2	3	.	3	.	3	.	2	95	3	.
34	.	.	.	.	.	.	.	.	.	21	2	1	.	2	50	1	.	2	200	1	.
35	.	.	.	.	.	.	.	.	.	38	2	3	.	1	.	3	.	2	100	3	.
36	150	.	.	11	100	.	.	.	.	38	2	3	.	1	.	3	.	2	175	3	.
37	300	.	.	11	75	14	100	18	275	70	2	1	.	1	.	3	.	1	.	3	.
38	150	.	.	11	50	.	.	.	.	33	2	1	.	1	.	3	.	1	.	3	.
39	.	19	105	11	.	14	.	.	.	42	2	3	.	3	.	3	.	3	.	3	.
40	.	.	.	11	.	.	.	.	.	48	2	2	.	2	.	2	.	2	.	2	.
41	.	.	.	.	.	.	.	.	.	.	2	3	.	1	.	1	.	1	.	3	.
42	.	.	.	.	.	.	.	.	.	40	2	3	.	1	.	3	.	2	65	3	.

Question																						
M	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	
43	.	.	.	.	.	.	.	.	.	.	2	3	.	3	.	3	.	3	.	3	.	
44	.	.	.	14	68	.	.	.	.	18	3	1	.	1	.	3	.	1	.	3	.	
45	.	.	.	.	.	.	.	.	.	38	2	3	.	3	.	3	.	2	110	3	.	
46	.	.	.	11	175	.	.	.	.	37	2	1	.	1	.	2	120	2	200	3	.	
47	.	.	.	.	.	.	.	.	.	33	2	3	.	1	.	3	.	2	160	3	.	
48	.	.	.	19	450	.	.	.	.	40	2	3	.	2	75	1	.	2	75	1	.	
49	.	.	.	.	.	.	.	.	.	38	2	3	.	3	.	3	.	2	90	3	.	
50	.	.	.	13	60	17	600	.	.	.	2	1	.	3	.	3	.	2	210	3	.	
51	.	.	.	.	.	.	.	.	.	19	2	3	.	3	.	3	.	3	.	3	.	
52	.	.	.	19	110	.	.	.	.	30	2	1	.	1	.	3	.	1	.	3	.	
53	.	.	.	14	.	.	.	.	.	32	2	1	.	2	.	2	.	2	.	2	.	
54	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
55	.	.	.	.	.	.	.	.	.	36	2	3	.	3	.	3	.	1	.	3	.	
56	.	.	.	.	.	.	.	.	.	36	2	3	.	3	.	3	.	3	.	3	.	
57	.	.	.	13	.	22	.	.	.	36	2	3	.	3	.	3	.	1	.	1	.	
58	.	.	.	22	280	.	.	.	.	42	2	3	.	3	.	3	.	1	.	3	.	
59	.	.	.	.	.	.	.	.	.	40	2	3	.	3	.	3	.	1	.	3	.	
60	.	.	.	13	.	19	.	.	.	74	2	3	.	1	.	3	.	2	150	3	.	
61	.	.	.	19	.	.	.	.	.	42	2	3	.	1	.	3	.	2	75	3	.	
62	.	.	.	19	265	.	.	.	.	38	2	3	.	3	.	3	.	1	.	3	.	
63	105	.	.	11	100	19	350	.	.	66	2	3	.	1	.	3	.	2	85	2	150	
64	.	.	.	11	68	19	100	.	.	36	2	3	.	3	.	3	.	2	175	3	.	
65	.	.	.	14	.	.	.	.	.	35	2	1	.	3	.	3	.	2	.	3	.	
66	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
67	.	.	.	11	100	.	.	.	.	36	2	1	.	3	.	3	.	2	195	3	.	
68	.	.	.	11	.	19	.	.	.	36	2	1	.	3	.	2	150	1	.	2	150	
69	.	.	.	11	500	.	.	.	.	18	2	1	.	1	.	3	.	2	150	3	.	
70	.	.	.	11	150	.	.	.	.	39	2	1	.	2	125	3	.	2	125	3	.	
71	.	.	.	.	.	.	.	.	.	35	2	3	.	1	.	3	.	2	95	3	.	
72	.	.	.	11	.	.	.	.	.	33	2	3	.	1	.	3	.	2	230	2	115	
73	.	.	.	9	.	11	.	.	.	17	2	3	.	2	185	3	.	2	185	3	.	
74	.	.	.	.	.	.	.	.	.	36	2	3	.	3	.	3	.	2	175	3	.	
75	.	22	.	11	.	11	.	11	.	40	2	3	.	3	.	3	.	3	.	3	.	
76	.	.	.	19	275	.	.	.	.	36	2	3	.	1	.	3	.	2	160	2	210	
77	.	.	.	.	.	.	.	.	.	18	2	1	.	3	.	3	.	3	.	3	.	
78	.	.	.	11	95	.	.	.	.	36	2	3	.	1	.	3	.	2	115	2	240	
79	.	.	.	11	95	.	.	.	.	98	2	3	.	3	.	3	.	2	210	2	110	
80	.	.	.	.	.	.	.	.	.	36	2	3	.	1	.	3	.	2	80	3	.	
81	.	.	.	11	61	19	150	.	.	19	2	3	.	2	175	3	.	2	115	3	.	
82	.	.	.	14	.	.	.	.	.	46	2	3	.	1	.	3	.	2	145	3	.	
83	.	.	.	.	.	.	.	.	.	.	2	3	.	3	.	1	.	2	125	2	95	

Question																				
M	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
1	3	.	0	1	.	1	.	3	.	1	.	3	.	3	.	0	3	.	1	.
2	1	.	6	1	.	1	.	3	.	2	0	3	.	1	.	9	1	.	1	.
3	3	.	0	1	.	3	.	3	.	2	115	3	.	2	55	34	1	.	2	240
4	3	.	0	2	.	1	.	2	.	2	.	2	.	3	.	0	1	.	2	.
5	3	.	0	1	.	3	.	3	.	3	.	3	.	3	.	0	1	.	2	30
6	3	.	0	3	.	1	.	3	.	2	.	3	.	3	.	0	1	.	2	400
7	2	120	24	3	.	1	.	3	.	2	45	3	.	2	150	27	1	.	2	300
8	3	.	0	1	.	2	150	3	.	3	.	3	.	3	.	0	1	.	2	340
9	3	.	0	3	.	1	.	3	.	3	.	3	.	3	.	0	1	.	1	.
10	3	.	0	3	.	1	.	3	.	2	100	3	.	3	.	0	1	.	2	.
11	2	.	164	3	.	1	.	3	.	2	.	3	.	2	.	167	1	.	2	.
12	1	.	80	3	.	1	.	3	.	2	175	3	.	3	.	0	1	.	2	800
13	.	.	0	.	.	.	.	.	.	.	.	.	.	.	.	0	.	.	.	.
14	2	176	34	2	.	2	.	3	.	2	.	3	.	1	.	37	1	.	2	900
15	.	.	90	3	.	1	.	3	.	3	.	3	.	.	.	93	1	.	3	.
16	.	.	0	1	.	3	.	3	.	2	230	3	.	.	.	0	1	.	3	.
17	.	.	0	1	.	3	.	3	.	2	105	3	.	.	.	0	1	.	3	.
18	2	.	62	3	.	1	.	3	.	3	.	3	.	2	.	65	1	.	2	.
19	.	.	0	.	.	.	.	.	.	.	.	.	.	.	.	0	.	.	.	.
20	.	.	0	.	.	.	.	.	.	.	.	.	.	.	.	0	.	.	.	.
21	2	230	64	3	.	1	.	3	.	2	115	3	.	2	230	67	1	.	2	130
22	2	75	186	1	.	3	.	3	.	3	.	3	.	2	75	189	1	.	2	250
23	3	.	0	3	.	1	.	3	.	2	125	3	.	3	.	0	1	.	2	600
24	.	.	0	.	.	.	.	.	.	.	.	.	.	.	.	0	.	.	.	.
25	3	.	0	2	.	1	.	2	.	2	.	2	.	3	.	0	1	.	2	.
26	3	.	0	3	.	1	.	3	.	3	.	3	.	3	.	0	1	.	2	.
27	2	250	110	1	.	1	.	2	300	2	350	2	475	3	.	0	1	.	2	500
28	.	.	0	3	.	1	.	3	.	2	60	3	.	.	.	0	1	.	3	.
29	3	.	0	1	.	2	.	3	.	2	.	3	.	3	.	0	1	.	3	.
30	2	.	24	1	.	2	.	3	.	2	.	3	.	2	.	27	1	.	2	.
31	2	240	123	3	.	1	.	3	.	2	190	3	.	2	240	128	1	.	2	240
32	2	.	32	3	.	1	.	3	.	2	80	3	.	3	.	0	1	.	2	.
33	1	.	169	3	.	1	.	3	.	3	.	3	.	2	150	172	3	.	1	.
34	.	.	68	1	.	2	200	2	150	2	400	2	200	.	.	71	1	.	2	2000
35	3	.	0	3	.	1	.	3	.	2	100	3	.	3	.	0	1	.	3	.
36	2	95	6	3	.	1	.	3	.	2	175	3	.	2	95	9	1	.	3	.
37	2	120	1	3	.	1	.	3	.	2	100	3	.	2	170	4	1	.	2	700
38	3	.	0	1	.	1	.	3	.	2	95	3	.	3	.	0	1	.	2	500
39	1	.	90	1	.	3	.	3	.	3	.	3	.	2	140	93	1	.	3	.
40	1	.	146	2	.	2	.	2	.	2	.	2	.	1	.	149	1	.	2	.
41	3	.	0	1	.	3	.	3	.	2	75	3	.	3	.	0	3	.	1	.
42	3	.	0	1	.	2	125	3	.	2	65	3	.	3	.	0	3	.	3	.

Question																				
M	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
43	1		150	3		1		3		2	85	3		3		0	1		3	
44	3		0	3		1		3		1		3		2	250	11	3		1	
45	3		0	3		3		3		2	110	3		3		0	3		1	
46	3		0	1		1		2	120	2	200	3		3		0	1		3	
47	2	180	76	3		1		3		2	180	3		2	180	79	1		3	
48	3		0	3		1		3		2	135	2	95	2	120	64	1		3	
49	1		25	3		3		3		2	90	3		1		28	3		1	
50	1		221	1		3		3		2	210	3		1		224	1		2	75
51	1		22	3		1		3		3		3		2	75	25	1		2	495
52	3		0	1		1		3		2	100	3		3		0	1		3	
53	3		0	1		2		2		2		2		3		0	1		2	
54			0													0				
55	2	425	47	3		3		3		1		3		3		0	1		3	
56	2		118	3		3		3		3		3		2		121	1		3	
57	3		0	3		3		3		1		1		3		0	3		1	
58	3		0	3		3		3		1		3		2	140	37	1		2	
59	3		0	3		3		3		1		3		3		0	3		1	
60	2		177	3		1		3		3		3		2		180	1		3	
61	3		0	3		1		3		2	75	3		3		0	1		3	
62	3		0	1		2	125	3		2	125	3		3		0	3		1	
63	2	300	67	3		1		3		2	85	2	150	2	200	70	1		2	400
64	2	120	50	3		3		3		2	200	3		2	120	53	1		3	
65	2		128	1		3		3		2		3		2		131	3		1	
66			0													0				
67	3		0	1		3		3		2	195	3		3		0	1		3	
68			53	1		3		3		2	125	2	150	2		56	1		2	
69	3		0	1		1		3		2	150	3		3		0	1			
70	2	185	95	1		3		3		3		3		2	15	98	1		3	
71	2	285	181	3		1		3		2	95	3		2	285	184	1		2	550
72	2	190	100	3		1		3		2	230	2	115	2	190	103	3		1	
73	2	100	133	3		2	185	3		2	185	3		2	45	136	1		3	
74	1		144	3		3		3		2	270	3		1		147	3		3	
75	1		169	3		3		3		3		3		1		172	1		3	
76	3		0	3		1		3		2	160	2	210	3		0	1		2	75
77	3		0	3		3		3		3		3		3		0	1		3	
78	3		0	3		1		3		2	115	2	240	3		0	1		2	130
79	1		20	1		3		3		2	210	2	110	3		0	3		1	
80	3		0	3		1		3		2	80	3		3		0	1		3	
81	3		0	3		1		3		2	115	3		3		0	1		3	
82	3		0	3		1		3		2	145	3		3		0	1		3	
83	3		0	3		3		1		3		2	95	2	40	146	1		3	

M	Question																		
	101	102	103	104	105	106	107	108	109	110	111(a)	112	113	114	115	116	117	118	119
1	2	.	3	.	1	.	1	.	2	1500	120	1	20	90	44	28	22	11	11
2	2	.	1	.	1	.	3	.	3	.	138	1	40	90	60	24	14	7	11
3	3	.	2	240	3	.	2	1095	3	.	45	1	50	84	52	28	11	11	7
4	3	.	3	.	1	.	2	.	2	.	88	1	75	84	60	14	14	7	11
5	3	.	2	320	1	.	3	.	3	.	.	1	50	84	58	28	22	11	11
6	3	.	2	400	3	.	3	.	3	.	110	1	60	90	64	28	14	11	11
7	3	.	2	140	3	.	3	.	2	400	80	1	25	84	58	28	10	12	11
8	3	.	3	.	3	.	3	.	3	.	218	1	98	90	60	28	11	7	7
9	3	.	3	.	1	.	1	.	2	.	100	1	90	90	58	24	14	7	7
10	3	.	1	.	1	.	3	.	2	.	165	1	20	90	60	28	19	11	11
11	3	.	2	.	2	.	3	.	3	.	338	1	50	90	60	28	14	7	7
12	3	.	2	200	3	.	2	800	2	800	140	1	40	90	58	28	22	11	19
13	.	.	.	.	.	.	.	.	.	.	.	1	100	90	48	28	30	.	15
14	3	.	2	90	3	.	3	.	1	.	.	1	50	90	60	28	19	11	19
15	3	.	3	.	1	.	3	.	3	.	100	1	90	84	48	28	11	7	7
16	3	.	2	210	3	.	3	.	3	.	98	1	.	84	68	14	11	11	7
17	3	.	2	25	3	.	3	.	3	.	45	1	70	84	58	28	11	7	7
18	3	.	1	.	1	.	3	.	3	.	.	1	50	.	.	.	11	11	7
19	.	.	.	.	.	.	.	.	.	.	.	1	50	90	60	24	19	7	7
20	.	.	.	.	.	.	.	.	.	.	.	1	100	100	52	28	28	11	11
21	2	1090	2	130	1	.	3	.	2	850	68	1	80	84	48	27	11	11	11
22	2	400	2	200	1	.	3	.	3	.	120	1	55	84	58	28	11	11	11
23	2	1000	3	.	1	.	3	.	2	1100	180	1	80	90	58	28	19	11	14
24	.	.	.	.	.	.	.	.	.	.	.	1	65	98	48	24	11	7	11
25	2	.	2	.	1	.	2	.	2	.	135	1	50	90	64	28	14	11	11
26	3	.	3	.	1	.	3	.	3	.	.	1	88	90	60	24	14	7	7
27	3	.	2	300	1	.	3	.	3	.	70	1	80	90	60	28	30	11	11
28	3	.	1	.	1	.	3	.	3	.	90	1	87	90	64	28	14	11	11
29	3	.	2	0	1	.	3	.	3	.	90	1	80	84	60	27	14	7	11
30	3	.	1	.	1	.	3	.	3	.	100	1	40	84	58	28	11	7	7
31	3	.	3	.	3	.	3	.	3	.	.	1	50	84	50	28	11	7	11
32	3	.	2	.	3	.	3	.	3	.	100	1	60	90	64	28	21	14	14
33	3	.	2	400	1	.	3	.	2	800	.	1	70	120	60	28	20	11	11
34	3	.	1	.	1	.	3	.	2	2000	15	1	87	90	48	24	11	11	11
35	3	.	1	.	3	.	2	600	3	.	120	1	85	84	64	28	30	19	11
36	3	.	2	150	3	.	3	.	3	.	150	1	45	84	58	28	12	7	7
37	3	.	2	175	3	.	3	.	3	.	85	1	88	90	58	28	14	7	7
38	3	.	2	175	3	.	3	.	3	.	38	2	.	.	.	.	.	.	.
39	3	.	2	200	3	.	3	.	3	.	75	1	25	98	60	28	14	11	11
40	2	.	2	.	2	.	2	.	2	.	.	1	50	84	70	15	12	7	7
41	3	.	2	80	3	.	3	.	3	.	.	2	.	.	.	.	.	.	.
42	3	.	1	.	1	.	3	.	3	.	99	1	40	90	60	28	14	11	11

(a) Window areas less than 20 were assumed to indicate the window area as a fraction of the floor area.

Question																			
M	101	102	103	104	105	106	107	108	109	110	111(a)	112	113	114	115	116	117	118	119
43	3	.	1	.	3	.	3	.	3	.	.	2	.	.	.	.	.	.	.
44	3	.	2	0	3	.	3	.	3	.	100	2	.	.	.	.	.	.	.
45	3	.	2	199	3	.	3	.	3	.	11	2	.	.	.	.	.	.	.
46	3	.	2	225	1	.	3	.	3	.	133	2	.	.	.	.	.	.	.
47	3	.	2	180	1	.	3	.	2	75	11	1	30	84	88	28	10	11	11
48	3	.	2	185	3	.	3	.	2	1025	12	1	90	90	80	28	19	11	11
49	3	.	3	.	3	.	1	.	3	.	.	1	70	90	58	28	19	11	19
50	3	.	1	.	1	.	2	75	3	.	.	1	50	84	88	14	11	11	11
51	3	.	1	.	3	.	3	.	3	.	11	1	80	90	80	28	19	11	13
52	3	.	1	.	1	.	3	.	2	65	100	1	10	88	52	28	19	11	11
53	3	.	2	.	1	.	2	.	2	.	71	1	20	84	44	28	14	7	7
54	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.
55	3	.	1	.	1	.	3	.	2	1500	140	1	40	90	58	28	19	11	19
56	3	.	1	.	1	.	3	.	2	795	90	1	30	84	52	28	11	7	7
57	2	.	1	.	1	.	3	.	1	.	.	1	80	94	84	28	38	19	22
58	3	.	1	.	1	.	3	.	2	.	185	1	30	92	80	28	19	11	11
59	3	.	3	.	1	.	2	1200	2	1500	120	1	70	90	52	28	19	11	19
60	3	.	2	300	1	.	3	.	3	.	85	1	80	84	58	28	14	11	11
61	3	.	2	300	1	.	3	.	3	.	135	1	75	90	84	28	21	7	11
62	3	.	3	.	1	.	3	.	3	.	94	1	80	98	72	28	19	11	11
63	3	.	2	75	1	.	3	.	2	400	145	1	55	90	80	28	14	7	7
64	3	.	2	300	3	.	3	.	3	.	88	1	40	108	80	28	12	7	7
65	3	.	2	.	1	.	3	.	3	.	85	1	75	108	80	28	11	7	7
66	.	.	.	.	.	.	.	.	.	.	.	1	100	90	58	28	22	11	11
67	3	.	2	25	1	.	3	.	3	.	180	1	10	84	78	18	12	7	7
68	2	.	2	250	3	.	3	.	3	.	141	1	80	90	88	28	12	7	7
69	.	.	2	25	1	.	.	.	.	.	11	1	50	84	80	24	14	7	7
70	3	.	2	20	3	.	3	.	3	.	88	1	50	84	80	24	14	7	7
71	3	.	2	200	1	.	3	.	3	.	.	1	80	90	88	14	14	11	13
72	3	.	2	240	1	.	1	.	3	.	90	1	50	84	80	28	11	11	7
73	3	.	2	135	3	.	3	.	3	.	88	1	43	84	80	28	11	7	7
74	3	.	3	.	1	.	3	.	3	.	122	1	25	84	58	28	14	11	7
75	3	.	2	200	3	.	3	.	3	.	.	1	40	84	48	27	14	7	7
76	3	.	1	.	2	125	3	.	3	.	120	1	30	84	58	28	18	11	11
77	3	.	2	35	1	.	3	.	3	.	11	1	90	90	44	28	19	7	11
78	3	.	2	240	3	.	3	.	3	.	58	1	48	84	48	28	11	11	11
79	3	.	2	210	3	.	3	.	3	.	107	1	70	84	52	28	11	11	7
80	3	.	3	.	1	.	3	.	3	.	70	1	90	98	48	28	28	7	11
81	3	.	2	275	1	.	.	.	3	.	.	1	50	84	44	24	14	7	7
82	3	.	1	.	3	.	3	.	3	.	.	1	80	84	58	24	14	7	7
83	3	.	2	200	1	.	3	.	3	.	.	2	.	.	.	.	.	.	.

(a) Window areas less than 20 were assumed to indicate the window area as a fraction of the floor area.

Question																						
M	120	121	122	123	124	125	126	127	128	129	130	131	132	133	134	135	136	137	138	139	140	
1	2	4	22	11	11	2	4	33	200	.	.	.	.	.	.	.	.	22	300	.	.	
2	2	4	14	7	11	2	4	19	.	28	.	30	.	.	.	.	.	11	.	19	.	
3	2	4	17	27	11	2	4	17	240	.	.	.	.	.	.	.	.	17	95	27	240	
4	2	4	14	7	11	2	4	19	.	30	.	.	.	.	.	.	.	11	.	14	.	
5	2	4	22	11	11	2	4	33	260	.	.	.	.	.	.	.	.	22	80	.	.	
6	2	4	14	11	11	2	4	22	400	.	.	.	.	.	.	.	.	14	200	.	.	
7	2	4	10	12	11	2	4	16	50	33	175	.	.	.	.	.	.	18	50	.	.	
8	2	6	11	7	7	2	6	18	140	22	220	.	.	.	.	.	.	11	80	18	200	
9	2	4	14	7	7	2	4	16	.	19	.	21	.	28	.	30	.	11	.	14	.	
10	2	4	19	11	11	2	4	30	225	38	350	.	.	.	.	.	.	22	250	.	.	
11	2	4	21	7	14	2	4	21	.	24	.	27	.	31	.	.	.	14	.	.	.	
12	2	6	22	11	19	2	6	33	100	.	.	.	.	.	.	.	.	22	100	.	.	
13	2	4	43	.	22	2	4	33	.	.	.	.	.	.	.	.	.	.	.	.	.	
14	2	6	19	11	19	2	6	28	180	.	.	.	.	.	.	.	99	.	.	.	.	
15	2	4	21	14	11	2	4	14	.	21	.	28	.	.	.	.	.	14	.	.	.	
16	2	4	11	11	7	2	4	17	100	.	.	.	.	2	18	.	.	22	.	.	.	
17	2	4	11	7	7	2	4	22	100	30	250	.	.	.	.	.	.	14	75	21	150	
18	2	4	11	11	7	2	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
19	2	4	19	11	11	2	4	28	.	.	.	.	.	.	.	.	.	11	.	.	.	
20	2	4	28	11	11	2	4	33	400	.	.	.	.	.	.	.	.	.	.	.	.	
21	2	4	22	11	19	2	4	22	150	33	310	.	.	.	.	.	.	22	155	33	310	
22	2	4	21	11	11	2	4	21	125	33	285	.	.	.	.	.	.	22	125	.	.	
23	2	6	38	22	9	2	6	28	400	38	600	.	.	.	.	.	.	22	400	.	.	
24	2	4	19	11	11	2	4	21	350	28	550	.	.	.	.	.	.	11	75	.	.	
25	.	.	14	11	11	.	.	30	.	.	.	.	.	.	.	.	.	19	.	.	.	
26	2	4	14	7	7	2	4	21	.	.	.	.	.	.	.	.	.	14	.	.	.	
27	2	4	30	11	11	2	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
28	2	4	22	11	11	2	4	22	155	30	400	.	.	.	.	.	.	22	295	.	.	
29	2	4	30	11	11	2	4	30	.	.	.	.	.	.	.	.	.	22	.	.	.	
30	2	3	14	11	11	2	3	14	.	19	.	30	.	.	.	.	.	11	.	14	.	
31	2	4	11	7	11	2	4	19	180	30	360	.	.	.	.	.	.	11	360	.	.	
32	2	4	30	14	14	2	4	30	.	.	.	.	.	.	.	.	.	21	.	.	.	
33	2	4	20	11	11	2	4	.	.	30	400	.	.	.	.	.	.	.	.	.	.	
34	2	4	22	11	11	2	4	22	200	30	400	.	.	.	.	.	.	22	300	.	.	
35	2	4	30	19	11	2	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
36	2	4	17	7	11	2	4	17	200	21	300	.	.	.	.	.	.	11	200	14	300	
37	2	4	21	14	11	2	4	28	400	.	.	.	.	.	.	.	.	14	200	21	400	
38	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
39	2	4	14	11	11	2	4	19	200	21	225	28	325	.	.	.	.	14	70	19	150	
40	2	4	12	7	7	2	4	29	.	.	.	.	.	.	.	.	.	19	.	.	.	
41	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
42	2	4	21	11	11	2	4	21	245	28	325	.	.	.	.	.	.	22	160	.	.	

	Question																				
M	120	121	122	123	124	125	126	127	128	129	130	131	132	133	134	135	136	137	138	139	140
43	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
44	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
45	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
46	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
47	2	4	21	11	11	2	4	21	150	.	.	.	.	.	.	.	.	.	.	.	.
48	2	4	33	11	19	2	6	22	525	.	.	.	.	.	.	.	.	11	.	22	260
49	2	6	30	11	19	2	6	30	200	.	.	.	.	.	.	.	.	22	200	.	.
50	2	4	19	11	11	2	4	19	200	.	.	.	.	.	.	.	.	19	200	.	.
51	2	4	26	19	13	2	4	26	135	.	.	.	.	.	.	.	.	19	175	.	.
52	2	6	19	11	19	2	6	30	130	.	.	.	.	.	.	.	.	22	60	.	.
53	2	4	19	11	11	2	4	19	.	.	.	.	.	.	.	.	.	14	.	.	.
54	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
55	2	6	19	11	19	2	6	30	175	.	.	.	.	.	.	.	.	22	175	.	.
56	2	4	21	11	19	2	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.
57	2	6	38	19	22	2	6	50	.	.	.	.	.	.	.	.	.	.	.	.	.
58	2	4	30	11	19	2	6	.	.	.	.	.	.	.	.	.	.	22	150	.	.
59	2	6	19	11	19	2	6	30	150	.	.	.	.	.	.	.	.	19	120	.	.
60	2	4	28	11	13	2	4	19	.	22	.	28	.	30	.	.	.	14	.	.	.
61	2	4	21	7	11	2	4	30	.	.	.	.	.	.	.	.	.	11	.	.	.
62	2	4	30	11	19	2	6	30	435	.	.	.	.	.	.	.	.	.	.	.	.
63	2	4	24	11	11	2	4	24	100	30	150	.	.	.	.	.	.	11	75	19	105
64	2	4	20	11	11	2	4	20	200	30	250	.	.	.	.	.	.	11	100	19	150
65	2	4	11	7	7	2	4	22	.	.	.	.	.	.	.	.	.	14	.	.	.
66	.	.	22	11	11	.	.	30	150	.	.	.	.	.	.	.	.	.	.	.	.
67	2	4	12	7	7	2	4	19	100	33	125	.	.	.	.	.	.	14	100	.	.
68	2	4	20	11	11	2	4	19	.	28	.	30	.	.	.	.	.	11	.	.	.
69	2	4	14	7	7	2	4	22	200	.	.	.	.	.	.	.	.	14	500	.	.
70	2	4	21	7	11	2	4	28	150	.	.	.	.	.	.	.	.	21	200	.	.
71	2	4	21	11	13	2	4	28	250	.	.	.	.	.	.	.	.	22	.	.	.
72	2	4	11	7	7	2	4	17	.	.	.	.	.	.	.	.	.	.	.	.	.
73	2	4	24	19	11	2	4	14	90	24	390	30	490	.	.	.	.	9	90	19	390
74	2	4	29	11	11	2	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.
75	2	4	19	11	11	2	4	19	.	28	.	.	.	.	.	.	.	11	.	11	.
76	2	4	25	11	19	2	6	22	75	33	300	.	.	.	.	.	.	.	.	.	.
77	2	4	19	7	11	2	4	35	250	.	.	.	.	.	.	.	.	.	.	.	.
78	2	4	11	11	11	2	4	22	240	.	.	.	.	.	.	.	.	22	240	.	.
79	2	4	11	11	11	2	4	22	210	26	265	36	320	.	.	.	.	22	210	.	.
80	2	4	26	7	11	2	4	.	.	.	.	.	.	.	.	.	.	14	100	.	.
81	2	4	21	14	11	2	4	21	250	30	400	.	.	.	.	.	.	14	250	19	400
82	.	.	14	7	7	.	.	21	.	26	.	.	.	.	.	.	.	14	.	21	.
83	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

Question																			
M	141	142	143	144	145	146	147	148	149	150	151	152	153	154	155	156	157	158	159
1	.	.	19	.	.	.	.	.	40	2	1	.	1	.	3	.	1	.	3
2	.	.	19	.	.	.	.	.	36	2	1	.	1	.	3	.	2	.	3
3	.	.	11	155	.	.	.	.	35	2	3	.	1	.	3	.	2	115	3
4	19	.	14	.	19	.	.	.	35	2	2	.	1	.	2	.	2	.	2
5	.	.	18	.	.	.	.	.	34	2	3	.	1	.	3	.	1	.	3
6	.	.	19	300	.	.	.	.	32	2	3	.	1	.	3	.	2	.	3
7	.	.	19	200	.	.	.	.	42	2	3	.	1	.	3	.	1	.	3
8	.	.	11	75	18	135	.	.	36	2	1	.	1	.	2	300	3	.	3
9	.	.	11	.	19	.	.	.	40	3	1	.	1	.	2	.	2	.	2
10	.	.	19	225	.	.	.	.	40	2	3	.	3	.	3	.	1	.	3
11	.	.	21	.	.	.	.	.	40	2	3	.	1	.	2	.	2	.	2
12	.	.	.	.	.	.	.	.	40	2	3	.	3	.	3	.	3	.	.
13	.	.	22	.	28	.	.	.	21	2	3	.	1	.	3	.	2	135	3
14	.	.	.	.	.	.	.	.	34	2	1	.	1	.	3	.	2	175	3
15	.	.	11	.	.	.	.	.	35	2	3	.	3	.	3	.	2	.	3
16	.	.	11	70	.	.	.	.	33	2	1	.	3	.	3	.	2	230	3
17	.	.	11	125	.	.	.	.	36	2	1	.	3	.	3	.	2	105	3
18	.	.	.	.	.	.	.	.	33	3	1	.	3	.	3	.	3	.	3
19	.	.	.	.	11	.	.	.	.	38	.	1	.	3	2	175	3	.	3
20	.	.	.	.	.	.	.	.	98	3	1	.	3	.	3	.	2	40	3
21	.	.	19	495	23	495	.	.	38	.	3	.	1	.	3	.	2	115	3
22	.	.	19	210	.	.	.	.	40	2	1	.	3	.	3	.	3	.	3
23	.	.	19	198	.	.	.	.	32	2	1	.	1	.	3	.	2	125	3
24	.	.	19	50	.	.	.	.	60	3	3	.	1	.	3	.	3	.	3
25	.	.	11	.	.	.	.	.	34	2	2	.	2	.	2	.	1	.	2
26	.	.	11	.	.	.	.	.	37	2	3	.	1	.	3	.	3	.	3
27	.	.	19	650	.	.	.	.	42	2	1	.	1	.	2	300	2	475	2
28	.	.	.	.	.	.	.	.	40	2	3	.	3	.	3	.	1	.	3
29	.	.	.	.	.	.	.	.	50	2	1	.	2	.	3	.	2	.	3
30	18	.	11	.	19	.	.	.	40	2	1	.	2	.	3	.	2	.	3
31	.	.	19	360	.	.	.	.	36	2	1	.	1	.	3	.	2	190	3
32	.	.	19	.	.	.	.	.	34	2	3	.	1	.	3	.	2	80	3
33	.	.	.	.	19	600	.	.	48	2	3	.	3	.	3	.	3	.	3
34	.	.	.	.	.	.	.	.	21	2	1	.	2	50	1	.	2	200	1
35	.	.	.	.	.	.	.	.	38	2	3	.	1	.	3	.	2	100	3
36	.	.	11	200	.	.	.	.	38	2	3	.	1	.	3	.	2	175	3
37	.	.	11	100	14	150	18	350	70	2	3	.	3	.	3	.	3	.	3
38	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
39	.	.	14	70	.	.	.	.	42	2	3	.	3	.	3	.	3	.	3
40	.	.	11	.	.	.	.	.	.	2	2	.	2	.	2	.	2	.	2
41	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
42	.	.	19	560	.	.	.	.	38	2	3	.	3	.	3	.	1	.	3

M	Question																		
	141	142	143	144	145	146	147	148	149	150	151	152	153	154	155	156	157	158	159
43	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
44	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
45	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
46	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
47	.	.	.	.	.	.	.	.	33	2	3	.	1	.	3	.	1	.	3
48	.	.	19	525	.	.	.	.	40	2	3	.	2	75	1	.	2	75	1
49	.	.	.	.	.	.	.	.	38	2	3	.	3	.	3	.	2	90	3
50	.	.	13	60	16	600	.	.	.	2	1	.	3	.	3	.	2	210	3
51	.	.	.	.	.	.	.	.	19	2	3	.	3	.	3	.	3	.	3
52	.	.	19	110	.	.	.	.	30	2	1	.	1	.	3	.	1	.	3
53	.	.	14	.	.	.	.	.	32	2	1	.	2	.	2	.	2	.	2
54	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
55	.	.	.	.	.	.	.	.	36	2	3	.	3	.	3	.	1	.	3
56	.	.	.	.	.	.	.	.	36	2	3	.	3	.	3	.	3	.	3
57	.	.	.	.	.	.	.	.	54	3	3	.	3	.	3	.	1	.	1
58	.	.	.	.	.	.	.	.	42	2	3	.	3	.	3	.	1	.	3
59	.	.	.	.	.	.	.	.	40	2	3	.	3	.	3	.	1	.	3
60	.	.	13	.	19	.	.	.	74	2	3	.	1	.	3	.	2	75	3
61	.	.	19	.	.	.	.	.	42	2	3	.	1	.	3	.	2	75	3
62	.	.	19	315	.	.	.	.	38	2	3	.	3	.	3	.	1	.	3
63	.	.	11	100	19	350	.	.	66	2	3	.	1	.	3	.	2	85	2
64	.	.	11	100	19	150	.	.	36	2	3	.	3	.	3	.	2	175	3
65	.	.	14	.	.	.	.	.	35	2	1	.	3	.	3	.	2	.	3
66	.	.	13	300	19	600	19	800	37	2	3	.	1	.	3	.	2	75	3
67	.	.	11	100	.	.	.	.	36	2	1	.	3	.	3	.	2	195	3
68	.	.	11	.	19	.	.	.	36	2	1	.	3	.	2	150	1	.	1
69	.	.	11	500	.	.	.	.	18	2	1	.	1	.	.	.	2	150	.
70	.	.	11	150	.	.	.	.	39	2	1	.	2	125	3	.	2	125	3
71	.	.	.	.	.	.	.	.	35	2	3	.	1	.	3	.	2	95	3
72	.	.	11	.	.	.	.	.	33	2	3	.	1	.	3	.	2	230	2
73	19	490	9	90	11	390	12	490	.	2	3	.	2	185	3	.	2	185	3
74	.	.	.	.	.	.	.	.	.	.	3	.	3	.	3	.	2	175	3
75	.	.	11	.	22	.	.	.	40	2	3	.	3	.	3	.	2	120	3
76	.	.	19	350	.	.	.	.	36	2	3	.	1	.	3	.	2	160	2
77	.	.	.	.	.	.	.	.	38	2	1	.	3	.	3	.	3	.	3
78	.	.	.	.	.	.	.	.	36	2	3	.	1	.	3	.	2	115	2
79	.	.	11	210	.	.	.	.	.	2	3	.	3	.	3	.	2	210	1
80	.	.	.	.	.	.	.	.	18	1	2	50	3	.	3	.	2	800	3
81	.	.	11	250	19	400	.	.	39	2	3	.	3	.	3	.	1	.	3
82	.	.	14	.	.	.	.	.	46	2	3	.	1	.	3	.	2	145	3
83	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

Question																					
M	160	161	162	162	164	165	166	167	168	169	170	171	172	173	174	175	176	177	178	179	180
1	.	3	.	0	1	.	1	.	2	.	-1	.	3	.	3	.	0	3	.	1	.
2	.	1	.	12	1	.	1	.	3	.	2	3	3	.	1	.	15	1	.	1	.
3	.	2	230	37	3	.	1	.	3	.	2	115	3	.	2	55	40	1	.	2	310
4	.	3	.	0	2	.	1	.	2	.	2	.	2	.	3	.	0	1	.	2	.
5	.	3	.	0	3	.	1	.	3	.	3	.	3	.	3	.	0	1	.	2	30
6	.	3	.	0	3	.	1	.	3	.	2	.	3	.	3	.	0	1	.	2	400
7	.	2	120	30	3	.	1	.	3	.	2	45	3	.	2	150	33	1	.	2	300
8	.	3	.	0	1	.	2	150	3	.	3	.	3	.	3	.	0	1	.	2	395
9	.	3	.	0	3	.	1	.	3	.	3	.	3	.	3	.	0	1	.	1	.
10	.	3	.	0	3	.	3	.	3	.	1	.	3	.	3	.	0	1	.	2	.
11	.	3	.	0	3	.	1	.	3	.	2	.	2	.	3	.	0	1	.	2	.
12	.	1	.	83	3	.	1	.	3	.	2	175	3	.	3	.	0	1	.	2	800
13	.	.	.	0	3	.	1	.	3	.	2	135	3	.	3	.	0	3	.	1	.
14	.	2	300	40	1	.	2	175	3	.	2	85	3	.	.	.	0	1	.	2	750
15	.	.	.	96	3	.	1	.	3	.	3	.	3	.	.	.	99	1	.	3	.
16	.	1	.	0	1	.	3	.	3	.	2	230	3	.	.	.	0	1	.	3	.
17	.	.	.	0	1	.	3	.	3	.	2	105	3	.	.	.	0	1	.	3	.
18	.	2	.	88	3	.	1	.	3	.	3	.	3	.	2	.	71	1	.	2	.
19	.	2	175	91	1	.	3	.	3	.	3	.	3	.	3	.	0	1	.	2	375
20	.	3	.	0	3	.	1	.	3	.	2	100	3	.	2	200	109	3	.	1	.
21	.	2	230	70	3	.	1	.	3	.	2	115	3	.	2	230	73	1	.	2	130
22	.	2	75	192	1	.	3	.	3	.	3	.	3	.	2	75	195	1	.	2	250
23	.	3	.	0	3	.	1	.	3	.	2	125	3	.	3	.	0	3	.	1	.
24	.	3	.	0	3	.	1	.	3	.	3	.	3	.	3	.	0	1	.	2	750
25	.	3	.	0	2	.	1	.	2	.	2	.	2	.	3	.	0	1	.	2	.
26	.	3	.	0	3	.	1	.	3	.	3	.	3	.	3	.	0	1	.	2	.
27	475	2	250	113	1	.	1	.	3	.	2	350	3	.	3	.	0	1	.	2	1100
28	.	.	.	0	3	.	1	.	3	.	2	95	3	.	.	.	0	3	.	1	.
29	.	3	.	0	1	.	2	.	3	.	2	.	3	.	3	.	0	1	.	3	.
30	.	2	.	30	1	.	2	.	3	.	2	.	3	.	2	.	33	1	.	2	.
31	.	2	240	129	3	.	1	.	3	.	2	190	3	.	2	240	132	1	.	2	240
32	.	2	.	35	3	.	1	.	3	.	2	80	3	.	2	.	38	1	.	2	.
33	.	2	150	175	1	.	1	.	3	.	3	.	3	.	2	150	178	3	.	3	.
34	.	.	.	74	1	.	2	200	2	150	2	400	2	200	3	.	0	1	.	2	2000
35	.	3	.	0	3	.	1	.	3	.	2	100	3	.	3	.	0	1	.	3	.
36	.	2	95	12	3	.	1	.	3	.	2	175	3	.	2	95	15	1	.	3	.
37	.	1	.	7	3	.	3	.	3	.	3	.	3	.	1	.	10	1	.	2	700
38	.	.	.	0	.	.	.	.	.	.	.	.	.	.	.	.	0	.	.	.	.
39	.	1	.	96	1	.	3	.	3	.	3	.	3	.	2	140	99	1	.	3	.
40	.	1	.	152	2	.	2	.	2	.	2	.	2	.	1	.	155	1	.	2	.
41	.	.	.	0	.	.	.	.	.	.	.	.	.	.	.	.	0	.	.	.	.
42	.	3	.	0	3	.	3	.	3	.	1	.	3	.	3	.	0	3	.	3	.

Question																					
M	160	161	162	162	164	165	166	167	168	169	170	171	172	173	174	175	176	177	178	179	180
43	.	.	.	0	.	.	.	.	.	.	.	.	.	.	.	.	0	.	.	.	.
44	.	.	.	0	.	.	.	.	.	.	.	.	.	.	.	.	0	.	.	.	.
45	.	.	.	0	.	.	.	.	.	.	.	.	.	.	.	.	0	.	.	.	.
46	.	.	.	0	.	.	.	.	.	.	.	.	.	.	.	.	0	.	.	.	.
47	.	3	.	0	3	.	1	.	3	.	2	160	3	.	3	.	0	1	.	3	.
48	.	3	.	0	3	.	1	.	3	.	2	135	2	95	2	120	67	1	.	3	.
49	.	1	.	31	3	.	3	.	3	.	2	90	3	.	1	.	34	3	.	1	.
50	.	1	.	227	1	.	3	.	3	.	2	210	3	.	1	.	230	1	.	2	75
51	.	1	.	28	3	.	1	.	3	.	3	.	3	.	2	75	31	1	.	2	495
52	.	3	.	0	1	.	1	.	3	.	2	100	3	.	3	.	0	1	.	3	.
53	.	3	.	0	1	.	2	.	2	.	2	.	2	.	3	.	0	1	.	2	.
54	.	.	.	0	.	.	.	.	.	.	.	.	.	.	.	.	0	.	.	.	.
55	.	2	425	50	3	.	3	.	3	.	1	.	3	.	3	.	0	1	.	3	.
56	.	2	.	124	3	.	3	.	3	.	3	.	3	.	2	.	127	1	.	3	.
57	.	3	.	0	3	.	3	.	3	.	1	.	1	.	3	.	0	3	.	1	.
58	.	3	.	0	3	.	3	.	3	.	1	.	3	.	2	140	40	1	.	2	.
59	.	3	.	0	3	.	3	.	3	.	1	.	3	.	3	.	0	3	.	1	.
60	.	3	.	0	3	.	1	.	3	.	3	.	3	.	2	75	183	1	.	1	.
61	.	3	.	0	3	.	1	.	3	.	2	75	3	.	3	.	0	1	.	3	.
62	.	3	.	0	1	.	3	.	3	.	2	125	3	.	2	525	202	3	.	1	.
63	150	2	300	73	3	.	1	.	3	.	2	85	2	150	2	200	76	1	.	2	400
64	.	2	120	50	3	.	3	.	3	.	2	200	3	.	2	120	59	1	.	3	.
65	.	2	.	134	1	.	3	.	3	.	2	.	3	.	.	.	0	3	.	1	.
66	.	3	.	0	3	.	1	.	3	.	2	75	3	.	2	425	6	1	.	2	250
67	.	3	.	0	1	.	3	.	3	.	2	195	3	.	3	.	0	1	.	3	.
68	.	3	.	0	1	.	3	.	3	.	2	125	2	150	.	.	59	1	.	3	.
69	.	.	.	81	1	.	1	.	.	.	2	150	.	.	.	.	0	1	.	3	.
70	.	2	185	101	1	.	3	.	3	.	3	.	3	.	2	15	104	1	.	3	.
71	.	2	285	187	3	.	1	.	3	.	2	95	3	.	2	285	190	1	.	2	550
72	115	2	190	100	3	.	1	.	3	.	2	230	2	115	2	190	109	3	.	1	.
73	.	2	100	139	3	.	2	185	3	.	2	185	3	.	2	45	142	1	.	3	.
74	.	1	.	150	3	.	3	.	3	.	2	270	3	.	1	.	153	3	.	3	.
75	.	3	.	0	3	.	3	.	3	.	2	120	3	.	3	.	0	1	.	3	.
76	210	3	.	0	3	.	1	.	3	.	2	160	2	210	3	.	0	1	.	2	75
77	.	3	.	0	.	.	.	.	.	.	.	.	.	.	.	.	0	1	.	3	.
78	240	3	.	0	3	.	1	.	3	.	2	115	2	240	3	.	0	1	.	2	165
79	.	1	.	23	1	.	3	.	3	.	2	210	2	110	3	.	0	3	.	1	.
80	.	1	.	1	3	.	1	.	3	.	2	80	3	.	3	.	0	1	.	3	.
81	.	3	.	0	3	.	1	.	3	.	2	125	3	.	3	.	0	1	.	3	.
82	.	3	.	0	3	.	1	.	3	.	2	145	3	.	3	.	0	1	.	3	.
83	.	.	.	0	.	.	.	.	.	.	.	.	.	.	.	.	0	.	.	.	.

Question																			
M	181	182	183	184	185	186	187	188	189	190	191 (a)	192	193	194	195	196	197	198	199
1	2	.	3	.	1	.	1	.	2	1500	100	2	21	60	29	2	39	3	45
2	2	.	1	.	1	.	3	.	3	.	220	1	99	100	.	.	.	.	.
3	3	.	2	310	3	.	2	1095	3	.	60	2	32	35	38	25	8	20	20
4	3	.	3	.	1	.	2	.	2	.	88	2	20	5	32	3	21	1	45
5	3	.	1	.	1	.	3	.	3	.	.	2	31	15	43	2	3	83	.
6	3	.	2	400	3	.	3	.	3	.	150	2	3	60	31	.	6	.	44
7	3	.	2	140	3	.	3	.	2	400	110	1	99	100	.	.	.	.	.
8	3	.	3	.	3	.	3	.	3	.	446	1	5	99	28	1	.	.	.
9	3	.	3	.	1	.	1	.	2	.	120	1	47	7	37	12	5	70	28
10	3	.	1	.	1	.	3	.	2	.	200	2	35	12	14	12	22	12	13
11	2	.	2	.	2	.	2	.	3	.	94	1	99	100	.	.	.	.	.
12	3	.	2	200	3	.	2	800	2	800	140	2	49	55	23	25	15	20	.
13	3	.	1	.	3	.	1	.	3	.	12	1	15	40	13	30	25	20	23
14	3	.	2	90	3	.	1	.	1	.	.	2	15	.	50	.	25	.	27
15	3	.	3	.	1	.	3	.	3	.	150	2	9	100	.	.	.	.	.
16	3	.	2	210	3	.	3	.	3	.	114	2	9	80	10	5	40	.	1
17	3	.	2	25	3	.	3	.	3	.	45	2	9	15	10	40	1	5	42
18	3	.	1	.	1	.	3	.	3	.	.	2	99	100	.	.	.	.	.
19	3	.	2	275	3	.	3	.	3	.	125	1	5	95	3	2	28	3	.
20	3	.	3	.	3	.	3	.	3	.	250	2	9	100	.	.	.	.	.
21	2	1090	2	130	1	.	3	.	2	850	68	2	6	50	31	35	50	5	26
22	2	400	2	200	1	.	3	.	3	.	200	.	9	.	10	.	1	.	24
23	2	600	3	.	1	.	3	.	2	1100	160	2	6	80	31	15	44	1	50
24	3	.	3	.	3	.	3	.	3	.	300	1	5	90	3	5	28	5	.
25	2	.	2	.	1	.	2	.	2	.	190	2	33	.	40	.	46	.	48
26	3	.	3	.	1	.	3	.	3	.	.	1	5	75	3	20	28	5	.
27	3	.	2	300	1	.	3	.	3	.	190	2	3	85	5	2	28	2	44
28	3	.	3	.	1	.	2	430	3	.	96	2	8	10	32	5	33	70	48
29	3	.	2	.	3	.	3	.	3	.	120	2	9	100	.	.	.	.	.
30	3	.	1	.	1	.	3	.	3	.	100	2	99	100	.	.	.	.	.
31	3	.	3	.	3	.	3	.	3	.	.	2	3	90	31	10	.	.	.
32	3	.	2	.	3	.	3	.	3	.	178	2	3	80	31	10	28	5	6
33	1	.	2	475	1	.	3	.	2	800	.	1	43	50	31	50	.	.	.
34	3	.	1	.	1	.	3	.	2	2000	15	2	46	.	19	.	.	.	.
35	3	.	3	.	3	.	2	600	3	.	125	2	33	40	40	50	46	5	48
36	3	.	2	175	3	.	3	.	3	.	200	2	33	10	40	10	10	10	1
37	3	.	2	175	3	.	3	.	3	.	130	2	1	40	42	10	24	2	14
38	.	.	.	.	.	.	.	.	.	.	.	2	1	60	9	10	10	10	24
39	3	.	2	350	3	.	3	.	3	.	90	2	1	30	24	20	18	8	4
40	2	.	2	.	2	.	2	.	2	.	.	2	33	.	40	.	9	.	1
41	.	.	.	.	.	.	.	.	.	.	.	2	42	50	17	10	14	10	25
42	3	.	1	.	1	.	3	.	3	.	128	2	42	40	33	20	40	10	48

(a) Window areas less than 20 were assumed to indicate the window area as a fraction of the floor area.

Question																			
M	181	182	183	184	185	186	187	188	189	190	191(a)	192	193	194	195	196	197	198	199
43	.	.	.	.	.	.	.	.	.	.	.	2	42	42	17	17	48	48	48
44	.	.	.	.	.	.	.	.	.	.	.	2	42	90	33	5	.	.	.
45	.	.	.	.	.	.	.	.	.	.	.	2	42	50	17	30	48	5	46
46	.	.	.	.	.	.	.	.	.	.	.	2	43	70	31	10	4	15	36
47	3	.	2	320	1	.	3	.	2	75	.	1	16	30	25	30	36	5	4
48	3	.	2	165	3	.	3	.	2	1025	.	2	16	50	25	25	15	2	27
49	3	.	3	.	3	.	1	.	3	.	.	2	32	.	30	.	38	.	.
50	3	.	1	.	1	.	2	75	3	.	.	2	32	20	38	10	30	10	.
51	3	.	1	.	3	.	3	.	3	.	11	2	38	25	8	10	20	10	32
52	3	.	1	.	1	.	3	.	2	65	120	2	.	.	.	.	.	.	.
53	3	.	2	.	1	.	2	.	2	.	97	2	19	.	.	.	.	.	.
54	.	.	.	.	.	.	.	.	.	.	.	1	13	98	49	1	15	1	14
55	3	.	1	.	1	.	3	.	2	1500	140	2	.	.	.	.	.	.	.
56	3	.	1	.	1	.	3	.	2	795	90	2	.	.	.	.	.	.	.
57	2	200	1	.	1	.	3	.	1	.	.	2	14	100	.	.	.	.	.
58	3	.	1	.	1	.	3	.	2	.	185	2	14	10	13	20	22	10	35
59	3	.	3	.	1	.	2	1200	2	1500	140	2	13	10	14	40	22	35	35
60	3	.	2	200	1	.	3	.	3	.	180	1	3	17	5	17	9	33	25
61	3	.	2	300	1	.	3	.	3	.	150	1	31	15	4	5	18	2	36
62	3	.	3	.	1	.	3	.	3	.	114	1	43	.	31	.	6	.	36
63	3	.	2	75	1	.	3	.	2	400	170	1	43	45	31	10	36	20	3
64	3	.	2	300	3	.	3	.	3	.	165	2	43	50	31	15	36	10	18
65	3	.	2	.	1	.	3	.	3	.	135	2	43	50	31	40	18	10	.
66	3	.	3	.	1	.	3	.	3	.	150	1	43	95	4	5	.	.	.
67	3	.	2	25	1	.	3	.	3	.	160	2	31	25	36	5	16	5	6
68	3	.	2	300	3	.	3	.	3	.	135	2	43	50	31	9	4	9	18
69	3	.	3	.	1	.	3	.	3	.	11	2	9	12	1	12	10	25	40
70	3	.	2	20	3	.	3	.	3	.	112	2	10	50	40	20	9	15	1
71	3	.	2	200	1	.	3	.	3	.	.	1	46	.	17	.	33	.	40
72	3	.	2	240	1	.	1	.	3	.	130	2	10	75	40	10	1	10	9
73	3	.	2	135	3	.	3	.	3	.	88	2	40	2	33	57	46	20	48
74	3	.	3	.	1	.	3	.	3	.	145	2	.	.	.	.	.	.	.
75	3	.	2	240	3	.	3	.	3	.	.	2	7	45	45	8	20	0	8
76	3	.	1	.	2	125	3	.	3	.	170	2	23	65	49	20	34	2	41
77	3	.	2	35	1	.	3	.	3	.	11	2	9	100	.	.	.	.	.
78	3	.	2	310	3	.	3	.	3	.	.	2	33	75	40	10	46	10	42
79	3	.	2	210	3	.	3	.	3	.	113	2	33	50	48	10	40	30	.
80	3	.	3	.	1	.	3	.	3	.	180	1	9	100	.	.	.	.	.
81	3	.	2	25	3	.	3	.	3	.	110	2	9	20	10	30	40	20	33
82	3	.	1	.	3	.	3	.	3	.	.	2	9	50	.	.	40	35	33
83	.	.	.	.	.	.	.	.	.	.	.	2	33	40	40	20	46	40	.

(a) Window areas less than 20 were assumed to indicate the window area as a fraction of the floor area.

Question																	
M	200	201	202	203	204	205	206	207	208	209	210	211	212	213	214	215	Region (a)
1	5	7	3	32	3	.	.	.	.	0	100	1500	3000	0	1130	3	3
2	.	.	.	.	.	.	.	.	.	100	0	.	.	18	1150	3	3
3	10	48	2	46	2	30	6	.	.	95	5	1500	2000	43	1250	3	3
4	1	29	10	7	2	30	3	38	75	20	80	.	.	0	1115	3	3
5	.	.	.	.	.	.	.	.	.	0	100	.	.	132	335	3	4
6	.	28	.	5	.	.	.	.	.	0	100	1500	.	6	1130	3	4
7	.	.	.	.	.	.	.	.	.	100	0	2100	2800	36	155	3	3
8	.	.	.	.	.	.	.	.	.	0	100	1820	2000	45	1031	3	4
9	7	3	4	.	.	.	.	.	.	100	0	.	.	46	1220	3	1
10	12	8	12	19	12	38	14	32	14	100	0	1500	2000	59	155	3	5
11	.	.	.	.	.	.	.	.	.	0	100	1200	1500	170	415	3	4
12	.	.	.	.	.	.	.	.	.	0	100	1500	1500	0	230	3	5
13	2	49	5	6	3	.	.	.	.	100	0	1000	1300	29	932	3	5
14	.	34	.	41	.	26	.	23	.	100	0	1350	1500	43	1000	3	5
15	.	.	.	.	.	.	.	.	.	1	99	.	.	102	845	3	1
16	.	24	.	18	.	.	.	.	.	50	50	1500	2450	11	158	3	1
17	20	40	20	.	.	.	.	.	.	1	99	1100	1500	0	305	3	1
18	.	.	.	.	.	.	.	.	.	.	.	.	.	74	1045	3	5
19	.	.	.	.	.	.	.	.	.	100	0	.	.	94	320	3	4
20	.	.	.	.	.	.	.	.	.	0	100	1500	.	112	1115	3	1
21	5	44	5	.	.	.	.	.	.	100	0	1200	1500	76	145	3	4
22	.	33	.	40	.	43	.	36	.	0	100	1600	2000	198	345	3	4
23	1	41	1	27	1	16	1	.	.	0	100	1200	1800	0	845	3	4
24	.	.	.	.	.	.	.	.	.	100	.	1600	2200	0	415	3	4
25	.	38	.	32	.	.	.	.	.	0	100	.	.	128	1145	3	1
26	.	.	.	.	.	.	.	.	.	10	90	1700	2400	148	500	3	4
27	2	31	12	43	1	.	.	.	.	0	100	1200	1800	118	330	3	4
28	5	48	3	.	.	.	.	.	.	0	100	1500	1875	6	1058	3	1
29	.	.	.	.	.	.	.	.	.	0	100	.	.	0	1130	3	1
30	.	.	.	.	.	.	.	.	.	10	90	1200	1500	36	125	3	1
31	.	.	.	.	.	.	.	.	.	0	100	1925	2500	0	845	3	4
32	5	.	.	.	.	.	.	.	.	70	30	1600	2400	0	225	3	4
33	.	.	.	.	.	.	.	.	.	100	0	1400	1750	0	923	3	1
34	.	.	.	.	.	.	.	.	.	0	100	1450	1450	77	1025	3	3
35	5	.	.	.	.	.	.	.	.	50	50	1500	2000	0	1240	3	1
36	10	42	10	.	.	.	.	.	.	0	100	1500	1950	18	315	3	1
37	2	10	10	9	3	40	3	33	8	0	100	1000	1500	13	128	3	1
38	10	42	10	.	.	.	.	.	.	0	100	1700	1910	52	925	3	1
39	3	25	8	36	2	42	10	17	5	0	100	1700	2000	102	836	3	1
40	.	24	.	42	.	10	.	.	.	.	100	1000	.	158	910	3	1
41	10	46	5	24	5	9	5	.	.	75	25	1200	1500	0	950	3	1
42	10	38	15	46	5	.	.	.	.	42	58	1595	2042	0	1100	3	1

(a) Region 1 includes Texas, Oklahoma, Arkansas, Louisiana, Kentucky, Tennessee, Mississippi, Alabama, Georgia, Florida, South Carolina, North Carolina, and Virginia. Region 2 includes Washington, Oregon, Idaho, Montana, and Wyoming. Region 3 includes North Dakota, South Dakota, Nebraska, Kansas, Minnesota, Iowa, Missouri, Wisconsin, Illinois, Michigan, Indiana, and Ohio. Region 4 includes California, Nevada, Utah, Arizona, Colorado, and New Mexico. Region 5 includes West Virginia, Pennsylvania, Maryland, New Jersey, New York, Delaware, Vermont, New Hampshire, Massachusetts, Connecticut, Rhode Island, and Maine.

Question																	
M	200	201	202	203	204	205	206	207	208	209	210	211	212	213	214	215	Region
43	33	.	.	.	.	.	.	.	.	40	60	1300	1500	153	835	3	1
44	.	.	.	.	.	.	.	.	.	50	50	1300	1700	0	1147	3	1
45	7	33	8	.	.	.	.	.	.	0	100	.	.	135	842	3	1
46	5	.	.	.	.	.	.	.	.	100	0	1800	2125	93	933	3	1
47	5	43	5	31	5	6	5	50	5	0	100	.	1500	82	1009	3	5
48	5	6	10	50	3	31	5	.	.	100	0	1200	1750	70	240	3	5
49	.	.	.	.	.	.	.	.	.	0	100	1000	1200	37	1115	3	3
50	.	.	.	.	.	.	.	.	.	100	0	1300	2000	233	913	3	3
51	35	.	.	.	.	.	.	.	.	100	0	1650	2300	34	1020	3	3
52	.	.	.	.	.	.	.	.	.	0	100	1400	1800	0	145	3	3
53	.	.	.	.	.	.	.	.	.	0	100	.	.	84	1220	3	3
54	1	.	.	.	.	.	.	.	.	100	0	6000	6000	0	1016	3	5
55	.	.	.	.	.	.	.	.	.	100	0	1400	.	53	232	3	5
56	.	.	.	.	.	.	.	.	.	0	.	1500	2250	130	125	3	5
57	.	.	.	.	.	.	.	.	.	100	0	1220	2900	49	905	3	5
58	20	38	5	7	10	39	10	21	10	100	0	1700	1700	43	100	3	5
59	15	.	.	.	.	.	.	.	.	0	100	1700	2500	0	1227	3	5
60	13	37	17	43	12	.	.	.	.	0	100	1600	2500	186	930	3	1
61	3	43	75	.	.	.	.	.	.	0	100	1750	2250	6	915	3	1
62	.	16	.	4	.	18	.	.	.	0	100	1300	2000	205	925	3	1
63	5	18	20	.	.	.	.	.	.	20	80	1000	1350	79	1100	3	1
64	0	4	10	25	5	16	1	13	1	25	75	1350	1822	62	1000	3	1
65	.	.	.	.	.	.	.	.	.	100	0	.	.	140	944	3	1
66	.	.	.	.	.	.	.	.	.	0	100	1500	.	9	120	3	1
67	5	4	25	18	1	43	35	.	.	30	70	1300	1700	161	945	3	1
68	9	36	15	25	8	.	.	.	.	35	65	.	.	0	1055	3	1
69	12	33	12	42	12	24	12	.	.	0	100	1000	1500	0	1135	3	1
70	5	.	.	.	.	.	.	.	.	99	1	2500	3000	107	1035	3	1
71	.	42	.	10	.	1	.	24	.	100	0	1000	1300	193	1157	3	1
72	5	.	.	.	.	.	.	.	.	60	40	.	.	112	1035	3	1
73	10	38	8	20	1	8	1	32	1	0	100	1300	1800	0	1135	3	1
74	.	.	.	.	.	.	.	.	.	0	100	1500	2500	156	1149	3	1
75	.	10	.	.	.	.	.	.	.	0	100	.	.	175	105	3	1
76	2	15	5	27	5	.	.	.	.	0	100	1675	.	60	845	3	5
77	.	.	.	.	.	.	.	.	.	100	0	.	.	0	803	3	1
78	3	48	2	.	.	.	.	.	.	100	0	.	.	9	1032	3	1
79	.	.	.	.	.	.	.	.	.	100	0	1200	1600	26	938	3	1
80	.	.	.	.	.	.	.	.	.	0	100	1000	2000	0	1055	3	1
81	20	1	10	.	.	.	.	.	.	0	100	1000	1350	165	1116	3	1
82	15	.	.	.	.	.	.	.	.	0	100	1975	.	0	1151	3	1
83	.	.	.	.	.	.	.	.	0	0	100	1500	2000	149	118	3	1

APPENDIX C

WINDOW CHARACTERISTICS SURVEY INSTRUMENT

APPENDIX C

WINDOW CHARACTERISTICS SURVEY INSTRUMENT

The Battelle Portland Office conducted this telephone survey in mid-October 1988 under the supervision of Allen Lee.

MANUFACTURERS WINDOW SURVEY

Q1. Enter interview ID number. _____

Q2. Enter manufacturer code. _____

Q3. Enter state code. _____

Q4. Enter interviewer ID number. _____

Hello, this is _____ calling for the U.S. Department of Energy's Pacific Northwest Laboratory. I need to talk with someone who can answer questions about your company's construction practices and the wholesale costs of some of your options - probably the plant manager or the head of your engineering or marketing department. Can you tell me who that person would be and may I talk with him or her?

1.....Yes (Continue)

2.....Not available (Find out name and time to call back)

Hello, this is _____ calling for the U.S. Department of Energy's Pacific Northwest Laboratory. We contacted the manufacturers in your industry several months ago to obtain information on current construction practices for HUD-code homes and are calling you now to update the information collected earlier.

We would like to ask you a short series of questions primarily about the energy efficiency characteristics of the windows you offer in your homes. This interview is strictly confidential--your name and the company name will not be identified with the reported results. Let me start by asking, does your company produce HUD-code manufactured homes?

1.....Yes

2.....No (Terminate interview)

Our goal is to determine how much it costs at the wholesale level to provide different levels of energy efficiency. Since we want to determine the cost per square foot of window, we need to know the window area that goes along with the costs you give for each window option.

First, we want to define characteristics of the standard window you provide in your typical home. We are interested primarily in those features that affect the thermal performance of the window. When we refer to the number of panes in your windows, we would like information on permanent panes of glass and not removable storm windows. We will ask about storm windows separately. For your typical home with your standard window:

Q10. In square feet, what is the approximate floor area of your typical home? _____ square feet

Q11. For your typical home, what is the typical total window area in square feet? _____ square feet

Q12. How many windows are in the typical home? _____

- Q101. What is the type of frame? ☐ metal ☐ wood ☐ vinyl ☐ other
(specify _____)
- Q102. If metal, do the frames have a thermal break? ☐ yes ☐ no
- Q103. How many permanent panes of glass are in your typical windows? ☐ 1 ☐ 2 ☐ 3
- Q104. Are your typical windows tinted or clear? ☐ tinted ☐ clear
- Q105. Do your typical windows have a low-e (low-emissivity) coating? ☐ yes ☐ no
- Q106. If your typical windows have more than one pane permanent pane, what is the airspace between the panes? _____ inches
- Q107. Do your typical windows include a storm window in addition to the permanent panes? ☐ Yes ☐ No
- Q108. If they include a storm window, is it an interior or exterior storm or do they have both? ☐ interior ☐ exterior ☐ both
- Q113. What percentage of your homes use this options? _____ percent

[Note questions 109 through 112 do not apply to standard window, only to the window options.]

Now we would like to ask about the window options you offer and the wholesale incremental or additional cost of those options to the dealer above the cost of the standard window. We would like information on each distinct option that you offer. For example, if your buyers can order a thermal break or a window with both a thermal break and an additional pane of glass then please treat those as two separate options. Since we are primarily interested in the thermal characteristics of your windows, we need information on only those window options that involve changes in the thermal performance of the windows rather than changes that are more related to taste, such as going from a slider to a single-hung window.

How many window options do you offer? _____

Repeat for each window option:

- Q101. What is the type of frame? ☐ metal ☐ wood ☐ vinyl ☐ other
(specify _____)
- Q102. If metal, does it have a thermal break? ☐ yes ☐ no
- Q103. Does this option include a storm window in addition to the permanent panes? ☐ yes ☐ no
- Q104. If the option includes a storm window, is it an interior or exterior storm or both? ☐ interior ☐ exterior ☐ both
- Q105. How many permanent panes of glass? ☐ 1 ☐ 2 ☐ 3
- Q206. Are they tinted or clear? ☐ tinted ☐ clear
- Q107. Do the windows have a low-e coating? ☐ yes ☐ no
- Q108. If more than 1 pane, what is the airspace between the panes?
_____ inches
- Q109. What's the additional wholesale price (price to the dealer) of this option over the standard window product? \$ _____
- Q110. Is this the price for replacing all the windows in your home? ☐ yes ☐ no
- Q111. If this price does not cover this option for all the windows in your typical home, what is the approximate window area that it applies to? _____ square feet

Q112. Is there anything else about this option that affects its price that we haven't mentioned (e.g., is it a bay window or significantly larger than the standard window)? ☐yes ☐no if yes, what is it? _____

Q113. What percentage of your homes use this options? _____percent

APPENDIX D

WINDOW CHARACTERISTICS DATA SURVEY

APPENDIX D

WINDOW CHARACTERISTICS DATA SURVEY

Region(b)						Question(a)												
<u>1</u>	<u>2</u>	<u>10</u>		<u>11</u>	<u>12</u>	<u>101</u>	<u>102</u>	<u>103</u>	<u>104</u>	<u>105</u>	<u>106</u>	<u>107</u>	<u>108</u>	<u>109</u>	<u>110</u>	<u>111</u>	<u>112</u>	<u>113</u>
02	355	4	1536	120	10	1	0	1	2	0	0	0	0	-	-	-	-	100
						1	0	1	2	0	0	0	0	325	1	120	0	10
						2	0	2	2	0	0	1	1	325	1	120	0	1
05	220	2	1800	180	8	1	0	2	1	0	1/2	0	0	-	-	-	-	95
						1	1	2	1	1	5/8	0	0	1100	1	0	0	2
						NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
06	222	2	1500	120	10	1	0	2	2	0	1/2	0	0	-	-	-	-	98
						3	0	2	2	0	1/2	0	0	1000	1	-	0	2
09	358	5	952	60	9	3	0	1	2	0	0	1	1	-	-	-	-	50
						2	0	1	2	0	0	1	1	110	1	0	0	40
						2	0	2	2	0	7/8	0	0	875	1	-	0	10
11	349	5	900	150	11	3	0	2	2	0	1/8	0	0	-	-	-	-	100
12	341	1	1848	180	10	1	0	2	2	1	3/16	0	0	-	-	-	-	25
						1	1	2	2	1	3/16	1	1	250	1	-	0	75
15	328	1	1400	110	10	1	0	1	2	0	0	0	0	-	-	-	-	50
						1	0	1	1	0	0	1	1	250	1	-	0	50
16	321	5	1068	94	8	1	0	1	2	0	0	0	0	-	-	-	-	0
						1	0	1	2	0	0	1	1	310	1	0	0	60
						2	0	2	2	0	1/2	0	0	995	1	0	-	40
17	320	4	1386	130	8	1	0	1	2	0	0	0	0	-	-	-	-	1
						1	0	1	1	0	0	1	1	310	1	0	1	95
						2	0	2	1	0	3/4	0	2	995	1	-	0	4
18	314	1	900	175	7	1	1	1	2	0	0	0	0	-	-	-	-	90
						1	1	1	2	0	0	1	1	80	1	0	0	10
19	311	1	900	70	12	1	1	1	2	0	0	1	2	-	-	-	-	100
22	290	5	1200	130	10	1	0	1	2	0	0	1	1	-	-	-	-	50
						4	0	2	2	0	1/4	0	0	750	1	-	0	50

- (a) Questions 1 through 12 occur once for each manufacturer. Questions 101 through 112 do not. Each manufacturer can have several window options. Questions 109 through 112 do not. 1 and 2 allow PNL to identify a particular survey form.
- (b) Because the survey was confidential, the names of the states were changed to the r. 1 includes Texas, Oklahoma, Arkansas, Louisiana, Kentucky, Tennessee, Mississippi, Carolina, North Carolina, and Virginia. Region 2 includes Washington, Oregon, Idaho, includes North Dakota, South Dakota, Nebraska, Kansas, Minnesota, Iowa, Missouri, and Ohio. Region 4 includes California, Nevada, Utah, Arizona, Colorado, and New Virginia, Pennsylvania, Maryland, New Jersey, New York, Delaware, Vermont, New Hampshire, Rhode Island, and Maine.

24	232	1	1840	123	12	1	0	1	2	0	0	0	0	-	-	-	-	80
						1	0	2	2	0	3/16	1	2	400	1	-	-	20
25	122	4	1200	224	14	1	0	1	1	0	0	0	0	-	-	-	-	NA
						1	0	1	1	0	0	1	1	400	1	-	0	NA
						1	0	2	1	0	3/8	0	0	975	1	-	0	NA
26	089	4	130	115	10	1	0	1	2	0	0	0	0	-	-	-	-	75
						1	0	2	1	0	3/16	0	0	500	1	-	0	25
27	217	4	1400	20	8	1	1	1	2	1	0	0	0	-	-	-	-	70
						1	1	2	2	1	1/2	0	0	250	1	-	0	30
30	087	4	1200	125	9	1	0	1	2	0	0	0	0	-	-	-	-	65
						1	0	2	1	0	1/4	0	0	300	1	-	0	35
31	067	4	1300	140	12	1	0	1	1	0	0	0	0	-	-	-	-	75
						1	0	1	2	0	0	1	1	330	1	0	-	23
						2	0	2	1	0	3/8	0	0	960	1	-	0	2
32	309	1	1800	250	12	1	0	1	2	0	0	1	1	-	-	-	-	90
						2	0	2	2	0	NA	0	0	800	1	-	1	10
38	261	1	1450	140	14	1	0	1	2	0	0	1	1	-	-	-	-	75
						2	0	2	2	0	1/4	1	1	800	1	-	1	15
						1	1	2	-	-	3/8	1	1	1100	1	-	1	10
40	120	1	1500	165	11	1	0	1	1	1	0	0	0	-	-	-	-	50
						1	0	1	2	0	0	1	1	300	1	0	0	40
						2	0	2	1	1	1/8	0	0	780	1	0	-	10
41	253	1	1420	120	8	1	0	1	1	0	0	0	0	-	-	-	-	100
44	234	1	1000	110	9	1	0	1	2	0	0	0	0	-	-	-	-	5
						1	0	1	2	2	0	1	1	250	1	0	0	95
47	201	3	1216	145	11	1	0	1	2	0	0	1	1	-	-	-	-	75
						1	1	2	2	0	1/4	1	2	935	1	0	1	25
49	200	3	1000	80	8	1	0	1	2	0	0	1	1	-	-	-	-	40
						1	1	1	2	0	0	1	1	40	1	0	0	45
						2	0	2	2	0	1/8	0	0	155	1	-	0	15
51	195	1	1300	150	12	1	0	1	2	0	0	0	0	-	-	-	-	30
						1	0	1	2	0	0	1	1	200	1	0	0	40
						1	0	2	2	0	0	0	0	500	1	-	1	5
						2	0	2	2	0	0	0	0	750	1	-	1	5
53	181	3	1600	120	12	2	0	2	2	0	1/8	0	0	-	-	-	-	50
						2	0	2	2	0	1/8	1	1	NA	-	-	1	50
61	009	3	1200	125	10	1	0	1	2	0	0	1	1	-	-	-	-	85
						3	0	2	2	0	1/2	0	0	300	1	0	0	10
						3	0	2	2	0	1/2	1	1	400	1	0	0	10
65	029	5	924	143	13	1	0	1	2	0	0	1	1	-	-	-	-	65
						4	1	2	2	0	3/8	0	0	750	1	0	0	35
60	030	3	1456	180	12	1	0	1	2	0	0	1	1	-	-	-	-	90
						2	0	2	2	0	1/4	0	0	1500	1	0	NA	8
						2	0	2	2	0	1/4	1	2	2100	1	0	NA	2
67	034	1	1000	75	6	1	1	1	2	0	0	0	0	-	-	-	-	40
						1	0	1	2	0	0	1	1	200	1	0	0	50
						1	1	2	2	0	1/4	0	0	300	1	0	0	1
						1	1	2	2	0	1/4	0	0	375	1	0	0	9
68	038	1	1060	120	8	1	0	1	2	1	0	0	0	-	-	-	-	49
						1	0	1	2	1	NA	1	1	200	1	0	0	50
						1	0	2	2	1	3/8	0	0	200	1	0	0	1

70	050	3	1420	145	15	1	0	1	2	0	0	1	1	-	-	-	-	29
						2	0	2	2	0	0	1	1	950	1	0	0	1
						3	0	2	2	0	0	1	1	1100	1	0	1	70
71	069	3	1200	120	10	1	0	1	1	0	0	1	1	-	-	-	-	4
						1	0	1	1	0	0	1	1	110	1	0	0	80
						2	0	2	1	0	3/8	1	1	850	1	0	0	5
						2	0	2	1	0	3/8	1	1	850	1	0	0	5
72	073	5	1350	240	10	1	1	1	2	0	0	1	1	-	-	-	-	90
						2	1	2	2	0	5/8	0	0	1500	1	0	1	10
74	101	1	1550	135	12	1	0	2	2	1	3/8	0	0	-	-	-	-	75
						1	0	1	2	1	0	1	1	500	1	0	0	20
						1	0	1	2	1	0	1	1	300	1	0	0	5
82	170	3	1000	120	10	1	0	1	2	0	0	0	0	-	-	-	-	0
						1	0	1	2	0	0	1	1	200	1	0	0	800
						2	1	2	2	0	3/4	0	0	700	1	0	0	20
84	171	3	900	64	8	1	1	1	2	0	0	1	1	-	-	-	-	95
						2	NA	2	2	0	1/4	1	1	85	0	64	0	5
87	162	1	1600	160	12	4	0	2	2	0	3/16	0	0	-	-	-	-	100
89	136	1	902	172	8	1	0	1	2	0	0	1	1	-	-	-	-	80
						4	NA	2	2	0	NA	0	0	750	1	0	0	20
91	117	1	924	120	8	1	0	1	2	0	0	0	0	-	-	-	-	5
						1	0	1	2	0	0	1	1	295	1	0	0	95
						1	0	2	2	0	1/8	0	0	995	1	0	0	0
92	115	1	1200	170	17	1	0	1	2	0	0	NA	NA	-	-	-	-	10
						1	0	1	2	0	0	1	1	225	1	0	0	90
93	109	1	810	75	7	1	1	1	2	0	0	0	0	-	-	-	-	90
						1	1	1	2	0	0	1	1	175	0	0	0	10
94	107	5	980	96	10	1	0	1	2	0	0	1	1	-	-	-	-	20
						1	1	2	2	1	3/8	0	0	800	1	0	0	80
96	091	1	1500	130	10	1	0	1	2	0	0	0	0	-	-	-	-	70
						1	0	1	2	0	0	1	1	300	-	-	-	30
97	092	5	1300	110	8	1	0	1	2	0	0	1	1	-	-	-	-	15
						1	-	1	2	0	0	1	1	300	1	0	0	80
						3	0	2	2	0	1	0	0	720	1	0	0	5
99	199	3	1000	90	10	1	0	1	2	0	0	1	1	-	-	-	-	5
						1	0	1	2	0	0	1	1	15	-	-	-	60
						2	0	2	2	0	0	1	1	25	-	-	-	35
103	088	1	1100	12	9	1	0	1	1	1	0	0	0	-	-	-	-	100
104	225	3	1200	100	10	2	0	2	2	0	1/2	1	2	-	-	-	-	95
						4	0	2	1	1	1/2	1	2	600	1	0	0	5
111	119	1	1400	223	19	1	0	1	1	0	0	0	0	-	-	-	-	100

DISTRIBUTION

No. of
Copies

No. of
Copies

OFFSITE

5	U.S. Department of Housing and Urban Development Policy Research and Development Attn: William Freeborne 451 7th Street SW, Room 8176 Washington, DC 20410	Northwest Power Planning Council Attn: Thomas L. Eckman 850 SW Broadway, Suite 1100 Portland, OR 97205
5	U.S. Department of Housing and Urban Development Standards and Products Branch Attn: Donald Fairman 451 7th Street SW, Room 6270 Washington, DC 20410	Owens-Corning Fiberglass Technical Center Attn: Merle F. McBride 2790 Columbus Road, Route 16 Grandville OH 43023-1200
12	DOE/Office of Scientific and Technical Information	U.S. Department of Energy Office of Codes and Standards Attn: Jean J. Boulin Forrestal Building, CE-43 1000 Independence Avenue SW Washington, DC 20585
	Bonneville Power Administration Residential Programs Branch Attn: Stephen Onisko P.O. Box 3621 - RRRD Portland, OR 97208	U.S. Department of Energy Office of Codes and Standards Attn: Steve J. Turchen Forrestal Building, CE-43 1000 Independence Avenue SW Washington, DC 20585
	Fleetwood Enterprises, Inc. Attn: Vincent Wanzek 3125 Myers Street Riverside, CA 92523	U.S. Department of Energy Office of Codes and Standards Attn: Steven Walder Forrestal Building, CE-43 1000 Independence Avenue SW Washington, DC 20585
	The Levy Partnership Attn: M. Emannual Levy 40 East 19th Street 7th Floor New York, NY 10003	U.S. Department of Housing and Urban Development Standards and Products Branch Attn: Victor Ferrante 451 7th Street SW, Room 6270 Washington, DC 20410
	Manufactured Housing Institute MHCSS Consensus Committee Attn: Frank Walter Suite 511 1745 Jefferson Davis Highway Arlington, Virginia 22202	

U.S. Department of Housing
and Urban Development
Division of Manufactured
Housing Construction Stds
Attn: Robert Fuller
451 7th Street SW, Room 9156
Washington, DC 20410

U.S. Department of Housing
and Urban Development
Manufactured Housing
Construction & Safety Stds
Attn: Philip Shculte
451 7th Street SW, Room 8144
Washington, DC 20410

ONSITE

DOE Field Office

Don R. Segna

24 Pacific Northwest Laboratory

Michael R. Brambley, K5-16
Craig C. Conner (10), K5-16
David R. Conover, BW0
Ronald E. Jarnagin, K5-16
Allen D. Lee, PORTL
Robert G. Lucas, K5-16
Andrew K. Nicholls, BW0
Thomas J. Secrest, K5-20
Z. Todd Taylor, K5-16
Publishing Coordination
Technical Report Files (5)

END

**DATE
FILMED**

3 / 25 / 92