1 of 6

THIRD QUARTER 1993

MIXED WASTE MANAGEMENT FACILITY (MWMF) GROUNDWATER MONITORING REPORT (U)

KEY WORDS

BGO wells
BGX wells
HMD wells
trichloroethylene
tritium

PUBLICATION DATE: DECEMBER 1993

RECEIVED
FEB 18 1994
OSTI

WESTINGHOUSE SAVANNAH RIVER COMPANY
SAVANNAH RIVER SITE
AIKEN, SC 29808

MASTER

DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED

870

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

This report has been reproduced directly from the best available copy.

Available to DOE and DOE contractors from the Office of Scientific and Technical Information, P. O. Box 62, Oak Ridge, TN 37831; prices available from (615) 576-8401.

Available to the public from the National Technical Information Service, U. S. Department of Commerce, 5285 Port Royal Rd., Springfield, VA 22161

Abstract

During third quarter 1993, eight constituents exceeded final Primary Drinking Water Standards in groundwater samples from downgradient monitoring wells at the Mixed Waste Management Facility, the Old Burial Ground, the E-Area Vaults, and the proposed Hazardous Waste/Mixed Waste Disposal Vaults.

As in previous quarters, tritium and trichloroethylene were the most widespread constituents. Chloroethene (vinyl chloride), 1,1-dichloroethylene, dichloromethane (methylene chloride), lead, mercury, or tetrachloroethylene also exceeded standards in one or more wells. The elevated constituents were found in Aquifer Zone IIB₂ (Water Table) and Aquifer Zone IIB₁ (Barnwell/McBean) wells. No elevated constituents were exhibited in Aquifer Unit IIA (Congaree) wells.

The groundwater flow directions and rates in the three hydrostratigraphic units were similar to those of previous quarters.

Contents

	Page
Abstract	iii
List of Figures	vii
List of Tables	ix
Executive Summary	1
Introduction	2
Description of Facilities	2
Hydrostratigraphic Units	3
Discussion	4
Groundwater Monitoring Data	4
Integrity of the Monitoring Well Network	5
Analytical Results Exceeding Standards	6
Trichloroethylene and Tritium Time-Trend Data	7
Water Levels	9
Groundwater Flow Rates and Directions	9
Upgradient Versus Downgradient Results	12
Conclusions	13
References Cited	14
Errata	16
Appendix A – Final Primary Drinking Water Standards	A-1
Appendix B – Flagging Criteria	B-1
Appendix C – Figures	C-1
Appendix D – Groundwater Monitoring Results Tables	D-1

Appendix E – Data Quality/Useability Assessment	E-1
Appendix F – Time Series Plots	F-1
Appendix G – Hydrographs	G-1

List of Figures

	Page
1. Location of the Mixed Waste Management Facility at the Savannah River Site	C-2
2. Location of the Groundwater Monitoring Wells at the Mixed Waste Management Facility, the Old Burial Ground, the E-Area Vaults, and the Hazardous Waste/Mixed Waste Disposal Vaults (the Burial Ground Complex)	C-3
3. Hydrostratigraphic Nomenclature	C-4
4. Regional Correlation of Hydrostratigraphic and Lithostratigraphic Nomenclature . .	C-5
5. Location of Aquifer Zone IIB ₂ (Water Table) Wells at the Burial Ground Complex .	C-6
6. Location of Aquifer Zone IIB ₁ (Barnwell/McBean) Wells at the Burial Ground Complex	C-7
7. Location of Aquifer Unit IIA (Congaree) Wells at the Burial Ground Complex	C-8
8. Tritium Activities in Aquifer Zone IIB ₂ (Water Table) at the Burial Ground Complex, Third Quarter 1993	C-9
9. Trichloroethylene Concentrations in Aquifer Zone IIB ₂ (Water Table) at the Burial Ground Complex, Third Quarter 1993	C-10
10. Benzene Concentrations in Aquifer Zone IIB ₂ (Water Table) at the Burial Ground Complex, Third Quarter 1993	C-11
11. Tritium Activities in Aquifer Zone IIB ₁ (Barnwell/McBean) at the Burial Ground Complex, Third Quarter 1993	C-12
12. Trichloroethylene Concentrations in Aquifer Zone IIB ₁ (Barnwell/McBean) at the Burial Ground Complex, Third Quarter 1993	C-13
13. Benzene Concentrations in Aquifer Zone IIB ₁ (Barnwell/McBean) at the Burial Ground Complex, Third Quarter 1993	C-14
14. Tritium Activities in Aquifer Unit IIA (Congaree) at the Burial Ground Complex, Third Quarter 1993	C-15

15. Trichloroethylene Concentrations in Aquifer Unit IIA (Congaree) at the Burial Ground Complex, Third Quarter 1993	C-16
16. Benzene Concentrations in Aquifer Unit IIA (Congaree) at the Burial Ground Complex, Third Quarter 1993	C-17
17. pH Levels in Aquifer Zone IIB ₂ (Water Table) at the Burial Ground Complex, Third Quarter 1993	C-18
18. Specific Conductance in Aquifer Zone IIB ₂ (Water Table) at the Burial Ground Complex, Third Quarter 1993	C-19
19. pH Levels in Aquifer Zone IIB ₁ (Barnwell/McBean) at the Burial Ground Complex, Third Quarter 1993	C-20
20. Specific Conductance in Aquifer Zone IIB ₁ (Barnwell/McBean) at the Burial Ground Complex, Third Quarter 1993	C-21
21. pH Levels in Aquifer Unit IIA (Congaree) at the Burial Ground Complex, Third Quarter 1993	C-22
22. Specific Conductance in Aquifer Unit IIA (Congaree) at the Burial Ground Complex, Third Quarter 1993	C-23
23. Piezometric Surface Map of Aquifer Zone IIB ₂ (Water Table) at the Burial Ground Complex	C-24
24. Potentiometric Surface Map of Aquifer Zone IIB ₁ (Barnwell/McBean) at the Burial Ground Complex	C-25
25. Potentiometric Surface Map of Aquifer Unit IIA (Congaree) at the Burial Ground Complex	C-26

List of Tables

	Page
1. Maximum Levels of Constituents Exceeding the Final Primary Drinking Water Standards	D-5
2. Maximum Levels of Constituents Exceeding Half the Final Primary Drinking Water Standards or Other Flag 1 or Flag 2 Criteria	D-9
3. Groundwater Monitoring Results for Individual Wells	D-17

Executive Summary

Currently, 121 wells monitor groundwater quality in the uppermost aquifer beneath the Mixed Waste Management Facility (MWMF) at the Savannah River Site as required by the South Carolina Hazardous Waste Management Regulations and settlement agreements 87-52-SW and 91-51-SW. Samples from the wells are analyzed for certain heavy metals, indicator parameters, radionuclides, volatile organic compounds, and other constituents.

During third quarter 1993, chloroethene (vinyl chloride), 1,1-dichloroethylene, dichloromethane (methylene chloride), lead, mercury, tetrachloroethylene, trichloroethylene, or tritium exceeded final Primary Drinking Water Standards (PDWS) in approximately half of the downgradient wells at the MWMF. Consistent with historical trends, elevated constituent levels were found in Aquifer Zone IIB₂ (Water Table) and Aquifer Zone IIB₁ (Barnwell/McBean). Elevated levels of constituents did not occur in Aquifer Unit IIA (Congaree) wells; however, elevated constituent levels have occurred in some of these wells previously.

As in previous quarters, tritium and trichloroethylene were the most widespread constituents during third quarter 1993. Sixty (50%) of the 121 monitoring wells contained elevated tritium activities. Trichloroethylene concentrations exceeded the final PDWS in 21 (17%) wells. Chloroethene (vinyl chloride), 1,1-dichloroethylene, dichloromethane (methylene chloride), lead, and tetrachloroethylene, elevated in one or more wells during third quarter 1993, also occurred in elevated levels during second quarter 1993. These five constituents generally were elevated in the same wells during both quarters. Mercury, elevated in 1 well during third quarter 1993, has occurred sporadically in MWMF wells in the past.

Groundwater flow directions and rates in Aquifer Zone IIB₂ (Water Table), Aquifer Zone IIB₁ (Barnwell/McBean), and Aquifer Unit IIA (Congaree) were generally similar to those of previous quarters.

Introduction

Description of Facilities

The Mixed Waste Management Facility (MWMF) is part of the Burial Ground Complex, which also includes the Old Burial Ground, the E-Area Vaults, and the proposed Hazardous Waste/Mixed Waste Disposal Vaults (HWMWDV). The Burial Ground Complex is located within the General Separations Area at the Savannah River Site (SRS) (Figures 1 and 2, Appendix C). The following description outlines important events in the history of the MWMF:

- In 1972, the MWMF began receiving various radioactive and nonradioactive wastes (Heffner and Exploration Resources, 1991).
- A closure plan for the MWMF was filed November 23, 1985, with the South Carolina Department of Health and Environmental Control (SCDHEC) (Jaegge et al., 1987). The closure plan included placing a low permeability cap and final vegetative cover over the facility.
- The MWMF became inactive in 1986 (WSRC, 1990).
- A consent decree between the U.S. Department of Energy and the Natural Resources Defense Council et al. (Civil Action 1:85-2583-6, U.S. District Court, District of South Carolina, Aiken Division), signed May 26, 1988, and effective June 1, 1988, identified the MWMF as subject to the requirements of Subtitle C of the Resource Conservation and Recovery Act (RCRA).
- SCDHEC approved an interim status closure plan for the MWMF in December 1990 and accepted the closure certification in April 1991 in accordance with South Carolina Hazardous Waste Management Regulations (SCHWMR), Subpart G (SCDHEC, 1992).
- A RCRA Part B post-closure care permit application renewal was submitted to SCDHEC in November 1992 (WSRC, 1992). This permit application includes the 58-acre MWMF and the 13-acre Solvent Rag Portions of the Low-Level Radioactive Waste Disposal Facility (LLRWDF) as agreed upon by SRS and SCDHEC in settlement agreements 87-52-SW (May 10, 1991) and 91-51-SW (August 26, 1991).
- A closure plan for the Solvent Rag Portions was submitted to SCDHEC in August 1993 (WSRC, 1993b).
- A revised RCRA Part B post-closure care permit application renewal, containing a groundwater corrective action plan, was submitted to SCDHEC on November 30, 1993 (WSRC, 1993c).

- A final field investigation plan (FIP) for the Burial Ground Complex (WSRC, 1993a) has been submitted to SCDHEC for approval. The FIP will address data uncertainties that were identified during the preparation of the MWMF RCRA Part B post-closure care permit.

Currently, the Environmental Protection Department/Environmental Monitoring Section (EPD/EMS) conducts quarterly sampling of the 121 wells monitoring the groundwater beneath the MWMF as part of the SRS Groundwater Monitoring Program. The Environmental Restoration Department provides a quarterly report to SCDHEC describing the monitoring results to meet the requirements of SCHWMR (SCDHEC, 1992). Tritium and trichloroethylene are the primary constituents detected in the groundwater. However, elevated levels of other radionuclides, volatile organic compounds, and metals also are found in the groundwater as a result of the operation of this facility.

Hydrostratigraphic Units

Historically, groundwater quality assessment reports for the MWMF have used the lithostratigraphic nomenclature *Water Table*, *Barnwell*, *McBean*, and *Congaree* to identify hydrologic units. However, an interim alphanumeric system developed by Aadland and Bledsoe (1990) (Figure 3, Appendix C) defines the aquifer and aquitard units at SRS using hydrostratigraphic designations. Figure 4 (Appendix C) shows a correlation of these designations. This report uses both nomenclatures. The November 1992 MWMF RCRA Part B post-closure care permit application renewal includes an in-depth explanation of this nomenclature and a detailed description of the geologic and hydrogeologic systems at the Burial Ground Complex (WSRC, 1992).

The MWMF well network monitors three distinct hydrostratigraphic units in the uppermost aquifer beneath the facility: Aquifer Zone IIB₂ (Water Table), which is underlain by Confining Zone IIB₁-IIB₂ (Tan Clay); the semi-confined Aquifer Zone IIB₁ (Barnwell/McBean); and the semi-confined Aquifer Unit IIA (Congaree), which is separated from the overlying Aquifer Zone IIB₁ by Confining Unit IIA-IIB (Green Clay). The boundary between the uppermost aquifer and the principal confining unit is the uppermost confining bed of Confining System I-II (Ellenton Formation), which lies approximately 300 ft below the surface of the Burial Ground Complex.

Discussion

Groundwater Monitoring Data

The EPD/EMS sampling procedure (EPD/EMS, 1992) requires evacuation of a minimum of two well volumes and stabilization of Ph, specific conductance, and turbidity prior to sample collection. Stability is established when a minimum of three successive measurements, taken within a given time period, are within a specified tolerance range. If a well pumps dry before two well volumes are purged or before stabilization is achieved, it must be revisited within 24 hours for the data to be considered from a single sampling event. On the second visit within 24 hours, samples are taken without purging or stability measurements; thus, these samples may not be representative of groundwater quality.

During third quarter 1993, groundwater samples from the MWMF were analyzed for certain indicator parameters, heavy metals, radionuclides, and other constituents. This report describes the results that equaled or exceeded the Safe Drinking Water Act final Primary Drinking Water Standards (PDWS) or drinking water screening levels, as established by the U.S. Environmental Protection Agency (EPA) (Appendix A); the South Carolina final PDWS for lead (Appendix A); or SRS flagging criteria based on PDWS, Secondary Drinking Water Standards, or method detection limits (Appendix B). For simplicity, results that equaled or exceeded standards are described as *exceeding* or *above* standards or as *elevated*.

The final PDWS for individual analytes provided in Appendix A may not always match the SRS flagging criteria provided in Appendix B. The final PDWS are used as guidelines in this compliance report to meet regulatory requirements; the flagging criteria are used by EPD/EMS to identify relative levels of constituents in the groundwater and as guides for scheduling groundwater sampling.

Beginning first quarter 1993, aluminum became part of comprehensive analyses, and dichloromethane was evaluated for the first time against a final PDWS promulgated by EPA in July 1992 (enforceable beginning January 17, 1994). The status of radium isotopes was re-examined, and radium-228 is now flagged according to its proposed drinking water standard (DWS) while both radium-226 and total alpha-emitting radium (radium-223, -224, and -226 analyzed together) are flagged according to the proposed DWS for radium-226. The final PDWS for total radium (as the sum of radium-226 and -228 activities) is not used for flagging.

Integrity of the Monitoring Well Network

The current groundwater monitoring well network at the MWMF (Figure 2, Appendix C) is composed of the following:

- 51 Aquifer Zone IIB₂ (Water Table) wells (Figure 5, Appendix C):

BGO 1D, 2D, 3D, 4D, 5D, 6D, 7D, 8D, 9D, 10DR, 11D, 12D, 14DR, 15D, 16D, 17DR, 18D, 19D, 20D, 21D, 22DR, 23D, 24D, 26D, 27D, 28D, 29D, 30D, 31D, 32D, 33D, 34D, 35D, 36D, 37D, 38D, 39D, 40D, 44D, 45D, 46D, 47D, 48D, 49D, 50D; BGX 1D, 9D, 10D, 11D, 12D; HSB 85C

- 46 Aquifer Zone IIB₁ (Barnwell/McBean) wells (Figure 6, Appendix C):

BGO 5C, 6B, 6C, 8C, 10B, 10C, 12CR, 13DR, 14CR, 16B, 27C, 29C, 30C, 31C, 33C, 35C, 37C, 42C, 43CR, 43D, 44B, 44C, 45B, 45C, 46B, 46C, 47C, 48C, 49C, 50C; BGX 1C, 2B, 2D, 3D, 4C, 4D, 5D, 6D, 7D, 8DR, 12C; HMD 1D, 2D, 3D, 4D; HSB 85B

- 24 Aquifer Unit IIA (Congaree) wells (Figure 7, Appendix C):

BGO 6A, 8AR, 9AA, 10AA, 10AR, 12AR, 14AR, 16AR, 18A, 25A, 26A, 29A, 41A, 43A, 43AA, 44A, 44AA, 45A, 47A, 49A, 50A; BGX 1A, 4A; HSB 85A

SRS has a program in place to rehabilitate and replace wells that do not produce representative samples from the units being monitored. A complete record of well installations, replacements, and abandonments at the MWMF is found in the EPD/EMS well inventory (EPD/EMS, 1993).

The designated background wells for Aquifer Zone IIB₂ (Water Table) are BGO 1D and 2D, and HSB 85C; HSB 85B is the background well for Aquifer Zone IIB₁ (Barnwell/McBean); and HSB 85A is the background well for Aquifer Unit IIA (Congaree).

Table 3 (Appendix D) lists the number of well volumes purged from each of the BGO, BGX, and HMD series wells and the HSB 85 well cluster during third quarter 1993. Incomplete or unsuccessful sampling events occurred as follows:

- Wells that went dry during purging:

BGO 1D, 2D, 3D, 5C, 5D, 6B, 6D, 9AA, 10B, 10C, 10DR, 12CR, 12D, 13DR, 14CR, 16B, 16D, 17DR, 20D, 21D, 25A, 26D, 27D, 28D, 29A, 29C, 29D, 30C, 30D, 31C, 31D, 32D, 33D, 34D, 35D, 36D, 37D, 38D, 39D, 40D, 42C, 43CR, 44B, 44C, 45B, 45C, 46C, 49D, 50A, 50C; BGX 1C, 1D, 2B, 2D, 10D, 11D, 12D; HMD 1D, 4D; HSB 85B

- Wells that could not be sampled because they were inaccessible to the samplers:

BGO 4D, 19D

- Wells that could not be sampled because they had mechanical problems:

BGO 24D

- Wells that could not be sampled because they are in the Purge Water Containment Program are provided in the following table.

Wells in the Purge Water Containment Program

Well	Quarter Last Sampled	Constituent Exceeding Limit	Level at Last Sample	Date of Next Evaluation
BGO 26A	3Q91	pH	11.6 pH units ^a	January 1994
BGO 37C	1Q91	trichloroethylene	690 µg/L	January 1994
BGO 41A	2Q93	pH	12.3 pH units	January 1994
BGO 43A	2Q93	pH	12.6 pH units	January 1994
BGX 1A	1Q93	pH	12.4 pH units	January 1994

^a Field measurements.

Analytical Results Exceeding Standards

Results for analytes that exceeded the final PDWS during third quarter 1993 are provided in Table 1 (Appendix D) and summarized below. The maximum levels for the primary constituents are indicated in parentheses following the wells in which they were detected.

Aquifer Zone IIB₂ (Water Table): 36 of the 51 wells contained elevated constituents.

- Tritium was elevated in 34 wells: BGO 3D, 5D, 6D, 7D, 8D, 9D, 10DR, 11D, 12D, 15D, 16D, 20D, 21D, 22DR, 23D, 27D, 28D (maximum activity at 1.4E+05 pCi/mL), 30D, 31D, 32D, 34D, 35D, 36D, 37D, 38D, 39D, 44D, 45D, 46D, 47D, 48D, 49D, and 50D; and BGX 1D.
- Trichloroethylene was elevated in 12 wells: BGO 6D, 7D, 12D, 14DR, 15D, 16D, 28D (maximum concentration at 241 µg/L), 30D, 46D, 47D, 48D, and 50D.
- Tetrachloroethylene was elevated in 4 wells: BGO 6D, 15D, 46D, and 48D.
- Chloroethene (vinyl chloride) was elevated in 3 wells: BGO 28D, 30D, and 46D.
- Dichloromethane (methylene chloride) was elevated in 2 wells: BGO 7D and 12D.
- 1,1-Dichloroethylene was elevated in well BGO 30D.
- Lead was elevated in well BGX 10D.

Aquifer Zone IIB₁ (Barnwell/McBean): 28 of the 46 wells contained elevated constituents.

- Tritium was elevated in 26 wells: BGO 5C, 6C, 10B, 10C, 13DR, 14CR, 27C, 29C, 30C, 31C, 33C (maximum activity at $8.2E+03$ pCi/mL), 44B, 44C, 45C, 46B, 46C, 47C, 48C, 49C, and 50C; and BGX 1C, 2D, 3D, 5D, 7D, and 8DR.
- Trichloroethylene was elevated in 9 wells: BGO 12CR (maximum concentration at $81 \mu\text{g/L}$), 14CR, 27C, 30C, 33C, 42C, 46C, and 50C; and BGX 2D.
- Mercury was elevated in well BGO 33C.

Aquifer Unit IIA (Congaree): no wells contained elevated constituents.

Some of the values for the preceding quarter in Table 1 of this report may differ from the values in the preceding quarter's report because of reanalyses performed by the laboratories after the report went to press.

Results for analytes that exceeded other SRS flagging criteria during third quarter 1993 are summarized in Table 2 (Appendix D).

Table 3 (Appendix D) shows the results for all of the constituents and identifies the results that received modifiers (which help define laboratory accuracy and precision) or that exceeded standards or the EPA-approved holding times during third quarter 1993.

Appendix D provides definitions of the abbreviations and the modifiers used in the results tables as well as descriptions of holding times and data rounding practices. Appendix E provides a general assessment of the quality and useability of the data.

Isoconcentration maps of benzene, pH, specific conductance, trichloroethylene, and tritium in Aquifer Zone IIB₂ (Water Table), Aquifer Zone IIB₁ (Barnwell/McBean), and Aquifer Unit IIA (Congaree) wells during third quarter 1993 appear in Figures 8 through 22 (Appendix C).

Trichloroethylene and Tritium Time-Trend Data

Time series plots from first quarter 1990 through third quarter 1993 for wells containing trichloroethylene and tritium are presented in Appendix F.

Trichloroethylene concentrations have exhibited the following trends since first quarter 1992:

- Trichloroethylene concentrations in wells BGO 1D, 2D, 3D, 5C, 6A, 6C, 8AR, 8C, 9D, 10AR, 10C, 18A, 18D, 20D, 21D, 23D, 25A, 26D, 27D, 29D, 31D, 32D, 33D, 34D, 35C, 35D, 36D, 37D, 38D, 39D, 43A, 43AA, 43CR, 43D, 44A, 44AA, 44B, 44D, 45A, 45B, 45C, 45D, 47A, 49A, 49C, 49D, and 50A; BGX 1A, 1C, 1D, 4A, 4D, 5D, 6D, 9D, 10D, and 12C; and HMD 1D, 2D, 3D, and 4D have been consistently below or near detection limits.

- Trichloroethylene concentrations in wells BGO 8D, 11D, 14AR, 29A, 29C, 31C, 40D, 41A, 44C, 46B, 47C, and 48C; and BGX 2B, 3D, 4C, and 8DR have been consistently near or below the final PDWS.
- Wells BGO 6D, 7D, 12AR, 12CR, 12D, 14CR, 14DR, 15D, 16D, 27C, 28D, 30C, 30D, 33C, 42C, 46C, 46D, 47D, 48D, and 50D; and BGX 2D have exhibited concentrations of trichloroethylene that consistently exceeded the final PDWS.
- Well BGO 28D, screened in Aquifer Zone IIB₂ (Water Table), has consistently exhibited the highest trichloroethylene concentrations, usually ranging from approximately 240 µg/L to 340 µg/L.
- Other wells have exhibited somewhat erratic activities, ranging from relatively high above the final PDWS to below the final PDWS (e.g., well BGO 50C). Data are insufficient to determine trends for yet other wells. However, trichloroethylene concentrations in wells BGO 10AA, 10B, and 10DR have not exceeded the final PDWS since sampling began several quarters ago.

Tritium activities have exhibited the following trends since first quarter 1992:

- Tritium activities in wells BGO 6A, 8AR, 8C, 10AR, 12AR, 12CR, 18A, 25A, 41A, 43AA, 44A, 44AA, 45A, 47A, 49A, and 50A; BGX 4A and 12C; and HSB 85C have been consistently near or below detection limits.
- Tritium activities have not exceeded the final PDWS in upgradient wells BGO 1D, HSB 85B, and HSB 85C.
- Tritium activities in wells BGO 2D, 5C, 5D, 8D, 12D, 14AR, 18D, 20D, 26D, 29A, 29D, 35C, 40D, 42C, 43A, 43CR, 43D, and 45B; BGX 2B, 4C, 6D, 9D, 10D, and 12D; and HMD 1D, 2D, 3D, and 4D have been consistently near or below the final PDWS.
- Wells BGO 3D, 6C, 6D, 7D, 11D, 13DR, 14CR, 15D, 16D, 21D, 23D, 27D, 28D, 29C, 30C, 30D, 31C, 31D, 32D, 33C, 34D, 35D, 36D, 37D, 38D, 39D, 44B, 44C, 44D, 45C, 45D, 46C, 46D, 47C, 47D, 48C, 48D, 49D, 50C, and 50D; and BGX 1C, 1D, 2D, 3D, and 8DR have exhibited tritium levels that have consistently exceeded the final PDWS.
- Well BGO 28D, located in Aquifer Zone IIB₂ (Water Table) at the west edge of the Old Burial Ground, has consistently exhibited the highest tritium activities, exceeding 1.0E+05 pCi/mL during most quarters.
- Some wells have exhibited erratic activities, ranging from relatively high above the final PDWS to below the final PDWS (e.g., wells BGO 9D and 10C and BGX 4D). Data are still insufficient to determine trends for other wells (e.g., well BGX 1A).

Tritium activities in wells BGO 12D, 14AR, 26D, 29A, 34D, 35C, 36D, 37D, 38D, and 39D appear to have been anomalously high during fourth quarter 1991 as compared to preceding and more recent quarters.

Time series plots of pH for selected wells also are provided in Appendix F.

Water Levels

Hydrographs for selected wells and well clusters at the MWMF are provided in Appendix G. Average water elevations in the three hydrostratigraphic units beneath the MWMF for the past four quarters are shown in the following table.

Average Water Elevations (ft msl) in the Hydrostratigraphic Units Beneath the MWMF

Unit	4Q92	1Q93	2Q93	3Q93
Aquifer Zone IIB ₂ (Water Table)	231.99	233.46	233.89	233.07
Aquifer Zone IIB ₁ (Barnwell/McBean)	219.25	220.52	221.54	220.34
Aquifer Unit IIA (Congaree)	159.65	161.26	163.31	160.60

During third quarter 1993, the water level in Aquifer Zone IIB₂ (Water Table) decreased an average of 0.82 ft compared to second quarter 1993, the water level in Aquifer Zone IIB₁ (Barnwell/McBean) decreased an average of 1.20 ft, and the water level in Aquifer Unit IIA (Congaree) fell an average of 2.71 ft.

A consistent vertical head relationship exists among the hydrostratigraphic units monitored at the MWMF. Flow potential is downward from Aquifer Zone IIB₂ (Water Table) to Aquifer Zone IIB₁ (Barnwell/McBean) and downward from Aquifer Zone IIB₁ (Barnwell/McBean) to Aquifer Unit IIA (Congaree). This relationship, which was first noted in 1988, exists at all BGO well clusters.

Groundwater Flow Rates and Directions

The groundwater in Aquifer Zone IIB₂ (Water Table) and Aquifer Zone IIB₁ (Barnwell/McBean) diverges beneath the Burial Ground Complex. Historically the groundwater in Aquifer Zone IIB₂ (Water Table) has discharged either to the north toward Upper Three Runs Creek or to the southwest toward Fourmile Branch (using Universal Transverse Mercator coordinates [UTM]); the groundwater in Aquifer Zone IIB₁ (Barnwell/McBean) has discharged either to the northwest or to the southwest. Near Upper Three Runs Creek, the upper portion of the saturated zone lies beneath Confining Zone IIB₁-IIB₂ (Tan Clay) in Aquifer Zone IIB₁ (Barnwell/McBean). The historical horizontal groundwater flow direction in Aquifer Unit IIA (Congaree) has been consistently northwest toward Upper Three Runs Creek.

During third quarter 1993, the flow directions in both Aquifer Zone IIB₂ (Water Table) and Aquifer Zone IIB₁ (Barnwell/McBean) were to the north-northwest and west-southwest, and the flow direction in Aquifer Unit IIA (Congaree) was to the northwest. Piezometric surfaces and groundwater flow directions for Aquifer Zone IIB₂ (Water Table), Aquifer Zone IIB₁ (Barnwell/McBean), and Aquifer Unit IIA (Congaree) during third quarter 1993 are illustrated in Figures 23, 24, and 25 (Appendix C), respectively. Horizontal flow rate estimates for the three hydrostratigraphic units during the past four quarters are provided in the following table.

Horizontal Groundwater Flow Rates (ft/yr) in the Hydrostratigraphic Units Beneath the MWMF

Unit	4Q92	1Q93	2Q93	3Q93
Aquifer Zone IIB ₂ (Water Table)	15-26	16-40	19-33	27-51
Aquifer Zone IIB ₁ (Barnwell/McBean)	4.7-20	5.8-18	4.0-16	5.1-15
Aquifer Unit IIA (Congaree)	180	190	200	190

Horizontal flow rate calculations provide estimates of the transport rate of constituents originating from the MWMF. Flow rates in Aquifer Zone IIB₂ (Water Table) and Aquifer Zone IIB₁ (Barnwell/McBean) are calculated along two flow paths (designated flow paths A and B) to characterize the divergent groundwater flows toward Upper Three Runs Creek and Four-mile Branch. The flow rate for Aquifer Unit IIA (Congaree) is calculated along a single flow path because flow directions within this unit are generally more uniform than in the overlying units. Flow rates are estimated using the following equation:

$$\text{Flow (ft/day)} = \frac{\text{Hydraulic Conductivity (ft/day)}}{\text{Porosity (unitless)}} \times \frac{dh \text{ (ft)}}{dl \text{ (ft)}}$$

Hydraulic conductivity constants of 3.03 ft/day, 1.50 ft/day, and 45 ft/day are used for Aquifer Zone IIB₂ (Water Table), Aquifer Zone IIB₁ (Barnwell/McBean), and Aquifer Unit IIA (Congaree), respectively (WSRC, 1992). An effective porosity value of 20% is used for the two upper units, and an effective porosity value of 25% is used for Aquifer Unit IIA (Congaree) (WSRC, 1992). The value dh is the difference in head, and dl is the length of the flow path.

Flow path length is calculated to the nearest 50 ft for paths A of Aquifer Zone IIB₂ (Water Table) and Aquifer Zone IIB₁ (Barnwell/McBean) and to the nearest 100 ft for the remaining flow paths. Flow rate per day is calculated to two significant figures, then multiplied by 365 and rounded to two significant figures for the flow rate per year. Flow rate estimates vary depending on the vertical gradient between wells, the size of the area under consideration, the number of data points, and the length and location of the flow path. Because these are based on inferred or estimated parameters, flow rate estimates should be considered accurate to an order of magnitude only.

The flow rate estimates for groundwater in Aquifer Zone IIB₂ (Water Table) beneath the MWMF during third quarter 1993 are as follows (Figure 23, Appendix C):

Flow path A (toward Fourmile Branch)

$$\frac{3.03}{0.2} \times \frac{10}{2,050} \approx 0.074 \text{ ft/day}$$

$$0.074 \text{ ft/day} \times 365 \approx 27 \text{ ft/yr}$$

Flow path B (toward Upper Three Runs Creek)

$$\frac{3.03}{0.2} \times \frac{12}{1,300} \approx 0.14 \text{ ft/day}$$

$$0.14 \text{ ft/day} \times 365 \approx 51 \text{ ft/yr}$$

The flow rate estimates for groundwater in Aquifer Zone IIB₁ (Barnwell/McBean) beneath the MWMF are as follows (Figure 24, Appendix C):

Flow path A (toward Fourmile Branch)

$$\frac{1.50}{0.2} \times \frac{6}{3,200} \approx 0.014 \text{ ft/day}$$

$$0.014 \text{ ft/day} \times 365 \approx 5.1 \text{ ft/yr}$$

Flow path B (toward Upper Three Runs Creek)

$$\frac{1.50}{0.2} \times \frac{8}{1,500} \approx 0.040 \text{ ft/day}$$

$$0.040 \text{ ft/day} \times 365 \approx 15 \text{ ft/yr}$$

The flow rate estimate for groundwater in Aquifer Unit IIA (Congaree) beneath the MWMF is as follows (Figure 25, Appendix C):

$$\frac{45}{0.25} \times \frac{5}{1,700} \approx 0.53 \text{ ft/day}$$

$$0.53 \text{ ft/day} \times 365 \approx 190 \text{ ft/yr}$$

Upgradient Versus Downgradient Results

Wells BGO 1D, 2D, and HSB 85C are upgradient wells in Aquifer Zone IIB₂ (Water Table); wells HSB 85A and 85B are upgradient wells in Aquifer Unit IIA (Congaree) and Aquifer Zone IIB₁ (Barnwell/McBean), respectively. The remaining wells in these hydrostratigraphic units monitor downgradient water quality.

None of the upgradient wells contained constituents that exceeded the final PDWS during third quarter 1993. Downgradient wells in two of the three hydrostratigraphic units contained elevated levels of chloroethene (vinyl chloride), 1,1-dichloroethylene, dichloromethane (methylene chloride), lead, mercury, tetrachloroethylene, trichloroethylene, or tritium.

Conclusions

The groundwater at the MWMF contains elevated levels of heavy metals, radionuclides, volatile organic compounds, and other constituents resulting from 40 years of operations at the Burial Ground Complex. During third quarter 1993, eight constituents exceeded their final PDWS in one or more wells at the MWMF. Seven of these constituents—chloroethene (vinyl chloride), 1,1-dichloroethylene, dichloromethane (methylene chloride), lead, tetrachloroethylene, trichloroethylene, and tritium—also occurred in elevated levels during second quarter 1993. Mercury, the remaining elevated constituent, did not occur in elevated levels during second quarter 1993; it has occurred in elevated concentrations infrequently in the past.

As in previous quarters, tritium and trichloroethylene were the most widespread constituents. Sixty (50%) of the 121 monitoring wells contained elevated tritium activities, with maximum activity ($1.4\text{E}+05$ pCi/mL) occurring in well BGO 28D in Aquifer Zone IIB₂ (Water Table). Trichloroethylene concentrations exceeded the final PDWS in 21 (17%) of the wells, with the maximum concentration found at 241 $\mu\text{g/L}$ in well BGO 28D in Aquifer Zone IIB₂ (Water Table).

Elevated constituent levels were found in Aquifer Zone IIB₂ (Water Table) and Aquifer Zone IIB₁ (Barnwell/McBean), consistent with historical data. Elevated levels of constituents have occurred in wells in Aquifer Unit IIA (Congaree) in past quarters, indicating that vertical pathways into this deeper water-bearing unit exist. A current groundwater flow model for the General Separations Area indicates that the vertical component beneath this area is important (GeoTrans, Inc., 1992).

Constituents exceeding the final PDWS were found only in downgradient wells. Generally, elevated levels of constituents found in downgradient wells but not in upgradient wells at a waste management unit are considered products of the waste management unit.

Groundwater in Aquifer Zone IIB₂ (Water Table) and Aquifer Zone IIB₁ (Barnwell/McBean) diverges beneath the Burial Ground Complex and discharges toward Upper Three Runs Creek or toward Fourmile Branch. During third quarter 1993, using UTM coordinates, flow in these units was to the north-northwest toward Upper Three Runs Creek or to the west-southwest toward Fourmile Branch. The groundwater flow direction in Aquifer Unit IIA (Congaree) is consistently northwest toward Upper Three Runs Creek.

Groundwater flow rate estimates were in the same order of magnitude as previous quarters. Estimates ranged from 28 ft/yr to 51 ft/yr in Aquifer Zone IIB₂ (Water Table) and from 5.1 ft/yr to 15 ft/yr in Aquifer Zone IIB₁ (Barnwell/McBean); the flow rate estimate in Aquifer Unit IIA (Congaree) was 190 ft/yr.

References Cited

Aadland, R. K., and H. W. Bledsoe, 1990. **Classification of Hydrostratigraphic Units at the Savannah River Site, South Carolina**, WSRC-RP-90-987. Westinghouse Savannah River Company, Savannah River Site, Aiken, SC.

EPD/EMS (Environmental Protection Department/Environmental Monitoring Section), 1993. **Environmental Protection Department's Well Inventory (through the fourth quarter of 1992)**, ESH-EMS-920040. Westinghouse Savannah River Company, Savannah River Site, Aiken, SC.

EPD/EMS (Environmental Protection Department, Environmental Monitoring Section), 1992. **Hydrogeologic Data Collection Procedures and Specifications: Sampling Groundwater Monitoring Wells**, Manual 3Q5, Chapter 15, Revision 0. Westinghouse Savannah River Company, Savannah River Site, Aiken, SC.

GeoTrans, Inc., 1992. **Groundwater Flow Model for the General Separations Area, Savannah River Site**. Prepared for Westinghouse Savannah River Company, Environmental Restoration Department, Savannah River Site, Aiken, SC.

Heffner, J. D., and Exploration Resources, Inc., 1991. **Technical Summary of Groundwater Quality Protection Program at the Savannah River Site (1952-1986), Volume I—Site Geohydrology and Waste Sites**, DPSP-88-1002. Westinghouse Savannah River Company, Aiken, SC.

Jaegge, W. J., N. L. Kolb, B. B. Looney, I. W. Marine, O. A. Towler, and J. R. Cook, 1987. **Environmental Information Document: Radioactive Waste Burial Grounds**, DPST-85-694. Savannah River Laboratory, E. I. du Pont de Nemours & Company, Aiken, SC.

SCDHEC (South Carolina Department of Health and Environmental Control), 1992. **South Carolina Hazardous Waste Management Regulations**; R.61-79.124, .260 through .266, .268, and .270. Columbia, SC.

WSRC (Westinghouse Savannah River Company), 1990. **Waste Management Units—Savannah River Site. Waste Management Unit Worksheets**, Volume I. Savannah River Site, Aiken, SC.

WSRC (Westinghouse Savannah River Company), 1992. **1992 RCRA Part B Permit Renewal Application. Mixed Waste Management Facility (MWMF) Post-Closure**, Volume VII, Revision 0, November 1992, WSRC-IM-91-53. Savannah River Site, Aiken, SC.

WSRC (Westinghouse Savannah River Company), 1993a. **A Field Investigation Plan for the Burial Ground Complex**. September 1993, WSRC-RP-93-848. Savannah River Site, Aiken, SC.

WSRC (Westinghouse Savannah River Company), 1993b. **Mixed Waste Management Facility Closure Plan (LLRWDF)**, Volume II, August 1993, Q-CLP-E-00001. Savannah River Site, Aiken, SC.

WSRC (Westinghouse Savannah River Company), 1993c. **1992 RCRA Part B Permit Application, Mixed Waste Management Facility Postclosure**, Volume VII, Revision 2, November 1993, WSRC-IM-91-53. Savannah River Site, Aiken, SC.

Errata

Third Quarter 1992:

- Prior to third quarter 1992, the results of certain analyses for nitrate-nitrite as nitrogen were reported incorrectly by the General Engineering laboratory as nitrate as nitrogen results. The analyses in the results tables for reports beginning third quarter 1992 are reported correctly (i.e., nitrate-nitrite results have been distinguished from true nitrate results).

Fourth Quarter 1992:

- Some of the values for earlier quarters presented in the results tables of this report may differ from the values for those same quarters presented in previous reports, and reported values may not match reported sample dates. These differences result from the following: (1) the computer program that creates the analytical results tables was revised beginning second quarter 1992 to present the highest value for analytes with more than one result (previously, the program presented the first value encountered in the database); (2) a new computer program, which rounds numbers differently from the former computer program, was first used during third quarter 1992; and (3) some reanalyses may have been performed by the laboratories after the quarterly reports had gone to press. The sample dates in the tables are the dates when the field data were collected. These dates may differ from the dates of the laboratory analyses if the highest results were obtained for samples collected on different dates.

First Quarter 1993:

- Page 10, footnote to table: The date the effective porosity value for Aquifer Unit IIA (Congaree) was changed should read "between second and third quarters 1992."
- Page D-9, Table 2: Dichloromethane (methylene chloride) should be italicized.
- Page D-132, Table 3: Well BGO 31C went dry after 29 gallons of water (0.9 well volumes) were evacuated.

Second Quarter 1993:

- No errata have been reported.

Appendix A – Final Primary Drinking Water Standards

Final Primary Drinking Water Standards

Analyte	Unit	Level	Status	Source
Antimony	µg/L	6	Final	EPA, 1992b
Arsenic	µg/L	50	Final	EPA, 1992a
Asbestos	fibers/L	7,000,000	Final	EPA, 1992a
Barium	µg/L	2,000	Final	EPA, 1992a
Benzene	µg/L	5	Final	EPA, 1992a
Benzo[a]pyrene	µg/L	0.2	Final	EPA, 1992b
Beryllium	µg/L	4	Final	EPA, 1992b
Bis(2-ethylhexyl) phthalate	µg/L	6	Final	EPA, 1992b
Bromodichloromethane	µg/L	100 ^a	Final	EPA, 1992a
Bromoform	µg/L	100 ^a	Final	EPA, 1992a
2-sec-Butyl-4,6-dinitrophenol	µg/L	7	Final	EPA, 1992b
Cadmium	µg/L	5	Final	EPA, 1992a
Carbon tetrachloride	µg/L	5	Final	EPA, 1992a
Chlordane	µg/L	2	Final	EPA, 1992a
Chlorobenzene	µg/L	100	Final	EPA, 1992a
Chloroethene (Vinyl chloride)	µg/L	2	Final	EPA, 1992a
Chloroform	µg/L	100 ^a	Final	EPA, 1992a
Chromium	µg/L	100	Final	EPA, 1992a
Copper	µg/L	1,300	Final	EPA, 1992a
Cyanide	µg/L	200	Final	EPA, 1992b
Dibromochloromethane	µg/L	100 ^a	Final	EPA, 1992a
Dibromochloropropane	µg/L	0.2	Final	EPA, 1992a
1,2-Dibromoethane (Ethylene dibromide)	µg/L	0.05	Final	EPA, 1992a
1,2-Dichlorobenzene	µg/L	600	Final	EPA, 1992a
1,4-Dichlorobenzene	µg/L	75	Final	EPA, 1992a
1,2-Dichloroethane	µg/L	5	Final	EPA, 1992a
1,1-Dichloroethene	µg/L	7	Final	EPA, 1992a
1,2-Dichloroethene	µg/L	50	Final	EPA, 1992b
cis-1,2-Dichloroethene	µg/L	70	Final	EPA, 1992a
trans-1,2-Dichloroethene	µg/L	100	Final	EPA, 1992a
Dichloromethane (Methylene chloride)	µg/L	5	Final	EPA, 1992b
2,4-Dichlorophenoxyacetic acid	µg/L	70	Final	EPA, 1992a
1,2-Dichloropropane	µg/L	5	Final	EPA, 1992a
Endrin	µg/L	2	Final	EPA, 1992b
Ethylbenzene	µg/L	700	Final	EPA, 1992a
Fluoride	µg/L	4,000	Final	EPA, 1992a
Gross alpha ^b	pCi/L	1.5E+01	Final	EPA, 1992a
Heptachlor	µg/L	0.4	Final	EPA, 1992a
Heptachlor epoxide	µg/L	0.2	Final	EPA, 1992a
Hexachlorobenzene	µg/L	1	Final	EPA, 1992b
Hexachlorocyclopentadiene	µg/L	50	Final	EPA, 1992b
Lead	µg/L	50	Final	SCDHEC, 1981
Lindane	µg/L	0.2	Final	EPA, 1992a
Mercury	µg/L	2	Final	EPA, 1992a
Methoxychlor	µg/L	40	Final	EPA, 1992a
Nickel	µg/L	100	Final	EPA, 1992b
Nitrate as nitrogen	µg/L	10,000	Final	EPA, 1992a
Nitrate-nitrite as nitrogen	µg/L	10,000	Final	EPA, 1992a
Nitrite as nitrogen	µg/L	1,000	Final	EPA, 1992a
Nonvolatile beta ^c	pCi/L	5E+01	Final	EPA, 1977
PCBs ^d	µg/L	0.5	Final	EPA, 1992a
Pentachlorophenol	µg/L	1	Final	EPA, 1992a
Radium, total (Radium-226 and -228)	pCi/L	5E+00	Final	EPA, 1992a

<u>Analyte</u>	<u>Unit</u>	<u>Level</u>	<u>Status</u>	<u>Source</u>
Selenium	µg/L	50	Final	EPA, 1992a
Strontium-89/90 ^a	pCi/L	8E+00	Final	EPA, 1992a
Strontium-90	pCi/L	8E+00	Final	EPA, 1992a
Styrene	µg/L	100	Final	EPA, 1992a
2,3,7,8-TCDD	µg/L	0.00003	Final	EPA, 1992b
Tetrachloroethylene	µg/L	5	Final	EPA, 1992a
Thallium	µg/L	2	Final	EPA, 1992b
Toluene	µg/L	1,000	Final	EPA, 1992a
Total trihalomethanes	µg/L	100	Final	EPA, 1992a
Toxaphene	µg/L	3	Final	EPA, 1992a
2,4,5-TP (Silvex)	µg/L	50	Final	EPA, 1992a
1,2,4-Trichlorobenzene	µg/L	70	Final	EPA, 1992b
1,1,1-Trichloroethane	µg/L	200	Final	EPA, 1992a
1,1,2-Trichloroethane	µg/L	5	Final	EPA, 1992b
Trichloroethylene	µg/L	5	Final	EPA, 1992a
Tritium	pCi/mL	2E+01	Final	EPA, 1992a
Xylenes	µg/L	10,000	Final	EPA, 1992a

- ^a This value is the drinking water standard for total trihalomethanes (the sum of bromoform, bromodichloromethane, chloroform, and dibromochloromethane).
- ^b The standard given is for gross alpha including radium-226 but excluding radon and uranium.
- ^c This is the screening level above which providers of public drinking water should perform analyses for specific man-made radionuclides. The standard for the total dose equivalent from all such radionuclides is 4 mrem per year.
- ^d Analyses were conducted in 1993 for the following: PCB 1016, PCB 1221, PCB 1232, PCB 1242, PCB 1248, PCB 1254, and PCB 1260.
- ^e For double radionuclide analyses where each separate radionuclide has its own standard, the more stringent standard is used.

References

EPA (U.S. Environmental Protection Agency), 1977. **National Interim Primary Drinking Water Regulations**, EPA-570/9-76-003. Washington, DC.

EPA (U.S. Environmental Protection Agency), 1992a. **National Primary Drinking Water Regulations, Code of Federal Regulations**, Title 40, Part 141, pp. 589-729. Washington, DC.

EPA (U.S. Environmental Protection Agency), 1992b. **National Primary Drinking Water Regulations—Synthetic Organic Chemicals and Inorganic Chemicals; National Primary Drinking Water Regulations Implementation**. **Federal Register**, July 17, 1992, pp. 31776-31849. Washington, DC.

SCDHEC (South Carolina Department of Health and Environmental Control), 1981. **State Primary Drinking Water Regulations**, R.61-58.5. Columbia, SC.

Appendix B – Flagging Criteria

Flagging Criteria

The Savannah River Site Environmental Protection Department/Environmental Monitoring Section (EPD/EMS) flagging criteria are as follows:

- Flag 2 criteria for constituents equal the Safe Drinking Water Act (SDWA) final Primary Drinking Water Standard (PDWS), the SDWA proposed PDWS, or the SDWA Secondary Drinking Water Standard (SDWS). If a constituent does not have a drinking water standard, the Flag 2 criterion equals 10 times the method detection limit (MDL) calculated as the 90th percentile detection limit obtained recently by one of the primary analytical laboratories.
- Flag 1 criteria for constituents equal one-half the final PDWS, one-half the proposed PDWS, or one-half the SDWS. If a constituent does not have a drinking water standard, the Flag 1 criterion equals 5 times the MDL calculated as the 90th percentile detection limit obtained recently by one of the primary analytical laboratories.
- Flag 0 criteria are assigned to constituent levels below Flag 1 criteria, constituent levels below the sample detection limits, or constituents having no flagging criteria.

The following parameters are not assigned flagging criteria: alkalinity, calcium, color, corrosivity, Eh, magnesium, odor, potassium, silica, sodium, total dissolved solids, total phosphates (as P), total phosphorus, and turbidity. In addition, common laboratory contaminants and cleaners including some phthalates, ketones, and toluene are not assigned flagging criteria.

Analyte	Unit	Flag 1	Flag 2	Source ^a
Acenaphthene	µg/L	50	100	EPA Method 8270
Acenaphthylene	µg/L	50	100	EPA Method 8270
Acetone	µg/L	500	1,000	EPA Method 8240
Acetonitrile (Methyl cyanide)	µg/L	500	1,000	EPA Method 8240
Acetophenone	µg/L	50	100	EPA Method 8270
2-Acetylaminofluorene	µg/L	50	100	EPA Method 8270
Acrolein	µg/L	100	200	EPA Method 8240
Acrylonitrile	µg/L	100	200	EPA Method 8240
Actinium-228	pCi/L	1.64E + 03	3.27E + 03	Proposed PDWS (EPA, 1991)
Aldrin	µg/L	0.25	0.5	EPA Method 8080
Alkalinity (as CaCO ₃)		No flag	No flag	Set by EPD/EMS
Allyl chloride	µg/L	250	500	EPA Method 8240
Aluminum	µg/L	25	50	SDWS (EPA, 1992c)
Americium-241	pCi/L	3.17E + 00	6.34E + 00	Proposed PDWS (EPA, 1991)
Americium-243	pCi/L	3.19E + 00	6.37E + 00	Proposed PDWS (EPA, 1991)
4-Aminobiphenyl	µg/L	50	100	EPA Method 8270
Ammonia	µg/L	500	1,000	APHA Method 417B
Ammonia nitrogen	µg/L	500	1,000	EPA Method 350.1
Aniline	µg/L	50	100	EPA Method 8270
Anthracene	µg/L	50	100	EPA Method 8270
Antimony	µg/L	3	6	Final PDWS (EPA, 1992b)
Antimony-125	pCi/L	1.5E + 02	3E + 02	Final PDWS (EPA, 1977)
Aramite	µg/L	50	100	EPA Method 8270
Arsenic	µg/L	25	50	Final PDWS (EPA, 1992a)

Analyte	Unit	Flag 1	Flag 2	Source ^a
Asbestos	Fibers/L	3,500,000	7,000,000	Final PDWS (EPA, 1992a)
Azobenzene	µg/L	50	100	EPA Method 625
Barium	µg/L	1,000	2,000	Final PDWS (EPA, 1992a)
Barium-140	pCi/L	4.5E+01	9E+01	Final PDWS (EPA, 1977)
Benzene	µg/L	2.5	5	Final PDWS (EPA, 1992a)
alpha-Benzene hexachloride	µg/L	0.25	0.5	EPA Method 8080
beta-Benzene hexachloride	µg/L	0.25	0.5	EPA Method 8080
delta-Benzene hexachloride	µg/L	0.25	0.5	EPA Method 8080
Benzidine	µg/L	250	500	EPA Method 8270
Benzo[a]anthracene	µg/L	0.05	0.1	Proposed PDWS (EPA, 1990)
Benzo[b]fluoranthene	µg/L	0.1	0.2	Proposed PDWS (EPA, 1990)
Benzo[k]fluoranthene	µg/L	0.1	0.2	Proposed PDWS (EPA, 1990)
Benzoic acid	µg/L	250	500	EPA Method 8270
Benzo[g,h,i]perylene	µg/L	50	100	EPA Method 8270
Benzo[a]pyrene	µg/L	0.1	0.2	Final PDWS (EPA, 1992b)
1,4-Benzoquinone	µg/L	50	100	EPA Method 8270
Benzyl alcohol	µg/L	50	100	EPA Method 8270
Beryllium	µg/L	2	4	Final PDWS (EPA, 1992b)
Beryllium-7	pCi/L	3E+03	6E+03	Final PDWS (EPA, 1977)
Bis(2-chloroethoxy) methane	µg/L	50	100	EPA Method 8270
Bis(2-chloroethyl) ether	µg/L	50	100	EPA Method 8270
Bis(2-chloroisopropyl) ether	µg/L	50	100	EPA Method 8270
Bis(chloromethyl) ether	µg/L	50	100	EPA Method 8270
Bis(2-ethylhexyl) phthalate	µg/L	3	6	Final PDWS (EPA, 1992b)
Bromide	µg/L	5,000	10,000	EPA Method 300.0
Bromodichloromethane	µg/L	50	100	Final PDWS (EPA, 1992a)
Bromoform	µg/L	50	100	Final PDWS (EPA, 1992a)
Bromomethane (Methyl bromide)	µg/L	5	10	EPA Method 8240
4-Bromophenyl phenyl ether	µg/L	50	100	EPA Method 8270
2-sec-Butyl-4,6-dinitrophenol	µg/L	3.5	7	Final PDWS (EPA, 1992b)
Butylbenzyl phthalate		No flag	No flag	Set by EPD/EMS
Cadmium	µg/L	2.5	5	Final PDWS (EPA, 1992a)
Calcium		No flag	No flag	Set by EPD/EMS
Carbon disulfide	µg/L	5	10	EPA Method 8240
Carbon tetrachloride	µg/L	2.5	5	Final PDWS (EPA, 1992a)
Carbon-14	pCi/L	1E+03	2E+03	Final PDWS (EPA, 1977)
Carbonate		No flag	No flag	Set by EPD/EMS
Cerium-141	pCi/L	1.5E+02	3E+02	Final PDWS (EPA, 1977)
Cerium-144	pCi/L	1.31E+02	2.61E+02	Proposed PDWS (EPA, 1991)
Cesium-134 ^b	pCi/L	4.07E+01	8.13E+01	Proposed PDWS (EPA, 1991)
Cesium-137	pCi/L	1E+02	2E+02	Final PDWS (EPA, 1977)
Chlordane	µg/L	1	2	Final PDWS (EPA, 1992a)
Chloride	µg/L	125,000	250,000	SDWS (EPA, 1992c)
4-Chloroaniline	µg/L	50	100	EPA Method 8270
Chlorobenzene	µg/L	50	100	Final PDWS (EPA, 1992a)
Chlorobenzilate	µg/L	50	100	EPA Method 8270
Chloroethane	µg/L	5	10	EPA Method 8240
Chloroethene (Vinyl chloride)	µg/L	1	2	Final PDWS (EPA, 1992a)
Chloroethyl vinyl ether	µg/L	5	10	EPA Method 8240
2-Chloroethyl vinyl ether	µg/L	5	10	EPA Method 8240
Chloroform	µg/L	50	100	Final PDWS (EPA, 1992a)
4-Chloro-m-cresol	µg/L	50	100	EPA Method 8270
Chloromethane (Methyl chloride)	µg/L	5	10	EPA Method 8240
2-Chloronaphthalene	µg/L	50	100	EPA Method 8240
2-Chlorophenol	µg/L	50	100	EPA Method 8270

Analyte	Unit	Flag 1	Flag 2	Source ^a
4-Chlorophenyl phenyl ether	µg/L	50	100	EPA Method 8270
Chloroprene	µg/L	1,000	2,000	EPA Method 8240
Chromium	µg/L	50	100	Final PDWS (EPA, 1992a)
Chromium-51	pCi/L	3E+03	6E+03	Final PDWS (EPA, 1977)
Chrysene	µg/L	0.1	0.2	Proposed PDWS (EPA, 1990)
Cobalt	µg/L	20	40	EPA Method 6010
Cobalt-57	pCi/L	5E+02	1E+03	Final PDWS (EPA, 1977)
Cobalt-58	pCi/L	4.5E+03	9E+03	Final PDWS (EPA, 1977)
Cobalt-60	pCi/L	5E+01	1E+02	Final PDWS (EPA, 1977)
Color		No flag	No flag	Set by EPD/EMS
Copper	µg/L	650	1,300	Final PDWS (EPA, 1992a)
Corrosivity		No flag	No flag	Set by EPD/EMS
m-Cresol (3-Methylphenol)	µg/L	50	100	EPA Method 8270
o-Cresol (2-Methylphenol)	µg/L	50	100	EPA Method 8270
p-Cresol (4-Methylphenol)	µg/L	50	100	EPA Method 8270
Curium-242	pCi/L	6.65E+01	1.33E+02	Proposed PDWS (EPA, 1991)
Curium-243	pCi/L	4.15E+00	8.3E+00	Proposed PDWS (EPA, 1991)
Curium-243/244 ^c	pCi/L	4.15E+00	8.3E+00	Proposed PDWS (EPA, 1991)
Curium-244	pCi/L	4.92E+00	9.84E+00	Proposed PDWS (EPA, 1991)
Curium-245/246 ^c	pCi/L	3.12E+00	6.23E+00	Proposed PDWS (EPA, 1991)
Curium-246	pCi/L	3.14E+00	6.27E+00	Proposed PDWS (EPA, 1991)
Cyanide	µg/L	100	200	Final PDWS (EPA, 1992b)
p,p'-DDD	µg/L	0.5	1	EPA Method 8080
p,p'-DDE	µg/L	0.5	1	EPA Method 8080
p,p'-DDT	µg/L	0.5	1	EPA Method 8080
Di-n-butyl phthalate		No flag	No flag	Set by EPD/EMS
Di-n-octyl phthalate		No flag	No flag	Set by EPD/EMS
Diallate	µg/L	50	100	EPA Method 8270
Dibenz[a,h]anthracene	µg/L	0.15	0.3	Proposed PDWS (EPA, 1990)
Dibenzofuran	µg/L	50	100	EPA Method 8270
Dibromochloromethane	µg/L	50	100	Final PDWS (EPA, 1992a)
1,2-Dibromo-3-chloropropane	µg/L	0.1	0.2	Final PDWS (EPA, 1992a)
1,2-Dibromoethane (Ethylene dibromide)	µg/L	0.025	0.05	Final PDWS (EPA, 1992a)
Dibromomethane (Methylene bromide)	µg/L	5	10	EPA Method 8240
1,2-Dichlorobenzene	µg/L	300	600	Final PDWS (EPA, 1992a)
1,3-Dichlorobenzene	µg/L	50	100	EPA Method 8270
1,4-Dichlorobenzene	µg/L	37.5	75	Final PDWS (EPA, 1992a)
3,3'-Dichlorobenzidine	µg/L	50	100	EPA Method 8270
trans-1,4-Dichloro-2-butene	µg/L	150	300	EPA Method 8240
Dichlorodifluoromethane	µg/L	5	10	EPA Method 8240
1,1-Dichloroethane	µg/L	5	10	EPA Method 8240
1,2-Dichloroethane	µg/L	2.5	5	Final PDWS (EPA, 1992a)
1,1-Dichloroethene	µg/L	3.5	7	Final PDWS (EPA, 1992a)
1,2-Dichloroethene	µg/L	25	50	Final PDWS (EPA, 1992b)
cis-1,2-Dichloroethene	µg/L	35	70	Final PDWS (EPA, 1992a)
trans-1,2-Dichloroethene	µg/L	50	100	Final PDWS (EPA, 1992a)
Dichloromethane (Methylene chloride)	µg/L	2.5	5	Final PDWS (EPA, 1992b)
2,4-Dichlorophenol	µg/L	50	100	EPA Method 8270
2,6-Dichlorophenol	µg/L	50	100	EPA Method 8270
2,4-Dichlorophenoxyacetic acid	µg/L	35	70	Final PDWS (EPA, 1992a)
1,2-Dichloropropane	µg/L	2.5	5	Final PDWS (EPA, 1992a)
cis-1,3-Dichloropropene	µg/L	5	10	EPA Method 8240

Analyte	Unit	Flag 1	Flag 2	Source ^a
trans-1,3-Dichloropropene	µg/L	5	10	EPA Method 8240
Dieldrin	µg/L	2.5	5	EPA Method 8080
Diethyl phthalate		No flag	No flag	Set by EPD/EMS
Dimethoate	µg/L	50	100	EPA Method 8270
p-Dimethylaminoazobenzene	µg/L	50	100	EPA Method 8270
p-(Dimethylamino)ethylbenzene	µg/L	50	100	EPA Method 8270
7,12-Dimethylbenz[a]anthracene	µg/L	50	100	EPA Method 8270
3,3'-Dimethylbenzidine	µg/L	50	100	EPA Method 8270
a,a-Dimethylphenethylamine	µg/L	50	100	EPA Method 8270
2,4-Dimethyl phenol	µg/L	50	100	EPA Method 8270
Dimethyl phthalate		No flag	No flag	Set by EPD/EMS
1,3-Dinitrobenzene	µg/L	50	100	EPA Method 8270
2,4-Dinitrophenol	µg/L	250	500	EPA Method 8270
2,4-Dinitrotoluene	µg/L	50	100	EPA Method 8270
2,6-Dinitrotoluene	µg/L	50	100	EPA Method 8270
1,4-Dioxane	µg/L	50	100	EPA Method 8270
Diphenylamine	µg/L	50	100	EPA Method 8270
1,2-Diphenylhydrazine	µg/L	50	100	EPA Method 8270
Dissolved organic carbon	µg/L	5,000	10,000	EPA Method 9060
Disulfoton	µg/L	50	100	EPA Method 8270
Eh		No flag	No flag	Set by EPD/EMS
alpha-Endosulfan	µg/L	50	100	EPA Method 8270
beta-Endosulfan	µg/L	50	100	EPA Method 8270
Endosulfan I	µg/L	0.5	1	EPA Method 8080
Endosulfan II	µg/L	0.5	1	EPA Method 8080
Endosulfan sulfate	µg/L	0.5	1	EPA Method 8080
Endrin	µg/L	1	2	Final PDWS (EPA, 1992b)
Endrin aldehyde	µg/L	0.5	1	EPA Method 8080
Endrin ketone		No flag	No flag	Set by EPD/EMS
Ethylbenzene	µg/L	350	700	Final PDWS (EPA, 1992a)
Ethyl methacrylate	µg/L	50	100	EPA Method 8270
Ethyl methanesulfonate	µg/L	50	100	EPA Method 8270
Europium-152	pCi/L	3E+01	6E+01	Final PDWS (EPA, 1977)
Europium-154	pCi/L	1E+02	2E+02	Final PDWS (EPA, 1977)
Europium-155	pCi/L	3E+02	6E+02	Final PDWS (EPA, 1977)
Famphur	µg/L	50	100	EPA Method 8270
Fluoranthene	µg/L	50	100	EPA Method 8270
Fluorene	µg/L	50	100	EPA Method 8270
Fluoride	µg/L	2,000	4,000	Final PDWS (EPA, 1992a)
Gross alpha	pCi/L	7.5E+00	1.5E+01	Final PDWS (EPA, 1992a)
Heptachlor	µg/L	0.2	0.4	Final PDWS (EPA, 1992a)
Heptachlor epoxide	µg/L	0.1	0.2	Final PDWS (EPA, 1992a)
Heptachlorodibenzo-p-dioxin isomers	µg/L	0.00325	0.0065	EPA Method 8280
1,2,3,4,6,7,8-HPCDD	µg/L	0.00325	0.0065	EPA Method 8280
Heptachlorodibenzo-p-furan isomers	µg/L	0.00225	0.0045	EPA Method 8280
1,2,3,4,6,7,8-HPCDF	µg/L	0.00225	0.0045	EPA Method 8280
Hexachlorobenzene	µg/L	0.5	1	Final PDWS (EPA, 1992b)
Hexachlorobutadiene	µg/L	50	100	EPA Method 8270
Hexachlorocyclopentadiene	µg/L	25	50	Final PDWS (EPA, 1992b)
Hexachlorodibenzo-p-dioxin isomers	µg/L	0.00225	0.0045	EPA Method 8280
1,2,3,4,7,8-HXCDD	µg/L	0.00225	0.0045	EPA Method 8280
Hexachlorodibenzo-p-furan isomers	µg/L	0.002	0.004	EPA Method 8280
1,2,3,4,7,8-HXCDF	µg/L	0.002	0.004	EPA Method 8280

Analyte	Unit	Flag 1	Flag 2	Source ^a
Hexachloroethane	µg/L	50	100	EPA Method 8270
Hexachlorophene	µg/L	250	500	EPA Method 8270
Hexachloropropene	µg/L	50	100	EPA Method 8270
2-Hexanone	µg/L	50	100	EPA Method 8240
Indeno[1,2,3-c,d]pyrene	µg/L	50	100	EPA Method 8270
Iodine	µg/L	250	500	APHA Method 415A
Iodine-129	pCi/L	5E-01	1E+00	Final PDWS (EPA, 1977)
Iodine-131	pCi/L	1.5E+00	3E+00	Final PDWS (EPA, 1977)
Iodomethane (Methyl iodide)	µg/L	75	150	EPA Method 8240
Iron	µg/L	150	300	SDWS (EPA, 1992c)
Iron-55	pCi/L	1E+03	2E+03	Final PDWS (EPA, 1977)
Iron-59	pCi/L	1E+02	2E+02	Final PDWS (EPA, 1977)
Isobutyl alcohol	µg/L	500	1,000	EPA Method 8240
Isodrin	µg/L	50	100	EPA Method 8270
Isophorone	µg/L	50	100	EPA Method 8270
Isosafrole	µg/L	50	100	EPA Method 8270
Kepone	µg/L	50	100	EPA Method 8270
Lanthanum-140	pCi/L	3E+01	6E+01	Final PDWS (EPA, 1977)
Lead	µg/L	7.5	15	Final PDWS (EPA, 1992a)
Lindane	µg/L	0.1	0.2	Final PDWS (EPA, 1992a)
Lithium	µg/L	25	50	EPA Method 6010
Magnesium		No flag	No flag	Set by EPD/EMS
Manganese	µg/L	25	50	SDWS (EPA, 1992c)
Manganese-54	pCi/L	1.5E+02	3E+02	Final PDWS (EPA, 1977)
Mercury	µg/L	1	2	Final PDWS (EPA, 1992a)
Methacrylonitrile	µg/L	250	500	EPA Method 8240
Methapyrilene	µg/L	50	100	EPA Method 8270
Methoxychlor	µg/L	20	40	Final PDWS (EPA, 1992a)
3-Methylcholanthrene	µg/L	50	100	EPA Method 8270
2-Methyl-4,6-dinitrophenol	µg/L	250	500	EPA Method 8270
Methyl ethyl ketone		No flag	No flag	Set by EPD/EMS
Methyl isobutyl ketone		No flag	No flag	Set by EPD/EMS
Methyl methacrylate	µg/L	50	100	EPA Method 8270
Methyl methanesulfonate	µg/L	50	100	EPA Method 8270
2-Methylnaphthalene	µg/L	50	100	EPA Method 8270
Molybdenum	µg/L	250	500	EPA Method 6010
Naphthalene	µg/L	50	100	EPA Method 8270
1,4-Naphthoquinone	µg/L	50	100	EPA Method 8270
1-Naphthylamine	µg/L	50	100	EPA Method 8270
2-Naphthylamine	µg/L	50	100	EPA Method 8270
Neptunium-237	pCi/L	3.53E+00	7.06E+00	Proposed PDWS (EPA, 1991)
Nickel	µg/L	50	100	Final PDWS (EPA, 1992b)
Nickel-59	pCi/L	1.5E+02	3E+02	Final PDWS (EPA, 1977)
Nickel-63	pCi/L	2.5E+01	5E+01	Final PDWS (EPA, 1977)
Niobium-95	pCi/L	1.5E+02	3E+02	Final PDWS (EPA, 1977)
Nitrate as nitrogen	µg/L	5,000	10,000	Final PDWS (EPA, 1992a)
Nitrate-nitrite as nitrogen	µg/L	5,000	10,000	Final PDWS (EPA, 1992a)
Nitrite as nitrogen	µg/L	500	1,000	Final PDWS (EPA, 1992a)
2-Nitroaniline	µg/L	50	100	EPA Method 8270
3-Nitroaniline	µg/L	50	100	EPA Method 8270
4-Nitroaniline	µg/L	50	100	EPA Method 8270
Nitrobenzene	µg/L	50	100	EPA Method 8270
Nitrogen by Kjeldahl method	µg/L	500	1,000	EPA Method 351.2
2-Nitrophenol	µg/L	50	100	EPA Method 8270
4-Nitrophenol	µg/L	50	100	EPA Method 8270

Analyte	Unit	Flag 1	Flag 2	Source ^a
4-Nitroquinoline-1-oxide	µg/L	50	100	EPA Method 8270
N-Nitrosodi-n-butylamine	µg/L	50	100	EPA Method 8270
N-Nitrosodiethylamine	µg/L	50	100	EPA Method 8270
N-Nitrosodimethylamine	µg/L	50	100	EPA Method 8270
N-Nitrosodiphenylamine	µg/L	50	100	EPA Method 8270
N-Nitrosodipropylamine	µg/L	50	100	EPA Method 8270
N-Nitrosomethylethylamine	µg/L	50	100	EPA Method 8270
N-Nitrosomorpholine	µg/L	50	100	EPA Method 8270
N-Nitrosopiperidine	µg/L	50	100	EPA Method 8270
N-Nitrosopyrrolidine	µg/L	50	100	EPA Method 8270
5-Nitro-o-toluidine	µg/L	50	100	EPA Method 8270
Nonvolatile beta	pCi/L	2.5E+01	5E+01	Proposed PDWS (EPA, 1986)
Octachlorodibenzo-p-dioxin isomers	µg/L	0.005	0.01	EPA Method 8280
Octachlorodibenzo-p-furan isomers	µg/L	0.005	0.01	EPA Method 8280
Odor		No flag	No flag	Set by EPD/EMS
Oil & Grease	µg/L	5,000	10,000	EPA Method 413.1
Parathion	µg/L	0.25	0.5	EPA Method 8080
Parathion methyl	µg/L	0.25	0.5	EPA Method 8080
PCB 1016	µg/L	0.25	0.5	Final PDWS (EPA, 1992a)
PCB 1221	µg/L	0.25	0.5	Final PDWS (EPA, 1992a)
PCB 1232	µg/L	0.25	0.5	Final PDWS (EPA, 1992a)
PCB 1242	µg/L	0.25	0.5	Final PDWS (EPA, 1992a)
PCB 1248	µg/L	0.25	0.5	Final PDWS (EPA, 1992a)
PCB 1254	µg/L	0.25	0.5	Final PDWS (EPA, 1992a)
PCB 1260	µg/L	0.25	0.5	Final PDWS (EPA, 1992a)
PCB 1262	µg/L	0.25	0.5	Final PDWS (EPA, 1992a)
Pentachlorobenzene	µg/L	50	100	EPA Method 8270
Pentachlorodibenzo-p-dioxin isomers	µg/L	0.00275	0.0055	EPA Method 8280
1,2,3,7,8-PCDD	µg/L	0.00275	0.0055	EPA Method 8280
Pentachlorodibenzo-p-furan isomers	µg/L	0.00275	0.0055	EPA Method 8280
1,2,3,7,8-PCDF	µg/L	0.00275	0.0055	EPA Method 8280
Pentachloroethane	µg/L	50	100	EPA Method 8270
Pentachloronitrobenzene	µg/L	50	100	EPA Method 8270
Pentachlorophenol	µg/L	0.5	1	Final PDWS (EPA, 1992a)
pH	pH	8	10	Set by EPD/EMS
pH	pH	4	3	Set by EPD/EMS
Phenacetin	µg/L	50	100	EPA Method 8270
Phenanthrene	µg/L	50	100	EPA Method 8270
Phenol	µg/L	50	100	EPA Method 8270
Phenols	µg/L	25	50	EPA Method 420.1
p-Phenylenediamine	µg/L	50	100	EPA Method 8270
Phorate	µg/L	0.5	1	EPA Method 8080
2-Picoline	µg/L	50	100	EPA Method 8270
Plutonium-238	pCi/L	3.51E+00	7.02E+00	Proposed PDWS (EPA, 1991)
Plutonium-239	pCi/L	3.11E+01	6.21E+01	Proposed PDWS (EPA, 1991)
Plutonium-239/240 ^c	pCi/L	3.11E+01	6.21E+01	Proposed PDWS (EPA, 1991)
Plutonium-240	pCi/L	3.11E+01	6.22E+01	Proposed PDWS (EPA, 1991)
Plutonium-241	pCi/L	3.13E+01	6.26E+01	Proposed PDWS (EPA, 1991)
Plutonium-242	pCi/L	3.27E+01	6.54E+01	Proposed PDWS (EPA, 1991)
Potassium		No flag	No flag	Set by EPD/EMS
Potassium-40	pCi/L	1.5E+02	3E+02	Proposed PDWS (EPA, 1986)
Pronamid	µg/L	50	100	EPA Method 8270
Propionitrile	µg/L	1,000	2,000	EPA Method 8240
Pyrene	µg/L	50	100	EPA Method 8270
Pyridine	µg/L	50	100	EPA Method 8270

Analyte	Unit	Flag 1	Flag 2	Source ^a
Radium (alpha-emitting) ^d	pCi/L	1E+01	2E+01	Proposed PDWS (EPA, 1991)
Radium-226	pCi/L	1E+01	2E+01	Proposed PDWS (EPA, 1991)
Radium-228	pCi/L	1E+01	2E+01	Proposed PDWS (EPA, 1991)
Radon-222	pCi/L	1.5E+02	3E+02	Proposed PDWS (EPA, 1991)
Ruthenium-103	pCi/L	1E+02	2E+02	Final PDWS (EPA, 1977)
Ruthenium-106	pCi/L	1.5E+01	3E+01	Final PDWS (EPA, 1977)
Safrole	µg/L	50	100	EPA Method 8270
Selenium	µg/L	25	50	Final PDWS (EPA, 1992a)
Silica		No flag	No flag	Set by EPD/EMS
Total silica	µg/L	500	1,000	EPA Method 6010
Silver	µg/L	50	100	SDWS (EPA, 1992c)
Sodium		No flag	No flag	Set by EPD/EMS
Sodium-22	pCi/L	2.33E+02	4.66E+02	Proposed PDWS (EPA, 1991)
Specific conductance	µS/cm	250	500	Set by EPD/EMS
Strontium-89	pCi/L	1E+01	2E+01	Final PDWS (EPA, 1977)
Strontium-89/90 ^c	pCi/L	4E+00	8E+00	Final PDWS (EPA, 1992a)
Strontium-90	pCi/L	4E+00	8E+00	Final PDWS (EPA, 1992a)
Styrene	µg/L	50	100	Final PDWS (EPA, 1992a)
Sulfate	µg/L	200,000	400,000	Proposed PDWS (EPA, 1990)
Sulfide	µg/L	5,000	10,000	EPA Method 9030
Sulfotep	µg/L	50	100	EPA Method 8270
Surfactants		No flag	No flag	Set by EPD/EMS
2,3,7,8-TCDD	µg/L	0.000015	0.00003	Final PDWS (EPA, 1992b)
2,3,7,8-TCDF	µg/L	0.002	0.004	EPA Method 8280
Technetium-99	pCi/L	4.5E+02	9E+02	Final PDWS (EPA, 1977)
1,2,4,5-Tetrachlorobenzene	µg/L	50	100	EPA Method 8270
Tetrachlorodibenzo-p-dioxin isomers	µg/L	0.00225	0.0045	EPA Method 8280
Tetrachlorodibenzo-p-furan isomers	µg/L	0.002	0.004	EPA Method 8280
1,1,1,2-Tetrachloroethane	µg/L	5	10	EPA Method 8240
1,1,2,2-Tetrachloroethane	µg/L	5	10	EPA Method 8240
Tetrachloroethylene	µg/L	2.5	5	Final PDWS (EPA, 1992a)
2,3,4,6-Tetrachlorophenol	µg/L	50	100	EPA Method 8270
Tetraethyl dithiopyrophosphate	µg/L	50	100	EPA Method 8270
Thallium	µg/L	1	2	Final PDWS (EPA, 1992b)
Thionazin	µg/L	50	100	EPA Method 8270
Thorium-228	pCi/L	6.25E+01	1.25E+02	Proposed PDWS (EPA, 1991)
Thorium-230	pCi/L	3.96E+01	7.92E+01	Proposed PDWS (EPA, 1991)
Thorium-232	pCi/L	4.4E+01	8.8E+01	Proposed PDWS (EPA, 1991)
Thorium-234	pCi/L	2E+02	4.01E+02	Proposed PDWS (EPA, 1991)
Tin	µg/L	10	20	EPA Method 282.2
Tin-113	pCi/L	1.5E+02	3E+02	Final PDWS (EPA, 1977)
Toluene	µg/L	500	1,000	Final PDWS (EPA, 1992a)
o-Toluidine	µg/L	50	100	EPA Method 8270
Total carbon	µg/L	5,000	10,000	EPA Method 9060
Total dissolved solids		No flag	No flag	Set by EPD/EMS
Total hydrocarbons	µg/L	5,000	10,000	EPA Method 418.1
Total inorganic carbon	µg/L	5,000	10,000	EPA Method 9060
Total organic carbon	µg/L	5,000	10,000	EPA Method 9060
Total organic halogens	µg/L	25	50	EPA Method 9020
Total organic nitrogen	µg/L	500	1,000	APHA Method 420
Total petroleum hydrocarbons	µg/L	5,000	10,000	EPA Method 418.1
Total phosphates (as P)		No flag	No flag	Set by EPD/EMS
Total phosphorus		No flag	No flag	Set by EPD/EMS

Analyte	Unit	Flag 1	Flag 2	Source ^a
Toxaphene	µg/L	1.5	3	Final PDWS (EPA, 1992a)
2,4,5-TP (Silvex)	µg/L	25	50	Final PDWS (EPA, 1992a)
Tributyl phosphate	µg/L	50	100	EPA Method 8270
1,2,4-Trichlorobenzene	µg/L	35	70	Final PDWS (EPA, 1992b)
1,1,1-Trichloroethane	µg/L	100	200	Final PDWS (EPA, 1992a)
1,1,2-Trichloroethane	µg/L	2.5	5	Final PDWS (EPA, 1992b)
Trichloroethylene	µg/L	2.5	5	Final PDWS (EPA, 1992a)
Trichlorofluoromethane	µg/L	5	10	EPA Method 8240
2,4,5-Trichlorophenol	µg/L	50	100	EPA Method 8270
2,4,6-Trichlorophenol	µg/L	50	100	EPA Method 8270
2,4,5-Trichlorophenoxyacetic acid	µg/L	2.5	5	EPA Method 8150
1,2,3-Trichloropropane	µg/L	5	10	EPA Method 8240
O,O,O-Triethyl phosphorothioate	µg/L	50	100	EPA Method 8270
1,3,5-Trinitrobenzene	µg/L	50	100	EPA Method 8270
Tritium	pCi/mL	1E+01	2E+01	Final PDWS (EPA, 1992a)
Turbidity		No flag	No flag	Set by EPD/EMS
Uranium	µg/L	10	20	Proposed PDWS (EPA, 1991)
Uranium alpha activity	pCi/L	1.5E+01	3E+01	Proposed PDWS (EPA, 1991)
Uranium-233/234 ^c	pCi/L	6.9E+00	1.38E+01	Proposed PDWS (EPA, 1991)
Uranium-234	pCi/L	6.95E+00	1.39E+01	Proposed PDWS (EPA, 1991)
Uranium-235	pCi/L	7.25E+00	1.45E+01	Proposed PDWS (EPA, 1991)
Uranium-238	pCi/L	7.3E+00	1.46E+01	Proposed PDWS (EPA, 1991)
Vanadium	µg/L	40	80	EPA Method 6010
Vinyl acetate	µg/L	5	10	EPA Method 8240
Xylenes	µg/L	5,000	10,000	Final PDWS (EPA, 1992a)
Zinc	µg/L	2,500	5,000	SDWS (EPA, 1992c)
Zinc-65	pCi/L	1.5E+02	3E+02	Final PDWS (EPA, 1977)
Zirconium-95	pCi/L	1E+02	2E+02	Final PDWS (EPA, 1977)
Zirconium/Niobium-95 ^c	pCi/L	1E+02	2E+02	Final PDWS (EPA, 1977)

^a References for methods are found in Appendix E; references for dated sources are at the end of this appendix.

^b EPD/EMS set this flagging criterion using the 1991 proposed PDWS because the final PDWS in 1977 may have been in error.

^c When radionuclide analyses are combined, the lower PDWS of the two isotopes is used for flagging.

^d The applied standard is for radium-226.

References

EPA (U.S. Environmental Protection Agency), 1977. **National Interim Primary Drinking Water Regulations**, EPA-570/9-76-003. Washington, DC.

EPA (U.S. Environmental Protection Agency), 1986. *Water Pollution Control; National Primary Drinking Water Regulations, Radionuclides (Proposed)*. **Federal Register**, September 30, 1986, pp. 34836-34862. Washington, DC.

EPA (U.S. Environmental Protection Agency), 1990. *National Primary and Secondary Drinking Water Regulations; Synthetic Organic Chemicals and Inorganic Chemicals (Proposed Rule)*. **Federal Register**, July 25, 1990, pp. 30369-30448. Washington, DC.

EPA (U.S. Environmental Protection Agency), 1991. *National Primary Drinking Water Regulations; Radionuclides; Proposed Rule*. **Federal Register**, July 18, 1991, pp. 33052-33127. Washington, DC.

EPA (U.S. Environmental Protection Agency), 1992a. *National Primary Drinking Water Regulations, Code of Federal Regulations*, Section 40, Part 141, pp. 589–729. Washington, DC.

EPA (U.S. Environmental Protection Agency), 1992b. *National Primary Drinking Water Regulations—Synthetic Organic Chemical and Inorganic Chemicals; National Primary Drinking Water Regulations Implementation. Federal Register*, July 17, 1992, pp. 31776–31849. Washington, DC.

EPA (U.S. Environmental Protection Agency), 1992c. *National Secondary Drinking Water Regulations, Code of Federal Regulations*, Section 40, Part 143, pp. 772–776. Washington, DC.

Appendix C – Figures

Figure 1. Location of the Mixed Waste Management Facility at the Savannah River Site

Figure 2. Location of the Groundwater Monitoring Wells at the Mixed Waste Management Facility, the Old Burial Ground, the E-Area Vaults, and the Hazardous Waste/Mixed Waste Disposal Vaults (the Burial Ground Complex)

Geologic Age	Lithostratigraphic Units		Hydrostratigraphic Units				
Tertiary	"Upland Unit"		Regulatory Uppermost Aquifer	Aquifer Unit IIB	Aquifer Zone IIB ₂	Aquifer System II	
	Barnwell Group	Tobacco Rd Formation			Confining Zone IIB ₁ -IIB ₂		
		Dry Branch Formation			Aquifer Zone IIB ₁		
		Clinchfield Formation					
	Santee Limestone Formation						
	Warley Hill Formation			Confining Unit IIA-IIB			
	Congaree/ Fishburne Formations			Aquifer Unit IIA			
	Williamsburg Formation			Confining System I-II			
	Ellenton Formation						

Aadland, 1990

Figure 3. Hydrostratigraphic Nomenclature

	SIPLE (1987)	SRP BASELINE HYDROGEOLOGIC STUDY		GEOTRANS (1988)	AUCOTT (1987)	DUPONT (1989)		AADLAND and BLEDSOE (1990)											
T E R T I A R Y	HAWTHORNE AQUIFER	UPLAND UNIT		AQUIFER 4	TERTIARY SAND AQUIFER	ZONE 8		A Q U I F E R S Y S T E M I/II	AQUIFER UNIT I/IIc	S Y S T E M S B O U N D A R Y	AQUIFER UNIT IIB	AQUIFER SYSTEM II							
	BARNWELL AQUIFER	B A R N W E L L	TOBACCO RD FM			ZONE 7	7a												
			DRY BRANCH FM				7b												
	McBEAN AQUITARD GREEN CLAY	McBEAN FORMATION GREEN CLAY				ZONE 6	5b												
	CONGAREE AQUIFER	CONGAREE		AQUIFER 3	ZONE 5	5a													
ELLENTON AQUITARD	WILLIAMSBURG FORMATION		AQUITARD 2	CONFINING UNIT	ZONE 4	CONFINING UNIT I/IIa-I/IIc	AQUIFER UNIT I/IIb				CONFINING UNIT IIA-IIB	AQUIFER UNIT IIA	CONFINING SYSTEM I-II						
	ELLENTON FORMATION																		
UPPER TUSCALOOSA AQUIFER	PEEDEE FORMATION		AQUIFER 2	BLACK CREEK AQUIFER	ZONE 3							3b	AQUIFER UNIT I/IIb	AQUIFER UNIT IB	AQUIFER SYSTEM I				
	MID TUSCALOOSA AQUITARD	BLACK CREEK FORMATION										AQUITARD 1				CONFINING UNIT	3a		
LOWER TUSCALOOSA AQUIFER		MIDDENDORF FORMATION		AQUIFER 1	MIDDENDORF AQUIFER								ZONE 2	2c	CONFINING UNIT I/IIa-I/IIb		CONFINING UNIT IA-IB		
	BASAL CLAY AQUITARD	CAPE FEAR FORMATION										BASE OF MODEL		CONFINING UNIT		ZONE 1			AQUIFER UNIT I/IIa
													CONFINING SYSTEM I		CONFINING SYSTEM I				
TRIASSIC OR PALEOZOIC BASEMENT												PALEOZOIC - TRIASSIC BASEMENT HYDROLOGIC SYSTEM							

Figure 4. Regional Correlation of Hydrostratigraphic and Lithostratigraphic Nomenclature

Figure 5. Location of Aquifer Zone IIB₂ (Water Table) Wells at the Burial Ground Complex

Figure 6. Location of Aquifer Zone IIB₁ (Barnwell/McBean) Wells at the Burial Ground Complex

Figure 7. Location of Aquifer Unit IIA (Congaree) Wells at the Burial Ground Complex

Figure 8. Tritium Activities in Aquifer Zone IIB₂ (Water Table) at the Burial Ground Complex, Third Quarter 1993

Figure 9. Trichloroethylene Concentrations in Aquifer Zone IIB₂ (Water Table) at the Burial Ground Complex, Third Quarter 1993

Figure 10. Benzene Concentrations in Aquifer Zone IIB₂ (Water Table) at the Burial Ground Complex, Third Quarter 1993

Figure 11. Tritium Activities in Aquifer Zone IIB₁ (Barnwell/McBean) at the Burial Ground Complex, Third Quarter 1993

Figure 12. Trichloroethylene Concentrations in Aquifer Zone IIB₁ (Barnwell/McBean) at the Burial Ground Complex, Third Quarter 1993

Figure 13. Benzene Concentrations in Aquifer Zone IIB₁ (Barnwell/McBean) at the Burial Ground Complex, Third Quarter 1993

Figure 14. Tritium Activities in Aquifer Unit IIA (Congaree) at the Burial Ground Complex, Third Quarter 1993

Figure 15. Trichloroethylene Concentrations in Aquifer Unit IIA (Congaree) at the Burial Ground Complex, Third Quarter 1993

Figure 16. Benzene Concentrations in Aquifer Unit IIA (Congaree) at the Burial Ground Complex, Third Quarter 1993

Figure 17. pH Levels in Aquifer Zone IIB₂ (Water Table) at the Burial Ground Complex, Third Quarter 1993

Figure 18. Specific Conductance in Aquifer Zone IIB₂ (Water Table) at the Burial Ground Complex, Third Quarter 1993

Figure 19. pH Levels in Aquifer Zone IIB₁ (Barnwell/McBean) at the Burial Ground Complex, Third Quarter 1993

Figure 20. Specific Conductance in Aquifer Zone IIB₁ (Barnwell/McBean) at the Burial Ground Complex, Third Quarter 1993

Figure 21. pH Levels in Aquifer Unit IIA (Congaree) at the Burial Ground Complex, Third Quarter 1993

Figure 22. Specific Conductance in Aquifer Unit IIA (Congaree) at the Burial Ground Complex, Third Quarter 1993

Figure 23. Piezometric Surface Map of Aquifer Zone IIB₂ (Water Table) at the Burial Ground Complex

Figure 24. Potentiometric Surface Map of Aquifer Zone IIB₁ (Barnwell/McBean) at the Burial Ground Complex

Figure 25. Potentiometric Surface Map of Aquifer Unit IIA (Congaree) at the Burial Ground Complex

References

Aadland, R. K., and H. W. Bledsoe, 1990. **Classification of Hydrostratigraphic Units at the Savannah River Site, South Carolina**, WSRC-RP-90-987. Westinghouse Savannah River Company, Savannah River Site, Aiken, SC.

Aucott, W. R., M. E. Davis, and G. K. Speiran, 1987. **Geohydrologic Framework of the Coastal Plain Aquifers of South Carolina**, U.S. Geological Survey Water-Resources Investigations Report 85-4271.

Du Pont (E. I. du Pont de Nemours & Company), 1989. **Final Safety Analysis Report of the Defense Waste Processing Facility**, DPSTSA-200-10. Savannah River Plant, Aiken, SC.

GeoTrans, Inc., 1988. **A Numerical Model of the Hydrogeological System Underlying the Savannah River Plant**, Final report submitted to Savannah River Laboratory. GeoTrans, Inc., Sterling, VA.

Siple, G. E., 1967. **Geology and Ground Water of the Savannah River Plant and Vicinity, South Carolina**. Geological Survey Water-Supply Paper 1841, Reston, VA.

Appendix D – Groundwater Monitoring Results Tables

Key to Reading the Tables

The following abbreviations may appear in the tabular data:

B = sample collected from well using an open bucket bailer
BA = Barringer Laboratories, Inc.
CN = Clemson Technical Center, Inc.
CS = carbon steel
D = primary drinking water standard (PDWS)
E = exponential notation (e.g., $1.1\text{E}-09 = 1.1 \times 10^{-9} = 0.0000000011$)
EM = Environmental Protection Department/Environmental Monitoring Section (EPD/EMS)
Laboratory
GE = General Engineering Laboratories
GP = Environmental Physics, Inc.
H = holding time
1,2,3,4,6,7,8-HPCDD = 1,2,3,4,6,7,8-heptachlorodibenzo-p-dioxin
1,2,3,4,6,7,8-HPCDF = 1,2,3,4,6,7,8-heptachlorodibenzo-p-furan
1,2,3,4,7,8-HXCDD = 1,2,3,4,7,8-hexachlorodibenzo-p-dioxin
1,2,3,4,7,8-HXCDF = 1,2,3,4,7,8-hexachlorodibenzo-p-furan
Lindane = gamma-benzene hexachloride
mg/L = milligrams per liter
Mod = modifier
msl = mean sea level
MSL = million structures per liter
NTU = turbidity unit
P = sample collected from well using a bladder pump
PCB = polychlorinated biphenyl
1,2,3,7,8-PCDD = 1,2,3,7,8-pentachlorodibenzo-p-dioxin
1,2,3,7,8-PCDF = 1,2,3,7,8-pentachlorodibenzo-p-furan
pCi/L = picocuries per liter
pCi/mL = picocuries per milliliter
PDWS = primary drinking water standard
pH = pH unit
PVC = polyvinyl chloride
S = sample collected from well using a single-speed centrifugal downhole pump
Sp. conductance = specific conductance
SP = Spencer Testing Services, Inc.
TCDD = tetrachlorodibenzo-p-dioxin
TCDF = tetrachlorodibenzo-p-furan
TM = TMA/Eberline
TOC = top of casing
V = sample collected from well using a variable-speed pump
WA = Roy F. Weston, Inc.
 $\mu\text{g/L}$ = micrograms per liter
 $\mu\text{S/cm}$ = microsiemens per centimeter

Holding Times

Standard analytical methods include a limit, called holding time, on the maximum elapsed time between sample collection and extraction or analysis by the laboratory. In the data tables, a large dot (●) in the H (holding time) column indicates that holding time was exceeded. Analyses performed beyond holding times may not yield valid results.

The South Carolina Department of Health and Environmental Control allows only 15 minutes to elapse between sampling and analysis for pH. Thus, only field pH measurements can meet the holding time criterion; laboratory pH analyses always will exceed it.

The laboratory procedure used for the determination of specific conductance allows one day to elapse between sampling and analysis. Thus, laboratory specific conductance measurements may exceed the holding time criterion.

Data Rounding

Constituent results in analytical results tables that appear to equal the final PDWS but are not marked in the *D* (exceeded the final PDWS or screening level) column are below the final PDWS in the database. Values stored in the database contain more significant digits than the reported results. Apparent discrepancies in the tables are due to the rounding of reported results.

Data Qualification

The contract laboratories continually assess their own accuracy and precision according to U.S. Environmental Protection Agency (EPA) guidelines. They submit sample- or batch-specific quality assurance/quality control information either at the same time as analytical results or in a quarterly summary. Properly defined and used result modifiers (also referred to as qualifiers) can be a key component in assessing data useability. Result modifiers designed by Environmental Protection Department/Environmental Monitoring Section and provided to the primary laboratories are defined below. These modifiers appear in the data tables under the column "Mod." The lettered modifiers are based on EPA's STORET codes.

<u>Result modifier</u>	<u>Definition</u>
(Blank)	Data are not qualified. Number should be interpreted exactly as reported.
A	Value reported is the mean of two or more determinations.
J	Value is estimated because quantitation in the sample or in associated quality control samples did not meet specifications.
L	Value is off-scale high. The actual value is not known but is known to be greater than the value shown.
M	Presence of the analyte is verified but not quantified.

<u>Result modifier</u>	<u>Definition</u>
R	Result was rejected because performance requirements in the sample analysis or associated quality control analyses were not met.
T	Analyte was not detected; if present, it was below the criteria for detection.
V	Analyte was detected in an associated method blank.
Y	Result was obtained from an unpreserved or improperly preserved sample. Data may not be accurate.
1	Result may be an underestimation of the true value due to analytical bias.
2	Result may be an overestimation of the true value due to analytical bias.
3	The associated result may be of poor precision (high variability) due to analytical bias.
4	Result is associated with QA results indicating matrix interference.
6	The associated result is from a reanalysis performed out of holding time due to problems with an earlier analysis.

Table 1. Maximum Levels of Constituents Exceeding the Final Primary Drinking Water Standards

Aquifer Zone IIB₂ (Water Table)

<u>Well</u>	<u>Constituent</u>	<u>Unit</u>	<u>2Q93</u>	<u>3Q93</u>	<u>Mod</u>
BGO 3D	Tritium	pCi/mL	4.3E+01	4.0E+01	
BGO 5D	Tritium	pCi/mL	— ^a	2.7E+01	
BGO 6D	Tetrachloroethylene	µg/L	—	5.2	J2
	Trichloroethylene	µg/L	26	40	J2
	Tritium	pCi/mL	1.3E+03	1.4E+03	
BGO 7D	Dichloromethane (Methylene chloride)	µg/L	7.7	13	
	Trichloroethylene	µg/L	41	55	
	Tritium	pCi/mL	1.2E+02	1.6E+02	
BGO 8D	Tritium	pCi/mL	—	2.9E+01	
BGO 9D	Tritium	pCi/mL	2.0E+01	2.7E+02	
BGO 10DR	Tritium	pCi/mL	2.0E+03	8.6E+02	
BGO 11D	Tritium	pCi/mL	9.5E+02	1.4E+03	
BGO 12D	Dichloromethane (Methylene chloride)	µg/L	8.5	15	
	Trichloroethylene	µg/L	18	139	
	Tritium	pCi/mL	—	2.6E+01	
BGO 14DR	Trichloroethylene	µg/L	18	86	
BGO 15D	Tetrachloroethylene	µg/L	6.0	8.2	
	Trichloroethylene	µg/L	80	105	
	Tritium	pCi/mL	5.3E+02	4.6E+02	
BGO 16D	Trichloroethylene	µg/L	19	16	
	Tritium	pCi/mL	1.3E+03	1.1E+03	
BGO 20D	Tritium	pCi/mL	—	2.1E+01	
BGO 21D	Tritium	pCi/mL	3.1E+01	3.1E+01	
BGO 22DR	Tritium	pCi/mL	5.0E+01	4.6E+01	
BGO 23D	Tritium	pCi/mL	2.2E+01	2.3E+01	
BGO 27D	Tritium	pCi/mL	1.1E+02	7.5E+01	

Aquifer Zone IIB₂ (Water Table)

<u>Well</u>	<u>Constituent</u>	<u>Unit</u>	<u>2093</u>	<u>3093</u>	<u>Mod</u>
BGO 28D	Chloroethene (Vinyl chloride)	μg/L	107	118	
	Dichloromethane (Methylene chloride)	μg/L	81	-	
	Gross alpha	pCi/L	1.3E+02	-	
	Trichloroethylene	μg/L	339	241	
	Tritium	pCi/mL	9.9E+04	1.4E+05	
BGO 30D	Chloroethene (Vinyl chloride)	μg/L	-	4.3	
	1,1-Dichloroethylene	μg/L	12	17	
	Gross alpha	pCi/L	3.5E+01	-	
	Nonvolatile beta	pCi/L	5.3E+01	-	
	Trichloroethylene	μg/L	51	61	
	Tritium	pCi/mL	2.2E+04	2.6E+04	
BGO 31D	Tritium	pCi/mL	2.2E+01	1.1E+02	
BGO 32D	Tritium	pCi/mL	1.5E+02	1.6E+02	
BGO 34D	Tritium	pCi/mL	2.3E+01	2.2E+01	
BGO 35D	Tritium	pCi/mL	6.8E+01	7.7E+01	
BGO 36D	Tritium	pCi/mL	2.6E+01	2.6E+01	
BGO 37D	Tritium	pCi/mL	2.8E+01	2.9E+01	
BGO 38D	Tritium	pCi/mL	2.8E+01	2.8E+01	
BGO 39D	Tritium	pCi/mL	2.8E+01	2.7E+01	
BGO 40D	Lead	μg/L	60	-	
BGO 44D	Tritium	pCi/mL	3.7E+02	4.7E+02	
BGO 45D	Tritium	pCi/mL	3.3E+02	1.3E+02	
BGO 46D	Chloroethene (Vinyl chloride)	μg/L	7.0	9.5	
	Tetrachloroethylene	μg/L	20	19	
	Trichloroethylene	μg/L	68	69	
	Tritium	pCi/mL	3.9E+04	4.5E+04	
BGO 47D	Trichloroethylene	μg/L	7.6	12	
	Tritium	pCi/mL	3.3E+02	2.8E+03	
BGO 48D	Dichloromethane (Methylene chloride)	μg/L	13	-	
	Tetrachloroethylene	μg/L	21	29	
	Trichloroethylene	μg/L	89	125	
	Tritium	pCi/mL	4.1E+04	4.8E+04	

Aquifer Zone IIB₂ (Water Table)

<u>Well</u>	<u>Constituent</u>	<u>Unit</u>	<u>2Q93</u>	<u>3Q93</u>	<u>Mod</u>
BGO 49D	Tritium	pCi/mL	2.1E+01	2.1E+01	
BGO 50D	Trichloroethylene	µg/L	24	17	
	Tritium	pCi/mL	6.3E+03	4.5E+03	
BGX 1D	Tritium	pCi/mL	3.8E+02	3.3E+02	
BGX 10D	Lead	µg/L	108	59	

Aquifer Zone IIB₁ (Barnwell/McBean)

<u>Well</u>	<u>Constituent</u>	<u>Unit</u>	<u>2Q93</u>	<u>3Q93</u>	<u>Mod</u>
BGO 5C	Tritium	pCi/mL	3.0E+01	2.5E+01	
BGO 6B	Tritium	pCi/mL	3.4E+01	-	
BGO 6C	Tritium	pCi/mL	9.5E+02	9.2E+02	
BGO 10B	Tritium	pCi/mL	7.9E+01	1.9E+02	
BGO 10C	Tritium	pCi/mL	1.6E+02	1.4E+02	
BGO 12CR	Trichloroethylene	µg/L	24	81	
BGO 13DR	Tritium	pCi/mL	3.1E+01	2.6E+01	
BGO 14CR	Trichloroethylene	µg/L	48	52	
	Tritium	pCi/mL	3.5E+01	3.4E+01	
BGO 16B	Tritium	pCi/mL	4.2E+01	-	
BGO 27C	Trichloroethylene	µg/L	25	25	
	Tritium	pCi/mL	5.8E+01	7.8E+01	
BGO 29C	Tritium	pCi/mL	9.6E+01	1.2E+02	
BGO 30C	Trichloroethylene	µg/L	11	11	
	Tritium	pCi/mL	3.9E+02	6.2E+02	
BGO 31C	Dichloromethane (Methylene chloride)	µg/L	5.4	-	
	Tritium	pCi/mL	2.5E+03	2.4E+03	
BGO 33C	Dichloromethane (Methylene chloride)	µg/L	5.1	-	
	Mercury	µg/L	-	2.2	
	Tetrachloroethylene	µg/L	5.9	-	
	Trichloroethylene	µg/L	27	28	
	Tritium	pCi/mL	7.2E+03	8.2E+03	

Aquifer Zone IIB₁ (Barnwell/McBean)

<u>Well</u>	<u>Constituent</u>	<u>Unit</u>	<u>2Q93</u>	<u>3Q93</u>	<u>Mod</u>
BGO 42C	Trichloroethylene	μg/L	76	61	
BGO 44B	Tritium	pCi/mL	8.4E+02	4.7E+02	
BGO 44C	Tritium	pCi/mL	5.5E+02	4.1E+02	
BGO 45C	Tritium	pCi/mL	5.6E+02	6.9E+02	
BGO 46B	Tritium	pCi/mL	5.9E+01	2.2E+01	
BGO 46C	Trichloroethylene	μg/L	24	26	
	Tritium	pCi/mL	7.8E+01	7.9E+01	
BGO 47C	Tritium	pCi/mL	1.0E+03	3.4E+02	
BGO 48C	Tritium	pCi/mL	2.7E+03	3.1E+03	
BGO 49C	Tritium	pCi/mL	3.6E+01	2.6E+01	
BGO 50C	Trichloroethylene	μg/L	15	12	
	Tritium	pCi/mL	6.9E+01	7.9E+01	
BGX 1C	Tritium	pCi/mL	8.4E+02	8.7E+02	
BGX 2D	Trichloroethylene	μg/L	12	12	
	Tritium	pCi/mL	8.8E+01	8.7E+01	
BGX 3D	Tritium	pCi/mL	1.1E+03	1.2E+03	
BGX 5D	Tritium	pCi/mL	5.5E+01	5.3E+01	
BGX 7D	Tritium	pCi/mL	NA ^b	1.6E+03	
BGX 8DR	Tritium	pCi/mL	8.9E+02	9.2E+02	
BGX 12C	Dichloromethane (Methylene chloride)	μg/L	14	-	

Aquifer Unit IIA (Congaree)

<u>Well</u>	<u>Constituent</u>	<u>Unit</u>	<u>2Q93</u>	<u>3Q93</u>	<u>Mod</u>
BGO 9AA	Nonvolatile beta	pCi/L	6.4E+01	-	
BGO 12AR	Trichloroethylene	μg/L	5.5	-	

^a - = analyzed but not above final PDWS.

^b NA = not analyzed.

Table 2. Maximum Levels of Constituents Exceeding Half the Final Primary Drinking Water Standards or Other Flag 1 or Flag 2 Criteria

Aquifer Zone IIB₂ (Water Table)

<u>Well</u>	<u>Constituent</u>	<u>Unit</u>	<u>3Q93</u>	<u>Mod</u>	<u>Flag</u>
BGO 1D	Aluminum	µg/L	145	J2	2
	Manganese	µg/L	72		2
	Tritium	pCi/mL	1.5E + 01		1
BGO 2D	Aluminum	µg/L	136	J2	2
	Gross alpha	pCi/L	1.0E + 01		1
	Tritium	pCi/mL	1.7E + 01		1
BGO 3D	Aluminum	µg/L	222	J2	2
	Total organic halogens	µg/L	27		1
BGO 5D	Aluminum	µg/L	70	J2	2
	Manganese	µg/L	39		1
BGO 6D	Aluminum	µg/L	764	J2	2
	1,1-Dichloroeth.ylene	µg/L	3.7	J2	1
	Iron	µg/L	236	J2	1
	Lead	µg/L	9.6	J2	1
	Total organic halogens	µg/L	28		1
BGO 7D	Total organic halogens	µg/L	30		1
BGO 10DR	Aluminum	µg/L	59	J2	2
	Iron	µg/L	395	J2	2
	Lead	µg/L	18	J2	2
	Manganese	µg/L	28		1
BGO 12D	Aluminum	µg/L	115		2
	Total organic halogens	µg/L	86		2
BGO 14DR	Aluminum	µg/L	48		1
	Total organic halogens	µg/L	68		2
	Tritium	pCi/mL	1.3E + 01		1
BGO 15D	Aluminum	µg/L	52		2
	Total organic halogens	µg/L	109		2
BGO 16D	Aluminum	µg/L	78	J	2
	pH	pH	8.9		1
	Tin	µg/L	18		1
BGO 17DR	Aluminum	µg/L	510		2
	Iron	µg/L	232		1
	Tritium	pCi/mL	1.2E + 01		1
BGO 18D	Aluminum	µg/L	38		1
	Tritium	pCi/mL	1.7E + 01		1

Aquifer Zone IIB₂ (Water Table)

<u>Well</u>	<u>Constituent</u>	<u>Unit</u>	<u>3Q93</u>	<u>Mod</u>	<u>Flag</u>
BGO 20D	Aluminum	µg/L	93		2
	Iron	µg/L	170		1
	Manganese	µg/L	44		1
BGO 21D	Aluminum	µg/L	418		2
	Iron	µg/L	251		1
	Tin	µg/L	14		1
BGO 22DR	Aluminum	µg/L	150		2
BGO 23D	Phenols	µg/L	26		1
BGO 26D	Aluminum	µg/L	197		2
BGO 27D	Aluminum	µg/L	196		2
	Iron	µg/L	167		1
	Lead	µg/L	21		2
BGO 28D	Aluminum	µg/L	304		2
	1,1-Dichloroethane	µg/L	51		2
	1,1-Dichloroethylene	µg/L	3.8		1
	Iron	µg/L	605		2
	Manganese	µg/L	81		2
	Tetrachloroethylene	µg/L	2.8		1
	Total organic halogens	µg/L	1,430	J	2
BGO 29D	Aluminum	µg/L	308		2
	Iron	µg/L	306		2
	Manganese	µg/L	56		2
BGO 30D	Aluminum	µg/L	152		2
	1,1-Dichloroethane	µg/L	103		2
	Gross alpha	pCi/L	8.1E+00		1
	Lead	µg/L	19		2
	Manganese	µg/L	57		2
	Tetrachloroethylene	µg/L	3.6		1
	Total organic halogens	µg/L	830	J	2
BGO 31D	Aluminum	µg/L	68		2
BGO 32D	Aluminum	µg/L	2,940		2
	Gross alpha	pCi/L	1.1E+01		1
	Iron	µg/L	1,360		2
	Lead	µg/L	18		2
	Nitrate-nitrite as nitrogen	µg/L	5,450		1
BGO 33D	Aluminum	µg/L	104		2
	Tritium	pCi/mL	1.8E+01		1
BGO 34D	Aluminum	µg/L	139		2
BGO 35D	Aluminum	µg/L	160		2

Aquifer Zone IIB₂ (Water Table)

<u>Well</u>	<u>Constituent</u>	<u>Unit</u>	<u>3Q93</u>	<u>Mod</u>	<u>Flag</u>
BGO 36D	Aluminum	µg/L	384		2
	Lead	µg/L	10		1
	Total organic halogens	µg/L	38		1
BGO 37D	Aluminum	µg/L	73		2
	Iron	µg/L	351		2
	Lead	µg/L	11		1
BGO 38D	Aluminum	µg/L	919		2
	Iron	µg/L	583		2
BGO 39D	Aluminum	µg/L	605		2
	Iron	µg/L	289		1
BGO 40D	Aluminum	µg/L	369		2
	Iron	µg/L	429		2
	Lead	µg/L	34		2
	Manganese	µg/L	65		2
	Specific conductance	µS/cm	333		1
	Tin	µg/L	74		2
BGO 44D	Aluminum	µg/L	33		1
BGO 45D	Aluminum	µg/L	27		1
BGO 46D	Aluminum	µg/L	52		2
	1,1-Dichloroethane	µg/L	80		2
	Manganese	µg/L	25		1
	Total organic carbon	µg/L	6,330		1
BGO 47D	Aluminum	µg/L	29		1
	Total organic halogens	µg/L	35		1
BGO 48D	Aluminum	µg/L	112		2
	Gross alpha	pCi/L	8.6E+00		1
	Total organic halogens	µg/L	80	J	2
BGO 49D	Aluminum	µg/L	96		2
BGO 50D	Aluminum	µg/L	94		2
	Chloroethene (Vinyl chloride)	µg/L	1.0		1
	1,1-Dichloroethane	µg/L	7.6		1
	Total organic halogens	µg/L	188	J	2
BGX 1D	Aluminum	µg/L	345		2
	Iron	µg/L	269		1
	Lead	µg/L	15		2
	Manganese	µg/L	68		2
BGX 9D	Aluminum	µg/L	47		1
	Tritium	pCi/mL	1.0E+01		1

Aquifer Zone IIB₂ (Water Table)

<u>Well</u>	<u>Constituent</u>	<u>Unit</u>	<u>3Q93</u>	<u>Mod</u>	<u>Flag</u>
BGX 10D	Aluminum	µg/L	381		2
	Iron	µg/L	726		2
	Manganese	µg/L	91		2
BGX 11D	Aluminum	µg/L	356		2
	Iron	µg/L	191		1
	Tritium	pCi/mL	1.8E + 01		1
BGX 12D	Aluminum	µg/L	117		2
	Iron	µg/L	194		1
	Tritium	pCi/L	1.8E + 01		1
HSB 85C	Aluminum	µg/L	37		1
	Mercury	µg/L	1.4		1

Aquifer Zone IIB₁ (Barnwell/McBean)

<u>Well</u>	<u>Constituent</u>	<u>Unit</u>	<u>3Q93</u>	<u>Mod</u>	<u>Flag</u>
BGO 5C	Aluminum	µg/L	483	J2	2
BGO 6B	Dichloromethane (Methylene chloride)	µg/L	2.6		1
	Lithium	µg/L	26		1
	pH	pH	8.6	J	1
	Tin	µg/L	11		1
BGO 6C	Aluminum	µg/L	36	J2	1
	Dichloromethane (Methylene chloride)	µg/L	2.7		1
	Radium, total alpha-emitting	pCi/L	1.6E + 01		1
BGO 10B	Aluminum	µg/L	346	J2	2
	Dichloromethane (Methylene chloride)	µg/L	2.8		1
	pH	pH	9.1	J	1
	Tin	µg/L	27		2
BGO 10C	Aluminum	µg/L	310	J2	2
	Dichloromethane (Methylene chloride)	µg/L	2.7		1
	Iron	µg/L	219		1
	pH	pH	8.8	J	1
	Tin	µg/L	13		1
BGO 12CR	Aluminum	µg/L	321		2
	pH	pH	9.9	J	1
	Total organic halogens	µg/L	54		2

Aquifer Zone IIB₁ (Barnwell/McBean)

<u>Well</u>	<u>Constituent</u>	<u>Unit</u>	<u>3Q93</u>	<u>Mod</u>	<u>Flag</u>
BGO 13DR	Aluminum	µg/L	37		1
	Iron	µg/L	238		1
	Lead	µg/L	20		2
	Manganese	µg/L	70		2
BGO 14CR	Aluminum	µg/L	714		2
	Iron	µg/L	183		1
	Tin	µg/L	19		1
	Total organic halogens	µg/L	49		1
BGO 16B	Aluminum	µg/L	247		2
	Iron	µg/L	302		2
BGO 27C	Aluminum	µg/L	140		2
	Tin	µg/L	17	J3	1
BGO 29C	Aluminum	µg/L	149		2
BGO 30C	Aluminum	µg/L	197		2
	Iron	µg/L	175		1
BGO 31C	Aluminum	µg/L	85		2
BGO 33C	Aluminum	µg/L	186		2
	Manganese	µg/L	33		1
	<i>Tetrachloroethylene</i>	µg/L	4.4		1
	Total organic halogens	µg/L	1,460	J	2
BGO 35C	Aluminum	µg/L	66		2
BGO 42C	Aluminum	µg/L	59		2
	Iron	µg/L	246		1
	Lead	µg/L	14		1
	Total organic halogens	µg/L	32		1
BGO 43CR	Aluminum	µg/L	114	J2	2
BGO 44B	Aluminum	µg/L	5,880		2
	Iron	µg/L	2,580		2
	<i>Lead</i>	µg/L	31		2
	Manganese	µg/L	367		2
	pH	pH	10.0	J	1
	Specific conductance	µS/cm	373		1
	Tin	µg/L	37		2
BGO 44C	Aluminum	µg/L	356		2
	Iron	µg/L	228		1
	Manganese	µg/L	162		2
	pH	pH	8.7	J	1
	Tin	µg/L	12		1

Aquifer Zone IIB₁ (Barnwell/McBean)

<u>Well</u>	<u>Constituent</u>	<u>Unit</u>	<u>3Q93</u>	<u>Mod</u>	<u>Flag</u>
BGO 45B	Aluminum	μg/L	29	J	1
	pH	pH	9.6		1
BGO 45C	Aluminum	μg/L	91		2
	Lead	μg/L	18		2
BGO 46C	Aluminum	μg/L	44		1
	Iron	μg/L	152		1
BGO 47C	Trichloroethylene	μg/L	3.7		1
BGO 48C	Trichloroethylene	μg/L	3.6		1
BGO 49C	Aluminum	μg/L	32		1
BGO 50C	Aluminum	μg/L	81		2
	Iron	μg/L	276		1
BGX 1C	Aluminum	μg/L	422	J	2
	Lead	μg/L	7.5		1
	pH	pH	12		2
	Specific conductance	μS/cm	1,100		2
BGX 2B	Aluminum	μg/L	78		2
BGX 2D	Aluminum	μg/L	42		1
BGX 3D	Trichloroethylene	μg/L	4.8	J	1
BGX 4D	Tritium	pCi/mL	1.4E + 01		1
BGX 5D	Aluminum	μg/L	76		2
	Iron	μg/L	527		2
	Manganese	μg/L	339		2
	Total organic halogens	μg/L	157		2
BGX 6D	Manganese	μg/L	27		1
BGX 8DR	Aluminum	μg/L	87		2
	Manganese	μg/L	33		1
BGX 12C	Aluminum	μg/L	58		2
HMD 1D	Aluminum	μg/L	446		2
	Iron	μg/L	482		2
	Tritium	pCi/mL	1.2E + 01		1
HMD 2D	Aluminum	μg/L	42		1
	Tritium	pCi/mL	1.6E + 01		1
HMD 3D	Aluminum	μg/L	44		1
	Trichlorofluoromethane	μg/L	5.3		1

Aquifer Zone IIB₁ (Barnwell/McBean)

<u>Well</u>	<u>Constituent</u>	<u>Unit</u>	<u>3Q93</u>	<u>Mod</u>	<u>Flag</u>
HMD 4D	Aluminum	µg/L	218		2
	Iron	µg/L	333		2
	Lead	µg/L	20		2
	Manganese	µg/L	31		1
HSB 85B	Aluminum	µg/L	2,060		2
	pH	pH	9.3	J	1

Aquifer Unit IIA (Congaree)

<u>Well</u>	<u>Constituent</u>	<u>Unit</u>	<u>3Q93</u>	<u>Mod</u>	<u>Flag</u>
BGO 6A	Specific conductance	µS/cm	295		1
BGO 9AA	Aluminum	µg/L	780	J2	2
	Dichloromethane	µg/L	2.8		1
	(Methylene chloride)				
	Nonvolatile beta	pCi/L	2.6E + 01		1
	pH	pH	12	J	2
	Tin	µg/L	194		2
	Total organic carbon	µg/L	5,140		1
BGO 10AR	Manganese	µg/L	38		1
BGO 12AR	Aluminum	µg/L	732		2
	pH	pH	9.1	J	1
	Trichloroethylene	µg/L	4.0		1
BGO 14AR	Aluminum	µg/L	733		2
	Phenols	µg/L	27		1
	pH	pH	11	J	2
	Specific conductance	µS/cm	338		1
	Tin	µg/L	37		2
	Trichloroethylene	µg/L	3.8	J2	1
BGO 16AR	Aluminum	µg/L	210		2
BGO 18A	Manganese	µg/L	47		1
BGO 29A	Aluminum	µg/L	76		2
	pH	pH	8.9	J	1
BGO 43AA	Aluminum	µg/L	623	J2	2
	Dichloromethane	µg/L	2.9		1
	(Methylene chloride)				
	pH	pH	9.9	J	1

Aquifer Unit IIA (Congaree)

<u>Well</u>	<u>Constituent</u>	<u>Unit</u>	<u>3Q93</u>	<u>Mod</u>	<u>Flag</u>
BGO 44AA	Aluminum	µg/L	173	J2	2
	<i>Dichloromethane</i>	µg/L	3.0		1
	<i>(Methylene chloride)</i>				
	pH	pH	9.7	J	1
BGO 47A	Aluminum	µg/L	28		1
	Manganese	µg/L	55		2
BGO 49A	Aluminum	µg/L	536		2
	pH	pH	10	J	2
BGO 50A	Aluminum	µg/L	568		2
	pH	pH	11	J	2
	Specific conductance	µS/cm	1,090		2
	Tin	µg/L	33		2
BGX 4A	Specific conductance	µS/cm	262		1

Notes: Constituents exceeding half the Appendix A standards are *italicized*. These results do not include field data.

Table 3. Groundwater Monitoring Results for Individual Wells

WELL BGO 1D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Pump</u>	<u>Formation</u>
N73737.9 E58779.3	33.284765 °N 81.655257 °W	245.0-225.0 ft msl	295.1 ft msl	4" PVC	S	Water Table (IIB ₂)

FIELD MEASUREMENTS

Sample date: 08/06/93
Depth to water: 53.29 ft (16.24 m) below TOC
Water elevation: 241.81 ft (73.70 m) msl
Sp. conductance: 49 µS/cm
Turbidity: 21.8 NTU
Water evacuated before sampling: 9 gal
The well went dry during purging.

Time: 8:44
pH: 4.5
Alkalinity: 0 mg/L
Water temperature: 21.0 °C

Volumes purged: 0.8 well volumes

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Mod</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.4	J	pH	0	GE
		Specific conductance	41		µS/cm	0	GE
•		Turbidity	127	J	NTU	0	GE
		Acetophenone	<10		µg/L	0	GE
		Aluminum	145	J2	µg/L	2	GE
		Antimony	<2.0	J1	µg/L	0	GE
		Arsenic	<2.0		µg/L	0	GE
		Barium	21		µg/L	0	GE
		Benzene	<1.0		µg/L	0	GE
		Benzene	<1.0		µg/L	0	GE
		Bromodichloromethane	<1.0		µg/L	0	GE
		Bromodichloromethane	<1.0		µg/L	0	GE
		Bromoform	<1.0		µg/L	0	GE
		Bromoform	<1.0		µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0		µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0		µg/L	0	GE
		Cadmium	<2.0		µg/L	0	GE
		Calcium	191	J2	µg/L	0	GE
		Carbon tetrachloride	<1.0		µg/L	0	GE
		Carbon tetrachloride	<1.0		µg/L	0	GE
		Chloride	1,690		µg/L	0	GE
		Chlorobenzene	<1.0		µg/L	0	GE
		Chlorobenzene	<1.0		µg/L	0	GE
		Chloroethane	<1.0		µg/L	0	GE
		Chloroethane	<1.0		µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0		µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0		µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0		µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0		µg/L	0	GE
		Chloroform	<1.0		µg/L	0	GE
		Chloroform	<1.0		µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0		µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0		µg/L	0	GE
		Chromium	<4.0		µg/L	0	GE
		Copper	8.4		µg/L	0	GE
		Cyanide	<5.0		µg/L	0	GE
		Dibromochloromethane	<1.0		µg/L	0	GE
		Dibromochloromethane	<1.0		µg/L	0	GE

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 1D collected on 08/06/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		1,1-Dichloroethane	< 1.0		µg/L	0	GE
		1,1-Dichloroethane	< 1.0		µg/L	0	GE
		1,2-Dichloroethane	< 1.0		µg/L	0	GE
		1,2-Dichloroethane	< 1.0		µg/L	0	GE
		1,1-Dichloroethylene	< 1.0		µg/L	0	GE
		1,1-Dichloroethylene	< 1.0		µg/L	0	GE
		trans-1,2-Dichloroethylene	< 1.0		µg/L	0	GE
		trans-1,2-Dichloroethylene	< 1.0		µg/L	0	GE
		Dichloromethane (Methylene chloride)	< 1.0		µg/L	0	GE
		Dichloromethane (Methylene chloride)	< 1.0		µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	< 0.30		µg/L	0	GE
		1,2-Dichloropropane	< 1.0		µg/L	0	GE
		1,2-Dichloropropane	< 1.0		µg/L	0	GE
		cis-1,3-Dichloropropene	< 1.0		µg/L	0	GE
		cis-1,3-Dichloropropene	< 1.0		µg/L	0	GE
		trans-1,3-Dichloropropene	< 1.0		µg/L	0	GE
		trans-1,3-Dichloropropene	< 1.0		µg/L	0	GE
		Endrin	< 0.0060		µg/L	0	GE
		Ethylbenzene	< 1.0		µg/L	0	GE
		Ethylbenzene	< 1.0		µg/L	0	GE
		Fluoride	< 100		µg/L	0	GE
		Iron	137		µg/L	0	GE
		Lead	4.2		µg/L	0	GE
		Lindane	< 0.0050		µg/L	0	GE
		Magnesium	150		µg/L	0	GE
		Manganese	72		µg/L	2	GE
		Mercury	< 0.20		µg/L	0	GE
		Methoxychlor	< 0.50		µg/L	0	GE
		Naphthalene	< 10		µg/L	0	GE
		Nickel	< 4.0		µg/L	0	GE
		Nitrate-nitrite as nitrogen	3,780		µg/L	0	GE
		Phenols	< 20		µg/L	0	GE
		Potassium	< 500		µg/L	0	GE
		Selenium	< 2.0	J1	µg/L	0	GE
		Silica	5,290		µg/L	0	GE
		Silver	< 2.0		µg/L	0	GE
		Sodium	6,030		µg/L	0	GE
		Sulfate	< 1,000		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	< 1.0		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	< 1.0		µg/L	0	GE
		Tetrachloroethylene	< 1.0		µg/L	0	GE
		Tetrachloroethylene	< 1.0		µg/L	0	GE
		Tin	< 2.0		µg/L	0	GE
		Toluene	< 1.0		µg/L	0	GE
		Toluene	< 1.0		µg/L	0	GE
		Total dissolved solids	50,000	V	µg/L	0	GE
		Total organic carbon	< 1,000		µg/L	0	GE
		Total organic halogens	5.4		µg/L	0	GE
		Total phosphates (as P)	< 50		µg/L	0	GE
		Total phosphates (as P)	< 50		µg/L	0	GE
		Toxaphene	< 0.24		µg/L	0	GE
		2,4,5-TP (Silvex)	< 0.090		µg/L	0	GE
		1,1,1-Trichloroethane	< 1.0		µg/L	0	GE
		1,1,1-Trichloroethane	< 1.0		µg/L	0	GE
		1,1,2-Trichloroethane	< 1.0		µg/L	0	GE
		1,1,2-Trichloroethane	< 1.0		µg/L	0	GE
		Trichloroethylene	< 1.0		µg/L	0	GE

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 1D collected on 08/06/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		Trichloroethylene	<1.0		µg/L	0	GE
		Trichlorofluoromethane	<1.0		µg/L	0	GE
		Trichlorofluoromethane	<1.0		µg/L	0	GE
		Vanadium	<8.0		µg/L	0	GE
		Xylenes	<2.0		µg/L	0	GE
		Xylenes	<2.0		µg/L	0	GE
		Zinc	29		µg/L	0	GE
		Carbon-14	<2.0E+02		pCi/L	0	CN
		Gross alpha	<2.0E+00		pCi/L	0	GE
		Nonvolatile beta	<2.0E+00		pCi/L	0	GE
		Radium, total alpha-emitting	<1.0E+00		pCi/L	0	GE
		Tritium	1.5E+01 ± 7.7E-01		pCi/mL	1	GE
		Uranium-233/234	<1.0E+00		pCi/L	0	CN
		Uranium-235	<1.0E+00		pCi/L	0	CN
		Uranium-238	<1.0E+00		pCi/L	0	CN

WELL BGO 2D

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N74552.9	33.286617 °N	238.9-218.9 ft msl	296.9 ft msl	4" PVC	S	Water Table (IIB ₂)
E58809.7	81.656760 °W					

FIELD MEASUREMENTS

Sample date: 08/06/93
Depth to water: 56.57 ft (17.24 m) below TOC
Water elevation: 240.33 ft (73.25 m) msl
Sp. conductance: 43 µS/cm
Turbidity: 20.6 NTU
Water evacuated before sampling: 15 gal
The well went dry during purging.

Time: 9:08
pH: 4.5
Alkalinity: 0 mg/L
Water temperature: 21.2 °C

Volumes purged: 1.1 well volumes

LABORATORY ANALYSES

H	D	Analyte	Result	Mod	Unit	Flag	Lab
•		pH	5.1	J	pH	0	GE
		Specific conductance	38		µS/cm	0	GE
		Specific conductance	37		µS/cm	0	GE
•		Turbidity	624	J	NTU	0	GE
		Acetophenone	<10	J1	µg/L	0	GE
		Aluminum	136	J2	µg/L	2	GE
		Antimony	<2.0	J1	µg/L	0	GE
		Arsenic	<2.0		µg/L	0	GE
		Barium	18		µg/L	0	GE
		Benzene	<1.0		µg/L	0	GE
		Bromodichloromethane	<1.0		µg/L	0	GE
		Bromoform	<1.0		µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0		µg/L	0	GE
		Cadmium	<2.0		µg/L	0	GE
		Calcium	1,320	J2	µg/L	0	GE
		Carbon tetrachloride	<1.0		µg/L	0	GE
		Chloride	2,960		µg/L	0	GE
		Chlorobenzene	<1.0		µg/L	0	GE
		Chloroethane	<1.0		µg/L	0	GE

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 2D collected on 08/06/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		Chloroethene (Vinyl chloride)	<1.0		µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0		µg/L	0	GE
		Chloroform	<1.0		µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0		µg/L	0	GE
		Chromium	<4.0		µg/L	0	GE
		Copper	<4.0		µg/L	0	GE
		Cyanide	<5.0		µg/L	0	GE
		Dibromochloromethane	<1.0		µg/L	0	GE
		1,1-Dichloroethane	<1.0		µg/L	0	GE
		1,2-Dichloroethane	<1.0		µg/L	0	GE
		1,1-Dichloroethylene	<1.0		µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0		µg/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0		µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30		µg/L	0	GE
		1,2-Dichloropropane	<1.0		µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0		µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0		µg/L	0	GE
		Endrin	<0.0060		µg/L	0	GE
		Ethylbenzene	<1.0		µg/L	0	GE
		Fluoride	<100		µg/L	0	GE
		Iron	66		µg/L	0	GE
		Lead	<3.0		µg/L	0	GE
		Lindane	<0.0050		µg/L	0	GE
		Magnesium	949		µg/L	0	GE
		Manganese	6.2		µg/L	0	GE
		Mercury	<0.20		µg/L	0	GE
		Methoxychlor	<0.50		µg/L	0	GE
		Naphthalene	<10	J1	µg/L	0	GE
		Nickel	<4.0		µg/L	0	GE
		Nitrate-nitrite as nitrogen	<50		µg/L	0	GE
		Phenols	<5.0		µg/L	0	GE
		Phenols	<5.0		µg/L	0	GE
		Potassium	<500		µg/L	0	GE
		Selenium	<2.0	J1	µg/L	0	GE
		Silica	6,010		µg/L	0	GE
		Silver	<2.0		µg/L	0	GE
		Sodium	2,110		µg/L	0	GE
		Sulfate	1,020		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0		µg/L	0	GE
		Tetrachloroethylene	<1.0		µg/L	0	GE
		Tin	<2.0		µg/L	0	GE
		Toluene	<1.0		µg/L	0	GE
		Total dissolved solids	38,000	V	µg/L	0	GE
		Total organic carbon	<1,000		µg/L	0	GE
		Total organic halogens	<5.0		µg/L	0	GE
		Total phosphates (as P)	<50		µg/L	0	GE
		Toxaphene	<0.24		µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090		µg/L	0	GE
		1,1,1-Trichloroethane	<1.0		µg/L	0	GE
		1,1,2-Trichloroethane	<1.0		µg/L	0	GE
		Trichloroethylene	<1.0		µg/L	0	GE
		Trichlorofluoromethane	<1.0		µg/L	0	GE
		Vanadium	<8.0		µg/L	0	GE
		Xylenes	<2.0		µg/L	0	GE
		Zinc	13		µg/L	0	GE
		Carbon-14	<2.0E+02		pCi/L	0	CN

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 2D collected on 08/06/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		Gross alpha	1.0E+01 ± 2.0E+00		pCi/L	1	GE
		Nonvolatile beta	7.3E+00 ± 1.4E+00		pCi/L	0	GE
		Radium, total alpha-emitting	1.5E+00 ± 4.0E-01		pCi/L	0	GE
		Tritium	1.7E+01 ± 8.8E-01		pCi/mL	1	GE
		Uranium-233/234	< 1.0E+00		pCi/L	0	CN
		Uranium-235	< 1.0E+00		pCi/L	0	CN
		Uranium-238	< 1.0E+00		pCi/L	0	CN

WELL BGO 3D

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N75351.3 E58809.2	33.288382 °N 81.658312 °W	247.6-227.6 ft msl	292.7 ft msl	4" PVC	S	Water Table (IIB ₂)

FIELD MEASUREMENTS

Sample date: 08/06/93
Depth to water: 55.81 ft (17.01 m) below TOC
Water elevation: 236.89 ft (72.20 m) msl
Sp. conductance: 57 µS/cm
Turbidity: 23.7 NTU
Water evacuated before sampling: 4 gal
The well went dry during purging.

Time: 9:47
pH: 4.2
Alkalinity: 0 mg/L
Water temperature: 27.5 °C
Volumes purged: 0.7 well volumes

LABORATORY ANALYSES

H	D	Analyte	Result	Mod	Unit	Flag	Lab
•		pH	4.6	J	pH	0	GE
		Specific conductance	50		µS/cm	0	GE
•		Turbidity	24	J	NTU	0	GE
		Acetophenone	< 10	J1	µg/L	0	GE
		Aluminum	222	J2	µg/L	2	GE
		Antimony	< 2.0	J1	µg/L	0	GE
		Arsenic	< 2.0		µg/L	0	GE
		Barium	6.1		µg/L	0	GE
		Benzene	< 1.0		µg/L	0	GE
		Bromodichloromethane	< 1.0		µg/L	0	GE
		Bromoform	< 1.0		µg/L	0	GE
		Bromomethane (Methyl bromide)	< 1.0		µg/L	0	GE
		Cadmium	< 2.0		µg/L	0	GE
		Calcium	42	J2	µg/L	0	GE
		Carbon tetrachloride	< 1.0		µg/L	0	GE
		Chloride	5,430		µg/L	0	GE
		Chlorobenzene	< 1.0		µg/L	0	GE
		Chloroethane	< 1.0		µg/L	0	GE
		Chloroethene (Vinyl chloride)	< 1.0		µg/L	0	GE
		2-Chloroethyl vinyl ether	< 1.0		µg/L	0	GE
		Chloroform	< 1.0		µg/L	0	GE
		Chloromethane (Methyl chloride)	< 1.0		µg/L	0	GE
		Chromium	< 4.0		µg/L	0	GE
		Copper	< 4.0		µg/L	0	GE
		Cyanide	< 5.0		µg/L	0	GE
		Dibromochloromethane	< 1.0		µg/L	0	GE
		1,1-Dichloroethane	< 1.0		µg/L	0	GE

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 3D collected on 08/06/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		1,2-Dichloroethane	<1.0		µg/L	0	GE
		1,1-Dichloroethylene	<1.0		µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0		µg/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0		µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30		µg/L	0	GE
		1,2-Dichloropropane	<1.0		µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0		µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0		µg/L	0	GE
		Endrin	<0.0060		µg/L	0	GE
		Ethylbenzene	<1.0		µg/L	0	GE
		Fluoride	<100		µg/L	0	GE
		Iron	89		µg/L	0	GE
		Lead	<3.0		µg/L	0	GE
		Lindane	<0.0050		µg/L	0	GE
		Magnesium	403		µg/L	0	GE
		Manganese	14		µg/L	0	GE
		Mercury	<0.20		µg/L	0	GE
		Methoxychlor	<0.50		µg/L	0	GE
		Naphthalene	<10	J1	µg/L	0	GE
		Nickel	<4.0		µg/L	0	GE
		Nitrate-nitrite as nitrogen	1,130		µg/L	0	GE
		Phenols	<5.0		µg/L	0	GE
		Potassium	<500		µg/L	0	GE
		Selenium	<2.0	J1	µg/L	0	GE
		Silica	6,480		µg/L	0	GE
		Silver	<2.0		µg/L	0	GE
		Sodium	5,030		µg/L	0	GE
		Sulfate	1,240		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0		µg/L	0	GE
		Tetrachloroethylene	<1.0		µg/L	0	GE
		Tin	<2.0		µg/L	0	GE
		Toluene	<1.0		µg/L	0	GE
		Total dissolved solids	32,000	V	µg/L	0	GE
		Total organic carbon	<1,000		µg/L	0	GE
		Total organic halogens	27		µg/L	1	GE
		Total organic halogens	24		µg/L	0	GE
		Total phosphates (as P)	<50		µg/L	0	GE
		Toxaphene	<0.24		µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090		µg/L	0	GE
		1,1,1-Trichloroethane	1.2		µg/L	0	GE
		1,1,2-Trichloroethane	<1.0		µg/L	0	GE
		Trichloroethylene	<1.0		µg/L	0	GE
		Trichlorofluoromethane	<1.0		µg/L	0	GE
		Vanadium	<8.0		µg/L	0	GE
		Xylenes	<2.0		µg/L	0	GE
		Zinc	<2.0		µg/L	0	GE
		Carbon-14	<2.0E+02		pCi/L	0	CN
		Gross alpha	3.4E+00 ± 1.3E+00		pCi/L	0	GE
		Nonvolatile beta	3.2E+00 ± 1.1E+00		pCi/L	0	GE
		Radium, total alpha-emitting	1.1E+00 ± 4.0E-01		pCi/L	0	GE
■		Tritium	4.0E+01 ± 1.1E+00		pCi/mL	2	GE
		Uranium-233/234	<1.0E+00		pCi/L	0	CN
		Uranium-235	<1.0E+00		pCi/L	0	CN
		Uranium-238	<1.0E+00		pCi/L	0	CN

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 5C

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N76476.9 E58794.5	33.290848 °N 81.660537 °W	193.2-183.2 ft msl	296.1 ft msl	4" PVC	S	McBean (IIB ₁)

FIELD MEASUREMENTS

Sample date: 08/06/93
Depth to water: 68.67 ft (20.93 m) below TOC
Water elevation: 227.43 ft (69.32 m) msl
Sp. conductance: 61 μ S/cm
Turbidity: 15.0 NTU
Water evacuated before sampling: 18 gal
The well went dry during purging.

Time: 10:20
pH: 6.4
Alkalinity: 7 mg/L
Water temperature: 21.9 °C

Volumes purged: 0.6 well volumes

LABORATORY ANALYSES

H	D	Analyte	Result	Mod	Unit	Flag	Lab
•		pH	6.5	J	pH	0	GE
		Specific conductance	51		μ S/cm	0	GE
•		Turbidity	127	J	NTU	0	GE
		Acetophenone	<10	J1	μ g/L	0	GE
		Aluminum	483	J2	μ g/L	2	GE
		Antimony	<2.0	J1	μ g/L	0	GE
		Arsenic	<2.0		μ g/L	0	GE
		Barium	11		μ g/L	0	GE
		Benzene	<1.0		μ g/L	0	GE
		Bromodichloromethane	<1.0		μ g/L	0	GE
		Bromoform	<1.0		μ g/L	0	GE
		Bromomethane (Methyl bromide)	<1.0		μ g/L	0	GE
		Cadmium	<2.0		μ g/L	0	GE
		Calcium	7,700	J2	μ g/L	0	GE
		Carbon tetrachloride	<1.0		μ g/L	0	GE
		Chloride	1,900		μ g/L	0	GE
		Chlorobenzene	<1.0		μ g/L	0	GE
		Chloroethane	<1.0		μ g/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0		μ g/L	0	GE
		2-Chloroethyl vinyl ether	<1.0		μ g/L	0	GE
		Chloroform	<1.0		μ g/L	0	GE
		Chloromethane (Methyl chloride)	<1.0		μ g/L	0	GE
		Chromium	7.4		μ g/L	0	GE
		Copper	<4.0		μ g/L	0	GE
		Cyanide	<5.0		μ g/L	0	GE
		Dibromochloromethane	<1.0		μ g/L	0	GE
		1,1-Dichloroethane	<1.0		μ g/L	0	GE
		1,2-Dichloroethane	<1.0		μ g/L	0	GE
		1,1-Dichloroethylene	<1.0		μ g/L	0	GE
		trans-1,2-Dichloroethylene	<1.0		μ g/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0		μ g/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30		μ g/L	0	GE
		1,2-Dichloropropane	<1.0		μ g/L	0	GE
		cis-1,3-Dichloropropene	<1.0		μ g/L	0	GE
		trans-1,3-Dichloropropene	<1.0		μ g/L	0	GE
		Endrin	<0.0060		μ g/L	0	GE
		Ethylbenzene	<1.0		μ g/L	0	GE
		Fluoride	<100		μ g/L	0	GE
		Iron	76		μ g/L	0	GE

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 5C collected on 08/06/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		Lead	<3.0		µg/L	0	GE
		Lindane	<0.0050		µg/L	0	GE
		Magnesium	393		µg/L	0	GE
		Manganese	20		µg/L	0	GE
		Mercury	<0.20		µg/L	0	GE
		Methoxychlor	<0.50		µg/L	0	GE
		Naphthalene	<10	J1	µg/L	0	GE
		Nickel	<4.0		µg/L	0	GE
		Nitrate-nitrite as nitrogen	1,750		µg/L	0	GE
		Phenols	7.3		µg/L	0	GE
		Potassium	<500		µg/L	0	GE
		Selenium	<2.0	J1	µg/L	0	GE
		Silica	13,100		µg/L	0	GE
		Silver	<2.0		µg/L	0	GE
		Sodium	1,750		µg/L	0	GE
		Sulfate	<1,000		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0		µg/L	0	GE
		Tetrachloroethylene	<1.0		µg/L	0	GE
		Tin	<2.0		µg/L	0	GE
		Toluene	<1.0		µg/L	0	GE
		Total dissolved solids	49,000	V	µg/L	0	GE
		Total organic carbon	1,450		µg/L	0	GE
		Total organic halogens	<5.0		µg/L	0	GE
		Total phosphates (as P)	200		µg/L	0	GE
		Toxaphene	<0.24		µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090		µg/L	0	GE
		1,1,1-Trichloroethane	<1.0		µg/L	0	GE
		1,1,2-Trichloroethane	<1.0		µg/L	0	GE
		Trichloroethylene	<1.0		µg/L	0	GE
		Trichlorofluoromethane	<1.0		µg/L	0	GE
		Vanadium	<8.0		µg/L	0	GE
		Xylenes	<2.0		µg/L	0	GE
		Zinc	32		µg/L	0	GE
		Carbon-14	<2.0E+02		pCi/L	0	CN
		Carbon-14	<2.0E+02		pCi/L	0	CN
		Gross alpha	3.4E+00 ± 1.3E+00		pCi/L	0	GE
		Gross alpha	2.7E+00 ± 1.1E+00		pCi/L	0	GE
		Nonvolatile beta	3.7E+00 ± 1.6E+00		pCi/L	0	GE
		Nonvolatile beta	3.5E+00 ± 1.3E+00		pCi/L	0	GE
		Radium, total alpha-emitting	1.2E+00 ± 4.0E-01		pCi/L	0	GE
■		Tritium	2.5E+01 ± 9.5E-01		pCi/mL	2	GE
		Uranium-233/234	<1.0E+00		pCi/L	0	CN
		Uranium-235	<1.0E+00		pCi/L	0	CN
		Uranium-238	<1.0E+00		pCi/L	0	CN

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 5D

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N76477.5 E58784.8	33.290833 °N 81.660564 °W	239.3-219.3 ft msl	296.3 ft msl	4" PVC	S	Water Table (IB ₂)

FIELD MEASUREMENTS

Sample date: 08/06/93
Depth to water: 64.39 ft (19.63 m) below TOC
Water elevation: 231.91 ft (70.69 m) msl
Sp. conductance: 53 µS/cm
Turbidity: 7.1 NTU
Water evacuated before sampling: 6 gal
The well went dry during purging.

Time: 10:35
pH: 4.6
Alkalinity: 0 mg/L
Water temperature: 21.9 °C

Volumes purged: 0.7 well volumes

LABORATORY ANALYSES

H	D	Analyte	Result	Mod	Unit	Flag	Lab
•		pH	5.1	J	pH	0	GE
		Specific conductance	38		µS/cm	0	GE
•		Turbidity	25	J	NTU	0	GE
		Acetophenone	<10	J1	µg/L	0	GE
		Aluminum	70	J2	µg/L	2	GE
		Antimony	<2.0	J1	µg/L	0	GE
		Arsenic	<2.0		µg/L	0	GE
		Barium	44		µg/L	0	GE
		Benzene	<1.0		µg/L	0	GE
		Bromodichloromethane	<1.0		µg/L	0	GE
		Bromoform	<1.0		µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0		µg/L	0	GE
		Cadmium	<2.0		µg/L	0	GE
		Calcium	1,060	J2	µg/L	0	GE
		Carbon tetrachloride	<1.0		µg/L	0	GE
		Chloride	3,820		µg/L	0	GE
		Chlorobenzene	<1.0		µg/L	0	GE
		Chloroethane	<1.0		µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0		µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0		µg/L	0	GE
		Chloroform	<1.0		µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0		µg/L	0	GE
		Chromium	<4.0		µg/L	0	GE
		Copper	8.0		µg/L	0	GE
		Cyanide	<5.0		µg/L	0	GE
		Dibromochloromethane	<1.0		µg/L	0	GE
		1,1-Dichloroethane	<1.0		µg/L	0	GE
		1,2-Dichloroethane	<1.0		µg/L	0	GE
		1,1-Dichloroethylene	<1.0		µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0		µg/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0		µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30		µg/L	0	GE
		1,2-Dichloropropane	<1.0		µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0		µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0		µg/L	0	GE
		Endrin	<0.0060		µg/L	0	GE
		Ethylbenzene	<1.0		µg/L	0	GE
		Fluoride	<100		µg/L	0	GE
		Iron	96		µg/L	0	GE

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 5D collected on 08/06/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		Lead	<3.0		µg/L	0	GE
		Lindane	<0.0050		µg/L	0	GE
		Magnesium	891		µg/L	0	GE
		Manganese	39		µg/L	1	GE
		Mercury	<0.20		µg/L	0	GE
		Methoxychlor	<0.50		µg/L	0	GE
		Naphthalene	<10	J1	µg/L	0	GE
		Nickel	<4.0		µg/L	0	GE
		Nitrate-nitrite as nitrogen	1,920		µg/L	0	GE
		Phenols	<5.0		µg/L	0	GE
		Potassium	598		µg/L	0	GE
		Selenium	<2.0	J1	µg/L	0	GE
		Silica	7,840		µg/L	0	GE
		Silver	<2.0		µg/L	0	GE
		Sodium	3,250		µg/L	0	GE
		Sulfate	<1,000		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0		µg/L	0	GE
		Tetrachloroethylene	<1.0		µg/L	0	GE
		Tin	<2.0		µg/L	0	GE
		Toluene	<1.0		µg/L	0	GE
		Total dissolved solids	38,000	V	µg/L	0	GE
		Total organic carbon	<1,000		µg/L	0	GE
		Total organic halogens	<5.0		µg/L	0	GE
		Total phosphates (as P)	<50		µg/L	0	GE
		Toxaphene	<0.24		µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090		µg/L	0	GE
		1,1,1-Trichloroethane	<1.0		µg/L	0	GE
		1,1,2-Trichloroethane	<1.0		µg/L	0	GE
		Trichloroethylene	<1.0		µg/L	0	GE
		Trichlorofluoromethane	<1.0		µg/L	0	GE
		Vanadium	<8.0		µg/L	0	GE
		Xylenes	8.9		µg/L	0	GE
		Zinc	21		µg/L	0	GE
		Carbon-14	<2.0E+02		pCi/L	0	CN
		Gross alpha	7.5E+00 ± 1.6E+00		pCi/L	0	GE
		Nonvolatile beta	5.0E+00 ± 1.2E+00		pCi/L	0	GE
		Radium, total alpha-emitting	2.4E+00 ± 6.0E-01		pCi/L	0	GE
■		Tritium	2.7E+01 ± 9.9E-01		pCi/mL	2	GE
		Uranium-233/234	<1.0E+00		pCi/L	0	CN
		Uranium-235	<1.0E+00		pCi/L	0	CN
		Uranium-238	<1.0E+00		pCi/L	0	CN

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

2 of 6

WELL BGO 6A

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Pump</u>	<u>Formation</u>
N76487.2 E58316.8	33.290091 °N 81.661815 °W	117.5-107.5 ft msl	285.6 ft msl	4" PVC	S	U. Congaree (IIA)

FIELD MEASUREMENTS

Sample date: 08/02/93	Time: 12:05
Depth to water: 126.36 ft (38.51 m) below TOC	pH: 7.4
Water elevation: 159.24 ft (48.54 m) msl	Alkalinity: 83 mg/L
Sp. conductance: 304 µS/cm	Water temperature: 20.5 °C
Turbidity: 0.2 NTU	
Water evacuated before sampling: 187 gal	Volumes purged: 5.5 well volumes

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Mod</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	7.4	J	pH	0	GE
		Specific conductance	295		µS/cm	1	GE
		Turbidity	<0.10		NTU	0	GE
		Acetophenone	<10	J1	µg/L	0	GE
		Aluminum	<40		µg/L	0	GE
		Antimony	<2.0		µg/L	0	GE
		Arsenic	<2.0		µg/L	0	GE
		Barium	42		µg/L	0	GE
		Benzene	<1.0		µg/L	0	GE
		Bromodichloromethane	<1.0		µg/L	0	GE
		Bromoform	<1.0		µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0		µg/L	0	GE
		Cadmium	<4.0		µg/L	0	GE
		Calcium	59,500		µg/L	0	GE
		Carbon tetrachloride	<1.0		µg/L	0	GE
		Chloride	2,460		µg/L	0	GE
		Chlorobenzene	<1.0		µg/L	0	GE
		Chloroethane	<1.0		µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0		µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0		µg/L	0	GE
		Chloroform	<1.0		µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0		µg/L	0	GE
		Chromium	<8.0		µg/L	0	GE
		Copper	<8.0		µg/L	0	GE
		Cyanide	<5.0		µg/L	0	GE
		Dibromochloromethane	<1.0		µg/L	0	GE
		1,1-Dichloroethane	<1.0		µg/L	0	GE
		1,2-Dichloroethane	<1.0		µg/L	0	GE
		1,1-Dichloroethylene	<1.0		µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0		µg/L	0	GE
		Dichloromethane (Methylene chloride)	1.6		µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30		µg/L	0	GE
		1,2-Dichloropropane	<1.0		µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0		µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0		µg/L	0	GE
		Endrin	<0.0060		µg/L	0	GE
		Ethylbenzene	<1.0		µg/L	0	GE
		Fluoride	<100		µg/L	0	GE
		Iron	60		µg/L	0	GE

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 6A collected on 08/02/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		Lead	<3.0		µg/L	0	GE
		Lindane	<0.0050		µg/L	0	GE
		Magnesium	1,400		µg/L	0	GE
		Manganese	<4.0		µg/L	0	GE
		Mercury	<0.20		µg/L	0	GE
		Methoxychlor	<0.50		µg/L	0	GE
		Naphthalene	<10	J1	µg/L	0	GE
		Nickel	<8.0		µg/L	0	GE
		Nitrate-nitrite as nitrogen	<50		µg/L	0	GE
		Phenols	<5.0		µg/L	0	GE
		Potassium	<1,000		µg/L	0	GE
		Selenium	<2.0		µg/L	0	GE
		Silica	41,000		µg/L	0	GE
		Silver	<4.0		µg/L	0	GE
		Sodium	2,110		µg/L	0	GE
		Sulfate	8,290		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0		µg/L	0	GE
		Tetrachloroethylene	<1.0		µg/L	0	GE
		Tin	<4.0		µg/L	0	GE
		Toluene	<1.0		µg/L	0	GE
		Total dissolved solids	204,000	V	µg/L	0	GE
		Total organic carbon	2,200		µg/L	0	GE
		Total organic carbon	2,080		µg/L	0	GE
		Total organic halogens	<5.0		µg/L	0	GE
		Total phosphates (as P)	50		µg/L	0	GE
		Toxaphene	<0.24		µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090		µg/L	0	GE
		1,1,1-Trichloroethane	<1.0		µg/L	0	GE
		1,1,2-Trichloroethane	<1.0		µg/L	0	GE
		Trichloroethylene	<1.0		µg/L	0	GE
		Trichlorofluoromethane	<1.0		µg/L	0	GE
		Vanadium	<16		µg/L	0	GE
		Xylenes	<2.0		µg/L	0	GE
		Zinc	<4.0		µg/L	0	GE
		Carbon-14	<2.0E+02		pCi/L	0	GP
		Gross alpha	<2.0E+00		pCi/L	0	GE
		Nonvolatile beta	3.0E+00 ± 9.1E-01		pCi/L	0	GE
		Radium, total alpha-emitting	1.1E+00 ± 6.0E-01		pCi/L	0	GE
		Tritium	<7.0E-01		pCi/mL	0	GE
		Uranium-233/234	<1.0E+00		pCi/L	0	GP
		Uranium-235	<1.0E+00		pCi/L	0	GP
		Uranium-238	<1.0E+00		pCi/L	0	GP

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 6B

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N76553.2 E58346.5	33.290286 °N 81.661865 °W	149.7-139.7 ft msl	286.8 ft msl	4" PVC	S	Barnwell (IIB ₁)

FIELD MEASUREMENTS

Sample date: 08/03/93
Depth to water: 66.77 ft (20.35 m) below TOC
Water elevation: 220.03 ft (67.07 m) msl
Sp. conductance: 209 µS/cm
Turbidity: 2.4 NTU
Water evacuated before sampling: 44 gal
The well went dry during purging.

Time: 8:17
pH: 8.3
Alkalinity: 45 mg/L
Water temperature: 20.0 °C

Volumes purged: 0.8 well volumes

LABORATORY ANALYSES

H	D	Analyte	Result	Mod	Unit	Flag	Lab
•		pH	8.6	J	pH	1	GE
		Specific conductance	202		µS/cm	0	GE
		Turbidity	0.39		NTU	0	GE
		Acetophenone	<10	J1	µg/L	0	GE
		Acetophenone	<10	J1	µg/L	0	GE
		Aluminum	<20	J1	µg/L	0	GE
		Antimony	<2.0		µg/L	0	GE
		Arsenic	<2.0		µg/L	0	GE
		Barium	32		µg/L	0	GE
		Benzene	<1.0		µg/L	0	GE
		Boron	<30		µg/L	0	GE
		Bromodichloromethane	<1.0		µg/L	0	GE
		Bromoform	<1.0		µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0		µg/L	0	GE
		Cadmium	<2.0		µg/L	0	GE
		Calcium	34,300		µg/L	0	GE
		Carbon tetrachloride	<1.0		µg/L	0	GE
		Chloride	2,270		µg/L	0	GE
		Chlorobenzene	<1.0		µg/L	0	GE
		Chloroethane	<1.0		µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0		µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0		µg/L	0	GE
		Chloroform	<1.0		µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0		µg/L	0	GE
		Chromium	<4.0		µg/L	0	GE
		Copper	<4.0		µg/L	0	GE
		Cyanide	<5.0		µg/L	0	GE
		Cyanide	<5.0		µg/L	0	GE
		Dibromochloromethane	<1.0		µg/L	0	GE
		1,1-Dichloroethane	<1.0		µg/L	0	GE
		1,2-Dichloroethane	<1.0		µg/L	0	GE
		1,1-Dichloroethylene	<1.0		µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0		µg/L	0	GE
		Dichloromethane (Methylene chloride)	2.6		µg/L	1	GE
		2,4-Dichlorophenoxyacetic acid	<0.30		µg/L	0	GE
		1,2-Dichloropropane	<1.0		µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0		µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0		µg/L	0	GE
		Endrin	<0.0060		µg/L	0	GE

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 6B collected on 08/03/93, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Mod</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Ethylbenzene	<1.0		µg/L	0	GE
		Fluoride	<100		µg/L	0	GE
		Iron	79		µg/L	0	GE
		Lead	<3.0		µg/L	0	GE
		Lindane	<0.0050		µg/L	0	GE
		Lithium	26		µg/L	1	GE
		Magnesium	961		µg/L	0	GE
		Manganese	6.0		µg/L	0	GE
		Mercury	<0.20		µg/L	0	GE
		Methoxychlor	<0.50		µg/L	0	GE
		Naphthalene	<10	J1	µg/L	0	GE
		Naphthalene	<10	J1	µg/L	0	GE
		Nickel	<4.0		µg/L	0	GE
		Nitrate-nitrite as nitrogen	260		µg/L	0	GE
		Phenols	<5.0		µg/L	0	GE
		Potassium	3,070		µg/L	0	GE
		Potassium	3,620		µg/L	0	GE
		Selenium	2.1	J2	µg/L	0	GE
		Silica	18,000	J2	µg/L	0	GE
		Silver	<2.0		µg/L	0	GE
		Sodium	5,640		µg/L	0	GE
		Sulfate	8,260		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0		µg/L	0	GE
		Tetrachloroethylene	<1.0		µg/L	0	GE
		Tin	<2.0		µg/L	0	GE
		Tin	6.1		µg/L	0	GE
		Tin	11		µg/L	1	GE
		Toluene	<1.0		µg/L	0	GE
		Total dissolved solids	130,000	V	µg/L	0	GE
		Total organic carbon	1,780		µg/L	0	GE
		Total organic halogens	<5.0		µg/L	0	GE
		Total phosphates (as P)	<50		µg/L	0	GE
		Toxaphene	<0.24		µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090		µg/L	0	GE
		1,1,1-Trichloroethane	<1.0		µg/L	0	GE
		1,1,2-Trichloroethane	<1.0		µg/L	0	GE
		Trichloroethylene	<1.0		µg/L	0	GE
		Trichlorofluoromethane	<1.0		µg/L	0	GE
		Vanadium	<8.0		µg/L	0	GE
		Xylenes	<2.0		µg/L	0	GE
		Gross alpha	<2.0E+00		pCi/L	0	GE
		Nonvolatile beta	<2.0E+00		pCi/L	0	GE
		Radium, total alpha-emitting	1.5E+00 ± 8.0E-01		pCi/L	0	GE
		Tritium	7.8E+00 ± 6.1E-01		pCi/mL	0	GE
		Uranium-233/234	<1.0E+00		pCi/L	0	GP
		Uranium-235	<1.0E+00		pCi/L	0	GP
		Uranium-238	<1.0E+00		pCi/L	0	GP

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 6C

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N76487.1 E58307.0	33.290075 °N 81.661841 °W	168.0-158.0 ft msl	285.6 ft msl	4" PVC	S	McBean (IIB ₁)

FIELD MEASUREMENTS

Sample date: 08/02/93
Depth to water: 63.48 ft (19.35 m) below TOC
Water elevation: 222.12 ft (67.70 m) msl
Sp. conductance: 141 µS/cm
Turbidity: 0.4 NTU
Water evacuated before sampling: 124 gal

Time: 11:41
pH: 7.1
Alkalinity: 24 mg/L
Water temperature: 20.1 °C

Volumes purged: 2.9 well volumes

LABORATORY ANALYSES

H	D	Analyte	Result	Mod	Unit	Flag	Lab
•		pH	7.4	J	pH	0	GE
		Specific conductance	129		µS/cm	0	GE
		Turbidity	0.36		NTU	0	GE
		Acetophenone	<10	J1	µg/L	0	GE
		Aluminum	36	J2	µg/L	1	GE
		Antimony	<2.0		µg/L	0	GE
		Arsenic	<2.0		µg/L	0	GE
		Barium	10		µg/L	0	GE
		Benzene	<1.0		µg/L	0	GE
		Bromodichloromethane	<1.0		µg/L	0	GE
		Bromoform	<1.0		µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0		µg/L	0	GE
		Cadmium	<2.0		µg/L	0	GE
		Calcium	23,200		µg/L	0	GE
		Carbon tetrachloride	<1.0		µg/L	0	GE
		Chloride	2,010		µg/L	0	GE
		Chlorobenzene	<1.0		µg/L	0	GE
		Chloroethane	<1.0		µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0		µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0		µg/L	0	GE
		Chloroform	<1.0		µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0		µg/L	0	GE
		Chromium	<4.0		µg/L	0	GE
		Copper	<4.0		µg/L	0	GE
		Cyanide	<5.0		µg/L	0	GE
		Dibromochloromethane	<1.0		µg/L	0	GE
		1,1-Dichloroethane	<1.0		µg/L	0	GE
		1,2-Dichloroethane	<1.0		µg/L	0	GE
		1,1-Dichloroethylene	<1.0		µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0		µg/L	0	GE
		Dichloromethane (Methylene chloride)	2.7		µg/L	1	GE
		2,4-Dichlorophenoxyacetic acid	<0.30		µg/L	0	GE
		1,2-Dichloropropane	<1.0		µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0		µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0		µg/L	0	GE
		Endrin	<0.0060		µg/L	0	GE
		Ethylbenzene	<1.0		µg/L	0	GE
		Fluoride	<100		µg/L	0	GE
		Iron	6.3		µg/L	0	GE

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 6C collected on 08/02/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		Lead	<3.0		µg/L	0	GE
		Lindane	<0.0050		µg/L	0	GE
		Magnesium	495		µg/L	0	GE
		Manganese	<2.0		µg/L	0	GE
		Mercury	0.20		µg/L	0	GE
		Mercury	<0.20		µg/L	0	GE
		Methoxychlor	<0.50		µg/L	0	GE
		Naphthalene	<10	J1	µg/L	0	GE
		Nickel	<4.0		µg/L	0	GE
		Nitrate-nitrite as nitrogen	640		µg/L	0	GE
		Phenols	<5.0		µg/L	0	GE
		Potassium	<500		µg/L	0	GE
		Selenium	<2.0	J1	µg/L	0	GE
		Silica	11,100	J2	µg/L	0	GE
		Silver	<2.0		µg/L	0	GE
		Sodium	2,070		µg/L	0	GE
		Sulfate	<1,000		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0		µg/L	0	GE
		Tetrachloroethylene	<1.0		µg/L	0	GE
		Tin	<2.0		µg/L	0	GE
		Toluene	<1.0		µg/L	0	GE
		Total dissolved solids	85,000	V	µg/L	0	GE
		Total organic carbon	<1,000		µg/L	0	GE
		Total organic halogens	<5.0		µg/L	0	GE
		Total organic halogens	<5.0		µg/L	0	GE
		Total phosphates (as P)	90		µg/L	0	GE
		Toxaphene	<0.24		µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090		µg/L	0	GE
		1,1,1-Trichloroethane	<1.0		µg/L	0	GE
		1,1,2-Trichloroethane	<1.0		µg/L	0	GE
		Trichloroethylene	<1.0		µg/L	0	GE
		Trichlorofluoromethane	<1.0		µg/L	0	GE
		Vanadium	<8.0		µg/L	0	GE
		Xylenes	<2.0		µg/L	0	GE
		Zinc	2.5		µg/L	0	GE
		Carbon-14	<2.0E+02		pCi/L	0	GP
		Gross alpha	<2.0E+00		pCi/L	0	GE
		Nonvolatile beta	<2.0E+00		pCi/L	0	GE
		Radium, total alpha-emitting	1.6E+01 ± 2.4E+00		pCi/L	1	GE
		Radium, total alpha-emitting	3.0E+00 ± 1.5E+00		pCi/L	0	GE
		Total activity	9.2E+05 ± 6.8E+03		pCi/L	0	EM
■		Tritium	9.2E+02 ± 1.6E+01		pCi/mL	2	GE
		Uranium-233/234	<1.0E+00		pCi/L	0	GP
		Uranium-235	<1.0E+00		pCi/L	0	GP
		Uranium-238	<1.0E+00		pCi/L	0	GP

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 6D

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N76487.3 E58297.1	33.290059 °N 81.661867 °W	237.2-217.2 ft msl	285.5 ft msl	4" PVC	S	Water Table (IIB ₂)

FIELD MEASUREMENTS

Sample date: 08/03/93
Depth to water: 53.07 ft (16.18 m) below TOC
Water elevation: 232.43 ft (70.85 m) msl
Sp. conductance: 148 µS/cm
Turbidity: 17.3 NTU
Water evacuated before sampling: 10 gal
The well went dry during purging.

Time: 7:57
pH: 6.2
Alkalinity: 25 mg/L
Water temperature: 19.7 °C

Volumes purged: 1.0 well volumes

LABORATORY ANALYSES

H	D	Analyte	Result	Mod	Unit	Flag	Lab
•		pH	6.6	J	pH	0	GE
		Specific conductance	139		µS/cm	0	GE
		Turbidity	21		NTU	0	GE
		Acetophenone	<10	J1	µg/L	0	GE
		Aluminum	764	J2	µg/L	2	GE
		Aluminum	728	J2	µg/L	2	GE
		Antimony	<2.0		µg/L	0	GE
		Arsenic	<2.0		µg/L	0	GE
		Barium	23		µg/L	0	GE
		Barium	23		µg/L	0	GE
		Benzene	<1.0		µg/L	0	GE
		Bromodichloromethane	<1.0		µg/L	0	GE
		Bromoform	<1.0		µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0		µg/L	0	GE
		Cadmium	<2.0		µg/L	0	GE
		Cadmium	<2.0		µg/L	0	GE
		Calcium	23,500	J2	µg/L	0	GE
		Calcium	23,600	J2	µg/L	0	GE
		Carbon tetrachloride	<1.0		µg/L	0	GE
		Chloride	1,810		µg/L	0	GE
		Chloride	1,790		µg/L	0	GE
		Chlorobenzene	<1.0		µg/L	0	GE
		Chloroethane	<1.0		µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0		µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0		µg/L	0	GE
		Chloroform	<1.0		µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0		µg/L	0	GE
		Chromium	<4.0		µg/L	0	GE
		Chromium	<4.0		µg/L	0	GE
		Copper	<4.0		µg/L	0	GE
		Copper	<4.0		µg/L	0	GE
•		Cyanide	<5.0	J	µg/L	0	GE
		Dibromochloromethane	<1.0		µg/L	0	GE
		1,1-Dichloroethane	<1.0		µg/L	0	GE
		1,2-Dichloroethane	<1.0		µg/L	0	GE
		1,1-Dichloroethylene	3.7	J2	µg/L	1	GE
		trans-1,2-Dichloroethylene	<1.0		µg/L	0	GE
		Dichloromethane (Methylene chloride)	1.6	J2	µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30		µg/L	0	GE

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 6D collected on 08/03/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		1,2-Dichloropropane	< 1.0		µg/L	0	GE
		cis-1,3-Dichloropropene	< 1.0		µg/L	0	GE
		trans-1,3-Dichloropropene	< 1.0		µg/L	0	GE
		Endrin	< 0.0060		µg/L	0	GE
		Ethylbenzene	< 1.0		µg/L	0	GE
		Fluoride	< 100		µg/L	0	GE
		Iron	236	J2	µg/L	1	GE
		Iron	221	J2	µg/L	1	GE
		Lead	9.6	J2	µg/L	1	GE
		Lindane	< 0.0050		µg/L	0	GE
		Magnesium	1,260		µg/L	0	GE
		Magnesium	1,250		µg/L	0	GE
		Manganese	21		µg/L	0	GE
		Manganese	21		µg/L	0	GE
		Mercury	< 0.20		µg/L	0	GE
		Methoxychlor	< 0.50		µg/L	0	GE
		Naphthalene	< 10	J1	µg/L	0	GE
		Nickel	< 4.0		µg/L	0	GE
		Nickel	< 4.0		µg/L	0	GE
		Nitrate-nitrite as nitrogen	510		µg/L	0	GE
		Phenols	< 5.0		µg/L	0	GE
		Phenols	< 5.0		µg/L	0	GE
		Potassium	566		µg/L	0	GE
		Potassium	596		µg/L	0	GE
		Selenium	< 2.0		µg/L	0	GE
		Silica	11,400		µg/L	0	GE
		Silica	11,400		µg/L	0	GE
		Silver	< 2.0		µg/L	0	GE
		Silver	< 2.0		µg/L	0	GE
		Sodium	2,440		µg/L	0	GE
		Sodium	2,410		µg/L	0	GE
		Sulfate	2,430		µg/L	0	GE
		Sulfate	2,510		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	< 1.0		µg/L	0	GE
■		Tetrachloroethylene	5.2	J2	µg/L	2	GE
		Tin	< 2.0		µg/L	0	GE
		Tin	< 2.0		µg/L	0	GE
		Toluene	< 1.0		µg/L	0	GE
		Total dissolved solids	86,000		µg/L	0	GE
		Total organic carbon	< 1,000		µg/L	0	GE
		Total organic halogens	28		µg/L	1	GE
		Total phosphates (as P)	< 50		µg/L	0	GE
		Toxaphene	< 0.24		µg/L	0	GE
		2,4,5-TP (Silvex)	< 0.090		µg/L	0	GE
		1,1,1-Trichloroethane	2.2	J2	µg/L	0	GE
		1,1,2-Trichloroethane	< 1.0		µg/L	0	GE
■		Trichloroethylene	40	J2	µg/L	2	GE
		Trichlorofluoromethane	< 1.0		µg/L	0	GE
		Vanadium	< 8.0		µg/L	0	GE
		Vanadium	< 8.0		µg/L	0	GE
		Xylenes	< 2.0		µg/L	0	GE
		Zinc	21		µg/L	0	GE
		Zinc	21		µg/L	0	GE
		Carbon-14	< 2.0E+02		pCi/L	0	CN
		Gross alpha	3.7E+00 ± 1.7E+00		pCi/L	0	GE
		Nonvolatile beta	3.6E+00 ± 1.2E+00		pCi/L	0	GE

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 6D collected on 08/03/93, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Mod</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Radium, total alpha-emitting	1.1E+00 ± 5.0E-01		pCi/L	0	GE
		Total activity	1.3E+06 ± 8.0E+03		pCi/L	0	EM
	■	Tritium	1.4E+03 ± 6.5E+00		pCi/mL	2	GE
		Uranium-233/234	< 1.0E+00		pCi/L	0	CN
		Uranium-235	< 1.0E+00		pCi/L	0	CN
		Uranium-238	< 1.0E+00		pCi/L	0	CN

WELL BGO 7D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Pump</u>	<u>Formation</u>
N76494.5	33.289455 °N	240.2-220.2 ft msl	287 ft msl	4" PVC	S	Water Table (IIB ₂)
E57917.2	81.662882 °W					

FIELD MEASUREMENTS

Sample date: 08/02/93
Depth to water: 53.59 ft (16.33 m) below TOC
Water elevation: 233.41 ft (71.14 m) msl
Sp. conductance: 31 µS/cm
Turbidity: 1.3 NTU
Water evacuated before sampling: 100 gal

Time: 8:51
pH: 4.7
Alkalinity: 0 mg/L
Water temperature: 19.7 °C
Volumes purged: 11.5 well volumes

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Mod</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.3	J	pH	0	GE
		Specific conductance	27		µS/cm	0	GE
		Turbidity	0.74		NTU	0	GE
		Acetophenone	< 10	J1	µg/L	0	GE
		Aluminum	23	J2	µg/L	0	GE
		Antimony	< 2.0		µg/L	0	GE
		Arsenic	< 2.0		µg/L	0	GE
		Barium	8.6		µg/L	0	GE
		Benzene	< 5.0		µg/L	0	GE
		Bromodichloromethane	< 5.0		µg/L	0	GE
		Bromoform	< 5.0		µg/L	0	GE
		Bromomethane (Methyl bromide)	< 5.0		µg/L	0	GE
		Cadmium	< 2.0		µg/L	0	GE
		Calcium	1,170		µg/L	0	GE
		Carbon tetrachloride	< 5.0		µg/L	0	GE
		Chloride	2,420		µg/L	0	GE
		Chlorobenzene	< 5.0		µg/L	0	GE
		Chloroethane	< 5.0		µg/L	0	GE
		Chloroethene (Vinyl chloride)	< 5.0		µg/L	0	GE
		2-Chloroethyl vinyl ether	< 5.0		µg/L	0	GE
		Chloroform	< 5.0		µg/L	0	GE
		Chloromethane (Methyl chloride)	< 5.0		µg/L	0	GE
		Chromium	< 4.0		µg/L	0	GE
		Copper	< 4.0		µg/L	0	GE
		Cyanide	< 5.0		µg/L	0	GE
		Dibromochloromethane	< 5.0		µg/L	0	GE
		1,1-Dichloroethane	< 5.0		µg/L	0	GE
		1,2-Dichloroethane	< 5.0		µg/L	0	GE

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 7D collected on 08/02/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		1,1-Dichloroethylene	<5.0		µg/L	0	GE
		trans-1,2-Dichloroethylene	<5.0		µg/L	0	GE
■		Dichloromethane (Methylene chloride)	13		µg/L	2	GE
		2,4-Dichlorophenoxyacetic acid	<0.30		µg/L	0	GE
		1,2-Dichloropropane	<5.0		µg/L	0	GE
		cis-1,3-Dichloropropene	<5.0		µg/L	0	GE
		trans-1,3-Dichloropropene	<5.0		µg/L	0	GE
		Endrin	<0.0060		µg/L	0	GE
		Ethylbenzene	<5.0		µg/L	0	GE
		Fluoride	<100		µg/L	0	GE
		Iron	26		µg/L	0	GE
		Lead	<3.0		µg/L	0	GE
		Lindane	<0.0050		µg/L	0	GE
		Magnesium	455		µg/L	0	GE
		Manganese	11		µg/L	0	GE
		Mercury	<0.20		µg/L	0	GE
		Methoxychlor	<0.50		µg/L	0	GE
		Naphthalene	<10	J1	µg/L	0	GE
		Nickel	<4.0		µg/L	0	GE
		Nitrate-nitrite as nitrogen	800		µg/L	0	GE
		Phenols	<5.0		µg/L	0	GE
		Potassium	<500		µg/L	0	GE
		Selenium	2.3	J2	µg/L	0	GE
		Silica	7,750	J2	µg/L	0	GE
		Silver	<2.0		µg/L	0	GE
		Sodium	2,020		µg/L	0	GE
		Sulfate	<1,000		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<5.0		µg/L	0	GE
		Tetrachloroethylene	<5.0		µg/L	0	GE
		Tin	<2.0		µg/L	0	GE
		Toluene	<5.0		µg/L	0	GE
		Total dissolved solids	23,000	V	µg/L	0	GE
		Total organic carbon	<1,000		µg/L	0	GE
		Total organic halogens	30		µg/L	1	GE
		Total phosphates (as P)	<50		µg/L	0	GE
		Toxaphene	<0.24		µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090		µg/L	0	GE
		1,1,1-Trichloroethane	<5.0		µg/L	0	GE
		1,1,2-Trichloroethane	<5.0		µg/L	0	GE
■		Trichloroethylene	55		µg/L	2	GE
		Trichlorofluoromethane	<5.0		µg/L	0	GE
		Vanadium	<8.0		µg/L	0	GE
		Xylenes	<10		µg/L	0	GE
		Zinc	<2.0		µg/L	0	GE
		Carbon-14	<2.0E+02		pCi/L	0	GP
		Gross alpha	2.7E+00 ± 1.3E+00		pCi/L	0	GE
		Nonvolatile beta	<2.0E+00		pCi/L	0	GE
		Radium, total alpha-emitting	1.7E+00 ± 9.0E-01		pCi/L	0	GE
		Total activity	1.7E+05 ± 3.1E+03		pCi/L	0	EM
■		Tritium	1.6E+02 ± 3.1E+00		pCi/mL	2	GE
		Uranium-233/234	<1.0E+00		pCi/L	0	GP
		Uranium-235	<1.0E+00		pCi/L	0	GP
		Uranium-238	<1.0E+00		pCi/L	0	GP

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 8AR

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N76598.8 E57617.5	33.289197 °N 81.663874 °W	104.6-94.6 ft msl	286.6 ft msl	4" PVC	S	U. Congaree (IIA)

FIELD MEASUREMENTS

Sample date: 08/02/93
Depth to water: 126.58 ft (38.58 m) below TOC
Water elevation: 160.02 ft (48.77 m) msl
Sp. conductance: 254 µS/cm
Turbidity: 0.5 NTU
Water evacuated before sampling: 297 gal

Time: 10:09
pH: 7.6
Alkalinity: 68 mg/L
Water temperature: 19.8 °C

Volumes purged: 6.9 well volumes

LABORATORY ANALYSES

H	D	Analyte	Result	Mod	Unit	Flag	Lab
•		pH	7.5	J	pH	0	GE
		Specific conductance	243		µS/cm	0	GE
		Turbidity	<0.10		NTU	0	GE
		Acetophenone	<10	J1	µg/L	0	GE
		Aluminum	24		µg/L	0	GE
		Antimony	<2.0		µg/L	0	GE
		Arsenic	<2.0		µg/L	0	GE
		Barium	19		µg/L	0	GE
		Benzene	<1.0		µg/L	0	GE
		Bromodichloromethane	<1.0		µg/L	0	GE
		Bromoform	<1.0		µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0		µg/L	0	GE
		Cadmium	<2.0		µg/L	0	GE
		Calcium	47,000		µg/L	0	GE
		Carbon tetrachloride	<1.0		µg/L	0	GE
		Chloride	2,460		µg/L	0	GE
		Chlorobenzene	<1.0		µg/L	0	GE
		Chloroethane	<1.0		µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0		µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0		µg/L	0	GE
		Chloroform	<1.0		µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0		µg/L	0	GE
		Chromium	<4.0		µg/L	0	GE
		Copper	<4.0		µg/L	0	GE
		Cyanide	<5.0		µg/L	0	GE
		Dibromochloromethane	<1.0		µg/L	0	GE
		1,1-Dichloroethane	<1.0		µg/L	0	GE
		1,2-Dichloroethane	<1.0		µg/L	0	GE
		1,1-Dichloroethylene	<1.0		µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0		µg/L	0	GE
		Dichloromethane (Methylene chloride)	1.5		µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30		µg/L	0	GE
		1,2-Dichloropropane	<1.0		µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0		µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0		µg/L	0	GE
		Endrin	<0.0060		µg/L	0	GE
		Ethylbenzene	<1.0		µg/L	0	GE
		Fluoride	102		µg/L	0	GE
		Iron	32		µg/L	0	GE

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 8AR collected on 08/02/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		Lead	<3.0		µg/L	0	GE
		Lindane	<0.0050		µg/L	0	GE
		Magnesium	1,100		µg/L	0	GE
		Manganese	15		µg/L	0	GE
		Mercury	<0.20		µg/L	0	GE
		Methoxychlor	<0.50		µg/L	0	GE
		Naphthalene	<10	J1	µg/L	0	GE
		Nickel	<4.0		µg/L	0	GE
		Nitrate-nitrite as nitrogen	<50		µg/L	0	GE
		Phenols	<5.0		µg/L	0	GE
		Potassium	1,060		µg/L	0	GE
		Selenium	<2.0		µg/L	0	GE
		Silica	31,200		µg/L	0	GE
		Silver	<2.0		µg/L	0	GE
		Sodium	1,940		µg/L	0	GE
		Sulfate	6,480		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0		µg/L	0	GE
		Tetrachloroethylene	<1.0		µg/L	0	GE
		Tin	<2.0		µg/L	0	GE
		Toluene	<1.0		µg/L	0	GE
		Total dissolved solids	166,000	V	µg/L	0	GE
		Total organic carbon	2,470		µg/L	0	GE
		Total organic halogens	13		µg/L	0	GE
		Total phosphates (as P)	80		µg/L	0	GE
		Total phosphates (as P)	60		µg/L	0	GE
		Toxaphene	<0.24		µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090		µg/L	0	GE
		Tributyl phosphate	<10	J1	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0		µg/L	0	GE
		1,1,2-Trichloroethane	<1.0		µg/L	0	GE
		Trichloroethylene	<1.0		µg/L	0	GE
		Trichlorofluoromethane	<1.0		µg/L	0	GE
		Vanadium	<8.0		µg/L	0	GE
		Xylenes	<2.0		µg/L	0	GE
		Zinc	<2.0		µg/L	0	GE
		Carbon-14	<2.0E+02		pCi/L	0	GP
		Gross alpha	<2.0E+00		pCi/L	0	GE
		Nonvolatile beta	<2.0E+00		pCi/L	0	GE
		Radium, total alpha-emitting	1.7E+00 ± 7.0E-01		pCi/L	0	GE
		Tritium	<7.0E-01		pCi/mL	0	GE
		Uranium-233/234	<1.0E+00		pCi/L	0	GP
		Uranium-235	<1.0E+00		pCi/L	0	GP
		Uranium-238	<1.0E+00		pCi/L	0	GP

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 8C

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N76579.2 E57618.7	33.289156 °N 81.663832 °W	184.3-174.3 ft msl	287.9 ft msl	4" PVC	S	McBean (IIB ₁)

FIELD MEASUREMENTS

Sample date: 08/02/93
Depth to water: 62.54 ft (19.06 m) below TOC
Water elevation: 225.36 ft (68.69 m) msl
Sp. conductance: 123 µS/cm
Turbidity: 0.8 NTU
Water evacuated before sampling: 208 gal

Time: 9:50
pH: 6.9
Alkalinity: 11 mg/L
Water temperature: 19.6 °C

Volumes purged: 6.2 well volumes

LABORATORY ANALYSES

H	D	Analyte	Result	Mod	Unit	Flag	Lab
•		pH	7.3	J	pH	0	GE
		Specific conductance	115		µS/cm	0	GE
		Turbidity	6.6		NTU	0	GE
		Acetophenone	<10	J1	µg/L	0	GE
		Aluminum	<20		µg/L	0	GE
		Antimony	<2.0		µg/L	0	GE
		Arsenic	<2.0		µg/L	0	GE
		Barium	9.3		µg/L	0	GE
		Benzene	<1.0		µg/L	0	GE
		Bromodichloromethane	<1.0		µg/L	0	GE
		Bromoform	<1.0		µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0		µg/L	0	GE
		Cadmium	<2.0		µg/L	0	GE
		Calcium	18,100		µg/L	0	GE
		Carbon tetrachloride	<1.0		µg/L	0	GE
		Chloride	2,160		µg/L	0	GE
		Chlorobenzene	<1.0		µg/L	0	GE
		Chloroethane	<1.0		µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0		µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0		µg/L	0	GE
		Chloroform	<1.0		µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0		µg/L	0	GE
		Chromium	<4.0		µg/L	0	GE
		Copper	<4.0		µg/L	0	GE
		Cyanide	<5.0		µg/L	0	GE
		Dibromochloromethane	<1.0		µg/L	0	GE
		1,1-Dichloroethane	<1.0		µg/L	0	GE
		1,2-Dichloroethane	<1.0		µg/L	0	GE
		1,1-Dichloroethylene	<1.0		µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0		µg/L	0	GE
		Dichloromethane (Methylene chloride)	1.6		µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30		µg/L	0	GE
		1,2-Dichloropropane	<1.0		µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0		µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0		µg/L	0	GE
		Endrin	<0.0060		µg/L	0	GE
		Ethylbenzene	<1.0		µg/L	0	GE
		Fluoride	<100		µg/L	0	GE
		Iron	8.0		µg/L	0	GE

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 8C collected on 08/02/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		Lead	<3.0		µg/L	0	GE
		Lindane	<0.0050		µg/L	0	GE
		Magnesium	392		µg/L	0	GE
		Manganese	<2.0		µg/L	0	GE
		Mercury	<0.20		µg/L	0	GE
		Methoxychlor	<0.50		µg/L	0	GE
		Naphthalene	<10	J1	µg/L	0	GE
		Nickel	<4.0		µg/L	0	GE
		Nitrate-nitrite as nitrogen	630		µg/L	0	GE
		Phenols	<5.0		µg/L	0	GE
		Potassium	955		µg/L	0	GE
		Selenium	<2.0		µg/L	0	GE
		Silica	12,100		µg/L	0	GE
		Silver	<2.0		µg/L	0	GE
		Sodium	2,500		µg/L	0	GE
		Sulfate	<1,000		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0		µg/L	0	GE
		Tetrachloroethylene	<1.0		µg/L	0	GE
		Tin	<2.0		µg/L	0	GE
		Toluene	<1.0		µg/L	0	GE
		Total dissolved solids	68,000	V	µg/L	0	GE
		Total organic carbon	<1,000		µg/L	0	GE
		Total organic halogens	<5.0		µg/L	0	GE
		Total phosphates (as P)	150		µg/L	0	GE
		Toxaphene	<0.24		µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090		µg/L	0	GE
		1,1,1-Trichloroethane	<1.0		µg/L	0	GE
		1,1,2-Trichloroethane	<1.0		µg/L	0	GE
		Trichloroethylene	<1.0		µg/L	0	GE
		Trichlorofluoromethane	<1.0		µg/L	0	GE
		Vanadium	<8.0		µg/L	0	GE
		Xylenes	<2.0		µg/L	0	GE
		Zinc	<2.0		µg/L	0	GE
		Carbon-14	<2.0E+02		pCi/L	0	GP
		Gross alpha	<2.0E+00		pCi/L	0	GE
		Nonvolatile beta	<2.0E+00		pCi/L	0	GE
		Radium, total alpha-emitting	<1.0E+00		pCi/L	0	GE
		Tritium	9.5E-01 ± 4.4E-01		pCi/mL	0	GE
		Uranium-233/234	<1.0E+00		pCi/L	0	GP
		Uranium-235	<1.0E+00		pCi/L	0	GP
		Uranium-238	<1.0E+00		pCi/L	0	GP

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 8D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Pump</u>	<u>Formation</u>
N76588.8 E57617.8	33.289175 °N 81.663853 °W	240.6-220.6 ft msl	287.8 ft msl	4" PVC	S	Water Table (IIB ₂)

FIELD MEASUREMENTS

Sample date: 08/02/93
Depth to water: 54.13 ft (16.50 m) below TOC
Water elevation: 233.67 ft (71.22 m) msl
Sp. conductance: 31 µS/cm
Turbidity: 1.4 NTU
Water evacuated before sampling: 188 gal

Time: 10:41
pH: 4.8
Alkalinity: 0 mg/L
Water temperature: 20.0 °C

Volumes purged: 21.9 well volumes

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Mod</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.1	J	pH	0	GE
		Specific conductance	23		µS/cm	0	GE
		Turbidity	1.1		NTU	0	GE
		Acetophenone	< 10	J1	µg/L	0	GE
		Aluminum	24		µg/L	0	GE
		Aluminum	24		µg/L	0	GE
		Antimony	< 2.0		µg/L	0	GE
		Arsenic	< 2.0		µg/L	0	GE
		Barium	9.5		µg/L	0	GE
		Barium	9.7		µg/L	0	GE
		Benzene	< 1.0		µg/L	0	GE
		Bromodichloromethane	< 1.0		µg/L	0	GE
		Bromoform	< 1.0		µg/L	0	GE
		Bromomethane (Methyl bromide)	< 1.0		µg/L	0	GE
		Cadmium	< 2.0		µg/L	0	GE
		Cadmium	< 2.0		µg/L	0	GE
		Calcium	683		µg/L	0	GE
		Calcium	705		µg/L	0	GE
		Carbon tetrachloride	< 1.0		µg/L	0	GE
		Chloride	1,930		µg/L	0	GE
		Chlorobenzene	< 1.0		µg/L	0	GE
		Chloroethane	< 1.0		µg/L	0	GE
		Chloroethene (Vinyl chloride)	< 1.0		µg/L	0	GE
		2-Chloroethyl vinyl ether	< 1.0		µg/L	0	GE
		Chloroform	< 1.0		µg/L	0	GE
		Chloromethane (Methyl chloride)	< 1.0		µg/L	0	GE
		Chromium	< 4.0		µg/L	0	GE
		Chromium	< 4.0		µg/L	0	GE
		Copper	< 4.0		µg/L	0	GE
		Copper	< 4.0		µg/L	0	GE
		Cyanide	< 5.0		µg/L	0	GE
		Dibromochloromethane	< 1.0		µg/L	0	GE
		1,1-Dichloroethane	< 1.0		µg/L	0	GE
		1,2-Dichloroethane	< 1.0		µg/L	0	GE
		1,1-Dichloroethylene	< 1.0		µg/L	0	GE
		trans-1,2-Dichloroethylene	< 1.0		µg/L	0	GE
		Dichloromethane (Methylene chloride)	1.6		µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	< 0.30		µg/L	0	GE
		1,2-Dichloropropane	< 1.0		µg/L	0	GE

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 8D collected on 08/02/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		cis-1,3-Dichloropropene	<1.0		µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0		µg/L	0	GE
		Endrin	<0.0060		µg/L	0	GE
		Ethylbenzene	<1.0		µg/L	0	GE
		Fluoride	<100		µg/L	0	GE
		Iron	19		µg/L	0	GE
		Iron	18		µg/L	0	GE
		Lead	<3.0		µg/L	0	GE
		Lindane	<0.0050		µg/L	0	GE
		Magnesium	402		µg/L	0	GE
		Magnesium	410		µg/L	0	GE
		Manganese	10		µg/L	0	GE
		Manganese	11		µg/L	0	GE
		Mercury	<0.20		µg/L	0	GE
		Methoxychlor	<0.50		µg/L	0	GE
		Naphthalene	<10	J1	µg/L	0	GE
		Nickel	<4.0		µg/L	0	GE
		Nickel	<4.0		µg/L	0	GE
		Nitrate-nitrite as nitrogen	970		µg/L	0	GE
		Phenols	<5.0		µg/L	0	GE
		Phenols	<5.0		µg/L	0	GE
		Potassium	<500		µg/L	0	GE
		Potassium	<500		µg/L	0	GE
		Selenium	<2.0		µg/L	0	GE
		Silica	7,080		µg/L	0	GE
		Silica	7,210		µg/L	0	GE
		Silver	<2.0		µg/L	0	GE
		Silver	<2.0		µg/L	0	GE
		Sodium	2,190		µg/L	0	GE
		Sodium	2,240		µg/L	0	GE
		Sulfate	<1,000		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0		µg/L	0	GE
		Tetrachloroethylene	<1.0		µg/L	0	GE
		Tin	<2.0		µg/L	0	GE
		Tin	<2.0		µg/L	0	GE
		Toluene	<1.0		µg/L	0	GE
		Total dissolved solids	22,000	V	µg/L	0	GE
		Total organic carbon	<1,000		µg/L	0	GE
		Total organic halogens	9.6		µg/L	0	GE
		Total organic halogens	9.9		µg/L	0	GE
		Total phosphates (as P)	<50		µg/L	0	GE
		Toxaphene	<0.24		µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090		µg/L	0	GE
		1,1,1-Trichloroethane	<1.0		µg/L	0	GE
		1,1,2-Trichloroethane	<1.0		µg/L	0	GE
		Trichloroethylene	1.4		µg/L	0	GE
		Trichlorofluoromethane	2.5		µg/L	0	GE
		Vanadium	<8.0		µg/L	0	GE
		Vanadium	<8.0		µg/L	0	GE
		Xylenes	<2.0		µg/L	0	GE
		Zinc	<2.0		µg/L	0	GE
		Zinc	<2.0		µg/L	0	GE
		Carbon-14	<2.0E+02		pCi/L	0	GP
		Gross alpha	<2.0E+00		pCi/L	0	GE
		Nonvolatile beta	<2.0E+00		pCi/L	0	GE
		Radium, total alpha-emitting	2.0E+00 ± 8.0E-01		pCi/L	0	GE

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 8D collected on 08/02/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
■		Tritium	2.9E+01 ± 1.0E+00		pCi/mL	2	GE
		Uranium-233/234	< 1.0E+00		pCi/L	0	GP
		Uranium-235	< 1.0E+00		pCi/L	0	GP
		Uranium-238	< 1.0E+00		pCi/L	0	GP

WELL BGO 9AA

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N76975.7	33.289630 °N	83.8-73.8 ft msl	284.8 ft msl	4" PVC	S	L. Congaree (IIA)
E57371.9	81.665252 °W					

FIELD MEASUREMENTS

Sample date: 08/03/93
Depth to water: 127.27 ft (38.79 m) below TOC
Water elevation: 157.53 ft (48.02 m) msl
Sp. conductance: 4080 µS/cm
Turbidity: 0.4 NTU
Water evacuated before sampling: 44 gal
The well went dry during purging.

Time: 9:05
pH: 12.2
Alkalinity: 770 mg/L
Water temperature: 19.8 °C
Volumes purged: 0.8 well volumes

LABORATORY ANALYSES

H	D	Analyte	Result	Mod	Unit	Flag	Lab
•		pH	12	J	pH	2	GE
		Specific conductance	4.8		µS/cm	0	GE
		Turbidity	0.12		NTU	0	GE
		Acetophenone	< 10		µg/L	0	GE
		Aluminum	780	J2	µg/L	2	GE
		Antimony	2.6		µg/L	0	GE
		Arsenic	< 2.0		µg/L	0	GE
		Barium	543		µg/L	0	GE
		Benzene	< 1.0		µg/L	0	GE
		Bromodichloromethane	< 1.0		µg/L	0	GE
		Bromoform	< 1.0		µg/L	0	GE
		Bromomethane (Methyl bromide)	< 1.0		µg/L	0	GE
		Cadmium	< 20		µg/L	0	GE
		Calcium	327,000		µg/L	0	GE
		Carbon tetrachloride	< 1.0		µg/L	0	GE
		Chloride	621		µg/L	0	GE
		Chlorobenzene	< 1.0		µg/L	0	GE
		Chloroethane	< 1.0		µg/L	0	GE
		Chloroethene (Vinyl chloride)	< 1.0		µg/L	0	GE
		2-Chloroethyl vinyl ether	< 1.0		µg/L	0	GE
		Chloroform	< 1.0		µg/L	0	GE
		Chloromethane (Methyl chloride)	< 1.0		µg/L	0	GE
		Chromium	< 40		µg/L	0	GE
		Copper	< 40		µg/L	0	GE
		Cyanide	< 5.0		µg/L	0	GE
		Dibromochloromethane	< 1.0		µg/L	0	GE
		1,1-Dichloroethane	< 1.0		µg/L	0	GE
		1,2-Dichloroethane	< 1.0		µg/L	0	GE
		1,1-Dichloroethylene	< 1.0		µg/L	0	GE
		trans-1,2-Dichloroethylene	< 1.0		µg/L	0	GE

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 9AA collected on 08/03/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		Dichloromethane (Methylene chloride)	2.8		µg/L	1	GE
		2,4-Dichlorophenoxyacetic acid	<0.30		µg/L	0	GE
		1,2-Dichloropropane	<1.0		µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0		µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0		µg/L	0	GE
		Endrin	<0.0060		µg/L	0	GE
		Ethylbenzene	<1.0		µg/L	0	GE
		Fluoride	<100		µg/L	0	GE
		Iron	<40		µg/L	0	GE
		Lead	<3.0		µg/L	0	GE
		Lindane	<0.0050		µg/L	0	GE
		Magnesium	<20		µg/L	0	GE
		Manganese	<20		µg/L	0	GE
		Mercury	<0.20		µg/L	0	GE
		Methoxychlor	<0.50		µg/L	0	GE
		Naphthalene	<10		µg/L	0	GE
		Nickel	<40		µg/L	0	GE
		Nitrate-nitrite as nitrogen	<50		µg/L	0	GE
		Phenols	<5.0		µg/L	0	GE
		Potassium	112,000		µg/L	0	GE
		Selenium	4.6	J2	µg/L	0	GE
		Silica	1,120	J2	µg/L	0	GE
		Silver	<20		µg/L	0	GE
		Sodium	55,500		µg/L	0	GE
		Sulfate	6,060		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0		µg/L	0	GE
		Tetrachloroethylene	<1.0		µg/L	0	GE
		Tin	194		µg/L	2	GE
		Toluene	2.0		µg/L	0	GE
		Total dissolved solids	1.1E+06	V	µg/L	0	GE
		Total organic carbon	5,140		µg/L	1	GE
		Total organic halogens	<5.0		µg/L	0	GE
		Total phosphates (as P)	<50		µg/L	0	GE
		Total phosphates (as P)	<50		µg/L	0	GE
		Toxaphene	<0.24		µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090		µg/L	0	GE
		1,1,1-Trichloroethane	<1.0		µg/L	0	GE
		1,1,2-Trichloroethane	<1.0		µg/L	0	GE
		Trichloroethylene	<1.0		µg/L	0	GE
		Trichlorofluoromethane	<1.0		µg/L	0	GE
		Vanadium	<80		µg/L	0	GE
		Xylenes	<2.0		µg/L	0	GE
		Gross alpha	5.6E+00 ± 2.7E+00		pCi/L	0	GE
		Nonvolatile beta	2.6E+01 ± 2.0E+00		pCi/L	1	GE
		Radium, total alpha-emitting	3.8E+00 ± 1.2E+00		pCi/L	0	GE
		Tritium	<7.0E-01		pCi/mL	0	GE
		Uranium-233/234	<1.0E+00		pCi/L	0	GP
		Uranium-235	<1.0E+00		pCi/L	0	GP
		Uranium-238	<1.0E+00		pCi/L	0	GP

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 9D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Pump</u>	<u>Formation</u>
N76811.6 E57478.9	33.289442 °N 81.664652 °W	229.2-209.2 ft msl	285.1 ft msl	4" PVC	S	Water Table (IIB ₂)

FIELD MEASUREMENTS

Sample date: 08/09/93
Depth to water: 53.46 ft (16.29 m) below TOC
Water elevation: 231.64 ft (70.60 m) msl
Sp. conductance: 33 µS/cm
Turbidity: 0.5 NTU
Water evacuated before sampling: 38 gal

Time: 9:18
pH: 4.7
Alkalinity: 0 mg/L
Water temperature: 20.2 °C

Volumes purged: 2.6 well volumes

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Mod</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.1	J	pH	0	GE
		Specific conductance	27		µS/cm	0	GE
		Turbidity	<0.10		NTU	0	GE
		Acetophenone	<10	J1	µg/L	0	GE
		Aluminum	20		µg/L	0	GE
		Antimony	<2.0		µg/L	0	GE
		Arsenic	<2.0		µg/L	0	GE
		Barium	11		µg/L	0	GE
		Benzene	<1.0		µg/L	0	GE
		Benzene	<1.0		µg/L	0	GE
		Bromodichloromethane	<1.0		µg/L	0	GE
		Bromodichloromethane	<1.0		µg/L	0	GE
		Bromoform	<1.0		µg/L	0	GE
		Bromoform	<1.0		µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0		µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0		µg/L	0	GE
		Cadmium	<2.0		µg/L	0	GE
		Calcium	1,120		µg/L	0	GE
		Carbon tetrachloride	<1.0		µg/L	0	GE
		Carbon tetrachloride	<1.0		µg/L	0	GE
		Chloride	1,750		µg/L	0	GE
		Chlorobenzene	<1.0		µg/L	0	GE
		Chlorobenzene	<1.0		µg/L	0	GE
		Chloroethane	<1.0		µg/L	0	GE
		Chloroethane	<1.0		µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0		µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0		µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0		µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0		µg/L	0	GE
		Chloroform	<1.0		µg/L	0	GE
		Chloroform	<1.0		µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0		µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0		µg/L	0	GE
		Chromium	<4.0		µg/L	0	GE
		Copper	<4.0		µg/L	0	GE
		Cyanide	<5.0		µg/L	0	GE
		Dibromochloromethane	<1.0		µg/L	0	GE
		Dibromochloromethane	<1.0		µg/L	0	GE
		1,1-Dichloroethane	<1.0		µg/L	0	GE

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 9D collected on 08/09/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		1,1-Dichloroethane	<1.0		µg/L	0	GE
		1,2-Dichloroethane	<1.0		µg/L	0	GE
		1,2-Dichloroethane	<1.0		µg/L	0	GE
		1,1-Dichloroethylene	<1.0		µg/L	0	GE
		1,1-Dichloroethylene	<1.0		µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0		µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0		µg/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0		µg/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0		µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30		µg/L	0	GE
		1,2-Dichloropropane	<1.0		µg/L	0	GE
		1,2-Dichloropropane	<1.0		µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0		µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0		µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0		µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0		µg/L	0	GE
		Endrin	<0.0060		µg/L	0	GE
		Ethylbenzene	<1.0		µg/L	0	GE
		Ethylbenzene	<1.0		µg/L	0	GE
		Fluoride	<100		µg/L	0	GE
		Iron	5.3		µg/L	0	GE
		Lead	<3.0		µg/L	0	GE
		Lindane	<0.0050		µg/L	0	GE
		Magnesium	523		µg/L	0	GE
		Manganese	22		µg/L	0	GE
		Mercury	<0.20		µg/L	0	GE
		Methoxychlor	<0.50		µg/L	0	GE
		Naphthalene	<10	J1	µg/L	0	GE
		Nickel	<4.0		µg/L	0	GE
		Nitrate-nitrite as nitrogen	1,380		µg/L	0	GE
		Phenols	5.2		µg/L	0	GE
		Potassium	<500		µg/L	0	GE
		Selenium	<2.0		µg/L	0	GE
		Silica	8,220		µg/L	0	GE
		Silver	<2.0		µg/L	0	GE
		Sodium	2,200		µg/L	0	GE
		Sulfate	<1,000		µg/L	0	GE
		1,1,1,2,2-Tetrachloroethane	<1.0		µg/L	0	GE
		1,1,1,2,2-Tetrachloroethane	<1.0		µg/L	0	GE
		Tetrachloroethylene	<1.0		µg/L	0	GE
		Tetrachloroethylene	<1.0		µg/L	0	GE
		Tin	<2.0		µg/L	0	GE
		Toluene	<1.0		µg/L	0	GE
		Toluene	<1.0		µg/L	0	GE
		Total dissolved solids	30,000	V	µg/L	0	GE
		Total organic carbon	<1,000		µg/L	0	GE
		Total organic halogens	14		µg/L	0	GE
		Total phosphates (as P)	<50		µg/L	0	GE
		Total phosphates (as P)	<50		µg/L	0	GE
		Toxaphene	<0.24		µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090		µg/L	0	GE
		1,1,1-Trichloroethane	<1.0		µg/L	0	GE
		1,1,1-Trichloroethane	<1.0		µg/L	0	GE
		1,1,2-Trichloroethane	<1.0		µg/L	0	GE
		1,1,2-Trichloroethane	<1.0		µg/L	0	GE
		Trichloroethylene	<1.0		µg/L	0	GE

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 9D collected on 08/09/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		Trichloroethylene	< 1.0		µg/L	0	GE
		Trichlorofluoromethane	< 1.0		µg/L	0	GE
		Trichlorofluoromethane	< 1.0		µg/L	0	GE
		Vanadium	< 8.0		µg/L	0	GE
		Xylenes	< 2.0		µg/L	0	GE
		Xylenes	< 2.0		µg/L	0	GE
		Zinc	14		µg/L	0	GE
		Carbon-14	< 2.0E + 02		pCi/L	0	CN
		Gross alpha	< 2.0E + 00		pCi/L	0	GE
		Nonvolatile beta	< 2.0E + 00		pCi/L	0	GE
		Radium, total alpha-emitting	< 1.0E + 00		pCi/L	0	GE
■		Tritium	2.7E + 02 ± 5.3E + 00		pCi/mL	2	GE
		Uranium-233/234	< 1.0E + 00		pCi/L	0	CN
		Uranium-235	< 1.0E + 00		pCi/L	0	CN
		Uranium-238	< 1.0E + 00		pCi/L	0	CN

WELL BGO 10AA

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N76997.9	33.289057 °N	90.8-80.8 ft msl	300.7 ft msl	4" PVC	S	L. Congaree (IIA)
E56990.5	81.666300 °W					

FIELD MEASUREMENTS

Sample date: 08/02/93
Depth to water: 143.11 ft (43.62 m) below TOC
Water elevation: 157.59 ft (48.03 m) msl
Sp. conductance: 202 µS/cm
Turbidity: 1.2 NTU
Water evacuated before sampling: 198 gal

Time: 13:28
pH: 7.2
Alkalinity: 53 mg/L
Water temperature: 20.3 °C

Volumes purged: 3.9 well volumes

LABORATORY ANALYSES

H	D	Analyte	Result	Mod	Unit	Flag	Lab
•		pH	7.3	J	pH	0	GE
		Specific conductance	190		µS/cm	0	GE
		Turbidity	< 0.10		NTU	0	GE
		Acetophenone	< 10	J1	µg/L	0	GE
		Aluminum	< 20		µg/L	0	GE
		Antimony	< 2.0		µg/L	0	GE
		Arsenic	< 2.0		µg/L	0	GE
		Barium	42		µg/L	0	GE
		Benzene	< 1.0		µg/L	0	GE
		Bromodichloromethane	< 1.0		µg/L	0	GE
		Bromoform	< 1.0		µg/L	0	GE
		Bromomethane (Methyl bromide)	< 1.0		µg/L	0	GE
		Cadmium	< 2.0		µg/L	0	GE
		Calcium	32,900		µg/L	0	GE
		Carbon tetrachloride	< 1.0		µg/L	0	GE
		Chloride	2,420		µg/L	0	GE
		Chlorobenzene	< 1.0		µg/L	0	GE
		Chloroethane	< 1.0		µg/L	0	GE
		Chloroethene (Vinyl chloride)	< 1.0		µg/L	0	GE

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 10AA collected on 08/02/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		2-Chloroethyl vinyl ether	< 1.0		µg/L	0	GE
		Chloroform	< 1.0		µg/L	0	GE
		Chloromethane (Methyl chloride)	< 1.0		µg/L	0	GE
		Chromium	< 4.0		µg/L	0	GE
		Copper	< 4.0		µg/L	0	GE
		Cyanide	< 5.0		µg/L	0	GE
		Dibromochloromethane	< 1.0		µg/L	0	GE
		1,1-Dichloroethane	< 1.0		µg/L	0	GE
		1,2-Dichloroethane	< 1.0		µg/L	0	GE
		1,1-Dichloroethylene	< 1.0		µg/L	0	GE
		trans-1,2-Dichloroethylene	< 1.0		µg/L	0	GE
		Dichloromethane (Methylene chloride)	1.7		µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	< 0.30		µg/L	0	GE
		1,2-Dichloropropane	< 1.0		µg/L	0	GE
		cis-1,3-Dichloropropene	< 1.0		µg/L	0	GE
		trans-1,3-Dichloropropene	< 1.0		µg/L	0	GE
		Endrin	< 0.0060		µg/L	0	GE
		Ethylbenzene	< 1.0		µg/L	0	GE
		Fluoride	< 100		µg/L	0	GE
		Iron	11		µg/L	0	GE
		Lead	< 3.0		µg/L	0	GE
		Lindane	< 0.0050		µg/L	0	GE
		Magnesium	661		µg/L	0	GE
		Manganese	12		µg/L	0	GE
		Mercury	< 0.20		µg/L	0	GE
		Methoxychlor	< 0.50		µg/L	0	GE
		Naphthalene	< 10	J1	µg/L	0	GE
		Nickel	< 4.0		µg/L	0	GE
		Nitrate-nitrite as nitrogen	< 50		µg/L	0	GE
		Phenols	< 5.0		µg/L	0	GE
		Phenols	< 5.0		µg/L	0	GE
		Potassium	4,870		µg/L	0	GE
		Selenium	< 2.0		µg/L	0	GE
		Silica	31,600		µg/L	0	GE
		Silver	< 2.0		µg/L	0	GE
		Sodium	3,550		µg/L	0	GE
		Sulfate	6,310		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	< 1.0		µg/L	0	GE
		Tetrachloroethylene	< 1.0		µg/L	0	GE
		Tin	< 2.0		µg/L	0	GE
		Toluene	< 1.0		µg/L	0	GE
		Total dissolved solids	131,000	V	µg/L	0	GE
		Total organic carbon	1,600		µg/L	0	GE
		Total organic halogens	< 5.0		µg/L	0	GE
		Total phosphates (as P)	< 50		µg/L	0	GE
		Toxaphene	< 0.24		µg/L	0	GE
		2,4,5-TP (Silvex)	< 0.090		µg/L	0	GE
		1,1,1-Trichloroethane	< 1.0		µg/L	0	GE
		1,1,2-Trichloroethane	< 1.0		µg/L	0	GE
		Trichloroethylene	< 1.0		µg/L	0	GE
		Trichlorofluoromethane	< 1.0		µg/L	0	GE
		Vanadium	< 8.0		µg/L	0	GE
		Xylenes	< 2.0		µg/L	0	GE
		Gross alpha	< 2.0E+00		pCi/L	0	GE
		Nonvolatile beta	3.4E+00 ± 7.5E-01		pCi/L	0	GE
		Radium, total alpha-emitting	< 1.0E+00		pCi/L	0	GE

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 10AA collected on 08/02/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		Tritium	<7.0E-01		pCi/mL	0	GE
		Uranium-233/234	<1.0E+00		pCi/L	0	GP
		Uranium-235	<1.0E+00		pCi/L	0	GP
		Uranium-238	<1.0E+00		pCi/L	0	GP

WELL BGO 10AR

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N76806.0	33.288752 °N	106.5-96.5 ft msl	300.5 ft msl	4" PVC	S	U. Congaree (IIA)
E57063.8	81.665734 °W					

FIELD MEASUREMENTS

Sample date: 08/03/93
Depth to water: 142.41 ft (43.41 m) below TOC
Water elevation: 158.09 ft (48.19 m) msl
Sp. conductance: 226 µS/cm
Turbidity: 0.6 NTU
Water evacuated before sampling: 125 gal

Time: 10:27
pH: 8.5
Alkalinity: 47 mg/L
Water temperature: 20.4 °C
Volumes purged: 3.1 well volumes

LABORATORY ANALYSES

H	D	Analyte	Result	Mod	Unit	Flag	Lab
•		pH	7.9	J	pH	0	GE
		Specific conductance	226		µS/cm	0	GE
		Turbidity	0.30		NTU	0	GE
		Acetophenone	<10	J1	µg/L	0	GE
		Aluminum	<20	J1	µg/L	0	GE
		Aluminum	<20	J1	µg/L	0	GE
		Antimony	<2.0		µg/L	0	GE
		Arsenic	<2.0		µg/L	0	GE
		Barium	21		µg/L	0	GE
		Barium	21		µg/L	0	GE
		Benzene	<1.0		µg/L	0	GE
		Benzene	<1.0		µg/L	0	GE
		Bromodichloromethane	<1.0		µg/L	0	GE
		Bromodichloromethane	<1.0		µg/L	0	GE
		Bromoform	<1.0		µg/L	0	GE
		Bromoform	<1.0		µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0		µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0		µg/L	0	GE
		Cadmium	<2.0		µg/L	0	GE
		Cadmium	<2.0		µg/L	0	GE
		Calcium	42,200		µg/L	0	GE
		Calcium	42,200		µg/L	0	GE
		Carbon tetrachloride	<1.0		µg/L	0	GE
		Carbon tetrachloride	<1.0		µg/L	0	GE
		Chloride	2,370		µg/L	0	GE
		Chloride	2,370		µg/L	0	GE
		Chlorobenzene	<1.0		µg/L	0	GE
		Chlorobenzene	<1.0		µg/L	0	GE
		Chloroethane	<1.0		µg/L	0	GE
		Chloroethane	<1.0		µg/L	0	GE

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 10AR collected on 08/03/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		Chloroethene (Vinyl chloride)	<1.0		µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0		µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0		µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0		µg/L	0	GE
		Chloroform	<1.0		µg/L	0	GE
		Chloroform	<1.0		µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0		µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0		µg/L	0	GE
		Chromium	<4.0		µg/L	0	GE
		Chromium	<4.0		µg/L	0	GE
		Copper	<4.0		µg/L	0	GE
		Copper	<4.0		µg/L	0	GE
		Cyanide	<5.0		µg/L	0	GE
		Dibromochloromethane	<1.0		µg/L	0	GE
		Dibromochloromethane	<1.0		µg/L	0	GE
		1,1-Dichloroethane	<1.0		µg/L	0	GE
		1,1-Dichloroethane	<1.0		µg/L	0	GE
		1,2-Dichloroethane	<1.0		µg/L	0	GE
		1,2-Dichloroethane	<1.0		µg/L	0	GE
		1,1-Dichloroethylene	<1.0		µg/L	0	GE
		1,1-Dichloroethylene	<1.0		µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0		µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0		µg/L	0	GE
		Dichloromethane (Methylene chloride)	1.5		µg/L	0	GE
		Dichloromethane (Methylene chloride)	1.4		µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30		µg/L	0	GE
		1,2-Dichloropropane	<1.0		µg/L	0	GE
		1,2-Dichloropropane	<1.0		µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0		µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0		µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0		µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0		µg/L	0	GE
		Endrin	<0.0060		µg/L	0	GE
		Ethylbenzene	<1.0		µg/L	0	GE
		Ethylbenzene	<1.0		µg/L	0	GE
		Fluoride	<100		µg/L	0	GE
		Iron	4.2		µg/L	0	GE
		Iron	5.0		µg/L	0	GE
		Lead	<3.0		µg/L	0	GE
		Lindane	<0.0050		µg/L	0	GE
		Magnesium	1,180		µg/L	0	GE
		Magnesium	1,180		µg/L	0	GE
		Manganese	38		µg/L	1	GE
		Manganese	38		µg/L	1	GE
		Mercury	<0.20		µg/L	0	GE
		Methoxychlor	<0.50		µg/L	0	GE
		Naphthalene	<10	J1	µg/L	0	GE
		Nickel	<4.0		µg/L	0	GE
		Nickel	<4.0		µg/L	0	GE
		Nitrate-nitrite as nitrogen	<50		µg/L	0	GE
		Phenols	<5.0		µg/L	0	GE
		Potassium	2,630		µg/L	0	GE
		Potassium	2,650		µg/L	0	GE
		Selenium	<2.0	J1	µg/L	0	GE
		Silica	28,300	J2	µg/L	0	GE
		Silica	28,300	J2	µg/L	0	GE

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 10AR collected on 08/03/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		Silver	<2.0		µg/L	0	GE
		Silver	<2.0		µg/L	0	GE
		Sodium	3,100		µg/L	0	GE
		Sodium	3,100		µg/L	0	GE
		Sulfate	7,420		µg/L	0	GE
		Sulfate	7,490		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0		µg/L	0	GE
		Tetrachloroethylene	<1.0		µg/L	0	GE
		Tetrachloroethylene	<1.0		µg/L	0	GE
		Tin	<2.0		µg/L	0	GE
		Tin	<2.0		µg/L	0	GE
		Toluene	<1.0		µg/L	0	GE
		Toluene	<1.0		µg/L	0	GE
		Total dissolved solids	151,000	V	µg/L	0	GE
		Total organic carbon	2,470		µg/L	0	GE
		Total organic carbon	2,700		µg/L	0	GE
		Total organic halogens	<5.0		µg/L	0	GE
		Total phosphates (as P)	<50		µg/L	0	GE
		Toxaphene	<0.24		µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090		µg/L	0	GE
		Tributyl phosphate	<10	J1	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0		µg/L	0	GE
		1,1,1-Trichloroethane	<1.0		µg/L	0	GE
		1,1,2-Trichloroethane	<1.0		µg/L	0	GE
		1,1,2-Trichloroethane	<1.0		µg/L	0	GE
		Trichloroethylene	<1.0		µg/L	0	GE
		Trichloroethylene	<1.0		µg/L	0	GE
		Trichlorofluoromethane	<1.0		µg/L	0	GE
		Trichlorofluoromethane	<1.0		µg/L	0	GE
		Vanadium	<8.0		µg/L	0	GE
		Vanadium	<8.0		µg/L	0	GE
		Xylenes	<2.0		µg/L	0	GE
		Xylenes	<2.0		µg/L	0	GE
		Zinc	<2.0		µg/L	0	GE
		Zinc	<2.0		µg/L	0	GE
		Carbon-14	<2.0E+02		pCi/L	0	GP
		Gross alpha	<2.0E+00		pCi/L	0	GE
		Gross alpha	<2.0E+00		pCi/L	0	GE
		Nonvolatile beta	<2.0E+00		pCi/L	0	GE
		Nonvolatile beta	2.6E+00 ± 1.1E+00		pCi/L	0	GE
		Radium, total alpha-emitting	1.2E+00 ± 7.0E-01		pCi/L	0	GE
		Tritium	<7.0E-01		pCi/mL	0	GE
		Uranium-233/234	<1.0E+00		pCi/L	0	GP
		Uranium-235	<1.0E+00		pCi/L	0	GP
		Uranium-238	<1.0E+00		pCi/L	0	GP

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 10B

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N76982.1 E56978.8	33.289003 °N 81.666300 °W	149.0-139.0 ft msl	301 ft msl	4" PVC	S	Barnwell (IIB ₁)

FIELD MEASUREMENTS

Sample date: 08/03/93
Depth to water: 78.90 ft (24.05 m) below TOC
Water elevation: 222.10 ft (67.70 m) msl
Sp. conductance: 140 µS/cm
Turbidity: 4.2 NTU
Water evacuated before sampling: 50 gal
The well went dry during purging.

Time: 8:40
pH: 9.1
Alkalinity: 16 mg/L
Water temperature: 19.8 °C

Volumes purged: 0.9 well volumes

LABORATORY ANALYSES

H	D	Analyte	Result	Mod	Unit	Flag	Lab
•		pH	9.1	J	pH	1	GE
		Specific conductance	156		µS/cm	0	GE
		Turbidity	2.0		NTU	0	GE
		Acetophenone	< 10	J1	µg/L	0	GE
		Aluminum	346	J2	µg/L	2	GE
		Antimony	< 2.0		µg/L	0	GE
		Arsenic	< 2.0		µg/L	0	GE
		Barium	17		µg/L	0	GE
		Benzene	< 1.0		µg/L	0	GE
		Bromodichloromethane	< 1.0		µg/L	0	GE
		Bromoform	< 1.0		µg/L	0	GE
		Bromomethane (Methyl bromide)	< 1.0		µg/L	0	GE
		Cadmium	< 2.0		µg/L	0	GE
		Calcium	9,920		µg/L	0	GE
		Carbon tetrachloride	< 1.0		µg/L	0	GE
		Chloride	2,250		µg/L	0	GE
		Chlorobenzene	< 1.0		µg/L	0	GE
		Chloroethane	< 1.0		µg/L	0	GE
		Chloroethene (Vinyl chloride)	< 1.0		µg/L	0	GE
		2-Chloroethyl vinyl ether	< 1.0		µg/L	0	GE
		Chloroform	< 1.0		µg/L	0	GE
		Chloromethane (Methyl chloride)	< 1.0		µg/L	0	GE
		Chromium	< 4.0		µg/L	0	GE
		Copper	< 4.0		µg/L	0	GE
		Cyanide	< 5.0		µg/L	0	GE
		Dibromochloromethane	< 1.0		µg/L	0	GE
		1,1-Dichloroethane	< 1.0		µg/L	0	GE
		1,2-Dichloroethane	< 1.0		µg/L	0	GE
		1,1-Dichloroethylene	< 1.0		µg/L	0	GE
		trans-1,2-Dichloroethylene	< 1.0		µg/L	0	GE
		Dichloromethane (Methylene chloride)	2.8		µg/L	1	GE
		2,4-Dichlorophenoxyacetic acid	< 0.30		µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	< 0.30		µg/L	0	GE
		1,2-Dichloropropane	< 1.0		µg/L	0	GE
		cis-1,3-Dichloropropene	< 1.0		µg/L	0	GE
		trans-1,3-Dichloropropene	< 1.0		µg/L	0	GE
		Endrin	< 0.0060		µg/L	0	GE
		Ethylbenzene	< 1.0		µg/L	0	GE
		Fluoride	< 100		µg/L	0	GE

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 10B collected on 08/03/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		Iron	18		µg/L	0	GE
		Lead	<3.0		µg/L	0	GE
		Lindane	<0.0050		µg/L	0	GE
		Magnesium	753		µg/L	0	GE
		Manganese	<2.0		µg/L	0	GE
		Mercury	<0.20		µg/L	0	GE
		Methoxychlor	<0.50		µg/L	0	GE
		Naphthalene	<10	J1	µg/L	0	GE
		Nickel	<4.0		µg/L	0	GE
		Nitrate-nitrite as nitrogen	200		µg/L	0	GE
		Phenols	<5.0		µg/L	0	GE
		Potassium	12,700		µg/L	0	GE
		Selenium	<2.0	J1	µg/L	0	GE
		Silica	34,900	J2	µg/L	0	GE
		Silver	<2.0		µg/L	0	GE
		Sodium	10,000		µg/L	0	GE
		Sulfate	5,890		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0		µg/L	0	GE
		Tetrachloroethylene	<1.0		µg/L	0	GE
		Tin	27		µg/L	2	GE
		Toluene	<1.0		µg/L	0	GE
		Total dissolved solids	122,000	V	µg/L	0	GE
		Total organic carbon	2,610		µg/L	0	GE
		Total organic halogens	<5.0		µg/L	0	GE
		Total phosphates (as P)	<50		µg/L	0	GE
		Toxaphene	<0.24		µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090		µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090		µg/L	0	GE
		1,1,1-Trichloroethane	<1.0		µg/L	0	GE
		1,1,2-Trichloroethane	<1.0		µg/L	0	GE
		Trichloroethylene	<1.0		µg/L	0	GE
		Trichlorofluoromethane	<1.0		µg/L	0	GE
		Vanadium	28		µg/L	0	GE
		Xylenes	<2.0		µg/L	0	GE
		Gross alpha	<2.0E+00		pCi/L	0	GE
		Nonvolatile beta	2.1E+00 ± 1.0E+00		pCi/L	0	GE
		Radium, total alpha-emitting	<1.0E+00		pCi/L	0	GE
■		Tritium	1.9E+02 ± 2.4E+00		pCi/mL	2	GE
		Uranium-233/234	<1.0E+00		pCi/L	0	GP
		Uranium-235	<1.0E+00		pCi/L	0	GP
		Uranium-238	<1.0E+00		pCi/L	0	GP

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 10C

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N76805.2 E57041.1	33.288713 °N 81.665792 °W	167.3-157.3 ft msl	301.3 ft msl	4" PVC	S	Barnwell (IIB ₁)

FIELD MEASUREMENTS

Sample date: 08/03/93
Depth to water: 81.21 ft (24.75 m) below TOC
Water elevation: 220.09 ft (67.08 m) msl
Sp. conductance: 119 µS/cm
Turbidity: 19.5 NTU
Water evacuated before sampling: 35 gal
The well went dry during purging.

Time: 9:59
pH: 10.8
Alkalinity: 6 mg/L
Water temperature: 21.3 °C

Volumes purged: 0.8 well volumes

LABORATORY ANALYSES

H	D	Analyte	Result	Mod	Unit	Flag	Lab
•		pH	8.8	J	pH	1	GE
		Specific conductance	146		µS/cm	0	GE
		Turbidity	71		NTU	0	GE
		Acetophenone	<10	J1	µg/L	0	GE
		Aluminum	310	J2	µg/L	2	GE
		Antimony	<2.0		µg/L	0	GE
		Antimony	<2.0		µg/L	0	GE
		Arsenic	<2.0		µg/L	0	GE
		Arsenic	<2.0		µg/L	0	GE
		Barium	61		µg/L	0	GE
		Benzene	<1.0		µg/L	0	GE
		Bromodichloromethane	<1.0		µg/L	0	GE
		Bromoform	<1.0		µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0		µg/L	0	GE
		Cadmium	<2.0		µg/L	0	GE
		Calcium	21,700		µg/L	0	GE
		Carbon tetrachloride	<1.0		µg/L	0	GE
		Chloride	2,050		µg/L	0	GE
		Chlorobenzene	<1.0		µg/L	0	GE
		Chloroethane	<1.0		µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0		µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0		µg/L	0	GE
		Chloroform	<1.0		µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0		µg/L	0	GE
		Chromium	5.6		µg/L	0	GE
		Copper	9.2		µg/L	0	GE
		Cyanide	<5.0		µg/L	0	GE
		Dibromochloromethane	<1.0		µg/L	0	GE
		1,1-Dichloroethane	<1.0		µg/L	0	GE
		1,2-Dichloroethane	<1.0		µg/L	0	GE
		1,1-Dichloroethylene	<1.0		µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0		µg/L	0	GE
		Dichloromethane (Methylene chloride)	2.7		µg/L	1	GE
		2,4-Dichlorophenoxyacetic acid	<0.30		µg/L	0	GE
		1,2-Dichloropropane	<1.0		µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0		µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0		µg/L	0	GE
		Endrin	<0.0060		µg/L	0	GE
		Ethylbenzene	<1.0		µg/L	0	GE

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 10C collected on 08/03/93, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Mod</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Fluoride	< 100		µg/L	0	GE
		Iron	219		µg/L	1	GE
		Lead	5.5		µg/L	0	GE
		Lead	6.4		µg/L	0	GE
		Lindane	< 0.0050		µg/L	0	GE
		Magnesium	331		µg/L	0	GE
		Manganese	11		µg/L	0	GE
		Mercury	< 0.20		µg/L	0	GE
		Methoxychlor	< 0.50		µg/L	0	GE
		Naphthalene	< 10	J1	µg/L	0	GE
		Nickel	< 4.0		µg/L	0	GE
		Nitrate-nitrite as nitrogen	350		µg/L	0	GE
		Nitrate-nitrite as nitrogen	410		µg/L	0	GE
		Phenols	< 5.0		µg/L	0	GE
		Potassium	8,770		µg/L	0	GE
		Selenium	< 2.0	J1	µg/L	0	GE
		Selenium	< 2.0	J1	µg/L	0	GE
		Silica	15,900	J2	µg/L	0	GE
		Silver	< 2.0		µg/L	0	GE
		Sodium	6,970		µg/L	0	GE
		Sulfate	2,850		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	< 1.0		µg/L	0	GE
		Tetrachloroethylene	< 1.0		µg/L	0	GE
		Tin	13		µg/L	1	GE
		Toluene	< 1.0		µg/L	0	GE
		Total dissolved solids	103,000	V	µg/L	0	GE
		Total organic carbon	1,610		µg/L	0	GE
		Total organic halogens	< 5.0		µg/L	0	GE
		Total phosphates (as P)	< 50		µg/L	0	GE
		Toxaphene	< 0.24		µg/L	0	GE
		2,4,5-TP (Silvex)	< 0.090		µg/L	0	GE
		1,1,1-Trichloroethane	< 1.0		µg/L	0	GE
		1,1,2-Trichloroethane	< 1.0		µg/L	0	GE
		Trichloroethylene	< 1.0		µg/L	0	GE
		Trichlorofluoromethane	< 1.0		µg/L	0	GE
		Vanadium	< 8.0		µg/L	0	GE
		Xylenes	< 2.0		µg/L	0	GE
		Zinc	18		µg/L	0	GE
		Carbon-14	< 2.0E + 02		pCi/L	0	GP
		Gross alpha	< 2.0E + 00		pCi/L	0	GE
		Nonvolatile beta	< 2.0E + 00		pCi/L	0	GE
		Radium, total alpha-emitting	1.4E + 00 ± 8.0E-01		pCi/L	0	GE
■		Tritium	1.4E + 02 ± 2.8E + 00		pCi/mL	2	GE
		Uranium-233/234	< 1.0E + 00		pCi/L	0	GP
		Uranium-235	< 1.0E + 00		pCi/L	0	GP
		Uranium-238	< 1.0E + 00		pCi/L	0	GP

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 10DR

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N76804.8 E57073.7	33.288765 °N 81.665706 °W	238.3-218.3 ft msl	300.4 ft msl	4" PVC	S	Water Table (IIB ₂)

FIELD MEASUREMENTS

Sample date: 08/03/93	Time: 9:38
Depth to water: 66.67 ft (20.32 m) below TOC	pH: 5.8
Water elevation: 233.73 ft (71.24 m) msl	Alkalinity: 33 mg/L
Sp. conductance: 103 µS/cm	Water temperature: 21.0 °C
Turbidity: 120 NTU	
Water evacuated before sampling: 7 gal	Volumes purged: 0.7 well volumes
The well went dry during purging.	

LABORATORY ANALYSES

H	D	Analyte	Result	Mod	Unit	Flag	Lab
•		pH	6.1	J	pH	0	GE
		Specific conductance	62		µS/cm	0	GE
		Turbidity	19		NTU	0	GE
		Acetophenone	< 10	J1	µg/L	0	GE
		Acetophenone	< 10	J1	µg/L	0	GE
		Aluminum	59	J2	µg/L	2	GE
		Antimony	< 2.0		µg/L	0	GE
		Arsenic	< 2.0		µg/L	0	GE
		Barium	31		µg/L	0	GE
		Benzene	< 1.0		µg/L	0	GE
		Bromodichloromethane	< 1.0		µg/L	0	GE
		Bromoform	< 1.0		µg/L	0	GE
		Bromomethane (Methyl bromide)	< 1.0		µg/L	0	GE
		Cadmium	< 2.0		µg/L	0	GE
		Calcium	6,010	J2	µg/L	0	GE
		Carbon tetrachloride	< 1.0		µg/L	0	GE
		Chloride	2,320		µg/L	0	GE
		Chlorobenzene	< 1.0		µg/L	0	GE
		Chloroethane	< 1.0		µg/L	0	GE
		Chloroethene (Vinyl chloride)	< 1.0		µg/L	0	GE
		2-Chloroethyl vinyl ether	< 1.0		µg/L	0	GE
		Chloroform	< 1.0		µg/L	0	GE
		Chloromethane (Methyl chloride)	< 1.0		µg/L	0	GE
		Chromium	< 4.0		µg/L	0	GE
		Copper	32		µg/L	0	GE
		Cyanide	< 5.0		µg/L	0	GE
		Dibromochloromethane	< 1.0		µg/L	0	GE
		1,1-Dichloroethane	< 1.0		µg/L	0	GE
		1,2-Dichloroethane	< 1.0		µg/L	0	GE
		1,1-Dichloroethylene	< 1.0		µg/L	0	GE
		trans-1,2-Dichloroethylene	< 1.0		µg/L	0	GE
		Dichloromethane (Methylene chloride)	1.6	J2	µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	< 0.30		µg/L	0	GE
		1,2-Dichloropropane	< 1.0		µg/L	0	GE
		cis-1,3-Dichloropropene	< 1.0		µg/L	0	GE
		trans-1,3-Dichloropropene	< 1.0		µg/L	0	GE
		Endrin	< 0.0060		µg/L	0	GE
		Ethylbenzene	< 1.0		µg/L	0	GE

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 10DR collected on 08/03/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		Fluoride	< 100		µg/L	0	GE
		Iron	395	J2	µg/L	2	GE
		Lead	18	J2	µg/L	2	GE
		Lindane	< 0.0050		µg/L	0	GE
		Magnesium	324		µg/L	0	GE
		Manganese	28		µg/L	1	GE
		Mercury	< 0.40		µg/L	0	GE
		Mercury	< 0.40		µg/L	0	GE
		Methoxychlor	< 0.50		µg/L	0	GE
		Naphthalene	< 10	J1	µg/L	0	GE
		Naphthalene	< 10	J1	µg/L	0	GE
		Nickel	14		µg/L	0	GE
		Nitrate-nitrite as nitrogen	900		µg/L	0	GE
		Phenols	< 5.0		µg/L	0	GE
		Potassium	2,080		µg/L	0	GE
		Selenium	< 2.0		µg/L	0	GE
		Silica	6,750		µg/L	0	GE
		Silver	< 2.0		µg/L	0	GE
		Sodium	6,060		µg/L	0	GE
		Sulfate	< 1,000		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	< 1.0		µg/L	0	GE
		Tetrachloroethylene	< 1.0		µg/L	0	GE
		Tin	2.1		µg/L	0	GE
		Toluene	< 1.0		µg/L	0	GE
		Total dissolved solids	48,000		µg/L	0	GE
		Total organic carbon	< 1,000		µg/L	0	GE
		Total organic halogens	6.5		µg/L	0	GE
		Total phosphates (as P)	< 50		µg/L	0	GE
		Toxaphene	< 0.24		µg/L	0	GE
		2,4,5-TP (Silvex)	< 0.090		µg/L	0	GE
		1,1,1-Trichloroethane	1.6	J2	µg/L	0	GE
		1,1,2-Trichloroethane	< 1.0		µg/L	0	GE
		Trichloroethylene	1.0		µg/L	0	GE
		Trichlorofluoromethane	1.0		µg/L	0	GE
		Vanadium	< 8.0		µg/L	0	GE
		Xylenes	< 2.0		µg/L	0	GE
		Zinc	111		µg/L	0	GE
		Carbon-14	< 2.0E + 02		pCi/L	0	GP
		Gross alpha	3.1E + 00 ± 1.5E + 00		pCi/L	0	GE
		Nonvolatile beta	4.9E + 00 ± 1.3E + 00		pCi/L	0	GE
		Radium, total alpha-emitting	1.7E + 00 ± 6.0E - 01		pCi/L	0	GE
		Total activity	9.9E + 05 ± 2.4E + 04		pCi/L	0	EM
■		Tritium	8.6E + 02 ± 5.1E + 00		pCi/mL	2	GE
■		Tritium	8.4E + 02 ± 5.0E + 00		pCi/mL	2	GE
		Uranium-233/234	< 1.0E + 00		pCi/L	0	GP
		Uranium-235	< 1.0E + 00		pCi/L	0	GP
		Uranium-238	< 1.0E + 00		pCi/L	0	GP

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 11D

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N76805.1 E56651.3	33.288077 °N 81.666819 °W	236.3-216.3 ft msl	305.3 ft msl	4" PVC	S	Water Table (IIB ₂)

FIELD MEASUREMENTS

Sample date: 08/09/93
Depth to water: 71.70 ft (21.85 m) below TOC
Water elevation: 233.60 ft (71.20 m) msl
Sp. conductance: 38 µS/cm
Turbidity: 0.8 NTU
Water evacuated before sampling: 67 gal

Time: 10:00
pH: 4.5
Alkalinity: 0 mg/L
Water temperature: 20.0 °C

Volumes purged: 5.9 well volumes

LABORATORY ANALYSES

H	D	Analyte	Result	Mod	Unit	Flag	Lab
•		pH	5.2	J	pH	0	GE
		Specific conductance	33		µS/cm	0	GE
		Turbidity	<0.10		NTU	0	GE
		Acetophenone	<10	J1	µg/L	0	GE
		Aluminum	24		µg/L	0	GE
		Antimony	<2.0		µg/L	0	GE
		Arsenic	<2.0		µg/L	0	GE
		Barium	5.6		µg/L	0	GE
		Benzene	<1.0		µg/L	0	GE
		Bromodichloromethane	<1.0		µg/L	0	GE
		Bromoform	<1.0		µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0		µg/L	0	GE
		Cadmium	<2.0		µg/L	0	GE
		Calcium	708		µg/L	0	GE
		Carbon tetrachloride	<1.0		µg/L	0	GE
		Chloride	2,320		µg/L	0	GE
		Chlorobenzene	<1.0		µg/L	0	GE
		Chloroethane	<1.0		µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0		µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0		µg/L	0	GE
		Chloroform	<1.0		µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0		µg/L	0	GE
		Chromium	<4.0		µg/L	0	GE
		Copper	<4.0		µg/L	0	GE
		Cyanide	<5.0		µg/L	0	GE
		Cyanide	<5.0		µg/L	0	GE
		Dibromochloromethane	<1.0		µg/L	0	GE
		1,1-Dichloroethane	<1.0		µg/L	0	GE
		1,2-Dichloroethane	<1.0		µg/L	0	GE
		1,1-Dichloroethylene	<1.0		µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0		µg/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0		µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30		µg/L	0	GE
		1,2-Dichloropropane	<1.0		µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0		µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0		µg/L	0	GE
		Endrin	<0.0060		µg/L	0	GE
		Ethylbenzene	<1.0		µg/L	0	GE
		Fluoride	<100		µg/L	0	GE

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 11D collected on 08/09/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		Iron	4.2		µg/L	0	GE
		Lead	< 3.0		µg/L	0	GE
		Lindane	< 0.0050		µg/L	0	GE
		Magnesium	556		µg/L	0	GE
		Manganese	5.8		µg/L	0	GE
		Mercury	< 0.20		µg/L	0	GE
		Methoxychlor	< 0.50		µg/L	0	GE
		Naphthalene	< 10	J1	µg/L	0	GE
		Nickel	< 4.0		µg/L	0	GE
		Nitrate-nitrite as nitrogen	1,760		µg/L	0	GE
		Phenols	< 5.0		µg/L	0	GE
		Potassium	< 500		µg/L	0	GE
		Selenium	< 2.0		µg/L	0	GE
		Silica	6,700		µg/L	0	GE
		Silver	< 2.0		µg/L	0	GE
		Sodium	3,320		µg/L	0	GE
		Sulfate	1,010		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	< 1.0		µg/L	0	GE
		Tetrachloroethylene	< 1.0		µg/L	0	GE
		Tin	< 2.0		µg/L	0	GE
		Toluene	< 1.0		µg/L	0	GE
		Total dissolved solids	26,000	V	µg/L	0	GE
		Total organic carbon	< 1,000		µg/L	0	GE
		Total organic halogens	14		µg/L	0	GE
		Total phosphates (as P)	< 50		µg/L	0	GE
		Toxaphene	< 0.24		µg/L	0	GE
		2,4,5-TP (Silvex)	< 0.090		µg/L	0	GE
		1,1,1-Trichloroethane	< 1.0		µg/L	0	GE
		1,1,2-Trichloroethane	< 1.0		µg/L	0	GE
		Trichloroethylene	1.0		µg/L	0	GE
		Trichlorofluoromethane	< 1.0		µg/L	0	GE
		Vanadium	< 8.0		µg/L	0	GE
		Xylenes	< 2.0		µg/L	0	GE
		Zinc	2.6		µg/L	0	GE
		Carbon-14	< 2.0E + 02		pCi/L	0	CN
		Gross alpha	3.3E + 00 ± 1.2E + 00		pCi/L	0	GE
		Nonvolatile beta	2.3E + 00 ± 9.8E - 01		pCi/L	0	GE
		Radium, total alpha-emitting	3.2E + 00 ± 8.0E - 01		pCi/L	0	GE
		Total activity	1.2E + 06 ± 7.6E + 03		pCi/L	0	EM
■		Tritium	1.4E + 03 ± 2.7E + 01		pCi/mL	2	GE
		Uranium-233/234	< 1.0E + 00		pCi/L	0	CN
		Uranium-235	< 1.0E + 00		pCi/L	0	CN
		Uranium-238	< 1.0E + 00		pCi/L	0	CN

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 12AR

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N76803.8 E56259.9	33.287435 °N 81.667847 °W	109.3-99.3 ft msl	313.4 ft msl	4" PVC	S	U. Congaree (IIA)

FIELD MEASUREMENTS

Sample date: 08/06/93
Depth to water: 155.90 ft (47.52 m) below TOC
Water elevation: 157.50 ft (48.01 m) msl
Sp. conductance: 199 μ S/cm
Turbidity: 0.8 NTU
Water evacuated before sampling: 230 gal

Time: 11:39
pH: 10.1
Alkalinity: 82 mg/L
Water temperature: 20.1 °C

Volumes purged: 6.0 well volumes

LABORATORY ANALYSES

H	D	Analyte	Result	Mod	Unit	Flag	Lab
•		pH	9.0	J	pH	1	GE
•		pH	9.1	J	pH	1	GE
•		pH	8.6	J	pH	1	WA
•		pH	8.6	J	pH	1	WA
•		pH	8.9	J	pH	1	WA
		Specific conductance	97		μ S/cm	0	GE
		Specific conductance	102		μ S/cm	0	GE
•		Specific conductance	94	J	μ S/cm	0	WA
•		Specific conductance	94	J	μ S/cm	0	WA
•		Specific conductance	96	J	μ S/cm	0	WA
•		Turbidity	3.0	J	NTU	0	GE
•		Turbidity	3.7	J	NTU	0	GE
•		Turbidity	0.48	J	NTU	0	WA
•		Turbidity	0.55	J	NTU	0	WA
		Acetophenone	<10	J1	μ g/L	0	GE
		Acetophenone	<10	J1	μ g/L	0	GE
		Acetophenone	<10	J1	μ g/L	0	GE
		Acetophenone	<11		μ g/L	0	WA
		Acetophenone	<11		μ g/L	0	WA
		Aluminum	224	J2	μ g/L	2	GE
		Aluminum	232		μ g/L	2	GE
		Aluminum	216		μ g/L	2	WA
		Aluminum	223		μ g/L	2	WA
		Antimony	<2.0	J1	μ g/L	0	GE
		Antimony	<2.0	J1	μ g/L	0	GE
		Antimony	<3.0		μ g/L	0	WA
		Antimony	<3.0		μ g/L	0	WA
		Arsenic	2.4		μ g/L	0	GE
		Arsenic	3.6		μ g/L	0	GE
		Arsenic	3.9	J3	μ g/L	0	WA
		Arsenic	4.1	J3	μ g/L	0	WA
		Barium	52		μ g/L	0	GE
		Barium	55		μ g/L	0	GE
		Barium	54		μ g/L	0	WA
		Barium	54		μ g/L	0	WA
		Benzene	<1.0		μ g/L	0	GE
		Benzene	<1.0		μ g/L	0	GE
		Benzene	<5.0		μ g/L	0	WA
		Benzene	<5.0		μ g/L	0	WA

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 12AR collected on 08/06/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		Benzene	<5.0		µg/L	0	WA
		Bromodichloromethane	<1.0		µg/L	0	GE
		Bromodichloromethane	<1.0		µg/L	0	GE
		Bromodichloromethane	<5.0		µg/L	0	WA
		Bromodichloromethane	<5.0		µg/L	0	WA
		Bromodichloromethane	<5.0		µg/L	0	WA
		Bromoform	<1.0		µg/L	0	GE
		Bromoform	<1.0		µg/L	0	GE
		Bromoform	<5.0		µg/L	0	WA
		Bromoform	<5.0		µg/L	0	WA
		Bromoform	<5.0		µg/L	0	WA
		Bromomethane (Methyl bromide)	<1.0		µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0		µg/L	0	GE
		Bromomethane (Methyl bromide)	<10		µg/L	0	WA
		Bromomethane (Methyl bromide)	<10		µg/L	0	WA
		Bromomethane (Methyl bromide)	<10		µg/L	0	WA
		Cadmium	<2.0		µg/L	0	GE
		Cadmium	<2.0		µg/L	0	GE
		Cadmium	<2.0		µg/L	0	WA
		Cadmium	<2.0		µg/L	0	WA
		Calcium	35,000	J2	µg/L	0	GE
		Calcium	33,500		µg/L	0	GE
		Calcium	34,900		µg/L	0	WA
		Calcium	35,000		µg/L	0	WA
		Carbon tetrachloride	<1.0		µg/L	0	GE
		Carbon tetrachloride	<1.0		µg/L	0	GE
		Carbon tetrachloride	<5.0		µg/L	0	WA
		Carbon tetrachloride	<5.0		µg/L	0	WA
		Carbon tetrachloride	<5.0		µg/L	0	WA
		Chloride	2,230		µg/L	0	GE
		Chloride	2,250		µg/L	0	GE
		Chloride	1,330	J2	µg/L	0	WA
		Chloride	1,330	J2	µg/L	0	WA
		Chloride	1,340		µg/L	0	WA
		Chlorobenzene	<1.0		µg/L	0	GE
		Chlorobenzene	<1.0		µg/L	0	GE
		Chlorobenzene	<5.0		µg/L	0	WA
		Chlorobenzene	<5.0		µg/L	0	WA
		Chlorobenzene	<5.0		µg/L	0	WA
		Chloroethane	<1.0		µg/L	0	GE
		Chloroethane	<1.0		µg/L	0	GE
		Chloroethane	<10		µg/L	0	WA
		Chloroethane	<10		µg/L	0	WA
		Chloroethane	<10		µg/L	0	WA
		Chloroethene (Vinyl chloride)	<1.0		µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0		µg/L	0	GE
		Chloroethene (Vinyl chloride)	<10		µg/L	0	WA
		Chloroethene (Vinyl chloride)	<10		µg/L	0	WA
		Chloroethene (Vinyl chloride)	<10		µg/L	0	WA
		2-Chloroethyl vinyl ether	<1.0		µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0		µg/L	0	GE
		2-Chloroethyl vinyl ether	<10		µg/L	0	WA
		2-Chloroethyl vinyl ether	<10		µg/L	0	WA
		2-Chloroethyl vinyl ether	<10		µg/L	0	WA
		Chloroform	<1.0		µg/L	0	GE
		Chloroform	<1.0		µg/L	0	GE

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 12AR collected on 08/06/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		Chloroform	<5.0		µg/L	0	WA
		Chloroform	<5.0		µg/L	0	WA
		Chloroform	<5.0		µg/L	0	WA
		Chloromethane (Methyl chloride)	<1.0		µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0		µg/L	0	GE
		Chloromethane (Methyl chloride)	<10		µg/L	0	WA
		Chloromethane (Methyl chloride)	<10		µg/L	0	WA
		Chloromethane (Methyl chloride)	<10		µg/L	0	WA
		Chromium	<4.0		µg/L	0	GE
		Chromium	<4.0		µg/L	0	GE
		Chromium	<4.0		µg/L	0	WA
		Chromium	4.3	J3	µg/L	0	WA
		Copper	<4.0		µg/L	0	GE
		Copper	<4.0		µg/L	0	GE
		Copper	<4.0		µg/L	0	WA
		Copper	<4.0		µg/L	0	WA
		Cyanide	<5.0		µg/L	0	GE
		Cyanide	<5.0		µg/L	0	GE
		Cyanide	<5.0		µg/L	0	WA
		Cyanide	<5.0		µg/L	0	WA
		Dibromochloromethane	<1.0		µg/L	0	GE
		Dibromochloromethane	<1.0		µg/L	0	GE
		Dibromochloromethane	<5.0		µg/L	0	WA
		Dibromochloromethane	<5.0		µg/L	0	WA
		Dibromochloromethane	<5.0		µg/L	0	WA
		1,1-Dichloroethane	<1.0		µg/L	0	GE
		1,1-Dichloroethane	<1.0		µg/L	0	GE
		1,1-Dichloroethane	<5.0		µg/L	0	WA
		1,1-Dichloroethane	<5.0		µg/L	0	WA
		1,1-Dichloroethane	<5.0		µg/L	0	WA
		1,2-Dichloroethane	<1.0		µg/L	0	GE
		1,2-Dichloroethane	<1.0		µg/L	0	GE
		1,2-Dichloroethane	<5.0		µg/L	0	WA
		1,2-Dichloroethane	<5.0		µg/L	0	WA
		1,2-Dichloroethane	<5.0		µg/L	0	WA
		1,1-Dichloroethylene	<1.0		µg/L	0	GE
		1,1-Dichloroethylene	<1.0		µg/L	0	GE
		1,1-Dichloroethylene	<5.0		µg/L	0	WA
		1,1-Dichloroethylene	<5.0		µg/L	0	WA
		1,1-Dichloroethylene	<5.0		µg/L	0	WA
		trans-1,2-Dichloroethylene	<1.0		µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0		µg/L	0	GE
		trans-1,2-Dichloroethylene	<5.0		µg/L	0	WA
		trans-1,2-Dichloroethylene	<5.0		µg/L	0	WA
		trans-1,2-Dichloroethylene	<5.0		µg/L	0	WA
		Dichloromethane (Methylene chloride)	<1.0		µg/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0		µg/L	0	GE
		Dichloromethane (Methylene chloride)	<5.0		µg/L	0	WA
		Dichloromethane (Methylene chloride)	<5.0		µg/L	0	WA
		Dichloromethane (Methylene chloride)	<5.0		µg/L	0	WA
		2,4-Dichlorophenoxyacetic acid	<0.30		µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30		µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30		µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<1.1		µg/L	0	WA
		2,4-Dichlorophenoxyacetic acid	<1.2		µg/L	0	WA
		2,4-Dichlorophenoxyacetic acid	<2.2		µg/L	0	WA

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 12AR collected on 08/06/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		1,2-Dichloropropane	< 1.0		µg/L	0	GE
		1,2-Dichloropropane	< 1.0		µg/L	0	GE
		1,2-Dichloropropane	< 5.0		µg/L	0	WA
		1,2-Dichloropropane	< 5.0		µg/L	0	WA
		1,2-Dichloropropane	< 5.0		µg/L	0	WA
		cis-1,3-Dichloropropene	< 1.0		µg/L	0	GE
		cis-1,3-Dichloropropene	< 1.0		µg/L	0	GE
		cis-1,3-Dichloropropene	< 5.0		µg/L	0	WA
		cis-1,3-Dichloropropene	< 5.0		µg/L	0	WA
		cis-1,3-Dichloropropene	< 5.0		µg/L	0	WA
		trans-1,3-Dichloropropene	< 1.0		µg/L	0	GE
		trans-1,3-Dichloropropene	< 1.0		µg/L	0	GE
		trans-1,3-Dichloropropene	< 5.0		µg/L	0	WA
		trans-1,3-Dichloropropene	< 5.0		µg/L	0	WA
		trans-1,3-Dichloropropene	< 5.0		µg/L	0	WA
		Endrin	< 0.0060		µg/L	0	GE
		Endrin	< 0.0060		µg/L	0	GE
		Endrin	< 0.11		µg/L	0	WA
		Endrin	< 0.11		µg/L	0	WA
		Endrin	< 0.22		µg/L	0	WA
		Ethylbenzene	< 1.0		µg/L	0	GE
		Ethylbenzene	< 1.0		µg/L	0	GE
		Ethylbenzene	< 5.0		µg/L	0	WA
		Ethylbenzene	< 5.0		µg/L	0	WA
		Ethylbenzene	< 5.0		µg/L	0	WA
		Fluoride	< 100		µg/L	0	GE
		Fluoride	< 100		µg/L	0	GE
		Fluoride	< 100		µg/L	0	WA
		Fluoride	< 100		µg/L	0	WA
		Iron	4.2		µg/L	0	GE
		Iron	5.5		µg/L	0	GE
		Iron	8.8	J3	µg/L	0	WA
		Iron	11	J3	µg/L	0	WA
		Lead	< 3.0		µg/L	0	GE
		Lead	< 3.0		µg/L	0	GE
		Lead	< 3.0		µg/L	0	WA
		Lead	< 3.0		µg/L	0	WA
		Lindane	< 0.0050		µg/L	0	GE
		Lindane	< 0.0050		µg/L	0	GE
		Lindane	< 0.056		µg/L	0	WA
		Lindane	< 0.056		µg/L	0	WA
		Lindane	< 0.11		µg/L	0	WA
		Magnesium	186		µg/L	0	GE
		Magnesium	187		µg/L	0	GE
		Magnesium	175		µg/L	0	WA
		Magnesium	176		µg/L	0	WA
		Manganese	< 2.0		µg/L	0	GE
		Manganese	< 2.0		µg/L	0	GE
		Manganese	< 2.0		µg/L	0	WA
		Manganese	< 2.0		µg/L	0	WA
		Mercury	< 0.20		µg/L	0	GE
		Mercury	< 0.20		µg/L	0	GE
		Mercury	< 0.20		µg/L	0	WA
		Mercury	< 0.20		µg/L	0	WA
		Methoxychlor	< 0.50		µg/L	0	GE
		Methoxychlor	< 0.50		µg/L	0	GE

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 12AR collected on 08/06/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		Methoxychlor	<1.1		µg/L	0	WA
		Methoxychlor	<1.1		µg/L	0	WA
		Methoxychlor	<0.56		µg/L	0	WA
		Methoxychlor	<0.56		µg/L	0	WA
		Naphthalene	<10	J1	µg/L	0	GE
		Naphthalene	<10	J1	µg/L	0	GE
		Naphthalene	<10	J1	µg/L	0	GE
		Nickel	<4.0		µg/L	0	GE
		Nickel	<4.0		µg/L	0	GE
		Nickel	<4.0		µg/L	0	WA
		Nickel	<4.0		µg/L	0	WA
		Nitrate as nitrogen	153		µg/L	0	WA
		Nitrate as nitrogen	159		µg/L	0	WA
		Nitrate as nitrogen	520		µg/L	0	WA
		Nitrate-nitrite as nitrogen	<50		µg/L	0	GE
		Nitrate-nitrite as nitrogen	60		µg/L	0	GE
		Nitrate-nitrite as nitrogen	60		µg/L	0	GE
		Phenols	<5.0		µg/L	0	GE
		Phenols	8.7		µg/L	0	GE
		Phenols	<5.0		µg/L	0	WA
		Phenols	<5.0		µg/L	0	WA
		Potassium	3,310		µg/L	0	GE
		Potassium	3,520		µg/L	0	GE
		Potassium	3,340		µg/L	0	WA
		Potassium	3,440		µg/L	0	WA
		Selenium	<2.0	J1	µg/L	0	GE
		Selenium	<2.0	J1	µg/L	0	GE
		Selenium	<2.0		µg/L	0	WA
		Selenium	<2.0		µg/L	0	WA
		Silica	26,000		µg/L	0	GE
		Silica	26,000		µg/L	0	GE
		Silica	23,500		µg/L	0	WA
		Silica	23,700		µg/L	0	WA
		Silver	<2.0		µg/L	0	GE
		Silver	<2.0		µg/L	0	GE
		Silver	<2.0		µg/L	0	WA
		Silver	<2.0		µg/L	0	WA
		Sodium	2,800		µg/L	0	GE
		Sodium	3,040		µg/L	0	GE
		Sodium	2,890	V	µg/L	0	WA
		Sodium	2,900	V	µg/L	0	WA
		Sulfate	5,640		µg/L	0	GE
		Sulfate	5,590		µg/L	0	GE
		Sulfate	6,100		µg/L	0	WA
		Sulfate	6,130		µg/L	0	WA
		Sulfate	6,150		µg/L	0	WA
		1,1,2,2-Tetrachloroethane	<1.0		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<5.0		µg/L	0	WA
		1,1,2,2-Tetrachloroethane	<5.0		µg/L	0	WA
		1,1,2,2-Tetrachloroethane	<5.0		µg/L	0	WA
		Tetrachloroethylene	<1.0		µg/L	0	GE
		Tetrachloroethylene	<1.0		µg/L	0	GE
		Tetrachloroethylene	<5.0		µg/L	0	WA
		Tetrachloroethylene	<5.0		µg/L	0	WA
		Tetrachloroethylene	<5.0		µg/L	0	WA

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 12AR collected on 08/06/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		Tin	8.3		µg/L	0	GE
		Tin	6.5		µg/L	0	GE
		Toluene	<1.0		µg/L	0	GE
		Toluene	<1.0		µg/L	0	GE
		Toluene	<5.0		µg/L	0	WA
		Toluene	<5.0		µg/L	0	WA
		Toluene	<5.0		µg/L	0	WA
		Total dissolved solids	96,000	V	µg/L	0	GE
		Total dissolved solids	91,000	V	µg/L	0	GE
		Total dissolved solids	78,000	V	µg/L	0	WA
		Total dissolved solids	87,000	V	µg/L	0	WA
		Total organic carbon	<1,000		µg/L	0	GE
		Total organic carbon	<1,000		µg/L	0	GE
		Total organic carbon	<1,000		µg/L	0	GE
		Total organic carbon	<1,000		µg/L	0	WA
		Total organic carbon	<1,000		µg/L	0	WA
		Total organic halogens	23	J6	µg/L	0	GE
		Total organic halogens	<5.0		µg/L	0	GE
		Total organic halogens	<5.0		µg/L	0	WA
		Total organic halogens	<5.0		µg/L	0	WA
		Total organic halogens	<5.0		µg/L	0	WA
		Total phosphates (as P)	<50		µg/L	0	GE
		Total phosphates (as P)	<50		µg/L	0	GE
		Total phosphates (as P)	<50		µg/L	0	WA
		Total phosphates (as P)	54	J1	µg/L	0	WA
		Total phosphates (as P)	57	J1	µg/L	0	WA
		Toxaphene	<0.24		µg/L	0	GE
		Toxaphene	<0.24		µg/L	0	GE
		Toxaphene	<1.1		µg/L	0	WA
		Toxaphene	<1.1		µg/L	0	WA
		Toxaphene	<2.2		µg/L	0	WA
		Toxaphene	<2.2		µg/L	0	WA
		2,4,5-TP (Silvex)	<0.090		µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090		µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090		µg/L	0	GE
		2,4,5-TP (Silvex)	<1.1		µg/L	0	WA
		2,4,5-TP (Silvex)	<0.56		µg/L	0	WA
		2,4,5-TP (Silvex)	<0.59		µg/L	0	WA
		Tributyl phosphate	<10	J1	µg/L	0	GE
		Tributyl phosphate	<10	J1	µg/L	0	GE
		Tributyl phosphate	<10	J1	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0		µg/L	0	GE
		1,1,1-Trichloroethane	<1.0		µg/L	0	GE
		1,1,1-Trichloroethane	<5.0		µg/L	0	WA
		1,1,1-Trichloroethane	<5.0		µg/L	0	WA
		1,1,1-Trichloroethane	<5.0		µg/L	0	WA
		1,1,2-Trichloroethane	<1.0		µg/L	0	GE
		1,1,2-Trichloroethane	<1.0		µg/L	0	GE
		1,1,2-Trichloroethane	<5.0		µg/L	0	WA
		1,1,2-Trichloroethane	<5.0		µg/L	0	WA
		1,1,2-Trichloroethane	<5.0		µg/L	0	WA
		Trichloroethylene	4.0		µg/L	1	GE
		Trichloroethylene	3.9		µg/L	1	GE
		Trichloroethylene	3.3	J	µg/L	1	WA
		Trichloroethylene	3.3	J	µg/L	1	WA
		Trichloroethylene	3.4	J	µg/L	1	WA

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 12AR collected on 08/06/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		Trichlorofluoromethane	<1.0		µg/L	0	GE
		Trichlorofluoromethane	<1.0		µg/L	0	GE
		Trichlorofluoromethane	<5.0		µg/L	0	WA
		Trichlorofluoromethane	<5.0		µg/L	0	WA
		Trichlorofluoromethane	<5.0		µg/L	0	WA
		Vanadium	<8.0		µg/L	0	GE
		Vanadium	<8.0		µg/L	0	GE
		Vanadium	<3.0		µg/L	0	WA
		Vanadium	<3.0		µg/L	0	WA
		Xylenes	<2.0		µg/L	0	GE
		Xylenes	<2.0		µg/L	0	GE
		Xylenes	<5.0		µg/L	0	WA
		Xylenes	<5.0		µg/L	0	WA
		Xylenes	<5.0		µg/L	0	WA
		Zinc	<2.0		µg/L	0	GE
		Zinc	<2.0		µg/L	0	GE
		Zinc	5.3	J3	µg/L	0	WA
		Zinc	6.0	J3	µg/L	0	WA
		Carbon-14	<2.0E+02		pCi/L	0	CN
		Carbon-14	<2.0E+02		pCi/L	0	CN
		Carbon-14	<2.0E+02		pCi/L	0	CN
		Gross alpha	<2.0E+00		pCi/L	0	GE
		Gross alpha	<2.0E+00		pCi/L	0	GE
		Gross alpha	<7.0E-01		pCi/L	0	TM
		Gross alpha	<7.0E-01		pCi/L	0	TM
		Gross alpha	<7.0E-01		pCi/L	0	TM
		Nonvolatile beta	<2.0E+00		pCi/L	0	GE
		Nonvolatile beta	2.5E+00 ± 9.5E-01		pCi/L	0	GE
		Nonvolatile beta	3.9E+00 ± 2.2E+00		pCi/L	0	TM
		Nonvolatile beta	4.1E+00 ± 2.3E+00		pCi/L	0	TM
		Nonvolatile beta	3.4E+00 ± 2.3E+00		pCi/L	0	TM
		Radium-226	<1.7E-01		pCi/L	0	TM
		Radium-226	<2.6E-01		pCi/L	0	TM
		Radium-226	4.0E-01 ± 2.3E-01		pCi/L	0	TM
		Radium-228	2.4E+00 ± 1.3E+00		pCi/L	0	TM
		Radium-228	1.1E+00 ± 1.3E+00		pCi/L	0	TM
		Radium-228	1.3E+00 ± 1.5E+00		pCi/L	0	TM
		Radium, total alpha-emitting	<1.0E+00		pCi/L	0	GE
		Radium, total alpha-emitting	<1.0E+00		pCi/L	0	GE
		Tritium	<7.0E-01		pCi/mL	0	GE
		Tritium	<7.0E-01		pCi/mL	0	GE
		Tritium	<7.0E-01		pCi/mL	0	GE
		Tritium	8.3E-01 ± 2.4E-01		pCi/mL	0	TM
		Tritium	7.7E-01 ± 2.3E-01		pCi/mL	0	TM
		Tritium	6.2E-01 ± 2.2E-01		pCi/mL	0	TM
		Uranium-233/234	<1.0E+00		pCi/L	0	CN
		Uranium-233/234	<1.0E+00		pCi/L	0	CN
		Uranium-235	<1.0E+00		pCi/L	0	CN
		Uranium-235	<1.0E+00		pCi/L	0	CN
		Uranium-238	<1.0E+00		pCi/L	0	CN
		Uranium-238	<1.0E+00		pCi/L	0	CN

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 12CR

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N76806.0	33.287367 °N	154.0-144.0 ft msl	314 ft msl	4" PVC	S	Barnwell (IIB ₁)
E56215.2	81.667969 °W					

FIELD MEASUREMENTS

Sample date: 08/11/93
Depth to water: 90.66 ft (27.63 m) below TOC
Water elevation: 223.34 ft (68.07 m) msl
Sp. conductance: 155 µS/cm
Turbidity: 2.6 NTU
Water evacuated before sampling: 46 gal
The well went dry during purging.

Time: 8:51
pH: 10.2
Alkalinity: 45 mg/L
Water temperature: 20.3 °C
Volumes purged: 0.9 well volumes

LABORATORY ANALYSES

H	D	Analyte	Result	Mod	Unit	Flag	Lab
•		pH	9.9	J	pH	1	GE
		Specific conductance	120		µS/cm	0	GE
		Turbidity	0.26		NTU	0	GE
		Acetophenone	<1.0		µg/L	0	GE
		Aluminum	314		µg/L	2	GE
		Aluminum	321		µg/L	2	GE
		Antimony	<2.0		µg/L	0	GE
		Arsenic	<2.0		µg/L	0	GE
		Barium	9.4		µg/L	0	GE
		Barium	9.4		µg/L	0	GE
		Benzene	<1.0		µg/L	0	GE
		Bromodichloromethane	<1.0		µg/L	0	GE
		Bromoform	<1.0		µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0		µg/L	0	GE
		Cadmium	<2.0		µg/L	0	GE
		Cadmium	<2.0		µg/L	0	GE
		Calcium	11,300	J2	µg/L	0	GE
		Calcium	11,200	J2	µg/L	0	GE
		Carbon tetrachloride	<1.0		µg/L	0	GE
		Chloride	1,810		µg/L	0	GE
		Chlorobenzene	<1.0		µg/L	0	GE
		Chloroethane	<1.0		µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0		µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0		µg/L	0	GE
		Chloroform	<1.0		µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0		µg/L	0	GE
		Chromium	<4.0		µg/L	0	GE
		Chromium	<4.0		µg/L	0	GE
		Copper	<4.0		µg/L	0	GE
		Copper	<4.0		µg/L	0	GE
		Cyanide	<5.0		µg/L	0	GE
		Dibromochloromethane	<1.0		µg/L	0	GE
		1,1-Dichloroethane	<1.0		µg/L	0	GE
		1,2-Dichloroethane	<1.0		µg/L	0	GE
		1,1-Dichloroethylene	<1.0		µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0		µg/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0		µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30		µg/L	0	GE
		1,2-Dichloropropane	<1.0		µg/L	0	GE

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 12CR collected on 08/11/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		cis-1,3-Dichloropropene	<1.0		µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0		µg/L	0	GE
		Endrin	<0.0060		µg/L	0	GE
		Ethylbenzene	<1.0		µg/L	0	GE
		Fluoride	152		µg/L	0	GE
		Iron	46		µg/L	0	GE
		Iron	49		µg/L	0	GE
		Lead	<3.0		µg/L	0	GE
		Lindane	<0.0050		µg/L	0	GE
		Magnesium	196		µg/L	0	GE
		Magnesium	196		µg/L	0	GE
		Manganese	<2.0		µg/L	0	GE
		Manganese	<2.0		µg/L	0	GE
		Mercury	<0.20		µg/L	0	GE
		Methoxychlor	<0.50		µg/L	0	GE
		Naphthalene	<10		µg/L	0	GE
		Nickel	<4.0		µg/L	0	GE
		Nickel	<4.0		µg/L	0	GE
		Nitrate-nitrite as nitrogen	440		µg/L	0	GE
		Phenols	18		µg/L	0	GE
		Potassium	2,740		µg/L	0	GE
		Potassium	2,760		µg/L	0	GE
		Selenium	<2.0		µg/L	0	GE
		Silica	17,100		µg/L	0	GE
		Silica	17,100		µg/L	0	GE
		Silver	<2.0		µg/L	0	GE
		Silver	<2.0		µg/L	0	GE
		Sodium	10,100		µg/L	0	GE
		Sodium	10,100		µg/L	0	GE
		Sulfate	3,530		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0		µg/L	0	GE
		Tetrachloroethylene	<1.0		µg/L	0	GE
		Tin	7.5		µg/L	0	GE
		Tin	6.0		µg/L	0	GE
		Toluene	<1.0		µg/L	0	GE
		Total dissolved solids	78,000	V	µg/L	0	GE
		Total organic carbon	<1,000		µg/L	0	GE
		Total organic halogens	54		µg/L	2	GE
		Total phosphates (as P)	60		µg/L	0	GE
		Toxaphene	<0.24		µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090		µg/L	0	GE
		Tributyl phosphate	<10		µg/L	0	GE
		1,1,1-Trichloroethane	<1.0		µg/L	0	GE
		1,1,2-Trichloroethane	<1.0		µg/L	0	GE
■		Trichloroethylene	81		µg/L	2	GE
		Trichlorofluoromethane	<1.0		µg/L	0	GE
		Vanadium	8.1		µg/L	0	GE
		Vanadium	8.1		µg/L	0	GE
		Xylenes	<2.0		µg/L	0	GE
		Zinc	<2.0		µg/L	0	GE
		Zinc	<2.0		µg/L	0	GE
		Carbon-14	<2.0E+02		pCi/L	0	CN
		Gross alpha	<2.0E+00		pCi/L	0	GE
		Nonvolatile beta	3.7E+00 ± 1.1E+00		pCi/L	0	GE
		Radium, total alpha-emitting	<1.0E+00		pCi/L	0	GE
		Tritium	1.3E+00 ± 4.2E-01		pCi/mL	0	GE

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 12CR collected on 08/11/93, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Mod</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Uranium-233/234	< 1.0E+00	Y	pCi/L	0	CN
		Uranium-235	< 1.0E+00	Y	pCi/L	0	CN
		Uranium-238	< 1.0E+00	Y	pCi/L	0	CN

WELL BGO 12D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Pump</u>	<u>Formation</u>
N76805.2	33.287391 °N	237.8-217.8 ft msl	313.7 ft msl	4" PVC	S	Water Table (IIB ₂)
E56231.1	81.667925 °W					

FIELD MEASUREMENTS

Sample date: 08/11/93
Depth to water: 79.85 ft (24.34 m) below TOC
Water elevation: 233.85 ft (71.28 m) msl
Sp. conductance: 49 µS/cm
Turbidity: 10.8 NTU
Water evacuated before sampling: 8 gal
The well went dry during purging.

Time: 8:34
pH: 6.2
Alkalinity: 6 mg/L
Water temperature: 20.5 °C

Volumes purged: 0.8 well volumes

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Mod</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	6.8	J	pH	0	GE
		Specific conductance	48		µS/cm	0	GE
		Turbidity	24		NTU	0	GE
		Acetophenone	< 10		µg/L	0	GE
		Aluminum	115		µg/L	2	GE
		Antimony	< 2.0		µg/L	0	GE
		Arsenic	< 2.0		µg/L	0	GE
		Barium	24		µg/L	0	GE
		Benzene	< 10		µg/L	0	GE
		Bromodichloromethane	< 10		µg/L	0	GE
		Bromoform	< 10		µg/L	0	GE
		Bromomethane (Methyl bromide)	< 10		µg/L	0	GE
		Cadmium	< 2.0		µg/L	0	GE
		Calcium	4,100	J2	µg/L	0	GE
		Carbon tetrachloride	< 10		µg/L	0	GE
		Chloride	2,270		µg/L	0	GE
		Chloride	2,260		µg/L	0	GE
		Chlorobenzene	< 10		µg/L	0	GE
		Chloroethane	< 10		µg/L	0	GE
		Chloroethene (Vinyl chloride)	< 10		µg/L	0	GE
		2-Chloroethyl vinyl ether	< 10		µg/L	0	GE
		Chloroform	< 10		µg/L	0	GE
		Chloromethane (Methyl chloride)	< 10		µg/L	0	GE
		Chromium	< 4.0		µg/L	0	GE
		Copper	< 4.0		µg/L	0	GE
		Cyanide	< 5.0		µg/L	0	GE
		Dibromochloromethane	< 10		µg/L	0	GE
		1,1-Dichloroethane	< 10		µg/L	0	GE
		1,2-Dichloroethane	< 10		µg/L	0	GE
		1,1-Dichloroethylene	< 10		µg/L	0	GE
		trans-1,2-Dichloroethylene	< 10		µg/L	0	GE

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 12D collected on 08/11/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
■		Dichloromethane (Methylene chloride)	15		µg/L	2	GE
		2,4-Dichlorophenoxyacetic acid	<0.30		µg/L	0	GE
		1,2-Dichloropropane	<10		µg/L	0	GE
		cis-1,3-Dichloropropene	<10		µg/L	0	GE
		trans-1,3-Dichloropropene	<10		µg/L	0	GE
		Endrin	<0.0060		µg/L	0	GE
		Ethylbenzene	<10		µg/L	0	GE
		Fluoride	<100		µg/L	0	GE
		Iron	41		µg/L	0	GE
		Lead	<3.0		µg/L	0	GE
		Lindane	<0.0050		µg/L	0	GE
		Magnesium	697		µg/L	0	GE
		Manganese	3.3		µg/L	0	GE
		Mercury	<0.20		µg/L	0	GE
		Methoxychlor	<0.50		µg/L	0	GE
		Naphthalene	<10		µg/L	0	GE
		Nickel	<4.0		µg/L	0	GE
		Nitrate-nitrite as nitrogen	1,310		µg/L	0	GE
		Phenols	<5.0		µg/L	0	GE
		Phenols	<5.0		µg/L	0	GE
		Potassium	<500		µg/L	0	GE
		Selenium	<2.0		µg/L	0	GE
		Silica	5,910		µg/L	0	GE
		Silver	<2.0		µg/L	0	GE
		Sodium	1,850		µg/L	0	GE
		Sulfate	<1,000		µg/L	0	GE
		Sulfate	<1,000		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<10		µg/L	0	GE
		Tetrachloroethylene	<10		µg/L	0	GE
		Tin	<2.0		µg/L	0	GE
		Toluene	<10		µg/L	0	GE
		Total dissolved solids	41,000	V	µg/L	0	GE
		Total organic carbon	<1,000		µg/L	0	GE
		Total organic halogens	86		µg/L	2	GE
		Total phosphates (as P)	<50		µg/L	0	GE
		Toxaphene	<0.24		µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090		µg/L	0	GE
		1,1,1-Trichloroethane	<10		µg/L	0	GE
		1,1,2-Trichloroethane	<10		µg/L	0	GE
■		Trichloroethylene	139		µg/L	2	GE
		Trichlorofluoromethane	<10		µg/L	0	GE
		Vanadium	<8.0		µg/L	0	GE
		Xylenes	<20		µg/L	0	GE
		Zinc	4.5		µg/L	0	GE
		Carbon-14	<2.0E+02		pCi/L	0	CN
		Gross alpha	<2.0E+00		pCi/L	0	GE
		Gross alpha	<2.0E+00		pCi/L	0	GE
		Nonvolatile beta	<2.0E+00		pCi/L	0	GE
		Nonvolatile beta	2.5E+00 ± 6.5E-01		pCi/L	0	GE
		Radium, total alpha-emitting	1.4E+00 ± 6.0E-01		pCi/L	0	GE
■		Tritium	2.6E+01 ± 9.3E-01		pCi/mL	2	GE
		Uranium-233/234	<1.0E+00	Y	pCi/L	0	CN
		Uranium-235	<1.0E+00	Y	pCi/L	0	CN
		Uranium-238	<1.0E+00	Y	pCi/L	0	CN

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 13DR

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N76824.7 E55840.4	33.286797 °N 81.668992 °W	220.3-210.3 ft msl	319.3 ft msl	4" PVC	S	Barnwell (IIB ₁)

FIELD MEASUREMENTS

Sample date: 08/11/93
Depth to water: 85.98 ft (26.21 m) below TOC
Water elevation: 233.32 ft (71.12 m) msl
Sp. conductance: 89 µS/cm
Turbidity: 5.0 NTU
Water evacuated before sampling: 10 gal
The well went dry during purging.

Time: 8:04
pH: 7.2
Alkalinity: 19 mg/L
Water temperature: 19.7 °C

Volumes purged: 0.7 well volumes

LABORATORY ANALYSES

H	D	Analyte	Result	Mod	Unit	Flag	Lab
•		pH	8.0	J	pH	0	GE
		Specific conductance	85		µS/cm	0	GE
		Turbidity	4.3		NTU	0	GE
		Acetophenone	< 1.0	J1	µg/L	0	GE
		Aluminum	37		µg/L	1	GE
		Antimony	< 2.0		µg/L	0	GE
		Arsenic	< 2.0		µg/L	0	GE
		Barium	59		µg/L	0	GE
		Benzene	< 1.0		µg/L	0	GE
		Bromodichloromethane	< 1.0		µg/L	0	GE
		Bromoform	< 1.0		µg/L	0	GE
		Bromomethane (Methyl bromide)	< 1.0		µg/L	0	GE
		Cadmium	< 2.0		µg/L	0	GE
		Calcium	7,040	J2	µg/L	0	GE
		Carbon tetrachloride	< 1.0		µg/L	0	GE
		Chloride	1,930		µg/L	0	GE
		Chlorobenzene	< 1.0		µg/L	0	GE
		Chloroethane	< 1.0		µg/L	0	GE
		Chloroethene (Vinyl chloride)	< 1.0		µg/L	0	GE
		2-Chloroethyl vinyl ether	< 1.0		µg/L	0	GE
		Chloroform	< 1.0		µg/L	0	GE
		Chloromethane (Methyl chloride)	< 1.0		µg/L	0	GE
		Chromium	6.0		µg/L	0	GE
		Copper	6.9		µg/L	0	GE
		Cyanide	< 5.0		µg/L	0	GE
		Dibromochloromethane	< 1.0		µg/L	0	GE
		1,1-Dichloroethane	< 1.0		µg/L	0	GE
		1,2-Dichloroethane	< 1.0		µg/L	0	GE
		1,1-Dichloroethylene	< 1.0		µg/L	0	GE
		trans-1,2-Dichloroethylene	< 1.0		µg/L	0	GE
		Dichloromethane (Methylene chloride)	< 1.0		µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	< 0.30		µg/L	0	GE
		1,2-Dichloropropane	< 1.0		µg/L	0	GE
		cis-1,3-Dichloropropene	< 1.0		µg/L	0	GE
		trans-1,3-Dichloropropene	< 1.0		µg/L	0	GE
		Endrin	< 0.0060		µg/L	0	GE
		Ethylbenzene	< 1.0		µg/L	0	GE
		Fluoride	< 100		µg/L	0	GE
		Iron	238		µg/L	1	GE

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 13DR collected on 08/11/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		Lead	20		µg/L	2	GE
		Lindane	<0.0050		µg/L	0	GE
		Magnesium	391		µg/L	0	GE
		Manganese	70		µg/L	2	GE
		Mercury	<0.20		µg/L	0	GE
		Methoxychlor	<0.50		µg/L	0	GE
		Naphthalene	<10	J1	µg/L	0	GE
		Nickel	5.1		µg/L	0	GE
		Nitrate-nitrite as nitrogen	630		µg/L	0	GE
		Phenols	<5.0		µg/L	0	GE
		Potassium	1,200		µg/L	0	GE
		Selenium	<2.0		µg/L	0	GE
		Silica	6,470		µg/L	0	GE
		Silver	<2.0		µg/L	0	GE
		Sodium	7,480		µg/L	0	GE
		Sulfate	8,360		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0		µg/L	0	GE
		Tetrachloroethylene	<1.0		µg/L	0	GE
		Tin	5.2		µg/L	0	GE
		Toluene	<1.0		µg/L	0	GE
		Total dissolved solids	57,000	V	µg/L	0	GE
		Total organic carbon	<1,000		µg/L	0	GE
		Total organic carbon	<1,000		µg/L	0	GE
		Total organic halogens	<5.0		µg/L	0	GE
		Total phosphates (as P)	<50		µg/L	0	GE
		Toxaphene	<0.24		µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090		µg/L	0	GE
		Tributyl phosphate	<10	J1	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0		µg/L	0	GE
		1,1,2-Trichloroethane	<1.0		µg/L	0	GE
		Trichloroethylene	<1.0		µg/L	0	GE
		Trichlorofluoromethane	<1.0		µg/L	0	GE
		Vanadium	<8.0		µg/L	0	GE
		Xylenes	<2.0		µg/L	0	GE
		Zinc	37		µg/L	0	GE
		Carbon-14	<2.0E+02		pCi/L	0	CN
		Gross alpha	<2.0E+00		pCi/L	0	GE
		Nonvolatile beta	<2.0E+00		pCi/L	0	GE
		Radium, total alpha-emitting	1.1E+00 ± 5.0E-01		pCi/L	0	GE
■		Tritium	2.6E+01 ± 9.7E-01		pCi/mL	2	GE
		Uranium-233/234	<1.0E+00	Y	pCi/L	0	CN
		Uranium-235	<1.0E+00	Y	pCi/L	0	CN
		Uranium-238	<1.0E+00	Y	pCi/L	0	CN

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 14AR

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N76351.8 E55788.9	33.285667 °N 81.668209 °W	106.8-96.8 ft msl	300.7 ft msl	4" PVC	S	U. Congaree (IIA)

FIELD MEASUREMENTS

Sample date: 08/09/93
Depth to water: 140.29 ft (42.76 m) below TOC
Water elevation: 160.41 ft (48.89 m) msl
Sp. conductance: 509 $\mu\text{S}/\text{cm}$
Turbidity: 0.5 NTU
Water evacuated before sampling: 107 gal

Time: 11:16
pH: 11.4
Alkalinity: 133 mg/L
Water temperature: 20.3 °C

Volumes purged: 2.6 well volumes

LABORATORY ANALYSES

H	D	Analyte	Result	Mod	Unit	Flag	Lab
•		pH	11	J	pH	2	GE
•		pH	11	J	pH	2	GE
		Specific conductance	338		$\mu\text{S}/\text{cm}$	1	GE
		Turbidity	<0.10		NTU	0	GE
		Turbidity	<0.10		NTU	0	GE
		Acetophenone	<10	J1	$\mu\text{g}/\text{L}$	0	GE
		Aluminum	733		$\mu\text{g}/\text{L}$	2	GE
		Antimony	<2.0		$\mu\text{g}/\text{L}$	0	GE
		Arsenic	7.1		$\mu\text{g}/\text{L}$	0	GE
		Barium	115		$\mu\text{g}/\text{L}$	0	GE
		Benzene	<1.0		$\mu\text{g}/\text{L}$	0	GE
		Bromodichloromethane	<1.0		$\mu\text{g}/\text{L}$	0	GE
		Bromoform	<1.0		$\mu\text{g}/\text{L}$	0	GE
		Bromomethane (Methyl bromide)	<1.0		$\mu\text{g}/\text{L}$	0	GE
		Cadmium	<2.0		$\mu\text{g}/\text{L}$	0	GE
		Calcium	39,100		$\mu\text{g}/\text{L}$	0	GE
		Carbon tetrachloride	<1.0		$\mu\text{g}/\text{L}$	0	GE
		Chloride	1,970		$\mu\text{g}/\text{L}$	0	GE
		Chlorobenzene	<1.0		$\mu\text{g}/\text{L}$	0	GE
		Chloroethane	<1.0		$\mu\text{g}/\text{L}$	0	GE
		Chloroethene (Vinyl chloride)	<1.0		$\mu\text{g}/\text{L}$	0	GE
		2-Chloroethyl vinyl ether	<1.0		$\mu\text{g}/\text{L}$	0	GE
		Chloroform	<1.0		$\mu\text{g}/\text{L}$	0	GE
		Chloromethane (Methyl chloride)	<1.0		$\mu\text{g}/\text{L}$	0	GE
		Chromium	<4.0		$\mu\text{g}/\text{L}$	0	GE
		Copper	<4.0		$\mu\text{g}/\text{L}$	0	GE
		Cyanide	<5.0		$\mu\text{g}/\text{L}$	0	GE
		Dibromochloromethane	<1.0		$\mu\text{g}/\text{L}$	0	GE
		1,1-Dichloroethane	<1.0		$\mu\text{g}/\text{L}$	0	GE
		1,2-Dichloroethane	<1.0		$\mu\text{g}/\text{L}$	0	GE
		1,1-Dichloroethylene	<1.0		$\mu\text{g}/\text{L}$	0	GE
		trans-1,2-Dichloroethylene	<1.0		$\mu\text{g}/\text{L}$	0	GE
		Dichloromethane (Methylene chloride)	<1.0		$\mu\text{g}/\text{L}$	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30		$\mu\text{g}/\text{L}$	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30		$\mu\text{g}/\text{L}$	0	GE
		1,2-Dichloropropane	<1.0		$\mu\text{g}/\text{L}$	0	GE
		cis-1,3-Dichloropropene	<1.0		$\mu\text{g}/\text{L}$	0	GE
		trans-1,3-Dichloropropene	<1.0		$\mu\text{g}/\text{L}$	0	GE
		Endrin	<0.0060		$\mu\text{g}/\text{L}$	0	GE

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 14AR collected on 08/09/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		Endrin	<0.0060		µg/L	0	GE
		Ethylbenzene	<1.0		µg/L	0	GE
		Fluoride	105		µg/L	0	GE
		Iron	<4.0		µg/L	0	GE
		Lead	<3.0		µg/L	0	GE
		Lindane	<0.0050		µg/L	0	GE
		Lindane	<0.0050		µg/L	0	GE
		Magnesium	396		µg/L	0	GE
		Manganese	7.0		µg/L	0	GE
		Mercury	<0.20		µg/L	0	GE
		Methoxychlor	<0.50		µg/L	0	GE
		Methoxychlor	<0.50		µg/L	0	GE
		Naphthalene	<10	J1	µg/L	0	GE
		Nickel	<4.0		µg/L	0	GE
		Nitrate-nitrite as nitrogen	100		µg/L	0	GE
		Phenols	27		µg/L	1	GE
		Potassium	17,800		µg/L	0	GE
		Selenium	<2.0		µg/L	0	GE
		Silica	19,200		µg/L	0	GE
		Silver	<2.0		µg/L	0	GE
		Sodium	14,200		µg/L	0	GE
		Sulfate	4,020		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0		µg/L	0	GE
		Tetrachloroethylene	<1.0		µg/L	0	GE
		Tin	37		µg/L	2	GE
		Toluene	<1.0		µg/L	0	GE
		Total dissolved solids	180,000	V	µg/L	0	GE
		Total organic carbon	1,830		µg/L	0	GE
		Total organic halogens	<5.0		µg/L	0	GE
		Total phosphates (as P)	90		µg/L	0	GE
		Toxaphene	<0.24		µg/L	0	GE
		Toxaphene	<0.24		µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090		µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090		µg/L	0	GE
		Tributyl phosphate	<10	J1	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0		µg/L	0	GE
		1,1,2-Trichloroethane	<1.0		µg/L	0	GE
		Trichloroethylene	3.8	J2	µg/L	1	GE
		Trichlorofluoromethane	<1.0		µg/L	0	GE
		Vanadium	<8.0		µg/L	0	GE
		Xylenes	<2.0		µg/L	0	GE
		Zinc	<2.0		µg/L	0	GE
		Gross alpha	<2.0E+00		pCi/L	0	GE
		Gross alpha	<2.0E+00		pCi/L	0	GE
		Nonvolatile beta	9.7E+00 ± 1.8E+00		pCi/L	0	GE
		Nonvolatile beta	7.3E+00 ± 1.8E+00		pCi/L	0	GE
		Radium, total alpha-emitting	<1.0E+00		pCi/L	0	GE
		Tritium	8.5E+00 ± 6.2E-01		pCi/mL	0	GE
		Uranium-233/234	<1.0E+00		pCi/L	0	CN
		Uranium-235	<1.0E+00		pCi/L	0	CN
		Uranium-238	<1.0E+00		pCi/L	0	CN

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 14CR

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N76337.8 E55789.0	33.285636 °N 81.668181 °W	200.1-190.1 ft msl	300.5 ft msl	4" PVC	S	Barnwell (IIB ₁)

FIELD MEASUREMENTS

Sample date: 08/10/93
Depth to water: 74.78 ft (22.79 m) below TOC
Water elevation: 225.72 ft (68.80 m) msl
Sp. conductance: 122 μ S/cm
Turbidity: 7.5 NTU
Water evacuated before sampling: 18 gal
The well went dry during purging.

Time: 7:38
pH: 7.8
Alkalinity: 25 mg/L
Water temperature: 19.8 °C
Volumes purged: 0.8 well volumes

LABORATORY ANALYSES

H	D	Analyte	Result	Mod	Unit	Flag	Lab
•		pH	6.8	J	pH	0	GE
		Specific conductance	79		μ S/cm	0	GE
		Turbidity	5.9		NTU	0	GE
		Acetophenone	< 10	J1	μ g/L	0	GE
		Aluminum	714		μ g/L	2	GE
		Antimony	< 2.0		μ g/L	0	GE
		Arsenic	< 2.0		μ g/L	0	GE
		Barium	13		μ g/L	0	GE
		Benzene	< 1.0		μ g/L	0	GE
		Bromodichloromethane	< 1.0		μ g/L	0	GE
		Bromoform	< 1.0		μ g/L	0	GE
		Bromomethane (Methyl bromide)	< 1.0		μ g/L	0	GE
		Cadmium	< 2.0		μ g/L	0	GE
		Calcium	7,950		μ g/L	0	GE
		Carbon tetrachloride	< 1.0		μ g/L	0	GE
		Chloride	2,740		μ g/L	0	GE
		Chloride	2,810		μ g/L	0	GE
		Chlorobenzene	< 1.0		μ g/L	0	GE
		Chloroethane	< 1.0		μ g/L	0	GE
		Chloroethene (Vinyl chloride)	< 1.0		μ g/L	0	GE
		2-Chloroethyl vinyl ether	< 1.0		μ g/L	0	GE
		Chloroform	< 1.0		μ g/L	0	GE
		Chloromethane (Methyl chloride)	< 1.0		μ g/L	0	GE
		Chromium	46		μ g/L	0	GE
		Copper	< 4.0		μ g/L	0	GE
•		Cyanide	< 5.0	J	μ g/L	0	GE
•		Cyanide	< 5.0	J	μ g/L	0	GE
		Dibromochloromethane	< 1.0		μ g/L	0	GE
		1,1-Dichloroethane	< 1.0		μ g/L	0	GE
		1,2-Dichloroethane	< 1.0		μ g/L	0	GE
		1,1-Dichloroethylene	< 1.0		μ g/L	0	GE
		trans-1,2-Dichloroethylene	< 1.0		μ g/L	0	GE
		Dichloromethane (Methylene chloride)	2.2		μ g/L	0	GE
		2,4-Dichlorophenoxyacetic acid	< 0.30		μ g/L	0	GE
		1,2-Dichloropropane	< 1.0		μ g/L	0	GE
		cis-1,3-Dichloropropene	< 1.0		μ g/L	0	GE
		trans-1,3-Dichloropropene	< 1.0		μ g/L	0	GE
		Endrin	< 0.0060		μ g/L	0	GE
		Ethylbenzene	< 1.0		μ g/L	0	GE

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 14CR collected on 08/10/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		Fluoride	< 100		µg/L	0	GE
		Iron	183		µg/L	1	GE
		Lead	4.4		µg/L	0	GE
		Lindane	< 0.0050		µg/L	0	GE
		Magnesium	922		µg/L	0	GE
		Manganese	18		µg/L	0	GE
		Mercury	< 0.20		µg/L	0	GE
		Methoxychlor	< 0.50		µg/L	0	GE
		Naphthalene	< 10	J1	µg/L	0	GE
		Nickel	< 4.0		µg/L	0	GE
		Nitrate-nitrite as nitrogen	690		µg/L	0	GE
		Phenols	< 5.0		µg/L	0	GE
		Phenols	< 5.0		µg/L	0	GE
		Potassium	7,710		µg/L	0	GE
		Selenium	< 2.0		µg/L	0	GE
		Silica	9,920		µg/L	0	GE
		Silver	< 2.0		µg/L	0	GE
		Sodium	8,140		µg/L	0	GE
		Sulfate	13,100		µg/L	0	GE
		Sulfate	13,100		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	< 1.0		µg/L	0	GE
		Tetrachloroethylene	< 1.0		µg/L	0	GE
		Tin	19		µg/L	1	GE
		Toluene	< 1.0		µg/L	0	GE
		Total dissolved solids	68,000	V	µg/L	0	GE
		Total organic carbon	< 1,000		µg/L	0	GE
		Total organic halogens	49		µg/L	1	GE
		Total phosphates (as P)	< 50		µg/L	0	GE
		Toxaphene	< 0.24		µg/L	0	GE
		2,4,5-TP (Silvex)	< 0.090		µg/L	0	GE
		Tributyl phosphate	< 10	J1	µg/L	0	GE
		1,1,1-Trichloroethane	1.6		µg/L	0	GE
		1,1,2-Trichloroethane	< 1.0		µg/L	0	GE
■		Trichloroethylene	52		µg/L	2	GE
		Trichlorofluoromethane	< 1.0		µg/L	0	GE
		Vanadium	< 8.0		µg/L	0	GE
		Xylenes	< 2.0		µg/L	0	GE
		Zinc	22		µg/L	0	GE
		Carbon-14	< 2.0E + 02		pCi/L	0	CN
		Gross alpha	< 2.0E + 00		pCi/L	0	GE
		Nonvolatile beta	2.2E + 00 ± 1.2E + 00		pCi/L	0	GE
		Radium, total alpha-emitting	< 1.0E + 00		pCi/L	0	GE
■		Tritium	3.4E + 01 ± 1.1E + 00		pCi/mL	2	GE
		Uranium-233/234	< 1.0E + 00		pCi/L	0	CN
		Uranium-235	< 1.0E + 00		pCi/L	0	CN
		Uranium-238	< 1.0E + 00		pCi/L	0	CN

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 14DR

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N76322.1 E55789.4	33.285602 °N 81.668150 °W	238.1-218.1 ft msl	300.3 ft msl	4" PVC	S	Water Table (IIB ₂)

FIELD MEASUREMENTS

Sample date: 08/09/93
Depth to water: 67.49 ft (20.57 m) below TOC
Water elevation: 232.81 ft (70.96 m) msl
Sp. conductance: 35 µS/cm
Turbidity: 0.7 NTU
Water evacuated before sampling: 63 gal

Time: 10:49
pH: 4.9
Alkalinity: 0 mg/L
Water temperature: 20.3 °C

Volumes purged: 6.5 well volumes

LABORATORY ANALYSES

H	D	Analyte	Result	Mod	Unit	Flag	Lab
•		pH	5.3	J	pH	0	GE
		Specific conductance	33		µS/cm	0	GE
		Turbidity	0.56		NTU	0	GE
		Acetophenone	<10	J1	µg/L	0	GE
		Aluminum	48		µg/L	1	GE
		Antimony	<2.0		µg/L	0	GE
		Arsenic	<2.0		µg/L	0	GE
		Barium	6.3		µg/L	0	GE
		Benzene	<1.0		µg/L	0	GE
		Bromodichloromethane	<1.0		µg/L	0	GE
		Bromoform	<1.0		µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0		µg/L	0	GE
		Cadmium	<2.0		µg/L	0	GE
		Calcium	721		µg/L	0	GE
		Carbon tetrachloride	<1.0		µg/L	0	GE
		Chloride	3,390		µg/L	0	GE
		Chlorobenzene	<1.0		µg/L	0	GE
		Chloroethane	<1.0		µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0		µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0		µg/L	0	GE
		Chloroform	<1.0		µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0		µg/L	0	GE
		Chromium	<4.0		µg/L	0	GE
		Copper	6.0		µg/L	0	GE
		Cyanide	<5.0		µg/L	0	GE
		Cyanide	<5.0		µg/L	0	GE
		Dibromochloromethane	<1.0		µg/L	0	GE
		1,1-Dichloroethane	<1.0		µg/L	0	GE
		1,2-Dichloroethane	<1.0		µg/L	0	GE
		1,1-Dichloroethylene	<1.0		µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0		µg/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0		µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30		µg/L	0	GE
		1,2-Dichloropropane	<1.0		µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0		µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0		µg/L	0	GE
		Endrin	<0.0060		µg/L	0	GE
		Ethylbenzene	<1.0		µg/L	0	GE
		Fluoride	<100		µg/L	0	GE

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 14DR collected on 08/09/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		Iron	59		µg/L	0	GE
		Lead	<3.0		µg/L	0	GE
		Lindane	<0.0050		µg/L	0	GE
		Magnesium	562		µg/L	0	GE
		Manganese	13		µg/L	0	GE
		Mercury	<0.20		µg/L	0	GE
		Methoxychlor	<0.50		µg/L	0	GE
		Naphthalene	<10	J1	µg/L	0	GE
		Nickel	<4.0		µg/L	0	GE
		Nitrate-nitrite as nitrogen	900		µg/L	0	GE
		Phenols	11		µg/L	0	GE
		Potassium	<500		µg/L	0	GE
		Selenium	<2.0		µg/L	0	GE
		Silica	7,300		µg/L	0	GE
		Silver	<2.0		µg/L	0	GE
		Sodium	3,340		µg/L	0	GE
		Sulfate	1,220		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0		µg/L	0	GE
		Tetrachloroethylene	<1.0		µg/L	0	GE
		Tin	<2.0		µg/L	0	GE
		Toluene	<1.0		µg/L	0	GE
		Total dissolved solids	38,000	V	µg/L	0	GE
		Total dissolved solids	32,000	V	µg/L	0	GE
		Total organic carbon	<1,000		µg/L	0	GE
		Total organic halogens	68		µg/L	2	GE
		Total phosphates (as P)	<50		µg/L	0	GE
		Toxaphene	<0.24		µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090		µg/L	0	GE
		Tributyl phosphate	<10	J1	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0		µg/L	0	GE
		1,1,2-Trichloroethane	<1.0		µg/L	0	GE
■		Trichloroethylene	86		µg/L	2	GE
		Trichlorofluoromethane	<1.0		µg/L	0	GE
		Vanadium	<8.0		µg/L	0	GE
		Xylenes	<2.0		µg/L	0	GE
		Zinc	12		µg/L	0	GE
		Gross alpha	<2.0E+00		pCi/L	0	GE
		Nonvolatile beta	<2.0E+00		pCi/L	0	GE
		Radium, total alpha-emitting	1.2E+00 ± 4.0E-01		pCi/L	0	GE
		Tritium	1.3E+01 ± 7.1E-01		pCi/mL	1	GE
		Uranium-233/234	<1.0E+00		pCi/L	0	CN
		Uranium-235	<1.0E+00		pCi/L	0	CN
		Uranium-238	<1.0E+00		pCi/L	0	CN

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 15D

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N75973.5 E55859.1	33.284945 °N 81.667289 °W	238.7-218.7 ft msl	298.7 ft msl	4" PVC	S	Water Table (IIB ₂)

FIELD MEASUREMENTS

Sample date: 08/09/93
Depth to water: 66.29 ft (20.21 m) below TOC
Water elevation: 232.41 ft (70.84 m) msl
Sp. conductance: 38 µS/cm
Turbidity: 0.3 NTU
Water evacuated before sampling: 56 gal

Time: 12:04
pH: 5.3
Alkalinity: 4 mg/L
Water temperature: 20.4 °C

Volumes purged: 6.2 well volumes

LABORATORY ANALYSES

H	D	Analyte	Result	Mod	Unit	Flag	Lab
•		pH	5.6	J	pH	0	GE
•		pH	5.6	J	pH	0	GE
		Specific conductance	28		µS/cm	0	GE
		Specific conductance	28		µS/cm	0	GE
		Turbidity	3.0		NTU	0	GE
		Turbidity	3.3		NTU	0	GE
		Acetophenone	< 10	J1	µg/L	0	GE
		Aluminum	52		µg/L	2	GE
		Antimony	< 2.0		µg/L	0	GE
		Arsenic	< 2.0		µg/L	0	GE
		Barium	9.4		µg/L	0	GE
		Benzene	< 2.0		µg/L	0	GE
		Boron	82		µg/L	0	GE
		Bromodichloromethane	< 2.0		µg/L	0	GE
		Bromoform	< 2.0		µg/L	0	GE
		Bromomethane (Methyl bromide)	< 2.0		µg/L	0	GE
		Cadmium	< 2.0		µg/L	0	GE
		Calcium	1,570		µg/L	0	GE
		Carbon tetrachloride	< 2.0		µg/L	0	GE
		Chloride	2,320		µg/L	0	GE
		Chlorobenzene	< 2.0		µg/L	0	GE
		Chloroethane	< 2.0		µg/L	0	GE
		Chloroethene (Vinyl chloride)	< 2.0		µg/L	0	GE
		2-Chloroethyl vinyl ether	< 2.0		µg/L	0	GE
		Chloroform	< 2.0		µg/L	0	GE
		Chloromethane (Methyl chloride)	< 2.0		µg/L	0	GE
		Chromium	< 4.0		µg/L	0	GE
		Copper	< 4.0		µg/L	0	GE
		Cyanide	< 5.0		µg/L	0	GE
		Dibromochloromethane	< 2.0		µg/L	0	GE
		1,1-Dichloroethane	< 2.0		µg/L	0	GE
		1,2-Dichloroethane	< 2.0		µg/L	0	GE
		1,1-Dichloroethylene	< 2.0		µg/L	0	GE
		trans-1,2-Dichloroethylene	< 2.0		µg/L	0	GE
		Dichloromethane (Methylene chloride)	< 2.0		µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	< 0.30		µg/L	0	GE
		1,2-Dichloropropane	< 2.0		µg/L	0	GE
		cis-1,3-Dichloropropene	< 2.0		µg/L	0	GE
		trans-1,3-Dichloropropene	< 2.0		µg/L	0	GE

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 15D collected on 08/09/93, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Mod</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Endrin	<0.0060		µg/L	0	GE
		Ethylbenzene	<2.0		µg/L	0	GE
		Fluoride	<100		µg/L	0	GE
		Iron	26		µg/L	0	GE
		Lead	<3.0		µg/L	0	GE
		Lindane	<0.0050		µg/L	0	GE
		Magnesium	409		µg/L	0	GE
		Manganese	7.4		µg/L	0	GE
		Mercury	<0.20		µg/L	0	GE
		Methoxychlor	<0.50		µg/L	0	GE
		Naphthalene	<10	J1	µg/L	0	GE
		Nickel	<4.0		µg/L	0	GE
		Nitrate-nitrite as nitrogen	840		µg/L	0	GE
		Phenols	<5.0		µg/L	0	GE
		Potassium	<500		µg/L	0	GE
		Selenium	<2.0		µg/L	0	GE
		Silica	6,580		µg/L	0	GE
		Silver	<2.0		µg/L	0	GE
		Sodium	2,170		µg/L	0	GE
		Sulfate	<1,000		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<2.0		µg/L	0	GE
■		Tetrachloroethylene	8.2		µg/L	2	GE
		Tin	<2.0		µg/L	0	GE
		Toluene	<2.0		µg/L	0	GE
		Total dissolved solids	24,000	V	µg/L	0	GE
		Total dissolved solids	29,000	V	µg/L	0	GE
		Total organic carbon	<1,000		µg/L	0	GE
		Total organic halogens	109		µg/L	2	GE
		Total phosphates (as P)	<50		µg/L	0	GE
		Toxaphene	<0.24		µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090		µg/L	0	GE
		1,1,1-Trichloroethane	<2.0		µg/L	0	GE
		1,1,2-Trichloroethane	<2.0		µg/L	0	GE
■		Trichloroethylene	105		µg/L	2	GE
		Trichlorofluoromethane	2.2		µg/L	0	GE
		Vanadium	<8.0		µg/L	0	GE
		Xylenes	<4.0		µg/L	0	GE
		Zinc	<2.0		µg/L	0	GE
		Carbon-14	<2.0E+02		pCi/L	0	CN
		Gross alpha	<2.0E+00		pCi/L	0	GE
		Nonvolatile beta	<2.0E+00		pCi/L	0	GE
		Radium, total alpha-emitting	1.0E+00 ± 5.0E-01		pCi/L	0	GE
		Total activity	5.6E+05 ± 5.3E+03		pCi/L	0	EM
■		Tritium	4.6E+02 ± 8.9E+00		pCi/mL	2	GE
		Uranium-233/234	<1.0E+00		pCi/L	0	CN
		Uranium-235	<1.0E+00		pCi/L	0	CN
		Uranium-238	<1.0E+00		pCi/L	0	CN

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 16AR

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Pump</u>	<u>Formation</u>
N75743.2 E56217.1	33.285020 °N 81.665899 °W	113.7-103.7 ft msl	303.7 ft msl	4" PVC	S	Congaree (IIA)

FIELD MEASUREMENTS

Sample date: 08/18/93
Depth to water: 142.78 ft (43.52 m) below TOC
Water elevation: 160.92 ft (49.05 m) msl
Sp. conductance: 196 µS/cm
Turbidity: 2.3 NTU
Water evacuated before sampling: 181 gal

Time: 10:45
pH: 7.9
Alkalinity: 64 mg/L
Water temperature: 19.7 °C

Volumes purged: 4.8 well volumes

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Mod</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	7.5	J	pH	0	GE
		Specific conductance	187		µS/cm	0	GE
		Turbidity	3.7		NTU	0	GE
		Acetophenone	<10	J1	µg/L	0	GE
		Aluminum	210		µg/L	2	GE
		Antimony	<2.0		µg/L	0	GE
		Arsenic	<2.0		µg/L	0	GE
		Barium	37		µg/L	0	GE
		Benzene	<1.0		µg/L	0	GE
		Boron	<30		µg/L	0	GE
		Boron	<30		µg/L	0	GE
		Bromodichloromethane	<1.0		µg/L	0	GE
		Bromoform	<1.0		µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0		µg/L	0	GE
		Cadmium	<2.0		µg/L	0	GE
		Calcium	27,600	J2	µg/L	0	GE
		Carbon tetrachloride	<1.0		µg/L	0	GE
		Chloride	2,070		µg/L	0	GE
		Chlorobenzene	<1.0		µg/L	0	GE
		Chloroethane	<1.0		µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0		µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0		µg/L	0	GE
		Chloroform	<1.0		µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0		µg/L	0	GE
		Chromium	<4.0		µg/L	0	GE
		Copper	<4.0		µg/L	0	GE
		Cyanide	<5.0		µg/L	0	GE
		Dibromochloromethane	<1.0		µg/L	0	GE
		1,1-Dichloroethane	<1.0		µg/L	0	GE
		1,2-Dichloroethane	<1.0		µg/L	0	GE
		1,1-Dichloroethylene	<1.0		µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0		µg/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0		µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30		µg/L	0	GE
		1,2-Dichloropropane	<1.0		µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0		µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0		µg/L	0	GE
		Endrin	<0.0060		µg/L	0	GE
		Endrin	<0.0060		µg/L	0	GE

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 16AR collected on 08/18/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		Ethylbenzene	<1.0		µg/L	0	GE
		Fluoride	<100		µg/L	0	GE
		Iron	125		µg/L	0	GE
		Lead	<3.0		µg/L	0	GE
		Lindane	<0.0050		µg/L	0	GE
		Lindane	<0.0050		µg/L	0	GE
		Lithium	<5.0		µg/L	0	GE
		Magnesium	1,030		µg/L	0	GE
		Manganese	13		µg/L	0	GE
		Mercury	<0.20		µg/L	0	GE
		Methoxychlor	<0.50		µg/L	0	GE
		Methoxychlor	<0.50		µg/L	0	GE
		Naphthalene	<10	J1	µg/L	0	GE
		Nickel	<4.0		µg/L	0	GE
		Nitrate-nitrite as nitrogen	580		µg/L	0	GE
		Phenols	<5.0		µg/L	0	GE
		Potassium	1,830		µg/L	0	GE
		Selenium	<2.0		µg/L	0	GE
		Silica	25,900		µg/L	0	GE
		Silver	<2.0		µg/L	0	GE
		Sodium	11,000		µg/L	0	GE
		Sulfate	4,840		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0		µg/L	0	GE
		Tetrachloroethylene	<1.0		µg/L	0	GE
		Tin	<2.0		µg/L	0	GE
		Toluene	<1.0		µg/L	0	GE
		Total dissolved solids	115,000	V	µg/L	0	GE
		Total organic carbon	<1,000		µg/L	0	GE
		Total organic halogens	<5.0		µg/L	0	GE
		Total phosphates (as P)	90		µg/L	0	GE
		Toxaphene	<0.24		µg/L	0	GE
		Toxaphene	<0.24		µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090		µg/L	0	GE
		1,1,1-Trichloroethane	<1.0		µg/L	0	GE
		1,1,2-Trichloroethane	<1.0		µg/L	0	GE
		Trichloroethylene	<1.0		µg/L	0	GE
		Trichlorofluoromethane	<1.0		µg/L	0	GE
		Vanadium	<8.0		µg/L	0	GE
		Xylenes	<2.0		µg/L	0	GE
		Zinc	12		µg/L	0	GE
		Carbon-14	<2.0E+02		pCi/L	0	CN
		Gross alpha	<2.0E+00		pCi/L	0	GE
		Nonvolatile beta	2.4E+00 ± 1.1E+00		pCi/L	0	GE
		Radium, total alpha-emitting	1.5E+00 ± 6.0E-01		pCi/L	0	GE
		Radium, total alpha-emitting	<1.0E+00		pCi/L	0	GE
		Tritium	<7.0E-01		pCi/mL	0	GE
		Uranium-233/234	<1.0E+00		pCi/L	0	CN
		Uranium-235	<1.0E+00		pCi/L	0	CN
		Uranium-238	<1.0E+00		pCi/L	0	CN

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 16B

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Pump</u>	<u>Formation</u>
N75767.5 E56183.8	33.285019 °N 81.666034 °W	146.0-136.0 ft msl	305.1 ft msl	4" PVC	S	McBean (IIB ₁)

FIELD MEASUREMENTS

Sample date: 08/19/93
Depth to water: 84.92 ft (25.88 m) below TOC
Water elevation: 220.18 ft (67.11 m) msl
Sp. conductance: 224 µS/cm
Turbidity: 12.3 NTU
Water evacuated before sampling: 52 gal
The well went dry during purging.

Time: 8:09
pH: 8.1
Alkalinity: 62 mg/L
Water temperature: 20.0 °C
Volumes purged: 0.9 well volumes

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Mod</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	7.8	J	pH	0	GE
•		pH	7.8	J	pH	0	GE
		Specific conductance	213		µS/cm	0	GE
		Turbidity	21		NTU	0	GE
		Turbidity	21		NTU	0	GE
		Acetophenone	< 10	J1	µg/L	0	GE
		Aluminum	247		µg/L	2	GE
		Antimony	< 2.0		µg/L	0	GE
		Antimony	< 2.0		µg/L	0	GE
		Arsenic	< 2.0		µg/L	0	GE
		Arsenic	< 2.0		µg/L	0	GE
		Barium	48		µg/L	0	GE
		Benzene	< 1.0		µg/L	0	GE
		Boron	< 30		µg/L	0	GE
		Bromodichloromethane	< 1.0		µg/L	0	GE
		Bromoform	< 1.0		µg/L	0	GE
		Bromomethane (Methyl bromide)	< 1.0		µg/L	0	GE
		Cadmium	< 2.0		µg/L	0	GE
		Calcium	43,800		µg/L	0	GE
		Carbon tetrachloride	< 1.0		µg/L	0	GE
		Chloride	2,440		µg/L	0	GE
		Chlorobenzene	< 1.0		µg/L	0	GE
		Chloroethane	< 1.0		µg/L	0	GE
		Chloroethene (Vinyl chloride)	< 1.0		µg/L	0	GE
		2-Chloroethyl vinyl ether	< 1.0		µg/L	0	GE
		Chloroform	1.3		µg/L	0	GE
		Chloromethane (Methyl chloride)	< 1.0		µg/L	0	GE
		Chromium	4.4		µg/L	0	GE
		Copper	11		µg/L	0	GE
		Cyanide	< 5.0		µg/L	0	GE
		Dibromochloromethane	< 1.0		µg/L	0	GE
		1,1-Dichloroethane	< 1.0		µg/L	0	GE
		1,2-Dichloroethane	< 1.0		µg/L	0	GE
		1,1-Dichloroethylene	< 1.0		µg/L	0	GE
		trans-1,2-Dichloroethylene	< 1.0		µg/L	0	GE
		Dichloromethane (Methylene chloride)	< 1.0		µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	< 0.30		µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	< 0.30		µg/L	0	GE
		1,2-Dichloropropane	< 1.0		µg/L	0	GE

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 16B collected on 08/19/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		cis-1,3-Dichloropropene	<1.0		µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0		µg/L	0	GE
		Endrin	<0.0060		µg/L	0	GE
		Ethylbenzene	<1.0		µg/L	0	GE
		Fluoride	<100		µg/L	0	GE
		Iron	302		µg/L	2	GE
		Lead	5.7		µg/L	0	GE
		Lead	4.9		µg/L	0	GE
		Lindane	<0.0050		µg/L	0	GE
		Lithium	<5.0		µg/L	0	GE
		Magnesium	935		µg/L	0	GE
		Manganese	6.4		µg/L	0	GE
		Mercury	<0.20		µg/L	0	GE
		Methoxychlor	<0.50		µg/L	0	GE
		Naphthalene	<10	J1	µg/L	0	GE
		Nickel	<4.0		µg/L	0	GE
		Nitrate-nitrite as nitrogen	290		µg/L	0	GE
		Phenols	<5.0		µg/L	0	GE
		Potassium	977		µg/L	0	GE
		Selenium	<2.0		µg/L	0	GE
		Selenium	<2.0		µg/L	0	GE
		Silica	15,800		µg/L	0	GE
		Silver	<2.0		µg/L	0	GE
		Sodium	6,330		µg/L	0	GE
		Sulfate	4,060		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0		µg/L	0	GE
		Tetrachloroethylene	<1.0		µg/L	0	GE
		Tin	<2.0		µg/L	0	GE
		Tin	3.3		µg/L	0	GE
		Toluene	<1.0		µg/L	0	GE
		Total dissolved solids	148,000	V	µg/L	0	GE
		Total organic carbon	1,070		µg/L	0	GE
		Total organic halogens	<5.0		µg/L	0	GE
		Total phosphates (as P)	110		µg/L	0	GE
		Toxaphene	<0.24		µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090		µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090		µg/L	0	GE
		1,1,1-Trichloroethane	<1.0		µg/L	0	GE
		1,1,2-Trichloroethane	<1.0		µg/L	0	GE
		Trichloroethylene	<1.0		µg/L	0	GE
		Trichlorofluoromethane	<1.0		µg/L	0	GE
		Vanadium	<8.0		µg/L	0	GE
		Xylenes	<2.0		µg/L	0	GE
		Zinc	26		µg/L	0	GE
		Carbon-14	<2.0E+02		pCi/L	0	CN
		Gross alpha	<2.0E+00		pCi/L	0	GE
		Nonvolatile beta	<2.0E+00		pCi/L	0	GE
		Radium, total alpha-emitting	<1.0E+00		pCi/L	0	GE
		Tritium	4.0E+00 ± 5.5E-01		pCi/mL	0	GE
		Uranium-233/234	<1.0E+00		pCi/L	0	CN
		Uranium-235	<1.0E+00		pCi/L	0	CN
		Uranium-238	<1.0E+00		pCi/L	0	CN

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 16D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Pump</u>	<u>Formation</u>
N75751.4 E56202.1	33.285013 °N 81.665954 °W	237.3-217.3 ft msl	304.6 ft msl	4" PVC	S	Water Table (IIB ₂)

FIELD MEASUREMENTS

Sample date: 08/19/93
Depth to water: 71.34 ft (21.74 m) below TOC
Water elevation: 233.26 ft (71.10 m) msl
Sp. conductance: 215 µS/cm
Turbidity: 10.7 NTU
Water evacuated before sampling: 8 gal
The well went dry during purging.

Time: 8:30
pH: 9.1
Alkalinity: 94 mg/L
Water temperature: 20.2 °C
Volumes purged: 0.8 well volumes

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Mod</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	8.9	J	pH	1	GE
		Specific conductance	193		µS/cm	0	GE
•		Turbidity	6.7	J	NTU	0	GE
•		Turbidity	6.6	J	NTU	0	GE
		Acetophenone	<10	J1	µg/L	0	GE
		Aluminum	78		µg/L	2	GE
		Antimony	<2.0		µg/L	0	GE
		Arsenic	<2.0		µg/L	0	GE
		Barium	19		µg/L	0	GE
		Benzene	<1.0		µg/L	0	GE
		Bromodichloromethane	<1.0		µg/L	0	GE
		Bromoform	<1.0		µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0		µg/L	0	GE
		Cadmium	<2.0		µg/L	0	GE
		Calcium	2,920		µg/L	0	GE
		Carbon tetrachloride	<1.0		µg/L	0	GE
		Chloride	1,270		µg/L	0	GE
		Chlorobenzene	<1.0		µg/L	0	GE
		Chloroethane	<1.0		µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0		µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0		µg/L	0	GE
		Chloroform	<1.0		µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0		µg/L	0	GE
		Chromium	<4.0		µg/L	0	GE
		Copper	<4.0		µg/L	0	GE
		Cyanide	<5.0		µg/L	0	GE
		Dibromochloromethane	<1.0		µg/L	0	GE
		1,1-Dichloroethane	<1.0		µg/L	0	GE
		1,2-Dichloroethane	<1.0		µg/L	0	GE
		1,1-Dichloroethylene	<1.0		µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0		µg/L	0	GE
		Dichloromethane (Methylene chloride)	1.6		µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30		µg/L	0	GE
		1,2-Dichloropropane	<1.0		µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0		µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0		µg/L	0	GE
		Endrin	<0.0060		µg/L	0	GE
		Ethylbenzene	<1.0		µg/L	0	GE
		Fluoride	<100		µg/L	0	GE

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 16D collected on 08/19/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		Iron	117		µg/L	0	GE
		Lead	6.8		µg/L	0	GE
		Lindane	<0.0050		µg/L	0	GE
		Magnesium	399		µg/L	0	GE
		Manganese	5.1		µg/L	0	GE
		Mercury	<0.20		µg/L	0	GE
		Methoxychlor	<0.50		µg/L	0	GE
		Naphthalene	<10	J1	µg/L	0	GE
		Nickel	<4.0		µg/L	0	GE
		Nitrate-nitrite as nitrogen	250		µg/L	0	GE
		Phenols	<25		µg/L	0	GE
		Phenols	<25		µg/L	0	GE
		Potassium	9,210		µg/L	0	GE
		Selenium	<2.0		µg/L	0	GE
		Silica	8,680		µg/L	0	GE
		Silver	<2.0		µg/L	0	GE
		Sodium	34,800		µg/L	0	GE
		Sulfate	3,190		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0		µg/L	0	GE
		Tetrachloroethylene	<1.0		µg/L	0	GE
		Tin	18		µg/L	1	GE
		Toluene	<1.0		µg/L	0	GE
		Total dissolved solids	130,000	V	µg/L	0	GE
		Total dissolved solids	126,000	V	µg/L	0	GE
		Total organic carbon	1,020		µg/L	0	GE
		Total organic halogens	12		µg/L	0	GE
		Total phosphates (as P)	<50		µg/L	0	GE
		Toxaphene	<0.24		µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090		µg/L	0	GE
		1,1,1-Trichloroethane	<1.0		µg/L	0	GE
		1,1,2-Trichloroethane	<1.0		µg/L	0	GE
■		Trichloroethylene	16		µg/L	2	GE
		Trichlorofluoromethane	<1.0		µg/L	0	GE
		Vanadium	<8.0		µg/L	0	GE
		Xylenes	<2.0		µg/L	0	GE
		Zinc	15		µg/L	0	GE
		Carbon-14	<2.0E+02		pCi/L	0	CN
		Gross alpha	<2.0E+00		pCi/L	0	GE
		Nonvolatile beta	6.6E+00 ± 1.9E+00		pCi/L	0	GE
		Radium, total alpha-emitting	<1.0E+00		pCi/L	0	GE
		Total activity	1.0E+06 ± 7.1E+03		pCi/L	0	EM
■		Tritium	1.1E+03 ± 2.0E+01		pCi/mL	2	GE
		Uranium-233/234	<1.0E+00		pCi/L	0	CN
		Uranium-235	<1.0E+00		pCi/L	0	CN
		Uranium-238	<1.0E+00		pCi/L	0	CN

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 17DR

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Pump</u>	<u>Formation</u>
N75604.0 E56407.2	33.285022 °N 81.665128 °W	236.9-216.9 ft msl	299.2 ft msl	4" PVC	S	Water Table (IIB ₂)

FIELD MEASUREMENTS

Sample date: 08/19/93
Depth to water: 65.40 ft (19.93 m) below TOC
Water elevation: 233.80 ft (71.26 m) msl
Sp. conductance: 38 µS/cm
Turbidity: 24.5 NTU
Water evacuated before sampling: 14 gal
The well went dry during purging.

Time: 8:54
pH: 6.0
Alkalinity: 7 mg/L
Water temperature: 20.3 °C

Volumes purged: 1.3 well volumes

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Mod</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	6.3	J	pH	0	GE
		Specific conductance	32		µS/cm	0	GE
		Specific conductance	31		µS/cm	0	GE
		Turbidity	16		NTU	0	GE
		Acetophenone	<10		µg/L	0	GE
		Aluminum	510		µg/L	2	GE
		Antimony	<2.0		µg/L	0	GE
		Arsenic	<2.0		µg/L	0	GE
		Barium	9.6		µg/L	0	GE
		Benzene	<1.0		µg/L	0	GE
		Bromodichloromethane	<1.0		µg/L	0	GE
		Bromoform	<1.0		µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0		µg/L	0	GE
		Cadmium	<2.0		µg/L	0	GE
		Calcium	2,190		µg/L	0	GE
		Carbon tetrachloride	<1.0		µg/L	0	GE
		Chloride	883		µg/L	0	GE
		Chlorobenzene	<1.0		µg/L	0	GE
		Chloroethane	<1.0		µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0		µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0		µg/L	0	GE
		Chloroform	<1.0		µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0		µg/L	0	GE
		Chromium	<4.0		µg/L	0	GE
		Copper	<4.0		µg/L	0	GE
		Cyanide	<5.0		µg/L	0	GE
		Dibromochloromethane	<1.0		µg/L	0	GE
		1,1-Dichloroethane	<1.0		µg/L	0	GE
		1,2-Dichloroethane	<1.0		µg/L	0	GE
		1,1-Dichloroethylene	<1.0		µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0		µg/L	0	GE
		Dichloromethane (Methylene chloride)	1.3		µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30		µg/L	0	GE
		1,2-Dichloropropane	<1.0		µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0		µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0		µg/L	0	GE
		Endrin	<0.0060		µg/L	0	GE
		Ethylbenzene	<1.0		µg/L	0	GE
		Fluoride	<100		µg/L	0	GE

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 17DR collected on 08/19/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		Fluoride	< 100		µg/L	0	GE
		Iron	232		µg/L	1	GE
		Lead	< 3.0		µg/L	0	GE
		Lindane	< 0.0050		µg/L	0	GE
		Magnesium	270		µg/L	0	GE
		Manganese	17		µg/L	0	GE
		Mercury	< 0.20		µg/L	0	GE
		Methoxychlor	< 0.50		µg/L	0	GE
		Naphthalene	< 10		µg/L	0	GE
		Nickel	< 4.0		µg/L	0	GE
		Nitrate-nitrite as nitrogen	1,050		µg/L	0	GE
		Nitrate-nitrite as nitrogen	1,030		µg/L	0	GE
		Phenols	< 5.0		µg/L	0	GE
		Potassium	616		µg/L	0	GE
		Selenium	< 2.0		µg/L	0	GE
		Silica	8,180		µg/L	0	GE
		Silver	< 2.0		µg/L	0	GE
		Sodium	2,820		µg/L	0	GE
		Sulfate	1,220		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	< 1.0		µg/L	0	GE
		Tetrachloroethylene	< 1.0		µg/L	0	GE
		Tin	< 2.0		µg/L	0	GE
		Toluene	< 1.0		µg/L	0	GE
		Total dissolved solids	29,000	V	µg/L	0	GE
		Total organic carbon	< 1,000		µg/L	0	GE
		Total organic halogens	< 5.0		µg/L	0	GE
		Total phosphates (as P)	< 50		µg/L	0	GE
		Total phosphates (as P)	< 50		µg/L	0	GE
		Toxaphene	< 0.24		µg/L	0	GE
		2,4,5-TP (Silvex)	< 0.090		µg/L	0	GE
		Tributyl phosphate	< 10		µg/L	0	GE
		1,1,1-Trichloroethane	< 1.0		µg/L	0	GE
		1,1,2-Trichloroethane	< 1.0		µg/L	0	GE
		Trichloroethylene	< 1.0		µg/L	0	GE
		Trichlorofluoromethane	< 1.0		µg/L	0	GE
		Vanadium	< 8.0		µg/L	0	GE
		Xylenes	< 2.0		µg/L	0	GE
		Zinc	21		µg/L	0	GE
		Carbon-14	< 2.0E+02		pCi/L	0	CN
		Gross alpha	< 2.0E+00		pCi/L	0	GE
		Nonvolatile beta	< 2.0E+00		pCi/L	0	GE
		Radium, total alpha-emitting	< 1.0E+00		pCi/L	0	GE
		Tritium	1.2E+01 ± 7.5E-01		pCi/mL	1	GE
		Uranium-233/234	< 1.0E+00		pCi/L	0	CN
		Uranium-235	< 1.0E+00		pCi/L	0	CN
		Uranium-238	< 1.0E+00		pCi/L	0	CN

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 18A

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Pump</u>	<u>Formation</u>
N75599.9 E56699.7	33.285490 °N 81.664350 °W	109.5-99.5 ft msl	295.2 ft msl	4" PVC	S	U. Congaree (IIA)

FIELD MEASUREMENTS

Sample date: 08/18/93	Time: 11:42
Depth to water: 133.95 ft (40.83 m) below TOC	pH: 6.9
Water elevation: 161.25 ft (49.15 m) msl	Alkalinity: 54 mg/L
Sp. conductance: 191 µS/cm	Water temperature: 20.0 °C
Turbidity: 0.3 NTU	
Water evacuated before sampling: 356 gal	Volumes purged: 8.8 well volumes

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Mod</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	7.0	J	pH	0	GE
		Specific conductance	184		µS/cm	0	GE
		Turbidity	<0.10		NTU	0	GE
		Acetophenone	<10		µg/L	0	GE
		Aluminum	<20		µg/L	0	GE
		Antimony	<2.0		µg/L	0	GE
		Arsenic	<2.0		µg/L	0	GE
		Barium	35		µg/L	0	GE
		Benzene	<1.0		µg/L	0	GE
		Bromodichloromethane	<1.0		µg/L	0	GE
		Bromoform	<1.0		µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0		µg/L	0	GE
		Cadmium	<2.0		µg/L	0	GE
		Calcium	32,800	J2	µg/L	0	GE
		Carbon tetrachloride	<1.0		µg/L	0	GE
		Chloride	2,540		µg/L	0	GE
		Chlorobenzene	<1.0		µg/L	0	GE
		Chloroethane	<1.0		µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0		µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0		µg/L	0	GE
		Chloroform	<1.0		µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0		µg/L	0	GE
		Chromium	<4.0		µg/L	0	GE
		Copper	<4.0		µg/L	0	GE
		Cyanide	<5.0		µg/L	0	GE
		Dibromochloromethane	<1.0		µg/L	0	GE
		1,1-Dichloroethane	<1.0		µg/L	0	GE
		1,2-Dichloroethane	<1.0		µg/L	0	GE
		1,1-Dichloroethylene	<1.0		µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0		µg/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0		µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30		µg/L	0	GE
		1,2-Dichloropropane	<1.0		µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0		µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0		µg/L	0	GE
		Endrin	<0.0060		µg/L	0	GE
		Ethylbenzene	<1.0		µg/L	0	GE
		Fluoride	<100		µg/L	0	GE
		Iron	16		µg/L	0	GE

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 18A collected on 08/18/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		Lead	<3.0		µg/L	0	GE
		Lindane	<0.0050		µg/L	0	GE
		Magnesium	1,060		µg/L	0	GE
		Manganese	47		µg/L	1	GE
		Mercury	<0.20		µg/L	0	GE
		Methoxychlor	<0.50		µg/L	0	GE
		Naphthalene	<10		µg/L	0	GE
		Nickel	<4.0		µg/L	0	GE
		Nitrate-nitrite as nitrogen	<50		µg/L	0	GE
		Phenols	<5.0		µg/L	0	GE
		Potassium	980		µg/L	0	GE
		Selenium	<2.0		µg/L	0	GE
		Silica	33,900		µg/L	0	GE
		Silver	<2.0		µg/L	0	GE
		Sodium	2,250		µg/L	0	GE
		Sulfate	7,950		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0		µg/L	0	GE
		Tetrachloroethylene	<1.0		µg/L	0	GE
		Tin	<2.0		µg/L	0	GE
		Toluene	<1.0		µg/L	0	GE
		Total dissolved solids	122,000	V	µg/L	0	GE
		Total organic carbon	<1,000		µg/L	0	GE
		Total organic halogens	<5.0		µg/L	0	GE
		Total phosphates (as P)	80		µg/L	0	GE
		Toxaphene	<0.24		µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090		µg/L	0	GE
		1,1,1-Trichloroethane	<1.0		µg/L	0	GE
		1,1,2-Trichloroethane	<1.0		µg/L	0	GE
		Trichloroethylene	<1.0		µg/L	0	GE
		Trichlorofluoromethane	<1.0		µg/L	0	GE
		Vanadium	<8.0		µg/L	0	GE
		Xylenes	<2.0		µg/L	0	GE
		Zinc	<2.0		µg/L	0	GE
		Carbon-14	<2.0E+02		pCi/L	0	CN
		Gross alpha	<2.0E+00		pCi/L	0	GE
		Nonvolatile beta	<2.0E+00		pCi/L	0	GE
		Radium, total alpha-emitting	<1.0E+00		pCi/L	0	GE
		Tritium	<7.0E-01		pCi/mL	0	GE
		Uranium-233/234	<1.0E+00		pCi/L	0	CN
		Uranium-235	<1.0E+00		pCi/L	0	CN
		Uranium-238	<1.0E+00		pCi/L	0	CN

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 18D

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N75600.0 E56711.2	33.285509 °N 81.664320 °W	239.6-219.6 ft msl	294.9 ft msl	4" PVC	S	Water Table (IIB ₂)

FIELD MEASUREMENTS

Sample date: 08/18/93
Depth to water: 60.79 ft (18.53 m) below TOC
Water elevation: 234.11 ft (71.36 m) msl
Sp. conductance: 32 µS/cm
Turbidity: 0.4 NTU
Water evacuated before sampling: 115 gal

Time: 11:23
pH: 4.7
Alkalinity: 0 mg/L
Water temperature: 20.5 °C

Volumes purged: 12.1 well volumes

LABORATORY ANALYSES

H	D	Analyte	Result	Mod	Unit	Flag	Lab
•		pH	5.0	J	pH	0	GE
		Specific conductance	25		µS/cm	0	GE
		Turbidity	<0.10		NTU	0	GE
		Acetophenone	<10		µg/L	0	GE
		Aluminum	38		µg/L	1	GE
		Antimony	<2.0		µg/L	0	GE
		Arsenic	<2.0		µg/L	0	GE
		Barium	8.8		µg/L	0	GE
		Benzene	<1.0		µg/L	0	GE
		Bromodichloromethane	<1.0		µg/L	0	GE
		Bromoform	<1.0		µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0		µg/L	0	GE
		Cadmium	<2.0		µg/L	0	GE
		Calcium	720	J2	µg/L	0	GE
		Carbon tetrachloride	<1.0		µg/L	0	GE
		Chloride	2,320		µg/L	0	GE
		Chlorobenzene	<1.0		µg/L	0	GE
		Chloroethane	<1.0		µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0		µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0		µg/L	0	GE
		Chloroform	<1.0		µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0		µg/L	0	GE
		Chromium	<4.0		µg/L	0	GE
		Copper	<4.0		µg/L	0	GE
		Cyanide	<5.0		µg/L	0	GE
		Dibromochloromethane	<1.0		µg/L	0	GE
		1,1-Dichloroethane	<1.0		µg/L	0	GE
		1,2-Dichloroethane	<1.0		µg/L	0	GE
		1,1-Dichloroethylene	<1.0		µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0		µg/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0		µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30		µg/L	0	GE
		1,2-Dichloropropane	<1.0		µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0		µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0		µg/L	0	GE
		Endrin	<0.0060		µg/L	0	GE
		Ethylbenzene	<1.0		µg/L	0	GE
		Fluoride	<100		µg/L	0	GE
		Iron	<4.0		µg/L	0	GE

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 18D collected on 08/18/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		Lead	< 3.0		µg/L	0	GE
		Lindane	< 0.0050		µg/L	0	GE
		Magnesium	306		µg/L	0	GE
		Manganese	12		µg/L	0	GE
		Mercury	< 0.20		µg/L	0	GE
		Methoxychlor	< 0.50		µg/L	0	GE
		Naphthalene	< 10		µg/L	0	GE
		Nickel	< 4.0		µg/L	0	GE
		Nitrate-nitrite as nitrogen	1,360		µg/L	0	GE
		Phenols	13	R	µg/L	0	GE
		Potassium	< 500		µg/L	0	GE
		Selenium	< 2.0		µg/L	0	GE
		Silica	8,560		µg/L	0	GE
		Silver	< 2.0		µg/L	0	GE
		Sodium	2,180		µg/L	0	GE
		Sulfate	< 1,000		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	< 1.0		µg/L	0	GE
		Tetrachloroethylene	< 1.0		µg/L	0	GE
		Tin	< 2.0		µg/L	0	GE
		Toluene	< 1.0		µg/L	0	GE
		Total dissolved solids	12,000	V	µg/L	0	GE
		Total organic carbon	< 1,000		µg/L	0	GE
		Total organic halogens	< 5.0		µg/L	0	GE
		Total phosphates (as P)	< 50		µg/L	0	GE
		Toxaphene	< 0.24		µg/L	0	GE
		2,4,5-TP (Silvex)	< 0.090		µg/L	0	GE
		1,1,1-Trichloroethane	< 1.0		µg/L	0	GE
		1,1,2-Trichloroethane	< 1.0		µg/L	0	GE
		Trichloroethylene	< 1.0		µg/L	0	GE
		Trichlorofluoromethane	< 1.0		µg/L	0	GE
		Vanadium	< 8.0		µg/L	0	GE
		Xylenes	< 2.0		µg/L	0	GE
		Zinc	2.4		µg/L	0	GE
		Carbon-14	< 2.0E+02		pCi/L	0	CN
		Gross alpha	< 2.0E+00		pCi/L	0	GE
		Nonvolatile beta	< 2.0E+00		pCi/L	0	GE
		Radium, total alpha-emitting	1.2E+00 ± 4.0E-01		pCi/L	0	GE
		Tritium	1.7E+01 ± 8.3E-01		pCi/mL	1	GE
		Uranium-233/234	< 1.0E+00		pCi/L	0	CN
		Uranium-235	< 1.0E+00		pCi/L	0	CN
		Uranium-238	< 1.0E+00		pCi/L	0	CN

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 20D

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N74962.2 E57113.8	33.284755 °N 81.662021 °W	236.3-216.3 ft msl	283.7 ft msl	4" PVC	S	Water Table (IIB ₂)

FIELD MEASUREMENTS

Sample date: 08/19/93
Depth to water: 47.65 ft (14.52 m) below TOC
Water elevation: 236.05 ft (71.95 m) msl
Sp. conductance: 74 µS/cm
Turbidity: 9.3 NTU
Water evacuated before sampling: 10 gal
The well went dry during purging.

Time: 9:48
pH: 5.5
Alkalinity: 15 mg/L
Water temperature: 21.1 °C

Volumes purged: 0.8 well volumes

LABORATORY ANALYSES

H	D	Analyte	Result	Mod	Unit	Flag	Lab
•		pH	5.7	J	pH	0	GE
		Specific conductance	65		µS/cm	0	GE
		Turbidity	2.4		NTU	0	GE
		Acetophenone	<10	J1	µg/L	0	GE
		Aluminum	93		µg/L	2	GE
		Antimony	<2.0		µg/L	0	GE
		Arsenic	<2.0		µg/L	0	GE
		Barium	43		µg/L	0	GE
		Benzene	<1.0		µg/L	0	GE
		Bromodichloromethane	<1.0		µg/L	0	GE
		Bromoform	<1.0		µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0		µg/L	0	GE
		Cadmium	<2.0		µg/L	0	GE
		Calcium	4,770		µg/L	0	GE
		Carbon tetrachloride	<1.0		µg/L	0	GE
		Chloride	2,080		µg/L	0	GE
		Chloride	2,030		µg/L	0	GE
		Chlorobenzene	<1.0		µg/L	0	GE
		Chloroethane	<1.0		µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0		µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0		µg/L	0	GE
		Chloroform	<1.0		µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0		µg/L	0	GE
		Chromium	<4.0		µg/L	0	GE
		Copper	<4.0		µg/L	0	GE
		Cyanide	<5.0		µg/L	0	GE
		Cyanide	<5.0		µg/L	0	GE
		Dibromochloromethane	<1.0		µg/L	0	GE
		1,1-Dichloroethane	<1.0		µg/L	0	GE
		1,2-Dichloroethane	<1.0		µg/L	0	GE
		1,1-Dichloroethylene	<1.0		µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0		µg/L	0	GE
		Dichloromethane (Methylene chloride)	1.3		µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30		µg/L	0	GE
		1,2-Dichloropropane	<1.0		µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0		µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0		µg/L	0	GE
		Endrin	<0.0060		µg/L	0	GE
		Ethylbenzene	<1.0		µg/L	0	GE

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 20D collected on 08/19/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		Fluoride	<100		µg/L	0	GE
		Iron	170		µg/L	1	GE
		Lead	6.6		µg/L	0	GE
		Lindane	<0.0050		µg/L	0	GE
		Magnesium	1,130		µg/L	0	GE
		Manganese	44		µg/L	1	GE
		Mercury	<0.20		µg/L	0	GE
		Methoxychlor	<0.50		µg/L	0	GE
		Naphthalene	<10	J1	µg/L	0	GE
		Nickel	5.3		µg/L	0	GE
		Nitrate-nitrite as nitrogen	1,890		µg/L	0	GE
		Phenols	<5.0		µg/L	0	GE
		Potassium	750		µg/L	0	GE
		Selenium	<2.0		µg/L	0	GE
		Silica	8,790		µg/L	0	GE
		Silver	<2.0		µg/L	0	GE
		Sodium	5,100		µg/L	0	GE
		Sulfate	<1,000		µg/L	0	GE
		Sulfate	<1,000		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0		µg/L	0	GE
		Tetrachloroethylene	<1.0		µg/L	0	GE
		Tin	<2.0		µg/L	0	GE
		Toluene	<1.0		µg/L	0	GE
		Total dissolved solids	49,000	V	µg/L	0	GE
		Total organic carbon	1,270		µg/L	0	GE
		Total organic halogens	<5.0		µg/L	0	GE
		Total organic halogens	<5.0		µg/L	0	GE
		Total phosphates (as P)	<50		µg/L	0	GE
		Toxaphene	<0.24		µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090		µg/L	0	GE
		1,1,1-Trichloroethane	<1.0		µg/L	0	GE
		1,1,2-Trichloroethane	<1.0		µg/L	0	GE
		Trichloroethylene	<1.0		µg/L	0	GE
		Trichlorofluoromethane	<1.0		µg/L	0	GE
		Vanadium	<8.0		µg/L	0	GE
		Xylenes	<2.0		µg/L	0	GE
		Zinc	31		µg/L	0	GE
		Carbon-14	<2.0E+02		pCi/L	0	CN
		Gross alpha	2.2E+00 ± 1.0E+00		pCi/L	0	GE
		Nonvolatile beta	<2.0E+00		pCi/L	0	GE
		Radium, total alpha-emitting	2.0E+00 ± 5.0E-01		pCi/L	0	GE
■		Tritium	2.1E+01 ± 9.2E-01		pCi/mL	2	GE
		Uranium-233/234	<1.0E+00		pCi/L	0	CN
		Uranium-235	<1.0E+00		pCi/L	0	CN
		Uranium-238	<1.0E+00		pCi/L	0	CN

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 21D

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N74688.5 E57470.7	33.284732 °N 81.660549 °W	237.7-217.7 ft msl	285.4 ft msl	4" PVC	S	Water Table (IIB ₂)

FIELD MEASUREMENTS

Sample date: 08/19/93
Depth to water: 48.52 ft (14.79 m) below TOC
Water elevation: 236.88 ft (72.20 m) msl
Sp. conductance: 110 µS/cm
Turbidity: 41.3 NTU
Water evacuated before sampling: 8 gal
The well went dry during purging.

Time: 9:25
pH: 6.1
Alkalinity: 22 mg/L
Water temperature: 20.8 °C

Volumes purged: 0.6 well volumes

LABORATORY ANALYSES

H	D	Analyte	Result	Mod	Unit	Flag	Lab
•		pH	6.2	J	pH	0	GE
		Specific conductance	98		µS/cm	0	GE
		Turbidity	23		NTU	0	GE
		Acetophenone	<10	J1	µg/L	0	GE
		Aluminum	418		µg/L	2	GE
		Antimony	<2.0		µg/L	0	GE
		Arsenic	<2.0		µg/L	0	GE
		Barium	36		µg/L	0	GE
		Benzene	<1.0		µg/L	0	GE
		Benzene	<1.0		µg/L	0	GE
		Bromodichloromethane	<1.0		µg/L	0	GE
		Bromodichloromethane	<1.0		µg/L	0	GE
		Bromoform	<1.0		µg/L	0	GE
		Bromoform	<1.0		µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0		µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0		µg/L	0	GE
		Cadmium	<2.0		µg/L	0	GE
		Calcium	3,060		µg/L	0	GE
		Carbon tetrachloride	<1.0		µg/L	0	GE
		Carbon tetrachloride	<1.0		µg/L	0	GE
		Chloride	7,160		µg/L	0	GE
		Chlorobenzene	<1.0		µg/L	0	GE
		Chlorobenzene	<1.0		µg/L	0	GE
		Chloroethane	<1.0		µg/L	0	GE
		Chloroethane	<1.0		µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0		µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0		µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0		µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0		µg/L	0	GE
		Chloroform	<1.0		µg/L	0	GE
		Chloroform	<1.0		µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0		µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0		µg/L	0	GE
		Chromium	<4.0		µg/L	0	GE
		Copper	<4.0		µg/L	0	GE
		Cyanide	<5.0		µg/L	0	GE
		Cyanide	<5.0		µg/L	0	GE
		Dibromochloromethane	<1.0		µg/L	0	GE
		Dibromochloromethane	<1.0		µg/L	0	GE

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 21D collected on 08/19/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		1,1-Dichloroethane	<1.0		µg/L	0	GE
		1,1-Dichloroethane	<1.0		µg/L	0	GE
		1,2-Dichloroethane	<1.0		µg/L	0	GE
		1,2-Dichloroethane	<1.0		µg/L	0	GE
		1,1-Dichloroethylene	<1.0		µg/L	0	GE
		1,1-Dichloroethylene	<1.0		µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0		µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0		µg/L	0	GE
		Dichloromethane (Methylene chloride)	1.3		µg/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0		µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30		µg/L	0	GE
		1,2-Dichloropropane	<1.0		µg/L	0	GE
		1,2-Dichloropropane	<1.0		µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0		µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0		µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0		µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0		µg/L	0	GE
		Endrin	<0.0060		µg/L	0	GE
		Ethylbenzene	<1.0		µg/L	0	GE
		Ethylbenzene	<1.0		µg/L	0	GE
		Fluoride	<100		µg/L	0	GE
		Iron	251		µg/L	1	GE
		Lead	5.4		µg/L	0	GE
		Lindane	<0.0050		µg/L	0	GE
		Magnesium	470		µg/L	0	GE
		Manganese	18		µg/L	0	GE
		Mercury	<0.20		µg/L	0	GE
		Methoxychlor	<0.50		µg/L	0	GE
		Naphthalene	<10	J1	µg/L	0	GE
		Nickel	<4.0		µg/L	0	GE
		Nitrate-nitrite as nitrogen	3,460		µg/L	0	GE
		Phenols	<5.0		µg/L	0	GE
		Potassium	6,540		µg/L	0	GE
		Selenium	<2.0		µg/L	0	GE
		Silica	8,660		µg/L	0	GE
		Silver	<2.0		µg/L	0	GE
		Sodium	11,200		µg/L	0	GE
		Sulfate	<1,000		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0		µg/L	0	GE
		Tetrachloroethylene	<1.0		µg/L	0	GE
		Tetrachloroethylene	<1.0		µg/L	0	GE
		Tin	14		µg/L	1	GE
		Toluene	<1.0		µg/L	0	GE
		Toluene	<1.0		µg/L	0	GE
		Total dissolved solids	66,000	V	µg/L	0	GE
		Total organic carbon	<1,000		µg/L	0	GE
		Total organic halogens	8.3		µg/L	0	GE
		Total phosphates (as P)	<50		µg/L	0	GE
		Toxaphene	<0.24		µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090		µg/L	0	GE
		1,1,1-Trichloroethane	<1.0		µg/L	0	GE
		1,1,1-Trichloroethane	<1.0		µg/L	0	GE
		1,1,2-Trichloroethane	<1.0		µg/L	0	GE
		1,1,2-Trichloroethane	<1.0		µg/L	0	GE
		Trichloroethylene	<1.0		µg/L	0	GE

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 21D collected on 08/19/93, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Mod</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Trichloroethylene	< 1.0		µg/L	0	GE
		Trichlorofluoromethane	< 1.0		µg/L	0	GE
		Trichlorofluoromethane	< 1.0		µg/L	0	GE
		Vanadium	< 8.0		µg/L	0	GE
		Xylenes	< 2.0		µg/L	0	GE
		Xylenes	< 2.0		µg/L	0	GE
		Zinc	12		µg/L	0	GE
		Carbon-14	< 2.0E+02		pCi/L	0	CN
		Gross alpha	< 2.0E+00		pCi/L	0	GE
		Nonvolatile beta	5.8E+00 ± 1.9E+00		pCi/L	0	GE
		Radium, total alpha-emitting	< 1.0E+00		pCi/L	0	GE
■		Tritium	3.1E+01 ± 1.1E+00		pCi/mL	2	GE
		Uranium-233/234	< 1.0E+00		pCi/L	0	CN
		Uranium-235	< 1.0E+00		pCi/L	0	CN
		Uranium-238	< 1.0E+00		pCi/L	0	CN

WELL BGO 22DR

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Pump</u>	<u>Formation</u>
N74471.5	33.284841 °N	239.2-219.2 ft msl	286.1 ft msl	4" PVC	S	Water Table (IIB ₂)
E57831.5	81.659178 °W					

FIELD MEASUREMENTS

Sample date: 08/18/93
Depth to water: 47.97 ft (14.62 m) below TOC
Water elevation: 238.13 ft (72.58 m) msl
Sp. conductance: 30 µS/cm
Turbidity: 3.8 NTU
Water evacuated before sampling: 30 gal

Time: 13:16
pH: 5.1
Alkalinity: 3 mg/L
Water temperature: 22.0 °C

Volumes purged: 2.4 well volumes

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Mod</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.7	J	pH	0	GE
		Specific conductance	24		µS/cm	0	GE
		Turbidity	15		NTU	0	GE
		Acetophenone	< 10		µg/L	0	GE
		Acetophenone	< 10		µg/L	0	GE
		Aluminum	150		µg/L	2	GE
		Antimony	< 2.0		µg/L	0	GE
		Arsenic	< 2.0		µg/L	0	GE
		Barium	7.9		µg/L	0	GE
		Benzene	< 1.0		µg/L	0	GE
		Boron	< 30		µg/L	0	GE
		Bromodichloromethane	< 1.0		µg/L	0	GE
		Bromoform	< 1.0		µg/L	0	GE
		Bromomethane (Methyl bromide)	< 1.0		µg/L	0	GE
		Cadmium	< 2.0		µg/L	0	GE
		Calcium	1,360	J2	µg/L	0	GE
		Carbon tetrachloride	< 1.0		µg/L	0	GE
		Chloride	1,410		µg/L	0	GE
		Chlorobenzene	< 1.0		µg/L	0	GE

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 22DR collected on 08/18/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		Chloroethane	<1.0		µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0		µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0		µg/L	0	GE
		Chloroform	<1.0		µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0		µg/L	0	GE
		Chromium	<4.0		µg/L	0	GE
		Copper	<4.0		µg/L	0	GE
		Cyanide	<5.0		µg/L	0	GE
		Dibromochloromethane	<1.0		µg/L	0	GE
		1,1-Dichloroethane	<1.0		µg/L	0	GE
		1,2-Dichloroethane	<1.0		µg/L	0	GE
		1,1-Dichloroethylene	<1.0		µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0		µg/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0		µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30		µg/L	0	GE
		1,2-Dichloropropane	<1.0		µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0		µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0		µg/L	0	GE
		Endrin	<0.060		µg/L	0	GE
		Ethylbenzene	<1.0		µg/L	0	GE
		Fluoride	<100		µg/L	0	GE
		Iron	76		µg/L	0	GE
		Lead	4.1		µg/L	0	GE
		Lindane	<0.050		µg/L	0	GE
		Lithium	<5.0		µg/L	0	GE
		Magnesium	626		µg/L	0	GE
		Manganese	10		µg/L	0	GE
		Mercury	<0.20		µg/L	0	GE
		Methoxychlor	<5.0		µg/L	0	GE
		Naphthalene	<10		µg/L	0	GE
		Naphthalene	<10		µg/L	0	GE
		Nickel	<4.0		µg/L	0	GE
		Nitrate-nitrite as nitrogen	830		µg/L	0	GE
		Phenols	13		µg/L	0	GE
		Potassium	689		µg/L	0	GE
		Selenium	<2.0		µg/L	0	GE
		Silica	6,920		µg/L	0	GE
		Silver	<2.0		µg/L	0	GE
		Sodium	2,020		µg/L	0	GE
		Sulfate	<1,000		µg/L	0	GE
		1,1,1,2,2-Tetrachloroethane	<1.0		µg/L	0	GE
		Tetrachloroethylene	<1.0		µg/L	0	GE
		Tin	<2.0		µg/L	0	GE
		Toluene	<1.0		µg/L	0	GE
		Total dissolved solids	15,000	V	µg/L	0	GE
		Total organic carbon	1,520		µg/L	0	GE
		Total organic halogens	16		µg/L	0	GE
		Total phosphates (as P)	<50		µg/L	0	GE
		Toxaphene	<2.4		µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090		µg/L	0	GE
		1,1,1-Trichloroethane	<1.0		µg/L	0	GE
		1,1,2-Trichloroethane	<1.0		µg/L	0	GE
		Trichloroethylene	<1.0		µg/L	0	GE
		Trichlorofluoromethane	<1.0		µg/L	0	GE
		Vanadium	<8.0		µg/L	0	GE
		Xylenes	<2.0		µg/L	0	GE

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 22DR collected on 08/18/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		Zinc	9.1		µg/L	0	GE
		Carbon-14	< 2.0E+02		pCi/L	0	CN
		Gross alpha	< 2.0E+00		pCi/L	0	GE
		Nonvolatile beta	< 2.0E+00		pCi/L	0	GE
		Radium, total alpha-emitting	< 1.0E+00		pCi/L	0	GE
■		Tritium	4.6E+01 ± 1.3E+00		pCi/mL	2	GE
		Uranium-233/234	< 1.0E+00		pCi/L	0	CN
		Uranium-235	< 1.0E+00		pCi/L	0	CN
		Uranium-238	< 1.0E+00		pCi/L	0	CN

WELL BGO 23D

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N74238.1	33.284817 °N	242.0-222.0 ft msl	289.2 ft msl	4" PVC	S	Water Table (IIB ₂)
E58133.0	81.657930 °W					

FIELD MEASUREMENTS

Sample date: 08/18/93
Depth to water: 51.27 ft (15.63 m) below TOC
Water elevation: 237.93 ft (72.52 m) msl
Sp. conductance: 43 µS/cm
Turbidity: 0.9 NTU
Water evacuated before sampling: 49 gal

Time: 12:42
pH: 6.1
Alkalinity: 4 mg/L
Water temperature: 21.8 °C

Volumes purged: 4.7 well volumes

LABORATORY ANALYSES

H	D	Analyte	Result	Mod	Unit	Flag	Lab
•		pH	5.9	J	pH	0	GE
•		pH	6.0	J	pH	0	GE
		Specific conductance	37		µS/cm	0	GE
		Turbidity	1.7		NTU	0	GE
		Turbidity	1.7		NTU	0	GE
		Acetophenone	< 10		µg/L	0	GE
		Aluminum	< 20		µg/L	0	GE
		Antimony	< 2.0		µg/L	0	GE
		Arsenic	< 2.0		µg/L	0	GE
		Barium	7.1		µg/L	0	GE
		Benzene	< 1.0		µg/L	0	GE
		Bromodichloromethane	< 1.0		µg/L	0	GE
		Bromoform	< 1.0		µg/L	0	GE
		Bromomethane (Methyl bromide)	< 1.0		µg/L	0	GE
		Cadmium	< 2.0		µg/L	0	GE
		Calcium	1,180	J2	µg/L	0	GE
		Carbon tetrachloride	< 1.0		µg/L	0	GE
		Chloride	1,050		µg/L	0	GE
		Chloride	980		µg/L	0	GE
		Chlorobenzene	< 1.0		µg/L	0	GE
		Chloroethane	< 1.0		µg/L	0	GE
		Chloroethene (Vinyl chloride)	< 1.0		µg/L	0	GE
		2-Chloroethyl vinyl ether	< 1.0		µg/L	0	GE
		Chloroform	< 1.0		µg/L	0	GE
		Chloromethane (Methyl chloride)	< 1.0		µg/L	0	GE

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 23D collected on 08/18/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		Chromium	<4.0		µg/L	0	GE
		Copper	20		µg/L	0	GE
		Cyanide	<5.0		µg/L	0	GE
		Dibromochloromethane	<1.0		µg/L	0	GE
		1,1-Dichloroethane	<1.0		µg/L	0	GE
		1,2-Dichloroethane	<1.0		µg/L	0	GE
		1,1-Dichloroethylene	<1.0		µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0		µg/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0		µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30		µg/L	0	GE
		1,2-Dichloropropane	<1.0		µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0		µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0		µg/L	0	GE
		Endrin	<0.0060		µg/L	0	GE
		Ethylbenzene	<1.0		µg/L	0	GE
		Fluoride	<100		µg/L	0	GE
		Iron	4.4		µg/L	0	GE
		Lead	5.3		µg/L	0	GE
		Lindane	<0.0050		µg/L	0	GE
		Magnesium	320		µg/L	0	GE
		Manganese	6.5		µg/L	0	GE
		Mercury	<0.20		µg/L	0	GE
		Methoxychlor	<0.50		µg/L	0	GE
		Naphthalene	<10		µg/L	0	GE
		Nickel	<4.0		µg/L	0	GE
		Nitrate-nitrite as nitrogen	2,360		µg/L	0	GE
		Phenols	23		µg/L	0	GE
		Phenols	26		µg/L	1	GE
		Potassium	974		µg/L	0	GE
		Selenium	<2.0		µg/L	0	GE
		Silica	6,480		µg/L	0	GE
		Silver	<2.0		µg/L	0	GE
		Sodium	4,550		µg/L	0	GE
		Sulfate	<1,000		µg/L	0	GE
		Sulfate	<1,000		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0		µg/L	0	GE
		Tetrachloroethylene	<1.0		µg/L	0	GE
		Tin	<2.0		µg/L	0	GE
		Toluene	<1.0		µg/L	0	GE
		Total dissolved solids	18,000	V	µg/L	0	GE
		Total organic carbon	<1,000		µg/L	0	GE
		Total organic halogens	6.5		µg/L	0	GE
		Total phosphates (as P)	<50		µg/L	0	GE
		Toxaphene	<0.24		µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090		µg/L	0	GE
		1,1,1-Trichloroethane	<1.0		µg/L	0	GE
		1,1,2-Trichloroethane	<1.0		µg/L	0	GE
		Trichloroethylene	<1.0		µg/L	0	GE
		Trichlorofluoromethane	<1.0		µg/L	0	GE
		Vanadium	<8.0		µg/L	0	GE
		Xylenes	<2.0		µg/L	0	GE
		Zinc	26		µg/L	0	GE
		Gross alpha	<2.0E+00		pCi/L	0	GE
		Nonvolatile beta	<2.0E+00		pCi/L	0	GE
		Radium, total alpha-emitting	<1.0E+00		pCi/L	0	GE
■		Tritium	2.3E+01 ± 9.2E-01		pCi/mL	2	GE

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 25A

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N76158.5 E55668.1	33.285042 °N 81.668151 °W	114.1-104.1 ft msl	296.5 ft msl	4" PVC	S	U. Congaree (IIA)

FIELD MEASUREMENTS

Sample date: 08/04/93
Depth to water: 135.00 ft (41.15 m) below TOC
Water elevation: 161.50 ft (49.23 m) msl
Sp. conductance: 256 μ S/cm
Turbidity: 1.3 NTU
Water evacuated before sampling: 20 gal
The well went dry during purging.

Time: 9:04
pH: 7.3
Alkalinity: 55 mg/L
Water temperature: 20.0 °C

Volumes purged: 0.5 well volumes

LABORATORY ANALYSES

H	D	Analyte	Result	Mod	Unit	Flag	Lab
•		pH	7.5	J	pH	0	GE
		Specific conductance	240		μ S/cm	0	GE
		Turbidity	<0.10		NTU	0	GE
		Acetophenone	<10	J1	μ g/L	0	GE
		Aluminum	<20	J1	μ g/L	0	GE
		Antimony	<2.0		μ g/L	0	GE
		Arsenic	<2.0		μ g/L	0	GE
		Barium	35		μ g/L	0	GE
		Benzene	<1.0		μ g/L	0	GE
		Bromodichloromethane	<1.0		μ g/L	0	GE
		Bromoform	<1.0		μ g/L	0	GE
		Bromomethane (Methyl bromide)	<1.0		μ g/L	0	GE
		Cadmium	<2.0		μ g/L	0	GE
		Calcium	47,400	J2	μ g/L	0	GE
		Carbon tetrachloride	<1.0		μ g/L	0	GE
		Chloride	2,260		μ g/L	0	GE
		Chlorobenzene	<1.0		μ g/L	0	GE
		Chloroethane	<1.0		μ g/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0		μ g/L	0	GE
		2-Chloroethyl vinyl ether	<1.0		μ g/L	0	GE
		Chloroform	<1.0		μ g/L	0	GE
		Chloromethane (Methyl chloride)	<1.0		μ g/L	0	GE
		Chromium	<4.0		μ g/L	0	GE
		Copper	7.5		μ g/L	0	GE
		Cyanide	<5.0		μ g/L	0	GE
		Dibromochloromethane	<1.0		μ g/L	0	GE
		1,1-Dichloroethane	<1.0		μ g/L	0	GE
		1,2-Dichloroethane	<1.0		μ g/L	0	GE
		1,1-Dichloroethylene	<1.0		μ g/L	0	GE
		trans-1,2-Dichloroethylene	<1.0		μ g/L	0	GE
		Dichloromethane (Methylene chloride)	1.8	J2	μ g/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30		μ g/L	0	GE
		1,2-Dichloropropane	<1.0		μ g/L	0	GE
		cis-1,3-Dichloropropene	<1.0		μ g/L	0	GE
		trans-1,3-Dichloropropene	<1.0		μ g/L	0	GE
		Endrin	<0.0060		μ g/L	0	GE
		Ethylbenzene	<1.0		μ g/L	0	GE
		Fluoride	<100		μ g/L	0	GE
		Iron	91	J2	μ g/L	0	GE

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 25A collected on 08/04/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		Lead	<3.0	J1	µg/L	0	GE
		Lindane	<0.0050		µg/L	0	GE
		Magnesium	745		µg/L	0	GE
		Manganese	<2.0		µg/L	0	GE
		Mercury	<0.20		µg/L	0	GE
		Methoxychlor	<0.50		µg/L	0	GE
		Naphthalene	<10	J1	µg/L	0	GE
		Nickel	<4.0		µg/L	0	GE
		Nitrate-nitrite as nitrogen	<50		µg/L	0	GE
		Phenols	<5.0		µg/L	0	GE
		Potassium	669		µg/L	0	GE
		Selenium	<2.0		µg/L	0	GE
		Silica	42,900		µg/L	0	GE
		Silver	<2.0		µg/L	0	GE
		Sodium	2,130		µg/L	0	GE
		Sulfate	8,540		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0		µg/L	0	GE
		Tetrachloroethylene	<1.0		µg/L	0	GE
		Tin	<2.0		µg/L	0	GE
		Toluene	<1.0		µg/L	0	GE
		Total dissolved solids	183,000		µg/L	0	GE
		Total organic carbon	<1,000		µg/L	0	GE
		Total organic halogens	5.9		µg/L	0	GE
		Total organic halogens	<5.0		µg/L	0	GE
		Total phosphates (as P)	<50		µg/L	0	GE
		Toxaphene	<0.24		µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090		µg/L	0	GE
		1,1,1-Trichloroethane	<1.0		µg/L	0	GE
		1,1,2-Trichloroethane	<1.0		µg/L	0	GE
		Trichloroethylene	<1.0		µg/L	0	GE
		Trichlorofluoromethane	<1.0		µg/L	0	GE
		Vanadium	<8.0		µg/L	0	GE
		Xylenes	<2.0		µg/L	0	GE
		Gross alpha	<2.0E+00		pCi/L	0	GE
		Gross alpha	<2.0E+00		pCi/L	0	GE
		Nonvolatile beta	<2.0E+00		pCi/L	0	GE
		Nonvolatile beta	<2.0E+00		pCi/L	0	GE
		Radium, total alpha-emitting	<1.0E+00		pCi/L	0	GE
		Tritium	<7.0E-01		pCi/mL	0	GE
		Uranium-233/234	<1.0E+00		pCi/L	0	CN
		Uranium-235	<1.0E+00		pCi/L	0	CN
		Uranium-238	<1.0E+00		pCi/L	0	CN

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 26D

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N76128.0 E55015.2	33.283910 °N 81.669811 °W	233.5-213.4 ft msl	285.5 ft msl	4" PVC	S	Water Table (IIB ₂)

FIELD MEASUREMENTS

Sample date: 08/10/93
Depth to water: 55.08 ft (16.79 m) below TOC
Water elevation: 230.42 ft (70.23 m) msl
Sp. conductance: 37 μ S/cm
Turbidity: 4.5 NTU
Water evacuated before sampling: 10 gal
The well went dry during purging.

Time: 8:04
pH: 5.0
Alkalinity: 1 mg/L
Water temperature: 19.2 °C

Volumes purged: 0.9 well volumes

LABORATORY ANALYSES

H	D	Analyte	Result	Mod	Unit	Flag	Lab
•		pH	5.8	J	pH	0	GE
		Specific conductance	32		μ S/cm	0	GE
		Turbidity	13		NTU	0	GE
		Acetophenone	<10	J1	μ g/L	0	GE
		Aluminum	197		μ g/L	2	GE
		Antimony	<2.0		μ g/L	0	GE
		Arsenic	<2.0		μ g/L	0	GE
		Barium	13		μ g/L	0	GE
		Benzene	<1.0		μ g/L	0	GE
		Bromodichloromethane	<1.0		μ g/L	0	GE
		Bromoform	<1.0		μ g/L	0	GE
		Bromomethane (Methyl bromide)	<1.0		μ g/L	0	GE
		Cadmium	<2.0		μ g/L	0	GE
		Calcium	1,990		μ g/L	0	GE
		Carbon tetrachloride	<1.0		μ g/L	0	GE
		Chloride	2,330		μ g/L	0	GE
		Chlorobenzene	<1.0		μ g/L	0	GE
		Chloroethane	<1.0		μ g/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0		μ g/L	0	GE
		2-Chloroethyl vinyl ether	<1.0		μ g/L	0	GE
		Chloroform	<1.0		μ g/L	0	GE
		Chloromethane (Methyl chloride)	<1.0		μ g/L	0	GE
		Chromium	<4.0		μ g/L	0	GE
		Copper	31		μ g/L	0	GE
		Cyanide	<5.0		μ g/L	0	GE
		Dibromochloromethane	<1.0		μ g/L	0	GE
		1,1-Dichloroethane	<1.0		μ g/L	0	GE
		1,2-Dichloroethane	<1.0		μ g/L	0	GE
		1,1-Dichloroethylene	<1.0		μ g/L	0	GE
		trans-1,2-Dichloroethylene	<1.0		μ g/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0		μ g/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30		μ g/L	0	GE
		1,2-Dichloropropane	<1.0		μ g/L	0	GE
		cis-1,3-Dichloropropene	<1.0		μ g/L	0	GE
		trans-1,3-Dichloropropene	<1.0		μ g/L	0	GE
		Endrin	<0.0060		μ g/L	0	GE
		Ethylbenzene	<1.0		μ g/L	0	GE
		Fluoride	<100		μ g/L	0	GE
		Iron	81		μ g/L	0	GE

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 26D collected on 08/10/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		Lead	5.8		µg/L	0	GE
		Lindane	<0.0050		µg/L	0	GE
		Magnesium	634		µg/L	0	GE
		Manganese	11		µg/L	0	GE
		Mercury	<0.20		µg/L	0	GE
		Mercury	<0.20		µg/L	0	GE
		Methoxychlor	<0.50		µg/L	0	GE
		Naphthalene	<10	J1	µg/L	0	GE
		Nickel	<4.0		µg/L	0	GE
		Nitrate-nitrite as nitrogen	1,120		µg/L	0	GE
		Phenols	<5.0		µg/L	0	GE
		Potassium	<500		µg/L	0	GE
		Selenium	<2.0		µg/L	0	GE
		Silica	8,030		µg/L	0	GE
		Silver	<2.0		µg/L	0	GE
		Sodium	2,110		µg/L	0	GE
		Sulfate	<1,000		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0		µg/L	0	GE
		Tetrachloroethylene	<1.0		µg/L	0	GE
		Tin	<2.0		µg/L	0	GE
		Toluene	<1.0		µg/L	0	GE
		Total dissolved solids	33,000	V	µg/L	0	GE
		Total organic carbon	<1,000		µg/L	0	GE
		Total organic halogens	12		µg/L	0	GE
		Total phosphates (as P)	<50		µg/L	0	GE
		Toxaphene	<0.24		µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090		µg/L	0	GE
		Tributyl phosphate	<10	J1	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0		µg/L	0	GE
		1,1,2-Trichloroethane	<1.0		µg/L	0	GE
		Trichloroethylene	1.2		µg/L	0	GE
		Trichlorofluoromethane	<1.0		µg/L	0	GE
		Vanadium	<8.0		µg/L	0	GE
		Xylenes	<2.0		µg/L	0	GE
		Gross alpha	<2.0E+00		pCi/L	0	GE
		Nonvolatile beta	<2.0E+00		pCi/L	0	GE
		Radium, total alpha-emitting	<1.0E+00		pCi/L	0	GE
		Tritium	7.0E+00 ± 5.9E-01		pCi/mL	0	GE
		Uranium-233/234	<1.0E+00		pCi/L	0	CN
		Uranium-235	<1.0E+00		pCi/L	0	CN
		Uranium-238	<1.0E+00		pCi/L	0	CN

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 27C

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N75666.3 E54671.4	33.282328 °N 81.669820 °W	163.9-154.9 ft msl	276 ft msl	4" PVC	S	McBean (IIB ₁)

FIELD MEASUREMENTS

Sample date: 08/11/93
Depth to water: 52.98 ft (16.15 m) below TOC
Water elevation: 223.02 ft (67.98 m) msl
Sp. conductance: 123 µS/cm
Turbidity: 0.6 NTU
Water evacuated before sampling: 135 gal

Time: 13:17
pH: 6.9
Alkalinity: 35 mg/L
Water temperature: 20.0 °C
Volumes purged: 3.0 well volumes

LABORATORY ANALYSES

H	D	Analyte	Result	Mod	Unit	Flag	Lab
•		pH	7.3	J	pH	0	GE
•		pH	7.1	J	pH	0	GE
•		pH	6.6	J	pH	0	WA
•		pH	6.8	J	pH	0	GE
		Specific conductance	104		µS/cm	0	GE
		Specific conductance	104		µS/cm	0	GE
•		Specific conductance	101	J	µS/cm	0	WA
•		Specific conductance	99	J	µS/cm	0	WA
•		Specific conductance	100	J	µS/cm	0	WA
		Turbidity	<0.10		NTU	0	GE
		Turbidity	<0.10		NTU	0	GE
		Turbidity	0.61		NTU	0	WA
		Turbidity	0.67		NTU	0	WA
		Acetophenone	<10		µg/L	0	GE
		Acetophenone	<10	J1	µg/L	0	GE
		Acetophenone	<11		µg/L	0	WA
		Acetophenone	<11		µg/L	0	WA
		Acetophenone	<12		µg/L	0	WA
		Aluminum	82		µg/L	2	GE
		Aluminum	82		µg/L	2	GE
		Aluminum	140		µg/L	2	GE
		Aluminum	91		µg/L	2	WA
		Aluminum	93		µg/L	2	WA
		Antimony	<2.0		µg/L	0	GE
		Antimony	<2.0		µg/L	0	GE
		Antimony	<3.0		µg/L	0	WA
		Antimony	<3.0		µg/L	0	WA
		Arsenic	<2.0		µg/L	0	GE
		Arsenic	<2.0		µg/L	0	GE
		Arsenic	<2.0		µg/L	0	WA
		Arsenic	<2.0		µg/L	0	WA
		Barium	3.5		µg/L	0	GE
		Barium	3.4		µg/L	0	GE
		Barium	3.4		µg/L	0	GE
		Barium	<4.0		µg/L	0	WA
		Barium	<4.0		µg/L	0	WA
		Benzene	<1.0		µg/L	0	GE
		Benzene	<1.0		µg/L	0	GE
		Benzene	<5.0		µg/L	0	WA

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 27C collected on 08/11/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		Benzene	<5.0		µg/L	0	WA
		Bromodichloromethane	<1.0		µg/L	0	GE
		Bromodichloromethane	<1.0		µg/L	0	GE
		Bromodichloromethane	<5.0		µg/L	0	WA
		Bromodichloromethane	<5.0		µg/L	0	WA
		Bromoform	<1.0		µg/L	0	GE
		Bromoform	<1.0		µg/L	0	GE
		Bromoform	<5.0		µg/L	0	WA
		Bromoform	<5.0		µg/L	0	WA
		Bromomethane (Methyl bromide)	<1.0		µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0		µg/L	0	GE
		Bromomethane (Methyl bromide)	<10		µg/L	0	WA
		Bromomethane (Methyl bromide)	<10		µg/L	0	WA
		Cadmium	<2.0		µg/L	0	GE
		Cadmium	<2.0		µg/L	0	GE
		Cadmium	<2.0		µg/L	0	GE
		Cadmium	<2.0		µg/L	0	WA
		Cadmium	<2.0		µg/L	0	WA
		Calcium	17,800	J2	µg/L	0	GE
		Calcium	17,800	J2	µg/L	0	GE
		Calcium	17,100	J2	µg/L	0	GE
		Calcium	19,200		µg/L	0	WA
		Calcium	19,500		µg/L	0	WA
		Carbon tetrachloride	<1.0		µg/L	0	GE
		Carbon tetrachloride	<1.0		µg/L	0	GE
		Carbon tetrachloride	<5.0		µg/L	0	WA
		Carbon tetrachloride	<5.0		µg/L	0	WA
		Chloride	1,890		µg/L	0	GE
		Chloride	1,950		µg/L	0	GE
		Chloride	1,200		µg/L	0	WA
		Chloride	1,200		µg/L	0	WA
		Chlorobenzene	<1.0		µg/L	0	GE
		Chlorobenzene	<1.0		µg/L	0	GE
		Chlorobenzene	<5.0		µg/L	0	WA
		Chlorobenzene	<5.0		µg/L	0	WA
		Chloroethane	<1.0		µg/L	0	GE
		Chloroethane	<1.0		µg/L	0	GE
		Chloroethane	<10		µg/L	0	WA
		Chloroethane	<10		µg/L	0	WA
		Chloroethene (Vinyl chloride)	<1.0		µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0		µg/L	0	GE
		Chloroethene (Vinyl chloride)	<10		µg/L	0	WA
		Chloroethene (Vinyl chloride)	<10		µg/L	0	WA
		2-Chloroethyl vinyl ether	<1.0		µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0		µg/L	0	GE
		2-Chloroethyl vinyl ether	<10		µg/L	0	WA
		2-Chloroethyl vinyl ether	<10		µg/L	0	WA
		Chloroform	<1.0		µg/L	0	GE
		Chloroform	<1.0		µg/L	0	GE
		Chloroform	<5.0		µg/L	0	WA
		Chloroform	<5.0		µg/L	0	WA
		Chloromethane (Methyl chloride)	<1.0		µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0		µg/L	0	GE
		Chloromethane (Methyl chloride)	3.2	J	µg/L	0	WA
		Chloromethane (Methyl chloride)	<10		µg/L	0	WA
		Chromium	<4.0		µg/L	0	GE

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 27C collected on 08/11/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		Chromium	<4.0		µg/L	0	GE
		Chromium	<4.0		µg/L	0	GE
		Chromium	<4.0		µg/L	0	WA
		Chromium	<4.0		µg/L	0	WA
		Copper	5.2		µg/L	0	GE
		Copper	5.1		µg/L	0	GE
		Copper	6.4		µg/L	0	GE
		Copper	4.8	J3	µg/L	0	WA
		Copper	5.5	J3	µg/L	0	WA
		Cyanide	<5.0		µg/L	0	GE
•		Cyanide	<5.0	J	µg/L	0	GE
		Cyanide	<5.0		µg/L	0	WA
		Cyanide	<5.0		µg/L	0	WA
		Dibromochloromethane	<1.0		µg/L	0	GE
		Dibromochloromethane	<1.0		µg/L	0	GE
		Dibromochloromethane	<5.0		µg/L	0	WA
		Dibromochloromethane	<5.0		µg/L	0	WA
		1,1-Dichloroethane	<1.0		µg/L	0	GE
		1,1-Dichloroethane	<1.0		µg/L	0	GE
		1,1-Dichloroethane	<5.0		µg/L	0	WA
		1,1-Dichloroethane	<5.0		µg/L	0	WA
		1,2-Dichloroethane	<1.0		µg/L	0	GE
		1,2-Dichloroethane	<1.0		µg/L	0	GE
		1,2-Dichloroethane	<5.0		µg/L	0	WA
		1,2-Dichloroethane	<5.0		µg/L	0	WA
		1,1-Dichloroethylene	<1.0		µg/L	0	GE
		1,1-Dichloroethylene	<1.0		µg/L	0	GE
		1,1-Dichloroethylene	<5.0		µg/L	0	WA
		1,1-Dichloroethylene	<5.0		µg/L	0	WA
		trans-1,2-Dichloroethylene	<1.0		µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0		µg/L	0	GE
		trans-1,2-Dichloroethylene	<5.0		µg/L	0	WA
		trans-1,2-Dichloroethylene	<5.0		µg/L	0	WA
		Dichloromethane (Methylene chloride)	<1.0		µg/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0		µg/L	0	GE
		Dichloromethane (Methylene chloride)	<5.0		µg/L	0	WA
		Dichloromethane (Methylene chloride)	<5.0		µg/L	0	WA
		2,4-Dichlorophenoxyacetic acid	<0.30		µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30		µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<1.1		µg/L	0	WA
		2,4-Dichlorophenoxyacetic acid	<1.1		µg/L	0	WA
		1,2-Dichloropropane	<1.0		µg/L	0	GE
		1,2-Dichloropropane	<1.0		µg/L	0	GE
		1,2-Dichloropropane	<5.0		µg/L	0	WA
		1,2-Dichloropropane	<5.0		µg/L	0	WA
		cis-1,3-Dichloropropene	<1.0		µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0		µg/L	0	GE
		cis-1,3-Dichloropropene	<5.0		µg/L	0	WA
		cis-1,3-Dichloropropene	<5.0		µg/L	0	WA
		trans-1,3-Dichloropropene	<1.0		µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0		µg/L	0	GE
		trans-1,3-Dichloropropene	<5.0		µg/L	0	WA
		trans-1,3-Dichloropropene	<5.0		µg/L	0	WA
		Endrin	<0.0060		µg/L	0	GE
		Endrin	<0.0060		µg/L	0	GE
		Endrin	<0.11		µg/L	0	WA

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 27C collected on 08/11/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		Endrin	<0.11		µg/L	0	WA
		Ethylbenzene	<1.0		µg/L	0	GE
		Ethylbenzene	<1.0		µg/L	0	GE
		Ethylbenzene	<5.0		µg/L	0	WA
		Ethylbenzene	<5.0		µg/L	0	WA
		Fluoride	129		µg/L	0	GE
		Fluoride	133		µg/L	0	GE
		Fluoride	121		µg/L	0	WA
		Fluoride	125		µg/L	0	WA
		Iron	6.1		µg/L	0	GE
		Iron	5.9		µg/L	0	GE
		Iron	15		µg/L	0	GE
		Iron	<4.0		µg/L	0	WA
		Iron	8.4	J3	µg/L	0	WA
		Lead	<3.0		µg/L	0	GE
		Lead	<3.0		µg/L	0	GE
		Lead	<3.0		µg/L	0	WA
		Lead	<3.0		µg/L	0	WA
		Lindane	<0.0050		µg/L	0	GE
		Lindane	<0.0050		µg/L	0	GE
		Lindane	<0.056		µg/L	0	WA
		Lindane	<0.056		µg/L	0	WA
		Magnesium	291		µg/L	0	GE
		Magnesium	290		µg/L	0	GE
		Magnesium	294		µg/L	0	GE
		Magnesium	282		µg/L	0	WA
		Magnesium	298		µg/L	0	WA
		Manganese	<2.0		µg/L	0	GE
		Manganese	<2.0		µg/L	0	GE
		Manganese	<2.0		µg/L	0	GE
		Manganese	2.4		µg/L	0	WA
		Manganese	2.4		µg/L	0	WA
		Mercury	<0.20		µg/L	0	GE
		Mercury	<0.20		µg/L	0	GE
		Mercury	0.31		µg/L	0	GE
		Mercury	<0.20		µg/L	0	GE
		Mercury	<0.20		µg/L	0	WA
		Mercury	<0.20		µg/L	0	WA
		Methoxychlor	<0.50		µg/L	0	GE
		Methoxychlor	<0.50		µg/L	0	GE
		Methoxychlor	<0.56		µg/L	0	WA
		Methoxychlor	<0.56		µg/L	0	WA
		Naphthalene	<10		µg/L	0	GE
		Naphthalene	<10	J1	µg/L	0	GE
		Nickel	<4.0		µg/L	0	GE
		Nickel	<4.0		µg/L	0	GE
		Nickel	<4.0		µg/L	0	GE
		Nickel	<4.0		µg/L	0	WA
		Nickel	<4.0		µg/L	0	WA
		Nitrate as nitrogen	1,180		µg/L	0	WA
		Nitrate as nitrogen	1,260		µg/L	0	WA
		Nitrate-nitrite as nitrogen	770		µg/L	0	GE
		Nitrate-nitrite as nitrogen	800		µg/L	0	GE
		Phenols	<5.0		µg/L	0	GE
		Phenols	<20		µg/L	0	GE
		Phenols	<5.0		µg/L	0	WA

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 27C collected on 08/11/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		Phenols	< 5.0		µg/L	0	WA
		Potassium	< 500		µg/L	0	GE
		Potassium	< 500		µg/L	0	GE
		Potassium	< 500		µg/L	0	GE
		Potassium	< 500		µg/L	0	WA
		Potassium	< 500		µg/L	0	WA
		Selenium	< 2.0		µg/L	0	GE
		Selenium	< 2.0		µg/L	0	GE
		Selenium	< 2.0		µg/L	0	WA
		Selenium	< 2.0		µg/L	0	WA
		Silica	9,040		µg/L	0	GE
		Silica	9,040		µg/L	0	GE
		Silica	9,210		µg/L	0	GE
		Silica	8,720		µg/L	0	WA
		Silica	8,900		µg/L	0	WA
		Silver	< 2.0		µg/L	0	GE
		Silver	< 2.0		µg/L	0	GE
		Silver	< 2.0		µg/L	0	GE
		Silver	< 2.0		µg/L	0	WA
		Silver	< 2.0		µg/L	0	WA
		Sodium	1,660		µg/L	0	GE
		Sodium	1,650		µg/L	0	GE
		Sodium	1,650		µg/L	0	GE
		Sodium	1,630	V	µg/L	0	WA
		Sodium	1,660	V	µg/L	0	WA
		Sulfate	< 1,000		µg/L	0	GE
		Sulfate	< 1,000		µg/L	0	GE
		Sulfate	< 1,000		µg/L	0	WA
		Sulfate	< 1,000		µg/L	0	WA
		1,1,2,2-Tetrachloroethane	< 1.0		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	< 1.0		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	< 5.0		µg/L	0	WA
		1,1,2,2-Tetrachloroethane	< 5.0		µg/L	0	WA
		Tetrachloroethylene	< 1.0		µg/L	0	GE
		Tetrachloroethylene	< 1.0		µg/L	0	GE
		Tetrachloroethylene	< 5.0		µg/L	0	WA
		Tetrachloroethylene	< 5.0		µg/L	0	WA
		Tin	< 2.0		µg/L	0	GE
		Tin	< 2.0		µg/L	0	GE
		Tin	< 2.0		µg/L	0	GE
		Tin	< 13		µg/L	0	WA
		Tin	17	J3	µg/L	1	WA
		Toluene	< 1.0		µg/L	0	GE
		Toluene	< 1.0		µg/L	0	GE
		Toluene	< 5.0		µg/L	0	WA
		Toluene	< 5.0		µg/L	0	WA
		Total dissolved solids	65,000	V	µg/L	0	GE
		Total dissolved solids	66,000	V	µg/L	0	GE
		Total dissolved solids	39,000		µg/L	0	WA
		Total dissolved solids	46,000		µg/L	0	WA
		Total organic carbon	< 1,000		µg/L	0	GE
		Total organic carbon	< 1,000		µg/L	0	GE
		Total organic carbon	< 1,000		µg/L	0	WA
		Total organic carbon	< 1,000		µg/L	0	WA
		Total organic halogens	16		µg/L	0	GE
		Total organic halogens	18		µg/L	0	GE

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 27C collected on 08/11/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		Total organic halogens	17		µg/L	0	GE
		Total organic halogens	8.6		µg/L	0	WA
		Total organic halogens	14		µg/L	0	WA
		Total phosphates (as P)	380		µg/L	0	GE
		Total phosphates (as P)	360		µg/L	0	GE
		Total phosphates (as P)	370		µg/L	0	GE
		Total phosphates (as P)	230		µg/L	0	WA
		Total phosphates (as P)	263		µg/L	0	WA
		Toxaphene	<0.24		µg/L	0	GE
		Toxaphene	<0.24		µg/L	0	GE
		Toxaphene	<1.1		µg/L	0	WA
		Toxaphene	<1.1		µg/L	0	WA
		2,4,5-TP (Silvex)	<0.090		µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090		µg/L	0	GE
		2,4,5-TP (Silvex)	<0.56		µg/L	0	WA
		2,4,5-TP (Silvex)	<0.56		µg/L	0	WA
		Tributyl phosphate	<10		µg/L	0	GE
		Tributyl phosphate	<10	J1	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0		µg/L	0	GE
		1,1,1-Trichloroethane	<1.0		µg/L	0	GE
		1,1,1-Trichloroethane	<5.0		µg/L	0	WA
		1,1,1-Trichloroethane	<5.0		µg/L	0	WA
		1,1,2-Trichloroethane	<1.0		µg/L	0	GE
		1,1,2-Trichloroethane	<1.0		µg/L	0	GE
		1,1,2-Trichloroethane	<5.0		µg/L	0	WA
		1,1,2-Trichloroethane	<5.0		µg/L	0	WA
■		Trichloroethylene	25		µg/L	2	GE
■		Trichloroethylene	24		µg/L	2	GE
■		Trichloroethylene	21		µg/L	2	WA
■		Trichloroethylene	22		µg/L	2	WA
		Trichlorofluoromethane	<1.0		µg/L	0	GE
		Trichlorofluoromethane	<1.0		µg/L	0	GE
		Trichlorofluoromethane	<5.0		µg/L	0	WA
		Trichlorofluoromethane	<5.0		µg/L	0	WA
		Vanadium	<8.0		µg/L	0	GE
		Vanadium	<8.0		µg/L	0	GE
		Vanadium	<8.0		µg/L	0	GE
		Vanadium	<3.0		µg/L	0	WA
		Vanadium	<3.0		µg/L	0	WA
		Xylenes	<2.0		µg/L	0	GE
		Xylenes	<2.0		µg/L	0	GE
		Xylenes	<5.0		µg/L	0	WA
		Xylenes	<5.0		µg/L	0	WA
		Gross alpha	<2.0E+00		pCi/L	0	GE
		Gross alpha	<2.0E+00		pCi/L	0	GE
		Gross alpha	<7.0E-01		pCi/L	0	TM
		Gross alpha	<7.0E-01		pCi/L	0	TM
		Gross alpha	<7.0E-01		pCi/L	0	TM
		Nonvolatile beta	<2.0E+00		pCi/L	0	GE
		Nonvolatile beta	<2.0E+00		pCi/L	0	GE
		Nonvolatile beta	1.1E+00 ± 1.7E+00		pCi/L	0	TM
		Nonvolatile beta	<8.0E-01		pCi/L	0	TM
		Nonvolatile beta	2.9E+00 ± 1.9E+00		pCi/L	0	TM
		Radium-226	<8.0E-02		pCi/L	0	TM
		Radium-226	<1.9E-01		pCi/L	0	TM
		Radium-226	<2.9E-01		pCi/L	0	TM

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 27C collected on 08/11/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		Radium-228	5.0E-01 ± 1.1E+00		pCi/L	0	TM
		Radium-228	1.7E+00 ± 1.4E+00		pCi/L	0	TM
		Radium-228	3.5E+00 ± 1.6E+00		pCi/L	0	TM
		Radium, total alpha-emitting	< 1.0E+00		pCi/L	0	GE
		Radium, total alpha-emitting	1.1E+00 ± 6.0E-01		pCi/L	0	GE
		Radium, total alpha-emitting	< 1.0E+00		pCi/L	0	GE
■		Tritium	6.9E+01 ± 1.5E+00		pCi/mL	2	GE
■		Tritium	6.4E+01 ± 1.4E+00		pCi/mL	2	GE
■		Tritium	7.8E+01 ± 2.0E+00		pCi/mL	2	TM
■		Tritium	7.6E+01 ± 2.0E+00		pCi/mL	2	TM
■		Tritium	7.8E+01 ± 2.0E+00		pCi/mL	2	TM
		Uranium-233/234	< 1.0E+00		pCi/L	0	CN
		Uranium-235	< 1.0E+00		pCi/L	0	CN
		Uranium-238	< 1.0E+00		pCi/L	0	CN

WELL BGO 27D

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N75677.3	33.282366 °N	229.3-209.3 ft msl	276.3 ft msl	4" PVC	S	Water Table (IIB ₂)
E54680.2	81.669818 °W					

FIELD MEASUREMENTS

Sample date: 08/10/93
Depth to water: 46.55 ft (14.19 m) below TOC
Water elevation: 229.75 ft (70.03 m) msl
Sp. conductance: 37 µS/cm
Turbidity: 13.2 NTU
Water evacuated before sampling: 17 gal
The well went dry during purging.

Time: 8:30
pH: 4.9
Alkalinity: 0 mg/L
Water temperature: 19.4 °C

Volumes purged: 1.3 well volumes

LABORATORY ANALYSES

H	D	Analyte	Result	Mod	Unit	Flag	Lab
●		pH	5.5	J	pH	0	GE
		Specific conductance	32		µS/cm	0	GE
		Turbidity	12		NTU	0	GE
		Acetophenone	< 10	J1	µg/L	0	GE
		Aluminum	196		µg/L	2	GE
		Antimony	< 2.0		µg/L	0	GE
		Arsenic	< 2.0		µg/L	0	GE
		Barium	15		µg/L	0	GE
		Benzene	< 1.0		µg/L	0	GE
		Benzene	< 1.0		µg/L	0	GE
		Bromodichloromethane	< 1.0		µg/L	0	GE
		Bromodichloromethane	< 1.0		µg/L	0	GE
		Bromoform	< 1.0		µg/L	0	GE
		Bromoform	< 1.0		µg/L	0	GE
		Bromomethane (Methyl bromide)	< 1.0		µg/L	0	GE
		Bromomethane (Methyl bromide)	< 1.0		µg/L	0	GE
		Cadmium	< 2.0		µg/L	0	GE
		Calcium	1,110		µg/L	0	GE
		Carbon tetrachloride	< 1.0		µg/L	0	GE
		Carbon tetrachloride	< 1.0		µg/L	0	GE

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 27D collected on 08/10/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		Chloride	1,770		µg/L	0	GE
		Chlorobenzene	<1.0		µg/L	0	GE
		Chlorobenzene	<1.0		µg/L	0	GE
		Chloroethane	<1.0		µg/L	0	GE
		Chloroethane	<1.0		µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0		µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0		µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0		µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0		µg/L	0	GE
		Chloroform	<1.0		µg/L	0	GE
		Chloroform	<1.0		µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0		µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0		µg/L	0	GE
		Chromium	<4.0		µg/L	0	GE
		Copper	96		µg/L	0	GE
		Cyanide	<5.0		µg/L	0	GE
		Dibromochloromethane	<1.0		µg/L	0	GE
		Dibromochloromethane	<1.0		µg/L	0	GE
		1,1-Dichloroethane	<1.0		µg/L	0	GE
		1,1-Dichloroethane	<1.0		µg/L	0	GE
		1,2-Dichloroethane	<1.0		µg/L	0	GE
		1,2-Dichloroethane	<1.0		µg/L	0	GE
		1,1-Dichloroethylene	<1.0		µg/L	0	GE
		1,1-Dichloroethylene	<1.0		µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0		µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0		µg/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0		µg/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0		µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30		µg/L	0	GE
		1,2-Dichloropropane	<1.0		µg/L	0	GE
		1,2-Dichloropropane	<1.0		µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0		µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0		µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0		µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0		µg/L	0	GE
		Endrin	<0.0060		µg/L	0	GE
		Ethylbenzene	<1.0		µg/L	0	GE
		Ethylbenzene	<1.0		µg/L	0	GE
		Fluoride	<100		µg/L	0	GE
		Iron	167		µg/L	1	GE
		Lead	21		µg/L	2	GE
		Lindane	<0.0050		µg/L	0	GE
		Magnesium	1,100		µg/L	0	GE
		Manganese	21		µg/L	0	GE
		Mercury	<0.20		µg/L	0	GE
		Methoxychlor	<0.50		µg/L	0	GE
		Naphthalene	<10	J1	µg/L	0	GE
		Nickel	<4.0		µg/L	0	GE
		Nitrate-nitrite as nitrogen	1,820		µg/L	0	GE
		Phenols	7.7		µg/L	0	GE
		Potassium	711		µg/L	0	GE
		Selenium	<2.0		µg/L	0	GE
		Silica	6,540		µg/L	0	GE
		Silver	<2.0		µg/L	0	GE
		Sodium	1,710		µg/L	0	GE
		Sulfate	<1,000		µg/L	0	GE

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 27D collected on 08/10/93, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Mod</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		1,1,2,2-Tetrachloroethane	<1.0		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0		µg/L	0	GE
		Tetrachloroethylene	<1.0		µg/L	0	GE
		Tetrachloroethylene	<1.0		µg/L	0	GE
		Tin	3.0		µg/L	0	GE
		Toluene	<1.0		µg/L	0	GE
		Toluene	<1.0		µg/L	0	GE
		Total dissolved solids	35,000	V	µg/L	0	GE
		Total organic carbon	<1,000		µg/L	0	GE
		Total organic halogens	15		µg/L	0	GE
		Total phosphates (as P)	<50		µg/L	0	GE
		Toxaphene	<0.24		µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090		µg/L	0	GE
		Tributyl phosphate	<10	J1	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0		µg/L	0	GE
		1,1,1-Trichloroethane	<1.0		µg/L	0	GE
		1,1,2-Trichloroethane	<1.0		µg/L	0	GE
		1,1,2-Trichloroethane	<1.0		µg/L	0	GE
		Trichloroethylene	<1.0		µg/L	0	GE
		Trichloroethylene	<1.0		µg/L	0	GE
		Trichlorofluoromethane	<1.0		µg/L	0	GE
		Trichlorofluoromethane	<1.0		µg/L	0	GE
		Vanadium	<8.0		µg/L	0	GE
		Xylenes	<2.0		µg/L	0	GE
		Xylenes	<2.0		µg/L	0	GE
		Gross alpha	<2.0E+00		pCi/L	0	GE
		Nonvolatile beta	<2.0E+00		pCi/L	0	GE
		Radium, total alpha-emitting	1.2E+00 ± 4.0E-01		pCi/L	0	GE
■		Tritium	7.5E+01 ± 1.5E+00		pCi/mL	2	GE
		Uranium-233/234	<1.0E+00		pCi/L	0	CN
		Uranium-233/234	<1.0E+00		pCi/L	0	CN
		Uranium-235	<1.0E+00		pCi/L	0	CN
		Uranium-235	<1.0E+00		pCi/L	0	CN
		Uranium-238	<1.0E+00		pCi/L	0	CN
		Uranium-238	<1.0E+00		pCi/L	0	CN

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 28D

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N75348.3 E54457.9	33.281276 °N 81.669764 °W	230.1-210.1 ft msl	277.4 ft msl	4" PVC	S	Water Table (IIB ₂)

FIELD MEASUREMENTS

Sample date: 08/10/93
Depth to water: 49.14 ft (14.98 m) below TOC
Water elevation: 228.26 ft (69.57 m) msl
Sp. conductance: 154 µS/cm
Turbidity: 92.5 NTU
Water evacuated before sampling: 12 gal
The well went dry during purging.

Time: 8:53
pH: 5.8
Alkalinity: 35 mg/L
Water temperature: 20.4 °C
Volumes purged: 1.0 well volumes

LABORATORY ANALYSES

H	D	Analyte	Result	Mod	Unit	Flag	Lab
•		pH	6.1	J	pH	0	GE
		Specific conductance	141		µS/cm	0	GE
•		Turbidity	60	J	NTU	0	GE
		Acetophenone	<10	J1	µg/L	0	GE
		Aluminum	304		µg/L	2	GE
		Antimony	<2.0		µg/L	0	GE
		Arsenic	<2.0		µg/L	0	GE
		Barium	57		µg/L	0	GE
		Benzene	2.0		µg/L	0	GE
		Bromodichloromethane	<1.0		µg/L	0	GE
		Bromoform	<1.0		µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0		µg/L	0	GE
		Cadmium	<2.0		µg/L	0	GE
		Calcium	15,000		µg/L	0	GE
		Carbon tetrachloride	<1.0		µg/L	0	GE
		Chloride	7,010		µg/L	0	GE
		Chlorobenzene	<1.0		µg/L	0	GE
		Chloroethane	<1.0		µg/L	0	GE
	■	Chloroethene (Vinyl chloride)	118		µg/L	2	GE
		2-Chloroethyl vinyl ether	<1.0		µg/L	0	GE
		Chloroform	4.2		µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0		µg/L	0	GE
		Chromium	<4.0		µg/L	0	GE
		Copper	6.7		µg/L	0	GE
•		Cyanide	<2.5	J	µg/L	0	GE
		Dibromochloromethane	<1.0		µg/L	0	GE
		1,1-Dichloroethane	51		µg/L	2	GE
		1,2-Dichloroethane	<1.0		µg/L	0	GE
		1,1-Dichloroethylene	3.8		µg/L	1	GE
		trans-1,2-Dichloroethylene	<1.0		µg/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0		µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30		µg/L	0	GE
		1,2-Dichloropropane	1.5		µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0		µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0		µg/L	0	GE
		Endrin	<0.0060		µg/L	0	GE
		Ethylbenzene	<1.0		µg/L	0	GE
		Fluoride	<100		µg/L	0	GE
		Iron	605		µg/L	2	GE

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 28D collected on 08/10/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		Lead	5.9		µg/L	0	GE
		Lindane	<0.0050		µg/L	0	GE
		Magnesium	756		µg/L	0	GE
		Manganese	81		µg/L	2	GE
		Mercury	<0.20		µg/L	0	GE
		Methoxychlor	<0.50		µg/L	0	GE
		Naphthalene	<10	J1	µg/L	0	GE
		Nickel	10		µg/L	0	GE
		Nitrate-nitrite as nitrogen	920		µg/L	0	GE
		Phenols	<20		µg/L	0	GE
		Potassium	1,270		µg/L	0	GE
		Selenium	<2.0		µg/L	0	GE
		Silica	6,960		µg/L	0	GE
		Silver	<2.0		µg/L	0	GE
		Sodium	9,480		µg/L	0	GE
		Sulfate	5,300		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0		µg/L	0	GE
		Tetrachloroethylene	2.8		µg/L	1	GE
		Tin	4.4		µg/L	0	GE
		Toluene	<1.0		µg/L	0	GE
		Total dissolved solids	79,000		µg/L	0	GE
		Total organic carbon	2,210		µg/L	0	GE
•		Total organic halogens	1,430	J	µg/L	2	GE
		Total phosphates (as P)	<50		µg/L	0	GE
		Toxaphene	<0.24		µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090		µg/L	0	GE
		Tributyl phosphate	<10	J1	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0		µg/L	0	GE
		1,1,2-Trichloroethane	<1.0		µg/L	0	GE
■		Trichloroethylene	241		µg/L	2	GE
		Trichlorofluoromethane	<1.0		µg/L	0	GE
		Vanadium	<8.0		µg/L	0	GE
		Xylenes	3.4		µg/L	0	GE
		Gross alpha	<2.0E+00		pCi/L	0	GE
		Nonvolatile beta	3.3E+00 ± 1.1E+00		pCi/L	0	GE
		Radium, total alpha-emitting	2.1E+00 ± 6.0E-01		pCi/L	0	GE
		Total activity	1.1E+08 ± 7.4E+05		pCi/L	0	EM
■		Tritium	1.4E+05 ± 1.5E+03		pCi/mL	2	GE
		Uranium-233/234	<1.0E+00	Y	pCi/L	0	CN
		Uranium-233/234	<1.0E+00	Y	pCi/L	0	CN
		Uranium-235	<1.0E+00	Y	pCi/L	0	CN
		Uranium-235	<1.0E+00	Y	pCi/L	0	CN
		Uranium-238	<1.0E+00	Y	pCi/L	0	CN
		Uranium-238	<1.0E+00	Y	pCi/L	0	CN

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 29A

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N75560.0 E54103.5	33.281166 °N 81.671108 °W	112.5-102.5 ft msl	264.2 ft msl	4" PVC	S	U. Congaree (IIA)

FIELD MEASUREMENTS

Sample date: 08/04/93
Depth to water: 104.32 ft (31.80 m) below TOC
Water elevation: 159.88 ft (48.73 m) msl
Sp. conductance: 136 µS/cm
Turbidity: 2.7 NTU
Water evacuated before sampling: 41 gal
The well went dry during purging.

Time: 8:37
pH: 9.9
Alkalinity: 24 mg/L
Water temperature: 19.4 °C

Volumes purged: 1.1 well volumes

LABORATORY ANALYSES

H	D	Analyte	Result	Mod	Unit	Flag	Lab
•		pH	8.9	J	pH	1	GE
		Specific conductance	102		µS/cm	0	GE
		Turbidity	5.1		NTU	0	GE
		Acetophenone	<1.0	J1	µg/L	0	GE
		Aluminum	76		µg/L	2	GE
		Antimony	<2.0		µg/L	0	GE
		Antimony	<2.0		µg/L	0	GE
		Arsenic	<2.0		µg/L	0	GE
		Arsenic	<2.0		µg/L	0	GE
		Barium	21		µg/L	0	GE
		Benzene	<1.0		µg/L	0	GE
		Bromodichloromethane	<1.0		µg/L	0	GE
		Bromoform	<1.0		µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0		µg/L	0	GE
		Cadmium	<2.0		µg/L	0	GE
		Calcium	18,300	J2	µg/L	0	GE
		Carbon tetrachloride	<1.0		µg/L	0	GE
		Chloride	1,540		µg/L	0	GE
		Chlorobenzene	<1.0		µg/L	0	GE
		Chloroethane	<1.0		µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0		µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0		µg/L	0	GE
		Chloroform	<1.0		µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0		µg/L	0	GE
		Chromium	<4.0		µg/L	0	GE
		Copper	<4.0		µg/L	0	GE
		Cyanide	<5.0		µg/L	0	GE
		Dibromochloromethane	<1.0		µg/L	0	GE
		1,1-Dichloroethane	<1.0		µg/L	0	GE
		1,2-Dichloroethane	<1.0		µg/L	0	GE
		1,1-Dichloroethylene	<1.0		µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0		µg/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0		µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30		µg/L	0	GE
		1,2-Dichloropropane	<1.0		µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0		µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0		µg/L	0	GE
		Endrin	<0.0060		µg/L	0	GE
		Ethylbenzene	<1.0		µg/L	0	GE

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 29A collected on 08/04/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		Fluoride	<100		µg/L	0	GE
		Iron	30		µg/L	0	GE
		Lead	<3.0	J1	µg/L	0	GE
		Lead	<3.0	J1	µg/L	0	GE
		Lindane	<0.0050		µg/L	0	GE
		Magnesium	357		µg/L	0	GE
		Manganese	8.8		µg/L	0	GE
		Mercury	<0.20		µg/L	0	GE
		Methoxychlor	<0.50		µg/L	0	GE
		Naphthalene	<10	J1	µg/L	0	GE
		Nickel	<4.0		µg/L	0	GE
		Nitrate-nitrite as nitrogen	760		µg/L	0	GE
		Nitrate-nitrite as nitrogen	770		µg/L	0	GE
		Phenols	<5.0		µg/L	0	GE
		Potassium	500		µg/L	0	GE
		Selenium	<2.0		µg/L	0	GE
		Selenium	<2.0		µg/L	0	GE
		Silica	14,200		µg/L	0	GE
		Silver	<2.0		µg/L	0	GE
		Sodium	3,070		µg/L	0	GE
		Sulfate	<1,000		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0		µg/L	0	GE
		Tetrachloroethylene	<1.0		µg/L	0	GE
		Tin	<2.0		µg/L	0	GE
		Toluene	<1.0		µg/L	0	GE
		Total dissolved solids	70,000		µg/L	0	GE
		Total organic carbon	<1,000		µg/L	0	GE
		Total organic carbon	<1,000		µg/L	0	GE
		Total organic halogens	<5.0		µg/L	0	GE
		Total phosphates (as P)	180		µg/L	0	GE
		Toxaphene	<0.24		µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090		µg/L	0	GE
		Tributyl phosphate	<10	J1	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0		µg/L	0	GE
		1,1,2-Trichloroethane	<1.0		µg/L	0	GE
		Trichloroethylene	2.3		µg/L	0	GE
		Trichlorofluoromethane	<1.0		µg/L	0	GE
		Vanadium	<8.0		µg/L	0	GE
		Xylenes	<2.0		µg/L	0	GE
		Gross alpha	<2.0E+00		pCi/L	0	GE
		Nonvolatile beta	<2.0E+00		pCi/L	0	GE
		Radium, total alpha-emitting	<1.0E+00		pCi/L	0	GE
		Tritium	9.7E+00 ± 6.5E-01		pCi/mL	0	GE
		Uranium-233/234	<1.0E+00		pCi/L	0	CN
		Uranium-235	<1.0E+00		pCi/L	0	CN
		Uranium-238	<1.0E+00		pCi/L	0	CN

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 29C

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N75577.8 E54099.1	33.281198 °N 81.671154 °W	186.8-176.8 ft msl	264.8 ft msl	4" PVC	S	Barnwell (IIB ₁)

FIELD MEASUREMENTS

Sample date: 08/04/93
Depth to water: 39.79 ft (12.13 m) below TOC
Water elevation: 225.01 ft (68.58 m) msl
Sp. conductance: 38 μ S/cm
Turbidity: 2.9 NTU
Water evacuated before sampling: 31 gal
The well went dry during purging.

Time: 8:12
pH: 5.4
Alkalinity: 3 mg/L
Water temperature: 19.1 °C

Volumes purged: 1.0 well volumes

LABORATORY ANALYSES

H	D	Analyte	Result	Mod	Unit	Flag	Lab
•		pH	6.7	J	pH	0	GE
		Specific conductance	48		μ S/cm	0	GE
		Turbidity	5.1		NTU	0	GE
		Acetophenone	<10	J1	μ g/L	0	GE
		Aluminum	149		μ g/L	2	GE
		Antimony	<2.0		μ g/L	0	GE
		Arsenic	<2.0		μ g/L	0	GE
		Barium	31		μ g/L	0	GE
		Benzene	<1.0		μ g/L	0	GE
		Bromodichloromethane	<1.0		μ g/L	0	GE
		Bromoform	<1.0		μ g/L	0	GE
		Bromomethane (Methyl bromide)	<1.0		μ g/L	0	GE
		Cadmium	<2.0		μ g/L	0	GE
		Calcium	5,230	J2	μ g/L	0	GE
		Carbon tetrachloride	<1.0		μ g/L	0	GE
		Chloride	2,140		μ g/L	0	GE
		Chlorobenzene	<1.0		μ g/L	0	GE
		Chloroethane	<1.0		μ g/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0		μ g/L	0	GE
		2-Chloroethyl vinyl ether	<1.0		μ g/L	0	GE
		Chloroform	<1.0		μ g/L	0	GE
		Chloromethane (Methyl chloride)	<1.0		μ g/L	0	GE
		Chromium	<4.0		μ g/L	0	GE
		Copper	<4.0		μ g/L	0	GE
		Cyanide	<5.0		μ g/L	0	GE
		Dibromochloromethane	<1.0		μ g/L	0	GE
		1,1-Dichloroethane	<1.0		μ g/L	0	GE
		1,2-Dichloroethane	<1.0		μ g/L	0	GE
		1,1-Dichloroethylene	<1.0		μ g/L	0	GE
		trans-1,2-Dichloroethylene	<1.0		μ g/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0		μ g/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30		μ g/L	0	GE
		1,2-Dichloropropane	<1.0		μ g/L	0	GE
		cis-1,3-Dichloropropene	<1.0		μ g/L	0	GE
		trans-1,3-Dichloropropene	<1.0		μ g/L	0	GE
		Endrin	<0.0060		μ g/L	0	GE
		Endrin	<0.0060		μ g/L	0	GE
		Ethylbenzene	<1.0		μ g/L	0	GE
		Fluoride	<100		μ g/L	0	GE

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 29C collected on 08/04/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		Iron	60		µg/L	0	GE
		Lead	<3.0	J1	µg/L	0	GE
		Lindane	<0.0050		µg/L	0	GE
		Lindane	<0.0050		µg/L	0	GE
		Magnesium	615		µg/L	0	GE
		Manganese	6.6		µg/L	0	GE
		Mercury	<0.20		µg/L	0	GE
		Methoxychlor	<0.50		µg/L	0	GE
		Methoxychlor	<0.50		µg/L	0	GE
		Naphthalene	<10	J1	µg/L	0	GE
		Nickel	<4.0		µg/L	0	GE
		Nitrate-nitrite as nitrogen	910		µg/L	0	GE
		Phenols	<10		µg/L	0	GE
		Potassium	523		µg/L	0	GE
		Selenium	<2.0		µg/L	0	GE
		Silica	8,110		µg/L	0	GE
		Silver	<2.0		µg/L	0	GE
		Sodium	2,330		µg/L	0	GE
		Sulfate	<1,000		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0		µg/L	0	GE
		Tetrachloroethylene	<1.0		µg/L	0	GE
		Tin	<2.0		µg/L	0	GE
		Toluene	<1.0		µg/L	0	GE
		Total dissolved solids	31,000		µg/L	0	GE
		Total organic carbon	<1,000		µg/L	0	GE
		Total organic halogens	<5.0		µg/L	0	GE
		Total phosphates (as P)	80		µg/L	0	GE
		Toxaphene	<0.24		µg/L	0	GE
		Toxaphene	<0.24		µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090		µg/L	0	GE
		Tributyl phosphate	<10	J1	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0		µg/L	0	GE
		1,1,2-Trichloroethane	<1.0		µg/L	0	GE
		Trichloroethylene	1.4		µg/L	0	GE
		Trichlorofluoromethane	<1.0		µg/L	0	GE
		Vanadium	<8.0		µg/L	0	GE
		Xylenes	<2.0		µg/L	0	GE
		Gross alpha	<2.0E+00		pCi/L	0	GE
		Nonvolatile beta	<2.0E+00		pCi/L	0	GE
		Radium, total alpha-emitting	<1.0E+00		pCi/L	0	GE
■		Tritium	1.2E+02 ± 2.4E+00		pCi/mL	2	GE
		Uranium-233/234	<1.0E+00		pCi/L	0	CN
		Uranium-235	<1.0E+00		pCi/L	0	CN
		Uranium-238	<1.0E+00		pCi/L	0	CN

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 29D

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N75592.5 E54099.4	33.281231 °N 81.671182 °W	228.5-208.5 ft msl	265.5 ft msl	4" PVC	S	Water Table (IIB ₂)

FIELD MEASUREMENTS

Sample date: 08/04/93
Depth to water: 36.98 ft (11.27 m) below TOC
Water elevation: 228.52 ft (69.65 m) msl
Sp. conductance: 67 µS/cm
Turbidity: 14.9 NTU
Water evacuated before sampling: 12 gal
The well went dry during purging.

Time: 7:57
pH: 4.5
Alkalinity: 0 mg/L
Water temperature: 19.2 °C

Volumes purged: 0.9 well volumes

LABORATORY ANALYSES

H	D	Analyte	Result	Mod	Unit	Flag	Lab
•		pH	5.4	J	pH	0	GE
		Specific conductance	53		µS/cm	0	GE
		Turbidity	48		NTU	0	GE
		Acetophenone	<10	J1	µg/L	0	GE
		Aluminum	308		µg/L	2	GE
		Antimony	<2.0		µg/L	0	GE
		Arsenic	<2.0		µg/L	0	GE
		Barium	24		µg/L	0	GE
		Benzene	<1.0		µg/L	0	GE
		Bromodichloromethane	<1.0		µg/L	0	GE
		Bromoform	<1.0		µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0		µg/L	0	GE
		Cadmium	<2.0		µg/L	0	GE
		Calcium	3,260	J2	µg/L	0	GE
		Carbon tetrachloride	<1.0		µg/L	0	GE
		Chloride	2,240		µg/L	0	GE
		Chlorobenzene	<1.0		µg/L	0	GE
		Chloroethane	<1.0		µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0		µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0		µg/L	0	GE
		Chloroform	<1.0		µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0		µg/L	0	GE
		Chromium	<4.0		µg/L	0	GE
		Copper	5.4		µg/L	0	GE
		Cyanide	<5.0		µg/L	0	GE
		Cyanide	<5.0		µg/L	0	GE
		Dibromochloromethane	<1.0		µg/L	0	GE
		1,1-Dichloroethane	<1.0		µg/L	0	GE
		1,2-Dichloroethane	<1.0		µg/L	0	GE
		1,1-Dichloroethylene	<1.0		µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0		µg/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0		µg/L	0	GE
•		2,4-Dichlorophenoxyacetic acid	<0.30	J	µg/L	0	GE
		1,2-Dichloropropane	<1.0		µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0		µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0		µg/L	0	GE
		Endrin	<0.0060		µg/L	0	GE
		Ethylbenzene	<1.0		µg/L	0	GE
		Fluoride	<100		µg/L	0	GE

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 29D collected on 08/04/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		Iron	306		µg/L	2	GE
		Lead	4.6	J2	µg/L	0	GE
		Lindane	<0.0050		µg/L	0	GE
		Magnesium	836		µg/L	0	GE
		Manganese	56		µg/L	2	GE
		Mercury	<0.20		µg/L	0	GE
		Methoxychlor	<0.50		µg/L	0	GE
		Naphthalene	<10	J1	µg/L	0	GE
		Nickel	8.3		µg/L	0	GE
		Nitrate-nitrite as nitrogen	420		µg/L	0	GE
		Phenols	14		µg/L	0	GE
		Potassium	572		µg/L	0	GE
		Selenium	<2.0		µg/L	0	GE
		Silica	8,950		µg/L	0	GE
		Silver	<2.0		µg/L	0	GE
		Sodium	3,420		µg/L	0	GE
		Sulfate	12,800		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0		µg/L	0	GE
		Tetrachloroethylene	<1.0		µg/L	0	GE
		Tin	3.1		µg/L	0	GE
		Toluene	<1.0		µg/L	0	GE
		Total dissolved solids	39,000		µg/L	0	GE
		Total organic carbon	<1,000		µg/L	0	GE
		Total organic halogens	<5.0		µg/L	0	GE
		Total phosphates (as P)	80		µg/L	0	GE
		Toxaphene	<0.24		µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090	J	µg/L	0	GE
		Tributyl phosphate	<10	J1	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0		µg/L	0	GE
		1,1,2-Trichloroethane	<1.0		µg/L	0	GE
		Trichloroethylene	<1.0		µg/L	0	GE
		Trichlorofluoromethane	<1.0		µg/L	0	GE
		Vanadium	<8.0		µg/L	0	GE
		Xylenes	<2.0		µg/L	0	GE
		Gross alpha	<2.0E+00		pCi/L	0	GE
		Nonvolatile beta	2.1E+00 ± 1.0E+00		pCi/L	0	GE
		Radium, total alpha-emitting	2.6E+00 ± 7.0E-01		pCi/L	0	GE
		Tritium	8.7E+00 ± 6.3E-01		pCi/mL	0	GE
		Uranium-233/234	<1.0E+00		pCi/L	0	CN
		Uranium-235	<1.0E+00		pCi/L	0	CN
		Uranium-238	<1.0E+00		pCi/L	0	CN

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

3 of 6

WELL BGO 30C

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N75181.0 E54512.3	33.280995 °N 81.669296 °W	188.4-178.4 ft msl	274.5 ft msl	4" PVC	S	McBean (IIB ₁)

FIELD MEASUREMENTS

Sample date: 08/10/93
Depth to water: 53.24 ft (16.23 m) below TOC
Water elevation: 221.26 ft (67.44 m) msl
Sp. conductance: 46 μ S/cm
Turbidity: 26.4 NTU
Water evacuated before sampling: 29 gal
The well went dry during purging.

Time: 9:15
pH: 6.0
Alkalinity: 11 mg/L
Water temperature: 20.3 °C

Volumes purged: 1.0 well volumes

LABORATORY ANALYSES

H	D	Analyte	Result	Mod	Unit	Flag	Lab
•		pH	6.6	J	pH	0	GE
		Specific conductance	41		μ S/cm	0	GE
		Turbidity	22		NTU	0	GE
		Acetophenone	<10		μ g/L	0	GE
		Aluminum	197		μ g/L	2	GE
		Antimony	<2.0		μ g/L	0	GE
		Arsenic	<2.0		μ g/L	0	GE
		Barium	13		μ g/L	0	GE
		Benzene	<1.0		μ g/L	0	GE
		Bromodichloromethane	<1.0		μ g/L	0	GE
		Bromoform	<1.0		μ g/L	0	GE
		Bromomethane (Methyl bromide)	<1.0		μ g/L	0	GE
		Cadmium	<2.0		μ g/L	0	GE
		Calcium	3,090	J2	μ g/L	0	GE
		Carbon tetrachloride	<1.0		μ g/L	0	GE
		Chloride	2,210		μ g/L	0	GE
		Chlorobenzene	<1.0		μ g/L	0	GE
		Chloroethane	<1.0		μ g/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0		μ g/L	0	GE
		2-Chloroethyl vinyl ether	<1.0		μ g/L	0	GE
		Chloroform	<1.0		μ g/L	0	GE
		Chloromethane (Methyl chloride)	<1.0		μ g/L	0	GE
		Chromium	<4.0		μ g/L	0	GE
		Copper	<4.0		μ g/L	0	GE
		Cyanide	<5.0		μ g/L	0	GE
		Dibromochloromethane	<1.0		μ g/L	0	GE
		1,1-Dichloroethane	<1.0		μ g/L	0	GE
		1,2-Dichloroethane	<1.0		μ g/L	0	GE
		1,1-Dichloroethylene	<1.0		μ g/L	0	GE
		trans-1,2-Dichloroethylene	<1.0		μ g/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0		μ g/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30		μ g/L	0	GE
		1,2-Dichloropropane	<1.0		μ g/L	0	GE
		cis-1,3-Dichloropropene	<1.0		μ g/L	0	GE
		trans-1,3-Dichloropropene	<1.0		μ g/L	0	GE
		Endrin	<0.0060		μ g/L	0	GE
		Ethylbenzene	<1.0		μ g/L	0	GE
		Fluoride	116		μ g/L	0	GE
		Iron	175		μ g/L	1	GE

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 30C collected on 08/10/93, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Mod</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Lead	<3.0		µg/L	0	GE
		Lindane	<0.0050		µg/L	0	GE
		Magnesium	235		µg/L	0	GE
		Manganese	17		µg/L	0	GE
		Mercury	<0.20		µg/L	0	GE
		Methoxychlor	<0.50		µg/L	0	GE
		Naphthalene	<10		µg/L	0	GE
		Nickel	<4.0		µg/L	0	GE
		Nitrate-nitrite as nitrogen	360		µg/L	0	GE
		Phenols	<5.0		µg/L	0	GE
		Potassium	1,130		µg/L	0	GE
		Selenium	<2.0		µg/L	0	GE
		Silica	8,750		µg/L	0	GE
		Silver	<2.0		µg/L	0	GE
		Sodium	3,570		µg/L	0	GE
		Sulfate	1,150		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0		µg/L	0	GE
		Tetrachloroethylene	<1.0		µg/L	0	GE
		Tin	3.4		µg/L	0	GE
		Toluene	<1.0		µg/L	0	GE
		Total dissolved solids	42,000	V	µg/L	0	GE
		Total organic carbon	<1,000		µg/L	0	GE
		Total organic halogens	16		µg/L	0	GE
		Total phosphates (as P)	130		µg/L	0	GE
		Toxaphene	<0.24		µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090		µg/L	0	GE
		Tributyl phosphate	<10		µg/L	0	GE
		1,1,1-Trichloroethane	<1.0		µg/L	0	GE
		1,1,2-Trichloroethane	<1.0		µg/L	0	GE
	■	Trichloroethylene	11		µg/L	2	GE
		Trichlorofluoromethane	<1.0		µg/L	0	GE
		Vanadium	<8.0		µg/L	0	GE
		Xylenes	<2.0		µg/L	0	GE
		Gross alpha	<2.0E+00		pCi/L	0	GE
		Nonvolatile beta	<2.0E+00		pCi/L	0	GE
		Radium, total alpha-emitting	<1.0E+00		pCi/L	0	GE
		Total activity	6.3E+05 ± 5.6E+03		pCi/L	0	EM
	■	Tritium	6.2E+02 ± 1.2E+01		pCi/mL	2	GE
		Uranium-233/234	<1.0E+00	Y	pCi/L	0	CN
		Uranium-235	<1.0E+00	Y	pCi/L	0	CN
		Uranium-238	<1.0E+00	Y	pCi/L	0	CN

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 30D

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N75187.7 E54499.2	33.280988 °N 81.669343 °W	227.8-207.8 ft msl	274.8 ft msl	4" PVC	S	Water Table (IIB ₂)

FIELD MEASUREMENTS

Sample date: 08/10/93
Depth to water: 47.14 ft (14.37 m) below TOC
Water elevation: 227.66 ft (69.39 m) msl
Sp. conductance: 198 µS/cm
Turbidity: 6.1 NTU
Water evacuated before sampling: 15 gal
The well went dry during purging.

Time: 9:34
pH: 6.2
Alkalinity: 47 mg/L
Water temperature: 20.7 °C

Volumes purged: 1.2 well volumes

LABORATORY ANALYSES

H	D	Analyte	Result	Mod	Unit	Flag	Lab
•		pH	6.4	J	pH	0	GE
		Specific conductance	186		µS/cm	0	GE
•		Turbidity	1.6	J	NTU	0	GE
		Acetophenone	<10	J1	µg/L	0	GE
		Aluminum	152		µg/L	2	GE
		Antimony	<2.0		µg/L	0	GE
		Arsenic	<2.0		µg/L	0	GE
		Barium	98		µg/L	0	GE
		Benzene	1.3		µg/L	0	GE
		Bromodichloromethane	<1.0		µg/L	0	GE
		Bromoform	<1.0		µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0		µg/L	0	GE
		Cadmium	<2.0		µg/L	0	GE
		Calcium	24,200		µg/L	0	GE
		Carbon tetrachloride	<1.0		µg/L	0	GE
		Chloride	10,700		µg/L	0	GE
		Chlorobenzene	<1.0		µg/L	0	GE
		Chloroethane	<1.0		µg/L	0	GE
■		Chloroethene (Vinyl chloride)	4.3		µg/L	2	GE
		2-Chloroethyl vinyl ether	<1.0		µg/L	0	GE
		Chloroform	29		µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0		µg/L	0	GE
		Chromium	<4.0		µg/L	0	GE
		Copper	<4.0		µg/L	0	GE
•		Cyanide	<5.0	J	µg/L	0	GE
		Dibromochloromethane	<1.0		µg/L	0	GE
		1,1-Dichloroethane	103		µg/L	2	GE
		1,2-Dichloroethane	1.0		µg/L	0	GE
■		1,1-Dichloroethylene	17		µg/L	2	GE
		trans-1,2-Dichloroethylene	1.2		µg/L	0	GE
		Dichloromethane (Methylene chloride)	1.3		µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30		µg/L	0	GE
		1,2-Dichloropropane	<1.0		µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0		µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0		µg/L	0	GE
		Endrin	<0.030		µg/L	0	GE
		Endrin	<0.030		µg/L	0	GE
		Ethylbenzene	<1.0		µg/L	0	GE
		Fluoride	<100		µg/L	0	GE

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 30D collected on 08/10/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		Iron	88		µg/L	0	GE
		Lead	19		µg/L	2	GE
		Lindane	<0.025		µg/L	0	GE
		Lindane	<0.025		µg/L	0	GE
		Magnesium	1,570		µg/L	0	GE
		Manganese	57		µg/L	2	GE
		Mercury	0.29		µg/L	0	GE
		Methoxychlor	<2.5		µg/L	0	GE
		Methoxychlor	<2.5		µg/L	0	GE
		Naphthalene	<10	J1	µg/L	0	GE
		Nickel	16		µg/L	0	GE
		Nitrate-nitrite as nitrogen	2,600		µg/L	0	GE
		Phenols	<5.0		µg/L	0	GE
		Potassium	<500		µg/L	0	GE
		Selenium	<2.0		µg/L	0	GE
		Silica	8,670		µg/L	0	GE
		Silver	<2.0		µg/L	0	GE
		Sodium	9,290		µg/L	0	GE
		Sulfate	1,240		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0		µg/L	0	GE
		Tetrachloroethylene	3.6		µg/L	1	GE
		Tin	<2.0		µg/L	0	GE
		Toluene	<1.0		µg/L	0	GE
		Total dissolved solids	112,000		µg/L	0	GE
		Total organic carbon	3,000		µg/L	0	GE
•		Total organic halogens	830	J	µg/L	2	GE
		Total phosphates (as P)	<50		µg/L	0	GE
		Toxaphene	<1.2		µg/L	0	GE
		Toxaphene	<1.2		µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090		µg/L	0	GE
		Tributyl phosphate	<10	J1	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0		µg/L	0	GE
		1,1,2-Trichloroethane	<1.0		µg/L	0	GE
■		Trichloroethylene	61		µg/L	2	GE
		Trichlorofluoromethane	<1.0		µg/L	0	GE
		Vanadium	<8.0		µg/L	0	GE
		Xylenes	2.3		µg/L	0	GE
		Gross alpha	8.1E+00 ± 1.8E+00		pCi/L	1	GE
		Nonvolatile beta	4.3E+00 ± 1.2E+00		pCi/L	0	GE
		Radium, total alpha-emitting	3.7E+00 ± 7.0E-01		pCi/L	0	GE
		Total activity	2.7E+07 ± 2.6E+05		pCi/L	0	EM
■		Tritium	2.6E+04 ± 4.7E+02		pCi/mL	2	GE
		Uranium-233/234	<1.0E+00	Y	pCi/L	0	CN
		Uranium-235	<1.0E+00	Y	pCi/L	0	CN
		Uranium-238	<1.0E+00	Y	pCi/L	0	CN

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 31C

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N74978.0 E54816.2	33.281042 °N 81.668101 °W	186.4-176.4 ft msl	273.1 ft msl	4" PVC	S	McBean (IIB ₁)

FIELD MEASUREMENTS

Sample date: 08/10/93
Depth to water: 45.68 ft (13.92 m) below TOC
Water elevation: 227.42 ft (69.32 m) msl
Sp. conductance: 28 µS/cm
Turbidity: 7.6 NTU
Water evacuated before sampling: 33 gal
The well went dry during purging.

Time: 10:02
pH: 5.0
Alkalinity: 1 mg/L
Water temperature: 20.6 °C

Volumes purged: 1.0 well volumes

LABORATORY ANALYSES

H	D	Analyte	Result	Mod	Unit	Flag	Lab
•		pH	5.7	J	pH	0	GE
		Specific conductance	25		µS/cm	0	GE
•		Turbidity	1.7	J	NTU	0	GE
		Acetophenone	<10		µg/L	0	GE
		Aluminum	85		µg/L	2	GE
		Antimony	<2.0		µg/L	0	GE
		Arsenic	<2.0		µg/L	0	GE
		Barium	6.9		µg/L	0	GE
		Benzene	<1.0		µg/L	0	GE
		Bromodichloromethane	<1.0		µg/L	0	GE
		Bromoform	<1.0		µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0		µg/L	0	GE
		Cadmium	<2.0		µg/L	0	GE
		Calcium	1,480		µg/L	0	GE
		Carbon tetrachloride	<1.0		µg/L	0	GE
		Chloride	1,660		µg/L	0	GE
		Chlorobenzene	<1.0		µg/L	0	GE
		Chloroethane	<1.0		µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0		µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0		µg/L	0	GE
		Chloroform	<1.0		µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0		µg/L	0	GE
		Chromium	<4.0		µg/L	0	GE
		Copper	<4.0		µg/L	0	GE
•		Cyanide	<5.0	J	µg/L	0	GE
		Dibromochloromethane	<1.0		µg/L	0	GE
		1,1-Dichloroethane	<1.0		µg/L	0	GE
		1,2-Dichloroethane	<1.0		µg/L	0	GE
		1,1-Dichloroethylene	<1.0		µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0		µg/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0		µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30		µg/L	0	GE
		1,2-Dichloropropane	<1.0		µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0		µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0		µg/L	0	GE
		Endrin	<0.0060		µg/L	0	GE
		Ethylbenzene	<1.0		µg/L	0	GE
		Fluoride	<100		µg/L	0	GE
		Iron	24		µg/L	0	GE

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 31C collected on 08/10/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		Lead	<3.0		µg/L	0	GE
		Lindane	<0.0050		µg/L	0	GE
		Magnesium	466		µg/L	0	GE
		Manganese	8.9		µg/L	0	GE
		Mercury	<0.20		µg/L	0	GE
		Methoxychlor	<0.50		µg/L	0	GE
		Naphthalene	<10		µg/L	0	GE
		Nickel	<4.0		µg/L	0	GE
		Nitrate-nitrite as nitrogen	1,040		µg/L	0	GE
		Nitrate-nitrite as nitrogen	1,080		µg/L	0	GE
		Phenols	<5.0		µg/L	0	GE
		Potassium	<500		µg/L	0	GE
		Selenium	<2.0		µg/L	0	GE
		Silica	8,110		µg/L	0	GE
		Silver	<2.0		µg/L	0	GE
		Sodium	1,600		µg/L	0	GE
		Sulfate	<1,000		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0		µg/L	0	GE
		Tetrachloroethylene	1.4		µg/L	0	GE
		Tin	<2.0		µg/L	0	GE
		Toluene	<1.0		µg/L	0	GE
		Total dissolved solids	20,000		µg/L	0	GE
		Total organic carbon	<1,000		µg/L	0	GE
•		Total organic halogens	6.5	J	µg/L	0	GE
		Total phosphates (as P)	<50		µg/L	0	GE
		Toxaphene	<0.24		µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090		µg/L	0	GE
		Tributyl phosphate	<10		µg/L	0	GE
		1,1,1-Trichloroethane	<1.0		µg/L	0	GE
		1,1,2-Trichloroethane	<1.0		µg/L	0	GE
		Trichloroethylene	2.2		µg/L	0	GE
		Trichlorofluoromethane	<1.0		µg/L	0	GE
		Vanadium	<8.0		µg/L	0	GE
		Xylenes	<2.0		µg/L	0	GE
		Gross alpha	<2.0E+00		pCi/L	0	GE
		Nonvolatile beta	2.6E+00 ± 1.0E+00		pCi/L	0	GE
		Radium, total alpha-emitting	1.2E+00 ± 4.0E-01		pCi/L	0	GE
		Total activity	2.5E+06 ± 3.6E+04		pCi/L	0	EM
■		Tritium	2.4E+03 ± 4.5E+01		pCi/mL	2	GE
		Uranium-233/234	<1.0E+00	Y	pCi/L	0	CN
		Uranium-235	<1.0E+00	Y	pCi/L	0	CN
		Uranium-238	<1.0E+00	Y	pCi/L	0	CN

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 31D

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N74985.3 E54841.7	33.281099 °N 81.668048 °W	231.1-211.1 ft msl	273.7 ft msl	4" PVC	S	Water Table (IIB ₂)

FIELD MEASUREMENTS

Sample date: 08/10/93
Depth to water: 45.12 ft (13.75 m) below TOC
Water elevation: 228.58 ft (69.67 m) msl
Sp. conductance: 36 µS/cm
Turbidity: 11.0 NTU
Water evacuated before sampling: 12 gal
The well went dry during purging.

Time: 10:21
pH: 4.6
Alkalinity: 0 mg/L
Water temperature: 21.0 °C
Volumes purged: 1.0 well volumes

LABORATORY ANALYSES

H	D	Analyte	Result	Mod	Unit	Flag	Lab
•		pH	5.1	J	pH	0	GE
		Specific conductance	29		µS/cm	0	GE
		Turbidity	4.3		NTU	0	GE
		Acetophenone	<10	J1	µg/L	0	GE
		Aluminum	68		µg/L	2	GE
		Antimony	<2.0		µg/L	0	GE
		Arsenic	<2.0		µg/L	0	GE
		Barium	6.9		µg/L	0	GE
		Benzene	<1.0		µg/L	0	GE
		Bromodichloromethane	<1.0		µg/L	0	GE
		Bromoform	<1.0		µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0		µg/L	0	GE
		Cadmium	<2.0		µg/L	0	GE
		Calcium	462		µg/L	0	GE
		Carbon tetrachloride	<1.0		µg/L	0	GE
		Chloride	3,430		µg/L	0	GE
		Chlorobenzene	<1.0		µg/L	0	GE
		Chloroethane	<1.0		µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0		µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0		µg/L	0	GE
		Chloroform	<1.0		µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0		µg/L	0	GE
		Chromium	<4.0		µg/L	0	GE
		Copper	10		µg/L	0	GE
		Cyanide	<5.0		µg/L	0	GE
		Dibromochloromethane	<1.0		µg/L	0	GE
		1,1-Dichloroethane	<1.0		µg/L	0	GE
		1,2-Dichloroethane	<1.0		µg/L	0	GE
		1,1-Dichloroethylene	<1.0		µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0		µg/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0		µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30		µg/L	0	GE
		1,2-Dichloropropane	<1.0		µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0		µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0		µg/L	0	GE
		Endrin	<0.0060		µg/L	0	GE
		Ethylbenzene	<1.0		µg/L	0	GE
		Fluoride	<100		µg/L	0	GE
		Iron	56		µg/L	0	GE

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 31D collected on 08/10/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		Lead	4.3		µg/L	0	GE
		Lindane	<0.0050		µg/L	0	GE
		Magnesium	1,540		µg/L	0	GE
		Manganese	6.4		µg/L	0	GE
		Mercury	0.38		µg/L	0	GE
		Methoxychlor	<0.50		µg/L	0	GE
		Naphthalene	<10	J1	µg/L	0	GE
		Nickel	<4.0		µg/L	0	GE
		Nitrate-nitrite as nitrogen	1,020		µg/L	0	GE
		Phenols	<5.0		µg/L	0	GE
		Potassium	<500		µg/L	0	GE
		Selenium	<2.0		µg/L	0	GE
		Silica	6,810		µg/L	0	GE
		Silver	<2.0		µg/L	0	GE
		Sodium	1,260		µg/L	0	GE
		Sulfate	<1,000		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0		µg/L	0	GE
		Tetrachloroethylene	<1.0		µg/L	0	GE
		Tin	<2.0		µg/L	0	GE
		Toluene	<1.0		µg/L	0	GE
		Total dissolved solids	26,000	V	µg/L	0	GE
		Total organic carbon	<1,000		µg/L	0	GE
		Total organic carbon	<1,000		µg/L	0	GE
		Total organic halogens	16		µg/L	0	GE
		Total phosphates (as P)	<50		µg/L	0	GE
		Toxaphene	<0.24		µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090		µg/L	0	GE
		Tributyl phosphate	<10	J1	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0		µg/L	0	GE
		1,1,2-Trichloroethane	<1.0		µg/L	0	GE
		Trichloroethylene	<1.0		µg/L	0	GE
		Trichlorofluoromethane	<1.0		µg/L	0	GE
		Vanadium	<8.0		µg/L	0	GE
		Xylenes	<2.0		µg/L	0	GE
		Gross alpha	<2.0E+00		pCi/L	0	GE
		Nonvolatile beta	<2.0E+00		pCi/L	0	GE
		Radium, total alpha-emitting	<1.0E+00		pCi/L	0	GE
■		Tritium	1.1E+02 ± 2.3E+00		pCi/mL	2	GE

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 32D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Pump</u>	<u>Formation</u>
N74727.0 E55250.2	33.281195 °N 81.666471 °W	234.5-214.5 ft msl	281.7 ft msl	4" PVC	S	Water Table (IIB ₂)

FIELD MEASUREMENTS

Sample date: 08/10/93
Depth to water: 51.96 ft (15.84 m) below TOC
Water elevation: 229.74 ft (70.03 m) msl
Sp. conductance: 82 µS/cm
Turbidity: 630 NTU
Water evacuated before sampling: 8 gal
The well went dry during purging.

Time: 10:48
pH: 4.6
Alkalinity: 0 mg/L
Water temperature: 21.4 °C

Volumes purged: 0.8 well volumes

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Mod</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.0	J	pH	0	GE
		Specific conductance	68		µS/cm	0	GE
		Turbidity	104		NTU	0	GE
		Acetophenone	<10	J1	µg/L	0	GE
		Aluminum	2,940		µg/L	2	GE
		Antimony	<2.0		µg/L	0	GE
		Arsenic	<2.0		µg/L	0	GE
		Barium	67		µg/L	0	GE
		Benzene	<1.0		µg/L	0	GE
		Bromodichloromethane	<1.0		µg/L	0	GE
		Bromoform	<1.0		µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0		µg/L	0	GE
		Cadmium	<2.0		µg/L	0	GE
		Calcium	802	J2	µg/L	0	GE
		Carbon tetrachloride	<1.0		µg/L	0	GE
		Chloride	4,900		µg/L	0	GE
		Chlorobenzene	<1.0		µg/L	0	GE
		Chloroethane	<1.0		µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0		µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0		µg/L	0	GE
		Chloroform	<1.0		µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0		µg/L	0	GE
		Chromium	<4.0		µg/L	0	GE
		Copper	74		µg/L	0	GE
		Cyanide	<5.0		µg/L	0	GE
		Dibromochloromethane	<1.0		µg/L	0	GE
		1,1-Dichloroethane	<1.0		µg/L	0	GE
		1,2-Dichloroethane	<1.0		µg/L	0	GE
		1,1-Dichloroethylene	<1.0		µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0		µg/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0		µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30		µg/L	0	GE
		1,2-Dichloropropane	<1.0		µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0		µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0		µg/L	0	GE
		Endrin	<0.0060		µg/L	0	GE
		Ethylbenzene	<1.0		µg/L	0	GE
		Fluoride	<100		µg/L	0	GE

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 32D collected on 08/10/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		Iron	1,360		µg/L	2	GE
		Lead	18		µg/L	2	GE
		Lindane	<0.0050		µg/L	0	GE
		Magnesium	1,570		µg/L	0	GE
		Manganese	17		µg/L	0	GE
		Mercury	<0.20		µg/L	0	GE
		Methoxychlor	<0.50		µg/L	0	GE
		Naphthalene	<10	J1	µg/L	0	GE
		Nickel	<4.0		µg/L	0	GE
		Nitrate-nitrite as nitrogen	5,450		µg/L	1	GE
		Phenols	<5.0		µg/L	0	GE
		Potassium	1,400		µg/L	0	GE
		Selenium	<2.0		µg/L	0	GE
		Silica	12,200		µg/L	0	GE
		Silver	<2.0		µg/L	0	GE
		Sodium	6,900		µg/L	0	GE
		Sulfate	<1,000		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0		µg/L	0	GE
		Tetrachloroethylene	1.3		µg/L	0	GE
		Tin	3.0		µg/L	0	GE
		Toluene	<1.0		µg/L	0	GE
		Total dissolved solids	51,000	V	µg/L	0	GE
		Total dissolved solids	52,000	V	µg/L	0	GE
		Total organic carbon	<1,000		µg/L	0	GE
		Total organic halogens	<5.0		µg/L	0	GE
		Total phosphates (as P)	180		µg/L	0	GE
		Toxaphene	<0.24		µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090		µg/L	0	GE
		Tributyl phosphate	<10	J1	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0		µg/L	0	GE
		1,1,2-Trichloroethane	<1.0		µg/L	0	GE
		Trichloroethylene	1.6		µg/L	0	GE
		Trichlorofluoromethane	<1.0		µg/L	0	GE
		Vanadium	<8.0		µg/L	0	GE
		Xylenes	<2.0		µg/L	0	GE
		Gross alpha	1.1E+01 ± 2.0E+00		pCi/L	1	GE
		Nonvolatile beta	6.4E+00 ± 1.3E+00		pCi/L	0	GE
		Radium, total alpha-emitting	4.4E+00 ± 9.0E-01		pCi/L	0	GE
		Total activity	5.6E+05 ± 5.3E+03		pCi/L	0	EM
■		Tritium	1.6E+02 ± 3.1E+00		pCi/mL	2	GE
		Uranium-233/234	<1.0E+00	Y	pCi/L	0	CN
		Uranium-235	<1.0E+00	Y	pCi/L	0	CN
		Uranium-238	<1.0E+00	Y	pCi/L	0	CN

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 33C

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N74479.7 E55681.4	33.281351 °N 81.664855 °W	187.8-177.8 ft msl	279.4 ft msl	4" PVC	S	McBean (IIB ₁)

FIELD MEASUREMENTS

Sample date: 08/10/93
Depth to water: 52.44 ft (15.98 m) below TOC
Water elevation: 226.96 ft (69.18 m) msl
Sp. conductance: 65 µS/cm
Turbidity: 1.0 NTU
Water evacuated before sampling: 110 gal

Time: 11:45
pH: 5.6
Alkalinity: 9 mg/L
Water temperature: 20.3 °C

Volumes purged: 3.4 well volumes

LABORATORY ANALYSES

H	D	Analyte	Result	Mod	Unit	Flag	Lab
•		pH	6.0	J	pH	0	GE
•		pH	6.0	J	pH	0	GE
		Specific conductance	101		µS/cm	0	GE
•		Turbidity	<0.10	J	NTU	0	GE
•		Turbidity	<0.10	J	NTU	0	GE
		Acetophenone	<10	J1	µg/L	0	GE
		Acetophenone	<10	J1	µg/L	0	GE
		Aluminum	180		µg/L	2	GE
		Aluminum	186		µg/L	2	GE
		Antimony	<2.0		µg/L	0	GE
		Antimony	<2.0		µg/L	0	GE
		Arsenic	<2.0		µg/L	0	GE
		Arsenic	<2.0		µg/L	0	GE
		Barium	12		µg/L	0	GE
		Barium	13		µg/L	0	GE
		Benzene	<1.0		µg/L	0	GE
		Bromodichloromethane	<1.0		µg/L	0	GE
		Bromoform	<1.0		µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0		µg/L	0	GE
		Cadmium	<2.0		µg/L	0	GE
		Cadmium	<2.0		µg/L	0	GE
		Calcium	6,740		µg/L	0	GE
		Calcium	6,910		µg/L	0	GE
		Carbon tetrachloride	1.1		µg/L	0	GE
		Chloride	5,570		µg/L	0	GE
		Chloride	5,720		µg/L	0	GE
		Chlorobenzene	<1.0		µg/L	0	GE
		Chloroethane	<1.0		µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0		µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0		µg/L	0	GE
		Chloroform	13		µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0		µg/L	0	GE
		Chromium	<4.0		µg/L	0	GE
		Chromium	<4.0		µg/L	0	GE
		Copper	<4.0		µg/L	0	GE
		Copper	<4.0		µg/L	0	GE
•		Cyanide	<5.0	J	µg/L	0	GE
		Dibromochloromethane	<1.0		µg/L	0	GE
		1,1-Dichloroethane	<1.0		µg/L	0	GE

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 33C collected on 08/10/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		1,2-Dichloroethane	< 1.0		µg/L	0	GE
		1,1-Dichloroethylene	< 1.0		µg/L	0	GE
		trans-1,2-Dichloroethylene	< 1.0		µg/L	0	GE
		Dichloromethane (Methylene chloride)	< 1.0		µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	< 0.30		µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	< 0.30		µg/L	0	GE
		1,2-Dichloropropane	< 1.0		µg/L	0	GE
		cis-1,3-Dichloropropene	< 1.0		µg/L	0	GE
		trans-1,3-Dichloropropene	< 1.0		µg/L	0	GE
		Endrin	< 0.0060		µg/L	0	GE
		Ethylbenzene	< 1.0		µg/L	0	GE
		Fluoride	< 100		µg/L	0	GE
		Iron	5.0		µg/L	0	GE
		Iron	5.0		µg/L	0	GE
		Lead	< 3.0		µg/L	0	GE
		Lead	< 3.0		µg/L	0	GE
		Lindane	< 0.0050		µg/L	0	GE
		Magnesium	659		µg/L	0	GE
		Magnesium	678		µg/L	0	GE
		Manganese	33		µg/L	1	GE
		Manganese	33		µg/L	1	GE
■		Mercury	2.2		µg/L	2	GE
		Methoxychlor	< 0.50		µg/L	0	GE
		Naphthalene	< 10	J1	µg/L	0	GE
		Naphthalene	< 10	J1	µg/L	0	GE
		Nickel	< 4.0		µg/L	0	GE
		Nickel	< 4.0		µg/L	0	GE
		Nitrate-nitrite as nitrogen	1,110		µg/L	0	GE
		Phenols	< 5.0		µg/L	0	GE
		Potassium	511		µg/L	0	GE
		Potassium	534		µg/L	0	GE
		Selenium	< 2.0		µg/L	0	GE
		Selenium	< 2.0		µg/L	0	GE
		Silica	10,400		µg/L	0	GE
		Silica	10,600		µg/L	0	GE
		Silver	< 2.0		µg/L	0	GE
		Silver	< 2.0		µg/L	0	GE
		Sodium	3,270		µg/L	0	GE
		Sodium	3,380		µg/L	0	GE
		Sulfate	< 1,000		µg/L	0	GE
		Sulfate	< 1,000		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	< 1.0		µg/L	0	GE
		Tetrachloroethylene	4.4		µg/L	1	GE
		Tin	< 2.0		µg/L	0	GE
		Tin	3.1		µg/L	0	GE
		Toluene	< 1.0		µg/L	0	GE
		Total dissolved solids	45,000		µg/L	0	GE
		Total dissolved solids	43,000		µg/L	0	GE
		Total organic carbon	< 1,000		µg/L	0	GE
●		Total organic halogens	1,460	J	µg/L	2	GE
		Total phosphates (as P)	< 50		µg/L	0	GE
		Toxaphene	< 0.24		µg/L	0	GE
		2,4,5-TP (Silvex)	< 0.090		µg/L	0	GE
		2,4,5-TP (Silvex)	< 0.090		µg/L	0	GE
		Tributyl phosphate	< 10	J1	µg/L	0	GE
		Tributyl phosphate	< 10	J1	µg/L	0	GE

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 33C collected on 08/10/93, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Mod</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		1,1,1-Trichloroethane	<1.0		µg/L	0	GE
		1,1,2-Trichloroethane	<1.0		µg/L	0	GE
	■	Trichloroethylene	28		µg/L	2	GE
		Trichlorofluoromethane	<1.0		µg/L	0	GE
		Vanadium	<8.0		µg/L	0	GE
		Vanadium	<8.0		µg/L	0	GE
		Xylenes	<2.0		µg/L	0	GE
		Gross alpha	<2.0E+00		pCi/L	0	GE
		Nonvolatile beta	<2.0E+00		pCi/L	0	GE
		Radium, total alpha-emitting	<1.0E+00		pCi/L	0	GE
		Total activity	8.4E+06 ± 6.4E+04		pCi/L	0	EM
	■	Tritium	8.2E+03 ± 1.6E+02		pCi/mL	2	GE
		Uranium-233/234	<1.0E+00	Y	pCi/L	0	CN
		Uranium-235	<1.0E+00	Y	pCi/L	0	CN
		Uranium-238	<1.0E+00	Y	pCi/L	0	CN

WELL BGO 33D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Pump</u>	<u>Formation</u>
N74468.7	33.281350 °N	233.1-213.1 ft msl	280.3 ft msl	4" PVC	S	Water Table (IIB ₂)
E55695.4	81.664797 °W					

FIELD MEASUREMENTS

Sample date: 08/10/93
Depth to water: 47.74 ft (14.55 m) below TOC
Water elevation: 232.56 ft (70.89 m) msl
Sp. conductance: 68 µS/cm
Turbidity: 14.5 NTU
Water evacuated before sampling: 12 gal
The well went dry during purging.

Time: 11:16
pH: 4.6
Alkalinity: 0 mg/L
Water temperature: 21.0 °C

Volumes purged: 0.9 well volumes

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Mod</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.1	J	pH	0	GE
		Specific conductance	61		µS/cm	0	GE
		Turbidity	8.7		NTU	0	GE
		Acetophenone	<10	J1	µg/L	0	GE
		Aluminum	104		µg/L	2	GE
		Antimony	<2.0		µg/L	0	GE
		Arsenic	<2.0		µg/L	0	GE
		Barium	16		µg/L	0	GE
		Benzene	<1.0		µg/L	0	GE
		Bromodichloromethane	<1.0		µg/L	0	GE
		Bromoform	<1.0		µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0		µg/L	0	GE
		Cadmium	<2.0		µg/L	0	GE
		Calcium	1,310		µg/L	0	GE
		Carbon tetrachloride	<1.0		µg/L	0	GE
		Chloride	8,220		µg/L	0	GE
		Chlorobenzene	<1.0		µg/L	0	GE
		Chloroethane	<1.0		µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0		µg/L	0	GE

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 33D collected on 08/10/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		2-Chloroethyl vinyl ether	<1.0		µg/L	0	GE
		Chloroform	<1.0		µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0		µg/L	0	GE
		Chromium	<4.0		µg/L	0	GE
		Copper	17		µg/L	0	GE
		Cyanide	<5.0		µg/L	0	GE
		Dibromochloromethane	<1.0		µg/L	0	GE
		1,1-Dichloroethane	<1.0		µg/L	0	GE
		1,2-Dichloroethane	<1.0		µg/L	0	GE
		1,1-Dichloroethylene	<1.0		µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0		µg/L	0	GE
		Dichloromethane (Methylene chloride)	1.3		µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30		µg/L	0	GE
		1,2-Dichloropropane	<1.0		µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0		µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0		µg/L	0	GE
		Endrin	<0.0060		µg/L	0	GE
		Ethylbenzene	<1.0		µg/L	0	GE
		Fluoride	<100		µg/L	0	GE
		Iron	96		µg/L	0	GE
		Lead	4.3		µg/L	0	GE
		Lindane	<0.0050		µg/L	0	GE
		Magnesium	1,640		µg/L	0	GE
		Manganese	3.2		µg/L	0	GE
		Mercury	<0.20		µg/L	0	GE
		Methoxychlor	<0.50		µg/L	0	GE
		Naphthalene	<10	J1	µg/L	0	GE
		Nickel	<4.0		µg/L	0	GE
		Nitrate-nitrite as nitrogen	3,020		µg/L	0	GE
		Nitrate-nitrite as nitrogen	2,780		µg/L	0	GE
		Phenols	<5.0		µg/L	0	GE
		Potassium	1,400		µg/L	0	GE
		Selenium	<2.0		µg/L	0	GE
		Silica	5,370		µg/L	0	GE
		Silver	<2.0		µg/L	0	GE
		Sodium	5,030		µg/L	0	GE
		Sulfate	<1,000		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0		µg/L	0	GE
		Tetrachloroethylene	<1.0		µg/L	0	GE
		Tin	3.6		µg/L	0	GE
		Toluene	<1.0		µg/L	0	GE
		Total dissolved solids	39,000	V	µg/L	0	GE
		Total organic carbon	<1,000		µg/L	0	GE
		Total organic halogens	<5.0		µg/L	0	GE
		Total organic halogens	5.2		µg/L	0	GE
		Total phosphates (as P)	<50		µg/L	0	GE
		Toxaphene	<0.24		µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090		µg/L	0	GE
		Tributyl phosphate	<10	J1	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0		µg/L	0	GE
		1,1,2-Trichloroethane	<1.0		µg/L	0	GE
		Trichloroethylene	<1.0		µg/L	0	GE
		Trichlorofluoromethane	<1.0		µg/L	0	GE
		Vanadium	<8.0		µg/L	0	GE
		Xylenes	<2.0		µg/L	0	GE
		Gross alpha	<2.0E+00		pCi/L	0	GE

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 33D collected on 08/10/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		Nonvolatile beta	2.8E+00 ± 1.1E+00		pCi/L	0	GE
		Radium, total alpha-emitting	3.4E+00 ± 1.3E+00		pCi/L	0	GE
		Radium, total alpha-emitting	3.0E+00 ± 1.3E+00		pCi/L	0	GE
		Tritium	1.8E+01 ± 8.1E-01		pCi/mL	1	GE
		Uranium-233/234	<1.0E+00		pCi/L	0	CN
		Uranium-235	<1.0E+00		pCi/L	0	CN
		Uranium-238	<1.0E+00		pCi/L	0	CN

WELL BGO 34D

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N74228.8 E56082.6	33.281451 °N 81.663311 °W	232.7-212.7 ft msl	274.9 ft msl	4" PVC	S	Water Table (IIB ₂)

FIELD MEASUREMENTS

Sample date: 08/10/93
Depth to water: 39.79 ft (12.13 m) below TOC
Water elevation: 235.11 ft (71.66 m) msl
Sp. conductance: 70 µS/cm
Turbidity: 6.8 NTU
Water evacuated before sampling: 16 gal
The well went dry during purging.

Time: 12:21
pH: 6.1
Alkalinity: 16 mg/L
Water temperature: 21.3 °C

Volumes purged: 1.1 well volumes

LABORATORY ANALYSES

H	D	Analyte	Result	Mod	Unit	Flag	Lab
•		pH	6.5	J	pH	0	GE
		Specific conductance	68		µS/cm	0	GE
		Turbidity	3.1		NTU	0	GE
		Acetophenone	<10	J1	µg/L	0	GE
		Aluminum	139		µg/L	2	GE
		Antimony	<2.0		µg/L	0	GE
		Arsenic	<2.0		µg/L	0	GE
		Barium	21		µg/L	0	GE
		Benzene	<1.0		µg/L	0	GE
		Bromodichloromethane	<1.0		µg/L	0	GE
		Bromoform	<1.0		µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0		µg/L	0	GE
		Cadmium	<2.0		µg/L	0	GE
		Calcium	8,380		µg/L	0	GE
		Carbon tetrachloride	<1.0		µg/L	0	GE
		Chloride	3,540		µg/L	0	GE
		Chlorobenzene	<1.0		µg/L	0	GE
		Chloroethane	<1.0		µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0		µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0		µg/L	0	GE
		Chloroform	<1.0		µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0		µg/L	0	GE
		Chromium	<4.0		µg/L	0	GE
		Copper	<4.0		µg/L	0	GE
		Cyanide	<5.0		µg/L	0	GE
		Dibromochloromethane	<1.0		µg/L	0	GE
		1,1-Dichloroethane	<1.0		µg/L	0	GE

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 34D collected on 08/10/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		1,2-Dichloroethane	< 1.0		µg/L	0	GE
		1,1-Dichloroethylene	< 1.0		µg/L	0	GE
		trans-1,2-Dichloroethylene	< 1.0		µg/L	0	GE
		Dichloromethane (Methylene chloride)	< 1.0		µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	< 0.30		µg/L	0	GE
		1,2-Dichloropropane	< 1.0		µg/L	0	GE
		cis-1,3-Dichloropropene	< 1.0		µg/L	0	GE
		trans-1,3-Dichloropropene	< 1.0		µg/L	0	GE
		Endrin	< 0.0060		µg/L	0	GE
		Ethylbenzene	< 1.0		µg/L	0	GE
		Fluoride	< 100		µg/L	0	GE
		Iron	20		µg/L	0	GE
		Lead	4.2		µg/L	0	GE
		Lindane	< 0.0050		µg/L	0	GE
		Magnesium	652		µg/L	0	GE
		Manganese	5.2		µg/L	0	GE
		Mercury	< 0.20		µg/L	0	GE
		Methoxychlor	< 0.50		µg/L	0	GE
		Naphthalene	< 10	J1	µg/L	0	GE
		Nickel	< 4.0		µg/L	0	GE
		Nitrate-nitrite as nitrogen	720		µg/L	0	GE
		Phenols	< 5.0		µg/L	0	GE
		Potassium	< 500		µg/L	0	GE
		Selenium	< 2.0		µg/L	0	GE
		Silica	6,940		µg/L	0	GE
		Silver	< 2.0		µg/L	0	GE
		Sodium	2,130		µg/L	0	GE
		Sulfate	< 1,000		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	< 1.0		µg/L	0	GE
		Tetrachloroethylene	< 1.0		µg/L	0	GE
		Tin	< 2.0		µg/L	0	GE
		Toluene	< 1.0		µg/L	0	GE
		Total dissolved solids	47,000	V	µg/L	0	GE
		Total organic carbon	< 1,000		µg/L	0	GE
		Total organic halogens	12		µg/L	0	GE
		Total phosphates (as P)	< 50		µg/L	0	GE
		Toxaphene	< 0.24		µg/L	0	GE
		2,4,5-TP (Silvex)	< 0.090		µg/L	0	GE
		Tributyl phosphate	< 10	J1	µg/L	0	GE
		1,1,1-Trichloroethane	< 1.0		µg/L	0	GE
		1,1,2-Trichloroethane	< 1.0		µg/L	0	GE
		Trichloroethylene	< 1.0		µg/L	0	GE
		Trichlorofluoromethane	< 1.0		µg/L	0	GE
		Vanadium	< 8.0		µg/L	0	GE
		Xylenes	< 2.0		µg/L	0	GE
		Gross alpha	< 2.0E+00		pCi/L	0	GE
		Nonvolatile beta	< 2.0E+00		pCi/L	0	GE
		Radium, total alpha-emitting	< 1.0E+00		pCi/L	0	GE
■		Tritium	2.2E+01 ± 8.8E-01		pCi/mL	2	GE
		Uranium-233/234	< 1.0E+00		pCi/L	0	CN
		Uranium-235	< 1.0E+00		pCi/L	0	CN
		Uranium-238	< 1.0E+00		pCi/L	0	CN

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 35C

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N73953.9 E56545.7	33.281598 °N 81.661558 °W	171.9-161.9 ft msl	273.4 ft msl	4" PVC	S	McBean (IIB ₁)

FIELD MEASUREMENTS

Sample date: 08/23/93
Depth to water: 43.51 ft (13.26 m) below TOC
Water elevation: 229.89 ft (70.07 m) msl
Sp. conductance: 47 µS/cm
Turbidity: 0.5 NTU
Water evacuated before sampling: 218 gal

Time: 10:48
pH: 6.4
Alkalinity: 11 mg/L
Water temperature: 19.8 °C

Volumes purged: 4.9 well volumes

LABORATORY ANALYSES

H	D	Analyte	Result	Mod	Unit	Flag	Lab
•		pH	6.0	J	pH	0	GE
•		pH	6.4	J	pH	0	GE
•		pH	6.5	J	pH	0	WA
•		pH	6.5	J	pH	0	WA
•		pH	6.5	J	pH	0	WA
		Specific conductance	44		µS/cm	0	GE
		Specific conductance	45		µS/cm	0	GE
•		Specific conductance	42	J	µS/cm	0	WA
•		Specific conductance	44	J	µS/cm	0	WA
		Turbidity	<0.10		NTU	0	GE
		Turbidity	<0.10		NTU	0	GE
		Turbidity	<0.20		NTU	0	WA
		Turbidity	<0.20		NTU	0	WA
		Acetophenone	<10	J1	µg/L	0	GE
		Acetophenone	<10	J1	µg/L	0	GE
		Acetophenone	<11		µg/L	0	WA
		Acetophenone	<11		µg/L	0	WA
		Acetophenone	<11		µg/L	0	WA
		Aluminum	55		µg/L	2	GE
		Aluminum	51		µg/L	2	GE
		Aluminum	45		µg/L	1	WA
		Aluminum	66		µg/L	2	WA
		Antimony	<2.0		µg/L	0	GE
		Antimony	<2.0		µg/L	0	GE
		Antimony	<2.0		µg/L	0	GE
		Antimony	<3.0		µg/L	0	WA
		Antimony	<3.0		µg/L	0	WA
		Arsenic	<2.0		µg/L	0	GE
		Arsenic	<2.0		µg/L	0	GE
		Arsenic	<2.0		µg/L	0	GE
		Arsenic	<2.0		µg/L	0	WA
		Arsenic	<2.0		µg/L	0	WA
		Barium	14		µg/L	0	GE
		Barium	14		µg/L	0	GE
		Barium	14		µg/L	0	WA
		Barium	14		µg/L	0	WA
		Benzene	<1.0		µg/L	0	GE
		Benzene	<1.0		µg/L	0	GE
		Benzene	<1.0		µg/L	0	GE

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 35C collected on 08/23/93, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Mod</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Benzene	< 5.0		µg/L	0	WA
		Benzene	< 5.0		µg/L	0	WA
		Bromodichloromethane	< 1.0		µg/L	0	GE
		Bromodichloromethane	< 1.0		µg/L	0	GE
		Bromodichloromethane	< 1.0		µg/L	0	GE
		Bromodichloromethane	< 5.0		µg/L	0	WA
		Bromodichloromethane	< 5.0		µg/L	0	WA
		Bromoform	< 1.0		µg/L	0	GE
		Bromoform	< 1.0		µg/L	0	GE
		Bromoform	< 1.0		µg/L	0	GE
		Bromoform	< 5.0		µg/L	0	WA
		Bromoform	< 5.0		µg/L	0	WA
		Bromomethane (Methyl bromide)	< 1.0		µg/L	0	GE
		Bromomethane (Methyl bromide)	< 1.0		µg/L	0	GE
		Bromomethane (Methyl bromide)	< 1.0		µg/L	0	GE
		Bromomethane (Methyl bromide)	< 10		µg/L	0	WA
		Bromomethane (Methyl bromide)	< 10		µg/L	0	WA
		Cadmium	< 2.0		µg/L	0	GE
		Cadmium	< 2.0		µg/L	0	GE
		Cadmium	< 2.0		µg/L	0	WA
		Cadmium	< 2.0		µg/L	0	WA
		Calcium	5,960		µg/L	0	GE
		Calcium	5,860		µg/L	0	GE
		Calcium	5,720		µg/L	0	WA
		Calcium	5,760		µg/L	0	WA
		Carbon tetrachloride	< 1.0		µg/L	0	GE
		Carbon tetrachloride	< 1.0		µg/L	0	GE
		Carbon tetrachloride	< 1.0		µg/L	0	GE
		Carbon tetrachloride	< 5.0		µg/L	0	WA
		Carbon tetrachloride	< 5.0		µg/L	0	WA
		Chloride	1,880		µg/L	0	GE
		Chloride	1,830		µg/L	0	GE
		Chloride	1,260		µg/L	0	WA
		Chloride	1,280		µg/L	0	WA
		Chlorobenzene	< 1.0		µg/L	0	GE
		Chlorobenzene	< 1.0		µg/L	0	GE
		Chlorobenzene	< 1.0		µg/L	0	GE
		Chlorobenzene	< 5.0		µg/L	0	WA
		Chlorobenzene	< 5.0		µg/L	0	WA
		Chloroethane	< 1.0		µg/L	0	GE
		Chloroethane	< 1.0		µg/L	0	GE
		Chloroethane	< 1.0		µg/L	0	GE
		Chloroethane	< 10		µg/L	0	WA
		Chloroethane	< 10		µg/L	0	WA
		Chloroethene (Vinyl chloride)	< 1.0		µg/L	0	GE
		Chloroethene (Vinyl chloride)	< 1.0		µg/L	0	GE
		Chloroethene (Vinyl chloride)	< 1.0		µg/L	0	GE
		Chloroethene (Vinyl chloride)	< 10		µg/L	0	WA
		Chloroethene (Vinyl chloride)	< 10		µg/L	0	WA
		2-Chloroethyl vinyl ether	< 1.0		µg/L	0	GE
		2-Chloroethyl vinyl ether	< 1.0		µg/L	0	GE
		2-Chloroethyl vinyl ether	< 1.0		µg/L	0	GE
		2-Chloroethyl vinyl ether	< 10		µg/L	0	WA
		2-Chloroethyl vinyl ether	< 10		µg/L	0	WA
		Chloroform	< 1.0		µg/L	0	GE
		Chloroform	< 1.0		µg/L	0	GE

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 35C collected on 08/23/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		Chloroform	<1.0		µg/L	0	GE
		Chloroform	<5.0		µg/L	0	WA
		Chloroform	<5.0		µg/L	0	WA
		Chloromethane (Methyl chloride)	<1.0		µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0		µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0		µg/L	0	GE
		Chloromethane (Methyl chloride)	<10		µg/L	0	WA
		Chloromethane (Methyl chloride)	<10		µg/L	0	WA
		Chromium	<4.0		µg/L	0	GE
		Chromium	<4.0		µg/L	0	GE
		Chromium	<4.0		µg/L	0	WA
		Chromium	<4.0		µg/L	0	WA
		Copper	<4.0		µg/L	0	GE
		Copper	<4.0		µg/L	0	GE
		Copper	<4.0		µg/L	0	WA
		Copper	<4.0		µg/L	0	WA
		Cyanide	<5.0		µg/L	0	GE
		Cyanide	<5.0		µg/L	0	GE
		Cyanide	<5.0		µg/L	0	WA
		Cyanide	<5.0		µg/L	0	WA
		Dibromochloromethane	<1.0		µg/L	0	GE
		Dibromochloromethane	<1.0		µg/L	0	GE
		Dibromochloromethane	<1.0		µg/L	0	GE
		Dibromochloromethane	<5.0		µg/L	0	WA
		Dibromochloromethane	<5.0		µg/L	0	WA
		1,1-Dichloroethane	<1.0		µg/L	0	GE
		1,1-Dichloroethane	<1.0		µg/L	0	GE
		1,1-Dichloroethane	<1.0		µg/L	0	GE
		1,1-Dichloroethane	<5.0		µg/L	0	WA
		1,1-Dichloroethane	<5.0		µg/L	0	WA
		1,2-Dichloroethane	<1.0		µg/L	0	GE
		1,2-Dichloroethane	<1.0		µg/L	0	GE
		1,2-Dichloroethane	<1.0		µg/L	0	GE
		1,2-Dichloroethane	<5.0		µg/L	0	WA
		1,2-Dichloroethane	<5.0		µg/L	0	WA
		1,1-Dichloroethylene	<1.0		µg/L	0	GE
		1,1-Dichloroethylene	<1.0		µg/L	0	GE
		1,1-Dichloroethylene	<1.0		µg/L	0	GE
		1,1-Dichloroethylene	<5.0		µg/L	0	WA
		1,1-Dichloroethylene	<5.0		µg/L	0	WA
		trans-1,2-Dichloroethylene	<1.0		µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0		µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0		µg/L	0	GE
		trans-1,2-Dichloroethylene	<5.0		µg/L	0	WA
		trans-1,2-Dichloroethylene	<5.0		µg/L	0	WA
		Dichloromethane (Methylene chloride)	<1.0		µg/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0		µg/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0		µg/L	0	GE
		Dichloromethane (Methylene chloride)	<5.0		µg/L	0	WA
		Dichloromethane (Methylene chloride)	<5.0		µg/L	0	WA
		2,4-Dichlorophenoxyacetic acid	<0.30		µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30		µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<1.1		µg/L	0	WA
		2,4-Dichlorophenoxyacetic acid	<1.1		µg/L	0	WA
		2,4-Dichlorophenoxyacetic acid	<2.2		µg/L	0	WA
		1,2-Dichloropropane	<1.0		µg/L	0	GE

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 35C collected on 08/23/93, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Mod</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		1,2-Dichloropropane	< 1.0		µg/L	0	GE
		1,2-Dichloropropane	< 1.0		µg/L	0	GE
		1,2-Dichloropropane	< 5.0		µg/L	0	WA
		1,2-Dichloropropane	< 5.0		µg/L	0	WA
		cis-1,3-Dichloropropene	< 1.0		µg/L	0	GE
		cis-1,3-Dichloropropene	< 1.0		µg/L	0	GE
		cis-1,3-Dichloropropene	< 1.0		µg/L	0	GE
		cis-1,3-Dichloropropene	< 5.0		µg/L	0	WA
		cis-1,3-Dichloropropene	< 5.0		µg/L	0	WA
		trans-1,3-Dichloropropene	< 1.0		µg/L	0	GE
		trans-1,3-Dichloropropene	< 1.0		µg/L	0	GE
		trans-1,3-Dichloropropene	< 1.0		µg/L	0	GE
		trans-1,3-Dichloropropene	< 5.0		µg/L	0	WA
		trans-1,3-Dichloropropene	< 5.0		µg/L	0	WA
		Endrin	< 0.0060		µg/L	0	GE
		Endrin	< 0.0060		µg/L	0	GE
		Endrin	< 0.0060		µg/L	0	GE
		Endrin	< 0.11		µg/L	0	WA
		Endrin	< 0.11		µg/L	0	WA
		Endrin	< 0.22		µg/L	0	WA
		Ethylbenzene	< 1.0		µg/L	0	GE
		Ethylbenzene	< 1.0		µg/L	0	GE
		Ethylbenzene	< 1.0		µg/L	0	GE
		Ethylbenzene	< 5.0		µg/L	0	WA
		Ethylbenzene	< 5.0		µg/L	0	WA
		Fluoride	< 100		µg/L	0	GE
		Fluoride	< 100		µg/L	0	GE
		Fluoride	< 100		µg/L	0	WA
		Fluoride	< 100		µg/L	0	WA
		Iron	< 4.0		µg/L	0	GE
		Iron	< 4.0		µg/L	0	GE
		Iron	< 4.0		µg/L	0	WA
		Iron	< 4.0		µg/L	0	WA
		Lead	< 3.0		µg/L	0	GE
		Lead	< 3.0		µg/L	0	GE
		Lead	< 3.0		µg/L	0	GE
		Lead	< 3.0		µg/L	0	WA
		Lead	< 3.0		µg/L	0	WA
		Lindane	< 0.0050		µg/L	0	GE
		Lindane	< 0.0050		µg/L	0	GE
		Lindane	< 0.0050		µg/L	0	GE
		Lindane	< 0.055		µg/L	0	WA
		Lindane	< 0.057		µg/L	0	WA
		Lindane	< 0.11		µg/L	0	WA
		Magnesium	366		µg/L	0	GE
		Magnesium	368		µg/L	0	GE
		Magnesium	346		µg/L	0	WA
		Magnesium	347		µg/L	0	WA
		Manganese	7.0		µg/L	0	GE
		Manganese	7.1		µg/L	0	GE
		Manganese	7.0		µg/L	0	WA
		Manganese	7.3		µg/L	0	WA
		Mercury	< 0.20		µg/L	0	GE
		Mercury	< 0.20		µg/L	0	GE
		Mercury	< 0.20		µg/L	0	WA
		Mercury	< 0.20		µg/L	0	WA

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 35C collected on 08/23/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		Methoxychlor	<0.50		µg/L	0	GE
		Methoxychlor	<0.50		µg/L	0	GE
		Methoxychlor	<0.50		µg/L	0	GE
		Methoxychlor	<1.1		µg/L	0	WA
		Methoxychlor	<1.1		µg/L	0	WA
		Methoxychlor	<0.55		µg/L	0	WA
		Methoxychlor	<0.57		µg/L	0	WA
		Naphthalene	<10	J1	µg/L	0	GE
		Naphthalene	<10	J1	µg/L	0	GE
		Nickel	<4.0		µg/L	0	GE
		Nickel	<4.0		µg/L	0	GE
		Nickel	<4.0		µg/L	0	WA
		Nickel	<4.0		µg/L	0	WA
		Nitrate as nitrogen	1,450		µg/L	0	WA
		Nitrate as nitrogen	1,470		µg/L	0	WA
		Nitrate-nitrite as nitrogen	1,150		µg/L	0	GE
		Nitrate-nitrite as nitrogen	1,170		µg/L	0	GE
		Phenols	<5.0		µg/L	0	GE
		Phenols	<5.0		µg/L	0	GE
		Phenols	<5.0		µg/L	0	WA
		Phenols	<5.0		µg/L	0	WA
		Potassium	<500		µg/L	0	GE
		Potassium	<500		µg/L	0	GE
		Potassium	<500		µg/L	0	WA
		Potassium	<500		µg/L	0	WA
		Selenium	<2.0		µg/L	0	GE
		Selenium	<2.0		µg/L	0	GE
		Selenium	<2.0		µg/L	0	GE
		Selenium	<2.0		µg/L	0	WA
		Selenium	<2.0		µg/L	0	WA
		Silica	10,100		µg/L	0	GE
		Silica	10,100		µg/L	0	GE
		Silica	9,110		µg/L	0	WA
		Silica	9,140		µg/L	0	WA
		Silver	<2.0		µg/L	0	GE
		Silver	<2.0		µg/L	0	GE
		Silver	<2.0		µg/L	0	WA
		Silver	<2.0		µg/L	0	WA
		Sodium	1,910		µg/L	0	GE
		Sodium	1,900		µg/L	0	GE
		Sodium	1,900	V	µg/L	0	WA
		Sodium	1,920	V	µg/L	0	WA
		Sulfate	<1,000		µg/L	0	GE
		Sulfate	<1,000		µg/L	0	GE
		Sulfate	<1,000		µg/L	0	WA
		Sulfate	<1,000		µg/L	0	WA
		1,1,2,2-Tetrachloroethane	<1.0		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<5.0		µg/L	0	WA
		1,1,2,2-Tetrachloroethane	<5.0		µg/L	0	WA
		Tetrachloroethylene	<1.0		µg/L	0	GE
		Tetrachloroethylene	<1.0		µg/L	0	GE
		Tetrachloroethylene	<1.0		µg/L	0	GE
		Tetrachloroethylene	<5.0		µg/L	0	WA
		Tetrachloroethylene	<5.0		µg/L	0	WA

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 35C collected on 08/23/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		Tin	<2.0		µg/L	0	GE
		Tin	<2.0		µg/L	0	GE
		Tin	<13		µg/L	0	WA
		Tin	<13		µg/L	0	WA
		Toluene	<1.0		µg/L	0	GE
		Toluene	<1.0		µg/L	0	GE
		Toluene	<1.0		µg/L	0	GE
		Toluene	<5.0		µg/L	0	WA
		Toluene	<5.0		µg/L	0	WA
		Total dissolved solids	38,000	V	µg/L	0	GE
		Total dissolved solids	35,000	V	µg/L	0	GE
		Total dissolved solids	36,000	V	µg/L	0	WA
		Total dissolved solids	39,000	V	µg/L	0	WA
		Total organic carbon	<1,000		µg/L	0	GE
		Total organic carbon	<1,000		µg/L	0	GE
		Total organic carbon	<1,000		µg/L	0	WA
		Total organic carbon	<1,000		µg/L	0	WA
		Total organic halogens	<5.0		µg/L	0	GE
		Total organic halogens	9.1		µg/L	0	GE
		Total organic halogens	<5.0		µg/L	0	WA
		Total organic halogens	<5.0		µg/L	0	WA
		Total phosphates (as P)	<50		µg/L	0	GE
		Total phosphates (as P)	<50		µg/L	0	GE
		Total phosphates (as P)	84		µg/L	0	WA
		Total phosphates (as P)	148		µg/L	0	WA
		Toxaphene	<0.24		µg/L	0	GE
		Toxaphene	<0.24		µg/L	0	GE
		Toxaphene	<0.24		µg/L	0	GE
		Toxaphene	<1.1		µg/L	0	WA
		Toxaphene	<1.1		µg/L	0	WA
		Toxaphene	<2.2		µg/L	0	WA
		Toxaphene	<2.2		µg/L	0	WA
		2,4,5-TP (Silvex)	<0.090		µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090		µg/L	0	GE
		2,4,5-TP (Silvex)	<1.1		µg/L	0	WA
		2,4,5-TP (Silvex)	<0.53		µg/L	0	WA
		2,4,5-TP (Silvex)	<0.57		µg/L	0	WA
		Tributyl phosphate	<10	J1	µg/L	0	GE
		Tributyl phosphate	<10	J1	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0		µg/L	0	GE
		1,1,1-Trichloroethane	<1.0		µg/L	0	GE
		1,1,1-Trichloroethane	<1.0		µg/L	0	GE
		1,1,1-Trichloroethane	<5.0		µg/L	0	WA
		1,1,1-Trichloroethane	<5.0		µg/L	0	WA
		1,1,2-Trichloroethane	<1.0		µg/L	0	GE
		1,1,2-Trichloroethane	<1.0		µg/L	0	GE
		1,1,2-Trichloroethane	<1.0		µg/L	0	GE
		1,1,2-Trichloroethane	<5.0		µg/L	0	WA
		1,1,2-Trichloroethane	<5.0		µg/L	0	WA
		Trichloroethylene	1.2		µg/L	0	GE
		Trichloroethylene	1.2		µg/L	0	GE
		Trichloroethylene	1.2		µg/L	0	GE
		Trichloroethylene	1.2	J	µg/L	0	WA
		Trichloroethylene	1.3	J	µg/L	0	WA
		Trichlorofluoromethane	<1.0		µg/L	0	GE
		Trichlorofluoromethane	<1.0		µg/L	0	GE

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 35C collected on 08/23/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		Trichlorofluoromethane	<1.0		µg/L	0	GE
		Trichlorofluoromethane	<5.0		µg/L	0	WA
		Trichlorofluoromethane	<5.0		µg/L	0	WA
		Vanadium	<8.0		µg/L	0	GE
		Vanadium	<8.0		µg/L	0	GE
		Vanadium	<3.0		µg/L	0	WA
		Vanadium	<3.0		µg/L	0	WA
		Xylenes	<2.0		µg/L	0	GE
		Xylenes	<2.0		µg/L	0	GE
		Xylenes	<2.0		µg/L	0	GE
		Xylenes	<5.0		µg/L	0	WA
		Xylenes	<5.0		µg/L	0	WA
		Gross alpha	<2.0E+00		pCi/L	0	GE
		Gross alpha	<2.0E+00		pCi/L	0	GE
		Gross alpha	<6.0E-01		pCi/L	0	TM
		Gross alpha	8.0E-01 ± 9.0E-01		pCi/L	0	TM
		Gross alpha	<6.0E-01		pCi/L	0	TM
		Nonvolatile beta	<2.0E+00		pCi/L	0	GE
		Nonvolatile beta	<2.0E+00		pCi/L	0	GE
		Nonvolatile beta	<8.0E-01		pCi/L	0	TM
		Nonvolatile beta	1.4E+00 ± 1.7E+00		pCi/L	0	TM
		Nonvolatile beta	2.2E+00 ± 1.8E+00		pCi/L	0	TM
		Radium-226	<3.0E-01		pCi/L	0	TM
		Radium-226	<2.6E-01		pCi/L	0	TM
		Radium-226	<2.4E-01		pCi/L	0	TM
		Radium-228	1.8E+00 ± 1.3E+00		pCi/L	0	TM
		Radium-228	2.1E+00 ± 1.2E+00		pCi/L	0	TM
		Radium-228	<4.0E-01		pCi/L	0	TM
		Radium, total alpha-emitting	<1.0E+00		pCi/L	0	GE
		Radium, total alpha-emitting	<1.0E+00		pCi/L	0	GE
		Tritium	8.3E+00 ± 6.2E-01		pCi/mL	0	GE
		Tritium	8.9E+00 ± 6.3E-01		pCi/mL	0	GE
		Tritium	8.4E+00 ± 7.0E-01		pCi/mL	0	TM
		Tritium	7.9E+00 ± 6.8E-01		pCi/mL	0	TM
		Tritium	7.4E+00 ± 6.6E-01		pCi/mL	0	TM
		Uranium-233/234	<1.0E+00		pCi/L	0	CN
		Uranium-233/234	<1.0E+00		pCi/L	0	CN
		Uranium-235	<1.0E+00		pCi/L	0	CN
		Uranium-235	<1.0E+00		pCi/L	0	CN
		Uranium-238	<1.0E+00		pCi/L	0	CN
		Uranium-238	<1.0E+00		pCi/L	0	CN

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 35D

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N73946.0 E56556.5	33.281599 °N 81.661514 °W	239.4-219.4 ft msl	273.5 ft msl	4" PVC	S	Water Table (IIB ₂)

FIELD MEASUREMENTS

Sample date: 08/20/93
Depth to water: 36.82 ft (11.22 m) below TOC
Water elevation: 236.68 ft (72.14 m) msl
Sp. conductance: 42 µS/cm
Turbidity: 28.7 NTU
Water evacuated before sampling: 13 gal
The well went dry during purging.

Time: 9:35
pH: 4.5
Alkalinity: 0 mg/L
Water temperature: 20.6 °C
Volumes purged: 1.1 well volumes

LABORATORY ANALYSES

H	D	Analyte	Result	Mod	Unit	Flag	Lab
•		pH	5.0	J	pH	0	GE
		Specific conductance	33		µS/cm	0	GE
•		Turbidity	18	J	NTU	0	GE
		Acetophenone	<10	J1	µg/L	0	GE
		Aluminum	158		µg/L	2	GE
		Aluminum	160		µg/L	2	GE
		Antimony	<2.0		µg/L	0	GE
		Arsenic	<2.0		µg/L	0	GE
		Barium	14		µg/L	0	GE
		Barium	14		µg/L	0	GE
		Benzene	<1.0		µg/L	0	GE
		Bromodichloromethane	<1.0		µg/L	0	GE
		Bromoform	<1.0		µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0		µg/L	0	GE
		Cadmium	<2.0		µg/L	0	GE
		Cadmium	<2.0		µg/L	0	GE
		Calcium	153		µg/L	0	GE
		Calcium	153		µg/L	0	GE
		Carbon tetrachloride	<1.0		µg/L	0	GE
		Chloride	2,960		µg/L	0	GE
		Chloride	3,020		µg/L	0	GE
		Chlorobenzene	<1.0		µg/L	0	GE
		Chloroethane	<1.0		µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0		µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0		µg/L	0	GE
		Chloroform	<1.0		µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0		µg/L	0	GE
		Chromium	<4.0		µg/L	0	GE
		Chromium	<4.0		µg/L	0	GE
		Copper	21		µg/L	0	GE
		Copper	21		µg/L	0	GE
		Cyanide	<5.0		µg/L	0	GE
		Dibromochloromethane	<1.0		µg/L	0	GE
		1,1-Dichloroethane	<1.0		µg/L	0	GE
		1,2-Dichloroethane	<1.0		µg/L	0	GE
		1,1-Dichloroethylene	<1.0		µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0		µg/L	0	GE
		Dichloromethane (Methylene chloride)	1.3		µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30		µg/L	0	GE

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 35D collected on 08/20/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		1,2-Dichloropropane	< 1.0		µg/L	0	GE
		cis-1,3-Dichloropropene	< 1.0		µg/L	0	GE
		trans-1,3-Dichloropropene	< 1.0		µg/L	0	GE
		Endrin	< 0.0060		µg/L	0	GE
		Ethylbenzene	< 1.0		µg/L	0	GE
		Fluoride	< 100		µg/L	0	GE
		Iron	117		µg/L	0	GE
		Iron	118		µg/L	0	GE
		Lead	< 3.0		µg/L	0	GE
		Lindane	< 0.0050		µg/L	0	GE
		Magnesium	363		µg/L	0	GE
		Magnesium	362		µg/L	0	GE
		Manganese	2.4		µg/L	0	GE
		Manganese	2.4		µg/L	0	GE
		Mercury	< 0.20		µg/L	0	GE
		Methoxychlor	< 0.50		µg/L	0	GE
		Naphthalene	< 10	J1	µg/L	0	GE
		Nickel	< 4.0		µg/L	0	GE
		Nickel	< 4.0		µg/L	0	GE
		Nitrate-nitrite as nitrogen	2,260		µg/L	0	GE
		Phenols	< 5.0		µg/L	0	GE
		Phenols	< 5.0		µg/L	0	GE
		Potassium	< 500		µg/L	0	GE
		Potassium	< 500		µg/L	0	GE
		Selenium	< 2.0		µg/L	0	GE
		Silica	7,090		µg/L	0	GE
		Silica	7,130		µg/L	0	GE
		Silver	< 2.0		µg/L	0	GE
		Silver	< 2.0		µg/L	0	GE
		Sodium	4,540		µg/L	0	GE
		Sodium	4,560		µg/L	0	GE
		Sulfate	< 1,000		µg/L	0	GE
		Sulfate	< 1,000		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	< 1.0		µg/L	0	GE
		Tetrachloroethylene	< 1.0		µg/L	0	GE
		Tin	< 2.0		µg/L	0	GE
		Tin	< 2.0		µg/L	0	GE
		Toluene	< 1.0		µg/L	0	GE
		Total dissolved solids	31,000	V	µg/L	0	GE
		Total organic carbon	1,350		µg/L	0	GE
		Total organic halogens	< 5.0		µg/L	0	GE
		Total phosphates (as P)	< 50		µg/L	0	GE
		Toxaphene	< 0.24		µg/L	0	GE
		2,4,5-TP (Silvex)	< 0.090		µg/L	0	GE
		Tributyl phosphate	< 10	J1	µg/L	0	GE
		1,1,1-Trichloroethane	< 1.0		µg/L	0	GE
		1,1,2-Trichloroethane	< 1.0		µg/L	0	GE
		Trichloroethylene	< 1.0		µg/L	0	GE
		Trichlorofluoromethane	< 1.0		µg/L	0	GE
		Vanadium	< 8.0		µg/L	0	GE
		Vanadium	< 8.0		µg/L	0	GE
		Xylenes	< 2.0		µg/L	0	GE
		Gross alpha	2.0E+00 ± 1.3E+00		pCi/L	0	GE
		Nonvolatile beta	3.4E+00 ± 1.4E+00		pCi/L	0	GE
		Radium, total alpha-emitting	1.3E+00 ± 4.0E-01		pCi/L	0	GE
■		Tritium	7.7E+01 ± 1.6E+00		pCi/mL	2	GE

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 35D collected on 08/20/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		Uranium-233/234	<1.0E+00		pCi/L	0	CN
		Uranium-235	<1.0E+00		pCi/L	0	CN
		Uranium-238	<1.0E+00		pCi/L	0	CN

WELL BGO 36D

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N73743.8 E56888.1	33.281692 °N 81.660248 °W	243.3-223.3 ft msl	275.4 ft msl	4" PVC	S	Water Table (IIB ₂)

FIELD MEASUREMENTS

Sample date: 08/11/93
Depth to water: 35.73 ft (10.89 m) below TOC
Water elevation: 239.67 ft (73.05 m) msl
Sp. conductance: 32 µS/cm
Turbidity: 32.2 NTU
Water evacuated before sampling: 12 gal
The well went dry during purging.

Time: 9:29
pH: 4.8
Alkalinity: 1 mg/L
Water temperature: 20.7 °C

Volumes purged: 1.1 well volumes

LABORATORY ANALYSES

H	D	Analyte	Result	Mod	Unit	Flag	Lab
•		pH	5.4	J	pH	0	GE
		Specific conductance	25		µS/cm	0	GE
		Specific conductance	25		µS/cm	0	GE
		Turbidity	15		NTU	0	GE
		Acetophenone	<10		µg/L	0	GE
		Aluminum	384		µg/L	2	GE
		Antimony	<2.0		µg/L	0	GE
		Arsenic	<2.0		µg/L	0	GE
		Barium	15		µg/L	0	GE
		Benzene	<1.0		µg/L	0	GE
		Bromodichloromethane	<1.0		µg/L	0	GE
		Bromoform	<1.0		µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0		µg/L	0	GE
		Cadmium	<2.0		µg/L	0	GE
		Calcium	64	J2	µg/L	0	GE
		Carbon tetrachloride	<1.0		µg/L	0	GE
		Chloride	3,470		µg/L	0	GE
		Chlorobenzene	<1.0		µg/L	0	GE
		Chloroethane	<1.0		µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0		µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0		µg/L	0	GE
		Chloroform	<1.0		µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0		µg/L	0	GE
		Chromium	<4.0		µg/L	0	GE
		Copper	80		µg/L	0	GE
		Cyanide	<5.0		µg/L	0	GE
		Dibromochloromethane	<1.0		µg/L	0	GE
		1,1-Dichloroethane	<1.0		µg/L	0	GE
		1,2-Dichloroethane	<1.0		µg/L	0	GE
		1,1-Dichloroethylene	<1.0		µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0		µg/L	0	GE

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 36D collected on 08/11/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		Dichloromethane (Methylene chloride)	1.0		µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30		µg/L	0	GE
		1,2-Dichloropropane	<1.0		µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0		µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0		µg/L	0	GE
		Endrin	<0.0060		µg/L	0	GE
		Endrin	<0.0060		µg/L	0	GE
		Ethylbenzene	<1.0		µg/L	0	GE
		Fluoride	<100		µg/L	0	GE
		Iron	107		µg/L	0	GE
		Lead	10		µg/L	1	GE
		Lindane	<0.0050		µg/L	0	GE
		Lindane	<0.0050		µg/L	0	GE
		Magnesium	408		µg/L	0	GE
		Manganese	9.6		µg/L	0	GE
		Mercury	<0.20		µg/L	0	GE
		Methoxychlor	<0.50		µg/L	0	GE
		Methoxychlor	<0.50		µg/L	0	GE
		Naphthalene	<10		µg/L	0	GE
		Nickel	<4.0		µg/L	0	GE
		Nitrate-nitrite as nitrogen	820		µg/L	0	GE
		Phenols	<5.0		µg/L	0	GE
		Potassium	<500		µg/L	0	GE
		Selenium	<2.0		µg/L	0	GE
		Silica	6,070		µg/L	0	GE
		Silver	<2.0		µg/L	0	GE
		Sodium	3,340		µg/L	0	GE
		Sulfate	<1,000		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0		µg/L	0	GE
		Tetrachloroethylene	<1.0		µg/L	0	GE
		Tin	<2.0		µg/L	0	GE
		Toluene	<1.0		µg/L	0	GE
		Total dissolved solids	17,000	V	µg/L	0	GE
		Total organic carbon	<1,000		µg/L	0	GE
		Total organic halogens	38		µg/L	1	GE
		Total phosphates (as P)	<50		µg/L	0	GE
		Toxaphene	<0.24		µg/L	0	GE
		Toxaphene	<0.24		µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090		µg/L	0	GE
		Tributyl phosphate	<10		µg/L	0	GE
		1,1,1-Trichloroethane	<1.0		µg/L	0	GE
		1,1,2-Trichloroethane	<1.0		µg/L	0	GE
		Trichloroethylene	<1.0		µg/L	0	GE
		Trichlorofluoromethane	<1.0		µg/L	0	GE
		Vanadium	<8.0		µg/L	0	GE
		Xylenes	<2.0		µg/L	0	GE
		Gross alpha	<2.0E+00		pCi/L	0	GE
		Nonvolatile beta	<2.0E+00		pCi/L	0	GE
		Radium, total alpha-emitting	1.0E+00 ± 5.0E-01		pCi/L	0	GE
■		Tritium	2.6E+01 ± 9.5E-01		pCi/mL	2	GE
		Uranium-233/234	<1.0E+00	Y	pCi/L	0	CN
		Uranium-235	<1.0E+00	Y	pCi/L	0	CN
		Uranium-238	<1.0E+00	Y	pCi/L	0	CN

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 37D

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N73490.8 E57292.9	33.281793 °N 81.658691 °W	246.1-226.1 ft msl	287.3 ft msl	4" PVC	S	Water Table (IIB ₂)

FIELD MEASUREMENTS

Sample date: 08/11/93
Depth to water: 45.04 ft (13.73 m) below TOC
Water elevation: 242.26 ft (73.84 m) msl
Sp. conductance: 34 μ S/cm
Turbidity: 19.6 NTU
Water evacuated before sampling: 13 gal
The well went dry during purging.

Time: 9:51
pH: 5.5
Alkalinity: 2 mg/L
Water temperature: 20.6 °C

Volumes purged: 1.2 well volumes

LABORATORY ANALYSES

H	D	Analyte	Result	Mod	Unit	Flag	Lab
•		pH	5.9	J	pH	0	GE
		Specific conductance	30		μ S/cm	0	GE
		Turbidity	15		NTU	0	GE
		Acetophenone	<10	J1	μ g/L	0	GE
		Aluminum	73		μ g/L	2	GE
		Antimony	<2.0		μ g/L	0	GE
		Arsenic	<2.0		μ g/L	0	GE
		Barium	8.8		μ g/L	0	GE
		Benzene	<1.0		μ g/L	0	GE
		Benzene	<1.0		μ g/L	0	GE
		Bromodichloromethane	<1.0		μ g/L	0	GE
		Bromodichloromethane	<1.0		μ g/L	0	GE
		Bromoform	<1.0		μ g/L	0	GE
		Bromoform	<1.0		μ g/L	0	GE
		Bromomethane (Methyl bromide)	<1.0		μ g/L	0	GE
		Bromomethane (Methyl bromide)	<1.0		μ g/L	0	GE
		Cadmium	<2.0		μ g/L	0	GE
		Calcium	400	J2	μ g/L	0	GE
		Carbon tetrachloride	<1.0		μ g/L	0	GE
		Carbon tetrachloride	<1.0		μ g/L	0	GE
		Chloride	1,590		μ g/L	0	GE
		Chlorobenzene	<1.0		μ g/L	0	GE
		Chlorobenzene	<1.0		μ g/L	0	GE
		Chloroethane	<1.0		μ g/L	0	GE
		Chloroethane	<1.0		μ g/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0		μ g/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0		μ g/L	0	GE
		2-Chloroethyl vinyl ether	<1.0		μ g/L	0	GE
		2-Chloroethyl vinyl ether	<1.0		μ g/L	0	GE
		Chloroform	<1.0		μ g/L	0	GE
		Chloroform	<1.0		μ g/L	0	GE
		Chloromethane (Methyl chloride)	<1.0		μ g/L	0	GE
		Chloromethane (Methyl chloride)	<1.0		μ g/L	0	GE
		Chromium	<4.0		μ g/L	0	GE
		Copper	17		μ g/L	0	GE
		Cyanide	<5.0		μ g/L	0	GE
		Dibromochloromethane	<1.0		μ g/L	0	GE
		Dibromochloromethane	<1.0		μ g/L	0	GE
		1,1-Dichloroethane	<1.0		μ g/L	0	GE

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 37D collected on 08/11/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		1,1-Dichloroethane	<1.0		µg/L	0	GE
		1,2-Dichloroethane	<1.0		µg/L	0	GE
		1,2-Dichloroethane	<1.0		µg/L	0	GE
		1,1-Dichloroethylene	<1.0		µg/L	0	GE
		1,1-Dichloroethylene	<1.0		µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0		µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0		µg/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0		µg/L	0	GE
		Dichloromethane (Methylene chloride)	1.0		µg/L	0	GE
•		2,4-Dichlorophenoxyacetic acid	<0.30	J	µg/L	0	GE
		1,2-Dichloropropane	<1.0		µg/L	0	GE
		1,2-Dichloropropane	<1.0		µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0		µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0		µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0		µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0		µg/L	0	GE
		Endrin	<0.0060		µg/L	0	GE
		Ethylbenzene	<1.0		µg/L	0	GE
		Ethylbenzene	<1.0		µg/L	0	GE
		Fluoride	<100		µg/L	0	GE
		Iron	351		µg/L	2	GE
		Lead	11		µg/L	1	GE
		Lindane	<0.0050		µg/L	0	GE
		Magnesium	283		µg/L	0	GE
		Manganese	15		µg/L	0	GE
		Mercury	<0.20		µg/L	0	GE
		Methoxychlor	<0.50		µg/L	0	GE
		Naphthalene	<10	J1	µg/L	0	GE
		Nickel	<4.0		µg/L	0	GE
		Nitrate-nitrite as nitrogen	1,900		µg/L	0	GE
		Phenols	<5.0		µg/L	0	GE
		Potassium	<500		µg/L	0	GE
		Selenium	<2.0		µg/L	0	GE
		Silica	5,750		µg/L	0	GE
		Silver	<2.0		µg/L	0	GE
		Sodium	4,530		µg/L	0	GE
		Sulfate	<1,000		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0		µg/L	0	GE
		Tetrachloroethylene	<1.0		µg/L	0	GE
		Tetrachloroethylene	<1.0		µg/L	0	GE
		Tin	<2.0		µg/L	0	GE
		Toluene	<1.0		µg/L	0	GE
		Toluene	<1.0		µg/L	0	GE
		Total dissolved solids	20,000	V	µg/L	0	GE
		Total organic carbon	<1,000		µg/L	0	GE
		Total organic halogens	18		µg/L	0	GE
		Total phosphates (as P)	<50		µg/L	0	GE
		Toxaphene	<0.24		µg/L	0	GE
•		2,4,5-TP (Silvex)	<0.090	J	µg/L	0	GE
		Tributyl phosphate	<10	J1	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0		µg/L	0	GE
		1,1,1-Trichloroethane	<1.0		µg/L	0	GE
		1,1,2-Trichloroethane	<1.0		µg/L	0	GE
		1,1,2-Trichloroethane	<1.0		µg/L	0	GE
		Trichloroethylene	<1.0		µg/L	0	GE

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 37D collected on 08/11/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		Trichloroethylene	< 1.0		µg/L	0	GE
		Trichlorofluoromethane	< 1.0		µg/L	0	GE
		Trichlorofluoromethane	< 1.0		µg/L	0	GE
		Vanadium	< 8.0		µg/L	0	GE
		Xylenes	< 2.0		µg/L	0	GE
		Xylenes	< 2.0		µg/L	0	GE
		Gross alpha	< 2.0E+00		pCi/L	0	GE
		Nonvolatile beta	< 2.0E+00		pCi/L	0	GE
		Radium, total alpha-emitting	< 1.0E+00		pCi/L	0	GE
■		Tritium	2.9E+01 ± 9.9E-01		pCi/mL	2	GE
		Uranium-233/234	< 1.0E+00	Y	pCi/L	0	CN
		Uranium-235	< 1.0E+00	Y	pCi/L	0	CN
		Uranium-238	< 1.0E+00	Y	pCi/L	0	CN

WELL BGO 38D

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N73329.3 E57557.5	33.281868 °N 81.657681 °W	242.3-222.3 ft msl	291.6 ft msl	4" PVC	S	Water Table (IIB ₂)

FIELD MEASUREMENTS

Sample date: 08/11/93
Depth to water: 52.80 ft (16.09 m) below TOC
Water elevation: 238.80 ft (72.79 m) msl
Sp. conductance: 34 µS/cm
Turbidity: 161 NTU
Water evacuated before sampling: 11 gal
The well went dry during purging.

Time: 10:19
pH: 4.2
Alkalinity: 0 mg/L
Water temperature: 21.2 °C

Volumes purged: 1.0 well volumes

LABORATORY ANALYSES

H	D	Analyte	Result	Mod	Unit	Flag	Lab
•		pH	4.6	J	pH	0	GE
		Specific conductance	31		µS/cm	0	GE
		Turbidity	40		NTU	0	GE
		Acetophenone	< 10	J1	µg/L	0	GE
		Aluminum	919		µg/L	2	GE
		Antimony	< 2.0		µg/L	0	GE
		Arsenic	< 2.0		µg/L	0	GE
		Barium	19		µg/L	0	GE
		Benzene	< 1.0		µg/L	0	GE
		Bromodichloromethane	< 1.0		µg/L	0	GE
		Bromoform	< 1.0		µg/L	0	GE
		Bromomethane (Methyl bromide)	< 1.0		µg/L	0	GE
		Cadmium	< 2.0		µg/L	0	GE
		Calcium	97	J2	µg/L	0	GE
		Carbon tetrachloride	< 1.0		µg/L	0	GE
		Chloride	1,330		µg/L	0	GE
		Chlorobenzene	< 1.0		µg/L	0	GE
		Chloroethane	< 1.0		µg/L	0	GE
		Chloroethene (Vinyl chloride)	< 1.0		µg/L	0	GE
		2-Chloroethyl vinyl ether	< 1.0		µg/L	0	GE

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 38D collected on 08/11/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		Chloroform	<1.0		µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0		µg/L	0	GE
		Chromium	<4.0		µg/L	0	GE
•		Copper	15		µg/L	0	GE
		Cyanide	<5.0	J	µg/L	0	GE
		Dibromochloromethane	<1.0		µg/L	0	GE
		1,1-Dichloroethane	<1.0		µg/L	0	GE
		1,2-Dichloroethane	<1.0		µg/L	0	GE
		1,1-Dichloroethylene	<1.0		µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0		µg/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0		µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30		µg/L	0	GE
		1,2-Dichloropropane	<1.0		µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0		µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0		µg/L	0	GE
		Endrin	<0.0060		µg/L	0	GE
		Endrin	<0.0060		µg/L	0	GE
		Ethylbenzene	<1.0		µg/L	0	GE
		Fluoride	<100		µg/L	0	GE
		Fluoride	<100		µg/L	0	GE
		Iron	583		µg/L	2	GE
		Lead	4.8		µg/L	0	GE
		Lindane	<0.0050		µg/L	0	GE
		Lindane	<0.0050		µg/L	0	GE
		Magnesium	697		µg/L	0	GE
		Manganese	23		µg/L	0	GE
		Mercury	<0.20		µg/L	0	GE
		Methoxychlor	<0.50		µg/L	0	GE
		Methoxychlor	<0.50		µg/L	0	GE
		Naphthalene	<10	J1	µg/L	0	GE
		Nickel	<4.0		µg/L	0	GE
		Nitrate-nitrite as nitrogen	1,140		µg/L	0	GE
		Nitrate-nitrite as nitrogen	1,240		µg/L	0	GE
		Phenols	9.3		µg/L	0	GE
		Potassium	<500		µg/L	0	GE
		Selenium	<2.0		µg/L	0	GE
		Silica	6,960		µg/L	0	GE
		Silver	<2.0		µg/L	0	GE
		Sodium	1,390		µg/L	0	GE
		Sulfate	<1,000		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0		µg/L	0	GE
		Tetrachloroethylene	<1.0		µg/L	0	GE
		Tin	<2.0		µg/L	0	GE
		Toluene	<1.0		µg/L	0	GE
		Total dissolved solids	19,000	V	µg/L	0	GE
		Total organic carbon	<1,000		µg/L	0	GE
		Total organic halogens	<5.0		µg/L	0	GE
		Total phosphates (as P)	250		µg/L	0	GE
		Toxaphene	<0.24		µg/L	0	GE
		Toxaphene	<0.24		µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090		µg/L	0	GE
		Tributyl phosphate	<10	J1	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0		µg/L	0	GE
		1,1,2-Trichloroethane	<1.0		µg/L	0	GE
		Trichloroethylene	<1.0		µg/L	0	GE
		Trichlorofluoromethane	<1.0		µg/L	0	GE

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 38D collected on 08/11/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		Vanadium	< 8.0		µg/L	0	GE
		Xylenes	< 2.0		µg/L	0	GE
		Gross alpha	3.0E+00 ± 1.0E+00		pCi/L	0	GE
		Nonvolatile beta	< 2.0E+00		pCi/L	0	GE
		Radium, total alpha-emitting	1.4E+00 ± 5.0E-01		pCi/L	0	GE
■		Tritium	2.8E+01 ± 9.7E-01		pCi/mL	2	GE
		Uranium-233/234	< 1.0E+00	Y	pCi/L	0	CN
		Uranium-235	< 1.0E+00	Y	pCi/L	0	CN
		Uranium-238	< 1.0E+00	Y	pCi/L	0	CN

WELL BGO 39D

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N73583.5	33.282876 °N	244.7-224.7 ft msl	295.7 ft msl	4" PVC	S	Water Table (IIB ₂)
E57831.0	81.657454 °W					

FIELD MEASUREMENTS

Sample date: 08/11/93
Depth to water: 57.62 ft (17.56 m) below TOC
Water elevation: 238.08 ft (72.57 m) msl
Sp. conductance: 35 µS/cm
Turbidity: 25.2 NTU
Water evacuated before sampling: 8 gal
The well went dry during purging.

Time: 10:41
pH: 4.3
Alkalinity: 0 mg/L
Water temperature: 21.3 °C

Volumes purged: 0.9 well volumes

LABORATORY ANALYSES

H	D	Analyte	Result	Mod	Unit	Flag	Lab
●		pH	4.8	J	pH	0	GE
●		pH	4.8	J	pH	0	GE
		Specific conductance	29		µS/cm	0	GE
		Turbidity	36		NTU	0	GE
		Turbidity	36		NTU	0	GE
		Acetophenone	< 10		µg/L	0	GE
		Acetophenone	< 10		µg/L	0	GE
		Aluminum	605		µg/L	2	GE
		Antimony	< 2.0		µg/L	0	GE
		Antimony	< 2.0		µg/L	0	GE
		Arsenic	< 2.0		µg/L	0	GE
		Arsenic	< 2.0		µg/L	0	GE
		Barium	7.2		µg/L	0	GE
		Benzene	< 1.0		µg/L	0	GE
		Bromodichloromethane	< 1.0		µg/L	0	GE
		Bromoform	< 1.0		µg/L	0	GE
		Bromomethane (Methyl bromide)	< 1.0		µg/L	0	GE
		Cadmium	< 2.0		µg/L	0	GE
		Calcium	58	J2	µg/L	0	GE
		Carbon tetrachloride	< 1.0		µg/L	0	GE
		Chloride	3,150		µg/L	0	GE
		Chlorobenzene	< 1.0		µg/L	0	GE
		Chloroethane	< 1.0		µg/L	0	GE
		Chloroethene (Vinyl chloride)	< 1.0		µg/L	0	GE
		2-Chloroethyl vinyl ether	< 1.0		µg/L	0	GE

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 39D collected on 08/11/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		Chloroform	<1.0		µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0		µg/L	0	GE
		Chromium	<4.0		µg/L	0	GE
		Copper	6.2		µg/L	0	GE
•		Cyanide	<5.0	J	µg/L	0	GE
		Dibromochloromethane	<1.0		µg/L	0	GE
		1,1-Dichloroethane	<1.0		µg/L	0	GE
		1,2-Dichloroethane	<1.0		µg/L	0	GE
		1,1-Dichloroethylene	<1.0		µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0		µg/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0		µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30		µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30		µg/L	0	GE
		1,2-Dichloropropane	<1.0		µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0		µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0		µg/L	0	GE
		Endrin	<0.0060		µg/L	0	GE
		Ethylbenzene	<1.0		µg/L	0	GE
		Fluoride	<100		µg/L	0	GE
		Iron	289		µg/L	1	GE
		Lead	<3.0		µg/L	0	GE
		Lead	<3.0		µg/L	0	GE
		Lindane	<0.0050		µg/L	0	GE
		Magnesium	110		µg/L	0	GE
		Manganese	4.4		µg/L	0	GE
		Mercury	<0.20		µg/L	0	GE
		Methoxychlor	<0.50		µg/L	0	GE
		Naphthalene	<10		µg/L	0	GE
		Naphthalene	<10		µg/L	0	GE
		Nickel	<4.0		µg/L	0	GE
		Nitrate-nitrite as nitrogen	1,120		µg/L	0	GE
		Phenols	<20		µg/L	0	GE
		Potassium	<500		µg/L	0	GE
		Selenium	<2.0		µg/L	0	GE
		Selenium	<2.0		µg/L	0	GE
		Silica	7,140		µg/L	0	GE
		Silver	<2.0		µg/L	0	GE
		Sodium	3,730		µg/L	0	GE
		Sulfate	1,140		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0		µg/L	0	GE
		Tetrachloroethylene	<1.0		µg/L	0	GE
		Tin	<2.0		µg/L	0	GE
		Toluene	<1.0		µg/L	0	GE
		Total dissolved solids	19,000	V	µg/L	0	GE
		Total organic carbon	2,060		µg/L	0	GE
•		Total organic halogens	<5.0	J	µg/L	0	GE
•		Total organic halogens	<5.0	J	µg/L	0	GE
		Total phosphates (as P)	<50		µg/L	0	GE
		Toxaphene	<0.24		µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090		µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090		µg/L	0	GE
		Tributyl phosphate	<10		µg/L	0	GE
		Tributyl phosphate	<10		µg/L	0	GE
		1,1,1-Trichloroethane	<1.0		µg/L	0	GE
		1,1,2-Trichloroethane	<1.0		µg/L	0	GE
		Trichloroethylene	<1.0		µg/L	0	GE

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 39D collected on 08/11/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		Trichlorofluoromethane	<1.0		µg/L	0	GE
		Vanadium	<8.0		µg/L	0	GE
		Xylenes	<2.0		µg/L	0	GE
		Gross alpha	2.9E+00 ± 1.1E+00		pCi/L	0	GE
		Nonvolatile beta	2.1E+00 ± 1.1E+00		pCi/L	0	GE
		Radium, total alpha-emitting	1.3E+00 ± 5.0E-01		pCi/L	0	GE
■		Tritium	2.7E+01 ± 9.8E-01		pCi/mL	2	GE
		Uranium-233/234	<1.0E+00	Y	pCi/L	0	CN
		Uranium-235	<1.0E+00	Y	pCi/L	0	CN
		Uranium-238	<1.0E+00	Y	pCi/L	0	CN

WELL BGO 40D

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N76125.8	33.283290 °N	226.5-216.6 ft msl	288.4 ft msl	4" PVC	S	Water Table (IIB ₂)
E54638.6	81.670799 °W					

FIELD MEASUREMENTS

Sample date: 08/20/93
Depth to water: 63.85 ft (19.46 m) below TOC
Water elevation: 224.55 ft (68.44 m) msl
Sp. conductance: 338 µS/cm
Turbidity: 12.3 NTU
Water evacuated before sampling: 3 gal
The well went dry during purging.

Time: 10:05
pH: 7.9
Alkalinity: 102 mg/L
Water temperature: 21.5 °C

Volumes purged: 0.6 well volumes

LABORATORY ANALYSES

H	D	Analyte	Result	Mod	Unit	Flag	Lab
•		pH	7.4	J	pH	0	GE
		Specific conductance	333		µS/cm	1	GE
•		Turbidity	38	J	NTU	0	GE
		Acetophenone	<10	J1	µg/L	0	GE
		Aluminum	369		µg/L	2	GE
		Antimony	<2.0		µg/L	0	GE
		Arsenic	<2.0		µg/L	0	GE
		Barium	121		µg/L	0	GE
		Benzene	<1.0		µg/L	0	GE
		Bromodichloromethane	<1.0		µg/L	0	GE
		Bromoform	<1.0		µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0		µg/L	0	GE
		Cadmium	<2.0		µg/L	0	GE
		Calcium	11,300		µg/L	0	GE
		Carbon tetrachloride	<1.0		µg/L	0	GE
		Chloride	2,990		µg/L	0	GE
		Chlorobenzene	<1.0		µg/L	0	GE
		Chloroethane	<1.0		µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0		µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0		µg/L	0	GE
		Chloroform	1.5		µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0		µg/L	0	GE
		Chromium	<4.0		µg/L	0	GE
		Copper	11		µg/L	0	GE

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 40D collected on 08/20/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		Cyanide	<5.0		µg/L	0	GE
		Dibromochloromethane	<1.0		µg/L	0	GE
		1,1-Dichloroethane	<1.0		µg/L	0	GE
		1,2-Dichloroethane	<1.0		µg/L	0	GE
		1,1-Dichloroethylene	<1.0		µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0		µg/L	0	GE
		Dichloromethane (Methylene chloride)	1.4		µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30		µg/L	0	GE
		1,2-Dichloropropane	<1.0		µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0		µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0		µg/L	0	GE
		Endrin	<0.0060		µg/L	0	GE
		Ethylbenzene	<1.0		µg/L	0	GE
		Fluoride	<100		µg/L	0	GE
		Iron	429		µg/L	2	GE
		Lead	34		µg/L	2	GE
		Lindane	<0.0050		µg/L	0	GE
		Magnesium	1,160		µg/L	0	GE
		Manganese	65		µg/L	2	GE
		Mercury	<0.20		µg/L	0	GE
		Mercury	<0.20		µg/L	0	GE
		Methoxychlor	<0.50		µg/L	0	GE
		Naphthalene	<10	J1	µg/L	0	GE
		Nickel	7.5		µg/L	0	GE
		Nitrate-nitrite as nitrogen	1,110		µg/L	0	GE
		Phenols	<5.0		µg/L	0	GE
		Potassium	34,600		µg/L	0	GE
		Selenium	<2.0		µg/L	0	GE
		Silica	7,590		µg/L	0	GE
		Silver	<2.0		µg/L	0	GE
		Sodium	36,500		µg/L	0	GE
		Sulfate	9,710		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0		µg/L	0	GE
		Tetrachloroethylene	<1.0		µg/L	0	GE
		Tin	74		µg/L	2	GE
		Toluene	<1.0		µg/L	0	GE
		Total dissolved solids	205,000	V	µg/L	0	GE
		Total organic carbon	<1,000		µg/L	0	GE
		Total organic halogens	5.1		µg/L	0	GE
		Total phosphates (as P)	<50		µg/L	0	GE
		Toxaphene	<0.24		µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090		µg/L	0	GE
		Tributyl phosphate	<10	J1	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0		µg/L	0	GE
		1,1,2-Trichloroethane	<1.0		µg/L	0	GE
		Trichloroethylene	2.2		µg/L	0	GE
		Trichlorofluoromethane	<1.0		µg/L	0	GE
		Vanadium	<8.0		µg/L	0	GE
		Xylenes	<2.0		µg/L	0	GE
		Gross alpha	<2.0E+00		pCi/L	0	GE
		Nonvolatile beta	1.8E+01 ± 2.1E+00		pCi/L	0	GE
		Radium, total alpha-emitting	1.9E+00 ± 7.0E-01		pCi/L	0	GE
		Radium, total alpha-emitting	2.5E+00 ± 9.0E-01		pCi/L	0	GE
		Tritium	7.3E+00 ± 6.4E-01		pCi/mL	0	GE
		Uranium-233/234	<1.0E+00		pCi/L	0	CN
		Uranium-235	<1.0E+00		pCi/L	0	CN

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 40D collected on 08/20/93, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Mod</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Uranium-238	<1.0E+00		pCi/L	0	CN

WELL BGO 40D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Pump</u>	<u>Formation</u>
N76125.8 E54638.6	33.283290 °N 81.670799 °W	226.5-216.6 ft msl	288.4 ft msl	4" PVC	S	Water Table (IIB ₂)

FIELD MEASUREMENTS

Sample date: 09/03/93
Depth to water: 64.11 ft (19.54 m) below TOC
Water elevation: 224.29 ft (68.36 m) msl
Sp. conductance: 322 µS/cm
Turbidity: 16.1 NTU
Water evacuated before sampling: 3 gal
The well went dry during purging.

Time: 17:04
pH: 7.2
Alkalinity: 123 mg/L
Water temperature: 24.8 °C

Volumes purged: 0.6 well volumes

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Mod</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Benzene	<1.0		µg/L	0	GE
		Bromodichloromethane	<1.0		µg/L	0	GE
		Bromoform	<1.0		µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0		µg/L	0	GE
		Carbon tetrachloride	<1.0		µg/L	0	GE
		Chlorobenzene	<1.0		µg/L	0	GE
		Chloroethane	<1.0		µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0		µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0		µg/L	0	GE
		Chloroform	1.7		µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0		µg/L	0	GE
		Dibromochloromethane	<1.0		µg/L	0	GE
		1,1-Dichloroethane	<1.0		µg/L	0	GE
		1,2-Dichloroethane	<1.0		µg/L	0	GE
		1,1-Dichloroethylene	<1.0		µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0		µg/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0		µg/L	0	GE
		1,2-Dichloropropane	<1.0		µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0		µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0		µg/L	0	GE
		Ethylbenzene	<1.0		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0		µg/L	0	GE
		Tetrachloroethylene	<1.0		µg/L	0	GE
		Toluene	<1.0		µg/L	0	GE
		1,1,1-Trichloroethane	<1.0		µg/L	0	GE
		1,1,2-Trichloroethane	<1.0		µg/L	0	GE
		Trichloroethylene	1.8		µg/L	0	GE
		Trichlorofluoromethane	<1.0		µg/L	0	GE

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 42C

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Pump</u>	<u>Formation</u>
N76404.7 E55522.3	33.285349 °N 81.669014 °W	195.9-185.9 ft msl	297.9 ft msl	4" PVC	S	Barnwell (IIB ₁)

FIELD MEASUREMENTS

Sample date: 08/20/93
Depth to water: 72.54 ft (22.11 m) below TOC
Water elevation: 225.36 ft (68.69 m) msl
Sp. conductance: 44 µS/cm
Turbidity: 5.9 NTU
Water evacuated before sampling: 20 gal
The well went dry during purging.

Time: 10:38
pH: 5.3
Alkalinity: 5 mg/L
Water temperature: 19.6 °C
Volumes purged: 0.8 well volumes

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Mod</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	7.1	J	pH	0	GE
		Specific conductance	37		µS/cm	0	GE
•		Turbidity	2.2	J	NTU	0	GE
		Acetophenone	<1.0	J1	µg/L	0	GE
		Aluminum	59		µg/L	2	GE
		Antimony	<2.0		µg/L	0	GE
		Arsenic	<2.0		µg/L	0	GE
		Barium	13		µg/L	0	GE
		Benzene	<1.0		µg/L	0	GE
		Bromodichloromethane	<1.0		µg/L	0	GE
		Bromoform	<1.0		µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0		µg/L	0	GE
		Cadmium	<2.0		µg/L	0	GE
		Calcium	1,580		µg/L	0	GE
		Carbon tetrachloride	<1.0		µg/L	0	GE
		Chloride	2,850		µg/L	0	GE
		Chlorobenzene	<1.0		µg/L	0	GE
		Chloroethane	<1.0		µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0		µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0		µg/L	0	GE
		Chloroform	<1.0		µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0		µg/L	0	GE
		Chromium	<4.0		µg/L	0	GE
		Copper	9.6		µg/L	0	GE
		Cyanide	<5.0		µg/L	0	GE
		Dibromochloromethane	<1.0		µg/L	0	GE
		1,1-Dichloroethane	<1.0		µg/L	0	GE
		1,2-Dichloroethane	<1.0		µg/L	0	GE
		1,1-Dichloroethylene	<1.0		µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0		µg/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0		µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30		µg/L	0	GE
		1,2-Dichloropropane	<1.0		µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0		µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0		µg/L	0	GE
		Endrin	<0.0060		µg/L	0	GE
		Endrin	<0.0060		µg/L	0	GE
		Ethylbenzene	<1.0		µg/L	0	GE
		Fluoride	<100		µg/L	0	GE

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 42C collected on 08/20/93, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Mod</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Iron	246		µg/L	1	GE
		Lead	14		µg/L	1	GE
		Lindane	<0.0050		µg/L	0	GE
		Lindane	<0.0050		µg/L	0	GE
		Magnesium	475		µg/L	0	GE
		Manganese	11		µg/L	0	GE
		Mercury	<0.20		µg/L	0	GE
		Methoxychlor	<0.50		µg/L	0	GE
		Methoxychlor	<0.50		µg/L	0	GE
		Naphthalene	<10	J1	µg/L	0	GE
		Nickel	<4.0		µg/L	0	GE
		Nitrate-nitrite as nitrogen	1,040		µg/L	0	GE
		Phenols	<5.0		µg/L	0	GE
		Potassium	914		µg/L	0	GE
		Selenium	<2.0		µg/L	0	GE
		Silica	10,200		µg/L	0	GE
		Silver	<2.0		µg/L	0	GE
		Sodium	4,140		µg/L	0	GE
		Sulfate	<1,000		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0		µg/L	0	GE
		Tetrachloroethylene	<1.0		µg/L	0	GE
		Tin	<2.0		µg/L	0	GE
		Toluene	<1.0		µg/L	0	GE
		Total dissolved solids	35,000	V	µg/L	0	GE
		Total organic carbon	1,570		µg/L	0	GE
		Total organic carbon	1,290		µg/L	0	GE
		Total organic halogens	32		µg/L	1	GE
		Total phosphates (as P)	100		µg/L	0	GE
		Toxaphene	<0.24		µg/L	0	GE
		Toxaphene	<0.24		µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090		µg/L	0	GE
		1,1,1-Trichloroethane	<1.0		µg/L	0	GE
		1,1,2-Trichloroethane	<1.0		µg/L	0	GE
■		Trichloroethylene	61		µg/L	2	GE
		Trichlorofluoromethane	<1.0		µg/L	0	GE
		Vanadium	<8.0		µg/L	0	GE
		Xylenes	<2.0		µg/L	0	GE
		Gross alpha	<2.0E+00		pCi/L	0	GE
		Gross alpha	<2.0E+00		pCi/L	0	GE
		Nonvolatile beta	<2.0E+00		pCi/L	0	GE
		Nonvolatile beta	<2.0E+00		pCi/L	0	GE
		Radium, total alpha-emitting	1.3E+00 ± 6.0E-01		pCi/L	0	GE
		Tritium	<7.0E-01		pCi/mL	0	GE

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 43AA

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N77066.0 E56268.6	33.288029 °N 81.668333 °W	72.2-62.2 ft msl	314.3 ft msl	4" PVC	S	L. Congaree (IIA)

FIELD MEASUREMENTS

Sample date: 08/03/93
Depth to water: 158.01 ft (48.16 m) below TOC
Water elevation: 156.29 ft (47.64 m) msl
Sp. conductance: 179 μ S/cm
Turbidity: 0.1 NTU
Water evacuated before sampling: 197 gal

Time: 12:30
pH: 10.2
Alkalinity: 76 mg/L
Water temperature: 20.2 °C

Volumes purged: 3.2 well volumes

LABORATORY ANALYSES

H	D	Analyte	Result	Mod	Unit	Flag	Lab
•		pH	9.9	J	pH	1	GE
•		pH	9.9	J	pH	1	GE
		Specific conductance	106		μ S/cm	0	GE
		Turbidity	0.36		NTU	0	GE
		Acetophenone	< 10		μ g/L	0	GE
		Aluminum	623	J2	μ g/L	2	GE
		Antimony	< 2.0		μ g/L	0	GE
		Arsenic	< 2.0		μ g/L	0	GE
		Barium	29		μ g/L	0	GE
		Benzene	< 1.0		μ g/L	0	GE
		Bromodichloromethane	< 1.0		μ g/L	0	GE
		Bromoform	< 1.0		μ g/L	0	GE
		Bromomethane (Methyl bromide)	< 1.0		μ g/L	0	GE
		Cadmium	< 2.0		μ g/L	0	GE
		Calcium	25,300		μ g/L	0	GE
		Carbon tetrachloride	< 1.0		μ g/L	0	GE
		Chloride	2,350		μ g/L	0	GE
		Chlorobenzene	< 1.0		μ g/L	0	GE
		Chloroethane	< 1.0		μ g/L	0	GE
		Chloroethene (Vinyl chloride)	< 1.0		μ g/L	0	GE
		2-Chloroethyl vinyl ether	< 1.0		μ g/L	0	GE
		Chloroform	< 1.0		μ g/L	0	GE
		Chloromethane (Methyl chloride)	< 1.0		μ g/L	0	GE
		Chromium	< 4.0		μ g/L	0	GE
		Copper	< 4.0		μ g/L	0	GE
		Cyanide	< 5.0		μ g/L	0	GE
		Dibromochloromethane	< 1.0		μ g/L	0	GE
		1,1-Dichloroethane	< 1.0		μ g/L	0	GE
		1,2-Dichloroethane	< 1.0		μ g/L	0	GE
		1,1-Dichloroethylene	< 1.0		μ g/L	0	GE
		trans-1,2-Dichloroethylene	< 1.0		μ g/L	0	GE
		Dichloromethane (Methylene chloride)	2.9		μ g/L	1	GE
		2,4-Dichlorophenoxyacetic acid	< 0.30		μ g/L	0	GE
		1,2-Dichloropropane	< 1.0		μ g/L	0	GE
		cis-1,3-Dichloropropene	< 1.0		μ g/L	0	GE
		trans-1,3-Dichloropropene	< 1.0		μ g/L	0	GE
		Endrin	< 0.0060		μ g/L	0	GE
		Ethylbenzene	< 1.0		μ g/L	0	GE
		Fluoride	< 100		μ g/L	0	GE

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 43AA collected on 08/03/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		Iron	< 4.0		µg/L	0	GE
		Lead	< 3.0		µg/L	0	GE
		Lindane	< 0.0050		µg/L	0	GE
		Magnesium	334		µg/L	0	GE
		Manganese	< 2.0		µg/L	0	GE
		Mercury	< 0.20		µg/L	0	GE
		Methoxychlor	< 0.50		µg/L	0	GE
		Naphthalene	< 10		µg/L	0	GE
		Nickel	< 4.0		µg/L	0	GE
		Nitrate-nitrite as nitrogen	< 50		µg/L	0	GE
		Phenols	< 5.0		µg/L	0	GE
		Phenols	< 5.0		µg/L	0	GE
		Potassium	5,300		µg/L	0	GE
		Selenium	< 2.0	J1	µg/L	0	GE
		Silica	20,400	J2	µg/L	0	GE
		Silver	< 2.0		µg/L	0	GE
		Sodium	3,610		µg/L	0	GE
		Sulfate	8,170		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	< 1.0		µg/L	0	GE
		Tetrachloroethylene	< 1.0		µg/L	0	GE
		Tin	5.9		µg/L	0	GE
		Toluene	< 1.0		µg/L	0	GE
		Total dissolved solids	81,000	V	µg/L	0	GE
		Total organic carbon	1,190		µg/L	0	GE
		Total organic halogens	< 5.0		µg/L	0	GE
		Total phosphates (as P)	< 50		µg/L	0	GE
		Toxaphene	< 0.24		µg/L	0	GE
		2,4,5-TP (Silvex)	< 0.090		µg/L	0	GE
		1,1,1-Trichloroethane	< 1.0		µg/L	0	GE
		1,1,2-Trichloroethane	< 1.0		µg/L	0	GE
		Trichloroethylene	< 1.0		µg/L	0	GE
		Trichlorofluoromethane	< 1.0		µg/L	0	GE
		Vanadium	< 8.0		µg/L	0	GE
		Xylenes	< 2.0		µg/L	0	GE
		Gross alpha	< 2.0E+00		pCi/L	0	GE
		Nonvolatile beta	3.3E+00 ± 1.2E+00		pCi/L	0	GE
		Radium, total alpha-emitting	< 1.0E+00		pCi/L	0	GE
		Tritium	< 7.0E-01		pCi/mL	0	GE
		Uranium-233/234	< 1.0E+00		pCi/L	0	GP
		Uranium-235	< 1.0E+00		pCi/L	0	GP
		Uranium-238	< 1.0E+00		pCi/L	0	GP

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 43CR

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N77035.2 E56237.2	33.287910 °N 81.668356 °W	188.4-178.4 ft msl	315.3 ft msl	4" PVC	S	Barnwell (IIB ₁)

FIELD MEASUREMENTS

Sample date: 08/04/93
Depth to water: 87.74 ft (26.74 m) below TOC
Water elevation: 227.56 ft (69.36 m) msl
Sp. conductance: 154 μ S/cm
Turbidity: 3.8 NTU
Water evacuated before sampling: 24 gal
The well went dry during purging.

Time: 9:29
pH: 7.0
Alkalinity: 40 mg/L
Water temperature: 19.6 °C
Volumes purged: 0.7 well volumes

LABORATORY ANALYSES

H	D	Analyte	Result	Mod	Unit	Flag	Lab
•		pH	7.5	J	pH	0	GE
		Specific conductance	135		μ S/cm	0	GE
		Turbidity	1.4		NTU	0	GE
		Acetophenone	<10	J1	μ g/L	0	GE
		Aluminum	114	J2	μ g/L	2	GE
		Antimony	<2.0		μ g/L	0	GE
		Arsenic	<2.0		μ g/L	0	GE
		Barium	28		μ g/L	0	GE
		Benzene	<1.0		μ g/L	0	GE
		Bromodichloromethane	<1.0		μ g/L	0	GE
		Bromoform	<1.0		μ g/L	0	GE
		Bromomethane (Methyl bromide)	<1.0		μ g/L	0	GE
		Cadmium	<2.0		μ g/L	0	GE
		Calcium	17,600	J2	μ g/L	0	GE
		Carbon tetrachloride	<1.0		μ g/L	0	GE
		Chloride	2,560		μ g/L	0	GE
		Chlorobenzene	<1.0		μ g/L	0	GE
		Chloroethane	<1.0		μ g/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0		μ g/L	0	GE
		2-Chloroethyl vinyl ether	<1.0		μ g/L	0	GE
		Chloroform	<1.0		μ g/L	0	GE
		Chloromethane (Methyl chloride)	<1.0		μ g/L	0	GE
		Chromium	<4.0		μ g/L	0	GE
		Copper	<4.0		μ g/L	0	GE
		Cyanide	<5.0		μ g/L	0	GE
		Dibromochloromethane	<1.0		μ g/L	0	GE
		1,1-Dichloroethane	<1.0		μ g/L	0	GE
		1,2-Dichloroethane	<1.0		μ g/L	0	GE
		1,1-Dichloroethylene	<1.0		μ g/L	0	GE
		trans-1,2-Dichloroethylene	<1.0		μ g/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0		μ g/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30		μ g/L	0	GE
		1,2-Dichloropropane	<1.0		μ g/L	0	GE
		cis-1,3-Dichloropropene	<1.0		μ g/L	0	GE
		trans-1,3-Dichloropropene	<1.0		μ g/L	0	GE
		Endrin	<0.0060		μ g/L	0	GE
		Ethylbenzene	<1.0		μ g/L	0	GE
		Fluoride	<100		μ g/L	0	GE
		Iron	132	J2	μ g/L	0	GE

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 43CR collected on 08/04/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		Lead	3.5	J2	µg/L	0	GE
		Lindane	<0.0050		µg/L	0	GE
		Magnesium	2,190		µg/L	0	GE
		Manganese	15		µg/L	0	GE
		Mercury	<0.20		µg/L	0	GE
		Methoxychlor	<0.50		µg/L	0	GE
		Naphthalene	<10	J1	µg/L	0	GE
		Nickel	<4.0		µg/L	0	GE
		Nitrate-nitrite as nitrogen	170		µg/L	0	GE
		Phenols	<5.0		µg/L	0	GE
		Potassium	2,470		µg/L	0	GE
		Selenium	<2.0		µg/L	0	GE
		Silica	8,850		µg/L	0	GE
		Silver	<2.0		µg/L	0	GE
		Sodium	4,590		µg/L	0	GE
		Sulfate	14,700		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0		µg/L	0	GE
		Tetrachloroethylene	<1.0		µg/L	0	GE
		Tin	2.3		µg/L	0	GE
		Toluene	<1.0		µg/L	0	GE
		Total dissolved solids	111,000		µg/L	0	GE
		Total organic carbon	1,130		µg/L	0	GE
		Total organic halogens	<5.0		µg/L	0	GE
		Total phosphates (as P)	<50		µg/L	0	GE
		Toxaphene	<0.24		µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090		µg/L	0	GE
		1,1,1-Trichloroethane	<1.0		µg/L	0	GE
		1,1,2-Trichloroethane	<1.0		µg/L	0	GE
		Trichloroethylene	<1.0		µg/L	0	GE
		Trichlorofluoromethane	<1.0		µg/L	0	GE
		Vanadium	<8.0		µg/L	0	GE
		Xylenes	<2.0		µg/L	0	GE
		Gross alpha	6.5E+00 ± 1.8E+00		pCi/L	0	GE
		Nonvolatile beta	5.6E+00 ± 1.4E+00		pCi/L	0	GE
		Radium, total alpha-emitting	5.7E+00 ± 1.0E+00		pCi/L	0	GE
		Tritium	3.2E+00 ± 4.9E-01		pCi/mL	0	GE
		Uranium-233/234	<1.0E+00		pCi/L	0	CN
		Uranium-235	<1.0E+00		pCi/L	0	CN
		Uranium-238	<1.0E+00		pCi/L	0	CN

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 43D

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N77056.7 E56238.8	33.287960 °N 81.668394 °W	208.2-198.2 ft msl	315.3 ft msl	4" PVC	S	Barnwell (IIB ₁)

FIELD MEASUREMENTS

Sample date: 08/04/93
Depth to water: 81.76 ft (24.92 m) below TOC
Water elevation: 233.54 ft (71.18 m) msl
Sp. conductance: 74 µS/cm
Turbidity: 0.3 NTU
Water evacuated before sampling: 136 gal

Time: 9:51
pH: 5.4
Alkalinity: 3 mg/L
Water temperature: 19.3 °C
Volumes purged: 5.9 well volumes

LABORATORY ANALYSES

H	D	Analyte	Result	Mod	Unit	Flag	Lab
•		pH	6.0	J	pH	0	GE
		Specific conductance	64		µS/cm	0	GE
		Turbidity	<0.10		NTU	0	GE
		Acetophenone	<10	J1	µg/L	0	GE
		Aluminum	24	J2	µg/L	0	GE
		Antimony	<2.0		µg/L	0	GE
		Arsenic	<2.0		µg/L	0	GE
		Barium	13		µg/L	0	GE
		Benzene	<1.0		µg/L	0	GE
		Bromodichloromethane	<1.0		µg/L	0	GE
		Bromoform	<1.0		µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0		µg/L	0	GE
		Cadmium	<2.0		µg/L	0	GE
		Calcium	5,390	J2	µg/L	0	GE
		Carbon tetrachloride	<1.0		µg/L	0	GE
		Chloride	3,110		µg/L	0	GE
		Chlorobenzene	<1.0		µg/L	0	GE
		Chloroethane	<1.0		µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0		µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0		µg/L	0	GE
		Chloroform	<1.0		µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0		µg/L	0	GE
		Chromium	<4.0		µg/L	0	GE
		Copper	<4.0		µg/L	0	GE
		Cyanide	<5.0		µg/L	0	GE
		Dibromochloromethane	<1.0		µg/L	0	GE
		1,1-Dichloroethane	<1.0		µg/L	0	GE
		1,2-Dichloroethane	<1.0		µg/L	0	GE
		1,1-Dichloroethylene	<1.0		µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0		µg/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0		µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30		µg/L	0	GE
		1,2-Dichloropropane	<1.0		µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0		µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0		µg/L	0	GE
		Endrin	<0.0060		µg/L	0	GE
		Ethylbenzene	<1.0		µg/L	0	GE
		Fluoride	<100		µg/L	0	GE
		Fluoride	<100		µg/L	0	GE

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 43D collected on 08/04/93, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Mod</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Iron	<4.0	J1	µg/L	0	GE
		Lead	<3.0	J1	µg/L	0	GE
		Lindane	<0.0050		µg/L	0	GE
		Magnesium	1,070		µg/L	0	GE
		Manganese	8.4		µg/L	0	GE
		Mercury	<0.20		µg/L	0	GE
		Methoxychlor	<0.50		µg/L	0	GE
		Naphthalene	<10	J1	µg/L	0	GE
		Nickel	<4.0		µg/L	0	GE
		Nitrate-nitrite as nitrogen	480		µg/L	0	GE
		Phenols	<5.0		µg/L	0	GE
		Potassium	1,400		µg/L	0	GE
		Selenium	2.2		µg/L	0	GE
		Silica	6,060		µg/L	0	GE
		Silver	<2.0		µg/L	0	GE
		Sodium	2,650		µg/L	0	GE
		Sulfate	13,500		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0		µg/L	0	GE
		Tetrachloroethylene	<1.0		µg/L	0	GE
		Tin	2.9		µg/L	0	GE
		Toluene	<1.0		µg/L	0	GE
		Total dissolved solids	49,000		µg/L	0	GE
		Total organic carbon	<1,000		µg/L	0	GE
		Total organic halogens	<5.0		µg/L	0	GE
		Total phosphates (as P)	<50		µg/L	0	GE
		Toxaphene	<0.24		µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090		µg/L	0	GE
		1,1,1-Trichloroethane	<1.0		µg/L	0	GE
		1,1,2-Trichloroethane	<1.0		µg/L	0	GE
		Trichloroethylene	<1.0		µg/L	0	GE
		Trichlorofluoromethane	<1.0		µg/L	0	GE
		Vanadium	<8.0		µg/L	0	GE
		Xylenes	<2.0		µg/L	0	GE
		Gross alpha	<2.0E+00		pCi/L	0	GE
		Nonvolatile beta	3.2E+00 ± 1.1E+00		pCi/L	0	GE
		Radium, total alpha-emitting	4.7E+00 ± 9.0E-01		pCi/L	0	GE
		Tritium	4.4E+00 ± 5.2E-01		pCi/mL	0	GE
		Uranium-233/234	<1.0E+00		pCi/L	0	CN
		Uranium-235	<1.0E+00		pCi/L	0	CN
		Uranium-238	<1.0E+00		pCi/L	0	CN

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 44A

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N76755.2 E57851.2	33.289924 °N 81.663562 °W	108.0-98.0 ft msl	285.3 ft msl	4" PVC	S	U. Congaree (IIA)

FIELD MEASUREMENTS

Sample date: 08/04/93
Depth to water: 127.06 ft (38.73 m) below TOC
Water elevation: 158.24 ft (48.23 m) msl
Sp. conductance: 200 μ S/cm
Turbidity: 0.2 NTU
Water evacuated before sampling: 145 gal

Time: 10:46
pH: 7.1
Alkalinity: 42 mg/L
Water temperature: 19.7 °C

Volumes purged: 3.7 well volumes

LABORATORY ANALYSES

H	D	Analyte	Result	Mod	Unit	Flag	Lab
•		pH	7.2	J	pH	0	GE
		Specific conductance	189		μ S/cm	0	GE
		Turbidity	<0.10		NTU	0	GE
		Acetophenone	<10	J1	μ g/L	0	GE
		Aluminum	23		μ g/L	0	GE
		Aluminum	24		μ g/L	0	GE
		Antimony	<2.0		μ g/L	0	GE
		Arsenic	<2.0		μ g/L	0	GE
		Barium	31		μ g/L	0	GE
		Barium	31		μ g/L	0	GE
		Benzene	<1.0		μ g/L	0	GE
		Benzene	<1.0		μ g/L	0	GE
		Bromodichloromethane	<1.0		μ g/L	0	GE
		Bromodichloromethane	<1.0		μ g/L	0	GE
		Bromoform	<1.0		μ g/L	0	GE
		Bromoform	<1.0		μ g/L	0	GE
		Bromomethane (Methyl bromide)	<1.0		μ g/L	0	GE
		Bromomethane (Methyl bromide)	<1.0		μ g/L	0	GE
		Cadmium	<2.0		μ g/L	0	GE
		Cadmium	<2.0		μ g/L	0	GE
		Calcium	35,000	J2	μ g/L	0	GE
		Calcium	35,400	J2	μ g/L	0	GE
		Carbon tetrachloride	<1.0		μ g/L	0	GE
		Carbon tetrachloride	<1.0		μ g/L	0	GE
		Chloride	2,470		μ g/L	0	GE
		Chlorobenzene	<1.0		μ g/L	0	GE
		Chlorobenzene	<1.0		μ g/L	0	GE
		Chloroethane	<1.0		μ g/L	0	GE
		Chloroethane	<1.0		μ g/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0		μ g/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0		μ g/L	0	GE
		2-Chloroethyl vinyl ether	<1.0		μ g/L	0	GE
		2-Chloroethyl vinyl ether	<1.0		μ g/L	0	GE
		Chloroform	<1.0		μ g/L	0	GE
		Chloroform	<1.0		μ g/L	0	GE
		Chloromethane (Methyl chloride)	<1.0		μ g/L	0	GE
		Chloromethane (Methyl chloride)	<1.0		μ g/L	0	GE
		Chromium	<4.0		μ g/L	0	GE
		Chromium	<4.0		μ g/L	0	GE

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 44A collected on 08/04/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		Copper	<4.0		µg/L	0	GE
		Copper	<4.0		µg/L	0	GE
		Cyanide	<5.0		µg/L	0	GE
		Dibromochloromethane	<1.0		µg/L	0	GE
		Dibromochloromethane	<1.0		µg/L	0	GE
		1,1-Dichloroethane	<1.0		µg/L	0	GE
		1,1-Dichloroethane	<1.0		µg/L	0	GE
		1,2-Dichloroethane	<1.0		µg/L	0	GE
		1,2-Dichloroethane	<1.0		µg/L	0	GE
		1,1-Dichloroethylene	<1.0		µg/L	0	GE
		1,1-Dichloroethylene	<1.0		µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0		µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0		µg/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0		µg/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0		µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30		µg/L	0	GE
		1,2-Dichloropropane	<1.0		µg/L	0	GE
		1,2-Dichloropropane	<1.0		µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0		µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0		µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0		µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0		µg/L	0	GE
		Endrin	<0.0060		µg/L	0	GE
		Ethylbenzene	<1.0		µg/L	0	GE
		Ethylbenzene	<1.0		µg/L	0	GE
		Fluoride	106		µg/L	0	GE
		Iron	<4.0		µg/L	0	GE
		Iron	<4.0		µg/L	0	GE
		Lead	<3.0	J1	µg/L	0	GE
		Lindane	<0.0050		µg/L	0	GE
		Magnesium	833		µg/L	0	GE
		Magnesium	832		µg/L	0	GE
		Manganese	<2.0		µg/L	0	GE
		Manganese	<2.0		µg/L	0	GE
		Mercury	<0.20		µg/L	0	GE
		Methoxychlor	<0.50		µg/L	0	GE
		Naphthalene	<10	J1	µg/L	0	GE
		Nickel	<4.0		µg/L	0	GE
		Nickel	<4.0		µg/L	0	GE
		Nitrate-nitrite as nitrogen	50		µg/L	0	GE
		Phenols	<10		µg/L	0	GE
		Potassium	1,260		µg/L	0	GE
		Potassium	1,270		µg/L	0	GE
		Selenium	<2.0		µg/L	0	GE
		Silica	29,300		µg/L	0	GE
		Silica	29,300		µg/L	0	GE
		Silver	<2.0		µg/L	0	GE
		Silver	<2.0		µg/L	0	GE
		Sodium	2,020		µg/L	0	GE
		Sodium	2,010		µg/L	0	GE
		Sulfate	5,340		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0		µg/L	0	GE
		Tetrachloroethylene	<1.0		µg/L	0	GE
		Tetrachloroethylene	<1.0		µg/L	0	GE
		Tin	<2.0		µg/L	0	GE

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 44A collected on 08/04/93, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Mod</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Tin	<2.0		µg/L	0	GE
		Toluene	<1.0		µg/L	0	GE
		Toluene	<1.0		µg/L	0	GE
		Total dissolved solids	142,000		µg/L	0	GE
		Total organic carbon	<1,000		µg/L	0	GE
		Total organic halogens	<5.0		µg/L	0	GE
		Total phosphates (as P)	230		µg/L	0	GE
		Toxaphene	<0.24		µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090		µg/L	0	GE
		1,1,1-Trichloroethane	<1.0		µg/L	0	GE
		1,1,1-Trichloroethane	<1.0		µg/L	0	GE
		1,1,2-Trichloroethane	<1.0		µg/L	0	GE
		1,1,2-Trichloroethane	<1.0		µg/L	0	GE
		Trichloroethylene	<1.0		µg/L	0	GE
		Trichloroethylene	<1.0		µg/L	0	GE
		Trichlorofluoromethane	<1.0		µg/L	0	GE
		Trichlorofluoromethane	<1.0		µg/L	0	GE
		Vanadium	<8.0		µg/L	0	GE
		Vanadium	<8.0		µg/L	0	GE
		Xylenes	<2.0		µg/L	0	GE
		Xylenes	<2.0		µg/L	0	GE
		Gross alpha	<2.0E+00		pCi/L	0	GE
		Nonvolatile beta	<2.0E+00		pCi/L	0	GE
		Radium, total alpha-emitting	<1.0E+00		pCi/L	0	GE
		Tritium	<7.0E-01		pCi/mL	0	GE
		Uranium-233/234	<1.0E+00		pCi/L	0	CN
		Uranium-235	<1.0E+00		pCi/L	0	CN
		Uranium-238	<1.0E+00		pCi/L	0	CN

WELL BGO 44AA

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Pump</u>	<u>Formation</u>
N76757.0	33.289976 °N	71.3-61.2 ft msl	285.3 ft msl	4" PVC	S	L. Congaree (IIA)
E57880.5	81.663488 °W					

FIELD MEASUREMENTS

Sample date: 08/03/93
Depth to water: 126.96 ft (38.70 m) below TOC
Water elevation: 158.34 ft (48.26 m) msl
Sp. conductance: 181 µS/cm
Turbidity: 0.3 NTU
Water evacuated before sampling: 309 gal

Time: 13:46
pH: 9.9
Alkalinity: 67 mg/L
Water temperature: 19.9 °C
Volumes purged: 4.8 well volumes

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Mod</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	9.7	J	pH	1	GE
		Specific conductance	157		µS/cm	0	GE
		Turbidity	<0.10		NTU	0	GE
		Turbidity	<0.10		NTU	0	GE
		Acetophenone	<10		µg/L	0	GE
		Aluminum	173	J2	µg/L	2	GE

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 44AA collected on 08/03/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		Antimony	<2.0		µg/L	0	GE
		Arsenic	<2.0		µg/L	0	GE
		Barium	56		µg/L	0	GE
		Benzene	<1.0		µg/L	0	GE
		Bromodichloromethane	<1.0		µg/L	0	GE
		Bromoform	<1.0		µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0		µg/L	0	GE
		Cadmium	<2.0		µg/L	0	GE
		Calcium	26,800		µg/L	0	GE
		Carbon tetrachloride	<1.0		µg/L	0	GE
		Chloride	2,110		µg/L	0	GE
		Chlorobenzene	<1.0		µg/L	0	GE
		Chloroethane	<1.0		µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0		µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0		µg/L	0	GE
		Chloroform	<1.0		µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0		µg/L	0	GE
		Chromium	<4.0		µg/L	0	GE
		Copper	<4.0		µg/L	0	GE
		Cyanide	<5.0		µg/L	0	GE
		Dibromochloromethane	<1.0		µg/L	0	GE
		1,1-Dichloroethane	<1.0		µg/L	0	GE
		1,2-Dichloroethane	<1.0		µg/L	0	GE
		1,1-Dichloroethylene	<1.0		µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0		µg/L	0	GE
		Dichloromethane (Methylene chloride)	3.0		µg/L	1	GE
		2,4-Dichlorophenoxyacetic acid	<0.30		µg/L	0	GE
		1,2-Dichloropropane	<1.0		µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0		µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0		µg/L	0	GE
		Endrin	<0.0060		µg/L	0	GE
		Ethylbenzene	<1.0		µg/L	0	GE
		Fluoride	<100		µg/L	0	GE
		Iron	17		µg/L	0	GE
		Lead	<3.0		µg/L	0	GE
		Lindane	<0.0050		µg/L	0	GE
		Magnesium	449		µg/L	0	GE
		Manganese	<2.0		µg/L	0	GE
		Mercury	<0.20		µg/L	0	GE
		Methoxychlor	<0.50		µg/L	0	GE
		Naphthalene	<10		µg/L	0	GE
		Nickel	<4.0		µg/L	0	GE
		Nitrate-nitrite as nitrogen	<50		µg/L	0	GE
		Phenols	<20		µg/L	0	GE
		Phenols	<20		µg/L	0	GE
		Potassium	5,600		µg/L	0	GE
		Selenium	2.6	J2	µg/L	0	GE
		Silica	26,300	J2	µg/L	0	GE
		Silver	<2.0		µg/L	0	GE
		Sodium	5,580		µg/L	0	GE
		Sulfate	8,870		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0		µg/L	0	GE
		Tetrachloroethylene	<1.0		µg/L	0	GE
		Tin	5.4		µg/L	0	GE
		Toluene	<1.0		µg/L	0	GE
		Total dissolved solids	108,000	V	µg/L	0	GE

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 44AA collected on 08/03/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		Total dissolved solids	114,000	V	µg/L	0	GE
		Total organic carbon	1,320		µg/L	0	GE
		Total organic halogens	<5.0		µg/L	0	GE
		Total phosphates (as P)	<50		µg/L	0	GE
		Toxaphene	<0.24		µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090		µg/L	0	GE
		1,1,1-Trichloroethane	<1.0		µg/L	0	GE
		1,1,2-Trichloroethane	<1.0		µg/L	0	GE
		Trichloroethylene	<1.0		µg/L	0	GE
		Trichlorofluoromethane	<1.0		µg/L	0	GE
		Vanadium	<8.0		µg/L	0	GE
		Xylenes	<2.0		µg/L	0	GE
		Gross alpha	<2.0E+00		pCi/L	0	GE
		Nonvolatile beta	4.8E+00 ± 1.3E+00		pCi/L	0	GE
		Radium, total alpha-emitting	1.2E+00 ± 7.0E-01		pCi/L	0	GE
		Tritium	<7.0E-01		pCi/mL	0	GE
		Uranium-233/234	<1.0E+00		pCi/L	0	GP
		Uranium-235	<1.0E+00		pCi/L	0	GP
		Uranium-238	<1.0E+00		pCi/L	0	GP

WELL BGO 44B

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N76756.0 E57865.8	33.289950 °N 81.663525 °W	158.1-148.1 ft msl	285.2 ft msl	4" PVC	S	McBean (IIB ₁)

FIELD MEASUREMENTS

Sample date: 08/04/93
Depth to water: 62.15 ft (18.94 m) below TOC
Water elevation: 223.05 ft (67.99 m) msl
Sp. conductance: 1098 µS/cm
Turbidity: 7.6 NTU
Water evacuated before sampling: 40 gal
The well went dry during purging.

Time: 10:24
pH: 11.6
Alkalinity: 185 mg/L
Water temperature: 20.1 °C

Volumes purged: 0.8 well volumes

LABORATORY ANALYSES

H	D	Analyte	Result	Mod	Unit	Flag	Lab
•		pH	10.0	J	pH	1	GE
		Specific conductance	373		µS/cm	1	GE
		Turbidity	85		NTU	0	GE
		Acetophenone	<10	J1	µg/L	0	GE
		Aluminum	5,880		µg/L	2	GE
		Antimony	<2.0		µg/L	0	GE
		Arsenic	13		µg/L	0	GE
		Barium	343		µg/L	0	GE
		Benzene	<1.0		µg/L	0	GE
		Benzene	<1.0		µg/L	0	GE
		Bromodichloromethane	<1.0		µg/L	0	GE
		Bromodichloromethane	<1.0		µg/L	0	GE
		Bromoform	<1.0		µg/L	0	GE
		Bromoform	<1.0		µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0		µg/L	0	GE

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 44B collected on 08/04/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		Bromomethane (Methyl bromide)	< 1.0		µg/L	0	GE
		Cadmium	< 20		µg/L	0	GE
		Calcium	363,000		µg/L	0	GE
		Carbon tetrachloride	< 1.0		µg/L	0	GE
		Carbon tetrachloride	< 1.0		µg/L	0	GE
		Chloride	2,310		µg/L	0	GE
		Chlorobenzene	< 1.0		µg/L	0	GE
		Chlorobenzene	< 1.0		µg/L	0	GE
		Chloroethane	< 1.0		µg/L	0	GE
		Chloroethane	< 1.0		µg/L	0	GE
		Chloroethene (Vinyl chloride)	< 1.0		µg/L	0	GE
		Chloroethene (Vinyl chloride)	< 1.0		µg/L	0	GE
		2-Chloroethyl vinyl ether	< 1.0		µg/L	0	GE
		2-Chloroethyl vinyl ether	< 1.0		µg/L	0	GE
		Chloroform	< 1.0		µg/L	0	GE
		Chloroform	< 1.0		µg/L	0	GE
		Chloromethane (Methyl chloride)	< 1.0		µg/L	0	GE
		Chloromethane (Methyl chloride)	< 1.0		µg/L	0	GE
		Chromium	< 40		µg/L	0	GE
		Copper	< 40		µg/L	0	GE
		Cyanide	< 5.0		µg/L	0	GE
		Dibromochloromethane	< 1.0		µg/L	0	GE
		Dibromochloromethane	< 1.0		µg/L	0	GE
		1,1-Dichloroethane	< 1.0		µg/L	0	GE
		1,1-Dichloroethane	< 1.0		µg/L	0	GE
		1,2-Dichloroethane	< 1.0		µg/L	0	GE
		1,2-Dichloroethane	< 1.0		µg/L	0	GE
		1,1-Dichloroethylene	< 1.0		µg/L	0	GE
		1,1-Dichloroethylene	< 1.0		µg/L	0	GE
		trans-1,2-Dichloroethylene	< 1.0		µg/L	0	GE
		trans-1,2-Dichloroethylene	< 1.0		µg/L	0	GE
		Dichloromethane (Methylene chloride)	< 1.0		µg/L	0	GE
		Dichloromethane (Methylene chloride)	< 1.0		µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	< 0.30		µg/L	0	GE
		1,2-Dichloropropane	< 1.0		µg/L	0	GE
		1,2-Dichloropropane	< 1.0		µg/L	0	GE
		cis-1,3-Dichloropropene	< 1.0		µg/L	0	GE
		cis-1,3-Dichloropropene	< 1.0		µg/L	0	GE
		trans-1,3-Dichloropropene	< 1.0		µg/L	0	GE
		trans-1,3-Dichloropropene	< 1.0		µg/L	0	GE
		Endrin	< 0.0060		µg/L	0	GE
		Endrin	< 0.0060		µg/L	0	GE
		Ethylbenzene	< 1.0		µg/L	0	GE
		Ethylbenzene	< 1.0		µg/L	0	GE
		Fluoride	193		µg/L	0	GE
		Iron	2,580		µg/L	2	GE
		Iron	905		µg/L	2	GE
		Lead	31		µg/L	2	GE
		Lindane	< 0.0050		µg/L	0	GE
		Lindane	< 0.0050		µg/L	0	GE
		Magnesium	1,190		µg/L	0	GE
		Manganese	367		µg/L	2	GE
		Mercury	< 0.20		µg/L	0	GE
		Methoxychlor	< 0.50		µg/L	0	GE
		Methoxychlor	< 0.50		µg/L	0	GE
		Naphthalene	< 10	J1	µg/L	0	GE

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 44B collected on 08/04/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		Nickel	<40		µg/L	0	GE
		Nitrate-nitrite as nitrogen	110		µg/L	0	GE
		Phenols	<10		µg/L	0	GE
		Potassium	9,890		µg/L	0	GE
		Selenium	<2.0		µg/L	0	GE
		Silica	57,700		µg/L	0	GE
		Silver	<20		µg/L	0	GE
		Sodium	11,400		µg/L	0	GE
		Sulfate	12,500		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0		µg/L	0	GE
		Tetrachloroethylene	<1.0		µg/L	0	GE
		Tetrachloroethylene	<1.0		µg/L	0	GE
		Tin	37		µg/L	2	GE
		Toluene	<1.0		µg/L	0	GE
		Toluene	<1.0		µg/L	0	GE
		Total dissolved solids	183,000	V	µg/L	0	GE
		Total organic carbon	1,650		µg/L	0	GE
•		Total organic halogens	<5.0	J	µg/L	0	GE
		Total phosphates (as P)	260		µg/L	0	GE
		Toxaphene	<0.24		µg/L	0	GE
		Toxaphene	<0.24		µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090		µg/L	0	GE
		1,1,1-Trichloroethane	<1.0		µg/L	0	GE
		1,1,1-Trichloroethane	<1.0		µg/L	0	GE
		1,1,2-Trichloroethane	<1.0		µg/L	0	GE
		1,1,2-Trichloroethane	<1.0		µg/L	0	GE
		Trichloroethylene	<1.0		µg/L	0	GE
		Trichloroethylene	<1.0		µg/L	0	GE
		Trichlorofluoromethane	<1.0		µg/L	0	GE
		Trichlorofluoromethane	<1.0		µg/L	0	GE
		Vanadium	<80		µg/L	0	GE
		Xylenes	<2.0		µg/L	0	GE
		Xylenes	<2.0		µg/L	0	GE
		Gross alpha	<2.0E+00		pCi/L	0	GE
		Nonvolatile beta	5.3E+00 ± 6.9E-01		pCi/L	0	GE
		Radium, total alpha-emitting	1.2E+00 ± 5.0E-01		pCi/L	0	GE
		Total activity	7.8E+05 ± 2.2E+04		pCi/L	0	EM
■		Tritium	4.7E+02 ± 9.1E+00		pCi/mL	2	GE
		Uranium-233/234	<1.0E+00		pCi/L	0	CN
		Uranium-235	<1.0E+00		pCi/L	0	CN
		Uranium-238	<1.0E+00		pCi/L	0	CN

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 44C

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N76757.8 E57894.9	33.290001 °N 81.663452 °W	200.6-190.6 ft msl	285.6 ft msl	4" PVC	S	Barnwell (IIB ₁)

FIELD MEASUREMENTS

Sample date: 08/04/93
Depth to water: 62.77 ft (19.13 m) below TOC
Water elevation: 222.83 ft (67.92 m) msl
Sp. conductance: 145 µS/cm
Turbidity: 14.8 NTU
Water evacuated before sampling: 17 gal
The well went dry during purging.

Time: 11:20
pH: 8.1
Alkalinity: 34 mg/L
Water temperature: 20.2 °C

Volumes purged: 0.8 well volumes

LABORATORY ANALYSES

H	D	Analyte	Result	Mod	Unit	Flag	Lab
•		pH	8.7	J	pH	1	GE
•		pH	8.7	J	pH	1	GE
		Specific conductance	127		µS/cm	0	GE
		Turbidity	16		NTU	0	GE
		Acetophenone	<10	J1	µg/L	0	GE
		Aluminum	356		µg/L	2	GE
		Antimony	<2.0		µg/L	0	GE
		Arsenic	<2.0		µg/L	0	GE
		Barium	67		µg/L	0	GE
		Benzene	<1.0		µg/L	0	GE
		Bromodichloromethane	<1.0		µg/L	0	GE
		Bromoform	<1.0		µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0		µg/L	0	GE
		Cadmium	<2.0		µg/L	0	GE
		Calcium	11,400		µg/L	0	GE
		Carbon tetrachloride	<1.0		µg/L	0	GE
		Chloride	2,110		µg/L	0	GE
		Chlorobenzene	<1.0		µg/L	0	GE
		Chloroethane	<1.0		µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0		µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0		µg/L	0	GE
		Chloroform	<1.0		µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0		µg/L	0	GE
		Chromium	<4.0		µg/L	0	GE
		Copper	<4.0		µg/L	0	GE
		Cyanide	<5.0		µg/L	0	GE
		Dibromochloromethane	<1.0		µg/L	0	GE
		1,1-Dichloroethane	<1.0		µg/L	0	GE
		1,2-Dichloroethane	<1.0		µg/L	0	GE
		1,1-Dichloroethylene	<1.0		µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0		µg/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0		µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30		µg/L	0	GE
		1,2-Dichloropropane	<1.0		µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0		µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0		µg/L	0	GE
		Endrin	<0.0060		µg/L	0	GE
		Ethylbenzene	<1.0		µg/L	0	GE
		Fluoride	<100		µg/L	0	GE

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 44C collected on 08/04/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		Iron	228		µg/L	1	GE
		Lead	6.7		µg/L	0	GE
		Lindane	<0.0050		µg/L	0	GE
		Magnesium	792		µg/L	0	GE
		Manganese	162		µg/L	2	GE
		Mercury	<0.20		µg/L	0	GE
		Methoxychlor	<0.50		µg/L	0	GE
		Naphthalene	<10	J1	µg/L	0	GE
		Nickel	4.2		µg/L	0	GE
		Nitrate-nitrite as nitrogen	650		µg/L	0	GE
		Phenols	<5.0		µg/L	0	GE
		Potassium	6,600		µg/L	0	GE
		Selenium	<2.0		µg/L	0	GE
		Silica	7,290		µg/L	0	GE
		Silver	<2.0		µg/L	0	GE
		Sodium	12,000		µg/L	0	GE
		Sulfate	2,740		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0		µg/L	0	GE
		Tetrachloroethylene	<1.0		µg/L	0	GE
		Tin	12		µg/L	1	GE
		Toluene	<1.0		µg/L	0	GE
		Total dissolved solids	92,000	V	µg/L	0	GE
		Total organic carbon	1,510		µg/L	0	GE
•		Total organic halogens	<5.0	J	µg/L	0	GE
		Total phosphates (as P)	80		µg/L	0	GE
		Toxaphene	<0.24		µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090		µg/L	0	GE
		1,1,1-Trichloroethane	<1.0		µg/L	0	GE
		1,1,2-Trichloroethane	<1.0		µg/L	0	GE
		Trichloroethylene	1.8		µg/L	0	GE
		Trichlorofluoromethane	<1.0		µg/L	0	GE
		Vanadium	<8.0		µg/L	0	GE
		Xylenes	<2.0		µg/L	0	GE
		Gross alpha	<2.0E+00		pCi/L	0	GE
		Nonvolatile beta	3.8E+00 ± 1.2E+00		pCi/L	0	GE
		Radium, total alpha-emitting	<1.0E+00		pCi/L	0	GE
		Total activity	5.2E+05 ± 5.1E+03		pCi/L	0	EM
■		Tritium	4.1E+02 ± 8.0E+00		pCi/mL	2	GE
■		Tritium	4.1E+02 ± 7.9E+00		pCi/mL	2	GE
		Uranium-233/234	<1.0E+00		pCi/L	0	CN
		Uranium-235	<1.0E+00		pCi/L	0	CN
		Uranium-238	<1.0E+00		pCi/L	0	CN

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 44D

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N76759.5 E57910.0	33.290030 °N 81.663415 °W	233.4-223.4 ft msl	285.4 ft msl	4" PVC	S	Water Table (IIB ₂)

FIELD MEASUREMENTS

Sample date: 08/04/93
Depth to water: 51.56 ft (15.72 m) below TOC
Water elevation: 233.84 ft (71.28 m) msl
Sp. conductance: 28 µS/cm
Turbidity: 0.9 NTU
Water evacuated before sampling: 194 gal

Time: 11:39
pH: 4.8
Alkalinity: 0 mg/L
Water temperature: 19.3 °C

Volumes purged: 28.3 well volumes

LABORATORY ANALYSES

H	D	Analyte	Result	Mod	Unit	Flag	Lab
•		pH	5.4	J	pH	0	GE
		Specific conductance	19		µS/cm	0	GE
		Turbidity	1.4		NTU	0	GE
		Turbidity	1.4		NTU	0	GE
		Acetophenone	<10	J1	µg/L	0	GE
		Aluminum	33		µg/L	1	GE
		Antimony	<2.0		µg/L	0	GE
		Arsenic	<2.0		µg/L	0	GE
		Barium	75		µg/L	0	GE
		Benzene	<1.0		µg/L	0	GE
		Bromodichloromethane	<1.0		µg/L	0	GE
		Bromoform	<1.0		µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0		µg/L	0	GE
		Cadmium	<2.0		µg/L	0	GE
		Calcium	814		µg/L	0	GE
		Carbon tetrachloride	<1.0		µg/L	0	GE
		Chloride	2,060		µg/L	0	GE
		Chlorobenzene	<1.0		µg/L	0	GE
		Chloroethane	<1.0		µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0		µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0		µg/L	0	GE
		Chloroform	<1.0		µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0		µg/L	0	GE
		Chromium	<4.0		µg/L	0	GE
		Copper	<4.0		µg/L	0	GE
		Cyanide	<5.0		µg/L	0	GE
		Dibromochloromethane	<1.0		µg/L	0	GE
		1,1-Dichloroethane	<1.0		µg/L	0	GE
		1,2-Dichloroethane	<1.0		µg/L	0	GE
		1,1-Dichloroethylene	<1.0		µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0		µg/L	0	GE
		Dichloromethane (Methylene chloride)	1.7		µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30		µg/L	0	GE
		1,2-Dichloropropane	<1.0		µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0		µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0		µg/L	0	GE
		Endrin	<0.0060		µg/L	0	GE
		Ethylbenzene	<1.0		µg/L	0	GE
		Fluoride	<100		µg/L	0	GE

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 44D collected on 08/04/93, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Mod</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Iron	4.9		µg/L	0	GE
		Lead	<3.0		µg/L	0	GE
		Lindane	<0.0050		µg/L	0	GE
		Magnesium	458		µg/L	0	GE
		Manganese	13		µg/L	0	GE
		Mercury	<0.20		µg/L	0	GE
		Methoxychlor	<0.50		µg/L	0	GE
		Naphthalene	<10	J1	µg/L	0	GE
		Nickel	<4.0		µg/L	0	GE
		Nitrate-nitrite as nitrogen	800		µg/L	0	GE
		Phenols	<10		µg/L	0	GE
		Potassium	<500		µg/L	0	GE
		Selenium	<2.0		µg/L	0	GE
		Silica	7,290		µg/L	0	GE
		Silver	<2.0		µg/L	0	GE
		Sodium	1,610		µg/L	0	GE
		Sulfate	<1,000		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0		µg/L	0	GE
		Tetrachloroethylene	<1.0		µg/L	0	GE
		Tin	<2.0		µg/L	0	GE
		Toluene	<1.0		µg/L	0	GE
		Total dissolved solids	28,000	V	µg/L	0	GE
		Total organic carbon	<1,000		µg/L	0	GE
•		Total organic halogens	<5.0	J	µg/L	0	GE
		Total phosphates (as P)	60		µg/L	0	GE
		Toxaphene	<0.24		µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090		µg/L	0	GE
		1,1,1-Trichloroethane	<1.0		µg/L	0	GE
		1,1,2-Trichloroethane	<1.0		µg/L	0	GE
		Trichloroethylene	<1.0		µg/L	0	GE
		Trichlorofluoromethane	<1.0		µg/L	0	GE
		Vanadium	<8.0		µg/L	0	GE
		Xylenes	<2.0		µg/L	0	GE
		Gross alpha	5.3E+00 ± 1.5E+00		pCi/L	0	GE
		Nonvolatile beta	2.2E+00 ± 1.0E+00		pCi/L	0	GE
		Radium, total alpha-emitting	2.4E+00 ± 6.0E-01		pCi/L	0	GE
		Total activity	4.9E+05 ± 4.9E+03		pCi/L	0	EM
■		Tritium	4.7E+02 ± 9.1E+00		pCi/mL	2	GE
		Uranium-233/234	<1.0E+00		pCi/L	0	CN
		Uranium-235	<1.0E+00		pCi/L	0	CN
		Uranium-238	<1.0E+00		pCi/L	0	CN

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 45A

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N75830.0 E54550.1	33.282492 °N 81.670457 °W	126.9-116.9 ft msl	278.9 ft msl	4" PVC	S	U. Congaree (IIA)

FIELD MEASUREMENTS

Sample date: 08/04/93
Depth to water: 118.17 ft (36.02 m) below TOC
Water elevation: 160.73 ft (48.99 m) msl
Sp. conductance: 190 µS/cm
Turbidity: 0.3 NTU
Water evacuated before sampling: 136 gal

Time: 12:54
pH: 7.6
Alkalinity: 60 mg/L
Water temperature: 19.5 °C

Volumes purged: 4.7 well volumes

LABORATORY ANALYSES

H	D	Analyte	Result	Mod	Unit	Flag	Lab
•		pH	7.6	J	pH	0	GE
•		pH	7.7	J	pH	0	GE
		Specific conductance	176		µS/cm	0	GE
		Specific conductance	174		µS/cm	0	GE
		Turbidity	<0.10		NTU	0	GE
		Turbidity	<0.10		NTU	0	GE
		Acetophenone	<10	J1	µg/L	0	GE
		Aluminum	<20		µg/L	0	GE
		Antimony	<2.0		µg/L	0	GE
		Arsenic	<2.0		µg/L	0	GE
		Barium	31		µg/L	0	GE
		Benzene	<1.0		µg/L	0	GE
		Bromodichloromethane	<1.0		µg/L	0	GE
		Bromoform	<1.0		µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0		µg/L	0	GE
		Cadmium	<2.0		µg/L	0	GE
		Calcium	32,900	J2	µg/L	0	GE
		Carbon tetrachloride	<1.0		µg/L	0	GE
		Chloride	1,860		µg/L	0	GE
		Chlorobenzene	<1.0		µg/L	0	GE
		Chloroethane	<1.0		µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0		µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0		µg/L	0	GE
		Chloroform	<1.0		µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0		µg/L	0	GE
		Chromium	<4.0		µg/L	0	GE
		Copper	<4.0		µg/L	0	GE
		Cyanide	<5.0		µg/L	0	GE
		Cyanide	<5.0		µg/L	0	GE
		Dibromochloromethane	<1.0		µg/L	0	GE
		1,1-Dichloroethane	<1.0		µg/L	0	GE
		1,2-Dichloroethane	<1.0		µg/L	0	GE
		1,1-Dichloroethylene	<1.0		µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0		µg/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0		µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30		µg/L	0	GE
		1,2-Dichloropropane	<1.0		µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0		µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0		µg/L	0	GE

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 45A collected on 08/04/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		Endrin	<0.0060		µg/L	0	GE
		Ethylbenzene	<1.0		µg/L	0	GE
		Fluoride	<100		µg/L	0	GE
		Iron	<4.0		µg/L	0	GE
		Lead	<3.0	J1	µg/L	0	GE
		Lindane	<0.0050		µg/L	0	GE
		Magnesium	456		µg/L	0	GE
		Manganese	<2.0		µg/L	0	GE
		Mercury	<0.20		µg/L	0	GE
		Methoxychlor	<0.50		µg/L	0	GE
		Naphthalene	<10	J1	µg/L	0	GE
		Nickel	<4.0		µg/L	0	GE
		Nitrate-nitrite as nitrogen	390		µg/L	0	GE
		Phenols	<10		µg/L	0	GE
		Potassium	677		µg/L	0	GE
		Selenium	<2.0		µg/L	0	GE
		Silica	22,500		µg/L	0	GE
		Silver	<2.0		µg/L	0	GE
		Sodium	2,270		µg/L	0	GE
		Sulfate	2,920		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0		µg/L	0	GE
		Tetrachloroethylene	<1.0		µg/L	0	GE
		Tin	<2.0		µg/L	0	GE
		Toluene	<1.0		µg/L	0	GE
		Total dissolved solids	118,000		µg/L	0	GE
		Total dissolved solids	118,000		µg/L	0	GE
		Total organic carbon	<1,000		µg/L	0	GE
		Total organic halogens	<5.0		µg/L	0	GE
		Total phosphates (as P)	50		µg/L	0	GE
		Toxaphene	<0.24		µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090		µg/L	0	GE
		Tributyl phosphate	<10	J1	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0		µg/L	0	GE
		1,1,2-Trichloroethane	<1.0		µg/L	0	GE
		Trichloroethylene	<1.0		µg/L	0	GE
		Trichlorofluoromethane	<1.0		µg/L	0	GE
		Vanadium	<8.0		µg/L	0	GE
		Xylenes	<2.0		µg/L	0	GE
		Gross alpha	<2.0E+00		pCi/L	0	GE
		Nonvolatile beta	<2.0E+00		pCi/L	0	GE
		Radium, total alpha-emitting	<1.0E+00		pCi/L	0	GE
		Tritium	2.0E+00 ± 4.4E-01		pCi/mL	0	GE
		Uranium-233/234	<1.0E+00		pCi/L	0	CN
		Uranium-235	<1.0E+00		pCi/L	0	CN
		Uranium-238	<1.0E+00		pCi/L	0	CN

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 45B

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N75840.3 E54563.6	33.282536 °N 81.670441 °W	147.0-137.0 ft msl	278.6 ft msl	4" PVC	S	McBean (IIB ₁)

FIELD MEASUREMENTS

Sample date: 08/05/93
Depth to water: 57.12 ft (17.41 m) below TOC
Water elevation: 221.48 ft (67.51 m) msl
Sp. conductance: 94 μ S/cm
Turbidity: 1.3 NTU
Water evacuated before sampling: 47 gal
The well went dry during purging.

Time: 8:08
pH: 9.2
Alkalinity: 9 mg/L
Water temperature: 19.3 °C

Volumes purged: 0.8 well volumes

LABORATORY ANALYSES

H	D	Analyte	Result	Mod	Unit	Flag	Lab
•		pH	9.6	J	pH	1	GE
		Specific conductance	76		μ S/cm	0	GE
		Turbidity	0.55		NTU	0	GE
		Acetophenone	<10	J1	μ g/L	0	GE
		Aluminum	29		μ g/L	1	GE
		Antimony	<2.0		μ g/L	0	GE
		Arsenic	<2.0		μ g/L	0	GE
		Barium	45		μ g/L	0	GE
		Benzene	<1.0		μ g/L	0	GE
		Bromodichloromethane	<1.0		μ g/L	0	GE
		Bromoform	<1.0		μ g/L	0	GE
		Bromomethane (Methyl bromide)	<1.0		μ g/L	0	GE
		Cadmium	<2.0		μ g/L	0	GE
		Calcium	10,200	J2	μ g/L	0	GE
		Carbon tetrachloride	<1.0		μ g/L	0	GE
		Chloride	2,030		μ g/L	0	GE
		Chloride	2,010		μ g/L	0	GE
		Chlorobenzene	<1.0		μ g/L	0	GE
		Chloroethane	<1.0		μ g/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0		μ g/L	0	GE
		2-Chloroethyl vinyl ether	<1.0		μ g/L	0	GE
		Chloroform	<1.0		μ g/L	0	GE
		Chloromethane (Methyl chloride)	<1.0		μ g/L	0	GE
		Chromium	<4.0		μ g/L	0	GE
		Copper	<4.0		μ g/L	0	GE
•		Cyanide	<5.0	J	μ g/L	0	GE
•		Cyanide	<5.0	J	μ g/L	0	GE
		Dibromochloromethane	<1.0		μ g/L	0	GE
		1,1-Dichloroethane	<1.0		μ g/L	0	GE
		1,2-Dichloroethane	<1.0		μ g/L	0	GE
		1,1-Dichloroethylene	<1.0		μ g/L	0	GE
		trans-1,2-Dichloroethylene	<1.0		μ g/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0		μ g/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30		μ g/L	0	GE
		1,2-Dichloropropane	<1.0		μ g/L	0	GE
		cis-1,3-Dichloropropene	<1.0		μ g/L	0	GE
		trans-1,3-Dichloropropene	<1.0		μ g/L	0	GE
		Endrin	<0.0060		μ g/L	0	GE
		Ethylbenzene	<1.0		μ g/L	0	GE

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 45B collected on 08/05/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		Fluoride	<100		µg/L	0	GE
		Iron	7.3		µg/L	0	GE
		Lead	<3.0		µg/L	0	GE
		Lindane	<0.0050		µg/L	0	GE
		Magnesium	400		µg/L	0	GE
		Manganese	<2.0		µg/L	0	GE
		Mercury	<0.20		µg/L	0	GE
		Methoxychlor	<0.50		µg/L	0	GE
		Naphthalene	<10	J1	µg/L	0	GE
		Nickel	<4.0		µg/L	0	GE
		Nitrate-nitrite as nitrogen	580		µg/L	0	GE
		Phenols	<5.0		µg/L	0	GE
		Potassium	3,730		µg/L	0	GE
		Selenium	<2.0		µg/L	0	GE
		Silica	13,400		µg/L	0	GE
		Silver	<2.0		µg/L	0	GE
		Sodium	5,820		µg/L	0	GE
		Sulfate	<1,000		µg/L	0	GE
		Sulfate	<1,000		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0		µg/L	0	GE
		Tetrachloroethylene	<1.0		µg/L	0	GE
		Tin	6.8		µg/L	0	GE
		Toluene	<1.0		µg/L	0	GE
		Total dissolved solids	59,000	V	µg/L	0	GE
		Total organic carbon	<1,000		µg/L	0	GE
		Total organic halogens	<5.0		µg/L	0	GE
		Total phosphates (as P)	<50		µg/L	0	GE
		Toxaphene	<0.24		µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090		µg/L	0	GE
		Tributyl phosphate	<10	J1	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0		µg/L	0	GE
		1,1,2-Trichloroethane	<1.0		µg/L	0	GE
		Trichloroethylene	<1.0		µg/L	0	GE
		Trichlorofluoromethane	<1.0		µg/L	0	GE
		Vanadium	<8.0		µg/L	0	GE
		Xylenes	<2.0		µg/L	0	GE
		Gross alpha	<2.0E+00		pCi/L	0	GE
		Nonvolatile beta	<2.0E+00		pCi/L	0	GE
		Radium, total alpha-emitting	1.1E+00 ± 5.0E-01		pCi/L	0	GE
		Tritium	6.0E+00 ± 5.5E-01		pCi/mL	0	GE
		Uranium-233/234	<1.0E+00		pCi/L	0	CN
		Uranium-235	<1.0E+00		pCi/L	0	CN
		Uranium-238	<1.0E+00		pCi/L	0	CN

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 45C

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N75835.0 E54577.4	33.282547 °N 81.670395 °W	200.5-190.5 ft msl	278.6 ft msl	4" PVC	S	Barnwell (IIB ₁)

FIELD MEASUREMENTS

Sample date: 08/05/93
Depth to water: 53.45 ft (16.29 m) below TOC
Water elevation: 225.15 ft (68.63 m) msl
Sp. conductance: 35 µS/cm
Turbidity: 3.3 NTU
Water evacuated before sampling: 23 gal
The well went dry during purging.

Time: 7:49
pH: 5.2
Alkalinity: 4 mg/L
Water temperature: 19.1 °C

Volumes purged: 1.0 well volumes

LABORATORY ANALYSES

H	D	Analyte	Result	Mod	Unit	Flag	Lab
•		pH	6.5	J	pH	0	GE
		Specific conductance	35		µS/cm	0	GE
•		Turbidity	2.9	J	NTU	0	GE
		Acetophenone	<10	J1	µg/L	0	GE
		Aluminum	91		µg/L	2	GE
		Aluminum	90		µg/L	2	GE
		Antimony	<2.0	J1	µg/L	0	GE
		Arsenic	<2.0		µg/L	0	GE
		Barium	9.6		µg/L	0	GE
		Barium	9.5		µg/L	0	GE
		Benzene	<1.0		µg/L	0	GE
		Bromodichloromethane	<1.0		µg/L	0	GE
		Bromoform	<1.0		µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0		µg/L	0	GE
		Cadmium	<2.0		µg/L	0	GE
		Cadmium	<2.0		µg/L	0	GE
		Calcium	2,400		µg/L	0	GE
		Calcium	2,390		µg/L	0	GE
		Carbon tetrachloride	<1.0		µg/L	0	GE
		Chloride	2,330		µg/L	0	GE
		Chlorobenzene	<1.0		µg/L	0	GE
		Chloroethane	<1.0		µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0		µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0		µg/L	0	GE
		Chloroform	<1.0		µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0		µg/L	0	GE
		Chromium	<4.0		µg/L	0	GE
		Chromium	<4.0		µg/L	0	GE
		Copper	8.1		µg/L	0	GE
		Copper	8.0		µg/L	0	GE
		Cyanide	<5.0		µg/L	0	GE
		Dibromochloromethane	<1.0		µg/L	0	GE
		1,1-Dichloroethane	<1.0		µg/L	0	GE
		1,2-Dichloroethane	<1.0		µg/L	0	GE
		1,1-Dichloroethylene	<1.0		µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0		µg/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0		µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30		µg/L	0	GE
		1,2-Dichloropropane	<1.0		µg/L	0	GE

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 45C collected on 08/05/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		cis-1,3-Dichloropropene	<1.0		µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0		µg/L	0	GE
		Endrin	<0.0060		µg/L	0	GE
		Ethylbenzene	<1.0		µg/L	0	GE
		Fluoride	<100		µg/L	0	GE
		Iron	42		µg/L	0	GE
		Iron	42		µg/L	0	GE
		Lead	18		µg/L	2	GE
		Lindane	<0.0050		µg/L	0	GE
		Magnesium	443		µg/L	0	GE
		Magnesium	442		µg/L	0	GE
		Manganese	15		µg/L	0	GE
		Manganese	15		µg/L	0	GE
		Mercury	<0.20		µg/L	0	GE
		Methoxychlor	<0.50		µg/L	0	GE
		Naphthalene	<10	J1	µg/L	0	GE
		Nickel	<4.0		µg/L	0	GE
		Nickel	<4.0		µg/L	0	GE
		Nitrate-nitrite as nitrogen	800		µg/L	0	GE
		Phenols	<5.0		µg/L	0	GE
		Potassium	1,400		µg/L	0	GE
		Potassium	1,390		µg/L	0	GE
		Selenium	<2.0	J1	µg/L	0	GE
		Silica	7,620		µg/L	0	GE
		Silica	7,620		µg/L	0	GE
		Silver	<2.0		µg/L	0	GE
		Silver	<2.0		µg/L	0	GE
		Sodium	2,520		µg/L	0	GE
		Sodium	2,520		µg/L	0	GE
		Sulfate	<1,000		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0		µg/L	0	GE
		Tetrachloroethylene	<1.0		µg/L	0	GE
		Tin	2.5		µg/L	0	GE
		Tin	2.4		µg/L	0	GE
		Toluene	<1.0		µg/L	0	GE
		Total dissolved solids	37,000	V	µg/L	0	GE
		Total organic carbon	<1,000		µg/L	0	GE
•		Total organic halogens	<5.0	J	µg/L	0	GE
		Total phosphates (as P)	<50		µg/L	0	GE
		Toxaphene	<0.24		µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090		µg/L	0	GE
		Tributyl phosphate	<10	J1	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0		µg/L	0	GE
		1,1,2-Trichloroethane	<1.0		µg/L	0	GE
		Trichloroethylene	<1.0		µg/L	0	GE
		Trichlorofluoromethane	<1.0		µg/L	0	GE
		Vanadium	<8.0		µg/L	0	GE
		Vanadium	<8.0		µg/L	0	GE
		Xylenes	<2.0		µg/L	0	GE
		Gross alpha	<2.0E+00		pCi/L	0	GE
		Nonvolatile beta	<2.0E+00		pCi/L	0	GE
		Radium, total alpha-emitting	<1.0E+00		pCi/L	0	GE
		Total activity	7.4E+05 ± 6.3E+03		pCi/L	0	EM
■		Tritium	6.9E+02 ± 1.3E+01		pCi/mL	2	GE
		Uranium-233/234	<1.0E+00		pCi/L	0	CN
		Uranium-235	<1.0E+00		pCi/L	0	CN

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 45C collected on 08/05/93, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Mod</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Uranium-238	<1.0E+00		pCi/L	0	CN

WELL BGO 45D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Pump</u>	<u>Formation</u>
N75854.3 E54585.6	33.282603 °N 81.670411 °W	229.6-209.6 ft msl	278.6 ft msl	4" PVC	S	Water Table (IIB ₂)

FIELD MEASUREMENTS

Sample date: 08/04/93
Depth to water: 48.71 ft (14.85 m) below TOC
Water elevation: 229.89 ft (70.07 m) msl
Sp. conductance: 33 µS/cm
Turbidity: 1.2 NTU
Water evacuated before sampling: 170 gal

Time: 13:23
pH: 4.9
Alkalinity: 0 mg/L
Water temperature: 19.7 °C
Volumes purged: 12.8 well volumes

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Mod</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.6	J	pH	0	GE
		Specific conductance	26		µS/cm	0	GE
		Turbidity	0.24		NTU	0	GE
		Acetophenone	<10	J1	µg/L	0	GE
		Aluminum	27		µg/L	1	GE
		Antimony	<2.0		µg/L	0	GE
		Arsenic	<2.0		µg/L	0	GE
		Barium	8.4		µg/L	0	GE
		Benzene	<1.0		µg/L	0	GE
		Bromodichloromethane	<1.0		µg/L	0	GE
		Bromoform	<1.0		µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0		µg/L	0	GE
		Cadmium	<2.0		µg/L	0	GE
		Calcium	1,170	J2	µg/L	0	GE
		Carbon tetrachloride	<1.0		µg/L	0	GE
		Chloride	2,070		µg/L	0	GE
		Chlorobenzene	<1.0		µg/L	0	GE
		Chloroethane	<1.0		µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0		µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0		µg/L	0	GE
		Chloroform	<1.0		µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0		µg/L	0	GE
		Chromium	<4.0		µg/L	0	GE
		Copper	<4.0		µg/L	0	GE
		Cyanide	<5.0		µg/L	0	GE
		Dibromochloromethane	<1.0		µg/L	0	GE
		1,1-Dichloroethane	<1.0		µg/L	0	GE
		1,2-Dichloroethane	<1.0		µg/L	0	GE
		1,1-Dichloroethylene	<1.0		µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0		µg/L	0	GE
		Dichloromethane (Methylene chloride)	1.0		µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30		µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30		µg/L	0	GE

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 45D collected on 08/04/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		1,2-Dichloropropane	<1.0		µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0		µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0		µg/L	0	GE
		Endrin	<0.030		µg/L	0	GE
		Ethylbenzene	<1.0		µg/L	0	GE
		Fluoride	<100		µg/L	0	GE
		Fluoride	<100		µg/L	0	GE
		Iron	28		µg/L	0	GE
		Lead	<3.0		µg/L	0	GE
		Lindane	<0.025		µg/L	0	GE
		Magnesium	529		µg/L	0	GE
		Manganese	7.1		µg/L	0	GE
		Mercury	<0.20		µg/L	0	GE
		Methoxychlor	<2.5		µg/L	0	GE
		Naphthalene	<10	J1	µg/L	0	GE
		Nickel	<4.0		µg/L	0	GE
		Nitrate-nitrite as nitrogen	620		µg/L	0	GE
		Phenols	<5.0		µg/L	0	GE
		Potassium	<500		µg/L	0	GE
		Selenium	<2.0		µg/L	0	GE
		Silica	7,230		µg/L	0	GE
		Silver	<2.0		µg/L	0	GE
		Sodium	2,210		µg/L	0	GE
		Sulfate	<1,000		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0		µg/L	0	GE
		Tetrachloroethylene	<1.0		µg/L	0	GE
		Tin	<2.0		µg/L	0	GE
		Toluene	<1.0		µg/L	0	GE
		Total dissolved solids	33,000	V	µg/L	0	GE
		Total organic carbon	<1,000		µg/L	0	GE
		Total organic halogens	13		µg/L	0	GE
		Total phosphates (as P)	<50		µg/L	0	GE
		Toxaphene	<1.2		µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090		µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090		µg/L	0	GE
		Tributyl phosphate	<10	J1	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0		µg/L	0	GE
		1,1,2-Trichloroethane	<1.0		µg/L	0	GE
		Trichloroethylene	<1.0		µg/L	0	GE
		Trichlorofluoromethane	<1.0		µg/L	0	GE
		Vanadium	<8.0		µg/L	0	GE
		Xylenes	<2.0		µg/L	0	GE
		Gross alpha	<2.0E+00		pCi/L	0	GE
		Nonvolatile beta	<2.0E+00		pCi/L	0	GE
		Radium, total alpha-emitting	<1.0E+00		pCi/L	0	GE
		Total activity	1.3E+05 ± 2.7E+03		pCi/L	0	EM
■		Tritium	1.3E+02 ± 2.6E+00		pCi/mL	2	GE
		Uranium-233/234	<1.0E+00		pCi/L	0	CN
		Uranium-233/234	<1.0E+00		pCi/L	0	CN
		Uranium-235	<1.0E+00		pCi/L	0	CN
		Uranium-235	<1.0E+00		pCi/L	0	CN
		Uranium-238	<1.0E+00		pCi/L	0	CN
		Uranium-238	<1.0E+00		pCi/L	0	CN

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 46B

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Pump</u>	<u>Formation</u>
N75012.1 E54444.7	33.280511 °N 81.669146 °W	150.4-140.4 ft msl	265.4 ft msl	4" PVC	S	McBean (IIB ₁)

FIELD MEASUREMENTS

Sample date: 08/20/93
Depth to water: 46.03 ft (14.03 m) below TOC
Water elevation: 219.37 ft (66.86 m) msl
Sp. conductance: 64 µS/cm
Turbidity: 0.3 NTU
Water evacuated before sampling: 175 gal

Time: 8:57
pH: 6.3
Alkalinity: 17 mg/L
Water temperature: 20.0 °C
Volumes purged: 3.4 well volumes

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Mod</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	6.6	J	pH	0	GE
		Specific conductance	58		µS/cm	0	GE
•		Turbidity	<0.10	J	NTU	0	GE
		Acetophenone	<10		µg/L	0	GE
		Aluminum	<20		µg/L	0	GE
		Antimony	<2.0		µg/L	0	GE
		Arsenic	<2.0		µg/L	0	GE
		Barium	3.0		µg/L	0	GE
		Benzene	<1.0		µg/L	0	GE
		Bromodichloromethane	<1.0		µg/L	0	GE
		Bromoform	<1.0		µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0		µg/L	0	GE
		Cadmium	<2.0		µg/L	0	GE
		Calcium	7,850		µg/L	0	GE
		Carbon tetrachloride	<1.0		µg/L	0	GE
		Chloride	1,950		µg/L	0	GE
		Chlorobenzene	<1.0		µg/L	0	GE
		Chloroethane	<1.0		µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0		µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0		µg/L	0	GE
		Chloroform	<1.0		µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0		µg/L	0	GE
		Chromium	<4.0		µg/L	0	GE
		Copper	<4.0		µg/L	0	GE
		Cyanide	<5.0		µg/L	0	GE
		Dibromochloromethane	<1.0		µg/L	0	GE
		1,1-Dichloroethane	<1.0		µg/L	0	GE
		1,2-Dichloroethane	<1.0		µg/L	0	GE
		1,1-Dichloroethylene	<1.0		µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0		µg/L	0	GE
		Dichloromethane (Methylene chloride)	1.4		µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30		µg/L	0	GE
		1,2-Dichloropropane	<1.0		µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0		µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0		µg/L	0	GE
		Endrin	<0.0060		µg/L	0	GE
		Ethylbenzene	<1.0		µg/L	0	GE
		Fluoride	177		µg/L	0	GE
		Iron	9.9		µg/L	0	GE

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 46B collected on 08/20/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		Lead	< 3.0		µg/L	0	GE
		Lindane	< 0.0050		µg/L	0	GE
		Magnesium	324		µg/L	0	GE
		Manganese	2.6		µg/L	0	GE
		Mercury	< 0.20		µg/L	0	GE
		Methoxychlor	< 0.50		µg/L	0	GE
		Naphthalene	< 10		µg/L	0	GE
		Nickel	< 4.0		µg/L	0	GE
		Nitrate-nitrite as nitrogen	650		µg/L	0	GE
		Phenols	< 5.0		µg/L	0	GE
		Potassium	< 500		µg/L	0	GE
		Selenium	< 2.0		µg/L	0	GE
		Silica	12,200		µg/L	0	GE
		Silver	< 2.0		µg/L	0	GE
		Sodium	1,910		µg/L	0	GE
		Sulfate	< 1,000		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	< 1.0		µg/L	0	GE
		Tetrachloroethylene	< 1.0		µg/L	0	GE
		Tin	< 2.0		µg/L	0	GE
		Toluene	< 1.0		µg/L	0	GE
		Total dissolved solids	43,000	V	µg/L	0	GE
		Total organic carbon	1,100		µg/L	0	GE
		Total organic halogens	< 5.0		µg/L	0	GE
		Total organic halogens	< 5.0		µg/L	0	GE
		Total phosphates (as P)	680		µg/L	0	GE
		Toxaphene	< 0.24		µg/L	0	GE
		2,4,5-TP (Silvex)	< 0.090		µg/L	0	GE
		Tributyl phosphate	< 10		µg/L	0	GE
		1,1,1-Trichloroethane	< 1.0		µg/L	0	GE
		1,1,2-Trichloroethane	< 1.0		µg/L	0	GE
		Trichloroethylene	1.7		µg/L	0	GE
		Trichlorofluoromethane	< 1.0		µg/L	0	GE
		Vanadium	< 8.0		µg/L	0	GE
		Xylenes	< 2.0		µg/L	0	GE
		Gross alpha	< 2.0E+00		pCi/L	0	GE
		Nonvolatile beta	< 2.0E+00		pCi/L	0	GE
		Radium, total alpha-emitting	1.1E+00 ± 6.0E-01		pCi/L	0	GE
■		Tritium	2.2E+01 ± 9.3E-01		pCi/mL	2	GE
		Uranium-233/234	< 1.0E+00		pCi/L	0	CN
		Uranium-235	< 1.0E+00		pCi/L	0	CN
		Uranium-238	< 1.0E+00		pCi/L	0	CN

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 46C

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N75022.2 E54433.9	33.280515 °N 81.669194 °W	188.0-178.0 ft msl	265.1 ft msl	4" PVC	S	Barnwell (IIB ₁)

FIELD MEASUREMENTS

Sample date: 08/20/93
Depth to water: 44.08 ft (13.44 m) below TOC
Water elevation: 221.02 ft (67.37 m) msl
Sp. conductance: 57 µS/cm
Turbidity: 5.8 NTU
Water evacuated before sampling: 31 gal
The well went dry during purging.

Time: 8:37
pH: 5.7
Alkalinity: 9 mg/L
Water temperature: 20.0 °C

Volumes purged: 1.1 well volumes

LABORATORY ANALYSES

H	D	Analyte	Result	Mod	Unit	Flag	Lab
•		pH	6.9	J	pH	0	GE
		Specific conductance	56		µS/cm	0	GE
•		Turbidity	12	J	NTU	0	GE
		Acetophenone	<10	J1	µg/L	0	GE
		Aluminum	44		µg/L	1	GE
		Antimony	<2.0		µg/L	0	GE
		Arsenic	<2.0		µg/L	0	GE
		Barium	7.0		µg/L	0	GE
		Benzene	<1.0		µg/L	0	GE
		Bromodichloromethane	<1.0		µg/L	0	GE
		Bromoform	<1.0		µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0		µg/L	0	GE
		Cadmium	<2.0		µg/L	0	GE
		Calcium	1,520		µg/L	0	GE
		Carbon tetrachloride	<1.0		µg/L	0	GE
		Chloride	2,380		µg/L	0	GE
		Chlorobenzene	<1.0		µg/L	0	GE
		Chloroethane	<1.0		µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0		µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0		µg/L	0	GE
		Chloroform	<1.0		µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0		µg/L	0	GE
		Chromium	<4.0		µg/L	0	GE
		Copper	<4.0		µg/L	0	GE
		Cyanide	<5.0		µg/L	0	GE
		Dibromochloromethane	<1.0		µg/L	0	GE
		1,1-Dichloroethane	<1.0		µg/L	0	GE
		1,2-Dichloroethane	<1.0		µg/L	0	GE
		1,1-Dichloroethylene	<1.0		µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0		µg/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0		µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30		µg/L	0	GE
		1,2-Dichloropropane	<1.0		µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0		µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0		µg/L	0	GE
		Endrin	<0.0060		µg/L	0	GE
		Ethylbenzene	<1.0		µg/L	0	GE
		Fluoride	<100		µg/L	0	GE
		Iron	152		µg/L	1	GE

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 46C collected on 08/20/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		Lead	< 3.0		µg/L	0	GE
		Lindane	< 0.0050		µg/L	0	GE
		Magnesium	287		µg/L	0	GE
		Manganese	12		µg/L	0	GE
		Mercury	< 0.20		µg/L	0	GE
		Methoxychlor	< 0.50		µg/L	0	GE
		Naphthalene	< 10	J1	µg/L	0	GE
		Nickel	5.1		µg/L	0	GE
		Nitrate-nitrite as nitrogen	640		µg/L	0	GE
		Phenols	< 5.0		µg/L	0	GE
		Potassium	1,100		µg/L	0	GE
		Selenium	< 2.0		µg/L	0	GE
		Silica	8,370		µg/L	0	GE
		Silver	< 2.0		µg/L	0	GE
		Sodium	6,960		µg/L	0	GE
		Sulfate	4,870		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	< 1.0		µg/L	0	GE
		Tetrachloroethylene	< 1.0		µg/L	0	GE
		Tin	2.8		µg/L	0	GE
		Toluene	< 1.0		µg/L	0	GE
		Total dissolved solids	44,000	V	µg/L	0	GE
		Total organic carbon	1,100		µg/L	0	GE
		Total organic halogens	< 5.0		µg/L	0	GE
		Total phosphates (as P)	< 50		µg/L	0	GE
		Toxaphene	< 0.24		µg/L	0	GE
		2,4,5-TP (Silvex)	< 0.090		µg/L	0	GE
		Tributyl phosphate	< 10	J1	µg/L	0	GE
		1,1,1-Trichloroethane	< 1.0		µg/L	0	GE
		1,1,2-Trichloroethane	< 1.0		µg/L	0	GE
■		Trichloroethylene	26		µg/L	2	GE
		Trichlorofluoromethane	< 1.0		µg/L	0	GE
		Vanadium	< 8.0		µg/L	0	GE
		Xylenes	< 2.0		µg/L	0	GE
		Gross alpha	< 2.0E+00		pCi/L	0	GE
		Nonvolatile beta	5.4E+00 ± 1.6E+00		pCi/L	0	GE
		Radium, total alpha-emitting	< 1.0E+00		pCi/L	0	GE
■		Tritium	7.9E+01 ± 1.6E+00		pCi/mL	2	GE
		Uranium-233/234	< 1.0E+00		pCi/L	0	CN
		Uranium-235	< 1.0E+00		pCi/L	0	CN
		Uranium-238	< 1.0E+00		pCi/L	0	CN

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 46D

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N75033.8 E54420.0	33.280518 °N 81.669253 °W	212.1-202.1 ft msl	265.1 ft msl	4" PVC	S	Water Table (IIB ₂)

FIELD MEASUREMENTS

Sample date: 08/23/93
Depth to water: 38.38 ft (11.70 m) below TOC
Water elevation: 226.72 ft (69.11 m) msl
Sp. conductance: 55 µS/cm
Turbidity: 0.2 NTU
Water evacuated before sampling: 58 gal

Time: 13:18
pH: 4.6
Alkalinity: 0 mg/L
Water temperature: 20.6 °C

Volumes purged: 3.6 well volumes

LABORATORY ANALYSES

H	D	Analyte	Result	Mod	Unit	Flag	Lab
•		pH	5.2	J	pH	0	GE
		Specific conductance	52		µS/cm	0	GE
		Specific conductance	52		µS/cm	0	GE
•		Turbidity	<0.10	J	NTU	0	GE
•		Turbidity	<0.10	J	NTU	0	GE
		Acetophenone	<10	J1	µg/L	0	GE
		Aluminum	52		µg/L	2	GE
		Antimony	<2.0		µg/L	0	GE
		Arsenic	<2.0		µg/L	0	GE
		Barium	9.0		µg/L	0	GE
		Benzene	<5.0		µg/L	0	GE
		Bromodichloromethane	<5.0		µg/L	0	GE
		Bromoform	<5.0		µg/L	0	GE
		Bromomethane (Methyl bromide)	<5.0		µg/L	0	GE
		Cadmium	<2.0		µg/L	0	GE
		Calcium	842		µg/L	0	GE
		Carbon tetrachloride	<5.0		µg/L	0	GE
		Chloride	5,930		µg/L	0	GE
		Chloride	6,160		µg/L	0	GE
		Chlorobenzene	<5.0		µg/L	0	GE
		Chloroethane	<5.0		µg/L	0	GE
■		Chloroethene (Vinyl chloride)	9.5		µg/L	2	GE
		2-Chloroethyl vinyl ether	<5.0		µg/L	0	GE
		Chloroform	<5.0		µg/L	0	GE
		Chloromethane (Methyl chloride)	<5.0		µg/L	0	GE
		Chromium	<4.0		µg/L	0	GE
		Copper	<4.0		µg/L	0	GE
		Cyanide	<5.0		µg/L	0	GE
		Dibromochloromethane	<5.0		µg/L	0	GE
		1,1-Dichloroethane	80		µg/L	2	GE
		1,2-Dichloroethane	<5.0		µg/L	0	GE
		1,1-Dichloroethylene	<5.0		µg/L	0	GE
		trans-1,2-Dichloroethylene	<5.0		µg/L	0	GE
		Dichloromethane (Methylene chloride)	<5.0		µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30		µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30		µg/L	0	GE
		1,2-Dichloropropane	<5.0		µg/L	0	GE
		cis-1,3-Dichloropropene	<5.0		µg/L	0	GE
		trans-1,3-Dichloropropene	<5.0		µg/L	0	GE

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 46D collected on 08/23/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		Endrin	<0.030		µg/L	0	GE
		Ethylbenzene	<5.0		µg/L	0	GE
		Fluoride	<100		µg/L	0	GE
		Iron	11		µg/L	0	GE
		Lead	<3.0		µg/L	0	GE
		Lindane	<0.025		µg/L	0	GE
		Magnesium	531		µg/L	0	GE
		Manganese	25		µg/L	1	GE
		Mercury	0.75		µg/L	0	GE
		Methoxychlor	<2.5		µg/L	0	GE
		Naphthalene	<10	J1	µg/L	0	GE
		Nickel	<4.0		µg/L	0	GE
		Nitrate-nitrite as nitrogen	3,540		µg/L	0	GE
		Phenols	<5.0		µg/L	0	GE
		Potassium	<500		µg/L	0	GE
		Selenium	<2.0		µg/L	0	GE
		Silica	8,900		µg/L	0	GE
		Silver	<2.0		µg/L	0	GE
		Sodium	7,430		µg/L	0	GE
		Sulfate	<1,000		µg/L	0	GE
		Sulfate	<1,000		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<5.0		µg/L	0	GE
■		Tetrachloroethylene	19		µg/L	2	GE
		Tin	<2.0		µg/L	0	GE
		Toluene	<5.0		µg/L	0	GE
		Total dissolved solids	37,000	V	µg/L	0	GE
		Total dissolved solids	36,000	V	µg/L	0	GE
		Total organic carbon	6,330		µg/L	1	GE
●		Total organic halogens	8.1	J	µg/L	0	GE
		Total phosphates (as P)	100		µg/L	0	GE
		Toxaphene	<1.2		µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090		µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090		µg/L	0	GE
		Tributyl phosphate	<10	J1	µg/L	0	GE
		1,1,1-Trichloroethane	<5.0		µg/L	0	GE
		1,1,2-Trichloroethane	<5.0		µg/L	0	GE
■		Trichloroethylene	69		µg/L	2	GE
		Trichlorofluoromethane	<5.0		µg/L	0	GE
		Vanadium	<8.0		µg/L	0	GE
		Xylenes	<10		µg/L	0	GE
		Gross alpha	<2.0E+00		pCi/L	0	GE
		Gross alpha	<2.0E+00		pCi/L	0	GE
		Nonvolatile beta	3.6E+00 ± 1.3E+00		pCi/L	0	GE
		Nonvolatile beta	2.6E+00 ± 1.2E+00		pCi/L	0	GE
		Radium, total alpha-emitting	1.1E+00 ± 8.0E-01		pCi/L	0	GE
		Radium, total alpha-emitting	2.8E+00 ± 1.1E+00		pCi/L	0	GE
		Total activity	4.6E+07 ± 3.3E+05		pCi/L	0	EM
■		Tritium	4.4E+04 ± 6.3E+02		pCi/mL	2	GE
■		Tritium	4.5E+04 ± 6.3E+02		pCi/mL	2	GE
		Uranium-233/234	<1.0E+00		pCi/L	0	CN
		Uranium-235	<1.0E+00		pCi/L	0	CN
		Uranium-238	<1.0E+00		pCi/L	0	CN

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 47A

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N74728.8 E54914.0	33.280650 °N 81.667360 °W	96.8-86.8 ft msl	266.9 ft msl	4" PVC	S	U. Congaree (IIA)

FIELD MEASUREMENTS

Sample date: 08/05/93
Depth to water: 104.52 ft (31.86 m) below TOC
Water elevation: 162.38 ft (49.49 m) msl
Sp. conductance: 149 µS/cm
Turbidity: 0.3 NTU
Water evacuated before sampling: 279 gal

Time: 13:07
pH: 6.9
Alkalinity: 58 mg/L
Water temperature: 20.0 °C

Volumes purged: 5.6 well volumes

LABORATORY ANALYSES

H	D	Analyte	Result	Mod	Unit	Flag	Lab
•		pH	7.0	J	pH	0	GE
		Specific conductance	142		µS/cm	0	GE
		Turbidity	0.31		NTU	0	GE
		Acetophenone	<1.0	J1	µg/L	0	GE
		Aluminum	28		µg/L	1	GE
		Antimony	<2.0		µg/L	0	GE
		Arsenic	<2.0		µg/L	0	GE
		Barium	39		µg/L	0	GE
		Benzene	<1.0		µg/L	0	GE
		Bromodichloromethane	<1.0		µg/L	0	GE
		Bromoform	<1.0		µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0		µg/L	0	GE
		Cadmium	<2.0		µg/L	0	GE
		Calcium	24,400	J2	µg/L	0	GE
		Carbon tetrachloride	<1.0		µg/L	0	GE
		Chloride	2,440		µg/L	0	GE
		Chlorobenzene	<1.0		µg/L	0	GE
		Chloroethane	<1.0		µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0		µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0		µg/L	0	GE
		Chloroform	<1.0		µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0		µg/L	0	GE
		Chromium	<4.0		µg/L	0	GE
		Copper	<4.0		µg/L	0	GE
		Cyanide	<5.0		µg/L	0	GE
		Dibromochloromethane	<1.0		µg/L	0	GE
		1,1-Dichloroethane	<1.0		µg/L	0	GE
		1,2-Dichloroethane	<1.0		µg/L	0	GE
		1,1-Dichloroethylene	<1.0		µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0		µg/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0		µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30		µg/L	0	GE
		1,2-Dichloropropane	<1.0		µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0		µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0		µg/L	0	GE
		Endrin	<0.0060		µg/L	0	GE
		Ethylbenzene	<1.0		µg/L	0	GE
		Fluoride	179		µg/L	0	GE
		Iron	5.1		µg/L	0	GE

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 47A collected on 08/05/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		Lead	<3.0		µg/L	0	GE
		Lindane	<0.0050		µg/L	0	GE
		Magnesium	646		µg/L	0	GE
		Manganese	55		µg/L	2	GE
		Mercury	<0.20		µg/L	0	GE
		Mercury	<0.20		µg/L	0	GE
		Methoxychlor	<0.50		µg/L	0	GE
		Naphthalene	<10	J1	µg/L	0	GE
		Nickel	<4.0		µg/L	0	GE
		Nitrate-nitrite as nitrogen	<50		µg/L	0	GE
		Phenols	<5.0		µg/L	0	GE
		Phenols	<10		µg/L	0	GE
		Potassium	1,980		µg/L	0	GE
		Selenium	<2.0		µg/L	0	GE
		Silica	22,700		µg/L	0	GE
		Silver	<2.0		µg/L	0	GE
		Sodium	2,430		µg/L	0	GE
		Sulfate	6,190		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0		µg/L	0	GE
		Tetrachloroethylene	<1.0		µg/L	0	GE
		Tin	4.9		µg/L	0	GE
		Toluene	<1.0		µg/L	0	GE
		Total dissolved solids	114,000	V	µg/L	0	GE
		Total organic carbon	1,190		µg/L	0	GE
		Total organic halogens	<5.0		µg/L	0	GE
		Total phosphates (as P)	310		µg/L	0	GE
		Total phosphates (as P)	320		µg/L	0	GE
		Toxaphene	<0.24		µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090		µg/L	0	GE
		Tributyl phosphate	<10	J1	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0		µg/L	0	GE
		1,1,2-Trichloroethane	<1.0		µg/L	0	GE
		Trichloroethylene	<1.0		µg/L	0	GE
		Trichlorofluoromethane	<1.0		µg/L	0	GE
		Vanadium	<8.0		µg/L	0	GE
		Xylenes	<2.0		µg/L	0	GE
		Gross alpha	<2.0E+00		pCi/L	0	GE
		Gross alpha	<2.0E+00		pCi/L	0	GE
		Nonvolatile beta	<2.0E+00		pCi/L	0	GE
		Nonvolatile beta	<2.0E+00		pCi/L	0	GE
		Radium, total alpha-emitting	<1.0E+00		pCi/L	0	GE
		Tritium	8.8E-01 ± 3.9E-01		pCi/mL	0	GE
		Uranium-233/234	<1.0E+00		pCi/L	0	CN
		Uranium-235	<1.0E+00		pCi/L	0	CN
		Uranium-238	<1.0E+00		pCi/L	0	CN

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 47C

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Pump</u>	<u>Formation</u>
N74752.0 E54933.4	33.280733 °N 81.667354 °W	188.6-178.6 ft msl	267.6 ft msl	4" PVC	S	Barnwell (IIB ₁)

FIELD MEASUREMENTS

Sample date: 08/09/93
Depth to water: 43.25 ft (13.18 m) below TOC
Water elevation: 224.35 ft (68.38 m) msl
Sp. conductance: 37 µS/cm
Turbidity: 0.5 NTU
Water evacuated before sampling: 146 gal

Time: 8:28
pH: 5.5
Alkalinity: 4 mg/L
Water temperature: 20.5 °C
Volumes purged: 4.9 well volumes

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Mod</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	6.0	J	pH	0	GE
		Specific conductance	33		µS/cm	0	GE
		Turbidity	<0.10		NTU	0	GE
		Acetophenone	<10	J1	µg/L	0	GE
		Acetophenone	<10	J1	µg/L	0	GE
		Aluminum	<20		µg/L	0	GE
		Antimony	<2.0		µg/L	0	GE
		Antimony	<2.0		µg/L	0	GE
		Arsenic	<2.0		µg/L	0	GE
		Arsenic	<2.0		µg/L	0	GE
		Barium	8.6		µg/L	0	GE
		Benzene	<1.0		µg/L	0	GE
		Bromodichloromethane	<1.0		µg/L	0	GE
		Bromoform	<1.0		µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0		µg/L	0	GE
		Cadmium	<2.0		µg/L	0	GE
		Calcium	2,570		µg/L	0	GE
		Carbon tetrachloride	<1.0		µg/L	0	GE
		Chloride	1,920		µg/L	0	GE
		Chlorobenzene	<1.0		µg/L	0	GE
		Chloroethane	<1.0		µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0		µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0		µg/L	0	GE
		Chloroform	1.3		µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0		µg/L	0	GE
		Chromium	<4.0		µg/L	0	GE
		Copper	<4.0		µg/L	0	GE
		Cyanide	<5.0		µg/L	0	GE
		Dibromochloromethane	<1.0		µg/L	0	GE
		1,1-Dichloroethane	<1.0		µg/L	0	GE
		1,2-Dichloroethane	<1.0		µg/L	0	GE
		1,1-Dichloroethylene	<1.0		µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0		µg/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0		µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30		µg/L	0	GE
		1,2-Dichloropropane	<1.0		µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0		µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0		µg/L	0	GE
		Endrin	<0.0060		µg/L	0	GE

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 47C collected on 08/09/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		Ethylbenzene	<1.0		µg/L	0	GE
		Fluoride	<100		µg/L	0	GE
		Fluoride	<100		µg/L	0	GE
		Iron	<4.0		µg/L	0	GE
		Lead	<3.0		µg/L	0	GE
		Lead	<3.0		µg/L	0	GE
		Lindane	<0.0050		µg/L	0	GE
		Magnesium	612		µg/L	0	GE
		Manganese	7.4		µg/L	0	GE
		Mercury	<0.20		µg/L	0	GE
		Methoxychlor	<0.50		µg/L	0	GE
		Naphthalene	<10	J1	µg/L	0	GE
		Naphthalene	<10	J1	µg/L	0	GE
		Nickel	<4.0		µg/L	0	GE
		Nitrate-nitrite as nitrogen	1,170		µg/L	0	GE
		Phenols	<5.0		µg/L	0	GE
		Potassium	<500		µg/L	0	GE
		Selenium	<2.0		µg/L	0	GE
		Selenium	<2.0		µg/L	0	GE
		Silica	8,970		µg/L	0	GE
		Silver	<2.0		µg/L	0	GE
		Sodium	1,810		µg/L	0	GE
		Sulfate	<1,000		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0		µg/L	0	GE
		Tetrachloroethylene	<1.0		µg/L	0	GE
		Tin	2.4		µg/L	0	GE
		Toluene	<1.0		µg/L	0	GE
		Total dissolved solids	37,000	V	µg/L	0	GE
		Total organic carbon	1,030		µg/L	0	GE
		Total organic halogens	9.8		µg/L	0	GE
		Total phosphates (as P)	<50		µg/L	0	GE
		Toxaphene	<0.24		µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090		µg/L	0	GE
		Tributyl phosphate	<10	J1	µg/L	0	GE
		Tributyl phosphate	<10	J1	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0		µg/L	0	GE
		1,1,2-Trichloroethane	<1.0		µg/L	0	GE
		Trichloroethylene	3.7		µg/L	1	GE
		Trichlorofluoromethane	<1.0		µg/L	0	GE
		Vanadium	<8.0		µg/L	0	GE
		Xylenes	<2.0		µg/L	0	GE
		Gross alpha	<2.0E+00		pCi/L	0	GE
		Nonvolatile beta	<2.0E+00		pCi/L	0	GE
		Radium, total alpha-emitting	<1.0E+00		pCi/L	0	GE
		Total activity	3.4E+05 ± 4.2E+03		pCi/L	0	EM
■		Tritium	3.4E+02 ± 6.5E+00		pCi/mL	2	GE
		Uranium-233/234	<1.0E+00		pCi/L	0	CN
		Uranium-235	<1.0E+00		pCi/L	0	CN
		Uranium-238	<1.0E+00		pCi/L	0	CN

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 47D

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N74739.7 E54922.9	33.280689 °N 81.667357 °W	213.4-203.4 ft msl	267.4 ft msl	4" PVC	S	Water Table (IIB ₂)

FIELD MEASUREMENTS

Sample date: 08/09/93
Depth to water: 39.58 ft (12.06 m) below TOC
Water elevation: 227.82 ft (69.44 m) msl
Sp. conductance: 44 µS/cm
Turbidity: 0.2 NTU
Water evacuated before sampling: 115 gal

Time: 8:08
pH: 5.0
Alkalinity: 1 mg/L
Water temperature: 20.4 °C
Volumes purged: 7.2 well volumes

LABORATORY ANALYSES

H	D	Analyte	Result	Mod	Unit	Flag	Lab
•		pH	5.8	J	pH	0	GE
		Specific conductance	39		µS/cm	0	GE
		Specific conductance	37		µS/cm	0	GE
•		Turbidity	<0.10	J	NTU	0	GE
•		Acetophenone	<10	J	µg/L	0	GE
		Aluminum	29		µg/L	1	GE
		Antimony	<2.0		µg/L	0	GE
		Arsenic	<2.0		µg/L	0	GE
		Barium	13		µg/L	0	GE
		Benzene	<1.0		µg/L	0	GE
		Bromodichloromethane	<1.0		µg/L	0	GE
		Bromoform	<1.0		µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0		µg/L	0	GE
		Cadmium	<2.0		µg/L	0	GE
		Calcium	1,990		µg/L	0	GE
		Carbon tetrachloride	<1.0		µg/L	0	GE
		Chloride	2,560		µg/L	0	GE
		Chlorobenzene	<1.0		µg/L	0	GE
		Chloroethane	<1.0		µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0		µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0		µg/L	0	GE
		Chloroform	2.1		µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0		µg/L	0	GE
		Chromium	<4.0		µg/L	0	GE
		Copper	<4.0		µg/L	0	GE
•		Cyanide	<2.5	J	µg/L	0	GE
		Dibromochloromethane	<1.0		µg/L	0	GE
		1,1-Dichloroethane	<1.0		µg/L	0	GE
		1,2-Dichloroethane	<1.0		µg/L	0	GE
		1,1-Dichloroethylene	<1.0		µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0		µg/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0		µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30		µg/L	0	GE
		1,2-Dichloropropane	<1.0		µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0		µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0		µg/L	0	GE
		Endrin	<0.0060		µg/L	0	GE
		Ethylbenzene	<1.0		µg/L	0	GE
		Fluoride	<100		µg/L	0	GE

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 47D collected on 08/09/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		Iron	6.4		µg/L	0	GE
		Lead	<3.0		µg/L	0	GE
		Lindane	<0.0050		µg/L	0	GE
		Magnesium	790		µg/L	0	GE
		Manganese	11		µg/L	0	GE
		Mercury	<0.20		µg/L	0	GE
		Methoxychlor	<0.50		µg/L	0	GE
•		Naphthalene	<10	J	µg/L	0	GE
		Nickel	<4.0		µg/L	0	GE
		Nitrate-nitrite as nitrogen	1,600		µg/L	0	GE
		Phenols	<10		µg/L	0	GE
		Potassium	<500		µg/L	0	GE
		Selenium	<2.0		µg/L	0	GE
		Silica	8,080		µg/L	0	GE
		Silver	<2.0		µg/L	0	GE
		Sodium	2,850		µg/L	0	GE
		Sulfate	<1,000		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0		µg/L	0	GE
		Tetrachloroethylene	<1.0		µg/L	0	GE
		Tin	<2.0		µg/L	0	GE
		Toluene	<1.0		µg/L	0	GE
		Total dissolved solids	26,000		µg/L	0	GE
		Total organic carbon	<1,000		µg/L	0	GE
		Total organic halogens	35		µg/L	1	GE
		Total phosphates (as P)	<50		µg/L	0	GE
		Toxaphene	<0.24		µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090		µg/L	0	GE
•		Tributyl phosphate	<10	J	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0		µg/L	0	GE
		1,1,2-Trichloroethane	<1.0		µg/L	0	GE
■		Trichloroethylene	12		µg/L	2	GE
		Trichlorofluoromethane	<1.0		µg/L	0	GE
		Vanadium	<8.0		µg/L	0	GE
		Xylenes	<2.0		µg/L	0	GE
		Gross alpha	2.8E+00 ± 8.7E-01		pCi/L	0	GE
		Gross alpha	2.2E+00 ± 8.3E-01		pCi/L	0	GE
		Nonvolatile beta	2.6E+00 ± 1.1E+00		pCi/L	0	GE
		Nonvolatile beta	<2.0E+00		pCi/L	0	GE
		Radium, total alpha-emitting	1.4E+00 ± 4.0E-01		pCi/L	0	GE
		Total activity	2.8E+06 ± 3.8E+04		pCi/L	0	EM
■		Tritium	2.8E+03 ± 5.2E+01		pCi/mL	2	GE
		Uranium-233/234	<1.0E+00		pCi/L	0	CN
		Uranium-235	<1.0E+00		pCi/L	0	CN
		Uranium-238	<1.0E+00		pCi/L	0	CN

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 48C

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N74599.6 E55124.4	33.280708 °N 81.666555 °W	186.7-176.7 ft msl	276.6 ft msl	4" PVC	S	Barnwell (IIB ₁)

FIELD MEASUREMENTS

Sample date: 08/23/93
Depth to water: 51.78 ft (15.78 m) below TOC
Water elevation: 224.82 ft (68.53 m) msl
Sp. conductance: 35 µS/cm
Turbidity: 0.2 NTU
Water evacuated before sampling: 117 gal

Time: 12:23
pH: 5.4
Alkalinity: 1 mg/L
Water temperature: 21.0 °C
Volumes purged: 3.7 well volumes

LABORATORY ANALYSES

H	D	Analyte	Result	Mod	Unit	Flag	Lab
•		pH	6.1	J	pH	0	GE
		Specific conductance	35		µS/cm	0	GE
•		Turbidity	< 0.10	J	NTU	0	GE
		Acetophenone	< 10	J1	µg/L	0	GE
		Aluminum	22		µg/L	0	GE
		Antimony	< 2.0		µg/L	0	GE
		Arsenic	< 2.0		µg/L	0	GE
		Barium	13		µg/L	0	GE
		Benzene	< 1.0		µg/L	0	GE
		Bromodichloromethane	< 1.0		µg/L	0	GE
		Bromoform	< 1.0		µg/L	0	GE
		Bromomethane (Methyl bromide)	< 1.0		µg/L	0	GE
		Cadmium	< 2.0		µg/L	0	GE
		Calcium	2,240		µg/L	0	GE
		Carbon tetrachloride	< 1.0		µg/L	0	GE
		Chloride	2,050		µg/L	0	GE
		Chlorobenzene	< 1.0		µg/L	0	GE
		Chloroethane	< 1.0		µg/L	0	GE
		Chloroethene (Vinyl chloride)	< 1.0		µg/L	0	GE
		2-Chloroethyl vinyl ether	< 1.0		µg/L	0	GE
		Chloroform	< 1.0		µg/L	0	GE
		Chloromethane (Methyl chloride)	< 1.0		µg/L	0	GE
		Chromium	< 4.0		µg/L	0	GE
		Copper	< 4.0		µg/L	0	GE
		Cyanide	< 5.0		µg/L	0	GE
		Dibromochloromethane	< 1.0		µg/L	0	GE
		1,1-Dichloroethane	< 1.0		µg/L	0	GE
		1,2-Dichloroethane	< 1.0		µg/L	0	GE
		1,1-Dichloroethylene	< 1.0		µg/L	0	GE
		trans-1,2-Dichloroethylene	< 1.0		µg/L	0	GE
		Dichloromethane (Methylene chloride)	< 1.0		µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	< 0.30		µg/L	0	GE
		1,2-Dichloropropane	< 1.0		µg/L	0	GE
		cis-1,3-Dichloropropene	< 1.0		µg/L	0	GE
		trans-1,3-Dichloropropene	< 1.0		µg/L	0	GE
		Endrin	< 0.0060		µg/L	0	GE
		Endrin	< 0.0060		µg/L	0	GE
		Ethylbenzene	< 1.0		µg/L	0	GE
		Fluoride	< 100		µg/L	0	GE

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 48C collected on 08/23/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		Iron	8.6		µg/L	0	GE
		Lead	<3.0		µg/L	0	GE
		Lindane	<0.0050		µg/L	0	GE
		Lindane	<0.0050		µg/L	0	GE
		Magnesium	655		µg/L	0	GE
		Manganese	10		µg/L	0	GE
		Mercury	<0.20		µg/L	0	GE
		Methoxychlor	<0.50		µg/L	0	GE
		Methoxychlor	<0.50		µg/L	0	GE
		Naphthalene	<10	J1	µg/L	0	GE
		Nickel	<4.0		µg/L	0	GE
		Nitrate-nitrite as nitrogen	3,140		µg/L	0	GE
		Phenols	<5.0		µg/L	0	GE
		Potassium	<500		µg/L	0	GE
		Selenium	<2.0		µg/L	0	GE
		Silica	8,040		µg/L	0	GE
		Silver	<2.0		µg/L	0	GE
		Sodium	2,590		µg/L	0	GE
		Sulfate	<1,000		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0		µg/L	0	GE
		Tetrachloroethylene	1.8		µg/L	0	GE
		Tin	<2.0		µg/L	0	GE
		Toluene	<1.0		µg/L	0	GE
		Total dissolved solids	30,000	V	µg/L	0	GE
		Total organic carbon	<1,000		µg/L	0	GE
•		Total organic halogens	8.3	J	µg/L	0	GE
		Total phosphates (as P)	<50		µg/L	0	GE
		Toxaphene	<0.24		µg/L	0	GE
		Toxaphene	<0.24		µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090		µg/L	0	GE
		Tributyl phosphate	<10	J1	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0		µg/L	0	GE
		1,1,2-Trichloroethane	<1.0		µg/L	0	GE
		Trichloroethylene	3.6		µg/L	1	GE
		Trichlorofluoromethane	<1.0		µg/L	0	GE
		Vanadium	<8.0		µg/L	0	GE
		Xylenes	<2.0		µg/L	0	GE
		Gross alpha	<2.0E+00		pCi/L	0	GE
		Nonvolatile beta	<2.0E+00		pCi/L	0	GE
		Radium, total alpha-emitting	<1.0E+00		pCi/L	0	GE
		Total activity	3.1E+06 ± 4.0E+04		pCi/L	0	EM
■		Tritium	3.1E+03 ± 5.9E+01		pCi/mL	2	GE
		Uranium-233/234	<1.0E+00		pCi/L	0	CN
		Uranium-235	<1.0E+00		pCi/L	0	CN
		Uranium-238	<1.0E+00		pCi/L	0	CN

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 48D

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N74586.4 E55121.0	33.280673 °N 81.666538 °W	212.0-202.0 ft msl	276.9 ft msl	4" PVC	S	Water Table (IIB ₂)

FIELD MEASUREMENTS

Sample date: 08/23/93
Depth to water: 48.92 ft (14.91 m) below TOC
Water elevation: 227.98 ft (69.49 m) msl
Sp. conductance: 60 µS/cm
Turbidity: 1.2 NTU
Water evacuated before sampling: 100 gal

Time: 12:00
pH: 4.5
Alkalinity: 0 mg/L
Water temperature: 20.9 °C
Volumes purged: 5.9 well volumes

LABORATORY ANALYSES

H	D	Analyte	Result	Mod	Unit	Flag	Lab
•		pH	5.0	J	pH	0	GE
		Specific conductance	57		µS/cm	0	GE
•		Turbidity	0.63	J	NTU	0	GE
		Acetophenone	<10	J1	µg/L	0	GE
		Acetophenone	<10		µg/L	0	GE
		Aluminum	112		µg/L	2	GE
		Antimony	<2.0		µg/L	0	GE
		Arsenic	<2.0		µg/L	0	GE
		Barium	103		µg/L	0	GE
		Benzene	<5.0		µg/L	0	GE
		Bromodichloromethane	<5.0		µg/L	0	GE
		Bromoform	<5.0		µg/L	0	GE
		Bromomethane (Methyl bromide)	<5.0		µg/L	0	GE
		Cadmium	<2.0		µg/L	0	GE
		Calcium	770		µg/L	0	GE
		Carbon tetrachloride	<5.0		µg/L	0	GE
		Chloride	5,410		µg/L	0	GE
		Chlorobenzene	<5.0		µg/L	0	GE
		Chloroethane	<5.0		µg/L	0	GE
		Chloroethene (Vinyl chloride)	<5.0		µg/L	0	GE
		2-Chloroethyl vinyl ether	<5.0		µg/L	0	GE
		Chloroform	<5.0		µg/L	0	GE
		Chloromethane (Methyl chloride)	<5.0		µg/L	0	GE
		Chromium	<4.0		µg/L	0	GE
		Copper	<4.0		µg/L	0	GE
		Cyanide	<5.0		µg/L	0	GE
		Dibromochloromethane	<5.0		µg/L	0	GE
		1,1-Dichloroethane	<5.0		µg/L	0	GE
		1,2-Dichloroethane	<5.0		µg/L	0	GE
		1,1-Dichloroethylene	<5.0		µg/L	0	GE
		trans-1,2-Dichloroethylene	<5.0		µg/L	0	GE
		Dichloromethane (Methylene chloride)	<5.0		µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30		µg/L	0	GE
		1,2-Dichloropropane	<5.0		µg/L	0	GE
		cis-1,3-Dichloropropene	<5.0		µg/L	0	GE
		trans-1,3-Dichloropropene	<5.0		µg/L	0	GE
		Endrin	<0.0060		µg/L	0	GE
		Ethylbenzene	<5.0		µg/L	0	GE
		Fluoride	<100		µg/L	0	GE

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 48D collected on 08/23/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		Iron	9.9		µg/L	0	GE
		Lead	< 3.0		µg/L	0	GE
		Lindane	< 0.0050		µg/L	0	GE
		Magnesium	932		µg/L	0	GE
		Manganese	10		µg/L	0	GE
		Mercury	0.68		µg/L	0	GE
		Methoxychlor	< 0.50		µg/L	0	GE
		Naphthalene	< 10	J1	µg/L	0	GE
		Naphthalene	< 10		µg/L	0	GE
		Nickel	4.7		µg/L	0	GE
		Nitrate-nitrite as nitrogen	2,120		µg/L	0	GE
		Phenols	< 5.0		µg/L	0	GE
		Potassium	658		µg/L	0	GE
		Selenium	< 2.0		µg/L	0	GE
		Silica	8,080		µg/L	0	GE
		Silver	< 2.0		µg/L	0	GE
		Sodium	6,210		µg/L	0	GE
		Sulfate	< 1,000		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	< 5.0		µg/L	0	GE
■		Tetrachloroethylene	29		µg/L	2	GE
		Tin	< 2.0		µg/L	0	GE
		Toluene	< 5.0		µg/L	0	GE
		Total dissolved solids	40,000	V	µg/L	0	GE
		Total organic carbon	< 1,000		µg/L	0	GE
●		Total organic halogens	80	J	µg/L	2	GE
		Total phosphates (as P)	< 50		µg/L	0	GE
		Toxaphene	< 0.24		µg/L	0	GE
		2,4,5-TP (Silvex)	< 0.090		µg/L	0	GE
		Tributyl phosphate	< 10	J1	µg/L	0	GE
		Tributyl phosphate	< 10		µg/L	0	GE
		1,1,1-Trichloroethane	< 5.0		µg/L	0	GE
		1,1,2-Trichloroethane	< 5.0		µg/L	0	GE
■		Trichloroethylene	125		µg/L	2	GE
		Trichlorofluoromethane	< 5.0		µg/L	0	GE
		Vanadium	< 8.0		µg/L	0	GE
		Xylenes	< 10		µg/L	0	GE
		Gross alpha	8.6E+00 ± 2.6E+00		pCi/L	1	GE
		Nonvolatile beta	7.4E+00 ± 2.2E+00		pCi/L	0	GE
		Radium, total alpha-emitting	3.6E+00 ± 5.0E-01		pCi/L	0	GE
		Total activity	5.0E+07 ± 3.5E+05		pCi/L	0	EM
■		Tritium	4.8E+04 ± 6.5E+02		pCi/mL	2	GE
		Uranium-233/234	1.8E+00 ± 6.7E-01		pCi/L	0	CN
		Uranium-235	< 1.0E+00		pCi/L	0	CN
		Uranium-238	2.0E+00 ± 7.1E-01		pCi/L	0	CN

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 49A

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N73902.8 E56205.1	33.280930 °N 81.662356 °W	85.1-75.1 ft msl	271.2 ft msl	4" PVC	S	U. Congaree (IIA)

FIELD MEASUREMENTS

Sample date: 08/05/93
Depth to water: 106.19 ft (32.37 m) below TOC
Water elevation: 165.01 ft (50.30 m) msl
Sp. conductance: 214 μ S/cm
Turbidity: 0.3 NTU
Water evacuated before sampling: 216 gal

Time: 9:31
pH: 10.5
Alkalinity: 49 mg/L
Water temperature: 19.5 °C

Volumes purged: 3.7 well volumes

LABORATORY ANALYSES

H	D	Analyte	Result	Mod	Unit	Flag	Lab
•		pH	10	J	pH	2	GE
		Specific conductance	91		μ S/cm	0	GE
		Turbidity	0.92		NTU	0	GE
		Acetophenone	< 10	J1	μ g/L	0	GE
		Acetophenone	< 10	J1	μ g/L	0	GE
		Aluminum	536		μ g/L	2	GE
		Antimony	< 2.0		μ g/L	0	GE
		Arsenic	< 2.0		μ g/L	0	GE
		Barium	39		μ g/L	0	GE
		Benzene	< 1.0		μ g/L	0	GE
		Bromodichloromethane	< 1.0		μ g/L	0	GE
		Bromoform	< 1.0		μ g/L	0	GE
		Bromomethane (Methyl bromide)	< 1.0		μ g/L	0	GE
		Cadmium	< 2.0		μ g/L	0	GE
		Calcium	35,100	J2	μ g/L	0	GE
		Carbon tetrachloride	< 1.0		μ g/L	0	GE
		Chloride	1,960		μ g/L	0	GE
		Chlorobenzene	< 1.0		μ g/L	0	GE
		Chloroethane	< 1.0		μ g/L	0	GE
		Chloroethene (Vinyl chloride)	< 1.0		μ g/L	0	GE
		2-Chloroethyl vinyl ether	< 1.0		μ g/L	0	GE
		Chloroform	< 1.0		μ g/L	0	GE
		Chloromethane (Methyl chloride)	< 1.0		μ g/L	0	GE
		Chromium	< 4.0		μ g/L	0	GE
		Copper	< 4.0		μ g/L	0	GE
		Cyanide	< 5.0		μ g/L	0	GE
		Cyanide	< 5.0		μ g/L	0	GE
		Dibromochloromethane	< 1.0		μ g/L	0	GE
		1,1-Dichloroethane	< 1.0		μ g/L	0	GE
		1,2-Dichloroethane	< 1.0		μ g/L	0	GE
		1,1-Dichloroethylene	< 1.0		μ g/L	0	GE
		trans-1,2-Dichloroethylene	< 1.0		μ g/L	0	GE
		Dichloromethane (Methylene chloride)	1.2		μ g/L	0	GE
		2,4-Dichlorophenoxyacetic acid	< 0.30		μ g/L	0	GE
		1,2-Dichloropropane	< 1.0		μ g/L	0	GE
		cis-1,3-Dichloropropene	< 1.0		μ g/L	0	GE
		trans-1,3-Dichloropropene	< 1.0		μ g/L	0	GE
		Endrin	< 0.0060		μ g/L	0	GE
		Ethylbenzene	< 1.0		μ g/L	0	GE

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 49A collected on 08/05/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		Fluoride	<100		µg/L	0	GE
		Iron	<4.0		µg/L	0	GE
		Lead	<3.0		µg/L	0	GE
		Lindane	<0.0050		µg/L	0	GE
		Magnesium	456		µg/L	0	GE
		Manganese	<2.0		µg/L	0	GE
		Mercury	<0.20		µg/L	0	GE
		Methoxychlor	<0.50		µg/L	0	GE
		Naphthalene	<10	J1	µg/L	0	GE
		Naphthalene	<10	J1	µg/L	0	GE
		Nickel	<4.0		µg/L	0	GE
		Nitrate-nitrite as nitrogen	<50		µg/L	0	GE
		Phenols	<5.0		µg/L	0	GE
		Potassium	6,110		µg/L	0	GE
		Selenium	<2.0		µg/L	0	GE
		Silica	18,600		µg/L	0	GE
		Silver	<2.0		µg/L	0	GE
		Sodium	3,900		µg/L	0	GE
		Sulfate	2,730		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0		µg/L	0	GE
		Tetrachloroethylene	<1.0		µg/L	0	GE
		Tin	9.7		µg/L	0	GE
		Toluene	<1.0		µg/L	0	GE
		Total dissolved solids	78,000	V	µg/L	0	GE
		Total organic carbon	<1,000		µg/L	0	GE
		Total organic halogens	<5.0		µg/L	0	GE
		Total phosphates (as P)	100		µg/L	0	GE
		Toxaphene	<0.24		µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090		µg/L	0	GE
		Tributyl phosphate	<10	J1	µg/L	0	GE
		Tributyl phosphate	<10	J1	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0		µg/L	0	GE
		1,1,2-Trichloroethane	<1.0		µg/L	0	GE
		Trichloroethylene	<1.0		µg/L	0	GE
		Trichlorofluoromethane	<1.0		µg/L	0	GE
		Vanadium	<8.0		µg/L	0	GE
		Xylenes	<2.0		µg/L	0	GE
		Gross alpha	<2.0E+00		pCi/L	0	GE
		Nonvolatile beta	2.2E+00 ± 1.0E+00		pCi/L	0	GE
		Radium, total alpha-emitting	<1.0E+00		pCi/L	0	GE
		Tritium	1.0E+00 ± 4.1E-01		pCi/mL	0	GE
		Uranium-233/234	<1.0E+00		pCi/L	0	CN
		Uranium-235	<1.0E+00		pCi/L	0	CN
		Uranium-238	<1.0E+00		pCi/L	0	CN

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 49C

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N73917.2 E56202.2	33.280957 °N 81.662391 °W	176.0-166.0 ft msl	271.1 ft msl	4" PVC	S	Barnwell (IIB ₁)

FIELD MEASUREMENTS

Sample date: 08/05/93
Depth to water: 41.51 ft (12.65 m) below TOC
Water elevation: 229.59 ft (69.98 m) msl
Sp. conductance: 70 μ S/cm
Turbidity: 0.1 NTU
Water evacuated before sampling: 221 gal

Time: 9:52
pH: 7.3
Alkalinity: 18 mg/L
Water temperature: 19.2 °C

Volumes purged: 5.3 well volumes

LABORATORY ANALYSES

H	D	Analyte	Result	Mod	Unit	Flag	Lab
•		pH	7.4	J	pH	0	GE
		Specific conductance	66		μ S/cm	0	GE
		Turbidity	<0.10		NTU	0	GE
		Acetophenone	<10	J1	μ g/L	0	GE
		Aluminum	32		μ g/L	1	GE
		Antimony	<2.0		μ g/L	0	GE
		Arsenic	<2.0		μ g/L	0	GE
		Barium	35		μ g/L	0	GE
		Benzene	<1.0		μ g/L	0	GE
		Bromodichloromethane	<1.0		μ g/L	0	GE
		Bromoform	<1.0		μ g/L	0	GE
		Bromomethane (Methyl bromide)	<1.0		μ g/L	0	GE
		Cadmium	<2.0		μ g/L	0	GE
		Calcium	6,070	J2	μ g/L	0	GE
		Carbon tetrachloride	<1.0		μ g/L	0	GE
		Chloride	2,390		μ g/L	0	GE
		Chlorobenzene	<1.0		μ g/L	0	GE
		Chloroethane	<1.0		μ g/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0		μ g/L	0	GE
		2-Chloroethyl vinyl ether	<1.0		μ g/L	0	GE
		Chloroform	<1.0		μ g/L	0	GE
		Chloromethane (Methyl chloride)	<1.0		μ g/L	0	GE
		Chromium	<4.0		μ g/L	0	GE
		Copper	<4.0		μ g/L	0	GE
		Cyanide	<5.0		μ g/L	0	GE
		Dibromochloromethane	<1.0		μ g/L	0	GE
		1,1-Dichloroethane	<1.0		μ g/L	0	GE
		1,2-Dichloroethane	<1.0		μ g/L	0	GE
		1,1-Dichloroethylene	<1.0		μ g/L	0	GE
		trans-1,2-Dichloroethylene	<1.0		μ g/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0		μ g/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30		μ g/L	0	GE
		1,2-Dichloropropane	<1.0		μ g/L	0	GE
		cis-1,3-Dichloropropene	<1.0		μ g/L	0	GE
		trans-1,3-Dichloropropene	<1.0		μ g/L	0	GE
		Endrin	<0.0060		μ g/L	0	GE
		Ethylbenzene	<1.0		μ g/L	0	GE
		Fluoride	<100		μ g/L	0	GE
		Iron	<4.0		μ g/L	0	GE

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 49C collected on 08/05/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		Lead	<3.0		µg/L	0	GE
		Lindane	<0.0050		µg/L	0	GE
		Magnesium	293		µg/L	0	GE
		Manganese	<2.0		µg/L	0	GE
		Mercury	<0.20		µg/L	0	GE
		Methoxychlor	<0.50		µg/L	0	GE
		Naphthalene	<10	J1	µg/L	0	GE
		Nickel	<4.0		µg/L	0	GE
		Nitrate-nitrite as nitrogen	450		µg/L	0	GE
		Phenols	<5.0		µg/L	0	GE
		Potassium	3,260		µg/L	0	GE
		Selenium	<2.0		µg/L	0	GE
		Silica	9,340		µg/L	0	GE
		Silver	<2.0		µg/L	0	GE
		Sodium	4,530		µg/L	0	GE
		Sulfate	1,420		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0		µg/L	0	GE
		Tetrachloroethylene	<1.0		µg/L	0	GE
		Tin	8.0		µg/L	0	GE
		Toluene	<1.0		µg/L	0	GE
		Total dissolved solids	52,000	V	µg/L	0	GE
		Total organic carbon	<1,000		µg/L	0	GE
		Total organic halogens	<5.0		µg/L	0	GE
		Total phosphates (as P)	110		µg/L	0	GE
		Toxaphene	<0.24		µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090		µg/L	0	GE
		Tributyl phosphate	<10	J1	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0		µg/L	0	GE
		1,1,2-Trichloroethane	<1.0		µg/L	0	GE
		Trichloroethylene	<1.0		µg/L	0	GE
		Trichlorofluoromethane	<1.0		µg/L	0	GE
		Vanadium	<8.0		µg/L	0	GE
		Xylenes	<2.0		µg/L	0	GE
		Gross alpha	<2.0E+00		pCi/L	0	GE
		Nonvolatile beta	3.2E+00 ± 1.1E+00		pCi/L	0	GE
		Radium, total alpha-emitting	<1.0E+00		pCi/L	0	GE
■		Tritium	2.6E+01 ± 9.4E-01		pCi/mL	2	GE
		Uranium-233/234	<1.0E+00		pCi/L	0	CN
		Uranium-235	<1.0E+00		pCi/L	0	CN
		Uranium-238	<1.0E+00		pCi/L	0	CN

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 49D

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N73931.5 E56198.8	33.280983 °N 81.662428 °W	238.5-218.5 ft msl	271.5 ft msl	4" PVC	S	Water Table (IIB ₂)

FIELD MEASUREMENTS

Sample date: 08/05/93
Depth to water: 35.19 ft (10.73 m) below TOC
Water elevation: 236.31 ft (72.03 m) msl
Sp. conductance: 31 µS/cm
Turbidity: 21.5 NTU
Water evacuated before sampling: 12 gal
The well went dry during purging.

Time: 8:47
pH: 4.9
Alkalinity: 1 mg/L
Water temperature: 18.8 °C
Volumes purged: 1.0 well volumes

LABORATORY ANALYSES

H	D	Analyte	Result	Mod	Unit	Flag	Lab
•		pH	5.6	J	pH	0	GE
		Specific conductance	28		µS/cm	0	GE
		Turbidity	10		NTU	0	GE
		Turbidity	9.9		NTU	0	GE
		Acetophenone	<10	J1	µg/L	0	GE
		Aluminum	96		µg/L	2	GE
		Aluminum	95		µg/L	2	GE
		Antimony	<2.0		µg/L	0	GE
		Arsenic	<2.0		µg/L	0	GE
		Barium	9.1		µg/L	0	GE
		Barium	9.1		µg/L	0	GE
		Benzene	<1.0		µg/L	0	GE
		Bromodichloromethane	<1.0		µg/L	0	GE
		Bromoform	<1.0		µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0		µg/L	0	GE
		Cadmium	<2.0		µg/L	0	GE
		Cadmium	<2.0		µg/L	0	GE
		Calcium	516		µg/L	0	GE
		Calcium	521		µg/L	0	GE
		Carbon tetrachloride	<1.0		µg/L	0	GE
		Chloride	1,600		µg/L	0	GE
		Chlorobenzene	<1.0		µg/L	0	GE
		Chloroethane	<1.0		µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0		µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0		µg/L	0	GE
		Chloroform	<1.0		µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0		µg/L	0	GE
		Chromium	<4.0		µg/L	0	GE
		Chromium	<4.0		µg/L	0	GE
		Copper	<4.0		µg/L	0	GE
		Copper	<4.0		µg/L	0	GE
		Cyanide	<5.0		µg/L	0	GE
		Dibromochloromethane	<1.0		µg/L	0	GE
		1,1-Dichloroethane	<1.0		µg/L	0	GE
		1,2-Dichloroethane	<1.0		µg/L	0	GE
		1,1-Dichloroethylene	<1.0		µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0		µg/L	0	GE
		Dichloromethane (Methylene chloride)	1.0		µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30		µg/L	0	GE

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 49D collected on 08/05/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		1,2-Dichloropropane	<1.0		µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0		µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0		µg/L	0	GE
		Endrin	<0.0060		µg/L	0	GE
		Ethylbenzene	<1.0		µg/L	0	GE
		Fluoride	<100		µg/L	0	GE
		Iron	47		µg/L	0	GE
		Iron	47		µg/L	0	GE
		Lead	<3.0		µg/L	0	GE
		Lindane	<0.0050		µg/L	0	GE
		Magnesium	359		µg/L	0	GE
		Magnesium	362		µg/L	0	GE
		Manganese	2.6		µg/L	0	GE
		Manganese	2.6		µg/L	0	GE
		Mercury	<0.20		µg/L	0	GE
		Methoxychlor	<0.50		µg/L	0	GE
		Naphthalene	<10	J1	µg/L	0	GE
		Nickel	<4.0		µg/L	0	GE
		Nickel	<4.0		µg/L	0	GE
		Nitrate-nitrite as nitrogen	1,810		µg/L	0	GE
		Phenols	<5.0		µg/L	0	GE
		Potassium	<500		µg/L	0	GE
		Potassium	<500		µg/L	0	GE
		Selenium	<2.0		µg/L	0	GE
		Silica	6,290		µg/L	0	GE
		Silica	6,320		µg/L	0	GE
		Silver	<2.0		µg/L	0	GE
		Silver	<2.0		µg/L	0	GE
		Sodium	3,780		µg/L	0	GE
		Sodium	3,780		µg/L	0	GE
		Sulfate	<1,000		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0		µg/L	0	GE
		Tetrachloroethylene	<1.0		µg/L	0	GE
		Tin	<2.0		µg/L	0	GE
		Tin	<2.0		µg/L	0	GE
		Toluene	<1.0		µg/L	0	GE
		Total dissolved solids	31,000	V	µg/L	0	GE
		Total organic carbon	<1,000		µg/L	0	GE
		Total organic halogens	<5.0		µg/L	0	GE
		Total phosphates (as P)	<50		µg/L	0	GE
		Toxaphene	<0.24		µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090		µg/L	0	GE
		Tributyl phosphate	<10	J1	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0		µg/L	0	GE
		1,1,2-Trichloroethane	<1.0		µg/L	0	GE
		Trichloroethylene	<1.0		µg/L	0	GE
		Trichlorofluoromethane	<1.0		µg/L	0	GE
		Vanadium	<8.0		µg/L	0	GE
		Vanadium	<8.0		µg/L	0	GE
		Xylenes	<2.0		µg/L	0	GE
		Gross alpha	<2.0E+00		pCi/L	0	GE
		Nonvolatile beta	<2.0E+00		pCi/L	0	GE
		Radium, total alpha-emitting	<1.0E+00		pCi/L	0	GE
■		Tritium	2.1E+01 ± 8.6E-01		pCi/mL	2	GE
		Uranium-233/234	<1.0E+00		pCi/L	0	CN
		Uranium-235	<1.0E+00		pCi/L	0	CN

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 49D collected on 08/05/93, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Mod</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Uranium-238	< 1.0E+00		pCi/L	0	CN

WELL BGO 50A

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Pump</u>	<u>Formation</u>
N75201.2 E54179.8	33.280497 °N 81.670210 °W	100.5-90.5 ft msl	255.4 ft msl	4" PVC	S	U. Congaree (IIA)

FIELD MEASUREMENTS

Sample date: 08/05/93
Depth to water: 97.27 ft (29.65 m) below TOC
Water elevation: 158.13 ft (48.20 m) msl
Sp. conductance: 2110 μ S/cm
Turbidity: 3.0 NTU
Water evacuated before sampling: 37 gal
The well went dry during purging.

Time: 12:01
pH: 12.0
Alkalinity: 257 mg/L
Water temperature: 19.9 °C

Volumes purged: 0.8 well volumes

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Mod</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	11	J	pH	2	GE
		Specific conductance	1,090		μ S/cm	2	GE
		Turbidity	1.1		NTU	0	GE
		Acetophenone	< 10		μ g/L	0	GE
		Aluminum	568		μ g/L	2	GE
		Antimony	< 2.0		μ g/L	0	GE
		Arsenic	< 2.0		μ g/L	0	GE
		Barium	267		μ g/L	0	GE
		Benzene	< 1.0		μ g/L	0	GE
		Bromodichloromethane	< 1.0		μ g/L	0	GE
		Bromoform	< 1.0		μ g/L	0	GE
		Bromomethane (Methyl bromide)	< 1.0		μ g/L	0	GE
		Cadmium	< 4.0		μ g/L	0	GE
		Calcium	66,200		μ g/L	0	GE
		Carbon tetrachloride	< 1.0		μ g/L	0	GE
		Chloride	1,710		μ g/L	0	GE
		Chlorobenzene	< 1.0		μ g/L	0	GE
		Chloroethane	< 1.0		μ g/L	0	GE
		Chloroethene (Vinyl chloride)	< 1.0		μ g/L	0	GE
		2-Chloroethyl vinyl ether	< 1.0		μ g/L	0	GE
		Chloroform	< 1.0		μ g/L	0	GE
		Chloromethane (Methyl chloride)	< 1.0		μ g/L	0	GE
		Chromium	< 8.0		μ g/L	0	GE
		Copper	< 8.0		μ g/L	0	GE
		Cyanide	< 5.0		μ g/L	0	GE
		Dibromochloromethane	< 1.0		μ g/L	0	GE
		1,1-Dichloroethane	< 1.0		μ g/L	0	GE
		1,2-Dichloroethane	< 1.0		μ g/L	0	GE
		1,1-Dichloroethylene	< 1.0		μ g/L	0	GE
		trans-1,2-Dichloroethylene	< 1.0		μ g/L	0	GE
		Dichloromethane (Methylene chloride)	< 1.0		μ g/L	0	GE
		2,4-Dichlorophenoxyacetic acid	< 0.30		μ g/L	0	GE
		1,2-Dichloropropane	< 1.0		μ g/L	0	GE

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 50A collected on 08/05/93, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Mod</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		cis-1,3-Dichloropropene	<1.0		µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0		µg/L	0	GE
		Endrin	<0.0060		µg/L	0	GE
		Ethylbenzene	<1.0		µg/L	0	GE
		Fluoride	<100		µg/L	0	GE
		Iron	13		µg/L	0	GE
		Lead	<3.0		µg/L	0	GE
		Lindane	<0.0050		µg/L	0	GE
		Magnesium	71		µg/L	0	GE
		Manganese	<4.0		µg/L	0	GE
		Mercury	<0.20		µg/L	0	GE
		Methoxychlor	<0.50		µg/L	0	GE
		Naphthalene	<10		µg/L	0	GE
		Nickel	<8.0		µg/L	0	GE
		Nitrate-nitrite as nitrogen	250		µg/L	0	GE
		Phenols	<5.0		µg/L	0	GE
		Potassium	16,400		µg/L	0	GE
		Selenium	<2.0		µg/L	0	GE
		Silica	12,900		µg/L	0	GE
		Silver	4.2		µg/L	0	GE
		Sodium	28,000		µg/L	0	GE
		Sulfate	4,240		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0		µg/L	0	GE
		Tetrachloroethylene	<1.0		µg/L	0	GE
		Tin	33		µg/L	2	GE
		Toluene	<1.0		µg/L	0	GE
		Total dissolved solids	296,000	V	µg/L	0	GE
		Total dissolved solids	295,000	V	µg/L	0	GE
		Total organic carbon	1,220		µg/L	0	GE
		Total organic halogens	<5.0		µg/L	0	GE
		Total phosphates (as P)	<50		µg/L	0	GE
		Toxaphene	<0.24		µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090		µg/L	0	GE
		Tributyl phosphate	<10		µg/L	0	GE
		1,1,1-Trichloroethane	<1.0		µg/L	0	GE
		1,1,2-Trichloroethane	<1.0		µg/L	0	GE
		Trichloroethylene	<1.0		µg/L	0	GE
		Trichlorofluoromethane	<1.0		µg/L	0	GE
		Vanadium	<16		µg/L	0	GE
		Xylenes	<2.0		µg/L	0	GE
		Gross alpha	2.2E+00 ± 7.7E-01		pCi/L	0	GE
		Nonvolatile beta	5.5E+00 ± 7.0E-01		pCi/L	0	GE
		Radium, total alpha-emitting	1.9E+00 ± 6.0E-01		pCi/L	0	GE
		Tritium	<7.0E-01		pCi/mL	0	GE
		Uranium-233/234	<1.0E+00		pCi/L	0	CN
		Uranium-235	<1.0E+00		pCi/L	0	CN
		Uranium-238	<1.0E+00		pCi/L	0	CN

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 50C

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N75190.4 E54197.0	33.280501 °N 81.670144 °W	172.5-162.5 ft msl	255.5 ft msl	4" PVC	S	Barnwell (IIB ₁)

FIELD MEASUREMENTS

Sample date: 08/05/93
Depth to water: 35.11 ft (10.70 m) below TOC
Water elevation: 220.39 ft (67.18 m) msl
Sp. conductance: 28 µS/cm
Turbidity: 16.7 NTU
Water evacuated before sampling: 38 gal
The well went dry during purging.

Time: 11:31
pH: 5.3
Alkalinity: 1 mg/L
Water temperature: 20.0 °C
Volumes purged: 1.0 well volumes

LABORATORY ANALYSES

H	D	Analyte	Result	Mod	Unit	Flag	Lab
•		pH	5.7	J	pH	0	GE
		Specific conductance	26		µS/cm	0	GE
		Specific conductance	27		µS/cm	0	GE
		Turbidity	9.8		NTU	0	GE
		Acetophenone	<1.0	J1	µg/L	0	GE
		Aluminum	81		µg/L	2	GE
		Aluminum	79		µg/L	2	GE
		Antimony	<2.0		µg/L	0	GE
		Antimony	<2.0		µg/L	0	GE
		Arsenic	<2.0		µg/L	0	GE
		Arsenic	<2.0		µg/L	0	GE
		Barium	6.5		µg/L	0	GE
		Barium	6.4		µg/L	0	GE
		Benzene	<1.0		µg/L	0	GE
		Bromodichloromethane	<1.0		µg/L	0	GE
		Bromoform	<1.0		µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0		µg/L	0	GE
		Cadmium	<2.0		µg/L	0	GE
		Cadmium	<2.0		µg/L	0	GE
		Calcium	1,400		µg/L	0	GE
		Calcium	1,410		µg/L	0	GE
		Carbon tetrachloride	<1.0		µg/L	0	GE
		Chloride	2,280		µg/L	0	GE
		Chlorobenzene	<1.0		µg/L	0	GE
		Chloroethane	<1.0		µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0		µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0		µg/L	0	GE
		Chloroform	<1.0		µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0		µg/L	0	GE
		Chromium	<4.0		µg/L	0	GE
		Chromium	<4.0		µg/L	0	GE
		Copper	<4.0		µg/L	0	GE
		Copper	<4.0		µg/L	0	GE
		Cyanide	<5.0		µg/L	0	GE
		Dibromochloromethane	<1.0		µg/L	0	GE
		1,1-Dichloroethane	<1.0		µg/L	0	GE
		1,2-Dichloroethane	<1.0		µg/L	0	GE
		1,1-Dichloroethylene	<1.0		µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0		µg/L	0	GE

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 50C collected on 08/05/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		Dichloromethane (Methylene chloride)	<1.0		µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30		µg/L	0	GE
		1,2-Dichloropropane	<1.0		µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0		µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0		µg/L	0	GE
		Endrin	<0.0060		µg/L	0	GE
		Ethylbenzene	<1.0		µg/L	0	GE
		Fluoride	<100		µg/L	0	GE
		Iron	274		µg/L	1	GE
		Iron	276		µg/L	1	GE
		Lead	<3.0		µg/L	0	GE
		Lead	<3.0		µg/L	0	GE
		Lindane	<0.0050		µg/L	0	GE
		Magnesium	403		µg/L	0	GE
		Magnesium	404		µg/L	0	GE
		Manganese	13		µg/L	0	GE
		Manganese	13		µg/L	0	GE
		Mercury	<0.20		µg/L	0	GE
		Methoxychlor	<0.50		µg/L	0	GE
		Naphthalene	<10	J1	µg/L	0	GE
		Nickel	<4.0		µg/L	0	GE
		Nickel	<4.0		µg/L	0	GE
		Nitrate-nitrite as nitrogen	580		µg/L	0	GE
		Nitrate-nitrite as nitrogen	580		µg/L	0	GE
		Phenols	<5.0		µg/L	0	GE
		Potassium	<500		µg/L	0	GE
		Potassium	<500		µg/L	0	GE
		Selenium	<2.0		µg/L	0	GE
		Selenium	<2.0		µg/L	0	GE
		Silica	9,470		µg/L	0	GE
		Silica	9,550		µg/L	0	GE
		Silver	<2.0		µg/L	0	GE
		Silver	<2.0		µg/L	0	GE
		Sodium	2,460		µg/L	0	GE
		Sodium	2,460		µg/L	0	GE
		Sulfate	1,120		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0		µg/L	0	GE
		Tetrachloroethylene	<1.0		µg/L	0	GE
		Tin	<2.0		µg/L	0	GE
		Tin	<2.0		µg/L	0	GE
		Toluene	<1.0		µg/L	0	GE
		Total dissolved solids	33,000	V	µg/L	0	GE
		Total organic carbon	2,750		µg/L	0	GE
		Total organic carbon	2,830		µg/L	0	GE
		Total organic halogens	15		µg/L	0	GE
		Total phosphates (as P)	70		µg/L	0	GE
		Toxaphene	<0.24		µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090		µg/L	0	GE
		Tributyl phosphate	<10	J1	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0		µg/L	0	GE
		1,1,2-Trichloroethane	<1.0		µg/L	0	GE
	■	Trichloroethylene	12		µg/L	2	GE
		Trichlorofluoromethane	<1.0		µg/L	0	GE
		Vanadium	<8.0		µg/L	0	GE
		Vanadium	<8.0		µg/L	0	GE
		Xylenes	<2.0		µg/L	0	GE

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 50C collected on 08/05/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		Gross alpha	< 2.0E+00		pCi/L	0	GE
		Nonvolatile beta	< 2.0E+00		pCi/L	0	GE
		Radium, total alpha-emitting	< 1.0E+00		pCi/L	0	GE
■		Tritium	7.9E+01 ± 1.6E+00		pCi/mL	2	GE
		Uranium-233/234	< 1.0E+00		pCi/L	0	CN
		Uranium-235	< 1.0E+00		pCi/L	0	CN
		Uranium-238	< 1.0E+00		pCi/L	0	CN

WELL BGO 50D

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N75181.3	33.280501 °N	228.0-208.0 ft msl	256 ft msl	4" PVC	S	Water Table (IIB ₂)
E54209.1	81.670095 °W					

FIELD MEASUREMENTS

Sample date: 08/05/93
Depth to water: 29.11 ft (8.87 m) below TOC
Water elevation: 226.89 ft (69.16 m) msl
Sp. conductance: 63 µS/cm
Turbidity: 1.1 NTU
Water evacuated before sampling: 82 gal

Time: 11:09
pH: 6.0
Alkalinity: 15 mg/L
Water temperature: 20.0 °C

Volumes purged: 6.6 well volumes

LABORATORY ANALYSES

H	D	Analyte	Result	Mod	Unit	Flag	Lab
•		pH	6.1	J	pH	0	GE
		Specific conductance	62		µS/cm	0	GE
•		Turbidity	0.40	J	NTU	0	GE
		Acetophenone	< 10	J1	µg/L	0	GE
		Acetophenone	< 10	J1	µg/L	0	GE
		Aluminum	94		µg/L	2	GE
		Antimony	< 2.0		µg/L	0	GE
		Arsenic	< 2.0		µg/L	0	GE
		Barium	9.7		µg/L	0	GE
		Benzene	< 1.0		µg/L	0	GE
		Benzene	< 1.0		µg/L	0	GE
		Bromodichloromethane	< 1.0		µg/L	0	GE
		Bromodichloromethane	< 1.0		µg/L	0	GE
		Bromoform	< 1.0		µg/L	0	GE
		Bromoform	< 1.0		µg/L	0	GE
		Bromomethane (Methyl bromide)	< 1.0		µg/L	0	GE
		Bromomethane (Methyl bromide)	< 1.0		µg/L	0	GE
		Cadmium	< 2.0		µg/L	0	GE
		Calcium	7,830		µg/L	0	GE
		Carbon tetrachloride	< 1.0		µg/L	0	GE
		Carbon tetrachloride	< 1.0		µg/L	0	GE
		Chloride	3,690		µg/L	0	GE
		Chloride	3,690		µg/L	0	GE
		Chlorobenzene	< 1.0		µg/L	0	GE
		Chlorobenzene	< 1.0		µg/L	0	GE
		Chloroethane	< 1.0		µg/L	0	GE
		Chloroethane	< 1.0		µg/L	0	GE

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 50D collected on 08/05/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		Chloroethene (Vinyl chloride)	<1.0		µg/L	0	GE
		Chloroethene (Vinyl chloride)	1.0		µg/L	1	GE
		2-Chloroethyl vinyl ether	<1.0		µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0		µg/L	0	GE
		Chloroform	1.3		µg/L	0	GE
		Chloroform	1.0		µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0		µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0		µg/L	0	GE
		Chromium	<4.0		µg/L	0	GE
		Copper	<4.0		µg/L	0	GE
•		Cyanide	<5.0	J	µg/L	0	GE
•		Cyanide	<5.0	J	µg/L	0	GE
		Dibromochloromethane	<1.0		µg/L	0	GE
		Dibromochloromethane	<1.0		µg/L	0	GE
		1,1-Dichloroethane	7.6		µg/L	1	GE
		1,1-Dichloroethane	5.7		µg/L	1	GE
		1,2-Dichloroethane	<1.0		µg/L	0	GE
		1,2-Dichloroethane	<1.0		µg/L	0	GE
		1,1-Dichloroethylene	<1.0		µg/L	0	GE
		1,1-Dichloroethylene	<1.0		µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0		µg/L	0	GE
		trans-1,2-Dichloroethylene	1.5		µg/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0		µg/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0		µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30		µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30		µg/L	0	GE
		1,2-Dichloropropane	<1.0		µg/L	0	GE
		1,2-Dichloropropane	<1.0		µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0		µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0		µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0		µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0		µg/L	0	GE
		Endrin	<0.0060		µg/L	0	GE
		Endrin	<0.0060		µg/L	0	GE
		Ethylbenzene	<1.0		µg/L	0	GE
		Ethylbenzene	<1.0		µg/L	0	GE
		Fluoride	<100		µg/L	0	GE
		Iron	5.7		µg/L	0	GE
		Lead	<3.0		µg/L	0	GE
		Lindane	<0.0050		µg/L	0	GE
		Lindane	<0.0050		µg/L	0	GE
		Magnesium	433		µg/L	0	GE
		Manganese	4.4		µg/L	0	GE
		Mercury	<0.20		µg/L	0	GE
		Methoxychlor	<0.50		µg/L	0	GE
		Methoxychlor	<0.50		µg/L	0	GE
		Naphthalene	<10	J1	µg/L	0	GE
		Naphthalene	<10	J1	µg/L	0	GE
		Nickel	<4.0		µg/L	0	GE
		Nitrate-nitrite as nitrogen	850		µg/L	0	GE
		Phenols	<5.0		µg/L	0	GE
		Potassium	<500		µg/L	0	GE
		Selenium	<2.0		µg/L	0	GE
		Silica	6,720		µg/L	0	GE
		Silver	<2.0		µg/L	0	GE
		Sodium	2,160		µg/L	0	GE

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGO 50D collected on 08/05/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		Sulfate	<1,000		µg/L	0	GE
		Sulfate	<1,000		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0		µg/L	0	GE
		Tetrachloroethylene	<1.0		µg/L	0	GE
		Tetrachloroethylene	1.2		µg/L	0	GE
		Tin	<2.0		µg/L	0	GE
		Toluene	<1.0		µg/L	0	GE
		Toluene	<1.0		µg/L	0	GE
		Total dissolved solids	42,000	V	µg/L	0	GE
		Total organic carbon	3,620		µg/L	0	GE
•		Total organic halogens	188	J	µg/L	2	GE
		Total phosphates (as P)	<50		µg/L	0	GE
		Toxaphene	<0.24		µg/L	0	GE
		Toxaphene	<0.24		µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090		µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090		µg/L	0	GE
		Tributyl phosphate	<10	J1	µg/L	0	GE
		Tributyl phosphate	<10	J1	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0		µg/L	0	GE
		1,1,1-Trichloroethane	<1.0		µg/L	0	GE
		1,1,2-Trichloroethane	<1.0		µg/L	0	GE
		1,1,2-Trichloroethane	<1.0		µg/L	0	GE
■		Trichloroethylene	17		µg/L	2	GE
■		Trichloroethylene	17		µg/L	2	GE
		Trichlorofluoromethane	<1.0		µg/L	0	GE
		Trichlorofluoromethane	<1.0		µg/L	0	GE
		Vanadium	<8.0		µg/L	0	GE
		Xylenes	<2.0		µg/L	0	GE
		Xylenes	<2.0		µg/L	0	GE
		Gross alpha	2.8E+00 ± 9.1E-01		pCi/L	0	GE
		Nonvolatile beta	4.2E+00 ± 1.2E+00		pCi/L	0	GE
		Radium, total alpha-emitting	2.1E+00 ± 7.0E-01		pCi/L	0	GE
		Total activity	4.7E+06 ± 5.0E+04		pCi/L	0	EM
■		Tritium	4.5E+03 ± 8.4E+01		pCi/mL	2	GE
		Uranium-233/234	<1.0E+00		pCi/L	0	CN
		Uranium-235	<1.0E+00		pCi/L	0	CN
		Uranium-238	<1.0E+00		pCi/L	0	CN

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGX 1C

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N76820.0 E58599.8	33.291289 °N 81.661716 °W	186.0-176.0 ft msl	291.3 ft msl	4" PVC	S	Barnwell (IIB ₁)

FIELD MEASUREMENTS

Sample date: 08/17/93
Depth to water: 73.80 ft (22.49 m) below TWC
Water elevation: 217.50 ft (66.29 m) msl
Sp. conductance: 1037 μ S/cm
Turbidity: 11.9 NTU
Water evacuated before sampling: 17 gal
The well went dry during purging.

Time: 10:23
pH: 11.6
Alkalinity: 227 mg/L
Water temperature: 20.0 °C
Volumes purged: 0.6 well volumes

LABORATORY ANALYSES

H	D	Analyte	Result	Mod	Unit	Flag	Lab
•		pH	12	J	pH	2	GE
		Specific conductance	1,100		μ S/cm	2	GE
		Turbidity	2.5		NTU	0	GE
		Acetophenone	<10		μ g/L	0	GE
		Aluminum	422		μ g/L	2	GE
		Aluminum	422		μ g/L	2	GE
		Antimony	<2.0		μ g/L	0	GE
		Antimony	<2.0		μ g/L	0	GE
		Arsenic	<2.0		μ g/L	0	GE
		Arsenic	<2.0		μ g/L	0	GE
		Barium	142		μ g/L	0	GE
		Barium	142		μ g/L	0	GE
		Benzene	<1.0		μ g/L	0	GE
		Bromodichloromethane	<1.0		μ g/L	0	GE
		Bromoform	<1.0		μ g/L	0	GE
		Bromomethane (Methyl bromide)	<1.0		μ g/L	0	GE
		Cadmium	<6.0		μ g/L	0	GE
		Cadmium	<6.0		μ g/L	0	GE
		Calcium	91,300	J2	μ g/L	0	GE
		Calcium	91,600	J2	μ g/L	0	GE
		Carbon tetrachloride	<1.0		μ g/L	0	GE
		Chloride	1,830		μ g/L	0	GE
		Chlorobenzene	<1.0		μ g/L	0	GE
		Chloroethane	<1.0		μ g/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0		μ g/L	0	GE
		2-Chloroethyl vinyl ether	<1.0		μ g/L	0	GE
		Chloroform	<1.0		μ g/L	0	GE
		Chloromethane (Methyl chloride)	<1.0		μ g/L	0	GE
		Chromium	<12		μ g/L	0	GE
		Chromium	<12		μ g/L	0	GE
		Copper	<12		μ g/L	0	GE
		Copper	<12		μ g/L	0	GE
		Cyanide	<5.0		μ g/L	0	GE
		Dibromochloromethane	<1.0		μ g/L	0	GE
		1,1-Dichloroethane	<1.0		μ g/L	0	GE
		1,2-Dichloroethane	<1.0		μ g/L	0	GE
		1,1-Dichloroethylene	<1.0		μ g/L	0	GE
		trans-1,2-Dichloroethylene	<1.0		μ g/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0		μ g/L	0	GE

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGX 1C collected on 08/17/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		2,4-Dichlorophenoxyacetic acid	<0.30		µg/L	0	GE
		1,2-Dichloropropane	<1.0		µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0		µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0		µg/L	0	GE
		Endrin	<0.0060		µg/L	0	GE
		Ethylbenzene	<1.0		µg/L	0	GE
		Fluoride	<100		µg/L	0	GE
		Iron	<12		µg/L	0	GE
		Iron	14		µg/L	0	GE
		Lead	7.5		µg/L	1	GE
		Lead	6.4		µg/L	0	GE
		Lindane	<0.0050		µg/L	0	GE
		Magnesium	210		µg/L	0	GE
		Magnesium	212		µg/L	0	GE
		Manganese	<6.0		µg/L	0	GE
		Manganese	<6.0		µg/L	0	GE
		Mercury	<0.20		µg/L	0	GE
		Methoxychlor	<0.50		µg/L	0	GE
		Naphthalene	<10		µg/L	0	GE
		Nickel	<12		µg/L	0	GE
		Nickel	<12		µg/L	0	GE
		Nitrate-nitrite as nitrogen	360		µg/L	0	GE
		Phenols	<5.0		µg/L	0	GE
		Potassium	3,150		µg/L	0	GE
		Potassium	3,340		µg/L	0	GE
		Selenium	<2.0		µg/L	0	GE
		Selenium	<2.0		µg/L	0	GE
		Silica	8,590		µg/L	0	GE
		Silica	8,690		µg/L	0	GE
		Silver	<6.0		µg/L	0	GE
		Silver	<6.0		µg/L	0	GE
		Sodium	3,610		µg/L	0	GE
		Sodium	3,600		µg/L	0	GE
		Sulfate	<1,000		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0		µg/L	0	GE
		Tetrachloroethylene	<1.0		µg/L	0	GE
		Tin	<6.0		µg/L	0	GE
		Tin	<6.0		µg/L	0	GE
		Toluene	<1.0		µg/L	0	GE
		Total dissolved solids	262,000	V	µg/L	0	GE
		Total organic carbon	<1,000		µg/L	0	GE
		Total organic halogens	<5.0		µg/L	0	GE
		Total organic halogens	<5.0		µg/L	0	GE
		Total phosphates (as P)	80		µg/L	0	GE
		Toxaphene	<0.24		µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090		µg/L	0	GE
		1,1,1-Trichloroethane	<1.0		µg/L	0	GE
		1,1,2-Trichloroethane	<1.0		µg/L	0	GE
		Trichloroethylene	<1.0		µg/L	0	GE
		Trichlorofluoromethane	<1.0		µg/L	0	GE
		Vanadium	<24		µg/L	0	GE
		Vanadium	<24		µg/L	0	GE
		Xylenes	<2.0		µg/L	0	GE
		Gross alpha	2.6E+00 ± 9.3E-01		pCi/L	0	GE
		Nonvolatile beta	2.8E+00 ± 8.1E-01		pCi/L	0	GE
		Radium, total alpha-emitting	<1.0E+00		pCi/L	0	GE

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGX 1C collected on 08/17/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		Total activity	8.3E+05 ± 6.3E+03		pCi/L	0	EM
	■	Tritium	8.7E+02 ± 1.7E+01		pCi/mL	2	GE

WELL BGX 1D

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N76809.5 E58608.6	33.291280 °N 81.661673 °W	234.7-214.7 ft msl	291.3 ft msl	4" PVC	S	Water Table (IIB ₂)

FIELD MEASUREMENTS

Sample date: 08/17/93
Depth to water: 60.61 ft (18.47 m) below TOC
Water elevation: 230.69 ft (70.32 m) msl
Sp. conductance: 84 µS/cm
Turbidity: 47.8 NTU
Water evacuated before sampling: 8 gal
The well went dry during purging.

Time: 10:39
pH: 5.6
Alkalinity: 12 mg/L
Water temperature: 20.2 °C
Volumes purged: 0.8 well volumes

LABORATORY ANALYSES

H	D	Analyte	Result	Mod	Unit	Flag	Lab
•		pH	6.3	J	pH	0	GE
		Specific conductance	62		µS/cm	0	GE
		Turbidity	62		NTU	0	GE
		Acetophenone	<10	J1	µg/L	0	GE
		Aluminum	345		µg/L	2	GE
		Antimony	<2.0		µg/L	0	GE
		Arsenic	<2.0		µg/L	0	GE
		Barium	28		µg/L	0	GE
		Benzene	<1.0		µg/L	0	GE
		Bromodichloromethane	<1.0		µg/L	0	GE
		Bromoform	<1.0		µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0		µg/L	0	GE
		Cadmium	<2.0		µg/L	0	GE
		Calcium	6,220	J2	µg/L	0	GE
		Carbon tetrachloride	<1.0		µg/L	0	GE
		Chloride	3,080		µg/L	0	GE
		Chlorobenzene	<1.0		µg/L	0	GE
		Chloroethane	<1.0		µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0		µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0		µg/L	0	GE
		Chloroform	<1.0		µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0		µg/L	0	GE
		Chromium	<4.0		µg/L	0	GE
		Copper	4.8		µg/L	0	GE
		Cyanide	<5.0		µg/L	0	GE
		Dibromochloromethane	<1.0		µg/L	0	GE
		1,1-Dichloroethane	<1.0		µg/L	0	GE
		1,2-Dichloroethane	<1.0		µg/L	0	GE
		1,1-Dichloroethylene	<1.0		µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0		µg/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0		µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30		µg/L	0	GE

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

4 of 6

WELL BGX 1D collected on 08/17/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		2,4-Dichlorophenoxyacetic acid	<0.30		µg/L	0	GE
		1,2-Dichloropropane	<1.0		µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0		µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0		µg/L	0	GE
		Endrin	<0.0060		µg/L	0	GE
		Ethylbenzene	<1.0		µg/L	0	GE
		Fluoride	<100		µg/L	0	GE
		Iron	269		µg/L	1	GE
		Lead	15		µg/L	2	GE
		Lindane	<0.0050		µg/L	0	GE
		Magnesium	840		µg/L	0	GE
		Manganese	68		µg/L	2	GE
		Mercury	<0.20		µg/L	0	GE
		Mercury	<0.20		µg/L	0	GE
		Methoxychlor	<0.50		µg/L	0	GE
		Naphthalene	<10	J1	µg/L	0	GE
		Nickel	5.1		µg/L	0	GE
		Nitrate-nitrite as nitrogen	930		µg/L	0	GE
		Phenols	<5.0		µg/L	0	GE
		Potassium	1,040		µg/L	0	GE
		Selenium	<2.0		µg/L	0	GE
		Silica	8,360		µg/L	0	GE
		Silver	<2.0		µg/L	0	GE
		Sodium	3,530		µg/L	0	GE
		Sulfate	1,630		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0		µg/L	0	GE
		Tetrachloroethylene	<1.0		µg/L	0	GE
		Tin	<2.0		µg/L	0	GE
		Toluene	<1.0		µg/L	0	GE
		Total dissolved solids	35,000	V	µg/L	0	GE
		Total organic carbon	<1,000		µg/L	0	GE
		Total organic halogens	<5.0		µg/L	0	GE
		Total phosphates (as P)	80		µg/L	0	GE
		Toxaphene	<0.24		µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090		µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090		µg/L	0	GE
		1,1,1-Trichloroethane	<1.0		µg/L	0	GE
		1,1,2-Trichloroethane	<1.0		µg/L	0	GE
		Trichloroethylene	<1.0		µg/L	0	GE
		Trichlorofluoromethane	<1.0		µg/L	0	GE
		Vanadium	<8.0		µg/L	0	GE
		Xylenes	<2.0		µg/L	0	GE
		Gross alpha	<2.0E+00		pCi/L	0	GE
		Gross alpha	<2.0E+00		pCi/L	0	GE
		Nonvolatile beta	2.5E+00 ± 6.3E-01		pCi/L	0	GE
		Nonvolatile beta	2.5E+00 ± 6.7E-01		pCi/L	0	GE
		Radium, total alpha-emitting	1.1E+00 ± 4.0E-01		pCi/L	0	GE
		Total activity	3.8E+05 ± 4.4E+03		pCi/L	0	EM
■		Tritium	3.3E+02 ± 6.4E+00		pCi/mL	2	GE

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGX 2B

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N77203.4 E58256.5	33.291577 °N 81.663365 °W	147.2-137.2 ft msl	291.3 ft msl	4" PVC	S	McBean (II B ₁)

FIELD MEASUREMENTS

Sample date: 08/17/93
Depth to water: 76.75 ft (23.39 m) below TOC
Water elevation: 214.55 ft (65.40 m) msl
Sp. conductance: 243 μ S/cm
Turbidity: 5.4 NTU
Water evacuated before sampling: 51 gal
The well went dry during purging.

Time: 9:38
pH: 7.5
Alkalinity: 91 mg/L
Water temperature: 20.0 °C

Volumes purged: 1.0 well volumes

LABORATORY ANALYSES

H	D	Analyte	Result	Mod	Unit	Flag	Lab
•		pH	7.7	J	pH	0	GE
		Specific conductance	229		μ S/cm	0	GE
		Turbidity	<0.10		NTU	0	GE
		Acetophenone	<10		μ g/L	0	GE
		Aluminum	78		μ g/L	2	GE
		Aluminum	77		μ g/L	2	GE
		Antimony	<2.0		μ g/L	0	GE
		Arsenic	<2.0		μ g/L	0	GE
		Barium	60		μ g/L	0	GE
		Barium	59		μ g/L	0	GE
		Benzene	<1.0		μ g/L	0	GE
		Bromodichloromethane	<1.0		μ g/L	0	GE
		Bromoform	<1.0		μ g/L	0	GE
		Bromomethane (Methyl bromide)	<1.0		μ g/L	0	GE
		Cadmium	<2.0		μ g/L	0	GE
		Cadmium	<2.0		μ g/L	0	GE
		Calcium	44,900		μ g/L	0	GE
		Calcium	44,800		μ g/L	0	GE
		Carbon tetrachloride	<1.0		μ g/L	0	GE
		Chloride	2,290		μ g/L	0	GE
		Chlorobenzene	<1.0		μ g/L	0	GE
		Chloroethane	<1.0		μ g/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0		μ g/L	0	GE
		2-Chloroethyl vinyl ether	<1.0		μ g/L	0	GE
		Chloroform	<1.0		μ g/L	0	GE
		Chloromethane (Methyl chloride)	<1.0		μ g/L	0	GE
		Chromium	<4.0		μ g/L	0	GE
		Chromium	<4.0		μ g/L	0	GE
		Copper	<4.0		μ g/L	0	GE
		Copper	<4.0		μ g/L	0	GE
		Cyanide	<5.0		μ g/L	0	GE
		Cyanide	<5.0		μ g/L	0	GE
		Dibromochloromethane	<1.0		μ g/L	0	GE
		1,1-Dichloroethane	<1.0		μ g/L	0	GE
		1,2-Dichloroethane	<1.0		μ g/L	0	GE
		1,1-Dichloroethylene	<1.0		μ g/L	0	GE
		trans-1,2-Dichloroethylene	<1.0		μ g/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0		μ g/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30		μ g/L	0	GE

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGX 2B collected on 08/17/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		1,2-Dichloropropane	< 1.0		µg/L	0	GE
		cis-1,3-Dichloropropene	< 1.0		µg/L	0	GE
		trans-1,3-Dichloropropene	< 1.0		µg/L	0	GE
		Endrin	< 0.0060		µg/L	0	GE
		Ethylbenzene	< 1.0		µg/L	0	GE
		Fluoride	< 100		µg/L	0	GE
		Iron	45		µg/L	0	GE
		Iron	45		µg/L	0	GE
		Lead	< 3.0		µg/L	0	GE
		Lindane	< 0.0050		µg/L	0	GE
		Magnesium	638		µg/L	0	GE
		Magnesium	636		µg/L	0	GE
		Manganese	2.0		µg/L	0	GE
		Manganese	2.0		µg/L	0	GE
		Mercury	< 0.20		µg/L	0	GE
		Methoxychlor	< 0.50		µg/L	0	GE
		Naphthalene	< 10		µg/L	0	GE
		Nickel	< 4.0		µg/L	0	GE
		Nickel	< 4.0		µg/L	0	GE
		Nitrate-nitrite as nitrogen	340		µg/L	0	GE
		Phenols	< 20		µg/L	0	GE
		Potassium	883		µg/L	0	GE
		Potassium	855		µg/L	0	GE
		Selenium	< 2.0		µg/L	0	GE
		Silica	26,300		µg/L	0	GE
		Silica	26,300		µg/L	0	GE
		Silver	< 2.0	J1	µg/L	0	GE
		Silver	< 2.0	J1	µg/L	0	GE
		Sodium	4,130		µg/L	0	GE
		Sodium	4,120		µg/L	0	GE
		Sulfate	3,820		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	< 1.0		µg/L	0	GE
		Tetrachloroethylene	< 1.0		µg/L	0	GE
		Tin	< 2.0		µg/L	0	GE
		Tin	< 2.0		µg/L	0	GE
		Toluene	< 1.0		µg/L	0	GE
		Total dissolved solids	140,000		µg/L	0	GE
		Total organic carbon	1,590		µg/L	0	GE
		Total organic halogens	9.0		µg/L	0	GE
		Total phosphates (as P)	< 50		µg/L	0	GE
		Toxaphene	< 0.24		µg/L	0	GE
		2,4,5-TP (Silvex)	< 0.090		µg/L	0	GE
		1,1,1-Trichloroethane	< 1.0		µg/L	0	GE
		1,1,2-Trichloroethane	< 1.0		µg/L	0	GE
		Trichloroethylene	< 1.0		µg/L	0	GE
		Trichlorofluoromethane	< 1.0		µg/L	0	GE
		Vanadium	< 8.0		µg/L	0	GE
		Vanadium	< 8.0		µg/L	0	GE
		Xylenes	< 2.0		µg/L	0	GE
		Gross alpha	< 2.0E+00		pCi/L	0	GE
		Nonvolatile beta	< 2.0E+00		pCi/L	0	GE
		Radium, total alpha-emitting	< 1.0E+00		pCi/L	0	GE
		Tritium	7.7E+00 ± 6.4E-01		pCi/mL	0	GE

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGX 2D

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N77192.4 E58265.6	33.291567 °N 81.663320 °W	191.1-181.1 ft msl	291.1 ft msl	4" PVC	S	Barnwell (IIB ₁)

FIELD MEASUREMENTS

Sample date: 08/17/93
Depth to water: 74.02 ft (22.56 m) below TOC
Water elevation: 217.08 ft (66.17 m) msl
Sp. conductance: 39 μ S/cm
Turbidity: 3.1 NTU
Water evacuated before sampling: 24 gal
The well went dry during purging.

Time: 9:55
pH: 5.4
Alkalinity: 3 mg/L
Water temperature: 19.4 °C
Volumes purged: 1.0 well volumes

LABORATORY ANALYSES

H	D	Analyte	Result	Mod	Unit	Flag	Lab
•		pH	5.8	J	pH	0	GE
		Specific conductance	34		μ S/cm	0	GE
		Turbidity	2.0		NTU	0	GE
		Acetophenone	<1.0		μ g/L	0	GE
		Aluminum	42		μ g/L	1	GE
		Antimony	<2.0		μ g/L	0	GE
		Arsenic	<2.0		μ g/L	0	GE
		Barium	5.1		μ g/L	0	GE
		Benzene	<1.0		μ g/L	0	GE
		Bromodichloromethane	<1.0		μ g/L	0	GE
		Bromoform	<1.0		μ g/L	0	GE
		Bromomethane (Methyl bromide)	<1.0		μ g/L	0	GE
		Cadmium	<2.0		μ g/L	0	GE
		Calcium	2,470		μ g/L	0	GE
		Carbon tetrachloride	<1.0		μ g/L	0	GE
		Chloride	2,020		μ g/L	0	GE
		Chlorobenzene	<1.0		μ g/L	0	GE
		Chloroethane	<1.0		μ g/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0		μ g/L	0	GE
		2-Chloroethyl vinyl ether	<1.0		μ g/L	0	GE
		Chloroform	<1.0		μ g/L	0	GE
		Chloromethane (Methyl chloride)	<1.0		μ g/L	0	GE
		Chromium	<4.0		μ g/L	0	GE
		Copper	5.3		μ g/L	0	GE
		Cyanide	<5.0		μ g/L	0	GE
		Dibromochloromethane	<1.0		μ g/L	0	GE
		1,1-Dichloroethane	<1.0		μ g/L	0	GE
		1,2-Dichloroethane	<1.0		μ g/L	0	GE
		1,1-Dichloroethylene	<1.0		μ g/L	0	GE
		trans-1,2-Dichloroethylene	<1.0		μ g/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0		μ g/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30		μ g/L	0	GE
		1,2-Dichloropropane	<1.0		μ g/L	0	GE
		cis-1,3-Dichloropropene	<1.0		μ g/L	0	GE
		trans-1,3-Dichloropropene	<1.0		μ g/L	0	GE
		Endrin	<0.0060		μ g/L	0	GE
		Ethylbenzene	<1.0		μ g/L	0	GE
		Fluoride	<100		μ g/L	0	GE
		Iron	28		μ g/L	0	GE

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGX 2D collected on 08/17/93, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Mod</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Lead	<3.0		µg/L	0	GE
		Lindane	<0.0050		µg/L	0	GE
		Magnesium	419		µg/L	0	GE
		Manganese	12		µg/L	0	GE
		Mercury	<0.20		µg/L	0	GE
		Mercury	<0.20		µg/L	0	GE
		Methoxychlor	<0.50		µg/L	0	GE
		Naphthalene	<10		µg/L	0	GE
		Nickel	<4.0		µg/L	0	GE
		Nitrate-nitrite as nitrogen	1,400		µg/L	0	GE
		Phenols	<20		µg/L	0	GE
		Potassium	814		µg/L	0	GE
		Selenium	<2.0		µg/L	0	GE
		Silica	8,540		µg/L	0	GE
		Silver	<2.0	J1	µg/L	0	GE
		Sodium	1,940		µg/L	0	GE
		Sulfate	<1,000		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0		µg/L	0	GE
		Tetrachloroethylene	<1.0		µg/L	0	GE
		Tin	2.1		µg/L	0	GE
		Toluene	<1.0		µg/L	0	GE
		Total dissolved solids	19,000		µg/L	0	GE
		Total organic carbon	<1,000		µg/L	0	GE
		Total organic halogens	5.7		µg/L	0	GE
		Total phosphates (as P)	<50		µg/L	0	GE
		Toxaphene	<0.24		µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090		µg/L	0	GE
		1,1,1-Trichloroethane	<1.0		µg/L	0	GE
		1,1,2-Trichloroethane	<1.0		µg/L	0	GE
■		Trichloroethylene	12		µg/L	2	GE
		Trichlorofluoromethane	<1.0		µg/L	0	GE
		Vanadium	<8.0		µg/L	0	GE
		Xylenes	<2.0		µg/L	0	GE
		Gross alpha	<2.0E+00		pCi/L	0	GE
		Nonvolatile beta	<2.0E+00		pCi/L	0	GE
		Radium, total alpha-emitting	<1.0E+00		pCi/L	0	GE
■		Tritium	8.7E+01 ± 1.8E+00		pCi/mL	2	GE

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGX 3D

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N77577.0 E57780.1	33.291626 °N 81.665346 °W	221.6-201.6 ft msl	291.2 ft msl	4" PVC	S	Barnwell (IIB ₁)

FIELD MEASUREMENTS

Sample date: 08/16/93
Depth to water: 74.18 ft (22.61 m) below TOC
Water elevation: 217.02 ft (66.15 m) msl
Sp. conductance: 33 µS/cm
Turbidity: 0.3 NTU
Water evacuated before sampling: 70 gal

Time: 13:02
pH: 5.2
Alkalinity: 2 mg/L
Water temperature: 19.4 °C

Volumes purged: 6.9 well volumes

LABORATORY ANALYSES

H	D	Analyte	Result	Mod	Unit	Flag	Lab
•		pH	5.4	J	pH	0	GE
•		pH	5.4	J	pH	0	GE
•		pH	5.3	J	pH	0	WA
•		pH	5.9	J	pH	0	WA
•		pH	5.9	J	pH	0	WA
		Specific conductance	25		µS/cm	0	GE
		Specific conductance	25		µS/cm	0	GE
•		Specific conductance	25	J	µS/cm	0	WA
•		Specific conductance	26	J	µS/cm	0	WA
•		Specific conductance	26	J	µS/cm	0	WA
		Turbidity	<0.10		NTU	0	GE
		Turbidity	<0.10		NTU	0	GE
•		Turbidity	0.27	JQ2	NTU	0	WA
•		Turbidity	0.62	JQ2	NTU	0	WA
•		Turbidity	0.62	JQ2	NTU	0	WA
		Acetophenone	<10	J1	µg/L	0	GE
		Acetophenone	<10		µg/L	0	GE
		Acetophenone	<10		µg/L	0	WA
		Acetophenone	<11		µg/L	0	WA
		Acetophenone	<11		µg/L	0	WA
		Aluminum	<20		µg/L	0	GE
		Aluminum	<20		µg/L	0	GE
		Aluminum	<20		µg/L	0	WA
		Aluminum	<20		µg/L	0	WA
		Antimony	<2.0		µg/L	0	GE
		Antimony	<2.0		µg/L	0	GE
		Antimony	<3.0		µg/L	0	WA
		Antimony	<3.0		µg/L	0	WA
		Arsenic	<2.0		µg/L	0	GE
		Arsenic	<2.0		µg/L	0	GE
		Arsenic	<2.0		µg/L	0	WA
		Arsenic	<2.0		µg/L	0	WA
		Barium	9.5		µg/L	0	GE
		Barium	9.6		µg/L	0	GE
		Barium	9.3		µg/L	0	WA
		Barium	10		µg/L	0	WA
		Benzene	<1.0		µg/L	0	GE
		Benzene	<1.0		µg/L	0	GE
		Benzene	<5.0		µg/L	0	WA

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGX 3D collected on 08/16/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		Benzene	<5.0		µg/L	0	WA
		Bromodichloromethane	<1.0		µg/L	0	GE
		Bromodichloromethane	<1.0		µg/L	0	GE
		Bromodichloromethane	<5.0		µg/L	0	WA
		Bromodichloromethane	<5.0		µg/L	0	WA
		Bromoform	<1.0		µg/L	0	GE
		Bromoform	<1.0		µg/L	0	GE
		Bromoform	<5.0		µg/L	0	WA
		Bromoform	<5.0		µg/L	0	WA
		Bromomethane (Methyl bromide)	<1.0		µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0		µg/L	0	GE
		Bromomethane (Methyl bromide)	<10		µg/L	0	WA
		Bromomethane (Methyl bromide)	<10		µg/L	0	WA
		Cadmium	<2.0		µg/L	0	GE
		Cadmium	<2.0		µg/L	0	GE
		Cadmium	<2.0		µg/L	0	WA
		Cadmium	<2.0		µg/L	0	WA
		Calcium	1,150		µg/L	0	GE
		Calcium	1,150		µg/L	0	GE
		Calcium	1,150		µg/L	0	WA
		Calcium	1,240		µg/L	0	WA
		Carbon tetrachloride	<1.0		µg/L	0	GE
		Carbon tetrachloride	<1.0		µg/L	0	GE
		Carbon tetrachloride	<5.0		µg/L	0	WA
		Carbon tetrachloride	<5.0		µg/L	0	WA
		Chloride	1,930		µg/L	0	GE
		Chloride	1,870		µg/L	0	GE
		Chloride	1,200		µg/L	0	WA
		Chloride	1,210		µg/L	0	WA
		Chlorobenzene	<1.0		µg/L	0	GE
		Chlorobenzene	<1.0		µg/L	0	GE
		Chlorobenzene	<5.0		µg/L	0	WA
		Chlorobenzene	<5.0		µg/L	0	WA
		Chloroethane	<1.0		µg/L	0	GE
		Chloroethane	<1.0		µg/L	0	GE
		Chloroethane	<10		µg/L	0	WA
		Chloroethane	<10		µg/L	0	WA
		Chloroethene (Vinyl chloride)	<1.0		µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0		µg/L	0	GE
		Chloroethene (Vinyl chloride)	<10		µg/L	0	WA
		Chloroethene (Vinyl chloride)	<10		µg/L	0	WA
		2-Chloroethyl vinyl ether	<1.0		µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0		µg/L	0	GE
		2-Chloroethyl vinyl ether	<10		µg/L	0	WA
		2-Chloroethyl vinyl ether	<10		µg/L	0	WA
		Chloroform	<1.0		µg/L	0	GE
		Chloroform	<1.0		µg/L	0	GE
		Chloroform	<5.0		µg/L	0	WA
		Chloroform	<5.0		µg/L	0	WA
		Chloromethane (Methyl chloride)	<1.0		µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0		µg/L	0	GE
		Chloromethane (Methyl chloride)	4.4	J	µg/L	0	WA
		Chloromethane (Methyl chloride)	<10		µg/L	0	WA
		Chromium	<4.0		µg/L	0	GE
		Chromium	<4.0		µg/L	0	GE
		Chromium	<4.0		µg/L	0	WA

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGX 3D collected on 08/16/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		Chromium	<4.0		µg/L	0	WA
		Copper	12		µg/L	0	GE
		Copper	12		µg/L	0	GE
		Copper	8.2		µg/L	0	WA
		Copper	9.3		µg/L	0	WA
		Cyanide	<5.0		µg/L	0	GE
		Cyanide	<5.0		µg/L	0	GE
		Cyanide	<5.0		µg/L	0	WA
		Cyanide	<5.0		µg/L	0	WA
		Dibromochloromethane	<1.0		µg/L	0	GE
		Dibromochloromethane	<1.0		µg/L	0	GE
		Dibromochloromethane	<5.0		µg/L	0	WA
		Dibromochloromethane	<5.0		µg/L	0	WA
		1,1-Dichloroethane	<1.0		µg/L	0	GE
		1,1-Dichloroethane	<1.0		µg/L	0	GE
		1,1-Dichloroethane	<5.0		µg/L	0	WA
		1,1-Dichloroethane	<5.0		µg/L	0	WA
		1,2-Dichloroethane	<1.0		µg/L	0	GE
		1,2-Dichloroethane	<1.0		µg/L	0	GE
		1,2-Dichloroethane	<5.0		µg/L	0	WA
		1,2-Dichloroethane	<5.0		µg/L	0	WA
		1,1-Dichloroethylene	<1.0		µg/L	0	GE
		1,1-Dichloroethylene	<1.0		µg/L	0	GE
		1,1-Dichloroethylene	<5.0		µg/L	0	WA
		1,1-Dichloroethylene	<5.0		µg/L	0	WA
		trans-1,2-Dichloroethylene	<1.0		µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0		µg/L	0	GE
		trans-1,2-Dichloroethylene	<5.0		µg/L	0	WA
		trans-1,2-Dichloroethylene	<5.0		µg/L	0	WA
		Dichloromethane (Methylene chloride)	<1.0		µg/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0		µg/L	0	GE
		Dichloromethane (Methylene chloride)	<5.0		µg/L	0	WA
		Dichloromethane (Methylene chloride)	<5.0		µg/L	0	WA
		2,4-Dichlorophenoxyacetic acid	<0.30		µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30		µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<1.1		µg/L	0	WA
		2,4-Dichlorophenoxyacetic acid	<1.1		µg/L	0	WA
		2,4-Dichlorophenoxyacetic acid	<2.3		µg/L	0	WA
		1,2-Dichloropropane	<1.0		µg/L	0	GE
		1,2-Dichloropropane	<1.0		µg/L	0	GE
		1,2-Dichloropropane	<5.0		µg/L	0	WA
		1,2-Dichloropropane	<5.0		µg/L	0	WA
		cis-1,3-Dichloropropene	<1.0		µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0		µg/L	0	GE
		cis-1,3-Dichloropropene	<5.0		µg/L	0	WA
		cis-1,3-Dichloropropene	<5.0		µg/L	0	WA
		trans-1,3-Dichloropropene	<1.0		µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0		µg/L	0	GE
		trans-1,3-Dichloropropene	<5.0		µg/L	0	WA
		trans-1,3-Dichloropropene	<5.0		µg/L	0	WA
		Endrin	<0.0060		µg/L	0	GE
		Endrin	<0.0060		µg/L	0	GE
		Endrin	<0.11		µg/L	0	WA
		Endrin	<0.11		µg/L	0	WA
		Endrin	<0.23		µg/L	0	WA
		Ethylbenzene	<1.0		µg/L	0	GE

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGX 3D collected on 08/16/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		Ethylbenzene	< 1.0		µg/L	0	GE
		Ethylbenzene	< 5.0		µg/L	0	WA
		Ethylbenzene	< 5.0		µg/L	0	WA
		Fluoride	< 100		µg/L	0	GE
		Fluoride	< 100		µg/L	0	GE
		Fluoride	< 100		µg/L	0	WA
		Fluoride	< 100		µg/L	0	WA
		Iron	9.3		µg/L	0	GE
		Iron	14		µg/L	0	GE
		Iron	13	J3V	µg/L	0	WA
		Iron	18	V	µg/L	0	WA
		Lead	< 3.0		µg/L	0	GE
		Lead	3.2		µg/L	0	GE
		Lead	< 3.0		µg/L	0	WA
		Lead	3.1	J3	µg/L	0	WA
		Lindane	< 0.0050		µg/L	0	GE
		Lindane	< 0.0050		µg/L	0	GE
		Lindane	< 0.057		µg/L	0	WA
		Lindane	< 0.057		µg/L	0	WA
		Lindane	< 0.11		µg/L	0	WA
		Magnesium	642		µg/L	0	GE
		Magnesium	644		µg/L	0	GE
		Magnesium	604		µg/L	0	WA
		Magnesium	660		µg/L	0	WA
		Manganese	19		µg/L	0	GE
		Manganese	19		µg/L	0	GE
		Manganese	18		µg/L	0	WA
		Manganese	20		µg/L	0	WA
		Mercury	< 0.20		µg/L	0	GE
		Mercury	< 0.20		µg/L	0	GE
		Mercury	< 0.20		µg/L	0	WA
		Mercury	< 0.20		µg/L	0	WA
		Methoxychlor	< 0.50		µg/L	0	GE
		Methoxychlor	< 0.50		µg/L	0	GE
		Methoxychlor	< 1.1		µg/L	0	WA
		Methoxychlor	< 1.1		µg/L	0	WA
		Methoxychlor	< 0.57		µg/L	0	WA
		Methoxychlor	< 0.57		µg/L	0	WA
		Naphthalene	< 10	J1	µg/L	0	GE
		Naphthalene	< 10		µg/L	0	GE
		Nickel	< 4.0		µg/L	0	GE
		Nickel	< 4.0		µg/L	0	GE
		Nickel	< 4.0		µg/L	0	WA
		Nickel	< 4.0		µg/L	0	WA
		Nitrate as nitrogen	962		µg/L	0	WA
		Nitrate as nitrogen	994		µg/L	0	WA
		Nitrate-nitrite as nitrogen	910		µg/L	0	GE
		Nitrate-nitrite as nitrogen	780		µg/L	0	GE
		Phenols	13		µg/L	0	GE
		Phenols	< 5.0		µg/L	0	GE
		Phenols	< 10		µg/L	0	GE
		Phenols	< 5.0		µg/L	0	WA
		Phenols	< 5.0		µg/L	0	WA
		Potassium	< 500		µg/L	0	GE
		Potassium	< 500		µg/L	0	GE
		Potassium	540	J3	µg/L	0	WA

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGX 3D collected on 08/16/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		Potassium	646	J3	µg/L	0	WA
		Selenium	<2.0		µg/L	0	GE
		Selenium	<2.0		µg/L	0	GE
		Selenium	<2.0		µg/L	0	WA
		Selenium	<2.0		µg/L	0	WA
		Silica	8,070		µg/L	0	GE
		Silica	8,060		µg/L	0	GE
		Silica	7,240		µg/L	0	WA
		Silica	7,810		µg/L	0	WA
		Silver	<2.0	J1	µg/L	0	GE
		Silver	<2.0	J1	µg/L	0	GE
		Silver	<2.0		µg/L	0	WA
		Silver	<2.0		µg/L	0	WA
		Sodium	1,930		µg/L	0	GE
		Sodium	1,930		µg/L	0	GE
		Sodium	1,910	V	µg/L	0	WA
		Sodium	2,030	V	µg/L	0	WA
		Sulfate	<1,000		µg/L	0	GE
		Sulfate	<1,000		µg/L	0	GE
		Sulfate	<1,000		µg/L	0	WA
		Sulfate	<1,000		µg/L	0	WA
		1,1,2,2-Tetrachloroethane	<1.0		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<5.0		µg/L	0	WA
		1,1,2,2-Tetrachloroethane	<5.0		µg/L	0	WA
		Tetrachloroethylene	<1.0		µg/L	0	GE
		Tetrachloroethylene	<1.0		µg/L	0	GE
		Tetrachloroethylene	<5.0		µg/L	0	WA
		Tetrachloroethylene	<5.0		µg/L	0	WA
		Tin	<2.0		µg/L	0	GE
		Tin	<2.0		µg/L	0	GE
		Tin	<13		µg/L	0	WA
		Tin	<13		µg/L	0	WA
		Toluene	<1.0		µg/L	0	GE
		Toluene	<1.0		µg/L	0	GE
		Toluene	<5.0		µg/L	0	WA
		Toluene	<5.0		µg/L	0	WA
		Total dissolved solids	17,000		µg/L	0	GE
		Total dissolved solids	13,000		µg/L	0	GE
		Total dissolved solids	25,000		µg/L	0	WA
		Total dissolved solids	35,000		µg/L	0	WA
		Total dissolved solids	36,000		µg/L	0	WA
		Total organic carbon	<1,000		µg/L	0	GE
		Total organic carbon	<1,000		µg/L	0	GE
		Total organic carbon	<1,000		µg/L	0	WA
		Total organic carbon	<1,000		µg/L	0	WA
		Total organic halogens	<5.0		µg/L	0	GE
		Total organic halogens	<5.0		µg/L	0	GE
		Total organic halogens	<5.0		µg/L	0	WA
		Total organic halogens	11		µg/L	0	WA
		Total phosphates (as P)	<50		µg/L	0	GE
		Total phosphates (as P)	<50		µg/L	0	GE
		Total phosphates (as P)	<50		µg/L	0	WA
		Total phosphates (as P)	<50		µg/L	0	WA
		Total phosphates (as P)	<50		µg/L	0	WA
		Toxaphene	<0.24		µg/L	0	GE

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGX 3D collected on 08/16/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		Toxaphene	<0.24		µg/L	0	GE
		Toxaphene	<1.1		µg/L	0	WA
		Toxaphene	<1.1		µg/L	0	WA
		Toxaphene	<2.3		µg/L	0	WA
		Toxaphene	<2.3		µg/L	0	WA
		2,4,5-TP (Silvex)	<0.090		µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090		µg/L	0	GE
		2,4,5-TP (Silvex)	<1.1		µg/L	0	WA
		2,4,5-TP (Silvex)	<0.57		µg/L	0	WA
		2,4,5-TP (Silvex)	<0.57		µg/L	0	WA
		1,1,1-Trichloroethane	<1.0		µg/L	0	GE
		1,1,1-Trichloroethane	<1.0		µg/L	0	GE
		1,1,1-Trichloroethane	<5.0		µg/L	0	WA
		1,1,1-Trichloroethane	<5.0		µg/L	0	WA
		1,1,2-Trichloroethane	<1.0		µg/L	0	GE
		1,1,2-Trichloroethane	<1.0		µg/L	0	GE
		1,1,2-Trichloroethane	<5.0		µg/L	0	WA
		1,1,2-Trichloroethane	<5.0		µg/L	0	WA
		Trichloroethylene	4.1		µg/L	1	GE
		Trichloroethylene	4.1		µg/L	1	GE
		Trichloroethylene	4.8		µg/L	1	WA
		Trichloroethylene	4.8	J	µg/L	1	WA
		Trichlorofluoromethane	<1.0		µg/L	0	GE
		Trichlorofluoromethane	<1.0		µg/L	0	GE
		Trichlorofluoromethane	<5.0		µg/L	0	WA
		Trichlorofluoromethane	<5.0		µg/L	0	WA
		Vanadium	<8.0		µg/L	0	GE
		Vanadium	<8.0		µg/L	0	GE
		Vanadium	<3.0		µg/L	0	WA
		Vanadium	<3.0		µg/L	0	WA
		Xylenes	<2.0		µg/L	0	GE
		Xylenes	<2.0		µg/L	0	GE
		Xylenes	<5.0		µg/L	0	WA
		Xylenes	<5.0		µg/L	0	WA
		Gross alpha	<2.0E+00		pCi/L	0	GE
		Gross alpha	<2.0E+00		pCi/L	0	GE
		Nonvolatile beta	<2.0E+00		pCi/L	0	GE
		Nonvolatile beta	<2.0E+00		pCi/L	0	GE
		Radium, total alpha-emitting	<1.0E+00		pCi/L	0	GE
		Radium, total alpha-emitting	<1.0E+00		pCi/L	0	GE
		Total activity	1.3E+06 ± 2.7E+04		pCi/L	0	EM
■		Tritium	1.2E+03 ± 2.2E+01		pCi/mL	2	GE
■		Tritium	1.1E+03 ± 2.1E+01		pCi/mL	2	GE

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGX 4A

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N77879.2 E57215.6	33.291373 °N 81.667419 °W	116.8-106.8 ft msl	290.9 ft msl	4" PVC	S	U. Congaree (IIA)

FIELD MEASUREMENTS

Sample date: 08/13/93
Depth to water: 135.98 ft (41.45 m) below TOC
Water elevation: 154.92 ft (47.22 m) msl
Sp. conductance: 271 μ S/cm
Turbidity: 0.4 NTU
Water evacuated before sampling: 112 gal

Time: 11:28
pH: 7.7
Alkalinity: 116 mg/L
Water temperature: 20.3 °C

Volumes purged: 3.5 well volumes

LABORATORY ANALYSES

H	D	Analyte	Result	Mod	Unit	Flag	Lab
•		pH	7.6	J	pH	0	GE
		Specific conductance	262		μ S/cm	1	GE
•		Turbidity	<0.10	J	NTU	0	GE
		Acetophenone	<10	J1	μ g/L	0	GE
		Aluminum	22		μ g/L	0	GE
		Aluminum	<20		μ g/L	0	GE
		Antimony	2.2		μ g/L	0	GE
		Arsenic	<2.0		μ g/L	0	GE
		Barium	38		μ g/L	0	GE
		Barium	37		μ g/L	0	GE
		Benzene	<1.0		μ g/L	0	GE
		Bromodichloromethane	<1.0		μ g/L	0	GE
		Bromoform	<1.0		μ g/L	0	GE
		Bromomethane (Methyl bromide)	<1.0		μ g/L	0	GE
		Cadmium	<2.0		μ g/L	0	GE
		Cadmium	<2.0		μ g/L	0	GE
		Calcium	48,900	J2	μ g/L	0	GE
		Calcium	48,500	J2	μ g/L	0	GE
		Carbon tetrachloride	<1.0		μ g/L	0	GE
		Chloride	2,490		μ g/L	0	GE
		Chloride	2,520		μ g/L	0	GE
		Chlorobenzene	<1.0		μ g/L	0	GE
		Chloroethane	<1.0		μ g/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0		μ g/L	0	GE
		2-Chloroethyl vinyl ether	<1.0		μ g/L	0	GE
		Chloroform	<1.0		μ g/L	0	GE
		Chloromethane (Methyl chloride)	<1.0		μ g/L	0	GE
		Chromium	<4.0		μ g/L	0	GE
		Chromium	<4.0		μ g/L	0	GE
		Copper	<4.0		μ g/L	0	GE
		Copper	<4.0		μ g/L	0	GE
		Cyanide	<5.0		μ g/L	0	GE
		Cyanide	<5.0		μ g/L	0	GE
		Dibromochloromethane	<1.0		μ g/L	0	GE
		1,1-Dichloroethane	<1.0		μ g/L	0	GE
		1,2-Dichloroethane	<1.0		μ g/L	0	GE
		1,1-Dichloroethylene	<1.0		μ g/L	0	GE
		trans-1,2-Dichloroethylene	<1.0		μ g/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0		μ g/L	0	GE

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGX 4A collected on 08/13/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		2,4-Dichlorophenoxyacetic acid	<0.30		µg/L	0	GE
		1,2-Dichloropropane	<1.0		µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0		µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0		µg/L	0	GE
		Endrin	<0.0060		µg/L	0	GE
		Ethylbenzene	<1.0		µg/L	0	GE
		Fluoride	<100		µg/L	0	GE
		Iron	20		µg/L	0	GE
		Iron	19		µg/L	0	GE
		Lead	<3.0		µg/L	0	GE
		Lindane	<0.0050		µg/L	0	GE
		Magnesium	1,200		µg/L	0	GE
		Magnesium	1,190		µg/L	0	GE
		Manganese	10		µg/L	0	GE
		Manganese	10		µg/L	0	GE
		Mercury	<0.20		µg/L	0	GE
		Methoxychlor	<0.50		µg/L	0	GE
		Naphthalene	<10	J1	µg/L	0	GE
		Nickel	<4.0		µg/L	0	GE
		Nickel	<4.0		µg/L	0	GE
		Nitrate-nitrite as nitrogen	<50		µg/L	0	GE
		Phenols	<20		µg/L	0	GE
		Potassium	1,920		µg/L	0	GE
		Potassium	1,910		µg/L	0	GE
		Selenium	3.8		µg/L	0	GE
		Silica	33,100		µg/L	0	GE
		Silica	32,800		µg/L	0	GE
		Silver	<2.0		µg/L	0	GE
		Silver	<2.0		µg/L	0	GE
		Sodium	2,660		µg/L	0	GE
		Sodium	2,630		µg/L	0	GE
		Sulfate	8,230		µg/L	0	GE
		Sulfate	8,240		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0		µg/L	0	GE
		Tetrachloroethylene	<1.0		µg/L	0	GE
		Tin	2.7		µg/L	0	GE
		Tin	4.4		µg/L	0	GE
		Toluene	<1.0		µg/L	0	GE
		Total dissolved solids	180,000		µg/L	0	GE
		Total organic carbon	<1,000		µg/L	0	GE
		Total organic halogens	<5.0		µg/L	0	GE
		Total phosphates (as P)	<50		µg/L	0	GE
		Toxaphene	<0.24		µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090		µg/L	0	GE
		1,1,1-Trichloroethane	<1.0		µg/L	0	GE
		1,1,2-Trichloroethane	<1.0		µg/L	0	GE
		Trichloroethylene	<1.0		µg/L	0	GE
		Trichlorofluoromethane	<1.0		µg/L	0	GE
		Vanadium	<8.0		µg/L	0	GE
		Vanadium	<8.0		µg/L	0	GE
		Xylenes	<2.0		µg/L	0	GE
		Gross alpha	<2.0E+00		pCi/L	0	GE
		Gross alpha	<2.0E+00		pCi/L	0	GE
		Nonvolatile beta	2.5E+00 ± 1.1E+00		pCi/L	0	GE
		Nonvolatile beta	3.2E+00 ± 1.2E+00		pCi/L	0	GE
		Radium, total alpha-emitting	1.2E+00 ± 5.0E-01		pCi/L	0	GE

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGX 4A collected on 08/13/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		Tritium	<7.0E-01		pCi/mL	0	GE

WELL BGX 4C

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N77886.2	33.291367 °N	180.7-170.7 ft msl	290.8 ft msl	4" PVC	S	McBean (IIB ₁)
E57202.2	81.667468 °W					

FIELD MEASUREMENTS

Sample date: 08/13/93
Depth to water: 73.82 ft (22.50 m) below TOC
Water elevation: 216.98 ft (66.14 m) msl
Sp. conductance: 83 µS/cm
Turbidity: 0.7 NTU
Water evacuated before sampling: 160 gal

Time: 11:49
pH: 6.4
Alkalinity: 18 mg/L
Water temperature: 19.5 °C

Volumes purged: 5.3 well volumes

LABORATORY ANALYSES

H	D	Analyte	Result	Mod	Unit	Flag	Lab
•		pH	6.7	J	pH	0	GE
		Specific conductance	74		µS/cm	0	GE
•		Turbidity	<0.10	J	NTU	0	GE
		Acetophenone	<10		µg/L	0	GE
		Aluminum	<20		µg/L	0	GE
		Antimony	<2.0		µg/L	0	GE
		Arsenic	<2.0		µg/L	0	GE
		Barium	6.2		µg/L	0	GE
		Benzene	<1.0		µg/L	0	GE
		Bromodichloromethane	<1.0		µg/L	0	GE
		Bromoform	<1.0		µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0		µg/L	0	GE
		Cadmium	<2.0		µg/L	0	GE
		Calcium	9,510	J2	µg/L	0	GE
		Carbon tetrachloride	<1.0		µg/L	0	GE
		Chloride	2,210		µg/L	0	GE
		Chlorobenzene	<1.0		µg/L	0	GE
		Chloroethane	<1.0		µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0		µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0		µg/L	0	GE
		Chloroform	<1.0		µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0		µg/L	0	GE
		Chromium	<4.0		µg/L	0	GE
		Copper	<4.0		µg/L	0	GE
		Cyanide	<5.0		µg/L	0	GE
		Dibromochloromethane	<1.0		µg/L	0	GE
		1,1-Dichloroethane	<1.0		µg/L	0	GE
		1,2-Dichloroethane	<1.0		µg/L	0	GE
		1,1-Dichloroethylene	<1.0		µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0		µg/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0		µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30		µg/L	0	GE
		1,2-Dichloropropane	<1.0		µg/L	0	GE

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGX 4C collected on 08/13/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		cis-1,3-Dichloropropene	< 1.0		µg/L	0	GE
		trans-1,3-Dichloropropene	< 1.0		µg/L	0	GE
		Endrin	< 0.0060		µg/L	0	GE
		Ethylbenzene	< 1.0		µg/L	0	GE
		Fluoride	< 100		µg/L	0	GE
		Iron	5.3		µg/L	0	GE
		Lead	< 3.0		µg/L	0	GE
		Lindane	< 0.0050		µg/L	0	GE
		Magnesium	597		µg/L	0	GE
		Manganese	2.3		µg/L	0	GE
		Mercury	< 0.20		µg/L	0	GE
		Methoxychlor	< 0.50		µg/L	0	GE
		Naphthalene	< 10		µg/L	0	GE
		Nickel	< 4.0		µg/L	0	GE
		Nitrate-nitrite as nitrogen	690		µg/L	0	GE
		Phenols	10		µg/L	0	GE
		Potassium	< 500		µg/L	0	GE
		Selenium	< 2.0		µg/L	0	GE
		Silica	9,860		µg/L	0	GE
		Silver	< 2.0		µg/L	0	GE
		Sodium	2,810		µg/L	0	GE
		Sulfate	< 1,000		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	< 1.0		µg/L	0	GE
		Tetrachloroethylene	< 1.0		µg/L	0	GE
		Tin	< 2.0		µg/L	0	GE
		Toluene	< 1.0		µg/L	0	GE
		Total dissolved solids	49,000		µg/L	0	GE
		Total organic carbon	< 1,000		µg/L	0	GE
		Total organic halogens	6.6		µg/L	0	GE
		Total phosphates (as P)	70		µg/L	0	GE
		Toxaphene	< 0.24		µg/L	0	GE
		2,4,5-TP (Silvex)	< 0.090		µg/L	0	GE
		1,1,1-Trichloroethane	< 1.0		µg/L	0	GE
		1,1,2-Trichloroethane	< 1.0		µg/L	0	GE
		Trichloroethylene	2.4		µg/L	0	GE
		Trichlorofluoromethane	< 1.0		µg/L	0	GE
		Vanadium	< 8.0		µg/L	0	GE
		Xylenes	< 2.0		µg/L	0	GE
		Gross alpha	< 2.0E+00		pCi/L	0	GE
		Nonvolatile beta	< 2.0E+00		pCi/L	0	GE
		Radium, total alpha-emitting	< 1.0E+00		pCi/L	0	GE
		Tritium	3.9E+00 ± 5.3E-01		pCi/mL	0	GE

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGX 4D

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N77893.9 E57186.2	33.291358 °N 81.667525 °W	223.8-203.8 ft msl	290.9 ft msl	4" PVC	S	Barnwell (IIB ₁)

FIELD MEASUREMENTS

Sample date: 08/13/93
Depth to water: 72.76 ft (22.18 m) below TOC
Water elevation: 218.14 ft (66.49 m) msl
Sp. conductance: 38 µS/cm
Turbidity: 0.3 NTU
Water evacuated before sampling: 77 gal

Time: 11:05
pH: 5.5
Alkalinity: 3 mg/L
Water temperature: 19.8 °C
Volumes purged: 8.2 well volumes

LABORATORY ANALYSES

H	D	Analyte	Result	Mod	Unit	Flag	Lab
•		pH	6.4	J	pH	0	GE
		Specific conductance	32		µS/cm	0	GE
•		Turbidity	<0.10	J	NTU	0	GE
		Acetophenone	<10		µg/L	0	GE
		Aluminum	<20		µg/L	0	GE
		Aluminum	<20		µg/L	0	GE
		Antimony	<2.0		µg/L	0	GE
		Antimony	<2.0		µg/L	0	GE
		Arsenic	<2.0		µg/L	0	GE
		Arsenic	<2.0		µg/L	0	GE
		Barium	7.0		µg/L	0	GE
		Barium	7.0		µg/L	0	GE
		Benzene	<1.0		µg/L	0	GE
		Benzene	<1.0		µg/L	0	GE
		Bromodichloromethane	<1.0		µg/L	0	GE
		Bromodichloromethane	<1.0		µg/L	0	GE
		Bromoform	<1.0		µg/L	0	GE
		Bromoform	<1.0		µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0		µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0		µg/L	0	GE
		Cadmium	<2.0		µg/L	0	GE
		Cadmium	<2.0		µg/L	0	GE
		Calcium	1,600	J2	µg/L	0	GE
		Calcium	1,590	J2	µg/L	0	GE
		Carbon tetrachloride	<1.0		µg/L	0	GE
		Carbon tetrachloride	<1.0		µg/L	0	GE
		Chloride	2,610		µg/L	0	GE
		Chlorobenzene	<1.0		µg/L	0	GE
		Chlorobenzene	<1.0		µg/L	0	GE
		Chloroethane	<1.0		µg/L	0	GE
		Chloroethane	<1.0		µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0		µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0		µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0		µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0		µg/L	0	GE
		Chloroform	<1.0		µg/L	0	GE
		Chloroform	<1.0		µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0		µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0		µg/L	0	GE

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGX 4D collected on 08/13/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		Chromium	<4.0		µg/L	0	GE
		Chromium	<4.0		µg/L	0	GE
		Copper	<4.0		µg/L	0	GE
		Copper	<4.0		µg/L	0	GE
		Cyanide	<5.0		µg/L	0	GE
		Dibromochloromethane	<1.0		µg/L	0	GE
		Dibromochloromethane	<1.0		µg/L	0	GE
		1,1-Dichloroethane	<1.0		µg/L	0	GE
		1,1-Dichloroethane	<1.0		µg/L	0	GE
		1,2-Dichloroethane	<1.0		µg/L	0	GE
		1,2-Dichloroethane	<1.0		µg/L	0	GE
		1,1-Dichloroethylene	<1.0		µg/L	0	GE
		1,1-Dichloroethylene	<1.0		µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0		µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0		µg/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0		µg/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0		µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30		µg/L	0	GE
		1,2-Dichloropropane	<1.0		µg/L	0	GE
		1,2-Dichloropropane	<1.0		µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0		µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0		µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0		µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0		µg/L	0	GE
		Endrin	<0.0060		µg/L	0	GE
		Ethylbenzene	<1.0		µg/L	0	GE
		Ethylbenzene	<1.0		µg/L	0	GE
		Fluoride	<100		µg/L	0	GE
		Iron	11		µg/L	0	GE
		Iron	11		µg/L	0	GE
		Lead	<3.0		µg/L	0	GE
		Lead	<3.0		µg/L	0	GE
		Lindane	<0.0050		µg/L	0	GE
		Magnesium	463		µg/L	0	GE
		Magnesium	459		µg/L	0	GE
		Manganese	11		µg/L	0	GE
		Manganese	11		µg/L	0	GE
		Mercury	<0.20		µg/L	0	GE
		Methoxychlor	<0.50		µg/L	0	GE
		Naphthalene	<10		µg/L	0	GE
		Nickel	<4.0		µg/L	0	GE
		Nickel	<4.0		µg/L	0	GE
		Nitrate-nitrite as nitrogen	790		µg/L	0	GE
		Phenols	9.2		µg/L	0	GE
		Potassium	<500		µg/L	0	GE
		Potassium	<500		µg/L	0	GE
		Selenium	<2.0		µg/L	0	GE
		Selenium	<2.0		µg/L	0	GE
		Silica	8,090		µg/L	0	GE
		Silica	8,040		µg/L	0	GE
		Silver	<2.0		µg/L	0	GE
		Silver	<2.0		µg/L	0	GE
		Sodium	3,020		µg/L	0	GE
		Sodium	3,000		µg/L	0	GE
		Sulfate	<1,000		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0		µg/L	0	GE

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGX 4D collected on 08/13/93, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Mod</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		1,1,2,2-Tetrachloroethane	<1.0		µg/L	0	GE
		Tetrachloroethylene	<1.0		µg/L	0	GE
		Tetrachloroethylene	<1.0		µg/L	0	GE
		Tin	<2.0		µg/L	0	GE
		Tin	<2.0		µg/L	0	GE
		Toluene	<1.0		µg/L	0	GE
		Toluene	<1.0		µg/L	0	GE
		Total dissolved solids	16,000		µg/L	0	GE
		Total organic carbon	<1,000		µg/L	0	GE
		Total organic halogens	<5.0		µg/L	0	GE
		Total phosphates (as P)	50		µg/L	0	GE
		Toxaphene	<0.24		µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090		µg/L	0	GE
		1,1,1-Trichloroethane	<1.0		µg/L	0	GE
		1,1,1-Trichloroethane	<1.0		µg/L	0	GE
		1,1,2-Trichloroethane	<1.0		µg/L	0	GE
		1,1,2-Trichloroethane	<1.0		µg/L	0	GE
		Trichloroethylene	<1.0		µg/L	0	GE
		Trichloroethylene	<1.0		µg/L	0	GE
		Trichlorofluoromethane	<1.0		µg/L	0	GE
		Trichlorofluoromethane	<1.0		µg/L	0	GE
		Vanadium	<8.0		µg/L	0	GE
		Vanadium	<8.0		µg/L	0	GE
		Xylenes	<2.0		µg/L	0	GE
		Xylenes	<2.0		µg/L	0	GE
		Gross alpha	<2.0E+00		pCi/L	0	GE
		Nonvolatile beta	<2.0E+00		pCi/L	0	GE
		Radium, total alpha-emitting	<1.0E+00		pCi/L	0	GE
		Tritium	1.4E+01 ± 7.6E-01		pCi/mL	1	GE

WELL BGX 5D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Pump</u>	<u>Formation</u>
N78402.0	33.292681 °N	215.0-195.0 ft msl	285 ft msl	4" PVC	S	Barnwell (IIB ₁)
E57308.6	81.668190 °W					

FIELD MEASUREMENTS

Sample date: 08/13/93
Depth to water: 73.50 ft (22.40 m) below TOC
Water elevation: 211.50 ft (64.47 m) msl
Sp. conductance: 62 µS/cm
Turbidity: 2.9 NTU
Water evacuated before sampling: 37 gal

Time: 10:28
pH: 5.5
Alkalinity: 3 mg/L
Water temperature: 20.3 °C
Volumes purged: 3.4 well volumes

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Mod</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	6.0	J	pH	0	GE
		Specific conductance	56		µS/cm	0	GE
•		Turbidity	1.2	J	NTU	0	GE
		Acetophenone	<10		µg/L	0	GE
		Aluminum	76		µg/L	2	GE

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGX 5D collected on 08/13/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		Antimony	<2.0		µg/L	0	GE
		Arsenic	<2.0		µg/L	0	GE
		Barium	20		µg/L	0	GE
		Benzene	<1.0		µg/L	0	GE
		Bromodichloromethane	<1.0		µg/L	0	GE
		Bromoform	<1.0		µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0		µg/L	0	GE
		Cadmium	<2.0		µg/L	0	GE
		Calcium	1,640	J2	µg/L	0	GE
		Carbon tetrachloride	<1.0		µg/L	0	GE
		Chloride	3,720		µg/L	0	GE
		Chlorobenzene	<1.0		µg/L	0	GE
		Chloroethane	<1.0		µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0		µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0		µg/L	0	GE
		Chloroform	<1.0		µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0		µg/L	0	GE
		Chromium	<4.0		µg/L	0	GE
		Copper	<4.0		µg/L	0	GE
		Cyanide	<5.0		µg/L	0	GE
		Dibromochloromethane	<1.0		µg/L	0	GE
		1,1-Dichloroethane	<1.0		µg/L	0	GE
		1,2-Dichloroethane	<1.0		µg/L	0	GE
		1,1-Dichloroethylene	<1.0		µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0		µg/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0		µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30		µg/L	0	GE
		1,2-Dichloropropane	<1.0		µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0		µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0		µg/L	0	GE
		Endrin	<0.0060		µg/L	0	GE
		Ethylbenzene	<1.0		µg/L	0	GE
		Fluoride	<100		µg/L	0	GE
		Iron	453		µg/L	2	GE
		Iron	527		µg/L	2	GE
		Lead	<3.0		µg/L	0	GE
		Lindane	<0.0050		µg/L	0	GE
		Magnesium	878		µg/L	0	GE
		Manganese	339		µg/L	2	GE
		Mercury	<0.20		µg/L	0	GE
		Methoxychlor	<0.50		µg/L	0	GE
		Naphthalene	<10		µg/L	0	GE
		Nickel	4.0		µg/L	0	GE
		Nitrate-nitrite as nitrogen	1,210		µg/L	0	GE
		Phenols	<10		µg/L	0	GE
		Potassium	1,270		µg/L	0	GE
		Selenium	<2.0		µg/L	0	GE
		Silica	6,880		µg/L	0	GE
		Silver	<2.0		µg/L	0	GE
		Sodium	5,490		µg/L	0	GE
		Sulfate	7,140		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0		µg/L	0	GE
		Tetrachloroethylene	<1.0		µg/L	0	GE
		Tin	6.6		µg/L	0	GE
		Toluene	<1.0		µg/L	0	GE
		Total dissolved solids	26,000		µg/L	0	GE

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGX 5D collected on 08/13/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		Total organic carbon	2,340		µg/L	0	GE
		Total organic halogens	157		µg/L	2	GE
		Total phosphates (as P)	<50		µg/L	0	GE
		Toxaphene	<0.24		µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090		µg/L	0	GE
		1,1,1-Trichloroethane	<1.0		µg/L	0	GE
		1,1,2-Trichloroethane	<1.0		µg/L	0	GE
		Trichloroethylene	<1.0		µg/L	0	GE
		Trichlorofluoromethane	4.2		µg/L	0	GE
		Vanadium	<8.0		µg/L	0	GE
		Xylenes	<2.0		µg/L	0	GE
		Gross alpha	<2.0E+00		pCi/L	0	GE
		Nonvolatile beta	4.0E+00 ± 1.6E+00		pCi/L	0	GE
		Radium, total alpha-emitting	1.9E+00 ± 6.0E-01		pCi/L	0	GE
■		Tritium	5.3E+01 ± 1.3E+00		pCi/mL	2	GE

WELL BGX 6D

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N78740.1 E57524.9	33.293782 °N 81.668277 °W	211.0-191.0 ft msl	277 ft msl	4" PVC	S	Barnwell (IIB ₁)

FIELD MEASUREMENTS

Sample date: 08/13/93
Depth to water: 68.73 ft (20.95 m) below TOC
Water elevation: 208.27 ft (63.48 m) msl
Sp. conductance: 75 µS/cm
Turbidity: 0.8 NTU
Water evacuated before sampling: 67 gal

Time: 9:12
pH: 6.1
Alkalinity: 15 mg/L
Water temperature: 19.5 °C

Volumes purged: 5.9 well volumes

LABORATORY ANALYSES

H	D	Analyte	Result	Mod	Unit	Flag	Lab
•		pH	6.3	J	pH	0	GE
		Specific conductance	69		µS/cm	0	GE
•		Turbidity	<0.10	J	NTU	0	GE
		Acetophenone	<10		µg/L	0	GE
		Aluminum	<20		µg/L	0	GE
		Antimony	<2.0		µg/L	0	GE
		Arsenic	<2.0		µg/L	0	GE
		Barium	64		µg/L	0	GE
		Benzene	<1.0		µg/L	0	GE
		Bromodichloromethane	<1.0		µg/L	0	GE
		Bromoform	<1.0		µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0		µg/L	0	GE
		Cadmium	<2.0		µg/L	0	GE
		Calcium	7,740	J2	µg/L	0	GE
		Carbon tetrachloride	<1.0		µg/L	0	GE
		Chloride	2,610		µg/L	0	GE
		Chlorobenzene	<1.0		µg/L	0	GE
		Chloroethane	<1.0		µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0		µg/L	0	GE

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGX 6D collected on 08/13/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		2-Chloroethyl vinyl ether	< 1.0		µg/L	0	GE
		Chloroform	< 1.0		µg/L	0	GE
		Chloromethane (Methyl chloride)	< 1.0		µg/L	0	GE
		Chromium	< 4.0		µg/L	0	GE
		Copper	< 4.0		µg/L	0	GE
		Cyanide	< 5.0		µg/L	0	GE
		Dibromochloromethane	< 1.0		µg/L	0	GE
		1,1-Dichloroethane	< 1.0		µg/L	0	GE
		1,2-Dichloroethane	< 1.0		µg/L	0	GE
		1,1-Dichloroethylene	< 1.0		µg/L	0	GE
		trans-1,2-Dichloroethylene	< 1.0		µg/L	0	GE
		Dichloromethane (Methylene chloride)	< 1.0		µg/L	0	GE
•		2,4-Dichlorophenoxyacetic acid	< 0.30	J	µg/L	0	GE
		1,2-Dichloropropane	< 1.0		µg/L	0	GE
		cis-1,3-Dichloropropene	< 1.0		µg/L	0	GE
		trans-1,3-Dichloropropene	< 1.0		µg/L	0	GE
		Endrin	< 0.0060		µg/L	0	GE
		Ethylbenzene	< 1.0		µg/L	0	GE
		Fluoride	145		µg/L	0	GE
		Iron	63		µg/L	0	GE
		Lead	< 3.0		µg/L	0	GE
		Lindane	< 0.0050		µg/L	0	GE
		Magnesium	453		µg/L	0	GE
		Manganese	27		µg/L	1	GE
		Mercury	< 0.20		µg/L	0	GE
		Mercury	< 0.20		µg/L	0	GE
		Methoxychlor	< 0.50		µg/L	0	GE
		Naphthalene	< 10		µg/L	0	GE
		Nickel	< 4.0		µg/L	0	GE
		Nitrate-nitrite as nitrogen	650		µg/L	0	GE
		Phenols	< 5.0		µg/L	0	GE
		Potassium	827		µg/L	0	GE
		Selenium	< 2.0		µg/L	0	GE
		Silica	8,680		µg/L	0	GE
		Silver	< 2.0		µg/L	0	GE
		Sodium	3,320		µg/L	0	GE
		Sulfate	2,090		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	< 1.0		µg/L	0	GE
		Tetrachloroethylene	< 1.0		µg/L	0	GE
		Tin	< 2.0		µg/L	0	GE
		Toluene	< 1.0		µg/L	0	GE
		Total dissolved solids	41,000		µg/L	0	GE
		Total organic carbon	< 1,000		µg/L	0	GE
		Total organic halogens	< 5.0		µg/L	0	GE
		Total phosphates (as P)	580		µg/L	0	GE
		Toxaphene	< 0.24		µg/L	0	GE
•		2,4,5-TP (Silvex)	< 0.090	J	µg/L	0	GE
		1,1,1-Trichloroethane	< 1.0		µg/L	0	GE
		1,1,2-Trichloroethane	< 1.0		µg/L	0	GE
		Trichloroethylene	< 1.0		µg/L	0	GE
		Trichlorofluoromethane	1.3		µg/L	0	GE
		Vanadium	< 8.0		µg/L	0	GE
		Xylenes	< 2.0		µg/L	0	GE
		Gross alpha	< 2.0E + 00		pCi/L	0	GE
		Nonvolatile beta	2.0E + 00 ± 1.3E + 00		pCi/L	0	GE
		Radium, total alpha-emitting	< 1.0E + 00		pCi/L	0	GE

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGX 6D collected on 08/13/93, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Mod</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Tritium	8.1E+00 ± 6.4E-01		pCi/mL	0	GE

WELL BGX 7D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Pump</u>	<u>Formation</u>
N78349.3 E58312.8	33.294203 °N 81.665443 °W	214.1-194.1 ft msl	279.2 ft msl	4" PVC		Barnwell (IIB ₁)

FIELD MEASUREMENTS

Sample date: 08/13/93
Depth to water: 71.49 ft (21.79 m) below TOC
Water elevation: 207.71 ft (63.31 m) msl
Sp. conductance: 25 µS/cm
Turbidity: 0.4 NTU
Water evacuated before sampling: 75 gal

Time: 8:28
pH: 4.8
Alkalinity: 0 mg/L
Water temperature: 19.2 °C
Volumes purged: 8.4 well volumes

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Mod</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.7	J	pH	0	GE
		Specific conductance	19		µS/cm	0	GE
•		Turbidity	<0.10	J	NTU	0	GE
		Acetophenone	<10		µg/L	0	GE
		Aluminum	25		µg/L	0	GE
		Antimony	<2.0		µg/L	0	GE
		Arsenic	<2.0		µg/L	0	GE
		Barium	6.8		µg/L	0	GE
		Benzene	<1.0		µg/L	0	GE
		Bromodichloromethane	<1.0		µg/L	0	GE
		Bromoform	<1.0		µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0		µg/L	0	GE
		Cadmium	<2.0		µg/L	0	GE
		Calcium	450	J2	µg/L	0	GE
		Carbon tetrachloride	<1.0		µg/L	0	GE
		Chloride	1,770		µg/L	0	GE
		Chlorobenzene	<1.0		µg/L	0	GE
		Chloroethane	<1.0		µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0		µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0		µg/L	0	GE
		Chloroform	<1.0		µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0		µg/L	0	GE
		Chromium	<4.0		µg/L	0	GE
		Copper	<4.0		µg/L	0	GE
		Cyanide	<5.0		µg/L	0	GE
		Dibromochloromethane	<1.0		µg/L	0	GE
		1,1-Dichloroethane	<1.0		µg/L	0	GE
		1,2-Dichloroethane	<1.0		µg/L	0	GE
		1,1-Dichloroethylene	<1.0		µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0		µg/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0		µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30		µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30		µg/L	0	GE

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGX 7D collected on 08/13/93, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Mod</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		1,2-Dichloropropane	< 1.0		µg/L	0	GE
		cis-1,3-Dichloropropene	< 1.0		µg/L	0	GE
		trans-1,3-Dichloropropene	< 1.0		µg/L	0	GE
		Endrin	< 0.0060		µg/L	0	GE
		Ethylbenzene	< 1.0		µg/L	0	GE
		Fluoride	< 100		µg/L	0	GE
		Fluoride	< 100		µg/L	0	GE
		Iron	27		µg/L	0	GE
		Lead	3.4		µg/L	0	GE
		Lindane	< 0.0050		µg/L	0	GE
		Magnesium	354		µg/L	0	GE
		Manganese	16		µg/L	0	GE
		Mercury	< 0.20		µg/L	0	GE
		Methoxychlor	< 0.50		µg/L	0	GE
		Naphthalene	< 10		µg/L	0	GE
		Nickel	< 4.0		µg/L	0	GE
		Nitrate-nitrite as nitrogen	540		µg/L	0	GE
		Phenols	< 5.0		µg/L	0	GE
		Potassium	< 500		µg/L	0	GE
		Selenium	< 2.0		µg/L	0	GE
		Silica	6,460		µg/L	0	GE
		Silver	< 2.0		µg/L	0	GE
		Sodium	1,630		µg/L	0	GE
		Sulfate	< 1,000		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	< 1.0		µg/L	0	GE
		Tetrachloroethylene	< 1.0		µg/L	0	GE
		Tin	< 2.0		µg/L	0	GE
		Toluene	< 1.0		µg/L	0	GE
		Total dissolved solids	13,000		µg/L	0	GE
		Total organic carbon	< 1,000		µg/L	0	GE
		Total organic halogens	5.3		µg/L	0	GE
		Total phosphates (as P)	< 50		µg/L	0	GE
		Toxaphene	< 0.24		µg/L	0	GE
		2,4,5-TP (Silvex)	< 0.090		µg/L	0	GE
		2,4,5-TP (Silvex)	< 0.090		µg/L	0	GE
		1,1,1-Trichloroethane	< 1.0		µg/L	0	GE
		1,1,2-Trichloroethane	< 1.0		µg/L	0	GE
		Trichloroethylene	< 1.0		µg/L	0	GE
		Trichlorofluoromethane	< 1.0		µg/L	0	GE
		Vanadium	< 8.0		µg/L	0	GE
		Xylenes	< 2.0		µg/L	0	GE
		Gross alpha	< 2.0E + 00		pCi/L	0	GE
		Nonvolatile beta	< 2.0E + 00		pCi/L	0	GE
		Radium, total alpha-emitting	1.4E + 00 ± 5.0E - 01		pCi/L	0	GE
■		Tritium	1.6E + 03 ± 3.0E + 01		pCi/mL	2	GE
■		Tritium	1.5E + 03 ± 2.9E + 01		pCi/mL	2	GE

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGX 8DR

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Pump</u>	<u>Formation</u>
N77589.6 E58942.5	33.293550 °N 81.662309 °W	203.1-183.1 ft msl	278.2 ft msl	4" PVC	S	Barnwell (IIB ₁)

FIELD MEASUREMENTS

Sample date: 08/16/93
Depth to water: 71.43 ft (21.77 m) below TOC
Water elevation: 206.77 ft (63.02 m) msl
Sp. conductance: 45 µS/cm
Turbidity: 0.9 NTU
Water evacuated before sampling: 79 gal

Time: 12:05
pH: 5.5
Alkalinity: 5 mg/L
Water temperature: 19.5 °C

Volumes purged: 5.1 well volumes

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Mod</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	7.0	J	pH	0	GE
		Specific conductance	52		µS/cm	0	GE
		Turbidity	<0.10		NTU	0	GE
		Acetophenone	<10		µg/L	0	GE
		Aluminum	87		µg/L	2	GE
		Antimony	<2.0		µg/L	0	GE
		Arsenic	<2.0		µg/L	0	GE
		Barium	65		µg/L	0	GE
		Benzene	<1.0		µg/L	0	GE
		Bromodichloromethane	<1.0		µg/L	0	GE
		Bromoform	<1.0		µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0		µg/L	0	GE
		Cadmium	<2.0		µg/L	0	GE
		Calcium	16,400		µg/L	0	GE
		Carbon tetrachloride	<1.0		µg/L	0	GE
		Chloride	2,360		µg/L	0	GE
		Chlorobenzene	<1.0		µg/L	0	GE
		Chloroethane	<1.0		µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0		µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0		µg/L	0	GE
		Chloroform	<1.0		µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0		µg/L	0	GE
		Chromium	<4.0		µg/L	0	GE
		Copper	<4.0		µg/L	0	GE
		Cyanide	<5.0		µg/L	0	GE
		Dibromochloromethane	<1.0		µg/L	0	GE
		1,1-Dichloroethane	<1.0		µg/L	0	GE
		1,2-Dichloroethane	<1.0		µg/L	0	GE
		1,1-Dichloroethylene	<1.0		µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0		µg/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0		µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30		µg/L	0	GE
		1,2-Dichloropropane	<1.0		µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0		µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0		µg/L	0	GE
		Endrin	<0.0060		µg/L	0	GE
		Ethylbenzene	<1.0		µg/L	0	GE
		Fluoride	<100		µg/L	0	GE
		Iron	35		µg/L	0	GE

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGX 8DR collected on 08/16/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		Lead	<3.0		µg/L	0	GE
		Lindane	<0.0050		µg/L	0	GE
		Magnesium	640		µg/L	0	GE
		Manganese	33		µg/L	1	GE
		Mercury	<0.20		µg/L	0	GE
		Methoxychlor	<0.50		µg/L	0	GE
		Naphthalene	<10		µg/L	0	GE
		Nickel	<4.0		µg/L	0	GE
		Nitrate-nitrite as nitrogen	980		µg/L	0	GE
		Phenols	<10		µg/L	0	GE
		Potassium	<500		µg/L	0	GE
		Selenium	<2.0		µg/L	0	GE
		Silica	8,310		µg/L	0	GE
		Silver	<2.0	J1	µg/L	0	GE
		Sodium	2,010		µg/L	0	GE
		Sulfate	<1,000		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0		µg/L	0	GE
		Tetrachloroethylene	<1.0		µg/L	0	GE
		Tin	<2.0		µg/L	0	GE
		Toluene	<1.0		µg/L	0	GE
		Total dissolved solids	30,000		µg/L	0	GE
		Total organic carbon	<1,000		µg/L	0	GE
		Total organic halogens	<5.0		µg/L	0	GE
		Total phosphates (as P)	<50		µg/L	0	GE
		Toxaphene	<0.24		µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090		µg/L	0	GE
		1,1,1-Trichloroethane	<1.0		µg/L	0	GE
		1,1,2-Trichloroethane	<1.0		µg/L	0	GE
		Trichloroethylene	2.4		µg/L	0	GE
		Trichlorofluoromethane	<1.0		µg/L	0	GE
		Vanadium	<8.0		µg/L	0	GE
		Xylenes	<2.0		µg/L	0	GE
		Gross alpha	<2.0E+00		pCi/L	0	GE
		Nonvolatile beta	<2.0E+00		pCi/L	0	GE
		Radium, total alpha-emitting	<1.0E+00		pCi/L	0	GE
		Total activity	9.9E+05 ± 7.0E+03		pCi/L	0	EM
■		Tritium	9.2E+02 ± 1.8E+01		pCi/mL	2	GE

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGX 9D

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N76936.0 E59522.1	33.293050 °N 81.659513 °W	232.4-212.4 ft msl	279.4 ft msl	4" PVC	S	Water Table (IIB ₂)

FIELD MEASUREMENTS

Sample date: 08/13/93
Depth to water: 51.64 ft (15.74 m) below TOC
Water elevation: 227.76 ft (69.42 m) msl
Sp. conductance: 28 µS/cm
Turbidity: 0.4 NTU
Water evacuated before sampling: 78 gal

Time: 9:50
pH: 4.8
Alkalinity: 0 mg/L
Water temperature: 19.9 °C
Volumes purged: 7.7 well volumes

LABORATORY ANALYSES

H	D	Analyte	Result	Mod	Unit	Flag	Lab
•		pH	5.3	J	pH	0	GE
		Specific conductance	21		µS/cm	0	GE
•		Turbidity	<0.10	J	NTU	0	GE
•		Turbidity	<0.10	J	NTU	0	GE
		Acetophenone	<10		µg/L	0	GE
		Aluminum	47		µg/L	1	GE
		Antimony	<2.0		µg/L	0	GE
		Arsenic	<2.0		µg/L	0	GE
		Barium	4.5		µg/L	0	GE
		Benzene	<1.0		µg/L	0	GE
		Bromodichloromethane	<1.0		µg/L	0	GE
		Bromoform	<1.0		µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0		µg/L	0	GE
		Cadmium	<2.0		µg/L	0	GE
		Calcium	706	J2	µg/L	0	GE
		Carbon tetrachloride	<1.0		µg/L	0	GE
		Chloride	1,740		µg/L	0	GE
		Chlorobenzene	<1.0		µg/L	0	GE
		Chloroethane	<1.0		µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0		µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0		µg/L	0	GE
		Chloroform	<1.0		µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0		µg/L	0	GE
		Chromium	<4.0		µg/L	0	GE
		Copper	<4.0		µg/L	0	GE
		Cyanide	<5.0		µg/L	0	GE
		Dibromochloromethane	<1.0		µg/L	0	GE
		1,1-Dichloroethane	<1.0		µg/L	0	GE
		1,2-Dichloroethane	<1.0		µg/L	0	GE
		1,1-Dichloroethylene	<1.0		µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0		µg/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0		µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30		µg/L	0	GE
		1,2-Dichloropropane	<1.0		µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0		µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0		µg/L	0	GE
		Endrin	<0.0060		µg/L	0	GE
		Ethylbenzene	<1.0		µg/L	0	GE
		Fluoride	<100		µg/L	0	GE

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGX 9D collected on 08/13/93, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Mod</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Iron	4.0		µg/L	0	GE
		Lead	<3.0		µg/L	0	GE
		Lindane	<0.0050		µg/L	0	GE
		Magnesium	429		µg/L	0	GE
		Manganese	4.2		µg/L	0	GE
		Mercury	<0.20		µg/L	0	GE
		Methoxychlor	<0.50		µg/L	0	GE
		Naphthalene	<10		µg/L	0	GE
		Nickel	<4.0		µg/L	0	GE
		Nitrate-nitrite as nitrogen	1,130		µg/L	0	GE
		Phenols	<5.0		µg/L	0	GE
		Potassium	<500		µg/L	0	GE
		Selenium	<2.0		µg/L	0	GE
		Silica	5,660		µg/L	0	GE
		Silver	<2.0		µg/L	0	GE
		Sodium	1,650		µg/L	0	GE
		Sulfate	<1,000		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0		µg/L	0	GE
		Tetrachloroethylene	<1.0		µg/L	0	GE
		Tin	<2.0		µg/L	0	GE
		Toluene	<1.0		µg/L	0	GE
		Total dissolved solids	2,000		µg/L	0	GE
		Total organic carbon	<1,000		µg/L	0	GE
		Total organic carbon	<1,000		µg/L	0	GE
		Total organic halogens	<5.0		µg/L	0	GE
		Total phosphates (as P)	<50		µg/L	0	GE
		Toxaphene	<0.24		µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090		µg/L	0	GE
		1,1,1-Trichloroethane	<1.0		µg/L	0	GE
		1,1,2-Trichloroethane	<1.0		µg/L	0	GE
		Trichloroethylene	<1.0		µg/L	0	GE
		Trichlorofluoromethane	<1.0		µg/L	0	GE
		Vanadium	<8.0		µg/L	0	GE
		Xylenes	<2.0		µg/L	0	GE
		Gross alpha	2.7E+00 ± 1.1E+00		pCi/L	0	GE
		Nonvolatile beta	<2.0E+00		pCi/L	0	GE
		Radium, total alpha-emitting	2.0E+00 ± 6.0E-01		pCi/L	0	GE
		Tritium	1.0E+01 ± 6.8E-01		pCi/mL	1	GE

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGX 10D

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N76183.3 E59765.5	33 91783 °N 81.657410 °W	236.2-216.2 ft msl	276.9 ft msl	4" PVC	S	Water Table (IIB ₂)

FIELD MEASUREMENTS

Sample date: 08/17/93
Depth to water: 49.96 ft (15.23 m) below TOC
Water elevation: 226.94 ft (69.17 m) msl
Sp. conductance: 37 µS/cm
Turbidity: 41.0 NTU
Water evacuated before sampling: 4 gal
The well went dry during purging.

Time: 9:00
pH: 5.7
Alkalinity: 7 mg/L
Water temperature: 19.8 °C
Volumes purged: 0.6 well volumes

LABORATORY ANALYSES

H	D	Analyte	Result	Mod	Unit	Flag	Lab
•		pH	6.1	J	pH	0	GE
		Specific conductance	29		µS/cm	0	GE
		Turbidity	140		NTU	0	GE
		Acetophenone	<1.0		µg/L	0	GE
		Aluminum	381		µg/L	2	GE
		Antimony	<2.0		µg/L	0	GE
		Arsenic	<2.0		µg/L	0	GE
		Barium	15		µg/L	0	GE
		Benzene	<1.0		µg/L	0	GE
		Bromodichloromethane	<1.0		µg/L	0	GE
		Bromoform	<1.0		µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0		µg/L	0	GE
		Cadmium	<2.0		µg/L	0	GE
		Calcium	1,040		µg/L	0	GE
		Carbon tetrachloride	<1.0		µg/L	0	GE
		Chloride	1,690		µg/L	0	GE
		Chlorobenzene	<1.0		µg/L	0	GE
		Chloroethane	<1.0		µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0		µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0		µg/L	0	GE
		Chloroform	<1.0		µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0		µg/L	0	GE
		Chromium	<4.0		µg/L	0	GE
		Copper	33		µg/L	0	GE
		Cyanide	<5.0		µg/L	0	GE
		Dibromochloromethane	<1.0		µg/L	0	GE
		1,1-Dichloroethane	<1.0		µg/L	0	GE
		1,2-Dichloroethane	<1.0		µg/L	0	GE
		1,1-Dichloroethylene	<1.0		µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0		µg/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0		µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30		µg/L	0	GE
		1,2-Dichloropropane	<1.0		µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0		µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0		µg/L	0	GE
		Endrin	<0.0060		µg/L	0	GE
		Ethylbenzene	<1.0		µg/L	0	GE
		Fluoride	<100		µg/L	0	GE
		Iron	726		µg/L	2	GE

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGX 10D collected on 08/17/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
■		Lead	59		µg/L	2	GE
		Lindane	<0.0050		µg/L	0	GE
		Magnesium	647		µg/L	0	GE
		Manganese	91		µg/L	2	GE
		Mercury	<0.20		µg/L	0	GE
		Methoxychlor	<0.50		µg/L	0	GE
		Naphthalene	<10		µg/L	0	GE
		Nickel	11		µg/L	0	GE
		Nitrate-nitrite as nitrogen	1,440		µg/L	0	GE
		Phenols	<20		µg/L	0	GE
		Potassium	<500		µg/L	0	GE
		Selenium	<2.0		µg/L	0	GE
		Silica	7,270		µg/L	0	GE
		Silver	<2.0	J1	µg/L	0	GE
		Sodium	3,290		µg/L	0	GE
		Sulfate	<1,000		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0		µg/L	0	GE
		Tetrachloroethylene	<1.0		µg/L	0	GE
		Tin	<2.0		µg/L	0	GE
		Toluene	<1.0		µg/L	0	GE
		Total dissolved solids	22,000		µg/L	0	GE
		Total organic carbon	<1,000		µg/L	0	GE
		Total organic carbon	<1,000		µg/L	0	GE
		Total organic halogens	<5.0		µg/L	0	GE
		Total organic halogens	<5.0		µg/L	0	GE
		Total phosphates (as P)	560		µg/L	0	GE
		Toxaphene	<0.24		µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090		µg/L	0	GE
		1,1,1-Trichloroethane	<1.0		µg/L	0	GE
		1,1,2-Trichloroethane	<1.0		µg/L	0	GE
		Trichloroethylene	<1.0		µg/L	0	GE
		Trichlorofluoromethane	<1.0		µg/L	0	GE
		Vanadium	<8.0		µg/L	0	GE
		Xylenes	<2.0		µg/L	0	GE
		Gross alpha	2.6E+00 ± 7.3E-01		pCi/L	0	GE
		Nonvolatile beta	<2.0E+00		pCi/L	0	GE
		Radium, total alpha-emitting	1.1E+00 ± 4.0E-01		pCi/L	0	GE
		Tritium	9.0E+00 ± 7.0E-01		pCi/mL	0	GE

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGX 11D

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N75300.7 E59581.4	33.289530 °N 81.656180 °W	236.7-216.7 ft msl	276.3 ft msl	4" PVC	S	Water Table (IIB ₂)

FIELD MEASUREMENTS

Sample date: 08/17/93
Depth to water: 39.60 ft (12.07 m) below TOC
Water elevation: 236.70 ft (72.15 m) msl
Sp. conductance: 49 µS/cm
Turbidity: 27.0 NTU
Water evacuated before sampling: 9 gal
The well went dry during purging.

Time: 8:40
pH: 4.0
Alkalinity: 0 mg/L
Water temperature: 19.2 °C
Volumes purged: 0.7 well volumes

LABORATORY ANALYSES

H	D	Analyte	Result	Mod	Unit	Flag	Lab
•		pH	5.3	J	pH	0	GE
		Specific conductance	36		µS/cm	0	GE
		Turbidity	243		NTU	0	GE
		Acetophenone	< 10		µg/L	0	GE
		Aluminum	356		µg/L	2	GE
		Antimony	< 2.0		µg/L	0	GE
		Arsenic	< 2.0		µg/L	0	GE
		Barium	11		µg/L	0	GE
		Benzene	< 1.0		µg/L	0	GE
		Benzene	< 1.0		µg/L	0	GE
		Bromodichloromethane	< 1.0		µg/L	0	GE
		Bromodichloromethane	< 1.0		µg/L	0	GE
		Bromoform	< 1.0		µg/L	0	GE
		Bromoform	< 1.0		µg/L	0	GE
		Bromomethane (Methyl bromide)	< 1.0		µg/L	0	GE
		Bromomethane (Methyl bromide)	< 1.0		µg/L	0	GE
		Cadmium	< 2.0		µg/L	0	GE
		Calcium	1,720		µg/L	0	GE
		Carbon tetrachloride	< 1.0		µg/L	0	GE
		Carbon tetrachloride	< 1.0		µg/L	0	GE
		Chloride	3,260		µg/L	0	GE
		Chlorobenzene	< 1.0		µg/L	0	GE
		Chlorobenzene	< 1.0		µg/L	0	GE
		Chloroethane	< 1.0		µg/L	0	GE
		Chloroethane	< 1.0		µg/L	0	GE
		Chloroethene (Vinyl chloride)	< 1.0		µg/L	0	GE
		Chloroethene (Vinyl chloride)	< 1.0		µg/L	0	GE
		2-Chloroethyl vinyl ether	< 1.0		µg/L	0	GE
		2-Chloroethyl vinyl ether	< 1.0		µg/L	0	GE
		Chloroform	< 1.0		µg/L	0	GE
		Chloroform	< 1.0		µg/L	0	GE
		Chloromethane (Methyl chloride)	< 1.0		µg/L	0	GE
		Chloromethane (Methyl chloride)	< 1.0		µg/L	0	GE
		Chromium	< 4.0		µg/L	0	GE
		Copper	< 4.0		µg/L	0	GE
		Cyanide	< 5.0		µg/L	0	GE
		Dibromochloromethane	< 1.0		µg/L	0	GE
		Dibromochloromethane	< 1.0		µg/L	0	GE
		1,1-Dichloroethane	< 1.0		µg/L	0	GE

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGX 11D collected on 08/17/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		1,1-Dichloroethane	<1.0		µg/L	0	GE
		1,2-Dichloroethane	<1.0		µg/L	0	GE
		1,2-Dichloroethane	<1.0		µg/L	0	GE
		1,1-Dichloroethylene	<1.0		µg/L	0	GE
		1,1-Dichloroethylene	<1.0		µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0		µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0		µg/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0		µg/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0		µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30		µg/L	0	GE
		1,2-Dichloropropane	<1.0		µg/L	0	GE
		1,2-Dichloropropane	<1.0		µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0		µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0		µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0		µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0		µg/L	0	GE
		Endrin	<0.030		µg/L	0	GE
		Ethylbenzene	<1.0		µg/L	0	GE
		Ethylbenzene	<1.0		µg/L	0	GE
		Fluoride	<100		µg/L	0	GE
		Iron	191		µg/L	1	GF
		Lead	5.9		µg/L	0	GE
		Lindane	<0.025		µg/L	0	GE
		Magnesium	731		µg/L	0	GE
		Manganese	<2.0		µg/L	0	GE
		Mercury	<0.20		µg/L	0	GE
		Methoxychlor	<2.5		µg/L	0	GE
		Naphthalene	<10		µg/L	0	GE
		Nickel	<4.0		µg/L	0	GE
		Nitrate-nitrite as nitrogen	1,920		µg/L	0	GE
		Phenols	<5.0		µg/L	0	GE
		Potassium	<500		µg/L	0	GE
		Selenium	<2.0		µg/L	0	GE
		Silica	6,550		µg/L	0	GE
		Silver	<2.0	J1	µg/L	0	GE
		Sodium	2,610		µg/L	0	GE
		Sulfate	<1,000		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0		µg/L	0	GE
		Tetrachloroethylene	<1.0		µg/L	0	GE
		Tetrachloroethylene	<1.0		µg/L	0	GE
		Tin	<2.0		µg/L	0	GE
		Toluene	<1.0		µg/L	0	GE
		Toluene	<1.0		µg/L	0	GE
		Total dissolved solids	22,000		µg/L	0	GE
		Total organic carbon	1,200		µg/L	0	GE
		Total organic halogens	<5.0		µg/L	0	GE
		Total phosphates (as P)	<50		µg/L	0	GE
		Toxaphene	<1.2		µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090		µg/L	0	GE
		1,1,1-Trichloroethane	<1.0		µg/L	0	GE
		1,1,1-Trichloroethane	<1.0		µg/L	0	GE
		1,1,2-Trichloroethane	<1.0		µg/L	0	GE
		1,1,2-Trichloroethane	<1.0		µg/L	0	GE
		Trichloroethylene	<1.0		µg/L	0	GE
		Trichloroethylene	<1.0		µg/L	0	GE

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGX 11D collected on 08/17/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		Trichlorofluoromethane	<1.0		µg/L	0	GE
		Trichlorofluoromethane	<1.0		µg/L	0	GE
		Vanadium	<8.0		µg/L	0	GE
		Xylenes	<2.0		µg/L	0	GE
		Xylenes	<2.0		µg/L	0	GE
		Gross alpha	2.6E+00 ± 7.4E-01		pCi/L	0	GE
		Nonvolatile beta	<2.0E+00		pCi/L	0	GE
		Radium, total alpha-emitting	1.2E+00 ± 4.0E-01		pCi/L	0	GE
		Tritium	1.8E+01 ± 8.7E-01		pCi/mL	1	GE

WELL BGX 12C

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N74427.9 E59675.3	33.287753 °N 81.654237 °W	184.1-174.1 ft msl	275.1 ft msl	4" PVC	S	Barnwell (IIB ₁)

FIELD MEASUREMENTS

Sample date: 08/16/93
Depth to water: 39.45 ft (12.02 m) below TOC
Water elevation: 235.65 ft (71.83 m) msl
Sp. conductance: 35 µS/cm
Turbidity: 1.2 NTU
Water evacuated before sampling: 103 gal

Time: 11:19
pH: 5.5
Alkalinity: 4 mg/L
Water temperature: 19.8 °C

Volumes purged: 2.6 well volumes

LABORATORY ANALYSES

H	D	Analyte	Result	Mod	Unit	Flag	Lab
•		pH	5.8	J	pH	0	GE
		Specific conductance	28		µS/cm	0	GE
		Turbidity	<0.10		NTU	0	GE
		Turbidity	<0.10		NTU	0	GE
		Acetophenone	<10		µg/L	0	GE
		Acetophenone	<10		µg/L	0	GE
		Aluminum	58		µg/L	2	GE
		Antimony	<2.0		µg/L	0	GE
		Arsenic	<2.0		µg/L	0	GE
		Barium	5.7		µg/L	0	GE
		Benzene	<1.0		µg/L	0	GE
		Benzene	<1.0		µg/L	0	GE
		Bromodichloromethane	<1.0		µg/L	0	GE
		Bromodichloromethane	<1.0		µg/L	0	GE
		Bromoform	<1.0		µg/L	0	GE
		Bromoform	<1.0		µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0		µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0		µg/L	0	GE
		Cadmium	<2.0		µg/L	0	GE
		Calcium	749	J2	µg/L	0	GE
		Carbon tetrachloride	<1.0		µg/L	0	GE
		Carbon tetrachloride	<1.0		µg/L	0	GE
		Chloride	2,510		µg/L	0	GE
		Chloride	2,470		µg/L	0	GE
		Chlorobenzene	<1.0		µg/L	0	GE

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGX 12C collected on 08/16/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		Chlorobenzene	< 1.0		µg/L	0	GE
		Chloroethane	< 1.0		µg/L	0	GE
		Chloroethane	< 1.0		µg/L	0	GE
		Chloroethene (Vinyl chloride)	< 1.0		µg/L	0	GE
		Chloroethene (Vinyl chloride)	< 1.0		µg/L	0	GE
		2-Chloroethyl vinyl ether	< 1.0		µg/L	0	GE
		2-Chloroethyl vinyl ether	< 1.0		µg/L	0	GE
		Chloroform	< 1.0		µg/L	0	GE
		Chloroform	< 1.0		µg/L	0	GE
		Chloromethane (Methyl chloride)	< 1.0		µg/L	0	GE
		Chloromethane (Methyl chloride)	< 1.0		µg/L	0	GE
		Chromium	< 4.0		µg/L	0	GE
		Copper	< 4.0		µg/L	0	GE
		Cyanide	< 5.0		µg/L	0	GE
		Dibromochloromethane	< 1.0		µg/L	0	GE
		Dibromochloromethane	< 1.0		µg/L	0	GE
		1,1-Dichloroethane	< 1.0		µg/L	0	GE
		1,1-Dichloroethane	< 1.0		µg/L	0	GE
		1,2-Dichloroethane	< 1.0		µg/L	0	GE
		1,2-Dichloroethane	< 1.0		µg/L	0	GE
		1,1-Dichloroethylene	< 1.0		µg/L	0	GE
		1,1-Dichloroethylene	< 1.0		µg/L	0	GE
		trans-1,2-Dichloroethylene	< 1.0		µg/L	0	GE
		trans-1,2-Dichloroethylene	< 1.0		µg/L	0	GE
		Dichloromethane (Methylene chloride)	< 1.0		µg/L	0	GE
		Dichloromethane (Methylene chloride)	< 1.0		µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	< 0.30		µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	< 0.30		µg/L	0	GE
		1,2-Dichloropropane	< 1.0		µg/L	0	GE
		1,2-Dichloropropane	< 1.0		µg/L	0	GE
		cis-1,3-Dichloropropene	< 1.0		µg/L	0	GE
		cis-1,3-Dichloropropene	< 1.0		µg/L	0	GE
		trans-1,3-Dichloropropene	< 1.0		µg/L	0	GE
		trans-1,3-Dichloropropene	< 1.0		µg/L	0	GE
		Endrin	< 0.0060		µg/L	0	GE
		Ethylbenzene	< 1.0		µg/L	0	GE
		Ethylbenzene	< 1.0		µg/L	0	GE
		Fluoride	< 100		µg/L	0	GE
		Iron	48		µg/L	0	GE
		Lead	< 3.0		µg/L	0	GE
		Lindane	< 0.0050		µg/L	0	GE
		Magnesium	353		µg/L	0	GE
		Manganese	19		µg/L	0	GE
		Mercury	< 0.20		µg/L	0	GE
		Methoxychlor	< 0.50		µg/L	0	GE
		Naphthalene	< 10		µg/L	0	GE
		Naphthalene	< 10		µg/L	0	GE
		Nickel	< 4.0		µg/L	0	GE
		Nitrate-nitrite as nitrogen	150		µg/L	0	GE
		Phenols	< 5.0		µg/L	0	GE
		Potassium	507		µg/L	0	GE
		Selenium	< 2.0		µg/L	0	GE
		Silica	12,100		µg/L	0	GE
		Silver	< 2.0		µg/L	0	GE
		Sodium	3,880		µg/L	0	GE
		Sulfate	1,370		µg/L	0	GE

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGX 12C collected on 08/16/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		1,1,2,2-Tetrachloroethane	<1.0		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0		µg/L	0	GE
		Tetrachloroethylene	<1.0		µg/L	0	GE
		Tetrachloroethylene	<1.0		µg/L	0	GE
		Tin	<2.0		µg/L	0	GE
		Toluene	<1.0		µg/L	0	GE
		Toluene	<1.0		µg/L	0	GE
		Total dissolved solids	11,000		µg/L	0	GE
		Total organic carbon	<1,000		µg/L	0	GE
		Total organic halogens	<5.0		µg/L	0	GE
		Total phosphates (as P)	<50		µg/L	0	GE
		Toxaphene	<0.24		µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090		µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090		µg/L	0	GE
		1,1,1-Trichloroethane	<1.0		µg/L	0	GE
		1,1,1-Trichloroethane	<1.0		µg/L	0	GE
		1,1,2-Trichloroethane	<1.0		µg/L	0	GE
		1,1,2-Trichloroethane	<1.0		µg/L	0	GE
		Trichloroethylene	<1.0		µg/L	0	GE
		Trichloroethylene	<1.0		µg/L	0	GE
		Trichlorofluoromethane	<1.0		µg/L	0	GE
		Trichlorofluoromethane	<1.0		µg/L	0	GE
		Vanadium	<8.0		µg/L	0	GE
		Xylenes	<2.0		µg/L	0	GE
		Xylenes	<2.0		µg/L	0	GE
		Gross alpha	<2.0E+00		pCi/L	0	GE
		Gross alpha	<2.0E+00		pCi/L	0	GE
		Nonvolatile beta	<2.0E+00		pCi/L	0	GE
		Nonvolatile beta	<2.0E+00		pCi/L	0	GE
		Radium, total alpha-emitting	<1.0E+00		pCi/L	0	GE
		Tritium	<7.0E-01		pCi/mL	0	GE

WELL BGX 12D

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N74410.9 E59674.3	33.287714 °N 81.654207 °W	243.7-223.7 ft msl	275.2 ft msl	4" PVC	S	Water Table (IIB ₂)

FIELD MEASUREMENTS

Sample date: 08/17/93
Depth to water: 35.61 ft (10.85 m) below TOC
Water elevation: 239.59 ft (73.03 m) msl
Sp. conductance: 23 µS/cm
Turbidity: 54.8 NTU
Water evacuated before sampling: 5 gal
The well went dry during purging.

Time: 8:13
pH: 4.9
Alkalinity: 1 mg/L
Water temperature: 19.2 °C

Volumes purged: 0.5 well volumes

LABORATORY ANALYSES

H	D	Analyte	Result	Mod	Unit	Flag	Lab
•		pH	5.4	J	pH	0	GE
		Specific conductance	17		µS/cm	0	GE
		Specific conductance	17		µS/cm	0	GE

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGX 12D collected on 08/17/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		Turbidity	26		NTU	0	GE
		Acetophenone	<10		µg/L	0	GE
		Aluminum	117		µg/L	2	GE
		Antimony	<2.0		µg/L	0	GE
		Arsenic	<2.0		µg/L	0	GE
		Barium	18		µg/L	0	GE
		Benzene	<1.0		µg/L	0	GE
		Bromodichloromethane	<1.0		µg/L	0	GE
		Bromoform	<1.0		µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0		µg/L	0	GE
		Cadmium	<2.0		µg/L	0	GE
		Calcium	494		µg/L	0	GE
		Carbon tetrachloride	<1.0		µg/L	0	GE
		Chloride	1,720		µg/L	0	GE
		Chlorobenzene	<1.0		µg/L	0	GE
		Chloroethane	<1.0		µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0		µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0		µg/L	0	GE
		Chloroform	<1.0		µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0		µg/L	0	GE
		Chromium	<4.0		µg/L	0	GE
		Copper	14		µg/L	0	GE
		Cyanide	<5.0		µg/L	0	GE
		Dibromochloromethane	<1.0		µg/L	0	GE
		1,1-Dichloroethane	<1.0		µg/L	0	GE
		1,2-Dichloroethane	<1.0		µg/L	0	GE
		1,1-Dichloroethylene	<1.0		µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0		µg/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0		µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30		µg/L	0	GE
		1,2-Dichloropropane	<1.0		µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0		µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0		µg/L	0	GE
		Endrin	<0.030		µg/L	0	GE
		Ethylbenzene	<1.0		µg/L	0	GE
		Fluoride	<100		µg/L	0	GE
		Fluoride	<100		µg/L	0	GE
		Iron	194		µg/L	1	GE
		Lead	3.5		µg/L	0	GE
		Lindane	<0.025		µg/L	0	GE
		Magnesium	516		µg/L	0	GE
		Manganese	12		µg/L	0	GE
		Mercury	<0.20		µg/L	0	GE
		Methoxychlor	<2.5		µg/L	0	GE
		Naphthalene	<10		µg/L	0	GE
		Nickel	<4.0		µg/L	0	GE
		Nitrate-nitrite as nitrogen	100		µg/L	0	GE
		Nitrate-nitrite as nitrogen	100		µg/L	0	GE
		Phenols	6.3		µg/L	0	GE
		Potassium	597		µg/L	0	GE
		Selenium	<2.0		µg/L	0	GE
		Silica	5,380		µg/L	0	GE
		Silver	<2.0	J1	µg/L	0	GE
		Sodium	1,520		µg/L	0	GE
		Sulfate	<1,000		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0		µg/L	0	GE

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL BGX 12D collected on 08/17/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		Tetrachloroethylene	<1.0		µg/L	0	GE
		Tin	<2.0		µg/L	0	GE
		Toluene	<1.0		µg/L	0	GE
		Total dissolved solids	7,000		µg/L	0	GE
		Total organic carbon	<1,000		µg/L	0	GE
		Total organic halogens	<5.0		µg/L	0	GE
		Total phosphates (as P)	<50		µg/L	0	GE
		Toxaphene	<1.2		µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090		µg/L	0	GE
		1,1,1-Trichloroethane	<1.0		µg/L	0	GE
		1,1,2-Trichloroethane	<1.0		µg/L	0	GE
		Trichloroethylene	<1.0		µg/L	0	GE
		Trichlorofluoromethane	<1.0		µg/L	0	GE
		Vanadium	<8.0		µg/L	0	GE
		Xylenes	<2.0		µg/L	0	GE
		Gross alpha	<2.0E+00		pCi/L	0	GE
		Nonvolatile beta	<2.0E+00		pCi/L	0	GE
		Radium, total alpha-emitting	<1.0E+00		pCi/L	0	GE
		Tritium	1.8E+01 ± 8.6E-01		pCi/mL	1	GE

WELL HMD 1D

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N78731.7	33.292863 °N	219.7-199.7 ft msl	264.5 ft msl	4" PVC	S	Barnwell (IIB ₁)
E56973.3	81.669714 °W					

FIELD MEASUREMENTS

Sample date: 07/29/93
Depth to water: 52.63 ft (16.04 m) below TOC
Water elevation: 211.87 ft (64.58 m) msl
Sp. conductance: 73 µS/cm
Turbidity: 20.0 NTU
Water evacuated before sampling: 6 gal
The well went dry during purging.

Time: 9:57
pH: 6.3
Alkalinity: 22 mg/L
Water temperature: 19.7 °C

Volumes purged: 0.8 well volumes

LABORATORY ANALYSES

H	D	Analyte	Result	Mod	Unit	Flag	Lab
•		pH	6.5	J	pH	0	GE
		Specific conductance	66		µS/cm	0	GE
		Turbidity	57		NTU	0	GE
		Acetophenone	<10		µg/L	0	GE
		Aluminum	446		µg/L	2	GE
		Antimony	<2.0	J1	µg/L	0	GE
		Arsenic	<2.0	J1	µg/L	0	GE
		Barium	6.3		µg/L	0	GE
		Benzene	<1.0		µg/L	0	GE
		Bromodichloromethane	<1.0		µg/L	0	GE
		Bromoform	<1.0		µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0		µg/L	0	GE
		Cadmium	<2.0		µg/L	0	GE
		Calcium	736		µg/L	0	GE
		Carbon tetrachloride	<1.0		µg/L	0	GE

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL HMD 1D collected on 07/29/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		Chloride	2,260		µg/L	0	GE
		Chlorobenzene	< 1.0		µg/L	0	GE
		Chloroethane	< 1.0		µg/L	0	GE
		Chloroethene (Vinyl chloride)	< 1.0		µg/L	0	GE
		2-Chloroethyl vinyl ether	< 1.0		µg/L	0	GE
		Chloroform	< 1.0		µg/L	0	GE
		Chloromethane (Methyl chloride)	< 1.0		µg/L	0	GE
		Chromium	< 4.0		µg/L	0	GE
		Copper	< 4.0		µg/L	0	GE
		Cyanide	< 5.0		µg/L	0	GE
		Dibromochloromethane	< 1.0		µg/L	0	GE
		1,1-Dichloroethane	< 1.0		µg/L	0	GE
		1,2-Dichloroethane	< 1.0		µg/L	0	GE
		1,1-Dichloroethylene	< 1.0		µg/L	0	GE
		trans-1,2-Dichloroethylene	< 1.0		µg/L	0	GE
		Dichloromethane (Methylene chloride)	< 1.0		µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	< 0.30		µg/L	0	GE
		1,2-Dichloropropane	< 1.0		µg/L	0	GE
		cis-1,3-Dichloropropene	< 1.0		µg/L	0	GE
		trans-1,3-Dichloropropene	< 1.0		µg/L	0	GE
		Endrin	< 0.0060		µg/L	0	GE
		Ethylbenzene	< 1.0		µg/L	0	GE
		Fluoride	< 100		µg/L	0	GE
		Iron	482		µg/L	2	GE
		Lead	< 3.0		µg/L	0	GE
		Lindane	< 0.0050		µg/L	0	GE
		Magnesium	150		µg/L	0	GE
		Manganese	15		µg/L	0	GE
		Mercury	< 0.20		µg/L	0	GE
		Methoxychlor	< 0.50		µg/L	0	GE
		Naphthalene	< 10		µg/L	0	GE
		Nickel	< 4.0		µg/L	0	GE
		Nitrate-nitrite as nitrogen	160		µg/L	0	GE
		Phenols	< 5.0		µg/L	0	GE
		Potassium	2,910		µg/L	0	GE
		Selenium	< 2.0	J1	µg/L	0	GE
		Silica	6,190		µg/L	0	GE
		Silver	< 2.0		µg/L	0	GE
		Sodium	11,500		µg/L	0	GE
		Sulfate	4,130		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	< 1.0		µg/L	0	GE
		Tetrachloroethylene	< 1.0		µg/L	0	GE
		Tin	6.5		µg/L	0	GE
		Toluene	< 1.0		µg/L	0	GE
		Total dissolved solids	42,000	V	µg/L	0	GE
		Total organic carbon	1,050		µg/L	0	GE
		Total organic halogens	5.5		µg/L	0	GE
		Total phosphates (as P)	< 50		µg/L	0	GE
		Toxaphene	< 0.24		µg/L	0	GE
		2,4,5-TP (Silvex)	< 0.090		µg/L	0	GE
		1,1,1-Trichloroethane	< 1.0		µg/L	0	GE
		1,1,2-Trichloroethane	< 1.0		µg/L	0	GE
		Trichloroethylene	< 1.0		µg/L	0	GE
		Trichlorofluoromethane	< 1.0		µg/L	0	GE
		Vanadium	< 8.0		µg/L	0	GE
		Xylenes	< 2.0		µg/L	0	GE

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL HMD 1D collected on 07/29/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		Gross alpha	< 2.0E+00		pCi/L	0	GE
		Nonvolatile beta	< 2.0E+00		pCi/L	0	GE
		Radium, total alpha-emitting	1.5E+00 ± 7.0E-01		pCi/L	0	GE
		Tritium	1.2E+01 ± 7.6E-01		pCi/mL	1	GE

WELL HMD 2D

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N79665.8 E57269.7	33.295413 °N 81.670748 °W	210.8-190.8 ft msl	261.1 ft msl	4" PVC	S	Barnwell (IIB ₁)

FIELD MEASUREMENTS

Sample date: 07/29/93
Depth to water: 58.31 ft (17.77 m) below TOC
Water elevation: 202.79 ft (61.81 m) msl
Sp. conductance: 74 µS/cm
Turbidity: 0.7 NTU
Water evacuated before sampling: 98 gal

Time: 11:58
pH: 5.6
Alkalinity: 8 mg/L
Water temperature: 19.7 °C

Volumes purged: 12.5 well volumes

LABORATORY ANALYSES

H	D	Analyte	Result	Mod	Unit	Flag	Lab
•		pH	6.0	J	pH	0	GE
•		pH	5.9	J	pH	0	GE
•		pH	5.6	J	pH	0	WA
•		pH	5.7	J	pH	0	WA
•		pH	5.7	J	pH	0	WA
		Specific conductance	66		µS/cm	0	GE
		Specific conductance	66		µS/cm	0	GE
		Specific conductance	67		µS/cm	0	GE
•		Specific conductance	68	J	µS/cm	0	WA
•		Specific conductance	73	J	µS/cm	0	WA
		Turbidity	1.4		NTU	0	GE
		Turbidity	1.2		NTU	0	GE
		Turbidity	2.0		NTU	0	WA
		Turbidity	2.0		NTU	0	WA
		Turbidity	0.95		NTU	0	WA
		Acetophenone	< 10		µg/L	0	GE
		Acetophenone	< 10		µg/L	0	GE
		Acetophenone	< 10		µg/L	0	GE
		Acetophenone	< 11		µg/L	0	WA
		Acetophenone	< 11		µg/L	0	WA
		Acetophenone	< 11		µg/L	0	WA
		Aluminum	22		µg/L	0	GE
		Aluminum	42		µg/L	1	GE
		Aluminum	22	J3	µg/L	0	WA
		Aluminum	23	J3	µg/L	0	WA
		Antimony	< 2.0	J1	µg/L	0	GE
		Antimony	< 2.0	J1	µg/L	0	GE
		Antimony	< 3.0		µg/L	0	WA
		Antimony	< 3.0		µg/L	0	WA
		Arsenic	< 2.0	J1	µg/L	0	GE

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL HMD 2D collected on 07/29/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		Arsenic	<2.0	J1	µg/L	0	GE
		Arsenic	<2.0		µg/L	0	WA
		Arsenic	<2.0		µg/L	0	WA
		Barium	<3.0		µg/L	0	GE
		Barium	<3.0		µg/L	0	GE
		Barium	<4.0		µg/L	0	WA
		Barium	<4.0		µg/L	0	WA
		Benzene	<1.0		µg/L	0	GE
		Benzene	<1.0		µg/L	0	GE
		Benzene	<5.0		µg/L	0	WA
		Benzene	<5.0		µg/L	0	WA
		Bromodichloromethane	<1.0		µg/L	0	GE
		Bromodichloromethane	<1.0		µg/L	0	GE
		Bromodichloromethane	<5.0		µg/L	0	WA
		Bromodichloromethane	<5.0		µg/L	0	WA
		Bromoform	<1.0		µg/L	0	GE
		Bromoform	<1.0		µg/L	0	GE
		Bromoform	<5.0		µg/L	0	WA
		Bromoform	<5.0		µg/L	0	WA
		Bromomethane (Methyl bromide)	<1.0		µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0		µg/L	0	GE
		Bromomethane (Methyl bromide)	<10		µg/L	0	WA
		Bromomethane (Methyl bromide)	<10		µg/L	0	WA
		Cadmium	<2.0		µg/L	0	GE
		Cadmium	<2.0		µg/L	0	GE
		Cadmium	<2.0		µg/L	0	WA
		Cadmium	<2.0		µg/L	0	WA
		Calcium	266		µg/L	0	GE
		Calcium	265		µg/L	0	GE
		Calcium	262		µg/L	0	WA
		Calcium	272		µg/L	0	WA
		Carbon tetrachloride	<1.0		µg/L	0	GE
		Carbon tetrachloride	<1.0		µg/L	0	GE
		Carbon tetrachloride	<5.0		µg/L	0	WA
		Carbon tetrachloride	<5.0		µg/L	0	WA
		Chloride	2,300		µg/L	0	GE
		Chloride	2,360		µg/L	0	GE
		Chloride	2,110		µg/L	0	WA
		Chloride	2,140		µg/L	0	WA
		Chloride	2,170		µg/L	0	WA
		Chlorobenzene	<1.0		µg/L	0	GE
		Chlorobenzene	<1.0		µg/L	0	GE
		Chlorobenzene	<5.0		µg/L	0	WA
		Chlorobenzene	<5.0		µg/L	0	WA
		Chloroethane	<1.0		µg/L	0	GE
		Chloroethane	<1.0		µg/L	0	GE
		Chloroethane	<10		µg/L	0	WA
		Chloroethane	<10		µg/L	0	WA
		Chloroethene (Vinyl chloride)	<1.0		µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0		µg/L	0	GE
		Chloroethene (Vinyl chloride)	<10		µg/L	0	WA
		Chloroethene (Vinyl chloride)	<10		µg/L	0	WA
		2-Chloroethyl vinyl ether	<1.0		µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0		µg/L	0	GE
		2-Chloroethyl vinyl ether	<10		µg/L	0	WA
		2-Chloroethyl vinyl ether	<10		µg/L	0	WA

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL HMD 2D collected on 07/29/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		Chloroform	<1.0		µg/L	0	GE
		Chloroform	<1.0		µg/L	0	GE
		Chloroform	<5.0		µg/L	0	WA
		Chloroform	<5.0		µg/L	0	WA
		Chloromethane (Methyl chloride)	<1.0		µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0		µg/L	0	GE
		Chloromethane (Methyl chloride)	<10		µg/L	0	WA
		Chloromethane (Methyl chloride)	<10		µg/L	0	WA
		Chromium	<4.0		µg/L	0	GE
		Chromium	<4.0		µg/L	0	GE
		Chromium	<4.0		µg/L	0	WA
		Chromium	6.5	J3	µg/L	0	WA
		Copper	<4.0		µg/L	0	GE
		Copper	<4.0		µg/L	0	GE
		Copper	<4.0		µg/L	0	WA
		Copper	<4.0		µg/L	0	WA
		Cyanide	<5.0		µg/L	0	GE
		Cyanide	<5.0		µg/L	0	GE
		Cyanide	<5.0		µg/L	0	WA
		Cyanide	<5.0		µg/L	0	WA
		Dibromochloromethane	<1.0		µg/L	0	GE
		Dibromochloromethane	<1.0		µg/L	0	GE
		Dibromochloromethane	<5.0		µg/L	0	WA
		Dibromochloromethane	<5.0		µg/L	0	WA
		1,1-Dichloroethane	<1.0		µg/L	0	GE
		1,1-Dichloroethane	<1.0		µg/L	0	GE
		1,1-Dichloroethane	<5.0		µg/L	0	WA
		1,1-Dichloroethane	<5.0		µg/L	0	WA
		1,2-Dichloroethane	<1.0		µg/L	0	GE
		1,2-Dichloroethane	<1.0		µg/L	0	GE
		1,2-Dichloroethane	<5.0		µg/L	0	WA
		1,2-Dichloroethane	<5.0		µg/L	0	WA
		1,1-Dichloroethylene	<1.0		µg/L	0	GE
		1,1-Dichloroethylene	<1.0		µg/L	0	GE
		1,1-Dichloroethylene	<5.0		µg/L	0	WA
		1,1-Dichloroethylene	<5.0		µg/L	0	WA
		trans-1,2-Dichloroethylene	<1.0		µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0		µg/L	0	GE
		trans-1,2-Dichloroethylene	<5.0		µg/L	0	WA
		trans-1,2-Dichloroethylene	<5.0		µg/L	0	WA
		Dichloromethane (Methylene chloride)	<1.0		µg/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0		µg/L	0	GE
		Dichloromethane (Methylene chloride)	<5.0		µg/L	0	WA
		Dichloromethane (Methylene chloride)	<5.0		µg/L	0	WA
		2,4-Dichlorophenoxyacetic acid	<0.30		µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30		µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<1.1		µg/L	0	WA
		2,4-Dichlorophenoxyacetic acid	<1.1		µg/L	0	WA
		2,4-Dichlorophenoxyacetic acid	<2.2		µg/L	0	WA
		1,2-Dichloropropane	<1.0		µg/L	0	GE
		1,2-Dichloropropane	<1.0		µg/L	0	GE
		1,2-Dichloropropane	<5.0		µg/L	0	WA
		1,2-Dichloropropane	<5.0		µg/L	0	WA
		cis-1,3-Dichloropropene	<1.0		µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0		µg/L	0	GE
		cis-1,3-Dichloropropene	<5.0		µg/L	0	WA

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL HMD 2D collected on 07/29/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		cis-1,3-Dichloropropene	<5.0		µg/L	0	WA
		trans-1,3-Dichloropropene	<1.0		µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0		µg/L	0	GE
		trans-1,3-Dichloropropene	<5.0		µg/L	0	WA
		trans-1,3-Dichloropropene	<5.0		µg/L	0	WA
•		Endrin	<0.0060	J	µg/L	0	GE
		Endrin	<0.0060		µg/L	0	GE
		Endrin	<0.11		µg/L	0	WA
		Endrin	<0.11		µg/L	0	WA
		Endrin	<0.23		µg/L	0	WA
		Ethylbenzene	<1.0		µg/L	0	GE
		Ethylbenzene	<1.0		µg/L	0	GE
		Ethylbenzene	<5.0		µg/L	0	WA
		Ethylbenzene	<5.0		µg/L	0	WA
		Fluoride	<100		µg/L	0	GE
		Fluoride	<100		µg/L	0	GE
		Fluoride	<100		µg/L	0	WA
		Fluoride	<100		µg/L	0	WA
		Iron	43		µg/L	0	GE
		Iron	38		µg/L	0	GE
		Iron	65	V	µg/L	0	WA
		Iron	84	V	µg/L	0	WA
		Lead	<3.0		µg/L	0	GE
		Lead	<3.0		µg/L	0	GE
		Lead	<3.0		µg/L	0	WA
		Lead	<3.0		µg/L	0	WA
•		Lindane	<0.0050	J	µg/L	0	GE
		Lindane	<0.0050		µg/L	0	GE
		Lindane	<0.055		µg/L	0	WA
		Lindane	<0.056		µg/L	0	WA
		Lindane	<0.11		µg/L	0	WA
		Magnesium	82		µg/L	0	GE
		Magnesium	82		µg/L	0	GE
		Magnesium	69		µg/L	0	WA
		Magnesium	75		µg/L	0	WA
		Manganese	4.6		µg/L	0	GE
		Manganese	4.5		µg/L	0	GE
		Manganese	4.7		µg/L	0	WA
		Manganese	4.7		µg/L	0	WA
		Mercury	<0.20		µg/L	0	GE
		Mercury	<0.20		µg/L	0	GE
		Mercury	<0.20		µg/L	0	WA
		Mercury	<0.20		µg/L	0	WA
•		Methoxychlor	<0.50	J	µg/L	0	GE
		Methoxychlor	<0.50		µg/L	0	GE
		Methoxychlor	<1.1		µg/L	0	WA
		Methoxychlor	<1.1		µg/L	0	WA
		Methoxychlor	<0.55		µg/L	0	WA
		Methoxychlor	<0.56		µg/L	0	WA
		Naphthalene	<10		µg/L	0	GE
		Naphthalene	<10		µg/L	0	GE
		Naphthalene	<10		µg/L	0	GE
		Nickel	<4.0		µg/L	0	GE
		Nickel	<4.0		µg/L	0	GE
		Nickel	<4.0		µg/L	0	WA
		Nickel	5.7	J3	µg/L	0	WA

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL HMD 2D collected on 07/29/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		Nitrate as nitrogen	208		µg/L	0	WA
		Nitrate as nitrogen	235		µg/L	0	WA
		Nitrate-nitrite as nitrogen	240		µg/L	0	GE
		Nitrate-nitrite as nitrogen	250		µg/L	0	GE
		Nitrate-nitrite as nitrogen	310		µg/L	0	GE
		Phenols	<5.0		µg/L	0	GE
		Phenols	<5.0		µg/L	0	GE
		Phenols	<5.0		µg/L	0	GE
		Phenols	<5.0		µg/L	0	WA
		Phenols	<5.0		µg/L	0	WA
		Potassium	<500		µg/L	0	GE
		Potassium	<500		µg/L	0	GE
		Potassium	<500		µg/L	0	WA
		Potassium	<500		µg/L	0	WA
		Selenium	<2.0	J1	µg/L	0	GE
		Selenium	<2.0	J1	µg/L	0	GE
		Selenium	<2.0		µg/L	0	WA
		Selenium	<2.0		µg/L	0	WA
		Silica	5,270		µg/L	0	GE
		Silica	5,350		µg/L	0	GE
		Silica	4,880		µg/L	0	WA
		Silica	5,060		µg/L	0	WA
		Silver	<2.0		µg/L	0	GE
		Silver	<2.0		µg/L	0	GE
		Silver	<2.0		µg/L	0	WA
		Silver	<2.0		µg/L	0	WA
		Sodium	13,100		µg/L	0	GE
		Sodium	11,900		µg/L	0	GE
		Sodium	12,300		µg/L	0	WA
		Sodium	13,000		µg/L	0	WA
		Sulfate	11,800		µg/L	0	GE
		Sulfate	12,100		µg/L	0	GE
		Sulfate	13,300		µg/L	0	WA
		Sulfate	13,300		µg/L	0	WA
		Sulfate	13,500		µg/L	0	WA
		1,1,2,2-Tetrachloroethane	<1.0		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<5.0		µg/L	0	WA
		1,1,2,2-Tetrachloroethane	<5.0		µg/L	0	WA
		Tetrachloroethylene	<1.0		µg/L	0	GE
		Tetrachloroethylene	<1.0		µg/L	0	GE
		Tetrachloroethylene	<5.0		µg/L	0	WA
		Tetrachloroethylene	<5.0		µg/L	0	WA
		Tin	<2.0		µg/L	0	GE
		Tin	<2.0		µg/L	0	GE
		Tin	<13		µg/L	0	WA
		Tin	<13		µg/L	0	WA
		Toluene	<1.0		µg/L	0	GE
		Toluene	<1.0		µg/L	0	GE
		Toluene	<5.0		µg/L	0	WA
		Toluene	<5.0		µg/L	0	WA
		Total dissolved solids	42,000	V	µg/L	0	GE
		Total dissolved solids	40,000	V	µg/L	0	GE
		Total dissolved solids	38,000	V	µg/L	0	WA
		Total dissolved solids	40,000	V	µg/L	0	WA
		Total organic carbon	<1,000		µg/L	0	GE

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL HMD 2D collected on 07/29/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		Total organic carbon	<1,000		µg/L	0	GE
		Total organic carbon	<1,000		µg/L	0	WA
		Total organic carbon	<1,000		µg/L	0	WA
		Total organic halogens	<5.0		µg/L	0	GE
		Total organic halogens	<5.0		µg/L	0	GE
		Total organic halogens	<5.0		µg/L	0	WA
		Total organic halogens	6.2		µg/L	0	WA
		Total phosphates (as P)	50		µg/L	0	GE
		Total phosphates (as P)	<50		µg/L	0	GE
		Total phosphates (as P)	75		µg/L	0	WA
		Total phosphates (as P)	83		µg/L	0	WA
		Total phosphates (as P)	157		µg/L	0	WA
		Toxaphene	<0.24		µg/L	0	GE
•		Toxaphene	<0.24	J	µg/L	0	GE
		Toxaphene	<1.1		µg/L	0	WA
		Toxaphene	<1.1		µg/L	0	WA
		Toxaphene	<2.3		µg/L	0	WA
		Toxaphene	<2.3		µg/L	0	WA
		2,4,5-TP (Silvex)	<0.090		µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090		µg/L	0	GE
		2,4,5-TP (Silvex)	<1.1		µg/L	0	WA
		2,4,5-TP (Silvex)	<0.55		µg/L	0	WA
		2,4,5-TP (Silvex)	<0.55		µg/L	0	WA
		1,1,1-Trichloroethane	<1.0		µg/L	0	GE
		1,1,1-Trichloroethane	<1.0		µg/L	0	GE
		1,1,1-Trichloroethane	<5.0		µg/L	0	WA
		1,1,1-Trichloroethane	<5.0		µg/L	0	WA
		1,1,2-Trichloroethane	<1.0		µg/L	0	GE
		1,1,2-Trichloroethane	<1.0		µg/L	0	GE
		1,1,2-Trichloroethane	<5.0		µg/L	0	WA
		1,1,2-Trichloroethane	<5.0		µg/L	0	WA
		Trichloroethylene	<1.0		µg/L	0	GE
		Trichloroethylene	<1.0		µg/L	0	GE
		Trichloroethylene	<5.0		µg/L	0	WA
		Trichloroethylene	<5.0		µg/L	0	WA
		Trichlorofluoromethane	<1.0		µg/L	0	GE
		Trichlorofluoromethane	1.0		µg/L	0	GE
		Trichlorofluoromethane	<5.0		µg/L	0	WA
		Trichlorofluoromethane	<5.0		µg/L	0	WA
		Vanadium	<8.0		µg/L	0	GE
		Vanadium	<8.0		µg/L	0	GE
		Vanadium	<3.0		µg/L	0	WA
		Vanadium	<3.0		µg/L	0	WA
		Xylenes	<2.0		µg/L	0	GE
		Xylenes	<2.0		µg/L	0	GE
		Xylenes	<5.0		µg/L	0	WA
		Xylenes	<5.0		µg/L	0	WA
		Gross alpha	<2.0E+00		pCi/L	0	GE
		Gross alpha	<2.0E+00		pCi/L	0	GE
		Gross alpha	<4.0E-01		pCi/L	0	TM
		Gross alpha	5.0E-01 ± 9.0E-01		pCi/L	0	TM
		Gross alpha	7.0E-01 ± 1.0E+00		pCi/L	0	TM
		Nonvolatile beta	<2.0E+00		pCi/L	0	GE
		Nonvolatile beta	<2.0E+00		pCi/L	0	GE
		Nonvolatile beta	<7.0E-01		pCi/L	0	TM
		Nonvolatile beta	<8.0E-01		pCi/L	0	TM

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL HMD 2D collected on 07/29/93, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Mod</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Nonvolatile beta	2.0E+00 ± 1.9E+00		pCi/L	0	TM
		Radium-226	< 2.0E-01		pCi/L	0	TM
		Radium-226	< 2.4E-01		pCi/L	0	TM
		Radium-226	1.9E-01 ± 1.5E-01		pCi/L	0	TM
		Radium-228	1.4E+00 ± 1.0E+00		pCi/L	0	TM
		Radium-228	1.0E+00 ± 1.1E+00		pCi/L	0	TM
		Radium-228	2.4E+00 ± 1.2E+00		pCi/L	0	TM
		Radium, total alpha-emitting	< 1.0E+00		pCi/L	0	GE
		Radium, total alpha-emitting	< 1.0E+00		pCi/L	0	GE
		Tritium	1.4E+01 ± 7.7E-01		pCi/mL	1	GE
		Tritium	1.5E+01 ± 8.0E-01		pCi/mL	1	GE
		Tritium	1.5E+01 ± 8.4E-01		pCi/mL	1	TM
		Tritium	1.6E+01 ± 9.0E-01		pCi/mL	1	TM
		Tritium	1.6E+01 ± 8.9E-01		pCi/mL	1	TM

WELL HMD 3D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Pump</u>	<u>Formation</u>
N79578.7	33.295996 °N	207.7-187.7 ft msl	259.5 ft msl	4" PVC	S	Barnwell (IIB ₁)
E57745.2	81.669327 °W					

FIELD MEASUREMENTS

Sample date: 07/29/93
Depth to water: 57.19 ft (17.43 m) below TOC
Water elevation: 202.31 ft (61.66 m) msl
Sp. conductance: 62 µS/cm
Turbidity: 3.2 NTU
Water evacuated before sampling: 100 gal

Time: 11:03
pH: 4.9
Alkalinity: 0 mg/L
Water temperature: 19.1 °C

Volumes purged: 10.4 well volumes

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Mod</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.1	J	pH	0	GE
		Specific conductance	55		µS/cm	0	GE
		Specific conductance	56		µS/cm	0	GE
		Turbidity	7.9		NTU	0	GE
		Acetophenone	< 10		µg/L	0	GE
		Aluminum	44		µg/L	1	GE
		Aluminum	44		µg/L	1	GE
		Antimony	< 2.0	J1	µg/L	0	GE
		Arsenic	< 2.0	J1	µg/L	0	GE
		Barium	9.9		µg/L	0	GE
		Barium	9.7		µg/L	0	GE
		Benzene	< 1.0		µg/L	0	GE
		Bromodichloromethane	< 1.0		µg/L	0	GE
		Bromoform	< 1.0		µg/L	0	GE
		Bromomethane (Methyl bromide)	< 1.0		µg/L	0	GE
		Cadmium	< 2.0		µg/L	0	GE
		Cadmium	< 2.0		µg/L	0	GE
		Calcium	940		µg/L	0	GE
		Calcium	923		µg/L	0	GE
		Carbon tetrachloride	< 1.0		µg/L	0	GE

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL HMD 3D collected on 07/29/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		Chloride	2,620		µg/L	0	GE
		Chlorobenzene	<1.0		µg/L	0	GE
		Chloroethane	<1.0		µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0		µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0		µg/L	0	GE
		Chloroform	<1.0		µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0		µg/L	0	GE
		Chromium	<4.0		µg/L	0	GE
		Chromium	<4.0		µg/L	0	GE
		Copper	5.8		µg/L	0	GE
		Copper	5.7		µg/L	0	GE
		Cyanide	<5.0		µg/L	0	GE
		Dibromochloromethane	<1.0		µg/L	0	GE
		1,1-Dichloroethane	<1.0		µg/L	0	GE
		1,2-Dichloroethane	<1.0		µg/L	0	GE
		1,1-Dichloroethylene	<1.0		µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0		µg/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0		µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30		µg/L	0	GE
		1,2-Dichloropropane	<1.0		µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0		µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0		µg/L	0	GE
		Endrin	<0.0060		µg/L	0	GE
		Ethylbenzene	<1.0		µg/L	0	GE
		Fluoride	<100		µg/L	0	GE
		Iron	41		µg/L	0	GE
		Iron	40		µg/L	0	GE
		Lead	<3.0		µg/L	0	GE
		Lindane	<0.0050		µg/L	0	GE
		Magnesium	578		µg/L	0	GE
		Magnesium	570		µg/L	0	GE
		Manganese	18		µg/L	0	GE
		Manganese	17		µg/L	0	GE
		Mercury	<0.20		µg/L	0	GE
		Methoxychlor	<0.50		µg/L	0	GE
		Naphthalene	<10		µg/L	0	GE
		Nickel	<4.0		µg/L	0	GE
		Nickel	<4.0		µg/L	0	GE
		Nitrate-nitrite as nitrogen	450		µg/L	0	GE
		Phenols	<5.0		µg/L	0	GE
		Potassium	671		µg/L	0	GE
		Potassium	649		µg/L	0	GE
		Selenium	2.0	J2	µg/L	0	GE
		Silica	6,770		µg/L	0	GE
		Silica	6,680		µg/L	0	GE
		Silver	<2.0		µg/L	0	GE
		Silver	<2.0		µg/L	0	GE
		Sodium	7,420		µg/L	0	GE
		Sodium	7,330		µg/L	0	GE
		Sulfate	13,800		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0		µg/L	0	GE
		Tetrachloroethylene	<1.0		µg/L	0	GE
		Tin	3.3		µg/L	0	GE
		Tin	4.3		µg/L	0	GE
		Toluene	<1.0		µg/L	0	GE
		Total dissolved solids	37,000	V	µg/L	0	GE

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL HMD 3D collected on 07/29/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		Total dissolved solids	38,000	V	µg/L	0	GE
		Total organic carbon	<1,000		µg/L	0	GE
		Total organic halogens	<5.0		µg/L	0	GE
		Total phosphates (as P)	<50		µg/L	0	GE
		Toxaphene	<0.24		µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090		µg/L	0	GE
		1,1,1-Trichloroethane	<1.0		µg/L	0	GE
		1,1,2-Trichloroethane	<1.0		µg/L	0	GE
		Trichloroethylene	<1.0		µg/L	0	GE
		Trichlorofluoromethane	5.3		µg/L	1	GE
		Vanadium	<8.0		µg/L	0	GE
		Vanadium	<8.0		µg/L	0	GE
		Xylenes	<2.0		µg/L	0	GE
		Gross alpha	<2.0E+00		pCi/L	0	GE
		Nonvolatile beta	3.1E+00 ± 1.7E+00		pCi/L	0	GE
		Radium, total alpha-emitting	1.0E+00 ± 6.0E-01		pCi/L	0	GE
		Tritium	6.1E+00 ± 5.9E-01		pCi/mL	0	GE

WELL HMD 4D

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N79160.4	33.295794 °N	208.9-188.9 ft msl	250.9 ft msl	4" PVC	S	Barnwell (IIB ₁)
E58188.5	81.667346 °W					

FIELD MEASUREMENTS

Sample date: 07/29/93
Depth to water: 48.53 ft (14.79 m) below TOC
Water elevation: 202.37 ft (61.68 m) msl
Sp. conductance: 33 µS/cm
Turbidity: 9.9 NTU
Water evacuated before sampling: 7 gal
The well went dry during purging.

Time: 8:25
pH: 5.7
Alkalinity: 7 mg/L
Water temperature: 20.6 °C

Volumes purged: 0.8 well volumes

LABORATORY ANALYSES

H	D	Analyte	Result	Mod	Unit	Flag	Lab
•		pH	5.9	J	pH	0	GE
		Specific conductance	30		µS/cm	0	GE
		Turbidity	69		NTU	0	GE
		Acetophenone	<10		µg/L	0	GE
		Aluminum	218		µg/L	2	GE
		Antimony	<2.0	J1	µg/L	0	GE
		Arsenic	<2.0	J1	µg/L	0	GE
		Barium	15		µg/L	0	GE
		Benzene	<1.0		µg/L	0	GE
		Benzene	<1.0		µg/L	0	GE
		Bromodichloromethane	<1.0		µg/L	0	GE
		Bromodichloromethane	<1.0		µg/L	0	GE
		Bromoform	<1.0		µg/L	0	GE
		Bromoform	<1.0		µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0		µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0		µg/L	0	GE
		Cadmium	<2.0		µg/L	0	GE

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL HMD 4D collected on 07/29/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		Calcium	1,430		µg/L	0	GE
		Carbon tetrachloride	<1.0		µg/L	0	GE
		Carbon tetrachloride	<1.0		µg/L	0	GE
		Chloride	2,320		µg/L	0	GE
		Chlorobenzene	<1.0		µg/L	0	GE
		Chlorobenzene	<1.0		µg/L	0	GE
		Chloroethane	<1.0		µg/L	0	GE
		Chloroethane	<1.0		µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0		µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0		µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0		µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0		µg/L	0	GE
		Chloroform	<1.0		µg/L	0	GE
		Chloroform	<1.0		µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0		µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0		µg/L	0	GE
		Chromium	<4.0		µg/L	0	GE
		Copper	36		µg/L	0	GE
		Cyanide	<5.0		µg/L	0	GE
		Dibromochloromethane	<1.0		µg/L	0	GE
		Dibromochloromethane	<1.0		µg/L	0	GE
		1,1-Dichloroethane	<1.0		µg/L	0	GE
		1,1-Dichloroethane	<1.0		µg/L	0	GE
		1,2-Dichloroethane	<1.0		µg/L	0	GE
		1,2-Dichloroethane	<1.0		µg/L	0	GE
		1,1-Dichloroethylene	<1.0		µg/L	0	GE
		1,1-Dichloroethylene	<1.0		µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0		µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0		µg/L	0	GE
		Dichloromethane (Methylene chloride)	1.5		µg/L	0	GE
		Dichloromethane (Methylene chloride)	1.5		µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30		µg/L	0	GE
		1,2-Dichloropropane	<1.0		µg/L	0	GE
		1,2-Dichloropropane	<1.0		µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0		µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0		µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0		µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0		µg/L	0	GE
		Endrin	<0.0060		µg/L	0	GE
		Ethylbenzene	<1.0		µg/L	0	GE
		Ethylbenzene	<1.0		µg/L	0	GE
		Fluoride	<100		µg/L	0	GE
		Iron	333		µg/L	2	GE
		Lead	20		µg/L	2	GE
		Lindane	<0.0050		µg/L	0	GE
		Magnesium	397		µg/L	0	GE
		Manganese	31		µg/L	1	GE
		Mercury	<0.20		µg/L	0	GE
		Methoxychlor	<0.50		µg/L	0	GE
		Naphthalene	<10		µg/L	0	GE
		Nickel	<4.0		µg/L	0	GE
		Nitrate-nitrite as nitrogen	470		µg/L	0	GE
		Phenols	<5.0		µg/L	0	GE
		Potassium	1,580		µg/L	0	GE
		Selenium	<2.0	J1	µg/L	0	GE
		Silica	6,880		µg/L	0	GE

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL HMD 4D collected on 07/29/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		Silver	<2.0		µg/L	0	GE
		Sodium	2,010		µg/L	0	GE
		Sulfate	<1,000		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0		µg/L	0	GE
		Tetrachloroethylene	<1.0		µg/L	0	GE
		Tetrachloroethylene	<1.0		µg/L	0	GE
		Tin	3.9		µg/L	0	GE
		Toluene	<1.0		µg/L	0	GE
		Toluene	<1.0		µg/L	0	GE
		Total dissolved solids	21,000	V	µg/L	0	GE
		Total organic carbon	<1,000		µg/L	0	GE
		Total organic halogens	<5.0		µg/L	0	GE
		Total phosphates (as P)	<50		µg/L	0	GE
		Toxaphene	<0.24		µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090		µg/L	0	GE
		1,1,1-Trichloroethane	<1.0		µg/L	0	GE
		1,1,1-Trichloroethane	<1.0		µg/L	0	GE
		1,1,2-Trichloroethane	<1.0		µg/L	0	GE
		1,1,2-Trichloroethane	<1.0		µg/L	0	GE
		Trichloroethylene	<1.0		µg/L	0	GE
		Trichloroethylene	<1.0		µg/L	0	GE
		Trichlorofluoromethane	<1.0		µg/L	0	GE
		Trichlorofluoromethane	<1.0		µg/L	0	GE
		Vanadium	<8.0		µg/L	0	GE
		Xylenes	<2.0		µg/L	0	GE
		Xylenes	<2.0		µg/L	0	GE
		Gross alpha	4.0E+00 ± 2.6E+00		pCi/L	0	GE
		Nonvolatile beta	4.1E+00 ± 1.9E+00		pCi/L	0	GE
		Radium, total alpha-emitting	1.8E+00 ± 7.0E-01		pCi/L	0	GE
		Tritium	5.8E+00 ± 4.8E-01		pCi/mL	0	GE

WELL HSB 85A

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N73791.9	33.285152 °N	71.1-61.1 ft msl	294.4 ft msl	4" PVC	S	U. Congaree (IIA)
E58943.4	81.654930 °W					

FIELD MEASUREMENTS

Sample date: 07/05/93
Depth to water: 125.22 ft (38.17 m) below TOC
Water elevation: 169.18 ft (51.57 m) msl
Sp. conductance: 193 µS/cm
Turbidity: 0.1 NTU
Water evacuated before sampling: 204 gal

Time: 11:06
pH: 6.8
Alkalinity: 60 mg/L
Water temperature: 20.3 °C
Volumes purged: 2.9 well volumes

LABORATORY ANALYSES

H	D	Analyte	Result	Mod	Unit	Flag	Lab
•		pH	6.9	J	pH	0	GE
		Specific conductance	180		µS/cm	0	GE
		Aluminum	<20		µg/L	0	GE

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL HSB 85A collected on 07/05/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		Antimony	<2.0		µg/L	0	GE
		Arsenic	<2.0		µg/L	0	GE
		Barium	29		µg/L	0	GE
		Benzene	<1.0		µg/L	0	GE
		Bis(2-ethylhexyl) phthalate	<10	J1	µg/L	0	GE
		Bis(2-ethylhexyl) phthalate	<10		µg/L	0	GE
		Boron	<30		µg/L	0	GE
		Boron	<30		µg/L	0	GE
		Bromodichloromethane	<1.0		µg/L	0	GE
		Bromoform	<1.0		µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0		µg/L	0	GE
		Cadmium	<2.0		µg/L	0	GE
		Calcium	34,700	J2	µg/L	0	GE
		Carbon tetrachloride	<1.0		µg/L	0	GE
		Chloride	2,600		µg/L	0	GE
		Chloride	2,600		µg/L	0	GE
		Chlorobenzene	<1.0		µg/L	0	GE
		Chloroethane	<1.0		µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0		µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0		µg/L	0	GE
		Chloroform	<1.0		µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0		µg/L	0	GE
		Chromium	<4.0		µg/L	0	GE
		Cobalt	<4.0		µg/L	0	GE
		Copper	<4.0		µg/L	0	GE
		Cyanide	<5.0		µg/L	0	GE
		Cyanide	<5.0		µg/L	0	GE
		Dibromochloromethane	<1.0		µg/L	0	GE
		1,1-Dichloroethane	<1.0		µg/L	0	GE
		1,2-Dichloroethane	<1.0		µg/L	0	GE
		1,1-Dichloroethylene	<1.0		µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0		µg/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0		µg/L	0	GE
		1,2-Dichloropropane	<1.0		µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0		µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0		µg/L	0	GE
		Ethylbenzene	<1.0		µg/L	0	GE
		Fluoride	<100		µg/L	0	GE
		Iron	5.0		µg/L	0	GE
		Lead	<3.0		µg/L	0	GE
		Lithium	<5.0		µg/L	0	GE
		Magnesium	832		µg/L	0	GE
		Manganese	<2.0		µg/L	0	GE
		Mercury	<0.20		µg/L	0	GE
		Nickel	<4.0		µg/L	0	GE
		Nitrate-nitrite as nitrogen	60		µg/L	0	GE
		Phenols	<5.0		µg/L	0	GE
		Phenols	<5.0		µg/L	0	GE
		Potassium	1,020		µg/L	0	GE
		Selenium	<2.0	J1	µg/L	0	GE
		Silica	28,300	J2	µg/L	0	GE
		Silver	<2.0		µg/L	0	GE
		Sodium	1,740		µg/L	0	GE
		Sulfate	6,640		µg/L	0	GE
		Sulfate	6,270		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0		µg/L	0	GE

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL HSB 85A collected on 07/05/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		Tetrachloroethylene	< 1.0		µg/L	0	GE
		Thallium	< 2.0		µg/L	0	GE
		Toluene	< 1.0		µg/L	0	GE
		Total dissolved solids	127,000	V	µg/L	0	GE
		Total organic carbon	< 1,000		µg/L	0	GE
		Total organic halogens	22		µg/L	0	GE
		Total phosphates (as P)	110		µg/L	0	GE
		1,1,1-Trichloroethane	< 1.0		µg/L	0	GE
		1,1,2-Trichloroethane	< 1.0		µg/L	0	GE
		Trichloroethylene	< 1.0		µg/L	0	GE
		Trichlorofluoromethane	< 1.0		µg/L	0	GE
		Vanadium	< 8.0		µg/L	0	GE
		Zinc	< 2.0		µg/L	0	GE
		Actinium-228	< 3.0E+01		pCi/L	0	GP
		Americium-241	< 1.0E+00		pCi/L	0	GP
		Antimony-125	< 2.0E+01		pCi/L	0	GP
		Cerium-144	< 6.0E+01		pCi/L	0	GP
		Cesium-134	< 1.0E+01		pCi/L	0	GP
		Cesium-137	< 1.0E+01		pCi/L	0	GP
		Cobalt-57	< 1.0E+01		pCi/L	0	GP
		Cobalt-60	< 1.0E+01		pCi/L	0	GP
		Curium-242	< 1.0E+00		pCi/L	0	GP
		Curium-243/244	< 1.0E+00		pCi/L	0	GP
		Curium-245/246	< 1.0E+00		pCi/L	0	GP
		Europium-152	< 4.0E+01		pCi/L	0	GP
		Europium-154	< 2.0E+01		pCi/L	0	GP
		Europium-155	< 3.0E+01		pCi/L	0	GP
		Gross alpha	< 2.0E+00		pCi/L	0	GE
		Iodine-129	< 2.0E+00		pCi/L	0	GP
		Lead-212	< 1.5E+01		pCi/L	0	GP
		Manganese-54	< 1.0E+01		pCi/L	0	GP
		Nonvolatile beta	< 2.0E+00		pCi/L	0	GE
		Plutonium-238	< 1.0E+00		pCi/L	0	GP
		Plutonium-239/240	< 1.0E+00		pCi/L	0	GP
		Potassium-40	< 1.1E+02		pCi/L	0	GP
		Promethium-144	< 1.0E+01		pCi/L	0	GP
		Promethium-146	< 1.0E+01		pCi/L	0	GP
		Radium-226	< 1.0E+00		pCi/L	0	GP
		Radium-228	< 1.0E+00		pCi/L	0	GP
		Radium, total alpha-emitting	1.4E+00 ± 6.0E-01		pCi/L	0	GE
		Ruthenium-106	< 9.0E+01		pCi/L	0	GP
		Sodium-22	< 1.0E+01		pCi/L	0	GP
		Strontium-89	< 2.0E+00		pCi/L	0	GP
		Strontium-90	< 2.0E+00		pCi/L	0	GP
		Technetium-99	< 3.0E+02		pCi/L	0	GP
		Technetium-99	< 3.0E+02		pCi/L	0	GP
		Thorium-228	< 1.0E+00		pCi/L	0	GP
		Thorium-230	< 1.0E+00		pCi/L	0	GP
		Thorium-232	< 1.0E+00		pCi/L	0	GP
		Thorium-234	< 3.5E+02		pCi/L	0	GP
		Tritium	< 7.0E-01		pCi/mL	0	GE
		Uranium-233/234	< 1.0E+00		pCi/L	0	GP
		Uranium-235	< 1.0E+00		pCi/L	0	GP
		Uranium-238	< 1.0E+00		pCi/L	0	GP
		Yttrium-88	< 6.0E+01		pCi/L	0	GP
		Zinc-65	< 2.0E+01		pCi/L	0	GP

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL HSB 85A

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Pump</u>	<u>Formation</u>
N73791.9 E58943.4	33.285152 °N 81.654930 °W	71.1-61.1 ft msl	294.4 ft msl	4" PVC	S	U. Congaree (IIA)

FIELD MEASUREMENTS

Sample date: 08/30/93
Depth to water: 125.83 ft (38.35 m) below TOC
Water elevation: 168.57 ft (51.38 m) msl
Sp. conductance: 180 μ S/cm
Turbidity: 0.1 NTU
Water evacuated before sampling: 229 gal

Time: 10:46
pH: 6.7
Alkalinity: 55 mg/L
Water temperature: 19.9 °C
Volumes purged: 3.2 well volumes

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Mod</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	7.1	J	pH	0	GE
		Specific conductance	180		μ S/cm	0	GE
		Aluminum	<20		μ g/L	0	GE
		Antimony	<2.0		μ g/L	0	GE
		Arsenic	<2.0		μ g/L	0	GE
		Barium	31		μ g/L	0	GE
		Benzene	<1.0		μ g/L	0	GE
		Bis(2-ethylhexyl) phthalate	<10	J1	μ g/L	0	GE
		Boron	<30		μ g/L	0	GE
		Bromodichloromethane	<1.0		μ g/L	0	GE
		Bromoform	<1.0		μ g/L	0	GE
		Bromomethane (Methyl bromide)	<1.0		μ g/L	0	GE
		Cadmium	<2.0		μ g/L	0	GE
		Calcium	32,800		μ g/L	0	GE
		Carbon tetrachloride	<1.0		μ g/L	0	GE
		Chloride	2,350		μ g/L	0	GE
		Chlorobenzene	<1.0		μ g/L	0	GE
		Chloroethane	<1.0		μ g/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0		μ g/L	0	GE
		2-Chloroethyl vinyl ether	<1.0		μ g/L	0	GE
		Chloroform	<1.0		μ g/L	0	GE
		Chloromethane (Methyl chloride)	<1.0		μ g/L	0	GE
		Chromium	<4.0		μ g/L	0	GE
		Cobalt	<4.0		μ g/L	0	GE
		Copper	<4.0		μ g/L	0	GE
		Cyanide	<5.0		μ g/L	0	GE
		Dibromochloromethane	<1.0		μ g/L	0	GE
		1,1-Dichloroethane	<1.0		μ g/L	0	GE
		1,2-Dichloroethane	<1.0		μ g/L	0	GE
		1,1-Dichloroethylene	<1.0		μ g/L	0	GE
		trans-1,2-Dichloroethylene	<1.0		μ g/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0		μ g/L	0	GE
		1,2-Dichloropropane	<1.0		μ g/L	0	GE
		cis-1,3-Dichloropropene	<1.0		μ g/L	0	GE
		trans-1,3-Dichloropropene	<1.0		μ g/L	0	GE
		Ethylbenzene	<1.0		μ g/L	0	GE
		Fluoride	<100		μ g/L	0	GE
		Fluoride	<100		μ g/L	0	GE
		Iron	<4.0		μ g/L	0	GE

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL HSB 85A collected on 08/30/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		Lead	<3.0		µg/L	0	GE
		Lithium	<5.0		µg/L	0	GE
		Magnesium	827		µg/L	0	GE
		Manganese	<2.0		µg/L	0	GE
		Mercury	<0.20		µg/L	0	GE
		Nickel	<4.0		µg/L	0	GE
		Nitrate-nitrite as nitrogen	<50		µg/L	0	GE
		Phenols	<5.0		µg/L	0	GE
		Potassium	1,110		µg/L	0	GE
		Selenium	<2.0	J1	µg/L	0	GE
		Silica	28,400		µg/L	0	GE
		Silver	<2.0		µg/L	0	GE
		Sodium	1,840		µg/L	0	GE
		Sulfate	5,990		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0		µg/L	0	GE
		Tetrachloroethylene	<1.0		µg/L	0	GE
		Thallium	<2.0		µg/L	0	GE
		Toluene	<1.0		µg/L	0	GE
		Total dissolved solids	114,000		µg/L	0	GE
		Total organic carbon	<1,000		µg/L	0	GE
		Total organic halogens	<5.0		µg/L	0	GE
		Total organic halogens	<5.0		µg/L	0	GE
		Total phosphates (as P)	330		µg/L	0	GE
		1,1,1-Trichloroethane	<1.0		µg/L	0	GE
		1,1,2-Trichloroethane	<1.0		µg/L	0	GE
		Trichloroethylene	<1.0		µg/L	0	GE
		Trichlorofluoromethane	<1.0		µg/L	0	GE
		Vanadium	<8.0		µg/L	0	GE
		Zinc	<2.0		µg/L	0	GE
		Americium-241	<1.0E+00		pCi/L	0	CN
		Antimony-125	<2.5E+01		pCi/L	0	CN
		Cerium-144	<5.0E+01		pCi/L	0	CN
		Cesium-134	<1.0E+01		pCi/L	0	CN
		Cesium-137	<1.0E+01		pCi/L	0	CN
		Cobalt-57	<1.0E+01		pCi/L	0	CN
		Cobalt-60	<1.2E+01		pCi/L	0	CN
		Curium-242	<1.0E+00		pCi/L	0	CN
		Curium-243/244	<1.0E+00		pCi/L	0	CN
		Europium-152	<5.0E+01		pCi/L	0	CN
		Europium-154	<2.5E+01		pCi/L	0	CN
		Europium-155	<2.5E+01		pCi/L	0	CN
		Gross alpha	<2.0E+00		pCi/L	0	GE
		Iodine-129	<2.0E+00		pCi/L	0	CN
		Manganese-54	<1.0E+01		pCi/L	0	CN
		Nonvolatile beta	<2.0E+00		pCi/L	0	GE
		Plutonium-238	<1.0E+00		pCi/L	0	CN
		Plutonium-239/240	<1.0E+00		pCi/L	0	CN
		Potassium-40	<2.5E+02		pCi/L	0	CN
		Promethium-144	<1.0E+01		pCi/L	0	CN
		Promethium-146	<2.3E+01		pCi/L	0	CN
		Radium-226	<1.0E+00		pCi/L	0	CN
		Radium-226	<1.0E+00		pCi/L	0	CN
		Radium-228	1.2E+00 ± 4.9E-01		pCi/L	0	CN
		Radium-228	<1.0E+00		pCi/L	0	CN
		Radium, total alpha-emitting	<1.0E+00		pCi/L	0	GE
		Ruthenium-106	<8.0E+01		pCi/L	0	CN

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL HSB 85A collected on 08/30/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		Sodium-22	<1.0E+01		pCi/L	0	CN
		Strontium-89	<2.0E+00	3	pCi/L	0	CN
		Strontium-90	<2.1E+00	3	pCi/L	0	CN
		Technetium-99	<3.0E+02		pCi/L	0	CN
		Thorium-228	<1.0E+00		pCi/L	0	CN
		Thorium-230	4.1E+00 ± 1.3E+00		pCi/L	0	CN
		Thorium-232	<1.0E+00		pCi/L	0	CN
		Tritium	<7.0E-01		pCi/mL	0	GE
		Uranium-233/234	<1.0E+00		pCi/L	0	CN
		Uranium-235	<1.0E+00		pCi/L	0	CN
		Uranium-238	<1.0E+00		pCi/L	0	CN
		Yttrium-88	<1.0E+01		pCi/L	0	CN
		Zinc-65	<2.3E+01		pCi/L	0	CN

WELL HSB 85A

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N73791.9	33.285152 °N	71.1-61.1 ft msl	294.4 ft msl	4" PVC	S	U. Congaree (IIA)
E58943.4	81.654930 °W					

FIELD MEASUREMENTS

Sample date: 09/15/93
Depth to water: 125.79 ft (38.34 m) below TOC
Water elevation: 168.61 ft (51.39 m) msl
Sp. conductance: 197 µS/cm
Turbidity: 0.1 NTU
Water evacuated before sampling: 187 gal

Time: 8:40
pH: 6.7
Alkalinity: 71 mg/L
Water temperature: 19.8 °C

Volumes purged: 2.7 well volumes

LABORATORY ANALYSES

H	D	Analyte	Result	Mod	Unit	Flag	Lab
•		pH	7.0	J	pH	0	GE
		Specific conductance	183		µS/cm	0	GE
		Specific conductance	180		µS/cm	0	GE
		Aluminum	<20		µg/L	0	GE
		Aluminum	<20		µg/L	0	GE
		Antimony	<2.0		µg/L	0	GE
		Antimony	<2.0		µg/L	0	GE
		Arsenic	<2.0		µg/L	0	GE
		Barium	32		µg/L	0	GE
		Barium	32		µg/L	0	GE
		Benzene	<1.0		µg/L	0	GE
		Bis(2-ethylhexyl) phthalate	<10		µg/L	0	GE
		Boron	<30		µg/L	0	GE
		Bromodichloromethane	<1.0		µg/L	0	GE
		Bromoform	<1.0		µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0		µg/L	0	GE
		Cadmium	<2.0		µg/L	0	GE
		Cadmium	<2.0		µg/L	0	GE
		Calcium	34,600	J2	µg/L	0	GE
		Calcium	34,600	J2	µg/L	0	GE
		Carbon tetrachloride	<1.0		µg/L	0	GE

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL HSB 85A collected on 09/15/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		Chloride	2,170		µg/L	0	GE
		Chlorobenzene	<1.0		µg/L	0	GE
		Chloroethane	<1.0		µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0		µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0		µg/L	0	GE
		Chloroform	<1.0		µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0		µg/L	0	GE
		Chromium	<4.0		µg/L	0	GE
		Chromium	<4.0		µg/L	0	GE
		Cobalt	<4.0		µg/L	0	GE
		Cobalt	<4.0		µg/L	0	GE
		Copper	<4.0		µg/L	0	GE
		Copper	<4.0		µg/L	0	GE
		Cyanide	<5.0		µg/L	0	GE
		Dibromochloromethane	<1.0		µg/L	0	GE
		1,1-Dichloroethane	<1.0		µg/L	0	GE
		1,2-Dichloroethane	<1.0		µg/L	0	GE
		1,1-Dichloroethylene	<1.0		µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0		µg/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0		µg/L	0	GE
		1,2-Dichloropropane	<1.0		µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0		µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0		µg/L	0	GE
		Ethylbenzene	<1.0		µg/L	0	GE
		Fluoride	<100		µg/L	0	GE
		Iron	<4.0		µg/L	0	GE
		Iron	<4.0		µg/L	0	GE
		Lead	<3.0		µg/L	0	GE
		Lithium	<5.0		µg/L	0	GE
		Lithium	<5.0		µg/L	0	GE
		Magnesium	859		µg/L	0	GE
		Magnesium	866		µg/L	0	GE
		Manganese	<2.0		µg/L	0	GE
		Manganese	<2.0		µg/L	0	GE
		Mercury	<0.20		µg/L	0	GE
		Nickel	<4.0		µg/L	0	GE
		Nickel	<4.0		µg/L	0	GE
		Nitrate-nitrite as nitrogen	<50		µg/L	0	GE
		Phenols	<5.0		µg/L	0	GE
		Potassium	1,130		µg/L	0	GE
		Potassium	1,200		µg/L	0	GE
		Selenium	<2.0		µg/L	0	GE
		Silica	29,500		µg/L	0	GE
		Silica	29,500		µg/L	0	GE
		Silver	<2.0		µg/L	0	GE
		Silver	<2.0		µg/L	0	GE
		Sodium	1,870		µg/L	0	GE
		Sodium	1,870		µg/L	0	GE
		Sulfate	5,900		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0		µg/L	0	GE
		Tetrachloroethylene	<1.0		µg/L	0	GE
		Thallium	<2.0	J1	µg/L	0	GE
		Thallium	<2.0	J1	µg/L	0	GE
		Toluene	<1.0		µg/L	0	GE
		Total dissolved solids	141,000	V	µg/L	0	GE
		Total organic carbon	1,050		µg/L	0	GE

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL HSB 85A collected on 09/15/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		Total organic halogens	<5.0		µg/L	0	GE
		Total phosphates (as P)	80		µg/L	0	GE
		1,1,1-Trichloroethane	<1.0		µg/L	0	GE
		1,1,2-Trichloroethane	<1.0		µg/L	0	GE
		Trichloroethylene	<1.0		µg/L	0	GE
		Trichlorofluoromethane	<1.0		µg/L	0	GE
		Vanadium	<8.0		µg/L	0	GE
		Vanadium	<8.0		µg/L	0	GE
		Zinc	<2.0		µg/L	0	GE
		Zinc	<2.0		µg/L	0	GE
		Americium-241	<1.0E+00		pCi/L	0	CN
		Antimony-125	<2.5E+01		pCi/L	0	CN
		Cerium-144	<5.0E+01		pCi/L	0	CN
		Cesium-134	<1.0E+01		pCi/L	0	CN
		Cesium-137	<1.0E+01		pCi/L	0	CN
		Cobalt-57	<1.0E+01		pCi/L	0	CN
		Cobalt-60	<1.2E+01		pCi/L	0	CN
		Curium-242	<1.0E+00		pCi/L	0	CN
		Curium-243/244	<1.0E+00		pCi/L	0	CN
		Europium-152	<5.0E+01		pCi/L	0	CN
		Europium-154	<2.5E+01		pCi/L	0	CN
		Europium-155	<2.5E+01		pCi/L	0	CN
		Gross alpha	<2.0E+00		pCi/L	0	GE
		Iodine-129	<2.0E+00		pCi/L	0	CN
		Manganese-54	<1.0E+01		pCi/L	0	CN
		Nonvolatile beta	<2.0E+00		pCi/L	0	GE
		Plutonium-238	<1.0E+00		pCi/L	0	CN
		Plutonium-239/240	<1.0E+00		pCi/L	0	CN
		Potassium-40	<2.5E+02		pCi/L	0	CN
		Promethium-144	<1.0E+01		pCi/L	0	CN
		Promethium-146	<2.3E+01		pCi/L	0	CN
		Radium-226	<1.0E+00		pCi/L	0	CN
		Radium-228	<1.0E+00		pCi/L	0	CN
		Radium, total alpha-emitting	1.7E+00 ± 7.0E-01		pCi/L	0	GE
		Ruthenium-106	<8.0E+01		pCi/L	0	CN
		Sodium-22	<1.0E+01		pCi/L	0	CN
		Strontium-89	<2.4E+00	3	pCi/L	0	CN
		Strontium-90	2.4E+00 ± 1.2E+00	3	pCi/L	0	CN
		Technetium-99	<3.0E+02		pCi/L	0	CN
		Thorium-228	<1.0E+00		pCi/L	0	CN
		Thorium-230	<1.0E+00		pCi/L	0	CN
		Thorium-232	<1.0E+00		pCi/L	0	CN
		Tritium	<7.0E-01		pCi/mL	0	GE
		Uranium-233/234	<1.0E+00		pCi/L	0	CN
		Uranium-235	<1.0E+00		pCi/L	0	CN
		Uranium-238	<1.0E+00		pCi/L	0	CN
		Yttrium-88	<1.0E+01		pCi/L	0	CN
		Zinc-65	<2.3E+01		pCi/L	0	CN

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL HSB 85B

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N73789.3 E58953.3	33.285162 °N 81.654898 °W	143.2-133.2 ft msl	294.5 ft msl	4" PVC	S	McBean (IIB ₁)

FIELD MEASUREMENTS

Sample date: 07/06/93
Depth to water: 58.95 ft (17.97 m) below TOC
Water elevation: 235.55 ft (71.80 m) msl
Sp. conductance: 143 µS/cm
Turbidity: 1.3 NTU
Water evacuated before sampling: 52 gal
The well went dry during purging.

Time: 8:05
pH: 10.2
Alkalinity: 47 mg/L
Water temperature: 20.7 °C

Volumes purged: 0.8 well volumes

LABORATORY ANALYSES

H	D	Analyte	Result	Mod	Unit	Flag	Lab
•		pH	8.0	J	pH	0	GE
		Specific conductance	183		µS/cm	0	GE
		Aluminum	617		µg/L	2	GE
		Antimony	<2.0		µg/L	0	GE
		Antimony	<2.0		µg/L	0	GE
		Arsenic	<2.0		µg/L	0	GE
		Arsenic	<2.0		µg/L	0	GE
		Barium	28		µg/L	0	GE
		Benzene	<1.0		µg/L	0	GE
		Boron	45		µg/L	0	GE
		Bromodichloromethane	<1.0		µg/L	0	GE
		Bromoform	<1.0		µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0		µg/L	0	GE
		Cadmium	<2.0		µg/L	0	GE
		Calcium	25,500		µg/L	0	GE
		Carbon tetrachloride	<1.0		µg/L	0	GE
		Chloride	1,920		µg/L	0	GE
		Chlorobenzene	<1.0		µg/L	0	GE
		Chloroethane	<1.0		µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0		µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0		µg/L	0	GE
		Chloroform	<1.0		µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0		µg/L	0	GE
		Chromium	<4.0		µg/L	0	GE
		Cobalt	<4.0		µg/L	0	GE
		Copper	<4.0		µg/L	0	GE
		Cyanide	<5.0		µg/L	0	GE
		Dibromochloromethane	<1.0		µg/L	0	GE
		1,1-Dichloroethane	<1.0		µg/L	0	GE
		1,2-Dichloroethane	<1.0		µg/L	0	GE
		1,1-Dichloroethylene	<1.0		µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0		µg/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0		µg/L	0	GE
		1,2-Dichloropropane	<1.0		µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0		µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0		µg/L	0	GE
		Ethylbenzene	<1.0		µg/L	0	GE
		Fluoride	<100		µg/L	0	GE
		Iron	65		µg/L	0	GE

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL HSB 85B collected on 07/06/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		Lead	<3.0		µg/L	0	GE
		Lead	<3.0		µg/L	0	GE
		Lindane	<0.0050		µg/L	0	GE
		Lithium	8.3		µg/L	0	GE
		Magnesium	797		µg/L	0	GE
		Manganese	<2.0		µg/L	0	GE
		Mercury	<0.20		µg/L	0	GE
		Nickel	<4.0		µg/L	0	GE
		Nitrate-nitrite as nitrogen	240		µg/L	0	GE
		Phenols	<5.0		µg/L	0	GE
		Potassium	1,920		µg/L	0	GE
		Selenium	<2.0		µg/L	0	GE
		Selenium	<2.0		µg/L	0	GE
		Silica	13,900		µg/L	0	GE
		Silver	<2.0		µg/L	0	GE
		Sodium	5,590		µg/L	0	GE
		Sulfate	1,000		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0		µg/L	0	GE
		Tetrachloroethylene	<1.0		µg/L	0	GE
		Thallium	<2.0		µg/L	0	GE
		Thallium	<2.0		µg/L	0	GE
		Toluene	<1.0		µg/L	0	GE
		Total dissolved solids	128,000	V	µg/L	0	GE
		Total organic carbon	3,890		µg/L	0	GE
		Total organic halogens	<5.0		µg/L	0	GE
		Total phosphates (as P)	90		µg/L	0	GE
		1,1,1-Trichloroethane	<1.0		µg/L	0	GE
		1,1,2-Trichloroethane	<1.0		µg/L	0	GE
		Trichloroethylene	<1.0		µg/L	0	GE
		Trichlorofluoromethane	<1.0		µg/L	0	GE
		Vanadium	<8.0		µg/L	0	GE
		Zinc	12		µg/L	0	GE
		Actinium-228	<3.0E+01		pCi/L	0	GP
		Americium-241	<1.0E+00		pCi/L	0	GP
		Antimony-125	<2.0E+01		pCi/L	0	GP
		Cerium-144	<6.0E+01		pCi/L	0	GP
		Cesium-134	<1.0E+01		pCi/L	0	GP
		Cesium-137	<1.0E+01		pCi/L	0	GP
		Cobalt-57	<1.0E+01		pCi/L	0	GP
		Cobalt-60	<1.0E+01		pCi/L	0	GP
		Curium-242	<1.0E+00		pCi/L	0	GP
		Curium-243/244	<1.0E+00		pCi/L	0	GP
		Curium-245/246	<1.0E+00		pCi/L	0	GP
		Europium-152	<4.0E+01		pCi/L	0	GP
		Europium-154	<2.0E+01		pCi/L	0	GP
		Europium-155	<3.0E+01		pCi/L	0	GP
		Gross alpha	<2.0E+00		pCi/L	0	GE
		Iodine-129	<2.0E+00		pCi/L	0	GP
		Lead-212	<1.5E+01		pCi/L	0	GP
		Manganese-54	<1.0E+01		pCi/L	0	GP
		Nonvolatile beta	<2.0E+00		pCi/L	0	GE
		Plutonium-238	<1.0E+00		pCi/L	0	GP
		Plutonium-239/240	<1.0E+00		pCi/L	0	GP
		Potassium-40	<1.1E+02		pCi/L	0	GP
		Promethium-144	<1.0E+01		pCi/L	0	GP
		Promethium-146	<1.0E+01		pCi/L	0	GP

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL HSB 85B collected on 07/06/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		Radium-226	<1.0E+00		pCi/L	0	GP
		Radium-228	<1.0E+00		pCi/L	0	GP
		Radium-228	<1.0E+00		pCi/L	0	GP
		Radium, total alpha-emitting	<1.0E+00		pCi/L	0	GE
		Ruthenium-106	<9.0E+01		pCi/L	0	GP
		Sodium-22	<1.0E+01		pCi/L	0	GP
		Strontium-89	<2.0E+00		pCi/L	0	GP
		Strontium-90	<2.0E+00		pCi/L	0	GP
		Technetium-99	<3.0E+02		pCi/L	0	GP
		Thorium-228	<1.0E+00		pCi/L	0	GP
		Thorium-230	<1.0E+00		pCi/L	0	GP
		Thorium-232	<1.0E+00		pCi/L	0	GP
		Thorium-234	<3.5E+02		pCi/L	0	GP
		Tritium	<7.0E-01		pCi/mL	0	GE
		Uranium-233/234	<1.0E+00		pCi/L	0	GP
		Uranium-235	<1.0E+00		pCi/L	0	GP
		Uranium-238	<1.0E+00		pCi/L	0	GP
		Yttrium-88	<6.0E+01		pCi/L	0	GP
		Zinc-65	<2.0E+01		pCi/L	0	GP

WELL HSB 85B

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N73789.3 E58953.3	33.285162 °N 81.654898 °W	143.2-133.2 ft msl	294.5 ft msl	4" PVC	S	McBean (IIB ₁)

FIELD MEASUREMENTS

Sample date: 08/30/93
Depth to water: 60.06 ft (18.31 m) below TOC
Water elevation: 234.44 ft (71.46 m) msl
Sp. conductance: 303 µS/cm
Turbidity: 1.0 NTU
Water evacuated before sampling: 50 gal
The well went dry during purging.

Time: 10:17
pH: 10.9
Alkalinity: 47 mg/L
Water temperature: 21.0 °C
Volumes purged: 0.8 well volumes

LABORATORY ANALYSES

H	D	Analyte	Result	Mod	Unit	Flag	Lab
•		pH	9.3	J	pH	1	GE
		Specific conductance	178		µS/cm	0	GE
		Aluminum	2,060		µg/L	2	GE
		Antimony	<2.0		µg/L	0	GE
		Arsenic	<2.0		µg/L	0	GE
		Barium	37		µg/L	0	GE
		Benzene	<1.0		µg/L	0	GE
		Benzene	<1.0		µg/L	0	GE
		Boron	<30		µg/L	0	GE
		Bromodichloromethane	<1.0		µg/L	0	GE
		Bromodichloromethane	<1.0		µg/L	0	GE
		Bromoform	<1.0		µg/L	0	GE
		Bromoform	<1.0		µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0		µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0		µg/L	0	GE

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL HSB 85B collected on 08/30/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		Cadmium	<2.0		µg/L	0	GE
		Calcium	29,700		µg/L	0	GE
		Carbon tetrachloride	<1.0		µg/L	0	GE
		Carbon tetrachloride	<1.0		µg/L	0	GE
		Chloride	1,830		µg/L	0	GE
		Chlorobenzene	<1.0		µg/L	0	GE
		Chlorobenzene	<1.0		µg/L	0	GE
		Chloroethane	<1.0		µg/L	0	GE
		Chloroethane	<1.0		µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0		µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0		µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0		µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0		µg/L	0	GE
		Chloroform	<1.0		µg/L	0	GE
		Chloroform	<1.0		µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0		µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0		µg/L	0	GE
		Chromium	4.9		µg/L	0	GE
		Cobalt	<4.0		µg/L	0	GE
		Copper	<4.0		µg/L	0	GE
		Cyanide	<5.0		µg/L	0	GE
		Dibromochloromethane	<1.0		µg/L	0	GE
		Dibromochloromethane	<1.0		µg/L	0	GE
		1,1-Dichloroethane	<1.0		µg/L	0	GE
		1,1-Dichloroethane	<1.0		µg/L	0	GE
		1,2-Dichloroethane	<1.0		µg/L	0	GE
		1,2-Dichloroethane	<1.0		µg/L	0	GE
		1,1-Dichloroethylene	<1.0		µg/L	0	GE
		1,1-Dichloroethylene	<1.0		µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0		µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0		µg/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0		µg/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0		µg/L	0	GE
		1,2-Dichloropropane	<1.0		µg/L	0	GE
		1,2-Dichloropropane	<1.0		µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0		µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0		µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0		µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0		µg/L	0	GE
		Ethylbenzene	<1.0		µg/L	0	GE
		Ethylbenzene	<1.0		µg/L	0	GE
		Fluoride	<100		µg/L	0	GE
		Iron	36		µg/L	0	GE
		Lead	<3.0		µg/L	0	GE
		Lindane	<0.0050		µg/L	0	GE
		Lithium	19		µg/L	0	GE
		Magnesium	213		µg/L	0	GE
		Manganese	<2.0		µg/L	0	GE
		Mercury	<0.20		µg/L	0	GE
		Nickel	<4.0		µg/L	0	GE
		Nitrate-nitrite as nitrogen	450		µg/L	0	GE
		Phenols	<5.0		µg/L	0	GE
		Phenols	<5.0		µg/L	0	GE
		Potassium	4,220		µg/L	0	GE
		Selenium	<2.0	J1	µg/L	0	GE
		Silica	13,500		µg/L	0	GE

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL HSB 85B collected on 08/30/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		Silver	<2.0		µg/L	0	GE
		Sodium	9,030		µg/L	0	GE
		Sulfate	2,270		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0		µg/L	0	GE
		Tetrachloroethylene	<1.0		µg/L	0	GE
		Tetrachloroethylene	<1.0		µg/L	0	GE
		Tin	6.7		µg/L	0	GE
		Toluene	<1.0		µg/L	0	GE
		Toluene	<1.0		µg/L	0	GE
		Total dissolved solids	121,000		µg/L	0	GE
		Total organic carbon	<1,000		µg/L	0	GE
		Total organic halogens	<5.0		µg/L	0	GE
		Total phosphates (as P)	280		µg/L	0	GE
		1,1,1-Trichloroethane	<1.0		µg/L	0	GE
		1,1,1-Trichloroethane	<1.0		µg/L	0	GE
		1,1,2-Trichloroethane	<1.0		µg/L	0	GE
		1,1,2-Trichloroethane	<1.0		µg/L	0	GE
		Trichloroethylene	<1.0		µg/L	0	GE
		Trichloroethylene	<1.0		µg/L	0	GE
		Trichlorofluoromethane	<1.0		µg/L	0	GE
		Trichlorofluoromethane	<1.0		µg/L	0	GE
		Vanadium	10		µg/L	0	GE
		Zinc	5.4		µg/L	0	GE
		Americium-241	<1.0E+00		pCi/L	0	CN
		Antimony-125	<2.5E+01		pCi/L	0	CN
		Cerium-144	<5.0E+01		pCi/L	0	CN
		Cesium-134	<1.0E+01		pCi/L	0	CN
		Cesium-137	1.2E+01 ± 8.1E+00		pCi/L	0	CN
		Cobalt-57	<1.0E+01		pCi/L	0	CN
		Cobalt-60	<1.2E+01		pCi/L	0	CN
		Curium-242	<1.0E+00		pCi/L	0	CN
		Curium-243/244	<1.0E+00		pCi/L	0	CN
		Europium-152	<5.0E+01		pCi/L	0	CN
		Europium-154	<2.5E+01		pCi/L	0	CN
		Europium-155	<2.5E+01		pCi/L	0	CN
		Gross alpha	<2.0E+00		pCi/L	0	GE
		Iodine-129	<2.0E+00		pCi/L	0	CN
		Manganese-54	<1.0E+01		pCi/L	0	CN
		Nonvolatile beta	<2.0E+00		pCi/L	0	GE
		Plutonium-238	<1.0E+00		pCi/L	0	CN
		Plutonium-239/240	<1.0E+00		pCi/L	0	CN
		Potassium-40	<2.5E+02		pCi/L	0	CN
		Promethium-144	<1.0E+01		pCi/L	0	CN
		Promethium-146	<2.3E+01		pCi/L	0	CN
		Radium-226	<1.0E+00		pCi/L	0	CN
		Radium-228	1.7E+00 ± 5.3E-01		pCi/L	0	CN
		Radium, total alpha-emitting	1.0E+00 ± 5.0E-01		pCi/L	0	GE
		Ruthenium-106	<8.0E+01		pCi/L	0	CN
		Sodium-22	<1.0E+01		pCi/L	0	CN
		Strontium-89	<2.0E+00		pCi/L	0	CN
		Strontium-90	<2.0E+00		pCi/L	0	CN
		Technetium-99	<3.0E+02		pCi/L	0	CN
		Thorium-228	<1.0E+00		pCi/L	0	CN
		Thorium-230	1.1E+00 ± 5.0E-01		pCi/L	0	CN
		Thorium-232	<1.0E+00		pCi/L	0	CN

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL HSB 85B collected on 08/30/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		Tritium	1.7E+00 ± 4.6E-01		pCi/mL	0	GE
		Uranium-233/234	< 1.0E+00		pCi/L	0	CN
		Uranium-235	< 1.0E+00		pCi/L	0	CN
		Uranium-238	< 1.0E+00		pCi/L	0	CN
		Yttrium-88	< 1.0E+01		pCi/L	0	CN
		Zinc-65	< 2.3E+01		pCi/L	0	CN

WELL HSB 85B

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N73789.3	33.285162 °N	143.2-133.2 ft msl	294.5 ft msl	4" PVC	S	McBean (IIB ₁)
E58953.3	81.654898 °W					

FIELD MEASUREMENTS

Sample date: 09/15/93
Depth to water: 60.16 ft (18.34 m) below TOC
Water elevation: 234.34 ft (71.43 m) msl
Sp. conductance: 134 µS/cm
Turbidity: 1.0 NTU
Water evacuated before sampling: 51 gal
The well went dry during purging.

Time: 8:07
pH: 10.0
Alkalinity: 113 mg/L
Water temperature: 20.2 °C

Volumes purged: 0.8 well volumes

LABORATORY ANALYSES

H	D	Analyte	Result	Mod	Unit	Flag	Lab
•		pH	8.9	J	pH	1	GE
		Specific conductance	160		µS/cm	0	GE
		Aluminum	1,150		µg/L	2	GE
		Antimony	< 2.0		µg/L	0	GE
		Arsenic	< 2.0		µg/L	0	GE
		Arsenic	< 2.0		µg/L	0	GE
		Barium	22		µg/L	0	GE
		Benzene	< 1.0		µg/L	0	GE
		Benzene	< 1.0		µg/L	0	GE
		Boron	< 30		µg/L	0	GE
		Boron	< 30		µg/L	0	GE
		Bromodichloromethane	< 1.0		µg/L	0	GE
		Bromodichloromethane	< 1.0		µg/L	0	GE
		Bromoform	< 1.0		µg/L	0	GE
		Bromoform	< 1.0		µg/L	0	GE
		Bromomethane (Methyl bromide)	< 1.0		µg/L	0	GE
		Bromomethane (Methyl bromide)	< 1.0		µg/L	0	GE
		Cadmium	< 2.0		µg/L	0	GE
		Calcium	15,000	J2	µg/L	0	GE
		Carbon tetrachloride	< 1.0		µg/L	0	GE
		Carbon tetrachloride	< 1.0		µg/L	0	GE
		Chloride	1,750		µg/L	0	GE
		Chlorobenzene	< 1.0		µg/L	0	GE
		Chlorobenzene	< 1.0		µg/L	0	GE
		Chloroethane	< 1.0		µg/L	0	GE
		Chloroethane	< 1.0		µg/L	0	GE
		Chloroethene (Vinyl chloride)	< 1.0		µg/L	0	GE
		Chloroethene (Vinyl chloride)	< 1.0		µg/L	0	GE

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL HSB 85B collected on 09/15/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		2-Chloroethyl vinyl ether	<1.0		µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0		µg/L	0	GE
		Chloroform	<1.0		µg/L	0	GE
		Chloroform	<1.0		µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0		µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0		µg/L	0	GE
		Chromium	<4.0		µg/L	0	GE
		Cobalt	<4.0		µg/L	0	GE
		Copper	<4.0		µg/L	0	GE
		Cyanide	<5.0		µg/L	0	GE
		Cyanide	<5.0		µg/L	0	GE
		Dibromochloromethane	<1.0		µg/L	0	GE
		Dibromochloromethane	<1.0		µg/L	0	GE
		1,1-Dichloroethane	<1.0		µg/L	0	GE
		1,1-Dichloroethane	<1.0		µg/L	0	GE
		1,2-Dichloroethane	<1.0		µg/L	0	GE
		1,2-Dichloroethane	<1.0		µg/L	0	GE
		1,1-Dichloroethylene	<1.0		µg/L	0	GE
		1,1-Dichloroethylene	<1.0		µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0		µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0		µg/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0		µg/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0		µg/L	0	GE
		1,2-Dichloropropane	<1.0		µg/L	0	GE
		1,2-Dichloropropane	<1.0		µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0		µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0		µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0		µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0		µg/L	0	GE
		Ethylbenzene	<1.0		µg/L	0	GE
		Ethylbenzene	<1.0		µg/L	0	GE
		Fluoride	<100		µg/L	0	GE
		Fluoride	<100		µg/L	0	GE
		Iron	32		µg/L	0	GE
		Lead	<3.0		µg/L	0	GE
		Lead	<3.0		µg/L	0	GE
		Lindane	<0.0050		µg/L	0	GE
		Lithium	15		µg/L	0	GE
		Magnesium	664		µg/L	0	GE
		Manganese	<2.0		µg/L	0	GE
		Mercury	<0.20		µg/L	0	GE
		Nickel	<4.0		µg/L	0	GE
		Nitrate-nitrite as nitrogen	260		µg/L	0	GE
		Phenols	<5.0		µg/L	0	GE
		Potassium	2,940		µg/L	0	GE
		Selenium	<2.0		µg/L	0	GE
		Selenium	<2.0		µg/L	0	GE
		Silica	12,800		µg/L	0	GE
		Silver	<2.0		µg/L	0	GE
		Sodium	7,410		µg/L	0	GE
		Sulfate	1,800		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0		µg/L	0	GE
		Tetrachloroethylene	<1.0		µg/L	0	GE
		Tetrachloroethylene	<1.0		µg/L	0	GE
		Tin	6.7		µg/L	0	GE

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL HSB 85B collected on 09/15/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		Toluene	<1.0		µg/L	0	GE
		Toluene	<1.0		µg/L	0	GE
		Total dissolved solids	115,000	V	µg/L	0	GE
		Total organic carbon	<1,000		µg/L	0	GE
		Total organic halogens	<5.0		µg/L	0	GE
		Total phosphates (as P)	<50		µg/L	0	GE
		1,1,1-Trichloroethane	<1.0		µg/L	0	GE
		1,1,1-Trichloroethane	<1.0		µg/L	0	GE
		1,1,2-Trichloroethane	<1.0		µg/L	0	GE
		1,1,2-Trichloroethane	<1.0		µg/L	0	GE
		Trichloroethylene	<1.0		µg/L	0	GE
		Trichloroethylene	<1.0		µg/L	0	GE
		Trichlorofluoromethane	<1.0		µg/L	0	GE
		Trichlorofluoromethane	<1.0		µg/L	0	GE
		Vanadium	<8.0		µg/L	0	GE
		Zinc	4.8		µg/L	0	GE
		Americium-241	<1.0E+00		pCi/L	0	CN
		Antimony-125	<2.5E+01		pCi/L	0	CN
		Cerium-144	<5.0E+01		pCi/L	0	CN
		Cesium-134	<1.0E+01		pCi/L	0	CN
		Cesium-137	<1.0E+01		pCi/L	0	CN
		Cobalt-57	<1.0E+01		pCi/L	0	CN
		Cobalt-60	<1.2E+01		pCi/L	0	CN
		Curium-242	<1.0E+00		pCi/L	0	CN
		Curium-243/244	<1.0E+00		pCi/L	0	CN
		Europium-152	<5.0E+01		pCi/L	0	CN
		Europium-154	<2.5E+01		pCi/L	0	CN
		Europium-155	<2.5E+01		pCi/L	0	CN
		Gross alpha	<2.0E+00		pCi/L	0	GE
		Iodine-129	<2.0E+00		pCi/L	0	CN
		Manganese-54	<1.0E+01		pCi/L	0	CN
		Nonvolatile beta	<2.0E+00		pCi/L	0	GE
		Plutonium-238	<1.0E+00		pCi/L	0	CN
		Plutonium-239/240	<1.0E+00		pCi/L	0	CN
		Potassium-40	<2.5E+02		pCi/L	0	CN
		Promethium-144	<1.0E+01		pCi/L	0	CN
		Promethium-146	<2.3E+01		pCi/L	0	CN
		Radium-226	<1.0E+00		pCi/L	0	CN
		Radium-228	<1.0E+00		pCi/L	0	CN
		Radium, total alpha-emitting	1.3E+00 ± 7.0E-01		pCi/L	0	GE
		Radium, total alpha-emitting	<1.0E+00		pCi/L	0	GE
		Ruthenium-106	<8.0E+01		pCi/L	0	CN
		Sodium-22	<1.0E+01		pCi/L	0	CN
		Strontium-89	<2.0E+00		pCi/L	0	CN
		Strontium-90	<2.0E+00		pCi/L	0	CN
		Technetium-99	<3.0E+02		pCi/L	0	CN
		Thorium-228	<1.0E+00		pCi/L	0	CN
		Thorium-230	<1.0E+00		pCi/L	0	CN
		Thorium-232	<1.0E+00		pCi/L	0	CN
		Tritium	<7.0E-01		pCi/mL	0	GE
		Uranium-233/234	<1.0E+00		pCi/L	0	CN
		Uranium-235	<1.0E+00		pCi/L	0	CN
		Uranium-238	<1.0E+00		pCi/L	0	CN
		Yttrium-88	<1.0E+01		pCi/L	0	CN
		Zinc-65	<2.3E+01		pCi/L	0	CN

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL HSB 85C

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N73802.3 E58947.4	33.285182 °N 81.654939 °W	224.2-214.2 ft msl	294.1 ft msl	4" PVC	S	Water Table (IIB ₂)

FIELD MEASUREMENTS

Sample date: 07/05/93
Depth to water: 51.94 ft (15.83 m) below TOC
Water elevation: 242.16 ft (73.81 m) msl
Sp. conductance: 37 µS/cm
Turbidity: 0.4 NTU
Water evacuated before sampling: 67 gal

Time: 10:44
pH: 4.6
Alkalinity: 0 mg/L
Water temperature: 21.0 °C

Volumes purged: 3.7 well volumes

LABORATORY ANALYSES

H	D	Analyte	Result	Mod	Unit	Flag	Lab
•		pH	4.8	J	pH	0	GE
		Specific conductance	30		µS/cm	0	GE
		Aluminum	37		µg/L	1	GE
		Antimony	<2.0		µg/L	0	GE
		Arsenic	<2.0		µg/L	0	GE
		Barium	5.4		µg/L	0	GE
		Benzene	<1.0		µg/L	0	GE
		Bromodichloromethane	<1.0		µg/L	0	GE
		Bromoform	<1.0		µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0		µg/L	0	GE
		Cadmium	<2.0		µg/L	0	GE
		Calcium	139	J2	µg/L	0	GE
		Carbon tetrachloride	<1.0		µg/L	0	GE
		Chloride	2,200		µg/L	0	GE
		Chlorobenzene	<1.0		µg/L	0	GE
		Chloroethane	<1.0		µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0		µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0		µg/L	0	GE
		Chloroform	<1.0		µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0		µg/L	0	GE
		Chromium	<4.0		µg/L	0	GE
		Cobalt	<4.0		µg/L	0	GE
		Copper	20		µg/L	0	GE
		Cyanide	<5.0		µg/L	0	GE
		Dibromochloromethane	<1.0		µg/L	0	GE
		1,1-Dichloroethane	<1.0		µg/L	0	GE
		1,2-Dichloroethane	<1.0		µg/L	0	GE
		1,1-Dichloroethylene	<1.0		µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0		µg/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0		µg/L	0	GE
		1,2-Dichloropropane	<1.0		µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0		µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0		µg/L	0	GE
		Ethylbenzene	<1.0		µg/L	0	GE
		Fluoride	<100		µg/L	0	GE
		Iron	5.6		µg/L	0	GE
		Lead	<3.0		µg/L	0	GE
		Lindane	<0.0050		µg/L	0	GE
		Magnesium	123		µg/L	0	GE

• = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL HSB 85C collected on 07/05/93, laboratory analyses (cont.)

H	D	Analyte	Result	Mod	Unit	Flag	Lab
		Manganese	2.4		µg/L	0	GE
		Mercury	1.4		µg/L	1	GE
		Nickel	<4.0		µg/L	0	GE
		Nitrate-nitrite as nitrogen	2,180		µg/L	0	GE
		Phenols	<5.0		µg/L	0	GE
		Potassium	<500		µg/L	0	GE
		Selenium	<2.0	J1	µg/L	0	GE
		Silica	6,370	J2	µg/L	0	GE
		Silver	<2.0		µg/L	0	GE
		Sodium	3,990		µg/L	0	GE
		Sulfate	<1,000		µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0		µg/L	0	GE
		Tetrachloroethylene	<1.0		µg/L	0	GE
		Tin	<2.0		µg/L	0	GE
		Toluene	<1.0		µg/L	0	GE
		Total dissolved solids	28,000	V	µg/L	0	GE
		Total organic carbon	<1,000		µg/L	0	GE
		Total organic halogens	<5.0		µg/L	0	GE
		Total phosphates (as P)	<50		µg/L	0	GE
		1,1,1-Trichloroethane	<1.0		µg/L	0	GE
		1,1,2-Trichloroethane	<1.0		µg/L	0	GE
		Trichloroethylene	<1.0		µg/L	0	GE
		Trichlorofluoromethane	<1.0		µg/L	0	GE
		Vanadium	<8.0		µg/L	0	GE
		Zinc	5.9		µg/L	0	GE
		Actinium-228	<3.0E+01		pCi/L	0	GP
		Americium-241	<1.0E+00		pCi/L	0	GP
		Antimony-125	<2.0E+01		pCi/L	0	GP
		Cerium-144	<6.0E+01		pCi/L	0	GP
		Cesium-134	<1.0E+01		pCi/L	0	GP
		Cesium-137	<1.0E+01		pCi/L	0	GP
		Cobalt-57	<1.0E+01		pCi/L	0	GP
		Cobalt-60	<1.0E+01		pCi/L	0	GP
		Curium-242	<1.0E+00		pCi/L	0	GP
		Curium-243/244	<1.0E+00		pCi/L	0	GP
		Curium-245/246	<1.0E+00		pCi/L	0	GP
		Europium-152	<4.0E+01		pCi/L	0	GP
		Europium-154	<2.0E+01		pCi/L	0	GP
		Europium-155	<3.0E+01		pCi/L	0	GP
		Gross alpha	5.4E+00 ± 1.9E+00		pCi/L	0	GE
		Iodine-129	<2.0E+00		pCi/L	0	GP
		Lead-212	<1.5E+01		pCi/L	0	GP
		Manganese-54	<1.0E+01		pCi/L	0	GP
		Nonvolatile beta	<2.0E+00		pCi/L	0	GE
		Plutonium-238	<1.0E+00		pCi/L	0	GP
		Plutonium-239/240	<1.0E+00		pCi/L	0	GP
		Potassium-40	<1.1E+02		pCi/L	0	GP
		Promethium-144	<1.0E+01		pCi/L	0	GP
		Promethium-146	<1.0E+01		pCi/L	0	GP
		Radium-226	<1.0E+00		pCi/L	0	GP
		Radium-228	<1.0E+00		pCi/L	0	GP
		Radium, total alpha-emitting	2.7E+00 ± 8.0E-01		pCi/L	0	GE
		Ruthenium-106	<9.0E+01		pCi/L	0	GP
		Sodium-22	<1.0E+01		pCi/L	0	GP
		Strontium-89	<2.0E+00		pCi/L	0	GP
		Strontium-90	<2.0E+00		pCi/L	0	GP

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

WELL HSB 85C collected on 07/05/93, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Mod</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Technetium-99	< 3.0E + 02		pCi/L	0	GP
		Technetium-99	< 3.0E + 02		pCi/L	0	GP
		Technetium-99	< 3.0E + 02		pCi/L	0	GP
		Thorium-228	< 1.0E + 00		pCi/L	0	GP
		Thorium-230	< 1.0E + 00		pCi/L	0	GP
		Thorium-232	< 1.0E + 00		pCi/L	0	GP
		Thorium-234	< 3.5E + 02		pCi/L	0	GP
		Tritium	5.2E + 00 ± 4.4E-01		pCi/mL	0	GE
		Uranium-233/234	< 1.0E + 00		pCi/L	0	GP
		Uranium-235	< 1.0E + 00		pCi/L	0	GP
		Uranium-238	< 1.0E + 00		pCi/L	0	GP
		Yttrium-88	< 6.0E + 01		pCi/L	0	GP
		Zinc-65	< 2.0E + 01		pCi/L	0	GP

● = exceeded holding time. ■ = exceeded screening level or final primary drinking water standard.

Appendix E – Data Quality/Useability Assessment

Data Quality/Useability Assessment

Quality assurance/quality control (QA/QC) procedures relating to accuracy and precision of analyses performed on groundwater samples are followed in the field and laboratory and are reviewed prior to publication of results. The Environmental Protection Department/Environmental Monitoring Section's (EPD/EMS) review of the volume of analytical data acquired each quarter and presented in various reports is an ongoing process; its review of the QA/QC data cannot be completed in time to meet the deadlines for the reports required by the Resource Conservation and Recovery Act and associated regulations. Other site and regulatory personnel can obtain further information on the data quality and useability in a variety of ways, including those described below.

Data Qualification

The contract laboratories continually assess their own accuracy and precision according to U.S. Environmental Protection Agency (EPA) guidelines. They submit sample- or batch-specific QA/QC information either at the same time as analytical results or in a quarterly summary. Properly defined and used result modifiers (also referred to as qualifiers) can be a key component in assessing data useability. Result modifiers designed by EPD/EMS and used by the primary laboratories are presented in Appendix D.

Assessment of Accuracy of the Data

Accuracy, or the nearness of the reported result to the true concentration of a constituent in a sample, can be assessed in several ways.

A laboratory's general accuracy can be judged by analysis of results obtained from known samples. The non-radionuclide contract laboratories analyze commercial reference samples every quarter at EPD/EMS' request. The results of these analyses are presented in the EPD/EMS quarterly report, *The Savannah River Site's Groundwater Monitoring Program*. The primary laboratories also seek or maintain state certification by participating periodically in performance studies; reference samples and analysis of results are provided by EPA. Results of these studies also are published in the EPD/EMS quarterly reports.

Analysis of blanks provides a tool for assessing the accuracy of both sampling and laboratory analysis. Results for all field blanks for the quarter can be found in the EPD/EMS quarterly reports. Any field or laboratory blanks that exceeded established minimums are identified in the same reports, in tables associating them with groundwater samples analyzed in the same batches.

Surrogates, organic compounds similar in chemical behavior to the compounds of interest but not normally found in environmental samples, are used to monitor the effect of the matrix on the accuracy of analyses for organic parameters. For example, for analyses of volatile organics by EPA Method 8240, three surrogate compounds are added to all samples

and blanks in each analytical batch. In analyses of semivolatile organics, three to four acid compounds and three to four base/neutral compounds are used. Other surrogates are used in pesticides analyses. Percent recoveries for surrogate analyses are calculated by laboratory personnel, reported to EPD/EMS, reviewed, and entered into the database, but they are not published. If recoveries are not within specified limits, the laboratory is expected to re-run the samples or attach result qualifiers to the data identifying the anomalous results.

Sample-specific accuracy for both organic and inorganic parameters can be assessed by examination of matrix spike/matrix spike duplicate results. A sample is analyzed unspiked to determine a baseline set of values. A second portion of sample is spiked with known concentrations of compounds appropriate to the analyses being performed, typically 5 volatile organic compounds for volatile organics analyses, 11 semivolatile compounds for semivolatiles, 6 pesticide compounds for pesticides, all metals for metals analyses, and a known quantity of cyanide for cyanide analysis. The percentage of the spike compound that is recovered (i.e., measured in excess of the value obtained for the unspiked sample) is a direct measure of analytical accuracy. EPA requires matrix spike/matrix spike duplicates to be run at least once per 20 samples of similar matrix.

Matrix spike/matrix spike duplicate results are reported to EPD/EMS but are not published. For organic compounds, according to EPA guidelines, no action is taken on the basis of matrix spike/matrix spike duplicate data alone (i.e., no result modifiers are assigned solely on the basis of matrix spike results); however, the results can indicate if a lab is having a systematic problem in the analysis of one or more analytes.

In the case of inorganic compounds, such as metals, the matrix spike sample analysis provides information about the effect of each sample matrix on the digestion and measurement methodology. Data qualifiers can be assigned on the basis of the percentage of spike recovery and are reported in the published results tables.

Assessment of Precision

Precision of the analyses, or agreement of a set of replicate results among themselves, is assessed through the use of duplicates (laboratory-initiated) and blind replicates (provided by EPD/EMS). The results of duplicate and replicate analyses are presented in the results tables of the first, second, and third quarter reports. Duplicate and replicate results are not presented in fourth quarter reports; the results tables present instead only the highest result for each analyte for each quarter of the year.

The laboratories assess precision by calculating the relative percent difference, or RPD, for each pair of laboratory-initiated duplicate results. During 1992, at least one of the contract laboratories used a data qualifier (J3) to modify metals analyses when the RPD for laboratory duplicates was greater than 20%.

Additional statistical comparisons of laboratory duplicate and blind replicate results, both intra- and interlaboratory, are presented in the EPD/EMS quarterly reports. The calculation used for these reports is the MRD, or mean relative difference, which is similar to EPA's RPD except that the MRD provides a single value for all of the analyses of a particular com-

pound, either inter- or intralaboratory, during one quarter. Because detection limits may vary among samples, the MRD requires calculation of a reference detection limit, which is the detection limit at the 90th percentile of the array of limits in the population of all replicate and duplicate analyses for a given analyte during a particular quarter. The MRD is not method-specific.

Method-Specific Accuracy and Precision

The contract laboratories' EPA-approved laboratory procedures include QA/QC requirements as an integral part of the methods. Thus, knowledge of the method used in obtaining data is an important component of determining data useability. EPA has conducted extensive research and development on the methods approved for the analysis of water and waste water; information on the accuracy and precision of the method is available from EPA publications, as is full information on required QA/QC procedures. A listing of the methods used by the primary laboratories during first quarter 1992 is given below along with the source for the method description. Many, if not all, of these sources include presentations of representative accuracy and precision results.

<u>Method</u>	<u>Used to Analyze</u>	<u>Source</u>
EPA120.1	Specific conductance	EPA EMSL 1983
EPA150.1	pH	EPA EMSL 1983
EPA160.1	Filterable residue (total dissolved solids)	EPA EMSL 1983
EPA160.2	Nonfilterable residue	EPA EMSL 1983
EPA180.1	Turbidity	EPA EMSL 1983
EPA200.7	Trace elements	EPA EMSL 1983
EPA206.2	Arsenic	EPA EMSL 1983
EPA208.2	Barium	EPA EMSL 1983
EPA239.2	Lead	EPA EMSL 1983
EPA245.1	Mercury	EPA EMSL 1983
EPA270.2	Selenium	EPA EMSL 1983
EPA279.2	Thallium	EPA EMSL 1983
EPA300.0	Inorganics, non-metallics	EPA EMSL 1991
EPA310.1	Alkalinity	EPA EMSL 1983
EPA325.2	Chloride	EPA EMSL 1983
EPA335.3	Cyanide	EPA EMSL 1983
EPA340.2	Fluoride	EPA EMSL 1983
EPA353.1	Nitrogen, nitrate-nitrite	EPA EMSL 1983
EPA353.2	Nitrogen, nitrate, nitrite, or combined	EPA EMSL 1983
EPA353.3	Nitrogen, nitrate-nitrite, or nitrite only	EPA EMSL 1983
EPA354.1	Nitrogen, nitrite	EPA EMSL 1983
EPA365.1	Phosphorus, all forms (reported as total phosphates)	EPA EMSL 1983
EPA365.2	Phosphorus, all forms (reported as total phosphates)	EPA EMSL 1983
EPA375.4	Sulfate, turbidimetric	EPA EMSL 1983
EPA376.2	Sulfide	EPA EMSL 1983
APHA403	Alkalinity	APHA 1985
EPA413.1	Oil & grease	EPA EMSL 1983
APHA415A	Iodine	APHA 1985
EPA415.1	Total organic carbon	EPA EMSL 1983
EPA418.1	Petroleum hydrocarbons	EPA EMSL 1983
EPA420.1	Phenolics	EPA EMSL 1983
EPA420.2	Phenolics	EPA EMSL 1983
APHA705	Total alpha-emitting radium	APHA 1985

<u>Method</u>	<u>Used to Analyze</u>	<u>Source</u>
ASTMD3869C	Iodide	ASTM 1992
APHA5320	Dissolved organic halogen	APHA 1989
EPA6010	Metals	EPA 1986
EPA7041	Antimony	EPA 1986
EPA7060	Arsenic	EPA 1986
EPA7421	Lead	EPA 1986
EPA7470	Mercury	EPA 1986
EPA7740	Selenium	EPA 1986
EPA7841	Thallium	EPA 1986
EPA8010	Halogenated volatile organics	EPA 1986
EPA8020	Aromatic volatile organics	EPA 1986
EPA8080	Organochlorine pesticides and PCBs	EPA 1986
EPA8140	Organophosphorus pesticides	EPA 1986
EPA8150	Chlorinated herbicides	EPA 1986
EPA8240	GCMS VOA	EPA 1986
EPA8270	GCMS semivolatiles	EPA 1986
EPA8280	Dioxins and furans	EPA 1986
EPA9012	Total cyanide	EPA 1986
EPA9020	Total organic halides	EPA 1986
EPA9030	Sulfides	EPA 1986

An example of the available method-specific QA/QC information is that for the analysis of metals by EPA Method 6010/200.7 (EPA, 1986/EPA EMSL, 1983). The primary laboratories, General Engineering Laboratories (GE) and Roy F. Weston, Inc. (Weston), use this inductively coupled plasma (ICP) atomic emission spectrometric method.

The following precision and accuracy data are based on the experience of seven laboratories that applied the ICP technique to acid-distilled water matrices that had been dosed with various metal concentrates. (Note: not all seven laboratories analyzed all 14 elements.) The references give results for samples having three concentration ranges; the results here are for samples having the lowest values, similar to actual groundwater results for SRS.

ICP Precision and Accuracy Data

<u>Element</u>	<u>True value ($\mu\text{g/L}$)</u>	<u>Mean reported value ($\mu\text{g/L}$)</u>	<u>Mean percent RSD^a</u>
Aluminum	60	62	33
Arsenic	22	19	23
Beryllium	20	20	9.8
Cadmium	2.5	2.9	16
Chromium	10	10	18
Cobalt	20	20	4.1
Copper	11	11	40
Iron	20	19	15
Lead	24	30	32
Manganese	15	15	6.7
Nickel	30	28	11
Selenium	6	8.5	42

Element	True value ($\mu\text{g/L}$)	Mean reported value ($\mu\text{g/L}$)	Mean percent RSD ^a
Vanadium	70	69	2.9
Zinc	16	19	45

Note: In EPA (1986), the column heading is Mean Standard Deviation (%).

^a Relative standard deviation.

As another example, EPA Method 601/8010 (EPA, 1991/EPA, 1986) is used by both GE and Weston for analyses of halogenated volatile organics. In the presentation of the method in both references, the following table gives method-specific accuracy and precision as functions of concentration. Contract laboratories are expected to achieve or at least approach these limits.

Accuracy and Precision as Functions of Concentration for EPA Method 601/8010

Parameter	Accuracy as recovery, X'^a ($\mu\text{g/L}$)	Single analyst precision ($\mu\text{g/L}$) ^b	Overall precision ($\mu\text{g/L}$) ^c
Bromodichloromethane	$1.12C - 1.02^d$	$0.11\bar{X} + 0.04^e$	$0.20\bar{X} + 1.00$
Bromoform	$0.96C - 2.05$	$0.12\bar{X} + 0.58$	$0.21\bar{X} + 2.41$
Bromomethane	$0.76C - 1.27$	$0.28\bar{X} + 0.27$	$0.36\bar{X} + 0.94$
Carbon tetrachloride	$0.98C - 1.04$	$0.15\bar{X} + 0.38$	$0.20\bar{X} + 0.39$
Chlorobenzene	$1.00C - 1.23$	$0.15\bar{X} - 0.02$	$0.18\bar{X} + 1.21$
Chloroethane	$0.99C - 1.53$	$0.14\bar{X} - 0.13$	$0.17\bar{X} + 0.63$
2-Chloroethyl vinyl ether ^f	$1.00C$	$0.20\bar{X}$	$0.35\bar{X}$
Chloroform	$0.93C - 0.39$	$0.13\bar{X} + 0.15$	$0.19\bar{X} - 0.02$
Chloromethane	$0.77C + 0.18$	$0.28\bar{X} - 0.31$	$0.52\bar{X} + 1.31$
Dibromochloromethane	$0.94C + 2.72$	$0.11\bar{X} + 1.10$	$0.24\bar{X} + 1.68$
1,2-Dichlorobenzene	$0.93C + 1.70$	$0.20\bar{X} + 0.97$	$0.13\bar{X} + 6.13$
1,3-Dichlorobenzene	$0.95C + 0.43$	$0.14\bar{X} + 2.33$	$0.26\bar{X} + 2.34$
1,4-Dichlorobenzene	$0.93C - 0.09$	$0.15\bar{X} + 0.29$	$0.20\bar{X} + 0.41$
1,1-Dichloroethane	$0.95C - 1.08$	$0.09\bar{X} + 0.17$	$0.14\bar{X} + 0.94$
1,2-Dichloroethane	$1.04C - 1.06$	$0.11\bar{X} + 0.70$	$0.15\bar{X} + 0.94$
1,1-Dichloroethene	$0.98C - 0.87$	$0.21\bar{X} - 0.23$	$0.29\bar{X} - 0.40$
trans-1,2-Dichloroethene	$0.97C - 0.16$	$0.11\bar{X} + 1.46$	$0.17\bar{X} + 1.46$
1,2-Dichloropropane ^f	$1.00C$	$0.13\bar{X}$	$0.23\bar{X}$
cis-1,3-Dichloropropene ^f	$1.00C$	$0.18\bar{X}$	$0.32\bar{X}$
trans-1,3-Dichloropropene ^f	$1.00C$	$0.18\bar{X}$	$0.32\bar{X}$
Dichloromethane (Methylene chloride)	$0.91C - 0.93$	$0.11\bar{X} + 0.33$	$0.21\bar{X} + 1.43$
1,1,2,2-Tetrachloroethane	$0.95C + 0.19$	$0.14\bar{X} + 2.41$	$0.23\bar{X} + 2.79$
Tetrachloroethylene	$0.94C + 0.06$	$0.14\bar{X} + 0.38$	$0.18\bar{X} + 2.21$
1,1,1-Trichloroethane	$0.90C - 0.16$	$0.15\bar{X} + 0.04$	$0.20\bar{X} + 0.37$
1,1,2-Trichloroethane	$0.90C + 0.30$	$0.13\bar{X} - 0.14$	$0.19\bar{X} + 0.67$
Trichloroethylene	$0.87C + 0.48$	$0.13\bar{X} - 0.03$	$0.23\bar{X} + 0.30$
Trichlorofluoromethane	$0.89C - 0.07$	$0.15\bar{X} + 0.67$	$0.26\bar{X} + 0.91$
Vinyl chloride	$0.97C - 0.36$	$0.13\bar{X} + 0.65$	$0.27\bar{X} + 0.40$

^a X' = expected recovery for one or more measurements of a sample containing a concentration of C , in $\mu\text{g/L}$.

- b Expected single analyst standard deviation of measurements.
- c Expected interlaboratory standard deviation of measurements.
- d C = true value for the concentration, in $\mu\text{g/L}$.
- e $\bar{X}$ = average recovery found for measurements of samples containing a concentration of C , in $\mu\text{g/L}$.
- f Estimates based on performance in a single laboratory.

References

APHA (American Public Health Association), 1985. **Standard Methods for the Examination of Water and Wastewater**, 16th edition. Washington, DC.

APHA (American Public Health Association), 1989. **Standard Methods for the Examination of Water and Wastewater**, 17th edition. Washington, DC.

ASTM (American Society for Testing and Materials), 1992. **1992 Annual Book of ASTM Standards**, Volume 11.02, Water (II). Philadelphia, PA.

EPA (U.S. Environmental Protection Agency), 1986. **Test Methods for Evaluating Solid Waste (SW-846)**, Volumes IA-IC. Washington, DC.

EPA (U.S. Environmental Protection Agency), 1987. **Data Quality Objectives for Remedial Response Activities**. PB88-131870; EPA/540/G-87/003. Washington, DC.

EPA (U.S. Environmental Protection Agency), 1988a. **Contract Laboratory Program Statement of Work for Inorganics Analysis, Multi-Media, Multi-Concentration**. SOW No. 788. Washington, DC.

EPA (U.S. Environmental Protection Agency), 1988b. **Contract Laboratory Program Statement of Work for Organics Analysis, Multi-Media, Multi-Concentration**. SOW No. 288. Washington, DC.

EPA (U.S. Environmental Protection Agency), 1990. **Guidance for Data Useability in Risk Assessment**. Interim Final. EPA/540/G-90/008. Washington, DC.

EPA (U.S. Environmental Protection Agency), 1991. *Guidelines Establishing Test Procedures for the Analysis of Pollutants*, **Code of Federal Regulations**, Title 40, Part 136, Appendix A. Revised July 1, 1991. Washington, DC.

EPA EMSL (U.S. Environmental Protection Agency, Environmental Monitoring and Systems Laboratory), 1979. **Handbook for Analytical Quality Control in Water and Wastewater Laboratories**. PB-297 451; EPA-600/4-79-019. Cincinnati, OH.

EPA EMSL (U.S. Environmental Protection Agency, Environmental Monitoring and Systems Laboratory), 1983. **Methods for Chemical Analysis of Water and Wastes**. Revised March 1983. Cincinnati, OH.

EPA EMSL (U.S. Environmental Protection Agency, Environmental Monitoring and Systems Laboratory), 1991. **Test Method, The Determination of Inorganic Anions in Water by Ion Chromatography—Method 300.0.** Revised August 1991. Cincinnati, OH.

Appendix F – Time Series Plots

pH Well Cluster BGO 6

Notes: W=Water Table (IIB2); M=McBean (IIB1); B=Barnwell (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

pH Well Cluster BGO 8

Mixed Waste Management Facility

F-3

Third Quarter 1993

Note: W=Water Table (IIB2); M=McBean (IIB1); B=Barnwell (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

WSRC-TR-93-667
Unclassified

pH

Well Cluster BGO 14

Note: W=Water Table (IIB2); M=McBean (IIB1); B=Barnwell (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); Lower Congaree (IIA)

Mixed Waste Management Facility

F-5

Third Quarter 1993

pH Well Cluster BGO 16

Note: W=Water Table (IIB2); M=McBean (IIB1); B=Barnwell (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

pH Well Cluster BGO 26

WSRC-TR-93-567
Unclassified

Note: W=Water Table (IIB2); M=McBean (IIB1); B=Barnwell (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); Lower Congaree (IIA)

Mixed Waste Management Facility

F-7

Third Quarter 1993

pH Well BGO 28D

WSRC-TR-93-667
Unclassified

Note: W=Water Table (IIB2); M=McBean (IIB1); B=Barnwell (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Mixed Waste Management Facility

F-8

Third Quarter 1993

pH Well Cluster BGO 30

WSRC-TR-93-567
Unclassified

Notes: W=Water Table (IIB2); M=McBean (IIB1); B=Barnwell (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Trichloroethylene Concentrations Well BGO 1D

PDWS 5 µg/L

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Trichloroethylene Concentrations Well BGO 2D

PDWS 5 µg/L

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

WSRC-TR-93-567
Unclassified

Trichloroethylene Concentrations Well BGO 3D

WSRC-TR-93-567
Unclassified

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Trichloroethylene Concentrations Well BGO 4D

PDWS 5 µg/L

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Trichloroethylene Concentrations Well Cluster BGO 5

PDWS 5 µg/L

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Trichloroethylene Concentrations Well Cluster BGO 6

PDWS 5 µg/L

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Trichloroethylene Concentrations Well BGO 7D

WSRC-TR-93-567
Unclassified

PDWS 5 µg/L

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Trichloroethylene Concentrations Well Cluster BGO 8

PDWS 5 µg/L

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Trichloroethylene Concentrations Well Cluster BGO 9

Mixed Waste Management Facility

F-17

Third Quarter 1998

PDWS 5 µg/L

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Trichloroethylene Concentrations Well Cluster BGO 10

PDWS 5 µg/L

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Mixed Waste Management Facility

F-19

Third Quarter 1993

Trichloroethylene Concentrations Well BGO 11D

PDWS 5 µg/L

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

WSRC-TR-93-567
Unclassified

Trichloroethylene Concentrations Well Cluster BGO 12

PDWS 5 µg/L

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Trichloroethylene Concentrations Well Cluster BGO 13

PDWS 5 µg/L

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

5 of 6

Trichloroethylene Concentrations Well Cluster BGO 14

PDWS 5 µg/L

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Trichloroethylene Concentrations Well BGO 15D

PDWS 5 µg/L

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Trichloroethylene Concentrations Well Cluster BGO 16

PDWS 5 µg/L

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Mixed Waste Management Facility

F-25

Third Quarter 1993

Trichloroethylene Concentrations Well Cluster BGO 17

PDWS 5 $\mu\text{g/L}$

Note: W = Water Table (IIB2); B = Barnwell (IIB1); M = McBean (IIB1); UC = Upper Congaree (IIA); MC = Middle Congaree (IIA); LC = Lower Congaree (IIA)

WSRC-TR-93-567
Unclassified

Trichloroethylene Concentrations Well Cluster BGO 18

PDWS 5 µg/L

WSRC-TR-93-567
Unclassified

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Trichloroethylene Concentrations Well BGO 19D

PDWS 5 µg/L

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Trichloroethylene Concentrations Well BGO 20D

PDWS 5 µg/L

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Mixed Waste Management Facility

F-29

Third Quarter 1993

Trichloroethylene Concentrations Well BGO 21D

PDWS 5 µg/L

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

WSRC-TR-93-567
Unclassified

Trichloroethylene Concentrations Well Cluster BGO 22

PDWS 5 µg/L

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Trichloroethylene Concentrations Well BGO 23D

PDWS 5 µg/L

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Trichloroethylene Concentrations Well BGO 24D

PDWS 5 µg/L

WSRC-TR-93-567
Unclassified

Trichloroethylene Concentrations Well BGO 25A

PDWS 5 µg/L

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Trichloroethylene Concentrations Well Cluster BGO 26

PDWS 5 µg/L

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Trichloroethylene Concentrations Well Cluster BGO 27

PDWS 5 µg/L

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Mixed Waste Management Facility

F-36

Third Quarter 1993

Trichloroethylene Concentrations Well BGO 28D

PDWS 5 µg/L

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

WSRC-TR-93-567
Unclassified

Trichloroethylene Concentrations Well Cluster BGO 29

PDWS 5 µg/L

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Mixed Waste Management Facility

F-38

Third Quarter 1993

Trichloroethylene Concentrations Well Cluster BGO 30

PDWS 5 µg/L

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

WSRC-TR-93-567
Unclassified

Trichloroethylene Concentrations Well Cluster BGO 31

PDWS 5 µg/L

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Trichloroethylene Concentrations Well BGO 32D

WSRC-TR-93-567
Unclassified

PDWS 5 µg/L

Not: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Mixed Waste Management Facility

F-41

Third Quarter 1993

Trichloroethylene Concentrations Well Cluster BGO 33

PDWS 5 µg/L

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

WSRC-TR-93-567
Unclassified

Trichloroethylene Concentrations Well BGO 34D

PDWS 5 µg/L

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Mixed Waste Management Facility

F-43

Third Quarter 1993

Trichloroethylene Concentrations Well Cluster BGO 35

PDWS 5 µg/L

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

WSRC-TR-93-567
Unclassified

Trichloroethylene Concentrations Well BGO 36D

PDWS 5 µg/L

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Trichloroethylene Concentrations Well Cluster BGO 37

PDWS 5 µg/L

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Trichloroethylene Concentrations Well BGO 38D

PDWS 5 µg/L

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Trichloroethylene Concentrations Well BGO 39D

PDWS 5 µg/L

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Trichloroethylene Concentrations Well BGO 40D

PDWS 5 µg/L

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Trichloroethylene Concentrations Well BGO 41A

PDWS 5 µg/L

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Mixed Waste Management Facility

F-60

Third Quarter 1993

Trichloroethylene Concentrations Well BGO 42C

PDWS 5 µg/L

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

WSRC-TR-93-567
Unclassified

Trichloroethylene Concentrations Well Cluster BGO 43

PDWS 5 $\mu\text{g/L}$

Note: W = Water Table (IIB2); B = Barnwell (IIB1); M = McBean (IIB1); UC = Upper Congaree (IIA); MC = Middle Congaree (IIA); LC = Lower Congaree (IIA)

Trichloroethylene Concentrations Well Cluster BGO 44

Mixed Waste Management Facility

F-53

Third Quarter 1993

Trichloroethylene Concentrations Well Cluster BGO 45

PDWS 5 µg/L

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

WSRC-TR-93-567
Unclassified

Trichloroethylene Concentrations Well Cluster BGO 46

PDWS 5 $\mu\text{g/L}$

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Trichloroethylene Concentrations Well Cluster BGO 47

PDWS 5 $\mu\text{g/L}$

Note: W = Water Table (IIB2); B = Barnwell (IIB1); M = McBean (IIB1); UC = Upper Congaree (IIA); MC = Middle Congaree (IIA); LC = Lower Congaree (IIA)

Trichloroethylene Concentrations Well Cluster BGO 48

PDWS 5 µg/L

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Trichloroethylene Concentrations Well Cluster BGO 49

PDWS 5 µg/L

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Trichloroethylene Concentrations Well Cluster BGO 50

PDWS 5 $\mu\text{g/L}$

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Trichloroethylene Concentrations Well Cluster BGX 1

PDWS 5 µg/L

WSRC-TR-93-567
Unclassified

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Trichloroethylene Concentrations Well Cluster BGX 2

PDWS 5 µg/L

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Trichloroethylene Concentrations Well BGX 3D

PDWS 5 µg/L

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Trichloroethylene Concentrations Well Cluster BGX 4

PDWS 5 µg/L

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Trichloroethylene Concentrations Well BGX 5D

PDWS 5 µg/L

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Trichloroethylene Concentrations Well BGX 6D

PDWS 5 µg/L

Legend: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Trichloroethylene Concentrations Well BGX 7D

PDWS 5 µg/L

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Trichloroethylene Concentrations Well Cluster BGX 8

PDWS 5 µg/L

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Trichloroethylene Concentrations Well BGX 9D

PDWS 5 µg/L

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Trichloroethylene Concentrations Well BGX 10D

PDWS 5 µg/L

Legend: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Trichloroethylene Concentrations Well BGX 11D

PDWS 5 µg/L

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Trichloroethylene Concentrations Well Cluster BGX 12

PDWS 5 µg/L

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Mixed Waste Management Facility

F-71

Third Quarter 1993

Trichloroethylene Concentrations Well HMD 1D

PDWS 5 µg/L

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

WSRC-TR-93-567
Unclassified

Trichloroethylene Concentrations Well HMD 2D

PDWS 5 µg/L

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Mixed Waste Management Facility

F-73

Third Quarter 1993

Trichloroethylene Concentrations Well HMD 3D

PDWS 5 µg/L

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

WSRC-TR-93-567
Unclassified

Trichloroethylene Concentrations Well HMD 4D

PDWS 5 µg/L

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Tritium Activities Well BGO 1D

PDWS 20 pCi/mL

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Tritium Activities Well BGO 2D

PDWS 20 pCi/mL

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Tritium Activities Well BGO 3D

PDWS 20 pCi/mL

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Tritium Activities Well BGO 4D

PDWS 20 pCi/mL

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Tritium Activities Well Cluster BGO 5

PDWS 20 pCi/mL

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Tritium Activities Well Cluster BGO 6

PDWS 20 pCi/mL

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Tritium Activities Well BGO 7D

PDWS 20 pCi/mL

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Tritium Activities Well Cluster BGO 8

PDWS 20 pCi/mL

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Tritium Activities Well Cluster BGO 9

PDWS 20 pCi/mL

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Tritium Activities Well Cluster BGO 10

PDWS 20 pCi/mL

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Tritium Activities Well BGO 11D

PDWS 20 pCi/mL

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Tritium Activities Well Cluster BGO 12

PDWS 20 pCi/mL

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Tritium Activities Well Cluster BGO 13

PDWS 20 pCi/mL

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Tritium Activities Well Cluster BGO 14

PDWS 20 pCi/mL

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Tritium Activities Well BGO 15D

PDWS 20 pCi/mL

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Tritium Activities Well Cluster BGO 16

PDWS 20 pCi/mL

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Tritium Activities Well BGO 17DR

PDWS 20 pCi/mL

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Tritium Activities Well Cluster BGO 18

PDWS 20 pCi/mL

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Tritium Activities Well BGO 19D

PDWS 20 pCi/mL

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Tritium Activities Well BGO 20D

PDWS 20 pCi/mL

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Tritium Activities Well BGO 21D

PDWS 20 pCi/mL

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Tritium Activities Well Cluster BGO 22

PDWS 20 pCi/mL

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Tritium Activities Well BGO 23D

PDWS 20 pCi/mL

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Tritium Activities Well BGO 24D

PDWS 20 pCi/mL

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Tritium Activities Well BGO 25A

PDWS 20 pCi/mL

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Tritium Activities Well Cluster BGO 26

PDWS 20 pCi/mL

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Tritium Activities Well Cluster BGO 27

PDWS 20 pCi/mL

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Tritium Activities Well BGO 28D

PDWS 20 pCi/mL

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Tritium Activities Well Cluster BGO 29

PDWS 20 pCi/mL

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Tritium Activities Well Cluster BGO 30

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Tritium Activities Well Cluster BGO 31

PDWS 20 pCi/mL

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Tritium Activities Well BGO 32D

PDWS 20 pCi/mL

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Tritium Activities Well Cluster BGO 33

PDWS 20 pCi/mL

Note: W=Water Table (IIB2); B=Bamwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Tritium Activities Well BGO 34D

PDWS 20 pCi/mL

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Tritium Activities Well Cluster BGO 35

PDWS 20 pCi/mL

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Tritium Activities Well BGO 36D

PDWS 20 pCi/mL

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Tritium Activities Well Cluster BGO 37

PDWS 20 pCi/mL

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Tritium Activities Well BGO 38D

PDWS 20 pCi/mL

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Tritium Activities Well BGO 39D

PDWS 20 pCi/mL

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Tritium Activities Well BGO 40D

PDWS 20 pCi/mL

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Tritium Activities Well BGO 41A

PDWS 20 pCi/mL

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Tritium Activities Well BGO 42C

PDWS 20 pCi/mL

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

9

of

9

Tritium Activities Well Cluster BGO 43

PDWS 20 pCi/mL

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Tritium Activities Well Cluster BGO 44

PDWS 20 pCi/mL

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Tritium Activities Well Cluster BGO 45

PDWS 20 pCi/mL

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Tritium Activities Well Cluster BGO 46

PDWS 20 pCi/mL

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Tritium Activities Well Cluster BGO 47

PDWS 20 pCi/mL

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Tritium Activities Well Cluster BGO 48

PDWS 20 pCi/mL

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Tritium Activities Well Cluster BGO 49

PDWS 20 pCi/mL

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Tritium Activities Well Cluster BGO 50

PDWS 20 pCi/mL

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Tritium Activities Well Cluster BGX 1

PDWS 20 pCi/mL

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Tritium Activities Well Cluster BGX 2

PDWS 20 pCi/mL

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Tritium Activities Well BGX 3D

PDWS 20 pCi/mL
Note: W=Water Table (IIB2); B=Barwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Tritium Activities Well Cluster BGX 4

PDWS 20 pCi/mL

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Tritium Activities Well BGX 5D

PDWS 20 pCi/mL

Note: W = Water Table (IIB2); B = Barnwell (IIB1); M = McBean (IIB1); UC = Upper Congaree (IIA); MC = Middle Congaree (IIA); LC = Lower Congaree (IIA)

Tritium Activities Well BGX 6D

PDWS 20 pCi/mL

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Tritium Activities Well BGX 7D

PDWS 20 pCi/mL

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Tritium Activities Well Cluster BGX 8

PDWS 20 pCi/mL

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Tritium Activities Well BGX 9D

PDWS 20 pCi/mL

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Tritium Activities Well BGX 10D

PDWS 20 pCi/mL

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Tritium Activities Well BGX 11D

PDWS 20 pCi/mL

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Tritium Activities Well Cluster BGX 12

PDWS 20 pCi/mL

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Tritium Activities Well HMD 1D

PDWS 20 pCi/mL

Note: W = Water Table (IIB2); B = Barnwell (IIB1); M = McBean (IIB1); UC = Upper Congaree (IIA); MC = Middle Congaree (IIA); LC = Lower Congaree (IIA)

Tritium Activities Well HMD 2D

PDWS 20 pCi/mL

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Tritium Activities Well HMD 3D

PDWS 20 pCi/mL

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Tritium Activities Well HMD 4D

PDWS 20 pCi/mL

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Tritium Activities Well Cluster HSB 85

PDWS 20 pCi/mL

Note: W = Water Table (IIB2); B = Barnwell (IIB1); M = McBean (IIB1); UC = Upper Congaree (IIA); MC = Middle Congaree (IIA); LC = Lower Congaree (IIA)

WSRC-TR-93-567
Unclassified

Appendix G – Hydrographs

Hydrograph Well BGO 1D

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Hydrograph Well BGO 2D

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Hydrograph Well BGO 3D

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Hydrograph Well BGO 4D

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Hydrograph Well Cluster BGO 5

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Hydrograph Well BGO 7D

WSRC-TR-93-567
Unclassified

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Hydrograph Well Cluster BGO 9

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Hydrograph Well Cluster BGO 10

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Hydrograph Well BGO 11D

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Hydrograph Well Cluster BGO 12

Note: W = Water Table (IIB2); B = Barnwell (IIB1); M = McBean (IIB1); UC = Upper Congaree (IIA); MC = Middle Congaree (IIA); LC = Lower Congaree (IIA)

Hydrograph Well Cluster BGO 13

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Hydrograph Well Cluster BGO 14

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Hydrograph Well BGO 15D

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Hydrograph Well Cluster BGO 16

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Hydrograph Well Cluster BGO 17

WSRC-TR-93-567
Unclassified

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Hydrograph Well Cluster BGO 18

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Third Quarter 1993

G-19

Mixed Waste Management Facility

Hydrograph Well BGO 19D

WSRC-TR-93-567
Unclassified

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Hydrograph Well BGO 20D

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Mixed Waste Management Facility

G-22

Third Quarter 1993

Hydrograph Well BGO 21D

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

WSRC-TR-93-667
Unclassified

Hydrograph Well Cluster BGO 22

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Mixed Waste Management Facility

G-24

Third Quarter 1993

Hydrograph Well BGO 23D

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

WSRC-TR-93-667
Unclassified

Hydrograph Well BGO 24D

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Hydrograph Well BGO 25A

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Mixed Waste Management Facility

G-27

Third Quarter 1993

Hydrograph Well Cluster BGO 26

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

WSRC-TR-93-667
Unclassified

Hydrograph Well Cluster BGO 27

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Hydrograph Well BGO 28D

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Hydrograph Well Cluster BGO 29

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Hydrograph Well Cluster BGO 30

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Hydrograph Well Cluster BGO 31

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Hydrograph Well Cluster BGO 33

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Hydrograph Well BGO 34D

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Hydrograph Well Cluster BGO 35

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Hydrograph Well BGO 36D

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Hydrograph Well Cluster BGO 37

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Hydrograph Well BGO 38D

Note: W=Water Table (IIB2); B=Barrwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Hydrograph Well BGO 39D

WSRC-TR-93-567
Unclassified

Note: W=Water Table (IIB2); B=Bamwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Hydrograph Well BGO 40D

Note: W=Water Table (IB2); B=Barnwell (IB1); M=McBean (IB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Hydrograph Well BGO 41A

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Hydrograph Well BGO 42C

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Hydrograph Well Cluster BGO 43

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Hydrograph Well Cluster BGO 44

Note: W = Water Table (IIB2); B = Barnwell (IIB1); M = McBean (IIB1); UC = Upper Congaree (IIA); MC = Middle Congaree (IIA); LC = Lower Congaree (IIA)

Hydrograph Well Cluster BGO 45

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Hydrograph Well Cluster BGO 46

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Hydrograph Well Cluster BGO 47

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Hydrograph Well Cluster BGO 48

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Hydrograph Well Cluster BGO 49

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Hydrograph Well Cluster BGO 50

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Hydrograph Well Cluster BGX 1

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Hydrograph Well Cluster BGX 2

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Hydrograph Well BGX 3D

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Hydrograph Well Cluster BGX 4

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Hydrograph Well BGX 5D

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Hydrograph Well BGX 6D

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Hydrograph Well BGX 7D

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Hydrograph Well Cluster BGX 8

WSRC-TR-93-567
Unclassified

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Hydrograph Well BGX 9D

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Hydrograph Well BGX 10D

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Hydrograph Well BGX 11D

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Hydrograph Well Cluster BGX 12

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Third Quarter 1993

G-63

Mixed Waste Management Facility

Hydrograph Well HMD 1D

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Hydrograph Well HMD 2D

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Hydrograph Well HMD 3D

WSRC-TR-93-567
Unclassified

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Hydrograph Well HMD 4D

WSRC-TR-93-567
Unclassified

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

Mixed Waste Management Facility

G-68

Third Quarter 1993

Hydrograph Well Cluster HSB 85

Note: W=Water Table (IIB2); B=Barnwell (IIB1); M=McBean (IIB1); UC=Upper Congaree (IIA); MC=Middle Congaree (IIA); LC=Lower Congaree (IIA)

WSRC-TR-88-567
Unclassified

DATE

FILMED

4 / 5 / 94

END