PNL--8292

DF93 002320

RADIOACTIVE CONTAMINATION OF THE ARCTIC REGION,
BALTIC SEA, AND THE SEA OF JAPAN FROM
ACTIVITIES IN THE FORMER SOVIET UNION

D. J. Bradley

September 1992

Prepared for
the U.S. Department of Energy
under Contract DE-AC06-76RLO 1830

Pacific Northwest Laboratory
Richland, Washington 99352

MASTER

DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED

EXECUTIVE SUMMARY

Contamination of the Arctic regions of northern Europe and Russia, as well as the Sea of Japan, may become a potential major hazard to the ecosystem of these large areas. This report provides a summary of background information on radioactive contamination of oceans from activities in the former Soviet Union, to serve as an aid in understanding the scope of the problem and types of contamination involved.

Widespread poor radioactive waste management practices from nuclear fuel cycle activities in the former Soviet Union have resulted in direct discharges to this area as well as multiple sources that may continue to release additional radioactivity. Information on the discharges of radioactive materials has become more commonplace in the last year, and a clearer picture is emerging of the scale of the contamination. Radioactivity in the Arctic oceans is now reported to be four times higher than would be derived from fallout from weapons tests (Oslo Afterposten, November 22, 1991). Although the characteristics and extent of the contamination are not well known, it has been stated that the contamination in the Arctic may range from 1 to 3.5 billion curies (Inside NRC, June 29, 1992). As yet, no scientific sampling or measurement program has occurred that can verify the amount or extent of the contamination, or its potential impact on the ecosystem.

The radioactive contamination is derived from several source terms. The disposal in the Barents and Kara Seas in the region of Novaya Zemlya appears to have been derived primarily from naval operations, including direct discharges of liquid wastes, disposal of submarine reactor cores (several containing fuel), and disposal of containers of liquid and solid wastes of unclear origin (but presumably from naval operations). There are also indications of civilian wastes being dumped in this region. Activities at the Novaya Zemlya nuclear test site have undoubtedly contributed to the radioactive source term, due to the atmospheric and underwater nuclear tests that have been conducted there. Contaminants from nuclear defense sites, borne by the Ob and Yenisey Rivers, are another potential source term.

The Barents and White Seas have received contamination from the nuclear activities on the Kola Peninsula, which includes the home of the Soviet Northern Fleet at Severomorsk, near Murmansk. Some contamination of this area may also be due to the military activities conducted in Lake Ladoga, although this is a somewhat isolated source-term.

The Baltic Sea, severely contaminated by industrial wastes, is also being contaminated by radioactive materials resulting from uranium processing activities in Sillamae and from the submarine base in Paldiski, both in Estonia. The presence of industrial contaminants, including World War II chemical agents disposed of at sea, may also add to the overall problem of determining radionuclide migration and uptake in this environment.

The Sea of Japan and possibly the Pacific Ocean may be receiving radioactive contamination from submarine-related accidents and poor waste management practices such as at sites near Vladivostok and the Kamchatka Peninsula.

The general areas of concern are shown in Figures 1 and 2, which are large-scale maps of the Arctic Oceans and Sea of Japan, respectively (Times-Atlas). Figure 3 (Meditinskaya Gazeta, December 13, 1991) is a general contamination map of the former Soviet Union and shows a broad range of contamination sites, including at least some of those responsible for contamination of arctic region oceans as well as the Baltic Sea, the Sea of Japan, and possibly the Pacific Ocean.

FIGURE 1. Map of the Arctic Oceans

FIGURE 2. Map of the Sea of Japan

FIGURE 3. Radioactive Contamination Map of the Former Soviet Union

CONTENTS

EXECUTIVE SUMMARY	iii
1.0 CONTAMINATION OF THE BARENTS AND KARA SEAS	1
1.1 CONTAMINATION IN THE NOVAYA ZEMLYA REGION	1
1.2 CONTAMINATION IN THE KOLA PENINSULA REGION	7
2.0 CONTAMINATION OF THE BALTIC SEA	9
3.0 CONTAMINATION OF THE SEA OF JAPAN AND THE PACIFIC OCEAN	13
4.0 REFERENCES	15

FIGURES

1 Map of the Arctic Oceans	v
2 Map of the Sea of Japan	vii
3 Radioactive Contamination Map of the Former Soviet Union	ix
4 Radioactive Waste Sites Associated with Novaya Zemlya	5

1.0 CONTAMINATION OF THE BARENTS AND KARA SEAS

1.1 CONTAMINATION IN THE NOVAYA ZEMLYA REGION

A potentially major radioactive waste management problem, apparently primarily related to the operation of Soviet naval reactors, has resulted from the disposal of radioactive wastes at sea. The greatest risk for Norway and Russia is the potential impact on their fishing industries, which are two of the world's largest. The two countries have now agreed to investigate the amounts (estimated at 7,000 MT of solid radioactive wastes and 15,000 m³ of liquid radioactive wastes) and locations of waste dumped in the Barents and Kara Seas (Stockholm Radio, May 6, 1992). The agreement was recorded in a protocol submitted on May 6, 1992, in Oslo following a working meeting. The first joint expedition to map the dumping sites (14 areas [Tass, May 7, 1992]) and test for contamination, scheduled for July 10, 1992, was to include 20 researchers from six countries on a Russian ship (Tri-City Herald, May 4, 1992). The results of this Norwegian/Russian expedition have apparently confirmed at least some of the materials disposed of in the regions near Novaya Zemlya. The expedition reports that it confirmed the dumping of 12 nuclear reactors, three containing fuel, from Russian submarines and icebreakers. Members of the expedition also have been given a map of the locations and disposal dates for the reactors. This confirmation still differs from that previously reported in the Russian publication Sobesednik on January 5, 1992, which reported 15 submarine and/or reactor compartments disposed of, five of which still contained fuel (Oslo Aftenposten, August 6, 1992).

Plans are also being made to determine the region's overall contamination, including radioactive contamination via the gulf stream and the Ob and Yenisey Rivers (Tass, May 7, 1992). A. Yablokov (Russian State Counsellor for Ecology and Public Health) recently noted that "Before we come to know for certain where Krasnoyarsk-45 and Tomsk-7 (nuclear facilities sites) dispose of their radioactive waste, we have every reason to believe that all this waste, amounting to millions upon millions of curies, has been dumped in the Arctic

Ocean." As far as he knew, waste from Tomsk is pumped into special underground storages, and Krasnoyarsk waste probably goes to the Yenisey River, which provides it a path to the Arctic Ocean (Moscow New Times, April 1992).

Andrey Zolotkov, a former deputy to the Supreme Soviet from Murmansk, began publicly announcing ocean dumping of radioactive wastes in September 1991 (Paris AFP, September 24, 1991). He acknowledged that Soviet civilian and naval vessels had dumped "highly radioactive" waste into the Barents and Kara Seas between 1964 and 1986. According to the ships' log records, Zolotkov notes, 12 ships have disposed of 10,250 containers (of one cubic meter each) of radioactive wastes in waters not more than 1,100 feet deep (Daily Telegraph, November 26, 1991), or less than 60 feet deep (Nuclear Waste News, November 28, 1991), and holes were put into some containers that did not readily sink (Komsomolskaya Pravda, September 28, 1991). Zolotkov also stated that a radioactive waste container washed up near Novaya Zemlya in 1984 that had "an activity of 160 R/hr" (Reuters, September 23, 1991), a very high activity level that may indicate the presence of high-level waste, such as spent fuel fragments.

The number of containers disposed of at sea has alternately been reported to be as high as 17,000. Izvestia (October 29, 1991) has noted that 11,000 containers (Rossiyskaya Gazeta, February 27, 1992) holding reactor equipment, structures, and "other dangerous" wastes have been dumped. These wastes include a container holding the damaged core of the icebreaker Lenin, which was dumped off the Novaya Zemlya archipelago between the Barents and Kara Seas after suffering a "serious reactor accident" in the mid-1960s (Paris AFP, September 24, 1991). At least 15 naval reactors have been disposed of in the Kara Sea not far from Novaya Zemlya (Moscow Radio Rossii, March 25, 1992). It should be noted that 5 of the nuclear submarines disposed of near Novaya Zemlya and/or reactor compartments still have nuclear fuel in the reactor cores (Sobesednik, January 5, 1992).

In addition to the reactor core from the Lenin, other containers, metal components, and equipment from nuclear power installations have been sunk in the Novaya Zemlya archipelago. The wastes were dumped (in violation of the London Convention) in bays close to the shore where the water depth did not

meet IAEA recommendations. This was due to the fact that the seaways were closed farther offshore because of the proximity of the nuclear testing ground on Novaya Zemlya. The wastes were supposed to have been placed in containers that were filled with bitumen or "liquid glass," and then hermetically sealed; however, Zolotkov indicated that this was not done (Tass International Service, September 27, 1991). Additionally, waste water from naval and civilian reactors was dumped by special ships that diluted the radioactive waste with seawater and then discharged it to the ocean through a pipe that extended below the propellers (Tri-City Herald, May 4, 1992).

A Russian Atomic Supervision Committee, to which the military is accountable, has now been set up. When the Navy recently requested permission to dispose of radioactive waste in the Kara Sea, their request was denied (Moscow New Times, April 1992).

Figure 4 shows sites around Novaya Zemlya where radioactive waste containers and naval reactor cores have been disposed. The descriptions of waste disposal locations indicated on Figure 4 are as follows (Sobesednik, January 5, 1992):

1. The Novaya Zemlya deep-sea trench - a cargo vessel with a damaged (submarine) reactor (1,700 curies [reported to be 170,000 curies by Rossiyskaya Gazeta, June 23, 1992]), 1,450 submerged containers with radioactive waste, and a tanker with liquid radioactive waste.
2. Neupokoyeva Bay - solid radioactive waste with an overall radioactivity of 3,400 curies.
3. Tsivolki Bay - 4,750 containers of radioactive wastes, the lighter N. Bauman, the mid-section of the ice-breaker Lenin with three damaged reactors and crane assembly.
4. Oga Bay - 850 containers of radioactive wastes.
5. Stepovogc Bay - 1,850 containers of radioactive wastes and a damaged nuclear submarine containing two reactors with nuclear fuel still inside (sunk at a depth of 35-50 meters [Rossiyskaya Gazeta, June 23, 1992]).
6. Abrosimov Bay - 550 containers of radioactive wastes and sections of four damaged nuclear submarines (a total of eight reactors, three of which contain nuclear fuel).
7. Blagopoluchiya Bay - 650 containers of radioactive wastes.

8. Techeniy Bay - a damaged reactor (without nuclear fuel) with an aggregate activity level of 1,856 curies.
9. Open sea - 400 containers of radioactive wastes.
10. Open sea - 250 containers of radioactive wastes.
11. The Cape Sukhoy Nos area - where the highest-yield atmospheric nuclear weapons tests were conducted; an off-limits area.
12. The Matochkin Shar Channel area - location of the latest underground nuclear tests in tunnels; an off-limits area.
13. The Chernaya Guba area - location of the first underwater, above-ground, and initial underground (in emplacement hole) nuclear tests; the grave of the experimental ship Kit and the proposed burial site for the nuclear submarine Komsomolets (in the event it is raised); an off-limits area.
14. Proposed site for a regional nuclear waste repository.
15. The southwestern sector of the archipelago's south island. This is an area proposed for the long-term program of nuclear tests on Novaya Zemlya.

The effects of nuclear tests at Novaya Zemlya may also have contributed to the contamination of the Barents and Kara Seas. Izvestia (October 29, 1991) reports that 132 nuclear tests have taken place there--87 in the atmosphere, 42 underground, and three underwater, for an aggregate total of more than 90 megatons. The results of a radioactive contamination survey at Novaya Zemlya have concluded that the levels are "very slightly" above the global background. However, three areas had higher radiation levels; two of these were associated with atmospheric tests conducted prior to 1963. The third area was linked to an underground explosion in August 1987 that vented radioactive gases (Moscow Radio World Service, January 20, 1992). The first underwater test was conducted on September 25, 1955, in Chernaya Bay at a depth of 50 meters. A surface nuclear test was conducted 2 years later on the east bank of this bay, as well the testing of a nuclear torpedo. The background radiation in Chernaya Bay is currently stated to be up to 1 mR/hr. There is a "sanitary protection zone" at the southwestern tip of Novaya Zemlya, and serious contamination may also exist in Mityushin and Krestova Bays where thermonuclear atmospheric tests were conducted, including the 58-megaton test on

FIGURE 4. Radioactive Waste Sites Associated with Novaya Zemlya

October 30, 1961. The most extensive periods of testing were in 1958 (26 atmospheric and underwater tests), 1961 and 1962, when there were 24 and 36 tests, respectively (Rossiyskaya Gazeta, June 23, 1992). On February 27, 1992, President Yeltsin signed a decree to prepare for testing at Novaya Zemlya by making new tunnels and galleries for underground testing (Moscow New Times, April 1992).

A joint Russian-Norwegian expedition studied the areas of the Northern Barents and Kara Seas, where radioactive waste presumably had been buried in the summer of 1992 (Moscow ITAR-Tass, June 3, 1992). The expedition apparently confirmed the dumping of 12 nuclear reactors, three containing fuel, from Russian submarines and icebreakers. This constitutes only partial confirmation of the materials disposed of as reported in the Russian publication Sobesednik on January 5, 1992 (Oslo Aftenposten, August 6, 1992). The expedition was not permitted to visit three of the bays, where it is claimed a large number of reactors were disposed of (Tass, September 11, 1992).

The results from another international expedition to the Kola Peninsula, Novaya Zemlya, and Franz Josef Land indicate that the nuclear testing on Novaya Zemlya has had an "impact" on marine life within a 2,000-km radius. The expedition included ecologists from Russia, United States, Germany, Poland, and Norway (Teleradiokompania Ostankino Television, May 1, 1992). The British Ministry of Agriculture, Fisheries, and Food is now also planning to study areas of the Kara Sea and the Arctic with respect to radioactive contamination (Nuclear Waste News, July 9, 1992). Also, a collaborative effort between the University of Alaska and the Far Eastern Department of the Russian Academy of Sciences was discussed recently in Vladivostok. It was proposed that the new Joint Scientific Center, "The Arctic," would coordinate all joint activities (Itar-Tass, April 21, 1992).

There have been several reports on the possibility that radiation has caused the death of marine life in the Barents and White Seas. Massive deaths in the White Sea of marine life such as starfish were reported in 1990, and seals have been reported to have been killed as a result of nuclear testing at

Novaya Zemlya. A study on seals notes that they have been exposed to toxic and radioactive substances leading to increased deaths due to cancer (Tass, April 3, 1992).

1.2 CONTAMINATION IN THE KOLA PENINSULA REGION

Five sites in the Kola Peninsula region have been noted as official storage areas for nuclear waste. They are at Murmansk (home port for naval vessels with a total of 220 reactors), Polyarniye Zori (where the four VVER-440 "Kola" reactors are located), Severomorsk (home of the Soviet Northern Fleet), Litsa (a submarine base), and Kildin (Oslo Aftenposten, November 26, 1991). The Litsa Fjord is located about 45 km from Norway, and Kildin is an island in the Barents Sea about 120 km from the Norwegian border (Nucleonics Week, April 18, 1991). At Murmansk, a ship named the Lepse is being filled with radioactive wastes derived from naval reactor operations and incorporated into concrete or grout (Tass, October 2, 1991). Radioactive waste is also said to be stored in ships in the port of Archangelsk (Daily Telegraph, November 26, 1991), and liquid radioactive wastes from facilities in nearby Severodvinsk are placed on ships for discharge at sea. Three radioactive waste burial grounds are also located close to Severodvinsk, a port on the White Sea (Moscow Interfax, February 22, 1992).

There is an apparent shortage of storage and treatment facilities for radioactive wastes in Murmansk and other areas with nuclear naval operations. In an effort to solve this situation, scientists from St. Petersburg have met in Murmansk to discuss concepts for a regional burial site. Also, the Murmansk Maritime Shipping Line has joined with the Northern Fleet in asking the Moscow Industrial Technology Research Institute to prepare a feasibility study to construct a waste burial site on Novaya Zemlya. The site would utilize shafts that were tunneled in the permafrost for underground nuclear explosions. The outcome of this feasibility study is not known (Moscow Radio Rossii, March 11, 1992). Compounding the waste storage problem, the former Soviet submarine fleet is to be reduced by 185 submarines (both nuclear and diesel powered) by the year 2000, and the icebreaker Lenin was stated to have been recently "scrapped" (Paris AFP, January 9, 1992).

Liquid radioactive wastes produced by facilities at Severodvinsk are loaded in ships that put to sea and discharge the radioactive liquid overboard. There are now three fixed radioactive burial grounds located close to the city of Severodvinsk (Moscow Interfax, February 22, 1992). Russia will close a number of military enterprises engaged in building nuclear submarines and will concentrate the production in Severodvinsk. Besides construction and repairs of nuclear submarines, Severodvinsk will also engage in radioactive waste management and provide "secure" scrapping of nuclear vessels and their reactors (Moscow Itar-Tass, May 6, 1992).

The Russian nuclear submarine Komsomolets, now lying on the bottom of the Norwegian Sea, may become, as a result of corrosion, a significant source of radioactive pollution. The accident resulted in the collapse of the titanium hull, and an electrolytic couple could be set up between the hull and the steel reactor vessel (Moscow New Times, April 1992). In July, the results of a recent expedition involving the Russian Oceanology Institute, the Kurchatov Institute, and the Navy indicated that the Komsomolets may not be salvaged. Previously unnoticed hull damage was observed, which led scientists to believe that the Komsomolets' hull would split apart if it were raised from its depth of 1,720 meters (Izvestia, July 3, 1992). The submarine sank on April 7, 1989 (Komsomolskaya Pravda, April 14, 1992).

2.0 CONTAMINATION OF THE BALTIC SEA

The radioactive contamination of the Gulf of Finland and the Baltic Sea appears to be from waste water disposal and seepage from power reactor and fuel cycle enterprises located on the coast. The presence of industrial wastes and chemical agents of World War II vintage that have been disposed of at sea may complicate the migration and uptake of radionuclides in this somewhat isolated sea. In April 1992, the Ministers from 12 countries signed a 1992 Convention on Protecting the Baltic Sea Basin Environment. More specific than the previous accord, dated 1974, this convention pointed out more than 150 facilities that are pollution sources for the Baltic Sea (Izvestia, April 14, 1992).

Radioactive waste management problems associated with uranium processing near Sillamae, Estonia, have surfaced again (Bradley and Schneider 1990). Wastes are seeping into the Gulf of Finland through a sea wall that separates a waste storage pond and the Baltic sea. Additionally, wind-borne contamination of nearby areas has occurred, and radiation levels near the site are five times normal background (Nuclear Waste News, May 7, 1992). The processing facility was built in 1948 to extract uranium from oil shale deposits located nearby. Processing wastes were placed in an open-air pool, 20 meters deep and 2 miles wide, which contains 9×10^6 MT of radioactive materials and is still being used (Nuclear Waste News, May 7, 1992). Other reports note that the inventory of wastes at the Sillamae site, located 50 miles east of Tallin, Estonia, has been stated to be 4 million tons of uranium ore waste (which includes 1,200 tons of uranium), 1,000 tons of radium, 500 tons of thorium, and a couple of million tons of calcium sulfate, calcium fluoride and ash (Daily Telegraph, September 3, 1992). The pond was in operation until 1989 and was also used by local chemical companies as a disposal site. It is located 10 meters inland from the Gulf of Finland and is 20 meters above the seawall; it is reported to cover 36,000 m², but is thought to be much larger than that. Radiation readings of 17 mSv/yr (~0.2 mR/hr) were measured on the embankment of the pond (Svenska Dagbladet, March 6, 1992). The former Soviet Union has not yet provided the promised aid to reinforce a gravel embankment

between the reservoir and the Bay of Narva, drain the reservoir, and then cover the site (Svenska Dagbladet, March 7, 1992).

Stopping leaks of radioactive waste into the Baltic, decommissioning two submarine reactors at Paldiski, and bringing a major waste dump up to international standards are part of an extensive agreement between Sweden and Estonia. Finland's Center for Radiation & Nuclear Safety (STUK) will participate in the study and help the Estonians find financing for the total project. The most costly (and most critical) part of the program is cleaning up the uranium mill tailings site at the Sillamae Metal & Chemical Production Plant (Nucleonics Week, March 19, 1992). A protocol was signed on March 13, 1992, to provide assistance in dealing with the radiological hazards. The preliminary agreement, worth \$800,000, outlines a five-stage approach to the Sillamae problem. The investigation will start with an analysis of the silt and sediment at the bottom of the lake, followed by a technical investigation on how to protect the environment from radioactive damage. The pond's contents are now thought to be about 1,000 times more dangerous than earlier estimates, and Swedish experts who visited the pond have revised upwards by 10 times their first estimate of the pond's size, to a surface area of 360,000 square meters (American Embassy, Stockholm, March 17, 1992).

Some 100,000 Swedish kronor (about U.S. \$16,700) has been earmarked for the first phase of a cleanup of the uranium mill tailings site. The second phase of work, estimated to cost between 1 and 2 million kronor, will include a detailed inventory of toxic materials at the site (Nucleonics Week, May 28, 1992). The presence of industrial wastes and the disposal of World War II chemical agents [See Note 1] may exacerbate the cleanup of radionuclide sources such as at this site, as well as complicate their assimilation into food chains.

Radioactive waste is also a problem at the Saku repository, where about 2,000 curies of sealed radiation sources have been deposited since 1964, and where an environmental impact study is planned. Another problem dealing with wastes in Estonia concerns the "at least" 23 lighthouses along the coast that are powered with strontium-90 sources. The facilities are apparently in

Note 1

In addition to the seepage of radioactive wastes into the Baltic sea, 34,000 tons of "combat toxic agents" are reported to have been disposed of at sea. They were buried in the Baltic Sea after World War II at a depth of 80-90 meters, close to Denmark's Bornholm Island and Sweden's Gotland Island (Moscow RIA, March 13, 1992). Other reports indicate that nearly 400,000 tons of the German munitions containing gases (mustard gas, lewisite, phosgene, and diphosgene) were dumped in shallow areas of the Baltic Sea near Kiel Bay, in the Skagerrak Gulf, and near Bornholm island. Corrosion of the cases of the munitions is becoming a serious concern (Tass, February 28, 1992). The Mayor of St. Petersburg, in requesting assistance from Finland for the cleanup of chemical weapons from the Gulf of Finland, indicated that work was ongoing to locate the ships that had been sunk in the Gulf of Finland with chemical agents onboard (Moscow Radio, March 7, 1992). Latvia has requested the Commander of the Baltic Fleet to announce the precise coordinates of the dumped chemical weapons as well as detailed information about these weapons. From 1945 to 1947, a large load of chemicals was disposed of near Liepaja and near the islands of Bornholm and Christiansoe [Denmark]. It was stated that, at a depth of more than a hundred meters, there are barges and containers loaded with up to 300,000 tons of aircraft bomb shells (Riga Radio, April 7, 1992). In December of 1947 alone, 50,000 MT of German 500-kg aerial bombs filled with mustard gas, lewisite, phosgene, and diphosgene, were dumped in 101 meters of water 5 miles south of Kristians (Christiansoe) Island [near Bornholm Island] (Ogonek, February 8, 1992). An example of some specific information on disposal near Bornholm, Gotland and Christiansoe Islands was recently given in Rossiyskaya Gazeta, June 3, 1992:

- the remains of nine ships carrying 18,000 tons of mustard gas are disposed of at a depth of 200 meters, 20 miles west of Lysekil, Sweden
- the disposal of 408,565 mustard gas shells, 71,249 aerial mustard gas 250-kg bombs, 17,000 adamsite bombs, 1,004 mustard gas 1.5-MT containers, 10,240 chemical mines, and 7,860 barrels of a toxin called "cyclone."

St. Petersburg scientists have drafted a comprehensive program, called "Ekobaros," that is intended to study and possibly clean up chemical contamination in the Baltic Sea (Izvestia, June 4, 1992).

various stages of disintegration from corrosion and neglect, and can in some cases be easily broken into. Readings of up to 500 mR/hr were noted at one of the lighthouses, and there are concerns that some of the strontium sources have been disposed of in the Saku waste site located about 10 km from Tallin (Svenska Dagbladet, September 1, 1992).

As for the two 25-MW Russian submarine training reactors at Paldiski, the Estonians are adamant that the Russian Navy should decommission them, remove the waste, and leave a green field. Currently, Estonian authorities do not even have access to the Paldiski military site (Nucleonics Week, March 19, 1992).

Due to military operations using radioactive substances in the district of Vasilyevskiy Island near Shkiperskiy Channel in St. Petersburg, at least nine areas of radioactive contamination have been found, some less than 300 meters from the Gulf of Finland. According to Pravda, about 2.5 acres of Vasilyevskiy Island has been contaminated (Pravda, June 16, 1992). An additional, although probably small, source of radioactive contamination to the Gulf of Finland, and ultimately the Novaya Zemlya region, stems from Soviet testing activities in Lake Ladoga. Background information on this potential source of contamination is detailed in Note 2.

Note 2

Lake Ladoga, located 50 km from the Finnish border, is a major supplier of St. Petersburg's drinking water (USSR Technology Update, January 24, 1991), and is connected to the White Sea via a canal system. A contaminated former German destroyer named the "Podvishnyy" and now called the "Kit" was until recently half-sunken in Lake Ladoga. The Kit, built in Germany in 1940 (Moscow Interfax, August 7, 1991), and others were the subjects of tests simulating nuclear explosions by using radioactive materials and explosives (Izvestia, April 17, 1991).

A Soviet "test division" was formed in 1953 and based on the western shores of Lake Ladoga. The center of the test site was on the island of Kheynyasenma (formerly Suri), where test explosions were conducted on the Kit and another ship called the Morskoy Okhotnik (Izvestia, April 17, 1991). The Kit was located almost at equal distances from the towns of Priozersk, Sortavala, and the island of Valaam (USSR Technology Update, January 24, 1991). Radioisotopes were transported to the Kit in lead-lined containers and placed next to explosives. "Experimental" animals such as dogs, rabbits and white mice were placed in the ship's quarters. It was noted that a good many of the "sailors and testers" who worked at the sites after the explosions did not wear any protective gear. Radiation levels exceed 1 mR/hr at several locations on the Kit, and the island of Makarinsari, where "scientific forces" were based and radionuclides were stored, is "particularly" contaminated. The experiments were stopped in 1955 (Izvestia, April 17, 1991). Following the tests, the ship was sunk on the shore of Lake Ladoga (Moscow Interfax, August 7, 1991). Alternately, it has been reported that the Kit was used for testing by the Soviet Navy until 1961 (The European, November 1-3, 1991).

Apparently, in 1990, a "filtration system" using two synthetic resins was used to prevent the leakage of radionuclides and "seal" the ship (USSR Technology Update, January 24, 1991). Prior to its removal, the contaminated water was pumped from the Kit to a tanker, where the water was purified and then discharged into Lake Ladoga. Then, the entire boat was encased in a "plastic shell" and towed through the canal system of the White Sea for the 3,200-km trip to Zovaya Zemlya (The European, November 1-3, 1991) in the summer of 1991 by the St. Petersburg Naval Base (Moscow Interfax, August 7, 1991).

The Soviet Army also carried out tests for over 30 years on the effects of nuclear weapons in the Heinamaa Islands in the northwestern corner of Lake Ladoga. They evidently traced the spread of weapons fallout by exploding chemical explosives placed on timber pontoons. For test purposes, shelters for test animals and laboratories were built on these uninhabited islands (Suomen Yleisradio, October 10, 1991).

3.0 CONTAMINATION OF THE SEA OF JAPAN AND THE PACIFIC OCEAN

A Soviet newspaper, Trud, has reported that an "explosion" in a nuclear-powered submarine occurred on August 10, 1985, at a nuclear ship repair plant on Chazhma Bay in Primorskiy Kray, about 1.5 km from the village named Shkotovo-22 near Vladivostok. Evidently, a steam explosion occurred in the reactor due to a mishap in a repair procedure, and the reactor core was reported to have been compromised, with fuel spilling into the water where the submarine was docked. Firefighters were said to have received doses of 30 to 40 rem. Ten men were killed, a radioactive trail 6 km by 500 meters was left on an adjacent hillside, and radioactivity is reported to have spread to nearby Konyushkovo, Abrek, and Razboynik Bays. The Taiga Geological Association in Khabarovsk conducted an independent radiological survey, and the results are presently being analyzed (Trud, October 25, 1991). The reactor core debris and contaminated soil from the accident that was placed in a "hastily" dug trench near the site are being placed in a new burial site (Moscow Television, March 29, 1992).

Additionally, a leak at a nuclear waste site on the Kamchatka Peninsula has been reported. Apparently the leak was noted in 1990, when a crack in the frame of one of two storage sites for "untreated high-level waste" was discovered (Nuclear Waste News, January 2, 1992).

4.0 REFERENCES

American Embassy, Stockholm. March 17, 1992. "Sweden to Assist in Decommissioning Paldiski Reactors."

Bradley, D. J., and K. J. Schneider. 1990. Radioactive Waste Management in the USSR: A Review of Unclassified Sources, 1963-1990. PNL-7182, Pacific Northwest Laboratory, Richland, Washington.

Daily Telegraph. September 3, 1992. "Swedish Daily Reports on Sillamae Uranium Waste Dump," p. 7.

Daily Telegraph. November 26, 1991. "Expert Alleges Soviet Nuclear Dumping in the Arctic," p.8.

The European. November 1-3, 1991. "Nuclear Waste Boat Towed to Arctic in Secret," p. 11.

Inside NRC. June 29, 1992. p.13.

Itar-Tass. April 21, 1992. "Russian, U.S. Scientists to Cooperate on Pacific North Studies."

Izvestia. April 17, 1991. "Investigation of Lake Ladoga Nuclear Experiments Updated," p. 8.

Izvestia. October 29, 1991. "Report on Nuclear Waste Dumping off Novaya Zemlya; One Year Test Ban Declared," pp. 1, 7.

Izvestia. April 14, 1992. "Convention on Baltic Sea Environmental Protection Signed," p. 7.

Izvestia. June 4, 1992. "Cleanup Seeks to Avoid 'Baltic Chernobyl,'" p. 7.

Izvestia. July 3, 1992. "Navy Unlikely to Recover Sunken Submarine," p. 1.

Komsomolskaya Pravda. September 28, 1991. "Evidence of Nuclear Dumping Near Novaya Zemlya," p. 1.

Komsomolskaya Pravda. April 14, 1992. "Russia Cannot Afford to Raise Sunken Submarine."

Meditinskaya Gazeta. December 13, 1991. "Map of Radioactive Hotspots in Former USSR."

Moscow Interfax. August 7, 1991. "Nuclear Contaminated Vessel Removed From Lake Ladoga."

Moscow Interfax. February 22, 1992. "Radioactive Waste Presently Being Dumped in Northern Seas."

Moscow ITAR-Tass. May 6, 1992. "Yeltsin Backs Severodvinsk Atomic Subbuilding Center Idea."

Moscow ITAR-Tass. June 3, 1992. "Joint Expedition Will Search for Reported Nuclear Waste."

Moscow New Times. April 1992. "Aide on Nuclear, Environmental Threats," No. 14, pp. 11-13.

Moscow Radio. March 7, 1992. "Finland Asked to Aid in Clearing Gulf of Finland of Chemical Weapons."

Moscow Radio Rossii. March 11, 1992. "Construction of Radioactive Waste Burial Site Studied."

Moscow Radio Rossii. March 25, 1992. "Spent Nuclear Reactors Dumped in the Kara Sea."

Moscow Radio World Service. January 20, 1992. "Novaya Zemlya Radiation Study Results Released."

Moscow RIA. March 13, 1992. "34,000 Tons Toxic Agents Dumped in Baltic Sea After War."

Moscow Television. March 29, 1992. "Radioactive Waste from Submarine Accident Being Reburied."

Nuclear Waste News. November 28, 1991. "Soviet Statement Calls any USSR Radwaste Ocean Dumping Illegal and Unauthorized," p. 465.

Nuclear Waste News. July 9, 1992. "British Scientists to Study Soviet Nuclear Disposal Site," p. 250.

Nuclear Waste News. January 2, 1992. "More Radwaste Problems in the Former Soviet Union," p. 3.

Nuclear Waste News. May 7, 1992. "Uranium Waste May Have Caused Estonian Health Problems," p. 169.

Nucleonics Week. April 18, 1991. "Norway Demands Account of Soviet Waste Stored on Kola," p. 6.

Nucleonics Week. March 19, 1992. "Swedes Agree to Aid Estonians in Radwaste Site Clean-Ups."

Nucleonics Week. May 28, 1992. "Canadian Energy Minister Offers Nuclear Aid to Russia, Ukraine," p. 10.

Ogonek. February 8, 1992. "Further Revelations on WWII Chemical Dumping in Baltic," pp. 8-9.

Oslo Aftenposten. November 22, 1991. "High Levels of Radiation in the Arctic," p. 40.

Oslo Aftenposten. November 26, 1991. "Authorities Admit Nuclear Mining Sites on the Kola Peninsula."

Oslo Aftenposten. August 6, 1992. "Map Confirms Dumping of 12 Russian Reactors," p. 19.

Paris AFP. September 24, 1991. "Official 'For First Time' Admits Nuclear Waste Dumped at Sea."

Paris AFP. January 9, 1992. "Norwegian Says Kola Peninsula Could Be Submarine Graveyard."

Pravda. June 16, 1992. "Radioactive Waste Sites Polluting St. Petersburg Region."

Reuters. September 23, 1991. "Deputy says Soviets Broke International Law on Nuclear Dumping."

Riga Radio. April 7, 1992. "Latvia Lodges Protest Over Chemical Weapon Pollution in Baltic."

Rossiyskaya Gazeta. February 27, 1992. "Nuclear Waste Dumped at Novaya Zemlya Alleged to be Unsafe," p. 7.

Rossiyskaya Gazeta. June 3, 1992. "German Chemical Weapons Dumped in Baltic After World War II: Cooperation Urged in Assessing Danger," p. 5.

Rossiyskaya Gazeta. June 23, 1992. "Military Seen Dodging Scrutiny of Novaya Zemlya Radiation Hazards," p. 5.

Sobesednik. January 5, 1992. "Russia - Novaya Zemlya Called Nuclear Dump and Test Site," No. 5, p. 6.

Stockholm Radio. May 6, 1992. "Russia, Norway Group to Investigate Nuclear Waste Dumping."

Suomen Yleisradio. October 10, 1991. "USSR Scientist Says Radioactive Ship Not Doing Much Damage."

Svenska Dagbladet. March 6, 1992. "Sillamae Nuclear Waste Dump Threatens Baltic Waters," p. 6.

Svenska Dagbladet. March 7, 1992. "Estonia to Receive Help with Radioactive Lake," p. 11.

Svenska Dagbladet. September 1, 1992. "Russian Beacons an Environmental Threat," p. 8.

Tass. October 2, 1991. "Floating 'Nuclear Sarcophagus' Devised in Murmansk."

Tass. February 28, 1992. "Condition of World War II Chemical Weapons Dumped in Baltic to Be Evaluated."

Tass. April 3, 1992. "Pollution in Barents, White Seas Causing Cancer in Seals."

Tass. May 7, 1992. "Norwegian Russian Expedition to Detect Radioactive Waste."

Tass. September 11, 1992. "Joint Expedition Says Radiation Level in Kara Sea Low."

Tass International Service. September 27, 1991. "Murmansk Deputy Details Radioactive Waste Disposal Problems."

Teleradiokompania Ostankino Television. May 1, 1992. "Ecologists Measure Pollution From Novaya Zemlya Nuclear Tests."

The Times Atlas of the World, Seventh Comprehensive Edition. 1988.
John Bartholomew and Son Limited, and Times Books Limited.

Tri-City Herald. May 4, 1992. "Soviet Nuclear Dumping Threatens Ocean Fish," pp. A1-2.

Trud. October 25, 1991. "Concern Over Post-Accident Conditions at Nuclear Submarine Repair Plant," No. 251, p. 2, cols. 1-6.

USSR Technology Update. January 24, 1991. "Radioactive Waste in Lake Ladoga," pp. 1, 3.

END

**DATE
FILMED**

3 / 2 / 93