DOE/ER/53281-T3

PROGRESS REPORT FOR 1992-1993 ON

THE INVESTIGATION OF ELECTRON-ION RADIATIVE

AND DIELECTRONIC RECOMBINATION

IN HIGH-TEMPERATURE PLASMAS

Verne L. Jacobs (Principal Investigator)
Condensed Matter and Radiation Sciences Division,
Code 6693
Naval Research Laboratory
Washington, D. C., 20375-5345

(202) 404-7147

Prepared For

Dr. Michael D. Crisp
Fusion Theory Branch
Advanced Physics And Technology Division
Office of Fusion Energy
Office of Energy Research
Department of Energy
Washington, D. C. 20585

MASTER

DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

PROGRESS REPORT

I. Unified Description of Radiative and Dielectronic Recombination

A density-operator approach to the unified description of radiative and dielectronic recombination of atomic ions in high-temperature plasmas has been developed. Our objective has been the self-consistent incorporation of the effects of charged-particle collisions and plasma electric fields. This density-operator approach provides the desired generalization of our previously developed unified description, which gives corrections to the conventional independent-processes approximation in a low-density plasma environment. A noteworthy aspect of new generalization is the use of Liouville-space (tetradic) projection-operator techniques to provide a comprehensive framework for the incorporation of collisional and radiative relaxation processes. A manuscript, entitled "Influence of Relaxation Phenomena in the Unified Description of Resonant and Non-Resonant Radiative Transitions", by V. L. Jacobs, J. Cooper, and S. L. Haan, is nearly ready for submission to the Physical review A. This manuscript is devoted primarily to the comprehensive presentation of the general theory. The detailed expressions for the unified density-dependent electron-ion photo-recombination cross sections will be presented in a second manuscript, which is in preparation. It should be emphasized that this generalization of our low-density unified theory provides a self-consistent description of relaxation phenomena for a diverse class of atomic radiative transitions involving autoionizing resonances.

II. Calculations for Specific Dielectronic Satellite Transitions

Specific calculations are in progress for K-shell dielectronic satellite transitions in the He-like and Li-like ions of Fe and Ar, using the autoionization and radiative transition rates that have been provided by M. Chen, at the Lawrence Livermore National Laboratory. These rates were obtained from fully-relativistic multi-configuration atomic-structure calculations and are expected to be the most precise rates that are available. The main emphasis in these calculations is directed at spectroscopically resolvable dielectronic recombination satellites, which are produced by transitions involving relatively low values of the captured-electron principal quantum number. These resolvable features are expected to be the most sensitive to the corrections that are due to the use of a unified theory. The density-independent unified corrections to the independent-processes cross section have been provided by our previously-published theory, while the generalization under development will provide the additional corrections that depend on the plasma density. Comparisons will be made between the predictions of the low-density independent-processes theory, the low-density unified theory, the density-dependent independent-processes theory, and the density-dependent unified theory. The Ar satellite spectra is of particular interest for diagnostic studies on the MIT Tokamak, and a collaboration on the modeling of the relevant spectra has been discussed with E. Marmar, at the MIT Plasma Fusion Center. The Fe satellite spectra has been the subject of extensive experimental investigations at the Princeton Plasma Physics Laboratory, and a collaboration with members of the PPPL group on the simulation of the Fe $K\alpha$ satellite spectra has been published, as described in detail in the following paragraph.

III. Modeling of K_{α} Dielectronic Satellite Spectra

The K_{α} model for the dielectronic satellite spectra of highly-charged Fe ions, which we have developed based on the conventional independent-processes theory of dielectronic satellite line intensities, has been incorporated into the multi-ion-species transport code MIST, which has been developed at the Princeton Plasma Physics Laboratory. This transport-simulation project has been carried out in collaboration with M. Bitter of PPPL and P. Beiersdorfer of LLNL. Excellent agreement has been obtained between the simulated spectra and the observed Fe K_{α} spectra from PLT and TFTR. A manuscript on this work, entitled "High-Resolution Measurements, Line Identifications, and Spectral Modeling of K_{α} Transitions in Fe XVIII - Fe XXV", by P. Beiersdorfer, T. Phillips, V. L. Jacobs, K. W. Hill, M. Bitter, S. Von Goeler, and S. M. Kahn, has been published in the *Astrophysical Journal*, Vol. **409**, 846, 1993. We have concluded that these satellite spectra can be employed to provide a very detailed investigation on the nature of the various plasma transport processes, both collisional and anomalous. Future extensions of this collaboration may be focused on the intimate coupling between the impurity-ion transport and radiative cooling problems, which we believe to be an important aspect in the realistic investigation of atomic processes in Tokamak plasmas. In addition, consideration is being given to an extension of the present atomic physics model to include contributions from the higher-lying autoionizing configurations with an electron in an $n=3$ quantum level. It may also be desirable to develop a new atomic physics model for the analogous dielectronic satellite spectra of Kr. A Kr satellite model would be useful for the study of plasma transport processes on the ITER Tokamak, where the electron temperature is expected to enter the region from 10 to 20 KeV.

IV. Effects of Electron Collisions and Electric Fields

A detailed investigation has been completed on the dielectronic recombination satellite spectra in the presence of a distribution of plasma electric microfields, taking into account both radiationless electron capture and inner-shell electron excitation as mechanisms for the population of the autoionizing states. A manuscript has been published in the *Physical Review A* **44**, 1281, 1991, entitled "Effects of Electric Microfields on Argon Dielectronic Satellite Spectra in Laser-Produced Plasmas", by L. A. Woltz, V. L. Jacobs, C. F. Hooper, Jr., and R. C. Mancini. This investigation utilizes the conventional independent-processes theory of dielectronic satellite intensities, but it is based on a self-consistent treatment of the level-population and line broadening phenomena associated with autoionization processes, radiative transitions, electron collisions, and the quasi-static action of the ion-produced electric microfields. The calculations have been carried out for the lowest-lying $n = 2$ satellites, which are affected by the electric fields only in high-density laser-produced plasmas (with $N_e \sim 10^{24} \text{ cm}^{-3}$). For application to the lower-density conditions in Tokamak plasmas (with $N_e \sim 10^{14} \text{ cm}^{-3}$), a number of alternatives are under investigation for determining the dielectronic recombination rates associated with the Rydberg autoionizing states corresponding to large values of n . This collaborative investigation has resulted in the development of a model for the effects of electric fields which is more detailed than the original description presented in 1976 by V. L. Jacobs. We have now made substantial progress in the further extension of this investigation to incorporate an explicit calculation for the population densities of the $n = 2$ autoionizing levels as functions of the strength of the electric microfield. Detailed calculation will also be carried out for the enlarged manifold consisting of the $n=2$ and $n = 3$ states, using the fully-relativistic multi-configuration autoionization and radiative decay rates supplied by M. H. Chen, at LLNL.

V. Density-Sensitive Dielectronic Satellite Lines

A manuscript entitled "Observation of Density-Enhanced Dielectronic Satellite Spectra Produced During Subpicosecond Laser-Matter Interactions", by A. Zigler, V. L. Jacobs, D. A. Newman, P. G. Burkhalter, D. J. Nagel, T. S. Luk, A. McPherson, K Boyer, and C. K. Rhodes, has been published in the Phys. Rev. **A 45**, 1569, 1992. This work provides a convincing experimental verification of the earlier theoretical predictions, which were published in Phys. Rev. **A 21**, 525, 1980, by V. L. Jacobs and M. Blaha, on the density sensitivity of certain prominent dielectronic satellite lines in dense plasmas. The subject of this investigation has also been restricted to the $n = 2$ autoionizing levels, which produce the spectroscopically resolvable satellite features. However, the experimental confirmation of the theoretically-predicted density enhancement of the dielectronic satellite spectra has important implications for the realistic modeling of the dielectronic recombination rates associated with the higher values of n , which are affected by collisional processes at lower densities. It should be emphasized that the higher- n autoionizing levels usually provide the dominant contributions to the recombination rates of low- and medium- Z ions for plasma electron densities in the Tokamak regime.

VI. Polarization of Atomic Radiative Emission in Crossed Electric and Magnetic Fields

Motivated by the existence of the Lorentz electric field in Tokamak plasmas, which is perpendicular to the magnetic field, an investigation has been initiated on the angular distribution and polarization of atomic radiative emission in the presence of crossed electric and magnetic fields. Our previous work on the circular polarization of radiative emission in the presence of a magnetic field, which was reported in Phys. Rev. **A 36**, 3267, 1987, by V. L. Jacobs and J. F. Seely, was carried out in relation to a proposed spectroscopic method for the determination of the poloidal magnetic field in a Tokamak plasma. Density-operator techniques provide the most natural means of accomplishing the objectives of the more general investigation of polarized atomic radiative emission, which has been given particular urgency as a result of new contacts with two different experimental programs. The first program is being carried out at the Sandia National Laboratories on the PBFA II device, where broad spectroscopic features have been observed in the presence of strong crossed E and B fields. The second program is in progress at the Harvard-Smithsonian Center for Astrophysics and involves the investigation of the effects of an electric field on dielectronic recombination rates. An additional application for this general density-operator analysis could be the more precise interpretation of the X-ray emission spectra of highly-charged ions which have been obtained from the EBIT device at the Lawrence Livermore National Laboratory.

11.1-44-10-31.89

VII. PROGRESS

A unified expression for the total photo-recombination cross section has been derived, for one autoionizing state and single-electron plus single-photon continua²⁰ but allowing for degenerate magnetic sublevels and multiple partial-wave contributions in the partial-wave expansion for the electron-continuum state. For the simple case in which the angular-momentum degeneracy and the partial-wave expansion are not taken into account, we recover the unified result of Alber, Cooper, and Rau¹⁸. We have recently extended the unified description to multiple electron- and/or photon- continua, using a projection operator approach³⁸, and we will include degeneracy and the partial-wave expansion.

The conventional expression for the dielectronic recombination rates has been evaluated to obtain predictions²⁶ for the K_{α} satellite spectra due to the ions Fe XVIII-Fe XXIV in the characteristic density and temperature region of Tokamak plasmas. Account has been taken of all fine-structure components of the $2p \rightarrow 1s$ radiative transitions from autoionizing states populated by both dielectronic recombination and inner-shell-electron collisional excitation.

The effects of indirect processes involving autoionization resonances have been investigated for electron-density sensitive line-intensity ratios, and the resonance contributions have been found to be comparable with the direct electron-impact excitation rates for magnetic-quadrupole transitions in highly-charged ions. A manuscript will be submitted to the Physical Review A, in collaboration with P. L. Hagelstein, M. H. Chen, and J. F. Seely.

VIII. PROPOSED INVESTIGATION

Using a projection-operator approach, the unified description of radiative and dielectronic recombination will be extended to treat processes involving more than a single state of the initial ion, the autoionizing resonance, and the recombined ion, including specifications of angular-momentum quantum numbers.

The investigation of the K_{α} dielectronic satellite spectra for highly-charged iron ions will be extended to include $n=3$ autoionizing levels and to evaluate the interference contributions to the satellite line intensities. Using the PPPL impurity-ion transport code, a realistic simulation of the observed Fe K_{α} spectra will be produced for comparison with the PLT and TFTR X-ray observations²⁵. Particular attention will be given to transport-sensitive lines.

A density-matrix description will be developed in order to extend the unified description of radiative and dielectronic recombination to self-consistently incorporate the effects of charged-particle collisions and plasma electric microfield distributions. Specific calculations will be carried out for K-shell dielectronic satellite transitions in Fe and Ar ions of interest for the diagnosis of Tokamak plasma, using both the conventional and the unified theories for the spectral line shapes.

IX. COORDINATION WITH CURRENT TOKAMAK OBSERVATIONS

AND ELECTRON-ION BEAM MEASUREMENTS

The high-resolution Fe X-ray spectra²⁵ that has been obtained from PLT and TFTR offer a unique opportunity for a comparison between Tokamak observations and theoretically-predicted dielectronic satellite spectra. In order to make a realistic comparison, it will be necessary to take into account radiative emissions by ions moving in and out of different temperature and density regions, using the PPPL impurity-ion transport code. Of particular interest will be the effects on the $K\alpha$ satellite spectra due to departures from the standard corona equilibrium model, in which impurity ion transport is neglected and the ionization and recombination processes are assumed to be in a static balance. If the ionization and recombination rates could be predicted with sufficient confidence, it should be possible to deduce information on the precise nature of the ion transport mechanisms from transport-sensitive satellite lines.

The electron-ion beam experiments at JILA¹¹ and ORNL¹², which have confirmed the theoretically-predicted⁹ electric-field induced enhancement, may provide sufficient resolution of the dielectronic recombination cross sections to enable a more precise comparison to be made between the results of the unified and conventional theories. The Livermore Electron Beam Ion Trap (EBIT), which has been successfully employed to observe the dielectronic satellite spectra of highly-charged ions³⁹, is expected to provide experimental spectra that could be compared with the results of precise calculations.

X. RELATED WORK ON RADIATIVE EMISSION PROCESSES IN CRYSTALS

A theoretical investigation of radiative emission by energetic electron beams propagating through crystals has been in progress in the Condensed Matter and Radiation Sciences Division. Recently, this investigation has been directed at the treatment of free-bound and bound-bound transitions⁴⁰, which are in many ways analogous to the atomic radiative and dielectronic recombination processes under study in this investigation. In the crystal radiation processes, the electron beam is directed nearly along an axis or plane of the crystal symmetry. Electrons from the beam may be captured into states which are bound in the transverse direction, giving rise to the coherent process of channeling radiation. It appears that the resonance-scattering, projection-operator, and density-matrix approaches, which we are developing for the unified treatment of radiative and dielectronic recombination, could also be employed for a unified treatment of the analogous radiative emission processes in crystal lattices. An important aspect in our description of radiation processes is the self-consistent treatment of the excited-level populations and spectral-line shapes, taking into account the same set of elementary autoionization, collision, and radiation processes.

XI. COLLABORATIONS

This investigation is being accomplished by means of collaborations with the following exceptionally-qualified atomic theorists:

Professor J. Cooper, University of Colorado, is collaborating in the development of the unified description of radiative and dielectronic recombination and in the incorporation of charged-particle collisions and plasma electric-fields into this description, using a density-matrix approach.

Professor S.L. Haan, Calvin College, is also collaborating in the development of the unified description of radiative and dielectronic recombination, particularly in the generalization of this description to allow for multiple autoionization and radiative-decay channels.

Dr. Manfred Bitter, Princeton Plasma Physics Laboratory, and Dr. Peter Beiersdorfer, Lawrence Livermore National Laboratory, are collaborating in the simulation of the Fe K_{α} satellite spectra for comparison with the PLT and the TFTR X-ray observations²⁵.

Dr. M.H. Chen, Lawrence Livermore National Laboratory, will be able to generate fully-relativistic multi-configuration results for autoionization and radiative decay rates, together with photoionization cross-sections, as required for the precise evaluation of the unified expressions for the intensities of individual dielectronic satellite transitions.

XII. REFERENCES

1. A. Burgess, *Astrophys. J.* 139, 776 (1964).
2. A. Burgess, *Astrophys. J.* 141, 1588 (1965).
3. C. Jordan, *M.N.R.A.S.* 142, 501 (1969).
4. C. Jordan, *M.N.R.A.S.* 148, 17 (1970).
5. V. L. Jacobs, J. Davis, P. C. Kepple, and M. Blaha, *Astrophys. J.* 211, 605 (1977).
6. V. L. Jacobs, J. Davis, P. C. Kepple, and M. Blaha, *Astrophys. J.* 215, 690 (1977).
7. V. L. Jacobs and J. Davis, *Phys. Rev.* A18, 647 (1978).
8. V. L. Jacobs and M. Blaha, *Phys. Rev.* A21, 525 (1980).
9. V. L. Jacobs, J. Davis, and P. C. Kepple, *Phys. Rev. Letters*, 37, 1340 (1976).
10. V. L. Jacobs, in "Atomic Excitation and Recombination in External Fields", edited by M. H. Nayfeh and C. W. Clark (Gordon and Breach, New York, 1985).
11. A. Muller, D. S. Belic, B. D. DePaola, N. Djuric, G. H. Dunn, D. W. Mueller, and C. Trimmer, *Phys. Rev. Letters* 56, 127 (1986).
12. P. F. Dittner, S. Datz, P. D. Miller, P. L. Pepmiller, and C. M. Fou, *Phys. Rev.* A33, 124 (1986).
13. J. F. Seely, *Phys. Rev. Letters*, 43, 1606 (1976).
14. V. L. Jacobs, J. E. Rogerson, M. H. Chen., and R. D. Cowan, *Phys. Rev.* A32, 3382 (1985).

15. L. Armstrong, Jr. E. Theodosiou, and M. J. Wall
Phys. Rev. A18, 2538 (1978).
16. S. L. Haan and J. Cooper, Phys. Rev. A28, 3349 (1983).
17. V. L. Jacobs, Phys. Rev. A31, 383 (1985).
18. G. Alber, J. Cooper, and A. R. P. Rau, Phys. Rev. A30, 2845 (1984).
19. R. H. Bell and M. J. Seaton, J. Phys. B18, 1589 (1985).
20. V. L. Jacobs, J. Cooper, and S. L. Haan, Phys. Rev. A36, 1093 (1987).
21. V. L. Jacobs and J. Davis, Naval Research Laboratory
Memorandum Report No. 4365, 1980 (unpublished).
22. R. J. Ballagh and J. Cooper, J. Phys. B17, 4411 (1984).
23. U. Feldman, J. F. Seely, N. R. Sheeley, Jr., S. Suckewer,
and A. M. Title, J. Appl. Phys. 56, 2512 (1984).
24. V. L. Jacobs and J. F. Seely, Phys. Rev. A36, 3267 (1987).
25. M. Bitter and P. Beiersdorfer (private communication).
26. V. L. Jacobs, G. A. Doschek, and R. D. Cowan, Phys. Rev. A39, 2411 (1989).
27. H. Feshbach, Ann. Phys. (N.Y.) 5, 357 (1958).
28. H. Feshbach, Ann. Phys. (N.Y.) 19, 287 (1962).
29. Y. Gontier and M. Trahin, in "Multi-photon Ionization of Atoms",
edited by S. L. Chin and P. Lambropoulos" (Academic, Orlando,
Florida, 1986).
30. S. L. Haan and G. S. Agarwal, Phys. Rev. A35, 4592 (1987).

31. D. A. Harmin, Phys. Rev. Letters 57, 1570 (1986).
32. K. Sakimoto, J. Phys. B20, 807 (1987).
33. K. LaGattuta and Y. Hahn, Phys. Rev. Letters 51, 558 (1983).
34. D. C. Griffin, M. S. Pindzola, and C. Bottcher, Phys. Rev. A33, 3124 (1986).
35. V. J. Jacobs, Astrophys. J. 296, 121 (1985).
36. J. F. Drake, Phys. Fluids 30, 2429, (1987).
37. J. F. Drake, L. Sparks, and G. Van Hoven, Phys. Fluids 31, 813 (1988).
38. S. L. Haan and V. L. Jacobs, Phys. Rev. A40, xxxx (1989).
39. D. A. Knapp, R. E. Marrs, M. A. Levine, C. L. Bennett, M. H. Chen, J. R. Henderson, M. B. Schneider, and J. H. Scofield, Phys. Rev. Letters 62, 2104 (1989).
40. A. W. Saenz, A. Nagl, and H. Uberall, Phys. Rev. B37, 7238 (1988).

XIV. RESUME

Verne Louis Jacobs	1964 B.S.	Massachusetts Institute of
Research Physicist		Technology (Physics)
Complex Systems Theory Branch	1968 Ph.D.	University of California
Condensed Matter and		at Berkeley (Physics)
Radiation Sciences Division		
Naval Research Laboratory		

Dr. Jacobs has carried out research work on a wide variety of topics in the fundamental quantum-mechanical theory of atomic autoionization, collision, and radiation processes, and he has incorporated new theoretical descriptions of these processes into the prediction of the charge-state distributions and the radiative emission spectra of atomic ions in high-temperature laboratory and astrophysical plasmas. His Ph.D. thesis research was an investigation of electron-electron correlation effects on the energy-level structure and radiative properties of K- and L-shell atoms. During his research associate appointments at the Weizmann Institute of Science (1968-71), at the Queen's University of Belfast (1971-72), and at the NASA Goddard Space Flight Center (1972-74), he carried out extensive theoretical and computational investigations of forbidden radiative transitions, multiple-photon processes, and photoionization processes in two-electron atoms, with particular emphasis on processes involving the autoionizing states that are relevant to dielectronic recombination.

In 1974, Dr. Jacobs joined Science Applications Inc. and worked (under contract for the Naval Research Laboratory) on the calculation of dielectronic recombination rates and on the modeling of the ionization structure and the radiative emission spectra of high-temperature laboratory and astrophysical plasmas. After joining the Naval Research Laboratory in 1977, he completed investigations on the effects of plasma electric microfields on high-Rydberg autoionizing states and on the effects of angular-momentum-changing electron collisions on dielectronic satellite spectra. He has also developed a comprehensive and systematic description for the multiple ionization and X-ray radiation produced by inner-shell-electron ionization processes and for the broadening of spectral lines by autoionization, collision, and radiation processes. Dr. Jacobs has made internationally recognized contributions to the fundamental quantum-mechanical theory of atomic photoionization, photoelectron angular distributions, multiple-photon and forbidden radiative transitions, inner-shell-electron processes, and dielectronic recombination. He has maintained extensive collaborations with leading atomic physicists at Universities and Government Laboratories on both the fundamental quantum-electrodynamical theory of atomic processes and the theoretical prediction of spectral-line intensities from the high-temperature plasmas encountered in fusion research and laser-matter interaction studies. In 1985, Dr. Jacobs was elected to Fellowship in the American Physical Society.

XV. PUBLICATION LIST

Verne Louis Jacobs

Research Physicist

Code 4694

Condensed Matter And Radiation Sciences Division

Naval Research Laboratory

Washington, D. C. 20375-5000

(202) 404 7147

PAPERS PUBLISHED IN SCIENTIFIC JOURNALS

1. Variational Calculations of Correlation Effects in Light Atoms. Verne Jacobs, Phys. Rev. 178, 55 (1968).
2. Low-Energy Photoionization of the 1^1S and 2^1S States of Helium. Verne Jacobs, Phys. Rev. A3, 289 (1971).
3. Two-Photon Decay Rate of the 2^1S_0 Metastable State of Helium. Verne Jacobs, Phys. Rev. A4, 939 (1971).
4. Magnetic Quadrupole Decay of the Low-Lying n^3P_2 States of Helium-Like Ions. V. L. Jacobs, J. Phys. B5, 213 (1972).
5. Interaction of Laser Light with the 2^1S_0 Metastable State of Helium. V. L. Jacobs and J. Mizuno, J. Phys. B5, 1155 (1972).
6. Photoionization of Helium Above the $n = 2$ Threshold. V. L. Jacobs and P. G. Burke, J. Phys. B5, L67 (1972).
7. Theory of Atomic Photoionization Measurements. V. L. Jacobs, J. Phys. B5, 2257 (1972).
8. Photoionization of the Helium Metastable States Above the $n = 2$ Threshold. V. L. Jacobs and P. G. Burke, J. Phys. B5, 2272 (1972).
9. Photoionization of H^- and He above the $n = 2$ Threshold. H. A. Hyman, V. L. Jacobs, and P. G. Burke, J. Phys. B5, 2282 (1972).
10. Polarization Phenomena in Multi-Photon Ionization of Atoms. V. L. Jacobs, J. Phys. B6, 1461 (1973).

11. Photoionization from Excited States of Helium. V. L. Jacobs, Phys. Rev. A9, 1938 (1974).
12. Photoionization of He($n^{1,3}P$) Atoms Excited by Polarized Light. V. L. Jacobs, Phys. Rev. Letters 32, 1399 (1974).
13. Radiative Transitions Involving the ($2p^2$) $^3P^e$ Metastable Autodetaching State of H^- . V. L. Jacobs, A. K. Bhatia, and A. Temkin, Ap. J. 191, 785 (1974).
14. Differential Cross Sections for Electron Impact Ionization of Helium. V. L. Jacobs, Phys. Rev. A10, 499 (1974).
15. Continuous Ultraviolet Absorption into Doubly-Excited States of H^- . V. L. Jacobs, A. K. Bhatia, and A. Temkin, Ap. J. 200, 239 (1975).
16. Effects of Plasma Microfields on Radiative Transitions from Atomic Levels Above the Ionization Threshold. J. Davis and V. L. Jacobs, Phys. Rev. A12, 2017 (1975).
17. The Influence of Autoionization Accompanied by Excitation on Dielectronic Recombination and Ionization Equilibrium. V. L. Jacobs, J. Davis, P. C. Kepple, and M. Blaha, Ap. J. 211, 605 (1977).
18. Radiative Cooling of Tokamak Plasmas Due to Multiply-Charged Fe Impurity Ions. J. Davis, V. L. Jacobs, P. C. Kepple, and M. Blaha, J. Quant. Spectrosc. Radiative Transfer 17, 139 (1977).
19. Oxygen Impurity Radiation from Tokamak-like Plasmas. J. E. Rogerson, J. Davis, and V. L. Jacobs, J. Quant. Spectrosc. Radiative Transfer 17, 343 (1977).

20. Enhancement of Dielectronic Recombination by Plasma Electric Microfields.
V. L. Jacobs, J. Davis, and P. C. Kepple, Phys. Rev. Letters 37, 1390
(1976).
21. The Influence of Autoionization Accompanied by Excitation on the
Dielectronic Recombination and the Ionization Equilibrium of Silicon Ions.
V. L. Jacobs, J. Davis, P. C. Kepple, and M. Blaha, Ap. J. 215, 690(1977).
22. The Importance of Metastable Transitions to Oxygen Impurity Radiation in
Tokamak Plasmas. J. E. Rogerson, J. Davis, and V. L. Jacobs, J. Quant.
Spectrosc. Radiative Transfer 19, 217 (1978).
23. Ionization Equilibrium and Radiative Energy Loss Rates for C, N, and O
Ions in Low-Density Plasmas. V. L. Jacobs, J. Davis, J. E. Rogerson, and
M. Blaha, J. Quant. Spectrosc. Radiative Transfer 19, 591 (1978).
24. Effects of Collisions on Level Populations and Dielectronic Recombination
Rates of Multiply-Charged Ions. V. L. Jacobs and J. Davis. Phys. Rev.
A18, 697 (1978).
25. Properties of Rydberg Autoionizing States in Electric Fields. V. L.
Jacobs and J. Davis, Phys. Rev. A19, 776 (1979).
26. Dielectronic Recombination, Ionization Equilibrium, and Radiative
Emission Rates for Neon, Magnesium, and Sulfur Ions in Low-Density
Plasmas. V. L. Jacobs, J. Davis, J. E. Rogerson, and M. Blaha,
Ap. J. 230, 627 (1979).
27. Effects of Angular-Momentum-Changing Collisions on Dielectronic Satellite
Spectra. V. L. Jacobs and M. Blaha, Phys. Rev. A21, 525 (1980).

28. Dielectronic Recombination Rates, Ionization Equilibrium, and Radiative Emission Rates for Calcium and Nickel Ions in Low-Density High-Temperature Plasmas. V. L. Jacobs, J. Davis, J. E. Rogerson, M. Blaha, J. Cain, and M. Davis, Ap. J. 239, 1119 (1980).
29. Systematic Trends in the Radiative Emission Rates for Low- and Medium-Z Elements in High-Temperature Plasmas. J. Davis and V. L. Jacobs, J. Quant. Spectrosc. Radiative Transfer Vol. 24, 283 (1980).
30. Probability Distribution of Ionized Fragments Following Inner-Shell-Vacancy Creation. B. F. Rozsnyai, V. L. Jacobs, and J. Davis, Phys. Rev. A21, 1798 (1980).
31. Multiple Ionization and X-Ray Emission Accompanying the Cascade Decay of Inner-Shell Vacancies in Fe. V. L. Jacobs, J. Davis, B. F. Rozsnyai, and J. W. Cooper, Phys. Rev. A21, 1917 (1980).
32. Photodetachment and Radiative Attachment Involving the $2p^2\ 3p^e$ State of H^- . V. L. Jacobs, A. K. Bhatia, and A. Temkin, Ap. J. 242, 1278 (1980).
33. Theory of Radiative Corrections to Auger and Fluorescence Yields and Dielectronic Satellite Line Intensities. V. L. Jacobs, Phys. Rev. A31, 383 (1985).
34. Dielectronic Recombination, Ionization Equilibrium, and Radiative Emission in High-Temperature Plasmas. V. L. Jacobs, Ap. J. 296, 121 (1985).
35. Effects of Angular-Momentum-Changing Electron Collisions and Radiative Corrections on Dielectronic Satellite Spectra. V. L. Jacobs, J. E. Rogerson, M. H. Chen, and R. D. Cowan, Phys. Rev. A 32, 3382 (1985).

36. Was the Livermore Ray Laser Pumped by Recombination? J. P. Apruzese, J. Davis, M. Blaha, P. C. Kepple, and V. L. Jacobs, Phys. Rev. Letters 55, 1877 (1985).
37. Multiple Ionization and X-Ray Line Emission Resulting from Inner-Shell Electron Ionization. V. L. Jacobs and B. F. Rozsnyai, Phys. Rev. A 34, 216 (1986).
38. Density Dependence of Dielectronic Recombination in Selenium. P. L. Hagelstein, M. D. Rosen, and V. L. Jacobs, Phys. Rev. A 34, 1931 (1986).
39. Unified Description of Radiative and Dielectronic Recombination, Including the Coupling Between Autoionization and Radiation Continua. V. L. Jacobs J. Cooper, and S. L. Haan, Phys. Rev. A 36, 1093 (1987).
40. Effects of Departures from LS-Coupling and Configuration Mixing on the Zeeman Splitting and Polarization of Magnetic-Dipole Radiation. V. L. Jacobs and J. F. Seely, Phys. Rev. A 36, 3267 (1987).
41. Dynamics of Collisional-Excitation X-Ray Lasers. M. D. Rosen, J. E. Trebes, B. J. MacGowan, P. L. Hagelstein, E. A. London, D. L. Matthews, D. G. Nilson. T. W. Phillips, D. A. Whelan, G. Charatis, G. E. Busch, C. L. Shepard, and V. L. Jacobs, Phys. Rev. Letters 59, 2283 (1987).
42. Photorecombination Rates of Hydrogenic and Nonhydrogenic States. B. F. Rozsnyai and V. L. Jacobs, Ap. J. 327, 485 (1988).
43. Effects of Initial-State Population Variations on the $2p \rightarrow 1s K\alpha$ Dielectronic Satellite Spectra of Highly-Ionized Iron Ions in High-Temperature Astrophysical and Laboratory Plasmas. V. L. Jacobs, G. A. Doschek, and R. D. Cowan, Phys. Rev. A 39, 2411 (1989).

44. Effects of Coronal Elemental Abundances on the Radiative Loss Function.
J. W. Cook, C. -C. Cheng, V. L. Jacobs, And S. K. Antiochos,
Ap. J. 338, 1176 (1989).
45. Projection Operator Approach to the Unified Treatment of Radiative
and Dielectronic Recombination. S. L. Haan and V. L. Jacobs,
Phys. Rev. A40, xxxx (1989).
46. Effects of Autoionizing Resonances on Density-Sensitive Spectral-Line
Intensity Ratios in Hight-Temperature Plasmas. V. L. Jacobs, P. L.
Hagelstein, M. Chen, R. K. Jung, and J. F. Seely, Phys. Rev. A
47. Effects of Electric Microfields on Dielectronic Satellite Spectra in
Laser-Produced Plasmas. L. A. Woltz, V. L. Jacobs, C. F. Hooper, Jr.,
and R. C. Mancini, Phys. Rev. A.
48. Analytical Approaches and Radiation-Hydrodynamics Descriptions of
Laser-Matter Interactions and Shock-Wave Phenomena.
V. L. Jacobs and D. J. Nagel, Rev. Mod. Phys.

INVITED PRESENTATIONS AT SCIENTIFIC MEETINGS

1. Dielectronic Recombination in High-Temperature Plasmas. V. L. Jacobs, The 2nd A.P.S. Topical Conference on Atomic Processes in High-Temperature Plasmas, Boulder, Colorado, 1979.
2. New Developments in the Theory of Dielectronic Recombination. V. L. Jacobs, Gordon Research Conference on Atomic Physics, Brewster Academy, Wolfeboro, New Hampshire, 1979.
3. Dielectronic Recombination, Ionization Equilibrium, and Radiative Emission for Astrophysically Abundant Elements. V. L. Jacobs, La Jolla Institute Workshop on Atomic Physics and Spectroscopy as they Relate to the Interpretation of Supernovae Spectra, La Jolla, California, 1980.
4. Recombination. V. L. Jacobs, Johns Hopkins Workshop on Current Problems in Physics: Theoretical Atomic Physics in Astrophysics, The Johns Hopkins University, 1980.
5. Theory of Dielectronic Recombination. V. L. Jacobs, Workshop on Atomic Spectra and Collisions in External Fields, National Bureau of Standards, Gaithersburg, Maryland, 1984.
6. Interference Between Radiative and Dielectronic Recombination and the Effects of Electric Fields. Workshop on Dielectronic Recombination: Coordination of Experiment and Theory, Rollins College, Winter Park, Florida, 1985.

7. Effects of Collisions, Electric Fields, and Radiative Corrections on Dielectronic Recombination in High-Temperature Plasmas, V. L. Jacobs, Fifth A.P.S. Topical Conference on Atomic Processes in High-Temperature Plasmas, Asilomar, California, 1985.

PAPERS PRESENTED AT SCIENTIFIC MEETINGS

(Published Abstracts of Contributed Papers)

1. Polarization Phenomena in Multiphoton Ionization of Atoms. V. L. Jacobs, Bull. Am. Phys. Soc. 18, 708 (1973).
2. Photoionization from Excited States of Helium. V. L. Jacobs, Bull. Am. Phys. Soc. 18, 1514 (1973).
3. Hylleraas Calculation for $e^- - He^+$ Scattering, A. K. Bhatia, V. L. Jacobs, and A. Temkin, Bull. Am. Phys. Soc. 18, 1530 (1973).
4. Radiative Transitions Involving the $2p^2\ 3p^e$ Metastable Autodetaching State of H^- . V. L. Jacobs, A. K. Bhatia, and A. Temkin, Bull. Am. Phys. Soc. 19, 600 (1974).
5. Differential Cross Sections for Electron Impact Ionization of Helium. V. L. Jacobs, in Electron and Photon Interactions with Atoms, Edited by H. Kleinpoppen and M. R. C. McDowell (Pelenum Press, New York, 1976).
6. Bound-Bound and Bound-Free Transitions of Helium $2p^2\ 3P$ Metastable Atoms in Plasmas. J. Davis and V. L. Jacobs, Bull. Am. Phys. Soc. 20, 704 (1975).
7. Radiative Transitions from Autoionizing and Metastable Autoionizing States of Helium and Helium-Like Ions in Electric Fields. V. L. Jacobs and J. Davis, IXth International Conference on the Physics of Electron and Atomic Collisions, Seattle, Washington (1975).
8. Dielectronic Recombination of Highly-Stripped Ions in Plasmas. J. Davis and V. J. Jacobs, Bull. Am. Phys. Soc. 20, 1283 (1975).

9. Dielectronic Recombination of Multiply-Charged Fe Ions in Plasmas. V. L. Jacobs, J. Davis, P. C. Kepple, and M. Blaha, Bull. Am. Phys. Soc. 21, 598 (1976).
10. Radiative Cooling of Plasmas Due to Mutliply-Charged Fe Impurity Ions. J. Davis, V. L. Jacobs, P. C. Kepple, and M. Blaha, Bull. Am. Phys. Soc. 21, 598 (1976).
11. Plasma Impurity Radiation. J. Rogerson, J. Davis, and V. L. Jacobs, Bull. Am. Phys. Soc. 21, 573 (1976).
12. Influence of Electric Fields on Autoionization and Dielectronic Recombination. V. L. Jacobs and J. Davis, 5th International Conference on Atomic Physics, Berkeley, California (1976).
13. Influence of Plasmas on Spectral Line Shapes Arising from Atomic Levels Above the Ionization Threshold. J. Davis and V. L. Jacobs, 3rd International Conference on Spectral Line Shapes, London, England (1976).
14. Enhancement of Dielectronic Recombination Radiation by Plasma Electric Microfields. J. Davis, V. L. Jacobs, and P. C. Kepple, Bull. Am. Phys. Soc. 21, 1131 (1976).
15. Enhancement of Dielectronic Recombination by Plasmas. V. L. Jacobs, J. Davis, and P. C. Kepple, A.P.S. Topical Conference on Atomic Processes in High Temperature Plasmas, Knoxville, Tennessee (1977).
16. The Influence of Metastable Levels on the Oxygen Impurity Radiation from Flare-Like Plasmas. J. F. Rogerson, J. Davis, and V. L. Jacobs, A.P.S. Topical Conference on Atomic Processes in High Temperature Plasmas, Knoxville, Tennessee (1977).

17. Departure from Coma Equilibrium due to the Effects of Collisions on Dielectronic Recombination. V. L. Jacobs and J. Davis, Bull. Am. Phys. Soc. 22, 1108 (1977).
18. X-Ray Emission from a Dense Aluminum Z-Pinch Plasma. P. Kepple, J. Davis, J. Apruzese, and V. Jacobs, Bull. Am. Phys. Soc. 22, 1107 (1977).
19. Influence of Opacity on the Total Line Radiation from Dense Aluminum and Titanium Plasmas. J. Rogerson, J. Davis, J. Apruzese, and V. L. Jacobs, Bull. Am. Phys. Soc. 22, 1108 (1977).
20. Influence of Angular Momentum Changing Collisions on Dielectronic Satellite Spectra. V. L. Jacobs, J. Davis, and M. Blaha, Bull. Am. Phys. Soc. 23, 890 (1978).
21. Satellite to Resonance Line Intensity Ratio from Optically Thick Aluminum Plasmas. J. Davis, D. Duston, V. L. Jacobs, and M. Blaha, Bull. Am. Phys. Soc. 23, 890 (1978).
22. Autoionization and Radiative Decay of Doubly-Excited Ions in Electric-Fields. V. L. Jacobs and J. Davis, Symposium on Atomic Spectroscopy, Tucson, Arizona (1979).
23. Multiple Ionization and X-Ray Emission Accompanying the Cascade Decay of Inner-Shell Vacancies in Fe. V. L. Jacobs, J. Davis, J. W. Cooper, and B. F. Rozanyai, Bull. Am. Phys. Soc. 24, 1025 (1979).
24. The Broadening of Spectral Lines by Autoionization, Radiative Transitions, and Collisions. J. Davis and V. L. Jacobs, in Spectral Line Shapes, proceedings of 5th International Conference, edited by B. Wende (Walter de Gruyter and Co., Berlin, 1981).

25. Plasma Screening Effects on the Vacancy-Cascade Process in Argon-Like Ions. B. F. Rozsnyai, V. L. Jacobs, and J. Davis, 7th International Conference on Atomic Physics, Massachusetts Institute of Technology, Cambridge, Massachusetts (1980).
26. X-Ray and Auger Electron Emission During the Cascade Decay of Inner-Shell Vacancies in Fe Ions. V. L. Jacobs, J. Davis, B. F. Rozsnyai, and J. W. Cooper, 7th International Conference on Atomic Physics, Massachusetts Institute of Technology, Cambridge, Massachusetts (1980).
27. Dielectronic Recombination, Ionization Equilibrium, and Radiative Emission from Mn Ions in Low-Density Plasmas. V. L. Jacobs, J. Davis, and R. Ernst, Bull. Am. Phys. Soc. 25, 1015 (1980).
28. Dielectronic Recombination, Ionization Equilibrium, and Radiative Emission from Cr Ions in Low-Density Plasmas. V. L. Jacobs, J. Davis, and R. Ernst, Bull. Am. Phys. Soc. 26, 907 (1981).
29. Radiative Emission Rates for Low- and Medium-Z Elements in High-Temperature Plasmas. V. L. Jacobs and J. Davis, Bull. Am. Phys. Soc. 27, 973 (1982).
30. Radiative Corrections to the Intensities of Dielectronic Satellite Lines. V. L. Jacobs, J. E. Rogerson, and J. Davis, Bull. Am. Phys. Soc. 29, 826 (1984).
31. Radiative Corrections to Auger and Fluorescence Yields and Intensities of Dielectronic Satellite Lines. V. L. Jacobs, Ninth International Conference on Atomic Physics, University of Washington, Seattle, Washington (1984).

32. Radiative Corrections to the Intensities of Dielectronic Satellite Lines Emitted from Helium-Like and Lithium-Like Argon. V. L. Jacobs and J. E. Rogerson, Eighth International Colloquium on Ultraviolet and X-Ray Spectroscopy of Astrophysical and Laboratory Plasmas, Washington, D. C. (1984).
33. Effects of Angular-Momentum-Changing Electron Collisions and Radiative Corrections on Dielectronic Satellite Spectra. V. L. Jacobs, J. E. Rogerson, M. H. Chen, and R. D. Cowan, Bull. Am. Phys. Soc. 30, 1129 (1985).
34. Photoionization and Photorecombination Cross Sections of Non-Hydrogenic States in Plasmas. B. F. Rozsnyai and V. L. Jacobs, Third International Conference/Workshop on the Radiative Properties of Hot Dense Matter, Williamsburg, Virginia (1985).
35. Was the Livermore X-Ray Laser Pumped by Recombination? J. P. Apruzese, J. Davis, M. Blaha, C. P. Kepple, and V. L. Jacobs, Bull. Am. Phys. Soc. 30, 1547 (1985).
36. Unified Description of Radiative and Dielectronic Recombination. V. L. Jacobs, J. Cooper, and S. L. Haan, Bull. Am. Phys. Soc. 31, 989 (1986).
37. On The Dynamics of Collisional Excitation X-Ray Lasers. M. D. Rosen, J. E. Trebes, B. J. MacGowan, D. Nilson, P. L. Hagelstein, D. L. Matthews, R. A. London, A. U. Hazi, B. L. Whitten, M. J. Echart, T. Phillips, R. Stewart, G. Charatis, G. E. Busch, C. L. Shepard, and V. L. Jacobs, Bull. Am. Phys. Soc. 31, 1586, (1986).

38. Effects of Configuration Interaction and Departure from LS-Coupling on the Zeeman Splitting Parameters for Magnetic-Dipole Transitions Between Levels of the Ground-State Configuration in Carbon-Like Ions. V. L. Jacobs and J. F. Seely, Bull. Am. Phys. Soc. 32, 1228 (1987).
39. Multiple Ionization and X-Ray Emission Following Inner-Shell Photoionization of Atoms. V. L. Jacobs and B. F. Rozsnyai, Ninth International Conference on Multiphoton Processes, University of Colorado, Boulder, Colorado (1987).
40. Analytical Approximations for the Photorecombination and Photoionization Rates of Hydrogenic and Non-Hydrogenic States. B. F. Rozsnyai and V. L. Jacobs, Sixth A.P.S. Topical Conference on Atomic Processes in High-Temperature Plasmas and Fourth International Conference/Workshop on the Radiative Properties of Hot Dense Matter, Sante Fe, New Mexico (1987).
41. The K_{α} Dielectronic Satellite Spectra of Highly-Ionized Iron Ions in High-Temperature Plasmas. V. L. Jacobs, G. A. Doschek, and R. D. Cowan, Bull. Am. Phys. Soc. 33, 946 (1988).
42. The Application of Projection Operators to a Unified Description of Radiative and Dielectronic Recombination. S. L. Haan and V. L. Jacobs, Bull. Am. Phys. Soc. 33, 995 (1988).
43. Effects of Coronal Elemental Abundances on the Radiative Loss Function, J. W. Cook, C. -C. Cheng, V. L. Jacobs, and S. K. Antiochos, Trans. Am. Geophys. Union 69, 453 (1988).

CHAPTERS IN BOOKS

1. Differential Cross Sections for Electron Impact Ionization of Helium. V. L. Jacobs, in Electron and Photon Interactions with Atoms, edited by H. Kleinpoppen and M. R. C. McDowell (Plenum Press, New York: 1976).
2. Dielectronic Recombination, Ionization Equilibrium, and Radiative Emission for Astrophysically Abundant Elements. V. L. Jacobs and J. Davis, in Supernovae Spectra, edited by R. Meyerott and G. H. Gillespie (American Institute of Physics, New York: 1980).
3. The Broadening of Spectral Lines by Autoionization, Radiative Transitions, and Collisions. J. Davis and V. L. Jacobs, in Spectral Line Shapes, Proceedings of the 5th International Conference, edited by B. Wende (Walter de Gruyter and Co., Berlin: 1981).
4. Autoionization and Dielectronic Recombination in Plasma Electric Microfields. V. L. Jacobs, in Atomic Excitation and Recombination in External Fields, edited by M. H. Nayfeh and C. W. Clark (Gordon and Breach, London: 1985).
5. Photoionization and Photorecombination Cross Sections of Non-Hydrogenic States in Plasmas. B. F. Rozsnyai and V. L. Jacobs, in Radiative Properties of Hot Dense Matter, Proceedings of the Third International Conference, edited by J. Davis, C. Hooper, R. Lee, A. Mertz, and B. Rozsnyai (World Scientific, Singapore: 1987).

MEMORANDUM REPORTS

NASA - Goddard Space Flight Center

1. Polarization Phenomena in Multi-Photon Ionization of Atoms. V. L. Jacobs, GSFC Report X-641-73-21 (1973).
2. Photoionization from Excited States of Helium. V. L. Jacobs, GSFC Report X-641-73-317 (1974).
3. Radiative Transitions Involving the $(2p^2) \ 3p^e$ Metastable Autodetaching State of H^- . V. L. Jacobs, A. K. Bhatia, and A. Temkin, GSFC Report X-602-74-13 (1974).

Naval Research Laboratory

4. Ionization Equilibrium and Radiative Energy Loss Rates for C, N, and O Ions in Lower-Density Plasmas. V. L. Jacobs, J. Davis, J. E. Rogerson, and M. Blaha, NRL Memorandum Report 3572 (1977).
5. Effects of Collisions on Level Populations and Dielectronic Recombination Rates of Multiply-Charged Ions. V. L. Jacobs and J. Davis, NRL Memorandum Report 3641 (1978).
6. The Broadening of Spectral Lines by Autoionization, Radiative Transitions, and Collisions. V. L. Jacobs and J. Davis, NRL Memorandum Report 4365 (1980).

- 7. DNA/NRL Advanced Concepts Annual Report Intermediates. Baccarat (U), J. Davis, R. Clark, D. Duston, J. Rogerson, V. Jacobs, P. Kepple, P. Burkhalter, K. G. Whitney, J. Apruzese, P. Vitello, A. Mondelli, R. Terry, and J. Guillory, NRL Memorandum Report 4513 (1981) (SRD).
- 8. Dielectronic Recombination Rates, Ionization Equilibrium, and Radiative Emission Rates for Mn Ions in Low-Density High-Temperature Plasmas, NRL Memorandum Report 5105 (1983).

Lawrence Livermore National Laboratory

- 9. Probability Distribution of Ionized Fragments Following Inner-Shell-Vacancy Creation. B. F. Rozsnyai, V. L. Jacobs, and J. Davis, UCRL - 83526 (1979).
- 10. Photoionization and Photorecombination Cross Sections of Non-Hydrogenic States in Plasmas. B. F. Rozsnyai and V. L. Jacobs, UCRL - 93172 (1986).
- 11. Density Dependence of Dielectronic Recombination in Selenium. P. L. Hagelstein, M. D. Rosen, and V. L. Jacobs, UCRL - 94378 (1986).
- 12. Dynamics of Collisional-Excitation X-Ray Lasers. M. D. Rosen, J. E. Trebes, B. J. MacGowan, P. L. Hagelstein, R. A. London, D. L. Matthews, D. G. Nilson, T. W. Phillips, D. A. Whelan, G. Charatis, G. E. Busch, C. L. Shepard, and V. L. Jacobs, UCRL - 94859 (1987).
- 13. Photorecombination Rates of Hydrogenic and Nonhydrogenic States. B. F. Rozsnyai and V. L. Jacobs, UCRL - 96877 (1987).

DATE

FILMED

2 / 17 / 94

END