Title List of Documents Made Publicly Available

November 1-30, 1994

Date Published: January 1995

Division of Freedom of Information and Publications Services
Office of Administration
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

MASTER

DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED

hu

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, make any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

DISCLAIMER

Portions of this document may be illegible in electronic image products. Images are produced from the best available original document.

CONTENTS

Preface	v
Arrangement of Items by Docket Number	ix
Alphabetic Arrangement of Docket Items by Facility Name	xv
Docketed Items	1
Low-Level Radwaste Disposal Sites — Docket 27	1
Domestic Licensing of Source Material — Docket 40	1
Domestic Licensing of Production and Utilization Facilities — Docket 50	7
Standardized Nuclear Power Plant Design — Docket 52	168
Domestic Licensing of Special Nuclear Material — Docket 70	169
Packaging of Radioactive Material for Transport and Transportation of Radioactive Material Under Certain Conditions — Docket 71	175
Licensing of Independent Spent Fuel Storage — Docket 72	180
Nondocketed Items	183
10 CFR — Commission Meeting Records	183
ACNW — Advisory Committee on Nuclear Waste	183
ACRS — Advisory Committee on Reactor Safeguards	183
ADVCM — NRC Advisory Committee	183
COMMISSION — NRC Commissioners	184
CONTRACT — NRC Contracts and Modifications	185
FOIA — Freedom of Information Act Requests and Releases	188
GEN TECH IS — Generic Technical Issues	193
I&E — Inspection and Enforcement	193
MISC — Public Document Room Miscellaneous	194
NUREG — NUREG Reports and Related Correspondence	195
ORG — Correspondence with Other Organizations	197
PR — Proposed Rule	199
PRESS — Press Releases	202
PRM — Petition for Rulemaking	203
PROJ — Projects-Predocket Licensing	203
PT21 — Noncompliance Reports and Related Correspondence	204
QA999 — Quality Assurance Inspections	204
REGGD — Regulatory Guides	205
REVIEW GROUP — NRC Research Review Groups	205
SECY — Position Papers Before the Commission	206
STATE PROG — State Programs	206
TOPREP — Vendor Reports and Related Correspondence	210
WASTE MGT — Nuclear Waste Management	212
XPORTLIC — Export and Import Licenses	215
Personal Author Index	219
Corporate Source Index	237
Report Number Index	253
Cross Reference of Enclosures to Principal Documents	255
Appendix A — Definitions of Docket 50 Categories	A-1
Appendix B — Definitions of Nondocketed Categories	B-1

PREFACE

The *Title List of Documents Made Publicly Available* is a monthly publication. It contains descriptions of the information received and generated by the U.S. Nuclear Regulatory Commission (NRC). This information includes (1) docketed material associated with civilian nuclear power plants and other uses of radioactive materials and (2) nondocketed material received and generated by NRC pertinent to its role as a regulatory agency. As used here, *docketed* does not refer to Court dockets; it refers to the system by which NRC maintains its regulatory records. This series of documents is indexed by a Personal Author Index, a Corporate Source Index, and a Report Number Index.

The docketed information contained in the *Title List* includes the information formerly issued through the Department of Energy publication *Power Reactor Docket Information*, last published in January 1979. NRC documents that are publicly available may be examined without charge at the NRC Public Document Room (PDR).

Duplicate copies may be obtained for a fee. Standing orders for certain categories of documents are also available. Clients may search for and order desired titles through the PDR computerized Bibliographic Retrieval System, which is accessible both at the PDR and remotely. The PDR is staffed by professional technical librarians, who provide reference assistance to users. See NOTES at the end of the preface for information about reaching the PDR. Microfiche of the docketed information listed in the *Title List* is available for sale on a subscription basis from the National Technical Information Service (NTIS). See NOTES at the end of the Preface for the complete NTIS address.

We encourage your comments, criticisms, and suggestions. In particular, if there are title descriptions that are not meaningful, please let us know so that we can correct the data base. Insofar as possible, we would like this document to be a valuable part of your reference material.

DOCKETED ITEMS

The listings within Docket 50 are divided into the categories used for filing and searching in the NRC Public Document Room. Those categories are

- A. Application/construction stage documents and correspondence
- B. Utility Preliminary Safety Analysis Reports (PSAR), amendments
- C. Utility Environmental Reports (ER), amendments, and correspondence
- D. NRC Draft and Final Environmental (Impact) Statements (DES and FES), supplements and correspondence
- E. NRC Safety Evaluation Reports (SER), supplements and correspondence
- F. Security, medical, emergency, and fire-protection plans
- G. Legal and adjudicatory correspondence
- H. General correspondence
- I. Financial information
- J. Insurance and indemnity information
- K. Utility Final Safety Analysis Reports (FSAR) and amendments
- L. Limited work authorizations (LWA) and related correspondence
- M. Antitrust reviews and antitrust correspondence
- N. Antitrust hearing transcripts, testimony, and briefings
- O. Advisory Committee on Reactor Safeguards (ACRS) reports and correspondence
- P. Operating license stage documents and correspondence
- Q. Inspection reports, IE Bulletins, Circulars and Information Notices, civil penalties, and related correspondence

- R. Periodic operating reports and related correspondence
- S. Reportable occurrences, PNOs, PNSs, and related correspondence
- T. Transcripts, testimony, and briefings on non-antitrust matters

- U. Congressional/executive correspondence
- V. Licensing of operators and related correspondence
- W. Decommissioning stage documents and correspondence
- X. Onsite storage of low-level waste
- Y. Independent spent fuel storage installations

that category were filed in the time period of the report.

The principal elements of the entries in the list are

②	③
8907070172	Commends util for exemplary hospitality extended to visiting Soviet technical working group on 890608.

④ ⑤ ⑥

DENTON, H.R. Office of Governmental & Public Affairs (Post 870413). 89/06/27

CLARK, P.R. General Public Utilities Corp.—GPU Service Corp. 2 pp. 50442:181–50442:182

1. NRC/PDR Document category (see Appendix A).
2. NRC/PDR Accession Number (year, month, day, and sequence number of item).
3. Description of information contained in the document.
4. Personal author(s). An asterisk in this position indicates that there is no personal author.
5. Author affiliation (NRC, corporate, agency, or nonindividual source).
6. Date of document described.
7. Recipient of the document.
8. Recipient affiliation (NRC or corporate).
9. Pages in this document.
10. This five-digit number is the NRC 48X microfiche designation.

11. The three-digit portion of this entry is the number of the frame on which this document starts.
12. This five-digit number is the microfiche on which this document ends.
13. The three-digit portion of this entry is the number of the frame on which this document ends.

The Docketed Items list is arranged sequentially by Docket Number, category, and then by date of principal items. Entries indented and preceded by a dash are items that were submitted as enclosures to principal items. In general, indented items are not in accession number sequence. If the docketed document has a contract (FIN) number of a formal report number, it will appear in the last line of the item following entry 5.

NONDOCKETED ITEMS

The nondocketed items are divided into the categories used for filing and searching in the NRC Public Document Room. These categories and their symbols are:

10CFR—Commission Meeting Records
 ACRS—Advisory Committee on Reactor Safeguards
 ADVCM—NRC Advisory Committees
 COMMISSION—NRC Commissioners
 CONTRACT—NRC Contracts and Modifications
 FOIA—Freedom of Information Act Requests and Releases
 GEN TECH IS—Generic Technical Issues
 IE—Inspection and Enforcement Issuances
 MISC—Public Document Room Miscellaneous
 NUREG—NRC-Issued Formal Reports and Related Correspondence
 ORG—Organizational File
 PR—Proposed Rules
 PRM—Petitions for Rulemaking
 PROJ—Projects
 PT21—10 CFR Part 21 Deficiency Reports

QA999—Quality Assurance Inspections
 REGGD—Regulatory Guides
 RES—Research and Technical Assistance Reports
 REVIEW GRP—Research Review Groups
 RM—Rulemakings
 SECY—Staff Position Papers Before the Commission
 STATE PROG—State Programs
 TOPREP—Vendor Topical Reports and Correspondence
 WASH—AEC-Issued Formal Reports and Correspondence
 WM—Waste Management Documents
 WMRES—Waste Management Contract Documents
 XPORTLIC—Exports and Import Licenses

Appendix B sets forth these categories and describes the material available in each. Omission of a category in the listing for a docket indicates that no documents in that category were filed in the time period of the report.

The principal elements of the nondocketed items are

① NUREG—NRC-Issued Formal Reports and Related Correspondence

② ③ ④
 8910100307 NUREG/CR-5340 DATA SUMMARY REPORT FOR FISSION PRODUCT RELEASE
 TEST VI-2

⑤ ⑥
 OSBORNE, M.F., COLLINS, J.L., LORENZ, R.A. Oak Ridge National Laboratory.

⑦ ⑧ ⑨ ⑩ ⑪
 FIN B-0127. ORNL/TM-11105. 89/09/30. Division of Systems Research (Post 880717). 69 pp.

⑫ ⑬ ⑭ ⑮
 51409:065-51409:134.

1. Nondocket category.

2. NRC/PDR Accession Number (year, month, day, and sequence number of item).

NONDOCKETED ITEMS (cont.)

3. NRC Report Number.
4. Title and description of information contained in the document.
5. Personal author(s). An asterisk in this position indicates that there is no personal author.
6. Corporate, agency, or other nonindividual source.
7. Contract of financial identification number (FIN), if any.
8. Secondary report number, if any.
9. Date of document described.
10. NRC organizational recipient (or sponsor).
11. Pages in this document.
12. This five-digit number is the NRC 48X microfiche designation.
13. The three-digit portion of this entry is the number of the frame on which this document starts.
14. This five-digit number is the microfiche on which this document ends.
15. The three-digit portion of this entry is the number of the frame on which this document ends.

The Nondocketed Items list is arranged sequentially by Accession Number within category. Indented items preceded by a dash are enclosures to unindented items.

NOTES:

1. The address for GPO is

Superintendent of Documents
U.S. Government Printing Office
P.O. Box 37082
Washington, DC 20013-7082

To place orders, send check or money order payable to the Superintendent of Documents. GPO Deposit Account holders may charge their orders by calling 202-512-2249.

2. The address for NTIS is

National Technical Information Service
5285 Port Royal Road
Springfield, Virginia 22161

To place orders for or to obtain price information about NRC publications at NTIS, either write to NTIS or call the Sales Desk at (703) 487-4650. Specify the NRC report number and title when you place your order. Publications can be charged to American Express, Visa, or Mastercard credit cards; supply the charge card number when placing your order.

3. The location of the PDR is

2120 L Street, NW.
Washington, DC 20555

The mailing address is

U.S. Nuclear Regulatory Commission
Public Document Room
Mail Stop LL-6
Washington, DC 20555

Telefacsimile

202/634-3343

Telephone

202/634-3273

To place orders for documents or to arrange for training on the computer system, write, fax, or phone. When ordering documents listed in this publication, please identify the Document Accession Number for each citation. Reproduction charges and method of payment, based on the current reproduction contract, are obtainable from the PDR.

ARRANGEMENT OF ITEMS BY DOCKET NUMBER

Docket	Name	Page	Docket	Name	Page
Low Level Radwaste Disposal Sites - Docket 27			40-8702	ARMY, DEPT. OF, ROCK ISLAND, IL	5
27-047	COLUMBIA, SC, CHEM-NUCLEAR SYSTEMS, INC.	1	40-8724	CHEMETRON CORP., PROVIDENCE, RI	5
27-048	LOUISVILLE, KY, U.S. ECOLOGY, INC.	1	40-8778	MOLYCORP, INC., LOS ANGELES, CA	5
Domestic Licensing of Source Material - Docket 40			40-8794	MOLYCORP, INC., LOS ANGELES, CA	5
40-0185	G.T.E. PRODUCTS CORP., TOWANDA, PA	1	40-8820	AMAX, INC., GOLDEN, CO	5
40-0299	UMETCO MINERALS CORP., RIVERTON, WY	1	40-8866	NUCLEAR METALS, INC., CONCORD, MA	5
40-0341	GENERAL SERVICES ADMIN., WASHINGTON, DC	1	40-8902	ATLANTIC RICHFIELD CO., GRANTS, NM	5
40-0501	ALUMINUM CO. OF AMERICA, ALCOA CENTER, PA	1	40-8903	HOMESTAKE MINING CO., GRANTS, NM	5
40-0672	NUCLEAR METALS, INC., CONCORD, MA	1	40-8905	QUIVIRA MINING CO., GRANTS, NM	5
40-1162	WESTERN NUCLEAR, INC., LAKEWOOD, CO	1	40-8936	BUTKIN PRECISION MANUFACTURING, INC., MILFORD, CN	6
40-2253	ARMY, DEPT. OF, WATERTOWN, MA	1	40-8943	FERRET EXPLORATION CO. OF NEBRASKA, DENVER, CO	6
40-2259	PATHFINDER MINES CORP., RIVERTON, WY	2	40-8948	SHIELDALLOY CORP., NEWFIELD, NJ	6
40-3149	FENTON ART GLASS CO., WILLIAMSTOWN, WV	2	40-8968	HYDRO RESOURCES, INC., DALLAS, TX	6
40-3392	ALLIED-SIGNAL, INC., METROPOLIS, IL	2	40-8971	U.S. ENERGY CORP., RIVERTON, WY	6
40-3453	ATLAS CORP., DENVER, CO	2	40-8972	AMBEL PRECISION MANUFACTURING CORP., BETHEL, CT	6
40-6563	MALLINCKRODT, INC., ST. LOUIS, MO	2	40-8981	PATHFINDER MINES CORP., MILLS, WY	6
40-6622	PATHFINDER MINES CORP., SHIRLEY BASIN, WY	2	40-8989	ENVIROCARE OF UTAH, INC., SALT LAKE CITY, UT	7
40-6659	PETROTOMICS CO., SHIRLEY BASIN, WY	2	40-9024	ENERGY FUELS NUCLEAR	7
40-6940	CABOT CORP., BOYERTOWN, PA	2	40-9027	CABOT CORP. READING & REVERE	7
40-7102	SHIELDALLOY METALLURGICAL CORP., NEWFIELD, NJ	3	Domestic Licensing of Production and Utilization Facilities - Docket 50		
40-7580	FANSTEEL, INC., NORTH CHICAGO, IL	3	50-3	INDIAN POINT STATION, UNIT 1	7
40-7604	BP CHEMICALS AMERICA, INC., LIMA, OH	3	50-10	DRESDEN NUCLEAR POWER STATION, UNIT 1	7
40-8027	SEQUOYAH FUELS CORP., GORE, OK	3	50-16	ENRICO FERMI ATOMIC POWER PLANT, UNIT 1	8
40-8084	RIO ALGOM MINING CORP., MOAB, UT	4	50-20	MASSACHUSETTS INSTITUTE OF TECHNOLOGY RESEARCH REACTOR	8
40-8102	EXXON CORP., HOUSTON, TX	4	50-29	YANKEE-ROWE NUCLEAR POWER STATION	8
40-8155	AMAX SPECIALTY METALS CORP., CLEVELAND, OH	4	50-54	CINTICHEM	8
40-8452	BEAR CREEK URANIUM CO., CASPER, WY	4	50-62	UNIV. OF VIRGINIA RESEARCH REACTOR	8
40-8502	TOTAL MINERALS CORP., CASPER, WY	4	50-73	GENERAL ELECTRIC NUCLEAR TEST REACTOR	9
40-8584	KENNECOTT URANIUM CO., RAWLINS, WY	4	50-77	CATHOLIC UNIV. OF AMERICA RESEARCH REACTOR	9
40-8681	UMETCO MINERALS CORP., BLANDING, UT	4	50-116	IOWA STATE UNIV. RESEARCH REACTOR	9
40-8698	PLATEAU RESOURCES, LTD., LAKE POWELL, UT	4	50-128	TEXAS A&M UNIV. RESEARCH REACTOR	9
			50-133	HUMBOLDT BAY POWER PLANT, UNIT 3	9
			50-146	SAXTON NUCLEAR EXPERIMENTAL FACILITY	9

Docket	Name	Page	Docket	Name	Page
50-150	OHIO STATE UNIV. RESEARCH REACTOR	9	50-263	MONTICELLO NUCLEAR GENERATING PLANT	36
50-151	UNIV. OF ILLINOIS RESEARCH REACTOR	10	50-265	QUAD-CITIES STATION, UNIT 2	37
50-155	BIG ROCK POINT NUCLEAR PLANT	10	50-266	POINT BEACH NUCLEAR PLANT, UNIT 1	38
50-157	CORNELL UNIV. RESEARCH REACTOR	10	50-267	FORT ST. VRAIN NUCLEAR GENERATING STATION	40
50-160	GEORGIA INSTITUTE OF TECHNOLOGY RESEARCH REACTOR	10	50-269	OCONEE NUCLEAR STATION, UNIT 1	40
50-163	GENERAL ATOMICS	11	50-270	OCONEE NUCLEAR STATION, UNIT 2	42
50-166	UNIV. OF MARYLAND RESEARCH REACTOR	11	50-271	VERMONT YANKEE NUCLEAR POWER STATION	44
50-170	ARMED FORCES RADIOBIOLOGY RESEARCH INSTITUTE	11	50-272	SALEM NUCLEAR GENERATING STATION, UNIT 1	45
50-171	PEACH BOTTOM ATOMIC POWER STATION, UNIT 1	11	50-275	DIABLO CANYON NUCLEAR POWER PLANT, UNIT 1	46
50-184	NATIONAL INSTITUTE OF STANDARDS & TECHNOLOGY REACTOR	12	50-277	PEACH BOTTOM ATOMIC POWER STATION, UNIT 2	48
50-186	UNIV. OF MISSOURI RESEARCH REACTOR-COLUMBIA	12	50-278	PEACH BOTTOM ATOMIC POWER STATION, UNIT 3	49
50-188	KANSAS STATE UNIV. RESEARCH REACTOR	12	50-280	SURRY POWER STATION, UNIT 1	50
50-193	RHODE ISLAND & PROVIDENCE PLANTATIONS AEC	12	50-281	SURRY POWER STATION, UNIT 2	52
50-206	SAN ONOFRE NUCLEAR STATION, UNIT 1	12	50-282	PRAIRIE ISLAND NUCLEAR STATION, UNIT 1	53
50-213	HADDAM NECK PLANT	13	50-284	IDAHO STATE UNIV. RESEARCH REACTOR	54
50-219	OYSTER CREEK NUCLEAR POWER PLANT	14	50-285	FORT CALHOUN STATION, UNIT 1	54
50-220	NINE MILE POINT NUCLEAR STATION, UNIT 1	16	50-286	INDIAN POINT STATION, UNIT 3	55
50-225	RPI CRITICAL EXPERIMENT	17	50-287	OCONEE NUCLEAR STATION, UNIT 3	57
50-237	DRESDEN NUCLEAR POWER STATION, UNIT 2	17	50-288	REED COLLEGE RESEARCH REACTOR	59
50-243	OREGON STATE UNIV. RESEARCH REACTOR	19	50-289	THREE MILE ISLAND NUCLEAR STATION, UNIT 1	59
50-244	ROBERT EMMET GINNA NUCLEAR PLANT, UNIT 1	19	50-293	PILGRIM NUCLEAR POWER STATION, UNIT 1	60
50-245	MILLSTONE NUCLEAR POWER STATION, UNIT 1	20	50-295	ZION NUCLEAR POWER STATION, UNIT 1	61
50-247	INDIAN POINT STATION, UNIT 2	22	50-296	BROWNS FERRY NUCLEAR POWER STATION, UNIT 3	62
50-249	DRESDEN NUCLEAR POWER STATION, UNIT 3	23	50-297	NORTH CAROLINA STATE UNIV. PULSTAR REACTOR	64
50-250	TURKEY POINT PLANT, UNIT 3	24	50-298	COOPER NUCLEAR STATION	64
50-251	TURKEY POINT PLANT, UNIT 4	26	50-301	POINT BEACH NUCLEAR PLANT, UNIT 2	65
50-254	QUAD-CITIES STATION, UNIT 1	27	50-302	CRYSTAL RIVER NUCLEAR PLANT, UNIT 3	67
50-255	PALISADES NUCLEAR PLANT	29	50-304	ZION NUCLEAR POWER STATION, UNIT 2	68
50-256	UNIV. OF MONTEVIDEO RESEARCH REACTOR	31	50-305	KEWAUNEE NUCLEAR POWER PLANT	69
50-259	BROWNS FERRY NUCLEAR POWER STATION, UNIT 1	31	50-306	PRAIRIE ISLAND NUCLEAR STATION, UNIT 2	70
50-260	BROWNS FERRY NUCLEAR POWER STATION, UNIT 2	32	50-309	MAINE YANKEE ATOMIC POWER PLANT	71
50-261	H.B. ROBINSON PLANT, UNIT 2	34	50-311	SALEM NUCLEAR GENERATING STATION, UNIT 2	72
			50-312	RANCHO SECO NUCLEAR GENERATING STATION	73

Docket	Name	Page	Docket	Name	Page
50-313	ARKANSAS NUCLEAR ONE, UNIT 1	74	50-364	JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 2	110
50-315	DONALD C. COOK NUCLEAR POWER PLANT, UNIT 1	74	50-365	IMPERIAL CHEM. INDUS. RESEARCH REACTOR	111
50-316	DONALD C. COOK NUCLEAR POWER PLANT, UNIT 2	76	50-366	EDWIN I. HATCH NUCLEAR PLANT, UNIT 2	111
50-317	CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 1	77	50-368	ARKANSAS NUCLEAR ONE, UNIT 2	112
50-318	CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 2	79	50-369	WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 1	113
50-320	THREE MILE ISLAND NUCLEAR STATION, UNIT 2	80	50-370	WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 2	115
50-321	EDWIN I. HATCH NUCLEAR PLANT, UNIT 1	80	50-373	LASALLE COUNTY STATION, UNIT 1	116
50-322	SHOREHAM NUCLEAR POWER STATION	82	50-374	LASALLE COUNTY STATION, UNIT 2	118
50-323	DIABLO CANYON NUCLEAR POWER PLANT, UNIT 2	82	50-382	WATERFORD GENERATING STATION, UNIT 3	119
50-324	BRUNSWICK STEAM ELECTRIC PLANT, UNIT 2	84	50-387	SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 1	120
50-325	BRUNSWICK STEAM ELECTRIC PLANT, UNIT 1	86	50-388	SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 2	121
50-327	SEQUOYAH NUCLEAR PLANT, UNIT 1	87	50-389	ST. LUCIE PLANT, UNIT 2	123
50-328	SEQUOYAH NUCLEAR PLANT, UNIT 2	89	50-390	WATTS BAR NUCLEAR PLANT, UNIT 1	124
50-329	MIDLAND PLANT, UNIT 1	91	50-391	WATTS BAR NUCLEAR PLANT, UNIT 2	127
50-330	MIDLAND PLANT, UNIT 2	91	50-395	VIRGIL C. SUMMER NUCLEAR STATION, UNIT 1	130
50-331	DUANE ARNOLD ENERGY CENTER	91	50-396	UNIV. OF VIRGINIA CAVALIER REACTOR	131
50-333	JAMES A. FITZPATRICK NUCLEAR POWER PLANT	93	50-397	WPPSS NUCLEAR PROJECT, UNIT 2	131
50-334	BEAVER VALLEY POWER STATION, UNIT 1	94	50-400	SHEARON HARRIS NUCLEAR POWER PLANT, UNIT 1	132
50-335	ST. LUCIE PLANT, UNIT 1	95	50-409	LA CROSSE BOILING WATER REACTOR	133
50-336	MILLSTONE NUCLEAR POWER STATION, UNIT 2	96	50-410	NINE MILE POINT NUCLEAR STATION, UNIT 2	134
50-338	NORTH ANNA POWER STATION, UNIT 1	98	50-412	BEAVER VALLEY POWER STATION, UNIT 2	135
50-339	NORTH ANNA POWER STATION, UNIT 2	99	50-413	CATAWBA NUCLEAR STATION, UNIT 1	136
50-341	ENRICO FERMI ATOMIC POWER PLANT, UNIT 2	100	50-414	CATAWBA NUCLEAR STATION, UNIT 2	137
50-344	TROJAN NUCLEAR PLANT	101	50-416	GRAND GULF NUCLEAR STATION, UNIT 1	138
50-346	DAVIS-BESSE NUCLEAR POWER STATION, UNIT 1	102	50-417	GRAND GULF NUCLEAR STATION, UNIT 2	139
50-348	JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 1	103	50-423	MILLSTONE NUCLEAR POWER STATION, UNIT 3	139
50-352	LIMERICK GENERATING STATION, UNIT 1	104	50-424	ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 1	141
50-353	LIMERICK GENERATING STATION, UNIT 2	105	50-425	ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 2	143
50-354	HOPE CREEK NUCLEAR STATION, UNIT 1	107	STN-50-437	FLOATING NUCLEAR PLANT	145
50-355	HOPE CREEK NUCLEAR STATION, UNIT 2	108	50-438	BELLEFONTE NUCLEAR PLANT, UNIT 1	145
50-361	SAN ONOFRE NUCLEAR STATION, UNIT 2	108	50-439	BELLEFONTE NUCLEAR PLANT, UNIT 2	146
50-362	SAN ONOFRE NUCLEAR STATION, UNIT 3	109	50-440	PERRY NUCLEAR POWER PLANT, UNIT 1	146
			50-441	PERRY NUCLEAR POWER PLANT, UNIT 2	147

Docket	Name	Page	Docket	Name	Page
50-443	SEABROOK NUCLEAR STATION, UNIT 1	147	70-0143	NUCLEAR FUEL SERVICES, INC., ERWIN, TN	170
50-444	SEABROOK NUCLEAR STATION, UNIT 2	148	70-0364	BABCOCK & WILCOX CO., PARKS TOWNSHIP, PA	171
50-445	COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 1	149	70-0687	CINTICHEM, INC., TUXEDO, NY	171
50-446	COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 2	150	70-0698	WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA	171
STN-50- 454	BYRON STATION, UNIT 1	151	70-0734	GENERAL ATOMICS, SAN DIEGO, CA	171
STN-50- 455	BYRON STATION, UNIT 2	153	70-0754	GENERAL ELECTRIC CO., PLEASANTON, CA	171
STN-50- 456	BRAIDWOOD STATION, UNIT 1	154	70-0824	BABCOCK & WILCOX CO., LYNCHBURG, VA	171
STN-50- 457	BRAIDWOOD STATION, UNIT 2	155	70-0925	CIMARRON CORP., OKLAHOMA CITY, OK	171
50-458	RIVER BEND STATION, UNIT 1	157	70-1100	COMBUSTION ENGINEERING, INC., WINDSOR, CT	171
50-461	CLINTON POWER STATION, UNIT 1	158	70-1113	GENERAL ELECTRIC CO., WILMINGTON, NC	172
50-471	PILGRIM NUCLEAR POWER STATION, UNIT 2	159	70-1151	WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA	172
STN-50- 482	WOLF CREEK GENERATING STATION	159	70-1166	TENNESSEE VALLEY AUTHORITY, MUSCLE SHOALS, AL	172
STN-50- 483	CALLAWAY PLANT, UNIT 1	160	70-1201	B&W FUEL CO., LYNCHBURG, VA	172
STN-50- 498	SOUTH TEXAS PROJECT, UNIT 1	161	70-1252	EDLOW INTERNATIONAL CO., WASHINGTON, DC	173
STN-50- 499	SOUTH TEXAS PROJECT, UNIT 2	163	70-1257	SIEMENS NUCLEAR POWER CORP., RICHLAND, WA	173
STN-50- 508	WPPSS NUCLEAR PROJECT, UNIT 3	164	70-1358	INTERIOR, DEPT. OF, RESTON, VA	173
STN-50- 516	JAMESPORT NUCLEAR STATION, UNIT 1	164	70-1359	IRT CORP., SAN DIEGO, CA	173
STN-50- 517	JAMESPORT NUCLEAR STATION, UNIT 2	164	70-1511	LOYOLA UNIV., CHICAGO, IL	173
STN-50- 528	PALO VERDE NUCLEAR STATION, UNIT 1	165	70-2910	TENNESSEE VALLEY AUTHORITY, CHATTANOOGA, TN	173
STN-50- 529	PALO VERDE NUCLEAR STATION, UNIT 2	166	70-2928	TENNESSEE VALLEY AUTHORITY, CHATTANOOGA, TN	173
STN-50- 530	PALO VERDE NUCLEAR STATION, UNIT 3	167	70-3052	M.A.S.S., INC., BELLEFONTE, PA	173
52-001	GE ADVANCED BWR DESIGN, GENERAL ELECTRIC CO.	168	70-3070	LOUISIANA ENERGY SERVICES, WASHINGTON, DC	173
52-002	SYSTEM 80+ STANDARDIZED NUCLEAR POWER PLANT DES.,	168	70-7001	U.S. ENRICHMENT CORP. (PADUCAH GASEOUS DIFFUSION PLANT)	174
52-003	AP600 STANDARD PLANT DESIGN, WESTINGHOUSE ELECTRIC CORP.	168	70-7002	U.S. ENRICHMENT CORP. (PORTSMOUTH GASEOUS DIFFUSION)	174
52-004	GE SIMPLIFIED BWR (SBWR) DESIGN, GENERAL ELECTRIC CO.	169	DOCKET	UNKNOWN	175
Domestic Licensing of Special Nuclear Material - Docket 70			Packaging of Radioactive Material for Transport and Transportation of Radioactive Material Under Certain Conditions - Docket 71		
70-0027	BABCOCK & WILCOX CO., LYNCHBURG, VA	169	71-0001	ANECO, INC.	175
70-0033	TEXAS INSTRUMENTS, INC., ATTLEBORO, MA	170	71-0003	SIEMENS NUCLEAR POWER CORP.	175
70-0036	COMBUSTION ENGINEERING, INC., HEMATITE, MO	170	71-0023	TENNECO GAS	175
70-0135	BABCOCK & WILCOX CO., APOLLO, PA	170	71-0034	AMERICON HOLDING CO., INC.	175
			71-0040	AMERSHAM CORP.	175
			71-0062	INDUSTRIAL NUCLEAR CO.	175
			71-0115	B&W FUEL CO.	175

Docket	Name	Page	Docket	Name	Page
71-0128	AMOCO OIL CO.	175	71-5805	MODEL: CNS 3-55, CHEM-NUCLEAR SYSTEMS, INC.	177
71-0134	LABARGE PIPE & STEEL CO.	175	71-5939	MODEL: 1500, GENERAL ELECTRIC CO.	177
71-0146	GLOBE X-RAY SERVICES, INC.	175	71-5957	MODEL: BMI-1, CINTICHEM, INC.	177
71-0162	EBASCO SERVICES, INC.	175	71-6049	MODEL: 426A, 426B, ENERGY, DEPT. OF	177
71-0171	GLITSCH FIELD SERVICES/NDE, INC.	175	71-6058	MODEL: B-3, CINTICHEM, INC.	178
71-0201	DURALLOY BLAW-KNOX, INC.	175	71-6188	MODEL: 25 SPARE MODULE, ENERGY, DEPT. OF	178
71-0207	NORTHEAST UTILITIES	176	71-6400	MODEL: 6400, WESTINGHOUSE ELECTRIC CORP.	178
71-0213	INTERMOUNTAIN TESTING CO.	176	71-6553	MODEL: PADUCAH TIGER, ENERGY, DEPT. OF	178
71-0221	PRECISION COMPONENT CORP.	176	71-6581	MODEL: 51032-1 & 51032-1A, ADVANCED NUCLEAR FUELS CORP.	178
71-0228	CAPITAL X-RAY SERVICE	176	71-6601	MODEL: CNS 8-120 A, CHEM-NUCLEAR SYSTEMS, INC.	178
71-0234	X-RAY, INC.	176	71-6717	MODEL: 6717-B, AMERSHAM CORP.	178
71-0236	AMERICAN AIRLINES, INC.	176	71-9029	MODEL: 676 & 676E, AMERSHAM CORP.	178
71-0238	AGRICULTURE, DEPT. OF	176	71-9032	MODEL: 650, AMERSHAM CORP.	178
71-0242	LAW ENGINEERING TESTING CO.	176	71-9033	MODEL: 660, 660A, 660AE, 660B, 660BE, 660E, AMERSHAM	178
71-0257	INDUSTRIAL LABORATORIES, INC.	176	71-9035	MODEL: 680 & 680E, AMERSHAM CORP.	178
71-0260	ASTROTECH, INC.	176	71-9039	MODEL: 715, AMERSHAM CORP.	178
71-0325	CONSUMERS POWER CO.	176	71-9056	MODEL: SPEC 2-T, SOURCE PRODUCTION & EQUIPMENT CO.,	179
71-0327	PORTLAND GENERAL ELECTRIC CO.	176	71-9079	MODEL: NUPAC 14D-2.0, NUPAC SERVICES, INC.	179
71-0330	ALLIED INSPECTION SERVICES, INC.	176	71-9081	MODEL: CNS 1-13C, CHEM-NUCLEAR SYSTEMS, INC.	179
71-0332	FLORIDA POWER CORP.	176	71-9094	MODEL: CNS 14-195-H, CHEM-NUCLEAR SYSTEMS, INC.	179
71-0339	WISCONSIN CENTRIFUGAL, INC.	176	71-9096	MODEL: CNS 21-300, CHEM-NUCLEAR SYSTEMS, INC.	179
71-0341	ENTERGY OPERATIONS, INC.	176	71-9107	MODEL: 771, AMERSHAM CORP.	179
71-0346	PUBLIC SERVICE CO. OF COLORADO	176	71-9111	MODEL: CNS 6-80-2 & 2A, CHEM-NUCLEAR SYSTEMS, INC.	179
71-0348	MICHIGAN, UNIV. OF	176	71-9126	MODEL: 20, 20A, 50, & 50A, AMERSHAM CORP.	179
71-0360	NAVY, DEPT. OF	176	71-9127	MODEL: 100, 100A, 200 & 200A, AMERSHAM CORP.	179
71-0431	TRUTOM (U.S.), LTD.	176	71-9143	MODEL: 920, AMERSHAM CORP.	179
71-0496	SCIENTIFIC ECOLOGY GROUP, INC.	177	71-9147	MODEL: 850, AMERSHAM CORP.	179
71-0607	MK-FERGUSON CO.	177	71-9148	MODEL: 770, AMERSHAM CORP.	179
71-0685	SIERRA TESTING, INC.	177	71-9151	MODEL: HN-100 SERIES 3, ET AL, SCIENTIFIC ECOLOGY	179
71-0688	M.M.P. QUALITY INSPECTIONS, INC.	177	71-9159	MODEL: NUPAC 14/190H, L & M, LN-14-170H, L & M, NUPAC	179
71-0691	TEI ANALYTICAL SERVICES, INC.	177	71-9168	MODEL: CNS 8-120B, CHEM-NUCLEAR SYSTEMS, INC.	179
71-0702	GREGORY ENTERPRISES, INC.	177	71-9202	MODEL: TN-BRP, ENERGY, DEPT. OF	179
71-0707	CARONDELET FOUNDRY CO.	177	71-9206	MODEL: TN-REG, ENERGY, DEPT. OF	179
71-0752	UNIVERSAL TESTING, INC.	177			
71-0770	RUST REMEDIAL SERVICES	177			
71-0781	PROFESSIONAL QUALITY TESTING CO. NEW KENSINGTON	177			
71-0789	NEWPORT NEWS SHIPBUILDING	177			
71-0792	NDE SERVICES, INC	177			
71-0796	DREXEL UNIVERSITY	177			
71-3021	MODEL: 3300A, TRANSPORTATION, DEPT. OF	177			
71-4909	MODEL: GE-21PF-1 & W-21PF-1, GENERAL ELECTRIC CO.	177			
71-5607	MODEL: T-2, ENERGY, DEPT. OF	177			

Docket	Name	Page	Docket	Name	Page
71-9216	MODEL: CNS 1-13G, CHEM-NUCLEAR SYSTEMS, INC.	179	71-9789	MODEL: A1W-3, ENERGY, DEPT. OF	180
71-9217	MODEL: ANF-250, ADVANCED NUCLEAR FUELS CORP.	179	71-9790	MODEL: A1W-3, ENERGY, DEPT. OF	180
71-9218	MODEL: TRUPACT-II, ENERGY, DEPT. OF	180	Licensing of Independent Spent Fuel Storage - Docket 72		
71-9225	MODEL: NAC-LWT, NUCLEAR ASSURANCE CORP.	180	72-0004	DUKE POWER CO., 50-269, 50-270 & 50-287	180
71-9234	MODEL: NCI-21PF-1, NUCLEAR CONTAINERS, INC.	180	72-0006	CAROLINA POWER & LIGHT CO., 50-324 & 50-325	180
71-9235	MODEL: NAC-STC, NUCLEAR ASSURANCE CORP.	180	72-0007	CONSUMERS POWER CO., 50-255	180
71-9242	MODEL: GAMMACELL 220, NORDION INTERNATIONAL, INC.	180	72-0008	BALTIMORE GAS & ELECTRIC CO., 50-317 & 50-318	181
71-9245	MODEL: RTS-420, RTS TECHNOLOGY, INC.	180	72-0009	PUBLIC SERVICE CO. OF COLORADO, 50-267	181
71-9248	MODEL: SP-1, SIEMENS NUCLEAR POWER CORP.	180	72-0010	NORTHERN STATES POWER CO., 50-282 & 50-306	181
71-9255	MODEL: NUHOMS-MP187, PACIFIC NUCLEAR	180	72-0011	SACRAMENTO MUNICIPAL UTILITY DISTRICT, 50-312	181
71-9257	NORDION INTERNATIONAL INC.	180	72-1004	MODEL: STANDARDIZED NUHOMS SYSTEM	181
71-9787	MODEL: AIW-3, ENERGY, DEPT. OF, BETTIS ATOMIC POWER	180	72-1007	MODEL: VSC-24, PACIFIC SIERRA NUCLEAR ASSOCIATES	181
			72-1008	MODEL: HI-STAR SYSTEM, HOLTEC INTERNATIONAL	181

ALPHABETIC ARRANGEMENT OF DOCKET ITEMS BY FACILITY NAME

Name	Docket	Page	Name	Docket	Page
Low Level Radwaste Disposal Sites - Docket 27			PATHFINDER MINES CORP., MILLS, WY	40-8981	6
COLUMBIA, SC, CHEM-NUCLEAR SYSTEMS, INC.	27-047	1	PATHFINDER MINES CORP., RIVERTON, WY	40-2259	2
LOUISVILLE, KY, U.S. ECOLOGY, INC.	27-048	1	PATHFINDER MINES CORP., SHIRLEY BASIN, WY	40-6622	2
Domestic Licensing of Source Material - Docket 40			PETROTOMICS CO., SHIRLEY BASIN, WY	40-6659	2
ALLIED-SIGNAL, INC., METROPOLIS, IL	40-3392	2	PLATEAU RESOURCES, LTD., LAKE POWELL, UT	40-8698	4
ALUMINUM CO. OF AMERICA, ALCOA CENTER, PA	40-0501	1	QUIVIRA MINING CO., GRANTS, NM	40-8905	5
AMAX SPECIALTY METALS CORP., CLEVELAND, OH	40-8155	4	RIO ALGOM MINING CORP., MOAB, UT	40-8084	4
AMAX, INC., GOLDEN, CO	40-8820	5	SEQUOYAH FUELS CORP., GORE, OK	40-8027	3
AMBEL PRECISION MANUFACTURING CORP., BETHEL, CT	40-8972	6	SHIELDALLOY CORP., NEWFIELD, NJ	40-8948	6
ARMY, DEPT. OF, ROCK ISLAND, IL	40-8702	5	SHIELDALLOY METALLURGICAL CORP., NEWFIELD, NJ	40-7102	3
ARMY, DEPT. OF, WATERTOWN, MA	40-2253	1	TOTAL MINERALS CORP., CASPER, WY	40-8502	4
ATLANTIC RICHFIELD CO., GRANTS, NM	40-8902	5	U.S. ENERGY CORP., RIVERTON, WY	40-8971	6
ATLAS CORP., DENVER, CO	40-3453	2	UMETCO MINERALS CORP., BLANDING, UT	40-8681	4
BEAR CREEK URANIUM CO., CASPER, WY	40-8452	4	UMETCO MINERALS CORP., RIVERTON, WY	40-0299	1
BP CHEMICALS AMERICA, INC., LIMA, OH	40-7604	3	WESTERN NUCLEAR, INC., LAKEWOOD, CO	40-1162	1
BUTKIN PRECISION MANUFACTURING, INC., MILFORD, CN	40-8936	6	Domestic Licensing of Production and Utilization Facilities - Docket 50		
CABOT CORP. READING & REVERE	40-9027	7	ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 1	50-424	141
CABOT CORP., BOYERTOWN, PA	40-6940	2	ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 2	50-425	143
CHEMETRON CORP., PROVIDENCE, RI	40-8724	5	ARKANSAS NUCLEAR ONE, UNIT 1	50-313	74
ENERGY FUELS NUCLEAR	40-9024	7	ARKANSAS NUCLEAR ONE, UNIT 2	50-368	112
ENVIROCARE OF UTAH, INC., SALT LAKE CITY, UT	40-8989	7	ARMED FORCES RADIOBIOLOGY RESEARCH INSTITUTE	50-170	11
EXXON CORP., HOUSTON, TX	40-8102	4	BEAVER VALLEY POWER STATION, UNIT 1	50-334	94
FANSTEEL, INC., NORTH CHICAGO, IL	40-7580	3	BEAVER VALLEY POWER STATION, UNIT 2	50-412	135
FENTON ART GLASS CO., WILLIAMSTOWN, WV	40-3149	2	BELLEFONTE NUCLEAR PLANT, UNIT 1	50-438	145
FERRET EXPLORATION CO. OF NEBRASKA, DENVER, CO	40-8943	6	BELLEFONTE NUCLEAR PLANT, UNIT 2	50-439	146
G.T.E. PRODUCTS CORP., TOWANDA, PA	40-0185	1	BIG ROCK POINT NUCLEAR PLANT	50-155	10
GENERAL SERVICES ADMIN., WASHINGTON, DC	40-0341	1	BRAIDWOOD STATION, UNIT 1	STN-50-456	154
HOMESTAKE MINING CO., GRANTS, NM	40-8903	5	BRAIDWOOD STATION, UNIT 2	STN-50-457	155
HYDRO RESOURCES, INC., DALLAS, TX	40-8968	6	BROWNS FERRY NUCLEAR POWER STATION, UNIT 1	50-259	31
KENNECOTT URANIUM CO., RAWLINS, WY	40-8584	4	BROWNS FERRY NUCLEAR POWER STATION, UNIT 2	50-260	32
MALLINCKRODT, INC., ST. LOUIS, MO	40-6563	2	BROWNS FERRY NUCLEAR POWER STATION, UNIT 3	50-296	62
MOLYCORP, INC., LOS ANGELES, CA	40-8778	5	BRUNSWICK STEAM ELECTRIC PLANT, UNIT 1	50-325	86
MOLYCORP, INC., LOS ANGELES, CA	40-8794	5	BRUNSWICK STEAM ELECTRIC PLANT, UNIT 2	50-324	84
NUCLEAR METALS, INC., CONCORD, MA	40-8866	5	BYRON STATION, UNIT 1	STN-50-454	151
NUCLEAR METALS, INC., CONCORD, MA	40-0672	1	BYRON STATION, UNIT 2	STN-50-455	153
			CALLAWAY PLANT, UNIT 1	STN-50-483	160

Name	Docket	Page	Name	Docket	Page
CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 1	50-317	77	HADDAM NECK PLANT	50-213	13
CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 2	50-318	79	HOPE CREEK NUCLEAR STATION, UNIT 1	50-354	107
CATAWBA NUCLEAR STATION, UNIT 1	50-413	136	HOPE CREEK NUCLEAR STATION, UNIT 2	50-355	108
CATAWBA NUCLEAR STATION, UNIT 2	50-414	137	HUMBOLDT BAY POWER PLANT, UNIT 3	50-133	9
CATHOLIC UNIV. OF AMERICA RESEARCH REACTOR	50-77	9	IDAHO STATE UNIV. RESEARCH REACTOR	50-284	54
CINTICHEM	50-54	8	IMPERIAL CHEM. INDUS. RESEARCH REACTOR	50-365	111
CLINTON POWER STATION, UNIT 1	50-461	158	INDIAN POINT STATION, UNIT 1	50-3	7
COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 1	50-445	149	INDIAN POINT STATION, UNIT 2	50-247	22
COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 2	50-446	150	INDIAN POINT STATION, UNIT 3	50-286	55
COOPER NUCLEAR STATION	50-298	64	IOWA STATE UNIV. RESEARCH REACTOR	50-116	9
CORNELL UNIV. RESEARCH REACTOR	50-157	10	JAMES A. FITZPATRICK NUCLEAR POWER PLANT	50-333	93
CRYSTAL RIVER NUCLEAR PLANT, UNIT 3	50-302	67	JAMESPORT NUCLEAR STATION, UNIT 1	STN-50-516	164
DAVIS-BESSE NUCLEAR POWER STATION, UNIT 1	50-346	102	JAMESPORT NUCLEAR STATION, UNIT 2	STN-50-517	164
DIABLO CANYON NUCLEAR POWER PLANT, UNIT 1	50-275	46	JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 1	50-348	103
DIABLO CANYON NUCLEAR POWER PLANT, UNIT 2	50-323	82	JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 2	50-364	110
DONALD C. COOK NUCLEAR POWER PLANT, UNIT 1	50-315	74	KANSAS STATE UNIV. RESEARCH REACTOR	50-188	12
DONALD C. COOK NUCLEAR POWER PLANT, UNIT 2	50-316	76	KEWAUNEE NUCLEAR POWER PLANT	50-305	69
DRESDEN NUCLEAR POWER STATION, UNIT 1	50-10	7	LA CROSSE BOILING WATER REACTOR	50-409	133
DRESDEN NUCLEAR POWER STATION, UNIT 2	50-237	17	LASALLE COUNTY STATION, UNIT 1	50-373	116
DRESDEN NUCLEAR POWER STATION, UNIT 3	50-249	23	LASALLE COUNTY STATION, UNIT 2	50-374	118
DUANE ARNOLD ENERGY CENTER	50-331	91	LIMERICK GENERATING STATION, UNIT 1	50-352	104
EDWIN I. HATCH NUCLEAR PLANT, UNIT 1	50-321	80	LIMERICK GENERATING STATION, UNIT 2	50-353	105
EDWIN I. HATCH NUCLEAR PLANT, UNIT 2	50-366	111	MAINE YANKEE ATOMIC POWER PLANT	50-309	71
ENRICO FERMI ATOMIC POWER PLANT, UNIT 1	50-16	8	MASSACHUSETTS INSTITUTE OF TECHNOLOGY RESEARCH REACTOR	50-20	8
ENRICO FERMI ATOMIC POWER PLANT, UNIT 2	50-341	100	MIDLAND PLANT, UNIT 1	50-329	91
FLOATING NUCLEAR PLANT	STN-50-437	145	MIDLAND PLANT, UNIT 2	50-330	91
FORT CALHOUN STATION, UNIT 1	50-285	54	MILLSTONE NUCLEAR POWER STATION, UNIT 1	50-245	20
FORT ST. VRAIN NUCLEAR GENERATING STATION	50-267	40	MILLSTONE NUCLEAR POWER STATION, UNIT 2	50-336	96
GENERAL ATOMICS	50-163	11	MILLSTONE NUCLEAR POWER STATION, UNIT 3	50-423	139
GENERAL ELECTRIC NUCLEAR TEST REACTOR	50-73	9	MONTICELLO NUCLEAR GENERATING PLANT	50-263	36
GEORGIA INSTITUTE OF TECHNOLOGY RESEARCH REACTOR	50-160	10	NATIONAL INSTITUTE OF STANDARDS & TECHNOLOGY REACTOR	50-184	12
GRAND GULF NUCLEAR STATION, UNIT 1	50-416	138	NINE MILE POINT NUCLEAR STATION, UNIT 1	50-220	16
GRAND GULF NUCLEAR STATION, UNIT 2	50-417	139	NINE MILE POINT NUCLEAR STATION, UNIT 2	50-410	134
H.B. ROBINSON PLANT, UNIT 2	50-261	34	NORTH ANNA POWER STATION, UNIT 1	50-338	98
			NORTH ANNA POWER STATION, UNIT 2	50-339	99
			NORTH CAROLINA STATE UNIV. PULSTAR REACTOR	50-297	64

Name	Docket	Page	Name	Docket	Page
OCONEE NUCLEAR STATION, UNIT 1	50-269	40	SEABROOK NUCLEAR STATION, UNIT 2	50-444	148
OCONEE NUCLEAR STATION, UNIT 2	50-270	42	SEQUOYAH NUCLEAR PLANT, UNIT 1	50-327	87
OCONEE NUCLEAR STATION, UNIT 3	50-287	57	SEQUOYAH NUCLEAR PLANT, UNIT 2	50-328	89
OHIO STATE UNIV. RESEARCH REACTOR	50-150	9	SHEARON HARRIS NUCLEAR POWER PLANT, UNIT 1	50-400	132
OREGON STATE UNIV. RESEARCH REACTOR	50-243	19	SHOREHAM NUCLEAR POWER STATION	50-322	82
OYSTER CREEK NUCLEAR POWER PLANT	50-219	14	SOUTH TEXAS PROJECT, UNIT 1	STN-50-498	161
PALISADES NUCLEAR PLANT	50-255	29	SOUTH TEXAS PROJECT, UNIT 2	STN-50-499	163
PALO VERDE NUCLEAR STATION, UNIT 1	STN-50-528	165	ST. LUCIE PLANT, UNIT 1	50-335	95
PALO VERDE NUCLEAR STATION, UNIT 2	STN-50-529	166	ST. LUCIE PLANT, UNIT 2	50-389	123
PALO VERDE NUCLEAR STATION, UNIT 3	STN-50-530	167	SURRY POWER STATION, UNIT 1	50-280	50
PEACH BOTTOM ATOMIC POWER STATION, UNIT 1	50-171	11	SURRY POWER STATION, UNIT 2	50-281	52
PEACH BOTTOM ATOMIC POWER STATION, UNIT 2	50-277	48	SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 1	50-387	120
PEACH BOTTOM ATOMIC POWER STATION, UNIT 3	50-278	49	SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 2	50-388	121
PERRY NUCLEAR POWER PLANT, UNIT 1	50-440	146	TEXAS A&M UNIV. RESEARCH REACTOR	50-128	9
PERRY NUCLEAR POWER PLANT, UNIT 2	50-441	147	THREE MILE ISLAND NUCLEAR STATION, UNIT 1	50-289	59
PILGRIM NUCLEAR POWER STATION, UNIT 1	50-293	60	THREE MILE ISLAND NUCLEAR STATION, UNIT 2	50-320	80
PILGRIM NUCLEAR POWER STATION, UNIT 2	50-471	159	TROJAN NUCLEAR PLANT	50-344	101
POINT BEACH NUCLEAR PLANT, UNIT 1	50-266	38	TURKEY POINT PLANT, UNIT 3	50-250	24
POINT BEACH NUCLEAR PLANT, UNIT 2	50-301	65	TURKEY POINT PLANT, UNIT 4	50-251	26
PRAIRIE ISLAND NUCLEAR STATION, UNIT 1	50-282	53	UNIV. OF ILLINOIS RESEARCH REACTOR	50-151	10
PRAIRIE ISLAND NUCLEAR STATION, UNIT 2	50-306	70	UNIV. OF MARYLAND RESEARCH REACTOR	50-166	11
QUAD-CITIES STATION, UNIT 1	50-254	27	UNIV. OF MISSOURI RESEARCH REACTOR-COLUMBIA	50-186	12
QUAD-CITIES STATION, UNIT 2	50-265	37	UNIV. OF MONTEVIDEO RESEARCH REACTOR	50-256	31
RANCHO SECO NUCLEAR GENERATING STATION	50-312	73	UNIV. OF VIRGINIA CAVALIER REACTOR	50-396	131
REED COLLEGE RESEARCH REACTOR	50-288	59	UNIV. OF VIRGINIA RESEARCH REACTOR	50-62	8
RHODE ISLAND & PROVIDENCE PLANTATIONS AEC	50-193	12	VERMONT YANKEE NUCLEAR POWER STATION	50-271	44
RIVER BEND STATION, UNIT 1	50-458	157	VIRGIL C. SUMMER NUCLEAR STATION, UNIT 1	50-395	130
ROBERT EMMET GINNA NUCLEAR PLANT, UNIT 1	50-244	19	WATERFORD GENERATING STATION, UNIT 3	50-382	119
RPI CRITICAL EXPERIMENT	50-225	17	WATTS BAR NUCLEAR PLANT, UNIT 1	50-390	124
SALEM NUCLEAR GENERATING STATION, UNIT 1	50-272	45	WATTS BAR NUCLEAR PLANT, UNIT 2	50-391	127
SALEM NUCLEAR GENERATING STATION, UNIT 2	50-311	72	WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 1	50-369	113
SAN ONOFRE NUCLEAR STATION, UNIT 1	50-206	12	WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 2	50-370	115
SAN ONOFRE NUCLEAR STATION, UNIT 2	50-361	108	WOLF CREEK GENERATING STATION	STN-50-482	159
SAN ONOFRE NUCLEAR STATION, UNIT 3	50-362	109	WPPSS NUCLEAR PROJECT, UNIT 2	50-397	131
SAXTON NUCLEAR EXPERIMENTAL FACILITY	50-146	9	WPPSS NUCLEAR PROJECT, UNIT 3	STN-50-508	164
SEABROOK NUCLEAR STATION, UNIT 1	50-443	147	YANKEE-ROWE NUCLEAR POWER STATION	50-29	8
			ZION NUCLEAR POWER STATION, UNIT 1	50-295	61

Name	Docket	Page	Name	Docket	Page
ZION NUCLEAR POWER STATION, UNIT 2	50-304	68	WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA	70-0698	171
AP600 STANDARD PLANT DESIGN, WESTINGHOUSE ELECTRIC CORP.	52-003	168	Packaging of Radioactive Material for Transport and Transportation of Radioactive Material Under Certain Conditions - Docket 71		
GE ADVANCED BWR DESIGN, GENERAL ELECTRIC CO.	52-001	168			
GE SIMPLIFIED BWR (SBWR) DESIGN, GENERAL ELECTRIC CO.	52-004	169			
SYSTEM 80+ STANDARDIZED NUCLEAR POWER PLANT DES.,	52-002	168			
Domestic Licensing of Special Nuclear Material - Docket 70			AGRICULTURE, DEPT. OF	71-0238	176
B&W FUEL CO., LYNCHBURG, VA	70-1201	172	ALLIED INSPECTION SERVICES, INC.	71-0330	176
BABCOCK & WILCOX CO., APOLLO, PA	70-0135	170	AMERICAN AIRLINES, INC.	71-0236	176
BABCOCK & WILCOX CO., LYNCHBURG, VA	70-0027	169	AMERICON HOLDING CO., INC.	71-0034	175
BABCOCK & WILCOX CO., LYNCHBURG, VA	70-0824	171	AMERSHAM CORP.	71-0040	175
BABCOCK & WILCOX CO., PARKS TOWNSHIP, PA	70-0364	171	AMOCO OIL CO.	71-0128	175
CIMARRON CORP., OKLAHOMA CITY, OK	70-0925	171	ANEFECO, INC.	71-0001	175
CINTICHEM, INC., TUXEDO, NY	70-0687	171	ASTROTECH, INC.	71-0260	176
COMBUSTION ENGINEERING, INC., HEMATITE, MO	70-0036	170	B&W FUEL CO.	71-0115	175
COMBUSTION ENGINEERING, INC., WINDSOR, CT	70-1100	171	CAPITAL X-RAY SERVICE	71-0228	176
EDLOW INTERNATIONAL CO., WASHINGTON, DC	70-1252	173	CARONDELET FOUNDRY CO.	71-0707	177
GENERAL ATOMICS, SAN DIEGO, CA	70-0734	171	CONSUMERS POWER CO.	71-0325	176
GENERAL ELECTRIC CO., PLEASANTON, CA	70-0754	171	DREXEL UNIVERSITY	71-0796	177
GENERAL ELECTRIC CO., WILMINGTON, NC	70-1113	172	DURALLOY BLAW-KNOX, INC.	71-0201	175
INTERIOR, DEPT. OF, RESTON, VA	70-1358	173	EBASCO SERVICES, INC.	71-0162	175
IRT CORP., SAN DIEGO, CA	70-1359	173	ENTERGY OPERATIONS, INC.	71-0341	176
LOUISIANA ENERGY SERVICES, WASHINGTON, DC	70-3070	173	FLORIDA POWER CORP.	71-0332	176
LOYOLA UNIV., CHICAGO, IL	70-1511	173	GLITSCH FIELD SERVICES/NDE, INC.	71-0171	175
M.A.S.S., INC., BELLEFONTE, PA	70-3052	173	GLOBE X-RAY SERVICES, INC.	71-0146	175
NUCLEAR FUEL SERVICES, INC., ERWIN, TN	70-0143	170	GREGORY ENTERPRISES, INC.	71-0702	177
SIEMENS NUCLEAR POWER CORP., RICHLAND, WA	70-1257	173	INDUSTRIAL LABORATORIES, INC.	71-0257	176
TENNESSEE VALLEY AUTHORITY, CHATTANOOGA, TN	70-2910	173	INDUSTRIAL NUCLEAR CO.	71-0062	175
TENNESSEE VALLEY AUTHORITY, CHATTANOOGA, TN	70-2928	173	INTERMOUNTAIN TESTING CO.	71-0213	176
TENNESSEE VALLEY AUTHORITY, MUSCLE SHOALS, AL	70-1166	172	LABARGE PIPE & STEEL CO.	71-0134	175
TEXAS INSTRUMENTS, INC., ATTLEBORO, MA	70-0033	170	LAW ENGINEERING TESTING CO.	71-0242	176
U.S. ENRICHMENT CORP. (PADUCAH GASEOUS DIFFUSION PLANT)	70-7001	174	M.M.P. QUALITY INSPECTIONS, INC.	71-0688	177
U.S. ENRICHMENT CORP. (PORTSMOUTH GASEOUS DIFFUSION	70-7002	174	MICHIGAN, UNIV. OF	71-0348	176
WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA	70-1151	172	MK-FERGUSON CO.	71-0607	177
			MODEL: 100, 100A, 200 & 200A, AMERSHAM CORP.	71-9127	179
			MODEL: 1500, GENERAL ELECTRIC CO.	71-5939	177
			MODEL: 20, 20A, 50, & 50A, AMERSHAM CORP.	71-9126	179
			MODEL: 25 SPARE MODULE, ENERGY, DEPT. OF	71-6188	178
			MODEL: 3300A, TRANSPORTATION, DEPT. OF	71-3021	177
			MODEL: 426A, 426B, ENERGY, DEPT. OF	71-6049	177
			MODEL: 51032-1 & 51032-1A, ADVANCED NUCLEAR FUELS CORP.	71-6581	178
			MODEL: 6400, WESTINGHOUSE ELECTRIC CORP.	71-6400	178

Name	Docket	Page	Name	Docket	Page
MODEL: 650, AMERSHAM CORP.	71-9032	178	MODEL: PADUCAH TIGER, ENERGY, DEPT. OF	71-6553	178
MODEL: 660, 660A, 660AE, 660B, 660BE, 660E, AMERSHAM	71-9033	178	MODEL: RTS-420, RTS TECHNOLOGY, INC.	71-9245	180
MODEL: 6717-B, AMERSHAM CORP.	71-6717	178	MODEL: SP-1, SIEMENS NUCLEAR POWER CORP.	71-9248	180
MODEL: 676 & 676E, AMERSHAM CORP.	71-9029	178	MODEL: SPEC 2-T, SOURCE PRODUCTION & EQUIPMENT CO.,	71-9056	179
MODEL: 680 & 680E, AMERSHAM CORP.	71-9035	178	MODEL: T-2, ENERGY, DEPT. OF	71-5607	177
MODEL: 715, AMERSHAM CORP.	71-9039	178	MODEL: TN-BRP, ENERGY, DEPT. OF	71-9202	179
MODEL: 770, AMERSHAM CORP.	71-9148	179	MODEL: TN-REG, ENERGY, DEPT. OF	71-9206	179
MODEL: 771, AMERSHAM CORP.	71-9107	179	MODEL: TRUPACT-II, ENERGY, DEPT. OF	71-9218	180
MODEL: 850, AMERSHAM CORP.	71-9147	179	NAVY, DEPT. OF	71-0360	176
MODEL: 920, AMERSHAM CORP.	71-9143	179	NDE SERVICES, INC	71-0792	177
MODEL: A1W-3, ENERGY, DEPT. OF	71-9790	180	NEWPORT NEWS SHIPBUILDING	71-0789	177
MODEL: A1W-3, ENERGY, DEPT. OF	71-9789	180	NORDION INTERNATIONAL INC.	71-9257	180
MODEL: AIW-3, ENERGY, DEPT. OF, BETTIS ATOMIC POWER	71-9787	180	NORTHEAST UTILITIES	71-0207	176
MODEL: ANF-250, ADVANCED NUCLEAR FUELS CORP.	71-9217	179	PORTLAND GENERAL ELECTRIC CO.	71-0327	176
MODEL: B-3, CINTICHEM, INC.	71-6058	178	PRECISION COMPONENT CORP.	71-0221	176
MODEL: BMI-1, CINTICHEM, INC.	71-5957	177	PROFESSIONAL QUALITY TESTING CO. NEW KENSINGTON	71-0781	177
MODEL: CNS 1-13C, CHEM-NUCLEAR SYSTEMS, INC.	71-9081	179	PUBLIC SERVICE CO. OF COLORADO	71-0346	176
MODEL: CNS 1-13G, CHEM-NUCLEAR SYSTEMS, INC.	71-9216	179	RUST REMEDIAL SERVICES	71-0770	177
MODEL: CNS 14-195-H, CHEM-NUCLEAR SYSTEMS, INC.	71-9094	179	SCIENTIFIC ECOLOGY GROUP, INC.	71-0496	177
MODEL: CNS 21-300, CHEM-NUCLEAR SYSTEMS, INC.	71-9096	179	SIEMENS NUCLEAR POWER CORP.	71-0003	175
MODEL: CNS 3-55, CHEM-NUCLEAR SYSTEMS, INC.	71-5805	177	SIERRA TESTING, INC.	71-0685	177
MODEL: CNS 6-80-2 & 2A, CHEM-NUCLEAR SYSTEMS, INC.	71-9111	179	TEI ANALYTICAL SERVICES, INC.	71-0691	177
MODEL: CNS 8-120 A, CHEM-NUCLEAR SYSTEMS, INC.	71-6601	178	TENNECO GAS	71-0023	175
MODEL: CNS 8-120B, CHEM-NUCLEAR SYSTEMS, INC.	71-9168	179	TRUTOM (U.S.), LTD.	71-0431	176
MODEL: GAMMACELL 220, NORDION INTERNATIONAL, INC.	71-9242	180	UNIVERSAL TESTING, INC.	71-0752	177
MODEL: GE-21PF-1 & W-21PF-1, GENERAL ELECTRIC CO.	71-4909	177	WISCONSIN CENTRIFUGAL, INC.	71-0339	176
MODEL: HN-100 SERIES 3, ET AL, SCIENTIFIC ECOLOGY	71-9151	179	X-RAY, INC.	71-0234	176
MODEL: NAC-LWT, NUCLEAR ASSURANCE CORP.	71-9225	180	Licensing of Independent Spent Fuel Storage - Docket 72		
MODEL: NAC-STC, NUCLEAR ASSURANCE CORP.	71-9235	180	BALTIMORE GAS & ELECTRIC CO., 50-317 & 50-318	72-0008	181
MODEL: NCI-21PF-1, NUCLEAR CONTAINERS, INC.	71-9234	180	CAROLINA POWER & LIGHT CO., 50-324 & 50-325	72-0006	180
MODEL: NUHOMS-MP187, PACIFIC NUCLEAR	71-9255	180	CONSUMERS POWER CO., 50-255	72-0007	180
MODEL: NUPAC 14/190H, L & M, LN-14-170H, L & M, NUPAC	71-9159	179	DUKE POWER CO., 50-269, 50-270 & 50-287	72-0004	180
MODEL: NUPAC 14D-2.0, NUPAC SERVICES, INC.	71-9079	179	MODEL: HI-STAR SYSTEM, HOLTEC INTERNATIONAL	72-1008	181
			MODEL: STANDARDIZED NUHOMS SYSTEM	72-1004	181
			MODEL: VSC-24, PACIFIC SIERRA NUCLEAR ASSOCIATES	72-1007	181
			NORTHERN STATES POWER CO., 50-282 & 50-306	72-0010	181
			PUBLIC SERVICE CO. OF COLORADO, 50-267	72-0009	181

Name	Docket	Page	Name	Docket	Page
SACRAMENTO MUNICIPAL UTILITY DISTRICT, 50-312	72-0011	181	UNKNOWN	DOCKET	175

DOCKETED ITEMS

LOW LEVEL RADWASTE DISPOSAL SITES

DOCKET 27-047 COLUMBIA, SC, CHEM-NUCLEAR SYSTEMS, INC.

- 9411140194 Forwards corrected Page 1 of Amend 25 to NRC License 12-13536-01. Limit mistakenly transcribed in preparation of Amend 25. W/o encl.
HOGG, R.C. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 94/10/31. HOUSE, W.B. Chem-Nuclear Systems, Inc. 1p. 81752:360-81752:360.
- 9411170213 Trip rept of 941012-14 visit to Region II to dispose of special nuclear matl at Barnwell facility.
HOGG, R. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 94/11/04. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 2pp. 81823:057-81823:058.

DOCKET 27-048 LOUISVILLE, KY, U.S. ECOLOGY, INC.

- 9411070217 Submits written notification of US Ecology Richland Facility Stds Manual of operational air sample in excess of reporting levels on 940909.
LEDoux, M.R. U.S. Ecology, Inc. (formerly Nuclear Engineering, Inc.). 94/10/12. REBERTSON, G. Washington, State of. 1p. 81663:139-81663:139.
- 9411070229 Submits notification of US Ecology Richland Facility Stds Manual of operational air sample in excess of reporting levels on 940912.
LEDoux, M.R. U.S. Ecology, Inc. (formerly Nuclear Engineering, Inc.). 94/10/13. REBERTSON, G. Washington, State of. 1p. 81663:140-81663:140.
- 9411080063 Repsponds to 941011 ltr, requesting approval to use Exxon Corp's naturally occurring radioactive material contained in "supersacks" to build ten foot separation wall between unstable & stable portions of trench 14W.
ELSEN, M.J. Washington, State of. 94/10/24. LEDoux, M. U.S. Ecology, Inc. (formerly Nuclear Engineering, Inc.). 50pp. 81717:221-81717:267.
- 9411170281 Forwards notice of availability of branch technical position on "When to Remediate Inadvertent Contamination of Terrestrial Environ."
AUSTIN, J.H. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 94/10/31. MEYER, D.L. Regulatory Publications Branch (890205-920322). 3pp. 81823:066-81823:071.
- 9411170283 Notice announcing availability of branch technical position on "When to Remediate Inadvertent Contamination of Terrestrial Environ."
AUSTIN, J.H. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 94/10/31. 3pp. 81823:069-81823:071.
- 9411040203 Submits ack of receipt for control of ROPs received from US Ecology.
HOGG, R.C. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 94/11/01. CRAIG, J. U.S. Ecology, Inc. (formerly Nuclear Engineering, Inc.). 2pp. 81658:320-81658:321.

DOMESTIC LICENSING OF SOURCE MATERIAL

DOCKET 40-0185 G.T.E. PRODUCTS CORP., TOWANDA, PA

- 9411150115 Ack receipt of 940914 ltr informing NRC of steps taken to correct violations noted in insp rept 40-0185/94-01.
SHANBARY, M.M. Region 1 (Post 820201). 94/10/17. ALPER, A.M. Osram Sylvania, Inc. 2pp. 81734:309-81734:318.

DOCKET 40-0299 UMETCO MINERALS CORP., RIVERTON, WY

- 9411070298 Forwards insp rept 40-0299/94-01 on 940926. No violations identified.
COLLINS, S.J. Region 4 (Post 820201). 94/10/28. LYONS, P.J. UMETCO Minerals Corp. 4pp. 81606:065-81606:075.
- 9411070301 Insp rept 40-0299/94-01 on 940926. No violations noted. Major areas inspected: licensee mill tailings monitoring programs including mgt & organization controls, operations review, radiation protection & radwaste mgt.
CAIN, C.L. Region 4 (Post 820201). 94/10/28. 7pp. 81606:069-81606:075.

DOCKET 40-0341 GENERAL SERVICES ADMIN., WASHINGTON, DC

- 9411080144 Forwards "Site Contamination Assessment US Army Curtis Bay Ordnance Depot Anne Arundel County, MD," performed per 890922 proposal authorized by purchase order 12175.
FASANO, R.A. Affiliation Not Assigned. 89/02/24. MACMANUS, J.T. Coca-Cola Co. 1p. 81676:177-81676:284.
- 9411080151 Forwards "Site Contamination Assessment US Army Curtis Bay Ordnance Depot Anne Arundel County, MD."
GERBER, C.D., PARKS, R.M. Woodward-Clyde Consultants, Inc. 89/02/22. FAANO, R.L. Affiliation Not Assigned. 1p. 81676:178-81676:178.
- 9411080159 "Site Contamination Assessment US Army Curtis Bay Ordnance Depot Anne Arundel County, MD."
* Woodward-Clyde Consultants, Inc. 88C1257-3-89-02B. 89/02/22. 106pp. 81676:179-81676:284.
- 9411080309 Revised notification of meeting rescheduled from 941017 to 941114 w/Citizens Committee in Annapolis, MD. Meeting notes from Oct 24th will be forthcoming.
MINNITTE, S.F. Anne Arundel County, MD. 94/10/28. BALLARD, J., KYLE, L., SCHMIDT, L. Anne Arundel County, MD. 1p. 81679:148-81679:148.

- 9411070222 Forwards responses relevant to DA Orlando 941007 ltr. Understands that NRC already been sent revised safety & health plan w/appropriate changes.
REILLY, F.K. Defense, Dept. of, Defense Logistics Agency. 94/11/01. ORLANDO, D.A. Office of Nuclear Material Safety & Safeguards. 1p. 81717:001-81717:005.

- 9411070227 Ack receipt of 941007 ltr & discusses Structural Engineers, subsequent bracing installation & leaving pylons supporting bldgs in place & evaluating pylons as part of characterization of bldg footprints.
MALICH, P.J. Affiliation Not Assigned. 94/10/26. ORLANDO, D.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 4pp. 81717:002-81717:005.

- 9411160271 Forwards data presented for review to determine bldg meets NRC criteria for unrestricted release.
QUAL, W. Affiliation Not Assigned. 94/11/04. ORLANDO, D. Division of Waste Management (NMSS 940403). 34pp. 81782:308-81782:341.

- 9411160360 Forwards Rev 3 to PL-NRS-0793-097, "Decommissioning Plan for Curtis Bay Depot Facility."
MALICH, P.J. Affiliation Not Assigned. 94/11/09. ORLANDO, D.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 1p. 81787:180-81787:249.

- 9411160361 Rev 3 to PL-NRS-0793-097, "Decommissioning Plan for Curtis Bay Depot Facility."
* Affiliation Not Assigned. PL-NRS-0793-097 R03. 94/11/02. 69pp. 81787:181-81787:249.

- 9411210261 Synopsis of business discussed at Ordnance Road Citizens Committee meeting of 941024.
* Anne Arundel County, MD. 94/11/10. Anne Arundel County, MD. 2pp. 81831:110-81831:111.

- 9411180281 Forwards data presented for review to determine nine bldgs transferred from Defense Logistics Agency to Anne Arundel County, located at Baltimore, MD meets NRC criteria for unrestricted release.
GAUL, W. Affiliation Not Assigned. 94/11/11. ORLANDO, D. Division of Waste Management (NMSS 940403). 105pp. 81794:203-81794:307.

- 9411300159 Forwards updated work schedule for project at Curtis Bay for review.
REILLY, F.K. Defense, Dept. of, Defense Logistics Agency. 94/11/17. ORLANDO, D.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 9pp. 81905:349-81905:357.

DOCKET 40-0501 ALUMINUM CO. OF AMERICA, ALCOA CENTER, PA

- 9411040208 Forwards revise pages re radiological sampling & analyses from ground-water monitoring wells at Alcoa Industrial Landfill in Cleveland, OH.
ABELQUIST, E.W. Oak Ridge Associated Universities. 94/10/21. LENTZ, J. NRC - No Detailed Affiliation Given. 4pp. 81650:357-81650:360.

DOCKET 40-0672 NUCLEAR METALS, INC., CONCORD, MA

- 9411220029 Informs that licensee not in compliance w/financial assurance requirements per 10CFR40.36. Enforcement conference scheduled for 941208 at Region 1 ofc to discuss possible enforcement actions & decommissioning of facility.
HEHL, C.W. Region 1 (Post 820201). 94/10/28. VUMBACO, F.J. Nuclear Metals, Inc. 3pp. 81796:191-81796:193.
- 9411280121 Responds to 941020 ltr re concerns of Citizens Research & Environ Watch concerning ongoing inquiry into potential depleted U contamination on Nuclear Metals, Inc site in Concord, MA.
TAYLOR, J.M. Ofc of the Executive Director for Operations. 94/11/16. MEEHAN, M.T. House of Rep. 5pp. 81864:001-81864:005.
- 9411280126 Requests response to Citizens Research & Environ Watch questions & concerns about recent Boston Globe article re ground contamination at Nuclear Metals, Inc site.
MEEHAN, M. House of Rep. 94/10/20. THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 4pp. 81864:006-81864:009.
- 9411290273 Forwards holding basin geohydrological data from Nuclear Metals site. W/o encl.
AUSTIN, J.H. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 94/11/18. JOYNER, J. Region 1 (Post 820201). 1p. 81922:275-81922:275.

DOCKET 40-1162 WESTERN NUCLEAR, INC., LAKEWOOD, CO

- 9411090039 Forwards insp rept 40-1162/94-01 on 940927. No violations noted.
COLLINS, S.J. Region 4 (Post 820201). 94/11/03. BAKER, S.J. Western Nuclear, Inc. 4pp. 81637:285-81637:294.
- 9411090043 Insp rept 40-1162/94-01 on 940927. No violations noted. Major areas inspected: licensee mill tailings monitoring programs.
CAIN, C.L. Region 4 (Post 820201). 94/11/02. 6pp. 81637:289-81637:294.

DOCKET 40-2253 ARMY, DEPT. OF, WATERTOWN, MA

- 9411150317 Forwards insp rept 40-2253/94-03 on 940829-30. No violations noted.
KINNEMAN, J.D. Region 1 (Post 820201). 94/10/18. STIEFFEL, J.I. Army, Dept. of. 4pp. 81742:345-81742:354.
- 9411150343 Insp rept 40-2253/94-03 on 940829-30. No violations noted. Major areas inspected: organization & staffing for decommissioning, facilities & equipment, posting & labeling.
BOUWENS, M.R., SCHWARTZ, A.J., KINNEMAN, J.D. Region 1 (Post 820201). 94/10/04. 6pp. 81742:349-81742:354.

2 DOCKETED ITEMS

DOCKET 40-2259 PATHFINDER MINES CORP., RIVERTON, WY

9411090093 Forwards insp rept 40-2259/94-01 on 940928. No violations or deviations noted.
COLLINS, S.J. Region 4 (Post 820201). 94/11/04. NUGENT, E.L. Pathfinder Mines Corp. 4pp. 81639:206-81639:216.

-9411090099 Insp rept 40-2259/94-01 on 940928. No violations noted. Major areas inspected: licensee mill tailings monitoring program including mgt & organization controls, operations review, radiation protection & radwaste mgt.
CAIN, C.L. Region 4 (Post 820201). 94/11/03. 7pp. 81639:210-81639:216.

DOCKET 40-3149 FENTON ART GLASS CO., WILLIAMSTOWN, WV

9411070033 Safety insp on 940913 of license SUB-491. Insp findings: licensee did not maintain independent & identifiable location designated as restricted areas, per 10CFR30.35.
FULLER, M.L. Region 2 (Post 820201). * Fenton Art Glass Co. 94/09/13. 2pp. 81604:118-81604:119.

DOCKET 40-3392 ALLIED-SIGNAL, INC., METROPOLIS, IL

9411100228 Requests addl info re 940711 application for renewal of license SUB-526. LAMASTRA, M. Licensing Branch. 94/11/08. KOSMIDER, M.D. Allied-Signal Corp. 2pp. 81752:237-81752:238.

9411250235 Forwards Form 10-Q for quarter ending 940930.
SCHMIDT, D. Allied-Signal Corp. 94/11/11. PIERSON, R. Licensing Branch. 16pp. 81866:264-81866:279.

9411230179 Provides listed info re NRC 941108 ltr requesting addl environ info. Missing emission data encl.
KOSMIDER, M.D. Allied-Signal Corp. 94/11/16. LAMASTRA, M. Licensing Branch. 5pp. 81894:316-81894:320.

9411300162 Forwards safety insp rept 40-3392/94-04 on 941024-26. No violations noted.
PEDERSON, C.D. Region 3 (Post 820201). 94/11/18. KOSMIDOR, M. Allied-Signal Corp. 1p. 81872:231-81872:236.

-9411300177 Insp rept 40-3392/94-04 on 941024-26. No violations noted. Major areas inspected: operation review & emergency preparedness program.
REIDINGER, T.S., PLOSKI, T.J., PEDERSON, C.D. Region 3 (Post 820201). 94/11/18. 5pp. 81872:232-81872:235.

DOCKET 40-3453 ATLAS CORP., DENVER, CO

9411030028 Forwards demand for info on proposed acquisition by licensee of stock interests in several companies.
BERNERO, R.M. Office of Nuclear Material Safety & Safeguards. 94/10/26. BLUBAUGH, R.E. Atlas Corp. 7pp. 81643:152-81643:158.

9411030042 Informs that reimbursement could be made to Atlas by end of CY94.
BERNERO, R.M. Office of Nuclear Material Safety & Safeguards. 94/10/26. BAUBLITZ, J.E. Energy, Dept. of. 5pp. 81643:335-81643:339.

9411080270 Responds to 941007 ltr, providing copy of geologic & USGS Moab 1:24,000 topographic maps to help understand responses.
ALLISON, M.L. Utah, State of. 94/10/27. HOLONICH, J.J. Division of Waste Management (NMSS 940403). 29pp. 81679:240-81679:285.

-9411080274 "Interim Geologic Map of Moab 30 X 60 Minute Quadrangle, Grand County Utah."
DOELLING, H.H. Utah, State of. 93/07/31. 16pp. 81679:267-81679:285.

9411150159 Requests CO River water & sediment sampling to support draft EIS.
GILLEN, D.M. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 94/10/28. BLUBAUGH, R.E. Atlas Corp. 5pp. 81772:357-81772:362.

9411080232 Submits requested dose commitment calculations for residence nearest to Atlas U recovery millsite near Moab, UT. Calculations using complete 1994 data will be submitted by 950301.
BLUBAUGH, R.E. Atlas Corp. 94/10/31. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 3pp. 81679:214-81679:217.

9411090397 Requests copy of CY93 EA & EIS scoping comments for Atlas Mineral Co mill tailings in Moab, UT & to be placed on mailing list.
ROBINSON, K. Affiliation Not Assigned. 94/10/31. MULLINS, A. Office of Nuclear Material Safety & Safeguards. 1p. 81717:353-81717:353.

9411150131 Forwards comments re proposed scope of EIS being prepared for Atlas Corp Moab, UT U mill tailings reclamation plan.
MULLINS, A.T. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 94/11/03. Arizona, State of. 1p. 81760:347-81760:347.

9411250102 Submits ltr sent to State Director Regional of UT State Lands Trust Administration. Citizens of Castle Valley will resist & oppose vile proposal until uncere- monious death.
ERLEY, D.D. Utah, State of. 94/11/03. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 3pp. 81866:347-81866:349.

9411150261 Forwards questions & comments addressing info which NRC has not received from licensee in detail needed to support assessment of site stability required by App A to 10CFR40. Responses required within 60 days.
HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 94/11/04. BLUBAUGH, R.E. Atlas Corp. 41pp. 81772:132-81772:191.

9411150364 Informs that preliminary draft environ impact statement for Atlas Moab, UT U mill reclamation activities will be sent by Oak Ridge National Lab in near future.
MULLINS, A.T. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 94/11/09. STONE, L.K. Interior, Dept. of. 5pp. 81781:052-81781:056.

9411290246 Submits response & comments to NRC 941028 request for Colorado River & sediment sampling, Atlas U mill tailings at Moab, UT. UT Administrative Code R317-2, "Stds of Quality for Waters of State" encl.
SINCLAIR, W.J. Utah, State of. 94/11/15. GILLEN, D.M. Office of Nuclear Material Safety & Safeguards. 7pp. 81905:215-81905:271.

-9411290253 UT Administrative Code R317-2, "Stds of Quality for Waters of State."
* Utah, State of. 94/02/16. 50pp. 81905:222-81905:271.

9411230192 Forwards performance bond to be executed, w/ref to ltr (surety replacement-LC #42) faxed on 941117.
BLUBAUGH, R.E. Atlas Corp. 94/11/17. HOLONICH, J.J. NRC - No Detailed Affiliation Given. 5pp. 81893:331-81893:335.

9411230200 Application for amend to license SUA-917, replacing currently approved surety instrument w/Acstar Insurance Co (Acstar) performance bond to be issued to NRC in amount of \$6,500,000. Acstar address listed.
BLUBAUGH, R.E. Atlas Corp. 94/11/17. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 81894:321-81894:322.

9411280223 Discusses source matl license SUA-917 re licensee currently approved surety instrument, irrevocable standby ltr of credit in favor of NRC for amount of \$6,500,000.
BLUBAUGH, R.E. Atlas Corp. 94/11/17. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 81885:139-81885:140.

DOCKET 40-6563 MALLINCKRODT, INC., ST. LOUIS, MO

9411010282 Notification of 941103 meeting w/licensee in Rockville, MD to discuss site release criteria.
* NRC - No Detailed Affiliation Given. 94/10/28. NRC - No Detailed Affiliation Given. 1p. 81579:292-81579:292.

9411180138 Summary of 941103 meeting w/licensee re surface release criteria.
GASKIN, C.E. Licensing Branch. 94/11/14. PIERSON, R.C. Licensing Branch. 2pp. 81823:102-81823:103.

DOCKET 40-6622 PATHFINDER MINES CORP., SHIRLEY BASIN, WY

9411170178 Forwards TER of Pathfinder-Shirley Basin U mill decommissioning plan submitted 920701, per M Layton 940826 review request.
FEDERLINE, M.V. Performance Assessment & Hydrology Branch (NMSS 940403). 94/10/31. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 4pp. 81793:021-81793:024.

9411160007 Forwards 1993 land use survey, required by license condition 21.
MURDOCK, E.S. Pathfinder Mines Corp. 94/11/03. HOLONICH, J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 2pp. 81783:302-81783:303.

9411160009 Forwards technical evaluation rept to comply w/license condition 41 & reg guide 3.11.1.
MURDOCK, E.S. Pathfinder Mines Corp. 94/11/03. HOLONICH, J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 8pp. 81783:302-81783:301.

9411170032 Ack receipt of 941007 ltr informing NRC of steps taken to correct violations noted in insp rept 40-6622/94-01.
COLLINS, S.J. Region 4 (Post 820201). 94/11/14. NUGENT, L. Pathfinder Mines Corp. 5pp. 81760:140-81760:145.

DOCKET 40-6659 PETROTOMICS CO., SHIRLEY BASIN, WY

9411100258 Requests assistance in obtaining addl info re License Fee Invoice JR0064-95.
JUDAY, R.A. Petrotomics Co. (formerly Getty/Petrotomics Co.). 94/10/24. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 81736:360-81736:360.

9411150336 Forwards staff review documented in TER re proposed background monitoring wells & ground-water concentration limits for Main Wind River sand.
GELLEN, D.M. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 94/11/01. JUDAY, R.A. Petrotomics Co. (formerly Getty/Petrotomics Co.). 3pp. 81775:253-81775:255.

9411290153 Forwards Amend 44 to License SUA-551 & TER. Amend allows extension to 940801 date for submittal of modified CAP for Upper Wind River sand & Main Wind River sand.
HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 94/11/18. JUDAY, R.A. Petrotomics Co. (formerly Getty/Petrotomics Co.). 7pp. 81951:247-81951:262.

-9411290154 Amend 44 to license SUA-551 for Petrotomics Co., allowing extension to 940801 date for submittal of modified CAP for Upper Wind River sand & Main Wind River sand.
HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 94/11/18. 8pp. 81951:254-81951:262.

DOCKET 40-6940 CABOT CORP., BOYERTOWN, PA

9411010278 Notifies that if listed requirements of License Condition 12 not met by listed individual, licensee amend needed to restate RSO criteria, in response to 940714 ltr re appointment of A Campitelli as RSO.
KLASKY, M. Licensing Branch. 94/10/27. GANNON, W. Cabot Corp. 1p. 81577:360-81577:360.

9411140170 Forwards copy of 1994 com & grass samples sent to Environ Strategies Inc & map of sampling locations.
CAMPITELLI, A.T. Cabot Corp. 94/11/01. KLASKY, M. Licensing Branch. 4pp. 81075:353-81075:356.

9411180275 Discusses possible delay in renewal of Cabot Corp licensing renewal, currently scheduled for Sept 1995.
PIERSON, R.C. Licensing Branch. 94/11/10. BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 1p. 81830:348-81830:348.

9411300252 Provides licensee w/ notification that activities observed by NRC on site visit on 941108 to Reading, PA site, may cause violations of NRC requirements re inappropriate release of licensed radioactive matl.
AUSTIN, J.H. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 94/11/17. BARRON, R.S. Cabot Corp. 2pp. 81922:360-81922:361.

9411250244 Requests that Region I staff perform radiological safety insp of facility to resolve concern that licensee may not be in compliance w/ new 10CFR20 requirements.
PIERSON, R. Licensing Branch. 94/11/22. SHANBAKY, M. Region 1 (Post 820201). 1p. 81866:327-81866:327.

DOCKET 40-7102 SHIELDALLOY METALLURGICAL CORP., NEWFIELD, NJ

9411230168 Forwards listed supplemental info re Newfield EIS for Shieldalloy Metallurgical Corp License SMB-743.
SMITH, D.R. Shieldalloy Metallurgical Corp. 94/10/31. COMFORT, G.C. NRC - No Detailed Affiliation Given. 4pp. 81895:001-81895:198.

-9411230169 Revised draft final rept, "Human Health Risk Assessment."
* TRC Environmental Consultants, Inc. 94/04/30. 292pp. 81895:006-81895:297.

-9411230174 "Environ Evaluation Shieldalloy Metallurgical Corp Newfield, NJ."
* TRC Environmental Consultants, Inc. 94/04/30. 174pp. 81895:298-81895:166.

-9411230176 "Environ Evaluation Addendum Shieldalloy Metallurgical Corp Newfield, NJ."
* TRC Environmental Consultants, Inc. 94/06/30. 21pp. 81896:167-81896:188.

-9411230177 "Final Focused Feasibility Study Rept Ground Water Remediation."
* TRC Environmental Consultants, Inc. 94/02/28. 738pp. 81896:189-81896:198.

9411090399 Forwards "Ferrochromium Slag Leachability Rept Jan 1992 for Shieldalloy Metallurgical Corp."
EVES, C.S. Shieldalloy Metallurgical Corp. 94/10/31. IKENBERRY, T.A. Washington, State of. 1p. 81717:326-81717:344.

-9411090403 "Ferrochromium Slag Leachability Rept for Jan 1992 for Shieldalloy Metallurgical Corp."
* Shieldalloy Metallurgical Corp. 92/01/31. 18pp. 81717:327-81717:344.

9411300058 Discusses info re 920602 revised application requesting renewal of license SMB-743.
COMFORT, G.C. Licensing Branch. 94/11/21. EVES, C.S. Shieldalloy Metallurgical Corp. 3pp. 81922:296-81922:298.

9411300068 Informs that Shieldalloy Environmental Assessment Annotated Outline is acceptable w/ listed revisions.
COMFORT, G.C. Licensing Branch. 94/11/21. ABBOTT, J. Battelle Memorial Institute, Pacific Northwest Laboratory. 2pp. 81922:308-81922:309.

DOCKET 40-7580 FANSTEEL, INC., NORTH CHICAGO, IL

9411080282 Requests technical assistance in reviewing Fansteel deep well closure, requested by licensee 931228 application.
PIERSON, R. Licensing Branch. 94/11/07. AUSTIN, J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 1p. 81679:105-81679:105.

9411100284 Notifies of 941117 meeting w/ Fansteel, Inc in Rockville, MD to discuss proposal for release of Northwest property area for unrestricted use.
DATTA, A. Office of Nuclear Material Safety & Safeguards. 94/11/08. Office of Nuclear Material Safety & Safeguards. 1p. 81752:226-81752:226.

9411180134 Responds to licensee 940324 & 0727 ltrs re release of Fansteel northwest property area. NRC comments end.
DATTA, A. Licensing Branch. 94/11/09. HUNTER, J.J. Fansteel, Inc. 6pp. 81818:349-81818:354.

9411250232 Ack receipt of preliminary review of Fansteel decommissioning plan & decommissioning funding plan. Comments end.
HUNTER, J.J. Fansteel Metals. 94/11/10. DATTA, A. Licensing Branch. 10pp. 81866:254-81866:263.

DOCKET 40-7604 BP CHEMICALS AMERICA, INC., LIMA, OH

9411100279 Forwards OH EPA Permit Number UIC 03-02-006-PTO-I for operation of underground injection well 4 at BP Chemical, Inc & Section 2.1.3 of 911115 BP Chemicals UIC No Migration Petition, in response to 941025 telcon request.
RUPERT, W.M. BP Chemicals International. 94/10/25. NALLUSWAMI, S. Division of Waste Management (NMSS 940403). 28pp. 81745:164-81745:191.

9411100270 Informs that licensee has deleted previously proposed flow rate & volume limits & has rewritten proposed license amend submitted on 940919 to read as listed.
RUPERT, W.M. BP Chemicals International. 94/10/31. NALLUSWAMI, S. Division of Waste Management (NMSS 940403). 2pp. 81732:201-81732:202.

9411150370 Forwards list of comments on license application dtd 940210 & exhibits dtd 940525.
AUSTIN, J.H. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 94/11/08. RUPERT, W.M. BP Chemicals International. 9pp. 81781:062-81781:070.

DOCKET 40-8027 SEQUOYAH FUELS CORP., GORE, OK

9411300300 Appeals denial of FOIA request for info re Sequoyah Fuels Corp U processing plant in Gore, OK.
CURRAN, D. Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tousley). CURRAN, D. Native Americans for a Clean Environment. 93/10/19. CHILK, S.J. Office of the Secretary of the Commission. 3pp. 81923:179-81923:181.

9411300304 Responds to appeal of denial of documents re Sequoyah Fuels Corp U processing plant in Gore, OK. Documents requested constitute personal records & therefore, fail to meet threshold test for inclusion under FOIA.
CHILK, S.J. Office of the Secretary of the Commission. 93/11/26. CURRAN, D. Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tousley). 3pp. 81923:182-81923:191.

9411010126 NRC Staff response to General Atomics first request for production of documents to NRC Staff. * W/Certificate of Svc. Related Correspondence.
HOM, S.R. Office of the General Counsel (Post 860701). #494 15838. 94/10/20. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 7pp. 81513:157-81513:163.

9411010128 NRC Staff response to Sequoyah Fuels Corp first request for production of documents to NRC Staff. * W/Certificate of Svc. Related Correspondence.
UTTAL, S.L. Office of the General Counsel (Post 860701). #494 15837. 94/10/20. Sequoyah Fuels Corp. 7pp. 81513:164-81513:170.

9411160012 Provides assurance that licensee going to investigate potential impacts of injection well during RFI site characterization process.
ELLIS, J. Sequoyah Fuels Corp. 94/10/21. HENSHAW, E. Affiliation Not Assigned. 9pp. 81783:285-81783:293.

9411010093 Forwards Native Americans For Clean Environ & Cherokee Nation motion for partial reconsideration of memo & order.
CURRAN, D. Native Americans for a Clean Environment. CURRAN, D. Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tousley). #494 15859. 94/10/26. GLEASON, J.P., KLINE, J.R. Atomic Safety & Licensing Board Panel. 1p. 81513:128-81513:140.

-9411010107 Native American For Clean Environ & Cherokee Nation motion for partial reconsideration of memorandum & order. * Intervenor seek reconsideration of order to extent that remaining concerns not considered. W/Certificate of Svc.
CURRAN, D. Native Americans for a Clean Environment. CURRAN, D. Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tousley). WILCOXEN, J.G. Cherokee Nation. 94/10/26. Atomic Safety & Licensing Board Panel. 11pp. 81513:129-81513:140.

9411020086 Forwards notice of appearance for D Curran, omitted from 941026 motion for partial reconsideration of memo & order for Native Americans For Clean Environ & Cherokee Nation. W/Certificate of Svc.
CURRAN, D. Native Americans for a Clean Environment. CURRAN, D. Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tousley). #494 15872. 94/10/28. GLEASON, J.P., KLINE, J.R. Atomic Safety & Licensing Board Panel. 3pp. 81528:354-81528:356.

9411040021 Requests that L Hughes of Native Americans for Clean Environ be added to svc list in matter of Sequoyah Fuels Corp.
GLEASON, J.P. Atomic Safety & Licensing Board Panel. #494 15878. 94/10/28. Docketing & Services Branch. 1p. 81575:051-81575:051.

9411040029 Forwards "Sequoyah Fuels Corp Answer in Opposition to Intervenor Motion for Partial Reconsideration." W/Certificate of Svc.
AXELRAD, M. Sequoyah Fuels Corp. AXELRAD, M. Newman & Holtzinger. #494 15882. 94/10/31. GLEASON, J.P. Atomic Safety & Licensing Board Panel. 1p. 81575:065-81575:074.

-9411040041 Sequoyah Fuels Corp answer in opposition to intervenor motion for partial reconsideration. * Requests that intervenor motion for reconsideration be denied.
AXELRAD, M. Sequoyah Fuels Corp. AXELRAD, M. Newman & Holtzinger. 94/10/31. Atomic Safety & Licensing Board Panel. 9pp. 81575:066-81575:074.

9411100133 Confirms discussions re NRC Staff Answers to Sequoyah Fuels Corp First Set of Interrogatories to NRC Staff, per 941013 ltr. W/Certificate of Svc. Related Correspondence.
MATTHEWS, J.E. Sequoyah Fuels Corp. MATTHEWS, J.E. Affiliation Not Assigned. #494 15890. 94/11/02. HOM, S.R. Office of the General Counsel (Post 860701). 4pp. 81672:179-81672:182.

9411160194 Forwards notice of consideration of amend to source matl license & opportunity for hearing.
AUSTIN, J.H. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 94/11/02. MEYER, D.L. Regulatory Publications Branch (890205-920322). 2pp. 81785:157-81785:163.

-9411160200 Notice to inform public that NRC plans to issue amend to license SUB-1010, issued to Sequoyah Fuels Corp.
AUSTIN, J.H. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 94/11/02. 4pp. 81785:159-81785:163.

9411100251 Forwards comments on proposed site characterization plan.
AUSTIN, J.H. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 94/11/03. ELLIS, J.H. Sequoyah Fuels Corp. 8pp. 81745:156-81745:163.

9411180142 Forwards hearing file consisting of listed documents in connection w/ Sequoyah Fuels Corp.
HOM, S.R. Office of the General Counsel (Post 860701). #494 15919. 94/11/10. GLEASON, J.P., KLINE, J.R. Atomic Safety & Licensing Board Panel. 47pp. 81774:088-81774:134.

9411220152 Advises that licensee will no longer maintain conditions specified in listed actions of corrective action plan, forwarded by 921208 ltr in response to CAL from JL Milhoan dtd 921118 re control room ventilation.
ELLIS, J.H. Sequoyah Fuels Corp. 94/11/14. CALLAN, L.J. Region 4 (Post 820201). 2pp. 81833:001-81833:002.

9411300149 Ack receipt of 940918 ltr re finding lack of info pertaining to deep well injection program within Sequoyah Fuels Corp Resource Conservation & Recovery Act/Facility Investigation Work Plan dated 940128.
BROWN, R.E. Environmental Protection Agency. 94/11/15. HENSHAW, E. Affiliation Not Assigned. 2pp. 81951:276-81951:277.

9411300115 Provides status of fertilizer program for 1994 season.
ELLIS, J.H. Sequoyah Fuels Corp. 94/11/17. CALLAN, L.J. Region 4 (Post 820201). 1p. 81925:137-81925:137.

4 DOCKETED ITEMS

9411300350 Motion to allow late filing of Sequoyah Fuels Corp answer in opposition to intervenor motion for partial reconsideration.
AXELRAD,M. Sequoyah Fuels Corp. AXELRAD,M. Affiliation Not Assigned. #494 16014. 94/11/18. Commissioners (Post 750119). 3pp. 81891:169-81891:182.

-9411300352 Sequoyah Fuels Corp answer in opposition to intervenors motion for partial reconsideration.* W/Certificate of Svc.
AXELRAD,M. Sequoyah Fuels Corp. AXELRAD,M. Affiliation Not Assigned. #494 16014. 94/10/31. Commissioners (Post 750119). 11pp. 81891:172-81891:182.

9411300313 Memorandum & order (ruling on motion for reconsideration). Orders that Native Americans for Clean Environ area of concern re quality assurance program remains excluded from litigation.W/Certificate of Svc.Served on 941122.
GLEASON,J.P. Atomic Safety & Licensing Board Panel. #494 16016. 94/11/22. Native Americans for a Clean Environment. 9pp. 81890:029-81890:038.

DOCKET 40-8084 RIO ALGOM MINING CORP., MOAB, UT

9411010352 Informs that licensee plans to place contaminated mill decommissioning mat to extent practicable,along toe of upper tailings impoundment nearest to bottom of inslope,per response submittal dtd 940715.
FERDINAND,B. Rio Algom Mining Corp. 94/10/18. WASTLER,S. Uranium Recovery Branch (Post 901230). 1p. 81587:021-81587:021.

9411230221 Forwards suppl response to violations noted in Insp Rept 40-8084/94-01.Corrective actions:licensee immediately proceeded to initiate actions to repair upper tailings evaporation cell.
FERDINAND,B. Rio Algom Mining Corp. 94/11/11. CAIN,C. Region 4 (Post 820201). 4pp. 81893:345-81893:349.

9411280191 Forwards descriptions of actions taken re progress of repairing damage to upper tailings evaporation cell caused by wind/wave action.
FERDINAND,B. Rio Algom Mining Corp. 94/11/11. WASTLER,S. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 81883:360-81883:361.

9411300182 Ack receipt of 941111 ltr informing NRC of steps taken to correct violations noted in insp rept 40-8084/94-01.
COLLINS,S.J. Region 2 (Post 820201). 94/11/22. FERDINAND,B. Rio Algom Mining Corp. 4pp. 81872:265-81872:273.

DOCKET 40-8102 EXXON CORP., HOUSTON, TX

9411030148 Informs that amount approved provided by licensee acceptable to NRC based on review of remaining reclamation & surveillance costs.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 94/10/20. PATON,J.D. Exxon Corp. 3pp. 81653:230-81653:237.

-9411030152 Amend 43 to license SUA-1139 for Exxon Corp.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 94/10/20. 5pp. 81653:233-81653:237.

9411290183 Forwards Amend 44 to License SUA-1139 & TER.Amend adds language "licensee not required to operate CAP from 941215- 950415..." to License Condition 33C.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 94/11/16. PATTON,J.D. Exxon Corp. 5pp. 81933:026-81933:035.

-9411290186 Amend 44 to license SUA-1139 for Exxon Corp,adding language, "licensee not required to operate CAP from 941215-950415 & may terminate CAP at any well that does not yield at least 0.2 gallons per minute..." to License Condition 33C.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 94/11/16. 5pp. 81933:031-81933:035.

9411300154 Submits info re Exxon Coal & Minerals Hill,Converse County, WY re review of 1993 corrective action program.
ABRAMS,C. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 94/11/18. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 3pp. 81951:280-81951:283.

DOCKET 40-8155 AMAX SPECIALTY METALS CORP., CLEVELAND, OH

9411070011 Discusses safety insp rept for license STB-1161 on 940629-0916 & forwards notice of violation.
CANIANO,R.J. Region 3 (Post 820201). 94/10/27. SALLADE,L. Affiliation Not Assigned. 3pp. 81604:034-81604:039.

-9411070015 Notice of violation from insp on 940629-0916.Violation noted:licensee did not establish worker bioassay program.
* Region 3 (Post 820201). 94/10/27. 3pp. 81604:037-81604:039.

DOCKET 40-8452 BEAR CREEK URANIUM CO., CASPER, WY

9411040153 Forwards info to satisfy License Condition 27 of License SUA-1310.Requests that licensee be allowed to extend existing surety arrangement for one yr for listed reasons.
CHASE,G. Bear Creek Uranium Co. 94/10/28. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 53pp. 81649:299-81649:354.

9411170122 Informs of no change in land use within two kilometers of any portion of restricted area boundary during past yr.
CHASE,G. Bear Creek Uranium Co. 94/11/04. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 81787:360-81787:360.

DOCKET 40-8502 TOTAL MINERALS CORP., CASPER, WY

9411040214 Responds to concerns expressed in Insp Rept 40-8502/94-02 on 940607-09.Updated procedure does exist for operating filter press & all excursion repts now clearly defined as either quarterly status rept or 2 month confirmation rept.
VASELIN,J. COGEMA, Inc. 94/10/19. COLLINS,S. Region 4 (Post 820201). 3pp. 81651:342-81651:344.

9411170185 Submits quarterly update of wells on excursion status,per Condition 29 of SUA-1341.Total of six monitor wells remain on excursion status.
VASELIN,J. Pathfinder Mines Corp. 94/11/09. HOLONICH,J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 3pp. 81785:358-81785:360.

9411170194 Application for amend to License SUA-1341,allowing receipt of U slurry product from COGEMA TX in situ leach facilities for storage & drying at Irigaray,WY facility.
WICHES,D.L. Pathfinder Mines Corp. 94/11/10. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 11pp. 81800:238-81800:250.

DOCKET 40-8584 KENNECOTT URANIUM CO., RAWLINS, WY

9411230121 Forwards licensee, "Annual Corrective Action Program Review for Yr 1993," which summarizes all monitoring & mitigation efforts in area of tailings cell under groundwater corrective action program.
WORMAN,G. Kennecott Corp. 94/01/24. HALL,R.E. Uranium Recovery Field Ofc, R4. 1p. 81824:001-81824:244.

-9411230128 "Annual Program Review Corrective Action Program."
* Kennecott Corp. 94/01/24. 243pp. 81824:002-81824:244.

9411250175 Forwards revised radiation safety program for final approval.
PAULSON,O.A. Kennecott Corp. 94/03/13. HALL,R.E. Uranium Recovery Field Ofc, R4. 2pp. 81885:188-81885:214.

-9411280117 Radiation Safety Program.
* Kennecott Corp. 94/03/13. 25pp. 81885:190-81885:214.

9411040195 Expresses thanks on behalf of Kennecott U Co & Kennecott Energy Co for NRC & U Recovery/Industry meetings on 941024 & 25.Licensee looks forward to working w/C Abrams & other members of NRC on issues pertaining to Sweetwater Mill.
GIBSON,M.H. Kennecott Uranium Co. (formerly Minerals Exploration Co.). 94/10/26. GREEVES,J. NRC - No Detailed Affiliation Given. 1p. 81659:107-81659:107.

9411180177 Notification of 950118 meeting w/C Abrams & staff in Rockville,MD to discuss items re rev of sweetwater U project License SUA-1350 for resumption of operations.
PAULSON,O.A. Kennecott Uranium Co. (formerly Minerals Exploration Co.). 94/11/07. HOLONICH,J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 81823:111-81823:112.

9411200088 Requests meeting re rev of license SUA-1350 for future operations.
PAULSON,O.A. Kennecott Corp. 94/11/07. HOLONICH,J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 81864:353-81864:354.

DOCKET 40-8681 UMETCO MINERALS CORP., BLANDING, UT

9411140175 Record of telcon on 930111 re minor damage to top of liner in cell 1 at White Mesa Mill site.Licensee to monitor situation daily,perform insp & repair damaged areas when access possible.
BRICE,B. UMETCO Minerals Corp. 93/01/11. 1p. 81825:235-81825:235.

9411140168 Record of telcon on 930202 re status of State of UT hearing on White Mesa Mill case.Case still far from settlement because of outstanding issues between State of UT & Umetco Minerals Corp.
WOODHEAD,C. Office of the General Counsel (Post 860701). 93/02/02. 1p. 81825:234-81825:234.

9411140164 Forwards responses to findings of hearing judge re decision to sustain issuance of amend to Umetco.
HALL,R.E. Uranium Recovery Field Ofc, R4. 93/06/07. CALLAN,L.J. Region 4 (Post 820201). 3pp. 81825:231-81825:233.

9411300302 Notification of 940811 public meeting to discuss White Mesa/ Monticello Tailings amend application.Related correspondence.
TURK,S.E. NRC - No Detailed Affiliation Given. #494 16020. 94/08/09. NRC - No Detailed Affiliation Given. 1p. 81890:012-81890:012.

9411010135 Memorandum & order (petition for hearing). Grants request for hearing by N Begay on Energy Fuels Nuclear application for license amend.W/Certificate of Svc.Served on 941021. Re-served on 941028.
GLEASON,J.P. Atomic Safety & Licensing Board Panel. #494 15836. 94/10/21. Energy Fuels Nuclear, Inc. 17pp. 81513:172-81513:188.

9411150624 Discusses mod to license condition 55 to Energy Fuels Nuclear,Inc source mat license SUA-1358.Mod acceptable.
WASTLER,S.L. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 94/10/28. GILLEN,D.M. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 3pp. 81779:250-81779:253.

9411300308 NRC Staff motion for extension of time in which to submit hearing file.* Motion granted.W/Certificate of Svc.Served on 941122.Granted for Board on 941121.
TURK,S.E. Office of the General Counsel (Post 860701). #494 16018. 94/11/21. Atomic Safety & Licensing Board Panel. 3pp. 81890:019-81890:021.

9411300358 NRC Staff motion for extension of time in which to submit hearing file.* Motion granted.W/Certificate of Svc.
TURK,S.E. Office of the General Counsel (Post 860701). #494 16017. 94/11/21. Atomic Safety & Licensing Board Panel. 3pp. 81891:183-81891:185.

DOCKET 40-8698 PLATEAU RESOURCES, LTD., LAKE POWELL, UT

9411150322 Forwards Amend 14 to License SUA-1371 & TER.Amend revises License Conditions 24 & 35,related to requirements for fire suppression & sump pump sys,based on interim standby status of mill.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 94/11/08. WEBBER,K. Plateau Resources, Ltd. 5pp. 81775:176-81775:189.

-9411150334 Amend 14 to license SUA-1371 for Plateau Resources Ltd, revising License Conditions 24 & 35, related to requirements for fire suppression & sump pump sys. based on interim standby status of mill.
HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 94/11/08. 9pp. 81775:181-81775:189.

DOCKET 40-8702 ARMY, DEPT. OF, ROCK ISLAND, IL

9411220233 Requests technical assistance to perform review of radiological survey records & conduct new survey at former Frankford Arsenal in Philadelphia, PA. Requests schedule for performing reviews & preparing survey plans. W/ encl.
KINNEMAN, J.D. Region 1 (Post 820201). 94/10/21. BECK, J. Oak Ridge Associated Universities. 7pp. 81799:114-81799:120.

DOCKET 40-8724 CHEMETRON CORP., PROVIDENCE, RI

9411100171 Forwards Rev 0 to "Radiological Survey & Sampling Rept for Residential, Public & Commercial Properties in Vicinity of Harvard Ave."
ADAMS, T.G. B. Koh & Associates, Inc. 94/10/31. JOHNSON, T.C. Decommissioning & Regulatory Issues Branch (Post 901230). 2pp. 81769:123-81769:331.

-9411100172 Rev 0 to "Radiological Survey & Sampling Rept for Residential, Public & Commercial Properties in Vicinity of Harvard Ave."
* B. Koh & Associates, Inc. 94/10/31. 207pp. 81769:125-81769:331.

9411100265 Informs of 941109 meeting to enable licensee to clarify understanding of comments & issues remaining to be resolved re final site remediation plan for Bert Avenue & Harvard Avenue site.
KOH, B. Chemetron Corp. 94/10/20. JOHNSON, T.C. Decommissioning & Regulatory Issues Branch (Post 901230). 1p. 81736:359-81736:359.

9411030235 Informs that statement satisfies licensee concerns that public will not be restricted by settlement agreement to raise safety issues re remediation of Bert & Harvard Avenue sites.
GREEVES, J.T. Division of Waste Management (NMSS 940403). 94/10/21. SARGENT, D.R. Chemetron Corp. 3pp. 81645:348-81645:350.

9411020249 Notification of significant licensee meeting w/ util on 941109 to discuss comments on Chemetron Site Remediation Plan, confirm schedule for response submittal & provide status update of OEPA closure application.
JOHNSON, T.C. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 94/10/25. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 2pp. 81633:359-81633:360.

9411290181 Provides status rept on Chemetron decommissioning activities.
TAYLOR, J.M. Ofc of the Executive Director for Operations. 94/11/17. THE CHAIRMAN, SELIN, J., ROGERS, K.C. Commissioners (Post 750119). 8pp. 81922:283-81922:290.

9411290279 Forwards environ assessment & SER prepared for Pathfinder reactor decommissioning project & recent rept on U solubility prepared by Pacific Northwest Lab. W/ encl.
JOHNSON, T.C. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 94/11/17. KOH, B. B. Koh & Associates, Inc. 1p. 81922:276-81922:276.

9411290174 Informs licensee of recent NRC actions pertinent to petition, per 10CFR2.206, dtd 890106 to compel Chemetron Corp to immediately commence decontamination of Harvard Avenue site.
BERNERO, R.M. Office of Nuclear Material Safety & Safeguards. 94/11/21. ROMER, K.R. McGean-Rohco, Inc. (formerly McGean Chemical Co., Inc.). 3pp. 81922:280-81922:282.

DOCKET 40-8778 MOLYCORP, INC., LOS ANGELES, CA

9411210391 Informs that local publicly owned treatment works will not excavate forced main sewer line to determine location, as written confirmation of telcon early this summer. Encl request from GW Dawes may be disregarded.
DANKMYER, B.K. MolyCorp, Inc. 94/10/24. GLENN, C.J. Decommissioning & Regulatory Issues Branch (Post 901230). 1p. 81837:168-81837:173.

-9411210394 Requests NRC review of IT Corp proposed work plan for radiological survey of Bldg 38. Proposed work plan encl.
DAWES, G.W. MolyCorp, Inc. 94/10/25. GLENN, C.J. Decommissioning & Regulatory Issues Branch (Post 901230). 5pp. 81837:169-81837:173.

9411070383 Forwards survey approach for R&D Bldg 38, per request.
DAWES, G.W. MolyCorp, Inc. 94/10/25. GLENN, C.J. Office of Nuclear Material Safety & Safeguards. 5pp. 81676:116-81676:120.

9411300152 Requests extension for submittal of Site Characterization Rept from 941201-31.
DANKMYER, B.K. MolyCorp, Inc. 94/11/18. PERSON, L.S. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 2pp. 81951:278-81951:279.

DOCKET 40-8794 MOLYCORP, INC., LOS ANGELES, CA

9411300245 Informs of approval of proposed work plan for radiological survey of bldg 38, located on southwestern side of affected area on Washington, PA MolyCorp site.
PERSON, L.S. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 94/11/15. DAWES, G. MolyCorp, Inc. 1p. 81933:051-81933:051.

DOCKET 40-8820 AMAX, INC., GOLDEN, CO

9411150233 Forwards memo from JM Taylor to Commission informing Commission of removal of AMAX site from Site Decommissioning Mgt Plan list, in response to request to JT Greeves.
JOHNSON, T.C. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 94/11/08. ALLEN, J. General Accounting Office. 1p. 81772:229-81772:248.

-9405130201 Informs that three conditions specified in 1982 NWA section 151(c), which requires DOE to take title & custody to certain sites, met for AMAX site in Parkersburg, WV & that AMAX property title transferred to DOE.
TAYLOR, J.M. Ofc of the Executive Director for Operations. 94/04/25. THE CHAIRMAN, SELIN, J., ROGERS, K.C. Commissioners (Post 750119). 19pp. 81772:230-81772:248.

DOCKET 40-8866 NUCLEAR METALS, INC., CONCORD, MA

9411220029 Informs that licensee not in compliance w/ financial assurance requirements per 10CFR40.36. Enforcement conference scheduled for 941208 at Region 1 ofc to discuss possible enforcement actions & decommissioning of facility.
HEHL, C.W. Region 1 (Post 820201). 94/10/28. VUMBACO, F.J. Nuclear Metals, Inc. 3pp. 81796:191-81796:193.

9411280121 Responds to 941020 ltr re concerns of Citizens Research & Environ Watch concerning ongoing inquiry into potential depleted U contamination on Nuclear Metals, Inc site in Concord, MA.
TAYLOR, J.M. Ofc of the Executive Director for Operations. 94/11/16. MEEHAN, M.T. House of Rep. 5pp. 81864:001-81864:009.

-9411280126 Requests response to Citizens Research & Environ Watch questions & concerns about recent Boston Globe article re ground contamination at Nuclear Metals, Inc site.
MEEHAN, M. House of Rep. 94/10/20. THE CHAIRMAN, SELIN, J. Commissioners (Post 750119). 4pp. 81864:006-81864:009.

9411290273 Forwards holding basin geohydrological data from Nuclear Metals site. W/ encl.
AUSTIN, J.H. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 94/11/18. JOYNER, J. Region 1 (Post 820201). 1p. 81922:275-81922:275.

DOCKET 40-8902 ATLANTIC RICHFIELD CO., GRANTS, NM

9411150632 Discusses extension of reclamation milestones ARCO Bluewater U Mill site. Placement of final radon barrier can be completed safely by Oct 1995.
ZIEGLER, R.S. Atlantic Richfield Co. (ARCO). 94/10/31. HOLONICH, J. Uranium Recovery Branch (Post 901230). 2pp. 81777:358-81777:359.

9411140163 Forwards minutes from 940914 meeting between NRC & Atlantic Richfield Co. (ARCO) in Grants, NM re ARCO Bluewater Mill site.
GILLEN, D.M. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 94/11/08. ZIEGLER, R.S. Atlantic Richfield Co. (ARCO). 3pp. 81752:357-81752:359.

9411290165 Forwards Amend 25 to License SUA-1470 & TER. Amend accepts proposed reduction of previous yr surety due to net effects of inflation & completion of some reclamation work.
HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 94/11/15. ZIEGLER, R.S. Atlantic Richfield Co. (ARCO). 4pp. 81933:001-81933:012.

-9411290167 Amend 25 to License SUA-1470 for Atlantic Richfield Corp, accepting proposed reduction of previous yr surety due to net effects of inflation & completion of some reclamation work.
HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 94/11/15. 8pp. 81933:005-81933:012.

9411280187 Requests to docket attached fax from ARCO in docket file. Fax contains groundwater chemistry data for wells.
COLEMAN, N. Division of Waste Management (NMSS 940403). 94/11/22. Document Control Branch (Document Control Desk). 3pp. 81885:127-81885:128.

DOCKET 40-8903 HOMESTAKE MINING CO., GRANTS, NM

9411100177 Forwards in-place radon barrier moisture content taken from proctors & sand core tests, interim cover moisture content taken from proctor & sand core tests & north borrow optimum moisture content.
CRAFT, F.R. Homestake Mining Co. 94/11/03. HOOKS, K. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 110pp. 81760:227-81760:336.

9411290261 Forwards info re foundation & fill mats for const of Evaporation Pond 2.
CRAFT, F. Homestake Mining Co. 94/08/16. HARRIS, T. NRC - No Detailed Affiliation Given. 24pp. 81904:321-81904:343.

9411290262 Forwards response to questions re Evaporation Pond 2 license amend.
CRAFT, F. Homestake Mining Co. 94/08/19. HARRIS, T. NRC - No Detailed Affiliation Given. 5pp. 81902:342-81902:347.

9411290267 Forwards stability analysis, slope stability analysis, test boring program for test borings & log of test holes EPZ-1, EPZ-2, EPZ-3, EPZ-4, EPZ-5 & EPZ-6 for Evaporation Pond 2.
CRAFT, F. Homestake Mining Co. 94/09/02. HARRIS, T. NRC - No Detailed Affiliation Given. 21pp. 81905:189-81905:209.

9411140207 Summarizes 940915 meeting w/ NRC & licensees at Grants Mill, Grants NM to discuss various license amend requests.
GILLEN, D.M. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 94/11/02. CRAFT, F.R. Homestake Mining Co. 4pp. 81755:144-81755:147.

DOCKET 40-8905 QUIVIRA MINING CO., GRANTS, NM

9411030341 "Quivira Mining Co Ambrosia Lake Operations Discharge Plan 362 for Third Quarter 1994." W/ 941025 ltr.
LUTHIGER, P. Quivira Mining Co. 94/10/25. OHRBOM, R. New Mexico, State of. 3pp. 81640:349-81640:351.

9411150215 Forwards rept of 940915 meeting between NRC & Quivira Mining Co.
GILLEN, D.M. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 94/11/02. FERDINAND, B. Quivira Mining Co. 3pp. 81760:348-81760:350.

6 DOCKETED ITEMS

9411090394 Forwards addl info requested per 941006 telcon in regards to licensee proposed amend re radon cover at Ambrosia Lake facility.
FERDINAND,B. Quivira Mining Co. 94/11/04. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 67pp. 81718:249-81718:315.

9411280178 Requests that applications to use nuclear density meter as official QC test be withdrawn from further NRC consideration.
FERDINAND,B. Quivira Mining Co. 94/11/08. HOLONICH,J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 81900:327-81900:327.

9411290188 Forwards Amend 30 to License SUA-1473 & TER. Amend accepts proposed reduction of previous yr surety due to net effects of inflation & completion on some reclamation work.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 94/11/17. FERDINAND,B. Quivira Mining Co. 3pp. 81933:036-81933:049.

-9411290191 Amend 30 to license SUA-1473 for Quivira Mining Co. accepting proposed reduction of previous yr surety due to net effects of inflation & completion of some reclamation work.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 94/11/17. 11pp. 81933:039-81933:049.

DOCKET 40-8936 BUTKIN PRECISION MANUFACTURING, INC., MILFORD, CN

9411300057 Forwards insp rept 40-8936/94-02 on 940810. No violations noted. Ltrs dtd 940524, 910106, 920306, 0826, 940405 & 0524, referenced.
SHANBAKY,M.M. Region 1 (Post 820201). 94/11/02. ANDERSON,B.P., ANDERSON,B.S. Butkin Precision Manufacturing Corp. 2pp. 81871:251-81871:256.

-9411300065 Insp rept 40-8936/94-02 on 940810. No violations noted. Major areas inspected: survey of facility in Milford, CT for residual contamination prior to release of facility for unrestricted use.
EVERHART,D.B., SHANBAKY,M.M. Region 1 (Post 820201). 94/11/02. 4pp. 81871:253-81871:256.

DOCKET 40-8943 FERRET EXPLORATION CO. OF NEBRASKA, DENVER, CO

9411150302 Forwards Amend 25 to License SUA-1534, revising license condition 42.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 94/10/20. COLLINGS,S.P. Ferret Exploration Co. of Nebraska, Inc. 3pp. 81775:149-81775:162.

-9411150341 Amend 25 to license SUA-1534 for Crow Butte Resources, Inc. revising condition 42.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 94/10/31. 11pp. 81775:152-81775:162.

9411170187 Forwards TERs of Crow Butte Resources, Inc. amends requests re Part 20 license changes & increased flow rate, as requested in 940826 notes.
EISENBERG,N.A. Performance Assessment & Hydrology Branch (NMSS 940403). 94/10/27. WASTLER,S.L. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 21pp. 81782:042-81782:062.

9411100093 Forwards revised annual update to surety estimate for Crow Butte Mine. Estimate based on 941020 comments from NE Dept of Environ Quality which noted typos & errors in 940922 submittal.
COLLINGS,S.P. Affiliation Not Assigned. 94/11/02. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 24pp. 81736:275-81736:299.

9411100082 Informs that Crow Butte Resources, Inc. annual pond insp rept found in accordance w/ Reg Guide 3.11.1.
WASTLER,S.L. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 94/11/08. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 81805:357-81805:357.

9411280167 Forwards "Crow Butte Mine Dawes County, NK 1994 Pond Insp Rept."
MAGNUSON,S.D. Affiliation Not Assigned. 94/11/17. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 81912:212-81912:251.

-9411280169 "Crow Butte Mine Dawes County, NK 1994 Pond Insp Rept."
MAGNUSON,S.D. Affiliation Not Assigned. 94/11/16. 39pp. 81912:213-81912:251.

DOCKET 40-8948 SHIELDALLOY CORP., NEWFIELD, NJ

9411070388 Forwards Wills Creek Flood Profiles & flood insurance rate maps, in ref to DR Smith 940816 request for info for preparing EIS associated w/ Shieldalloy Metallurgical Corp at Cambridge, Guernsey County, OH.
EDWARDS,K.R. Army, Dept. of Corps of Engineers. 94/10/24. GLENN,C. NRC - No Detailed Affiliation Given. 5pp. 81716:355-81716:360.

9411070346 Forwards package entitled, "Mines Located Within 3 Miles Of Shieldalloy Metallurgical Corp (Site)," which provides requested map & info for use & preparation of environment impact statement. W/one oversize encl.
SMITH,D.R. Shieldalloy Metallurgical Corp. 94/10/31. GLENN,C.J. NRC - No Detailed Affiliation Given. 13pp. 81726:351-81726:358.

9411090410 Notices of change in NRC project mgt responsibilities for licensing & decommissioning of Shieldalloy Metallurgical Corp facility at Cambridge, OH under NRC License SNM-1507. Effective 941114, RA Nelson assumes stated responsibilities.
NELSON,R.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 94/11/08. EVES,C.S. Shieldalloy Metallurgical Corp. 1p. 81717:352-81717:352.

9411220095 Notices of change in NRC project monitoring responsibilities for technical monitor Task 2.
NELSON,R.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). FIN L-2094. 94/11/13. MCCOLD,L. Oak Ridge National Laboratory. 1p. 81964:127-81964:127.

9411230238 Application for amend to License SMB-1507, requesting licensed matl possessed under supervision of RSO & future NRC correspondence or notices to RSO or licensee provided to listed individuals.
EVES,C.S., VALENTI,J.P. Shieldalloy Metallurgical Corp. 94/11/14. GLENN,C. Decommissioning & Regulatory Issues Branch (Post 901230). 1p. 81893:350-81893:353.

9411230016 Forwards insp rept 40-8948/94-01 on 940405-28. No violations noted. NRC inspectors identified unresolved item re elevated exposure rates along East Pile fence line.
SHEAR,G.L. Region 3 (Post 820201). 94/11/17. EVES,S. Shieldalloy Metallurgical Corp. 2pp. 81811:079-81811:099.

-9411230019 Insp rept 40-8948/94-01 on 940405-28. No violations noted. Major areas inspected: posting measures, program for maintaining integrity of West Pile cap & program of surveillance for security of piles.
GLINSKI,R.L., SHEAR,G.L. Region 3 (Post 820201). 94/11/17. 19pp. 81811:081-81811:099.

DOCKET 40-8968 HYDRO RESOURCES, INC., DALLAS, TX

9411010018 Forwards Decision & Order from New Mexico Environment Dept provided on 941026 by M Pelizza of HRI during public presentation at NRC Headquarters.
LAYTON,M. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 94/10/27. FRIDLEY,S. Document Control Branch (Document Control Desk). 7pp. 81579:283-81579:289.

9411160064 DRAFT ENVIRONMENTAL IMPACT STATEMENT TO CONSTRUCT AND OPERATE THE CROWNPOINT SOLUTION MINING PROJECT, CROWNPOINT, NEW MEXICO. Docket No. 40-8968. (Hydro Resources, Inc.)
* Division of Waste Management (NMSS 940403). NUREG-1508. 94/10/31. 154pp. 81767:008-81767:156.

9411150289 Forwards FR notice of availability of draft EIS, notice of opportunity for hearing.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 94/11/04. MEYER,D.L. Division of Freedom of Information & Publications Services (Post 940714). 3pp. 81775:112-81775:121.

-9411150297 Notice of availability of draft EIS, notice of opportunity for hearing.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 94/11/04. 7pp. 81775:115-81775:121.

9411150237 Forwards addl copies of NUREG-1508, "Draft EIS to Construct & Operate Crownpoint U Solution Mining Project, Crownpoint, NM." W/o encl.
GILLEN,D.M. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 94/11/09. ROGERS,P. Navajo Nation. 1p. 81760:351-81760:351.

9411160173 Forwards 16 copies of NUREG-1508, "Draft EIS to Construct & Operate Crownpoint U Solution Mining Project, Crownpoint, NM."
LAYTON,M.C. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 94/11/09. RAI,V. Interior, Dept. of. 1p. 81781:346-81781:346.

9411150567 Forwards five copies of NUREG-1508, "Draft EIS to Construct & Operate Crownpoint U Solution Mining Project, Crownpoint, NM." W/o encl.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 94/11/14. Environmental Protection Agency. 1p. 81778:356-81778:356.

9411290169 Forwards NUREG-1508, "Draft Environ Impact Statement to Const & Operate Crownpoint U Solution Mining Project, Crownpoint, NM." per 941117 telcon. W/o encl.
PARK,J.R. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 94/11/18. TOMSOVIC,D. Environmental Protection Agency. 1p. 81933:013-81933:013.

DOCKET 40-8971 U.S. ENERGY CORP., RIVERTON, WY

9411220080 Forwards insp rept 40-8971/94-01 on 940929. No violations or deviations noted. Insp verified that corrective actions for violations identified during 930707 insp had been implemented & that actions effective.
COLLINS,S.J. Region 4 (Post 820201). 94/11/09. WEBBER,K. U.S. Energy Corp. 4pp. 81797:324-81797:333.

-9411220085 Insp rept 40-8971/94-01 on 940929. No violations or deviations noted. Major areas inspected: radwaste monitoring programs including mgt & organization controls, operations review, radiation protection & environ monitoring.
CAIN,C.L. Region 4 (Post 820201). 94/11/08. 6pp. 81797:328-81797:333.

DOCKET 40-8972 AMBEL PRECISION MANUFACTURING CORP., BETHEL, CT

9411150384 Forwards safety insp rept 40-8972/94-01 on 940809 & confirmatory survey results, in response to 920115 survey. No violations noted & no radioactive matl contamination detected.
SHANBAKY,M.M. Region 1 (Post 820201). 94/10/12. LOMBARDO,J. Ambel Precision Manufacturing Corp. 2pp. 81735:330-81735:335.

-9411150399 Insp rept 40-8972/94-01 on 940809. No violations noted. Major areas inspected: confirmatory survey conducted at facility for residual contamination prior to release of facility for unrestricted use. W/confirmatory survey results.
EVERHART,D.B., SHANBAKY,M.M. Region 1 (Post 820201). 94/10/13. 4pp. 81735:332-81735:335.

DOCKET 40-8981 PATHFINDER MINES CORP., MILLS, WY

9411160159 Submits follow-up to telcon between NRC & licensee on status of review of licensee amend request re evaporation ponds.
GILLEN,D.M. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 94/10/28. WICHERS,D. Pathfinder Mines Corp. 3pp. 81781:339-81781:341.

9411170181 Submits annual update for North Butte & Ruth surety estimates. Explanation updated estimate for 1995 provided as listed.
WICHERS,D.L. Pathfinder Mines Corp. 94/11/10. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 50pp. 81787:250-81787:298.

DOCKET 40-8989 ENVIROCARE OF UTAH, INC., SALT LAKE CITY, UT

9411230143 Ack receipt of 940914 meteorological monitoring QA/QC plan. Plan found acceptable & will become App G in final modified ground water discharge permit currently in process.
OSTLER,D.A. Utah, State of. 94/10/27. ROMANKOWSKI,D. Envirocare of Utah, Inc. 243pp. 81849:078-81849:320.

9411210096 Requests meeting w/NRC on 941108 concerning issues re NRC fees for licensed operations.
SEMNANI,K.B. Envirocare of Utah, Inc. 94/11/03. BERNERO,R.M. Office of Nuclear Material Safety & Safeguards. 1p. 81831:146-81831:146.

9411220222 PNO-IV-94-058: on 941117, railroad car of 11e(2) byproduct matl arrived at Union Pacific facility adjacent to Envirocare facility w/o byproduct matl. Caused by fiberglass cover on car fracturing, breaking. State of IL & UT notified.
CARSON,L.C., DODA,R.J. Region 4 (Post 820201). 94/11/18. 2pp. 81799:098-81799:099.

DOCKET 40-9024 ENERGY FUELS NUCLEAR

9411040211 Forwards Land Quality Div review comments dtd 941013 from P Maciuka & S Ingle on licensee 940923 response to earlier review comments submitted under author 941013 ltr re Reno Creek multiwell pump test.
MOONEY,G. Wyoming, State of. 94/10/25. WETZ,T.V. Energy Fuels Nuclear, Inc. 7pp. 81651:335-81651:341.

9411070092 Transmits responses to WY DEQ comments on MP-9 aquifer test & licensee cover ltr requesting authorization to proceed w/ installation of Mine Unit I monitoring wells. W/one oversize drawing.
REHMANN,M.R. Energy Fuels Nuclear, Inc. 94/11/01. HOLONICH,J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 30pp. 81716:294-81716:324.

9411090392 Grants licensee permission to carry out work as outlined in licensee 941031 ltr, proposing drilling & const of 32 monitor wells & completion of 10 wells previously drilled.
MOONEY,G. Wyoming, State of. 94/11/04. WETZ,T.V. Energy Fuels Nuclear, Inc. 2pp. 81719:308-81719:309.

9411210258 Forwards licensee revs to land quality division amend application & responses to land quality division completeness comments dtd 940923.
WETZ,T.V. Energy Fuels Nuclear, Inc. 94/11/10. MOONEY,G. Wyoming, State of. 33pp. 81831:077-81831:109.

DOCKET 40-9027 CABOT CORP. READING & REVERE

9411180275 Discusses possible delay in renewal of Cabot Corp licensing renewal, currently scheduled for Sept 1995.
PIERSON,R.C. Licensing Branch. 94/11/10. BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 1p. 81830:348-81830:348.

9411300252 Provides licensee w/notification that activities observed by NRC on site visit on 941108 to Reading, PA site, may cause violations of NRC requirements re inappropriate release of licensed radioactive matl.
AUSTIN,J.H. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 94/11/17. BARRON,R.S. Cabot Corp. 2pp. 81922:360-81922:361.

DOMESTIC LICENSING OF PRODUCTION AND UTILIZATION FACILITIES**DOCKET 50-3 INDIAN POINT STATION, UNIT 1****F. Security, medical, emergency & fire protection plans**

9411230008 PDR version of emergency procedures document book 2, Apps A,B & C.W/ ltr dtd 941121.
* Commonwealth Edison Co. 94/06/01. KAMMERER,C.C. Division of Freedom of Information & Publications Services (Post 940714). 28pp. 81826:299-81826:326.

Q. Inspection reports, IE Bulletins & correspondence

9410140257 Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Matis Events to NRC Operations Ctr."
BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.

9410200153 NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts."
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81658:001-81658:013.

9411090300 NRC Bulletin 94-002, "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride."
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.

9411100237 NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment."
GRIMES,B.K. 94/11/17. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.

9411150578 NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation."
GRIMES,B.K. 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.

9411170039 NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping."
GRIMES,B.K. 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.

9411170279 NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys."
GRIMES,B.K. 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.

9411170284 NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results."
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.

DOCKET 50-10 DRESDEN NUCLEAR POWER STATION, UNIT 1**F. Security, medical, emergency & fire protection plans**

9411160099 Forwards details of physical security concern at plant & requests that results of licensee review & disposition of subj matter be submitted to Region III within 45 days of dtd ltr. W/o encl.
PEDERSON,C.D. Region 3 (Post 820201). 94/11/03. PERRY,J.S. Commonwealth Edison Co. 2pp. 81746:339-81746:340.

9411210293 Submits response to NRC request for addl info re proposed use of corporate EOF as interim EOF to perform emergency response functions until near site can be staffed.
JOHNSON,I.M. Commonwealth Edison Co. 94/11/15. Document Control Branch (Document Control Desk). 22pp. 81833:332-81833:353.

9411300121 Informs of decision to institute quarterly proficiency training for ERDS Operators.
AXELSON,W.L. Region 3 (Post 820201). 94/11/16. MARTIN,J., MILLER,H., KERLIN,M. Region 3 (Post 820201). 4pp. 81872:132-81872:135.

9411300211 Forwards response to 940919 RAI re proposed use of corporate EOF (CEOF) as interim EOF, including analysis of EOF functions applicable to CEOF as interim EOF.
JOHNSON,I.M. Commonwealth Edison Co. 94/11/22. Office of Nuclear Reactor Regulation, Director (Post 870411). 77pp. 81908:092-81908:169.

Q. Inspection reports, IE Bulletins & correspondence

9410140257 Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Matis Events to NRC Operations Ctr."
BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.

9410200153 NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts."
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81658:001-81658:013.

9411100126 Forwards insp repts 50-010/94-15, 50-237/94-15 & 50-249/94-15 on 940816-1005 & notices of violation & deviation. NRC concerned by potential for other similar conditions & cumulative effect on plant safety.
GREENMAN,E.G. Region 3 (Post 820201). 94/10/27. PERRY,J.S. Commonwealth Edison Co. 3pp. 81673:307-81673:338.

-9411100131 Notice of violation from insp on 940816-1005. Violation noted: failure to document manipulated unit 3 DG lubricating oil strainer in work instructions & failure to document control rods moved out-of-sequence.
* Region 3 (Post 820201). 94/10/27. 2pp. 81673:310-81673:311.

-9411100137 Notice of deviation from insp on 940816-1005. Deviation noted: failure to monitor containment cooling svc water sys pressures on unit 2 & failure of procedure to contain step to remove rod insert block from rod worth minimizer.
* Region 3 (Post 820201). 94/10/27. 1p. 81673:312-81673:312.

-9411100142 Insp repts 50-010/94-15, 50-237/94-15 & 50-249/94-15 on 940816-1005. Violations & deviations noted. Major areas inspected: operations, maint & surveillance, engineering & technical support, plant support & safety assessment.
HILAND,P.L. Region 3 (Post 820201). 94/10/24. 26pp. 81673:313-81673:338.

9411220020 Ack receipt of 940922 ltr informing NRC of steps taken to correct violation in insp repts 50-010/94-14, 50-237/94-14 & 50-249/94-14.
GREENMAN,E.G. Region 3 (Post 820201). 94/11/07. PERRY,J.S. Commonwealth Edison Co. 1pp. 81796:093-81796:093.

9411090300 NRC Bulletin 94-002, "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride."
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.

941100237 NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment."
GRIMES,B.K. 94/11/17. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.

9411150578 NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation."
GRIMES,B.K. 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.

9411170039 NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping."
GRIMES,B.K. 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.

9411300226 Responds to violations noted in insp repts 50-010/94-15, 50-237/94-15 & 50-249/94-15. Corrective actions: policy developed w/operations dept to provide positive control by operations of valve manipulation by outside individuals.
PERRY,J.S. Commonwealth Edison Co. 94/11/23. Document Control Branch (Document Control Desk). 8pp. 81906:346-81906:353.

8 DOCKETED ITEMS

9411170279 NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys." GRIMES,B.K. . 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.

9411170284 NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results." PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.

R. Periodic operating reports & related correspondence

9411180153 Monthly operating repts for Oct 1994 for Dresden Nuclear Power Station.W/941010 ltr. SYKES,K.W., EENIGENBERG,E. Commonwealth Edison Co. 94/10/31. 25pp. 81804:322-81804:346.

S. Reportable occurrences, LERs & related correspondence

9411030338 Forwards task action plan to evaluate spent fuel storage pool safety issues identified as result of problems found at Dresden 1, issues raised at Susquehanna & other issues raised in rept filed, per 10CFR21 on 921117. SHEA,J.W. Project Directorate I-2. 94/10/24. LOCHBAUM,D.A., PREVATTE,D.C. Affiliation Not Assigned. 2pp. 81608:109-81608:117.

-9410190155 Forwards task action plan to address safety issues identified at plants. Task action plan also addresses other issues re SFPs at operating & permanently shutdown reactors. HOLAHAN,G.M. Division of Systems Safety & Analysis (Post 921004). 94/10/13. THADANI,A.C. Associate Director for Inspection & Technical Assessment (Post 870411). 8pp. 81608:111-81608:117.

9411080320 Special rept on 941006. Unit 1 fuel storage pool conductivity exceeded 10 micro/mho/cm TS limit & returned to within TS on 941010. Caused by decomposition of biological micro-organisms in fuel storage pool. Temporary demineralizer restarted. HOLLAND,P.G. Commonwealth Edison Co. 94/11/04. MARTIN,J.B. Region 3 (Post 820201). 4pp. 81677:266-81677:269.

W. Decommissioning Stage Documents & Correspondence

9411290047 Discusses review of radiation protection concern & informs that licensee investigation did not substantiate concern. AXELSON,W.L. Region 3 (Post 820201). 94/11/22. PERRY,J.S. Commonwealth Edison Co. 1p. 81857:291-81857:291.

DOCKET 50-16 ENRICO FERMI ATOMIC POWER PLANT, UNIT 1

Q. Inspection reports, IE Bulletins & correspondence

9411300137 Forwards safety insp rept 50-016/94-03 on 941004-05. No violations noted. PEDERSON,C.D. Region 3 (Post 820201). 94/11/16. GIPSON,D.R. Detroit Edison Co. 2pp. 81872:163-81872:168.

-9411300143 Insp rept 50-016/94-03 on 941004-05. No violations noted. Major areas inspected: organization, records, surveillance, review & audit functions, radiation controls, review of periodic & special repts. REIDINGER,T., PEDERSON,C.D. Region 3 (Post 820201). 94/11/16. 4pp. 81872:165-81872:168.

DOCKET 50-20 MASSACHUSETTS INSTITUTE OF TECHNOLOGY RESEARCH REACTOR

P. Operating license stage documents & correspondence

9411140068 Responds to 941130 request for addl info re request for adjustment of license R-37 for Massachusetts Institute of Technology Research Reactor. BERNARD,J.A. Massachusetts Institute of Technology, Cambridge, MA. 94/11/04. Document Control Branch (Document Control Desk). 4pp. 81752:353-81752:356.

DOCKET 50-29 YANKEE-ROWE NUCLEAR POWER STATION

F. Security, medical, emergency & fire protection plans

9411040173 Change 112 to EIPs, including Rev 15 to OP-3305, Rev 11 to OP-3315, Rev 10 to OP-3343, Rev 3 to AP-3400, Rev 3 to AP-3425, Rev 6 to AP-3426 & Rev 6 to AP-3450.

* Yankee Atomic Electric Co. 94/10/31. 83pp. 81661:001-81661:083.

9411230245 Revised EIPs, including Rev 21 to OP 3510, "Off-Site & Site Boundary Monitoring" & Rev 8 to OP 3531, "Emergency Call-In Method."

* Yankee Atomic Electric Co. 94/11/08. 42pp. 81893:273-81893:309.

H. General correspondence

9411020144 Ack receipt of 940923 ltr re Citizens Awareness Network telcon. Appreciated response from NRC to request for info. KATZ,D. Citizens Awareness Network. 94/10/07. WEISS,S.H. Non-Power Reactor & Decommissioning Project Directorate. 6pp. 81590:104-81590:109.

P. Operating license stage documents & correspondence

9411070323 Forwards addl info re updated decommissioning cost study presented on 941026 in response to requests made during NRC review of study. MELLOR,R.A. Yankee Atomic Electric Co. 94/11/02. FAIRTILE,M.B. Non-Power Reactor & Decommissioning Project Directorate. 526pp. 81661:084-81662:249.

9411100024 Ack receipt of 940818 ltr providing comments on plant decommissioning plan. NRC currently reviewing plan & comments will be addressed during review. WEISS,S.H. Non-Power Reactor & Decommissioning Project Directorate. 94/11/04. Franklin County, MA. 3pp. 81715:340-81715:342.

9411170033 Summary of 941026 meeting w/ util personnel in Rockville, MD re impact of decommissioning schedule on cost of decommissioning. Handout & attendance list encl. FAIRTILE,M.B. Non-Power Reactor & Decommissioning Project Directorate. 94/11/07. Non-Power Reactor & Decommissioning Project Directorate. 12pp. 81777:200-81777:211.

9411290281 Forwards input to order authorizing decommissioning of Yankee Nuclear Power Station. SER encl. AUSTIN,J.H. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 94/11/09. WEISS,S.H. Non-Power Reactor & Decommissioning Project Directorate. 1p. 81922:195-81922:260.

-9411290282 SER re request to authorize facility decommissioning of Yankee Nuclear Power Station. * Office of Nuclear Material Safety & Safeguards. 94/11/09. 65pp. 81922:196-81922:260.

Q. Inspection reports, IE Bulletins & correspondence

9410140257 Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Matis Events to NRC Operations Ctr." BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.

9410200153 NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts." GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81658:001-81658:013.

9411220026 Forwards insp rept 50-029/94-10 on 941024-28. No violations noted. HOYNER,J.H. Region 1 (Post 820201). 94/11/10. THAYER,J.K. Yankee Atomic Electric Co. 3pp. 81796:145-81796:161.

-9411220031 Insp rept 50-029/94-10 on 941024-28. No violations noted. Major areas inspected: licensee liquid & gaseous radioactive effluent control program, radiological environmental monitoring program & radiochemical measurement program. JANG,J.C., JOYNER,J.H. Region 1 (Post 820201). 94/11/07. 14pp. 81796:148-81796:161.

9411090300 NRC Bulletin 94-002, "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride." PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.

9411100237 NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment." GRIMES,B.K. . 94/11/17. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.

9411150578 NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation." GRIMES,B.K. . 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.

9411170039 NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping." GRIMES,B.K. . 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.

9411170279 NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys." GRIMES,B.K. . 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.

9411170284 NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results." PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.

DOCKET 50-54 CINTICHEM

W. Decommissioning Stage Documents & Correspondence

9411150112 Confirms 941114 meeting re mgt of residual radioactive matl, specifically contaminated bedrock, at Tuxedo, NY facility. AUSTIN,J.H. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 94/11/03. MCGOVERN,J.J. Cintichem, Inc. 2pp. 81780:339-81780:340.

9411170218 Proposed amends to technical requirements in Cintichem consent order of June 1990. * New York, State of. 94/11/10. 11pp. 81793:210-81793:220.

DOCKET 50-62 UNIV. OF VIRGINIA RESEARCH REACTOR

F. Security, medical, emergency & fire protection plans

9411010237 Requests that NRC take no further action on review of security plan proposed by licensee on 900713, in view of completed conversion of Univ of VA reactor to LEU fuel & upcoming decommissioning of 100W Cavalier Reactor. MULDER,R.U. Virginia, Univ. of, Charlottesville, VA. 94/10/26. ADAMS,A. Non-Power Reactor & Decommissioning Project Directorate. 1p. 81579:359-81579:359.

9411180191 Rev 17 to EIPs, including EIP-1, EIP-2, EIP-3, EIP-4, EIP-5, EIP-6, EIP-7, EIP-8, EIP-9, EIP-10, EIP-11, EIP-12, EIP-13, EIP-14, EIP-16, EIP-18, EIP-19, EIP-20 & EIP-23. W/ 941114 ltr. KRAUSE, D.R. Virginia, Univ. of, Charlottesville, VA. 94/11/14. ADAMS, A. Document Control Branch (Document Control Desk). 89pp. 81832:121-81832:209.

V. Operator Examinations

9411150620 Transmits RO license certificates for DT Kepler & JD Muskopf both newly licensed at Univ of VA at Charlottesville. W/o encl. THOMAS, C.O. Division of Reactor Controls & Human Factors (Post 921004). 94/11/09. FLACK, R.D. Virginia, Univ. of, Charlottesville, VA. 1p. 81755:004-81755:004.

9411220326 Forwards senior operator license certificate for TE Doyle. THOMAS, C.O. Division of Reactor Controls & Human Factors (Post 921004). 94/11/17. FLACK, R.D. Virginia, Univ. of, Charlottesville, VA. 1p. 81864:352-81864:352.

DOCKET 50-73 GENERAL ELECTRIC NUCLEAR TEST REACTOR

V. Operator Examinations

9411100277 Forwards generic fundamentals exam administered in June 1994 & provides answer key for exam as graded. W/o encl. RICHARDS, S.A. Operator Licensing Branch. 94/11/01. SMITH, D. General Electric Co. 1p. 81725:001-81725:001.

DOCKET 50-77 CATHOLIC UNIV. OF AMERICA RESEARCH REACTOR

W. Decommissioning Stage Documents & Correspondence

9411020163 Provides NRC w/certain info re progress made in implementing NRC approved decommissioning plan for equipment & facility associated w/License R-31. LUSTER, D.R. Catholic Univ. of America, Washington, DC. 94/10/26. Document Control Branch (Document Control Desk). 2pp. 81590:136-81590:137.

DOCKET 50-116 IOWA STATE UNIV. RESEARCH REACTOR

F. Security, medical, emergency & fire protection plans

9411040229 Update 3 to "Emergency Plan for Iowa State Univ Nuclear Reactor Facility." W/941101 ltr. ADAMS, J.T. Iowa State Univ., Ames, IA. 94/10/31. 105pp. 81652:160-81652:268.

Q. Inspection reports, IE Bulletins & correspondence

9411170315 Forwards Operator Licensing Initial Exam Rept 50-116/OL-94-01 of exams administered on 941019. RICHARDS, S.A. Operator Licensing Branch. 94/11/14. DANOFSKY, R. Iowa State Univ., Ames, IA. 3pp. 81780:021-81780:025.

-9411170316 Operator Licensing Initial Exam Rept 50-116/OL-94-01 on 941019. Exams results: two senior reactor operators passed exams. ERESIAN, W., LANGE, D.J. Operator Licensing Branch. 94/10/27. 2pp. 81780:024-81780:025.

V. Operator Examinations

9411170123 Forwards results for operator initial exam conducted on 941019. W/o encl. RICHARDS, S.A. Operator Licensing Branch. 94/11/09. DANOFSKY, R. Iowa State Univ., Ames, IA. 1p. 81776:360-81776:360.

9411170315 Forwards Operator Licensing Initial Exam Rept 50-116/OL-94-01 of exams administered on 941019. RICHARDS, S.A. Operator Licensing Branch. 94/11/14. DANOFSKY, R. Iowa State Univ., Ames, IA. 3pp. 81780:021-81780:025.

-9411170316 Operator Licensing Initial Exam Rept 50-116/OL-94-01 on 941019. Exams results: two senior reactor operators passed exams. ERESIAN, W., LANGE, D.J. Operator Licensing Branch. 94/10/27. 2pp. 81780:024-81780:025.

9411220390 Forwards senior reactor operator license certificates for TE Draur & S Wendt. W/o encl. THOMAS, C.O. Division of Reactor Controls & Human Factors (Post 921004). 94/11/17. BULLEN, D.B. Iowa State Univ., Ames, IA. 1p. 81822:302-81822:302.

DOCKET 50-128 TEXAS A&M UNIV. RESEARCH REACTOR

F. Security, medical, emergency & fire protection plans

9411100028 Forwards safeguards contingency plan, per 10CFR50.54(p). Revised plan provides better agreement between working plan & regulations requiring plan. Encl withheld. OKELLY, S. Texas A&M Univ., College Station, TX. 94/11/04. Document Control Branch (Document Control Desk). 1p. 81752:225-81752:225.

V. Operator Examinations

9411290089 Requests two sets of "Ref Matl for Reactor/Senior Reactor Operator Licensing Exams." within 60 days of scheduled 950227 exam. LANGE, D.J. Operator Licensing Branch. 94/11/22. HALL, K.R. Texas A&M Univ., College Station, TX. 11pp. 81866:057-81866:067.

DOCKET 50-133 HUMBOLDT BAY POWER PLANT, UNIT 3

P. Operating license stage documents & correspondence

9411040314 Forwards response to NRC request for addl info re application for amend to License DPR-7 for LAR 93-02. BELL, G.M. Pacific Gas & Electric Co. 94/10/28. Document Control Branch (Document Control Desk). 6pp. 81652:323-81652:328.

Q. Inspection reports, IE Bulletins & correspondence

9411040257 Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Matis Events to NRC Operations Ctr." BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.

9410200153 NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts." GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81658:001-81658:013.

9411090300 NRC Bulletin 94-002, "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride." PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.

9411100237 NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment." GRIMES, B.K. 94/11/17. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.

9411150578 NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation." GRIMES, B.K. 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.

9411170039 NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping." GRIMES, B.K. 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.

9411170279 NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys." GRIMES, B.K. 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.

9411170284 NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results." PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.

S. Reportable occurrences, LERs & related correspondence

9411250113 LER 94-002-00: on 941018, QA found water samples from plant discharge canal not analyzed "weekly" as required by Section V.B.6.a of TS. Caused by personnel error in interpretation of requirements of TS. Test procedure revised. W/941116 ltr. SOKOLSKY, D., RUEGER, G.M. Pacific Gas & Electric Co. 94/11/16. 6pp. 81864:169-81864:174.

DOCKET 50-146 SAXTON NUCLEAR EXPERIMENTAL FACILITY

P. Operating license stage documents & correspondence

9411070214 Responds to RAI re TS change request 55. HILDEBRAND, J.E. Saxton Nuclear Experimental Corp. 94/10/28. Document Control Branch (Document Control Desk). 27pp. 81654:052-81654:078.

DOCKET 50-150 OHIO STATE UNIV. RESEARCH REACTOR

Q. Inspection reports, IE Bulletins & correspondence

9411150619 Forwards exam rept 50-150/OL-94-01 administered during wk of 941017. W/o encl. RICHARDS, S.A. Operator Licensing Branch. 94/11/11. WEISLOGELS, Ohio State Univ., Columbus, OH. 1p. 81755:001-81755:001.

V. Operator Examinations

9411150540 Forwards results for operator initial exam held on 941018 at Ohio State Univ. W/o encl. RICHARDS, S.A. Operator Licensing Branch. 94/11/09. WEISLOGELS, Ohio State Univ., Columbus, OH. 1p. 81755:003-81755:003.

9411150619 Forwards exam rept 50-150/OL-94-01 administered during wk of 941017. W/o encl. RICHARDS, S.A. Operator Licensing Branch. 94/11/11. WEISLOGELS, Ohio State Univ., Columbus, OH. 1p. 81755:001-81755:001.

9411220337 Forwards reactor operator/senior operator license certificate for KR Herminghuysen. W/o encl. THOMAS, C.O. Division of Reactor Controls & Human Factors (Post 921004). 94/11/17. WEISLOGELS, Ohio State Univ., Columbus, OH. 1p. 81822:244-81822:244.

10 DOCKETED ITEMS

DOCKET 50-151 UNIV. OF ILLINOIS RESEARCH REACTOR

F. Security, medical, emergency & fire protection plans

9411300189 Ack receipt of 940303 ltr that transmitted Feb 1994 rev to UIUC Nuclear Reactor Lab Physical Security Plan. Rev acceptable.
CREED, J.R. Region 3 (Post 820201). 94/11/15. HOLM, R.L. Illinois, Univ. of, Urbana, IL. 1p. 81872:280-81872:280.

P. Operating license stage documents & correspondence

9411030213 Forwards response to request for addl info dtd 941019.
HOLM, R.L. Illinois, Univ. of, Urbana, IL. 94/10/27. Document Control Branch (Document Control Desk). 5pp. 81653:221-81653:225.

DOCKET 50-155 BIG ROCK POINT NUCLEAR PLANT

F. Security, medical, emergency & fire protection plans

9411040163 Rev 161 to EPIP-6F, "Emergency Notifications."
WOOSTER, K.A. Consumers Power Co. 94/10/12. 13pp. 81652:344-81652:356.

9411180201 Forwards Rev 113 to "Site Emergency Plan," coversheet, table of contents/effective pages & App M & Rev 162 to EPIPs coversheet, table of contents/effective pages & EPIP-1, Activation of Emergency Plan.
MORT, S.L. Consumers Power Co. 94/11/07. Document Control Branch (Document Control Desk). 2pp. 81832:210-81832:247.

-9411180205 Rev 113 to "Site Emergency Plan."
WOOSTER, K.A. Consumers Power Co. 94/11/04. 16pp. 81832:212-81832:228.

-9411180206 Rev 162 to EPIP-1, "Activation of Emergency Plan."
WOOSTER, K.A. Consumers Power Co. 94/11/04. 19pp. 81832:229-81832:247.

9411150564 Advises that Revs 25 & 26 to security plan consistent w/ provisions of 10CFR50.54(p) & acceptable.
CREED, J.R. Region 3 (Post 820201). 94/11/08. DONNELLY, P.M. Consumers Power Co. 4pp. 81778:352-81778:355.

9411220202 Advises that 940422 Rev 3 to security contingency plan consistent w/ provisions of 10CFR50.54(p) & acceptable.
CREED, J.R. Region 3 (Post 820201). 94/11/10. DONNELLY, P.M. Consumers Power Co. 3pp. 81892:335-81892:337.

9411300151 Rev 114 to "Site Emergency Plan." W/941118 ltr.
MORT, S.L. Consumers Power Co. 94/11/18. 11pp. 81906:152-81906:262.

P. Operating license stage documents & correspondence

9411080160 Forwards corrected TS page 17, figure 4.1(a), to amend 114 to license DPR-6, reflecting correct amend number.
TRAN, L.N. Project Directorate III-1. 94/11/03. DONNELLY, P.M. Consumers Power Co. 3pp. 81658:272-81658:275.

-9411080170 Corrected TS page 17, Figure 4.1(a) to amend 114 to license DPR-6, reflecting correct amend number.
* Project Directorate III-1. 94/11/03. 1p. 81658:275-81658:275.

9411170141 Summary of 941026 meeting w/util in Charlevoix, MI re decommissioning plan for plant. List of attendees, viewgraphs & other matl encl.
TRAN, L.N. Project Directorate III-1. 94/11/04. Project Directorate III-1. 10pp. 81776:318-81776:327.

9411160050 Forwards rept on site visit to review implementation of maint rule at station for review & info. Rept identifies strengths & weaknesses w/program at site.
SHAFFER, W.D. Region 3 (Post 820201). 94/11/07. DONNELLY, P.M. Consumers Power Co. KAUP, K. Commonwealth Edison Co. SCHNELL, D.F. Union Electric Co. 2pp. 81746:131-81746:141.

9411160013 Informs that NRC intends to perform GL 89-10 MOV insp at plant on 950123-27. Requests assistance in having info available at beginning of insp to facilitate insp. GL 89-10 insp documentation request, encl.
JACOBSON, J.M. Region 3 (Post 820201). 94/11/08. DONNELLY, P.M. Consumers Power Co. 5pp. 81746:013-81746:017.

9411300180 Informs that util 10CFR50.54(a) submittal dtd 940622 re changes incorporated concerning QA program description topical rept acceptable.
RING, M.A. Region 3 (Post 820201). 94/11/25. DONNELLY, P.M. Consumers Power Co. 3pp. 81872:253-81872:255.

Q. Inspection reports, IE Bulletins & correspondence

9410140257 Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Matls Events to NRC Operations Ctr."
BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.

9410200153 NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts."
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81658:001-81658:013.

9411220069 Forwards safety insp rept 50-155/94-13 on 940915-1028. No violations noted.
PHILLIPS, M.P. Region 3 (Post 820201). 94/11/04. DONNELLY, P.M. Consumers Power Co. 4pp. 81797:299-81797:316.

-9411220077 Insp rept 50-155/94-13 on 940915-1028. No violations or deviations noted. Major areas inspected: operational safety verification, ESF sys walkdown, maint & surveillance, engineering & technical support.
PHILLIPS, M.P. Region 3 (Post 820201). 94/11/04. 14pp. 81797:303-81797:316.

9411160013 Informs that NRC intends to perform GL 89-10 MOV insp at plant on 950123-27. Requests assistance in having info available at beginning of insp to facilitate insp. GL 89-10 insp documentation request, encl.
JACOBSON, J.M. Region 3 (Post 820201). 94/11/08. DONNELLY, P.M. Consumers Power Co. 5pp. 81746:013-81746:017.

9411090300 NRC Bulletin 94-002, "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride."
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.

9411100237 NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment."
GRIMES, B.K. 94/11/17. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.

9411150578 NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation."
GRIMES, B.K. 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.

9411170039 NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping."
GRIMES, B.K. 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.

9411170279 NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys."
GRIMES, B.K. 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.

9411170284 NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results."
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.

R. Periodic operating reports & related correspondence

9411090261 Monthly operating rept for Oct 1994 for Big Point Nuclear Plant. W/941101 ltr.
JOHNSTON, J.R., SHIELDS, K.J., DONNELLY, P.M. Consumers Power Co. 94/10/31. 6pp. 81719:314-81719:319.

S. Reportable occurrences, LERs & related correspondence

9411080244 LER 94-007-00 on 940930, steam flow oscillations experienced during planned facility shutdown due to binding of admission valve operating piston pilot valve extension rod. Extension rod & guide bushing cleaned. W/941031 ltr.
BOURASSA, M.D., DONNELLY, P.M. Consumers Power Co. 94/10/31. 9pp. 81716:215-81716:223.

V. Operator Examinations

9411040264 Forwards exam answer key for forms A & B, grading results, & individual answer sheets for each individual taking exam from facility. Requests results be forwarded to individuals w/answer sheets. W/o ends.
RING, M.A. Region 3 (Post 820201). 94/10/27. Consumers Power Co. 1p. 81586:001-81586:001.

9411300218 Forwards NRC summarized guidance that clarifies requirements for maintaining individual operator licenses, entitled, "Clarification of Maint & Reactivation Requirements for Individual Operator Licenses."
RING, M.A. Region 3 (Post 820201). 94/11/18. Affiliation Not Assigned. 3pp. 81872:341-81872:343.

DOCKET 50-157 CORNELL UNIV. RESEARCH REACTOR

V. Operator Examinations

9411150575 Informs that written & operating exams scheduled for wk of 950213 & that ref matl as listed in Encl 1 to be submitted 60 days prior to exam.
LANGE, D.J. Operator Licensing Branch. 94/11/09. CLARK, D.D. Cornell Univ., Ithaca, NY. 3pp. 81769:332-81769:334.

DOCKET 50-160 GEORGIA INSTITUTE OF TECHNOLOGY RESEARCH REACTOR

F. Security, medical, emergency & fire protection plans

9411290088 Forwards insp rept 50-160/94-04 on 941019-21. No violations noted.
CLINE, W.E. Region 2 (Post 820201). 94/11/17. KARAM, R.A. Georgia Institute of Technology, Atlanta, GA. 2pp. 81858:319-81858:334.

-9411290092 Insp rept 50-160/94-04 on 941019-21. No violations noted. Major areas inspected: emergency preparedness program, evaluation of licensee annual emergency response drill, training, maintenance of emergency cabinets/equipment.
GODDEN, A., BARR, K. Region 2 (Post 820201). 94/11/17. 14pp. 81858:321-81858:334.

G. Adjudicatory correspondence

9411300316 NRC Staff response to petition for leave to intervene filed by Georgians Against Nuclear Energy. Staff opposes petition for leave to intervene & request for hearing. W/Certificate of Svc & Notice of Appearance.
CHIDAKEL, S.S., TURK, S.E. Office of the General Counsel (Post 860701). #494 16005. 94/11/15. Commissioners (Post 750119). 14pp. 81890:039-81890:052.

9411300323 Forwards 941026 petition to intervene submitted by G Carroll on behalf of Georgians Against Nuclear Energy. Petition responds to notice of "Consideration of Application for Renewal of Facility License."
HOYLE, J.C. Office of the Secretary of the Commission. #494 16004. 94/11/16. COTTER, B.P. Atomic Safety & Licensing Board Panel. 1p. 81890:069-81890:077.

-9411300335 Georgians Against Nuclear Energy petition for leave to intervene in consideration of application for renewal of facility license.* Informs that Georgia Tech cannot afford yearly fee & requests waiver.
CARROLL, G. Georgians Against Nuclear Energy. 94/10/26. Atomic Safety & Licensing Board Panel. 8pp. 81890:070-81890:077.

9411300310 Establishment of Atomic Safety & Licensing Board.* Informs that Board being established per request for hearing by Georgians Against Nuclear Energy re renewal of facility license. W/Certificate of Svc. Served on 941121.
COTTER, B.P. Atomic Safety & Licensing Board Panel. #494 16006. 94/11/18. 3pp. 81890:022-81890:024.

9411280287 Ack receipt of 941023 petition requesting NRC revoke license of Neely Nuclear Research Reactor, shut down reactor & support facilities & remove all radioactive mats & contamination offsite to government-created area.
RUSSELL, W.T. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/11/22. BLOCKEY-O'BRIEN Affiliation Not Assigned. 3pp. 81853:088-81853:102.

-9411280293 Notice of receipt of P Blockey-O'Brien 941023 petition for Directors Decision under 10CFR2.206 to revoke license of Neely Nuclear Research Reactor, shut down reactor & remove all radioactive mats & contamination offsite.
RUSSELL, W.T. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/11/22. 3pp. 81853:091-81853:093.

-9411280296 Requests withdrawal of license, shutdown, removal of radioactive mats, cleanup of site & surrounding area & sewer lines at Neely Nuclear Research Reactor & support facilities located at Georgia Inst of Technologies, Atlanta, GA.
BLOCKEY-O'BRIEN Affiliation Not Assigned. 94/10/23. Ofc of the Executive Director for Operations. 8pp. 81853:094-81853:102.

9411300321 Memorandum & order (intervention petition). * Grants Georgians Against Nuclear Energy prehearing conference in early 1995 to submit amended petition opposing GA Tech renewal of license. W/Certificate of Svc. Served on 941123.
BECHHOEFER, C. Atomic Safety & Licensing Board Panel. #494 16025. 94/11/23. Office of the General Counsel (Post 860701). 8pp. 81890:061-81890:068.

P. Operating license stage documents & correspondence

9411300192 Requests addl info related to determination of current condition of sewer line & likelihood of sewer line failure.
STOHR, J.P. Region 2 (Post 820201). 94/11/04. KARAM, R.A. Georgia Institute of Technology, Atlanta, GA. 3pp. 81872:284-81872:286.

Q. Inspection reports, IE Bulletins & correspondence

9411210103 Ack receipt of 941013 ltr informing NRC of steps taken to correct violations noted in insp rept 50-160/94-02.
COLLINS, D.M. Region 2 (Post 820201). 94/10/31. KARAM, R.A. Georgia Institute of Technology, Atlanta, GA. 2pp. 81785:086-81785:087.

9411290088 Forwards insp rept 50-160/94-04 on 941019-21. No violations noted.
CLINE, W.E. Region 2 (Post 820201). 94/11/17. KARAM, R.A. Georgia Institute of Technology, Atlanta, GA. 2pp. 81858:319-81858:334.

-9411290092 Insp rept 50-160/94-04 on 941019-21. No violations noted. Major areas inspected: emergency preparedness program, evaluation of licensee annual emergency response drill, training, maintenance of emergency cabinets/equipment.
GOODEN, A., BARR, K. Region 2 (Post 820201). 94/11/17. 14pp. 81858:321-81858:334.

S. Reportable occurrences, LERs & related correspondence

9411080126 Provides NRC w/error notice received from former software supplier.
ORR, R.S. Boeing Co. 94/10/31. Document Control Branch (Document Control Desk). 4pp. 81677:244-81677:247.

DOCKET 50-163 GENERAL ATOMICS

P. Operating license stage documents & correspondence

9411080029 Requests responses to encl request for addl info re amend request for license R-67 for General Atomics TRIGA Mark F research reactor submitted on 940907.
ADAMS, A. 94/10/28. ASMUSSEN, K.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 6pp. 81658:157-81658:162.

DOCKET 50-166 UNIV. OF MARYLAND RESEARCH REACTOR

R. Periodic operating reports & related correspondence

9411230212 "Annual Operating Rept for Period 930701-940630." W/941021 ltr.
ADAMS, V. Maryland, Univ. of, College Park, MD. 94/06/30. 42pp. 81854:097-81854:138.

V. Operator Examinations

9411070372 Forwards "Reactor Operator Requalification Program for MD Univ Training Reactor," in response to RAI.
ADAMS, V.G. Maryland, Univ. of, College Park, MD. 94/04/01. ADAMS, A. Non-Power Reactor & Decommissioning Project Directorate. 2pp. 81676:121-81676:132.

-9411080094 "Reactor Operator Requalification Program for Maryland Univ Training Reactor."
* Maryland, Univ. of, College Park, MD. 93/11/08. 10pp. 81676:123-81676:132.

DOCKET 50-170 ARMED FORCES RADIOBIOLOGY RESEARCH INSTITUTE

F. Security, medical, emergency & fire protection plans

9411020043 Requests access for DJ Westall to AFRRRI facility on 941108 & 09 to observe pre-briefing & emergency drill for purpose of familiarization w/AFRRRI emergency procedures.
MENDONCA, M.M. Non-Power Reactor & Decommissioning Project Directorate. 94/10/27. BUMGARNER, R. Armed Forces Radiobiological Research Institute. 2pp. 81566:358-81566:359.

V. Operator Examinations

9411290074 Requests two sets of "Ref Matl for Reactor/Senior Reactor Operator Licensing Exams," within 60 days of scheduled 950424 exam.
LANGE, D.J. Operator Licensing Branch. 94/11/22. BUMGARNER, R.L. Naval Medical Command, National Capitol Region, Bethesda, MD (formerly National. 7pp. 81866:050-81866:056.

DOCKET 50-171 PEACH BOTTOM ATOMIC POWER STATION, UNIT 1

P. Operating license stage documents & correspondence

941150147 Requests FR publication of notice of issuance of amend 8 to license DPR-12. Amend modified possession-only license changing name of Philadelphia Electric Co to PECO.
BROWN, S.W. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 94/11/03. NRC - No Detailed Affiliation Given. 4pp. 81775:098-81775:101.

941150185 Forwards amend 8 to license DPR-12 & SER. Amend changes name of Philadelphia Electric Co to PECO Energy Co.
BROWN, S.W. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 94/11/03. HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 81772:342-81772:356.

-941150190 Amend 8 to license DPR-12, reflecting name change from Philadelphia Electric Co to PECO.
AUSTIN, J.H. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 94/11/03. 8pp. 81772:345-81772:352.

-941150192 Safety evaluation supporting amend 8 to license DPR-12.
* Office of Nuclear Material Safety & Safeguards. 94/11/03. 5pp. 81772:353-81772:356.

Q. Inspection reports, IE Bulletins & correspondence

9410140257 Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Mats Events to NRC Operations Ctr."
BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.

9410200153 NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts."
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81658:001-81658:013.

9411090300 NRC Bulletin 94-002, "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride."
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.

9411100237 NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment."
GRIMES, B.K. 94/11/17. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.

9411150578 NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation."
GRIMES, B.K. 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.

9411170039 NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping."
GRIMES, B.K. 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.

9411170279 NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys."
GRIMES, B.K. 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.

9411170284 NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results."
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.

S. Reportable occurrences, LERs & related correspondence

9411070090 Final Part 21 rept 94-002A re three air start distributor cams cracking at plants. Cams replaced w/cams made using electric arc.
PRATIANN, S.A. Coltec Industries, Inc. 94/06/01. Document Control Branch (Document Control Desk). 5pp. 81654:209-81654:213.

12 DOCKETED ITEMS

DOCKET 50-184 NATIONAL INSTITUTE OF STANDARDS & TECHNOLOGY REACTOR

F. Security, medical, emergency & fire protection plans

9411150046 Forwards insp rept 50-184/94-03 on 940926-29.No violations noted. JOYNER,J.H. Region 1 (Post 820201). 94/11/07. ROWE,J.M. Commerce, Dept. of. 2pp. 81734:059-81734:065.

-9411150058 Insp rept 50-184/94-03 on 940926-29.No violations noted. Major areas inspected:extended reactor mod outage & implementation of emergency plan. DRAGOUN,T. Region 1 (Post 820201). 94/11/07. 5pp. 81734:061-81734:065.

Q. Inspection reports, IE Bulletins & correspondence

9411150046 Forwards insp rept 50-184/94-03 on 940926-29.No violations noted. JOYNER,J.H. Region 1 (Post 820201). 94/11/07. ROWE,J.M. Commerce, Dept. of. 2pp. 81734:059-81734:065.

-9411150058 Insp rept 50-184/94-03 on 940926-29.No violations noted. Major areas inspected:extended reactor mod outage & implementation of emergency plan. DRAGOUN,T. Region 1 (Post 820201). 94/11/07. 5pp. 81734:061-81734:065.

DOCKET 50-186 UNIV. OF MISSOURI RESEARCH REACTOR-COLUMBIA

F. Security, medical, emergency & fire protection plans

9411030010 Discusses 940928 request for extension of approval of route for transporting spent fuel from Univ of MO Research Reactor to plant in Aiken,SC.Route encl.Safeguards info withheld. HAUGHNEY,C.J. Source Containment & Devices Branch (Post 911213). 94/10/28. HULTSCH,R.A. Missouri, Univ. of, Columbia, MO. 2pp. 81561:022-81561:023.

9411300198 Forwards safety insp rept 50-186/94-04 on 941031-1104.No violations noted. PEDERSON,C.D. Region 3 (Post 820201). 94/11/21. RHYNE,J.J. Missouri, Univ. of, Columbia, MO. 2pp. 81872:292-81872:303.

-9411300203 Insp rept 50-186/94-04 on 941031-1104.No violations noted. Major areas inspected:organization,logs,records,review & audit,surveillance,procedures,experiments,EP & requalification training. REIDINGER,T., NELSON,D., WESTALL,D. Region 3 (Post 820201). 94/11/21. 10pp. 81872:294-81872:303.

P. Operating license stage documents & correspondence

9411020231 Informs that on 940916 NRC Region III approved extension of required reporting date to 941031. REILLY,W.F. Missouri, Univ. of, Columbia, MO. 94/10/27. Document Control Branch (Document Control Desk). 3pp. 81590:118-81590:120.

9411020237 Submits reply from JC McKibben as provided for in Demand for Info. MCKIBBEN,J.C. Missouri, Univ. of, Columbia, MO. 94/10/28. Document Control Branch (Document Control Desk). 3pp. 81634:357-81634:359.

9411090401 Forwards amend 27 to amended facility license R-103 & safety evaluation.Amend allows installation of single pool cooling sys heat exchanger in place of two existing exchangers. ADAMS,A. Non-Power Reactor & Decommissioning Project Directorate. 94/11/04. RHYNE,J.J. Missouri, Univ. of, Columbia, MO. 3pp. 81715:239-81715:250.

-9411090406 Amend 27 to amended license R-103,allowing installation of single pool cooling sys heat exchanger in place of two existing heat exchangers. WEISS,S.H. Non-Power Reactor & Decommissioning Project Directorate. 94/11/04. 6pp. 81715:242-81715:247.

-9411090408 Safety evaluation supporting amend 27 to amended license R-103. * Office of Nuclear Reactor Regulation, Director (Post 870411). 94/11/04. 3pp. 81715:248-81715:250.

Q. Inspection reports, IE Bulletins & correspondence

9411070053 Forwards enforcement conference rept 50-186/94-03 on 940929. Discusses circumstances surrounding failure to identify contents of shipment of radioactive matl & failure to ensure dose rates on radwaste package did not exceed 200 m/h. AXELSON,W.L. Region 3 (Post 820201). 94/10/28. MCCORMICK,J. Missouri, Univ. of, Columbia, MO. 2pp. 81604:187-81604:197.

-9411070070 Enforcement conference rept 50-186/94-03 on 940929.Violation noted.Major areas discussed:circumstances surrounding failure to identify contents of shipment of radioactive matl & failure to ensure dose rates on surface of package. REIDINGER,T.D., NELSON,D.W., PEDERSON,C.D. Region 3 (Post 820201). 94/10/28. 9pp. 81604:189-81604:197.

9411020234 Provides reply to Demand for Info included in notice of violation dtd 940912. RHYNE,J.R. Missouri, Univ. of, Columbia, MO. 94/10/31. Document Control Branch (Document Control Desk). 5pp. 81633:327-81633:331.

9411100264 Submits response to notice of violation & proposed imposition of civil penalty dtd 940912 & demand for info re Labor Case 94-ERA-036. MORRIS,J.S. Missouri, Univ. of, Columbia, MO. 94/11/03. Ofc of Enforcement (Post 870413). 2pp. 81732:203-81732:204.

9411300198 Forwards safety insp rept 50-186/94-04 on 941031-1104.No violations noted. PEDERSON,C.D. Region 3 (Post 820201). 94/11/21. RHYNE,J.J. Missouri, Univ. of, Columbia, MO. 2pp. 81872:292-81872:303.

-9411300203 Insp rept 50-186/94-04 on 941031-1104.No violations noted. Major areas inspected:organization,logs,records,review & audit,surveillance,procedures,experiments,EP & requalification training. REIDINGER,T., NELSON,D., WESTALL,D. Region 3 (Post 820201). 94/11/21. 10pp. 81872:294-81872:303.

V. Operator Examinations

9411300198 Forwards safety insp rept 50-186/94-04 on 941031-1104.No violations noted. PEDERSON,C.D. Region 3 (Post 820201). 94/11/21. RHYNE,J.J. Missouri, Univ. of, Columbia, MO. 2pp. 81872:292-81872:303.

-9411300203 Insp rept 50-186/94-04 on 941031-1104.No violations noted. Major areas inspected:organization,logs,records,review & audit,surveillance,procedures,experiments,EP & requalification training. REIDINGER,T., NELSON,D., WESTALL,D. Region 3 (Post 820201). 94/11/21. 10pp. 81872:294-81872:303.

DOCKET 50-188 KANSAS STATE UNIV. RESEARCH REACTOR

V. Operator Examinations

9410120200 Forwards copy of results for Operator Initial Exam conducted at KS State Univ on 940912-13.W/o encls. RICHARDS,S.A. Operator Licensing Branch. 94/10/06. FAW,R.E. Kansas State Univ., Manhattan, KS. 1p. 81841:009-81841:009.

9411150610 Forwards reactor operator license certificates for listed individuals,in recognition of important role licensed operators fulfill in protecting health & safety of public. W/o encl. THOMAS,C.O. Division of Reactor Controls & Human Factors (Post 921004). 94/11/09. FAW,R.E. Kansas State Univ., Manhattan, KS. 1p. 81755:002-81755:002.

DOCKET 50-193 RHODE ISLAND & PROVIDENCE PLANTATIONS AEC

P. Operating license stage documents & correspondence

9411280008 Advises that for purposes of completion of notification requirements under 10CFR73.72,original enrichment of SF assemblies was 93%,appropriate governors notified according to NRC requirements & armed escorts will be provided. JOHNSON,D.G. Rhode Island, State of. 94/11/17. BENNINGTON,G.M. Office of Nuclear Material Safety & Safeguards. 1p. 81840:197-81840:197.

DOCKET 50-206 SAN ONOFRE NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9411030241 Revised EIPs,including Rev 1,TCN 1-1 to S023-VIII-50.3,Rev 6 to S0123-VIII-0.301,Rev 8 to S0123-VIII-10,Rev 3,TCN 3-1 to S0123-VIII-10.1,Rev 1,TCN 1-1 to S0123-VIII-10.2 & Rev 11,TCN 11-1 to S0123-VIII-30.1.W/941024 ltr. MARSH,W.C. Southern California Edison Co. 94/10/24. 355pp. 81634:001-81634:355.

9411170217 SONGS emergency plan table of contents,list of effective pages & list of apps. * Southern California Edison Co. 94/11/17. 4pp. 81826:351-81826:354.

H. General correspondence

9411100186 Responds to constituent,RM Dean 940824 ltr re request to close plant based on constituent assertions that no emergency plan exist at facility to evacuate city residents of San Clemente,per 10CFR2.206 requirements. TAYLOR,J.M. Ofc of the Executive Director for Operations. 94/11/04. FEINSTEIN,D. Senate. 7pp. 81725:021-81725:027.

M. Antitrust correspondence

9411210158 Forwards application,requesting authorization from Public Utilities Commission of State of CA to implement plan of reorganization which will result in holding company structure. MESERVE,R.A. Covington & Burling. 94/11/15. Document Control Branch (Document Control Desk). 158pp. 81809:039-81809:196.

P. Operating license stage documents & correspondence

9411100161 Forwards proposed "San Onofre Nuclear Generating Station Unit 1 Decommissioning Plan." ROSENBLUM,R.M. Southern California Edison Co. 94/11/03. Document Control Branch (Document Control Desk). 2pp. 81720:001-81720:329.

-9411100164 Proposed Rev 0 to "San Onofre Nuclear Generating Station Unit 1 Decommissioning Plan." * Southern California Edison Co. 94/11/03. 327pp. 81720:003-81720:329.

9411150385 Forwards errata to WCAP-12767, "Applicability of NOTRUMP to San Onofre Nuclear Generating Station,Unit 1." LIPARULO,N.J. Westinghouse Electric Corp. 94/11/07. RUSSELL,W.T. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 81775:074-81775:076.

-9411150394 Errata to WCAP-12767, "Applicability of NOTRUMP to San Onofre Nuclear Generating Station Unit 1." * Westinghouse Electric Corp. WCAP-12767 ERR. 94/11/07. 1p. 81775:076-81775:076.

Q. Inspection reports, IE Bulletins & correspondence

- 9410140257** Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Matis Events to NRC Operations Ctr."
BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.
- 9410200153** NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts."
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81858:001-81858:013.
- 9411090300** NRC Bulletin 94-002, "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride."
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.
- 9411100237** NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment."
GRIMES,B.K. 94/11/17. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.
- 9411150578** NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation."
GRIMES,B.K. 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.
- 9411170039** NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping."
GRIMES,B.K. 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.
- 9411170279** NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys."
GRIMES,B.K. 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.
- 9411170284** NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results."
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.

R. Periodic operating reports & related correspondence

- 9411080070** Forwards August 1994 National Pollutant Discharge Elimination Sys Discharge Monitoring Repts for San Onofre Nuclear Generating Station Units 1 & 3.
MARSH,W.C. Southern California Edison Co. 94/10/28. Document Control Branch (Document Control Desk). 1p. 81717:312-81717:316.
- 9411080077** "NPDES Discharge Monitoring Rept for San Onofre Unit 1," for month of Aug 1994.
NEWTON,H.W. Southern California Edison Co. 94/10/03. COE,A.L. California, State of. 2pp. 81717:313-81717:314.
- 9411080086** "NPDES Discharge Monitoring Rept For San Onofre Unit 3," for month of Aug 1994.
NEWTON,H.W. Southern California Edison Co. 94/10/03. COE,A.L. California, State of. 2pp. 81717:315-81717:316.

S. Reportable occurrences, LERs & related correspondence

- 9411010271** Part 21 Rept 166 re potential defect in component of DSRV & DSR Enterprise Standby DG sys.Licensee will issue svc info memo,addressing proper storage practices for EGA control box.
MOWERY,J.D. Cooper Industries, Inc. 94/10/26. Document Control Branch (Document Control Desk). 7pp. 81585:080-81585:086.
- 9411040131** Part 21 & deficiency rept problems w/Woodard EGA control box that control speed/frequency of emergency diesel generator sys.
MOWERY,J.D. Cooper Energy Services. 94/10/26. Document Control Branch (Document Control Desk). 2pp. 81651:333-81651:334.

DOCKET 50-213 HADDAM NECK PLANT**F. Security, medical, emergency & fire protection plans**

- 9411160155** Provides comments on proposed rule re fee for services to support Federal Emergency Mgt Agency Offsite radiological emergency preparedness program.
OPEKA,J.F. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities. 94/09/12. Federal Emergency Management Agency. 3pp. 81781:231-81781:233.
- 9411020199** Revised EIPs,including rev 13 to EPIP 1.5-25 & rev 0 to EPIP 1.5-56.
* Connecticut Yankee Atomic Power Co. 94/10/25. 25pp. 81587:265-81587:288.
- 9411070278** Forwards RAI re emergency action level technical basis document.
MCKEE,P.F. Project Directorate I-4. 94/10/27. OPEKA,J.F. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Nuclear Energy Co. 81pp. 81713:211-81713:290.
- 9411160071** Forwards SALP rept 50-213/93-99 for 930110-940910.Major areas evaluated:plant operations,maint,engineering & plant support comprised of radiological controls,security, emergency preparedness,fire protection & housekeeping.
MARTIN,T.T. Region 1 (Post 820201). 94/11/08. OPEKA,J.F. Connecticut Yankee Atomic Power Co. 5pp. 81746:192-81746:204.
- 9411160075** SALP rept 50-213/93-99 for 930110-940910.
* Region 1 (Post 820201). 94/11/08. 8pp. 81746:197-81746:204.
- 9411220376** Extends invitation to attend Connecticut Yankee (CY) Security Dept annual overview to be given to members of CT State Police & FBI at CY Energy Info Ctr on 941216.Tentative agenda encl.
PANDOLFO,J. Connecticut Yankee Atomic Power Co. 94/11/08. RAYMOND,W. NRC - No Detailed Affiliation Given. 2pp. 81849:056-81849:057.

9411230244 Informs that util will be unable to conduct offsite portion of annual medical emergency drill for plant during 1994.Util intends on deferring 1994 annual offsite medical emergency drill & combining drill w/1995 drill.
OPEKA,J.F., DEBARBA,E.A. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Utilities Service Co. 94/11/15. Document Control Branch (Document Control Desk). 2pp. 81894:295-81894:296.

H. General correspondence

- 9411010061** Comment on proposed rule 10CFR2 re reexamination of NRC enforcement policy.Util endorses NEI position on issue & concurs w/recommendations.
OPEKA,J.F. Northeast Utilities. 94/10/24. Rules & Directives Review Branch (Post 920323). 4pp. 81514:155-81514:158.
- 9411040003** Comment on proposed rule 10CFR2 re reexamination of NRC enforcement policy.
OPEKA,J.F. Northeast Utilities Service Co. 94/10/24. Division of Freedom of Information & Publications Services (Post 940714). 4pp. 81575:003-81575:006.

P. Operating license stage documents & correspondence

- 9411030149** Rev 17 to "NEUT QA Program Topical Rept." Ltr dtd 941017 encl.
* Northeast Utilities Service Co. 94/08/10. 128pp. 81653:021-81653:148.
- 9411010062** Notifies NRC by 940413 ltr of intent to implement Code Case N-481, "Alternate Exam Requirements for Cast Austenitic Pump Casings,Section XI,Division 1," at facility during upcoming refueling outage.
OPEKA,J.F. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Utilities. 94/10/21. Document Control Branch (Document Control Desk). 2pp. 81579:281-81579:282.
- 9411010066** Requests use of alternative to ASME boiler & PV code Section XI for plant per provisions of 10CFR50.55.
OPEKA,J.F. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Utilities. 94/10/21. Document Control Branch (Document Control Desk). 3pp. 81587:091-81587:093.
- 9411010098** Forwards "Haddam Neck Plant Technical Rept Supporting Cycle 19 Operation."
OPEKA,J.F. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Utilities Service Co. 94/10/21. Document Control Branch (Document Control Desk). 2pp. 81586:289-81586:329.
- 9411010108** "Haddam Neck Plant Technical Rept Supporting Cycle 19 Operation."
* Connecticut Yankee Atomic Power Co. 94/10/31. 39pp. 81586:291-81586:329.
- 9411040123** Informs that staff preparing rev to operability guidance, described in GL 91-18, to incorporate experience from regional workshops on operability.
STOLZ,J.F. Project Directorate I-2. 94/10/21. KACICH,R.M. Northeast Nuclear Energy Co. 7pp. 81619:302-81619:322.
- 9411070433** Application for amends to licenses DPR-61 & DPR-21,renewing license conditions for plants to implement & maintain integrated implementation schedule programs plans.
OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities Service Co. 94/10/31. Document Control Branch (Document Control Desk). 10pp. 81663:001-81663:037.
- 9411070434** Proposed tech specs re integrated implementation schedule program plan.
* Northeast Nuclear Energy Co. 94/10/31. 27pp. 81663:011-81663:037.
- 9411080157** Accepts util 940830 ltr requesting withholding of proprietary rept titled "Response to Request for Addl Info VIPRE/WRB-1 DNBR Thermal Limit for Westinghouse Fuel Types" from public disclosure,per 10CFR2.790.
WANG,A.B. Project Directorate I-2. 94/11/02. LIPARULO,N.J. Westinghouse Electric Corp. 4pp. 81663:329-81663:332.
- 9411150200** Summarizes 941026 meeting w/utis in King of Prussia,PA re motor-operated valve issues.Special emphasis placed on expectations for completion & process for closure of GL 89-10, "Safety-Related MOV Testing & Surveillance."
KELLY,E.M. Region 1 (Post 820201). 94/11/03. OPEKA,J.F. Connecticut Yankee Atomic Power Co. 49pp. 81735:210-81735:258.

- 9411180118** Responds to NRC request for addl info on proposed rev to TSs re pressure/temp limits.
OPEKA,J.F. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Utilities. 94/11/04. Document Control Branch (Document Control Desk). 9pp. 81818:309-81818:321.
- 9411180121** Proposed tech specs re pressure/temp limits.
* Connecticut Yankee Atomic Power Co. 94/11/04. 4pp. 81818:318-81818:321.
- 9411170050** Summary of 941027 meeting w/util re rack of SF pool at plant to provide full core offload capability until end of life in 2007.Attendance list & handout encl.
WANG,A.B. Project Directorate I-4. 94/11/07. Project Directorate I-4. 57pp. 81776:226-81776:282.
- 9411180132** Provides NRC w/requested table that identifies how & when specific out-liers of USI A-46 program will be resolved.
OPEKA,J.F. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Utilities. 94/11/10. Document Control Branch (Document Control Desk). 7pp. 81793:355-81793:361.
- 9411180224** Forwards calculations used to resolve outlier status of condensate storage tank,demineralized water storage tank, primary water storage tank & refueling water storage tank,in regards to GL 87-02 & USI A-46.
OPEKA,J.F. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Utilities Service Co. 94/11/10. Document Control Branch (Document Control Desk). 6pp. 81794:001-81794:202.
- 9411180234** "CY DWST Seismic Capacity" calculation,incorporating results of Calculation 91C2648-C021.
* Stevenson & Associates. C016 R01. 94/10/31. 100pp. 81794:007-81794:109.

14 DOCKETED ITEMS

- 9411180239 "CY CST Seismic Capacity" calculation.
* Stevenson & Associates. C019 R00. 94/08/19. 35pp. 81794:110-81794:144.
- 9411180243 "CY PWST Seismic Capacity" calculation.
* Stevenson & Associates. C018 R00. 94/08/19. 22pp. 81794:145-81794:166.
- 9411180244 "CY RWST Seismic Capacity" calculation.
* Stevenson & Associates. C020 R00. 94/09/16. 36pp. 81794:167-81794:202.
- 9411220161 Notification of significant licensee meeting 94-133 w/util on 941208 to discuss util strategy for dealing w/employee allegation issues.
NICHOLSON,L. Region 1 (Post 820201). 94/11/14. Region 1 (Post 820201). 3pp. 81798:358-81798:360.
- 9411230288 Notification of 941209 meeting w/util in Rockville,MD to discuss employee concerns issues.
ANDERSEN,J.W. Project Directorate I-4. 94/11/17. MCKEE,P.F. Project Directorate I-4. 5pp. 81841:166-81841:170.
- 9411280248 Forwards EA & FONSI re application for amend dtd 940804. Amend would revise TS Table 3.3-2, "ESFAS Instrumentation" & Table 3.3-3, "ESFAS Instrumentation Trip Setpoints."
WANG,A.B. Project Directorate I-4. 94/11/21. OPEKA,J.F. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Nuclear Energy Co. 3pp. 81853:081-81853:087.
- 9411280249 EA & FONSI considering issuance of amend to license DPR-61, revising TS Tables 3.3-2, "ESFAS Instrumentation" & 3.3-3, "ESFAS Instrumentation Trip Setpoints."
MCKEE,P.F. Project Directorate I-4. 94/11/21. 4pp. 81853:084-81853:087.
- 9411280148 Summary of 941102 meeting w/util re instrument surveillance TS changes resulting from 24-month fuel cycle.
ROONEY,V.L. Project Directorate I-4. 94/11/22. Project Directorate I-4. 6pp. 81852:209-81852:214.
- Q. Inspection reports, IE Bulletins & correspondence**
- 9410140257 Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Matis Events to NRC Operations Ctr."
BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.
- 9411030142 Forwards insp rept 50-213/94-24 on 941011-14.No violations noted.One concern identified in timeliness of corrective actions at Northeast Util Svcs dosimetry lab for items identified during program audit.
JOYNER,J.H. Region 1 (Post 820201). 94/10/21. OPEKA,J.F. Connecticut Yankee Atomic Power Co. 3pp. 81560:212-81560:221.
- 9411030146 Insp rept 50-213/94-24 on 941011-14.No violations noted. Major areas inspected:implementation of revised 10CFR20, including control of very high radiation areas,maintaining occupational exposures ALARA & planned special exposures.
FURIA,J., BORES,R. Region 1 (Post 820201). 94/10/21. 7pp. 81560:215-81560:221.
- 9410200153 NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts."
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81658:001-81658:013.
- 9411020044 Informs that on 941005,NRC administered GFES of written operator licensing exam to employees & forwards copies of forms of exam,including answer key,grading results & copies of individual answer sheets for each employee.W/o encl.
MEYER,G.W. Region 1 (Post 820201). 94/10/26. REIN,J.H. Connecticut Yankee Atomic Power Co. 2pp. 81528:217-81528:218.
- 9411160071 Forwards SALP rept 50-213/93-99 for 930110-940910.Major areas evaluated:plant operations,maint,engineering & plant support comprised of radiological controls,security, emergency preparedness,fire protection & housekeeping.
MARTIN,T.T. Region 1 (Post 820201). 94/11/08. OPEKA,J.F. Connecticut Yankee Atomic Power Co. 5pp. 81746:192-81746:204.
- 9411160075 SALP rept 50-213/93-99 for 930110-940910.
* Region 1 (Post 820201). 94/11/08. 8pp. 81746:197-81746:204.
- 9411090300 NRC Bulletin 94-002, "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride."
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.
- 9411230249 Responds to NRC 941018 ltr re violation noted in Insp Rept 50-213/94-21.Corrective actions:compensated for reactivity change by inward control rod motion & fifty gallon boration.
OPEKA,J.F., DEBARBA,E.A. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Utilities Service Co. 94/11/15. Document Control Branch (Document Control Desk). 7pp. 81864:277-81864:283.
- 9411290203 Notification of 941129 meeting w/util in Haddam Neck,CT to discuss NRC Systematic Assessment of Licensee Performance for assessment period of 930110 to 940910.
NICHOLSON,L. Region 1 (Post 820201). 94/11/16. Region 1 (Post 820201). 3pp. 81869:067-81869:069.
- 9411100237 NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment."
GRIMES,B.K. 94/11/17. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.
- 9411150578 NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation."
GRIMES,B.K. 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.
- 9411170039 NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping."
GRIMES,B.K. 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.

9411170279 NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys."
GRIMES,B.K. 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.

9411170284 NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results."
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.

R. Periodic operating reports & related correspondence

9411210385 Monthly operating rept for Oct 1994 for Yankee Haddam Neck Plant.W/ 941115 ltr.
EMMONS,K., RYLEY,M., LAPLATNEY,J.J. Connecticut Yankee Atomic Power Co. 94/10/31. 7pp. 81837:138-81837:144.

S. Reportable occurrences, LERs & related correspondence

9411010350 LER 94-024-00:on 940926,AFW DC pump start setpoint low due to switch installation error.Train B pressure switch replaced.W/941021 ltr.
KRINZMAN,A., LAPLATNEY,J.J. Connecticut Yankee Atomic Power Co. 94/10/21. 6pp. 81586:055-81586:062.

V. Operator Examinations

9411020044 Informs that on 941005,NRC administered GFES of written operator licensing exam to employees & forwards copies of forms of exam,including answer key,grading results & copies of individual answer sheets for each employee.W/o encl.
MEYER,G.W. Region 1 (Post 820201). 94/10/26. REIN,J.H. Connecticut Yankee Atomic Power Co. 2pp. 81528:217-81528:218.

9411020106 Submits response to administrative ltr 94-12 re operator licensing natl exam schedule.
OPEKA,J.F. Northeast Nuclear Energy Co. 94/10/26. Document Control Branch (Document Control Desk). 6pp. 81589:237-81589:242.

DOCKET 50-219 OYSTER CREEK NUCLEAR POWER PLANT

F. Security, medical, emergency & fire protection plans

9411040120 Revised EIPs,including EPIP/6430 Series Emergency Series Emergency Plan Implementing Procedures Index,Rev 4 to EPIP-OC-11,Rev 5 to EPIP-OC-31,Rev 8 to EPIP-OC-35 & Rev 17 to 6430-ADM-1319.01.W/941031 ltr.
BARTON,J.J. General Public Utilities Corp. - GPU Service Corp. 94/10/31. 301pp. 81603:001-81603:301.

9411230100 Responds to 941015 ltr to Chairman I Selin,requesting info on actions taken by NRC to address concerns raised by JA Fleming re emergency preparedness for nuclear power plants.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 94/11/09. KERRY,J.F. Senate. 3pp. 81828:286-81828:293.

9411300082 Forwards 941025 ltr from OM Hepler of FEMA which transmits final exercise rept for 931019,full-participation exercise at plant.No deficiencies noted.
JOYNER,J.H. Region 1 (Post 820201). 94/11/21. BARTON,J.J. General Public Utilities Corp. - GPU Service Corp. 2pp. 81872:001-81872:091.

—9411170103 "Post Exercise Assessment of 931019-21 Exercise of Radiological ER Plans of State of NJ,Ocean County & 17 Municipalities for Oyster Creek Nuclear Generating Station."
* Federal Emergency Management Agency. 94/10/03. 91pp. 81872:003-81872:091.

G. Adjudicatory correspondence

9411040017 Responds to 940919 ltr to J Taylor,asking NRC to take action per 10CFR2.206 w/regard to plant.
RUSSELL,W.T. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/27. GUNTER,P., DECAMP,W. Nuclear Information & Resource Service. 5pp. 81608:340-81608:357.

—9411040025 Notice of receipt of petition for DD under 10CFR2.206 dtd 940919.Petition requests that NRC suspend plant license until licensee inspects & repairs safety-class reactor & other listed items.
RUSSELL,W.T. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/27. 5pp. 81608:345-81608:349.

—9411040028 Submits petition for emergency enforcement action under provisions of 10CFR2.206 w/regard to plant.
GUNTER,P., DECAMP,W. Nuclear Information & Resource Service. 94/09/19. TAYLOR,W.T. Office of Nuclear Reactor Regulation, Director (Post 870411). 8pp. 81608:350-81608:357.

H. General correspondence

9411230100 Responds to 941015 ltr to Chairman I Selin,requesting info on actions taken by NRC to address concerns raised by JA Fleming re emergency preparedness for nuclear power plants.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 94/11/09. KERRY,J.F. Senate. 3pp. 81828:286-81828:293.

—9411230111 Responds to 940914 ltr to I Selin re info requested under FOIA concerning determining adequacy of reception ctrs.
RUSSELL,W.T. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/05. FLEMING,J.A. Affiliation Not Assigned. 24pp. 81828:289-81828:312.

-9411230159 Discusses list of concerns currently under review by NRC. LEE, J.I. Division of Reactor Inspection & Licensee Performance (Post 921004). 94/09/02. FLEMING, J. Affiliation Not Assigned. 5pp. 81828:313-81828:317.

-9411230182 Responds to ltr received from JA Fleming re addl info concerning nuclear power plants emergency preparedness & data maintained by NRC. KERRY, J.F. Senate. 94/10/15. THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 2pp. 81828:318-81828:319.

-9411230191 Requests info to determine adequacy of reception ctrs. FLEMING, J.A. Affiliation Not Assigned. 94/09/14. THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 2pp. 81828:320-81828:321.

-9411230199 Requests addl info pertaining to emergency preparedness for each site listed. FLEMING, J.A. Affiliation Not Assigned. 94/07/14. CHILK, S. Office of the Secretary of the Commission. 2pp. 81828:322-81828:323.

P. Operating license stage documents & correspondence

9411080071 Forwards nonproprietary "Safety Evaluation for Oyster Creek Core Shroud Contingency Repair" & "Design Spec for Oyster Creek Nuclear Generating Station Core Shroud Repair," per R Zak instructions. COLE, N.M. MPR Associates, Inc. 94/10/19. HERNAN, R. NRC - No Detailed Affiliation Given. 1p. 81717:147-81717:220.

9411020001 Summarizes 941020 meeting w/util in King of Prussia, PA re util programs at plants w/respect to GL 89-10, "Safety-Related MOV Testing & Surveillance." KELLY, E.M. Region 1 (Post 820201). 94/10/21. BARTON, J.J. General Public Utilities Corp. - GPU Service Corp. 19pp. 81528:020-81528:038.

9411020012 Discusses 941020 meeting between util & NRC held at Region 1 office, King of Prussia, PA re util programs at TMI & Oyster Creek re GL 89-10, "Safety-Related MOV Testing & Surveillance." List of attendees & presentation slides encl. KELLY, E.M. Region 1 (Post 820201). 94/10/21. BROUGHTON, T.G. General Public Utilities Corp. - GPU Service Corp. 19pp. 81528:058-81528:076.

9411030333 Forwards "Assessment of Impacts of Oyster Creek Nuclear Generating Station on Kemp Ridley & Loggerhead Sea Turtles." BARTON, J.J. General Public Utilities Corp. - GPU Service Corp. 94/10/28. Document Control Branch (Document Control Desk). 1p. 81659:001-81659:105.

-9411030334 "Assessment of Impacts of Oyster Creek Nuclear Generating Station on Kemp Ridley & Loggerhead Sea Turtles." * General Public Utilities Corp. - GPU Service Corp. 94/10/31. 89pp. 81659:005-81659:105.

9411040280 Forwards proprietary Rev 1 of "Oyster Creek Nuclear Generating Station Core Shroud Repair - Design Rept." dtd Oct 1994, incorporating final 20% of supporting analyses. W/o proprietary rept. LAGGART, M.W. General Public Utilities Corp. - GPU Service Corp. 94/11/01. Document Control Branch (Document Control Desk). 6pp. 81652:269-81652:274.

9411040290 Requests that mail to be discussed at GPUN/NRC 941104 meeting re design & repair of modified plant core shroud be segregated into proprietary & non-proprietary sections & that meeting be opened to public for nonproprietary portion. GUNTER, P. Nuclear Information & Resource Service. 94/11/02. DROMERICK, A. Project Directorate I-4. 1p. 81658:312-81658:312.

9411080262 Accepts util 940928 request for withholding of proprietary info contained in rept, "Safety Evaluation for Oyster Creek Core Shroud Contingency Repair," from public disclosure per 10CFR2.790. DROMERICK, A.W. Project Directorate I-4. 94/11/02. BARTON, J.J. General Public Utilities Corp. - GPU Service Corp. 4pp. 81663:347-81663:350.

9411040283 Forwards rept, conveying scope, methodology & results of core shroud insp conducted during 15th refueling outage on 940910 in compliance w/GL 94-03. KEATEN, R.W. General Public Utilities Corp. - GPU Service Corp. 94/11/03. Document Control Branch (Document Control Desk). 5pp. 81652:275-81652:279.

9411070384 Responds to 941011 telcon re TS 2.3.D, "Reactor High Pressure, Relief Valve Initiation." KEATEN, R.W. General Public Utilities Corp. - GPU Service Corp. 94/11/03. Document Control Branch (Document Control Desk). 10pp. 81663:086-81663:095.

9411090080 Requests util to assist in placing plant IPE & supporting PRA in database re MAR-D program. DROMERICK, A.W. Project Directorate I-4. 94/11/03. BARTON, J.J. General Public Utilities Corp. - GPU Service Corp. 4pp. 81667:323-81667:326.

9411150529 Discusses 941026 public meeting in King of Prussia, PA re MOV issues discussed w/Region 1 licensees. KELLY, E.M. Region 1 (Post 820201). 94/11/03. BARTON, J.J. General Public Utilities Corp. - GPU Service Corp. 49pp. 81744:248-81744:296.

9411150035 Forwards Rev 6 to "Oyster Creek Cycle 15 COLR Topical Rept 066." KEATEN, R.W. General Public Utilities Corp. - GPU Service Corp. 94/11/07. Document Control Branch (Document Control Desk). 1p. 81780:312-81780:325.

-9411150039 Rev 6 to "Oyster Creek Cycle 15 COLR Topical Rept 066." * General Public Utilities Corp. - GPU Service Corp. 94/09/24. 13pp. 81780:313-81780:325.

9411220126 Forwards addl info re GL 89-10 design basis capability of Oyster Creek Nuclear Generating Station isolation condenser sys & RWCU containment isolation valves. BARTON, J.J. General Public Utilities Corp. - GPU Service Corp. 94/11/07. Document Control Branch (Document Control Desk). 13pp. 81832:344-81832:357.

9411100145 Grants NRC limited license to make copies of documents & drawings re core shroud repair. SCHMIDT, W.R. MPR Associates, Inc. 94/11/08. Document Control Branch (Document Control Desk). 1p. 81791:219-81791:225.

9411160215 Forwards EA & finding no significant impact. Amend would revise TS to provide improved protection to SR electrical equipment from loss of capability in event of sustained degraded voltage condition on offsite electrical grid sys. DROMERICK, A.W. Project Directorate I-4. 94/11/08. BARTON, J.J. General Public Utilities Corp. - GPU Service Corp. 4pp. 81770:346-81770:352.

-9411160236 Environ assessment & finding no significant impact re proposed action needed to provide improved protection to safety related electrical equipment from loss of capability in event of sustained degraded voltage condition. MCKEE, P.F. Project Directorate I-4. 94/11/08. 3pp. 81770:350-81770:352.

9411180213 Provides clarify statements contained in NRC staff evaluation rept dtd 940802 for individual plant exams for severe accident vulnerabilities, in response to GL 88-20. BARTON, J.J. General Public Utilities Corp. - GPU Service Corp. 94/11/08. Document Control Branch (Document Control Desk). 3pp. 81832:248-81832:250.

9411140157 Forwards Rev 0 to SE-403037-001, "Reactor Vessel Shroud Repair." KEATEN, R.W. General Public Utilities Corp. - GPU Service Corp. 94/11/09. Document Control Branch (Document Control Desk). 1p. 81752:308-81752:338.

-9411140160 Rev 0 to Safety Evaluation SE-403037-001, "Reactor Vessel Shroud Repair." * General Public Utilities Corp. - GPU Service Corp. SE-403037-001 R00. 94/11/09. 30pp. 81752:309-81752:338.

9411140195 Forwards RAI re core shroud repair at plant, per 940928, 1025 & 1102 ltrs. Encl should be withheld from public disclosure (ref 10CFR2.790). DROMERICK, A.W. Project Directorate I-4. 94/11/09. BARTON, J.J. General Public Utilities Corp. - GPU Service Corp. 2pp. 81736:242-81736:243.

9411180139 Forwards proprietary response to NRC request for addl info re Oyster Creek core shroud repair, dtd 941109. Response withheld (ref 10CFR2.790(a)(4)). KEATEN, R.W. General Public Utilities Corp. - GPU Service Corp. 94/11/16. Document Control Branch (Document Control Desk). 3pp. 81818:283-81818:285.

9411220129 Requests addl info re technical specification request 215, submitted on 940520. MODES, M.C. Region 1 (Post 820201). 94/11/16. BARTON, J.J. General Public Utilities Corp. - GPU Service Corp. 2pp. 81798:195-81798:209.

9411230293 Summary of 941104 meeting w/util in Rockville, MD re core shroud repair. List of individuals participating in discussion & licensee non-proprietary agenda encl. DROMERICK, A.W. Project Directorate I-4. 94/11/17. Project Directorate I-4. 17pp. 81841:171-81841:187.

9411280076 Forwards environ assessment & finding of no significant impact re licensee 940624 proposed amend to delete TS 2.3.0 re limiting safety sys setting for high recirculation flow reactor scram. DROMERICK, A.W. Project Directorate I-4. 94/11/22. BARTON, J.J. General Public Utilities Corp. - GPU Service Corp. 3pp. 81863:346-81863:351.

-9411280074 Environ assessment & finding of no significant impact re licensee 940624 request to delete TS 2.3.0 on limiting safety sys setting for high recirculation flow reactor scram. EIS unwarranted. MCKEE, P.F. Project Directorate I-4. 94/11/22. 3pp. 81863:349-81863:351.

9411300391 Requests relief from requirements in ASME XI, 1986 edition, Section IWA-5250(a)(2) referring to corrective action requirements re leakage from bolted connections. Relief Request R13 details & justification encl. BARTON, J.J. General Public Utilities Corp. - GPU Service Corp. 94/11/22. Document Control Branch (Document Control Desk). 3pp. 81923:356-81923:358.

Q. Inspection reports, IE Bulletins & correspondence

9410140257 Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Matis Events to NRC Operations Ctr." BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.

9411030128 Forwards insp rept 50-219/94-21 on 940926-30. No violation noted, but one area identified that warrants addl attention. JOYNER, J.H. Region 1 (Post 820201). 94/10/21. BARTON, J.J. General Public Utilities Corp. - GPU Service Corp. 3pp. 81560:192-81560:203.

-9411030141 Insp rept 50-219/94-21 on 940926-30. No violations noted but weakness identified re lead shielding removal. Major areas inspected: radiation safety during outage operations, maintaining radiation ALARA & work planning. ECKERT, L., BORES, R. Region 1 (Post 820201). 94/10/21. 9pp. 81560:195-81560:203.

9410200153 NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts." GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81658:001-81658:013.

9411070164 Responds to NRC 940928 ltr re violations noted in insp rept 50-219/94-14. Corrective actions: unisolate HCU, return to full operability & control rod 06-19 was driven to fully inserted position. BARTON, J.J. General Public Utilities Corp. - GPU Service Corp. 94/10/27. Document Control Branch (Document Control Desk). 3pp. 81654:107-81654:109.

9411080057 Forwards insp rept 50-219/94-20 on 940919-30. No violations noted. MODES, M.C. Region 1 (Post 820201). 94/10/28. BARTON, J.J. General Public Utilities Corp. - GPU Service Corp. 2pp. 81628:167-81628:174.

-9411080064 Insp rept 50-219/94-20 on 940919-30. No violations noted. Major areas inspected: ISI program & implementation of ISI program in meeting NRC & ASME Code requirements. BEARDSLEE, C.D., MODES, M.C. Region 1 (Post 820201). 94/10/28. 6pp. 81628:169-81628:174.

16 DOCKETED ITEMS

9411040283 Forwards rept, conveying scope, methodology & results of core shroud insp conducted during 15th refueling outage on 940910, in compliance w/GL 94-03.
KEATEN, R.W. General Public Utilities Corp. - GPU Service Corp. 94/11/03. Document Control Branch (Document Control Desk). 5pp. 81652:275-81652:279.

9411090214 Forwards Topical Rept TR-098, "Oyster Creek Core Spray Sys Insp Program for Cycle 15 Refueling Outage."
KEATEN, R.W. General Public Utilities Corp. - GPU Service Corp. 94/11/03. Document Control Branch (Document Control Desk). 1p. 81719:252-81719:270.

-9411090232 Topical Rept TR-098, "Oyster Creek Core Spray Sys Insp Program for Cycle 15 Refueling Outage."
NADEMUS, R., MANNING, W.P., JANDOVITZ, J.S. General Public Utilities Corp. - GPU Service Corp. TR-098. 94/11/02. 18pp. 81719:253-81719:270.

9411090300 NRC Bulletin 94-002, "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride."
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.

9411220072 Ack receipt of 940919 ltr informing NRC of steps taken to correct violations noted in insp rept 50-219/94-11 on 940818.
KELLY, E.M. Region 1 (Post 820201). 94/11/16. BARTON, J.J. General Public Utilities Corp. - GPU Service Corp. 2pp. 81797:317-81797:323.

9411100237 NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment."
GRIMES, B.K. 94/11/17. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.

9411250206 Forwards response to violations noted in Insp Rept 50-219/94-18. Corrective actions: maint activity stopped & isolation valve that allows draining of containment spray/emergency svc water heat exchangers overboard line closed.
BARTON, J.J. General Public Utilities Corp. - GPU Service Corp. 94/11/17. Document Control Branch (Document Control Desk). 3pp. 81866:334-81866:336.

9411250081 Informs that staff reviewed info re core spray sparger insp in Topical Rept TR-098 from cycle 15 refueling outage on 941103 & finds acceptable.
DROMERICK, A.W. Project Directorate I-4. 94/11/18. BARTON, J.J. General Public Utilities Corp. - GPU Service Corp. 4pp. 81850:341-81850:344.

9411150578 NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation."
GRIMES, B.K. 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.

9411170039 NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping."
GRIMES, B.K. 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.

9411290121 Forwards SE re request for relief R13 from plant ISI program.
MCKEE, P.F. Project Directorate I-4. 94/11/23. BARTON, J.J. General Public Utilities Corp. - GPU Service Corp. 4pp. 81866:116-81866:124.

-9411290125 Safety evaluation accepting licensee request for relief R13, parts A,B,C,D & E, providing acceptable level of quality & safety.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/11/23. 5pp. 81866:120-81866:124.

9411170279 NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys."
GRIMES, B.K. 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.

9411170284 NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results."
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.

R. Periodic operating reports & related correspondence

9411220330 Forwards monthly operating rept for Oct 1994 & revised rept for Aug 1994.
BARTON, J.J. General Public Utilities Corp. - GPU Service Corp. 94/11/15. Document Control Branch (Document Control Desk). 1p. 81843:344-81843:351.

-9411220333 Monthly operating rept for Oct 1994 for Oyster Creek.
EDELMAN, P.G. General Public Utilities Corp. - GPU Service Corp. 94/10/31. 6pp. 81843:345-81843:350.

-9411220335 Revised monthly operating rept for Aug 1994 for Oyster Creek.
DEMERCHANT, B. General Public Utilities Corp. - GPU Service Corp. 94/08/31. 1p. 81843:351-81843:351.

DOCKET 50-220 NINE MILE POINT NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9411160178 "EP Exercise Scenario 31E, Rev 0, For EP Drill At Plant To Be Conducted On 941025."
STEINER, G.W., WARE, C.T., TESSIER, R.L. Niagara Mohawk Power Corp. 94/10/25. 129pp. 81761:195-81761:328.

9411040303 Revised EIPs, including Revs 5 to EIP-EPP-01 & EIP-EPP-02, "Classification of Emergency Conditions Units 1 & 2" & Rev 3 to EIP-EPP-08, "Off-Site Dose Assessment & Protective Action Recommendation." W/941026 ltr.
MCCORMICK, M.J. Niagara Mohawk Power Corp. 94/10/26. 36pp. 81652:280-81652:314.

9411040155 Forwards amends 150 & 58 to licenses DPR-63 & NPF-69 & safety evaluation. Amends modify paragraph 2.D(4) of OL DPR-63 & paragraph 2.E of OL NPF-69 to require compliance w/amended PSP.
BRINKMAN, D.S. Project Directorate I-1. 94/10/31. SYLVIA, B.R. Niagara Mohawk Power Corp. 4pp. 81619:335-81619:346.

-9411040165 Amends 150 & 58 to licenses DPR-63 & NPF-69, respectively, modifying paragraph 2.D(4) of license.
MARSH, L.B. Project Directorate I-1. 94/10/31. 6pp. 81619:340-81619:345.

9411100182 Forwards changed pages comprising Issue 4, Rev 1 of physical security plan. Encl withheld.
CHRISTENSEN, H. Niagara Mohawk Power Corp. 94/11/03. Document Control Branch (Document Control Desk). 1p. 81752:224-81752:224.

9411090021 Forwards corrected pages for Amends 150 & 58 to licenses DPR-63 & NPF-69, respectively & corrected page to safeguards evaluation rept.
BRINKMAN, D.S. Project Directorate I-1. 94/11/04. SYLVIA, B.R. Niagara Mohawk Power Corp. 6pp. 81666:333-81666:341.

-9411090065 Corrected pages to Amends 150 & 58 to licenses DPR-63 & NPF-69, respectively.
* Project Directorate I-1. 94/11/04. 2pp. 81666:339-81666:340.

-9411090335 Revised page to safeguards evaluation rept supporting amends 150 & 58 to licenses DPR-63 & NPF-69, respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/11/04. 1p. 81666:341-81666:341.

H. General correspondence

9411230100 Responds to 941015 ltr to Chairman I Selin, requesting info on actions taken by NRC to address concerns raised by JA Fleming re emergency preparedness for nuclear power plants.
TAYLOR, J.M. Ofc of the Executive Director for Operations. 94/11/09. KERRY, J.F. Senate. 3pp. 81828:286-81828:323.

-9411230199 Requests addl info pertaining to emergency preparedness for each site listed.
FLEMING, J.A. Affiliation Not Assigned. 94/07/14. CHILK, S. Office of the Secretary of the Commission. 2pp. 81828:322-81828:323.

I. Financial information

9411160086 Provides info re guarantee of retrospective premium.
KOES, J.E. Niagara Mohawk Power Corp. 94/11/07. DINITZ, I. Office of Nuclear Reactor Regulation, Director (Post 870411). 7pp. 81783:304-81783:310.

P. Operating license stage documents & correspondence

9411220062 Forwards nonproprietary version of MPM Research & Consulting final rept MPM-69437-NP, "Pressure-Temp Operating Curves for Nine Mile Point Unit 1" to support processing of 940901 application for amend to license DPR-63, changing TS 3.2.2.
SYLVIA, B.R. Niagara Mohawk Power Corp. 94/09/14. Document Control Branch (Document Control Desk). 2pp. 81831:302-81831:336.

-9411220071 Provides authorization for waiver of copyright restrictions for nonproprietary documents received by NRC from Niagara Mohawk Power Corp (dtd 940914) re pressure-temp operating curves for Nine Mile Point Unit 1.
MANAHAN, M.P. MPM Research & Consulting. 94/11/14. Document Control Branch (Document Control Desk). 1p. 81831:304-81831:304.

-9411220074 Nonproprietary version of final rept, "Pressure-Temp Operating Curves for Nine Mile Point Unit 1."
MANAHAN, M.P. MPM Research & Consulting. MPM-69437-NP. 94/09/30. 32pp. 81831:305-81831:336.

9411020110 Submits supplemental response to GL 94-03, "Intergranular Stress Corrosion Cracking of Core Shrouds in BWR," for plant.
BRINKMAN, D.S. Project Directorate I-1. 94/10/26. SYLVIA, B.R. Niagara Mohawk Power Corp. 4pp. 81568:354-81568:357.

9411040155 Forwards amends 150 & 58 to licenses DPR-63 & NPF-69 & safety evaluation. Amends modify paragraph 2.D(4) of OL DPR-63 & paragraph 2.E of OL NPF-69 to require compliance w/amended PSP.
BRINKMAN, D.S. Project Directorate I-1. 94/10/31. SYLVIA, B.R. Niagara Mohawk Power Corp. 4pp. 81619:335-81619:346.

-9411040165 Amends 150 & 58 to licenses DPR-63 & NPF-69, respectively, modifying paragraph 2.D(4) of license.
MARSH, L.B. Project Directorate I-1. 94/10/31. 6pp. 81619:340-81619:345.

-9411040171 Safety evaluation supporting amends 150 & 58 to licenses DPR-63 & NPF-69, respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/31. 2pp. 81619:346-81619:346.

9411090216 Forwards RAI re proposed license amend to allow use of range 10 on intermediate range monitors for unit 1. Requests to respond within 30 days of receipt of this ltr.
BRINKMAN, D.S. Project Directorate I-1. 94/11/03. SYLVIA, B.R. Niagara Mohawk Power Corp. 5pp. 81715:230-81715:234.

9411150258 Discusses 941026 meeting in King of Prussia, PA re motor-operated valve issues w/Region I licensees. List of attendees, agenda, licensee & NRC presentations & panel session questions, encl.
KELLY, E.M. Region 1 (Post 820201). 94/11/03. SYLVIA, B.R. Niagara Mohawk Power Corp. 49pp. 81741:300-81741:348.

9411090021 Forwards corrected pages for Amends 150 & 58 to licenses DPR-63 & NPF-69, respectively & corrected page to safeguards evaluation rept.
BRINKMAN, D.S. Project Directorate I-1. 94/11/04. SYLVIA, B.R. Niagara Mohawk Power Corp. 6pp. 81666:333-81666:341.

-9411090065 Corrected pages to Amends 150 & 58 to licenses DPR-63 & NPF-69, respectively.
* Project Directorate I-1. 94/11/04. 2pp. 81666:339-81666:340.

-9411090335 Revised page to safeguards evaluation rept supporting amends 150 & 58 to Licenses DPR-63 & NPF-69, respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/11/04. 1p. 81666:341-81666:341.

9411160218 Forwards response to request for suppl info re GL 94-03, "Intergranular Stress Corrosion Cracking of Core Shrouds in BWRs." W/one oversize drawing.
TERRY,C.D. Niagara Mohawk Power Corp. 94/11/04. Document Control Branch (Document Control Desk). 1p. 81793:032-81793:207.

-9411160234 Provides authorization for waiver of restrictions for nonproprietary documents received by NRC from Niagara Mohawk Power Corp re suppl response to GL 94-03.
MANAHAN,M.P. MPM Research & Consulting. 94/11/10. Document Control Branch (Document Control Desk). 9pp. 81793:033-81793:041.

-9411160239 "Structural Evaluation & Justification of Nine Mile Point 1 Core Shroud for Continued Operation."
BRANLUND,B.J., GORDON,B.M., RANGANATH,S. General Electric Co. GENE-523-A161-1094. 94/11/04. 42pp. 81793:042-81793:083.

-9411160244 Final rept entitled "Fracture Mechanics Assessment of Nine Mile Point Unit 1 Shroud H4 Weld."
* MPM Research & Consulting. MPM-109439. 94/10/31. 123pp. 81793:084-81793:207.

9411140178 Forwards request for addl info re proposed license amend to allow use of Range 10 on intermediate range monitors for plant, Unit 1. Response requested within 30 days of receipt of ltr.
BRINKMAN,D.S. Project Directorate I-1. 94/11/09. SYLVIA,R. Niagara Mohawk Power Corp. 4pp. 81736:181-81736:184.

9411160238 Provides authorization for waiver of copyright restrictions for nonproprietary documents received by NRC re suppl response to GL 94-03.
MANAHAN,M.P. MPM Research & Consulting. 94/11/10. Document Control Branch (Document Control Desk). 1p. 81783:281-81783:281.

9411210297 Forwards Relief Requests PR-3, Rev 1 & PR-9, emergency svc water for review & approval. PR-3 originally submitted on 890328 & approved via Commission SE dtd 910307.
TERRY,C.D. Niagara Mohawk Power Corp. 94/11/10. Document Control Branch (Document Control Desk). 3pp. 81837:107-81837:109.

9411280241 Forwards request for addl info re util 940901 proposed license amend to revise pressure-temp limits for reactor vessel. Response requested within 30 days of ltr receipt.
BRINKMAN,D.S. Project Directorate I-1. 94/11/21. SYLVIA,B.R. Niagara Mohawk Power Corp. 5pp. 81853:076-81853:080.

Q. Inspection reports, IE Bulletins & correspondence

9410140257 Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Matis Events to NRC Operations Ctr."
BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.

9410200153 NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts."
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81658:001-81658:013.

9411150415 Forwards insp repts 50-220/94-16 & 50-410/94-18 on 940821-1001 & notice of violation. Violation involved failure to take effective CA.
COWGILL,C.J. Region 1 (Post 820201). 94/11/03. SYLVIA,B.R. Niagara Mohawk Power Corp. 3pp. 81735:086-81735:209.

-9411150421 Notice of violation from insp on 940821-1001. Violation noted: on 940826, individual not granted unescorted access was found in protected area w/o escort.
* Region 1 (Post 820201). 94/11/03. 1p. 81735:089-81735:089.

-9411150429 Insp repts 50-220/94-16 & 50-410/94-18 on 940821-1001. Violations noted. Major areas inspected: control rooms, turbine buildings, refuel floors & reactor buildings.
DOERFFLEIN,L.T. Region 1 (Post 820201). 94/10/24. 130pp. 81735:090-81735:209.

9411150033 Forwards combined insp repts 50-220/94-20 & 50-410/94-22 on 940919-23 & 0926-30. Previously cited violation withdrawn. No other violations noted.
WIGGINS,J.T. Region 1 (Post 820201). 94/11/04. SYLVIA,B.R. Niagara Mohawk Power Corp. 3pp. 81734:041-81734:056.

-9411150042 Insp repts 50-220/94-20 & 50-410/94-22 on 940919-23 & 0926-30. Previous violation withdrawn, seven previously unresolved items closed. Major areas inspected: acceptability of actions taken by util to address several unresolved issues.
DELLA GRECA,A., RULAND,W.H. Region 1 (Post 820201). 94/11/03. 13pp. 81734:044-81734:056.

9411090300 NRC Bulletin 94-002, "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride."
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.

9411100237 NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment."
GRIMES,B.K. 94/11/17. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.

9411300114 Forwards insp plan in response to Generic Ltr 94-03, "IGSCC of Core Shrouds in BWRs."
TERRY,C.D. Niagara Mohawk Power Corp. 94/11/18. Document Control Branch (Document Control Desk). 7pp. 81922:337-81922:343.

9411150578 NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation."
GRIMES,B.K. 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.

9411170039 NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping."
GRIMES,B.K. 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.

9411170279 NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys."
GRIMES,B.K. 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.

9411170284 NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results."
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.

R. Periodic operating reports & related correspondence

9411220317 Monthly operating rept for Oct 1994 for Nine Mile Point Unit 1. W/941108 ltr.
COLEMAN,D.E., ABBOTT,R.B. Niagara Mohawk Power Corp. 94/10/31. 5pp. 81849:027-81849:031.

S. Reportable occurrences, LERs & related correspondence

9411280282 Special rept on 941108, containment hydrogen monitoring (HMS) Unit 11 removed from svc & declared inoperable for replacement of Relay K4 in auto calibr unit because contacts sticking closed. Relay K4 replaced & HMS 11 returned to svc.
ABBOTT,R.B. Niagara Mohawk Power Corp. 94/11/17. Document Control Branch (Document Control Desk). 2pp. 81900:308-81900:309.

DOCKET 50-225 RPI CRITICAL EXPERIMENT

P. Operating license stage documents & correspondence

9411220221 Application for amend to license CX-22 re request to temporarily change TS for Rensselaer Polytechnic Institute.
HARRIS,D.R. Rensselaer Polytechnic Institute, Troy, NY. 94/11/10. Document Control Branch (Document Control Desk). 3pp. 81849:019-81849:021.

DOCKET 50-237 DRESDEN NUCLEAR POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9411150446 Rev 4 to Dresden Safe Shutdown Procedure (DSSP) DSSP 0010-01, "Determining Safe Shutdown Paths for Extensive Plant Damage."
WALLS,M., FIEDLER,J., WUJICIGA,J. Commonwealth Edison Co. 94/09/06. 12pp. 81780:153-81780:164.

9411070071 Revised Corporate EIPs (CEIP), including Rev 7 to CEIP-3103-01 & Rev 8 to CEIP-3104-01.
SCOTT,D.J. Commonwealth Edison Co. 94/10/05. 19pp. 81654:188-81654:208.

9411030225 Revised Corporate EIPs (CEIP), including Rev 2 to CEIP-321-01, Rev 3 to CEIP-3303-01, Rev 3 to CEIP-3304-01, Rev 3 to CEIP-3404-01 & Rev 3 to CEIP-3505-01.
PAVEY,M., GOLDEN,J., SCOTT,D.J. Commonwealth Edison Co. 94/10/06. 65pp. 81606:221-81606:285.

9411150463 Rev 6 to Dresden Safe Shutdown Procedure (DSSP) DSSP 0100-CR, "Hot Shutdown Procedure - Control Room Evacuation."
WALLS,M., FIEDLER,J., FACCHINA,R. Commonwealth Edison Co. 94/10/06. 39pp. 81780:104-81780:142.

9411160099 Forwards details of physical security concern at plant & requests that results of licensee review & disposition of subj matter be submitted to Region III within 45 days of dtd ltr. W/o encl.
PEDERSON,C.D. Region 3 (Post 820201). 94/11/03. PERRY,J.S. Commonwealth Edison Co. 2pp. 81746:339-81746:340.

9411210293 Submits response to NRC request for addl info re proposed use of corporate EOF as interim EOF to perform emergency response functions until near site can be staffed.
JOHNSON,I.M. Commonwealth Edison Co. 94/11/15. Document Control Branch (Document Control Desk). 22pp. 81833:332-81833:353.

9411300121 Informs of decision to institute quarterly proficiency training for ERDS Operators.
AXELSON,W.L. Region 3 (Post 820201). 94/11/16. MARTIN,J. Region 3 (Post 820201). 4pp. 81872:132-81872:135.

9411300211 Forwards response to 940919 RAI re proposed use of corporate EOF (CEO) as interim EOF, including analysis of EOF functions applicable to CEO as interim EOF.
JOHNSON,I.M. Commonwealth Edison Co. 94/11/22. Office of Nuclear Reactor Regulation, Director (Post 870411). 77pp. 81908:092-81908:169.

G. Adjudicatory correspondence

9411010109 Forwards list of NRC staff proposed witnesses & documentary exhibits & Staff statement of factual issues to be adjudicated as submitted.
WOODHEAD,C.P. Office of the General Counsel (Post 860701). #494 15839. 94/10/20. BLOCH,P.B., COLE,R.F., SHON,F.J. Atomic Safety & Licensing Board Panel. 4pp. 81513:150-81513:153.

18 DOCKETED ITEMS

9411010207 Refers to Pierce actions re util failure to provide adequate training or guidance concerning applicability of DOA 300-12 while expert present directing control rod movements.
PIERCE,K.G. Affiliation Not Assigned. #494 15852. 94/10/24. 1p. 81513:304-81513:304.

9411100132 NRC Staff application for issuance of subpoenas. Staff requests that ASLB issue subpoenas requiring that listed individuals attend & give testimony at 941129 proceeding. W/Certificate of Svc.Related correspondence.
WOODHEAD,C.P. Office of the General Counsel (Post 860701). #494 15899. 94/11/03. Atomic Safety & Licensing Board Panel. 4pp. 81672:175-81672:178.

H. General correspondence

9411090146 Responds to 940825 ltr expressing concerns re util mod of security force organization at nuclear facilities.NRC will evaluate future changes to security plans at nuclear facilities to ensure that plans remain effective.
CAPRA,R.A. Project Directorate III-2. 94/11/04. RUSSELL,D. Affiliation Not Assigned. 4pp. 81715:225-81715:229.

-9411090155 Informs of concern re CE decision to reduce security force NPGSS.Notes security already reduced 20% & terrorist threat to US higher than any time in recent history.Pleads that mod to security be stopped.
RUSSELL,D. Affiliation Not Assigned. 94/08/25. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 1p. 81715:229-81715:229.

9411230100 Responds to 941015 ltr to Chairman I Selin,requesting info on actions taken by NRC to address concerns raised by JA Fleming re emergency preparedness for nuclear power plants.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 94/11/09. KERRY,J.F. Senate. 3pp. 81828:286-81828:323.

-9411230199 Requests addl info pertaining to emergency preparedness for each site listed.
FLEMING,J.A. Affiliation Not Assigned. 94/07/14. CHILK,S. Office of the Secretary of the Commission. 2pp. 81828:322-81828:323.

P. Operating license stage documents & correspondence

9411300237 Final response to FOIA request for documents.App C records encl & partially withheld (ref FOIA exemption 5).
POWELL,R.A. Division of Freedom of Information & Publications Services (890206-940714). 93/11/22. PATTERSON,S.J. Newman & Holtzinger. 3pp. 81900:174-81900:271.

-9411300253 Summary of 920615-16 NRC senior mgt meeting conducted to assure NRC focusing resources on plants & related issues of greatest safety significance.Info partially deleted.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 92/06/25. THE CHAIRMAN, SELIN,I., ROGERS,K.C. Commissioners (Post 750119). 50pp. 81900:178-81900:227.

-9411300265 Summary of 930126-28 NRC senior mgt meeting conducted to assure NRC focusing resources on plants & related issues of greatest safety significance.Info partially deleted.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 93/02/04. THE CHAIRMAN, SELIN,I., ROGERS,K.C. Commissioners (Post 750119). 44pp. 81900:228-81900:271.

9411040125 Ltr contract.mod 1 to task order 20,extending period of performance of task order from 940929 to 950329 at no addl cost or obligation to govt.to "IPE Reviews,Internal Events, Human Reliability Analysis Only," for plant.
MACE,M. Division of Contracts (Post 940714). NRC-04-91-069. 94/09/01. HAAS,P.M. Concord Associates, Inc. 2pp. 81628:278-81628:279.

9411010060 Forwards "Response to RAI On Dresden IPE Submittal," requested in 940824 ltr from J Stang to D Farrar.
PIET,P.L. Commonwealth Edison Co. 94/10/28. Document Control Branch (Document Control Desk). 1p. 81574:069-81574:256.

-9411010089 "Response To RAI On Dresden IPE Submittal."
* Commonwealth Edison Co. 94/10/26. 887pp. 81574:070-81574:256.

9411020246 Responds to NRC RAI on core shroud.
PIET,P.L. Commonwealth Edison Co. 94/10/28. Document Control Branch (Document Control Desk). 7pp. 81633:350-81633:356.

9411090264 Requests schedular exemption from 10CFR50,App J for Type A integrated leak rate testing.Attachment 1 provides justification for exemption,per guidelines established in 10CFR50.12(a).
PIET,P.L. Commonwealth Edison Co. 94/10/28. Document Control Branch (Document Control Desk). 11pp. 81719:334-81719:344.

9411030182 Summary of 940831 meeting w/util to discuss plan for sustained long-term performance improvements at plant.
STANG,J.F. Project Directorate III-2. 94/10/31. Project Directorate III-2. 4pp. 81607:263-81607:266.

9411080285 Forwards amends 129,123,150,146,158 & 146 to licenses DPR-19,DPR-25,DPR-29,DPR-30,DPR-39 & DPR-48,respectively & safety evaluation.Amends add license condition that modifies NUREG-0737 to allow commitments be controlled under 10CFR50.
SHIRAKI,C.Y. Project Directorate III-2. 94/11/03. FARRAR,D.L. Commonwealth Edison Co. 4pp. 81658:280-81658:307.

-9411080290 Amends 129,123,150,146,158 & 146 to licenses DPR-19,DPR-25, DPR-29,DPR-30,DPR-39 & DPR-48,respectively,adding license condition that modifies NUREG-0737 to allow commitments made in response to NUREG-0737 be controlled under 10CFR50.59.
CAPRA,R.A. Project Directorate III-2. 94/11/03. 21pp. 81658:284-81658:304.

-9411080302 Safety evaluation supporting amends 129,123,150,146,158 & 146 to licenses DPR-39,DPR-48,DPR-19,DPR-25,DPR-29 & DPR-30, respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/11/03. 3pp. 81658:305-81658:307.

9411090142 Notification of 941206 meeting w/util & NRC in Rockville,MD to discuss performance of licensee plants.
DICK,G.F. Project Directorate III-2. 94/11/04. CAPRA,R.A. Project Directorate III-2. 4pp. 81715:221-81715:224.

9411100244 Summary of 941014 meeting w/util re response to GL-94-03, "Intergranular Stress Corrosion Cracking of Core Shrouds in BWR," for plants.List of attendees encl.
STANG,J.F. Project Directorate III-2. 94/11/07. Project Directorate III-2. 38pp. 81724:322-81724:360.

9411140070 Forwards EA & finding of no significant impact re util 941028 request for one-time schedular exemption from required test interval for Type A test required by 10CFR50, App J,Section III.A.6(b).
STANG,J.F. Project Directorate III-2. 94/11/07. FARRAR,D.L. Commonwealth Edison Co. 3pp. 81736:112-81736:120.

-9411140079 EA & finding of no significant impact re granting schedular exemption from requirements of 10CFR50,App J,Section III.A.6(b) (Type A test) re primary reactor containment leakage testing for water cooled reactors.
CAPRA,R.A. Project Directorate III-2. 94/11/04. 6pp. 81736:115-81736:120.

9411160050 Forwards rept on site visit to review implementation of main rule at station for review & info.Rept identifies strengths & weaknesses w/program at site.
SHAFER,W.D. Region 3 (Post 820201). 94/11/07. DONNELLY,P.M. Consumers Power Co. ANTONY,D.D. Northern States Power Co. STRATMAN,R.A. Cleveland Electric Illuminating Co. 2pp. 81746:131-81746:141.

9411170285 Forwards exemption granted from requirements of 10CFR50,App J,to permit extension of 242 days until 950714,to perform Type A test.
ROE,J.W. Division of Reactor Projects - III,IV,V (Post 901216). 94/11/10. FARRAR,D.L. Commonwealth Edison Co. 3pp. 81777:122-81777:132.

-9411170289 Exemption granted from requirements of 10CFR50,App J, Section III.A.6(b),to provide extension of 242 days until 950714,to perform Type A test.
ROE,J.W. Division of Reactor Projects - III,IV,V (Post 901216). 94/11/10. Commonwealth Edison Co. 8pp. 81777:125-81777:132.

9411170299 Forwards RAI re GL 94-03, "Intergranular Stress Corrosion Cracking of Core Shrouds in Boiling Water Reactors." Response should be provided within 30 days of ltr date.
STANG,J.F. Project Directorate III-2. 94/11/14. FARRAR,D.L. Commonwealth Edison Co. 5pp. 81777:142-81777:147.

9411180002 Advises that rept GE-NE-L12-00819-05, "Core Shroud Blowdown Load Calculation During Recirculation Suction Line Break By TRACG Analysis for Dresden,Units 2 & 3 & Quad Cities,Units 1 & 2" will be withheld (ref 10CFR2.790),per 940902 ltr.
STANG,J.F. Project Directorate III-2. 94/11/15. FARRAR,D.L. Commonwealth Edison Co. 4pp. 81782:097-81782:100.

9411210245 Submits response to NRC request for addl info re GL 89-10. Info provided in 4 Attachments.Attachment A provides summary of methods,results of reprioritization & margin review effort for util MOV population.
FARRAR,D.L. Commonwealth Edison Co. 94/11/15. Document Control Branch (Document Control Desk). 54pp. 81837:034-81837:087.

9411210266 Forwards GENE-523-A163-1194, "Quad Cities & Dresden Main Steam Line Break Analysis W/TRACG Model."
PIET,P.L. Commonwealth Edison Co. 94/11/15. Document Control Branch (Document Control Desk). 3pp. 81831:113-81831:126.

-9411210275 "Quad Cities & Dresden Main Steam Line Break Analysis W/ TRACG Model."
VILLALTA,J.A., CASILLAS,J.L., RANGANATH,S. General Electric Co. GENE-523-A163-1194. 94/11/09. 11pp. 81831:116-81831:126.

9411230105 Forwards amends 130,124,151 & 147 to licenses DPR-19,DPR-25, DPR-29 & DPR-30,respectively.Amends revise TS 3/4.4 to revise sodium pentaborate solution concentrations for SLCS storage tanks.
STANG,J.F. Project Directorate III-2. 94/11/16. FARRAR,D.L. Commonwealth Edison Co. 3pp. 81823:006-81823:045.

-9411230122 Amends 130,124,151 & 147 to licenses DPR-19,DPR-25,DPR-29 & DPR-30,respectively,revising TS 3/4.4 to revise sodium pentaborate solution concentrations for SLCS storage tanks based on net positive suction head test results.
STANG,J.F. Project Directorate III-2. 94/11/16. 33pp. 81823:009-81823:041.

-9411230130 Safety evaluation supporting amends 130,124,151 & 147 to licenses DPR-19,DPR-25,DPR-29 & DPR-30,respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/11/16. 4pp. 81823:042-81823:045.

9411300238 Submits reactor water clean-up sys piping replacement schedule.
SCHRAGE,J.L. Commonwealth Edison Co. 94/11/21. Document Control Branch (Document Control Desk). 2pp. 81951:300-81951:301.

9411290047 Discusses review of radiation protection concern & informs that licensee investigation did not substantiate concern.
AXELSON,W.L. Region 3 (Post 820201). 94/11/22. PERRY,J.S. Commonwealth Edison Co. 1p. 81857:291-81857:291.

9411300319 Requests one time schedular exemption for Dresden Unit 2 from two yr test interval for Type B & C leak rate testing required by 10CFR50,App J,Sections III.D.2(a) & III.D.3. Justification for exemption encl.
PIET,P.L. Commonwealth Edison Co. 94/11/23. Document Control Branch (Document Control Desk). 19pp. 81910:146-81910:164.

Q. Inspection reports, IE Bulletins & correspondence

9410140257 Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Mattis Events to NRC Operations Ctr."
BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.

9410200153 NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts."
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81658:001-81658:013.

9411100126 Forwards insp repts 50-010/94-15,50-237/94-15 & 50-249/94-15 on 940816-1005 & notices of violation & deviation.NRC concerned by potential for other similar conditions & cumulative effect on plant safety.
GREENMAN,E.G. Region 3 (Post 820201). 94/10/27. PERRY,J.S. Commonwealth Edison Co. 3pp. 81673:307-81673:338.

-9411100131 Notice of violation from insp on 940816-1005.Violation noted:failure to document manipulated unit 3 DG lubricating oil strainer in work instructions & failure to document control rods moved out-of-sequence.
* Region 3 (Post 820201). 94/10/27. 2pp. 81673:310-81673:311.

-9411100137 Notice of deviation from insp on 940816-1005.Deviation noted:failure to monitor containment cooling svc water sys pressures on unit 2 & failure of procedure to contain step to remove rod insert block from rod worth minimizer.
* Region 3 (Post 820201). 94/10/27. 1p. 81673:312-81673:312.

-9411100142 Insp repts 50-010/94-15,50-237/94-15 & 50-249/94-15 on 940816-1005.Violations & deviations noted.Major areas inspected:operations,maint & surveillance,engineering & technical support,plant support & safety assessment.
HILAND,P.L. Region 3 (Post 820201). 94/10/24. 26pp. 81673:313-81673:338.

9411220020 Ack receipt of 940922 ltr informing NRC of steps taken to correct violation in insp repts 50-010/94-14,50-237/94-14 & 50-249/94-14.
GREENMAN,E.G. Region 3 (Post 820201). 94/11/07. PERRY,J.S. Commonwealth Edison Co. 1pp. 81796:093-81796:093.

9411090300 NRC Bulletin 94-002, "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride."
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.

9411100237 NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment."
GRIMES,B.K. . 94/11/17. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.

9411230150 Forwards response to violations noted in Insp Repts 50-237/94-16 & 50-249/94-16.Corrective actions:acceptance criteria used in test verified to be consistent w/loop accuracy calculation subsequently developed.
PERRY,J.S. Commonwealth Edison Co. 94/11/18. Document Control Branch (Document Control Desk). 9pp. 81833:104-81833:112.

9411150578 NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation."
GRIMES,B.K. . 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.

9411170039 NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping."
GRIMES,B.K. . 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.

9411300226 Responds to violations noted in insp repts 50-010/94-15, 50-237/94-15 & 50-249/94-15.Corrective actions:policy developed w/operations dept to provide positive control by operations of valve manipulation by outside individuals.
PERRY,J.S. Commonwealth Edison Co. 94/11/23. Document Control Branch (Document Control Desk). 8pp. 81906:346-81906:353.

9411170279 NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys."
GRIMES,B.K. . 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.

9411170284 NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results."
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.

R. Periodic operating reports & related correspondence

9411180153 Monthly operating repts for Oct 1994 for Dresden Nuclear Power Station.W/941010 ltr.
SYKES,K.W., EENIGENBERG,E. Commonwealth Edison Co. 94/10/31. 25pp. 81804:322-81804:346.

S. Reportable occurrences, LERs & related correspondence

9411290270 LER 93-002-02:on 930121,Type B & C primary containment local leak rate testing limit exceeded due to leakage past head cooling inlet isolation valve 2-205-2-4.Repaired actuator & verified closing force within specified range.W/941121 ltr.
MCGIVERN,M., PERRY,J.S. Commonwealth Edison Co. 93/02/22. 13pp. 81912:113-81912:125.

9411070426 LER 94-027-01:on 940922,both RV water level instrumentation loops inadvertently removed from svc due to personnel error. Improved method of displaying current status of each train of ESF equipment will be established.W/941101 ltr.
THEESFELD,T., PERRY,J.S. Commonwealth Edison Co. 94/10/21. 5pp. 81666:049-81666:053.

9411140118 Forwards LER 94-010-04:on 870317 re embedment plate for support located on sys A core spray piping found degraded. Revised rept submitted based on commitment in paragraph 3.1 of Insp Repts 50-237/94-03 & 50-249/94-03.
PERRY,J.S. Commonwealth Edison Co. 94/11/07. Document Control Branch (Document Control Desk). 1p. 81791:001-81791:009.

-9411140190 LER 94-010-04:on 870317,embedment plate for support located on Unit 2 sys "A" core spray piping found degraded.Caused by improper load down clamp spacings occurring during original fabrication.Sys analysis model revised.
KISH,J.N. Commonwealth Edison Co. 87/04/13. 8pp. 81791:002-81791:009.

9411210111 Interim Part 21 Rept 94-12 re Limitorque actuator potential motor pinion key failure.Comm Ed issued guidelines to six nuclear stations on methods for properly installing motor pinion keys.
JOHNSON,I.M. Commonwealth Edison Co. 94/11/11. Office of Nuclear Reactor Regulation, Director (Post 870411). 5pp. 81831:127-81831:131.

V. Operator Examinations

9411040265 Forwards master BWR/PWR GFES exam w/answer key of exam administered on 941005.
RING,M.A. Region 3 (Post 820201). 94/10/27. Commonwealth Edison Co. 1p. 81586:002-81586:002.

9411300218 Forwards NRC summarized guidance that clarifies requirements for maintaining individual operator licenses,entitled, "Clarification of Maint & Reactivation Requirements for Individual Operator Licenses."
RING,M.A. Region 3 (Post 820201). 94/11/18. Affiliation Not Assigned. 3pp. 81872:341-81872:343.

DOCKET 50-243 OREGON STATE UNIV. RESEARCH REACTOR

F. Security, medical, emergency & fire protection plans

9411180175 Advises that 940829 Rev 8 to physical security plan consistent w/provisions of 10CFR50.54(p) & acceptable for inclusion into plan.
COLLINS,S.J. Region 4 (Post 820201). 94/11/14. KELLER,G.H. Oregon State Univ., Corvallis, OR. 4pp. 81827:355-81827:358.

P. Operating license stage documents & correspondence

9411230288 Notification of 941209 meeting w/util in Rockville,MD to discuss employee concerns issues.
ANDERSEN,J.W. Project Directorate I-4. 94/11/17. MCKEE,P.F. Project Directorate I-4. 5pp. 81841:166-81841:170.

R. Periodic operating reports & related correspondence

9411030221 Submits annual rept of changes,tests & experiments performed under provisions of 10CFR50.59 for OR State Univ TRIGA reactor for period covering Jul-June 1994.
DODD,B. Oregon State Univ., Corvallis, OR. 94/10/25. Document Control Branch (Document Control Desk). 14pp. 81606:340-81606:353.

DOCKET 50-244 ROBERT EMMET GINNA NUCLEAR PLANT, UNIT 1

C. Utility Environmental Report (ER), amends & correspondence

9411020143 Provides updated Table 1 re GL 92-01,rev 1, "Reactor Structural Integrity."
MECREDY,R.C. Rochester Gas & Electric Corp. 94/10/25. Document Control Branch (Document Control Desk). 3pp. 81590:133-81590:135.

F. Security, medical, emergency & fire protection plans

9411100179 Rev 14 to Ginna Station nuclear emergency response plan.
* Rochester Gas & Electric Corp. 94/08/31. 193pp. 81724:051-81724:243.

9411090265 Forwards response to NRC 940901 RAI re EALs,EALs annotated classification criteria based on response to NRC RAIs,Rev 1 to OSSI-92-402A-4-REG, "RE Ginna EALs Technical Bases" & Rev 1 to OSSI 92-402A-2-REG, "Fission Product Barrier."
MECREDY,R.C. Rochester Gas & Electric Corp. 94/11/07. JOHNSON,A.R. Project Directorate I-3. 45pp. 81768:001-81768:122.

-9411090266 Rev 1 to "RE Ginna EALs Technical Bases."
* Rochester Gas & Electric Corp. OSSI-92-402A-4-REG 1. 94/10/11. 130pp. 81768:046-81768:244.

-9411090268 Rev 1 to "Fission Product Barrier Evaluation."
* Rochester Gas & Electric Corp. OSSI 92-402A-2-REG 1. 94/11/07. 200pp. 81768:245-81768:122.

9411150020 Forwards insp rept 50-244/94-21 on 941003-06 & notice of violation.
JOYNER,J.H. Region 1 (Post 820201). 94/11/07. MECREDEY,R.C. Rochester Gas & Electric Corp. 3pp. 81734:022-81734:036.

-9411150024 Notice of violation from insp on 941003-06.Violations noted: licensee did not conduct growl tests in second quarter (April through June) & third quarter (July through Sept) of 1994 to test siren operation.
* Region 1 (Post 820201). 94/11/07. 2pp. 81734:025-81734:026.

-9411150030 Insp rept 50-244/94-21 on 941003-06.Violations noted:Major areas inspected:EP readiness,including procedure changes, FTS 2,000 network,ERFs,equipment,instrumentation & supplies.
SILK,D., KEIMIG,R.R. Region 1 (Post 820201). 94/11/15. 10pp. 81734:027-81734:036.

P. Operating license stage documents & correspondence

9411020094 Forwards SE which authorizes proposed extension for alternatives contained in RR 25 to support welded repair or replacement activities for svc water sys components through 1995 refueling outage,per 940930 request.
BUTLER,W.R. Project Directorate I-3. 94/10/27. MECREDEY,R.C. Rochester Gas & Electric Corp. 4pp. 81562:352-81562:358.

20 DOCKETED ITEMS

—9411020102 SER authorizing proposed alternatives contained in extension to RR 25 to support welded repair or replacement activities for svc water sys components through 1995 refueling outage.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/27. 3pp. 81562:356-81562:358.

9411030356 Forwards listed correspondences between util & NRC, Region I re request for enforcement discretion.
MECREDY, R.C. Rochester Gas & Electric Corp. 94/10/27. JOHNSON, A.R. Project Directorate I-3. 1p. 81640:316-81640:324.

—9411030359 Informs that util successfully completed repairs of MDAFWP B on 940831. Pump parameters as documented in post maint testing of MDAFWP B provided in encl. NRC approved enforcement discretion not required or used.
MECREDY, R.C. Rochester Gas & Electric Corp. 94/08/31. MARTIN, T.T. Region 1 (Post 820201). 2pp. 81640:317-81640:318.

—9411030360 Requests enforcement discretion w/respect to TS 3.4.2.1.a. Request background info & justification encl.
MECREDY, R.C. Rochester Gas & Electric Corp. 94/08/30. MARTIN, T.T. Region 1 (Post 820201). 6pp. 81640:319-81640:324.

9411080317 Forwards draft Safety Evaluation SEV-1019, Rev A, "Containment Structural Mods WBS 4" & draft Rev C to DC-10034A, Design Criteria Ginna Station Containment Structural Mods WBS 4."
MECREDY, R.C. Rochester Gas & Electric Corp. 94/11/01. JOHNSON, A.R. Project Directorate I-3. 2pp. 81717:006-81717:146.

—9411080318 Draft Rev A to Safety Evaluation SEV-1019, "Containment Structural Mods WBS 4."
SMITH, M.D. Bechtel Corp. SEV-1019 DRFT RA. 94/03/30. 42pp. 81717:007-81717:049.

—9411080319 Draft Rev C to "Design Criteria Ginna Station Containment Structural Mods WBS 4."
Bechtel Corp. DC-10034A DRFT RC. 94/09/26. 97pp. 81717:050-81717:146.

9411150240 Discusses public meeting held in King of Prussia, PA on 941026 re MOV issues. Responsiveness & turnout for meeting appreciated. Forwards list of attendees, agenda & util presentation handout.
KELLY, E.M. Region 1 (Post 820201). 94/11/03. MECREDEY, R.C. Rochester Gas & Electric Corp. 49pp. 81735:259-81735:307.

9411290234 Forwards controlled 10CFR2.790(a) info w/distribution limited to personnel w/"need to know." W/o encl.
COOPER, R.W. Region 1 (Post 820201). 94/11/17. MECREDEY, R.C. Rochester Gas & Electric Corp. 2pp. 81870:143-81870:144.

Q. Inspection reports, IE Bulletins & correspondence

9410140257 Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Matls Events to NRC Operations Ctr."
BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.

9410200153 NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts."
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81658:001-81658:013.

9411150277 Forwards insp rept 50-244/94-23 on 941003-07. Licensed operator training & requalification programs had been determined to be good.
MEYER, G.W. Region 1 (Post 820201). 94/11/01. MECREDEY, R.C. Rochester Gas & Electric Corp. 2pp. 81741:349-81741:355.

—9411150279 Insp rept 50-244/94-23 on 941003-07. No violations noted. Major areas inspected: adequacy of plant licensed requalification program using NRC insp procedure 71001.
STEWART, J.S., MEYER, G.W. Region 1 (Post 820201). 94/11/01. 5pp. 81741:351-81741:355.

9411150020 Forwards insp rept 50-244/94-21 on 941003-06 & notice of violation.
JOYNER, J.H. Region 1 (Post 820201). 94/11/07. MECREDEY, R.C. Rochester Gas & Electric Corp. 3pp. 81734:022-81734:036.

—9411150024 Notice of violation from insp on 941003-06. Violations noted: licensee did not conduct growl tests in second quarter (April through June) & third quarter (July through Sept) of 1994 to test siren operation.
* Region 1 (Post 820201). 94/11/07. 2pp. 81734:025-81734:026.

—9411150030 Insp rept 50-244/94-21 on 941003-06. Violations noted: Major areas inspected: EP readiness, including procedure changes, FTS, 2,000 network, ERFs, equipment, instrumentation & supplies.
SILK, D., KEIMIG, R.R. Region 1 (Post 820201). 94/11/15. 10pp. 81734:027-81734:036.

9411090300 NRC Bulletin 94-002, "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride."
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.

9411220310 Responds to unresolved items in insp rept 50-244/94-17. Corrective actions: util raised sensitivity of QA personnel to matl protection concerns by holding training on ANSI N45.2.2-1972 requirements.
MECREDEY, R.C. Rochester Gas & Electric Corp. 94/11/15. JOHNSON, A.R. Project Directorate I-3. 2pp. 81844:360-81844:361.

9411220164 Forwards engineering followup insp rept 50-244/94-24 on 941011-17. No violations noted. Unresolved items 91-201-07 & 93-020-01 remain open.
MODES, M.C. Region 1 (Post 820201). 94/11/16. MECREDEY, R.C. Rochester Gas & Electric Corp. 2pp. 81798:266-81798:276.

—9411220175 Insp rept 50-244/94-24 on 941011-17. No violations noted. Major areas inspected: program for design, fabrication & installation of two replacement SGs, monitoring of transient operation cycles for components & status of C/As.
LOHMEIER, A., MODES, M.C. Region 1 (Post 820201). 94/11/15. 9pp. 81798:268-81798:276.

9411100237 NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment."
GRIMES, B.K. 94/11/17. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.

9411150578 NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation."
GRIMES, B.K. 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.

9411280048 Discusses 930305 response to NRC Bulletin 90-01, Suppl 1, "Loss of Fill Oil in Transmitters Mfg by Rosemount." Informs that staff review of licensee responses satisfied requested actions of subj bulletin.
JOHNSON, A.R. Project Directorate I-3. 94/11/21. MECREDEY, R.C. Rochester Gas & Electric Corp. 3pp. 81852:206-81852:208.

9411170039 NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping."
GRIMES, B.K. 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.

9411170279 NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys."
GRIMES, B.K. 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.

9411170284 NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results."
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.

R. Periodic operating reports & related correspondence

9411150477 Monthly operating rept for Oct 1994 for RE Ginna Nuclear Power Plant/W/ 941109 ltr.
WALDEN, J.V., WIDAY, J.A. Rochester Gas & Electric Corp. 94/10/31. 5pp. 81781:114-81781:118.

9411250020 Forwards revised page 1 to monthly operating rept for Sept 1994.
WIDAY, J.A. Rochester Gas & Electric Corp. 94/11/16. Document Control Branch (Document Control Desk). 1p. 81885:315-81885:316.

—9411250023 Revised monthly operating rept for Sept 1994 for RE Ginna Nuclear Power Plant.
WALDEN, J.V. Rochester Gas & Electric Corp. 94/09/30. 1p. 81885:316-81885:316.

V. Operator Examinations

9411150277 Forwards insp rept 50-244/94-23 on 941003-07. Licensed operator training & requalification programs had been determined to be good.
MEYER, G.W. Region 1 (Post 820201). 94/11/01. MECREDEY, R.C. Rochester Gas & Electric Corp. 2pp. 81741:349-81741:355.

—9411150279 Insp rept 50-244/94-23 on 941003-07. No violations noted. Major areas inspected: adequacy of plant licensed requalification program using NRC insp procedure 71001.
STEWART, J.S., MEYER, G.W. Region 1 (Post 820201). 94/11/01. 5pp. 81741:351-81741:355.

DOCKET 50-245 MILLSTONE NUCLEAR POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9411160155 Provides comments on proposed rule re fee for services to support Federal Emergency Mgt Agency Offsite radiological emergency preparedness program.
OPEKA, J.F. Connecticut Yankee Atomic Power Co. OPEKA, J.F. Northeast Nuclear Energy Co. OPEKA, J.F. Northeast Utilities. 94/09/12. Federal Emergency Management Agency. 3pp. 81781:231-81781:233.

9411180252 Forwards ERDS implementation documents. W/o encl.
JOLICOEUR, J.R. Incident Response Branch. 94/10/06. SAUL, K.L. Halliburton NUS Environmental Corp. 1p. 81809:018-81809:018.

9411070278 Forwards RAI re emergency action level technical basis document.
MCKEE, P.F. Project Directorate I-4. 94/10/27. OPEKA, J.F. Connecticut Yankee Atomic Power Co. OPEKA, J.F. Northeast Nuclear Energy Co. 81pp. 81713:211-81713:290.

9411150028 Advises that Rev 11 to guard training & qualification plan consistent w/provisions of 10CFR50.54(p) & acceptable.
JOYNER, J.H. Region 1 (Post 820201). 94/10/27. OPEKA, J.F. Northeast Nuclear Energy Co. 4pp. 81780:304-81780:307.

9411090302 Rev 1 to EPOP 4412, "Evacuation & Assembly" & revised index.
* Northeast Nuclear Energy Co. 94/10/28. 33pp. 81747:095-81747:127.

9411100173 Forwards Rev 20 to physical security plan. Rev withheld (ref 10CFR2.790(a)).
OPEKA, J.F. Northeast Nuclear Energy Co. OPEKA, J.F. Northeast Utilities Service Co. 94/10/31. Document Control Branch (Document Control Desk). 2pp. 81736:303-81736:304.

9411150461 Forwards insp repts 50-245/94-29, 50-336/94-25 & 50-423/94-27 on 941003-06. Violations noted. Violation involved failure to properly control vehicles granted escorted & unescorted access into protected area.
JOYNER, J.H. Region 1 (Post 820201). 94/10/31. OPEKA, J.F. Northeast Nuclear Energy Co. 3pp. 81745:067-81745:076.

—9411150467 Notice of violation from insp on 941003-06. Violation noted: designated licensee vehicle & non-licensee designated vehicle in protected area had been improperly controlled on 941003.
* Region 1 (Post 820201). 94/10/31. 1p. 81745:070-81745:070.

-9411150475 Insp repts 50-245/94-29,50-336/94-25 & 50-423/94-27 on 941003-06. Violations noted. Major areas inspected: audits & mgt support, effectiveness of mgt controls, protected area detection equipment & alarm stations & communications. KING, E.B. Region 1 (Post 820201). 94/10/31. 6pp. 81745:071-81745:076.

9411080143 Requests NRC review & approval of revised basis for fire protection exemption. SCACE, S.E. Northeast Nuclear Energy Co. SCACE, S.E. Northeast Utilities. 94/11/02. Document Control Branch (Document Control Desk). 4pp. 81677:262-81677:265.

9411210237 Change 2 to Rev 2 to EPIP 4400, "Event Assessment, Classification & Reportability." MCCANCE, W.T., RODGERS, R. Northeast Nuclear Energy Co. 94/11/03. 5pp. 81837:177-81837:181.

9411250050 Change 1 to Rev 1 to EPOP 4424, "Manager of Radiological Consequence Assessment (MRCA)." MCCANCE, W.T. Northeast Nuclear Energy Co. 94/11/10. 4pp. 81866:337-81866:340.

9411210244 Rev 8 to Corporate Organization for Nuclear Incidents (CONI) Procedure CONI 4.12, "Protective Action Recommendations." W/ Rev 80 to table of contents. RODGERS, R.C. Northeast Nuclear Energy Co. 94/11/14. 33pp. 81837:204-81837:236.

H. General correspondence

9411010061 Comment on proposed rule 10CFR2 re reexamination of NRC enforcement policy. Util endorses NEI position on issue & concurs w/recommendations. OPEKA, J.F. Northeast Utilities. 94/10/24. Rules & Directives Review Branch (Post 920323). 4pp. 81514:155-81514:158.

9411040003 Comment on proposed rule 10CFR2 re reexamination of NRC enforcement policy. OPEKA, J.F. Northeast Utilities Service Co. 94/10/24. Division of Freedom of Information & Publications Services (Post 940714). 4pp. 81575:003-81575:006.

P. Operating license stage documents & correspondence

9411030149 Rev 17 to "NEUT QA Program Topical Rept." Ltr dtd 941017 encl. * Northeast Utilities Service Co. 94/08/10. 128pp. 81653:021-81653:148.

9411010084 Informs NRC of util plan to integrate plants OSC & co-locate OSC w/TSC. OPEKA, J.F. Northeast Nuclear Energy Co. OPEKA, J.F. Northeast Utilities. 94/10/21. Document Control Branch (Document Control Desk). 8pp. 81587:083-81587:090.

9411040123 Informs that staff preparing rev to operability guidance, described in GL 91-18, to incorporate experience from regional workshops on operability. STOLZ, J.F. Project Directorate I-2. 94/10/21. KACICH, R.M. Northeast Nuclear Energy Co. 7pp. 81619:302-81619:322.

9411070429 Requests to use alternative to Section XI of ASME Boiler & Pressure Vessel Code for Unit 1, per 10CFR50.55a(g)(3). OPEKA, J.F. Northeast Nuclear Energy Co. OPEKA, J.F. Northeast Utilities Service Co. 94/10/31. Document Control Branch (Document Control Desk). 3pp. 81676:174-81676:176.

9411070433 Application for amends to licenses DPR-61 & DPR-21, renewing license conditions for plants to implement & maintain integrated implementation schedule programs plans. OPEKA, J.F. Northeast Nuclear Energy Co. OPEKA, J.F. Northeast Utilities Service Co. 94/10/31. Document Control Branch (Document Control Desk). 10pp. 81663:001-81663:037.

-9411070434 Proposed tech specs re integrated implementation schedule program plan. * Northeast Nuclear Energy Co. 94/10/31. 27pp. 81663:011-81663:037.

9411180211 Requests relief from ASME B&PV Code Section XI requirements, consistent w/intent of GL 90-05 & 10CFR50.55a(g)(6)(i). Description of actions taken by util to make interim repairs on leak in SWS piping line 2"-SW-6 encl. OPEKA, J.F., SCACE, S.E. Northeast Nuclear Energy Co. OPEKA, J.F. Northeast Utilities Service Co. 94/11/02. Document Control Branch (Document Control Desk). 11pp. 81800:285-81800:340.

-9411180217 Rev 0 to Technical Evaluation TE-M1-94-20, "Milestone Unit 1 NCR 194-1040 Evaluation of Pin Hole Leak in 24"-SW-6." * Northeast Nuclear Energy Co. TE-M1-94-20 R00. 94/10/25. 45pp. 81800:296-81800:340.

9411150200 Summarizes 941026 meeting w/util in King of Prussia, PA re motor-operated valve issues. Special emphasis placed on expectations for completion & process for closure of GL 89-10, "Safety-Related MOV Testing & Surveillance." KELLY, E.M. Region 1 (Post 820201). 94/11/03. OPEKA, J.F. Connecticut Yankee Atomic Power Co. 49pp. 81735:210-81735:258.

9411230232 Advises that out of 144 ISAP topics, 16 topics should remain open within ISAP. List of ISAP topics util considers open & NRC understanding of topics encl. ANDERSEN, J.W. Project Directorate I-4. 94/11/10. OPEKA, J.F. Connecticut Yankee Atomic Power Co. OPEKA, J.F. Northeast Nuclear Energy Co. 11pp. 81830:016-81830:026.

9411220161 Notification of significant licensee meeting 94-133 w/util on 941208 to discuss util strategy for dealing w/employee allegation issues. NICHOLSON, L. Region 1 (Post 820201). 94/11/14. Region 1 (Post 820201). 3pp. 81798:358-81798:360.

9411230288 Notification of 941209 meeting w/util in Rockville, MD to discuss employee concerns issues. ANDERSEN, J.W. Project Directorate I-4. 94/11/17. MCKEE, P.F. Project Directorate I-4. 5pp. 81841:166-81841:170.

9411230106 Advises that effective 941101, JW Andersen assigned project manager for plant. MCKEE, P.F. Project Directorate I-4. 94/11/18. OPEKA, J.F. Connecticut Yankee Atomic Power Co. OPEKA, J.F. Northeast Nuclear Energy Co. 4pp. 81830:008-81830:011.

9411280213 Forwards SE which concludes that purge/vent valve debris screens not needed, per util 941003 ltr. ANDERSEN, J.W. Project Directorate I-4. 94/11/21. OPEKA, J.F. Connecticut Yankee Atomic Power Co. OPEKA, J.F. Northeast Nuclear Energy Co. 3pp. 81853:058-81853:064.

-9411280230 Safety evaluation agreeing that Unit 1 does not need purge/vent valve debris screens. * Office of Nuclear Reactor Regulation, Director (Post 870411). 94/11/21. 4pp. 81853:061-81853:064.

9411280148 Summary of 941102 meeting w/util re instrument surveillance TS changes resulting from 24-month fuel cycle. ROONEY, V.L. Project Directorate I-4. 94/11/22. Project Directorate I-4. 6pp. 81852:209-81852:214.

Q. Inspection reports, IE Bulletins & correspondence

9411210093 Forwards bracketed/redacted version of util response to alleged violations noted as ref in insp rept 50-245/90-01 & Investigation Case 1-90-008. GRAY, J.R. Ofc of Enforcement (Post 870413). 94/10/12. ABOLAFIA, E. Affiliation Not Assigned. 42pp. 81785:042-81785:083.

9410140257 Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Mfts Events to NRC Operations Ctr." BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.

9411020035 Forwards insp repts 50-245/94-28,50-336/94-27 & 50-423/94-24 on 940817-0926 & MOV. ROGGE, J.F. Region 1 (Post 820201). 94/10/24. OPEKA, J.F. Northeast Nuclear Energy Co. 4pp. 81528:185-81528:214.

-9411020042 Notice of violation from insp on 940817-0926. Violation noted: since Jan 1990, ten instances exist when 2A/B solenoids failed to meet 1.1 second stroke time specified. * Region 1 (Post 820201). 94/10/24. 2pp. 81528:189-81528:190.

-9411020046 Insp repts 50-245/94-28,50-336/94-27 & 50-423/94-24 on 940817-0926. No violations noted. Major areas inspected: plant operations, radiological controls & maint. NICHOLSON, L.E. Region 1 (Post 820201). 94/10/17. 24pp. 81528:191-81528:214.

9410200153 NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts." GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81658:001-81658:013.

9411150461 Forwards insp repts 50-245/94-29,50-336/94-25 & 50-423/94-27 on 941003-06. Violations noted. Violation involved failure to properly control vehicles granted escorted & unescorted access into protected area. JOYNER, J.H. Region 1 (Post 820201). 94/10/31. OPEKA, J.F. Northeast Nuclear Energy Co. 3pp. 81745:067-81745:076.

-9411150467 Notice of violation from insp on 941003-06. Violation noted: designated licensee vehicle & non-licensee designated vehicle in protected area had been improperly controlled on 941003. * Region 1 (Post 820201). 94/10/31. 1p. 81745:070-81745:070.

-9411150475 Insp repts 50-245/94-29,50-336/94-25 & 50-423/94-27 on 941003-06. Violations noted. Major areas inspected: audits & mgt support, effectiveness of mgt controls, protected area detection equipment & alarm stations & communications. KING, E.B., MCCABE, E.C. Region 1 (Post 820201). 94/10/31. 6pp. 81745:071-81745:076.

9411220084 Forwards insp repts 50-245/94-32,50-336/94-31 & 50-423/94-29 on 941011-14 & notice of violation. JOYNER, J.H. Region 1 (Post 820201). 94/11/09. OPEKA, J.F. Northeast Nuclear Energy Co. 3pp. 81797:334-81797:352.

-9411220090 Notice of violation from insp on 941011-14. Violation noted: Individual entered reactor cavity w/o following rules re entry into cavity & not informed of radiation levels there. * Region 1 (Post 820201). 94/11/09. 2pp. 81797:337-81797:338.

-9411220097 Insp repts 50-245/94-32,50-336/94-31 & 50-423/94-29 on 941011-14. Violations noted. Major areas inspected: radiological controls area including program changes, staffing, training & qualifications, audits & appraisals. NIMITZ, R.L., BORES, R.J. Region 1 (Post 820201). 94/11/09. 13pp. 81797:339-81797:352.

9411220008 Forwards requalification program insp rept 50-245/94-30 on 941003-10. MEYER, G. Region 1 (Post 820201). 94/11/10. OPEKA, J.F. Northeast Nuclear Energy Co. 3pp. 81796:036-81796:045.

-9411220011 Requalification program insp rept 50-245/94-30 on 941003-10. Exam results: all operators passed all portions of exam. SISCO, C., MEYER, G. Region 1 (Post 820201). 94/11/10. 7pp. 81796:039-81796:045.

9411220091 Summarizes 941021 meeting w/util in King of Prussia, PA re addl actions planned to address performance concerns noted in insp repts 50-245/94-18,50-336/94-17 & 50-423/94-16. DURR, J.P. Region 1 (Post 820201). 94/11/10. OPEKA, J.F. Northeast Nuclear Energy Co. 31pp. 81798:017-81798:047.

9411090300 NRC Bulletin 94-002, "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride." PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.

9411100237 NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment." GRIMES, B.K. 94/11/17. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.

22 DOCKETED ITEMS

9411230004 Responds to licensee 940919 ltr re NRC 940815 ltr which discussed response to two violations & imposition of \$87,500 civil penalty from NRC insp repts 50-336/94-18 & 50-245/94-01.
MARTIN,T.T. Region 1 (Post 820201). 94/11/17. OPEKA,J.F. Northeast Nuclear Energy Co. 4pp. 81811:015-81811:043.

9411150578 NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation."
GRIMES,B.K. 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.

9411170039 NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping."
GRIMES,B.K. 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.

9411170279 NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys."
GRIMES,B.K. 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.

9411170284 NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results."
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.

S. Reportable occurrences, LERs & related correspondence

9411070090 Final Part 21 rept 94-002A re three air start distributor cams cracking at plants.Cams replaced w/cams made using electric arc.
PRATIANN,S.A. Coltec Industries, Inc. 94/06/01. Document Control Branch (Document Control Desk). 5pp. 81654:209-81654:213.

9411100245 LER 94-030-00:on 941005,determined that TS SR to verify three LPCI pumps deliver 15,000 gpm not performed as specified in TS due to inadequate review processes.Analysis of existing pump flow data performed.W/941103 ltr.
HARRIS,D.N., MILLER,D.B. Northeast Nuclear Energy Co. 94/11/03. 5pp. 81770:204-81770:208.

9411250094 LER 94-031-00:on 941017,gas turbine start logic seal-in occurred.Caused by personnel error.Plant made compatible w/ design basis,either through mods or change in design basis. W/941116 ltr.
HARRIS,D.N., MILLER,D.B. Northeast Nuclear Energy Co. MILLER,D.B. Northeast Utilities. 94/11/16. 5pp. 81864:164-81864:168.

V. Operator Examinations

9411020003 Informs that on 941005,NRC administered GFES of written operator licensing & forwards copies of answer key,grading results for facility & copies of individual answer sheets for each employee.W/o encl.
MEYER,G.W. Region 1 (Post 820201). 94/10/26. HEIDECKER,R.W. Northeast Nuclear Energy Co. 2pp. 81528:041-81528:042.

9411020106 Submits response to administrative ltr 94-12 re operator licensing natl exam schedule.
OPEKA,J.F. Northeast Nuclear Energy Co. 94/10/26. Document Control Branch (Document Control Desk). 6pp. 81589:237-81589:242.

9411220008 Forwards requalification program insp rept 50-245/94-30 on 941003-10.
MEYER,G. Region 1 (Post 820201). 94/11/10. OPEKA,J.F. Northeast Nuclear Energy Co. 3pp. 81796:036-81796:045.

9411220011 Requalification program insp rept 50-245/94-30 on 941003-10.Exam results:all operators passed all portions of exam.
SISCO,C., MEYER,G. Region 1 (Post 820201). 94/11/10. 7pp. 81796:039-81796:045.

DOCKET 50-247 INDIAN POINT STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9411230008 PDR version of emergency procedures document book 2,Apps A,B & C.W/ ltr dtd 941121.
* Commonwealth Edison Co. 94/06/01. KAMMERER,C.C. Division of Freedom of Information & Publications Services (Post 940714). 28pp. 81826:299-81826:326.

9411070132 Responds to concerns identified during operational safeguards response evaluation on 940325-30.
QUINN,S.E. Consolidated Edison Co. of New York, Inc. 94/10/28. Document Control Branch (Document Control Desk). 2pp. 81654:173-81654:174.

P. Operating license stage documents & correspondence

9411090284 Suppls & clarifies 940218 proposed changes to TS surveillance intervals to accommodate 24 month fuel cycle.
QUINN,S.E. Consolidated Edison Co. of New York, Inc. 94/11/01. Document Control Branch (Document Control Desk). 4pp. 81750:322-81750:325.

9411150090 Forwards application for amend to license DPR-26, revising TS to make administrative & editorial changes, revising SNSC composition, modifying recordkeeping requirements of NFSC & implementing changes ref in GL 93-07.
QUINN,S.E. Consolidated Edison Co. of New York, Inc. 94/11/02. Document Control Branch (Document Control Desk). 1p. 81772:249-81772:253.

9411150099 Application for amend to license DPR-26, revising TS to make administrative & editorial changes, revising SNSC composition, modifying recordkeeping requirements of NFSC & implementing changes ref in GL 93-07.
QUINN,S.E. Consolidated Edison Co. of New York, Inc. 94/11/02. 1p. 81772:251-81772:251.

9411150104 Proposed tech specs,making administrative & editorial changes, revising SNSC composition, modifying recordkeeping requirements of NFSC & implementing changes ref in GL 93-07.
* Consolidated Edison Co. of New York, Inc. 94/11/02. 32pp. 81772:252-81772:283.

9411150335 Discusses public meeting on 941026 in King of Prussia,PA to discuss MOV issues w/Region 1 licensees.Summary encl.
KELLY,E.M. Region 1 (Post 820201). 94/11/03. QUINN,S.E. Consolidated Edison Co. of New York, Inc. 49pp. 81742:247-81742:295.

9411220416 Forwards TS Page 4.4-10 re extended containment isolation valve leak testing to Accommodate 24 Month Operating Cycle.
QUINN,S.E. Consolidated Edison Co. of New York, Inc. 94/11/08. Document Control Branch (Document Control Desk). 2pp. 81833:062-81833:064.

9411220418 Proposed TS 4.4-10 re extended containment isolation valve leak testing to Accommodate 24 Month Operating Cycle.
* Consolidated Edison Co. of New York, Inc. 94/11/08. 1p. 81833:064-81833:064.

9411220421 Forwards TS Table 4.1-1 Pages 2 of 7, 5 of 7 & 6 of 7 & Table 4.1-3 Page 1 of 1.
QUINN,S.E. Consolidated Edison Co. of New York, Inc. 94/11/08. Document Control Branch (Document Control Desk). 2pp. 81833:065-81833:070.

9411220423 Proposed TS Table 4.1-1 Pages 2 of 7, 5 of 7 & 6 of 7 & Table 4.1-3 Page 1 of 1.
* Consolidated Edison Co. of New York, Inc. 94/11/08. 4pp. 81833:067-81833:070.

9411230193 Forwards TS Pages i,ii,v & 6-7,per GL 88-16.Pages reconciled w/most current amended Tech Specs & w/exception of administrative table of contents changes contain no new changes.
QUINN,S.E. Consolidated Edison Co. of New York, Inc. 94/11/08. Document Control Branch (Document Control Desk). 2pp. 81893:336-81893:341.

9411230198 Proposed TS Pages i,ii,v & 6-27 re table of contents.
* Consolidated Edison Co. of New York, Inc. 94/11/08. 4pp. 81893:338-81893:341.

9411250019 Forwards design details & failure modes & effects analysis for proposed upgrade of wide range level indication to four channel,two train sys,per NUREG-0737,Suppl 1 & Reg Guide 1.97,Rev 2.
QUINN,S.E. Consolidated Edison Co. of New York, Inc. 94/11/15. Document Control Branch (Document Control Desk). 10pp. 81885:317-81885:326.

9411220384 Forwards amend 178 to license DPR-26 & safety evaluation. Amend revises surveillance intervals for vol control tank level instrument,containment high range radiation monitors & safety injection sys to accommodate 24-month fuel cycle.
WILLIAMS,F.J. Project Directorate I-1. 94/11/16. QUINN,S.E. Consolidated Edison Co. of New York, Inc. 4pp. 81822:282-81822:301.

9411220389 Amend 178 to license DPR-26, revising surveillance intervals for vol control tank level instrument,containment high range radiation monitors,safety injection sys electrical loading & safety injection sys to accommodate 24-month fuel cycle.
CASE,M.J. Project Directorate I-1. 94/11/16. 11pp. 81822:286-81822:296.

9411220392 Safety evaluation supporting amend 178 to license DPR-26.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/11/16. 5pp. 81822:297-81822:301.

9411280233 Forwards request for addl info re util 940413 submittal of proposed amend to TS involving steam generator tube sleeving & acceptance criteria for Unit 2.
WILLIAMS,F.J. Project Directorate I-1. 94/11/21. QUINN,S.E. Consolidated Edison Co. of New York, Inc. 6pp. 81853:065-81853:070.

Q. Inspection reports, IE Bulletins & correspondence

9410140257 Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Mats Events to NRC Operations Ctr."
BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.

9410200153 NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts."
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81658:001-81658:013.

9411090290 Responds to violations noted in insp rept 50-247/94-13. Corrective actions:OAD-33, "Procedure Adherence & Use," revised to further emphasize & clarify requirements.
QUINN,S.E. Consolidated Edison Co. of New York, Inc. 94/11/01. Document Control Branch (Document Control Desk). 4pp. 81750:328-81750:331.

9411090300 NRC Bulletin 94-002, "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride."
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.

9411220153 Forwards insp rept 50-247/94-16 on 940904-1015.No violations noted.
COWGILL,C.J. Region 1 (Post 820201). 94/11/15. QUINN,S.E. Consolidated Edison Co. of New York, Inc. 3pp. 81798:246-81798:261.

9411220163 Insp rept 50-247/94-16 on 940904-1015.No violations noted. Major areas inspected:resident inspector core,regional initiative & reactive insp performed.
DOERFLEIN,L.T. Region 1 (Post 820201). 94/11/15. 13pp. 81798:249-81798:261.

9411300173 Responds to 941013 request for addl info &/or clarification re third 10-yr interval ISI program.
QUINN,S.E. Consolidated Edison Co. of New York, Inc. 94/11/16. Document Control Branch (Document Control Desk). 85pp. 81906:263-81906:345.

9411100237 NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment."
GRIMES,B.K. 94/11/17. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.

9411150578 NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation."
GRIMES,B.K. 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.

9411170039 NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping." GRIMES,B.K. 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.

9411170279 NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys." GRIMES,B.K. 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.

9411170284 NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results." PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.

R. Periodic operating reports & related correspondence

9411230211 Monthly operating rept for Oct 1994 for Indian Point Unit 2. W/941115 ltr. REED,A., QUINN,S.E. Consolidated Edison Co. of New York, Inc. 94/10/31. 6pp. 81833:217-81833:222.

S. Reportable occurrences, LERs & related correspondence

9411070090 Final Part 21 rept 94-002A re three air start distributor cams cracking at plants. Cams replaced w/cams made using electric arc. PRATTIANNE,S.A. Coltec Industries, Inc. 94/06/01. Document Control Branch (Document Control Desk). 5pp. 81654:209-81654:213.

V. Operator Examinations

9411070197 Notices of change of senior operator status re listed individuals. QUINN,S.E. Consolidated Edison Co. of New York, Inc. 94/10/31. MARTIN,T.T. Region 1 (Post 820201). 2pp. 81663:135-81663:136.

DOCKET 50-249 DRESDEN NUCLEAR POWER STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9411150446 Rev 4 to Dresden Safe Shutdown Procedure (DSSP) DSSP 0010-01, "Determining Safe Shutdown Paths for Extensive Plant Damage." WALLS,M., FIEDLER,J., WUJICGA,J. Commonwealth Edison Co. 94/09/06. 12pp. 81780:153-81780:164.

9411070071 Revised Corporate EPIPs (CEPIP), including Rev 7 to CEPIP-3103-01 & Rev 8 to CEPIP-3104-01. SCOTT,D.J. Commonwealth Edison Co. 94/10/05. 19pp. 81654:188-81654:208.

9411030225 Revised Corporate EPIPs (CEPIP), including Rev 2 to CEPIP-321-01, Rev 3 to CEPIP-3303-01, Rev 3 to CEPIP-3304-01, Rev 3 to CEPIP-3404-01 & Rev 3 to CEPIP-3505-01. PAVEY,M., GOLDEN,J., SCOTT,D.J. Commonwealth Edison Co. 94/10/06. 65pp. 81606:221-81606:285.

9411150463 Rev 6 to Dresden Safe Shutdown Procedure (DSSP) DSSP 0100-CR, "Hot Shutdown Procedure - Control Room Evacuation." WALLS,M., FIEDLER,J., FACCHINA,R. Commonwealth Edison Co. 94/10/06. 39pp. 81780:104-81780:142.

9411160099 Forwards details of physical security concern at plant & requests that results of licensee review & disposition of subj matter be submitted to Region III within 45 days of dtd ltr. W/o encl. PEDERSON,C.D. Region 3 (Post 820201). 94/11/03. PERRY,J.S. Commonwealth Edison Co. 81746:339-81746:340.

9411210293 Submits response to NRC request for addl info re proposed use of corporate EOF as interim EOF to perform emergency response functions until near site can be staffed. JOHNSON,I.M. Commonwealth Edison Co. 94/11/15. Document Control Branch (Document Control Desk). 22pp. 81833:332-81833:353.

9411300211 Forwards response to 940919 RAI re proposed use of corporate EOF (CEOF) as interim EOF, including analysis of EOF functions applicable to CEOF as interim EOF. JOHNSON,I.M. Commonwealth Edison Co. 94/11/22. Office of Nuclear Reactor Regulation, Director (Post 870411). 77pp. 81908:092-81908:169.

G. Adjudicatory correspondence

9411010207 Refers to Pierce actions re util failure to provide adequate training or guidance concerning applicability of DOA 300-12 while expert present directing control rod movements. PIERCE,K.G. Affiliation Not Assigned. #494 15852. 94/10/24. 1p. 81513:304-81513:304.

H. General correspondence

9411090146 Responds to 940825 ltr expressing concerns re util mod of security force organization at nuclear facilities. NRC will evaluate future changes to security plans at nuclear facilities to ensure that plans remain effective. CAPRA,R.A. Project Directorate III-2. 94/11/04. RUSSELL,D. Affiliation Not Assigned. 4pp. 81715:225-81715:229.

9411090155 Informs of concern re CE decision to reduce security force NPGSS. Notes security already reduced 20% & terrorist threat to US higher than any time in recent history. Pleads that mod to security be stopped. RUSSELL,D. Affiliation Not Assigned. 94/08/25. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 1p. 81715:229-81715:229.

9411230100 Responds to 941015 ltr to Chairman I Selin, requesting info on actions taken by NRC to address concerns raised by JA Fleming re emergency preparedness for nuclear power plants. TAYLOR,J.M. Ofc of the Executive Director for Operations. 94/11/09. KERRY,J.F. Senate. 3pp. 81828:286-81828:323.

9411230199 Requests addl info pertaining to emergency preparedness for each site listed. FLEMING,J.A. Affiliation Not Assigned. 94/07/14. CHILK,S. Office of the Secretary of the Commission. 2pp. 81828:322-81828:323.

P. Operating license stage documents & correspondence

9411300237 Final response to FOIA request for documents. App C records encl & partially withheld (ref FOIA exemption 5). POWELL,R.A. Division of Freedom of Information & Publications Services (890206-940714). 93/11/22. PATTERSON,S.J. Newman & Holtzinger. 3pp. 81900:174-81900:271.

9411300253 Summary of 920615-16 NRC senior mgt meeting conducted to assure NRC focusing resources on plants & related issues of greatest safety significance. Info partially deleted. TAYLOR,J.M. Ofc of the Executive Director for Operations. 92/06/25. THE CHAIRMAN, SELIN,I., ROGERS,K.C. Commissioners (Post 750119). 50pp. 81900:178-81900:227.

9411300265 Summary of 930126-28 NRC senior mgt meeting conducted to assure NRC focusing resources on plants & related issues of greatest safety significance. Info partially deleted. TAYLOR,J.M. Ofc of the Executive Director for Operations. 93/02/04. THE CHAIRMAN, SELIN,I., ROGERS,K.C. Commissioners (Post 750119). 44pp. 81900:228-81900:271.

9411040125 Ltr contract, mod 1 to task order 20, extending period of performance of task order from 940929 to 950329 at no addl cost or obligation to govt, to "IPE Reviews, Internal Events, Human Reliability Analysis Only," for plant. MACE,M. Division of Contracts (Post 940714). NRC-04-91-069. 94/09/01. HAAS,P.M. Concord Associates, Inc. 2pp. 81628:278-81628:279.

9411010060 Forwards "Response to RAI On Dresden IPE Submittal," requested in 940824 ltr from J Stang to D Farrar. PIET,P.L. Commonwealth Edison Co. 94/10/28. Document Control Branch (Document Control Desk). 1p. 81574:069-81574:256.

9411010089 "Response To RAI On Dresden IPE Submittal." * Commonwealth Edison Co. 94/10/26. 887pp. 81574:070-81574:256.

9411020246 Responds to NRC RAI on core shroud. PIET,P.L. Commonwealth Edison Co. 94/10/28. Document Control Branch (Document Control Desk). 7pp. 81633:350-81633:356.

9411030182 Summary of 940831 meeting w/util to discuss plan for sustained long-term performance improvements at plant. STANG,J.F. Project Directorate III-2. 94/10/31. Project Directorate III-2. 4pp. 81607:263-81607:266.

9411080285 Forwards amends 129,123,150,146,158 & 146 to licenses DPR-19, DPR-25, DPR-29, DPR-30, DPR-39 & DPR-48, respectively & safety evaluation. Amends add license condition that modifies NUREG-0737 to allow commitments be controlled under 10CFR50. SHIRAKI,C.Y. Project Directorate III-2. 94/11/03. FARRAR,D.L. Commonwealth Edison Co. 4pp. 81658:280-81658:307.

9411080290 Amends 129,123,150,146,158 & 146 to licenses DPR-19, DPR-25, DPR-29, DPR-30, DPR-39 & DPR-48, respectively, adding license condition that modifies NUREG-0737 to allow commitments made in response to NUREG-0737 be controlled under 10CFR50.59. CAPRA,R.A. Project Directorate III-2. 94/11/03. 21pp. 81658:284-81658:304.

9411080302 Safety evaluation supporting amends 129,123,150,146,158 & 146 to licenses DPR-39, DPR-48, DPR-19, DPR-25, DPR-29 & DPR-30, respectively. * Office of Nuclear Reactor Regulation, Director (Post 870411). 94/11/03. 3pp. 81658:305-81658:307.

9411090142 Notification of 941206 meeting w/util & NRC in Rockville, MD to discuss performance of licensee plants. DICK,G.F. Project Directorate III-2. 94/11/04. CAPRA,R.A. Project Directorate III-2. 4pp. 81715:221-81715:224.

9411100244 Summary of 941014 meeting w/util re response to GL-94-03, "Intergranular Stress Corrosion Cracking of Core Shrouds in BWR," for plants. List of attendees encl. STANG,J.F. Project Directorate III-2. 94/11/07. Project Directorate III-2. 38pp. 81724:322-81724:360.

9411160050 Forwards rept on site visit to review implementation of maint rule at station for review & info. Rept identifies strengths & weaknesses w/program at site. SHAFER,W.D. Region 3 (Post 820201). 94/11/07. DONNELLY,P.M. Consumers Power Co. LINK,R. Wisconsin Electric Power Co. 2pp. 81746:131-81746:141.

9411170299 Forwards RAI re GL 94-03, "Intergranular Stress Corrosion Cracking of Core Shrouds in Boiling Water Reactors." Response should be provided within 30 days of ltr date. STANG,J.F. Project Directorate III-2. 94/11/14. FARRAR,D.L. Commonwealth Edison Co. 5pp. 81777:142-81777:147.

9411180002 Advises that rept GE-NE-L12-00819-05, "Core Shroud Blowdown Load Calculation During Recirculation Suction Line Break By TRACG Analysis for Dresden, Units 2 & 3 & Quad Cities, Units 1 & 2" will be withheld (ref 10CFR2.790), per 940902 ltr. STANG,J.F. Project Directorate III-2. 94/11/15. FARRAR,D.L. Commonwealth Edison Co. 4pp. 81782:097-81782:100.

24 DOCKETED ITEMS

9411210245 Submits response to NRC request for addl info re GL 89-10. Info provided in 4 Attachments. Attachment A provides summary of methods, results of reprioritization & margin review effort for util MOV population.
FARRAR, D.L. Commonwealth Edison Co. 94/11/15. Document Control Branch (Document Control Desk). 5pp. 81837:034-81837:087.

9411210266 Forwards GENE-523-A163-1194, "Quad Cities & Dresden Main Steam Line Break Analysis W/ TRACG Model."
PIET, P.L. Commonwealth Edison Co. 94/11/15. Document Control Branch (Document Control Desk). 3pp. 81831:113-81831:126.

-9411210275 "Quad Cities & Dresden Main Steam Line Break Analysis W/ TRACG Model."
VILLALTA, J.A., CASILLAS, J.L., RANGANATH, S. General Electric Co. GENE-523-A163-1194. 94/11/09. 11pp. 81831:116-81831:126.

9411230105 Forwards amends 130,124,151 & 147 to licenses DPR-19, DPR-25, DPR-29 & DPR-30, respectively. Amends revise TS 3/4.4 to revise sodium pentaborate solution concentrations for SLCS storage tanks.
STANG, J.F. Project Directorate III-2. 94/11/16. FARRAR, D.L. Commonwealth Edison Co. 3pp. 81823:006-81823:045.

-9411230122 Amends 130,124,151 & 147 to licenses DPR-19, DPR-25, DPR-29 & DPR-30, respectively, revising TS 3/4.4 to revise sodium pentaborate solution concentrations for SLCS storage tanks based on net positive suction head test results.
STANG, J.F. Project Directorate III-2. 94/11/16. 33pp. 81823:009-81823:041.

-9411230130 Safety evaluation supporting amends 130,124,151 & 147 to licenses DPR-19, DPR-25, DPR-29 & DPR-30, respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/11/16. 4pp. 81823:042-81823:045.

9411300238 Submits reactor water clean-up sys piping replacement schedule.
SCHRAGE, J.L. Commonwealth Edison Co. 94/11/21. Document Control Branch (Document Control Desk). 2pp. 81951:300-81951:301.

9411290047 Discusses review of radiation protection concern & informs that licensee investigation did not substantiate concern.
AXELSON, W.L. Region 3 (Post 820201). 94/11/22. PERRY, J.S. Commonwealth Edison Co. 1p. 81857:291-81857:291.

Q. Inspection reports, IE Bulletins & correspondence

9410140257 Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Matls Events to NRC Operations Ctr."
BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 830207). 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.

9410200153 NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts."
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81658:001-81658:013.

9411100126 Forwards insp repts 50-010/94-15, 50-237/94-15 & 50-249/94-15 on 940816-1005 & notices of violation & deviation. NRC concerned by potential for other similar conditions & cumulative effect on plant safety.
GREENMAN, E.G. Region 3 (Post 820201). 94/10/27. PERRY, J.S. Commonwealth Edison Co. 3pp. 81673:307-81673:338.

-9411100131 Notice of violation from insp on 940816-1005. Violation noted: failure to document manipulated unit 3 DG lubricating oil strainer in work instructions & failure to document control rods moved out-of-sequence.
* Region 3 (Post 820201). 94/10/27. 2pp. 81673:310-81673:311.

-9411100137 Notice of deviation from insp on 940816-1005. Deviation noted: failure to monitor containment cooling sys water sys pressures on unit 2 & failure of procedure to contain step to remove rod insert block from rod worth minimizer.
* Region 3 (Post 820201). 94/10/27. 1p. 81673:312-81673:312.

-9411100142 Insp repts 50-010/94-15, 50-237/94-15 & 50-249/94-15 on 940816-1005. Violations & deviations noted. Major areas inspected: operations, maint & surveillance, engineering & technical support, plant support & safety assessment.
HILAND, P.L. Region 3 (Post 820201). 94/10/24. 26pp. 81673:313-81673:338.

9411220020 Ack receipt of 940922 ltr informing NRC of steps taken to correct violation in insp repts 50-010/94-14, 50-237/94-14 & 50-249/94-14.
GREENMAN, E.G. Region 3 (Post 820201). 94/11/07. PERRY, J.S. Commonwealth Edison Co. 1pp. 81796:093-81796:093.

9411090300 NRC Bulletin 94-002, "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride."
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.

9411100237 NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment."
GRIMES, B.K. 94/11/17. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.

9411230150 Forwards response to violations noted in Insp Repts 50-237/94-16 & 50-249/94-16. Corrective actions: acceptance criteria used in test verified to be consistent w/loop accuracy calculation subsequently developed.
PERRY, J.S. Commonwealth Edison Co. 94/11/18. Document Control Branch (Document Control Desk). 9pp. 81833:104-81833:112.

9411150578 NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation."
GRIMES, B.K. 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.

9411170039 NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping."
GRIMES, B.K. 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.

9411300226 Responds to violations noted in insp repts 50-010/94-15, 50-237/94-15 & 50-249/94-15. Corrective actions: policy developed w/operations dept to provide positive control by operations of valve manipulation by outside individuals.
PERRY, J.S. Commonwealth Edison Co. 94/11/23. Document Control Branch (Document Control Desk). 8pp. 81906:346-81906:353.

9411170279 NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys."
GRIMES, B.K. 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.

9411170284 NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results."
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.

R. Periodic operating reports & related correspondence

9411180153 Monthly operating repts for Oct 1994 for Dresden Nuclear Power Station. W/941010 ltr.
SYKES, K.W., EENIGENBERG, E. Commonwealth Edison Co. 94/10/31. 25pp. 81804:322-81804:346.

S. Reportable occurrences, LERs & related correspondence

9411010307 LER 94-007-00: on 940910, type B & C primary containment local leak rate testing limit exceeded TS 3.7.A.2.b(2)(a). Caused by valve internals revealed that viton seats were torn. HPCI turbine exhaust was replaced. W/941025 ltr.
MCGIVERN, M., BAX, R.L. Commonwealth Edison Co. 94/09/24. 13pp. 81602:086-81602:098.

9411210111 Interim Part 21 Rept 94-12 re Limitorque actuator potential motor pinion key failure. Comm Ed issued guidelines to six nuclear stations on methods for properly installing motor pinion keys.
JOHNSON, I.M. Commonwealth Edison Co. 94/11/11. Office of Nuclear Reactor Regulation, Director (Post 870411). 5pp. 81831:127-81831:131.

9411300286 LER 94-020-00: on 941029, unexpected full reactor scram occurred while shutdown during special test. Caused by personnel error. Individual involved counseled. W/941121 ltr.
ROBBINS, K.W., PERRY, J.S. Commonwealth Edison Co. 94/11/16. 5pp. 81912:135-81912:139.

9411300271 LER 94-019-00: on 941026, reactor scram occurred. Caused by reactor low water level signal generated from pressure transient. Procedure revised. W/941121 ltr.
RALPH, R.O., PERRY, J.S. Commonwealth Edison Co. 94/11/23. 5pp. 81930:006-81930:010.

V. Operator Examinations

9411040265 Forwards master BWR/PWR GFES exam w/answer key of exam administered on 941005.
RING, M.A. Region 3 (Post 820201). 94/10/27. Commonwealth Edison Co. 1p. 81586:002-81586:002.

9411300218 Forwards NRC summarized guidance that clarifies requirements for maintaining individual operator licenses, entitled, "Clarification of Maint & Reactivation Requirements for Individual Operator Licenses."
RING, M.A. Region 3 (Post 820201). 94/11/18. Affiliation Not Assigned. 3pp. 81872:341-81872:343.

DOCKET 50-250 TURKEY POINT PLANT, UNIT 3

F. Security, medical, emergency & fire protection plans

9411070252 Forwards insp repts 50-250/94-18 & 50-251/94-18 on 940828-0930. No violations identified.
VERRELLI, D.M. Region 2 (Post 820201). 94/10/18. GOLDBERG, J.H. Florida Power & Light Co. 3pp. 81606:005-81606:038.

-9411070259 Insp repts 50-250/94-18 & 50-251/94-18 on 940828-0930. No violations noted. Major areas inspected: operational safety & plant events, chemistry, fire protection & housekeeping.
JOHNSON, T.P., DESAI, B.B., TROCINE, L. Region 2 (Post 820201). 94/10/18. 31pp. 81606:008-81606:038.

9411030133 Forwards amends 168 & 162 to licenses DPR-31 & DPR-41, respectively & safety evaluation. Amends consist of changes to TS in response to application dtd 940218, as suppl by 940805 ltr re specification of audit frequencies in TS.
CROTEAU, R.P. Project Directorate II-2. 94/10/26. GOLDBERG, J.H. Florida Power & Light Co. 3pp. 81607:209-81607:226.

-9411030138 Amends 168 & 162 to licenses DPR-31 & DPR-41, respectively, changing TS in response to application dtd 940218 as suppl on 940805 re specification of audit frequencies in TS & mod of TS administration control requirements for emergency.
THADANI, M.C. Project Directorate II-2. 94/10/26. 8pp. 81607:212-81607:219.

-9411030140 Safety evaluation supporting amends 168 & 162 to licenses DPR-31 & DPR-41, respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. 7pp. 81607:220-81607:226.

9411090018 Discusses 941006 mgt meeting at plant site re NRC presentation of SALP repts 50-250/94-99 & 50-251/94-99 at facility during period of 930131-940923. List of attendees & handout encl.
BOGER, B.A. Region 2 (Post 820201). 94/10/31. GOLDBERG, J.H. Florida Power & Light Co. 15pp. 81637:161-81637:187.

9411210043 Ack ltr, dtd 940831, in response to request for info ltr, dtd 940728, re changes in submittals that appeared inconsistent w/emergency std of 10CFR50.47(b) & 10CFR50. App E. Dose limits for emergency workers resolved.
CLINE, W.F. Region 2 (Post 820201). 94/10/31. GOLDBERG, J.H. Florida Power & Light Co. 5pp. 81784:199-81784:203.

9411210105 Forwards insp repts 50-250/94-19 & 50-251/94-19. No violations noted.
CLINE, W.E. Region 2 (Post 820201). 94/11/04. GOLDBERG, J.H. Florida Power & Light Co. 3pp. 81785:088-81785:104.

9411210109 Insp repts 50-250/94-19 & 50-251/94-19 on 941003-7. No violations noted. Major areas inspected: organization, staffing, self assessment programs, training & review of health physics activities.
FORBES, D.B., RANKIN, W.H. Region 2 (Post 820201). 94/10/31. 14pp. 81785:091-81785:104.

9411100278 Notification of 941129 meeting w/FPL in Rockville, MD to discuss NRC request for addl info, dtd 941012 concerning FPL 940615 request for exemption re use of Thermo-Lag fire barriers in outdoor fire areas at plant.
CROTEAU, R.P. Project Directorate II-2. 94/11/09. THADANI, M.C. Project Directorate II-2. 3pp. 81726:317-81726:319.

9411100280 Notification of 941214 meeting w/FPL Power & Light in Florida City, FL to discuss implementation concepts of design basis threat rule at plant including challenges to plant site.
CROTEAU, R.P. Project Directorate II-2. 94/11/09. THADANI, M.C. Project Directorate II-2. 3pp. 81726:320-81726:322.

9411290008 Forwards insp repts 50-250/94-20 & 50-251/94-20 on 941001-29. No violations noted.
VERRELLI, D.M. Region 2 (Post 820201). 94/11/10. GOLDBERG, J.H. Florida Power & Light Co. 3pp. 81857:031-81857:066.

9411290013 Insp repts 50-250/94-20 & 50-251/94-20 on 941001-29. No violations noted. Major areas inspected: plant operations including operational safety plant events, maint including surveillance observations & fire protection.
JOHNSON, T.P., DESAI, B.B., TROCINE, L. Region 2 (Post 820201). 94/11/10. 33pp. 81857:034-81857:066.

9411300145 Revised EIPs, including rev 5 to EIP-1101, "Duties of Emergency Control Officer," rev 8 to EIP-1102, "Duties of Recovery Manager" & rev 5 to EIP-1108, "Duties of Nuclear Div Duty Officer." W/941123 ltr.
BOHLKE, W.H. Florida Power & Light Co. 94/11/23. 53pp. 81908:278-81908:328.

P. Operating license stage documents & correspondence

9411040293 Technical Rept, "Assessment of Aging Degradation of Civil/ Structural Features at Selected Operating Nuclear Power Plants."
BRAVERMAN, J., MORANTE, R., HOFMAYER, C. Brookhaven National Laboratory. L-151(6)/5-93. 93/05/31. 100pp. 81621:028-81621:128.

9411300244 FOIA request for info re plant 1990 & 1991 revs to NUREG/CR-5250 & 1992 seismic hazard characterizations of NPP sites east of Rocky Mountains.
BURFORD, J.N. Florida Power & Light Co. 93/08/18. GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (890206-940714). 5pp. 81905:056-81905:060.

9411300251 Final response to FOIA request for info re plant 1990 & 1991 revs to NUREG/CR-5250 & 1992 seismic hazard characterizations of NPP sites east of Rocky Mountains. Forwards info in response to request.
GRIMSLEY, D. Division of Freedom of Information & Publications Services (890206-940714). 93/11/22. BURFORD, J.N. Florida Power & Light Co. 1p. 81905:061-81905:188.

9411300266 Transmits hazard curves for all plant sites based on G-Experts 1-4 ground motion models in response to NRR request.
BERNREUTER, D.L. Lawrence Livermore National Laboratory. 88/08/30. GIESE-KOCH, G. Office of Nuclear Reactor Regulation, Director (Post 870411). 127pp. 81905:062-81905:188.

9411070148 Extends invitation to Region II licensees to participate w/NRR & Region II representatives in discussion of GL 89-10 motor-operated valve programs. Meeting to be held on 941108 in Atlanta, GA. Meeting notice & agenda encl.
MALLET, B.S. Region 2 (Post 820201). 94/10/12. GOLDBERG, J.H. Florida Power & Light Co. 4pp. 81605:184-81605:187.

9411010357 Forwards "COLR for Turkey Point Units 3 & 4."
PLUNKETT, T.F. Florida Power & Light Co. 94/10/26. Document Control Branch (Document Control Desk). 1p. 81577:346-81577:355.

9411010358 "COLR for Turkey Point Units 3 & 4."
* Florida Power & Light Co. 94/10/26. 9pp. 81577:347-81577:355.

9411030133 Forwards amends 168 & 162 to licenses DPR-31 & DPR-41, respectively & safety evaluation. Amends consist of changes to TS in response to application dtd 940218, as suppl by 940805 ltr re specification of audit frequencies in TS.
CROTEAU, R.P. Project Directorate II-2. 94/10/26. GOLDBERG, J.H. Florida Power & Light Co. 3pp. 81607:209-81607:226.

9411030138 Amends 168 & 162 to licenses DPR-31 & DPR-41, respectively, changing TS in response to application dtd 940218 as suppl on 940805 re specification of audit frequencies in TS & mod of TS administration control requirements for emergency.
THADANI, M.C. Project Directorate II-2. 94/10/26. 8pp. 81607:212-81607:219.

9411030140 Safety evaluation supporting amends 168 & 162 to licenses DPR-31 & DPR-41, respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. 7pp. 81607:220-81607:226.

9411020108 Forwards SE granting IST program relief requests for pumps & valves. IST program relief requests acceptable for implementation provided action items identified in section 5 of TER addressed within one year of date of SE.
THADANI, M.C. Project Directorate II-2. 94/10/27. GOLDBERG, J.H. Florida Power & Light Co. 3pp. 81568:193-81568:284.

9411020113 SER granting relief requests & authorizing alternatives per 10CFR50.55(a)(1)(i) & 10CFR50.55(a)(3)(i) or (a)(3)(ii), for pumps & valves.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/27. 5pp. 81568:196-81568:200.

9410140161 "Turkey Point Nuclear Power Plant, Units 3 & 4, FPL Pump & Valve Inservice Testing Program, Rev 0, Third Ten-Year Interval."
FRESCO, J., DAVIS, J.F., DIBIASIO, A.M. Brookhaven National Laboratory. FIN L-2301. 94/09/30. Division of Engineering (Post 921004). 81pp. 81568:201-81568:284.

9411020235 Forwards proprietary results of investigation into concerns through Nuclear Safety SPEAKOUT program. Results withheld.
GEIGER, J.E. Florida Power & Light Co. 94/10/28. Document Control Branch (Document Control Desk). 1p. 81590:042-81590:042.

9411140073 Forwards "Turkey Point Nuclear Plant, Simulator Certification Update 1," per 10CFR55.45.
PLUNKETT, T.F. Florida Power & Light Co. 94/10/28. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 81075:274-81075:324.

9411140078 "Turkey Point Nuclear Plant, Simulator Certification Update 1."
* Florida Power & Light Co. 94/10/28. 50pp. 81075:278-81075:324.

9411220327 Forwards rept of unsatisfactory performance testing incident. Rept details investigative analysis of unsatisfactory blind specimen result, including cause & C/A taken by SmithKline Beecham Clinical Lab.
BOHLKE, W.H. Florida Power & Light Co. 94/11/15. Document Control Branch (Document Control Desk). 3pp. 81843:358-81843:360.

9411230135 Forwards RAI re operation at reduced power levels w/inoperable MSSVs.
CROTEAU, R.P. Project Directorate II-2. 94/11/17. GOLDBERG, J.H. Florida Power & Light Co. 3pp. 81822:359-81822:361.

Q. Inspection reports, IE Bulletins & correspondence

9411070252 Forwards insp repts 50-250/94-18 & 50-251/94-18 on 940828-0930. No violations identified.
VERRELLI, D.M. Region 2 (Post 820201). 94/10/18. GOLDBERG, J.H. Florida Power & Light Co. 3pp. 81606:005-81606:038.

9411070259 Insp repts 50-250/94-18 & 50-251/94-18 on 940828-0930. No violations noted. Major areas inspected: operational safety & plant events, chemistry, fire protection & housekeeping.
JOHNSON, T.P., DESAI, B.B., TROCINE, L. Region 2 (Post 820201). 94/10/18. 31pp. 81606:008-81606:038.

9411040257 Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Matis Events to NRC Operations Ctr."
BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.

9410200153 NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts."
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81658:001-81658:013.

9411080047 Forwards safety evaluation accepting until 930303, 0517 & 940413 ltrs responding to NRC Bulletin 90-01, Suppl 1, "Loss of Fill Oil in Transmitters Mfg By Rosemount." TER also encl.
CROTEAU, R.P. Project Directorate II-2. 94/10/31. GOLDBERG, J.H. Florida Power & Light Co. 2pp. 81657:181-81657:202.

9411080054 Safety evaluation accepting until 930303, 0517 & 940413 ltrs responding to NRC Bulletin 90-01, Suppl 1, "Loss of Fill Oil in Transmitters Mfg By Rosemount."
* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/31. 2pp. 81657:183-81657:184.

9411020241 "Evaluation of Utility Response to Suppl 1 to NRC Bulletin 90-01: Turkey Point 3/4," technical evaluation rept.
MEYER, L.C., UDY, A.C. Idaho National Engineering Laboratory. MEYER, L.C. EG&G Idaho, Inc. FIN L-1695. EGG-DNSP-11503. 94/09/30. NRC - No Detailed Affiliation Given. 18pp. 81657:185-81657:202.

9411090018 Discusses 941006 mgt meeting at plant site re NRC presentation of SALP repts 50-250/94-99 & 50-251/94-99 at facility during period of 930131-940923. List of attendees & handout encl.
BOGER, B.A. Region 2 (Post 820201). 94/10/31. GOLDBERG, J.H. Florida Power & Light Co. 15pp. 81637:161-81637:187.

9411210105 Forwards insp repts 50-250/94-19 & 50-251/94-19. No violations noted.
CLINE, W.E. Region 2 (Post 820201). 94/11/04. GOLDBERG, J.H. Florida Power & Light Co. 3pp. 81785:088-81785:104.

9411210109 Insp repts 50-250/94-19 & 50-251/94-19 on 941003-7. No violations noted. Major areas inspected: organization, staffing, self assessment programs, training & review of health physics activities.
FORBES, D.B., RANKIN, W.H. Region 2 (Post 820201). 94/10/31. 14pp. 81785:091-81785:104.

9411290008 Forwards insp repts 50-250/94-20 & 50-251/94-20 on 941001-29. No violations noted.
VERRELLI, D.M. Region 2 (Post 820201). 94/11/10. GOLDBERG, J.H. Florida Power & Light Co. 3pp. 81857:031-81857:066.

9411290013 Insp repts 50-250/94-20 & 50-251/94-20 on 941001-29. No violations noted. Major areas inspected: plant operations including operational safety plant events, maint including surveillance observations & fire protection.
JOHNSON, T.P., DESAI, B.B., TROCINE, L. Region 2 (Post 820201). 94/11/10. 33pp. 81857:034-81857:066.

9411090300 NRC Bulletin 94-002, "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride."
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.

26 DOCKETED ITEMS

9411290061 Forwards insp repts 50-250/94-21 & 50-251/94-21 on 941017-21. No violations noted.
CRLENJAK, R.V. Region 2 (Post 820201). 94/11/16. GOLDBERG, J.H. Florida Power & Light Co. 3pp. 81858:174-81858:191.

-9411290067 Insp repts 50-250/94-21 & 50-251/94-21 on 941017-21. No violations noted. Major areas inspected: areas of inservice exam of safety related welds, eddy current testing of SG tubing & flow accelerated corrosion pipe replacement.
ECONOMOS, N., BLAKE, J.J. Region 2 (Post 820201). 94/11/18. 15pp. 81858:177-81858:191.

9411100237 NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment."
GRIMES, B.K. . 94/11/17. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.

9411150578 NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation."
GRIMES, B.K. . 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.

9411170039 NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping."
GRIMES, B.K. . 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.

9411170279 NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys."
GRIMES, B.K. . 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.

9411170284 NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results."
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.

R. Periodic operating reports & related correspondence

9411210390 Monthly operating repts for Oct 1994 for Turkey Points Units 3 & 4.W/ 941115 ltr.
KNORR, J.E., PLUNKETT, T.F. Florida Power & Light Co. 94/10/31. 9pp. 81837:159-81837:167.

S. Reportable occurrences, LERs & related correspondence

9411150397 LER 94-004-00: on 941103, Unit 3 outside design basis due to two of three required safety injection pumps inoperable. Control switches for 3A & 3B safety injection pumps immediately returned to automatic. W/941110 ltr.
KNORR, J.E., PLUNKETT, T.F. Florida Power & Light Co. 94/11/10. 6pp. 81782:007-81782:012.

9411170102 LER 94-005-00: on 941103, design defect in safeguards bus sequencer test logic places both units outside design basis. Caused by 3A sequencer failed to respond as expected to opposite unit signal. W/941110 ltr.
MOWREY, C.L., PLUNKETT, T.F. Florida Power & Light Co. 94/11/10. 15pp. 81791:116-81791:130.

9411210123 Part 21 rept re Unit 3A sequencers at Turkey Point Plant. Unless contacted by FP&L to perform programming changes & subsequent V&V to sequencer software, United Controls plans no other evaluation of defect for listed reason.
CHARLTON, M., CAMP, B., BUTLER, D. United Controls, Inc. 94/11/15. Document Control Branch (Document Control Desk). 4pp. 81830:357-81830:360.

V. Operator Examinations

9411010302 Provides operator licensing national examination schedule as requested by Administrative Ltr 94-12.
PLUNKETT, T.F. Florida Power & Light Co. 94/10/20. Document Control Branch (Document Control Desk). 2pp. 81587:022-81587:023.

9411210072 Informs of written & operating reactor operator & senior reactor operator licensing exams scheduled for 950227. Requests that util submit preliminary RO & SRO license applications & waiver requests at least 30 days before exam.
PEEBLES, T.A. Region 2 (Post 820201). 94/11/02. GOLDBERG, J.H. Florida Power & Light Co. 6pp. 81785:024-81785:029.

DOCKET 50-251 TURKEY POINT PLANT, UNIT 4

F. Security, medical, emergency & fire protection plans

9411070252 Forwards insp repts 50-250/94-18 & 50-251/94-18 on 940828-0930. No violations identified.
VERRELLI, D.M. Region 2 (Post 820201). 94/10/18. GOLDBERG, J.H. Florida Power & Light Co. 3pp. 81606:005-81606:038.

-9411070259 Insp repts 50-250/94-18 & 50-251/94-18 on 940828-0930. No violations noted. Major areas inspected: operational safety & plant events, chemistry, fire protection & housekeeping.
JOHNSON, T.P., LANDIS, K.D. Region 2 (Post 820201). 94/10/18. 31pp. 81606:008-81606:038.

9411030133 Forwards amends 168 & 162 to licenses DPR-31 & DPR-41, respectively & safety evaluation. Amends consist of changes to TS in response to application dtd 940218, as suppl by 940805 ltr re specification of audit frequencies in TS.
CROTEAU, R.P. Project Directorate II-2. 94/10/26. GOLDBERG, J.H. Florida Power & Light Co. 3pp. 81607:209-81607:226.

-9411030138 Amends 168 & 162 to licenses DPR-31 & DPR-41, respectively, changing TS in response to application dtd 940218 as suppl on 940805 re specification of audit frequencies in TS & mod of TS administration control requirements for emergency.
THADANI, M.C. Project Directorate II-2. 94/10/26. 8pp. 81607:212-81607:219.

-9411030140 Safety evaluation supporting amends 168 & 162 to licenses DPR-31 & DPR-41, respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. 7pp. 81607:220-81607:226.

9411090018 Discusses 941006 mgt meeting at plant site re NRC presentation of SALP repts 50-250/94-99 & 50-251/94-99 at facility during period of 930131-940923. List of attendees & handout encl.
BOGER, B.A. Region 2 (Post 820201). 94/10/31. GOLDBERG, J.H. Florida Power & Light Co. 15pp. 81637:161-81637:187.

9411210043 Ack ltr, dtd 940831, in response to request for info ltr, dtd 940728, re changes in submittals that appeared inconsistent w/emergency std of 10CFR50.47(b) & 10CFR50. App E. Dose limits for emergency workers resolved.
CLINE, W.F. Region 2 (Post 820201). 94/10/31. GOLDBERG, J.H. Florida Power & Light Co. 5pp. 81784:199-81784:203.

9411210105 Forwards insp repts 50-250/94-19 & 50-251/94-19. No violations noted.
CLINE, W.E. Region 2 (Post 820201). 94/11/04. GOLDBERG, J.H. Florida Power & Light Co. 3pp. 81785:088-81785:104.

-9411210109 Insp repts 50-250/94-19 & 50-251/94-19 on 941003-7. No violations noted. Major areas inspected: organization, staffing, self assessment programs, training & review of health physics activities.
FORBES, D.B. Region 2 (Post 820201). 94/10/31. 14pp. 81785:091-81785:104.

9411100278 Notification of 941129 meeting w/FPL in Rockville, MD to discuss NRC request for addl info, dtd 941012 concerning FPL 940615 request for exemption re use of Thermo-Lag fire barriers in outdoor fire areas at plant.
CROTEAU, R. Project Directorate II-2. 94/11/09. THADANI, M.C. Project Directorate II-2. 3pp. 81726:317-81726:319.

9411100280 Notification of 941214 meeting w/FL Power & Light in Florida City, FL to discuss implementation concepts of design basis threat rule at plant including challenges to plant site.
CROTEAU, R. Project Directorate II-2. 94/11/09. THADANI, M.C. Project Directorate II-2. 3pp. 81726:320-81726:322.

9411290008 Forwards insp repts 50-250/94-20 & 50-251/94-20 on 941001-29. No violations noted.
VERRELLI, D.M. Region 2 (Post 820201). 94/11/10. GOLDBERG, J.H. Florida Power & Light Co. 3pp. 81857:031-81857:066.

-9411290013 Insp repts 50-250/94-20 & 50-251/94-20 on 941001-29. No violations noted. Major areas inspected: plant operations including operational safety plant events, maint including surveillance observations & fire protection.
JOHNSON, T.P., LANDIS, K.D. Region 2 (Post 820201). 94/11/10. 33pp. 81857:034-81857:066.

9411300145 Revised EPIPs, including rev 5 to EPIP-1101, "Duties of Emergency Control Officer," rev 8 to EPIP-1102, "Duties of Recovery Manager" & rev 5 to EPIP-1108, "Duties of Nuclear Div Duty Officer." W/941123 ltr.
BOHLKE, W.H. Florida Power & Light Co. 94/11/23. 53pp. 81908:278-81908:328.

P. Operating license stage documents & correspondence

9411040293 Technical Rept, "Assessment of Aging Degradation of Civil/ Structural Features at Selected Operating Nuclear Power Plants."
BRAVERMAN, J., MORANTE, R., HOFMAYER, C. Brookhaven National Laboratory. L-151(6)/5-93. 93/05/31. 100pp. 81621:028-81621:128.

9411300244 FOIA request for info re plant 1990 & 1991 revs to NUREG/CR-5250 & 1992 seismic hazard characterizations of NPP sites east of Rocky Mountains.
BURFORD, J.N. Florida Power & Light Co. 93/08/18. GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (890206-940714). 5pp. 81905:056-81905:060.

9411300251 Final response to FOIA request for info re plant 1990 & 1991 revs to NUREG/CR-5250 & 1992 seismic hazard characterizations of NPP sites east of Rocky Mountains. Forwards info in response to request.
GRIMSLEY, D. Division of Freedom of Information & Publications Services (890206-940714). 93/11/22. BURFORD, J.N. Florida Power & Light Co. 1p. 81905:061-81905:188.

-9411300266 Transmits hazard curves for all plant sites based on G-Experts 1-4 ground motion models in response to NRR request.
BERNREUTER, D.L. Lawrence Livermore National Laboratory. 88/08/30. GIESE-KOCH, G. Office of Nuclear Reactor Regulation, Director (Post 870411). 127pp. 81905:062-81905:188.

9411070148 Extends invitation to Region II licensees to participate w/NRR & Region II representatives in discussion of GL 89-10 motor-operated valve programs. Meeting to be held on 941108 in Atlanta, GA. Meeting notice & agenda encl.
MALLET, B.S. Region 2 (Post 820201). 94/10/12. GOLDBERG, J.H. Florida Power & Light Co. 4pp. 81605:184-81605:187.

9411010123 Informs that there were no steam generator tubes plugged as result of insp of Turkey Point Unit 4 steam generators from 941014-1017.
PLUNKETT, T.F. Florida Power & Light Co. 94/10/24. EBNETER, S.D. Region 2 (Post 820201). 1p. 81579:291-81579:291.

9411010357 Forwards "COLR for Turkey Point Units 3 & 4."
PLUNKETT, T.F. Florida Power & Light Co. 94/10/26. Document Control Branch (Document Control Desk). 1p. 81577:346-81577:355.

-9411010358 "COLR for Turkey Point Units 3 & 4."
* Florida Power & Light Co. 94/10/26. 9pp. 81577:347-81577:355.

9411030133 Forwards amends 168 & 162 to licenses DPR-31 & DPR-41, respectively & safety evaluation. Amends consist of changes to TS in response to application dtd 940218, as suppl by 940805 ltr re specification of audit frequencies in TS.
CROTEAU, R.P. Project Directorate II-2. 94/10/26. GOLDBERG, J.H. Florida Power & Light Co. 3pp. 81607:209-81607:226.

-9411030138 Amends 168 & 162 to licenses DPR-31 & DPR-41, respectively, changing TS in response to application dtd 940218 as suppl on 940805 re specification of audit frequencies in TS & mod of TS administration control requirements for emergency. THADANI, M.C. Project Directorate II-2. 94/10/26. 8pp. 81607:212-81607:219.

-9411030140 Safety evaluation supporting amends 168 & 162 to licenses DPR-31 & DPR-41, respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. 7pp. 81607:220-81607:226.

9411020108 Forwards SE granting IST program relief requests for pumps & valves. IST program relief requests acceptable for implementation provided action items identified in section 5 of TER addressed within one year of date of SE.
THADANI, M.C. Project Directorate II-2. 94/10/27. GOLDBERG, J.H. Florida Power & Light Co. 3pp. 81568:193-81568:284.

-9411020113 SER granting relief requests & authorizing alternatives per 10CFR50.55(a)(1)(6)(i) & 10CFR50.55a(a)(3)(i) or (a)(3)(ii), for pumps & valves.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/27. 5pp. 81568:196-81568:200.

-9410140161 "Turkey Point Nuclear Power Plant, Units 3 & 4, FPI Pump & Valve Inservice Testing Program, Rev 0, Third Ten-Year Interval."
FRESCO, J., DAVIS, J.F., DIBIASIO, A.M. Brookhaven National Laboratory. FIN L-2301. 94/09/30. Division of Engineering (Post 921004). 81pp. 81568:201-81568:284.

9411020235 Forwards proprietary results of investigation into concerns through Nuclear Safety SPEAKOUT program. Results withheld.
GEIGER, J.E. Florida Power & Light Co. 94/10/28. Document Control Branch (Document Control Desk). 1p. 81590:042-81590:042.

9411140073 Forwards "Turkey Point Nuclear Plant, Simulator Certification Update 1," per 10CFR55.45.
PLUNKETT, T.F. Florida Power & Light Co. 94/10/28. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 81075:274-81075:324.

-9411140078 "Turkey Point Nuclear Plant, Simulator Certification Update 1."
* Florida Power & Light Co. 94/10/28. 50pp. 81075:278-81075:324.

9411220327 Forwards rept of unsatisfactory performance testing incident. Rept details investigative analysis of unsatisfactory blind specimen result, including cause & C/A taken by SmithKline Beecham Clinical Lab.
BOHLKE, W.H. Florida Power & Light Co. 94/11/15. Document Control Branch (Document Control Desk). 3pp. 81843:358-81843:360.

9411230135 Forwards RAI re operation at reduced power levels w/inoperable MSSVs.
CROTEAU, R.P. Project Directorate II-2. 94/11/17. GOLDBERG, J.H. Florida Power & Light Co. 3pp. 81822:359-81822:361.

Q. Inspection reports, IE Bulletins & correspondence

9411070252 Forwards insp repts 50-250/94-18 & 50-251/94-18 on 940828-0930. No violations identified.
VERRELLI, D.M. Region 2 (Post 820201). 94/10/18. GOLDBERG, J.H. Florida Power & Light Co. 3pp. 81606:005-81606:038.

-9411070259 Insp repts 50-250/94-18 & 50-251/94-18 on 940828-0930. No violations noted. Major areas inspected: operational safety & plant events, chemistry, fire protection & housekeeping.
JOHNSON, T.P., DESAI, B.B., TROCINE, L. Region 2 (Post 820201). 94/10/18. 31pp. 81606:008-81606:038.

9410140257 Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Matis Events to NRC Operations Ctr."
BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.

9410200153 NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts."
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81658:001-81658:013.

9411080047 Forwards safety evaluation accepting util 930303, 0517 & 940413 ltrs responding to NRC Bulletin 90-01, Suppl 1, "Loss of Fill Oil in Transmitters Mfg By Rosemount." TER also encl.
CROTEAU, R.P. Project Directorate II-2. 94/10/31. GOLDBERG, J.H. Florida Power & Light Co. 2pp. 81657:181-81657:202.

-9411080054 Safety evaluation accepting util 930303, 0517 & 940413 ltrs responding to NRC Bulletin 90-01, Suppl 1, "Loss of Fill Oil in Transmitters Mfg By Rosemount."
* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/31. 2pp. 81657:183-81657:184.

-9411020241 "Evaluation of Utility Response to Suppl 1 to NRC Bulletin 90-01: Turkey Point-3/4," technical evaluation rept.
MEYER, L.C., UDY, A.C. Idaho National Engineering Laboratory, MEYER, L.C. EG&G Idaho, Inc. FIN L-1695. EGG-DNSP-11503. 94/09/30. NRC - No Detailed Affiliation Given. 18pp. 81657:185-81657:202.

9411090018 Discusses 941006 mgt meeting at plant site re NRC presentation of SALP repts 50-250/94-99 & 50-251/94-99 at facility during period of 930131-940923. List of attendees & handout encl.
BOGER, B.A. Region 2 (Post 820201). 94/10/31. GOLDBERG, J.H. Florida Power & Light Co. 15pp. 81637:161-81637:187.

9411210105 Forwards insp repts 50-250/94-19 & 50-251/94-19. No violations noted.
CLINE, W.E. Region 2 (Post 820201). 94/11/04. GOLDBERG, J.H. Florida Power & Light Co. 3pp. 81785:088-81785:104.

-9411210109 Insp repts 50-250/94-19 & 50-251/94-19 on 941003-7. No violations noted. Major areas inspected: organization, staffing, self assessment programs, training & review of health physics activities.
FORBES, D.B., RANKIN, W.H. Region 2 (Post 820201). 94/10/31. 14pp. 81785:091-81785:104.

9411290008 Forwards insp repts 50-250/94-20 & 50-251/94-20 on 941001-29. No violations noted.
VERRELLI, D.M. Region 2 (Post 820201). 94/11/10. GOLDBERG, J.H. Florida Power & Light Co. 3pp. 81857:031-81857:066.

-9411290013 Insp repts 50-250/94-20 & 50-251/94-20 on 941001-29. No violations noted. Major areas inspected: plant operations including operational safety plant events, maint including surveillance observations & fire protection.
JOHNSON, T.P., DESAI, B.B., TROCINE, L. Region 2 (Post 820201). 94/11/10. 33pp. 81857:034-81857:066.

9411090300 NRC Bulletin 94-002, "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride."
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.

9411290061 Forwards insp repts 50-250/94-21 & 50-251/94-21 on 941017-21. No violations noted.
CRLENJAK, R.V. Region 2 (Post 820201). 94/11/16. GOLDBERG, J.H. Florida Power & Light Co. 3pp. 81858:174-81858:191.

-9411290067 Insp repts 50-250/94-21 & 50-251/94-21 on 941017-21. No violations noted. Major areas inspected: areas of inservice exam of safety related welds, eddy current testing of SG tubing & flow accelerated corrosion pipe replacement.
ECONOMOS, N., BLAKE, J.J. Region 2 (Post 820201). 94/11/18. 15pp. 81858:177-81858:191.

9411100237 NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment."
GRIMES, B.K. 94/11/17. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.

9411150578 NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation."
GRIMES, B.K. 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.

9411170039 NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping."
GRIMES, B.K. 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.

9411170279 NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys."
GRIMES, B.K. 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.

9411170284 NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results."
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.

R. Periodic operating reports & related correspondence

9411210390 Monthly operating repts for Oct 1994 for Turkey Points Units 3 & 4. W/ 941115 ltr.
KNORR, J.E., PLUNKETT, T.F. Florida Power & Light Co. 94/10/31. 9pp. 81837:159-81837:167.

S. Reportable occurrences, LERs & related correspondence

9411010225 LER 94-005-00: on 940924, Unit 4 manually tripped. Caused by manual actuation. Light bulb & socket replaced. W/941020 ltr.
KNORR, J.E., PLUNKETT, T.F. Florida Power & Light Co. 94/10/20. 4pp. 81602:067-81602:070.

9411010214 LER 94-004-00: on 940923, Unit 4 tripped automatically from rated power. Caused by faulty regulator transistor. Faulty backup power supply replaced & maint history for power supplies reviewed. W/941021 ltr.
MOWREY, C.L., PLUNKETT, T.F. Florida Power & Light Co. 94/10/21. 6pp. 81586:045-81586:050.

9411210123 Part 21 rept re Unit 3A sequencers at Turkey Point Plant. Unless contacted by FP&L to perform programming changes & subsequent V&V to sequencer software, United Controls plans no other evaluation of defect for listed reason.
CHARLTON, M., CAMPB, BUTLER, D. United Controls, Inc. 94/11/15. Document Control Branch (Document Control Desk). 4pp. 81830:357-81830:360.

V. Operator Examinations

9411010302 Provides operator licensing national examination schedule as requested by Administrative Ltr 94-12.
PLUNKETT, T.F. Florida Power & Light Co. 94/10/20. Document Control Branch (Document Control Desk). 2pp. 81587:022-81587:023.

9411210072 Informs of written & operating reactor operator & senior reactor operator licensing exams scheduled for 950227. Requests that util submit preliminary RO & SRO license applications & waiver requests at least 30 days before exam.
PEEBLES, T.A. Region 2 (Post 820201). 94/11/02. GOLDBERG, J.H. Florida Power & Light Co. 6pp. 81785:024-81785:029.

DOCKET 50-254 QUAD-CITIES STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9411070071 Revised Corporate EIPs (CEIP), including Rev 7 to CEIP-3103-01 & Rev 8 to CEIP-3104-01.
SCOTT, D.J. Commonwealth Edison Co. 94/10/05. 19pp. 81654:188-81654:208.

28 DOCKETED ITEMS

9411030225 Revised Corporate EIPs (CEPIP), including Rev 2 to CEPIP-321-01, Rev 3 to CEPIP-3303-01, Rev 3 to CEPIP-3304-01, Rev 3 to CEPIP-3404-01 & Rev 3 to CEPIP-3505-01.
PAVEY, M., GOLDEN, J., SCOTT, D.J. Commonwealth Edison Co. 94/10/06. 65pp. 81606:221-81606:285.

9411070030 Advises that revs 8D-8G to various sections of plant annex to generic generating stations emergency plan, acceptable.
CREED, J.R. Region 3 (Post 820201). 94/10/27. KRAFT, E. Commonwealth Edison Co. 2pp. 81604:116-81604:117.

9411090375 Revised EIPs, including rev 16 to QEP-100-0, rev 9 to QEP-100-T1, rev 12 to QEP-105-0, rev 8 to QEP-105-S5, rev 28 to QEP-400-0 & rev 7 to QEP-400-S3.
* Commonwealth Edison Co. 94/11/02. 20pp. 81718:316-81718:336.

9411180082 Revised EIPs, including rev 27 to EIP-QEP-600, Index & rev 10 to QEP-600-S4, "Enviroms Sampling & Emergency Responder Inventory Checklist."
* Commonwealth Edison Co. 94/11/11. 12pp. 81818:297-81818:308.

9411160259 Rev 8h to "Commonwealth Edison Co. Generating Stations Emergency Plan Site Annex Quad Cities Nuclear Power Station."
* Commonwealth Edison Co. 94/11/15. 30pp. 81783:239-81783:269.

9411210293 Submits response to NRC request for addl info re proposed use of corporate EOF as interim EOF to perform emergency response functions until near site can be staffed.
JOHNSON, I.M. Commonwealth Edison Co. 94/11/15. Document Control Branch (Document Control Desk). 22pp. 81833:332-81833:353.

9411300121 Informs of decision to institute quarterly proficiency training for ERDS Operators.
AXELSON, W.L. Region 3 (Post 820201). 94/11/16. MARTIN, J. Region 3 (Post 820201). 4pp. 81872:132-81872:135.

9411300172 Requests that results of review & disposition of activities at Quad Cities Station be submitted to Region III within 60 days of ltr.
AXELSON, W.L. Region 3 (Post 820201). 94/11/22. KRAFT, E. Commonwealth Edison Co. 2pp. 81925:140-81925:141.

9411300211 Forwards response to 940919 RAI re proposed use of corporate EOF (CEOF) as interim EOF, including analysis of EOF functions applicable to CEOF as interim EOF.
JOHNSON, I.M. Commonwealth Edison Co. 94/11/22. Office of Nuclear Reactor Regulation, Director (Post 870411). 77pp. 81908:092-81908:169.

P. Operating license stage documents & correspondence

9411030322 Ltr contract, mod 3 to task order 21, extending period of performance from 940929 to 950329 at no addl cost or obligation to govt. to "IPE Reviews, Internal Events-Front End Only (Quad Cities)."
MACE, M. Division of Contracts (Post 940714). 94/09/01. COLINA, I. Science & Engineering Associates, Inc. 2pp. 81608:077-81608:078.

9411010121 Forwards final Level 2 investigation rept addressing adequacy of Quad-Cities foreign matl exclusion (FME) program, in response to CAL-Rill-94-06 in regard to FME problems at Quad-Cities Station Unit 1.
KRAFT, E.S. Commonwealth Edison Co. 94/10/21. MARTIN, J.B. Region 3 (Post 820201). 2pp. 81574:298-81574:335.

-9411010136 "Foreign Matl Exclusion Program Deficiencies Level 2 Investigation PIF 94-1837."
KROLL, T., MCCULLOUGH, D., BRUNNER, J. Commonwealth Edison Co. PIF 94-1837. 94/10/21. 36pp. 81574:300-81574:335.

9411010042 Confirms plans as discussed between D Chyu of NRC & M Jackson of util to hold meeting on 941102 in Lisle, IL. Poor CA & maint activities which resulted in failures of some control rods to scram during testing will be discussed.
GREENMAN, E.G. Region 3 (Post 820201). 94/10/24. KRAFT, E. Commonwealth Edison Co. 1p. 81514:119-81514:119.

9411020246 Responds to NRC RAI on core shroud.
PIET, P.I. Commonwealth Edison Co. 94/10/28. Document Control Branch (Document Control Desk). 7pp. 81633:350-81633:356.

9411080146 Forwards status of previously described Q1R13 matl condition improvement actions (MCIA), addl matl condition improvements & emergent work activities implemented during Q1R13 & status of previously described non-outage MCIA's.
KRAFT, E.S. Commonwealth Edison Co. 94/11/03. RUSSELL, W.T. Office of Nuclear Reactor Regulation, Director (Post 870411). 12pp. 81679:172-81679:183.

9411080285 Forwards amends 129,123,150,146,158 & 146 to licenses DPR-19, DPR-25, DPR-29, DPR-30, DPR-39 & DPR-48, respectively & safety evaluation. Amends add license condition that modifies NUREG-0737 to allow commitments be controlled under 10CFR50.
SHIRAKI, C.Y. Project Directorate III-2. 94/11/03. FARRAR, D.L. Commonwealth Edison Co. 4pp. 81658:280-81658:307.

-9411080290 Amends 129,123,150,146,158 & 146 to licenses DPR-19, DPR-25, DPR-29, DPR-30, DPR-39 & DPR-48, respectively, adding license condition that modifies NUREG-0737 to allow commitments made in response to NUREG-0737 be controlled under 10CFR50.59.
CAPRA, R.A. Project Directorate III-2. 94/11/03. 21pp. 81658:284-81658:304.

-9411080302 Safety evaluation supporting amends 129,123,150,146,158 & 146 to licenses DPR-39, DPR-48, DPR-19, DPR-25, DPR-29 & DPR-30, respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/11/03. 3pp. 81658:305-81658:307.

9411090142 Notification of 941206 meeting w/util & NRC in Rockville, MD to discuss performance of licensee plants.
DICK, G.F. Project Directorate III-2. 94/11/04. CAPRA, R.A. Project Directorate III-2. 4pp. 81715:221-81715:224.

941100244 Summary of 941014 meeting w/util re response to GL-94-03, "Intergranular Stress Corrosion Cracking of Core Shrouds in BWR," for plants. List of attendees encl.
STANG, J.F. Project Directorate III-2. 94/11/07. Project Directorate III-2. 38pp. 81724:322-81724:360.

9411160050 Forwards rept on site visit to review implementation of maint rule at station for review & info. Rept identifies strengths & weaknesses w/program at site.
SHAFFER, W.D. Region 3 (Post 820201). 94/11/07. DONNELLY, P.M. Consumers Power Co. 2pp. 81746:131-81746:141.

9411180017 Confirms plans between P Hiland & N Chrissotimos to hold meeting on 941117 at plant in Cordova, IL to discuss plant Units 1 & 2 readiness for restart.
GREENMAN, E.G. Region 3 (Post 820201). 94/11/08. KRAFT, E. Commonwealth Edison Co. 1p. 81774:295-81774:295.

9411170299 Forwards RAI re GL 94-03, "Intergranular Stress Corrosion Cracking of Core Shrouds in Boiling Water Reactors." Response should be provided within 30 days of ltr date.
STANG, J.F. Project Directorate III-2. 94/11/14. FARRAR, D.L. Commonwealth Edison Co. 5pp. 81777:142-81777:147.

9411180274 Forwards tentative schedule re fuel vendor transition for Post-1995 reloads for info & resource planning purposes.
BENES, G.G. Commonwealth Edison Co. 94/11/14. Document Control Branch (Document Control Desk). 2pp. 81830:346-81830:347.

9411180002 Advises that rept GE-NE-L12-00819-05, "Core Shroud Blowdown Load Calculation During Recirculation Suction Line Break By TRACG Analysis for Dresden, Units 2 & 3 & Quad Cities, Units 1 & 2" will be withheld (ref 10CFR2.790), per 940902 ltr.
STANG, J.F. Project Directorate III-2. 94/11/15. FARRAR, D.L. Commonwealth Edison Co. 4pp. 81782:097-81782:100.

9411210245 Submits response to NRC request for addl info re GL 89-10. Info provided in 4 Attachments. Attachment A provides summary of methods, results of reprioritization & margin review effort for util MOV population.
FARRAR, D.L. Commonwealth Edison Co. 94/11/15. Document Control Branch (Document Control Desk). 54pp. 81837:034-81837:087.

9411210266 Forwards GENE-523-A163-1194, "Quad Cities & Dresden Main Steam Line Break Analysis W/TRACG Model."
PIET, P.I. Commonwealth Edison Co. 94/11/15. Document Control Branch (Document Control Desk). 3pp. 81831:113-81831:126.

-9411210275 "Quad Cities & Dresden Main Steam Line Break Analysis W/ TRACG Model."
VILLALTA, J.A., CASILLAS, J.L., RANGANATH, S. General Electric Co. GENE-523-A163-1194. 94/11/09. 11pp. 81831:116-81831:126.

9411230105 Forwards amends 130,124,151 & 147 to licenses DPR-19, DPR-25, DPR-29 & DPR-30, respectively. Amends revise TS 3/4.4 to revise sodium pentaborate solution concentrations for SLCS storage tanks.
STANG, J.F. Project Directorate III-2. 94/11/16. FARRAR, D.L. Commonwealth Edison Co. 3pp. 81823:006-81823:045.

-9411230122 Amends 130,124,151 & 147 to licenses DPR-19, DPR-25, DPR-29 & DPR-30, respectively, revising TS 3/4.4 to revise sodium pentaborate solution concentrations for SLCS storage tanks based on net positive suction head test results.
STANG, J.F. Project Directorate III-2. 94/11/16. 33pp. 81823:009-81823:041.

-9411230130 Safety evaluation supporting amends 130,124,151 & 147 to licenses DPR-19, DPR-25, DPR-29 & DPR-30, respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/11/16. 4pp. 81823:042-81823:045.

9411230089 Forwards application of Iowa-Illinois Gas & Electric Co & Midamerican Energy Co for transfer & amend of licenses.
PALMER, R.B. Iowa-Illinois Gas & Electric. 94/11/21. Document Control Branch (Document Control Desk). 1p. 81894:001-81894:292.

-9411230093 Application for transfer & amend to licenses DPR-29 & DPR-30.
BRIGHT, S.J. Iowa-Illinois Gas & Electric. BRIGHT, S.J. Affiliation Not Assigned. 94/11/21. 290pp. 81894:003-81894:292.

9411300238 Submits reactor water clean-up sys piping replacement schedule.
SCHRAGE, J.L. Commonwealth Edison Co. 94/11/21. Document Control Branch (Document Control Desk). 2pp. 81951:300-81951:301.

Q. Inspection reports, IE Bulletins & correspondence

9411040056 EN-94-106 on 941012, notice of proposed imposition of civil penalty in amount of \$80,000 issued to licensee. Action based on failure to promptly suspend individual unescorted access & test individual for cause following repts by employees.
ROSANO, D., LIEBERMAN, J. Ofc of Enforcement (Post 870413). 94/10/06. 1p. 81658:025-81658:025.

9411040078 EN-94-109 on 941018, notice of proposed imposition of civil penalty in amount of \$100,000 issued to licensee. Action based on violation involving deliberate actions on part of worker(s) that resulted in external radiation exposure.
BEALL, J., LIEBERMAN, J. Ofc of Enforcement (Post 870413). 94/10/13. 1p. 81658:029-81658:029.

9411090188 "NRC Staff Proposes \$80,000 Fine Against Commonwealth Edison Co for Fitness for Duty Violations at Quad Cities Nuclear Station."
* Office of Public Affairs (Post 911117). 94/10/13. 2pp. 81770:025-81770:026.

9411010065 Ack receipt of 940919 ltr informing NRC of steps taken to correct violations noted in insp repts 50-254/94-16 & 50-265/94-16.
GREENMAN, E.G. Region 3 (Post 820201). 94/10/18. KRAFT, E. Commonwealth Edison Co. 2pp. 81514:159-81514:160.

9411090201 "NRC Staff Proposes \$100,000 Fine Against Commonwealth Edison for Radiation Protection Violation at Quad Cities Nuclear Station."
* Office of Public Affairs (Post 911117). 94/10/19. 2pp. 81770:032-81770:034.

9410140257 Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Matis Events to NRC Operations Ctr."
BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.

9411010102 Forwards insp repts 50-254/94-17 & 50-265/94-17 on 940729-0930. Apparent violations being considered for escalated enforcement action. GREENMAN, E.G. Region 3 (Post 820201). 94/10/24. KRAFT, E. Commonwealth Edison Co. 3pp. 81514:255-81514:283.

-9411010110 Insp repts 50-254/94-17 & 50-265/94-17 on 940729-0930. Apparent violations being considered for escalated enforcement action. Major areas inspected: operational safety verification & monthly maint observation. HILAND, P.L. Region 3 (Post 820201). 94/10/21. 26pp. 81514:258-81514:283.

9410200153 NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts." GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81658:001-81658:013.

9411040146 Responds to request for addl info re proposed third ten-year interval ISI program for Quad Cities Station Units 1 & 2. W/160 oversized drawings. SCHRAAGE, J.L. Commonwealth Edison Co. 94/10/26. Office of Nuclear Reactor Regulation, Director (Post 870411). 301pp. 81624:001-81624:301.

9411100090 Confirms plans to hold 941102 enforcement conference to discuss poor corrective actions & maint activities resulting in failures of CRs to scram during testing at plant. Insp repts 50-254/94-17 & 50-265/94-17 discussed. GREENMAN, E.G. Region 3 (Post 820201). 94/10/27. KRAFT, E. Commonwealth Edison Co. 1p. 81673:267-81673:267.

9411090300 NRC Bulletin 94-002, "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride." PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.

9411230027 Forwards enforcement conference repts 50-254/94-27 & 50-265/94-27 on 941102 & informs that util will be notified of NRC decision re EA based on info presented & discussed at conference. GREENMAN, E.G. Region 3 (Post 820201). 94/11/16. WALLACE, M.J. Commonwealth Edison Co. 3pp. 81811:146-81811:160.

-9411230033 Enforcement conference repts 50-254/94-27 & 50-265/94-27 on 941102. Areas discussed: apparent violations identified during insp, corrective actions taken or planned by licensee. HILAND, P.L. Region 3 (Post 820201). 94/11/16. 13pp. 81811:149-81811:160.

9411230125 Forwards response to violations noted in Insp Repts 50-254/94-21 & 50-265/94-21. Corrective actions initiated security investigation & all Sr-90 check sources removed from unrestricted use. KRAFT, E.S. Commonwealth Edison Co. 94/11/16. Ofc of Enforcement (Post 870413). 5pp. 81833:099-81833:103.

9411100237 NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment." GRIMES, B.K. 94/11/17. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.

9411150578 NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation." GRIMES, B.K. 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.

9411170039 NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping." GRIMES, B.K. 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.

9411300155 Ack receipt of util 941017 ltr in response to NRC ltr requesting info re insp repts 50-254/94-16 & 50-265/94-16. NRC questions util position on MOV issues. SHAFER, W.D. Region 3 (Post 820201). 94/11/23. KRAFT, E. Commonwealth Edison Co. 2pp. 81872:182-81872:183.

9411170279 NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys." GRIMES, B.K. 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.

9411170284 NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results." PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.

S. Reportable occurrences, LERs & related correspondence

9411140013 LER 94-011-00: on 940829, CRD L-11 failed to scram when given signal due to pipe plug inserted into solenoid valve due to personnel not adhering to procedure. CRD inserted to position 00 & insps conducted for similar obstructions. W/941028 ltr. BRIGL, D., KRAFT, E.S. Commonwealth Edison Co. 94/10/28. 12pp. 81770:291-81770:302.

9411080203 Forwards LER 94-015-00: on 941002, single loop operation in unanalyzed condition occurred. KRAFT, E.S. Commonwealth Edison Co. 94/11/01. Document Control Branch (Document Control Desk). 2pp. 81716:173-81716:179.

-9411080212 LER 94-015-00: on 941002, single loop operation in unanalyzed condition occurred. Caused by failure to previously establish in procedure & training, min core flow limit. Training & procedure revised. RICHTER, M.H. Commonwealth Edison Co. 94/11/01. 5pp. 81716:175-81716:179.

9411210111 Interim Part 21 Rept 94-12 re Limitorque actuator potential motor pinion key failure. Comm Ed issued guidelines to six nuclear stations on methods for properly installing motor pinion keys. JOHNSON, I.M. Commonwealth Edison Co. 94/11/11. Office of Nuclear Reactor Regulation, Director (Post 870411). 5pp. 81831:127-81831:131.

V. Operator Examinations

9411070366 Informs that license SOP-31280, DB Cook was removed from license duty on 941026 & requests termination of license. KRAFT, E.S. Commonwealth Edison Co. 94/10/26. Document Control Branch (Document Control Desk). 1p. 81676:115-81676:115.

9411080023 Informs that license SOP-31134, TD Bush, was removed from duty on 941026, therefore, requests termination of license. KRAFT, E.S. Commonwealth Edison Co. 94/10/26. Document Control Branch (Document Control Desk). 1p. 81717:320-81717:320.

9411040265 Forwards master BWR/PWR GFES exam w/answer key of exam administered on 941005. RING, M.A. Region 3 (Post 820201). 94/10/27. Commonwealth Edison Co. 1p. 81586:002-81586:002.

9411220177 Informs that written & operating exams scheduled for wk of 950320 & that util should submit ref matts identified in encl attachment of ES-201 by 951219. W/o encl. RING, M.A. Region 3 (Post 820201). 94/11/16. KRAFT, E. Commonwealth Edison Co. 3pp. 81798:297-81798:299.

9411300218 Forwards NRC summarized guidance that clarifies requirements for maintaining individual operator licenses, entitled, "Clarification of Maint & Reactivation Requirements for Individual Operator Licenses." RING, M.A. Region 3 (Post 820201). 94/11/18. Affiliation Not Assigned. 3pp. 81872:341-81872:343.

DOCKET 50-255 PALISADES NUCLEAR PLANT

F. Security, medical, emergency & fire protection plans

9411010127 Forwards insp rept 50-255/94-16 on 940820-1012. Noncited violations identified. KROPP, W.J. Region 3 (Post 820201). 94/10/21. PALMISANO, T. Consumers Power Co. 4pp. 81514:329-81514:355.

-9411010130 Insp rept 50-255/94-16 on 940820-1012. Noncited violations identified. Major areas inspected: operational safety verification, engineered safety feature sys, onsite event of followup & security. KROPP, W.J. Region 3 (Post 820201). 94/10/20. 23pp. 81514:333-81514:355.

9411150431 Rev 11 to Emergency Implementing (EI) Procedure EI-7.1, "Post Accident Sampling - PCS Liquid/Gas & Containment Air." WYMER, S.L. Consumers Power Co. 94/10/27. 35pp. 81780:206-81780:240.

9411090364 Forwards rev 7 to Palisades Safeguards Contingency Plan, per 10CFR50.54(p)(2). Encl withheld. HAAS, K.M. Consumers Power Co. 94/11/04. Document Control Branch (Document Control Desk). 1p. 81736:266-81736:266.

9411150409 Editorial changes to Rev 4 to Emergency Implementing (EI) Procedure EI-11.2, "Core Damage Assessment From Post Accident Sampling." WYMER, S.L. Consumers Power Co. 94/11/04. 27pp. 81780:241-81780:267.

9411150414 Editorial changes to Rev 2 to Emergency Implementing (EI) Procedure EI-16.2, "Post Accident Sample Monitoring Sys Supplies & Associated Equipment Checks." WYMER, S.L. Consumers Power Co. 94/11/04. 11pp. 81781:092-81781:102.

9411300121 Informs of decision to institute quarterly proficiency training for ERDS Operators. AXELSON, W.L. Region 3 (Post 820201). 94/11/16. MARTIN, J. Region 3 (Post 820201). 4pp. 81872:132-81872:135.

9411290195 Forwards reactive physical security insp rept 50-255/94-19 on 941018-31. One non-cited violation identified. CREED, J.R. Region 3 (Post 820201). 94/11/21. PALMISANO, T. Consumers Power Co. 2pp. 81869:032-81869:037.

-9411290204 Insp rept 50-255/94-19 on 941018-31. One non-cited violation noted. Areas inspected: reactive announced review of licensee identified finding re inadequate review of personnel access authorization background screening records. MADEDA, T. Region 3 (Post 820201). 94/11/22. 4pp. 81869:034-81869:037.

H. General correspondence

9411010164 Informs of personnel & organizational changes re Senior Mgt responsible for operation of Palisades Nuclear Plant. HAAS, K.M. Consumers Power Co. 94/10/18. Document Control Branch (Document Control Desk). 3pp. 81579:298-81579:300.

9411080008 Forwards response to questions raised in 940805, 12 & 23 ltrs re dry cask storage at plant. NRC still researching question re fabrication of multi-assembly sealed basket 4 prior to issuance of certificate of compliance. HANNON, J.N. Project Directorate III-1. 94/11/02. SHILLINGLAW, F. Affiliation Not Assigned. 10pp. 81658:112-81658:121.

9411230081 Responds to 941111 note re clarification of replacement for J Zwolinski in new organization. ADENSAM, E.G. Division of Reactor Projects - III, IV, V (Post 901216). 94/11/18. SINCLAIR, M. Affiliation Not Assigned. 4pp. 81823:001-81823:004.

P. Operating license stage documents & correspondence

9411170177 Paper entitled, "Reactor Vessel Neutron Fluence Reduction Measures Taken at Palisades" presented at ANS annual meeting on 940619-23. GORALSKI, G.H. Consumers Power Co. 94/06/19. 10pp. 81777:088-81777:097.

30 DOCKETED ITEMS

- 9411030309** Ltr contract, mod 3 to task order 15, extending period of performance from 941014 to 950413 at no addl cost or obligation to govt, to "IPE Reviews, Internal Events-Front End Only (Palisades)." MACE, M. Division of Contracts (Post 940714). 94/09/01. COLINA, J. Science & Engineering Associates, Inc. 2pp. 81608:041-81608:042.
- 9411090139** Forwards amend 162 to license DPR-20 & safety evaluation. Amend complete rewrite of instrumentation operability requirements & bases. GAMBERONI, M.K. Project Directorate III-1. 94/10/26. FENECH, R.A. Consumers Power Co. 3pp. 81666:060-81666:198.
- 9411090141** Amend 162 to license DPR-20, completing rewrite of instrumentation operability requirements & bases. HANNON, J.N. Project Directorate III-1. 94/10/26. 132pp. 81666:063-81666:194.
- 9411090145** Safety evaluation supporting amend 162 to license DPR-20.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. 4pp. 81666:195-81666:198.
- 9411020160** Notification of 941110 meeting w/util in Lisle, IL to present results of audit of Sierra Nuclear Corp & provide info re plans to release hold on Phase II VSC 24 component fabrication. GAMBERONI, M.K. Project Directorate III-1. 94/10/27. HANNON, J.N. Project Directorate III-1. 3pp. 81576:020-81576:022.
- 9411020205** Suppl info re completion of fuel oil supply sys mods for emergency diesel generators. HAAS, K.M. Consumers Power Co. 94/10/27. Document Control Branch (Document Control Desk). 5pp. 81589:299-81589:303.
- 9411040263** Forwards SE concurring w/licensee conclusion that plant containment bldg experienced no abnormal degradation of post-tensioning sys, per 940616, 940207 & 0908 ltrs. GAMBERONI, M.K. Project Directorate III-1. 94/10/28. Consumers Power Co. 2pp. 81609:347-81609:354.
- 9411040273** SER accepting licensee conclusion that plant CB has experienced no abnormal degradation of post-tensioning sys. Advises licensee should perform regression analysis before & after 1997 scheduled maint.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/28. 6pp. 81609:349-81609:354.
- 9411040313** Submits update of commitment re conversion to std TS. Current schedule shows expected completion date of 960401. List of commitments attached. HAAS, K.M. Consumers Power Co. 94/10/28. Document Control Branch (Document Control Desk). 4pp. 81652:319-81652:322.
- 9411070248** Requests that H Hill be allowed to review repts on util containment post-tensioning sys surveillance & retensioning. Review scheduled to be performed in ofcs of Precision Surveillance, Inc in East Chicago, IL on 941104-05. GAMBERONI, M.K. Project Directorate III-1. 94/10/31. FENECH, R.A. Consumers Power Co. 3pp. 81713:348-81713:350.
- 9411090016** Requests deviation from Reg Guide 1.97 re seismic qualification of CST water level instrumentation. HAAS, K.M. Consumers Power Co. 94/10/31. Document Control Branch (Document Control Desk). 2pp. 81750:326-81750:327.
- 941100246** Requests administrative correction to TS, correcting pages 3-1b.3-1c & 3-2 to delete item 3.1.1e & associated basis inadvertently restored by Amend 137. HAAS, K.M. Consumers Power Co. 94/10/31. Document Control Branch (Document Control Desk). 1p. 81728:327-81728:331.
- 941100248** Proposed tech specs pages 3-1b.3-1c & 3-2, deleting item 3.1.11e & associated basis inadvertently restored by Amend 137.
* Consumers Power Co. 94/10/31. 4pp. 81728:328-81728:331.
- 9411160148** Provides preliminary test results received by licensee from contractor re reactor pressure vessel, per 941101 & 02 telcon. KENNEDY, J.L. Project Directorate III-1. 94/11/03. HANNON, J.N. Project Directorate III-1. 2pp. 81772:099-81772:100.
- 9411210295** Requests info re progress util made in loading MSB Cask #6 through #8 at Palisades site & util progress in revising unloading procedures, as noted in NRC 941026 ltr to util. SINCLAIR, M.P. Don't Waste Michigan. 94/11/06. HANNON, J.N. Project Directorate III-1. 2pp. 81837:105-81837:106.
- 9411160050** Forwards rept on site visit to review implementation of maint rule at station for review & info. Rept identifies strengths & weaknesses w/program at site. SHAFER, W.D. Region 3 (Post 820201). 94/11/07. DONNELLY, P.M. Consumers Power Co. 2pp. 81746:131-81746:141.
- 9411180178** Forwards nonproprietary & proprietary versions of Rev 1 to Engineering Analysis (EA) EA-RDS-94-02, "Evaluation of... Current PTS Screening Criteria Margin." Proprietary version of EA-RDS-94-02 withheld (ref 10CFR2.790(b)). HAAS, K.M. Consumers Power Co. 94/11/08. Document Control Branch (Document Control Desk). 3pp. 81800:251-81800:284.
- 9411180181** Nonproprietary version of Rev 1 to Engineering Analysis, "Evaluation of Palisades Current PTS Screening Criteria Margin."
* Consumers Power Co. EA-RDS-94-02 R01. 94/11/07. 30pp. 81800:254-81800:284.
- 9411160158** Notification of 941121 meeting w/util in Rockville, MD to discuss test results performed on weld samples from retired SG. Results provide info to determine heat specific value of unirradiated reference temp. GAMBERONI, M.K. Project Directorate III-1. 94/11/09. HANNON, J.N. Project Directorate III-1. 3pp. 81770:343-81770:345.
- 9411220112** Confirms discussion between WJ Kropp & J Kuemin to have mgt meeting on 941117 to discuss ongoing engineering programs & status of programs. GREENMAN, E.G. Region 3 (Post 820201). 94/11/09. PALMISANO, T. Consumers Power Co. 1p. 81798:357-81798:357.
- 9411220102** Provides renewal of natl pollutant discharge elimination sys permit. HAAS, K.M. Consumers Power Co. 94/11/10. Document Control Branch (Document Control Desk). 24pp. 81832:320-81832:343.
- 9411250122** Submits pressurized thermal shock addl preliminary info, per util 941108 submittal. Util considers it appropriate to continue to use 10CFR50.61 generic value of RTNDT in calculations until util technical evaluation complete. FENECH, R.A. Consumers Power Co. 94/11/10. Document Control Branch (Document Control Desk). 2pp. 81854:355-81854:356.
- 9411210231** Expresses dry cask storage unloading concerns. SHILLINGLAW, F. Appleton, WI. 94/11/12. HANNON, J.N. Project Directorate III-1. 4pp. 81831:188-81831:191.
- 9411220409** Ack receipt of 930603 response to NRC bulletin 93-002, "Debris Plugging of Emergency Core Cooling Suction Strainers." KENNEDY, J.L. Project Directorate III-1. 94/11/14. FENECH, R.A. Consumers Power Co. 2pp. 81818:026-81818:027.
- 9411300164** Informs that util 10CFR50.54(a) submittal dtd 940622 acceptable re changes incorporated into QA program description topical rept. RING, M.A. Region 3 (Post 820201). 94/11/25. PALMISANO, T. Consumers Power Co. 3pp. 81872:239-81872:241.

Q. Inspection reports, IE Bulletins & correspondence

- 9410140257** Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Matls Events to NRC Operations Ctr." BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.
- 9411010127** Forwards insp rept 50-255/94-16 on 940820-1012. Noncited violations identified. KROPP, W.J. Region 3 (Post 820201). 94/10/21. PALMISANO, T. Consumers Power Co. 4pp. 81514:329-81514:355.
- 9411010130** Insp rept 50-255/94-16 on 940820-1012. Noncited violations identified. Major areas inspected: operational safety verification, engineered safety feature sys, onsite event of followup & security. KROPP, W.J. Region 3 (Post 820201). 94/10/20. 23pp. 81514:333-81514:355.
- 9411010052** Confirms discussion between M Parker of NRC & K Haas of util to have mgt meeting on 941101 in Lisle, IL. Violations re ability of EDG to fully carry design basis accident loads & issues per insp rept 50-255/94-17 will be discussed. GREENMAN, E.G. Region 3 (Post 820201). 94/10/24. PALMISANO, T. Consumers Power Co. 1p. 81514:150-81514:152.
- 9411010054** Notification of significant licensee meeting w/util on 941101 to discuss violations re ability of EDG to fully carry design basis accident loads. KROPP, W.J. Region 3 (Post 820201). 94/10/24. Region 3 (Post 820201). 2pp. 81514:151-81514:152.
- 9410200153** NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts." GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81658:001-81658:013.
- 9411000055** Forwards insp rept 50-255/94-17 on 940830-1012. Violations noted. Violations pertain to discovery that each of two EDG had been unable to supply design basis accident loads. GREENMAN, E.G. Region 3 (Post 820201). 94/10/27. FENECH, R.A. Consumers Power Co. 2pp. 81673:046-81673:062.
- 9411000058** Insp rept 50-255/94-17 on 940830-1012. Violations noted. Major areas inspected: maint, surveillance, engineering & operations. KROPP, W.J. Region 3 (Post 820201). 94/10/26. 12pp. 81673:051-81673:062.
- 9411040311** Forwards response to violations noted in Insp Rept 50-255/94-13. Corrective actions: procedure error promptly corrected on day following discovery of incorrect valve number. HAAS, K.M. Consumers Power Co. 94/10/28. Document Control Branch (Document Control Desk). 4pp. 81652:315-81652:318.
- 9411100101** Forwards insp rept 50-255/94-15 on 940912-30 & notice of violation. Insp results indicated that plant mgt provided ineffective direction & oversight of GL 89-10 MOV program. JACOBSON, J.M. Region 3 (Post 820201). 94/11/04. PALMISANO, T. Consumers Power Co. 2pp. 81673:279-81673:293.
- 9411100111** Notice of violation from insp on 940912-30. Violation noted: from May 1993 to Sept 1994, no evaluation performed to check MOV operability resulting from Limitique 10CFR21 notice & evaluation of some injection valves performed late.
* Region 3 (Post 820201). 94/11/04. 2pp. 81673:281-81673:282.
- 9411100113** Insp rept 50-255/94-15 on 940912-30. Violations noted. Major areas inspected: licensee response to GL entitled, "Safety-Related MOV Testing & Surveillance," self assessment & licensee actions on previously identified items. HUBER, M.P., BURGESS, S.D., GUZMAN, J.G. Region 3 (Post 820201). 94/11/04. 11pp. 81673:283-81673:293.
- 9411220004** Forwards enforcement conference rept 50-255/94-20 on 941101. Events at plant re inoperable diesel generators due to inability to supply max analyzed electrical power demand during postulated design basis accident discussed. GREENMAN, E.G. Region 3 (Post 820201). 94/11/04. PALMISANO, T. Consumers Power Co. 3pp. 81796:001-81796:035.
- 9411220005** Enforcement conference rept 50-255/94-20 on 941101. Major areas discussed: inability of diesel generators to fully supply max analyzed electrical power during postulated design basis accident. KROPP, W.J. Region 3 (Post 820201). 94/11/04. 32pp. 81796:004-81796:035.
- 9411090300** NRC Bulletin 94-002, "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride." PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.

9411220219 Responds to NRC 940908 ltr re unresolved item noted in Safety Insp Rept 50-255/94-12 on 940701-0819. Corrective actions: lists design changes planned in near future to enhance performance of P-55A plunger packing.
HAAS, K.M. Consumers Power Co. 94/11/15. Document Control Branch (Document Control Desk). 6pp. 81864:331-81864:336.

9411100237 NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment."
GRIMES, B.K. 94/11/17. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.

9411230043 Ack receipt of 941028 ltr informing NRC of steps taken to correct violations noted in insp rept 50-255/94-13.
RING, M.A. Region 3 (Post 820201). 94/11/17. PALMISANO, T. Consumers Power Co. 2pp. 81811:189-81811:194.

9411150578 NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation."
GRIMES, B.K. 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.

9411290195 Forwards reactive physical security insp rept 50-255/94-19 on 941018-31. One non-cited violation identified.
CREED, J.R. Region 3 (Post 820201). 94/11/21. PALMISANO, T. Consumers Power Co. 2pp. 81869:032-81869:037.

-9411290204 Insp rept 50-255/94-19 on 941018-31. One non-cited violation noted. Areas inspected: reactive announced review of licensee identified finding re inadequate review of personnel access authorization background screening records.
MADEDA, T. Region 3 (Post 820201). 94/11/22. 4pp. 81869:034-81869:037.

9411170039 NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping."
GRIMES, B.K. 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.

9411170279 NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys."
GRIMES, B.K. 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.

9411170284 NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results."
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.

R. Periodic operating reports & related correspondence

9411100208 Monthly operating rept for Oct 1994 for Palisades Nuclear Plant. W/941103 ltr.
BERLES, B.W., WILLIAMS, A.L. Consumers Power Co. 94/10/31. 5pp. 81736:354-81736:358.

V. Operator Examinations

9411040264 Forwards exam answer key for forms A & B, grading results, & individual answer sheets for each individual taking exam from facility. Requests results be forwarded to individuals w/answer sheets. W/o encls.
RING, M.A. Region 3 (Post 820201). 94/10/27. Consumers Power Co. 1p. 81586:001-81586:001.

9411300218 Forwards NRC summarized guidance that clarifies requirements for maintaining individual operator licenses, entitled, "Clarification of Maint & Reactivation Requirements for Individual Operator Licenses."
RING, M.A. Region 3 (Post 820201). 94/11/18. Affiliation Not Assigned. 3pp. 81872:341-81872:343.

Y. Dry Cask Independent Spent Fuel Storage Installations

9411080306 Discusses concern re lack of seismic requirements for spent fuel dry cask storage pad & foundation matl at Palisades. JA Zwolinski 940104 response to request for technical assistance re Palisades spent fuel dry cask storage encl.
LANDSMAN, R.B. Region 3 (Post 820201). 94/02/17. THE CHAIRMAN, SELIN, J. Commissioners (Post 750119). 3pp. 81841:001-81841:007.

-9401130025 Responds to 931021 request for technical assistance re plant SF fuel dry cask storage & informs that NRR obtained assistance from NMSS in reviewing design & analyses for dry casks used at plant against regulations.
ZWOLINSKI, J.A. Assistant Director for Region III Reactors (Post 901216). 94/01/04. GREENMAN, E.G. Region 3 (Post 820201). 5pp. 81841:003-81841:007.

9411090278 Ack receipt of encl in NRC 940915 ltr re Palisades dry cask.
SHILLINGLAW, Appleton, WI. 94/09/24. ZWOLINSKI, J.A. NRC - No Detailed Affiliation Given. 6pp. 81759:292-81759:297.

9411080079 Requests response to 940805 & 12 ltrs re hearing on VSC-23 casks to be unloaded at plant.
SHILLINGLAW, F. Affiliation Not Assigned. 94/10/24. ZWOLINSKI, J.A. NRC - No Detailed Affiliation Given. 1p. 81677:272-81677:272.

9411040286 Refers to 940825 meeting held to discuss plant dry cask storage issues. Informs that due to apparent progress in addressing issues, status update meeting cancelled & meeting scheduled when unloading procedure enhancements completed.
HANNON, J.N. Project Directorate III-1. 94/10/26. FENECH, R.A. Consumers Power Co. 3pp. 81609:358-81609:360.

9411080295 Ack receipt of 941006 ltr to Selin, asking questions re general license rulemaking, VSC-24 cask design, Sierra Nuclear Corp & contractors fabrication & QA nonconformances, multi-assembly sealed basket weld problems & exemption.
BERNERO, R.M. Office of Nuclear Material Safety & Safeguards. 94/11/02. SHILLINGLAW, F. Appleton, WI. 1p. 81679:115-81679:127.

-9411080299 Submits questions re general license rulemaking, VSC-24 cask design, Sierra Nuclear Corp & contractors fabrication & QA nonconformances, multi-assembly sealed basket weld problems & exemption, cask transport methods & Palisades pad issue.
SHILLINGLAW, F. Appleton, WI. 94/10/06. THE CHAIRMAN, SELIN, J. Commissioners (Post 750119). 9pp. 81679:116-81679:124.

-9411080306 Discusses concern re lack of seismic requirements for spent fuel dry cask storage pad & foundation matl at Palisades. Unrelated J Massey 921015 calculation concerning crushing of tile encl.
LANDSMAN, R.B. Region 3 (Post 820201). 94/02/17. THE CHAIRMAN, SELIN, J. Commissioners (Post 750119). 2pp. 81679:125-81679:127.

DOCKET 50-256 UNIV. OF MONTEVIDEO RESEARCH REACTOR

F. Security, medical, emergency & fire protection plans

9411300189 Ack receipt of 940303 ltr that transmitted Feb 1994 rev to UIUC Nuclear Reactor Lab Physical Security Plan. Rev acceptable.
CREED, J.R. Region 3 (Post 820201). 94/11/15. HOLM, R.L. Illinois, Univ. of, Urbana, IL. 1p. 81872:280-81872:280.

DOCKET 50-259 BROWNS FERRY NUCLEAR POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9411030095 Informs that rev 17 to radiological emergency plan for plant meets requirements of App E to 10CFR50 & acceptable.
CLINE, W.E. Region 2 (Post 820201). 94/10/18. KINGSLEY, O.D. Tennessee Valley Authority. 4pp. 81560:099-81560:102.

9411010211 Requests exemption from 10CFR73.55, "Requirements for Physical Protection of Licensed Activities..." to allow use of hand geometry biometrics sys to control unescorted access into protected area of facilities.
MEDFORD, M.O. Tennessee Valley Authority. 94/10/24. Document Control Branch (Document Control Desk). 6pp. 81585:053-81585:058.

9411170076 Forwards rev 24 to physical security/contingency plan. Encl withheld.
MACHON, R.D. Tennessee Valley Authority. 94/11/04. Document Control Branch (Document Control Desk). 2pp. 81854:001-81854:002.

9411230260 Application for amends to licenses DPR-33, DPR-52, DPR-68, DPR-77 & DPR-79, deleting audit frequencies & requirement to perform radiological emergency plan & security plan audits from TSS.
DAVIS, C.R. Tennessee Valley Authority. 94/11/15. Document Control Branch (Document Control Desk). 4pp. 81854:139-81854:149.

-9411230267 Proposed tech specs, deleting audit frequencies & requirement to perform radiological emergency plan & security plan audits.
* Tennessee Valley Authority. 94/11/15. 47pp. 81854:143-81854:189.

9411230303 Forwards Rev 18 to "Radiological Emergency Plan." Rev also corrects several minor inconsistencies & errors previously noted in review of Rev 15 & documented by ltr dtd 940907.
CARRIER, P.P. Tennessee Valley Authority. 94/11/15. Document Control Branch (Document Control Desk). 5pp. 81854:232-81854:233.

-9411230304 Rev 18 to "Radiological Emergency Plan."
* Tennessee Valley Authority. 94/10/18. 57pp. 81854:237-81854:293.

9411280047 Forwards environ assessment & finding of no significant impact re util 941024 request for exemption from requirements of 10CFR73.55 concerning access to protected & vital areas.
HEBDON, F.J. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 94/11/22. KINGSLEY, O.D. Tennessee Valley Authority. 1p. 81863:329-81863:336.

-9411280053 Environ assessment & finding of no significant impact re util 941024 request for exemption from certain requirements of 10CFR73.55 re unescorted access into protected & vital areas. EIS unnecessary.
HEBDON, F.J. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 94/11/22. 7pp. 81863:330-81863:336.

H. General correspondence

9411030228 Requests that MJ Burzynski be removed from NRC mailing labels for TVA & replaced w/RR Baron of same address.
* Tennessee Valley Authority. 94/10/27. NRC - No Detailed Affiliation Given. 2pp. 81641:359-81641:360.

9411070400 Submits changes to distribution lists for TVA dockets.
CARRIER, P.P. Tennessee Valley Authority. 94/11/01. Document Control Branch (Document Control Desk). 7pp. 81663:103-81663:109.

9411230100 Responds to 941015 ltr to Chairman I Selin, requesting info on actions taken by NRC to address concerns raised by JA Fleming re emergency preparedness for nuclear power plants.
TAYLOR, J.M. Ofc of the Executive Director for Operations. 94/11/09. KERRY, J.F. Senate. 3pp. 81828:286-81828:323.

-9411230199 Requests addl info pertaining to emergency preparedness for each site listed.
FLEMING, J.A. Affiliation Not Assigned. 94/07/14. CHILK, S. Office of the Secretary of the Commission. 2pp. 81828:322-81828:323.

32 DOCKETED ITEMS

P. Operating license stage documents & correspondence

- 9411300237** Final response to FOIA request for documents. App C records encl & partially withheld (ref FOIA exemption 5).
POWELL, R.A. Division of Freedom of Information & Publications Services (890206-940714). 93/11/22. PATTERSON, S.J. Newman & Holtzinger. 3pp. 81900:174-81900:271.
- 9411300253** Summary of 920615-16 NRC senior mgt meeting conducted to assure NRC focusing resources on plants & related issues of greatest safety significance. Info partially deleted.
TAYLOR, J.M. Ofc of the Executive Director for Operations. 92/06/25. THE CHAIRMAN Commissioners (Post 750119). 50pp. 81900:178-81900:227.
- 9411300265** Summary of 930126-28 NRC senior mgt meeting conducted to assure NRC focusing resources on plants & related issues of greatest safety significance. Info partially deleted.
TAYLOR, J.M. Ofc of the Executive Director for Operations. 93/02/04. THE CHAIRMAN Commissioners (Post 750119). 44pp. 81900:228-81900:271.
- 9411070111** Extends invitation to Region II licensees to participate w/NRR Region II representatives in discussion of GL 89-10 motor-operated valve programs. Meeting to be held on 941108 Atlanta, GA. Meeting notice & agenda encl.
MALLET, B.S. Region 2 (Post 820201). 94/10/12. KINGSLEY, O.D. Tennessee Valley Authority. 5pp. 81605:095-81605:099.
- 9411030022** Summarizes 941007 meeting w/util at Region II ofc to discuss concerns resolution program. List of individuals attending meeting & handout matl supplied by licensee encl.
BOGER, B.A. Region 2 (Post 820201). 94/10/18. KINGSLEY, O.D. Tennessee Valley Authority. 2pp. 81561:065-81561:068.
- 9411030044** Discusses 941017 meeting held w/util to discuss changes in corrective action program. List of attendees, agenda & handout matl supplied by licensee encl.
BOGER, B. Region 2 (Post 820201). 94/10/20. KINGSLEY, O.D. Tennessee Valley Authority. 23pp. 81561:163-81561:185.
- 9411080237** Forwards Request for Relief R&R-001 from ASME Section XI, repair requirements for NRC review & approval prior to sys pressure test currently scheduled for 941107 & requests to use ASME Code Case N-504-1 for plant ASME repair program.
SALAS, P. Tennessee Valley Authority. 94/10/28. Document Control Branch (Document Control Desk). 16pp. 81679:224-81679:239.
- 9411100119** Advises that weld overlay repair of weld GR-2-64 sufficient to maintain structural integrity of weld under operating conditions & that application of ASME Code Case N-504-1 to weld authorized, per 941028 ltr.
HEBDON, F.J. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 94/11/07. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 81726:250-81726:252.
- 9411300185** Notification of significant licensee meeting w/util on 941201 re status of plant & recovery activities.
LESSER, M.S. Region 2 (Post 820201). 94/11/10. Region 2 (Post 820201). 2pp. 81872:276-81872:277.
- 9411300190** Confirms telcon between P Salas & MS Lesser re arrangements made for 941201 mgt meeting w/util concerning status of plant relating to operating cycle, outage & recovery activities.
BOGER, B.A. Region 2 (Post 820201). 94/11/10. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 81872:281-81872:283.
- 9411220281** Provides update to IST program & addresses anomalies identified by NRC in NRC 931022 SER. IST program update contains clarifications to program description & relief requests. New cold shutdown justification 12 also included.
SALAS, P. Tennessee Valley Authority. 94/11/14. Document Control Branch (Document Control Desk). 6pp. 81848:273-81848:338.
- 9411220184** Forwards periodic special repts on integrated leak rate testing of secondary containment required by TS 6.9.2.8.
SALAS, P. Tennessee Valley Authority. 94/11/15. Document Control Branch (Document Control Desk). 7pp. 81833:003-81833:009.
- 9411230260** Application for amends to licenses DPR-33, DPR-52, DPR-68, DPR-77 & DPR-79, deleting audit frequencies & requirement to perform radiological emergency plan & security plan audits from TSS.
DAVIS, C.R. Tennessee Valley Authority. 94/11/15. Document Control Branch (Document Control Desk). 4pp. 81854:139-81854:189.
- 9411230267** Proposed tech specs, deleting audit frequencies & requirement to perform radiological emergency plan & security plan audits.
* Tennessee Valley Authority. 94/11/15. 47pp. 81854:143-81854:189.
- ### Q. Inspection reports, IE Bulletins & correspondence
- 9411030097** Discusses arrangements for insp of licensed operator requalification program re insp repts 50-259/94-11, 50-260/94-11 & 50-296/94-11 at station, Units 1, 2 & 3 to be conducted during week of 941114.
PEEBLES, T.A. Region 2 (Post 820201). 94/10/19. KINGSLEY, O.D. Tennessee Valley Authority. 4pp. 81560:106-81560:109.
- 9410140257** Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Matls Events to NRC Operations Ctr."
BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.
- 9411020283** Provides notification of completion of Bulletin 79-18, audibility problems encountered on evacuation of personnel from high-noise areas for BFN Units 1 & 3.
SALAS, P. Tennessee Valley Authority. 94/10/21. Document Control Branch (Document Control Desk). 2pp. 81633:357-81633:358.
- 9410200153** NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts."
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81658:001-81658:013.
- 9411090024** Forwards insp repts 50-259/94-24, 50-260/94-24 & 50-296/94-24 on 940910-1015 & notice of violation.
LESSER, M.S. Region 2 (Post 820201). 94/11/02. KINGSLEY, O.D. Tennessee Valley Authority. 4pp. 81637:189-81637:224.
- 9411090030** Notice of violation from insp on 940910-1015. Violation noted on 940420, reactor startup performed on unit 2 w/o intermediate range monitor high flux circuitry being functionally tested before startup.
* Region 2 (Post 820201). 94/11/02. 3pp. 81637:193-81637:195.
- 9411090036** Insp repts 50-259/94-24, 50-260/94-24 & 50-296/94-24 on 940910-1015. Violations noted. Major areas inspected: operations, surveillance testing, maintenance activities, unit 3 recovery actions & foreign material found in torus.
WERT, L.D., LESSER, M.S. Region 2 (Post 820201). 94/11/02. 29pp. 81637:196-81637:224.
- 9411210069** Forwards insp repts 50-259/94-25, 50-260/94-25 & 50-296/94-25 on 941017-21. No violations or deviations identified.
CRLEN, J.A.K.R.V. Region 2 (Post 820201). 94/11/04. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 81785:006-81785:019.
- 9411210079** Insp repts 50-259/94-25, 50-260/94-25 & 50-296/94-25 on 940917-21. No violations noted. Major areas inspected: review of ISI procedures, observation of ISI work activities including repair, replacement & review of data.
COLEY, J.L., BLAKE, J.J. Region 2 (Post 820201). 94/11/02. 11pp. 81785:009-81785:019.
- 9411090300** NRC Bulletin 94-002, "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride."
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.
- 9411290029** Forwards insp repts 50-259/94-28, 50-260/94-28 & 50-296/94-28 on 941024-28. No violations noted.
CLINE, W.E. Region 2 (Post 820201). 94/11/16. KINGSLEY, O.D. Tennessee Valley Authority. 4pp. 81857:193-81857:211.
- 9411290034** Insp repts 50-259/94-28, 50-260/94-28 & 50-296/94-28 on 941024-28. No violations noted. Major areas inspected: occupational radiation safety.
PARKER, B.A., RANKIN, W.H. Region 2 (Post 820201). 94/11/15. 15pp. 81857:197-81857:211.
- 9411100237** NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment."
GRIMES, B.K. 94/11/17. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.
- 9411150578** NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation."
GRIMES, B.K. 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.
- 9411170039** NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping."
GRIMES, B.K. 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.
- 9411170279** NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys."
GRIMES, B.K. 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.
- 9411170284** NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results."
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.
- ### R. Periodic operating reports & related correspondence
- 9411220313** Monthly operating rept for Oct 1994 for Browns Ferry Nuclear Plant/W/ 941114 ltr.
SMITH, T.R., SALAS, P. Tennessee Valley Authority. 94/10/31. 13pp. 81848:348-81848:360.
- ### V. Operator Examinations
- 9411030097** Discusses arrangements for insp of licensed operator requalification program re insp repts 50-259/94-11, 50-260/94-11 & 50-296/94-11 at station, Units 1, 2 & 3 to be conducted during week of 941114.
PEEBLES, T.A. Region 2 (Post 820201). 94/10/19. KINGSLEY, O.D. Tennessee Valley Authority. 4pp. 81560:106-81560:109.
- ### DOCKET 50-260 BROWNS FERRY NUCLEAR POWER STATION, UNIT 2
- ### F. Security, medical, emergency & fire protection plans
- 9411030095** Informs that rev 17 to radiological emergency plan for plant meets requirements of App E to 10CFR50 & acceptable.
CLINE, W.E. Region 2 (Post 820201). 94/10/18. KINGSLEY, O.D. Tennessee Valley Authority. 4pp. 81560:099-81560:102.
- 9411010211** Requests exemption from 10CFR73.55, "Requirements for Physical Protection of Licensed Activities..." to allow use of hand geometry biometrics sys to control unescorted access into protected area of facilities.
MEDFORD, M.O. Tennessee Valley Authority. 94/10/24. Document Control Branch (Document Control Desk). 6pp. 81585:053-81585:058.
- 9411170076** Forwards rev 24 to physical security/contingency plan. Encl withheld.
MACHON, R.D. Tennessee Valley Authority. 94/11/04. Document Control Branch (Document Control Desk). 2pp. 81854:001-81854:002.

9411230260 Application for amends to licenses DPR-33,DPR-52,DPR-68, DPR-77 & DPR-79,deleting audit frequencies & requirement to perform radiological emergency plan & security plan audits from TSS.
DAVIS,C.R. Tennessee Valley Authority. 94/11/15. Document Control Branch (Document Control Desk). 4pp. 81854:139-81854:189.

-9411230267 Proposed tech specs,deleting audit frequencies & requirement to perform radiological emergency plan & security plan audits.
* Tennessee Valley Authority. 94/11/15. 47pp. 81854:143-81854:189.

9411230303 Forwards Rev 18 to "Radiological Emergency Plan." Rev also corrects several minor inconsistencies & errors previously noted in review of Rev 15 & documented by ltr dtd 940907.
CARRIER,P.P. Tennessee Valley Authority. 94/11/15. Document Control Branch (Document Control Desk). 5pp. 81854:232-81854:293.

-9411230304 Rev 18 to "Radiological Emergency Plan."
* Tennessee Valley Authority. 94/10/18. 57pp. 81854:237-81854:293.

9411280047 Forwards environ assessment & finding of no significant impact re util 941024 request for exemption from requirements of 10CFR73.55 concerning access to protected & vital areas.
HEBDON,F.J. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 94/11/22. KINGSLEY,O.D. Tennessee Valley Authority. 1p. 81863:329-81863:336.

-9411280053 Environ assessment & finding of no significant impact re util 941024 request for exemption from certain requirements of 10CFR73.55 re unescorted access into protected & vital areas.EIS unnecessary.
HEBDON,F.J. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 94/11/22. 7pp. 81863:330-81863:336.

H. General correspondence

9411030228 Requests that MJ Burzynski be removed from NRC mailing labels for TVA & replaced w/RR Baron of same address.
* Tennessee Valley Authority. 94/10/27. NRC - No Detailed Affiliation Given. 2pp. 81641:359-81641:360.

9411070400 Submits changes to distribution lists for TVA dockets.
CARRIER,P.P. Tennessee Valley Authority. 94/11/01. Document Control Branch (Document Control Desk). 7pp. 81663:103-81663:109.

9411230100 Responds to 941015 ltr to Chairman I Selin,requesting info on actions taken by NRC to address concerns raised by JA Fleming re emergency preparedness for nuclear power plants.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 94/11/09. KERRY,J.F. Senate. 3pp. 81828:286-81828:323.

-9411230199 Requests addl info pertaining to emergency preparedness for each site listed.
FLEMING,J.A. Affiliation Not Assigned. 94/07/14. CHILK,S. Office of the Secretary of the Commission. 2pp. 81828:322-81828:323.

P. Operating license stage documents & correspondence

9411300237 Final response to FOIA request for documents.App C records encl & partially withheld (ref FOIA exemption 5).
POWELL,R.A. Division of Freedom of Information & Publications Services (890206-940714). 93/11/22. PATTERSON,S.J. Newman & Holtzinger. 3pp. 81900:174-81900:271.

-9411300253 Summary of 920615-16 NRC senior mgt meeting conducted to assure NRC focusing resources on plants & related issues of greatest safety significance.Info partially deleted.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 92/06/25. THE CHAIRMAN Commissioners (Post 750119). 50pp. 81900:178-81900:227.

-9411300265 Summary of 930126-28 NRC senior mgt meeting conducted to assure NRC focusing resources on plants & related issues of greatest safety significance.Info partially deleted.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 93/02/04. THE CHAIRMAN Commissioners (Post 750119). 44pp. 81900:228-81900:271.

9411070111 Extends invitation to Region II licensees to participate w/NRR Region II representatives in discussion of GL 89-10 motor-operated valve programs.Meeting to be held on 941108 Atlanta,GA.Meeting notice & agenda encl.
MALLET,B.S. Region 2 (Post 820201). 94/10/12. KINGSLEY,O.D. Tennessee Valley Authority. 5pp. 81605:095-81605:099.

9411030022 Summarizes 941007 meeting w/util at Region II ofc to discuss concerns resolution program.List of individuals attending meeting & handout matl supplied by licensee encl.
BOGER,B.A. Region 2 (Post 820201). 94/10/18. KINGSLEY,O.D. Tennessee Valley Authority. 24pp. 81561:065-81561:088.

9411030044 Discusses 941017 meeting held w/util to discuss changes in corrective action program.List of attendees,agenda & handout matl supplied by licensee encl.
BOGER,B. Region 2 (Post 820201). 94/10/20. KINGSLEY,O.D. Tennessee Valley Authority. 23pp. 81561:163-81561:185.

9411080237 Forwards Request for Relief R&R-001 from ASME Section XI, repair requirements for NRC review & approval prior to sys pressure test currently scheduled for 941107 & requests to use ASME Code Case N-504-1 for plant ASME repair program.
SALAS,P. Tennessee Valley Authority. 94/10/28. Document Control Branch (Document Control Desk). 16pp. 81679:224-81679:239.

9411070208 Forwards, "Browns Ferry Nuclear Plant,Unit 2,Cycle 8,Core Operating Limits Rept."
SALAS,P. Tennessee Valley Authority. 94/10/31. Document Control Branch (Document Control Desk). 3pp. 81654:001-81654:019.

-9411070211 "Browns Ferry Nuclear Plant,Unit 2,Cycle 8,Core Operating Limits Rept."
BRUCE,A.L., RILEY,E.E., KEYS,T.A. Tennessee Valley Authority. TVA-COLR-BF2C8 R00. 94/10/06. 16pp. 81654:004-81654:019.

9411070261 Forwards revised Relief Request SPT-4 from ASME Section XI ISI & sys pressure test programs.Util requesting one time relief request for addl exams of CRD cap screws during current (Unit 2 Cycle 7) refueling outage.
SALAS,P. Tennessee Valley Authority. 94/11/02. Document Control Branch (Document Control Desk). 18pp. 81654:028-81654:045.

9411100119 Advises that weld overlay repair of weld GR-2-64 sufficient to maintain structural integrity of weld under operating conditions & that application of ASME Code Case N-504-1 to weld authorized,per 941028 ltr.
HEBDON,F.J. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 94/11/07. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 81726:250-81726:252.

9411160192 Provides evaluation of epoxy coating on stainless steel components inside BFN Unit 2 suppression chamber.
SALAS,P. Tennessee Valley Authority. 94/11/10. Document Control Branch (Document Control Desk). 23pp. 81781:234-81781:256.

9411300185 Notification of significant licensee meeting w/util on 941201 re status of plant & recovery activities.
LESSER,M.S. Region 2 (Post 820201). 94/11/10. Region 2 (Post 820201). 2pp. 81872:276-81872:277.

9411300190 Confirms telcon between P Salas & MS Lesser re arrangements made for 941201 mgt meeting w/util concerning status of plant relating to operating cycle,outage & recovery activities.
BOGER,B.A. Region 2 (Post 820201). 94/11/10. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 81872:281-81872:283.

9411170307 Advises that request for relief from ASME Code requirements for exam of design cap screws will be granted on one-time basis & applies only to removal of original design cap screws.
HEBDON,F.J. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 94/11/14. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 81777:183-81777:199.

-9411170311 Safety evaluation for relief from ASME Code requirements. Relief granted on one-time basis & applies only to removal of original design cap screws.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/11/14. 13pp. 81777:187-81777:199.

9411220281 Provides update to IST program & addresses anomalies identified by NRC in NRC 931022 SER.IST program update contains clarifications to program description & relief requests.New cold shutdown justification 12 also included.
SALAS,P. Tennessee Valley Authority. 94/11/14. Document Control Branch (Document Control Desk). 66pp. 81848:273-81848:338.

9411220184 Forwards periodic special repts on integrated leak rate testing of secondary containment required by TS 6.9.2.8.
SALAS,P. Tennessee Valley Authority. 94/11/15. Document Control Branch (Document Control Desk). 7pp. 81833:003-81833:009.

9411230260 Application for amends to licenses DPR-33,DPR-52,DPR-68, DPR-77 & DPR-79,deleting audit frequencies & requirement to perform radiological emergency plan & security plan audits from TSS.
DAVIS,C.R. Tennessee Valley Authority. 94/11/15. Document Control Branch (Document Control Desk). 4pp. 81854:139-81854:189.

-9411230267 Proposed tech specs,deleting audit frequencies & requirement to perform radiological emergency plan & security plan audits.
* Tennessee Valley Authority. 94/11/15. 47pp. 81854:143-81854:189.

Q. Inspection reports, IE Bulletins & correspondence

9411030097 Discusses arrangements for insp of licensed operator requalification program re insp repts 50-259/94-11, 50-260/94-11 & 50-296/94-11 at station,Units 1,2 & 3 to be conducted during week of 941114.
PEEBLES,T.A. Region 2 (Post 820201). 94/10/19. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 81560:106-81560:109.

9410140257 Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Matts Events to NRC Operations Ctr."
BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.

9410200153 NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts."
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81558:001-81558:013.

9411070261 Forwards revised Relief Request SPT-4 from ASME Section XI ISI & sys pressure test programs.Util requesting one time relief request for addl exams of CRD cap screws during current (Unit 2 Cycle 7) refueling outage.
SALAS,P. Tennessee Valley Authority. 94/11/02. Document Control Branch (Document Control Desk). 18pp. 81654:028-81654:045.

9411090024 Forwards insp repts 50-259/94-24,50-260/94-24 & 50-296/94-24 on 940910-1015 & notice of violation.
LESSER,M.S. Region 2 (Post 820201). 94/11/02. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 81637:189-81637:224.

-9411090030 Notice of violation from insp on 940910-1015.Violation noted:on 940420,reactor startup performed on unit 2 w/o intermediate range monitor high flux circuitry being functionally tested before startup.
* Region 2 (Post 820201). 94/11/02. 3pp. 81637:193-81637:195.

-9411090036 Insp repts 50-259/94-24,50-260/94-24 & 50-296/94-24 on 940910-1015.Violations noted:Major areas inspected: operations,surveillance testing,maintenance activities, unit 3 recovery actions & foreign material found in torus.
WERT,L.D., LESSER,M.S. Region 2 (Post 820201). 94/11/02. 29pp. 81637:196-81637:224.

34 DOCKETED ITEMS

9411210069 Forwards insp repts 50-259/94-25,50-260/94-25 & 50-296/94-25 on 941017-21.No violations or deviations identified.
CRLENJAK,R.V. Region 2 (Post 820201). 94/11/04. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 81785:006-81785:019.

-9411210079 Insp repts 50-259/94-25,50-260/94-25 & 50-296/94-25 on 940917-21.No violations noted.Major areas inspected:review of ISI procedures,observation of ISI work activities including repair,replacement & review of data.
COLEY,J.L., BLAKE,J.J. Region 2 (Post 820201). 94/11/02. 11pp. 81785:009-81785:019.

9411090300 NRC Bulletin 94-002, "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride."
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.

9411170301 Forwards RAI re Unit 2 second 10-yr interval ISI program,per util 940222 submittal,Info requested by 950106.
WILLIAMS,J.F. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 94/11/14. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 81785:153-81785:156.

9411290029 Forwards insp repts 50-259/94-28,50-260/94-28 & 50-296/94-28 on 941024-28.No violations noted.
CLINE,W.E. Region 2 (Post 820201). 94/11/16. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 81857:193-81857:211.

-9411290034 Insp repts 50-259/94-28,50-260/94-28 & 50-296/94-28 on 941024-28.No violations noted.Major areas inspected: occupational radiation safety.
PARKER,B.A., RANKIN,W.H. Region 2 (Post 820201). 94/11/15. 15pp. 81857:197-81857:211.

9411100237 NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment."
GRIMES,B.K. . 94/11/17. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.

9411300170 Forwards results of Unit 2 core shroud insp committed to in util 940823 response to GL 94-03.
SALAS,P. Tennessee Valley Authority. 94/11/18. Document Control Branch (Document Control Desk). 17pp. 81910:030-81910:046.

9411150578 NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation."
GRIMES,B.K. . 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.

9411170039 NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping."
GRIMES,B.K. . 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.

9411170279 NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys."
GRIMES,B.K. . 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.

9411170284 NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results."
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.

R. Periodic operating reports & related correspondence

9411220313 Monthly operating rept for Oct 1994 for Browns Ferry Nuclear Plant.W/ 941114 ltr.
SMITH,T.R., SALAS,P. Tennessee Valley Authority. 94/10/31. 13pp. 81848:348-81848:360.

S. Reportable occurrences, LERs & related correspondence

9411090286 LER 94-008-00: on 941002,primary containment penetrations & main steam isolation valves leak rates exceeding TS limits occurred.Cause of leakage initially investigated.Valves will be repaired.W/941031 ltr.
WALLACE,J.E., MACHON,R.D. Tennessee Valley Authority. 94/10/31. 8pp. 81770:051-81770:058.

9411090409 LER 94-007-02: on 940929,discovered that condition involving noncompliance w/10CFR50 App R,criterion III.L2.d existed. Caused by failures to correctly interpret/implement requirements of calculations.Rept initiated.W/941031 ltr.
AUSTIN,S., MACHON,R.D. Tennessee Valley Authority. 94/10/31. 9pp. 81732:040-81732:048.

9411070279 Forwards LER 93-011 re operation or condition prohibited by TS which resulted from improper LLRT performed on Unit 2 drywell head seal prior to restart from last refueling outage in May 1993.Investigation of event in progress.
MACHON,R.D. Tennessee Valley Authority. 94/11/01. Document Control Branch (Document Control Desk). 3pp. 81666:001-81666:011.

-9411070287 LER 93-011-00: on 930525,facility started w/invalid LLRT having been performed on drywell head seals.Initial investigation determined that RTV applied w/o approved procedure,Incident investigation being conducted.
WALLACE,J.E. Tennessee Valley Authority. 94/11/01. 8pp. 81666:004-81666:011.

9411170027 LER 94-009-00: on 940420,missed TS surveillance before reactor startup as result of misunderstanding of TS.Util will submit TS change to clarify frequency for IRM & APRM instrumentation functional tests.W/941104 ltr.
HSIEH,C.S., MACHON,R.D. Tennessee Valley Authority. 94/11/04. 8pp. 81791:088-81791:095.

9411170046 LER 94-010-00: on 941005,loss of ECCS division II instrumentation resulting from blown fuse in ATU inverter caused by failed capacitor.Blown dc input fuse was replaced & instrumentation logic restored.W/941104 ltr.
DAVENPORT,D.W., MACHON,R.D. Tennessee Valley Authority. 94/11/04. 9pp. 81791:096-81791:104.

V. Operator Examinations

9411030097 Discusses arrangements for insp of licensed operator requalification program re insp repts 50-259/94-11, 50-260/94-11 & 50-296/94-11 at station,Units 1,2 & 3 to be conducted during week of 941114.
PEEBLES,T.A. Region 2 (Post 820201). 94/10/19. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 81560:106-81560:109.

DOCKET 50-261 H.B. ROBINSON PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9411300132 Ack receipt of 940906 ltr which transmitted revision 26 to plant physical security plan.Review of changes has found them to be consistent with provisions of 10CFR50.54.
COLLINS,D.M. Region 2 (Post 820201). 94/10/21. HINNANT,C.S. Carolina Power & Light Co. 4pp. 81872:157-81872:159.

9411030339 Revised EIPs,including Rev 3 to PEP-003, "Emergency Preparedness Periodic Tests," Rev 4 to PEP-168, "Technical Analysis Manager" & Rev 1 to PEP-175, "Representative at Emergency Operations Ctrs." W/941024 ltr.
KRICH,R.M. Carolina Power & Light Co. 94/10/24. 35pp. 81640:279-81640:313.

9411030002 Forwards summary of workshops held w/US Army Corps of Engineers & licensee representatives conducted at each of four regional ofcs.W/o encl.
BATEMAN,W.H. Project Directorate II-1. 94/10/26. ORSER,W.S. Carolina Power & Light Co. 4pp. 81607:173-81607:176.

9411070300 Provides response to violations noted in Insp Rept 50-261/94-23.Corrective actions:review performed to determine adverse trend exists of failures to properly adhere to escort procedures.
HINNANT,C.S. Carolina Power & Light Co. 94/10/31. Document Control Branch (Document Control Desk). 3pp. 81654:022-81654:024.

9411070431 Revised EIPs,including Rev 8 to PEP-166,Rev 11 to PEP-655 & Rev 7 to PEP-453.W/941101 ltr.
KRICH,R.M. Carolina Power & Light Co. 94/11/01. 28pp. 81716:325-81716:352.

9411090240 Forwards amend 152 to license DPR-23 & safety evaluation. Amend changes TS 6.13 re high radiation areas,to provide for use of alarming dosimeters on personnel allowed access to high radiation areas.
MOZAFARI,B.L. Project Directorate II-1. 94/11/04. HINNANT,C.S. Carolina Power & Light Co. 4pp. 81667:310-81667:319.

-9411090248 Amend 152 to license DPR-23,changing TS 6.13 re high radiation areas,to provide for use of alarming dosimeters on personnel allowed access to high radiation areas & exempt health physics technicians.
BATEMAN,W.H. Project Directorate II-1. 94/11/04. 4pp. 81667:314-81667:317.

-9411090250 Safety evaluation supporting amend 152 to license DPR-23.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/11/04. 2pp. 81667:318-81667:319.

9411210027 Forwards insp rept 50-261/94-26 on 940925-941022 & notice of violation.
CHRISTENSEN,H. Region 2 (Post 820201). 94/11/04. HINNANT,C.S. Carolina Power & Light Co. 4pp. 81784:144-81784:155.

-9411210033 Notice of violation from insp on 940925-941022.Violations noted:vital area boundary breached for maint & no compensatory measures established.
CHRISTENSEN,H. Region 2 (Post 820201). 94/11/04. 1p. 81784:148-81784:148.

9411250114 Rev 5 to Plant Emergency Procedure PEP-553, "Personnel Decontamination." W/941115 ltr.
WILKERSON,T.M., KRICH,R.M. Carolina Power & Light Co. 94/11/15. 7pp. 81894:326-81894:332.

P. Operating license stage documents & correspondence

9411040293 Technical Rept, "Assessment of Aging Degradation of Civil/ Structural Features at Selected Operating Nuclear Power Plants."
BRAVERMANA,J., MORANTE,R., HOFMAYER,C. Brookhaven National Laboratory. L-151(6)/5-93. 93/05/31. 100pp. 81621:028-81621:128.

9411070152 Requests participation in 941108 meeting w/NRC at Region II ofc in Atlanta,GA re GL 89-10 MOV programs.
GIBSON,A.F. Region 2 (Post 820201). 94/10/12. HINNANT,C.S. Carolina Power & Light Co. 2pp. 81605:188-81605:191.

-9411070156 Informs of 941108 meeting w/NRC at Region II ofc in Atlanta, GA re GL 89-10 MOV program.
* Region 2 (Post 820201). 94/10/12. Region 2 (Post 820201). 2pp. 81605:190-81605:191.

9411070056 Discusses 941012 meeting w/util re status of Robinson Near- Term Improvement Plan.List of attendees & licensee slides encl.
BOGER,B.A. Region 2 (Post 820201). 94/10/25. HINNANT,C.S. Carolina Power & Light Co. 46pp. 81604:198-81604:243.

9411070273 Forwards proprietary WCAP-14209, "Evaluation of Effects of Insurge/Outsurge Transients at Integrity of Pressurizer at HB Robinson Unit 2," for Oct 1994.Westinghouse rept withheld (ref 10CFR2.790(b)(4)).
KRICH,R.M. Carolina Power & Light Co. 94/10/28. Document Control Branch (Document Control Desk). 10pp. 81653:343-81653:352.

9411100079 Informs that first installment of \$3,068,000 was paid to US Dept of Treasury,NRC on 941102.
ROGAN,R.E. Carolina Power & Light Co. 94/11/02. Document Control Branch (Document Control Desk). 1p. 81752:266-81752:266.

9411100106 Informs that payment of \$69,091 for period 940320-940625 for listed invoices was transferred to US Dept of Treasury on 941102.
ROGAN,R.E. Carolina Power & Light Co. 94/11/02. Document Control Branch (Document Control Desk). 1p. 81750:359-81750:359.

9411100110 Informs that payment of \$90,462 for period 940320-0625 for listed invoices was transferred to US Dept of Treasury on 941102.
ROGAN,R.E. Carolina Power & Light Co. 94/11/02. Document Control Branch (Document Control Desk). 1p. 81752:228-81752:228.

941110054 Comment on pilot program for NRC recognition of good performance by Nuclear Power Plants. Util endorses position stated in Nuclear Energy Institute 941003 ltr to NRC for listed reasons.
ROGAN,R.E. Carolina Power & Light Co. 94/11/02. Rules & Directives Review Branch (Post 920323). 2pp. 81760:179-81760:180.

9411090240 Forwards amend 152 to license DPR-23 & safety evaluation. Amend changes TS 6.13 re high radiation areas, to provide for use of alarming dosimeters on personnel allowed access to high radiation areas.
MOZAFARI,B.L. Project Directorate II-1. 94/11/04. HINNANT,C.S. Carolina Power & Light Co. 4pp. 81667:310-81667:319.

9411090248 Amend 152 to license DPR-23, changing TS 6.13 re high radiation areas, to provide for use of alarming dosimeters on personnel allowed access to high radiation areas & exempt health physics technicians.
BATEMAN,W.H. Project Directorate II-1. 94/11/04. 4pp. 81667:314-81667:317.

9411090250 Safety evaluation supporting amend 152 to license DPR-23.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/11/04. 2pp. 81667:318-81667:319.

9411150633 Application for amend to License DPR-23, changing testing frequency of turbine overspeed protection valves from monthly to quarterly to implement enhancement recommended by NRC GL 93-05.
HINNANT,C.S. Carolina Power & Light Co. 94/11/04. Document Control Branch (Document Control Desk). 9pp. 81778:321-81778:333.

9411150634 Proposed tech specs re turbine overspeed protection valve testing frequency, per GL 93-05.
* Carolina Power & Light Co. 94/11/04. 4pp. 81778:330-81778:333.

9411250117 Forwards suppl info re 941014 request for relief to implement temporary non-code repair of leaking section of pipe in chemical & vol control sys at facility, in response to NRC 941021 telcon request.
KRICH,R.M. Carolina Power & Light Co. 94/11/15. Document Control Branch (Document Control Desk). 6pp. 81866:317-81866:322.

9411280171 Forwards amend 153 to license DPR-23 & safety evaluation. Amend deletes requirement to perform alternate train testing to demonstrate that other safety-related components are operable when components are found inoperable in SI.
MOZAFARI,B.L. Project Directorate II-1. 94/11/21. HINNANT,C.S. Carolina Power & Light Co. 3pp. 81852:215-81852:227.

9411280179 Amend 153 to license DPR-23, deleting requirement to perform alternate train testing to demonstrate that other safety-related components are operable when components are found inoperable in SI.
BATEMAN,W.H. Project Directorate II-1. 94/11/21. 8pp. 81852:218-81852:225.

9411280182 Safety evaluation supporting amend 153 to license DPR-23.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/11/21. 2pp. 81852:226-81852:227.

Q. Inspection reports, IE Bulletins & correspondence

9411010013 Forwards insp rept 50-261/94-25 on 940912-16. No violations or deviations noted.
CRLENJAK,R.V. Region 2 (Post 820201). 94/10/14. HINNANT,C.S. Carolina Power & Light Co. 3pp. 81514:046-81514:063.

9411010017 Insp rept 50-261/94-25 on 940912-16. No violations or deviations noted. Major areas inspected: design changes & plant mods, engineering & technical support activities.
WHITENER,H., CASTO,C.A. Region 2 (Post 820201). 94/10/13. 15pp. 81514:049-81514:063.

9411010122 Ack receipt of 940927 ltr informing NRC of steps taken to correct violations noted in NOV issued 940831 re plant activities. Corrective action implementation to take place during future insp.
CRLENJAK,R.V. Region 2 (Post 820201). 94/10/14. HINNANT,C.S. Carolina Power & Light Co. 3pp. 81514:326-81514:328.

9410140257 Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Matis Events to NRC Operations Ctr."
BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.

9411010129 Informs that procedure revs for project have been accomplished & completion date being revised to 941216 to support operator training required as result of procedure changes re insp rept 50-261/94-07.
KRICH,R.M. Carolina Power & Light Co. 94/10/20. Document Control Branch (Document Control Desk). 1p. 81579:290-81579:290.

9410200153 NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts."
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81658:001-81658:013.

9411290071 Summarizes 941017 enforcement conference w/ util re apparent violations involving pressurizer cooldown rate which exceeded TS limit & mispositioned steam line drain valves. List of attendees encl.
BOGER,B.A. Region 2 (Post 820201). 94/10/28. HINNANT,C.S. Carolina Power & Light Co. 36pp. 81858:211-81858:246.

9411070300 Provides response to violations noted in Insp Rept 50-261/94-23. Corrective actions: review performed to determine adverse trend exists of failures to properly adhere to escort procedures.
HINNANT,C.S. Carolina Power & Light Co. 94/10/31. Document Control Branch (Document Control Desk). 3pp. 81654:022-81654:024.

9411210147 Ack receipt of 941017 ltr informing NRC of steps taken to correct violations noted in insp rept 50-261/94-300.
PEEBLES,T.A. Region 2 (Post 820201). 94/11/01. HINNANT,C.S. Carolina Power & Light Co. 3pp. 81785:111-81785:113.

9411100102 Informs that payment for NRC insp fees for period 940320- 940625 for listed invoices was transferred to US Dept of Treasury on 941102.
ROGAN,R.E. Carolina Power & Light Co. 94/11/02. Document Control Branch (Document Control Desk). 1p. 81750:360-81750:360.

9411080092 Advises that as agreed during 941103 telcon w/ NRC, response to NRC Insp Rept 50-261/94-24 will be submitted by 941111 to allow more time for accurate cause determination.
KRICH,R.M. Carolina Power & Light Co. 94/11/03. Document Control Branch (Document Control Desk). 1p. 81677:001-81677:001.

9411210027 Forwards insp rept 50-261/94-26 on 940925-941022 & notice of violation.
CHRISTENSEN,H. Region 2 (Post 820201). 94/11/04. HINNANT,C.S. Carolina Power & Light Co. 4pp. 81784:144-81784:155.

9411210033 Notice of violation from insp on 940925-941022. Violations noted: vital area boundary breached for maint & no compensatory measures established.
CHRISTENSEN,H. Region 2 (Post 820201). 94/11/04. 1p. 81784:148-81784:148.

9411210037 Insp rept 50-261/94-26 on 940925-941022. Violations noted. Major areas inspected: plant operations, surveillance observation, maint observation & plant support.
CHRISTENSEN,H. Region 2 (Post 820201). 94/11/04. 7pp. 81784:149-81784:155.

9411220256 Responds to NRC 941004 ltr re violation noted in Insp Rept 50-261/94-24. Corrective actions: all test document records will be assembled into consolidated & readily available test package.
HINNANT,C.S. Carolina Power & Light Co. 94/11/11. Document Control Branch (Document Control Desk). 6pp. 81844:350-81844:355.

9411090300 NRC Bulletin 94-002, "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride."
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.

9411100237 NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment."
GRIMES,B.K. 94/11/17. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.

9411150578 NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation."
GRIMES,B.K. 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.

9411170039 NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping."
GRIMES,B.K. 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.

9411170279 NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys."
GRIMES,B.K. 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.

9411170284 NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results."
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.

R. Periodic operating reports & related correspondence

9411180100 Monthly operating rept for Oct 1994 for HB Robinson Steam Electric Plant Unit 2.W/941110 ltr.
WOODS,J., KRICH,R.M. Carolina Power & Light Co. 94/10/31. 4pp. 81818:322-81818:325.

S. Reportable occurrences, LERs & related correspondence

9411030185 LER 94-015-01: on 940927, TS 3.0 violation occurred re two EDG out of svc. Caused by action required by TS Section 3.7.2(d). EDG restored to operable status.W/941027 ltr.
JURY,K.R., YOUNG,D.E. Carolina Power & Light Co. 94/10/27. 6pp. 81619:044-81619:049.

9411070253 LER 94-018-01: on 940809, 10 & 30, Unit 2 containment spray sys declared inoperable during TS scheduled testing. Caused by configuration outside allowed by TS. Sys restored upon completion of testing.W/941031 ltr.
JURY,K.R., YOUNG,D.E. Carolina Power & Light Co. 94/10/31. 5pp. 81666:030-81666:034.

9411210292 LER 94-022-01: on 940907, SI accumulator & SI pump declared inoperable. Caused by sys configuration necessary to perform evolution not addressed by LCO action statement. SI sys restored.W/941111 ltr.
JURY,K.R., YOUNG,D.E. Carolina Power & Light Co. 94/11/11. 5pp. 81864:133-81864:137.

9411220263 LER 94-016-01: on 940802, manual reactor trip occurred. Caused by component failure. Fuse replaced, sys tested & plant returned to power.W/941115 ltr.
JURY,K.R., YOUNG,D.E. Carolina Power & Light Co. 94/11/11. 5pp. 81864:144-81864:148.

9411220176 LER 94-019-01: on 940822, pressurizer heatup & cooldown rate exceeded. Caused by inadequate procedure. Procedures revised to require logging of pressurizer temps & training being conducted accordingly.W/941114 ltr.
JURY,K.R., YOUNG,D.E. Carolina Power & Light Co. 94/11/14. 6pp. 81850:153-81850:158.

9411290025 Responds to 941006 verbal request, informing that util has proceduralized program for handling vendor error notices on licensed software which includes evaluation of error for 10CFR21 applicability.
KRICH,R.M. Carolina Power & Light Co. 94/11/18. Document Control Branch (Document Control Desk). 2pp. 81903:358-81903:359.

36 DOCKETED ITEMS

V. Operator Examinations

9411220173 Notifies that TR Byron permanently reassigned within util & no need to maintain license, effective 941105.
KRICH,R.M. Carolina Power & Light Co. 94/11/15. Document Control Branch (Document Control Desk). 1p. 81892:359-81892:359.

DOCKET 50-263 MONTICELLO NUCLEAR GENERATING PLANT

F. Security, medical, emergency & fire protection plans

9411010023 Forwards insp rept 50-263/94-09 on 940816-0928 & notice of violation. Weaknesses noted in attention to indications & procedures similar to kind of violations identified in insp rept 50-263/94-04 issued on 940705.
GREENMAN,E.G. Region 3 (Post 820201). 94/10/20. WATZLE, Northern States Power Co. 2pp. 81514:081-81514:106.

-9411010032 Insp rept 50-263/94-09 on 940816-0928. Violations noted. Major areas inspected: operations, maint, engineering & plant support activities. Support activities included routine security insp conducted by regional specialist.
PHILLIPS,M.P. Region 3 (Post 820201). 94/10/13. 18pp. 81514:089-81514:106.

9411300094 Informs that NRC finds rev 13 to plant emergency plan, acceptable.
CREED,J.F. Region 3 (Post 820201). 94/11/23. WATZLE, Northern States Power Co. 1p. 81871:339-81871:339.

H. General correspondence

9411230100 Responds to 941015 ltr to Chairman I Selin, requesting info on actions taken by NRC to address concerns raised by JA Fleming re emergency preparedness for nuclear power plants.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 94/11/09. KERRY,J.F. Senate. 3pp. 81828:286-81828:323.

-9411230199 Requests addl info pertaining to emergency preparedness for each site listed.
FLEMING,J.A. Affiliation Not Assigned. 94/07/14. CHILK,S. Office of the Secretary of the Commission. 2pp. 81828:322-81828:323.

P. Operating license stage documents & correspondence

9411020209 Suppl response to NRC GL 94-03, "Intergranular Stress Corrosion Cracking of Core Shroud in BWR." Ltr contains no new NRC commitments.
HILL,W.J. Northern States Power Co. 94/10/22. Document Control Branch (Document Control Desk). 5pp. 81589:354-81589:358.

9411080199 Forwards safety evaluation accepting util 940930 ltr, requesting authorization to utilize ASME Boiler & Pressure Vessel Code Case N-461-1, "Alternative Pressure Test Requirement for Welded Repairs or Installation of..."
HANNON,J.N. Project Directorate III-1. 94/11/02. ANDERSON,R.O. Northern States Power Co. 2pp. 81663:333-81663:339.

-9411080204 Safety evaluation accepting util request to utilize ASME Boiler & Pressure Vessel Code Case N-461-1 as alternative to required hydrostatic pressure test.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/11/02. 4pp. 81663:336-81663:339.

9411160050 Forwards rept on site visit to review implementation of maint rule at station for review & info. Rept identifies strengths & weaknesses w/program at site.
SHAFFER,W.D. Region 3 (Post 820201). 94/11/07. DONNELLY,P.M. Consumers Power Co. 2pp. 81746:131-81746:141.

9411220241 Suppl info re GL 89-19 & USI A-47, "Safety Implications of Control Sys in LWR Nuclear Power Plants." Ltr contains no new NRC commitments.
ANDERSON,R.O. Northern States Power Co. 94/11/15. Document Control Branch (Document Control Desk). 4pp. 81849:015-81849:018.

9411230078 Summary of 941019 meeting w/util re recent work performed during 1994 refueling outage & results of core shroud insp done in response to GL 94-03, "Intergranular Stress Corrosion Cracking of Core Shrouds in BWRs."
WETZEL,B.A. Project Directorate III-1. 94/11/17. Project Directorate III-1. 25pp. 81822:308-81822:332.

9411280307 Provides suppl response to NRC GL 94-02, "Long-Term Solutions & Upgrade of Interim Operating Recommendations for Thermal-Hydraulic Instabilities in BWRs."
HILL,W. Northern States Power Co. 94/11/17. Document Control Branch (Document Control Desk). 5pp. 81900:298-81900:302.

9411280309 Submits suppl response to NRC GL 89-10, "Safety-Related Motor-Operated Valve Testing & Surveillance."
HILL,W.J. Northern States Power Co. 94/11/17. Document Control Branch (Document Control Desk). 5pp. 81899:356-81899:360.

Q. Inspection reports, IE Bulletins & correspondence

9410140257 Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Mafis Events to NRC Operations Ctr."
BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.

9411010023 Forwards insp rept 50-263/94-09 on 940816-0928 & notice of violation. Weaknesses noted in attention to indications & procedures similar to kind of violations identified in insp rept 50-263/94-04 issued on 940705.
GREENMAN,E.G. Region 3 (Post 820201). 94/10/20. WATZLE, Northern States Power Co. 2pp. 81514:081-81514:106.

-9411010027 Notice of violation from insp on 940816-0928. Violation noted on 940919, during performance of procedure 8192, valve MO-1988 had not been positioned or verified to be open.
* Region 3 (Post 820201). 94/10/20. 2pp. 81514:087-81514:088.

-9411010032 Insp rept 50-263/94-09 on 940816-0928. Violations noted. Major areas inspected: operations, maint, engineering & plant support activities. Support activities included routine security insp conducted by regional specialist.
PHILLIPS,M.P. Region 3 (Post 820201). 94/10/13. 18pp. 81514:089-81514:106.

9410200153 NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts."
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81658:001-81658:013.

9411090300 NRC Bulletin 94-002, "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride."
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.

9411100237 NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment."
GRIMES,B.K. 94/11/17. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.

9411230078 Summary of 941019 meeting w/util re recent work performed during 1994 refueling outage & results of core shroud insp done in response to GL 94-03, "Intergranular Stress Corrosion Cracking of Core Shrouds in BWRs."
WETZEL,B.A. Project Directorate III-1. 94/11/17. Project Directorate III-1. 25pp. 81822:308-81822:332.

9411150578 NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation."
GRIMES,B.K. 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.

9411280310 Provides response to violations noted in Insp Rept 50-263/94-09. Corrective actions: company positive discipline program implemented for operators involved.
HILL,W.J. Northern States Power Co. 94/11/21. Document Control Branch (Document Control Desk). 16pp. 81891:346-81891:361.

9411170039 NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping."
GRIMES,B.K. 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.

9411170279 NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys."
GRIMES,B.K. 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.

9411170284 NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results."
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.

R. Periodic operating reports & related correspondence

9411210129 Monthly operating rept for Oct 1994 for Monticello Nuclear Generating Plant.W/941111 ltr.
PAUSTIAN,H.H., ANDERSON,R.O. Northern States Power Co. 94/10/31. 5pp. 81837:194-81837:198.

S. Reportable occurrences, LERs & related correspondence

9411090129 LER 94-008-01: on 940727, structural beam connections on cable spreading room floor found different from design due to workers not installing clips in accordance w/specified design. Room door unlatched until analyzed.W/941031 ltr.
PARKER,T., ANDERSON,R.O. Northern States Power Co. 94/10/31. 8pp. 81731:342-81731:349.

9411090144 LER 94-011-00: on 940929, discovered that two SRV inoperable at time during previous cycle. Caused by leaking silver plated metal O-ring that seals bellows. Topworks replaced for SRV "D" & "H". W/941031 ltr.
PARKER,T., ANDERSON,R.O. Northern States Power Co. 94/10/31. 6pp. 81731:350-81731:355.

9411090148 LER 94-012-00: on 940930, fire door 61 did not have required door latch throw. Error was made during original plant const. Latch on fire door 61 was replaced w/latch w/3/4" throw. W/941031 ltr.
PARKER,T., ANDERSON,R.O. Northern States Power Co. 94/10/31. 4pp. 81731:356-81731:359.

9411220117 LER 94-015-00: on 941015, failed component in uninterruptible power supply inverter causes partial containment. Caused by failure of static switch logic card. CI signals reset & isolated sys returned to svc as necessary.W/941109 ltr.
PARKER,T., ANDERSON,R.O. Northern States Power Co. 94/11/09. 6pp. 81850:119-81850:124.

9411220128 LER 94-013-00: on 941013, spurious 480 VAC breaker trip de-energizes 120 VAC instrument bus resulting in partial CI. Training will be provided to operations personnel on appropriate actions.W/941110 ltr.
PARKER,T., ANDERSON,R.O. Northern States Power Co. 94/11/10. 7pp. 81850:133-81850:139.

9411220168 LER 94-014-00: on 941013, missed procedural step while switching power supply to reactor protection sys to alternate source causes partial CI. CI signal reset & isolation sys returned to svc as necessary.W/941114 ltr.
PARKER,T., ANDERSON,R.O. Northern States Power Co. 94/11/14. 7pp. 81850:146-81850:152.

9411220234 LER 94-016-00: on 941017, partial containment isolation occurred. Caused by lack of proper procedural prerequisite in excess flow check valve test procedure. Excess flow check test revised.W/941115 ltr.
PARKER,T., ANDERSON,R.O. Northern States Power Co. 94/11/15. 6pp. 81864:138-81864:143.

9411300273 LER 94-017-00: on 941023, HPCI isolated on high steam flow during test at lower than normal pressure. Preventative maint procedure for HPCI sys revised. W/ 941122 ltr. PARKER, T., ANDERSON, R.O. Northern States Power Co. 94/11/22. 5pp. 81930:011-81930:015.

9411300276 LER 94-018-00: on 941026, automatic transfer of HPCI suction from condensate storage tanks to torus on high torus level during surveillance testing. Caused by lack of appropriate procedure action. Guideline will be established. W/ 941122 ltr. PARKER, T., ANDERSON, R.O. Northern States Power Co. 94/11/22. 5pp. 81912:126-81912:130.

V. Operator Examinations

9411040265 Forwards master BWR/PWR GFES exam w/answer key of exam administered on 941005. RING, M.A. Region 3 (Post 820201). 94/10/27. Commonwealth Edison Co. 1p. 81586:002-81586:002.

9411300218 Forwards NRC summarized guidance that clarifies requirements for maintaining individual operator licenses, entitled, "Clarification of Maint & Reactivation Requirements for Individual Operator Licenses." RING, M.A. Region 3 (Post 820201). 94/11/18. Affiliation Not Assigned. 3pp. 81872:341-81872:343.

DOCKET 50-265 QUAD-CITIES STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9411070071 Revised Corporate EIPs (CEIP), including Rev 7 to CEIP-3103-01 & Rev 8 to CEIP-3104-01. SCOTT, D.J. Commonwealth Edison Co. 94/10/05. 19pp. 81654:188-81654:208.

9411030225 Revised Corporate EIPs (CEIP), including Rev 2 to CEIP-321-01, Rev 3 to CEIP-3303-01, Rev 3 to CEIP-3304-01, Rev 3 to CEIP-3404-01 & Rev 3 to CEIP-3505-01. PAVEY, M. Commonwealth Edison Co. 94/10/06. 65pp. 81606:221-81606:285.

9411070030 Advises that revs 8D-8G to various sections of plant annex to generic generating stations emergency plan, acceptable. CREED, J.R. Region 3 (Post 820201). 94/10/27. KRAFT, E. Commonwealth Edison Co. 2pp. 81604:116-81604:117.

9411090375 Revised EIPs, including rev 16 to QEP-100-0, rev 9 to QEP-100-T1, rev 12 to QEP-105-0, rev 8 to QEP-105-S5, rev 28 to QEP-400-0 & rev 7 to QEP-400-S3. * Commonwealth Edison Co. 94/11/02. 20pp. 81718:316-81718:336.

9411180082 Revised EIPs, including rev 27 to EIP-QEP-600, Index & rev 10 to QEP-600-S4, "Envirom Sampling & Emergency Responder Inventory Checklist." * Commonwealth Edison Co. 94/11/11. 12pp. 81818:297-81818:308.

9411160259 Rev 8h to "Commonwealth Edison Co. Generating Stations Emergency Plan Site Annex Quad Cities Nuclear Power Station." * Commonwealth Edison Co. 94/11/15. 30pp. 81783:239-81783:269.

9411210293 Submits response to NRC request for addl info re proposed use of corporate EOF as interim EOF to perform emergency response functions until near site can be staffed. JOHNSON, I.M. Commonwealth Edison Co. 94/11/15. Document Control Branch (Document Control Desk). 22pp. 81833:332-81833:353.

9411300121 Informs of decision to institute quarterly proficiency training for ERDS Operators. AXELSON, W.L. Region 3 (Post 820201). 94/11/16. MARTIN, J. Region 3 (Post 820201). 4pp. 81872:132-81872:135.

9411300172 Requests that results of review & disposition of activities at Quad Cities Station be submitted to Region III within 60 days of ltr. AXELSON, W.L. Region 3 (Post 820201). 94/11/22. KRAFT, E. Commonwealth Edison Co. 2pp. 81925:140-81925:141.

9411300211 Forwards response to 940919 RAI re proposed use of corporate EOF (CEOF) as interim EOF, including analysis of EOF functions applicable to CEOF as interim EOF. JOHNSON, I.M. Commonwealth Edison Co. 94/11/22. Office of Nuclear Reactor Regulation, Director (Post 870411). 77pp. 81908:092-81908:169.

P. Operating license stage documents & correspondence

9411030322 Ltr contract, mod 3 to task order 21, extending period of performance from 940329 to 950329 at no addl cost or obligation to govt, to "IPE Reviews, Internal Events-Front End Only (Quad Cities)." MACE, M. Division of Contracts (Post 940714). 94/09/01. COLINA, J. Science & Engineering Associates, Inc. 2pp. 81608:077-81608:078.

9411010042 Confirms plans as discussed between D Chyu of NRC & M Jackson of util to hold meeting on 941102 in Lisle, IL. Poor CA & maint activities which resulted in failures of some control rods to scram during testing will be discussed. GREENMAN, E.G. Region 3 (Post 820201). 94/10/24. KRAFT, E. Commonwealth Edison Co. 1p. 81514:119-81514:119.

9411020246 Responds to NRC RAI on core shroud. PIET, P.I. Commonwealth Edison Co. 94/10/28. Document Control Branch (Document Control Desk). 7pp. 81633:350-81633:356.

9411080146 Forwards status of previously described Q1R13 matl condition improvement actions (MCIA), addl matl condition improvements & emergent work activities implemented during Q1R13 & status of previously described non-outage MCIA's. KRAFT, E.S. Commonwealth Edison Co. 94/11/03. RUSSELL, W.T. Office of Nuclear Reactor Regulation, Director (Post 870411). 12pp. 81679:172-81679:183.

9411080285 Forwards amends 129,123,150,146,158 & 146 to licenses DPR-19, DPR-25, DPR-29, DPR-30, DPR-39 & DPR-48, respectively & safety evaluation. Amends add license condition that modifies NUREG-0737 to allow commitments be controlled under 10CFR50. SHIRAKI, C.Y. Project Directorate III-2. 94/11/03. FARRAR, D.L. Commonwealth Edison Co. 4pp. 81658:280-81658:307.

9411080290 Amends 129,123,150,146,158 & 146 to licenses DPR-19, DPR-25, DPR-29, DPR-30, DPR-39 & DPR-48, respectively, adding license condition that modifies NUREG-0737 to allow commitments made in response to NUREG-0737 be controlled under 10CFR50.59. CAPRA, R.A. Project Directorate III-2. 94/11/03. 21pp. 81658:284-81658:304.

9411080302 Safety evaluation supporting amends 129,123,150,146,158 & 146 to licenses DPR-39, DPR-48, DPR-19, DPR-25, DPR-29 & DPR-30, respectively. * Office of Nuclear Reactor Regulation, Director (Post 870411). 94/11/03. 3pp. 81658:305-81658:307.

9411090142 Notification of 941206 meeting w/util & NRC in Rockville, MD to discuss performance of licensee plants. DICK, G.F. Project Directorate III-2. 94/11/04. CAPRA, R.A. Project Directorate III-2. 4pp. 81715:221-81715:224.

941100244 Summary of 941014 meeting w/util re response to GL-94-03, "Intergranular Stress Corrosion Cracking of Core Shrouds in BWR," for plants. List of attendees encl. STANG, J.F. Project Directorate III-2. 94/11/07. Project Directorate III-2. 38pp. 81724:322-81724:360.

9411160050 Forwards rept on site visit to review implementation of maint rule at station for review & info. Rept identifies strengths & weaknesses w/program at site. SHAFFER, W.D. Region 3 (Post 820201). 94/11/07. DONNELLY, P.M. Consumers Power Co. 2pp. 81746:131-81746:141.

9411180017 Confirms plans between P Hiland & N Chrissotimos to hold meeting on 941117 at plant in Cordova, IL to discuss plant Units 1 & 2 readiness for restart. GREENMAN, E.G. Region 3 (Post 820201). 94/11/08. KRAFT, E. Commonwealth Edison Co. 1p. 81774:295-81774:295.

9411170299 Forwards RAI re GL 94-03, "Intergranular Stress Corrosion Cracking of Core Shrouds in Boiling Water Reactors." Response should be provided within 30 days of ltr date. STANG, J.F. Project Directorate III-2. 94/11/14. FARRAR, D.L. Commonwealth Edison Co. 5pp. 81777:142-81777:147.

9411180274 Forwards tentative schedule re fuel vendor transition for Post-1995 reloads for info & resource planning purposes. BENES, G.G. Commonwealth Edison Co. 94/11/14. Document Control Branch (Document Control Desk). 2pp. 81830:346-81830:347.

9411180002 Advises that rept GE-NE-L12-00819-05, "Core Shroud Blowdown Load Calculation During Recirculation Suction Line Break By TRACG Analysis for Dresden Units 2 & 3 & Quad Cities, Units 1 & 2" will be withheld (ref 10CFR2.790), per 940902 ltr. STANG, J.F. Project Directorate III-2. 94/11/15. FARRAR, D.L. Commonwealth Edison Co. 4pp. 81782:097-81782:100.

9411210245 Submits response to NRC request for addl info re GL 89-10. Info provided in 4 Attachments. Attachment A provides summary of methods, results of reprioritization & margin review effort for util MOV population. FARRAR, D.L. Commonwealth Edison Co. 94/11/15. Document Control Branch (Document Control Desk). 54pp. 81837:034-81837:087.

9411210266 Forwards GENE-523-A163-1194, "Quad Cities & Dresden Main Steam Line Break Analysis W/ TRACG Model." PIET, P.L. Commonwealth Edison Co. 94/11/15. Document Control Branch (Document Control Desk). 3pp. 81831:113-81831:126.

9411210275 "Quad Cities & Dresden Main Steam Line Break Analysis W/ TRACG Model." VILLALTA, J.A. General Electric Co. GENE-523-A163-1194. 94/11/09. 11pp. 81831:116-81831:126.

9411230105 Forwards amends 130,124,151 & 147 to licenses DPR-19, DPR-25, DPR-29 & DPR-30, respectively. Amends revise TS 3/4.4 to revise sodium pentaborate solution concentrations for SLCS storage tanks. STANG, J.F. Project Directorate III-2. 94/11/16. FARRAR, D.L. Commonwealth Edison Co. 3pp. 81823:006-81823:045.

9411230122 Amends 130,124,151 & 147 to licenses DPR-19, DPR-25, DPR-29 & DPR-30, respectively, revising TS 3/4.4 to revise sodium pentaborate solution concentrations for SLCS storage tanks based on net positive suction head test results. STANG, J.F. Project Directorate III-2. 94/11/16. 33pp. 81823:009-81823:041.

9411230130 Safety evaluation supporting amends 130,124,151 & 147 to licenses DPR-19, DPR-25, DPR-29 & DPR-30, respectively. * Office of Nuclear Reactor Regulation, Director (Post 870411). 94/11/16. 4pp. 81823:042-81823:045.

9411230089 Forwards application of Iowa-Illinois Gas & Electric Co & Midamerican Energy Co for transfer & amend of licenses. PALMER, R.B. Iowa-Illinois Gas & Electric. 94/11/21. Document Control Branch (Document Control Desk). 1p. 81894:001-81894:292.

9411230093 Application for transfer & amend to licenses DPR-29 & DPR-30. BRIGHT, S.J. Iowa-Illinois Gas & Electric. BRIGHT, S.J. Affiliation Not Assigned. 94/11/21. 290pp. 81894:003-81894:292.

9411300238 Submits reactor water clean-up sys piping replacement schedule. SCHRAGE, J.L. Commonwealth Edison Co. 94/11/21. Document Control Branch (Document Control Desk). 2pp. 81951:300-81951:301.

38 DOCKETED ITEMS

Q. Inspection reports, IE Bulletins & correspondence

9411040056 EN-94-106: on 941012, notice of proposed imposition of civil penalty in amount of \$80,000 issued to licensee. Action based on failure to promptly suspend individual unescorted access & test information for cause following repts by employees. ROSANO, D., LIEBERMAN, J. Ofc of Enforcement (Post 870413). 94/10/06. 1p. 81658:025-81658:025.

9411040078 EN-94-109: on 941018, notice of proposed imposition of civil penalty in amount of \$100,000 issued to licensee. Action based on violation involving deliberate actions on part of worker(s) that resulted in external radiation exposure. BEALL, J., LIEBERMAN, J. Ofc of Enforcement (Post 870413). 94/10/13. 1p. 81658:029-81658:029.

9411090188 "NRC Staff Proposes \$80,000 Fine Against Commonwealth Edison Co for Fitness for Duty Violations at Quad Cities Nuclear Station."
* Office of Public Affairs (Post 911117). 94/10/13. 2pp. 81770:025-81770:026.

9411010065 Ack receipt of 940919 ltr informing NRC of steps taken to correct violations noted in insp repts 50-254/94-16 & 50-265/94-16. GREENMAN, E.G. Region 3 (Post 820201). 94/10/18. KRAFT, E. Commonwealth Edison Co. 2pp. 81514:159-81514:160.

9411090201 "NRC Staff Proposes \$100,000 Fine Against Commonwealth Edison for Radiation Protection Violation at Quad Cities Nuclear Station."
* Office of Public Affairs (Post 911117). 94/10/19. 2pp. 81770:032-81770:034.

9410140257 Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Mafis Events to NRC Operations Ctr."
BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.

9411010102 Forwards insp repts 50-254/94-17 & 50-265/94-17 on 940729-0930. Apparent violations being considered for escalated enforcement action. GREENMAN, E.G. Region 3 (Post 820201). 94/10/24. KRAFT, E. Commonwealth Edison Co. 3pp. 81514:255-81514:283.

-9411010110 Insp repts 50-254/94-17 & 50-265/94-17 on 940729-0930. Apparent violations being considered for escalated enforcement action. Major areas inspected: operational safety verification & monthly maint observation. HILAND, P.L. Region 3 (Post 820201). 94/10/21. 26pp. 81514:258-81514:283.

9410200153 NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts."
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81658:001-81658:013.

9411040146 Responds to request for addl info re proposed third ten-year interval ISI program for Quad Cities Station Units 1 & 2. W/160 oversized drawings. SCHRAGE, J.L. Commonwealth Edison Co. 94/10/26. Office of Nuclear Reactor Regulation, Director (Post 870411). 301pp. 81624:001-81624:301.

9411000080 Confirms plans to hold 941102 enforcement conference to discuss poor corrective actions & maint activities resulting in failures of CRs to scram during testing at plant. Insp repts 50-254/94-17 & 50-265/94-17 discussed. GREENMAN, E.G. Region 3 (Post 820201). 94/10/27. KRAFT, E. Commonwealth Edison Co. 1p. 81673:267-81673:267.

9411090300 NRC Bulletin 94-002, "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride."
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.

9411230027 Forwards enforcement conference repts 50-254/94-27 & 50-265/94-27 on 941102 & informs that util will be notified of NRC decision re EA based on info presented & discussed at conference. GREENMAN, E.G. Region 3 (Post 820201). 94/11/16. WALLACE, M.J. Commonwealth Edison Co. 3pp. 81811:146-81811:160.

-9411230033 Enforcement conference repts 50-254/94-27 & 50-265/94-27 on 941102. Areas discussed: apparent violations identified during insp, corrective actions taken or planned by licensee. HILAND, P.L. Region 3 (Post 820201). 94/11/16. 13pp. 81811:149-81811:160.

9411100237 NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment."
GRIMES, B.K. 94/11/17. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.

9411150578 NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation."
GRIMES, B.K. 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.

9411170039 NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping."
GRIMES, B.K. 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.

9411300155 Ack receipt of util 941017 ltr in response to NRC ltr requesting info re insp repts 50-254/94-16 & 50-265/94-16. NRC questions util position on MOV issues. SHAFER, W.D. Region 3 (Post 820201). 94/11/23. KRAFT, E. Commonwealth Edison Co. 2pp. 81872:182-81872:183.

9411170279 NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys."
GRIMES, B.K. 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.

9411170284 NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results."
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.

S. Reportable occurrences, LERs & related correspondence

9411150323 LER 94-011-00: on 941006, thirty day limited condition of operation exceeded for 2B RHR SWP due to inadequate work planning & scheduling. Evaluating inventory of major RHRSWP parts. W/941107 ltr. BRIGL, D., KRAFT, E.S. Commonwealth Edison Co. 94/11/07. 10pp. 81791:044-81791:053.

9411210111 Interim Part 21 Rept 94-12 re Limitorque actuator potential motor pinion key failure. Comm Ed issued guidelines to six nuclear stations on methods for properly installing motor pinion keys. JOHNSON, I.M. Commonwealth Edison Co. 94/11/11. Office of Nuclear Reactor Regulation, Director (Post 870411). 5pp. 81831:127-81831:131.

9411220211 LER 94-013-00: on 941012, nonconformance w/10CFR50 App R SS analysis separation requirements. Caused by sys interactions not considered. Util will implement mod to resolve nonconformance of sys w/SS analysis. W/941111 ltr. MASTERLARK, J., KRAFT, E.S. Commonwealth Edison Co. 94/11/11. 7pp. 81866:355-81866:361.

V. Operator Examinations

9411070366 Informs that license SOP-31280, DB Cook was removed from license duty on 941026 & requests termination of license. KRAFT, E.S. Commonwealth Edison Co. 94/10/26. Document Control Branch (Document Control Desk). 1p. 81676:115-81676:115.

9411080023 Informs that license SOP-31134, TD Bush, was removed from duty on 941026, therefore, requests termination of license. KRAFT, E.S. Commonwealth Edison Co. 94/10/26. Document Control Branch (Document Control Desk). 1p. 81717:320-81717:320.

9411040265 Forwards master BWR/PWR GFES exam w/answer key of exam administered on 941005. RING, M.A. Region 3 (Post 820201). 94/10/27. Commonwealth Edison Co. 1p. 81586:002-81586:002.

9411220177 Informs that written & operating exams scheduled for wk of 950320 & that util should submit ref matls identified in encl attachment of ES-201 by 951219. W/o encl. RING, M.A. Region 3 (Post 820201). 94/11/16. KRAFT, E. Commonwealth Edison Co. 3pp. 81798:297-81798:299.

9411300218 Forwards NRC summarized guidance that clarifies requirements for maintaining individual operator licenses, entitled, "Clarification of Maint & Reactivation Requirements for Individual Operator Licenses." RING, M.A. Region 3 (Post 820201). 94/11/18. Affiliation Not Assigned. 3pp. 81872:341-81872:343.

DOCKET 50-266 POINT BEACH NUCLEAR PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9411230030 Forwards public version of EPIP including rev 22 to EPIP Index, rev 18 to EPIP Form Index, rev 21 to EPIP 1.1, rev 11 to EPIP 1.1.1, rev 6 to EPIP 1.1.2, rev 2 to EPIP 1.3, rev 12 to EPIP 22 & rev 10 to EPIP 23. W/941117 ltr. MAXFIELD, G.J. Wisconsin Electric Power Co. 94/07/21. Document Control Branch (Document Control Desk). 4pp. 81827:001-81827:149.

-9411230042 EPIP rev 22 to EPIP Index, rev 18 to EPIP Form Index, rev 21 to EPIP 1.1, rev 11 to EPIP 1.1.1, rev 6 to EPIP 1.1.2, rev 2 to EPIP 1.3, rev 12 to EPIP 22, rev 10 to EPIP 23, rev 6 to EPIP 24, rev 11 to EPIP 25 & rev 26 to EPIP 26.
* Wisconsin Electric Power Co. 94/07/21. 147pp. 81827:003-81827:149.

9411010138 Forwards SALP 11 repts 50-266/94-01 & 50-301/94-01 covering period 930401-940917. MARTIN, J.B. Region 3 (Post 820201). 94/10/21. LINK, R.E. Wisconsin Electric Power Co. 4pp. 81515:016-81515:026.

-9411010145 SALP 11 repts 50-266/94-01 & 50-301/94-01 for period 930401-940917.
* Region 3 (Post 820201). 94/10/21. 7pp. 81515:020-81515:026.

9411030174 Confirms that review of rev 2 to plant emergency plan completed & rev acceptable & does not decrease effectiveness of emergency planning. CREED, J.R. Region 3 (Post 820201). 94/10/25. LINK, R. Wisconsin Electric Power Co. 1p. 81561:010-81561:010.

9411030158 Forwards FEMA, final "Exercise Rept, Point Beach Nuclear Power Plant Joint Exercise," conducted 920317. MCCORMICK-BERGE Region 3 (Post 820201). 94/10/27. LINK, R. Wisconsin Electric Power Co. 1p. 81560:223-81560:325.

9411020212 Forwards rev to security plan. Rev withheld. MAXFIELD, G.J. Wisconsin Electric Power Co. 94/10/28. Document Control Branch (Document Control Desk). 1p. 81633:326-81633:326.

9411040277 Forwards response to NRC RAIs, transmitted on 940913 & 1013 re util 940805 request for exemption from requirements of Section III.G of App R to 10CFR50 for AFWP room. LINK, B. Wisconsin Electric Power Co. 94/10/31. Document Control Branch (Document Control Desk). 36pp. 81648:302-81648:337.

9411090243 Forwards central files & public versions of revised EPIPs. Central files version of revised EPIPs withheld. MAXFIELD, G.J. Wisconsin Electric Power Co. 94/10/31. Document Control Branch (Document Control Desk). 1p. 81719:271-81719:298.

-9411090247 Public version of revised EPIPs, including Rev 21 to EPIP form index, Rev 13 to EPIP-22, Rev 11 to EPIP-23, Rev 7 to EPIP-24, Rev 12 to EPIP-25 & Rev 11 to EPIP-26.
* Wisconsin Electric Power Co. 94/10/31. 27pp. 81719:272-81719:298.

941100071 Confirms plans to change time of 941108 meeting to discuss SALP rept for plant, covering period 930401 through 940917.
GREENMAN, E.G. Region 3 (Post 820201). 94/11/02. LINK, R.E. Wisconsin Electric Power Co. 2pp. 81673:262-81673:265.

-941100076 Notification of significant licensee meeting w/util on 941108 to discuss SALP II for plant.
FARBER, M.J. Region 3 (Post 820201). 94/11/02. Region 3 (Post 820201). 2pp. 81673:264-81673:265.

941100103 Requests results of review & disposition of physical security concern at plant within 30 days of ltr date.
PEDERSON, C.D. Region 3 (Post 820201). 94/11/18. LINK, R. Wisconsin Electric Power Co. 2pp. 81871:349-81871:350.

P. Operating license stage documents & correspondence

9411040293 Technical Rept, "Assessment of Aging Degradation of Civil/ Structural Features at Selected Operating Nuclear Power Plants."
BRAVERMAN, J. Brookhaven National Laboratory. L-151(6)/5-93. 93/05/31. 100pp. 81621:028-81621:128.

9411030252 Ltr contract, mod 1 to task order 22, extending period of performance from 940929 to 950329 at no addl cost to govt, to "IPE Reviews, Internal Events-Front End Only," for plants Unit 1 & 2.
MACE, M. Division of Contracts (Post 940714). NRC-04-91-066. 94/09/01. COLINA, I. Science & Engineering Associates, Inc. 1p. 81607:297-81607:298.

9411040111 Ltr contract, mod 1 to task order 23, extending period of performance of task order from 940929 to 950329 at no addl cost or obligation to govt, to "IPE Reviews, Internal Events, Human Reliability Analysis Only," for plants.
MACE, M. Division of Contracts (Post 940714). NRC-04-91-069. 94/09/01. HAAS, P.M. Concord Associates, Inc. 2pp. 81628:276-81628:277.

9411030224 Informs that IST program relief VRR-21 no longer required & formally withdrawn. Future testing of main feedwater check valve shall be on cold shutdown frequency as permitted by ASME Section XI, IWB-3522.
MAXFIELD, G.J. Wisconsin Electric Power Co. 94/10/18. Document Control Branch (Document Control Desk). 2pp. 81645:351-81645:352.

9411010178 Submits degraded grid voltage setting limit status update. Licensees expect to provide Tech Specs change request for degraded voltage by 950428.
LINK, B. Wisconsin Electric Power Co. 94/10/28. Document Control Branch (Document Control Desk). 2pp. 81585:066-81585:067.

9411030323 Forwards Amends 156 & 160 to Licenses DPR-24 & DPR-27, respectively & SE Amends revise TS to reduce RCS raw measured total flow rate & operating pressure.
HANSEN, A.G. Project Directorate III-3. 94/10/28. LINK, R.E. Wisconsin Electric Power Co. 3pp. 81608:079-81608:095.

-9411030327 Amends 156 & 160 to Licenses DPR-24 & DPR-27, respectively, revising TS section 15.3.1.G, "Operation Limitations," to reduce RCS raw measured total flow rate & operating pressure.
ADENSAM, E.G. Division of Reactor Projects - III, IV, V (Post 901216). 94/10/28. 7pp. 81608:082-81608:089.

-9411030329 Safety evaluation supporting Amends 156 & 160 to Licenses DPR-24 & DPR-27, respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/28. 6pp. 81608:090-81608:095.

9411040277 Forwards response to NRC RAIs, transmitted on 940913 & 1013 re util 940805 request for exemption from requirements of Section III.G of App R to 10CFR50 for AFWP room.
LINK, B. Wisconsin Electric Power Co. 94/10/31. Document Control Branch (Document Control Desk). 36pp. 81648:302-81648:337.

9411060050 Forwards rept on site visit to review implementation of maint rule at station for review & info. Rept identifies strengths & weaknesses w/program at site.
SHAFFER, W.D. Region 3 (Post 820201). 94/11/07. DONNELLY, P.M. Consumers Power Co. 2pp. 81748:131-81748:141.

9411250140 Submits mod to 940912 submittal of TS Change Request 169, revising TS 15.3.3, "ECCS, Auxiliary Cooling Sys, Air Recirculation Fan Coolers & Containment Spray," per discussion w/NRC. Affected TS pages encl.
LINK, B. Wisconsin Electric Power Co. 94/11/16. Document Control Branch (Document Control Desk). 2pp. 81881:352-81881:355.

-9411250142 Proposed TS 15.3.3, stating that RCS temps shall be maintained greater than 350 F after placing reactor in hot shutdown condition & removing note to Spec 15.3.3.D.1.a, discussing power supply to Train B SWPs for Unit 2.
* Wisconsin Electric Power Co. 94/11/16. 2pp. 81881:354-81881:355.

Q. Inspection reports, IE Bulletins & correspondence

9410140257 Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Mfts Events to NRC Operations Ctr."
BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.

9411010138 Forwards SALP 11 repts 50-266/94-01 & 50-301/94-01 covering period 930401-940917.
MARTIN, J.B. Region 3 (Post 820201). 94/10/21. LINK, R.E. Wisconsin Electric Power Co. 4pp. 81515:016-81515:026.

-9411010145 SALP 11 repts 50-266/94-01 & 50-301/94-01 for period 930401-940917.
* Region 3 (Post 820201). 94/10/21. 7pp. 81515:020-81515:026.

941100077 Ack receipt of 941005 ltr informing NRC of steps taken to correct violations noted in insp repts 50-266/94-13 & 50-301/94-13.
FARBER, M.J. Region 3 (Post 820201). 94/10/25. LINK, R.E. Wisconsin Electric Power Co. 1p. 81673:266-81673:266.

9410200153 NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts."
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81558:001-81558:013.

941100071 Confirms plans to change time of 941108 meeting to discuss SALP rept for plant, covering period 930401 through 940917.
GREENMAN, E.G. Region 3 (Post 820201). 94/11/02. LINK, R.E. Wisconsin Electric Power Co. 2pp. 81673:262-81673:265.

-941100076 Notification of significant licensee meeting w/util on 941108 to discuss SALP II for plant.
FARBER, M.J. Region 3 (Post 820201). 94/11/02. Region 3 (Post 820201). 2pp. 81673:264-81673:265.

9411090300 NRC Bulletin 94-002, "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride."
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.

9411000237 NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment."
GRIMES, B.K. 94/11/17. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.

9411230015 Ack receipt of 941014 ltr transmitting NOV w/insp repts 50-266/94-16 & 50-301/94-16. Steps taken to correct violations 1.a, 2.a & 2.b, noted. Violation 1.b, retracted.
SHAFFER, W.D. Region 3 (Post 820201). 94/11/18. LINK, R. Wisconsin Electric Power Co. 2pp. 81811:068-81811:078.

-9411230017 Ack receipt of 941014 ltr transmitting NOV w/insp repts 50-266/94-16 & 50-301/94-16. Steps taken to correct violations 1.a, 2.a & 2.b, noted. Violation 1.b, retracted.
SHAFFER, W.D. Region 3 (Post 820201). 94/11/14. SCHROCK, C.A. Wisconsin Public Service Corp. 1p. 81811:070-81811:078.

9411150578 NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation."
GRIMES, B.K. 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.

9411170039 NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping."
GRIMES, B.K. 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.

9411170279 NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys."
GRIMES, B.K. 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.

9411170284 NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results."
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.

R. Periodic operating reports & related correspondence

9411230320 Monthly operating repts for Oct 1994 for Point Beach Nuclear Plant Units 1 & 2.W/941104 ltr.
KOUDELKA, M.B., MAXFIELD, G.J. Wisconsin Electric Power Co. 94/10/31. 13pp. 81854:316-81854:328.

9411230218 Forwards revised monthly operating repts for Sept 1994 for Point Beach Nuclear Plant.
MAXFIELD, G.J. Wisconsin Electric Power Co. 94/11/04. Document Control Branch (Document Control Desk). 1p. 81833:236-81833:245.

-9411230220 Revised monthly operating repts for Sept 1994 for Point Beach Nuclear Plant.
KOUDELKA, M.B. Wisconsin Electric Power Co. 94/09/30. 9pp. 81833:237-81833:245.

S. Reportable occurrences, LERs & related correspondence

9411030127 LER 94-010-00: on 940927, inadvertent EDGs start, loss of two station battery chargers & Unit 2 loss of DHR occurred when control operator operating gas turbine incorrectly manipulated controls. Subj equipment restored. W/941025 ltr.
CASTELL, C.A., LINK, B. Wisconsin Electric Power Co. 94/10/25. 8pp. 81619:030-81619:037.

9411070376 LER 94-011-00: on 941004, discovered that on 940409 redundant DHR requirements not met during refueling outage due to inadequate communication to operators re interpretation of TS 15.3.1.A.3.b. Both RHR pumps secured. W/941103 ltr.
ARNESON, K.V., LINK, B. Wisconsin Electric Power Co. 94/11/03. 6pp. 81666:040-81666:040.

V. Operator Examinations

9411040264 Forwards exam answer key for forms A & B, grading results, & individual answer sheets for each individual taking exam from facility. Requests results be forwarded to individuals w/answer sheets. W/o ends.
RING, M.A. Region 3 (Post 820201). 94/10/27. Consumers Power Co. 1p. 81586:001-81586:001.

9411300218 Forwards NRC summarized guidance that clarifies requirements for maintaining individual operator licenses, entitled, "Clarification of Maint & Reactivation Requirements for Individual Operator Licenses."
RING, M.A. Region 3 (Post 820201). 94/11/18. Affiliation Not Assigned. 3pp. 81872:341-81872:343.

40 DOCKETED ITEMS

DOCKET 50-267 FORT ST. VRAIN NUCLEAR GENERATING STATION

F. Security, medical, emergency & fire protection plans

9411030358 Issue 4 to DPP 5.2.3, "ERP-Control Room" & Issue 4 to DPP 5.2.19-SA, "Semi-Annual Requirements of ERP." W/941025 ltr.
BORST, WAREMBOURG.D. Public Service Co. of Colorado. 94/10/25. 33pp. 81640:246-81640:278.

9411250107 Issue 3 to Emergency Response Procedure (ERP) DPP 5.2.12, "ERP-Classification." W/941116 ltr.
WAREMBOURG.D.W. Public Service Co. of Colorado. 94/11/16. 30pp. 81885:255-81885:284.

Q. Inspection reports, IE Bulletins & correspondence

9410140257 Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Matis Events to NRC Operations Ctr."
BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.

9410200153 NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts."
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81658:001-81658:013.

9411090300 NRC Bulletin 94-002, "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride."
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.

9411180001 Forwards insp rept 50-267/94-07 on 941018-20. Noncited violations identified. NRC will not require licensee to continue to make weekly notifications to NRC Operations Ctr after 941101 w/ listed understandings.
COLLINS,S.J. Region 4 (Post 820201). 94/11/16. CRAWFORD,A.C. Public Service Co. of Colorado. 5pp. 81774:251-81774:269.

-9411180004 Insp rept 50-267/94-07 on 941018-20. Noncited violations identified. Major areas inspected: facility status & operational safety verification, including detailed insp of licensee respiratory protection program.
CAIN,C.L. Region 4 (Post 820201). 94/11/10. 14pp. 81774:256-81774:269.

9411100237 NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment."
GRIMES,B.K. . 94/11/17. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.

9411150578 NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation."
GRIMES,B.K. . 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.

9411170039 NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping."
GRIMES,B.K. . 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.

9411170279 NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys."
GRIMES,B.K. . 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.

9411170284 NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results."
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.

S. Reportable occurrences, LERs & related correspondence

9411020125 Forwards three recent non-compliance repts re Fort St Vrain National Pollutant Discharge Elimination Sys Permit.
WAREMBOURG,D.W. Public Service Co. of Colorado. 94/10/19. AUSTIN,J.H. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 11pp. 81589:243-81589:253.

9411040119 NPDES noncompliance notification: on 941019, sample collected at discharge point 001A exhibited pH of 9.30 su. Caused by elevated pH biological activity in farm pond.
WAREMBOURG,D.W. Public Service Co. of Colorado. 94/10/24. AUSTIN,J.H. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 3pp. 81658:314-81658:316.

9411070432 NPDES noncompliance notification: on 941026, sample collected at discharge point 001A exhibited pH of 9.50 su. Caused by biological activity in farm pond. Permit amend will be submitted to delete pH limitations for outfall 001A.
WAREMBOURG,D.W. Public Service Co. of Colorado. 94/11/01. AUSTIN,J.H. Decommissioning & Regulatory Issues Branch (Post 901230). 3pp. 81676:158-81676:160.

W. Decommissioning Stage Documents & Correspondence

9411250104 Forwards suppl info re proposed mod to removable surface contamination release criteria for tritium & Fe-55, submitted via util 940929 ltr, in response to NRC 941027 telcon RAI.
WAREMBOURG,D.W. Public Service Co. of Colorado. 94/11/17. AUSTIN,J.H. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 12pp. 81866:305-81866:316.

DOCKET 50-269 OCONEE NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9411230032 Forwards public version of Rev 94-04 to Vol C, "Oconee Nuclear Site Emergency Telephone Directory." W/941121 release memo.
HAMPTON,J.W. Duke Power Co. 94/05/05. Document Control Branch (Document Control Desk). 2pp. 81829:219-81829:281.

-9411230045 Public version of Rev 94-01 to Vol C, "Oconee Nuclear Site Emergency Telephone Directory."
DOLAN,B.J. Duke Power Co. 94/05/05. 31pp. 81829:221-81829:251.

-9411230055 Public version of Change 0 to RP/O/B/1000/15, "Offsite Communications."
BROWN,J.R., JENNINGS,C.C. Duke Power Co. 94/05/02. 30pp. 81829:252-81829:281.

9411010231 Informs that rev 94-05 to radiation emergency plan for plants acceptable & meet planning stds of 10CFR50.47(b) & requirements of app E to 10CFR50. Reminds util of obligations if proposed changes sought in future.
CLINE,W.E. Region 2 (Post 820201). 94/10/11. HAMPTON,J.W. Duke Power Co. 3pp. 81515:152-81515:154.

9411030074 Forwards insp repts 50-269/94-27, 50-270/94-27 & 50-287/94-27 on 940829-0915. No violations noted. Major areas inspected: area of physical security program for power reactors, specifically access control for personnel, packages & vehicles.
COLLINS,D.M. Region 2 (Post 820201). 94/10/14. HAMPTON,J.W. Duke Power Co. 3pp. 81560:001-81560:012.

-9411030084 Insp repts 50-269/94-27, 50-270/94-27 & 50-287/94-27 on 940829-0915. No violations noted. Major areas inspected: area of physical security program for power reactors, specifically access control for personnel, packages & vehicles.
MASNYK,O.M. Region 2 (Post 820201). 94/10/14. 9pp. 81560:004-81560:012.

9411100139 Forwards public version of rev to OMP 1-7, "Operations Emergency Response Organization," revised cover sheet & table of content. W/941108 release memo.
HAMPTON,J.W. Duke Power Co. 94/10/19. Document Control Branch (Document Control Desk). 3pp. 81726:253-81726:313.

-9411100143 Public version of rev to OMP 1-7, "Operations Emergency Response Organization."
DOLAN,B.J. Duke Power Co. 94/10/19. 57pp. 81726:256-81726:313.

9411210401 Advises that 940701 Rev 0 to physical security plan consistent w/ provisions of 10CFR50.54(p) & acceptable. Some changes require clarification as delineated in encl. Encl withheld (ref 10CFR73.21).
COLLINS,D.M. Region 2 (Post 820201). 94/11/09. HAMPTON,J.W. Duke Power Co. 3pp. 81892:172-81892:174.

9411220295 Responds to violations noted in insp repts 50-269/94-27, 50-270/94-27 & 50-287/94-27. Corrective actions: unescorted access process reviewed.
TUCKMAN,M.S. Duke Power Co. 94/11/14. Office of Nuclear Reactor Regulation, Director (Post 870411). 4pp. 81833:022-81833:025.

9411220192 Submits changes made to Unit 2 data point library on 941115.
HAMPTON,J.W. Duke Power Co. 94/11/15. Document Control Branch (Document Control Desk). 6pp. 81892:329-81892:334.

9411250099 Responds to NRC 941020 ltr re violations noted in Insp Rept 50-269/94-28. Corrective actions: personnel involved in action counseled & disciplinary action taken & EOP EP/1.2.3/A/1800/01 will be revised.
HAMPTON,J.W. Duke Power Co. 94/11/17. Document Control Branch (Document Control Desk). 9pp. 81889:089-81889:097.

H. General correspondence

9411070400 Submits changes to distribution lists for TVA dockets.
CARRIER,P.P. Tennessee Valley Authority. 94/11/01. Document Control Branch (Document Control Desk). 7pp. 81663:103-81663:109.

K. Utility Final Safety Analysis Report (FSAR) & amends

9411300392 Forwards revs to Oconee Selected Licensee Commitments Manual. SLC Manual is Chapter 16.0 to FSAR & will be updated as needed during yr.
HAMPTON,J.W. Duke Power Co. 94/11/01. Document Control Branch (Document Control Desk). 2pp. 81910:047-81910:065.

-9411300395 Revs to Oconee Nuclear Station Selected Licensee Commitments.
* Duke Power Co. 94/10/20. 17pp. 81910:049-81910:065.

P. Operating license stage documents & correspondence

9411070270 Extends invitation to region II licensees to participate w/ NRR & region II representatives in discussion of GL 89-10 motor-operated valve programs. Meeting to be held on 941108 in Atlanta, GA. Meeting notice & agenda encl.
GIBSON,A.F. Region 2 (Post 820201). 94/10/12. HAMPTON,J.W. Duke Power Co. 4pp. 81606:044-81606:047.

9411030115 Confirms arrangements for mgt meeting w/ util on 941018 in Atlanta, GA. Meeting to discuss overall performance of plant training program.
GIBSON,A.F. Region 2 (Post 820201). 94/10/17. HAMPTON,J.W. Duke Power Co. 3pp. 81560:182-81560:184.

9411070178 Discusses mgt meeting on 940929 re Keowee mgt plan. Informs meeting beneficial for NRC & requests detailed plan be made available & follow-up meeting be scheduled before end of year. W/ list of attendees & licensee handout.
BOGER,B.A. Region 2 (Post 820201). 94/10/17. HAMPTON,J.W. Duke Power Co. 14pp. 81605:242-81605:255.

9411300026 Discusses 941018 meeting w/util in Atlanta, GA re overall performance of plant training program. Results of previous insps discussed. List of attendees, encl. GIBSON, A.F. Region 2 (Post 820201). 94/10/20. HAMPTON, J.T. Duke Power Co. 3pp. 81871:166-81871:168.

9411100210 Forwards rev to selected licensee commitment manual, revising Section 16.8.2 to use 100 kV transmission sys from central switchyard as offsite source of electrical power to cold shutdown during periods of testing & maint. HAMPTON, J.W. Duke Power Co. 94/10/25. Document Control Branch (Document Control Desk). 11pp. 81736:343-81736:353.

9411020048 Discusses TIA 93-023 re use of non-safety related svc water equipment at plant, per 940105 memo. Specific concern re use at plant of non-safety related equipment to mitigate accident identified during review of ECCW sys. BERKOW, H.N. Project Directorate II-3. 94/10/26. BOGER, B.A. Region 2 (Post 820201). 2pp. 81566:289-81566:298.

9411090122 Informs that staff unable to grant request for relief 93-GO-1 because item-by-item list of welds & insp requirements & technical basis to support safety evaluation of proposal had not been provided. BERKOW, H.N. Project Directorate II-3. 94/10/26. TUCKMAN, M.S. Duke Power Co. 4pp. 81667:294-81667:297.

9411030300 Informs that relief from pre-service hydrostatic testing requirements of ASME Code granted for welds in Relief Requests 88-07, 88-08, 88-09 & 89-01. BERKOW, H.N. Project Directorate II-3. 94/10/31. HAMPTON, J.W. Duke Power Co. 4pp. 81608:030-81608:033.

9411070358 Forwards amends 207, 207 & 204 to licenses DPR-38, DPR-47 & DPR-55, respectively. Amends revise TS 3.4 to address need to bypass automatic initiation of EFS when MFP discharge pressure below actuation setpoint during startup. WIENS, L.A. Project Directorate II-3. 94/10/31. HAMPTON, J.W. Duke Power Co. 3pp. 81621:329-81621:349.

-9411070363 Amends 207, 207 & 204 to licenses DPR-38, DPR-47 & DPR-55, respectively, revising TS 3.4 to address need to bypass automatic initiation of EFS when MFP discharge pressure below actuation setpoint during startup & shutdown. BERKOW, H.N. Project Directorate II-3. 94/10/31. 12pp. 81621:332-81621:343.

-9411070364 Safety evaluation supporting amends 207, 207 & 204 to licenses DPR-38, DPR-47 & DPR-55, respectively. * Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/31. 6pp. 81621:344-81621:349.

9411180051 Summary of 941003 meeting w/util re design & technical details of proposed mod to provide over frequency protection for Oconee emergency power path. List of attendees encl. WIENS, L.A. Project Directorate II-3. 94/11/10. Project Directorate II-3. 4pp. 81782:138-81782:141.

9411170291 Summary of 941012 meeting w/DPC re status of PRA being performed for Keowee hydrostation. Forwards list of meeting attendees & licensee handout. WIENS, L.A. Project Directorate II-3. 94/11/14. Project Directorate II-3. 87pp. 81777:001-81777:087.

Q. Inspection reports, IE Bulletins & correspondence

9411030280 Ltr contract, finalizing task order 43 entitled, "Follow Up to Svc Water Sys Operational Performance Insp, Oconee." WIGGINS, E.J. Division of Contracts (Post 940714). NRC-03-90-026. 94/09/22. LOFF, R.A. PARAMETER, Inc. 6pp. 81607:330-81607:335.

9411010106 Ack receipt of 940923 ltr informing NRC of steps taken to correct violations noted in insp repts 50-269/94-21, 50-270/94-21 & 50-287/94-21. BOGER, B.A. Region 2 (Post 820201). 94/10/07. HAMPTON, J.W. Duke Power Co. 3pp. 81514:284-81514:286.

9411010111 Ack receipt of 940920 ltr informing NRC of steps taken to correct violations noted in insp repts 50-269/94-19, 50-270/94-19 & 50-287/94-19 on 940727. SINKULE, M.V. Region 2 (Post 820201). 94/10/12. HAMPTON, J.W. Duke Power Co. 3pp. 81514:287-81514:289.

9411010069 Forwards insp repts 50-269/94-26, 50-270/94-26 & 50-287/94-26 on 940829-0902 & 12-16 & notice of violation. Violation of concern because procedure prepared as corrective action for deviation had not been performed as required. CRLENJAK, R.V. Region 2 (Post 820201). 94/10/13. HAMPTON, J.W. Duke Power Co. 3pp. 81514:161-81514:177.

-9411010081 Notice of violation from insp on 940829-0916. Violation noted: failure to perform semi-annual verification of valve position as required. * Region 2 (Post 820201). 94/10/13. 2pp. 81514:164-81514:165.

-9411010087 Insp repts 50-269/94-26, 50-270/94-26 & 50-287/94-26 on 940829-0902 & 12-16. Violations noted. Major areas inspected: adequacy of corrective actions for violation, deviation & findings identified during EDSFI. RUDISAIL, S., SHYMLOCK, M. Region 2 (Post 820201). 94/10/12. 12pp. 81514:166-81514:177.

9411030074 Forwards insp repts 50-269/94-27, 50-270/94-27 & 50-287/94-27 on 940829-0915. No violations noted. COLLINS, D.M. Region 2 (Post 820201). 94/10/14. HAMPTON, J.W. Duke Power Co. 3pp. 81560:001-81560:012.

-9411030084 Insp repts 50-269/94-27, 50-270/94-27 & 50-287/94-27 on 940829-0915. No violations noted. Major areas inspected: area of physical security program for power reactors, specifically access control for personnel, packages & vehicles. MASHNYK, O.M., MCGUIRE Region 2 (Post 820201). 94/10/14. 3pp. 81560:004-81560:012.

9410140257 Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Matis Events to NRC Operations Ctr." BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.

9411070179 Forwards insp repts 50-269/94-28, 50-270/94-28 & 50-287/94-28 on 940828-0924 & notice of violation. Violation of concern because failure to follow procedure during mod endangered plant personnel & resulted in loss of radiation monitors. SINKULE, M.V. Region 2 (Post 820201). 94/10/20. HAMPTON, J.W. Duke Power Co. 3pp. 81605:256-81605:274.

-9411070187 Notice of violation from insp on 940828-0924. Violation noted: failure to follow procedure during mod activity which resulted in loss of unit 1 pressurizer spray valve & lack of procedural guidance for B&W compressive limit. * Region 2 (Post 820201). 94/10/20. 2pp. 81605:259-81605:260.

-9411070192 Insp repts 50-269/94-28, 50-270/94-28 & 50-287/94-28 on 940828-0924. Violations noted. Major areas inspected: plant operations, surveillance testing, maint activities & engineering. HARMON, P.E., SINKULE, M.V. Region 2 (Post 820201). 94/10/20. 14pp. 81605:261-81605:274.

9411300026 Discusses 941018 meeting w/util in Atlanta, GA re overall performance of plant training program. Results of previous insps discussed. List of attendees, encl. GIBSON, A.F. Region 2 (Post 820201). 94/10/20. HAMPTON, J.T. Duke Power Co. 3pp. 81871:166-81871:168.

9411070109 Forwards insp repts 50-269/94-30, 50-270/94-30 & 50-287/94-30 on 940920-21. No violations noted. CLINE, W.E. Region 2 (Post 820201). 94/10/21. HAMPTON, J.W. Duke Power Co. 3pp. 81605:079-81605:094.

-9411070114 Insp repts 50-269/94-30, 50-270/94-30 & 50-287/94-30 on 940920-21. No violations noted. Major areas inspected: confirmatory measurements. JONES, D.W., DECKER, T.R. Region 2 (Post 820201). 94/10/20. 13pp. 81605:082-81605:094.

9410200153 NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts." GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81658:001-81658:013.

9411020088 Responds to NRC 941007 ltr re violations noted in insp repts 50-269/94-25, 50-270/94-25 & 50-287/94-25. Corrective actions: operations shift manager now responsible for verifying that all operators have completed review prior to weekly exams. HAMPTON, J.W. Duke Power Co. 94/10/26. Document Control Branch (Document Control Desk). 10pp. 81590:057-81590:066.

9411290065 Notification of significant licensee meeting w/util on 941117 to discuss performance of plant facility during period of 930502-941029. SINKULE, M.V. Region 2 (Post 820201). 94/10/27. Region 2 (Post 820201). 2pp. 81857:356-81857:357.

9411070344 Forwards Rev 1 to "ISI Rept Unit 1 Oconee 1994 Refueling Outage 15." HAMPTON, J.W. Duke Power Co. 94/10/31. Document Control Branch (Document Control Desk). 3pp. 81676:009-81676:105.

-9411070349 Rev 1 to "ISI Rept Unit 1 Oconee 1994 Refueling Outage 15." ROUSE, R.G. Duke Power Co. 94/09/20. 94pp. 81676:012-81676:105.

9411070368 Responds to NRC 941019 ltr re violations noted in insp repts 50-269/93-02, 50-270/93-02 & 50-287/93-02. Corrective actions: commitment to test valves 10G-7 & 20G-7 to verify operation & quality successful performance of valves adopted. HAMPTON, J.W. Duke Power Co. 94/11/01. Document Control Branch (Document Control Desk). 7pp. 81676:108-81676:114.

9411070357 Responds to NRC 940512 ltr re violations noted in insp repts 50-269/93-25, 50-270/93-25 & 50-287/93-25. Corrective actions: mod would install orifice in pipe to prevent potential water hammer event from occurring in pipe. HAMPTON, J.W. Duke Power Co. 94/11/02. Document Control Branch (Document Control Desk). 2pp. 81676:106-81676:107.

9411090082 Forwards insp repts 50-269/94-33, 50-270/94-33 & 50-287/94-33 on 941003-07 & notice of deviation. Insp did not reveal violations of NRC requirements. CRLENJAK, R.V. Region 2 (Post 820201). 94/11/02. HAMPTON, J.W. Duke Power Co. 3pp. 81639:168-81639:182.

-9411090089 Notice of deviation from insp on 941003-07. Deviation noted: unit 3 temporary mod installed in reactor protective sys that did not meet FSAR commitments for electrical isolation. * Region 2 (Post 820201). 94/11/02. 1p. 81639:171-81639:171.

-9411090095 Insp repts 50-269/94-33, 50-270/94-33 & 50-287/94-33 on 941003-07. No deviations noted. Major areas inspected: engineering & technical support activities, design changes & plant mods & followup on previous insp findings. THOMAS, M., CASTO, C. Region 2 (Post 820201). 94/11/02. 11pp. 81639:172-81639:182.

9411210207 Ack receipt of 941019 ltr informing NRC of steps taken to correct deviations 50-269/94-24-04, 50-270/94-24-04 & 50-287/94-24-04. NRC reviewing basis of denial re deviations 50-269/94-24-05, 50-270/94-24-05 & 50-287/94-24-05. BOGER, B.A. Region 2 (Post 820201). 94/11/07. HAMPTON, J.W. Duke Power Co. 3pp. 81785:148-81785:150.

9411140196 Forwards RAI on unit 1 third 10-yr ISI program plan & associated requests for relief from Section XI requirements of ASME B&PV code. WIENS, L.A. Project Directorate II-3. 94/11/08. HAMPTON, J.W. Duke Power Co. 8pp. 81748:024-81748:031.

9411290046 Ack receipt of 941024 ltr informing NRC of steps taken to correct violations noted in insp repts 50-269/94-25, 50-270/94-25 & 50-287/94-25. GIBSON, A.F. Region 2 (Post 820201). 94/11/09. HAMPTON, J.W. Duke Power Co. 2pp. 81857:289-81857:290.

9411150406 Responds to NRC 941013 ltr re violations noted in insp repts 50-269/94-26, 50-270/94-26 & 50-287/94-26. Corrective actions: performed procedure on 940901 & initiated problem investigation process. HAMPTON, J.W. Duke Power Co. 94/11/10. Document Control Branch (Document Control Desk). 4pp. 81781:088-81781:091.

42 DOCKETED ITEMS

9411090300 NRC Bulletin 94-002, "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride."
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.

9411220255 Forwards answers to Questions 1,4 & 5 of five questions provided to util to assist NRC in completion of review of second 10-yr ISI interval Request for Relief ONS-004,per NRC request at 941025 meeting.
HAMPTON,J.W. Duke Power Co. 94/11/14. Document Control Branch (Document Control Desk). 4pp. 81844:356-81844:359.

9411220295 Responds to violations noted in insp repts 50-269/94-27, 50-270/94-27 & 50-287/94-27. Corrective actions:unescorted access process reviewed.
TUCKMAN,M.S. Duke Power Co. 94/11/14. Office of Nuclear Reactor Regulation, Director (Post 870411). 4pp. 81833:022-81833:025.

9411300050 Discusses insp of licenses DPR-38,DPR-47 & DPR-55 on 941212 & forwards requested info.
PEEBLES,T.A. Region 2 (Post 820201). 94/11/14. HAMPTON,J.W. Duke Power Co. 4pp. 81871:200-81871:203.

9411300175 Discusses 941210 SALP meeting w/util to discuss plant performance over past 18 months.
EBNETER,S.D. Region 2 (Post 820201). 94/11/14. THOMPSON,S. South Carolina, State of. 3pp. 81872:245-81872:247.

9411290006 Ack receipt of 940906 ltr informing NRC of steps taken to correct violations noted in insp repts 50-269/94-15, 50-270/94-15 & 50-287/94-15.
CRLENJAK,R.V. Region 2 (Post 820201). 94/11/15. HAMPTON,J.W. Duke Power Co. 3pp. 81857:014-81857:016.

941100237 NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment."
GRIMES,B.K. 94/11/17. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.

9411250099 Responds to NRC 941020 ltr re violations noted in Insp Rept 50-269/94-28. Corrective actions:personnel involved in action counseled & disciplinary action taken & EOP EP/1,2,3/A/1800/01 will be revised.
HAMPTON,J.W. Duke Power Co. 94/11/17. Document Control Branch (Document Control Desk). 9pp. 81889:089-81889:097.

9411150578 NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation."
GRIMES,B.K. 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.

9411290233 Ack receipt of 941013 ltr informing NRC of steps taken to correct violations noted in insp repts 50-269/94-26, 50-270/94-26 & 50-287/94-26.
CRLENJAK,R.V. Region 2 (Post 820201). 94/11/22. HAMPTON,J.W. Duke Power Co. 3pp. 81870:140-81870:142.

9411170039 NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping."
GRIMES,B.K. 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.

9411300001 Forwards insp repts 50-269/94-34,50-270/94-34 & 50-287/94-34 on 941024-28 & notice of violation.
CLINE,W.E. Region 2 (Post 820201). 94/11/23. HAMPTON,J.W. Duke Power Co. 3pp. 81871:001-81871:024.

-9411300005 Notice of violation from insp on 941024-28. Violation noted: licensee failed to follow approved QA program requirements.
* Region 2 (Post 820201). 94/11/23. 3pp. 81871:004-81871:006.

-9411300011 Insp repts 50-269/94-34,50-270/94-34 & 50-287/94-34 on 941024-28. Violations noted. Major areas inspected:licensee radiation protection program involved review of occupational exposures.
WRIGHT,F.N., RANKIN,W.H. Region 2 (Post 820201). 94/11/23. 18pp. 81871:007-81871:024.

9411170279 NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys."
GRIMES,B.K. 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.

9411170284 NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results."
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.

R. Periodic operating reports & related correspondence

9411250036 Forwards monthly operating repts for Oct 1994 for Oconee Nuclear Station & revised rept for Sept 1994.
WEBER,R.L. Duke Power Co. 94/11/15. Document Control Branch (Document Control Desk). 2pp. 81889:107-81889:124.

-9411250042 Monthly operating repts for Oct 1994 for Oconee Nuclear Plant.
WILLIAMS,R.A. Duke Power Co. 94/10/31. 15pp. 81889:109-81889:123.

-9411250044 Revised monthly operating repts for Sept 1994 for Oconee Nuclear Plant.
* Duke Power Co. 94/09/30. 1p. 81889:124-81889:124.

S. Reportable occurrences, LERs & related correspondence

9411100253 LER 94-005-00: on 941005, containment isolation valve 1RC-7 rendered technically inoperable due to change mgt. Valves 1RC-5 & 6 closed & electrically de-activated & Mechanical Maint Team involved counseled.W/941103 ltr.
WILKIE,L.V., HAMPTON,J.W. Duke Power Co. 94/11/03. 8pp. 81747:087-81747:094.

V. Operator Examinations

9411080229 Responds to Administrative Ltr 94-12, "Operator Licensing Natl Exam Schedule."
TUCKMAN,M.S. Duke Power Co. 94/11/04. Document Control Branch (Document Control Desk). 5pp. 81679:205-81679:209.

DOCKET 50-270 OCONEE NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9411230032 Forwards public version of Rev 94-04 to Vol C, "Oconee Nuclear Site Emergency Telephone Directory." W/941121 release memo.
HAMPTON,J.W. Duke Power Co. 94/05/05. Document Control Branch (Document Control Desk). 2pp. 81829:219-81829:281.

-9411230045 Public version of Rev 94-01 to Vol C, "Oconee Nuclear Site Emergency Telephone Directory."
DOLAN,B.J. Duke Power Co. 94/05/05. 31pp. 81829:221-81829:251.

-9411230055 Public version of Change 0 to RP/0/B/1000/15, "Offsite Communications."
BROWN,J.R., JENNINGS,C.C. Duke Power Co. 94/05/02. 30pp. 81829:252-81829:281.

9411010231 Informs that rev 94-05 to radiation emergency plan for plants acceptable & meet planning stds of 10CFR50.47(b) & requirements of app E to 10CFR50. Reminds util of obligations if proposed changes sought in future.
CLINE,W.E. Region 2 (Post 820201). 94/10/11. HAMPTON,J.W. Duke Power Co. 3pp. 81855:152-81855:154.

9411030074 Forwards insp repts 50-269/94-27,50-270/94-27 & 50-287/94-27 on 940829-0915. No violations noted.
COLLINS,D.M. Region 2 (Post 820201). 94/10/14. HAMPTON,J.W. Duke Power Co. 3pp. 81560:001-81560:012.

-9411030084 Insp repts 50-269/94-27,50-270/94-27 & 50-287/94-27 on 940829-0915. No violations noted. Major areas inspected: area of physical security program for power reactors, specifically access control for personnel, packages & vehicles.
MASNYK,O.M. Region 2 (Post 820201). 94/10/14. 9pp. 81560:004-81560:012.

9411100139 Forwards public version of rev to OMP 1-7, "Operations Emergency Response Organization," revised cover sheet & table of content.W/941108 release memo.
HAMPTON,J.W. Duke Power Co. 94/10/19. Document Control Branch (Document Control Desk). 3pp. 81726:253-81726:313.

-9411100143 Public version of rev to OMP 1-7, "Operations Emergency Response Organization."
DOLAN,B.J. Duke Power Co. 94/10/19. 57pp. 81726:256-81726:313.

9411210401 Advises that 940701 Rev 0 to physical security plan consistent w/provisions of 10CFR50.54(p) & acceptable. Some changes require clarification as delineated in encl. End withheld (ref 10CFR73.21).
COLLINS,D.M. Region 2 (Post 820201). 94/11/09. HAMPTON,J.W. Duke Power Co. 3pp. 81892:172-81892:174.

9411220295 Responds to violations noted in insp repts 50-269/94-27, 50-270/94-27 & 50-287/94-27. Corrective actions:unescorted access process reviewed.
TUCKMAN,M.S. Duke Power Co. 94/11/14. Office of Nuclear Reactor Regulation, Director (Post 870411). 4pp. 81833:022-81833:025.

9411220192 Submits changes made to Unit 2 data point library on 941115.
HAMPTON,J.W. Duke Power Co. 94/11/15. Document Control Branch (Document Control Desk). 6pp. 81892:329-81892:334.

K. Utility Final Safety Analysis Report (FSAR) & amends

9411300392 Forwards revs to Oconee Selected Licensee Commitments Manual.SLC Manual is Chapter 16.0 to FSAR & will be updated as needed during yr.
HAMPTON,J.W. Duke Power Co. 94/11/01. Document Control Branch (Document Control Desk). 2pp. 81910:047-81910:065.

-9411300395 Revs to Oconee Nuclear Station Selected Licensee Commitments.
* Duke Power Co. 94/10/20. 17pp. 81910:049-81910:065.

P. Operating license stage documents & correspondence

9411070270 Extends invitation to region II licensees to participate w/NRR & region II representatives in discussion of GL 89-10 motor-operated valve programs. Meeting to be held on 941108 in Atlanta, GA. Meeting notice & agenda encl.
GIBSON,A.F. Region 2 (Post 820201). 94/10/12. HAMPTON,J.W. Duke Power Co. 4pp. 81606:044-81606:047.

9411030115 Confirms arrangements for mgt meeting w/util on 941018 in Atlanta, GA. Meeting to discuss overall performance of plant training program.
GIBSON,A.F. Region 2 (Post 820201). 94/10/17. HAMPTON,J.W. Duke Power Co. 3pp. 81560:182-81560:184.

9411070178 Discusses mgt meeting on 940929 re Keowee mgt plan. Informs meeting beneficial for NRC & requests detailed plan be made available & followup meeting be scheduled before end of year. W/list of attendees & licensee handout.
BOGER,B.A. Region 2 (Post 820201). 94/10/17. HAMPTON,J.W. Duke Power Co. 14pp. 81605:242-81605:255.

9411300026 Discusses 941018 meeting w/util in Atlanta, GA re overall performance of plant training program. Results of previous insps discussed. List of attendees, encl.
GIBSON,A.F. Region 2 (Post 820201). 94/10/20. HAMPTON,J.T. Duke Power Co. 3pp. 81871:166-81871:168.

9411100210 Forwards rev to selected licensee commitment manual, revising Section 16.8.2 to use 100 kV transmission sys from central switchyard as offsite source of electrical power to cold shutdown during periods of testing & maint.
HAMPTON, J.W. Duke Power Co. 94/10/25. Document Control Branch (Document Control Desk). 11pp. 81736:343-81736:353.

9411020048 Discusses TIA 93-023 re use of non-safety related svc water equipment at plant, per 940105 memo. Specific concern re use at plant of non-safety related equipment to mitigate accident identified during review of ECCW sys.
BERKOW, H.N. Project Directorate II-3. 94/10/26. BOGER, B.A. Region 2 (Post 820201). 2pp. 81566:289-81566:298.

9411090122 Informs that staff unable to grant request for relief 93-GO-1 because item-by-item list of welds & insp requirements & technical basis to support safety evaluation of proposal had not been provided.
BERKOW, H.N. Project Directorate II-3. 94/10/26. TUCKMAN, M.S. Duke Power Co. 4pp. 81667:294-81667:297.

9411070358 Forwards amends 207,207 & 204 to licenses DPR-38, DPR-47 & DPR-55, respectively. Amends revise TS 3.4 to address need to bypass automatic initiation of EFS when MFP discharge pressure below actuation setpoint during startup.
WIENS, L.A. Project Directorate II-3. 94/10/31. HAMPTON, J.W. Duke Power Co. 3pp. 81621:329-81621:349.

-9411070363 Amends 207,207 & 204 to licenses DPR-38, DPR-47 & DPR-55, respectively, revising TS 3.4 to address need to bypass automatic initiation of EFS when MFP discharge pressure below actuation setpoint during startup & shutdown.
BERKOW, H.N. Project Directorate II-3. 94/10/31. 12pp. 81621:332-81621:343.

-9411070364 Safety evaluation supporting amends 207,207 & 204 to licenses DPR-38, DPR-47 & DPR-55, respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/31. 6pp. 81621:344-81621:349.

9411180051 Summary of 941003 meeting w/util re design & technical details of proposed mod to provide over frequency protection for Oconee emergency power path. List of attendees encl.
WIENS, L.A. Project Directorate II-3. 94/11/10. Project Directorate II-3. 4pp. 81782:138-81782:141.

9411170291 Summary of 941012 meeting w/DFC re status of PRA being performed for Keowee hydrostation. Forwards list of meeting attendees & licensee handout.
WIENS, L.A. Project Directorate II-3. 94/11/14. Project Directorate II-3. 87pp. 81777:001-81777:087.

Q. Inspection reports, IE Bulletins & correspondence

9411030280 Ltr contract, definitizing task order 43 entitled, "Follow Up to Svc Water Sys Operational Performance Insp, Oconee."
WIGGINS, E.J. Division of Contracts (Post 940714). NRC-03-90-026. 94/09/22. LOFY, R.A. PARAMETER, Inc. 6pp. 81607:330-81607:335.

9411010106 Ack receipt of 940923 ltr informing NRC of steps taken to correct violations noted in insp repts 50-269/94-21, 50-270/94-21 & 50-287/94-21.
BOGER, B.A. Region 2 (Post 820201). 94/10/07. HAMPTON, J.W. Duke Power Co. 3pp. 81514:284-81514:286.

9411010111 Ack receipt of 940920 ltr informing NRC of steps taken to correct violations noted in insp repts 50-269/94-19, 50-270/94-19 & 50-287/94-19 on 940727.
SINKULE, M.V. Region 2 (Post 820201). 94/10/12. HAMPTON, J.W. Duke Power Co. 3pp. 81514:287-81514:289.

9411010069 Forwards insp repts 50-269/94-26, 50-270/94-26 & 50-287/94-26 on 940829-0902 & 12-16 & notice of violation. Violation of concern because procedure prepared as corrective action for deviation had not been performed as required.
CRLENJAK, R.V. Region 2 (Post 820201). 94/10/13. HAMPTON, J.W. Duke Power Co. 3pp. 81514:161-81514:177.

-9411010081 Notice of violation from insp on 940829-0916. Violation noted: failure to perform semi-annual verification of valve position as required.
* Region 2 (Post 820201). 94/10/13. 2pp. 81514:164-81514:165.

-9411010087 Insp repts 50-269/94-26, 50-270/94-26 & 50-287/94-26 on 940829-0902 & 12-16. Violations noted. Major areas inspected: adequacy of corrective actions for violation, deviation & findings identified during EDSFI.
RUDISAIL, S., SHYMLOCK, M. Region 2 (Post 820201). 94/10/12. 12pp. 81514:166-81514:177.

9411030074 Forwards insp repts 50-269/94-27, 50-270/94-27 & 50-287/94-27 on 940829-0915. No violations noted.
COLLINS, D.M. Region 2 (Post 820201). 94/10/14. HAMPTON, J.W. Duke Power Co. 3pp. 81560:001-81560:012.

-9411030084 Insp repts 50-269/94-27, 50-270/94-27 & 50-287/94-27 on 940829-0915. No violations noted. Major areas inspected: area of physical security program for power reactors, specifically access control for personnel, packages & vehicles.
MASNYK, O.M., MCGUIRE Region 2 (Post 820201). 94/10/14. 9pp. 81560:004-81560:012.

9410140257 Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Matis Events to NRC Operations Cr."
BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.

9411070179 Forwards insp repts 50-269/94-28, 50-270/94-28 & 50-287/94-28 on 940828-0924 & notice of violation. Violation of concern because failure to follow procedure during mod endangered plant personnel & resulted in loss of radiation monitors.
SINKULE, M.V. Region 2 (Post 820201). 94/10/20. HAMPTON, J.W. Duke Power Co. 3pp. 81605:256-81605:274.

-9411070187 Notice of violation from insp on 940828-0924. Violation noted: failure to follow procedure during mod activity which resulted in loss of unit 1 pressurizer spray valve & lack of procedural guidance for B&W compressive limit.
* Region 2 (Post 820201). 94/10/20. 2pp. 81605:259-81605:260.

-9411070192 Insp repts 50-269/94-28, 50-270/94-28 & 50-287/94-28 on 940828-0924. Violations noted. Major areas inspected: plant operations, surveillance testing, maint activities & engineering.
HARMON, P.E., SINKULE, M.V. Region 2 (Post 820201). 94/10/20. 14pp. 81605:261-81605:274.

9411300026 Discusses 941018 meeting w/util in Atlanta, GA re overall performance of plant training program. Results of previous insps discussed. List of attendees, encl.
GIBSON, A.F. Region 2 (Post 820201). 94/10/20. HAMPTON, J.T. Duke Power Co. 3pp. 81871:166-81871:168.

9411070109 Forwards insp repts 50-269/94-30, 50-270/94-30 & 50-287/94-30 on 940920-21. No violations noted.
CLINE, W.E. Region 2 (Post 820201). 94/10/21. HAMPTON, J.W. Duke Power Co. 3pp. 81605:079-81605:094.

-9411070114 Insp repts 50-269/94-30, 50-270/94-30 & 50-287/94-30 on 940920-21. No violations noted. Major areas inspected: confirmatory measurements.
JONES, D.W., DECKER, T.R. Region 2 (Post 820201). 94/10/20. 13pp. 81605:082-81605:094.

9410200153 NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts."
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81658:001-81658:013.

9411020088 Responds to NRC 941007 ltr re violations noted in insp repts 50-269/94-25, 50-270/94-25 & 50-287/94-25. Corrective actions: operations shift manager now responsible for verifying that all operators have completed review prior to weekly exams.
HAMPTON, J.W. Duke Power Co. 94/10/26. Document Control Branch (Document Control Desk). 10pp. 81590:057-81590:066.

9411290065 Notification of significant licensee meeting w/util on 941117 to discuss performance of plant facility during period of 930502-941029.
SINKULE, M.V. Region 2 (Post 820201). 94/10/27. Region 2 (Post 820201). 2pp. 81857:356-81857:357.

9411070368 Responds to NRC 941019 ltr re violations noted in insp repts 50-269/93-02, 50-270/93-02 & 50-287/93-02. Corrective actions: commitment to test valves 10G-7 & 20G-7 to verify operation & qualify successful performance of valves adopted.
HAMPTON, J.W. Duke Power Co. 94/11/01. Document Control Branch (Document Control Desk). 7pp. 81676:108-81676:114.

9411070357 Responds to NRC 940512 ltr re violations noted in insp repts 50-269/93-25, 50-270/93-25 & 50-287/93-25. Corrective actions: mod would install orifice in pipe to prevent potential water hammer event from occurring in pipe.
HAMPTON, J.W. Duke Power Co. 94/11/02. Document Control Branch (Document Control Desk). 2pp. 81676:106-81676:107.

9411080253 Forwards Engineering Rept 51-1235108-01, "Interim Engineering Evaluation: ONS-2 CRDM Nozzle Insp." Need to perform addl insp on Nozzle 63 will be evaluated prior to next refueling outage.
HAMPTON, J.W. Duke Power Co. 94/11/02. Document Control Branch (Document Control Desk). 3pp. 81667:327-81667:341.

-9411080254 "Interim Engineering Evaluation: ONS-2 CRDM Nozzle Insp."
CAMPBELL, C.A., HILL, L.T. Babcock & Wilcox Co. 51-1235108-01. 94/11/01. 12pp. 81667:330-81667:341.

9411090082 Forwards insp repts 50-269/94-33, 50-270/94-33 & 50-287/94-33 on 941003-07 & notice of deviation. Insp did not reveal violations of NRC requirements.
CRLENJAK, R.V. Region 2 (Post 820201). 94/11/02. HAMPTON, J.W. Duke Power Co. 3pp. 81639:168-81639:182.

-9411090095 Insp repts 50-269/94-33, 50-270/94-33 & 50-287/94-33 on 941003-07. No deviations noted. Major areas inspected: engineering & technical support activities, design changes & plant mods & followup on previous insp findings.
THOMAS, M., CASTO, C. Region 2 (Post 820201). 94/11/02. 11pp. 81639:172-81639:182.

9411210207 Ack receipt of 941019 ltr informing NRC of steps taken to correct deviations 50-269/94-24-04, 50-270/94-24-04 & 50-287/94-24-04. NRC reviewing basis of denial re deviations 50-269/94-24-05, 50-270/94-24-05 & 50-287/94-24-05.
BOGER, B.A. Region 2 (Post 820201). 94/11/07. HAMPTON, J.W. Duke Power Co. 3pp. 81785:148-81785:150.

9411170134 Informs that NRC agrees w/conclusion that flaws detected at Unit 2 during CRDM nozzle insp acceptable for operation for one operating cycle of 18 months, per util 941102 submittal. Understands that another insp of flaws will be performed.
WIENS, L.A. Project Directorate II-3. 94/11/09. HAMPTON, J.W. Duke Power Co. 3pp. 81777:219-81777:221.

9411290046 Ack receipt of 941024 ltr informing NRC of steps taken to correct violations noted in insp repts 50-269/94-25, 50-270/94-25 & 50-287/94-25.
GIBSON, A.F. Region 2 (Post 820201). 94/11/09. HAMPTON, J.W. Duke Power Co. 2pp. 81857:289-81857:290.

9411150406 Responds to NRC 941013 ltr re violations noted in insp repts 50-269/94-26, 50-270/94-26 & 50-287/94-26. Corrective actions: performed procedure on 940901 & initiated problem investigation process.
HAMPTON, J.W. Duke Power Co. 94/11/10. Document Control Branch (Document Control Desk). 4pp. 81781:088-81781:091.

9411090300 NRC Bulletin 94-002, "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride."
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.

9411220255 Forwards answers to Questions 1.4 & 5 of five questions provided to util to assist NRC in completion of review of second 10-yr ISI interval Request for Relief ONS-004, per NRC request at 941025 meeting.
HAMPTON, J.W. Duke Power Co. 94/11/14. Document Control Branch (Document Control Desk). 4pp. 81844:356-81844:359.

44 DOCKETED ITEMS

9411220295 Responds to violations noted in insp repts 50-269/94-27, 50-270/94-27 & 50-287/94-27. Corrective actions: unescorted access process reviewed.
TUCKMAN, M.S. Duke Power Co. 94/11/14. Office of Nuclear Reactor Regulation, Director (Post 870411). 4pp. 81833:022-81833:025.

9411300050 Discusses insp of licenses DPR-38, DPR-47 & DPR-55 on 941212 & forwads requested info.
PEEBLES, T.A. Region 2 (Post 820201). 94/11/14. HAMPTON, J.W. Duke Power Co. 4pp. 81871:200-81871:203.

9411300175 Discusses 941210 SALP meeting w/util to discuss plant performance over past 18 months.
EBNETER, S.D. Region 2 (Post 820201). 94/11/14. THOMPSON, S. South Carolina, State of. 3pp. 81872:245-81872:247.

9411290006 Ack receipt of 940906 ltr informing NRC of steps taken to correct violations noted in insp repts 50-269/94-15, 50-270/94-15 & 50-287/94-15.
CRLENJAK, R.V. Region 2 (Post 820201). 94/11/15. HAMPTON, J.W. Duke Power Co. 3pp. 81857:014-81857:016.

9411100237 NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment."
GRIMES, B.K. 94/11/17. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.

9411220251 Forwards results of steam generator tube ISI performed during Unit 2 EOC 14 refueling outage.
HAMPTON, J.W. Duke Power Co. 94/11/17. Document Control Branch (Document Control Desk). 55pp. 81844:272-81844:326.

9411150578 NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation."
GRIMES, B.K. 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.

9411290233 Ack receipt of 941013 ltr informing NRC of steps taken to correct violations noted in insp repts 50-269/94-26, 50-270/94-26 & 50-287/94-26.
CRLENJAK, R.V. Region 2 (Post 820201). 94/11/22. HAMPTON, J.W. Duke Power Co. 3pp. 81870:140-81870:142.

9411170039 NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping."
GRIMES, B.K. 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.

9411300001 Forwards insp repts 50-269/94-34, 50-270/94-34 & 50-287/94-34 on 941024-28 & notice of violation.
CLINE, W.E. Region 2 (Post 820201). 94/11/23. HAMPTON, J.W. Duke Power Co. 3pp. 81871:001-81871:024.

-9411300005 Notice of violation from insp on 941024-28. Violation noted: licensee failed to follow approved QA program requirements.
* Region 2 (Post 820201). 94/11/23. 3pp. 81871:004-81871:006.

-9411300011 Insp repts 50-269/94-34, 50-270/94-34 & 50-287/94-34 on 941024-28. Violations noted. Major areas inspected: licensee radiation protection program involved review of occupational exposures.
WRIGHT, F.N., RANKIN, W.H. Region 2 (Post 820201). 94/11/23. 18pp. 81871:007-81871:024.

9411170279 NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys."
GRIMES, B.K. 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.

9411170284 NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results."
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.

R. Periodic operating reports & related correspondence

9411250036 Forwards monthly operating repts for Oct 1994 for Oconee Nuclear Station & revised rpt for Sept 1994.
WEBER, R.L. Duke Power Co. 94/11/15. Document Control Branch (Document Control Desk). 2pp. 81889:107-81889:124.

-9411250042 Monthly operating repts for Oct 1994 for Oconee Nuclear Plant.
WILLIAMS, R.A. Duke Power Co. 94/10/31. 15pp. 81889:109-81889:123.

-9411250044 Revised monthly operating repts for Sept 1994 for Oconee Nuclear Plant.
* Duke Power Co. 94/09/30. 1p. 81889:124-81889:124.

S. Reportable occurrences, LERs & related correspondence

9411250092 LER 94-004-00: on 941021, invalid actuation of ES occurred while defueled due to technicians manipulating ES sys analog channel A instead of channel B. Operators secured ES sys equipment & ES channel A reset. W/941117 ltr.
WOLKIE, L.V., HAMPTON, J.W. Duke Power Co. 94/11/17. 5pp. 81887:271-81887:275.

V. Operator Examinations

9411080229 Responds to Administrative Ltr 94-12, "Operator Licensing Natl Exam Schedule."
TUCKMAN, M.S. Duke Power Co. 94/11/04. Document Control Branch (Document Control Desk). 5pp. 81679:205-81679:209.

DOCKET 50-271 VERMONT YANKEE NUCLEAR POWER STATION

F. Security, medical, emergency & fire protection plans

9411020041 Forwards FEMA, "Final Exercise Assessment, Joint State & Local Radiological Emergency Response Exercise for Vermont Yankee Nuclear Power Station," conducted 930427-29. Four deficiencies assessed by FEMA during exercise.
JOYNER, J.H. Region 1 (Post 820201). 94/10/21. REID, D.A. Vermont Yankee Nuclear Power Corp. 3pp. 81529:022-81529:290.

-9411080229 "Final Exercise Assessment, Joint State & Local Radiological Emergency Response Exercise for Vermont Yankee Nuclear Power Station," conducted 930427-29.
* Federal Emergency Management Agency. 94/07/12. 263pp. 81529:025-81529:290.

9411140051 Responds to operational safeguards response evaluation conducted at VT Yankee Nuclear Power Station. Util purchasing several reinforced concrete structures (planters) to be strategically placed in area identified in listed issue.
REID, D.A. Vermont Yankee Nuclear Power Corp. 94/11/04. Document Control Branch (Document Control Desk). 2pp. 81755:071-81755:072.

H. General correspondence

9411070047 Comment on proposed rule 10CFR2 re reexamination of NRC enforcement policy.
GRANT, J.M. Yankee Atomic Electric Co. 94/10/24. MEYER, D. Division of Freedom of Information & Publications Services (Post 940714). 5pp. 81604:177-81604:181.

I. Financial information

9411290130 Forwards annual cashflow statements for plant & nine sponsor companies for yr 1994.
WIGGETT, B.W. Vermont Yankee Nuclear Power Corp. 94/11/15. Document Control Branch (Document Control Desk). 3pp. 81922:277-81922:279.

J. Insurance & indemnity information

9411290130 Forwards annual cashflow statements for plant & nine sponsor companies for yr 1994.
WIGGETT, B.W. Vermont Yankee Nuclear Power Corp. 94/11/15. Document Control Branch (Document Control Desk). 3pp. 81922:277-81922:279.

P. Operating license stage documents & correspondence

9411020032 Forwards amend 141 to license DPR-28 & safety evaluation. Amend removes requirement to perform jet pump integrity & operability surveillance for pumps in idle loop during operation w/only one recirculation loop.
DORMAN, D.H. Project Directorate I-3. 94/10/26. REID, D.A. Vermont Yankee Nuclear Power Corp. 3pp. 81566:324-81566:336.

-9411020037 Amend 141 to license DPR-28, removing requirement to perform jet pump integrity & operability surveillance for pumps in idle loop during operation w/only one recirculation loop.
BUTLER, W.R. Project Directorate I-3. 94/10/26. 7pp. 81566:327-81566:333.

-9411020040 Safety evaluation supporting amend 141 to license DPR-28.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. 3pp. 81566:334-81566:336.

9411020296 Application for amend to license DPR-28, consisting of Proposed Change 174, removing neutron flux instrumentation from post accident monitoring TS.
REID, D.A. Vermont Yankee Nuclear Power Corp. 94/10/28. Document Control Branch (Document Control Desk). 5pp. 81590:030-81590:039.

-9411020297 Proposed tech specs, reflecting removal of neutron flux instrumentation for post accident monitoring.
* Vermont Yankee Nuclear Power Corp. 94/10/28. 5pp. 81590:035-81590:039.

9411150443 Discusses 941026 meeting in King of Prussia, PA re motor-operated valve issues w/Region I licensees. List of attendees, agenda, licensee & NRC presentations & panel session questions, encl.
KELLY, E.M. Region 1 (Post 820201). 94/11/03. REID, D.A. Vermont Yankee Nuclear Power Corp. 49pp. 81744:101-81744:149.

9411140051 Responds to operational safeguards response evaluation conducted at VT Yankee Nuclear Power Station. Util purchasing several reinforced concrete structures (planters) to be strategically placed in area identified in listed issue.
REID, D.A. Vermont Yankee Nuclear Power Corp. 94/11/04. Document Control Branch (Document Control Desk). 2pp. 81755:071-81755:072.

9411140130 Application for amend to license DPR-28, consisting of proposed change 178, updating TS requirements for procurement & testing of diesel fuel oil by using 1993 version of Std D975.
REID, D.A. Vermont Yankee Nuclear Power Corp. 94/11/07. Document Control Branch (Document Control Desk). 4pp. 81735:345-81735:352.

-9411140131 Proposed tech specs updating requirements for procurement & testing of diesel fuel oil by using 1993 version of standard ASTM D975.
* Vermont Yankee Nuclear Power Corp. 94/11/07. 4pp. 81705:349-81705:352.

9411160212 Transmits addl info concerning fracture mechanics evaluations performed to support alternative insp interval re feedwater nozzle.
TREMBLAY, L.A. Vermont Yankee Nuclear Power Corp. 94/11/08. Document Control Branch (Document Control Desk). 45pp. 81775:283-81775:327.

9411220244 Advises that 940923 update of schedule commitments re GL 89-10, "Safety-Related MOV Testing & Surveillance," acceptable. In-situ differential pressure testing of ten MOVs scheduled for completion during Spring 1995.
DORMAN, D.H. Project Directorate I-3. 94/11/16. REID, D.A. Vermont Yankee Nuclear Power Corp. 3pp. 81822:201-81822:203.

Q. Inspection reports, IE Bulletins & correspondence

9410140257 Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Malls Events to NRC Operations Ctr."
BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.

9411020004 Forwards revised NOV of insp rept 50-271/94-20, due to typo error on date page.
LINVILLE,J.C. Region 1 (Post 820201). 94/10/25. REID,D. Vermont Yankee Nuclear Power Corp. 3pp. 81528:043-81528:047.

-9411020009 Corrective NOV of insp rept on 940807-0917. Correction due to typo on dtd page of NOV. Date should have been 941018 not 931018.
* Region 1 (Post 820201). 94/10/18. 1p. 81528:047-81528:047.

9410200153 NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts."
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81658:001-81658:013.

9411220049 Forwards exam rept 50-271/94-190L on 941003-07. Generic weaknesses observed.
MEYER,G.W. Region 1 (Post 820201). 94/11/10. REID,D.A. Vermont Yankee Nuclear Power Corp. 3pp. 81797:002-81797:226.

-9411220052 Exam rept 50-271/94-190L on 941003-07. Exam results: one SRO & five RO applicants were administered exam. One SRO & four out of five ROs passed exam. One RO applicant failed walkthrough portion of exam.
FLOREK,D., MEYER,G. Region 1 (Post 820201). 94/11/10. 222pp. 81797:005-81797:226.

9411090300 NRC Bulletin 94-002, "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride."
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.

9411220200 Responds to NRC 941018 ltr re violation noted in Insp Rept 50-271/94-20 on 940807-0917. Corrective actions: engineer relieved from further duty & all Reactor & Computer Engineering personnel retrained on overtime requirements.
REID,D.A. Vermont Yankee Nuclear Power Corp. 94/11/15. Document Control Branch (Document Control Desk). 3pp. 81864:356-81864:358.

9411100237 NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment."
GRIMES,B.K. 94/11/17. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.

9411150578 NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation."
GRIMES,B.K. 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.

9411170039 NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping."
GRIMES,B.K. 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.

9411170279 NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys."
GRIMES,B.K. 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.

9411170284 NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results."
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.

R. Periodic operating reports & related correspondence

9411150375 Monthly operating rept for Oct 1994 for Vermont Yankee Nuclear Power Station.W/941110 ltr.
WALLIN,G.A., REID,D.A. Vermont Yankee Nuclear Power Corp. 94/10/31. 6pp. 81781:071-81781:076.

S. Reportable occurrences, LERs & related correspondence

9411070090 Final Part 21 rept 94-002A re three air start distributor cams cracking at plants. Cams replaced w/cams made using electric arc.
PRATIANNES,S.A. Coltec Industries, Inc. 94/06/01. Document Control Branch (Document Control Desk). 5pp. 81654:209-81654:213.

9411070302 LER 94-008-00: on 941003, HPCI/RCIC sys inoperable due to low spiking of level transmitter LT-2-3-72b instrument loop. Cause under investigation. Suspect PC board removed for further analysis.W/941102 ltr.
WANCZYK,R.J. Vermont Yankee Nuclear Power Corp. 94/11/02. 6pp. 81716:148-81716:153.

9411070303 LER 94-011-00: on 941005, failure to properly identify all areas requiring emergency lighting units in accordance w/10CFR50 App R, Section III.J identified. Caused by cognitive human error. Task team evaluation initiated.W/941103 ltr.
WANCZYK,R.J. Vermont Yankee Nuclear Power Corp. 94/11/03. 5pp. 81716:154-81716:158.

9411170068 LER 94-013-00: on 941013, initiation of TS required shutdown due to unisolable SW leak resulting in inoperability of both SW subsystems & alternate cooling sys. Temporary mod was installed on 941015 so leak has been isolated.W/941110 ltr.
WANCZYK,R.J. Vermont Yankee Nuclear Power Corp. 94/11/10. 6pp. 81791:105-81791:110.

9411170097 LER 94-006-01: on 940412, missed reactor coolant conductivity due to misinterpretation of test method used to meet TS. Chemistry supervisory staff has been trained on importance of TS.W/941109 ltr.
WANCZYK,R.J. Vermont Yankee Nuclear Power Corp. 94/11/10. 5pp. 81791:111-81791:115.

9411250095 LER 94-012-00: on 941010, exceeded core thermal license limit by 0.75 MWTH due to isolation of feedwater pressure transmitter that supplies signal to computer program that calculates core thermal power.W/941117 ltr.
WANCZYK,R.J. Vermont Yankee Nuclear Power Corp. 94/11/17. 5pp. 81887:292-81887:296.

V. Operator Examinations

9411070176 Informs of individual exam results for applicant on initial exam conducted on 941003-06.W/o encls.
MEYER,G.W. Region 1 (Post 820201). 94/10/31. MERVINE,M. Vermont Yankee Nuclear Power Corp. 2pp. 81605:240-81605:241.

9411220049 Forwards exam rept 50-271/94-190L on 941003-07. Generic weaknesses observed.
MEYER,G.W. Region 1 (Post 820201). 94/11/10. REID,D.A. Vermont Yankee Nuclear Power Corp. 3pp. 81797:002-81797:226.

-9411220052 Exam rept 50-271/94-190L on 941003-07. Exam results: one SRO & five RO applicants were administered exam. One SRO & four out of five ROs passed exam. One RO applicant failed walkthrough portion of exam.
FLOREK,D., MEYER,G. Region 1 (Post 820201). 94/11/10. 222pp. 81797:005-81797:226.

DOCKET 50-272 SALEM NUCLEAR GENERATING STATION, UNIT 1**F. Security, medical, emergency & fire protection plans**

9411100291 Rev 27 to EPIP 204S, "Emergency Response Callout/Personnel Recall."
* Public Service Electric & Gas Co. of New Jersey. 94/09/30. 64pp. 81752:110-81752:168.

9411180086 Rev 4 to EPIP 807, "Emergency News Ctr Telephone Directory."
* Public Service Electric & Gas Co. of New Jersey. 94/10/28. 13pp. 81818:286-81818:296.

9411180088 Rev 46 to table of contents.
* Public Service Electric & Gas Co. of New Jersey. 94/10/28. 3pp. 81818:337-81818:339.

9411210086 Revised EPIPs, including rev 15 to EPIP-1006, rev 13 to EPIP-1007, rev 5 to EPIP-1010 & rev 29 to EPIP-1013.
* Public Service Electric & Gas Co. of New Jersey. 94/11/09. 156pp. 81836:107-81836:262.

9411220105 Forwards documentation re handling, control & storage of safety-related parts at plant & requests that results of util review be submitted to Region 1 within 60 days.
WHITE,J.R. Region 1 (Post 820201). 94/11/09. ELIASON,L. Public Service Electric & Gas Co. of New Jersey. 4pp. 81798:134-81798:137.

9411300106 Forwards insp repts 50-272/94-23, 50-311/94-23 & 50-354/94-21 on 941024-26. No violations noted.
JOYNER,J.H. Region 1 (Post 820201). 94/11/21. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 81872:094-81872:107.

-9411300117 Insp repts 50-272/94-23, 50-311/94-23 & 50-354/94-21 on 941024-26. No violations noted. Major areas inspected: evaluation of annual full-participation exercise.
LAUGHLIN,J. Region 1 (Post 820201). 94/11/21. 11pp. 81872:097-81872:107.

H. General correspondence

9411170296 Responds to 941013 memo, forwarding ltr from F Harpster re government oversight of plant. Assures that NRC will continue to closely monitor plant operations & will not hesitate to take any necessary regulatory actions.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 94/11/10. ROTH,W.V. Senate. 3pp. 81777:139-81777:141.

9411170296 Responds to 941013 memo, forwarding ltr from F Harpster re government oversight of plant. Assures that NRC will continue to closely monitor plant operations & will not hesitate to take any necessary regulatory actions.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 94/11/10. ROTH,W.V. Senate. 5pp. 81904:299-81904:305.

-9411220396 Requests NRC consideration of encl 941004 ltr.
ROTH,W.V. Senate. 94/10/13. Office of Congressional Affairs (Post 911117). 2pp. 81904:304-81904:305.

P. Operating license stage documents & correspondence

9411020175 Forwards amends 158 & 139 to licenses DPR-70 & DPR-75, respectively & safety evaluation. Amends change unit 1 TS by replacing main feedwater control & control bypass valves w/ main feedwater stop check valves for CI function.
OLSHAN,L.N. Project Directorate I-2. 94/10/20. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 81602:159-81602:174.

-9411020178 Amends 158 & 139 to licenses DPR-70 & DPR-75, respectively, change unit 1 TS by replacing main feedwater control & control bypass valves w/ main feedwater stop check valves for CI function.
STOLZ,J.F. Project Directorate I-2. 94/10/20. 10pp. 81602:162-81602:171.

-9411020181 Safety evaluation supporting amends 158 & 139 to licenses DPR-70 & DPR-75, respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/20. 3pp. 81602:172-81602:174.

9411030324 Advises that NJ Dept of Environ Protection & Energy Bureau of Engineering reviewed util 940920 License Amend Request LCR-93-06 & has no comments.
TOSCH,K.W. New Jersey, State of. 94/10/26. Document Control Branch (Document Control Desk). 2pp. 81640:352-81640:353.

46 DOCKETED ITEMS

9411040304 Informs that LN Olshan is project manager for plant.
STOLZ,J.F. Project Directorate I-2. 94/10/31. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 81628:359-81628:361.

9411080259 Informs that LN Olshan holds project manager position for plant.
VARGA,S.A. Division of Reactor Projects - I/II (Post 870411). 94/10/31. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 81658:279-81658:279.

9411150437 Discusses 941026 meeting in King of Prussia,PA re motor-operated valve issues w/Region I licensees.List of attendees,agenda,licensee & NRC presentations & panel session questions encl.
KELLY,E.M. Region 1 (Post 820201). 94/11/03. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 49pp. 81744:001-81744:049.

9411150571 Discusses info re license change request 94-30 re addition of new action statement to TS 3.1.3.2.1,position indication systems-operating for both Salem Units.
TOSCH,K. New Jersey, State of. 94/11/03. Document Control Branch (Document Control Desk). 2pp. 81778:357-81778:358.

9411280023 Forwards amends 159 & 140 to licenses DPR-70 & DPR-75, respectively & safety evaluation.Amends reduce min setpoints & allowable values for SG low & low-level reactor protection sys signals.
OLSHAN,L.N. Project Directorate I-2. 94/11/04. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 81852:105-81852:130.

-9411280025 Amends 159 & 140 to licenses DPR-70 & DPR-75, respectively, reducing min setpoints & allowable values for SG low & low-level reactor protection sys signals.
STOLZ,J.F. Project Directorate I-2. 94/11/04. 20pp. 81852:108-81852:127.

-9411280026 Safety evaluation supporting amends 159 & 140 to licenses DPR-70 & DPR-75, respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/11/04. 3pp. 81852:128-81852:130.

9411220318 Forwards Amends 160 & 141 to Licenses DPR-70 & DPR-75, respectively.Amends revise TS to permit out-of-svc component to be returned to svc under administrative controls.
OLSHAN,L.N. Project Directorate I-2. 94/11/08. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 81817:316-81817:333.

-9411220325 Amends 160 & 141 to Licenses DPR-70 & DPR-75, respectively, re changes to TS to permit out-of-svc component to be returned to svc under administrative controls.
STOLZ,J.F. Project Directorate I-2. 94/11/08. 12pp. 81817:319-81817:330.

-9411220331 Safety evaluation supporting Amends 160 & 141 to Licenses DPR-70 & DPR-75, respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/11/08. 3pp. 81817:331-81817:333.

9411220105 Forwards documentation re handling,control & storage of safety-related parts at plant & requests that results of util review be submitted to Region I within 60 days.
WHITE,J.R. Region 1 (Post 820201). 94/11/09. ELIASON,L. Public Service Electric & Gas Co. of New Jersey. 4pp. 81798:134-81798:137.

9411290272 Requests results of review & disposition re improper use of overtime at plant within 60 days of ltr date.
COOPER,R.W. Region 1 (Post 820201). 94/11/18. ELIASON,L. Public Service Electric & Gas Co. of New Jersey. 5pp. 81870:229-81870:233.

9411300361 Application for amends to licenses DPR-70 & DPR-75 re change to revise reactivity control sys TS LCO for boration flow paths & charging pumps by reducing number of operable charging pumps required for B addition in Mode 4.
HAGAN,J.J. Public Service Electric & Gas Co. of New Jersey. 94/11/18. Document Control Branch (Document Control Desk). 3pp. 81907:313-81907:342.

-9411300362 Proposed tech specs re change to revise reactivity control sys TS LCO for boration flow paths & charging pumps by reducing number of operable charging pumps required for B addition in Mode 4 from two to one.
* Public Service Electric & Gas Co. of New Jersey. 94/11/18. 27pp. 81907:316-81907:342.

Q. Inspection reports, IE Bulletins & correspondence

9411040051 EN-94-105:on 941005,notice of proposed imposition of civil penalty in amount of \$500,000 issued to licensee.Action based on violations identified as result of AIT & followup insp of listed event on 940407.
BEALL,J., LIEBERMAN,J. Ofc of Enforcement (Post 870413). 94/10/05. 1p. 81658:024-81658:024.

9411090073 "NRC Staff Proposes to Fine PSE&G \$500,000 for Alleged Violations at Salem Nuclear Power Plant."
* Office of Public Affairs (Post 911117). 94/10/05. 3pp. 81770:022-81770:024.

9410140257 Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Matis Events to NRC Operations Ctr."
BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.

9410200153 NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts."
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81658:001-81658:013.

9411080016 Ack receipt of 941018 ltr informing NRC of steps taken to correct violations noted in insp repts 50-272/94-14 & 50-311/94-14.
WHITE,J.R. Region 1 (Post 820201). 94/10/31. HAGAN,J. Public Service Electric & Gas Co. of New Jersey. 3pp. 81628:127-81628:135.

9411090300 NRC Bulletin 94-002, "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride."
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.

9411220055 Forwards insp repts 50-272/94-28 & 50-311/94-28 on 941017-21.No violations noted.
JOYNER,J.H. Region 1 (Post 820201). 94/11/15. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 2pp. 81796:311-81796:319.

-9411220060 Insp repts 50-272/94-28 & 50-311/94-28 on 941017-21.No violations noted.Major areas inspected:radioactive liquid & gaseous effluent control programs including mgt controls & quality assurance audit.
PELUSO,L., JANG,J.C. Region 1 (Post 820201). 94/11/22. 6pp. 81796:314-81796:319.

9411100237 NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment."
GRIMES,B.K. . 94/11/17. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.

9411300084 Requests approval,per 10CFR50.55a,Section (a)(3) & footnote 6,to use ASME Code Case N416-1.
HAGAN,J.J. Public Service Electric & Gas Co. of New Jersey. 94/11/18. Document Control Branch (Document Control Desk). 4pp. 81922:310-81922:313.

9411150578 NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation."
GRIMES,B.K. . 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.

9411300106 Forwards insp repts 50-272/94-23,50-311/94-23 & 50-354/94-21 on 941024-26.No violations noted.
JOYNER,J.H. Region 1 (Post 820201). 94/11/21. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 81872:094-81872:107.

-9411300117 Insp repts 50-272/94-23,50-311/94-23 & 50-354/94-21 on 941024-26.No violations noted.Major areas inspected: evaluation of annual full-participation exercise.
LAUGHLIN,J., KEIMIG,R. Region 1 (Post 820201). 94/11/21. 11pp. 81872:097-81872:107.

9411170039 NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping."
GRIMES,B.K. . 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.

9411170279 NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys."
GRIMES,B.K. . 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.

9411170284 NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results."
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.

R. Periodic operating reports & related correspondence

9411020058 "Discharge Monitoring Rept For Salem Generating Station for Sept 1994."
W/941025 ltr.
HAGAN,J.J. Public Service Electric & Gas Co. of New Jersey. 94/09/30. CAPORALE,G. New Jersey, State of. 22pp. 81589:130-81589:152.

9411230312 Monthly operating rept for Oct 1994 for Salem Generating Station Unit 1.W/941114 ltr.
MORRISON,M., HAGAN,J.J. Public Service Electric & Gas Co. of New Jersey. 94/10/31. 12pp. 81854:304-81854:315.

9411170273 Forwards FFD performance data rept for six month period ending 940630.
LABRUNA,S. Public Service Electric & Gas Co. of New Jersey. 94/11/04. Document Control Branch (Document Control Desk). 7pp. 81793:258-81793:265.

S. Reportable occurrences, LERs & related correspondence

9411220259 LER 94-015-00:on 941018,refueling water storage tank water vol level less than required.Transmitters properly adjusted & RWST level was returned to within specification.W/941117 ltr.
PASTVA,M.J., HAGAN,J.J. Public Service Electric & Gas Co. of New Jersey. 94/11/17. 6pp. 81850:179-81850:186.

DOCKET 50-275 DIABLO CANYON NUCLEAR POWER PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9411230061 Forwards public version of EPIP including rev 27 to EP G-3, rev 5 to EP RB-14,rev 1a to EP RB-15;j & rev 1 to EP RB-15:0.W/941121 ltr.
SEXTON,J.A. Pacific Gas & Electric Co. 94/08/19. Document Control Branch (Document Control Desk). 3pp. 81827:150-81827:235.

-9411230079 Rev 27 to EP G-3,rev 5 to EP RB-14,rev 1a to EP RB-15;j & rev 1 to EP RB-15:0.
* Pacific Gas & Electric Co. 94/08/19. 84pp. 81827:152-81827:235.

9411040132 Revised EPIPs,including Vol 3B to Current EPIPs table of contents,Rev 13A to EP RB-15:A,Rev 11A to EP RB-15:B,Rev 9 to EP RB-15:C,Rev 5A to EP RB-15:D,Rev 6A to EP RB-15:E & Rev 5 to EP RB-15:H.W/941031 ltr.
SEXTON,J.A. Pacific Gas & Electric Co. 94/10/31. 193pp. 81652:001-81652:159.

9411250192 Forwards Change 5 to Rev 18 to physical security plan.Change withheld (ref 10CFR73.21).
RUEGER,G.M. Pacific Gas & Electric Co. 94/11/02. Document Control Branch (Document Control Desk). 1p. 81854:357-81854:357.

9411100012 Notification of 941117 meeting w/util in Rockville,MD to discuss overview of fire barrier penetration seal review program for Plant,Units 1 & 2.
PETERSON,S.R. Project Directorate III-2. 94/11/04. QUAY,T.R. Project Directorate III-2. 4pp. 81715:343-81715:346.

9411220297 Notification of 941117 meeting w/util in Rockville, MD to discuss fire barrier penetration seal review program for plant. Meeting canceled.
PETERSON, S.R. Project Directorate IV-2. 94/11/04. QUAY, T.R. Project Directorate IV-2. 3pp. 81822:223-81822:225.

9411100056 Discusses 941026 mgt meeting w/PGE re SALP rept for period 930101-940831. List of attendees & handouts encl.
BEACH, A.B. Region 4 (Post 820201). 94/11/08. RUEGER, G.M. Pacific Gas & Electric Co. 11pp. 81673:063-81673:073.

9411250210 Forwards public version of revised Corporate ERPIPs, including Rev 13 to 1.1, Rev 8 to 1.2, Rev 5 to 3.1, Rev 12 to 3.2, Rev 6 to 3.5, Rev 6 to 3.6, Rev 14 to 4.3, & Rev 7 to 4.8. W/941025 ltr.
SEXTON, J.A. Pacific Gas & Electric Co. 94/11/08. Document Control Branch (Document Control Desk). 3pp. 81852:022-81852:085.

-9411250220 Public version of revised Corporate ERPIPs, including Rev 13 to 1.1, Rev 8 to 1.2, Rev 5 to 3.1, Rev 12 to 3.2, Rev 6 to 3.5, Rev 14 to 4.3 & Rev 7 to 4.8.
* Pacific Gas & Electric Co. 94/11/08. 67pp. 81852:025-81852:085.

G. Adjudicatory correspondence

9411100086 Initial decision (construction period recovery/recapture). * Renewed motion to reopen record 940808, denied. Served on 941104. W/Certificate of Svc.
BECHHOEFER, C., KLINE, J.R., SHON, F.J. Atomic Safety & Licensing Board Panel. #494 15901. 94/11/04. Pacific Gas & Electric Co. 210pp. 81674:001-81674:210.

H. General correspondence

9411250101 Final response to FOIA request for documents re plant pipe break outside containment criteria. Forwards App C documents. App B documents already available in PDR. App D documents completely withheld (ref FOIA exemption 5).
GRIMSLEY, D.H. Division of Information & Publications Services (890206-940714). 93/11/04. LOCKHART, J.A. Mudge, Rose, Guthrie, Alexander & Ferden. 47pp. 81939:001-81939:178.

-7812260205 Responds to 780223 ltr from D Morris re safety of subj facil. Repts hearing on subj facil will be held in fall & forwards final environ statement.
DIRCKS, W.J. Ofc of the Executive Director for Operations. 78/03/22. LAGOMARSINO, R.J. House of Rep. 2pp. 81939:068-81939:069.

-9411250120 Forwards correspondence from constituent D Morris re interest in Diablo Canyon plant re safety & environ issues.
LAGOMARSINO, R. House of Rep. 78/03/01. KAMMERER, C.C. Office of Congressional Affairs (Pre 870413). 3pp. 81939:070-81939:072.

-9411290149 Ack receipt of letter, dtd 780301, enclosing correspondence from constituent D Morris re activities at plant. Reply to be sent as soon as possible.
KAMMERER, C. Office of Congressional Affairs (Pre 870413). 78/03/10. LAGOMARSINO, R. House of Rep. 1p. 81939:073-81939:073.

P. Operating license stage documents & correspondence

9411030239 Forwards SE accepting licensee 930413 request permanent relief for plant units 1 & 2 from ASME code Section III, subsection NC-7142 SV control & interlock requirements.
QUAY, T.R. Project Directorate IV-2. 94/10/12. RUEGER, G.M. Pacific Gas & Electric Co. 5pp. 81607:284-81607:292.

-9411030244 SE supporting request for relief from stop valve control & interlock requirements of Section III, Subsection NC-7142 of ASME boiler & pressure vessel code.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/12. 6pp. 81607:288-81607:292.

9411030131 Forwards "Third Quarter 1994 Rept on Discharge Monitoring at Diablo Canyon Power Plant."
FUJIMOTO, W.H. Pacific Gas & Electric Co. 94/10/19. BRIGGS, R.W. California, State of. 2pp. 81640:107-81640:235.

-9411030139 "Third Quarter 1994 Rept on Discharge Monitoring at Diablo Canyon Power Plant, Nati Pollutant Discharge Elimination Sys."
* Pacific Gas & Electric Co. 94/09/30. 124pp. 81640:109-81640:235.

9411100017 Forwards amends 96 & 95 to licenses DPR-80 & DPR-82 & safety evaluation. Amends change TS 4.2.2, "Heat Flux Hot Channel Factor," & 6.9.1.8, "COLR," to implement revised methodology for calculating penalty.
PETERSON, S.R. Project Directorate IV-2. 94/10/31. RUEGER, G.M. Pacific Gas & Electric Co. 3pp. 81715:324-81715:339.

-9411100018 Amends 96 & 95 to licenses DPR-80 & DPR-82, respectively, changing TS 4.2.2, "Heat Flux Hot Channel Factor," & 6.9.1.8, "COLR," to implement revised methodology.
PETERSON, S.R. Project Directorate IV-2. 94/10/31. 9pp. 81715:327-81715:335.

-9411100019 Safety evaluation supporting amends 96 & 95 to licenses DPR-80 & DPR-82, respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/31. 4pp. 81715:336-81715:339.

9411160249 Discusses highlights of 941028 meeting w/PG&E re current issues & plans for plants. Identifies positive accomplishments & activities for plant inspections & recent refueling outage.
JONES, W.B. Commissioners (Post 750119). 94/10/31. NRC - No Detailed Affiliation Given. 1p. 81755:354-81755:354.

9411180006 Forwards application to renew NPDES permit for Diablo Canyon Power Plant (Permit CA 0003751). W/encl check in amount of \$10,000 to cover first annual fee & 1 oversize encl.
FUJIMOTO, W.H. Pacific Gas & Electric Co. 94/11/07. BRIGGS, R. California, State of. 51pp. 81842:080-81842:132.

9411230082 Forwards LAR 94-11 to Licenses DPR-80 & DPR-82, revising TS 3/4.3.2, "ESFAS Instrumentation." Westinghouse nonproprietary repts WCAP-13900 & WCAP-14117 & proprietary rept WCAP-13878 also encl. Proprietary rept withheld.
RUEGER, G.M. Pacific Gas & Electric Co. 94/11/14. Document Control Branch (Document Control Desk). 2pp. 81893:001-81893:272.

-9411230087 LAR 94-11 to Licenses DPR-80 & DPR-82, revising TS 3/4.3.2, "ESFAS Instrumentation," to relax slave relay test frequency from quarterly to refueling outage.
RUEGER, G.M. Pacific Gas & Electric Co. 94/11/14. 13pp. 81893:003-81893:015.

-9411230090 Proposed TS 3/4.3.2, "ESFAS Instrumentation," relaxing slave relay test frequency from quarterly to refueling outage.
* Pacific Gas & Electric Co. 94/11/14. 14pp. 81893:016-81893:029.

-9411230092 Requests that proprietary rept WCAP-13878, "Reliability Assessment of Potter & Brumfield MDR Series Relays" be withheld from public disclosure (ref 10CFR2.790).
LIPARULO, N.J. Westinghouse Electric Corp. 94/10/17. RUSSELL, W.T. Document Control Branch (Document Control Desk). 10pp. 81893:030-81893:039.

-9411230096 Nonproprietary rept, "Extension of Slave Relay Surveillance Intervals, WOG SRT Subgroup Program MUHP-7040 Rev 0."
MORGAN, C., HOWARD, B. Westinghouse Electric Corp. WCAP-13900. 94/04/30. 33pp. 81893:040-81893:073.

-9411230103 Nonproprietary "Reliability Assessment of Potter & Brumfield MDR Series Relays."
METRO, B.J., PETA, C.M., SPAN, R.M. Westinghouse Electric Corp. WCAP-14117. 94/06/30. 199pp. 81893:074-81893:272.

Q. Inspection reports, IE Bulletins & correspondence

9410140257 Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Matis Events to NRC Operations Ctr."
BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.

9410200153 NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts."
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81658:001-81658:013.

9411020007 Forwards master exam & answer key for info re administration of Generic Fundamentals Exam Section of written operator licensing exam. W/o encls.
GWYNN, T.P. Region 4 (Post 820201). 94/10/26. RUEGER, G.M. Pacific Gas & Electric Co. 2pp. 81528:050-81528:051.

9411070390 Forwards SER accepting licensee 930308 & 931210 responses to NRC bulletin 90-01, suppl 1 for plant.
PETERSON, S.R. Project Directorate IV-2. 94/10/28. RUEGER, G.M. Pacific Gas & Electric Co. 3pp. 81713:302-81713:326.

-9411070392 SER accepting licensee 930308 & 931210 responses to NRC bulletin 90-01, suppl 1 for plant.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/28. 2pp. 81713:305-81713:306.

-9411010353 "Evaluation of Util Response to Supp 1 to NRC Bulletin 90-01 for Plant."
UDY, A. EG&G Idaho, Inc. UDY, A. Idaho National Engineering Laboratory. FIN L-1695. EGG-DINSP-10826. 94/09/30. NRC - No Detailed Affiliation Given. 20pp. 81713:307-81713:326.

9411160249 Discusses highlights of 941028 meeting w/PG&E re current issues & plans for plants. Identifies positive accomplishments & activities for plant inspections & recent refueling outage.
JONES, W.B. Commissioners (Post 750119). 94/10/31. NRC - No Detailed Affiliation Given. 1p. 81755:354-81755:354.

9411100056 Discusses 941026 mgt meeting w/PGE re SALP rept for period 930101-940831. List of attendees & handouts encl.
BEACH, A.B. Region 4 (Post 820201). 94/11/08. RUEGER, G.M. Pacific Gas & Electric Co. 11pp. 81673:063-81673:073.

9411090300 NRC Bulletin 94-002, "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride."
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.

9411220007 Forwards insp repts 50-275/94-25 & 50-323/94-25 on 940926-1028 & notice of violation.
GWYNN, T.P. Region 4 (Post 820201). 94/11/16. RUEGER, G.M. Pacific Gas & Electric Co. 5pp. 81795:344-81795:359.

-9411220012 Notice of violation from insp on 940926-1028. Violation noted: documented instructions not appropriate to circumstances for resistance temp detector mod project on Unit 2.
* Region 4 (Post 820201). 94/11/16. 2pp. 81795:349-81795:350.

-9411220016 Insp repts 50-275/94-25 & 50-323/94-25 on 940926-1028. Violations noted. Major areas inspected: ISI program for Unit 2.
POWERS, D.A. Region 4 (Post 820201). 94/11/14. 9pp. 81795:351-81795:359.

9411100237 NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment."
GRIMES, B.K. 94/11/17. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.

9411280037 Forwards insp repts 50-275/94-24 & 50-323/94-24 on 940901-1015 & notice of violation. Violation of concern because of involved alignment of vital power to safety-related sys.
BEACH, A.B. Region 4 (Post 820201). 94/11/18. RUEGER, G.M. Pacific Gas & Electric Co. 4pp. 81840:305-81840:333.

-9411280040 Notice of violation from insp on 940901-1015. Violation noted: Breaker PY-11-18 found in open position w/o being tagged by active clearance request.
* Region 4 (Post 820201). 94/11/18. 1p. 81840:309-81840:309.

-9411280044 Insp repts 50-275/94-24 & 50-323/94-24 on 940901-1015. Violations noted. Major areas inspected: response to events, operational safety verification, plant maint, surveillance observations, plant support activities & onsite engineering.
KIRSCH, D. Region 4 (Post 820201). 94/11/18. 24pp. 81840:310-81840:333.

48 DOCKETED ITEMS

9411150578 NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation." GRIMES,B.K. . 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.

9411170039 NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping." GRIMES,B.K. . 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.

9411170279 NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys." GRIMES,B.K. . 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.

9411170284 NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results." PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.

R. Periodic operating reports & related correspondence

9411230207 Monthly operating repts for Oct 1994 for Diablo Canyon Units 1 & 2.W/ 941114 ltr. EUBANK,T., STIPICEVICH,J., FUJIMOTO,W.H. Pacific Gas & Electric Co. 94/10/31. 12pp. 81833:193-81833:204.

S. Reportable occurrences, LERs & related correspondence

9411150078 LER 94-003-01: on 940208,TS 3.7.1.1 not met during MS SV surveillance testing due to setpoint drift.Each valve found out of tolerance was reset.W/941107 ltr. SISK,D.P., RUEGER,G.M. Pacific Gas & Electric Co. 94/11/07. 7pp. 81791:010-81791:016.

V. Operator Examinations

9411020007 Forwards master exam & answer key for info re administration of Generic Fundamentals Exam Section of written operator licensing exam.W/o encls. GWYNN,T.P. Region 4 (Post 820201). 94/10/26. RUEGER,G.M. Pacific Gas & Electric Co. 2pp. 81528:050-81528:051.

9411290193 Summary of 941110 meeting w/util re training & operator licensing issues.List of attendees,meeting agenda & handouts encl. GWYNN,T.P. Region 4 (Post 820201). 94/11/22. Region 4 (Post 820201). 27pp. 81869:003-81869:029.

DOCKET 50-277 PEACH BOTTOM ATOMIC POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9411030047 Forwards 940919 ltr from RJ Adamcik to DA McMillion re deficiency assessed against State of MD Emergency Operations Ctr under Objective 10, "Alert & Notification," for info. JOYNER,J.H. Region 1 (Post 820201). 94/10/21. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 81561:198-81561:203.

9411040154 Forwards summary of plan changes & rev pages of physical security plan,per 10CFR73.21.Encl withheld. RAINEY,G.R. PECO Energy Co., (formerly Philadelphia Electric Co.). 94/10/28. Document Control Branch (Document Control Desk). 2pp. 81649:359-81649:360.

9411250149 Revised emergency response procedures (ERP),including Rev 5 to ERP-205, "Emergency Preparedness Coordinator/TSC" & Rev 9 to ERP-510, "Personnel Accountability." W/941117 ltr. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 94/11/17. 18pp. 81881:334-81881:351.

P. Operating license stage documents & correspondence

9411010116 Informs of reduction in cutoff level for initial screening tests associated w/ fitness-for-duty testing. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 94/10/24. Document Control Branch (Document Control Desk). 1p. 81579:272-81579:272.

9411020244 Requests that 941021 ltr,requesting Enforcement Discretion be withdrawn.Also,informs that requests to change TS sections 4.5.C.1.e & 4.5.D.1.e will be submitted per 10CFR50. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 94/10/24. Document Control Branch (Document Control Desk). 1p. 81634:360-81634:360.

9411010349 Application for amends to licenses DPR-44 & DPR-56, requesting emergency TS change re HPCI subsystem. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 94/10/25. Document Control Branch (Document Control Desk). 9pp. 81579:317-81579:329.

-9411010351 Proposed tech specs re HPCI Subsystem,low pressure testing requirements. * PECO Energy Co., (formerly Philadelphia Electric Co.). 94/10/25. 4pp. 81579:326-81579:329.

9411080010 Provides NRC approval for PECO Energy Co proposal to transfer review of NCR from independent nuclear QA organization to line organization for plants. MODES,M.C. Region 1 (Post 820201). 94/10/28. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 2pp. 81627:330-81627:333.

9411150308 Approves transfer of administrative procedures from Nuclear QA to in-line organization,per 931004,940114 & 0309 ltrs. MODES,M.C. Region 1 (Post 820201). 94/10/28. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 81742:038-81742:057.

9411160132 Notification of significant licensee meeting 94-128 w/util on 941110 to discuss changes in training organizations for plants. ANDERSON,C.J. Region 1 (Post 820201). 94/11/01. Region 1 (Post 820201). 2pp. 81746:356-81746:357.

9411160217 Forwards notice of consideration of issuance of amend to license,proposed NSHC determination & opportunity for hearing re min reactor steam pressure required for SR 4.5.C.1(e) for plant. SHEA,J.W. Project Directorate I-2. 94/11/01. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 81770:317-81770:329.

-9411160230 Notice of consideration of issuance of amends to licenses DPR-44 & DPR-56 & proposed NSHC determination & opportunity for hearing.Amends clarify minimum reactor steam pressure required for surveillance requirement 4.5.C.1(e). SHEA,J.W. Project Directorate I-2. 94/11/01. 10pp. 81770:320-81770:329.

9411150515 Summaries 941026 public meeting in King of Prussia,PA to discuss MOV issues w/Region 1 licensees. KELLY,E.M. Region 1 (Post 820201). 94/11/03. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 49pp. 81744:199-81744:247.

9411160289 Informs that util has completed physical & programmatic changes necessary to be compliance w/10CFR50.63, "Loss of ac." HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 94/11/04. Document Control Branch (Document Control Desk). 3pp. 81781:282-81781:284.

9411180161 Provides final summary rept consisting of core shroud insp results,as requested by Reporting Requirement 3 of GL 94-03. Overall results of insp revealed min amount of flaws. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 94/11/07. Document Control Branch (Document Control Desk). 33pp. 81804:289-81804:321.

9411170304 Ack receipt of 940926 ltr re TS change request 90-03 to extend surveillance test intervals.Affidavits,dtg 930603, included in util 940926 ltr does not request that GE repts be withheld in entirety.NRC will withhold repts for 60 days. SHEA,J.W. Project Directorate I-2. 94/11/14. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 4pp. 81780:017-81780:020.

9411180097 Summary of 941101 meeting w/util in Rockville,MD re proposed implementation of improved TS at plant,units 2 & 3.List of attendees & handouts encl. SHEA,J.W. Project Directorate I-2. 94/11/14. Project Directorate I-2. 13pp. 81782:179-81782:191.

9411230160 Application for amends to licenses DPR-44 & DPR-56 to TS re request for approval to change QA program description by elimination of independent safety engineering group composition requirement. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 94/11/14. Document Control Branch (Document Control Desk). 3pp. 81833:174-81833:186.

-9411230164 Proposed tech specs re change to QA program description by eliminating independent safety engineering group composition requirement. * Nebraska Public Power District. 94/11/14. 10pp. 81833:177-81833:186.

9411230180 Application for amends to Licenses DPR-44 & DPR-56, consisting of TS Change Requests 94-11,94-12,94-13, relocating audit topics,frequencies,nuclear review board review requirement & requirement associated w/ISEG function. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 94/11/14. Document Control Branch (Document Control Desk). 2pp. 81854:190-81854:205.

-9411230184 Proposed tech specs re relocation of audit topics, frequencies,nuclear review board review requirements & requirements associated w/ISEG function to licensee controlled documents. * PECO Energy Co., (formerly Philadelphia Electric Co.). 94/11/14. 14pp. 81854:192-81854:205.

9411220272 Notification of 941130 meeting w/util in Rockville,MD to discuss schedule for NRC review of improved TS application. SHEA,J.W. Project Directorate I-2. 94/11/15. STOLZ,J.F. Project Directorate I-4. 3pp. 81818:022-81818:024.

9411250182 License Change Request 93-13 to licenses DPR-44 & DPR-56, revising TS to support mods 5384 & 5386,upgrading main stack & vent stack radiation monitoring sys. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 94/11/17. Document Control Branch (Document Control Desk). 12pp. 81866:125-81866:161.

-9411250184 Proposed tech specs re main stack & vent stack radiation monitoring sys. * PECO Energy Co., (formerly Philadelphia Electric Co.). 94/11/17. 25pp. 81866:137-81866:161.

Q. Inspection reports, IE Bulletins & correspondence

9410140257 Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Matis Events to NRC Operations Ctr." BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.

9411030104 Forwards insp repts 50-277/94-23 & 50-278/94-23 on 940919-1012.No violations noted. JOYNER,J.H. Region 1 (Post 820201). 94/10/21. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 81560:166-81560:176.

-9411030110 Insp repts 50-277/94-23 & 50-278/94-23 on 940919-1012.No violations noted.Major areas inspected: radiation safety during outage operations,maintaining radiation exposures, work planning & respiratory protection. ECKERT,L., BORES,R. Region 1 (Post 820201). 94/10/21. 8pp. 81560:169-81560:176.

9411030093 Ack receipt of 941007 ltr informing NRC of steps taken to correct violations noted in insp repts 50-277/94-12 & 50-278/94-12. KELLY,E.M. Region 1 (Post 820201). 94/10/24. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 2pp. 81560:092-81560:098.

9410200153 NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts."
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81658:001-81658:013.

9411020015 Forwards forms of exam, answer keys, grading results for facility & individual answer sheets for employees re administration of 941005 GFE.W/o encls.
MEYER,G.W. Region 1 (Post 820201). 94/10/26. STANKIEWICZ,J. PECO Energy Co., (formerly Philadelphia Electric Co.). 2pp. 81528:077-81528:078.

9411030177 Ack receipt of 940915 ltr informing NRC of steps taken to correct violations noted in insp rept 50-277/94-15, 50-278/94-15, 50-352/94-19 & 50-353/94-19.
MEYER,G.W. Region 1 (Post 820201). 94/10/27. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 81561:001-81561:008.

9411090007 Ack receipt of 941019 ltr informing NRC of steps taken to correct violations noted in insp repts 50-278/94-13 & 50-277/94-13.
ANDERSON,C.J. Region 1 (Post 820201). 94/10/31. RAINEY,G. PECO Energy Co., (formerly Philadelphia Electric Co.). 2pp. 81637:010-81637:018.

9411150029 Forwards safety insp repts 50-277/94-21 & 50-278/94-21 on 940828-1008. Violation cited but not noted. Unresolved item opened re inappropriate use of temporary change to emergency swc water sys operating procedure.
ANDERSON,C.J. Region 1 (Post 820201). 94/11/04. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 81741:100-81741:124.

9411150034 Insp repts 50-277/94-21 & 50-278/94-21 on 940828-1008. Violations noted but not cited. Major areas inspected: plant operations, maintenance & surveillance, engineering & technical support.
ANDERSON,C.J. Region 1 (Post 820201). 94/11/04. 22pp. 81741:103-81741:124.

9411180161 Provides final summary rept consisting of core shroud insp results, as requested by Reporting Requirement 3 of GL 94-03. Overall results of insp revealed min amount of flaws.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 94/11/07. Document Control Branch (Document Control Desk). 33pp. 81804:289-81804:321.

9411180128 Submits response to insp repts 50-277/94-18 & 50-278/94-18 concerning radwaste/matl shipping training program & planned activities in that area.
RAINEY,G.R. PECO Energy Co., (formerly Philadelphia Electric Co.). 94/11/10. Document Control Branch (Document Control Desk). 2pp. 81799:321-81799:322.

9411090300 NRC Bulletin 94-002, "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride."
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.

9411100237 NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment."
GRIMES,B.K. 94/11/17. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.

9411150578 NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation."
GRIMES,B.K. 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.

9411290276 Forwards insp rept 50-277/94-26 on stated date & notice of violation. Licensed control room operators placed unit in configuration not addressed by test procedure, causing natural circulation & thermal stratification.
COOPER,R.W. Region 1 (Post 820201). 94/11/21. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 4pp. 81870:247-81870:271.

9411290277 Notice of violation from insp on stated date. Violation: licensed operators did not promptly identify that reactor vessel head flange temp had exceeded 212 F.
* Region 1 (Post 820201). 94/11/21. 2pp. 81870:251-81870:252.

9411290278 Insp rept 50-277/94-26 on stated date. Violations noted. Major areas inspected: start-up coverage, reactor pressure vessel & leakage pressure test.
ANDERSON,C.J. Region 1 (Post 820201). 94/11/17. 19pp. 81870:253-81870:271.

9411300016 Discusses insp repts 50-277/94-24 & 50-278/94-24 & forwards notice of violation & proposed imposition of civil penalty in amount of \$87,500.
MARTIN,T.T. Region 1 (Post 820201). 94/11/21. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 6pp. 81871:131-81871:139.

9411300022 Notice of violation & proposed imposition of civil penalty in amount of \$87,500. Noncompliance noted: failure to conduct testing activity on ESW sys within design basis.
* Region 1 (Post 820201). 94/11/21. 3pp. 81871:137-81871:139.

9411280109 "NRC Staff Proposes to Fine PECO Energy Co \$87,500 for Alleged Violations at Peach Bottom Nuclear Power Plant."
* Office of Public Affairs (Post 811117). 94/11/22. 2pp. 81903:075-81903:076.

9411170039 NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping."
GRIMES,B.K. 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.

9411170279 NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys."
GRIMES,B.K. 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.

9411170284 NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results."
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.

R. Periodic operating reports & related correspondence

9411020089 Forwards corrected Semi-Annual Effluent Release Rept 36 930701-1231 for PBAPS Units 2 & 3.
RAINEY,G.R. PECO Energy Co., (formerly Philadelphia Electric Co.). 94/10/20. Document Control Branch (Document Control Desk). 2pp. 81589:190-81589:236.

9411020109 Corrected copies of "Semi-Annual Effluent Release Rept 36 Jul-Dec 1993," for PBAPS Units 2 & 3.
* PECO Energy Co., (formerly Philadelphia Electric Co.). 93/12/31. 30pp. 81589:192-81589:236.

9411180187 Monthly operating repts for Oct 1994 for PBAPS Units 2 & 3. W/941107 ltr.
JEFFREY,W.J., RAINEY,G.R. PECO Energy Co., (formerly Philadelphia Electric Co.). 94/10/31. 14pp. 81799:274-81799:287.

S. Reportable occurrences, LERs & related correspondence

9411220199 Summary of operating reactors events briefing 94-38 conducted on 941102 to inform senior managers of listed ofcs of selected events that occurred since last briefing on 941012. List of attendees in encl 1.
CHAFFEE,A.E. Events Assessment Branch. 94/11/09. GRIMES,B.K. Division of Operating Reactor Support (Post 921004). 22pp. 81816:330-81816:351.

9411280306 LER 94-010-00: on 941024, setpoint drift associated w/main steam relief valves & safety valves occurred. Caused by small drift in setpoint of valves. Refurbished valves properly setup at test facility & installed. W/941122 ltr.
WASONG,A.J., EDWARDS,G.D. PECO Energy Co., (formerly Philadelphia Electric Co.). 94/11/22. 5pp. 81903:085-81903:089.

V. Operator Examinations

9411010318 Submits responses to administrative ltr 94-12, "Operator Licensing Natl Exam Schedule."
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 94/10/24. Document Control Branch (Document Control Desk). 5pp. 81587:051-81587:055.

9411020015 Forwards forms of exam, answer keys, grading results for facility & individual answer sheets for employees re administration of 941005 GFE.W/o encls.
MEYER,G.W. Region 1 (Post 820201). 94/10/26. STANKIEWICZ,J. PECO Energy Co., (formerly Philadelphia Electric Co.). 2pp. 81528:077-81528:078.

DOCKET 50-278 PEACH BOTTOM ATOMIC POWER STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9411030047 Forwards 940919 ltr from RJ Adamcik to DA McMillion re deficiency assessed against State of MD Emergency Operations Ctr under Objective 10, "Alert & Notification," for info.
JOYNER,J.H. Region 1 (Post 820201). 94/10/21. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 81561:198-81561:203.

9411040154 Forwards summary of plan changes & rev pages of physical security plan, per 10CFR73.21. Encl withheld.
RAINEY,G.R. PECO Energy Co., (formerly Philadelphia Electric Co.). 94/10/28. Document Control Branch (Document Control Desk). 2pp. 81649:359-81649:360.

9411250149 Revised emergency response procedures (ERP), including Rev 5 to ERP-205, "Emergency Preparedness Coordinator/TSC" & Rev 9 to ERP-510, "Personnel Accountability." W/941117 ltr.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 94/11/17. 18pp. 81881:334-81881:351.

P. Operating license stage documents & correspondence

9411010116 Informs of reduction in cutoff level for initial screening tests associated w/ fitness-for-duty testing.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 94/10/24. Document Control Branch (Document Control Desk). 1p. 81579:272-81579:272.

9411010349 Application for amends to licenses DPR-44 & DPR-56, requesting emergency TS change re HPCI subsystem.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 94/10/25. Document Control Branch (Document Control Desk). 9pp. 81579:317-81579:329.

9411010351 Proposed tech specs re HPCI Subsystem, low pressure testing requirements.
* PECO Energy Co., (formerly Philadelphia Electric Co.). 94/10/25. 4pp. 81579:326-81579:329.

9411080010 Provides NRC approval for PECO Energy Co proposal to transfer review of NCR from independent nuclear QA organization to line organization for plants.
MODES,M.C. Region 1 (Post 820201). 94/10/28. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 2pp. 81627:330-81627:333.

9411160132 Notification of significant licensee meeting 94-128 w/util on 941110 to discuss changes in training organizations for plants.
ANDERSON,C.J. Region 1 (Post 820201). 94/11/01. Region 1 (Post 820201). 2pp. 81746:356-81746:357.

9411160217 Forwards notice of consideration of issuance of amend to license, proposed NSHC determination & opportunity for hearing re min reactor steam pressure required for SR 4.5.C.1(e) for plant.
SHEA,J.W. Project Directorate I-2. 94/11/01. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 81770:317-81770:329.

9411160230 Notice of consideration of issuance of amends to licenses DPR-44 & DPR-56 & proposed NSHC determination & opportunity for hearing. Amends clarify minimum reactor steam pressure required for surveillance requirement 4.5.C.1(e).
SHEA,J.W. Project Directorate I-2. 94/11/01. 10pp. 81770:320-81770:329.

9411150515 Summaries 941026 public meeting in King of Prussia, PA to discuss MOV issues w/Region 1 licensees.
KELLY,E.M. Region 1 (Post 820201). 94/11/03. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 49pp. 81744:199-81744:247.

50 DOCKETED ITEMS

9411160289 Informs that util has completed physical & programmatic changes necessary to be compliance w/10CFR50.63, "Loss of ac."
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 94/11/04. Document Control Branch (Document Control Desk). 3pp. 81781:282-81781:284.

9411170304 Ack receipt of 940926 ltr re TS change request 90-03 to extend surveillance test intervals. Affidavits, dtd 930603, included in util 940926 ltr does not request that GE repts be withheld in entirety. NRC will withhold repts for 60 days.
SHEA,J.W. Project Directorate I-2. 94/11/14. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 4pp. 81780:017-81780:020.

9411180097 Summary of 941101 meeting w/util in Rockville, MD re proposed implementation of improved TS at plant, units 2 & 3. List of attendees & handouts encl.
SHEA,J.W. Project Directorate I-2. 94/11/14. Project Directorate I-2. 13pp. 81782:179-81782:191.

9411230160 Application for amends to licenses DPR-44 & DPR-56 to TS re request for approval to change QA program description by elimination of independent safety engineering group composition requirement.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 94/11/14. Document Control Branch (Document Control Desk). 3pp. 81833:174-81833:186.

9411230164 Proposed tech specs re change to QA program description by eliminating independent safety engineering group composition requirement.
* Nebraska Public Power District. 94/11/14. 10pp. 81833:177-81833:186.

9411230180 Application for amends to Licenses DPR-44 & DPR-56, consisting of TS Change Requests 94-11, 94-12, 94-13, relocating audit topics, frequencies, nuclear review board review requirement & requirement associated w/ISEG function.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 94/11/14. Document Control Branch (Document Control Desk). 2pp. 81854:190-81854:205.

9411230184 Proposed tech specs re relocation of audit topics, frequencies, nuclear review board review requirements & requirements associated w/ISEG function to licensee controlled documents.
* PECO Energy Co., (formerly Philadelphia Electric Co.). 94/11/14. 14pp. 81854:192-81854:205.

9411220272 Notification of 941130 meeting w/util in Rockville, MD to discuss schedule for NRC review of improved TS application.
SHEA,J.W. Project Directorate I-2. 94/11/15. STOLZ,J.F. Project Directorate I-4. 3pp. 81818:022-81818:024.

9411250182 License Change Request 93-13 to licenses DPR-44 & DPR-56, revising TS to support mods 5384 & 5386, upgrading main stack & vent stack radiation monitoring sys.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 94/11/17. Document Control Branch (Document Control Desk). 12pp. 81866:125-81866:161.

9411250184 Proposed tech specs re main stack & vent stack radiation monitoring sys.
* PECO Energy Co., (formerly Philadelphia Electric Co.). 94/11/17. 25pp. 81866:137-81866:161.

Q. Inspection reports, IE Bulletins & correspondence

9411040257 Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Malls Events to NRC Operations Ctr."
BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 830207). 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.

9411030104 Forwards insp repts 50-277/94-23 & 50-278/94-23 on 940919-1012. No violations noted.
JOYNER,J.H. Region 1 (Post 820201). 94/10/21. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 81560:166-81560:176.

9411030110 Insp repts 50-277/94-23 & 50-278/94-23 on 940919-1012. No violations noted. Major areas inspected: radiation safety during outage operations, maintaining radiation exposures, work planning & respiratory protection.
ECKERT,L., BORES,R. Region 1 (Post 820201). 94/10/21. 8pp. 81560:169-81560:176.

9411030093 Ack receipt of 941007 ltr informing NRC of steps taken to correct violations noted in insp repts 50-277/94-12 & 50-278/94-12.
KELLY,E.M. Region 1 (Post 820201). 94/10/24. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 2pp. 81560:092-81560:098.

9410200153 NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts."
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81658:001-81658:013.

9411020015 Forwards forms of exam, answer keys, grading results for facility & individual answer sheets for employees re administration of 941005 GFE.W/o encls.
MEYER,G.W. Region 1 (Post 820201). 94/10/26. STANKIEWICZ,J. PECO Energy Co., (formerly Philadelphia Electric Co.). 2pp. 81528:077-81528:078.

9411030177 Ack receipt of 940915 ltr informing NRC of steps taken to correct violations noted in insp repts 50-277/94-15, 50-278/94-15, 50-352/94-19 & 50-353/94-19.
MEYER,G.W. Region 1 (Post 820201). 94/10/27. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 81561:001-81561:008.

9411090007 Ack receipt of 941019 ltr informing NRC of steps taken to correct violations noted in insp repts 50-278/94-13 & 50-277/94-13.
ANDERSON,C.J. Region 1 (Post 820201). 94/10/31. RAINEY,G. PECO Energy Co., (formerly Philadelphia Electric Co.). 2pp. 81637:010-81637:018.

9411150029 Forwards safety insp repts 50-277/94-21 & 50-278/94-21 on 940828-1008. Violation cited but not noted. Unresolved item opened re inappropriate use of temporary change to emergency svc water sys operating procedure.
ANDERSON,C.J. Region 1 (Post 820201). 94/11/04. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 81741:100-81741:124.

9411150034 Insp repts 50-277/94-21 & 50-278/94-21 on 940828-1008. Violations noted but not cited. Major areas inspected: plant operations, maintenance & surveillance, engineering & technical support.
ANDERSON,C.J. Region 1 (Post 820201). 94/11/04. 22pp. 81741:103-81741:124.

9411180128 Submits response to insp repts 50-277/94-18 & 50-278/94-18 concerning radwaste/mall shipping training program & planned activities in that area.
RAINEY,G.R. PECO Energy Co., (formerly Philadelphia Electric Co.). 94/11/10. Document Control Branch (Document Control Desk). 2pp. 81799:321-81799:322.

9411090300 NRC Bulletin 94-002, "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride."
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.

9411100237 NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment."
GRIMES,B.K. 94/11/17. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.

9411150578 NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation."
GRIMES,B.K. 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.

9411300016 Discusses insp repts 50-277/94-24 & 50-278/94-24 & forwards notice of violation & proposed imposition of civil penalty in amount of \$87,500.
MARTIN,T.T. Region 1 (Post 820201). 94/11/21. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 6pp. 81871:131-81871:139.

9411300022 Notice of violation & proposed imposition of civil penalty in amount of \$87,500. Noncompliance noted: failure to conduct testing activity on ESW sys within design basis.
* Region 1 (Post 820201). 94/11/21. 3pp. 81871:137-81871:139.

9411280109 "NRC Staff Proposes to Fine PECO Energy Co \$87,500 for Alleged Violations at Peach Bottom Nuclear Power Plant."
* Office of Public Affairs (Post 911117). 94/11/22. 2pp. 81903:075-81903:076.

9411170039 NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping."
GRIMES,B.K. 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.

9411170279 NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys."
GRIMES,B.K. 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.

9411170284 NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results."
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.

R. Periodic operating reports & related correspondence

9411020089 Forwards corrected Semi-Annual Effluent Release Rept 36 930701-1231 for PBAPS Units 2 & 3.
RAINEY,G.R. PECO Energy Co., (formerly Philadelphia Electric Co.). 94/10/20. Document Control Branch (Document Control Desk). 2pp. 81589:190-81589:236.

9411020109 Corrected copies of "Semi-Annual Effluent Release Rept 36 Jul-Dec 1993" for PBAPS Units 2 & 3.
* PECO Energy Co., (formerly Philadelphia Electric Co.). 93/12/31. 30pp. 81589:192-81589:236.

9411180187 Monthly operating repts for Oct 1994 for PBAPS Units 2 & 3. W/941107 ltr.
JEFFREY,W.J., RAINEY,G.R. PECO Energy Co., (formerly Philadelphia Electric Co.). 94/10/31. 14pp. 81799:274-81799:287.

S. Reportable occurrences, LERs & related correspondence

9411080230 LER 94-005-00: on 941011, Unit 3 scram occurred due to static inverter failure. Appropriate PCIS & RPS scram logic reset & affected sys reset to appropriate configuration & failed Unit 3 transformer replaced & properly setup. W/941104 ltr.
WASONG,A.J., EDWARDS,G.D. PECO Energy Co., (formerly Philadelphia Electric Co.). 94/11/04. 4pp. 81716:180-81716:183.

V. Operator Examinations

9411010318 Submits responses to administrative ltr 94-12, "Operator Licensing Natl Exam Schedule."
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 94/10/24. Document Control Branch (Document Control Desk). 5pp. 81587:051-81587:055.

9411020015 Forwards forms of exam, answer keys, grading results for facility & individual answer sheets for employees re administration of 941005 GFE.W/o encls.
MEYER,G.W. Region 1 (Post 820201). 94/10/26. STANKIEWICZ,J. PECO Energy Co., (formerly Philadelphia Electric Co.). 2pp. 81528:077-81528:078.

DOCKET 50-280 SURRY POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9411070095 Forwards insp repts 50-280/94-27 & 50-281/94-27 on 940903-1001. No violations noted.
VERRELLI,D.M. Region 2 (Post 820201). 94/10/24. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 81605:034-81605:050.

9411070101 Insp repts 50-280/94-27 & 50-281/94-27 on 940903-1001. No violations noted. Major areas inspected: plant status, operational safety verification, maint & surveillance insps, onsite engineering review & annual emergency exercise.
BRANCH,M.W., TINGEN,S.G., KERN,D.M. Region 2 (Post 820201). 94/10/24. 14pp. 81605:037-81605:050.

9411020295 Provides supplemental info which further supports 940420 request for exemption from requirements of 10CFR50, App R w/ regard to existing manually-actuated Halon sys in Unit 2 emergency switchgear room.
O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 94/10/27. Document Control Branch (Document Control Desk). 14pp. 81589:073-81589:086.

9411202278 Revised EIPs, including rev 9 to EPIP-1.02, rev 13 to EPIP-1.03, rev 13 to EPIP-1.04, rev 15 to EPIP-1.05, rev 13 to EPIP-2.02, rev 11 to EPIP-4.01, rev 13 to EPIP-4.02, rev 5 to EPIP-4.04 & rev 4 to EPIP-4.10. W/941116 ltr.
O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 94/11/16. 278pp. 81844:001-81844:271.

P. Operating license stage documents & correspondence

9411040067 Forwards SE granting licensee 931019 request for relief re inservice testing program third 10-yr interval for pumps & valves for plant.
THADANI, M. Project Directorate II-2. 94/10/20. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 4pp. 81608:205-81608:293.

-9411040070 Safety evaluation granting relief or authorizing alternatives for testing requirements, submitted in licensee 931019 request.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/20. 9pp. 81608:209-81608:217.

-9411040087 "Technical Evaluation Rept Pump & Valve Inservice Testing Program Plant Units 1 & 2."
RANSOM, C.B., HARTLEY, R.S. EG&G Idaho, Inc. RANSON, C.B. Idaho National Engineering Laboratory. FIN L-2594. EGG-DNSP-11285. 94/07/31. NRC - No Detailed Affiliation Given. 72pp. 81608:218-81608:293.

9411040275 Forwards evaluation of use of molded case circuit breakers that exceed mfg fault current rating, per 940215 ltr.
THADANI, M.C. Project Directorate II-2. 94/10/25. BOGER, B.A. Region 2 (Post 820201). 1p. 81628:337-81628:346.

9411040275 Forwards evaluation of use of molded case circuit breakers that exceed mfg fault current rating, per 940215 ltr.
THADANI, M.C. Project Directorate II-2. 94/10/25. BOGER, B.A. Region 2 (Post 820201). 1p. 81665:232-81665:243.

-9411020187 Advises that util analyses unacceptable justification for use of Klockner Moeller NZM6 & NZM9 & Westinghouse FA & FB MCCBs in applications exceeding manufacturers short circuit rating. Recommendations listed.
BERLINGER, C.H. Electrical Engineering Branch. 94/10/14. MCCREE, V. Project Directorate II-2. 2pp. 81665:233-81665:243.

9411020023 Forwards amends 193 & 193 to licenses DPR-32 & DPR-37, respectively & safety evaluation. Amends will add operability requirements, action statements & SR for recirculation spray heat exchange svc water outlet radiation monitors.
BUCKLEY, B.C. Project Directorate II-2. 94/10/27. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 81566:299-81566:312.

-9411020030 Amends 193 & 193 to licenses DPR-32 & DPR-37, respectively, adding operability requirements, action statements & SR for recirculation spray heat exchange svc water outlet radiation monitors.
THADANI, M.C. Project Directorate II-2. 94/10/27. 8pp. 81566:302-81566:309.

-9411020033 Safety evaluation supporting amends 193 & 193 to licenses DPR-32 & DPR-37, respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/27. 3pp. 81566:310-81566:312.

9411160246 Forwards Surry Power Station underground oil release site characterization rept.
MARSHALL, B.M. Virginia, Commonwealth of. 94/11/04. ANDERSON, J.M. Virginia, Commonwealth of. 2pp. 81777:263-81777:284.

9411210274 Submits info re seismic verification of existing, new & replacement equipment, including RG 1.97 equipment.
O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 94/11/10. Document Control Branch (Document Control Desk). 3pp. 81837:092-81837:094.

9411210278 Ack receipt of approval of several exceptions to RG 1.97 design & qualification criteria.
O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 94/11/10. Document Control Branch (Document Control Desk). 4pp. 81837:095-81837:098.

9411220189 Application for amends to licenses DPR-32 & DPR-37 to TS re changes to TS to clarify SR for reactor protection & engineered safeguard sys instrumentation & actuation logic.
O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 94/11/10. Document Control Branch (Document Control Desk). 10pp. 81864:303-81864:318.

-9411220194 Proposed tech specs re changes to TS will clarify SR for reactor protection & engineered safeguard sys instrumentation & actuation logic.
* Virginia Power (Virginia Electric & Power Co.). 94/11/10. 6pp. 81864:313-81864:318.

9411180076 Forwards amends 194 & 194 to licenses DPR-32 & DPR-37, respectively & SE. Amends modify current TS having cycle-specific parameter limits in COLR.
BUCKLEY, B.C. Project Directorate II-2. 94/11/15. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 2pp. 81777:245-81777:257.

-9411180081 Amends 194 & 194 to licenses DPR-32 & DPR-37 modifying current TS having cycle-specific parameter limits in COLR.
THADANI, M.C. Project Directorate II-2. 94/11/15. 8pp. 81777:248-81777:255.

-9411180084 Safety evaluation supporting amends 194 & 194 to licenses DPR-32 & DPR-37, respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/11/15. 3pp. 81777:256-81777:257.

9411290105 Notification of 941201 meeting w/util in Rockville, MD to discuss proposed changes to TSs re CVCS & SIS.
BUCKLEY, B.C. Project Directorate II-2. 94/11/23. THADANI, M.C. Project Directorate II-2. 3pp. 81866:081-81866:083.

Q. Inspection reports, IE Bulletins & correspondence

9411030017 Ack receipt of 940916 ltr informing NRC of steps taken to correct violations noted in insp repts 50-280/94-11 & 50-281/94-11.
VERRELLI, D.M. Region 2 (Post 820201). 94/10/12. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 81561:040-81561:042.

9411030053 Forwards insp repts 50-280/94-26 & 50-281/94-26 on 940829-0902, 0907-12, 27-28 & via 940912 & 27 telcons & notice of violation.
CLINE, W.E. Region 2 (Post 820201). 94/10/12. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 81561:218-81561:240.

-9411030067 Notice of violation from insp on 940829-0902, 0907-12, 27-28 & via 940912 & 27 telcons. Violations noted during period of 940127 through 0728, six licensee personnel failed to adhere to radiation control procedures.
* Region 2 (Post 820201). 94/10/12. 3pp. 81561:221-81561:223.

-9411030078 Insp repts 50-280/94-26 & 50-281/94-26 on 940829-0902, 0907-12, 27-28 & via 940912 & 27 telcons. Violations noted. Major areas inspected: licensee radiation protection program, specifically, high & very high radiation areas.
WRIGHT, F.N., RANKIN, W.H. Region 2 (Post 820201). 94/10/12. 17pp. 81561:224-81561:240.

9410140257 Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Matis Events to NRC Operations Ctr."
BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.

9411030008 Forwards insp repts 50-280/94-20 & 50-281/94-20 on 941003-07. No violations noted.
PEEBLES, T.A. Region 2 (Post 820201). 94/10/21. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 2pp. 81561:013-81561:021.

-9411030011 Insp repts 50-280/94-20 & 50-281/94-20 on 941003-07. No violations noted. Major areas inspected: licensed operator requalification training.
AIELLO, R.F., LAWYER, L.L. Region 2 (Post 820201). 94/10/20. 7pp. 81561:015-81561:021.

9411070095 Forwards insp repts 50-280/94-27 & 50-281/94-27 on 940903-1001. No violations noted.
VERRELLI, D.M. Region 2 (Post 820201). 94/10/24. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 81605:034-81605:050.

-9411070101 Insp repts 50-280/94-27 & 50-281/94-27 on 940903-1001. No violations noted. Major areas inspected: plant status, operational safety verification, maint & surveillance insps, onsite engineering review & annual emergency exercise.
BRANCH, M.W., TINGEN, S.G., KERN, D.M. Region 2 (Post 820201). 94/10/24. 14pp. 81605:037-81605:050.

9410200153 NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts."
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81658:001-81658:013.

9411070356 Forwards SE adopting contractors conclusions & recommendations presented in TER re plant second 10-yr inservice insp program relief request RR-020.
THADANI, M. Project Directorate II-2. 94/11/01. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 2pp. 81713:291-81713:301.

-9411070367 Safety evaluation adopting contractor conclusions & recommendations presented in TER re second 10-yr inservice insp program relief request RR-020.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/11/01. 9pp. 81713:293-81713:301.

9411180083 Responds to violations noted in insp repts 50-280/94-24 & 50-281/94-24. Corrective action: mgt initiated two independent assessments of event.
O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 94/11/07. Document Control Branch (Document Control Desk). 5pp. 81793:300-81793:304.

9411210370 Forwards response to NRC ltr re violations noted in insp repts 50-280/94-26 & 50-281/94-26 on 940829-0928. Corrective actions: outdated VERA key control logs removed & replaced w/required log from procedure HP-1032.061.
O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 94/11/10. Document Control Branch (Document Control Desk). 5pp. 81837:127-81837:131.

9411090300 NRC Bulletin 94-002, "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride."
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.

9411290003 Ack receipt of 941107 ltr informing NRC of steps taken to correct violations noted in insp repts 50-280/94-24 & 50-281/94-24.
VERRELLI, D.M. Region 2 (Post 820201). 94/11/16. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 2pp. 81857:007-81857:008.

9411100237 NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment."
GRIMES, B.K. . 94/11/17. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.

9411150578 NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation."
GRIMES, B.K. . 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.

9411170039 NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping."
GRIMES, B.K. . 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.

9411170279 NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys."
GRIMES, B.K. . 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.

52 DOCKETED ITEMS

9411170284 NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results."
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.

R. Periodic operating reports & related correspondence

9411150416 Monthly operating repts for Oct 1994 for Surry Power Station Units 1 & 2.W/941103 ltr.
MASON,D., BOWLING,M.L. Virginia Power (Virginia Electric & Power Co.). 94/10/31. 22pp. 81775:256-81775:277.

S. Reportable occurrences, LERs & related correspondence

9411020140 LER 94-008-01: on 940929,entry into TS 4.0.3 for failure to test new charcoal in accordance w/TS 4.12.b.1 & missed surveillance.
CHRISTIAN,D.A. Virginia Power (Virginia Electric & Power Co.). 94/10/26. 12pp. 81602:115-81602:127.

9411030260 LER 94-010-00: on 940927,procedure 0-EPT-0109-03,weekly emergency diesel generator battery pilot cell & bus voltage checks had not been performed.Caused by personnel error. Individuals were counseled.W/941027 ltr.
CHRISTIAN,D.A. Virginia Power (Virginia Electric & Power Co.). 94/10/27. 6pp. 81619:061-81619:066.

9411090123 LER 93-007-03: on 941004,logic channels for RCS low flow in 2/3 loops reactor trip not fully tested due to power being below 35%.Generating operation procedures temporarily changed to ensure proper testing.W/941101 ltr.
CHRISTIAN,D.A. Virginia Power (Virginia Electric & Power Co.). 94/11/01. 11pp. 81731:330-81731:341.

9411070411 RO: on 941028,total suspended solids concentration in spoil discharge reached 820 mg/l.Permit limitations expressed as values exceeding ambient levels.
MARSHALL,B.M. Virginia Power (Virginia Electric & Power Co.). 94/11/03. GARDNER,L.M. Document Control Branch (Document Control Desk). 2pp. 81676:133-81676:134.

9411220199 Summary of operating reactors events briefing 94-38 conducted on 941102 to inform senior managers of listed ofcs of selected events that occurred since last briefing on 941012.List of attendees in encl 1.
CHAFEE,A.E. Events Assessment Branch. 94/11/09. GRIMES,B.K. Division of Operating Reactor Support (Post 921004). 22pp. 81816:330-81816:351.

V. Operator Examinations

9411030008 Forwards insp repts 50-280/94-20 & 50-281/94-20 on 941003-07.No violations noted.
PEEBLES,T.A. Region 2 (Post 820201). 94/10/21. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 2pp. 81561:013-81561:021.

9411030011 Insp repts 50-280/94-20 & 50-281/94-20 on 941003-07.No violations noted.Major areas inspected:licensed operator requalification training.
AIELLO,R.F., LAWYER,L.L. Region 2 (Post 820201). 94/10/20. 7pp. 81561:015-81561:021.

9411080304 Informs review completed of proposal,dtd 940830,to allow licensee to develop written exams & operating tests for NPGS operating personnel.Concludes proposal should be denied based on NRC duties as prescribed by AEA.
THADANI,M.C. Project Directorate II-2. 94/11/02. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 81663:355-81663:357.

DOCKET 50-281 SURRY POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9411070095 Forwards insp repts 50-280/94-27 & 50-281/94-27 on 940903-1001.No violations noted.
VERRELLI,D.M. Region 2 (Post 820201). 94/10/24. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 81605:034-81605:050.

9411070101 Insp repts 50-280/94-27 & 50-281/94-27 on 940903-1001.No violations noted.Major areas inspected:plant status, operational safety verification,maint & surveillance insps, onsite engineering review & annual emergency exercise.
BRANCH,M.W., BELISLE,G.A. Region 2 (Post 820201). 94/10/24. 14pp. 81605:037-81605:050.

9411020295 Provides supplemental info which further supports 940420 request for exemption from requirements of 10CFR50,App R w/ regard to existing manually-actuated Halon sys in Unit 2 emergency switchgear room.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 94/10/27. Document Control Branch (Document Control Desk). 14pp. 81589:073-81589:086.

9411290111 Summary of 941104 meeting w/util in Rockville,MD re request for exemption from App R to 10CFR50.Meeting attendees listed in Encl 1.
BUCKLEY,B.C. Project Directorate II-2. 94/11/10. Project Directorate II-2. 23pp. 81891:323-81891:345.

9411220278 Revised EIPs,including rev 9 to EPIP-1.02,rev 13 to EPIP-1.03,rev 13 to EPIP-1.04,rev 15 to EPIP-1.05,rev 13 to EPIP-2.02,rev 11 to EPIP-4.01,rev 13 to EPIP-4.02,rev 5 to EPIP-4.04 & rev 4 to EPIP-4.10.W/941116 ltr.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 94/11/16. 278pp. 81844:001-81844:271.

P. Operating license stage documents & correspondence

9411040067 Forwards SE granting licensee 931019 request for relief re inservice testing program third 10-yr interval for pumps & valves for plant.
THADANI,M.C. Project Directorate II-2. 94/10/20. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 4pp. 81608:205-81608:293.

9411040070 Safety evaluation granting relief or authorizing alternatives for testing requirements,submitted in licensee 931019 request.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/20. 9pp. 81608:209-81608:217.

9411040087 "Technical Evaluation Rept Pump & Valve Inservice Testing Program Plant Units 1 & 2."
RANSOM,C.B., HARTLEY,R.S. EG&G Idaho, Inc. RANSOM,C.B. Idaho National Engineering Laboratory. FIN L-2594. EGG-DNSP:11285. 94/07/31. NRC - No Detailed Affiliation Given. 72pp. 81608:218-81608:293.

9411040275 Forwards evaluation of use of molded case circuit breakers that exceed mfg fault current rating,per 940215 ltr.
THADANI,M.C. Project Directorate II-2. 94/10/25. BOGER,B.A. Region 2 (Post 820201). 1p. 81628:337-81628:346.

9411040275 Forwards evaluation of use of molded case circuit breakers that exceed mfg fault current rating,per 940215 ltr.
THADANI,M.C. Project Directorate II-2. 94/10/25. BOGER,B.A. Region 2 (Post 820201). 1p. 81665:232-81665:243.

9410240187 Advises that util analyses unacceptable justification for use of Klockner Moeller NZM6 & NZM9 & Westinghouse FA & FB MCCBs in applications exceeding manufacturers short circuit rating.Recommendations listed.
BERLINGER,C.H. Electrical Engineering Branch. 94/10/14. MCCREE,V. Project Directorate II-2. 2pp. 81665:233-81665:243.

9411020023 Forwards amends 193 & 193 to licenses DPR-32 & DPR-37, respectively & safety evaluation.Amends will add operability requirements,action statements & SR for recirculation spray heat exchange svc water outlet radiation monitors.
BUCKLEY,B.C. Project Directorate II-2. 94/10/27. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 81566:299-81566:312.

9411020030 Amends 193 & 193 to licenses DPR-32 & DPR-37,respectively, adding operability requirements,action statements & SR for recirculation spray heat exchange svc water outlet radiation monitors.
THADANI,M.C. Project Directorate II-2. 94/10/27. 8pp. 81566:302-81566:309.

9411020033 Safety evaluation supporting amends 193 & 193 to licenses DPR-32 & DPR-37,respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/27. 3pp. 81566:310-81566:312.

9411040055 Requests enforcement discretion re station battery 2A individual cell low voltage.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 94/10/28. Document Control Branch (Document Control Desk). 4pp. 81653:246-81653:249.

9411300083 Responds to 941028 request relief from TS 3.16.B.3.Review of operation satisfy requirements & discretion granted.
EBNETER,S.D. Region 2 (Post 820201). 94/10/31. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 4pp. 81871:351-81871:354.

941160246 Forwards Surry Power Station underground oil release site characterization rept.
MARSHALL,B.M. Virginia, Commonwealth of. 94/11/04. ANDERSON,J.M. Virginia, Commonwealth of. 2pp. 81777:283-81777:284.

9411210274 Submits info re seismic verification of existing,new & replacement equipment,including RG 1.97 equipment.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 94/11/10. Document Control Branch (Document Control Desk). 3pp. 81837:092-81837:094.

9411210278 Ack receipt of approval of several exceptions to RG 1.97 design & qualification criteria.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 94/11/10. Document Control Branch (Document Control Desk). 4pp. 81837:095-81837:098.

9411220189 Application for amends to licenses DPR-32 & DPR-37 to TS re changes to TS to clarify SR for reactor protection & engineered safeguard sys instrumentation & actuation logic.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 94/11/10. Document Control Branch (Document Control Desk). 10pp. 81864:303-81864:318.

9411220194 Proposed tech specs re changes to TS will clarify SR for reactor protection & engineered safeguard sys instrumentation & actuation logic.
* Virginia Power (Virginia Electric & Power Co.). 94/11/10. 6pp. 81864:313-81864:318.

9411290111 Summary of 941104 meeting w/util in Rockville,MD re request for exemption from App R to 10CFR50.Meeting attendees listed in Encl 1.
BUCKLEY,B.C. Project Directorate II-2. 94/11/10. Project Directorate II-2. 23pp. 81891:323-81891:345.

9411800076 Forwards amends 194 & 194 to licenses DPR-32 & DPR-37, respectively & SE.Amends modify current TS having cycle- specific parameter limits in COLR.
BUCKLEY,B.C. Project Directorate II-2. 94/11/15. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 2pp. 81777:245-81777:257.

9411180081 Amends 194 & 194 to licenses DPR-32 & DPR-37 modifying current TS having cycle-specific parameter limits in COLR.
THADANI,M.C. Project Directorate II-2. 94/11/15. 8pp. 81777:248-81777:255.

9411180084 Safety evaluation supporting amends 194 & 194 to licenses DPR-32 & DPR-37,respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/11/15. 3pp. 81777:256-81777:257.

9411290105 Notification of 941201 meeting w/util in Rockville,MD to discuss proposed changes to TSs re CVCS & SIS.
BUCKLEY,B.C. Project Directorate II-2. 94/11/23. THADANI,M.C. Project Directorate II-2. 3pp. 81866:081-81866:083.

Q. Inspection reports, IE Bulletins & correspondence

9411030017 Ack receipt of 940916 ltr informing NRC of steps taken to correct violations noted in insp repts 50-280/94-11 & 50-281/94-11.
VERRELLI,D.M. Region 2 (Post 820201). 94/10/12. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 81561:040-81561:042.

9411030053 Forwards insp repts 50-280/94-26 & 50-281/94-26 on 940829-0902,0907-12,27-28 & via 940912 & 27 telcons. Violations noted: during period of 940127 through 0728, six licensee personnel failed to adhere to radiation control procedures.
CLINE,W.E. Region 2 (Post 820201). 94/10/12. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 81561:218-81561:240.

-9411030067 Notice of violation from insp on 940829-0902,0907-12,27-28 & via 940912 & 27 telcons. Violations noted: during period of 940127 through 0728, six licensee personnel failed to adhere to radiation control procedures.
* Region 2 (Post 820201). 94/10/12. 3pp. 81561:221-81561:223.

-9411030078 Insp repts 50-280/94-26 & 50-281/94-26 on 940829-0902, 0907-12,27-28 & via 940912 & 27 telcons. Violations noted: Major areas inspected: licensee radiation protection program, specifically, high & very high radiation areas.
WRIGHT,F.N., RANKIN,W.H. Region 2 (Post 820201). 94/10/12. 17pp. 81561:224-81561:240.

9410140257 Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Matis Events to NRC Operations Ctr."
BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.

9411030008 Forwards insp repts 50-280/94-20 & 50-281/94-20 on 941003-07. No violations noted.
PEEBLES,T.A. Region 2 (Post 820201). 94/10/21. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 2pp. 81561:013-81561:021.

-9411030011 Insp repts 50-280/94-20 & 50-281/94-20 on 941003-07. No violations noted. Major areas inspected: licensee operator requalification training.
AIELLO,R.F., LAWYER,L.L. Region 2 (Post 820201). 94/10/20. 7pp. 81561:015-81561:021.

9411070095 Forwards insp repts 50-280/94-27 & 50-281/94-27 on 940903-1001. No violations noted.
VERRELLI,D.M. Region 2 (Post 820201). 94/10/24. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 81605:034-81605:050.

-9411070101 Insp repts 50-280/94-27 & 50-281/94-27 on 940903-1001. No violations noted. Major areas inspected: plant status, operational safety verification, maint & surveillance insps, onsite engineering review & annual emergency exercise.
BRANCH,M.W., TINGEN,S.G., KERN,D.M. Region 2 (Post 820201). 94/10/24. 14pp. 81605:037-81605:050.

9410200153 NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts."
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81658:001-81658:013.

9411180083 Responds to violations noted in insp repts 50-280/94-24 & 50-281/94-24. Corrective action: mgt initiated two independent assessment of event.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 94/11/07. Document Control Branch (Document Control Desk). 5pp. 81793:300-81793:304.

9411210370 Forwards response to NRC ltr re violations noted in insp repts 50-280/94-26 & 50-281/94-26 on 940829-0928. Corrective actions: outdated VHRA key control logs removed & replaced w/required log from procedure HP-1032.061.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 94/11/10. Document Control Branch (Document Control Desk). 5pp. 81837:127-81837:131.

9411090300 NRC Bulletin 94-002, "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride."
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.

9411290003 Ack receipt of 941107 ltr informing NRC of steps taken to correct violations noted in insp repts 50-280/94-24 & 50-281/94-24.
VERRELLI,D.M. Region 2 (Post 820201). 94/11/16. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 2pp. 81857:007-81857:008.

9411100237 NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment."
GRIMES,B.K. 94/11/17. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.

9411150578 NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation."
GRIMES,B.K. 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.

9411170039 NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping."
GRIMES,B.K. 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.

9411170279 NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys."
GRIMES,B.K. 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.

9411170284 NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results."
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.

R. Periodic operating reports & related correspondence

9411150416 Monthly operating repts for Oct 1994 for Surry Power Station Units 1 & 2. W/941109 ltr.
MASON,D., BOWLING,M.L. Virginia Power (Virginia Electric & Power Co.). 94/10/31. 22pp. 81775:256-81775:277.

S. Reportable occurrences, LERs & related correspondence

9411070411 RO on 941028, total suspended solids concentration in spoil discharge reached 820 mg/l. Permit limitations expressed as values exceeding ambient levels.
MARSHALL,B.M. Virginia Power (Virginia Electric & Power Co.). 94/11/03. GARDNER,L.M. Document Control Branch (Document Control Desk). 2pp. 81676:133-81676:134.

9411220199 Summary of operating reactors events briefing 94-38 conducted on 941102 to inform senior managers of listed ofcs of selected events that occurred since last briefing on 941012. List of attendees in encl 1.
CHAFFEE,A.E. Events Assessment Branch. 94/11/09. GRIMES,B.K. Division of Operating Reactor Support (Post 921004). 22pp. 81816:330-81816:351.

V. Operator Examinations

9411030008 Forwards insp repts 50-280/94-20 & 50-281/94-20 on 941003-07. No violations noted.
PEEBLES,T.A. Region 2 (Post 820201). 94/10/21. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 2pp. 81561:013-81561:021.

-9411030011 Insp repts 50-280/94-20 & 50-281/94-20 on 941003-07. No violations noted. Major areas inspected: licensee operator requalification training.
AIELLO,R.F. Region 2 (Post 820201). 94/10/20. 7pp. 81561:015-81561:021.

9411080304 Informs review completed of proposal, dtd 940830, to allow licensee to develop written exams & operating tests for NPGS operating personnel. Concludes proposal should be denied based on NRC duties as prescribed by AEA.
THADANI,M.C. Project Directorate II-2. 94/11/02. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 81663:355-81663:357.

DOCKET 50-282 PRAIRIE ISLAND NUCLEAR STATION, UNIT 1**F. Security, medical, emergency & fire protection plans**

9411070074 Responds to util 940814 ltr requesting retraction to commitment made in 940314 written response to NOV ref in insp repts 50-282/93-22 & 50-306/93-22 & informs of concurrence w/util request to delete commitment.
CREED,J.R. Region 3 (Post 820201). 94/10/28. ANDERSON,R.O. Northern States Power Co. 2pp. 81604:299-81604:302.

-9411070081 Requests retraction of util prior commitment in util 930314 written response to NOV as ref in insp repts 50-282/93-22 & 50-306/93-22 re safeguards info.
ANDERSON,R.O. Northern States Power Co. 94/08/15. Document Control Branch (Document Control Desk). 2pp. 81604:301-81604:302.

9411220039 Forwards insp repts 50-282/94-15 & 50-306/94-15 on 940913-1024 & notice of violation.
GREENMAN,E.G. Region 3 (Post 820201). 94/11/10. WATZLE, Northern States Power Co. 4pp. 81796:208-81796:234.

-9411220041 Notice of violation from insp on 940913-1024. Violation noted: plant mgt authorization for voluntary entry into LCO per procedure 5ACD 3.15 not obtained prior to securing ventilation sys.
* Region 3 (Post 820201). 94/11/10. 2pp. 81796:212-81796:213.

-9411220043 Insp repts 50-282/94-15 & 50-306/94-15 on 940913-1024. Violations noted. Major areas inspected: operational safety verification, engineering safety feature sys, current mat condition & plant housekeeping & security.
KROPP,W.J. Region 3 (Post 820201). 94/11/09. 21pp. 81796:214-81796:234.

9411230052 Requests response to encl RAI in order to resolve concerns on util ampacity derating factor determinations for plant.
PETERSON,S.R. Project Directorate III-1. 94/11/17. ANDERSON,R.O. Northern States Power Co. 13pp. 81822:346-81822:358.

P. Operating license stage documents & correspondence

9411040295 Notification of 941116 meeting w/licensee in Rockville, MD to discuss generic topical rept on ability to credit boron in spent fuel pools. W also in attendance.
PETERSON,S.R. Project Directorate III-1. 94/10/26. HANNON,J. Project Directorate III-1. 3pp. 81628:356-81628:358.

9411040015 Application for amends to licenses DPR-42 & DPR-60, revising TS to change radioactive effluent rept submittal from semiannual to annual.
WADLEY,M.D. Northern States Power Co. 94/10/27. Document Control Branch (Document Control Desk). 2pp. 81653:001-81653:020.

-9411040039 Proposed TS changing frequency of radioactive effluent rept submittal from semiannual to annual.
* Northern States Power Co. 94/10/17. 18pp. 81653:003-81653:020.

9411040299 Notification of 941114 meeting w/licensee in Rockville, MD to discuss containment integrity during refueling for penetrations & post accident monitoring, specifically removal of hydrogen monitoring from TS.
PETERSON,S.R. Project Directorate III-1. 94/10/27. HANNON,J. Project Directorate III-1. 3pp. 81621:129-81621:131.

9411160050 Forwards rept on site visit to review implementation of maint rule at station for review & info. Rept identifies strengths & weaknesses w/program at site.
SHAFFER,W.D. Region 3 (Post 820201). 94/11/07. DONNELLY,P.M. Consumers Power Co. 2pp. 81746:131-81746:141.

9411170146 Forwards Rev 1 to "Prairie Island Nuclear Generating Plant, Core Operating Limits Rept, Unit 2-Cycle 16."
ANDERSON,R.O. Northern States Power Co. 94/11/10. Document Control Branch (Document Control Desk). 1p. 81787:346-81787:357.

54 DOCKETED ITEMS

—9411170151 Rev 1 to "Prairie Nuclear Generating Plant, Core Operating Limits Rept. Unit 2-Cycle 16."
NELSON, O., ECKHOLT, E., BREENE, T. Northern States Power Co. 94/11/10. 11pp. 81787:347-81787:357.

9411220402 Forwards audit conducted by M. Gamberoni & P. Campbell on 940808-12. Audit included review of program for implementing 10CFR50.59, "Changes, Tests & Experiments," at plant, authorized by licenses DPR-42 & DPR-60.
PETERSON, S.R. Project Directorate III-1. 94/11/14. ANDERSON, R.O. Northern States Power Co. 2pp. 81817:287-81817:301.

—9411220406 "Audit of Northern States Power Co Program to Implement 10CFR50.59 for Plant."
* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/11/14. 13pp. 81817:289-81817:301.

Q. Inspection reports, IE Bulletins & correspondence

9410140257 Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Matis Events to NRC Operations Ctr."
BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.

9410200153 NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts."
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81858:001-81858:013.

9411020127 Submits addl info re insp repts 50-282/93-12 & 50-306/93-12 on 930927-1115 re GL 89-10 MOV.
ANDERSON, R.O. Northern States Power Co. 94/10/26. Document Control Branch (Document Control Desk). 3pp. 81589:292-81589:294.

9411070074 Responds to util 940814 ltr requesting retraction to commitment made in 940314 written response to NOV ref in insp repts 50-282/93-22 & 50-306/93-22 & informs of concurrence w/util request to delete commitment.
CREED, J.R. Region 3 (Post 820201). 94/10/28. ANDERSON, R.O. Northern States Power Co. 2pp. 81604:299-81604:302.

—9411070081 Requests retraction of util prior commitment in util 930314 written response to NOV as ref in insp repts 50-282/93-22 & 50-306/93-22 re safeguards info.
ANDERSON, R.O. Northern States Power Co. 94/08/15. Document Control Branch (Document Control Desk). 2pp. 81604:301-81604:302.

9411220068 Ack receipt of 941017 ltr informing NRC of steps taken to correct violations noted in insp repts 50-282/94-14 & 50-306/94-14, C/A to be reviewed in future insp.
GREENMAN, E.G. Region 3 (Post 820201). 94/11/08. WATZLE, Northern States Power Co. 1p. 81797:001-81797:001.

9411220039 Forwards insp repts 50-282/94-15 & 50-306/94-15 on 940913-1024 & notice of violation.
GREENMAN, E.G. Region 3 (Post 820201). 94/11/10. WATZLE, Northern States Power Co. 4pp. 81796:208-81796:234.

—9411220041 Notice of violation from insp on 940913-1024. Violation noted: plant mgt authorization for voluntary entry into LCO per procedure 5ACD 3.15 not obtained prior to securing ventilation sys.
* Region 3 (Post 820201). 94/11/10. 2pp. 81796:212-81796:213.

—9411220043 Insp repts 50-282/94-15 & 50-306/94-15 on 940913-1024. Violations noted. Major areas inspected: operational safety verification, engineering safety feature sys, current matl condition & plant housekeeping & security.
KROPP, W.J. Region 3 (Post 820201). 94/11/09. 21pp. 81796:214-81796:234.

9411090300 NRC Bulletin 94-002, "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride."
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.

9411100237 NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment."
GRIMES, B.K. 94/11/17. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.

9411300258 Requests schedule extension for RCP casing weld insp, per ASME Code Section XI insp & testing program.
ANDERSON, R.O. Northern States Power Co. 94/11/18. Document Control Branch (Document Control Desk). 3pp. 81923:338-81923:340.

9411150578 NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation."
GRIMES, B.K. 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.

9411170039 NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping."
GRIMES, B.K. 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.

9411170279 NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys."
GRIMES, B.K. 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.

9411170284 NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results."
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.

R. Periodic operating reports & related correspondence

9411090372 Monthly operating rept for Oct 1994 for Prairie Island Nuclear Generating Plant W/941103 ltr.
DUGSTAD, D., ANDERSON, R.O. Northern States Power Co. 94/10/31. 9pp. 81718:350-81718:358.

S. Reportable occurrences, LERs & related correspondence

9411070090 Final Part 21 rept 94-002A re three air start distributor cams cracking at plants. Cams replaced w/cams made using electric arc.
PRATIANNE, S.A. Coltec Industries, Inc. 94/06/01. Document Control Branch (Document Control Desk). 5pp. 81654:209-81654:213.

9411020097 LER 94-008-00: on 940926, inoperability of continuous air monitor when power supply was tripped w/o CR knowledge. Power supply reset. W/941026 ltr.
HUNSTAD, A.A., ANDERSON, R.O. Northern States Power Co. 94/10/26. 4pp. 81602:103-81602:106.

9411030082 PNO-III-94-085: on 941025, app 2.5 Ci of radioactive noble gases had been inadvertently released from plant, Unit 2 to atmosphere during filter change operation. Event & licensee CA to prevent recurrence being reviewed.
KOZAK, T.J., PEDERSON, C.D. Region 3 (Post 820201). 94/10/26. 1p. 81560:044-81560:044.

9411300134 LER 94-009-00: on 941029, design basis reconstitution effort uncovered design deficiency in containment isolation function. Caused by oversight during original plant design. Procedures revised. W/941122 ltr.
HUNSTAD, A.A., ANDERSON, R.O. Northern States Power Co. 94/11/22. 5pp. 81930:001-81930:005.

9411300284 LER 94-010-00: on 941027, determination made that scaling for overtemperature delta T reactor trips inadequate. Caused by insufficient evaluation of T hot scaling against plant safety limits. Internal investigation begun. W/941123 ltr.
HUNSTAD, A.A., ANDERSON, R.O. Northern States Power Co. 94/11/23. 4pp. 81912:131-81912:134.

V. Operator Examinations

9411040265 Forwards master BWR/PWR GFES exam w/answer key of exam administered on 941005.
RING, M.A. Region 3 (Post 820201). 94/10/27. Commonwealth Edison Co. 1p. 81586:002-81586:002.

9411300218 Forwards NRC summarized guidance that clarifies requirements for maintaining individual operator licenses, entitled, "Clarification of Maint & Reactivation Requirements for Individual Operator Licenses."
RING, M.A. Region 3 (Post 820201). 94/11/18. Affiliation Not Assigned. 3pp. 81872:341-81872:343.

Y. Dry Cask Independent Spent Fuel Storage Installations

9411010360 Summary of 941013 meeting w/NSP in Rockville, MD re topics on proposed ISFS that NSP needs to build for Prairie Island power plant.
SCHNEIDER, J.F. Office of Nuclear Material Safety & Safeguards. 94/10/25. HAUGHNEY, C.J. Office of Nuclear Material Safety & Safeguards. 7pp. 81579:306-81579:311.

DOCKET 50-284 IDAHO STATE UNIV. RESEARCH REACTOR

V. Operator Examinations

9411090230 Forwards RAI re revised operator requalification program for license R-110 for Idaho State Univ research reactor.
MENDONCA, M.M. Non-Power Reactor & Decommissioning Project Directorate. 94/11/03. GALLAGHER, M.C. Idaho State Univ., Pocatello, ID. 4pp. 81715:254-81715:257.

9411180068 Informs that written & operating exams scheduled for facility during wk of 950206. Ref mail listed in encl 1, "Ref Mail for Reactor/Senior Reactor Operator Licensing Exams," requested 60 days prior to exam date.
LANGE, D.J. Operator Licensing Branch. 94/11/14. GALLAGHER, M.C. Idaho State Univ., Pocatello, ID. 10pp. 81788:346-81788:355.

DOCKET 50-285 FORT CALHOUN STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9411070023 Informs that revisions submitted re emergency response organization changes & facility activation description changes in Fort Calhoun Radiological Emergency Response Plan, per 10CFR50.54(q), acceptable.
COLLINS, S.J. Region 4 (Post 820201). 94/10/27. PATTERSON, T.L. Omaha Public Power District. 4pp. 81604:076-81604:079.

9411090414 Revised EIPs, including EIP index, Rev 23 to EIP-EOF-6, FC-EPP index, Rev 4 to FC-EPP-11 & Rev 5 to FC-EPP-23.W/ 941101 ltr.
GATES, W.G. Omaha Public Power District. 94/11/01. 67pp. 81725:028-81725:094.

9411170287 Rev 25 to EIP-OSC-1, "Emergency Classification." W/941111 ltr.
GATES, W.G. Omaha Public Power District. 94/11/11. 101pp. 81832:001-81832:101.

9411300278 Forwards nonproprietary & proprietary version of EIPs, including EIP index & Rev 28 to EIP-OSC-2, "Command & Control Position Actions/Notifications." Proprietary Rev 28 to EIP-OSC-2 withheld.
GATES, W.G. Omaha Public Power District. 94/11/17. Document Control Branch (Document Control Desk). 2pp. 81925:113-81925:136.

—9411300280 Nonproprietary EIPs, including EIP index & Rev 28 to EIP-OSC-2, "Command & Control Position Actions/Notifications."
CLAYTON, O.J. Omaha Public Power District. 94/10/27. 21pp. 81925:116-81925:136.

P. Operating license stage documents & correspondence

- 9411030289 Ltr contract, task order 39, to "IPE Reviews, Internal Events Front End Only," for facility.
MACE, M. Division of Contracts (Post 940714). NRC-04-91-066. 94/09/08. COLINA, I. Science & Engineering Associates, Inc. 10pp. 81607:350-81607:359.
- 9411030135 Ltr contract, definitizing task order 40, to "IPE Reviews, Internal Events-Human Reliability Analysis Only."
MACE, M.H. Division of Contracts (Post 940714). FIN L-1934. 94/09/12. HAAS, P.M. Concord Associates, Inc. 12pp. 81602:230-81602:241.
- 9411030150 Ltr contract, definitizing Task Order 40, "IPE Reviews, Internal Events Back-End Only."
MACE, M. Division of Contracts (Post 940714). FIN L-1933. 94/09/19. MEYER, J. SCIENTECH, Inc. 2pp. 81602:224-81602:225.
- 9411080136 Advises of extension of schedule for performance of EDG hot weather testing at plant from during summer of 1994 to summer of 1995, or subsequent summers, as conditions permit.
GATES, W.G. Omaha Public Power District. 94/10/26. Document Control Branch (Document Control Desk). 2pp. 81677:260-81677:261.
- 9411070218 Discusses info re use of CECOR power peaking uncertainties at Fort Calhoun Station.
GATES, W.G. Omaha Public Power District. 94/10/31. Document Control Branch (Document Control Desk). 3pp. 81654:046-81654:048.
- 9411160241 Forwards application for amend to license DPR-40, making administrative changes to TSs 5.2 & 5.5.
GATES, W.G. Omaha Public Power District. 94/11/11. Document Control Branch (Document Control Desk). 2pp. 81775:332-81775:347.
- 9411160242 Application for amend to license DPR-40, making administrative changes to TSs 5.2 & 5.5.
GATES, W.G. Omaha Public Power District. 94/11/11. 3pp. 81775:334-81775:336.
- 9411160243 Proposed tech specs 5.2 & 5.5, reflecting administrative changes.
* Omaha Public Power District. 94/11/11. 11pp. 81775:337-81775:347.
- 9411250226 Discusses licensee 940819 ltr re revised control room habitability evaluation to consider any new potential hazards in vicinity of site. Informs that addl info needed to complete review.
BLOOM, S. Project Directorate IV-2. 94/11/23. PATTERSON, T.L. Omaha Public Power District. 4pp. 81850:335-81850:338.

Q. Inspection reports, IE Bulletins & correspondence

- 9411030266 Ltr contract, definitizing task order 45 entitled, "Svc Water Sys Operational Performance Insp - Fort Calhoun."
WIGGINS, E.J. Division of Contracts (Post 940714). NRC-03-93-026. 94/09/22. LOFY, R.A. PARAMETER, Inc. 6pp. 81602:176-81602:181.
- 9410140257 Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Matis Events to NRC Operations Ctr."
BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.
- 9410200153 NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts."
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81658:001-81658:013.
- 9411070069 Ack receipt of 940930 ltr informing NRC of steps taken to correct violations noted in insp rept 50-285/94-09.
GWYNN, T.P. Region 4 (Post 820201). 94/10/27. PATTERSON, T.L. Omaha Public Power District. 4pp. 81604:276-81604:283.
- 9411150070 Updates response to IE Bulletin 80-06, "ESF Reset Controls."
GATES, W.G. Omaha Public Power District. 94/11/02. Document Control Branch (Document Control Desk). 3pp. 81775:092-81775:094.
- 9411150283 Responds to NRC 941006 ltr re violations noted in insp rept 50-285/94-20 on 940830-31. Corrective actions: detailed insp of piping/valves & pumps re hydrazine chemical addition sys was completed.
GATES, W.G. Omaha Public Power District. 94/11/07. Document Control Branch (Document Control Desk). 6pp. 81775:127-81775:132.
- 9411160237 Responds to violations noted in insp rept 50-285/94-15. Corrective actions: mod preparation instructions investigated & adequacy of 1993 refueling outage EHC ECN, maint work orders & preventive maint orders reviewed.
GATES, W.G. Omaha Public Power District. 94/11/11. Document Control Branch (Document Control Desk). 4pp. 81775:328-81775:331.
- 9411090300 NRC Bulletin 94-002, "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride."
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.
- 9411100237 NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment."
GRIMES, B.K. 94/11/17. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.
- 9411280014 Forwards insp rept 50-285/94-21 on 940911-1022. Non-cited violation noted re individual in radiologically controlled area w/o proper dosimetry.
BEACH, A.B. Region 4 (Post 820201). 94/11/17. PATTERSON, T.L. Omaha Public Power District. 4pp. 81840:239-81840:263.
- 9411280018 Insp rept 50-285/94-21 on 940911-1022. Non-cited violation noted. Major areas inspected: operational safety verification, plant support activities, maint & surveillance observations, onsite engineering & Temporary Instruction 2515/125.
JOHNSON, W.D. Region 4 (Post 820201). 94/11/16. 21pp. 81840:243-81840:263.
- 9411150578 NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation."
GRIMES, B.K. 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.

9411170039 NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping."
GRIMES, B.K. 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.

9411170279 NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys."
GRIMES, B.K. 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.

9411170284 NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results."
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.

R. Periodic operating reports & related correspondence

9411250128 Monthly operating rept for Oct 1994 for Fort Calhoun Station, W/941115 ltr.
LIPPY, D.L., GATES, W.G. Omaha Public Power District. 94/10/31. 8pp. 81889:049-81889:056.

S. Reportable occurrences, LERs & related correspondence

9411150272 LER 94-007-00: on 941007, raw water pump seal water supply outside of design basis. Caused by design process prior to initial failure to adequately address importance of seal water availability to RW pump operability. W/941107 ltr.
GESCHWENDER, J., GATES, W.G. Omaha Public Power District. 94/11/07. 6pp. 81791:038-81791:043.

V. Operator Examinations

9411020002 Informs that on 941005, NRC administered GFES of written operator licensing exam of which facility did not participate & forwards copy of master exam & answer key. W/o encl.
GWYNN, T.P. Region 4 (Post 820201). 94/10/26. PATTERSON, T.L. Omaha Public Power District. 2pp. 81528:039-81528:040.

9411300234 Responds to Administrative Ltr 94-12, "Operator Licensing Natl Exam Schedule."
GATES, W.G. Omaha Public Power District. 94/11/17. Document Control Branch (Document Control Desk). 2pp. 81951:295-81951:296.

9411290193 Summary of 941110 meeting w/utis re training & operator licensing issues. List of attendees, meeting agenda & handouts encl.
GWYNN, T.P. Region 4 (Post 820201). 94/11/22. Region 4 (Post 820201). 27pp. 81869:003-81869:029.

DOCKET 50-286 INDIAN POINT STATION, UNIT 3**F. Security, medical, emergency & fire protection plans**

9411230008 PDR version of emergency procedures document book 2, Apps A,B & C.W/ ltr dtd 941121.
* Commonwealth Edison Co. 94/06/01. KAMMERER, C.C. Division of Freedom of Information & Publications Services (Post 940714). 28pp. 81826:299-81826:326.

9411160290 "NRC Observed Partial Exercise, 941013, Scenario Manual."
* Power Authority of the State of New York (New York Power Authority). 94/10/13. 19pp. 81761:001-81761:194.

9411010287 Forwards application for amend to license DPR-64, relocating fire protection TS requirements.
CAHILL, W.J. Power Authority of the State of New York (New York Power Authority). 94/10/25. Document Control Branch (Document Control Desk). 3pp. 81577:312-81577:324.

-9411010293 Application for amend to license DPR-64, relocating fire protection TSs.
CAHILL, W.J. Power Authority of the State of New York (New York Power Authority). 94/10/25. 1p. 81577:315-81577:315.

-9411010299 Proposed tech specs re changes to relocate fire protection requirements.
* Power Authority of the State of New York (New York Power Authority). 94/10/25. 8pp. 81577:316-81577:324.

9411080091 Forwards response to operational safeguards response evaluation. Encl withheld (ref 10CFR2.790(d)).
HILL, L.M. Power Authority of the State of New York (New York Power Authority). 94/10/28. Document Control Branch (Document Control Desk). 2pp. 81736:264-81736:265.

9411100247 Rev 1 to EPIP IP-2205, "OSC HP Team Leader." W/table of contents.
* Power Authority of the State of New York (New York Power Authority). 94/10/31. 17pp. 81728:297-81728:313.

9411280005 Forwards insp rept 50-286/94-22 on 941012-14. No violations noted. No safety concerns of violations of regulatory requirements were observed.
JOYNER, J.H. Region 1 (Post 820201). 94/11/17. HILL, L.M. Power Authority of the State of New York (New York Power Authority). 3pp. 81840:177-81840:189.

-9411280016 Insp rept 50-286/94-22 on 941012-14. No violations noted. Major areas inspected: evaluation of annual radiological EP exercise conducted on 941013.
SILK, D., KEIMIG, R. Region 1 (Post 820201). 94/11/17. 10pp. 81840:180-81840:189.

9411280197 Revised EPIPs, including rev 1 to IP-2209, rev 1 to IP-2301, rev 1 to IP-2306, rev 1 to IP-2311, rev 22 to IP-1021, rev 10 to IP-1025, rev 9 to IP-1053, rev 6 to IP-1057 & rev 5 to IP-1059.
* Power Authority of the State of New York (New York Power Authority). 94/11/21. 83pp. 81870:272-81870:353.

56 DOCKETED ITEMS

P. Operating license stage documents & correspondence

- 9411040054** Ltr contract, task order 34, to "IPE Reviews, Internal Events, Front End Only."
MACE, M. Division of Contracts (Post 940714). NRC-04-91-066. 94/09/08. COLINA, I. Science & Engineering Associates, Inc. 10pp. 81609:335-81609:344.
- 9411030233** Ltr contract, definitizing Task Order 35, "IPE Reviews, Internal Events Back-End Only."
MACE, M. Division of Contracts (Post 940714). FIN L-1933. 94/09/19. MEYER, J. SCIENTECH, Inc. 2pp. 81602:190-81602:190.
- 9411010287** Forwards application for amend to license DPR-64, relocating fire protection TS requirements.
CAHILL, W.J. Power Authority of the State of New York (New York Power Authority). 94/10/25. Document Control Branch (Document Control Desk). 3pp. 81577:312-81577:324.
- 9411010293** Application for amend to license DPR-64, relocating fire protection TSs.
CAHILL, W.J. Power Authority of the State of New York (New York Power Authority). 94/10/25. 1p. 81577:315-81577:315.
- 9411010299** Proposed tech specs re changes to relocate fire protection requirements.
* Power Authority of the State of New York (New York Power Authority). 94/10/25. 8pp. 81577:316-81577:324.
- 9411020145** Forwards corrected TS to amend 154. TS pages should have been issued w/amend 154.
CONICELLA, N.F. Project Directorate I-1. 94/10/28. CAHILL, W.J. Power Authority of the State of New York (New York Power Authority). 4pp. 81586:079-81586:084.
- 9411020161** Corrected tech spec pages 3.5-8 & 3.5-9 to amend 154 to license DPR-64, issued due to admin error pages submitted w/o 940908 suppl.
* Project Directorate I-1. 94/10/28. 2pp. 81586:083-81586:084.
- 9411160143** Notification of significant licensee meeting 94-127 w/util on 941117 to discuss status of util self assessment of restart & continuous improvement plan progress.
PLASSE, R.A. Region 1 (Post 820201). 94/10/31. Region 1 (Post 820201). 3pp. 81746:358-81746:360.
- 9411080104** Forwards amend 155 to license DPR-64 & safety evaluation. Amend revises TS section 4.6.B to incorporate changes that allow battery testing surveillance interval extensions.
CONICELLA, N.F. Project Directorate I-1. 94/11/02. CAHILL, W.J. Power Authority of the State of New York (New York Power Authority). 4pp. 81658:185-81658:197.
- 9411080111** Amend 155 to license DPR-64, revising TS section 4.6.B to incorporate changes that allow battery testing surveillance interval extensions.
MARSH, L.B. Project Directorate I-1. 94/11/02. 5pp. 81658:189-81658:193.
- 9411080113** Safety evaluation supporting amend 155 to license DPR-64.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/11/02. 4pp. 81658:194-81658:197.
- 9411090306** Suppls scheduler exemption from plant specific requirements associated w/10CFR50, App J, Section III.D.3 & withdraws proposed change to TSs re leak rate testing interval for RHR containment isolation valves.
CAHILL, W.J. Power Authority of the State of New York (New York Power Authority). 94/11/02. Document Control Branch (Document Control Desk). 4pp. 81750:344-81750:347.
- 9411080058** Forwards notice of withdrawal of application for amend to license DPR-64.
CONICELLA, N.F. Project Directorate I-1. 94/11/03. CAHILL, W.J. Power Authority of the State of New York (New York Power Authority). 3pp. 81658:173-81658:177.
- 9411080062** Notice of withdrawal of application for amend to license DPR-64.
MENNING, J.E. Project Directorate I-1. 94/11/03. 2pp. 81658:176-81658:177.
- 9411150400** Discusses 941026 meeting in King of Prussia, PA re motor-operated valve issues w/Region I licensees. List of attendees, agenda, licensee & NRC presentations & panel session questions encl.
KELLY, E.M. Region 1 (Post 820201). 94/11/03. HILL, L.M. Power Authority of the State of New York (New York Power Authority). 49pp. 81742:296-81742:344.
- 9411090087** Comment opposing NRC proposed NSHC determination & licensee requested amend to plant TS.
POLLARD, R.D. Union of Concerned Scientists. POLLARD, R.D. Affiliation Not Assigned. 94/11/04. Division of Freedom of Information & Publications Services (Post 940714). 9pp. 81639:197-81639:205.
- 9411160162** Advises that request for one-time exemption from requirements of paragraph III.D.3 of App J to 10CFR50, granted. Exemption encl.
CONICELLA, N.F. Project Directorate I-1. 94/11/04. CAHILL, W.J. Power Authority of the State of New York (New York Power Authority). 3pp. 81772:103-81772:113.
- 9411160172** Exemption from requirements of 10CFR50, App J, paragraph III.D.3.
HEBDON, F.J. Division of Reactor Projects - I/II (Post 870411). 94/11/04. Power Authority of the State of New York (New York Power Authority). 6pp. 81772:106-81772:113.
- 9411210194** Forwards application for amend to license DPR-64, revising TS section 3.10, by reducing max allowable control rod drop time from 2.4 seconds to 1.8 seconds.
CAHILL, W.J. Power Authority of the State of New York (New York Power Authority). 94/11/16. Document Control Branch (Document Control Desk). 2pp. 81831:177-81831:187.
- 9411210200** Application for amend to license DPR-64, revising TS section 3.10, by reducing maximum allowable control rod drop time from 2.4 seconds to 1.8 seconds.
CAHILL, W.J. Power Authority of the State of New York (New York Power Authority). 94/11/16. 2pp. 81831:179-81831:180.
- 9411210205** Proposed tech specs reducing maximum allowable control rod drop time from 2.4 to 1.8 seconds.
* Power Authority of the State of New York (New York Power Authority). 94/11/16. 7pp. 81831:181-81831:187.

Q. Inspection reports, IE Bulletins & correspondence

- 9411040257** Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Matis Events to NRC Operations Ctr."
BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.
- 9410200153** NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts."
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81658:001-81658:013.
- 9411070077** Forwards response to Unresolved Item 93-16-10 re post-accident sampling sys discrepancies from Insp Rept 50-286/93-16.
CAHILL, W.J. Power Authority of the State of New York (New York Power Authority). 94/10/31. Document Control Branch (Document Control Desk). 13pp. 81654:175-81654:187.
- 9411150048** Responds to violations noted in insp rept 50-286/94-21. Corrective actions: 31 BAST recirculation valve stem travel adjusted & verified to be stroking properly.
HILL, L.M. Power Authority of the State of New York (New York Power Authority). 94/11/03. Document Control Branch (Document Control Desk). 13pp. 81780:326-81780:338.
- 9411150287** Responds to violations noted in insp rept 50-286/94-16. Corrective actions: RE-ACC-5-1 & RE-REA-4-1 revised & self monitoring training program.
HILL, L.M. Power Authority of the State of New York (New York Power Authority). 94/11/10. Document Control Branch (Document Control Desk). 6pp. 81775:133-81775:138.
- 9411220021** Forwards insp rept 50-286/94-24 on 940907-1011. Weak personnel performance noted. Maint worker found inattentive in radiologically controlled area, unauthorized operation of plant equipment by maint mechanics.
COWGILL, C.J. Region 1 (Post 820201). 94/11/10. HILL, L.M. Power Authority of the State of New York (New York Power Authority). 3pp. 81796:094-81796:115.
- 9411220025** Insp rept 50-286/94-24 on 940907-1011. Weak personnel performance noted. Major areas inspected: plant operations, maint, engineering, plant support, safety assessment & quality verification.
PLASSE, R.A. Region 1 (Post 820201). 94/11/10. 19pp. 81796:097-81796:115.
- 9411090300** NRC Bulletin 94-002, "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride."
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.
- 9411100237** NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment."
GRIMES, B.K. . 94/11/17. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.
- 9411280005** Forwards insp rept 50-286/94-22 on 941012-14. No violations noted. No safety concerns of violations of regulatory requirements were observed.
JOYNER, J.H. Region 1 (Post 820201). 94/11/17. HILL, L.M. Power Authority of the State of New York (New York Power Authority). 3pp. 81840:177-81840:189.
- 9411280016** Insp rept 50-286/94-22 on 941012-14. No violations noted. Major areas inspected: evaluation of annual radiological EP exercise conducted on 940103.
SILK, D., KEIMIG, R. Region 1 (Post 820201). 94/11/17. 10pp. 81840:180-81840:189.
- 9411150578** NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation."
GRIMES, B.K. . 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.
- 9411170039** NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping."
GRIMES, B.K. . 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.
- 9411170279** NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys."
GRIMES, B.K. . 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.
- 9411170284** NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results."
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.

R. Periodic operating reports & related correspondence

- 9411150447** Monthly operating rept for Oct 1994 for Indian Point 3 Nuclear Power Plant. W/941110 ltr.
ORLANDO, T., HILL, L.M. Power Authority of the State of New York (New York Power Authority). 94/10/31. 6pp. 81781:108-81781:113.

S. Reportable occurrences, LERs & related correspondence

- 9411010365** LER 94-030-01: on 940820, determined that valve overthrust condition exists for two MOVs due to personnel error. Valves AC-MOV-784 & AC-MOV-786 replaced & returned to operability for all modes of operation. W/941022 ltr.
MARTSEN, F., HILL, L.M. Power Authority of the State of New York (New York Power Authority). 94/10/22. 8pp. 81586:071-81586:078.
- 9411220180** LER 94-010-00: on 941007, concluded that at least two EDGs inoperable during June 1992 surveillance test of carbon dioxide fire protection sys. Caused by inadequate procedural guidance. Surveillance test revised. W/941107 ltr.
CAPUTO, C., HILL, L.M. Power Authority of the State of New York (New York Power Authority). 94/11/07. 9pp. 81850:159-81850:167.

9411160266 Part 21 rept re defect in valve actuator for Copes Vulcan valve. Copes Vulcan has instituted upgrade on spring adjustment screw which reduces thread undercut area.
CAHILL, W.J. Power Authority of the State of New York (New York Power Authority). 94/11/08. Document Control Branch (Document Control Desk). 12pp. 81781:267-81781:278.

9411220086 Special rept re extended outage of CO fire protection sys. Engineering will review effectiveness w/inadequate post-mod testing.
HILL, L.M. Power Authority of the State of New York (New York Power Authority). 94/11/14. Region 1 (Post 820201). 5pp. 81832:315-81832:319.

9411250052 LER 94-011-00; on 941019, failure to maintain required equivalent vented opening of 2.00 square inches in RCS placed plant in condition prohibited by TS. Operations shift order was issued on 941025. W/941118 ltr.
O'BRIEN, D.W., HILL, L.M. Power Authority of the State of New York (New York Power Authority). 94/11/18. 9pp. 81887:276-81887:284.

V. Operator Examinations

9411020029 Forwards documentation re NRC generic fundamentals exam administered on 941005 including answer keys & grading results.
MEYER, G.W. Region 1 (Post 820201). 94/10/26. ROSENSTEIN, R. Power Authority of the State of New York (New York Power Authority). 2pp. 81528:181-81528:182.

DOCKET 50-287 OCONEE NUCLEAR STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9411230032 Forwards public version of Rev 94-04 to Vol C, "Oconee Nuclear Site Emergency Telephone Directory." W/941121 release memo.
HAMPTON, J.W. Duke Power Co. 94/05/05. Document Control Branch (Document Control Desk). 2pp. 81829:219-81829:281.

-9411230045 Public version of Rev 94-01 to Vol C, "Oconee Nuclear Site Emergency Telephone Directory."
DOLAN, B.J. Duke Power Co. 94/05/05. 31pp. 81829:221-81829:251.

-9411230055 Public version of Change 0 to RP/O/B/1000/15, "Offsite Communications."
BROWN, J.R., JENNINGS, C.C. Duke Power Co. 94/05/02. 30pp. 81829:252-81829:281.

9411010231 Informs that rev 94-05 to radiation emergency plan for plants acceptable & meet planning stds of 10CFR50.47(b) & requirements of app E to 10CFR50. Reminds util of obligations if proposed changes sought in future.
CLINE, W.E. Region 2 (Post 820201). 94/10/11. HAMPTON, J.W. Duke Power Co. 3pp. 81515:152-81515:154.

9411030074 Forwards insp repts 50-269/94-27, 50-270/94-27 & 50-287/94-27 on 940829-0915. No violations noted.
COLLINS, D.M. Region 2 (Post 820201). 94/10/14. HAMPTON, J.W. Duke Power Co. 3pp. 81560:001-81560:012.

-9411030084 Insp repts 50-269/94-27, 50-270/94-27 & 50-287/94-27 on 940829-0915. No violations noted. Major areas inspected: area of physical security program for power reactors, specifically access control for personnel, packages & vehicles.
MASNYK, O.M. Region 2 (Post 820201). 94/10/14. 9pp. 81560:004-81560:012.

9411100139 Forwards public version of rev to OMP 1-7, "Operations Emergency Response Organization," revised cover sheet & table of content. W/941108 release memo.
HAMPTON, J.W. Duke Power Co. 94/10/19. Document Control Branch (Document Control Desk). 3pp. 81726:253-81726:313.

-9411100143 Public version of rev to OMP 1-7, "Operations Emergency Response Organization."
DOLAN, B.J. Duke Power Co. 94/10/19. 57pp. 81726:256-81726:313.

9411210401 Advises that 940701 Rev 0 to physical security plan consistent w/provisions of 10CFR50.54(p) & acceptable. Some changes require clarification as delineated in end. Encl withheld (ref 10CFR73.21).
COLLINS, D.M. Region 2 (Post 820201). 94/11/09. HAMPTON, J.W. Duke Power Co. 3pp. 81892:172-81892:174.

9411220295 Responds to violations noted in insp repts 50-269/94-27, 50-270/94-27 & 50-287/94-27. Corrective actions: unescorted access process reviewed.
TUCKMAN, M.S. Duke Power Co. 94/11/14. Office of Nuclear Reactor Regulation, Director (Post 870411). 4pp. 81833:022-81833:025.

9411220192 Submits changes made to Unit 2 data point library on 941115.
HAMPTON, J.W. Duke Power Co. 94/11/15. Document Control Branch (Document Control Desk). 6pp. 81892:329-81892:334.

K. Utility Final Safety Analysis Report (FSAR) & amends

9411300392 Forwards revs to Oconee Selected Licensee Commitments Manual. SLC Manual is Chapter 16.0 to FSAR & will be updated as needed during yr.
HAMPTON, J.W. Duke Power Co. 94/11/01. Document Control Branch (Document Control Desk). 2pp. 81910:047-81910:065.

-9411300395 Revs to Oconee Nuclear Station Selected Licensee Commitments.
* Duke Power Co. 94/10/20. 17pp. 81910:049-81910:065.

P. Operating license stage documents & correspondence

9411070270 Extends invitation to region II licensees to participate w/NRR & region II representatives in discussion of GL 89-10 motor-operated valve programs. Meeting to be held on 941108 in Atlanta, GA. Meeting notice & agenda encl.
GIBSON, A.F. Region 2 (Post 820201). 94/10/12. HAMPTON, J.W. Duke Power Co. 4pp. 81606:044-81606:047.

9411030115 Confirms arrangements for mgt meeting w/util on 941018 in Atlanta, GA. Meeting to discuss overall performance of plant training program.
GIBSON, A.F. Region 2 (Post 820201). 94/10/17. HAMPTON, J.W. Duke Power Co. 3pp. 81560:182-81560:184.

9411070178 Discusses mgt meeting on 940929 re Keowee mgt plan. Informs meeting beneficial for NRC & requests detailed plan be made available & followup meeting be scheduled before end of year. W/list of attendees & licensee handout.
BOGER, B.A. Region 2 (Post 820201). 94/10/17. HAMPTON, J.W. Duke Power Co. 14pp. 81605:242-81605:255.

9411300026 Discusses 941018 meeting w/util in Atlanta, GA re overall performance of plant training program. Results of previous insps discussed. List of attendees encl.
GIBSON, A.F. Region 2 (Post 820201). 94/10/20. HAMPTON, J.W. Duke Power Co. 3pp. 81871:166-81871:168.

9411100210 Forwards rev to selected licensee commitment manual, revising Section 16.8.2 to use 100 kV transmission sys from central switchyard as offsite source of electrical power to cold shutdown during periods of testing & maint.
HAMPTON, J.W. Duke Power Co. 94/10/25. Document Control Branch (Document Control Desk). 11pp. 81736:343-81736:353.

9411020048 Discusses TIA 93-023 re use of non-safety related svc water equipment at plant, per 940105 memo. Specific concern re use at plant of non-safety related equipment to mitigate accident identified during review of ECCW sys.
BERKOW, H.N. Project Directorate II-3. 94/10/26. BOGER, B.A. Region 2 (Post 820201). 2pp. 81566:289-81566:298.

9411090122 Informs that staff unable to grant request for relief 93-GO-1 because item-by-item list of welds & insp requirements & technical basis to support safety evaluation of proposal had not been provided.
BERKOW, H.N. Project Directorate II-3. 94/10/26. TUCKMAN, M.S. Duke Power Co. 4pp. 81667:294-81667:297.

9411030300 Informs that relief from pre-service hydrostatic testing requirements of ASME Code granted for welds in Relief Requests 88-07, 88-08, 88-09 & 89-01.
BERKOW, H.N. Project Directorate II-3. 94/10/31. HAMPTON, J.W. Duke Power Co. 4pp. 81608:030-81608:033.

9411070358 Forwards amends 207, 207 & 204 to licenses DPR-38, DPR-47 & DPR-55, respectively. Amends revise TS 3.4 to address need to bypass automatic initiation of EFS when MFP discharge pressure below actuation setpoint during startup.
WIENS, L.A. Project Directorate II-3. 94/10/31. HAMPTON, J.W. Duke Power Co. 3pp. 81621:329-81621:349.

-9411070363 Amends 207, 207 & 204 to licenses DPR-38, DPR-47 & DPR-55, respectively, revising TS 3.4 to address need to bypass automatic initiation of EFS when MFP discharge pressure below actuation setpoint during startup & shutdown.
BERKOW, H.N. Project Directorate II-3. 94/10/31. 12pp. 81621:332-81621:343.

-9411070364 Safety evaluation supporting amends 207, 207 & 204 to licenses DPR-38, DPR-47 & DPR-55, respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/31. 6pp. 81621:344-81621:349.

9411180051 Summary of 941003 meeting w/util re design & technical details of proposed mod to provide over frequency protection for Oconee emergency power path. List of attendees encl.
WIENS, L.A. Project Directorate II-3. 94/11/10. Project Directorate II-3. 4pp. 81782:138-81782:141.

9411170291 Summary of 941012 meeting w/DPC re status of PRA being performed for Keowee hydrostation. Forwards list of meeting attendees & licensee handout.
WIENS, L.A. Project Directorate II-3. 94/11/14. Project Directorate II-3. 87pp. 81777:001-81777:087.

9411300069 Application for amends to licenses DPR-55, revising TSs to support operation at full rated power during Cycle 16.
HAMPTON, J.W. Duke Power Co. 94/11/22. Document Control Branch (Document Control Desk). 5pp. 81906:001-81906:151.

-9411300074 Proposed tech specs supporting operation at full rated power during Cycle 16.
* Duke Power Co. 94/11/22. 47pp. 81906:006-81906:052.

-9411300080 Rev 0 to "Oconee Nuclear Station Unit 3, Cycle 16 Reload Rept."
* Duke Power Co. 94/10/31. 80pp. 81906:053-81906:151.

Q. Inspection reports, IE Bulletins & correspondence

9411030280 Ltr contract, defining task order 43 entitled, "Follow Up to Svc Water Sys Operational Performance Insp, Oconee."
WIGGINS, E.J. Division of Contracts (Post 940714). NRC-03-90-026. 94/09/22. LOFY, R.A. PARAMETER, Inc. 6pp. 81607:330-81607:335.

9411010106 Ack receipt of 940923 ltr informing NRC of steps taken to correct violations noted in insp repts 50-269/94-21, 50-270/94-21 & 50-287/94-21.
BOGER, B.A. Region 2 (Post 820201). 94/10/07. HAMPTON, J.W. Duke Power Co. 3pp. 81514:284-81514:286.

9411010111 Ack receipt of 940920 ltr informing NRC of steps taken to correct violations noted in insp repts 50-269/94-19, 50-270/94-19 & 50-287/94-19 on 940727.
SINKULE, M.V. Region 2 (Post 820201). 94/10/12. HAMPTON, J.W. Duke Power Co. 3pp. 81514:287-81514:289.

9411010069 Forwards insp repts 50-269/94-26, 50-270/94-26 & 50-287/94-26 on 940829-0902 & 12-16 & notice of violation. Violation of concern because procedure prepared as corrective action for deviation had not been performed as required.
CRLENJAK, R.V. Region 2 (Post 820201). 94/10/13. HAMPTON, J.W. Duke Power Co. 3pp. 81514:161-81514:177.

-9411010081 Notice of violation from insp on 940829-0916. Violation noted: failure to perform semi-annual verification of valve position as required.
* Region 2 (Post 820201). 94/10/13. 2pp. 81514:164-81514:165.

58 DOCKETED ITEMS

- 9411010087 Insp repts 50-269/94-26,50-270/94-26 & 50-287/94-26 on 940829-0902 & 12-16. Violations noted. Major areas inspected: adequacy of corrective actions for violation, deviation & findings identified during EDSFI. RUDISAIL, S., SHYMLOCK, M. Region 2 (Post 820201). 94/10/12. 12pp. 81514:166-81514:177.
- 9411030074 Forwards insp repts 50-269/94-27,50-270/94-27 & 50-287/94-27 on 940829-0915. No violations noted. COLLINS, D.M. Region 2 (Post 820201). 94/10/14. HAMPTON, J.W. Duke Power Co. 3pp. 81560:001-81560:012.
- 9411030084 Insp repts 50-269/94-27,50-270/94-27 & 50-287/94-27 on 940829-0915. No violations noted. Major areas inspected: area of physical security program for power reactors, specifically access control for personnel, packages & vehicles. MASNYK, O.M., MCGUIRE Region 2 (Post 820201). 94/10/14. 9pp. 81560:004-81560:012.
- 9410140257 Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Matis Events to NRC Operations Ctr." BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.
- 9411070179 Forwards insp repts 50-269/94-28,50-270/94-28 & 50-287/94-28 on 940828-0924 & notice of violation. Violation of concern because failure to follow procedure during mod endangered plant personnel & resulted in loss of radiation monitors. SINKULE, M.V. Region 2 (Post 820201). 94/10/20. HAMPTON, J.W. Duke Power Co. 3pp. 81605:256-81605:274.
- 9411070187 Notice of violation from insp on 940828-0924. Violation noted: failure to follow procedure during mod activity which resulted in loss of unit 1 pressurizer spray valve & lack of procedural guidance for B&W compressive limit. * Region 2 (Post 820201). 94/10/20. 2pp. 81605:259-81605:260.
- 9411070192 Insp repts 50-269/94-28,50-270/94-28 & 50-287/94-28 on 940828-0924. Violations noted. Major areas inspected: plant operations, surveillance testing, maint activities & engineering. HARMON, P.E., SINKULE, M.V. Region 2 (Post 820201). 94/10/20. 14pp. 81605:261-81605:274.
- 9411300026 Discusses 941018 meeting w/util in Atlanta, GA re overall performance of plant training program. Results of previous insps discussed. List of attendees, encl. GIBSON, A.F. Region 2 (Post 820201). 94/10/20. HAMPTON, J.T. Duke Power Co. 3pp. 81871:166-81871:168.
- 9411070109 Forwards insp repts 50-269/94-30,50-270/94-30 & 50-287/94-30 on 940920-21. No violations noted. CLINE, W.E. Region 2 (Post 820201). 94/10/21. HAMPTON, J.W. Duke Power Co. 3pp. 81605:079-81605:094.
- 9411070114 Insp repts 50-269/94-30,50-270/94-30 & 50-287/94-30 on 940920-21. No violations noted. Major areas inspected: confirmatory measurements. JONES, D.W., DECKER, T.R. Region 2 (Post 820201). 94/10/20. 13pp. 81605:082-81605:094.
- 9410200153 NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts." GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81658:001-81658:013.
- 9411020088 Responds to NRC 941007 ltr re violations noted in insp repts 50-269/94-25,50-270/94-25 & 50-287/94-25. Corrective actions: operations shift manager now responsible for verifying that all operators have completed review prior to weekly exams. HAMPTON, J.W. Duke Power Co. 94/10/26. Document Control Branch (Document Control Desk). 10pp. 81590:057-81590:066.
- 9411290065 Notification of significant licensee meeting w/util on 941117 to discuss performance of plant facility during period of 930502-941029. SINKULE, M.V. Region 2 (Post 820201). 94/10/27. Region 2 (Post 820201). 2pp. 81857:356-81857:357.
- 9411070368 Responds to NRC 941019 ltr re violations noted in insp repts 50-269/93-02,50-270/93-02 & 50-287/93-02. Corrective actions: commitment to test valves 10G-7 & 20G-7 to verify operation & qualify successful performance of valves adopted. HAMPTON, J.W. Duke Power Co. 94/11/01. Document Control Branch (Document Control Desk). 7pp. 81676:108-81676:114.
- 9411070357 Responds to NRC 940512 ltr re violations noted in insp repts 50-269/93-25,50-270/93-25 & 50-287/93-25. Corrective actions: mod would install orifice in pipe to prevent potential water hammer event from occurring in pipe. HAMPTON, J.W. Duke Power Co. 94/11/02. Document Control Branch (Document Control Desk). 2pp. 81676:106-81676:107.
- 9411090082 Forwards insp repts 50-269/94-33,50-270/94-33 & 50-287/94-33 on 941003-07 & notice of deviation. Insp did not reveal violations of NRC requirements. CRLENJAK, R.V. Region 2 (Post 820201). 94/11/02. HAMPTON, J.W. Duke Power Co. 3pp. 81639:168-81639:182.
- 9411090089 Notice of deviation from insp on 941003-07. Deviation noted: unit 3 temporary mod installed in reactor protective sys that did not meet FSAR commitments for electrical isolation. * Region 2 (Post 820201). 94/11/02. 1p. 81639:171-81639:171.
- 9411090095 Insp repts 50-269/94-33,50-270/94-33 & 50-287/94-33 on 941003-07. No deviations noted. Major areas inspected: engineering & technical support activities, design changes & plant mods & followup on previous insp findings. THOMAS, M., CASTO, C. Region 2 (Post 820201). 94/11/02. 11pp. 81639:172-81639:182.
- 9411210207 Ack receipt of 941019 ltr informing NRC of steps taken to correct deviations 50-269/94-24-04,50-270/94-24-04 & 50-287/94-24-04. NRC reviewing basis of denial re deviations 50-269/94-24-05,50-270/94-24-05 & 50-287/94-24-05. BOGER, B.A. Region 2 (Post 820201). 94/11/07. HAMPTON, J.W. Duke Power Co. 3pp. 81785:148-81785:150.
- 9411290046 Ack receipt of 941024 ltr informing NRC of steps taken to correct violations noted in insp repts 50-269/94-25, 50-270/94-25 & 50-287/94-25. GIBSON, A.F. Region 2 (Post 820201). 94/11/09. HAMPTON, J.W. Duke Power Co. 2pp. 81857:289-81857:290.
- 9411150406 Responds to NRC 941013 ltr re violations noted in insp repts 50-269/94-26,50-270/94-26 & 50-287/94-26. Corrective actions: performed procedure on 940901 & initiated problem investigation process. HAMPTON, J.W. Duke Power Co. 94/11/10. Document Control Branch (Document Control Desk). 4pp. 81781:088-81781:091.
- 9411090300 NRC Bulletin 94-002, "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride." PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.
- 9411220255 Forwards answers to Questions 1,4 & 5 of five questions provided to util to assist NRC in completion of review of second 10-yr ISI interval Request for Relief ONS-004, per NRC request at 941025 meeting. HAMPTON, J.W. Duke Power Co. 94/11/14. Document Control Branch (Document Control Desk). 4pp. 81844:356-81844:359.
- 9411220295 Responds to violations noted in insp repts 50-269/94-27, 50-270/94-27 & 50-287/94-27. Corrective actions: unescorted access process reviewed. TUCKMAN, M.S. Duke Power Co. 94/11/14. Office of Nuclear Reactor Regulation, Director (Post 870411). 4pp. 81833:022-81833:025.
- 9411300050 Discusses insp of licenses DPR-38, DPR-47 & DPR-55 on 941212 & forwards requested info. PEEBLES, T.A. Region 2 (Post 820201). 94/11/14. HAMPTON, J.W. Duke Power Co. 4pp. 81871:200-81871:203.
- 9411300175 Discusses 941210 SALP meeting w/util to discuss plant performance over past 18 months. EBNETER, S.D. Region 2 (Post 820201). 94/11/14. THOMPSON, S. South Carolina, State of. 3pp. 81872:245-81872:247.
- 9411290006 Ack receipt of 940906 ltr informing NRC of steps taken to correct violations noted in insp repts 50-269/94-15, 50-270/94-15 & 50-287/94-15. CRLENJAK, R.V. Region 2 (Post 820201). 94/11/15. HAMPTON, J.W. Duke Power Co. 3pp. 81857:014-81857:016.
- 9411100237 NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment." GRIMES, B.K. 94/11/17. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.
- 9411150578 NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation." GRIMES, B.K. 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.
- 9411290233 Ack receipt of 941013 ltr informing NRC of steps taken to correct violations noted in insp repts 50-269/94-26, 50-270/94-26 & 50-287/94-26. CRLENJAK, R.V. Region 2 (Post 820201). 94/11/22. HAMPTON, J.W. Duke Power Co. 3pp. 81870:140-81870:142.
- 9411170039 NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping." GRIMES, B.K. 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.
- 9411300001 Forwards insp repts 50-269/94-34,50-270/94-34 & 50-287/94-34 on 941024-28 & notice of violation. CLINE, W.E. Region 2 (Post 820201). 94/11/23. HAMPTON, J.W. Duke Power Co. 3pp. 81871:001-81871:024.
- 9411300005 Notice of violation from insp on 941024-28. Violation noted: licensee failed to follow approved QA program requirements. * Region 2 (Post 820201). 94/11/23. 3pp. 81871:004-81871:006.
- 9411300011 Insp repts 50-269/94-34,50-270/94-34 & 50-287/94-34 on 941024-28. Violations noted. Major areas inspected: licensee radiation protection program involved review of occupational exposures. WRIGHT, F.N., RANKIN, W.H. Region 2 (Post 820201). 94/11/23. 18pp. 81871:007-81871:024.
- 9411170279 NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys." GRIMES, B.K. 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.
- 9411170284 NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results." PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.

R. Periodic operating reports & related correspondence

- 9411250036 Forwards monthly operating repts for Oct 1994 for Oconee Nuclear Station & revised rpt for Sept 1994. WEBER, R.L. Duke Power Co. 94/11/15. Document Control Branch (Document Control Desk). 2pp. 81889:107-81889:124.
- 9411250042 Monthly operating repts for Oct 1994 for Oconee Nuclear Plant. WILLIAMS, R.A. Duke Power Co. 94/10/31. 15pp. 81889:109-81889:123.
- 9411250044 Revised monthly operating repts for Sept 1994 for Oconee Nuclear Plant. * Duke Power Co. 94/09/30. 1p. 81889:124-81889:124.

V. Operator Examinations

- 9411080229 Responds to Administrative Ltr 94-12, "Operator Licensing Natl Exam Schedule." TUCKMAN, M.S. Duke Power Co. 94/11/04. Document Control Branch (Document Control Desk). 5pp. 81679:205-81679:209.

DOCKET 50-288 REED COLLEGE RESEARCH REACTOR

V. Operator Examinations

9411140032 Informs that listed ref matl required re written & operating exams scheduled for wk of 950123. Response requested within 60 days prior to exam date.
LANGE, D.J. Operator Licensing Branch. 94/11/01. KOBLIK, S.S. Reed College, Portland, OR. 10pp. 81736:074-81736:083.

DOCKET 50-289 THREE MILE ISLAND NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9411180252 Forwards ERDS implementation documents. W/o encl.
JOLICOEUR, J.R. Incident Response Branch. 94/10/06. SAUL, K.L. Halliburton NUS Environmental Corp. 1p. 81809:018-81809:018.

9411030231 Revised EPIPs, including EPIP-TMI-.03, Rev 13, PCR 1-EP-94-0035, EPIP-TMI-.04, Rev 13, PCR 1-EP-94-0033 & EPIP-TMI-.06, Rev 15, PCR 1-EP-94-0034.
BEAVER, J., NELSON, M.A. General Public Utilities Corp. - GPU Service Corp. 94/10/20. 77pp. 81640:001-81640:077.

9411080099 Rev 6 to EPIP-TMI-.29, "OSC Operations."
* General Public Utilities Corp. - GPU Service Corp. 94/10/31. 33pp. 81676:313-81676:346.

9411150018 Rev 4 to EPIP-TMI-.28, "Activation of TSC."
* General Public Utilities Corp. - GPU Service Corp. 94/11/04. 14pp. 81780:068-81780:081.

9411300327 Rev 6 to EPIP-TMI-.36, "Emergency Assembly & Site Evacuation."
* General Public Utilities Corp. - GPU Service Corp. 94/11/14. 33pp. 81910:066-81910:098.

9411220064 Forwards insp rept 50-289/94-21 on 940920-1031. Violation noted but not cited. Informs that decision not to cite item based on NRC enforcement policy goal of encouraging licensee to pursue self-identification & correction of problems.
DURR, J.P. Region 1 (Post 820201). 94/11/15. BROUGHTON, T.G. General Public Utilities Corp. - GPU Service Corp. 3pp. 81797:252-81797:267.

-9411220067 Insp rept 50-289/94-21 on 940920-1031. Violation noted but not cited. Major areas inspected: plant operations, maint, engineering, radiological controls & security.
ROGGE, J.F. Region 1 (Post 820201). 94/11/15. 13pp. 81797:255-81797:267.

9411280038 Forwards physical security insp rept 50-289/94-24 on 941031-1104. No violations noted.
JOYNER, J.H. Region 1 (Post 820201). 94/11/17. BROUGHTON, T.G. General Public Utilities Corp. - GPU Service Corp. 3pp. 81840:334-81840:340.

-9411280042 Insp rept 50-289/94-24 on 941031-1104. No violations noted. Major areas inspected: audits, mgt support, security program plans, protected area detection, alarm stations & communications, testing & maintenance.
KING, E.B., MCCABE, E.C. Region 1 (Post 820201). 94/11/17. 4pp. 81840:337-81840:340.

9411300157 Rev 5 to EPIP 6410-ADM-1300.05, "Emergency Equipment Readiness."
* General Public Utilities Corp. - GPU Service Corp. 94/11/17. 50pp. 81907:263-81907:312.

P. Operating license stage documents & correspondence

9411020001 Summarizes 941020 meeting w/util in King of Prussia, PA re util programs at plants w/respect to GL 89-10, "Safety-Related MOV Testing & Surveillance."
KELLY, E.M. Region 1 (Post 820201). 94/10/21. BARTON, J.J. General Public Utilities Corp. - GPU Service Corp. 19pp. 81528:020-81528:038.

9411020012 Discusses 941020 meeting between util & NRC held at Region 1 office. King of Prussia, PA re util programs at TMI & Oyster Creek re GL 89-10, "Safety-Related MOV Testing & Surveillance." List of attendees & presentation slides encl.
KELLY, E.M. Region 1 (Post 820201). 94/10/21. BROUGHTON, T.G. General Public Utilities Corp. - GPU Service Corp. 19pp. 81528:058-81528:076.

9411090137 Notification of 941115 meeting w/util in Middletown, PA to discuss current status of licensing activities at plant.
HERNAN, R.W. Project Directorate I-4. 94/11/01. MCKEE, P.F. Project Directorate I-4. 3pp. 81715:251-81715:253.

9411080189 Notification of 941108 meeting w/GPU Nuclear Corp in Rockville, MD to discuss process for GPU Nuclear Corp to conduct future core load analyses.
HERNAN, R.W. Project Directorate I-4. 94/11/02. MCKEE, P.F. Project Directorate I-4. 3pp. 81658:266-81658:268.

9411150548 Advises that although review of 940419 TS change 237 revealed number of issues, which constituted reduction in commitments from plan previously accepted by NRC as encl attachment 1, operational quality plan satisfy 10CFR50, app E.
MODES, M.C. Region 1 (Post 820201). 94/11/04. BROUGHTON, T.G. General Public Utilities Corp. - GPU Service Corp. 3pp. 81744:345-81744:349.

9411160187 Informs that staff reviewed long range control rod drive plan & finds it acceptable, on basis of completion of commitments listed in CAL 1-94-004, including ongoing actions. Staff considers CAL to be closed.
VARGA, S.A. Division of Reactor Projects - I/II (Post 870411). 94/11/09. BROUGHTON, T.G. General Public Utilities Corp. - GPU Service Corp. 4pp. 81770:353-81770:357.

9411290118 Summary of 941108 meeting w/util in Rockville, MD re core reload methodology at plant.
HERNAN, R.W. Project Directorate I-4. 94/11/22. Project Directorate I-4. 22pp. 81866:094-81866:115.

Q. Inspection reports, IE Bulletins & correspondence

9410140257 Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Matis Events to NRC Operations Ctr."
BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.

9411020047 Forwards insp rept 50-289/94-80 on 940829-0916 & notice of violation.
COOPER, R.W. Region 1 (Post 820201). 94/10/24. BROUGHTON, T.G. General Public Utilities Corp. - GPU Service Corp. 4pp. 81528:221-81528:258.

-9411020049 Notice of violation from insp on 940829-0916. Violation noted on 940830, plant personnel deferred/cancelled several PMs on safety related MOVs w/o proper technical justification or assessment of adequacy of PM program.
* Region 1 (Post 820201). 94/10/24. 2pp. 81528:225-81528:226.

-9411020053 Insp rept 50-289/94-80 on 940829-0916. Violations noted. Major areas inspected: operations, maint & surveillance, engineering, problem resolution/corrective actions & exit meeting.
PERRY, N. Region 1 (Post 820201). 94/10/18. 32pp. 81528:227-81528:258.

9410200153 NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts."
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81658:001-81658:013.

9411080109 Responds to violations noted in insp rept 50-289/94-19. Corrective actions: all transmitters similar to suspect transmitter identified & checked to verify proper valve position.
BROUGHTON, T.G. General Public Utilities Corp. - GPU Service Corp. 94/11/02. Document Control Branch (Document Control Desk). 5pp. 81676:353-81676:357.

9411180058 Forwards insp repts 50-289/94-22 & 50-320/94-06 on 941004-07. No violations noted.
JOYNER, J.H. Region 1 (Post 820201). 94/11/08. BROUGHTON, T.G. General Public Utilities Corp. - GPU Service Corp. 3pp. 81775:001-81775:012.

-9411180063 Insp repts 50-289/94-22 & 50-320/94-06 on 941004-06. No violations noted. Major areas inspected: audits, appraisals, changes to program & assessment of intakes of radioactive material.
NICK, J., BORES, R. Region 1 (Post 820201). 94/11/03. 10pp. 81775:004-81775:012.

9411090300 NRC Bulletin 94-002, "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride."
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.

9411220064 Forwards insp rept 50-289/94-21 on 940920-1031. Violation noted but not cited. Informs that decision not to cite item based on NRC enforcement policy goal of encouraging licensee to pursue self-identification & correction of problems.
DURR, J.P. Region 1 (Post 820201). 94/11/15. BROUGHTON, T.G. General Public Utilities Corp. - GPU Service Corp. 3pp. 81797:252-81797:267.

-9411220067 Insp rept 50-289/94-21 on 940920-1031. Violation noted but not cited. Major areas inspected: plant operations, maint, engineering, radiological controls & security.
ROGGE, J.F. Region 1 (Post 820201). 94/11/15. 13pp. 81797:255-81797:267.

9411100237 NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment."
GRIMES, B.K. 94/11/17. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.

9411280038 Forwards physical security insp rept 50-289/94-24 on 941031-1104. No violations noted.
JOYNER, J.H. Region 1 (Post 820201). 94/11/17. BROUGHTON, T.G. General Public Utilities Corp. - GPU Service Corp. 3pp. 81840:334-81840:340.

-9411280042 Insp rept 50-289/94-24 on 941031-1104. No violations noted. Major areas inspected: audits, mgt support, security program plans, protected area detection, alarm stations & communications, testing & maintenance.
KING, E.B., MCCABE, E.C. Region 1 (Post 820201). 94/11/17. 4pp. 81840:337-81840:340.

9411290150 Forwards response to violations noted in Insp Rept 50-289/94-80. Corrective actions: maint dept issued Plant Maint Standing Order 32, rev 0 to ensure requirements of Step 4.2.3.D met.
BROUGHTON, T.G. General Public Utilities Corp. - GPU Service Corp. 94/11/18. Document Control Branch (Document Control Desk). 3pp. 81902:358-81902:360.

9411150578 NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation."
GRIMES, B.K. 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.

9411170039 NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping."
GRIMES, B.K. 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.

9411300326 Advises that based on results of svc water sys operational performance insp re mid cycle maint of CCW HXs was implemented for facility.
SAGER, D.A. Florida Power & Light Co. 94/11/23. Document Control Branch (Document Control Desk). 2pp. 81923:343-81923:344.

9411170279 NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys."
GRIMES, B.K. 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.

9411170284 NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results."
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.

60 DOCKETED ITEMS

R. Periodic operating reports & related correspondence

9411010161 "Nuclear Safety & Compliance Committee Semiannual Rept 21 940401-0930." W/941025 ltr.
TROST,C.A., HUMPHREYS,L.L., WILSON,W.A. General Public Utilities Corp. - GPU Service Corp. 94/09/30. 15pp. 81574:336-81574:350.

9411210137 Monthly operating rept for Oct 1994 for TMI-1.W/941108 ltr.
HEYSEK,W.G., BROUGHTON,T.G. General Public Utilities Corp. - GPU Service Corp. 94/10/31. 8pp. 81831:147-81831:154.

9411160294 Forwards long-range planning program semi-annual update of integrated schedule "ABC" project listing.
LONG,R.L. General Public Utilities Corp. - GPU Service Corp. 94/11/07. Document Control Branch (Document Control Desk). 22pp. 81781:285-81781:306.

S. Reportable occurrences, LERs & related correspondence

9411070090 Final Part 21 rept 94-002A re three air start distributor cams cracking at plants.Cams replaced w/cams made using electric arc.
PRATTIANNE,S.A. Coltec Industries, Inc. 94/06/01. Document Control Branch (Document Control Desk). 5pp. 81654:209-81654:213.

9411070203 LER 94-006-00: on 941002, inadvertent actuation of EG-Y-1B occurred due to personnel error. Lead replaced, 86B/E relay reset & EG-Y-1B breaker automatically closed. W/941030 ltr.
HEYSEK,W.G., BROUGHTON,T.G. General Public Utilities Corp. - GPU Service Corp. 94/10/30. 5pp. 81666:025-81666:029.

V. Operator Examinations

9411020024 Forwards copies of documentation re NRC generic fundamentals exam including answer keys, grading results & individual answer sheets.
MEYER,G.W. Region 1 (Post 820201). 94/10/26. MAAG,R. General Public Utilities Corp. - GPU Service Corp. 2pp. 81528:177-81528:178.

DOCKET 50-293 PILGRIM NUCLEAR POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9411070202 Informs that Pilgrim Nuclear Power Station will not be adding TS requirements for main feedwater pump trip.
BOULETTE,E.T. Boston Edison Co. 94/10/03. Document Control Branch (Document Control Desk). 2pp. 81654:079-81654:080.

9411220226 Forwards SALP rept 50-293/93-99 for period 930314-941008. SALP conducted under revised process implemented by NRC on 930719.
MARTIN,T.T. Region 1 (Post 820201). 94/11/16. BOULETTE,E.T. Boston Edison Co. 5pp. 81799:100-81799:112.

-9411220228 SALP rept 50-293/93-99 for period 930314-941008.

* Region 1 (Post 820201). 94/11/16. 8pp. 81799:105-81799:112.

9411300003 Notification of significant licensee meeting 94-130 w/util on 941130 to discuss SALP.
LINVILLE,J.C. Region 1 (Post 820201). 94/11/16. Region 1 (Post 820201). 4pp. 81871:103-81871:106.

H. General correspondence

9411040271 Responds to 941005 ltr requesting NRC to respond to concerns raised by constituent re reactor core shroud at plant & forwards NRC response to constituent.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 94/10/31. STUDDS,G.E. House of Rep. 1p. 81805:290-81805:322.

-9411040276 Responds to 940916 ltr re core shroud cracking at plant & forwards copy of slide presentation from 940804 public meeting w/util concerning RV insp & IGSCC.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 94/10/26. MUIRHEAD,D.M., OTT,M.C. Citizens United for Responsible Energy. 28pp. 81805:291-81805:318.

-9411040279 Requests info on behalf of constituent M Ott re NRC knowledge of damage to core shroud at plant & forwards correspondence addressing issue at plant.
STUDDS,G.E. House of Rep. 94/10/05. RATHBUN,D. NRC - No Detailed Affiliation Given. 1p. 81805:319-81805:319.

-9411040284 Requests info re util alleged knowledge of core shroud cracking at plant in response to automatic shutdown of plant on 940829.
MUIRHEAD,D.M. Citizens United for Responsible Energy. 94/09/16. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 2pp. 81805:320-81805:322.

9411040300 Responds to 941003 ltr requesting that NRC respond to concerns expressed by constituents re reactor core shroud cracking at plant & forwards NRC response to constituent concerns.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 94/10/31. KERRY,J.F. Senate. 1p. 81805:323-81805:354.

-9411040302 Forwards copy of 940916 ltr from constituents re status of core shroud at plant. Requests that analysis & response to issue be forwarded at earliest convenience.
KERRY,J.F. Senate. 94/10/03. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 1p. 81805:351-81805:354.

9411230100 Responds to 941015 ltr to Chairman I Selin, requesting info on actions taken by NRC to address concerns raised by JA Fleming re emergency preparedness for nuclear power plants.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 94/11/09. KERRY,J.F. Senate. 3pp. 81828:286-81828:323.

-9411230199 Requests addl info pertaining to emergency preparedness for each site listed.
FLEMING,J.A. Affiliation Not Assigned. 94/07/14. CHILKS, S. Office of the Secretary of the Commission. 2pp. 81828:322-81828:323.

I. Financial information

9411230231 Forwards "BECO 1993 Annual Rept." BECO Form 10-Q for quarter ended 940930 as filed w/Securities & Exchange Commission, cash flow forecast for yr 1995 & narrative summary of curtailment of capital expenditures.
JUDGE,J.A. Boston Edison Co. 94/11/15. Office of Nuclear Reactor Regulation, Director (Post 870411). 21pp. 81922:098-81922:162.

P. Operating license stage documents & correspondence

9411030240 Ltr contract, mod 2 to task order 13, extending period of performance from 941014 to 950413 at no addl cost to govt, to "IPE Reviews, Internal Events-Front End Only." for plant.
MACE,M. Division of Contracts (Post 940714). NRC-04-91-066. 94/09/01. COLINA,I. Science & Engineering Associates, Inc. 1p. 81607:293-81607:294.

9411030259 Summary of 941004 meeting w/util in Rockville, MD re presentation made on reactor core shroud. Meeting handouts & list of attendees encl.
EATON,R.B. Project Directorate I-3. 94/10/14. Project Directorate I-3. 24pp. 81607:299-81607:322.

9411030222 Forwards response to 941019 RAI re reactor core shroud at plant. Proprietary response to Question 4 also encl. Proprietary response withheld.
OLIVIER,L.J. Boston Edison Co. 94/10/28. Document Control Branch (Document Control Desk). 12pp. 81619:187-81619:198.

9411040065 Requests written approval for removal of fish barrier net from discharge canal during FY95, based on PATC recommendation.
BOULETTE,E.T. Boston Edison Co. 94/10/31. LANDRY,T. Massachusetts, Commonwealth of. 2pp. 81653:243-81653:244.

9411090315 Forwards proprietary "Rept Of Unsatisfactory Performance Testing Incident." Encl withheld (ref 10CFR2.790(b)(1)).
BOULETTE,E.T. Boston Edison Co. 94/11/02. Document Control Branch (Document Control Desk). 3pp. 81750:319-81750:321.

9411150533 Discusses 941026 public meeting in King of Prussia, PA re MOV issues discussed w/Region 1 licensees.
KELLY,E.M. Region 1 (Post 820201). 94/11/03. BOULETTE,E.T. Boston Edison Co. 45pp. 81743:243-81743:291.

9411220082 Advises that shroud repair plans & analysis will be submitted to NRC for review & approval no later than 950116.
BOULETTE,E.T. Boston Edison Co. 94/11/16. Document Control Branch (Document Control Desk). 2pp. 81831:359-81831:360.

9411250181 Requests that licensee review encl draft info notice re air entrainment in lube oil sys of RCIC turbine. Informs that copy of subj request & licensee response will be placed in PDR for review by public.
CHAFFEE,A.E. Events Assessment Branch. 94/11/18. SLATER,C. Dresser-Rand Co. 4pp. 81850:356-81850:359.

9411250207 Application for amend to license DPR-35 to TS re change to MSIV leakage requirement.
BOULETTE,E.T. Boston Edison Co. 94/11/22. Document Control Branch (Document Control Desk). 2pp. 81866:225-81866:234.

-9411250211 Proposed tech specs re changes to MSIV leakage requirement.
* Boston Edison Co. 94/11/22. 8pp. 81866:227-81866:234.

9411250224 Application for amend to License DPR-35, revising mode conditions under scram discharge instrument vol-scram trip bypass in Table 3.2.C.1, required to be operable & changes associated functional test frequency from quarterly.
BOULETTE,E.T. Boston Edison Co. 94/11/22. Document Control Branch (Document Control Desk). 5pp. 81866:239-81866:249.

-9411250227 Proposed TS Pages 3/4.2-20 & 3/4.2-35 re Tables 3.2.C-1 & 4.2.C.
* Boston Edison Co. 94/11/22. 6pp. 81866:244-81866:249.

9411280134 Application for amend to License DPR-35, revising suppression chamber water level operating range, increasing & revises water level recorder range in response to commitment from Insp 50-293/91-201.
BOULETTE,E.T. Boston Edison Co. 94/11/22. Document Control Branch (Document Control Desk). 4pp. 81883:338-81883:349.

-9411280139 Proposed tech specs re suppression chamber water level.
* Boston Edison Co. 94/11/22. 8pp. 81883:342-81883:349.

9411280299 Application for amend to License DPR-35, increasing current EDG allowed out-of-svc time in Specification 3.5.F from 72 h to 7 days.
BOULETTE,E.T. Boston Edison Co. 94/11/22. Document Control Branch (Document Control Desk). 14pp. 81894:338-81894:351.

-9411280301 Proposed Tech Specs 3.5.F, 4.5.F.1 & 3.9.B.1 & 2 re EDG allowed out-of-svc time.
* Boston Edison Co. 94/11/22. 9pp. 81894:352-81894:360.

Q. Inspection reports, IE Bulletins & correspondence

9410140257 Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Matis Events to NRC Operations Ctr."
BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.

9411030085 Forwards insp rept 50-293/94-21 on 940919-23. No violations noted.
JOYNER,J.H. Region 1 (Post 820201). 94/10/20. BOULETTE,E.T. Boston Edison Co. 3pp. 81560:045-81560:058.

-9411030088 Insp rept 50-293/94-21 on 940919-23. No violations noted. Major areas inspected: radiation controls program during mid-cycle maint outage.
NOGGLE,J., BORES,R. Region 1 (Post 820201). 94/10/20. 11pp. 81560:048-81560:058.

9411030059 Forwards insp rept 50-293/94-18 on 940801-0912. No violations noted. LINVILLE, J.C. Region 1 (Post 820201). 94/10/24. BOULETTE, E.T. Boston Edison Co. 3pp. 81561:279-81561:305.

-9411030063 Insp rept 50-293/94-18 on 940801-0912. No violations noted. Major areas inspected: plant operations, maint & surveillance, engineering & plant support. CONTE, R. Region 1 (Post 820201). 94/10/24. 20pp. 81561:282-81561:305.

9410200153 NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts." GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81658:001-81658:013.

9411080296 Discusses 940722 meeting re how NRC would conduct site visits to verify & validate NRC maint rule draft insp procedure & confirms dates for scheduled pilot site visits. EATON, R.B. Project Directorate I-3. 94/11/02. BOULETTE, E.T. Boston Edison Co. 4pp. 81663:351-81663:354.

9411180037 Forwards insp rept 50-293/94-80 re problem self-identification & prevention on 940822-26 & 0905-09. No violations noted. LINVILLE, J.C. Region 1 (Post 820201). 94/11/08. BOULETTE, E.T. Boston Edison Co. 3pp. 81775:016-81775:048.

-9411180042 Insp rept 50-293/94-80 on 940822-26 & 0905-09. No violations noted. Major areas inspected: performance-based evaluation of licensee mgt sys designed to ensure that issues & problems potentially adverse to plant safety noted & corrected. ROSSBACH, L.W. Region 1 (Post 820201). 94/11/08. 30pp. 81775:019-81775:048.

9411090300 NRC Bulletin 94-002, "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride." PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.

9411220226 Forwards SALP rept 50-293/93-99 for period 930314-941008. SALP conducted under revised process implemented by NRC on 930719. MARTIN, T.T. Region 1 (Post 820201). 94/11/16. BOULETTE, E.T. Boston Edison Co. 5pp. 81799:100-81799:112.

-9411220228 SALP rept 50-293/93-99 for period 930314-941008. * Region 1 (Post 820201). 94/11/16. 8pp. 81799:105-81799:112.

9411300003 Notification of significant licensee meeting 94-130 w/util on 941130 to discuss SALP. LINVILLE, J.C. Region 1 (Post 820201). 94/11/16. Region 1 (Post 820201). 4pp. 81871:103-81871:106.

9411100237 NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment." GRIMES, B.K. 94/11/17. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.

9411150578 NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation." GRIMES, B.K. 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.

9411280134 Application for amend to License DPR-35, revising suppression chamber water level operating range, increasing & revises water level recorder range in response to commitment from Insp 50-293/91-201. BOULETTE, E.T. Boston Edison Co. 94/11/22. Document Control Branch (Document Control Desk). 4pp. 81883:338-81883:349.

9411170039 NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping." GRIMES, B.K. 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.

9411170279 NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys." GRIMES, B.K. 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.

9411170284 NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results." PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.

R. Periodic operating reports & related correspondence

9411080234 "Marine Ecology Studies Related to Operation of Pilgrim Station Semi-Annual Rept Number 44, Jan-June 1994." W/941026 ltr. ANDERSON, R.D. Boston Edison Co. 94/06/30. 110pp. 81678:118-81678:277.

9411160253 Monthly operating rept for Oct 1994 for Pilgrim Nuclear Power Station. W/941110 ltr. MUNRO, W., OLIVIER, L.J. Boston Edison Co. 94/10/31. 7pp. 81777:302-81777:308.

9411220380 NPDES discharge monitoring rept for Oct 1994. W/941114 ltr. ROTHERT, W.C. Boston Edison Co. 94/10/31. 10pp. 81833:047-81833:056.

S. Reportable occurrences, LERs & related correspondence

9411010236 LER 94-006-00: on 940917, unplanned actuation of portion of Channel "B" core standby cooling sys logic circuitry occurred. Caused by inadequate plant impact reviews for activity performed. Procedure revised. W/941021 ltr. ELLIS, D.W. Boston Edison Co. BOULETTE, E.T. PECO Energy Co., (formerly Philadelphia Electric Co.). 94/10/21. 11pp. 81602:071-81602:081.

9411030366 Part 21 rept re incorrect trip units during pre-installation testing & prior to final acceptance. Corrected breakers returned to plant by GE. BOULETTE, E.T. Boston Edison Co. 94/10/31. Document Control Branch (Document Control Desk). 4pp. 81640:242-81640:245.

V. Operator Examinations

9411010217 Forwards anticipated operator licensing exam schedule for FY95-98 as requested by Administrative Ltr 94-12. OLIVIER, L.J. Boston Edison Co. 94/10/25. Document Control Branch (Document Control Desk). 2pp. 81587:081-81587:082.

DOCKET 50-295 ZION NUCLEAR POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9411070071 Revised Corporate EIPs (CEPIP), including Rev 7 to CEPIP-3103-01 & Rev 8 to CEPIP-3104-01. SCOTT, D.J. Commonwealth Edison Co. 94/10/05. 19pp. 81654:188-81654:208.

9411030225 Revised Corporate EIPs (CEPIP), including Rev 2 to CEPIP-321-01, Rev 3 to CEPIP-3303-01, Rev 3 to CEPIP-3304-01, Rev 3 to CEPIP-3505-01. PAVEY, M. Commonwealth Edison Co. 94/10/06. 65pp. 81606:221-81606:285.

9411100189 Rev 1 to CEPIP 2322-05A, "GSEP Radio Communicator." W/table of contents. * Commonwealth Edison Co. 94/10/07. 11pp. 81750:348-81750:358.

9411210065 Rev 2 to EIP 180-4, "TSC ODCS Specialist." * Commonwealth Edison Co. 94/10/24. 12pp. 81836:343-81836:354.

9411100185 Rev 7g to "Generating Stations Emergency Plan (GSEP) Site Annex Zion Nuclear Power Station." * Commonwealth Edison Co. 94/10/31. 39pp. 81747:257-81747:295.

9411080222 Advises that 940217 rev to generating stations emergency plan annexes consistent w/requirements in App E to 10CFR50 & 10CFR50.47 & acceptable. DICK, G.F. Project Directorate III-2. 94/11/03. FARRAR, D.L. Commonwealth Edison Co. 3pp. 81663:340-81663:342.

9411210293 Submits response to NRC request for addl info re proposed use of corporate EOF as interim EOF to perform emergency response functions until near site can be staffed. JOHNSON, I.M. Commonwealth Edison Co. 94/11/15. Document Control Branch (Document Control Desk). 22pp. 81833:332-81833:353.

9411220214 Forwards response to violations noted in Insp Repts 50-295/94-19 & 50-304/94-19. Corrective actions: emergency light deficiencies identified in NOV on lights 335 & 482 required by fire protection operating procedures corrected. TUETKEN, R.P. Commonwealth Edison Co. 94/11/15. Document Control Branch (Document Control Desk). 6pp. 81864:325-81864:330.

9411300121 Informs of decision to institute quarterly proficiency training for ERDS Operators. AXELSON, W.L. Region 3 (Post 820201). 94/11/16. MARTIN, J. Region 3 (Post 820201). 4pp. 81872:132-81872:135.

9411300211 Forwards response to 940919 RAI re proposed use of corporate EOF (CEOF) as interim EOF, including analysis of EOF functions applicable to CEOF as interim EOF. JOHNSON, I.M. Commonwealth Edison Co. 94/11/22. Office of Nuclear Reactor Regulation, Director (Post 870411). 77pp. 81908:092-81908:169.

H. General correspondence

9411090146 Responds to 940825 ltr expressing concerns re util mod of security force organization at nuclear facilities. NRC will evaluate future changes to security plans at nuclear facilities to ensure that plans remain effective. CAPRA, R.A. Project Directorate III-2. 94/11/04. RUSSELL, D. Affiliation Not Assigned. 4pp. 81715:225-81715:229.

-9411090155 Informs of concern re CE decision to reduce security force NPGSS. Notes security already reduced 20% & terrorist threat to US higher than any time in recent history. Pleads that mod to security be stopped. RUSSELL, D. Affiliation Not Assigned. 94/08/25. THE CHAIRMAN Commissioners (Post 750119). 1p. 81715:229-81715:229.

P. Operating license stage documents & correspondence

9411300237 Final response to FOIA request for documents. App C records encl & partially withheld (ref FOIA exemption 5). POWELL, R.A. Division of Freedom of Information & Publications Services (890206-940714). 93/11/22. PATTERSON, S.J. Newman & Holtzinger. 3pp. 81900:174-81900:271.

-9411300253 Summary of 920615-16 NRC senior mgt meeting conducted to assure NRC focusing resources on plants & related issues of greatest safety significance. Info partially deleted. TAYLOR, J.M. Ofc of the Executive Director for Operations. 92/06/25. THE CHAIRMAN Commissioners (Post 750119). 50pp. 81900:178-81900:227.

-9411300265 Summary of 930126-28 NRC senior mgt meeting conducted to assure NRC focusing resources on plants & related issues of greatest safety significance. Info partially deleted. TAYLOR, J.M. Ofc of the Executive Director for Operations. 93/02/04. THE CHAIRMAN Commissioners (Post 750119). 44pp. 81900:228-81900:271.

9411040281 Requests authorization for R Hough of Precision Surveillance Inc. to allow contractor, Hill, to examine tendon surveillance repts & extract data from rept. SHIRAKI, C.Y. Project Directorate III-2. 94/11/01. FARRAR, D.L. Commonwealth Edison Co. 3pp. 81609:355-81609:357.

62 DOCKETED ITEMS

9411080285 Forwards amends 129,123,150,146,158 & 146 to licenses DPR-19,DPR-25,DPR-29,DPR-30,DPR-39 & DPR-48,respectively & safety evaluation.Amends add license condition that modifies NUREG-0737 to allow commitments be controlled under 10CFR50.
SHIRAKI,C.Y. Project Directorate III-2. 94/11/03. FARRAR,D.L. Commonwealth Edison Co. 2pp. 81658:284-81658:307.

-9411080290 Amends 129,123,150,146,158 & 146 to licenses DPR-19,DPR-25, DPR-29,DPR-30,DPR-39 & DPR-48,respectively,adding license condition that modifies NUREG-0737 to allow commitments made in response to NUREG-0737 be controlled under 10CFR50.59.
CAPRA,R.A. Project Directorate III-2. 94/11/03. 21pp. 81658:284-81658:304.

-9411080302 Safety evaluation supporting amends 129,123,150,146,158 & 146 to licenses DPR-39,DPR-48,DPR-19,DPR-25,DPR-29 & DPR-30, respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/11/03. 3pp. 81658:305-81658:307.

9411090142 Notification of 941206 meeting w/util & NRC in Rockville,MD to discuss performance of licensee plants.
DICK,G.F. Project Directorate III-2. 94/11/04. CAPRA,R.A. Project Directorate III-2. 4pp. 81715:221-81715:224.

9411160050 Forwards rept on site visit to review implementation of maint rule at station for review & info.Rept identifies strengths & weaknesses w/program at site.
SHAFER,W.D. Region 3 (Post 820201). 94/11/07. DONNELLY,P.M. Consumers Power Co. 2pp. 81746:131-81746:141.

9411220070 Submits relief request PR-02,which seeks to adopt Code Case N-416-1 & informs that relief would be applicable for second interval ISI program for Unit 2 & third interval ISI program for both units.
SIMPKIN,T.W. Commonwealth Edison Co. 94/11/11. Office of Nuclear Reactor Regulation, Director (Post 870411). 5pp. 81831:354-81831:358.

9411210245 Submits response to NRC request for addl info re GL 89-10. Info provided in 4 Attachments.Attachment A provides summary of methods,results of reprioritization & margin review effort for util MOV population.
FARRAR,D.L. Commonwealth Edison Co. 94/11/15. Document Control Branch (Document Control Desk). 54pp. 81837:034-81837:087.

9411300246 Application for amends to licenses DPR-39 & DPR-48,allowing one-time extension of allowed outage time for inoperable reserve source of off-site power.
SIMPKIN,T.W. Commonwealth Edison Co. 94/11/21. RUSSELL Office of Nuclear Reactor Regulation, Director (Post 870411). 14pp. 81910:204-81910:226.

-9411300248 Proposed tech specs,allowing one-time extension of allowed outage time for inoperable reserve source of off-site power.
* Commonwealth Edison Co. 94/11/21. 9pp. 81910:218-81910:226.

9411280043 Forwards safety evaluation of plant individual plant exam for internal events & internal flooding,per GL 88-20 & associated submittal guidance document,NUREG-1335.Response to concerns raised by review requested within 60 days.W/TER.
SHIRAKI,C.Y. Project Directorate III-2. 94/11/22. FARRAR,D.L. Commonwealth Edison Co. 6pp. 81892:001-81892:166.

-9411300346 Safety evaluation of plant individual plant exam (internal events only).Process used in individual plant exam could mask potential vulnerabilities & lead to false sense of security w/respect to likelihood of severe accident.
* NRC - No Detailed Affiliation Given. 94/11/22. 30pp. 81892:007-81892:036.

-9411250085 "Step 2 Technical Evaluation Rept of Zion IPE Front-End Analysis."
SCIACCA,F., DARBY,J., CLARK,R.A. Science & Engineering Associates, Inc. SEA 91-553-017-A-1. 94/05/13. NRC - No Detailed Affiliation Given. 46pp. 81892:037-81892:082.

-9411250097 "Step 2 Technical Evaluation Rept of Zion IPE Back-End Analysis."
VIJAYKUMAR,R., KURITZKY,A.S., KHATIB-RAHBAR Energy Research Group, Inc. NRC-04-91-068. ERI/NRC 93-105. 93/10/31. NRC - No Detailed Affiliation Given. 27pp. 81892:083-81892:109.

-9411250100 "Zion Nuclear Station Units 1 & 2,Technical Evaluation Rept of IPE Submittal Assessment of Human Reliability Analysis," final rept.
SWANSON,P.J. Concord Associates, Inc. NRC-04-91-069. CA/TR-93-019-18. 94/08/31. Division of Safety Issue Resolution (Post 880717). 22pp. 81892:110-81892:132.

-9411290177 "Evaluation of Zion IPE/HRA Mats."
SWAIN,A.D. Affiliation Not Assigned. 94/06/14. Office of Nuclear Regulatory Research (Post 860720). 34pp. 81892:133-81892:166.

9411300167 Requests results of review & disposition of activities at Zion Station be submitted within 60 days of date of ltr.
AXELSON,W.L. Region 3 (Post 820201). 94/11/22. TUETKEN,R. Commonwealth Edison Co. 2pp. 81925:138-81925:139.

Q. Inspection reports, IE Bulletins & correspondence

9411010011 Forwards insp repts 50-295/94-19 & 50-304/94-19 on 940823-1003 & notice of violation.Recurrent problems in scheduling & performance of routine maint & surveillance activities noted.
MILLER,L.F. Region 3 (Post 820201). 94/10/19. TUETKEN,R.P. Commonwealth Edison Co. 2pp. 81514:021-81514:045.

-9411010014 Notice of violation from insp on 940823-1003.Violation noted:from 940510 to 0906,emergency lights 355 & 482 had been on continuous fast charge & emergency lights would not illuminate.
* Region 3 (Post 820201). 94/10/19. 1p. 81514:023-81514:023.

-9411010020 Insp repts 50-295/94-19 & 50-304/94-19 on 940823-1003. Violations noted.Major areas inspected:licensee engineering, operations,maint & surveillances,plant support,safety assessment & quality verification.
MILLER,L.F. Region 3 (Post 820201). 94/10/19. 19pp. 81514:024-81514:045.

9410140257 Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Mats Events to NRC Operations Ctr."
BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.

9410200153 NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts."
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81658:001-81658:013.

9411090300 NRC Bulletin 94-002, "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride."
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.

9411220214 Forwards response to violations noted in Insp Repts 50-295/94-19 & 50-304/94-19.Corrective actions:emergency light deficiencies identified in NOV on lights 335 & 482 required by fire protection operating procedures corrected.
TUETKEN,R.P. Commonwealth Edison Co. 94/11/15. Document Control Branch (Document Control Desk). 6pp. 81864:325-81864:330.

9411100237 NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment."
GRIMES,B.K. . 94/11/17. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.

9411150578 NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation."
GRIMES,B.K. . 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.

9411170039 NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping."
GRIMES,B.K. . 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.

9411170279 NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys."
GRIMES,B.K. . 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.

9411170284 NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results."
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.

R. Periodic operating reports & related correspondence

9411230227 Monthly operating rept for Oct 1994 for Zion Generating Station.W/941113 ltr.
CYGAN,J., BROCCOLO,E.A. Commonwealth Edison Co. 94/10/31. 13pp. 81864:290-81864:302.

S. Reportable occurrences, LERs & related correspondence

9411010174 LER 94-015-00:on 940926,OC component cooling water pump autostarted due to component failure.Verified thread engagement for contact assemblies on all safeguards sequence timers.W/941026 ltr.
HEIM,M.L., BROCCOLO,E.A. Commonwealth Edison Co. 94/10/26. 5pp. 81586:029-81586:033.

9411210111 Interim Part 21 Rept 94-12 re Limitorque actuator potential motor pinion key failure.Comm Ed issued guidelines to six nuclear stations on methods for properly installing motor pinion keys.
JOHNSON,I.M. Commonwealth Edison Co. 94/11/11. Office of Nuclear Reactor Regulation, Director (Post 870411). 5pp. 81831:127-81831:131.

9411300272 LER 94-016-00:on 941025,discovered that TS 3.9.3.A exceeded on 941020.Caused by mgt deficiency.Electronic work control sys experts assigned to shift.W/941123 ltr.
SHELTON,H., BROCCOLO,E.A. Commonwealth Edison Co. 94/11/23. 4pp. 81930:053-81930:056.

V. Operator Examinations

9411080120 Forwards completed NRC Form 536, "Operator Licensing Exam Data," per Administrative Ltr 94-12.
MADDEN,J. Commonwealth Edison Co. 94/10/25. Document Control Branch (Document Control Desk). 2pp. 81677:242-81677:243.

9411040264 Forwards exam answer key for forms A & B,grading results, & individual answer sheets for each individual taking exam from facility.Requests results be forwarded to individuals w/answer sheets.W/o encls.
RING,M.A. Region 3 (Post 820201). 94/10/27. Consumers Power Co. 1p. 81586:001-81586:001.

9411300218 Forwards NRC summarized guidance that clarifies requirements for maintaining individual operator licenses,entitled, "Clarification of Maint & Reactivation Requirements for Individual Operator Licenses."
RING,M.A. Region 3 (Post 820201). 94/11/18. Affiliation Not Assigned. 3pp. 81872:341-81872:343.

DOCKET 50-296 BROWNS FERRY NUCLEAR POWER STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9411030095 Informs that rev 17 to radiological emergency plan for plant meets requirements of App E to 10CFR50 & acceptable.
CLINE,W.E. Region 2 (Post 820201). 94/10/18. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 81560:099-81560:102.

9411010211 Requests exemption from 10CFR73.55, "Requirements for Physical Protection of Licensed Activities..." to allow use of hand geometry biometrics sys to control unescorted access into protected area of facilities.
MEDFORD, M.O. Tennessee Valley Authority. 94/10/24. Document Control Branch (Document Control Desk). 6pp. 81585:053-81585:058.

9411170076 Forwards rev 24 to physical security/contingency plan. Encl withheld.
MACHON, R.D. Tennessee Valley Authority. 94/11/04. Document Control Branch (Document Control Desk). 2pp. 81854:001-81854:002.

9411230260 Application for amends to licenses DPR-33, DPR-52, DPR-68, DPR-77 & DPR-79, deleting audit frequencies & requirement to perform radiological emergency plan & security plan audits from TSS.
DAVIS, C.R. Tennessee Valley Authority. 94/11/15. Document Control Branch (Document Control Desk). 4pp. 81854:139-81854:189.

-9411230267 Proposed tech specs, deleting audit frequencies & requirement to perform radiological emergency plan & security plan audits.
* Tennessee Valley Authority. 94/11/15. 47pp. 81854:143-81854:189.

9411230303 Forwards Rev 18 to "Radiological Emergency Plan." Rev also corrects several minor inconsistencies & errors previously noted in review of Rev 15 & documented by ltr dtd 940907.
CARRIER, P.P. Tennessee Valley Authority. 94/11/15. Document Control Branch (Document Control Desk). 5pp. 81854:232-81854:293.

-9411230304 Rev 18 to "Radiological Emergency Plan."
* Tennessee Valley Authority. 94/10/18. 57pp. 81854:237-81854:293.

9411280047 Forwards environ assessment & finding of no significant impact re util 941024 request for exemption from requirements of 10CFR73.55 concerning access to protected & vital areas.
HEBDON, F.J. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 94/11/22. KINGSLEY, O.D. Tennessee Valley Authority. 1p. 81863:329-81863:336.

-9411280053 Environ assessment & finding of no significant impact re util 941024 request for exemption from certain requirements of 10CFR73.55 re unescorted access into protected & vital areas. EIS unnecessary.
HEBDON, F.J. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 94/11/22. 7pp. 81863:330-81863:336.

H. General correspondence

9411030228 Requests that MJ Burzynski be removed from NRC mailing labels for TVA & replaced w/RR Baron of same address.
* Tennessee Valley Authority. 94/10/27. NRC - No Detailed Affiliation Given. 2pp. 81641:359-81641:360.

9411230100 Responds to 941015 ltr to Chairman I Selin, requesting info on actions taken by NRC to address concerns raised by JA Fleming re emergency preparedness for nuclear power plants.
TAYLOR, J.M. Ofc of the Executive Director for Operations. 94/11/09. KERRY, J.F. Senate. 3pp. 81828:286-81828:323.

-9411230199 Requests addl info pertaining to emergency preparedness for each site listed.
FLEMING, J.A. Affiliation Not Assigned. 94/07/14. CHILK, S. Office of the Secretary of the Commission. 2pp. 81828:322-81828:323.

P. Operating license stage documents & correspondence

9411300237 Final response to FOIA request for documents. App C records encl & partially withheld (ref FOIA exemption 5).
POWELL, R.A. Division of Freedom of Information & Publications Services (890206-940714). 93/11/22. PATTERSON, S.J. Newman & Holtzinger. 3pp. 81900:174-81900:271.

-9411300253 Summary of 920615-16 NRC senior mgt meeting conducted to assure NRC focusing resources on plants & related issues of greatest safety significance. Info partially deleted.
TAYLOR, J.M. Ofc of the Executive Director for Operations. 92/06/25. THE CHAIRMAN Commissioners (Post 750119). 50pp. 81900:178-81900:227.

-9411300265 Summary of 930126-28 NRC senior mgt meeting conducted to assure NRC focusing resources on plants & related issues of greatest safety significance. Info partially deleted.
TAYLOR, J.M. Ofc of the Executive Director for Operations. 93/02/04. THE CHAIRMAN Commissioners (Post 750119). 44pp. 81900:228-81900:271.

9411070111 Extends invitation to Region II licensees to participate w/NRR Region II representatives in discussion of GL 89-10 motor-operated valve programs. Meeting to be held on 941108 Atlanta, GA. Meeting notice & agenda encl.
MALLET, B.S. Region 2 (Post 820201). 94/10/12. KINGSLEY, O.D. Tennessee Valley Authority. 5pp. 81605:095-81605:099.

9411030022 Summarizes 941007 meeting w/util at Region II ofc to discuss concerns resolution program. List of individuals attending meeting & handout matl supplied by licensee encl.
BOGER, B.A. Region 2 (Post 820201). 94/10/18. KINGSLEY, O.D. Tennessee Valley Authority. 24pp. 81561:065-81561:088.

9411030044 Discusses 941017 meeting held w/util to discuss changes in corrective action program. List of attendees, agenda & handout matl supplied by licensee encl.
BOGER, B.A. Region 2 (Post 820201). 94/10/20. KINGSLEY, O.D. Tennessee Valley Authority. 23pp. 81561:163-81561:185.

9411080237 Forwards Request for Relief R&R-001 from ASME Section XI, repair requirements for NRC review & approval prior to sys pressure test currently scheduled for 941107 & requests to use ASME Code Case N-504-1 for plant ASME repair program.
SALAS, P. Tennessee Valley Authority. 94/10/28. Document Control Branch (Document Control Desk). 16pp. 81679:224-81679:239.

9411100119 Advises that weld overlay repair of weld GR-2-64 sufficient to maintain structural integrity of weld under operating conditions & that application of ASME Code Case N-504-1 to weld authorized, per 941028 ltr.
HEBDON, F.J. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 94/11/07. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 81726:250-81726:252.

9411300185 Notification of significant licensee meeting w/util on 941201 re status of plant & recovery activities.
LESSER, M.S. Region 2 (Post 820201). 94/11/10. Region 2 (Post 820201). 2pp. 81872:276-81872:277.

9411220281 Provides update to IST program & addresses anomalies identified by NRC in NRC 931022 SER.IST program update contains clarifications to program description & relief requests. New cold shutdown justification 12 also included.
SALAS, P. Tennessee Valley Authority. 94/11/14. Document Control Branch (Document Control Desk). 66pp. 81848:273-81848:338.

9411220184 Forwards periodic special repts on integrated leak rate testing of secondary containment required by TS 6.9.2.8.
SALAS, P. Tennessee Valley Authority. 94/11/15. Document Control Branch (Document Control Desk). 7pp. 81833:003-81833:009.

9411230260 Application for amends to licenses DPR-33, DPR-52, DPR-68, DPR-77 & DPR-79, deleting audit frequencies & requirement to perform radiological emergency plan & security plan audits from TSS.
DAVIS, C.R. Tennessee Valley Authority. 94/11/15. Document Control Branch (Document Control Desk). 4pp. 81854:139-81854:189.

-9411230267 Proposed tech specs, deleting audit frequencies & requirement to perform radiological emergency plan & security plan audits.
* Tennessee Valley Authority. 94/11/15. 47pp. 81854:143-81854:189.

9411300190 Confirms telcon between P Salas & MS Lesser re arrangements made for 941201 mgt meeting w/util concerning status of plant relating to operating cycle, outage & recovery activities.
BOGER, B.A. Region 2 (Post 820201). 94/11/10. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 81872:281-81872:283.

Q. Inspection reports, IE Bulletins & correspondence

9411030097 Discusses arrangements for insp of licensed operator requalification program re insp repts 50-259/94-11, 50-260/94-11 & 50-296/94-11 at station. Units 1, 2 & 3 to be conducted during week of 941114.
PEEBLES, T.A. Region 2 (Post 820201). 94/10/19. KINGSLEY, O.D. Tennessee Valley Authority. 4pp. 81560:106-81560:109.

9410140257 Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Matls Events to NRC Operations Ctr."
BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.

9411020283 Provides notification of completion of Bulletin 79-18, audibility problems encountered on evacuation of personnel from high-noise areas for BFN Units 1 & 3.
SALAS, P. Tennessee Valley Authority. 94/10/21. Document Control Branch (Document Control Desk). 2pp. 81633:357-81633:358.

9410200153 NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts."
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81658:001-81658:013.

9411090024 Forwards insp repts 50-259/94-24, 50-260/94-24 & 50-296/94-24 on 940910-1015 & notice of violation.
LESSER, M.S. Region 2 (Post 820201). 94/11/02. KINGSLEY, O.D. Tennessee Valley Authority. 4pp. 81637:189-81637:224.

-9411090036 Insp repts 50-259/94-24, 50-260/94-24 & 50-296/94-24 on 940910-1015. Violations noted. Major areas inspected: operations, surveillance testing, maintenance activities, unit 3 recovery actions & foreign material found in torus.
WERT, L.D., LESSER, M.S. Region 2 (Post 820201). 94/11/02. 29pp. 81637:196-81637:224.

9411210069 Forwards insp repts 50-259/94-25, 50-260/94-25 & 50-296/94-25 on 941017-21. No violations or deviations identified.
CRLENJAK, R.V. Region 2 (Post 820201). 94/11/04. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 81785:006-81785:019.

-9411210079 Insp repts 50-259/94-25, 50-260/94-25 & 50-296/94-25 on 940917-21. No violations noted. Major areas inspected: review of ISI procedures, observation of ISI work activities including repair, replacement & review of data.
COLEY, J.L., BLAKE, J.J. Region 2 (Post 820201). 94/11/02. 11pp. 81785:009-81785:019.

9411090300 NRC Bulletin 94-002, "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride."
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.

9411290029 Forwards insp repts 50-259/94-28, 50-260/94-28 & 50-296/94-28 on 941024-28. No violations noted.
CLINE, W.E. Region 2 (Post 820201). 94/11/16. KINGSLEY, O.D. Tennessee Valley Authority. 4pp. 81857:193-81857:211.

-9411290034 Insp repts 50-259/94-28, 50-260/94-28 & 50-296/94-28 on 941024-28. No violations noted. Major areas inspected: occupational radiation safety.
PARKER, B.A., RANKIN, W.H. Region 2 (Post 820201). 94/11/15. 15pp. 81857:197-81857:211.

9411100237 NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment."
GRIMES, B.K. . 94/11/17. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.

64 DOCKETED ITEMS

9411150578 NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation." GRIMES,B.K. . 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.

9411170039 NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping." GRIMES,B.K. . 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.

9411170279 NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys." GRIMES,B.K. . 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.

9411170284 NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results." PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.

R. Periodic operating reports & related correspondence

9411220313 Monthly operating rept for Oct 1994 for Browns Ferry Nuclear Plant.W/ 941114 ltr. SMITH,T.R., SALAS,P. Tennessee Valley Authority. 94/10/31. 13pp. 81848:348-81848:360.

S. Reportable occurrences, LERs & related correspondence

9411300291 LER 94-001-00: on 941018, unexpected auto-start of unit 3 DGs occurred during performance of SI due to personnel error. Electrical maint personnel briefed on event.W/941117 ltr. HSIEH,C.S., MACHON,R.D. Tennessee Valley Authority. 94/11/17. 10pp. 81912:156-81912:165.

V. Operator Examinations

9411030097 Discusses arrangements for insp of licensed operator requalification program re insp repts 50-259/94-11, 50-260/94-11 & 50-296/94-11 at station, Units 1,2 & 3 to be conducted during week of 941114. PEEBLES,T.A. Region 2 (Post 820201). 94/10/19. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 81560:106-81560:109.

DOCKET 50-297 NORTH CAROLINA STATE UNIV. PULSTAR REACTOR

F. Security, medical, emergency & fire protection plans

9411030036 Forwards insp rept 50-297/94-02 on 940930-1001.No violations noted. COLLINS,D.M. Region 2 (Post 820201). 94/10/20. PEREZ,P.B. North Carolina State Univ., Raleigh, NC. 2pp. 81561:157-81561:161.

-9411030040 Insp rept 50-297/94-02 on 940930-1001.No violations noted. Major areas inspected:licensee annual ER drill. BASSETT,C.H., MCALPINE,E.J. Region 2 (Post 820201). 94/10/20. 3pp. 81561:159-81561:161.

Q. Inspection reports, IE Bulletins & correspondence

9411030036 Forwards insp rept 50-297/94-02 on 940930-1001.No violations noted. COLLINS,D.M. Region 2 (Post 820201). 94/10/20. PEREZ,P.B. North Carolina State Univ., Raleigh, NC. 2pp. 81561:157-81561:161.

-9411030040 Insp rept 50-297/94-02 on 940930-1001.No violations noted. Major areas inspected:licensee annual ER drill. BASSETT,C.H., MCALPINE,E.J. Region 2 (Post 820201). 94/10/20. 3pp. 81561:159-81561:161.

DOCKET 50-298 COOPER NUCLEAR STATION

F. Security, medical, emergency & fire protection plans

9411070151 Revised EIPs,including rev 20 to 5.7.17, "Dose Assessment," rev 14 to 5.7.18, "Off-Site & Site Boundary Monitoring" & rev 11 to 5.7.20, "Protective Action Recommendations." W/ 941101 ltr. HORN,G.R. Nebraska Public Power District. 94/11/01. 50pp. 81654:110-81654:169.

9411150253 Forwards revised pages to rev 29 to Cooper Nuclear Station emergency plan,originally submitted 941017. HORN,G.R. Nebraska Public Power District. 94/11/04. Document Control Branch (Document Control Desk). 1p. 81775:108-81775:111.

-9411150259 Revised pages to Cooper Nuclear Station emergency plan, originally submitted on 941017. * Nebraska Public Power District. 94/11/04. 3pp. 81775:109-81775:111.

9411230154 Ack receipt of 940928 ltr informing that changes to Rev 31 to physical security plan,acceptable. COLLINS,S.J. Region 4 (Post 820201). 94/11/15. HORN,G.R. Nebraska Public Power District. 4pp. 81894:311-81894:315.

9411180041 Discusses changes to util 941017 submittal re Rev 29 to plant emergency plan & informs that since rev found to be unacceptable upon NRC review,weaknesses exist in util emergency review plan process. COLLINS,S.J. Region 4 (Post 820201). 94/11/16. HORN,G.R. Nebraska Public Power District. 4pp. 81774:338-81774:342.

9411250147 Revised EIPs,including rev 15.1 to EIP 5.7.9 & rev 20 to EIP 5.7.17.W/ 941116 ltr. HORN,G.R. Nebraska Public Power District. 94/11/16. 18pp. 81866:287-81866:304.

H. General correspondence

9411230100 Responds to 941015 ltr to Chairman I Selin,requesting info on actions taken by NRC to address concerns raised by JA Fleming re emergency preparedness for nuclear power plants. TAYLOR,J.M. Ofc of the Executive Director for Operations. 94/11/09. KERRY,J.F. Senate. 3pp. 81828:286-81828:323.

-9411230199 Requests addl info pertaining to emergency preparedness for each site listed. FLEMING,J.A. Affiliation Not Assigned. 94/07/14. CHILK,S. Office of the Secretary of the Commission. 2pp. 81828:322-81828:323.

9411210398 Requests that list of carbon copy addressees on NRC correspondence to util be revised to add RC Godley,Nuclear Licensing & Safety Manager.Marked up copy of recent ltr from NRC Region IV attached that shows requested change. HORN,G.R. Nebraska Public Power District. 94/11/15. Document Control Branch (Document Control Desk). 3pp. 81837:174-81837:176.

P. Operating license stage documents & correspondence

9411040293 Technical Rept, "Assessment of Aging Degradation of Civil/ Structural Features at Selected Operating Nuclear Power Plants." BRAVERMAN,J. Brookhaven National Laboratory. L-151(6)/5-93. 93/05/31. 100pp. 81621:028-81621:128.

9411030243 Ltr contract,mod 1 to task order 18,extending period of performance from 940808 to 950228 at no addl cost to govt, to "IPE Reviews,Internal-Front End Only," for plant. MACE,M. Division of Contracts (Post 940714). NRC-04-91-066. 94/08/18. COLINA,I. Science & Engineering Associates, Inc. 1p. 81607:295-81607:296.

9411030123 Ltr contract,Mod 1 to task order 19,extending period of performance, to "Task 19-IPE Reviews,Internal Events-Human Reliability Analysis Only (Cooper)." MACE,M. Division of Contracts (Post 940714). 94/09/01. HAAS,P.M. Concord Associates, Inc. 2pp. 81607:208-81607:208.

9411070063 Notification of licensee meeting w/util on 941108 to discuss licensee specific restart plans & NRC MC 0350, "Staff Guidelines for Restart Approval." BEACH,A.B. Region 4 (Post 820201). 94/10/31. Region 4 (Post 820201). 5pp. 81604:263-81604:267.

9411040135 Notification of 941109 meeting w/util in Rockville,MD to discuss status of current & anticipated licensing actions for plant. HALL,J.R. Project Directorate IV-1. 94/11/01. BECKNER,W.D. Project Directorate IV-1. 2pp. 81628:294-81628:295.

9411070016 Notification of 941117 meeting w/util in NPPD training bldg to discuss public exit for special evaluation team. BEACH,A.B. Region 4 (Post 820201). 94/11/01. Region 4 (Post 820201). 5pp. 81604:044-81604:048.

9411100006 Notification of licensee meeting w/listed attendees on 941117 in util training bldg re public exit for special evaluation team.Submits rev to NRC attendees. BEACH,A.B. Region 4 (Post 820201). 94/11/07. Region 4 (Post 820201). 5pp. 81672:246-81672:252.

9411150516 Forwards rewrite of Rev 10 to "CNS QA Program for Operation Policy Document" for NRC review & approval.Summary of changes & response to NRC 940606 RAJ also encl. HORN,G.R. Nebraska Public Power District. 94/11/07. Document Control Branch (Document Control Desk). 2pp. 81779:001-81779:131.

-9411150520 Rewrite of Rev 10 to "CNS QA Program for Operation Policy Document." * Nebraska Public Power District. 94/11/07. 129pp. 81779:003-81779:131.

9411160021 Discusses 941108 meeting addressing process by which NRC will determine readiness for restart of plant & allow licensee to discuss plans to restart.List of attendees,NRC presentation & licensee presentation encl. BEACH,A.B. Region 4 (Post 820201). 94/11/10. HORN,G.R. Nebraska Public Power District. 29pp. 81746:034-81746:063.

9411210240 Forwards Rev 0 to "Cooper Nuclear Station Restart Readiness Program." MUELLER,J.H. Nebraska Public Power District. 94/11/14. Document Control Branch (Document Control Desk). 1p. 81831:001-81831:076.

-9411210243 Rev 0 to, "Cooper Nuclear Station Restart Readiness Program." * Nebraska Public Power District. 94/11/08. 76pp. 81831:004-81831:076.

9411300207 Forwards page 6 to response to NRC request for addl info re QA program for operation - policy document, inadvertently omitted from original submittal. HORN,G.R. Nebraska Public Power District. 94/11/22. Document Control Branch (Document Control Desk). 3pp. 81951:287-81951:289.

Q. Inspection reports, IE Bulletins & correspondence

9410140257 Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Matis Events to NRC Operations Cir." BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.

9410200153 NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts." GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81658:001-81658:013.

9411020010 Forwards copy of master exam.w/answer key for 941005 generic fundamentals exam section of written operator licensing exam.W/o encl. GWYNN,T.P. Region 4 (Post 820201). 94/10/26. HORN,G.R. Nebraska Public Power District. 2pp. 81528:054-81528:055.

9411020021 Forwards insp rept 50-298/94-24 on 940731-0910 & notice of violation. Operations personnel error resulted in procedural violation & corresponding temporary loss of no break power.
BEACH, A.B. Region 4 (Post 820201). 94/10/27. HORN, G.R. Nebraska Public Power District. 5pp. 81528:155-81528:176.

-9411020026 Notice of violation from insp on 940731-0910. Violation noted: on 940819, loss of no break power sys occurred due to instructions in sys operating procedure 2.2.22, rev 26, "vital instrument power sys," not specifically followed.
* Region 4 (Post 820201). 94/10/27. 1p. 81528:161-81528:161.

-9411020036 Insp rept 50-298/94-24 on 940731-0910. Violations noted. Major areas inspected: onsite response to events, operational safety verification, plant support activities, surveillance operations & followup corrective actions for violations.
HARRELL, P.H. Region 4 (Post 820201). 94/10/26. 15pp. 81528:162-81528:176.

9411070097 Ack receipt of 940706 & 0921 ltrs informing of steps taken to correct violations noted in insp rept 50-298/94-04.
GWYNN, T.P. Region 4 (Post 820201). 94/10/28. HORN, G.R. Nebraska Public Power District. 4pp. 81605:001-81605:012.

9411080247 Forwards relief request RI-07 to ISI program for review & approval.
HORN, G.R. Nebraska Public Power District. 94/11/01. Document Control Branch (Document Control Desk). 5pp. 81667:354-81667:358.

9411150342 Responds to violations noted in insp rept 50-298/94-18. Corrective actions: change to procedure 2.0.1 initiated that will require notification of NRC resident inspector of any of conditions requiring shift supervisor to notify mgt.
MUELLER, J.H. Nebraska Public Power District. 94/11/07. Document Control Branch (Document Control Desk). 3pp. 81781:001-81781:003.

9411090300 NRC Bulletin 94-002, "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride."
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.

9411100237 NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment."
GRIMES, B.K. 94/11/17. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.

9411150578 NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation."
GRIMES, B.K. 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.

9411170039 NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping."
GRIMES, B.K. 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.

9411170279 NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys."
GRIMES, B.K. 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.

9411170284 NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results."
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.

R. Periodic operating reports & related correspondence

9411150269 Monthly operating rept for Oct 1994 for Cooper Nuclear Station. W/941110 ltr.
KRAUSE, E.A., HERRON, J.T. Nebraska Public Power District. 94/10/31. 5pp. 81775:122-81775:126.

S. Reportable occurrences, LERs & related correspondence

9411070306 LER 94-024-00: on 941002, inoperable condition of Halon sys in svc water pump room identified. Caused by inadequate procedures. Procedure 0.39, "Fire Watch" will be revised. W/ 941031 ltr.
SEN, G., HERRON, J.T. Nebraska Public Power District. 94/10/31. 4pp. 81716:159-81716:162.

9411100235 LER 94-023-00: on 941003, TS violation identified for failure to perform demonstration of DG-1 operability. Caused by inadequate training. Training (tailgate sessions) w/ licensed operations personnel will be performed. W/941102 ltr.
ALFORD, A., HERRON, J.T. Nebraska Public Power District. 94/11/02. 5pp. 81747:078-81747:082.

9411150608 LER 94-025-00: on 940930, improper installation & calibr of Kaman normal & high range gaseous activity detectors noted. Caused by personnel error. Detectors reinstalled & recalibrated. W/941104 ltr.
HORN, A.J., HERRON, J.T. Nebraska Public Power District. 94/11/04. 5pp. 81782:018-81782:022.

9411150536 LER 94-021-00: on 941007, design flaw discovered that could cause DGs rendered inoperable during fire in turbine bldg. Caused by improperly executed minor design change. HP carbon dioxide extinguishing sys input disabled. W/941107 ltr.
VICTOR, W., HERRON, J.T. Nebraska Public Power District. 94/11/07. 5pp. 81782:013-81782:017.

9411150631 LER 94-026-00: on 941009, determined that temp of solution in standby liquid control sys not being monitored, per TS. Caused by mgt/QA deficiency. Design change will be implemented to upgrade SLC heat to comply w/ requirements. W/ 941109 ltr.
HORN, A.J., HERRON, J.T. Nebraska Public Power District. 94/11/09. 5pp. 81782:028-81782:032.

9411220236 LER 94-010-00: on 940526, closure of shutdown cooling suction isolation valves while warming RHR sys due to leakage through minimum flow valve. SR MOV will be checked for torque-in current during MOV surveillance. W/941114 ltr.
SEN, G., HERRON, J.T. Nebraska Public Power District. 94/11/14. 6pp. 81850:168-81850:173.

9411250124 LER 94-011-00: on 940602, primary containment penetration design & testing deficiencies discovered. Caused by organizational & programmatic deficiencies. Design changes developed & implemented. W/941115 ltr.
REEVES, D.L., HERRON, J.T. Nebraska Public Power District. 94/11/15. 6pp. 81864:181-81864:186.

9411250051 LER 94-016-01: on 940804, determined that DG 2 not in compliance w/ alternate shutdown requirements. Caused by narrow interpretation of isolation requirements for DG. Design change implemented. W/941117 ltr.
MYERS, J.R., HERRON, J.T. Nebraska Public Power District. 94/11/17. 5pp. 81864:151-81864:155.

V. Operator Examinations

9411020010 Forwards copy of master exam, w/ answer key for 941005 generic fundamentals exam section of written operator licensing exam. W/o encl.
GWYNN, T.P. Region 4 (Post 820201). 94/10/26. HORN, G.R. Nebraska Public Power District. 2pp. 81528:054-81528:055.

9411290193 Summary of 941110 meeting w/ utils re training & operator licensing issues. List of attendees, meeting agenda & handouts encl.
GWYNN, T.P. Region 4 (Post 820201). 94/11/22. Region 4 (Post 820201). 27pp. 81869:003-81869:029.

DOCKET 50-301 POINT BEACH NUCLEAR PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9411230030 Forwards public version of EPIP including rev 22 to EPIP Index, rev 18 to EPIP Form Index, rev 21 to EPIP 1.1, rev 11 to EPIP 1.1.1, rev 6 to EPIP 1.1.2, rev 2 to EPIP 1.3e, rev 12 to EPIP 22 & rev 10 to EPIP 23. W/941117 ltr.
MAXFIELD, G.J. Wisconsin Electric Power Co. 94/07/21. Document Control Branch (Document Control Desk). 4pp. 81827:001-81827:149.

-9411230042 EPIP rev 22 to EPIP Index, rev 18 to EPIP Form Index, rev 21 to EPIP 1.1, rev 11 to EPIP 1.1.1, rev 6 to EPIP 1.1.2, rev 2 to EPIP 1.3e, rev 12 to EPIP 22, rev 10 to EPIP 23, rev 6 to EPIP 24, rev 11 to EPIP 25 & rev 26 to EPIP 26.
* Wisconsin Electric Power Co. 94/07/21. 147pp. 81827:003-81827:149.

9411010138 Forwards SALP 11 repts 50-266/94-01 & 50-301/94-01 covering period 930401-940917.
MARTIN, J.B. Region 3 (Post 820201). 94/10/21. LINK, R.E. Wisconsin Electric Power Co. 4pp. 81515:016-81515:026.

-9411010145 SALP 11 repts 50-266/94-01 & 50-301/94-01 for period 930401-940917.
* Region 3 (Post 820201). 94/10/21. 7pp. 81515:020-81515:026.

9411030174 Confirms that review of rev 2 to plant emergency plan completed & rev acceptable & does not decrease effectiveness of emergency planning.
CREED, J.R. Region 3 (Post 820201). 94/10/25. LINK, R.E. Wisconsin Electric Power Co. 1p. 81561:010-81561:010.

9411030158 Forwards FEMA, final "Exercise Rept, Point Beach Nuclear Power Plant Joint Exercise," conducted 920317.
MCCORMICK-BERGE Region 3 (Post 820201). 94/10/27. LINK, R.E. Wisconsin Electric Power Co. 1p. 81560:223-81560:325.

9411020212 Forwards rev to security plan. Rev withheld.
MAXFIELD, G.J. Wisconsin Electric Power Co. 94/10/28. Document Control Branch (Document Control Desk). 1p. 81633:326-81633:326.

9411040277 Forwards response to NRC RAIs, transmitted on 940913 & 1013 re util 940805 request for exemption from requirements of Section III.G of App R to 10CFR50 for AFWP room.
LINK, B. Wisconsin Electric Power Co. 94/10/31. Document Control Branch (Document Control Desk). 36pp. 81648:302-81648:337.

9411090243 Forwards central files & public versions of revised EPIPs. Central files version of revised EPIPs withheld.
MAXFIELD, G.J. Wisconsin Electric Power Co. 94/10/31. Document Control Branch (Document Control Desk). 1p. 81719:271-81719:298.

-9411090247 Public version of revised EPIPs, including Rev 21 to EPIP form index, Rev 13 to EPIP-22, Rev 11 to EPIP-23, Rev 7 to EPIP-24, Rev 12 to EPIP-25 & Rev 11 to EPIP-26.
* Wisconsin Electric Power Co. 94/10/31. 27pp. 81719:272-81719:298.

9411100071 Confirms plans to change time of 941108 meeting to discuss SALP rept for plant, covering period 930401 through 940917.
GREENMAN, E.G. Region 3 (Post 820201). 94/11/02. LINK, R.E. Wisconsin Electric Power Co. 2pp. 81673:262-81673:265.

-9411100076 Notification of significant licensee meeting w/ util on 941108 to discuss SALP rept for plant.
FARBER, M.J. Region 3 (Post 820201). 94/11/02. Region 3 (Post 820201). 2pp. 81673:264-81673:265.

9411300103 Requests results of review & disposition of physical security concern at plant within 30 days of ltr date.
PEDERSON, C.D. Region 3 (Post 820201). 94/11/18. LINK, R.E. Wisconsin Electric Power Co. 2pp. 81871:349-81871:350.

P. Operating license stage documents & correspondence

9411040293 Technical Rept, "Assessment of Aging Degradation of Civil/ Structural Features at Selected Operating Nuclear Power Plants."
BRAVERMAN, J. Brookhaven National Laboratory. L-151(6)/5-93. 93/05/31. 100pp. 81621:028-81621:128.

66 DOCKETED ITEMS

9411030252 Ltr contract, mod 1 to task order 22, extending period of performance from 940929 to 950329 at no addl cost to govt, to "IPE Reviews, Internal Events-Front End Only," for plants Unit 1 & 2.
MACE, M. Division of Contracts (Post 940714). NRC-04-91-066. 94/09/01. COLINA, J. Science & Engineering Associates, Inc. 1p. 81607:297-81607:298.

9411040111 Ltr contract, mod 1 to task order 23, extending period of performance of task order from 940929 to 950329 at no addl cost or obligation to govt, to "IPE Reviews, Internal Events, Human Reliability Analysis Only," for plants.
MACE, M. Division of Contracts (Post 940714). NRC-04-91-069. 94/09/01. HAAS, P.M. Concord Associates, Inc. 2pp. 81628:276-81628:277.

9411030224 Informs that IST program relief VRR-21 no longer required & formally withdrawn. Future testing of main feedwater check valve shall be on cold shutdown frequency as permitted by ASME Section XI, IWB-3522.
MAXFIELD, G.J. Wisconsin Electric Power Co. 94/10/18. Document Control Branch (Document Control Desk). 2pp. 81645:351-81645:352.

9411040254 Grants request for relief to use alloy 690 weld metal in fabrication & installation of replacement SG for plant & forwards SE supporting request.
CARPENTER, C.A. Project Directorate III-3. 94/10/27. LINK, R.E. Wisconsin Electric Power Co. 3pp. 81628:330-81628:336.

-9411040256 Safety evaluation supporting request for relief to use alloy 690 weld metal in fabrication & installation of replacement SG for plant.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/27. 4pp. 81628:333-81628:336.

9411010178 Submits degraded grid voltage setting limit status update. Licensees expect to provide Tech Specs change request for degraded voltage by 950428.
LINK, B. Wisconsin Electric Power Co. 94/10/28. Document Control Branch (Document Control Desk). 2pp. 81585:066-81585:067.

9411030323 Forwards Amends 156 & 160 to Licenses DPR-24 & DPR-27, respectively & SE Amends revise TS to reduce RCS raw measured total flow rate & operating pressure.
HANSEN, A.G. Project Directorate III-3. 94/10/28. LINK, R.E. Wisconsin Electric Power Co. 3pp. 81608:079-81608:095.

-9411030327 Amends 156 & 160 to Licenses DPR-24 & DPR-27, respectively, revising TS section 15.3.1.G, "Operation Limitations," to reduce RCS raw measured total flow rate & operating pressure.
ADENSAM, E.G. Division of Reactor Projects - III, IV, V (Post 901216). 94/10/28. 7pp. 81608:082-81608:089.

-9411030329 Safety evaluation supporting Amends 156 & 160 to Licenses DPR-24 & DPR-27, respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/28. 6pp. 81608:090-81608:095.

9411040277 Forwards response to NRC RAs, transmitted on 940913 & 1013 re util 940805 request for exemption from requirements of Section III.G of App R to 10CFR50 for AFWP room.
LINK, B. Wisconsin Electric Power Co. 94/10/31. Document Control Branch (Document Control Desk). 36pp. 81648:302-81648:337.

9411080037 Forwards SE denying licensee 940203 request for relief from successive insps of flaws detected in secondary-side SG shell weld.
CARPENTER, C.A. Project Directorate III-3. 94/11/01. LINK, R.E. Wisconsin Electric Power Co. 2pp. 81658:163-81658:169.

-9411080049 Safety evaluation denying licensee 940203 request for relief from successive insps of flaws detected in secondary-side SG shell weld.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/11/01. 5pp. 81658:165-81658:169.

9411160050 Forwards rept on site visit to review implementation of maint rule at station for review & info. Rept identifies strengths & weaknesses w/program at site.
SHAFFER, W.D. Region 3 (Post 820201). 94/11/07. DONNELLY, P.M. Consumers Power Co. 2pp. 81746:131-81746:141.

9411250140 Submits mod to 940912 submittal of TS Change Request 169, revising TS 15.3.3, "ECCS, Auxiliary Cooling Sys, Air Recirculation Fan Coolers & Containment Spray," per discussion w/NRC. Affected TS pages encl.
LINK, B. Wisconsin Electric Power Co. 94/11/16. Document Control Branch (Document Control Desk). 2pp. 81881:352-81881:355.

-9411250142 Proposed TS 15.3.3, stating that RCS temps shall be maintained greater than 350 F after placing reactor in hot shutdown condition & removing note to Spec 15.3.3.D.1.a, discussing power supply to Train B SWPs for Unit 2.
* Wisconsin Electric Power Co. 94/11/16. 2pp. 81881:354-81881:355.

Q. Inspection reports, IE Bulletins & correspondence

9411040257 Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Matis Events to NRC Operations Ctr."
BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.

9411010138 Forwards SALP 11 repts 50-266/94-01 & 50-301/94-01 covering period 930401-940917.
MARTIN, J.B. Region 3 (Post 820201). 94/10/21. LINK, R.E. Wisconsin Electric Power Co. 4pp. 81515:016-81515:026.

-9411010145 SALP 11 repts 50-266/94-01 & 50-301/94-01 for period 930401-940917.
* Region 3 (Post 820201). 94/10/21. 7pp. 81515:020-81515:026.

9411100077 Ack receipt of 941005 ltr informing NRC of steps taken to correct violations noted in insp repts 50-266/94-13 & 50-301/94-13.
FARBER, M.J. Region 3 (Post 820201). 94/10/25. LINK, R.E. Wisconsin Electric Power Co. 1p. 81673:266-81673:266.

9410200153 NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts."
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81586:001-81586:013.

9411100071 Confirms plans to change time of 941108 meeting to discuss SALP rept for plant, covering period 930401 through 940917.
GREENMAN, E.G. Region 3 (Post 820201). 94/11/02. LINK, R.E. Wisconsin Electric Power Co. 2pp. 81673:262-81673:265.

-9411100076 Notification of significant licensee meeting w/util on 941108 to discuss SALP II for plant.
FARBER, M.J. Region 3 (Post 820201). 94/11/02. Region 3 (Post 820201). 2pp. 81673:264-81673:265.

9411090300 NRC Bulletin 94-002, "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride."
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.

9411100237 NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment."
GRIMES, B.K. 94/11/17. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.

9411230015 Ack receipt of 941014 ltr transmitting NOV w/insp repts 50-266/94-16 & 50-301/94-16. Steps taken to correct violations 1.a.2.a & 2.b, noted. Violation 1.b, retracted.
SHAFFER, W.D. Region 3 (Post 820201). 94/11/18. LINK, R. Wisconsin Electric Power Co. 2pp. 81811:068-81811:078.

-9411230017 Ack receipt of 941014 ltr transmitting NOV w/insp repts 50-266/94-16 & 50-301/94-16. Steps taken to correct violations 1.a.2.a & 2.b, noted. Violation 1.b, retracted.
SHAFFER, W.D. Region 3 (Post 820201). 94/11/14. SCHROCK, C.A. Wisconsin Public Service Corp. 1p. 81811:070-81811:078.

9411150578 NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation."
GRIMES, B.K. 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.

9411170039 NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping."
GRIMES, B.K. 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.

9411170279 NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys."
GRIMES, B.K. 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.

9411170284 NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results."
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.

R. Periodic operating reports & related correspondence

9411230320 Monthly operating repts for Oct 1994 for Point Beach Nuclear Plant Units 1 & 2. W/941104 ltr.
KOUDELKA, M.B., MAXFIELD, G.J. Wisconsin Electric Power Co. 94/10/31. 13pp. 81854:316-81854:328.

9411230218 Forwards revised monthly operating repts for Sept 1994 for Point Beach Nuclear Plant.
MAXFIELD, G.J. Wisconsin Electric Power Co. 94/11/04. Document Control Branch (Document Control Desk). 1p. 81833:236-81833:245.

-9411230220 Revised monthly operating repts for Sept 1994 for Point Beach Nuclear Plant.
KOUDELKA, M.B. Wisconsin Electric Power Co. 94/09/30. 9pp. 81833:237-81833:245.

S. Reportable occurrences, LERs & related correspondence

9411020185 LER 94-003-00: on 941010, 800 psid leak test was performed & tubes, mechanical plugs & explosive plugs observed to have leakage. Closeout insp were performed & tubes were replaced. W/941026 ltr.
WEAVER, D.A., LINK, B. Wisconsin Electric Power Co. 94/10/26. 17pp. 81602:128-81602:144.

9411010262 LER 94-004-00: on 941006, RCS chloride sample taken outside periodicity required by TS due to incomplete communications. RCS sampled & chloride concentration verified to be within acceptable limit. W/941027 ltr.
MALANOWSKI, T.G., LINK, B. Wisconsin Electric Power Co. 94/11/06. 4pp. 81602:082-81602:085.

V. Operator Examinations

9411040264 Forwards exam answer key for forms A & B, grading results, & individual answer sheets for each individual taking exam from facility. Requests results be forwarded to individuals w/answer sheets. W/o encls.
RING, M.A. Region 3 (Post 820201). 94/10/27. Consumers Power Co. 1p. 81586:001-81586:001.

9411300218 Forwards NRC summarized guidance that clarifies requirements for maintaining individual operator licenses, entitled, "Clarification of Maint & Reactivation Requirements for Individual Operator Licenses."
RING, M.A. Region 3 (Post 820201). 94/11/18. Affiliation Not Assigned. 3pp. 81872:341-81872:343.

DOCKET 50-302 CRYSTAL RIVER NUCLEAR PLANT, UNIT 3

F. Security, medical, emergency & fire protection plans

9411140167 FOIA request for documents re concerns or allegations of radiological safety or to actions or statements of health physics technicians on 871202 or 03 at plant associated w/ NRC review of ALARA or health physics concerns. HENDERSON, D.A. Troutman Sanders (formerly Troutman, Sanders, Lockerman & Ashmore). 93/10/26. GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (890206-940714). 1p. 81732:205-81732:205.

9411100180 Forwards Revs 6-5 physical security plan. Revs withheld, per 10CFR73.21. BEARD, P.M. Florida Power Corp. 94/10/20. Document Control Branch (Document Control Desk). 1p. 81736:305-81736:305.

9411030234 Rev 17 to EPIP EM-204B, "Off-Site Dose Assessment During Radiological Emergencies (Computer Method)" & Rev 3 to EOP-6, "SGTR." EZZELL, P.F. Florida Power Corp. 94/10/24. 87pp. 81641:228-81641:314.

9411080250 Advises that util is conducting tests of Thermo-Lag specimens representative of installed configurations at facility which include samples of Thermo-Lag mat presently installed in plant. BEARD, P.M. Florida Power Corp. 94/10/31. Document Control Branch (Document Control Desk). 2pp. 81667:359-81667:360.

9411100215 Rev 2 to EOP-03, "Inadequate Subcooling Margin."
* Florida Power Corp. 94/11/01. 36pp. 81736:306-81736:342.

9411210025 Forwards insp rept 50-302/94-22 on 940910-1008 & notice of violation. VERRELLI, D.M. Region 2 (Post 820201). 94/11/04. BEARD, P.M. Florida Power Corp. 3pp. 81784:115-81784:142.

-9411210039 Insp rept 50-302/94-22 on 940910-1008. Violations noted. Major areas inspected: areas of plant operations, radiological controls, security, surveillance & maint observations, licensee event repts, on-site engineering & fire protection. BUTCHER, R., COOPER, T., POERTNER, K. Region 2 (Post 820201). 94/11/04. 24pp. 81784:119-81784:142.

9411160261 Provides response to violations noted in NRC Enforcement Action EA 94-135, dtd 941011. Corrective actions: licensee no longer security contractor at Crystal River. DELROSSO, L. Burns International Security Services, Inc. 94/11/10. Document Control Branch (Document Control Desk). 77pp. 81781:124-81781:201.

9411300338 Rev 21 to EPIP AR-305, "ES E Annunciator Response."
* Florida Power Corp. 94/11/23. 57pp. 81909:087-81909:144.

P. Operating license stage documents & correspondence

9411140167 FOIA request for documents re concerns or allegations of radiological safety or to actions or statements of health physics technicians on 871202 or 03 at plant associated w/ NRC review of ALARA or health physics concerns. HENDERSON, D.A. Troutman Sanders (formerly Troutman, Sanders, Lockerman & Ashmore). 93/10/26. GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (890206-940714). 1p. 81732:205-81732:205.

9411070159 Extends invitation to Region II licensees to participate w/ NRC & Region II representatives in discussion of GL 89-10 motor-operated valve programs. Meeting to be held on 941108 in Atlanta, GA. Meeting notice & agenda encl. GIBSON, A.F. Region 2 (Post 820201). 94/10/12. BEARD, P.M. Florida Power Corp. 4pp. 81605:206-81605:209.

9411080250 Advises that util is conducting tests of Thermo-Lag specimens representative of installed configurations at facility which include samples of Thermo-Lag mat presently installed in plant. BEARD, P.M. Florida Power Corp. 94/10/31. Document Control Branch (Document Control Desk). 2pp. 81667:359-81667:360.

9411100167 Submits comments on interim TER on audit of implementation of plant, Unit 3, improved TS. GIARDINA, R.J., FIN J-2038. 94/11/03. JONES, G.L. Idaho National Engineering Laboratory. 3pp. 81716:270-81716:293.

-9411100174 "Audit of Plant Specific License Conversions to STS, Unit 3," TER. SPENCER, K.M. Idaho National Engineering Laboratory. FIN J-2038. 94/10/31. NRC - No Detailed Affiliation Given. 20pp. 81716:273-81716:293.

9411210070 Confirms discussion w/ K Wilson & K Landis re 941116 meeting in Atlanta, GA to discuss issues delineated in encl meeting agenda. BOGER, B.A. Region 2 (Post 820201). 94/11/07. BEARD, P.M. Florida Power Corp. 4pp. 81785:020-81785:023.

9411210102 Notification of significant licensee meeting w/ util on 941116 in Region II. Ofc to discuss performance issues. LANDIS, K.D. Region 2 (Post 820201). 94/11/07. Region 2 (Post 820201). 2pp. 81785:084-81785:085.

9411290004 Confirms conversation between G Boldt & K Landis re rescheduling of meeting to be held in Atlanta, GA on 941122 to discuss issues delineated in encl meeting agenda. BOGER, B.A. Region 2 (Post 820201). 94/11/17. BEARD, P.M. Florida Power Corp. 4pp. 81857:009-81857:012.

9411290028 Revised notification of significant meeting w/ util on 941122 to discuss performance issues. Date revised from 941116 to 941122. LANDIS, K.D. Region 2 (Post 820201). 94/11/17. Region 2 (Post 820201). 2pp. 81857:191-81857:192.

Q. Inspection reports, IE Bulletins & correspondence

9411030283 Ltr contract, defining task order 42 entitled, "Svc Water Sys Operational Performance Insp - Crystal River." WIGGINS, E.J. Division of Contracts (Post 940714). NRC-03-93-026. 94/09/22. LOFY, R.A. PARAMETER, Inc. 6pp. 81607:338-81607:343.

9410140257 Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Matis Events to NRC Operations Ctr." BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.

9411300044 Ack receipt of 941003 ltr informing NRC of steps taken to correct violations noted in insp rept 50-302/94-19. VERRELLI, D.M. Region 2 (Post 820201). 94/10/21. BEARD, P.M. Florida Power Corp. 3pp. 81871:189-81871:191.

9411030347 Submits response to violations noted in Insp Rept 50-302/94-11. Corrective actions: licensee taken aggressive & proactive action over last several yrs to improve knowledge of condition of steam generators. BEARD, P.M. Florida Power Corp. 94/10/24. Document Control Branch (Document Control Desk). 2pp. 81640:327-81640:328.

9410200153 NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts." GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81658:001-81658:013.

9411210025 Forwards insp rept 50-302/94-22 on 940910-1008 & notice of violation. VERRELLI, D.M. Region 2 (Post 820201). 94/11/04. BEARD, P.M. Florida Power Corp. 3pp. 81784:115-81784:142.

-9411210035 Notice of violation from insp on 940910-1008. Violation noted: chemistry instructions CH-123 did not include sufficient details to provide accurate method for testing of emergency diesel fuel oil in quantities less than one liter.
* Region 2 (Post 820201). 94/11/04. 1p. 81784:118-81784:118.

-9411210039 Insp rept 50-302/94-22 on 940910-1008. Violations noted. Major areas inspected: areas of plant operations, radiological controls, security, surveillance & maint observations, licensee event repts, on-site engineering & fire protection. BUTCHER, R., COOPER, T., POERTNER, K. Region 2 (Post 820201). 94/11/04. 24pp. 81784:119-81784:142.

9411160261 Provides response to violations noted in NRC Enforcement Action EA 94-135, dtd 941011. Corrective actions: licensee no longer security contractor at Crystal River. DELROSSO, L. Burns International Security Services, Inc. 94/11/10. Document Control Branch (Document Control Desk). 77pp. 81781:124-81781:201.

941090300 NRC Bulletin 94-002, "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride." PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.

9411100237 NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment." GRIMES, B.K. 94/11/17. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.

9411150578 NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation." GRIMES, B.K. 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.

9411170039 NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping." GRIMES, B.K. 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.

9411170279 NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys." GRIMES, B.K. 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.

9411170284 NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results." PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.

R. Periodic operating reports & related correspondence

9411150440 Monthly operating rept for Oct 1994 for Crystal River Unit 3. W/941109 ltr. DAO, T.V., BOLDT, G.L. Florida Power Corp. 94/10/31. 5pp. 81781:103-81781:107.

S. Reportable occurrences, LERs & related correspondence

9411070090 Final Part 21 rept 94-002A re three air start distributor cams cracking at plants. Cams replaced w/ cams made using electric arc. PRATIENNE, S.A. Coltec Industries, Inc. 94/06/01. Document Control Branch (Document Control Desk). 5pp. 81654:209-81654:213.

9411040297 LER 94-005-00: on 940928, failure to perform reactor coolant pump motor flywheel occurred. Caused by cognitive personnel error. Personnel counselled & regulatory review will be conducted to determine further actions. W/941028 ltr. FRIJOUF, J.A., BOLDT, G.L. Florida Power Corp. 94/10/28. 6pp. 81658:044-81658:049.

9411090029 Submits followup to 940516 part 21 rept informing of investigation to determine data supplied in mid-80 used by Nuclear Utilities to set torque switches in MOV. MCCULLOUGH, H.G. Crane Co. 94/10/28. Document Control Branch (Document Control Desk). 1p. 81717:357-81717:359.

9411160272 LER 94-006-00: on 941006, deficiency in understanding of technical requirements leads to nonconservative RPS setpoint & potential violation of TS due to personnel error. Procedure & calibr data sheets will be revised. W/941107 ltr. FRIJOUF, J.A., BOLDT, G.L. Florida Power Corp. 94/11/07. 7pp. 81791:081-81791:087.

68 DOCKETED ITEMS

9411180250 LER 94-008-00: on 941010, failure to document TS actions within designated time period resulting in violation of TS. Caused by poor communication & teamwork. Review was performed to ensure full compliance w/TS.W/941110 ltr. FRIJOUF, J.A., BOLDT, G.L. Florida Power Corp. 94/11/10. 5pp. 81850:011-81850:015.

9411180255 LER 94-007-00: on 941012, failure to perform surveillance resulting in violation of TS. Caused by cognitive personnel error. Standardized MAR review program has been included in sys engineering manual.W/941110 ltr. FRIJOUF, J.A., BOLDT, G.L. Florida Power Corp. 94/11/10. 6pp. 81850:016-81850:021.

DOCKET 50-304 ZION NUCLEAR POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9411070071 Revised Corporate EIPs (CEPIP), including Rev 7 to CEPIP-3103-01 & Rev 8 to CEPIP-3104-01. SCOTT, D.J. Commonwealth Edison Co. 94/10/05. 19pp. 81654:188-81654:208.

9411030225 Revised Corporate EIPs (CEPIP), including Rev 2 to CEPIP-321-01, Rev 3 to CEPIP-3303-01, Rev 3 to CEPIP-3304-01, Rev 3 to CEPIP-3404-01 & Rev 3 to CEPIP-3505-01. PAVEY, M. Commonwealth Edison Co. 94/10/06. 65pp. 81606:221-81606:285.

9411100189 Rev 1 to CEPIP 2322-05A, "GSEP Radio Communicator." W/table of contents. * Commonwealth Edison Co. 94/10/07. 11pp. 81750:348-81750:358.

9411210065 Rev 2 to EPIP 180-4, "TSC ODCS Specialist." * Commonwealth Edison Co. 94/10/24. 12pp. 81836:343-81836:354.

9411100185 Rev 7g to "Generating Stations Emergency Plan (GSEP) Site Annex Zion Nuclear Power Station." * Commonwealth Edison Co. 94/10/31. 39pp. 81747:257-81747:295.

9411080222 Advises that 940217 rev to generating stations emergency plan annexes consistent w/requirements in App E to 10CFR50 & 10CFR50.47 & acceptable. DICK, G.F. Project Directorate III-2. 94/11/03. FARRAR, D.L. Commonwealth Edison Co. 3pp. 81663:340-81663:342.

9411210293 Submits response to NRC request for addl info re proposed use of corporate EOF as interim EOF to perform emergency response functions until near site can be staffed. JOHNSON, J.M. Commonwealth Edison Co. 94/11/15. Document Control Branch (Document Control Desk). 22pp. 81833:332-81833:353.

9411220214 Forwards response to violations noted in Insp Repts 50-295/94-19 & 50-304/94-19. Corrective actions: emergency light deficiencies identified in NOV on lights 335 & 482 required by fire protection operating procedures corrected. TUETKEN, R.P. Commonwealth Edison Co. 94/11/15. Document Control Branch (Document Control Desk). 6pp. 81864:325-81864:330.

941100211 Forwards response to 940919 RAI re proposed use of corporate EOF (CEOF) as interim EOF, including analysis of EOF functions applicable to CEOF as interim EOF. JOHNSON, J.M. Commonwealth Edison Co. 94/11/22. Office of Nuclear Reactor Regulation, Director (Post 870411). 77pp. 81908:092-81908:169.

H. General correspondence

9411090146 Responds to 940825 ltr expressing concerns re util mod of security force organization at nuclear facilities. NRC will evaluate future changes to security plans at nuclear facilities to ensure that plans remain effective. CAPRA, R.A. Project Directorate III-2. 94/11/04. RUSSELL, D. Affiliation Not Assigned. 4pp. 81715:225-81715:229.

9411090155 Informs of concern re CE decision to reduce security force NPGSS. Notes security already reduced 20% & terrorist threat to US higher than any time in recent history. Pleads that mod to security be stopped. RUSSELL, D. Affiliation Not Assigned. 94/08/25. THE CHAIRMAN Commissioners (Post 750119). 1p. 81715:229-81715:229.

P. Operating license stage documents & correspondence

9411300237 Final response to FOIA request for documents. App C records encl & partially withheld (ref FOIA exemption 5). POWELL, R.A. Division of Freedom of Information & Publications Services (890206-940714). 93/11/22. PATTERSON, S.J. Newman & Holtzinger. 3pp. 81900:174-81900:271.

9411300253 Summary of 920615-16 NRC senior mgt meeting conducted to assure NRC focusing resources on plants & related issues of greatest safety significance. Info partially deleted. TAYLOR, J.M. Ofc of the Executive Director for Operations. 92/06/25. THE CHAIRMAN Commissioners (Post 750119). 50pp. 81900:178-81900:227.

9411300265 Summary of 930126-28 NRC senior mgt meeting conducted to assure NRC focusing resources on plants & related issues of greatest safety significance. Info partially deleted. TAYLOR, J.M. Ofc of the Executive Director for Operations. 93/02/04. THE CHAIRMAN Commissioners (Post 750119). 44pp. 81900:228-81900:271.

9411040281 Requests authorization for R Hough of Precision Surveillance Inc. to allow contractor, Hill, to examine tendon surveillance repts & extract data from rept. SHIRAKI, C.Y. Project Directorate III-2. 94/11/01. FARRAR, D.L. Commonwealth Edison Co. 3pp. 81609:355-81609:357.

9411080285 Forwards amends 129,123,150,146,158 & 146 to licenses DPR-19, DPR-25, DPR-29, DPR-30, DPR-39 & DPR-48, respectively & safety evaluation. Amends add license condition that modifies NUREG-0737 to allow commitments be controlled under 10CFR50. SHIRAKI, C.Y. Project Directorate III-2. 94/11/03. FARRAR, D.L. Commonwealth Edison Co. 4pp. 81658:280-81658:307.

9411080290 Amends 129,123,150,146,158 & 146 to licenses DPR-19, DPR-25, DPR-29, DPR-30, DPR-39 & DPR-48, respectively, adding license condition that modifies NUREG-0737 to allow commitments made in response to NUREG-0737 be controlled under 10CFR50.59. CAPRA, R.A. Project Directorate III-2. 94/11/03. 21pp. 81658:284-81658:304.

9411080302 Safety evaluation supporting amends 129,123,150,146,158 & 146 to licenses DPR-39, DPR-48, DPR-19, DPR-25, DPR-29 & DPR-30, respectively. * Office of Nuclear Reactor Regulation, Director (Post 870411). 94/11/03. 3pp. 81658:305-81658:307.

9411090142 Notification of 941206 meeting w/util & NRC in Rockville, MD to discuss performance of licensee plants. DICK, G.F. Project Directorate III-2. 94/11/04. CAPRA, R.A. Project Directorate III-2. 4pp. 81715:221-81715:224.

9411160050 Forwards rept on site visit to review implementation of maint rule at station for review & info. Rept identifies strengths & weaknesses w/program at site. SHAFFER, W.D. Region 3 (Post 820201). 94/11/07. DONNELLY, P.M. Consumers Power Co. 2pp. 81746:131-81746:141.

9411220070 Submits relief request PR-02, which seeks to adopt Code Case N-416-1 & informs that relief would be applicable for second interval ISI program for Unit 2 & third interval ISI program for both units. SIMPKIN, T.W. Commonwealth Edison Co. 94/11/11. Office of Nuclear Reactor Regulation, Director (Post 870411). 5pp. 81831:354-81831:358.

9411210245 Submits response to NRC request for addl info re GL 89-10. Info provided in 4 Attachments. Attachment A provides summary of methods, results of reprioritization & margin review effort for util MOV population. FARRAR, D.L. Commonwealth Edison Co. 94/11/15. Document Control Branch (Document Control Desk). 54pp. 81837:034-81837:087.

9411300246 Application for amends to licenses DPR-39 & DPR-48, allowing one-time extension of allowed outage time for inoperable reserve source of off-site power. SIMPKIN, T.W. Commonwealth Edison Co. 94/11/21. RUSSELL, D. Office of Nuclear Reactor Regulation, Director (Post 870411). 14pp. 81910:204-81910:226.

9411300248 Proposed tech specs, allowing one-time extension of allowed outage time for inoperable reserve source of off-site power. * Commonwealth Edison Co. 94/11/21. 9pp. 81910:218-81910:226.

9411280043 Forwards safety evaluation of plant individual plant exam for internal events & internal flooding, per GL 88-20 & associated submittal guidance document, NUREG-1335. Response to concerns raised by review requested within 60 days. W/TER. SHIRAKI, C.Y. Project Directorate III-2. 94/11/22. FARRAR, D.L. Commonwealth Edison Co. 6pp. 81892:001-81892:166.

9411300346 Safety evaluation of plant individual plant exam (internal events only). Process used in individual plant exam could mask potential vulnerabilities & lead to false sense of security w/respect to likelihood of severe accident. * NRC - No Detailed Affiliation Given. 94/11/22. 30pp. 81892:007-81892:036.

9411250085 "Step 2 Technical Evaluation Rept of Zion IPE Front-End Analysis." SCIACCA, F., DARBY, J., CLARK, R.A. Science & Engineering Associates, Inc. SEA 91-553-017-A-1. 94/05/13. NRC - No Detailed Affiliation Given. 46pp. 81892:037-81892:082.

9411250097 "Step 2 Technical Evaluation Rept of Zion IPE Back-End Analysis." VIJAYKUMAR, R., KURITZKY, A.S., KHATIB-RAHBAR Energy Research Group, Inc. NRC-04-91-068. ERI/NRC 93-105. 93/10/31. NRC - No Detailed Affiliation Given. 27pp. 81892:083-81892:109.

9411250100 "Zion Nuclear Station Units 1 & 2, Technical Evaluation Rept of IPE Submittal Assessment of Human Reliability Analysis," final rept. SWANSON, P.J. Concord Associates, Inc. NRC-04-91-069. CA/TR-93-019-18. 94/08/31. Division of Safety Issue Resolution (Post 880717). 22pp. 81892:110-81892:132.

9411290177 "Evaluation of Zion IPE/HRA Mats." SWAIN, A.D. Affiliation Not Assigned. 94/06/14. Office of Nuclear Regulatory Research (Post 860720). 34pp. 81892:133-81892:166.

9411300167 Requests results of review & disposition of activities at Zion Station be submitted within 60 days of date of ltr. AXELSON, W.L. Region 3 (Post 820201). 94/11/22. TUETKEN, R. Commonwealth Edison Co. 2pp. 81925:138-81925:139.

Q. Inspection reports, IE Bulletins & correspondence

9411010011 Forwards insp repts 50-295/94-19 & 50-304/94-19 on 940823-1003 & notice of violation. Recurrent problems in scheduling & performance of routine maint & surveillance activities noted. MILLER, L.F. Region 3 (Post 820201). 94/10/19. TUETKEN, R.P. Commonwealth Edison Co. 2pp. 81514:021-81514:045.

9411010014 Notice of violation from insp on 940823-1003. Violation noted: from 940510 to 0906, emergency lights 355 & 482 had been on continuous fast charge & emergency lights would not illuminate. * Region 3 (Post 820201). 94/10/19. 1p. 81514:023-81514:023.

9411010020 Insp repts 50-295/94-19 & 50-304/94-19 on 940823-1003. Violations noted: Major areas inspected: licensee engineering, operations, maint & surveillances, plant support, safety assessment & quality verification. MILLER, L.F. Region 3 (Post 820201). 94/10/19. 19pp. 81514:024-81514:045.

9410140257 Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Mats Events to NRC Operations Ctr." BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.

9410200153 NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts." GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81658:001-81658:013.

9411160209 Forwards SE accepting licensee 940526 request for relief re second 10-yr inservice insp program.
SHIRAKI,C.Y. Project Directorate III-2. 94/11/09. FARRAR,D.L. Commonwealth Edison Co. 2pp. 81770:330-81770:336.

-9411160214 SER granting licensee 940526 request for relief re second 10-yr inservice insp program.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/11/09. 5pp. 81770:332-81770:336.

9411090300 NRC Bulletin 94-002, "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride."
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.

9411220214 Forwards response to violations noted in Insp Repts 50-295/94-19 & 50-304/94-19. Corrective actions: emergency light deficiencies identified in NOV on lights 335 & 482 required by fire protection operating procedures corrected.
TUETKEN,R.P. Commonwealth Edison Co. 94/11/15. Document Control Branch (Document Control Desk). 6pp. 81864:325-81864:330.

9411100237 NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment."
GRIMES,B.K. 94/11/17. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.

9411150578 NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation."
GRIMES,B.K. 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.

9411170039 NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping."
GRIMES,B.K. 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.

9411170279 NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys."
GRIMES,B.K. 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.

9411170284 NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results."
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.

R. Periodic operating reports & related correspondence

9411230227 Monthly operating rept for Oct 1994 for Zion Generating Station.W/941113 ltr.
CYGAN,J., BROCCOLO,E.A. Commonwealth Edison Co. 94/10/31. 13pp. 81864:290-81864:302.

S. Reportable occurrences, LERs & related correspondence

9411090280 LER 94-010-00: on 941002, voluntary entry into TS 3.0.3 caused by mgt deficiency. Developing & implementing guidance re voluntary entry into TS 3.0.3 & reviewing guidance & associated requirements w/ licensed personnel.W/941101 ltr.
SHELTON,H., BROCCOLO,E.A. Commonwealth Edison Co. 94/11/01. 4pp. 81770:047-81770:050.

9411210111 Interim Part 21 Rept 94-12 re Limitorque actuator potential motor pinion key failure. Comm Ed issued guidelines to six nuclear stations on methods for properly installing motor pinion keys.
JOHNSON,I.M. Commonwealth Edison Co. 94/11/11. Office of Nuclear Reactor Regulation, Director (Post 870411). 5pp. 81831:127-81831:131.

V. Operator Examinations

9411080120 Forwards completed NRC Form 536, "Operator Licensing Exam Data," per Administrative Ltr 94-12.
MADDEN,J. Commonwealth Edison Co. 94/10/25. Document Control Branch (Document Control Desk). 2pp. 81677:242-81677:243.

9411040264 Forwards exam answer key for forms A & B, grading results, & individual answer sheets for each individual taking exam from facility. Requests results be forwarded to individuals w/ answer sheets.W/o encls.
RING,M.A. Region 3 (Post 820201). 94/10/27. Consumers Power Co. 1p. 81586:001-81586:001.

9411300218 Forwards NRC summarized guidance that clarifies requirements for maintaining individual operator licenses, entitled, "Clarification of Maint & Reactivation Requirements for Individual Operator Licenses."
RING,M.A. Region 3 (Post 820201). 94/11/18. Affiliation Not Assigned. 3pp. 81872:341-81872:343.

DOCKET 50-305 KEWAUNEE NUCLEAR POWER PLANT

F. Security, medical, emergency & fire protection plans

9411090125 Revised EIPs, including rev AB to EP-AD-8, rev K to EP-AD-18, rev P to EP-ENV-4B, rev W to EP-EOP-4, rev I to EP-EOP-12, rev N to EP-OSF-2, rev O to EP-SEC-2, rev A to EP-SEC-5 & rev K to 16-TSC-1.W/941101 ltr.
SCHROCK,C.A. Wisconsin Public Service Corp. 94/10/27. 100pp. 81719:001-81719:110.

9411250146 Rev 16 to emergency plan.W/941118 ltr.
SCHROCK,C.A. Wisconsin Public Service Corp. 94/11/18. 41pp. 81881:201-81881:241.

K. Utility Final Safety Analysis Report (FSAR) & amends

9411100160 Updates FSAR for Kewaunee Nuclear Power Plant 1994 rev.W/ 941104 ltr.
SCHROCK,C.A. Wisconsin Public Service Corp. 94/11/04. 1,174pp. 81738:005-81741:086.

P. Operating license stage documents & correspondence

9411030317 Ltr contract, mod 3 to task order 16, extending period of performance from 941014 to 950413 at no addl cost or obligation to govt, to "IPE Reviews, Internal Events-Front End Only (Kewaunee)."
MACE,M. Division of Contracts (Post 940714). 94/09/01. COLINA,I. Science & Engineering Associates, Inc. 2pp. 81608:073-81608:074.

9411040124 Forwards amend 112 to license DPR-43 & safety evaluation. Amend revises TS by incorporating operability & surveillance requirements for recently installed AFW pump low discharge pressure trip instrumentation.
LAUFER,R.J. Project Directorate III-3. 94/11/01. SCHROCK,C.A. Wisconsin Public Service Corp. 3pp. 81619:323-81619:334.

-9411040129 Amend 112 to license DPR-43, revising TS by incorporating operability & surveillance requirements for recently installed AFW pump low discharge pressure trip instrumentation.
LAUFER,R.J. Project Directorate III-3. 94/11/01. 5pp. 81619:326-81619:330.

-9411040130 Safety evaluation supporting amend 112 to license DPR-43.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/11/01. 4pp. 81619:331-81619:334.

9411140200 Submits response to GL 88-20, "Individual Plant Exam for Severe Accident Vulnerabilities."
STEINHARDT,C. Wisconsin Public Service Corp. 94/11/07. Document Control Branch (Document Control Desk). 12pp. 81755:074-81755:085.

9411160050 Forwards rept on site visit to review implementation of maint rule at station for review & info. Rept identifies strengths & weaknesses w/ program at site.
SHAFFER,W.D. Region 3 (Post 820201). 94/11/07. DONNELLY,P.M. Consumers Power Co. 2pp. 81746:131-81746:141.

9411150445 Proposed Amend 128 to License DPR-43, allowing application of voltage-based repair limit for steam generator tube support plate intersections experiencing outside diameter stress corrosion cracking.
STEINHARDT,C. Wisconsin Public Service Corp. 94/11/08. Document Control Branch (Document Control Desk). 14pp. 81780:165-81780:195.

-9411150454 Proposed tech specs re steam generator tube support plate voltage-based repair limit.
* Wisconsin Public Service Corp. 94/11/08. 17pp. 81780:179-81780:195.

9411170292 Forwards corrected pages that should be inserted in USAR for Kewaunee Nuclear Power Plant.
SCHROCK,C.A. Wisconsin Public Service Corp. 94/11/09. Document Control Branch (Document Control Desk). 6pp. 81793:266-81793:271.

9411250039 Forwards amend 113 to license DPR-43 & safety evaluation. Amend revises TS 3.3.1 by separating specifications for internal containment spray & spray additive sys into two distinct specifications.
LAUFER,R.J. Project Directorate III-3. 94/11/18. SCHROCK,C.A. Wisconsin Public Service Corp. 2pp. 81841:340-81841:352.

-9411250040 Amend 113 to license DPR-43, revising TS 3.3.c by separating specifications for internal containment spray & spray additive sys into distinct specifications.
LAUFER,R.J. Project Directorate III-3. 94/11/18. 7pp. 81841:342-81841:348.

-9411250041 Safety evaluation supporting amend 113 to license DPR-43.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/11/18. 4pp. 81841:349-81841:352.

Q. Inspection reports, IE Bulletins & correspondence

9410140257 Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Matis Events to NRC Operations Ctr."
BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.

9410200153 NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts."
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81658:001-81658:013.

9411070017 Ack receipt of 941018 ltr informing NRC of steps taken to correct violations noted in insp rept 50-305/94-12.
WRIGHT,G.C. Region 3 (Post 820201). 94/10/31. SCHROCK,C.A. Wisconsin Public Service Corp. 2pp. 81604:049-81604:065.

9411070415 Forwards addl info on third 10-yr ISI plan submitted by util 931216 ltr, in ref to NRC 940831 request.
SCHROCK,C.A. Wisconsin Public Service Corp. 94/10/31. Document Control Branch (Document Control Desk). 20pp. 81676:135-81676:154.

9411100069 Forwards insp rept 50-305/94-13 on 940830-1017. No violations noted.
FARBER,M.J. Region 3 (Post 820201). 94/11/03. SCHROCK,C.A. Wisconsin Public Service Corp. 2pp. 81673:243-81673:261.

-9411100075 Insp rept 50-305/94-13 on 940830-1017. No violations noted. Major areas inspected: plant operations, maint, engineering, plant support & corrective actions on previous findings.
FARBER,M.J. Region 3 (Post 820201). 94/11/02. 17pp. 81673:245-81673:261.

9411100118 Informs of intent to perform engineering & technical support insp of plant on 941128-1208. Requests that util make info contained in encl available for use at start of insp.
SHAFFER,W.D. Region 3 (Post 820201). 94/11/04. SCHROCK,C.A. Wisconsin Public Service Corp. 2pp. 81673:305-81673:306.

70 DOCKETED ITEMS

9411150245 Closes out NRC Bulletin 88-004, "Potential Safety-Related Pump Loss." STEINHARDT, C.R. Wisconsin Public Service Corp. 94/11/08. Document Control Branch (Document Control Desk). 2pp. 81775:106-81775:107.

9411090300 NRC Bulletin 94-002, "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride." PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.

9411100237 NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment." GRIMES, B.K. 94/11/17. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.

9411230001 Notices that notice of violation response ltr dtd 94114 sent in error. SHAFFER, W.D. Region 3 (Post 820201). 94/11/18. SHROCK, C.A. Wisconsin Public Service Corp. 1p. 81811:011-81811:011.

9411230015 Ack receipt of 941014 ltr transmitting NOV w/insp repts 50-266/94-16 & 50-301/94-16. Steps taken to correct violations 1.a.2.a & 2.b. noted. Violation 1.b. retracted. SHAFFER, W.D. Region 3 (Post 820201). 94/11/18. LINK, R. Wisconsin Electric Power Co. 2pp. 81811:068-81811:078.

9411230017 Ack receipt of 941014 ltr transmitting NOV w/insp repts 50-266/94-16 & 50-301/94-16. Steps taken to correct violations 1.a.2.a & 2.b. noted. Violation 1.b. retracted. SHAFFER, W.D. Region 3 (Post 820201). 94/11/14. SHROCK, C.A. Wisconsin Public Service Corp. 1p. 81811:070-81811:078.

9411290016 Discusses SWS operational performance insp w/ref to insp rept 50-305/94-03. SHROCK, C.A. Wisconsin Public Service Corp. 94/11/18. Document Control Branch (Document Control Desk). 2pp. 81903:360-81903:361.

9411150578 NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation." GRIMES, B.K. 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.

9411170039 NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping." GRIMES, B.K. 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.

9411170279 NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys." GRIMES, B.K. 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.

9411170284 NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results." PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.

R. Periodic operating reports & related correspondence

9411150381 Monthly operating rept for Oct 1994 for Kewaunee Nuclear Power Plant. W/941109 ltr. ANDERSON, M.L., SHROCK, C.A. Wisconsin Public Service Corp. 94/10/31. 5pp. 81781:077-81781:081.

V. Operator Examinations

9411010113 Provides tentative schedule for operator license applications through 1998. Note that operator licensing exam schedule was based on FY (Oct 1 - Sept 30 of each year). SHROCK, C.A. Wisconsin Public Service Corp. 94/10/26. GALLO, R.M. NRC - No Detailed Affiliation Given. 2pp. 81579:273-81579:274.

9411040265 Forwards master BWR/PWR GFES exam w/answer key of exam administered on 941005. RING, M.A. Region 3 (Post 820201). 94/10/27. Commonwealth Edison Co. 1p. 81586:002-81586:002.

9411300218 Forwards NRC summarized guidance that clarifies requirements for maintaining individual operator licenses, entitled, "Clarification of Maint & Reactivation Requirements for Individual Operator Licenses." RING, M.A. Region 3 (Post 820201). 94/11/18. Affiliation Not Assigned. 3pp. 81872:341-81872:343.

DOCKET 50-306 PRAIRIE ISLAND NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9411070074 Responds to util 940814 ltr requesting retraction to commitment made in 940314 written response to NOV ref in insp repts 50-282/93-22 & 50-306/93-22 & informs of concurrence w/util request to delete commitment. CREED, J.R. Region 3 (Post 820201). 94/10/28. ANDERSON, R.O. Northern States Power Co. 2pp. 81604:299-81604:302.

9411070081 Requests retraction of util prior commitment in util 930314 written response to NOV as ref in insp repts 50-282/93-22 & 50-306/93-22 re safeguards info. ANDERSON, R.O. Northern States Power Co. 94/08/15. Document Control Branch (Document Control Desk). 2pp. 81604:301-81604:302.

9411220039 Forwards insp repts 50-282/94-15 & 50-306/94-15 on 940913-1024 & notice of violation. GREENMAN, E.G. Region 3 (Post 820201). 94/11/10. WATZLE, Northern States Power Co. 4pp. 81796:208-81796:234.

9411220041 Notice of violation from insp on 940913-1024. Violation noted: plant mgt authorization for voluntary entry into LCO per procedure SACD 3.15 not obtained prior to securing ventilation sys. * Region 3 (Post 820201). 94/11/10. 2pp. 81796:212-81796:213.

9411220043 Insp repts 50-282/94-15 & 50-306/94-15 on 940913-1024. Violations noted. Major areas inspected: operational safety verification, engineering safety feature sys, current mat condition & plant housekeeping & security. KROPP, W.J. Region 3 (Post 820201). 94/11/09. 21pp. 81796:214-81796:234.

9411230052 Requests response to encl RAI in order to resolve concerns on util ampacity derating factor determinations for plant. PETERSON, S.R. Project Directorate III-1. 94/11/17. ANDERSON, R.O. Northern States Power Co. 13pp. 81822:346-81822:358.

P. Operating license stage documents & correspondence

9411040295 Notification of 941116 meeting w/licensee in Rockville, MD to discuss generic topical rept on ability to credit boron in spent fuel pools. W also in attendance. PETERSON, S.R. Project Directorate III-1. 94/10/26. HANNON, J. Project Directorate III-1. 3pp. 81628:356-81628:358.

9411040015 Application for amends to licenses DPR-42 & DPR-50, revising TS to change radioactive effluent rept submittal from semiannual to annual. WADLEY, M.D. Northern States Power Co. 94/10/27. Document Control Branch (Document Control Desk). 2pp. 81653:001-81653:020.

9411040039 Proposed TS changing frequency of radioactive effluent rept submittal from semiannual to annual. * Northern States Power Co. 94/10/17. 18pp. 81653:003-81653:020.

9411040299 Notification of 941114 meeting w/licensee in Rockville, MD to discuss containment integrity during refueling for penetrations & post accident monitoring, specifically removal of hydrogen monitoring from TS. PETERSON, S.R. Project Directorate III-1. 94/10/27. HANNON, J. Project Directorate III-1. 3pp. 81621:129-81621:131.

9411160050 Forwards rept on site visit to review implementation of maint rule at station for review & info. Rept identifies strengths & weaknesses w/program at site. SHAFFER, W.D. Region 3 (Post 820201). 94/11/07. DONNELLY, P.M. Consumers Power Co. 2pp. 81746:131-81746:141.

9411170146 Forwards Rev 1 to "Prairie Island Nuclear Generating Plant, Core Operating Limits Rept, Unit 2-Cycle 16." ANDERSON, R.O. Northern States Power Co. 94/11/10. Document Control Branch (Document Control Desk). 1p. 81787:346-81787:357.

9411170151 Rev 1 to "Prairie Nuclear Nuclear Generating Plant, Core Operating Limits Rept, Unit 2-Cycle 16." NELSON, O., ECKHOLT, E., BREENE, T. Northern States Power Co. 94/11/10. 11pp. 81787:347-81787:357.

9411220402 Forwards audit conducted by M Gamberoni & P Campbell on 940808-12. Audit included review of program for implementing 10CFR50.59, "Changes, Tests & Experiments," at plant, authorized by licenses DPR-42 & DPR-60. PETERSON, S.R. Project Directorate III-1. 94/11/14. ANDERSON, R.O. Northern States Power Co. 2pp. 81817:287-81817:301.

9411220406 "Audit of Northern States Power Co Program to Implement 10CFR50.59 for Plant." * Office of Nuclear Reactor Regulation, Director (Post 870411). 94/11/14. 13pp. 81817:289-81817:301.

Q. Inspection reports, IE Bulletins & correspondence

9410140257 Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Matis Events to NRC Operations Cr." BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.

9410200153 NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts." GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81658:001-81658:013.

9411020127 Submits addl info re insp repts 50-282/93-12 & 50-306/93-12 on 930927-1115 re GL 89-10 MOV. ANDERSON, R.O. Northern States Power Co. 94/10/26. Document Control Branch (Document Control Desk). 3pp. 81589:292-81589:294.

9411070074 Responds to util 940814 ltr requesting retraction to commitment made in 940314 written response to NOV ref in insp repts 50-282/93-22 & 50-306/93-22 & informs of concurrence w/util request to delete commitment. CREED, J.R. Region 3 (Post 820201). 94/10/28. ANDERSON, R.O. Northern States Power Co. 2pp. 81604:299-81604:302.

9411070081 Requests retraction of util prior commitment in util 930314 written response to NOV as ref in insp repts 50-282/93-22 & 50-306/93-22 re safeguards info. ANDERSON, R.O. Northern States Power Co. 94/08/15. Document Control Branch (Document Control Desk). 2pp. 81604:301-81604:302.

9411220068 Ack receipt of 941017 ltr informing NRC of steps taken to correct violations noted in insp repts 50-282/94-14 & 50-306/94-14. C/A to be reviewed in future insp. GREENMAN, E.G. Region 3 (Post 820201). 94/11/08. WATZLE, Northern States Power Co. 1p. 81797:001-81797:001.

9411220039 Forwards insp repts 50-282/94-15 & 50-306/94-15 on 940913-1024 & notice of violation. GREENMAN, E.G. Region 3 (Post 820201). 94/11/10. WATZLE, Northern States Power Co. 4pp. 81796:208-81796:234.

9411220041 Notice of violation from insp on 940913-1024. Violation noted: plant mgt authorization for voluntary entry into LCO per procedure SACD 3.15 not obtained prior to securing ventilation sys. * Region 3 (Post 820201). 94/11/10. 2pp. 81796:212-81796:213.

-9411220043 Insp repts 50-282/94-15 & 50-306/94-15 on 940913-1024. Violations noted. Major areas inspected: operational safety verification, engineering safety feature sys, current matl condition & plant housekeeping & security.
KROPP, W.J. Region 3 (Post 820201). 94/11/09. 21pp. 81796:214-81796:234.

9411090300 NRC Bulletin 94-002, "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride."
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.

9411250239 Forwards Rev 0 to "NSP Prairie Island Nuclear Generating Plant Unit 2 ISI Exam Plan Third Interval 941221-201220, 2004."
ANDERSON, R.O. Northern States Power Co. 94/11/15. Document Control Branch (Document Control Desk). 2pp. 81873:001-81873:204.

-9411250241 Rev 0 to "NSP Prairie Island Nuclear Generating Plant Unit 2 ISI Exam Plan Third Interval 941221-201220, 2004."
VIK, M., KINNEY, C., RICKER, J. Northern States Power Co. 94/10/31. 200pp. 81873:003-81873:204.

9411100237 NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment."
GRIMES, B.K. 94/11/17. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.

9411300258 Requests schedule extension for RCP casing weld insp, per ASME Code Section XI insp & testing program.
ANDERSON, R.O. Northern States Power Co. 94/11/18. Document Control Branch (Document Control Desk). 3pp. 81923:338-81923:340.

9411150578 NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation."
GRIMES, B.K. 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.

9411170039 NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping."
GRIMES, B.K. 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.

9411170279 NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys."
GRIMES, B.K. 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.

9411170284 NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results."
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.

R. Periodic operating reports & related correspondence

9411090372 Monthly operating rept for Oct 1994 for Prairie Island Nuclear Generating Plant, W/941103 ltr.
DUGSTAD, D., ANDERSON, R.O. Northern States Power Co. 94/10/31. 9pp. 81718:350-81718:358.

S. Reportable occurrences, LERs & related correspondence

9411070090 Final Part 21 rept 94-002A re three air start distributor cams cracking at plants. Cams replaced w/cams made using electric arc.
PRATTIANNE, S.A. Coltec Industries, Inc. 94/06/01. Document Control Branch (Document Control Desk). 5pp. 81654:209-81654:213.

9411030082 PNC-III-94-085 on 941025, app 2.5 Ci of radioactive noble gases had been inadvertently released from plant, Unit 2 to atmosphere during filter change operation. Event & licensee CA to prevent recurrence being reviewed.
KOZAK, T.J., PEDERSON, C.D. Region 3 (Post 820201). 94/10/26. 1p. 81560:044-81560:044.

9411300298 LER 94-003-00 on 941025, auto-start of train of ABSVS on high radiation occurred during restoration of seal water return filter due to inadequate procedure. Procedures will be revised. W/941122 ltr.
HUNSTAD, A.A., ANDERSON, R.O. Northern States Power Co. 94/11/22. 5pp. 81872:179-81872:183.

V. Operator Examinations

9411040265 Forwards master BWR/PWR GFES exam w/answer key of exam administered on 941005.
RING, M.A. Region 3 (Post 820201). 94/10/27. Commonwealth Edison Co. 1p. 81586:002-81586:002.

9411300218 Forwards NRC summarized guidance that clarifies requirements for maintaining individual operator licenses, entitled, "Clarification of Maint & Reactivation Requirements for Individual Operator Licenses."
RING, M.A. Region 3 (Post 820201). 94/11/18. Affiliation Not Assigned. 3pp. 81872:341-81872:343.

Y. Dry Cask Independent Spent Fuel Storage Installations

9411010360 Summary of 941013 meeting w/NSP in Rockville, MD re topics on proposed ISFSI that NSP needs to build for Prairie Island power plant.
SCHNEIDER, J.F. Office of Nuclear Material Safety & Safeguards. 94/10/25.
HAUGHNEY, C.J. Office of Nuclear Material Safety & Safeguards. 7pp. 81579:306-81579:311.

DOCKET 50-309 MAINE YANKEE ATOMIC POWER PLANT

F. Security, medical, emergency & fire protection plans

9411180252 Forwards ERDS implementation documents. W/o encl.
JOLICOEUR, J.R. Incident Response Branch. 94/10/06. SAUL, K.L. Halliburton NUS Environmental Corp. 1p. 81809:018-81809:018.

9411070189 Responds to NRC 941007 ltr re violations noted in insp rept 50-309/94-11. Corrective actions: security made evaluation for compensatory measures & reportability immediately on discovery of security key ring being off site.
HEBERT, J.R. Maine Yankee Atomic Power Co. 94/10/31. Document Control Branch (Document Control Desk). 5pp. 81654:098-81654:102.

9411090111 Forwards EA & FONSI which requests exemption from requirements of 10CFR73, App B, Section 1.B.b.(1)(a), re vision. Two security officers do not meet distant visual acuity requirement.
TROTTER, E.H. Project Directorate I-3. 94/11/03. FRIZZLE, C.D. Maine Yankee Atomic Power Co. 2pp. 81666:351-81666:358.

-9411090117 EA & FONSI requesting exemption from certain requirements of 10CFR73, App B, "General Criteria for Security Personnel." Exemption would relieve security officers from meeting distant visual acuity requirements in one eye.
BUTLER, W.R. Project Directorate I-3. 94/11/03. 6pp. 81666:353-81666:358.

9411210076 Rev 7 to EPIP 2-50-5, "Emergency Notification," replacing existing page 4.
* Maine Yankee Atomic Power Co. 94/11/07. 2pp. 81837:186-81837:187.

H. General correspondence

9411070047 Comment on proposed rule 10CFR2 re reexamination of NRC enforcement policy.
GRANT, J.M. Yankee Atomic Electric Co. 94/10/24. MEYER, D. Division of Freedom of Information & Publications Services (Post 940714). 5pp. 81604:177-81604:181.

P. Operating license stage documents & correspondence

9411160061 Notification of significant licensee meeting 94-129 w/util on 941117 to discuss completion status of plant GL 89-10 program.
LAZARUS, W.J. Region 1 (Post 820201). 94/11/01. Region 1 (Post 820201). 2pp. 81746:183-81746:184.

9411090111 Forwards EA & FONSI which requests exemption from requirements of 10CFR73, App B, Section 1.B.b.(1)(a), re vision. Two security officers do not meet distant visual acuity requirement.
TROTTER, E.H. Project Directorate I-3. 94/11/03. FRIZZLE, C.D. Maine Yankee Atomic Power Co. 2pp. 81666:351-81666:358.

-9411090117 EA & FONSI requesting exemption from certain requirements of 10CFR73, App B, "General Criteria for Security Personnel." Exemption would relieve security officers from meeting distant visual acuity requirements in one eye.
BUTLER, W.R. Project Directorate I-3. 94/11/03. 6pp. 81666:353-81666:358.

9411150441 Refers to public meeting in King of Prussia, PA on 941026 to discuss motor-operator valve issues. W/attendance list, agenda, licensee & NRC presentations & panel session questions.
KELLY, E.M. Region 1 (Post 820201). 94/11/03. FRIZZLE, C.D. Maine Yankee Atomic Power Co. 51pp. 81744:050-81744:100.

9411300351 Application for amend to license DPR-36, proposing TS change 184 re administrative changes.
FRIZZLE, C.D. Maine Yankee Atomic Power Co. 94/11/18. Document Control Branch (Document Control Desk). 7pp. 81907:343-81907:355.

-9411300354 Proposed tech specs re admin changes.
* Maine Yankee Atomic Power Co. 94/11/18. 6pp. 81907:350-81907:355.

9411290101 Trip rept of 941011-13 visit to plant to review implementation of main rule, 10CFR50.65. Performed step-by-step review of implementation of main rule using NRC draft main rule insp procedure.
TROTTER, E.H. Project Directorate I-3. 94/11/22. HEBERT, J.R. Maine Yankee Atomic Power Co. 12pp. 81866:068-81866:080.

Q. Inspection reports, IE Bulletins & correspondence

9411090069 Ack receipt of 940916 ltr informing NRC of steps taken to correct violations noted in insp rept 50-309/94-13.
JOYNER, J.H. Region 1 (Post 820201). 94/10/14. FRIZZLE, C.D. Maine Yankee Atomic Power Co. 2pp. 81637:349-81637:353.

9410140257 Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Matls Events to NRC Operations Ctr."
BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.

9411020017 Discusses insp rept 50-309/94-15 on 940717-0906 & 941014 enforcement conference held to discuss events, causes & safety significance & forwards notice of violation. List of attendees encl.
COOPER, R.W. Region 1 (Post 820201). 94/10/20. FRIZZLE, C.D. Maine Yankee Atomic Power Co. 5pp. 81528:081-81528:152.

-9411020019 Notice of violation from insp on 940717-0906. Violation noted: test program did not assure that all testing required to demonstrate that emergency feedwater valves will satisfactorily isolate faulted steam generator.
* Region 1 (Post 820201). 94/10/20. 67pp. 81528:086-81528:152.

9410200153 NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts."
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81658:001-81658:013.

72 DOCKETED ITEMS

9411070189 Responds to NRC 941007 ltr re violations noted in insp rept 50-309/94-11. Corrective actions: security made evaluation for compensatory measures & reportability immediately on discovery of security key ring being off site. HEBERT, J.R. Maine Yankee Atomic Power Co. 94/10/31. Document Control Branch (Document Control Desk). 5pp. 81654:098-81654:102.

9411150016 Forwards insp rept 50-309/94-19 on 940907-1017. No violations noted. Operation & maint of plant has been performed safely during period. LINVILLE, J.C. Region 1 (Post 820201). 94/11/07. FRIZZLE, C.D. Maine Yankee Atomic Power Co. 3pp. 81734:003-81734:021.

-9411150019 Insp rept 50-309/94-19 on 940907-1017. No violations noted. Major areas inspected: plant activities, operations, maint, engineering & overall plant support. LAZARUS, W.J. Region 1 (Post 820201). 94/11/02. 16pp. 81734:006-81734:021.

9411090300 NRC Bulletin 94-002. "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride." PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.

9411170295 Forwards "Maine Yankee 1994 S/G Insp Rept." Rept provides assessment of operation w/ degraded SG tubes prior to outage in Jul/Aug 1994. Rept also provides assessment of crack growth rate. WHITTIER, G.D. Maine Yankee Atomic Power Co. 94/11/14. Document Control Branch (Document Control Desk). 2pp. 81800:001-81800:120.

-9411170297 "Maine Yankee 1994 S/G Insp Rept." WHITTIER, G.W. Maine Yankee Atomic Power Co. 94/11/14. 100pp. 81800:003-81800:120.

9411220104 Forwards response to violations noted in Insp Rept 50-309/94-15. Corrective actions: reviewed maint dept valve procedures to determine adequacy of post maint testing. HEBERT, J.R. Maine Yankee Atomic Power Co. 94/11/15. Document Control Branch (Document Control Desk). 5pp. 81892:338-81892:342.

9411100237 NRC Info Notice 94-077. "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment." GRIMES, B.K. 94/11/17. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.

9411280029 Ack receipt of 941031 ltr informing NRC of steps taken to correct violations noted in insp rept 50-309/94-11. JOYNER, J.H. Region 1 (Post 820201). 94/11/17. FRIZZLE, C.D. Maine Yankee Atomic Power Co. 2pp. 81840:275-81840:281.

9411150578 NRC Info Notice 94-078. "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation." GRIMES, B.K. 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.

9411290101 Trip rept of 941011-13 visit to plant to review implementation of maint rule, 10CFR50.65. Performed step-by-step review of implementation of maint rule using NRC draft maint rule insp procedure. TROTTER, E.H. Project Directorate I-3. 94/11/22. HEBERT, J.R. Maine Yankee Atomic Power Co. 12pp. 81866:068-81866:080.

9411300250 Advises that ten-yr reactor vessel exam, per 10CFR50.55a(g)(6)(ii)(A) is being performed during next refueling scheduled for Feb 1995. HEBERT, J.R. Maine Yankee Atomic Power Co. 94/11/22. Document Control Branch (Document Control Desk). 1p. 81925:098-81925:098.

9411170039 NRC Info Notice 94-079. "Microbiologically Influenced Corrosion of EDG Svc Water Piping." GRIMES, B.K. 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.

9411170279 NRC Info Notice 94-080. "Inadequate DC Ground Detection in DC Distribution Sys." GRIMES, B.K. 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.

9411170284 NRC Info Notice 94-081. "Accuracy of Bioassay & Environ Sampling Results." PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.

R. Periodic operating reports & related correspondence

9411210383 Monthly operating rept for Oct 1994 for Maine Yankee Atomic Power. W/ 941114 ltr. BAILEY, S.J., HEBERT, J.R. Maine Yankee Atomic Power Co. 94/10/31. 6pp. 81837:132-81837:137.

S. Reportable occurrences, LERs & related correspondence

9411030337 Staff requirements memo re 941018 meeting for all NRC employees in Rockville, MD to provide employees opportunity to address questions directly to Commissioners. Addl followup needed for items including article re incident at plant. HOYLE, J.C. Office of the Secretary of the Commission. 94/10/28. TAYLOR, J.M. Ofc of the Executive Director for Operations. 1p. 81608:108-81608:108.

9411040218 LER 94-016-01: on 940804, determined that EFW isolation & regulating valves for SG 1 leaking due to inadequate maint procedure & inadequate post maint testing. Maint procedures revised. W/ 941028 ltr. STOWERS, G., HEBERT, J.R. Maine Yankee Atomic Power Co. 94/10/28. 5pp. 81658:033-81658:037.

9411150243 LER 94-017-00: on 941004, dual function ECCS valve inoperable. Caused by mechanical binding of valve operating reach rod mechanism. Plant mgt reassessed guidance for operability of containment sys. W/ 941104 ltr. MALONEY, R.E., HEBERT, J.R. Maine Yankee Atomic Power Co. 94/11/03. 4pp. 81791:034-81791:037.

DOCKET 50-311 SALEM NUCLEAR GENERATING STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9411100291 Rev 27 to EPIP 204S, "Emergency Response Callout/Personnel Recall." * Public Service Electric & Gas Co. of New Jersey. 94/09/30. 64pp. 81752:110-81752:168.

9411180086 Rev 4 to EPIP 807, "Emergency News Ctr Telephone Directory." * Public Service Electric & Gas Co. of New Jersey. 94/10/28. 13pp. 81818:286-81818:296.

9411180088 Rev 46 to table of contents. * Public Service Electric & Gas Co. of New Jersey. 94/10/28. 3pp. 81818:337-81818:339.

9411210086 Revised EPIPs, including rev 15 to EPIP-1006, rev 13 to EPIP-1007, rev 5 to EPIP-1010 & rev 29 to EPIP-1013. * Public Service Electric & Gas Co. of New Jersey. 94/11/09. 156pp. 81836:107-81836:262.

9411220105 Forwards documentation re handling, control & storage of safety-related parts at plant & requests that results of util review be submitted to Region I within 60 days. WHITE, J.R. Region 1 (Post 820201). 94/11/09. ELIASON, L.R. Public Service Electric & Gas Co. of New Jersey. 4pp. 81798:134-81798:137.

9411300106 Forwards insp repts 50-272/94-23, 50-311/94-23 & 50-354/94-21 on 941024-26. No violations noted. JOYNER, J.H. Region 1 (Post 820201). 94/11/21. ELIASON, L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 81872:094-81872:107.

-9411300117 Insp repts 50-272/94-23, 50-311/94-23 & 50-354/94-21 on 941024-26. No violations noted. Major areas inspected: evaluation of annual full-participation exercise. LAUGHLIN, J. Region 1 (Post 820201). 94/11/21. 11pp. 81872:097-81872:107.

H. General correspondence

9411170296 Responds to 941013 memo, forwarding ltr from F Harpster re government oversight of plant. Assures that NRC will continue to closely monitor plant operations & will not hesitate to take any necessary regulatory actions. TAYLOR, J.M. Ofc of the Executive Director for Operations. 94/11/10. ROTH, W.V. Senate. 3pp. 81777:139-81777:141.

9411170296 Responds to 941013 memo, forwarding ltr from F Harpster re government oversight of plant. Assures that NRC will continue to closely monitor plant operations & will not hesitate to take any necessary regulatory actions. TAYLOR, J.M. Ofc of the Executive Director for Operations. 94/11/10. ROTH, W.V. Senate. 5pp. 81904:299-81904:305.

-9411220396 Requests NRC consideration of encl 941004 ltr. ROTH, W.V. Senate. 94/10/13. Office of Congressional Affairs (Post 911117). 2pp. 81904:304-81904:305.

P. Operating license stage documents & correspondence

9411020175 Forwards amends 158 & 139 to licenses DPR-70 & DPR-75, respectively & safety evaluation. Amends change unit 1 TS by replacing main feedwater control & control bypass valves w/ main feedwater stop check valves for CI function. OLSHAN, L.N. Project Directorate I-2. 94/10/20. ELIASON, L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 81602:159-81602:174.

-9411020178 Amends 158 & 139 to licenses DPR-70 & DPR-75, respectively, change unit 1 TS by replacing main feedwater control & control bypass valves w/ main feedwater stop check valves for CI function. STOLZ, J.F. Project Directorate I-2. 94/10/20. 10pp. 81602:162-81602:171.

-9411020181 Safety evaluation supporting amends 158 & 139 to licenses DPR-70 & DPR-75, respectively. * Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/20. 3pp. 81602:172-81602:174.

9411030324 Advises that NJ Dept of Environ Protection & Energy Bureau of Engineering reviewed util 940920 License Amend Request LCR-93-06 & has no comments. TOSCH, K.W. New Jersey, State of. 94/10/26. Document Control Branch (Document Control Desk). 2pp. 81640:352-81640:353.

9411040304 Informs that LN Olshan is project manager for plant. STOLZ, J.F. Project Directorate I-2. 94/10/31. ELIASON, L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 81628:359-81628:361.

9411080259 Informs that LN Olshan holds project manager position for plant. VARGA, S.A. Division of Reactor Projects - I/II (Post 870411). 94/10/31. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 81658:279-81658:279.

9411150437 Discusses 941026 meeting in King of Prussia, PA re motor-operated valve issues w/ Region I licensees. List of attendees, agenda, licensee & NRC presentations & panel session questions encl. KELLY, E.M. Region 1 (Post 820201). 94/11/03. ELIASON, L.R. Public Service Electric & Gas Co. of New Jersey. 49pp. 81744:001-81744:049.

9411150571 Discusses info re license change request 94-30 re addition of new action statement to TS 3.1.3.2.1, position indication systems operating for both Salem Units. TOSCH, K.W. New Jersey, State of. 94/11/03. Document Control Branch (Document Control Desk). 2pp. 81778:357-81778:358.

9411280023 Forwards amends 159 & 140 to licenses DPR-70 & DPR-75, respectively & safety evaluation. Amends reduce min setpoints & allowable values for SG low & low-level reactor protection sys signals. OLSHAN, L.N. Project Directorate I-2. 94/11/04. ELIASON, L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 81852:105-81852:130.

—9411280025 Amends 159 & 140 to licenses DPR-70 & DPR-75, respectively, reducing min setpoints & allowable values for SG low & low-low reactor protection sys signals. STOLZ, J.F. Project Directorate I-2. 94/11/04. 20pp. 81852:108-81852:127.

—9411280026 Safety evaluation supporting amends 159 & 140 to licenses DPR-70 & DPR-75, respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/11/04. 3pp. 81852:128-81852:130.

9411220318 Forwards Amends 160 & 141 to Licenses DPR-70 & DPR-75, respectively. Amends revise TS to permit out-of-svc component to be returned to svc under administrative controls.
OLSHAN, L.N. Project Directorate I-2. 94/11/08. ELIASON, L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 81817:316-81817:333.

—9411220325 Amends 160 & 141 to Licenses DPR-70 & DPR-75, respectively, re changes to TS to permit out-of-svc component to be returned to svc under administrative controls.
STOLZ, J.F. Project Directorate I-2. 94/11/08. 12pp. 81817:319-81817:330.

—9411220331 Safety evaluation supporting Amends 160 & 141 to Licenses DPR-70 & DPR-75, respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/11/08. 3pp. 81817:331-81817:333.

9411220105 Forwards documentation re handling, control & storage of safety-related parts at plant & requests that results of util review be submitted to Region I within 60 days.
WHITE, J.R. Region 1 (Post 820201). 94/11/09. ELIASON, L. Public Service Electric & Gas Co. of New Jersey. 4pp. 81798:134-81798:137.

9411290272 Requests results of review & disposition re improper use of overtime at plant within 60 days of ltr date.
COOPER, R.W. Region 1 (Post 820201). 94/11/18. ELIASON, L. Public Service Electric & Gas Co. of New Jersey. 5pp. 81870:229-81870:233.

9411300361 Application for amends to licenses DPR-70 & DPR-75 re change to revise reactivity control sys TS LCO for boration flow paths & charging pumps by reducing number of operable charging pumps required for B addition in Mode 4.
HAGAN, J.J. Public Service Electric & Gas Co. of New Jersey. 94/11/18. Document Control Branch (Document Control Desk). 3pp. 81907:313-81907:342.

—9411300362 Proposed tech specs re change to revise reactivity control sys TS LCO for boration flow paths & charging pumps by reducing number of operable charging pumps required for B addition in Mode 4 from two to one.
* Public Service Electric & Gas Co. of New Jersey. 94/11/18. 27pp. 81907:316-81907:342.

G. Inspection reports, IE Bulletins & correspondence

9410140257 Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Matis Events to NRC Operations Ctr."
BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.

9410200153 NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts."
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81658:001-81658:013.

9411080016 Ack receipt of 941018 ltr informing NRC of steps taken to correct violations noted in insp repts 50-272/94-14 & 50-311/94-14.
WHITE, J.R. Region 1 (Post 820201). 94/10/31. HAGAN, J. Public Service Electric & Gas Co. of New Jersey. 3pp. 81628:127-81628:135.

9411090300 NRC Bulletin 94-002, "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride."
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.

9411220055 Forwards insp repts 50-272/94-28 & 50-311/94-28 on 941017-21. No violations noted.
JOYNER, J.H. Region 1 (Post 820201). 94/11/15. ELIASON, L.R. Public Service Electric & Gas Co. of New Jersey. 2pp. 81796:311-81796:319.

—9411220060 Insp repts 50-272/94-28 & 50-311/94-28 on 941017-21. No violations noted. Major areas inspected: radioactive liquid & gaseous effluent control programs including mgt controls & quality assurance audit.
PELUSO, L., JANG, J.C. Region 1 (Post 820201). 94/11/22. 6pp. 81796:314-81796:319.

9411100237 NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment."
GRIMES, B.K. 94/11/17. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.

9411300084 Requests approval, per 10CFR50.55a, Section (a)(3) & footnote 6, to use ASME Code Case N416-1.
HAGAN, J.J. Public Service Electric & Gas Co. of New Jersey. 94/11/18. Document Control Branch (Document Control Desk). 4pp. 81922:310-81922:313.

9411150578 NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation."
GRIMES, B.K. 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.

9411300106 Forwards insp repts 50-272/94-23, 50-311/94-23 & 50-354/94-21 on 941024-26. No violations noted.
JOYNER, J.H. Region 1 (Post 820201). 94/11/21. ELIASON, L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 81872:094-81872:107.

—9411300117 Insp repts 50-272/94-23, 50-311/94-23 & 50-354/94-21 on 941024-26. No violations noted. Major areas inspected: evaluation of annual full-participation exercise.
LAUGHLIN, J., KEIMIG, R. Region 1 (Post 820201). 94/11/21. 11pp. 81872:097-81872:107.

9411170039 NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping."
GRIMES, B.K. 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.

9411170279 NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys."
GRIMES, B.K. 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.

9411170284 NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results."
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.

R. Periodic operating reports & related correspondence

9411020058 "Discharge Monitoring Rept For Salem Generating Station for Sept 1994."
W/941025 ltr.
HAGAN, J.J. Public Service Electric & Gas Co. of New Jersey. 94/09/30. CAPORALE, G. New Jersey, State of. 22pp. 81589:130-81589:152.

9411230308 Monthly operating rept for Oct 1994 for Salem Generating Station Unit 2. W/941114 ltr.
MORRONI, M., HAGAN, J.J. Public Service Electric & Gas Co. of New Jersey. 94/10/31. 10pp. 81854:294-81854:303.

9411170273 Forwards FFD performance data rept for six month period ending 940630.
LABRUNA, S. Public Service Electric & Gas Co. of New Jersey. 94/11/04. Document Control Branch (Document Control Desk). 7pp. 81793:258-81793:265.

S. Reportable occurrences, LERs & related correspondence

9411020250 LER 94-011-00: on 940929, manually-initiated reactor trip signal following unplanned closure of MSIV21 & 22 MS167. Caused by personnel error. Appropriate procedures changed. W/941019 ltr.
PASTVA, M.J., HAGAN, J.J. Public Service Electric & Gas Co. of New Jersey. 94/10/19. 6pp. 81619:001-81619:007.

9411210395 LER 94-012-00: on 941013, required daily calibr of power range instrumentation not performed within surveillance interval due to personnel error. Personnel involved in event counseled & Procedure SC.OP-DD-ZZ-0D40(Z) revised. W/941114 ltr.
PASTVA, M.J., HAGAN, J.J. Public Service Electric & Gas Co. of New Jersey. 94/11/14. 7pp. 81850:104-81850:111.

DOCKET 50-312 RANCHO SECO NUCLEAR GENERATING STATION

H. General correspondence

9411300138 Forwards updated distribution list for facility.
DELEZENSKI, J. Sacramento Municipal Utility District. 94/11/22. CALLAN, L.J. Region 4 (Post 820201). 2pp. 81922:344-81922:345.

I. Financial information

9411150010 Advises that withdrawal from trust fund is to cover decommissioning expenses accrued from 920901-940831 & estimated accruals from 940901-1231.
REDEKER, S. Sacramento Municipal Utility District. 94/10/26. Document Control Branch (Document Control Desk). 6pp. 81775:079-81775:084.

P. Operating license stage documents & correspondence

9411030114 Informs that input & output files listed on encl will be withheld from public disclosure per 10CFR2.790(b)(5) & Section 103(b) of Atomic Energy Act of 1954, as amended.
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/10/26. SHETLER, J.R. Sacramento Municipal Utility District. 5pp. 81653:211-81653:215.

Q. Inspection reports, IE Bulletins & correspondence

9410140257 Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Matis Events to NRC Operations Ctr."
BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.

9410200153 NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts."
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81658:001-81658:013.

9411220019 Ack receipt of 941020 ltr which District provided results of investigation into 10CFR61 radwaste stream sample analysis results anomalies, ref NRC insp rept 50-312/94-02.
COLLINS, S.J. Region 4 (Post 820201). 94/11/09. SHETLER, J.R. Sacramento Municipal Utility District. 5pp. 81796:084-81796:092.

—9411220028 Discusses resolution of 10CFR61 sample analysis result anomalies, ref NRC insp rept 50-312/94-02 on 940922.
REDEKER, S. Sacramento Municipal Utility District. 94/10/20. CALLAN, L.J. Region 4 (Post 820201). 4pp. 81796:089-81796:092.

9411090300 NRC Bulletin 94-002, "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride."
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.

74 DOCKETED ITEMS

9411100237 NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment." GRIMES,B.K. . 94/11/17. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.

9411150578 NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation." GRIMES,B.K. . 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.

9411170039 NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping." GRIMES,B.K. . 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.

9411170279 NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys." GRIMES,B.K. . 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.

9411170284 NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results." PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.

DOCKET 50-313 ARKANSAS NUCLEAR ONE, UNIT 1

F. Security, medical, emergency & fire protection plans

9407180094 Forwards scenario package for "1994 Radiological Emergency Preparedness Exercise." W/o encl. BEMENT,R.S. Entergy Operations, Inc. 94/07/13. CALLAN,J. Region 4 (Post 820201). 2pp. 81665:189-81665:190.

9411220045 Forwards insp repts 50-313/94-23 & 50-368/94-23 on 941024-28. Violation noted but not cited. COLLINS,S.J. Region 4 (Post 820201). 94/11/18. YELVERTON,J.W. Entergy Operations, Inc. 5pp. 81796:271-81796:292.

9411220053 Insp repts 50-313/94-23 & 50-368/94-23 on 941024-28. No violations noted. Major areas inspected: operational status, of emergency preparedness program, emergency plans, emergency facilities & training. MURRAY,B. Region 4 (Post 820201). 94/11/19. 17pp. 81796:276-81796:292.

9411300336 Rev 8 to Procedure/Work Plan 1903.067, "Emergency Response Facility-EOF." Entergy Operations, Inc. 94/11/22. 86pp. 81909:001-81909:086.

9411300340 Rev 13 to Procedure/Work Plan 1903.062, "Communications Sys Operating Procedure." Entergy Operations, Inc. 94/11/22. 16pp. 81910:001-81910:016.

9411300342 Rev 7 to Procedure/Work Plan 1903.066, "Emergency Response Facility OSC." Entergy Operations, Inc. 94/11/22. 59pp. 81909:145-81909:203.

P. Operating license stage documents & correspondence

9411030208 Ltr contract, definitizing Task Order 37, "IPE Reviews, Internal Events Back-End Only." MACE,M. Division of Contracts (Post 940714). FIN L-1933. 94/09/19. MEYER,J. SCIENTECH, Inc. 2pp. 81602:193-81602:194.

9411150355 Withdraws exemption request from requirements of 10CFR50, App J & reapplication for exemption from 10CFR50, App J concerning Type A test interval & frequency & associated TS change request. MIMS,D.C. Entergy Operations, Inc. 94/11/08. Document Control Branch (Document Control Desk). 12pp. 81781:007-81781:022.

9411150383 Proposed tech specs re change to Type A tests. Entergy Operations, Inc. 94/11/08. 4pp. 81781:019-81781:022.

Q. Inspection reports, IE Bulletins & correspondence

9410140257 Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Matis Events to NRC Operations Ctr." BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.

9410200153 NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts." GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81658:001-81658:013.

9411150002 Responds to violations noted in insp repts 50-313/94-20 & 50-368/94-20. Corrective actions: procedures revised to control ECP level. MIMS,D.C. Entergy Operations, Inc. 94/11/04. Document Control Branch (Document Control Desk). 6pp. 81780:295-81780:300.

9411150122 Responds to NRC ltr re violations noted in insp repts 50-313/94-07 & 50-368/94-07 on 940724-0903. Corrective actions: requests extension for responding to violation until 941216. MIMS,D.C. Entergy Operations, Inc. 94/11/04. Document Control Branch (Document Control Desk). 3pp. 81775:095-81775:097.

9411170277 Discusses insp repts 50-313/94-20 & 50-368/94-20 on 940725-29 & 0809-12 & forwards notice of violation. GWYNN,T.P. Region 4 (Post 820201). 94/11/09. YELVERTON,J.W. Entergy Operations, Inc. 4pp. 81800:219-81800:226.

9411170002 Forwards insp repts 50-313/94-08 & 50-368/94-08 on 940904-1015 & notice of violation. BEACH,A.B. Region 4 (Post 820201). 94/11/10. YELVERTON,J.W. Entergy Operations, Inc. 6pp. 81760:023-81760:050.

9411170005 Notice of violation from insp on 940904-1015. Violations noted: licensee had not verified within last 18 months that EDG could energize swing HPSI pump 2P-89C through all time delay relay contacts during simulated LOOP. * Region 4 (Post 820201). 94/11/10. 2pp. 81760:029-81760:030.

9411170011 Insp repts 50-313/94-08 & 50-368/94-08 on 940904-1015. Violations noted. Major areas inspected: resident insp that addressed operational safety verification, monthly maint observation, onsite engineering & plant support activities. VANDENBURGH,C. Region 4 (Post 820201). 94/11/10. 21pp. 81760:031-81760:050.

9411090300 NRC Bulletin 94-002, "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride." PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.

9411220056 Ack receipt of 941020 ltr informing NRC of steps taken to correct violation in insp repts 50-313/94-16 & 50-368/94-16. COLLINS,S.J. Region 4 (Post 820201). 94/11/15. YELVERTON,J.W. Entergy Operations, Inc. 3pp. 81796:320-81796:328.

9411100237 NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment." GRIMES,B.K. . 94/11/17. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.

9411220045 Forwards insp repts 50-313/94-23 & 50-368/94-23 on 941024-28. Violation noted but not cited. COLLINS,S.J. Region 4 (Post 820201). 94/11/18. YELVERTON,J.W. Entergy Operations, Inc. 5pp. 81796:271-81796:292.

9411220053 Insp repts 50-313/94-23 & 50-368/94-23 on 941024-28. No violations noted. Major areas inspected: operational status, of emergency preparedness program, emergency plans, emergency facilities & training. MURRAY,B. Region 4 (Post 820201). 94/11/19. 17pp. 81796:276-81796:292.

9411250202 Forwards response to violations noted in Insp Repts 50-313/94-18 & 50-368/94-18. Corrective actions: licensee notification communicators provided training on clarification on use of DEF/VS fax machine. MIMS,D.C. Entergy Operations, Inc. 94/11/18. Document Control Branch (Document Control Desk). 4pp. 81866:235-81866:238.

9411150578 NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation." GRIMES,B.K. . 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.

9411170039 NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping." GRIMES,B.K. . 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.

9411170279 NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys." GRIMES,B.K. . 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.

9411170284 NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results." PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.

R. Periodic operating reports & related correspondence

9411210388 Monthly operating rept for Oct 1994 for ANO Unit 1. W/941115 ltr. HAYES,K.R., MIMS,D.C. Entergy Operations, Inc. 94/10/31. 7pp. 81837:152-81837:158.

S. Reportable occurrences, LERs & related correspondence

9411090353 LER 94-003-00: on 941008, surveillance testing of some engineered safeguards components did not verify operability as required by TS, due to procedural deficiencies resulting from inadequate definition of testing requirements. SCHEIDE,R.H., MIMS,D.C. Entergy Operations, Inc. 94/11/04. 6pp. 81732:018-81732:023.

V. Operator Examinations

9411070084 Informs that arrangements made for administration of licensing exam at plant, per 941021 telcon. Util should furnish ref mats identified as attachment 2 of ES-201 in order to prepare for exams scheduled for wk of 950206. GWYNN,T.P. Region 4 (Post 820201). 94/10/28. YELVERTON,J.W. Entergy Operations, Inc. 4pp. 81604:339-81604:342.

9411080211 Forwards info requested by NRC Administrative Ltr 94-12, "Operator Licensing Exam Schedule," including number of operator licensing candidates to be tested for FY95-98. MIMS,D.C. Entergy Operations, Inc. 94/11/02. Document Control Branch (Document Control Desk). 3pp. 81678:354-81678:357.

DOCKET 50-315 DONALD C. COOK NUCLEAR POWER PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9411020196 Forwards Rev 27 to modified amended security plan. Plan withheld. * Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 94/10/14. Document Control Branch (Document Control Desk). 1p. 81633:325-81633:325.

9411010080 Forwards insp repts 50-315/94-18 & 50-316/94-18 on 940813-0923 & notice of violation.
GREENMAN,E.G. Region 3 (Post 820201). 94/10/21. FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 5pp. 81514:187-81514:213.

-9411010086 Notice of violation from insp on 940813-0923. Violation noted: on 940926-28, licensee personnel failed to remove action request tags from Unit 2 TDAFWP trip & throttle valve & from local control panel.
* Region 3 (Post 820201). 94/10/21. 2pp. 81514:192-81514:193.

-9411010096 Insp repts 50-315/94-18 & 50-316/94-18 on 940813-0923. Violations noted. Major areas inspected: operational safety verification, security, engineered safety feature sys & onsite event followup.
KROPP,W.J. Region 3 (Post 820201). 94/10/20. 20pp. 81514:194-81514:213.

9411220375 Forwards "Cook Nuclear Plant 1994 Emergency Plant Evaluated Exercise Scenario."
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 94/11/11. RUSSELL,W.T. Document Control Branch (Document Control Desk). 1p. 81832:285-81832:314.

-9411220393 "Cook Nuclear Plant 1994 Emergency Plant Evaluated Exercise Scenario."
* Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 94/01/01. 28pp. 81832:286-81832:314.

9411300121 Informs of decision to institute quarterly proficiency training for ERDS Operators.
AXELSON,W.L. Region 3 (Post 820201). 94/11/16. MARTIN,J. Region 3 (Post 820201). 4pp. 81872:132-81872:135.

9411230022 Forwards insp repts 50-315/94-20 & 50-316/94-20 on 940924-1029. Non-cited violations identified.
KROPP,W.J. Region 3 (Post 820201). 94/11/17. FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 4pp. 81811:125-81811:145.

-9411230024 Insp repts 50-315/94-20 & 50-316/94-20 on 940924-1029. Non-cited violations identified. Major areas inspected: plant cleanliness, security, radiological controls, operational safety verification & maint & surveillance activities.
KROPP,W.J. Region 3 (Post 820201). 94/11/17. 17pp. 81811:129-81811:145.

9411300324 Rev 1 to Plant Manager Procedures (PMP) Emergency Plan Procedure (EPP) PMP 2080 EPP-103, "Alert."
SMITH,J.H. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 94/11/18. 23pp. 81910:099-81910:121.

P. Operating license stage documents & correspondence

9411160050 Forwards rept on site visit to review implementation of maint rule at station for review & info. Rept identifies strengths & weaknesses w/program at site.
SHAFFER,W.D. Region 3 (Post 820201). 94/11/07. DONNELLY,P.M. Consumers Power Co. GIPSON,D.R. Detroit Edison Co. SCHROCK,C.A. Wisconsin Public Service Corp. 2pp. 81746:131-81746:141.

9411140204 Forwards amends 185 & 170 to licenses DPR-58 & DPR-74, respectively & SE. Amends modify action statements for both units & surveillance requirements for unit 2 in TS 3.7.1.5 to provide greater operational flexibility w/new STS.
HICKMAN,J.B. Project Directorate III-1. 94/11/08. FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 3pp. 81736:244-81736:263.

-9411140205 Amends 185 & 170 to licenses DPR-58 & DPR-74, respectively, revising action statements & surveillance requirements for unit 2 in TS 3.7.1.5 to provide greater operational flexibility w/new STS.
HANNON,J.N. Project Directorate III-1. 94/11/08. 12pp. 81736:247-81736:258.

-9411140206 Safety evaluation supporting amends 185 & 170 to licenses DPR-58 & DPR-74, respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/11/08. 5pp. 81736:259-81736:263.

9411150592 Forwards Amends 184 & 169 to Licenses DPR-58 & DPR-74 & SE. Amends revise TS to allow extended action time for improper boron concentration & to provide consistent action statement.
HICKMAN,J.B. Project Directorate III-1. 94/11/08. FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 4pp. 81748:061-81748:082.

-9411150600 Amends 184 & 169 to Licenses DPR-58 & DPR-74, respectively, re changes to TS to allow extended action time for improper boron concentration & to provide consistent action statement.
HANNON,J.N. Project Directorate III-1. 94/11/08. 14pp. 81748:065-81748:078.

-9411150611 Safety evaluation supporting Amends 184 & 169 to Licenses DPR-58 & DPR-74, respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/11/08. 4pp. 81748:079-81748:082.

9411180056 Forwards safety evaluation accepting util request for approval for disposal of licensed matl per 10CFR20, section 302. Exemption & environmental assessment also encl.
ROE,J.W. Division of Reactor Projects - III,IV,V (Post 901216). 94/11/10. FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). FITZPATRICK,E. American Electric Power Service Corp. 3pp. 81782:148-81782:165.

-9411180059 Safety evaluation accepting util request for approval for disposal of licensed matl per 10CFR20, section 302.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/11/10. 5pp. 81782:151-81782:155.

-9411180065 Exemption granted from requirements of 10CFR20.2001, allowing onsite storage of radioactive matl.
ROE,J.W. Division of Reactor Projects - III,IV,V (Post 901216). 94/11/10. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 5pp. 81782:156-81782:160.

-9411180069 Environ assessment & finding of no significant impact re util request for approval for disposal of licensed matl per 10CFR20, section 302.
HICKMAN,J.B. Project Directorate III-1. 94/10/24. 5pp. 81782:161-81782:165.

9411210284 Forwards revised commitments re lube oil analysis program & info requested by staff re actions to be taken in event oil samples indicate potential pump degradation.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 94/11/11. MARTIN,J.B. Document Control Branch (Document Control Desk). 6pp. 81837:099-81837:104.

9411220305 Forwards RAI re 941025 meeting on IPSEE for DC Cook.
HICKMAN,J.B. Project Directorate III-1. 94/11/14. FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). FITZPATRICK,E. American Electric Power Service Corp. 4pp. 81822:226-81822:229.

9411220348 Application for amends to Licenses DPR-58 & DPR-74, modifying TS 3.9.3 for units to allow start of core offload 100 h after core subcriticality instead of 168 h currently specified. Rev 2 to HI-941183 rept encl.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 94/11/16. RUSSELL,W.T. Document Control Branch (Document Control Desk). 3pp. 81831:246-81831:301.

-9411220358 Proposed TS 3.9.3 re refueling operations decay time.
* Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 94/11/16. 19pp. 81831:249-81831:267.

-9411220367 Rev 0 to HI-941183, "Spent Nuclear Fuel Pool Thermal- Hydraulic Analysis Rept for DC Cook Nuclear Plant."
* Holtec International. HI-941183 R02. 94/08/25. 22pp. 81831:268-81831:301.

9411300095 Provides addl info for 931112 TS change re deletion of component cyclic or transient limit table.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 94/11/18. RUSSELL,W.T. Document Control Branch (Document Control Desk). 3pp. 81922:317-81922:325.

-9411300097 Proposed tech specs re deleting of component cyclic or transient limit table.
* Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 94/11/18. 6pp. 81922:320-81922:325.

9411300355 Application for amends to licenses DPR-58 & DPR-74 to TS re change request on in-service insp requirements.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 94/11/18. RUSSELL,W.T. Document Control Branch (Document Control Desk). 3pp. 81910:017-81910:029.

-9411300357 Proposed tech specs re change request on in-service insp requirements.
* Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 94/11/18. 10pp. 81910:020-81910:029.

Q. Inspection reports, IE Bulletins & correspondence

9410140257 Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Matls Events to NRC Operations Ctr."
BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.

9411010070 Forwards insp repts 50-315/94-21 & 50-316/94-21 on 941004-06. No violations identified.
MCCORMICK-BARGE Region 3 (Post 820201). 94/10/20. FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 2pp. 81514:178-81514:183.

-9411010073 Insp repts 50-315/94-21 & 50-316/94-21 on 941004-06. No violations noted. Major areas inspected: licensee chemistry program including mgt & organizational changes, review of recent condition repts & interviews w/chemistry technicians.
HOUSE,J.E., MCCORMICK-BARGE Region 3 (Post 820201). 94/10/21. 4pp. 81514:180-81514:183.

9411010080 Forwards insp repts 50-315/94-18 & 50-316/94-18 on 940813-0923 & notice of violation.
GREENMAN,E.G. Region 3 (Post 820201). 94/10/21. FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 5pp. 81514:187-81514:213.

-9411010086 Notice of violation from insp on 940813-0923. Violation noted: on 940926-28, licensee personnel failed to remove action request tags from Unit 2 TDAFWP trip & throttle valve & from local control panel.
* Region 3 (Post 820201). 94/10/21. 2pp. 81514:192-81514:193.

-9411010096 Insp repts 50-315/94-18 & 50-316/94-18 on 940813-0923. Violations noted. Major areas inspected: operational safety verification, security, engineered safety feature sys & onsite event followup.
KROPP,W.J. Region 3 (Post 820201). 94/10/20. 20pp. 81514:194-81514:213.

9410200153 NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts."
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81658:001-81658:013.

9411010334 Advises that installation of permanent design change will be deferred because affected equipment & areas are not accessible at power for necessary pre-design walkdowns & work plan development.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 94/11/28. MARTIN,J.B. Document Control Branch (Document Control Desk). 3pp. 81579:351-81579:353.

9411210284 Forwards revised commitments re lube oil analysis program & info requested by staff re actions to be taken in event oil samples indicate potential pump degradation.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 94/11/11. MARTIN,J.B. Document Control Branch (Document Control Desk). 6pp. 81837:099-81837:104.

9411090300 NRC Bulletin 94-002, "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride."
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.

76 DOCKETED ITEMS

9411230006 Ack receipt of 941028 ltr informing NRC of steps taken to correct violations noted in insp rept 50-315/94-04.
MARTIN,T.O. Division of Reactor Projects - I/II (Post 870411). 94/11/15. FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 1p. 81811:048-81811:048.

9411220274 Provides response to violations noted in Insp Repts 50-315/94-18 & 50-316/94-18. Corrective action: request tags identified by inspector as not being removed verified on 941027, to have since been removed.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 94/11/16. Document Control Branch (Document Control Desk). 7pp. 81833:015-81833:021.

9411100237 NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment."
GRIMES,B.K. 94/11/17. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.

9411230022 Forwards insp repts 50-315/94-20 & 50-316/94-20 on 940924-1029. Non-cited violations identified.
KROPP,W.J. Region 3 (Post 820201). 94/11/17. FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 4pp. 81811:125-81811:145.

9411230024 Insp repts 50-315/94-20 & 50-316/94-20 on 940924-1029. Noncited violations identified. Major areas inspected: plant cleanliness, security, radiological controls, operational safety verification & maint & surveillance activities.
KROPP,W.J. Region 3 (Post 820201). 94/11/17. 17pp. 81811:129-81811:145.

9411150578 NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation."
GRIMES,B.K. 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.

9411170039 NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping."
GRIMES,B.K. 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.

9411170279 NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys."
GRIMES,B.K. 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.

9411170284 NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results."
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.

R. Periodic operating reports & related correspondence

9411230214 Forwards monthly operating rept for Oct 1994 for DC Cook Nuclear Plant Unit 1 & revised rept for Sept 1994.
BLIND,A.A. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 94/11/16. Document Control Branch (Document Control Desk). 1p. 81833:223-81833:230.

9411230215 Monthly operating rept for Oct 1994 for DC Cook Nuclear Plant Unit 1.
JANISSE,J.D. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 94/10/31. 4pp. 81833:224-81833:227.

9411230216 Revised monthly operating rept for Sept 1994 for DC Cook Nuclear Plant Unit 1.
BUBBLICK,D.L. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 94/09/30. 3pp. 81833:228-81833:230.

V. Operator Examinations

9411040265 Forwards master BWR/PWR GFES exam w/answer key of exam administered on 941005.
RING,M.A. Region 3 (Post 820201). 94/10/27. Commonwealth Edison Co. 1p. 81586:002-81586:002.

9411300218 Forwards NRC summarized guidance that clarifies requirements for maintaining individual operator licenses, entitled, "Clarification of Maint & Reactivation Requirements for Individual Operator Licenses."
RING,M.A. Region 3 (Post 820201). 94/11/18. Affiliation Not Assigned. 3pp. 81872:341-81872:343.

DOCKET 50-316 DONALD C. COOK NUCLEAR POWER PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9411020196 Forwards Rev 27 to modified amended security plan. Plan withheld.
* Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 94/10/14. Document Control Branch (Document Control Desk). 1p. 81633:325-81633:325.

9411010080 Forwards insp repts 50-315/94-18 & 50-316/94-18 on 940813-0923 & notice of violation.
GREENMAN,E.G. Region 3 (Post 820201). 94/10/21. FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 5pp. 81514:187-81514:213.

9411010086 Notice of violation from insp on 940813-0923. Violation noted: on 940926-28, licensee personnel failed to remove action request tags from Unit 2 TDAFWP trip & throttle valve & from local control panel.
* Region 3 (Post 820201). 94/10/21. 2pp. 81514:192-81514:193.

9411010096 Insp repts 50-315/94-18 & 50-316/94-18 on 940813-0923. Violations noted. Major areas inspected: operational safety verification, security, engineered safety feature sys & onsite event followup.
KROPP,W.J. Region 3 (Post 820201). 94/10/20. 20pp. 81514:194-81514:213.

9411220375 Forwards "Cook Nuclear Plant 1994 Emergency Plant Evaluated Exercise Scenario."
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 94/11/11. RUSSELL,W.T. Document Control Branch (Document Control Desk). 1p. 81832:285-81832:314.

9411220393 "Cook Nuclear Plant 1994 Emergency Plant Evaluated Exercise Scenario."
* Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 94/01/01. 28pp. 81832:286-81832:314.

9411300121 Informs of decision to institute quarterly proficiency training for ERDS Operators.
AXELSON,W.L. Region 3 (Post 820201). 94/11/16. MARTIN,J. Region 3 (Post 820201). 4pp. 81872:132-81872:135.

9411230022 Forwards insp repts 50-315/94-20 & 50-316/94-20 on 940924-1029. Non-cited violations identified.
KROPP,W.J. Region 3 (Post 820201). 94/11/17. FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 4pp. 81811:125-81811:145.

9411230024 Insp repts 50-315/94-20 & 50-316/94-20 on 940924-1029. Noncited violations identified. Major areas inspected: plant cleanliness, security, radiological controls, operational safety verification & maint & surveillance activities.
KROPP,W.J. Region 3 (Post 820201). 94/11/17. 17pp. 81811:129-81811:145.

9411300324 Rev 1 to Plant Manager Procedures (PMP) Emergency Plan Procedure (EPP) PMP 2080 EPP-103, "Alert."
SMITH,J.H. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 94/11/18. 23pp. 81910:099-81910:121.

P. Operating license stage documents & correspondence

9411010267 Forwards "Assessment of Indications in DC Cook Unit 2 Head Penetration 75" & proprietary rept WCAP-14118, Rev 1, "Structural Integrity Evaluation of RV Upper Head Penetrations..." Proprietary rept WCAP-14118 withheld.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 94/10/26. RUSSELL,W.T. Document Control Branch (Document Control Desk). 3pp. 81587:001-81587:020.

9411010269 "Assessment of Indications in DC Cook Unit 2 Head Penetration 75."
* Westinghouse Electric Corp. MSE-SMT-429(94). 94/10/24. 7pp. 81587:004-81587:010.

9411010272 Requests that proprietary rept WCAP-14118, Rev 1, "Structural Integrity Evaluation of Reactor Vessel Upper Head Penetrations to Support Continued Operation: DC Cook Unit 2" be withheld (ref 10CFR2.790(b)(4)).
LIPARULO,N.J. Westinghouse Electric Corp. 94/10/24. RUSSELL,W. Document Control Branch (Document Control Desk). 10pp. 81587:011-81587:020.

9411010158 Forwards Rev 2 to "DC Cook Nuclear Plant Unit 2, Cycle 10 COLR."
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 94/10/28. RUSSELL,W.T. Document Control Branch (Document Control Desk). 1p. 81577:265-81577:277.

9411010166 Rev 2 to "Donald C Cook Nuclear Plant Unit 2 Cycle 10 Core Operating Limits Rept."
* Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 94/10/31. 12pp. 81577:266-81577:277.

9411040296 Informs review completed of assessment provided w/ltr, dtd 941026, of crack indications identified in plant RV head penetration 75. NRC has concluded adequate margin of safety exists for one 18-month cycle of operation.
HICKMAN,J.B. Project Directorate III-1. 94/10/28. FITZPATRICK,E.E. Indiana Michigan Power Co. 2pp. 81619:355-81619:356.

9411160050 Forwards rept on site visit to review implementation of maint rule at station for review & info. Rept identifies strengths & weaknesses w/program at site.
SHAFER,W.D. Region 3 (Post 820201). 94/11/07. DONNELLY,P.M. Consumers Power Co. GIPSON,D.R. Detroit Edison Co. SCHROCK,C.A. Wisconsin Public Service Corp. 2pp. 81746:131-81746:141.

9411140204 Forwards amends 185 & 170 to licenses DPR-58 & DPR-74, respectively & SE. Amends modify action statements for both units & surveillance requirements for unit 2 in TS 3.7.1.5 to provide greater operational flexibility w/new STS.
HICKMAN,J.B. Project Directorate III-1. 94/11/08. FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 3pp. 81736:244-81736:263.

9411140205 Amends 185 & 170 to licenses DPR-58 & DPR-74, respectively, revising action statements & surveillance requirements for unit 2 in TS 3.7.1.5 to provide greater operational flexibility w/new STS.
HANNON,J.N. Project Directorate III-1. 94/11/08. 12pp. 81736:247-81736:258.

9411140206 Safety evaluation supporting amends 185 & 170 to licenses DPR-58 & DPR-74, respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/11/08. 5pp. 81736:259-81736:263.

9411150592 Forwards Amends 184 & 169 to Licenses DPR-58 & DPR-74 & SE. Amends revise TS to allow extended action time for improper boron concentration & to provide consistent action statement.
HICKMAN,J.B. Project Directorate III-1. 94/11/08. FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 4pp. 81748:061-81748:082.

9411150600 Amends 184 & 169 to Licenses DPR-58 & DPR-74, respectively, re changes to TS to allow extended action time for improper boron concentration & to provide consistent action statement.
HANNON,J.N. Project Directorate III-1. 94/11/08. 14pp. 81748:065-81748:078.

9411150611 Safety evaluation supporting Amends 184 & 169 to Licenses DPR-58 & DPR-74, respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/11/08. 4pp. 81748:079-81748:082.

9411180056 Forwards safety evaluation accepting util request for approval for disposal of licensed matl per 10CFR20, section 302. Exemption & environmental assessment also encl.
ROE, J.W. Division of Reactor Projects - III, IV, V (Post 901216). 94/11/10. FITZPATRICK, E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). FITZPATRICK, E. American Electric Power Service Corp. 3pp. 81782:148-81782:165.

-9411180059 Safety evaluation accepting util request for approval for disposal of licensed matl per 10CFR20, section 302.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/11/10. 5pp. 81782:151-81782:155.

-9411180065 Exemption granted from requirements of 10CFR20.2001, allowing onsite storage of radioactive matl.
ROE, J.W. Division of Reactor Projects - III, IV, V (Post 901216). 94/11/10. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 5pp. 81782:156-81782:160.

-9411180069 Environ assessment & finding of no significant impact re util request for approval for disposal of licensed matl per 10CFR20, section 302.
HICKMAN, J.B. Project Directorate III-1. 94/10/24. 5pp. 81782:161-81782:165.

9411210284 Forwards revised commitments re lube oil analysis program & info requested by staff re actions to be taken in event oil samples indicate potential pump degradation.
FITZPATRICK, E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 94/11/11. MARTIN, J.B. Document Control Branch (Document Control Desk). 6pp. 81837:099-81837:104.

9411220305 Forwards RAI re 941025 meeting on IPSEE for DC Cook.
HICKMAN, J.B. Project Directorate III-1. 94/11/14. FITZPATRICK, E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). FITZPATRICK, E. American Electric Power Service Corp. 4pp. 81822:226-81822:229.

9411220348 Application for amends to Licenses DPR-58 & DPR-74, modifying TS 3.9.3 for units to allow start of core of offload 100 h after core subcriticality instead of 168 h currently specified. Rev 2 to HI-941183 rept encl.
FITZPATRICK, E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 94/11/16. RUSSELL, W.T. Document Control Branch (Document Control Desk). 3pp. 81831:246-81831:301.

-9411220358 Proposed TS 3.9.3 re refueling operations decay time.
* Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 94/11/16. 19pp. 81831:249-81831:267.

-9411220367 Rev 0 to HI-941183. "Spent Nuclear Fuel Pool Thermal-Hydraulic Analysis Rept for DC Cook Nuclear Plant."
* Holtec International. HI-941183 R02. 94/08/25. 22pp. 81831:268-81831:301.

9411300095 Provides addl info for 931112 TS change re deletion of component cyclic or transient limit table.
FITZPATRICK, E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 94/11/18. RUSSELL, W.T. Document Control Branch (Document Control Desk). 3pp. 81922:317-81922:325.

-9411300097 Proposed tech specs re deleting of component cyclic or transient limit table.
* Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 94/11/18. 6pp. 81922:320-81922:325.

9411300355 Application for amends to licenses DPR-58 & DPR-74 to TS re change request on in-service insp requirements.
FITZPATRICK, E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 94/11/18. RUSSELL, W.T. Document Control Branch (Document Control Desk). 3pp. 81910:017-81910:029.

-9411300357 Proposed tech specs re change request on in-service insp requirements.
* Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 94/11/18. 10pp. 81910:020-81910:029.

Q. Inspection reports, IE Bulletins & correspondence

9410140257 Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Matls Events to NRC Operations Ctr."
BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.

9411010070 Forwards insp repts 50-315/94-21 & 50-316/94-21 on 941004-06. No violations identified.
MCCORMICK-BARGE Region 3 (Post 820201). 94/10/20. FITZPATRICK, E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 2pp. 81514:178-81514:183.

-9411010073 Insp repts 50-315/94-21 & 50-316/94-21 on 941004-06. No violations noted. Major areas inspected: licensee chemistry program including mgt & organizational changes, review of recent condition repts & interviews w/chemistry technicians.
HOUSE, J.E., MCCORMICK-BARGE Region 3 (Post 820201). 94/10/21. 4pp. 81514:180-81514:183.

9411010080 Forwards insp repts 50-315/94-18 & 50-316/94-18 on 940813-0923 & notice of violation.
GREENMAN, E.G. Region 3 (Post 820201). 94/10/21. FITZPATRICK, E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 5pp. 81514:187-81514:213.

-9411010086 Notice of violation from insp on 940813-0923. Violation noted on 940926-28, licensee personnel failed to remove action request tags from Unit 2 TDAFWP trip & throttle valve & from local control panel.
* Region 3 (Post 820201). 94/10/21. 2pp. 81514:192-81514:193.

-9411010096 Insp repts 50-315/94-18 & 50-316/94-18 on 940813-0923. Violations noted. Major areas inspected: operational safety verification, security, engineered safety feature sys & onsite event followup.
KROPP, W.J. Region 3 (Post 820201). 94/10/20. 20pp. 81514:194-81514:213.

9410200153 NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts."
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81658:001-81658:013.

9411210284 Forwards revised commitments re lube oil analysis program & info requested by staff re actions to be taken in event oil samples indicate potential pump degradation.
FITZPATRICK, E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 94/11/11. MARTIN, J.B. Document Control Branch (Document Control Desk). 6pp. 81837:099-81837:104.

9411090300 NRC Bulletin 94-002, "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride."
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.

9411230006 Ack receipt of 941028 ltr informing NRC of steps taken to correct violations noted in insp rept 50-315/94-04.
MARTIN, T.O. Division of Reactor Projects - I/II (Post 870411). 94/11/15. FITZPATRICK, E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 1p. 81811:048-81811:048.

9411220274 Provides response to violations noted in Insp Repts 50-315/94-18 & 50-316/94-18. Corrective action: request tags identified by inspector as not being removed verified on 941027, to have since been removed.
FITZPATRICK, E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 94/11/16. Document Control Branch (Document Control Desk). 7pp. 81833:015-81833:021.

9411100237 NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment."
GRIMES, B.K. 94/11/17. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.

9411230022 Forwards insp repts 50-315/94-20 & 50-316/94-20 on 940924-1029. Non-cited violations identified.
KROPP, W.J. Region 3 (Post 820201). 94/11/17. FITZPATRICK, E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 4pp. 81811:125-81811:145.

-9411230024 Insp repts 50-315/94-20 & 50-316/94-20 on 940924-1029. Non-cited violations identified. Major areas inspected: plant cleanliness, security, radiological controls, operational safety verification & maint & surveillance activities.
KROPP, W.J. Region 3 (Post 820201). 94/11/17. 17pp. 81811:129-81811:145.

9411150578 NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation."
GRIMES, B.K. 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.

9411170039 NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping."
GRIMES, B.K. 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.

9411170279 NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys."
GRIMES, B.K. 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.

9411170284 NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results."
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.

R. Periodic operating reports & related correspondence

9411230217 Monthly operating rept for Oct 1994 for DC Cook Nuclear Plant Unit 2.W/ 941116 ltr.
JANISSE, J.D., BLIND, A.A. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 94/10/31. 5pp. 81833:231-81833:235.

V. Operator Examinations

9411040265 Forwards master BWR/PWR GFES exam w/answer key of exam administered on 941005.
RING, M.A. Region 3 (Post 820201). 94/10/27. Commonwealth Edison Co. 1p. 81586:002-81586:002.

9411300218 Forwards NRC summarized guidance that clarifies requirements for maintaining individual operator licenses, entitled, "Clarification of Maint & Reactivation Requirements for Individual Operator Licenses."
RING, M.A. Region 3 (Post 820201). 94/11/18. Affiliation Not Assigned. 3pp. 81872:341-81872:343.

DOCKET 50-317 CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9411030219 Forwards proprietary Rev 2 to "ISFSI Training & Qualification Plan," incorporating physical testing program that measures physical fitness of armed members of nuclear security force instituted on 940804. Encl withheld.
GIBBS, L.P. Baltimore Gas & Electric Co. 94/09/30. Document Control Branch (Document Control Desk). 2pp. 81619:199-81619:200.

9411030294 Forwards results & conclusions of operational safeguards evaluation conducted by NRC at plant from 940919-22.W/o encl.
VARGA, S.A. Division of Reactor Projects - I/II (Post 870411). 94/10/27. DENTON, R.E. Baltimore Gas & Electric Co. 2pp. 81607:360-81607:361.

78 DOCKETED ITEMS

9411150026 Advises that Rev 9 to guard training & qualification plan consistent w/provisions of 10CFR50.54(p) & acceptable for inclusion into plan.
JOYNER, J.H. Region 1 (Post 820201). 94/10/27. DENTON, R.E. Baltimore Gas & Electric Co. 3pp. 81780:301-81780:303.

9411140058 Forwards rev 31 to security plan, per 10CFR50.54(p). Rev closes Inspector Follow-up Items 50-317/94-14-02 & 50-318/94-14-02 re security DG & updates floor plan of nuclear security facility. Encl withheld.
GIBBS, L.P. Baltimore Gas & Electric Co. 94/11/04. Document Control Branch (Document Control Desk). 2pp. 81759:298-81759:299.

H. General correspondence

9411180012 Comment supporting proposed rule 10CFR20 re frequency of medical exams for use of respiratory protection equipment. Util pleased w/NRC move to increase self-regulation in area of respirator physicals.
DENTON, R.E. Baltimore Gas & Electric Co. 94/11/11. Docketing & Services Branch. 2pp. 81774:292-81774:293.

K. Utility Final Safety Analysis Report (FSAR) & amends

9411230080 Rev 17 updated FSAR Calvert Cliffs Nuclear Power Plant. W/ 941118 ltr.
DENTON, R.E. Baltimore Gas & Electric Co. 94/11/18. 1,117pp. 81845:001-81848:025.

P. Operating license stage documents & correspondence

9411300237 Final response to FOIA request for documents. App C records encl & partially withheld (ref FOIA exemption 5).
POWELL, R.A. Division of Freedom of Information & Publications Services (890206-940714). 93/11/22. PATTERSON, S.J. Newman & Holtzinger. 3pp. 81900:174-81900:271.

-9411300253 Summary of 920615-16 NRC senior mgt meeting conducted to assure NRC focusing resources on plants & related issues of greatest safety significance. Info partially deleted.
TAYLOR, J.M. Ofc of the Executive Director for Operations. 92/06/25. THE CHAIRMAN Commissioners (Post 750119). 50pp. 81900:178-81900:227.

9411020060 Forwards amends 199 & 176 to licenses DPR-53 & DPR-69 & safety evaluation. Amends delete TSs 3/4.3.3.3, 6.9.2.b, 6.9.2.d & Bases 3/4.3.3.3, which provide requirements for operation & testing of seismic monitoring instrumentation.
MCDONALD, D.G. Project Directorate I-1. 94/10/21. DENTON, R.E. Baltimore Gas & Electric Co. 4pp. 81568:285-81568:353.

-9411020078 Amends 199 & 176 to licenses DPR-53 & DPR-69, respectively, deleting TSs 3/4.3.3.3, 6.9.2.b, 6.9.2.d & Bases 3/4.3.3.3, which provide requirements for operation & testing of seismic monitoring instrumentation.
MARSH, L.B. Project Directorate I-1. 94/10/21. 62pp. 81568:289-81568:350.

-9411020083 Safety evaluation supporting amends 199 & 176 to licenses DPR-53 & DPR-69, respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/21. 3pp. 81568:351-81568:353.

9411020090 Informs that two spent fuel pool cooling sys valves replaced, thereby completing actions associated w/temporary relief.
DENTON, R.E. Baltimore Gas & Electric Co. 94/10/26. Document Control Branch (Document Control Desk). 2pp. 81590:067-81590:068.

9411100144 Forwards temporary exemption from requirements of 10CFR50, App A, GDC-2, "Design Bases for Protection Against Natural Phenomena," for plant units 1 & 2.
MARSH, L.B. Project Directorate I-1. 94/10/28. DENTON, R.E. Baltimore Gas & Electric Co. 3pp. 81725:008-81725:020.

-9411100157 Exemption from requirements 10CFR50, App A, GDC-2, for plant units 1 & 2.
VARGA, S.A. Division of Reactor Projects - I/II (Post 870411). 94/10/28. Baltimore Gas & Electric Co. 6pp. 81725:011-81725:016.

-9411100163 Safety evaluation granting temporary exemption from requirements of 10CFR50, App A, GDC-2.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/28. 4pp. 81725:017-81725:020.

9411080252 Requests approval to use convolution technique in main steam line break analysis.
DENTON, R.E. Baltimore Gas & Electric Co. 94/11/01. Document Control Branch (Document Control Desk). 5pp. 81679:099-81679:103.

9411080108 Informs of closeout of GL 89-19, "Request for Action re Resolution of Unresolved Safety Issue A-47 'Safety Implication of Control Sys in LWR Nuclear Power Plant' per 10CFR50.54(f)."
MCDONALD, D.G. Project Directorate I-1. 94/11/03. DENTON, R.E. Baltimore Gas & Electric Co. 4pp. 81658:198-81658:201.

9411150313 Discusses 941026 meeting in King of Prussia, PA re motor-operated valve issues w/Region 1 licensees. List of attendees, agenda, licensee & NRC presentations & panel session questions encl.
KELLY, E.M. Region 1 (Post 820201). 94/11/03. DENTON, R.E. Baltimore Gas & Electric Co. 49pp. 81742:198-81742:246.

Q. Inspection reports, IE Bulletins & correspondence

9410140257 Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Matls Events to NRC Operations Ctr."
BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.

9410200153 NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts."
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81658:001-81658:013.

9411020018 Forwards results of 941005 GFES of written operator licensing exam. W/o encl.
MEYER, G.W. Region 1 (Post 820201). 94/10/26. NIEDZIELSKI, R. Baltimore Gas & Electric Co. 2pp. 81528:153-81528:154.

9411140058 Forwards rev 31 to security plan, per 10CFR50.54(p). Rev closes Inspector Follow-up Items 50-317/94-14-02 & 50-318/94-14-02 re security DG & updates floor plan of nuclear security facility. Encl withheld.
GIBBS, L.P. Baltimore Gas & Electric Co. 94/11/04. Document Control Branch (Document Control Desk). 2pp. 81759:298-81759:299.

9411220204 Forwards operator exam repts 50-317/94-32OL & 50-318/94-31OL on 941019, administered to candidates that applied for licenses to operate plant.
MEYER, G.W. Region 1 (Post 820201). 94/11/10. DENTON, R.E. Baltimore Gas & Electric Co. 2pp. 81799:066-81799:073.

-9411220217 Exam repts 50-317/94-32OL & 50-318/94-31OL on 941019. Exam results: candidates passed exams & were issued licenses.
PRELL, J.A., MEYER, G.W. Region 1 (Post 820201). 94/11/10. 6pp. 81799:068-81799:073.

9411090300 NRC Bulletin 94-002, "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride."
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.

9411220154 Forwards insp repts 50-317/94-31 & 50-318/94-30 on 941003-07. No violations noted.
RULAND, W.H. Region 1 (Post 820201). 94/11/14. DENTON, R.E. Baltimore Gas & Electric Co. 3pp. 81799:041-81799:053.

-9411220159 Insp repts 50-317/94-31 & 50-318/94-30 on 941003-07. No violations noted. Major areas inspected: permanent plant changes, temporary alterations, resolution of recent technical issues & engineering dept initiatives.
SCHOLL, L.L., RULAND, W.H. Region 1 (Post 820201). 94/11/14. 10pp. 81799:044-81799:053.

9411100237 NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment."
GRIMES, B.K. 94/11/17. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.

9411150578 NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation."
GRIMES, B.K. 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.

9411170039 NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping."
GRIMES, B.K. 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.

9411170279 NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys."
GRIMES, B.K. 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.

9411170284 NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results."
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.

R. Periodic operating reports & related correspondence

9411180107 Monthly operating repts for Oct 1994 for Calvert Cliffs Nuclear Power Plant. W/941115 ltr.
PIAZZA, F., CRUSE, C.H. Baltimore Gas & Electric Co. 94/10/31. 12pp. 81793:335-81793:346.

9411040164 Forwards rept containing brief descriptions of changes, tests & experiments approved, per 10CFR50.59.
DENTON, R.E. Baltimore Gas & Electric Co. 94/11/01. Document Control Branch (Document Control Desk). 65pp. 81646:294-81646:358.

S. Reportable occurrences, LERs & related correspondence

9411070090 Final Part 21 rept 94-002A re three air start distributor cams cracking at plants. Cams replaced w/cams made using electric arc.
PRATIENNE, S.A. Coltec Industries, Inc. 94/06/01. Document Control Branch (Document Control Desk). 5pp. 81654:209-81654:213.

9411210269 Part 21 rept re AFW pump turbine governor valve binding caused by galvanic & crevice corrosion between stem & stem packaging components. Turbine mfg by Terry Steam Turbine Co. Licensee plans to periodically exercise valve stems.
SLY, C. Baltimore Gas & Electric Co. 94/11/15. HUFFMAN, W. Region 1 (Post 820201). 4pp. 81833:354-81833:357.

V. Operator Examinations

9411020018 Forwards results of 941005 GFES of written operator licensing exam. W/o encl.
MEYER, G.W. Region 1 (Post 820201). 94/10/26. NIEDZIELSKI, R. Baltimore Gas & Electric Co. 2pp. 81528:153-81528:154.

9411100061 Informs of individual exam results for applicants on operating tests conducted on 941019.
MEYER, G.W. Region 1 (Post 820201). 94/11/07. NIEDZIELSKI, R. Baltimore Gas & Electric Co. 2pp. 81673:095-81673:096.

9411220204 Forwards operator exam repts 50-317/94-32OL & 50-318/94-31OL on 941019, administered to candidates that applied for licenses to operate plant.
MEYER, G.W. Region 1 (Post 820201). 94/11/10. DENTON, R.E. Baltimore Gas & Electric Co. 2pp. 81799:066-81799:073.

-9411220217 Exam repts 50-317/94-32OL & 50-318/94-31OL on 941019.Exam results: candidates passed exams & were issued licenses.
PRELL,J.A., MEYER,G.W. Region 1 (Post 820201). 94/11/10. 6pp. 81799:068-81799:073.

Y. Dry Cask Independent Spent Fuel Storage Installations

9411280259 Summary of 941101 meeting w/util to discuss license amend action to exempt dry-shielded canisters at plant ISFSI from Tech Specs limit on vacuum dry process.
STURZ,F.C. Office of Nuclear Material Safety & Safeguards. 94/11/10.
HAUGHNEY,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 35pp. 81885:147-81885:181.

DOCKET 50-318 CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9411030219 Forwards proprietary Rev 2 to "ISFSI Training & Qualification Plan," incorporating physical testing program that measures physical fitness of armed members of nuclear security force instituted on 940804. Encl withheld.
GIBBS,L.P. Baltimore Gas & Electric Co. 94/09/30. Document Control Branch (Document Control Desk). 2pp. 81619:199-81619:200.

9411030294 Forwards results & conclusions of operational safeguards evaluation conducted by NRC at plant from 940919-22 W/o encl.
VARGA,S.A. Division of Reactor Projects - I/II (Post 870411). 94/10/27. DENTON,R.E. Baltimore Gas & Electric Co. 2pp. 81607:360-81607:361.

9411150026 Advises that Rev 9 to guard training & qualification plan consistent w/provisions of 10CFR50.54(p) & acceptable for inclusion into plan.
JOYNER,J.H. Region 1 (Post 820201). 94/10/27. DENTON,R.E. Baltimore Gas & Electric Co. 3pp. 81780:301-81780:303.

9411140058 Forwards rev 31 to security plan, per 10CFR50.54(p). Rev closes Inspector Follow-up Items 50-317/94-14-02 & 50-318/94-14-02 re security DG & updates floor plan of nuclear security facility. Encl withheld.
GIBBS,L.P. Baltimore Gas & Electric Co. 94/11/04. Document Control Branch (Document Control Desk). 2pp. 81759:298-81759:299.

H. General correspondence

9411180012 Comment supporting proposed rule 10CFR20 re frequency of medical exams for use of respiratory protection equipment. Util pleased w/NRC move to increase self-regulation in area of respirator physicals.
DENTON,R.E. Baltimore Gas & Electric Co. 94/11/11. Docketing & Services Branch. 2pp. 81774:292-81774:293.

K. Utility Final Safety Analysis Report (FSAR) & amends

9411230080 Rev 17 updated FSAR Calvert Cliffs Nuclear Power Plant. W/ 941118 ltr.
DENTON,R.E. Baltimore Gas & Electric Co. 94/11/18. 1,117pp. 81845:001-81848:025.

P. Operating license stage documents & correspondence

9411300237 Final response to FOIA request for documents. App C records encl & partially withheld (ref FOIA exemption 5).
POWELL,R.A. Division of Freedom of Information & Publications Services (890206-940714). 93/11/22. PATTERSON,S.J. Newman & Holtzinger. 3pp. 81900:174-81900:271.

-9411300253 Summary of 920615-16 NRC senior mgt meeting conducted to assure NRC focusing resources on plants & related issues of greatest safety significance. Info partially deleted.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 92/06/25. THE CHAIRMAN Commissioners (Post 750119). 50pp. 81900:178-81900:227.

9411020060 Forwards amends 199 & 176 to licenses DPR-53 & DPR-69 & safety evaluation. Amends delete TSs 3/4.3.3.3, 6.9.2.b, 6.9.2.d & Bases 3/4.3.3.3 which provide requirements for operation & testing of seismic monitoring instrumentation.
MCDONALD,D.G. Project Directorate I-1. 94/10/21. DENTON,R.E. Baltimore Gas & Electric Co. 4pp. 81568:285-81568:353.

-9411020078 Amends 199 & 176 to licenses DPR-53 & DPR-69, respectively, deleting TSs 3/4.3.3.3, 6.9.2.b, 6.9.2.d & Bases 3/4.3.3.3, which provide requirements for operation & testing of seismic monitoring instrumentation.
MARSH,L.B. Project Directorate I-1. 94/10/21. 62pp. 81568:289-81568:350.

-9411020083 Safety evaluation supporting amends 199 & 176 to licenses DPR-53 & DPR-69, respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/21. 3pp. 81568:351-81568:353.

9411020090 Informs that two spent fuel pool cooling sys valves replaced, thereby completing actions associated w/temporary relief.
DENTON,R.E. Baltimore Gas & Electric Co. 94/10/26. Document Control Branch (Document Control Desk). 2pp. 81590:067-81590:068.

9411100144 Forwards temporary exemption from requirements of 10CFR50, App A, GDC-2, "Design Bases for Protection Against Natural Phenomena," for plant units 1 & 2.
MARSH,L.B. Project Directorate I-1. 94/10/28. DENTON,R.E. Baltimore Gas & Electric Co. 3pp. 81725:008-81725:020.

-9411100157 Exemption from requirements 10CFR50, App A, GDC-2, for plant units 1 & 2.
VARGA,S.A. Division of Reactor Projects - I/II (Post 870411). 94/10/28. Baltimore Gas & Electric Co. 6pp. 81725:011-81725:016.

-9411100163 Safety evaluation granting temporary exemption from requirements of 10CFR50, App A, GDC-2.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/28. 4pp. 81725:017-81725:020.

9411040252 Requests temporary exemption from requirements of 10CFR50.46, 10CFR50.44 & 10CFR50, App K to allow four lead fuel assemblies to be inserted into core during next Unit 2 refueling outage. C-E proprietary SER encl. SER withheld.
DENTON,R.E. Baltimore Gas & Electric Co. 94/11/01. Document Control Branch (Document Control Desk). 13pp. 81624:302-81624:314.

9411080156 Forwards amend 178 to license DPR-69 & safety evaluation. Amend revises heatup & cooldown curves & low-temp overpressure protection controls.
MCDONALD,D.G. Project Directorate I-1. 94/11/01. DENTON,R.E. Baltimore Gas & Electric Co. 4pp. 81658:213-81658:256.

-9411080161 Amend 178 to license DPR-69, revising heatup & cooldown curves & low-temp overpressure protection controls.
MARSH,L.B. Project Directorate I-1. 94/11/01. 35pp. 81658:217-81658:251.

-9411080164 Safety evaluation supporting amend 178 to license DPR-69.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/11/01. 5pp. 81658:252-81658:256.

9411080252 Requests approval to use convolution technique in main steam line break analysis.
DENTON,R.E. Baltimore Gas & Electric Co. 94/11/01. Document Control Branch (Document Control Desk). 5pp. 81679:099-81679:103.

9411080108 Informs of closeout of GL 89-19, "Request for Action re Resolution of Unresolved Safety Issue A-47 'Safety Implication of Control Sys in LWR Nuclear Power Plant' per 10CFR50.54(f)."
MCDONALD,D.G. Project Directorate I-1. 94/11/03. DENTON,R.E. Baltimore Gas & Electric Co. 4pp. 81658:198-81658:201.

9411150313 Discusses 941026 meeting in King of Prussia, PA re motor-operated valve issues w/Region I licensees. List of attendees, agenda, licensee & NRC presentations & panel session questions encl.
KELLY,E.M. Region 1 (Post 820201). 94/11/03. DENTON,R.E. Baltimore Gas & Electric Co. 49pp. 81742:198-81742:246.

9411180079 Forwards corrected page 2 of amend 178 to license DPR-69, changing implementation to prior to restart from upcoming refueling outage.
MCDONALD,D.G. Project Directorate I-1. 94/11/09. DENTON,R.E. Baltimore Gas & Electric Co. 3pp. 81788:356-81788:359.

-9411210104 Corrected page 2 of amend 178 to license DPR-69, changing implementation to prior to restart from upcoming refueling outage.
CASE,M.J. Project Directorate I-1. 94/11/01. 1p. 81788:359-81788:359.

Q. Inspection reports, IE Bulletins & correspondence

9410140257 Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Matis Events to NRC Operations Ctr."
BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.

9410200153 NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts."
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81658:001-81658:013.

9411140058 Forwards rev 31 to security plan, per 10CFR50.54(p). Rev closes Inspector Follow-up Items 50-317/94-14-02 & 50-318/94-14-02 re security DG & updates floor plan of nuclear security facility. Encl withheld.
GIBBS,L.P. Baltimore Gas & Electric Co. 94/11/04. Document Control Branch (Document Control Desk). 2pp. 81759:298-81759:299.

9411220204 Forwards operator exam repts 50-317/94-32OL & 50-318/94-31OL on 941019, administered to candidates that applied for licenses to operate plant.
MEYER,G.W. Region 1 (Post 820201). 94/11/10. DENTON,R.E. Baltimore Gas & Electric Co. 2pp. 81799:066-81799:073.

-9411220217 Exam repts 50-317/94-32OL & 50-318/94-31OL on 941019. Exam results: candidates passed exams & were issued licenses.
PRELL,J.A. Region 1 (Post 820201). 94/11/10. 6pp. 81799:068-81799:073.

9411090300 NRC Bulletin 94-002, "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride."
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.

9411220154 Forwards insp repts 50-317/94-31 & 50-318/94-30 on 941003-07. No violations noted.
RULAND,W.H. Region 1 (Post 820201). 94/11/14. DENTON,R.E. Baltimore Gas & Electric Co. 3pp. 81799:041-81799:053.

-9411220159 Insp repts 50-317/94-31 & 50-318/94-30 on 941003-07. No violations noted. Major areas inspected: permanent plant changes, temporary alterations, resolution of recent technical issues & engineering dept initiatives.
SCHOLL,L.L., RULAND,W.H. Region 1 (Post 820201). 94/11/14. 10pp. 81799:044-81799:053.

9411100237 NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment."
GRIMES,B.K. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.

9411150578 NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation."
GRIMES,B.K. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.

80 DOCKETED ITEMS

9411170039 NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping."
GRIMES,B.K. . 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.

9411170279 NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys."
GRIMES,B.K. . 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.

9411170284 NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results."
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.

R. Periodic operating reports & related correspondence

9411180107 Monthly operating repts for Oct 1994 for Calvert Cliffs Nuclear Power Plant.W/941115 ltr.
PIAZZA,F. CRUSE,C.H. Baltimore Gas & Electric Co. 94/10/31. 12pp. 81793:335-81793:346.

9411040164 Forwards rept containing brief descriptions of changes,tests & experiments approved,per 10CFR50.59.
DENTON,R.E. Baltimore Gas & Electric Co. 94/11/01. Document Control Branch (Document Control Desk). 65pp. 81646:294-81646:358.

S. Reportable occurrences, LERs & related correspondence

9411070090 Final Part 21 rept 94-002A re three air start distributor cams cracking at plants.Cams replaced w/cams made using electric arc.
PRATIANNES,S.A. Coltec Industries, Inc. 94/06/01. Document Control Branch (Document Control Desk). 5pp. 81654:209-81654:213.

9411070067 PNO-I-94-063:on 941027,Unit 2 tripped.Caused by electrical fault resulting in turbine trip & loss of load reactor trip. Preparations underway for performing insulation resistance testing on generator.
COWGILL,C., FUHRMEISTER,R. Region 1 (Post 820201). 94/10/28. 2pp. 81604:274-81604:275.

9411210269 Part 21 rept re AFW pump turbine governor valve binding caused by galvanic & crevice corrosion between stem & stem packaging components.Turbine mfg by Terry Steam Turbine Co. Licensee plans to periodically exercise valve stems.
SLY,C. Baltimore Gas & Electric Co. 94/11/15. HUFFMAN,W. Region 1 (Post 820201). 4pp. 81833:354-81833:357.

V. Operator Examinations

9411100061 Informs of individual exam results for applicants on operating tests conducted on 941019.
MEYER,G.W. Region 1 (Post 820201). 94/11/07. NIEDZIELSKI,R. Baltimore Gas & Electric Co. 2pp. 81673:095-81673:096.

9411220204 Forwards operator exam repts 50-317/94-32OL & 50-318/94-31OL on 941019,administered to candidates that applied for licenses to operate plant.
MEYER,G.W. Region 1 (Post 820201). 94/11/10. DENTON,R.E. Baltimore Gas & Electric Co. 2pp. 81799:066-81799:073.

-9411220217 Exam repts 50-317/94-32OL & 50-318/94-31OL on 941019.Exam results:candidates passed exams & were issued licenses.
PRELL,J.A., MEYER,G.W. Region 1 (Post 820201). 94/11/10. 6pp. 81799:068-81799:073.

Y. Dry Cask Independent Spent Fuel Storage Installations

9411280259 Summary of 941101 meeting w/util to discuss license amend action to exempt dry shielded canisters at plant ISFSI from Tech Specs limit on vacuum dry process.
STURZ,F.C. Office of Nuclear Material Safety & Safeguards. 94/11/10. HAUGHNEY,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 35pp. 81885:147-81885:181.

DOCKET 50-320 THREE MILE ISLAND NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9411180252 Forwards ERDS implementation documents.W/o encl.
JOLICOEUR,J.R. Incident Response Branch. 94/10/06. SAUL,K.L. Halliburton NUS Environmental Corp. 1p. 81809:018-81809:018.

9411030231 Revised EPIPs,including EPIP-TMI-.03,Rev 13,PCR 1-EP-94-0035,EPIP-TMI-.04,Rev 13,PCR 1-EP-94-0033 & EPIP-TMI-.06,Rev 15,PCR 1-EP-94-0034.
BEAVER,J., NELSON,M.A. General Public Utilities Corp. - GPU Service Corp. 94/10/20. 77pp. 81640:001-81640:077.

9411080099 Rev 6 to EPIP-TMI-.29, "OSC Operations."
* General Public Utilities Corp. - GPU Service Corp. 94/10/31. 33pp. 81676:313-81676:346.

9411150018 Rev 4 to EPIP-TMI-.28, "Activation of TSC."
* General Public Utilities Corp. - GPU Service Corp. 94/11/04. 14pp. 81780:068-81780:081.

9411300327 Rev 6 to EPIP-TMI-.36, "Emergency Assembly & Site Evacuation."
* General Public Utilities Corp. - GPU Service Corp. 94/11/14. 33pp. 81910:066-81910:098.

9411300157 Rev 5 to EPIP 6410-ADM-1300.05, "Emergency Equipment Readiness."
* General Public Utilities Corp. - GPU Service Corp. 94/11/17. 50pp. 81907:263-81907:312.

P. Operating license stage documents & correspondence

9411020001 Summarizes 941020 meeting w/util in King of Prussia,PA re util programs at plants w/respect to GL 89-10. "Safety- Related MOV Testing & Surveillance."
KELLY,E.M. Region 1 (Post 820201). 94/10/21. BARTON,J.J. General Public Utilities Corp. - GPU Service Corp. 19pp. 81528:020-81528:038.

9411150551 Discusses 941026 public meeting w/region I licensees in King of Prussia,PA re motor-operated valve issues.List of attendees,agenda,licensee & NRC presentations & panel session questions encl.
KELLY,E.M. Region 1 (Post 820201). 94/11/03. BROUGHTON,T.G. General Public Utilities Corp. - GPU Service Corp. 49pp. 81743:144-81743:193.

9411170142 Discusses review of util defueling completion rept & post- defueling monitored storage safety analysis rept.No reason found to change estimate of fuel quantity remaining at Unit 2.Reviews for listed areas encl.
THONUS,L.H. Non-Power Reactor & Decommissioning Project Directorate. 94/11/04. BROUGHTON,T.G. General Public Utilities Corp. - GPU Service Corp. 4pp. 81776:154-81776:225.

-9411170158 Forwards listed post-defueling survey reports in final form. Concurs w/licensee contention that ALARA considerations make it unwise to perform any add study.Agrees that fuel remaining in individual locations unlikely to move out.
SCHERPELZ,R.I., HARTY,R. Battelle Memorial Institute, Pacific Northwest Laboratory. 94/06/28. THONUS,L. NRC - No Detailed Affiliation Given. 68pp. 81776:158-81776:225.

Q. Inspection reports, IE Bulletins & correspondence

9410140257 Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Matls Events to NRC Operations Ctr."
BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.

9410200153 NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts."
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81658:001-81658:013.

9411180058 Forwards insp repts 50-289/94-22 & 50-320/94-06 on 941004-07.No violations noted.
JOYNER,J.H. Region 1 (Post 820201). 94/11/08. BROUGHTON,T.G. General Public Utilities Corp. - GPU Service Corp. 3pp. 81775:001-81775:012.

-9411180063 Insp repts 50-289/94-22 & 50-320/94-06 on 941004-06.No violations noted.Major areas inspected:audits,appraisals, changes to program & assessment of intakes of radioactive material.
NICK,J., BORES,R. Region 1 (Post 820201). 94/11/03. 10pp. 81775:004-81775:012.

9411090300 NRC Bulletin 94-002, "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride."
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.

9411100237 NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment."
GRIMES,B.K. . 94/11/17. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.

9411150578 NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation."
GRIMES,B.K. . 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.

9411170039 NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping."
GRIMES,B.K. . 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.

9411170279 NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys."
GRIMES,B.K. . 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.

9411170284 NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results."
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.

S. Reportable occurrences, LERs & related correspondence

9411070090 Final Part 21 rept 94-002A re three air start distributor cams cracking at plants.Cams replaced w/cams made using electric arc.
PRATIANNES,S.A. Coltec Industries, Inc. 94/06/01. Document Control Branch (Document Control Desk). 5pp. 81654:209-81654:213.

DOCKET 50-321 EDWIN I. HATCH NUCLEAR PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9411040270 Advises that 941003 rev to physical security plan consistent w/provisions of 10CFR50.54(p) & acceptable.
COLLINS,D.M. Region 2 (Post 820201). 94/10/25. BECKHAM,J.T. Georgia Power Co. 3pp. 81658:334-81658:336.

9411290075 Concludes changes re rev 13 to emergency plan review, satisfactory & meets planning stds of 10CFR50.47(b) & requirements of App E to 10CFR50.
CLINE,W.E. Region 2 (Post 820201). 94/11/17. BECKHAM,J.T. Georgia Power Co. 3pp. 81858:248-81858:251.

9411290053 Forwards insp repts 50-321/94-26 & 50-366/94-26 on 941017-21 & notice of violation. Violations of concern because findings identified during insp appear to indicate lack of attention to detail by licensee employees.
CLINE, W.E. Region 2 (Post 820201). 94/11/18. BECKHAM, J.T. Georgia Power Co. 3pp. 81857:294-81857:322.

-9411290059 Notice of violation from insp on 941017-21. Violation noted: on 941019, several individuals observed by inspector to not survey personal articles nor notify health physics when PCMI alarm enunciated.
* Region 2 (Post 820201). 94/11/18. 3pp. 81857:297-81857:299.

-9411290062 Insp repts 50-321/94-26 & 50-366/94-26 on 941017-21. No violations noted. Major areas inspected: audits, appraisals, changes to organization & staffing, training & qualifications of personnel & external exposure control.
LOO, W.T., RANKIN, W.H. Region 2 (Post 820201). 94/11/18. 23pp. 81857:300-81857:322.

H. General correspondence

9411230100 Responds to 941015 ltr to Chairman I Selin, requesting info on actions taken by NRC to address concerns raised by JA Fleming re emergency preparedness for nuclear power plants.
TAYLOR, J.M. Ofc of the Executive Director for Operations. 94/11/09. KERRY, J.F. Senate. 3pp. 81828:286-81828:323.

-9411230199 Requests addl info pertaining to emergency preparedness for each site listed.
FLEMING, J.A. Affiliation Not Assigned. 94/07/14. CHILK, S. Office of the Secretary of the Commission. 2pp. 81828:322-81828:323.

P. Operating license stage documents & correspondence

9411070238 Extends invitation to Region II licensees to participate w/ NRR & Region II representatives in discussion of GL 89-10 MOV programs.
GIBSON, A.F. Region 2 (Post 820201). 94/10/12. BECKHAM, J.T. Georgia Power Co. 4pp. 81606:001-81606:004.

9411040097 Forwards Rev F to improved TS, consisting of partial rev to 940225 amend request to convert current TS to improved TS consistent w/NUREG-1433. Rev result of site & generic effort to clarify LCO 3.0.4 & changes in position titles.
BECKHAM, J.T. Georgia Power Co. 94/10/19. Document Control Branch (Document Control Desk). 2pp. 81606:105-81606:220.

-9411040103 Proposed improved tech specs, rev F.
* Georgia Power Co. 94/10/19. 114pp. 81606:107-81606:220.

9411160141 Application for amends to licenses DPR-57 & NPF-5, converting TS to improved TS consistent w/NUREG-1433.
BECKHAM, J.T. Georgia Power Co. 94/11/01. Document Control Branch (Document Control Desk). 2pp. 81786:001-81787:159.

-9411160145 Proposed tech specs, converting current TSs to improved TS consistent w/NUREG-1433.
* Georgia Power Co. 94/11/01. 521pp. 81786:003-81787:159.

9411150265 Forwards Rev 0 to "El Hatch Nuclear Plant Unit 1 Fuel Cycle 16 COLR."
BECKHAM, J.T. Georgia Power Co. 94/11/07. Document Control Branch (Document Control Desk). 1p. 81772:321-81772:341.

-9411150282 Rev 0 to "El Hatch Nuclear Plant Unit 1 Cycle 16 COLR."
* Georgia Power Co. 94/10/31. 18pp. 81772:322-81772:341.

9411150405 Responds to 940711 GL 94-02 informing that procedure revs training described in 940908 ltr completed as of 941028.
BECKHAM, J.T. Georgia Power Co. 94/11/07. Document Control Branch (Document Control Desk). 2pp. 81781:086-81781:087.

9411250151 Forwards corrected pages showing chemistry factor for weld seam 301-871 to be 35.45 & deleting Note 6 from Attachment 2 of util 940701 response to GL 92-01, Rev 1, "Reactor Vessel Structural Integrity."
BECKHAM, J.T. Georgia Power Co. 94/11/16. Document Control Branch (Document Control Desk). 6pp. 81858:356-81858:361.

9411250069 Summary of 941102-03 meeting w/util in Rockville, MD to discuss plant TS conversion process & PC 940225 submittal to revise current plant TS. List of attendees & licensee handout encl.
JABBOUR, K.N. Project Directorate II-3. 94/11/18. Project Directorate II-3. 8pp. 81850:348-81850:355.

9411250056 Forwards environ assessment & finding of no significant impact re 940225 request to replace current TSs for plant w/set of TSs based on NUREG-1433, "Std TSs, General Electric Plants, BWR/4," dtd Sept 1992.
JABBOUR, K.N. Project Directorate II-3. 94/11/21. BECKHAM, J.T. Georgia Power Co. 3pp. 81852:096-81852:104.

-9411250063 Environ assessment & finding of no significant impact re consideration of issuance of amends to licenses DPR-57 & NPF-5, issued to util for operation of plant.
WHEELER, L.L. Project Directorate II-3. 94/11/21. 6pp. 81852:099-81852:104.

9411280027 Notification of 941207 meeting w/util in Birmingham, AL to discuss performance of equipment during degraded grid voltage setpoint condition at plant.
JABBOUR, K.N. Project Directorate II-3. 94/11/22. BERKOW, H.N. Project Directorate II-3. 4pp. 81852:131-81852:134.

9411280030 Notification of 941214 meeting w/util in Rockville, MD to discuss plans & key technical issues & design details for generic & plant-specific licensing activities re replacement of analog power range monitoring equipment.
JABBOUR, K.N. Project Directorate II-3. 94/11/23. BERKOW, H.N. Project Directorate II-3. 4pp. 81852:135-81852:138.

Q. Inspection reports, IE Bulletins & correspondence

9411010115 Ack receipt of 940923 ltr informing NRC of steps taken to correct violations noted in insp repts 50-321/94-16 & 50-366/94-16 on 940831.
SINKULE, M.V. Region 2 (Post 820201). 94/10/07. BECKHAM, J.T. Georgia Power Co. 3pp. 81514:295-81514:297.

9410140257 Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Matls Events to NRC Operations Ctr."
BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.

9410200153 NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts."
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81658:001-81658:013.

9411070046 Forwards insp repts 50-321/94-24 & 50-366/94-24 on 940904-30. No violations noted.
SINKULE, M.V. Region 2 (Post 820201). 94/10/26. BECKHAM, J.T. Georgia Power Co. 3pp. 81604:160-81604:176.

-9411070054 Insp repts 50-321/94-24 & 50-366/94-24 on 940904-30. No violations noted. Major areas inspected: operations, surveillance testing, review of maintenance activities, refueling activities & review of open items.
HOLBROOK, B.L., CHRISTNOT, E.F., SKINNER, P.H. Region 2 (Post 820201). 94/10/26. 14pp. 81604:163-81604:176.

9411090084 Forwards insp repts 50-321/94-25 & 50-366/94-25 on 941003-07. No violations identified.
CRLENUAK, R.V. Region 2 (Post 820201). 94/11/02. BECKHAM, J.T. Georgia Power Co. 3pp. 81639:183-81639:196.

-9411090092 Insp repts 50-321/94-25 & 50-366/94-24 on 941003-07. No violations noted. Major areas inspected: ISI review of ISI exam procedures & review of radiographic film.
COLEY, J.L., BLAKE, J.J. Region 2 (Post 820201). 94/11/01. 11pp. 81639:186-81639:196.

9411300046 Ack receipt of 941019 ltr informing NRC of steps taken to correct violations noted in insp repts 50-321/94-17 & 50-366/94-17.
PEEBLES, T.A. Region 2 (Post 820201). 94/11/02. BECKHAM, J.T. Georgia Power Co. 3pp. 81871:195-81871:197.

9411090300 NRC Bulletin 94-002, "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride."
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.

9411220073 Advises of completion of actions re NRC Bulletin 93-003, "Resolution of Issues Re Reactor Vessel Water Level Instrumentation in BWRs."
BECKHAM, J.T. Georgia Power Co. 94/11/14. Document Control Branch (Document Control Desk). 2pp. 81892:356-81892:357.

9411230197 Forwards SE accepting licensee 930217 response to suppl 1 of bulletin 90-01 for plant.
JABBOUR, K.N. Project Directorate II-3. 94/11/15. BECKHAM, J.T. Georgia Power Co. 3pp. 81841:144-81841:165.

-9411230230 Safety evaluation accepting licensee response to NRC bulletin 90-001, suppl 1.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/11/15. 2pp. 81841:147-81841:148.

-9410040241 "Technical Evaluation Rept; Evaluation of Util Response to Suppl 1 to NRC Bulletin 90-01 Hatch-1/-2."
MEYER, L.C., UDY, A.C. EG&G Idaho, Inc. MEYER, L.C. Idaho National Engineering Laboratory. FIN L-1695. EGG-DNSP-11489. 94/09/26. NRC - No Detailed Affiliation Given. 17pp. 81841:149-81841:165.

9411100237 NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment."
GRIMES, B.K. 94/11/17. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.

9411290053 Forwards insp repts 50-321/94-26 & 50-366/94-26 on 941017-21 & notice of violation. Violations of concern because findings identified during insp appear to indicate lack of attention to detail by licensee employees.
CLINE, W.E. Region 2 (Post 820201). 94/11/18. BECKHAM, J.T. Georgia Power Co. 3pp. 81857:294-81857:322.

-9411290059 Notice of violation from insp on 941017-21. Violation noted: on 941019, several individuals observed by inspector to not survey personal articles nor notify health physics when PCMI alarm enunciated.
* Region 2 (Post 820201). 94/11/18. 3pp. 81857:297-81857:299.

-9411290062 Insp repts 50-321/94-26 & 50-366/94-26 on 941017-21. No violations noted. Major areas inspected: audits, appraisals, changes to organization & staffing, training & qualifications of personnel & external exposure control.
LOO, W.T., RANKIN, W.H. Region 2 (Post 820201). 94/11/18. 23pp. 81857:300-81857:322.

9411150578 NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation."
GRIMES, B.K. 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.

9411170039 NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping."
GRIMES, B.K. 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.

9411170279 NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys."
GRIMES, B.K. 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.

9411170284 NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results."
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.

82 DOCKETED ITEMS

R. Periodic operating reports & related correspondence

9411150408 Monthly operating repts for Oct 1994 for El Hatch Nuclear Plant.W/941109 ltr.
TIDWELL,T.W., BECKHAM,J.T. Georgia Power Co. 94/10/31. 13pp. 81775:049-81775:061.

S. Reportable occurrences, LERs & related correspondence

9411070090 Final Part 21 rept 94-002A re three air start distributor cams cracking at plants.Cams replaced w/cams made using electric arc.
PRATIENNE,S.A. Coltec Industries, Inc. 94/06/01. Document Control Branch (Document Control Desk). 5pp. 81654:209-81654:213.

9411220338 LER 94-012-00: on 941025,partial Group 1 PCIS trip initiated because bias spring assembly incorrectly installed in main turbine EHC sys.Bias spring installed correctly & contract personnel made aware of consequences of event.W/941114 ltr.
TIPPS,S.B., BECKHAM,J.T. Georgia Power Co. 94/11/14. 7pp. 81850:195-81850:201.

V. Operator Examinations

9411090084 Forwards insp repts 50-321/94-25 & 50-366/94-25 on 941003-07.No violations identified.
CRLENJAK,R.V. Region 2 (Post 820201). 94/11/02. BECKHAM,J.T. Georgia Power Co. 3pp. 81639:183-81639:196.

-9411090092 Insp repts 50-321/94-25 & 50-366/94-24 on 941003-07.No violations noted.Major areas inspected:ISI review of ISI exam procedures & review of radiographic film.
COLEY,J.L., BLAKE,J.J. Region 2 (Post 820201). 94/11/01. 11pp. 81639:186-81639:196.

DOCKET 50-322 SHOREHAM NUCLEAR POWER STATION

H. General correspondence

9411250101 Final response to FOIA request for documents re plant pipe break outside containment criteria.Forwards App C documents. App B documents already available in PDR.App D documents completely withheld (ref FOIA exemption 5).
GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (890206-940714). 93/11/04. LOCKHART,J.A. Mudge, Rose, Guthrie, Alexander & Ferden. 47pp. 81939:001-81939:178.

-7812260205 Responds to 780223 ltr from D Morris re safety of subj facil.Repts hearing on subj facil will be held in fall & forwards final environ statement.
DIRCKS,W.J. Ofc of the Executive Director for Operations. 78/03/22. LAGOMARSINO,R.J. House of Rep. 2pp. 81939:068-81939:069.

-9411230149 Ack receipt of letter,dtd 780301,enclosing correspondence from constituent D Morris re activities at plant.Reply to be sent as soon as possible.
KAMMERER,C. Office of Congressional Affairs (Pre 870413). 78/03/10. LAGOMARSINO,R. House of Rep. 1p. 81939:073-81939:073.

Q. Inspection reports, IE Bulletins & correspondence

9410140257 Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Mats Events to NRC Operations Ctr."
BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.

9410200153 NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts."
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81658:001-81658:013.

9411090300 NRC Bulletin 94-002, "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride."
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.

9411100237 NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment."
GRIMES,B.K. 94/11/17. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.

9411150578 NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation."
GRIMES,B.K. 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.

9411170039 NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping."
GRIMES,B.K. 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.

9411170279 NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys."
GRIMES,B.K. 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.

9411170284 NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results."
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.

R. Periodic operating reports & related correspondence

9411040116 Forwards "Final Annual Radioactive Effluent Release Rept for CY 1994," including last revised copies of ODCM & PCP.Rept prepared for closeout purposes as part of completion of plant decommissioning.
PETSCHAUER,F. Long Island Power Authority. 94/11/01. Document Control Branch (Document Control Desk). 2pp. 81651:001-81651:325.

-9411040118 "Final Annual Radioactive Effluent Release Rept for CY94."
* Long Island Power Authority. 94/11/01. 323pp. 81651:003-81651:325.

W. Decommissioning Stage Documents & Correspondence

9411250101 Final response to FOIA request for documents re plant pipe break outside containment criteria.Forwards App C documents. App B documents already available in PDR.App D documents completely withheld (ref FOIA exemption 5).
GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (890206-940714). 93/11/04. LOCKHART,J.A. Mudge, Rose, Guthrie, Alexander & Ferden. 47pp. 81939:001-81939:178.

-7810200229 Orders Suffolk County to file response to interrogatories by 781113 if Suffolk County legislature approves MHR funding.
BOWERS,E.J. Office of the Secretary of the Commission. 78/10/12. 4pp. 81939:062-81939:065.

-7810270048 Responds to 781004 memo re dose assessment of generator load rejection.Supports conclusion that design meets seismic requirements of App A to 10CFR100.
NOVAK,T.M. Reactor Systems Branch. 78/10/19. HOUSTON,R.W. Accident Analysis Branch. 2pp. 81939:173-81939:174.

-7810300235 Forwards SSER based on review of application through Amend 27 & list of all unresolved items.Requests that rept be forwarded to applicant.
TEDESCO,R.L. Assistant Director for Plant Systems. 78/10/18. VASSALLO,D.B. Assistant Director for Light Water Reactors. 7pp. 81939:074-81939:080.

-7811010185 Forwards util info re seismic qualification of component cooling water to reactor recirculation pumps & drywell floor drain monitoring sys.Evaluation re expected availability of sys after seismic events requested.
NOVAK,T.M. Reactor Systems Branch. 78/10/18. BOSNAK,R.J. Mechanical Engineering Branch. 3pp. 81939:170-81939:172.

-7811020065 Forwards Containment Sys Branch Rev 1 to draft SER.Rev resolves issues of containment external pressure & combustible gas control sys.W/o encl.
TEDESCO,R. Assistant Director for Plant Systems. 78/10/17. VASSALLO,D. Assistant Director for Light Water Reactors. 2pp. 81939:066-81939:067.

-7811020287 Requests addl info to assess adequacy of design for sacrificial shield wall,info re transient pressure profile & clarification & reassessment of design adequacy.
JENG,D.C. Structural Engineering Branch. 78/10/26. VARGA,S.A. Light Water Reactors Branch 4. 2pp. 81939:175-81939:176.

-7811070122 Evaluates possibility of loss of offsite power concurrent w/ LOCA using WASH-1400 values.Probability extremely remote. Applicant response re circulation adequate.
NOVAK,T.M. Reactor Systems Branch. 78/10/31. Reactor Systems Branch. 2pp. 81939:177-81939:178.

-8104150101 Discusses shipments of spent reactor fuel & high level waste through New York,NY prior to City of New York Health Code radioactive mats regulation enactment.Correspondence re radioactive mats transportation encl.
SOLON,L.R. New York, NY. 77/08/25. QUITTSCHREIBER ACRS - Advisory Committee on Reactor Safeguards. 12pp. 81939:050-81939:061.

-9412020113 Supplemental SE 1,reflecting results of review of application through amend 27.
* Assistant Director for Plant Systems. 78/08/31. 86pp. 81939:081-81939:169.

9411040033 Contract: "Shoreham Simulator Computer Upgrade,"awarded to Encore Computer Corp.
CARTER,K. Encore Computer Corp. MATTIA,M.J. Division of Contracts (Post 940714). FIN E-8267. 94/09/23. 57pp. 81603:302-81603:358.

9411150352 Requests for withholding confidential commercial info per 10CFR2.790 from public disclosure for Shoreham Nuclear Station,Unit 1,Termination Survey Rept Phase 4.
PITTIGLIO,C.L. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 94/11/03. BORTZ,A.J. Long Island Power Authority. 3pp. 81781:004-81781:006.

9411160105 Submits info re application of soil release to other bulk mats at facility.
PITTIGLIO,C.L. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 94/11/04. BORTZ,A.J. Long Island Power Authority. 4pp. 81781:356-81781:359.

DOCKET 50-323 DIABLO CANYON NUCLEAR POWER PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9411230061 Forwards public version of EPIP including rev 27 to EP G-3, rev 5 to EP RB-14,rev 1a to EP RB-15j & rev 1 to EP RB-15:0.W/941121 ltr.
SEXTON,J.A. Pacific Gas & Electric Co. 94/08/19. Document Control Branch (Document Control Desk). 3pp. 81827:150-81827:235.

-9411230079 Rev 27 to EP G-3,rev 5 to EP RB-14,rev 1a to EP RB-15j & rev 1 to EP RB-15:0.
* Pacific Gas & Electric Co. 94/08/19. 84pp. 81827:152-81827:235.

9411040132 Revised EPIPs,including Vol 3B to Current EPIPs table of contents,Rev 13A to EP RB-15A,Rev 11A to EP RB-15B,Rev 9 to EP RB-15:C,Rev 5A to EP RB-15:D,Rev 6A to EP RB-15:E & Rev 5 to EP RB-15:H.W/941031 ltr.
SEXTON,J.A. Pacific Gas & Electric Co. 94/10/31. 193pp. 81652:001-81652:159.

9411250192 Forwards Change 5 to Rev 18 to physical security plan.Change withheld (ref 10CFR73.21).
RUEGER,G.M. Pacific Gas & Electric Co. 94/11/02. Document Control Branch (Document Control Desk). 1p. 81854:357-81854:357.

9411100012 Notification of 941117 meeting w/utl in Rockville,MD to discuss overview of fire barrier penetration seal review program for Plant,Units 1 & 2.
PETERSON,S.R. Project Directorate III-2. 94/11/04. QUAY,T.R. Project Directorate III-2. 4pp. 81715:343-81715:346.

9411220297 Notification of 941117 meeting w/utl in Rockville,MD to discuss fire barrier penetration seal review program for plant.Meeting canceled.
PETERSON,S.R. Project Directorate IV-2. 94/11/04. QUAY,T.R. Project Directorate IV-2. 3pp. 81822:223-81822:225.

9411100056 Discusses 941026 mgt meeting w/PGE re SALP rept for period 930101-940831.List of attendees & handouts encl.
BEACH,A.B. Region 4 (Post 820201). 94/11/08. RUEGER,G.M. Pacific Gas & Electric Co. 11pp. 81673:063-81673:073.

9411250210 Forwards public version of revised Corporate ERPIPs, including Rev 13 to 1.1,Rev 8 to 1.2,Rev 5 to 3.1,Rev 12 to 3.2,Rev 6 to 3.5,Rev 6 to 3.6,Rev 14 to 4.3. & Rev 7 to 4.8. W/941025 ltr.
SEXTON,J.A. Pacific Gas & Electric Co. 94/11/08. Document Control Branch (Document Control Desk). 3pp. 81852:022-81852:085.

9411250220 Public version of revised Corporate ERPIPs,including Rev 13 to 1.1,Rev 8 to 1.2, Rev 5 to 3.1,Rev 12 to 3.2,Rev 6 to 3.5,Rev 14 to 4.3 & Rev 7 to 4.8.
* Pacific Gas & Electric Co. 94/11/08. 67pp. 81852:025-81852:085.

G. Adjudicatory correspondence

9411100086 Initial decision (construction period recovery/recapture). * Renewed motion to reopen record 940808,denied.Served on 941104.W/Certificate of Svc.
BECHHOEFER,C., KLINE,J.R., SHONF,J. Atomic Safety & Licensing Board Panel. #494 15901. 94/11/04. Pacific Gas & Electric Co. 210pp. 81674:001-81674:210.

H. General correspondence

9411250101 Final response to FOIA request for documents re plant pipe break outside containment criteria.Forwards App C documents. App B documents already available in PDR.App D documents completely withheld (ref FOIA exemption 5).
GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (890206-940714). 93/11/04. LOCKHART,J.A. Mudge, Rose, Guthrie, Alexander & Ferden. 47pp. 81939:001-81939:178.

9411250120 Forwards correspondence from constituent D Morris re interest in Diablo Canyon plant re safety & environ issues.
LAGOMARSINO,R. House of Rep. 78/03/01. KAMMERER,C.C. Office of Congressional Affairs (Pre 870413). 3pp. 81939:070-81939:072.

P. Operating license stage documents & correspondence

9411030239 Forwards SE accepting licensee 930413 request permanent relief for plant units 1 & 2 from ASME code Section III, subsection NC-7142 SV control & interlock requirements.
QUAY,T.R. Project Directorate IV-2. 94/10/12. RUEGER,G.M. Pacific Gas & Electric Co. 5pp. 81607:284-81607:292.

9411030244 SE supporting request for relief from stop valve control & interlock requirements of Section III,Subsection NC-7142 of ASME boiler & pressure vessel code.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/12. 6pp. 81607:288-81607:292.

9411030131 Forwards "Third Quarter 1994 Rept on Discharge Monitoring at Diablo Canyon Power Plant."
FUJIMOTO,W.H. Pacific Gas & Electric Co. 94/10/19. BRIGGS,R.W. California, State of. 2pp. 81640:107-81640:235.

9411030139 "Third Quarter 1994 Rept on Discharge Monitoring at Diablo Canyon Power Plant, Natl Pollutant Discharge Elimination Sys."
* Pacific Gas & Electric Co. 94/09/30. 124pp. 81640:109-81640:235.

9411020081 Forwards "Core Operating Limits Rept,Diablo Canyon Power Plant,Unit 2 Cycle 7."
RUEGER,G.M. Pacific Gas & Electric Co. 94/10/24. Document Control Branch (Document Control Desk). 1p. 81590:121-81590:132.

9411020159 "Core Operating Limits Rept,Diablo Canyon Power Plant Unit 2 Cycle 7."
* Pacific Gas & Electric Co. 94/10/21. 11pp. 81590:122-81590:132.

9411020200 Submits 15-day special rept on number of tubes plugged in each steam generator during unit 2 sixth refueling outage.
RUEGER,G.M. Pacific Gas & Electric Co. 94/10/25. Document Control Branch (Document Control Desk). 1p. 81590:110-81590:110.

9411100017 Forwards amends 96 & 95 to licenses DPR-80 & DPR-82 & safety evaluation.Amends change TS 4.2.2, "Heat Flux Hot Channel Factor," & 6.9.1.8, "COLR," to implement revised methodology for calculating penalty.
PETERSON,S.R. Project Directorate IV-2. 94/10/31. RUEGER,G.M. Pacific Gas & Electric Co. 3pp. 81715:324-81715:339.

9411100018 Amends 96 & 95 to licenses DPR-80 & DPR-82,respectively, changing TS 4.2.2, "Heat Flux Hot Channel Factor," & 6.9.1.8, "COLR," to implement revised methodology.
PETERSON,S.R. Project Directorate IV-2. 94/10/31. 9pp. 81715:327-81715:335.

9411100019 Safety evaluation supporting amends 96 & 95 to licenses DPR-80 & DPR-82,respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/31. 4pp. 81715:336-81715:339.

9411160249 Discusses highlights of 941028 meeting w/PGE re current issues & plans for plants.Identifies positive accomplishments & activities for plant inspections & recent refueling outage.
JONES,W.B. Commissioners (Post 750119). 94/10/31. NRC - No Detailed Affiliation Given. 1p. 81755:354-81755:354.

9411180006 Forwards application to renew NPDES permit for Diablo Canyon Power Plant (Permit CA 0003751).W/encl check in amount of \$10,000 to cover first annual fee & 1 oversize encl.
FUJIMOTO,W.H. Pacific Gas & Electric Co. 94/11/07. BRIGGS,R. California, State of. 51pp. 81842:080-81842:132.

9411230082 Forwards LAR 94-11 to Licenses DPR-80 & DPR-82,revising TS 3/4.3.2, "ESFAS Instrumentation." Westinghouse nonproprietary repts WCAP-13900 & WCAP-14117 & proprietary rept WCAP-13878 also encl.Proprietary rept withheld.
RUEGER,G.M. Pacific Gas & Electric Co. 94/11/14. Document Control Branch (Document Control Desk). 2pp. 81893:001-81893:272.

9411230087 LAR 94-11 to Licenses DPR-80 & DPR-82,revising TS 3/4.3.2, "ESFAS Instrumentation," to relax slave relay test frequency from quarterly to refueling outage.
RUEGER,G.M. Pacific Gas & Electric Co. 94/11/14. 13pp. 81893:003-81893:015.

9411230090 Proposed TS 3/4.3.2, "ESFAS Instrumentation," relaxing slave relay test frequency from quarterly to refueling outage.
* Pacific Gas & Electric Co. 94/11/14. 14pp. 81893:016-81893:029.

Q. Inspection reports, IE Bulletins & correspondence

9410140257 Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Matls Events to NRC Operations Ctr."
BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.

9410200153 NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts."
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81658:001-81658:013.

9411020007 Forwards master exam & answer key for info re administration of Generic Fundamentals Exam Section of written operator licensing exam.W/o encls.
GWYNN,T.P. Region 4 (Post 820201). 94/10/26. RUEGER,G.M. Pacific Gas & Electric Co. 2pp. 81528:050-81528:051.

9411070390 Forwards SER accepting licensee 930308 & 931210 responses to NRC bulletin 90-01,suppl 1 for plant.
PETERSON,S.R. Project Directorate IV-2. 94/10/28. RUEGER,G.M. Pacific Gas & Electric Co. 3pp. 81713:302-81713:326.

9411070392 SER accepting licensee 930308 & 931210 responses to NRC bulletin 90-01,suppl 1 for plant.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/28. 2pp. 81713:305-81713:306.

9411010353 "Evaluation of Util Response to Suppl 1 to NRC Bulletin 90-01 for Plant." UDY,A. EG&G Idaho, Inc. UDY,A. Idaho National Engineering Laboratory. FIN L-1695. EGG-DNSP-10826. 94/09/30. NRC - No Detailed Affiliation Given. 20pp. 81713:307-81713:326.

9411160249 Discusses highlights of 941028 meeting w/PGE re current issues & plans for plants.Identifies positive accomplishments & activities for plant inspections & recent refueling outage.
JONES,W.B. Commissioners (Post 750119). 94/10/31. NRC - No Detailed Affiliation Given. 1p. 81755:354-81755:354.

9411100056 Discusses 941026 mgt meeting w/PGE re SALP rept for period 930101-940831.List of attendees & handouts encl.
BEACH,A.B. Region 4 (Post 820201). 94/11/08. RUEGER,G.M. Pacific Gas & Electric Co. 11pp. 81673:063-81673:073.

9411170031 Forwards insp rept 50-323/94-28 on 941019-28 & notice of violation.Violation of concern because it involves inadvertent securing of in-service residual heat removal pump.
BEACH,A.B. Region 4 (Post 820201). 94/11/09. RUEGER,G.M. Pacific Gas & Electric Co. 5pp. 81760:126-81760:139.

9411170036 Notice of violation from insp on 941019-28.Violation noted: on 941018,Step 12.3.1.e.4 performed w/o having shut down RHR pump 2.
* Region 4 (Post 820201). 94/11/09. 2pp. 81760:130-81760:131.

9411170047 Insp rept 50-323/94-28 on 941019-28.Violations noted.Major areas inspected:DG surveillance testing,tailboard & supervision involvement & sys engineer involvement w/surveillance testing.
KIRSCH,D. Region 4 (Post 820201). 94/11/07. 8pp. 81760:132-81760:139.

9411090300 NRC Bulletin 94-002, "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride."
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.

9411220007 Forwards insp repts 50-275/94-25 & 50-323/94-25 on 940926-1028 & notice of violation.
GWYNN,T.P. Region 4 (Post 820201). 94/11/16. RUEGER,G.M. Pacific Gas & Electric Co. 5pp. 81795:344-81795:359.

9411220012 Notice of violation from insp on 940926-1028.Violation noted:documented instructions not appropriate to circumstances for resistance temp detector mod project on Unit 2.
* Region 4 (Post 820201). 94/11/16. 2pp. 81795:349-81795:350.

9411220016 Insp repts 50-275/94-25 & 50-323/94-25 on 940926-1028. Violations noted.Major areas inspected:ISI program for Unit 2.
POWERS,D.A. Region 4 (Post 820201). 94/11/14. 9pp. 81795:351-81795:359.

9411100237 NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment."
GRIMES,B.K. . 94/11/17. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.

84 DOCKETED ITEMS

9411280037 Forwards insp repts 50-275/94-24 & 50-323/94-24 on 940901- 1015 & notice of violation. Violation of concern because of involved alignment of vital power to safety-related sys.
BEACH, A.B. Region 4 (Post 820201). 94/11/18. RUEGER, G.M. Pacific Gas & Electric Co. 4pp. 81840:305-81840:333.

-9411280044 Insp repts 50-275/94-24 & 50-323/94-24 on 940901-1015. Violations noted. Major areas inspected: response to events, operational safety verification, plant maint. surveillance observations, plant support activities & onsite engineering.
KIRSCH, D. Region 4 (Post 820201). 94/11/18. 24pp. 81840:310-81840:333.

9411150578 NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation."
GRIMES, B.K. . 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.

9411170039 NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping."
GRIMES, B.K. . 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.

9411170279 NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys."
GRIMES, B.K. . 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.

9411170284 NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results."
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.

R. Periodic operating reports & related correspondence

9411230207 Monthly operating repts for Oct 1994 for Diablo Canyon Units 1 & 2. W/ 941114 ltr.
EUBANK, T., STIPICEVICH, J., FUJIMOTO, W.H. Pacific Gas & Electric Co. 94/10/31. 12pp. 81833:193-81833:204.

S. Reportable occurrences, LERs & related correspondence

9411150293 LER 94-007-00: on 941008, TS 3.7.1.1 not met during MS SV surveillance testing due to setpoint drift. Purchase of new test device & continued utility participation in industry investigative efforts. W/941107 ltr.
SISK, D.P., RUEGER, G.M. Pacific Gas & Electric Co. 94/11/07. 6pp. 81782:001-81782:006.

9411230237 LER 94-008-00: on 941018, momentary loss of RHR flow occurred. Caused by personnel error. Personnel counseled & new dept directives issued. W/941116 ltr.
SISK, D., RUEGER, G.M. Pacific Gas & Electric Co. 94/11/16. 8pp. 81868:050-81868:057.

9411250129 LER 94-009-00: on 941020, DG 2-2 started automatically during scheduled surveillance test. Caused by plant design w/ lightly loaded bus. STP M-16Q3 revised. W/ 941118 ltr.
SISK, D.P., RUEGER, G.M. Pacific Gas & Electric Co. 94/11/18. 6pp. 81864:175-81864:180.

V. Operator Examinations

9411020007 Forwards master exam & answer key for info re administration of Generic Fundamentals Exam Section of written operator licensing exam. W/o encls.
GWYNN, T.P. Region 4 (Post 820201). 94/10/26. RUEGER, G.M. Pacific Gas & Electric Co. 2pp. 81528:050-81528:051.

9411290193 Summary of 941110 meeting w/utis re training & operator licensing issues. List of attendees, meeting agenda & handouts encl.
GWYNN, T.P. Region 4 (Post 820201). 94/11/22. Region 4 (Post 820201). 27pp. 81869:003-81869:029.

DOCKET 50-324 BRUNSWICK STEAM ELECTRIC PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9411030021 Ack receipt of 940802 & 0908 ltrs which forwarded objectives & scenario for 1994 Emergency Exercise scheduled for plant Units 1 & 2. Confidentiality of submittal should be preserved by instructing that scenario be opened only by addressee.
CLINE, W.E. Region 2 (Post 820201). 94/10/19. ANDERSON, R.A. Carolina Power & Light Co. 3pp. 81561:062-81561:064.

9411020190 Application for amends to licenses DPR-71 & DPR-62, deleting remaining ETS, including section 2/3.3.1, water level in discharge canal & section 2/3.4, meteorology.
COWAN, J.P. Carolina Power & Light Co. 94/10/25. Document Control Branch (Document Control Desk). 9pp. 81589:001-81589:032.

-9411020193 Proposed tech specs reflecting deletion of remaining ETS pertaining to non-radiological hydraulic limitations re discharge canal level & meteorological monitoring.
* Carolina Power & Light Co. 94/10/25. 23pp. 81589:010-81589:032.

9411010154 Rev 39C to Vol XIII to "Emergency Response Plan."
PERGERSON, B. Carolina Power & Light Co. 94/10/26. 165pp. 81579:097-81579:260.

9411030002 Forwards summary of workshops held w/US Army Corps of Engineers & licensee representatives conducted at each of four regional ofcs. W/o encl.
BATEMAN, W.H. Project Directorate II-1. 94/10/26. ORSER, W.S. Carolina Power & Light Co. 4pp. 81607:173-81607:176.

9411070317 Revised EIPs, including Rev 16 to OPEP-02.6.12, Rev 1 to OPEP-02.6.26 & Rev 1 to OPEP-02.6.28. W/941026 ltr.
LEVIS, B. Carolina Power & Light Co. 94/10/28. EBNETER, S.D. Region 2 (Post 820201). 108pp. 81662:250-81662:357.

9411080196 Forwards list of recent revs to BSEP emergency procedures.
LEVIS, B. Carolina Power & Light Co. 94/10/28. EBNETER, S.D. Region 2 (Post 820201). 2pp. 81678:358-81678:359.

9411300122 Requests participation in exercises for testing of Natl Emergency Coordination Net for high frequency radio communications scheduled for Mar 1, June 1, Sept 1 & Dec 1 of each yr.
CLINE, W.E. Region 2 (Post 820201). 94/11/16. ANDERSON, R.A. Carolina Power & Light Co. 2pp. 81872:136-81872:138.

G. Adjudicatory correspondence

9411300306 Informs that time provided by NRC regulation within which Commission may act to review DD-94-09 has expired. W/Certificate of Svc. Served on 941125.
HOYLE, J.C. Office of the General Counsel (Post 860701). #494 16027. 94/11/25. KOHN, M.D. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). 2pp. 81890:015-81890:016.

H. General correspondence

9411230100 Responds to 941015 ltr to Chairman I Selin, requesting info on actions taken by NRC to address concerns raised by JA Fleming re emergency preparedness for nuclear power plants.
TAYLOR, J.M. Ofc of the Executive Director for Operations. 94/11/09. KERRY, J.F. Senate. 3pp. 81828:286-81828:323.

-9411230199 Requests addl info pertaining to emergency preparedness for each site listed.
FLEMING, J.A. Affiliation Not Assigned. 94/07/14. CHILK, S. Office of the Secretary of the Commission. 2pp. 81828:322-81828:323.

P. Operating license stage documents & correspondence

9411300237 Final response to FOIA request for documents. App C records encl & partially withheld (ref FOIA exemption 5).
POWELL, R.A. Division of Freedom of Information & Publications Services (890206-940714). 93/11/22. PATTERSON, S.J. Newman & Holtzinger. 3pp. 81900:174-81900:271.

-9411300253 Summary of 920615-16 NRC senior mgt meeting conducted to assure NRC focusing resources on plants & related issues of greatest safety significance. Info partially deleted.
TAYLOR, J.M. Ofc of the Executive Director for Operations. 92/06/25. THE CHAIRMAN Commissioners (Post 750119). 50pp. 81900:178-81900:227.

-9411300265 Summary of 930126-28 NRC senior mgt meeting conducted to assure NRC focusing resources on plants & related issues of greatest safety significance. Info partially deleted.
TAYLOR, J.M. Ofc of the Executive Director for Operations. 93/02/04. THE CHAIRMAN Commissioners (Post 750119). 44pp. 81900:228-81900:271.

9411070190 Requests participation in 941108 meeting w/NRC at Region II ofc in Atlanta, GA re GL 89-10 MOV programs.
GIBSON, A.F. Region 2 (Post 820201). 94/10/12. ANDERSON, R.A. Carolina Power & Light Co. 2pp. 81605:276-81605:279.

9411020190 Application for amends to licenses DPR-71 & DPR-62, deleting remaining ETS, including section 2/3.3.1, water level in discharge canal & section 2/3.4, meteorology.
COWAN, J.P. Carolina Power & Light Co. 94/10/25. Document Control Branch (Document Control Desk). 9pp. 81589:001-81589:032.

-9411020193 Proposed tech specs reflecting deletion of remaining ETS pertaining to non-radiological hydraulic limitations re discharge canal level & meteorological monitoring.
* Carolina Power & Light Co. 94/10/25. 23pp. 81589:010-81589:032.

9411030029 Confirms telcon between S Callis & J Starefos of NRC on 941005 re meeting to be conducted at Region II ofc in Atlanta, GA to discuss status of self-assessment & corrective action program at plant.
BOGER, B.A. Region 2 (Post 820201). 94/10/25. ANDERSON, R.A. Carolina Power & Light Co. 4pp. 81561:139-81561:142.

9411070262 Notification of significant licensee meeting w/util on 941110 to discuss licensee self-assessment, C/A program & licensed operator requalification program.
CHRISTENSEN, H. Region 2 (Post 820201). 94/10/25. Region 2 (Post 820201). 2pp. 81606:042-81606:043.

9411030137 Application for amends to licenses DPR-62 & DPR-71, proposing TS, increasing instrument surveillance test intervals & allowable out-of-service times.
COWAN, J.P. Carolina Power & Light Co. 94/10/28. Document Control Branch (Document Control Desk). 27pp. 81636:148-81636:290.

-9411040159 Proposed tech specs increasing instrument surveillance tests intervals & allowable out-of-svc times.
* Carolina Power & Light Co. 94/10/28. 118pp. 81636:173-81636:290.

9411090198 Requests brief description of diesel reliability program, associated improvements in maint training & in tooling used on EDG, w/specific emphasis on differences from previous program.
MILANO, P.D. Project Directorate II-1. 94/10/28. ANDERSON, R.A. Carolina Power & Light Co. 1p. 81667:321-81667:321.

9411100079 Informs that first installment of \$3,068,000 was paid to US Dept of Treasury, NRC on 941102.
ROGAN, R.E. Carolina Power & Light Co. 94/11/02. Document Control Branch (Document Control Desk). 1p. 81752:266-81752:266.

9411100110 Informs that payment of \$80,462 for period 940320-0625 for listed invoices was transferred to US Dept of Treasury on 941102.
ROGAN, R.E. Carolina Power & Light Co. 94/11/02. Document Control Branch (Document Control Desk). 1p. 81752:228-81752:228.

9411170054 Comment on pilot program for NRC recognition of good performance by Nuclear Power Plants. Util endorses position stated in Nuclear Energy Institute 941003 ltr to NRC for listed reasons.
ROGAN, R.E. Carolina Power & Light Co. 94/11/02. Rules & Directives Review Branch (Post 920323). 2pp. 81760:179-81760:180.

9411150582 Requests addl info re review of 930820 plant IPE submittal concerning GL 88-20, "IPE For Severe Accident Vulnerabilities, 10CFR50.54(f)."
MILANO, P.D. Project Directorate II-1. 94/11/09. ANDERSON, R.A. Carolina Power & Light Co. 15pp. 81748:046-81748:060.

9411170300 Summary of 940831 meeting w/util in Rockville, MD re plant electrical distribution sys enhancements. List of attendees & slides presented by util encl.
MILANO, P.D. Project Directorate II-1. 94/11/14. Project Directorate II-1. 34pp. 81777:148-81777:182.

9411220162 Application for amends to Licenses DPR-62 & DPR-71, removing specific instrumentation requirements for suppression chamber water temp monitoring from TS 3/4.6.2, on suppression chamber.
ANDERSON, R.A. Carolina Power & Light Co. 94/11/16. Document Control Branch (Document Control Desk). 10pp. 81832:251-81832:284.

-9411220167 Proposed TS 3/4.6.2 re suppression chamber water temp instrumentation.
* Carolina Power & Light Co. 94/11/16. 24pp. 81832:261-81832:284.

9411250084 Application for amends to licenses DPR-62 & DPR-71, revising TS 3/4.6.1.2 by adopting wording for primary containment integrated leak rate testing consistent w/ requirements of BWR-4 improved STS (NUREG-1433).
ANDERSON, R.A. Carolina Power & Light Co. 94/11/16. Document Control Branch (Document Control Desk). 11pp. 81885:285-81885:306.

-9411250087 Proposed TS 3/4.6.1.2, adopting wording for primary containment integrated leak rate testing consistent w/ requirements of BWR-4 improved STS (NUREG-1433).
* Carolina Power & Light Co. 94/11/16. 11pp. 81885:296-81885:306.

9411300054 Forwards overview for 941110 meeting w/util at Region II ofc in Atlanta, GA re util self assessment & CAP & licensed operator requalification program.
GIBSON, A.F. Region 2 (Post 820201). 94/11/18. ANDERSON, R.A. Carolina Power & Light Co. 33pp. 81871:214-81871:247.

G. Inspection reports, IE Bulletins & correspondence

9410140257 Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Matis Events to NRC Operations Ctr."
BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.

9410200153 NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts."
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81658:001-81658:013.

9411070207 Forwards insp repts 50-324/94-28 & 50-325/94-28 on 940902-30 & notice of violation.
CHRISTENSEN, H. Region 2 (Post 820201). 94/10/28. ANDERSON, R.A. Carolina Power & Light Co. 4pp. 81605:331-81605:354.

-9411070216 Notice of violation from insp on 940902-30. Violation noted: licensee failed to adequately maintain operating procedure OP-13 & fuel handling procedure OH-20.
* Region 2 (Post 820201). 94/10/28. 2pp. 81605:335-81605:336.

-9411070226 Insp repts 50-324/94-28 & 50-325/94-28 on 940902-30. Violations noted. Major areas inspected: areas of operations, maintenance, engineering & plant support.
PATTERSON, C.A., CHRISTENSEN, H. Region 2 (Post 820201). 94/10/28. 18pp. 81605:337-81605:354.

9411210012 Forwards insp repts 50-324/94-27 & 50-325/94-27. No violations noted.
CHRISTENSEN, H. Region 2 (Post 820201). 94/10/28. ANDERSON, R.A. Carolina Power & Light Co. 3pp. 81784:059-81784:072.

-9411210021 Insp repts 50-324/94-27 & 50-325/94-27 on 940926-30. No violations noted. Major areas inspected: review deficiency identification & corrective action process.
CHRISTENSEN, H., ORDERS, W.T. Region 2 (Post 820201). 94/10/28. 11pp. 81784:062-81784:072.

9411100102 Informs that payment for NRC insp fees for period 940320- 940625 for listed invoices was transferred to US Dept of Treasury on 941102.
ROGAN, R.E. Carolina Power & Light Co. 94/11/02. Document Control Branch (Document Control Desk). 1p. 81750:360-81750:360.

9411210009 Forwards insp repts 50-324/94-31 & 50-325/94-31 on 941003-07 & notice of violation.
CRLENJAK, R.V. Region 2 (Post 820201). 94/11/04. ANDERSON, R.A. Carolina Power & Light Co. 3pp. 81784:031-81784:048.

-9411210013 Notice of violation from insp on 941003-07. Violation noted: revs were not identified & reviewing engineers failed to recognize that mod package changed TS equipment list & FSAR Section 6.2, Table 6.2.4-1, containment valve list.
* Region 2 (Post 820201). 94/11/04. 2pp. 81784:034-81784:035.

-9411210020 Insp repts 50-324/94-31 & 50-325/94-31 on 941003-07. Violations noted. Major areas inspected: areas of design changes & plant mod & engineering & technical support activities.
WISEMAN, G., CASTO, C. Region 2 (Post 820201). 94/11/04. 13pp. 81784:036-81784:048.

9411160268 Responds to concerns noted in insp repts 50-324/94-23 & 50-325/94-23. Based on sixteen crew failures during annual operating exams util performed root cause analysis.
COWAN, J. Carolina Power & Light Co. 94/11/09. Document Control Branch (Document Control Desk). 4pp. 81783:329-81783:332.

9411290041 Ack receipt of 941021 ltr informing NRC of steps taken to correct violations noted in insp repts 50-324/94-24 & 50-325/94-24.
CHRISTENSEN, H. Region 2 (Post 820201). 94/11/10. ANDERSON, R.A. Carolina Power & Light Co. 3pp. 81857:283-81857:285.

9411090300 NRC Bulletin 94-002, "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride."
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.

9411100237 NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment."
GRIMES, B.K. 94/11/17. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.

9411150578 NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation."
GRIMES, B.K. 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.

9411290206 Discusses NRC administered exams by M Ernstes during 941024- 28 to employees of licensee who applied for licenses to operate plant.
PEEBLES, T.A. Region 2 (Post 820201). 94/11/22. ANDERSON, R.A. Carolina Power & Light Co. 3pp. 81869:077-81869:301.

-9411290221 Exam repts 50-324/94-301 & 50-325/94-301 on 941024-28. Exam results: six RO & three SRO candidates received written exams & operating tests & passed.
ERNSTES, M., LAWYER, L.L. Region 2 (Post 820201). 94/11/18. 6pp. 81869:080-81869:085.

9411300285 Provides response to violations noted in Insp Repts 50-324/94-28 & 50-325/94-28. Corrective actions: remaining fuel handling procedures reviewed for consistency w/new OP-13 revs & no other revs identified.
COWAN, J. Carolina Power & Light Co. 94/11/22. Document Control Branch (Document Control Desk). 6pp. 81908:355-81908:360.

9411170039 NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping."
GRIMES, B.K. 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.

9411290192 Ack receipt of 941109 ltr informing NRC of steps taken to correct violations noted in insp repts 50-324/94-23 & 50-325/94-23.
PEEBLES, T.A. Region 2 (Post 820201). 94/11/23. ANDERSON, R.A. Carolina Power & Light Co. 2pp. 81869:001-81869:002.

9411170279 NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys."
GRIMES, B.K. 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.

9411170284 NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results."
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.

R. Periodic operating reports & related correspondence

9411170313 Monthly operating repts for Oct 1994 for Brunswick Steam Electric Plant Units 1 & 2. W/941109 ltr.
HARRISON, F., LEVINS, W. Carolina Power & Light Co. 94/10/31. 6pp. 81800:227-81800:232.

V. Operator Examinations

9411070262 Notification of significant licensee meeting w/util on 941110 to discuss licensee self-assessment, C/A program & licensed operator requalification program.
CHRISTENSEN, H. Region 2 (Post 820201). 94/10/25. Region 2 (Post 820201). 2pp. 81606:042-81606:043.

9411030132 Provides update of estimates of candidates to be tested for licenses for FY95-98 for Brunswick Nuclear Plant.
LOPRIORE, R.P. Carolina Power & Light Co. 94/10/28. Document Control Branch (Document Control Desk). 4pp. 81653:226-81653:229.

9411160268 Responds to concerns noted in insp repts 50-324/94-23 & 50-325/94-23. Based on sixteen crew failures during annual operating exams util performed root cause analysis.
COWAN, J. Carolina Power & Light Co. 94/11/09. Document Control Branch (Document Control Desk). 4pp. 81783:329-81783:332.

9411300054 Forwards overview for 941110 meeting w/util at Region II ofc in Atlanta, GA re util self assessment & CAP & licensed operator requalification program.
GIBSON, A.F. Region 2 (Post 820201). 94/11/18. ANDERSON, R.A. Carolina Power & Light Co. 33pp. 81871:214-81871:247.

9411290206 Discusses NRC administered exams by M Ernstes during 941024- 28 to employees of licensee who applied for licenses to operate plant.
PEEBLES, T.A. Region 2 (Post 820201). 94/11/22. ANDERSON, R.A. Carolina Power & Light Co. 3pp. 81869:077-81869:301.

-9411290221 Exam repts 50-324/94-301 & 50-325/94-301 on 941024-28. Exam results: six RO & three SRO candidates received written exams & operating tests & passed.
ERNSTES, M., LAWYER, L.L. Region 2 (Post 820201). 94/11/18. 6pp. 81869:080-81869:085.

-9411290229 Provides NRC w/encl exam comments for exam given on 941024 at plant.
ANDERSON, R.A. Carolina Power & Light Co. 94/11/04. EBNETER, S.D. Region 2 (Post 820201). 8pp. 81869:086-81869:301.

86 DOCKETED ITEMS

Y. Dry Cask Independent Spent Fuel Storage Installations

9411090152 Forwards preliminary draft environ assessment & preliminary draft SER for ISFSI.
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 94/10/25.
ANDERSON,R.A. Carolina Power & Light Co. 3pp. 81750:160-81750:263.

-9411090162 Preliminary Draft, "Environmental Assessment Re Construction & Operation of Brunswick Independent Spent Fuel Storage Installation."
* Office of Nuclear Material Safety & Safeguards. 92/09/30. 34pp. 81750:163-81750:200.

-9411090277 Preliminary Draft, "Safety Evaluation Rept For CP&L Brunswick."
* Carolina Power & Light Co. NRC-03-87-004. 91/05/28. 50pp. 81750:201-81750:263.

DOCKET 50-325 BRUNSWICK STEAM ELECTRIC PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9411030021 Ack receipt of 940802 & 0908 ltrs which forwarded objectives & scenario for 1994 Emergency Exercise scheduled for plant Units 1 & 2. Confidentiality of submittal should be preserved by instructing that scenario be opened only by addressee.
CLINE,W.E. Region 2 (Post 820201). 94/10/19. ANDERSON,R.A. Carolina Power & Light Co. 3pp. 81561:062-81561:064.

9411020190 Application for amends to licenses DPR-71 & DPR-62, deleting remaining ETS, including section 2/3.3.1, water level in discharge canal & section 2/3.4, meteorology.
COWAN,J.P. Carolina Power & Light Co. 94/10/25. Document Control Branch (Document Control Desk). 9pp. 81589:001-81589:032.

-9411020193 Proposed tech specs reflecting deletion of remaining ETS pertaining to non-radiological hydraulic limitations re discharge canal level & meteorological monitoring.
* Carolina Power & Light Co. 94/10/25. 23pp. 81589:010-81589:032.

9411010154 Rev 39C to Vol XIII to "Emergency Response Plan."
PERGERSON,B. Carolina Power & Light Co. 94/10/26. 165pp. 81579:097-81579:260.

9411030002 Forwards summary of workshops held w/US Army Corps of Engineers & licensee representatives conducted at each of four regional ofcs. W/o encl.
BATEMAN,W.H. Project Directorate II-1. 94/10/26. ORSER,W.S. Carolina Power & Light Co. 4pp. 81607:173-81607:176.

9411070317 Revised EPIPs, including Rev 16 to OPEP-02.6.12, Rev 1 to OPEP-02.6.26 & Rev 1 to OPEP-02.6.28. W/ 941028 ltr.
LEVIS,B. Carolina Power & Light Co. 94/10/28. EBNETER,S.D. Region 2 (Post 820201). 108pp. 81662:250-81662:357.

9411080196 Forwards list of recent revs to BSEP emergency procedures.
LEVIS,B. Carolina Power & Light Co. 94/10/28. EBNETER,S.D. Region 2 (Post 820201). 2pp. 81678:358-81678:359.

9411300122 Requests participation in exercises for testing of Natl Emergency Coordination Net for high frequency radio communications scheduled for Mar 1, June 1, Sept 1 & Dec 1 of each yr.
CLINE,W.E. Region 2 (Post 820201). 94/11/16. ANDERSON,R.A. Carolina Power & Light Co. 2pp. 81872:136-81872:138.

G. Adjudicatory correspondence

9411300306 Informs that time provided by NRC regulation within which Commission may act to review DD-94-09, has expired. W/Certificate of Svc. Served on 941125.
HOYLE,J.C. Office of the General Counsel (Post 860701). #494 16027. 94/11/25.
KOHN,M.D. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). 2pp. 81890:015-81890:016.

H. General correspondence

9411230100 Responds to 941015 ltr to Chairman I Selin, requesting info on actions taken by NRC to address concerns raised by JA Fleming re emergency preparedness for nuclear power plants.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 94/11/09. KERRY,J.F. Senate. 3pp. 81828:286-81828:323.

-9411230199 Requests addl info pertaining to emergency preparedness for each site listed.
FLEMING,J.A. Affiliation Not Assigned. 94/07/14. CHILK,S. Office of the Secretary of the Commission. 2pp. 81828:322-81828:323.

P. Operating license stage documents & correspondence

9411300237 Final response to FOIA request for documents. App C records encl & partially withheld (ref FOIA exemption 5).
POWELL,R.A. Division of Freedom of Information & Publications Services (890206-940714). 93/11/22. PATTERSON,S.J. Newman & Holtzinger. 3pp. 81900:174-81900:271.

-9411300253 Summary of 920615-16 NRC senior mgt meeting conducted to assure NRC focusing resources on plants & related issues of greatest safety significance. Info partially deleted.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 92/06/25. THE CHAIRMAN Commissioners (Post 750119). 50pp. 81900:178-81900:227.

-9411300265 Summary of 930126-28 NRC senior mgt meeting conducted to assure NRC focusing resources on plants & related issues of greatest safety significance. Info partially deleted.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 93/02/04. THE CHAIRMAN Commissioners (Post 750119). 44pp. 81900:228-81900:271.

9411070190 Requests participation in 941108 meeting w/NRC at Region II ofc in Atlanta, GA re GL 89-10 MOV programs.
GIBSON,A.F. Region 2 (Post 820201). 94/10/12. ANDERSON,R.A. Carolina Power & Light Co. 2pp. 81605:276-81605:279.

9411020190 Application for amends to licenses DPR-71 & DPR-62, deleting remaining ETS, including section 2/3.3.1, water level in discharge canal & section 2/3.4, meteorology.
COWAN,J.P. Carolina Power & Light Co. 94/10/25. Document Control Branch (Document Control Desk). 9pp. 81589:001-81589:032.

-9411020193 Proposed tech specs reflecting deletion of remaining ETS pertaining to non-radiological hydraulic limitations re discharge canal level & meteorological monitoring.
* Carolina Power & Light Co. 94/10/25. 23pp. 81589:010-81589:032.

9411030029 Confirms telcon between S Callis & J Starefos of NRC on 941005 re meeting to be conducted at Region II ofc in Atlanta, GA to discuss status of self-assessment & corrective action program at plant.
BOGER,B.A. Region 2 (Post 820201). 94/10/25. ANDERSON,R.A. Carolina Power & Light Co. 4pp. 81561:139-81561:142.

9411070262 Notification of significant licensee meeting w/util on 941110 to discuss licensee self-assessment, C/A program & licensed operator requalification program.
CHRISTENSEN,H. Region 2 (Post 820201). 94/10/25. Region 2 (Post 820201). 2pp. 81606:042-81606:043.

9411020156 Advises NRC of CP&L revised plans for replacement of BSEP, Unit 1 FW spargers & associated impact on plans for replacement of N4D FW nozzle. GE proprietary rept NEDC-30634, Rev 1, "BSEP, Unit 1 FW...Analysis" encl. GE rept withheld.
COWAN,J.P. Carolina Power & Light Co. 94/10/28. Document Control Branch (Document Control Desk). 2pp. 81590:040-81590:041.

9411030137 Application for amends to licenses DPR-62 & DPR-71, proposing TS, increasing instrument surveillance test intervals & allowable out-of-service times.
COWAN,J.P. Carolina Power & Light Co. 94/10/28. Document Control Branch (Document Control Desk). 27pp. 81636:148-81636:290.

-9411040159 Proposed tech specs increasing instrument surveillance tests intervals & allowable out-of-svc times.
* Carolina Power & Light Co. 94/10/28. 118pp. 81636:173-81636:290.

9411090198 Requests brief description of diesel reliability program, associated improvements in maint training & in tooling used on EDG, w/specific emphasis on differences from previous program.
MILANO,P.D. Project Directorate II-1. 94/10/28. ANDERSON,R.A. Carolina Power & Light Co. 1p. 81667:321-81667:321.

9411100079 Informs that first installment of \$3,068,000 was paid to US Dept of Treasury, NRC on 941102.
ROGAN,R.E. Carolina Power & Light Co. 94/11/02. Document Control Branch (Document Control Desk). 1p. 81752:266-81752:266.

9411100110 Informs that payment of \$80,462 for period 940320-0625 for listed invoices was transferred to US Dept of Treasury on 941102.
ROGAN,R.E. Carolina Power & Light Co. 94/11/02. Document Control Branch (Document Control Desk). 1p. 81752:228-81752:228.

9411170054 Comment on pilot program for NRC recognition of good performance by Nuclear Power Plants. Util endorses position stated in Nuclear Energy Institute 941003 ltr to NRC for listed reasons.
ROGAN,R.E. Carolina Power & Light Co. 94/11/02. Rules & Directives Review Branch (Post 920323). 2pp. 81760:179-81760:180.

9411150582 Requests addl info re review of 930820 plant IPE submittal concerning GL 88-20, "IPE For Severe Accident Vulnerabilities, 10CFR50.54(f)."
MILANO,P.D. Project Directorate II-1. 94/11/09. ANDERSON,R.A. Carolina Power & Light Co. 15pp. 81748:046-81748:060.

9411170300 Summary of 940831 meeting w/util in Rockville, MD re plant electrical distribution sys enhancements. List of attendees & slides presented by util encl.
MILANO,P.D. Project Directorate II-1. 94/11/14. Project Directorate II-1. 34pp. 81777:148-81777:182.

9411220162 Application for amends to Licenses DPR-62 & DPR-71, removing specific instrumentation requirements for suppression chamber water temp monitoring from TS 3/4.6.2, on suppression chamber.
ANDERSON,R.A. Carolina Power & Light Co. 94/11/16. Document Control Branch (Document Control Desk). 10pp. 81832:251-81832:284.

-9411220167 Proposed TS 3/4.6.2 re suppression chamber water temp instrumentation.
* Carolina Power & Light Co. 94/11/16. 24pp. 81832:261-81832:284.

9411250084 Application for amends to licenses DPR-62 & DPR-71, revising TS 3/4.6.1.2 by adopting wording for primary containment integrated leak rate testing consistent w/ requirements of BWR-4 improved STS (NUREG-1433).
ANDERSON,R.A. Carolina Power & Light Co. 94/11/16. Document Control Branch (Document Control Desk). 11pp. 81885:285-81885:306.

-9411250087 Proposed TS 3/4.6.1.2, adopting wording for primary containment integrated leak rate testing consistent w/ requirements of BWR-4 improved STS (NUREG-1433).
* Carolina Power & Light Co. 94/11/16. 11pp. 81885:296-81885:306.

9411300054 Forwards overview for 941110 meeting w/util at Region II ofc in Atlanta, GA re util self assessment & CAP & licensed operator requalification program.
GIBSON,A.F. Region 2 (Post 820201). 94/11/18. ANDERSON,R.A. Carolina Power & Light Co. 33pp. 81871:214-81871:247.

Q. Inspection reports, IE Bulletins & correspondence

- 9411040257 Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Maf's Events to NRC Operations Ctr." BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.
- 9410200153 NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts." GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81658:001-81658:013.
- 9411070207 Forwards insp repts 50-324/94-28 & 50-325/94-28 on 940902-30 & notice of violation. CHRISTENSEN, H. Region 2 (Post 820201). 94/10/28. ANDERSON, R.A. Carolina Power & Light Co. 4pp. 81605:331-81605:354.
- 9411070216 Notice of violation from insp on 940902-30. Violation noted: licensee failed to adequately maintain operating procedure OP-13 & fuel handling procedure OH-20. * Region 2 (Post 820201). 94/10/28. 2pp. 81605:335-81605:336.
- 9411070226 Insp repts 50-324/94-28 & 50-325/94-28 on 940902-30. Violations noted. Major areas inspected: areas of operations, maintenance, engineering & plant support. PATTERSON, C.A., CHRISTENSEN, H. Region 2 (Post 820201). 94/10/28. 18pp. 81605:337-81605:354.
- 9411210012 Forwards insp repts 50-324/94-27 & 50-325/94-27. No violations noted. CHRISTENSEN, H. Region 2 (Post 820201). 94/10/28. ANDERSON, R.A. Carolina Power & Light Co. 3pp. 81784:059-81784:072.
- 9411210021 Insp repts 50-324/94-27 & 50-325/94-27 on 940926-30. No violations noted. Major areas inspected: review deficiency identification & corrective action process. CHRISTENSEN, H., ORDERS, W.T. Region 2 (Post 820201). 94/10/28. 11pp. 81784:062-81784:072.
- 9411100102 Informs that payment for NRC insp fees for period 940320- 940625 for listed invoices was transferred to US Dept of Treasury on 941102. ROGAN, R.E. Carolina Power & Light Co. 94/11/02. Document Control Branch (Document Control Desk). 1p. 81750:360-81750:360.
- 9411210009 Forwards insp repts 50-324/94-31 & 50-325/94-31 on 941003-07 & notice of violation. CRLEN, JAK, R.V. Region 2 (Post 820201). 94/11/04. ANDERSON, R.A. Carolina Power & Light Co. 3pp. 81784:031-81784:048.
- 9411210020 Insp repts 50-324/94-31 & 50-325/94-31 on 941003-07. Violations noted. Major areas inspected: areas of design changes & plant mod & engineering & technical support activities. WISEMAN, G., CASTO, C. Region 2 (Post 820201). 94/11/04. 13pp. 81784:036-81784:048.
- 9411160268 Responds to concerns noted in insp repts 50-324/94-23 & 50-325/94-23. Based on sixteen crew failures during annual operating exams until performed root cause analysis. COWAN, J. Carolina Power & Light Co. 94/11/09. Document Control Branch (Document Control Desk). 4pp. 81783:329-81783:332.
- 9411290041 Ack receipt of 941021 ltr informing NRC of steps taken to correct violations noted in insp repts 50-324/94-24 & 50-325/94-24. CHRISTENSEN, H. Region 2 (Post 820201). 94/11/10. ANDERSON, R.A. Carolina Power & Light Co. 3pp. 81857:283-81857:285.
- 9411090300 NRC Bulletin 94-002, "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride." PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.
- 9411100237 NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment." GRIMES, B.K. 94/11/17. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.
- 9411150578 NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation." GRIMES, B.K. 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.
- 9411290206 Discusses NRC administered exams by M Ernstes during 941024- 28 to employees of licensee who applied for licenses to operate plant. PEEBLES, T.A. Region 2 (Post 820201). 94/11/22. ANDERSON, R.A. Carolina Power & Light Co. 3pp. 81869:077-81869:301.
- 9411290221 Exam repts 50-324/94-301 & 50-325/94-301 on 941024-28. Exam results: six RO & three SRO candidates received written exams & operating tests & passed. ERNSTES, M. Region 2 (Post 820201). 94/11/18. 6pp. 81869:080-81869:085.
- 9411300285 Provides response to violations noted in Insp Repts 50-324/94-28 & 50-325/94-28. Corrective actions: remaining fuel handling procedures reviewed for consistency w/new OP-13 revs & no other revs identified. COWAN, J. Carolina Power & Light Co. 94/11/22. Document Control Branch (Document Control Desk). 6pp. 81908:355-81908:360.
- 9411170039 NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping." GRIMES, B.K. 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.
- 9411290192 Ack receipt of 941109 ltr informing NRC of steps taken to correct violations noted in insp repts 50-324/94-23 & 50-325/94-23. PEEBLES, T.A. Region 2 (Post 820201). 94/11/23. ANDERSON, R.A. Carolina Power & Light Co. 2pp. 81869:001-81869:002.
- 9411170279 NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys." GRIMES, B.K. 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.

9411170284 NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results." PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.

R. Periodic operating reports & related correspondence

9411170313 Monthly operating repts for Oct 1994 for Brunswick Steam Electric Plant Units 1 & 2. W/941109 ltr. HARRISON, F., LEVIS, W. Carolina Power & Light Co. 94/10/31. 6pp. 81800:227-81800:232.

S. Reportable occurrences, LERs & related correspondence

9411220254 LER 94-012-01: on 940922, HPCI declared inoperable due to failure of lube oil CW supply valve control power fuse. Workers disciplined re importance of maintaining questioning attitude & when uncertain not to proceed. W/941117 ltr. TABOR, S.F., COWAN, J. Carolina Power & Light Co. 94/11/17. 4pp. 81850:174-81850:178.

9411300400 LER 94-013-00: on 941023, control bldg emergency air filtration isolation occurred. Caused by personnel error & procedure inadequacy. Chlorinator sys operating procedure revised. W/941122 ltr. TABOR, S.F., COWAN, J. Carolina Power & Light Co. 94/11/18. 5pp. 81912:207-81912:211.

V. Operator Examinations

9411070262 Notification of significant licensee meeting w/util on 941110 to discuss licensee self-assessment, C/A program & licensed operator requalification program. CHRISTENSEN, H. Region 2 (Post 820201). 94/10/25. Region 2 (Post 820201). 2pp. 81806:042-81806:043.

9411030132 Provides update of estimates of candidates to be tested for licenses for FY95-98 for Brunswick Nuclear Plant. LOPRIORE, R.P. Carolina Power & Light Co. 94/10/28. Document Control Branch (Document Control Desk). 4pp. 81653:226-81653:229.

9411160268 Responds to concerns noted in insp repts 50-324/94-23 & 50-325/94-23. Based on sixteen crew failures during annual operating exams until performed root cause analysis. COWAN, J. Carolina Power & Light Co. 94/11/09. Document Control Branch (Document Control Desk). 4pp. 81783:329-81783:332.

9411300054 Forwards overview for 941110 meeting w/util at Region II ofc in Atlanta, GA re util self assessment & CAP & licensed operator requalification program. GIBSON, A.F. Region 2 (Post 820201). 94/11/18. ANDERSON, R.A. Carolina Power & Light Co. 33pp. 81871:214-81871:247.

9411290206 Discusses NRC administered exams by M Ernstes during 941024- 28 to employees of licensee who applied for licenses to operate plant. PEEBLES, T.A. Region 2 (Post 820201). 94/11/22. ANDERSON, R.A. Carolina Power & Light Co. 3pp. 81869:077-81869:301.

-9411290221 Exam repts 50-324/94-301 & 50-325/94-301 on 941024-28. Exam results: six RO & three SRO candidates received written exams & operating tests & passed. ERNSTES, M., LAWYER, L.L. Region 2 (Post 820201). 94/11/18. 6pp. 81869:080-81869:085.

-9411290229 Provides NRC w/encl exam comments for exam given on 941024 at plant. ANDERSON, R.A. Carolina Power & Light Co. 94/11/04. EBNETER, S.D. Region 2 (Post 820201). 8pp. 81869:086-81869:301.

Y. Dry Cask Independent Spent Fuel Storage Installations

9411090152 Forwards preliminary draft environ assessment & preliminary draft SER for ISFSI. HAUGHNEY, C.J. Office of Nuclear Material Safety & Safeguards. 94/10/25. ANDERSON, R.A. Carolina Power & Light Co. 3pp. 81750:160-81750:263.

-9411090162 Preliminary Draft, "Environmental Assessment Re Construction & Operation Of Brunswick Independent Spent Fuel Storage Installation." * Office of Nuclear Material Safety & Safeguards. 92/09/30. 34pp. 81750:163-81750:200.

-9411090277 Preliminary Draft, "Safety Evaluation Rept For CP&L Brunswick." * Carolina Power & Light Co. NRC-03-87-004. 91/05/28. 50pp. 81750:201-81750:263.

DOCKET 50-327 SEQUOYAH NUCLEAR PLANT, UNIT 1**F. Security, medical, emergency & fire protection plans**

9411030095 Informs that rev 17 to radiological emergency plan for plant meets requirements of App E to 10CFR50 & acceptable. CLINE, W.E. Region 2 (Post 820201). 94/10/18. KINGSLEY, O.D. Tennessee Valley Authority. 4pp. 81560:099-81560:102.

9411030112 Ack ltr, dtd 940831, transmitting scenario of plant 1994 radiological EP exercise, scheduled for week of 941113. Informs submittal meets requirements for full participation exercise. CLINE, W.E. Region 2 (Post 820201). 94/10/18. KINGSLEY, O.D. Tennessee Valley Authority. 4pp. 81560:178-81560:181.

88 DOCKETED ITEMS

9411010211 Requests exemption from 10CFR73.55, "Requirements for Physical Protection of Licensed Activities..." to allow use of hand geometry biometrics sys to control unescorted access into protected area of facilities.
MEDFORD, M.O. Tennessee Valley Authority. 94/10/24. Document Control Branch (Document Control Desk). 6pp. 81585:053-81585:058.

9411070274 Forwards fire protection improvement plan periodic status rept, as result of agreement made at 910819 meeting w/NRC. Commitment date to complete four phases of fire protection improvement plan is 951201.
SHELL, R.H. Tennessee Valley Authority. 94/11/03. Document Control Branch (Document Control Desk). 3pp. 81654:025-81654:027.

9411220127 Revised EIPs, including rev 13 to EIP-1, "EP Initiating Conditions Matrix," Rev 13 to EIP-6, "Activation & Operation of TSC" & rev 7 to EIP-17, "Emergency Equipment & Supplies." W/941115 ltr.
SHELL, R.H. Tennessee Valley Authority. 94/11/15. 94pp. 81854:003-81854:096.

9411230260 Application for amends to licenses DPR-33, DPR-52, DPR-68, DPR-77 & DPR-79, deleting audit frequencies & requirement to perform radiological emergency plan & security plan audits from TSs.
DAVIS, C.R. Tennessee Valley Authority. 94/11/15. Document Control Branch (Document Control Desk). 4pp. 81854:139-81854:189.

-9411230267 Proposed tech specs, deleting audit frequencies & requirement to perform radiological emergency plan & security plan audits.
* Tennessee Valley Authority. 94/11/15. 47pp. 81854:143-81854:189.

9411230303 Forwards Rev 18 to "Radiological Emergency Plan." Rev also corrects several minor inconsistencies & errors previously noted in review of Rev 15 & documented by ltr dtd 940907.
CARIER, P.P. Tennessee Valley Authority. 94/11/15. Document Control Branch (Document Control Desk). 5pp. 81854:232-81854:293.

-9411230304 Rev 18 to "Radiological Emergency Plan."
* Tennessee Valley Authority. 94/10/18. 57pp. 81854:237-81854:293.

9411280047 Forwards environ assessment & finding of no significant impact re util 941024 request for exemption from requirements of 10CFR73.55 concerning access to protected & vital areas.
HEBDON, F.J. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 94/11/22. KINGSLEY, O.D. Tennessee Valley Authority. 1p. 81863:329-81863:336.

-9411280053 Environ assessment & finding of no significant impact re util 941024 request for exemption from certain requirements of 10CFR73.55 re unescorted access into protected & vital areas. EIS unnecessary.
HEBDON, F.J. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 94/11/22. 7pp. 81863:330-81863:336.

H. General correspondence

9411030228 Requests that MJ Burzynski be removed from NRC mailing labels for TVA & replaced w/RR Baron of same address.
* Tennessee Valley Authority. 94/10/27. NRC - No Detailed Affiliation Given. 2pp. 81641:359-81641:360.

9411070400 Submits changes to distribution lists for TVA dockets.
CARIER, P.P. Tennessee Valley Authority. 94/11/01. Document Control Branch (Document Control Desk). 7pp. 81663:103-81663:109.

P. Operating license stage documents & correspondence

9411070111 Extends invitation to Region II licensees to participate w/NRR Region II representatives in discussion of GL 89-10 motor-operated valve programs. Meeting to be held on 941108 Atlanta, GA. Meeting notice & agenda encl.
MALLET, B.S. Region 2 (Post 820201). 94/10/12. KINGSLEY, O.D. Tennessee Valley Authority. 5pp. 81605:095-81605:099.

9411030022 Summarizes 941007 meeting w/util at Region II ofc to discuss concerns resolution program. List of individuals attending meeting & handout matl supplied by licensee encl.
BOGER, B.A. Region 2 (Post 820201). 94/10/18. KINGSLEY, O.D. Tennessee Valley Authority. 24pp. 81561:065-81561:088.

9411030044 Discusses 941017 meeting held w/util to discuss changes in corrective action program. List of attendees, agenda & handout matl supplied by licensee encl.
BOGER, B. Region 2 (Post 820201). 94/10/20. KINGSLEY, O.D. Tennessee Valley Authority. 23pp. 81561:163-81561:185.

9411070399 Informs of completion of mod & procedure rev to implement alignment of 6.9 kV unit boards to common station svc transformers as normal unit power supply.
SHELL, R.H. Tennessee Valley Authority. 94/11/02. Document Control Branch (Document Control Desk). 2pp. 81716:353-81716:354.

9411080172 Informs that some info inadvertently deleted on pp B 3/4 4-3 to amend 189 to license DPR-77, dtd 941020. Corrected page encl.
LABARGE, D.E. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 94/11/02. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 81658:257-81658:260.

-9411080180 Corrected TS pp B 3/4 4-3 to amend 189 to license DPR-77, adding info inadvertently deleted.
* NRC - No Detailed Affiliation Given. 94/11/02. 1p. 81658:260-81658:260.

9411090320 Application for amend to license DPR-78, consisting of TS Change 94-17 re one-time extension of SR intervals.
SHELL, R.H. Tennessee Valley Authority. 94/11/02. Document Control Branch (Document Control Desk). 2pp. 81750:285-81750:303.

-9411090321 Proposed tech spec change 94-17 re one-time extension of SR intervals.
* Tennessee Valley Authority. 94/11/02. 17pp. 81750:287-81750:303.

9411090103 Notification of 941207 meeting w/util in Rockville, MD to discuss submittal, schedule & plans re conversion to B&W as nuclear fuel supplier for plant.
LABARGE, D.E. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 94/11/03. HEBDON, F.J. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 3pp. 81667:298-81667:300.

9411170104 Forwards amends 190 & 182 to licenses DPR-77 & DPR-79, respectively & safety evaluation. Amends remove response time limits for reactor trip & engineered safety feature functions from TS in accordance w/GL 93-08.
LABARGE, D.E. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 94/11/09. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 81776:283-81776:317.

-9411170107 Amends 190 & 182 to licenses DPR-77 & DPR-79, respectively, removing response time limits for reactor trip & engineered safety feature functions from TS in accordance w/GL 93-08.
HEBDON, F.J. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 94/11/09. 28pp. 81776:286-81776:313.

-9411170119 Safety evaluation supporting amends 190 & 182 to licenses DPR-77 & DPR-79, respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/11/09. 4pp. 81776:314-81776:317.

9411160181 Requests one-time extension from requirements of 10CFR50 App J, sections III.D.2(a) & III.D.3, for SNP Unit 1. Exemption provides temporary relief from two-year requirement assoc periodic LLRT.
SHELL, R.H. Tennessee Valley Authority. 94/11/10. Document Control Branch (Document Control Desk). 12pp. 81783:317-81783:328.

9411230234 Requests relief from ASME code requirements for performing periodic pressure test for piping that penetrates containment vessel when piping & isolation valves that are part of containment sys are Class 2.
SHELL, R.H. Tennessee Valley Authority. 94/11/14. Document Control Branch (Document Control Desk). 6pp. 81864:284-81864:289.

9411230260 Application for amends to licenses DPR-33, DPR-52, DPR-68, DPR-77 & DPR-79, deleting audit frequencies & requirement to perform radiological emergency plan & security plan audits from TSs.
DAVIS, C.R. Tennessee Valley Authority. 94/11/15. Document Control Branch (Document Control Desk). 4pp. 81854:139-81854:189.

-9411230267 Proposed tech specs, deleting audit frequencies & requirement to perform radiological emergency plan & security plan audits.
* Tennessee Valley Authority. 94/11/15. 47pp. 81854:143-81854:189.

Q. Inspection reports, IE Bulletins & correspondence

9411010016 Forwards insp repts 50-327/94-30 & 50-328/94-30 on 940912-16. No violations identified.
CRLENJAK, R.V. Region 2 (Post 820201). 94/10/14. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 81514:064-81514:080.

-9411010031 Insp repts 50-327/94-30 & 50-328/94-30 on 940912-16. No violations noted. Major areas inspected: MOVs not addressed but will be addressed separately in insp of licensee actions for GL 89-10.
GIFARDE, CASTO, C. Region 2 (Post 820201). 94/10/14. 14pp. 81514:067-81514:080.

9411010194 Forwards insp repts 50-327/94-29 & 50-328/94-29 on 940904-1001. No violations noted.
LESSER, M.S. Region 2 (Post 820201). 94/10/17. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 81515:082-81515:107.

-9411010197 Insp repts 50-327/94-29 & 50-328/94-29 on 940904-1001. No violations noted. Major areas inspected: plant operations, maint & surveillance observations & onsite engineering.
HOLLAND, W.E., LESSER, M.S. Region 2 (Post 820201). 94/10/17. 23pp. 81515:085-81515:107.

9410140257 Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Matls Events to NRC Operations Ctr."
BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.

9411070255 Ack receipt of 941011 ltr informing NRC of steps taken to correct violations noted in insp repts 50-327/94-25 & 50-328/94-25.
LESSER, M.S. Region 2 (Post 820201). 94/10/20. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 81606:039-81606:041.

9411010045 Forwards insp repts 50-327/94-31 & 50-328/94-31 on 940919-23. No violations or deviations noted.
CRLENJAK, R.V. Region 2 (Post 820201). 94/10/21. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 81514:120-81514:132.

-9411010055 Insp repts 50-327/94-31 & 50-328/94-31 on 940919-23. No violations or deviations noted. Major areas inspected: engineering, technical support & status of site improvement plan activities.
THOMAS, M., CASTO, C. Region 2 (Post 820201). 94/10/20. 9pp. 81514:123-81514:132.

9411070167 Ack receipt of 940919 ltr informing NRC of steps taken to correct violations noted in insp of license.
EBNETER, S.D. Region 2 (Post 820201). 94/10/25. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 81605:237-81605:239.

9410200153 NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts."
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81658:001-81658:013.

9411070177 Responds to NRC 941003 ltr re violations noted in insp repts 50-327/94-25 & 50-328/94-25. Corrective actions: mod was initiated & implemented on both units to install screens at openings on RCP stand to prevent coatings from exiting.
ZERLINGUE, O.J. Tennessee Valley Authority. 94/10/27. Document Control Branch (Document Control Desk). 4pp. 81654:103-81654:106.

9411210036 Advises of insp initiative that will be performed at site. Insp will evaluate CA re outstanding items opened in previous insp repts 50-327/94-37 & 50-328/94-37.
PEEBLES, T.A. Region 2 (Post 820201). 94/10/31. KINGSLEY, O.D. Tennessee Valley Authority. 4pp. 81784:174-81784:177.

9411210008 Forwards insp repts 50-327/94-35 & 50-328/94-35 on 941011-14 & 941101. No violations or deviations noted.
COLLINS, D.M. Region 2 (Post 820201). 94/11/04. KINGSLEY, O.D. Tennessee Valley Authority. 4pp. 81784:023-81784:030.

-9411210016 Insp repts 50-327/94-35 & 50-328/94-35 on 941011-14 & 941101. No violations noted. Major areas inspected: licensee access authorization program.
TOBIN, W.J., MCGUIRE, D.R. Region 2 (Post 820201). 94/11/04. 4pp. 81784:027-81784:030.

9411210050 Forwards insp repts 50-327/94-33 & 50-328/94-33 on 941011-14. No violations noted.
CLINE, W.E. Region 2 (Post 820201). 94/11/08. KINGSLEY, O.D. Tennessee Valley Authority. 4pp. 81784:243-81784:255.

-9411210056 Insp repts 50-327/94-33 & 50-328/94-33 on 941011-14. No violations noted. Major areas inspected: areas of confirmatory measurements, secondary water chemistry process monitors & followup on previously identified issues.
JONES, D.W., DECKER, T.R. Region 2 (Post 820201). 94/11/08. 9pp. 81784:247-81784:255.

9411290090 Ack receipt of 941027 ltr informing NRC of steps taken to correct violations noted in insp repts 50-327/94-25 & 50-328/94-25.
LESSER, M.S. Region 2 (Post 820201). 94/11/08. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 81858:335-81858:337.

9411090300 NRC Bulletin 94-002, "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride."
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.

9411100237 NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment."
GRIMES, B.K. 94/11/17. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.

9411290069 Forwards insp repts 50-327/94-36 & 50-328/94-36 on 941017-20. No violations noted.
CRLENJAK, R.V. Region 2 (Post 820201). 94/11/17. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 81858:199-81858:210.

-9411290076 Insp repts 50-327/94-36 & 50-328/94-36 on 941017-20. No violations noted. Major areas inspected: operability reviews of open civil structural items & completed plant mods.
LENAHAN, J., BLAKE, J. Region 2 (Post 820201). 94/11/14. 9pp. 81858:202-81858:210.

9411150578 NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation."
GRIMES, B.K. 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.

9411300241 Responds to violation noted in insp repts 50-327/94-31 & 50-328/94-31. Corrective actions: drawing reclassification sys initiated.
ZERINQUE, O.J. Tennessee Valley Authority. 94/11/21. Document Control Branch (Document Control Desk). 3pp. 81922:357-81922:359.

9411170039 NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping."
GRIMES, B.K. 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.

9411170279 NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys."
GRIMES, B.K. 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.

9411170284 NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results."
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.

9411290202 Forwards insp repts 50-327/94-38 & 50-328/94-38 on 941025-28. No violations noted.
CRLENJAK, R.V. Region 2 (Post 820201). 94/11/25. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 81869:059-81869:066.

-9411290208 Insp repts 50-327/94-38 & 50-328/94-38 on 941025-28. No violations noted. Major areas inspected: ERCW cable for ERCW pump K-A failure during routine hi-pot test.
RUDISAILS, S., SHYMLOCK, M. Region 2 (Post 820201). 94/11/23. 5pp. 81869:062-81869:066.

R. Periodic operating reports & related correspondence

9411150430 Monthly operating repts for Oct 1994 for Sequoyah Nuclear Plant. W/ 941109 ltr.
HOLLOWMAN, T.J., SHELL, R.H. Tennessee Valley Authority. 94/10/31. 10pp. 81780:196-81780:205.

9411290280 Forwards 10CFR50.46 updated annual rept, including recent changes to ECCS evaluation model.
SHELL, R.H. Tennessee Valley Authority. 94/11/18. Document Control Branch (Document Control Desk). 10pp. 81902:348-81902:357.

V. Operator Examinations

9411020176 Forwards operator licensing natl exam schedule re Administrative Ltr 94-12.
CARRIER, P.P. Tennessee Valley Authority. 94/10/26. Document Control Branch (Document Control Desk). 5pp. 81590:047-81590:051.

DOCKET 50-328 SEQUOYAH NUCLEAR PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9411030095 Informs that rev 17 to radiological emergency plan for plant meets requirements of App E to 10CFR50 & acceptable.
CLINE, W.E. Region 2 (Post 820201). 94/10/18. KINGSLEY, O.D. Tennessee Valley Authority. 4pp. 81560:099-81560:102.

9411030112 Ack ltr, dtd 940831, transmitting scenario of plant 1994 radiological EP exercise, scheduled for week of 941113. Informs submittal meets requirements for full participation exercise.
CLINE, W.E. Region 2 (Post 820201). 94/10/18. KINGSLEY, O.D. Tennessee Valley Authority. 4pp. 81560:178-81560:181.

9411010211 Requests exemption from 10CFR73.55, "Requirements for Physical Protection of Licensed Activities..." to allow use of hand geometry biometrics sys to control unescorted access into protected area of facilities.
MEDFORD, M.O. Tennessee Valley Authority. 94/10/24. Document Control Branch (Document Control Desk). 6pp. 81585:053-81585:058.

9411070274 Forwards fire protection improvement plan periodic status rept, as result of agreement made at 910819 meeting w/NRC. Commitment date to complete four phases of fire protection improvement plan is 951201.
SHELL, R.H. Tennessee Valley Authority. 94/11/03. Document Control Branch (Document Control Desk). 3pp. 81854:025-81854:027.

9411220127 Revised EIPs, including rev 13 to EIP-1, "EP Initiating Conditions Matrix," Rev 13 to EIP-6, "Activation & Operation of TSC" & rev 7 to EIP-17, "Emergency Equipment & Supplies." W/941115 ltr.
SHELL, R.H. Tennessee Valley Authority. 94/11/15. 94pp. 81854:003-81854:096.

9411230260 Application for amends to licenses DPR-33, DPR-52, DPR-68, DPR-77 & DPR-79, deleting audit frequencies & requirement to perform radiological emergency plan & security plan audits from TSs.
DAVIS, C.R. Tennessee Valley Authority. 94/11/15. Document Control Branch (Document Control Desk). 4pp. 81854:139-81854:149.

-9411230267 Proposed tech specs, deleting audit frequencies & requirement to perform radiological emergency plan & security plan audits.
Tennessee Valley Authority. 94/11/15. 47pp. 81854:143-81854:189.

9411230303 Forwards Rev 18 to "Radiological Emergency Plan." Rev also corrects several minor inconsistencies & errors previously noted in review of Rev 15 & documented by ltr dtd 940907.
CARRIER, P.P. Tennessee Valley Authority. 94/11/15. Document Control Branch (Document Control Desk). 5pp. 81854:232-81854:293.

-9411230304 Rev 18 to "Radiological Emergency Plan."
Tennessee Valley Authority. 94/10/18. 57pp. 81854:237-81854:293.

9411280047 Forwards environ assessment & finding of no significant impact re util 941024 request for exemption from requirements of 10CFR73.55 concerning access to protected & vital areas.
HEBDON, F.J. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 94/11/22. KINGSLEY, O.D. Tennessee Valley Authority. 1p. 81863:329-81863:336.

-9411280053 Environ assessment & finding of no significant impact re util 941024 request for exemption from certain requirements of 10CFR73.55 re unescorted access into protected & vital areas. EIS unnecessary.
HEBDON, F.J. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 94/11/22. 7pp. 81863:330-81863:336.

H. General correspondence

9411030228 Requests that MJ Burzynski be removed from NRC mailing labels for TVA & replaced w/RR Baron of same address.
Tennessee Valley Authority. 94/10/27. NRC - No Detailed Affiliation Given. 2pp. 81641:359-81641:360.

9411070400 Submits changes to distribution lists for TVA dockets.
CARRIER, P.P. Tennessee Valley Authority. 94/11/01. Document Control Branch (Document Control Desk). 7pp. 81663:103-81663:109.

P. Operating license stage documents & correspondence

9411070111 Extends invitation to Region II licensees to participate w/NRR Region II representatives in discussion of GL 89-10 motor-operated valve programs. Meeting to be held on 941108 Atlanta, GA. Meeting notice & agenda encl.
MALLET, B.S. Region 2 (Post 820201). 94/10/12. KINGSLEY, O.D. Tennessee Valley Authority. 5pp. 81605:095-81605:099.

9411030022 Summarizes 941007 meeting w/util at Region II otc to discuss concerns resolution program. List of individuals attending meeting & handout matl supplied by licensee encl.
BOGER, B.A. Region 2 (Post 820201). 94/10/18. KINGSLEY, O.D. Tennessee Valley Authority. 24pp. 81561:065-81561:088.

9411030044 Discusses 941017 meeting held w/util to discuss changes in corrective action program. List of attendees, agenda & handout matl supplied by licensee encl.
BOGER, B. Region 2 (Post 820201). 94/10/20. KINGSLEY, O.D. Tennessee Valley Authority. 23pp. 81561:163-81561:185.

9411020129 Discussed review of info related to 940722 problem re control rod drive thermal sleeve guide funnel failure. Informs that add actions should be considered.
LABARGE, D.E. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 94/10/27. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 81566:337-81566:339.

90 DOCKETED ITEMS

- 9411070399** Informs of completion of mod & procedure rev to implement alignment of 6.9 kV unit boards to common station svc transformers as normal unit power supply. SHELL,R.H. Tennessee Valley Authority. 94/11/02. Document Control Branch (Document Control Desk). 2pp. 81716:353-81716:354.
- 9411090103** Notification of 941207 meeting w/util in Rockville,MD to discuss submittal,schedule & plans re conversion to B&W as nuclear fuel supplier for plant. LABARGE,D.E. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 94/11/03. HEBDON,F.J. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 3pp. 81667:298-81667:300.
- 9411150032** Requests discretionary enforcement for TS 3.7.1.2,action a for terry turbine auxiliary feedwater pump. SHELL,R.H. Tennessee Valley Authority. 94/11/08. Document Control Branch (Document Control Desk). 4pp. 81780:308-81780:311.
- 9411150346** Provides implementation status for SBO commitments to NRC. Procedure changes,programs & mods for Unit 2 completed. SHELL,R.H. Tennessee Valley Authority. 94/11/09. Document Control Branch (Document Control Desk). 2pp. 81775:077-81775:078.
- 9411150357** Notifies that util has completed corrective actions for human engineering discrepancies per direction in 940204 evaluation of DCRDR program implementation. SHELL,R.H. Tennessee Valley Authority. 94/11/09. Document Control Branch (Document Control Desk). 2pp. 81780:360-81780:361.
- 9411170104** Forwards amends 190 & 182 to licenses DPR-77 & DPR-79, respectively & safety evaluation.Amends remove response time limits for reactor trip & engineered safety feature functions from TS in accordance w/GL 93-08. LABARGE,D.E. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 94/11/09. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 81776:283-81776:317.
- 9411170107** Amends 190 & 182 to licenses DPR-77 & DPR-79,respectively, removing response time limits for reactor trip & engineered safety feature functions from TS in accordance w/GL 93-08. HEBDON,F.J. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 94/11/09. 28pp. 81776:286-81776:313.
- 9411170119** Safety evaluation supporting amends 190 & 182 to licenses DPR-77 & DPR-79,respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/11/09. 4pp. 81776:314-81776:317.
- 9411230234** Requests relief from ASME code requirements for performing periodic pressure test for piping that penetrates containment vessel when piping & isolation valves that are part of containment sys are Class 2. SHELL,R.H. Tennessee Valley Authority. 94/11/14. Document Control Branch (Document Control Desk). 6pp. 81864:284-81864:289.
- 9411230260** Application for amends to licenses DPR-33,DPR-52,DPR-68, DPR-77 & DPR-79,deleting audit frequencies & requirement to perform radiological emergency plan & security plan audits from TSS. DAVIS,C.R. Tennessee Valley Authority. 94/11/15. Document Control Branch (Document Control Desk). 4pp. 81854:139-81854:189.
- 9411230267** Proposed tech specs,deleting audit frequencies & requirement to perform radiological emergency plan & security plan audits.
* Tennessee Valley Authority. 94/11/15. 47pp. 81854:143-81854:189.
- Q. Inspection reports, IE Bulletins & correspondence**
- 9411010016** Forwards insp repts 50-327/94-30 & 50-328/94-30 on 940912-16.No violations identified. CRLENJAK,R.V. Region 2 (Post 820201). 94/10/14. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 81514:064-81514:080.
- 9411010031** Insp repts 50-327/94-30 & 50-328/94-30 on 940912-16.No violations noted.Major areas inspected:MOV's not addressed but will be addressed separately in insp of licensee actions for GL 89-10. GIRARD,E., CASTO,C. Region 2 (Post 820201). 94/10/14. 14pp. 81514:067-81514:080.
- 9411010194** Forwards insp repts 50-327/94-29 & 50-328/94-29 on 940904-1001.No violations noted. LESSER,M.S. Region 2 (Post 820201). 94/10/17. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 81515:082-81515:107.
- 9411010197** Insp repts 50-327/94-29 & 50-328/94-29 on 940904-1001.No violations noted.Major areas inspected:plant operations, maint & surveillance observations & onsite engineering. HOLLAND,W.E., LESSER,M.S. Region 2 (Post 820201). 94/10/17. 23pp. 81515:085-81515:107.
- 9411040257** Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Matis Events to NRC Operations Ctr." BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.
- 9411070255** Ack receipt of 941011 ltr informing NRC of steps taken to correct violations noted in insp repts 50-327/94-25 & 50-328/94-25. LESSER,M.S. Region 2 (Post 820201). 94/10/20. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 81606:039-81606:041.
- 9411010045** Forwards insp repts 50-327/94-31 & 50-328/94-31 on 940919-23.No violations or deviations noted. CRLENJAK,R.V. Region 2 (Post 820201). 94/10/21. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 81514:120-81514:132.
- 9411010055** Insp repts 50-327/94-31 & 50-328/94-31 on 940919-23.No violations or deviations noted.Major areas inspected: engineering,technical support & status of site improvement plan activities. THOMAS,M., CASTO,C. Region 2 (Post 820201). 94/10/20. 9pp. 81514:123-81514:132.
- 9411070167** Ack receipt of 940919 ltr informing NRC of steps taken to correct violations noted in insp of license. EBNETER,S.D. Region 2 (Post 820201). 94/10/25. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 81605:237-81605:239.
- 9410200153** NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts." GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81658:001-81658:013.
- 9411070177** Responds to NRC 941003 ltr re violations noted in insp repts 50-327/94-25 & 50-328/94-25.Corrective actions:mod was initiated & implemented on both units to install screens at openings on RCP stand to prevent coatings from exiting. ZERINGUE,O.J. Tennessee Valley Authority. 94/10/27. Document Control Branch (Document Control Desk). 4pp. 81654:103-81654:106.
- 9411210036** Advises of insp initiative that will be performed at site.Insp will evaluate CA re outstanding items opened in previous insp repts 50-327/94-37 & 50-328/94-37. PEEBLES,T.A. Region 2 (Post 820201). 94/10/31. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 81784:174-81784:177.
- 9411210008** Forwards insp repts 50-327/94-35 & 50-328/94-35 on 941011-14 & 941101.No violations or deviations noted. COLLINS,D.M. Region 2 (Post 820201). 94/11/04. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 81784:023-81784:030.
- 9411210016** Insp repts 50-327/94-35 & 50-328/94-35 on 941011-14 & 941101.No violations noted.Major areas inspected:licensee access authorization program. TOBIN,W.J., MCGUIRE,D.R. Region 2 (Post 820201). 94/11/04. 4pp. 81784:027-81784:030.
- 9411210050** Forwards insp repts 50-327/94-33 & 50-328/94-33 on 941011-14.No violations noted. CLINE,W.E. Region 2 (Post 820201). 94/11/08. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 81784:243-81784:255.
- 9411210056** Insp repts 50-327/94-33 & 50-328/94-33 on 941011-14.No violations noted.Major areas inspected:areas of confirmatory measurements,secondary water chemistry process monitors & followup on previously identified issues. JONES,D.W., DECKER,T.R. Region 2 (Post 820201). 94/11/08. 9pp. 81784:247-81784:255.
- 9411290090** Ack receipt of 941027 ltr informing NRC of steps taken to correct violations noted in insp repts 50-327/94-25 & 50-328/94-25. LESSER,M.S. Region 2 (Post 820201). 94/11/08. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 81858:335-81858:337.
- 9411090300** NRC Bulletin 94-002, "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride." PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.
- 9411020237** NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment." GRIMES,B.K. . 94/11/17. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.
- 9411290069** Forwards insp repts 50-327/94-36 & 50-328/94-36 on 941017-20.No violations noted. CRLENJAK,R.V. Region 2 (Post 820201). 94/11/17. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 81858:199-81858:210.
- 9411290076** Insp repts 50-327/94-36 & 50-328/94-36 on 941017-20.No violations noted.Major areas inspected:operability reviews of open civil structural items & completed plant mods. LENAHAAN,J., BLAKE,J. Region 2 (Post 820201). 94/11/14. 9pp. 81858:202-81858:210.
- 9411150578** NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation." GRIMES,B.K. . 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.
- 9411300241** Responds to violation noted in insp repts 50-327/94-31 & 50-328/94-31.Corrective actions:drawing reclassification sys initiated. ZERINGUE,O.J. Tennessee Valley Authority. 94/11/21. Document Control Branch (Document Control Desk). 3pp. 81922:357-81922:359.
- 9411170039** NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping." GRIMES,B.K. . 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.
- 9411170279** NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys." GRIMES,B.K. . 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.
- 9411170284** NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results." PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.
- 9411290202** Forwards insp repts 50-327/94-38 & 50-328/94-38 on 941025-28.No violations noted. CRLENJAK,R.V. Region 2 (Post 820201). 94/11/25. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 81869:059-81869:066.
- 9411290208** Insp repts 50-327/94-38 & 50-328/94-38 on 941025-28.No violations noted.Major areas inspected:ERCW cable for ERCW pump K-A failure during routine hi-pot test. RUDISAIL,S., SHYMLOCK,M. Region 2 (Post 820201). 94/11/23. 5pp. 81869:062-81869:066.

R. Periodic operating reports & related correspondence

9411150430 Monthly operating repts for Oct 1994 for Sequoyah Nuclear Plant/W/ 941109 ltr. HOLLOWMAN,T.J., SHELL,R.H. Tennessee Valley Authority. 94/10/31. 10pp. 81780:196-81780:205.

9411290280 Forwards 10CFR50.46 updated annual rept,including recent changes to ECCS evaluation model. SHELL,R.H. Tennessee Valley Authority. 94/11/18. Document Control Branch (Document Control Desk). 10pp. 81902:348-81902:357.

S. Reportable occurrences, LERs & related correspondence

9411010364 LER 94-007-00: on 940923,CCP total flow rate exceeded TS upper limit resulting in pump being inoperable.Caused by incorrect evaluation of spare rotating element.Previously performed evaluation being reviewed.W/941024 ltr. BAJRASZEWSKI,J., ZERINGUE,O.J. Tennessee Valley Authority. 94/10/24. 8pp. 81586:063-81586:070.

9411250077 LER 94-008-00: on 941021,manual actuation of reactor trip breakers occurred due to failure of rod control demand step counter.Caused by incorrect step position indication on control bank A group 2 step counter.W/941118 ltr. GILLEY,S.D., ZERINGUE,O.J. Tennessee Valley Authority. 94/11/18. 7pp. 81887:285-81887:291.

V. Operator Examinations

9411020176 Forwards operator licensing natl exam schedule re Administrative Ltr 94-12. CARRIER,P.P. Tennessee Valley Authority. 94/10/26. Document Control Branch (Document Control Desk). 5pp. 81590:047-81590:051.

DOCKET 50-329 MIDLAND PLANT, UNIT 1**A. Application/construction stage documents & correspondence**

9411160151 UNIRRADIATED MATERIAL PROPERTIES OF MIDLAND WELD WF-70. MCCABE,D.E., NANSTAD,R.K., ISKANDER,S.K. Oak Ridge National Laboratory. FIN L-1098. NUREG/CR-6249. 94/10/31. Division of Engineering (Post 870413). 93pp. 81756:303-81757:030.

Q. Inspection reports, IE Bulletins & correspondence

9410140257 Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Matls Events to NRC Operations Ctr." BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.

9410200153 NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts." GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81658:001-81658:013.

9411090300 NRC Bulletin 94-002, "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride." PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.

9411100237 NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment." GRIMES,B.K. . 94/11/17. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.

9411150578 NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation." GRIMES,B.K. . 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.

9411170039 NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping." GRIMES,B.K. . 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.

9411170279 NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys." GRIMES,B.K. . 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.

9411170284 NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results." PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.

DOCKET 50-330 MIDLAND PLANT, UNIT 2**A. Application/construction stage documents & correspondence**

9411160151 UNIRRADIATED MATERIAL PROPERTIES OF MIDLAND WELD WF-70. MCCABE,D.E., NANSTAD,R.K., ISKANDER,S.K. Oak Ridge National Laboratory. FIN L-1098. NUREG/CR-6249. 94/10/31. Division of Engineering (Post 870413). 93pp. 81756:303-81757:030.

Q. Inspection reports, IE Bulletins & correspondence

9410140257 Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Matls Events to NRC Operations Ctr." BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.

9410200153 NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts." GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81658:001-81658:013.

9411090300 NRC Bulletin 94-002, "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride." PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.

9411100237 NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment." GRIMES,B.K. . 94/11/17. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.

9411150578 NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation." GRIMES,B.K. . 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.

9411170039 NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping." GRIMES,B.K. . 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.

9411170279 NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys." GRIMES,B.K. . 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.

9411170284 NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results." PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.

DOCKET 50-331 DUANE ARNOLD ENERGY CENTER**F. Security, medical, emergency & fire protection plans**

9411070337 Forwards amend 202 to license DPR-49 & safety evaluation. Amend revises TS to clarify requirement for audit conformance to TS & deletes requirement for safety committee oversight of audits of emergency plan & security. HSIA,A.H. Project Directorate III-3. 94/11/02. LIJ.L. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 3pp. 81622:342-81622:351.

-9411070341 Amend 202 to license DPR-49, revising TS to clarify requirement for audit conformance to TS, deletes requirement for safety committee oversight of audits of emergency plan & security plan & allows designation of signature authority. HSIA,A.H. Project Directorate III-3. 94/11/02. 5pp. 81622:345-81622:349.

-9411070345 Safety evaluation supporting amend 202 to license DPR-49. * Office of Nuclear Reactor Regulation, Director (Post 870411). 94/11/02. 2pp. 81622:350-81622:351.

9411160073 Forwards insp rept 50-331/94-18 on 941018-21.No violations noted. MCCORMICK-BARGE Region 3 (Post 820201). 94/11/03. LIJ.L. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 2pp. 81746:210-81746:220.

-9411160083 Insp rept 50-331/94-18 on 941018-21.No violations noted. Major areas inspected:plant EP exercise involving review of exercise scenario & followup on licensee actions on previously identified items. FOSTER,J., JICKLING,R., MCCORMICK-BARGE Region 3 (Post 820201). 94/11/03. 9pp. 81746:212-81746:220.

H. General correspondence

9411230100 Responds to 941015 ltr to Chairman I Selin,requesting info on actions taken by NRC to address concerns raised by JA Fleming re emergency preparedness for nuclear power plants. TAYLOR,J.M. Ofc of the Executive Director for Operations. 94/11/09. KERRY,J.F. Senate. 3pp. 81828:286-81828:323.

-9411230199 Requests addl info pertaining to emergency preparedness for each site listed. FLEMING,J.A. Affiliation Not Assigned. 94/07/14. CHILK.S. Office of the Secretary of the Commission. 2pp. 81828:322-81828:323.

P. Operating license stage documents & correspondence

9411030246 Ltr contract,mod 3 to task order 14,extending period of performance,to "IPE Reviews,Internal Events-Front End Only (Duane Arnold)." MACE,M. Division of Contracts (Post 940714). 94/09/01. COLINA,J. Science & Engineering Associates, Inc. 2pp. 81602:189-81602:189.

9411020219 Forwards listed revised pages to TS change RTS-246 & RTS-246A. YOUNG,K.D. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 94/10/20. RUSSELL,W.T. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 81589:307-81589:311.

-9411020221 Revised proposed TS to TS changes RTS-246 & RTS-246A. * IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 94/10/20. 3pp. 81589:309-81589:311.

9411020116 Forwards amend 201 to license DPR-49 & safety evaluation. Amend revises TS by changing LCO & SR for primary containment integrity,secondary containment integrity & other sys & equipment of Section 3.7, "Containment Sys." HSIA,A.H. Project Directorate III-3. 94/10/26. LIJ.L. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 2pp. 81562:249-81562:351.

92 DOCKETED ITEMS

- 9411020118 Amend 201 to license DPR-49, revising TS by changing LCO & SR for primary containment integrity, secondary containment integrity & other sys & equipment of Section 3.7, "Containment Sys."
HSIA, A.H. Project Directorate III-3. 94/10/26. 54pp. 81562:251-81562:305.
- 9411020120 Safety evaluation supporting amend 201 to license DPR-49.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. 45pp. 81562:306-81562:351.
- 9411080153 Summary of 941017 meeting w/IES util re MSIV LCS TS & licensee proposed TS change for plant W/list of attendees, agenda & figures of MSIV drain path.
HSIA, A.H. Project Directorate III-3. 94/10/26. Project Directorate III-3. 41pp. 81657:308-81657:348.
- 9411080223 Application for amend to license DPR-49, deleting plan for integrated scheduling of plant mods.
FRANZ, J.F. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 94/10/28. RUSSELL, W.T. Office of Nuclear Reactor Regulation, Director (Post 870411). 5pp. 81678:338-81678:345.
- 9411080224 Proposed tech specs, deleting plan for integrated scheduling of plant mods.
* IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 94/10/28. 3pp. 81678:343-81678:345.
- 9411040248 Inform's of correction needed to SE re Amend 200 to License DPR-49 for plant Ref re LPCI & core spray operability needs change.
HSIA, A.H. Project Directorate III-3. 94/10/31. LIU, L. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 3pp. 81628:307-81628:309.
- 9411070337 Forwards amend 202 to license DPR-49 & safety evaluation. Amend revises TS to clarify requirement for audit conformance to TS & deletes requirement for safety committee oversight of audits of emergency plan & security.
HSIA, A.H. Project Directorate III-3. 94/11/02. LIU, L. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 3pp. 81622:342-81622:351.
- 9411070341 Amend 202 to license DPR-49, revising TS to clarify requirement for audit conformance to TS, deletes requirement for safety committee oversight of audits of emergency plan & security plan & allows designation of signature authority.
HSIA, A.H. Project Directorate III-3. 94/11/02. 5pp. 81622:345-81622:349.
- 9411070345 Safety evaluation supporting amend 202 to license DPR-49.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/11/02. 2pp. 81622:350-81622:351.
- 9411160050 Forwards rept on site visit to review implementation of main rule at station for review & info. Rept identifies strengths & weaknesses w/program at site.
SHAFFER, W.D. Region 3 (Post 820201). 94/11/07. DONNELLY, P.M. Consumers Power Co. LINCR, Wisconsin Electric Power Co. 2pp. 81746:131-81746:141.
- 9411230204 Provides clarification to statement in safety evaluation contained in 940630 request for OL amend (RTS-257) re addition of control bldg chiller operability & surveillance requirements.
FRANZ, J.F. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 94/11/10. RUSSELL, W.T. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 81894:324-81894:325.
- 9411280155 Request for TS Change (RTS-267) replacing instrument setpoint w/ref to appropriate citation in Offsite Dose Assessment Manual & modifying operability requirement & required action for inoperable offgas vent stack RMs.
FRANZ, J.F. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 94/11/10. RUSSELL, W.T. Office of Nuclear Reactor Regulation, Director (Post 870411). 12pp. 81900:275-81900:286.
- 9411280157 Proposed tech specs re offgas radiation monitors.
* IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 94/11/10. 6pp. 81900:281-81900:286.
- 9411220309 Forwards reissuance of SE re amend 201 for license DPR-49. Complete SE encl.
KELLY, G.B. Project Directorate III-3. 94/11/11. LIU, L. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 2pp. 81817:347-81817:356.
- 9411220311 Revised SE supporting amend 201 to license DPR-49.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/11/11. 8pp. 81817:349-81817:356.
- 9411230202 Responds to NRC 940826 RAI on overhead platform for new spent fuel racks, as approved by Amend 195. Util will not install spent fuel rack overhead platform until subj RAI resolved to NRC satisfaction.
YOUNG, K.D. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 94/11/15. RUSSELL, W.T. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 81864:258-81864:259.
- 9411230063 Forwards Amend 203 to License DPR-49 & safety evaluation. Amend revises TS to provide clarity & consistency of LCOs, SRs & become more consistent w/STS.
KELLY, G.B. Project Directorate III-3. 94/11/17. LIU, L. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 2pp. 81829:282-81829:335.
- 9411230064 Amend 203 to License DPR-49, re changes to TS to provide clarity & consistency of LCOs, SRs & become more consistent w/STS.
NORRHOLM, L.J. Project Directorate III-3. 94/11/17. 38pp. 81829:284-81829:321.
- 9411230069 Safety evaluation supporting Amend 203 to License DPR-49.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/11/17. 14pp. 81829:322-81829:335.
- 9411250057 Forwards Amend 204 to License DPR-49 & safety evaluation. Amend revises TS re surveillance frequencies for certain rod block instrument sys.
HSIA, A. Project Directorate III-3. 94/11/18. LIU, L. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 2pp. 81852:086-81852:095.
- 9411250059 Amend 204 to License DPR-49, re changes to TS concerning surveillance frequencies for certain rod block instrument sys.
HSIA, A. Project Directorate III-3. 94/11/18. 5pp. 81852:088-81852:092.
- 9411250061 Safety evaluation supporting Amend 204 to License DPR-49.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/11/18. 3pp. 81852:093-81852:095.

Q. Inspection reports, IE Bulletins & correspondence

- 9410140257 Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Matis Events to NRC Operations Ctr."
BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.
- 9410200153 NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts."
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81658:001-81658:013.
- 9411160073 Forwards insp rept 50-331/94-18 on 941018-21. No violations noted.
MCCORMICK-BARGE Region 3 (Post 820201). 94/11/03. LIU, L. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 2pp. 81746:210-81746:220.
- 9411160083 Insp rept 50-331/94-18 on 941018-21. No violations noted. Major areas inspected: plant EP exercise involving review of exercise scenario & followup on licensee actions on previously identified items.
FOSTER, J., JICKLING, R., MCCORMICK-BARGE Region 3 (Post 820201). 94/11/03. 9pp. 81746:212-81746:220.
- 9411160026 Requests relief from ASME Code Section XI requirements NDE-012, NDE-013, NDE-014 & NDE-015.
FRANZ, J.F. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 94/11/04. RUSSELL, W.T. Office of Nuclear Reactor Regulation, Director (Post 870411). 5pp. 81783:356-81783:360.
- 9411220044 Forwards insp rept 50-331/94-17 on 940914-1018 & notice of violation.
LANKSBURY, R.D. Region 3 (Post 820201). 94/11/07. LIU, L. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 2pp. 81796:255-81796:270.
- 9411220050 Notice of violation from insp on 940914-1018. Violation noted: util operating instruction & annunciator response procedures associated w/plant ARMs not revised to reflect changes made to ARIM alarm setpoints.
* Region 3 (Post 820201). 94/11/07. 1p. 81796:257-81796:257.
- 9411220054 Insp rept 50-331/94-17 on 940914-1018. Violation noted. Major areas inspected: plant operations, maint & surveillance.
LANKSBURY, R.D. Region 3 (Post 820201). 94/11/07. 13pp. 81796:258-81796:270.
- 9411160074 Forwards insp rept 50-331/94-11 on 941003-28. No violations noted.
GARDNER, R.N. Region 3 (Post 820201). 94/11/08. LIU, L. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 2pp. 81746:221-81746:232.
- 9411160077 Insp rept 50-331/94-11 on 941003-28. No violations noted. Major areas inspected: licensee incorporation of GL 89-04, "Guidance on Developing Acceptable Inservice Test Program," into Inservice Testing Program (TI 2515/114).
DUNLOP, A., WINTER, R., MENDEZ, R. Region 3 (Post 820201). 94/11/08. 10pp. 81746:223-81746:232.
- 9411090300 NRC Bulletin 94-002, "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride."
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.
- 9411100237 NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment."
GRIMES, B.K. 94/11/17. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.
- 9411300048 Responds to NRC Bulletin 93-002, suppl 1, "Debris Plugging of Emergency Core Cooling Suction Strainers."
YOUNG, K.D. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 94/11/18. RUSSELL, W.T. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 81951:274-81951:275.
- 9411150578 NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation."
GRIMES, B.K. 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.
- 9411170039 NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping."
GRIMES, B.K. 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.
- 9411170279 NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys."
GRIMES, B.K. 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.
- 9411170284 NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results."
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.

R. Periodic operating reports & related correspondence

- 9411090383 Monthly operating rept for Sept 1994 for Duane Arnold Energy Ctr. W/ 941014 tr.
WOODWARD, R., WILSON, D. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 94/09/30. MARTIN, J.B. Region 3 (Post 820201). 7pp. 81750:310-81750:316.
- 9411300247 Monthly operating rept for Oct 1994 for Duane Arnold Energy Ctr. W/ 941115 tr.
WOODWARD, R., WILSON, D. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 94/10/31. MARTIN, J.B. Region 3 (Post 820201). 6pp. 81910:198-81910:203.
- 9411080227 Forwards semiannual rept for plan for integrated scheduling of plant mods.
FRANZ, J.F. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 94/11/01. RUSSELL, W.T. Office of Nuclear Reactor Regulation, Director (Post 870411). 8pp. 81678:346-81678:353.

S. Reportable occurrences, LERs & related correspondence

- 9411070090 Final Part 21 rept 94-002A re three air start distributor cams cracking at plants. Cams replaced w/cams made using electric arc.
PRATIANN, S.A. Coltec Industries, Inc. 94/06/01. Document Control Branch (Document Control Desk). 5pp. 81654:209-81654:213.
- 9411080256 LER 94-012-00: on 941004, essential bus degraded voltage relay calibr errors discovered due to failure to use line corrector during calibr. Surveillance Test Procedure 42B030-A revised. W/941102 ltr.
KOTTENSTETTE, S., WILSON, D.L. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 94/11/02. MARTIN, J.B. Region 3 (Post 820201). 7pp. 81716:230-81716:236.

V. Operator Examinations

- 9411040264 Forwards exam answer key for forms A & B, grading results, & individual answer sheets for each individual taking exam from facility. Requests results be forwarded to individuals w/answer sheets. W/o encls.
RING, M.A. Region 3 (Post 820201). 94/10/27. Consumers Power Co. 1p. 81586:001-81586:001.
- 9411080165 Forwards response to Administrative Ltr 94-12, "Operator Licensing Natl Exam Schedule."
YOUNG, K.D. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 94/10/28. RUSSELL, W.T. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 81677:270-81677:271.
- 9411300218 Forwards NRC summarized guidance that clarifies requirements for maintaining individual operator licenses, entitled, "Clarification of Maint & Reactivation Requirements for Individual Operator Licenses."
RING, M.A. Region 3 (Post 820201). 94/11/18. Affiliation Not Assigned. 3pp. 81872:341-81872:343.
- 9411300053 Confirms completion of operator training in response to Generic Ltr 94-02.
FRANZ, J.F. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 94/11/21. RUSSELL, W.T. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 81922:294-81922:295.

DOCKET 50-333 JAMES A. FITZPATRICK NUCLEAR POWER PLANT**F. Security, medical, emergency & fire protection plans**

- 9411100242 Revised EIPs, including Rev 2 to EAP-5.3, Rev 25 to EAP-8, Rev 62 to EAP-17, Rev 25 to EAP-43, Rev 16 to SAP-2 & Rev 42 to SAP-3.
* Power Authority of the State of New York (New York Power Authority). 94/10/26. 67pp. 81732:134-81732:200.
- 9411090164 Forwards amend 218 to license DPR-59 & safety evaluation. Amend revises TS to relocate fire protection requirements from TS to plant fire protection program per GL 86-10 & GL 88-12.
MENNING, J.E. Project Directorate I-1. 94/11/03. CAHILL, W.J. Power Authority of the State of New York (New York Power Authority). 4pp. 81666:199-81666:223.
- 9411090168 Amend 218 to license DPR-59, revising TS to relocate fire protection requirements from TS to plant fire protection program.
MARSH, L.B. Project Directorate I-1. 94/11/03. 15pp. 81666:203-81666:217.
- 9411090171 Safety evaluation supporting amend 218 to license DPR-59.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/11/03. 6pp. 81666:218-81666:223.
- 9411220172 Forwards corrected safety insp rept 50-333/94-24 on 940912-16. Headings of two tables included in rept in error.
JOYNER, J.H. Region 1 (Post 820201). 94/11/17. SALMON, H.P. Power Authority of the State of New York (New York Power Authority). 3pp. 81798:284-81798:296.
- 9411220196 Corrected safety insp rept 50-333/94-24 on 940912-16. No violations noted. Major areas inspected: radiological environmental monitoring program & meteorological monitoring program.
STRUCKMEYER, R., JANG, J.C. Region 1 (Post 820201). 94/09/27. 10pp. 81798:289-81798:296.

P. Operating license stage documents & correspondence

- 9411300237 Final response to FOIA request for documents. App C records encl & partially withheld (ref FOIA exemption 5).
POWELL, R.A. Division of Freedom of Information & Publications Services (890206-940714). 93/11/22. PATTERSON, S.J. Newman & Holtzinger. 3pp. 81900:174-81900:271.
- 9411300253 Summary of 920615-16 NRC senior mgt meeting conducted to assure NRC focusing resources on plants & related issues of greatest safety significance. Info partially deleted.
TAYLOR, J.M. Ofc of the Executive Director for Operations. 92/06/25. THE CHAIRMAN Commissioners (Post 750119). 50pp. 81900:178-81900:227.
- 9411300265 Summary of 930126-28 NRC senior mgt meeting conducted to assure NRC focusing resources on plants & related issues of greatest safety significance. Info partially deleted.
TAYLOR, J.M. Ofc of the Executive Director for Operations. 93/02/04. THE CHAIRMAN Commissioners (Post 750119). 44pp. 81900:228-81900:271.
- 9411020107 Forwards proprietary Vols 1, 2 & 3 of Rev 0 to MPR-1560, "JA FitzPatrick Nuclear Plant Core Shroud Repair - Design Rept." Proprietary rept withheld (ref 10CFR2.790).
CAHILL, W.J. Power Authority of the State of New York (New York Power Authority). 94/10/27. Document Control Branch (Document Control Desk). 5pp. 81588:352-81588:356.
- 9411090238 Notification of 941115 meeting w/util in Rockville, MD to discuss plans for repair of core shroud at JFNP.
MENNING, J.E. Project Directorate I-1. 94/11/02. CASE, M.J. Project Directorate I-1. 4pp. 81667:306-81667:309.

9411090164 Forwards amend 218 to license DPR-59 & safety evaluation. Amend revises TS to relocate fire protection requirements from TS to plant fire protection program per GL 86-10 & GL 88-12.
MENNING, J.E. Project Directorate I-1. 94/11/03. CAHILL, W.J. Power Authority of the State of New York (New York Power Authority). 4pp. 81666:199-81666:223.

-9411090168 Amend 218 to license DPR-59, revising TS to relocate fire protection requirements from TS to plant fire protection program.
MARSH, L.B. Project Directorate I-1. 94/11/03. 15pp. 81666:203-81666:217.

-9411090171 Safety evaluation supporting amend 218 to license DPR-59.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/11/03. 6pp. 81666:218-81666:223.

9411150532 Discusses public meeting on 941026 w/region I licensees in King of Prussia, PA re motor-operated valve issues. List of attendees, agenda, licensee & NRC presentations & panel session questions encl.
KELLY, E.M. Region 1 (Post 820201). 94/11/03. SALMON, H.P. Power Authority of the State of New York (New York Power Authority). 47pp. 81743:194-81743:242.

9411080162 Requests 6 month extension to original schedule commitment for completion of GL 89-10 program re safety-related MOV testing & surveillance program.
CAHILL, W.J. Power Authority of the State of New York (New York Power Authority). 94/11/04. Document Control Branch (Document Control Desk). 17pp. 81677:273-81677:289.

9411160286 Forwards revised page 180 to 940804 application for amend to license DPR-59 re primary containment atmosphere monitoring.
CAHILL, W.J. Power Authority of the State of New York (New York Power Authority). 94/11/10. Document Control Branch (Document Control Desk). 2pp. 81781:279-81781:281.

-9411160287 Proposed tech spec page 180 re primary containment atmosphere monitoring.
* Power Authority of the State of New York (New York Power Authority). 94/11/10. 1p. 81781:281-81781:281.

9411220187 Forwards updated control room habitability rept, "Response to NUREG-0737, ILLD.3.4, Control Room Habitability for JA FitzPatrick Nuclear Power Plant."
CAHILL, W.J. Power Authority of the State of New York (New York Power Authority). 94/11/16. Document Control Branch (Document Control Desk). 4pp. 81892:244-81892:299.

-9411220193 "Response to NUREG-0737, ILLD.3.4, Control Room Habitability for JA FitzPatrick Nuclear Power Plant."
* Power Authority of the State of New York (New York Power Authority). 94/11/30. 52pp. 81892:248-81892:299.

9411230321 Forwards Siemens Power Corp (SPC) nonproprietary repts & proprietary rept re lead fuel assembly installation during Reload 11/Cycle 12. SPC proprietary rept withheld.
CAHILL, W.J. Power Authority of the State of New York (New York Power Authority). 94/11/16. Document Control Branch (Document Control Desk). 6pp. 81893:310-81893:330.

-9411230322 Nonproprietary "JA FitzPatrick Cycle 12 ATRIUM-10A Lead Fuel Assembly Licensing Evaluation."
Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 94/11/16. 5pp. 81893:316-81893:320.

-9411230323 Nonproprietary "JA FitzPatrick ATRIUM-10A Design Description."
Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 94/11/16. 10pp. 81893:321-81893:330.

9411280201 Forwards proprietary & nonproprietary handout package from 941115 meeting re core shroud repairs planned for plant. Proprietary package withheld.
CAHILL, W.J. Power Authority of the State of New York (New York Power Authority). 94/11/22. Document Control Branch (Document Control Desk). 25pp. 81868:318-81868:342.

Q. Inspection reports, IE Bulletins & correspondence

9410140257 Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Matis Events to NRC Operations Ctr."
BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.

9410200153 NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts."
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81658:001-81658:013.

9411020055 Informs that PASNY proposed extension of second 10-yr ISI/IST interval acceptable.
MENNING, J.E. Project Directorate I-1. 94/10/26. CAHILL, W.J. Power Authority of the State of New York (New York Power Authority). 4pp. 81576:001-81576:004.

9411150484 Forwards insp rept 50-333/94-23 on 940821-1001. No violations noted. Recent personnel performance related events of concern.
COWGILL, C.J. Region 1 (Post 820201). 94/11/01. SALMON, H.P. Power Authority of the State of New York (New York Power Authority). 2pp. 81744:297-81744:320.

-9411150490 Insp rept 50-333/94-23 on 940821-1001. No violations noted. Major areas inspected: plant operations, maintenance, engineering, plant support & quality assurance/safety verification.
URBAN, R.J. Region 1 (Post 820201). 94/10/19. 20pp. 81744:299-81744:320.

9411160278 Forwards two requests for relief from ASME Section XI requirements to perform hydrostatic tests of ISI Class 2 & 3 sys.
CAHILL, W.J. Power Authority of the State of New York (New York Power Authority). 94/11/04. Document Control Branch (Document Control Desk). 9pp. 81787:160-81787:168.

94 DOCKETED ITEMS

- 9411150012** Forwards insp rept 50-333/94-28 on 941024-28. No violations noted. JOYNER, J.H. Region 1 (Post 820201). 94/11/07. SALMON, H.P. Power Authority of the State of New York (New York Power Authority). 3pp. 81734:263-81734:272.
- 9411150017** Insp rept 50-333/94-28 on 941024-28. No violations noted. Major areas inspected: radwaste & transportation program, including sys for processing of plant water. FURIA, J., BORES, R. Region 1 (Post 820201). 94/11/07. 7pp. 81734:266-81734:272.
- 9411180023** Forwards SE which concurs w/contractor findings presented in Technical Evaluation Rept. EGG-DNSP-11509, re NRC Bulletin 90-01, Suppl 1, "Loss of Fill-Oil in Transmitters Mfg by Rosemount," dtd 921222. MENNING, J.E. Project Directorate I-1. 94/11/09. CAHILL, W.J. Power Authority of the State of New York (New York Power Authority). 4pp. 81782:101-81782:128.
- 9411180027** SE concluding that util has conformed w/requested actions & reporting requirements in NRC Bulletin 90-01, Suppl 1. * Office of Nuclear Reactor Regulation, Director (Post 870411). 94/11/09. 2pp. 81782:105-81782:106.
- 9411040274** "Evaluation of Util Response to Suppl 1 to NRC Bulletin 90-01: FitzPatrick," technical evaluation rept. UDY, A.C. EG&G Idaho, Inc. FIN L-1695. EGG-DNSP-11509. 94/09/30. NRC - No Detailed Affiliation Given. 21pp. 81782:107-81782:128.
- 9411090300** NRC Bulletin 94-002. "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride." PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.
- 9411100237** NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment." GRIMES, B.K. 94/11/17. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.
- 9411220172** Forwards corrected safety insp rept 50-333/94-24 on 940912-16. Headings of two tables included in rept in error. JOYNER, J.H. Region 1 (Post 820201). 94/11/17. SALMON, H.P. Power Authority of the State of New York (New York Power Authority). 3pp. 81798:284-81798:296.
- 9411220196** Corrected safety insp rept 50-333/94-24 on 940912-16. No violations noted. Major areas inspected: radiological environmental monitoring program & meteorological monitoring program. STRUCKMEYER, R., JANG, J.C. Region 1 (Post 820201). 94/09/27. 10pp. 81798:289-81798:296.
- 9411280193** Forwards exam rept 50-333/94-26(OL) during wk of 941024. MEYER, G.W. Region 1 (Post 820201). 94/11/17. SALMON, H.P. Power Authority of the State of New York (New York Power Authority). 2pp. 81868:089-81868:317.
- 9411280195** Exam rept 50-333/94-26OL on 941024-28. Exam results: all applicants passed exams. WILLIAMS, J.H., MEYER, G.W. Region 1 (Post 820201). 94/11/16. 227pp. 81868:091-81868:317.
- 9411300061** Forwards insp rept 50-333/94-25 on 941017-21. No violations noted. Mgt oversight evident in good communications, critical audits & active self-assessment initiatives. KELLY, E.M. Region 1 (Post 820201). 94/11/18. SALMON, H.P. Power Authority of the State of New York (New York Power Authority). 3pp. 81871:257-81871:274.
- 9411300075** Insp rept 50-333/94-25 on 941017-21. No violations noted. Major areas inspected: positive self-assessment initiatives & improvements, including weekly plant sys presentation meetings. DRYSDALE, P., KELLY, E.M. Region 1 (Post 820201). 94/11/16. 15pp. 81871:260-81871:274.
- 9411150578** NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation." GRIMES, B.K. 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.
- 9411170039** NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping." GRIMES, B.K. 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.
- 9411170279** NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys." GRIMES, B.K. 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.
- 9411170284** NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results." PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.

R. Periodic operating reports & related correspondence

- 9411210182** Monthly operating rept for Oct 1994 for JA FitzPatrick Nuclear Power Plant/W/941115 lr. FLAGG, R., SALMON, H.P. Power Authority of the State of New York (New York Power Authority). 94/10/31. 6pp. 81836:355-81836:360.

S. Reportable occurrences, LERs & related correspondence

- 9411030061** Forwards LER 93-009-02 re low RWL scram due to FW transient. Replacement of reactor feed discharge valves w/improved design scheduled so that one valve will be replaced during 1994 refueling outage. SALMON, H.P. Power Authority of the State of New York (New York Power Authority). 94/10/25. Document Control Branch (Document Control Desk). 1p. 81619:008-81619:025.

- 9411030070** LER 93-009-02 on 930420, low RWL scram occurred due to FW transient. Side A check valve will be replaced during 1994 refueling outage & Side B check valve will be inspected for reliable operation through next operating cycle. SIMPSON, D. Power Authority of the State of New York (New York Power Authority). 94/10/25. 17pp. 81619:009-81619:025.

V. Operator Examinations

- 9411220125** Informs of individual exam results for applicants on initial exam conducted on 941024-27 & forwards ES-501-2, "Power Plant Licensing Exam Results Summary." W/o end. MEYER, G.W. Region 1 (Post 820201). 94/11/17. TOPLEY, D. Power Authority of the State of New York (New York Power Authority). 2pp. 81798:193-81798:194.
- 9411280193** Forwards exam rept 50-333/94-26(OL) during wk of 941024. MEYER, G.W. Region 1 (Post 820201). 94/11/17. SALMON, H.P. Power Authority of the State of New York (New York Power Authority). 2pp. 81868:089-81868:317.
- 9411280195** Exam rept 50-333/94-26OL on 941024-28. Exam results: all applicants passed exams. WILLIAMS, J.H., MEYER, G.W. Region 1 (Post 820201). 94/11/16. 227pp. 81868:091-81868:317.

DOCKET 50-334 BEAVER VALLEY POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

- 9411210365** Forwards "1994 Beaver Valley Power Station Annual Exercise." CHATFIELD, E. Duquesne Light Co. 93/12/10. KEIMIG, R. Region 1 (Post 820201). 2pp. 81834:001-81834:106.
- 9411210368** "1994 Beaver Valley Power Station Annual Exercise." * Duquesne Light Co. 94/01/01. 800pp. 81834:004-81834:106.
- 9411040181** Revised emergency preparedness plan implementing procedures (EPP/IP), including Rev 6 to EPP/IP 1.5, Rev 6 to EPP/IP 2.1, Rev 6 to EPP/IP 2.2, Rev 6 to EPP/IP 2.3, Rev 6 to EPP/IP 2.6, Rev 6 to EPP/IP 2.6.11 & Rev 6 to EPP/IP 3.1.W/941027 lr. TMOMAS, G.S. Duquesne Light Co. 94/10/27. 573pp. 81659:108-81660:316.
- 9411150330** Forwards NRC Form 474 "Simulation Facility Certification," update info. THOMAS, G.S. Duquesne Light Co. 94/11/03. Document Control Branch (Document Control Desk). 22pp. 81775:193-81775:214.

P. Operating license stage documents & correspondence

- 9411040293** Technical Rept, "Assessment of Aging Degradation of Civil/ Structural Features at Selected Operating Nuclear Power Plants." BRAVERMNA, J. Brookhaven National Laboratory. L-151(6)/5-93. 93/05/31. 100pp. 81621:028-81621:128.
- 9411020045** Notification of significant licensee meeting 94-126 w/util on 941117 to discuss SWS self assessment recently completed by util. Assessment findings & proposed corrective actions will be discussed. LAZARUS, W.J. Region 1 (Post 820201). 94/10/25. Region 1 (Post 820201). 2pp. 81528:219-81528:220.
- 9411150348** Discusses 941026 public meeting in King of Prussia, PA re MOV issues w/ special emphasis on completion & closure of GL 89-10, "Safety-Related MOV Testing & Surveillance." Attendees & agenda encl. KELLY, E.M. Region 1 (Post 820201). 94/11/03. CROSS, J.E. Duquesne Light Co. 51pp. 81734:202-81734:250.
- 9411140016** Forwards corrected TS pages for amends 181 & 61 to licenses DPR-66 & NPF-73, respectively, consisting of administrative errors. EDISON, G.E. Project Directorate I-3. 94/11/07. CROSS, J.E. Duquesne Light Co. 4pp. 81736:063-81736:071.
- 9411140021** Corrected TS pages to amends 181 & 61 to licenses DPR-66 & NPF-73, respectively. * Project Directorate I-3. 94/11/07. 5pp. 81736:067-81736:071.
- 9411290157** Forwards 10CFR50.46 rept of changes or errors in ECCS evaluation models. Attachment 1 provides listing of change or error in acceptable evaluation model affects peak fuel cladding temp calculation for particular transients. THOMAS, G.S. Duquesne Light Co. 94/11/16. Document Control Branch (Document Control Desk). 41pp. 81905:295-81905:335.
- 9411290162** Forwards response as requested & not exempt from PDR, per 10CFR2.790. THOMAS, G.S. Duquesne Light Co. 94/11/18. Document Control Branch (Document Control Desk). 2pp. 81904:360-81904:361.

Q. Inspection reports, IE Bulletins & correspondence

- 9410140257** Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Matis Events to NRC Operations Ctr." BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.
- 9410200153** NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts." GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81658:001-81658:013.
- 9411150413** Forwards insp repts 50-334/94-20 & 50-412/94-21 on 940907-1011. Non-cited violations identified. LINVILLE, J.C. Region 1 (Post 820201). 94/11/02. CROSS, J.E. Duquesne Light Co. 3pp. 81745:008-81745:027.

—9411150419 Insp repts 50-334/94-20 & 50-412/94-21 on 940907-1011. Noncited violations identified. Major areas inspected: plant operations, maint & surveillance, engineering & plant support. LAZARUS, W.J. Region 1 (Post 820201). 94/11/02. 17pp. 81745:011-81745:027.

9411100169 Forwards SE accepting util 930308,0528 & 940523 responses to NRC bulletin 90-01, suppl 1, "Loss of Fill-Oil in Transmitters Mfg By Rosemount." EDISON, G.E. Project Directorate I-3. 94/11/04. CROSS, J.E. Duquesne Light Co. 4pp. 81716:246-81716:269.

—9411100178 Safety evaluation accepting util 930308,0528 & 940523 responses to NRC Bulletin 90-01, suppl 1, "Loss of Fill-Oil in Transmitters Mfg By Rosemount." * Office of Nuclear Reactor Regulation, Director (Post 870411). 94/11/04. 2pp. 81716:250-81716:251.

—9411100184 "Technical Evaluation Rept: Evaluation of Utility Responses to Suppl 1 to NRC Bulletin 90-01: Beaver Valley-1/-2." UDY, A.C. Idaho National Engineering Laboratory. UDY, A.C. EG&G Idaho, Inc. FIN L-1695. EGG-DNSP-11436. 94/08/31. NRC - No Detailed Affiliation Given. 17PP. 81716:252-81716:269.

9411090300 NRC Bulletin 94-002, "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride." PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.

9411100237 NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment." GRIMES, B.K. 94/11/17. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.

9411280003 Forwards exam rept 50-334/94-21OL on 941012-13. No violations noted. MEYER, G.W. Region 1 (Post 820201). 94/11/17. NOONAN, T.P. Duquesne Light Co. 2pp. 81840:008-81840:168.

—9411280010 Exam rept 50-334/94-21OL on 941012-13. No violations noted. Exam results: two SRO were administered & passed all portions of written & operating exams & issued licenses. MEYER, G.W., BISSETT, P. Region 1 (Post 820201). 94/11/16. 153pp. 81840:010-81840:168.

9411150578 NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation." GRIMES, B.K. 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.

9411170039 NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping." GRIMES, B.K. 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.

9411170279 NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys." GRIMES, B.K. 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.

9411170284 NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results." PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.

R. Periodic operating reports & related correspondence

9411100204 Monthly operating repts for Oct 1994 for Beaver Valley Power Station. W/ 941107 ltr. JONES, D.T., NOONAN, T.P. Duquesne Light Co. 94/10/31. 9pp. 81747:351-81747:359.

V. Operator Examinations

9411150330 Forwards NRC Form 474 "Simulation Facility Certification," update info. THOMAS, G.S. Duquesne Light Co. 94/11/03. Document Control Branch (Document Control Desk). 22pp. 81775:193-81775:214.

9411280003 Forwards exam rept 50-334/94-21OL on 941012-13. No violations noted. MEYER, G.W. Region 1 (Post 820201). 94/11/17. NOONAN, T.P. Duquesne Light Co. 2pp. 81840:008-81840:168.

—9411280010 Exam rept 50-334/94-21OL on 941012-13. No violations noted. Exam results: two SRO were administered & passed all portions of written & operating exams & issued licenses. MEYER, G.W., BISSETT, P. Region 1 (Post 820201). 94/11/16. 153pp. 81840:010-81840:168.

DOCKET 50-335 ST. LUCIE PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9411040012 Forwards insp repts 50-335/94-21 & 50-389/94-21 on 940926-30. No violations or deviations noted. COLLINS, D.M. Region 2 (Post 820201). 94/10/25. GOLDBERG, J.H. Florida Power & Light Co. 3pp. 81575:039-81575:042.

—9411040016 Partially withheld insp repts 50-335/94-21 & 50-389/94-21 on 940926-30 (ref 10CFR73.21). No violations or deviations noted. Major areas inspected: safeguards program for nuclear power reactors, specifically, security organization. TOBIN, W., MCGUIRE, D.R. Region 2 (Post 820201). 94/10/25. 1p. 81575:042-81575:042.

9411210001 Ack receipt of 940902 & 0728 ltrs in response to NRC 940728 request for add info re certain changes in revs 25 & 26 to radiological emergency plan that appeared to be inconsistent w/emergency planning stds of 10CFR50.47(b). CLINE, W.E. Region 2 (Post 820201). 94/10/31. GOLDBERG, J.H. Florida Power & Light Co. 5pp. 81784:001-81784:005.

9411080193 Forwards addl info requested by NRC 940809 ltr on util responses to GL 92-08, "Thermo-Lag 330-1 Fire Barriers." SAGER, D.A. Florida Power & Light Co. 94/11/04. ZIMMERMAN, R.P. Associate Director for Projects (Post 870411). 11pp. 81679:185-81679:195.

9411180197 Revised EIPs, including Rev 26 to EIP 3100022E, Rev 64 to EIP 3100023E, Rev 18 to EIP 3100026E & Rev 22 to EIP 3100033E. W/941114 ltr. SAGER, D.A. Florida Power & Light Co. 94/11/14. 116pp. 81818:165-81818:282.

9411300163 Requests participation in exercises for testing of Natl Emergency Coordination Net for high frequency radio communications scheduled for Mar 1, June 1, Sept 1 & Dec 1 of each yr. CLINE, W.E. Region 2 (Post 820201). 94/11/16. GOLDBERG, J.H. Florida Power & Light Co. 2pp. 81872:237-81872:238.

9411300274 Forwards Rev 27 to "Radiological Emergency Plan for St Lucie Plant," per commitment re dose limits to emergency workers detailed in Item 1 of NRC 941031 ltr. SAGER, D.A. Florida Power & Light Co. 94/11/22. Document Control Branch (Document Control Desk). 25pp. 81907:001-81907:262.

—9411300275 Rev 27 to "Radiological Emergency Plan for St Lucie Plant." * Florida Power & Light Co. 94/11/01. 237pp. 81907:026-81907:262.

9411300145 Revised EIPs, including rev 5 to EIP 1101, "Duties of Emergency Control Officer," rev 8 to EIP 1102, "Duties of Recovery Manager" & rev 5 to EIP 1108, "Duties of Nuclear Div Duty Officer." W/941123 ltr. BOHLKE, W.H. Florida Power & Light Co. 94/11/23. 53pp. 81908:278-81908:328.

P. Operating license stage documents & correspondence

9411300244 FOIA request for info re plant 1990 & 1991 revs to NUREG/CR-5250 & 1992 seismic hazard characterizations of NPP sites east of Rocky Mountains. BURFORD, J.N. Florida Power & Light Co. 93/08/18. GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (890206-940714). 5pp. 81905:056-81905:060.

9411300251 Final response to FOIA request for info re plant 1990 & 1991 revs to NUREG/CR-5250 & 1992 seismic hazard characterizations of NPP sites east of Rocky Mountains. Forwards info in response to request. GRIMSLEY, D. Division of Freedom of Information & Publications Services (890206-940714). 93/11/22. BURFORD, J.N. Florida Power & Light Co. 1p. 81905:061-81905:188.

—9411300266 Transmits hazard curves for all plant sites based on G-Experts 1-4 ground motion models in response to NRR request. BERNREUTER, D.L. Lawrence Livermore National Laboratory. 88/08/30. GIESE-KOCH, G. Office of Nuclear Reactor Regulation, Director (Post 870411). 127pp. 81905:062-81905:188.

9411070148 Extends invitation to Region II licensees to participate w/NRR & Region II representatives in discussion of GL 89-10 motor-operated valve programs. Meeting to be held on 941108 in Atlanta, GA. Meeting notice & agenda encl. MALLETT, B.S. Region 2 (Post 820201). 94/10/12. GOLDBERG, J.H. Florida Power & Light Co. 4pp. 81605:184-81605:187.

9411020149 Application for amends to licenses DPR-67 & NPF-16, incorporating encl administrative changes. SAGER, D.A. Florida Power & Light Co. 94/10/27. Document Control Branch (Document Control Desk). 30pp. 81587:094-81587:181.

—9411020151 Proposed tech specs, incorporating administrative changes. * Florida Power & Light Co. 94/10/27. 58pp. 81587:124-81587:181.

9411080181 Application for amends to licenses DPR-67 & NPF-16, upgrading TS 3/4.6.2.1 & 3/4.6.2.3 by adapting combined spec for containment spray & cooling sys contained in std TS for C-E plants. SAGER, D.A. Florida Power & Light Co. 94/11/02. Document Control Branch (Document Control Desk). 15pp. 81677:290-81677:324.

—9411080182 Proposed tech specs 3/4.6.2.1 & 3/4.6.2.3, adapting combined spec for containment spray & cooling sys contained in std TS for C-E plants. * Florida Power & Light Co. 94/11/02. 20pp. 81677:305-81677:324.

9411080193 Forwards addl info requested by NRC 940809 ltr on util responses to GL 92-08, "Thermo-Lag 330-1 Fire Barriers." SAGER, D.A. Florida Power & Light Co. 94/11/04. ZIMMERMAN, R.P. Associate Director for Projects (Post 870411). 11pp. 81679:185-81679:195.

9411160342 Provides NPDES permit mod, issued by EPA on 941101. SAGER, D.A. Florida Power & Light Co. 94/11/04. Document Control Branch (Document Control Desk). 9pp. 81787:171-81787:179.

9411220327 Forwards rept of unsatisfactory performance testing incident. Rept details investigative analysis of unsatisfactory blind specimen result, including cause & C/A taken by SmithKline Beecham Clinical Lab. BOHLKE, W.H. Florida Power & Light Co. 94/11/15. Document Control Branch (Document Control Desk). 3pp. 81843:358-81843:360.

9411220289 Forwards Relief Request 13A, requesting approval for alternative non-code repair to correct through wall leakage & corrosion on refueling water tank bottom. Rev 1, Suppl 1 to Plant Change/Mod (PC/M) 128-194 also encl. SAGER, D.A. Florida Power & Light Co. 94/11/16. Document Control Branch (Document Control Desk). 5pp. 81809:197-81809:240.

—9411220291 Rev 1, Suppl 1 to Plant Change/Mod (PC/M) 128-194, "Addition of Reinforced Vinyl Ester Liner to Bottom of Refueling Water Tank." WOLF, D.M. Florida Power & Light Co. PC/M 128-194 S01 R01. 94/11/16. 39pp. 81809:202-81809:240.

9411300216 Informs that listed number of SG tubes plugged during fall unit 1 refueling outage. SAGER, D.A. Florida Power & Light Co. 94/11/22. Document Control Branch (Document Control Desk). 1p. 81925:145-81925:145.

96 DOCKETED ITEMS

Q. Inspection reports, IE Bulletins & correspondence

9411010117 Forwards insp repts 50-335/94-20 & 50-389/94-20 on 940828-0930. No violations or deviations noted. Util attention invited to unresolved item identified in insp rept.
VERRELLI, D.M. Region 2 (Post 820201). 94/10/18. GOLDBERG, J.H. Florida Power & Light Co. 3pp. 81514:298-81514:322.

9411010124 Insp repts 50-335/94-20 & 50-389/94-20 on 940828-0930. No violations or deviations noted. Major areas inspected: plant operations review, maintain observations, plant support, surveillance observations & followup on previous insp.
PREVATTE, R.L., MILLER, M.S., SCHIN, R.P. Region 2 (Post 820201). 94/10/14. 22pp. 81514:301-81514:322.

9411010257 Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Matis Events to NRC Operations Ctr."
BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.

9411070116 Forwards insp repts 50-335/94-19 & 50-389/94-19 on 940926-30. Violation noted. Violation not subj to enforcement action because licensee efforts in identifying &/or correcting violation meet criteria specified in policy.
GIBSON, A.F. Region 2 (Post 820201). 94/10/20. GOLDBERG, J.H. Florida Power & Light Co. 2pp. 81605:100-81605:110.

9411070122 Insp repts 50-335/94-19 & 50-389/94-19 on 940926-30. Violations noted. Major areas inspected: licensed operator requalification program.
MOORMAN, J.H., LAWYER, L.L. Region 2 (Post 820201). 94/10/12. 9pp. 81605:102-81605:110.

9411040012 Forwards insp repts 50-335/94-21 & 50-389/94-21 on 940926-30. No violations or deviations noted.
COLLINS, D.M. Region 2 (Post 820201). 94/10/25. GOLDBERG, J.H. Florida Power & Light Co. 3pp. 81575:039-81575:042.

9411040016 Partially withheld insp repts 50-335/94-21 & 50-389/94-21 on 940926-30 (ref 10CFR73.21). No violations or deviations noted. Major areas inspected: safeguards program for nuclear power reactors, specifically, security organization.
TOBIN, W., MCCUIRE, D.R. Region 2 (Post 820201). 94/10/25. 1p. 81575:042-81575:042.

9410200153 NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts."
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81658:001-81658:013.

9411090300 NRC Bulletin 94-002, "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride."
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.

9411100237 NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment."
GRIMES, B.K. Region 2 (Post 820201). 94/11/17. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.

9411300018 Forwards exam repts 50-335/94-300 & 50-389/94-300 on 941017-24. No violations identified.
PEEBLES, T.A. Region 2 (Post 820201). 94/11/17. GOLDBERG, J.H. Florida Power & Light Co. 3pp. 81987:001-81987:214.

9411300027 Exam repts 50-335/94-300 & 50-389/94-300 on 941017-24. Exam results: nine SRO & two RO candidates passed exam.
BALDWIN, R.S., LAWYER, L.L. Region 2 (Post 820201). 94/11/14. 211pp. 81987:004-81987:214.

9411150578 NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation."
GRIMES, B.K. Region 2 (Post 820201). 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.

9411170039 NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping."
GRIMES, B.K. Region 2 (Post 820201). 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.

9411300326 Advises that based on results of svc water sys operational performance insp re mid cycle maint of CCW HXs was implemented for facility.
SAGER, D.A. Florida Power & Light Co. 94/11/23. Document Control Branch (Document Control Desk). 2pp. 81923:343-81923:344.

9411170279 NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys."
GRIMES, B.K. Region 2 (Post 820201). 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.

9411170284 NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results."
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.

9411300195 Confirms that util replaced 15 leaking Westinghouse mechanical tube plugs in rows 5 or greater & has preventatively replaced only two mechanical tube plugs in row 4 or less, per NRC Bulletin 89-001.
SAGER, D.A. Florida Power & Light Co. 94/11/25. Document Control Branch (Document Control Desk). 2pp. 81908:329-81908:354.

9411300201 Rev 1 to JPN-PSL-SEMS-94-026, "Engineering Evaluation of Installed Westinghouse SG Tube Plugs."
* Florida Power & Light Co. JPN-PSL-SEMS-94-026. 94/11/18. 24pp. 81908:331-81908:354.

R. Periodic operating reports & related correspondence

9411250123 Monthly operating rept for Oct 1994 for St Lucie Units 1 & 2. W/941114 ltr.
WHITE, C.D., SAGER, D.A. Florida Power & Light Co. 94/10/31. 9pp. 81889:067-81889:075.

S. Reportable occurrences, LERs & related correspondence

9411080235 LER 94-006-00: on 941023, confirmed that stated relief valve for ECCS could lift under certain accident conditions & result in sump inventory in excess of design basis into RAB. Relief valve path in IRS isolated. W/941102 ltr.
SNYDER, M.J., SAGER, D.A. Florida Power & Light Co. 94/11/02. 7pp. 81716:184-81716:190.

9411300214 Special rept on 941028, EDG failure occurred due to burned through wire from magnetic amplifier terminal block to field. Wire repaired & relanded to terminal block.
SAGER, D.A. Florida Power & Light Co. 94/11/23. Document Control Branch (Document Control Desk). 3pp. 81922:351-81922:353.

9411300331 LER 94-007-00: on 941026, automatic reactor trip on loss of electrical load due to flashover on 240 kV switchyard potential transformer. Unit stabilized in mode 3 & transformer replaced. W/941123 ltr.
HURCHALLA, J.A., SAGER, D.A. Florida Power & Light Co. 94/11/23. 6pp. 81912:195-81912:200.

V. Operator Examinations

9411070116 Forwards insp repts 50-335/94-19 & 50-389/94-19 on 940926-30. Violation noted. Violation not subj to enforcement action because licensee efforts in identifying &/or correcting violation meet criteria specified in policy.
GIBSON, A.F. Region 2 (Post 820201). 94/10/20. GOLDBERG, J.H. Florida Power & Light Co. 2pp. 81605:100-81605:110.

9411070122 Insp repts 50-335/94-19 & 50-389/94-19 on 940926-30. Violations noted. Major areas inspected: licensed operator requalification program.
MOORMAN, J.H., LAWYER, L.L. Region 2 (Post 820201). 94/10/12. 9pp. 81605:102-81605:110.

9411300018 Forwards exam repts 50-335/94-300 & 50-389/94-300 on 941017-24. No violations identified.
PEEBLES, T.A. Region 2 (Post 820201). 94/11/17. GOLDBERG, J.H. Florida Power & Light Co. 3pp. 81987:001-81987:214.

9411300027 Exam repts 50-335/94-300 & 50-389/94-300 on 941017-24. Exam results: nine SRO & two RO candidates passed exam.
BALDWIN, R.S., LAWYER, L.L. Region 2 (Post 820201). 94/11/14. 211pp. 81987:004-81987:214.

DOCKET 50-336 MILLSTONE NUCLEAR POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9411160155 Provides comments on proposed rule re fee for services to support Federal Emergency Mgt Agency Offsite radiological emergency preparedness program.
OPEKA, J.F. Connecticut Yankee Atomic Power Co. OPEKA, J.F. Northeast Nuclear Energy Co. OPEKA, J.F. Northeast Utilities. 94/09/12. Federal Emergency Management Agency. 3pp. 81781:231-81781:233.

9411180252 Forwards ERDS implementation documents. W/o encl.
JOLICOEUR, J.R. Incident Response Branch. 94/10/06. SAUL, K.L. Halliburton NUS Environmental Corp. 1p. 81809:018-81809:018.

9411070278 Forwards RAI re emergency action level technical basis document.
MCKEE, P.F. Project Directorate I-4. 94/10/27. OPEKA, J.F. Connecticut Yankee Atomic Power Co. OPEKA, J.F. Northeast Nuclear Energy Co. 81pp. 81713:211-81713:290.

9411150028 Advises that Rev 11 to guard training & qualification plan consistent w/provisions of 10CFR50.54(p) & acceptable.
JOYNER, J.H. Region 1 (Post 820201). 94/10/27. OPEKA, J.F. Northeast Nuclear Energy Co. 4pp. 81780:304-81780:307.

9411090302 Rev 1 to EPOP 4412, "Evacuation & Assembly" & revised index.
* Northeast Nuclear Energy Co. 94/10/28. 33pp. 81747:095-81747:127.

9411100173 Forwards Rev 20 to physical security plan. Rev withheld (ref 10CFR2.790(a)).
OPEKA, J.F. Northeast Nuclear Energy Co. OPEKA, J.F. Northeast Utilities Service Co. 94/10/31. Document Control Branch (Document Control Desk). 2pp. 81736:303-81736:304.

9411150461 Forwards insp repts 50-245/94-29, 50-336/94-25 & 50-423/94-27 on 941003-06. Violations noted. Violation involved failure to properly control vehicles granted escorted & unescorted access into protected area.
JOYNER, J.H. Region 1 (Post 820201). 94/10/31. OPEKA, J.F. Northeast Nuclear Energy Co. 3pp. 81745:067-81745:076.

9411150467 Notice of violation from insp on 941003-06. Violation noted: designated licensee vehicle & non-licensee designated vehicle in protected area had been improperly controlled on 941003.
* Region 1 (Post 820201). 94/10/31. 1p. 81745:070-81745:070.

9411150475 Insp repts 50-245/94-29, 50-336/94-25 & 50-423/94-27 on 941003-06. Violations noted. Major areas inspected: audits & mgt support, effectiveness of mgt controls, protected area detection equipment & alarm stations & communications.
KING, E.B. Region 1 (Post 820201). 94/10/31. 6pp. 81745:071-81745:076.

9411210237 Change 2 to Rev 2 to EPIP 4400, "Event Assessment, Classification & Reportability."
MCCANCE, W.T., RODGERS, R. Northeast Nuclear Energy Co. 94/11/03. 5pp. 81837:177-81837:181.

9411250050 Change 1 to Rev 1 to EPOP 4424, "Manager of Radiological Consequence Assessment (MRCA)."
MCCANCE, W.T. Northeast Nuclear Energy Co. 94/11/10. 4pp. 81866:337-81866:340.

9411210244 Rev 8 to Corporate Organization for Nuclear Incidents (CONI) Procedure CONI 4.12, "Protective Action Recommendations." W/ Rev 80 to table of contents. RODGERS, R.C. Northeast Nuclear Energy Co. 94/11/14. 33pp. 81837:204-81837:236.

H. General correspondence

9411010061 Comment on proposed rule 10CFR2 re examination of NRC enforcement policy. Util endorses NEI position on issue & concurs w/recommendations. OPEKA, J.F. Northeast Utilities. 94/10/24. Rules & Directives Review Branch (Post 920323). 4pp. 81514:155-81514:158.

9411040003 Comment on proposed rule 10CFR2 re examination of NRC enforcement policy. OPEKA, J.F. Northeast Utilities Service Co. 94/10/24. Division of Freedom of Information & Publications Services (Post 940714). 4pp. 81575:003-81575:006.

P. Operating license stage documents & correspondence

9411030149 Rev 17 to "NEUT QA Program Topical Rept." Ltr dtd 941017 encl. * Northeast Utilities Service Co. 94/08/10. 128pp. 81653:021-81653:148.

9411030315 Ltr contract, task order 35, to IPE Reviews, Internal Events, Front End Only, for facility. MACE, M. Division of Contracts (Post 940714). NRC-04-91-066. 94/09/08. COLINA, I. Science & Engineering Associates, Inc. 10pp. 81608:063-81608:072.

9411030184 Ltr contract, defining Task Order 36, "IPE Reviews, Internal Events - Human Reliability Analysis Only." MACE, M. Division of Contracts (Post 940714). FIN L-1934. 94/09/12. HAAS, P.M. Concord Associates, Inc. 12pp. 81602:212-81602:223.

9411030229 Ltr contract, defining Task Order 36, "IPE Reviews, Internal Events Back-End Only." MACE, M. Division of Contracts (Post 940714). FIN L-1933. 94/09/19. MEYER, J. SCIENTECH, Inc. 2pp. 81602:191-81602:192.

9411010084 Informs NRC of util plan to integrate plants OSC & co-locate OSC w/TSC. OPEKA, J.F. Northeast Nuclear Energy Co. OPEKA, J.F. Northeast Utilities. 94/10/21. Document Control Branch (Document Control Desk). 8pp. 81587:083-81587:090.

9411040123 Informs that staff preparing rev to operability guidance, described in GL 91-18, to incorporate experience from regional workshops on operability. STOLZ, J.F. Project Directorate I-4. 94/10/21. KACICH, R.M. Northeast Nuclear Energy Co. 7pp. 81619:302-81619:322.

9411070266 Forwards amend 181 to license DPR-65 & safety evaluation. Amend revises TS by adding footnote to surveillance requirement 4.6.1.2.d that defers performance of type B & C containment leak rate tests. VISSING, G.S. Project Directorate I-4. 94/10/31. OPEKA, J.F. Connecticut Yankee Atomic Power Co. OPEKA, J.F. Northeast Nuclear Energy Co. 3pp. 81656:040-81656:053.

-9411070272 Amend 181 to license DPR-65, revising TS to add footnote to surveillance requirement 4.6.1.2.d that defers performance Type B & C containment leak tests. MCKEE, P.F. Project Directorate I-4. 94/10/31. 4pp. 81656:043-81656:046.

-9411070275 Safety evaluation supporting amend 181 to license DPR-65. * Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/31. 7pp. 81656:047-81656:053.

9411150200 Summarizes 941026 meeting w/util in King of Prussia, PA re motor-operated valve issues. Special emphasis placed on expectations for completion & process for closure of GL 89-10, "Safety-Related MOV Testing & Surveillance." KELLY, E.M. Region 1 (Post 820201). 94/11/03. OPEKA, J.F. Connecticut Yankee Atomic Power Co. 49pp. 81735:210-81735:258.

9411180209 Responds to 940707 ltr providing NRC w/calculations that documented technical justification of approach for developing realistic, median centered in-structure response spectra for plant auxiliary bldg. OPEKA, J.F. Northeast Nuclear Energy Co. OPEKA, J.F. Northeast Utilities. 94/11/04. Document Control Branch (Document Control Desk). 8pp. 81800:341-81800:348.

9411230309 Forwards amend 182 to license DPR-65 & safety evaluation. Amend revises TS concerning RCS vol. VISSING, G.S. Project Directorate I-4. 94/11/08. OPEKA, J.F. Connecticut Yankee Atomic Power Co. OPEKA, J.F. Northeast Nuclear Energy Co. 4pp. 81830:027-81830:036.

-9411230311 Amend 182 to license DPR-65 revising TS concerning RCS vol. MCKEE, P.F. Project Directorate I-4. 94/11/08. 4pp. 81830:031-81830:034.

-9411230313 Safety evaluation supporting amend 182 to license DPR-65. * Office of Nuclear Reactor Regulation, Director (Post 870411). 94/11/08. 2pp. 81830:035-81830:036.

9411220048 Notification of significant meeting 94-131 w/util on 941117 to discuss planned performance improvements during plant refueling outage to address concerns about personnel & equipment safety. NICHOLSON, L. Region 1 (Post 820201). 94/11/10. Region 1 (Post 820201). 3pp. 81796:308-81796:310.

9411220161 Notification of significant licensee meeting 94-133 w/util on 941208 to discuss util strategy for dealing w/employee allegation issues. NICHOLSON, L. Region 1 (Post 820201). 94/11/14. Region 1 (Post 820201). 3pp. 81796:358-81796:360.

9411220362 Provides NRC staff w/info requested in 940930 ltr assoc w/Aug 1994 Millstone Unit 2 reactor coolant pump motor lubricating oil collection sys mod. OPEKA, J.F., DEBARBA, E.A. Northeast Nuclear Energy Co. OPEKA, J.F. Northeast Utilities. 94/11/14. Document Control Branch (Document Control Desk). 6pp. 81833:039-81833:046.

9411230288 Notification of 941209 meeting w/util in Rockville, MD to discuss employee concerns issues. ANDERSEN, J.W. Project Directorate I-4. 94/11/17. MCKEE, P.F. Project Directorate I-4. 5pp. 81841:166-81841:170.

9411280148 Summary of 941102 meeting w/util re instrument surveillance TS changes resulting from 24-month fuel cycle. ROONEY, V.L. Project Directorate I-4. 94/11/22. Project Directorate I-4. 6pp. 81852:209-81852:214.

Q. Inspection reports, IE Bulletins & correspondence

9410140257 Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Matis Events to NRC Operations Ctr." BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.

9411020035 Forwards insp repts 50-245/94-28, 50-336/94-27 & 50-423/94-24 on 940817-0926 & NOV. ROGGE, J.F. Region 1 (Post 820201). 94/10/24. OPEKA, J.F. Northeast Nuclear Energy Co. 4pp. 81528:185-81528:214.

-9411020042 Notice of violation from insp on 940817-0926. Violation noted: since Jan 1990, ten instances exist when 2A/B solenoids failed to meet 1.1 second stroke time specified. * Region 1 (Post 820201). 94/10/24. 2pp. 81528:189-81528:190.

-9411020046 Insp repts 50-245/94-28, 50-336/94-27 & 50-423/94-24 on 940817-0926. No violations noted. Major areas inspected: plant operations, radiological controls & maint. NICHOLSON, L.E. Region 1 (Post 820201). 94/10/17. 24pp. 81528:191-81528:214.

9410200153 NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts." GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81658:001-81658:013.

9411150461 Forwards insp repts 50-245/94-29, 50-336/94-25 & 50-423/94-27 on 941003-06. Violations noted. Violation involved failure to properly control vehicles granted escorted & unescorted access into protected area. JOYNER, J.H. Region 1 (Post 820201). 94/10/31. OPEKA, J.F. Northeast Nuclear Energy Co. 3pp. 81745:067-81745:076.

-9411150467 Notice of violation from insp on 941003-06. Violation noted: designated licensee vehicle & non-licensee designated vehicle in protected area had been improperly controlled on 941003. * Region 1 (Post 820201). 94/10/31. 1p. 81745:070-81745:070.

-9411150475 Insp repts 50-245/94-29, 50-336/94-25 & 50-423/94-27 on 941003-06. Violations noted. Major areas inspected: audits & mgt support, effectiveness of mgt controls, protected area detection equipment & alarm stations & communications. KING, E.B., MCCABE, E.C. Region 1 (Post 820201). 94/10/31. 6pp. 81745:071-81745:076.

9411220084 Forwards insp repts 50-245/94-32, 50-336/94-31 & 50-423/94-29 on 941011-14 & notice of violation. JOYNER, J.H. Region 1 (Post 820201). 94/11/09. OPEKA, J.F. Northeast Nuclear Energy Co. 3pp. 81797:334-81797:352.

-9411220090 Notice of violation from insp on 941011-14. Violation noted: Individual entered reactor cavity w/o following rules re entry into cavity & not informed of radiation levels there. * Region 1 (Post 820201). 94/11/09. 2pp. 81797:337-81797:338.

-9411220097 Insp repts 50-245/94-32, 50-336/94-31 & 50-423/94-29 on 941011-14. Violations noted. Major areas inspected: radiological controls area including program changes, staffing, training & qualifications, audits & appraisals. NIMITZ, R.L., BORES, R.J. Region 1 (Post 820201). 94/11/09. 13pp. 81797:339-81797:352.

9411220091 Summarizes 941021 meeting w/util in King of Prussia, PA re addl actions planned to address performance concerns noted in insp repts 50-245/94-18, 50-336/94-17 & 50-423/94-16. DURR, J.P. Region 1 (Post 820201). 94/11/10. OPEKA, J.F. Northeast Nuclear Energy Co. 31pp. 81798:017-81798:047.

9411090300 NRC Bulletin 94-002, "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride." PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.

9411100237 NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment." GRIMES, B.K. 94/11/17. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.

9411230004 Responds to licensee 940919 ltr re NRC 940815 ltr which discussed response to two violations & imposition of \$87,500 civil penalty from NRC insp repts 50-336/94-18 & 50-245/94-01. MARTIN, T.T. Region 1 (Post 820201). 94/11/17. OPEKA, J.F. Northeast Nuclear Energy Co. 4pp. 81811:015-81811:043.

9411150578 NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation." GRIMES, B.K. 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.

9411170039 NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping." GRIMES, B.K. 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.

9411170279 NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys." GRIMES, B.K. 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.

98 DOCKETED ITEMS

941170284 NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results."
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.

S. Reportable occurrences, LERs & related correspondence

9411070090 Final Part 21 rept 94-002A re three air start distributor cams cracking at plants. Cams replaced w/ cams made using electric arc.
PRATIENNE, S.A. Coltec Industries, Inc. 94/06/01. Document Control Branch (Document Control Desk). 5pp. 81654:209-81654:213.

941100241 LER 94-030-00: on 941001, MSSV setpoint drift occurred. Root cause unknown. Six of ten failed valves adjusted & passed subsequent retests. Two valves passed subsequent tests w/o adjustment. W/941028 ltr.
LUTZ, P.J., MILLER, D.B. Northeast Nuclear Energy Co. 94/10/28. 4pp. 81747:083-81747:086.

9411090181 LER 94-029-01: on 941003, control technicians secured sample flow to stack gaseous & particulate radiation monitor skid to support preventive maint. Caused by program/procedure deficiency. Alternate sampling initiated. W/941101 ltr.
LUTZ, P.J., MILLER, D.B. Northeast Nuclear Energy Co. MILLER, D.B. Northeast Utilities Service Co. 94/11/01. 4pp. 81732:001-81732:004.

9411250196 LER 94-031-00: on 941018, fire watch not established within A DG room for period of five h. Caused by personnel error. Continuous fire watch established & security supervisor disciplined. W/941116 ltr.
LUTZ, P.J., MILLER, D.B. Northeast Nuclear Energy Co. MILLER, D.B. Northeast Utilities. 94/11/16. 3pp. 81887:297-81887:299.

V. Operator Examinations

9411020106 Submits response to administrative ltr 94-12 re operator licensing natl exam schedule.
OPEKA, J.F. Northeast Nuclear Energy Co. 94/10/26. Document Control Branch (Document Control Desk). 6pp. 81589:237-81589:242.

DOCKET 50-338 NORTH ANNA POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9411080150 Forwards hydroelectric project emergency action plan annual review & test exercise. Primary objective of exercise to test company capability to implement emergency action plan, successfully achieved.
SAUNDERS, R.F. Virginia Power (Virginia Electric & Power Co.). 94/11/03. CRISP, R.W. Region 2 (Post 820201). 7pp. 81677:346-81677:352.

9411290128 Requests written input on licensee performance at plant during SALP 12 period using encl input feeder forms. Related info also encl.
VERRELLI, D. Region 2 (Post 820201). 94/11/09. BOGER, B., GIBSON, A., JOHNSON, J. Region 2 (Post 820201). 173pp. 81858:001-81858:173.

9411230156 Revised EIPs, including Rev 16 to EIP-2.01, "Notification of State & Local Govts" & Rev 12 to EIP-2.02, "Notification of NRC." W/941116 ltr.
O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 94/11/16. 43pp. 81833:113-81833:173.

P. Operating license stage documents & correspondence

9411030343 Application for amends to Licenses NPF-4 & NPF-7, extending functional surveillance testing frequency for hydrogen recombiners from once per 6 months to once per 18 months.
O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 94/10/25. Document Control Branch (Document Control Desk). 12pp. 81640:331-81640:348.

9411030345 Proposed tech specs re hydrogen recombiner surveillance.
Virginia Power (Virginia Electric & Power Co.). 94/10/25. 6pp. 81640:343-81640:348.

9411040275 Forwards evaluation of use of molded case circuit breakers that exceed mfg fault current rating, per 940215 ltr.
THADANI, M.C. Project Directorate II-2. 94/10/25. BOGER, B.A. Region 2 (Post 820201). 1p. 81628:337-81628:346.

9411040275 Forwards evaluation of use of molded case circuit breakers that exceed mfg fault current rating, per 940215 ltr.
THADANI, M.C. Project Directorate II-2. 94/10/25. BOGER, B.A. Region 2 (Post 820201). 1p. 81665:232-81665:243.

9410240187 Advises that util analyses unacceptable justification for use of Klockner Moeller NZM6 & NZM9 & Westinghouse FA & FB MCCBs in applications exceeding manufacturers short circuit rating. Recommendations listed.
BERLINGER, C.H. Electrical Engineering Branch. 94/10/14. MCCREE, V. Project Directorate II-2. 2pp. 81665:233-81665:243.

9411210258 Informs that util plans to replace plant SG in Spring of 1995.
O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 94/11/10. Document Control Branch (Document Control Desk). 4pp. 81837:088-81837:091.

9411210274 Submits info re seismic verification of existing, new & replacement equipment, including RG 1.97 equipment.
O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 94/11/10. Document Control Branch (Document Control Desk). 3pp. 81837:092-81837:094.

9411210278 Ack receipt of approval of several exceptions to RG 1.97 design & qualification criteria.
O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 94/11/10. Document Control Branch (Document Control Desk). 4pp. 81837:095-81837:098.

9411220425 Submits response to GL 89-10, "Safety-Related Motor-Operated Valve Testing & Surveillance." Insp Repts 50-338/94-04 & 50-339/94-04, dtd 940527, identified that info re valve stem coefficient of friction expected by NRC to be furnished.
O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 94/11/16. Document Control Branch (Document Control Desk). 3pp. 81849:058-81849:060.

Q. Inspection reports, IE Bulletins & correspondence

9411030286 Ltr contract, defining task order 41 entitled, "Svc Water Sys Operational Performance Insp - North Anna."
WIGGINS, E.J. Division of Contracts (Post 940714). NRC-03-93-026. 94/09/22. LOFY, R.A. PARAMETER, Inc. 6pp. 81607:344-81607:349.

9410140257 Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Mafis Events to NRC Operations Ctr."
BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.

9411070105 Forwards insp repts 50-338/94-24 & 50-339/94-24 on 940919-23. Noncited violations identified.
CLINE, W.E. Region 2 (Post 820201). 94/10/21. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 81605:015-81605:033.

9411070113 Insp repts 50-338/94-24 & 50-339/94-24 on 940919-23. Noncited violations identified. Major areas inspected: licensee RP program which reviewed implementation of revised 10CFR20 requirements & ORE control program.
WRIGHT, F.N., LOO, W.T., RANKIN, W.H. Region 2 (Post 820201). 94/10/20. 16pp. 81605:018-81605:033.

9410200153 NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts."
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81658:001-81658:013.

9411070072 Forwards insp repts 50-338/94-23 & 50-339/94-23 on 940926-30. No violations identified.
CRLENJAK, R.V. Region 2 (Post 820201). 94/10/26. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 81604:284-81604:297.

9411070078 Insp repts 50-338/94-23 & 50-339/94-23 on 940926-30. No violations noted. Major areas inspected: ISI of safety related welds, ECT of SG tubing & engineering plant mods of high head safety injection flow instrumentation.
ECONOMOS, N., BLAKE, J. Region 2 (Post 820201). 94/10/25. 11pp. 81604:287-81604:297.

9411150572 Responds to NRC 941013 ltr re violations noted in insp repts 50-338/94-21 & 50-339/94-21 on 940821-0917. Corrective actions: engineering review team was established following discovery of missed surveillance.
O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 94/11/07. Document Control Branch (Document Control Desk). 6pp. 81778:334-81778:339.

9411210054 Forwards insp repts 50-338/94-22 & 50-339/94-22 & notice of violation. Violation of concern because corporate engineering had sufficient info during operating cycle to question resistance temperature detector installations.
VERRELLI, D.M. Region 2 (Post 820201). 94/11/07. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 81784:275-81784:308.

9411210058 Notice of violation from insp on 940918-1015. Violation noted: from 940410-0909, insulation that was designed to protect wide range temperature instrumentation from RCS heat was not appropriately configured.
Region 2 (Post 820201). 94/11/07. 2pp. 81784:278-81784:279.

9411210060 Insp repts 50-338/94-22 & 50-339/94-22 on 940918-1015. Violations noted. Major areas inspected: plant status, plant operations, maint observations, surveillance observations, on-site engineering & plant support activities.
MCWHORTER, R.D., TAYLOR, D.R., GARNER, L.W. Region 2 (Post 820201). 94/11/07. 29pp. 81784:280-81784:308.

9411160207 Submits response to violations noted in Insp Repts 50-338/94-10 & 50-339/94-10. Corrective actions: upset conditions corrected & facility performance improved.
MARSHALL, B.M. Virginia Power (Virginia Electric & Power Co.). 94/11/09. PANDEY, J.R. Virginia, Commonwealth of. 3pp. 81783:282-81783:284.

9411290128 Requests written input on licensee performance at plant during SALP 12 period using encl input feeder forms. Related info also encl.
VERRELLI, D. Region 2 (Post 820201). 94/11/09. BOGER, B., GIBSON, A., JOHNSON, J. Region 2 (Post 820201). 173pp. 81858:001-81858:173.

9411090300 NRC Bulletin 94-002, "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride."
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.

9411220356 Advises of corrective actions that were successfully implemented on North Anna Unit 1 in Severity Level IV violation involving flow balancing of high head safety injection sys.
O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 94/11/16. Document Control Branch (Document Control Desk). 2pp. 81842:359-81842:360.

9411220425 Submits response to GL 89-10, "Safety-Related Motor-Operated Valve Testing & Surveillance." Insp Repts 50-338/94-04 & 50-339/94-04, dtd 940527, identified that info re valve stem coefficient of friction expected by NRC to be furnished.
O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 94/11/16. Document Control Branch (Document Control Desk). 3pp. 81849:058-81849:060.

9411100237 NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment."
GRIMES, B.K. 94/11/17. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.

9411150578 NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation."
GRIMES, B.K. 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.

9411300047 Ack receipt of 941107 ltr informing NRC of steps taken to correct violations noted in insp rept 50-338/94-21 & 50-339/94-21 on 941013.
VERRELLI, D.M. Region 2 (Post 820201). 94/11/21. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 2pp. 81871:198-81871:199.

9411170039 NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping." GRIMES,B.K. . 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.

9411170279 NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys." GRIMES,B.K. . 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.

9411170284 NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results." PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.

R. Periodic operating reports & related correspondence

9411150469 Monthly operating repts for Oct 1994 for North Anna Power Station Units 1 & 2/W/941107 ltr. STALL,J.A., BOWLING,M.L. Virginia Power (Virginia Electric & Power Co.). 94/10/31. 13pp. 81780:091-81780:103.

S. Reportable occurrences, LERs & related correspondence

9411070090 Final Part 21 rept 94-002A re three air start distributor cams cracking at plants.Cams replaced w/cams made using electric arc. PRATTIANNE,S.A. Coltec Industries, Inc. 94/06/01. Document Control Branch (Document Control Desk). 5pp. 81654:209-81654:213.

V. Operator Examinations

9411080304 Informs review completed of proposal,dtd 940830, to allow licensee to develop written exams & operating tests for NPGS operating personnel.Concludes proposal should be denied based on NRC duties as prescribed by AEA. THADANI,M.C. Project Directorate II-2. 94/11/02. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 81663:355-81663:357.

DOCKET 50-339 NORTH ANNA POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9411080150 Forwards hydroelectric project emergency action plan annual review & test exercise.Primary objective of exercise to test company capability to implement emergency action plan, successfully achieved. SAUNDERS,R.F. Virginia Power (Virginia Electric & Power Co.). 94/11/03. CRISP,R.W. Region 2 (Post 820201). 7pp. 81677:346-81677:352.

9411290128 Requests written input on licensee performance at plant during SALP 12 period using encl input feeder forms.Related info also encl. VERRELLI,D. Region 2 (Post 820201). 94/11/09. BOGER,B. Region 2 (Post 820201). 173pp. 81858:001-81858:173.

9411230156 Revised EIPs,including Rev 16 to EPIP-2.01, "Notification of State & Local Govts" & Rev 12 to EPIP-2.02, "Notification of NRC." W/941116 ltr. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 94/11/16. 43pp. 81833:113-81833:173.

P. Operating license stage documents & correspondence

9411030343 Application for amends to Licenses NPF-4 & NPF-7,extending functional surveillance testing frequency for hydrogen recombiners from once per 6 months to once per 18 months. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 94/10/25. Document Control Branch (Document Control Desk). 12pp. 81640:331-81640:348.

-9411030345 Proposed tech specs re hydrogen recombiner surveillance. * Virginia Power (Virginia Electric & Power Co.). 94/10/25. 6pp. 81640:343-81640:348.

9411040275 Forwards evaluation of use of molded case circuit breakers that exceed mfg fault current rating,per 940215 ltr. THADANI,M.C. Project Directorate II-2. 94/10/25. BOGER,B.A. Region 2 (Post 820201). 1p. 81628:337-81628:346.

9411040275 Forwards evaluation of use of molded case circuit breakers that exceed mfg fault current rating,per 940215 ltr. THADANI,M.C. Project Directorate II-2. 94/10/25. BOGER,B.A. Region 2 (Post 820201). 1p. 81665:232-81665:243.

-9410240187 Advises that util analyses unacceptable justification for use of Klockner Moeller NZM6 & NZM9 & Westinghouse FA & FB MCCBs in applications exceeding manufacturers short circuit rating.Recommendations listed. BERLINGER,C.H. Electrical Engineering Branch. 94/10/14. MCCREE,V. Project Directorate II-2. 2pp. 81665:233-81665:243.

9411040291 Forwards SE accepting licensee 941011 request to use ASME Code cases 2142 & 2143 under provisions of 10CFR50.55a(a)(3)(i) re Alloy 690 type weld metals in SGs. THADANI,M.C. Project Directorate II-2. 94/11/09. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 2pp. 81628:350-81628:355.

-9411040292 Safety evaluation supporting request to use ASME code cases 2142 & 2143 under provisions of 10CFR50.55a(a)(3)(i) re Alloy 690 type weld metals in SGs. * Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/28. 4pp. 81628:352-81628:355.

941120268 Informs that util plans to replace plant SG in Spring of 1995. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 94/11/10. Document Control Branch (Document Control Desk). 4pp. 81837:088-81837:091.

9411210274 Submits info re seismic verification of existing,new & replacement equipment,including RG 1.97 equipment. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 94/11/10. Document Control Branch (Document Control Desk). 3pp. 81837:092-81837:094.

9411210278 Ack receipt of approval of several exceptions to RG 1.97 design & qualification criteria. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 94/11/10. Document Control Branch (Document Control Desk). 4pp. 81837:095-81837:098.

Q. Inspection reports, IE Bulletins & correspondence

9411030286 Ltr contract,definitizing task order 41 entitled, "Svc Water Sys Operational Performance Insp - North Anna." WIGGINS,E.J. Division of Contracts (Post 940714). NRC-03-93-026. 94/09/22. LOFY,R.A. PARAMETER, Inc. 6pp. 81607:344-81607:349.

9410140257 Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Matis Events to NRC Operations Ctr." BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.

9411070105 Forwards insp repts 50-338/94-24 & 50-339/94-24 on 940919-23.Noncited violations identified. CLINE,W.E. Region 2 (Post 820201). 94/10/21. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 81605:015-81605:033.

-9411070113 Insp repts 50-338/94-24 & 50-339/94-24 on 940919-23.Noncited violations identified.Major areas inspected:licensee RP program which reviewed implementation of revised 10CFR20 requirements & ORE control program. WRIGHT,F.N., LOO,W.T., RANKIN,W.H. Region 2 (Post 820201). 94/10/20. 16pp. 81605:018-81605:033.

9410200153 NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts." GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81658:001-81658:013.

9411070072 Forwards insp repts 50-338/94-23 & 50-339/94-23 on 940926-30.No violations identified. CRENJAK,R.V. Region 2 (Post 820201). 94/10/26. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 81604:284-81604:297.

-9411070078 Insp repts 50-338/94-23 & 50-339/94-23 on 940926-30.No violations noted.Major areas inspected:ISI of safety related welds,ECT of SG tubing & engineering plant mods of high head safety injection flow instrumentation. ECONOMOS,N., BLAKE,J. Region 2 (Post 820201). 94/10/25. 11pp. 81604:287-81604:297.

9411150572 Responds to NRC 941013 ltr re violations noted in insp repts 50-338/94-21 & 50-339/94-21 on 940821-0917.Corrective actions:engineering review team was established following discovery of missed surveillance. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 94/11/07. Document Control Branch (Document Control Desk). 6pp. 81778:334-81778:339.

9411210054 Forwards insp repts 50-338/94-22 & 50-339/94-22 & notice of violation.Violation of concern because corporate engineering had sufficient info during operating cycle to question resistance temperature detector installations. VERRELLI,D.M. Region 2 (Post 820201). 94/11/07. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 81784:275-81784:308.

-9411210060 Insp repts 50-338/94-22 & 50-339/94-22 on 940918-1015. Violations noted.Major areas inspected:plant status,plant operations,maint observations,surveillance observations, on-site engineering & plant support activities. MCWHORTER,R.D., TAYLOR,D.R., GARNER,L.W. Region 2 (Post 820201). 94/11/07. 29pp. 81784:280-81784:308.

9411160207 Submits response to violations noted in Insp Repts 50-338/94-10 & 50-339/94-10.Corrective actions:upset conditions corrected & facility performance improved. MARSHALL,B.M. Virginia Power (Virginia Electric & Power Co.). 94/11/09. PANDEY,J.R. Virginia, Commonwealth of. 3pp. 81783:282-81783:284.

9411290128 Requests written input on licensee performance at plant during SALP 12 period using encl input feeder forms.Related info also encl. VERRELLI,D. Region 2 (Post 820201). 94/11/09. BOGER,B., GIBSON,A., JOHNSON,J. Region 2 (Post 820201). 173pp. 81858:001-81858:173.

9411090300 NRC Bulletin 94-002, "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride." PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.

9411220356 Advises of corrective actions that were successfully implemented on North Anna Unit 1 in Severity Level IV violation involving flow balancing of high head safety injection sys. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 94/11/16. Document Control Branch (Document Control Desk). 2pp. 81842:359-81842:360.

9411100237 NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment." GRIMES,B.K. . 94/11/17. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.

9411150578 NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation." GRIMES,B.K. . 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.

9411300047 Ack receipt of 941107 ltr informing NRC of steps taken to correct violations noted in insp rpt 50-338/94-21 & 50-339/94-21 on 941013. VERRELLI,D.M. Region 2 (Post 820201). 94/11/21. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 2pp. 81871:198-81871:199.

100 DOCKETED ITEMS

941170039 NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping." GRIMES,B.K. 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.

941170279 NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys." GRIMES,B.K. 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.

941170284 NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results." PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.

R. Periodic operating reports & related correspondence

941150469 Monthly operating repts for Oct 1994 for North Anna Power Station Units 1 & 2.W/941107 ltr. STALL,J.A., BOWLING,M.L. Virginia Power (Virginia Electric & Power Co.). 94/10/31. 13pp. 81780:091-81780:103.

S. Reportable occurrences, LERs & related correspondence

9411070090 Final Part 21 rept 94-002A re three air start distributor cams cracking at plants.Cams replaced w/cams made using electric arc. PRATTIANNE,S.A. Coltec Industries, Inc. 94/06/01. Document Control Branch (Document Control Desk). 5pp. 81654:209-81654:213.

V. Operator Examinations

9411080304 Informs review completed of proposal,dtd 940830,to allow licensee to develop written exams & operating tests for NPGS operating personnel.Concludes proposal should be denied based on NRC duties as prescribed by AEA. THADANI,M.C. Project Directorate III-2. 94/11/02. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 81663:355-81663:357.

DOCKET 50-341 ENRICO FERMI ATOMIC POWER PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9411010342 Forwards summary of regional workshops on malevolent use of vehicles at nuclear power reactors held on 940609-0818.Info withheld. COLBURN,T.G. Project Directorate III-1. 94/10/25. GIPSON,D.R. Detroit Edison Co. 2pp. 81562:238-81562:239.

9411080089 Rev 11 to "Fermi 2 Radiological Emergency Response Preparedness Plan." * Detroit Edison Co. 94/10/26. 28pp. 81676:285-81676:312.

941160265 Rev 7 to EPIP EP-226, "Potassium Iodide." SHELTON,D. Detroit Edison Co. 94/11/01. 6pp. 81783:333-81783:338.

941160258 Rev 8 to EPIP EP-530, "Assembly & Accountability & Onsite Protective Actions." SHELTON,D. Detroit Edison Co. 94/11/02. 9pp. 81783:270-81783:278.

941160016 Discusses concerns raised by third party re status of training of four security supervisors who were retrained or promoted during recent staffing transition plan.Requests disposition of matter be submitted in 30 days. PEDERSON,C.D. Region 3 (Post 820201). 94/11/09. GIPSON,D.R. Detroit Edison Co. 2pp. 81746:023-81746:024.

9411220134 Forwards Rev 11 to "Fermi 2 Radiological Emergency Response Preparedness Plan." Rev represents changes resulting from updating Fermi 2 evacuation transition estimate & deleting description of RERP keycard classes. GIPSON,D.R. Detroit Edison Co. 94/11/16. Document Control Branch (Document Control Desk). 4pp. 81892:310-81892:325.

-9411220144 Rev 11 to "Fermi 2 Radiological Emergency Response Preparedness Plan." * Detroit Edison Co. 94/11/16. 12pp. 81892:314-81892:325.

9411300121 Informs of decision to institute quarterly proficiency training for ERDS Operators. AXELSON,W.L. Region 3 (Post 820201). 94/11/16. MARTIN,J. Region 3 (Post 820201). 4pp. 81872:132-81872:135.

H. General correspondence

9411230100 Responds to 941015 ltr to Chairman I Selin,requesting info on actions taken by NRC to address concerns raised by JA Fleming re emergency preparedness for nuclear power plants. TAYLOR,J.M. Ofc of the Executive Director for Operations. 94/11/09. KERRY,J.F. Senate. 3pp. 81828:286-81828:323.

-9411230199 Requests addl info pertaining to emergency preparedness for each site listed. FLEMING,J.A. Affiliation Not Assigned. 94/07/14. CHILK,S. Office of the Secretary of the Commission. 2pp. 81828:322-81828:323.

P. Operating license stage documents & correspondence

9411010355 Discusses extension for completion of GL 89-10, "Safety- Related MOV Testing & Surveillance" activities at facility. MCKEON,R. Detroit Edison Co. 94/10/26. Document Control Branch (Document Control Desk). 5pp. 81579:312-81579:316.

9411070215 Provides status of Detroit Edison initiatives on pressure locking & thermal binding of gate valves. MCKEON,R. Detroit Edison Co. 94/11/02. Document Control Branch (Document Control Desk). 3pp. 81654:049-81654:051.

9411070343 Forwards test rept re results of special control ctr HVAC fan pressure test. MCKEON,R. Detroit Edison Co. 94/11/03. Document Control Branch (Document Control Desk). 4pp. 81663:076-81663:079.

9411600050 Forwards rept on site visit to review implementation of maint rule at station for review & info.Rept identifies strengths & weaknesses w/program at site. SHAFER,W.D. Region 3 (Post 820201). 94/11/07. DONNELLY,P.M. Consumers Power Co. 2pp. 81746:131-81746:141.

941140191 Informs of completing review of 941026 request for extension until 950301 for completion of activities associated w/ GL 89-10, "Safety-Related Motor-Operated Valve Testing & Surveillance," dtd 890628.Request approved. COLBURN,T.G. Project Directorate III-1. 94/11/08. GIPSON,D.R. Detroit Edison Co. 2pp. 81736:240-81736:241.

9411230165 Forwards SE approving licensee resolution of restart action plan issues closeout. COLBURN,T.G. Project Directorate III-1. 94/11/15. GIPSON,D.R. Detroit Edison Co. 2pp. 81841:122-81841:143.

-9411230183 Safety evaluation approving resolution of restart issues of main steam turbine. * Office of Nuclear Reactor Regulation, Director (Post 870411). 94/11/15. 20pp. 81841:124-81841:143.

9411220301 Forwards Staff evaluation rept re util response to GL 88-20 concerning IPE submittals for plant & informs that based on review,util response meets intent of subj GL. COLBURN,T.G. Project Directorate III-1. 94/11/16. GIPSON,D.R. Detroit Edison Co. 23pp. 81817:203-81817:225.

9411220114 Forwards Rev 0 to "Fermi 2 COLR Cycle 5." MCKEON,R. Detroit Edison Co. 94/11/17. Document Control Branch (Document Control Desk). 2pp. 81831:337-81831:353.

-9411220119 Rev 0 to "Fermi 2 COLR Cycle 5." RUBLEY,G.A., MYERS,R.L., THORSON,L.J. Detroit Edison Co. 94/09/13. 15pp. 81831:339-81831:353.

9411250026 Informs that info submitted will be withheld from public disclosure per 10CFR2.790(b)(5) & Section 103(b) of Atomic Energy Act of 1954. HANNON,J.N. Project Directorate III-1. 94/11/17. GIPSON,D.R. Detroit Edison Co. 45pp. 81842:007-81842:052.

Q. Inspection reports, IE Bulletins & correspondence

9410140257 Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Matis Events to NRC Operations Ctr." BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.

9410200153 NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts." GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81658:001-81658:013.

9411220027 Forwards insp rept 50-341/94-13 on 940909-1021.No violations noted. GREENMAN,E.G. Region 3 (Post 820201). 94/11/08. GIPSON,D.R. Detroit Edison Co. 5pp. 81796:162-81796:190.

-9411220032 Insp rept 50-341/94-13 on 940909-1021.No violations noted. Major areas inspected:operational safety verification, engineered safety features & onsite event follow-up. PHILLIPS,M.P. Region 3 (Post 820201). 94/11/03. 24pp. 81796:167-81796:190.

9411090300 NRC Bulletin 94-002, "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride." PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.

941100237 NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment." GRIMES,B.K. 94/11/17. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.

9411150578 NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation." GRIMES,B.K. 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.

9411700039 NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping." GRIMES,B.K. 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.

9411290012 Forwards insp rept 50-341/94-12 on 940822-1021 & notice of violation. GARDNER,R.N. Region 3 (Post 820201). 94/11/23. GIPSON,D.R. Detroit Edison Co. 3pp. 81857:120-81857:152.

-9411290019 Notice of violation from insp on 940822-1021.Violation noted:on 940901,team determined that cables associated w/EDP-13092 were pulled w/o tension links,breakable line or tension monitoring device. * Region 3 (Post 820201). 94/11/23. 3pp. 81857:123-81857:125.

-9411290026 Insp rept 50-341/94-12 on 940822-1021.No violations noted. Major areas inspected:engineering & technical support activities,surveillance testing,safety assessment & quality verification. GARDNER,R.N. Region 3 (Post 820201). 94/11/23. 27pp. 81857:126-81857:152.

9411170279 NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys." GRIMES,B.K. 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.

9411170284 NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results." PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.

R. Periodic operating reports & related correspondence

9411230317 Monthly operating rept for Oct 1994 for Fermi 2.W/941115 lr. STONE,B.J., GIPSON,D.R. Detroit Edison Co. 94/10/31. 4pp. 81854:341-81854:344.

S. Reportable occurrences, LERs & related correspondence

9411070090 Final Part 21 rept 94-002A re three air start distributor cams cracking at plants.Cams replaced w/cams made using electric arc. PRATIANN,S.A. Coltec Industries, Inc. 84/06/01. Document Control Branch (Document Control Desk). 5pp. 81654:209-81654:213.

9411170256 Forwards proprietary GEC document, "Torsional Analysis of Fermi 2 Coupled Blade & Rotor Line." Document related to turbine generator evaluation as result of 931225 event.Encl withheld (ref 10CFR2.790). GIPSON,D.R. Detroit Edison Co. 94/11/10. Document Control Branch (Document Control Desk). 1p. 81794:354-81794:354.

9411300107 Provides addl info re confirmatory action ltr on 931225 turbine event.List of areas covered by turbine sys plant shutdown encl. GIPSON,D.R. Duquesne Light Co. 94/11/22. Document Control Branch (Document Control Desk). 3pp. 81922:326-81922:328.

9411300111 Comments on NRC SE of Fermi 2 restart action plan issues closeout per confirmatory action ltr on 931225 turbine event. GIPSON,D.R. Duquesne Light Co. 94/11/22. Document Control Branch (Document Control Desk). 4pp. 81922:329-81922:332.

U. Congressional/Executive Correspondence

9411170029 Forwards supplementary response re turbine failure on 931225. RATHBUN,D.K. Office of Congressional Affairs (Post 911117). 94/10/31. DINGELL,J.D. House of Rep., Energy & Commerce. 1p. 81787:332-81787:345.

V. Operator Examinations

9411040265 Forwards master BWR/PWR GFES exam w/answer key of exam administered on 941005. RING,M.A. Region 3 (Post 820201). 94/10/27. Commonwealth Edison Co. 1p. 81586:002-81586:002.

9411160030 Forwards util response to NRC exam rept dtd 940919, specifically observation of apparent simulator software problems. GIPSON,D.R. Detroit Edison Co. 94/11/11. Document Control Branch (Document Control Desk). 3pp. 81785:164-81785:166.

9411230085 Informs that D Teeters operator license has expired. GIPSON,D.R. Detroit Edison Co. 94/11/18. Document Control Branch (Document Control Desk). 1p. 81883:205-81883:205.

9411300218 Forwards NRC summarized guidance that clarifies requirements for maintaining individual operator licenses.entitled, "Clarification of Maint & Reactivation Requirements for Individual Operator Licenses." RING,M.A. Region 3 (Post 820201). 94/11/18. Affiliation Not Assigned. 3pp. 81872:341-81872:343.

DOCKET 50-344 TROJAN NUCLEAR PLANT

F. Security, medical, emergency & fire protection plans

9411080084 Revised EPIPs,including rev 3 to EPIP 3,rev 1 to EPIP 4,rev 4 to EPIP 5 & rev 1 to EPIP 6.W/941102 lr. QUENNOZ,S.M. Portland General Electric Co. 94/11/02. 100pp. 81677:002-81677:075.

P. Operating license stage documents & correspondence

9411040293 Technical Rept, "Assessment of Aging Degradation of Civil/ Structural Features at Selected Operating Nuclear Power Plants." BRAVERMAN,J. Brookhaven National Laboratory. L-151(6)/5-93. 93/05/31. 100pp. 81621:028-81621:128.

9411230307 FOIA request for documents re interim plugging criteria for Trojan plant & documents re SG tube plugging including repts & analysis thereof.Petitions for waiver of fees. FACAROS,N. Affiliation Not Assigned. 93/08/16. Division of Information & Publications Services (890206-940714). 3pp. 81900:001-81900:004.

9411230318 Final response to FOIA request for documents re interim plugging criteria for Trojan plant.Forwards App A documents. Documents available in PDR. GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (890206-940714). 93/11/01. FACAROS,N. Affiliation Not Assigned. 3pp. 81900:005-81900:155.

-8704290162 Requests FR publication of notice of consideration of issuance of amend to license NPF-1 & proposed NSHC determination & opportunity for hearing on 870220 request re steam generator tube plugging criteria in tube sheet region. VARGA,S.A. PWR Project Directorate 3. 87/04/24. NRC - No Detailed Affiliation Given. 7pp. 81900:008-81900:014.

-8708130104 Requests FR publication of notice of issuance of Amend 133 to License NPF-1,revising steam generator tube plugging criteria based on use of "F" distance criteria. CHAN,T.L. Project Directorate V. 87/08/07. NRC - No Detailed Affiliation Given. 1p. 81900:015-81900:015.

-9201170116 Requests FR publication of notice of consideration of issuance of amend to license NPF-1 & proposed NSHC determination & opportunity for hearing on 911215 request re rev of TS section 3.4.6.2.c, "Operational Leakage." KOKAJKO,L.E. Project Directorate V. 92/01/09. NRC - No Detailed Affiliation Given. 2pp. 81900:016-81900:017.

-9201240146 Forwards SE accepting proposed revs to TS 3.4.6.2.C, "Operational Leakage" for facility. JONES,R.C. Reactor Systems Branch. 92/01/16. QUAY,T.R. Standardization Project Directorate (901216-920516). 1p. 81900:018-81900:018.

-9202050493 Forwards safety evaluation re steam generator tube integrity under combined accident conditions. NORBERG,J.A. Mechanical Engineering Branch. 92/01/29. WIGGINS,J.T. Materials & Chemical Engineering Branch. 1p. 81900:022-81900:022.

-9202060544 Forwards safety evaluation accepting licensee license change application 219 re SG tube repair limits & SG leak rate limits.SALP input encl. WIGGINS,J.T. Materials & Chemical Engineering Branch. 92/01/30. KOKAJKO,L.E. Project Directorate V. 1p. 81900:028-81900:028.

-9202110381 Requests FR publication of notice of issuance of amend 178 to license NPF-1.Amend revises plant TS 3.4.6.2.c,3/4.4.5 & 3/4.4.6.2 to reduce total allowable primary-to-secondary leakage for any one SG from 500 to 300 gallons daily. KOKAJKO,L.E. Project Directorate V. 92/02/05. NRC - No Detailed Affiliation Given. 2pp. 81900:145-81900:155.

-9411230326 Advises of NRR position on interim plugging criteria for plant.Informs that operation of plant can continue safely for remainder of cycle 14.Forwards correspondence providing info on MSLB analysis & estimates. BECKJORD,E.S. Office of Nuclear Regulatory Research (Post 860720). 93/01/05. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 81900:079-81900:144.

-9412010122 Safety evaluation supporting license change application 219 to license NPF-1. * Materials & Chemical Engineering Branch. 92/01/30. 21pp. 81900:029-81900:078.

-9412010128 Safety evaluation accepting proposed revisions to TS for SG tube repair criteria & associated primary-to-secondary leakage limits. * Reactor Systems Branch. 92/01/16. 3pp. 81900:019-81900:021.

-9412010146 SER concluding that no significant tube leakage likely to occur during seismic plus LOCA event which has been identified as most limiting condition from tube deformation considerations. * Mechanical Engineering Branch. 92/01/29. 5pp. 81900:023-81900:027.

9411010368 Rev 17 to PGE-8010, "Portland Genral Electric Nuclear QA Program for Trojan Nuclear Plant." * Portland General Electric Co. 94/09/12. 68pp. 81574:351-81574:359.

9411010370 Forwards Rev 17 to PGE-8010, "Portland General Electric Nuclear QA Program for Trojan Nuclear Plant." W/o encl. QUENNOZ,S.M. Portland General Electric Co. 94/10/27. Document Control Branch (Document Control Desk). 2pp. 81579:301-81579:302.

9411100196 Notices of util intent to apply encl Rev 17 of PGE-8010, "Portland General Electric Nuclear QA Program for Trojan Nuclear Plant" to transportation activities in support of plant large component removal project. QUENNOZ,S.M. Portland General Electric Co. 94/11/02. BERNERO,R.M. Office of Nuclear Material Safety & Safeguards. 2pp. 81752:169-81752:213.

9411220092 Summarizes 941021 open meeting w/util & State of OR Dept of Energy to introduce util mgt to NRC region IV mgt & to acquaint region IV mgt w/on-going activities re util proposed large component removal project.W/related info. COLLINS,S.J. Region 4 (Post 820201). 94/11/08. QUENNOZ,S.M. Portland General Electric Co. 54pp. 81798:048-81798:114.

9411180145 Forwards Rev 1 to "Trojan Nuclear Plant Defueled SAR." QUENNOZ,S.M., YUNDT,C.P. Portland General Electric Co. 94/11/10. Document Control Branch (Document Control Desk). 2pp. 81799:302-81799:320.

-9411180147 Rev 1 to "Trojan Nuclear Plant Defueled SAR." * Portland General Electric Co. 94/11/10. 18pp. 81799:304-81799:320.

Q. Inspection reports, IE Bulletins & correspondence

9410140257 Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Matis Events to NRC Operations Ctr." BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.

9410200153 NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts." GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81658:001-81658:013.

9411090300 NRC Bulletin 94-002, "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride." PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.

9411210038 Forwards insp rept 50-344/94-05 on 941013.No violations noted.Util radiation protection & ALARA programs in compliance w/NRC regulations. COLLINS,S.J. Region 4 (Post 820201). 94/11/15. QUENNOZ,S.M. Portland General Electric Co. 5pp. 81784:178-81784:191.

102 DOCKETED ITEMS

—9411210040 Insp rept 50-344/94-05 on 941013.No violations noted.Major areas inspected:TNP large component removal project safety evaluation & large component removal project environmental review.
WEISS,S.H. Region 4 (Post 820201). WEISS,S.H. Non-Power Reactor & Decommissioning Project Directorate. 94/11/15. 9pp. 81784:183-81784:191.

9411100237 NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment."
GRIMES,B.K. . 94/11/17. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.

9411150578 NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation."
GRIMES,B.K. . 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.

9411170039 NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping."
GRIMES,B.K. . 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.

9411170279 NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys."
GRIMES,B.K. . 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81846:234-81848:247.

9411170284 NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results."
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.

R. Periodic operating reports & related correspondence

9411080001 Monthly operating rept for Oct 1994 for Trojan Nuclear Plant.W/941102 ltr. MEGHEE,M.H., QUENNOZ,S.M. Portland General Electric Co. 94/10/31. 5pp. 81717:321-81717:325.

DOCKET 50-346 DAVIS-BESSE NUCLEAR POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9411230208 Rev 0 to EPIP RA-EP-02720, "Recovery Organization."
* Centor Energy. 94/09/23. 35pp. 81889:001-81889:035.

9411100191 Rev 0 to EPIP RA-EP-02520, "Assembly & Accountability." W/ table of contents.
* Centor Energy. 94/10/07. 22pp. 81747:179-81747:200.

9411030349 Forwards Rev 3 to nuclear security emergency contingency plan.Encl with-held (ref 10CFR73.21).
STETZ,J.P. Centor Energy. 94/10/27. Document Control Branch (Document Control Desk). 1p. 81659:106-81659:106.

9411070005 Forwards insp rept 50-346/94-09 on 941003-07.No violations noted.
BARGER,J.W. Region 3 (Post 820201). 94/10/27. STETZ,J.P. Centor Service Co. 2pp. 81604:007-81604:012.

—9411070006 Insp rept 50-346/94-09 on 941003-07.No violations noted. Major areas inspected:operational status of Davis-Besse station emergency preparedness program.
JICKLING,R.D., BARGER,J.W. Region 3 (Post 820201). 94/10/26. 4pp. 81604:009-81604:012.

9411150361 Rev 0 to EPIP RA-EP-02270, "Facilities Support."
* Southern Nuclear Operating Co. 94/11/08. 29pp. 81781:023-81781:051.

I. Financial information

9411220139 Provides confirmation of TOED electronic transfer to NRC on 941102,for listed invoices for Davis-Besse Nuclear Power Station.
STETZ,J.P. Centor Energy. 94/11/11. Division of Accounting & Finance (Post 890205). 1p. 81892:358-81892:358.

P. Operating license stage documents & correspondence

9411160257 Summarizes 941020 meeting w/Centor Energy Corp re current issues & plans for plants.Concerns noted involve improving work control process & reducing backlogs at Perry. Plant & personnel performance at Davis Besse deemed good.
JONES,W.B. Commissioners (Post 750119). 94/10/26. Commissioners (Post 750119). 1p. 81755:353-81755:353.

9411040191 Forwards exemption from 10CFR50,App J reducing pressure test of containment air lock seals to fulfill stated testing requirements,per response to 941021 ltr. ADENSAM,E.G. Division of Reactor Projects - III,IV,V (Post 901216). 94/11/01. STETZ,J.P. Centor Energy. STETZ,J.P. Toledo Edison Co. 2pp. 81628:300-81628:304.

—9411040200 Exemption from requirement of 10CFR50,App J, Section III.D.2(b)(ii) re overall air lock leakage test at not less than calculated peak containment pressure.
ADENSAM,E.G. Division of Reactor Projects - III,IV,V (Post 901216). 94/11/01. Toledo Edison Co. 3pp. 81628:302-81628:304.

9411160050 Forwards rept on site visit to review implementation of maint rule at station for review & info.Rept identifies strengths & weaknesses w/program at site.
SHAFFER,W.D. Region 3 (Post 820201). 94/11/07. DONNELLY,P.M. Consumers Power Co. ANTONY,D.D. Northern States Power Co. STRATMAN,R.A. Cleveland Electric Illuminating Co. 2pp. 81746:131-81746:141.

9411100282 Discusses meeting w/Vectra Technologies,Inc on 941102 re potential mods on NUHOMS design & add-on spent fuel qualification request.
SHUM,E.Y. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/08. HAUGHNEY,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 3pp. 81745:192-81745:194.

9411220034 Confirms discussion w/PW O'Connor re arrangements for special mgt meeting at Region III ofc in Lisle,IL to discuss radiological events that occurred during plant refueling outage.
GREENMAN,E.G. Region 3 (Post 820201). 94/11/08. STETZ,J.P. Centor Energy. 1p. 81796:198-81796:200.

—9411220038 Notification of significant licensee meeting w/util on 941114 re recent radiological events at plant that occurred during refueling outage.
LANKSURRY,R. Region 3 (Post 820201). 94/11/08. Region 3 (Post 820201). 2pp. 81796:199-81796:200.

9411180060 Forwards Rev 0 to "Toledo Edison Co Davis-Besse Unit 1 Cycle 10 COLR" & Rev 1 to BAW-2223, "Davis-Besse Nuclear Power Station Unit 1,Cycle 10 - Reload Rept."
STETZ,J.P. Centor Energy. 94/11/11. Document Control Branch (Document Control Desk). 1p. 81805:197-81805:289.

—9411180067 Rev 0 to "Toledo Edison Co Davis-Besse Unit 1 Cycle 10 COLR."
* Centor Energy. 94/11/11. 20pp. 81805:198-81805:218.

—9411180070 "Davis-Besse Nuclear Power Station Unit 1,Cycle 10 - Reload Rept."
* Babcock & Wilcox Co. BAW-2223 R01. 94/10/31. 73pp. 81805:219-81805:289.

9411180078 Provides supplemental info re license amend application to revise license to reflect proposed merger of operating companies.
STETZ,J.P. Centor Energy. 94/11/11. Document Control Branch (Document Control Desk). 2pp. 81818:340-81818:341.

9411220139 Provides confirmation of TOED electronic transfer to NRC on 941102,for listed invoices for Davis-Besse Nuclear Power Station.
STETZ,J.P. Centor Energy. 94/11/11. Division of Accounting & Finance (Post 890205). 1p. 81892:358-81892:358.

9411220113 Ack receipt of 941003 10CFR50.54(a) submittal,incorporating changes in QA program description.Review will be completed in 60 or more days & util will be notified of results.
RING,M.A. Region 3 (Post 820201). 94/11/16. STETZ,J.P. Centor Energy. 2pp. 81796:184-81796:185.

9411300202 Submits followup to allegation re radiation dept operations at station.
PEDERSON,C.D. NRC - No Detailed Affiliation Given. 94/11/22. DEFAYETTE,R.W. NRC - No Detailed Affiliation Given. 3pp. 81925:142-81925:144.

Q. Inspection reports, IE Bulletins & correspondence

9410140257 Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Matis Events to NRC Operations Ctr."
BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.

9410200153 NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts."
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81658:001-81658:013.

9411070005 Forwards insp rept 50-346/94-09 on 941003-07.No violations noted.
BARGER,J.W. Region 3 (Post 820201). 94/10/27. STETZ,J.P. Centor Service Co. 2pp. 81604:007-81604:012.

—9411070006 Insp rept 50-346/94-09 on 941003-07.No violations noted. Major areas inspected:operational status of Davis-Besse station emergency preparedness program.
JICKLING,R.D., BARGER,J.W. Region 3 (Post 820201). 94/10/26. 4pp. 81604:009-81604:012.

9411090128 Reports per TS 4.4.5.5a,number of tubes plugged in each SG following each inservice insp of steam generator tubes.
* Centor Energy. 94/10/31. Document Control Branch (Document Control Desk). 2pp. 81719:299-81719:300.

9411220140 Forwards insp rept 50-346/94-11 on 940914-1025 & notice of violation.
LANKSURRY,R.D. Region 3 (Post 820201). 94/11/10. STETZ,J.P. Centor Energy. STETZ,J.P. Toledo Edison Co. 2pp. 81798:338-81798:350.

—9411220145 Notice of violation from insp on 940914-1025.Violation noted:FME control for reactor cavity/refuel canal area was not adequately implemented.
* Region 3 (Post 820201). 94/11/10. 1p. 81798:340-81798:340.

—9411220147 Insp rept 50-346/94-11 on 940914-1025.Violations noted.Major areas inspected:plant operations,surveillances,maint,onsite engineering,plant support & previous insp findings.
LANKSURRY,R.D. Region 3 (Post 820201). 94/11/10. 10pp. 81798:341-81798:350.

9411090300 NRC Bulletin 94-002, "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride."
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.

9411100237 NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment."
GRIMES,B.K. . 94/11/17. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.

9411150578 NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation."
GRIMES,B.K. . 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.

9411170039 NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping."
GRIMES,B.K. . 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.

9411170279 NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys."
GRIMES,B.K. 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.

9411170284 NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results."
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.

R. Periodic operating reports & related correspondence

9411090291 "Wastewater Rept for Davis-Besse Nuclear Power Station Unit 1 for Sept 1994." W/941012 ltr.
WOOD,J.K. Toledo Edison Co. 94/09/30. 7pp. 81750:332-81750:338.

9411170308 Monthly operating rept for Oct 1994 for Davis-Besse Nuclear Power Station Unit 1.W/941114 ltr.
WOLF,G., WOOD,J.K. Toledo Edison Co. 94/10/31. 5pp. 81794:355-81794:359.

S. Reportable occurrences, LERs & related correspondence

9411150615 LER 94-003-00: on 941008, spent fuel pool gate moved in spent fuel while emergency ventilation inoperable. Caused by personnel error on part of maint crew performing evolution. Outside door was closed.W/941107 ltr.
PETERSON,N.K., WOOD,J.K. Toledo Edison Co. 94/11/07. 5pp. 81782:023-81782:027.

9411220209 LER 94-004-00: on 941014, discovered that containment hydrogen purge inlet screen not installed. Suspect screen installed during plant const but removed during maint & not replaced. Screen replaced during ninth refueling outage.W/941114 ltr.
PETERSON,N.K., WOOD,J.K. Toledo Edison Co. 94/11/14. 5pp. 81866:350-81866:354.

V. Operator Examinations

9411020082 Submits NRC Administrative Ltr 94-12, "Operator Licensing Natl Exam Schedule," for FY95,96,97,98 & April/Oct 1995 generic fundamental exam.
STETZ,J.P. Centenor Energy. 94/10/26. Document Control Branch (Document Control Desk). 2pp. 81588:357-81588:358.

9411040265 Forwards master BWR/PWR GFES exam w/answer key of exam administered on 941005.
RING,M.A. Region 3 (Post 820201). 94/10/27. Commonwealth Edison Co. 1p. 81586:002-81586:002.

9411300218 Forwards NRC summarized guidance that clarifies requirements for maintaining individual operator licenses, entitled, "Clarification of Maint & Reactivation Requirements for Individual Operator Licenses."
RING,M.A. Region 3 (Post 820201). 94/11/18. Affiliation Not Assigned. 3pp. 81872:341-81872:343.

DOCKET 50-348 JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9411030092 Forwards insp repts 50-348/94-23 & 50-364/94-23 on 940919-23. No violations or deviations noted.
CLINE,W.E. Region 2 (Post 820201). 94/10/19. MOREY,D.N. Southern Nuclear Operating Co. 3pp. 81560:076-81560:091.

-9411030105 Insp repts 50-348/94-23 & 50-364/94-23 on 940919-23. No violations noted. Major areas inspected: to assess operational readiness of site emergency preparedness program for EPA protective manual of protective action & program changes.
GOODEN,A., BARR,K. Region 2 (Post 820201). 94/10/17. 13pp. 81560:079-81560:091.

9411002252 Emergency plan on-call schedule.
HILL,R.D. Southern Nuclear Operating Co. 94/10/24. 13pp. 81728:314-81728:326.

9411030003 Forwards summary of workshops held w/US Army Corps of Engineers & licensee representatives conducted at each of four regional ofcs.W/o encl.
SIEGEL,B.L. Project Directorate II-1. 94/10/26. MOREY,D.N. Southern Nuclear Operating Co. 3pp. 81607:177-81607:179.

9411210015 Forwards insp repts 50-348/94-24 & 50-364/94-24 on 940912-1016 & notice of violation. Violation of concern because violation had been identified by NRC, existed for long time & involved individual holders of procedures.
CHRISTENSEN,H. Region 2 (Post 820201). 94/11/08. MOREY,D.N. Southern Nuclear Operating Co. 3pp. 81784:075-81784:101.

-9411210022 Insp repts 50-348/94-24 & 50-364/94-24 on 940912-1016. Violations noted. Major areas inspected: maint & surveillance, engineering & technical support, plant support, review of nonroutine events & emergency preparedness.
ROSS,T.M., MORGAN,M.J., SCOTT,M.A. Region 2 (Post 820201). 94/11/08. 22pp. 81784:080-81784:101.

9411220302 Rev 1 to EIP FNP-O-EIP-27.1, "Alternate EOF Setup & Activation." W/941114 ltr.
HUDSPETH,J.B. Southern Nuclear Operating Co. 94/11/14. 18pp. 81849:032-81849:049.

P. Operating license stage documents & correspondence

9411070162 Requests participation in 941108 meeting at Region II ofc in Atlanta, GA re GL 89-10 MOV programs.
GIBSON,A.F. Region 2 (Post 820201). 94/10/12. MOREY,D.N. Southern Nuclear Operating Co. 2pp. 81605:217-81605:220.

9411180035 Forwards response to request for addl info re IPE.
WOODARD,J.D. Southern Nuclear Operating Co. 94/11/09. Document Control Branch (Document Control Desk). 225pp. 81913:001-81915:233.

-9411280291 "Core Damage Definition & Justification For IPE Analyses."
LUTZ,R.J. Westinghouse Electric Corp. 91/09/06. 7pp. 81913:282-81913:288.

-9411280298 "Interfacing Sys LOCA Initiating Event Frequency Notebook For IPE."
VAVREK,K.J. Westinghouse Electric Corp. 93/03/28. 123pp. 81913:289-81913:336.

-9411280300 Plant "Containment Isolation Sys Notebook For IPE, Rev 0." W/10 over-size encl.
VAVREK,K.J. Westinghouse Electric Corp. * Southern Nuclear Operating Co. 93/02/28. 186pp. 81913:337-81914:176.

-9411290129 Plant "Phenomenological Evaluation Summary on Stream Explosions in Support of IPE."
* Fauske & Associates, Inc. FAI/91-44. 92/06/30. 54pp. 81914:177-81914:229.

-9411290133 Plant "Phenomenological Evaluation Summary on Thrust Forces at RV Failure in Support of IPE."
* Fauske & Associates, Inc. FAI/91-23. 92/06/30. 26pp. 81914:230-81914:255.

-9411290137 Plant "Phenomenological Evaluation Summary on Direct Containment Heating in Support of IPE."
* Fauske & Associates, Inc. FAI/91-73. 92/06/30. 73pp. 81914:256-81914:327.

-9411290145 "Formulations of Debris Entrainment Processes" presented at Apr 1989 proceedings of ANS/ENS intl topical meeting on probability, reliability & safety assessment in Pittsburgh, PA.
HENRY,R.E. Fauske & Associates, Inc. 89/04/30. 32pp. 81914:328-81914:360.

-9411290147 Plant "Phenomenological Evaluation Summary on Molten Core Concrete Interaction in Support of IPE."
* Fauske & Associates, Inc. FAI/91-56. 92/06/30. 70pp. 81915:001-81915:071.

-9411290163 Plant "Phenomenological Evaluation Summary on Probability & Consequences of Deflagration & Detonation of Hydrogen in Support of IPE."
* Fauske & Associates, Inc. FAI/91-58. 92/06/30. 67pp. 81915:072-81915:139.

-9411290166 Plant "Phenomenological Evaluation Summary on Thermal Loading of Containment Penetrations in Support of IPE."
* Fauske & Associates, Inc. FAI/91-62. 92/06/30. 42pp. 81915:140-81915:181.

-9411290170 Plant "Phenomenological Evaluation Summary on Containment Overpressurization in Support of IPE."
* Fauske & Associates, Inc. FAI/91-107. 93/03/31. 52pp. 81915:182-81915:233.

Q. Inspection reports, IE Bulletins & correspondence

9411030092 Forwards insp repts 50-348/94-23 & 50-364/94-23 on 940919-23. No violations or deviations noted.
CLINE,W.E. Region 2 (Post 820201). 94/10/19. MOREY,D.N. Southern Nuclear Operating Co. 3pp. 81560:076-81560:091.

-9411030105 Insp repts 50-348/94-23 & 50-364/94-23 on 940919-23. No violations noted. Major areas inspected: to assess operational readiness of site emergency preparedness program for EPA protective manual of protective action & program changes.
GOODEN,A., BARR,K. Region 2 (Post 820201). 94/10/17. 13pp. 81560:079-81560:091.

9410140257 Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Matls Events to NRC Operations Ctr."
BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.

9410200153 NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts."
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81658:001-81658:013.

9411210015 Forwards insp repts 50-348/94-24 & 50-364/94-24 on 940912-1016 & notice of violation. Violation of concern because violation had been identified by NRC, existed for long time & involved individual holders of procedures.
CHRISTENSEN,H. Region 2 (Post 820201). 94/11/08. MOREY,D.N. Southern Nuclear Operating Co. 3pp. 81784:075-81784:101.

-9411210018 Notice of violation from insp on 940912-1016. Violation noted: large number of controlled plant procedures & drawings had not been complete nor up to date & contained superseded matter.
* Region 2 (Post 820201). 94/11/08. 2pp. 81784:078-81784:079.

-9411210022 Insp repts 50-348/94-24 & 50-364/94-24 on 940912-1016. Violations noted. Major areas inspected: maint & surveillance, engineering & technical support, plant support, review of nonroutine events & emergency preparedness.
ROSS,T.M., MORGAN,M.J., SCOTT,M.A. Region 2 (Post 820201). 94/11/08. 22pp. 81784:080-81784:101.

9411090300 NRC Bulletin 94-002, "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride."
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.

9411100237 NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment."
GRIMES,B.K. 94/11/17. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.

9411290007 Forwards insp repts 50-348/94-27 & 50-364/94-27 on 941017-21. No violations noted.
CRLENUAK,R.V. Region 2 (Post 820201). 94/11/18. MOREY,D.N. Southern Nuclear Operating Co. 3pp. 81857:017-81857:030.

104 DOCKETED ITEMS

-9411290010 Insp repts 50-348/94-27 & 50-364/94-27 on 941017-21.No violations noted.Major areas inspected:engineering & technical support activities,design changes & plant mod.
MILLER,M., CASTO,C. Region 2 (Post 820201). 94/11/16. 11pp. 81857:020-81857:030.

9411150578 NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation."
GRIMES,B.K. . 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.

9411170039 NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping."
GRIMES,B.K. . 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.

9411170279 NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys."
GRIMES,B.K. . 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.

9411170284 NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results."
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.

R. Periodic operating reports & related correspondence

9411150485 Monthly operating repts for Oct 1994 for JM Farley Nuclear Plant Units 1 & 2.W/941110 ltr.
HILL,R.D., WOODARD,J.D. Southern Nuclear Operating Co. 94/10/31. 9pp. 81780:082-81780:090.

S. Reportable occurrences, LERs & related correspondence

9411070090 Final Part 21 rept 94-002A re three air start distributor cams cracking at plants.Cams replaced w/cams made using electric arc.
PRATTIANNE,S.A. Coltec Industries, Inc. 94/06/01. Document Control Branch (Document Control Desk). 5pp. 81654:209-81654:213.

9411300329 LER 94-005-00:00 on 941021,missile protection for condensate storage tanks inadequate.Caused by design oversight. Interim measures taken until requirement for missile protection was removed from FSAR.W/941118 ltr.
HILL,R.D., MOREY,D. Southern Nuclear Operating Co. 94/11/18. 5pp. 81912:190-81912:194.

DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9411290097 "Scenario Manual for Limerick Generating Station,EP Annual Exercise,Scenario L33,930929."
* PECO Energy Co., (formerly Philadelphia Electric Co.). 93/09/29. 603pp. 81886:001-81887:239.

9411210397 Forwards addl info requested at 940928 meeting by NRC in support of util 940810 exemption request from 10CFR73.55 re use of biometrics access control sys.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 94/10/07. Document Control Branch (Document Control Desk). 3pp. 81833:358-81833:360.

9411010331 Responds to 940919 & 941011 changes to facility physical security plan & determines that changes consistent & acceptable for inclusion in plan.
JOYNER,J.H. Region 1 (Post 820201). 94/10/19. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 81579:354-81579:356.

9411080218 Revised emergency response procedures (ERP),including Rev 13 to ERP-300 & Rev 14 to ERP-300.W/941031 ltr.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 94/10/31. 60pp. 81678:278-81678:337.

9411160122 Notification of significant licensee meeting 94-125,Rev 1, w/util on 941107 to discuss presentation to regional mgt by util of SALP at plant through current mid-SALP.
ANDERSON,C.J. Region 1 (Post 820201). 94/11/02. Region 1 (Post 820201). 2pp. 81746:352-81746:353.

9411090091 Forwards EA & FONSI which requests exemption from certain requirements of 10CFR73.55 re issuance,storage & retrieval badges for personnel which have been granted unescorted access to protected areas of site,per 940810 application.
RINALDI,F. Project Directorate I-2. 94/11/03. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 4pp. 81666:342-81666:350.

-9411090096 EA & FONSI requesting exemption from certain requirements of regulations to licenses NPF-39 & NPF-85 for operation of plant,Units 1 & 2.Action would allow implementation of hand geometry biometric sys of site access control.
STOLZ,J.F. Project Directorate I-2. 94/11/03. 5pp. 81666:346-81666:350.

9411220109 Forwards insp repts 50-352/94-23 & 50-353/94-23 on 940927-1031 & notice of violation.
ANDERSON,C.J. Region 1 (Post 820201). 94/11/09. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 4pp. 81798:139-81798:179.

-9411220115 Notice of violation from insp on 940927-1031.Violation noted:on 940912,w/Unit 2 at 100% power,shift manager did not classify event based on selected categories & most severe EAL.
* Region 1 (Post 820201). 94/11/09. 2pp. 81798:143-81798:144.

9411220365 Forwards exemption from requirements of 10CFR73.55 re issuance,storage & retrieval of badges for personnel granted unescorted access to protected & vital areas of site. Requests that util submit revised physical security plans.
RINALDI,F. Project Directorate I-2. 94/11/09. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 4pp. 81822:271-81822:281.

-9411220374 Exemption granted from requirements of 10CFR73.55(d)(5) re returning of picture badges upon exit from protected area such that individuals authorized unescorted access into protected area can take badges offsite.
VARGA,S.A. Division of Reactor Projects - I/II (Post 870411). 94/11/09. PECO Energy Co., (formerly Philadelphia Electric Co.). 7pp. 81822:275-81822:281.

9411220385 Forwards proprietary revised Emergency Response Procedures, including ERP index,Rev 5 to ERP-101,Rev 12 to ERP-110,Rev 6 to ERP-140 & Rev 15 to ERP-300,Encl withheld.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 94/11/16. Document Control Branch (Document Control Desk). 2pp. 81892:343-81892:344.

K. Utility Final Safety Analysis Report (FSAR) & amends

9411070233 Forwards "Limerick Generating Station,Units 1 & 2,Updated Final Safety Analysis Rept," rev 4.
SMITH,W.H. PECO Energy Co., (formerly Philadelphia Electric Co.). 94/10/28. Document Control Branch (Document Control Desk). 8pp. 81729:001-81731:318.

-9411070240 "Updated Final Safety Analysis Rept Limerick Generating Station Units 1 & 2," rev 4.
* PECO Energy Co., (formerly Philadelphia Electric Co.). 94/11/04. 1,038pp. 81729:009-81731:318.

P. Operating license stage documents & correspondence

9411010116 Informs of reduction in cutoff level for initial screening tests associated w/ fitness-for-duty testing.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 94/10/24. Document Control Branch (Document Control Desk). 1p. 81579:272-81579:272.

9411010322 Application for amend to licenses NPF-39 & NPF-85 to TS 93-18 re change request that proposed to increase allowable leak rate for MSIV & to delete MSIV LCS.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 94/10/25. Document Control Branch (Document Control Desk). 5pp. 81585:074-81585:079.

-9411010327 Proposed tech specs re change request to increase allowable leak rate for MSIV & delete MSIV LCS.
* PECO Energy Co., (formerly Philadelphia Electric Co.). 94/10/25. 1p. 81585:079-81585:079.

9411030198 Notification of rescheduled 941108 meeting w/util in Rockville,MD to discuss proposed methodologies in reducing nonsafety content of updated FSAR.
RINALDI,F. Project Directorate I-2. 94/10/26. STOLZ,J.F. Project Directorate I-2. 3pp. 81607:273-81607:275.

9411080010 Provides NRC approval for PECO Energy Co proposal to transfer review of NCR from independent nuclear QA organization to line organization for plants.
MODES,M.C. Region 1 (Post 820201). 94/10/28. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 2pp. 81627:330-81627:333.

9411160132 Notification of significant licensee meeting 94-128 w/util on 941110 to discuss changes in training organizations for plants.
ANDERSON,C.J. Region 1 (Post 820201). 94/11/01. Region 1 (Post 820201). 2pp. 81746:356-81746:357.

9411090091 Forwards EA & FONSI which requests exemption from certain requirements of 10CFR73.55 re issuance,storage & retrieval badges for personnel which have been granted unescorted access to protected areas of site,per 940810 application.
RINALDI,F. Project Directorate I-2. 94/11/03. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 4pp. 81666:342-81666:350.

-9411090096 EA & FONSI requesting exemption from certain requirements of regulations to licenses NPF-39 & NPF-85 for operation of plant,Units 1 & 2.Action would allow implementation of hand geometry biometric sys of site access control.
STOLZ,J.F. Project Directorate I-2. 94/11/03. 5pp. 81666:346-81666:350.

9411150515 Summaries 941026 public meeting in King of Prussia,PA to discuss MOV issues w/Region I licensees.
KELLY,E.M. Region 1 (Post 820201). 94/11/03. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 49pp. 81744:199-81744:247.

9411220120 Responds to request for addl info power rerate program.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 94/11/15. Document Control Branch (Document Control Desk). 5pp. 81832:358-81832:361.

9411220328 Forwards EA & finding of no significant impact re util request for license amend to change TS to accommodate proposed SFP mod to plant.Notice of issuance of EA & finding of no significant impact also encl.
RINALDI,F. Project Directorate I-2. 94/11/16. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 2pp. 81822:231-81822:243.

-9411220343 Environ assessment & finding of no significant impact re util amend request to change TS by increasing SF storage capacity in each SFP from 2040 fuel assemblies to 4117 fuel assemblies.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/11/16. 8pp. 81822:233-81822:240.

-9411220354 Notice of issuance of environ assessment & finding of no significant impact re amend to TS to authorize increase of storage capacity in each of SFP from 2040 fuel assemblies to 4117 fuel assemblies.
STOLZ,J.F. Project Directorate I-2. 94/11/16. 3pp. 81822:241-81822:243.

9411290143 TS Change Requests 93-12-0,94-46-0,94-51-0,94-52-0 & 94-53-0 to Licenses NPF-39 & NPF-85,changing affecting TS Administrative Section 6.0.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 94/11/21. Document Control Branch (Document Control Desk). 3pp. 81903:317-81903:357.

-9411290148 Proposed tech specs re Administrative Section 6.0.
* PECO Energy Co., (formerly Philadelphia Electric Co.). 94/11/21. 38pp. 81903:320-81903:357.

9411290190 Forwards "Limerick Generating Station Units 1 & 2 Proposed Change to QA Program Description."
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 94/11/21. Document Control Branch (Document Control Desk). 7pp. 81905:272-81905:294.

-9411290196 "Limerick Generating Station Units 1 & 2 Proposed Change to QA Program Description."
PECO Energy Co., (formerly Philadelphia Electric Co.). 94/11/21. 16pp. 81905:279-81905:294.

9411300305 Application for amends to licenses NPF-39 & NPF-85, increasing spent fuel pool storage increase spent fuel pool storage capacity of each unit.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 94/11/22. Document Control Branch (Document Control Desk). 2pp. 81907:356-81907:360.

-9411300309 Proposed tech specs re increased spent fuel pool storage capacity of each unit.
PECO Energy Co., (formerly Philadelphia Electric Co.). 94/11/22. 3pp. 81907:358-81907:360.

Q. Inspection reports, IE Bulletins & correspondence

9410140257 Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Matls Events to NRC Operations Ctr."
BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.

9411020005 Notification of significant licensee meeting 94-125 w/util on 941104 to present self-assessment of performance at station through current mid-SALP.
ANDERSON,C.J. Region 1 (Post 820201). 94/10/21. Region 1 (Post 820201). 2pp. 81528:048-81528:049.

9410200153 NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts."
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81658:001-81658:013.

9411030177 Ack receipt of 940915 ltr informing NRC of steps taken to correct violations noted in insp rept 50-277/94-15, 50-278/94-15,50-352/94-19 & 50-353/94-19.
MEYER,G.W. Region 1 (Post 820201). 94/10/27. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 81561:001-81561:008.

9411040018 Informs that licensee 940930 request for approval of relief requests RR18 for facility first 10-yr interval inservice insp program,acceptable.
STOLZ,J.F. Project Directorate I-2. 94/10/28. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 81628:255-81628:257.

9411601122 Notification of significant licensee meeting 94-125,Rev 1, w/util on 941107 to discuss presentation to regional mgt by util of SALP at plant through current mid-SALP.
ANDERSON,C.J. Region 1 (Post 820201). 94/11/02. Region 1 (Post 820201). 2pp. 81746:352-81746:353.

9411220109 Forwards insp repts 50-352/94-23 & 50-353/94-23 on 940927-1031 & notice of violation.
ANDERSON,C.J. Region 1 (Post 820201). 94/11/09. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 4pp. 81798:139-81798:179.

-9411220115 Notice of violation from insp on 940927-1031.Violation noted:on 940912,w/Unit 2 at 100% power,shift manager did not classify event based on selected categories & most severe EAL.
Region 1 (Post 820201). 94/11/09. 2pp. 81798:143-81798:144.

-9411220123 Insp repts 50-352/94-23 & 50-353/94-23 on 940927-1031. Violations noted:Major areas inspected:plant operations, maint,surveillance,engineering,plant support & safety assessment & quality verification.
ANDERSON,C.J. Region 1 (Post 820201). 94/11/10. 34pp. 81798:145-81798:179.

9411090300 NRC Bulletin 94-002, "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride."
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.

9411100237 NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment."
GRIMES,B.K. 94/11/17. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.

9411150578 NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation."
GRIMES,B.K. 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.

9411170039 NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping."
GRIMES,B.K. 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.

9411170279 NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys."
GRIMES,B.K. 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.

9411170284 NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results."
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.

R. Periodic operating reports & related correspondence

9411250127 Monthly operating repts for Oct 1994 for Limerick Nuclear Generating Station,w/941114 ltr.
KELLEY,S.J., MUNTZ,J.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 94/10/31. 11pp. 81855:001-81855:011.

S. Reportable occurrences, LERs & related correspondence

9411070090 Final Part 21 rept 94-002A re three air start distributor cams cracking at plants.Cams replaced w/cams made using electric arc.
PRATIANN,S.A. Coltec Industries, Inc. 94/06/01. Document Control Branch (Document Control Desk). 5pp. 81654:209-81654:213.

V. Operator Examinations

9411010318 Submits responses to administrative ltr 94-12, "Operator Licensing Natl Exam Schedule."
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 94/10/24. Document Control Branch (Document Control Desk). 5pp. 81587:051-81587:055.

941160109 Notices that listed senior reactor operators reassigned to new positions no longer requiring licenses.
HELWIG,D.R. PECO Energy Co., (formerly Philadelphia Electric Co.). 94/11/07. Document Control Branch (Document Control Desk). 1p. 81779:359-81779:359.

DOCKET 50-353 LIMERICK GENERATING STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9411290097 "Scenario Manual for Limerick Generating Station,EP Annual Exercise,Scenario L33,930929."
PECO Energy Co., (formerly Philadelphia Electric Co.). 93/09/29. 603pp. 81886:001-81887:239.

9411210397 Forwards addl info requested at 940928 meeting by NRC in support of util 940810 exemption request from 10CFR73.55 re use of biometrics access control sys.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 94/10/07. Document Control Branch (Document Control Desk). 3pp. 81833:358-81833:360.

9411010331 Responds to 940919 & 941011 changes to facility physical security plan & determines that changes consistent & acceptable for inclusion in plan.
JOYNER,J.H. Region 1 (Post 820201). 94/10/19. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 81579:354-81579:356.

9411080218 Revised emergency response procedures (ERP),including Rev 13 to ERP-300 & Rev 14 to ERP-300.W/941031 ltr.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 94/10/31. 50pp. 81678:278-81678:337.

9411601122 Notification of significant licensee meeting 94-125,Rev 1, w/util on 941107 to discuss presentation to regional mgt by util of SALP at plant through current mid-SALP.
ANDERSON,C.J. Region 1 (Post 820201). 94/11/02. Region 1 (Post 820201). 2pp. 81746:352-81746:353.

9411090091 Forwards EA & FONSI which requests exemption from certain requirements of 10CFR73.55 re issuance,storage & retrieval badges for personnel which have been granted unescorted access to protected areas of site,per 940810 application.
RINALDI,F. Project Directorate I-2. 94/11/03. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 4pp. 81666:342-81666:350.

-9411090096 EA & FONSI requesting exemption from certain requirements of regulations to licenses NPF-39 & NPF-85 for operation of plant,Units 1 & 2.Action would allow implementation of hand geometry biometric sys of site access control.
STOLZ,J.F. Project Directorate I-2. 94/11/03. 5pp. 81666:346-81666:350.

9411220109 Forwards insp repts 50-352/94-23 & 50-353/94-23 on 940927-1031 & notice of violation.
ANDERSON,C.J. Region 1 (Post 820201). 94/11/09. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 4pp. 81798:139-81798:179.

-9411220115 Notice of violation from insp on 940927-1031.Violation noted:on 940912,w/Unit 2 at 100% power,shift manager did not classify event based on selected categories & most severe EAL.
Region 1 (Post 820201). 94/11/09. 2pp. 81798:143-81798:144.

9411220365 Forwards exemption from requirements of 10CFR73.55 re issuance,storage & retrieval of badges for personnel granted unescorted access to protected & vital areas of site. Requests that util submit revised physical security plans.
RINALDI,F. Project Directorate I-2. 94/11/09. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 4pp. 81822:271-81822:281.

-9411220374 Exemption granted from requirements of 10CFR73.55(d)(5) re returning of picture badges upon exit from protected area such that individuals authorized unescorted access into protected area can take badges offsite.
VARGA,S.A. Division of Reactor Projects - I/II (Post 870411). 94/11/09. PECO Energy Co., (formerly Philadelphia Electric Co.). 7pp. 81822:275-81822:281.

9411220385 Forwards proprietary revised Emergency Response Procedures, including ERP index,Rev 5 to ERP-101,Rev 12 to ERP-110,Rev 6 to ERP-140 & Rev 15 to ERP-300,Encl withheld.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 94/11/16. Document Control Branch (Document Control Desk). 2pp. 81892:343-81892:344.

K. Utility Final Safety Analysis Report (FSAR) & amends

9411070233 Forwards "Limerick Generating Station,Units 1 & 2,Updated Final Safety Analysis Rept," rev 4.
SMITH,W.H. PECO Energy Co., (formerly Philadelphia Electric Co.). 94/10/28. Document Control Branch (Document Control Desk). 8pp. 81729:001-81731:318.

-9411070240 "Updated Final Safety Analysis Rept Limerick Generating Station Units 1 & 2," rev 4.
PECO Energy Co., (formerly Philadelphia Electric Co.). 94/11/04. 1,038pp. 81729:009-81731:318.

106 DOCKETED ITEMS

P. Operating license stage documents & correspondence

- 9411010116** Informs of reduction in cutoff level for initial screening tests associated w/ fitness-for-duty testing.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 94/10/24. Document Control Branch (Document Control Desk). 1p. 81579:272-81579:272.
- 9411020216** Submits insp plan in response to GL 94-03, "IGSCC of Core Shrouds in BWRs." In-vessel insp will be performed in accordance w/ASME Code,Section XI,Exam Category B-N-1,during Refueling Outage (2RO3) planned for Jan 1995.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 94/10/24. Document Control Branch (Document Control Desk). 3pp. 81589:304-81589:306.
- 9411010322** Application for amend to licenses NPF-39 & NPF-85 to TS 93-18 re change request that proposed to increase allowable leak rate for MSIV & to delete MSIV LCS.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 94/10/25. Document Control Branch (Document Control Desk). 5pp. 81585:074-81585:079.
- 9411010327** Proposed tech specs re change request to increase allowable leak rate for MSIV & delete MSIV LCS.
* PECO Energy Co., (formerly Philadelphia Electric Co.). 94/10/25. 1p. 81585:079-81585:079.
- 9411030198** Notification of rescheduled 941108 meeting w/utis in Rockville,MD to discuss proposed methodologies in reducing nonsafety content of updated FSAR.
RINALDI,F. Project Directorate I-2. 94/10/26. STOLZ,J.F. Project Directorate I-2. 3pp. 81607:273-81607:275.
- 9411080010** Provides NRC approval for PECO Energy Co proposal to transfer review of NCR from independent nuclear QA organization to line organization for plants.
MODES,M.C. Region 1 (Post 820201). 94/10/28. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 2pp. 81627:330-81627:333.
- 9411160132** Notification of significant licensee meeting 94-128 w/utis on 941110 to discuss changes in training organizations for plants.
ANDERSON,C.J. Region 1 (Post 820201). 94/11/01. Region 1 (Post 820201). 2pp. 81746:356-81746:357.
- 9411090091** Forwards EA & FONSI which requests exemption from certain requirements of 10CFR73.55 re issuance,storage & retrieval badges for personnel which have been granted unescorted access to protected areas of site,per 940810 application.
RINALDI,F. Project Directorate I-2. 94/11/03. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 4pp. 81666:342-81666:350.
- 9411090096** EA & FONSI requesting exemption from certain requirements of regulations to licenses NPF-39 & NPF-85 for operation of plant,Units 1 & 2.Action would allow implementation of hand geometry biometric sys of site access control.
STOLZ,J.F. Project Directorate I-2. 94/11/03. 5pp. 81666:346-81666:350.
- 9411150515** Summaries 941026 public meeting in King of Prussia,PA to discuss MOV issues w/Region 1 licensees.
KELLY,E.M. Region 1 (Post 820201). 94/11/03. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 49pp. 81744:199-81744:247.
- 9411220120** Responds to request for addl info power rerate program.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 94/11/15. Document Control Branch (Document Control Desk). 5pp. 81832:358-81832:361.
- 9411220328** Forwards EA & finding of no significant impact re util request for license amend to change TS to accomodate proposed SFP mod to plant,Notice of issuance of EA & finding of no significant impact also encl.
RINALDI,F. Project Directorate I-2. 94/11/16. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 2pp. 81822:231-81822:243.
- 9411220343** Environ assessment & finding of no significant impact re util amend request to change TS by increasing SF storage capacity in each SFP from 2040 fuel assemblies to 4117 fuel assemblies.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/11/16. 8pp. 81822:233-81822:240.
- 9411220354** Notice of issuance of environ assessment & finding of no significant impact re amend to TS to authorize increase of storage capacity in each of SFP from 2040 fuel assemblies to 4117 fuel assemblies.
STOLZ,J.F. Project Directorate I-2. 94/11/16. 3pp. 81822:241-81822:243.
- 9411290143** TS Change Requests 93-12-0,94-46-0,94-51-0,94-52-0 & 94-53-0 to Licenses NPF-39 & NPF-85,changing affecting TS Administrative Section 6.0.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 94/11/21. Document Control Branch (Document Control Desk). 3pp. 81903:317-81903:357.
- 9411290148** Proposed tech specs re Administrative Section 6.0.
* PECO Energy Co., (formerly Philadelphia Electric Co.). 94/11/21. 38pp. 81903:320-81903:357.
- 9411290190** Forwards "Limerick Generating Station Units 1 & 2 Proposed Change to QA Program Description."
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 94/11/21. Document Control Branch (Document Control Desk). 7pp. 81905:272-81905:294.
- 9411290196** "Limerick Generating Station Units 1 & 2 Proposed Change to QA Program Description."
* PECO Energy Co., (formerly Philadelphia Electric Co.). 94/11/21. 16pp. 81905:279-81905:294.
- 9411300305** Application for amends to licenses NPF-39 & NPF-85, increasing spent fuel pool storage increase spent fuel pool storage capacity of each unit.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 94/11/22. Document Control Branch (Document Control Desk). 2pp. 81907:356-81907:360.
- 9411300309** Proposed tech specs re increased spent fuel pool storage capacity of each unit.
* PECO Energy Co., (formerly Philadelphia Electric Co.). 94/11/22. 3pp. 81907:358-81907:360.

Q. Inspection reports, IE Bulletins & correspondence

- 9410140257** Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Matis Events to NRC Operations Ctr."
BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.
- 9411020005** Notification of significant licensee meeting 94-125 w/utis on 941104 to present self-assessment of performance at station through current mid-SALP.
ANDERSON,C.J. Region 1 (Post 820201). 94/10/21. Region 1 (Post 820201). 2pp. 81528:048-81528:049.
- 9411020216** Submits insp plan in response to GL 94-03, "IGSCC of Core Shrouds in BWRs." In-vessel insp will be performed in accordance w/ASME Code,Section XI,Exam Category B-N-1,during Refueling Outage (2RO3) planned for Jan 1995.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 94/10/24. Document Control Branch (Document Control Desk). 3pp. 81589:304-81589:306.
- 9411070397** Forwards relief request RR-13,rev 1 from requirements of Section XI of ASME Boiler & Pressure Vessel Code re sys pressure tests for various Class 2 & 3 pressure retaining components.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 94/10/25. Document Control Branch (Document Control Desk). 19pp. 81663:301-81663:321.
- 9410200153** NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts."
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81658:001-81658:013.
- 9411030177** Ack receipt of 940915 ltr informing NRC of steps taken to correct violations noted in insp rept 50-277/94-15, 50-278/94-15,50-352/94-19 & 50-353/94-19.
MEYER,G.W. Region 1 (Post 820201). 94/10/27. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 81561:001-81561:008.
- 9411040018** Informs that licensee 940930 request for approval of relief requests RR18 for facility first 10-yr interval inservice insp program,acceptable.
STOLZ,J.F. Project Directorate I-2. 94/10/28. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 81628:255-81628:257.
- 9411160122** Notification of significant licensee meeting 94-125,Rev 1, w/utis on 941107 to discuss presentation to regional mgt by util of SALP at plant through current mid-SALP.
ANDERSON,C.J. Region 1 (Post 820201). 94/11/02. Region 1 (Post 820201). 2pp. 81746:352-81746:353.
- 9411160104** Responds to violations noted in insp rept 50-353/94-21. Corrective action:NLO disciplined re proper use of self checking practices.
HELWIG,D.R. PECO Energy Co., (formerly Philadelphia Electric Co.). 94/11/07. Document Control Branch (Document Control Desk). 5pp. 81779:354-81779:358.
- 9411220109** Forwards insp repts 50-352/94-23 & 50-353/94-23 on 940927-1031 & notice of violation.
ANDERSON,C.J. Region 1 (Post 820201). 94/11/09. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 4pp. 81798:139-81798:179.
- 9411220115** Notice of violation from insp on 940927-1031.Violation noted:on 940912,w/Unit 2 at 100% power,shift manager did not classify event based on selected categories & most severe EAL.
* Region 1 (Post 820201). 94/11/09. 2pp. 81798:143-81798:144.
- 9411220123** Insp repts 50-352/94-23 & 50-353/94-23 on 940927-1031. Violations noted:Major areas inspected:plant operations, maint,surveillance,engineering,plant support & safety assessment & quality verification.
ANDERSON,C.J. Region 1 (Post 820201). 94/11/10. 34pp. 81798:145-81798:179.
- 9411090300** NRC Bulletin 94-002, "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride."
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.
- 9411100237** NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment."
GRIMES,B.K. 94/11/17. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.
- 9411150578** NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation."
GRIMES,B.K. 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.
- 9411170039** NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping."
GRIMES,B.K. 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.
- 9411170279** NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys."
GRIMES,B.K. 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.
- 9411170284** NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results."
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.

R. Periodic operating reports & related correspondence

- 9411250127** Monthly operating repts for Oct 1994 for Limerick Nuclear Generating Station,W/941114 ltr.
KELLEY,S.J. MUNTZ,J.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 94/10/31. 11pp. 81855:001-81855:011.

S. Reportable occurrences, LERs & related correspondence

- 9411070090** Final Part 21 rept 94-002A re three air start distributor cams cracking at plants. Cams replaced w/cams made using electric arc.
* PRATIENNE, S.A. Coltec Industries, Inc. 94/06/01. Document Control Branch (Document Control Desk). 5pp. 81654:209-81654:213.
- 9411080248** LER 94-009-00: between 940829 & 0906, approved clearance incorrectly specified removal of fuse from D21 EDG breaker auxiliary control power circuit that would prevent 'A' CS sys subsystem from automatically starting. W/941102 ltr.
* KANTNER, J.L., BOYCE, R.W. PECO Energy Co., (formerly Philadelphia Electric Co.). 94/11/02. 6pp. 81716:224-81716:229.
- 9411230291** LER 94-010-00: on 941019, reactor SCRAM & actuation of various engineered safety features resulting from relay coil failure & inappropriate action by licensed reactor operator. Failure analysis being performed. W/941117 ltr.
* KANTNER, J.L., BOYCE, R.W. PECO Energy Co., (formerly Philadelphia Electric Co.). 94/11/17. 7pp. 81868:082-81868:088.

V. Operator Examinations

- 9411010318** Submits responses to administrative ltr 94-12, "Operator Licensing Natl Exam Schedule."
* HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 94/10/24. Document Control Branch (Document Control Desk). 5pp. 81587:051-81587:055.
- 9411160109** Notifies that listed senior reactor operators reassigned to new positions no longer requiring licenses.
* HELWIG, D.R. PECO Energy Co., (formerly Philadelphia Electric Co.). 94/11/07. Document Control Branch (Document Control Desk). 1p. 81779:359-81779:359.

DOCKET 50-354 HOPE CREEK NUCLEAR STATION, UNIT 1**F. Security, medical, emergency & fire protection plans**

- 9411100290** Rev 27 to EPIP 204H, "Emergency Response Callout/Personnel Recall."
* Public Service Electric & Gas Co. of New Jersey. 94/09/30. 61pp. 81747:201-81747:256.
- 9411020264** "Emergency Plan 1994 Hope Creek Graded Exercise H94-06."
* Public Service Electric & Gas Co. of New Jersey. 94/10/25. 556pp. 81567:001-81568:192.
- 9411180086** Rev 4 to EPIP 807, "Emergency News Ctr Telephone Directory."
* Public Service Electric & Gas Co. of New Jersey. 94/10/28. 13pp. 81818:286-81818:296.
- 9411180088** Rev 46 to table of contents.
* Public Service Electric & Gas Co. of New Jersey. 94/10/28. 3pp. 81818:337-81818:339.
- 9411210086** Revised EPIPs, including rev 15 to EPIP-1006, rev 13 to EPIP-1007, rev 5 to EPIP-1010 & rev 29 to EPIP-1013.
* Public Service Electric & Gas Co. of New Jersey. 94/11/09. 156pp. 81836:107-81836:262.
- 9411300106** Forwards insp repts 50-272/94-23, 50-311/94-23 & 50-354/94-21 on 941024-26. No violations noted.
* JOYNER, J.H. Region 1 (Post 820201). 94/11/21. ELIASON, L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 81872:094-81872:107.
- 9411300117** Insp repts 50-272/94-23, 50-311/94-23 & 50-354/94-21 on 941024-26. No violations noted. Major areas inspected: evaluation of annual full-participation exercise.
* LAUGHLIN, J. Region 1 (Post 820201). 94/11/21. 11pp. 81872:097-81872:107.

P. Operating license stage documents & correspondence

- 9411030297** Ltr contract, task order 37, to "IPE Reviews, Internal Events, Front End Only," for facility.
* MACE, M. Division of Contracts (Post 940714). NRC-04-91-066. 94/09/08. COLINA, I. Science & Engineering Associates, Inc. 10pp. 81608:016-81608:025.
- 9411030167** Ltr contract, defining Task Order 38, to "IPE Reviews Internal Events-Human Factors Only," for plant.
* MACE, M.H. Division of Contracts (Post 940714). FIN L-1934. 94/09/12. HAAS, P.M. Concord Associates, Inc. 12pp. 81607:239-81607:250.
- 9411030202** Ltr contract, defining Task Order 38, "IPE Reviews, Internal Events - Back-End Only."
* MACE, M. Division of Contracts (Post 940714). FIN L-1933. 94/09/19. MEYER, J. SCIENTECH, Inc. 2pp. 81602:195-81602:196.
- 9411030328** Advises that NJ Dept of Environ Protection Bureau of Nuclear Engineering reviewed until 940830 License Change Request 94-17 & has no comments.
* TOSCH, K.W. New Jersey, State of. 94/10/27. Document Control Branch (Document Control Desk). 2pp. 81640:314-81640:315.
- 9411040139** Application for amend to license NPF-57, proposing TS, by deleting certain valves on lines serving closed ESF sys outside containment from TS table 3.6.3-1.
* LABRUNA, S. Public Service Electric & Gas Co. of New Jersey. 94/10/31. Document Control Branch (Document Control Desk). 22pp. 81653:149-81653:175.
- 9411040142** Proposed tech specs deleting certain valves on lines serving closed ESF sys outside containment from TS table 3.6.3-1.
* Public Service Electric & Gas Co. of New Jersey. 94/10/31. 5pp. 81653:171-81653:175.
- 9411150437** Discusses 941026 meeting in King of Prussia, PA re motor-operated valve issues w/Region 1 licensees. List of attendees, agenda, licensee & NRC presentations & panel session questions encl.
* KELLY, E.M. Region 1 (Post 820201). 94/11/03. ELIASON, L.R. Public Service Electric & Gas Co. of New Jersey. 49pp. 81744:001-81744:049.

9411300125 Rev to 940805 application for amend to license NPF-57, re EDG surveillance changes.
* LABRUNA, S. Public Service Electric & Gas Co. of New Jersey. 94/11/21. Document Control Branch (Document Control Desk). 3pp. 81910:271-81910:280.

-9411300126 Proposed tech specs re EDG surveillance changes.
* Public Service Electric & Gas Co. of New Jersey. 94/11/21. 7pp. 81910:274-81910:280.

9411300389 Offers no comments on until 940817 request for cost beneficial licensing action for rev to license amend application LCR 88-05 re permanent hydrogen water chemistry sys.
* TOSCH, K. New Jersey, State of. 94/11/21. Document Control Branch (Document Control Desk). 2pp. 81923:359-81923:360.

Q. Inspection reports, IE Bulletins & correspondence

- 9410140257** Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Matis Events to NRC Operations Ctr."
* BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.
- 9410200153** NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts."
* GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81658:001-81658:013.
- 9411080003** Ack receipt of 941018 ltr informing NRC of steps taken to correct violations noted in insp rept 50-354/94-13.
* WHITE, J.R. Region 1 (Post 820201). 94/10/31. HAGAN, J. Public Service Electric & Gas Co. of New Jersey. 3pp. 81627:314-81627:321.
- 9411080044** Ack receipt of 940718 ltr informing NRC of steps taken to correct violations noted in insp rept 50-354/94-09.
* COOPER, R. Region 1 (Post 820201). 94/10/31. ELIASON, L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 81628:144-81628:166.
- 9411080052** Notice of violation from insp on 940327-0430. Violation noted: prior to containment integrated leak rate testing on 940411-12, CR drive directional control valves, exercised prior to Type A test.
* Region 1 (Post 820201). 94/10/31. 2pp. 81628:147-81628:166.
- 9411090300** NRC Bulletin 94-002, "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride."
* PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.
- 9411220253** Responds to NRC 941014 ltr re violation noted in Insp Rept 50-354/94-19. Corrective actions: correct size fuse, 0.75 amp, installed in logic module & functional test & insp of components/circuits downstream of oversized fuse conducted.
* LABRUNA, S. Public Service Electric & Gas Co. of New Jersey. 94/11/14. Document Control Branch (Document Control Desk). 9pp. 81848:339-81848:347.
- 9411100237** NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment."
* GRIMES, B.K. . 94/11/17. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.
- 9411300084** Requests approval, per 10CFR50.55a, Section (a)(3) & footnote 6, to use ASME Code Case N416-1.
* HAGAN, J.J. Public Service Electric & Gas Co. of New Jersey. 94/11/18. Document Control Branch (Document Control Desk). 4pp. 81922:310-81922:313.
- 9411150578** NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation."
* GRIMES, B.K. . 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.
- 9411300106** Forwards insp repts 50-272/94-23, 50-311/94-23 & 50-354/94-21 on 941024-26. No violations noted.
* JOYNER, J.H. Region 1 (Post 820201). 94/11/21. ELIASON, L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 81872:094-81872:107.
- 9411300117** Insp repts 50-272/94-23, 50-311/94-23 & 50-354/94-21 on 941024-26. No violations noted. Major areas inspected: evaluation of annual full-participation exercise.
* LAUGHLIN, J., KEIMIG, R. Region 1 (Post 820201). 94/11/21. 11pp. 81872:097-81872:107.
- 9411300131** Forwards 90 day rept for ISI activities for facility during fifth refueling outage.
* LABRUNA, S. Public Service Electric & Gas Co. of New Jersey. 94/11/22. Document Control Branch (Document Control Desk). 2pp. 81910:260-81910:270.
- 9411300135** Ninety day rept for ISI activities at Hope Creek Generating Station during fifth refueling outage.
* Public Service Electric & Gas Co. of New Jersey. 94/10/04. 9pp. 81910:262-81910:270.
- 9411170039** NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping."
* GRIMES, B.K. . 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.
- 9411170279** NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys."
* GRIMES, B.K. . 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.
- 9411170284** NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results."
* PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.

108 DOCKETED ITEMS

9411300062 Responds to violations noted in insp rept 50-354/94-20. Corrective actions:ladders in RCA labeled w/statement "RCA USE ONLY" & use restricted. LABRUNA,S. Public Service Electric & Gas Co. of New Jersey. 94/11/25. Document Control Branch (Document Control Desk). 7pp. 81922:299-81922:305.

R. Periodic operating reports & related correspondence

9411010345 "Discharge Monitoring Rept for Hope Creek Generating Station for Month of Sept 1994." W/941020 ltr. NORK,A., HOVEY,R.J. Public Service Electric & Gas Co. of New Jersey. 94/09/30. CORPORALE,G. New Jersey, State of. 21pp. 81577:325-81577:345.

9411170273 Forwards FFD performance data rept for six month period ending 940630. LABRUNA,S. Public Service Electric & Gas Co. of New Jersey. 94/11/04. Document Control Branch (Document Control Desk). 7pp. 81793:258-81793:265.

9411230222 Forwards monthly operating rept for Oct 1994 for Hope Creek Generating Station Unit 1 & revised repts for Sept 1994. HOVEY,R.J. Public Service Electric & Gas Co. of New Jersey. 94/11/15. Document Control Branch (Document Control Desk). 1p. 81854:206-81854:216.

-9411230223 Monthly operating rept for Oct 1994 for Hope Creek Nuclear Plant Unit 1. LYONS,D.W. Public Service Electric & Gas Co. of New Jersey. 94/10/31. 9pp. 81854:207-81854:215.

-9411230224 Revised monthly operating rept for Sept 1994 for Hope Creek Unit 1. SCHMIDT,R. Public Service Electric & Gas Co. of New Jersey. 94/09/30. 1p. 81854:216-81854:216.

S. Reportable occurrences, LERs & related correspondence

9411040294 LER 94-014-00:0n 941002,reactor scram occurred due to sudden trip of main turbine generator.Caused by design deficiency in digital FWCS.Confirmatory level 8 trip for main turbine wired correctly & design change implemented.W/941031 ltr. AVERSA,L., HOVEY,R.J. Public Service Electric & Gas Co. of New Jersey. 94/10/31. 6pp. 81658:038-81658:043.

9411150418 Responds to 941020 ltr re corrective actions concerning 1992 incident of inadequate control room staffing at plant. Encourages licensee to pursue corrective actions & remediation vigorously. WIGGINS,J.T. Region 1 (Post 820201). 94/10/31. ELIASON,R.L. Public Service Electric & Gas Co. of New Jersey. 10pp. 81745:028-81745:037.

9411080242 LER 94-015-00:0n 941007,RPS actuation - invalid main turbine trip resulted in reactor scram due to component failure,EHC card replaced & satisfactorily tested & failure analysis performed on failed card.W/941104 ltr. AVERSA,L., HOVEY,R.J. Public Service Electric & Gas Co. of New Jersey. 94/11/04. 7pp. 81716:208-81716:214.

DOCKET 50-355 HOPE CREEK NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9411020264 "Emergency Plan 1994 Hope Creek Graded Exercise H94-06." * Public Service Electric & Gas Co. of New Jersey. 94/10/25. 556pp. 81567:001-81568:192.

DOCKET 50-361 SAN ONOFRE NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9411030241 Revised EIPs,including Rev 1,TCN 1-1 to S023-VIII-50.3,Rev 6 to S0123-VIII-0.301,Rev 8 to S0123-VIII-10,Rev 3,TCN 3-1 to S0123-VIII-10.1,Rev 1,TCN 1-1 to S0123-VIII-10.2 & Rev 11,TCN 11-1 to S0123-VIII-30.1.W/941024 ltr. MARSH,W.C. Southern California Edison Co. 94/10/24. 355pp. 81634:001-81634:355.

9411170217 SONGS emergency plan table of contents,list of effective pages & list of apps. * Southern California Edison Co. 94/11/17. 4pp. 81826:351-81826:354.

G. Adjudicatory correspondence

9411090183 Ack receipt of 940919 ltr.to Chairman Selin,requesting that NRC convince State of CA Public Utils Commission to close facility to save lives.Forwards notice being filed w/FR re request. RUSSELL,W.T. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/28. DEAN,R.M. Affiliation Not Assigned. 3pp. 81666:245-81666:250.

-9411090189 Receipt of petition for Director's Decision under 10CFR2.206. RUSSELL,W.T. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/28. 2pp. 81666:248-81666:249.

-9411090197 Discusses State of CA Public Utils Commission request to close SONGS facility at earliest possible moment to save countless lives. DEAN,R.M. Affiliation Not Assigned. 94/09/19. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). pp. 81666:250-81666:250.

H. General correspondence

9411100186 Responds to constituent,RM Dean 940824 ltr re request to close plant based on constituent assertions that no emergency plan exist at facility to evacuate city residents of San Clemente,per 10CFR2.206 requirements. TAYLOR,J.M. Ofc of the Executive Director for Operations. 94/11/04. FEINSTEIN,D. Senate. 7pp. 81725:021-81725:027.

M. Antitrust correspondence

9411210158 Forwards application,requesting authorization from Public Utilities Commission of State of CA to implement plan of reorganization which will result in holding company structure. MESERVE,R.A. Covington & Burling. 94/11/15. Document Control Branch (Document Control Desk). 158pp. 81809:039-81809:196.

P. Operating license stage documents & correspondence

9411070210 Forwards amends 113 & 102 to licenses NPF-10 & NPF-15, respectively & safety evaluation.Amends revise TS 3.2.1, "Linear Heat Rate & TS 3.2.4, "DNBR Margin" to distinguish between core operating limit supervisory sys in/out of svcs. FIELDS,M.B. Project Directorate IV-2. 94/10/27. RAY,H.B. Southern California Edison Co. GUILLES,E.A. San Diego Gas & Electric Co. 4pp. 81713:327-81713:347.

-9411070221 Amends 113 & 102 to licenses NPF-10 & NPF-15, respectively, revising TS 3.2.1, "Linear Heat Rate" & TS 3.2.4, "DNBR Margin." FIELDS,M.B. Project Directorate IV-2. 94/10/27. 28pp. 81713:331-81713:347.

-9411070224 Safety evaluation supporting amends 113 & 102 to licenses NPF-10 & NPF-15, respectively. * Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/27. 7pp. 81656:033-81656:039.

9411080225 Informs of 941129 meeting w/util in Rockville,MD re seismic hazard issues of IPEEE project for plant. FIELDS,M.B. Project Directorate IV-2. 94/10/27. QUAY,T.R. Project Directorate IV-2. 3pp. 81658:276-81658:278.

9411220185 Notification of licensee meeting w/util on 941130 to discuss MOU w/California Public Utility Commission,procedural compliance,maint program,outage planning & control room supervision. BEACH,A.B. Region 4 (Post 820201). 94/11/16. Region 4 (Post 820201). 5pp. 81799:057-81799:061.

Q. Inspection reports, IE Bulletins & correspondence

9411040257 Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Matis Events to NRC Operations Ctr." BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.

9410200153 NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts." GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81658:001-81658:013.

9411070193 Ack receipt of 940811 ltr informing NRC of steps taken to correct violations noted in insp repts 50-361/94-16 & 50-362/94-16. GWYNN,T.P. Region 4 (Post 820201). 94/10/27. RAY,H.B. Southern California Edison Co. 5pp. 81605:308-81605:318.

9411080006 Ack receipt of 941017 ltr informing NRC of steps taken to correct violations noted in insp repts 50-361/94-20 & 50-362/94-20 on 940920. PERKINS,K.E. Walnut Creek Field Ofc, R4 (Post 940404). 94/10/31. RAY,H.B. Southern California Edison Co. 3pp. 81627:326-81627:328.

9411160052 Forwards insp repts 50-361/94-21 & 50-362/94-21 on 940814-0924 & notice of violation. BEACH,A.B. Region 4 (Post 820201). 94/11/09. RAY,H.B. Southern California Edison Co. 5pp. 81746:144-81746:175.

-9411160059 Notice of violation from insp on 940814-0924.Violation noted:during performance of vibrational analysis test of high pressure safety injection pump,component cooling water pump not in operation. * Region 4 (Post 820201). 94/11/09. 1p. 81746:149-81746:149.

-9411160067 Insp repts 50-361/94-21 & 50-362/94-21 on 940814-0924. Violations noted.Major areas inspected:operational safety verification,onsite followup of events,maint & surveillance observations. WONG,H.J. Region 4 (Post 820201). 94/11/07. 26pp. 81746:150-81746:175.

9411220136 Requests replacing pages 1 & 2 to App of insp repts 50-361/94-19 & 50-362/94-19 w/corrected pages encl. COLLINS,S.J. Region 4 (Post 820201). 94/11/09. RAY,H.B. Southern California Edison Co. 5pp. 81798:211-81798:217.

-9411220142 Corrected pages 1 & 2 to App of insp repts 50-361/94-19 & 50-362/94-19. MURRAY,B. Region 4 (Post 820201). 94/10/31. 2pp. 81798:216-81798:217.

9411090300 NRC Bulletin 94-002, "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride." PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.

9411180054 Requests addl info be provided to complete review of second 10-year interval inservice insp Program Plan & associated requests for relief from ASME B&PV Code Section XI requirements for plants. FIELDS,M.B. Project Directorate IV-2. 94/11/14. RAY,H.B. Southern California Edison Co. GUILLES,E.A. San Diego Gas & Electric Co. 5pp. 81782:142-81782:147.

941100237 NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment." GRIMES,B.K. . 94/11/17. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.

9411150578 NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation." GRIMES,B.K. . 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.

9411280239 Responds to 940912 telcon providing NRC resolution of operational concerns identified in NRC Info Notice 89-052.
MARSH,W.C. Southern California Edison Co. 94/11/22. Document Control Branch (Document Control Desk). 2pp. 81885:186-81885:187.

9411300030 Transmits "Inservice Testing Program Second Ten-Year Interval San Onofre Units 2 & 3 Pump Relief Request 13 & 14."
MARSH,W.C. Southern California Edison Co. 94/11/22. Document Control Branch (Document Control Desk). 2pp. 81925:086-81925:097.

-9411300036 "Inservice Testing Program Second Ten-Year Interval San Onofre Units 2 & 3 Pump Relief Requests 13 & 14."
* Southern California Edison Co. 94/11/22. 8pp. 81925:088-81925:097.

941170039 NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping."
GRIMES,B.K. 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.

941170279 NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys."
GRIMES,B.K. 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.

941170284 NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results."
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.

R. Periodic operating reports & related correspondence

9411250017 Monthly operating repts for Oct 1994 for San Onofre Nuclear Generating Station.W/941108 ltr.
KAPLAN,R.L., MARSH,W.C. Southern California Edison Co. 94/10/31. 13pp. 81889:136-81889:148.

S. Reportable occurrences, LERs & related correspondence

9411220400 LER 94-005-00:on 941012.voluntary TS 3.0.3 entry due to declaring both trains of ECCS inoperable in mode 1.Util replaced 2PCV6418 w/qualified in-kind replacement valve.
DRIEGER,R.W. Southern California Edison Co. 94/11/08. 4pp. 81850:219-81850:222.

9411220413 Special repton 941029,util removed primary & secondary meteorological towers from svc for planned equipment upgrades to improve sys reliability.
MARSH,W. Southern California Edison Co. 94/11/08. Document Control Branch (Document Control Desk). 1p. 81864:359-81864:359.

9411300297 LER 94-006-00:on 941023,violation of TS 6.2 shift manning occurred.Caused by misunderstanding of control room area boundaries.Administrative procedure SO123-0-30 revised.W/ 941118 ltr.
KRIEGER,R.W. Southern California Edison Co. 94/11/18. 7pp. 81912:172-81912:178.

V. Operator Examinations

9411020008 Informs that on 941005,NRC administered GFES of written operator licensing exam & facility did not participate in exam.Forwards copy of master exam w/ answer key.W/o encl.
GWYNN,T.P. Region 4 (Post 820201). 94/10/26. RAY,H.B. Southern California Edison Co. 2pp. 81528:052-81528:053.

9411290193 Summary of 941110 meeting w/utis re training & operator licensing issues.List of attendees,meeting agenda & handouts encl.
GWYNN,T.P. Region 4 (Post 820201). 94/11/22. Region 4 (Post 820201). 27pp. 81869:003-81869:029.

DOCKET 50-362 SAN ONOFRE NUCLEAR STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9411030241 Revised EPIPs,including Rev 1.TCN 1-1 to S023-VIII-50.3,Rev 6 to S0123-VIII-0.301,Rev 8 to S0123-VIII-10,Rev 3.TCN 3-1 to S0123-VIII-10.1,Rev 1.TCN 1-1 to S0123-VIII-10.2 & Rev 11.TCN 11-1 to S0123-VIII-30.1.W/941024 ltr.
MARSH,W.C. Southern California Edison Co. 94/10/24. 355pp. 81634:001-81634:355.

9411170217 SONGS emergency plan table of contents,list of effective pages & list of apps.
* Southern California Edison Co. 94/11/17. 4pp. 81826:351-81826:354.

G. Adjudicatory correspondence

9411090183 Ack receipt of 940919 ltr.to Chairman Selin,requesting that NRC convince State of CA Public Utils Commission to close facility to save lives.Forwards notice being filed w/FR re request.
RUSSELL,W.T. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/28. DEAN,R.M. Affiliation Not Assigned. 3pp. 81666:245-81666:250.

-9411090189 Receipt of petition for Director's Decision under 10CFR2.206.
RUSSELL,W.T. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/28. 2pp. 81666:248-81666:249.

-9411090197 Discusses State of CA Public Utils Commission request to close SONGS facility at earliest possible moment to save countless lives.
DEAN,R.M. Affiliation Not Assigned. 94/09/19. THE CHAIRMAN, SELIN,I Commissioners (Post 750119). pp. 81666:250-81666:250.

H. General correspondence

9411100186 Responds to constituent,RM Dean 940824 ltr re request to close plant based on constituent assertions that no emergency plan exist at facility to evacuate city residents of San Clemente,per 10CFR2.206 requirements.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 94/11/04. FEINSTEIN,D. Senate. 7pp. 81725:021-81725:027.

M. Antitrust correspondence

9411210158 Forwards application,requesting authorization from Public Utilities Commission of State of CA to implement plan of reorganization which will result in holding company structure.
MESERVE,R.A. Covington & Burling. 94/11/15. Document Control Branch (Document Control Desk). 158pp. 81809:039-81809:196.

P. Operating license stage documents & correspondence

9411070210 Forwards amends 113 & 102 to licenses NPF-10 & NPF-15, respectively & safety evaluation.Amends revise TS 3.2.1, "Linear Heat Rate & TS 3.2.4, "DNBR Margin" to distinguish between core operating limit supervisory sys in/out of svcs.
FIELDS,M.B. Project Directorate IV-2. 94/10/27. RAY,H.B. Southern California Edison Co. GULES,E.A. San Diego Gas & Electric Co. 4pp. 81713:327-81713:347.

-9411070221 Amends 113 & 102 to licenses NPF-10 & NPF-15, respectively, revising TS 3.2.1, "Linear Heat Rate" & TS 3.2.4, "DNBR Margin."
FIELDS,M.B. Project Directorate IV-2. 94/10/27. 28pp. 81713:331-81713:347.

-9411070224 Safety evaluation supporting amends 113 & 102 to licenses NPF-10 & NPF-15, respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/27. 7pp. 81658:033-81658:039.

9411080225 Informs of 941129 meeting w/utis in Rockville,MD re seismic hazard issues of IPEEE project for plant.
FIELDS,M.B. Project Directorate IV-2. 94/10/27. QUAY,T.R. Project Directorate IV-2. 3pp. 81658:276-81658:278.

9411220185 Notification of licensee meeting w/utis on 941130 to discuss MOU w/California Public Utility Commission,procedural compliance,maint program,outage planning & control room supervision.
BEACH,A.B. Region 4 (Post 820201). 94/11/16. Region 4 (Post 820201). 5pp. 81799:057-81799:061.

Q. Inspection reports, IE Bulletins & correspondence

9410140257 Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Matls Events to NRC Operations Ctr."
BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.

9410200153 NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts."
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81658:001-81658:013.

9411070193 Ack receipt of 940811 ltr informing NRC of steps taken to correct violations noted in insp repts 50-361/94-16 & 50-362/94-16.
GWYNN,T.P. Region 4 (Post 820201). 94/10/27. RAY,H.R. Southern California Edison Co. 5pp. 81605:308-81605:318.

9411080006 Ack receipt of 941017 ltr informing NRC of steps taken to correct violations noted in insp repts 50-361/94-20 & 50-362/94-20 on 940920.
PERKINS,K.E. Walnut Creek Field Ofc, RA (Post 940404). 94/10/31. RAY,H.B. Southern California Edison Co. 3pp. 81627:326-81627:328.

9411160052 Forwards insp repts 50-361/94-21 & 50-362/94-21 on 940814-0924 & notice of violation.
BEACH,A.B. Region 4 (Post 820201). 94/11/09. RAY,H.B. Southern California Edison Co. 5pp. 81746:144-81746:175.

-9411160067 Insp repts 50-361/94-21 & 50-362/94-21 on 940814-0924. Violations noted.Major areas inspected:operational safety verification,onsite followup of events,maint & surveillance observations.
WONG,H.J. Region 4 (Post 820201). 94/11/07. 26pp. 81746:150-81746:175.

9411220136 Requests replacing pages 1 & 2 to App of insp repts 50-361/94-19 & 50-362/94-19 w/corrected pages encl.
COLLINS,S.J. Region 4 (Post 820201). 94/11/09. RAY,H.B. Southern California Edison Co. 5pp. 81798:211-81798:217.

-9411220142 Corrected pages 1 & 2 to App of insp repts 50-361/94-19 & 50-362/94-19.
MURRAY,B. Region 4 (Post 820201). 94/10/31. 2pp. 81798:216-81798:217.

9411090300 NRC Bulletin 94-002, "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride."
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.

9411180054 Requests addl info be provided to complete review of second 10-year interval inservice insp Program Plan & associated requests for relief from ASME B&PV Code Section XI requirements for plants.
FIELDS,M.B. Project Directorate IV-2. 94/11/14. RAY,H.B. Southern California Edison Co. GULES,E.A. San Diego Gas & Electric Co. 5pp. 81782:142-81782:147.

9411100237 NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment."
GRIMES,B.K. 94/11/17. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.

110 DOCKETED ITEMS

9411150578 NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation." GRIMES, B.K. 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.

9411280239 Responds to 940912 telcon providing NRC resolution of operational concerns identified in NRC Info Notice 89-052. MARSH, W.C. Southern California Edison Co. 94/11/22. Document Control Branch (Document Control Desk). 2pp. 81885:186-81885:187.

9411300030 Transmits "Inservice Testing Program Second Ten-Year Interval San Onofre Units 2 & 3 Pump Relief Request 13 & 14." MARSH, W.C. Southern California Edison Co. 94/11/22. Document Control Branch (Document Control Desk). 2pp. 81925:086-81925:097.

-9411300036 "Inservice Testing Program Second Ten-Year Interval San Onofre Units 2 & 3 Pump Relief Requests 13 & 14." Southern California Edison Co. 94/11/22. 8pp. 81925:088-81925:097.

9411170039 NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping." GRIMES, B.K. 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.

9411170279 NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys." GRIMES, B.K. 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.

9411170284 NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results." PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.

R. Periodic operating reports & related correspondence

9411080070 Forwards August 1994 National Pollutant Discharge Elimination Sys Discharge Monitoring Repts for San Onofre Nuclear Generating Station Units 1 & 3. MARSH, W.C. Southern California Edison Co. 94/10/28. Document Control Branch (Document Control Desk). 1p. 81717:312-81717:316.

-9411080066 "NPDES Discharge Monitoring Rept For San Onofre Unit 3," for month of Aug 1994. NEWTON, H.W. Southern California Edison Co. 94/10/03. COE, A.L. California, State of. 2pp. 81717:315-81717:316.

9411250017 Monthly operating repts for Oct 1994 for San Onofre Nuclear Generating Station. W/941108 ltr. KAPLAN, R.L., MARSH, W.C. Southern California Edison Co. 94/10/31. 13pp. 81889:136-81889:148.

S. Reportable occurrences, LERs & related correspondence

9411220413 Special rept on 941029, util removed primary & secondary meteorological towers from svc for planned equipment upgrades to improve sys reliability. MARSH, W. Southern California Edison Co. 94/11/08. Document Control Branch (Document Control Desk). 1p. 81864:359-81864:359.

V. Operator Examinations

9411020008 Informs that on 941005, NRC administered GFES of written operator licensing exam & facility did not participate in exam. Forwards copy of master exam w/ answer key. W/o encl. GWYNN, T.P. Region 4 (Post 820201). 94/10/26. RAY, H.B. Southern California Edison Co. 2pp. 81528:052-81528:053.

9411290193 Summary of 941110 meeting w/utis re training & operator licensing issues. List of attendees, meeting agenda & handouts encl. GWYNN, T.P. Region 4 (Post 820201). 94/11/22. Region 4 (Post 820201). 27pp. 81869:003-81869:029.

DOCKET 50-364 JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9411030092 Forwards insp repts 50-348/94-23 & 50-364/94-23 on 940919-23. No violations or deviations noted. CLINE, W.E. Region 2 (Post 820201). 94/10/19. MOREY, D.N. Southern Nuclear Operating Co. 3pp. 81560:076-81560:091.

-9411030105 Insp repts 50-348/94-23 & 50-364/94-23 on 940919-23. No violations noted. Major areas inspected to assess operational readiness of site emergency preparedness program for EPA protective manual of protective action & program changes. GOODEN, A. Region 2 (Post 820201). 94/10/17. 13pp. 81560:079-81560:091.

9411100252 Emergency plan on-call schedule. HILL, R.D. Southern Nuclear Operating Co. 94/10/24. 13pp. 81728:314-81728:326.

9411030003 Forwards summary of workshops held w/US Army Corps of Engineers & licensee representatives conducted at each of four regional ofcs. W/o encl. SIEGEL, B.L. Project Directorate II-1. 94/10/26. MOREY, D.N. Southern Nuclear Operating Co. 3pp. 81607:177-81607:179.

9411210015 Forwards insp repts 50-348/94-24 & 50-364/94-24 on 940912-1016 & notice of violation. Violation of concern because violation had been identified by NRC, existed for long time & involved individual holders of procedures. CHRISTENSEN, H. Region 2 (Post 820201). 94/11/08. MOREY, D.N. Southern Nuclear Operating Co. 3pp. 81784:075-81784:101.

-9411210022 Insp repts 50-348/94-24 & 50-364/94-24 on 940912-1016. Violations noted. Major areas inspected: maint & surveillance, engineering & technical support, plant support, review of nonroutine events & emergency preparedness. ROSS, T.M., CANTRELL, F.S. Region 2 (Post 820201). 94/11/08. 22pp. 81784:080-81784:101.

9411220302 Rev 1 to EPIP FNP-O-EIP-27.1, "Alternate EOF Setup & Activation." W/941114 ltr. HUDESPETH, J.B. Southern Nuclear Operating Co. 94/11/14. 18pp. 81849:032-81849:049.

P. Operating license stage documents & correspondence

9411070162 Requests participation in 941108 meeting at Region II ofc in Atlanta, GA re GL 89-10 MOV programs. GIBSON, A.F. Region 2 (Post 820201). 94/10/12. MOREY, D.N. Southern Nuclear Operating Co. 2pp. 81605:217-81605:220.

9411180035 Forwards response to request for addl info re IPE. WOODARD, J.D. Southern Nuclear Operating Co. 94/11/09. Document Control Branch (Document Control Desk). 225pp. 81913:001-81913:233.

-9411290129 Plant "Phenomenological Evaluation Summary on Stream Explosions in Support of IPE." Fauske & Associates, Inc. FAI/91-44. 92/06/30. 54pp. 81914:177-81914:229.

-9411290137 Plant "Phenomenological Evaluation Summary on Direct Containment Heating in Support of IPE." Fauske & Associates, Inc. FAI/91-73. 92/06/30. 73pp. 81914:256-81914:327.

-9411290145 "Formulations of Debris Entrainment Processes" presented at Apr 1989 proceedings of ANS/ENS intl topical meeting on probability, reliability & safety assessment in Pittsburgh, PA. HENRY, R.E. Fauske & Associates, Inc. 89/04/30. 32pp. 81914:328-81914:360.

-9411290147 Plant "Phenomenological Evaluation Summary on Molten Core Concrete Interaction in Support of IPE." Fauske & Associates, Inc. FAI/91-56. 92/06/30. 70pp. 81915:001-81915:071.

-9411290163 Plant "Phenomenological Evaluation Summary on Probability & Consequences of Deflagration & Detonation of Hydrogen in Support of IPE." Fauske & Associates, Inc. FAI/91-58. 92/06/30. 67pp. 81915:072-81915:139.

-9411290166 Plant "Phenomenological Evaluation Summary on Thermal Loading of Containment Penetrations in Support of IPE." Fauske & Associates, Inc. FAI/91-62. 92/06/30. 42pp. 81915:140-81915:181.

-9411290170 Plant "Phenomenological Evaluation Summary on Containment Overpressurization in Support of IPE." Fauske & Associates, Inc. FAI/91-107. 93/03/31. 52pp. 81915:182-81915:233.

Q. Inspection reports, IE Bulletins & correspondence

9411030092 Forwards insp repts 50-348/94-23 & 50-364/94-23 on 940919-23. No violations or deviations noted. CLINE, W.E. Region 2 (Post 820201). 94/10/19. MOREY, D.N. Southern Nuclear Operating Co. 3pp. 81560:076-81560:091.

-9411030105 Insp repts 50-348/94-23 & 50-364/94-23 on 940919-23. No violations noted. Major areas inspected to assess operational readiness of site emergency preparedness program for EPA protective manual of protective action & program changes. GOODEN, A., BARR, K. Region 2 (Post 820201). 94/10/17. 13pp. 81560:079-81560:091.

9411040257 Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Matis Events to NRC Operations Ctr." BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.

9410200153 NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts." GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81658:001-81658:013.

9411210015 Forwards insp repts 50-348/94-24 & 50-364/94-24 on 940912-1016 & notice of violation. Violation of concern because violation had been identified by NRC, existed for long time & involved individual holders of procedures. CHRISTENSEN, H. Region 2 (Post 820201). 94/11/08. MOREY, D.N. Southern Nuclear Operating Co. 3pp. 81784:075-81784:101.

-9411210018 Notice of violation from insp on 940912-1016. Violation noted: large number of controlled plant procedures & drawings had not been complete nor up to date & contained superseded matter. Region 2 (Post 820201). 94/11/08. 2pp. 81784:078-81784:079.

-9411210022 Insp repts 50-348/94-24 & 50-364/94-24 on 940912-1016. Violations noted. Major areas inspected: maint & surveillance, engineering & technical support, plant support, review of nonroutine events & emergency preparedness. ROSS, T.M., MORGAN, M.J., SCOTT, M.A. Region 2 (Post 820201). 94/11/08. 22pp. 81784:080-81784:101.

941090300 NRC Bulletin 94-002, "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride." PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.

9411100237 NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment." GRIMES, B.K. 94/11/17. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.

9411290007 Forwards insp repts 50-348/94-27 & 50-364/94-27 on 941017-21. No violations noted. CRLENJAK, R.V. Region 2 (Post 820201). 94/11/18. MOREY, D.N. Southern Nuclear Operating Co. 3pp. 81857:017-81857:030.

—9411290010 Insp repts 50-348/94-27 & 50-364/94-27 on 941017-21. No violations noted. Major areas inspected: engineering & technical support activities, design changes & plant mod.
MILLER, M., CASTO, C. Region 2 (Post 820201). 94/11/16. 11pp. 81857:020-81857:030.

9411150578 NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation."
GRIMES, B.K. 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.

9411170039 NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping."
GRIMES, B.K. 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.

9411170279 NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys."
GRIMES, B.K. 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.

9411170284 NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results."
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.

R. Periodic operating reports & related correspondence

9411150485 Monthly operating repts for Oct 1994 for JM Farley Nuclear Plant Units 1 & 2 w/941110 ltr.
HILL, R.D., WOODARD, J.D. Southern Nuclear Operating Co. 94/10/31. 9pp. 81780:082-81780:090.

S. Reportable occurrences, LERs & related correspondence

9411070090 Final Part 21 rept 94-002A re three air start distributor cams cracking at plants. Cams replaced w/cams made using electric arc.
PRATIENNE, S.A. Coltec Industries, Inc. 94/05/01. Document Control Branch (Document Control Desk). 5pp. 81654:209-81654:213.

DOCKET 50-365 IMPERIAL CHEM. INDUS. RESEARCH REACTOR

Q. Inspection reports, IE Bulletins & correspondence

9411230125 Forwards response to violations noted in Insp Repts 50-254/94-21 & 50-265/94-21. Corrective actions initiated security investigation & all Sr-90 check sources removed from unrestricted use.
KRAFT, E.S. Commonwealth Edison Co. 94/11/16. Ofc of Enforcement (Post 870413). 5pp. 81833:099-81833:103.

DOCKET 50-366 EDWIN I. HATCH NUCLEAR PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9411040270 Advises that 941003 rev to physical security plan consistent w/provisions of 10CFR50.54(p) & acceptable.
COLLINS, D.M. Region 2 (Post 820201). 94/10/25. BECKHAM, J.T. Georgia Power Co. 3pp. 81658:334-81658:336.

9411290075 Concludes changes re rev 13 to emergency plan review, satisfactory & meets planning stds of 10CFR50.47(b) & requirements of App E to 10CFR50.
CLINE, W.E. Region 2 (Post 820201). 94/11/17. BECKHAM, J.T. Georgia Power Co. 3pp. 81858:248-81858:251.

9411290053 Forwards insp repts 50-321/94-26 & 50-366/94-26 on 941017-21 & notice of violation. Violations of concern because findings identified during insp appear to indicate lack of attention to detail by licensee employees.
CLINE, W.E. Region 2 (Post 820201). 94/11/18. BECKHAM, J.T. Georgia Power Co. 3pp. 81857:294-81857:322.

—9411290059 Notice of violation from insp on 941017-21. Violation noted: on 941019, several individuals observed by inspector to not survey personal articles nor notify health physics when PCMI alarm enunciated.
* Region 2 (Post 820201). 94/11/18. 3pp. 81857:297-81857:299.

—9411290062 Insp repts 50-321/94-26 & 50-366/94-26 on 941017-21. No violations noted. Major areas inspected: audits, appraisals, changes to organization & staffing, training & qualifications of personnel & external exposure control.
LOO, W.T. Region 2 (Post 820201). 94/11/18. 23pp. 81857:300-81857:322.

G. Adjudicatory correspondence

9411140151 FOIA request for documents re 930423 2.206 director's decision concerning facilities.
LAMBERSKI, J. Troutman Sanders (formerly Troutman, Sanders, Lockerman & Ashmore). 93/08/13. GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (890206-940714). 1p. 81732:070-81732:070.

H. General correspondence

9411230100 Responds to 941015 ltr to Chairman I Selin, requesting info on actions taken by NRC to address concerns raised by JA Fleming re emergency preparedness for nuclear power plants.
TAYLOR, J.M. Ofc of the Executive Director for Operations. 94/11/09. KERRY, J.F. Senate. 3pp. 81828:286-81828:323.

—9411230199 Requests addl info pertaining to emergency preparedness for each site listed.
FLEMING, J.A. Affiliation Not Assigned. 94/07/14. CHILK, S. Office of the Secretary of the Commission. 2pp. 81828:322-81828:323.

P. Operating license stage documents & correspondence

9411070238 Extends invitation to Region II licensees to participate w/ NRR & Region II representatives in discussion of GL 89-10 MOV programs.
GIBSON, A.F. Region 2 (Post 820201). 94/10/12. BECKHAM, J.T. Georgia Power Co. 4pp. 81606:001-81606:004.

9411040097 Forwards Rev F to improved TS, consisting of partial rev to 940225 amend request to convert current TS to improved TS consistent w/NUREG-1433. Rev result of site & generic effort to clarify LCO 3.0.4 & changes in position titles.
BECKHAM, J.T. Georgia Power Co. 94/10/19. Document Control Branch (Document Control Desk). 2pp. 81606:105-81606:220.

—9411040103 Proposed improved tech specs, rev F.
* Georgia Power Co. 94/10/19. 114pp. 81606:107-81606:220.

9411160141 Application for amends to licenses DPR-57 & NPF-5, converting TS to improved TS consistent w/NUREG-1433.
BECKHAM, J.T. Georgia Power Co. 94/11/01. Document Control Branch (Document Control Desk). 2pp. 81786:001-81787:159.

—9411160145 Proposed tech specs, converting current TSs to improved TS consistent w/NUREG-1433.
* Georgia Power Co. 94/11/01. 521pp. 81786:003-81787:159.

9411150405 Responds to 940711 GL 94-02 informing that procedure revs training described in 940908 ltr completed as of 941028.
BECKHAM, J.T. Georgia Power Co. 94/11/07. Document Control Branch (Document Control Desk). 2pp. 81781:086-81781:087.

9411250151 Forwards corrected pages showing chemistry factor for weld seam 301-871 to be 35.45 & deleting Note 6 from Attachment 2 of util 940701 response to GL 92-01. Rev 1, "Reactor Vessel Structural Integrity."
BECKHAM, J.T. Georgia Power Co. 94/11/16. Document Control Branch (Document Control Desk). 6pp. 81858:356-81858:361.

9411250069 Summary of 941102-03 meeting w/util in Rockville, MD to discuss plant TS conversion process & PC 940225 submittal to revise current plant TS. List of attendees & licensee handout encl.
JABBOUR, K.N. Project Directorate II-3. 94/11/18. Project Directorate II-3. 8pp. 81850:348-81850:355.

9411250056 Forwards environ assessment & finding of no significant impact re 940225 request to replace current TSs for plant w/set of TSs based on NUREG-1433, "Std TSs, General Electric Plants, BWR/4," dtd Sept 1992.
JABBOUR, K.N. Project Directorate II-3. 94/11/21. BECKHAM, J.T. Georgia Power Co. 3pp. 81852:096-81852:104.

—9411250063 Environ assessment & finding of no significant impact re consideration of issuance of amends to licenses DPR-57 & NPF-5, issued to util for operation of plant.
WHEELER, L.L. Project Directorate II-3. 94/11/21. 6pp. 81852:099-81852:104.

9411280027 Notification of 941207 meeting w/util in Birmingham, AL to discuss performance of equipment during degraded grid voltage setpoint condition at plant.
JABBOUR, K.N. Project Directorate II-3. 94/11/22. BERKOW, H.N. Project Directorate II-3. 4pp. 81852:131-81852:134.

9411280030 Notification of 941214 meeting w/util in Rockville, MD to discuss plans & key technical issues & design details for generic & plant-specific licensing activities re replacement of analog power range monitoring equipment.
JABBOUR, K.N. Project Directorate II-3. 94/11/23. BERKOW, H.N. Project Directorate II-3. 4pp. 81852:135-81852:138.

Q. Inspection reports, IE Bulletins & correspondence

9411010115 Ack receipt of 940923 ltr informing NRC of steps taken to correct violations noted in insp repts 50-321/94-16 & 50-366/94-16 on 940831.
SINKULE, M.V. Region 2 (Post 820201). 94/10/07. BECKHAM, J.T. Georgia Power Co. 3pp. 81514:295-81514:297.

9410140257 Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Matis Events to NRC Operations Ctr."
BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.

9410200153 NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts."
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81658:001-81658:013.

9411070046 Forwards insp repts 50-321/94-24 & 50-366/94-24 on 940904-30. No violations noted.
SINKULE, M.V. Region 2 (Post 820201). 94/10/26. BECKHAM, J.T. Georgia Power Co. 3pp. 81604:160-81604:176.

—9411070054 Insp repts 50-321/94-24 & 50-366/94-24 on 940904-30. No violations noted. Major areas inspected: operations, surveillance testing, review of maintenance activities, refueling activities & review of open items.
HOLBROOK, B.L., CHRISTNOT, E.F., SKINNER, P.H. Region 2 (Post 820201). 94/10/26. 14pp. 81604:163-81604:176.

9411090084 Forwards insp repts 50-321/94-25 & 50-366/94-25 on 941003-07. No violations identified.
CRLENJAK, R.V. Region 2 (Post 820201). 94/11/02. BECKHAM, J.T. Georgia Power Co. 3pp. 81639:183-81639:196.

—9411090092 Insp repts 50-321/94-25 & 50-366/94-24 on 941003-07. No violations noted. Major areas inspected: ISI review of ISI exam procedures & review of radiographic film.
COLEY, J.L., BLAKE, J.J. Region 2 (Post 820201). 94/11/01. 11pp. 81639:186-81639:196.

112 DOCKETED ITEMS

9411300046 Ack receipt of 941019 ltr informing NRC of steps taken to correct violations noted in insp repts 50-321/94-17 & 50-366/94-17.
PEEBLES,T.A. Region 2 (Post 820201). 94/11/02. BECKHAM,J.T. Georgia Power Co. 3pp. 81871:195-81871:197.

9411090300 NRC Bulletin 94-002, "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride."
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.

9411230197 Forwards SE accepting licensee 930217 response to suppl 1 of bulletin 90-01 for plant.
JABBOUR,K.N. Project Directorate II-3. 94/11/15. BECKHAM,J.T. Georgia Power Co. 3pp. 81841:144-81841:165.

-9411230230 Safety evaluation accepting licensee response to NRC bulletin 90-001, suppl 1.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/11/15. 2pp. 81841:147-81841:148.

-94110040241 "Technical Evaluation Rept; Evaluation of Util Response to Suppl 1 to NRC Bulletin 90-01: Hatch-1/-2."
MEYER,L.C., UDY,A.C. EG&G Idaho, Inc. MEYER,L.C. Idaho National Engineering Laboratory. FIN L-1695. EGG-DNSP-11489. 94/09/26. NRC - No Detailed Affiliation Given. 17pp. 81841:149-81841:165.

9411100237 NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment."
GRIMES,B.K. . 94/11/17. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.

9411290053 Forwards insp repts 50-321/94-26 & 50-366/94-26 on 941017-21 & notice of violation. Violations of concern because findings identified during insp appear to indicate lack of attention to detail by licensee employees.
CLINE,W.E. Region 2 (Post 820201). 94/11/18. BECKHAM,J.T. Georgia Power Co. 3pp. 81857:294-81857:322.

-9411290059 Notice of violation from insp on 941017-21. Violation noted: on 941019, several individuals observed by inspector to not survey personal articles nor notify health physics when PCMI alarm enunciated.
* Region 2 (Post 820201). 94/11/18. 3pp. 81857:297-81857:299.

-9411290062 Insp repts 50-321/94-26 & 50-366/94-26 on 941017-21. No violations noted. Major areas inspected: audits, appraisals, changes to organization & staffing, training & qualifications of personnel & external exposure control.
LOO,W.T., RANKIN,W.H. Region 2 (Post 820201). 94/11/18. 23pp. 81857:300-81857:322.

9411150578 NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation."
GRIMES,B.K. . 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.

9411170039 NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping."
GRIMES,B.K. . 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.

9411170279 NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys."
GRIMES,B.K. . 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.

9411170284 NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results."
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.

R. Periodic operating reports & related correspondence

9411150408 Monthly operating repts for Oct 1994 for El Hatch Nuclear Plant. W/941109 ltr.
TIDWELL,T.W., BECKHAM,J.T. Georgia Power Co. 94/10/31. 13pp. 81775:049-81775:061.

S. Reportable occurrences, LERs & related correspondence

9411070090 Final Part 21 rept 94-002A re three air start distributor cams cracking at plants. Cams replaced w/cams made using electric arc.
PRATIANNES,A. Coltec Industries, Inc. 94/06/01. Document Control Branch (Document Control Desk). 5pp. 81654:209-81654:213.

9411030227 LER 94-008-00: on 940928, less than adequate procedure occurred. Caused by personnel error on part of vendor personnel & on part of plant personnel. Procedures & training of personnel revised. W/941025 ltr.
TIPPS,S.B., BECKHAM,J.T. Georgia Power Co. 94/10/25. 11pp. 81619:050-81619:060.

9411070430 Special rept on 941007, discovered that required hourly fire watch patrol initiated for fire area 0040 on 920629 inappropriately terminated due to personnel error. Hourly fire watch patrol for affected area re-established.
BECKHAM,J.T. Georgia Power Co. 94/10/31. Document Control Branch (Document Control Desk). 5pp. 81663:110-81663:114.

V. Operator Examinations

9411090084 Forwards insp repts 50-321/94-25 & 50-366/94-25 on 941003-07. No violations identified.
CRLENJAK,R.V. Region 2 (Post 820201). 94/11/02. BECKHAM,J.T. Georgia Power Co. 3pp. 81639:183-81639:196.

-9411090092 Insp repts 50-321/94-25 & 50-366/94-24 on 941003-07. No violations noted. Major areas inspected: ISI review of ISI exam procedures & review of radiographic film.
COLEY,J.L. Region 2 (Post 820201). 94/11/01. 11pp. 81639:186-81639:196.

DOCKET 50-368 ARKANSAS NUCLEAR ONE, UNIT 2

F. Security, medical, emergency & fire protection plans

9407180094 Forwards scenario package for "1994 Radiological Emergency Preparedness Exercise." W/o encl.
BEMENT,R.S. Entergy Operations, Inc. 94/07/13. CALLAN,J. Region 4 (Post 820201). 2pp. 81665:189-81665:190.

9411020154 Submits proposed addition of emergency action levels. New EALs specifically address loss of annunciators & proposed as result of evaluation of NRC IN 93-047.
MIMS,D.C. Entergy Operations, Inc. 94/10/25. Document Control Branch (Document Control Desk). 4pp. 81590:100-81590:103.

9411220045 Forwards insp repts 50-313/94-23 & 50-368/94-23 on 941024-28. Violation noted but not cited.
COLLINS,S.J. Region 4 (Post 820201). 94/11/18. YELVERTON,J.W. Entergy Operations, Inc. 5pp. 81796:271-81796:292.

-9411220053 Insp repts 50-313/94-23 & 50-368/94-23 on 941024-28. No violations noted. Major areas inspected: operational status, of emergency preparedness program, emergency plans, emergency facilities & training.
MURRAY,B. Region 4 (Post 820201). 94/11/19. 17pp. 81796:276-81796:292.

9411300336 Rev 8 to Procedure/Work Plan 1903.067, "Emergency Response Facility-EOF."
* Entergy Operations, Inc. 94/11/22. 86pp. 81909:001-81909:086.

9411300340 Rev 13 to Procedure/Work Plan 1903.062, "Communications Sys Operating Procedure."
* Entergy Operations, Inc. 94/11/22. 16pp. 81910:001-81910:016.

9411300342 Rev 7 to Procedure/Work Plan 1903.066, "Emergency Response Facility OSC."
* Entergy Operations, Inc. 94/11/22. 59pp. 81909:145-81909:203.

K. Utility Final Safety Analysis Report (FSAR) & amends

9410280079 Forwards proprietary & non-proprietary, "Amend 12 to ANO-2 Updated Safety Analysis Rept." Proprietary portion withheld.
YELVERTON,J.W. Entergy Operations, Inc. 94/10/21. Document Control Branch (Document Control Desk). 12pp. 81591:001-81602:003.

-9411010068 "Amend 12 to ANO-2 USAR."
* Entergy Operations, Inc. 94/10/21. 1,800pp. 81591:013-81602:003.

P. Operating license stage documents & correspondence

9411030310 Ltr contract, task order 36, to "IPE Reviews, Internal Events, Front End Only," for facility.
MACE,M. Division of Contracts (Post 940714). NRC-04-91-066. 94/09/08. COLINA,I. Science & Engineering Associates, Inc. 10pp. 81608:043-81608:052.

9411030175 Ltr contract, definitizing Task Order 37, to "IPE Reviews, Internal Events-Human Reliability Analysis Only."
MACE,M.H. Division of Contracts (Post 940714). FIN L-1934. 94/09/12. HAAS,P.M. Concord Associates, Inc. 12pp. 81607:251-81607:262.

9411070312 Forwards corrected amend 149 to license NPF-6, consisting of TS page 6-13.
KALMAN,G. Project Directorate IV-1. 94/11/01. YELVERTON,J.W. Entergy Operations, Inc. 3pp. 81623:320-81623:323.

-9411070326 Correction to amend 149 to license NPF-6, incorporating TS page 6-13.
* Project Directorate IV-1. 94/11/01. 1p. 81623:323-81623:323.

Q. Inspection reports, IE Bulletins & correspondence

9410140257 Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Matis Events to NRC Operations Ctr."
BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.

9411020154 Submits proposed addition of emergency action levels. New EALs specifically address loss of annunciators & proposed as result of evaluation of NRC IN 93-047.
MIMS,D.C. Entergy Operations, Inc. 94/10/25. Document Control Branch (Document Control Desk). 4pp. 81590:100-81590:103.

9410200153 NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts."
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81658:001-81658:013.

9411070299 Clarifies util intention to not install replacement breakers in next practical refueling outage for ANO Unit 2, per concern raised re circuitry isolation during electrical distribution sys functional insp of facility.
MIMS,D.C. Entergy Operations, Inc. 94/11/02. Document Control Branch (Document Control Desk). 2pp. 81654:020-81654:021.

9411150002 Responds to violations noted in insp repts 50-313/94-20 & 50-368/94-20. Corrective actions: procedures revised to control ECP level.
MIMS,D.C. Entergy Operations, Inc. 94/11/04. Document Control Branch (Document Control Desk). 6pp. 81780:295-81780:300.

9411150122 Responds to NRC ltr re violations noted in insp repts 50-313/94-07 & 50-368/94-07 on 940724-0903. Corrective actions: requests extension for responding to violation until 941216.
MIMS,D.C. Entergy Operations, Inc. 94/11/04. Document Control Branch (Document Control Desk). 3pp. 81775:095-81775:097.

9411170277 Discusses insp repts 50-313/94-20 & 50-368/94-20 on 940725-29 & 0808-12 & forwards notice of violation.
GWYNN,T.P. Region 4 (Post 820201). 94/11/09. YELVERTON,J.W. Entergy Operations, Inc. 4pp. 81800:219-81800:226.

9411170002 Forwards insp repts 50-313/94-08 & 50-368/94-08 on 940904-1015 & notice of violation.
BEACH,A.B. Region 4 (Post 820201). 94/11/10. YELVERTON,J.W. Entergy Operations, Inc. 6pp. 81760:023-81760:050.

-9411170005 Notice of violation from insp on 940904-1015. Violations noted: licensee had not verified within last 18 months that EDG could energize swing HPSI pump 2P-89C through all time delay relay contacts during simulated LOOP.
* Region 4 (Post 820201). 94/11/10. 2pp. 81760:029-81760:030.

-9411170011 Insp repts 50-313/94-08 & 50-368/94-08 on 940904-1015. Violations noted. Major areas inspected: resident insp that addressed operational safety verification, monthly maint observation, onsite engineering & plant support activities.
VANDENBURGH,C. Region 4 (Post 820201). 94/11/10. 21pp. 81760:031-81760:050.

9411090300 NRC Bulletin 94-002, "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride."
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.

9411220056 Ack receipt of 941020 ltr informing NRC of steps taken to correct violation in insp repts 50-313/94-16 & 50-368/94-16.
COLLINS,S.J. Region 4 (Post 820201). 94/11/15. YELVERTON,J.W. Entergy Operations, Inc. 3pp. 81796:320-81796:328.

9411100237 NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment."
GRIMES,B.K. . 94/11/17. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.

9411220045 Forwards insp repts 50-313/94-23 & 50-368/94-23 on 941024-28. Violation noted but not cited.
COLLINS,S.J. Region 4 (Post 820201). 94/11/18. YELVERTON,J.W. Entergy Operations, Inc. 5pp. 81796:271-81796:292.

-9411220053 Insp repts 50-313/94-23 & 50-368/94-23 on 941024-28. No violations noted. Major areas inspected: operational status, of emergency preparedness program, emergency plans, emergency facilities & training.
MURRAY,B. Region 4 (Post 820201). 94/11/19. 17pp. 81796:276-81796:292.

9411250202 Forwards response to violations noted in Insp Repts 50-313/94-18 & 50-368/94-18. Corrective actions: licensee notification communicators provided training on clarification on use of DEF/VIS fax machine.
MIMS,D.C. Entergy Operations, Inc. 94/11/18. Document Control Branch (Document Control Desk). 4pp. 81866:235-81866:238.

9411150578 NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation."
GRIMES,B.K. . 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.

9411170039 NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping."
GRIMES,B.K. . 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.

9411170279 NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys."
GRIMES,B.K. . 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.

9411170284 NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results."
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.

R. Periodic operating reports & related correspondence

9411220299 "ANO Unit 2 10CFR50.59 Rept" for period 930122-940423.W/ 941118 ltr.
MIMS,D.C. Entergy Operations, Inc. 94/04/23. 128pp. 81842:216-81842:343.

9411210387 Monthly operating rept for Oct 1994 for ANO-Unit 2. W/941115 ltr.
WHITT,M.S., MIMS,D.C. Entergy Operations, Inc. 94/10/31. 7pp. 81837:145-81837:151.

S. Reportable occurrences, LERs & related correspondence

9411090349 LER 94-004-00: on 941007, surveillance testing of one HP SI pump did not verify operability as required by TS due to procedure deficiencies. Individuals from several sites reviewed all 4160V SR schemes. W/941104 ltr.
SCOTT,T.F., MIMS,D.C. Entergy Operations, Inc. 94/11/04. 7pp. 81732:011-81732:017.

9411300290 Forwards Rev 1 to LER 94-001 re excise nuclear instrumentation. Rev revises commitment re future post-maint testing method used to verify continuity of cable connectors.
MIMS,D.C. Entergy Operations, Inc. 94/11/21. Document Control Branch (Document Control Desk). 2pp. 81912:148-81912:155.

-9411300293 LER 94-001-01: on 940312. TS requirements for logarithmic power level instrumentation operability not met due to inadequate post-maint test. Post-maint test for other channels tested during outage in progress revised.
SCOTT,T.F. Entergy Operations, Inc. 94/11/21. 6pp. 81912:150-81912:155.

V. Operator Examinations

9411070084 Informs that arrangements made for administration of licensing exam at plant. per 941021 telcon. Util should furnish ref matts identified as attachment 2 of ES-201 in order to prepare for exams scheduled for wk of 950206.
GWYNN,T.P. Region 4 (Post 820201). 94/10/28. YELVERTON,J.W. Entergy Operations, Inc. 4pp. 81604:339-81604:342.

9411080211 Forwards info requested by NRC Administrative Ltr 94-12, "Operator Licensing Exam Schedule," including number of operator licensing candidates to be tested for FY95-98.
MIMS,D.C. Entergy Operations, Inc. 94/11/02. Document Control Branch (Document Control Desk). 3pp. 81678:354-81678:357.

9411220397 Ack receipt of 940720 ltr re GL 88-20, suppl 4, "Individual Plant Exam of External Events for Severe Accident Vulnerabilities-10CFR50.54(f)." Informs that NRC unable to endorse revised approach to perform seismic exam.
KALMAN,G. Project Directorate IV-1. 94/11/17. YELVERTON,J.W. Entergy Operations, Inc. 4pp. 81817:357-81817:360.

9411290193 Summary of 941110 meeting w/utis re training & operator licensing issues. List of attendees, meeting agenda & handouts encl.
GWYNN,T.P. Region 4 (Post 820201). 94/11/22. Region 4 (Post 820201). 27pp. 81869:003-81869:029.

DOCKET 50-369 WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9411030024 Forwards insp repts 50-369/94-21 & 50-370/94-21 on 940912-16. No violations noted.
CLINE,W.E. Region 2 (Post 820201). 94/10/07. MCMEKIN,T.C. Duke Power Co. 3pp. 81561:089-81561:099.

-9411030032 Insp repts 50-369/94-21 & 50-370/94-21 on 940912-16. No violations noted. Major areas inspected: CR emergency ventilation sys, meteorological instrumentation & training.
JONES,D.W., DECKER,T.R. Region 2 (Post 820201). 94/10/03. 8pp. 81561:092-81561:099.

9411230071 Forwards public version of revised EIPs, including EIP index. Change 0 to RP/O/A/5700/01, Change 0 to RP/O/A/5700/02, Change 0 to RP/O/A/5700/03, Change 0 to RP/O/A/5700/04, Change 0 to RP/O/A/5700/10 & RP/O/A/5700/20. W/941121 release memo.
MCMEKIN,T.C. Duke Power Co. 94/10/10. Document Control Branch (Document Control Desk). 3pp. 81829:001-81829:218.

-9411230076 Public version of revised EIPs, including EIP index. Change 0 to RP/O/A/5700/01, Change 0 to RP/O/A/5700/02, Change 0 to RP/O/A/5700/03, Change 0 to RP/O/A/5700/04, Change 0 to RP/O/A/5700/10 & Change 0 to RP/O/A/5700/20.
GILBERT,G., HASTY,R. Duke Power Co. 94/10/10. 215pp. 81829:004-81829:218.

9411020288 Rev 94-4 to "McGuire Nuclear Site Emergency Plan." W/941025 ltr.
MCMEKIN,T.C. Duke Power Co. 94/10/25. 25pp. 81589:087-81589:111.

9411180062 Forwards public version of revised EIPs, including EIP index. Change 0 to RP/O/A/5700/00, Change 0 to RP/O/A/5700/12, Change 0 to RP/O/A/5700/13 & Rev 8 to EP Group Section 1.1. W/941115 ltr encl.
MCMEKIN,T.C. Duke Power Co. 94/10/25. Document Control Branch (Document Control Desk). 3pp. 81788:149-81788:292.

-9411180071 Public version of revised EIPs, including EIP index. Change 0 to RP/O/A/5700/00, Change 0 to RP/O/A/5700/12, Change 0 to RP/O/A/5700/13 & Rev 8 to EP Group Section 1.1.
GILBERT,G. Duke Power Co. 94/10/24. 140pp. 81788:152-81788:292.

9411090218 Confirms arrangement for 941114-16 safety audit to be performed by NRC & FERC for storage pond dam & dike at plant. Audit will focus on safety of dam & dike including operation, maint & any emergency planning aspects.
NERSES,V. Project Directorate II-3. 94/11/03. MCMEKIN,T.C. Duke Power Co. 4pp. 81666:329-81666:332.

9411210402 Advises that 940701 Rev 0 to physical security & contingency plan consistent w/provisions of 10CFR50.54(p) & acceptable. Some changes require clarification as delineated in encl & discussed in telcon on 941109. Encl withheld, per 10CFR73.21.
COLLINS,D.M. Region 2 (Post 820201). 94/11/09. MCMEKIN,T.C. Duke Power Co. 3pp. 81864:220-81864:223.

9411290072 Concludes that changes re rev 94-3 to emergency plan meet planning stds for 10CFR50.47(b) & requirements of App E to 10CFR50.
CLINE,W.E. Region 2 (Post 820201). 94/11/17. MCMEKIN,T.C. Duke Power Co. 3pp. 81857:358-81857:360.

P. Operating license stage documents & correspondence

9411070089 Extends invitation to participate in discussion of GL 89-10 MOV programs on 941108 in Atlanta, GA. Forwards meeting agenda.
GIBSON,A.F. Region 2 (Post 820201). 94/10/12. MCMEKIN,T.C. Duke Power Co. 4pp. 81604:349-81604:352.

9411020139 Forwards SE re inservice testing program relief requests for pumps & valves. IST program relief requests granted, approved or authorized acceptable for implementation provided action items identified in section 5 of TER addressed.
BERKOW,H.N. Project Directorate II-3. 94/10/21. MCMEKIN,T.C. Duke Power Co. 4pp. 81570:192-81570:323.

-9411020183 SE re IST program requests for relief. Relief requests evaluated & modified by SE will provide reasonable assurance of operational readiness of pumps & valves to perform safety-related functions.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/21. 10pp. 81570:199-81570:205.

-9411020197 "Technical Evaluation Rept: Pumps & Valves Inservice Testing Program, McGuire Nuclear Station, Units 1 & 2. Duke Power Co."
DIBASIO,A., DAVIS,J., FRESCO,A. Brookhaven National Laboratory. FIN L-2301. 94/09/30. Division of Engineering (Post 921004). 117pp. 81570:206-81570:323.

9411020229 Forwards rev 6 to Core Operating Limits Rept for McGuire unit 1 cycle 10.
CANADY,K.S. Duke Power Co. 94/10/25. Document Control Branch (Document Control Desk). 1p. 81589:329-81589:335.

114 DOCKETED ITEMS

- 9411020233 Rev 2 to MCEI-0400-46, "McGuire Unit 1 Cycle 10 Core Operating Limits Rept," Oct 1994.
* Duke Power Co. MCEI-0400-46. 94/10/25. 6pp. 81589:330-81589:335.
- 9411090122 Informs that staff unable to grant request for relief 93-GO-1 because item-by-item list of welds & insp requirements & technical basis to support safety evaluation of proposal had not been provided.
BERKOW,H.N. Project Directorate II-3. 94/10/26. TUCKMAN,M.S. Duke Power Co. 4pp. 81667:294-81667:297.
- 9411040250 Forwards amends 150 & 132 to licenses NPF-9 & NPF-17 & safety evaluation. Amends submitted as result of NRC recommendations pertaining to GL 90-06 for operated relief valves & block valves LTOP sys.
NERSES,V. Project Directorate II-3. 94/10/27. MCMEKIN,T.C. Duke Power Co. 3pp. 81628:310-81628:329.
- 9411040257 Amends 150 & 132 to licenses NPF-9 & NPF-17, respectively, submitted as result of NRC recommendations pertaining to GL 90-06 for power operated relief valves & block valves & LTOP sys.
BERKOW,H.N. Project Directorate II-3. 94/10/27. 11pp. 81628:313-81628:323.
- 9411040260 Safety evaluation supporting amends 150 & 132 to licenses NPF-9 & NPF-17, respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/27. 6pp. 81628:324-81628:329.
- 9411080131 Informs of intention to modify schedule for MNS GL 89-10 program, extending current 941228 committed date for Group 1 valves to 950719 & improving schedule from 981228 to 950719 for Group 2 valves.
MCMEKIN,T.C. Duke Power Co. 94/10/28. Document Control Branch (Document Control Desk). 4pp. 81677:252-81677:255.
- 9411080163 Forwards response to request for addl info re Rosemount Technical Bulletin #4.
MCMEKIN,T.C. Duke Power Co. 94/10/28. Document Control Branch (Document Control Desk). 3pp. 81677:353-81677:355.
- 9411080239 Application for amends to licenses NPF-9,NPF-17,NPF-35 & NPF-52, deleting App B, environ protection plan & modifying portion of License Condition 2.C.(2) so as to delete portion which refers to environ protection plan.
TUCKMAN,M.S. Duke Power Co. 94/11/02. Document Control Branch (Document Control Desk). 34pp. 81717:268-81717:311.
- 9411090218 Confirms arrangement for 941114-16 safety audit to be performed by NRC & FERC for storage pond dam & dike at plant. Audit will focus on safety of dam & dike including operation, maint & any emergency planning aspects.
NERSES,V. Project Directorate II-3. 94/11/03. MCMEKIN,T.C. Duke Power Co. 4pp. 81666:329-81666:332.
- 9411220223 Forwards amends 151 & 133 to licenses NPF-9 & NPF-17 & safety evaluation. Amends revise TS testing interval for AFW sys pumps from monthly to quarterly.
NERSES,V. Project Directorate II-3. 94/11/09. MCMEKIN,T.C. Duke Power Co. 3pp. 81817:334-81817:346.
- 9411220231 Amends 151 & 133 to licenses NPF-9 & NPF-17, respectively, revising TS testing interval for AFW sys pumps from monthly to quarterly.
BERKOW,H.N. Project Directorate II-3. 94/11/09. 9pp. 81817:337-81817:344.
- 9411220237 Safety evaluation supporting amends 151 & 133 to licenses NPF-9 & NPF-17, respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/11/09. 2pp. 81817:345-81817:346.
- 9411220286 Forwards revised Table 4.4-5, indicating capsule number V has been removed as opposed to will be removed at 7 EFPPY as previously stated in 921028 application for amends to licenses NPF-9 & NPF-17 in response to GL 91-01.
MCMEKIN,T.C. Duke Power Co. 94/11/09. Document Control Branch (Document Control Desk). 5pp. 81849:067-81849:073.
- 9411220288 Proposed tech spec table 4.4-5, indicating capsule number V has been removed as opposed to will be removed at 7 EFPPY.
* Duke Power Co. 94/11/09. 2pp. 81849:072-81849:073.
- 9411300070 Confirms arrangements made w/J Snyder re 941121 meeting w/util at plant concerning progress of projects for improving performance.
BOGER,B.A. Region 2 (Post 820201). 94/11/09. MCMEKIN,T.C. Duke Power Co. 3pp. 81871:280-81871:282.
- 9411180110 Forwards notice of withdrawal of 930623 application for amend to licenses NPF-9 & NPF-17, modifying TS re containment leakage, penetration M-441 bellows, per 941013 ltr.
NERSES,V. Project Directorate II-3. 94/11/10. MCMEKIN,T.C. Duke Power Co. 3pp. 81782:192-81782:195.
- 9411180136 Notice of withdrawal of 930623 application for amend to licenses NPF-9 & NPF-17, revising TS 3.6.1.2 re containment leakage, penetration M-441 bellows.
NERSES,V. Project Directorate II-3. 94/11/10. 1P. 81782:195-81782:195.
- 9411230109 Forwards amends 152 & 134 to licenses NPF-9 & NPF-17, respectively & safety evaluation. Amends revise TS to eliminate compliance conflict that arises when swapping centrifugal charging pumps in modes 4.5 & 6.
NERSES,V. Project Directorate II-3. 94/11/17. MCMEKIN,T.C. Duke Power Co. 3pp. 81829:336-81829:352.
- 9411230112 Amends 152 & 134 to licenses NPF-9 & NPF-17, respectively, revising TS to eliminate compliance conflict that arises when swapping centrifugal charging pumps in modes 4.5 & 6.
WHEELER,L.L. Project Directorate II-3. 94/11/17. 12pp. 81829:339-81829:350.
- 9411230116 Safety evaluation supporting amends 152 & 134 to licenses NPF-9 & NPF-17, respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/11/17. 2pp. 81829:351-81829:352.
- 9411300191 Forwards corrected amends 150 & 132 to licenses NPF-9 & NPF-17, respectively, to correct typos on TS pages 3/4 4-10, 3/4 4-10a, 3/4 4-37, 3/4 4-38 & B 3/4 4-3a.
NERSES,V. Project Directorate II-3. 94/11/22. MCMEKIN,T.C. Duke Power Co. 8pp. 81903:090-81903:097.

- 9412010168 Corrected amends 150 & 132 to licenses NPF-9 & NPF-17, respectively, correcting TS pages that contained typos.
* Project Directorate II-3. 94/11/22. 5pp. 81903:093-81903:097.

Q. Inspection reports, IE Bulletins & correspondence

- 9411030024 Forwards insp repts 50-369/94-21 & 50-370/94-21 on 940912-16. No violations noted.
CLINE,W.E. Region 2 (Post 820201). 94/10/07. MCMEKIN,T.C. Duke Power Co. 3pp. 81561:089-81561:099.
- 9411030032 Insp repts 50-369/94-21 & 50-370/94-21 on 940912-16. No violations noted. Major areas inspected: CR emergency ventilation sys, meteorological instrumentation & training.
JONES,D.W., DECKER,T.R. Region 2 (Post 820201). 94/10/03. 8pp. 81561:092-81561:099.
- 9411010088 Forwards insp repts 50-369/94-20 & 50-370/94-20 on 940821-0924. No violations noted.
SINKULE,M.V. Region 2 (Post 820201). 94/10/12. MCMEKIN,T.C. Duke Power Co. 3pp. 81514:221-81514:238.
- 9411010094 Insp repts 50-369/94-20 & 50-370/94-20 on 940821-0924. No violations noted. Major areas inspected: plant operations, maint, engineering, plant support & follow-up on previous insp findings.
MAXWELL,G.F., SINKULE,M.V. Region 2 (Post 820201). 94/10/12. 13pp. 81514:224-81514:238.
- 9410140257 Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Matis Events to NRC Operations Ctr."
BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.
- 9410200153 NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts."
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81658:001-81658:013.
- 9411070396 Responds to NRC 940929 ltr re violation noted in Insp Repts 50-369/94-18 & 50-370/94-18. Corrective actions: outage testing for affected Unit 2 components will be completed by end of 2EOC9 refueling outage.
MCMEKIN,T.C. Duke Power Co. 94/10/27. Document Control Branch (Document Control Desk). 3pp. 81663:100-81663:102.
- 9411210062 Ack receipt of 941019 ltr informing NRC of steps taken to correct violations noted in insp repts 50-369/94-15 & 50-370/94-15 on 940919.
SINKULE,M.V. Region 2 (Post 820201). 94/11/02. MCMEKIN,T.C. Duke Power Co. 3pp. 81784:353-81784:355.
- 9411210044 Forwards insp repts 50-369/94-23 & 50-370/94-23 on 941003-21 & notice of violations.
CRLENJAK,R.V. Region 2 (Post 820201). 94/11/09. MCMEKIN,T.C. Duke Power Co. 3pp. 81784:204-81784:220.
- 9411210049 Notice of violation from insp on 941003-21. Violations noted: design changes accomplished not subj to design control measures commensurate w/those applied to original design.
* Region 2 (Post 820201). 94/11/09. 2pp. 81784:207-81784:208.
- 9411210057 Insp repts 50-369/94-23 & 50-370/94-23 on 941003-21. Violations noted. Major areas inspected: electrical main activity from 1993-1994 & licensee status on implementation SBO rule.
MOORE,R., SHYMLOCK,M.B. Region 2 (Post 820201). 94/11/07. pp. 81784:209-81784:220.
- 9411210055 Ack receipt of 941102 ltr informing NRC of steps taken to correct violations noted in insp repts 50-369/94-18 & 50-370/94-18.
CASTO,C.A. Region 2 (Post 820201). 94/11/10. MCMEKIN,T.C. Duke Power Co. 3pp. 81784:309-81784:311.
- 9411090300 NRC Bulletin 94-002, "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride."
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.
- 9411100237 NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment."
GRIMES,B.K. 94/11/17. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.
- 9411150578 NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation."
GRIMES,B.K. 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.
- 9411300077 Forwards insp repts 50-369/94-17 & 50-370/94-17 on 941003-07 & 941024-28 & notice of violation.
PEEBLES,T.A. Region 2 (Post 820201). 94/11/22. MCMEKIN,T.C. Duke Power Co. 3pp. 81871:293-81871:304.
- 9411300085 Notice of violation from insp on 941003-28. Violation noted: NRC licensed operator was given annual physical in which operator eyesight did not meet min stds required by 10CFR55.33.
* Region 2 (Post 820201). 94/11/22. 2pp. 81871:296-81871:297.
- 9411300092 Insp repts 50-369/94-17 & 50-370/94-17 on 941003-07 & 941024-28. Violations noted. Major areas inspected: licensed operator requalification program.
LEA,E., LAWYER,L.L. Region 2 (Post 820201). 94/11/21. 7pp. 81871:298-81871:304.
- 9411170039 NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping."
GRIMES,B.K. 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.

9411170279 NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys." GRIMES,B.K. 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.

9411170284 NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results." PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.

R. Periodic operating reports & related correspondence

9411250132 Forwards monthly operating repts for Oct 1994 for McGuire Nuclear Station & revised repts for Sept 1994. WEBER,R.L. Duke Power Co. 94/11/15. Document Control Branch (Document Control Desk). 2pp. 81889:036-81889:048.

-9411250133 Monthly operating repts for Oct 1994 for McGuire Nuclear Station. WILLIAMS,R.A. Duke Power Co. 94/10/31. 10pp. 81889:038-81889:047.

-9411250134 Revised monthly operating repts for Sept 1994 for McGuire Nuclear Station. * Duke Power Co. 94/09/30. 1p. 81889:048-81889:048.

S. Reportable occurrences, LERs & related correspondence

9411300348 Special Rept SR-94-05: on 941024, Channel 3 of vibration & loose parts monitoring sys declared inoperable due to noise. Channel 3 of V&LPM will be repaired under WR 94043758 or replaced by NSM MG-12096 during outage 1EOC10. MCMEKIN,T.C. Duke Power Co. 94/11/22. Document Control Branch (Document Control Desk). 3pp. 81906:359-81906:361.

9411300373 LER 94-007-00: on 941024, DG 1B experienced inadvertent manual start due to unknown, possible equipment malfunction. DG circuitry investigated to validate that no problems exist & determined that no ESF signal occurred. W/941122 ltr. DEESE,R.J., MCMEKIN,T.C. Duke Power Co. 94/11/22. 6pp. 81912:201-81912:206.

V. Operator Examinations

9411080229 Responds to Administrative Ltr 94-12, "Operator Licensing Natl Exam Schedule." TUCKMAN,M.S. Duke Power Co. 94/11/04. Document Control Branch (Document Control Desk). 5pp. 81679:205-81679:209.

9411300077 Forwards insp repts 50-369/94-17 & 50-370/94-17 on 941003-07 & 941024-28 & notice of violation. PEEBLES,T.A. Region 2 (Post 820201). 94/11/22. MCMEKIN,T.C. Duke Power Co. 3pp. 81871:293-81871:304.

-9411300085 Notice of violation from insp on 941003-28. Violation noted: NRC licensed operator was given annual physical in which operator eyesight did not meet min stds required by 10CFR55.33. * Region 2 (Post 820201). 94/11/22. 2pp. 81871:296-81871:297.

-9411300092 Insp repts 50-369/94-17 & 50-370/94-17 on 941003-07 & 941024-28. Violations noted. Major areas inspected: licensed operator requalification program. LEAE,E., LAWYER,L.L. Region 2 (Post 820201). 94/11/21. 7pp. 81871:298-81871:304.

DOCKET 50-370 WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9411030024 Forwards insp repts 50-369/94-21 & 50-370/94-21 on 940912-16. No violations noted. CLINE,W.E. Region 2 (Post 820201). 94/10/07. MCMEKIN,T.C. Duke Power Co. 3pp. 81561:089-81561:099.

-9411030032 Insp repts 50-369/94-21 & 50-370/94-21 on 940912-16. No violations noted. Major areas inspected: CR emergency ventilation sys, meteorological instrumentation & training. JONES,D.W. Region 2 (Post 820201). 94/10/03. 8pp. 81561:092-81561:099.

9411230071 Forwards public version of revised EIPs, including EIP index, Change 0 to RP/O/A/5700/01, Change 0 to RP/O/A/5700/02, Change 0 to RP/O/A/5700/03, Change 0 to RP/O/A/5700/04, Change 0 to RP/O/A/5700/10 & RP/O/A/5700/20. W/941121 release memo. MCMEKIN,T.C. Duke Power Co. 94/10/10. Document Control Branch (Document Control Desk). 3pp. 81829:001-81829:218.

-9411230076 Public version of revised EIPs, including EIP index, Change 0 to RP/O/A/5700/01, Change 0 to RP/O/A/5700/02, Change 0 to RP/O/A/5700/03, Change 0 to RP/O/A/5700/04, Change 0 to RP/O/A/5700/10 & Change 0 to RP/O/A/5700/20. GILBERT,G., HASTY,R. Duke Power Co. 94/10/10. 215pp. 81829:004-81829:218.

9411200288 Rev 94-4 to "McGuire Nuclear Site Emergency Plan." W/941025 ltr. MCMEKIN,T.C. Duke Power Co. 94/10/25. 25pp. 81589:087-81589:111.

9411180062 Forwards public version of revised EIPs, including EIP index, Change 0 to RP/O/A/5700/00, Change 0 to RP/O/A/5700/12, Change 0 to RP/O/A/5700/13 & Rev 8 to EP Group Section 1.1. W/941115 ltr encl. MCMEKIN,T.C. Duke Power Co. 94/10/25. Document Control Branch (Document Control Desk). 3pp. 81788:149-81788:292.

-9411180071 Public version of revised EIPs, including EIP index, Change 0 to RP/O/A/5700/00, Change 0 to RP/O/A/5700/12, Change 0 to RP/O/A/5700/13 & Rev 8 to EP Group Section 1.1. GILBERT,G. Duke Power Co. 94/10/24. 140pp. 81788:152-81788:292.

9411090218 Confirms arrangement for 941114-16 safety audit to be performed by NRC & FERC for storage pond dam & dike at plant. Audit will focus on safety of dam & dike including operation, maint & any emergency planning aspects. NERSES,V. Project Directorate II-3. 94/11/03. MCMEKIN,T.C. Duke Power Co. 4pp. 81666:329-81666:332.

9411210402 Advises that 940701 Rev 0 to physical security & contingency plan consistent w/provisions of 10CFR50.54(p) & acceptable. Some changes require clarification as delineated in encl & discussed in telcon on 941109. Encl withheld, per 10CFR73.21. COLLINS,D.M. Region 2 (Post 820201). 94/11/09. MCMEKIN,T.C. Duke Power Co. 3pp. 81864:220-81864:223.

9411290072 Concludes that changes re rev 94-3 to emergency plan meet planning stds for 10CFR50.47(b) & requirements of App E to 10CFR50. CLINE,W.E. Region 2 (Post 820201). 94/11/17. MCMEKIN,T.C. Duke Power Co. 3pp. 81857:358-81857:360.

P. Operating license stage documents & correspondence

9411070089 Extends invitation to participate in discussion of GL 89-10 MOV programs on 941108 in Atlanta, GA. Forwards meeting agenda. GIBSON,A.F. Region 2 (Post 820201). 94/10/12. MCMEKIN,T.C. Duke Power Co. 4pp. 81604:349-81604:352.

9411020139 Forwards SE re inservice testing program relief requests for pumps & valves. IST program relief requests granted, approved or authorized acceptable for implementation provided action items identified in section 5 of TER addressed. BERKOW,H.N. Project Directorate II-3. 94/10/21. MCMEKIN,T.C. Duke Power Co. 4pp. 81570:192-81570:323.

-9411020183 SE re IST program requests for relief. Relief requests evaluated & modified by SE will provide reasonable assurance of operational readiness of pumps & valves to perform safety-related functions. * Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/21. 10pp. 81570:199-81570:205.

-9411020197 "Technical Evaluation Rept: Pumps & Valves Inservice Testing Program, McGuire Nuclear Station, Units 1 & 2. Duke Power Co." DIBIASIO,A., DAVIS,J., FRESCO,A. Brookhaven National Laboratory. FIN L-2301. 94/09/30. Division of Engineering (Post 921004). 117pp. 81570:206-81570:323.

9411090122 Informs that staff unable to grant request for relief 93-GO-1 because item-by-item list of welds & insp requirements & technical basis to support safety evaluation of proposal had not been provided. BERKOW,H.N. Project Directorate II-3. 94/10/26. TUCKMAN,M.S. Duke Power Co. 4pp. 81667:294-81667:297.

9411040250 Forwards amends 150 & 132 to licenses NPF-9 & NPF-17 & safety evaluation. Amends submitted as result of NRC recommendations pertaining to GL 90-06 for operated relief valves & block valves LTOP sys. NERSES,V. Project Directorate II-3. 94/10/27. MCMEKIN,T.C. Duke Power Co. 3pp. 81628:310-81628:329.

-9411040257 Amends 150 & 132 to licenses NPF-9 & NPF-17, respectively, submitted as result of NRC recommendations pertaining to GL 90-06 for power operated relief valves & block valves & LTOP sys. BERKOW,H.N. Project Directorate II-3. 94/10/27. 11pp. 81628:313-81628:323.

-9411040260 Safety evaluation supporting amends 150 & 132 to licenses NPF-9 & NPF-17, respectively. * Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/27. 6pp. 81628:324-81628:329.

9411080131 Informs of intention to modify schedule for MNS GL 89-10 program, extending current 941228 committed date for Group 1 valves to 950719 & improving schedule from 981228 to 950719 for Group 2 valves. MCMEKIN,T.C. Duke Power Co. 94/10/28. Document Control Branch (Document Control Desk). 4pp. 81677:252-81677:255.

9411080163 Forwards response to request for addl info re Rosemount Technical Bulletin #4. MCMEKIN,T.C. Duke Power Co. 94/10/28. Document Control Branch (Document Control Desk). 3pp. 81677:353-81677:355.

9411080239 Application for amends to licenses NPF-9, NPF-17, NPF-35 & NPF-52, deleting App B, environ protection plan & modifying portion of License Condition 2.C.(2) so as to delete portion which refers to environ protection plan. TUCKMAN,M.S. Duke Power Co. 94/11/02. Document Control Branch (Document Control Desk). 34pp. 81717:268-81717:311.

9411090218 Confirms arrangement for 941114-16 safety audit to be performed by NRC & FERC for storage pond dam & dike at plant. Audit will focus on safety of dam & dike including operation, maint & any emergency planning aspects. NERSES,V. Project Directorate II-3. 94/11/03. MCMEKIN,T.C. Duke Power Co. 4pp. 81666:329-81666:332.

9411220223 Forwards amends 151 & 133 to licenses NPF-9 & NPF-17 & safety evaluation. Amends revise TS testing interval for AFW sys pumps from monthly to quarterly. NERSES,V. Project Directorate II-3. 94/11/09. MCMEKIN,T.C. Duke Power Co. 3pp. 81817:334-81817:346.

-9411220231 Amends 151 & 133 to licenses NPF-9 & NPF-17, respectively, revising TS testing interval for AFW sys pumps from monthly to quarterly. BERKOW,H.N. Project Directorate II-3. 94/11/09. 9pp. 81817:337-81817:344.

-9411220237 Safety evaluation supporting amends 151 & 133 to licenses NPF-9 & NPF-17, respectively. * Office of Nuclear Reactor Regulation, Director (Post 870411). 94/11/09. 2pp. 81817:345-81817:346.

9411220286 Forwards revised Table 4.4-5, indicating capsule number V has been removed as opposed to will be removed at 7 EFY as previously stated in 921028 application for amends to licenses NPF-9 & NPF-17 in response to GL 91-01. MCMEKIN,T.C. Duke Power Co. 94/11/09. Document Control Branch (Document Control Desk). 5pp. 81849:067-81849:073.

-9411220288 Proposed tech spec table 4.4-5, indicating capsule number V has been removed as opposed to will be removed at 7 EFY. * Duke Power Co. 94/11/09. 2pp. 81849:072-81849:073.

116 DOCKETED ITEMS

9411300070 Confirms arrangements made w/J Snyder re 941121 meeting w/util at plant concerning progress of projects for improving performance.
BOGER,B.A. Region 2 (Post 820201). 94/11/09. MCMEKIN,T.C. Duke Power Co. 3pp. 81871:280-81871:282.

9411180110 Forwards notice of withdrawal of 930623 application for amend to licenses NPF-9 & NPF-17, modifying TS re containment leakage, penetration M-441 bellows, per 941013 ltr.
NERSES,V. Project Directorate II-3. 94/11/10. MCMEKIN,T.C. Duke Power Co. 3pp. 81782:192-81782:195.

-9411180136 Notice of withdrawal of 930623 application for amend to licenses NPF-9 & NPF-17, revising TS 3.6.1.2 re containment leakage, penetration M-441 bellows.
NERSES,V. Project Directorate II-3. 94/11/10. 1P. 81782:195-81782:195.

9411230109 Forwards amends 152 & 134 to licenses NPF-9 & NPF-17, respectively & safety evaluation. Amends revise TS to eliminate compliance conflict that arises when swapping centrifugal charging pumps in modes 4,5 & 6.
NERSES,V. Project Directorate II-3. 94/11/17. MCMEKIN,T.C. Duke Power Co. 3pp. 81829:336-81829:352.

-9411230112 Amends 152 & 134 to licenses NPF-9 & NPF-17, respectively, revising TS to eliminate compliance conflict that arises when swapping centrifugal charging pumps in modes 4,5 & 6.
WHEELER,L.L. Project Directorate II-3. 94/11/17. 12pp. 81829:339-81829:350.

-9411230116 Safety evaluation supporting amends 152 & 134 to licenses NPF-9 & NPF-17, respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/11/17. 2pp. 81829:351-81829:352.

9411300191 Forwards corrected amends 150 & 132 to licenses NPF-9 & NPF-17, respectively, to correct typos on TS pages 3/4 4-10, 3/4 4-10a, 3/4 4-37, 3/4 4-38 & B 3/4 4-3a.
NERSES,V. Project Directorate II-3. 94/11/22. MCMEKIN,T.C. Duke Power Co. 8pp. 81903:090-81903:097.

-9412010168 Corrected amends 150 & 132 to licenses NPF-9 & NPF-17, respectively, correcting TS pages that contained typos.
* Project Directorate II-3. 94/11/22. 5pp. 81903:093-81903:097.

Q. Inspection reports, IE Bulletins & correspondence

9411030024 Forwards insp repts 50-369/94-21 & 50-370/94-21 on 940912-16. No violations noted.
CLINE,W.E. Region 2 (Post 820201). 94/10/07. MCMEKIN,T.C. Duke Power Co. 3pp. 81561:089-81561:099.

-9411030032 Insp repts 50-369/94-21 & 50-370/94-21 on 940912-16. No violations noted. Major areas inspected: CR emergency ventilation sys., meteorological instrumentation & training.
JONES,D.W., DECKER,T.R. Region 2 (Post 820201). 94/10/03. 8pp. 81561:092-81561:099.

9411010088 Forwards insp repts 50-369/94-20 & 50-370/94-20 on 940821-0924. No violations noted.
SINKULE,M.V. Region 2 (Post 820201). 94/10/12. MCMEKIN,T.C. Duke Power Co. 3pp. 81514:221-81514:238.

-9411010094 Insp repts 50-369/94-20 & 50-370/94-20 on 940821-0924. No violations noted. Major areas inspected: plant operations, maint., engineering, plant support & followup on previous insp findings.
MAXWELL,G.F., SINKULE,M.V. Region 2 (Post 820201). 94/10/12. 13pp. 81514:224-81514:238.

9410140257 Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Matis Events to NRC Operations Ctr."
BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.

9410200153 NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts."
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81658:001-81658:013.

9411070396 Responds to NRC 940929 ltr re violation noted in Insp Repts 50-369/94-18 & 50-370/94-18. Corrective actions: outage testing for affected Unit 2 components will be completed by end of 2EOC9 refueling outage.
MCMEKIN,T.C. Duke Power Co. 94/10/27. Document Control Branch (Document Control Desk). 3pp. 81663:100-81663:102.

9411210062 Ack receipt of 941019 ltr informing NRC of steps taken to correct violations noted in insp repts 50-369/94-15 & 50-370/94-15 on 940919.
SINKULE,M.V. Region 2 (Post 820201). 94/11/02. MCMEKIN,T.C. Duke Power Co. 3pp. 81784:353-81784:355.

9411210044 Forwards insp repts 50-369/94-23 & 50-370/94-23 on 941003-21 & notice of violations.
CRLENJAK,R.V. Region 2 (Post 820201). 94/11/09. MCMEKIN,T.C. Duke Power Co. 3pp. 81784:204-81784:220.

-9411210049 Notice of violation from insp on 941003-21. Violations noted: design changes accomplished not subj to design control measures commensurate w/those applied to original design.
* Region 2 (Post 820201). 94/11/09. 2pp. 81784:207-81784:208.

-9411210057 Insp repts 50-369/94-23 & 50-370/94-23 on 941003-21. Violations noted. Major areas inspected: electrical main activity from 1993-1994 & licensee's status on implementation SBO rule.
MOORE,R., SHYMLOCK,M.B. Region 2 (Post 820201). 94/11/07. pp. 81784:209-81784:220.

9411210055 Ack receipt of 941102 ltr informing NRC of steps taken to correct violations noted in insp repts 50-369/94-18 & 50-370/94-18.
CASTO,C.A. Region 2 (Post 820201). 94/11/10. MCMEKIN,T.C. Duke Power Co. 3pp. 81784:309-81784:311.

9411090300 NRC Bulletin 94-002, "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride."
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.

9411100237 NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment."
GRIMES,B.K. . 94/11/17. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.

9411150578 NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation."
GRIMES,B.K. . 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.

9411300077 Forwards insp repts 50-369/94-17 & 50-370/94-17 on 941003-07 & 941024-28 & notice of violation.
PEEBLES,T.A. Region 2 (Post 820201). 94/11/22. MCMEKIN,T.C. Duke Power Co. 3pp. 81871:293-81871:304.

-9411300085 Notice of violation from insp on 941003-28. Violation noted: NRC licensed operator was given annual physical in which operator eyesight did not meet min stds required by 10CFR55.33.
* Region 2 (Post 820201). 94/11/22. 2pp. 81871:296-81871:297.

-9411300092 Insp repts 50-369/94-17 & 50-370/94-17 on 941003-07 & 941024-28. Violations noted. Major areas inspected: licensed operator requalification program.
LEA,E. LAWYER,L.L. Region 2 (Post 820201). 94/11/21. 7pp. 81871:298-81871:304.

9411170039 NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping."
GRIMES,B.K. . 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.

9411170279 NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys."
GRIMES,B.K. . 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.

9411170284 NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results."
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.

R. Periodic operating reports & related correspondence

9411250132 Forwards monthly operating repts for Oct 1994 for McGuire Nuclear Station & revised repts for Sept 1994.
WEBER,R.L. Duke Power Co. 94/11/15. Document Control Branch (Document Control Desk). 2pp. 81889:036-81889:048.

-9411250133 Monthly operating repts for Oct 1994 for McGuire Nuclear Station.
WILLIAMS,R.A. Duke Power Co. 94/10/31. 10pp. 81889:038-81889:047.

-9411250134 Revised monthly operating repts for Sept 1994 for McGuire Nuclear Station.
* Duke Power Co. 94/09/30. 1p. 81889:048-81889:048.

V. Operator Examinations

9411080229 Responds to Administrative Ltr 94-12, "Operator Licensing Natl Exam Schedule."
TUCKMAN,M.S. Duke Power Co. 94/11/04. Document Control Branch (Document Control Desk). 5pp. 81679:205-81679:209.

9411300077 Forwards insp repts 50-369/94-17 & 50-370/94-17 on 941003-07 & 941024-28 & notice of violation.
PEEBLES,T.A. Region 2 (Post 820201). 94/11/22. MCMEKIN,T.C. Duke Power Co. 3pp. 81871:293-81871:304.

-9411300085 Notice of violation from insp on 941003-28. Violation noted: NRC licensed operator was given annual physical in which operator eyesight did not meet min stds required by 10CFR55.33.
* Region 2 (Post 820201). 94/11/22. 2pp. 81871:296-81871:297.

-9411300092 Insp repts 50-369/94-17 & 50-370/94-17 on 941003-07 & 941024-28. Violations noted. Major areas inspected: licensed operator requalification program.
LEA,E. Region 2 (Post 820201). 94/11/21. 7pp. 81871:298-81871:304.

DOCKET 50-373 LASALLE COUNTY STATION, UNIT 1

C. Utility Environmental Report (ER), amends & correspondence

9411070008 Ack receipt of 940915 & 941014 ltrs informing NRC of steps taken to correct violations noted in insp repts 50-373/94-13 & 50-374/94-13 re unqualified individual filling ER position during actual event.
GREENMAN,E.G. Region 3 (Post 820201). 94/10/30. QUERIO,R.E. Commonwealth Edison Co. 2pp. 81604:013-81604:028.

F. Security, medical, emergency & fire protection plans

9411030237 Revised EIPs, including Rev 19 to LZP-1110-1, Rev 50 to LZP-1320-1 & Rev 7 to LZP-1530-1.
* Commonwealth Edison Co. 94/10/04. 51pp. 81645:297-81645:347.

9411070071 Revised Corporate EIPs (CEIP), including Rev 7 to CEIP-3103-01 & Rev 8 to CEIP-3104-01.
SCOTT,D.J. Commonwealth Edison Co. 94/10/05. 19pp. 81654:188-81654:208.

9411030225 Revised Corporate EIPs (CEIP) including Rev 2 to CEIP-321-01, Rev 3 to CEIP-3303-01, Rev 3 to CEIP-3304-01, Rev 3 to CEIP-3404-01 & Rev 3 to CEIP-3505-01.
PAVEY, M. Commonwealth Edison Co. 94/10/06. 65pp. 81606:221-81606:285.

9411230094 Rev 1 to EIP LEP-1550-13, "Ambulance Emergency Kit Quarterly Surveillance."
Commonwealth Edison Co. 94/10/31. 5pp. 81849:321-81849:325.

9411210293 Submits response to NRC request for addl info re proposed use of corporate EOF as interim EOF to perform emergency response functions until near site can be staffed.
JOHNSON, I.M. Commonwealth Edison Co. 94/11/15. Document Control Branch (Document Control Desk). 22pp. 81833:332-81833:353.

9411230315 Forwards request for addl info to complete NRR review of fire barrier matl as ref in util 940908 test rept submittal, "Test Rept for 1 H Fire Test on Darmatt KM1 Fire Barrier Sys for Site Configuration at Plant."
RECKLEY, W.D. Project Directorate III-2. 94/11/17. FARRAR, D.L. Commonwealth Edison Co. 5pp. 81826:346-81826:350.

9411300211 Forwards response to 940919 RAI re proposed use of corporate EOF (CEO) as interim EOF, including analysis of EOF functions applicable to CEO as interim EOF.
JOHNSON, I.M. Commonwealth Edison Co. 94/11/22. Office of Nuclear Reactor Regulation, Director (Post 870411). 77pp. 81908:092-81908:169.

H. General correspondence

9411090146 Responds to 940825 ltr expressing concerns re util mod of security force organization at nuclear facilities. NRC will evaluate future changes to security plans at nuclear facilities to ensure that plans remain effective.
CAPRA, R.A. Project Directorate III-2. 94/11/04. RUSSELL, D. Affiliation Not Assigned. 4pp. 81715:225-81715:229.

-9411090155 Informs of concern re CE decision to reduce security force NPGS. Notes security already reduced 20% & terrorist threat to US higher than any time in recent history. Pleads that mod to security be stopped.
RUSSELL, D. Affiliation Not Assigned. 94/08/25. THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 1p. 81715:229-81715:229.

P. Operating license stage documents & correspondence

9411070310 Forwards notice of withdrawal of application for amend to TS re testing of SGTS & control room charcoal adsorption beds, per 940927 request.
RECKLEY, W.D. Project Directorate III-2. 94/11/02. FARRAR, D.L. Commonwealth Edison Co. 3pp. 81713:351-81713:355.

-9411070313 Notice of withdrawal of application of amend to licenses NPF-11 & NPF-18, revising TS re testing of SGTS & control room charcoal adsorption beds.
RECKLEY, W.D. Project Directorate III-2. 94/11/02. 2pp. 81713:354-81713:355.

9411100011 Confirms discussion between P Brochman & M McInerney re routine mgt meeting in Lisle, IL on 941110 to discuss status of station performance improvement initiatives.
GREENMAN, E.G. Region 3 (Post 820201). 94/11/02. QUERIO, R.E. Commonwealth Edison Co. 1p. 81672:259-81672:259.

9411090142 Notification of 941206 meeting w/util & NRC in Rockville, MD to discuss performance of licensee plants.
DICK, G.F. Project Directorate III-2. 94/11/04. CAPRA, R.A. Project Directorate III-2. 4pp. 81715:221-81715:224.

9411160050 Forwards rept on site visit to review implementation of maint rule at station for review & info. Rept identifies strengths & weaknesses w/program at site.
SHAFFER, W.D. Region 3 (Post 820201). 94/11/07. DONNELLY, P.M. Consumers Power Co. 2pp. 81746:131-81746:141.

9411180274 Forwards tentative schedule re fuel vendor transition for Post-1995 reloads for info & resource planning purposes.
BENES, G.G. Commonwealth Edison Co. 94/11/14. Document Control Branch (Document Control Desk). 2pp. 81830:346-81830:347.

9411210245 Submits response to NRC request for addl info re GL 89-10. Info provided in 4 Attachments. Attachment A provides summary of methods, results of reprioritization & margin review effort for util MOV population.
FARRAR, D.L. Commonwealth Edison Co. 94/11/15. Document Control Branch (Document Control Desk). 54pp. 81837:034-81837:087.

9411230315 Forwards request for addl info to complete NRR review of fire barrier matl as ref in util 940908 test rept submittal, "Test Rept for 1 H Fire Test on Darmatt KM1 Fire Barrier Sys for Site Configuration at Plant."
RECKLEY, W.D. Project Directorate III-2. 94/11/17. FARRAR, D.L. Commonwealth Edison Co. 5pp. 81826:346-81826:350.

9411300204 Forwards Relief Request RI-31 from ASME Section XI, IWD-5223, changing required Class 3 sys elevated pressure hydrostatic tests to functional or ISTs through remainder of first 10 yr insp interval.
BENES, G.G. Commonwealth Edison Co. 94/11/22. Document Control Branch (Document Control Desk). 3pp. 81951:284-81951:286.

Q. Inspection reports, IE Bulletins & correspondence

9410140257 Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Matis Events to NRC Operations Ctr."
BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.

9411090378 Provides two repts re insp conducting 940711-0805 re FY93 Semi-Annual Effluent Repts.
RAY, D.J. Commonwealth Edison Co. 94/10/20. Region 3 (Post 820201). 54pp. 81719:198-81719:251.

9410200153 NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts."
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81658:001-81658:013.

9411020064 Responds to NRC 940927 ltr re violations noted in insp repts 50-373/94-16 & 50-374/94-16 on 940709-0819. Corrective actions: procedure LYP 1200-1, has been submitted for rev to correct weak procedural instructions.
QUERIO, R.E. Commonwealth Edison Co. 94/10/27. Document Control Branch (Document Control Desk). 10pp. 81588:342-81588:351.

9411220093 Forwards insp repts 50-373/94-17 & 50-374/94-17 on 940820-1007 & notice of violation.
GREENMAN, E.G. Region 3 (Post 820201). 94/11/09. QUERIO, R. Commonwealth Edison Co. 3pp. 81799:001-81799:040.

-9411220098 Notice of violation from insp on 940820-1007. Violation noted: licensee did not promptly identify, nor take proper actions to correct flow measuring orifices, which were installed backwards.
Region 3 (Post 820201). 94/11/09. 2pp. 81799:004-81799:005.

-9411220101 Insp repts 50-373/94-17 & 50-374/94-17 on 940820-1007. Violations noted. Major areas inspected: plant operations, maint, engineering & plant support.
CLAYTON, B. Region 3 (Post 820201). 94/11/09. 18pp. 81799:006-81799:040.

9411090300 NRC Bulletin 94-002, "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride."
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.

9411100237 NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment."
GRIMES, B.K. 94/11/17. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.

9411150578 NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation."
GRIMES, B.K. 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.

9411300204 Forwards Relief Request RI-31 from ASME Section XI, IWD-5223, changing required Class 3 sys elevated pressure hydrostatic tests to functional or ISTs through remainder of first 10 yr insp interval.
BENES, G.G. Commonwealth Edison Co. 94/11/22. Document Control Branch (Document Control Desk). 3pp. 81951:284-81951:286.

9411170039 NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping."
GRIMES, B.K. 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.

9411170279 NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys."
GRIMES, B.K. 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.

9411170284 NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results."
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.

R. Periodic operating reports & related correspondence

9411170314 Monthly operating repts for LaSalle County Nuclear Power Station Units 1 & 2, W/941111 ltr.
CIALKOWSKI, M., RAY, D.J. Commonwealth Edison Co. 94/10/31. 17pp. 81793:283-81793:299.

S. Reportable occurrences, LERs & related correspondence

9411090339 LER 94-007-00: on 941003, div 1, group 2 & 4 primary containment & reactor bldg ventilation isolation signal occurred. Caused by blown fuse. Fuse replaced. W/941102 ltr.
BEJLOVE, W., RAY, D.J. Commonwealth Edison Co. 94/11/02. 6pp. 81719:328-81719:333.

9411210290 LER 94-010-01: on 940705, Unit 1 scrambled from power level of core thermal power. Caused by loss of feed flow to reactor pressure vessel. 1C34-K653B circuit card replaced. W/941102 ltr.
OTLEWIS, J., RAY, D.J. Commonwealth Edison Co. 94/11/02. 4pp. 81864:129-81864:132.

9411210111 Interim Part 21 Rept 94-12 re Limitorque actuator potential motor pinion key failure. Comm Ed issued guidelines to six nuclear stations on methods for properly installing motor pinion keys.
JOHNSON, I.M. Commonwealth Edison Co. 94/11/11. Office of Nuclear Reactor Regulation, Director (Post 870411). 5pp. 81831:127-81831:131.

V. Operator Examinations

9411040264 Forwards exam answer key for forms A & B, grading results, & individual answer sheets for each individual taking exam from facility. Requests results be forwarded to individuals w/answer sheets. W/o encls.
RING, M.A. Region 3 (Post 820201). 94/10/27. Consumers Power Co. 1p. 81586:001-81586:001.

9411300218 Forwards NRC summarized guidance that clarifies requirements for maintaining individual operator licenses, entitled, "Clarification of Maint & Reactivation Requirements for Individual Operator Licenses."
RING, M.A. Region 3 (Post 820201). 94/11/18. Affiliation Not Assigned. 3pp. 81872:341-81872:343.

118 DOCKETED ITEMS

DOCKET 50-374 LASALLE COUNTY STATION, UNIT 2

C. Utility Environmental Report (ER), amends & correspondence

9411070008 Ack receipt of 940915 & 941014 ltrs informing NRC of steps taken to correct violations noted in insp repts 50-373/94-13 & 50-374/94-13 re unqualified individual filling ER position during actual event.
GREENMAN,E.G. Region 3 (Post 820201). 94/10/30. QUERIO,R.E. Commonwealth Edison Co. 2pp. 81804:013-81804:028.

F. Security, medical, emergency & fire protection plans

9411030237 Revised EIPs,including Rev 19 to LZP-1110-1,Rev 50 to LZP-1320-1 & Rev 7 to LZP-1530-1.
* Commonwealth Edison Co. 94/10/04. 51pp. 81645:297-81645:347.

9411070071 Revised Corporate EIPs (CEPIP),including Rev 7 to CEPIP-3103-01 & Rev 8 to CEPIP-3104-01.
SCOTT,D.J. Commonwealth Edison Co. 94/10/05. 19pp. 81654:188-81654:208.

9411030225 Revised Corporate EIPs (CEPIP),including Rev 2 to CEPIP-321-01,Rev 3 to CEPIP-3303-01,Rev 3 to CEPIP-3304-01, Rev 3 to CEPIP-3404-01 & Rev 3 to CEPIP-3505-01.
PAVEY,M. Commonwealth Edison Co. 94/10/06. 65pp. 81606:221-81606:285.

9411230094 Rev 1 to EPIP LZP-1550-13, "Ambulance Emergency Kit Quarterly Surveillance."
* Commonwealth Edison Co. 94/10/31. 5pp. 81849:321-81849:325.

9411210293 Submits response to NRC request for addl info re proposed use of corporate EOF as interim EOF to perform emergency response functions until near site can be staffed.
JOHNSON,I.M. Commonwealth Edison Co. 94/11/15. Document Control Branch (Document Control Desk). 22pp. 81833:332-81833:353.

9411230315 Forwards request for addl info to complete NRR review of fire barrier matl as ref in util 940908 test rept submittal, "Test Rept for 1 H Fire Test on Darmatt KM1 Fire Barrier Sys for Site Configuration at Plant."
RECKLEY,W.D. Project Directorate III-2. 94/11/17. FARRAR,D.L. Commonwealth Edison Co. 5pp. 81826:346-81826:350.

9411300211 Forwards response to 940919 RAI re proposed use of corporate EOF (CEOF) as interim EOF,including analysis of EOF functions applicable to CEOF as interim EOF.
JOHNSON,I.M. Commonwealth Edison Co. 94/11/22. Office of Nuclear Reactor Regulation, Director (Post 870411). 77pp. 81908:092-81908:169.

H. General correspondence

9411090146 Responds to 940825 ltr expressing concerns re util mod of security force organization at nuclear facilities.NRC will evaluate future changes to security plans at nuclear facilities to ensure that plans remain effective.
CAPRA,R.A. Project Directorate III-2. 94/11/04. RUSSELL,D. Affiliation Not Assigned. 4pp. 81715:225-81715:229.

-9411090155 Informs of concern re CE decision to reduce security force NPGSSs. Notes security already reduced 20% & terrorist threat to US higher than any time in recent history. Pleads that mod to security be stopped.
RUSSELL,D. Affiliation Not Assigned. 94/08/25. THE CHAIRMAN Commissioners (Post 750119). 1p. 81715:229-81715:229.

P. Operating license stage documents & correspondence

9411070310 Forwards notice of withdrawal of application for amend to TS re testing of SGTS & control room charcoal adsorption beds, per 940927 request.
RECKLEY,W.D. Project Directorate III-2. 94/11/02. FARRAR,D.L. Commonwealth Edison Co. 3pp. 81713:351-81713:355.

-9411070313 Notice of withdrawal of application of amend to licenses NPF-11 & NPF-18, revising TS re testing of SGTS & control room charcoal adsorption beds.
RECKLEY,W.D. Project Directorate III-2. 94/11/02. 2pp. 81713:354-81713:355.

9411100011 Confirms discussion between P Brochman & M McInerney re routine mgt meeting in Lisle,IL on 941110 to discuss status of station performance improvement initiatives.
GREENMAN,E.G. Region 3 (Post 820201). 94/11/02. QUERIO,R.E. Commonwealth Edison Co. 1p. 81672:259-81672:259.

9411090142 Notification of 941206 meeting w/util & NRC in Rockville,MD to discuss performance of licensee plants.
DICK,G.F. Project Directorate III-2. 94/11/04. CAPRA,R.A. Project Directorate III-2. 4pp. 81715:221-81715:224.

9411160050 Forwards rept on site visit to review implementation of maint rule at station for review & info Rept identifies strengths & weaknesses w/program at site.
SHAFFER,W.D. Region 3 (Post 820201). 94/11/07. DONNELLY,P.M. Consumers Power Co. 2pp. 81746:131-81746:141.

9411180274 Forwards tentative schedule re fuel vendor transition for Post-1995 reloads for info & resource planning purposes.
BENES,G.G. Commonwealth Edison Co. 94/11/14. Document Control Branch (Document Control Desk). 2pp. 81830:346-81830:347.

9411210245 Submits response to NRC request for addl info re GL 89-10. Info provided in 4 Attachments. Attachment A provides summary of methods, results of reauthorization & margin review effort for util MOV population.
FARRAR,D.L. Commonwealth Edison Co. 94/11/15. Document Control Branch (Document Control Desk). 54pp. 81837:034-81837:087.

9411220351 Forwards core shroud insp plan for LaSalle County Nuclear Power Station Unit 2 sixth refuel outage (L2R06),in response to GL 94-03. Refuel outage scheduled to begin 950217.
BENES,G.G. Commonwealth Edison Co. 94/11/17. Document Control Branch (Document Control Desk). 6pp. 81842:353-81842:358.

9411230315 Forwards request for addl info to complete NRR review of fire barrier matl as ref in util 940908 test rept submittal, "Test Rept for 1 H Fire Test on Darmatt KM1 Fire Barrier Sys for Site Configuration at Plant."
RECKLEY,W.D. Project Directorate III-2. 94/11/17. FARRAR,D.L. Commonwealth Edison Co. 5pp. 81826:346-81826:350.

9411300204 Forwards Relief Request RI-31 from ASME Section XI,IWD-5223, changing required Class 3 sys elevated pressure hydrostatic tests to functional or ISTs through remainder of first 10 yr insp interval.
BENES,G.G. Commonwealth Edison Co. 94/11/22. Document Control Branch (Document Control Desk). 3pp. 81951:284-81951:286.

Q. Inspection reports, IE Bulletins & correspondence

9410140257 Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Matls Events to NRC Operations Ctr."
BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.

9411090378 Provides two repts re insp conducting 940711-0805 re FY93 Semi-Annual Effluent Repts.
RAY,D.J. Commonwealth Edison Co. 94/10/20. Region 3 (Post 820201). 54pp. 81719:198-81719:251.

9410200153 NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts."
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81658:001-81658:013.

9411020064 Responds to NRC 940927 ltr re violations noted in insp repts 50-373/94-16 & 50-374/94-16 on 940709-0819. Corrective actions: procedure LYP 1200-1, has been submitted for rev to correct weak procedural instructions.
QUERIO,R.E. Commonwealth Edison Co. 94/10/27. Document Control Branch (Document Control Desk). 10pp. 81588:342-81588:351.

9411220093 Forwards insp repts 50-373/94-17 & 50-374/94-17 on 940820-1007 & notice of violation.
GREENMAN,E.G. Region 3 (Post 820201). 94/11/09. QUERIO,R. Commonwealth Edison Co. 3pp. 81799:001-81799:040.

-9411220098 Notice of violation from insp on 940820-1007. Violation noted: licensee did not promptly identify, nor take proper actions to correct flow measuring orifices, which were installed backwards.
* Region 3 (Post 820201). 94/11/09. 2pp. 81799:004-81799:005.

-9411220101 Insp repts 50-373/94-17 & 50-374/94-17 on 940820-1007. Violations noted. Major areas inspected: plant operations, maint, engineering & plant support.
CLAYTON,B. Region 3 (Post 820201). 94/11/09. 18pp. 81799:006-81799:040.

9411090300 NRC Bulletin 94-002, "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride."
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.

9411100237 NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment."
GRIMES,B.K. 94/11/17. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.

9411220351 Forwards core shroud insp plan for LaSalle County Nuclear Power Station Unit 2 sixth refuel outage (L2R06),in response to GL 94-03. Refuel outage scheduled to begin 950217.
BENES,G.G. Commonwealth Edison Co. 94/11/17. Document Control Branch (Document Control Desk). 6pp. 81842:353-81842:358.

9411150578 NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation."
GRIMES,B.K. 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.

9411300204 Forwards Relief Request RI-31 from ASME Section XI,IWD-5223, changing required Class 3 sys elevated pressure hydrostatic tests to functional or ISTs through remainder of first 10 yr insp interval.
BENES,G.G. Commonwealth Edison Co. 94/11/22. Document Control Branch (Document Control Desk). 3pp. 81951:284-81951:286.

9411170039 NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping."
GRIMES,B.K. 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.

9411170279 NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys."
GRIMES,B.K. 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.

9411170284 NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results."
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.

R. Periodic operating reports & related correspondence

9411170314 Monthly operating repts for LaSalle County Nuclear Power Station Units 1 & 2 W/941111 ltr.
CIALKOWSKI,M., RAY,D.J. Commonwealth Edison Co. 94/10/31. 17pp. 81793:283-81793:299.

S. Reportable occurrences, LERs & related correspondence

9411210111 Interim Part 21 Rept 94-12 re Limitorque actuator potential motor pinion key failure. Comm Ed issued guidelines to six nuclear stations on methods for properly installing motor pinion keys.
JOHNSON, I.M. Commonwealth Edison Co. 94/11/11. Office of Nuclear Reactor Regulation, Director (Post 870411). 5pp. 81831:127-81831:131.

9411300254 LER 94-008-00: on 941019, reactor scram occurred due to electro-hydraulic control line break. Caused by faulty connector on EHC permanent magnet generator 30 volt dc power supply. Connector repaired. W/941118 ltr.
KLEINHARDT, S., RAY, D.J. Commonwealth Edison Co. 94/11/18. 9pp. 81930:038-81930:046.

V. Operator Examinations

9411040264 Forwards exam answer key for forms A & B, grading results, & individual answer sheets for each individual taking exam from facility. Requests results be forwarded to individuals w/answer sheets. W/o encls.
RING, M.A. Region 3 (Post 820201). 94/10/27. Consumers Power Co. 1p. 81586:001-81586:001.

9411300218 Forwards NRC summarized guidance that clarifies requirements for maintaining individual operator licenses, entitled, "Clarification of Maint & Reactivation Requirements for Individual Operator Licenses."
RING, M.A. Region 3 (Post 820201). 94/11/18. Affiliation Not Assigned. 3pp. 81872:341-81872:343.

DOCKET 50-382 WATERFORD GENERATING STATION, UNIT 3**F. Security, medical, emergency & fire protection plans**

941100183 Forwards public version of revised EPIPs, including Change 1 to Rev 18 to EP-002-060, "Radiological Field Monitoring" & Rev 5 to EP-004-010, "Toxic Chemical Contingency Procedure." W/941108 release memo.
BURSKI, R.F. Entergy Operations, Inc. 94/10/06. Document Control Branch (Document Control Desk). 3pp. 81715:258-81715:323.

941100195 Public version of revised EPIPs, including change 1 to Rev 18 to EP-002-060, "Radiological Field Monitoring," & Rev 5 to EP-004-010, "Toxic Chemical Contingency Procedure."
Entergy Operations, Inc. 94/09/09. 62pp. 81715:261-81715:323.

9411040224 Rev 14, Change 1 to EPIP EP-002-050, "Offsite Dose A Assessment (Manual)." W/941102 ltr.
BURSKI, R.F. Entergy Operations, Inc. 94/11/02. 10pp. 81651:345-81651:354.

9411040225 Rev 5, Change 1 to EPIP EP-004-010, "Toxic Chemical Contingency Procedure." W/941102 ltr.
BURSKI, R.F. Entergy Operations, Inc. 94/11/02. 6pp. 81651:355-81651:360.

9411210125 Change 1 to Rev 7 to EPIP EP-002-061, "Emergency Environ Monitoring."
BURSKI, R.F. Entergy Operations, Inc. 94/11/15. 6pp. 81837:188-81837:193.

9411280001 Advises that 941025 rev 20 to plant emergency plan consistent w/provisions of 10CFR50.54(a) & acceptable.
COLLINS, S.J. Region 4 (Post 820201). 94/11/15. BARKHURST, R.P. Entergy Operations, Inc. 5pp. 81840:001-81840:005.

9411280050 Informs that util will complete documented assessment by 941231 to determine whether emergency procedures & operator training need to be enhanced to provide addl protection for prevention of SG overflow, w/respect to GL 89-19.
BURSKI, R.F. Entergy Operations, Inc. 94/11/22. Document Control Branch (Document Control Desk). 2pp. 81900:296-81900:297.

9411280055 Forwards response to violations noted in Insp Rept 50-382/94-19 on 940821-1001. Corrective actions: saturated oil absorbent pads immediately removed by radwaste cleaning personnel & security force received addl instruction.
BURSKI, R.F. Entergy Operations, Inc. 94/11/23. Document Control Branch (Document Control Desk). 9pp. 81900:287-81900:295.

K. Utility Final Safety Analysis Report (FSAR) & amends

9411160163 Rev 7 to Waterford 3 Steam Electric Station FSAR. W/941111 ltr.
BURSKI, R.F. Entergy Operations, Inc. 94/10/31. 16pp. 81782:342-81782:357.

P. Operating license stage documents & correspondence

9411140001 Forwards amend 100 to license NPF-38 & safety evaluation. Amend changes TS to incorporate technical review & control process to suppl onsite technical review & approval of new procedures affecting nuclear safety.
PATEL, C.P. Project Directorate IV-1. 94/11/04. BARKHURST, R.P. Entergy Operations, Inc. 3pp. 81736:001-81736:018.

9411140002 Amend 100 to license NPF-38, changing App A TS to incorporate technical review & control process to suppl onsite technical review & approval of new procedures & changes thereto affecting nuclear safety.
PATEL, C. Project Directorate IV-1. 94/11/04. 12pp. 81736:004-81736:015.

9411140003 Safety evaluation supporting amend 100 to license NPF-38.
Office of Nuclear Reactor Regulation, Director (Post 870411). 94/11/04. 3pp. 81736:016-81736:018.

9411280050 Informs that util will complete documented assessment by 941231 to determine whether emergency procedures & operator training need to be enhanced to provide addl protection for prevention of SG overflow, w/respect to GL 89-19.
BURSKI, R.F. Entergy Operations, Inc. 94/11/22. Document Control Branch (Document Control Desk). 2pp. 81900:296-81900:297.

Q. Inspection reports, IE Bulletins & correspondence

9410140257 Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Mals Events to NRC Operations Ctr."
BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.

9410200153 NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts."
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81658:001-81658:013.

9411020258 Responds to violations noted in insp rept 50-382/94-24. Corrective actions: Operations Manager will conduct seminars w/licensed operators & training.
BURSKI, R.F. Entergy Operations, Inc. 94/10/28. Document Control Branch (Document Control Desk). 17pp. 81590:001-81590:017.

9411170001 Ack receipt of 941028 ltr informing NRC of steps taken to correct violations noted in insp rept 50-382/94-24.
BEACH, A.B. Region 4 (Post 820201). 94/11/08. BARKHURST, R.P. Entergy Operations, Inc. 5pp. 81760:001-81760:022.

9411160167 Documents util commitments re periodic verification & post-maint testing for motor operated valves in scope of GL 89-10.
BURSKI, R.F. Entergy Operations, Inc. 94/11/11. Document Control Branch (Document Control Desk). 11pp. 81785:172-81785:182.

9411090300 NRC Bulletin 94-002, "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride."
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.

9411220148 Forwards insp rept 50-382/94-12 on 940912-23. No violations or deviations noted.
GWYNN, T.P. Region 4 (Post 820201). 94/11/16. BARKHURST, R.P. Entergy Operations, Inc. 5pp. 81798:225-81798:243.

9411220155 Insp rept 50-382/94-12 on 940912-23. No violations or deviations noted. Major areas inspected: licensed operator requalification program & plant procedures.
PELLET, J.L. Region 4 (Post 820201). 94/11/15. 14pp. 81798:230-81798:243.

941100237 NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment."
GRIMES, B.K. 94/11/17. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.

9411150578 NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation."
GRIMES, B.K. 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.

9411300146 Informs of administration of written licensing exams scheduled for 950306 & operating tests on 950307-09 as ref in insp rept 50-382/95-01.
GWYNN, T.P. Region 4 (Post 820201). 94/11/21. BARKHURST, R.P. Entergy Operations, Inc. 5pp. 81872:176-81872:181.

9411170039 NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping."
GRIMES, B.K. 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.

9411280055 Forwards response to violations noted in Insp Rept 50-382/94-19 on 940821-1001. Corrective actions: saturated oil absorbent pads immediately removed by radwaste cleaning personnel & security force received addl instruction.
BURSKI, R.F. Entergy Operations, Inc. 94/11/23. Document Control Branch (Document Control Desk). 9pp. 81900:287-81900:295.

9411170279 NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys."
GRIMES, B.K. 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.

9411170284 NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results."
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.

R. Periodic operating reports & related correspondence

9411160247 Monthly operating rept for Oct 1994 for Waterford 3. W/941111 ltr.
BECKER, T.S., BURSKI, R.F. Entergy Operations, Inc. 94/10/31. 7pp. 81775:355-81775:361.

S. Reportable occurrences, LERs & related correspondence

9411090412 LER 94-013-00: on 940819, undesired boron dilution of reactor coolant sys occurred. Caused by failure of BAM-146 to function properly. BAM-146 replaced & increasing operator awareness on reactivity mgt significance. W/941104 ltr.
MATHENY, D.C., PACKER, D.F. Entergy Operations, Inc. 94/11/04. 10pp. 81732:049-81732:058.

9411150598 Rev to Part 21 rept re potential problem w/master power connecting rods. Vendor recommends listed utils perform visual insp of master rods to determine applicability of rept.
SCHNEIDER, J.R. Cooper Energy Services. 94/11/09. Document Control Branch (Document Control Desk). 4pp. 81779:254-81779:256.

9411250222 LER 94-015-00: on 940916, boric acid addition to RCS occurred. Caused by personnel error due to lack of self checking. Primary nuclear plant operator counseled re improving human performance program. W/941122 ltr.
MATHENY, D.C., STARKEY, R.S. Entergy Operations, Inc. 94/11/22. 6pp. 81887:319-81887:325.

120 DOCKETED ITEMS

9411250214 LER 94-014-00: on 941006, HLIV circuit breaker left in open position due to personnel error. Cognizant CRS has been counseled in accordance w/Waterford 3 improving human performance program. W/941123 ltr. MATHENY, D.C., STARKEY, R.S. Entergy Operations, Inc. 94/11/23. 11pp. 81887:300-81887:310.

V. Operator Examinations

9411020258 Responds to violations noted in insp rept 50-382/94-24. Corrective actions: Operations Manager will conduct seminars w/licensed operators & training. BURSKI, R.F. Entergy Operations, Inc. 94/10/28. Document Control Branch (Document Control Desk). 17pp. 81590:001-81590:017.

9411220148 Forwards insp rept 50-382/94-12 on 940912-23. No violations or deviations noted. GWYNN, T.P. Region 4 (Post 820201). 94/11/16. BARKHURST, R.P. Entergy Operations, Inc. 5pp. 81798:225-81798:243.

-9411220155 Insp rept 50-382/94-12 on 940912-23. No violations or deviations noted. Major areas inspected: licensed operator requalification program & plant procedures. PELLET, J.L. Region 4 (Post 820201). 94/11/15. 14pp. 81798:230-81798:243.

9411300146 Informs of administration of written licensing exams scheduled for 950306 & operating tests on 950307-09 as ref in insp rept 50-382/95-01. GWYNN, T.P. Region 4 (Post 820201). 94/11/21. BARKHURST, R.P. Entergy Operations, Inc. 5pp. 81872:176-81872:181.

9411280050 Informs that util will complete documented assessment by 941231 to determine whether emergency procedures & operator training need to be enhanced to provide addl protection for prevention of SG overfill w/respect to GL 89-19. BURSKI, R.F. Entergy Operations, Inc. 94/11/22. Document Control Branch (Document Control Desk). 2pp. 81900:296-81900:297.

9411290193 Summary of 941110 meeting w/util re training & operator licensing issues. List of attendees, meeting agenda & handouts encl. GWYNN, T.P. Region 4 (Post 820201). 94/11/22. Region 4 (Post 820201). 27pp. 81869:003-81869:029.

DOCKET 50-387 SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9411020260 Responds to NRC 940917 ltr re violations noted in Insp Repts 50-387/94-16 & 50-388/94-16. Corrective actions: stand used to block Fire Door 44 removed & fusible link assembly verified to hold door open. BYRAM, R.G. Pennsylvania Power & Light Co. 94/10/27. Document Control Branch (Document Control Desk). 4pp. 81589:346-81589:351.

9411020263 Informs that util determined that procedural guidance for appropriate time for turning of recirculation fans placed in Off-Normal (ON) Procedure ON-135/235-001, "Loss of SFPC" rather than subj emergency plan-position specific procedure. BYRAM, R.G. Pennsylvania Power & Light Co. 94/10/28. MILLER, C.L. Project Directorate I-2. 2pp. 81589:352-81589:353.

9411180220 Responds to NRC 941006 ltr re violations noted in insp repts 50-387/94-19 & 50-388/94-19. Corrective actions: nuclear emergency planning group attending station weekly schedule & issues meeting to heighten awareness of EP. BYRAM, R.G. Pennsylvania Power & Light Co. 94/11/14. Document Control Branch (Document Control Desk). 3pp. 81830:338-81830:340.

H. General correspondence

9411040182 Informs of sending follow-up ltrs to state & federal officials & news media representatives re transmitted White Paper on nuclear safety problems identified w/ SFPC at plant. LOCHBAUM, D.A. Affiliation Not Assigned. 94/09/09. RUSSELL, W. Office of Nuclear Reactor Regulation, Director (Post 870411). 3pp. 81628:297-81628:299.

9411070294 Forwards draft safety evaluation dtd 941024 re spent fuel pool cooling issues, for review & comment. SHEA, J.W. Project Directorate I-2. 94/10/25. LOCHBAUM, D.A., PREVATTE, D.C. Affiliation Not Assigned. 103pp. 81622:162-81622:264.

9411230100 Responds to 941015 ltr to Chairman I Selin, requesting info on actions taken by NRC to address concerns raised by JA Fleming re emergency preparedness for nuclear power plants. TAYLOR, J.M. Ofc of the Executive Director for Operations. 94/11/09. KERRY, J.F. Senate. 3pp. 81828:286-81828:323.

-9411230199 Requests addl info pertaining to emergency preparedness for each site listed. FLEMING, J.A. Affiliation Not Assigned. 94/07/14. CHILK, S. Office of the Secretary of the Commission. 2pp. 81828:322-81828:323.

P. Operating license stage documents & correspondence

9411020662 Forwards amends 135 & 105 to license NPF-14 & NPF-22, respectively & safety evaluation. Amends change frequency for monitoring plant site spray pond ground water level from once per month to once per every 6 months. POSLUSNY, C. Project Directorate I-2. 94/10/20. BYRAM, R.G. Pennsylvania Power & Light Co. 3pp. 81576:005-81576:017.

-9411020668 Amends 135 & 105 to licenses NPF-14 & NPF-22, respectively, change frequency for monitoring plant site spray pond ground water level from once per month to once every 6 months. STOLZ, J.F. Project Directorate I-2. 94/10/20. 8pp. 81576:008-81576:015.

-9411020076 Safety evaluation supporting amends 135 & 105 to licenses NPF-14 & NPF-22, respectively. * Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/20. 2pp. 81576:016-81576:017.

9411020075 Application for amends to licenses NPF-14 & NPF-22, proposing TS, adding isolation signals to Table 3.6.3-1 for containment isolation valves on sample lines for Containment Radiation Monitoring & wetwell sample lines. BYRAM, R.G. Pennsylvania Power & Light Co. 94/10/25. Document Control Branch (Document Control Desk). 8pp. 81587:346-81587:357.

-9411020077 Proposed tech specs adding isolation signals for containment isolation valves for containment radiation monitoring & wetwell sample lines. * Pennsylvania Power & Light Co. 94/10/25. 4pp. 81587:354-81587:357.

9411020273 Forwards Suppl 1 to Proposed Amend 168 to License NPF-14, to suppl list identifying proposed changes & provide SA & NSHC for deleting Footnote "" on TS Table 3.3.2-2, pages 3/4 3-18 & 3/4 3-19 & Footnote "" on Table 3.3.2-2, page 3/4 3-20. BYRAM, R.G. Pennsylvania Power & Light Co. 94/10/27. Document Control Branch (Document Control Desk). 2pp. 81590:018-81590:020.

-9411020275 Proposed Suppl 1 to Amend 168 to License NPF-14. BYRAM, R.G. Pennsylvania Power & Light Co. 94/10/27. 1p. 81590:020-81590:020.

9411020220 Forwards Proposed Amends 176 & 130 to Licenses NPF-14 & NPF-22, respectively, adding ref PL-NF-90-001, Suppl to Section 6.9.3.2. Topical Rept PL-NF-90-001, Suppl 1 also encl. BYRAM, R.G. Pennsylvania Power & Light Co. 94/10/28. Document Control Branch (Document Control Desk). 5pp. 81589:312-81589:328.

-9411020223 Proposed Amends 176 & 130 to Licenses NPF-14 & NPF-22, respectively, adding ref PL-NF-90-001, Suppl 1 to Section 6.9.3.2. BYRAM, R.G. Pennsylvania Power & Light Co. 94/10/28. 2pp. 81589:317-81589:318.

-9411020225 Proposed TS Section 6.9.3.2, reflecting addition of ref PL-NF-90-001, Suppl 1. * Pennsylvania Power & Light Co. 94/10/28. 2pp. 81589:319-81589:320.

-9411020230 "Application of Reactor Analysis Methods for BWR Design & Analysis," Suppl 1, "Loss of Feedwater Heating Changes & Use of RETRAN MOD 5.1." LEHMANN, C.R., ROSCIOLI, A.J., STEFANKO, J.S. Pennsylvania Power & Light Co. PL-NF-90-001 S01. 94/09/08. 8pp. 81589:321-81589:328.

9411020254 Forwards Proposed Amends 174 & 128 to Licenses NPF-14 & NPF-22, respectively, deleting chlorine detection requirements & associated bases from TS as result of removal of bulk quantities of gaseous chlorine from SSES. BYRAM, R.G. Pennsylvania Power & Light Co. 94/10/28. Document Control Branch (Document Control Desk). 4pp. 81589:336-81589:345.

-9411020256 Proposed Amends 174 & 128 to Licenses NPF-14 & NPF-22, respectively, deleting TS 3.3.7.8, "Chlorine Detection Sys," associated SRs in 4.3.7.8 & TS Bases 3/4.3.7.8, "Chlorine Detection Sys." BYRAM, R.G. Pennsylvania Power & Light Co. 94/10/28. 2pp. 81589:340-81589:341.

-9411020257 Proposed tech specs, reflecting deletion of chlorine detection requirements & associated bases. * Pennsylvania Power & Light Co. 94/10/28. 4pp. 81589:342-81589:345.

9411020277 Forwards proposed Amends 177 & 131 to Licenses NPF-14 & NPF-22, respectively, incorporating administrative changes. BYRAM, R.G. Pennsylvania Power & Light Co. 94/10/28. Document Control Branch (Document Control Desk). 7pp. 81587:182-81587:264.

-9411020280 Proposed Amends 177 & 131 to License NPF-14 & NPF-22, incorporating administrative changes. BYRAM, R.G. Pennsylvania Power & Light Co. 94/10/28. 2pp. 81587:189-81587:190.

-9411020281 Proposed tech specs, incorporating administrative changes. * Pennsylvania Power & Light Co. 94/10/28. 74pp. 81587:191-81587:264.

9411030217 Forwards SE accepting licensee 940606 ltr re application to amend TS re requirement for operability of SLCS in operational condition 5 w/any control rod withdrawn. SALP evaluation also encl. JONES, R.C. Reactor Systems Branch. 94/10/28. MILLER, C.L. Project Directorate I-2. 1p. 81607:276-81607:283.

-9411040266 Safety evaluation supporting amends to licenses NPF-14 & NPF-22, which involve requirement for operability of SLCS in operational condition 5 w/any control rod withdrawn & surveillance requirements for SLCS tank heaters. * Office of Nuclear Reactor Regulation, Director (Post 870411). 94/11/30. 7pp. 81607:277-81607:283.

9411030331 Requests listed info which include identifying all non-class 1E associated circuits at plant not isolated from class 1E circuits by isolation devices. POSLUSNY, C. Project Directorate I-2. 94/10/28. BYRAM, R.G. Pennsylvania Power & Light Co. 4pp. 81608:102-81608:105.

9411040258 Informs that per NRC 940830 ltr, util evaluated info provided & determined that physical exam records reviewed did not completely comply w/instructions identified on PP&L form. Proprietary details of evaluation encl. Encl withheld. BYRAM, R.G. Pennsylvania Power & Light Co. 94/10/31. Document Control Branch (Document Control Desk). 2pp. 81651:329-81651:330.

9411080216 Informs NRC has completed draft final SE re spent fuel pool cooling issues at plant. SE submitted in response to rept, dtd 921127, filed per 10CFR21. Forwards draft SE for review & comment. SHEA, J.W. Project Directorate I-2. 94/11/03. BYRAM, R.G. Pennsylvania Power & Light Co. 105pp. 81657:203-81657:307.

9411150451 Discusses 941026 meeting in King of Prussia, PA re motor-operated valve issues w/Region I licensees. List of attendees, agenda, licensee & NRC presentations & panel session questions, encl. KELLY, E.M. Region 1 (Post 820201). 94/11/03. BYRAM, R.G. Pennsylvania Power & Light Co. 49pp. 81744:150-81744:198.

9411140062 Notification of 941115 meeting w/util in Rockville, MD to continue dialogue between licensee & staff to resolve outstanding items included in last SE written on circuit isolation issue for plant units. POSLUSNY, C. Project Directorate I-2. 94/11/08. STOLZ, J. Project Directorate I-2. 4pp. 81736:108-81736:111.

9411160280 Forwards application for amends to licenses NPF-14 & NPF-22, revising TS 3/4.3.8 re main turbine valve surveillance test interval.
BYRAM,R.G. Pennsylvania Power & Light Co. 94/11/11. Document Control Branch (Document Control Desk). 2pp. 81782:276-81782:307.

-9411160281 Application for amends to licenses NPF-14 & NPF-22, revising TS 3/4.3.8 re main turbine valve surveillance test interval.
BYRAM,R.G. Pennsylvania Power & Light Co. 94/11/11. 10pp. 81782:278-81782:287.

-9411160283 Proposed tech spec 3/4.3.8 re main turbine valve surveillance test interval.
* Pennsylvania Power & Light Co. 94/11/11. 8pp. 81782:288-81782:295.

-9411160285 "Technical Bases for Extending GE Turbine Valve Surveillance Intervals."
STARK,S.J., PLACEK,R.J. General Electric Co. NEDO-32155. 93/09/30. 12pp. 81782:296-81782:307.

9411210150 Forwards monthly operating repts for Oct 1994 for Susquehanna SES & Rev 1 to ODCM.
BYRAM,R.G. Pennsylvania Power & Light Co. 94/11/14. Document Control Branch (Document Control Desk). 1p. 81833:297-81833:324.

-9411210159 Rev 1 to ODCM.
BALL,R.S. Pennsylvania Power & Light Co. 94/11/08. 19pp. 81833:306-81833:324.

9411180214 Informs NRC of decision not to provide alternate power supply for condensate transfer sys on Susquehanna SES Units 1 & 2 as committed in PLA-3902.
BYRAM,R.G. Pennsylvania Power & Light Co. 94/11/15. Document Control Branch (Document Control Desk). 1p. 81830:337-81830:337.

9411290136 Forwards Proposed Amends 178 & 132 to Licenses NPF-14 & NPF-22, respectively, eliminating MSIV-LCS including PCIVs associated w/MSIV-LCS & increasing allowable TS MSIV leakage rates.
BYRAM,R.G. Pennsylvania Power & Light Co. 94/11/21. Document Control Branch (Document Control Desk). 2pp. 81932:281-81932:355.

-9411290138 Proposed Amends 178 & 132 to Licenses NPF-14 & NPF-22, respectively, eliminating MSIV-LCS including PCIVs associated w/MSIV-LCS & increasing allowable TS MSIV leakage rates.
BYRAM,R.G. Pennsylvania Power & Light Co. 94/11/21. 12pp. 81932:283-81932:294.

-9411290140 Proposed tech specs increasing MSIV leakage rate & deleting MSIV-LCS.
* Pennsylvania Power & Light Co. 94/11/21. 19pp. 81932:295-81932:313.

-9411290142 "SSES Unit 1 & 2 MSIV Leakage Alternate Treatment Method Seismic Evaluation." W/one oversize drawing.
* Pennsylvania Power & Light Co. 94/10/31. 43pp. 81932:314-81932:355.

9411290110 Forwards facsimile from Lochbaum to J Shea dtd 941116, discussing conclusions of NUREG-1353, "Regulatory Analysis for Resolution of GI 82,Beyond Design Basis Accidents in Spent Fuel Pools."
SHEA,J.W. Project Directorate I-2. 94/11/22. Project Directorate I-2. 4pp. 81866:084-81866:087.

Q. Inspection reports, IE Bulletins & correspondence

9410140257 Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Mafis Events to NRC Operations Ctr."
BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.

9410200153 NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts."
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81658:001-81658:013.

9411030068 Forwards insp repts 50-387/94-21 & 50-388/94-22.No violations noted.
JOYNER,J.H. Region 1 (Post 820201). 94/10/26. BYRAM,R.G. Pennsylvania Power & Light Co. 3pp. 81561:318-81561:335.

-9411030073 Insp repts 50-387/94-21 & 50-388/94-22 on 940912-16.No violations noted.Major areas inspected:plant radiation protection program including use of new dose limits, definitions & respirator use philosophy.
RAGLAND,R.C., BORES,R.J. Region 1 (Post 820201). 94/10/26. 15pp. 81561:321-81561:335.

9411020260 Responds to NRC 940917 ltr re violations noted in Insp Repts 50-387/94-16 & 50-388/94-16.Corrective actions:stand used to block Fire Door 44 removed & fusible link assembly verified to hold door open.
BYRAM,R.G. Pennsylvania Power & Light Co. 94/10/27. Document Control Branch (Document Control Desk). 6pp. 81589:346-81589:351.

9411150208 Ack receipt of 941027 ltr informing NRC of steps taken to correct violations noted in insp repts 50-387/94-16 & 50-388/94-17.
WHITE,J.R. Region 1 (Post 820201). 94/11/02. BYRAM,R.G. Pennsylvania Power & Light Co. 3pp. 81734:155-81734:163.

9411150021 Forwards insp repts 50-387/94-20 & 50-388/94-21 on 940906-1010.No violations noted.Effective mgt oversight resulted in performance improvement plan to improve human performance in response to inadvertent half scram during surveillance test.
WHITE,J.R. Region 1 (Post 820201). 94/11/04. BYRAM,R.G. Pennsylvania Power & Light Co. 3pp. 81734:273-81734:291.

-9411150027 Insp repts 50-387/94-20 & 50-388/94-21 on 940905-1010.No violations noted.Major areas inspected:plant operations, maint & surveillance,engineering & plant support.
WHITE,J. Region 1 (Post 820201). 94/11/04. 16pp. 81734:276-81734:291.

9411090300 NRC Bulletin 94-002, "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride."
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.

9411180220 Responds to NRC 941006 ltr re violations noted in insp repts 50-387/94-19 & 50-388/94-19.Corrective actions:nuclear emergency planning group attending station weekly schedule & issues meeting to heighten awareness of EP.
BYRAM,R.G. Pennsylvania Power & Light Co. 94/11/14. Document Control Branch (Document Control Desk). 3pp. 81830:338-81830:340.

9411100237 NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment."
GRIMES,B.K. . 94/11/17. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.

9411150578 NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation."
GRIMES,B.K. . 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.

9411290151 Provides info that demonstrates that large margin to reactivity insertion accident offsite dose criteria exists & that even w/lowest expected failure threshold,offsite doses do not exceed regulatory limits,in response to IN 94-064.
BYRAM,R.G. Pennsylvania Power & Light Co. 94/11/21. Document Control Branch (Document Control Desk). 16pp. 81904:344-81904:359.

9411170039 NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping."
GRIMES,B.K. . 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.

9411170279 NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys."
GRIMES,B.K. . 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.

9411170284 NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results."
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.

R. Periodic operating reports & related correspondence

9411010348 "Susquehanna Steam Electric Station Discharge Monitoring Rept for Sept 1994." W/941025 ltr.
SAXTON,C.H., FIELDS,J.S. Pennsylvania Power & Light Co. 94/09/30. CROWLEY,K. Pennsylvania, Commonwealth of. 12pp. 81579:330-81579:341.

9411210150 Forwards monthly operating repts for Oct 1994 for Susquehanna SES & Rev 1 to ODCM.
BYRAM,R.G. Pennsylvania Power & Light Co. 94/11/14. Document Control Branch (Document Control Desk). 1p. 81833:297-81833:324.

-9411210153 Monthly operating repts for Oct 1994 for Susquehanna SES.
BALL,R.S. Pennsylvania Power & Light Co. 94/10/31. 8pp. 81833:298-81833:305.

-9411210159 Rev 1 to ODCM.
BALL,R.S. Pennsylvania Power & Light Co. 94/11/08. 19pp. 81833:306-81833:324.

S. Reportable occurrences, LERs & related correspondence

9411030338 Forwards task action plan to evaluate spent fuel storage pool safety issues identified as result of problems found at Dresden 1,issues raised at Susquehanna & other issues raised in rept filed,per 10CFR21 on 921117.
SHEA,J.W. Project Directorate I-2. 94/10/24. LOCHBAUM,D.A., PREVATTE,D.C. Affiliation Not Assigned. 2pp. 81608:109-81608:117.

-9410190155 Forwards task action plan to address safety issues identified at plants.Task action plan also addresses other issues re SFPs at operating & permanently shutdown reactors.
HOLAHAN,G.M. Division of Systems Safety & Analysis (Post 921004). 94/10/13. THADANI,A.C. Associate Director for Inspection & Technical Assessment (Post 870411). 8pp. 81608:111-81608:117.

9411040285 Submits tables 5.E & 5.F.inadvertently omitted from 941024 transmittal of draft SE re loss of spent fuel pool cooling events at facility.
HOLAHAN,G.H. Division of Systems Safety & Analysis (Post 921004). 94/10/28. LARKINS,J.T. ACRS - Advisory Committee on Reactor Safeguards. 3pp. 81628:347-81628:349.

V. Operator Examinations

9411020265 Forwards schedules for NRC operator license exams through FY98,as requested in Administrative Ltr 94-12.
BYRAM,R.G. Pennsylvania Power & Light Co. 94/10/28. Document Control Branch (Document Control Desk). 2pp. 81590:114-81590:115.

9411280192 Informs that RE Withey no longer requires reactor operator license at plant.
BYRAM,R.G. Pennsylvania Power & Light Co. 94/11/21. Document Control Branch (Document Control Desk). 1p. 81900:326-81900:326.

DOCKET 50-388 SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9411020260 Responds to NRC 940917 ltr re violations noted in Insp Repts 50-387/94-16 & 50-388/94-16.Corrective actions:stand used to block Fire Door 44 removed & fusible link assembly verified to hold door open.
BYRAM,R.G. Pennsylvania Power & Light Co. 94/10/27. Document Control Branch (Document Control Desk). 6pp. 81589:346-81589:351.

9411020263 Informs that util determined that procedural guidance for appropriate time for turning of recirculation fans placed in Off-Normal (ON) Procedure ON-135/235-001, "Loss of SFPC" rather than subj emergency plan-position specific procedure.
BYRAM,R.G. Pennsylvania Power & Light Co. 94/10/28. MILLER,C.L. Project Directorate I-2. 2pp. 81589:352-81589:353.

122 DOCKETED ITEMS

9411180220 Responds to NRC 941006 ltr re violations noted in insp repts 50-387/94-19 & 50-388/94-19. Corrective actions: nuclear emergency planning group attending station weekly schedule & issues meeting to heighten awareness of EP.
BYRAM,R.G. Pennsylvania Power & Light Co. 94/11/14. Document Control Branch (Document Control Desk). 3pp. 81830:338-81830:340.

H. General correspondence

9411040182 Informs of sending follow-up ltrs to state & federal officials & news media representatives re transmitted White Paper on nuclear safety problems identified w/ SFPC at plant.
LOCHBAUM,D.A. Affiliation Not Assigned. 94/09/09. RUSSELL,W. Office of Nuclear Reactor Regulation, Director (Post 870411). 3pp. 81628:297-81628:299.

9411070294 Forwards draft safety evaluation dtd 941024 re spent fuel pool cooling issues, for review & comment.
SHEA,J.W. Project Directorate I-2. 94/10/25. LOCHBAUM,D.A., PREVATTE,D.C. Affiliation Not Assigned. 103pp. 81622:162-81622:264.

9411230100 Responds to 941015 ltr to Chairman I Selin, requesting info on actions taken by NRC to address concerns raised by JA Fleming re emergency preparedness for nuclear power plants.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 94/11/09. KERRY,J.F. Senate. 3pp. 81828:286-81828:323.

-9411230199 Requests addl info pertaining to emergency preparedness for each site listed.
FLEMING,J.A. Affiliation Not Assigned. 94/07/14. CHILK,S. Office of the Secretary of the Commission. 2pp. 81828:322-81828:323.

P. Operating license stage documents & correspondence

9411020062 Forwards amends 135 & 105 to license NPF-14 & NPF-22, respectively & safety evaluation. Amends change frequency for monitoring plant site spray pond ground water level from once per month to once per every 6 months.
POSUSUNY,C. Project Directorate I-2. 94/10/20. BYRAM,R.G. Pennsylvania Power & Light Co. 3pp. 81576:005-81576:017.

-9411020068 Amends 135 & 105 to licenses NPF-14 & NPF-22, respectively, change frequency for monitoring plant site spray pond ground water level from once per month to once every 6 months.
STOLZ,J.F. Project Directorate I-2. 94/10/20. 8pp. 81576:008-81576:015.

-9411020076 Safety evaluation supporting amends 135 & 105 to licenses NPF-14 & NPF-22, respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/20. 2pp. 81576:016-81576:017.

9411020075 Application for amends to licenses NPF-14 & NPF-22, proposing TS, adding isolation signals to Table 3.6.3-1 for containment isolation valves on sample lines for Containment Radiation Monitoring & wetwell sample lines.
BYRAM,R.G. Pennsylvania Power & Light Co. 94/10/25. Document Control Branch (Document Control Desk). 8pp. 81587:346-81587:357.

-9411020077 Proposed tech specs adding isolation signals for containment isolation valves for containment radiation monitoring & wetwell sample lines.
* Pennsylvania Power & Light Co. 94/10/25. 4pp. 81587:354-81587:357.

9411020220 Forwards Proposed Amends 176 & 130 to Licenses NPF-14 & NPF-22, respectively, adding ref PL-NF-90-001, Suppl to Section 6.9.3.2. Topical Rept PL-NF-90-001, Suppl 1 also encl.
BYRAM,R.G. Pennsylvania Power & Light Co. 94/10/28. Document Control Branch (Document Control Desk). 5pp. 81589:312-81589:328.

-9411020223 Proposed Amends 176 & 130 to Licenses NPF-14 & NPF-22, respectively, adding ref PL-NF-90-001, Suppl 1 to Section 6.9.3.2.
BYRAM,R.G. Pennsylvania Power & Light Co. 94/10/28. 2pp. 81589:317-81589:318.

-9411020225 Proposed TS Section 6.9.3.2, reflecting addition of ref PL-NF-90-001, Suppl 1.
* Pennsylvania Power & Light Co. 94/10/28. 2pp. 81589:319-81589:320.

-9411020230 "Application of Reactor Analysis Methods for BWR Design & Analysis," Suppl 1, "Loss of Feedwater Heating Changes & Use of RETRAN MOD 5.1."
LEHMANN,C.R., ROSCIOLI,A.J., STEFANKO,J.S. Pennsylvania Power & Light Co. PL-NF-90-001 S01. 94/09/08. 8pp. 81589:321-81589:328.

9411020254 Forwards Proposed Amends 174 & 128 to Licenses NPF-14 & NPF-22, respectively, deleting chlorine detection requirements & associated bases from TS as result of removal of bulk quantities of gaseous chlorine from SSES.
BYRAM,R.G. Pennsylvania Power & Light Co. 94/10/28. Document Control Branch (Document Control Desk). 4pp. 81589:336-81589:345.

-9411020256 Proposed Amends 174 & 128 to Licenses NPF-14 & NPF-22, respectively, deleting TS 3.3.7.8, "Chlorine Detection Sys," associated SRs in 4.3.7.8 & TS Bases 3/4.3.7.8, "Chlorine Detection Sys."
BYRAM,R.G. Pennsylvania Power & Light Co. 94/10/28. 2pp. 81589:340-81589:341.

-9411020257 Proposed tech specs, reflecting deletion of chlorine detection requirements & associated bases.
* Pennsylvania Power & Light Co. 94/10/28. 4pp. 81589:342-81589:345.

9411020277 Forwards proposed Amends 177 & 131 to Licenses NPF-14 & NPF-22, respectively, incorporating administrative changes.
BYRAM,R.G. Pennsylvania Power & Light Co. 94/10/28. Document Control Branch (Document Control Desk). 7pp. 81587:182-81587:264.

-9411020280 Proposed Amends 177 & 131 to License NPF-14 & NPF-22, incorporating administrative changes.
BYRAM,R.G. Pennsylvania Power & Light Co. 94/10/28. 2pp. 81587:189-81587:190.

-9411020281 Proposed tech specs, incorporating administrative changes.
* Pennsylvania Power & Light Co. 94/10/28. 74pp. 81587:191-81587:264.

9411030217 Forwards SE accepting licensee 940606 ltr re application to amend TS re requirement for operability of SLCS in operational condition 5 w/any control rod withdrawn. SALP evaluation also encl.
JONES,R.C. Reactor Systems Branch. 94/10/28. MILLER,C.L. Project Directorate I-2. 1p. 81607:276-81607:283.

-9411040266 Safety evaluation supporting amends to licenses NPF-14 & NPF-22, which involve requirement for operability of SLCS in operational condition 5 w/any control rod withdrawn & surveillance requirements for SLCS tank heaters.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/11/30. 7pp. 81607:277-81607:283.

9411030331 Requests listed info which include identifying all non-class 1E associated circuits at plant not isolated from class 1E circuits by isolation devices.
POSUSUNY,C. Project Directorate I-2. 94/10/28. BYRAM,R.G. Pennsylvania Power & Light Co. 4pp. 81608:102-81608:105.

9411040258 Informs that per NRC 940830 ltr, util evaluated info provided & determined that physical exam records reviewed did not completely comply w/instructions identified on PP&L form. Proprietary details of evaluation encl. Encl withheld.
BYRAM,R.G. Pennsylvania Power & Light Co. 94/10/31. Document Control Branch (Document Control Desk). 2pp. 81651:329-81651:330.

9411080216 Informs NRC has completed draft final SE re spent fuel pool cooling issues at plant. SE submitted in response to rept, dtd 921127, filed per 10CFR21. Forwards draft SE for review & comment.
SHEA,J.W. Project Directorate I-2. 94/11/03. BYRAM,R.G. Pennsylvania Power & Light Co. 105pp. 81657:203-81657:307.

9411150451 Discusses 941026 meeting in King of Prussia, PA re motor-operated valve issues w/Region I licensees. List of attendees, agenda, licensee & NRC presentations & panel session questions, encl.
KELLY,E.M. Region 1 (Post 820201). 94/11/03. BYRAM,R.G. Pennsylvania Power & Light Co. 49pp. 81744:150-81744:198.

9411140062 Notification of 941115 meeting w/util in Rockville, MD to continue dialogue between licensee & staff to resolve outstanding items included in last SE written on circuit isolation issue for plant units.
POSUSUNY,C. Project Directorate I-2. 94/11/08. STOLZ,J. Project Directorate I-2. 4pp. 81736:108-81736:111.

9411160280 Forwards application for amends to licenses NPF-14 & NPF-22, revising TS 3/4.3.8 re main turbine valve surveillance test interval.
BYRAM,R.G. Pennsylvania Power & Light Co. 94/11/11. Document Control Branch (Document Control Desk). 2pp. 81782:276-81782:307.

-9411160285 Application for amends to licenses NPF-14 & NPF-22, revising TS 3/4.3.8 re main turbine valve surveillance test interval.
BYRAM,R.G. Pennsylvania Power & Light Co. 94/11/11. 10pp. 81782:278-81782:287.

-9411160283 Proposed tech spec 3/4.3.8 re main turbine valve surveillance test interval.
* Pennsylvania Power & Light Co. 94/11/11. 8pp. 81782:288-81782:295.

-9411160285 "Technical Bases for Extending GE Turbine Valve Surveillance Intervals."
STARK,S.J., PLACEK,R.J. General Electric Co. NEDO-32155. 93/09/30. 12pp. 81782:296-81782:307.

9411210150 Forwards monthly operating repts for Oct 1994 for Susquehanna SES & Rev 1 to ODCM.
BYRAM,R.G. Pennsylvania Power & Light Co. 94/11/14. Document Control Branch (Document Control Desk). 1p. 81833:297-81833:324.

-9411210159 Rev 1 to ODCM.
BALL,R.S. Pennsylvania Power & Light Co. 94/11/08. 19pp. 81833:306-81833:324.

9411180214 Informs NRC of decision not to provide alternate power supply for condensate transfer sys on Susquehanna SES Units 1 & 2 as committed in PLA-3902.
BYRAM,R.G. Pennsylvania Power & Light Co. 94/11/15. Document Control Branch (Document Control Desk). 1p. 81830:337-81830:337.

9411250144 Forwards "SSES Unit 2 Power Uprate Test Program Startup Rept," per Tech Specs 6.9.1.1, 6.9.1.2 & 6.9.1.3. Power uprate test program successfully & safely completed on 940818.
BYRAM,R.G. Pennsylvania Power & Light Co. 94/11/17. Document Control Branch (Document Control Desk). 2pp. 81881:242-81881:300.

-9411250145 "SSES Unit 2 Power Uprate Test Program Startup Rept."
SHERANKO,R.G. Pennsylvania Power & Light Co. 94/11/17. 57pp. 81881:244-81881:300.

9411290136 Forwards Proposed Amends 178 & 132 to Licenses NPF-14 & NPF-22, respectively, eliminating MSIV-LCS including PCIVs associated w/MSIV-LCS & increasing allowable TS MSIV leakage rates.
BYRAM,R.G. Pennsylvania Power & Light Co. 94/11/21. Document Control Branch (Document Control Desk). 2pp. 81932:261-81932:355.

-9411290138 Proposed Amends 178 & 132 to Licenses NPF-14 & NPF-22, respectively, eliminating MSIV-LCS including PCIVs associated w/MSIV-LCS & increasing allowable TS MSIV leakage rates.
BYRAM,R.G. Pennsylvania Power & Light Co. 94/11/21. 12pp. 81932:283-81932:294.

-9411290140 Proposed tech specs increasing MSIV leakage rate & deleting MSIV-LCS.
* Pennsylvania Power & Light Co. 94/11/21. 19pp. 81932:295-81932:313.

-9411290142 "SSES Unit 1 & 2 MSIV Leakage Alternate Treatment Method Seismic Evaluation." W/one oversize drawing.
* Pennsylvania Power & Light Co. 94/10/31. 43pp. 81932:314-81932:355.

Q. Inspection reports, IE Bulletins & correspondence

9410140257 Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Mattis Events to NRC Operations Ctr."
BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.

9410200153 NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts." GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81658:001-81658:013.

9411030068 Forwards insp repts 50-387/94-21 & 50-388/94-22.No violations noted. JOYNER,J.H. Region 1 (Post 820201). 94/10/26. BYRAM,R.G. Pennsylvania Power & Light Co. 3pp. 81561:318-81561:335.

-9411030073 .Insp repts 50-387/94-21 & 50-388/94-22 on 940912-16.No violations noted.Major areas inspected:plant radiation protection program including use of new dose limits, definitions & respirator use philosophy. RAGLAND,R.C., BORES,R.J. Region 1 (Post 820201). 94/10/26. 15pp. 81561:321-81561:335.

9411020260 Responds to NRC 940917 ltr re violations noted in Insp Repts 50-387/94-16 & 50-388/94-16.Corrective actions:stand used to block Fire Door 44 removed & fusible link assembly verified to hold door open. BYRAM,R.G. Pennsylvania Power & Light Co. 94/10/27. Document Control Branch (Document Control Desk). 6pp. 81589:346-81589:351.

9411150208 Ack receipt of 941027 ltr informing NRC of steps taken to correct violations noted in insp repts 50-387/94-16 & 50-388/94-17. WHITE,J.R. Region 1 (Post 820201). 94/11/02. BYRAM,R.G. Pennsylvania Power & Light Co. 3pp. 81734:155-81734:163.

9411150021 Forwards insp repts 50-387/94-20 & 50-388/94-21 on 940906- 1010.No violations noted.Effective mgt oversight resulted in performance improvement plan to improve human performance in response to inadvertent half scram during surveillance test. WHITE,J.R. Region 1 (Post 820201). 94/11/04. BYRAM,R.G. Pennsylvania Power & Light Co. 3pp. 81734:273-81734:291.

-9411150027 Insp repts 50-387/94-20 & 50-388/94-21 on 940905-1010.No violations noted.Major areas inspected:plant operations, maint & surveillance,engineering & plant support. WHITE,J. Region 1 (Post 820201). 94/11/04. 16pp. 81734:276-81734:291.

9411090300 NRC Bulletin 94-002, "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride." PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.

9411180220 Responds to NRC 941006 ltr re violations noted in insp repts 50-387/94-19 & 50-388/94-19.Corrective actions:nuclear emergency planning group attending station weekly schedule & issues meeting to heighten awareness of EP. BYRAM,R.G. Pennsylvania Power & Light Co. 94/11/14. Document Control Branch (Document Control Desk). 3pp. 81830:338-81830:340.

9411100237 NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment." GRIMES,B.K. . 94/11/17. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.

9411150578 NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation." GRIMES,B.K. . 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.

9411290151 Provides info that demonstrates that large margin to reactivity insertion accident offsite dose criteria exists & that even w/lowest expected failure threshold,offsite doses do not exceed regulatory limits,in response to IN 94-064. BYRAM,R.G. Pennsylvania Power & Light Co. 94/11/21. Document Control Branch (Document Control Desk). 16pp. 81904:344-81904:359.

9411170039 NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping." GRIMES,B.K. . 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.

9411170279 NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys." GRIMES,B.K. . 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.

9411170284 NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results." PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.

R. Periodic operating reports & related correspondence

9411010348 "Susquehanna Steam Electric Station Discharge Monitoring Rept for Sept 1994." W/941025 ltr. SEXTON,C.H., FIELDS,J.S. Pennsylvania Power & Light Co. 94/09/30. CROWLEY,K. Pennsylvania, Commonwealth of. 12pp. 81579:330-81579:341.

9411210150 Forwards monthly operating repts for Oct 1994 for Susquehanna SES & Rev 1 to ODCM. BYRAM,R.G. Pennsylvania Power & Light Co. 94/11/14. Document Control Branch (Document Control Desk). 1p. 81833:297-81833:324.

-9411210153 Monthly operating repts for Oct 1994 for Susquehanna SES. BALL,R.S. Pennsylvania Power & Light Co. 94/10/31. 8pp. 81833:298-81833:305.

S. Reportable occurrences, LERs & related correspondence

9411030338 Forwards task action plan to evaluate spent fuel storage pool safety issues identified as result of problems found at Dresden 1,issues raised at Susquehanna & other issues raised in rept filed,per 10CFR21 on 921117. SHEA,J.W. Project Directorate I-2. 94/10/24. LOCHBAUM,D.A., PREVATTE,D.C. Affiliation Not Assigned. 2pp. 81608:109-81608:117.

-9410190155 Forwards task action plan to address safety issues identified at plants.Task action plan also addresses other issues re SFPs at operating & permanently shutdown reactors. HOLAHAN,G.M. Division of Systems Safety & Analysis (Post 921004). 94/10/13. THADANI,A.C. Associate Director for Inspection & Technical Assessment (Post 870411). 8pp. 81608:111-81608:117.

9411040285 Submits tables 5.E & 5.F.inadvertently omitted from 941024 transmittal of draft SE re loss of spent fuel pool cooling events at facility. HOLAHAN,G.M. Division of Systems Safety & Analysis (Post 921004). 94/10/28. LARKINS,J.T. ACRS - Advisory Committee on Reactor Safeguards. 3pp. 81628:347-81628:349.

V. Operator Examinations

9411020265 Forwards schedules for NRC operator license exams through FY98,as requested in Administrative Ltr 94-12. BYRAM,R.G. Pennsylvania Power & Light Co. 94/10/28. Document Control Branch (Document Control Desk). 2pp. 81590:114-81590:115.

9411280192 Informs that RE Witchey no longer requires reactor operator license at plant. BYRAM,R.G. Pennsylvania Power & Light Co. 94/11/21. Document Control Branch (Document Control Desk). 1p. 81900:326-81900:326.

DOCKET 50-389 ST. LUCIE PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9411040012 Forwards insp repts 50-335/94-21 & 50-389/94-21 on 940926- 30.No violations or deviations noted. COLLINS,D.M. Region 2 (Post 820201). 94/10/25. GOLDBERG,J.H. Florida Power & Light Co. 3pp. 81575:039-81575:042.

-9411040016 Partially withheld insp repts 50-335/94-21 & 50-389/94-21 on 940926-30 (ref 10CFR73.21).No violations or deviations noted.Major areas inspected:safeguards program for nuclear power reactors,specifically,security organization. TOBIN,W. Region 2 (Post 820201). 94/10/25. 1p. 81575:042-81575:042.

9411210001 Ack receipt of 940902 & 0728 ltrs in response to NRC 940728 request for addl info re certain changes in revs 25 & 26 to radiological emergency plan that appeared to be inconsistent w/emergency planning stds of 10CFR50.47(b). CLINE,W.E. Region 2 (Post 820201). 94/10/31. GOLDBERG,J.H. Florida Power & Light Co. 5pp. 81784:001-81784:005.

9411060193 Forwards addl info requested by NRC 940809 ltr on util responses to GL 92-08, "Thermo-Lag 330-1 Fire Barriers." SAGER,D.A. Florida Power & Light Co. 94/11/04. ZIMMERMAN,R.P. Associate Director for Projects (Post 870411). 11pp. 81679:185-81679:195.

9411180197 Revised EPIPs,including Rev 26 to EPIP 3100022E,Rev 64 to EPIP 3100023E,Rev 18 to EPIP 3100026E & Rev 22 to EPIP 3100033E.W/941114 ltr. SAGER,D.A. Florida Power & Light Co. 94/11/14. 116pp. 81818:165-81818:282.

9411300163 Requests participation in exercises for testing of Natl Emergency Coordination Net for high frequency radio communications scheduled for Mar 1,June 1,Sept 1 & Dec 1 of each yr. CLINE,W.E. Region 2 (Post 820201). 94/11/16. GOLDBERG,J.H. Florida Power & Light Co. 2pp. 81872:237-81872:238.

9411300274 Forwards Rev 27 to "Radiological Emergency Plan for St Lucie Plant," per commitment re dose limits to emergency workers detailed in Item 1 of NRC 941031 ltr. SAGER,D.A. Florida Power & Light Co. 94/11/22. Document Control Branch (Document Control Desk). 25pp. 81907:001-81907:262.

-9411300275 Rev 27 to "Radiological Emergency Plan for St Lucie Plant." * Florida Power & Light Co. 94/11/01. 23pp. 81907:026-81907:262.

9411300145 Revised EPIPs,including rev 5 to EPIP-1101, "Duties of Emergency Control Officer," rev 8 to EPIP-1102, "Duties of Recovery Manager" & rev 5 to EPIP-1108, "Duties of Nuclear Div Duty Officer." W/941123 ltr. BOHLKE,W.H. Florida Power & Light Co. 94/11/23. 53pp. 81908:278-81908:328.

P. Operating license stage documents & correspondence

9411300244 FOIA request for info re plant 1990 & 1991 revs to NUREG/CR-5250 & 1992 seismic hazard characterizations of NPP sites east of Rocky Mountains. BURFORD,J.N. Florida Power & Light Co. 93/08/18. GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (890206-940714). 5pp. 81905:056-81905:060.

9411300251 Final response to FOIA request for info re plant 1990 & 1991 revs to NUREG/CR-5250 & 1992 seismic hazard characterizations of NPP sites east of Rocky Mountains. Forwards info in response to request. GRIMSLEY,D. Division of Freedom of Information & Publications Services (890206-940714). 93/11/22. BURFORD,J.N. Florida Power & Light Co. 1p. 81905:061-81905:188.

-9411300266 Transmits hazard curves for all plant sites based on G-Experts 1-4 ground motion models in response to NRR request. BERNREUTER,D.L. Lawrence Livermore National Laboratory. 88/08/30. GIESE-KOCH,G. Office of Nuclear Reactor Regulation, Director (Post 870411). 127pp. 81905:062-81905:188.

9411070148 Extends invitation to Region II licensees to participate w/NRR & Region II representatives in discussion of GL 89-10 motor-operated valve programs.Meeting to be held on 941108 in Atlanta,GA.Meeting notice & agenda encl. MALLET,B.S. Region 2 (Post 820201). 94/10/12. GOLDBERG,J.H. Florida Power & Light Co. 4pp. 81605:184-81605:187.

124 DOCKETED ITEMS

9411020149 Application for amends to licenses DPR-67 & NPF-16, incorporating encl administrative changes.
SAGER,D.A. Florida Power & Light Co. 94/10/27. Document Control Branch (Document Control Desk). 30pp. 81587:094-81587:181.

-9411020151 Proposed tech specs,incorporating administrative changes.
* Florida Power & Light Co. 94/10/27. 58pp. 81587:124-81587:181.

9411070359 Forwards amend 68 to license NPF-16 & safety evaluation. Amend revises TS section 3/4.7.1.1, "Turbine Cycle,Safety Valves," to delete specific ref to 1974 edition of ASME Code & refer to testing in accordance w/TS 4.0.5, "ISI & IST TS."
NORRIS,J.A. Project Directorate II-2. 94/11/01. GOLDBERG,J.H. Florida Power & Light Co. 3pp. 81622:328-81622:341.

-9411070369 Amend 68 to license NPF-16, revising TS 3/4.7.1.1, "Turbine Cycle,Safety Valves," to delete specific ref to 1974 edition of ASME Code & refer to testing in accordance w/TS 4.0.5, "ISI & IST TS."
THADANI,M. Project Directorate II-2. 94/11/01. 8pp. 81622:331-81622:338.

-9411070373 Safety evaluation supporting amend 68 to license NPF-16.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/11/01. 3pp. 81622:339-81622:341.

9411080181 Application for amends to licenses DPR-67 & NPF-16,upgrading TS 3/4.6.2.1 & 3/4.6.2.3 by adapting combined spec for containment spray & cooling sys contained in std TS for C-E plants.
SAGER,D.A. Florida Power & Light Co. 94/11/02. Document Control Branch (Document Control Desk). 15pp. 81677:290-81677:324.

-9411080182 Proposed tech specs 3/4.6.2.1 & 3/4.6.2.3,adapting combined spec for containment spray & cooling sys contained in std TS for C-E plants.
* Florida Power & Light Co. 94/11/02. 20pp. 81677:305-81677:324.

9411080193 Forwards addl info requested by NRC 940809 ltr on util responses to GL 92-08, "Thermo-Lag 330-1 Fire Barriers."
SAGER,D.A. Florida Power & Light Co. 94/11/04. ZIMMERMAN,R.P. Associate Director for Projects (Post 870411). 11pp. 81679:185-81679:195.

9411160342 Provides NPDES permit mod,issued by EPA on 941101.
SAGER,D.A. Florida Power & Light Co. 94/11/04. Document Control Branch (Document Control Desk). 9pp. 81787:171-81787:179.

9411220327 Forwards rept of unsatisfactory performance testing incident.Rept details investigative analysis of unsatisfactory blind specimen result,including cause & C/A taken by SmithKline Beecham Clinical Lab.
BOHLKE,W.H. Florida Power & Light Co. 94/11/15. Document Control Branch (Document Control Desk). 3pp. 81843:358-81843:360.

Q. Inspection reports, IE Bulletins & correspondence

9411010117 Forwards insp repts 50-335/94-20 & 50-389/94-20 on 940828-0930.No violations or deviations noted.Util attention invited to unresolved item identified in insp rept.
VERRELLI,D.M. Region 2 (Post 820201). 94/10/18. GOLDBERG,J.H. Florida Power & Light Co. 3pp. 81514:298-81514:322.

-9411010124 Insp repts 50-335/94-20 & 50-389/94-20 on 940828-0930.No violations or deviations noted.Major areas inspected:plant operations review,maint observations,plant support, surveillance observations & followup on previous insp.
PREVATTE,R.L., MILLER,M.S., SCHIN,R.P. Region 2 (Post 820201). 94/10/14. 22pp. 81514:301-81514:322.

9411040257 Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Matis Events to NRC Operations Ctr."
BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.

9411070116 Forwards insp repts 50-335/94-19 & 50-389/94-19 on 940926-30.Violation noted.Violation not subj to enforcement action because licensee efforts in identifying &/or correcting violation meet criteria specified in policy.
GIBSON,A.F. Region 2 (Post 820201). 94/10/20. GOLDBERG,J.H. Florida Power & Light Co. 2pp. 81605:100-81605:110.

-9411070122 Insp repts 50-335/94-19 & 50-389/94-19 on 940926-30. Violations noted.Major areas inspected:licensed operator requalification program.
MOORMAN,J.H., LAWYER,L.L. Region 2 (Post 820201). 94/10/12. 9pp. 81605:102-81605:110.

9411040012 Forwards insp repts 50-335/94-21 & 50-389/94-21 on 940926-30.No violations or deviations noted.
COLLINS,D.M. Region 2 (Post 820201). 94/10/25. GOLDBERG,J.H. Florida Power & Light Co. 3pp. 81575:039-81575:042.

-9411040016 Partially withheld insp repts 50-335/94-21 & 50-389/94-21 on 940926-30 (ref 10CFR73.21).No violations or deviations noted.Major areas inspected:safeguards program for nuclear power reactors,specifically,security organization.
TOBIN,W., MCGUIRE,D.R. Region 2 (Post 820201). 94/10/25. 1p. 81575:042-81575:042.

9410200153 NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts."
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81658:001-81658:013.

9411090300 NRC Bulletin 94-002, "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride."
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.

9411100237 NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment."
GRIMES,B.K. . 94/11/17. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.

9411300018 Forwards exam repts 50-335/94-300 & 50-389/94-300 on 941017-24.No violations identified.
PEEBLES,T.A. Region 2 (Post 820201). 94/11/17. GOLDBERG,J.H. Florida Power & Light Co. 3pp. 81987:001-81987:214.

-9411300027 Exam repts 50-335/94-300 & 50-389/94-300 on 941017-24.Exam results:nine SRO & two RO candidates passed exam.
BALDWIN,R.S. Region 2 (Post 820201). 94/11/14. 211pp. 81987:004-81987:214.

9411150578 NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation."
GRIMES,B.K. . 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.

9411170039 NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping."
GRIMES,B.K. . 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.

9411170279 NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys."
GRIMES,B.K. . 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.

9411170284 NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results."
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.

R. Periodic operating reports & related correspondence

9411250123 Monthly operating rept for Oct 1994 for St Lucie Units 1 & 2.W/941114 ltr.
WHITE,C.D., SAGER,D.A. Florida Power & Light Co. 94/10/31. 9pp. 81889:067-81889:075.

S. Reportable occurrences, LERs & related correspondence

9411160333 Forwards NPDES noncompliance notification on 941030 re 1.5 million gallons of untreated parking lot runoff entered Mangrove Impoundment 008E.
SAGER,D.A. Florida Power & Light Co. 94/11/04. Document Control Branch (Document Control Desk). 1p. 81787:169-81787:170.

-9411160336 NPDES noncompliance notification:on 941030,1.5 million gallons of untreated parking lot runoff entered Mangrove Impoundment 008E.Permanent corrective actions under review.
LESKOVAJAN,L.L. Florida Power & Light Co. 94/11/04. BUEKIK,K. Environmental Protection Agency. 1p. 81787:170-81787:170.

V. Operator Examinations

9411070116 Forwards insp repts 50-335/94-19 & 50-389/94-19 on 940926-30.Violation noted.Violation not subj to enforcement action because licensee efforts in identifying &/or correcting violation meet criteria specified in policy.
GIBSON,A.F. Region 2 (Post 820201). 94/10/20. GOLDBERG,J.H. Florida Power & Light Co. 2pp. 81605:100-81605:110.

-9411070122 Insp repts 50-335/94-19 & 50-389/94-19 on 940926-30. Violations noted.Major areas inspected:licensed operator requalification program.
MOORMAN,J.H. Region 2 (Post 820201). 94/10/12. 9pp. 81605:102-81605:110.

9411300018 Forwards exam repts 50-335/94-300 & 50-389/94-300 on 941017-24.No violations identified.
PEEBLES,T.A. Region 2 (Post 820201). 94/11/17. GOLDBERG,J.H. Florida Power & Light Co. 3pp. 81987:001-81987:214.

-9411300027 Exam repts 50-335/94-300 & 50-389/94-300 on 941017-24.Exam results:nine SRO & two RO candidates passed exam.
BALDWIN,R.S., LAWYER,L.L. Region 2 (Post 820201). 94/11/14. 211pp. 81987:004-81987:214.

DOCKET 50-390 WATTS BAR NUCLEAR PLANT, UNIT 1

A. Application/construction stage documents & correspondence

9411030262 Ltr contract,mod 7 to task order 8,increasing nrc ceiling, to "Watts Bar Open Items,CDRS & Employee Concerns."
WIGGINS,E.J. Division of Contracts (Post 940714). NRC-03-93-026. 94/09/22. LOFY,R.A. PARAMETER, Inc. 3pp. 81590:357-81590:359.

9411070111 Extends invitation to Region II licensees to participate w/NRR Region II representatives in discussion of GL 89-10 motor-operated valve programs.Meeting to be held on 941108 Atlanta,GA.Meeting notice & agenda encl.
MALLET,B.S. Region 2 (Post 820201). 94/10/12. KINGSLEY,O.D. Tennessee Valley Authority. 5pp. 81605:095-81605:099.

9411030022 Summarizes 941007 meeting w/util at Region II ofc to discuss concerns resolution program.List of individuals attending meeting & handout matl supplied by licensee encl.
BOGER,B.A. Region 2 (Post 820201). 94/10/18. KINGSLEY,O.D. Tennessee Valley Authority. 24pp. 81561:065-81561:088.

9411030044 Discusses 941017 meeting held w/util to discuss changes in corrective action program.List of attendees,agenda & handout matl supplied by licensee encl.
BOGER,B. Region 2 (Post 820201). 94/10/20. KINGSLEY,O.D. Tennessee Valley Authority. 23pp. 81561:163-81561:185.

9411020141 Forwards "Reactor Containment Bldg Integrated Leak Rate Test Suppl Rept..Unit 1 Test Rept," providing results for LLRTs completed on 940924,including water inventory tests required for CS & RHR spray isolation valves.
NUNN,D.E. Tennessee Valley Authority. 94/10/21. Document Control Branch (Document Control Desk). 3pp. 81590:092-81590:098.

-9411020146 "Reactor Containment Bldg Integrated Leak Rate Test Suppl Rept Watts Bar Nuclear Plant Unit 1 Test Rept."
* Tennessee Valley Authority. 94/09/28. 4pp. 81590:095-81590:098.

- 9411220269** Discusses Chairman 941019 meeting w/TVA inspector general to discuss insp of TVA employee concerns program at Watts Bar. TVA rept entitled, "Concerns Resolution Program - Watts Bar Nuclear Plant" encl. WINSBERG,K.L. Commissioners (Post 750119). 94/10/24. Commissioners (Post 750119). 1p. 81841:070-81841:121.
- 9411280083** "Concerns Resolution Program - Watts Bar Nuclear Plant." HUNTER,B.B., JOHNSON,T.B. Tennessee Valley Authority. 94/09/30. 21pp. 81841:071-81841:091.
- 9411220056** Forwards "Watts Bar Nuclear Plant Biological Assessment," addressing effects of operation on threatened & endangered species found in vicinity of plant. NUNN,D.E. Tennessee Valley Authority. 94/10/25. Document Control Branch (Document Control Desk). 2pp. 81588:251-81588:298.
- 9411220059** "Watts Bar Nuclear Plant Biological Assessment." * Tennessee Valley Authority. 94/10/31. 46pp. 81588:253-81588:298.
- 9411220065** Ack receipt of 940914 ltr re supplement to plant FES.Informs of NRC plans w/regard to scoping meeting for supplement to FES. NEWBERRY,S.F. License Renewal & Environmental Review Project Directorate (Post 921004). 94/10/25. COHEN,R. Affiliation Not Assigned. 2pp. 81576:018-81576:019.
- 9411220050** Forwards util response to NRC RAI on 941017 re SAMDA. NUNN,D.E. Tennessee Valley Authority. 94/10/27. Document Control Branch (Document Control Desk). 43pp. 81588:299-81588:341.
- 9411220037** Forwards copy of "EA & FONSI" re util 940919 request for extension of latest const completion date of const permit CPPR-91 from 941231 to 951231. TAM,P.S. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 94/10/31. KINGSLEY,O.D. Tennessee Valley Authority. 2pp. 81621:132-81621:138.
- 9411220030** EA & Finding Of No Significant impact re util request for extension of latest const completion date. HEBDON,F.J. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 94/10/31. 5pp. 81621:134-81621:138.
- 9411220021** Forwards "Special Suppl Rept of ECSP Corrective Action Implementation for Watts Bar Unit 1," containing corrective action plan deviations approved in support of Watts Bar Unit 1 startup during period from Jan-Sept 1994. SANFORD,M.O. Tennessee Valley Authority. 94/10/31. Document Control Branch (Document Control Desk). 2pp. 81678:001-81678:117.
- 9411220025** "Special Suppl Rept of Employee Concerns Special Program Corrective Action Implementation for Watts Bar Unit 1." * Tennessee Valley Authority. 94/10/31. 116pp. 81678:003-81678:117.
- 9411220039** Summary of 941019 meeting w/util in Rockville,MD re problems,concerns & needed actions associated w/const & licensing of plant.TVA to document deficiencies & required C/A by mid-Nov 1994.List of attendees & util handout encl. TAM,P.S. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 94/11/01. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 89pp. 81623:133-81623:223.
- 9411220110** Forwards response to NRC 940915 ltr re Watts Bar Nuclear Plant Unit 1 hot functional test program conducted in Spring of 1994,including assessment of hardware & operational issues documented by NRC ltr. NUNN,D.E. Tennessee Valley Authority. 94/11/02. Document Control Branch (Document Control Desk). 38pp. 81677:188-81677:225.
- 9411220066** Forwards response to request for addl info re environ review.W/one over-size encl. NUNN,D.E. Tennessee Valley Authority. 94/11/04. Document Control Branch (Document Control Desk). 196pp. 81805:001-81805:196.
- 9411220022** Revises 831031 response to NUREG-0737,Item I.D.3 re direct indication of relief & safety valve position. NUNN,D.E. Tennessee Valley Authority. 94/11/07. Document Control Branch (Document Control Desk). 3pp. 81745:358-81745:360.
- 9411220140** Forwards order extending const completion date & safety evaluation.In lieu of latest date of 941231,const completion date of CPPR-91 has been extended to 951231. TAM,P.S. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 94/11/08. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 81736:134-81736:140.
- 9411220146** Order extending completion date for construction of Watts Bar Nuclear Plant,Unit 1,from 941231 to 951231. RUSSELL,W.T. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/11/08. Tennessee Valley Authority. 2PP. 81736:137-81736:138.
- 9411220149** Safety evaluation re request for extension of CP CPPR-92 for plant.Issuance of order extending latest completion date for const of unit 1,reasonable & should be authorized. * Office of Nuclear Reactor Regulation, Director (Post 870411). 94/11/08. 2pp. 81736:139-81736:140.
- 9411220073** Notification of 941129 meeting w/TVA in Spring City,TN to discuss status,needed actions,schedules & priorities of various plant issues that warrant attention. TAM,P.S. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 94/11/09. HEBDON,F.J. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 3pp. 81726:314-81726:316.
- 9411220182** Summary of 941104 meeting w/TVA re status of various licensing issues.List of participants,WISP rept & comments on radwaste sys encl. TAM,P.S. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 94/11/09. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 11pp. 81736:229-81736:239.
- 9411220234** Provides results of Thermo-Lag fire barrier assembly seismic testing,as committed to in response to NRC 940406 RAI.Wyle Lab & Singleton Lab test repts encl. NUNN,D.E. Tennessee Valley Authority. 94/11/11. Document Control Branch (Document Control Desk). 3pp. 81867:001-81868:049.
- 9411220236** "Seismic Simulation Test Rept" for various Thermo-Lag enclosure configurations. BELL,D., THORNBERRY,R., THOMAS,R.G. Wyle Laboratories. 44213-1. 94/10/06. 277pp. 81867:004-81867:281.
- 9411250238** "93N3D-41791D, RD 1031154 Watts Bar Nuclear Plant Static Physical Testing of Thermo-Lag Subliming Mat Used in Fabrication of Fire Barrier Enclosures." * Affiliation Not Assigned. 209-041-027A. 94/10/04. 129pp. 81867:282-81868:049.
- 9411250034** Provides description of mgt actions underway at plant as result of recently identified const deficiencies,discussed at 941019 meeting w/NRC. NUNN,D.E. Tennessee Valley Authority. 94/11/14. Document Control Branch (Document Control Desk). 8pp. 81885:307-81885:314.
- 9411220284** Summary of 941103 meeting w/TVA in Rockville,MD re splices on cables used in plant,Unit 1. DUES,L.A. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 94/11/16. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 16pp. 81822:206-81822:222.
- 9411220218** Discusses addendum to meeting note on Chairman 941019 meeting w/ TVA inspector general to discuss insp of TVA employee concerns program. WINSBERG,K.L. Commissioners (Post 750119). 94/11/17. Commissioners (Post 750119). 1p. 81840:341-81840:355.
- 9411250194** Addendum to "Summary of TVA Concerns Resolution Program." HALL,J.B., HUNTER,B.B., JOHNSON,T.B. Tennessee Valley Authority. 94/09/30. 13pp. 81840:343-81840:355.
- 9411230142** Forwards Staff position on Chapter 14 of plant FSAR as revised by Amend 88 & informs that info acceptable except for three issues as stated.Addl info request- TAM,P.S. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 94/11/17. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 81823:046-81823:049.
- 9411250078** Forwards comments in preparation for plant personnel for upcoming conference calls re util rept "Analysis for EMI/RFI Mapping of Auxiliary Electric Equipment Room for Plant." TAM,P.S. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 94/11/21. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 3pp. 81860:345-81860:347.
- 9411280105** Summary of 941102-08 meetings w/util in Rockville,MD re technical issues raised as result of NRC review of proof & review version of plant TS.Attendance list encl. DUES,L.A. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 94/11/22. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 3pp. 81863:352-81863:354.
- F. Security, medical, emergency & fire protection plans**
- 9411030120** Advises that 940815 & 0909 ltrs,transmitting goals & objectives for 1994 radiological emergency plan exercise meets requirements for partial participation exercise. CLINE,W.E. Region 2 (Post 820201). 94/10/18. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 81560:188-81560:191.
- 9411020111** Requests exemption from 10CFR73.55, "Requirements for Physical Protection of Licensed Activities..." to allow use of hand geometry biometrics sys to control unescorted access into protected area of facilities. MEDFORD,M.O. Tennessee Valley Authority. 94/10/24. Document Control Branch (Document Control Desk). 6pp. 81585:053-81585:058.
- 9411090033** Forwards insp repts 50-390/94-63 & 50-391/94-63 on 940912-1008.No violations identified. JAUDON,J.P. Region 2 (Post 820201). 94/11/02. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 81637:264-81637:282.
- 9411090041** Insp repts 50-390/94-63 & 50-391/94-63 on 940912-1008.No violations noted.Major areas inspected:maint activities, corrective action program & fire protection sys program. BRADY,J.B., BEARDEN,W.C., RUFF,A.B. Region 2 (Post 820201). 94/11/02. 16pp. 81637:267-81637:282.
- 9411250234** Provides results of Thermo-Lag fire barrier assembly seismic testing,as committed to in response to NRC 940406 RAI.Wyle Lab & Singleton Lab test repts encl. NUNN,D.E. Tennessee Valley Authority. 94/11/11. Document Control Branch (Document Control Desk). 3pp. 81867:001-81868:049.
- 9411250236** "Seismic Simulation Test Rept" for various Thermo-Lag enclosure configurations. BELL,D., THORNBERRY,R., THOMAS,R.G. Wyle Laboratories. 44213-1. 94/10/06. 277pp. 81867:004-81867:281.
- 9411250238** "93N3D-41791D, RD 1031154 Watts Bar Nuclear Plant Static Physical Testing of Thermo-Lag Subliming Mat Used in Fabrication of Fire Barrier Enclosures." * Affiliation Not Assigned. 209-041-027A. 94/10/04. 129pp. 81867:282-81868:049.
- 9411290009** Forwards insp repts 50-390/94-66 & 50-391/94-66 on stated date & notice of violation. JAUDON,J.P. Region 2 (Post 820201). 94/11/16. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 81857:067-81857:118.
- 9411290021** Insp repts 50-390/94-66 & 50-391/94-66 on stated date. Deviations noted.Major areas inspected:areas of const work activities,microbiologically induced corrosion & fire protection & review of plant performance plan. WALTON,G.A., FREDRICKSON,P. Region 2 (Post 820201). 94/11/16. 46pp. 81857:073-81857:118.
- 9411290031** Forwards insp repts 50-390/94-62,50-391/94-62,70-2910/94-01 & 70-2928/94-01 on 940923-1021 & NOV. JAUDON,J.P. Region 2 (Post 820201). 94/11/16. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 81857:212-81857:240.
- 9411290037** Notice of violation from insp on 940923-1021.Violation noted:as of 941004,licensee failed to perform annual flow tests on centrifugal fire pumps used to provide fire protection. * Region 2 (Post 820201). 94/11/16. 2pp. 81857:216-81857:217.

126 DOCKETED ITEMS

-9411290051 Insp repts 50-390/94-62 & 50-391/94-62,70-2910/94-01 & 70-2928/94-01 on 940923-1021. Violation noted. Major areas inspected: fire protection, pre-operational test procedure review & fire protection CAP review.
MILLER, W.H. Region 2 (Post 820201). 94/11/15. 23pp. 81857:218-81857:240.

9411280189 Forwards supplemental response to NRC request for addl info re fire protection re post-fire safe shutdown capability.
NUNN, D.E. Tennessee Valley Authority. 94/11/18. Document Control Branch (Document Control Desk). 172pp. 81855:012-81855:183.

9411280047 Forwards environ assessment & finding of no significant impact re util 941024 request for exemption from requirements of 10CFR73.55 concerning access to protected & vital areas.
HEBDON, F.J. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 94/11/22. KINGSLEY, O.D. Tennessee Valley Authority. 1p. 81863:329-81863:336.

-9411280053 Environ assessment & finding of no significant impact re util 941024 request for exemption from certain requirements of 10CFR73.55 re unescorted access into protected & vital areas. EIS unnecessary.
HEBDON, F.J. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 94/11/22. 7pp. 81863:330-81863:336.

H. General correspondence

9411020169 Informs J Gardner of NRC plans w/regard to scoping meeting for suppl to plant Final Environment Statement & ack receipt of 940916 ltr.
NEWBERRY, S.F. Associate Director for Advanced Reactors & License Renewal (Post 910918). 94/10/25. GARDNER, J. Affiliation Not Assigned. 2pp. 81562:359-81562:360.

9411020215 Informs of NRC plans re scoping meeting for suppl to plant final environmental statement & ack receipt of 940914 ltr.
NEWBERRY, S.F. Associate Director for Advanced Reactors & License Renewal (Post 910918). 94/10/25. SCHOEMBS, K. Affiliation Not Assigned. 2pp. 81568:358-81568:359.

9411030006 Responds to 940914 ltr re suppl to plant FES & scoping meeting. Informs that NRC plans not to hold scoping meeting because it would not likely contribute to any new environ issues about plant. Public meeting to be held in Jan 1995.
NEWBERRY, S.F. License Renewal Project Directorate (920517-921003). 94/10/25. MCCUBBIN, B. Affiliation Not Assigned. 2pp. 81602:254-81602:255.

9411030121 Informs MA Peine of NRC plans re scoping meeting for suppl to plant FES & ack receipt of 940914 ltr.
NEWBERRY, S.F. Associate Director for Advanced Reactors & License Renewal (Post 910918). 94/10/25. PEINE, M.A. Affiliation Not Assigned. 2pp. 81602:244-81602:245.

9411030126 Informs D Winchell of NRC plans re scoping meeting for suppl to plant, FES & ack receipt of 940914 ltr.
NEWBERRY, S.F. Associate Director for Advanced Reactors & License Renewal (Post 910918). 94/10/25. WINCHELL, D. Affiliation Not Assigned. 2pp. 81602:242-81602:243.

9411030147 Informs M Case of NRC plans re scoping meeting for suppl to plant FES & ack receipt of 940918 ltr.
NEWBERRY, S.F. Associate Director for Advanced Reactors & License Renewal (Post 910918). 94/10/25. CASE, M. Affiliation Not Assigned. 2pp. 81602:228-81602:229.

9411020054 Responds to 941012 ltr to Chairman Selin forwarding 940830 ltr from constituent J Proffitt re holding of public meeting at or near plant.
TAYLOR, J.M. Ofc of the Executive Director for Operations. 94/10/27. SASSER, J. Senate. 1p. 81586:085-81586:097.

-9411020061 Informs of ltr received from constituent J Proffitt re interest in public meetings re plant & that meeting needed for public participation.
SASSER, J. Senate. 94/10/12. THE CHAIRMAN, SELIN, J. Commissioners (Post 750119). 3pp. 81586:094-81586:096.

-9411020067 Requests that public meetings re plant be held in local community in areas surrounding plant.
PROFFITT, J. Affiliation Not Assigned. 94/08/30. THE CHAIRMAN, SELIN, J. Commissioners (Post 750119). 1p. 81586:097-81586:097.

9411030228 Requests that MJ Burzynski be removed from NRC mailing labels for TVA & replaced w/RR Baron of same address.
Tennessee Valley Authority. 94/10/27. NRC - No Detailed Affiliation Given. 2pp. 81641:359-81641:360.

9411070400 Submits changes to distribution lists for TVA dockets.
CARIER, P.P. Tennessee Valley Authority. 94/11/01. Document Control Branch (Document Control Desk). 7pp. 81663:103-81663:109.

9411280286 Informs that NRC in process of preparing suppl to FES issued in 1978, in response to 941116 request.
NEWBERRY, S.F. License Renewal & Environmental Review Project Directorate (Post 921004). 94/11/22. DICKINSON, I.P. Affiliation Not Assigned. 1p. 81863:360-81863:360.

9411280289 Ack receipt of ltr re environ issues associated w/operation of plant, especially endangered species & storage of radwaste generated from plant. NRC will hold public meeting sometime in early Jan 1995, after issuance of draft suppl to FES.
NEWBERRY, S.F. License Renewal & Environmental Review Project Directorate (Post 921004). 94/11/22. ANDERSON, T. Affiliation Not Assigned. 2pp. 81863:358-81863:359.

Q. Inspection reports, IE Bulletins & correspondence

9411030056 Forwards insp repts 50-390/94-61 & 50-391/94-61 on 940821-0917 & notice of violation. Requests that util address both future plans for use of two party verification & plans to identify any similar potential problem areas.
JAUDON, J.P. Region 2 (Post 820201). 94/10/12. KINGSLEY, O.D. Tennessee Valley Authority. 4pp. 81561:245-81561:277.

-9411030062 Notice of violation from insp on 940821-0917. Violation noted: failure to follow procedures w/respect to load limits on scaffolding & housekeeping inside radiation monitoring panels & inadequate corrective actions.
* Region 2 (Post 820201). 94/10/12. 3pp. 81561:249-81561:251.

-9411030072 Insp repts 50-390/94-61 & 50-391/94-61 on 940821-0917. Violations noted. Major areas inspected: const work activities, plant tours, follow-up of NRC bulletins, review of 10CFR50.55(e) repts & actions on previous insp findings.
WALTON, G.A., FREDRICKSON, P. Region 2 (Post 820201). 94/10/12. 26pp. 81561:252-81561:277.

9410140257 Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Matis Events to NRC Operations Ctr."
BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.

9411070059 Discusses 941013 meeting w/util re problems identified during 75% insp of instrument lines & vendor info CA programs. List of attendees & util handouts encl.
JAUDON, J.P. Region 2 (Post 820201). 94/10/20. KINGSLEY, O.D. Tennessee Valley Authority. 16pp. 81604:246-81604:261.

9411300015 Ack receipt of 940930 ltr informing NRC of steps taken to correct violations noted in insp repts 50-390/94-11 & 50-391/94-11.
JAUDON, J.P. Region 2 (Post 820201). 94/10/20. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 81871:128-81871:130.

9411300035 Ack receipt of 940927 ltr informing NRC of steps taken to correct violations noted in insp repts 50-390/94-55 & 50-391/94-55. NRC review of util response to example 5, has been found to be unacceptable.
JAUDON, J.P. Region 2 (Post 820201). 94/10/20. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 81871:179-81871:181.

9411020240 Responds to NRC 940920 ltr re violations noted in insp repts 50-390/94-53 & 50-391/94-53. Corrective actions: reviewed old work control plan & found adequate installation.
NUNN, D.E. Tennessee Valley Authority. 94/10/21. Document Control Branch (Document Control Desk). 18pp. 81589:112-81589:129.

9411030013 Ack receipt of 940901 ltr informing NRC of steps taken to correct violations noted in insp repts 50-390/86-14 & 50-391/86-14. NRC reviewing util proposed commitment change involving removal of implementing procedures from FSAR.
JAUDON, J.P. Region 2 (Post 820201). 94/10/21. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 81561:026-81561:028.

9411020198 Notifies NRC of intent to reschedule readiness for NRC insp of EQ/MEQ special programs implementation.
NUNN, D.E. Tennessee Valley Authority. 94/10/25. Document Control Branch (Document Control Desk). 2pp. 81590:052-81590:053.

9411070167 Ack receipt of 940919 ltr informing NRC of steps taken to correct violations noted in insp of license.
EBNETER, S.D. Region 2 (Post 820201). 94/10/25. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 81605:237-81605:239.

9410200153 NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts."
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81658:001-81658:013.

9411030025 Forwards insp repts 50-390/94-67 & 50-391/94-67 on 940926-30. No violations noted.
JAUDON, J.P. Region 2 (Post 820201). 94/10/27. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 81561:100-81561:107.

-9411030037 Insp repts 50-390/94-67 & 50-391/94-67 on 940926-30. No violations noted. Major areas inspected: licensee & contractor employee concerns programs re engineering & design & review of design evaluations of deficiencies identified.
LINEHAN, J.J., FREDRICKSON, P. Region 2 (Post 820201). 94/10/26. 5pp. 81561:103-81561:107.

9411080102 Responds to NRC 940929 ltr re violation noted in Insp Rept 50-390/94-59. Corrective actions: Calculation WBN-OSG-4-196 will be re-evaluated for possible re-definition of acceptable amount of screen blockage.
NUNN, D.E. Tennessee Valley Authority. 94/11/01. Document Control Branch (Document Control Desk). 6pp. 81676:347-81676:352.

9411210041 Confirms telcon between PL Pace & PE Fredrickson on 941026 re technical meeting to be held at plant site on 941117 to discuss results of 75% RMS special program insp.
JAUDON, J.P. Region 2 (Post 820201). 94/11/01. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 81784:192-81784:194.

9411090033 Forwards insp repts 50-390/94-63 & 50-391/94-63 on 940912-1008. No violations identified.
JAUDON, J.P. Region 2 (Post 820201). 94/11/02. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 81637:264-81637:282.

-9411090041 Insp repts 50-390/94-63 & 50-391/94-63 on 940912-1008. No violations noted. Major areas inspected: maint activities, corrective action program & fire protection sys program.
BRADY, J.B., BEARDEN, W.C., RUFF, A.B. Region 2 (Post 820201). 94/11/02. 16pp. 81637:267-81637:282.

9411090076 Forwards insp repts 50-390/94-65 & 50-391/94-65 on 940911-1008. No violations or deviations noted.
JAUDON, J.P. Region 2 (Post 820201). 94/11/02. KINGSLEY, O.D. Tennessee Valley Authority. 4pp. 81639:268-81639:322.

-9411090083 Insp repts 50-390/94-65 & 50-391/94-65 on 940911-1008. No violations noted. Major areas inspected: preoperational test program implementation verification, preoperational test review, test witnessing & test results evaluation.
VAN DOORN, P.K., TAYLOR, P.A., JULIAN, C. Region 2 (Post 820201). 94/11/02. 51pp. 81639:272-81639:322.

9411290017 Provides final response to ltr dtd 940513, responding to NOV issued on 931025. Informs that NRC does not agree w/ util that nuclear experience reviews not QA records in accordance w/ 10CFR50, app B, criterion XVII. Requests review data. JAUDON, J.P. Region 2 (Post 820201). 94/11/08. KINGSLEY, O.D. Tennessee Valley Authority. 7pp. 81857:175-81857:181.

9411290100 Ack receipt of 941021 ltr informing NRC of steps taken to correct violations noted in insp repts 50-390/94-53 & 50-391/94-53. JAUDON, J.P. Region 2 (Post 820201). 94/11/08. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 81858:339-81858:341.

9411180133 Responds to violations noted in insp rept 50-390/94-56. Corrective actions: individuals involved counseled & sample line T will be eliminated in design change. NUNN, D.E. Tennessee Valley Authority. 94/11/09. Document Control Branch (Document Control Desk). 7pp. 81799:288-81799:294.

9411180137 Responds to violations noted in insp rept 50-390/94-59. Corrective actions: incident discusses w/ mgt & effected staff. NUNN, D.E. Tennessee Valley Authority. 94/11/09. Document Control Branch (Document Control Desk). 7pp. 81799:295-81799:301.

9411290022 Ack receipt of 941101 ltr informing NRC of steps taken to correct violations noted in insp repts 50-390/94-59 & 50-391/94-59. Implementation to be reviewed in future insp. JAUDON, J.P. Region 2 (Post 820201). 94/11/10. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 81857:183-81857:185.

9411290081 Forwards insp repts 50-390/94-72 & 50-391/94-72 on 941007-14 & NOV. JAUDON, J.P. Region 2 (Post 820201). 94/11/10. KINGSLEY, O.D. Tennessee Valley Authority. 5pp. 81858:289-81858:316.

9411290085 Notice of violation from insp on 941007-14. Violation noted: licensee failed to install Class 1E medium voltage splices w/ nuclear grade Raychem heat shrink tubing to provide waterproofing. * Region 2 (Post 820201). 94/11/10. 4pp. 81858:294-81858:297.

9411290087 Insp repts 50-390/94-72 & 50-391/94-72 on 941007-14. No violations noted. Major areas inspected: corrective actions on previous insp findings. WALTON, G.A., VAN DOORN, P.K., FREDRICKSON, P. Region 2 (Post 820201). 94/11/08. 17pp. 81858:298-81858:316.

9411250046 Denies violations noted in Insp Repts 50-390/94-37 & 50-391/94-37, in response to NRC 941018 ltr. Discussion of TVA mgt assessment of insp rept issues & Nuclear Assurance audit findings encl. NUNN, D.E. Tennessee Valley Authority. 94/11/11. Document Control Branch (Document Control Desk). 9pp. 81889:098-81889:106.

9411090300 NRC Bulletin 94-002, "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride." PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.

9411250029 Responds to NRC 941012 ltr re violations noted in Insp Repts 50-390/94-61 & 50-391/94-61. Violations reportable per 10CFR50.55(e) & associated const deficiency repts encl. Corrective actions: calculation performed for duct supports. NUNN, D.E. Tennessee Valley Authority. 94/11/14. Document Control Branch (Document Control Desk). 11pp. 81889:125-81889:135.

9411290001 Ack receipt of 940916 ltr informing NRC of steps taken to correct violations noted in insp repts 50-390/94-42 & 50-391/94-42. JAUDON, J.P. Region 2 (Post 820201). 94/11/15. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 81857:001-81857:003.

9411300199 Ack receipt of 941018 ltr informing NRC of steps taken to correct violations noted in insp repts 50-390/94-37 & 50-391/94-37. JAUDON, J.P. Region 2 (Post 820201). 94/11/15. KINGSLEY, O.D. Tennessee Valley Authority. 2pp. 81872:304-81872:306.

9411290009 Forwards insp repts 50-390/94-66 & 50-391/94-66 on stated date & notice of violation. JAUDON, J.P. Region 2 (Post 820201). 94/11/16. KINGSLEY, O.D. Tennessee Valley Authority. 4pp. 81857:067-81857:118.

9411290015 Notice of deviation from insp on stated date. Deviation noted: plant performance plan commitments not implemented as listed. * Region 2 (Post 820201). 94/11/16. 2pp. 81857:071-81857:072.

9411290021 Insp repts 50-390/94-66 & 50-391/94-66 on stated date. Deviations noted. Major areas inspected: areas of const work activities, microbiologically induced corrosion & fire protection & review of plant performance plan. WALTON, G.A., FREDRICKSON, P. Region 2 (Post 820201). 94/11/16. 46pp. 81857:073-81857:118.

9411290031 Forwards insp repts 50-390/94-62, 50-391/94-62, 70-2910/94-01 & 70-2928/94-01 on 940923-1021 & NOV. JAUDON, J.P. Region 2 (Post 820201). 94/11/16. KINGSLEY, O.D. Tennessee Valley Authority. 4pp. 81857:212-81857:240.

9411290037 Notice of violation from insp on 940923-1021. Violation noted: as of 941004, licensee failed to perform annual flow tests on centrifugal fire pumps used to provide fire protection. * Region 2 (Post 820201). 94/11/16. 2pp. 81857:216-81857:217.

9411290051 Insp repts 50-390/94-62 & 50-391/94-62, 70-2910/94-01 & 70-2928/94-01 on 940923-1021. Violation noted: Major areas inspected: fire protection, pre-operational test procedure review & fire protection CAP review. MILLER, W.H., FREDRICKSON, P. Region 2 (Post 820201). 94/11/15. 23pp. 81857:218-81857:240.

9411100237 NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment." GRIMES, B.K. 94/11/17. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.

9411290102 Forwards insp repts 50-390/94-69 & 50-391/94-69 & notice of violation. Violation involved component cooling vacuum relief valve utilized where specified max design limit would be exceeded under design basis conditions. JAUDON, J.P. Region 2 (Post 820201). 94/11/18. KINGSLEY, O.D. Tennessee Valley Authority. 5pp. 81863:294-81863:328.

9411290109 Notice of violation from insp on stated date. Violation noted: design basis of component cooling sys surge tank was not correctly translated into specifications, drawings, procedures & instructions. * Region 2 (Post 820201). 94/11/18. 2pp. 81863:299-81863:300.

9411290114 Insp repts 50-390/94-69 & 50-391/94-69 on stated dates. Violations noted. Major areas inspected: effectiveness of Design Baseline & Verification Program. GIRARD, E., FREDRICKSON, P. Region 2 (Post 820201). 94/11/18. 28pp. 81863:301-81863:328.

9411150578 NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation." GRIMES, B.K. 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.

9411290216 Ack receipt of 941109 ltr informing NRC of steps taken to correct violations noted in insp repts 50-390/94-58 & 50-391/94-58 & NOV issued 941006. JAUDON, J.P. Region 2 (Post 820201). 94/11/22. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 81870:107-81870:109.

9411290227 Ack receipt of 941109 ltr informing NRC of steps taken to correct violations noted in insp repts 50-390/94-56 & 50-391/94-56. JAUDON, J.P. Region 2 (Post 820201). 94/11/22. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 81870:131-81870:133.

9411170039 NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping." GRIMES, B.K. 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.

9411290259 Discusses 941117 technical meeting re problems identified during 75% insp of Radiation Monitoring Sys Special Program insp. List of attendees & handouts encl. JAUDON, J.P. Region 2 (Post 820201). 94/11/23. KINGSLEY, O.D. Tennessee Valley Authority. 8pp. 81870:206-81870:213.

9411170279 NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys." GRIMES, B.K. 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.

9411170284 NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results." PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.

S. Reportable occurrences, LERs & related correspondence

9411010180 Interim deficiency rept 94-14 re slope deficiencies identified on ERCW pumps motor bearing cooling lines. * Tennessee Valley Authority. 94/10/25. NRC - No Detailed Affiliation Given. 1p. 81515:077-81515:077.

9411010051 Deficiency rept 94-15 re damage to Kapton insulation on electrical "pigtail" conductors of electrical containment penetrations identified during insp. PACE, P.L. Tennessee Valley Authority. 94/10/26. NRC - No Detailed Affiliation Given. 1p. 81514:149-81514:149.

9411070249 Deficiency rept re four conduits containing safety related cables identified as being installed as rigid conduit rather than flexible conduit between tray supports & adjacent structures. NUNN, D.E. Tennessee Valley Authority. CDR-50-390/94-12. 94/10/31. Document Control Branch (Document Control Desk). 6pp. 81653:353-81653:358.

9411070265 Suppl to deficiency rept re GE Magne-Blast circuit breakers. Initially reported on 940712. Defective breakers taken out of svc. NUNN, D.E. Tennessee Valley Authority. 94/10/31. Document Control Branch (Document Control Desk). 4pp. 81676:005-81676:008.

9411150165 Deficiency repts CDR-50-390/87-10 & CDR-50-391/87-10 re failure of Category C devices may adversely affect Category A devices. NUNN, D.E. Tennessee Valley Authority. CDR-50-390/87-10. 94/11/07. Document Control Branch (Document Control Desk). 4pp. 81775:102-81775:105.

9411300136 Informs that on 940914 NRC inspector identified use of Thomas & Betts 54500-series 2-way connectors in 6.95V applicators. NUNN, D.E. Tennessee Valley Authority. 94/11/18. Document Control Branch (Document Control Desk). 12pp. 81910:248-81910:259.

V. Operator Examinations

9411020176 Forwards operator licensing natl exam schedule re Administrative Ltr 94-12. CARRIER, P.P. Tennessee Valley Authority. 94/10/26. Document Control Branch (Document Control Desk). 5pp. 81590:047-81590:051.

9411290068 Confirms arrangements made in telcon on 941108 between util & NRC for administration of licensing exams at plant during wks of 950213, 24, 27 & 0306. Ref matts specified in encl list of ref matts should be submitted by 951214. PEEBLES, T.A. Region 2 (Post 820201). 94/11/15. KINGSLEY, O.D. Tennessee Valley Authority. 7pp. 81858:192-81858:198.

DOCKET 50-391 WATTS BAR NUCLEAR PLANT, UNIT 2

A. Application/construction stage documents & correspondence

9411030262 Ltr contract, mod 7 to task order 8, increasing cost ceiling, to "Watts Bar Open Items, CDRS & Employee Concerns." WIGGINS, E.J. Division of Contracts (Post 940714). NRC-03-93-026. 94/09/22. LOFY, R.A. PARAMETER, Inc. 3pp. 81590:357-81590:359.

128 DOCKETED ITEMS

- 9411070111** Extends invitation to Region II licensees to participate w/NRR Region II representatives in discussion of GL 89-10 motor-operated valve programs.Meeting to be held on 941108 Atlanta,GA.Meeting notice & agenda encl.
MALLET,B.S. Region 2 (Post 820201). 94/10/12. KINGSLEY,O.D. Tennessee Valley Authority. 5pp. 81605:095-81605:099.
- 9411030022** Summarizes 941007 meeting w/util at Region II ofc to discuss concerns resolution program.List of individuals attending meeting & handout matl supplied by licensee encl.
BOGER,B.A. Region 2 (Post 820201). 94/10/18. KINGSLEY,O.D. Tennessee Valley Authority. 24pp. 81561:065-81561:088.
- 9411030044** Discusses 941017 meeting held w/util to discuss changes in corrective action program.List of attendees,agenda & handout matl supplied by licensee encl.
BOGER,B. Region 2 (Post 820201). 94/10/20. KINGSLEY,O.D. Tennessee Valley Authority. 23pp. 81561:163-81561:185.
- 9411220269** Discusses Chairman 941019 meeting w/TVA inspector general to discuss insp of TVA employee concerns program at Watts Bar. TVA rept entitled, "Concerns Resolution Program - Watts Bar Nuclear Plant" encl.
WINSBERG,K.L. Commissioners (Post 750119). 94/10/24. Commissioners (Post 750119). 1p. 81841:070-81841:121.
- 9411280083** "Concerns Resolution Program - Watts Bar Nuclear Plant."
HUNTER,B.B., JOHNSON,T.B. Tennessee Valley Authority. 94/09/30. 21pp. 81841:071-81841:091.
- 9411020056** Forwards "Watts Bar Nuclear Plant Biological Assessment," addressing effects of operation on threatened & endangered species found in vicinity of plant.
NUNN,D.E. Tennessee Valley Authority. 94/10/25. Document Control Branch (Document Control Desk). 2pp. 81588:251-81588:298.
- 9411020059** "Watts Bar Nuclear Plant Biological Assessment."
* Tennessee Valley Authority. 94/10/31. 46pp. 81588:253-81588:298.
- 9411020065** Ack receipt of 940914 ltr re supplement to plant FES.Informs of NRC plans w/regard to scoping meeting for supplement to FES.
NEWBERRY,S.F. License Renewal & Environmental Review Project Directorate (Post 921004). 94/10/25. COHEN,R. Affiliation Not Assigned. 2pp. 81576:018-81576:019.
- 9411020050** Forwards util response to NRC RAI on 941017 re SAMDA.
NUNN,D.E. Tennessee Valley Authority. 94/10/27. Document Control Branch (Document Control Desk). 43pp. 81588:299-81588:341.
- 9411150066** Forwards response to request for addl info re environ review.W/one over-size encl.
NUNN,D.E. Tennessee Valley Authority. 94/11/04. Document Control Branch (Document Control Desk). 196pp. 81805:001-81805:196.
- 9411140022** Revises 831031 response to NUREG-0737,Item II.D.3 re direct indication of relief & safety valve position.
NUNN,D.E. Tennessee Valley Authority. 94/11/07. Document Control Branch (Document Control Desk). 3pp. 81745:358-81745:360.
- 9411100273** Notification of 941129 meeting w/TVA in Spring City,TN to discuss status,needed actions,schedules & priorities of various plant issues that warrant attention.
TAM,P.S. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 94/11/09. HEBDON,F.J. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 3pp. 81726:314-81726:316.
- 9411140182** Summary of 941104 meeting w/TVA re status of various licensing issues.List of participants,WISP rept & comments on radwaste sys encl.
TAM,P.S. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 94/11/09. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 11pp. 81736:229-81736:239.
- 9411250234** Provides results of Thermo-Lag fire barrier assembly seismic testing,as committed to in response to NRC 940406 RAI.Wyle Lab & Singleton Lab test repts encl.
NUNN,D.E. Tennessee Valley Authority. 94/11/11. Document Control Branch (Document Control Desk). 3pp. 81867:001-81868:049.
- 9411250236** "Seismic Simulation Test Rept" for various Thermo-Lag enclosure configurations.
BELL,D., THORNBERRY,R., THOMAS,R.G. Wyle Laboratories. 44213-1. 94/10/06. 277pp. 81867:004-81867:281.
- 9411250238** "93N3D-41791D,RD 1031154 Watts Bar Nuclear Plant Static Physical Testing of Thermo-Lag Subliming Matl Used in Fabrication of Fire Barrier Enclosures."
* Affiliation Not Assigned. 209-041-027A. 94/10/04. 129pp. 81867:282-81868:049.
- 9411250034** Provides description of mgt actions underway at plant as result of recently identified const deficiencies,discussed at 941019 meeting w/NRC.
NUNN,D.E. Tennessee Valley Authority. 94/11/14. Document Control Branch (Document Control Desk). 8pp. 81885:307-81885:314.
- 9411220218** Discusses addendum to meeting note on Chairman 941019 meeting w/ TVA inspector general to discuss insp of TVA employee concerns program.
WINSBERG,K.L. Commissioners (Post 750119). 94/11/17. Commissioners (Post 750119). 1p. 81840:341-81840:355.
- 9411250194** Addendum to "Summary of TVA Concerns Resolution Program."
HALL,J.B., HUNTER,B.B., JOHNSON,T.B. Tennessee Valley Authority. 94/09/30. 13pp. 81840:343-81840:355.
- 9411230142** Forwards Staff position on Chapter 14 of plant FSAR as revised by Amend 88 & informs that info acceptable except for three issues as stated.Addl info requested.
TAM,P.S. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 94/11/17. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 81823:046-81823:049.
- 9411250078** Forwards comments in preparation for plant personnel for upcoming conference calls re util rept "Analysis for EMI/RFI Mapping of Auxiliary Electric Equipment Room for Plant."
TAM,P.S. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 94/11/21. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 3pp. 81850:345-81850:347.

F. Security, medical, emergency & fire protection plans

- 9411030120** Advises that 940815 & 0909 ltrs.transmitting goals & objectives for 1994 radiological emergency plan exercise meets requirements for partial participation exercise.
CLINE,W.E. Region 2 (Post 820201). 94/10/18. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 81560:188-81560:191.
- 9411010211** Requests exemption from 10CFR73.55, "Requirements for Physical Protection of Licensed Activities..." to allow use of hand geometry biometrics sys to control unescorted access into protected area of facilities.
MEDFORD,M.O. Tennessee Valley Authority. 94/10/24. Document Control Branch (Document Control Desk). 6pp. 81585:053-81585:058.
- 9411090033** Forwards insp repts 50-390/94-63 & 50-391/94-63 on 940912-1008.No violations identified.
JAUDON,J.P. Region 2 (Post 820201). 94/11/02. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 81637:264-81637:282.
- 9411090041** Insp repts 50-390/94-63 & 50-391/94-63 on 940912-1008.No violations noted.Major areas inspected:maint activities, corrective action program & fire protection sys program.
BRADY,J.B., FREDRICKSON,P. Region 2 (Post 820201). 94/11/02. 16pp. 81637:267-81637:282.
- 9411250234** Provides results of Thermo-Lag fire barrier assembly seismic testing,as committed to in response to NRC 940406 RAI.Wyle Lab & Singleton Lab test repts encl.
NUNN,D.E. Tennessee Valley Authority. 94/11/11. Document Control Branch (Document Control Desk). 3pp. 81867:001-81868:049.
- 9411250238** "93N3D-41791D,RD 1031154 Watts Bar Nuclear Plant Static Physical Testing of Thermo-Lag Subliming Matl Used in Fabrication of Fire Barrier Enclosures."
* Affiliation Not Assigned. 209-041-027A. 94/10/04. 129pp. 81867:282-81868:049.
- 9411290009** Forwards insp repts 50-390/94-66 & 50-391/94-66 on stated date & notice of violation.
JAUDON,J.P. Region 2 (Post 820201). 94/11/16. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 81857:067-81857:118.
- 9411290021** Insp repts 50-390/94-66 & 50-391/94-66 on stated date. Deviations noted.Major areas inspected:areas of const work activities,microbiologically induced corrosion & fire protection & review of plant performance plan.
WALTON,G.A. Region 2 (Post 820201). 94/11/16. 46pp. 81857:073-81857:118.
- 9411290031** Forwards insp repts 50-390/94-62,50-391/94-62,70-2910/94-01 & 70-2928/94-01 on 940923-1021 & NOV.
JAUDON,J.P. Region 2 (Post 820201). 94/11/16. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 81857:212-81857:240.
- 9411290051** Insp repts 50-390/94-62 & 50-391/94-62,70-2910/94-01 & 70-2928/94-01 on 940923-1021.Violation noted.Major areas inspected:fire protection,pre-operational test procedure review & fire protection CAP review.
MILLER,W.H. Region 2 (Post 820201). 94/11/15. 23pp. 81857:218-81857:240.
- 9411280047** Forwards environ assessment & finding of no significant impact re util 941024 request for exemption from requirements of 10CFR73.55 concerning access to protected & vital areas.
HEBDON,F.J. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 94/11/22. KINGSLEY,O.D. Tennessee Valley Authority. 1p. 81863:329-81863:336.
- 9411280053** Environ assessment & finding of no significant impact re util 941024 request for exemption from certain requirements of 10CFR73.55 re unescorted access into protected & vital areas.EIS unnecessary.
HEBDON,F.J. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 94/11/22. 7pp. 81863:330-81863:336.

H. General correspondence

- 9411030006** Responds to 940914 ltr re suppl to plant FES & scoping meeting.Informs that NRC plans not to hold scoping meeting because it would not likely contribute to any new environ issues about plant.Public meeting to be held in Jan 1995.
NEWBERRY,S.F. License Renewal Project Directorate (920517-921003). 94/10/25. MCCUBBIN,B. Affiliation Not Assigned. 2pp. 81602:244-81602:245.
- 9411030121** Informs MA Peine of NRC plans re scoping meeting for suppl to plant FES & ack receipt of 940914 ltr.
NEWBERRY,S.F. Associate Director for Advanced Reactors & License Renewal (Post 910918). 94/10/25. PEINE,M.A. Affiliation Not Assigned. 2pp. 81602:244-81602:245.
- 9411030126** Informs D Winchell of NRC plans re scoping meeting for suppl to plant,FES & ack receipt of 940914 ltr.
NEWBERRY,S.F. Associate Director for Advanced Reactors & License Renewal (Post 910918). 94/10/25. WINCHELL,D. Affiliation Not Assigned. 2pp. 81602:242-81602:243.
- 9411030147** Informs M Case of NRC plans re scoping meeting for suppl to plant FES & ack receipt of 940918 ltr.
NEWBERRY,S.F. Associate Director for Advanced Reactors & License Renewal (Post 910918). 94/10/25. CASE,M. Affiliation Not Assigned. 2pp. 81602:228-81602:229.
- 9411020054** Responds to 941012 ltr to Chairman Selin forwarding 940830 ltr from constituent J Proffitt re holding of public meeting at or near plant.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 94/10/27. SASSER,J. Senate. 1p. 81586:085-81586:097.
- 9411020061** Informs of ltr received from constituent J Proffitt re interest in public meetings re plant & that meeting needed for public participation.
SASSER,J. Senate. 94/10/12. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 3pp. 81586:094-81586:096.

-9411020067 Requests that public meetings re plant be held in local community in areas surrounding plant.
PROFFITT, J. Affiliation Not Assigned. 94/08/30. THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 1p. 81586:097-81586:097.

9411030228 Requests that MJ Burzynski be removed from NRC mailing labels for TVA & replaced w/RR Baron of same address.
Tennessee Valley Authority. 94/10/27. NRC - No Detailed Affiliation Given. 2pp. 81641:359-81641:360.

9411070400 Submits changes to distribution lists for TVA dockets.
CARRIER, P.P. Tennessee Valley Authority. 94/11/01. Document Control Branch (Document Control Desk). 7pp. 81663:103-81663:109.

9411280286 Informs that NRC in process of preparing suppl to FES issued in 1978, in response to 941116 request.
NEWBERRY, S.F. License Renewal & Environmental Review Project Directorate (Post 921004). 94/11/22. DICKINSON, I.P. Affiliation Not Assigned. 1p. 81863:360-81863:360.

9411280289 Ack receipt of ltr re environ issues associated w/operation of plant, especially endangered species & storage of radwaste generated from plant. NRC will hold public meeting sometime in early Jan 1995, after issuance of draft suppl to FES.
NEWBERRY, S.F. License Renewal & Environmental Review Project Directorate (Post 921004). 94/11/22. ANDERSON, T. Affiliation Not Assigned. 2pp. 81863:358-81863:359.

Q. Inspection reports, IE Bulletins & correspondence

9411030056 Forwards insp repts 50-390/94-61 & 50-391/94-61 on 940821-0917 & notice of violation. Requests that util address both future plans for use of two party verification & plans to identify any similar potential problem areas.
JAUDON, J.P. Region 2 (Post 820201). 94/10/12. KINGSLEY, O.D. Tennessee Valley Authority. 4pp. 81561:245-81561:277.

-9411030072 Insp repts 50-390/94-61 & 50-391/94-61 on 940821-0917. Violations noted. Major areas inspected: const work activities, plant tours, follow-up of NRC bulletins, review of 10CFR50.55(e) repts & actions on previous insp findings.
WALTON, G.A., FREDRICKSON, P. Region 2 (Post 820201). 94/10/12. 26pp. 81561:252-81561:277.

9410140257 Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Matts Events to NRC Operations Ctr."
BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.

9411070059 Discusses 941013 meeting w/util re problems identified during 75% insp of instrument lines & vendor info CA programs. List of attendees & util handouts encl.
JAUDON, J.P. Region 2 (Post 820201). 94/10/20. KINGSLEY, O.D. Tennessee Valley Authority. 16pp. 81604:246-81604:261.

9411300015 Ack receipt of 940930 ltr informing NRC of steps taken to correct violations noted in insp repts 50-390/94-11 & 50-391/94-11.
JAUDON, J.P. Region 2 (Post 820201). 94/10/20. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 81871:128-81871:130.

9411300035 Ack receipt of 940927 ltr informing NRC of steps taken to correct violations noted in insp repts 50-390/94-55 & 50-391/94-55. NRC review of util response to example 5, has been found to be unacceptable.
JAUDON, J.P. Region 2 (Post 820201). 94/10/20. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 81871:179-81871:181.

9411020240 Responds to NRC 940920 ltr re violations noted in insp repts 50-390/94-53 & 50-391/94-53. Corrective actions: reviewed old work control plan & found adequate installation.
NUNN, D.E. Tennessee Valley Authority. 94/10/21. Document Control Branch (Document Control Desk). 18pp. 81589:112-81589:129.

9411030013 Ack receipt of 940901 ltr informing NRC of steps taken to correct violations noted in insp repts 50-390/86-14 & 50-391/86-14. NRC reviewing util proposed commitment change involving removal of implementing procedures from FSAR.
JAUDON, J.P. Region 2 (Post 820201). 94/10/21. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 81561:026-81561:028.

9411070167 Ack receipt of 940919 ltr informing NRC of steps taken to correct violations noted in insp of license.
EBNETER, S.D. Region 2 (Post 820201). 94/10/25. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 81605:237-81605:239.

9410200153 NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts."
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81658:001-81658:013.

9411030025 Forwards insp repts 50-390/94-67 & 50-391/94-67 on 940926-30. No violations noted.
JAUDON, J.P. Region 2 (Post 820201). 94/10/27. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 81561:100-81561:107.

-9411030037 Insp repts 50-390/94-67 & 50-391/94-67 on 940926-30. No violations noted. Major areas inspected: licensee & contractor employee concerns programs re engineering & design & review of design evaluations of deficiencies identified.
LINEHAN, J.J., FREDRICKSON, P. Region 2 (Post 820201). 94/10/26. 5pp. 81561:103-81561:107.

9411080102 Responds to NRC 940929 ltr re violation noted in Insp Rept 50-390/94-59. Corrective actions: Calculation WBN-OSG4-196 will be re-evaluated for possible re-definition of acceptable amount of screen blockage.
NUNN, D.E. Tennessee Valley Authority. 94/11/01. Document Control Branch (Document Control Desk). 6pp. 81676:347-81676:352.

9411210041 Confirms telcon between PL Pace & PE Fredrickson on 941026 re technical meeting to be held at plant site on 941117 to discuss results of 75% RMS special program insp.
JAUDON, J.P. Region 2 (Post 820201). 94/11/01. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 81784:192-81784:194.

9411090033 Forwards insp repts 50-390/94-63 & 50-391/94-63 on 940912-1008. No violations identified.
JAUDON, J.P. Region 2 (Post 820201). 94/11/02. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 81637:264-81637:282.

-9411090041 Insp repts 50-390/94-63 & 50-391/94-63 on 940912-1008. No violations noted. Major areas inspected: maint activities, corrective action program & fire protection sys program.
BRADY, J.B., BEARDEN, W.C., RUFF, A.B. Region 2 (Post 820201). 94/11/02. 16pp. 81637:267-81637:282.

9411090076 Forwards insp rept 50-390/94-65 & 50-391/94-65 on 940911-1008. No violations or deviations noted.
JAUDON, J.P. Region 2 (Post 820201). 94/11/02. KINGSLEY, O.D. Tennessee Valley Authority. 4pp. 81639:268-81639:322.

-9411090083 Insp repts 50-390/94-65 & 50-391/94-65 on 940911-1008. No violations noted. Major areas inspected: preoperational test program implementation verification, preoperational test review, test witnessing & test results evaluation.
VAN DOORN, P.K., TAYLOR, P.A., JULIAN, C. Region 2 (Post 820201). 94/11/02. 51pp. 81639:272-81639:322.

9411290017 Provides final response to ltr, dtd 940513, responding to NOV issued on 931025. Informs that NRC does not agree w/util that nuclear experience reviews not QA records in accordance w/ 10CFR50, app B, criterion XVII. Requests review data.
JAUDON, J.P. Region 2 (Post 820201). 94/11/08. KINGSLEY, O.D. Tennessee Valley Authority. 7pp. 81857:175-81857:181.

9411290100 Ack receipt of 941021 ltr informing NRC of steps taken to correct violations noted in insp repts 50-390/94-53 & 50-391/94-53.
JAUDON, J.P. Region 2 (Post 820201). 94/11/08. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 81858:339-81858:341.

9411290022 Ack receipt of 941101 ltr informing NRC of steps taken to correct violations noted in insp repts 50-390/94-59 & 50-391/94-59. Implementation to be reviewed in future insp.
JAUDON, J.P. Region 2 (Post 820201). 94/11/10. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 81857:183-81857:185.

9411290081 Forwards insp repts 50-390/94-72 & 50-391/94-72 on 941007-14 & NOV.
JAUDON, J.P. Region 2 (Post 820201). 94/11/10. KINGSLEY, O.D. Tennessee Valley Authority. 5pp. 81858:289-81858:316.

-9411290085 Notice of violation from insp on 941007-14. Violation noted: licensee failed to install Class 1E medium voltage splices w/nuclear grade Raychem heat shrink tubing to provide waterproofing.
Region 2 (Post 820201). 94/11/10. 4pp. 81858:294-81858:297.

-9411290087 Insp repts 50-390/94-72 & 50-391/94-72 on 941007-14. No violations noted. Major areas inspected: corrective actions on previous insp findings.
WALTON, G.A., VAN DOORN, P.K., FREDRICKSON, P. Region 2 (Post 820201). 94/11/08. 17pp. 81858:298-81858:316.

9411250046 Denies violations noted in Insp Repts 50-390/94-37 & 50-391/94-37, in response to NRC 941018 ltr. Discussion of TVA mgt assessment of insp rept issues & Nuclear Assurance audit findings encl.
NUNN, D.E. Tennessee Valley Authority. 94/11/11. Document Control Branch (Document Control Desk). 9pp. 81889:098-81889:106.

9411090300 NRC Bulletin 94-002, "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride."
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.

9411250029 Responds to NRC 941012 ltr re violations noted in Insp Repts 50-390/94-61 & 50-391/94-61. Violations reportable per 10CFR50.55(e) & associated const deficiency repts encl. Corrective actions: calculation performed for duct supports.
NUNN, D.E. Tennessee Valley Authority. 94/11/14. Document Control Branch (Document Control Desk). 11pp. 81889:125-81889:135.

9411290001 Ack receipt of 940916 ltr informing NRC of steps taken to correct violations noted in insp repts 50-390/94-42 & 50-391/94-42.
JAUDON, J.P. Region 2 (Post 820201). 94/11/15. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 81857:001-81857:003.

9411300199 Ack receipt of 941018 ltr informing NRC of steps taken to correct violations noted in insp repts 50-390/94-37 & 50-391/94-37.
JAUDON, J. Region 2 (Post 820201). 94/11/15. KINGSLEY, O.D. Tennessee Valley Authority. 2pp. 81872:304-81872:306.

9411290009 Forwards insp repts 50-390/94-66 & 50-391/94-66 on stated date & notice of violation.
JAUDON, J.P. Region 2 (Post 820201). 94/11/16. KINGSLEY, O.D. Tennessee Valley Authority. 4pp. 81857:067-81857:118.

-9411290021 Insp repts 50-390/94-66 & 50-391/94-66 on stated date. Deviations noted. Major areas inspected: areas of const work activities, microbiologically induced corrosion & fire protection & review of plant performance plan.
WALTON, G.A., FREDRICKSON, P. Region 2 (Post 820201). 94/11/16. 46pp. 81857:073-81857:118.

9411290031 Forwards insp repts 50-390/94-62, 50-391/94-62, 70-2910/94-01 & 70-2928/94-01 on 940923-1021 & NOV.
JAUDON, J.P. Region 2 (Post 820201). 94/11/16. KINGSLEY, O.D. Tennessee Valley Authority. 4pp. 81857:212-81857:240.

-9411290051 Insp repts 50-390/94-62 & 50-391/94-62, 70-2910/94-01 & 70-2928/94-01 on 940923-1021. Violation noted. Major areas inspected: fire protection, pre-operational test procedure review & fire protection CAP review.
MILLER, W.H., FREDRICKSON, P. Region 2 (Post 820201). 94/11/15. 23pp. 81857:218-81857:240.

9411100237 NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment."
GRIMES, B.K. 94/11/17. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.

130 DOCKETED ITEMS

9411290102 Forwards insp repts 50-390/94-69 & 50-391/94-69 & notice of violation. Violation involved component cooling vacuum relief valve utilized where specified max design limit would be exceeded under design basis conditions. JAUDON, J.P. Region 2 (Post 820201). 94/11/18. KINGSLEY, O.D. Tennessee Valley Authority. 5pp. 81863:294-81863:328.

-9411290114 Insp repts 50-390/94-69 & 50-391/94-69 on stated dates. Violations noted. Major areas inspected: effectiveness of Design Baseline & Verification Program. GIRARD, E., FREDRICKSON, P. Region 2 (Post 820201). 94/11/18. 28pp. 81863:301-81863:328.

9411150578 NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation." GRIMES, B.K. 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.

9411290216 Ack receipt of 941109 ltr informing NRC of steps taken to correct violations noted in insp repts 50-390/94-58 & 50-391/94-58 & NOV issued 941006. JAUDON, J.P. Region 2 (Post 820201). 94/11/22. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 81870:107-81870:109.

9411290227 Ack receipt of 941109 ltr informing NRC of steps taken to correct violations noted in insp repts 50-390/94-56 & 50-391/94-56. JAUDON, J.P. Region 2 (Post 820201). 94/11/22. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 81870:131-81870:133.

9411170039 NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping." GRIMES, B.K. 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.

9411290259 Discusses 941117 technical meeting re problems identified during 75% insp of Radiation Monitoring Sys Special Program insp. List of attendees & handouts encl. JAUDON, J.P. Region 2 (Post 820201). 94/11/23. KINGSLEY, O.D. Tennessee Valley Authority. 8pp. 81870:206-81870:213.

9411170279 NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys." GRIMES, B.K. 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.

9411170284 NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results." PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.

S. Reportable occurrences, LERs & related correspondence

9411010180 Interim deficiency rept 94-14 re slope deficiencies identified on ERCW pumps motor bearing cooling lines. Tennessee Valley Authority. 94/10/25. NRC - No Detailed Affiliation Given. 1p. 81515:077-81515:077.

9411070265 Suppl to deficiency rept re GE Magne-Blast circuit breakers. Initially reported on 940712. Defective breakers taken out of svc. NUNN, D.E. Tennessee Valley Authority. 94/10/31. Document Control Branch (Document Control Desk). 4pp. 81676:005-81676:008.

9411150165 Deficiency repts CDR-50-390/87-10 & CDR-50-391/87-10 re failure of Category C devices may adversely affect Category A devices. NUNN, D.E. Tennessee Valley Authority. CDR-50-390/87-10. 94/11/07. Document Control Branch (Document Control Desk). 4pp. 81775:102-81775:105.

9411300136 Informs that on 940914 NRC inspector identified use of Thomas & Betts 54500-series 2-way connectors in 6.95V applicators. NUNN, D.E. Tennessee Valley Authority. 94/11/18. Document Control Branch (Document Control Desk). 12pp. 81910:248-81910:259.

V. Operator Examinations

9411020176 Forwards operator licensing natl exam schedule re Administrative Ltr 94-12. CARRIER, P.P. Tennessee Valley Authority. 94/10/26. Document Control Branch (Document Control Desk). 5pp. 81590:047-81590:051.

9411290068 Confirms arrangements made in telcon on 941108 between util & NRC for administration of licensing exams at plant during wks of 950213, 24, 27 & 0306. Ref matts specified in encl list of ref matts should be submitted by 951214. PEEBLES, T.A. Region 2 (Post 820201). 94/11/15. KINGSLEY, O.D. Tennessee Valley Authority. 7pp. 81858:192-81858:198.

DOCKET 50-395 VIRGIL C. SUMMER NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9411010144 Informs that rev 34 to radiation emergency plan for plant does meet planning stds of 10CFR50.47(b) & requirements of app E to 10CFR50. Reminds util of obligations re future proposed changes. CLINE, W.E. Region 2 (Post 820201). 94/10/07. SKOLDS, J.L. South Carolina Electric & Gas Co. 2pp. 81515:030-81515:032.

9411030001 Forwards summary of workshops held w/US Army Corps of Engineers & licensee representatives in each of four regional ofcs. W/o encl. WUNDER, G.F. Project Directorate II-1. 94/10/26. SKOLDS, J.L. South Carolina Electric & Gas Co. 3pp. 81607:170-81607:172.

9411250110 Rev 1 to Emergency Plan Procedure EPP-105, "Conduct of Drills & Exercises." W/941116 ltr. NETTLES, K.W. South Carolina Electric & Gas Co. 94/11/16. 35pp. 81885:220-81885:254.

K. Utility Final Safety Analysis Report (FSAR) & amends

9411180188 Amend 94-09 to FSAR for VC Summer Nuclear Station. W/941109 ltr. SKOLDS, J.L. South Carolina Electric & Gas Co. 94/11/30. 75pp. 81837:237-81837:311.

P. Operating license stage documents & correspondence

9411070036 Extends invitation to Region II licensee to participate w/NRR & Region II representatives in discussion of GL 89-10 motor-operated valve programs. Discussion to be held on 941108 in Atlanta, GA. Meeting notice & agenda encl. GIBSON, A.F. Region 2 (Post 820201). 94/10/12. SKOLDS, J.L. South Carolina Electric & Gas Co. 4pp. 81604:121-81604:124.

9411020290 Requests relief from ASME Section XI requirements for Class 1 & 2 insulated pressure retaining bolted connection, receiving VT-2 visual exam during performance of sys pressure testing. SKOLDS, J.L. South Carolina Electric & Gas Co. 94/10/26. Document Control Branch (Document Control Desk). 6pp. 81590:021-81590:026.

9411300037 Notification of significant licensee meeting w/util on 941215 to review SG replacement outage. CANTRELL, F.S. Region 2 (Post 820201). 94/10/27. Region 2 (Post 820201). 2pp. 81871:182-81871:183.

9411090253 Forwards notice of consideration of issuance of amend to license NPF-12 & proposed NSHC determination & opportunity for hearing on 941017 request to relocate seismic monitoring instrumentation limiting condition for operation. WUNDER, G.F. Project Directorate II-1. 94/11/02. SKOLDS, J.L. South Carolina Electric & Gas Co. 3pp. 81666:314-81666:326.

-9411090256 Notice of consideration of issuance of amend to license NPF-12 & proposed NSHC determination & opportunity for hearing. Amend would relocate seismic monitoring instrumentation LCO, SR & associated tables & bases in TS. WUNDER, G.F. Project Directorate II-1. 94/11/02. 10pp. 81666:317-81666:326.

9411080228 Requests JL Skolds consent to allow Hill to review repts on plant containment post-tensioning sys surveillance & repts on retensioning. WUNDER, G.F. Project Directorate II-1. 94/11/03. SKOLDS, J.L. South Carolina Electric & Gas Co. 4pp. 81663:343-81663:346.

9411080294 Notification of 941115 meeting w/licensee in Rockville, MD to discuss SG issues. WUNDER, G.F. Project Directorate II-1. 94/11/04. BOYLE, M.L. Project Directorate II-1. 4pp. 81658:308-81658:311.

9411220364 Forwards amend 118 to license NPF-12 & safety evaluation. Amend revises TS 3/4.3.3.6 accident monitoring instrumentation & associated bases. WUNDER, G.F. Project Directorate II-1. 94/11/07. SKOLDS, J.L. South Carolina Electric & Gas Co. 4pp. 81822:247-81822:270.

-9411220383 Amend 118 to license NPF-12, revising TS 3/4.3.3.6, accident monitoring instrumentation & assoc bases. BOYLE, M.L. Project Directorate II-1. 94/11/07. 17pp. 81822:251-81822:267.

-9411220387 Safety evaluation supporting amend 118 to license NPF-12. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/11/07. 3pp. 81822:268-81822:270.

9411210265 Informs that util pending implementation of imaging sys for storage of permanent records & notifying NRC of decision to utilize storage media as required by GL 88-18. SKOLDS, J.L. South Carolina Electric & Gas Co. 94/11/14. Document Control Branch (Document Control Desk). 1p. 81831:112-81831:112.

9411250030 Forwards amend 119 to license NPF-12 & safety evaluation. Amend changes TS to support SG replacement. WUNDER, G.F. Project Directorate II-1. 94/11/18. SKOLDS, J.L. South Carolina Electric & Gas Co. 3pp. 81841:269-81841:339.

-9411250031 Amend 119 to license NPF-12, changing TS to support SG replacement. BATEMAN, W.H. Project Directorate II-1. 94/11/18. 38pp. 81841:272-81841:309.

-9411250033 Safety evaluation supporting amend 119 to license NPF-12. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/11/18. 30pp. 81841:310-81841:339.

9411250168 Forwards amend 120 to license NPF-12 & safety evaluation. Amend changes TSs to modify TS Table 2.2-1 & 3.3-4 to remove specific rack & sensor allowable drift values by removing three columns from tables. WUNDER, G.F. Project Directorate II-1. 94/11/18. SKOLDS, J.L. South Carolina Electric & Gas Co. 3pp. 81850:291-81850:319.

-9411250172 Amend 120 to license NPF-12, changing TSs to modify TS Tables 2.2-1 & 3.3-4 to remove specific rack & sensor allowable drift values by removing three columns from tables. BATEMAN, W.H. Project Directorate II-1. 94/11/18. 24pp. 81850:294-81850:317.

-9411250173 Safety evaluation supporting amend 120 to license NPF-12. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/11/18. 2pp. 81850:318-81850:319.

9411300255 Forwards modified NPDES Permit SC0030856 for VC Summer Nuclear Station. Submittal provides updated info for permit, per Operating License NPF-12, App B. SKOLDS, J.L. South Carolina Electric & Gas Co. 94/11/21. WUNDER, G.F. Document Control Branch (Document Control Desk). 110pp. 81908:170-81908:277.

Q. Inspection reports, IE Bulletins & correspondence

9410140257 Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Matts Events to NRC Operations Ctr." BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.

9411070044 Forwards insp rept 50-395/94-22 on 940901-30 & notice of violation. Violation of concern due to representation of failure to control & properly implement design process associated w/SG replacement project.
CHRISTENSEN, H. Region 2 (Post 820201). 94/10/21. SKOLDS, J.L. South Carolina Electric & Gas Co. 3pp. 81604:142-81604:159.

-9411070048 Notice of violation from insp on 940901-30. Violation noted: on 940914 & 15, procedural changes had been made to procedures which provided detailed instructions for preparation of old SG prior to removal from containment.
* Region 2 (Post 820201). 94/10/21. 1p. 81604:145-81604:145.

-9411070050 Insp rept 50-395/94-22 on 940901-30. Violations noted. Major areas inspected: SG Replacement Project.
HAAG, R.C., FARNHOLTZ, T.R., KLEINSORGE, W.P. Region 2 (Post 820201). 94/10/20. 14pp. 81604:146-81604:159.

9411070196 Ack receipt of 941014 ltr informing NRC of steps taken to correct violations noted in insp rept 50-395/94-19.
CHRISTENSEN, H. Region 2 (Post 820201). 94/10/21. SKOLDS, J.L. South Carolina Electric & Gas Co. 2pp. 81605:319-81605:320.

9410200153 NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts."
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81658:001-81658:013.

9411210068 Informs of arrangements made re mgt meeting to be held on 941215 in Atlanta, GA re SG replacement outage. Proposed meeting agenda encl.
BOGER, B.A. Region 2 (Post 820201). 94/10/27. SKOLDS, J.L. South Carolina Electric & Gas Co. 3pp. 81785:003-81785:005.

9411070076 Forwards insp rept 50-395/94-21 on 940901-1007. No violations noted.
CHRISTENSEN, H. Region 2 (Post 820201). 94/10/28. SKOLDS, J.L. South Carolina Electric & Gas Co. 3pp. 81604:303-81604:322.

-9411070080 Insp rept 50-395/94-21 on 940901-1007. No violations noted. Major areas inspected: operational safety verification, maint observations, surveillance observations, onsite engineering & plant support activities.
HAAG, R.C., FARNHOLTZ, T.R., CANTRELL, F.S. Region 2 (Post 820201). 94/10/27. 17pp. 81604:306-81604:322.

9411080246 Responds to violations noted in insp rept 50-395/94-18. Corrective actions: QA surveillance was performed to evaluate control of safeguards info.
SKOLDS, J.L. South Carolina Electric & Gas Co. 94/11/04. Document Control Branch (Document Control Desk). 7pp. 81679:092-81679:098.

9411090300 NRC Bulletin 94-002, "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride."
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.

9411180226 Responds to NRC ltr re violations noted in insp rept 50-395/94-22. Corrective actions: Becon Field engineers review all working WP&I at end of each shift to verify that required signoffs have been properly completed.
SKOLDS, J.L. South Carolina Electric & Gas Co. 94/11/14. Document Control Branch (Document Control Desk). 4pp. 81794:350-81794:353.

9411290027 Ack receipt of 941104 ltr informing NRC of steps taken to correct violations noted in insp rept 50-395/94-18.
CLINE, W. Region 2 (Post 820201). 94/11/14. SKOLDS, J.L. South Carolina Electric & Gas Co. 2pp. 81857:189-81857:190.

9411100237 NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment."
GRIMES, B.K. 94/11/17. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.

9411290079 Forwards insp rept 50-395/94-24 on stated date & notice of violation. Violation of concern because inadequate cleanliness control instructions resulted in steam generator secondary side opening being uncovered.
CHRISTENSEN, H. Region 2 (Post 820201). 94/11/18. SKOLDS, J.L. South Carolina Electric & Gas Co. 3pp. 81858:252-81858:288.

-9411290080 Notice of violation from insp on stated date. Violation: on 941026, cleanliness cover discovered missing on "A" steam generator secondary manway opening.
* Region 2 (Post 820201). 94/11/18. 1p. 81858:255-81858:255.

-9411290084 Insp rept 50-395/94-24 on stated date. Violations noted. Major areas inspected: activities associated w/steam generator replacement.
HAAG, R.C., FARNHOLTZ, T.R., KLEINSORGE, W.P. Region 2 (Post 820201). 94/11/18. 33pp. 81858:256-81858:288.

9411150578 NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation."
GRIMES, B.K. 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.

9411290222 Ack receipt of 941114 ltr informing NRC of steps taken to correct violations noted in insp rept 50-395/94-22.
CHRISTENSEN, H. Region 2 (Post 820201). 94/11/22. SKOLDS, J.L. South Carolina Electric & Gas Co. 2pp. 81870:119-81870:120.

9411170039 NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping."
GRIMES, B.K. 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.

9411170279 NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys."
GRIMES, B.K. 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.

9411170284 NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results."
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.

R. Periodic operating reports & related correspondence

9411210176 Monthly operating rept for Oct 1994 for VC Summer Nuclear Station. W/ 941110 ltr.
HALTIWANGER, J., SKOLDS, J.L. South Carolina Electric & Gas Co. 94/10/31. 5pp. 81837:199-81837:203.

DOCKET 50-396 UNIV. OF VIRGINIA CAVALIER REACTOR

F. Security, medical, emergency & fire protection plans

9411180191 Rev 17 to EIPs, including EIP-1, EIP-2, EIP-3, EIP-4, EIP-5, EIP-6, EIP-7, EIP-8, EIP-9, EIP-10, EIP-11, EIP-12, EIP-13, EIP-14, EIP-16, EIP-18, EIP-19, EIP-20 & EIP-23. W/ 941114 ltr.
KRAUSE, D.R. Virginia, Univ. of, Charlottesville, VA. 94/11/14. ADAMS, A. Document Control Branch (Document Control Desk). 89pp. 81832:121-81832:209.

DOCKET 50-397 WPPSS NUCLEAR PROJECT, UNIT 2

F. Security, medical, emergency & fire protection plans

9411100194 Revised EIPs, including Rev 21 to EIP 13.1.1, "Classifying Emergency," Rev 8 to EIP 13.11.4, "Safety Manager Duties" & Rev 11 to EIP 13.14.3, "Radio-logical Procedures/ Instructions for Emergency Response Use."
* Washington Public Power Supply System. 94/10/31. 50pp. 81747:129-81747:178.

9411070330 Notification of 941115 meeting w/util in Rockville, MD to discuss fire protection issues.
CLIFFORD, J.W. Project Directorate IV-2. 94/11/02. QUAY, T.R. Project Directorate IV-2. 4pp. 81623:324-81623:327.

9411170034 Forwards insp rept 50-397/94-28 on 940926-1007 & notice of violation.
GWYNN, T.P. Region 4 (Post 820201). 94/11/09. PARRISH, J.V. Washington Public Power Supply System. 5pp. 81760:146-81760:168.

-9411170038 Notice of violation from insp on 940926-1007. Violation noted: conditions adverse to fire protection & deficiencies of fire protection program not promptly corrected as listed.
* Region 4 (Post 820201). 94/11/09. 2pp. 81760:151-81760:152.

-9411170044 Insp rept 50-397/94-28 on 940926-1007. Violations noted. Major areas inspected: insp of postfire safe shutdown capability & followup insp of previously identified NRC items.
ANG, W.P. Region 4 (Post 820201). 94/11/07. 16pp. 81760:153-81760:168.

9411230141 Ack receipt of 940805 ltr informing that changes to Rev 26 to physical security plan acceptable.
COLLINS, S.J. Region 4 (Post 820201). 94/11/15. PARRISH, J.V. Washington Public Power Supply System. 4pp. 81894:306-81894:310.

9411250186 Forwards info involving change to MET tower stability class data point of data point library for ERDS.
PARRISH, J.V. Washington Public Power Supply System. 94/11/17. Document Control Branch (Document Control Desk). 2pp. 81866:330-81866:331.

9411300158 Discusses mgt meeting on 941108 in Arlington, TX re util radiation protection & emergency preparedness programs. List of attendees & meeting handouts encl.
COLLINS, S.J. Region 4 (Post 820201). 94/11/22. PARRISH, J.V. Washington Public Power Supply System. 38pp. 81872:187-81872:224.

H. General correspondence

9411020227 Advises that DA Swank appointed licensing manager, effective immediately.
PARRISH, J.V. Washington Public Power Supply System. 94/10/25. Document Control Branch (Document Control Desk). 1p. 81590:113-81590:113.

9411230100 Responds to 941015 ltr to Chairman I Selin, requesting info on actions taken by NRC to address concerns raised by JA Fleming re emergency preparedness for nuclear power plants.
TAYLOR, J.M. Ofc of the Executive Director for Operations. 94/11/09. KERRY, J.F. Senate. 3pp. 81828:286-81828:323.

-9411230199 Requests addl info pertaining to emergency preparedness for each site listed.
FLEMING, J.A. Affiliation Not Assigned. 94/07/14. CHILK, S. Office of the Secretary of the Commission. 2pp. 81828:322-81828:323.

P. Operating license stage documents & correspondence

9411030026 Forwards SER re approval of TR FTS-131, "Applications TR for BWR Design & Analysis," for util.
CLIFFORD, J.W. Project Directorate IV-2. 94/10/12. PARRISH, J.V. Washington Public Power Supply System. 4pp. 81607:192-81607:207.

-9411030033 SER approving TR FTS-131, "Application TR for BWR Design & Analysis."
* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/12. 12pp. 81607:196-81607:207.

9411010341 Requests NRC approval of rev to operational QA program description for supply sys WNP-2.
PARRISH, J.V. Washington Public Power Supply System. 94/10/21. Document Control Branch (Document Control Desk). 9pp. 81579:342-81579:350.

9411070387 Provides clarification of commitments re implementation of improvements to computerized work management sys.
PARRISH, J.V. Washington Public Power Supply System. 94/10/31. Document Control Branch (Document Control Desk). 2pp. 81663:098-81663:099.

132 DOCKETED ITEMS

9411080148 Application for amend to license NPF-21, revising TS 3/4.1.3.1, "Reactivity Control Sys."
PARRISH, J.V. Washington Public Power Supply System. 94/10/31. Document Control Branch (Document Control Desk). 17pp. 81677:325-81677:345.

—**9411080149** Proposed tech spec 3/4.1.3.1, "Reactivity Control Sys."
* Washington Public Power Supply System. 94/10/31. 4pp. 81677:342-81677:345.

9411080154 Application for amend to license NPF-21, revising TSs to relocate safety/relief valve position indication instrumentation requirements.
PARRISH, J.V. Washington Public Power Supply System. 94/10/31. Document Control Branch (Document Control Desk). 13pp. 81679:153-81679:171.

—**9411080158** Proposed tech spec relocating safety/relief valve position indication instrumentation requirements.
* Washington Public Power Supply System. 94/10/31. 6pp. 81679:166-81679:171.

9411220411 Forwards notice of consideration of issuance of amend to operating license, proposed NSHC determination & opportunity for hearing on 940808. Amend would modify TS 4.0.5.a.
CLIFFORD, J.W. Project Directorate IV-2. 94/11/09. PARRISH, J.V. Washington Public Power Supply System. 3pp. 81821:347-81821:357.

—**9411220412** Notice of consideration of issuance of amend to license NPF-21 & proposed NSHC determination & opportunity for hearing. Amend revises TS 4.0.5.a.
CLIFFORD, J.W. Project Directorate IV-2. 94/11/09. 9pp. 81821:349-81821:357.

Q. Inspection reports, IE Bulletins & correspondence

9411030023 Submits "Inservice Insp Summary Rept For Refueling Outage RF94A, Spring 1994."
PARRISH, J.V. Washington Public Power Supply System. 94/10/19. Document Control Branch (Document Control Desk). 9pp. 81642:001-81643:151.

—**9411030030** "Inservice Insp Summary Rept For Refueling Outage RF94A, 930621-0922."
* Washington Public Power Supply System. 94/10/11. 504pp. 81642:012-81643:151.

9410140257 Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Matls Events to NRC Operations Ctr."
BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.

9410200153 NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts."
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81658:001-81658:013.

9411070144 Notification of significant licensee meeting w/util on 941107 to discuss Supply Sys actions in response to pranks & insp program perspectives.
BEACH, A.B. Region 4 (Post 820201). 94/10/31. Region 4 (Post 820201). 5pp. 81605:179-81605:183.

9411170034 Forwards insp rept 50-397/94-28 on 940926-1007 & notice of violation.
GWYNNE, T.P. Region 4 (Post 820201). 94/11/09. PARRISH, J.V. Washington Public Power Supply System. 5pp. 81760:146-81760:168.

—**9411170038** Notice of violation from insp on 940926-1007. Violation noted: conditions adverse to fire protection & deficiencies of fire protection program not promptly corrected as listed.
* Region 4 (Post 820201). 94/11/09. 2pp. 81760:151-81760:152.

—**9411170044** Insp rept 50-397/94-28 on 940926-1007. Violations noted. Major areas inspected: insp of postfire safe shutdown capability & followup insp of previously identified NRC items.
ANG, W.P. Region 4 (Post 820201). 94/11/07. 16pp. 81760:153-81760:168.

9411090300 NRC Bulletin 94-002, "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride."
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.

941100237 NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment."
GRIMES, B.K. 94/11/17. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.

9411150578 NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation."
GRIMES, B.K. 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.

9411300369 Responds to 941021 ltr re violation noted in Insp Rept 50-397/94-27. Corrective actions: operability assessment of CAC B unit performed for as-found condition upon identification of problem & QC inspector no longer employed.
PARRISH, J.V. Washington Public Power Supply System. 94/11/21. Document Control Branch (Document Control Desk). 5pp. 81906:354-81906:358.

9411170039 NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping."
GRIMES, B.K. 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.

9411170279 NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys."
GRIMES, B.K. 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.

9411170284 NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results."
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.

R. Periodic operating reports & related correspondence

9411150391 Monthly operating rept for Oct 1994 for WPPSS 2.W/941104 ltr.
EMBREE, D.G., SMITH, G.O. Washington Public Power Supply System. 94/10/31. 4pp. 81781:082-81781:085.

S. Reportable occurrences, LERs & related correspondence

9411300264 LER 94-017-00: on 941020, TS limit exceeded due to improper calibr of suppression pool narrow range level transmitters. Suppression pool level was returned to appropriate TS operating level at 1558 hr.W/941121 ltr.
PEDRO, J.M., PARRISH, J.V. Washington Public Power Supply System. 94/11/21. 6pp. 81930:047-81930:052.

V. Operator Examinations

9411290193 Summary of 941110 meeting w/utis re training & operator licensing issues. List of attendees, meeting agenda & handouts encl.
GWYNNE, T.P. Region 4 (Post 820201). 94/11/22. Region 4 (Post 820201). 27pp. 81869:003-81869:029.

DOCKET 50-400 SHEARON HARRIS NUCLEAR POWER PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9411010153 Forwards insp rept 50-400/94-21 on 940903-28. Two apparent violations identified & being considered for escalated enforcement action. Enforcement conference to discuss apparent violations scheduled for 941021.
BOGER, B.A. Region 2 (Post 820201). 94/10/07. ROBINSON, W.R. Carolina Power & Light Co. 4pp. 81515:033-81515:054.

—**9411010163** Insp rept 50-400/94-21 on 940903-28. Two apparent violations noted. Major areas inspected: plant operations, review of nonconformance repts, maint observation, surveillance observation, design changes & mods & fire protection.
TEDROW, J., ELROD, S., ROBERTS, D. Region 2 (Post 820201). 94/10/07. 18pp. 81515:037-81515:054.

9411020071 Revised EIPs, including rev 13 to PEP-102, rev 8 change 1 to PEP-217, rev 9 change 1 to PEP-301, rev 2 change 2 to PEP-320, rev 1 change 3 to PEP-370, & rev 2 change 1 to PEP-374.W/941026 ltr.
ROBINSON, W.R. Carolina Power & Light Co. 94/10/21. 57pp. 81587:289-81587:345.

9411030002 Forwards summary of workshops held w/US Army Corps of Engineers & licensee representatives conducted at each of four regional ofcs.W/o encl.
BATEMAN, W.H. Project Directorate II-1. 94/10/26. ORSER, W.S. Carolina Power & Light Co. 4pp. 81607:173-81607:176.

K. Utility Final Safety Analysis Report (FSAR) & amends

9411210100 Amend 45 to Shearon Harris Nuclear Power Plant FSAR.W/941114 ltr.
* Carolina Power & Light Co. 94/11/14. 1,556pp. 81812:001-81816:106.

P. Operating license stage documents & correspondence

9411070064 Extends invitation to Region II licensees to participate w/NRR & Region II representatives in discussion of GL 89-10 MOV programs, to be held on 941108 in Atlanta, GA & forwards meeting agenda.
GIBSON, A.F. Region 2 (Post 820201). 94/10/12. ROBINSON, W.R. Carolina Power & Light Co. 4pp. 81604:268-81604:271.

9411020020 Application for amend to license NPF-63, relocating selected TS per NUREG-1431.
ROBINSON, W.R. Carolina Power & Light Co. 94/10/24. Document Control Branch (Document Control Desk). 2pp. 81589:254-81589:288.

—**9411020022** Proposed tech specs to relocate selected TSs per NUREG-1431.
* Carolina Power & Light Co. 94/10/24. 33pp. 81589:256-81589:288.

9411100016 Comment opposing proposed amend to plant re relaxation of requirements to annual monitoring.
RUPERT, C. Affiliation Not Assigned. 94/10/31. Division of Freedom of Information & Publications Services (Post 940714). 3pp. 81672:315-81672:317.

9411100079 Informs that first installment of \$3,068,000 was paid to US Dept of Treasury, NRC on 941102.
ROGAN, R.E. Carolina Power & Light Co. 94/11/02. Document Control Branch (Document Control Desk). 1p. 81752:266-81752:266.

9411100106 Informs that payment of \$69,091 for period 940320-940625 for listed invoices was transferred to US Dept of Treasury on 941102.
ROGAN, R.E. Carolina Power & Light Co. 94/11/02. Document Control Branch (Document Control Desk). 1p. 81750:359-81750:359.

9411100110 Informs that payment of \$80,462 for period 940320-0625 for listed invoices was transferred to US Dept of Treasury on 941102.
ROGAN, R.E. Carolina Power & Light Co. 94/11/02. Document Control Branch (Document Control Desk). 1p. 81752:228-81752:228.

9411170054 Comment on pilot program for NRC recognition of good performance by Nuclear Power Plants. Util endorses position stated in Nuclear Energy Institute 941003 ltr to NRC for listed reasons.
ROGAN, R.E. Carolina Power & Light Co. 94/11/02. Rules & Directives Review Branch (Post 920323). 2pp. 81760:179-81760:180.

9411080129 Forwards svc water sys operational performance self-assessment plan summary, per Administrative Ltr 94-03.
ROBINSON, W.R. Carolina Power & Light Co. 94/11/03. Document Control Branch (Document Control Desk). 4pp. 81677:248-81677:251.

9411150003 Forwards retyped TS pages for license amend re radiological effluent TSs. ROBINSON, W.R. Carolina Power & Light Co. 94/11/03. Document Control Branch (Document Control Desk). 1p. 81772:284-81772:320.

-9411150004 Retyped proposed radiological effluent TSs.
* Carolina Power & Light Co. 94/11/03. 36pp. 81772:285-81772:320.

9411140031 Forwards amend 51 to license NPF-63 & safety evaluation. Amend revises SHNPP TS 3/4.8.1, ac sources & associated bases to be consistent w/NUREG-1431, "STS, Westinghouse Plants," dtd Sept 1992.
LE, N.B. Project Directorate II-1. 94/11/04. ROBINSON, W.R. Carolina Power & Light Co. 3pp. 81748:001-81748:023.

-9411140048 Amend 51 to license NPF-63, revising SHNPP TS 3/4.8.1, ac sources & associated bases to be consistent w/NUREG-1431, "STS, Westinghouse Plants," dtd Sept 1992.
BATEMAN, W.H. Project Directorate II-1. 94/11/04. 12pp. 81748:004-81748:015.

-9411140050 Safety evaluation supporting amend 51 to license NPF-63.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/11/04. 8pp. 81748:016-81748:023.

9411300221 Suppls proposed LAR submitted by 930515, 940217 & 25 ltrs to remove license conditions for EDGs specified by condition 2.C.(8) by incorporating by ref. findings & conclusions of TDI/OG Generic TR TDI-EDG-001-A. Proposed OL pages encl.
ROBINSON, W.R. Carolina Power & Light Co. 94/11/23. Document Control Branch (Document Control Desk). 11pp. 81905:338-81905:348.

9411300259 Application for amend to license NPF-63 to TS re changes to ECCS evaluation model.
ROBINSON, W.R. Carolina Power & Light Co. 94/11/23. Document Control Branch (Document Control Desk). 1p. 81909:358-81909:362.

-9411300261 Proposed tech specs re changes to ECCS evaluation model.
* Carolina Power & Light Co. 94/11/23. 4pp. 81909:359-81909:362.

9411300388 Discusses NRC 941024-28 visit to plant to review implementation of main rule (10CFR50.65). Recommends that until carefully reevaluate procedure & processes developed, per guidance in NUMARC 93-01. Specific findings listed.
LE, N.B. Project Directorate II-1. 94/11/23. ROBINSON, W.R. Carolina Power & Light Co. 15pp. 81903:191-81903:205.

Q. Inspection reports, IE Bulletins & correspondence

9411010153 Forwards insp rept 50-400/94-21 on 940903-28. Two apparent violations identified & being considered for escalated enforcement action. Enforcement conference to discuss apparent violations scheduled for 941021.
BOGER, B.A. Region 2 (Post 820201). 94/10/07. ROBINSON, W.R. Carolina Power & Light Co. 4pp. 81515:033-81515:054.

-9411010163 Insp rept 50-400/94-21 on 940903-28. Two apparent violations noted. Major areas inspected: plant operations, review of nonconformance repts, maint observation, surveillance observation, design changes & mods & fire protection.
TEDROW, J., ELROD, S., ROBERTS, D. Region 2 (Post 820201). 94/10/07. 18pp. 81515:037-81515:054.

9411010095 Forwards insp rept 50-400/94-14 on 940829-0916. No violations or deviations noted.
PEEBLES, T.A. Region 2 (Post 820201). 94/10/14. ROBINSON, W.R. Carolina Power & Light Co. 2pp. 81514:240-81514:254.

-9411010103 Insp rept 50-400/94-14 on 940829-0916. No violations noted. Major areas inspected: licensed operator requalification program, including development, exam administration, remedial training & license condition tracking.
CAHILL, S.J., LAWYER, L.L. Region 2 (Post 820201). 94/10/12. 13pp. 81514:242-81514:254.

9410140257 Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Matis Events to NRC Operations Ctr."
BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.

9410200153 NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts."
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81658:001-81658:013.

9411210061 Discusses enforcement conference on 941021 re violations involving single failure vulnerability in ESWS & failure to provide accurate info on SW reviews. Review of issues ongoing to determine EA. List of attendees & slides used encl.
BOGER, B.A. Region 2 (Post 820201). 94/10/28. ROBINSON, W.R. Carolina Power & Light Co. 38pp. 81784:314-81784:352.

9411210073 Ack receipt of 941017 ltr informing NRC of steps taken to correct violations noted in insp rept 50-400/94-17.
CHRISTENSEN, H. Region 2 (Post 820201). 94/10/28. ROBINSON, W.R. Carolina Power & Light Co. 3pp. 81785:030-81785:032.

9411100102 Informs that payment for NRC insp fees for period 940320-940625 for listed invoices was transferred to US Dept of Treasury on 941102.
ROGAN, R.E. Carolina Power & Light Co. 94/11/02. Document Control Branch (Document Control Desk). 1p. 81750:360-81750:360.

9411210024 Forwards insp rept 50-400/94-20 on 941003-7 & 24-28. No violations or deviations noted.
CASTO, C.A. Region 2 (Post 820201). 94/11/10. ROBINSON, W.R. Carolina Power & Light Co. 3pp. 81784:106-81784:114.

-9411210031 Insp rept 50-400/94-20 on 941003-7 & 24-28. No violations noted. Major areas inspected: station blackout rule & maint of electrical sys.
FILLION, P., SHYMLOCK, M. Region 2 (Post 820201). 94/11/09. 6pp. 81784:109-81784:114.

9411090300 NRC Bulletin 94-002, "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride."
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.

941100237 NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment."
GRIMES, B.K. 94/11/17. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.

9411290226 Discusses insp rept 50-400/94-21 on 940903-28 & notice of violation. Enforcement conference held on 941021 to discuss violations.
EBNETER, S.D. Region 2 (Post 820201). 94/11/17. ROBINSON, W.R. Carolina Power & Light Co. 5pp. 81870:121-81870:130.

-9411290239 Notice of violation from insp on 940903-28. Violation noted: between plant startup in Jan 1987 & 940718, measures not established to translate correctly requirements of FSAR section 9.2.1 & TS 3.7.4 into requirements for ESW.
* Region 2 (Post 820201). 94/11/17. 5pp. 81870:127-81870:130.

9411150578 NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation."
GRIMES, B.K. 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.

9411170039 NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping."
GRIMES, B.K. 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.

9411170279 NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys."
GRIMES, B.K. 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.

9411170284 NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results."
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.

R. Periodic operating reports & related correspondence

9411210144 Monthly operating rept for Oct 1994 for Shearon Harris Nuclear Power Plant. W/941114 ltr.
ROGERS, S., ROBINSON, W.R. Carolina Power & Light Co. 94/10/31. 5pp. 81831:163-81831:167.

9411220290 Rept in accordance w/10CFR50.59 for period 930201-940711, including Harris Plant refueling outage.
ROBINSON, W.R. Carolina Power & Light Co. 94/11/14. Document Control Branch (Document Control Desk). 52pp. 81831:194-81831:245.

S. Reportable occurrences, LERs & related correspondence

9411040131 Part 21 & deficiency rept problems w/Woodard EGA control box that control speed/frequency of emergency diesel generator sys.
MOWERY, J.D. Cooper Energy Services. 94/10/26. Document Control Branch (Document Control Desk). 2pp. 81651:333-81651:334.

9411160233 LER 94-003-01: on 940718, improperly analyzed single failure in ESWS occurred that could potentially result in charging/ safety injection pumps not performing safety function. Caused by inadequate reviews. Review conducted. W/941110 ltr.
VERRILLM., DONAHUE, J.W. Carolina Power & Light Co. 94/11/10. 5pp. 81791:074-81791:078.

V. Operator Examinations

9411010095 Forwards insp rept 50-400/94-14 on 940829-0916. No violations or deviations noted.
PEEBLES, T.A. Region 2 (Post 820201). 94/10/14. ROBINSON, W.R. Carolina Power & Light Co. 2pp. 81514:240-81514:254.

-9411010103 Insp rept 50-400/94-14 on 940829-0916. No violations noted. Major areas inspected: licensed operator requalification program, including development, exam administration, remedial training & license condition tracking.
CAHILL, S.J., LAWYER, L.L. Region 2 (Post 820201). 94/10/12. 13pp. 81514:242-81514:254.

DOCKET 50-409 LA CROSSE BOILING WATER REACTOR

F. Security, medical, emergency & fire protection plans

9411010057 Informs that rev 14 to LaCrosse BWR emergency plan, acceptable & does not degrade effectiveness of emergency planning, per Dec 1993 ltr.
CREED, J.R. Region 3 (Post 820201). 94/10/24. BERG, W.L. Dairyland Power Cooperative. 2pp. 81514:153-81514:154.

Q. Inspection reports, IE Bulletins & correspondence

9410140257 Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Matis Events to NRC Operations Ctr."
BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.

9410200153 NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts."
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81658:001-81658:013.

9411090300 NRC Bulletin 94-002, "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride."
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.

134 DOCKETED ITEMS

9411100237 NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment." GRIMES, B.K. 94/11/17. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.

9411150578 NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation." GRIMES, B.K. 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.

9411170039 NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping." GRIMES, B.K. 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.

9411170279 NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys." GRIMES, B.K. 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.

9411170284 NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results." PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.

DOCKET 50-410 NINE MILE POINT NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

94111040303 Revised EIPs, including Revs 5 to EIP-EPP-01 & EIP-EPP-02, "Classification of Emergency Conditions Units 1 & 2" & Rev 3 to EIP-EPP-08, "Off-Site Dose Assessment & Protective Action Recommendation." W/941026 ltr. MCCORMICK, M.J. Niagara Mohawk Power Corp. 94/10/26. 36pp. 81652:280-81652:314.

94111040155 Forwards amends 150 & 58 to licenses DPR-63 & NPF-69 & safety evaluation. Amends modify paragraph 2.D(4) of OL DPR-63 & paragraph 2.E of OL NPF-69 to require compliance w/amended PSP. BRINKMAN, D.S. Project Directorate I-1. 94/10/31. SYLVIA, B.R. Niagara Mohawk Power Corp. 4pp. 81619:335-81619:346.

-94111040165 Amends 150 & 58 to licenses DPR-63 & NPF-69, respectively, modifying paragraph 2.D(4) of license. MARSH, L.B. Project Directorate I-1. 94/10/31. 6pp. 81619:340-81619:345.

9411100182 Forwards changed pages comprising Issue 4, Rev 1 of physical security plan. Encl withheld. CHRISTENSEN, H. Niagara Mohawk Power Corp. 94/11/03. Document Control Branch (Document Control Desk). 1p. 81752:224-81752:224.

94111090021 Forwards corrected pages for Amends 150 & 58 to licenses DPR-63 & NPF-69, respectively & corrected page to safeguards evaluation rept. BRINKMAN, D.S. Project Directorate I-1. 94/11/04. SYLVIA, B.R. Niagara Mohawk Power Corp. 6pp. 81666:333-81666:341.

-94111090065 Corrected pages to Amends 150 & 58 to licenses DPR-63 & NPF-69, respectively. * Project Directorate I-1. 94/11/04. 2pp. 81666:339-81666:340.

-94111090335 Revised page to safeguards evaluation rept supporting amends 150 & 58 to Licenses DPR-63 & NPF-69, respectively. * Office of Nuclear Reactor Regulation, Director (Post 870411). 94/11/04. 1p. 81666:341-81666:341.

H. General correspondence

9411230100 Responds to 941015 ltr to Chairman I Selin, requesting info on actions taken by NRC to address concerns raised by JA Fleming re emergency preparedness for nuclear power plants. TAYLOR, J.M. Ofc of the Executive Director for Operations. 94/11/09. KERRY, J.F. Senate. 3pp. 81828:286-81828:323.

-9411230199 Requests addl info pertaining to emergency preparedness for each site listed. FLEMING, J.A. Affiliation Not Assigned. 94/07/14. CHILK, S. Office of the Secretary of the Commission. 2pp. 81828:322-81828:323.

I. Financial information

9411160086 Provides info re guarantee of retrospective premium. KOES, J.E. Niagara Mohawk Power Corp. 94/11/07. DINITZ, I. Office of Nuclear Reactor Regulation, Director (Post 870411). 7pp. 81783:304-81783:310.

K. Utility Final Safety Analysis Report (FSAR) & amends

94111020128 Forwards rev 7 to Nine Mile Point Nuclear Station Unit 2 Updated Safety Analysis Rept & Annual Safety Evaluation Summary Rept. USAR filed in category K. SYLVIA, B.R. Niagara Mohawk Power Corp. 94/10/28. Document Control Branch (Document Control Desk). 3pp. 81629:001-81633:166.

-94111020131 "Updated Safety Analysis Rept, Nine Mile Point Nuclear Station Unit 2." * Niagara Mohawk Power Corp. 94/10/28. 800pp. 81629:141-81629:166.

P. Operating license stage documents & correspondence

94111020128 Forwards rev 7 to Nine Mile Point Nuclear Station Unit 2 Updated Safety Analysis Rept & Annual Safety Evaluation Summary Rept. USAR filed in category K. SYLVIA, B.R. Niagara Mohawk Power Corp. 94/10/28. Document Control Branch (Document Control Desk). 3pp. 81629:001-81633:166.

-94111020168 "Nine Mile Point - Unit 2 Safety Evaluation Summary Rept 1994." * Niagara Mohawk Power Corp. 94/12/31. 137pp. 81629:004-81629:140.

94111090311 Forwards application for amend to license NPF-69, revising TSs 1.0, "Definitions," 3/4.3.2, "Isolation Actuation Instrumentation" & 3/4.9.3, "Control Rod Position." SYLVIA, B.R. Niagara Mohawk Power Corp. 94/10/28. Document Control Branch (Document Control Desk). 2pp. 81750:264-81750:284.

-94111090314 Application for amend to license NPF-69, revising TSs 1.0, "Definitions," 3/4.3.2, "Isolation Actuation Instrumentation" & 3/4.9.3, "Control Rod Position." SYLVIA, B.R. Niagara Mohawk Power Corp. 94/10/28. 1p. 81750:266-81750:266.

-94111090318 Proposed tech specs 1.0, "Definitions," 3/4.3.2, "Isolation Actuation Instrumentation" & 3/4.9.3, "Control Rod Position." * Niagara Mohawk Power Corp. 94/10/28. 18pp. 81750:267-81750:284.

94111040155 Forwards amends 150 & 58 to licenses DPR-63 & NPF-69 & safety evaluation. Amends modify paragraph 2.D(4) of OL DPR-63 & paragraph 2.E of OL NPF-69 to require compliance w/amended PSP. BRINKMAN, D.S. Project Directorate I-1. 94/10/31. SYLVIA, B.R. Niagara Mohawk Power Corp. 4pp. 81619:335-81619:346.

-94111040165 Amends 150 & 58 to licenses DPR-63 & NPF-69, respectively, modifying paragraph 2.D(4) of license. MARSH, L.B. Project Directorate I-1. 94/10/31. 6pp. 81619:340-81619:345.

-94111040171 Safety evaluation supporting amends 150 & 58 to licenses DPR-63 & NPF-69, respectively. * Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/31. 2pp. 81619:346-81619:346.

9411150258 Discusses 941026 meeting in King of Prussia, PA re motor-operated valve issues w/Region I licensees. List of attendees, agenda, licensee & NRC presentations & panel session questions, encl. KELLY, E.M. Region 1 (Post 820201). 94/11/03. SYLVIA, B.R. Niagara Mohawk Power Corp. 49pp. 81741:300-81741:348.

94111090021 Forwards corrected pages for Amends 150 & 58 to licenses DPR-63 & NPF-69, respectively & corrected page to safeguards evaluation rept. BRINKMAN, D.S. Project Directorate I-1. 94/11/04. SYLVIA, B.R. Niagara Mohawk Power Corp. 6pp. 81666:333-81666:341.

-94111090065 Corrected pages to Amends 150 & 58 to licenses DPR-63 & NPF-69, respectively. * Project Directorate I-1. 94/11/04. 2pp. 81666:339-81666:340.

-94111090335 Revised page to safeguards evaluation rept supporting amends 150 & 58 to Licenses DPR-63 & NPF-69, respectively. * Office of Nuclear Reactor Regulation, Director (Post 870411). 94/11/04. 1p. 81666:341-81666:341.

9411150324 Notifies NRC of selection & associated implementation schedule re GL 94-02, "Long-Term Solutions & Upgrade of Interim Operating Recommendations for Thermal-Hydraulic Instabilities in BWRs." TERRY, C.D. Niagara Mohawk Power Corp. 94/11/08. Document Control Branch (Document Control Desk). 3pp. 81775:190-81775:192.

9411210118 Requests enforcement discretion to provide relief from requirements of Nine Mile Point Unit 2 (NMP2) TS Limiting Condition for Operation 3.8.1.1, "AC Sources - Operating." MCCORMICK, M.J. Niagara Mohawk Power Corp. 94/11/14. Document Control Branch (Document Control Desk). 8pp. 81830:349-81830:356.

9411210160 Forwards application for amend to license NPF-69, revising TS 3/4.5.1, by reducing leak rate test pressure for safety related ADS nitrogen receiving tanks from 385 psig to 365 psig. MCCORMICK, M.J. Niagara Mohawk Power Corp. 94/11/14. Document Control Branch (Document Control Desk). 2pp. 81831:168-81831:176.

-9411210177 Application for amend to license NPF-69, revising TS 3/4.5.1, by reducing leak rate test pressure for safety related ADS nitrogen receiving tanks from 385 psig to 365 psig. MCCORMICK, M.J. Niagara Mohawk Power Corp. 94/11/14. 2pp. 81831:170-81831:171.

-9411210184 Proposed tech specs reducing leak rate test pressure for safety related ADS nitrogen receiving tanks from 385 psig to 365 psig. * Niagara Mohawk Power Corp. 94/11/14. 5pp. 81831:172-81831:176.

9411220197 Confirms that NRC has granted util request for enforcement discretion from requirement of TS LCO 3.8.1.1b, for 12 h past 72 h normally allowed for EDG being inoperable. COOPER, R.W. Region 1 (Post 820201). 94/11/17. SYLVIA, B.R. Niagara Mohawk Power Corp. 4pp. 81798:306-81798:309.

9411280237 Forwards request for addl info re util 930722 proposed license amend to allow Unit 2 to operate at uprated power of 3,467 MWt. Response requested within 30 days of ltr receipt. BRINKMAN, D.S. Project Directorate I-1. 94/11/21. SYLVIA, B.R. Niagara Mohawk Power Corp. 5pp. 81853:071-81853:075.

Q. Inspection reports, IE Bulletins & correspondence

94111090267 Requests that IN inform reader that Controlotron prepared to continue to support proper utilization of precision Clamp-on Flowmeters w/both training & expert assistance. Advises that balance test be repeated w/proper supervision. WINICK, T. Affiliation Not Assigned. 94/10/14. DOOLITTLE, E.L. Genomic Communications Branch. 2pp. 81666:327-81666:328.

94111040257 Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Matis Events to NRC Operations Ctr." BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.

9410200153 NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts." GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81658:001-81658:013.

9411150415 Forwards insp repts 50-220/94-16 & 50-410/94-18 on 940821-1001 & notice of violation. Violation involved failure to take effective CA. COWGILL,C.J. Region 1 (Post 820201). 94/11/03. SYLVIA,B.R. Niagara Mohawk Power Corp. 3pp. 81735:086-81735:209.

-9411150421 Notice of violation from insp on 940821-1001. Violation noted: on 940826, individual not granted unescorted access was found in protected area w/o escort. * Region 1 (Post 820201). 94/11/03. 1p. 81735:089-81735:089.

-9411150429 Insp repts 50-220/94-16 & 50-410/94-18 on 940821-1001. Violations noted. Major areas inspected: control rooms, turbine buildings, refuel floors & reactor buildings. DOERFLEIN,L.T. Region 1 (Post 820201). 94/10/24. 130pp. 81735:090-81735:209.

9411150033 Forwards combined insp repts 50-220/94-20 & 50-410/94-22 on 940919-23 & 0926-30. Previously cited violation withdrawn. No other violations noted. WIGGINS,J.T. Region 1 (Post 820201). 94/11/04. SYLVIA,B.R. Niagara Mohawk Power Corp. 3pp. 81734:041-81734:056.

-9411150042 Insp repts 50-220/94-20 & 50-410/94-22 on 940919-23 & 0926-30. Previous violation withdrawn, seven previously unresolved items closed. Major areas inspected: acceptability of actions taken by util to address several unresolved issues. DELLA GRECA,A., RULAND,W.H. Region 1 (Post 820201). 94/11/03. 13pp. 81734:044-81734:056.

9411220001 Forwards retake exam rept 50-410/94-24OL on 941024. Informs that individuals failed written portion of original license exam administered during wk of 940506. MEYER,G.W. Region 1 (Post 820201). 94/11/09. SYLVIA,B.R. Niagara Mohawk Power Corp. 2pp. 81795:001-81795:341.

-9411220006 Exam rept 50-410/94-24OL on 941024. Exam results: one RO & one SRO upgrade were readministered licensing exams, both candidates passed exams. WILLIAMS,J.H., MEYER,G.W. Region 1 (Post 820201). 94/11/09. 339pp. 81795:003-81795:341.

9411090300 NRC Bulletin 94-002, "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride." PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.

9411100237 NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment." GRIMES,B.K. 94/11/17. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.

9411150578 NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation." GRIMES,B.K. 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.

9411170039 NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping." GRIMES,B.K. 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.

9411170279 NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys." GRIMES,B.K. 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.

9411170284 NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results." PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.

R. Periodic operating reports & related correspondence

9411220321 Monthly operating rept for Oct 1994 for Nine Mile Point Unit 2.W/941114 lr. CAROCCIO,C.J., DAHLBERG,K.A. Niagara Mohawk Power Corp. 94/10/31. 5pp. 81849:022-81849:026.

S. Reportable occurrences, LERs & related correspondence

9411070419 LER 94-003-01: on 940830, discovered surveillance testing of svc water pumps not in compliance w/TS requirements. Caused by inadequate managerial methods. Mgt review of procedure preparation increased. W/941031 lr. CONWAY,J.T., DAHLBERG,K.A. Niagara Mohawk Power Corp. 94/10/31. 8pp. 81666:041-81666:048.

9411150598 Rev to Part 21 rept re potential problem w/ master power connecting rods. Vendor recommends listed utils perform visual insp of master rods to determine applicability of rept. SCHNEIDER,J.R. Cooper Energy Services. 94/11/09. Document Control Branch (Document Control Desk). 3pp. 81779:254-81779:256.

9411210346 LER 94-005-00: on 941011, discovered surveillance testing of safety relief valve acoustic monitors not in compliance w/TS 4.4.2.1 requirements. Caused by inadequate managerial methods allowed approval procedures. SRV verified. W/941110 lr. SWAFFORD,P.D., DAHLBERG,K.A. Niagara Mohawk Power Corp. 94/11/10. 6pp. 81850:092-81850:097.

9411300269 Special repton 941102, w/reactor mode switch in "RUN" position at 100% reactor power, GEMS main stack effluent monitoring instrumentation was declared inoperable. DALBER,K.A. Niagara Mohawk Power Corp. 94/11/21. Document Control Branch (Document Control Desk). 2pp. 81951:302-81951:303.

V. Operator Examinations

9411220001 Forwards retake exam rept 50-410/94-24OL on 941024. Informs that individuals failed written portion of original license exam administered during wk of 940506. MEYER,G.W. Region 1 (Post 820201). 94/11/09. SYLVIA,B.R. Niagara Mohawk Power Corp. 2pp. 81795:001-81795:341.

-9411220006 Exam rept 50-410/94-24OL on 941024. Exam results: one RO & one SRO upgrade were readministered licensing exams, both candidates passed exams. WILLIAMS,J.H., MEYER,G.W. Region 1 (Post 820201). 94/11/09. 339pp. 81795:003-81795:341.

9411220099 Forwards individual exam results for applicants on initial written retake exam on 941024. W/o encl. MEYER,G.W. Region 1 (Post 820201). 94/11/15. TESSIER,R. Niagara Mohawk Power Corp. 2pp. 81797:360-81797:361.

DOCKET 50-412 BEAVER VALLEY POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9411210365 Forwards "1994 Beaver Valley Power Station Annual Exercise." CHATFIELD,E. Duquesne Light Co. 93/12/10. KEIMIG,R. Region 1 (Post 820201). 2pp. 81834:001-81836:106.

-9411210368 "1994 Beaver Valley Power Station Annual Exercise." * Duquesne Light Co. 94/01/01. 600pp. 81834:004-81836:106.

9411040181 Revised emergency preparedness plan implementing procedures (EPP/IP), including Rev 6 to EPP/IP 1.5, Rev 6 to EPP/IP 2.1, Rev 6 to EPP/IP 2.2, Rev 6 to EPP/IP 2.3, Rev 6 to EPP/IP 2.6, Rev 6 to EPP/IP 2.6.1 & Rev 6 to EPP/IP 3.1.W/ 941027 lr. TMOMAS,G.S. Duquesne Light Co. 94/10/27. 573pp. 81659:108-81660:316.

9411150530 Forwards insp rept 50-412/94-22 on 940919-23. No violation noted. RULAND,W.H. Region 1 (Post 820201). 94/11/03. CROSS,J.E. Duquesne Light Co. 2pp. 81744:321-81744:332.

-9411150537 Insp rept 50-412/94-22 on 940919-23. No violations noted. Major areas inspected: to determine whether BV-2 properly maintained post-fire safe shutdown capability confirmed during initial validation insp performed during 870309-13. PAOLINO,R.J., RULAND,W.H. Region 1 (Post 820201). 94/11/03. 10pp. 81744:323-81744:332.

P. Operating license stage documents & correspondence

9411020224 Advises that none of changes to facility leases affect operation of plant, prevents or impairs compliance w/NRC requirements or otherwise adversely affects any NRC regulated activity. THOMAS,G.S. Duquesne Light Co. 94/10/21. Document Control Branch (Document Control Desk). 1p. 81590:112-81590:112.

9411020045 Notification of significant licensee meeting 94-126 w/util on 941117 to discuss SWS self assessment recently completed by util. Assessment findings & proposed corrective actions will be discussed. LAZARUS,W.J. Region 1 (Post 820201). 94/10/25. Region 1 (Post 820201). 2pp. 81528:219-81528:220.

9411020135 Documents acceptance of proposed program extension re testing of MOVs in accordance w/GL-89-10. EDISON,G.E. Project Directorate I-3. 94/10/26. CROSS,J.E. Duquesne Light Co. 4pp. 81566:340-81566:343.

9411150348 Discusses 941026 public meeting in King of Prussia, PA re MOV issues w/ special emphasis on completion & closure of GL 89-10, "Safety-Related MOV Testing & Surveillance." Attendees & agenda encl. KELLY,E.M. Region 1 (Post 820201). 94/11/03. CROSS,J.E. Duquesne Light Co. 51pp. 81734:202-81734:250.

9411160279 Forwards Rev 13, Issue 1 to "Beaver Valley Power Station Unit 2, IST Program for Pump & Valves." Encl 1 provides summary of IST program changes incorporated into Rev 13. THOMAS,G.S. Duquesne Light Co. 94/11/04. Document Control Branch (Document Control Desk). 6pp. 81783:001-81783:238.

-9411160282 Rev 13, Issue 1 to "Beaver Valley Power Station Unit 2, IST Program for Pump & Valves." * Duquesne Light Co. 94/09/30. 332pp. 81783:007-81783:238.

9411140016 Forwards corrected TS pages for amends 181 & 61 to licenses DPR-66 & NPF-73, respectively, consisting of administrative errors. EDISON,G.E. Project Directorate I-3. 94/11/07. CROSS,J.E. Duquesne Light Co. 4pp. 81736:063-81736:071.

-9411140021 Corrected TS pages to amends 181 & 61 to licenses DPR-66 & NPF-73, respectively. * Project Directorate I-3. 94/11/07. 5pp. 81736:067-81736:071.

9411290157 Forwards 10CFR50.46 rept of changes or errors in ECCS evaluation models. Attachment 1 provides listing of change or error in acceptable evaluation model affects peak fuel cladding temp calculation for particular transients. THOMAS,G.S. Duquesne Light Co. 94/11/16. Document Control Branch (Document Control Desk). 41pp. 81905:295-81905:335.

9411290162 Forwards response as requested & not exempt from PDR, per 10CFR2.790. THOMAS,G.S. Duquesne Light Co. 94/11/18. Document Control Branch (Document Control Desk). 2pp. 81904:360-81904:361.

136 DOCKETED ITEMS

Q. Inspection reports, IE Bulletins & correspondence

9410140257 Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Matis Events to NRC Operations Ctr."
BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.

9410200153 NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts."
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81658:001-81658:013.

9411150413 Forwards insp repts 50-334/94-20 & 50-412/94-21 on 940907-1011. Non-cited violations identified.
LINVILLE,J.C. Region 1 (Post 820201). 94/11/02. CROSS,J.E. Duquesne Light Co. 3pp. 81745:008-81745:027.

-9411150419 Insp repts 50-334/94-20 & 50-412/94-21 on 940907-1011. Non-cited violations identified. Major areas inspected: plant operations, maint & surveillance, engineering & plant support.
LAZARUS,W.J. Region 1 (Post 820201). 94/11/02. 17pp. 81745:011-81745:027.

9411150530 Forwards insp rept 50-412/94-22 on 940919-23. No violation noted.
RULAND,W.H. Region 1 (Post 820201). 94/11/03. CROSS,J.E. Duquesne Light Co. 2pp. 81744:321-81744:332.

-9411150537 Insp rept 50-412/94-22 on 940919-23. No violations noted. Major areas inspected: to determine whether BV-2 properly maintained post-fire safe shutdown capability confirmed during initial validation insp performed during 870309-13.
PAOLINO,R.J., RULAND,W.H. Region 1 (Post 820201). 94/11/03. 10pp. 81744:323-81744:332.

9411100169 Forwards SE accepting util 930308,0528 & 940523 responses to NRC bulletin 90-01, suppl 1, "Loss of Fill-Oil in Transmitters Mfg by Rosemount."
EDISON,G.E. Project Directorate I-3. 94/11/04. CROSS,J.E. Duquesne Light Co. 4pp. 81716:246-81716:269.

-9411100178 Safety evaluation accepting util 930308,0528 & 940523 responses to NRC Bulletin 90-01, suppl 1, "Loss of Fill-Oil in Transmitters Mfg By Rosemount."
* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/11/04. 2pp. 81716:250-81716:251.

-9411100184 "Technical Evaluation Rept: Evaluation of Utility Responses to Suppl 1 to NRC Bulletin 90-01: Beaver Valley-1/2."
UDY,A.C. Idaho National Engineering Laboratory, UDY,A.C. EG&G Idaho, Inc. FIN L-1695. EGG-DNSP-11436. 94/08/31. NRC - No Detailed Affiliation Given. 17PP. 81716:252-81716:269.

9411090300 NRC Bulletin 94-002, "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride."
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.

9411100237 NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment."
GRIMES,B.K. 94/11/17. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.

9411150578 NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation."
GRIMES,B.K. 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.

9411170039 NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping."
GRIMES,B.K. 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.

9411170279 NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys."
GRIMES,B.K. 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.

9411170284 NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results."
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.

R. Periodic operating reports & related correspondence

9411100204 Monthly operating repts for Oct 1994 for Beaver Valley Power Station.W/ 941107 ltr.
JONES,D.T., NOONAN,T.P. Duquesne Light Co. 94/10/31. 9pp. 81747:351-81747:359.

DOCKET 50-413 CATAWBA NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9411230097 Forwards public version of EPIPS, including EPIP Index, change 0 to EPIP RP/0/B/5000/15, rev to EPIP Directive 3.07 (EP), rev 1 to EPIP Site Directive 3.75 (HR) & rev 4 to Site Directive 3.8.4 (EMP).W/941121 ltr.
REHN,D.L. Duke Power Co. 94/05/12. Document Control Branch (Document Control Desk). 3pp. 81827:236-81827:354.

-9411230113 Revs including EPIP index, change 0 to EPIP RP/0/B/5000/16, rev 3 to EPIP Site Directive 3.07 (EP), rev 1 to EPIP Site Directive 3.75 (HR) & rev 4 to Site Directive 3.8.4 (EMP).
* Duke Power Co. 94/05/12. 115pp. 81827:239-81827:354.

9411180252 Forwards ERDS implementation documents.W/o encl.
JOLICOEUR,J.R. Incident Response Branch. 94/10/06. SAUL,K.L. Halliburton NUS Environmental Corp. 1p. 81809:018-81809:018.

9411210208 Advises that 940701 Rev 0 to physical security plan consistent w/provisions of 10CFR50.54(p) & acceptable for inclusion into plan.
COLLINS,D.M. Region 2 (Post 820201). 94/11/09. REHN,D.L. Duke Power Co. 4pp. 81837:182-81837:185.

P. Operating license stage documents & correspondence

9411100232 Forwards rev to Catawba selected licensee commitments manual, revising Table 16.11-1 (page 1 of 3) re radioactive liquid waste sampling & analysis program.
REHN,D.L. Duke Power Co. 94/10/05. Document Control Branch (Document Control Desk). 5pp. 81728:332-81728:336.

9411070039 Extends invitation to Region II licensees to participate w/NRR & Region II representatives in discussion of GL 89-10 motor-operated valve programs. Meeting to be held on 941108 in Atlanta, GA. Meeting notice & agenda encl.
GIBSON,A.F. Region 2 (Post 820201). 94/10/12. REHN,D.L. Duke Power Co. 4pp. 81604:129-81604:132.

9411010184 Forwards Rev 4 to CNEI-0400-24, "Catawba Unit 1 Cycle 8 COLR." Rev moves listed values to COLR, as required by Amend 125 to CNS, Unit 1 TS.
CANADY,K.S. Duke Power Co. 94/10/24. Document Control Branch (Document Control Desk). 1p. 81585:060-81585:065.

-9411010187 Rev 4 to "Catawba Unit 1 Cycle 8 COLR."
ELDER,M.L., CLARK,R.H. Duke Power Co. CNEI-0400-24 R04. 94/10/24. 5pp. 81585:061-81585:065.

9411090122 Informs that staff unable to grant request for relief 93-GO-1 because item-by-item list of welds & insp requirements & technical basis to support safety evaluation of proposal had not been provided.
BERKOW,H.N. Project Directorate II-3. 94/10/26. TUCKMAN,M.S. Duke Power Co. 4pp. 81667:294-81667:297.

9411070422 Discusses safety-related MOV testing & surveillance schedule extension.
REHN,D.L. Duke Power Co. 94/10/27. Document Control Branch (Document Control Desk). 2pp. 81676:161-81676:162.

9411220203 Application for amends to licenses NPF-35 & NPF-52, removing stroke times for SG PORVs from TS Tables 3.6-2a & 3.6-2b.
REHN,D.L. Duke Power Co. 94/10/31. Document Control Branch (Document Control Desk). 12pp. 81864:337-81864:351.

-9411220205 Proposed tech specs reflecting removal of stroke times for SG PORVs from Tables 3.6-2a & 3.6-2b.
* Duke Power Co. 94/10/31. 3PP. 81864:349-81864:351.

9411080194 Summary of 940518 meeting w/util re actions & lessons learned associated w/removal of one of two RHR pumps from svc during reduced inventory conditions.
MARTIN,R.E. Project Directorate II-3. 94/11/01. Project Directorate II-3. 3pp. 81658:269-81658:271.

9411080239 Application for amends to licenses NPF-9,NPF-17,NPF-35 & NPF-52, deleting App B, environ protection plan & modifying portion of License Condition 2.C.(2) so as to delete portion which refers to environ protection plan.
TUCKMAN,M.S. Duke Power Co. 94/11/02. Document Control Branch (Document Control Desk). 34pp. 81717:268-81717:311.

9411290082 Notification of significant licensee meeting w/util on 941118 in Atlanta, GA to discuss stated group events which occurred during week of 941016.
SKINNER,P.H. Region 2 (Post 820201). 94/11/09. Region 2 (Post 820201). 2pp. 81858:317-81858:318.

9411250090 Informs that per written confirmation from both EPRI & C-E, Calculation CNC-1227.00-00-0051 can be considered nonproprietary & released to public, in response to NRC 940420 request.
REHN,D.L. Duke Power Co. 94/11/14. Document Control Branch (Document Control Desk). 2pp. 81866:345-81866:346.

9411250108 Submits suppl info in support of proposed TS changes re 4 kV bus under-voltage trip setpoint & allowable value.
REHN,D.L. Duke Power Co. 94/11/16. Document Control Branch (Document Control Desk). 3pp. 81866:280-81866:282.

9411290002 Confirms arrangement made between J Lowery & R Carol on 941013 re meeting to be conducted in Atlanta, GA on 941212 to present self-assessment of plant performance since 931003.
BOGER,B.A. Region 2 (Post 820201). 94/11/17. REHN,D.L. Duke Power Co. 3pp. 81857:004-81857:006.

9411290039 Notification of significant meeting w/util on 941212 to present self-assessment of plant performance since 931003.
SINKULE,M.V. Region 2 (Post 820201). 94/11/17. Region 2 (Post 820201). 2pp. 81857:266-81857:267.

Q. Inspection reports, IE Bulletins & correspondence

9410140257 Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Matis Events to NRC Operations Ctr."
BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.

9410200153 NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts."
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81658:001-81658:013.

9411090070 Forwards insp repts 50-413/94-20 & 50-414/94-20 on stated date & NOV.
PEEBLES,T.A. Region 2 (Post 820201). 94/11/01. REHN,D.L. Duke Power Co. 3pp. 81639:240-81639:258.

—9411090081 Notice of violation from insp on stated date. Violation noted: during 1994 comprehensive requalification annual operating tests, systematic evaluations of licensed operator & senior operator performance were not conducted.
* Region 2 (Post 820201). 94/11/01. 2pp. 81639:243-81639:244.

—9411090088 Insp repts 50-413/94-20 & 50-414/94-20 on stated date. Violations noted. Major areas inspected: licensed operator requalification program during period 940926-1007.
PAYNE, D.C., LAWYER, L.L. Region 2 (Post 820201). 94/10/28. 14pp. 81639:245-81639:258.

9411090028 Forwards insp repts 50-413/94-25 & 50-414/94-25 on 940914-15 & 941004-07. No violations noted.
CLINE, W.E. Region 2 (Post 820201). 94/11/03. REHN, D.L. Duke Power Co. 4pp. 81637:226-81637:259.

—9411090035 Insp repts 50-413/94-25 & 50-414/94-25 on 940914-15 & 941004-07. No violations noted. Major areas insp: organization of chemistry & radiation protection depts, plant water chemistry & confirmatory measurements.
CARRION, R.P., DECKER, T.R. Region 2 (Post 820201). 94/10/26. 30pp. 81637:230-81637:259.

9411210052 Forwards insp repts 50-413/94-26 & 50-414/94-26 on 940911-1008. No violations or deviations noted.
SINKULE, M.V. Region 2 (Post 820201). 94/11/03. REHN, D.L. Duke Power Co. 3pp. 81784:258-81784:274.

—9411210063 Insp repts 50-413/94-26 & 50-414/94-26 on 940911-1008. No violations or deviations noted. Major areas inspected: plant operations, maint, engineering & plant support.
FREUDENBERGER, SINKULE, M.V. Region 2 (Post 820201). 94/11/01. 14pp. 81784:261-81784:274.

9411150368 Responds to violations noted in insp repts 50-413/94-24 & 50-414/94-24. Corrective actions: drawing CNEE-0274-01.11 revised on 940909 to reflect current installation & connection diagrams.
REHN, D.L. Duke Power Co. 94/11/07. Document Control Branch (Document Control Desk). 5pp. 81781:057-81781:061.

9411150331 Responds to violations noted in insp repts 50-413/94-17 & 50-414/94-17. Corrective actions: reviews conducted to ensure violation examples do not compromise ability of affected structures, sys or components.
REHN, D.L. Duke Power Co. 94/11/08. Document Control Branch (Document Control Desk). 38pp. 81775:215-81775:252.

9411090300 NRC Bulletin 94-002, "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride."
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.

9411100237 NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment."
GRIMES, B.K. 94/11/17. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.

9411300012 Ack receipt of 941107 ltr informing NRC of steps taken to correct violations noted in insp repts 50-413/94-24 & 50-414/94-24 on 941006.
SINKULE, M.V. Region 2 (Post 820201). 94/11/17. REHN, D.L. Duke Power Co. 3pp. 81871:120-81871:122.

9411150578 NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation."
GRIMES, B.K. 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.

9411170039 NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping."
GRIMES, B.K. 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.

9411170279 NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys."
GRIMES, B.K. 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.

9411170284 NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results."
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.

R. Periodic operating reports & related correspondence

9411250116 Forwards monthly operating repts for Oct 1994 for Catawba Nuclear Station & revised repts for Sept 1994.
WEBER, R.L. Duke Power Co. 94/11/15. Document Control Branch (Document Control Desk). 2pp. 81889:076-81889:088.

—9411250118 Monthly operating repts for Oct 1994 for Catawba Nuclear Plant.
WILLIAMS, R.A. Duke Power Co. 94/10/31. 10pp. 81889:078-81889:087.

—9411250119 Revised monthly operating repts for Sept 1994 for Catawba Nuclear Station.
* Duke Power Co. 94/09/30. 1p. 81889:088-81889:088.

S. Reportable occurrences, LERs & related correspondence

9411010271 Part 21 Rept 166 re potential defect in component of DSRV & DSR Enterprise Standby DG sys. Licensee will issue svc info memo, addressing proper storage practices for EGA control box.
MOWERY, J.D. Cooper Industries, Inc. 94/10/26. Document Control Branch (Document Control Desk). 7pp. 81585:080-81585:086.

9411290055 Confirms arrangements made between Z Taylor & R Carroll on 941108 re mgt meeting to be conducted in Atlanta, GA to discuss listed group events which occurred during wk of 941016.
BOGER, B.A. Region 2 (Post 820201). 94/11/09. REHN, D.L. Duke Power Co. 3pp. 81857:323-81857:325.

9411220261 LER 94-006-00 on 941018, TS 3.0.3 entered due to inadequate work practices. Opened access panels closed & work was stopped that involved assess to ductwork until damper could be secured. W/941117 ltr.
KIMBALL, D.P., REHN, D.L. Duke Power Co. 94/11/17. 8pp. 81850:187-81850:194.

9411250150 Special rept on 941021, DG 1A invalid failure occurred due to main bearing high temp trip. Operability performance test successfully completed & engine declared operable on 941022.
REHN, D.L. Duke Power Co. 94/11/17. Document Control Branch (Document Control Desk). 3pp. 81922:163-81922:165.

V. Operator Examinations

9411090070 Forwards insp repts 50-413/94-20 & 50-414/94-20 on stated date & NOV. PEEBLES, T.A. Region 2 (Post 820201). 94/11/01. REHN, D.L. Duke Power Co. 3pp. 81639:240-81639:258.

—9411090081 Notice of violation from insp on stated date. Violation noted: during 1994 comprehensive requalification annual operating tests, systematic evaluations of licensed operator & senior operator performance were not conducted.
* Region 2 (Post 820201). 94/11/01. 2pp. 81639:243-81639:244.

—9411090088 Insp repts 50-413/94-20 & 50-414/94-20 on stated date. Violations noted. Major areas inspected: licensed operator requalification program during period 940926-1007.
PAYNE, D.C., LAWYER, L.L. Region 2 (Post 820201). 94/10/28. 14pp. 81639:245-81639:258.

9411080229 Responds to Administrative Ltr 94-12, "Operator Licensing Natl Exam Schedule."
TUCKMAN, M.S. Duke Power Co. 94/11/04. Document Control Branch (Document Control Desk). 5pp. 81679:205-81679:209.

DOCKET 50-414 CATAWBA NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9411230097 Forwards public version of EIPIS, including EPIP Index, change 0 to EPIP RP/0/B/5000/15, rev to EPIP Directive 3.07 (EP), rev 1 to EPIP Site Directive 3.75 (HR) & rev 4 to Site Directive 3.8.4 (EMP). W/941121 ltr.
REHN, D.L. Duke Power Co. 94/05/12. Document Control Branch (Document Control Desk). 3pp. 81827:236-81827:354.

—9411230113 Revs including EPIP index, change 0 to EPIP RP/0/B/5000/16, rev 3 to EPIP Site Directive 3.07 (EP), rev 1 to EPIP Site Directive 3.75 (HR) & rev 4 to Site Directive 3.8.4 (EMP).
* Duke Power Co. 94/05/12. 115pp. 81827:239-81827:354.

9411210208 Advises that 940701 Rev 0 to physical security plan consistent w/provisions of 10CFR50.54(p) & acceptable for inclusion into plan.
COLLINS, D.M. Region 2 (Post 820201). 94/11/09. REHN, D.L. Duke Power Co. 4pp. 81837:182-81837:185.

P. Operating license stage documents & correspondence

9411100232 Forwards rev to Catawba selected licensee commitments manual, revising Table 16.11-1 (page 1 of 3) re radioactive liquid waste sampling & analysis program.
REHN, D.L. Duke Power Co. 94/10/05. Document Control Branch (Document Control Desk). 5pp. 81726:332-81726:336.

9411070039 Extends invitation to Region II licensees to participate w/NRR & Region II representatives in discussion of GL 89-10 motor-operated valve programs. Meeting to be held on 941108 in Atlanta, GA. Meeting notice & agenda encl.
GIBSON, A.F. Region 2 (Post 820201). 94/10/12. REHN, D.L. Duke Power Co. 4pp. 81604:129-81604:132.

9411010176 Forwards Rev 3 to CNEI-0400-25, "Catawba Unit 2 Cycle 7 COLR." Rev moves listed values to COLR, as required by Amend 119 to CNS, Unit 2 TS.
CANADY, K.S. Duke Power Co. 94/10/24. Document Control Branch (Document Control Desk). 1p. 81585:068-81585:073.

—9411010181 Rev 3 to "Catawba Unit 2 Cycle 7 COLR."
ELDER, M.L., CLARK, R.H. Duke Power Co. CNEI-0400-25 R03. 94/10/24. 5pp. 81585:069-81585:073.

9411090122 Informs that staff unable to grant request for relief 93-GO-1 because item-by-item list of welds & insp requirements & technical basis to support safety evaluation of proposal had not been provided.
BERKOW, H.N. Project Directorate II-3. 94/10/26. TUCKMAN, M.S. Duke Power Co. 4pp. 81667:294-81667:297.

9411070422 Discusses safety-related MOV testing & surveillance schedule extension.
REHN, D.L. Duke Power Co. 94/10/27. Document Control Branch (Document Control Desk). 2pp. 81676:161-81676:162.

9411220203 Application for amendments to licenses NPF-35 & NPF-52, removing stroke times for SG PORVs from TS Tables 3.6-2a & 3.6-2b.
REHN, D.L. Duke Power Co. 94/10/31. Document Control Branch (Document Control Desk). 12pp. 81864:337-81864:351.

—9411220205 Proposed tech specs reflecting removal of stroke times for SG PORVs from Tables 3.6-2a & 3.6-2b.
* Duke Power Co. 94/10/31. 3PP. 81864:349-81864:351.

9411080194 Summary of 940518 meeting w/util re actions & lessons learned associated w/removal of one of two RHR pumps from svc during reduced inventory conditions.
MARTIN, R.E. Project Directorate II-3. 94/11/01. Project Directorate II-3. 3pp. 81658:269-81658:271.

138 DOCKETED ITEMS

9411080239 Application for amends to licenses NPF-9,NPF-17,NPF-35 & NPF-52,deleting App B,envirom protection plan & modifying portion of License Condition 2.C.(2) so as to delete portion which refers to envirom protection plan.
TUCKMAN,M.S. Duke Power Co. 94/11/02. Document Control Branch (Document Control Desk). 34pp. 81717:268-81717:311.

9411290082 Notification of significant licensee meeting w/util on 941118 in Atlanta,GA to discuss stated group events which occurred during week of 941016.
SKINNER,P.H. Region 2 (Post 820201). 94/11/09. Region 2 (Post 820201). 2pp. 81858:317-81858:318.

9411250090 Informs that per written confirmation from both EPRI & C-E, Calculation CNC-1227.00-00-0051 can be considered nonproprietary & released to public,in response to NRC 940420 request.
REHN,D.L. Duke Power Co. 94/11/14. Document Control Branch (Document Control Desk). 2pp. 81866:345-81866:346.

9411250108 Submits suppl info in support of proposed TS changes re 4 kV bus under-voltage trip setpoint & allowable value.
REHN,D.L. Duke Power Co. 94/11/16. Document Control Branch (Document Control Desk). 3pp. 81866:280-81866:282.

9411290002 Confirms arrangement made between J Lowery & R Carroll on 941013 re meeting to be conducted in Atlanta,GA on 941212 to present self-assessment of plant performance since 931003.
BOGER,B.A. Region 2 (Post 820201). 94/11/17. REHN,D.L. Duke Power Co. 3pp. 81857:004-81857:006.

9411290039 Notification of significant meeting w/util on 941212 to present self-assessment of plant performance since 931003.
SINKULE,M.V. Region 2 (Post 820201). 94/11/17. Region 2 (Post 820201). 2pp. 81857:266-81857:267.

Q. Inspection reports, IE Bulletins & correspondence

9410140257 Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Matis Events to NRC Operations Cr."
BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.

9410200153 NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts."
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81658:001-81658:013.

9411090070 Forwards insp repts 50-413/94-20 & 50-414/94-20 on stated date & NOV.
PEEBLES,T.A. Region 2 (Post 820201). 94/11/01. REHN,D.L. Duke Power Co. 3pp. 81639:240-81639:258.

-9411090081 Notice of violation from insp on stated date.Violation noted:during 1994 comprehensive requalification annual operating tests,systematic evaluations of licensed operator & senior operator performance were not conducted.
* Region 2 (Post 820201). 94/11/01. 2pp. 81639:243-81639:244.

-9411090088 Insp repts 50-413/94-20 & 50-414/94-20 on stated date. Violations noted.Major areas inspected:licensed operator requalification program during period 940926-1007.
PAYNE,D.C., LAWYER,L.L. Region 2 (Post 820201). 94/10/28. 14pp. 81639:245-81639:258.

9411090028 Forwards insp repts 50-413/94-25 & 50-414/94-25 on 940914-15 & 941004-07.No violations noted.
CLINE,W.E. Region 2 (Post 820201). 94/11/03. REHN,D.L. Duke Power Co. 4pp. 81637:226-81637:259.

-9411090035 Insp repts 50-413/94-25 & 50-414/94-25 on 940914-15 & 941004-07.No violations noted.Major areas insp:organization of chemistry & radiation protection depts,plant water chemistry & confirmatory measurements.
CARRION,R.P., DECKER,T.R. Region 2 (Post 820201). 94/10/26. 30pp. 81637:230-81637:259.

-9411210052 Forwards insp repts 50-413/94-26 & 50-414/94-26 on 940911- 1008.No violations or deviations noted.
SINKULE,M.V. Region 2 (Post 820201). 94/11/03. REHN,D.L. Duke Power Co. 3pp. 81784:258-81784:274.

-9411210063 Insp repts 50-413/94-26 & 50-414/94-26 on 940911-1008.No violations or deviations noted.Major areas inspected:plant operations,maint,engineering & plant support.
FREUDENBERGER, SINKULE,M.V. Region 2 (Post 820201). 94/11/01. 14pp. 81784:261-81784:274.

9411150368 Responds to violations noted in insp repts 50-413/94-24 & 50-414/94-24.Corrective actions:drawing CNEE-0274-01.11 revised on 940909 to reflect current installation & connection diagrams.
REHN,D.L. Duke Power Co. 94/11/07. Document Control Branch (Document Control Desk). 5pp. 81781:057-81781:061.

9411150331 Responds to violations noted in insp repts 50-413/94-17 & 50-414/94-17.Corrective actions:reviews conducted to ensure violation examples do not compromise ability of affected structures,sys or components.
REHN,D.L. Duke Power Co. 94/11/08. Document Control Branch (Document Control Desk). 38pp. 81775:215-81775:252.

9411090300 NRC Bulletin 94-002, "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride."
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.

9411100237 NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment."
GRIMES,B.K. 94/11/17. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.

9411300012 Ack receipt of 941107 ltr informing NRC of steps taken to correct violations noted in insp repts 50-413/94-24 & 50-414/94-24 on 941006.
SINKULE,M.V. Region 2 (Post 820201). 94/11/17. REHN,D.L. Duke Power Co. 3pp. 81871:120-81871:122.

9411150578 NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation."
GRIMES,B.K. 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.

9411170039 NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping."
GRIMES,B.K. 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.

9411170279 NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys."
GRIMES,B.K. 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.

9411170284 NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results."
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.

R. Periodic operating reports & related correspondence

9411250116 Forwards monthly operating repts for Oct 1994 for Catawba Nuclear Station & revised repts for Sept 1994.
WEBER,R.L. Duke Power Co. 94/11/15. Document Control Branch (Document Control Desk). 2pp. 81889:076-81889:088.

-9411250118 Monthly operating repts for Oct 1994 for Catawba Nuclear Plant.
WILLIAMS,R.A. Duke Power Co. 94/10/31. 10pp. 81889:078-81889:087.

-9411250119 Revised monthly operating repts for Sept 1994 for Catawba Nuclear Station.
* Duke Power Co. 94/09/30. 1p. 81889:088-81889:088.

S. Reportable occurrences, LERs & related correspondence

9411010271 Part 21 Rept 166 re potential defect in component of DSRV & DSR Enterprise Standby DG sys.Licensee will issue svc info memo,addressing proper storage practices for EGA control box.
MOWERY,J.D. Cooper Industries, Inc. 94/10/26. Document Control Branch (Document Control Desk). 7pp. 81585:080-81585:086.

9411040131 Part 21 & deficiency rept problems w/Woodard EGA control box that control speed/frequency of emergency diesel generator sys.
MOWERY,J.D. Cooper Energy Services. 94/10/26. Document Control Branch (Document Control Desk). 2pp. 81651:333-81651:334.

9411070420 Special repton 940922,CNS,Unit 2 cathodic protection sys declared inoperable & remained inoperable for greater than 10 days.WO 94080948-01 initiated to replace Prepackaged Anode Well 1.WO scheduled for 941114.
REHN,D.L. Duke Power Co. 94/11/01. Document Control Branch (Document Control Desk). 3pp. 81676:155-81676:157.

9411290055 Confirms arrangements made between Z Taylor & R Carroll on 941108 re mgt meeting to be conducted in Atlanta,GA to discuss listed group events which occurred during wk of 941016.
BOGER,B.A. Region 2 (Post 820201). 94/11/09. REHN,D.L. Duke Power Co. 3pp. 81857:323-81857:325.

9411220344 LER 94-007-00:on 941018,reactor trip occurred & TS violated. Caused by document use practices & less than adequate mgt directions.CR operators entered appropriate emergency procedures & stabilized plant.W/941117 ltr.
KIMBALL,D.P., REHN,D.L. Duke Power Co. 94/11/17. 17pp. 81850:202-81850:218.

V. Operator Examinations

9411090070 Forwards insp repts 50-413/94-20 & 50-414/94-20 on stated date & NOV.
PEEBLES,T.A. Region 2 (Post 820201). 94/11/01. REHN,D.L. Duke Power Co. 3pp. 81639:240-81639:258.

-9411090081 Notice of violation from insp on stated date.Violation noted:during 1994 comprehensive requalification annual operating tests,systematic evaluations of licensed operator & senior operator performance were not conducted.
* Region 2 (Post 820201). 94/11/01. 2pp. 81639:243-81639:244.

-9411090088 Insp repts 50-413/94-20 & 50-414/94-20 on stated date. Violations noted.Major areas inspected:licensed operator requalification program during period 940926-1007.
PAYNE,D.C. Region 2 (Post 820201). 94/10/28. 14pp. 81639:245-81639:258.

9411080229 Responds to Administrative Ltr 94-12, "Operator Licensing Natl Exam Schedule."
TUCKMAN,M.S. Duke Power Co. 94/11/04. Document Control Branch (Document Control Desk). 5pp. 81679:205-81679:209.

DOCKET 50-416 GRAND GULF NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9411290040 Forwards insp rept 50-416/94-18 on stated date & notice of violation.Violation of concern because loose fuel rack linkage bolts on EDG identified by NRC.
CHRISTENSEN,H. Region 2 (Post 820201). 94/11/14. HUTCHINSON,C.R. Entergy Operations, Inc. 4pp. 81857:268-81857:282.

-9411290048 Notice of violation from insp on stated dates.Violations noted:work instructions to check tightness of emergency diesel generator fuel rack linkage bolts inadequate.
* Region 2 (Post 820201). 94/11/14. 1p. 81857:272-81857:272.

-9411290056 Insp rept 50-416/94-18 on stated dates. Violations noted. Major areas inspected: plant operations, maint observation, surveillance observation, plant housekeeping, radiological controls, security & fire protection. TEDROW, J. HUGHEY, C., CANTRELL, F. Region 2 (Post 820201). 94/11/08. 10pp. 81857:273-81857:282.

P. Operating license stage documents & correspondence

9411030054 Confirms 941007 telcon w/MJ Meisner re briefing to be conducted at Region II ofc in Atlanta, GA to discuss current status & plans for implementing improved ST at plant. BOGER, B.A. Region 2 (Post 820201). 94/10/14. HUTCHINSON, C.R. Entergy Operations, Inc. 4pp. 81561:241-81561:244.

9411030071 Notification of significant meeting w/util on 941103 to inform NRC Region II personnel re current status & plans for implementing improved TSs at plant. CANTRELL, F.S. Region 2 (Post 820201). 94/10/14. Region 2 (Post 820201). 3pp. 81561:336-81561:338.

9411040246 Forwards draft SER in support of proposed conversion to improved BWR-6 TS, for comments before 941201. PICKETT, D.V. Project Directorate III-3. 94/10/27. PHARES, R.F. Illinois Power Co. 39pp. 81620:001-81621:027.

9411140113 Advises that attachment 3 to GNRO-94/00114 entitled, "Supporting Info for PCOL-94/01 (Proprietary)" submitted w/941012 ltr, will be withheld (ref 10CFR2.790). O'CONNOR, P.O. Project Directorate IV-1. 94/11/01. HUTCHINSON, C.R. Entergy Operations, Inc. 4pp. 81736:128-81736:131.

9411290060 Summarizes 941103 meeting w/util in Region II ofc re util current status & plans for implementing improved TS at plant. List of attendees & licensee handout encl. BOGER, B.A. Region 2 (Post 820201). 94/11/08. HUTCHINSON, C.R. Entergy Operations, Inc. 28pp. 81857:327-81857:354.

9411160017 Corrects mistake in 941014 telcon re util considering RPS to be "low-risk significant," as term defined by NRC for graded QA. MEISNER, M.J. Entergy Operations, Inc. 94/11/09. MILHOAN, J.L. Document Control Branch (Document Control Desk). 5pp. 81785:167-81785:171.

9411210376 Forwards rev to proposed amend to license NPF-29 re conversion to TS based on NUREG-1434, per NRC request. HUTCHINSON, C.R. Entergy Operations, Inc. 94/11/10. Document Control Branch (Document Control Desk). 7pp. 81859:001-81863:274.

-9411210378 Proposed tech specs for conversion to TS based on NUREG-1434. * Entergy Operations, Inc. 94/11/10. 1400pp. 81859:008-81863:274.

9411220258 Forwards Rev 2 to Std GGNS-MS-48.0, "GGNS COLR Safety-Related." Rept incorporates cycle specific info for GGNS Cycle 7 operation. HUTCHINSON, C.R. Entergy Operations, Inc. 94/11/10. Document Control Branch (Document Control Desk). 2pp. 81844:327-81844:349.

-9411220260 "GGNS COLR Safety-Related." * Entergy Operations, Inc. GGNS-MS-48.0 R02. 94/08/26. 21pp. 81844:329-81844:349.

Q. Inspection reports, IE Bulletins & correspondence

9411010003 Forwards insp rept 50-416/94-17 on 940821-0924. No violation noted. CHRISTENSEN, H. Region 2 (Post 820201). 94/10/17. HUTCHINSON, C.R. Entergy Operations, Inc. 4pp. 81528:001-81528:019.

-9411010006 Insp rept 50-416/94-17 on 940821-0924. No violations noted. Major areas inspected: operational safety verification, maint & surveillance observations, engineering, plant support & action on previous insp findings. HUGHEY, C.A., CANTRELL, F.S. Region 2 (Post 820201). 94/10/17. 15pp. 81528:005-81528:019.

9410140257 Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Matls Events to NRC Operations Ctr." BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.

9410200153 NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts." GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81658:001-81658:013.

9411090300 NRC Bulletin 94-002, "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride." PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.

9411290040 Forwards insp rept 50-416/94-18 on stated date & notice of violation. Violation of concern because loose fuel rack linkage bolts on EDG identified by NRC. CHRISTENSEN, H. Region 2 (Post 820201). 94/11/14. HUTCHINSON, C.R. Entergy Operations, Inc. 4pp. 81857:268-81857:282.

-9411290048 Notice of violation from insp on stated dates. Violations noted: work instructions to check tightness of emergency diesel generator fuel rack linkage bolts inadequate. * Region 2 (Post 820201). 94/11/14. 1p. 81857:272-81857:272.

-9411290056 Insp rept 50-416/94-18 on stated dates. Violations noted. Major areas inspected: plant operations, maint observation, surveillance observation, plant housekeeping, radiological controls, security & fire protection. TEDROW, J. HUGHEY, C., CANTRELL, F. Region 2 (Post 820201). 94/11/08. 10pp. 81857:273-81857:282.

9411100237 NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment." GRIMES, B.K. 94/11/17. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.

9411150578 NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation." GRIMES, B.K. 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.

9411170039 NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping." GRIMES, B.K. 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.

9411170279 NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys." GRIMES, B.K. 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.

9411170284 NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results." PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.

R. Periodic operating reports & related correspondence

9411230328 Monthly operating rept for Oct 1994 for Grand Gulf Nuclear Station Unit 1. W/941114 ltr. LIN, S.D., CARTER, T.M. Entergy Operations, Inc. 94/10/31. 6pp. 81854:329-81854:334.

S. Reportable occurrences, LERs & related correspondence

9411010339 LER 94-010-00: on 940930, during walkdown of control & auxiliary bldg pressure doors, pressure door OC312 was found propped open. Caused by inadequate procedural guidance. Procedure revised. W/941020 ltr. HOLIFIELD, C., HUTCHINSON, C.R. Entergy Operations, Inc. 94/10/20. 4pp. 81586:051-81586:054.

9411010271 Part 21 Rept 166 re potential defect in component of DSRV & DSR Enterprise Standby DG sys. Licensee will issue svc info memo, addressing proper storage practices for EGA control box. MOWERY, J.D. Cooper Industries, Inc. 94/10/26. Document Control Branch (Document Control Desk). 7pp. 81585:080-81585:086.

9411040131 Part 21 & deficiency rept problems w/Woodard EGA control box that control speed/frequency of emergency diesel generator sys. MOWERY, J.D. Cooper Energy Services. 94/10/26. Document Control Branch (Document Control Desk). 2pp. 81651:333-81651:334.

9411010359 LER 94-009-00: on 940929, LSFT surveillance procedures discrepancy in testing of containment spray initiation logic was revealed. Caused by procedural inadequacy. Deficiency rept was written. W/941027 ltr. OWENS, J., PAGE, D. Entergy Operations, Inc. 94/10/27. 4pp. 81602:099-81602:102.

V. Operator Examinations

9411010361 Forwards response to Administrative Ltr 94-12, "Operator Licensing Natl Exam Schedule." PAGE, D. Entergy Operations, Inc. 94/10/26. Document Control Branch (Document Control Desk). 2pp. 81586:358-81586:359.

DOCKET 50-417 GRAND GULF NUCLEAR STATION, UNIT 2

A. Application/construction stage documents & correspondence

9411070124 Extends invitation to Region II licensees to participate w/NRR & Region II representatives in discussion of GL 89-10 motor-operated valve programs. Meeting will be held on 941108 at Atlanta, GA. Meeting notice & agenda encl. MALLET, B. Region 2 (Post 820201). 94/10/12. HUTCHINSON, C.R. Entergy Operations, Inc. 4pp. 81605:143-81605:146.

S. Reportable occurrences, LERs & related correspondence

9411010271 Part 21 Rept 166 re potential defect in component of DSRV & DSR Enterprise Standby DG sys. Licensee will issue svc info memo, addressing proper storage practices for EGA control box. MOWERY, J.D. Cooper Industries, Inc. 94/10/26. Document Control Branch (Document Control Desk). 7pp. 81585:080-81585:086.

9411040131 Part 21 & deficiency rept problems w/Woodard EGA control box that control speed/frequency of emergency diesel generator sys. MOWERY, J.D. Cooper Energy Services. 94/10/26. Document Control Branch (Document Control Desk). 2pp. 81651:333-81651:334.

DOCKET 50-423 MILLSTONE NUCLEAR POWER STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9411160155 Provides comments on proposed rule re fee for services to support Federal Emergency Mgt Agency Offsite radiological emergency preparedness program. OPEKA, J.F. Connecticut Yankee Atomic Power Co. 94/09/12. Federal Emergency Management Agency. 3pp. 81781:231-81781:233.

9411180252 Forwards ERDS implementation documents. W/o encl. JOLICOEUR, J.R. Incident Response Branch. 94/10/06. SAUL, K.L. Halliburton NUS Environmental Corp. 1p. 81809:018-81809:018.

9411070278 Forwards RAI re emergency action level technical basis document. MCKEE, P.F. Project Directorate I-4. 94/10/27. OPEKA, J.F. Connecticut Yankee Atomic Power Co. 81pp. 81713:211-81713:290.

140 DOCKETED ITEMS

9411150028 Advises that Rev 11 to guard training & qualification plan consistent w/provisions of 10CFR50.54(p) & acceptable.
JOYNER,J.H. Region 1 (Post 820201). 94/10/27. OPEKA,J.F. Northeast Nuclear Energy Co. 4pp. 81780:304-81780:307.

9411090302 Rev 1 to EPOP 4412, "Evacuation & Assembly" & revised index.
* Northeast Nuclear Energy Co. 94/10/28. 33pp. 81747:095-81747:127.

9411100173 Forwards Rev 20 to physical security plan.Rev withheld (ref 10CFR2.790(a)).
OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities Service Co. 94/10/31. Document Control Branch (Document Control Desk). 2pp. 81736:303-81736:304.

9411150461 Forwards insp repts 50-245/94-29,50-336/94-25 & 50-423/94-27 on 941003-06.Violations noted.Violation involved failure to properly control vehicles granted escorted & unescorted access into protected area.
JOYNER,J.H. Region 1 (Post 820201). 94/10/31. OPEKA,J.F. Northeast Nuclear Energy Co. 3pp. 81745:067-81745:076.

-9411150467 Notice of violation from insp on 941003-06.Violation noted:designated licensee vehicle & non-licensee designated vehicle in protected area had been improperly controlled on 941003.
* Region 1 (Post 820201). 94/10/31. 1p. 81745:070-81745:070.

-9411150475 Insp repts 50-245/94-29,50-336/94-25 & 50-423/94-27 on 941003-06.Violations noted.Major areas inspected:audits & mgt support,effectiveness of mgt controls,protected area detection equipment & alarm stations & communications.
KING,E.B. Region 1 (Post 820201). 94/10/31. 6pp. 81745:071-81745:076.

9411210237 Change 2 to Rev 2 to EPIP 4400, "Event Assessment, Classification & Reportability."
MCCANCE,W.T., RODGERS,R. Northeast Nuclear Energy Co. 94/11/03. 5pp. 81837:177-81837:181.

9411250050 Change 1 to Rev 1 to EPOP 4424, "Manager of Radiological Consequence Assessment (MRCA)."
MCCANCE,W.T. Northeast Nuclear Energy Co. 94/11/10. 4pp. 81866:337-81866:340.

9411210244 Rev 8 to Corporate Organization for Nuclear Incidents (CONI) Procedure CONI 4.12, "Protective Action Recommendations." W/ Rev 80 to table of contents.
RODGERS,R.C. Northeast Nuclear Energy Co. 94/11/14. 33pp. 81837:204-81837:236.

H. General correspondence

9411010061 Comment on proposed rule 10CFR2 re reexamination of NRC enforcement policy.Util endorses NEI position on issue & concurs w/recommendations.
OPEKA,J.F. Northeast Utilities. 94/10/24. Rules & Directives Review Branch (Post 920323). 4pp. 81514:155-81514:158.

9411040003 Comment on proposed rule 10CFR2 re reexamination of NRC enforcement policy.
OPEKA,J.F. Northeast Utilities Service Co. 94/10/24. Division of Freedom of Information & Publications Services (Post 940714). 4pp. 81575:003-81575:006.

P. Operating license stage documents & correspondence

9411030149 Rev 17 to "NEUT QA Program Topical Rept." Ltr dtd 941017 encl.
* Northeast Utilities Service Co. 94/08/10. 128pp. 81653:021-81653:148.

9411150568 Forwards amend 97 to license NPF-49 & safety evaluation. Amend revises TS by increasing min vol of fuel oil required to be stored in EDG day tank from 205 gallons to 278.
ROONEY,V.L. Project Directorate I-4. 94/10/17. OPEKA,J.F. Connecticut Yankee Atomic Power Co. 3pp. 81748:032-81748:045.

-9411150569 Amend 97 to license NPF-49, revising TS by increasing min vol of fuel oil required to be stored in EDG day tank.
MCKEE,P.F. Project Directorate I-4. 94/10/17. 6pp. 81748:035-81748:040.

-9411150576 Safety evaluation supporting amend 97 to license NPF-49.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/17. 5pp. 81748:041-81748:045.

9411010084 Informs NRC of util plan to integrate plants OSC & co-locate OSC w/TSC.
OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities. 94/10/21. Document Control Branch (Document Control Desk). 8pp. 81587:083-81587:090.

9411040123 Informs that staff preparing rev to operability guidance, described in GL 91-18, to incorporate experience from regional workshops on operability.
STOLZ,J.F. Project Directorate I-2. 94/10/21. KACICH,R.M. Northeast Nuclear Energy Co. 7pp. 81619:302-81619:322.

9411170129 Forwards "Millstone Unit 3 Simulator 4-Year Certification Rept,Oct 1994."
OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities Service Co. 94/10/31. Document Control Branch (Document Control Desk). 3pp. 81785:248-81785:311.

-9411170143 "Millstone Unit 3 Simulator 4-Year Certification Rept Oct,1994."
* Northeast Nuclear Energy Co. * Northeast Utilities Service Co. 94/10/25. 65pp. 81785:253-81785:311.

9411150200 Summarizes 941026 meeting w/util in King of Prussia,PA re motor-operated valve issues.Special emphasis placed on expectations for completion & process for closure of GL 89-10, "Safety-Related MOV Testing & Surveillance."
KELLY,E.M. Region 1 (Post 820201). 94/11/03. OPEKA,J.F. Connecticut Yankee Atomic Power Co. 49pp. 81735:210-81735:258.

9411210071 Forwards addl info re SG tube rupture analysis.
OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities. 94/11/07. Document Control Branch (Document Control Desk). 14pp. 81831:132-81831:145.

9411220161 Notification of significant licensee meeting 94-133 w/util on 941208 to discuss util strategy for dealing w/employee allegation issues.
NICHOLSON,L. Region 1 (Post 820201). 94/11/14. Region 1 (Post 820201). 3pp. 81798:358-81798:360.

9411280148 Summary of 941102 meeting w/util re instrument surveillance TS changes resulting from 24-month fuel cycle.
ROONEY,V.L. Project Directorate I-4. 94/11/22. Project Directorate I-4. 6pp. 81852:209-81852:214.

Q. Inspection reports, IE Bulletins & correspondence

9410140257 Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Matls Events to NRC Operations Ctr."
BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.

9411020035 Forwards insp repts 50-245/94-28,50-336/94-27 & 50-423/94-24 on 940817-0926 & NOV.
ROGGE,J.F. Region 1 (Post 820201). 94/10/24. OPEKA,J.F. Northeast Nuclear Energy Co. 4pp. 81528:185-81528:214.

-9411020042 Notice of violation from insp on 940817-0926.Violation noted:since Jan 1990,tens instances exist when 2A/B solenoids failed to meet 1.1 second stroke time specified.
* Region 1 (Post 820201). 94/10/24. 2pp. 81528:189-81528:190.

-9411020046 Insp repts 50-245/94-28,50-336/94-27 & 50-423/94-24 on 940817-0926.No violations noted.Major areas inspected:plant operations,radiological controls & maint.
NICHOLSON,L.E. Region 1 (Post 820201). 94/10/17. 24pp. 81528:191-81528:214.

9410200153 NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts."
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81658:001-81658:013.

9411020016 Forwards results of 941005 GFES of written operator licensing exam.W/o encl.
MEYER,G.W. Region 1 (Post 820201). 94/10/26. SMITH,J.F. Northeast Nuclear Energy Co. 2pp. 81528:079-81528:080.

9411150461 Forwards insp repts 50-245/94-29,50-336/94-25 & 50-423/94-27 on 941003-06.Violations noted.Violation involved failure to properly control vehicles granted escorted & unescorted access into protected area.
JOYNER,J.H. Region 1 (Post 820201). 94/10/31. OPEKA,J.F. Northeast Nuclear Energy Co. 3pp. 81745:067-81745:076.

-9411150467 Notice of violation from insp on 941003-06.Violation noted:designated licensee vehicle & non-licensee designated vehicle in protected area had been improperly controlled on 941003.
* Region 1 (Post 820201). 94/10/31. 1p. 81745:070-81745:070.

-9411150475 Insp repts 50-245/94-29,50-336/94-25 & 50-423/94-27 on 941003-06.Violations noted.Major areas inspected:audits & mgt support,effectiveness of mgt controls,protected area detection equipment & alarm stations & communications.
KING,E.B., MCCABE,E.C. Region 1 (Post 820201). 94/10/31. 6pp. 81745:071-81745:076.

9411180241 Informs of intent to eliminate commitment that util submitted on 940318 in reply to notice of violation re insp rept 50-423/93-81.
OPEKA,J.F. Northeast Nuclear Energy Co. 94/11/07. Document Control Branch (Document Control Desk). 2pp. 81830:341-81830:342.

9411220084 Forwards insp repts 50-245/94-32,50-336/94-31 & 50-423/94-29 on 941011-14 & notice of violation.
JOYNER,J.H. Region 1 (Post 820201). 94/11/09. OPEKA,J.F. Northeast Nuclear Energy Co. 3pp. 81797:334-81797:352.

-9411220097 Insp repts 50-245/94-32,50-336/94-31 & 50-423/94-29 on 941011-14.Violations noted.Major areas inspected: radiological controls area including program changes, staffing,training & qualifications,audits & appraisals.
NIMITZ,R.L., BORES,R.J. Region 1 (Post 820201). 94/11/09. 13pp. 81797:339-81797:352.

9411220091 Summarizes 941021 meeting w/util in King of Prussia,PA re addl actions planned to address performance concerns noted in insp repts 50-245/94-18,50-336/94-17 & 50-423/94-16.
DURR,J.P. Region 1 (Post 820201). 94/11/10. OPEKA,J.F. Northeast Nuclear Energy Co. 31pp. 81798:017-81798:047.

9411090300 NRC Bulletin 94-002, "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride."
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.

9411100237 NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment."
GRIMES,B.K. 94/11/17. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.

9411150578 NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation."
GRIMES,B.K. 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.

9411170039 NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping."
GRIMES,B.K. 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.

9411170279 NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys."
GRIMES,B.K. 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.

9411170284 NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results."
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.

S. Reportable occurrences, LERs & related correspondence

9411230167 Special repton 941024,LPMS declared inoperable due to failure of LPMS Channel 8.Cause of LPMS Channel 8 failure isolated to in-containment cabling/accelerometer.Cable & accelerometer replacement planned for next refueling outage. MILLER,D.B. Northeast Nuclear Energy Co. MILLER,D.B. Northeast Utilities Service Co. 94/11/15. Document Control Branch (Document Control Desk). 1p. 81854:336-81854:336.

V. Operator Examinations

9411020016 Forwards results of 941005 GFES of written operator licensing exam.W/o encl. MEYER,G.W. Region 1 (Post 820201). 94/10/26. SMITH,J.F. Northeast Nuclear Energy Co. 2pp. 81528:079-81528:080.

9411020106 Submits response to administrative ltr 94-12 re operator licensing natl exam schedule. OFEKA,J.F. Northeast Nuclear Energy Co. 94/10/26. Document Control Branch (Document Control Desk). 6pp. 81589:237-81589:242.

DOCKET 50-424 ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 1**F. Security, medical, emergency & fire protection plans**

941180252 Forwards ERDS implementation documents.W/o encl. JOLICOEUR,J.R. Incident Response Branch. 94/10/06. SAUL,K.L. Halliburton NUS Environmental Corp. 1p. 81809:018-81809:018.

9411010173 Forwards insp rept 50-424/94-22 & 50-425/94-22 on 940821- 0917 & notice of violation. SINKULE,M.V. Region 2 (Post 820201). 94/10/12. MCCOY,C.K. Georgia Power Co. 3pp. 81515:057-81515:076.

-9411010183 Notice of violation from insp on 940821-0917.Violation noted:effective C/ A not taken to correct conditions adverse to quality following start of RHR pump on 940724.On 940909 & 940913,vehicles found in protective areas unsecured. * Region 2 (Post 820201). 94/10/12. 2pp. 81515:060-81515:061.

9411040196 Advises that 941003 rev 26 to physical security plan consistent w/provisions of 10CFR50.54(p) & acceptable. COLLINS,D.M. Region 2 (Post 820201). 94/10/25. MCCOY,C.K. Georgia Power Co. 3pp. 81658:317-81658:319.

9411020142 Informs that Commission granted encl exemption re 940721 ltr requesting one-time scheduler exemption from requirements of 10CFR50,App E,section IV.F.2 to perform annual emergency exercise. ZIMMERMAN,J.I. Project Directorate II-3. 94/10/26. MCCOY,C.K. Georgia Power Co. 3pp. 81566:344-81566:351.

-9411020158 Exemption from requirements of 10CFR50,App E,Section IV.F.2 to perform annual emergency exercise. VARGA,S.A. Division of Reactor Projects - I/II (Post 870411). 94/10/26. Georgia Power Co. 5pp. 81566:347-81566:351.

9411280190 Rev 21 to "Vogtle Electric Generating Plant Units 1 & 2 Emergency Plan." W/941118 ltr. MCCOY,C.K. Georgia Power Co. 94/11/18. 487pp. 81884:001-81885:123.

G. Adjudicatory correspondence

9411140151 FOIA request for documents re 930423 2.206 director's decision concerning facilities. LAMBERSKI,J. TroutmanSanders (formerly Troutman, Sanders, Lockerman & Ashmore). 93/08/13. GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (890206-940714). 1p. 81732:070-81732:070.

9411010050 Submits util proposed agenda for 941017 prehearing conference,in accordance w/direction (Tr.650).W/Svc List. LEWIS,D.R. Shaw, Pittman, Potts & Trowbridge. #494 15829. 94/10/13. BLOCH,P.B., CARPENTER,J.H., MURPHY,T.D. Atomic Safety & Licensing Board Panel. 3pp. 81513:037-81513:039.

9411010029 Forwards "Intervenor Motion to Postpone Deposition of NRC Personnel Until Conclusion of License Transfer Hearing," submitted in place of 941013 motion. KOHN,M.D. Georgia Power Co. KOHN,M.D. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). #494 15826. 94/10/17. BLOCH,P.B., MURPHY,T.D., CARPENTER,J.H. Atomic Safety & Licensing Board Panel. 2pp. 81513:016-81513:022.

-9411010036 Intervenor motions to postpone depositions of NRC personnel until conclusion of license transfer hearing. Request for postponement approved.W/Certificate of Svc & Svc List. KOHN,M.D. Georgia Power Co. KOHN,M.D. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). #494 15826. 94/10/17. Atomic Safety & Licensing Board Panel. 5pp. 81513:018-81513:022.

9411010188 Forwards partial transcripts of certain audio tapes recorded by Mosbaugh which GPC believes to be relevant to case re GPC license amend for transfer to Southern Nuclear Operating Co. Related correspondence. JOINER,J.E. TroutmanSanders (formerly Troutman, Sanders, Lockerman & Ashmore). #494 15844. 94/10/20. BARTH,C. Office of the General Counsel (Post 860701). KOHN,M.D. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). 2pp. 81513:225-81513:226.

9411010192 Expresses GPC willingness at any time to participate in discussions that might lead to fair & reasonable settlement of proceeding re GPC license amend for transfer to Southern Nuclear Operating Co.Related correspondence. JOINER,J.E. TroutmanSanders (formerly Troutman, Sanders, Lockerman & Ashmore). #494 15843. 94/10/20. KOHN,M.D. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). 3pp. 81513:227-81513:229.

9411010015 Intervenor motion to strike GAP motion for leave to file reply to intervenor response to GAP motion for summary disposition or in alternative leave to reply.W/ Certificate of Svc & svc list. KOHN,M.D. Affiliation Not Assigned. KOHN,M.D. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). #494 15850. 94/10/24. Atomic Safety & Licensing Board Panel. 4pp. 81513:010-81513:013.

9411010033 Forwards services agreement,dtd 840101,between GAP & Southern Co Services,as requested by ASLB at status conference on 941017. LAMBERSKI,J. Georgia Power Co. LAMBERSKI,J. TroutmanSanders (formerly Troutman, Sanders, Lockerman & Ashmore). #494 15849. 94/10/24. BLOCH,P.B., CARPENTER,J.H., MURPHY,T.D. Atomic Safety & Licensing Board Panel. 12pp. 81513:023-81513:034.

9411010049 Informs that disposition of Brockman to take place on 941026 in Rockville,MD at White Flint 2 bldg.Related correspondence. BARTH,C.A. Office of the General Counsel (Post 860701). #494 15848. 94/10/24. KOHN,M.D., KOHN,S.M. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). LAMBERSKI,J. TroutmanSanders (formerly Troutman, Sanders, Lockerman & Ashmore). 1p. 81513:036-81513:036.

9411010064 Transmits ltrs from Messrs Bockhold,Frederick,Green, Majors & McCoy responding to NRC demand for info re NOV issued on 940320.NOV addressed DG starting problems.W/o encls. BARTH,C.A. Office of the General Counsel (Post 860701). #494 15847. 94/10/24. BLOCH,P.B., CARPENTER,J.H., MURPHY,T.D. Atomic Safety & Licensing Board Panel. 1p. 81513:048-81513:048.

9411010228 Intervenor motion to reopen discovery.* AL Mosbaugh requests Board to reopen discovery on illegal license transfer portion of proceeding under listed conditions.W/Certificate of Svc & svc list. WILMOTH,M.J. Affiliation Not Assigned. WILMOTH,M.J. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). #494 15851. 94/10/24. Atomic Safety & Licensing Board Panel. 11pp. 81513:305-81513:321.

-9411010244 Responds to request to identify certain documents ref in stipulations 56 & 57 of util proposed stipulation re allegations of illegal license transfer. LAMBERSKI,J. TroutmanSanders (formerly Troutman, Sanders, Lockerman & Ashmore). 94/03/30. BARTH,C. Office of the General Counsel (Post 860701). 2pp. 81513:316-81513:321.

9411010152 Intervenor motion for protective order.* Requests Board to issue protective order prohibiting util from denying access to "wall of documents" produced during course of discovery. W/Certificate of Svc & svc list. WILMOTH,M.J. Affiliation Not Assigned. WILMOTH,M.J. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). #494 15856. 94/10/25. Atomic Safety & Licensing Board Panel. 13pp. 81513:189-81513:201.

9411020098 Intervenor response to util motion to strike intervenor response to summary disposition.* Concludes that licensee motion to strike should be denied.W/Certificate of Svc & svc list. KOHN,M.D. Georgia Power Co. KOHN,M.D. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). #494 15875. 94/10/26. Atomic Safety & Licensing Board Panel. 65pp. 81528:283-81528:349.

9411020105 Forwards correspondence re DG matter in listed proceeding. YOUNG,M.A. Office of the General Counsel (Post 860701). #494 15874. 94/10/27. BLOCH,P.B., CARPENTER,J.H., MURPHY,T.D. Atomic Safety & Licensing Board Panel. 7pp. 81529:015-81529:021.

9411040032 Motion for issuance of subpoena.* Util moves Board to issue subpoena for deposition of B Hayes & appended for signature. W/Certificate of Svc & svc list. LEWIS,D.R. Georgia Power Co. LEWIS,D.R. Shaw, Pittman, Potts & Trowbridge. #494 15883. 94/10/31. Atomic Safety & Licensing Board Panel. 1p. 81575:081-81575:090.

9411010158 Informs that intervenor has agreed to withdraw intervenor motion for protective order,dtd 941025 & not oppose deposition of L Robinson,scheduled to begin 941108 in Atlanta,GA. LAMBERSKI,J. Georgia Power Co. LAMBERSKI,J. TroutmanSanders (formerly Troutman, Sanders, Lockerman & Ashmore). #494 15897. 94/11/02. BLOCH,P.B., CARPENTER,J.H., MURPHY,T.D. Atomic Safety & Licensing Board Panel. 1p. 81672:234-81672:234.

9411100123 Georgia Power Co answer to intervenor motion to reopen discovery.* Informs that intervenor motion should be denied. W/Certificate of Svc & svc list. LAMBERSKI,J. Georgia Power Co. LAMBERSKI,J. TroutmanSanders (formerly Troutman, Sanders, Lockerman & Ashmore). #494 15900. 94/11/03. Atomic Safety & Licensing Board Panel. 64pp. 81672:055-81672:118.

9411100149 Forwards copy of Amend 1,dtd 850906,to amended & restated agreement between Southern Co Svcs,Inc & Georgia Power Co, dtd 840101. LAMBERSKI,J. Georgia Power Co. LAMBERSKI,J. TroutmanSanders (formerly Troutman, Sanders, Lockerman & Ashmore). #494 15898. 94/11/03. BLOCH,P.B., CARPENTER,J.H., MURPHY,T.D. Atomic Safety & Licensing Board Panel. 3pp. 81672:193-81672:195.

9411100168 Forwards notice of appearance for DM Shapiro in proceeding. W/Certificate of Svc. SHAPIRO,D.M. Office of the General Counsel (Post 860701). #494 15891. 94/11/04. BLOCH,P.B., MURPHY,T.D., CARPENTER,J.H. Atomic Safety & Licensing Board Panel. 4pp. 81672:237-81672:240.

9411100052 Memorandum & order (summary disposition:illegal transfer allegation).* Grants in part "Util Motion for Summary Disposition of Intervenor Illegal Transfer of License Allegations." W/Certificate of Svc.Served on 941108. CARPENTER,J.H., MURPHY,T.D., BLOCH,P.B. Atomic Safety & Licensing Board Panel. #494 15910. 94/11/08. Georgia Power Co. 36pp. 81671:326-81671:361.

9411180172 Memorandum & order (motion to reopen discovery).* Notifies GA Power Company to serve to intervenor,all documents re procedures & training used at plants from 1988 to present. W/Certificate of Svc.Served on 941109. BLOCH,P.B. Atomic Safety & Licensing Board Panel. #494 15914. 94/11/09. Georgia Power Co. 8pp. 81774:220-81774:227.

142 DOCKETED ITEMS

- 9411180173 Memorandum & order (filing of proposed agendas). * Proposed agendas filed late will not be considered. W/Certificate of Svc. Served on 941109. BLOCH, P.B. Atomic Safety & Licensing Board Panel. #494 15915. 94/11/09. Office of the General Counsel (Post 860701). 3pp. 81774:228-81774:230.
- 9411180131 Discusses 941110 telcon to PB Bloch, requesting clarification of Board memorandum & order, dtd 941109 concerning sequestration order. LAMBERSKI, J. Georgia Power Co. LAMBERSKI, J. Troutman Sanders (formerly Troutman, Sanders, Lockerman & Ashmore). #494 15920. 94/11/11. BLOCH, P.B., CARPENTER, J.H., MURPHY, T.D. Atomic Safety & Licensing Board Panel. 2pp. 81774:086-81774:087.
- 9411180162 Licensee proposed agenda. * Lists agenda items for consideration at status conference on 941117. W/Certificate of Svc & Service List. LAMBERSKI, J. Georgia Power Co. LAMBERSKI, J. Troutman Sanders (formerly Troutman, Sanders, Lockerman & Ashmore). #494 15934. 94/11/15. 3pp. 81774:193-81774:195.
- 9411180163 Intervenor proposed agenda. * Requests that listed matters be discussed at upcoming 941117 status conference. W/Certificate of Svc & svc list. KOHN, M.D. Affiliation Not Assigned. KOHN, M.D. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). #494 15935. 94/11/15. 3pp. 81774:196-81774:198.
- 9411180176 NRC staff supplement to amended response to intervenor second interrogatory & request for production of documents. * W/Certificate of Svc. Related correspondence. HULL, J.T. Office of the General Counsel (Post 860701). #494 15937. 94/11/15. Affiliation Not Assigned. 7pp. 81774:231-81774:237.
- 9411180174 Responds to ASLB 941109 Order for util to serve copies of all relevant procedures used at plant from 1988 to present & add training mats used by plant. Util procedures & telephone directories encl. LAMBERSKI, J. Georgia Power Co. LAMBERSKI, J. Troutman Sanders (formerly Troutman, Sanders, Lockerman & Ashmore). #494 15942. 94/11/16. BLOCH, P.B., CARPENTER, J.H., MURPHY, T.D. Atomic Safety & Licensing Board Panel. 449pp. 81773:001-81774:085.
- 9411300299 Intervenor list of "phase I" issues. * Submits list of issues intervenor plans to raise at upcoming hearing. W/Certificate of Svc & svc list. WILMOTH, M.J. Affiliation Not Assigned. WILMOTH, M.J. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). #494 16012. 94/11/17. 7pp. 81890:005-81890:011.
- 9411300339 Informs that on 941115, Vogtle Coordinating Group completed review of util response to NOV re reporting of DG starts following site emergency of 900320. BARTH, C.A. Office of the General Counsel (Post 860701). #494 16029. 94/11/21. BLOCH, P.B., CARPENTER, J.H., MURPHY, T.D. Atomic Safety & Licensing Board Panel. 1p. 81891:080-81891:080.
- 9411300345 Intervenor petition for appeal of Licensing Board decision to grant partial summary disposition of illegal license transfer issue. * W/Certificate of Svc & Svc List. KOHN, M.D. Affiliation Not Assigned. KOHN, M.D. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). #494 16021. 94/11/21. Commissioners (Post 750119). 13pp. 81891:084-81891:097.
- 9411300347 Supplements ltr, dtd 941116, responding to Licensing Board order, dtd 941109 requiring documents re relevant procedures at plant from 1988 onward to be served. Forwards business continuity plan of Southern Nuclear Operating Company. LAMBERSKI, J. Georgia Power Co. LAMBERSKI, J. Troutman Sanders (formerly Troutman, Sanders, Lockerman & Ashmore). #494 16024. 94/11/21. BLOCH, P.B., CARPENTER, J.H., MURPHY, T.D. Atomic Safety & Licensing Board Panel. 72pp. 81891:098-81891:168.
- 9411300328 GAP motion for reconsideration of sequestration order. * Licensing Board should reconsider sequestration & permit util counsel to communicate w/witnesses on all issues re proceeding. W/Certificate of Svc & svc list. LEWIS, D.R. Georgia Power Co. LEWIS, D.R. Shaw, Pittman, Potts & Trowbridge. #494 16030. 94/11/23. Atomic Safety & Licensing Board Panel. 15pp. 81891:018-81891:032.
- 9411300333 Memorandum & order (change in time of pre-hearing conference). * Conference scheduled for 941209 in Rockville, MD. W/Certificate of Svc. Served on 941123. BLOCH, P.B. Atomic Safety & Licensing Board Panel. #494 16023. 94/11/23. 3pp. 81891:071-81891:073.
- 9411300334 Intervenor brief re sequestration & witnesses. * W/Certificate of Svc & Svc List. KOHN, M.D. Affiliation Not Assigned. KOHN, M.D. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). #494 16022. 94/11/23. Atomic Safety & Licensing Board Panel. 6pp. 81891:074-81891:079.
- 9411300344 Responds to 941020 ltr which encl portions of Mosbaugh tape recording transcripts numbers 42, 184, 253, 258 & 267. Tapes may be offered by util & received by Licensing Board, into evidence in proceeding at hearing. Related Correspondence. BARTH, C.A. Office of the General Counsel (Post 860701). #494 16028. 94/11/23. LAMBERSKI, J. Troutman Sanders (formerly Troutman, Sanders, Lockerman & Ashmore). 1p. 81891:083-81891:083.
- 9411300330 Memorandum & order (exclusion of witnesses). * Concludes that sequestration order shall remain in effect. W/Certificate of Svc. Served on 941128. BLOCH, P.B. Atomic Safety & Licensing Board Panel. #494 16036. 94/11/28. Georgia Power Co. 10pp. 81891:033-81891:042.

P. Operating license stage documents & correspondence

- 9411070153 Extends invitation to Region II licensees to participate w/NRC & Region II representatives in discussion of GL 89-10 motor-operated valve programs. Meeting to be held in 941108 in Atlanta, GA. Meeting notice & agenda encl. GIBSON, A.F. Region 2 (Post 820201). 94/10/12. MCCOY, C.K. Georgia Power Co. 4pp. 81605:192-81605:195.
- 9411030362 Forwards "COLR for Vogtle Electric Generating Plant (VEGP) Unit 1 Cycle 6" & Rev 2 to "COLR for VEGP Unit 2 Cycle 4." MCCOY, C.K. Georgia Power Co. 94/10/25. Document Control Branch (Document Control Desk). 1p. 81641:190-81641:227.
- 9411030363 "COLR for Vogtle Electric Generating Plant Unit 1 Cycle 6." * Georgia Power Co. 94/09/30. 16pp. 81641:191-81641:206.

- 9411030364 Rev 2 to "COLR for Vogtle Electric Generating Plant Unit 2 Cycle 4." * Georgia Power Co. 94/10/31. 21pp. 81641:207-81641:227.

- 9411090322 Responds to violations noted in insp repts 50-424/94-22 & 50-425/94-22. Corrective actions: Procedure 13011-1/2 revised in order to add prerequisite to place CCW in svc prior to starting RHR pumps. MCCOY, C.K. Georgia Power Co. 94/10/31. Document Control Branch (Document Control Desk). 6pp. 81750:304-81750:309.
- 9411080308 Summary of 941012 meeting w/GA Power Company & industry representatives in Rockville, MD re lead plant submittal & pressure temp limits rept methodology requirements for plant. Forwards list of attendees & draft amend request. ZIMMERMAN, J.I. Project Directorate II-3. 94/11/02. Project Directorate II-3. 107pp. 81664:001-81664:107.
- 9411300033 Notification of significant licensee meeting w/util on 941130 to discuss plant performance goals. SKINNER, P.H. Region 2 (Post 820201). 94/11/09. Region 2 (Post 820201). 2pp. 81871:176-81871:177.
- 9411300064 Confirms arrangements made w/JA Bailey re 941130 meeting requested by util re general info w/respect to util assessment of plant performance & goals. BOGER, B.A. Region 2 (Post 820201). 94/11/09. MCCOY, C.K. Georgia Power Co. 3pp. 81871:275-81871:277.
- 9411230124 Notification of 941201 meeting w/util in Rockville, MD to discuss plant performance goals & recent NRR reorganization. WHEELER, L.L. Project Directorate II-3. 94/11/18. BERKOW, H.N. Project Directorate II-3. 4pp. 81830:012-81830:015.
- Q. Inspection reports, IE Bulletins & correspondence**
- 9411010173 Forwards insp rept 50-424/94-22 & 50-425/94-22 on 940821-0917 & notice of violation. SINKULE, M.V. Region 2 (Post 820201). 94/10/12. MCCOY, C.K. Georgia Power Co. 3pp. 81515:057-81515:076.
- 9411010183 Notice of violation from insp on 940821-0917. Violation noted: effective C/A not taken to correct conditions adverse to quality following start of RHR pump on 940724. On 940909 & 940913, vehicles found in protective areas unsecured. * Region 2 (Post 820201). 94/10/12. 2pp. 81515:060-81515:061.
- 9411010190 Insp repts 50-424/94-22 & 50-425/94-22 on 940821-0917. Violations noted. Major areas inspected: plant operations, surveillance, complex surveillance, maint, plant support, onsite engineering & evaluation of licensee self-assessment. BONSER, B.R., HOPKINS, P.C., WIDMAN, M.T. Region 2 (Post 820201). 94/10/12. 15pp. 81515:062-81515:076.
- 9410140257 Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Mats Events to NRC Operations Ctr." BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.
- 9411070163 Forwards insp repts 50-424/94-23 & 50-425/94-23 on 940919-23. No violations or deviations noted. CLINE, W.E. Region 2 (Post 820201). 94/10/20. MCCOY, C.K. Georgia Power Co. 4pp. 81605:221-81605:236.
- 9411070169 Insp repts 50-424/94-23 & 50-425/94-23 on 940919-23. No violations noted. Major areas inspected: area of occupational radiation safety & examination of organization & staffing, audits & self-identification, training & qualification. FORBES, D.B., RANKIN, W.H. Region 2 (Post 820201). 94/10/17. 12pp. 81605:225-81605:236.
- 9410200153 NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts." GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81658:001-81658:013.
- 9411290014 Forwards insp repts 50-424/94-25 & 50-425/94-25 on 940918-1015. Non-cited violation identified. SINKULE, M.V. Region 2 (Post 820201). 94/11/09. MCCOY, C.K. Georgia Power Co. 3pp. 81857:153-81857:174.
- 9411290020 Insp repts 50-424/94-25 & 50-425/94-25 on 940918-1015. Non-cited violation identified. Areas inspected: plant operations, surveillance, complex surveillance, maint, plant support, onsite engineering & refueling activities. SKINNER, P., BONSER, B.R., HOPKINS, P.C. Region 2 (Post 820201). 94/11/09. 19pp. 81857:156-81857:174.
- 9411300028 Ack receipt of 941031 ltr informing NRC of steps taken to correct violations noted in insp repts 50-424/94-22 & 50-425/94-22. SINKULE, M.V. Region 2 (Post 820201). 94/11/09. MCCOY, C.K. Georgia Power Co. 3pp. 81871:169-81871:171.
- 9411170212 Responds to violation noted in Insp Repts 50-424/94-24 & 50-425/94-24 on 940919-23. Corrective actions: involved individual counseled on failure to adhere to procedural requirements & restricted from performing MT exams. MCCOY, C.K. Georgia Power Co. 94/11/10. Document Control Branch (Document Control Desk). 3pp. 81823:054-81823:056.
- 9411090300 NRC Bulletin 94-002, "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride." PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.
- 9411100237 NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment." GRIMES, B.K. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.

9411150578 NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation." GRIMES,B.K. . 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.

9411170039 NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping." GRIMES,B.K. . 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.

9411170279 NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys." GRIMES,B.K. . 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.

9411170284 NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results." PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.

R. Periodic operating reports & related correspondence

9411150386 Monthly operating repts for Oct 1994 for Vogtle Electric Generating Plant/W/941109 ltr. HOOVER,G.L., MCCOY,C.K. Georgia Power Co. 94/10/31. 12pp. 81775:062-81775:073.

S. Reportable occurrences, LERs & related correspondence

941110271 Part 21 Rept 166 re potential defect in component of DSRV & DSR Enterprise Standby DG sys.Licensee will issue svc info memo,addressing proper storage practices for EGA control box. MOWERY,J.D. Cooper Industries, Inc. 94/10/26. Document Control Branch (Document Control Desk). 7pp. 81585:080-81585:086.

94111040131 Part 21 & deficiency rept problems w/Woodard EGA control box that control speed/frequency of emergency diesel generator sys. MOWERY,J.D. Cooper Energy Services. 94/10/26. Document Control Branch (Document Control Desk). 2pp. 81651:333-81651:334.

94111030106 LER 94-007-00:on 941004.TS 4.9.9 special condition surveillance requirement,applicable during core alterations had not been performed.Caused by personnel error.USS has been counseled.W/941028 ltr. SHEIBANI,M., MCCOY,C.K. Georgia Power Co. 94/10/28. 4pp. 81619:026-81619:029.

94111300317 LER 94-008-00:on 941027.piping penetration area filtration & exhaust sys rendered inoperable.Caused by personnel error. Two circuits cards involved were reinstalled & both trains restored.W/941118 ltr. SHEIBANI,M., MCCOY,C.K. Georgia Power Co. 94/11/18. 6pp. 81912:184-81912:189.

T. Hearing transcripts on non-antitrust matters

9411100125 Forwards Mosbaugh Tape 58 transcript prepared by Troutman Sanders which reflects collaborative efforts of parties to reach agreement in as many areas as possible.Related Correspondence. LAMBERSKI,J. TroutmanSanders (formerly Troutman, Sanders, Lockerman & Ashmore). #494 15807. 94/11/02. BARTH,C. Office of the General Counsel (Post 860701). KOHN,M.D. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). 46pp. 81572:119-81572:164.

9411180146 Forwards partial transcripts of audio tapes re license amend for transfer to Southern Nuclear Operating Co.W/o encl.Related correspondence. LAMBERSKI,J. Georgia Power Co. LAMBERSKI,J. TroutmanSanders (formerly Troutman, Sanders, Lockerman & Ashmore). #494 15921. 94/11/11. BARTH,C. Office of the General Counsel (Post 860701). KOHN,M.D. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). 2pp. 81774:140-81774:141.

9411230068 Transcript of 941117 meeting in Rockville,MD.Pp 753-847. * Atomic Safety & Licensing Board Panel. 94/11/17. 100pp. 81899:151-81899:247.

DOCKET 50-425 ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9411180252 Forwards ERDS implementation documents.W/o encl. JOLICOEUR,J.R. Incident Response Branch. 94/10/06. SAUL,K.L. Halliburton NUS Environmental Corp. 1p. 81809:018-81809:018.

94111010173 Forwards insp rept 50-424/94-22 & 50-425/94-22 on 940821- 0917 & notice of violation. SINKULE,M.V. Region 2 (Post 820201). 94/10/12. MCCOY,C.K. Georgia Power Co. 3pp. 81515:057-81515:076.

-941110183 Notice of violation from insp on 940821-0917.Violation noted:effective C/ A not taken to correct conditions adverse to quality following start of RHR pump on 940724.On 940909 & 940913,vehicles found in protective areas unsecured. * Region 2 (Post 820201). 94/10/12. 2pp. 81515:060-81515:061.

94111040196 Advises that 941003 rev 26 to physical security plan consistent w/provisions of 10CFR50.54(p) & acceptable. COLLINS,D.M. Region 2 (Post 820201). 94/10/25. MCCOY,C.K. Georgia Power Co. 3pp. 81658:317-81658:319.

94111020142 Informs that Commission granted encl exemption re 940721 ltr requesting one-time scheduler exemption from requirements of 10CFR50,App E,section IV.F.2 to perform annual emergency exercise. ZIMMERMAN,J.I. Project Directorate II-3. 94/10/26. MCCOY,C.K. Georgia Power Co. 3pp. 81566:344-81566:351.

-94111020158 Exemption from requirements of 10CFR50,App E,Section IV.F.2 to perform annual emergency exercise. VARGA,S.A. Division of Reactor Projects - I/II (Post 870411). 94/10/26. Georgia Power Co. 5pp. 81566:347-81566:351.

9411280190 Rev 21 to "Vogtle Electric Generating Plant Units 1 & 2 Emergency Plan." W/941118 ltr. MCCOY,C.K. Georgia Power Co. 94/11/18. 487pp. 81884:001-81885:123.

G. Adjudicatory correspondence

9411140151 FOIA request for documents re 930423 2.206 director's decision concerning facilities. LAMBERSKI,J. TroutmanSanders (formerly Troutman, Sanders, Lockerman & Ashmore). 93/08/13. GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (890206-940714). 1p. 81732:070-81732:070.

9411140154 Final response to FOIA request for info.Forwards App A info which will be available in PDR. GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (890206-940714). 93/10/20. LAMBERSKI,J. TroutmanSanders (formerly Troutman, Sanders, Lockerman & Ashmore). 2pp. 81732:071-81732:133.

-9411130136 Consults NRC concerning whether or not to take enforcement action for inaccurate info provided by util employee during 890330 NRC meeting re issuance of full power OL for facility. TAYLOR,J.M. Ofc of the Executive Director for Operations. SECY-91-358. 91/11/07. 72pp. 81732:074-81732:132.

-9411140158 Agrees w/conclusions that McDonald misstatement unintentional (ref SECY-91-358 proposed director's decision on matt false statement during Commission meeting on full power license for facility). CURTIS,S.J.R. Commissioners (Post 750119). 91/11/21. CHILK,S.J. NRC - No Detailed Affiliation Given. 1p. 81732:073-81732:073.

-9411140161 Staff requirements memo re SECY-91-358 on proposed director decision on matt false statement during Commission meeting on facility. CHILK,S.J. Office of the Secretary of the Commission. 91/12/02. TAYLOR,J.M. Ofc of the Executive Director for Operations. 1p. 81732:133-81732:133.

9411100050 Submits util proposed agenda for 941017 prehearing conference,in accordance w/direction (Tr.650).W/Svc List. LEWIS,D.R. Shaw, Pittman, Potts & Trowbridge. #494 15829. 94/10/13. BLOCH,P.B., CARPENTER,J.H., MURPHY,T.D. Atomic Safety & Licensing Board Panel. 3pp. 81513:037-81513:039.

9411100029 Forwards "Intervenor Motion to Postpone Deposition of NRC Personnel Until Conclusion of License Transfer Hearing," submitted in place of 941013 motion. KOHN,M.D. Georgia Power Co. KOHN,M.D. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). #494 15826. 94/10/17. BLOCH,P.B., MURPHY,T.D., CARPENTER,J.H. Atomic Safety & Licensing Board Panel. 2pp. 81513:016-81513:022.

-9411100036 Intervenor motions to postpone depositions of NRC personnel until conclusion of license transfer hearing.* Request for postponement approved.W/Certificate of Svc & Svc List. KOHN,M.D. Georgia Power Co. KOHN,M.D. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). #494 15826. 94/10/17. Atomic Safety & Licensing Board Panel. 5pp. 81513:018-81513:022.

94111010188 Forwards partial transcripts of certain audio tapes recorded by Mosbaugh which GPC believes to be relevant to case re GPC license amend for transfer to Southern Nuclear Operating Co.Related correspondence. JOINER,J.E. TroutmanSanders (formerly Troutman, Sanders, Lockerman & Ashmore). #494 15844. 94/10/20. BARTH,C. Office of the General Counsel (Post 860701). KOHN,M.D. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). 2pp. 81513:225-81513:226.

94111010192 Expresses GPC willingness at any time to participate in discussions that might lead to fair & reasonable settlement of proceeding re GPC license amend for transfer to Southern Nuclear Operating Co.Related correspondence. JOINER,J.E. TroutmanSanders (formerly Troutman, Sanders, Lockerman & Ashmore). #494 15843. 94/10/20. KOHN,M.D. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). 3pp. 81513:227-81513:229.

9411100015 Intervenor motion to strike GAP motion for leave to file reply to intervenor response to GAP motion for summary disposition or in alternative leave to reply.W/ Certificate of Svc & svc list. KOHN,M.D. Affiliation Not Assigned. KOHN,M.D. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). #494 15850. 94/10/24. Atomic Safety & Licensing Board Panel. 4pp. 81513:010-81513:013.

9411100033 Forwards services agreement,dtd 840101,between GAP & Southern Co Services,as requested by ASLB at status conference on 941017. LAMBERSKI,J. Georgia Power Co. LAMBERSKI,J. TroutmanSanders (formerly Troutman, Sanders, Lockerman & Ashmore). #494 15849. 94/10/24. BLOCH,P.B., CARPENTER,J.H., MURPHY,T.D. Atomic Safety & Licensing Board Panel. 12pp. 81513:023-81513:034.

9411100049 Informs that disposition of Brockman to take place on 941026 in Rockville,MD at White Flint 2 bldg.Related correspondence. BARTH,C.A. Office of the General Counsel (Post 860701). #494 15848. 94/10/24. KOHN,M.D., KOHN,S.M. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). LAMBERSKI,J. TroutmanSanders (formerly Troutman, Sanders, Lockerman & Ashmore). 1p. 81513:036-81513:036.

9411100064 Transmits ltrs from Messrs Bockhold,Frederick,Green, Majors & McCoy responding to NRC demand for info re NOV issued on 940320.NOV addressed DG starting problems.W/o encl. BARTH,C.A. Office of the General Counsel (Post 860701). #494 15847. 94/10/24. BLOCH,P.B., CARPENTER,J.H., MURPHY,T.D. Atomic Safety & Licensing Board Panel. 1p. 81513:048-81513:048.

9411100228 Intervenor motion to reopen discovery.* AL Mosbaugh requests Board to reopen discovery on illegal license transfer portion of proceeding under listed conditions.W/Certificate of Svc & svc list. WILMOTH,M.J. Affiliation Not Assigned. WILMOTH,M.J. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). #494 15851. 94/10/24. Atomic Safety & Licensing Board Panel. 11pp. 81513:305-81513:321.

144 DOCKETED ITEMS

- 9411010244** Responds to request to identify certain documents ref in stipulations 56 & 57 of util proposed stipulation re allegations of illegal license transfer. LAMBERSKI,J. TroutmanSanders (formerly Troutman, Sanders, Lockerman & Ashmore). 94/03/30. BARTH,C. Office of the General Counsel (Post 860701). 2pp. 81513:316-81513:321.
- 9411010152** Intervenor motion for protective order.* Requests Board to issue protective order prohibiting util from denying access to "wall of documents" produced during course of discovery. W/Certificate of Svc & svc list. WILMOTH,M.J. Affiliation Not Assigned. WILMOTH,M.J. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). #494 15856. 94/10/25. Atomic Safety & Licensing Board Panel. 13pp. 81513:189-81513:201.
- 9411020098** Intervenor response to util motion to strike intervenor response to summary disposition.* Concludes that licensee motion to strike should be denied.W/Certificate of Svc & svc list. KOHN,M.D. Georgia Power Co. KOHN,M.D. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). #494 15875. 94/10/26. Atomic Safety & Licensing Board Panel. 65pp. 81528:283-81528:349.
- 9411020105** Forwards correspondence re DG matter in listed proceeding. YOUNG,M.A. Office of the General Counsel (Post 860701). #494 15874. 94/10/27. BLOCH,P.B., CARPENTER,J.H., MURPHY,T.D. Atomic Safety & Licensing Board Panel. 7pp. 81529:015-81529:021.
- 9411040032** Motion for issuance of subpoena.* Util moves Board to issue subpoena for deposition of B Hayes & appended for signature. W/Certificate of Svc & svc list. LEWIS,D.R. Georgia Power Co. LEWIS,D.R. Shaw, Pittman, Potts & Trowbridge. #494 15883. 94/10/31. Atomic Safety & Licensing Board Panel. 1p. 81575:081-81575:090.
- 9411100158** Informs that intervenor has agreed to withdraw intervenor motion for protective order,dtd 941025 & not oppose deposition of L Robinson,scheduled to begin 941108 in Atlanta,GA. LAMBERSKI,J. Georgia Power Co. LAMBERSKI,J. TroutmanSanders (formerly Troutman, Sanders, Lockerman & Ashmore). #494 15897. 94/11/02. BLOCH,P.B., CARPENTER,J.H., MURPHY,T.D. Atomic Safety & Licensing Board Panel. 1p. 81672:234-81672:234.
- 9411100123** Georgia Power Co answer to intervenor motion to reopen discovery.* Informs that intervenor motion should be denied. W/Certificate of Svc & svc list. LAMBERSKI,J. Georgia Power Co. LAMBERSKI,J. TroutmanSanders (formerly Troutman, Sanders, Lockerman & Ashmore). #494 15900. 94/11/03. Atomic Safety & Licensing Board Panel. 64pp. 81672:055-81672:118.
- 9411100149** Forwards copy of Amend 1,dtd 850906,to amended & restated agreement between Southern Co Svcs,Inc & Georgia Power Co, dtd 840101. LAMBERSKI,J. Georgia Power Co. LAMBERSKI,J. TroutmanSanders (formerly Troutman, Sanders, Lockerman & Ashmore). #494 15898. 94/11/03. BLOCH,P.B., CARPENTER,J.H., MURPHY,T.D. Atomic Safety & Licensing Board Panel. 3pp. 81672:193-81672:195.
- 9411100168** Forwards notice of appearance for DM Shapiro in proceeding. W/Certificate of Svc. SHAPIRO,D.M. Office of the General Counsel (Post 860701). #494 15891. 94/11/04. BLOCH,P.B., MURPHY,T.D., CARPENTER,J.H. Atomic Safety & Licensing Board Panel. 4pp. 81672:237-81672:240.
- 9411100052** Memorandum & order (summary disposition:illegal transfer allegation).* Grants in part "Util Motion for Summary Disposition of Intervenor Illegal Transfer of License Allegations." W/Certificate of Svc.Served on 941108. CARPENTER,J.H., MURPHY,T.D., BLOCH,P.B. Atomic Safety & Licensing Board Panel. #494 15910. 94/11/08. Georgia Power Co. 36pp. 81671:326-81671:361.
- 9411180172** Memorandum & order (motion to reopen discovery).* Notifies GA Power Company to serve to intervenor,all documents re procedures & training used at plants from 1988 to present. W/Certificate of Svc.Served on 941109. BLOCH,P.B. Atomic Safety & Licensing Board Panel. #494 15914. 94/11/09. Georgia Power Co. 8pp. 81774:220-81774:227.
- 9411180173** Memorandum & order (filing of proposed agendas).* Proposed agendas filed late will not be considered.W/Certificate of Svc.Served on 941109. BLOCH,P.B. Atomic Safety & Licensing Board Panel. #494 15915. 94/11/09. Office of the General Counsel (Post 860701). 3PP. 81774:228-81774:230.
- 9411180131** Discusses 941110 telcon to PB Bloch,requesting clarification of Board memorandum & order,dtd 941109 concerning sequestration order. LAMBERSKI,J. Georgia Power Co. LAMBERSKI,J. TroutmanSanders (formerly Troutman, Sanders, Lockerman & Ashmore). #494 15920. 94/11/11. BLOCH,P.B., CARPENTER,J.H., MURPHY,T.D. Atomic Safety & Licensing Board Panel. 2pp. 81774:086-81774:087.
- 9411180162** Licensee proposed agenda.* Lists agenda items for consideration at status conference on 941117.W/Certificate of Svc & Service List. LAMBERSKI,J. Georgia Power Co. LAMBERSKI,J. TroutmanSanders (formerly Troutman, Sanders, Lockerman & Ashmore). #494 15934. 94/11/15. 3pp. 81774:193-81774:195.
- 9411180163** Intervenor proposed 941117 agenda.* Requests that listed matters be discussed at upcoming 941117 status conference. W/Certificate of Svc & svc list. KOHN,M.D. Affiliation Not Assigned. KOHN,M.D. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). #494 15935. 94/11/15. 3pp. 81774:196-81774:198.
- 9411180176** NRC staff supplement to amended response to intervenor second interrogatory & request for production of documents.* W/Certificate of Svc.Related correspondence. HULL,J.T. Office of the General Counsel (Post 860701). #494 15937. 94/11/15. Affiliation Not Assigned. 7pp. 81774:231-81774:237.
- 9411300299** Intervenor list of "phase I" issues.* Submits list of issues intervenor plans to raise at upcoming hearing.W/Certificate of Svc & svc list. WILMOTH,M.J. Affiliation Not Assigned. WILMOTH,M.J. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). #494 16012. 94/11/17. 7pp. 81890:005-81890:011.
- 9411300339** Informs that on 941115,Vogtle Coordinating Group completed review of util response to NOV re reporting of DG starts following site emergency of 900320. BARTH,C.A. Office of the General Counsel (Post 860701). #494 16029. 94/11/21. BLOCH,P.B., CARPENTER,J.H., MURPHY,T.D. Atomic Safety & Licensing Board Panel. 1p. 81891:080-81891:080.

- 9411300345** Intervenor petition for appeal of Licensing Board decision to grant partial summary disposition of illegal license transfer issue.* W/Certificate of Svc & Svc List. KOHN,M.D. Affiliation Not Assigned. KOHN,M.D. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). #494 16021. 94/11/21. Commissioners (Post 750119). 13pp. 81891:084-81891:097.
- 9411300347** Supplements ltr,dtd 941116,responding to Licensing Board order,dtd 941109 requiring documents re relevant procedures at plant from 1988 onward to be served.Forwards business continuity plan of Southern Nuclear Operating Company. LAMBERSKI,J. Georgia Power Co. LAMBERSKI,J. TroutmanSanders (formerly Troutman, Sanders, Lockerman & Ashmore). #494 16024. 94/11/21. BLOCH,P.B., CARPENTER,J.H., MURPHY,T.D. Atomic Safety & Licensing Board Panel. 72pp. 81891:098-81891:168.
- 9411300328** GAP motion for reconsideration of sequestration order.* Licensing Board should reconsider sequestration & permit util counsel to communicate w/witnesses on all issues re proceeding.W/Certificate of Svc & svc list. LEWIS,D.R. Georgia Power Co. LEWIS,D.R. Shaw, Pittman, Potts & Trowbridge. #494 16030. 94/11/23. Atomic Safety & Licensing Board Panel. 15pp. 81891:018-81891:032.
- 9411300333** Memorandum & order (change in time of pre-hearing conference).* Conference scheduled for 941209 in Rockville,MD.W/Certificate of Svc.Served on 941123. BLOCH,P.B. Atomic Safety & Licensing Board Panel. #494 16023. 94/11/23. 3pp. 81891:071-81891:073.
- 9411300334** Intervenor brief re sequestration & witnesses.* W/Certificate of Svc & Svc List. KOHN,M.D. Affiliation Not Assigned. KOHN,M.D. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). #494 16022. 94/11/23. Atomic Safety & Licensing Board Panel. 6pp. 81891:074-81891:079.
- 9411300344** Responds to 941020 ltr which encl portions of Mosbaugh tape recording transcripts numbers 42,184,253,258 & 267.Tapes may be offered by util & received by Licensing Board,into evidence in proceeding at hearing.Related Correspondence. BARTH,C.A. Office of the General Counsel (Post 860701). #494 16028. 94/11/23. LAMBERSKI,J. TroutmanSanders (formerly Troutman, Sanders, Lockerman & Ashmore). 1p. 81891:083-81891:083.
- 9411300330** Memorandum & order (exclusion of witnesses).* Concludes that sequestration order shall remain in effect.W/Certificate of Svc.Served on 941128. BLOCH,P.B. Atomic Safety & Licensing Board Panel. #494 16036. 94/11/28. Georgia Power Co. 10pp. 81891:033-81891:042.

P. Operating license stage documents & correspondence

- 9411070153** Extends invitation to Region II licensees to participate w/NRC & Region II representatives in discussion of GL 89-10 motor-operated valve programs.Meeting to be held in 941108 in Atlanta,GA.Meeting notice & agenda encl. GIBSON,A.F. Region 2 (Post 820201). 94/10/12. MCCOY,C.K. Georgia Power Co. 4pp. 81605:192-81605:195.
- 9411030362** Forwards "COLR for Vogtle Electric Generating Plant (VEGP) Unit 1 Cycle 6" & Rev 2 to "COLR for VEGP Unit 2 Cycle 4." MCCOY,C.K. Georgia Power Co. 94/10/25. Document Control Branch (Document Control Desk). 1p. 81641:190-81641:227.
- 9411030364** Rev 2 to "COLR for Vogtle Electric Generating Plant Unit 2 Cycle 4." * Georgia Power Co. 94/10/31. 21pp. 81641:207-81641:227.
- 9411020121** Ask misapplication of repair requirements of ASME B&PV Code during repair of SG manway cover & forwards Vogtle Electric Generating Plant Unit 2 ISI Program Relief Request RR-58 from requirements of ASME Section XI Code. MCCOY,C.K. Georgia Power Co. 94/10/28. Document Control Branch (Document Control Desk). 9pp. 81590:075-81590:083.
- 9411090322** Responds to violations noted in insp repts 50-424/94-22 & 50-425/94-22.Corrective actions:Procedure 13011-1/2 revised in order to add prerequisite to place CCW in svc prior to starting RHR pumps. MCCOY,C.K. Georgia Power Co. 94/10/31. Document Control Branch (Document Control Desk). 6pp. 81750:304-81750:309.
- 9411080308** Summary of 941012 meeting w/GA Power Company & industry representatives in Rockville,MD re lead plant submittal & pressure temp limits rept methodology requirements for plant.Forwards list of attendees & draft amend request. ZIMMERMAN,J.I. Project Directorate II-3. 94/11/02. Project Directorate II-3. 107pp. 81664:001-81664:107.
- 9411300033** Notification of significant licensee meeting w/util on 941130 to discuss plant performance goals. SKINNER,P.H. Region 2 (Post 820201). 94/11/09. Region 2 (Post 820201). 2pp. 81871:176-81871:177.
- 9411300064** Confirms arrangements made w/JA Bailey re 941130 meeting requested by util re general info w/respect to util assessment of plant performance & goals. BOGER,B.A. Region 2 (Post 820201). 94/11/09. MCCOY,C.K. Georgia Power Co. 3pp. 81871:275-81871:277.
- 9411230124** Notification of 941201 meeting w/util in Rockville,MD to discuss plant performance goals & recent NRR reorganization. WHEELER,L.L. Project Directorate II-3. 94/11/18. BERKOW,H.N. Project Directorate II-3. 4pp. 81830:012-81830:015.

Q. Inspection reports, IE Bulletins & correspondence

- 9411010173** Forwards insp rept 50-424/94-22 & 50-425/94-22 on 940821- 0917 & notice of violation. SINKULE,M.V. Region 2 (Post 820201). 94/10/12. MCCOY,C.K. Georgia Power Co. 3pp. 81515:057-81515:076.
- 9411010183** Notice of violation from insp on 940821-0917.Violation noted:effective C/ A not taken to correct conditions adverse to quality following start of RHR pump on 940724.On 940909 & 940913,vehicles found in protective areas unsecured. * Region 2 (Post 820201). 94/10/12. 2pp. 81515:060-81515:061.

-9411010190 Insp repts 50-424/94-22 & 50-425/94-22 on 940821-0917. Violations noted. Major areas inspected: plant operations, surveillance, complex surveillance, maint, plant support, onsite engineering & evaluation of licensee self-assessment. BONSER, B.R., HOPKINS, P.C., WIDMAN, M.T. Region 2 (Post 820201). 94/10/12. 15pp. 81515:062-81515:076.

9410140257 Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Matis Events to NRC Operations Ctr." BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.

9411070163 Forwards insp repts 50-424/94-23 & 50-425/94-23 on 940919-23. No violations or deviations noted. CLINE, W.E. Region 2 (Post 820201). 94/10/20. MCCOY, C.K. Georgia Power Co. 4pp. 81605:221-81605:236.

-9411070169 Insp repts 50-424/94-23 & 50-425/94-23 on 940919-23. No violations noted. Major areas inspected: area of occupational radiation safety & examination of organization & staffing, audits & self-identification, training & qualification. FORBES, D.B., RANKIN, W.H. Region 2 (Post 820201). 94/10/17. 12pp. 81605:225-81605:236.

9410200153 NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts." GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81658:001-81658:013.

9411020121 Ack misapplication of repair requirements of ASME B&PV Code during repair of SG manway cover & forwards Vogtle Electric Generating Plant Unit 2 ISI Program Relief Request RR-58 from requirements of ASME Section XI Code. MCCOY, C.K. Georgia Power Co. 94/10/28. Document Control Branch (Document Control Desk). 9pp. 81590:075-81590:083.

9411290014 Forwards insp repts 50-424/94-25 & 50-425/94-25 on 940918-1015. Non-cited violation identified. SINKULE, M.V. Region 2 (Post 820201). 94/11/09. MCCOY, C.K. Georgia Power Co. 3pp. 81857:153-81857:174.

-9411290020 Insp repts 50-424/94-25 & 50-425/94-25 on 940918-1015. Non-cited violation identified. Areas inspected: plant operations, surveillance, complex surveillance, maint, plant support, onsite engineering & refueling activities. SKINNER, P., BONSER, B.R., HOPKINS, P.C. Region 2 (Post 820201). 94/11/09. 19pp. 81857:156-81857:174.

9411300028 Ack receipt of 941031 ltr informing NRC of steps taken to correct violations noted in insp repts 50-424/94-22 & 50-425/94-22. SINKULE, M.V. Region 2 (Post 820201). 94/11/09. MCCOY, C.K. Georgia Power Co. 3pp. 81871:169-81871:171.

9411170212 Responds to violation noted in Insp Repts 50-424/94-24 & 50-425/94-24 on 940919-23. Corrective actions involved individual counseled on failure to adhere to procedural requirements & restricted from performing MT exams. MCCOY, C.K. Georgia Power Co. 94/11/10. Document Control Branch (Document Control Desk). 3pp. 81823:054-81823:056.

9411090300 NRC Bulletin 94-002, "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride." PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.

9411100237 NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment." GRIMES, B.K. 94/11/17. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.

9411150578 NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation." GRIMES, B.K. 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.

9411170039 NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping." GRIMES, B.K. 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.

9411170279 NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys." GRIMES, B.K. 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.

9411170284 NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results." PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.

R. Periodic operating reports & related correspondence

9411150386 Monthly operating repts for Oct 1994 for Vogtle Electric Generating Plant. W/941109 ltr. HOOPER, G.L., MCCOY, C.K. Georgia Power Co. 94/10/31. 12pp. 81775:062-81775:073.

S. Reportable occurrences, LERs & related correspondence

9411010271 Part 21 Rept 166 re potential defect in component of DSRV & DSR Enterprise Standby DG sys. Licensee will issue svc info memo, addressing proper storage practices for EGA control box. MOWERY, J.D. Cooper Industries, Inc. 94/10/26. Document Control Branch (Document Control Desk). 7pp. 81585:080-81585:086.

9411040131 Part 21 & deficiency rept problems w/Woodard EGA control box that control speed/frequency of emergency diesel generator sys. MOWERY, J.D. Cooper Energy Services. 94/10/26. Document Control Branch (Document Control Desk). 2pp. 81651:333-81651:334.

T. Hearing transcripts on non-antitrust matters

9411100125 Forwards Mosbaugh Tape 58 transcript prepared by Troutman Sanders which reflects collaborative efforts of parties to reach agreement in as many areas as possible. Related Correspondence. LAMBERSKI, J. Troutman Sanders (formerly Troutman, Sanders, Lockerman & Ashmore). #494 15907. 94/11/02. BARTH, C. Office of the General Counsel (Post 860701). KOHN, M.D. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). 46pp. 81672:119-81672:164.

9411180146 Forwards partial transcripts of audio tapes re license amend for transfer to Southern Nuclear Operating Co. W/o encl. Related correspondence. LAMBERSKI, J. Georgia Power Co. LAMBERSKI, J. Troutman Sanders (formerly Troutman, Sanders, Lockerman & Ashmore). #494 15921. 94/11/11. BARTH, C. Office of the General Counsel (Post 860701). KOHN, M.D. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). 2pp. 81774:140-81774:141.

9411230068 Transcript of 941117 meeting in Rockville, MD. Pp 753-847.

* Atomic Safety & Licensing Board Panel. 94/11/17. 100pp. 81899:151-81899:247.

DOCKET STN-50-437 FLOATING NUCLEAR PLANT

Q. Inspection reports, IE Bulletins & correspondence

9410140257 Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Matis Events to NRC Operations Ctr." BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.

9410200153 NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts." GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81658:001-81658:013.

9411090300 NRC Bulletin 94-002, "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride." PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.

9411100237 NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment." GRIMES, B.K. 94/11/17. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.

9411150578 NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation." GRIMES, B.K. 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.

9411170039 NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping." GRIMES, B.K. 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.

9411170279 NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys." GRIMES, B.K. 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.

9411170284 NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results." PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.

DOCKET 50-438 BELLEFONTE NUCLEAR PLANT, UNIT 1

A. Application/construction stage documents & correspondence

9411070111 Extends invitation to Region II licensees to participate w/NRR Region II representatives in discussion of GL 89-10 motor-operated valve programs. Meeting to be held on 941108 Atlanta, GA. Meeting notice & agenda encl. MALLETT, B.S. Region 2 (Post 820201). 94/10/12. KINGSLEY, O.D. Tennessee Valley Authority. 5pp. 81605:095-81605:099.

H. General correspondence

9411030228 Requests that MJ Burzynski be removed from NRC mailing labels for TVA & replaced w/RR Baron of same address. * Tennessee Valley Authority. 94/10/27. NRC - No Detailed Affiliation Given. 2pp. 81641:359-81641:360.

9411070400 Submits changes to distribution lists for TVA dockets. CARRIER, P.P. Tennessee Valley Authority. 94/11/01. Document Control Branch (Document Control Desk). 7pp. 81663:103-81663:109.

Q. Inspection reports, IE Bulletins & correspondence

9410140257 Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Matis Events to NRC Operations Ctr." BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.

9410200153 NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts." GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81658:001-81658:013.

146 DOCKETED ITEMS

9411090300 NRC Bulletin 94-002, "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride."
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.

9411100237 NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment."
GRIMES,B.K. . 94/11/17. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.

9411150578 NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation."
GRIMES,B.K. . 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.

9411170039 NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping."
GRIMES,B.K. . 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.

9411170279 NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys."
GRIMES,B.K. . 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.

9411170284 NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results."
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.

S. Reportable occurrences, LERs & related correspondence

94110100271 Part 21 Rept 166 re potential defect in component of DSRV & DSR Enterprise Standby DG sys.Licensee will issue svc info memo,addressing proper storage practices for EGA control box.
MOWERY,J.D. Cooper Industries, Inc. 94/10/26. Document Control Branch (Document Control Desk). 7pp. 81585:080-81585:086.

9411040131 Part 21 & deficiency rept problems w/Woodard EGA control box that control speed/frequency of emergency diesel generator sys.
MOWERY,J.D. Cooper Energy Services. 94/10/26. Document Control Branch (Document Control Desk). 2pp. 81651:333-81651:334.

DOCKET 50-439 BELLEFONTE NUCLEAR PLANT, UNIT 2

A. Application/construction stage documents & correspondence

9411070111 Extends invitation to Region II licensees to participate w/NRR Region II representatives in discussion of GL 89-10 motor-operated valve programs.Meeting to be held on 941108 Atlanta,GA.Meeting notice & agenda encl.
MALLET,B.S. Region 2 (Post 820201). 94/10/12. KINGSLEY,O.D. Tennessee Valley Authority. 5pp. 81605:095-81605:099.

H. General correspondence

9411030228 Requests that MJ Burzynski be removed from NRC mailing labels for TVA & replaced w/RR Baron of same address.
* Tennessee Valley Authority. 94/10/27. NRC - No Detailed Affiliation Given. 2pp. 81641:359-81641:360.

9411070400 Submits changes to distribution lists for TVA dockets.
CARRIER,P.P. Tennessee Valley Authority. 94/11/01. Document Control Branch (Document Control Desk). 7pp. 81663:103-81663:109.

Q. Inspection reports, IE Bulletins & correspondence

9410140257 Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Matls Events to NRC Operations Ctr."
BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.

9410200153 NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts."
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81658:001-81658:013.

9411090300 NRC Bulletin 94-002, "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride."
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.

9411100237 NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment."
GRIMES,B.K. . 94/11/17. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.

9411150578 NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation."
GRIMES,B.K. . 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.

9411170039 NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping."
GRIMES,B.K. . 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.

9411170279 NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys."
GRIMES,B.K. . 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.

9411170284 NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results."
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.

S. Reportable occurrences, LERs & related correspondence

94110100271 Part 21 Rept 166 re potential defect in component of DSRV & DSR Enterprise Standby DG sys.Licensee will issue svc info memo,addressing proper storage practices for EGA control box.
MOWERY,J.D. Cooper Industries, Inc. 94/10/26. Document Control Branch (Document Control Desk). 7pp. 81585:080-81585:086.

9411040131 Part 21 & deficiency rept problems w/Woodard EGA control box that control speed/frequency of emergency diesel generator sys.
MOWERY,J.D. Cooper Energy Services. 94/10/26. Document Control Branch (Document Control Desk). 2pp. 81651:333-81651:334.

DOCKET 50-440 PERRY NUCLEAR POWER PLANT, UNIT 1

P. Operating license stage documents & correspondence

9411010037 Confirms discussion between D Butler of NRC & D Housley of staff to have routine mgt meeting on 941103 at Lisle,IL. Plant plans for performing sys based instrument & control self-assessment audit to be discussed.
GREENMAN,E.G. Region 3 (Post 820201). 94/10/21. STRATMAN,R.A. Centenor Service Co. 2pp. 81514:116-81514:117.

9411010209 Informs that info requested by GL 94-04, "Voluntary Reporting of Addl Occupational Radiation Exposure Data," has been voluntarily supplied to NRC in 940429 ltr.
STRATMAN,R.A. Centenor Energy. 94/10/26. Document Control Branch (Document Control Desk). 1p. 81585:059-81585:059.

9411160257 Summarizes 941020 meeting w/Centenor Energy Corp re current issues & plans for plants.Concerns noted involve improving work control process & reducing backlogs at Perry. Plant & personnel performance at Davis Besse deemed good.
JONES,W.B. Commissioners (Post 750119). 94/10/26. Commissioners (Post 750119). 1p. 81755:353-81755:353.

9411040246 Forwards draft SER in support of proposed conversion to improved BWR-6 TSs for comments before 941201.
PICKETT,D.V. Project Directorate III-3. 94/10/27. PHARES,R.F. Illinois Power Co. 393pp. 81620:001-81621:027.

9411030354 Requests for approval of ASME Code Case N-416-1, "Alternate Pressure Test Requirement for Welded Repairs or Installation of Replacement Items by Welding,Class 1,2 & 3, Section XI,Div 1."
STRATMAN,R.A. Centenor Energy. 94/10/31. Document Control Branch (Document Control Desk). 2pp. 81640:325-81640:326.

9411100151 Application for amend to license NPF-58,converting current TSs to TSs based on NUREG-1434, "Improved BWR-6 TSs," rev 0.
STRATMAN,R.A. Centenor Energy. 94/11/07. Document Control Branch (Document Control Desk). 3pp. 81753:001-81754:357.

-9411100154 Proposed tech specs for conversion to TSs based on NUREG-1434, "Improved BWR-6 TSs," rev 0.
* Centenor Energy. 94/11/07. 718pp. 81753:004-81754:357.

9411100156 Forwards retyped version of improved TSs & Bases.
STRATMAN,R.A. Centenor Energy. 94/11/07. Document Control Branch (Document Control Desk). 1p. 81721:001-81724:050.

-9411100159 Retyped version of improved TS & bases.
* Centenor Energy. 94/11/07. 1,141pp. 81721:002-81724:050.

9411160050 Forwards rept on site visit to review implementation of maint rule at station for review & info.Rept identifies strengths & weaknesses w/program at site.
SHAFER,W.D. Region 3 (Post 820201). 94/11/07. DONNELLY,P.M. Consumers Power Co. 2pp. 81746:131-81746:141.

9411160136 Advises that extension of GL 89-10, "Safety-Related Motor-Operated Valve Testing & Surveillance," approved for fifth refueling outage.
HOPKINS,J.B. Project Directorate III-3. 94/11/09. STRATMAN,R.A. Centenor Service Co. 2pp. 81772:101-81772:102.

9411160062 Requests that further activity on 940602 application for amend to license NPF-58,reflecting proposed merger of operating company,be deferred until 950501.
STRATMAN,R.A. Centenor Energy. 94/11/10. Document Control Branch (Document Control Desk). 2pp. 81783:311-81783:312.

9411230256 Informs that util will revise Perry Administrative Procedure (PAP) PAP-0205 by 950115 to remove requirement of separation by time & distance for independent verifications,revising commitment for independent verification.
STRATMAN,R.A. Centenor Energy. 94/11/17. Document Control Branch (Document Control Desk). 2pp. 81894:297-81894:298.

Q. Inspection reports, IE Bulletins & correspondence

9410140257 Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Matls Events to NRC Operations Ctr."
BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.

9410200153 NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts."
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81658:001-81658:013.

9411100066 Forwards insp rept 50-440/94-13 on 940819-1007 & notice of violation. Violations involve failure to maintain control of reactivity while restoring automatic recirculation flow control.
GREGER, L.R. Region 3 (Post 820201). 94/10/28. STRATMAN, R.A. Centenior Service Co. 4pp. 81673:105-81673:141.

-9411100070 Notice of violation from insp on 940819-1007. Violation noted: on 940922, RCIRC LOOP A(B) FLOW CONTROL slide switch was not operated to obtain 0% SERVO ERROR prior to taking RCIRC FCV MOTION INHIBIT RESET switch A(B).
* Region 3 (Post 820201). 94/10/28. 1p. 81673:109-81673:109.

-9411100073 Insp rept 50-440/94-13 on 940819-1007. Violations noted. Major areas inspected: operations, maint & surveillance, engineering, plant support, safety assessment & quality verification.
GREGER, L.R. Region 3 (Post 820201). 94/10/28. 32pp. 81673:110-81673:141.

9411100099 Ack receipt of 941019 ltr informing NRC of steps taken to correct violations noted in insp rept 50-440/94-11 on 940919.
GREGER, L.R. Region 3 (Post 820201). 94/11/03. STRATMAN, R.A. Centenior Service Co. 2pp. 81673:277-81673:278.

9411090300 NRC Bulletin 94-002, "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride."
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.

9411100237 NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment."
GRIMES, B.K. 94/11/17. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.

9411150578 NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation."
GRIMES, B.K. 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.

9411170039 NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping."
GRIMES, B.K. 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.

9411170279 NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys."
GRIMES, B.K. 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.

9411170284 NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results."
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.

R. Periodic operating reports & related correspondence

9411230206 Monthly operating rept for Oct 1994 for Perry Nuclear Power Plant. W/ 941115 ltr.
ROUTZAHN, L.K., STRATMAN, R.A. Centenior Energy. 94/10/31. 6pp. 81833:187-81833:192.

S. Reportable occurrences, LERs & related correspondence

9411030365 LER 94-020-01: on 940831, control room operators identified that Div III diesel generator inoperable. Caused by personnel error. Div III diesel generator operable status restored. W/941031 ltr.
LOCKWOOD, D.H., STRATMAN, R.A. Centenior Energy. 94/10/25. 17pp. 81619:067-81619:073.

9411010271 Part 21 Rept 166 re potential defect in component of DSRV & DSR Enterprise Standby DG sys. Licensee will issue svc info memo, addressing proper storage practices for EGA control box.
MOWERY, J.D. Cooper Industries, Inc. 94/10/26. Document Control Branch (Document Control Desk). 7pp. 81585:080-81585:086.

9411040131 Part 21 & deficiency rept problems w/Woodard EGA control box that control speed/frequency of emergency diesel generator sys.
MOWERY, J.D. Cooper Energy Services. 94/10/26. Document Control Branch (Document Control Desk). 2pp. 81651:333-81651:334.

9411030170 LER 94-005-01: on 940209, RHR heat exchanger testing emergency closed cooling sys division 1 temp was below 55 F. Caused by inadequate design. Control complex chiller was realigned. W/941028 ltr.
LOCKWOOD, D.H., STRATMAN, R.A. Cleveland Electric Illuminating Co. 94/10/28. 6pp. 81619:038-81619:043.

9411230266 Forwards Rev 1 to LER 94-014 re failure to meet TS limits for main steam line leakage rates. Rev provides info involving main steam line isolation valve leakage.
STRATMAN, R.A. Centenior Energy. 94/11/17. Document Control Branch (Document Control Desk). 1p. 81868:073-81868:081.

-9411230271 LER 94-014-01: on 940524, failed to meet TS limits for main steam line leakage rates. Caused by inadequate procedures. Design change implemented during refueling outage to provide safety related air supply to actuators for outboard MSIVs.
HOUSLEY, D.A. Centenior Energy. 94/11/17. 8pp. 81868:074-81868:081.

V. Operator Examinations

9411040265 Forwards master BWR/PWR GFES exam w/answer key of exam administered on 941005.
RING, M.A. Region 3 (Post 820201). 94/10/27. Commonwealth Edison Co. 1p. 81586:002-81586:002.

9411300218 Forwards NRC summarized guidance that clarifies requirements for maintaining individual operator licenses, entitled, "Clarification of Maint & Reactivation Requirements for Individual Operator Licenses."
RING, M.A. Region 3 (Post 820201). 94/11/18. Affiliation Not Assigned. 3pp. 81872:341-81872:343.

DOCKET 50-441 PERRY NUCLEAR POWER PLANT, UNIT 2

A. Application/construction stage documents & correspondence

9411160257 Summarizes 941020 meeting w/Centenior Energy Corp re current issues & plans for plants. Concerns noted involve improving work control process & reducing backlogs at Perry. Plant & personnel performance at Davis Besse deemed good.
JONES, W.B. Commissioners (Post 750119). 94/10/26. Commissioners (Post 750119). 1p. 81755:353-81755:353.

Q. Inspection reports, IE Bulletins & correspondence

9410140257 Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Mfts Events to NRC Operations Ctr."
BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.

9410200153 NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts."
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81658:001-81658:013.

9411090300 NRC Bulletin 94-002, "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride."
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.

9411100237 NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment."
GRIMES, B.K. 94/11/17. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.

9411150578 NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation."
GRIMES, B.K. 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.

9411170039 NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping."
GRIMES, B.K. 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.

9411170279 NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys."
GRIMES, B.K. 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.

9411170284 NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results."
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.

S. Reportable occurrences, LERs & related correspondence

9411010271 Part 21 Rept 166 re potential defect in component of DSRV & DSR Enterprise Standby DG sys. Licensee will issue svc info memo, addressing proper storage practices for EGA control box.
MOWERY, J.D. Cooper Industries, Inc. 94/10/26. Document Control Branch (Document Control Desk). 7pp. 81585:080-81585:086.

9411040131 Part 21 & deficiency rept problems w/Woodard EGA control box that control speed/frequency of emergency diesel generator sys.
MOWERY, J.D. Cooper Energy Services. 94/10/26. Document Control Branch (Document Control Desk). 2pp. 81651:333-81651:334.

V. Operator Examinations

9411300218 Forwards NRC summarized guidance that clarifies requirements for maintaining individual operator licenses, entitled, "Clarification of Maint & Reactivation Requirements for Individual Operator Licenses."
RING, M.A. Region 3 (Post 820201). 94/11/18. Affiliation Not Assigned. 3pp. 81872:341-81872:343.

DOCKET 50-443 SEABROOK NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9411090066 Forwards insp rept 50-443/94-25 on 941017-21. No violations noted. Observed continued mgt support for program.
JOYNER, J.H. Region 1 (Post 820201). 94/10/31. FEIGENBAUM, T.C. North Atlantic Energy Service Corp. (NAESCO). 5pp. 81637:340-81637:348.

-9411090078 Insp rept 50-443/94-25 on 941017-21. No violations noted. Major areas inspected: physical security, including mgt support, effectiveness of mgt controls, protected area detection equipment & security training & qualification.
RATTA, A.D., MCCABE, E.C. Region 1 (Post 820201). 94/10/31. 4pp. 81637:345-81637:348.

9411160089 Forwards Rev 73 to "Emergency Response Manual" & Rev 17 to "Seabrook Station Radiological Emergency Plan."
FEIGENBAUM, T.C. North Atlantic Energy Service Corp. (NAESCO). 94/11/08. Document Control Branch (Document Control Desk). 4pp. 81779:310-81779:353.

-9411160094 Rev 73 to "Emergency Response Manual."
YOUNG, D.L. North Atlantic Energy Service Corp. (NAESCO). 94/09/28. 21pp. 81779:318-81779:337.

148 DOCKETED ITEMS

-9411160096 Rev 17 to "Seabrook Station Radiological Emergency Plan."
YOUNG,D.L. North Atlantic Energy Service Corp. (NAESCO). 94/10/06. 13pp. 81779:338-81779:353.

9411230205 Forwards suppl info re emergency response organization staffing.
FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). 94/11/15. Document Control Branch (Document Control Desk). 31pp. 81864:224-81864:256.

H. General correspondence

9411070047 Comment on proposed rule 10CFR2 re reexamination of NRC enforcement policy.
GRANT,J.M. Yankee Atomic Electric Co. 94/10/24. MEYER,D. Division of Freedom of Information & Publications Services (Post 940714). 5pp. 81604:177-81604:181.

P. Operating license stage documents & correspondence

9411020242 Provides response to recent operations department errors.
FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). 94/10/24. Document Control Branch (Document Control Desk). 7pp. 81633:343-81633:349.

9411090415 Submits implementation schedule for GL 93-04, "Rod Control Sys Timing."
FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). 94/11/01. Document Control Branch (Document Control Desk). 2pp. 81750:317-81750:318.

9411150407 Summarizes 941026 public meeting conducted in King of Prussia,PA to discuss MOV issues w/Region 1 licensees.List of attendees,agenda,licensee presentations,NRC presentations & panel session questions end.
KELLY,E.M. Region 1 (Post 820201). 94/11/03. FEIGENBAUM,T.C. Public Service Co. of New Hampshire. 51pp. 81743:292-81743:342.

9411170280 Submits suppl info re proposed change to util QA program.
FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). 94/11/10. Document Control Branch (Document Control Desk). 3pp. 81823:063-81823:065.

9411220042 Discusses proposed change to QAP involving deletion of existing commitment to perform biennial review of existing plant procedures.Commitment to review under other conditions noted.Proposed change acceptable.
MODES,M.C. Region 1 (Post 820201). 94/11/10. FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). 7pp. 81796:235-81796:254.

9411230251 Provides correct interpretation of limitation noted in restriction 2 of 940815 SE of rept YAEC-1849P, "Thermal-Hydraulic Analysis Methodology Using VIPRE-01 for PWR Applications."
DE AGAZIO,A.W. Project Directorate I-4. 94/11/17. FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). 3pp. 81828:359-81828:361.

9411300262 Responds to request for addl info re license amend request 93-08 re independent technical reviews.
FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). 94/11/23. Document Control Branch (Document Control Desk). 3pp. 81910:193-81910:197.

-9411300263 Proposed tech specs re independent technical reviews.
* North Atlantic Energy Service Corp. (NAESCO). 94/11/23. 2pp. 81910:196-81910:197.

Q. Inspection reports, IE Bulletins & correspondence

9410140257 Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Matis Events to NRC Operations Ctr."
BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.

9410200153 NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts."
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81658:001-81658:013.

9411030077 Forwards insp rept 50-443/94-22 on 940816-0926.No violations noted.W/ Svc List.
DURR,J.P. Region 1 (Post 820201). 94/10/26. FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). 5pp. 81560:013-81560:039.

-9411030081 Insp rept 50-443/94-22 on 940816-0926.No violations noted. Major areas inspected:plant operations,maint,engineering, plant support & safety assessment/quality verification.
ROGGE,J. Region 1 (Post 820201). 94/10/24. 21pp. 81560:019-81560:039.

9411090066 Forwards insp rept 50-443/94-25 on 941017-21.No violations noted.Observed continued mgt support for program.
JOYNER,J.H. Region 1 (Post 820201). 94/10/31. FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). 5pp. 81637:340-81637:348.

-9411090078 Insp rept 50-443/94-25 on 941017-21.No violations noted. Major areas inspected:physical security,including mgt support,effectiveness of mgt controls,protected area detection equipment & security training & qualification.
RATTA,A.D., MCCABE,E.C. Region 1 (Post 820201). 94/10/31. 4pp. 81637:345-81637:348.

9411150015 Forwards insp rept 50-443/94-21 on 940919-23 & 941005.No violations noted.
RULAND,W.H. Region 1 (Post 820201). 94/11/03. FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). 4pp. 81741:087-81741:099.

-9411150023 Insp rept 50-443/94-21 on 940919-23 & 941005.No violations noted.Major areas inspected:review of status of previously identified EDSFI issues & to determine adequacy of licensee corrective actions to resolve items
RULAND,W.H., CHEUNG,L. Region 1 (Post 820201). 94/11/03. 9pp. 81741:091-81741:099.

9411090300 NRC Bulletin 94-002, "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride."
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.

9411230205 Forwards suppl info re emergency response organization staffing.
FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). 94/11/15. Document Control Branch (Document Control Desk). 31pp. 81864:224-81864:256.

9411100237 NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment."
GRIMES,B.K. . 94/11/17. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.

9411250027 Forwards SE which documents NRC review & concurrence w/contractor finding presented in encl Technical Evaluation Rept EGG-DNSP-11488 re NRC Bulletin 90-01,Suppl 1, "Loss of Fill Oil in Transmitters Mfg by Rosemont."
DE AGAZIO,A.W. Project Directorate I-4. 94/11/17. FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). 3pp. 81842:053-81842:075.

-9411250038 Safety evaluation concluding that North Atlantic conforms to requested actions of NRC Bulletin 90-01,Suppl 1 & completed reporting requirements.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/11/17. 2pp. 81842:056-81842:057.

-9411250047 "Evaluation of Util Response to Suppl 1 to NRC Bulletin 90-01," for plant MEYER,L.C., UDY,A.C. Idaho National Engineering Laboratory. FIN L-1695. EGG-DNSP-11488. 94/09/30. NRC - No Detailed Affiliation Given. 18pp. 81842:058-81842:075.

9411150578 NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation."
GRIMES,B.K. . 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.

9411300078 Forwards insp rept 50-443/94-26 on stated date.No violations noted.
JOYNER,J.H. Region 1 (Post 820201). 94/11/21. FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). 5pp. 81871:305-81871:314.

-9411300088 Insp rept 50-443/94-26 on stated date.No violations noted. Major areas inspected:radioactive liquid & gaseous effluent control programs including mgt controls & QA audits.
PELUSO,L., JANG,J.C. Region 1 (Post 820201). 94/11/18. 5pp. 81871:310-81871:314.

9411170039 NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping."
GRIMES,B.K. . 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.

9411170279 NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys."
GRIMES,B.K. . 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.

9411170284 NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results."
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.

R. Periodic operating reports & related correspondence

9411150423 Monthly operating rept for Oct 1994 for Seabrook Station Unit 1.W/941109 ltr.
NARDONE,P.E., FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). 94/10/31. 5pp. 81775:278-81775:282.

S. Reportable occurrences, LERs & related correspondence

9411250064 LER 94-016-00:on 941019,non-compliance w/TS 3.3.2 action requirements occurred.Caused by acceptance of inappropriate TS requirements re emergency bus UV protection.Technical Clarification TS-059 revised.W/941121 ltr.
PESCHEL,J.M., FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). 94/11/21. 8pp. 81864:156-81864:163.

DOCKET 50-444 SEABROOK NUCLEAR STATION, UNIT 2

H. General correspondence

9411070047 Comment on proposed rule 10CFR2 re reexamination of NRC enforcement policy.
GRANT,J.M. Yankee Atomic Electric Co. 94/10/24. MEYER,D. Division of Freedom of Information & Publications Services (Post 940714). 5pp. 81604:177-81604:181.

Q. Inspection reports, IE Bulletins & correspondence

9410140257 Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Matis Events to NRC Operations Ctr."
BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.

9410200153 NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts."
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81658:001-81658:013.

9411090300 NRC Bulletin 94-002, "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride."
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.

9411100237 NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment."
GRIMES,B.K. . 94/11/17. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.

9411150578 NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation."
GRIMES,B.K. . 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.

9411170039 NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping."
GRIMES,B.K. . 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.

9411170279 NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys."
GRIMES,B.K. . 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.

9411170284 NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results."
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.

DOCKET 50-445 COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9411140095 Forwards Rev 19 to "CPSES Emergency Plan." Rev revises description in sections 2.0 & 2.1 to reflect addl bases of CPSES emergency classification sys & clarify that Table 2.2 only generally describes initiating conditions.
TERRY,C.L. WOODLAND,D.R. Texas Utilities Electric Co. (TU Electric). 94/11/04. Document Control Branch (Document Control Desk). 6pp. 81075:325-81075:344.

-9411140097 Rev 19 to "CPSES Emergency Plan."
* Texas Utilities Electric Co. (TU Electric). 94/11/01. 14pp. 81075:331-81075:344.

9411160297 Rev 19 to "CPSES Emergency Plan."
WOODLAND,D.R. Texas Utilities Electric Co. (TU Electric). 94/11/04. 16pp. 81781:307-81781:322.

9411140124 Revised emergency plan procedures (EPP),including PCN EPP-201-R8-5,Rev 8 to EPP-201,Rev 9 to EPP-201,PCN EPP-202-R5,Rev 5 to EPP-202,PCN EPP-313-R2-1,Rev 2 to EPP-313 & PCN EPP-904-R3-3,Rev 3 to EPP-904,W/941107 ltr.
TERRY,C.L. WOODLAND,D.R. Texas Utilities Electric Co. (TU Electric). 94/11/07. 31pp. 81752:267-81752:307.

9411150022 Forwards response to request for addl info re Thermo-Lag cable functionality issues.
TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 94/11/09. Document Control Branch (Document Control Desk). 402pp. 81771:001-81772:038.

P. Operating license stage documents & correspondence

9411020031 Requests approval to use ASME code case N-416-1 in lieu of performing code required hydrostatic pressure test for welded repairs or installation of replacement items by welding.
WOODLAND,D.R. Texas Utilities Electric Co. (TU Electric). 94/10/25. Document Control Branch (Document Control Desk). 3pp. 81589:289-81589:291.

9411140049 Forwards amends 32 & 18 to licenses NPF-87 & NPF-89, respectively & safety evaluation.Amends revise TS by eliminating restrictions that 18-month SR for ECC,CS,spray additive,Ci valves,AF & CCWS be performed during shutdown.
POLICH,T.J. Project Directorate IV-1. 94/11/02. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 4pp. 81736:084-81736:107.

-9411140053 Amends 32 & 18 to licenses NPF-87 & NPF-89,respectively, revising TS by eliminating restrictions that 18-month SR for ECC,CS,spray additive,Ci valves,AF & CCWS be performed during shutdown.
POLICH,T.J. Project Directorate IV-1. 94/11/02. 15pp. 81736:088-81736:102.

-9411140056 Safety evaluation supporting amends 32 & 18 to licenses NPF-87 & NPF-89,respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/11/02. 4pp. 81736:103-81736:107.

9411140159 Forwards amends 31 & 17 to licenses NPF-87 & NPF-89, respectively & SE.Amends allow one-time six-month extension for certain EDG TS surveillance requirements & other related surveillance requirements.
BERGMAN,T.A. Project Directorate IV-2. 94/11/02. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 3pp. 81736:141-81736:180.

-9411140162 Amends 31 & 17 to licenses NPF-87 & NPF-89,respectively, allowing one time six-month extension for certain EDG TS SRs & other related SRs.
BERGMAN,T.A. Project Directorate IV-2. 94/11/02. 33pp. 81736:144-81736:175.

-9411140166 Safety evaluation supporting amends 31 & 17 to licenses NPF-87 & NPF-89,respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/11/02. 5pp. 81736:176-81736:180.

9411140096 Forwards SE accepting licensee 941025 request re approval to use ASME Code Case N-416-1 in lieu of performing code required hydrostatic pressure test for welded repairs or installations of replacement items by welding at plant.
BECKNER,W.D. Project Directorate IV-1. 94/11/04. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 3pp. 81736:121-81736:127.

-9411140109 Safety evaluation supporting request for approval to use ASME Code Case N-416-1 in lieu of performing code required hydrostatic pressure test for welded repairs or installation of replacement items by welding at plant.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/11/04. 4pp. 81736:124-81736:127.

9411180106 Forwards Rev 11 to CPSES ODCM & receipt acknowledgement sheet.
WOODLAND,D.R. Texas Utilities Electric Co. (TU Electric). 94/11/07. Texas Utilities Electric Co. (TU Electric). 2pp. 81793:319-81793:334.

-9411180149 "CPSES ODCM Rev Change Sheet."
* Texas Utilities Electric Co. (TU Electric). 94/11/30. 14pp. 81793:321-81793:334.

9411150022 Forwards response to request for addl info re Thermo-Lag cable functionality issues.
TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 94/11/09. Document Control Branch (Document Control Desk). 402pp. 81771:001-81772:038.

9411160153 Application for amends to licenses NPF-87 & NPF-89,revising TSs re exclusion of failures from total number of failures used to determine diesel generator test frequency.
TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 94/11/11. Document Control Branch (Document Control Desk). 9pp. 81781:202-81781:230.

-9411160156 Proposed tech specs re exclusion of failures used to determine diesel generator test frequency.
* Texas Utilities Electric Co. (TU Electric). 94/11/11. 3pp. 81781:211-81781:230.

9411230040 Expresses appreciation for visit to plant on 940912.
TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 94/11/11. RUSSELL,W.T. Office of Nuclear Reactor Regulation, Director (Post 870411). 5pp. 81894:301-81894:305.

9411220342 Forwards util response to NRC RAI to NRC & SNL inquiries on cable functionality tests & analyses for Thermo-Lag protected cables.
JENKINS,R. Electrical Engineering Branch. 94/11/16. NOWLEN,S.P. Sandia National Laboratories. 1p. 81818:028-81818:028.

9411250158 LAR 94-018 to licenses NPF-87 & NPF-89,revising TS re heat flux hot channel factor.
TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 94/11/18. Document Control Branch (Document Control Desk). 6pp. 81858:345-81858:355.

-9411250159 Proposed tech specs re heat flux hot channel factor.
* Texas Utilities Electric Co. (TU Electric). 94/11/18. 5pp. 81858:351-81858:355.

9411250160 LAR 94-019 to licenses NPF-87 & NPF-89,removing accelerated testing & special reporting requirements for EDGs from TS, based on GL 94-01.
TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 94/11/18. Document Control Branch (Document Control Desk). 9pp. 81881:301-81881:333.

-9411250166 Proposed tech specs reflecting removal of accelerated testing & special reporting requirements for EDGs & revising SR 4.8.1.1.3 Bases Section 3/4.8.1 Paragraph 6 to add GL 94-01.
* Texas Utilities Electric Co. (TU Electric). 94/11/18. 24pp. 81881:310-81881:333.

9411250170 Forwards response to request for addl info re ampacity tests.
TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 94/11/18. Document Control Branch (Document Control Desk). 5pp. 81885:215-81885:219.

Q. Inspection reports, IE Bulletins & correspondence

9410140257 Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Matis Events to NRC Operations Ctr."
BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.

9410200153 NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts."
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81658:001-81658:013.

9411070157 Ack receipt of 940923 ltr informing NRC of steps taken to correct violations noted in insp repts 50-445/94-14 & 50-446/94-14.Reply deemed responsive & implementation of C/A to be reviewed in future insp.
GWYNN,T.P. Region 4 (Post 820201). 94/10/27. TERRY,C.L. Texas Utilities Co. 4pp. 81605:196-81605:205.

9411070118 Forwards insp repts 50-445/94-20 & 50-446/94-20 on 940821-1001.No violations noted.
BEACH,A.B. Region 4 (Post 820201). 94/10/28. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 5pp. 81605:115-81605:136.

-9411070125 Insp repts 50-445/94-20 & 50-446/94-20 on 940821-1001.No violations noted.Major areas inspected:plant operations, maint & surveillance observations,plant engineering & plant support.
CHAMBERLAIN,D. Region 4 (Post 820201). 94/10/26. 17pp. 81605:120-81605:136.

9411220181 Refers to investigation conducted re 930515 incident at plant when administrative limit for increasing power exceeded during power ascension.Summarizes that no attempt made to conceal mistake of increasing power.
BEACH,A.B. Region 4 (Post 820201). 94/11/08. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 4pp. 81798:300-81798:303.

9411090300 NRC Bulletin 94-002, "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride."
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.

9411100237 NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment."
GRIMES,B.K. . 94/11/17. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.

9411150578 NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation."
GRIMES,B.K. . 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.

9411170039 NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping."
GRIMES,B.K. . 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.

9411170279 NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys."
GRIMES,B.K. . 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.

150 DOCKETED ITEMS

9411170284 NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results."
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.

R. Periodic operating reports & related correspondence

9411250125 Monthly operating reports for Oct 1994 for Comanche Peak Steam Electric Station. W/941115 ltr.
HUGHES, J., TERRY, C.L., WALKER, R.D. Texas Utilities Electric Co. (TU Electric). 94/10/31. 9pp. 81889:057-81889:066.

S. Reportable occurrences, LERs & related correspondence

9411010271 Part 21 Rept 166 re potential defect in component of DSRV & DSR Enterprise Standby DG sys. Licensee will issue svc info memo, addressing proper storage practices for EGA control box.
MOWERY, J.D. Cooper Industries, Inc. 94/10/26. Document Control Branch (Document Control Desk). 7pp. 81585:080-81585:086.

9411040131 Part 21 & deficiency report problems w/Woodard EGA control box that control speed/frequency of emergency diesel generator sys.
MOWERY, J.D. Cooper Energy Services. 94/10/26. Document Control Branch (Document Control Desk). 2pp. 81651:333-81651:334.

9411170093 Informs that CPSES did not experience failure of Woodward EGA control unit as previously reported.
SCHNEIDER, J.R. Cooper Energy Services. 94/11/08. Document Control Branch (Document Control Desk). 7pp. 81789:009-81789:015.

V. Operator Examinations

9411020027 Forwards copy of master exam & answer key for generic fundamentals exam administered on 941005.
GWYNN, T.P. Region 4 (Post 820201). 94/10/26. TERRY, C.L. Texas Utilities Electric Co. (TU Electric). 2pp. 81528:179-81528:180.

9411290193 Summary of 941110 meeting w/utis re training & operator licensing issues. List of attendees, meeting agenda & handouts encl.
GWYNN, T.P. Region 4 (Post 820201). 94/11/22. Region 4 (Post 820201). 27pp. 81869:003-81869:029.

DOCKET 50-446 COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9411140095 Forwards Rev 19 to "CPSES Emergency Plan." Rev revises description in sections 2.0 & 2.1 to reflect addl bases of CPSES emergency classification sys & clarify that Table 2.2 only generally describes initiating conditions.
TERRY, C.L., WOODLAND, D.R. Texas Utilities Electric Co. (TU Electric). 94/11/04. Document Control Branch (Document Control Desk). 6pp. 81075:325-81075:344.

-9411140097 Rev 19 to "CPSES Emergency Plan."
* Texas Utilities Electric Co. (TU Electric). 94/11/01. 14pp. 81075:331-81075:344.

9411160297 Rev 19 to "CPSES Emergency Plan."
WOODLAND, D.R. Texas Utilities Electric Co. (TU Electric). 94/11/04. 16pp. 81781:307-81781:322.

9411140124 Revised emergency plan procedures (EPP), including PCN EPP-201-R8-5, Rev 8 to EPP-201, Rev 9 to EPP-201, PCN EPP-202-R5, Rev 5 to EPP-202, PCN EPP-313-R2-1, Rev 2 to EPP-313 & PCN EPP-904-R3-3, Rev 3 to EPP-904. W/941107 ltr.
TERRY, C.L., WOODLAND, D.R. Texas Utilities Electric Co. (TU Electric). 94/11/07. 31pp. 81752:267-81752:307.

P. Operating license stage documents & correspondence

9411020031 Requests approval to use ASME code case N-416-1 in lieu of performing code required hydrostatic pressure test for welded repairs or installation of replacement items by welding.
WOODLAND, D.R. Texas Utilities Electric Co. (TU Electric). 94/10/25. Document Control Branch (Document Control Desk). 3pp. 81589:289-81589:291.

9411040186 Forwards "CPSES Unit 2 Cycle 2 COLR."
TERRY, C.L. Texas Utilities Electric Co. (TU Electric). 94/10/28. Document Control Branch (Document Control Desk). 1p. 81624:329-81624:348.

-9411040192 "CPSES Unit 2 Cycle 2 COLR."
MAIER, S.M., KILLGORE, M.R. Texas Utilities Electric Co. (TU Electric). RXE-94-004. 94/10/25. 10pp. 81624:330-81624:348.

9411140049 Forwards amends 32 & 18 to licenses NPF-87 & NPF-89, respectively & safety evaluation. Amends revise TS by eliminating restrictions that 18-month SR for ECC, CS, spray additive, CI valves, AF & CCWS be performed during shutdown.
POLICH, T.J. Project Directorate IV-1. 94/11/02. TERRY, C.L. Texas Utilities Electric Co. (TU Electric). 4pp. 81736:084-81736:107.

-9411140053 Amends 32 & 18 to licenses NPF-87 & NPF-89, respectively, revising TS by eliminating restrictions that 18-month SR for ECC, CS, spray additive, CI valves, AF & CCWS be performed during shutdown.
POLICH, T.J. Project Directorate IV-1. 94/11/02. 15pp. 81736:088-81736:102.

-9411140056 Safety evaluation supporting amends 32 & 18 to licenses NPF-87 & NPF-89, respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/11/02. 4pp. 81736:103-81736:107.

9411140159 Forwards amends 31 & 17 to licenses NPF-87 & NPF-89, respectively & SE. Amends allow one-time six-month extension for certain EDG TS surveillance requirements & other related surveillance requirements.
BERGMAN, T.A. Project Directorate IV-2. 94/11/02. TERRY, C.L. Texas Utilities Electric Co. (TU Electric). 3pp. 81736:141-81736:180.

-9411140162 Amends 31 & 17 to licenses NPF-87 & NPF-89, respectively, allowing one-time six-month extension for certain EDG TS SRs & other related SRs.
BERGMAN, T.A. Project Directorate IV-2. 94/11/02. 33pp. 81736:144-81736:175.

-9411140166 Safety evaluation supporting amends 31 & 17 to licenses NPF-87 & NPF-89, respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/11/02. 5pp. 81736:176-81736:180.

9411140096 Forwards SE accepting licensee 941025 request re approval to use ASME Code Case N-416-1 in lieu of performing code required hydrostatic pressure test for welded repairs or installations of replacement items by welding at plant.
BECKNER, W.D. Project Directorate IV-1. 94/11/04. TERRY, C.L. Texas Utilities Electric Co. (TU Electric). 3pp. 81736:121-81736:127.

-9411140109 Safety evaluation supporting request for approval to use ASME Code Case N-416-1 in lieu of performing code required hydrostatic pressure test for welded repairs or installation of replacement items by welding at plant.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/11/04. 4pp. 81736:124-81736:127.

9411180106 Forwards Rev 11 to CPSES ODCM & receipt acknowledgement sheet.
WOODLAND, D.R. Texas Utilities Electric Co. (TU Electric). 94/11/07. Texas Utilities Electric Co. (TU Electric). 2pp. 81793:319-81793:334.

-9411180149 "CPSES ODCM Rev Change Sheet."
* Texas Utilities Electric Co. (TU Electric). 94/11/30. 14pp. 81793:321-81793:334.

9411160153 Application for amends to licenses NPF-87 & NPF-89, revising TSs re exclusion of failures from total number of failures used to determine diesel generator test frequency.
TERRY, C.L. Texas Utilities Electric Co. (TU Electric). 94/11/11. Document Control Branch (Document Control Desk). 9pp. 81781:202-81781:230.

-9411160156 Proposed tech specs re exclusion of failures used to determine diesel generator test frequency.
* Texas Utilities Electric Co. (TU Electric). 94/11/11. 3pp. 81781:211-81781:230.

9411160161 Requests that NRC exercise enforcement discretion not to enforce TS surveillance requirement 4.8.1.1.2a, 4.8.1.2.2a & TS Table 4.8-1 for Train B diesel generator.
TERRY, C.L. Texas Utilities Electric Co. (TU Electric). 94/11/11. Document Control Branch (Document Control Desk). 4pp. 81781:342-81781:345.

9411230040 Expresses appreciation for visit to plant on 940912.
TERRY, C.L. Texas Utilities Electric Co. (TU Electric). 94/11/11. RUSSELL, W.T. Office of Nuclear Reactor Regulation, Director (Post 870411). 5pp. 81894:301-81894:305.

9411220342 Forwards util response to NRC RAI to NRC & SNL inquiries on cable functionality tests & analyses for Thermo-Lag protected cables.
JENKINS, R. Electrical Engineering Branch. 94/11/16. NOWLEN, S.P. Sandia National Laboratories. 1p. 81818:028-81818:028.

9411230201 Informs NRC that event connections of concern on Unit 2 DGs have been plugged. Train A DG completed first & Train B DG completed on 941115.
WOODLAND, D.R. Texas Utilities Electric Co. (TU Electric). 94/11/16. Document Control Branch (Document Control Desk). 1p. 81894:323-81894:323.

9411250073 Informs that licensee 941111 request that NRC exercise discretion not to enforce compliance w/TS 4.8.1.1.2a, for plant, Unit 2, granted.
ROE, J.W. Division of Reactor Projects - III, IV, V (Post 901216). 94/11/18. TERRY, C.L. Texas Utilities Electric Co. (TU Electric). 4pp. 81849:328-81849:331.

9411250158 LAR 94-018 to licenses NPF-87 & NPF-89, revising TS re heat flux hot channel factor.
TERRY, C.L. Texas Utilities Electric Co. (TU Electric). 94/11/18. Document Control Branch (Document Control Desk). 6pp. 81858:345-81858:355.

-9411250159 Proposed tech specs re heat flux hot channel factor.
* Texas Utilities Electric Co. (TU Electric). 94/11/18. 5pp. 81858:351-81858:355.

9411250160 LAR 94-019 to licenses NPF-87 & NPF-89, removing accelerated testing & special reporting requirements for EDGs from TS, based on GL 94-01.
TERRY, C.L. Texas Utilities Electric Co. (TU Electric). 94/11/18. Document Control Branch (Document Control Desk). 9pp. 81881:301-81881:333.

-9411250166 Proposed tech specs reflecting removal of accelerated testing & special reporting requirements for EDGs & revising SR 4.8.1.3 Bases Section 3/4.8.1 Paragraph 6 to add GL 94-01.
* Texas Utilities Electric Co. (TU Electric). 94/11/18. 24pp. 81881:310-81881:333.

9411250170 Forwards response to request for addl info re ampacity tests.
TERRY, C.L. Texas Utilities Electric Co. (TU Electric). 94/11/18. Document Control Branch (Document Control Desk). 5pp. 81885:215-81885:219.

Q. Inspection reports, IE Bulletins & correspondence

9410140257 Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Matis Events to NRC Operations Ctr."
BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.

9410200153 NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts."
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81658:001-81658:013.

9411070157 Ack receipt of 940923 ltr informing NRC of steps taken to correct violations noted in insp repts 50-445/94-14 & 50-446/94-14. Reply deemed responsive & implementation of C/A to be reviewed in future insp.
GWYNN, T.P. Region 4 (Post 820201). 94/10/27. TERRY, C.L. Texas Utilities Co. 4pp. 81605:196-81605:205.

9411070118 Forwards insp repts 50-445/94-20 & 50-446/94-20 on 940821-1001.No violations noted.
BEACH,A.B. Region 4 (Post 820201). 94/10/28. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 5pp. 81605:115-81605:136.

-9411070125 Insp repts 50-445/94-20 & 50-446/94-20 on 940821-1001.No violations noted.Major areas inspected:plant operations, maint & surveillance observations,plant engineering & plant support.
CHAMBERLAIN,D. Region 4 (Post 820201). 94/10/26. 17pp. 81605:120-81605:136.

9411140141 Submits results of insp as described in 891102 ltr re NRC Bulletin 88-009, "Thimble Tube Thinning in Westinghouse Reactors." Thimble tube insps completed at CPSES Unit 2 on 941018.
TERRY,C.L., WALKER,R.D. Texas Utilities Electric Co. (TU Electric). 94/11/07. Document Control Branch (Document Control Desk). 3pp. 81745:355-81745:357.

9411220181 Refers to investigation conducted re 930515 incident at plant when administrative limit for increasing power exceeded during power ascension.Summarizes that no attempt made to conceal mistake of increasing power.
BEACH,A.B. Region 4 (Post 820201). 94/11/08. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 4pp. 81798:300-81798:303.

9411160131 Forwards request for addl info re Unit 2 first 10-yr inservice insp program plan & associated request for relief. Response requested within 60 days of receipt of ltr.
POLICH,T.J. Project Directorate IV-1. 94/11/09. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 6pp. 81761:339-81761:344.

9411090300 NRC Bulletin 94-002, "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride."
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.

9411100237 NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment."
GRIMES,B.K. . 94/11/17. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.

9411150578 NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation."
GRIMES,B.K. . 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.

9411170039 NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping."
GRIMES,B.K. . 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.

9411170279 NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys."
GRIMES,B.K. . 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.

9411170284 NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results."
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.

R. Periodic operating reports & related correspondence

9411250125 Monthly operating repts for Oct 1994 for Comanche Peak Steam Electric Station.W/941115 ltr.
HUGHES,J., TERRY,C.L., WALKER,R.D. Texas Utilities Electric Co. (TU Electric). 94/10/31. 9pp. 81889:057-81889:066.

S. Reportable occurrences, LERs & related correspondence

9411010271 Part 21 Rept 166 re potential defect in component of DSRV & DSR Enterprise Standby DG sys.Licensee will issue svc info memo,addressing proper storage practices for EGA control box.
MOWERY,J.D. Cooper Industries, Inc. 94/10/26. Document Control Branch (Document Control Desk). 7pp. 81585:080-81585:086.

9411040131 Part 21 & deficiency rept problems w/Woodard EGA control box that control speed/frequency of emergency diesel generator sys.
MOWERY,J.D. Cooper Energy Services. 94/10/26. Document Control Branch (Document Control Desk). 2pp. 81651:333-81651:334.

9411140139 LER 94-014-00:on 941007,manual reactor trip initiated.Caused by digital rod position indication failure for control bank D control rod H-8.Loose connector will be corrected during refueling outage.W/941107 ltr.
GULDEMOND,W.G., TERRY,C.L., WALKER,R.D. Texas Utilities Electric Co. (TU Electric). 94/11/07. 7pp. 81770:303-81770:309.

9411170093 Informs that CPSES did not experience failure of Woodward EGA control unit as previously reported.
SCHNEIDER,J.R. Cooper Energy Services. 94/11/08. Document Control Branch (Document Control Desk). 7pp. 81789:009-81789:015.

9411210377 LER 94-015-00:on 941014,CVI due to no available bypass power when normal power was deenergized.Restored power on bus, reset CVI signal & reinstate containment purge.W/941114 ltr.
FLORES,R., TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 94/11/11. 6pp. 81850:098-81850:103.

9411220156 LER 94-016-00:on 941016,missed refueling machine auxiliary monorail hoist surveillance due to personnel error.Untested load indicator was replaced w/appropriate one.W/941114 ltr.
FLORES,R., TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 94/11/14. 6pp. 81850:140-81850:145.

9411300294 LER 94-018-00:on 941025,pressurizer safety valves discovered to be inoperable from as-found testing.Caused by setpoint drift.Setpoints reset to within TS limits.W/941121 ltr.
GULDEMOND,W.G., TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 94/11/21. 6pp. 81912:166-81912:171.

V. Operator Examinations

9411020027 Forwards copy of master exam & answer key for generic fundamentals exam administered on 941005.
GWYNN,T.P. Region 4 (Post 820201). 94/10/26. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 2pp. 81528:179-81528:180.

9411290193 Summary of 941110 meeting w/utis re training & operator licensing issues.List of attendees,meeting agenda & handouts encl.
GWYNN,T.P. Region 4 (Post 820201). 94/11/22. Region 4 (Post 820201). 27pp. 81869:003-81869:029.

DOCKET STN-50-454 BYRON STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9411070071 Revised Corporate EIPs (CEIP),including Rev 7 to CEIP-3103-01 & Rev 8 to CEIP-3104-01.
SCOTT,D.J. Commonwealth Edison Co. 94/10/05. 19pp. 81654:188-81654:208.

9411030225 Revised Corporate EIPs (CEIP),including Rev 2 to CEIP-321-01,Rev 3 to CEIP-3303-01,Rev 3 to CEIP-3304-01, Rev 3 to CEIP-3404-01 & Rev 3 to CEIP-3505-01.
PAVEY,M. Commonwealth Edison Co. 94/10/06. 65pp. 81606:221-81606:285.

9411080122 Responds to NRC 940929 ltr re violation noted in Insp Repts 50-454/94-20 & 50-455/94-20.Corrective actions:doors in question immediately brought to attention of Fire Marshall & proper impairment tagging issued.
GRAESSER,K. Commonwealth Edison Co. 94/10/31. Document Control Branch (Document Control Desk). 3pp. 81676:358-81676:360.

9411180094 Rev 2 to EIP BZP 100-T13, "Assistant Station Director Checklist."
* Commonwealth Edison Co. 94/11/01. 5pp. 81818:332-81818:336.

9411080222 Advises that 940217 rev to generating stations emergency plan annexes consistent w/requirements in App E to 10CFR50 & 10CFR50.47 & acceptable.
DICK,G.F. Project Directorate III-2. 94/11/03. FARRAR,D.L. Commonwealth Edison Co. 3pp. 81663:340-81663:342.

9411160048 Expresses appreciation for 940912 ltr re security officer working at plant.Requests that util retain supporting documentation of investigation for min of 1 yr from date of ltr.
PEDERSON,C.D. Region 3 (Post 820201). 94/11/03. GRAESSER,K. Commonwealth Edison Co. 2pp. 81746:127-81746:128.

9411210293 Submits response to NRC request for addl info re proposed use of corporate EOF as interim EOF to perform emergency response functions until near site can be staffed.
JOHNSON,I.M. Commonwealth Edison Co. 94/11/15. Document Control Branch (Document Control Desk). 22pp. 81833:332-81833:353.

9411300121 Informs of decision to institute quarterly proficiency training for ERDS Operators.
AXELSON,W.L. Region 3 (Post 820201). 94/11/16. MARTIN,J. Region 3 (Post 820201). 4pp. 81872:132-81872:135.

9411300211 Forwards response to 940919 RAI re proposed use of corporate EOF (CEOF) as interim EOF,including analysis of EOF functions applicable to CEOF as interim EOF.
JOHNSON,I.M. Commonwealth Edison Co. 94/11/22. Office of Nuclear Reactor Regulation, Director (Post 870411). 77pp. 81908:092-81908:169.

P. Operating license stage documents & correspondence

9411040175 Rev 1.2 to ODCM,Chapters 10,11,12 & App F.
* Commonwealth Edison Co. 94/08/31. 100pp. 81663:141-81663:300.

9411100200 Forwards Byron Station modified NPDES permit IL0048313, approved by State of IL on 940923.
SCHWARTZ,G.K. Commonwealth Edison Co. 94/10/21. MARTIN,J.B. Region 3 (Post 820201). 14pp. 81747:337-81747:350.

9411020238 Summarizes util safety evaluation for plant Unit 1 Cycle 7 reload core.
PONTIOUS,H.D. Commonwealth Edison Co. 94/10/28. Office of Nuclear Reactor Regulation, Director (Post 870411). 11pp. 81633:332-81633:342.

9411080021 Forwards RAI re use of alternate steam generator tube repair criteria.
DICK,G.F. Project Directorate III-2. 94/11/03. FARRAR,D.L. Commonwealth Edison Co. 5pp. 81657:356-81657:360.

9411090142 Notification of 941206 meeting w/util & NRC in Rockville,MD to discuss performance of licensee plants.
DICK,G.F. Project Directorate III-2. 94/11/04. CAPRA,R.A. Project Directorate III-2. 4pp. 81715:221-81715:224.

9411160050 Forwards rept on site visit to review implementation of maint rule at station for review & info.Rept identifies strengths & weaknesses w/program at site.
SHAFFER,W.D. Region 3 (Post 820201). 94/11/07. DONNELLY,P.M. Consumers Power Co. COOK,J. Illinois Power Co. FITZPATRICK,E. Power Authority of the State of New York (New York Power Authority). 2pp. 81746:131-81746:141.

9411160142 Summary of 940915 meeting w/util re licensee request for approval to use positive moderator temp coefficient. List of attendees encl.
DICK,G.F. Project Directorate IV-2. 94/11/07. Project Directorate IV-2. 10pp. 81761:329-81761:338.

9411180090 Application for amends to licenses NPF-37,NPF-66,NPF-72 & NPF-77, revising TS 5.6 re design features fuel storage that allows for use of higher enrichment fuel & specifies spent fuel storage requirements for Regions 1 & 2.
SACCOMANDO,D.M. Commonwealth Edison Co. 94/11/07. Office of Nuclear Reactor Regulation, Director (Post 870411). 12pp. 81804:218-81804:288.

152 DOCKETED ITEMS

-9411180092 Proposed tech specs re design features fuel storage, which allows for use of higher enrichment fuel & specifies spent fuel storage requirements for Regions 1 & 2 of spent fuel pool.
* Commonwealth Edison Co. 94/11/07. 16pp. 81804:230-81804:245.

-9411180099 "Byron & Braidwood Spent Fuel Rack Criticality Analysis Considering Boron Gaps & Shrinkage."
SRINILTA, S. Commonwealth Edison Co. 94/06/30. 43pp. 81804:246-81804:288.

9411150538 Forwards nonproprietary WCAP 13455, "Fracture Mechanics Evaluation Byron & Braidwood Units 1 & 2 Residual HX Inlet & Outlet Nozzles" in support of current insp of Braidwood Unit 2 RHR HX inlet & outlet nozzle to shell welds.
PONTIUS, H.D. Commonwealth Edison Co. 94/11/08. Office of Nuclear Reactor Regulation, Director (Post 870411). 4pp. 81779:132-81779:194.

9411230067 Forwards proprietary ltr re MSE-SMT-461, providing addl justification that fillet weld thickness can be credited when performing limit load structural margin assessment of nozzle to shell welds. Rept withheld.
PONTIUS, H.D. Commonwealth Edison Co. 94/11/09. Office of Nuclear Reactor Regulation, Director (Post 870411). 3pp. 81849:074-81849:077.

-9411230072 Forwards proprietary ltr re MSE-SMT-461, "Fracture Mechanics Evaluation of Indications in Byron & Braidwood Units 1 & 2 Residual HX Tube Side Inlet & Outlet Nozzles." Rept withheld.
LIPARULO, N.J. Westinghouse Electric Corp. 94/11/09. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 81849:077-81849:077.

9411210348 Forwards proprietary & nonproprietary versions of "Braidwood Unit 1 & Byron Unit 1 Model D4 SG Limited Tube Support Plate Displacement Analysis in Support of Interim Plugging Criteria." Proprietary version of analysis withheld.
SACCOMANDO, D.M. Commonwealth Edison Co. 94/11/14. Office of Nuclear Reactor Regulation, Director (Post 870411). 3pp. 81932:042-81932:280.

-9411210350 Requests that proprietary WCAP-14222, "Braidwood Unit 1 & Byron Unit 1 Model D4 SG Limited Tube Support Plate Displacement Analysis in Support of Interim Plugging Criteria" be withheld (ref 10CFR2.790(b)(4)).
LIPARULO, N.J. Westinghouse Electric Corp. 94/11/08. RUSSELL, W.T. Document Control Branch (Document Control Desk). 10pp. 81932:045-81932:054.

-9411210357 Informs that Comm Ed intends to provide NRC w/final WCAP reft for Model D-4 SG tube support plate limited displacement analyses by 941115. Apologizes for any inconvenience delay places upon NRC.
PONTIUS, H.D. Commonwealth Edison Co. 94/10/31. Office of Nuclear Reactor Regulation, Director (Post 870411). 3pp. 81932:055-81932:057.

-9411210361 Nonproprietary "Braidwood Unit 1 & Byron Unit 1 Model D4 SG Limited Tube Support Plate Displacement Analysis in Support of Interim Plugging Criteria."
* Westinghouse Electric Corp. WCAP-14223. 94/11/30. 200pp. 81932:058-81932:280.

9411220264 Forwards nonproprietary & proprietary version of "Fracture Mechanics Evaluation Byron & Braidwood Units 1 & 2 Residual HX Tube Side Inlet & Outlet Nozzles." Proprietary version evaluation withheld (ref 10CFR2.790).
PONTIUS, H.D. Commonwealth Edison Co. 94/11/14. Office of Nuclear Reactor Regulation, Director (Post 870411). 3pp. 81892:175-81892:243.

-9411220266 Requests that proprietary WCAP-13454, "Fracture Mechanics Evaluation Byron & Braidwood Units 1 & 2 Residual HX Tube Side Inlet & Outlet Nozzles" be withheld (ref 10CFR2.790).
LIPARULO, N.J. Westinghouse Electric Corp. 94/11/09. RUSSELL, W.T. Document Control Branch (Document Control Desk). 9pp. 81892:178-81892:186.

-9411220271 Nonproprietary "Fracture Mechanics Evaluation Byron & Braidwood Units 1 & 2 Residual HX Tube Side Inlet & Outlet Nozzles."
BAMFORD, W.H., TANDON, S., ADAMONIS, D.C. Westinghouse Electric Corp. WCAP 13455. 92/08/31. 56pp. 81892:187-81892:243.

941120245 Submits response to NRC request for addl info re GL 89-10. Info provided in 4 Attachments. Attachment A provides summary of methods, results of reprioritization & margin review effort for util MOV population.
FARRAR, D.L. Commonwealth Edison Co. 94/11/15. Document Control Branch (Document Control Desk). 54pp. 81837:034-81837:087.

9411300311 Proposes listed schedule & scope for LOCA+SSE SG load evaluation for Byron Station Unit 1 & Braidwood Station Unit 1.
SACCOMANDO, D.M. Commonwealth Edison Co. 94/11/23. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 81923:341-81923:342.

Q. Inspection reports, IE Bulletins & correspondence

9410140257 Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Mfts Events to NRC Operations Ctr."
BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.

9410200153 NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts."
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81658:001-81658:013.

9411080122 Responds to NRC 940929 ltr re violation noted in Insp Repts 50-454/94-20 & 50-455/94-20. Corrective actions: doors in question immediately brought to attention of Fire Marshall & proper impairment tagging issued.
GRAESSER, K. Commonwealth Edison Co. 94/10/31. Document Control Branch (Document Control Desk). 3pp. 81676:358-81676:360.

9411090300 NRC Bulletin 94-002, "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride."
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.

9411230028 Forwards insp repts 50-454/94-22 & 50-455/94-22 on 940906-1020 & notice of violation. Violation involves failure to follow procedures that caused spilling of approximately 3600 gallons of secondary side water.
GREENMAN, E.G. Region 3 (Post 820201). 94/11/14. GRAESSER, K.L. Commonwealth Edison Co. 2pp. 81811:161-81811:181.

-9411230029 Notice of violation from insp on 940906-1020. Violation noted on 941013, licensee did not verify that SG "C" was in operable condition prior to refilling of SG.
* Region 3 (Post 820201). 94/11/14. 1p. 81811:163-81811:163.

-9411230031 Insp repts 50-454/94-22 & 50-455/94-22 on 940906-1020. Violations noted. Major areas inspected: plant operations, plant support, maint & surveillance activities, engineering & technical support & previous insp findings.
MILLER, L.F. Region 3 (Post 820201). 94/11/10. 18pp. 81811:164-81811:181.

9411100237 NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment."
GRIMES, B.K. 94/11/17. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.

9411230002 Ack receipt of 941031 ltr informing NRC of steps taken to correct violations noted in insp repts 50-454/94-20 & 50-455/94-20.
GREENMAN, E.G. Region 3 (Post 820201). 94/11/17. GRAESSER, K. Commonwealth Edison Co. 1p. 81811:012-81811:012.

9411150578 NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation."
GRIMES, B.K. 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.

9411170039 NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping."
GRIMES, B.K. 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.

9411170279 NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys."
GRIMES, B.K. 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.

9411170284 NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results."
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.

R. Periodic operating reports & related correspondence

9411180104 Monthly operating repts for Oct 1994 for Byron Nuclear Power Station. W/ 941103 ltr.
COLGLAZIER, R., SCHWARTZ, G.K. Commonwealth Edison Co. 94/10/31. 14pp. 81793:305-81793:318.

S. Reportable occurrences, LERs & related correspondence

9411070147 Informs that LER number 94-010 from plant will not be used.
SCHWARTZ, G.K. Commonwealth Edison Co. 94/10/27. Document Control Branch (Document Control Desk). 1p. 81666:021-81666:021.

9411070150 Informs that LER number 94-011 from plant will not be used.
SCHWARTZ, G.K. Commonwealth Edison Co. 94/10/27. Document Control Branch (Document Control Desk). 1p. 81666:022-81666:022.

9411080315 LER 94-013-00: on 941007, SX basin level switch breaker left in wrong position after maint. Caused by failure of electrical maint dept to return equipment to operating dept. SX basin level switch reenergized. W/941031 ltr.
JACOBSEN, B.G., SCHWARTZ, G.K. Commonwealth Edison Co. 94/10/31. 6pp. 81731:324-81731:329.

9411160227 LER 94-012-00: on 941006, increased tube degradation in plant, Unit 1 SG. Caused by axial oriented ODS located at hot leg tube regions bounded by tube support plates. W/941103 ltr.
SMITH, J., SCHWARTZ, G.K. Commonwealth Edison Co. 94/11/03. 9pp. 81791:065-81791:073.

9411210111 Interim Part 21 Rept 94-12 re Limitorque actuator potential motor pinion key failure. Comm Ed issued guidelines to six nuclear stations on methods for properly installing motor pinion keys.
JOHNSON, I.M. Commonwealth Edison Co. 94/11/11. Office of Nuclear Reactor Regulation, Director (Post 870411). 5pp. 81831:127-81831:131.

9411210188 LER 94-001-00: on 941014, senior licensed operator absent from CR due to shift supervisor getting distracted. Identification badge being worn by CR supervisor to be reminded of role & responsibilities. W/941102 ltr.
JACOBSEN, B., SCHWARTZ, G.K. Commonwealth Edison Co. 94/11/11. 5pp. 81864:081-81864:085.

V. Operator Examinations

9411040265 Forwards master BWR/PWR GFES exam w/answer key of exam administered on 941005.
RING, M.A. Region 3 (Post 820201). 94/10/27. Commonwealth Edison Co. 1p. 81586:002-81586:002.

9411070385 Provides operator licensing & requalification schedule for Byron Nuclear Power Station. per Administrative Ltr 94-12.
SCHWARTZ, G.K. Commonwealth Edison Co. 94/11/02. Document Control Branch (Document Control Desk). 2pp. 81663:096-81663:097.

9411300218 Forwards NRC summarized guidance that clarifies requirements for maintaining individual operator licenses, entitled, "Clarification of Maint & Reactivation Requirements for Individual Operator Licenses."
RING, M.A. Region 3 (Post 820201). 94/11/18. Affiliation Not Assigned. 3pp. 81872:341-81872:343.

DOCKET STN-50-455 BYRON STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

- 9411070071** Revised Corporate EIPs (CEIP), including Rev 7 to CEIP-3103-01 & Rev 8 to CEIP-3104-01.
SCOTT, D.J. Commonwealth Edison Co. 94/10/05. 19pp. 81654:188-81654:208.
- 9411030225** Revised Corporate EIPs (CEIP), including Rev 2 to CEIP-321-01, Rev 3 to CEIP-3303-01, Rev 3 to CEIP-3304-01, Rev 3 to CEIP-3404-01 & Rev 3 to CEIP-3505-01.
PAVEY, M. Commonwealth Edison Co. 94/10/06. 65pp. 81606:221-81606:285.
- 9411080122** Responds to NRC 940929 ltr re violation noted in Insp Repts 50-454/94-20 & 50-455/94-20. Corrective actions: doors in question immediately brought to attention of Fire Marshall & proper impairment tagging issued.
GRAESSER, K. Commonwealth Edison Co. 94/10/31. Document Control Branch (Document Control Desk). 3pp. 81676:358-81676:360.
- 9411080094** Rev 2 to EIP BZP 100-T13, "Assistant Station Director Checklist."
* Commonwealth Edison Co. 94/11/01. 5pp. 81818:332-81818:336.
- 9411080222** Advises that 940217 rev to generating stations emergency plan annexes consistent w/requirements in App E to 10CFR50 & 10CFR50.47 & acceptable.
DICK, G.F. Project Directorate III-2. 94/11/03. FARRAR, D.L. Commonwealth Edison Co. 3pp. 81663:340-81663:342.
- 9411060048** Expresses appreciation for 940912 ltr re security officer working at plant. Requests that util retain supporting documentation of investigation for min of 1 yr from date of ltr.
PEDERSON, C.D. Region 3 (Post 820201). 94/11/03. GRAESSER, K. Commonwealth Edison Co. 2pp. 81746:127-81746:128.
- 9411020293** Submits response to NRC request for addl info re proposed use of corporate EOF as interim EOF to perform emergency response functions until near site can be staffed.
JOHNSON, I.M. Commonwealth Edison Co. 94/11/15. Document Control Branch (Document Control Desk). 22pp. 81833:332-81833:353.
- 9411030121** Informs of decision to institute quarterly proficiency training for ERDS Operators.
AXELSON, W.L. Region 3 (Post 820201). 94/11/16. MARTIN, J. Region 3 (Post 820201). 4pp. 81872:132-81872:135.
- 9411030211** Forwards response to 940919 RAI re proposed use of corporate EOF (CEOF) as interim EOF, including analysis of EOF functions applicable to CEOF as interim EOF.
JOHNSON, I.M. Commonwealth Edison Co. 94/11/22. Office of Nuclear Reactor Regulation, Director (Post 870411). 77pp. 81908:092-81908:169.

P. Operating license stage documents & correspondence

- 9411040175** Rev 1.2 to ODCM, Chapters 10, 11, 12 & App F.
* Commonwealth Edison Co. 94/08/31. 100pp. 81663:141-81663:300.
- 9411000200** Forwards Byron Station modified NPDES permit IL0048313, approved by State of IL on 940923.
SCHWARTZ, G.K. Commonwealth Edison Co. 94/10/21. MARTIN, J.B. Region 3 (Post 820201). 14pp. 81747:337-81747:350.
- 9411080021** Forwards RAI re use of alternate steam generator tube repair criteria.
DICK, G.F. Project Directorate III-2. 94/11/03. FARRAR, D.L. Commonwealth Edison Co. 5pp. 81657:356-81657:360.
- 9411090142** Notification of 941026 meeting w/util & NRC in Rockville, MD to discuss performance of licensee plants.
DICK, G.F. Project Directorate III-2. 94/11/04. CAPRA, R.A. Project Directorate III-2. 4pp. 81715:221-81715:224.
- 9411060050** Forwards rept on site visit to review implementation of main rule at station for review & info. Rept identifies strengths & weaknesses w/program at site.
SHAFER, W.D. Region 3 (Post 820201). 94/11/07. DONNELLY, P.M. Consumers Power Co. COOK, J. Illinois Power Co. FITZPATRICK, E. Power Authority of the State of New York (New York Power Authority). 2pp. 81746:131-81746:141.
- 9411060142** Summary of 940915 meeting w/util re licensee request for approval to use positive moderator temp coefficient. List of attendees encl.
DICK, G.F. Project Directorate IV-2. 94/11/07. Project Directorate IV-2. 10pp. 81761:329-81761:338.
- 9411080090** Application for amends to licenses NPF-37, NPF-66, NPF-72 & NPF-77, revising TS 5.6 re design features fuel storage that allows for use of higher enrichment fuel & specifies spent fuel storage requirements for Regions 1 & 2.
SACCOMANDO, D.M. Commonwealth Edison Co. 94/11/07. Office of Nuclear Reactor Regulation, Director (Post 870411). 12pp. 81804:218-81804:288.
- 9411080092** Proposed tech specs re design features fuel storage, which allows for use of higher enrichment fuel & specifies spent fuel storage requirements for Regions 1 & 2 of spent fuel pool.
* Commonwealth Edison Co. 94/11/07. 16pp. 81804:230-81804:245.
- 9411080099** "Byron & Braidwood Spent Fuel Rack Criticality Analysis Considering Boron Gaps & Shrinkage."
SRINILTA, S. Commonwealth Edison Co. 94/06/30. 43pp. 81804:246-81804:288.
- 9411050538** Forwards nonproprietary WCAP 13455, "Fracture Mechanics Evaluation Byron & Braidwood Units 1 & 2 Residual HX Inlet & Outlet Nozzles" in support of current insp of Braidwood Unit 2 RHR HX inlet & outlet nozzle to shell welds.
PONTIUS, H.D. Commonwealth Edison Co. 94/11/08. Office of Nuclear Reactor Regulation, Director (Post 870411). 4pp. 81779:132-81779:194.
- 9411230067** Forwards proprietary ltr rept MSE-SMT-461, providing addl justification that fillet weld thickness can be credited when performing limit load structural margin assessment of nozzle to shell welds. Rept withheld.
PONTIUS, H.D. Commonwealth Edison Co. 94/11/09. Office of Nuclear Reactor Regulation, Director (Post 870411). 3pp. 81849:074-81849:077.

- 9411230072** Forwards proprietary ltr rept MSE-SMT-461, "Fracture Mechanics Evaluation of Indications in Byron & Braidwood Units 1 & 2 Residual HX Tube Side Inlet & Outlet Nozzles." Rept withheld.
LIPARULO, N.J. Westinghouse Electric Corp. 94/11/09. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 81849:077-81849:077.
- 9411220264** Forwards nonproprietary & proprietary version of "Fracture Mechanics Evaluation Byron & Braidwood Units 1 & 2 Residual HX Tube Side Inlet & Outlet Nozzles." Proprietary version evaluation withheld (ref 10CFR2.790).
PONTIUS, H.D. Commonwealth Edison Co. 94/11/14. Office of Nuclear Reactor Regulation, Director (Post 870411). 3pp. 81892:175-81892:243.
- 9411220266** Requests that proprietary WCAP-13454, "Fracture Mechanics Evaluation Byron & Braidwood Units 1 & 2 Residual HX Tube Side Inlet & Outlet Nozzles" be withheld (ref 10CFR2.790).
LIPARULO, N.J. Westinghouse Electric Corp. 94/11/09. RUSSELL, W.T. Document Control Branch (Document Control Desk). 9pp. 81892:178-81892:186.
- 9411220271** Nonproprietary "Fracture Mechanics Evaluation Byron & Braidwood Units 1 & 2 Residual HX Tube Side Inlet & Outlet Nozzles."
BAMFORD, W.H., TANDON, S., ADAMONIS, D.C. Westinghouse Electric Corp. WCAP 13455. 92/08/31. 56pp. 81892:187-81892:243.
- 941120245** Submits response to NRC request for addl info re GL 89-10. Info provided in 4 Attachments. Attachment A provides summary of methods, results of reprioritization & margin review effort for util MOV population.
FARRAR, D.L. Commonwealth Edison Co. 94/11/15. Document Control Branch (Document Control Desk). 54pp. 81837:034-81837:087.

Q. Inspection reports, IE Bulletins & correspondence

- 9410140257** Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Matis Events to NRC Operations Ctr."
BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.
- 9410200153** NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts."
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81658:001-81658:013.
- 9411080122** Responds to NRC 940929 ltr re violation noted in Insp Repts 50-454/94-20 & 50-455/94-20. Corrective actions: doors in question immediately brought to attention of Fire Marshall & proper impairment tagging issued.
GRAESSER, K. Commonwealth Edison Co. 94/10/31. Document Control Branch (Document Control Desk). 3pp. 81676:358-81676:360.
- 9411090300** NRC Bulletin 94-002, "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride."
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.
- 9411230028** Forwards insp repts 50-454/94-22 & 50-455/94-22 on 940906-1020 & notice of violation. Violation involves failure to follow procedures that caused spilling of approximately 3600 gallons of secondary side water.
GREENMAN, E.G. Region 3 (Post 820201). 94/11/14. GRAESSER, K.L. Commonwealth Edison Co. 2pp. 81811:161-81811:181.
- 9411230029** Notice of violation from insp on 940906-1020. Violation noted: on 941013, licensee did not verify that SG "C" was in operable condition prior to refilling of SG.
* Region 3 (Post 820201). 94/11/14. 1p. 81811:163-81811:163.
- 9411230031** Insp repts 50-454/94-22 & 50-455/94-22 on 940906-1020. Violations noted. Major areas inspected: plant operations, plant support, maint & surveillance activities, engineering & technical support & previous insp findings.
MILLER, L.F. Region 3 (Post 820201). 94/11/10. 18pp. 81811:164-81811:181.
- 9411000237** NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment."
GRIMES, B.K. . 94/11/17. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.
- 9411230002** Ack receipt of 941031 ltr informing NRC of steps taken to correct violations noted in insp repts 50-454/94-20 & 50-455/94-20.
GREENMAN, E.G. Region 3 (Post 820201). 94/11/17. GRAESSER, K. Commonwealth Edison Co. 1p. 81811:012-81811:012.
- 9411220399** Forwards suppl to Byron Unit 2 RHR HX ISI results.
SACCOMANDO, D.M. Commonwealth Edison Co. 94/11/18. Office of Nuclear Reactor Regulation, Director (Post 870411). 5pp. 81833:057-81833:061.
- 9411050578** NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation."
GRIMES, B.K. . 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.
- 9411070039** NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping."
GRIMES, B.K. . 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.
- 9411070279** NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys."
GRIMES, B.K. . 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.
- 9411070284** NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results."
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.

154 DOCKETED ITEMS

R. Periodic operating reports & related correspondence

9411180104 Monthly operating reports for Oct 1994 for Byron Nuclear Power Station. W/ 941103 ltr. COLGLAZIER, R., SCHWARTZ, G.K. Commonwealth Edison Co. 94/10/31. 14pp. 81793:305-81793:318.

S. Reportable occurrences, LERs & related correspondence

9411210111 Interim Part 21 Rept 94-12 re Limitorque actuator potential motor pinion key failure. Comm Ed issued guidelines to six nuclear stations on methods for properly installing motor pinion keys. JOHNSON, I.M. Commonwealth Edison Co. 94/11/11. Office of Nuclear Reactor Regulation, Director (Post 870411). 5pp. 81831:127-81831:131.

V. Operator Examinations

9411040265 Forwards master BWR/PWR GFES exam w/answer key of exam administered on 941005. RING, M.A. Region 3 (Post 820201). 94/10/27. Commonwealth Edison Co. 1p. 81586:002-81586:002.

9411070385 Provides operator licensing & requalification schedule for Byron Nuclear Power Station, per Administrative Ltr 94-12. SCHWARTZ, G.K. Commonwealth Edison Co. 94/11/02. Document Control Branch (Document Control Desk). 2pp. 81663:096-81663:097.

9411300218 Forwards NRC summarized guidance that clarifies requirements for maintaining individual operator licenses, entitled, "Clarification of Maint & Reactivation Requirements for Individual Operator Licenses." RING, M.A. Region 3 (Post 820201). 94/11/18. Affiliation Not Assigned. 3pp. 81872:341-81872:343.

DOCKET STN-50-456 BRAIDWOOD STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9411070071 Revised Corporate EPIPs (CEPIP), including Rev 7 to CEPIP-3103-01 & Rev 8 to CEPIP-3104-01. SCOTT, D.J. Commonwealth Edison Co. 94/10/05. 19pp. 81654:188-81654:208.

9411030225 Revised Corporate EPIPs (CEPIP), including Rev 2 to CEPIP-321-01, Rev 3 to CEPIP-3303-01, Rev 3 to CEPIP-3304-01, Rev 3 to CEPIP-3404-01 & Rev 3 to CEPIP-3505-01. PAVEY, M. Commonwealth Edison Co. 94/10/06. 65pp. 81606:221-81606:285.

9411090053 Ack receipt of 941017 ltr in response to NRC 940823 ltr requesting info re physical security concerns at plant & informs that util investigation of matters supports conclusions made. PEDERSON, C.D. Region 3 (Post 820201). 94/11/02. KAUP, K. Commonwealth Edison Co. 2pp. 81637:320-81637:321.

9411080222 Advises that 940217 rev to generating stations emergency plan annexes consistent w/requirements in App E to 10CFR50 & 10CFR50.47 & acceptable. DICK, G.F. Project Directorate III-2. 94/11/03. FARRAR, D.L. Commonwealth Edison Co. 3pp. 81663:340-81663:342.

9411210293 Submits response to NRC request for addl info re proposed use of corporate EOF as interim EOF to perform emergency response functions until near site can be staffed. JOHNSON, I.M. Commonwealth Edison Co. 94/11/15. Document Control Branch (Document Control Desk). 22pp. 81833:332-81833:353.

9411300121 Informs of decision to institute quarterly proficiency training for ERDS Operators. AXELSON, W.L. Region 3 (Post 820201). 94/11/16. MARTIN, J., MILLER, H., KERLIN, M. Region 3 (Post 820201). 4pp. 81872:132-81872:135.

9411300211 Forwards response to 940919 RAI re proposed use of corporate EOF (CEOF) as interim EOF, including analysis of EOF functions applicable to CEOF as interim EOF. JOHNSON, I.M. Commonwealth Edison Co. 94/11/22. Office of Nuclear Reactor Regulation, Director (Post 870411). 77pp. 81908:092-81908:169.

P. Operating license stage documents & correspondence

9411100117 Notifies of change to commitments in response to Generic Ltr 89-13, "Svc Water Sys Problems Affecting Safety-Related Equipment." KAUP, K. Commonwealth Edison Co. 94/10/27. Office of Nuclear Reactor Regulation, Director (Post 870411). 8pp. 81752:229-81752:236.

9411080310 Submits final WCAP for Model D-4 SG tube support plate limited displacement analyses. PONTIUS, H.D. Commonwealth Edison Co. 94/10/31. Office of Nuclear Reactor Regulation, Director (Post 870411). 3pp. 81679:150-81679:152.

9411080021 Forwards RAI re use of alternate steam generator tube repair criteria. DICK, G.F. Project Directorate III-2. 94/11/03. FARRAR, D.L. Commonwealth Edison Co. 5pp. 81657:356-81657:360.

9411090142 Notification of 941206 meeting w/util & NRC in Rockville, MD to discuss performance of licensee plants. DICK, G.F. Project Directorate III-2. 94/11/04. CAPRA, R.A. Project Directorate III-2. 4pp. 81715:221-81715:224.

9411160050 Forwards rept on site visit to review implementation of maint rule at station for review & info. Rept identifies strengths & weaknesses w/program at site. SHAFFER, W.D. Region 3 (Post 820201). 94/11/07. DONNELLY, P.M. Consumers Power Co. KAUP, K. Commonwealth Edison Co. SCHNELL, D.F. Union Electric Co. 2pp. 81746:131-81746:141.

9411160142 Summary of 940915 meeting w/util re licensee request for approval to use positive moderator temp coefficient. List of attendees encl. DICK, G.F. Project Directorate IV-2. 94/11/07. Project Directorate IV-2. 10pp. 81761:329-81761:338.

9411180090 Application for amends to licenses NPF-37, NPF-66, NPF-72 & NPF-77, revising TS 5.6 re design features fuel storage that allows for use of higher enrichment fuel & specifies spent fuel storage requirements for Regions 1 & 2. SACCOMANDO, D.M. Commonwealth Edison Co. 94/11/07. Office of Nuclear Reactor Regulation, Director (Post 870411). 12pp. 81804:218-81804:288.

9411180092 Proposed tech specs re design features fuel storage, which allows for use of higher enrichment fuel & specifies spent fuel storage requirements for Regions 1 & 2 of spent fuel pool. Commonwealth Edison Co. 94/11/07. 16pp. 81804:230-81804:245.

9411180099 "Byron & Braidwood Spent Fuel Rack Criticality Analysis Considering Boraflex Gaps & Shrinkage." SRINILTA, S. Commonwealth Edison Co. 94/06/30. 43pp. 81804:246-81804:288.

9411150538 Forwards nonproprietary WCAP 13455, "Fracture Mechanics Evaluation Byron & Braidwood Units 1 & 2 Residual HX...Inlet & Outlet Nozzles" in support of current insp of Braidwood Unit 2 RHR HX inlet & outlet nozzle to shell welds. PONTIUS, H.D. Commonwealth Edison Co. 94/11/08. Office of Nuclear Reactor Regulation, Director (Post 870411). 4pp. 81779:132-81779:194.

9411230067 Forwards proprietary ltr rept MSE-SMT-461, providing addl justification that fillet weld thickness can be credited when performing limit load structural margin assessment of nozzle to shell welds. Rept withheld. PONTIUS, H.D. Commonwealth Edison Co. 94/11/09. Office of Nuclear Reactor Regulation, Director (Post 870411). 3pp. 81849:074-81849:077.

9411230072 Forwards proprietary ltr rept MSE-SMT-461, "Fracture Mechanics Evaluation of Indications in Byron & Braidwood Units 1 & 2 Residual HX Tube Side Inlet & Outlet Nozzles." Rept withheld. LIPARULO, N.J. Westinghouse Electric Corp. 94/11/09. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 81849:077-81849:077.

9411210348 Forwards proprietary & nonproprietary versions of "Braidwood Unit 1 & Byron Unit 1 Model D4 SG Limited Tube Support Plate Displacement Analysis in Support of Interim Plugging Criteria." Proprietary version of analysis withheld. SACCOMANDO, D.M. Commonwealth Edison Co. 94/11/14. Office of Nuclear Reactor Regulation, Director (Post 870411). 3pp. 81932:042-81932:280.

9411210350 Requests that proprietary WCAP-14222, "Braidwood Unit 1 & Byron Unit 1 Model D4 SG Limited Tube Support Plate Displacement Analysis in Support of Interim Plugging Criteria" be withheld (ref 10CFR2.790(b)(4)). LIPARULO, N.J. Westinghouse Electric Corp. 94/11/08. RUSSELL, W.T. Document Control Branch (Document Control Desk). 10pp. 81932:045-81932:054.

9411210357 Informs that Comm Ed intends to provide NRC w/final WCAP rept for Model D-4 SG tube support plate limited displacement analyses by 941115. Apologizes for any inconvenience delay places upon NRC. PONTIUS, H.D. Commonwealth Edison Co. 94/11/31. Office of Nuclear Reactor Regulation, Director (Post 870411). 3pp. 81932:055-81932:057.

9411210361 Nonproprietary "Braidwood Unit 1 & Byron Unit 1 Model D4 SG Limited Tube Support Plate Displacement Analysis in Support of Interim Plugging Criteria." Westinghouse Electric Corp. WCAP-14223. 94/11/30. 200pp. 81932:058-81932:280.

9411220264 Forwards nonproprietary & proprietary version of "Fracture Mechanics Evaluation Byron & Braidwood Units 1 & 2 Residual HX Tube Side Inlet & Outlet Nozzles." Proprietary version evaluation withheld (ref 10CFR2.790). PONTIUS, H.D. Commonwealth Edison Co. 94/11/14. Office of Nuclear Reactor Regulation, Director (Post 870411). 3pp. 81892:175-81892:243.

9411220266 Requests that proprietary WCAP-13454, "Fracture Mechanics Evaluation Byron & Braidwood Units 1 & 2 Residual HX Tube Side Inlet & Outlet Nozzles" be withheld (ref 10CFR2.790). LIPARULO, N.J. Westinghouse Electric Corp. 94/11/09. RUSSELL, W.T. Document Control Branch (Document Control Desk). 9pp. 81892:178-81892:186.

9411220271 Nonproprietary "Fracture Mechanics Evaluation Byron & Braidwood Units 1 & 2 Residual HX Tube Side Inlet & Outlet Nozzles." BAMFORD, W.H., TANDON, S., ADAMONIS, D.C. Westinghouse Electric Corp. WCAP 13455. 92/08/31. 56pp. 81892:187-81892:243.

9411210245 Submits response to NRC request for addl info re GL 89-10. Info provided in 4 Attachments. Attachment A provides summary of methods, results of reprioritization & margin review effort for util MOV population. FARRAR, D.L. Commonwealth Edison Co. 94/11/15. Document Control Branch (Document Control Desk). 54pp. 81837:034-81837:087.

9411300311 Proposes listed schedule & scope for LOCA+SSE SG load evaluation for Byron Station Unit 1 & Braidwood Station Unit 1. SACCOMANDO, D.M. Commonwealth Edison Co. 94/11/23. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 81923:341-81923:342.

Q. Inspection reports, IE Bulletins & correspondence

9410140257 Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Mats Events to NRC Operations Ctr." BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.

9410200153 NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts." GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81658:001-81658:013.

9411070423 Responds to NRC 941006 ltr re violations noted in insp Repts 50-456/94-21 & 50-457/94-21. Corrective actions: Procedure BwFP FH-31 & personnel accountability log from procedure placed at control point for cleanliness zone II area. KAUP, K.L. Commonwealth Edison Co. 94/11/01. Document Control Branch (Document Control Desk). 7pp. 81676:163-81676:169.

9411090002 Ack receipt of 941014 ltr informing NRC of steps taken to correct violations noted in insp repts 50-456/94-18 & 50-457/94-18. PEDERSON,C.D. Region 3 (Post 820201). 94/11/02. KAUP,K. Commonwealth Edison Co. 2pp. 81637:002-81637:004.

9411160022 Forwards insp repts 50-456/94-24 & 50-457/94-24 on 941017-21. Strengths in licensed operator requalification program include licensee self assessment & remediation training. RING,M.A. Region 3 (Post 820201). 94/11/09. KAUP,K. Commonwealth Edison Co. 2pp. 81746:064-81746:074.

-9411160028 Insp repts 50-456/94-24 & 50-457/94-24 on 941017-21. No violations noted. Major areas inspected: review of training administration procedures, requalification training records & exam material. OSTERHOLTZ,C., BURDICK,T. Region 3 (Post 820201). 94/11/08. 9pp. 81746:066-81746:074.

9411160072 Informs of intent to perform GL 89-10 MOV insp at plant on 950221-24 & 950306-10. Forwards info normally utilized during insp. JACOBSON,J.M. Region 3 (Post 820201). 94/11/10. KAUP,K. Commonwealth Edison Co. 5pp. 81746:205-81746:209.

9411090300 NRC Bulletin 94-002, "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride." PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.

9411230020 Forwards insp repts 50-456/94-22 & 50-457/94-22 on 940917-1028 & notice of violation. Violations indicate several significant lapses in formality in controls of refueling operations. GREENMAN,E.G. Region 3 (Post 820201). 94/11/14. KAUP,K. Commonwealth Edison Co. 2pp. 81811:104-81811:124.

-9411230021 Notice of violation from insp on 940917-1028. Violation noted: on 941001, licensee failed to properly implement BwFP FH-13, "New Fuel Transfer to/from Storage Vault," during new fuel movements. * Region 3 (Post 820201). 94/11/14. 2pp. 81811:106-81811:107.

-9411230023 Insp repts 50-456/94-22 & 50-457/94-22 on 940917-1028. Violations noted. Major areas inspected: operational safety, maint, surveillance, plant support, licensee action on previously identified findings & licensee repts. MILLER,L.F. Region 3 (Post 820201). 94/11/14. 17pp. 81811:108-81811:124.

9411100237 NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment." GRIMES,B.K. 94/11/17. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.

9411150578 NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation." GRIMES,B.K. 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.

9411170039 NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping." GRIMES,B.K. 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.

9411300315 Submits description of Braidwood Unit 1 SG mid-cycle tube insp outage scope & methods which will be used to collect, analyze & assess SG tube insp data. SACCOMANDO,D.M. Commonwealth Edison Co. 94/11/23. Office of Nuclear Reactor Regulation, Director (Post 870411). 7pp. 81910:165-81910:171.

9411170279 NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys." GRIMES,B.K. 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.

9411170284 NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results." PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.

R. Periodic operating reports & related correspondence

9411150458 Monthly operating repts for Oct 1994 for Braidwood Nuclear Generating Station. W/941105 ltr. PERSHEY,C., KOFRON,K.L. Commonwealth Edison Co. 94/10/31. 10pp. 81780:143-81780:152.

S. Reportable occurrences, LERs & related correspondence

9411150598 Rev to Part 21 rept re potential problem w/master power connecting rods. Vendor recommends listed utils perform visual insp of master rods to determine applicability of rept. SCHNEIDER,J.R. Cooper Energy Services. 94/11/09. Document Control Branch (Document Control Desk). 4pp. 81779:254-81779:256.

9411210111 Interim Part 21 Rept 94-12 re Limitorque actuator potential motor pinion key failure. Comm Ed issued guidelines to six nuclear stations on methods for properly installing motor pinion keys. JOHNSON,I.M. Commonwealth Edison Co. 94/11/11. Office of Nuclear Reactor Regulation, Director (Post 870411). 5pp. 81831:127-81831:131.

V. Operator Examinations

9411040264 Forwards exam answer key for forms A & B, grading results, & individual answer sheets for each individual taking exam from facility. Requests results be forwarded to individuals w/answer sheets. W/o encls. RING,M.A. Region 3 (Post 820201). 94/10/27. Consumers Power Co. 1p. 81586:001-81586:001.

9411160022 Forwards insp repts 50-456/94-24 & 50-457/94-24 on 941017-21. Strengths in licensed operator requalification program include licensee self assessment & remediation training. RING,M.A. Region 3 (Post 820201). 94/11/09. KAUP,K. Commonwealth Edison Co. 2pp. 81746:064-81746:074.

-9411160028 Insp repts 50-456/94-24 & 50-457/94-24 on 941017-21. No violations noted. Major areas inspected: review of training administration procedures, requalification training records & exam material. OSTERHOLTZ,C., BURDICK,T. Region 3 (Post 820201). 94/11/08. 9pp. 81746:066-81746:074.

9411300218 Forwards NRC summarized guidance that clarifies requirements for maintaining individual operator licenses, entitled, "Clarification of Maint & Reactivation Requirements for Individual Operator Licenses." RING,M.A. Region 3 (Post 820201). 94/11/18. Affiliation Not Assigned. 3pp. 81872:341-81872:343.

DOCKET STN-50-457 BRAIDWOOD STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9411070071 Revised Corporate EPIPs (CEPIP), including Rev 7 to CEPIP-3103-01 & Rev 8 to CEPIP-3104-01. SCOTT,D.J. Commonwealth Edison Co. 94/10/05. 19pp. 81654:188-81654:208.

9411030225 Revised Corporate EPIPs (CEPIP), including Rev 2 to CEPIP-321-01, Rev 3 to CEPIP-3303-01, Rev 3 to CEPIP-3304-01, Rev 3 to CEPIP-3404-01 & Rev 3 to CEPIP-3505-01. PAVEY,M. Commonwealth Edison Co. 94/10/06. 65pp. 81606:221-81606:285.

9411090053 Ack receipt of 941017 ltr in response to NRC 940823 ltr requesting info re physical security concerns at plant & informs that util investigation of matters supports conclusions made. PEDERSON,C.D. Region 3 (Post 820201). 94/11/02. KAUP,K. Commonwealth Edison Co. 2pp. 81637:320-81637:321.

9411080222 Advises that 940217 rev to generating stations emergency plan annexes consistent w/requirements in App E to 10CFR50 & 10CFR50.47 & acceptable. DICK,G.F. Project Directorate III-2. 94/11/03. FARRAR,D.L. Commonwealth Edison Co. 3pp. 81663:340-81663:342.

9411210293 Submits response to NRC request for addl info re proposed use of corporate EOF as interim EOF to perform emergency response functions until near site can be staffed. JOHNSON,I.M. Commonwealth Edison Co. 94/11/15. Document Control Branch (Document Control Desk). 22pp. 81833:332-81833:353.

9411300121 Informs of decision to institute quarterly proficiency training for ERDS Operators. AXELSON,W.L. Region 3 (Post 820201). 94/11/16. MARTIN,J., MILLER,H., KERLIN,M. Region 3 (Post 820201). 4pp. 81872:132-81872:135.

9411300211 Forwards response to 940919 RAI re proposed use of corporate EOF (CEOF) as interim EOF, including analysis of EOF functions applicable to CEOF as interim EOF. JOHNSON,I.M. Commonwealth Edison Co. 94/11/22. Office of Nuclear Reactor Regulation, Director (Post 870411). 77pp. 81908:092-81908:169.

P. Operating license stage documents & correspondence

9411100117 Notices of change to commitments in response to Generic Ltr 89-13, "Svc Water Sys Problems Affecting Safety-Related Equipment." KAUP,K. Commonwealth Edison Co. 94/10/27. Office of Nuclear Reactor Regulation, Director (Post 870411). 8pp. 81752:229-81752:236.

9411080021 Forwards RAI re use of alternate steam generator tube repair criteria. DICK,G.F. Project Directorate III-2. 94/11/03. FARRAR,D.L. Commonwealth Edison Co. 5pp. 81657:356-81657:360.

9411090142 Notification of 941206 meeting w/util & NRC in Rockville, MD to discuss performance of licensee plants. DICK,G.F. Project Directorate III-2. 94/11/04. CAPRA,R.A. Project Directorate III-2. 4pp. 81715:221-81715:224.

9411160050 Forwards rept on site visit to review implementation of maint rule at station for review & info. Rept identifies strengths & weaknesses w/program at site. SHAFER,W.D. Region 3 (Post 820201). 94/11/07. DONNELLY,P.M. Consumers Power Co. KAUP,K. Commonwealth Edison Co. SCHNELL,D.F. Union Electric Co. 2pp. 81746:131-81746:141.

9411160142 Summary of 940915 meeting w/util re licensee request for approval to use positive moderator temp coefficient. List of attendees encl. DICK,G.F. Project Directorate IV-2. 94/11/07. Project Directorate IV-2. 10pp. 81761:329-81761:338.

9411180090 Application for amends to licenses NPF-37, NPF-66, NPF-72 & NPF-77, revising TS 5.6 re design features fuel storage that allows for use of higher enrichment fuel & specifies spent fuel storage requirements for Regions 1 & 2. SACCOMANDO,D.M. Commonwealth Edison Co. 94/11/07. Office of Nuclear Reactor Regulation, Director (Post 870411). 12pp. 81804:218-81804:288.

-9411180092 Proposed tech specs re design features fuel storage, which allows for use of higher enrichment fuel & specifies spent fuel storage requirements for Regions 1 & 2 of spent fuel pool. * Commonwealth Edison Co. 94/11/07. 16pp. 81804:230-81804:245.

-9411180099 "Byron & Braidwood Spent Fuel Rack Criticality Analysis Considering Boraflex Gaps & Shrinkage." SRINILTA,S. Commonwealth Edison Co. 94/06/30. 43pp. 81804:246-81804:288.

156 DOCKETED ITEMS

9411150538 Forwards nonproprietary WCAP 13455, "Fracture Mechanics Evaluation Byron & Braidwood Units 1 & 2 Residual HX Inlet & Outlet Nozzles" in support of current insp of Braidwood Unit 2 RHR HX inlet & outlet nozzle to shell welds. PONTIQUUS, H.D. Commonwealth Edison Co. 94/11/08. Office of Nuclear Reactor Regulation, Director (Post 870411). 4pp. 81779:132-81779:194.

9411160221 Forwards "BW2C5 Core Operating Limits Rept." for fifth cycle of operation. SACCOMANDO, D.M. Commonwealth Edison Co. 94/11/08. Office of Nuclear Reactor Regulation, Director (Post 870411). 5pp. 81781:257-81781:266.

-9411160223 "BW2C5 Core Operating Limits Rept."
* Commonwealth Edison Co. 94/11/08. 5pp. 81781:262-81781:266.

9411230067 Forwards proprietary ltr rept MSE-SMT-461, providing addl justification that fillet weld thickness can be credited when performing limit load structural margin assessment of nozzle to shell welds. Rept withheld. PONTIQUUS, H.D. Commonwealth Edison Co. 94/11/09. Office of Nuclear Reactor Regulation, Director (Post 870411). 3pp. 81849:074-81849:077.

-9411230072 Forwards proprietary ltr rept MSE-SMT-461, "Fracture Mechanics Evaluation of Indications in Byron & Braidwood Units 1 & 2 Residual HX Tube Side Inlet & Outlet Nozzles." Rept withheld. LIPARULO, N.J. Westinghouse Electric Corp. 94/11/09. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 81849:077-81849:077.

9411170128 Forwards SE which finds that margin for one 18-month cycle of operation re residual heat removal heat exchanger nozzle weld assessment, adequate. W/o encl. ASSA, R.R. Project Directorate III-3. 94/11/10. FARRAR, D.L. Commonwealth Edison Co. 3pp. 81777:133-81777:135.

9411220264 Forwards nonproprietary & proprietary version of "Fracture Mechanics Evaluation Byron & Braidwood Units 1 & 2 Residual HX Tube Side Inlet & Outlet Nozzles." Proprietary version evaluation withheld (ref 10CFR2.790). PONTIQUUS, H.D. Commonwealth Edison Co. 94/11/14. Office of Nuclear Reactor Regulation, Director (Post 870411). 3pp. 81892:175-81892:243.

-9411220266 Requests that proprietary WCAP-13454, "Fracture Mechanics Evaluation Byron & Braidwood Units 1 & 2 Residual HX Tube Side Inlet & Outlet Nozzles" be withheld (ref 10CFR2.790). LIPARULO, N.J. Westinghouse Electric Corp. 94/11/09. RUSSELL, W.T. Document Control Branch (Document Control Desk). 9pp. 81892:178-81892:186.

-9411220271 Nonproprietary "Fracture Mechanics Evaluation Byron & Braidwood Units 1 & 2 Residual HX Tube Side Inlet & Outlet Nozzles." BAMFORD, W.H. Westinghouse Electric Corp. WCAP 13455. 92/08/31. 56pp. 81892:187-81892:243.

9411210245 Submits response to NRC request for addl info re GL 89-10. Info provided in 4 Attachments. Attachment A provides summary of methods, results of repriming & margin review effort for util MOV population. FARRAR, D.L. Commonwealth Edison Co. 94/11/15. Document Control Branch (Document Control Desk). 54pp. 81837:034-81837:087.

Q. Inspection reports, IE Bulletins & correspondence

9410140257 Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Matis Events to NRC Operations Ctr." BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.

9410200153 NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts." GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81658:001-81658:013.

9411070423 Responds to NRC 941006 ltr re violations noted in Insp Repts 50-456/94-21 & 50-457/94-21. Corrective actions: Procedure BwFP FH-31 & personnel accountability log from procedure placed at control point for cleanliness zone II area. KAUP, K.L. Commonwealth Edison Co. 94/11/01. Document Control Branch (Document Control Desk). 7pp. 81676:163-81676:169.

9411090002 Ack receipt of 941014 ltr informing NRC of steps taken to correct violations noted in insp repts 50-456/94-18 & 50-457/94-18. PEDERSON, C.D. Region 3 (Post 820201). 94/11/02. KAUP, K. Commonwealth Edison Co. 2pp. 81637:002-81637:004.

9411150538 Forwards nonproprietary WCAP 13455, "Fracture Mechanics Evaluation Byron & Braidwood Units 1 & 2 Residual HX Inlet & Outlet Nozzles" in support of current insp of Braidwood Unit 2 RHR HX inlet & outlet nozzle to shell welds. PONTIQUUS, H.D. Commonwealth Edison Co. 94/11/08. Office of Nuclear Reactor Regulation, Director (Post 870411). 4pp. 81779:132-81779:194.

9411150544 Forwards 1994 Braidwood Unit 2 RHR HX ISI results. SACCOMANDO, D.M. Commonwealth Edison Co. 94/11/08. Office of Nuclear Reactor Regulation, Director (Post 870411). 5pp. 81777:351-81777:355.

9411160022 Forwards insp repts 50-456/94-24 & 50-457/94-24 on 941017-21. Strengths in licensed operator requalification program include licensee self assessment & remediation training. RING, M.A. Region 3 (Post 820201). 94/11/09. KAUP, K. Commonwealth Edison Co. 2pp. 81746:064-81746:074.

-9411160028 Insp repts 50-456/94-24 & 50-457/94-24 on 941017-21. No violations noted. Major areas inspected: review of training administration procedures, requalification training records & exam material. OSTERHOLTZ, C., BURDICK, T. Region 3 (Post 820201). 94/11/08. 9pp. 81746:066-81746:074.

9411160072 Informs of intent to perform GL 89-10 MOV insp at plant on 950221-24 & 950306-10. Forwards info normally utilized during insp. JACOBSON, J.M. Region 3 (Post 820201). 94/11/10. KAUP, K. Commonwealth Edison Co. 5pp. 81746:205-81746:209.

9411090300 NRC Bulletin 94-002, "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride." PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.

9411230020 Forwards insp repts 50-456/94-22 & 50-457/94-22 on 940917-1028 & notice of violation. Violations indicate several significant lapses in formality in controls of refueling operations. GREENMAN, E.G. Region 3 (Post 820201). 94/11/14. KAUP, K. Commonwealth Edison Co. 2pp. 81811:104-81811:124.

-9411230021 Notice of violation from insp on 940917-1028. Violation noted on 941001, licensee failed to properly implement BwFP FH-13, "New Fuel Transfer to/ from Storage Vault," during new fuel movements.
* Region 3 (Post 820201). 94/11/14. 2pp. 81811:106-81811:107.

-9411230023 Insp repts 50-456/94-22 & 50-457/94-22 on 940917-1028. Violations noted. Major areas inspected: operational safety, maint, surveillance, plant support, licensee action on previously identified findings & licensee repts. MILLER, L.F. Region 3 (Post 820201). 94/11/14. 17pp. 81811:108-81811:124.

9411100237 NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment." GRIMES, B.K. 94/11/17. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.

9411150578 NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation." GRIMES, B.K. 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.

9411170039 NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping." GRIMES, B.K. 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.

9411170279 NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys." GRIMES, B.K. 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.

9411170284 NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results." PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.

R. Periodic operating reports & related correspondence

9411150458 Monthly operating repts for Oct 1994 for Braidwood Nuclear Generating Station. W/941105 ltr. PERSHEY, C., KOFRON, K.L. Commonwealth Edison Co. 94/10/31. 10pp. 81780:143-81780:152.

S. Reportable occurrences, LERs & related correspondence

9411150598 Rev to Part 21 rept re potential problem w/master power connecting rods. Vendor recommends listed utils perform visual insp of master rods to determine applicability of rept. SCHNEIDER, J.R. Cooper Energy Services. 94/11/09. Document Control Branch (Document Control Desk). 4pp. 81779:254-81779:256.

9411210111 Interim Part 21 Rept 94-12 re Limitorque actuator potential motor pinion key failure. Comm Ed issued guidelines to six nuclear stations on methods for properly installing motor pinion keys. JOHNSON, I.M. Commonwealth Edison Co. 94/11/11. Office of Nuclear Reactor Regulation, Director (Post 870411). 5pp. 81831:127-81831:131.

9411210288 LER 94-007-00: on 941015, core alterations performed w/o establishing proper communication due to personnel error. Individual involved was spoken to w/ respect to proper communications techniques. W/XXXXXX ltr. LAUP, P., KOFRON, K.L. Commonwealth Edison Co. 94/11/11. 5pp. 81864:124-81864:128.

9411300184 Discusses inferred positive moderator temp coefficient for Unit 2 Cycle 5. Special rept will be submitted within 10 days. KOFRON, K.L. Commonwealth Edison Co. 94/11/21. Office of Nuclear Reactor Regulation, Director (Post 870411). 4pp. 81922:346-81922:350.

V. Operator Examinations

9411040264 Forwards exam answer key for forms A & B, grading results, & individual answer sheets for each individual taking exam from facility. Requests results be forwarded to individuals w/answer sheets. W/o encls. RING, M.A. Region 3 (Post 820201). 94/10/27. Consumers Power Co. 1p. 81586:001-81586:001.

9411160022 Forwards insp repts 50-456/94-24 & 50-457/94-24 on 941017-21. Strengths in licensed operator requalification program include licensee self assessment & remediation training. RING, M.A. Region 3 (Post 820201). 94/11/09. KAUP, K. Commonwealth Edison Co. 2pp. 81746:064-81746:074.

-9411160028 Insp repts 50-456/94-24 & 50-457/94-24 on 941017-21. No violations noted. Major areas inspected: review of training administration procedures, requalification training records & exam material. OSTERHOLTZ, C. Region 3 (Post 820201). 94/11/08. 9pp. 81746:066-81746:074.

9411300218 Forwards NRC summarized guidance that clarifies requirements for maintaining individual operator licenses, entitled, "Clarification of Maint & Reactivation Requirements for Individual Operator Licenses." RING, M.A. Region 3 (Post 820201). 94/11/18. Affiliation Not Assigned. 3pp. 81872:341-81872:343.

DOCKET 50-458 RIVER BEND STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9411070371 Submits 1994 evaluated exercise objectives, 90 days in advance, to be fulfilled during River Bend Station Emergency Planning Exercise. FISICARO, J.J. Gulf States Utilities Co. 93/11/11. MILHOAN, J.L. Region 4 (Post 820201). 6pp. 81663:080-81663:085.

9403020078 Forwards scenario for emergency planning exercise for 940223. Summary of 1994 evaluated exercise scenario also encl. FISICARO, J.J. Gulf States Utilities Co. 93/12/17. Document Control Branch (Document Control Desk). 6pp. 81714:001-81715:220.

-9411080207 "Gulf States Util River Bend Station Emergency Preparedness Evaluated Exercise," conducted on 940223. FISICARO, J.J. Gulf States Utilities Co. 94/02/23. 500pp. 81714:007-81715:220.

9411040115 Revised EIPs, including rev 9 to EIP-2-008, "Search & Rescue," & EIP-2-104, "Maintenance Of Emergency Telephone Numbers." W/941028 ltr. FISICARO, J.J. Entergy Operations, Inc. 94/10/28. 29pp. 81653:176-81653:204.

9411060113 Rev 7 to EIP-2-023, "Joint Info Ctr Staff Activation & Functions." FISICARO, J.J. Entergy Operations, Inc. 94/11/04. 10pp. 81781:323-81781:332.

9411300205 Rev 12 to River Bend Station emergency plan. W/941117 ltr. FISICARO, J.J. Entergy Operations, Inc. 94/11/17. 100pp. 81909:260-81909:357.

9411280004 Forwards insp rept 50-458/94-23 on 941003-07. Noncited violation identified. COLLINS, S.J. Region 4 (Post 820201). 94/11/22. MCGAHA, J.R. Entergy Operations, Inc. 4pp. 81840:169-81840:176.

-9411280006 Partially withheld insp rept 50-458/94-23 on 941003-07 (ref 10CFR73.21). Noncited violations noted. Major areas inspected: security program including records & repts, access controls, security procedures, testing & maint & fire-arms training. MURRAY, B. Region 4 (Post 820201). 94/11/14. 4pp. 81840:173-81840:176.

G. Adjudicatory correspondence

9411010012 Gulf States Utilities Company supplemental responses to Cajun Electric Power Cooperative, Inc second set of interrogatories dtd 940908. W/Certificate of Svc. Related correspondence. KEISER, H.W. Entergy Operations, Inc. #494 15825. 94/10/13. Atomic Safety & Licensing Board Panel. 9pp. 81513:001-81513:009.

9411010056 Forwards further response to util discovery request. Related correspondence. RUDEBUSCH, T.L. Duncan, Weinberg, Miller & Pembroke, P.C. (formerly Duncan, Weinberg & Miller). #494 15828. 94/10/14. WETTERHAHN, M.J. Winston & Strawn. 2pp. 81513:040-81513:041.

9411010160 Memorandum & order (revised prehearing schedule). Lists topics ordered upon consideration of discussion among parties at conclusion of 941004 prehearing conference. W/Certificate of Svc. Served on 941020. COTTER, B.P., COLE, R.F., LAM, P.S. Atomic Safety & Licensing Board Panel. #494 15834. 94/10/20. Gulf States Utilities Co. 4pp. 81513:202-81513:205.

9411010195 Forwards Cajun Electric Power Cooperative, Inc second supplemental response to GSU discovery Request 9. Cajun Electric Power Cooperative, Inc comprehensive monitoring program also encl. Related correspondence. RUDEBUSCH, T.L. Cajun Electric Power Cooperative, Inc. RUDEBUSCH, T.L. Duncan, Weinberg, Miller & Pembroke, P.C. (formerly Duncan, Weinberg & Miller). #494 15853. 94/10/21. WETTERHAHN, M.J. Winston & Strawn. 64pp. 81513:230-81513:295.

9411010169 Forwards follow-up discovery requests on item 2-6 of Cajun Electric Power Cooperative, Inc. Inform that Cajun reserves right to submit addl follow-up discovery requests in next several days. Related correspondence. RUDEBUSCH, T.L. Cajun Electric Power Cooperative, Inc. RUDEBUSCH, T.L. Duncan, Weinberg, Miller & Pembroke, P.C. (formerly Duncan, Weinberg & Miller). #494 15855. 94/10/24. WETTERHAHN, M.J. Winston & Strawn. 15pp. 81513:206-81513:220.

9411010185 Requests response to Cajun Request 2-6 re Board order issued at 941004 prehearing conference. Inform that Cajun reserves right to conduct follow-up discovery on response, if response had been timely submitted on 941014. Related correspondence. RUDEBUSCH, T.L. Cajun Electric Power Cooperative, Inc. RUDEBUSCH, T.L. Duncan, Weinberg, Miller & Pembroke, P.C. (formerly Duncan, Weinberg & Miller). #494 15854. 94/10/24. LEVANWAY, D.E. Wise, Carter, Child & Caraway. 2pp. 81513:223-81513:224.

9411020087 Discusses Board order issued at 941004 prehearing conference re GSU/EOI supplemental response to Cajun Request 2-6. Suggests that listed procedures be discussed before utilizing resources of Board. Related correspondence. RUDEBUSCH, T.L. Cajun Electric Power Cooperative, Inc. RUDEBUSCH, T.L. Duncan, Weinberg, Miller & Pembroke, P.C. (formerly Duncan, Weinberg & Miller). #494 15871. 94/10/26. WETTERHAHN, M.J. Winston & Strawn. 2pp. 81528:357-81528:358.

9411020100 GSU objections to Cajun Electric Power Cooperative, Inc followup discovery requests dtd 941024 & motion for protective order. W/Certificate of Svc. WETTERHAHN, M.J. Gulf States Utilities Co. WETTERHAHN, M.J. Winston & Strawn. #494 15873. 94/10/28. Atomic Safety & Licensing Board Panel. 10pp. 81529:005-81529:014.

9411040022 Forwards by fax, Gulf States Util Company second supplemental response to Cajun Electric Power Cooperative, Inc second set of interrogatories, dtd 940908. Related correspondence. LEVANWAY, D.E. Gulf States Utilities Co. LEVANWAY, D.E. Wise, Carter, Child & Caraway. #494 15881. 94/10/28. RUDEBUSCH, T.L. Duncan, Weinberg, Miller & Pembroke, P.C. (formerly Duncan, Weinberg & Miller). 2pp. 81575:052-81575:057.

-9411040034 Gulf States Utilities Company second supplemental response to Cajun Electric Power Cooperative, Inc second set of interrogatories, dtd 940908. W/Certificate of Svc. KEISER, H.W. Gulf States Utilities Co. 94/10/28. Cajun Electric Power Cooperative, Inc. 4pp. 81575:054-81575:057.

9411040023 Forwards addl discovery requests on Long-Term Performance Improvement Plan, per 941028. Related correspondence. RUDEBUSCH, T.L. Duncan, Weinberg, Miller & Pembroke, P.C. (formerly Duncan, Weinberg & Miller). #494 15879. 94/10/28. WETTERHAHN, M.J. Winston & Strawn. 7pp. 81575:058-81575:064.

9411040031 Forwards form 8-K submitted to Securities & Exchange Commission on 941028 in accordance w/obligation to keep Commission informed of matl developments affecting application. LEVANWAY, D.E. Wise, Carter, Child & Caraway. #494 15880. 94/11/01. COTTER, B.P., LAM, P.S., COLE, R.F. Atomic Safety & Licensing Board Panel. 6pp. 81575:075-81575:080.

9411100104 Forwards HW Keiser affidavit in support of Gulf States Util Co second supplemental response to Cajun Electric Power Cooperative, Inc second set of interrogatories. Related correspondence. LEVANWAY, D.E. Wise, Carter, Child & Caraway. #494 15903. 94/11/01. RUDEBUSCH, T.L. Duncan, Weinberg, Miller & Pembroke, P.C. (formerly Duncan, Weinberg & Miller). 2pp. 81672:045-81672:051.

-9411100115 Gulf States Utilities Co second supplemental response to Cajun Electric Power Cooperative, Inc second set of interrogatories dtd 940908. W/Certificate of Svc. KEISER, H.W. Entergy Operations, Inc. #494 15903. 94/10/31. Atomic Safety & Licensing Board Panel. 5pp. 81672:047-81672:051.

9411100135 Informs that NRC will not file response to, "Gulf States Utilities Company Objections to Cajun Electric Power Cooperative, Inc Follow-Up Discovery Requests, Dtd 941024, & Motion for Protective Order." filed 941028. ZOBEL, M.L. Office of the General Counsel (Post 860701). #494 15889. 94/11/03. COTTER, B.P., LAM, P.S., COLE, R.F. Atomic Safety & Licensing Board Panel. 1p. 81672:183-81672:183.

9411100162 Requests that Cajun Electric Power request for discovery re long-term performance improvement plan be included within scope of previously requested protective order for reasons set forth in licensee 941028 pleading. WETTERHAHN, M.J. Gulf States Utilities Co. WETTERHAHN, M.J. Winston & Strawn. #494 15892. 94/11/03. COTTER, B.P., LAM, P.S., COLE, R.F. Atomic Safety & Licensing Board Panel. 2pp. 81672:235-81672:236.

9411100032 Util motion to compel responses to follow-up discovery requests & answer to motion for protective order. Util requests that ASLB issue order against GSU/EOI re discovery responses. W/Certificate of Svc. RUDEBUSCH, T.L. Duncan, Weinberg, Miller & Pembroke, P.C. (formerly Duncan, Weinberg & Miller). RUDEBUSCH, T.L. Cajun Electric Power Cooperative, Inc. #494 15913. 94/11/07. Atomic Safety & Licensing Board Panel. 275pp. 81671:001-81671:275.

9411300320 GSU Co answer to Cajun Electric Power Cooperative 941107 Motion to Compel. Requests denial of Cajun Electric Power 941107 Motion for reasons as stated. W/Certificate of Svc. WETTERHAHN, M.J. Gulf States Utilities Co. WETTERHAHN, M.J. Winston & Strawn. #494 16007. 94/11/17. Atomic Safety & Licensing Board Panel. 8pp. 81890:053-81890:060.

P. Operating license stage documents & correspondence

9411030295 Ltr contract, task order 38, to "IPE Reviews, Internal Events, Front End Only," for plant. MACE, M. Division of Contracts (Post 940714). NRC-04-91-066. 94/09/08. COLINA, I. Science & Engineering Associates, Inc. 10pp. 81608:004-81608:013.

9411030155 Ltr contract, definitizing Task Order 39, to "IPE Reviews, Internal Events-Human Reliability Analysis Only." MACE, M.H. Division of Contracts (Post 940714). FIN L-1934. 94/09/12. HAAS, P.M. Concord Associates, Inc. 12pp. 81607:227-81607:238.

9411030161 Ltr contract, definitizing Task Order 39, to "IPE Reviews, Internal Events Back-End Only." MACE, M. Division of Contracts (Post 940714). FIN L-1933. 94/09/19. MEYER, J. SCIENTECH, Inc. 2pp. 81602:226-81602:227.

9411020182 Forwards updates to "IST Pump & Valve Program Manual," correcting discrepancies, improving clarity & structuring plan so as to provide clear & understandable description of pump & valve IST program at plant. FISICARO, J.J. Entergy Operations, Inc. 94/10/27. Document Control Branch (Document Control Desk). 2pp. 81588:001-81588:250.

-9411020187 Updates to "IST Pump & Valve Program Manual." Entergy Operations, Inc. 94/10/27. 248pp. 81588:003-81588:250.

9411040246 Forwards draft SER in support of proposed conversion to improved BWR-6 TS, for comments before 941201. PICKETT, D.V. Project Directorate III-3. 94/10/27. PHARES, R.F. Illinois Power Co. 393pp. 81620:001-81621:027.

9411080014 Discusses mgt meeting held on 941028 at River Bend Station re changes onsite involving long-term improvement program. List of attendees & licensee presentation encl. BEACH, A.B. Region 4 (Post 820201). 94/11/01. MCGAHA, J.R. Entergy Operations, Inc. 64pp. 81628:061-81628:126.

9411170133 Forwards valve relief requests VRR-71 re defining & verifying max accident condition flow for air supply check valves & VRR-72 re stroke time testing of main steam SRVs. FISICARO, J.J. Entergy Operations, Inc. 94/11/04. Document Control Branch (Document Control Desk). 13pp. 81785:345-81785:357.

158 DOCKETED ITEMS

9411170007 Provides clarifications to LAR 91-11 re removal of component lists.
FISICARO,J.J. Entergy Operations, Inc. 94/11/10. Document Control Branch (Document Control Desk). 4pp. 81789:001-81789:008.

-9411170010 Proposed tech specs reflecting clarifications to LAR 91-11.
* Entergy Operations, Inc. 94/11/10. 4pp. 81789:005-81789:008.

Q. Inspection reports, IE Bulletins & correspondence

9410140257 Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Matls Events to NRC Operations Ctr."
BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.

9410200153 NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts."
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81658:001-81658:013.

9411100269 Forwards "ISI Summary Rept Refueling Outage RF-5."
FISICARO,J.J. Entergy Operations, Inc. 94/11/02. Document Control Branch (Document Control Desk). 2pp. 81727:001-81728:296.

-9411100271 Rev 0 to "ISI Summary Rept Refueling Outage RF-5."
* Entergy Operations, Inc. 94/11/02. 658pp. 81727:003-81728:296.

9411170003 Forwards insp rept 50-458/94-19 on 940828-1008 & notice of violation.
BEACH,A.B. Region 4 (Post 820201). 94/11/09. MCGAHA,J.R. Entergy Operations, Inc. 6pp. 81760:051-81760:085.

-9411170018 Notice of violation from insp on 940828-1008. Violation noted: on 940615, licensee personnel failed to follow maint work order P574322. Personnel installed incorrect cables.
* Region 4 (Post 820201). 94/11/09. 3pp. 81760:057-81760:059.

-9411170042 Insp rept 50-458/94-19 on 940828-1008. Violation noted. Major areas inspected: licensee actions in response to events, plant operations & support, maint & surveillance activities & LERS.
VANDENBURGH,C., SMITH,W.F., SKINNER,C.E. Region 4 (Post 820201). 94/11/03. 26pp. 81760:060-81760:085.

9411250058 Responds to 940211 ltr ref Info Notice 93-89, "Potential Problems W/BWR Level Instrumentation Backfill Mod." dtd 931126. Informs that NRC recognizes that inadvertent root valve closure may not result in opening SRVs at all plants.
HOLAHAN,G.M. Division of Systems Safety & Analysis (Post 921004). 94/11/09. ENGLAND,L. BWR Owners Group. ENGLAND,L. Gulf States Utilities Co. 2pp. 81848:261-81848:262.

9411090300 NRC Bulletin 94-002, "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride."
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.

9411220089 Ack receipt of 941014 ltr informing NRC of steps taken to correct violations noted in insp rept 50-458/94-18.
BEACH,A.B. Region 4 (Post 820201). 94/11/15. MCGAHA,J.R. Entergy Operations, Inc. 15pp. 81798:001-81798:016.

9411100237 NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment."
GRIMES,B.K. 94/11/17. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.

9411150578 NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation."
GRIMES,B.K. 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.

9411280004 Forwards insp rept 50-458/94-23 on 941003-07. Noncited violation identified.
COLLINS,S.J. Region 4 (Post 820201). 94/11/22. MCGAHA,J.R. Entergy Operations, Inc. 4pp. 81840:169-81840:176.

-9411280006 Partially withheld insp rept 50-458/94-23 on 941003-07 (ref 10CFR73.21). Noncited violations noted. Major areas inspected: security program including records & repts, access controls, security procedures, testing & maint & fire-arms training.
MURRAY,B. Region 4 (Post 820201). 94/11/14. 4pp. 81840:173-81840:176.

9411170039 NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping."
GRIMES,B.K. 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.

9411170279 NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys."
GRIMES,B.K. 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.

9411170284 NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results."
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.

R. Periodic operating reports & related correspondence

9411010170 Forwards revised "Semi-Annual Rept On Fitness-For-Duty Program."
FISICARO,J.J. Entergy Operations, Inc. 94/10/24. Document Control Branch (Document Control Desk). 2pp. 81579:293-81579:297.

-9411010330 Revised "Semi-Annual Rept On Fitness-For-Duty Program," for reporting period of 940101-0630.
DURIKA,W.G. Entergy Operations, Inc. 94/06/30. 3pp. 81579:295-81579:297.

9411220324 Monthly operating rept for Oct 1994 for River Bend Station Unit 1.W/ 941115 ltr.
GLUECK,D.R., FISICARO,J.J. Entergy Operations, Inc. 94/10/31. 6pp. 81843:352-81843:357.

S. Reportable occurrences, LERs & related correspondence

9411010271 Part 21 Rept 166 re potential defect in component of DSRV & DSR Enterprise Standby DG sys. Licensee will issue svc info memo addressing proper storage practices for EGA control box.
MOWERY,J.D. Cooper Industries, Inc. 94/10/26. Document Control Branch (Document Control Desk). 7pp. 81585:080-81585:086.

9411040131 Part 21 & deficiency rept problems w/Woodard EGA control box that control speed/frequency of emergency diesel generator sys.
MOWERY,J.D. Cooper Energy Services, Inc. 94/10/26. Document Control Branch (Document Control Desk). 2pp. 81651:333-81651:334.

9411020286 LER 94-021-02: on 940712, affected equipment declared operable. Caused by inadequate control & implementation of procedure writing, review & rev process. Affected STPs revised. W/941028 ltr.
GATES,T.W., FISICARO,J.J. Entergy Operations, Inc. 94/10/28. 9pp. 81602:150-81602:158.

9411040048 LER 94-021-02: on 931014, reactor scrambled during turbine test due to failure of relay contacts to open. Relay was replaced & successfully tested. W/941028 ltr.
GATES,T.W., FISICARO,J.J. Entergy Operations, Inc. 94/10/28. 8pp. 81658:016-81658:023.

9411040014 PNO-IV-94-055: on 941028, plant experienced excessive leakage in drywell. Caused by failed seal on reactor recirculation pump B. Licensee investigating causes of RRP seal leakage. State of Louisiana has been informed.
PICK,G. Region 4 (Post 820201). 94/10/31. 1p. 81575:043-81575:043.

9411070307 LER 94-010-01: on 940512, deficient overcurrent penetration for 120 Vac hydrogen ignitor circuits occurred. Cause indeterminate. Hydrogen igniter panels modified. W/941101 ltr.
GATES,T.W., FISICARO,J.J. Entergy Operations, Inc. 94/11/01. 9pp. 81666:012-81666:020.

9411160196 LER 94-027-00: on 941010, control rod drive pipe found to be cracked & leaking. Caused by failure mode chloride induced transgranular stress corrosion cracking. Sections of steel pipe exhibiting crack indications replaced. W/941109 ltr.
GATES,T.W., FISICARO,J.J. Entergy Operations, Inc. 94/11/09. 9pp. 81791:056-81791:064.

9411290096 LER 94-028-00: on 941028, manual reactor scram occurred due to turbine vibration. Caused by temp sensitive rotor. Expanded limitations which MSRs can be placed in or removed from svc to allow decrease in temp step changes. W/941118 ltr.
GATES,T.W., FISICARO,J.J. Entergy Operations, Inc. 94/11/18. 6pp. 81912:107-81912:112.

9411300337 NPDES noncompliance notification: on 941116, sewage leak excursion occurred when vehicle struck capped 4-inch PVC vent/clean-out pipe connected to sewage line serving restroom facility.
STOMA,S.K. Entergy Operations, Inc. 94/11/21. GIVENS,D. Louisiana, State of. 2pp. 81923:345-81923:346.

9411300343 NPDES noncompliance notification: on 941116, sewage leak excursion occurred when vehicle struck capped 4-inch PVC vent/clean-out pipe connected to sewage line serving restroom facility.
STOMA,S.K. Entergy Operations, Inc. 94/11/21. SIMMONS,M. Environmental Protection Agency. 2pp. 81923:347-81923:348.

V. Operator Examinations

9411290193 Summary of 941110 meeting w/utilis re training & operator licensing issues. List of attendees, meeting agenda & handouts encl.
GWYNN,T.P. Region 4 (Post 820201). 94/11/22. Region 4 (Post 820201). 27pp. 81869:003-81869:029.

DOCKET 50-461 CLINTON POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9411010230 Requests that results of util review & disposition of activities at plant be submitted to Region III within 45 days & that encl should be controlled & distribution limited. W/o encl.
GREENMAN,E.G. Region 3 (Post 820201). 94/10/26. COOK,J. Illinois Power Co. 2pp. 81515:150-81515:151.

9411170228 Revised EIPs, including implementing procedure status rept & Rev 1 to EIP EC-01, Form 1, "Interim Station Emergency Director (ISED)."
YAROSZ,W.L. Illinois Power Co. 94/10/31. 31pp. 81793:221-81793:251.

9411070424 Submits response to violations noted in Insp Rept 50-461/94-14. Corrective actions: "B" diesel fire pump fuel oil sampled & analyzed for presence of particulate & none found.
COOK,J.G. Illinois Power Co. 94/11/01. Document Control Branch (Document Control Desk). 4pp. 81676:170-81676:173.

9411220046 Forwards insp rept 50-461/94-17 on 940914-1021. No violations noted.
CREED,J.R. Region 3 (Post 820201). 94/11/07. COOK,J. Illinois Power Co. 2pp. 81796:293-81796:300.

-9411220051 Insp rept 50-461/94-17 on 940914-1021. No violations noted. Major areas inspected: review of two improper weapon handling events & potential falsification of security rept.
MADEDA,T.J., CREED,R.J. Region 3 (Post 820201). 94/11/07. 6pp. 81796:295-81796:300.

9411300121 Informs of decision to institute quarterly proficiency training for ERDS Operators.
AXELSON,W.L. Region 3 (Post 820201). 94/11/16. MARTIN,J. Region 3 (Post 820201). 4pp. 81872:132-81872:135.

K. Utility Final Safety Analysis Report (FSAR) & amends

9411010009 Updated Safety Analysis Rept for Illinois Power Company.
WOODLAN,R. Illinois Power Co. 94/10/21. 416pp. 81584:001-81585:052.

9411250148 Updated Safety Analysis Rept for IL Power Co.
KREISKER,D. Illinois Power Co. 94/10/31. 252pp. 81873:205-81874:092.

P. Operating license stage documents & correspondence

9411180130 Requests approval for use of ASME Section XI, Div 1 Code Cases N-498-1, N-416-1 & N-517 by early Oct 1994 in order to support fifth refueling outage (RF-5) at CPS currently scheduled to start Mar 1995. Code cases encl.
PHARES,R.F. Illinois Power Co. 94/08/08. Document Control Branch (Document Control Desk). 8pp. 81793:347-81793:354.

9411020171 Provides response to GL 94-02, "Long Term & Upgrade of Interim Operating Recommendations for Thermal-Hydraulic Instabilities in BWRs."
COOK,J.G. Illinois Power Co. 94/10/26. Document Control Branch (Document Control Desk). 3pp. 81587:358-81587:360.

9411040246 Forwards draft SER in support of proposed conversion to improved BWR-6 TS, for comments before 941201.
PICKETT,D.V. Project Directorate III-3. 94/10/27. PHARES,R.F. Illinois Power Co. 393pp. 81620:001-81621:027.

9411080269 Application for amend to license NPF-62, providing final rev to TS by converting to improved TS per NUREG-1434, "Improved BWR-6 TS," rev 0, dated Sept 1992.
COOK,J.G. Illinois Power Co. 94/10/31. Document Control Branch (Document Control Desk). 15pp. 81762:001-81767:007.

-9411080272 Proposed tech specs per NUREG-1434, "Improved BWR-6 TS," Rev 0, dated Sept 1992.
* Illinois Power Co. 94/10/31. 1,812pp. 81762:016-81767:007.

9411080024 Forwards notice of environmental assessment & FONSI re 931026 application for amend to TS to implement improved STS for BWR/6 facilities.
PICKETT,D.V. Project Directorate III-3. 94/11/01. PHARES,R.F. Illinois Power Co. 2pp. 81658:122-81658:129.

-9411080082 Notice of environmental assessment & FONSI re amend to license to replace existing TS in entirety w/improved TS.
CARPENTER,C.A. Project Directorate III-3. 94/11/01. 6pp. 81658:124-81658:129.

9411090179 Forwards amend 94 to license NPF-62 & safety evaluation. Amend modifies TS 3/4.3.2, 3/4.3.3, 3/4.4.2.1 & 3/4.4.2.2 to remove requirement to perform manual testing of solid state logic.
PICKETT,D.V. Project Directorate III-3. 94/11/03. PHARES,R.F. Illinois Power Co. 3pp. 81666:224-81666:244.

-9411090185 Amend 94 to license NPF-62, modifying TS 3/4.1.3/4.3.2, 3/4.3.3, 3/4.3.4.2.3/4.3.5, 3/4.4.2.1 & 3/4.4.2.2 to remove requirement to perform manual testing of solid state logic when automatic testing already performed.
CARPENTER,C.A. Project Directorate III-3. 94/11/03. 15pp. 81666:227-81666:241.

-9411090187 Safety evaluation supporting amend 94 to license NPF-62.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/11/03. 3pp. 81666:242-81666:244.

9411160050 Forwards rept on site visit to review implementation of maint rule at station for review & info. Rept identifies strengths & weaknesses w/program at site.
SHAFER,W.D. Region 3 (Post 820201). 94/11/07. DONNELLY,P.M. Consumers Power Co. STETZ,J.P. Centurion Energy. LIU,L. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 2pp. 81746:131-81746:141.

Q. Inspection reports, IE Bulletins & correspondence

9410140257 Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Matis Events to NRC Operations Ctr."
BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.

9410200153 NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts."
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81658:001-81658:013.

9411090395 Submits revised corrective action for notice of violation identified in insp rept 50-461/89-03 dtd 890512.
COOK,J.G. Illinois Power Co. 94/10/27. MARTIN,J.B. Region 3 (Post 820201). 4pp. 81717:345-81717:348.

9411070424 Submits response to violations noted in Insp Rept 50-461/94-14. Corrective actions: "B" diesel fire pump fuel oil sampled & analyzed for presence of particulate & none found.
COOK,J.G. Illinois Power Co. 94/11/01. Document Control Branch (Document Control Desk). 4pp. 81676:170-81676:173.

9411220046 Forwards insp rept 50-461/94-17 on 940914-1021. No violations noted.
CREED,J.R. Region 3 (Post 820201). 94/11/07. COOK,J. Illinois Power Co. 2pp. 81796:293-81796:300.

-9411220051 Insp rept 50-461/94-17 on 940914-1021. No violations noted. Major areas inspected: review of two improper weapon handling events & potential falsification of security rept.
MADEDA,T.J., CREED,R.J. Region 3 (Post 820201). 94/11/07. 6pp. 81796:295-81796:300.

9411220015 Forwards insp rept 50-461/94-15 on 940920-1031. No violations noted.
CLAYTON,B. Region 3 (Post 820201). 94/11/08. COOK,J. Illinois Power Co. 2pp. 81796:049-81796:081.

-9411220018 Insp rept 50-461/94-15 on 940920-1031. No violations noted. Major areas inspected: resident inspectors of licensee actions on previous insp findings, operations, maint, engineering & plant support.
CLAYTON,B. Region 3 (Post 820201). 94/11/07. 29pp. 81796:051-81796:081.

9411220247 Forwards insp rept 50-461/94-16 on 941003-07. No violations noted.
PEDERSON,C.D. Region 3 (Post 820201). 94/11/10. COOK,J. Illinois Power Co. 2pp. 81799:129-81799:136.

-9411220248 Insp rept 50-461/94-16 on 941003-07. No violations noted. Major areas inspected: radiation protection program.
NELSON,D.W., PEDERSON,C.D. Region 3 (Post 820201). 94/11/10. 6pp. 81799:131-81799:136.

9411090300 NRC Bulletin 94-002, "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride."
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.

9411230010 Ack receipt of 941101 ltr informing NRC of steps taken to correct violations noted in insp rept 50-461/94-14.
GREENMAN,E.G. Region 3 (Post 820201). 94/11/15. COOK,J. Illinois Power Co. 1p. 81811:061-81811:061.

9411100237 NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment."
GRIMES,B.K. 94/11/17. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.

9411150578 NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation."
GRIMES,B.K. 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.

9411170039 NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping."
GRIMES,B.K. 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.

9411170279 NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys."
GRIMES,B.K. 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.

9411170284 NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results."
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.

R. Periodic operating reports & related correspondence

9411160256 Monthly operating rept for Oct 1994 for Clinton Power Station Unit 1.W/ 941108 ltr.
HOLLON,M.C., PHARES,R.F. Illinois Power Co. 94/10/31. 5pp. 81777:309-81777:313.

S. Reportable occurrences, LERs & related correspondence

9411070427 LER 94-008-00: on 940417, identified that reactor recirculation pump discharge valves outside seismic design bases due to loose yoke connections. Cause unknown. Locite applied to threads of studs/nuts.W/941028 ltr.
NEUSCHWANGER,J., COOK,J.G. Illinois Power Co. 94/10/28. 6pp. 81666:054-81666:059.

V. Operator Examinations

9411040265 Forwards master BWR/PWR GFES exam w/answer key of exam administered on 941005.
RING,M.A. Region 3 (Post 820201). 94/10/27. Commonwealth Edison Co. 1p. 81586:002-81586:002.

9411300218 Forwards NRC summarized guidance that clarifies requirements for maintaining individual operator licenses, entitled, "Clarification of Maint & Reactivation Requirements for Individual Operator Licenses."
RING,M.A. Region 3 (Post 820201). 94/11/18. Affiliation Not Assigned. 3pp. 81872:341-81872:343.

DOCKET 50-471 PILGRIM NUCLEAR POWER STATION, UNIT 2

P. Operating license stage documents & correspondence

9411040068 Mod 14, revising statement of work within scope of contract per FAR 52.243-2 changes-cost reimbursement, to raise contract ceiling, to "Second Intl Piping Integrity Research Group Program," for plant.
MERCIER,J.M. Battelle Memorial Institute, Columbus Laboratories. MACE,M. Division of Contracts (Post 940714). 94/09/20. 6pp. 81628:264-81628:269.

DOCKET STN-50-482 WOLF CREEK GENERATING STATION

F. Security, medical, emergency & fire protection plans

9411210077 Forwards revised radiological ERPIPs, including Rev 10 to EPP 01-8.2 & EPP 01-10.1, correcting pagination error in original submittal.
JOHANNES,R.N. Wolf Creek Nuclear Operating Corp. 94/11/14. Document Control Branch (Document Control Desk). 1p. 81833:246-81833:296.

160 DOCKETED ITEMS

—9411210082 Revised radiological ERPIPs, including Rev 10 to EPP 01-8.2, "Offsite Radiological Monitoring" & Rev 10 to EPP 01-10.1, "Protective Action Recommendations."
* Wolf Creek Nuclear Operating Corp. 94/07/13. 50pp. 81833:247-81833:296.

9411290030 Forwards scenario summary for walk-through portion of operational status of EP program insp scheduled for 941205-08.
JOHANNES, R.N. Wolf Creek Nuclear Operating Corp. 94/11/18. Document Control Branch (Document Control Desk). 3pp. 81922:261-81922:263.

9411280009 Ack receipt of 941004 ltr which transmitted rev 24 to physical security plan, safeguards contingency plan & security training & qualification plan for facility. Listed changes, consistent w/provisions of 10CFR50.54(p).
COLLINS, S.J. Region 4 (Post 820201). 94/11/21. CARNS, N.S. Wolf Creek Nuclear Operating Corp. 5pp. 81840:198-81840:202.

9411300120 Requests exemption from requirements of 10CFR73.55 re physical protection of licensed activities in nuclear power reactors against radiological sabotage.
CARNS, N.S. Wolf Creek Nuclear Operating Corp. 94/11/23. Document Control Branch (Document Control Desk). 4pp. 81922:333-81922:336.

P. Operating license stage documents & correspondence

9411180251 Forwards Rev 0 to TR-94-0015, "Wolf Creek Generating Station Cycle 8 COLR."
HAGAN, R.C. Wolf Creek Nuclear Operating Corp. 94/01/11. Document Control Branch (Document Control Desk). 1p. 81794:335-81794:349.

—9411180264 Rev 0 to TR-94-0015, "Wolf Creek Generating Station Cycle 8 COLR."
HOWARD, M.L., BLAIR, J., NEISES, G.J. Wolf Creek Nuclear Operating Corp. TR-94-0015 R00. 94/09/14. 14pp. 81794:336-81794:349.

9411020134 Transmits correction to 941021 application for amend to license NPF-42, revising TS SRs 4.7.1.2.1.c.2 & 4.3.2.2 to indicate that provisions of TS 4.0.4 not applicable for entry into Mode 3. Submittal discussed w/NRC Project Manager.
JOHANNES, R.N. Wolf Creek Nuclear Operating Corp. 94/10/27. Document Control Branch (Document Control Desk). 3pp. 81590:043-81590:046.

—9411020137 Corrected proposed TS page 3/4 7-5 re plant sys SRs.
* Wolf Creek Nuclear Operating Corp. 94/10/27. 1p. 81590:046-81590:046.

Q. Inspection reports, IE Bulletins & correspondence

9410140257 Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Mats Events to NRC Operations Ctr."
BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.

9410200153 NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts."
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81658:001-81658:013.

9411070028 Forwards insp rept 50-482/94-10 on 940814-0924. No violations noted. Unresolved item noted which involves further NRC review of licensee CA & further review of licensee performance re procedural adherence.
BEACH, A.B. Region 4 (Post 820201). 94/10/28. CARNS, N.S. Wolf Creek Nuclear Operating Corp. 4pp. 81604:084-81604:107.

—9411070032 Insp rept 50-482/94-10 on 940814-0924. No violations noted. Major areas inspected: plant status, operational safety verification, maint observations, surveillance observations, onsite engineering & plant support activities.
CHAMBERLAIN, D. Region 4 (Post 820201). 94/10/28. 19pp. 81604:089-81604:107.

9411090300 NRC Bulletin 94-002, "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride."
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.

9411220024 Forwards insp rept 50-482/94-13 on 941017-21 & notice of violation.
GWYNN, T.P. Region 4 (Post 820201). 94/11/16. CARNS, N.S. Wolf Creek Nuclear Operating Corp. 6pp. 81796:121-81796:144.

—9411220030 Notice of violation from insp on 941017-21. Violation noted: licensee failed to perform adequate screening for significance, reportability & operability following "B" EDG static exciter-voltage regulator failure.
* Region 4 (Post 820201). 94/11/16. 2pp. 81796:127-81796:128.

—9411220035 Insp rept 50-482/94-13 on 941017-21. Violations noted. Major areas inspected: EDG static exciter-voltage regulators.
POWERS, D.A. Region 4 (Post 820201). 94/11/08. 15pp. 81796:129-81796:144.

9411100237 NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment."
GRIMES, B.K. 94/11/17. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.

9411290030 Forwards scenario summary for walk-through portion of operational status of EP program insp scheduled for 941205-08.
JOHANNES, R.N. Wolf Creek Nuclear Operating Corp. 94/11/18. Document Control Branch (Document Control Desk). 3pp. 81922:261-81922:263.

9411150578 NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation."
GRIMES, B.K. 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.

9411170039 NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping."
GRIMES, B.K. 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.

9411170279 NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys."
GRIMES, B.K. 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.

9411170284 NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results."
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.

R. Periodic operating reports & related correspondence

9411210163 Monthly operating rept for Oct 1994 for Wolf Creek Generating Station. W/ 941114 ltr.
MAYNARD, O.L. Wolf Creek Nuclear Operating Corp. 94/10/31. 7pp. 81833:325-81833:331.

S. Reportable occurrences, LERs & related correspondence

9411010165 LER 94-012-00: on 940925, failure to correctly calibr refueling machine load monitor occurred. Caused by inadequate procedure controlling calibr, setup & checkout of refuel machine load monitor. Procedure revised. W/941024 ltr.
FLANNIGAN, R.D., MAYNARD, O.L. Wolf Creek Nuclear Operating Corp. 94/10/24. 5pp. 81586:024-81586:028.

9411040006 PNO-IV-94-056: on 941028, operators received loose parts monitoring alarms during heatup from refueling outage 7. Licensee determined that event bounded by calculations made following previous events. State of Kansas will be informed.
CHAMBERLAIN, D. Region 4 (Post 820201). 94/10/31. 2pp. 81575:008-81575:009.

V. Operator Examinations

9411020011 Informs that on 941005, NRC administered GFES of written operator licensing exam & facility did not participate in exam. Forwards copy of master exam w/ answer key. W/o encl.
GWYNN, T.P. Region 4 (Post 820201). 94/10/26. CARNS, N.S. Wolf Creek Nuclear Operating Corp. 2pp. 81528:056-81528:057.

9411290193 Summary of 941110 meeting w/utilis re training & operator licensing issues. List of attendees, meeting agenda & handouts encl.
GWYNN, T.P. Region 4 (Post 820201). 94/11/22. Region 4 (Post 820201). 27pp. 81869:003-81869:029.

DOCKET STN-50-483 CALLAWAY PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9411180277 Revised emergency telephone directory facilities.
* Union Electric Co. 94/10/19. 27pp. 81794:308-81794:334.

9411090360 Rev 1 to EIP-ZZ-00231, "Response to High Winds/Tornado Watches & Warnings."
SUDNAK, P.J. Union Electric Co. 94/10/28. 13pp. 81718:337-81718:349.

9411230209 Temporary Change Notice 94-772 to Rev 7 to EIP EIP-ZZ-C0015, "Activation of Backup Emergency Operations Facility."
* Union Electric Co. 94/11/15. 3pp. 81893:342-81893:344.

9411230210 Revised EPIPs, including temporary change notice (TCN) 94-771 to rev 9 to EIP-ZZ-A0020, "Maintaining Emergency Preparedness" & TCN 94-770 to rev 16 to EIP-ZZ-00230, "Accountability."
* Union Electric Co. 94/11/15. 12pp. 81833:205-81833:216.

9411300121 Informs of decision to institute quarterly proficiency training for ERDS Operators.
AXELSON, W.L. Region 3 (Post 820201). 94/11/16. MARTIN, J. Region 3 (Post 820201). 4pp. 81872:132-81872:135.

P. Operating license stage documents & correspondence

9411020253 Informs that util will not be resubmitting amend application re rev of TS 3/4.6.2.3, "Containment Cooling Sys."
SCHNELL, D.F. Union Electric Co. 94/10/27. Document Control Branch (Document Control Desk). 3pp. 81589:359-81589:361.

9411030005 Forwards amend 93 to license NPF-30 & safety evaluation. Amend revises TS Table 2.2-1 & associated bases section 2.2.1.
WHARTON, L.R. Project Directorate III-3. 94/10/27. SCHNELL, D.F. Union Electric Co. 3pp. 81607:180-81607:191.

—9411030007 Amend 93 to license NPF-30, revising TS Table 2.2-1 & associated Bases Section 2.2.1.
WHARTON, L.R. Project Directorate III-3. 94/10/27. 5pp. 81607:183-81607:189.

—9411030009 Safety evaluation supporting amend 93 to license NPF-30.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/27. 2pp. 81607:190-81607:191.

9411020126 Forwards addl info inadvertently omitted from 940909 application for amend to license NPF-30, revising TS 3/4.8.1 & associated bases to achieve overall improvement in EDG reliability & availability.
SCHNELL, D.F. Union Electric Co. 94/10/28. Document Control Branch (Document Control Desk). 4pp. 81590:085-81590:091.

—9411020130 Proposed tech specs page 3/4 8-6.
* Union Electric Co. 94/10/28. 3pp. 81590:089-81590:091.

9411070268 Forwards revised TS pages B 2-5, B 2-6 & B 2-7, addressing overtemperature delta-T, overpower delta-T & steam generator water level, respectively.
WHARTON, L.R. Project Directorate III-3. 94/10/28. SCHNELL, D.F. Union Electric Co. 2pp. 81713:356-81713:361.

-9411070277 Revised tech spec bases pages B-2-5,B 2-6 & B 2-7,addressing overtemperature delta-T,overpower delta-T & steam generator water level,respectively.
* Union Electric Co. 94/10/28. 4pp. 81713:358-81713:361.

9411070283 Forwards corrected SE issued on 941021,approving use of Code Case N-416-1.In SE,applicable 10-yr inservice interval inadvertently ref to as second.
CARPENTER,C.A. Project Directorate III-3. 94/10/28. SCHNELL,D.F. Union Electric Co. 3pp. 81623:337-81623:344.

-9411070291 Corrected SE approving use of ASME Code case N-416-1 for plant hydrostatic testing requirements.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/28. 5pp. 81623:340-81623:344.

9411040315 Forwards NRC request for addl info re amend application dtd 940804,to reflect reanalysis of inadvertent boron dilution event in FSAR Section 15.4.6.
SCHNELL,D.F. Union Electric Co. 94/10/31. Document Control Branch (Document Control Desk). 12pp. 81652:329-81652:340.

9411160050 Forwards rept on site visit to review implementation of maint rule at station for review & info.Rept identifies strengths & weaknesses w/program at site.
SHAFER,W.D. Region 3 (Post 820201). 94/11/07. DONNELLY,P.M. Consumers Power Co. STETZ,J.P. Centenor Energy. LIU,L. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 2pp. 81746:131-81746:141.

9411220017 Advises that review of 940921 rev to quality assurance program description re 10CFR50.54(a) will require more than 60 days to be complete.Utl will be notified of results,upon completion of review.
RING,M.A. Region 3 (Post 820201). 94/11/15. SCHNELL,D.F. Union Electric Co. 2pp. 81796:082-81796:083.

Q. Inspection reports, IE Bulletins & correspondence

9410140257 Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Matis Events to NRC Operations Ctr."
BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.

9410200153 NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts."
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81658:001-81658:013.

9411090300 NRC Bulletin 94-002, "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride."
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.

9411100237 NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment."
GRIMES,B.K. . 94/11/17. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.

9411150578 NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation."
GRIMES,B.K. . 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.

9411170039 NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping."
GRIMES,B.K. . 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.

9411170279 NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys."
GRIMES,B.K. . 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.

9411170284 NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results."
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.

R. Periodic operating reports & related correspondence

9411180098 Monthly operating rept for Oct 1994 for Callaway Plant.W/ 941104 ltr.
MCINVALE,J.B., BLOSSER,J.D. Union Electric Co. 94/10/31. 6pp. 81818:326-81818:331.

V. Operator Examinations

9411040265 Forwards master BWR/PWR GFES exam w/answer key of exam administered on 941005.
RING,M.A. Region 3 (Post 820201). 94/10/27. Commonwealth Edison Co. 1p. 81586:002-81586:002.

9411220191 Responds to Administrative Ltr 94-14 re natl operator licensing exam schedule.
RANDOLPH,G.L. Union Electric Co. 94/11/14. Document Control Branch (Document Control Desk). 2pp. 81892:326-81892:328.

9411300218 Forwards NRC summarized guidance that clarifies requirements for maintaining individual operator licenses,entitled, "Clarification of Maint & Reactivation Requirements for Individual Operator Licenses."
RING,M.A. Region 3 (Post 820201). 94/11/18. Affiliation Not Assigned. 3pp. 81872:341-81872:343.

DOCKET STN-50-498 SOUTH TEXAS PROJECT, UNIT 1

F. Security, medical, emergency & fire protection plans

9411010221 Forwards NOV & proposed imposition of civil penalty in amount of \$100,000 as ref in NRC Investigation rept 4-92-003.
MILHOAN,J.L. Dep Exec Dir for Nuc Reactor Reg,Regional Operations & Research (Post 890205). 94/10/26. COTTLE,W.T. Houston Lighting & Power Co. 7pp. 81515:139-81515:149.

-9411010224 Notice of violation & proposed imposition of civil penalty in amount of \$100,000.Noncompliance noted:licensee discriminated against employee of Sun Technical Svcs upon termination of individual unescorted access to facility.
* Dep Exec Dir for Nuc Reactor Reg,Regional Operations & Research (Post 890205). 94/10/26. 4pp. 81515:146-81515:149.

9411150347 Forwards Ol rept 4-92-003.Porions of rept redacted.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 94/11/09. COTTLE,W.T. Houston Lighting & Power Co. 2pp. 81742:078-81742:197.

-9411150367 Investigation rept 4-92-003 on 930219.No noncompliance noted.Major areas investigated:events & circumstances surrounding employees revocation of unescorted access at facility.
VAN CLEAVE,V., WILLIAMSON,E.L. Region 4 (Post 820201). HAYES,B.B. Ofc of Investigations (Post 880201). 93/02/19. 119pp. 81742:080-81742:197.

9411230118 Ack receipt of 940908 ltr informing of changes to Rev 23 to plant physical security plan.
COLLINS,S.J. Region 4 (Post 820201). 94/11/15. COTTLE,W.T. Houston Lighting & Power Co. 5pp. 81833:093-81833:098.

9411230153 Forwards rev 16 to security personnel training & qualification plan.Encl withheld.
MARTIN,L.E. Houston Lighting & Power Co. 94/11/16. Document Control Branch (Document Control Desk). 1p. 81854:335-81854:335.

9411280142 Forwards rev 16 to security personnel training & qualification plan.Encl withheld.
GROTH,J.F. Houston Lighting & Power Co. 94/11/16. Document Control Branch (Document Control Desk). 2pp. 81964:281-81964:282.

9411280011 Discusses 941109 SALP public meeting at plant in Wadsworth,TX re areas needing improvement & involvement of senior staff & mgt team in ongoing improvement initiatives. Attendance list & SALP meeting handout,enc.
BEACH,A.B. Region 4 (Post 820201). 94/11/18. COTTLE,W.T. Houston Lighting & Power Co. 20pp. 81840:203-81840:222.

9411250240 Revised EIPs,including Rev 6 to 0ERP01-ZV-TS01,Rev 3 to 0ERP01-ZV-TS03,Rev 3 to 0ERP01-ZV-TS09,Rev 5 to 0ERP01-ZV-EF01,Rev 3 to 0ERP01-ZV-EF02 & Rev 3 to 0ERP01-ZV-EF04.W/941122 ltr.
MARTIN,L.E. Houston Lighting & Power Co. 94/11/22. 413pp. 81865:001-81866:049.

9411300223 Forwards revised EIPs,including rev 4 to 0ERP01-ZV-EF07,rev 3 to 0ERP01-ZV-EF08,rev 2 to 0ERP01-ZV-EF09,rev 3 to 0ERP01-ZV-EF18,rev 2 to 0ERP01-ZV-EF19,rev 2 to 0ERP01-ZV-EF20.W/o encl.
MARTIN,L.E. Houston Lighting & Power Co. 94/11/22. Document Control Branch (Document Control Desk). 3pp. 81922:354-81922:356.

G. Adjudicatory correspondence

9411010162 Forwards demand for info,being issued based on involvement in 920229 in revoking contract employee unescorted access to plant.
MILHOAN,J.L. Dep Exec Dir for Nuc Reactor Reg,Regional Operations & Research (Post 890205). 94/10/26. BALCOM,R.L. Affiliation Not Assigned. 3pp. 81562:240-81562:248.

-9411010167 Demand for info re involvement in 920229 in revoking contract employee unescorted access to plant.
MILHOAN,J.L. Dep Exec Dir for Nuc Reactor Reg,Regional Operations & Research (Post 890205). 94/10/26. 6pp. 81562:243-81562:248.

P. Operating license stage documents & correspondence

9411010099 Forwards Rev 6,Suppl 2 to "STP...Unit 1 Pump & Valve IST Plan" & Rev 4,Suppl 2 to "STP...Unit 2 Pump & Valve IST Plan." Suppls revised to include inlet check valves to SDG starting air receivers.
MARTIN,L.E. Houston Lighting & Power Co. 94/10/26. Document Control Branch (Document Control Desk). 2pp. 81577:278-81577:311.

-9411010100 Rev 6,Suppl 2 to "STP Electric Generating Station Unit 1 Pump & Valve IST Plan."
* Houston Lighting & Power Co. 94/10/26. 16pp. 81577:280-81577:295.

-9411010105 Rev 4,Suppl 2 to "STP Electric Generating Station Unit 2 Pump & Valve IST Plan."
* Houston Lighting & Power Co. 94/10/26. 16pp. 81577:296-81577:311.

9411030100 Provides Emergency Response Data Sys Data Point Library changes for South TX Project Units 1 & 2.
CLONINGER,T.H. Houston Lighting & Power Co. 94/10/27. Document Control Branch (Document Control Desk). 14pp. 81643:347-81643:360.

9411070198 Submits eight responses to RAI re compliance w/station blackout requirements.
CLONINGER,T.H. Houston Lighting & Power Co. 94/10/31. Document Control Branch (Document Control Desk). 17pp. 81654:081-81654:097.

9411090296 Responds to 941006 ltr re info contained in litigation tracking sys document.
COTTLE,W.T. Houston Lighting & Power Co. 94/11/01. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 5pp. 81750:339-81750:343.

162 DOCKETED ITEMS

9411070315 Forwards Change QA-023 to "Operations QA Plan." Change will be incorporated in Operations QA Plan in next biennial update.
COTTLE,W.T. Houston Lighting & Power Co. 94/11/03. Document Control Branch (Document Control Desk). 2pp. 81663:038-81663:075.

-9411070320 Change QA-023 to "Operations QA Plan."
* Houston Lighting & Power Co. 94/11/03. 36pp. 81663:040-81663:075.

9411150055 Application for amends to licenses NPF-76 & NPF-80, revising TS 3.9.4, permitting personnel airlock doors to be open while moving fuel during refueling operations.
GROTH,J.F. Houston Lighting & Power Co. 94/11/07. Document Control Branch (Document Control Desk). 15pp. 81780:341-81780:359.

-9411150059 Proposed tech spec 3.9.4, permitting containment personnel airlock doors to be open while moving fuel during refueling operations.
* Houston Lighting & Power Co. 94/11/07. 4pp. 81780:356-81780:359.

9411150499 Application for amends to Licenses NPF-76 & NPF-80, incorporating Tech Specs 3.7.7,3.8.1.2,3.8.2.2,3.8.2.3 & 3.9.12, changing diesel generators required to be operable during Mode 5 w/loops filled.
GROTH,J.F. Houston Lighting & Power Co. 94/11/07. Document Control Branch (Document Control Desk). 7pp. 81780:026-81780:067.

-9411150507 Proposed Tech Specs 3.7.7,3.8.1.2,3.8.2.2,3.8.2.3 & 3.9.12, changing diesel generators required to be operable during Mode 5 w/loops filled.
* Houston Lighting & Power Co. 94/11/07. 35pp. 81780:033-81780:067.

9411150296 Application for amends to licenses NPF-76 & NPF-80, revising TS 3.9.2 to permit substitution of extended range neutron flux monitor for one source range neutron flux monitor during refueling operations.
GROTH,J.F. Houston Lighting & Power Co. 94/11/08. Document Control Branch (Document Control Desk). 8pp. 81775:139-81775:148.

-9411150303 Proposed tech spec 3.9.2, "Refueling Operations," permitting substitution of extended range neutron flux monitor for one source range neutron flux monitor during refueling operations.
* Houston Lighting & Power Co. 94/11/08. 2pp. 81775:147-81775:148.

9411150312 Application for amends to licenses NPF-76 & NPF-80, revising TS 3.8.2.1 & 3.8.2.2 to require only one of two battery chargers associated w/each Class 1E 125 volt dc Channel I & IV to be operable.
GROTH,J.F. Houston Lighting & Power Co. 94/11/08. Document Control Branch (Document Control Desk). 11pp. 81775:163-81775:175.

-9411150316 Proposed tech specs 3.8.2.1 & 3.8.2.2, requiring only one of two battery chargers associated w/each class 1E 125 volt dc Channel I & IV to be operable.
* Houston Lighting & Power Co. 94/11/08. 2pp. 81775:174-81775:175.

9411280212 Forwards clarification of util intended application of 931123 proposed TS change re electrical power sys.
GROTH,J.F. Houston Lighting & Power Co. 94/11/17. Document Control Branch (Document Control Desk). 10pp. 81885:129-81885:138.

9411300102 Forwards response to 940919 request for addl info re review of IPE submittal.
CLONINGER,T.H. Houston Lighting & Power Co. 94/11/17. Document Control Branch (Document Control Desk). 56pp. 81909:204-81909:259.

9411300314 Application for amends to licenses NPF-76 & NPF-80, revising TS 3.8.1.1, "Electrical Power Sys - ac Sources - Operating."
GROTH,J.F. Houston Lighting & Power Co. 94/11/17. Document Control Branch (Document Control Desk). 4pp. 81910:172-81910:181.

-9411300318 Proposed tech specs re rev to proposed changes to facility TS.
* Houston Lighting & Power Co. 94/11/17. 6pp. 81910:176-81910:181.

9411300219 Responds to 941024 ltr re rept prepared by Liberty Consulting Group in connection w/proceedings at TX PUC & certain pleadings filed in ongoing litigation between util & city of Austin.
COTTLE,W.T. Houston Lighting & Power Co. 94/11/22. ROE,J.W. Division of Reactor Projects - III,IV,V (Post 901216). 3pp. 81951:290-81951:292.

Q. Inspection reports, IE Bulletins & correspondence

9410140257 Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Matls Events to NRC Operations Ctr."
BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.

9410200153 NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts."
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81658:001-81658:013.

9411010221 Forwards NOV & proposed imposition of civil penalty in amount of \$100,000 as ref in NRC investigation rept 4-92-003.
MILHOAN,J.L. Dep Exec Dir for Nuc Reactor Reg, Regional Operations & Research (Post 890205). 94/10/26. COTTLE,W.T. Houston Lighting & Power Co. 7pp. 81515:139-81515:149.

-9411010224 Notice of violation & proposed imposition of civil penalty in amount of \$100,000. Noncompliance noted: licensee discriminated against employee of Sun Technical Svcs upon termination of individual unescorted access to facility.
* Dep Exec Dir for Nuc Reactor Reg, Regional Operations & Research (Post 890205). 94/10/26. 4pp. 81515:146-81515:149.

9411020038 Informs that on 941005, NRC administered Generic Fundamentals Exam Section of written operator licensing exam & forwards copy of master exam w/answer key. W/o encl.
GWYNN,T.P. Region 4 (Post 820201). 94/10/26. COTTLE,W.T. Houston Lighting & Power Co. 2pp. 81528:215-81528:216.

9411250191 EN-94-112: on 941026, notice of proposed imposition of civil penalty in amount of \$100,000 & demands for info issued to licensee. Action based on violations for discrimination by plant managers against former contract worker.
SATORIUS,M., LIEBERMAN,J. Ofc of Enforcement (Post 870413). 94/10/26. 1p. 81864:188-81864:188.

9411030199 Submits response to violations noted in Insp Repts 50-498/94-25 & 50-499/94-25. Corrective actions: 10CFR50.59 evaluation performed for setpoint change Forms 168211A & 168212A.
CLONINGER,T.H. Houston Lighting & Power Co. 94/10/27. Document Control Branch (Document Control Desk). 4pp. 81645:353-81645:356.

9411090235 "NRC Staff Proposes to Fine HL&P \$100,000; Requires Info From Company Two Officials."
* Office of Public Affairs (Pre 870413). 94/10/27. 3pp. 81075:267-81075:269.

9411160011 Forwards corrected attachments 2 & 3 to insp repts 50-498/94-25 & 50-499/94-25.
GWYNN,T.P. Region 4 (Post 820201). 94/11/03. COTTLE,W.T. Houston Lighting & Power Co. 5pp. 81746:006-81746:012.

-9411160180 Corrected attachments 2 & 3 of insp repts 50-498/94-25 & 50-499/94-25.
* Region 4 (Post 820201). 94/11/03. 2pp. 81746:011-81746:012.

9411150347 Forwards OI rept 4-92-003. Portions of rept redacted.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 94/11/09. COTTLE,W.T. Houston Lighting & Power Co. 2pp. 81742:078-81742:197.

-9411150367 Investigation rept 4-92-003 on 930219. No noncompliance noted. Major areas investigated: events & circumstances surrounding employees revocation of unescorted access at facility.
VAN CLEAVE,V., WILLIAMSON,E.L. Region 4 (Post 820201). HAYES,B.B. Ofc of Investigations (Post 880201). 93/02/19. 119pp. 81742:080-81742:197.

9411210046 Forwards insp repts 50-498/94-32 & 50-499/94-32 on 940926-1014. No violations noted. Weakness noted re examples where util reduced design stds developed within framework of GL 89-10 program for individual valves.
GWYNN,T.P. Region 4 (Post 820201). 94/11/10. COTTLE,W.T. Houston Lighting & Power Co. 6pp. 81784:222-81784:242.

-9411210048 Insp repts 50-498/94-32 & 50-499/94-32 on 940926-1014. No violations noted. Major areas inspected: safety-related motor-operated valve testing & surveillance & followup of engineering issues.
WESTERMAN,T.F. Region 4 (Post 820201). 94/11/07. 15pp. 81784:228-81784:242.

9411090300 NRC Bulletin 94-002, "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride."
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.

9411230239 Confirms discussion re time for response to demand for info re notice of violation & proposed imposition of civil penalty in amount of \$100,000. Response extended for addl 30 days.
COTTLE,W.T. Houston Lighting & Power Co. 94/11/16. MILHOAN,J.L. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 81894:293-81894:294.

9411100237 NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment."
GRIMES,B.K. 94/11/17. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.

9411280011 Discusses 941109 SALP public meeting at plant in Wadsworth, TX re areas needing improvement & involvement of senior staff & mgt team in ongoing improvement initiatives. Attendance list & SALP meeting handout, encl.
BEACH,A.B. Region 4 (Post 820201). 94/11/18. COTTLE,W.T. Houston Lighting & Power Co. 20pp. 81840:203-81840:222.

9411280033 Ack receipt of 941027 ltr informing NRC of steps taken to correct violations noted in insp rept 50-498/94-25 & 50-499/94-25.
GWYNN,T.P. Region 4 (Post 820201). 94/11/18. COTTLE,W.T. Houston Lighting & Power Co. 5pp. 81840:296-81840:304.

9411150578 NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation."
GRIMES,B.K. 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.

9411170039 NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping."
GRIMES,B.K. 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.

9411170279 NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys."
GRIMES,B.K. 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.

9411170284 NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results."
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.

R. Periodic operating reports & related correspondence

9411230327 Monthly operating repts for Oct 1994 for South Texas Project Electric Generating Station Units 1 & 2. W/941114 ltr.
HILL,R.L., GROTH,J.F. Houston Lighting & Power Co. 94/10/31. 14pp. 81864:263-81864:276.

S. Reportable occurrences, LERs & related correspondence

9411010199 LER 94-016-00: on 940923, failure to fully meet requirements of TS due to not placing CR envelope HVAC sys in required mode. Toxic gas analyzers repaired & mod implemented. W/941024 ltr.
PINZON,J., MYERS,L.W. Houston Lighting & Power Co. 94/10/24. 7pp. 81586:038-81586:044.

9411250216 LER 94-015-01: on 940920, automatic reactor/turbine tripped. Caused by mgt expectations, procedural guidance, training & personnel experience placed initial emphasis on expected plant response. Expectations discussed. W/941117 ltr. PINZON, J., GROTH, J.F. Houston Lighting & Power Co. 94/11/17. 8pp. 81887:311-81887:318.

V. Operator Examinations

9411020038 Informs that on 941005, NRC administered Generic Fundamentals Exam Section of written operator licensing exam & forwards copy of master exam w/answer key. W/o encl. GWYNN, T.P. Region 4 (Post 820201). 94/10/26. COTTLE, W.T. Houston Lighting & Power Co. 2pp. 81528:215-81528:216.

9411290193 Summary of 941110 meeting w/utis re training & operator licensing issues. List of attendees, meeting agenda & handouts encl. GWYNN, T.P. Region 4 (Post 820201). 94/11/22. Region 4 (Post 820201). 27pp. 81869:003-81869:029.

DOCKET STN-50-499 SOUTH TEXAS PROJECT, UNIT 2

F. Security, medical, emergency & fire protection plans

9411010221 Forwards NOV & proposed imposition of civil penalty in amount of \$100,000 as ref in NRC investigation rept 4-92-003. MILHOAN, J.L. Dep Exec Dir for Nuc Reactor Reg. Regional Operations & Research (Post 890205). 94/10/26. COTTLE, W.T. Houston Lighting & Power Co. 7pp. 81515:139-81515:149.

-9411010224 Notice of violation & proposed imposition of civil penalty in amount of \$100,000. Noncompliance noted: licensee discriminated against employee of Sun Technical Svcs upon termination of individual unescorted access to facility. * Dep Exec Dir for Nuc Reactor Reg. Regional Operations & Research (Post 890205). 94/10/26. 4pp. 81515:146-81515:149.

9411150347 Forwards OI rept 4-92-003. Portions of rept redacted. LIEBERMAN, J. Ofc of Enforcement (Post 870413). 94/11/09. COTTLE, W.T. Houston Lighting & Power Co. 2pp. 81742:078-81742:197.

-9411150367 Investigation rept 4-92-003 on 930219. No noncompliance noted. Major areas investigated: events & circumstances surrounding employees revocation of unescorted access at facility. VAN CLEAVE, V. Region 4 (Post 820201). 93/02/19. 119pp. 81742:080-81742:197.

9411230118 Ack receipt of 940908 ltr informing of changes to Rev 23 to plant physical security plan. COLLINS, S.J. Region 4 (Post 820201). 94/11/15. COTTLE, W.T. Houston Lighting & Power Co. 5pp. 81833:093-81833:098.

9411230153 Forwards rev 16 to security personnel training & qualification plan. Encl withheld. MARTIN, L.E. Houston Lighting & Power Co. 94/11/16. Document Control Branch (Document Control Desk). 1p. 81854:335-81854:335.

9411280142 Forwards rev 16 to security personnel training & qualification plan. Encl withheld. GROTH, J.F. Houston Lighting & Power Co. 94/11/16. Document Control Branch (Document Control Desk). 2pp. 81964:281-81964:282.

9411280011 Discusses 941109 SALP public meeting at plant in Wadsworth, TX re areas needing improvement & involvement of senior staff & mgt team in ongoing improvement initiatives. Attendance list & SALP meeting handout encl. BEACH, A.B. Region 4 (Post 820201). 94/11/18. COTTLE, W.T. Houston Lighting & Power Co. 20pp. 81840:203-81840:222.

9411250240 Revised EIPs, including Rev 6 to OERP01-ZV-TS01, Rev 3 to OERP01-ZV-TS03, Rev 3 to OERP01-ZV-TS09, Rev 5 to OERP01-ZV-EF01, Rev 3 to OERP01-ZV-EF02 & Rev 3 to OERP01-ZV-EF04. W/941122 ltr. MARTIN, L.E. Houston Lighting & Power Co. 94/11/22. 413pp. 81865:001-81866:049.

9411300223 Forwards revised EIPs, including rev 4 to OERP01-ZV-EF07, rev 3 to OERP01-ZV-EF08, rev 2 to OERP01-ZV-EF09, rev 3 to OERP01-ZV-EF18, rev 2 to OERP01-ZV-EF19, rev 2 to OERP01-ZV-EF20. W/o encl. MARTIN, L.E. Houston Lighting & Power Co. 94/11/22. Document Control Branch (Document Control Desk). 3pp. 81922:354-81922:356.

G. Adjudicatory correspondence

9411010162 Forwards demand for info, being issued based on involvement in 920229 in revoking contract employee unescorted access to plant. MILHOAN, J.L. Dep Exec Dir for Nuc Reactor Reg. Regional Operations & Research (Post 890205). 94/10/26. BALCOM, R.L. Affiliation Not Assigned. 3pp. 81562:240-81562:248.

P. Operating license stage documents & correspondence

9411010099 Forwards Rev 6, Suppl 2 to "STP...Unit 1 Pump & Valve IST Plan" & Rev 4, Suppl 2 to "STP...Unit 2 Pump & Valve IST Plan." Suppls revised to include inlet check valves to SDG starting air receivers. MARTIN, L.E. Houston Lighting & Power Co. 94/10/26. Document Control Branch (Document Control Desk). 2pp. 81577:278-81577:311.

-9411010105 Rev 4, Suppl 2 to "STP Electric Generating Station Unit 2 Pump & Valve IST Plan." * Houston Lighting & Power Co. 94/10/26. 16pp. 81577:296-81577:311.

9411030100 Provides Emergency Response Data Sys Data Point Library changes for South TX Project Units 1 & 2. CLONINGER, T.H. Houston Lighting & Power Co. 94/10/27. Document Control Branch (Document Control Desk). 14pp. 81643:347-81643:360.

9411070198 Submits eight responses to RAI re compliance w/station blackout requirements. CLONINGER, T.H. Houston Lighting & Power Co. 94/10/31. Document Control Branch (Document Control Desk). 17pp. 81654:081-81654:097.

9411090296 Responds to 941006 ltr re info contained in litigation tracking sys document. COTTLE, W.T. Houston Lighting & Power Co. 94/11/01. LIEBERMAN, J. Ofc of Enforcement (Post 870413). 5pp. 81750:339-81750:343.

9411070315 Forwards Change QA-023 to "Operations QA Plan." Change will be incorporated in Operations QA Plan in next biennial update. COTTLE, W.T. Houston Lighting & Power Co. 94/11/03. Document Control Branch (Document Control Desk). 2pp. 81663:038-81663:075.

-9411070320 Change QA-023 to "Operations QA Plan." * Houston Lighting & Power Co. 94/11/03. 36pp. 81663:040-81663:075.

9411150055 Application for amends to licenses NPF-76 & NPF-80, revising TS 3.9.4, permitting personnel airlock doors to be open while moving fuel during refueling operations. GROTH, J.F. Houston Lighting & Power Co. 94/11/07. Document Control Branch (Document Control Desk). 15pp. 81780:341-81780:359.

-9411150059 Proposed tech spec 3.9.4, permitting containment personnel airlock doors to be open while moving fuel during refueling operations. * Houston Lighting & Power Co. 94/11/07. 4pp. 81780:356-81780:359.

9411150499 Application for amends to Licenses NPF-76 & NPF-80, incorporating Tech Specs 3.7.7, 3.8.1, 2.3.8.2.2, 3.8.2.3 & 3.9.12, changing diesel generators required to be operable during Mode 5 w/loops filled. GROTH, J.F. Houston Lighting & Power Co. 94/11/07. Document Control Branch (Document Control Desk). 7pp. 81780:026-81780:067.

-9411150507 Proposed Tech Specs 3.7.7, 3.8.1, 2.3.8.2.2, 3.8.2.3 & 3.9.12, changing diesel generators required to be operable during Mode 5 w/loops filled. * Houston Lighting & Power Co. 94/11/07. 35pp. 81780:033-81780:067.

9411150296 Application for amends to licenses NPF-76 & NPF-80, revising TS 3.9.2 to permit substitution of extended range neutron flux monitor for one source range neutron flux monitor during refueling operations. GROTH, J.F. Houston Lighting & Power Co. 94/11/08. Document Control Branch (Document Control Desk). 8pp. 81775:139-81775:148.

-9411150303 Proposed tech spec 3.9.2, "Refueling Operations," permitting substitution of extended range neutron flux monitor for one source range neutron flux monitor during refueling operations. * Houston Lighting & Power Co. 94/11/08. 2pp. 81775:147-81775:148.

9411150312 Application for amends to licenses NPF-76 & NPF-80, revising TS 3.8.2.1 & 3.8.2.2 to require only one of two battery chargers associated w/each Class 1E 125 volt dc Channel I & IV to be operable. GROTH, J.F. Houston Lighting & Power Co. 94/11/08. Document Control Branch (Document Control Desk). 11pp. 81775:163-81775:175.

-9411150316 Proposed tech specs 3.8.2.1 & 3.8.2.2, requiring only one of two battery chargers associated w/each class 1E 125 volt dc Channel I & IV to be operable. * Houston Lighting & Power Co. 94/11/08. 2pp. 81775:174-81775:175.

9411250080 Forwards Relief Request RR-ENG-13 from ASME Section B&PV Code, Section XI requirements in order to defer permanent repair of flaw in STP Unit 2 RMWST, per GL 90-05. CLONINGER, T.H. Houston Lighting & Power Co. 94/11/16. Document Control Branch (Document Control Desk). 34pp. 81915:239-81915:272.

9411280212 Forwards clarification of util intended application of 931123 proposed TS change re electrical power sys. GROTH, J.F. Houston Lighting & Power Co. 94/11/17. Document Control Branch (Document Control Desk). 10pp. 81885:129-81885:138.

9411300102 Forwards response to 940919 request for addl info re review of IPE submital. CLONINGER, T.H. Houston Lighting & Power Co. 94/11/17. Document Control Branch (Document Control Desk). 56pp. 81909:204-81909:259.

9411300314 Application for amends to licenses NPF-76 & NPF-80, revising TS 3.8.1.1, "Electrical Power Sys - ac Sources - Operating." GROTH, J.F. Houston Lighting & Power Co. 94/11/17. Document Control Branch (Document Control Desk). 4pp. 81910:172-81910:181.

-9411300318 Proposed tech specs re rev to proposed changes to facility TS. * Houston Lighting & Power Co. 94/11/17. 6pp. 81910:176-81910:181.

9411300219 Responds to 941024 ltr re rept prepared by Liberty Consulting Group in connection w/proceedings at TX PUC & certain pleadings filed in ongoing litigation between util & city of Austin. COTTLE, W.T. Houston Lighting & Power Co. 94/11/22. ROE, J.W. Division of Reactor Projects - III, IV, V (Post 901216). 3pp. 81951:290-81951:292.

Q. Inspection reports, IE Bulletins & correspondence

9410140257 Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Matls Events to NRC Operations Ctr." BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.

9410200153 NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts." GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81658:001-81658:013.

164 DOCKETED ITEMS

9411010221 Forwards NOV & proposed imposition of civil penalty in amount of \$100,000 as ref in NRC Investigation rept 4-92-003.
MILHOAN,J.L. Dep Exec Dir for Nuc Reactor Reg,Regional Operations & Research (Post 890205). 94/10/26. COTTLE,W.T. Houston Lighting & Power Co. 7pp. 81515:139-81515:149.

-9411010224 Notice of violation & proposed imposition of civil penalty in amount of \$100,000.Noncompliance noted:licensee discriminated against employee of Sun Technical Svcs upon termination of individual unescorted access to facility.
* Dep Exec Dir for Nuc Reactor Reg,Regional Operations & Research (Post 890205). 94/10/26. 4pp. 81515:146-81515:149.

9411020038 Informs that on 941005,NRC administered Generic Fundamentals Exam Section of written operator licensing exam & forwards copy of master exam w/answer key.W/o encl.
GWYNN,T.P. Region 4 (Post 820201). 94/10/26. COTTLE,W.T. Houston Lighting & Power Co. 2pp. 81528:215-81528:216.

9411250191 EN-94-112:on 941026,notice of proposed imposition of civil penalty in amount of \$100,000 & demands for info issued to licensee.Action based on violations for discrimination by plant managers against former contract worker.
SATORIUS,M., LIEBERMAN,J. Ofc of Enforcement (Post 870413). 94/10/26. 1p. 81864:188-81864:188.

9411030199 Submits response to violations noted in Insp Repts 50-498/94-25 & 50-499/94-25.Corrective actions:10CFR50.59 evaluation performed for setpoint change Forms 168211A & 168212A.
CLONINGER,T.H. Houston Lighting & Power Co. 94/10/27. Document Control Branch (Document Control Desk). 4pp. 81645:353-81645:356.

9411090235 "NRC Staff Proposes to Fine HL&P \$100,000;Requires Info From Company Two Officials."
* Office of Public Affairs (Pre 870413). 94/10/27. 3pp. 81075:267-81075:269.

941160011 Forwards corrected attachments 2 & 3 to insp repts 50-498/94-25 & 50-499/94-25.
GWYNN,T.P. Region 4 (Post 820201). 94/11/03. COTTLE,W.T. Houston Lighting & Power Co. 5pp. 81746:006-81746:012.

-941160180 Corrected attachments 2 & 3 of insp repts 50-498/94-25 & 50-499/94-25.
* Region 4 (Post 820201). 94/11/03. 2pp. 81746:011-81746:012.

941150347 Forwards Ol rept 4-92-003.Portion of rept redacted.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 94/11/09. COTTLE,W.T. Houston Lighting & Power Co. 2pp. 81742:078-81742:197.

-941150367 Investigation rept 4-92-003 on 930219.No noncompliance noted.Major areas investigated:events & circumstances surrounding employees revocation of unescorted access at facility.
VAN CLEAVE,V., WILLIAMSON,E.L. Region 4 (Post 820201). HAYES,B.B. Ofc of Investigations (Post 880201). 93/02/19. 119pp. 81742:080-81742:197.

9411210046 Forwards insp repts 50-498/94-32 & 50-499/94-32 on 940926-1014.No violations noted.Weakness noted re examples where util reduced design stds developed within framework of GL 89-10 program for individual valves.
GWYNN,T.P. Region 4 (Post 820201). 94/11/10. COTTLE,W.T. Houston Lighting & Power Co. 6pp. 81784:222-81784:242.

-9411210048 Insp repts 50-498/94-32 & 50-499/94-32 on 940926-1014.No violations noted.Major areas inspected:safety-related motor-operated valve testing & surveillance & followup of engineering issues.
WESTERMAN,T.F. Region 4 (Post 820201). 94/11/07. 15pp. 81784:228-81784:242.

9411090300 NRC Bulletin 94-002, "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride."
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.

9411230239 Confirms discussion re time for response to demand for info re notice of violation & proposed imposition of civil penalty in amount of \$100,000.Response extended for addl 30 days.
COTTLE,W.T. Houston Lighting & Power Co. 94/11/16. MILHOAN,J.L. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 81894:293-81894:294.

9411100237 NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment."
GRIMES,B.K. 94/11/17. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.

9411280011 Discusses 941109 SALP public meeting at plant in Wadsworth,TX re areas needing improvement & involvement of senior staff & mgt team in ongoing improvement initiatives. Attendance list & SALP meeting handout,encl.
BEACH,A.B. Region 4 (Post 820201). 94/11/18. COTTLE,W.T. Houston Lighting & Power Co. 20pp. 81840:203-81840:222.

9411280033 Ack receipt of 941027 ltr informing NRC of steps taken to correct violations noted in insp rept 50-498/94-25 & 50-499/94-25.
GWYNN,T.P. Region 4 (Post 820201). 94/11/18. COTTLE,W.T. Houston Lighting & Power Co. 5pp. 81840:296-81840:304.

9411150578 NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation."
GRIMES,B.K. 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.

9411170039 NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping."
GRIMES,B.K. 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.

9411170279 NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys."
GRIMES,B.K. 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.

9411170284 NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results."
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.

R. Periodic operating reports & related correspondence

9411230327 Monthly operating repts for Oct 1994 for South Texas Project Electric Generating Station Units 1 & 2.W/941114 ltr.
HILL,R.L., GROTH,J.F. Houston Lighting & Power Co. 94/10/31. 14pp. 81864:263-81864:276.

V. Operator Examinations

9411020038 Informs that on 941005,NRC administered Generic Fundamentals Exam Section of written operator licensing exam & forwards copy of master exam w/answer key.W/o encl.
GWYNN,T.P. Region 4 (Post 820201). 94/10/26. COTTLE,W.T. Houston Lighting & Power Co. 2pp. 81528:215-81528:216.

9411290193 Summary of 941110 meeting w/utis re training & operator licensing issues.List of attendees,meeting agenda & handouts encl.
GWYNN,T.P. Region 4 (Post 820201). 94/11/22. Region 4 (Post 820201). 27pp. 81869:003-81869:029.

DOCKET STN-50-508 WPPSS NUCLEAR PROJECT, UNIT 3

Q. Inspection reports, IE Bulletins & correspondence

9410140257 Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Matis Events to NRC Operations Ctr."
BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.

9410200153 NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts."
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81658:001-81658:013.

9411090300 NRC Bulletin 94-002, "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride."
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.

9411100237 NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment."
GRIMES,B.K. 94/11/17. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.

9411150578 NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation."
GRIMES,B.K. 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.

9411170039 NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping."
GRIMES,B.K. 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.

9411170279 NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys."
GRIMES,B.K. 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.

9411170284 NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results."
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.

DOCKET STN-50-516 JAMESPORT NUCLEAR STATION, UNIT 1

A. Application/construction stage documents & correspondence

9411250101 Final response to FOIA request for documents re plant pipe break outside containment criteria.Forwards App C documents. App B documents already available in PDR.App D documents completely withheld (ref FOIA exemption 5).
GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (890206-940714). 93/11/04. LOCKHART,J.A. Mudge, Rose, Guthrie, Alexander & Ferden. 47pp. 81939:001-81939:178.

-8104150101 Discusses shipments of spent reactor fuel & high level waste through New York,NY prior to City of New York Health Code radioactive matts regulation enactment.Correspondence re radioactive matts transportation encl.
SOLON,L.R. New York, NY. 77/08/25. QUITTSCHREIBER ACRS - Advisory Committee on Reactor Safeguards. 12pp. 81939:050-81939:061.

DOCKET STN-50-517 JAMESPORT NUCLEAR STATION, UNIT 2

A. Application/construction stage documents & correspondence

9411250101 Final response to FOIA request for documents re plant pipe break outside containment criteria.Forwards App C documents. App B documents already available in PDR.App D documents completely withheld (ref FOIA exemption 5).
GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (890206-940714). 93/11/04. LOCKHART,J.A. Mudge, Rose, Guthrie, Alexander & Ferden. 47pp. 81939:001-81939:178.

-8104150101 Discusses shipments of spent reactor fuel & high level waste through New York,NY prior to City of New York Health Code radioactive matts regulation enactment.Correspondence re radioactive matts transportation encl.
SOLON,L.R. New York, NY. 77/08/25. QUITTSCHREIBER ACRS - Advisory Committee on Reactor Safeguards. 12pp. 81939:050-81939:061.

DOCKET STN-50-528 PALO VERDE NUCLEAR STATION, UNIT 1

P. Operating license stage documents & correspondence

9411250163 Final response to FOIA request for documents. Records in Apps A & B available in PDR. Apps C,D & E documents withheld in entirety (ref FOIA Exemptions 5 & 7). GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (890206-940714). 93/11/08. UNNERSTALL, K. Newman & Holtzinger. 7pp. 81849:002-81849:014.

-9411250215 Fact sheets for discrimination cases dtd 930412 & 27 re unfair performance appraisal due to raising safety concerns & hostile work environ at plant. * NRC - No Detailed Affiliation Given. 93/04/12. 6pp. 81849:009-81849:014.

9411070232 Forwards amends 84,72 & 56 to licenses NPF-41,NPF-51 & NPF-74, respectively & safety evaluation. Amends remove units 1 & 3 license condition re augmented RCP vibration monitoring program & rescind confirmatory order. HOLIAN, B.E. Project Directorate IV-2. 94/10/27. STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 81621:294-81621:317.

-9411070241 Amends 84,72 & 56 to licenses NPF-41,NPF-51 & NPF-74, respectively, removing units 1 & 3 license condition re augmented RCP vibration monitoring program & rescind confirmatory order modifying unit 2 license re same issue. HOLIAN, B.E. Project Directorate IV-2. 94/10/27. 13pp. 81621:298-81621:310.

-9411070245 Safety evaluation supporting amends 84,72 & 56 to licenses NPF-41,NPF-51 & NPF-74, respectively. * Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/27. 7pp. 81621:311-81621:317.

9411080053 Forwards amends 85,73 & 57 to licenses NPF-41,NPF-51 & NPF-74 & safety evaluation. Amends allow removal of five tables of component lists from plant TS in accordance w/NRC GL 91-08. TRAN, L.N. Project Directorate IV-2. 94/10/31. STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 3pp. 81657:095-81657:180.

-9411080067 Amends 85,73 & 57 to licenses NPF-41,NPF-51 & NPF-74, respectively, allowing removal of five tables of component lists from plant TS in accordance w/NRC GL 91-08. TRAN, L.N. Project Directorate IV-2. 94/10/31. 73pp. 81657:099-81657:173.

-9411080083 Safety evaluation supporting amends 85,73 & 57 to licenses NPF-41,NPF-51 & NPF-74, respectively. * Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/31. 7pp. 81657:174-81657:180.

9411080115 Application for amends to licenses NPF-41,NPF-51 & NPF-74, revising TS sections 3.9.6 & 4.9.6.1, "Refueling Machine." STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 94/10/31. Document Control Branch (Document Control Desk). 8pp. 81677:226-81677:236.

-9411080119 Proposed tech spec sections 3.9.6 & 4.9.6.1, "Refueling Machine." * Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 94/10/31. 3pp. 81677:234-81677:236.

9411140104 Application for amends to Licenses NPF-41,NPF-51 & NPF-74, combining condenser vacuum & plant vent exhaust release points shown on Figure 5-1-3. STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 94/11/02. Document Control Branch (Document Control Desk). 7pp. 81755:086-81755:101.

-9411140108 Proposed Tech Specs Figure 5-1-3 & Bases 3/4.3.3.6, combining condenser vacuum & plant vent exhaust release points & deleting RM RU-142 (high range monitor in condenser vent) & relocating RU-144 & 146 from Table 3.3-13 to ODCM. * Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 94/11/02. 4pp. 81755:093-81755:101.

9411140008 Forwards amends 86,74 & 58 to licenses NPF-41,NPF-51 & NPF-74. Amends revise TS 3.2.3, "Azimuthal Power Tilt," to change azimuthal power tilt limit from less than or equal to 10% to less than or equal to 3% when COLSS out of svc. HOLIAN, B.E. Project Directorate IV-2. 94/11/03. STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 81726:323-81726:350.

-9411140014 Amends 86,74 & 58 to licenses NPF-41,NPF-51 & NPF-74, respectively, revising TS 3.2.3, "Azimuthal Power Tilt," to change azimuthal power tilt limit from less than or equal to 10% to less than or equal to 3% when COLSS out of svc. HOLIAN, B.E. Project Directorate IV-2. 94/11/03. 20pp. 81726:327-81726:347.

-9411140020 Safety evaluation supporting amends 86,74 & 58 to licenses NPF-41,NPF-51 & NPF-74, respectively. * Office of Nuclear Reactor Regulation, Director (Post 870411). 94/11/03. 3pp. 81726:348-81726:350.

9411220023 Informs that plant Units 1,2 & 3 were chosen for operational safeguards response evaluations scheduled for wk of 941205-08. Requests that appropriate plant personnel support be provided for team during scheduled evaluation. COLLINS, S.J. Region 4 (Post 820201). 94/11/09. STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 5pp. 81796:116-81796:120.

Q. Inspection reports, IE Bulletins & correspondence

9411040257 Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Matis Events to NRC Operations Ctr." BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.

9410200153 NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts." GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81658:001-81658:013.

9411020051 Informs that generic fundamentals exam section of written operator licensing exam was given on 941005. Transmits exam & results for info purposes. W/o encl. GWYNN, T.P. Region 4 (Post 820201). 94/10/26. STEWART, W.L. Alabama Public Service Co. 2pp. 81528:259-81528:260.

9411070126 Ack receipt of 940823 ltr informing NRC of steps taken to correct violations noted in insp repts 50-528/94-12, 50-529/94-12 & 50-530/94-12. GWYNN, T.P. Region 4 (Post 820201). 94/10/31. STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 81605:147-81605:176.

9411160044 Ack receipt of 941005 ltr informing NRC of steps taken to correct violations noted in insp repts 50-528/94-22, 50-529/94-22 & 50-530/94-22. PERKINS, K.E. Walnut Creek Field Ofc, R4 (Post 940404). 94/11/04. STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 3pp. 81746:120-81746:122.

9411090300 NRC Bulletin 94-002, "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride." PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.

9411100237 NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment." GRIMES, B.K. 94/11/17. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.

9411220100 Forwards insp repts 50-528/94-32, 50-529/94-32 & 50-530/94-32 on 941017-21. Violation noted but not cited. Areas examined included solid radwaste mgt & transportation of radioactive matts programs. COLLINS, S.J. Region 4 (Post 820201). 94/11/18. STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 5pp. 81798:115-81798:133.

-9411220107 Insp repts 50-528/94-32, 50-529/94-32 & 50-530/94-32 on 941017-21. Violation noted but not cited. Major areas inspected: solid radwaste mgt & transportation of radioactive matts, including QA program & radwaste classification. MURRAY, B. Region 4 (Post 820201). 94/11/09. 14pp. 81798:120-81798:133.

9411150578 NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation." GRIMES, B.K. 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.

9411170039 NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping." GRIMES, B.K. 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.

9411170279 NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys." GRIMES, B.K. 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.

9411170284 NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results." PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.

R. Periodic operating reports & related correspondence

9411160250 Monthly operating repts for Oct 1994 for Palo Verde Nuclear Generating Station. W/941109 ltr. ECKLUND, B.S., LEVINE, J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 94/10/31. 17pp. 81777:285-81777:301.

S. Reportable occurrences, LERs & related correspondence

9411090391 Forwards LER 94-002-02: on 940422, condition that resulted in plant being in condition not covered by plant operating procedures. LEVINE, J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 94/10/28. Document Control Branch (Document Control Desk). 2pp. 81732:024-81732:039.

-9411090398 LER 94-002-02: on 940422, TS LCO not supported by safety analysis occurred. Investigation of event continuing to be conducted. Administrative controls implemented. GRABO, B.A. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 94/10/28. 16pp. 81732:026-81732:039.

9411150598 Rev to Part 21 rept re potential problem w/master power connecting rods. Vendor recommends listed utils perform visual insp of master rods to determine applicability of rept. SCHNEIDER, J.R. Cooper Energy Services. 94/11/09. Document Control Branch (Document Control Desk). 3pp. 81779:254-81779:256.

V. Operator Examinations

9411020051 Informs that generic fundamentals exam section of written operator licensing exam was given on 941005. Transmits exam & results for info purposes. W/o encl. GWYNN, T.P. Region 4 (Post 820201). 94/10/26. STEWART, W.L. Alabama Public Service Co. 2pp. 81528:259-81528:260.

9411250062 Forwards updated operator licensing natl exam schedule, including anticipated number of candidates from PVNGS to be examined & number of candidates that will participate in generic fundamental exam for FY95. LEVINE, J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 94/11/09. Document Control Branch (Document Control Desk). 4pp. 81866:341-81866:344.

9411290193 Summary of 941110 meeting w/utils re training & operator licensing issues. List of attendees, meeting agenda & handouts encl. GWYNN, T.P. Region 4 (Post 820201). 94/11/22. Region 4 (Post 820201). 27pp. 81869:003-81869:029.

166 DOCKETED ITEMS

DOCKET STN-50-529 PALO VERDE NUCLEAR STATION, UNIT 2

P. Operating license stage documents & correspondence

- 9411250163** Final response to FOIA request for documents. Records in Apps A & B available in PDR Apps C,D & E documents withheld in entirety (ref FOIA Exemptions 5 & 7). GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (890206-940714). 93/11/08. UNNERSTALL, K. Newman & Holtzinger. 7pp. 81849:002-81849:014.
- 9411250215** Fact sheets for discrimination cases dtd 930412 & 27 re unfair performance appraisal due to raising safety concerns & hostile work environ at plant. * NRC - No Detailed Affiliation Given. 93/04/12. 6pp. 81849:009-81849:014.
- 9411010112** Forwards rept providing number of SG tubes plugged during Unit 2 mid-cycle outage. KRAINI, A.K. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 94/10/21. Document Control Branch (Document Control Desk). 3pp. 81579:275-81579:277.
- 9411070232** Forwards amends 84,72 & 56 to licenses NPF-41, NPF-51 & NPF-74, respectively & safety evaluation. Amends remove units 1 & 3 license condition re augmented RCP vibration monitoring program & rescind confirmatory order. HOLIAN, B.E. Project Directorate IV-2. 94/10/27. STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 81621:294-81621:317.
- 9411070241** Amends 84,72 & 56 to licenses NPF-41, NPF-51 & NPF-74, respectively, removing units 1 & 3 license condition re augmented RCP vibration monitoring program & rescind confirmatory order modifying unit 2 license re same issue. HOLIAN, B.E. Project Directorate IV-2. 94/10/27. 13pp. 81621:298-81621:310.
- 9411070245** Safety evaluation supporting amends 84,72 & 56 to licenses NPF-41, NPF-51 & NPF-74, respectively. * Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/27. 7pp. 81621:311-81621:317.
- 9411080134** Submits suppl info in support of mod of compensatory actions identified in NRC ltr dtd 941013. LEVINE, J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 94/10/29. Document Control Branch (Document Control Desk). 3pp. 81677:256-81677:259.
- 9411080053** Forwards amends 85,73 & 57 to licenses NPF-41, NPF-51 & NPF-74 & safety evaluation. Amends allow removal of five tables of component lists from plant TS in accordance w/NRC GL 91-08. TRAN, L.N. Project Directorate IV-2. 94/10/31. STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 3pp. 81657:095-81657:180.
- 9411080067** Amends 85,73 & 57 to licenses NPF-41, NPF-51 & NPF-74, respectively, allowing removal of five tables of component lists from plant TS in accordance w/NRC GL 91-08. TRAN, L.N. Project Directorate IV-2. 94/10/31. 73pp. 81657:099-81657:173.
- 9411080083** Safety evaluation supporting amends 85,73 & 57 to licenses NPF-41, NPF-51 & NPF-74, respectively. * Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/31. 7pp. 81657:174-81657:180.
- 9411080115** Application for amends to licenses NPF-41, NPF-51 & NPF-74, revising TS sections 3.9.6 & 4.9.6.1, "Refueling Machine." STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 94/10/31. Document Control Branch (Document Control Desk). 8pp. 81677:226-81677:236.
- 9411080119** Proposed tech spec sections 3.9.6 & 4.9.6.1, "Refueling Machine." * Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 94/10/31. 3pp. 81677:234-81677:236.
- 9411140104** Application for amends to Licenses NPF-41, NPF-51 & NPF-74, combining condenser vacuum & plant vent exhaust release points shown on Figure 5.1-3. STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 94/11/02. Document Control Branch (Document Control Desk). 7pp. 81755:086-81755:101.
- 9411140108** Proposed Tech Specs Figure 5.1-3 & Bases 3/4.3.3.6, combining condenser vacuum & plant vent exhaust release points & deleting RM RU-142 (high range monitor in condenser vent) & relocating RU-144 & 146 from Table 3.3-13 to ODCM. * Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 94/11/02. 4pp. 81755:093-81755:101.
- 9411100030** Forwards revised SER for amend 71 to license NPF-51 re rev to compensatory actions concerning 125 Vdc batteries at plant, unit 2. HOLIAN, B.E. Project Directorate IV-2. 94/11/03. STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 81725:002-81725:007.
- 9411100035** Revised safety evaluation re amend 71 to license NPF-51. * Office of Nuclear Reactor Regulation, Director (Post 870411). 94/11/03. 2pp. 81725:006-81725:007.
- 9411140008** Forwards amends 86,74 & 58 to licenses NPF-41, NPF-51 & NPF-74. Amends revise TS 3.2.3, "Azimuthal Power Tilt," to change azimuthal power tilt limit from less than or equal to 10% to less than or equal to 3% when COLSS out of svc. HOLIAN, B.E. Project Directorate IV-2. 94/11/03. STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 81726:323-81726:350.
- 9411140014** Amends 86,74 & 58 to licenses NPF-41, NPF-51 & NPF-74, respectively, revising TS 3.2.3, "Azimuthal Power Tilt," to change azimuthal power tilt limit from less than or equal to 10% to less than or equal to 3% when COLSS out of svc. HOLIAN, B.E. Project Directorate IV-2. 94/11/03. 20pp. 81726:327-81726:347.
- 9411140020** Safety evaluation supporting amends 86,74 & 58 to licenses NPF-41, NPF-51 & NPF-74, respectively. * Office of Nuclear Reactor Regulation, Director (Post 870411). 94/11/03. 3pp. 81726:348-81726:350.

9411220023 Informs that plant Units 1, 2 & 3 were chosen for operational safeguards response evaluations scheduled for wk of 941205-08. Requests that appropriate plant personnel support be provided for team during scheduled evaluation. COLLINS, S.J. Region 4 (Post 820201). 94/11/09. STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 5pp. 81796:116-81796:120.

Q. Inspection reports, IE Bulletins & correspondence

- 9410140257** Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Matis Events to NRC Operations Ctr." BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.
- 9410200153** NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts." GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81658:001-81658:013.
- 9411020051** Informs that generic fundamentals exam section of written operator licensing exam was given on 941005. Transmits exam & results for info purposes. W/o encl. GWYNN, T.P. Region 4 (Post 820201). 94/10/26. STEWART, W.L. Alabama Public Service Co. 2pp. 81528:259-81528:260.
- 9411070126** Ack receipt of 940823 ltr informing NRC of steps taken to correct violations noted in insp repts 50-528/94-12, 50-529/94-12 & 50-530/94-12. GWYNN, T.P. Region 4 (Post 820201). 94/10/31. STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 81605:147-81605:176.
- 9411160044** Ack receipt of 941005 ltr informing NRC of steps taken to correct violations noted in insp repts 50-528/94-22, 50-529/94-22 & 50-530/94-22. PERKINS, K.E. Walnut Creek Field Ofc, R4 (Post 940404). 94/11/04. STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 3pp. 81746:120-81746:122.
- 9411090300** NRC Bulletin 94-002, "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride." PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.
- 941100237** NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment." GRIMES, B.K. 94/11/17. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.
- 9411220100** Forwards insp repts 50-528/94-32, 50-529/95-32 & 50-530/94-32 on 941017-21. Violation noted but not cited. Areas examined included solid radwaste mgt & transportation of radioactive matis programs. COLLINS, S.J. Region 4 (Post 820201). 94/11/18. STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 5pp. 81798:115-81798:133.
- 9411220107** Insp repts 50-528/94-32, 50-529/94-32 & 50-530/94-32 on 941017-21. Violation noted but not cited. Major areas inspected: solid radwaste mgt & transportation of radioactive matis, including QA program & radwaste classification. MURRAY, B. Region 4 (Post 820201). 94/11/09. 14pp. 81798:120-81798:133.
- 9411150578** NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation." GRIMES, B.K. 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.
- 9411170039** NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping." GRIMES, B.K. 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.
- 9411170279** NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys." GRIMES, B.K. 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.
- 9411170284** NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results." PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.

R. Periodic operating reports & related correspondence

9411160250 Monthly operating repts for Oct 1994 for Palo Verde Nuclear Generating Station. W/941109 ltr. ECKLUND, B.S., LEVINE, J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 94/10/31. 17pp. 81777:285-81777:301.

S. Reportable occurrences, LERs & related correspondence

- 9411020248** LER 94-003-00: on 940927, startup channel high neutron flux alarm declared inoperable. Caused by personnel error. Personnel counseled. W/941021 ltr. GRABO, B.A., LEVINE, J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 94/10/21. 5pp. 81602:145-81602:149.
- 9411150598** Rev to Part 21 rept re potential problem w/master power connecting rods. Vendor recommends listed utils perform visual insp of master rods to determine applicability of rept. SCHNEIDER, J.R. Cooper Energy Services. 94/11/09. Document Control Branch (Document Control Desk). 3pp. 81779:254-81779:256.
- 9411300289** LER 94-005-00: on 941019, TS required shutdown initiated due to expiration of LCO time limit. Caused by component or sys failure. Design change implemented. W/941118 ltr. GRABO, B.A., LEVINE, J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 94/11/18. 8pp. 81912:140-81912:147.

V. Operator Examinations

- 9411020051 Informs that generic fundamentals exam section of written operator licensing exam was given on 941005. Transmits exam & results for info purposes. W/o encl. GWYNN, T.P. Region 4 (Post 820201). 94/10/26. STEWART, W.L. Arizona Public Service Co. 2pp. 81528:259-81528:260.
- 9411250062 Forwards updated operator licensing natl exam schedule, including anticipated number of candidates from PVNGS to be examined & number of candidates that will participate in generic fundamental exam for FY95. LEVINE, J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 94/11/09. Document Control Branch (Document Control Desk). 4pp. 81866:341-81866:344.
- 9411290193 Summary of 941110 meeting w/utis re training & operator licensing issues. List of attendees, meeting agenda & handouts encl. GWYNN, T.P. Region 4 (Post 820201). 94/11/22. Region 4 (Post 820201). 27pp. 81869:003-81869:029.

DOCKET STN-50-530 PALO VERDE NUCLEAR STATION, UNIT 3

P. Operating license stage documents & correspondence

- 9411250163 Final response to FOIA request for documents. Records in Apps A & B available in PDR. Apps C,D & E documents withheld in entirety (ref FOIA Exemptions 5 & 7). GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (890206-940714). 93/11/08. UNNERSTALL, K. Newman & Holtzinger. 7pp. 81849:002-81849:014.
- 9411250215 Fact sheets for discrimination cases dtd 930412 & 27 re unfair performance appraisal due to raising safety concerns & hostile work environ at plant. * NRC - No Detailed Affiliation Given. 93/04/12. 6pp. 81849:009-81849:014.
- 9411010112 Forwards rept providing number of SG tubes plugged during Unit 2 mid-cycle outage. KRAINIK, A.K. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 94/10/21. Document Control Branch (Document Control Desk). 3pp. 81579:275-81579:277.
- 9411070232 Forwards amends 84,72 & 56 to licenses NPF-41, NPF-51 & NPF-74, respectively & safety evaluation. Amends remove units 1 & 3 license condition re augmented RCP vibration monitoring program & rescind confirmatory order. HOLIAN, B.E. Project Directorate IV-2. 94/10/27. STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 81621:294-81621:317.
- 9411070241 Amends 84,72 & 56 to licenses NPF-41, NPF-51 & NPF-74, respectively, removing units 1 & 3 license condition re augmented RCP vibration monitoring program & rescind confirmatory order modifying unit 2 license re same issue. HOLIAN, B.E. Project Directorate IV-2. 94/10/27. 13pp. 81621:298-81621:310.
- 9411070245 Safety evaluation supporting amends 84,72 & 56 to licenses NPF-41, NPF-51 & NPF-74, respectively. * Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/27. 7pp. 81621:311-81621:317.
- 9411080053 Forwards amends 85,73 & 57 to licenses NPF-41, NPF-51 & NPF-74 & safety evaluation. Amends allow removal of five tables of component lists from plant TS in accordance w/NRC GL 91-08. TRAN, L.N. Project Directorate IV-2. 94/10/31. STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 3pp. 81657:095-81657:180.
- 9411080067 Amends 85,73 & 57 to licenses NPF-41, NPF-51 & NPF-74, respectively, allowing removal of five tables of component lists from plant TS in accordance w/NRC GL 91-08. TRAN, L.N. Project Directorate IV-2. 94/10/31. 73pp. 81657:099-81657:173.
- 9411080083 Safety evaluation supporting amends 85,73 & 57 to licenses NPF-41, NPF-51 & NPF-74, respectively. * Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/31. 7pp. 81657:174-81657:180.
- 9411080115 Application for amends to licenses NPF-41, NPF-51 & NPF-74, revising TS sections 3.9.6 & 4.9.6.1, "Refueling Machine." STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 94/10/31. Document Control Branch (Document Control Desk). 8pp. 81677:226-81677:236.
- 9411080119 Proposed tech spec sections 3.9.6 & 4.9.6.1, "Refueling Machine." * Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 94/10/31. 3pp. 81677:234-81677:236.
- 9411140104 Application for amends to Licenses NPF-41, NPF-51 & NPF-74, combining condenser vacuum & plant vent exhaust release points shown on Figure 5.1-3. STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 94/11/02. Document Control Branch (Document Control Desk). 7pp. 81755:086-81755:101.
- 9411140108 Proposed Tech Specs Figure 5.1-3 & Bases 3/4.3.3.6, combining condenser vacuum & plant vent exhaust release points & deleting RM RU-142 (high range monitor in condenser vent) & relocating RU-144 & 146 from Table 3.3-13 to ODCM. * Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 94/11/02. 4pp. 81755:093-81755:101.
- 9411140008 Forwards amends 86,74 & 58 to licenses NPF-41, NPF-51 & NPF-74. Amends revise TS 3.2.3, "Azimuthal Power Tilt," to change azimuthal power tilt limit from less than or equal to 10% to less than or equal to 3% when COLSS out of svc. HOLIAN, B.E. Project Directorate IV-2. 94/11/03. STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 81726:323-81726:350.
- 9411140014 Amends 86,74 & 58 to licenses NPF-41, NPF-51 & NPF-74, respectively, revising TS 3.2.3, "Azimuthal Power Tilt," to change azimuthal power tilt limit from less than or equal to 10% to less than or equal to 3% when COLSS out of svc. HOLIAN, B.E. Project Directorate IV-2. 94/11/03. 20pp. 81726:327-81726:347.

9411140020 Safety evaluation supporting amends 86,74 & 58 to licenses NPF-41, NPF-51 & NPF-74, respectively. * Office of Nuclear Reactor Regulation, Director (Post 870411). 94/11/03. 3pp. 81726:348-81726:350.

9411220023 Informs that plant Units 1,2 & 3 were chosen for operational safeguards response evaluations scheduled for wk of 941205-08. Requests that appropriate plant personnel support be provided for team during scheduled evaluation. COLLINS, S.J. Region 4 (Post 820201). 94/11/09. STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 5pp. 81796:116-81796:120.

Q. Inspection reports, IE Bulletins & correspondence

- 9410140257 Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Matls Events to NRC Operations Ctr." BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.
- 9410200153 NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts." GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81658:001-81658:013.
- 9411020051 Informs that generic fundamentals exam section of written operator licensing exam was given on 941005. Transmits exam & results for info purposes. W/o encl. GWYNN, T.P. Region 4 (Post 820201). 94/10/26. STEWART, W.L. Arizona Public Service Co. 2pp. 81528:259-81528:260.
- 9411070126 Ack receipt of 940823 ltr informing NRC of steps taken to correct violations noted in insp repts 50-528/94-12, 50-529/94-12 & 50-530/94-12. GWYNN, T.P. Region 4 (Post 820201). 94/10/31. STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 81605:147-81605:176.
- 9411160044 Ack receipt of 941005 ltr informing NRC of steps taken to correct violations noted in insp repts 50-528/94-22, 50-529/94-22 & 50-530/94-22. PERKINS, K.E. Walnut Creek Field Ofc, R4 (Post 940404). 94/11/04. STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 3pp. 81746:120-81746:122.
- 9411300089 Forwards SG tube insp plan for mid-cycle outage U3M5. LEVINE, J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 94/11/11. Document Control Branch (Document Control Desk). 3pp. 81922:314-81922:316.
- 9411090300 NRC Bulletin 94-002, "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride." PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.
- 9411100237 NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment." GRIMES, B.K. 94/11/17. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.
- 9411220100 Forwards insp repts 50-528/94-32, 50-529/95-32 & 50-530/94-32 on 941017-21. Violation noted but not cited. Areas examined included solid radwaste mgt & transportation of radioactive matls programs. COLLINS, S.J. Region 4 (Post 820201). 94/11/18. STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 5pp. 81798:115-81798:133.
- 9411220107 Insp repts 50-528/94-32, 50-529/94-32 & 50-530/94-32 on 941017-21. Violation noted but not cited. Major areas inspected: solid radwaste mgt & transportation of radioactive matls, including QA program & radwaste classification. MURRAY, B. Region 4 (Post 820201). 94/11/09. 14pp. 81798:120-81798:133.
- 9411150578 NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation." GRIMES, B.K. 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.
- 9411170039 NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping." GRIMES, B.K. 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.
- 9411170279 NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys." GRIMES, B.K. 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.
- 9411170284 NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results." PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.

R. Periodic operating reports & related correspondence

9411160250 Monthly operating repts for Oct 1994 for Palo Verde Nuclear Generating Station. W/941109 ltr. ECKLUND, B.S., LEVINE, J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 94/10/31. 17pp. 81777:285-81777:301.

S. Reportable occurrences, LERs & related correspondence

9411150598 Rev to Part 21 rept re potential problem w/master power connecting rods. Vendor recommends listed utis perform visual insp of master rods to determine applicability of rept. SCHNEIDER, J.R. Cooper Energy Services. 94/11/09. Document Control Branch (Document Control Desk). 3pp. 81779:254-81779:256.

168 DOCKETED ITEMS

V. Operator Examinations

- 9411020051** Informs that generic fundamentals exam section of written operator licensing exam was given on 941005. Transmits exam & results for info purposes. W/o encl. GWYNN,T.P. Region 4 (Post 820201). 94/10/26. STEWART,W.L. Alabama Public Service Co. 2pp. 81528:259-81528:260.
- 9411250062** Forwards updated operator licensing natl exam schedule, including anticipated number of candidates from PVNGS to be examined & number of candidates that will participate in generic fundamental exam for FY95. LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 94/11/09. Document Control Branch (Document Control Desk). 4pp. 81866:341-81866:344.
- 9411290193** Summary of 941110 meeting w/util re training & operator licensing issues. List of attendees, meeting agenda & handouts encl. GWYNN,T.P. Region 4 (Post 820201). 94/11/22. Region 4 (Post 820201). 27pp. 81869:003-81869:029.

DOCKET 52-001 GE ADVANCED BWR DESIGN, GENERAL ELECTRIC CO.

- 9411020070** Forwards Rev 0 to "ABWR Design Control Document (DCD)." DCD comprised of introduction, certified design matl & approved safety analysis matl. Responses to NRC comments requested by 940927 ltr also encl. QUIRK,J.F. General Electric Co. 94/10/28. CRUTCHFIELD,D. Associate Director for Advanced Reactors & License Renewal (Post 910918). 71pp. 81680:001-81713:360.
- 9411020073** Rev 0 to "ABWR Design Control Document."
* General Electric Co. 94/10/31. 11,787pp. 81680:072-81713:210.
- 9411020271** Summary of 940927-28 meeting w/util in San Jose, CA re staff comments on draft DCD for ABWR submitted in a GE letter dtd 940907. List of attendees encl. BOYCE,T.H. Standardization Project Directorate (Post 920517). 94/11/01. Standardization Project Directorate (Post 920517). 158pp. 81622:001-81622:161.
- 9411140186** Forwards description of proposed process for controlling changes to severe accident evaluations & explains bases for proposed process. FRANTZ,S.P. Affiliation Not Assigned. 94/11/01. RUSSELL,W.T. Office of Nuclear Reactor Regulation, Director (Post 870411). 14pp. 81752:339-81752:352.
- 9411080085** Responds to 941013 ltr, commenting on GE Nuclear Energy being designated source in notice of proposed rulemaking for making design control document for ABWR available to public. NRC has been advised that NTIS willing to distribute DCD. CRUTCHFIELD,D. Associate Director for Advanced Reactors & License Renewal (Post 910918). 94/11/02. QUIRK,J. General Electric Co. 3pp. 81658:178-81658:180.
- 9411140188** Forwards proposed rev to Section 3.8 of DCD introduction for ABWR re GE meeting on 941102. FRANTZ,S.P. Affiliation Not Assigned. 94/11/04. RUSSELL,W.T. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 81075:357-81075:358.
- 9411170286** Forwards draft final design approvals package for Advanced BWR & Sys 80+ std design, as directed by Commission in COMSECY-94-025, dtd 940624, & COMSECY-94-035, dtd 940726. NRC intends to revise FDA be extending terms. TAYLOR,J.M. Ofc of the Executive Director for Operations. 94/11/15. THE CHAIRMAN, SELIN,I., ROGERS Commissioners (Post 750119). 12pp. 81780:001-81780:012.
- 9411220426** Summary of 941102 meeting w/GE in Rockville, MD re treatment of severe accidents in design control document. List of attendees & handouts encl. BOYCE,T.H. Standardization Project Directorate (Post 920517). 94/11/15. Standardization Project Directorate (Post 920517). 5pp. 81822:303-81822:307.
- 9411250204** Forwards revised FDA for US ABWR std design, per App O of 10CFR52 & notice of issuance of FDA. RUSSELL,W.T. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/11/23. QUIRK,J. General Electric Co. 4pp. 81849:332-81849:337.
- 9411250219** Notice of issuance of FDA re ABWR std design, per App O of 10CFR52. CRUTCHFIELD,D. Associate Director for Advanced Reactors & License Renewal (Post 910918). 94/11/23. 2pp. 81849:336-81849:337.

DOCKET 52-002 SYSTEM 80+ STANDARDIZED NUCLEAR POWER PLANT DES.,

- 9411080051** BUCKLING EVALUATION OF SYSTEM 80+ (TM) CONTAINMENT. GREIMANN,L., FANOUSS,F., SAFAR,S. Iowa State Univ., Ames, IA. FIN L-2582. NUREG/CR-6161. 94/08/31. Division of Engineering (Post 921004). 145pp. 81648:001-81648:145.
- 9411010253** Submits proposed language related to Tier 2 for Sys 80+ design certification rule. BRINKMAN,C.B. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). BRINKMAN,C.B. ASEA Brown Boveri, Inc. 94/10/28. CRUTCHFIELD,D. Document Control Branch (Document Control Desk). 2pp. 81587:075-81587:076.
- 9411070381** Summary of 941024 public meeting w/ABB-CE in Rockville, MD re introduction to design control document for Sys 80+ design. MAGRUDER,S.L. Standardization Project Directorate (Post 920517). 94/10/31. Standardization Project Directorate (Post 920517). 8pp. 81623:312-81623:319.
- 9411080100** Provides feedback on ABB-CE being designated source in notice of proposed rulemaking for making design control document for sys 80+ design available to public. NRC has been advised that NTIS willing to distribute DCD for ABB-CE. CRUTCHFIELD,D. Associate Director for Advanced Reactors & License Renewal (Post 910918). 94/11/02. BRINKMAN,C.B. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 3pp. 81658:182-81658:184.
- 9411180204** Responds to 941025 ltr indicating concern re application of set of interrelated elements that defines technical & regulatory aspects of design-basic accident source term for licensing of passive plants. CRUTCHFIELD,D. Associate Director for Advanced Reactors & License Renewal (Post 910918). 94/11/14. MCDONALD,R.P. Electric Power Research Institute. 2pp. 81800:359-81800:360.

- 9411170286** Forwards draft final design approvals package for Advanced BWR & Sys 80+ std design, as directed by Commission in COMSECY-94-025, dtd 940624, & COMSECY-94-035, dtd 940726. NRC intends to revise FDA be extending terms. TAYLOR,J.M. Ofc of the Executive Director for Operations. 94/11/15. THE CHAIRMAN, SELIN,I., ROGERS Commissioners (Post 750119). 12pp. 81780:001-81780:012.
- 9411290113** Forwards revised final design approval for std sys 80+ design, per 10CFR52, App O. Notice of issuance of FDA for sys 80+ design also encl. RUSSELL,W.T. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/11/23. NEWMAN,R.E. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 2pp. 81866:088-81866:093.
- 9411290116** Final design approval for Asea-Brown Boveri-Combustion Engineering sys 80+ std design. RUSSELL,W.T. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/11/23. 2pp. 81866:090-81866:091.
- 9411290119** Notice of issuance of FDA for Asea-Brown Boveri-Combustion Engineering sys 80+ design, per 10CFR52, App O. CRUTCHFIELD,D. Associate Director for Advanced Reactors & License Renewal (Post 910918). 94/11/23. 2pp. 81866:092-81866:093.

DOCKET 52-003 AP600 STANDARD PLANT DESIGN, WESTINGHOUSE ELECTRIC CORP.

- 9411010119** Forwards Westinghouse responses to NRC request for addl info on AP600 from 940429, 0608 & 0818 ltrs. LIPARULO,N.J. Westinghouse Electric Corp. 94/10/21. BORCHARDT,R.W. Document Control Branch (Document Control Desk). 11pp. 81579:261-81579:271.
- 9411010258** Forwards Proprietary Rev 0 to PCS-GSR-006, "Experimental Basis for Mass Transfer Correlations Selected for Modeling Condensation & Evaporation on AP600 Containment Vessel." Rept withheld (ref 10CFR2.790). LIPARULO,N.J. Westinghouse Electric Corp. 94/10/21. BORCHARDT,R.W. Document Control Branch (Document Control Desk). 4pp. 81587:026-81587:037.
- 9411010261** Requests that Rev 0 to PCS-GSR-006, "Experimental Basis for Mass Transfer Correlations Selected for Modeling Condensation & Evaporation on AP600 Containment Vessel," be withheld (ref 10CFR2.790). LIPARULO,N.J. Westinghouse Electric Corp. 94/10/21. BORCHARDT,R.W. Document Control Branch (Document Control Desk). 7pp. 81587:030-81587:037.
- 9411030232** Forwards draft outlines for AP600 test & analysis repts. During 940924 telcon, opportunity for Dec meeting discussed. Westinghouse believes meeting to provide good opportunity to discuss outlines w/NRC staff. LIPARULO,N.J. Westinghouse Electric Corp. 94/10/27. BORCHARDT,R.W. Document Control Branch (Document Control Desk). 42pp. 81641:315-81641:358.
- 9411080034** Forwards non-proprietary WCAP-14191, "Scaling Analysis For AP600 Passive Containment Cooling Sys.," & proprietary WCAP-14190, "Scaling Analysis For AP600 Passive Containment Cooling Sys." LIPARULO,N.J. Westinghouse Electric Corp. 94/10/27. BORCHARDT,R.W. Document Control Branch (Document Control Desk). 160pp. 81677:077-81677:182.
- 9411080043** Requests that "AP600 Passive Containment Cooling Sys Scaling Rept," be withheld per 10CFR2.790. LIPARULO,N.J. Westinghouse Electric Corp. 94/10/27. Document Control Branch (Document Control Desk). 9pp. 81677:079-81677:087.
- 9411080046** "Scaling Analysis for AP600 Passive Containment Cooling Sys." SPENCER,D.R. Westinghouse Electric Corp. WCAP-14191. 94/10/31. 95pp. 81677:088-81677:182.
- 9411030304** Summary of 941025 meeting w/util to discuss conceptual security design for AP600 design. KENYON,T.J. Standardization Project Directorate (Post 920517). 94/10/31. Standardization Project Directorate (Post 920517). 6pp. 81608:035-81608:040.
- 9411070332** Forwards proprietary "AP600 NOTRUMP Core Makeup Tank Preliminary Validation Rept." MT01-GSR-001, Rev 0. Rept withheld (ref 10CFR2.790). LIPARULO,N.J. Westinghouse Electric Corp. 94/10/31. BORCHARDT,R.W. Document Control Branch (Document Control Desk). 4pp. 81663:115-81663:125.
- 9411070333** Requests that proprietary "AP600 NOTRUMP Core Makeup Tank Preliminary Validation Rept." MT01-GSR-001, Rev 0 be withheld (ref 10CFR2.790). LIPARULO,N.J. Westinghouse Electric Corp. 94/10/31. BORCHARDT,R.W. Document Control Branch (Document Control Desk). 7pp. 81663:119-81663:125.
- 9411080025** Summary of 941024 meeting w/W & Burns & Roe in Rockville, MD re changes made to radwaste bldg for AP600 design. Attendees listed in Encl 1. SHEMBARGER,K.M. Standardization Project Directorate (Post 920517). 94/10/31. Standardization Project Directorate (Post 920517). 27pp. 81658:130-81658:156.
- 9411100193** Advises that listed channels should be considered invalid for 3 tests. LIPARULO,N.J. Westinghouse Electric Corp. 94/10/31. BORCHARDT,R.W. Document Control Branch (Document Control Desk). 2pp. 81720:330-81720:331.
- 9411150001** Documents 941027 telcon comments re proposed rev to control room habitability section of SECY-94-084, "Policy & Technical Issues Associated W/Regulatory Treatment of Nonsafety Sys in Passive Designs." LIPARULO,N.J. Westinghouse Electric Corp. 94/10/31. BORCHARDT,R.W. Document Control Branch (Document Control Desk). 2pp. 81780:293-81780:294.
- 9411100268** Summary of 941020 meeting w/Westinghouse in Rockville, MD to discuss latest update of AP600 Level 2 PRA. List of attendees & matl presented by licensee encl. FRANOVICH,M.X. Standardization Project Directorate (Post 920517). 94/11/01. Standardization Project Directorate (Post 920517). 78pp. 81724:244-81724:321.
- 9411100120** Forwards position paper on AP600-specific time delay in physically-based source term. LIPARULO,N.J. Westinghouse Electric Corp. 94/11/02. BORCHARDT,R.W. Document Control Branch (Document Control Desk). 17pp. 81720:332-81720:348.

9411090108 Notification of 941115-17 meeting w/Westinghouse in Monroeville, PA to discuss Westinghouse plans, schedules & methodology for delivery of AP600 containment test program analysis info.
HASSELBERG, F.W. Standardization Project Directorate (Post 920517). 94/11/03. BORCHARDT, R.W. Standardization Project Directorate (Post 920517). 5pp. 81667:301-81667:305.

9411280164 Forwards errata to Rev 1 to "Westinghouse Electric AP600 SSAR."
LIPARULO, N.J. Westinghouse Electric Corp. 94/11/04. BORCHARDT, R.W. Document Control Branch (Document Control Desk). 4pp. 81922:182-81922:192.

-9411280172 Requests that errata to Rev 1 to AP600 SSAR be withheld (ref 10CFR2.790).
LIPARULO, N.J. Westinghouse Electric Corp. 94/11/04. BORCHARDT, R.W. Document Control Branch (Document Control Desk). 7pp. 81922:186-81922:192.

9411140043 Forwards responses to NRC requests for addl info on AP600 from NRC ltrs of 940429, 0714, 0818 & 0902. Responses associated w/NRC 940429 & 0714 ltrs complete.
LIPARULO, N.J. Westinghouse Electric Corp. 94/11/07. BORCHARDT, R.W. Document Control Branch (Document Control Desk). 76pp. 81745:272-81745:349.

9411170302 Summary of 941012-13 meeting w/LLNL & BPC in San Francisco, CA re open issues re SSI analysis models & results. List of attendees, agenda & various company handouts re progress on SSI status encl.
NINH, S.Q. Standardization Project Directorate (Post 920517). 94/11/09. Standardization Project Directorate (Post 920517). 92pp. 81776:001-81776:092.

9411170168 Notification of 941115 meeting w/W in Rockville, MD to discuss results of NRC working meeting & W recently completed analyses re passive sys reliability for AP600 design. Meeting agenda encl.
MAGRUDER, S.L. Standardization Project Directorate (Post 920517). 94/11/10. RUSSELL, W., MIRAGLIA, F., THADANIA, A. NRC - No Detailed Affiliation Given. 4pp. 81776:356-81776:359.

9411230059 Informs that mail "RAI on AP600" received in 941107 ltr has no info that Westinghouse considers proprietary.
LIPARULO, N.J. Westinghouse Electric Corp. 94/11/11. BORCHARDT, R.W. Document Control Branch (Document Control Desk). 1p. 81864:257-81864:257.

9411180204 Responds to 941025 ltr indicating concern re application of set of interrelated elements that defines technical & regulatory aspects of design-basic accident source term for licensing of passive plants.
CRUTCHFIELD, D. Associate Director for Advanced Reactors & License Renewal (Post 910918). 94/11/14. McDONALD, R.P. Electric Power Research Institute. 2pp. 81800:359-81800:360.

9411300380 Forwards proprietary preliminary "AP600 Quick Look Rept for SPES-2 Matrix Test SO1309." Electronic copy of test data included in Quick Look Rept (QLR) also encl. Proprietary QLR & electronic copy of test data withheld, per 10CFR2.790.
LIPARULO, N.J. Westinghouse Electric Corp. 94/11/14. BORCHARDT, R.W. Document Control Branch (Document Control Desk). 4pp. 81910:182-81910:192.

-9411300384 Requests that proprietary preliminary "AP600 Quick Look Rept for SPES-2 Matrix Test SO1309" & data cartridge containing test data files be withheld per 10CFR2.790.
LIPARULO, N.J. Westinghouse Electric Corp. 94/11/14. BORCHARDT, R.W. Document Control Branch (Document Control Desk). 7pp. 81910:186-81910:192.

9411230036 Notifies of 941206-08 meeting w/Westinghouse to discuss modular const design for AP600 design. Agenda encl.
SHEMBARGER, K.M. Standardization Project Directorate (Post 920517). 94/11/17. BORCHARDT, R.W. Standardization Project Directorate (Post 920517). 4pp. 81830:004-81830:007.

9411250088 Informs of NRC Staff intent to submit results of reexamination of fee recovery of NRC advanced reactor research costs currently charged to licensees in response to licensee 941031 submittal.
TAYLOR, J.M. Ofc of the Executive Director for Operations. 94/11/21. BRUSCHI, H.J. Westinghouse Electric Corp. 2pp. 81850:339-81850:340.

9411280211 Summary of 941031-1103 meeting w/consultants from LLNL re audit of seismic model for Westinghouse AP600 design. Attendance list, audit agenda & AP600 civil calculation list of seismic analysis encl.
NINH, S.Q. Standardization Project Directorate (Post 920517). 94/11/22. Standardization Project Directorate (Post 920517). 7pp. 81853:051-81853:057.

9411210074 Summary of 414th & 415th meetings of ACRS on 941006-07 & 1103-04 re NRC test & analysis programs in support of AP600 & SBWR advance LWR passive plant design certification reviews.
KRESS, T.S. ACRS - Advisory Committee on Reactor Safeguards. 94/11/10. TAYLOR, J.M. Ofc of the Executive Director for Operations. 5pp. 81864:010-81864:014.

9411280129 Forwards ACRS rept providing comments on NRC test & analysis programs in support of design certification reviews for Westinghouse Electric AP600 & GE Nuclear Energy simplified BWR advanced light water reactors.
* Office of Public Affairs (Post 911117). 94/11/17. 1p. 81903:079-81903:084.

9411220257 Provides info to closeout status of evaluation of deviation or failure to comply pursuant to requirements of 10CFR21.
LIPARULO, N.J. Westinghouse Electric Corp. 94/11/15. Document Control Branch (Document Control Desk). 3pp. 81833:010-81833:012.

DOCKET 52-004 GE SIMPLIFIED BWR (SBWR) DESIGN, GENERAL ELECTRIC CO.

9411070131 Forwards insp rept 99900403/94-02 on 940621-23. No violations noted. Results of insp indicate failure to ensure that adequate quality assurance program was in place & properly implemented by Toshiba for GIRAFFE Phase 1 test activities.
BORCHARDT, R.W. Standardization Project Directorate (Post 920517). 94/10/11. MARRIOTT, P.W. General Electric Co. 5pp. 81621:272-81621:293.

-9411070155 Insp rept 99900403/94-02 on 940621-23. No violations or deviations noted. Major areas inspected: 10CFR50, App B & 10CFR21.
MCINTYRE, R.P., POTAPOVS, U. Vendor Inspection Branch. 94/09/28. 17pp. 81621:277-81621:293.

9411080116 Responds to DM Crutchfield 940914 ltr advising GE that NRC reviewing NRC fee billing practices related to technical support & confirmatory research activities supporting design certification applications.
MARRIOTT, P.W. General Electric Co. 94/10/28. TAYLOR, J.M. Ofc of the Executive Director for Operations. 5pp. 81677:237-81677:241.

9411100272 Forwards proprietary response to request for addl info re SBWR GIRAFFE tests. Encl withheld (ref 10CFR2.790).
MARRIOTT, P.W. General Electric Co. 94/11/01. BORCHARDT, R.W. Standardization Project Directorate (Post 920517). 4pp. 81736:271-81736:274.

9411080147 Summary of 941013 pre-insp meeting w/GE, ENEA & SIET representatives in Placentia, Italy to discuss status of performance analysis & testing of heat removal sys full scale isolation test program for SBWR design.
TANG, D.T. Standardization Project Directorate (Post 920517). 94/11/03. Standardization Project Directorate (Post 920517). 7pp. 81663:322-81663:328.

9411140180 Summary of 940121 meeting w/Societa Informazioni Esperienze Termoidrauliche, GE, Ansaldo, ENEA & ENEL in Piacenza, Italy to discuss activities at Societa Informazioni Esperienze Termoidrauliche PANTHERS test facility for SBWR design.
TANG, D.T. Standardization Project Directorate (Post 920517). 94/11/07. Standardization Project Directorate (Post 920517). 44pp. 81736:185-81736:228.

9411170173 Summary of 940124 meeting w/Paul Scherrer Institute & GE in Wurenlingen, Switzerland re passive DHR & depressurization test facility. Attendance list, meeting agenda & slides encl.
TANG, D.T. Standardization Project Directorate (Post 920517). 94/11/07. Standardization Project Directorate (Post 920517). 19pp. 81776:337-81776:355.

9411170278 Forwards JEAG 4101-1990, "Guide for QA of Nuclear Power Plants, in response to RAI 900.67 transmitted by NRC 940926 ltr.
MARRIOTT, P.W. General Electric Co. 94/11/07. BORCHARDT, R.W. Standardization Project Directorate (Post 920517). 1p. 81800:121-81800:218.

-9411170282 "Guide for QA of Nuclear Power Plants."
* Japan. 93/05/31. 95pp. 81800:122-81800:218.

9411180116 Forwards PANDA facility Schematics requested by J Kudrick at readiness assessment meeting on 941019-21. W/oversize drawing encl.
MARRIOTT, P.W. General Electric Co. 94/11/07. BORCHARDT, R.W. Standardization Project Directorate (Post 920517). 2pp. 81842:077-81842:079.

9411230310 Summary of 940509 meeting w/GE representatives in Wurenlingen, Switzerland to discuss testing activities re SBWR design & become familiarized w/facility, goals, program & schedule of activities. List of attendees encl.
TANG, D.T. Standardization Project Directorate (Post 920517). 94/11/07. Standardization Project Directorate (Post 920517). 19pp. 81826:327-81826:345.

9411220273 Provides comments on BNL abstracts.
MARRIOTT, P.W. General Electric Co. 94/11/17. BORCHARDT, R.W. Standardization Project Directorate (Post 920517). 2pp. 81833:013-81833:014.

9411300178 Forwards response to open items from ACRS subcommittee 940824 meeting on thermal hydraulic phenomena.
LEATHERMAN, J.E. General Electric Co. 94/11/23. BOEHNERT, P.A. ACRS - Advisory Committee on Reactor Safeguards. 5pp. 81905:358-81905:362.

9411210074 Summary of 414th & 415th meetings of ACRS on 941006-07 & 1103-04 re NRC test & analysis programs in support of AP600 & SBWR advance LWR passive plant design certification reviews.
KRESS, T.S. ACRS - Advisory Committee on Reactor Safeguards. 94/11/10. TAYLOR, J.M. Ofc of the Executive Director for Operations. 5pp. 81864:010-81864:014.

9411280129 Forwards ACRS rept providing comments on NRC test & analysis programs in support of design certification reviews for Westinghouse Electric AP600 & GE Nuclear Energy simplified BWR advanced light water reactors.
* Office of Public Affairs (Post 911117). 94/11/17. 1p. 81903:079-81903:084.

DOMESTIC LICENSING OF SPECIAL NUCLEAR MATERIAL

DOCKET 70-0027 BABCOCK & WILCOX CO., LYNCHBURG, VA

9411030080 Discusses rev of CAL 2-94-07 sent on 940630. Informs that commitments outlined in 940824 ltr accepted as replacing commitment of 940630 ltr & corrective actions for remaining items will be reviewed as actions completed.
EBNETER, S.D. Region 2 (Post 820201). 94/10/12. CONNER, J.A. Babcock & Wilcox Co. 4pp. 81560:040-81560:043.

9411040085 EN-94-111 on 941021, notice of proposed imposition of civil penalty in amount of \$37,000 issued to licensee. Action based on violations involving failure to conduct activities involving licensed matl per established NCS limits.
MAMISH, N. Ofc of Enforcement (Post 870413). 94/10/18. 1p. 81658:031-81658:031.

9411010205 Forwards NOV & proposed imposition of civil penalty in amount of \$37,500 as ref in insp repts 70-0027/94-12, 70-0027/94-15 & 70-0027/94-16.
EBNETER, S.D. Region 2 (Post 820201). 94/10/21. HOOKER, E.O. Babcock & Wilcox Co. 4pp. 81515:129-81515:138.

-9411010212 Notice of violation & proposed imposition of civil penalty in amount of \$37,500. Noncompliance noted: licensee activities involving SNM not conducted in accordance w/established NCS limits & controls.
* Region 2 (Post 820201). 94/10/21. 6pp. 81515:133-81515:138.

9411100166 Forwards Insp Rept 70-0027/94-20 on 940927-30. Violations noted. Areas examined during insp identified in rept. Rept withheld, per 10CFR95.
COLLINS, D.M. Region 2 (Post 820201). 94/10/30. CONNER, J.A. Babcock & Wilcox Co. 3pp. 81736:300-81736:302.

170 DOCKETED ITEMS

9411210014 Notification of significant meeting w/utl on 941116 to discuss results of licensee investigations of root causes of several violations of nuclear criticality safety requirement at facility.
COLLINS,D.M. Region 2 (Post 820201). 94/11/02. Region 2 (Post 820201). 2pp. 81784:073-81784:074.

9411210030 Confirms 941011 & 941101 conversation between TD Lee & MP Elliott re meeting to be held at Region II ofc on 941116 to discuss results of investigation of root causes of several violations of nuclear criticality safety requirements.
STOHR,J.P. Region 2 (Post 820201). 94/11/02. CONNER,J.A. Babcock & Wilcox Co. 3pp. 81784:168-81784:170.

9411210028 Forwards insp rept 70-0027/94-21 on 940910-1007.No violations or deviations noted.
COLLINS,D.M. Region 2 (Post 820201). 94/11/03. CONNER,J.A. Babcock & Wilcox Co. 2pp. 81784:156-81784:164.

9411210034 Insp rept 70-0027/94-21 on 940910-1007.No violations or deviations noted.Major areas inspected:review of selected records,mgt organization,facility operations & maint,nuclear criticality safety,radiation protection & security.
ELLIOTT,M.P., MCALPINE,E.J. Region 2 (Post 820201). 94/11/03. 7pp. 81784:158-81784:164.

9411150009 Responds to violations noted in insp rept 70-0027/94-18. Corrective actions:procedure for evaluation & notification of potentially unsafe conditions revised.
CONNER,J.A. Babcock & Wilcox Co. 94/11/04. Document Control Branch (Document Control Desk). 3pp. 81775:089-81775:091.

9411150214 Forwards proprietary response to violations noted in Insp Rept 70-0027/94-202.Response withheld (ref 10CFR2.790).
LEE,T.D. Babcock & Wilcox Co. 94/11/11. Document Control Branch (Document Control Desk). 1p. 81780:289-81780:289.

9411230075 Application for renewal of license SNM-0042.
OLSEN,A.F. Babcock & Wilcox Co. 94/11/15. PIERSON,R.C. Licensing Branch. 187pp. 81848:026-81848:212.

9411230132 Forwards application for amend to license SNM-42,reflecting changes to fundamental nuclear matl control plan,Encl withheld.
SUWALA,M.C. Babcock & Wilcox Co. 94/11/16. PIERSON,R.C. Licensing Branch. 1p. 81964:280-81964:280.

9411280161 Responds to NRC comments & questions re revised emergency plan,dtl 940928.Revised emergency plan pages encl.
OLSEN,A.F. Babcock & Wilcox Co. 94/11/16. PIERSON,R.C. Licensing Branch. 2pp. 81902:334-81902:339.

9411290179 Revised emergency plan pages 4-2,5-13,5-14 & 7-7.
* Babcock & Wilcox Co. 94/11/15. 4pp. 81902:336-81902:339.

9411290024 Ack receipt of 941104 ltr informing NRC of steps taken to correct violations noted in insp rept 70-0027/94-18.
COLLINS,D.M. Region 2 (Post 820201). 94/11/18. CONNER,J.A. Babcock & Wilcox Co. 2pp. 81857:187-81857:188.

9411280203 Forwards response to violations noted & proposed imposition of civil penalty.Corrective actions:licensee performed special review of multiple problems w/ implementation of NCS program to determine addl or generic root causes.
CONNER,J.A. Babcock & Wilcox Co. 94/11/20. Ofc of Enforcement (Post 870413). 26pp. 81883:246-81883:271.

9411280224 Forwards response to violations & proposed imposition of civil penalty.Corrective actions:schedule for long-term corrective action officially transmitted to NRC on 940923, well before civil penalty ltr written.
CONNER,J.A. Babcock & Wilcox Co. 94/11/20. Ofc of Enforcement (Post 870413). 6pp. 81885:141-81885:146.

9411250243 Requests technical assistance in reviewing B&W license renewal,decommissioning section by 941223 & provide comments &/or questions for transmittal to B&W.
PIERSON,R. Licensing Branch. 94/11/23. AUSTIN,J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 1p. 81866:328-81866:328.

DOCKET 70-0033 TEXAS INSTRUMENTS, INC., ATTLEBORO, MA

9411290200 Notification of 941123 licensee meeting 94-135 in King of Prussia,PA to present suppl to site characterization & remediation plan for licensee Attleboro site.
ROBERTS,M.C., KINNEMAN,J.D. Region 1 (Post 820201). 94/11/16. Region 1 (Post 820201). 2pp. 81869:046-81869:047.

DOCKET 70-0036 COMBUSTION ENGINEERING, INC., HEMATITE, MO

9411040185 Application for amend to license SNM-33,revising schedule A of Standby Trust Agreement associated w/decommissioning funding plan.
MICHELSEN,M.A. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). MICHELSEN,M.A. ASEA Brown Boveri, Inc. 94/10/24. PIERSON,R. Licensing Branch. 14pp. 81624:315-81624:328.

9411020164 Forwards for approval revised Decommissioning Plan for two former evaporation ponds.
SHARKEY,R.W. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). SHARKEY,R.W. ASEA Brown Boveri, Inc. 94/10/26. PIERSON,R. Document Control Branch (Document Control Desk). 2pp. 81589:049-81589:072.

9411020170 "Combustion Engineering,Inc Hematite Nuclear Fuel Mfg Facility Evaporation Ponds Decommissioning Plan."
* ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). * ASEA Brown Boveri, Inc. 94/10/26. 22pp. 81589:051-81589:072.

9411030178 Forwards insp rept 70-0036/94-02 on 940811-0901 & notice of violation.Advises that incidents surrounding erbium oxide process & storage of combustible contaminated matls,if unattended,could cause programmatic weakening of ALARA.
SHEAR,G.L. Region 3 (Post 820201). 94/10/27. SHARKEY,R.W. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 2pp. 81560:344-81560:357.

9411030186 Notice of violation from insp on 940811-0901.Violation noted:failure to apply appropriate markings for shipment of low specific activity matl & failure to check moisture level before storing U oxide powder.
* Region 3 (Post 820201). 94/10/27. 1p. 81560:346-81560:346.

9411030191 Insp rept 70-0036/94-02 on 940811-12,17-19,22-24 & 0831- 0901.Violation noted.Major areas inspected:licensee use of temporary workers to replace workers on strike,including transition from strike condition to normal plant operations.
FRANCE,G.M., MCCANN,G.M. Region 3 (Post 820201). 94/10/27. 11pp. 81560:347-81560:357.

9411140172 Provides revised form 327 inventory rept for SNM Physical Inventory started on 940715.Encl withheld.
ESKRIDGE,H.E. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). ESKRIDGE,H.E. ASEA Brown Boveri, Inc. 94/10/31. PIERSON,R.C. Licensing Branch. 1p. 81760:352-81760:352.

9411070183 Informs that Schedule A of Standby Trust Agreement re Hematite decommissioning fund plan has been reviewed & no deficiencies identified.
PIERSON,R.C. Licensing Branch. 94/11/03. SHARKEY,R.W. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 1p. 81663:134-81663:134.

9411250242 Ack receipt of 941111 ltr informing NRC of steps taken to correct violations noted in Insp Rept 70-0036/94-202.
TING,P. Operations Branch. 94/11/23. SHARKEY,R.W. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 1p. 81866:329-81866:329.

9411250245 Requests technical assistance in reviewing C-E Hematite Evaporation Ponds decommissioning plan transmitted by C-E 941026 ltr.
PIERSON,R. Licensing Branch. 94/11/23. AUSTIN,J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 1p. 81866:326-81866:326.

DOCKET 70-0135 BABCOCK & WILCOX CO., APOLLO, PA

9411140012 Provides gamma spectrometry results for sludge ash samples from Kiski Valley Water Pollution Control Authority Leachburg,PA site.
ADAMS,W.C. Oak Ridge Associated Universities. 94/10/24. RAGLAND,R. Region 1 (Post 820201). 5pp. 81745:350-81745:354.

9411020096 Authorizes licensee to backfill hole located in South Parking Lot Survey Unit 4 within rectangle w/four corner coordinates of 175N,400W;175N,325W;50N,400W & 50N,32W.
PIERSON,R.C. Licensing Branch. 94/10/27. HAERTJENS,B.L. Babcock & Wilcox Co. 1p. 81590:069-81590:074.

9411020104 Offers encl data results for review,per gamma spectrometry analysis performed on 43 soil samples & one smear sample collected by NRC & sent to Environ Survey & Site Assessment Program of Oak Ridge Inst for Science & Education on 940801.
ADAMS,W.C. Oak Ridge Associated Universities. 94/08/11. RAGLAND,R. Region 1 (Post 820201). 5pp. 81590:070-81590:074.

9411080286 Authorizes licensee to backfill hole located in South Parking Lot Survey Units 3 & 5 within grids AA-20 & AA-21, as result of review of survey results for South Parking Lot Survey Units 3 & 5 as documented in licensee 940928 ltr.
PIERSON,R.C. Licensing Branch. 94/11/04. HAERTJENS,B.L. Babcock & Wilcox Co. 1p. 81667:342-81667:345.

9411080289 Offers attached data results per gamma spectrometry analysis performed on 9 soil samples collected by NRC & sent to Oak Ridge Inst for Science & Education Environ Survey & Site Assessment Program on 941005.
ADAMS,W.C. Oak Ridge Associated Universities. 94/10/20. RAGLAND,R. Region 1 (Post 820201). 3pp. 81667:343-81667:345.

9411170214 Informs that licensee intends to dispose of soil/debris at Armoni landfill following NRC concurrence that 8,000 cubic feet of soil radiologically acceptable for release for unrestricted use to allow shipment & disposal to landfill.
HAERTJENS,B.L. Babcock & Wilcox Co. 94/11/11. PIERSON,R.C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 2pp. 81826:359-81826:360.

9411250246 Requests that possession limits & conditions be amended as shown in attachment to ltr.
HAERTJENS,B.L. Babcock & Wilcox Co. 94/11/18. PIERSON,R.C. Licensing Branch. 4pp. 81866:283-81866:286.

9411300063 Requests technical assistance in reviewing Babcock & Wilcox, Apollo Decommissioning.
PIERSON,R.C. Licensing Branch. 94/11/21. AUSTIN,J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 2pp. 81922:306-81922:307.

9411290224 Informs that results of Soil Pile "1B" showed no sample result above 30 pCi/g after subtraction of background & authorizes use as backfill at Apollo,PA site.
PIERSON,R.C. Licensing Branch. 94/11/23. HAERTJENS,B.L. Babcock & Wilcox Co. 1p. 81922:291-81922:293.

9411290244 Provides results for environ survey & site assessment program of licensee requested gamma spectrometry analyses on soil samples from Babcock & Wilcox site in Apollo,PA.
ADAMS,W.C. Oak Ridge Associated Universities. 94/11/08. RAGLAND,R. Region 1 (Post 820201). 2pp. 81922:292-81922:293.

DOCKET 70-0143 NUCLEAR FUEL SERVICES, INC., ERWIN, TN

9411090180 Forwards "North Site Characterization Plan For Nuclear Fuel Services,Inc,Erwin,TN." Provides program to define extent & nature of radiological & chemical contamination in Pond 4 & other areas used for waste mgt & disposal at plant site.
MAXIN,A.M. Nuclear Fuel Services, Inc. 94/10/31. PIERSON,R.C. Licensing Branch. 2pp. 81718:001-81718:248.

9411090279 "North Site Characterization Plan For Nuclear Fuel Services, Inc."
GRIFFITH,B.L., HENSLEY,K.D., DRANE,B.K. Nuclear Fuel Services, Inc. 94/10/31. 150pp. 81718:004-81718:248.

9411030016 Ack receipt of 940930 ltr informing NRC of steps taken to correct violations noted in insp rept 70-0143/94-09.
COLLINS,D.M. Region 2 (Post 820201). 94/10/19. FERGUSON,D. Nuclear Fuel Services, Inc. 2pp. 81561:037-81561:038.

9411070204 Requests that correspondence from agency be directed to attention of AM Maxin, Vice President, Safety & Regulatory Mgt. B Knight no longer employed by licensee.
FERGUSON,D.B. Nuclear Fuel Services, Inc. 94/10/20. AUSTIN,J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 1p. 81663:137-81663:137.

9411020195 Forwards 30-day written notification of event. On 940827, personnel reported audible alarm for critically monitoring sys found disabled. No individuals exposed to radiation or radioactive mats as result of incident.
MAXIN,A.M. Nuclear Fuel Services, Inc. 94/10/26. Document Control Branch (Document Control Desk). 4pp. 81589:295-81589:298.

9411300039 Requests technical assistance in reviewing NFS North Site Characterization Plan.
PIERSON,R.C. Licensing Branch. 94/11/21. AUSTIN,J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 1p. 81933:050-81933:050.

9411290245 Forwards insp rept 70-0143/94-12 on 941024-28. No violations identified.
COLLINS,D.M. Region 2 (Post 820201). 94/11/23. FERGUSON,D. Nuclear Fuel Services, Inc. 2pp. 81870:163-81870:179.

-9411290248 Insp rept 70-0143/94-12 on 941024-28. No violations noted. Major areas inspected: environ monitoring, air sampling, status of decommissioning projects for three surface impoundments & "Pond 4" area decommissioning activities.
GLOERSEN,W.B., MCALPINE,E.J. Region 2 (Post 820201). 94/11/23. 15pp. 81870:165-81870:179.

DOCKET 70-0364 BABCOCK & WILCOX CO., PARKS TOWNSHIP, PA

9411070138 Forwards corrected pages re Parks Township Site Discharge to Kiski Valley Water pollution control authority.
HAERT,JENS,B.L. Babcock & Wilcox Co. 94/10/21. LAMASTRA,M. Licensing Branch. 3pp. 81654:170-81654:172.

9411160203 Forwards notice of public info meeting on remediation of Babcock & Wilcox parks township shallow land disposal area in Armstrong County, PA.
AUSTIN,J.H. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 94/10/27. MEYER,D.L. Regulatory Publications Branch (890205-920322). 1p. 81783:351-81783:355.

-9411160205 Notice to inform public meeting re decommissioning of Babcock & Wilcox shallow land disposal area at Parks Township Facility in Pennsylvania.
AUSTIN,J.H. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 94/10/27. 4pp. 81783:352-81783:355.

DOCKET 70-0687 CINTICHEM, INC., TUXEDO, NY

9411150112 Confirms 941114 meeting re mgt of residual radioactive matl, specifically contaminated bedrock, at Tuxedo, NY facility.
AUSTIN,J.H. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 94/11/03. MCGOVERN,J.J. Cintichem, Inc. 2pp. 81780:339-81780:340.

9411170218 Proposed amends to technical requirements in Cintichem consent order of June 1990.
* New York, State of. 94/11/10. 11pp. 81793:210-81793:220.

DOCKET 70-0698 WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA

9411150301 Forwards insp rept 70-0698/94-01 on 940725-26. No violations noted.
PASCIAK,W.J. Region 1 (Post 820201). 94/10/18. NARDI,A.J. Westinghouse Electric Corp. 2pp. 81742:022-81742:030.

-9411150314 Insp rept 70-0698/94-01 on 940725-26. No items of noncompliance identified. Major areas inspected: C/A on previous violations, internal audits, facilities, mats, personnel radiation protection, posting & labeling.
LADUN,R.H., PASCIAK,W.J. Region 1 (Post 820201). 94/10/05. 7pp. 81742:024-81742:030.

DOCKET 70-0734 GENERAL ATOMICS, SAN DIEGO, CA

9411170081 Ack receipt of USA/9250/B(U)F packages on 941017.
WISHAM,C.L. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 94/10/20. BANCROFT,M. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 1p. 81760:223-81760:225.

-9411170089 Informs that shipment departure date from AEA Technology & arrival at GA changed due to delay in obtaining validation of shipping from U.K. Dept of Transport. Revised schedule listed.
WISHAM,C.L. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 94/10/06. BENNINGTON,G.M. Medical, Academic & Commercial Use Safety Branch. 1p. 81760:224-81760:224.

-9411170090 Submits advance notification of import of SNM of low strategic significance from United Kingdom.
WISHAM,C.L. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 94/09/26. BENNINGTON,G.M. Medical, Academic & Commercial Use Safety Branch. 2pp. 81760:225-81760:226.

9411020057 Ack receipt of 941014 ltr informing NRC of steps taken to correct violations in insp rept 70-0734/94-03.
WENSLAWSKI,F.A. Walnut Creek Field Ofc, R4 (Post 940404). 94/10/25. EDWARDS,J. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 2pp. 81528:261-81528:262.

9411220087 Forwards comments from Environ Survey & Site Assessment Program of Oak Ridge Inst for Science & Education on 940829 re final survey rept, "Decontamination of Selected General Atomics Science Labs for Release to..."
WENSLAWSKI,F. Walnut Creek Field Ofc, R4 (Post 940404). 94/11/14. ASMUSSEN,K.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 6pp. 81797:353-81797:358.

DOCKET 70-0754 GENERAL ELECTRIC CO., PLEASANTON, CA

9411280024 Responds to 941006 request for approval of route to be used for transport of spent fuel from Dundalk Marine Terminal, Baltimore, MD to Vallecitos Nuclear Ctr, Pleasanton, CA. Route, as set forth in Encl 1, meets regulatory requirements.
HAUGHNEY,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/23. KIRKLAND,M.W. General Electric Co. 5pp. 81840:270-81840:274.

DOCKET 70-0824 BABCOCK & WILCOX CO., LYNCHBURG, VA

9411070085 Forwards insp rept 70-0824/94-04 on 940919-23 & notice of violation.
STOHR,J.P. Region 2 (Post 820201). 94/10/21. CONNER,J.A. Babcock & Wilcox Co. 3pp. 81605:051-81605:073.

-9411070091 Notice of violation from insp on 940919-23. Violation noted: licensee failed to conduct audit in accordance w/QA plan.
* Region 2 (Post 820201). 94/10/21. 3pp. 81605:054-81605:056.

-9411070098 Insp rept 70-0824/94-04 on 940919-23. Violations noted. Major areas inspected: radioactive airborne effluents, sampling & monitoring equipment & radioactive solid waste.
GLOERSEN,W.B., MCALPINE,E.J. Region 2 (Post 820201). 94/10/21. 17pp. 81605:057-81605:073.

9411210004 Forwards corrected pages to insp rept 70-0824/94-04 on 941021. Informs that due to error, tracking numbers listed in rept were incorrect.
COLLINS,D.M. Region 2 (Post 820201). 94/11/03. CONNER,J.A. Babcock & Wilcox Co. 5pp. 81784:014-81784:020.

-9411210280 Corrected pages to insp rept 70-0824/94-01. Tracking numbers listed in rept as 70-0824/94-01 through 70-0824/94-01 - 04 incorrect & should be 70-0824/94-04 - 01 through 70-0824/94-04 - 04.
* Region 2 (Post 820201). 94/11/03. 5pp. 81784:016-81784:020.

9411220212 Responds to violations noted in insp rept 70-0824/94-04. Corrective actions: licensee will revise NNFD plan to adequately cover current operations & clearly establish audit schedules.
CONNER,J.A. Babcock & Wilcox Co. 94/11/17. Document Control Branch (Document Control Desk). 6pp. 81864:319-81864:324.

DOCKET 70-0925 CIMARRON CORP., OKLAHOMA CITY, OK

9411280180 Forwards "Rept on South U Yard Remediation at Cimarron Facility."
STAUTER,J.C. Cimarron Corp. 94/11/17. AUSTIN,J.H. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 1p. 81899:020-81899:150.

-9411280184 "Rept on South U Yard Remediation at Cimarron Facility."
* Cimarron Corp. 94/11/30. 200pp. 81899:021-81899:150.

9411160150 Informs that NRC approves amend request to license SNM-928, allowing disposal of soil contaminated w/low concentrations of enriched U at Cimarron, OK site.
AUSTIN,J.H. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 94/11/04. STAUTER,J.C. Kerr-McGee Corp. 3pp. 81781:336-81781:338.

9411230290 Informs that in accordance w/NRC 941013 ltr & licensee 941014 commitment, licensee reanalyzed Option 2 stockpiles soil samples that exceeded 100 pCi/gm U & redone hot-spot averaging calculations. Results encl.
STAUTER,J.C. Cimarron Corp. 94/11/15. AUSTIN,J.H. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 52pp. 81898:199-81898:250.

9411250183 Application for amend to License SNM-928, containing refs to App A of prior license amend requests dtd 760913 & 790918 as well as App A of prior license renewal request dtd 820329 re decommissioning.
STAUTER,J.C. Kerr-McGee Corp. 94/11/15. AUSTIN,J.H. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 18pp. 81866:162-81866:179.

DOCKET 70-1100 COMBUSTION ENGINEERING, INC., WINDSOR, CT

9411030108 Forwards "Formerly Used Sites Remedial Action Program Designation Summary for C-E Site Windsor, CT" & DOE authority review for site.
WILLIAMS,W.A. Energy, Dept. of. 94/09/30. ROTH,J. Office of Nuclear Material Safety & Safeguards. 5pp. 81606:313-81606:339.

-9411030109 "Formerly Used Sites Remedial Action Program Designation Summary for C-E Site Windsor, CT."
* Energy, Dept. of. 94/06/16. 22pp. 81606:318-81606:339.

9411010367 Informs that within scope of review of Schedule A of Standby Trust Agreement Associated w/Windsor Decommissioning Fund Plan provided by C-E 940730 ltr, no deficiencies noted.

PIERSON,R.C. Licensing Branch. 94/10/27. CONANT,J.F. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 1p. 81579:304-81579:304.

9411090014 Forwards enforcement conference rept 70-1100/94-02 on 940927. Apparent violation of 10CFR70.9, complete & accurate info, being considered.
HEHL,C.W. Region 1 (Post 820201). 94/10/28. CONANT,J. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 3pp. 81637:037-81637:160.

-9411090025 Enforcement conference rept 70-1100/94-02 on 940927. Apparent violation of 10CFR70.9, complete & accurate info, identified & being considered. Areas discussed: current characterization of U contamination in bldg 3 & 3A.
NOGGLE,J., BORES,R.J. Region 1 (Post 820201). 94/10/28. 121pp. 81637:040-81637:160.

172 DOCKETED ITEMS

9411160031 Updates license amendment request to eliminate several requirements no longer needed in light of diminished operations at Windsor site.
MICHELSEN, M.A. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). MICHELSEN, M.A. ASEA Brown Boveri, Inc. 94/11/02. PIERSON, R.C. Licensing Branch. 12pp. 81783:339-81783:350.

9411150590 Forwards Amend 39 to License SNM-1067, deleting calibr of dilution tank level instrumentation.
PIERSON, R.C. Licensing Branch. 94/11/08. CONANT, J.F. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 1p. 81778:342-81778:350.

-9411150597 Amend 39 to license SNM-1067 for Combustion Engineering, Inc. deleting safety condition S-6, which requires annual calibration of dilution tank level instrumentation.
PIERSON, R.C. Licensing Branch. 94/11/08. 6pp. 81778:343-81778:348.

-9411150602 SER accepting Amend 39 to license SNM-1067.
* Licensing Branch. 94/11/08. 2pp. 81778:349-81778:350.

9411290274 Forwards insp rept 70-1100/94-03 on 941019-21. No violations or safety concerns noted.
JOYNER, J.H. Region 1 (Post 820201). 94/11/21. CONANT, J. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 3pp. 81870:234-81870:246.

-9411290275 Insp rept 70-1100/94-03 on 941019-21. No violations or safety concerns noted. Major areas inspected: review of activities associated w/ decontamination & decommissioning.
NOGGLE, J., BORES, R. Region 1 (Post 820201). 94/11/21. 10pp. 81870:237-81870:246.

DOCKET 70-1113 GENERAL ELECTRIC CO., WILMINGTON, NC

9411010118 Discusses 941005 conversation between JF Klapproth & GL Troup re meeting to be held in Wilmington on 941105 to discuss status of safety programs & to review performance since 931026 meeting.
STOHR, J.P. Region 2 (Post 820201). 94/10/11. KIPP, C.P. General Electric Co. 3pp. 81514:323-81514:325.

9411210051 Informs of typo on page 5 paragraph 7(a) & page 6 paragraph 8 of NRC insp rept 70-1113/94-08 on 940718-22 & that listed item on both pages should be corrected to 921001. Requests that licensee correct rept to show change.
COLLINS, D.M. Region 2 (Post 820201). 94/11/02. KIPP, C.P. General Electric Co. 2pp. 81784:256-81784:257.

9411210066 Notification of significant licensee meeting w/ util on 941115 to discuss status of licensee safety programs & other items of interest.
COLLINS, D.M. Region 2 (Post 820201). 94/11/02. Region 2 (Post 820201). 2pp. 81784:360-81784:361.

9411230241 Responds to NRC 940914 ltr re non-cited violations & recommendations noted in Insp Rept 70-1113/94-202 on 940808-12. Corrective actions: shop operations personnel on each shift check temporary operating instruction book daily.
KLAPPROTH, J.F. General Electric Co. 94/11/17. TING, P. Operations Branch. 8pp. 81893:354-81893:361.

9411290238 Forwards insp rept 70-1113/94-11 on 941024-28. No violations noted.
COLLINS, D.M. Region 2 (Post 820201). 94/11/23. KIPP, C.P. General Electric Co. 2pp. 81870:149-81870:160.

-9411290243 Insp rept 70-1113/94-11 on 941024-28. No violations noted. Major areas inspected: nuclear criticality safety, mgt controls, facility mods, procedures, follow-up on reported events & follow-up on previous insp findings.
TROUP, G.L., MCALPINE, E.J. Region 2 (Post 820201). 94/11/23. 10pp. 81870:151-81870:160.

9411290249 Forwards insp rept 70-1113/94-10 on stated dates. No violations or deviations noted.
CLINE, W.E. Region 2 (Post 820201). 94/11/23. KIPP, C.P. General Electric Co. 2pp. 81870:184-81870:193.

-9411290255 Insp rept 70-1113/94-10 on stated date. No violations noted. Major areas inspected: emergency preparedness & evaluation of performance of licensee emergency response organization during annual exercise.
SARTOR, W., BARR, K.P. Region 2 (Post 820201). 94/11/23. 8pp. 81870:186-81870:193.

DOCKET 70-1151 WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA

9411180183 Application for amend to License SNM-1107, incorporating revised site emergency plan changed pages. Rev result of lessons learned from Oct 1993 exercise, 1993 drills, unusual events & requested changes from SC-DHEC.
REITLER, E. Westinghouse Electric Corp. 94/03/25. WENCK, T. Licensing Branch. 136pp. 81799:138-81799:273.

9411030035 Forwards insp rept 70-1151/94-05 on 940912-16 & notice of violation. Violation of concern because of failure to follow approved Regulatory Affairs Procedures in area of Health Physics.
COLLINS, D.M. Region 2 (Post 820201). 94/10/14. FICI, J.A. Westinghouse Electric Corp. 2pp. 81561:143-81561:156.

-9411030038 Notice of violation from insp on 940912-16. Violation noted: between 940912-16, gum & candy wrappers had been observed in chemical areas including, but not limited to, chemical sides of Men & Women Change Area & U Recovery area.
* Region 2 (Post 820201). 94/10/14. 2pp. 81561:145-81561:146.

-9411030041 Insp rept 70-1151/94-05 on 940912-16. Violations noted. Major areas inspected: radiation protection procedures, instruments & equipment, external & internal exposure controls, posting, labeling & control of radioactive matls.
TESTA, E.D., PHARR, E.B., MCALPINE, E.J. Region 2 (Post 820201). 94/10/13. 10pp. 81561:147-81561:156.

9411070191 Forwards insp rept 70-1151/94-06 on 940926-30 & notice of deviation.
COLLINS, D.M. Region 2 (Post 820201). 94/10/21. FICI, J.A. Westinghouse Electric Corp. 3pp. 81605:280-81605:307.

-9411070199 Notice of deviation from insp on 940926-30. Deviation noted: as of 940930, procedure SYP-111 re chemical safety program, rev 0, still in draft form & being updated.
* Region 2 (Post 820201). 94/10/21. 1p. 81605:283-81605:283.

-9411070212 Insp rept 70-1151/94-06 on 940926-30. Deviation noted. Major areas inspected: review of licensee actions in response to violations & inspector followup items identified in insp repts 70-1151/92-04, 70-1151/93-01 & 70-1151/93-03.
BASSETT, C.H., MCALPINE, E.J. Region 2 (Post 820201). 94/10/21. 24pp. 81605:284-81605:307.

9411010290 Forwards Amend 25 to License SNM-1107 & SER. Amend incorporates revs to FNMCP.
PIERSON, R.C. Licensing Branch. 94/10/27. WILLIAMS, R.A. Westinghouse Electric Corp. 2pp. 81587:065-81587:074.

-9411010294 Amend 25 to License SNM-1107 for Westinghouse Electric Corp., incorporating revs to FNMCP.
PIERSON, R.C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/26. 7pp. 81587:067-81587:073.

-9411010295 SER supporting Amend 25 to License SNM-1107.
* NRC - No Detailed Affiliation Given. 94/10/27. 1p. 81587:074-81587:074.

9411010366 Notification of 941109 meeting w/ licensee in Columbia, SC to discuss radiation protection for license renewal.
* NRC - No Detailed Affiliation Given. 94/10/27. NRC - No Detailed Affiliation Given. 1p. 81579:305-81579:305.

9411070209 Revised meeting notice of 941110 meeting w/ licensee in Columbia, SC to discuss radiation protection for license renewal.
* NRC - No Detailed Affiliation Given. 94/11/03. NRC - No Detailed Affiliation Given. 1p. 81663:138-81663:138.

9411140081 Forwards proprietary corrected Pages 3.16 & 3.17 of FNMCP plan. Corrected pages withheld (ref 10CFR2.790(d)).
SANDERS, C.F. Westinghouse Electric Corp. 94/11/07. PIERSON, R. Licensing Branch. 1p. 81755:070-81755:070.

9411300235 Responds to deviations noted in insp rept 70-1151/94-06. Corrective actions: procedure redrafted & routed for approval.
FICI, J.A. Westinghouse Electric Corp. 94/11/18. Document Control Branch (Document Control Desk). 3pp. 81951:297-81951:299.

9411290228 Ack receipt of 941111 ltr informing NRC of steps taken to correct violations noted in insp rept 70-1151/94-05 on 941014.
COLLINS, D.M. Region 2 (Post 820201). 94/11/23. FICI, J.A. Wolverine Power Supply Cooperative, Inc. (formerly Wolverine Electric Cooperative). 2pp. 81870:134-81870:135.

DOCKET 70-1166 TENNESSEE VALLEY AUTHORITY, MUSCLE SHOALS, AL

9411210019 Safety insp on 941026-27 of license SNM-1102. Insp findings: no violations observed.
* Region 2 (Post 820201). * Tennessee Valley Authority. 94/10/27. 1p. 81784:103-81784:103.

DOCKET 70-1201 B&W FUEL CO., LYNCHBURG, VA

9411010203 Forwards insp rept 70-1201/94-04 on 940829-0902 & 16 & notice of violation.
COLLINS, D.M. Region 2 (Post 820201). 94/10/12. CARR, C.W. Babcock & Wilcox Co. 3pp. 81515:108-81515:128.

-9411010213 Notice of violation from insp on 940829-0902 & 16. Violation noted: QC program not conducted for two shipments of radwaste to disposal facility on 931207 & 940627.
* Region 2 (Post 820201). 94/10/12. 1p. 81515:111-81515:111.

-9411010222 Insp rept 70-1201/94-04 on 940829-0902 & 16. Violations noted. Major areas inspected: radwaste mgt, which included areas of airborne effluents, airborne effluent sampling & monitoring equipment, solid waste & environ mgt program.
CLOERSEN, W.B., MCALPINE, E.J. Region 2 (Post 820201). 94/10/12. 17pp. 81515:112-81515:128.

9411070292 Responds to violation noted in Insp Rept 70-1201/94-05. Corrective actions: pellets immediately removed & shelves blocked to restrict pellets from being stored on shelves.
CARR, C.W. B&W Fuel Co. 94/11/02. Document Control Branch (Document Control Desk). 3pp. 81653:359-81653:361.

9411080291 Forwards Amend 18 to License SNM-1168 & SER. Amend incorporates changes to FNMCP.
PIERSON, R.C. Licensing Branch. 94/11/04. KNAPP, K.S. B&W Fuel Co. 2pp. 81667:346-81667:353.

-9411080292 Amend 18 to License SNM-1168 for B&W Fuel Co., incorporating changes to FNMCP.
PIERSON, R.C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/11/04. 4pp. 81667:348-81667:351.

-9411080293 Safeguards evaluation rept supporting Amend 18 to License SNM-1168.
* NRC - No Detailed Affiliation Given. 94/11/04. 2pp. 81667:352-81667:353.

9411150574 Responds to NRC ltr re violations noted in insp rept 70-1201/94-04. Corrective actions: audit to ensure compliance w/ 10CFR61.55 & 10CFR61.56 to audit program.
CARR, C.W. B&W Fuel Co. 94/11/07. Document Control Branch (Document Control Desk). 2pp. 81778:340-81778:341.

9411160010 Notifies that BWFC partners & parent companies intend to implement limited restructuring of ownership in partnership & seek confirmation from NRC that further NRC approval is not needed for transfer of described partnership interests.
CORKRAN, T.D. B&W Fuel Co. 94/11/08. PIERSON, R.C. Licensing Branch. 8pp. 81779:257-81779:309.

9411300010 Ack receipt of 941107 ltr informing NRC of steps taken to correct violations noted in insp rept 70-1201/94-04 on 941012.
COLLINS,D.M. Region 2 (Post 820201). 94/11/21. CARR,C.W. Babcock & Wilcox Co. 2pp. 81871:118-81871:119.

9411280292 Responds to 941108 ltr notifying that licensee partners & parent companies intend to implement limited restructuring of ownership in partnership.NRC has no objection to proposed limited restructuring of ownership.
PIERSON,R.C. Licensing Branch. 94/11/23. KNAPP,K.S. B&W Fuel Co. 1p. 81900:306-81900:306.

9411290215 Ack receipt of 941102 ltr informing NRC of steps taken to correct violations noted in insp rept 70-1201/94-05 on 941005.
COLLINS,D.M. Region 2 (Post 820201). 94/11/23. CARR,C.W. B&W Fuel Co. 2pp. 81869:359-81869:360.

DOCKET 70-1252 EDLOW INTERNATIONAL CO., WASHINGTON, DC

9411170071 Advises that due to bad weather,current expected arrival date is plus four days from date provided in 940907 notice.
OSHINOWO,F. Edlow International Co. 94/09/15. HAUGHNEY,C. Division of Industrial & Medical Nuclear Safety (Post 870729). 1p. 81760:217-81760:217.

DOCKET 70-1257 SIEMENS NUCLEAR POWER CORP., RICHLAND, WA

9411030143 Application for amend to License SNM-1227,authorizing processing of 5% enriched U.Separate amend request will be submitted to authorize processing 6% enriched U.
EDGAR,J.B. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 94/10/21. PIERSON,R.C. Licensing Branch. 27pp. 81606:286-81606:312.

9411010301 Forwards Amend 28 to License SNM-1227 & SER.Amend revises name of Radioactive Matls Storage Warehouse & Fuels Storage Warehouse & adds Bay 22 of Matls Warehouse to list of locations for authorized activities.
PIERSON,R.C. Licensing Branch. 94/10/27. MAAS,L.J. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 1p. 81587:056-81587:064.

-9411010303 Amend 28 to License SNM-1227 for Siemens Power Corp, revising names of Radioactive Matls Storage Warehouse & Fuels Storage Warehouse & adding Bay 22 to list of locations for authorized activities.
PIERSON,R.C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/27. 5pp. 81587:057-81587:061.

-9411010304 SER supporting amend 28 to license SNM-1227.
* NRC - No Detailed Affiliation Given. 94/10/27. 3pp. 81587:062-81587:064.

9411010320 Forwards Amend 27 to License SNM-1227 & SER.Amend authorizes unrestricted release of hydrofluoric acid if activity does not exceed 3 picocuries per milliliter.
PIERSON,R.C. Licensing Branch. 94/10/27. MAAS,L.J. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 2pp. 81587:041-81587:050.

-9411010321 Amend 27 to License SNM-1227 for Siemens Power Corp, authorizing unrestricted release of hydrofluoric acid which activity does not exceed 3 picocuries per milliliter.
PIERSON,R.C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/10/26. 5pp. 81587:043-81587:047.

-9411010325 SER supporting Amend 27 to License SNM-1227.
* NRC - No Detailed Affiliation Given. 94/10/27. 3pp. 81587:048-81587:050.

9411040193 Forwards responses to NRC 940727 RAI on chemical safety re licensee Aug 1992 license renewal application.
EDGAR,J.B. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 94/10/31. PIERSON,R.C. Licensing Branch. 24pp. 81648:338-81648:361.

9411280270 Forwards proprietary Rev 26 to EMF-12(P), "Nuclear Matls Safeguards Procedures Description for Fuels Fabrication Plants." Rev 26 to EMF-12(P) withheld (ref 10CFR2.790(d)).
NOSS,D.L. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 94/11/16. PIERSON,R. Licensing Branch. 1p. 81900:311-81900:311.

9411220207 Forwards insp rept 70-1257/94-06 on 940926-30 & 1012-14 & notice of violation.Violation of concern because approved engineering procedures not followed that prevented systematic training of operators.
COLLINS,S.J. Region 4 (Post 820201). 94/11/18. FEMREITE,B.N. Siemens Corp. 3pp. 81799:074-81799:097.

-9411220210 Notice of violation from insp on 940926-30 & 1012-14. Violations noted:licensee did not provide training to operators relative to modification or evaluate need to revise operating procedures prior to restarting sys.
* Region 4 (Post 820201). 94/11/10. 2pp. 81799:077-81799:078.

-9411220224 Insp rept 70-1257/94-06 on 940926-30 & 1012-14.Violations noted.Major areas inspected:review circumstances re 940918 event,involving spill of approx 41 kg of low enriched U dioxide power.
WENSLAWSKI,F.A. Walnut Creek Field Ofc. R4 (Post 940404). 94/11/02. 19pp. 81799:079-81799:097.

9411300322 Requests amend to license SNM-1227 to delete requirement for fog deluge systems upstream of final HEPA filter banks.
EDGAR,J.B. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 94/11/23. PIERSON,R.C. Licensing Branch. 24pp. 81910:122-81910:145.

DOCKET 70-1358 INTERIOR, DEPT. OF, RESTON, VA

9411040081 Safety insp on 940913 of license SNM-1358.Insp findings: no violations observed.
FRANKLIN,L. Region 2 (Post 820201). * Interior, Dept. of, Geological Survey. 94/09/13. 1p. 81653:239-81653:239.

DOCKET 70-1359 IRT CORP., SAN DIEGO, CA

9411230314 Forwards "Final Status Survey Rept for Decommissioning of IRT Corp 8221 Arjons Road Storage Facility & Termination of License SNM-1405" for review.
CROSBIE,K.L. IRT Corp. 94/11/15. Licensing Branch. 1p. 81883:210-81883:245.

-9411230316 "Final Status Survey Rept for Decommissioning of IRT Corp 8221 Arjons Road Storage Facility & Termination of License SNM-1405."
* IRT Corp. 94/11/15. 34pp. 81883:212-81883:245.

DOCKET 70-1511 LOYOLA UNIV., CHICAGO, IL

9411180122 Responds to NRC 941014 ltr re violations noted in insp rept 70-1151/94-05 on 940912-16.Corrective actions:meeting was held on 940921 to emphasize importance of enforcing regulatory policies & procedures.
FICI,J.A. Westinghouse Electric Corp. 94/11/11. Document Control Branch (Document Control Desk). 5pp. 81818:355-81818:359.

DOCKET 70-2910 TENNESSEE VALLEY AUTHORITY, CHATTANOOGA, TN

9411290031 Forwards insp repts 50-390/94-62,50-391/94-62,70-2910/94-01 & 70-2928/94-01 on 940923-1021 & NOV.
JAUDON,J.P. Region 2 (Post 820201). 94/11/16. KINGLSEY,O.D. Tennessee Valley Authority. 4pp. 81857:212-81857:240.

-9411290037 Notice of violation from insp on 940923-1021.Violation noted:as of 941004,licensee failed to perform annual flow tests on centrifugal fire pumps used to provide fire protection.
* Region 2 (Post 820201). 94/11/16. 2pp. 81857:216-81857:217.

-9411290051 Insp repts 50-390/94-62 & 50-391/94-62,70-2910/94-01 & 70-2928/94-01 on 940923-1021.Violation noted.Major areas inspected:fire protection,pre-operational test procedure review & fire protection CAP review.
MILLER,W.H., FREDRICKSON,P. Region 2 (Post 820201). 94/11/15. 23pp. 81857:218-81857:240.

DOCKET 70-2928 TENNESSEE VALLEY AUTHORITY, CHATTANOOGA, TN

9411290031 Forwards insp repts 50-390/94-62,50-391/94-62,70-2910/94-01 & 70-2928/94-01 on 940923-1021 & NOV.
JAUDON,J.P. Region 2 (Post 820201). 94/11/16. KINGLSEY,O.D. Tennessee Valley Authority. 4pp. 81857:212-81857:240.

-9411290037 Notice of violation from insp on 940923-1021.Violation noted:as of 941004,licensee failed to perform annual flow tests on centrifugal fire pumps used to provide fire protection.
* Region 2 (Post 820201). 94/11/16. 2pp. 81857:216-81857:217.

-9411290051 Insp repts 50-390/94-62 & 50-391/94-62,70-2910/94-01 & 70-2928/94-01 on 940923-1021.Violation noted.Major areas inspected:fire protection,pre-operational test procedure review & fire protection CAP review.
MILLER,W.H. Region 2 (Post 820201). 94/11/15. 23pp. 81857:218-81857:240.

DOCKET 70-3052 M.A.S.S., INC., BELLEFONTE, PA

9411150351 Forwards insp rept 70-3052/94-01 on 930722-23 & 940525-26 & notice of violation.Activities appear to be in violation of NRC requirements.
PASCIAK,W.J. Region 1 (Post 820201). 94/10/13. HEYMAN,C. M.A.A.S., Inc. 3pp. 81745:140-81745:151.

-9411150365 Notice of violation from insp on 930722-23 & 940525-26. Violations noted:MAAS,Inc possessed special nuclear matl following revocation & expiration of license SNM-1978.
* Region 1 (Post 820201). 94/10/13. 6pp. 81745:143-81745:145.

-9411150371 Insp rept 70-3052/94-01 on 940525-26.Violations noted.Major areas inspected:former MAAS,Inc facility & abutting grounds.
AMATO,C.G. Region 1 (Post 820201). 94/10/13. 6pp. 81745:146-81745:151.

DOCKET 70-3070 LOUISIANA ENERGY SERVICES, WASHINGTON, DC

9411010175 Responds to 941003 ltr from counsel for Louisiana Energy Svcs informing that Citizens Against Nuclear Trash would like to confirm schedule for second phase of evidentiary hearing.
WALKER,N.M. Sierra Club Legal Defense Fund, Inc. #494 15845. 94/10/12. MOORE,T.S. Atomic Safety & Licensing Board Panel. 2pp. 81513:221-81513:222.

9411010097 Parties 941017 Joint Progress Rept.* Parties will submit another progress rept on 941215.W/Certificate of Svc.
DRAPER,R.L. Louisiana Energy Services. DRAPER,R.L. Winston & Strawn. #494 15827. 94/10/17. 9pp. 81513:141-81513:149.

9411010232 Applicant response in opposition to intervenor motion to compel answers to intervenor 940816 interrogatories & request for production.* W/Certificate of Svc.
MCGARRY,J.M. Louisiana Energy Services. DRAPER,R.L. Winston & Strawn. #494 15864. 94/10/20. Atomic Safety & Licensing Board Panel. 22pp. 81513:322-81513:343.

9411010077 NRC Staff proposed findings of fact & conclusions of law in form of partial initial decision re contentions L & M.* Staff findings re proposal to build gas centrifuge U enrichment facility in LA.W/Certificate of Svc.
HOLLER,E., BACHMANN,R.G. Office of the General Counsel (Post 860701). #494 15846. 94/10/21. 54pp. 81513:067-81513:120.

9411010072 Citizens Against Nuclear Trash clarified proposed findings of fact & conclusions of law pertaining to contentions L & M.* Submits findings re contentions re safeguards at Claiborne Enrichment Ctr.W/Certificate of Svc.
WALKER,N.M. Citizens Against Nuclear Trash. WALKER,N.M. Sierra Club Legal Defense Fund, Inc. #494 15862. 94/10/24. Atomic Safety & Licensing Board Panel. 18pp. 81513:049-81513:066.

174 DOCKETED ITEMS

9411010079 Motion for leave to file Citizens Against Nuclear Trash clarified proposed findings of fact & conclusions of law pertaining to contentions L & M.* Clarifications re changes to language in original findings.W/Certificate of Svc.
WALKER,N.M. Citizens Against Nuclear Trash. WALKER,N.M. Sierra Club Legal Defense Fund, Inc. #494 15961. 94/10/24. Atomic Safety & Licensing Board Panel. 5pp. 81513:121-81513:125.

9411010134 Informs that NRC staff will not file response to Motion by Citizens Against Nuclear Trash to compel util to respond to listed interrogatories.
HOLLER,E. Office of the General Counsel (Post 860701). #494 15857. 94/10/24. MOORE,T.S., SHON,F.J., COLE,R.F. Atomic Safety & Licensing Board Panel. 1p. 81513:171-81513:171.

9411010059 Citizens Against Nuclear Trash (CANT) motion for leave to reply to applicant opposition to CANT motion to compel.* Util has no objection to motion.W/Certificate of Svc.
CURRAN,D. Citizens Against Nuclear Trash. CURRAN,D. Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tousley). #494 15863. 94/10/27. Atomic Safety & Licensing Board Panel. 6pp. 81513:042-81513:047.

9411020074 Order.* Citizens Against Nuclear Trash shall file reply to applicant 941020 motion to intervenor motion to compel. W/Certificate of Svc.Served on 941028.
MOORE,T.S. Atomic Safety & Licensing Board Panel. #494 15865. 94/10/27. Citizens Against Nuclear Trash. 4pp. 81528:263-81528:266.

9411100128 Notice of schedule conflicts filed by Citizens Against Nuclear Trash.* Requests that final phase of hearing on Claiborne Enrichment Center be postponed to 950313.W/ Certificate of Svc & exhibit.
WALKER,N.M. Citizens Against Nuclear Trash. WALKER,N.M. Sierra Club Legal Defense Fund, Inc. #494 15911. 94/11/01. 10pp. 81672:165-81672:174.

9411040035 Citizens Against Nuclear Trash reply to applicant opposition to Citizens Against Nuclear Trash motion to compel.* Concludes that Board should grant intervenor motion to compel in entirety.W/Certificate of Svc.
CURRAN,D. Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tousley). WALKER,N.M. Sierra Club Legal Defense Fund, Inc. BAILEY,D.S. Lawyers Committee for Civil Rights Under Law. #494 15884. 94/11/02. Atomic Safety & Licensing Board Panel. 16pp. 81575:091-81575:106.

9411100150 Forwards indices of documents re LES site selection process requested in response to 940816 interrogatories & request for documents submitted by Citizens Against Nuclear Trash. Related correspondence.
DRAPER,R.L. Winston & Strawn. #494 15888. 94/11/02. CURRAN,D. Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tousley). 38pp. 81672:196-81672:233.

9411100044 Answers to "Applicant Second Set of Interrogatories & Requests for Production Directed to Citizens Against Nuclear Trash re Contentions I,J,K & W.*" W/ Certificate of Svc. Related correspondence.
WALKER,N.M. Sierra Club Legal Defense Fund, Inc. WALKER,N.M. Citizens Against Nuclear Trash. #494 15912. 94/11/04. Louisiana Energy Services. 50pp. 81671:276-81671:325.

9411100083 Applicant response to "Notice of Schedule Conflicts Filed by Citizens Against Nuclear Trash.*" W/Certificate of Svc.
MCGARRY,J.M. Louisiana Energy Services. MCGARRY,J.M. Winston & Strawn. #494 15908. 94/11/04. Atomic Safety & Licensing Board Panel. 7pp. 81673:339-81673:345.

9411100089 NRC Staff response to "Notice of Schedule Conflicts Filed By Citizens Against Nuclear Trash.*" Staff responds to Citizens Against Nuclear Trash notice & request for postponement of hearing to 950313.W/Certificate of svc.
HOLLER,E. Office of the General Counsel (Post 860701). #494 15906. 94/11/04. Atomic Safety & Licensing Board Panel. 7pp. 81672:035-81672:041.

9411100095 Applicant reply to proposed findings of fact & conclusions of law filed by intervenor Citizens Against Nuclear Trash & NRC staff re contentions H,L & M.* W/ Certificate of Svc.
MCGARRY,J.M. Louisiana Energy Services. MCGARRY,J.M. Winston & Strawn. #494 15909. 94/11/04. 42pp. 81674:211-81674:252.

9411180160 Notice of deposition.* Informs that Citizens Against Nuclear Trash will take deposition for all purposes allowed under Rules of Practice for Domestic Licensing Proceedings. W/Certificate of Svc.Related Correspondence.
WALKER,N.M. Citizens Against Nuclear Trash. WALKER,N.M. Sierra Club Legal Defense Fund, Inc. #494 15927. 94/11/07. 5pp. 81774:188-81774:192.

9411230048 Notice of deposition.* Informs that on 941205 & possibly on 941206 deposition of LA Energy Services will be taken for purposes allowed under rules of practice for licensing proceedings.W/Certificate of Svc.Related Correspondence.
WALKER,N.M. Sierra Club Legal Defense Fund, Inc. WALKER,N.M. Citizens Against Nuclear Trash. #494 15926. 94/11/07. 5pp. 81811:001-81811:005.

9411230058 Notice of deposition.* Informs that intervenor will take deposition of NRC Staff for all purposes allowed under Rules of Practice for Domestic Licensing Proceedings.W/Certificate of Svc.Related correspondence.
WALKER,N.M. Citizens Against Nuclear Trash. WALKER,N.M. Sierra Club Legal Defense Fund, Inc. #494 15925. 94/11/07. 5pp. 81811:006-81811:010.

9411140015 Responds to 941031 ltr & requests correspondence be placed in docket file 70-3070 for purpose of making views on siting of Claiborne Enrichment Ctr available to parties of proceeding.
INGRAM,F.L. Office of Public Affairs (Post 911117). 94/11/08. CAREY,T.D. Affiliation Not Assigned. 1p. 81736:061-81736:062.

-9411140019 Expresses opposition to establishment of U enrichment plant in Homer,LA for listed reasons.
CAREY,T.D. Affiliation Not Assigned. 94/10/31. NRC - No Detailed Affiliation Given. 1p. 81736:062-81736:062.

9411100218 Calls attention to comments received by NRC re "Final Environ Impact Statement for Const & Operation of Claiborne Enrichment Ctr,Homer,LA." NUREG-1484,Aug 1994,issued on 940829.
HICKEY,J. Enrichment Branch. 94/11/09. Atomic Safety & Licensing Board Panel. 2pp. 81752:214-81752:223.

-9411100222 Comments on final EIS for proposed licensing by NRC for const & operation of U enrichment facility near Homer,LA by Louisiana Energy Svcs.
THOMAS,N. Environmental Protection Agency. 94/10/25. HICKEY,J.W. Enrichment Branch. 2pp. 81752:216-81752:223.

9411180156 Order (scheduling hearing on contentions B,I,J,K,Q & W). Requests that parties file proposed schedule to Board by 941116.W/Certificate of Svc.Served on 941110.
MOORE,T.S., COLE,R.F., SHON,F.J. Atomic Safety & Licensing Board Panel. #494 15918. 94/11/09. Office of the General Counsel (Post 860701). 4pp. 81774:167-81774:170.

9411180158 Memorandum & order (ruling on intervenor 941005 motion to compel). Motion to compel granted & applicant corresponding motion for protective order denied. W/Certificate of Svc.Served on 941110.
MOORE,T.S., COLE,R.F., SHON,F.J. Atomic Safety & Licensing Board Panel. #494 15917. 94/11/09. Citizens Against Nuclear Trash. 14pp. 81774:173-81774:186.

9411180157 Forwards copies of listed documents provided by JR Michael re work done for LES on socioeconomic impacts of CEC.W/o encl.Related correspondence.
DRAPER,R.L. Winston & Strawn. #494 15923. 94/11/10. CURRAN,D. Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tousley). 2pp. 81774:171-81774:172.

9411180164 Advises that NRC staff does not intend to file response to "Motion for Leave to File Citizens Against Nuclear Trash Clarified Proposed Findings of Fact & Conclusions of Law re Contentions L & M." dtd 941024.
HOLLER,E. Office of the General Counsel (Post 860701). #494 15922. 94/11/10. MOORE,T.S., SHON,F.J., COLE,R.F. Atomic Safety & Licensing Board Panel. 1p. 81774:199-81774:199.

9411180148 Citizens Against Nuclear Trash motion for clarification of 941109,memorandum & order.* W/Certificate of Svc.
CURRAN,D. Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tousley). #494 15924. 94/11/14. Atomic Safety & Licensing Board Panel. 3pp. 81774:142-81774:144.

9411180168 Applicant response to "Citizens Against Nuclear Trash Motion for Clarification of 941109,Memorandum & Order." W/Certificate of Svc.
MCGARRY,J.M. Louisiana Energy Services. MCGARRY,J.M. Winston & Strawn. #494 15933. 94/11/14. Atomic Safety & Licensing Board Panel. 5pp. 81774:202-81774:206.

9411180152 Order.* Orders that applicant 940916 & 20,motions for protective orders,withdrawn.W/Certificate of Svc.Served on 941115.
MOORE,T.S., COLE,R.F., SHON,F.J. Atomic Safety & Licensing Board Panel. #494 15932. 94/11/15. Louisiana Energy Services. 4pp. 81774:152-81774:155.

9411300303 Submits schedule for second phase of evidentiary hearing as proposed by parties to proceeding in matter of Louisiana Energy Svcs.Informs that schedule reviewed & found acceptable.
MCGARRY,J.M. Louisiana Energy Services. MCGARRY,J.M. Winston & Strawn. #494 16008. 94/11/16. MOORE,T.S., SHON,F.J., COLE,R.F. Atomic Safety & Licensing Board Panel. 2pp. 81890:013-81890:014.

9411220369 Trip rept of 941024-28 visit to gaseous diffusion U enrichment facility & other U hexafluoride facilities operated by Cogema in Pierrelatte,France & gas centrifuge U enrichment facilities operated by Urenco in Gronau.
BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/11/17. BERNERO,R.M. Office of Nuclear Material Safety & Safeguards. 6pp. 81849:050-81849:055.

9411300312 Order (establishing schedule for hearing on contentions B,I, J,K,O & W). Advises that all parties having agreed,listed schedule shall be followed for concluding second phase of evidentiary hearing.W/Certificate of Svc.Served on 941121.
MOORE,T.S., COLE,R.F., SHON,F.J. Atomic Safety & Licensing Board Panel. #494 16011. 94/11/18. Office of the General Counsel (Post 860701). 4pp. 81890:025-81890:028.

9411300325 Memorandum & order.* Applicant motion for protective order w/respect to document request 19 denied.W/Certificate of Svc.Served on 941121.
MOORE,T.S., COLE,R.F., SHON,F.J. Atomic Safety & Licensing Board Panel. #494 16010. 94/11/18. Louisiana Energy Services. 11pp. 81891:007-81891:017.

DOCKET 70-7001 U.S. ENRICHMENT CORP. (PADUCAH GASEOUS DIFFUSION PLANT)

9411080255 Notification of upcoming meeting w/US Enrichment Corp on 941109 to discuss role in preparation of compliance plan & current status of format & content of certificate application.
SAWYER,C.B. Enrichment Branch. 94/11/04. HICKEY,J.W. Enrichment Branch. 1p. 81679:104-81679:104.

9411220369 Trip rept of 941024-28 visit to gaseous diffusion U enrichment facility & other U hexafluoride facilities operated by Cogema in Pierrelatte,France & gas centrifuge U enrichment facilities operated by Urenco in Gronau.
BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/11/17. BERNERO,R.M. Office of Nuclear Material Safety & Safeguards. 6pp. 81849:050-81849:055.

DOCKET 70-7002 U.S. ENRICHMENT CORP. (PORTSMOUTH GASEOUS DIFFUSION

9411080255 Notification of upcoming meeting w/US Enrichment Corp on 941109 to discuss role in preparation of compliance plan & current status of format & content of certificate application.
SAWYER,C.B. Enrichment Branch. 94/11/04. HICKEY,J.W. Enrichment Branch. 1p. 81679:104-81679:104.

9411220369 Trip rept of 941024-28 visit to gaseous diffusion U enrichment facility & other U hexafluoride facilities operated by Cogema in Pierrelatte,France & gas centrifuge U enrichment facilities operated by Urenco in Gronau.
BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/11/17. BERNERO,R.M. Office of Nuclear Material Safety & Safeguards. 6pp. 81849:050-81849:055.

9411230007 Forwards observation rept 70-7002/94-01 on 940712-1007. Activities at plant appeared to be different than DOE & licensee expectations
AXELSON,W.L. Region 3 (Post 820201). 94/11/17. WOOLLEY,R.L. United States Enrichment Corp. (USEC). 3pp. 81811:049-81811:060.

-9411230011 Observation rept 70-7002/94-01 on 940712-1007. Five items identified for NRC followup. Major areas observed: plant operations, maint/surveillance, engineering, plant support & mgt controls. SHEAR, G.L. Region 3 (Post 820201). 94/11/17. 8pp. 81811:052-81811:060.

DOCKET DOCKET UNKNOWN

9411210219 Informs that licensees intend to apply previously NRC- approved 10CFR50 App B QA program to transportation activities. ROE, K.K. Burns & Roe Enterprises, Inc. 94/08/24. Office of Nuclear Material Safety & Safeguards. 1p. 81842:133-81842:133.

9411010371 Ack receipt of 940928 ltr, raising question of coordination between NRC & OSHA w/respect to regulatory oversight of US Enrichment Corp gaseous diffusion plants. BERNERO, R.M. Office of Nuclear Material Safety & Safeguards. 94/10/27. WOOLLEY, R.L. United States Enrichment Corp. (USEC). 3pp. 81587:038-81587:040.

9411090359 Requests that NRC review & approve QA program for shipment of 239 Pu-Be neutron sources. WARDEN, J.A. Emory & Henry College, Emory, VA. 94/10/31. BAER, R.L. Source Containment & Devices Branch (Post 911213). 4pp. 81719:323-81719:327.

9411090367 Requests that NRC review & approve QA program for shipment of 239 Pu-Be neutron sources. MCELROY, M.K. Chestnut Hill College, Philadelphia, PA. 94/11/01. BAER, R.L. Source Containment & Devices Branch (Post 911213). 4pp. 81719:345-81719:349.

9411090237 Informs that withholding listed info from TPL-92Y-450K SAR from public disclosure in accordance w/10CFR2.790 within interest of Japan Atomic Energy Research Inst. per request. PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/07. OKUNO, K. Japan. 3pp. 81717:349-81717:351.

9411170317 Summary of 941101 meeting w/uttl in Rockville, MD re transport of Yankee Rowe reactor vessel. OSGOOD, N.L. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/08. CHAPPELL, C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 41pp. 81818:029-81818:069.

9411102285 Forwards QA program for shipment of Pu-Be-239 neutron sources. SCHOEPP, D.C. Bucknell Univ., Lewisburg, PA. 94/11/09. BAER, R.L. Source Containment & Devices Branch (Post 911213). 1p. 81842:134-81842:137.

-9411210286 QA program for shipment of Pu-Be-239 neutron sources. MAXWELL, B.R. Bucknell Univ., Lewisburg, PA. 94/11/08. 3pp. 81842:135-81842:137.

PACKAGING OF RADIOACTIVE MATERIAL FOR TRANSPORT AND TRANSPORTATION OF RADIOACTIVE MATERIAL UNDER CERTAIN CONDITIONS

DOCKET 71-0001 ANEFCO, INC.

9411010369 Notifies that had QA Section (SCDB/IMNS) been aware of ANEFCO, Inc terminating matl license 06-211-40-02 in Nov 1991. ANEFCO, Inc QA program approval 0001 would have been terminated effective that date, in response to 941027 memo. JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213). 94/10/28. WEISS, D. License Fee & Debt Collection Branch (Post 890827). 1p. 81579:303-81579:303.

DOCKET 71-0003 SIEMENS NUCLEAR POWER CORP.

9411150617 Forwards rev 10 of "Siemens Power Corp - Nuclear Division QA Program For Nuclear Fuel Shipping Containers." Rev will address request for addl info in 940922 ltr. EDGAR, J.B. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 94/11/07. JANKOVICH, J.P. Division of Industrial & Medical Nuclear Safety (Post 870729). 1p. 81779:195-81779:249.

-9411150622 "Siemens Power Corp - Nuclear Div QA Program For Nuclear Fuel Shipping Containers." Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 94/11/04. 48pp. 81779:196-81779:249.

DOCKET 71-0023 TENNECO GAS

9411100274 Application for renewal of QA program approval for radioactive matl package:0023, changing name of company & updating organizational chart. Organizational chart encl. CULBERTSON, D.L. Tenneco Gas. 94/10/07. JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213). 2pp. 81755:068-81755:069.

DOCKET 71-0034 AMERICON HOLDING CO., INC.

9411030344 Notifies that QA program approval for radioactive matl package:0034 expired on 940930 & that registration as user of COCs 9032, 9033, 9035 & 9039 terminated. Records required by 10CFR71.91 & 71.135 to be retained for period of three yrs. JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213). 94/11/01. VAUGHN, H.P. Americon Holding Co., Inc. 1p. 81640:330-81640:330.

DOCKET 71-0040 AMERSHAM CORP.

9411150614 Provides rev to Amersham's organizational chart, which lists major organizational structure per Burlington's QA program approval for radioactive material packages 0040. PODOLAK, L. Amersham Corp. 94/10/14. MATULA, T. Source Containment & Devices Branch (Post 911213). 2pp. 81778:359-81778:360.

DOCKET 71-0062 INDUSTRIAL NUCLEAR CO.

9411070140 Forwards QA program approval for radioactive material package 0062, rev 6. JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213). 94/10/25. CAIN, W.E. Industrial Nuclear Co. 1p. 81663:129-81663:130.

-9411070143 QA program approval for radioactive matl package:0062, Rev 6. JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213). 94/10/25. 1p. 81663:130-81663:130.

DOCKET 71-0115 B&W FUEL CO.

9411160275 Forwards Rev 1 to Document 56-1203517-01, "Radioactive Matl Shipping Container QA Program." KNAPP, K.S. B&W Fuel Co. 94/10/20. JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213). 13pp. 81782:198-81782:275.

-9411160276 Rev 1 to Document 56-1203517-01, "Radioactive Matl Shipping Container QA Program." GARDNER, R.L., CARR, C.W. B&W Fuel Co. 94/10/25. 63pp. 81782:212-81782:275.

DOCKET 71-0128 AMOCO OIL CO.

9411030274 Notifies that QA program approval for radioactive matl package:0128 expired on 940930 & that registration as user of COC 9039 terminated. Records required by 10CFR71.91 & 71.135 to be retained for period of three yrs. JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213). 94/11/01. KLEIBER, L.P. Amoco Oil Co. 1p. 81640:358-81640:358.

DOCKET 71-0134 LABARGE PIPE & STEEL CO.

9411030288 Notifies that QA program approval for radioactive matl package:0134 expired on 940930 & that registration as user of COCs 9032 & 9033 terminated. Records required by 10CFR71.91 & 71.135 to be retained for period of three yrs. JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213). 94/11/01. DRIGGERS, S. Labarge Pipe & Steel Co. 1p. 81640:355-81640:355.

DOCKET 71-0146 GLOBE X-RAY SERVICES, INC.

9411020217 Application for renewal of QA program approval for radioactive matl package:0146. SWANSON, K. Globe X-Ray Services, Inc. 94/10/10. JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213). 1p. 81590:111-81590:111.

9411070166 Forwards QA program approval for radioactive material package 0146, rev 4. JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213). 94/11/03. SWANSON, K. Globe X-Ray Services, Inc. 1p. 81663:131-81663:132.

-9411070170 QA program approval for radioactive matl package:0146, Rev 4. JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213). 94/11/03. 1p. 81663:132-81663:132.

DOCKET 71-0162 EBASCO SERVICES, INC.

9411280136 Application for renewal of QA program approval for radioactive matl package:0162. Fee paid. BULLEN, H.C. Ebasco Services, Inc. 94/11/09. JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213). 1p. 81922:176-81922:176.

9411300013 Forwards QA program, rev 4 & ltr requesting renewal of QA program approval 0162. BULLEN, H.C. Raytheon Service Co. 94/11/11. JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213). 1p. 81951:263-81951:273.

-9411300017 Requests renewal of QA program for radioactive material packages approval 0162, which expires 941130. BULLEN, H.C. Raytheon Service Co. 94/11/09. JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213). 4pp. 81951:264-81951:267.

-9411300020 Rev 4 to "NDE Lab QA Program For Shipping Packages For Radioactive Material." BULLEN, H.C. Raytheon Service Co. 94/04/18. 6pp. 81951:268-81951:273.

DOCKET 71-0171 GLITSCH FIELD SERVICES/NDE, INC.

9411010362 Application for renewal of QA program approval for radioactive matl package:0171. Fee paid. MAGNO, A.C. Glitsch Field Services/NDE, Inc. (formerly Industrial Inspection Industries, Inc. 94/10/25. JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213). 2pp. 81586:348-81586:357.

-9411010363 Revised "Description Glitsch Field Svcs/NDE, Inc QA Program for Transportation/Packaging of Radioactive Matl." MAGNO, A.C. Glitsch Field Services/NDE, Inc. (formerly Industrial Inspection Industries, Inc. 94/10/20. 8pp. 81586:350-81586:357.

DOCKET 71-0201 DURALLOY BLAW-KNOX, INC.

9411080028 Responds to ltr, which informed that QA program for packaging of radioactive material for transport expires on 941231. DOVE, M. Blaw Knox Corp. (formerly Duralloy Blaw-Knox, Inc.). 94/10/25. JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213). 1p. 81717:317-81717:319.

176 DOCKETED ITEMS

9411100224 Forwards QA program approval for radioactive material package:0201,rev 4.
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 94/11/08.
DOVE,M. Duraloy. 1p. 81745:154-81745:155.

-9411100226 QA program approval for radioactive matl package:0201,Rev 4.
JANKOVICH,J.P. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/08. 1p. 81745:155-81745:155.

DOCKET 71-0207 NORTHEAST UTILITIES

94111020293 Application for amend to QA program approval for radioactive matl package:0207 & review of fee assessed for NRC FY94.
OPEKA,J.F. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities Service Co. 94/10/25. License Fee & Debt Collection Branch (Post 890827). 3pp. 81590:027-81590:029.

DOCKET 71-0213 INTERMOUNTAIN TESTING CO.

94111030305 Notifies that QA program approval for radioactive matl package:0213 expired on 940930 & that registration as user of COCs 9032,9033 & 9039 terminated.Records required by 10CFR71.91 & 71.135 to be retained for period of three yrs.
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 94/11/01.
FOX,C.E. Intermountain Testing Co. 1p. 81640:354-81640:354.

DOCKET 71-0221 PRECISION COMPONENT CORP.

9411170052 Forwards rev A to DOP-RS-1, "QA Procedure for Control & Use of Radioactive Matl Shipping Packages for Industrial Radiography."
KARCHNAK,F.G. Precision Components Corp. 94/11/09. JANKOVICH,J.P. Transportation Branch (Post 930207). 1p. 81789:023-81789:029.

-9411170058 "QA Procedure For Control & Use Of Radioactive Material Shipping Packages For Industrial Radiography."
* Precision Components Corp. 94/11/08. 6pp. 81789:024-81789:029.

DOCKET 71-0228 CAPITAL X-RAY SERVICE

9411170323 Forwards QA program approval for radioactive matl package: 0228,Rev 4.
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 94/11/10.
JOHNSON,G.W. Capital X-Ray Service. 1p. 81823:089-81823:090.

-9411170324 QA program approval for radioactive matl package:0228,Rev 4.
JANKOVICH,J.P. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/10. 1p. 81823:090-81823:090.

DOCKET 71-0234 X-RAY, INC.

94111090365 Requests renewal of QA program for radioactive package:0234.
CONNELL,G. X-Ray, Inc. 94/10/31. JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 1p. 81717:354-81717:354.

DOCKET 71-0236 AMERICAN AIRLINES, INC.

9411280066 Forwards revised copy of American Airlines QA Program along w/required fee of \$280.00.
NETHERCUTT,B.W. American Airlines, Inc. 94/10/24. JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 1p. 81922:168-81922:175.

-9411300025 "NonDestructive Testing Manual," for American Airlines.
* American Airlines, Inc. 94/06/05. 7pp. 81922:169-81922:175.

DOCKET 71-0238 AGRICULTURE, DEPT. OF

9411300365 Advises that QA program approval for radioactive matl package:0238 expires on 950131.Renewal must be requested within 30 days of expiration.If renewal not desired,NRC should be notified.
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 94/11/29.
JARRETT,R.D. Agriculture, Dept. of. 1p. 81923:353-81923:353.

DOCKET 71-0242 LAW ENGINEERING TESTING CO.

9411300370 Advises that QA program approval for radioactive matl package:0242 expires on 950131.Renewal must be requested within 30 days of expiration.If renewal not desired,NRC should be notified.
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 94/11/29.
HARDEMAN,R.H. Law Engineering. 1p. 81923:355-81923:355.

DOCKET 71-0257 INDUSTRIAL LABORATORIES, INC.

94111030278 Notifies that QA program approval for radioactive matl package:0257 expired on 940930 & that registration as user of COC 9127 terminated.Records required by 10CFR71.91 & 71.135 to be retained for period of three yrs.
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 94/11/01.
PRUETT,J. Industrial Laboratories, Inc. 1p. 81640:357-81640:357.

DOCKET 71-0260 ASTROTECH, INC.

9411300363 Advises that QA program approval for radioactive matl package:0260 expires on 950131.Renewal must be requested within 30 days of expiration.If renewal not desired,NRC should be notified.
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 94/11/29.
MYKYTA,L. Astrotech, Inc. 1p. 81923:352-81923:352.

DOCKET 71-0325 CONSUMERS POWER CO.

94111080185 Requests renewal of QA program approval for transportation package:0325,Rev 4.Fee paid.
ROGERS,D.W. Consumers Power Co. 94/08/26. Document Control Branch (Document Control Desk). 1p. 81679:184-81679:184.

94111030346 Notifies that QA program approval for radioactive matl package:0325 expired on 940930 & that registration as user of COCs 5607,5805,5939,6058,6400,6581,6601,9032,9033,9039, 9079,9081,9094,9096,9111,9151,9159,9168 & 9216 terminated.
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 94/11/01.
Consumers Power Co. 1p. 81640:329-81640:329.

9411150007 Forwards QA program approval for radioactive matl package: 0325,rev 5.
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 94/11/09.
HAAS,K. Consumers Power Co. 1p. 81775:087-81775:088.

-9411150008 Certificate of compliance 0325,rev 5.
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 94/11/09. 1p. 81775:088-81775:088.

DOCKET 71-0327 PORTLAND GENERAL ELECTRIC CO.

9411100196 Notifies of util intent to apply encl Rev 17 of PGE-8010, "Portland General Electric Nuclear QA Program for Trojan Nuclear Plant" to transportation activities in support of plant large component removal project.
QUENNOZ,S.M. Portland General Electric Co. 94/11/02. BERNERO,R.M. Office of Nuclear Material Safety & Safeguards. 2pp. 81752:169-81752:213.

DOCKET 71-0330 ALLIED INSPECTION SERVICES, INC.

9411300359 Advises that QA program approval for radioactive matl package:0330 expires on 950131.Renewal must be requested within 30 days of expiration.If renewal not desired,NRC should be notified.
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 94/11/29.
GRASHAW,T.D. Allied Inspection Services, Inc. 1p. 81923:350-81923:350.

DOCKET 71-0332 FLORIDA POWER CORP.

9411150005 Forwards QA program approval for radioactive matl package: 0332,rev 5.
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 94/11/09.
BEARD,P.M. Florida Power Corp. 1p. 81775:085-81775:086.

-9411150006 Certificate of compliance 0332,rev 5.
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 94/11/09. 1p. 81775:086-81775:086.

DOCKET 71-0339 WISCONSIN CENTRIFUGAL, INC.

9411100249 Application for renewal of QA program approval for radioactive matl package:0339.Fee paid.
PENDER,T.L. Wisconsin Centrifugal, Inc. 94/10/14. JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 1p. 81736:361-81736:361.

DOCKET 71-0341 ENTERGY OPERATIONS, INC.

9411300356 Advises that QA program approval for radioactive matl package:0341 expires on 950131.Renewal must be requested within 30 days of expiration.If renewal not desired,NRC should be notified.
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 94/11/29.
FISICANO,J.J. Entergy Operations, Inc. 1p. 81923:349-81923:349.

DOCKET 71-0346 PUBLIC SERVICE CO. OF COLORADO

9411300267 Application for renewal of QA program approval for radioactive matl package:0346,which expires on 941231.
WAREMBOURG,D.W. Public Service Co. of Colorado. 94/11/21. Office of Nuclear Material Safety & Safeguards. 2pp. 81925:099-81925:100.

DOCKET 71-0348 MICHIGAN, UNIV. OF

9411090416 Requests renewal of QA program approval for Ford Nuclear Reactor.
FLEMING,R.F. Michigan, Univ. of, Ann Arbor, MI. 94/11/01. MACDONALD,C.E. Transportation Branch (Post 930207). 1p. 81747:128-81747:128.

DOCKET 71-0360 NAVY, DEPT. OF

9411300360 Advises that QA program approval for radioactive matl package:0319 expires on 950131.Renewal must be requested within 30 days of expiration.If renewal not desired,NRC should be notified.
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 94/11/29.
KRUEGEL,R.E. General Testing & Inspection Co. 1p. 81923:351-81923:351.

DOCKET 71-0431 TRUTOM (U.S.), LTD.

9411210296 Application for amend of QA program approval for radioactive matl package:0431,including registration as user of COCs 9032,9033,9035,9107,9143 & 9147.Amend requested because of change of address as listed.Fee paid.
SORIANO,R. Trutom (U.S.), Ltd. 94/11/03. JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 1p. 81842:215-81842:215.

DOCKET 71-0496 SCIENTIFIC ECOLOGY GROUP, INC.

9411080188 Informs that 940921 ltr had been returned by Post Office as undeliverable. Ltr has been sent to PO Box address. W/end.
JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213). 94/11/01.
ROSS, C. Scientific Ecology Group, Inc. 1p. 81658:263-81658:265.

DOCKET 71-0607 MK-FERGUSON CO.

9411100225 Responds to 941104 ltr re exemption from payment of FY93 annual fee for QA program approval 0607 & invoice AM06379-94. Extension of time to 940909, granted.
TAYLOR, J.M. Ofc of the Executive Director for Operations. 94/11/04. MARUDAS, D. MK-Ferguson Co. 3pp. 81733:356-81733:358.

DOCKET 71-0685 SIERRA TESTING, INC.

9411280064 Application for renewal of QA program approval for radioactive matl package:0685. Requests organizational chart be omitted from current program. Fee paid.
SPENCER, A.L. Sierra Testing, Inc. 94/11/11. JANKOVICH, J.P. NRC - No Detailed Affiliation Given. 1p. 81922:166-81922:167.

DOCKET 71-0688 M.M.P. QUALITY INSPECTIONS, INC.

9411170035 Requests cancellation of M.M.P. Quality Insp, Inc QA program for radioactive matl package 0688, effective immediately.
BAGARRY, A.A. M.M.P. Quality Inspections, Inc. 94/11/08. MACDONALD, C.E. Office of Nuclear Material Safety & Safeguards. 1p. 81785:361-81785:361.

DOCKET 71-0691 TEI ANALYTICAL SERVICES, INC.

9411300368 Advises that QA program approval for radioactive matl package:0691 expires on 950131. Renewal must be requested within 30 days of expiration. If renewal not desired, NRC should be notified.
JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213). 94/11/29.
WEISS, G.E. TEI Analytical Services, Inc. (formerly Trans-Eastern Inspection, Inc.). 1p. 81923:354-81923:354.

DOCKET 71-0702 GREGORY ENTERPRISES, INC.

9411040306 Requests cancellation of QA program approval for radioactive matl package:0702 issued to Gregory Enterprise, Inc. per telcon w/E Zeigler on 941019. Original ltr requesting that fee on QA program be waived encl.
GREGORY, L. Gregory Enterprises, Inc. 94/10/21. JANKOVICH, J. NRC - No Detailed Affiliation Given. 1p. 81658:338-81658:340.

-9411040309 Requests that encl invoice AM06445-94 be voided. Offers listed historical basis for request.
GREGORY, L. Gregory Enterprises, Inc. 94/10/21. JANKOVICH, J. NRC - No Detailed Affiliation Given. 2pp. 81658:339-81658:340.

9411070175 Advises of termination of QA program approval 0702, per 941021 request.
JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213). 94/11/03.
GREGORY, L. Gregory Enterprises, Inc. 1p. 81663:133-81663:133.

9411100114 Ack receipt of ltr to J Jankovich re invoice AM06445-94 & informs that NRC will extend interest waiver period pending final determination of issues raised in ltr.
WEISS, D. License Fee & Debt Collection Branch (Post 890827). 94/11/04.
GREGORY, L. Gregory Enterprises, Inc. 1p. 81752:227-81752:227.

DOCKET 71-0707 CARONDELET FOUNDRY CO.

9411280145 Informs of new location of facility & that positions RSO & Radiation Coordinator filled by R Spees & R Huber. Revised "Carondelet Foundry QA Program" encl. Fee paid.
HUBER, R. Carondelet Foundry Co. 94/11/15. JANKOVICH, J.P. Transportation Branch (Post 930207). 1p. 81922:177-81922:181.

-9411290184 Revised "Carondelet Foundry QA Program."
* Carondelet Foundry Co. 94/11/15. 4pp. 81922:178-81922:181.

DOCKET 71-0752 UNIVERSAL TESTING, INC.

9411030285 Notifies of termination of QA program approval 0752, as requested in 941010 ltr. Authority to use COC 6717 also terminated. Records required by 10CFR 71.91 & 71.135 to be retained for period of three yrs.
JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213). 94/11/01.
MULLKIN, M.S. Universal Testing, Inc. 1p. 81640:356-81640:356.

DOCKET 71-0770 RUST REMEDIAL SERVICES

9411180180 Requests amend approval 0770 to exclude design & fabrication activities. Fee paid.
CHRISTIAN, J. Affiliation Not Assigned. 94/11/08. MAURICE, M. NRC - No Detailed Affiliation Given. 1p. 81830:336-81830:336.

DOCKET 71-0781 PROFESSIONAL QUALITY TESTING CO. NEW KENSINGTON

9411070158 Requests addl info re 940113 ltr, requesting registration for use of model 660 radioactive material transportation packaging, COC 9033 & NRC approval of 10CFR 71 Subpart H, QA Program.
JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213). 94/10/25.
CHABAL, J.C. Affiliation Not Assigned. 2pp. 81662:358-81662:359.

DOCKET 71-0789 NEWPORT NEWS SHIPBUILDING

941100220 Forwards QA program approval for radioactive material package:0789, rev 0.
JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213). 94/11/08.
FLOWE, J.M. Newport News Shipbuilding & Dry Dock Co. 1p. 81745:152-81745:153.

-9411100221 QA program approval for radioactive matl package:0789, Rev 0.
JANKOVICH, J.P. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/08. 1p. 81745:153-81745:153.

DOCKET 71-0792 NDE SERVICES, INC

9411020268 Forwards QA Program approval for radioactive material packages 0792, rev 0.
JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213). 94/10/31.
THOMPSON, K. NDE Services, Inc. 1p. 81636:354-81636:355.

-9411020270 QA program approval for radioactive matl package:0792, Rev 0.
JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213). 94/10/31.
1p. 81636:355-81636:355.

DOCKET 71-0796 DREXEL UNIVERSITY

9411210267 Forwards QA program for shipment of Pu-Be-239 neutron source.
KAY, J.G. Drexel Univ., Philadelphia, PA. 94/11/05. BAER, R.L. Source Containment & Devices Branch (Post 911213). 1p. 81842:138-81842:141.

-9411210271 QA program for shipment of Pu-Be-239 neutron sources.
KAY, J.G. Drexel Univ., Philadelphia, PA. 94/11/05. 3pp. 81842:139-81842:141.

DOCKET 71-3021 MODEL: 3300A, TRANSPORTATION, DEPT. OF

9411030238 Informs of termination of review of package due to failure to provide addl info re Model 3300A requested on 930824.
CHAPPELL, C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/10/31. BOYLE, R. Transportation, Dept. of. 1p. 81653:238-81653:238.

DOCKET 71-4909 MODEL: GE-21PF-1 & W-21PF-1, GENERAL ELECTRIC CO.

9411020132 Submits response to NRC request for addl info re renewal of NRC Certificate of Compliance USA/4909/AF, Model GE-21PF-1 overpack.
KLAPPROTH, J.F. General Electric Co. 94/10/26. HAUGHNEY, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 5pp. 81589:033-81589:048.

-9411020136 "Analysis of GE 21PF-1 Tie Down Sys." per 10CFR 71.45.
KAUL, M.K., MUSE, J.A. General Electric Co. 94/10/20. 15pp. 81589:037-81589:048.

DOCKET 71-5607 MODEL: T-2, ENERGY, DEPT. OF

9411030346 Notifies that QA program approval for radioactive matl package:0325 expired on 940930 & that registration as user of COCs 5607, 5805, 5939, 6058, 6400, 6581, 6601, 9032, 9033, 9039, 9079, 9081, 9094, 9096, 9111, 9151, 9159, 9168 & 9216 terminated.
JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213). 94/11/01.
Consumers Power Co. 1p. 81640:329-81640:329.

DOCKET 71-5805 MODEL: CNS 3-55, CHEM-NUCLEAR SYSTEMS, INC.

9411030346 Notifies that QA program approval for radioactive matl package:0325 expired on 940930 & that registration as user of COCs 5607, 5805, 5939, 6058, 6400, 6581, 6601, 9032, 9033, 9039, 9079, 9081, 9094, 9096, 9111, 9151, 9159, 9168 & 9216 terminated.
JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213). 94/11/01.
Consumers Power Co. 1p. 81640:329-81640:329.

DOCKET 71-5939 MODEL: 1500, GENERAL ELECTRIC CO.

9411030346 Notifies that QA program approval for radioactive matl package:0325 expired on 940930 & that registration as user of COCs 5607, 5805, 5939, 6058, 6400, 6581, 6601, 9032, 9033, 9039, 9079, 9081, 9094, 9096, 9111, 9151, 9159, 9168 & 9216 terminated.
JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213). 94/11/01.
Consumers Power Co. 1p. 81640:329-81640:329.

DOCKET 71-5957 MODEL: BMI-1, CINTICHEM, INC.

9411280265 Responds to request re addl info on application to amend NRC certificate of compliance 5957 & informs of intent to submit requested info by 950113.
WAMPLER, M.E. Energy, Dept. of. 94/11/14. CHAPPELL, C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 1p. 81900:312-81900:312.

DOCKET 71-6049 MODEL: 426A, 426B, ENERGY, DEPT. OF

9411020274 Notification of registration as user of certificate of compliance 6049 & 6188 in response to 940921 request.
CHAPPELL, C.R. Office of Nuclear Material Safety & Safeguards. 94/10/31.
MILES, B.K. Energy, Dept. of. 1p. 81636:357-81636:357.

178 DOCKETED ITEMS

DOCKET 71-6058 MODEL: B-3, CINTICHEM, INC.

9411030346 Notifies that QA program approval for radioactive matl package:0325 expired on 940930 & that registration as user of COCs 5607,5805,5939,6058,6400,6581,6601,9032,9033,9039, 9079,9081,9094,9096,9111,9151,9159,9168 & 9216 terminated. JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 94/11/01. Consumers Power Co. 1p. 81640:329-81640:329.

DOCKET 71-6188 MODEL: 25 SPARE MODULE, ENERGY, DEPT. OF

9411020274 Notification of registration as user of certificate of compliance 6049 & 6188 in response to 940921 request. CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 94/10/31. MILES,B.K. Energy, Dept. of. 1p. 81636:357-81636:357.

DOCKET 71-6400 MODEL: 6400, WESTINGHOUSE ELECTRIC CORP.

9411030346 Notifies that QA program approval for radioactive matl package:0325 expired on 940930 & that registration as user of COCs 5607,5805,5939,6058,6400,6581,6601,9032,9033,9039, 9079,9081,9094,9096,9111,9151,9159,9168 & 9216 terminated. JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 94/11/01. Consumers Power Co. 1p. 81640:329-81640:329.

DOCKET 71-6553 MODEL: PADUCAH TIGER, ENERGY, DEPT. OF

9411290256 Forwards certificate of compliance:6553,Rev 5 for Model Paducah Tiger package & approval constitutes authority to use package for shipment of radioactive matl & for package to be shipped per provisions of 49CFR173.471. CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/22. WANDLER,M.E. Energy, Dept. of. 2pp. 81922:270-81922:274.

-9411290258 Certificate of compliance 6553,rev 5 for Paducah Tiger model package. CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/22. 3pp. 81922:272-81922:274.

DOCKET 71-6581 MODEL: 51032-1 & 51032-1A, ADVANCED NUCLEAR FUELS CORP.

9411030346 Notifies that QA program approval for radioactive matl package:0325 expired on 940930 & that registration as user of COCs 5607,5805,5939,6058,6400,6581,6601,9032,9033,9039, 9079,9081,9094,9096,9111,9151,9159,9168 & 9216 terminated. JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 94/11/01. Consumers Power Co. 1p. 81640:329-81640:329.

DOCKET 71-6601 MODEL: CNS 8-120 A, CHEM-NUCLEAR SYSTEMS, INC.

9411030346 Notifies that QA program approval for radioactive matl package:0325 expired on 940930 & that registration as user of COCs 5607,5805,5939,6058,6400,6581,6601,9032,9033,9039, 9079,9081,9094,9096,9111,9151,9159,9168 & 9216 terminated. JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 94/11/01. Consumers Power Co. 1p. 81640:329-81640:329.

DOCKET 71-6717 MODEL: 6717-B, AMERSHAM CORP.

9411030285 Notifies of termination of QA program approval 0752,as requested in 941010 ltr.Authority to use COC 6717 also terminated.Records required by 10CFR71.91 & 71.135 to be retained for period of three yrs. JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 94/11/01. MULLKIN,M.S. Universal Testing, Inc. 1p. 81640:356-81640:356.

DOCKET 71-9029 MODEL: 676 & 676E, AMERSHAM CORP.

9411040245 Forwards Certificate of Compliance 9029,Rev 10 for Models 676,676E,676A,676AE,676B & 676BE packages. CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/01. ROUGHAN,C. Amersham Corp. 1p. 81658:330-81658:333.

-9411040247 Certificate of Compliance 9029,Rev 10,for Models 676,676E, 676A,676AE,676B & 676BE packages.W/approval record. CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/01. 3pp. 81658:331-81658:333.

DOCKET 71-9032 MODEL: 650, AMERSHAM CORP.

9411020271 Notification of registration as user of certificate of compliances 9032,9033 & 9148,in response to 941011 request. CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/10/31. GAUMER,G.R. Empire Steel Castings, Inc. 1p. 81636:356-81636:356.

9411030288 Notifies that QA program approval for radioactive matl package:0134 expired on 940930 & that registration as user of COCs 9032 & 9033 terminated.Records required by 10CFR71.91 & 71.135 to be retained for period of three yrs. JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 94/11/01. DRIGGERS,S. LaBarge Pipe & Steel Co. 1p. 81640:355-81640:355.

9411030305 Notifies that QA program approval for radioactive matl package:0213 expired on 940930 & that registration as user of COCs 9032,9033 & 9039 terminated.Records required by 10CFR71.91 & 71.135 to be retained for period of three yrs. JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 94/11/01. FOX,C.E. Intermountain Testing Co. 1p. 81640:354-81640:354.

9411030344 Notifies that QA program approval for radioactive matl package:0034 expired on 940930 & that registration as user of COCs 9032,9033,9035 & 9039 terminated.Records required by 10CFR71.91 & 71.135 to be retained for period of three yrs. JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 94/11/01. VAUGHN,H.P. Americon Holding Co., Inc. 1p. 81640:330-81640:330.

9411030346 Notifies that QA program approval for radioactive matl package:0325 expired on 940930 & that registration as user of COCs 5607,5805,5939,6058,6400,6581,6601,9032,9033,9039, 9079,9081,9094,9096,9111,9151,9159,9168 & 9216 terminated. JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 94/11/01. Consumers Power Co. 1p. 81640:329-81640:329.

9411210296 Application for amend of QA program approval for radioactive matl package:0431,including registration as user of COCs 9032,9033,9035,9107,9143 & 9147.Amend requested because of change of address as listed.Fee paid. SORIANO,R. Trutom (U.S.), Ltd. 94/11/03. JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 1p. 81842:215-81842:215.

9411280260 Requests to be registered as user of Amersham Corp Model 650 under certificate of compliance 9032. MILLS,L. United Airlines, Inc. 94/11/15. CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 1p. 81900:313-81900:313.

9411280271 Requests registration as user of model 650. JOHNSTON,W.M. Global X-Ray & Testing Corp. 94/11/16. CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 1p. 81900:310-81900:310.

DOCKET 71-9033 MODEL: 660, 660A, 660AE, 660B, 660BE, 660E, AMERSHAM

9411020271 Notification of registration as user of certificate of compliances 9032,9033 & 9148,in response to 941011 request. CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/10/31. GAUMER,G.R. Empire Steel Castings, Inc. 1p. 81636:356-81636:356.

9411030288 Notifies that QA program approval for radioactive matl package:0134 expired on 940930 & that registration as user of COCs 9032 & 9033 terminated.Records required by 10CFR71.91 & 71.135 to be retained for period of three yrs. JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 94/11/01. DRIGGERS,S. LaBarge Pipe & Steel Co. 1p. 81640:355-81640:355.

9411030305 Notifies that QA program approval for radioactive matl package:0213 expired on 940930 & that registration as user of COCs 9032,9033 & 9039 terminated.Records required by 10CFR71.91 & 71.135 to be retained for period of three yrs. JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 94/11/01. FOX,C.E. Intermountain Testing Co. 1p. 81640:354-81640:354.

9411030344 Notifies that QA program approval for radioactive matl package:0034 expired on 940930 & that registration as user of COCs 9032,9033,9035 & 9039 terminated.Records required by 10CFR71.91 & 71.135 to be retained for period of three yrs. JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 94/11/01. VAUGHN,H.P. Americon Holding Co., Inc. 1p. 81640:330-81640:330.

9411030346 Notifies that QA program approval for radioactive matl package:0325 expired on 940930 & that registration as user of COCs 5607,5805,5939,6058,6400,6581,6601,9032,9033,9039, 9079,9081,9094,9096,9111,9151,9159,9168 & 9216 terminated. JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 94/11/01. Consumers Power Co. 1p. 81640:329-81640:329.

9411210296 Application for amend of QA program approval for radioactive matl package:0431,including registration as user of COCs 9032,9033,9035,9107,9143 & 9147.Amend requested because of change of address as listed.Fee paid. SORIANO,R. Trutom (U.S.), Ltd. 94/11/03. JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 1p. 81842:215-81842:215.

9411280285 Requests registration as user of model 660B. JOHNSTON,W.M. Global X-Ray & Testing Corp. 94/11/16. CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 1p. 81900:307-81900:307.

DOCKET 71-9035 MODEL: 680 & 680E, AMERSHAM CORP.

9411030344 Notifies that QA program approval for radioactive matl package:0034 expired on 940930 & that registration as user of COCs 9032,9033,9035 & 9039 terminated.Records required by 10CFR71.91 & 71.135 to be retained for period of three yrs. JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 94/11/01. VAUGHN,H.P. Americon Holding Co., Inc. 1p. 81640:330-81640:330.

9411210296 Application for amend of QA program approval for radioactive matl package:0431,including registration as user of COCs 9032,9033,9035,9107,9143 & 9147.Amend requested because of change of address as listed.Fee paid. SORIANO,R. Trutom (U.S.), Ltd. 94/11/03. JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 1p. 81842:215-81842:215.

DOCKET 71-9039 MODEL: 715, AMERSHAM CORP.

9411030274 Notifies that QA program approval for radioactive matl package:0128 expired on 940930 & that registration as user of COC 9039 terminated.Records required by 10CFR71.91 & 71.135 to be retained for period of three yrs. JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 94/11/01. KLEIBER,L.P. Amoco Oil Co. 1p. 81640:358-81640:358.

9411030305 Notifies that QA program approval for radioactive matl package:0213 expired on 940930 & that registration as user of COCs 9032,9033 & 9039 terminated.Records required by 10CFR71.91 & 71.135 to be retained for period of three yrs. JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 94/11/01. FOX,C.E. Intermountain Testing Co. 1p. 81640:354-81640:354.

9411030344 Notifies that QA program approval for radioactive matl package:0034 expired on 940930 & that registration as user of COCs 9032,9033,9035 & 9039 terminated. Records required by 10CFR71.91 & 71.135 to be retained for period of three yrs.
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 94/11/01. VAUGHN,H.P. Americon Holding Co., Inc. 1p. 81640:330-81640:330.

9411030346 Notifies that QA program approval for radioactive matl package:0325 expired on 940930 & that registration as user of COCs 5607,5805,5939,6058,6400,6581,6601,9032,9033,9039, 9079,9081,9094,9096,9111,9151,9159,9168 & 9216 terminated.
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 94/11/01. Consumers Power Co. 1p. 81640:329-81640:329.

DOCKET 71-9056 MODEL: SPEC 2-T, SOURCE PRODUCTION & EQUIPMENT CO.,

9411020276 Notification of registration as user of certificate of compliance 9056,in response to 941012 request.
CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/10/31. BUSH,J.F. Source Production & Equipment Co., Inc. 1p. 81636:358-81636:358.

DOCKET 71-9079 MODEL: NUPAC 14D-2.0, NUPAC SERVICES, INC.

9411030346 Notifies that QA program approval for radioactive matl package:0325 expired on 940930 & that registration as user of COCs 5607,5805,5939,6058,6400,6581,6601,9032,9033,9039, 9079,9081,9094,9096,9111,9151,9159,9168 & 9216 terminated.
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 94/11/01. Consumers Power Co. 1p. 81640:329-81640:329.

DOCKET 71-9081 MODEL: CNS 1-13C, CHEM-NUCLEAR SYSTEMS, INC.

9411030346 Notifies that QA program approval for radioactive matl package:0325 expired on 940930 & that registration as user of COCs 5607,5805,5939,6058,6400,6581,6601,9032,9033,9039, 9079,9081,9094,9096,9111,9151,9159,9168 & 9216 terminated.
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 94/11/01. Consumers Power Co. 1p. 81640:329-81640:329.

DOCKET 71-9094 MODEL: CNS 14-195-H, CHEM-NUCLEAR SYSTEMS, INC.

9411030346 Notifies that QA program approval for radioactive matl package:0325 expired on 940930 & that registration as user of COCs 5607,5805,5939,6058,6400,6581,6601,9032,9033,9039, 9079,9081,9094,9096,9111,9151,9159,9168 & 9216 terminated.
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 94/11/01. Consumers Power Co. 1p. 81640:329-81640:329.

DOCKET 71-9096 MODEL: CNS 21-300, CHEM-NUCLEAR SYSTEMS, INC.

9411030346 Notifies that QA program approval for radioactive matl package:0325 expired on 940930 & that registration as user of COCs 5607,5805,5939,6058,6400,6581,6601,9032,9033,9039, 9079,9081,9094,9096,9111,9151,9159,9168 & 9216 terminated.
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 94/11/01. Consumers Power Co. 1p. 81640:329-81640:329.

DOCKET 71-9107 MODEL: 771, AMERSHAM CORP.

9411210296 Application for amend of QA program approval for radioactive matl package:0431,including registration as user of COCs 9032,9033,9035,9107,9143 & 9147. Amend requested because of change of address as listed. Fee paid.
SORIANO,R. Trutom (U.S.), Ltd. 94/11/03. JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 1p. 81842:215-81842:215.

DOCKET 71-9111 MODEL: CNS 6-80-2 & 2A, CHEM-NUCLEAR SYSTEMS, INC.

9411030346 Notifies that QA program approval for radioactive matl package:0325 expired on 940930 & that registration as user of COCs 5607,5805,5939,6058,6400,6581,6601,9032,9033,9039, 9079,9081,9094,9096,9111,9151,9159,9168 & 9216 terminated.
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 94/11/01. Consumers Power Co. 1p. 81640:329-81640:329.

DOCKET 71-9126 MODEL: 20, 20A, 50, & 50A, AMERSHAM CORP.

9411170303 Forwards certificate of compliance 9126,rev 7,for models 20, 20A,50 & 50A packages.
CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/08. ROUGHAN,C. Amersham Corp. 1p. 81823:085-81823:088.

-9411170306 Certificate of compliance 9126,rev 7,for models 20,20A,50 & 50A. Approval record encl.
CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/08. 3pp. 81823:086-81823:088.

DOCKET 71-9127 MODEL: 100, 100A, 200 & 200A, AMERSHAM CORP.

9411030278 Notifies that QA program approval for radioactive matl package:0257 expired on 940930 & that registration as user of COC 9127 terminated. Records required by 10CFR71.91 & 71.135 to be retained for period of three yrs.
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 94/11/01. PRUETT,J. Industrial Laboratories, Inc. 1p. 81640:357-81640:357.

9411040238 Forwards Certificate of Compliance 9127,Rev 7 for Models 100,100A,200 & 200A shipping containers.
CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/01. ROUGHAN,C. Amersham Corp. 1p. 81658:326-81658:329.

-9411040242 Certificate of Compliance 9127,Rev 7,for Models 100,100A,200 & 200A. W/ approval record.
CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/01. 3pp. 81658:327-81658:329.

DOCKET 71-9143 MODEL: 920, AMERSHAM CORP.

9411210296 Application for amend of QA program approval for radioactive matl package:0431,including registration as user of COCs 9032,9033,9035,9107,9143 & 9147. Amend requested because of change of address as listed. Fee paid.
SORIANO,R. Trutom (U.S.), Ltd. 94/11/03. JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 1p. 81842:215-81842:215.

DOCKET 71-9147 MODEL: 850, AMERSHAM CORP.

9411210296 Application for amend of QA program approval for radioactive matl package:0431,including registration as user of COCs 9032,9033,9035,9107,9143 & 9147. Amend requested because of change of address as listed. Fee paid.
SORIANO,R. Trutom (U.S.), Ltd. 94/11/03. JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 1p. 81842:215-81842:215.

DOCKET 71-9148 MODEL: 770, AMERSHAM CORP.

9411020271 Notification of registration as user of certificate of compliances 9032,9033 & 9148,in response to 941011 request.
CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/10/31. GAUMER,G.R. Empire Steel Castings, Inc. 1p. 81636:356-81636:356.

DOCKET 71-9151 MODEL: HN-100 SERIES 3, ET AL, SCIENTIFIC ECOLOGY

9411030346 Notifies that QA program approval for radioactive matl package:0325 expired on 940930 & that registration as user of COCs 5607,5805,5939,6058,6400,6581,6601,9032,9033,9039, 9079,9081,9094,9096,9111,9151,9159,9168 & 9216 terminated.
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 94/11/01. Consumers Power Co. 1p. 81640:329-81640:329.

DOCKET 71-9159 MODEL: NUPAC 14/190H, L & M, LN-14-170H, L & M, NUPAC

9411030346 Notifies that QA program approval for radioactive matl package:0325 expired on 940930 & that registration as user of COCs 5607,5805,5939,6058,6400,6581,6601,9032,9033,9039, 9079,9081,9094,9096,9111,9151,9159,9168 & 9216 terminated.
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 94/11/01. Consumers Power Co. 1p. 81640:329-81640:329.

DOCKET 71-9168 MODEL: CNS 8-120B, CHEM-NUCLEAR SYSTEMS, INC.

9411030346 Notifies that QA program approval for radioactive matl package:0325 expired on 940930 & that registration as user of COCs 5607,5805,5939,6058,6400,6581,6601,9032,9033,9039, 9079,9081,9094,9096,9111,9151,9159,9168 & 9216 terminated.
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 94/11/01. Consumers Power Co. 1p. 81640:329-81640:329.

DOCKET 71-9202 MODEL: TN-BRP, ENERGY, DEPT. OF

9411090396 Forwards revised pages & drawings to Ref 5 to "TN-BRP Spent Fuel Package SAR for Transport," including deletion of ref to rail transport so that cask may also be transported by overweight tractor trailer.
MASON,M. Transnuclear, Inc. 94/11/07. CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 3pp. 81767:278-81767:349.

-9411090402 Changes to Ref 5 to "TN-BRP Spent Fuel Package SAR for Transport."
* Transnuclear, Inc. E-7316 R05. 94/11/30. 58pp. 81767:281-81767:349.

DOCKET 71-9206 MODEL: TN-REG, ENERGY, DEPT. OF

9411090405 Forwards Rev 6 to "TN-REG Spent Fuel Package SAR for Transport," including deletion of ref to rail transport so that cask may also be transported by overweight tractor trailer.
MASON,M. Transnuclear, Inc. 94/11/07. CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 3pp. 81752:076-81752:109.

-9411090407 Rev 6 to "TN-REG Spent Fuel Package SAR for Transport."
* Transnuclear, Inc. 94/11/30. 28pp. 81752:079-81752:109.

DOCKET 71-9216 MODEL: CNS 1-13G, CHEM-NUCLEAR SYSTEMS, INC.

9411030346 Notifies that QA program approval for radioactive matl package:0325 expired on 940930 & that registration as user of COCs 5607,5805,5939,6058,6400,6581,6601,9032,9033,9039, 9079,9081,9094,9096,9111,9151,9159,9168 & 9216 terminated.
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 94/11/01. Consumers Power Co. 1p. 81640:329-81640:329.

DOCKET 71-9217 MODEL: ANF-250, ADVANCED NUCLEAR FUELS CORP.

9411140055 Application for renewal of certificate of compliance 9217 for model ANF-250.
EDGAR,J.B. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 94/10/20. CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 1p. 81755:073-81755:073.

180 DOCKETED ITEMS

DOCKET 71-9218 MODEL: TRUPACT-II, ENERGY, DEPT. OF

9411030169 Forwards Rev 14 to "SAR for TRUPACT-II Shipping Package," Rev 8 to DOE/WIPP 89-004, "TRUPACT-II Content Codes (TRUCON)," Rev 7 to "TRUPACT-II List of Chemical Compounds in Each Content Code in TRUCON" & draft "Test SOP..."
KOUBA, S.C. Westinghouse Electric Corp. 94/10/24. CHAPPELL, C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 7pp. 81641:001-81641:189.

-9411030173 Rev 14 to "SAR for TRUPACT-II Shipping Package."
* Westinghouse Electric Corp. 94/10/31. 45pp. 81641:008-81641:052.

-9411030179 Rev 8 to "TRUPACT-II Content Codes (TRUCON)."
* Energy, Dept. of. DOE/WIPP 89-004 R08. 94/10/31. 87pp. 81641:053-81641:141.

-9411030189 Rev 7 to "TRUPACT-II List of Chemical Compounds in Each Content Code in TRUCON."
* Energy, Dept. of. 94/10/31. 19pp. 81641:142-81641:161.

-9411030192 Draft "Test SOP for TRUPACT-II Gas Generation Test Program."
* Energy, Dept. of. 94/10/31. 28pp. 81641:162-81641:189.

DOCKET 71-9225 MODEL: NAC-LWT, NUCLEAR ASSURANCE CORP.

9411180279 Forwards NAC 910516 ltr, forwarding sheet 2 of 6 of NAC Drawing 315-40-03, Rev 6.
TJERSLAND, G.T. Nuclear Assurance Corp. 94/11/09. CHAPPELL, C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 1p. 81830:330-81830:332.

-9411180280 Forwards sheet 2 of 6 of NAC Drawing 315-40-03, Rev 6, to assist NRC in review of amend submitted on 910405 to incorporate Code Case N-493 to NAC LWT casks. W/o encl.
LESSER, T.H. Nuclear Assurance Corp. 91/05/16. MACDONALD, C.E. Transportation Branch (870413-930206). 2pp. 81830:331-81830:332.

DOCKET 71-9234 MODEL: NCI-21PF-1, NUCLEAR CONTAINERS, INC.

9411180269 Forwards certificate of compliance 9234, rev 5 for model NCI-21PF-1 package.
CHAPPELL, C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/15. HOUSHOLDER, W.R. Nuclear Containers, Inc. 2pp. 81823:104-81823:110.

-9411180271 Certificate of compliance 9234, rev 5, for model NCI-21PF-1. Approval record encl.
CHAPPELL, C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/15. 5pp. 81823:106-81823:110.

DOCKET 71-9235 MODEL: NAC-STC, NUCLEAR ASSURANCE CORP.

9411280088 Requests that info transmitted by 930823 ltr re NAC Storable Transport Cask SAR, Rev 8 be treated as proprietary to NAC Services, Inc. & be withheld from public disclosure. Affidavit encl.
STUART, I.F. Nuclear Assurance Corp. 94/11/09. CHAPPELL, C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 6pp. 81883:354-81883:359.

DOCKET 71-9242 MODEL: GAMMACELL 220, NORDION INTERNATIONAL, INC.

9411140136 Advises that vendor considering designing, developing, testing & submitting to NRC for COC, overpack w/multiple applications, covering not only Gammacell 220 but also listed obsolete Gammacell units.
GRAY, P.A. Nordion International, Inc. 94/10/27. CHAPPELL, C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 1p. 81755:102-81755:102.

DOCKET 71-9245 MODEL: RTS-420, RTS TECHNOLOGY, INC.

9411040230 Forwards Certificate of Compliance 9245, Rev 3 for Model 420 package.
CHAPPELL, C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/01. MUNRO, J.J. Burnley Technology, Inc. 1p. 81658:322-81658:325.

-9411040233 Certificate of Compliance 9245, Rev 3, for Model 420 package. W/approval record.
CHAPPELL, C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/01. 3pp. 81658:323-81658:325.

DOCKET 71-9248 MODEL: SP-1, SIEMENS NUCLEAR POWER CORP.

9411140041 Forwards suppl application to amend certificate of compliance 9248 for models SP-1 & SP-2 shipping containers, incorporating criticality safety analysis for shipment, per recent conversations w/N Osgood of NRC.
EDGAR, J.B. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 94/10/31. Division of Industrial & Medical Nuclear Safety (Post 870729). 2pp. 81755:103-81755:135.

-9411140044 Suppl application for amend to certificate of compliance 9248 for models SP-1 & SP-2 shipping containers.
EDGAR, J.B., FEUERBACHER, R., REPARAZA, A. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 94/10/31. 31pp. 81755:105-81755:135.

9411170326 Amends Certificate of Compliance 9248 for Models SP-1 & SP-2 packages, to authorize contents & fissile class as listed, as requested by 941031 application & per 10CFR71. Approval record encl.
CHAPPELL, C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/09. EDGAR, J.B. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 4pp. 81823:091-81823:094.

DOCKET 71-9255 MODEL: NUHOMS-MP187, PACIFIC NUCLEAR

9411280251 Responds to request providing addl info concerning proprietary data in NUHOMS MP-187 SAR.
TEMUS, C.J. Vectra Technologies, Inc. 94/11/10. CHAPPELL, C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 4pp. 81885:182-81885:185.

DOCKET 71-9257 NORDION INTERNATIONAL INC.

9411090255 Forwards Rev A to Technical Rept TR-9407-N990, "Technical Assessment of Titan Gamma Radiological Exposure Device W/ Respect to Requirements of 10CFR71," in response to questions asked in NRC 940524 ltr.
KRZANIAK, M. Nordion International, Inc. 94/10/24. CHAPPELL, C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 3pp. 81737:001-81737:004.

-9411090258 Advises that technical rept TR-9407-N990(A) may be treated as public document & that any ref to proprietary or commercial confidentiality may be ignored for purposes of NRC review & posting in NRC PDR.
GRAY, P.A. Nordion International, Inc. 94/11/07. CHAPPELL, C.R. Transportation Branch (Post 930207). 2pp. 81737:004-81737:005.

-9411090260 Rev A to "Technical Assessment of Titan Gamma Radiography Exposure Device W/Respect to Requirements of 10CFR71."
KRZANIAK, M., BURBIDGE, G., GRAY, P. Nordion International, Inc. TR-9407-N990 A. 94/10/31. 363pp. 81737:006-81737:004.

DOCKET 71-9787 MODEL: AIW-3, ENERGY, DEPT. OF, BETTIS ATOMIC POWER

9411180179 Requests renewal of NRC Certificates of Compliance (COC) USA/9787/B(U) (DOE-NR), USA 9789/B(U) (DOR-NR) & USA 9790/B(U) (DOE-NR), expire on 950404, 950531 & 31.
MILES, B.K. Energy, Dept. of. 94/11/04. HAUGHNEY, C.J. Office of Nuclear Material Safety & Safeguards. 1p. 81827:359-81827:360.

DOCKET 71-9789 MODEL: A1W-3, ENERGY, DEPT. OF

9411180179 Requests renewal of NRC Certificates of Compliance (COC) USA/9787/B(U) (DOE-NR), USA 9789/B(U) (DOR-NR) & USA 9790/B(U) (DOE-NR), expire on 950404, 950531 & 31.
MILES, B.K. Energy, Dept. of. 94/11/04. HAUGHNEY, C.J. Office of Nuclear Material Safety & Safeguards. 1p. 81827:359-81827:360.

DOCKET 71-9790 MODEL: A1W-3, ENERGY, DEPT. OF

9411180179 Requests renewal of NRC Certificates of Compliance (COC) USA/9787/B(U) (DOE-NR), USA 9789/B(U) (DOR-NR) & USA 9790/B(U) (DOE-NR), expire on 950404, 950531 & 31.
MILES, B.K. Energy, Dept. of. 94/11/04. HAUGHNEY, C.J. Office of Nuclear Material Safety & Safeguards. 1p. 81827:359-81827:360.

LICENSING OF INDEPENDENT SPENT FUEL STORAGE

DOCKET 72-0004 DUKE POWER CO., 50-269, 50-270 & 50-287

9411100282 Discusses meeting w/Vectra Technologies, Inc on 941102 re potential mods on NUHOMS design & add-on spent fuel qualification request.
SHUM, E.Y. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/08. HAUGHNEY, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 3pp. 81745:192-81745:194.

DOCKET 72-0006 CAROLINA POWER & LIGHT CO., 50-324 & 50-325

9411090152 Forwards preliminary draft environ assessment & preliminary draft SER for ISFSI.
HAUGHNEY, C.J. Office of Nuclear Material Safety & Safeguards. 94/10/25. ANDERSON, R.A. Carolina Power & Light Co. 3pp. 81750:160-81750:263.

-9411090162 Preliminary Draft, "Environmental Assessment Re Construction & Operation Of Brunswick Independent Spent Fuel Storage Installation."
* Office of Nuclear Material Safety & Safeguards. 92/09/30. 34pp. 81750:163-81750:200.

-9411090277 Preliminary Draft, "Safety Evaluation Rept For CP&L Brunswick."
* Carolina Power & Light Co. NRC-03-87-004. 91/05/28. 50pp. 81750:201-81750:263.

DOCKET 72-0007 CONSUMERS POWER CO., 50-255

9411080306 Discusses concern re lack of seismic requirements for spent fuel dry cask storage pad & foundation matl at Palisades. JA Zwolinski 940104 response to request for technical assistance re Palisades spent fuel dry cask storage encl.
LANDSMAN, R.B. Region 3 (Post 820201). 94/02/17. THE CHAIRMAN, SELIN, J. Commissioners (Post 750119). 3pp. 81841:001-81841:007.

-9401130025 Responds to 931021 request for technical assistance re plant SF fuel dry cask storage & informs that NRR obtained assistance from NMSS in reviewing design & analyses for dry casks used at plant against regulations.
ZWOLINSKI, J.A. Assistant Director for Region III Reactors (Post 901216). 94/01/04. GREENMAN, E.G. Region 3 (Post 820201). 5pp. 81841:003-81841:007.

9411090278 Ack receipt of encl in NRC 940915 ltr re Palisades dry cask.
SHILLINGLAW Appleton, WI. 94/09/24. ZWOLINSKI NRC - No Detailed Affiliation Given. 6pp. 81759:292-81759:297.

9411080079 Requests response to 940805 & 12 ltrs re hearing on VSC-23 casks to be unloaded at plant.
SHILLINGLAW,F. Affiliation Not Assigned. 94/10/24. ZWOLINSKI,J.A. NRC - No Detailed Affiliation Given. 1p. 81677:272-81677:272.

9411040286 Refers to 940825 meeting held to discuss plant dry cask storage issues. Informants that due to apparent progress in addressing issues, status update meeting cancelled & meeting scheduled when unloading procedure enhancements completed.
HANNON,J.N. Project Directorate III-1. 94/10/26. FENECH,R.A. Consumers Power Co. 3pp. 81609:358-81609:360.

9411080008 Forwards response to questions raised in 940805, 12 & 23 ltrs re dry cask storage at plant. NRC still researching question re fabrication of multi-assembly sealed basket 4 prior to issuance of certificate of compliance.
HANNON,J.N. Project Directorate III-1. 94/11/02. SHILLINGLAW,F. Affiliation Not Assigned. 10pp. 81658:112-81658:121.

9411080295 Ack receipt of 941006 ltr to Selin, asking questions re general license rulemaking, VSC-24 cask design, Sierra Nuclear Corp & contractors fabrication & QA nonconformances, multi-assembly sealed basket weld problems & exemption.
BERNERO,R.M. Office of Nuclear Material Safety & Safeguards. 94/11/02. SHILLINGLAW,F. Appleton, WI. 1p. 81679:115-81679:127.

-9411080299 Submits questions re general license rulemaking, VSC-24 cask design, Sierra Nuclear Corp & contractors fabrication & QA nonconformances, multi-assembly sealed basket weld problems & exemption, cask transport methods & Palisades pad issue.
SHILLINGLAW,F. Appleton, WI. 94/10/06. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 9pp. 81679:116-81679:124.

-9411080306 Discusses concern re lack of seismic requirements for spent fuel dry cask storage pad & foundation mat at Palisades. Unrelated J Massey 921015 calculation concerning crushing of tile encl.
LANDSMAN,R.B. Region 3 (Post 820201). 94/02/17. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 2pp. 81679:125-81679:127.

DOCKET 72-0008 BALTIMORE GAS & ELECTRIC CO., 50-317 & 50-318

9411030219 Forwards proprietary Rev 2 to "ISFSI Training & Qualification Plan," incorporating physical testing program that measures physical fitness of armed members of nuclear security force instituted on 940804. Encl withheld.
GIBBS,L.P. Baltimore Gas & Electric Co. 94/09/30. Document Control Branch (Document Control Desk). 2pp. 81619:199-81619:200.

9411280259 Summary of 941101 meeting w/util to discuss license amend action to exempt dry shielded canisters at plant ISFSI from Tech Specs limit on vacuum dry process.
STURZ,F.C. Office of Nuclear Material Safety & Safeguards. 94/11/10. HAUGHNEY,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 35pp. 81885:147-81885:181.

DOCKET 72-0009 PUBLIC SERVICE CO. OF COLORADO, 50-267

9411030358 Issue 4 to DPP 5.2.3, "ERP-Control Room" & Issue 4 to DPP 5.2.19-SA, "Semi-Annual Requirements of ERP." W/941025 ltr.
BORST, WAREMBOURG,D. Public Service Co. of Colorado. 94/10/25. 33pp. 81640:246-81640:278.

9411250107 Issue 3 to Emergency Response Procedure (ERP) DPP 5.2.12, "ERP-Classification." W/941116 ltr.
WAREMBOURG,D.W. Public Service Co. of Colorado. 94/11/16. 30pp. 81885:255-81885:284.

DOCKET 72-0010 NORTHERN STATES POWER CO., 50-282 & 50-306

9411030360 Summary of 941013 meeting w/NSP in Rockville, MD re topics on proposed ISFSI that NSP needs to build for Prairie Island power plant.
SCHNEIDER,J.F. Office of Nuclear Material Safety & Safeguards. 94/10/25. HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 7pp. 81579:306-81579:311.

DOCKET 72-0011 SACRAMENTO MUNICIPAL UTILITY DISTRICT, 50-312

9411030114 Informs that input & output files listed on encl will be withheld from public disclosure per 10CFR2.790(b)(5) & Section 103(b) of Atomic Energy Act of 1954, as amended.
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/10/26. SHETLER,J.R. Sacramento Municipal Utility District. 5pp. 81653:211-81653:215.

DOCKET 72-1004 MODEL: STANDARDIZED NUHOMS SYSTEM

9411100140 Responds to 941003 ltr re Sylvania City Council's 940823 ltr, which included Resolution 32-94, calling on NRC to consider public comments & to require site-specific impact statement prior to issuing any permit for dry cask storage.
RATHBUN,D.K. Office of Congressional Affairs (Post 911117). 94/10/27. KAPTUR,M. House of Rep. 6pp. 81752:239-81752:258.

-9411100165 Forwards ltr recently received from Sylvania City Council requesting that NRC consider public comments & prepare site-specific impact report prior to issuing permit for dry cask storage of nuclear waste.
KAPTUR,M. House of Rep. 94/10/03. RATHBUN,D.K. Office of Congressional Affairs (Post 911117). 9pp. 81752:247-81752:258.

9411080295 Ack receipt of 941006 ltr to Selin, asking questions re general license rulemaking, VSC-24 cask design, Sierra Nuclear Corp & contractors fabrication & QA nonconformances, multi-assembly sealed basket weld problems & exemption.
BERNERO,R.M. Office of Nuclear Material Safety & Safeguards. 94/11/02. SHILLINGLAW,F. Appleton, WI. 1p. 81679:115-81679:127.

-9411080299 Submits questions re general license rulemaking, VSC-24 cask design, Sierra Nuclear Corp & contractors fabrication & QA nonconformances, multi-assembly sealed basket weld problems & exemption, cask transport methods & Palisades pad issue.
SHILLINGLAW,F. Appleton, WI. 94/10/06. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 9pp. 81679:116-81679:124.

9411100282 Discusses meeting w/Vectra Technologies, Inc. on 941102 re potential mods on NUHOMS design & add-on spent fuel qualification request.
SHUM,E.Y. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/08. HAUGHNEY,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 3pp. 81745:192-81745:194.

DOCKET 72-1007 MODEL: VSC-24, PACIFIC SIERRA NUCLEAR ASSOCIATES

9411220138 Rev Z to "SAR for Ventilated Storage Cask Sys." Vol I.
MCCONAGHY,W.J. Pacific Sierra Nuclear Associates. 94/11/16. Office of Nuclear Material Safety & Safeguards. 2pp. 81843:001-81843:343.

-9411220143 "SAR for Ventilated Storage Cask Sys."
* Pacific Sierra Nuclear Associates. PSN-91-001 RZ. 94/10/31. 340pp. 81843:004-81843:343.

9409260097 Forwards listed items in response to NRC 940527 RAI re amend to PSN certificate of compliance. Portions of Item 8 withheld (ref 10CFR2.790).
MASSEY,J.V. Sierra Nuclear, Inc. 94/08/31. STURZ,F.C. Division of Industrial & Medical Nuclear Safety (Post 870729). 5pp. 81751:001-81752:075.

-9409260110 Responds to NRC 940527 RAI re amend to certificate of compliance & suppl info to responses (June 1994) concerning design calculations.
* Sierra Nuclear, Inc. 94/08/31. 16pp. 81751:006-81751:021.

-9409260113 Rev 3 to Design Calculation, "VCC Load Combination Evaluation."
THOMPSON,T.C., MOORE,A.D. Sierra Nuclear, Inc. ANO-109.002.101 R03. 94/07/09. 11pp. 81751:022-81751:032.

-9409260116 Rev 3 to design calculation, "Tipover & 5 Ft Drop Accident Condition Analyses for VSC-24."
THOMPSON,T.C., LEE,W.J. Sierra Nuclear, Inc. ANO-109.002.011 R03. 94/06/29. 44pp. 81751:033-81751:077.

-9409260118 Rev 0 to design calculation, "Length of Engagement MSB Hoist Rings."
THOMPSON,T.C. Sierra Nuclear, Inc. ANO-109.002.213 R00. 94/06/16. 26pp. 81751:078-81751:103.

-9409260126 Rev 0 to design calculation, "Required Boron Concentrations for Various Assembly Types & Fuel Enrichments in VSC-24 MSB."
HOPF,J.E., MASSEY,J.V. Sierra Nuclear, Inc. ANO-109.001.006 R00. 94/04/29. 72pp. 81751:104-81751:175.

-9409260131 Proposed Rev 1, Amend A to "SAR for Ventilated Storage Cask Sys."
* Sierra Nuclear, Inc. 94/06/30. 200pp. 81751:176-81752:063.

-9409260134 Proposed tech specs re fuel spec & boron concentration in MSB cavity water.
* Sierra Nuclear, Inc. 94/06/30. 16pp. 81752:064-81752:075.

9411040287 Forwards response to violations noted in insp. Corrective actions: revs to checklist to identify more insp/hold points during rebar placement.
MASSEY,J.V. Sierra Nuclear, Inc. 94/10/31. Document Control Branch (Document Control Desk). 3pp. 81651:326-81651:328.

9411080295 Ack receipt of 941006 ltr to Selin, asking questions re general license rulemaking, VSC-24 cask design, Sierra Nuclear Corp & contractors fabrication & QA nonconformances, multi-assembly sealed basket weld problems & exemption.
BERNERO,R.M. Office of Nuclear Material Safety & Safeguards. 94/11/02. SHILLINGLAW,F. Appleton, WI. 1p. 81679:115-81679:127.

-9411080299 Submits questions re general license rulemaking, VSC-24 cask design, Sierra Nuclear Corp & contractors fabrication & QA nonconformances, multi-assembly sealed basket weld problems & exemption, cask transport methods & Palisades pad issue.
SHILLINGLAW,F. Appleton, WI. 94/10/06. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 9pp. 81679:116-81679:124.

-9411080306 Discusses concern re lack of seismic requirements for spent fuel dry cask storage pad & foundation mat at Palisades. Unrelated J Massey 921015 calculation concerning crushing of tile encl.
LANDSMAN,R.B. Region 3 (Post 820201). 94/02/17. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 2pp. 81679:125-81679:127.

9411090045 Responds to 941024 ltr to CJ Paperiello re nonproprietary material.
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 94/11/03. SHILLINGLAW,F. Affiliation Not Assigned. 1p. 81745:195-81745:196.

-9411090063 Requests copy of release of non-proprietary info found in 940831 ltr re PSN certificate of compliance.
SHILLINGLAW,F. Affiliation Not Assigned. 94/10/24. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 1p. 81745:196-81745:196.

9411290122 Ack receipt of sending missing Section 3. Change pages on App 5 encl.
SHILLINGLAW,F. Appleton, WI. 94/11/14. NRC - No Detailed Affiliation Given. 2pp. 81951:245-81951:246.

DOCKET 72-1008 MODEL: HI-STAR SYSTEM, HOLTEC INTERNATIONAL

9411100122 Informs that rept number HI941184 will be withheld from public disclosure.
STURZ,F.C. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/07. PENNINGTON,C.W. Holtec International. 1p. 81747:360-81747:360.

NONDOCKETED ITEMS

10CFR COMMISSION MEETING RECORDS

- 9411030337 Staff requirements memo re 941018 meeting for all NRC employees in Rockville,MD to provide employees opportunity to address questions directly to Commissioners.Addl followup needed for items including article re incident at plant. HOYLE,J.C. Office of the Secretary of the Commission. 94/10/28. TAYLOR,J.M. Ofc of the Executive Director for Operations. 1p. 81608:108-81608:108.
- 9411070322 Transcript of 941031 meeting in Rockville,MD re status of DOE High-Level Waste Program.Pp 1-58.Related documentation encl.
* NRC - No Detailed Affiliation Given. 94/10/31. 78pp. 81623:224-81623:304.
- 9411140154 Final response to FOIA request for info.Forwards App A info which will be available in PDR.
GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (890206-940714). 93/10/20. LAMBERSKI,J. TroutmanSanders (formerly Troutman, Sanders, Lockerman & Ashmore). 2pp. 81732:071-81732:133.
- 9411140161 Staff requirements memo re SECY-91-358 on proposed director decision on matl false statement during Commission meeting on facility.
CHILK,S.J. Office of the Secretary of the Commission. 91/12/02. TAYLOR,J.M. Ofc of the Executive Director for Operations. 1p. 81732:133-81732:133.
- 9411170149 Staff requirements memo re affirmation,discussion & vote on 941115 concerning SECY-94-261, "Final Amends To 10CFR30,32 & 35:Preparation,Transfer For Commercial Distribution & Use Of Byproduct Matl For Medical Use."
HOYLE,J.C. Office of the Secretary of the Commission. M941115. 94/11/15. TAYLOR,J.M. Ofc of the Executive Director for Operations. 9pp. 81776:328-81776:336.
- 9411170215 Transcript of 941110 periodic meeting w/ACNW in Rockville,MD.Pp 1-58.
* Advisory Committee on Nuclear Waste. 94/11/10. 58pp. 81776:093-81776:153.
- 9411180096 Staff requirements memo re SECY-94-237, "Reducing Commission Review of Certain Enforcement Actions."
HOYLE,J.C. Office of the Secretary of the Commission. 94/10/20. TAYLOR,J.M. Ofc of the Executive Director for Operations. 1p. 81782:178-81782:178.
- 9411180258 Staff requirements memo re review of priorities & workloads on medical uses of isotopes considering current regulatory context.Recommendations for changes should be forwarded to Commission.
HOYLE,J.C. Office of the Secretary of the Commission. M941020. 94/11/17. TAYLOR,J.M. Ofc of the Executive Director for Operations. 1p. 81782:196-81782:196.
- 9411180261 Staff requirements memo noting that Commission briefed by ACNW on numerous items of mutual interest.No requirements identified for staff action.
HOYLE,J.C. Office of the Secretary of the Commission. M941110. 94/11/17. Office of the Secretary of the Commission. 1p. 81782:197-81782:197.
- 9411280152 Staff requirements memo on 941031 briefing in Rockville,MD re status of DOE high level waste program.
HOYLE,J.C. Office of the Secretary of the Commission. M941031. 94/11/10. TAYLOR,J.M. Ofc of the Executive Director for Operations. 1p. 81852:197-81852:197.

ACNW ADVISORY COMMITTEE ON NUCLEAR WASTE

- 9411010137 Transcript of ACNW 68th meeting in Las Vegas,NV.Pp 1-300. Related documentation encl.
* Advisory Committee on Nuclear Waste. 94/10/18. 460pp. 81578:001-81579:096.
- 9411010354 Transcript of ACNW 68th meeting in Las Vegas,NV.Pp 301-388. Certificate encl.
* Advisory Committee on Nuclear Waste. 94/10/19. 90pp. 81586:197-81586:288.
- 9411030145 Transcript of ACNW Working Group on Groundwater Dating meeting in Las Vegas,NV.Pp 1-272.Supporting documentation encl.
* Advisory Committee on Nuclear Waste. 94/10/21. 411pp. 81635:001-81636:147.
- 9411090158 Transcript of 941104 ACRS 415th Meeting in Rockville,MD.Pp 247-301.Supporting documentation encl.
* ACRS - Advisory Committee on Reactor Safeguards. 94/11/04. 74pp. 81745:197-81745:271.
- 9411090165 Transcript of 941103 ACRS 415th Meeting in Rockville,MD.Pp 1-246.Certificate encl.
* ACRS - Advisory Committee on Reactor Safeguards. 94/11/03. 249pp. 81075:017-81075:266.
- 9411170169 Provides status of performance assessment model validation activities & forwards recently completed paper entitled, "Model Validation From Regulatory Perspective:Summary."
FEDERLINE,M.V. Performance Assessment & Hydrology Branch (NMSS 940403). HLWR. 94/11/07. STEINDLER,M. Advisory Committee on Nuclear Waste. 3pp. 81791:138-81791:154.
- 9411170215 Transcript of 941110 periodic meeting w/ACNW in Rockville,MD.Pp 1-58.
* Advisory Committee on Nuclear Waste. 94/11/10. 58pp. 81776:093-81776:153.
- 9411170224 Informs of ACNW meeting w/NRC on 941110 to discuss items of mutual interest.Items listed.
LARKINS,J.T. Advisory Committee on Nuclear Waste. 94/11/02. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 81777:100-81777:121.
- 9411180048 Forwards presentation handouts for 941110 briefing of Commission by ACNW provided as aid.
LARKINS,J.T. Advisory Committee on Nuclear Waste. 94/11/09. Commissioners (Post 750119). 9pp. 81782:129-81782:137.
- 9411180240 Transcript of ACNW 69th 941110 meeting in Rockville,MD.Pp 1-91.Certificate encl.
* Advisory Committee on Nuclear Waste. 94/11/10. 94pp. 81818:070-81818:164.

ACRS ADVISORY COMMITTEE ON REACTOR SAFEGUARDS

- 9411090042 Ack receipt of two independent ACRS repts commenting on NUREG-1465. "Accident Source Terms for Light-Water Nuclear Power Plants" & proposed revs to 10CFR50,App J, "Primary Reactor Containment Leakage Testing..."
* Office of Public Affairs (Post 911117). 94/09/26. 1p. 81719:301-81719:307.
- 9411090047 "NRC ACRS to Meet in Rockville,MD on 941006-08."
* Office of Public Affairs (Post 911117). 94/09/26. 2pp. 81770:012-81770:013.
- 9411090064 Ack receipt of ACRS rept commenting on impact of DOE proposed program approach on NRC high level radwaste licensing activities.
* Office of Public Affairs (Post 911117). 94/10/04. 1p. 81770:016-81770:020.
- 9411090158 Transcript of 941104 ACRS 415th Meeting in Rockville,MD.Pp 247-301.Supporting documentation encl.
* ACRS - Advisory Committee on Reactor Safeguards. 94/11/04. 74pp. 81745:197-81745:271.
- 9411090165 Transcript of 941103 ACRS 415th Meeting in Rockville,MD.Pp 1-246.Certificate encl.
* ACRS - Advisory Committee on Reactor Safeguards. 94/11/03. 249pp. 81075:017-81075:266.
- 9411090194 Ack receipt of ACRS rept commenting on potential for BWR ECCS strainer blockage caused by debris from accident.
* Office of Public Affairs (Post 911117). 94/10/19. 1p. 81770:028-81770:031.
- 9411090220 "NRC ACRS to Meet in Rockville,MD on 941103-05."
* Office of Public Affairs (Post 911117). 94/10/24. 2pp. 81770:041-81770:043.
- 9411090244 "NRC ACRS to Meet 941110 in Rockville,MD."
* Office of Public Affairs (Post 911117). 94/11/01. 2pp. 81075:272-81075:273.
- 9411210074 Summary of 414th & 415th meetings of ACRS on 941006-07 & 1103-04 re NRC test & analysis programs in support of AP600 & SBWR advance LWR passive plant design certification reviews.
KRESS,T.S. ACRS - Advisory Committee on Reactor Safeguards. 94/11/10. TAYLOR,J.M. Ofc of the Executive Director for Operations. 5pp. 81864:010-81864:014.

ADVCM NRC ADVISORY COMMITTEE

- 9411010137 Transcript of ACNW 68th meeting in Las Vegas,NV.Pp 1-300. Related documentation encl.
* Advisory Committee on Nuclear Waste. 94/10/18. 460pp. 81578:001-81579:096.
- 9411010354 Transcript of ACNW 68th meeting in Las Vegas,NV.Pp 301-388. Certificate encl.
* Advisory Committee on Nuclear Waste. 94/10/19. 90pp. 81586:197-81586:288.
- 9411030145 Transcript of ACNW Working Group on Groundwater Dating meeting in Las Vegas,NV.Pp 1-272.Supporting documentation encl.
* Advisory Committee on Nuclear Waste. 94/10/21. 411pp. 81635:001-81636:147.
- 9411080040 Submits briefing book for ACMUI meeting on 941117-18.
TAYLOR,T. Region 3 (Post 820201). 94/10/28. Document Control Branch (Document Control Desk). 327pp. 81656:054-81657:016.
- 9411090158 Transcript of 941104 ACRS 415th Meeting in Rockville,MD.Pp 247-301.Supporting documentation encl.
* ACRS - Advisory Committee on Reactor Safeguards. 94/11/04. 74pp. 81745:197-81745:271.
- 9411090165 Transcript of 941103 ACRS 415th Meeting in Rockville,MD.Pp 1-246.Certificate encl.
* ACRS - Advisory Committee on Reactor Safeguards. 94/11/03. 249pp. 81075:017-81075:266.
- 9411090229 "NRC ACMUI to Meet 941117-18 in Rockville,MD."
* Office of Public Affairs (Post 911117). 94/10/26. 1p. 81770:046-81770:046.
- 9411170169 Provides status of performance assessment model validation activities & forwards recently completed paper entitled, "Model Validation From Regulatory Perspective:Summary."
FEDERLINE,M.V. Performance Assessment & Hydrology Branch (NMSS 940403). HLWR. 94/11/07. STEINDLER,M. Advisory Committee on Nuclear Waste. 3pp. 81791:138-81791:154.
- 9411170215 Transcript of 941110 periodic meeting w/ACNW in Rockville,MD.Pp 1-58.
* Advisory Committee on Nuclear Waste. 94/11/10. 58pp. 81776:093-81776:153.
- 9411170224 Informs of ACNW meeting w/NRC on 941110 to discuss items of mutual interest.Items listed.
LARKINS,J.T. Advisory Committee on Nuclear Waste. 94/11/02. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 81777:100-81777:121.
- 9411180048 Forwards presentation handouts for 941110 briefing of Commission by ACNW provided as aid.
LARKINS,J.T. Advisory Committee on Nuclear Waste. 94/11/09. Commissioners (Post 750119). 9pp. 81782:129-81782:137.
- 9411180240 Transcript of ACNW 69th 941110 meeting in Rockville,MD.Pp 1-91.Certificate encl.
* Advisory Committee on Nuclear Waste. 94/11/10. 94pp. 81818:070-81818:164.

184 NONDOCKETED ITEMS

COMMISSION NRC COMMISSIONERS

- 9411040170** Informs of receipt of Towers Perrin study & cover ltr & starting to review rept. First reading raises concerns about sweeping conclusions that consultants have drawn.
THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 94/10/31. BAYNE, P. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 1p. 81628:296-81628:296.
- 9411140138** Expresses appreciation for ltr & paper, "Nuclear Plant Life - Business Decision." Proposed revised regulation w/ supporting arguments encl.
THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 94/10/25. JOOSTEN, J.K. France. 25pp. 81728:337-81728:361.
- 9411140138** Expresses appreciation for ltr & paper, "Nuclear Plant Life - Business Decision." Proposed revised regulation w/ supporting arguments encl.
THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 94/10/25. JOOSTEN, J.K. France. 24pp. 81791:226-81791:266.
- 9411160168** Forwards paper, "Nuclear Plant Life - Business Decision," to be presented at conference on nuclear power option at IAEA for review. Urges Chairman to consider simpler, "10CFR54 Form E-2" approach to license renewal.
JOOSTEN, J.K. France. 94/09/14. THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 1p. 81791:250-81791:250.
- 9411160175** IAEA-CN-59/67 "Nuclear Plant Life - Business Decision," for presentation at IAEA conference on nuclear power option.
JOOSTEN, J.K. France. 94/09/14. 16pp. 81791:251-81791:266.
- 9411140154** Final response to FOIA request for info. Forwards App A info which will be available in PDR.
GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (890206-940714). 93/10/20. LAMBERSKI, J. Troutman Sanders (formerly Troutman, Sanders, Lockerman & Ashmore). 2pp. 81732:071-81732:133.
- 9411140158** Agrees w/conclusions that McDonald misstatement unintentional (ref SECY-91-358 proposed director's decision on matl false statement during Commission meeting on full power license for facility).
CURTISS, J.R. Commissioners (Post 750119). 91/11/21. CHILK, S.J. NRC - No Detailed Affiliation Given. 1p. 81732:073-81732:073.
- 9411160190** Expresses appreciation for suggestion to hold, as well as participation in, recent Commission briefing on high-level waste program.
THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 94/10/25. MURPHY, M. Olympia, WA. CANTLON, J. Arlington County, VA. LOUX, R. Nevada, State of. 17pp. 81772:114-81772:130.
- 9411160191** Discusses Chairman 941024 meeting w/util representatives re current issues & plans relative to plant.
JONES, W.B. Commissioners (Post 750119). 94/10/26. Commissioners (Post 750119). 1p. 81761:360-81761:360.
- 9411160232** Forwards rept summarizing NRC actions taken under Program Fraud Civil Remedies Act of 1986 for FY94. Rept describes summary of action taken re three fraud incidents.
ROGERS, K.C. Commissioners (Post 750119). CCS. 94/10/31. GLENN, J. Senate, Governmental Affairs. LIEBERMAN, J.I. Senate, Environment & Public Works. JOHNSTON, J.B. Senate, Appropriations. 9pp. 81755:343-81755:351.
- 9411160249** Discusses highlights of 941028 meeting w/PG&E re current issues & plans for plants. Identifies positive accomplishments & activities for plant inspections & recent refueling outage.
JONES, W.B. Commissioners (Post 750119). 94/10/31. NRC - No Detailed Affiliation Given. 1p. 81755:354-81755:354.
- 9411160257** Summarizes 941020 meeting w/Centrior Energy Corp re current issues & plans for plants. Concerns noted involve improving work control process & reducing backlogs at Perry. Plant & personnel performance at Davis Besse deemed good.
JONES, W.B. Commissioners (Post 750119). 94/10/26. Commissioners (Post 750119). 1p. 81755:353-81755:353.
- 9411160302** Informs that Omnibus Budget Reconciliation Act of 1990, as amended requires NRC in each of FY91-FY98 yrs to collect fee & annual charges approx 100% of its budget authority less amount appropriated to NRC Nuclear Waste Fund.
THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). CCS. 94/10/28. SHARP, P.R. House of Rep., Energy & Commerce. LEHMAN, R.H. House of Rep. BEVILL, T. House of Rep., Appropriations. 5pp. 81761:355-81761:359.
- 9411160317** Discusses 940621 ltr re FY94 annual fee for Allied-Signal Inc. Informs that NRC plans to review current classification of fuel fabrication licenses & include result of re-evaluation in FY95 proposed rule.
THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). CCS. 94/10/31. MOSELEY, BRAUN, SIMON, P. Senate. POSHARD, G. House of Rep. 3pp. 81770:337-81770:341.
- 9411180003** SECY-94-274 Weekly info rept for wk ending 941104.
BLAHA, J.L. Assistant for Operations (Post 890205). 94/11/09. 22pp. 81788:324-81788:345.
- 9411180025** SECY-94-272 Weekly info rept for wk ending 941028.
BLAHA, J.L. Assistant for Operations (Post 890205). 94/11/03. 31pp. 81788:293-81788:323.
- 9411180032** Reports that NRC did not have any employees on detail to executive agencies during FY94, per Title IV, Section 616 Public Law 100-440.
THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). CCS. 94/10/05. BYRD, R.C. Senate, Appropriations. 1p. 81818:342-81818:343.
- 9411180046** Notation vote response sheet approving w/comment, SECY-94-237, "Reducing Commission Review of Certain Enforcement Actions."
DE PLANQUE, E.G. Commissioners (Post 750119). 94/10/14. HOYLE, J.C. Office of the Secretary of the Commission. 2pp. 81777:222-81777:223.
- 9411180047** Notation vote response sheet approving w/o comment, SECY-94-237, "Reducing Commission Review of Certain Enforcement Actions."
ROGERS, K.C. Commissioners (Post 750119). 94/09/16. HOYLE, J.C. Office of the Secretary of the Commission. 1p. 81777:224-81777:224.
- 9411180050** Notation vote response sheet approving w/o comment, SECY-94-237, "Reducing Commission Review of Certain Enforcement Actions."
THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 94/10/06. HOYLE, J.C. Office of the Secretary of the Commission. 1p. 81777:225-81777:225.
- 9411180061** Affirmation vote approving SECY-94-261, "Final Amends to 10CFR30.32 & 35: Preparation, Transfer for Commercial Distribution & Use of Byproduct Matl for Medical Use," w/comments.
ROGERS, K.C. Commissioners (Post 750119). 94/11/08. HOYLE, J.C. Office of the Secretary of the Commission. 1p. 81782:166-81782:166.
- 9411180075** Affirmation vote response sheet, approving w/comment, SECY-94-261, "Final Amends to 10CFR30.32 & 35: Preparation, Transfer for Commercial Distribution & Use of Byproduct Matl for Medical Use."
THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 94/11/07. HOYLE, J.C. Office of the Secretary of the Commission. 6pp. 81777:239-81777:244.
- 9411180077** Proposes that staff be directed to undertake listed steps re improving NRC control over & licensee accountability for generally licensed devices.
DE PLANQUE, E.G. Commissioners (Post 750119). 94/09/13. THE CHAIRMAN, SELIN, I., ROGERS, K.C. Commissioners (Post 750119). 3pp. 81782:171-81782:175.
- 9411180080** Affirmation vote response sheet, approving w/o comments, SECY-94-261, "Final Amends to 10CFR30.32 & 35: Preparation, Transfer for Commercial Distribution & Use of Byproduct Matl for Medical Use."
DE PLANQUE, E.G. Commissioners (Post 750119). 94/11/07. HOYLE, J.C. Office of the Secretary of the Commission. 1p. 81777:258-81777:258.
- 9411180085** SECY-94-265 Weekly info rept for wk ending 941021.
BLAHA, J.L. Assistant for Operations (Post 890205). 94/10/26. 24pp. 81777:259-81777:282.
- 9411180087** Concurs with & approves steps 2 & 4 proposed by Commissioner de Planque in COMGD-94-003. Suggests listed language for SRM to staff.
THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). WINSBERG, K.L. NRC - No Detailed Affiliation Given. 94/09/29. HOYLE, J.C. Office of the Secretary of the Commission. 1p. 81782:176-81782:176.
- 9411180095** Concurs with & approves steps 2 & 4 proposed by Commissioner de Planque in COMGD-94-003. Suggests listed language for SRM to staff.
THE CHAIRMAN, SELIN, I., WINSBERG, K.L. Commissioners (Post 750119). 94/09/29. HOYLE, J.C. Office of the Secretary of the Commission. 1p. 81782:177-81782:177.
- 9411210328** Informs that on 940929, US Atty for District of MD & NRC Inspector General announced indictment of Thermal Science, Inc (TSI), sole mfg & supplier of Thermo-Lag fire barrier mats & of TSI president, R Feldman.
THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). CCS. 94/11/16. SHARP, P.R., DINGELL, J. House of Rep., Energy & Commerce. LEHMAN, R.H. House of Rep. 3pp. 81792:167-81792:169.
- 9411210339** Informs that on 940929, US Atty for District of MD & NRC Inspector General announced indictment of Thermal Science, Inc, sole mfg & supplier of Thermo-Lag fire barrier mats & of R Feldman.
THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 94/11/16. LEHMAN, R.H. House of Rep. 3pp. 81792:179-81792:181.
- 9411210371** Informs that all commercial nuclear power plants w/Thermo-Lag fire barriers will be required to return to compliance w/existing NRC fire protection regulations, per NRC 940909 ltr.
THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 94/11/16. DINGELL, J. House of Rep., Energy & Commerce. 3pp. 81809:019-81809:021.
- 9411220061** Forwards documents requested in 941025 meeting re Temelin plant in Czech Republic.
RATHBUN, D.K. Office of Congressional Affairs (Post 911117). CCS. 94/10/27. ROACH, R.L. House of Rep., Energy & Commerce. 5pp. 81892:345-81892:355.
- 9411220075** Follows up on matter extensively discussed on 931203 re improving nuclear safety in Russia & other countries of Eastern Europe.
THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). O'LEARY, H.R. Energy, Dept. of CCS. 93/12/21. President of U.S. & Executive Offices. 5pp. 81892:350-81892:355.
- 9411220135** Responds to earlier ltr on license renewal & 941021 ltr requesting views & perspectives on difficult nuclear energy situation in Russia.
THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 94/11/03. JOOSTEN, J.K. France. 3pp. 81817:302-81817:315.
- 9411220157** Remarks entitled, "ON occasion of Joint Meeting of BNF & BNF," presented at 940913 meeting.
THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 94/09/13. 10pp. 81817:305-81817:314.
- 9411220166** Informs that OECD IEA, w/assistance of NEA currently planning high-level policy review of Russia energy programs from 941028-1112.
JOOSTEN, J.K. France. 94/10/21. THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 1p. 81817:315-81817:315.
- 9411220186** Discusses indictment of Thermal Science Inc re allegations that Thermal Science Inc & its president conspired w/ Industrial Testing Lab to make false statements & conceal matl facts within jurisdiction of NRC & to defraud US.
THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 94/11/16. LIEBERMAN, J.I. Senate, Environment & Public Works. 3pp. 81818:004-81818:006.
- 9411220218** Discusses addendum to meeting note on Chairman 941019 meeting w/ TVA inspector general to discuss insp of TVA employee concerns program.
WINSBERG, K.L. Commissioners (Post 750119). 94/11/17. Commissioners (Post 750119). 1p. 81840:341-81840:355.
- 9411220265** Expresses appreciation for opportunity to discuss results of review of TVA concerns resolution program on 941019.
Tennessee Valley Authority. 94/11/04. THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 1p. 81840:342-81840:342.
- 9411250194** Addendum to "Summary of TVA Concerns Resolution Program."
HALL, J.B., HUNTER, B.B., JOHNSON, T.B. Tennessee Valley Authority. 94/09/30. 13pp. 81840:343-81840:355.

9411220269 Discusses Chairman 941019 meeting w/TVA inspector general to discuss insp of TVA employee concerns program at Watts Bar. TVA rept entitled, "Concerns Resolution Program - Watts Bar Nuclear Plant" encl. WINSBERG,K.L. Commissioners (Post 750119). 94/10/24. Commissioners (Post 750119). 1p. 81841:070-81841:121.

-9411280083 "Concerns Resolution Program - Watts Bar Nuclear Plant." HUNTER,B.B., JOHNSON,T.B. Tennessee Valley Authority. 94/09/30. 21pp. 81841:071-81841:091.

-9411280090 "Concerns Resolution Program." HUNTER,B.B., JOHNSON,T.B., WAGNER,B.R. Tennessee Valley Authority. 94/09/30. 17pp. 81841:092-81841:108.

-9411280095 "Summary of TVA Concerns Resolution Program." HALL,J.B., HUNTER,B.B., OHNSON,T.B. Tennessee Valley Authority. 94/09/30. 13pp. 81841:109-81841:121.

9411220388 Provides assessment of safety significance of new info re fuel failure limits for high burnup fuel & to describe joint efforts of NRR & RES to assess need for revised fuel design acceptance criteria for high burnup fuel. TAYLOR,J.M. Ofc of the Executive Director for Operations. 94/11/09. THE CHAIRMAN, SELIN,I., ROGERS,K.C. Commissioners (Post 750119). 13pp. 81828:011-81828:023.

CONTRACT NRC CONTRACTS AND MODIFICATIONS

9411300381 Mod 1,extending term of contract to "Command Ctr Software Maint." * Pilot Executive Software, Inc. MATTIA,M.J. Division of Contracts (Post 940714). FIN D-1924. 94/10/29. 3pp. 81903:182-81903:184.

9411300034 Mod 11,deobligating FY94 funds in listed amount to, "Methodologies For Design Of Soil Covers At Waste Disposal Sites." BROWN,J.F. Colorado State Univ., Fort Collins, CO. MACE,M.H. Division of Contracts (Post 940714). FIN L-1410. 94/09/19. 3pp. 81602:251-81602:253.

9411300065 Ltr contract,mod 1 to task order 8,providing downward adjustment of task order ceiling amount to reflect completion of task order, to "Participation in Workshop for Agreement States." MACE,M.H. Division of Contracts (Post 940714). FIN J-5011. NRC-02-91-001. 94/09/08. SORRELS,J. ICF, Inc. 2pp. 81602:249-81602:250.

9411300086 Ltr contract,Mod 2,task order 28,extending expiration dtd from 940831 to 941231 at no addl cost to govt, to "Environmental Assessment For License Renewal Of Cabot Corp in Boyertown,PA." MACE,M. Division of Contracts (Post 940714). NRC-02-90-009. 94/09/16. GREEN,S. Science Applications International Corp. (formerly Science Applications, Inc.). 1p. 81602:248-81602:248.

9411300111 Ltr contract,mod 1 to task order 26,increasing funds,to Environmental Assessment for License Renewal for Siemens Power Corp. MACE,M.H. Division of Contracts (Post 940714). FIN J-5031. NRC-02-90-009. 94/09/30. GREEN,S. Science Applications International Corp. (formerly Science Applications, Inc.). 2pp. 81602:246-81602:247.

9411300123 Ltr contract,Mod 1 to task order 19,extending period of performance, to "Task 19-IPE Reviews,Internal Events-Human Reliability Analysis Only (Cooper)." MACE,M. Division of Contracts (Post 940714). NRC-04-91-069. 94/09/01. HAAS,P.M. Concord Associates, Inc. 2pp. 81607:208-81607:208.

9411300135 Ltr contract,definitizing task order 40, to "IPE Reviews, Internal Events-Human Reliability Analysis Only." MACE,M.H. Division of Contracts (Post 940714). FIN L-1934. NRC-04-91-069. 94/09/12. HAAS,P.M. Concord Associates, Inc. 12pp. 81602:230-81602:241.

9411300150 Ltr contract,definitizing Task Order 40, "IPE Reviews, Internal Events Back-End Only." MACE,M. Division of Contracts (Post 940714). FIN L-1933. NRC-04-91-068. 94/09/19. MEYER,J. SCIENTECH, Inc. 2pp. 81602:224-81602:225.

9411300155 Ltr contract,definitizing Task Order 39, to "IPE Reviews, Internal Events-Human Reliability Analysis Only." MACE,M.H. Division of Contracts (Post 940714). FIN L-1934. NRC-04-91-069. 94/09/12. HAAS,P.M. Concord Associates, Inc. 12pp. 81607:227-81607:238.

9411300161 Ltr contract,definitizing Task Order 39, to "IPE Reviews, Internal Events Back-End Only." MACE,M. Division of Contracts (Post 940714). FIN L-1933. NRC-04-91-068. 94/09/19. MEYER,J. SCIENTECH, Inc. 2pp. 81602:226-81602:227.

9411300167 Ltr contract,definitizing Task Order 38, to "IPE Reviews Internal Events-Human Factors Only," for plant. MACE,M.H. Division of Contracts (Post 940714). FIN L-1934. NRC-04-91-069. 94/09/12. HAAS,P.M. Concord Associates, Inc. 12pp. 81607:239-81607:250.

9411300175 Ltr contract,definitizing Task Order 37, to "IPE Reviews, Internal Events-Human Reliability Analysis Only." MACE,M.H. Division of Contracts (Post 940714). FIN L-1934. NRC-04-91-069. 94/09/12. HAAS,P.M. Concord Associates, Inc. 12pp. 81607:251-81607:262.

9411300180 Mod 7,incorporating indirect cost rates for contractor FY 1989 & 1990, to "Rulemaking & Regulatory Analysis Support for Requirements Primarily Involving Admin & Procedure Mod to NRC Licensed Facilities." COHEN,S. S. Cohen & Associates, Inc. MACE,M. Division of Contracts (Post 940714). 94/09/26. 6pp. 81602:206-81602:211.

9411300184 Ltr contract,definitizing Task Order 36, "IPE Reviews, Internal Events - Human Reliability Analysis Only." MACE,M. Division of Contracts (Post 940714). FIN L-1934. NRC-04-91-069. 94/09/12. HAAS,P.M. Concord Associates, Inc. 12pp. 81602:212-81602:223.

9411300188 Mod 17,extending period of performance, to "Scale Effects & Uncertainties in Characterizing Fluid Flow & Contaminant Transport Around High-Level Radioactive Waste Repositories in Fractured Tuffaceous Rocks." WHEELER,J.T. Arizona, Univ. of, Tucson, AZ. MACE,M. Division of Contracts (Post 940714). 94/09/27. 2pp. 81602:204-81602:205.

9411300193 Mod 6,increasing contract ceiling, to "Radiation Embrittlement Damage Analysis & Predictions." * California, Univ. of, Santa Barbara, CA. MACE,M.H. Division of Contracts (Post 940714). FIN L-1212. 94/09/22. 2pp. 81602:202-81602:203.

9411300197 Ltr contract,definitizing Task Order 9, to "Part 21 Reporting of Defects & Noncompliance-Matl Licensees - Technical Support." MACE,M.H. Division of Contracts (Post 940714). FIN L-1985. NRC-04-93-058. 94/10/06. COHEN,S. S. Cohen & Associates, Inc. 2pp. 81607:267-81607:268.

9411300200 Ltr contract,definitizing task order 36 titled, "Technical Assistance in Support of NRR Programs & Activities Pertaining to Licensee Performance & Quality Evaluation." WIGGINS,E.J. Division of Contracts (Post 940714). NRC-03-93-036. FIN J-2012-4. 94/09/23. COLINA,I. Science & Engineering Associates, Inc. 4pp. 81602:197-81602:201.

9411300202 Ltr contract,definitizing Task Order 38, "IPE Reviews, Internal Events - Back-End Only." MACE,M. Division of Contracts (Post 940714). FIN L-1933. NRC-04-91-068. 94/09/19. MEYER,J. SCIENTECH, Inc. 2pp. 81602:195-81602:196.

9411300206 Ltr contract,definitizing Task Order 37, "IPE Reviews, Internal Events Back-End Only." MACE,M. Division of Contracts (Post 940714). FIN L-1933. NRC-04-91-068. 94/09/19. MEYER,J. SCIENTECH, Inc. 2pp. 81602:193-81602:194.

9411300214 Mod 6,extending period of performance,at no addl cost to Government,to "Feasibility of Human Factors Regulatory Research Facility." TABATABAIA, Compa Industries, Inc. MACE,M.H. Division of Contracts & Property Management (890206-940714). 94/09/22. 4pp. 81607:269-81607:272.

9411300229 Ltr contract,definitizing Task Order 36, "IPE Reviews, Internal Events Back-End Only." MACE,M. Division of Contracts (Post 940714). FIN L-1933. NRC-04-91-068. 94/09/19. MEYER,J. SCIENTECH, Inc. 2pp. 81602:191-81602:192.

9411300233 Ltr contract,definitizing Task Order 35, "IPE Reviews, Internal Events Back-End Only." MACE,M. Division of Contracts (Post 940714). FIN L-1933. NRC-04-91-068. 94/09/19. MEYER,J. SCIENTECH, Inc. 2pp. 81602:190-81602:190.

9411300240 Ltr contract,mod 2 to task order 13,extending period of performance from 941014 to 950413 at no addl cost to govt, to "IPE Reviews,Internal Events-Front End Only," for plant. MACE,M. Division of Contracts (Post 940714). NRC-04-91-066. 94/09/01. COLINA,I. Science & Engineering Associates, Inc. 1p. 81607:293-81607:294.

9411300243 Ltr contract,mod 1 to task order 18,extending period of performance from 940808 to 950228 at no addl cost to govt, to "IPE Reviews,Internal-Front End Only," for plant. MACE,M. Division of Contracts (Post 940714). NRC-04-91-066. 94/08/18. COLINA,I. Science & Engineering Associates, Inc. 1p. 81607:295-81607:296.

9411300246 Ltr contract,mod 3 to task order 14,extending period of performance, to "IPE Reviews,Internal Events-Front End Only (Duane Arnold)." MACE,M. Division of Contracts (Post 940714). NRC-04-91-066. 94/09/01. COLINA,I. Science & Engineering Associates, Inc. 2pp. 81602:189-81602:189.

9411300249 Ltr contract,definitizing task order 35 titled, "Technical Assistance in Support of NRR Programs & Activities Pertaining to Licensee Performance & Quality Evaluation." WIGGINS,E.J. Division of Contracts (Post 940714). NRC-03-93-036. FIN J-2012-4. 94/09/27. COLINA,I. Science & Engineering Associates, Inc. 5pp. 81602:184-81602:188.

9411300252 Ltr contract,mod 1 to task order 22,extending period of performance from 940929 to 950329 at no addl cost to govt, to "IPE Reviews,Internal Events-Front End Only," for plants Unit 1 & 2. MACE,M. Division of Contracts (Post 940714). NRC-04-91-066. 94/09/01. COLINA,I. Science & Engineering Associates, Inc. 1p. 81607:297-81607:298.

9411300253 Mod 3,extending period of performance of grant through 941231 at no addl cost or obligation to govt, to "Validation of Tectonic Models for Intraplate Seismic Zone,Charleston, SC w/GPS Geodetic Data." * South Carolina, Univ. of, Columbia, SC. MACE,M. Division of Contracts (Post 940714). FIN G-2519. 94/10/05. 1p. 81602:183-81602:183.

9411300257 Mod 3,providing incremental funding, to "Control of Waste Infiltration at Humid Region Low-Level Radwaste Disposal Facilities." * California, Univ. of, Los Angeles, CA. MACE,M.H. Division of Contracts (Post 940714). FIN L-2491. 94/09/26. 2pp. 81590:360-81590:361.

9411300262 Ltr contract,mod 7 to task order 8,increasing cost ceiling, to "Watts Bar Open Items,CDRS & Employee Concerns." WIGGINS,E.J. Division of Contracts (Post 940714). NRC-03-93-026. FIN J-2061. 94/09/22. LOFY,R.A. PARAMETER, Inc. 3pp. 81590:357-81590:359.

9411300264 Mod 7,extending expiration date of period of performance to 950930 at no change to contract estimate cost, to "Predicting Kinetics of Disequilibrium Silicate Weathering." CROCKER,D.G. California, Univ. of, Davis, CA. MACE,M.H. Division of Contracts (Post 940714). 94/09/12. 2pp. 81602:182-81602:182.

9411300266 Ltr contract,definitizing task order 45 entitled, "Svc Water Sys Operational Performance Insp - Fort Calhoun." WIGGINS,E.J. Division of Contracts (Post 940714). NRC-03-93-026. FIN J-2062-4. 94/09/22. LOFY,R.A. PARAMETER, Inc. 6pp. 81602:176-81602:181.

9411300270 Ltr contract,mod 3,extending period of performance at no addl cost to 950331 & revising schedule for deliverables item 4(c) & (d), to task order 6, "Independent Assessment of Direct Containment Heating Research." MACE,M.H. Division of Contracts (Post 940714). NRC-04-92-046. 94/09/26. KHATIB-RAHBAR Energy Research Group, Inc. 1p. 81602:175-81602:175.

9411300271 Ltr contract,definitizing task order 44 entitled, "Combustion Engineering Vendor Insp." WIGGINS,E.J. Division of Contracts (Post 940714). NRC-03-93-045. FIN J-2166-4. 94/09/13. LOFY,R.A. PARAMETER, Inc. 6pp. 81607:323-81607:329.

186 NONDOCKETED ITEMS

- 9411030280** Ltr contract,definitizing task order 43 entitled, "Follow Up to Svc Water Sys Operational Performance Insp,Oconee." WIGGINS,E.J. Division of Contracts (Post 940714). NRC-03-90-026. FIN J-2062-4. 94/09/22. LOFY,R.A. PARAMETER, Inc. 6pp. 81607:330-81607:335.
- 9411030281** Mod 1,providing for two month,no-cost extension to contract, to "Paleo-quefaction features on Atlantic Seaboard." MCCOY,K.O. South Carolina, Univ. of, Columbia, SC. MACE,M.H. Division of Contracts (Post 940714). 94/09/30. 2pp. 81607:336-81607:337.
- 9411030283** Ltr contract,definitizing task order 42 entitled, "Svc Water Sys Operational Performance Insp - Crystal River." WIGGINS,E.J. Division of Contracts (Post 940714). NRC-03-93-026. FIN J-2062-4. 94/09/22. LOFY,R.A. PARAMETER, Inc. 6pp. 81607:338-81607:343.
- 9411030286** Ltr contract,definitizing task order 41 entitled, "Svc Water Sys Operational Performance Insp - North Anna." WIGGINS,E.J. Division of Contracts (Post 940714). NRC-03-93-026. FIN J-2062-4. 94/09/22. LOFY,R.A. PARAMETER, Inc. 6pp. 81607:344-81607:349.
- 9411030289** Ltr contract,task order 39,to "IPE Reviews,Internal Events Front End Only," for facility. MACE,M. Division of Contracts (Post 940714). NRC-04-91-066. FIN B-5787. 94/09/08. COLINA,I. Science & Engineering Associates, Inc. 10pp. 81607:350-81607:359.
- 9411030291** Mod 11,providing incremental FY94 funds,to "Technical Assistance for Evaluation of Fire Barrier Performance." Commerce, Dept. of. WIGGINS,E.J. Division of Contracts (Post 940714). FIN L-2063-4. 94/09/22. 3pp. 81608:001-81608:003.
- 9411030295** Ltr contract,task order 38,to "IPE Reviews,Internal Events, Front End Only," for plant. MACE,M. Division of Contracts (Post 940714). NRC-04-91-066. FIN B-5787. 94/09/08. COLINA,I. Science & Engineering Associates, Inc. 10pp. 81608:004-81608:013.
- 9411030296** Mod 2,extending period of performance through 950630 at no addl cost or obligation to Government,to "Grant program- Review of Methodology for Seismic Hazard Evaluation." MACE,M.J. Division of Contracts (Post 940714). NRC-04-92-117. 94/08/29. 2pp. 81608:014-81608:015.
- 9411030297** Ltr contract,task order 37,to "IPE Reviews,Internal Events, Front End Only," for facility. MACE,M. Division of Contracts (Post 940714). NRC-04-91-066. FIN B-5787. 94/09/08. COLINA,I. Science & Engineering Associates, Inc. 10pp. 81608:016-81608:025.
- 9411030298** Grant: "Large Eddy Simulation & Experimental Studies of Turbulent Flow in Steam Generator Bundles," awarded to A & M Texas Univ. CANTRELL,C.J. Texas A&M Univ., College Station, TX. MACE,M.H. Division of Contracts (Post 940714). FIN G-6396. 94/09/30. 2pp. 81608:026-81608:027.
- 9411030299** Ltr contract,Mod 3 to task order 18,providing funds to "Review of Duke Power Company Statistical Methodology, DPC-NE-2005." WIGGINS,E.J. Division of Contracts (Post 940714). NRC-03-90-027. FIN L-1318-4. 94/09/19. KOMORIYA,H. International Technical Services, Inc. 2pp. 81608:028-81608:029.
- 9411030303** Mod 4,extending period of performance through 950328 at no addl cost or obligation to govt,to "Grant Program- Criteria for Release From Hosp of Patients Containing Therapeutic Amounts of Radionuclides." MACE,M.H. Division of Contracts (Post 940714). NRC-G-04-92-118. 94/09/27. 1p. 81608:034-81608:034.
- 9411030309** Ltr contract,mod 3 to task order 15,extending period of performance from 941014 to 950413 at no addl cost or obligation to govt,to "IPE Reviews,Internal Events-Front End Only (Palisades)." MACE,M. Division of Contracts (Post 940714). NRC-04-91-066. 94/09/01. COLINA,I. Science & Engineering Associates, Inc. 2pp. 81608:041-81608:042.
- 9411030310** Ltr contract,task order 36,to "IPE Reviews,Internal Events, Front End Only," for facility. MACE,M. Division of Contracts (Post 940714). NRC-04-91-066. FIN B-5787. 94/09/08. COLINA,I. Science & Engineering Associates, Inc. 10pp. 81608:043-81608:052.
- 9411030311** Mod 2,extending contract period of performance at no addl cost through 941230,to "SBIR Program-Phase 2 FY92 Continued Development of High Sensitivity Landfill Monitor." SHONKA,D.B. Shonka Research Associates, Inc. MACE,M.H. Division of Contracts (Post 940714). NRC-04-92-096. 94/08/26. 2pp. 81608:053-81608:054.
- 9411030312** Mod 11,extending period of performance to "Measurement Assurance Program." MCGUFFIN,J.C. Commerce, Dept. of. WIGGINS,E.J. Division of Contracts (Post 940714). FIN J-2001-4. 94/09/23. 4pp. 81608:055-81608:062.
- 9411030315** Ltr contract,task order 35,to IPE Reviews,Internal Events, Front End Only," for facility. MACE,M. Division of Contracts (Post 940714). NRC-04-91-066. FIN B-5787. 94/09/08. COLINA,I. Science & Engineering Associates, Inc. 10pp. 81608:063-81608:072.
- 9411030317** Ltr contract,mod 3 to task order 16,extending period of performance from 941014 to 950413 at no addl cost or obligation to govt,to "IPE Reviews,Internal Events-Front End Only (Kewaunee)." MACE,M. Division of Contracts (Post 940714). NRC-04-91-066. 94/09/01. COLINA,I. Science & Engineering Associates, Inc. 2pp. 81608:073-81608:074.
- 9411030319** Grant: "Development of Magnescop as Instrument for Insitu Evaluation of Steel Components of Nuclear Sys," awarded to Iowa State Univ. HASBROOK,R.E. Iowa State Univ., Ames, IA. MACE,M.H. Division of Contracts (Post 940714). FIN G-6394. 94/09/30. 2pp. 81608:075-81608:076.
- 9411030322** Ltr contract,mod 3 to task order 21,extending period of performance from 940929 to 950329 at no addl cost or obligation to govt,to "IPE Reviews,Internal Events-Front End Only (Quad Cities)." MACE,M. Division of Contracts (Post 940714). NRC-04-91-066. 94/09/01. COLINA,I. Science & Engineering Associates, Inc. 2pp. 81608:077-81608:078.
- 9411030325** Grant: "Radiography Experiments for Verification of Soluble Boron Mixing & Transport Modeling Under Natural Circulation Conditions," awarded to Pennsylvania State Univ. KILLOREN,R. Pennsylvania State Univ., University Park, PA. MACE,M.H. Division of Contracts (Post 940714). FIN G-6393. 94/09/30. 2pp. 81608:096-81608:098.
- 9411030330** Mod 9,definitizing Change Order Mod 5 by increasing estimated cost ceiling & fixed fee of contract,to "NRC Operations Ctr Info Mgt Sys Implementation." Affiliation Not Assigned. MATTIA,M.J. NRC - No Detailed Affiliation Given. NRC-10-93-133. 94/09/29. 3pp. 81608:099-81608:101.
- 9411030332** Grant: "3-Dimensional Coupled Kinetics Thermal-Hydraulic Benchwork Experiments Using Breazeale TRIGA Reactor," for Pennsylvania State Univ. KILLOREN,R. Pennsylvania State Univ., University Park, PA. MACE,M.H. Division of Contracts (Post 940714). FIN G-6434. 94/09/30. 2pp. 81608:106-81608:107.
- 9411030335** Mod 8,increasing estimated cost ceiling & fixed fee of contract,to "NRC Operations Ctr Info Mgt Sys Implementation." Affiliation Not Assigned. MATTIA,M.J. Division of Contracts (Post 940714). NRC-10-93-133. 94/09/29. 2pp. 81608:118-81608:119.
- 9411030336** Contract: "SBIR Program - Phase II,FY94 Studying & Validating Use of Task Network Models for Predicting Human/ Sys Performance in Control Room," awarded to Micro Analysis & Design,Inc. LAUGHERY,K.R. Micro Analysis & Design, Inc. MACE,M.H. Division of Contracts (Post 940714). FIN W-6368. 94/09/26. 91pp. 81607:001-81607:091.
- 9411030342** Contract: "SBIR Program - Phase II,FY94 Simple Method for Solubility Testing of Radionuclides on Air Filter," awarded to Radiation Safety Engineering,Inc. METZGER,R.L. Radiation Safety Engineering, Inc. MACE,M.H. Division of Contracts (Post 940714). FIN W-6367. 94/09/23. 18pp. 81607:152-81607:169.
- 9411030357** Contract: "SBIR Program,Phase II,FY94,Portable Imaging Sys For Nondestructive Of NPP Components" awarded to TPL,Inc. TIERNAN,T.C. Affiliation Not Assigned. MACE,M.H. Division of Contracts (Post 940714). FIN W-6365. 94/09/27. 26pp. 81607:092-81607:116.
- 9411030361** Contract: "SBIR Program,Phase II,FY94,Characterization Of Concrete Condition Using Acoustic Tomographic Imaging" awarded to Atkinson-Noland & Assoc,Inc. ATKINSON,R.H. Atkinson-Noland & Associates. MACE,M.H. Division of Contracts (Post 940714). FIN W-6364. 94/09/23. 34pp. 81607:117-81607:151.
- 9411040001** Mod 3,revising contract scope of work for replacement of each of elevator lobby hall lanterns,to "Commercial Elevator Operation & Maint - One White Flint North." SIEGEL,J.O. United Technologies Corp. FIELDS,J.A. NRC - No Detailed Affiliation Given. NRC-10-93-127. 94/09/27. 6pp. 81628:245-81628:250.
- 9411040004** Mod 4,exercising option yr,providing incremental funding, extending period of performance by one addl yr,effective 940912-950911 & revising statement of work,to "Cooperative Agreement - Maint & Operation of LPDRs." ANDERSON,J.S. MACE,M.H. Division of Contracts (Post 940714). NRC-10-90-146. 94/09/19. 3pp. 81628:241-81628:244.
- 9411040011** Contract: "Local Telephone Service for Region I," awarded to Bell Atlantic Network Services,Inc. RABEN,J. Bell Atlantic Corp. MATTIA,M.J. Division of Contracts (Post 940714). NRC-28-95-206. FIN M-9107. 94/09/30. 31pp. 81619:271-81619:301.
- 9411040013** Mod 10,exercising option yr,extending period of performance by one addl yr,effective 940928-950927,providing incremental funding & revising statement of work,to "Cooperative Agreement - Maint & Operation of LPDRs." RODRIGUEZ,L. Florida International Univ., Miami, FL. MACE,M.H. Division of Contracts (Post 940714). NRC-10-87-426. 94/08/31. 4pp. 81628:251-81628:254.
- 9411040026** Contract: "Simulator Computer Sys Software Update Svc," awarded to Encore Computer Corp. CARTER,K. Encore Computer Corp. MATTIA,M.J. Division of Contracts (Post 940714). FIN E-8230. 94/09/23. 49pp. 81602:277-81602:325.
- 9411040027** Contract: "Technical Analytical Support for NRC Ofc of Controller," awarded to US Small Business Admin. GRAHAM,V.B. Small Business Administration. WIGGINS,E.J. Division of Contracts (Post 940714). 94/09/22. 88pp. 81608:120-81608:204.
- 9411040030** Contract: "NRC Wellness Program," awarded to Hummer Assoc. HUMMER,J.J. 94/09/28. 65pp. 81619:207-81619:270.
- 9411040033** Contract: "Shoreham Simulator Computer Upgrade,"awarded to Encore Computer Corp. CARTER,K. Encore Computer Corp. MATTIA,M.J. Division of Contracts (Post 940714). FIN E-8267. 94/09/23. 57pp. 81603:302-81603:358.
- 9411040037** Contract: "Grant Program - Sensitivity to Neoplastic Transformation of Mitotic Cells,Research on Molecular Mechanisms," awarded to Colorado State Univ. BROWN,J.F. Colorado State Univ., Fort Collins, CO. MACE,M.H. Division of Contracts (Post 940714). FIN G-6405. 94/09/26. 2pp. 81628:258-81628:259.
- 9411040042** Grant: "Grant Program - Sub-Surface Investigation of Geologically Recent Near-Surface Faulting & Fielding in Valley & Ridge Province," awarded to Virginia Polytechnic Inst. LINKOUS,G.S. Virginia Polytechnic Institute & State Univ., Blacksburg, VA. MACE,M.H. Division of Contracts (Post 940714). FIN G-6404. 94/09/30. 2pp. 81628:260-81628:261.
- 9411040045** Mod 2,revising subsection B.3 of contract schedule & increasing ceiling & obligated amounts for base yr,to "Elevator Maint For Two White Flint North Bldg." PARTRIDGE,W. Affiliation Not Assigned. WIGGINS,E.J. Division of Contracts (Post 940714). FIN R-0225. 94/09/28. 4pp. 81618:356-81618:359.
- 9411040049** Grant: "Grant Program - Sampling & Transport of Radionuclides from Stacks & Ducts," awarded to Texas A&M Research Foundation. MESLER,F.E. Texas A&M Univ., College Station, TX. MACE,M.H. Division of Contracts (Post 940714). FIN G-6401. 94/09/30. 2pp. 81628:262-81628:263.

- 9411040050 Mod 2,increasing ceiling amount of contract & extending period of performance to, "Simulator Hardware Maint."
* Pulau Electronics Corp. MATTIA,M.J. Division of Contracts (Post 940714). FIN E-8236. 94/10/21. 2pp. 81602:326-81602:327.
- 9411040054 Ltr contract,task order 34,to "IPE Reviews,Internal Events, Front End Only."
MACE,M. Division of Contracts (Post 940714). NRC-04-91-066. FIN B-5787. 94/09/08. COLINA,I. Science & Engineering Associates, Inc. 10pp. 81609:335-81609:344.
- 9411040058 Contract: "Study & Workshop On Application Of Computer Based Digital Instrumentation & Control Sys To NPPs" awarded to Natl Academy Of Sciences.
NOWACK,M.P. National Academy of Sciences. MACE,M.H. Division of Contracts (Post 940714). FIN W-6261. 94/09/30. 65pp. 81609:264-81609:334.
- 9411040064 Contract: "Division of Contract Administrative Support Svcs & Closeout Operation," awarded to Small Business Admin/Business Promotion Consultants,Inc.
GRAHAM,V.B. Small Business Administration. WIGGINS,E.J. Division of Contracts (Post 940714). BYRDB,B. Affiliation Not Assigned. FIN D-2360. 94/09/16. 267pp. 81609:001-81609:267.
- 9411040068 Mod 14,revising statement of work within scope of contract per FAR 52.243-2 changes-cost reimbursement,to raise contract ceiling,to "Second Intl Piping Integrity Research Group Program," for plant.
MERCIER,J.M. Battelle Memorial Institute, Columbus Laboratories. MACE,M. Division of Contracts (Post 940714). 94/09/20. 6pp. 81628:264-81628:269.
- 9411040069 Mod 1,ordering addl shelving at price listed & extending period of performance of subj contract,to "Shelving & Furniture For NRC Two White Flint North Bldg."
PATTERSON,G. Affiliation Not Assigned. WIGGINS,E.J. Division of Contracts (Post 940714). NRC-10-94-151. 94/09/14. 3pp. 81628:238-81628:240.
- 9411040072 Mod 6,extending period of performance at no addl cost or obligation to government,to "Legal Svcs-Legal Support for NRC."
SCOTT,J.B. Kator, Scott & Heller. HALMAN,E.L. Division of Contracts (Post 940714). NRC-18-92-375. 94/09/29. 1p. 81628:270-81628:270.
- 9411040073 Ltr contract,mod 1 to task order 11,correcting period of performance to reflect actual duration of effort as stated in statement of work,to "Estimate of Sewer Releases & Distribution of Exempt Matl."
MACE,M. Division of Contracts (Post 940714). NRC-04-91-047. 94/09/16. KNOX,I.H. Advanced Technology, Inc. 2pp. 81628:271-81628:272.
- 9411040079 Mod 3,changing indirect rates in accordance w/940831 ltr, to "Personnel Security Support."
* Small Business Administration. HENTSCH,LLA. Kenrob & Associates, Inc. WIGGINS,E.J. Division of Contracts (Post 940714). NRC-10-93-143. 94/09/28. 2pp. 81608:358-81608:359.
- 9411040089 Mod 4,adding within scope change under Section C.1.3.2 & increasing contract ceiling & obligated amount,to "Maintenance of Trac BWR Thermal Hydraulic Simulation Computer Codes for Reactor Transients."
KILLOREN,R. Pennsylvania State Univ., University Park, PA. MACE,M. Division of Contracts (Post 940714). FIN L-1971. 94/09/29. 2pp. 81628:273-81628:273.
- 9411040090 Mod 10,definitizing change order mod as stated & increasing estimated cost ceiling,to "NRC Operations Ctr Info Mgt Sys Implementation."
RUSSELL,J.F. Affiliation Not Assigned. MATTIA,M.J. Division of Contracts (Post 940714). FIN D-2443. 94/09/30. 2pp. 81628:236-81628:237.
- 9411040093 Ltr contract,mod 1 to task order 7,extending period of performance of task order at no addl cost or obligation to govt, to "Computerized Data Entry Module for Human Performance Investigation Process."
MACE,M. Division of Contracts (Post 940714). NRC-04-91-071. 94/10/05. COLINA,I. Science & Engineering Associates, Inc. 1p. 81628:274-81628:274.
- 9411040099 Ltr contract,mod 1 to task order 35,correcting task order, paragraph 4,to "IPE Reviews,Internal Events,Human Reliability Analysis Only."
MACE,M. Division of Contracts (Post 940714). NRC-04-91-069. 94/09/26. HAAS,P.M. Concord Associates, Inc. 1p. 81628:275-81628:275.
- 9411040101 Mod 3,increasing estimated cost & fixed fee,to "Technical & Administrative Support in Moscow For Russian Priority Number 3 (Incident Response) (Lisbon Initiative)."
RODEHAU,T.J. Science Applications International Corp. (formerly Science Applications, Inc.). MATTIA,M.J. Division of Contracts (Post 940714). FIN R-7003. 94/09/26. 2pp. 81602:328-81602:329.
- 9411040107 Contract: "Local Telephone Svc for Region III," awarded to Ameritech.
GERBER,M.D. MATTIA,M.J. Division of Contracts (Post 940714). FIN J-9313. 94/09/29. 33pp. 81628:203-81628:235.
- 9411040110 Ltr contract,mod 12 to task order 1,providing incremental funding to "Project Mgt & Other Direct Costs."
MATTIA,M.J. Division of Contracts (Post 940714). NRC-33-92-203. FIN D-1391. 94/09/29. HUTCHINSON,M. Applied Management Systems, Inc. 1p. 81602:330-81602:330.
- 9411040111 Ltr contract,mod 1 to task order 23,extending period of performance of task order from 940929 to 950329 at no addl cost or obligation to govt,to "IPE Reviews,Internal Events, Human Reliability Analysis Only," for plants.
MACE,M. Division of Contracts (Post 940714). NRC-04-91-069. 94/09/01. HAAS,P.M. Concord Associates, Inc. 2pp. 81628:276-81628:277.
- 9411040114 Ltr contract,mod 10 to task order 5,providing incremental funding to "Mainframe/Minicomputer Sys Support."
MATTIA,M.J. Division of Contracts (Post 940714). NRC-33-92-203. FIN D-1391. 94/09/29. HUTCHINSON,M. Applied Management Systems, Inc. 1p. 81602:331-81602:331.
- 9411040125 Ltr contract,mod 1 to task order 20,extending period of performance of task order from 940929 to 950329 at no addl cost or obligation to govt,to "IPE Reviews,Internal Events, Human Reliability Analysis Only," for plant.
MACE,M. Division of Contracts (Post 940714). NRC-04-91-069. 94/09/01. HAAS,P.M. Concord Associates, Inc. 2pp. 81628:278-81628:279.
- 9411040126 Mod 8,providing funding for four year-3 SART courses to be held at region I,to "Site Access & Site Access Refresher Training Courses."
REYNOLDS,B.A. General Physics Corp. MATTIA,M.J. Division of Contracts (Post 940714). FIN L-2509. 94/09/28. 4pp. 81602:332-81602:335.
- 9411040136 Mod 2 to task order 17,decreasing task order ceiling amount & deobligating funding in listed amount,to "Ofc Plans, Integration & Implementation,Ofc of Info Resources Mgt."
LIN,B.T. CECEC, Inc. MATTIA,M.J. Division of Contracts (Post 940714). FIN L-2595. 94/09/09. 2pp. 81628:280-81628:281.
- 9411040141 Ltr contract,mod 10 to task order 3,providing incremental funding to "Documentation/Technical Writers."
MATTIA,M.J. Division of Contracts (Post 940714). NRC-33-92-203. FIN D-1391. 94/09/29. HUTCHINSON,M. Applied Management Systems, Inc. 1p. 81602:336-81602:336.
- 9411040143 Ltr contract,mod 6 to task order 7,providing incremental funding to "Application Sys Hotline & Customer Support Svcs."
MATTIA,M.J. Division of Contracts (Post 940714). NRC-33-92-203. FIN D-1391. 94/09/29. HUTCHINSON,M. Applied Management Systems, Inc. 1p. 81602:337-81602:337.
- 9411040145 Ltr contract,mod 6 to task order 2,providing incremental funding to "Software Administration."
MATTIA,M.J. Division of Contracts (Post 940714). NRC-33-92-203. FIN D-1391. 94/09/29. HUTCHINSON,M. Applied Management Systems, Inc. 1p. 81602:338-81602:338.
- 9411040150 Ltr contract,mod 4 to task order 10,providing incremental funding to "NUDOCS Maint & Enhancement."
MATTIA,M.J. Division of Contracts (Post 940714). NRC-33-92-203. FIN D-1391. 94/09/29. HUTCHINSON,M. Applied Management Systems, Inc. 1p. 81602:339-81602:339.
- 9411040152 Ltr contract,definitizing Task Order 15,to "Training In Health Physics & Radiation Protection."
MATTIA,M.J. Division of Contracts (Post 940714). FIN L-1583. NRC-26-91-292. 94/09/29. ELLIOTT,J. International Technology Corp. 2pp. 81602:340-81602:341.
- 9411040157 Mod 11,correcting accounting & appropriation data provided under mod 7 dtd 940222,to "Telephone Operator Support Svcs."
* Small Business Administration. REED,W. Facilities Management Co., Inc., Lanham, MD. MATTIA,M.J. Division of Contracts (Post 940714). FIN L-1423. 94/09/29. 2pp. 81602:342-81602:343.
- 9411040167 Mod 6,increasing contract ceiling to "Archival Record Storage & Related Svcs."
TOMOVESIK,J. Data Base, Inc. MATTIA,M.J. Division of Contracts (Post 940714). 94/09/28. 4pp. 81602:344-81602:347.
- 9411040174 Mod 32 to task order 1,extending period of performance from 940920-950920,to "Overall & Task-Specific Project Plan & Mgt."
LIN,B.T. CECEC, Inc. MATTIA,M.J. Division of Contracts (Post 940714). 94/09/20. 2pp. 81602:348-81602:349.
- 9411040178 Mod 31 to task order 1,extended period of performance from 940920-950920 to "Overall & Task-Specific Project Plan & Mgt."
LIN,B.T. CECEC, Inc. MATTIA,M.J. Division of Contracts (Post 940714). 94/09/30. 2pp. 81602:350-81602:351.
- 9411040179 Mod 25,increasing contract ceiling amount & revising SOW within scope change,to "Emergency Response Data Sys (ERDS) Implementation."
MANDEL,J. Halliburton NUS Environmental Corp. MATTIA,M.J. Division of Contracts (Post 940714). 94/09/30. 16pp. 81606:089-81606:104.
- 9411040183 Mod 10 to task order 4,increasing task order ceiling & revising schedule of available award fee to correspond w/revised Contract Spend Plan, "Network Mgt & Admin."
LIN,B.T. CECEC, Inc. MATTIA,M.J. Division of Contracts (Post 940714). FIN L-1954. 94/09/28. 3pp. 81602:352-81602:354.
- 9411040190 Ltr contract,mod 2 to task order 2,extending period of performance from 941231 to 950630 at no addl cost to govt,to "Full Text Enhancement."
CORWIN,J.B. Division of Contracts (Post 940714). NRC-33-93-181. 94/10/14. SULLIVAN,D. Zonar Corp. 1p. 81602:355-81602:355.
- 9411040194 Mod 9 to task order 4,extending period of performance from 940920-950920,to "Network Mgt & Administration."
LIN,B.T. CECEC, Inc. MATTIA,M.J. Division of Contracts (Post 940714). 94/09/30. 2pp. 81602:356-81602:357.
- 9411040197 Mod 7 to task order 14,decreasing task order ceiling & deobligating funding to "Office Plans,Integration & Implementation - Region IV & URFO."
LIN,B.T. CECEC, Inc. MATTIA,M.J. Division of Contracts (Post 940714). FIN L-2421. 94/09/28. 2pp. 81602:358-81602:359.
- 9411040199 Mod 7 to task order 9,decreasing task order ceiling & deobligating funding to "Network Implementation for NRR."
LIN,B.T. CECEC, Inc. MATTIA,M.J. Division of Contracts (Post 940714). FIN L-2056. 94/09/02. 2pp. 81602:360-81602:361.
- 9411040202 Mod 4 to task order 13,decreasing task order ceiling & deobligating funding to "Office Plans,Integration & Implementation - Region III."
LIN,B.T. CECEC, Inc. MATTIA,M.J. Division of Contracts (Post 940714). FIN L-2418. 94/09/28. 2pp. 81603:360-81603:361.
- 9411040204 Mod 3 to task order 26,decreasing task order ceiling to deobligating funding to "Office Plans,Integration & Implementation - ASLBP."
LIN,B.T. CECEC, Inc. MATTIA,M.J. Division of Contracts (Post 940714). FIN E-1007. 94/09/09. 2pp. 81606:076-81606:076.
- 9411040205 Mod 3 to task order 23,increasing task order ceiling to "Relocation of NRC to Two White Flint North Facility."
LIN,B.T. CECEC, Inc. MATTIA,M.J. Division of Contracts (Post 940714). FIN E-1004. 94/09/29. 3pp. 81606:077-81606:078.

188 NONDOCKETED ITEMS

- 9411040207 Mod 2 to task order 25, decreasing task order ceiling & deobligating funding to "Office Plans, Integration & Implementation - Office of Small & Disadvantaged Business Utilization & Civil Rights."
LIN, B.T. CEXEC, Inc. MATTIA, M.J. Division of Contracts (Post 940714). FIN E-1006. 94/09/09. 2pp. 81606:079-81606:080.
- 9411040219 Mod 2 to task order 22, decreasing task order ceiling & deobligating funding to "Ofc Plans, Integration & Implementation - Ofc of Controller."
LIN, B.T. Applied Management Systems, Inc. MATTIA, M.J. Division of Contracts (Post 940714). FIN L-2622. 94/09/09. 2pp. 81606:081-81606:082.
- 9411040222 Ltr contract, mod 13 to task order 6, providing incremental funding to, "PC/Lan Sys Support."
MATTIA, M.J. Division of Contracts (Post 940714). NRC-33-92-203. FIN D-1391. 94/09/29. HUTCHINSON, M. Applied Management Systems, Inc. 1P. 81609:346-81609:346.
- 9411040228 Mod 2 to task order 18, decreasing task order ceiling & deobligating funds to "Office Plans, Integration & Implementation - Office of Admin."
LIN, B.T. CEXEC, Inc. MATTIA, M.J. Division of Contracts (Post 940714). FIN L-2618. 94/09/09. 2pp. 81606:083-81606:084.
- 9411040243 Mod 10, obligating incremental funding under contract, to "Telecommunications Switching Svcs."
* Pacific Bell. MATTIA, M.J. Division of Contracts (Post 940714). FIN J-9531. 94/09/28. 2pp. 81628:282-81628:283.
- 9411040249 Mod 4, exercising second 1-yr option in accordance w/Section 1.4 & increasing ceiling amount to listed amount, to "Region IV Data Entry & Programming Support Services."
* Small Business Administration. * US Robotech, Inc. MATTIA, M.J. Division of Contracts (Post 940714). FIN L-1372. 94/08/28. 2pp. 81628:284-81628:285.
- 9411040259 Mod 3, providing within-scope change, to "Wide Area Network Enhancement."
IGLESIAS, D.A. Small Business Administration. IGLESIAS, D.A. Pulsar Data Systems, Inc. MATTIA, M.J. Division of Contracts (Post 940714). 94/09/29. 3pp. 81628:286-81628:288.
- 9411040268 Mod 2, adding svc location to allow for Non WITS telecommunications support w/o change or obligation in amount of current ceiling, to "Washington Interagency Telecommunications Svcs Local Exchange Carrier Svcs."
RABEN, J.J. MATTIA, M.J. Division of Contracts (Post 940714). 94/09/28. 2pp. 81628:199-81628:200.
- 9411040269 Mod 2, deleting first sentence under paragraph B.4(a) & (b) in entirety, to "Wide Area Network Enhancement."
IGLESIAS, D.A. Small Business Administration. IGLESIAS, D.A. Pulsar Data Systems, Inc. MATTIA, M.J. Division of Contracts (Post 940714). FIN E-1014-3. 94/09/26. 5pp. 81628:289-81628:293.
- 9411070066 Mod 7, exercising option yr, extending period of performance by one addl yr effective 940801 through 950731 & providing incremental funding to, "Cooperative Agreement - Maint & Operation Of Local Public Document Room (LPDRS)."
SCHULZE, W.E. Neenah High School, Neenah, WI. MACE, M. Division of Contracts (Post 940714). FIN D-2416-4. 94/09/14. 4pp. 81621:358-81621:361.
- 9411070100 Contract: "Phase II, FY94 Continued Development of Conformal Respirator Monitoring Technology," awarded to Shonka Research Associates, Inc.
SHONKA, D.B. Shonka Research Associates, Inc. MACE, M.H. Division of Contracts (Post 940714). FIN W-6366. 94/09/23. 21pp. 81621:185-81621:205.
- 9411070161 Contract: "Verbatim Reporting Services For ASLBP," awarded to Neal R Gross & Co, Inc.
GROSS, N.R. Neal R. Gross & Co., Inc. WIGGINS, E.J. Division of Contracts (Post 940714). FIN B-8183. 94/10/14. 114pp. 81623:004-81623:132.
- 9411070186 Contract: "Personal Librarian Text Management Software," awarded to Personal Library Software.
KOLL, M. MATTIA, M.J. Division of Contracts (Post 940714). FIN D-1356. 94/09/24. 46pp. 81621:139-81621:184.
- 9411070220 Mod 1, exercising option for increased quantity in accordance w/section 1.3 of sub contract, to "Purchase of Data General Compatible Peripheral Equipment."
BISHOP, S.B. Affiliation Not Assigned. MATTIA, M.J. Division of Contracts (Post 940714). FIN B-8155. 94/09/30. 2pp. 81622:352-81622:353.
- 9411070286 Mod 3, deleting Region V from contract, adjusting contract value & revising contract ceiling, to "Dial Access Network."
IGLESIAS, D. Small Business Administration. IGLESIAS, D. Pulsar Data Systems, Inc. MATTIA, M.J. Division of Contracts (Post 940714). FIN E-1041. 94/09/26. 3pp. 81623:354-81623:356.
- 9411070296 Mod 3, exercising first 1-yr option in accordance w/Section 1.7, increasing ceiling by listed amount, to "Airtime & Maint for NRC Owned Pagers/Skypagers to Include Direct Intl Airtime."
* FirstPage. MATTIA, M.J. Division of Contracts (Post 940714). 94/09/29. 2pp. 81624:358-81624:359.
- 9411070304 Ltr contract, mod 1 to task order 3 revising obligated amount & deleting names of J Angole & C Adcock as key personnel, to "Forms Automation Implementation."
MATTIA, M.J. Division of Contracts (Post 940714). NRC-33-93-225. 94/10/11. MESSLER, C. Adsytech, Inc. 2pp. 81623:347-81623:353.
- 9411070308 Ltr contract, awarding task order 3, to "Forms Automation Agency Implementation."
MATTIA, M.J. Division of Contracts (Post 940714). NRC-33-93-225. FIN B-8713. 94/09/30. MESSLER, C. Adsytech, Inc. 7pp. 81623:347-81623:353.
- 9411070311 Ltr contract, task order 2, to "SECY Commission Voter Tracking Sys Development."
MATTIA, M.J. Division of Contracts (Post 940714). NRC-33-93-196. FIN B-8166. 94/08/30. JONES, N. 2pp. 81623:345-81623:346.
- 9411070314 Ltr contract, mod 1 to task order 2, providing addl funding in listed amount, to "SECY Commission Voter Tracking Sys Development."
CORWIN, J.B. Division of Contracts (Post 940714). NRC-33-93-196. FIN B-8166. 94/10/14. JONES, N. 2pp. 81623:357-81623:358.
- 9411070318 Ltr contract, mod 3 to task order 1, extending period of performance & increasing ceiling by listed amount, to "Customer Support Desk."
MATTIA, M.J. Division of Contracts (Post 940714). NRC-33-93-194. FIN E-1010. 94/09/30. CASSON, D. Global Management Systems, Inc. 2pp. 81624:360-81624:361.
- 9411070325 Mod 8, revising subsection B.3 to incorporate fixed price amount for ONEAC Power Conditioner & Faxcall, to "Voice Messaging Sys Replacement."
* Small Business Administration. KATHPAL, H.B. Affiliation Not Assigned. MATTIA, M.J. Division of Contracts (Post 940714). FIN E-1036. 94/09/28. 7pp. 81623:330-81623:336.
- 9411070328 Mod 7, revising subsection F.8 to incorporate effective dates for on-call maint, to "Voice Messaging Sys Replacement."
* Small Business Administration. KATHPAL, H.B. Affiliation Not Assigned. MATTIA, M.J. Division of Contracts (Post 940714). 94/09/13. 2pp. 81623:328-81623:329.
- 9411070331 Ltr contract, mod 2 to task order 1, increasing ceiling by listed amount & providing incremental funding to increase obligated amount, to "Transmission Control Protocol/Internet Protocol Implementation."
MATTIA, M.J. Division of Contracts (Post 940714). NRC-33-93-186. FIN E-100. 94/09/21. LIN, B. CEXEC, Inc. 2pp. 81623:305-81623:306.
- 9411070334 Ltr contract, mod 6 to task order 4, extending period of performance from 940930 to 941030, to "Data Entry Support for Ofc of Controller."
MATTIA, M.J. Division of Contracts (Post 940714). NRC-33-93-182. FIN D-1920. 94/09/28. BILGER, S. Data Computer Corp. of America. 2pp. 81623:307-81623:308.
- 9411070340 Mod 5, increasing total estimated amount for performance of contract, to "Data Entry Support Svcs."
SMITH, L.P. Small Business Administration. BILGER, S.J. Data Computer Corp. of America. MATTIA, M.J. Division of Contracts (Post 940714). 94/08/30. 3pp. 81623:309-81623:311.
- 9411300367 Mod 3, changing corporate address, to "Simulator Hardware Maint."
* Pulau Electronics Corp. MATTIA, M.J. Division of Contracts (Post 940714). 94/11/10. 2pp. 81903:098-81903:099.
- 9411300371 Mod 1, providing incremental funding in listed amount, to "Personal Librarian Text Mgt Software."
* MATTIA, M.J. Division of Contracts (Post 940714). FIN E-1081. 94/11/08. 3pp. 81903:100-81903:102.
- 9411300372 Ltr contract, Mod 5 to task order 10, providing incremental funding, to "NUDOCS Maint & Enhancement."
MATTIA, M.J. Division of Contracts (Post 940714). FIN D-1391. NRC-33-92-203. 94/11/03. HUTCHINSON, M. Applied Management Systems, Inc. 1p. 81903:103-81903:103.
- 9411300374 Contract: "Mail & Messenger Support Svcs," awarded to McWane & Company, Inc.
* Small Business Administration. MCWANE, G.J. Affiliation Not Assigned. WIGGINS, E.J. Division of Contracts (Post 940714). FIN D-1936. 94/11/02. 71pp. 81903:104-81903:172.
- 9411300375 Mod 7, accepting TRI-COR engineering change proposal 94003 & revising Schedule B, to "Replace Electronic Infrastructure Software, Hardware & Personal Computer Support (Refresh PCS)."
CLARY, J.R. Small Business Administration. * Affiliation Not Assigned. MATTIA, M.J. Division of Contracts (Post 940714). 94/10/31. 7pp. 81903:173-81903:179.
- 9411300376 Mod 4, providing incremental funding & changing project officer, to "Local & National Newspaper Clipping Svcs."
* Burrelle's Press Clipping Service, dba Burrelle's Information Services. MATTIA, M.J. Division of Contracts (Post 940714). FIN D-1873. 94/11/15. 2pp. 81901:358-81901:359.
- 9411300378 Mod 11, changing functional spec in paragraph 3.2.1.3.4, to "NRC Operations Center Info Mgt Sys Implementation."
* Affiliation Not Assigned. CORWIN, J.B. Division of Contracts (Post 940714). FIN D-2482. 94/11/15. 2pp. 81903:180-81903:181.
- 9411300379 Mod 7, providing incremental funding, to "Archival Record Storage & Related Svcs."
* Data Base, Inc. MATTIA, M.J. Division of Contracts (Post 940714). FIN D-1871. 94/11/15. 2pp. 81901:360-81901:361.
- 9411300383 Mod 1, extending term of contract, to "Library Subscription Agent."
* Readmore, Inc. MATTIA, M.J. Division of Contracts (Post 940714). FIN D-1879. 94/11/15. 2pp. 81903:185-81903:186.
- 9411300386 Mod 2, increasing funds, to "Seismic Data Analysis & Event Selection."
* Small Business Administration. * Affiliation Not Assigned. MACE, M. Division of Contracts (Post 940714). FIN W-6094. 94/10/18. 2pp. 81903:187-81903:188.
- 9411300387 Mod 8, extending period of performance at no addl cost, to "Design, Fabrication & Installation of Equipment to Modify ROSA-V Facility."
OTOFI, F. Affiliation Not Assigned. MACE, M.H. Division of Contracts (Post 940714). 94/09/28. 2pp. 81903:189-81903:190.

FOIA FREEDOM OF INFORMATION ACT REQUESTS AND RELEASES

- 9411080271 FOIA request for documents re radioactive matl Ols presently in effect or pending for Synchron Int'l, Inc.
CURET, S.B. Affiliation Not Assigned. 93/09/08. GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (890206-940714). 1p. 81658:073-81658:073.
- 9411080279 Final response to FOIA request for documents re radioactive matl Ols in effect or pending for Synchron Int'l, Inc. Forwards documents listed in App A already available in PDF.
GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (890206-940714). 93/10/13. CURET, S.B. Affiliation Not Assigned. 2pp. 81658:074-81658:083.

- 9411080281 Package consisting of radioactive matl OLS in effect or pending for Synchron Int'l, Inc.
* Division of Freedom of Information & Publications Services (890206-940714). 93/09/24. 8pp. 81658:076-81658:083.
- 9411080283 FOIA request for documents related to SECY 92-165, "Cooperative Efforts W/EPA Under New MOU."
WILLIAMS, O.G. JRA Associates. OGW-93-091. 93/08/09. GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (890206-940714). 1p. 81658:050-81658:050.
- 9411080288 Final response to FOIA request for documents related to SECY 93-452, "Cooperative Efforts W/EPA Under New MOU." Forwards publicly available documents listed in App A. App B documents withheld in part (ref FOIA Exemption 5).
GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (890206-940714). 93/10/14. WILLIAMS, O. JRA Associates. 5pp. 81658:051-81658:069.
- 9207100275 Responds to 920513 request re proposed approach for implementing Section D of NRC/EPA MOU (SECY-92-165).
TAYLOR, J.M. Ofc of the Executive Director for Operations. 92/07/01. CURTISS Commissioners (Post 750119). 3pp. 81658:056-81658:058.
- 9205110252 SECY-92-165 Partially withheld rept informing Commission of NRC plans for cooperative efforts to resolve priority issues w/EPA as memo of understanding.
TAYLOR, J.M. Ofc of the Executive Director for Operations. 92/05/06. 11pp. 81658:059-81658:069.
- 9411080312 FOIA request for documents re SIC 7349 including name, address, contract location & number.
DAGSTAN, K. Community Maintenance Corp. 93/09/20. POWELL, R. Division of Freedom of Information & Publications Services (890206-940714). 2pp. 81658:070-81658:071.
- 9411080314 Final response to FOIA request for documents re SIC 7349 including name, address & contract location. No documents subj to request located.
GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (890206-940714). 93/10/14. DAGSTAN, K. Community Maintenance Corp. 1p. 81658:072-81658:072.
- 9411090331 FOIA request for documents re interagency agreement signed between NRC & AID on 930707 concerning implementation of nuclear safety initiative for Russia.
MORA, A.J. Holland & Knight. 93/10/06. Division of Freedom of Information & Publications Services (890206-940714). 1p. 81679:286-81679:286.
- 9411090337 Final response to FOIA request for documents re NRC-AID interagency agreement signed on 930707 concerning implementation of nuclear safety initiative for Russia. Documents listed in App A already in PDR.
GRIMSLEY, D. Division of Freedom of Information & Publications Services (890206-940714). 93/10/18. MORA, A.J. Holland & Knight. 2pp. 81679:287-81679:288.
- 9411090377 FOIA request for documents re vendors bidding for electrostatic copying svcs under contract NRC-17-93-117.
COONS, P.M. Peter M. Coons, Inc. NRC-17-93-117. 93/09/01. Division of Freedom of Information & Publications Services (890206-940714). 1p. 81679:289-81679:289.
- 9411090386 Final response to FOIA request for documents re vendors bidding for electrostatic svcs under contract NRC-17-93-117. Documents listed in App A available in PDR. App B documents being withheld in part (ref FOIA Exemption 4).
GRIMSLEY, D. Division of Freedom of Information & Publications Services (890206-940714). NRC-17-93-117. 93/10/19. COONS, P.M. Peter M. Coons, Inc. 4pp. 81679:290-81679:299.
- 9411090387 Package consisting of bid/proposal log & MFI solicitation proposal for NRC RFP-SEC-93-117 dtd 930304.
* NRC - No Detailed Affiliation Given. 93/10/19. 6pp. 81679:294-81679:299.
- 9411100130 FOIA request for documents re license & approved application for unrestricted release of neutron irradiated matl (topaz) granted to IRT Corp in San Diego, CA.
VETTER, J. 93/08/17. GRIMSLEY, D. NRC - No Detailed Affiliation Given. 1p. 81770:310-81770:310.
- 9411100138 First partial response to FOIA request for documents. Forwards App A documents.
GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (890206-940714). 93/10/19. VETTER, J.L. 2pp. 81770:311-81770:316.
- 9411100155 Informs that NRC denies licensee request re resolution gamma ray counting methodology based on stated limit calculations.
TAYLOR, T. Medical, Academic & Commercial Use Safety Branch. 92/10/05. DEANE, T. IRT Corp. 2pp. 81770:313-81770:316.
- 9411100187 FOIA request for documents re safety of air transport of Pu including domestic & intl regulations & DOT studies relating to safety of air transport.
TANZER, S. Nuclear Control Institute. 93/08/12. MEEKS, R.R. NRC - No Detailed Affiliation Given. 2pp. 81726:001-81726:002.
- 9411100188 Final response to FOIA request for documents re safety & regulations governing air transport of Pu, including DOT studies performed on safety of air transport. Forwards App A documents already in PDR.
GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (890206-940714). 93/10/21. TANZER, S. Nuclear Control Institute. 2pp. 81726:003-81726:006.
- 9411100190 Confirms comments made at 911112 meeting re provisions being developed by IAEA for air transport of hazardous radioactive matl. Proposed air transport provisions should apply to all radioactive matls, although IAEA & US criteria differ.
MACDONALD, C.E. Transportation Branch (870413-930206). 91/11/13. O'STEEN, J.K. Transportation, Dept. of. 2pp. 81726:005-81726:006.
- 9411100206 FOIA request for documents re all active NRC licensed facilities in State of MS.
TSCHIRGI, D.M. Mississippi, State of. 93/10/05. Region 3 (Post 820201). 1p. 81755:005-81755:005.
- 9411100209 Final response to FOIA request for info. Forwards App A info which will be in PDR.
GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (890206-940714). 93/10/21. TSCHIRGI, D.M. Mississippi, State of. 2pp. 81755:006-81755:058.
- 9411100217 Matl license program codes.
* NRC - No Detailed Affiliation Given. 93/09/30. 51pp. 81755:008-81755:058.
- 9411140142 FOIA request for Federal Procurement Forecast, outlined in Public Law 100-656, "Title V Contract Planning: Goal Setting & Reviews, Section 501 Planning Section 8(a) Contract Activity."
JAMES, J.G. Affiliation Not Assigned. 93/10/08. NRC - No Detailed Affiliation Given. 1p. 81732:059-81732:059.
- 9411140143 Final response to FOIA request for info. Records in App A encl & will be available in PDR.
GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (890206-940714). 93/10/21. JAMES, J.G. Affiliation Not Assigned. 2pp. 81732:060-81732:069.
- 9411140144 "Forecast of Contract Opportunities, FY94, Small & Disadvantaged Business Utilization Program."
* NRC - No Detailed Affiliation Given. 94/12/31. 8pp. 81732:062-81732:069.
- 9411140148 FOIA request for documents re INEL technical review rept used by NRC in evaluating topical rept dealing w/relaxation of response time testing.
GORMAN, K.L. Affiliation Not Assigned. FIN L-1695. 93/09/09. GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (890206-940714). 1p. 81726:007-81726:007.
- 9411140150 Final response to FOIA request for records. Records encl & available in PDR.
GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (890206-940714). 93/10/21. GORMAN, K.L. Affiliation Not Assigned. 1p. 81726:008-81726:021.
- 9411140152 Forwards draft technical evaluation rept, "Evaluation of GE Topical Rept on Elimination of Selected Response Time Testing Requirements."
ANDERSON, N.R. Idaho National Engineering Laboratory. FIN L-1695. 92/08/28. LOESER, P.J. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 81726:009-81726:009.
- 9411140156 "Evaluation of GE Topical Rept on Elimination of Selected Response Time Testing Requirements: BWR Owners Group Licensing Topical Rept NEDC-32013P, Mar 1992," draft rept.
NOLAN, A.E. EG&G Idaho, Inc. NOLAN, A.E. Idaho National Engineering Laboratory. 92/08/28. NRC - No Detailed Affiliation Given. 12pp. 81726:010-81726:021.
- 9411140151 FOIA request for documents re 930423 2.206 director's decision concerning facilities.
LAMBERSKI, J. Troutman Sanders (formerly Troutman, Sanders, Lockerman & Ashmore). 2.206. 93/08/13. GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (890206-940714). 1p. 81732:070-81732:070.
- 9411140154 Final response to FOIA request for info. Forwards App A info which will be available in PDR.
GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (890206-940714). 93/10/20. LAMBERSKI, J. Troutman Sanders (formerly Troutman, Sanders, Lockerman & Ashmore). 2pp. 81732:071-81732:133.
- 911130136 SECY-91-358 Consults NRC concerning whether or not to take enforcement action for inaccurate info provided by util employee during 890330 NRC meeting re issuance of full power OL for facility.
TAYLOR, J.M. Ofc of the Executive Director for Operations. 91/11/07. 72pp. 81732:074-81732:132.
- 9411140158 Agrees w/conclusions that McDonald misstatement unintentional (ref SECY-91-358 proposed director's decision on matl false statement during Commission meeting on full power license for facility).
CURTISS, J.R. Commissioners (Post 750119). 91/11/21. CHILK, S.J. NRC - No Detailed Affiliation Given. 1p. 81732:073-81732:073.
- 9411140161 Staff requirements memo re SECY-91-358 on proposed director decision on matl false statement during Commission meeting on facility.
CHILK, S.J. Office of the Secretary of the Commission. 91/12/02. TAYLOR, J.M. Ofc of the Executive Director for Operations. 1p. 81732:133-81732:133.
- 9411140167 FOIA request for documents re concerns or allegations of radiological safety or to actions or statements of health physics technicians on 871202 or 03 at plant associated w/ NRC review of ALARA or health physics concerns.
HENDERSON, D.A. Troutman Sanders (formerly Troutman, Sanders, Lockerman & Ashmore). 93/10/26. GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (890206-940714). 1p. 81732:205-81732:205.
- 9411140173 FOIA request for documents re winning bid & vendor of choice for RFP.
JOHNSON, P. Computer Engineering Associates, Inc. 93/10/28. WIGGINS Division of Accounting & Finance (Post 890205). 1p. 81732:209-81732:209.
- 9411140174 Final response to FOIA request for documents. Documents withheld (ref FOIA exemption 7).
POWELL, R.A. Division of Freedom of Information & Publications Services (890206-940714). 93/11/18. HENDERSON, D.A. Troutman Sanders (formerly Troutman, Sanders, Lockerman & Ashmore). 3pp. 81732:206-81732:208.
- 9411140176 Final response to FOIA request for documents. Contract will not be awarded for solicitation until two or three wks. No winning bid at present time.
POWELL, R. Division of Freedom of Information & Publications Services (890206-940714). 93/11/18. JOHNSON, P. Computer Engineering Associates, Inc. 1p. 81732:210-81732:210.
- 9411160323 Final response to FOIA request for info. Forwards App E documents which will be in PDR. App F info entirely withheld (ref FOIA exemption 5).
HARRIS, C.A. Division of Freedom of Information & Publications Services (890206-940714). 93/10/25. STEIN, S. Advanced Medical Systems, Inc. 6pp. 81755:059-81755:067.
- 9411160325 Requests mod of license 34-19089-01 & order licensee to decontaminate staged sewer.
SCHATZ, W.B. Northeast Ohio Regional Sewer District. 2.206. 93/03/03. TAYLOR, J. Ofc of the Executive Director for Operations. 2pp. 81755:066-81755:067.

190 NONDOCKETED ITEMS

- 9411170231** Final response to FOIA request for records.App C records encl & available in PDR.App D records withheld (ref FOIA exemption 5). GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (890206-940714). 93/10/26. DOBILIAUSKAS,S. Winston & Strawn. 5pp. 81777:314-81777:320.
- 9411170237** Informs of importance attached to appropriately airing, evaluating & resolving employee concerns involving nuclear safety or that might otherwise adversely affect performance & morale of Region I personnel. MARTIN,T.T. Region 1 (Post 820201). 93/05/24. Region 1 (Post 820201). 1p. 81777:319-81777:320.
- 9411170261** FOIA request for APR that corresponds to attached DPA case number. HEINEMAN,L.M. Federal Sources, Inc. 93/09/03. POOL,M.J. Division of Freedom of Information & Publications Services (890206-940714). 2pp. 81777:321-81777:322.
- 9411170266** Final response to FOIA request for records.App A records encl.Info considered proprietary has been deleted from records. HARRIS,C. Division of Freedom of Information & Publications Services (890206-940714). 93/11/01. HEINEMAN,L. Federal Sources, Inc. 2pp. 81777:323-81777:332.
- 9411170272** Submits partially deleted info, "Agency Procurement Request," concerning NRC microcomputer installation & maint support svcs & replace electronic infrastructure - software, hardware & personal computer support. CRANFORD,G.F. Office of Information Resources Management (Post 890205). 92/08/07. Office of Information Resources Management (Post 890205). 8pp. 81777:325-81777:332.
- 9411180117** Second partial response to FOIA request for documents re licensees in northeast OH,1970 to present & insp rept re Northeastern OH Regional Sewer District.Forwards app D documents which will be available in PDR. GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (890206-940714). 93/10/07. STEIN,S.J. Advanced Medical Systems, Inc. 7pp. 81826:157-81826:298.
- 9303040109** Discusses review of site operations plan & radiological control plan. AUSTIN,J.H. Decommissioning & Regulatory Issues Branch (Post 901230). 93/02/19. ODEAL,E.J. Northeast Ohio Regional Sewer District. 6pp. 81826:213-81826:218.
- 9303050053** Requests assignment of high priority to rulemaking to amend 10CFR20,to address reconcentration of radionuclides in sewerage sludge. BERNERO,R.M. Office of Nuclear Material Safety & Safeguards. 93/02/25. BECKJORD,E.S. Office of Nuclear Regulatory Research (Post 860720). 2pp. 81826:225-81826:228.
- 9411180135** Provides authorization to perform non-fee recoverable work. Work re performing radiological site survey at Northeast OH Sewer District Southerly plant,reviewing background info & developing confirmatory survey plan. TIKTINSKY,D. Program Management, Policy Development & Analysis Staff (Post 870413). FIN A-9093. FIN A-9076. 91/09/10. BERGER,J.D. Oak Ridge Associated Universities. 4pp. 81826:165-81826:168.
- 9411180184** Provides approval of survey plan submitted 920127 for Northeast OH Regional Sewer District.Executed survey plan approval form encl. TIKTINSKY,D. Program Management, Policy Development & Analysis Staff (Post 870413). 92/02/18. BERGER,J.D. Oak Ridge Associated Universities. 2pp. 81826:169-81826:170.
- 9411180189** Forwards std order for DOE work in accordance w/section III.B.2 of DOE/NRC MOU of 780224. KNAPP,M.R. Program Management, Policy Development & Analysis Staff (Post 870413). 92/05/28. WAGONER,J. Energy, Dept. of. 1p. 81826:171-81826:171.
- 9411180194** Std order for DOE work: "Technical Assistance for LLWM Decommissioning," issued to Battelle Pacific Northwest Laboratories. KNAPP,M.R. Office of Nuclear Material Safety & Safeguards. FIN L-1377. 92/05/28. 5pp. 81826:172-81826:176.
- 9411180202** Forwards correspondence received from constituent re radiological contamination of Cuyahoga Heights facility. Requests constituent be responded to directly. GLENN,J. Senate. 92/10/05. Office of Congressional Affairs (Post 911117). 5pp. 81826:177-81826:184.
- 9411180207** Notification of 921110 meeting w/Northeast OH Regional Sewer District in Rockville,MD to discuss contamination of Southerly wastewater treatment plant w/ Co-60. SCHULTZ,E.D. Division of Low-Level Waste Management & Decommissioning (870413-940402). 92/10/19. BANGART,R., BRACH,B., AUSTIN,J. Division of Low-Level Waste Management & Decommissioning (870413-940402). 1p. 81826:185-81826:187.
- 9411180210** Forwards ltr to R Connelly w/attachment of questions & answers needed for study of Southerly wastewater treatment plant. WILLIAMS,M.D. Battelle Memorial Institute, Pacific Northwest Laboratory. 92/11/04. NALLUSWAMI,M. Division of Low-Level Waste Management & Decommissioning (870413-940402). 6pp. 81826:188-81826:195.
- 9411180222** Discusses project schedule for remediation plan at Southerly wastewater treatment plant & forwards project schedule list of target dates to be met towards completion of final remediation plan. ODEAL,E.J. Northeast Ohio Regional Sewer District. 92/12/02. BANGART,R. Division of Low-Level Waste Management & Decommissioning (870413-940402). 4pp. 81826:196-81826:200.
- 9411180233** Confirms meeting scheduled for 930127 w/NRC in Rockville,MD to discuss various matters re contamination of Southerly wastewater treatment plant w/Co-60. LENHART,T.E. Northeast Ohio Regional Sewer District. 93/01/15. BANGART,R. Division of Low-Level Waste Management & Decommissioning (870413-940402). 2pp. 81826:201-81826:204.
- 9411180249** Responds to ltr,dtd 921230,re project schedule for lagoon cleaning & remediation for Co-60 contamination at Northeast OH Regional Sewer District Facility.Submits comments re project schedule for lagoon cleaning. NALLUSWAMI,M.S. Decommissioning & Regulatory Issues Branch (Post 901230). 93/01/15. ODEAL,E.J. Northeast Ohio Regional Sewer District. 3pp. 81826:205-81826:208.
- 941120233** Forwards comments on RCP & site operations plan for Northeast OH Regional Sewer District.Expresses concern re lack of mention of bioassay program & notes NRC should be informed about protection factors when respirators used. HUFFERT,T. Decommissioning & Regulatory Issues Branch (Post 901230). 93/02/04. JOHNSON,T. Decommissioning & Regulatory Issues Branch (Post 901230). 4pp. 81826:209-81826:212.
- 941120260** Requests that new docket file separate from one in Region III,for Northeast OH Regional Sewer District,be located at NRC headquarters in Central File room. AUSTIN,J.H. Decommissioning & Regulatory Issues Branch (Post 901230). 93/02/12. SMITH,H.I. Division of Information Support Services (Post 890205). 1p. 81826:219-81826:224.
- 941120277** Submits comments on revised RCP & site operations plan, dtd 930317,for ash lagoon remediation at Southerly wastewater treatment plant.Comments re final verification survey,radiological analysis of truck samples & SA. AUSTIN,J.H. Region 3 (Post 820201). AUSTIN,J.H. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 94/11/21. ODEAL,E.J. Northeast Ohio Regional Sewer District. 2pp. 81826:229-81826:230.
- 941120281** Confirms that meeting scheduled for 930329 in Rockville,MD w/NRC & B Koh & Assoc to discuss contamination issue in state of OH. LENHART,T.E. Northeast Ohio Regional Sewer District. 93/03/22. BANGART,R. Division of Low-Level Waste Management & Decommissioning (870413-940402). 3pp. 81826:231-81826:246.
- 941120294** Forwards for transmittal to Ofc of FR,notice of receipt of petition pursuant to 10CFR2.206 & reference correspondence. COMBS,F.C. Operations Branch. 2206. 93/04/07. MEYER,D.L. Rules & Directives Review Branch (Post 920323). 2pp. 81826:247-81826:253.
- 941120308** Requests background info on facilities & topics to be discussed at upcoming senior mgt meeting be sent by May 18 so participants may get info by May 26.Notes Sequoyah Fuels Corp only licensee on priority list.W/encl. BERNERO,R.M. Office of Nuclear Material Safety & Safeguards. 93/05/04. MARTIN,T.T. Region 1 (Post 820201). EBNETER,S.D. Region 2 (Post 820201). DAVIS,A.B. Region 3 (Post 820201). 2pp. 81826:254-81826:255.
- 941120317** Responds to memo,dtd 930301 & submits list of facilities & topics for discussion at next senior mgt meeting,scheduled for 930615-16. BERNERO,R.M. Office of Nuclear Material Safety & Safeguards. 93/04/26. TAYLOR,J.M. Ofc of the Executive Director for Operations. 1p. 81826:256-81826:260.
- 941120334** Summary of 930329 meeting w/OH Regional Sewer District in Rockville,MD re status of lagoon cleaning project, radiological control & site operations plans at Southerly plant. NALLUSWAMI,M. Decommissioning & Regulatory Issues Branch (Post 901230). 93/06/02. AUSTIN,J.H. Decommissioning & Regulatory Issues Branch (Post 901230). 4pp. 81826:261-81826:264.
- 941120341** Forwards on behalf of Northeast OH Regional Sewer District Rev 1 of ash removal project schedule for contaminated site at Southerly plant. ADAMS,T.G. B. Koh & Associates, Inc. 93/06/09. NALLUSWAMI,S. Office of Nuclear Material Safety & Safeguards. 3pp. 81826:265-81826:279.
- 941120347** Forwards on behalf of Northeast OH Regional Sewer District responses to NRC comments,dtd 930524, to SAR,submitted by Northeast OH Regional Sewer District on 930430. ADAMS,T.G. B. Koh & Associates, Inc. 93/06/14. NALLUSWAMI,S. Office of Nuclear Material Safety & Safeguards. 6pp. 81826:280-81826:285.
- 941120353** Forwards table 3 for final radiological status survey plan. ADAMS,T. B. Koh & Associates, Inc. 93/06/21. SRENIAWSKI,D. NRC - No Detailed Affiliation Given. 9pp. 81826:286-81826:294.
- 941120366** Requests that certain NRC employees J Grobe,D Sreniawski & DG Wiedeman be authorized to answer interrogatories & or give oral testing in matter of OH Regional Sewer District vs Advanced Medical Systems,Inc et al re Co-60 contamination. SCHATZ,W.B. Northeast Ohio Regional Sewer District. 93/07/02. PARLER,W.C. Office of the General Counsel (Post 860701). 2pp. 81826:295-81826:298.
- 9411180190** FOIA request for documents supporting establishment of acceptable leakage rate as less than or equal to 5 gpm. CHAPMAN,N.G. Bechtel Power Corp. 93/10/07. GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (890206-940714). 2pp. 81782:093-81782:094.
- 9411180193** Final response to FOIA request for documents.App A documents available in PDR. GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (890206-940714). 93/10/28. CHAPMAN,N.G. Bechtel Power Corp. 2pp. 81782:095-81782:096.
- 9411180196** FOIA request for APR documents that correspond to encl DPA case numbers. HEINEMAN,L.M. Federal Sources, Inc. 93/10/04. POOL,M.J. Division of Freedom of Information & Publications Services (890206-940714). 2pp. 81782:080-81782:081.
- 9411180199** Final response to FOIA request for documents.App A documents encl. GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (890206-940714). 93/10/28. HEINEMAN,L.M. Federal Sources, Inc. 2pp. 81782:082-81782:092.
- 9411180212** Package consisting of agency procurement requests KMA-90-042(D) & KMA-93-0080(B) re American Telephone & Telegraph Info Sys & NRC Microcomputer & Peripheral Support Svcs.Info partially deleted. THOMPSON,H.L. Dep Exec Dir for Nuc Mats Safety,Safeguards & Operations Support (Post 890205). CRANFORD,G.F. Office of Information Resources Management (Post 890205). 93/07/09. 9pp. 81782:084-81782:092.
- 9411180219** FOIA request for documents re nuclear pharmacy applications currently pending within State of Indiana. STRANGE,J. Affiliation Not Assigned. 93/10/15. Region 3 (Post 820201). 1p. 81782:078-81782:078.

- 9411180223 Final response to FOIA request for documents.No records subj to request located.
GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (890206-940714). 93/10/26. STRANGE,J. Affiliation Not Assigned. 1p. 81782:079-81782:079.
- 9411210272 FOIA request for info re staff papers,petitions & draft regulations concerning change in definition of curie as applied to natural U & Thorium as ref in 600907 FR.
MAKHJANI,A. Institute for Energy & Environmental Research, Heidelberg, Germany. 93/08/12. GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (890206-940714). 3pp. 81791:267-81791:272.
- 9411210283 Discusses current AEC regulations per 10CFR20.5(c)(1) re definition of term "curie". Believes that deletion of definition & rev of MPC values based on natural U curie will eliminate confusion over definition.
TSCHAECHER,A.N. General Electric Co. 72/10/30. Atomic Energy Commission (Pre 750119). 3pp. 81791:270-81791:272.
- 9411210287 Final response to FOIA request for info re staff papers & petitions concerning change in definition of "curie" as applied to natural U & Thorium as ref in 600907 FR.Forwards documents listed in App A.
GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (890206-940714). 93/11/01. MAKHJANI,A. Institute for Energy & Environmental Research, Heidelberg, Germany. 3pp. 81791:273-81792:013.
- 9411210316 Notice re need for establishment of film dosimetry calibr lab.W/600907 FR encl.
MCCOOL,W.B. Atomic Energy Commission (Pre 750119). 63/07/23. 99pp. 81791:276-81792:013.
- 9411210336 Final response to FOIA request for info.Forwards App N info. App N info partially withheld (ref FOIA exemption 4).
GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (890206-940714). 93/10/27. LAMBRECHT,B. St. Louis Post-Dispatch, St. Louis, MO. 3pp. 81792:014-81792:166.
- 9411210340 "App II to Thermal Science,Inc Response to NRC Ltr Dtd 910910:Nuclear Quality Assurance & Quality Control Operating Procedures Manual."
* Thermal Science, Inc. 81/07/31. 149pp. 81792:018-81792:166.
- 9411210337 FOIA request for info re possible allegation that State of IA misrepresented status of RC program to NRC.
FLATER,D.A. Iowa, State of. 93/08/13. TAYLOR,J.M. Ofc of the Executive Director for Operations. 1p. 81817:001-81817:001.
- 9411210338 Final response to FOIA request for info re possible allegation that State of IA misrepresented status of RC program to NRC.Forwards documents listed in App A.
GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (890206-940714). 93/10/26. FLATER,D.A. Iowa, State of. 5pp. 81817:002-81817:043.
- 9411210344 Confirms telcon w/J Goldberg,OGC re potential false & inaccurate statements made in ltr sent to NRC by State of IA,Agreement State.
BERSON,E. Office of the General Counsel (Post 860701). 92/11/03. FUNK,D. Office of the General Counsel (Post 860701). 1p. 81817:035-81817:035.
- 9411210351 Forwards memo w/attachments from ET Pawlik,OI & requests legal opinion re Case 3-92-049 concerning possibility of alleged false statement to violate NRC requirements.
HAYES,B.B. Ofc of Investigations (Post 880201). 92/11/24. PARLER,W.C. Office of the General Counsel (Post 860701). 1p. 81817:036-81817:036.
- 9411210360 Requests OGC legal opinion re OI Case 3-92-049 concerning alleged provision of false documentation on certain aspects of Agreement State program for State of IA.
FORTUNA,R.A. Ofc of Investigations (Post 880201). 92/11/19. HAYES,B.B. Ofc of Investigations (Post 880201). 2pp. 81817:037-81817:040.
- 9411210367 Informs that OI Case 3-92-049 closed re alleged falsification of info provided to NRC by State of IA concerning Agreement State requirements.
PAWLK,E.T. Region 3 (Post 820201). 92/12/23. DAVIS,A.B. Region 3 (Post 820201). 1p. 81817:041-81817:041.
- 9411210374 Informs of future possible misunderstanding re OGC authority to follow up on alleged potential wrongdoing by Agreement State officials.
PARLER,W.C. Office of the General Counsel (Post 860701). 93/07/20. THOMPSON,H.L. Dep Exec Dir for Nuc Matis Safety,Safeguards & Operations Support (Post 890205). 1p. 81817:042-81817:042.
- 9411210380 Forwards memo from W Parler clarifying point that NRC possesses authority to pursue any issue raising potential radiological health & safety issues related to activities re nuclear matis & facilities defined in AEA.
THOMPSON,H.L. Dep Exec Dir for Nuc Matis Safety,Safeguards & Operations Support (Post 890205). 93/07/23. HAYES,B.B. Ofc of Investigations (Post 880201). 1p. 81817:043-81817:043.
- 9411230203 FOIA request for info re contract NRC-03-93-031 including contract officer award memo & labor rates.
MURPHY,J.D. Computech Engineering Services, Inc. NRC-03-93-031. 93/01/12. Division of Freedom of Information & Publications Services (890206-940714). 1p. 81828:029-81828:029.
- 9411230250 Final response to FOIA request for info re contract NRC-03-93-031 including contract officer award memo & labor rates.Forwards App A documents.App B info partially withheld (ref FOIA Exemptions 4-6).
GRIMSLEY,D. Division of Freedom of Information & Publications Services (890206-940714). NRC-03-93-031. 93/10/25. MURPHY,J.D. Computech Engineering Services, Inc. 4pp. 81828:030-81828:285.
- 9411230264 Partially withheld "Technical Assistance in Support of NRR Programs & Activities Pertaining to Sys Technology" proposal.
* SCIENTECH, Inc. RS-NRR-92-033. 92/06/26. 25pp. 81828:034-81828:059.
- 9411230286 Partially withheld memo re final evaluation recommendation rept for RFP RS-NRR-92-033, "Technical Assistance in Support of NRR Programs & Activities Pertaining to Sys Technology."
THADANI,A.C. NRC - No Detailed Affiliation Given. 93/10/25. MACE,M.H. NRC - No Detailed Affiliation Given. 1p. 81828:060-81828:060.
- 9411230295 Partially withheld final evaluation rept "Technical Assistance in Support of NRR Programs & Activities Pertaining to Sys Technology."
POLK,H.E., HUBBARD,G., SCHOLL,R. NRC - No Detailed Affiliation Given. 92/08/24. 20pp. 81828:061-81828:080.
- 9411230300 Partially withheld solicitation,offer & award "Technical Assistance in Support of NRR Programs & Activities Pertaining to Sys Technology," Part 1.
* SCIENTECH, Inc. RS-NRR-92-033. 92/03/10. 80pp. 81828:081-81828:161.
- 9411230302 Partially withheld cost proposal "Technical Assistance in Support of NRR Programs & Activities Pertaining to Sys Technology," Part 2.
* SCIENTECH, Inc. RS-NRR-92-033. 92/06/26. 27pp. 81828:162-81828:189.
- 9411230305 Partially withheld technical & mgt proposal "Technical Assistance in Support of NRR Programs & Activities Pertaining to Sys Technology," Part 3.
* SCIENTECH, Inc. RS-NRR-92-033. 92/03/10. 95pp. 81828:190-81828:285.
- 9411230307 FOIA request for documents re interim plugging criteria for Trojan plant & documents re SG tube plugging including repts & analysis thereof.Petitions for waiver of fees.
FACAROS,N. Affiliation Not Assigned. 93/08/16. Division of Freedom of Information & Publications Services (890206-940714). 3pp. 81900:001-81900:004.
- 9411230318 Final response to FOIA request for documents re interim plugging criteria for Trojan plant.Forwards App A documents. Documents available in PDR.
GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (890206-940714). 93/11/01. FACAROS,N. Affiliation Not Assigned. 3pp. 81900:005-81900:155.
- 8704290162 Requests FR publication of notice of consideration of issuance of amend to License NPF-1 & proposed NSHC determination & opportunity for hearing on 870220 request re steam generator tube plugging criteria in tube sheet region.
VARGA,S.A. PWR Project Directorate 3. 87/04/24. NRC - No Detailed Affiliation Given. 7pp. 81900:008-81900:014.
- 8708130104 Requests FR publication of notice of issuance of Amend 133 to License NPF-1, revising steam generator tube plugging criteria based on use of F" distance criteria.
CHAN,T.L. Project Directorate V. TAC 64756. 87/08/07. NRC - No Detailed Affiliation Given. 1p. 81900:015-81900:015.
- 9201170116 Requests FR publication of notice of consideration of issuance of amend to license NPF-1 & proposed NSHC determination & opportunity for hearing on 911215 request re rev of TS section 3.4.6.2.c, "Operational Leakage."
KOKAJKO,LE. Project Directorate V. TAC M82287. 92/01/09. NRC - No Detailed Affiliation Given. 2pp. 81900:016-81900:017.
- 9201240146 Forwards SE accepting proposed revs to TS 3.4.6.2.c, "Operational Leakage" for facility.
JONES,R.C. Reactor Systems Branch. TAC M82287. 92/01/16. QUAY,T.R. Standardization Project Directorate (901216-920516). 1p. 81900:018-81900:018.
- 9202050493 Forwards safety evaluation re steam generator tube integrity under combined accident conditions.
NORBERG,J.A. Mechanical Engineering Branch. TAC M82287. 92/01/29. WIGGINS,J.T. Materials & Chemical Engineering Branch. 1p. 81900:022-81900:022.
- 9202060544 Forwards safety evaluation accepting licensee license change application 219 re SG tube repair limits & SG leak rate limits.SALP input encl.
WIGGINS,J.T. Materials & Chemical Engineering Branch. TAC M82287. 92/01/30. KOKAJKO,LE. Project Directorate V. 1p. 81900:028-81900:028.
- 9202110381 Requests FR publication of notice of issuance of amend 178 to license NPF-1.Amend revises plant TS 3.4.6.2.c,3/4.4.5 & 3/4.4.6.2 to reduce total allowable primary-to-secondary leakage for any one SG from 500 to 300 gallons daily.
KOKAJKO,LE. Project Directorate V. TAC M82287. 92/02/05. NRC - No Detailed Affiliation Given. 2pp. 81900:145-81900:155.
- 9411230326 Advises of NRR position on interim plugging criteria for plant.Informs that operation of plant can continue safely for remainder of cycle 14.Forwards correspondence providing info on MSB analysis & estimates.
BECKJORD,E.S. Office of Nuclear Regulatory Research (Post 860720). 93/01/05. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 81900:079-81900:144.
- 9412010122 Safety evaluation supporting license change application 219 to license NPF-1.
* Materials & Chemical Engineering Branch. 92/01/30. 21pp. 81900:029-81900:078.
- 9412010128 Safety evaluation accepting proposed revisions to TS for SG tube repair criteria & associated primary-to-secondary leakage limits.
* Reactor Systems Branch. 92/01/16. 3pp. 81900:019-81900:021.
- 9412010146 SER concluding that no significant tube leakage likely to occur during seismic plus LOCA event which has been identified as most limiting condition from tube deformation considerations.
* Mechanical Engineering Branch. 92/01/29. 5pp. 81900:023-81900:027.
- 9411250001 FOIA request for documents re nuclear plant phenomena made available to NRC during last two yrs & lists of NRC bulletin,NRC info notices,NRC GL & NUREG series documents.
UNE,T. Affiliation Not Assigned. 93/08/15. Division of Freedom of Information & Publications Services (890206-940714). 1p. 81841:015-81841:015.
- 9411250002 Final response to FOIA request for documents.Forwards App A & B documents.App A documents available in PDR.
GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (890206-940714). 93/11/08. UNE,T. Affiliation Not Assigned. 4pp. 81841:016-81841:069.
- 9411250010 List of ACRS repts addressing requirements for renewal of operating licenses & specifically mentioning plant aging, including industry repts re aging power plants,generic communications,computer printout of records & ACRS repts.
* NRC - No Detailed Affiliation Given. 93/11/08. 50pp. 81841:020-81841:069.

192 NONDOCKETED ITEMS

- 9411250101 Final response to FOIA request for documents re plant pipe break outside containment criteria. Forwards App C documents. App B documents already available in PDR. App D documents completely withheld (ref FOIA exemption 5). GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (890206-940714). 93/11/04. LOCKHART, J.A. Mudge, Rose, Guthrie, Alexander & Ferden. 47pp. 81939:001-81939:178.
- 7810200229 Orders Suffolk County to file response to interrogatories by 781113 if Suffolk County legislature approves MHR funding. BOWERS, E.J. Office of the Secretary of the Commission. 78/10/12. 4pp. 81939:062-81939:065.
- 7810270048 Responds to 781004 memo re dose assessment of generator load rejection. Supports conclusion that design meets seismic requirements of App A to 10CFR100. NOVAK, T.M. Reactor Systems Branch. 78/10/19. HOUSTON, R.W. Accident Analysis Branch. 2pp. 81939:173-81939:174.
- 7810300235 Forwards SSER based on review of application through Amend 27 & list of all unresolved items. Requests that rept be forwarded to applicant. TEDESCO, R.L. Assistant Director for Plant Systems. 78/10/18. VASSALLO, D.B. Assistant Director for Light Water Reactors. 7pp. 81939:074-81939:080.
- 7811010185 Forwards util info re seismic qualification of component cooling water to reactor recirculation pumps & drywell floor drain monitoring sys. Evaluation re expected availability of sys after seismic events requested. NOVAK, T.M. Reactor Systems Branch. 78/10/18. BOSNAK, R.J. Mechanical Engineering Branch. 3pp. 81939:170-81939:172.
- 7811020065 Forwards Containment Sys Branch Rev 1 to draft SER. Rev resolves issues of containment external pressure & combustible gas control sys. W/o encl. TEDESCO, R. Assistant Director for Plant Systems. 78/10/17. VASSALLO, D. Assistant Director for Light Water Reactors. 2pp. 81939:066-81939:067.
- 7811020287 Requests addl info to assess adequacy of design for sacrificial shield wall, info re transient pressure profile & clarification & reassessment of design adequacy. JENG, D.C. Structural Engineering Branch. 78/10/26. VARGA, S.A. Light Water Reactors Branch 4. 2pp. 81939:175-81939:176.
- 7811070122 Evaluates possibility of loss of offsite power concurrent w/ LOCA using WASH-1400 values. Probability extremely remote. Applicant response re circulation adequate. NOVAK, T.M. Reactor Systems Branch. 78/10/31. Reactor Systems Branch. 2pp. 81939:177-81939:178.
- 7812260205 Responds to 780223 ltr from D Morris re safety of subj facil. Repts hearing on subj facil will be held in fall & forwards final environ statement. DIRCKS, W.J. Ofc of the Executive Director for Operations. 78/03/22. LAGOMARSINO, R.J. House of Rep. 2pp. 81939:068-81939:069.
- 8104150101 Discusses shipments of spent reactor fuel & high level waste through New York, NY prior to City of New York Health Code radioactive mats regulation enactment. Correspondence re radioactive mats transportation encl. SOLON, L.R. New York, NY. ZECH, 77/08/25. QUITTSCHREIBER ACRS - Advisory Committee on Reactor Safeguards. 12pp. 81939:050-81939:061.
- 9411250120 Forwards correspondence from constituent D Morris re interest in Diablo Canyon plant re safety & environ issues. LAGOMARSINO, R. House of Rep. 78/03/01. KAMMERER, C.C. Office of Congressional Affairs (Pre 870413). 3pp. 81939:070-81939:072.
- 9411290149 Ack receipt of letter, dtd 780301, enclosing correspondence from constituent D Morris re activities at plant. Reply to be sent as soon as possible. KAMMERER, C. Office of Congressional Affairs (Pre 870413). 78/03/10. LAGOMARSINO, R. House of Rep. 1p. 81939:073-81939:073.
- 9412020113 Supplemental SE 1, reflecting results of review of application through amend 27. * Assistant Director for Plant Systems. 78/08/31. 86pp. 81939:081-81939:169.
- 9411250163 Final response to FOIA request for documents. Records in Apps A & B available in PDR. Apps C, D & E documents withheld in entirety (ref FOIA Exemptions 5 & 7). GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (890206-940714). 93/11/08. UNNERSTALL, K. Newman & Holtzinger. 7pp. 81849:002-81849:014.
- 9411250215 Fact sheets for discrimination cases dtd 930412 & 27 re unfair performance appraisal due to raising safety concerns & hostile work environ at plant. * NRC - No Detailed Affiliation Given. 93/04/12. 6pp. 81849:009-81849:014.
- 9411250165 FOIA request for documents re NRC Investigation 5-91-014, including Office of Investigations rept 5-91-014. UNNERSTALL, K. Newman & Holtzinger. 93/07/08. GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (890206-940714). 1p. 81849:001-81849:001.
- 9411250177 FOIA request for records describing coverage & info in stated components of SINET, including RITSCARD & IRS. LONG, S.B. Syracuse Univ., Syracuse, NY. 93/08/05. GRIMSLEY, D. Division of Freedom of Information & Publications Services (890206-940714). 2pp. 81841:010-81841:011.
- 9411250179 Final response to FOIA request for info re SINET. Forwards App A record. HARRIS, C.A. Division of Freedom of Information & Publications Services (890206-940714). 93/11/09. LONG, S.B. Syracuse Univ., Syracuse, NY. 2pp. 81841:012-81841:014.
- 9411250180 NRC shared info network, IPAS insp procedure authority sys main menu. * NRC - No Detailed Affiliation Given. 93/08/25. 1p. 81841:014-81841:014.
- 9411250208 FOIA request for info re French Basic Safety Regulations. GORMAN, K.L. Affiliation Not Assigned. 93/10/07. POWELL, R.A. Division of Freedom of Information & Publications Services (890206-940714). 1p. 81882:001-81882:001.
- 9411250217 Final response to FOIA request for info re French Basic Safety Regulations. Forwards info listed in App A & being made available at PDR. GRIMSLEY, D. Division of Freedom of Information & Publications Services (890206-940714). 93/10/28. GORMAN, K.L. Affiliation Not Assigned. 2pp. 81882:002-81882:069.
- 9411280246 Package consisting of French basic safety rules & regulations. * France. 80/01/18. 300pp. 81882:004-81882:069.
- 9411280264 FOIA request for listed info re radiography licensees in Hawaii, including abnormal events within last three yrs. TUMMONS, P. Affiliation Not Assigned. 93/09/22. Division of Freedom of Information & Publications Services (890206-940714). 1p. 81850:223-81850:223.
- 9411280268 Partial response to FOIA request for info. Forwards App A records which will be available in PDR. GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (890206-940714). 93/11/15. TUMMONS, P. Affiliation Not Assigned. 2pp. 81850:224-81850:286.
- 9011070370 Forwards order modifying License 53-23288-01, issued based on radio-graphers willful violation on 901023 & 25. Use of individual for NRC licensed activities prohibited for 3 yrs. THOMPSON, H.L. Dep Exec Dir for Nuc Mats Safety, Safeguards & Operations Support (Post 890205). EA-90-190. 90/11/02. FEWELL, R.B., MURRAY, T.E. Fewell Geotechnical Engineering, Ltd. 2pp. 81850:226-81850:235.
- 9011070374 Order modifying license (effective immediately). Use of TE Murray in licensed activities prohibited. THOMPSON, H.L. Dep Exec Dir for Nuc Mats Safety, Safeguards & Operations Support (Post 890205). EA-90-190. 90/11/02. Fewell Geotechnical Engineering, Ltd. 8pp. 81850:228-81850:235.
- 9102130262 Forwards notice of violation & proposed imposition of civil penalties in amount of \$20,000. MARTIN, J.B. Region 5 (820201 - 940403). EA-90-196. 91/02/07. FEWELL, R.B. Fewell Geotechnical Engineering, Ltd. 6pp. 81850:236-81850:286.
- 9102130268 Notice of violation & proposed imposition of civil penalty in amount of \$20,000. Noncompliance noted: licensee provided false info to NRC. MARTIN, J.B. Region 5 (820201 - 940403). EA-90-196. 91/02/07. 39pp. 81850:240-81850:286.
- 9411290146 Final response to FOIA request for documents. Records in App A & B will be available in PDR. App C records withheld in entirety (ref Exemption 4). POWELL, D. Division of Freedom of Information & Publications Services (890206-940714). 93/11/24. GRIFFIN, S.B. Don't Waste New York. 5pp. 81900:160-81900:173.
- 9411290176 Affidavit of DJ Robare re rept NEDC-31994P, "Power Uprate Licensing Evaluation for NMPNS, Unit 2." Rev 1, dtd May 1993, sought to be withheld. ROBARE, D.J. General Electric Co. 93/04/30. 5pp. 81900:169-81900:173.
- 9411290152 FOIA request for listed info re solicitation RS-IRM-93-190 on renovation of Supreme MiniTrieve Automated Filing Sys. VAUTIER, J.B. 93/06/29. NEFF, D. NRC - No Detailed Affiliation Given. 1p. 81883:093-81883:093.
- 9411290155 Final response to FOIA request for info. Nonproprietary proposal & App A records encl & will be available in PDR. POWELL, R. Division of Freedom of Information & Publications Services (890206-940714). 93/11/18. VAUTIER, J.B. 2pp. 81883:094-81883:116.
- 9411290156 "Proposal to NRC for Supreme MiniTrieve Retrofit Response to Solicitation RS-IRM-93-190." Info deleted. * RS-IRM-93-190. 93/01/19. 20pp. 81883:096-81883:115.
- 9411290161 Forwards best & final offer for solicitation. Related info also encl. JAY, JOHN, E. 93/03/25. NEFF, D. Division of Contracts & Property Management (890206-940714). 1p. 81883:116-81883:116.
- 9411290172 FOIA request for info re GSA solicitation FCXS-F1-930002-N on travel & transportation payment & expense control sys. PIEROTH, C. Citibank, N.A. 93/11/01. NRC - No Detailed Affiliation Given. 1p. 81883:070-81883:070.
- 9411290175 Final response to FOIA request for info. Forwards App A documents which will be in PDR. GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (890206-940714). 93/11/18. PIEROTH, C. Citibank, N.A. 2pp. 81883:071-81883:075.
- 9411290178 Requests commitment to be mandatory user of one or both of new contracts re governmentwide travel & transportation payment & expense control sys. DANIERO, R.D. General Services Administration. 93/03/07. Office of Administration (890206-940714). 2pp. 81883:073-81883:074.
- 9411290180 Advises of participation as mandatory users in new contracts for government-wide travel & transportation payment & expense control sys. SCROGGINS, R.M. Office of the Controller (Post 890205). 93/03/31. BENZEL, M.L. General Services Administration. 1p. 81883:075-81883:075.
- 9411290182 FOIA request for info re contract NRC-33-93-225 including sections A & B of contract, delivery orders & correspondence. HOTT, J. Federal Systems Group, Inc. NRC-33-93-225. 93/10/15. Division of Freedom of Information & Publications Services (890206-940714). 1p. 81900:156-81900:156.
- 9411290185 Final response to FOIA request re contract NRC-33-93-225 including sections A & B of contract, delivery orders & correspondence. Documents listed in App A already available in PDR. GRIMSLEY, D. Division of Freedom of Information & Publications Services (890206-940714). NRC-33-93-225. 93/11/22. HOTT, J. Federal Systems Group, Inc. 2pp. 81900:157-81900:158.
- 9411290189 FOIA request for NEDC-31994P, "Power Uprate Licensing Evaluation for NMPNS, Unit 2." Rev 1, dtd May 1993. GRIFFIN, S.B. Don't Waste New York. 93/10/27. GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (890206-940714). 1p. 81900:159-81900:159.

9411290220 FOIA request for info re 570129 FR, Vol 22, number 19, pp 548 on stds for protection against radiation, 10CFR20. WEBB, R.E. 93/10/27. NRC - No Detailed Affiliation Given. 3pp. 81883:076-81883:078.

9411290230 Final response to FOIA request for info. Forwards App A records which will be available in PDR. POWELL, R.A. Division of Freedom of Information & Publications Services (890206-940714). 93/11/17. WEBB, R.E. 2pp. 81883:079-81883:092.

9411290236 Package of 10CFR20 FRs re stds for protection against radiation, dtd 550716, 570129 & 570427. * NRC - No Detailed Affiliation Given. 93/11/17. 12pp. 81883:081-81883:092.

9411300228 Requests copies of reciprocity requests to agency from ICI Tracerco, TX re license L03096. FOX, G. Affiliation Not Assigned. 93/11/01. Region 4 (Post 820201). 1p. 81930:243-81930:244.

9411300237 Final response to FOIA request for documents. App C records encl & partially withheld (ref FOIA exemption 5). POWELL, R.A. Division of Freedom of Information & Publications Services (890206-940714). 93/11/22. PATTERSON, S.J. Newman & Holtzinger. 3pp. 81900:174-81900:271.

9411300253 Summary of 920615-16 NRC senior mgt meeting conducted to assure NRC focusing resources on plants & related issues of greatest safety significance. Info partially deleted. TAYLOR, J.M. Ofc of the Executive Director for Operations. 92/06/25. THE CHAIRMAN, SELIN, J., ROGERS, K.C. Commissioners (Post 750119). 50pp. 81900:178-81900:227.

9411300265 Summary of 930126-28 NRC senior mgt meeting conducted to assure NRC focusing resources on plants & related issues of greatest safety significance. Info partially deleted. TAYLOR, J.M. Ofc of the Executive Director for Operations. 93/02/04. THE CHAIRMAN, SELIN, J., ROGERS, K.C. Commissioners (Post 750119). 44pp. 81900:228-81900:271.

9411300244 FOIA request for info re plant 1990 & 1991 revs to NUREG/CR-5250 & 1992 seismic hazard characterizations of NPP sites east of Rocky Mountains. BURFORD, J.N. Florida Power & Light Co. 93/08/18. GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (890206-940714). 5pp. 81905:056-81905:060.

9411300251 Final response to FOIA request for info re plant 1990 & 1991 revs to NUREG/CR-5250 & 1992 seismic hazard characterizations of NPP sites east of Rocky Mountains. Forwards info in response to request. GRIMSLEY, D. Division of Freedom of Information & Publications Services (890206-940714). 93/11/22. BURFORD, J.N. Florida Power & Light Co. 1p. 81905:061-81905:188.

9411300266 Transmits hazard curves for all plant sites based on G-Experts 1-4 ground motion models in response to NRR request. BERNREUTER, D.L. Lawrence Livermore National Laboratory. 88/08/30. GIESE-KOCH, G. Office of Nuclear Reactor Regulation, Director (Post 870411). 127pp. 81905:062-81905:188.

9411300295 Final response to FOIA request for documents. Records in App A encl & available in PDR. POWELL, R. Division of Freedom of Information & Publications Services (890206-940714). 93/11/30. KIMMICH, W. Minnesota Mining & Manufacturing Co. (3M Co.). 2pp. 81900:273-81900:274.

9411300296 FOIA request for names, locations, phone & fax numbers of all cleaning contractors &/or janitorial svc contractors that agency employs for buildings which NRC responsible for. KIMMICH, W. Minnesota Mining & Manufacturing Co. (3M Co.). 93/11/05. REED, C.A. NRC - No Detailed Affiliation Given. 1p. 81900:272-81900:272.

9411300300 Appeals denial of FOIA request for info re Sequoyah Fuels Corp U processing plant in Gore, OK. CURRAN, D. Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tousley). CURRAN, D. Native Americans for a Clean Environment. 93/10/19. CHILK, S.J. Office of the Secretary of the Commission. 3pp. 81923:179-81923:181.

9411300304 Responds to appeal of denial of documents re Sequoyah Fuels Corp U processing plant in Gore, OK. Documents requested constitute personal records & therefore, fail to meet threshold test for inclusion under FOIA. CHILK, S.J. Office of the Secretary of the Commission. 93/11/26. CURRAN, D. Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tousley). 3pp. 81923:182-81923:191.

GEN TEC IS GENERIC TECHNICAL ISSUES

9411080108 Informs of closeout of GL 89-19, "Request for Action re Resolution of Unresolved Safety Issue A-47 'Safety Implication of Control Sys in LWR Nuclear Power Plant' per 10CFR50.54(f)." McDONALD, D.G. Project Directorate I-1. TAC M74923. 94/11/03. DENTON, R.E. Baltimore Gas & Electric Co. 4pp. 81658:198-81658:201.

9411160334 Responds to 940712-0901 ltrs re safety significance of fastener failures in nuclear industry as ref in closeout of GL 91-17 concerning GSI-29, "Boiling Degradation or Failure in NPPs." Informs that fastener failures low. RUSSELL, W.T. Office of Nuclear Reactor Regulation, Director (Post 870411). GL 91-17. 94/11/03. JOHNSON, S.P. Affiliation Not Assigned. 10pp. 81761:345-81761:354.

9411180132 Provides NRC w/requested table that identifies how & when specific outliers of USI A-46 program will be resolved. OPEKA, J.F. Connecticut Yankee Atomic Power Co. OPEKA, J.F. Northeast Utilities. B15034. 94/11/10. Document Control Branch (Document Control Desk). 7pp. 81793:355-81793:361.

9411180224 Forwards calculations used to resolve outlier status of condensate storage tank, demineralized water storage tank, primary water storage tank & refueling water storage tank, in regards to GL 87-02 & USI A-46. OPEKA, J.F. Connecticut Yankee Atomic Power Co. OPEKA, J.F. Northeast Utilities Service Co. B15005. 94/11/10. Document Control Branch (Document Control Desk). 6pp. 81794:001-81794:202.

9411180234 C016 R01 "CY DWST Seismic Capacity" calculation, incorporating results of Calculation 91C2648-C021. * Stevenson & Associates. 94/10/31. 100pp. 81794:007-81794:109.

9411180239 C019 R00 "CY CST Seismic Capacity" calculation. * Stevenson & Associates. 94/08/19. 35pp. 81794:110-81794:144.

9411180243 C018 R00 "CY PWST Seismic Capacity" calculation. * Stevenson & Associates. 94/08/19. 22pp. 81794:145-81794:166.

9411180244 C020 R00 "CY RWST Seismic Capacity" calculation. * Stevenson & Associates. 94/09/16. 36pp. 81794:167-81794:202.

9411220241 Suppl info re GL 89-19 & USI A-47, "Safety Implications of Control Sys in LWR Nuclear Power Plants." Ltr contains no new NRC commitments. ANDERSON, R.O. Northern States Power Co. GL-89-19. 94/11/15. Document Control Branch (Document Control Desk). 4pp. 81849:015-81849:018.

9411290110 Forwards fascimile from Lochbaum to J. Shea dtd 941116, discussing conclusions of NUREG-1353, "Regulatory Analysis for Resolution of GI 82, Beyond Design Basis Accidents in Spent Fuel Pools." SHEA, J.W. Project Directorate I-2. 94/11/22. Project Directorate I-2. 4pp. 81866:084-81866:087.

I&E INSPECTION AND ENFORCEMENT

9410140257 Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Matis Events to NRC Operations Ctr." BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). IEIN-93-060. 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.

9410200153 NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts." GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). IEIN-80-07. 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81658:001-81658:013.

9411010091 PNO-III-94-083: on 941007, mfg of diagnostic in vitro kits reported that package containing 200 mCi (7.4GBq) of liquid I-125 had not been received from supplier. Missing package would not present safety issue. State of MN notified. REICHHOLD, W.P., GROBE, J. Region 3 (Post 820201). 94/10/20. 1p. 81514:239-81514:239.

9411020034 PNO-I-94-062: on 941025, RSO of Miller Engineering & Testing reported that CPN Model MC3 portable moisture/density gauge had been stolen from const site in New Milford, CT. Gauge not recovered. State of CT notified. KIRKWOOD, A., BROWN, K. Region 1 (Post 820201). 94/10/26. 2pp. 81528:183-81528:184.

9411030082 PNO-III-94-085: on 941025, app 2.5 Ci of radioactive noble gases had been inadvertently released from plant, Unit 2 to atmosphere during filter change operation. Event & licensee CA to prevent recurrence being reviewed. KOZAK, T.J., PEDERSON, C.D. Region 3 (Post 820201). 94/10/26. 1p. 81560:044-81560:044.

9411030154 PNO-III-94-084: on 941021, Ohio Sewer District issued order to licensee to cease all discharges to sewer line including stormwater discharges. Order effective on 941024. Region III evaluating survey findings to determine appropriate action. MADERA, J., CANIANO, J. Region 3 (Post 820201). 94/10/26. 1p. 81560:222-81560:222.

9411040006 PNO-IV-94-056: on 941028, operators received loose parts monitoring alarms during heatup from refueling outage 7. Licensee determined that event bounded by calculations made following previous events. State of Kansas will be informed. CHAMBERLAIN, D. Region 4 (Post 820201). 94/10/31. 2pp. 81575:008-81575:009.

9411040014 PNO-IV-94-055: on 941028, plant experienced excessive leakage in drywell. Caused by failed seal on reactor recirculation pump B. Licensee investigating causes of RRP seal leakage. State of Louisiana has been informed. PICK, G. Region 4 (Post 820201). 94/10/31. 1p. 81575:043-81575:043.

9411040036 EN-94-081A: on 941007, notice of rescission of civil penalty in amount of \$2,500 issued to licensee. SANTIAGO, P., LIEBERMAN, J. Ofc of Enforcement (Post 870413). EA-94-099. 94/10/07. 1p. 81658:032-81658:032.

9411040044 EN-94-103: on 940927, notice of order to transfer matl (effective immediately) & order revoking license issued to licensee. Action based on insps & investigations which revealed pattern of willful & repetitive noncompliance. SANTIAGO, P., CANT, G. Ofc of Enforcement (Post 870413). EA-94-131. 94/09/27. 1p. 81658:014-81658:014.

9411040046 EN-94-104: on 940927, notice of order prohibiting involvement in NRC-license activities (effective immediately) issued to LD Wicks. Action based on insps & investigations which concluded that Wicks deliberately violated NRC requirements. SANTIAGO, P., CANT, G. Ofc of Enforcement (Post 870413). IA-94-024. 94/09/27. 1p. 81658:015-81658:015.

9411040051 EN-94-105: on 941005, notice of proposed imposition of civil penalty in amount of \$500,000 issued to licensee. Action based on violations identified as result of AIT & followup insp of listed event on 940407. BEALL, J., LIEBERMAN, J. Ofc of Enforcement (Post 870413). EA-94-112. 94/10/05. 1p. 81658:024-81658:024.

194 NONDOCKETED ITEMS

- 9411040056** EN-94-106: on 941012, notice of proposed imposition of civil penalty in amount of \$80,000 issued to licensee. Action based on failure to promptly suspend individual unescorted access & test individual for cause following repts by employees. ROSANO, D., LIEBERMAN, J. Ofc of Enforcement (Post 870413). EA-94-188. 94/10/06. 1p. 81658:025-81658:025.
- 9411040059** EN-94-107: on 941017, notice of proposed imposition of civil penalty in amount of \$6,250 issued to licensee. Action based on Severity III problem involving violations of radiation safety program. HOLODY, D., MARTIN, T. Region 1 (Post 820201). 94/10/12. 1p. 81658:026-81658:026.
- 9411040063** EN-94-108: on 941017, notice of proposed imposition of civil penalty in amount of \$3,750 issued to licensee. Action based on Severity III problem involving violations of radiation safety program. HOLODY, D., MARTIN, T. Region 1 (Post 820201). 94/10/12. 1p. 81658:027-81658:027.
- 9411040078** EN-94-109: on 941018, notice of proposed imposition of civil penalty in amount of \$100,000 issued to licensee. Action based on violation involving deliberate actions on part of worker(s) that resulted in external radiation exposure. BEALL, J., LIEBERMAN, J. Ofc of Enforcement (Post 870413). EA-94-186. 94/10/13. 1p. 81658:029-81658:029.
- 9411040082** EN-94-110: on 941019, notice of proposed imposition of civil penalty in amount of \$8,000 issued to licensee. Action based on failure to have written directives by authorized user prior to administering I-131 as sodium iodide. MAMISH, N., LIEBERMAN, J. Ofc of Enforcement (Post 870413). EA-94-156. 94/10/14. 1p. 81658:030-81658:030.
- 9411040085** EN-94-111: on 941021, notice of proposed imposition of civil penalty in amount of \$37,000 issued to licensee. Action based on violations involving failure to conduct activities involving licensed matl per established NCS limits. MAMISH, N. Ofc of Enforcement (Post 870413). EA-94-169. 94/10/18. 1p. 81658:031-81658:031.
- 9411040133** Informs that Instrumentation & Controls Branch prepared encl draft GL re analog-to-digital placements under 10CFR50.59. Encl provides compilation of background matl relevant to subj GL that should be made available to public. GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/27. Division of Information Support Services (Post 890205). 46pp. 81608:294-81608:339.
- 9411070067** PNO-I-94-063: on 941027, Unit 2 tripped. Caused by electrical fault resulting in turbine trip & loss of load reactor trip. Preparations underway for performing insulation resistance testing on generator. COWGILL, C., FUHRMEISTER, R. Region 1 (Post 820201). 94/10/28. 2pp. 81604:274-81604:275.
- 9411080007** PNO-IV-94-057: on 941026, Law/Crandell, Inc reported to Phoenix Police Dept that R Tournant employee of Law had been missing since 941024 & w/company vehicle & Troxler nuclear density gauge in possession. State of AZ informed NRC. HORNOR, J. Region 4 (Post 820201). 94/11/02. 1p. 81627:329-81627:329.
- 9411090300** NRC Bulletin 94-002, "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride." PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.
- 9411100237** NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment." GRIMES, B.K. 94/11/17. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.
- 9411150374** PNO-I-94-064: on 941107, licensee notified NRC headquarters operations ctr that packages containing Tc 99m fell out of licensee delivery truck on highway. Vials in package undamaged. Commonwealth of MA notified. MCGRATH, J.R. Region 1 (Post 820201). 94/11/07. 2pp. 81735:328-81735:329.
- 9411150578** NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation." GRIMES, B.K. 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.
- 9411170039** NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping." GRIMES, B.K. 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.
- 9411170279** NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys." GRIMES, B.K. 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.
- 9411170284** NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results." PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.
- 9411220063** Comment on three NRC staff members concerns re proposed GL on voltage based repair criteria for W SG tubes. W concurs w/NRC position discussed in encl 4 to CRGR package. LIPARULO, N.J. Westinghouse Electric Corp. 59FR41520 00007. 94/10/31. Document Control Branch (Document Control Desk). 25pp. 81797:227-81797:251.
- 9411220106** PNO-IV-94-057A: on 941102, portable gauge licensee, Law/Crandall, Inc reported Troxler moisture/density gauge missing. Employee assigned to gauge failed to show at site. Licensee informed that employee & gauge found on 941103. * Region 4 (Post 820201). 94/11/03. 1p. 81798:138-81798:138.
- 9411220222** PNO-IV-94-058: on 941117, railroad car of 11e(2) byproduct matl arrived at Union Pacific facility adjacent to Envirocare facility w/o byproduct matl. Caused by fiberglass cover on car fracturing, breaking. State of IL & UT notified. CARSON, L.C., DODAR, R.J. Region 4 (Post 820201). 94/11/18. 2pp. 81799:098-81799:099.
- 9411230013** PNO-III-94-084A: update discussing temporary restraining order issued to Advanced Medical Sys on 941115. Order had been issued as result of petition by NEORSD & hearing on 941028. MADERA, J., GROBE, J. Region 3 (Post 820201). 94/11/15. 2pp. 81811:066-81811:067.
- 9411250189** EN-94-080A: on 941103, notice of proposed imposition of civil penalty in amount of \$1,500 issued to licensee. Action based on problem involving failure to adequately control licensed activities. SANTIAGO, P., CANT, G. Ofc of Enforcement (Post 870413). EA-94-114. 94/11/03. 1p. 81864:187-81864:187.
- 9411250191** EN-94-112: on 941026, notice of proposed imposition of civil penalty in amount of \$100,000 & demands for info issued to licensee. Action based on violations for discrimination by plant managers against former contract worker. SATORIUS, M., LIEBERMAN, J. Ofc of Enforcement (Post 870413). EA-93-056. 94/10/26. 1p. 81864:188-81864:188.
- 9411250193** EN-94-113: on 941101, notice of proposed imposition of civil penalty in amount of \$3,000 issued to licensee. Action based on licensee continued possession of byproduct matl in form of measuring gauge even though license expired 931231. DELMEDICO, J., LIEBERMAN, J. Ofc of Enforcement (Post 870413). EA-94-180. 94/10/27. 1p. 81864:189-81864:189.
- 9411250197** EN-94-114: on 941031, order prohibiting involvement in NRC-licensed activities (effective immediately) issued to TA Nisbet. Action based on Nisbet failure to supervise radiographer assistant & false info provided to licensee. SANTIAGO, P., CANT, G. Ofc of Enforcement (Post 870413). IA-94-031. 94/10/31. 1p. 81864:190-81864:190.
- 9411250200** EN-94-115: on 941103, notice of proposed imposition of civil penalty in amount of \$6,250 issued to licensee. Action based on severity problem involving breakdown in control of licensed activities. DEFAYETTE, R.W., CANIANO, R.J. Region 3 (Post 820201). EA-94-202. 94/10/31. 1p. 81864:191-81864:191.
- 9411250205** EN-94-116: on 941110, notice of proposed imposition of civil penalty in amount of \$3,000 & order to cease & desist use & possession of regulated byproduct matl issued to licensee. Action based on listed violations. SANTIAGO, P., CANT, G. Ofc of Enforcement (Post 870413). EA-94-179. 94/11/07. 1p. 81864:192-81864:192.
- 9411250209** EN-94-117: on 941107, notice of proposed imposition of civil penalty in amount of \$15,000 issued to licensee. Action based on violations that led to misadministration involving I-125 seeds as permanent implant. DELMEDICO, J., LIEBERMAN, J. Ofc of Enforcement (Post 870413). EA-94-150. 94/11/07. 1p. 81864:193-81864:193.
- 9411250212** EN-94-118: on 941108, confirmatory order modifying license (effective immediately) issued to licensee. Action based on significant breakdown in mgt of radiation safety program. DELMEDICO, J., LIEBERMAN, J. Ofc of Enforcement (Post 870413). EA-94-215. 94/11/08. 1p. 81864:194-81864:194.
- 9411250218** EN-94-119: on 941116, notice of proposed imposition of civil penalty in amount of \$3,000 issued to licensee. Action based on licensee continued possession of licensed matl even though license revoked by order effective 921120. SANTIAGO, P., CANT, G. Ofc of Enforcement (Post 870413). EA-94-198. 94/11/10. 1p. 81864:195-81864:195.
- 9411250221** EN-94-120: on 941115, notice of proposed imposition of civil penalty in amount of \$25,000 & demand for info issued to licensee. Action based on violation involving failure of RSO to perform audits & creation of false audit records. SANTIAGO, P., CANT, G. Ofc of Enforcement (Post 870413). EA-93-128. 94/11/15. 1p. 81864:196-81864:196.
- 9411250223** EN-94-121: on 941115, orders prohibiting involvement in NRC-licensed activities (effective immediately) issued to MJ Berna & J DeArmond. Action based on deliberate violation of 10CFR30.10 & creation of false records. SANTIAGO, P., CANT, G. Ofc of Enforcement (Post 870413). IA-94-032. 94/11/15. 1p. 81864:197-81864:197.
- 9411280013** PNO-IV-94-059: on 941121, Region IV notified by licensee that company vehicle transporting well logging sources had been involved in traffic accident w/another truck. Shipping containers remained inside w/no damage. FISHER, W.L., HERNANDEZ, C. Region 4 (Post 820201). 94/11/22. 1p. 81840:238-81840:238.
- 9411280185** Forwards list of generic communications under development by NRC. CHAFFEE, A.E. Office of Nuclear Reactor Regulation, Director (Post 870411). GL-89-04. 94/11/03. LARHETTE, R.P. Institute of Nuclear Power Operations. 7pp. 81853:044-81853:050.
- 9411290045** PNO-II-94-048: on 941118, misadministration resulted in 27.5% underdose. Caused by sources loaded in Wang applicator wrong order. Licensee evaluating exposure. * Region 2 (Post 820201). 94/11/21. 1p. 81857:288-81857:288.
- 9411290252** Comment opposing proposed generic ltr re reconsideration of nuclear power plant security requirements for internal threat. * Affiliation Not Assigned. EARNEST, A.B. Region 4 (Post 820201). 59FR54923 00001. 94/11/02. Rules & Directives Review Branch (Post 920323). 3pp. 81870:194-81870:196.

MISC PUBLIC DOCUMENT ROOM MISCELLANEOUS

- 9411080035** "Analysis of Return to Power Scenario Following LBLOCA in PWR." TYLER, T.N., MACIAN, R., MAHAFFY, J.H. Pennsylvania State Univ., University Park, PA. NRC-03-93-027. 94/10/19. NRC - No Detailed Affiliation Given. 76pp. 81657:017-81657:094.

9411210011 Discusses discovery of 500 pounds of depleted U oxide glazing matl which WW Smith reported to NRC on 940810. Actions submitted should be taken or completed by dates specified, per 941104 telcon.
STOHR,J.P. Region 2 (Post 820201). CAL-RIL-94-10. 94/11/04. SMITH,W.W. Affiliation Not Assigned. 3pp. 81784:052-81784:058.

9411210386 Informs of name change on label for NRC correspondence.
LOPEZ,E. Information Handling Services. 94/11/21. NRC - No Detailed Affiliation Given. 1p. 81864:219-81864:219.

9411280227 Requests that name & address be changed on mailing list as shown.
KRUG,L.S. Affiliation Not Assigned. 94/11/13. NRC - No Detailed Affiliation Given. 1p. 81902:340-81902:341.

NUREG NUREG REPORTS AND RELATED CORRESPONDENCE

9411020020 Application for amend to license NPF-63, relocating selected TS per NUREG-1431.
ROBINSON,W.R. Carolina Power & Light Co. HNP-94-073. 94/10/24. Document Control Branch (Document Control Desk). 2pp. 81589:254-81589:288.

-9411020022 Proposed tech specs to relocate selected TSs per NUREG-1431.
* Carolina Power & Light Co. 94/10/24. 33pp. 81589:256-81589:288.

9411040052 NUREG/BR-0191 V01 N3 INFORMATION TECHNOLOGY.Fall 1994, Volume 1, Number 3.
* Office of Information Resources Management (Post 890205). 94/11/01. 12pp. 81646:013-81646:024.

9411040057 NUREG/BR-0200 PUBLIC PETITION PROCESS.
* Office of Public Affairs (Post 911117). 94/11/04. 2pp. 81646:025-81646:029.

9411040066 NUREG/CR-6166 RISK IMPACT OF TECHNICAL SPECIFICATIONS REQUIREMENTS DURING SHUTDOWN FOR BWRs.
STAPLE,B.D., KIRK,H.K. Sandia National Laboratories. YAAKLE,J. Science Applications International Corp. (formerly Science Applications, Inc.). FIN L-1830. 94/10/31. Division of Systems Research (Post 880717). 160pp. 81646:030-81646:192.

9411040076 NUREG/CR-6228 PRELIMINARY ASSESSMENT OF THE FRACTURE BEHAVIOR OF WELD MATERIAL IN FULL-THICKNESS CLAD BEAMS.
KEENEY,J.A., BASS,B.R., MCAFEE,W.J. Oak Ridge National Laboratory. FIN B-0119. ORNL/TM-12735. 94/10/31. Division of Engineering (Post 870413). 64pp. 81646:193-81646:256.

9411040083 NUREG/CR-5591 V02 N2 HEAVY-SECTION STEEL IRRADIATION PROGRAM, Semiannual Progress Report For April-September 1991.
CORWIN,W.R. Oak Ridge National Laboratory. FIN L-1098. ORNL/TM-11568. 94/10/31. Division of Engineering (Post 870413). 37pp. 81646:257-81646:293.

9411040088 NUREG/CP-0139 TRANSACTIONS OF THE TWENTY-SECOND WATER REACTOR SAFETY INFORMATION MEETING.
MONTELEONE,S. Brookhaven National Laboratory. FIN A-3988. 94/10/31. Office of Nuclear Regulatory Research (Post 860720). 141pp. 81647:001-81647:132.

9411040097 Forwards Rev F to improved TS, consisting of partial rev to 940225 amend request to convert current TS to improved TS consistent w/NUREG-1433.Rev result of site & generic effort to clarify LCO 3.0.4 & changes in position titles.
BECKHAM,J.T. Georgia Power Co. HL-4712. 94/10/19. Document Control Branch (Document Control Desk). 2pp. 81606:105-81606:220.

9411040149 Summarizes 940818 OG meetings to discuss status of activities to implement improved STS & pressure temp limits rept.Attendees listed in Encl 1.
GRIMES,C.I. Technical Specifications Branch. 94/10/21. GRIMES,B.K. Division of Operating Reactor Support (Post 921004). 8pp. 81619:347-81619:354.

9411040246 Forwards draft SER in support of proposed conversion to improved BWR-6 TS, for comments before 941201.
PICKETT,D.V. Project Directorate III-3. TAC M88126. 94/10/27. PHARES,R.F. Illinois Power Co. 393pp. 81620:001-81621:027.

9411080019 NUREG-0750 V40 N02 NUCLEAR REGULATORY COMMISSION IS-SUANCES FOR AUGUST 1994. Pages 43-132.
* Division of Freedom of Information & Publications Services (Post 940714). 94/10/31. 98pp. 81647:133-81647:230.

9411080026 NUREG/CR-5680 V02 THE IMPACT OF ENVIRONMENTAL CONDITIONS ON HUMAN PERFORMANCE. A Handbook Of Environmental Exposures.
ECHEVERRIA,D., BARNES,V., BITTNER,A. Battelle Human Affairs Research Centers. FIN B-5695. 94/09/30. Division of Systems Research (Post 880717). 248pp. 81650:109-81650:356.

9411080032 NUREG/CR-5680 V01 THE IMPACT OF ENVIRONMENTAL CONDITIONS ON HUMAN PERFORMANCE. A Handbook Of Environmental Exposures.
ECHEVERRIA,D., BARNES,V., BITTNER,A. Battelle Human Affairs Research Centers. FIN B-5695. 94/09/30. Division of Systems Research (Post 880717). 110pp. 81650:001-81650:108.

9411080038 NUREG/CR-5625 TECHNICAL SUPPORT FOR A PROPOSED DECAY HEAT GUIDE USING SAS2H/ORIGEN-S DATA.
HERMANN,O.W., PARKS,C.V., RENIER,J.P. Oak Ridge National Laboratory. FIN B-0846. ORNL-6698. 94/09/30. Division of Regulatory Applications (Post 870413). 130pp. 81647:231-81647:358.

9411080051 NUREG/CR-6161 BUCKLING EVALUATION OF SYSTEM 80+(TM) CONTAINMENT.
GREIMANN,L., FANOUSSE,F., SAFAR,S. Iowa State Univ., Ames, IA. FIN L-2582. IS-5103. 94/08/31. Division of Engineering (Post 921004). 145pp. 81648:001-81648:145.

9411080056 NUREG/CR-6146 LOCAL CONTROL STATIONS: HUMAN ENGINEERING ISSUES AND INSIGHTS.
BROWN,W.S., HIGGINS,J.C., O'HARA,J.M. Brookhaven National Laboratory. FIN A-3972. BNL-NUREG-52400. 94/09/30. Division of Systems Research (Post 880717). 74pp. 81648:146-81648:220.

9411080061 NUREG/CR-6154 V01 EXPERIMENTAL RESULTS FROM CONTAINMENT PIPING BELLWIS SUBJECTED TO SEVERE ACCIDENT CONDITIONS. Results From Bellows Tested In "Like-New" Conditions.
LAMBERT,L.D., PARKS,M.B. Sandia National Laboratories. FIN A-1375. SAND94-1711. 94/09/30. Division of Engineering (Post 870413). 81pp. 81648:221-81648:301.

9411080068 NUREG/CR-6105 HUMAN FACTORS ENGINEERING GUIDANCE FOR THE REVIEW OF ADVANCED ALARM SYSTEMS.
O'HARA,J.M., BROWN,W.S., HIGGINS,J.C. Brookhaven National Laboratory. FIN A-3967. BNL-NUREG-52391. 94/09/30. Division of Systems Research (Post 880717). 124pp. 81649:001-81649:115.

9411080072 NUREG/CR-6102 VALIDATION OF THE SCALE BROAD STRUCTURE 44-GROUP ENDF-B-Y CROSS-SECTION LIBRARY FOR USE IN CRITICALITY SAFETY ANALYSES.
DEHART,M.D., BOWMAN,S.M. Oak Ridge National Laboratory. FIN L-2026. ORNL/TM-12460. 94/09/30. Division of Regulatory Applications (Post 870413). 147pp. 81649:116-81649:260.

9411080076 NUREG-1494 STAFF TECHNICAL POSITION ON CONSIDERATION OF FAULT DISPLACEMENT HAZARDS IN GEOLOGIC REPOSITORY DESIGN.
MC CONNELL,K.I., LEE,M.P. Division of Waste Management (NMSS 940403). 94/09/30. 37pp. 81649:261-81649:298.

9411080088 NUREG/CR-6174 V01 FC REVISED ANALYSES OF DECOMMISSIONING FOR THE REFERENCE BOILING WATER REACTOR POWER STATION. Effects Of Current Regulatory And Other Considerations On The Financial Assurance Requirements Of The Decommissioning Rule And....
SMITH,R.L., BIRSCHBACH,M., KONZEK,G.J. Battelle Memorial Institute, Pacific Northwest Laboratory. FIN B-2902. 94/09/30. Division of Regulatory Applications (Post 870413). 150pp. 81664:108-81664:257.

9411080106 NUREG/CR-6174 V02 FC REVISED ANALYSES OF DECOMMISSIONING FOR THE REFERENCE BOILING WATER REACTOR POWER STATION. Effects Of Current Regulatory And Other Considerations On The Financial Assurance Requirements Of The Decommissioning Rule And....
SMITH,R.L., BIRSCHBACH,M., KONZEK,G.J. Battelle Memorial Institute, Pacific Northwest Laboratory. FIN B-2902. 94/09/30. Division of Regulatory Applications (Post 870413). 300pp. 81664:258-81665:188.

9411080269 Application for amend to license NPF-62, providing final rev to TS by converting to improved TS per NUREG-1434, "Improved BWR-6 TS," rev 0, dated Sept 1992.
COOK,J.G. Illinois Power Co. U-602364. 94/10/31. Document Control Branch (Document Control Desk). 15pp. 81762:001-81767:007.

-9411080272 Proposed tech specs per NUREG-1434, "Improved BWR-6 TS," Rev 0, dated Sept 1992.
* Illinois Power Co. 94/10/31. 1,812pp. 81762:016-81767:007.

9411080285 Forwards amends 129,123,150,146,158 & 146 to licenses DPR-19,DPR-25,DPR-29,DPR-30,DPR-39 & DPR-48, respectively, adding license condition that modifies NUREG-0737 to allow commitments be controlled under 10CFR50.
SHIRAKI,C.Y. Project Directorate III-2. TAC M90150. 94/11/03. FARRAR,D.L. Commonwealth Edison Co. 4pp. 81658:280-81658:307.

-9411080290 Amends 129,123,150,146,158 & 146 to licenses DPR-19,DPR-25, DPR-29,DPR-30,DPR-39 & DPR-48, respectively, adding license condition that modifies NUREG-0737 to allow commitments made in response to NUREG-0737 be controlled under 10CFR50.59.
CAPRA,R.A. Project Directorate III-2. DPR-30 A 146. 94/11/03. 21pp. 81658:284-81658:304.

9411090042 Ack receipt of two independent ACRS repts commenting on NUREG-1465, "Accident Source Terms for Light-Water Nuclear Power Plants" & proposed revs to 10CFR50, App J, "Primary Reactor Containment Leakage Testing...."
* Office of Public Affairs (Post 911117). 94/09/26. 1p. 81719:301-81719:307.

9411100120 Forwards position paper on AP600-specific time delay in physically-based source term.
LIPARULO,N.J. Westinghouse Electric Corp. NTD-NRC-94-4335. 94/11/02. BORCHARDT,R.W. Document Control Branch (Document Control Desk). 17pp. 81720:332-81720:348.

9411100151 Application for amend to license NPF-58, converting current TSs to TSs based on NUREG-1434, "Improved BWR-6 TSs," rev 0.
STRATMAN,R.A. Centor Energy. PY-CEI/NRR-1880. 94/11/07. Document Control Branch (Document Control Desk). 3pp. 81753:001-81754:357.

-9411100154 Proposed tech specs for conversion to TSs based on NUREG-1434, "Improved BWR-6 TSs," rev 0.
* Centor Energy. PY-CEI/NRR-1880. 94/11/07. 718pp. 81753:004-81754:357.

9411100218 Calls attention to comments received by NRC re "Final Environ Impact Statement for Const & Operation of Claiborne Enrichment Ctr., Homer, LA." NUREG-1484, Aug 1994, issued on 940829.
HICKEY,J. Enrichment Branch. 94/11/09. Atomic Safety & Licensing Board Panel. 2pp. 81752:214-81752:223.

9411140022 Revises 831031 response to NUREG-0737, item I.D.3 re direct indication of relief & safety valve position.
NUNN,D.E. Tennessee Valley Authority. 94/11/07. Document Control Branch (Document Control Desk). 3pp. 81745:358-81745:360.

9411140031 Forwards amend 51 to license NPF-63 & safety evaluation. Amend revises SHNPP TS 3/4.8.1, ac sources & associated bases to be consistent w/NUREG-1431, "STS, Westinghouse Plants," dtd Sept 1992.
LEN,B. Project Directorate II-1. TAC M87819. 94/11/04. ROBINSON,W.R. Carolina Power & Light Co. 3pp. 81748:001-81748:023.

-9411140048 Amend 51 to license NPF-63, revising SHNPP TS 3/4.8.1, ac sources & associated bases to be consistent w/NUREG-1431, "STS, Westinghouse Plants," dtd Sept 1992.
BATEMAN,W.H. Project Directorate II-1. 94/11/04. 12pp. 81748:004-81748:015.

196 NONDOCKETED ITEMS

- 9411140050 Safety evaluation supporting amend 51 to license NPF-63.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/11/04. 8pp. 81748:016-81748:023.
- 9411150237 Forwards addl copies of NUREG-1508, "Draft EIS to Construct & Operate Crownpoint U Solution Mining Project, Crownpoint, NM." W/o encl. GILLEN, D.M. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 94/11/09. ROGERS, P. Navajo Nation. 1p. 81760:351-81760:351.
- 9411150347 Forwards OI rept 4-92-003. Portions of rept redacted. LIEBERMAN, J. Ofc of Enforcement (Post 870413). EA-93-056. 94/11/09. COTTLE, W.T. Houston Lighting & Power Co. 2pp. 81742:078-81742:197.
- 9411150567 Forwards five copies of NUREG-1508, "Draft EIS to Construct & Operate Crownpoint U Solution Mining Project, Crownpoint, NM." W/o encl. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 94/11/14. Environmental Protection Agency. 1p. 81778:356-81778:356.
- 9411150619 Forwards exam rept 50-150/OL-94-01 administered during wk of 941017. W/o encl. RICHARDS, S.A. Operator Licensing Branch. 94/11/11. WEISLOGEL, S. Ohio State Univ., Columbus, OH. 1p. 81755:001-81755:001.
- 9411160001 NUREG-0750 V40 N03 NUCLEAR REGULATORY COMMISSION IS-SUANCES FOR SEPTEMBER 1994. Pages 133-145.
* Division of Freedom of Information & Publications Services (Post 940714). 94/10/31. 20pp. 81755:323-81755:342.
- 9411160005 NUREG/CR-6226 EFFECT OF DYNAMIC STRAIN AGING ON THE STRENGTH AND TOUGHNESS OF NUCLEAR FERRITIC PIPING AT LWR TEMPERATURES. MARSHALL, C.W., MOHAN, R., KRISHNASWAMY, P. Battelle Memorial Institute, Columbus Laboratories. FIN B-5702. BMI-2176. 94/10/31. Division of Engineering (Post 870413). 102pp. 81756:201-81756:302.
- 9411160020 NUREG/CR-6087 THE EFFECTS OF AGING ON BOILING WATER REACTOR CORE ISOLATION COOLING SYSTEMS. LEE, B.S. Brookhaven National Laboratory. FIN A-3270. BNL-NUREG-52390. 94/10/31. Division of Engineering (Post 870413). 218pp. 81756:083-81756:200.
- 9411160041 NUREG-0325 R17 U.S. NUCLEAR REGULATORY COMMISSION ORGANIZATION CHARTS AND FUNCTIONAL STATEMENTS, October 3, 1994.
* Ofc of Personnel (Post 870413). 94/10/31. 82pp. 81756:001-81756:082.
- 9411160064 NUREG-1508 DRAFT ENVIRONMENTAL IMPACT STATEMENT TO CONSTRUCT AND OPERATE THE CROWNPOINT SOLUTION MINING PROJECT, CROWNPOINT, NEW MEXICO. Docket No. 40-8968. (Hydro Resources, Inc.)
* Division of Waste Management (NMSS 940403). 94/10/31. 154pp. 81767:008-81767:156.
- 9411160091 NUREG/CR-5535 V06 RELAP5/MOD3 CODE MANUAL. Validation Of Numerical Techniques In RELAP5/MOD3. SHIEH, A.S. EG&G Idaho, Inc. RANSOM, V.H. Purdue Univ., West Lafayette, IN. KRISHNAMURTHY Pacific Nuclear Co. FIN L-1817. EGG-2705. 94/10/31. Division of Systems Research (Post 880717). 154pp. 81759:138-81759:291.
- 9411160118 NUREG/BR-0118 R01 THE WHITE FLINT NORTH COMPLEX. An Owner's Manual.
* NRC - No Detailed Affiliation Given. 94/11/16. 59pp. 81759:081-81759:137.
- 9411160139 NUREG/BR-0017 R09 AD THE NUCLEAR REGULATORY COMMISSION TECHNICAL TRAINING CENTER SYLLABUS OF COURSES. Addendum To Office Of Personnel Guide To Training Opportunities, 1994-1995.
* Technical Training Center. * Ofc of Personnel (Post 870413). 94/11/16. 159pp. 81757:157-81757:315.
- 9411160141 Application for amends to licenses DPR-57 & NPF-5, converting TS to improved TS consistent w/NUREG-1433. BECKHAM, J.T. Georgia Power Co. TAC M87310. 94/11/01. Document Control Branch (Document Control Desk). 2pp. 81786:001-81787:159.
- 9411160145 Proposed tech specs, converting current TSs to improved TS consistent w/NUREG-1433.
* Georgia Power Co. 94/11/01. 521pp. 81786:003-81787:159.
- 9411160151 NUREG/CR-6249 UNIRRADIATED MATERIAL PROPERTIES OF MID-LAND WELD WF-70. MCCABE, D.E., NANSTAD, R.K., ISKANDER, S.K. Oak Ridge National Laboratory. FIN L-1098. ORNL/TM-12777. 94/10/31. Division of Engineering (Post 870413). 93pp. 81756:303-81757:030.
- 9411160157 NUREG/CR-6267 AIR-WATER SIMULATION OF PHENOMENA OF CORIUM DISPERSION IN DIRECT CONTAINMENT HEATING. ISHII, M., REVANKAR, S.T., ZHANG, G. Purdue Univ., West Lafayette, IN. FIN L-1990. PU NE-93/1. 94/10/31. Division of Systems Research (Post 880717). 126pp. 81757:031-81757:156.
- 9411180064 Requests extended comment period for NRC draft, "Revised Analyses of Decommissioning for Reference BWR Power Station." SCHMITT, J.F. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 59FR55299 00001. 94/11/15. MEYER, D.L. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 81775:013-81775:014.
- 9411210376 Forwards rev to proposed amend to license NPF-29 re conversion to TS based on NUREG-1434, per NRC request. HUTCHINSON, C.R. Entergy Operations, Inc. GNRO-94-00130. 94/11/10. Document Control Branch (Document Control Desk). 7pp. 81859:001-81863:274.
- 9411220001 Forwards retake exam rept 50-410/94-24OL on 941024. Informs that individuals failed written portion of original license exam administered during wk of 940506. MEYER, G.W. Region 1 (Post 820201). 94/11/09. SYLVIA, B.R. Niagara Mohawk Power Corp. 2pp. 81795:001-81795:341.
- 9411220174 Forwards proposed changes in improved STS re safety limits & administrative control. GRIMES, C.I. Technical Specifications Branch. 94/11/10. BUSH, L. Westinghouse Operating Plants Owners Group. SZABO, C. Babcock & Wilcox Operating Plants Owners Group. MANN, B. C-E Operating Plants Owners Group. 60pp. 81817:226-81817:286.
- 9411220187 Forwards updated control room habitability rept, "Response to NUREG-0737.III.D.3.4. Control Room Habitability for JA FitzPatrick Nuclear Power Plant." CAHILL, W.J. Power Authority of the State of New York (New York Power Authority). JPN-94-059. 94/11/16. Document Control Branch (Document Control Desk). 4pp. 81892:244-81892:299.
- 9411220193 "Response to NUREG-0737.III.D.3.4. Control Room Habitability for JA FitzPatrick Nuclear Power Plant."
* Power Authority of the State of New York (New York Power Authority). 94/11/30. 52pp. 81892:248-81892:299.
- 9411220204 Forwards operator exam repts 50-317/94-32OL & 50-318/94-31OL on 941019, administered to candidates that applied for licenses to operate plant. MEYER, G.W. Region 1 (Post 820201). 94/11/10. DENTON, R.E. Baltimore Gas & Electric Co. 2pp. 81799:066-81799:073.
- 9411220217 Exam repts 50-317/94-32OL & 50-318/94-31OL on 941019. Exam results: candidates passed exams & were issued licenses. PRELL, J.A. Region 1 (Post 820201). 50-318/94-31OL. 94/11/10. 6pp. 81799:068-81799:073.
- 9411220229 NUREG/CR-5403 PREDICTING THE PRESSURE DRIVEN FLOW OF GASES THROUGH MICRO-CAPILLARIES AND MICRO-ORIFICES. ANDERSON, B.L., CARLSON, R.W., FISCHER, L.E. Lawrence Livermore National Laboratory. FIN A-0291. UCRL-ID-118245. 94/11/30. Division of Industrial & Medical Nuclear Safety (Post 870729). 22pp. 81806:001-81806:024.
- 9411220239 NUREG/CP-0138 PROCEEDINGS OF WORKSHOP I IN ADVANCED TOPICS IN RISK AND RELIABILITY ANALYSIS. Model Uncertainty: Its Characterization And Quantification. MOSLEY, A., SMIDTS, C. Maryland, Univ. of, College Park, MD. SIU, N. EG&G Idaho, Inc. FIN W-6144. 94/10/31. Division of Safety Issue Resolution (Post 880717). 259pp. 81806:025-81806:271.
- 9411220300 NUREG/CR-4674 V19 PRECURSORS TO POTENTIAL SEVERE CORE DAMAGE ACCIDENTS: 1993 A STATUS REPORT. Main Report And Appendices A-D. VANDEN HEUVEL, CLETCHER, J.W., COPINGER, D.A. Oak Ridge National Laboratory. FIN B-0435. ORNL/NOAC-232. 94/09/30. Division of Safety Programs (Post 870413). 200pp. 81806:272-81807:119.
- 9411220304 NUREG/CR-4674 V20 PRECURSORS TO POTENTIAL SEVERE CORE DAMAGE ACCIDENTS: 1993 A STATUS REPORT. Appendices E And F. VANDEN HEUVEL, CLETCHER, J.W., COPINGER, D.A. Oak Ridge National Laboratory. FIN B-0435. ORNL/NOAC-232. 94/09/30. Division of Safety Programs (Post 870413). 400pp. 81807:120-81808:170.
- 9411230170 Forwards fourth set of approved changes to improved STS for confirmatory review by Owners Groups. GRIMES, C.I. 94/09/26. EATON, J. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 1,074pp. 81819:001-81821:346.
- 9411250019 Forwards design details & failure modes & effects analysis for proposed upgrade of wide range level indication to four channel, two train sys. per NUREG-0737, Suppl 1 & Reg Guide 1.97, Rev 2. QUINN, S.E. Consolidated Edison Co. of New York, Inc. 94/11/15. Document Control Branch (Document Control Desk). 10pp. 81885:317-81885:326.
- 9411250056 Forwards environ assessment & finding of no significant impact re 940225 request to replace current TSs for plant w/set of TSs based on NUREG-1433, "Std TSs, General Electric Plants, BWR/4," dtd Sept 1992. JABBOUR, K.N. Project Directorate II-3. TAC M87310. 94/11/21. BECKHAM, J.T. Georgia Power Co. 3pp. 81852:096-81852:104.
- 9411250063 Environ assessment & finding of no significant impact re consideration of issuance of amends to licenses DPR-57 & NPF-5, issued to util for operation of plant. WHEELER, L.L. Project Directorate II-3. 94/11/21. 6pp. 81852:099-81852:104.
- 9411250069 Summary of 941102-03 meeting w/util in Rockville, MD to discuss plant TS conversion process & PC 940225 submittal to revise current plant TS. List of attendees & licensee handout encl. JABBOUR, K.N. Project Directorate II-3. TAC M87310. 94/11/18. Project Directorate II-3. 8pp. 81850:348-81850:355.
- 9411250084 Application for amends to licenses DPR-62 & DPR-71, revising TS 3/4.6.1.2 by adopting wording for primary containment integrated leak rate testing consistent w/ requirements of BWR-4 improved STS (NUREG-1433). ANDERSON, R.A. Carolina Power & Light Co. BSEP 94-0401. 94/11/16. Document Control Branch (Document Control Desk). 11pp. 81885:285-81885:306.
- 9411250087 Proposed TS 3/4.6.1.2, adopting wording for primary containment integrated leak rate testing consistent w/ requirements of BWR-4 improved STS (NUREG-1433).
* Carolina Power & Light Co. 94/11/16. 11pp. 81885:296-81885:306.
- 9411280003 Forwards exam rept 50-334/94-21OL on 941012-13. No violations noted. MEYER, G.W. Region 1 (Post 820201). 94/11/17. NOONAN, T.P. Duquesne Light Co. 2pp. 81840:008-81840:168.
- 9411280043 Forwards safety evaluation of plant individual plant exam for internal events & internal flooding, per GL 88-20 & associated submittal guidance document, NUREG-1335. Response to concerns raised by review requested within 60 days. W/TER. SHIRAKI, C.Y. Project Directorate III-2. TAC M74492. 94/11/22. FARRAR, D.L. Commonwealth Edison Co. 6pp. 81892:001-81892:166.
- 9411280196 NUREG/BR-0117 N94-3 NMSS LICENSEE NEWSLETTER, Number 94-3.
* Office of Nuclear Material Safety & Safeguards. 94/10/31. 12pp. 81851:123-81851:134.
- 9411280198 NUREG/BR-0196 V1 N01 COURSE CATALOG, October-December 1994.
* Ofc of Personnel (Post 870413). 94/11/28. 132pp. 81851:001-81851:122.
- 9411280281 NUREG-1275 V10 OPERATING EXPERIENCE FEEDBACK REPORT - RELIABILITY OF SAFETY-RELATED STEAM TURBINE-DRIVEN STANDBY PUMPS. Commercial Power Reactors. BOARDMAN, J.R. Division of Safety Programs (Post 870413). 94/10/31. 91pp. 81851:135-81851:225.

9411280283 NUREG/CR-6281 A SIMPLIFIED LEAK-BEFORE-BREAK EVALUATION PROCEDURES FOR AUSTENITIC AND FERRITIC STEEL PIPING. GAMBLE,R.M. Sartex Corp. ZAHOO,A., GHASSEMI,B. Novetech Corp. FIN D-1758. 94/10/31. Division of Engineering (Post 921004). 48pp. 81851:226-81851:275.

9411280288 NUREG/CR-6216 EVALUATION OF ROCK JOINT MODELS AND COMPUTER CODE UDEC AGAINST EXPERIMENTAL RESULTS. HSIUNG,S.M., GHOSH,A., CHOWDURY,A.H. Center for Nuclear Waste Regulatory Analyses. FIN B-6643. CNWRA 93-024. 94/11/30. Division of Regulatory Applications (Post 870413). 116pp. 81851:276-81852:021.

9411290110 Forwards fascimile from Lochbaum to J Shea dtd 941116, discussing conclusions of NUREG-1353, "Regulatory Analysis for Resolution of GI 82,Beyond Design Basis Accidents in Spent Fuel Pools." SHEA,J.W. Project Directorate I-2. 94/11/22. Project Directorate I-2. 4pp. 81866:084-81866:087.

9411290132 NUREG-0383 V01 R17 DIRECTORY OF CERTIFICATES OF COMPLIANCE FOR RADIOACTIVE MATERIALS PACKAGES.Report Of NRC Approved Packages. * Division of Industrial & Medical Nuclear Safety (Post 870729). 94/10/31. 513pp. 81875:001-81876:149.

9411290134 NUREG-0383 V02 R17 DIRECTORY OF CERTIFICATES OF COMPLIANCE FOR RADIOACTIVE MATERIALS PACKAGES.Certificates Of Compliance. * Division of Industrial & Medical Nuclear Safety (Post 870729). 94/10/31. 583pp. 81877:001-81878:219.

9411290135 NUREG-0383 V03 R14 DIRECTORY OF CERTIFICATES OF COMPLIANCE FOR RADIOACTIVE MATERIALS PACKAGES.Report Of NRC Approved Quality Assurance Programs For Radioactive Materials Packages. * Division of Industrial & Medical Nuclear Safety (Post 870729). 94/10/31. 151pp. 81876:150-81876:302.

9411290139 NUREG-0040 V18 N02 LICENSEE CONTRACTOR AND VENDOR INSPECTION STATUS REPORT. Quarterly Report, April-June 1994.(White Book) * Division of Reactor Inspection & Licensee Performance (Post 921004). 94/10/31. 183pp. 81878:220-81879:038.

9411290141 NUREG-0933 S17 A PRIORITIZATION OF GENERIC SAFETY ISSUES. EMRIT,R. Division of Safety Issue Resolution (Post 880717). 94/09/30. 307pp. 81879:039-81879:345.

9411290144 NUREG-1323 R00 LICENSEE APPLICATION REVIEW PLAN FOR A GEOLOGIC REPOSITORY FOR SPENT NUCLEAR FUEL AND HIGH-LEVEL RADIOACTIVE WASTE. * Division of Waste Management (NMSS 940403). 94/09/30. 564pp. 81880:001-81881:200.

9411290145 Forwards NUREG-1508, "Draft Environ.Impact Statement to Const & Operate Crownpoint U Solution Mining Project, Crownpoint,NM," per 941117 telcon,W/o encl. PARK,J.R. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 94/11/18. TOMSOVIC,D. Environmental Protection Agency. 1p. 81933:013-81933:013.

9411300244 FOIA request for info re plant 1990 & 1991 revs to NUREG/CR-5250 & 1992 seismic hazard characterizations of NPP sites east of Rocky Mountains. BURFORD,J.N. Florida Power & Light Co. 93/08/18. GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (890206-940714). 5pp. 81905:056-81905:060.

9411300251 Final response to FOIA request for info re plant 1990 & 1991 revs to NUREG/CR-5250 & 1992 seismic hazard characterizations of NPP sites east of Rocky Mountains. Forwards info in response to request. GRIMSLEY,D. Division of Freedom of Information & Publications Services (890206-940714). 93/11/22. BURFORD,J.N. Florida Power & Light Co. 1p. 81905:061-81905:188.

ORG CORRESPONDENCE WITH OTHER ORGANIZATIONS

9409200241 Expresses appreciation for assistance in providing NRC w/ english version of NPP leibstadt rept. "Study on Clogging of ECCS Pump Suction Strainers." BARRETT,R.J. Containment Systems & Severe Accident Branch. 94/09/14. KLUGEL,JU Switzerland. 1p. 81665:251-81665:251.

9410140257 Suppl 1 to NRC Info Notice 93-060, "Reporting Fuel Cycle & Matis Events to NRC Operations Ctr." BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). IEIN-93-060. 94/10/20. Consolidated Edison Co. of New York, Inc. 12pp. 81816:299-81816:310.

9410180175 Request for OMB review & supporting statement re 10CFR50, "Domestic Licensing of Production & Utilization Facilities." Estimated respondent burden is 3,540,811 h. CRANFORD,G.F. Office of Information Resources Management (Post 890205). OMB 3150-0011. 94/09/09. 51pp. 81357:001-81357:052.

9410180311 Request for OMB review & supporting statement re 10CFR50 re domestic licensing of production & utilization facilities. Estimated respondent burden is 3,540,811 h. CRANFORD,G. Office of Information Resources Management (Post 890205). OMB 3150-0011. 94/10/07. 62pp. 81339:140-81339:200.

9410200153 NRC Info Notice 94-076, "Recent Failures of Charging/Safety Injection Pump Shafts." GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). IEIN-92-061. 94/10/26. Consolidated Edison Co. of New York, Inc. 12pp. 81658:001-81658:013.

9410310328 Ack receipt of 940917 ltr,w/correspondence from two constituents,raising questions re protection of workers who raised safety concerns.NRC has taken number of enforcement actions in recent years as result of violations. TAYLOR,J.M. Ofc of the Executive Director for Operations. CCS. 94/10/20. FEINSTEIN,D. Senate. 2pp. 81904:306-81904:311.

9411230123 Requests position & views of questions raised by constituents re nuclear power industry. FEINSTEIN,D. Senate. CCS. 94/09/17. RATHBUN,D.K. Office of Congressional Affairs (Post 911117). 3pp. 81904:308-81904:311.

9411010039 Confirms 941101 meeting w/Cyprus Foote Mineral Co & other invited agencies to be held in Cambridge,OH to present NRC/ ORISE findings re offsite slag & to discuss NRC expectations. SHEAR,G.L. Region 3 (Post 820201). 94/10/20. LEE,P. Affiliation Not Assigned. 1p. 81514:118-81514:118.

9411020041 Forwards FEMA, "Final Exercise Assessment,Joint State & Local Radiological Emergency Response Exercise for Vermont Yankee Nuclear Power Station," conducted 930427-29.Four deficiencies assessed by FEMA during exercise. JOYNER,J.H. Region 1 (Post 820201). 94/10/21. REID,D.A. Vermont Yankee Nuclear Power Corp. 3pp. 81529:022-81529:290.

9410180229 "Final Exercise Assessment,Joint State & Local Radiological Emergency Response Exercise for Vermont Yankee Nuclear Power Station," conducted 930427-29. * Federal Emergency Management Agency. 94/07/12. 263pp. 81529:025-81529:290.

9411030020 Responds on behalf of Chairman Selin to 940924 ltr to J Lieberman.Advises that NRC has various submittals & petitions under consideration & intends to resolve matters raised in these submittals as expeditiously as possible. MILHOAN,J.L. Dep Exec Dir for Nuc Reactor Reg.Regional Operations & Research (Post 890205). 2.206. 94/10/13. ROSS,A.J. Affiliation Not Assigned. 2pp. 81561:060-81561:061.

9411040166 Requests to be informs of procedures & requirements of NRC to obtain official approval for Grunau GmbH products by NRC. Leaflet encl showing company products. ANNEMAIER, FANCELLI,I.A. Affiliation Not Assigned. 94/08/22. WEST,S. Office of Nuclear Reactor Regulation, Director (Post 870411). 5pp. 81618:351-81618:355.

9411040187 Requests that statement re comments on ANS-10.3, "Documentation Of Computer Software" be placed in foreword of std as stated. ADAMS,A. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/27. MAIN,G.C. Affiliation Not Assigned. 2pp. 81628:305-81628:306.

9411040210 Acks receipt of 940928 ltr transmitting Suppl 1 to GL 86-10 re acceptance criteria for raceway fire barrier sys of envelope type sys around electrical components.Acceptance of KBS sys requested. ANNEMAIER, FANCELLI,I.A. Affiliation Not Assigned. GL-86-10. 94/10/06. WEST,S. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 81628:201-81628:202.

9411070093 Requests info re Thermo Lag in nuclear power plants. BENJAN,R. Affiliation Not Assigned. 94/10/26. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 81663:126-81663:127.

9411070168 Forwards Office of Inspector General audit rept on NRC contracting for consulting svcs.Concludes that NRC has established required sys of mgt controls for approval of contracts for consulting svcs. BARCHI,T.J. Office of the Inspector General (Post 890417). 94/10/14. TAYLOR,J.M. Ofc of the Executive Director for Operations. 2pp. 81621:318-81621:328.

9411070172 OIG/94A-37 "Review of NRC Contracting for Consulting Svcs," dtd 941014. * Office of the Inspector General (Post 890417). 94/10/14. 9pp. 81621:320-81621:328.

9411080031 Responds to transmittal of sys design description (SDD) transmitted in ltr,FSJ-69-94.NRC accepts SDD for continued project development w/listed comments. COLLINS,F. Operator Licensing Branch. 94/10/24. JAGGAR,F.S. Idaho National Engineering Laboratory. 7pp. 81657:349-81657:355.

9411080081 ACAD 89-004 General distribution, "BWR Operator Fundamentals Test Item Catalog," Sept 1994. DONNELLY,T. Institute of Nuclear Power Operations. 94/09/30. 275pp. 81625:001-81626:200.

9411080096 ACAD 89-003 General distribution, "PWR Operator Generic Fundamentals Test Item Catalog," Sept 1994. * Institute of Nuclear Power Operations. 94/09/30. 250pp. 81626:201-81627:309.

9411080128 Responds to recent request to M Weber for info on mgt of radioactive waste in US.Forwards several pamphlets & brochures that discuss mgt of low-level mgt waste,mixed waste & high-level radioactive waste in US. ORLANDO,D.A. Low-Level Waste & Uranium Recovery Projects Branch. 94/10/20. BURKE,T. Affiliation Not Assigned. 2pp. 81658:202-81658:203.

9411080141 Provides update to some of info provided in 940524 ltr re exercise of enforcement discretion. TAYLOR,J.M. Ofc of the Executive Director for Operations. CCS. 94/10/24. LIEBERMAN,J.I. Senate, Environment & Public Works. 5pp. 81658:208-81658:212.

9411080186 Discusses 941005 GFE which has been administered to 127 candidates at 19 facilities.Statistical results listed. BWR & PWR replicas of exams & ltr/disc not encl. THOMAS,C.O. Division of Reactor Controls & Human Factors (Post 921004). 94/10/31. HEUBLEIN,R. Institute of Nuclear Power Operations. 2pp. 81658:261-81658:262.

9411090199 Request for OMB review & supporting statement re 10CFR50, "Domestic Licensing of Production & Utilization Facilities." Estimated respondent burden is 3,540,811 h. CRANFORD,G.F. Office of Information Resources Management (Post 890205). OMB 3150-0011. 94/11/02. 36pp. 81666:251-81666:287.

9411090225 Forwards audit rept, "Review of NRC Compliance w/Notice of Enforcement Discretion Policy & Procedures." Deputy Executive for NRR,Regional Operations & Research concurs w/recommendations encl. BARCHI,T.J. Office of the Inspector General (Post 890417). 94/10/17. TAYLOR,J.M. Ofc of the Executive Director for Operations. 2pp. 81666:288-81666:313.

198 NONDOCKETED ITEMS

- 9411090226 OIG/94A-24 "Review of NRC Compliance w/Notice of Enforcement Discretion Policy & Procedures."
* Office of the Inspector General (Post 890417). 94/10/17. 24pp. 81666:291-81666:313.
- 9411090300 NRC Bulletin 94-002, "Corrosion Problems in Certain Stainless Packaging Used to Transport U Hexafluoride."
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/14. Consolidated Edison Co. of New York, Inc. 12pp. 81816:311-81816:322.
- 9411090312 Forwards five papers plus introduction for session 11 re high-burnup fuel behavior of NRC 22nd Water Reactor Safety Info Meeting.
MEYER,R.O. Division of Systems Research (Post 880717). 94/10/28. NRC - No Detailed Affiliation Given. 1p. 81715:236-81715:236.
- 9411090382 Requests that J Lillington of UKAEA in Great Britain & Y Bang of KINS in Korea be provided w/current version of RELAP5/MOD3.1.2. Lists two stipulations to make in transmittal ltr w/RELAP5/MOD3.1.2.
SOLBERG,D. Director & Plant Systems Branch. 94/10/27. WILSON,G. Affiliation Not Assigned. 1p. 81667:322-81667:322.
- 9411090400 Request for OMB review & supporting statement re domestic licensing of production & utilization facilities, 10CFR50. Estimated respondent burden is 359 h.
CRANFORD,G.F. Office of Information Resources Management (Post 890205). OMB 3150-0011. 94/11/04. 8pp. 81726:022-81726:249.
- 9411140127 Notice of OMB review of info collection re proposal for collection of info under provisions of 10CFR44, Chapter 35, Paperwork Reduction Act.
CRANFORD,G.F. Office of Information Resources Management (Post 890205). 94/11/04. 3pp. 81726:031-81726:033.
- 9411090404 "For comment" issue of draft reg guide, task DG-1023, "Evaluation Of Reactor Pressure Vessels W/Charpy Upper Shelf Energy Less Than 50 Ft-Lb."
* Office of Nuclear Regulatory Research (Post 860720). 94/09/30. 58pp. 81726:034-81726:097.
- 9411090411 "For comment" issue of draft reg guide, task DG-1025, "Calculational & Dosimetry Methods For Determining Pressure Vessel Neutron Fluence."
* Office of Nuclear Regulatory Research (Post 860720). 93/09/30. 47pp. 81726:098-81726:146.
- 9411090413 Draft reg guide 10.027, "Format & Content Of Application For Approval For Thermal Annealing Of Reactor Pressure Vessels."
* Office of Nuclear Regulatory Research (Post 860720). 94/10/31. 103pp. 81726:147-81726:249.
- 9411100237 NRC Info Notice 94-077, "Malfunction in Main Generator Voltage Regulator Causing Overvoltage at Safety-Related Electrical Equipment."
GRIMES,B.K. 94/11/17. Consolidated Edison Co. of New York, Inc. 7pp. 81816:323-81816:329.
- 9411140067 Concurs w/EDO recommendation to remove staff alternate criteria for reporting overexposures as AOs from staff Commission paper, "Revised AO Criteria."
RUSSELL,W.T. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/11/07. JORDAN,E.L. Office for Analysis & Evaluation of Operational Data, Director. 4pp. 81732:214-81732:220.
- 9411140077 Informs that EDO will not recommend alternate criteria for reporting overexposures as "AOs" to Commission, but may recommend criteria as option. Forwards policy statement describing alternate criteria.
JORDAN,E.L. Office for Analysis & Evaluation of Operational Data, Director. 94/10/20. BERNERO,R.M. Office of Nuclear Material Safety & Safeguards. RUSSELL,W.T. Office of Nuclear Reactor Regulation, Director (Post 870411). BECKJORD,E.S. Office of Nuclear Regulatory Research (Post 860720). 3pp. 81732:218-81732:220.
- 9411150566 Responds to 941005 ltr re info on efforts in determining solubility of radioactive waste discharges to sanitary sewer.
BELLAMY,R.M. Region 1 (Post 820201). 94/10/28. FOWLER,T.W. Health & Human Services, Dept. of, U.S. Public Health Service. 2pp. 81744:354-81744:355.
- 9411150578 NRC Info Notice 94-078, "Electric Component Failure due to Degradation of Polyvinyl Chloride Wire Insulation."
GRIMES,B.K. IEIN-91-020. 94/11/21. Consolidated Edison Co. of New York, Inc. 10pp. 81848:215-81848:224.
- 9411160040 Discusses upcoming 941219 meeting to get acquainted & establish personal rapport & to discuss various topics pertinent to agencies for enhancement of working relationship. Agenda encl.
SHANKMAN,S.F. Division of Radiation Safety & Safeguards (Post 921004). 94/11/08. MEYNERINGER,R. Federal Emergency Management Agency. 3pp. 81746:117-81746:119.
- 9411160049 Expresses appreciation for time spent at 940920 meeting re functions during routine & emergency conditions & extends invitation to visit Regional Incident Response Ctr & observe activation during future exercises.
HEHL,C.W. Region 1 (Post 820201). 94/11/08. CALVAN,R. Federal Emergency Management Agency. 2pp. 81746:129-81746:130.
- 9411160056 Discusses upcoming 941213 meeting to discuss various topics pertinent to agencies enhancement of working relationship. Agenda encl.
HEHL,C.W. Region 1 (Post 820201). 94/11/08. ELISA,L. Federal Emergency Management Agency. 3pp. 81746:176-81746:178.
- 9411160155 Provides comments on proposed rule re fee for services to support Federal Emergency Mgt Agency Offsite radiological emergency preparedness program.
OPEKA,J.F. Connecticut Yankee Atomic Power Co. B14954. 94/09/12. Federal Emergency Management Agency. 3pp. 81781:231-81781:233.
- 9411160274 Forwards final minutes for NRC/FEMA steering committee meeting held at FEMA on 941018.
MILLER,C.L. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/11/08. VASTA,L. Federal Emergency Management Agency. 11pp. 81769:349-81769:359.
- 9411160296 Forwards Commission biweekly notice of applications & amends to OLS involving NSHC, published in FR on 941012.
RUSSELL,W.T. Associate Director for Inspection & Technical Assessment (Post 870411). 94/10/24. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 2pp. 81767:358-81767:359.
- 9411160303 Responds to 940919 ltr requesting seepage qualification of upsets in reactor tubes computer code for leak-before-break research program in Finland. User manual & computer disk for Version 2.2 of SQUIRT code encl. W/o encl.
RUSSELL,W.T. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/28. KESKINEN,R. Finnish Centre for Radiation & Nuclear Safety (Finland). 6pp. 81772:039-81772:044.
- 9411160318 Notification of 941201 meeting w/ASME Work Group & NEI in Rockville, MD to present & discuss rev of ASME boiler & pressure vessel code to address periodic testing of MOV.
WESSMAN,R.H. Mechanical Engineering Branch. 94/11/07. SHERON,B.W. Division of Engineering (Post 921004). 1p. 81772:131-81772:131.
- 9411160321 Informs that OGC, NRR & Ofc of Controller staff have been coordinating response to ABB/CE 940720 ltr addressing part 170 post-FDA fees.
CRUTCHFIELD,D. Associate Director for Advanced Reactors & License Renewal (Post 910918). 94/11/08. HOLLOWAY,J.C. Office of the Controller (Post 890205). 1p. 81755:352-81755:352.
- 9411170039 NRC Info Notice 94-079, "Microbiologically Influenced Corrosion of EDG Svc Water Piping."
GRIMES,B.K. GL-90-05. 94/11/23. Consolidated Edison Co. of New York, Inc. 9pp. 81848:225-81848:233.
- 9411170041 Responds to issues raised in 940926 ltr to DK Rathbun re request for NRC to assist in matter involving Amer Industrial Technologist Inc. of Wilmington, DE.
TAYLOR,J.M. Ofc of the Executive Director for Operations. CCS. 94/11/08. BIDEN,J.R. Senate. 5pp. 81777:212-81777:218.
- 9411170045 Requests assistance on matter involving DE based company Amer Industrial Technologies, Inc. Any info or assistance that might help company w/ problem requested.
BIDEN,J.R. Senate. 94/09/26. RATHBUN,D.K. Office of Congressional Affairs (Post 911117). 2pp. 81777:217-81777:218.
- 9411170059 Responds to JO Young request of 941006 for comments on recovery plan for Alamosa & Socorro springsnails dtd 940831. NRC has no comments on recovery plan.
ANAND,R.K. License Renewal & Environmental Review Project Directorate (Post 921004). 94/10/25. DEVINE,G. Interior, Dept. of, Fish & Wildlife Service. 2pp. 81777:136-81777:138.
- 9411170064 Forwards recovery plan for Alamosa & Socorro springsnails. Questions should be addressed to G Divine.
YOUNG,J.O. Interior, Dept. of, Fish & Wildlife Service. 94/10/25. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 81777:138-81777:138.
- 9411170206 Responds to 940929 ltr, written on behalf of constituent, RS Tsukimura: re fee assessed to General Atomic could impact Aerotest's ability to obtain fuel elements.
TAYLOR,J.M. Ofc of the Executive Director for Operations. CCS. 94/10/26. BAKER,B. House of Rep. 1p. 81823:050-81823:053.
- 9411170240 Requests full & fair consideration of RR Tsukimura ltr re appeal to NRC for license fee exemption.
BAKER,B. House of Rep. CCS. 94/09/29. RATHBUN,D. Office of Congressional Affairs (Post 911117). 2pp. 81823:051-81823:053.
- 9411170207 Responds to 941102 request for extension of Hong assignment to 1 yr from originally planned six months. No objection to change.
RUBIN,A. Accident Evaluation Branch. 94/11/14. KIM,H.D. Korea Advanced Energy Research Institute. 2pp. 81777:098-81777:099.
- 9411170279 NRC Info Notice 94-080, "Inadequate DC Ground Detection in DC Distribution Sys."
GRIMES,B.K. IEIN-88-086. 94/11/25. Consolidated Edison Co. of New York, Inc. 14pp. 81848:234-81848:247.
- 9411170284 NRC Info Notice 94-081, "Accuracy of Bioassay & Environ Sampling Results."
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/25. Consolidated Edison Co. of New York, Inc. 12pp. 81848:248-81848:259.
- 9411180014 Forwards Commission biweekly notice of applications & amends to operating licenses involving no significant hazards considerations, which was published in FR on 941012 (59 FR51616).
RUSSELL,W.T. Office of Nuclear Reactor Regulation, Director (Post 870411). CCS. 94/10/24. SHARP,P.R. Senate. LEHMAN,R.H. Senate, Energy & Natural Resources. LIEBERMAN,J.I. Senate, Environment & Public Works. 4pp. 81818:344-81818:348.
- 9411180053 Request for OMB review & supporting statement re domestic licenses to mfg or transfer certain items containing byproduct mail, 10CFR32. Estimated respondent burden 3,793 h.
CRANFORD,G.F. NRC - No Detailed Affiliation Given. OMB 3150-0001. 94/11/10. 12pp. 81777:226-81777:238.
- 9411180073 Submits approved course of action for improving NRC control over & licensee accountability for generally licensed devices.
HOYLE,J.C. Office of the Secretary of the Commission. 94/10/18. TAYLOR,J.M. Ofc of the Executive Director for Operations. 2pp. 81788:360-81788:361.
- 9411210396 Forwards trip rept for 941106 IEEE Power Engineering Society meeting in St Petersburg, FL re staff concerns concerning IEEE std P848, "Procedure for Determination of Ampacity Derating of Fire Protected Cables."
JENKINS,R. Electrical Engineering Branch. 94/11/16. BERLINGER,C.H. Electrical Engineering Branch. 2pp. 81809:023-81809:024.
- 9411220061 Forwards documents requested in 941025 meeting re Temelin plant in Czech Republic.
RATHBUN,D.K. Office of Congressional Affairs (Post 911117). CCS. 94/10/27. ROACH,R.L. House of Rep., Energy & Commerce. 5pp. 81892:345-81892:355.
- 9411220075 Follows up on matter extensively discussed on 931203 re improving nuclear safety in Russia & other countries of Eastern Europe.
THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). O'LEARY,H.R. Energy, Dept. of, CCS. 93/12/21. President of U.S. & Executive Offices. 5pp. 81892:350-81892:355.

9411220199 Summary of operating reactors events briefing 94-38 conducted on 941102 to inform senior managers of listed ofcs of selected events that occurred since last briefing on 941012. List of attendees in encl 1.
CHAFFEE, A.E. Events Assessment Branch. OREM-94-038. 94/11/09. GRIMES, B.K. Division of Operating Reactor Support (Post 921004). 22pp. 81816:330-81816:351.

9411220246 Responds to 941008 ltr re question posed by constituent, H Shaffer on DOE sale of nuclear fuel reprocessing equipment.
RATHBUN, D.K. Office of Congressional Affairs (Post 911117). CCS. 94/10/24. MURTHA, J.P. House of Rep. 1p. 81849:061-81849:066.

9411220249 Requests help in answering question posed by H Shaffer of Blairsville, PA re private citizens able to buy nuclear reactor parts in auction.
MURTHA, J.P. House of Rep. 94/10/08. Office of Congressional Affairs (Post 911117). 1p. 81849:065-81849:066.

9411220280 Forwards notice of availability of documents associated with proposed GL for transmittal to office of FR, for publication.
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/11/09. WIGGINTON, S.N. Rules & Directives Review Branch (Post 920323). 1p. 81822:204-81822:205.

9411220296 Notice of availability of documents associated w/proposed GL, "Use of NUMARC/EPRI rept TR-102348, 'Guideline on Licensing Digital Upgrades,' in Determining Acceptability of Performing Analog-to-Digital Replacements under 10CFR50.59."
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/11/09. 1p. 81822:205-81822:205.

9411220323 Ack receipt of ltr, dtd 941013, requesting NRC commence EA against Advanced Medical Systems, Inc. for violation of 10CFR20.0003. Ltr considered suppl to petition, dtd 930303 & issues & info in case still being reviewed for decision.
BERNERO, R.M. Office of Nuclear Material Safety & Safeguards. 94/11/02. SCHATZ, W.B. Northeast Ohio Regional Sewer District. 1p. 81828:010-81828:010.

9411220357 Transmits for info, NRC biweekly notice of applications & amends to operating licenses involving no significant hazards consideration, published in FR on 941026. W/o encl.
RUSSELL, W.T. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/11/09. LIEBERMAN, J. Senate, Environment & Public Works. LEHMAN, R.H. House of Rep. SHARP, P.R. House of Rep., Energy & Commerce. 2pp. 81822:245-81822:246.

9411220405 Informs that workshop scheduled for 941116-17 to discuss & correct inconsistencies re interpretation of 10CFR61.41 concerning use of Part 20 dose methodology to show compliance.
FEDERLINE, M.V. Division of Waste Management (NMSS 940403). 94/11/07. REAMER, W.C. Office of the General Counsel (Post 860701). 5pp. 81828:024-81828:028.

9411230035 Responds to 940810 request for comments on 1993 annual rept on LLRW mgt progress.
AUSTIN, J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 94/10/31. COLEMAN, J. Energy, Dept. of. 6pp. 81829:353-81829:358.

9411230119 Informs that NMSS developed methodology for establishing Part 171 annual fees for U recovery licensees & licensees processing rare earths. Lists four major categories of licensees methodology identifies.
BERNERO, R.M. Office of Nuclear Material Safety & Safeguards. 94/11/21. FUNCHES, J.L. Office of the Controller (Post 890205). 13pp. 81822:333-81822:345.

9411250185 Forwards NRR input to Agency Environ Justice Implementation Plan.
RUSSELL, W.T. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/11/17. THOMPSON, H.L. Dep Exec Dir for Nuc Matis Safety, Safeguards & Operations Support (Post 890205). 4pp. 81850:320-81850:334.

9411280174 Requests that write-up for each pertinent item listed in encl 1 be provided for draft Environ Justice Implementation Plan. Info to be provided by 941211.
THOMPSON, H.L. Dep Exec Dir for Nuc Matis Safety, Safeguards & Operations Support (Post 890205). 94/11/02. BANGART, R. Office of State Programs (Post 911117). HICKEY, J. Office of Nuclear Material Safety & Safeguards. HODGDON, A. Office of the General Counsel (Post 860701). 5pp. 81850:324-81850:334.

9411250213 Provides status rept on transportation packaging suppliers insp program for FY92-94. Insp focused on implementation of NRC approved QA programs. Insp identified 14 violations of 10CFR21.71 & 72.
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/18. BERNERO, R.M. Office of Nuclear Material Safety & Safeguards. 10pp. 81848:263-81848:272.

9411280054 Ack receipt of 941011 ltr to Chairman Selin of NRC re concerns about rescission of 40CFR61, Subpart I. Advises that negotiations re rescission of Subpart I still in progress & issue still under consideration within Commission.
BERNERO, R.M. Office of Nuclear Material Safety & Safeguards. 94/10/28. FELTON, J.M. Nuclear Licensing Reports. 5pp. 81852:139-81852:143.

9411280057 Responds to recent request for info on mgt of radwaste in US. Summarizes responsibilities of different agencies involved in mgt of radwaste in US. W/o stated encl.
ORLANDO, D.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 94/11/07. LIENDEN, T.V. Affiliation Not Assigned. 2pp. 81852:144-81852:145.

9411280062 Responds to recent request to M Weber for info on mgt of radwaste in US. Summarizes responsibilities of different agencies involved in mgt of radwaste in US. W/o pamphlets & brochures.
ORLANDO, D.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 94/11/02. MASTILLE, M. Affiliation Not Assigned. 2pp. 81852:146-81852:147.

9411280086 Request for OMB review & supporting statement re 10CFR25, "Access Authorization for Licensee Personnel" & 10CFR95, "Security Facilities Approval & Safeguarding of Natl Security..." Estimated respondent burdens are 60 & 168 h.
CRANFORD, G.F. Office of Information Resources Management (Post 890205). OMB 3150-0046. 94/11/21. 26pp. 81852:148-81852:173.

9411280104 Forwards Ofc of Inspector General rept re review of NRC implementation of insp manual chapter 1245 training requirements.
BARCILI, T.J. Office of the Inspector General (Post 890417). 94/11/04. TAYLOR, J.M. Ofc of the Executive Director for Operations. 2pp. 81852:174-81852:196.

9411280114 OIG/94A-1314. "Review of NRC Implementation of Insp Manual Chapter 1245 Training Requirements."
* Office of the Inspector General (Post 890417). 94/11/04. 21pp. 81852:176-81852:196.

9411280186 Responds to 941015 ltr re future of nuclear power industry. NRC does not have type of cost info. NRC info digest & NRC annual rept encl. W/o encl.
ZIMMERMAN, R.P. Associate Director for Projects (Post 870411). 94/11/15. DAVIS, D.A. Affiliation Not Assigned. 1p. 81852:198-81852:198.

9411280254 Responds to 940810 ltr re concerns expressed by Merex, Inc w/NRC contracting process re Contract NRC-03-91-028.
TAYLOR, J.M. Ofc of the Executive Director for Operations. NRC-03-91-028. CCS. 94/10/06. MORELLA, C.A. House of Rep. 1p. 81900:314-81900:325.

9411280257 Responds to 940707 ltr re proposed determination to disallow funds under contract NRC-03-91-028.
SILLER, A.J. Division of Contracts (Post 940714). NRC-03-91-028. CCS. 94/09/19. STYER, P. Merex, Inc. 2pp. 81900:315-81900:316.

9411280261 Forwards P Styer 940711 ltr re problem w/NRC contracts.
MORELLA, C.A. House of Rep. CCS. 94/08/10. RATHBUN, D.K. Office of Congressional Affairs (Post 911117). 2pp. 81900:317-81900:318.

9411280263 Responds to 940707 ltr re review of contract NRC-03-91-028. Contractor takes issue w/determination to disallow \$25,774.00.
STYER, P. Merex, Inc. NRC-03-91-028. CCS. 94/07/07. SILLER, A.J. Division of Contracts (Post 940714). 4pp. 81900:319-81900:322.

9411280266 Responds to 940201 ltr re status of payment of invoice submitted under Contract NRC-03-91-028.
TAYLOR, J.M. Ofc of the Executive Director for Operations. NRC-03-91-028. CCS. 94/03/15. MORELLA, C.A. House of Rep. 2pp. 81900:323-81900:325.

9411300082 Forwards 941025 ltr from OM Hepler of FEMA which transmits final exercise rept for 931019, full-participation exercise at plant. No deficiencies noted.
JOYNER, J.H. Region 1 (Post 820201). 94/11/21. BARTON, J.J. General Public Utilities Corp. - GPU Service Corp. 2pp. 81872:001-81872:091.

9411170103 "Post Exercise Assessment of 931019-21 Exercise of Radiological ER Plans of State of NJ, Ocean County & 17 Municipalities for Oyster Creek Nuclear Generating Station."
* Federal Emergency Management Agency. 94/10/03. 91pp. 81872:003-81872:091.

9411300215 Requests that TW Fowler provide listed info to determine whether sewer discharges meet solubility requirements in 10CFR20.2003(a)(1). Emphasizes that current authorization to discharge mail to sewer under current license provisional.
MCGRATH, J.R. Region 1 (Post 820201). 94/11/03. FOWLER, T.W. Health & Human Services, Dept. of. 3pp. 81872:337-81872:339.

PR PROPOSED RULE

9411010026 Comment supporting proposed rule 10CFR2 re reexamination for NRC enforcement policy.
PHARES, R.F. Illinois Power Co. 59FR49215 00021. 94/10/24. MEYER, D. Division of Freedom of Information & Publications Services (Post 940714). 1p. 81514:107-81514:107.

9411010028 Comment on proposed rule 10CFR2 re reexamination of NRC enforcement policy.
WATER, J.D. Affiliation Not Assigned. 59FR49215 00019. 94/10/21. MEYER, D. Rules & Directives Review Branch (Post 920323). 2pp. 81514:108-81514:109.

9411010040 Comment on proposed rule 10CFR2 re reexamination of NRC enforcement policy. Util of belief that increasing incentives for good performance, including full mitigation of enforcement sanction, assures self-identification & openness.
BOHLKE, W.H. Florida Power & Light Co. 59FR49215 00018. 94/10/24. MEYER, D. Rules & Directives Review Branch (Post 920323). 14pp. 81513:344-81513:361.

9411010061 Comment on proposed rule 10CFR2 re reexamination of NRC enforcement policy. Util endorses NEI position on issue & concurs w/recommendations.
OPEKA, J.F. Northeast Utilities. 59FR49215 00017. 94/10/24. Rules & Directives Review Branch (Post 920323). 4pp. 81514:155-81514:158.

9411010082 Comment supporting proposed rule 10CFR2 re reexamination of NRC enforcement policy.
SMITH, L.R. Affiliation Not Assigned. 59FR49215 00020. 94/10/24. MEYER, D. Rules & Directives Review Branch (Post 920323). 5pp. 81514:216-81514:220.

9411010114 Comment on proposed rule 10CFR2 re reexamination of NRC enforcement policy, sanctions & corrective actions. Util believes that purpose of enforcement policy should be to "protect safety of public" rather than "promote & protect."
GRANT, J.M. Yankee Atomic Electric Co. 59FR49215 00022. 94/10/24. MEYER, D. Rules & Directives Review Branch (Post 920323). 5pp. 81514:290-81514:294.

9411010131 Comment on proposed rule 10CFR2 re reexamination of NRC enforcement policy. Energy Facility Site Evaluation Council strongly believes that open enforcement conferences should become permanent part of Commission regulatory program.
* Washington, State of. 59FR49215 00016. 94/10/21. NRC - No Detailed Affiliation Given. 5pp. 81514:356-81514:360.

9411030027 Forwards two files uploaded to NRC-EP library for enforcement program library of NRC, constituting comments on proposed rule 10CFR2 re reexamination of NRC enforcement policy.
DUNNING, T. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/25. MEYER, D. Division of Freedom of Information & Publications Services (Post 940714). 1p. 81561:108-81561:138.

9411030039 Comment on proposed rule 10CFR2 re reexamination of NRC enforcement policy. Informs that proposed NRC policy appears to be in conflict w/existing NRC regulations for amendments to licensed facility.
BLANCH, P.M. Affiliation Not Assigned. 59FR49215 00038. 94/10/20. MEYER, D. Division of Freedom of Information & Publications Services (Post 940714). 12pp. 81561:109-81561:120.

200 NONDOCKETED ITEMS

- 9411030046 Comment on proposed rule 10CFR2 re examination of NRC enforcement policy. Advises that Commission feeble attempt to support non-enforcement policy reveals extent to which NRC has lost touch w/mission.
RICCIO, J.P. Public Citizen's Critical Mass Energy Project. 59FR49215 00038. 94/10/24. MEYER, D. Division of Freedom of Information & Publications Services (Post 940714). 18pp. 81561:121-81561:138.
- 9411030043 Comments on proposed rule 10CFR2 re examination of NRC enforcement policy. Endorses response submitted by Nuclear Energy Institute.
CARNS, N.S. Wolf Creek Nuclear Operating Corp. 59FR49215 00030. 94/10/24. MEYER, D. Division of Freedom of Information & Publications Services (Post 940714). 1p. 81561:162-81561:162.
- 9411030050 Comment opposing proposed rule 10CFR2 re examination of NRC enforcement program & policy.
MOON, K.E. Affiliation Not Assigned. 59FR49215 00032. 94/10/21. MEYER, D. Division of Freedom of Information & Publications Services (Post 940714). 7pp. 81561:208-81561:214.
- 9411030051 Comment re PR 10CFR2 re examination of NRC enforcement policy. Press releases should be more clearly written for general public & non-threatening violations should not be released to public.
MILLER, G. Gratiot Community Hosp., Alma, MI. 59FR49215 00031. 94/10/24. MEYER, D. Division of Freedom of Information & Publications Services (Post 940714). 1p. 81561:215-81561:215.
- 9411030052 Forwards official comments submitted electronically to enforcement program subsystem of NRC at FedWorld.
DUNNING, T. Technical Specifications Branch. 59FR49215 00037. 94/10/28. MEYER, D. Division of Freedom of Information & Publications Services (Post 940714). 1p. 81561:216-81561:217.
- 9411030057 Recommends that NRC hold public meeting on topic re NRC enforcement program & policy due to extensive interest.
BLANCH, P.M. Affiliation Not Assigned. 59FR49215 00037. 94/10/27. MEYER, D. Division of Freedom of Information & Publications Services (Post 940714). 1p. 81561:217-81561:217.
- 9411030058 Comments on proposed rule 10CFR2 re examination of NRC enforcement policy. Endorses response submitted by Nuclear Energy Institute.
HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 59FR49215 00033. 94/10/25. MEYER, D. Division of Freedom of Information & Publications Services (Post 940714). 1p. 81561:278-81561:278.
- 9411030064 Comment supporting proposed rule 10CFR2 re examination of NRC enforcement policy. Endorses comments provided by Nuclear Energy Institute.
PHARES, R.F. Illinois Power Co. 59FR49215 00035. 94/10/24. MEYER, D. Division of Freedom of Information & Publications Services (Post 940714). 1p. 81561:316-81561:316.
- 9411030066 Comments on proposed rule 10CFR2 re examination of NRC enforcement policy. Endorses response provided by Nuclear Energy Institute.
PELLETIER, J.P. Vermont Yankee Nuclear Power Corp. 59FR49215 00034. 94/10/24. MEYER, D. Division of Freedom of Information & Publications Services (Post 940714). 1p. 81561:317-81561:317.
- 9411030096 Comments on proposed rule 10CFR2 re examination of NRC enforcement policy. Endorses response submitted by Nuclear Energy Institute.
BOULETTE, E.T. Boston Edison Co. 59FR49215 00025. 94/10/24. MEYER, D. Division of Freedom of Information & Publications Services (Post 940714). 3pp. 81560:103-81560:105.
- 9411030099 Comments on proposed rule 10CFR2 re examination of NRC enforcement policy.
TERRY, C.L. WALKER, R.D. Texas Utilities Co. 59FR49215 00029. 94/10/24. MEYER, D. Division of Freedom of Information & Publications Services (Post 940714). 49pp. 81560:110-81560:158.
- 9411030116 Comment on proposed rule 10CFR2 re examination of NRC enforcement policy. Recommends that open enforcement conference become permanent part of NRC enforcement policy program.
WILLIAMS, J.R. Ohio, State of. 59FR49215 00036. 94/10/20. MEYER, D. Division of Freedom of Information & Publications Services (Post 940714). 3pp. 81560:185-81560:187.
- 9411030134 Comments on proposed rule 10CFR2 re examination of NRC enforcement policy.
WOODLAN, D.R. Texas Utilities Electric Co. (TU Electric). 59FR49215 00026. 94/10/24. MEYER, D. Division of Freedom of Information & Publications Services (Post 940714). 7pp. 81560:205-81560:211.
- 9411030159 Comment on proposed rule 10CFR2 re examination of NRC enforcement policy. Author states objectives stated by NRC appear to be compromised for sake of expediency & allow reactors to continue operations.
RICCIO, J.P. Public Citizen's Critical Mass Energy Project. 59FR49215 00028. 94/10/24. NRC - No Detailed Affiliation Given. 18pp. 81560:326-81560:343.
- 9411030195 Comment on proposed rule 10CFR2 re examination of NRC enforcement policy. Endorses NUMARC comments.
SKOLDS, J.L. South Carolina Electric & Gas Co. 59FR49215 00027. 94/10/21. MEYER, D. Division of Freedom of Information & Publications Services (Post 940714). 1p. 81561:009-81561:009.
- 9411040002 Comment opposing proposed rule 10CFR2 re examination of NRC enforcement policy.
MEDFORD, M.O. Tennessee Valley Authority. 59FR49215 00039. 94/10/24. MEYER, D. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 81575:001-81575:002.
- 9411040003 Comment on proposed rule 10CFR2 re examination of NRC enforcement policy.
OPEKA, J.F. Northeast Utilities Service Co. 59FR49215 00040. 94/10/24. Division of Freedom of Information & Publications Services (Post 940714). 4pp. 81575:003-81575:006.
- 9411040005 Comment on proposed rule 10CFR2 re examination of NRC enforcement policy. Endorses NEI response & believes that existing enforcement policy & process can be improved.
ROGAN, R.E. Carolina Power & Light Co. 59FR49215 00043. 94/10/25. MEYER, D. Division of Freedom of Information & Publications Services (Post 940714). 1p. 81575:007-81575:007.
- 9411040007 Comment on proposed rule 10CFR2 re examination of NRC enforcement policy.
STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 59FR49215 00041. 94/10/25. MEYER, D. Division of Freedom of Information & Publications Services (Post 940714). 15pp. 81575:010-81575:024.
- 9411040009 Comment supporting proposed rule 10CFR2 re examination of NRC enforcement policy.
SMITH, L.R. E.I. du Pont de Nemours & Co., Inc. 59FR49215 00042. 94/10/24. MEYER, D. Division of Freedom of Information & Publications Services (Post 940714). 5pp. 81575:026-81575:030.
- 9411070047 Comment on proposed rule 10CFR2 re examination of NRC enforcement policy.
GRANT, J.M. Yankee Atomic Electric Co. 59FR49215 00044. 94/10/24. MEYER, D. Division of Freedom of Information & Publications Services (Post 940714). 5pp. 81604:177-81604:181.
- 9411070108 Submits no comments re proposed rule 10CFR2 re examination of NRC enforcement policy.
GOSS, A.S. Veterans Admin. Medical Center, Perry Point, MD. 59FR49215 00045. 94/10/31. Division of Freedom of Information & Publications Services (Post 940714). 1p. 81605:078-81605:078.
- 9411080011 Comment on proposed rule 10CFR2 re examination of NRC enforcement policy. NEI of belief that consideration of compensatory measures should not be limited to physical sys & equipment.
RASIN, W.H. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 59FR49215 00046. 94/11/01. MEYER, D. Rules & Directives Review Branch (Post 920323). 52pp. 81628:004-81628:055.
- 9411080033 Comment on proposed rule 10CFR2 re examination of NRC enforcement policy. Util endorses comments submitted by NUMARC. NRC current enforcement policy & exercise of enforcement discretion fundamentally sound.
O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 59FR49215 00047. 94/10/25. MEYER, D. Division of Freedom of Information & Publications Services (Post 940714). 3pp. 81628:001-81628:003.
- 9411090105 Forwards documents of central relevance to regulatory history AE81-2 re final rule, "Protection Against Malevolent Use of Vehicles at Nuclear Power Plants." Index encl.
CUNNINGHAM, L.J. Office of Nuclear Reactor Regulation, Director (Post 870411). AE81-2 001. 94/11/01. Document Control Branch (Document Control Desk). 3pp. 81748:083-81750:109.
- 9308260132 Requests that CRGR consider staff recommended proposed rulemaking to maintain prudent margin between current low threat estimate & higher design basis threat for radiological sabotage per 10CFR73.1(a) at 930824 meeting.
MIRAGLIA, F. Office of Nuclear Reactor Regulation, Director (Post 870411). AE81-2 028. 93/08/09. JORDAN, E.L. Committee to Review Generic Requirements. 12pp. 81749:210-81749:221.
- 9310080277 Discusses proposed rule for protection against malevolent use of vehicles at nuclear power plants.
JORDAN, E.L. Committee to Review Generic Requirements. AE81-2 024. 93/09/30. ARLOTTO, G.A. Office of Nuclear Material Safety & Safeguards. KANE, W.F. Region 1 (Post 820201). MIRAGLIA, F.J. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 81749:076-81749:080.
- 9402020205 Responds to 931210 ltr transmitting ACRS comments on SECY-93-270. Recommended actions consistent w/930629 approval by Commissioners to proceed w/expedited rulemaking.
TAYLOR, J.M. Ofc of the Executive Director for Operations. AE81-2 017. 94/01/12. WILKINS, J.E. ACRS - Advisory Committee on Reactor Safeguards. 1p. 81748:344-81749:075.
- 9402020209 Discusses proposed amends to 10CFR73 to protect against use of vehicles at plant.
WILKINS, J.E. ACRS - Advisory Committee on Reactor Safeguards. AE81-2 016. 93/12/10. THE CHAIRMAN Commissioners (Post 750119). 3pp. 81748:341-81748:343.
- 9404110411 Forwards second draft CRGR charter rev for review at meeting 248 on 930824.
ALLISON, D.P. NRC - No Detailed Affiliation Given. AE81-2 026. 93/08/17. JORDAN, E. NRC - No Detailed Affiliation Given. 47pp. 81749:081-81749:209.
- 9404250047 Forwards Commission paper which has been developed by NRR staff to obtain Commission approval to publish final rule that will require NPP licensees to protect facilities against malevolent use of vehicles.
THADANI, A.C. Associate Director for Inspection & Technical Assessment (Post 870411). AE81-2 010. 94/03/29. LARKINS, J.T. ACRS - Advisory Committee on Reactor Safeguards. 1p. 81748:290-81748:301.
- 9404250053 Forwards proposed final rulemaking on protection against malevolent use of vehicles at NPP & requests that meeting be scheduled for 940412.
MIRAGLIA, F.J. Office of Nuclear Reactor Regulation, Director (Post 870411). AE81-2 011. 94/03/29. JORDAN, E.L. Committee to Review Generic Requirements. 2pp. 81748:291-81748:301.
- 9407210276 Forwards original & two copies of FRN for amend to 10CFR73. Per 940630 memo. Acting Secretary informed staff that amend approved by Commission w/exception of certain specific provisions contained in safeguards info. MCKEE, P.F. Safeguards Branch. AE81-2 007. 94/07/12. MEYER, D.L. Division of Freedom of Information & Publications Services (890206-940714). 14pp. 81748:150-81748:289.

- 9411090118 Discusses final rule requiring protection of nuclear facilities against vehicular intrusions & vehicle bombs.
LEVENTHAL,P. Nuclear Control Institute. HIRSCH,D. Committee to Bridge the Gap. AE81-2 006. 94/06/27. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 1p. 81748:149-81748:149.
- 9411090140 Transcript of 940210 meeting re protection against malevolent use of vehicles at nuclear power plants. Pp 44-122.
* NRC - No Detailed Affiliation Given. AE81-2 015. 94/02/10. 39pp. 81748:302-81748:340.
- 9411090167 Draft Commission paper re implementation schedule for protection against malevolent use of vehicles at NPPs.
TAYLOR,J.M. Ofc of the Executive Director for Operations. AE81-2 029. 93/07/27. 4pp. 81749:222-81750:109.
- 9411100013 Final rule 10CFR34.35,50,73 & 110, "NRC Library/Address Change," amending its regulations re availability of matl approved for incorporation by ref to make needed change to address provided for NRC library.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 59FR50688. 94/09/26. 8pp. 81672:260-81672:267.
- 9411100015 Proposed rule, "Shutdown & Low-Power Operations for Nuclear Power Reactors," would amend regulations to require power reactor licenses to assure that uncontrolled changes in reactivity will not occur when plant in shutdown.
HOYLE,J.C. Office of the Secretary of the Commission. 59FR52707. 94/10/14. 37pp. 81672:278-81672:314.
- 9411140042 Corrected proposed rule 10CFR50, "Shutdown & Low-Power Operations for Nuclear Power Reactors." Corrects first sentence on page 52713 to read as stated.
WIGGINTON,S. Office of Administration, Director (Post 940714). 59FR52707. 94/10/20. 1p. 81716:037-81716:037.
- 9411140110 Proposed rule 10CFR21, "Procurement of Commercial Grade Items by NPP Licensees." Rule would clarify & add flexibility to process of procuring commercial grade items for safety-related svc by NPP licensees.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 59FR53372. 94/10/07. 24pp. 81716:038-81716:061.
- 9411140114 Comment opposing proposed rule 10CFR20 & 35 re release of patients containing radioactive matls from hospitals. Proposed regulations too complex,restrictive & costly for amount of benefit obtained.
CACAK,R. Affiliation Not Assigned. 59FR30724 00056. 94/10/19. Docketing & Services Branch. 1p. 81716:062-81716:062.
- 9411140116 Proposed rules 10CFR50,52 & 100, "Reactor Site Criteria Including Seismic & Earthquake Engineering Criteria for Nuclear Power Plants & Proposed Denial of Petition From Free Environ,et al."
HOYLE,J.C. Office of the Secretary of the Commission. 59FR52255. 94/10/11. 85pp. 81716:063-81716:147.
- 9411150014 Comment opposing proposed rule 10CFR2 re re-examination of NRC enforcement program & policy.
MCCORMICK,V.A. William Beaumont Hosp., Royal Oak, MI. 59FR49215 00048. 94/10/20. MYER,D. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 81734:001-81734:002.
- 9411150228 Comment on proposed rule 10CFR2 re reexamination of NRC enforcement policy.Urges NRC to rescind most of current enforcement policies re medical incidents & develop policy of enforcement that applies to incidents involving 10CFR20.
MCCARTNEY,W.H. American College of Nuclear Physicians. CONWAY,J.J. Society of Nuclear Medicine. 59FR49215 00050. 94/11/03. MEYER,D. Rules & Directives Review Branch (Post 920323). 2pp. 81734:170-81734:171.
- 9411150300 Forwards documents of central relevance to regulatory history AF08-1 re proposed rule, "Frequency of Medical Exams for Use of Respiratory Protection Equipment." 10CFR20. Index encl.
ROECKLEIN,A.K. Radiation Protection & Health Effects Branch. AF08-1 001. 94/11/04. LANHAM,D. Document Control Branch (Document Control Desk). 3pp. 81767:158-81767:277.
- 9308310238 Requests that branch restart work on revising respiratory rule & place high priority on completion of work.
CUNNINGHAM,L.J. Radiation Protection Branch. AF08-1 002. 93/06/21. COOL,D.A. Radiation Protection & Health Effects Branch. 2pp. 81767:161-81767:165.
- 9406170233 Requests concurrence on memo from E Beckjord to J Taylor which transmits FRN for "Frequency of Medical Exam for Use of Respiratory Protection Equipment:10CFR20."
HELTEMES,C.J. Office of Nuclear Regulatory Research (Post 860720). AF08-1 005. 94/06/08. RUSSELL,W.T. Office of Nuclear Reactor Regulation, Director (Post 870411). BERNERO,R.M. Office of Nuclear Material Safety & Safeguards. JORDAN,E.L. Office for Analysis & Evaluation of Operational Data, Director. 31pp. 81767:166-81767:196.
- 9407260278 Concurs w/NRR review of proposed rule package re frequency of medical fitness determination from annual to periodic in 10CFR20.
RUSSELL,W.T. Office of Nuclear Reactor Regulation, Director (Post 870411). AF08-1 011. 94/06/29. HELTEMES,C.J. Office of Nuclear Regulatory Research (Post 860720). 1p. 81767:226-81767:226.
- 9409120300 Forwards for signature PR to be published in FR that would amend 10CFR20 to allow flexibility in frequency of medical exam for use of respiratory protection equipment.
BECKJORD,E.S. Office of Nuclear Regulatory Research (Post 860720). AF08-1 018. 94/08/26. TAYLOR,J.M. Ofc of the Executive Director for Operations. 27pp. 81767:233-81767:273.
- 9410140074 Informs that on 940906,proposed rule on frequency of medical exam for use of respiratory protection equipment:10CFR20, was signed & requests publication of proposed rule in FR.
COOL,D.A. Radiation Protection & Health Effects Branch. AF08-1 020. 94/09/12. MEYER,D.L. Rules & Directives Review Branch (Post 920323). 1p. 81767:274-81767:277.
- 9411150362 Concurs,subj to comments,on proposed rule, "Frequency of Medical Exams for Use of Respiratory Protection." Marked comment package encl.
MEYER,D.L. Rules & Directives Review Branch (Post 920323). AF08-1 006. 94/06/16. HELTEMES,C.J. Office of Nuclear Regulatory Research (Post 860720). 24pp. 81767:197-81767:220.
- 9411160166 Responds to request for comment & concurrence on proposed rule, "10CFR20:Frequency of Medical Exams for Use of Respiratory Protection Equipment." Comment sheet encl.
SHELTON,B.J. Information & Records Management Branch (Post 890827). AF08-1 007. 94/06/22. LESAR,M.T. Rules & Directives Review Branch (Post 920323). 2pp. 81767:221-81767:222.
- 9411160179 Comments on proposed rulemaking on 10CFR20, "Frequency of Medical Exam for Use of Respiratory Protection Equipment." Proposed rule as written not enforceable per listed reasons.
GRAY,J.R. Ofc of Enforcement (Post 870413). AF08-1 008. 94/06/22. HELTEMES,C.J. Office of Nuclear Regulatory Research (Post 860720). 1p. 81767:223-81767:223.
- 9411160185 Responds to 940608 request for concurrence for submission to EDO addressing changes in frequency of medical exams for use of respirator equipment.No legal objection noted.
JONES,B.W. NRC - No Detailed Affiliation Given. AF08-1 009. 94/06/23. NRC - No Detailed Affiliation Given. 1p. 81767:224-81767:224.
- 9411160189 Concurs w/two proposed changes in 10CFR20, "Frequency of Medical Exams for Use of Respiratory Protection Equipment." Does not concur w/changing schedule of medical exam to "prior to first field use."
BERNERO,R.M. Office of Nuclear Material Safety & Safeguards. AF08-1 010. 94/06/27. HELTEMES,C.J. Office of Nuclear Regulatory Research (Post 860720). 1p. 81767:225-81767:225.
- 9411160193 Concurs,subj to listed comments,on proposed rule, "10CFR20: Frequency of Medical Exam for Use of Respiratory Protection Equipment."
BANGART,R.L. Office of State Programs (Post 911117). AF08-1 012. 94/06/29. HELTEMES,C.J. Office of Nuclear Regulatory Research (Post 860720). 1p. 81767:227-81767:227.
- 9411160195 Concurs,subj to listed comment,on proposed "10CFR20: Frequency of Medical Exam for Use of Respiratory Protection Equipment."
HEUMANN,E. Division of Budget & Analysis (Post 890205). AF08-1 013. 94/07/01. ROECKLEIN,A. Division of Regulatory Applications (Post 870413). 1p. 81767:228-81767:228.
- 9411160199 Concurs on revised frequency of medical exam for use of respiratory protection equipment,per proposed 10CFR20.
JORDAN,E.L. Office for Analysis & Evaluation of Operational Data, Director. AF08-1 014. 94/08/17. SPEIS,T.P. Office of Nuclear Regulatory Research (Post 860720). 1p. 81767:229-81767:229.
- 9411160201 Concurs in proposed rule, "10CFR20:Frequency of Medical of Exam for Use of Respiratory Protection Equipment."
BANGART,R.L. Office of State Programs (Post 911117). AF08-1 015. 94/08/18. SPEIS,T.P. Office of Nuclear Regulatory Research (Post 860720). 1p. 81767:230-81767:230.
- 9411160202 Concurs w/publication of proposed rule, "10CFR20:Frequency of Medical Fitness Determination for Respirator Users."
RUSSELL,W.T. Office of Nuclear Reactor Regulation, Director (Post 870411). AF08-1 016. 94/08/19. SPEIS,T.P. Office of Nuclear Regulatory Research (Post 860720). 1p. 81767:231-81767:231.
- 9411160204 Concurs w/proposed rule to change frequency of medical exams for respirator use.
TREBY,S.A. Assistant General Counsel for Rulemaking & Fuel Cycle. AF08-1 017. 94/08/22. SPEIS,T.P. Office of Nuclear Regulatory Research (Post 860720). 1p. 81767:232-81767:232.
- 9411150338 Comment on proposed rule 10CFR2 re re-examination of NRC enforcement policy.Supports rule.
DENTON,R.E. Baltimore Gas & Electric Co. 59FR49215 00051. 94/11/01. MEYER,D.L. Division of Freedom of Information & Publications Services (Post 940714). 1p. 81734:199-81734:199.
- 9411150528 Comment supporting proposed rule 10CFR2 re re-examination of NRC enforcement policy.
DUMAS,D. DuPont Merck Pharmaceutical Co. 59FR49215 00049. 94/10/24. MEYER,D. Division of Freedom of Information & Publications Services (Post 940714). 3pp. 81745:130-81745:132.
- 9411160154 Comment opposing any major change to proposed rule 10CFR2 re reexamination of NRC enforcement policy.
LIPARULO,N.J. Westinghouse Electric Corp. 59FR49215 00052. 94/11/03. MEYER,D. Division of Freedom of Information & Publications Services (Post 940714). 12pp. 81747:001-81747:012.
- 9411180005 Comment on proposed rules 10CFR20,30,40,50,51,70 & 72 re radiological criteria for decommissioning of lands & structures.Provision objectionable for reasons stated.
KOZAK,M.W. Sandia National Laboratories. 59FR43200 00012. 94/11/08. Docketing & Services Branch. 4pp. 81774:270-81774:273.
- 9411180008 Comment opposing proposed rules 10CFR20,30,40,50,51,70 & 72 re radiological criteria for decommissioning of lands & structures.
LEWIS,M.I. Affiliation Not Assigned. 59FR43200 00013. 94/11/10. Docketing & Services Branch. 2pp. 81774:274-81774:275.
- 9411180009 Comment opposing proposed rules 10CFR20,30,40,50,51,70 & 72 re radiological criteria for decommissioning of lands & structures.
CINQUEMANI,F.L. Affiliation Not Assigned. 59FR43200 00007. 94/10/12. Docketing & Services Branch. 1p. 81774:276-81774:276.

202 NONDOCKETED ITEMS

- 9411180012** Comment supporting proposed rule 10CFR20 re frequency of medical exams for use of respiratory protection equipment. Util pleased w/NRC move to increase self-regulation in area of respirator physicals.
DENTON,R.E. Baltimore Gas & Electric Co. 59FR47565 00002. 94/11/11. Docketing & Services Branch. 2pp. 81774:292-81774:293.
- 9411180015** Comment opposing proposed rules 10CFR20,30,40,50,51,70 & 72 re radiological criteria for decommissioning of lands & structures.
THORPE,M. Affiliation Not Assigned. 59FR43200 00008. 94/10/25. Docketing & Services Branch. 1p. 81774:294-81774:294.
- 9411180018** Comment opposing proposed rule 10CFR50 re shutdown & low power operations for nuclear power reactors.
MOSEBEY,D. Affiliation Not Assigned. 59FR52707 00001. 94/11/03. Docketing & Services Branch. 2pp. 81774:296-81774:298.
- 9411180019** Comment opposing proposed rules 10CFR20,30,40,50,51,70 & 72 re radiological criteria for decommissioning of lands & structures.
EDWARDS,S.J. Affiliation Not Assigned. 59FR43200 00009. 94/10/26. Docketing & Services Branch. 1p. 81774:299-81774:299.
- 9411180020** Comment supporting proposed rule 10CFR20 re frequency of medical exam for use of respiratory protection equipment.
SCHMITT,J.F. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 59FR47565 00003. 94/11/15. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 81774:300-81774:301.
- 9411180022** Comment supporting proposed rule 10CFR20 re frequency of medical examination for use of respiration protection equipment.
WRIGHT,C. Texas, Univ. of, Austin, TX. 59FR47565 00001. 94/11/07. Docketing & Services Branch. 1p. 81774:305-81774:305.
- 9411180024** Comment on proposed rules 10CFR20,30,40,50,51,70 & 72 re radiological criteria for decommissioning of lands & structures.
BUGBEE,B. Affiliation Not Assigned. 59FR43200 00006. 94/10/17. Docketing & Services Branch. 1p. 81774:306-81774:306.
- 9411180028** Comment on proposed rules 10CFR20,30,40,50,51,70 & 72 re radiological criteria for decommissioning of lands & structures. NRC appears to have given no consideration to possibility that decommissioning might occur after accident.
CHANIN,D.I. Technadyne Engineering Consultants, Inc. 59FR43200 00010. 94/11/05. COOL,D.A. Division of Regulatory Applications (Post 870413). 2pp. 81774:309-81774:310.
- 9411180029** Comment supporting proposed rules 10CFR20,30,40,50,51,70 & 72 re radiological criteria for decommissioning of lands & structures.
KOSMIDER,M.D. Allied-Signal Corp. 59FR43200 00014. 94/10/31. Docketing & Services Branch. 3pp. 81774:311-81774:313.
- 9411180031** Proposed rules 10CFR50,55 & 73, "Reduction of Reporting Requirements Imposed on NRC Licensees." Rules would reduce regulatory burden on licensees by eliminating duplicative or unnecessary reporting requirements.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 59FR54843. 94/10/20. 20pp. 81774:314-81774:333.
- 9411180044** Notice of workshop to be held in Washington,DC, on 941206-08 re proposed rule 10CFR20,30,40,50,51,70 & 72, "Radiological Criteria for Decommissioning Workshop on Site-Specific Advisory Boards."
BECKJORD,E.S. Office of Nuclear Regulatory Research (Post 860720). 59FR43200. 94/10/28. 3pp. 81774:343-81774:345.
- 9411180045** Accepts NRC statement during recent question & answer session conducted at decommissioning decisionmakers forum re residual dose rate limit of 15 mrem/yr requirement.
BRONSON,F.L. Affiliation Not Assigned. 94/09/16. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 1p. 81774:337-81774:337.
- 9411180036** Comment on proposed rules 10CFR20,30,40,50,51,70 & 72 re radiological criteria for decommissioning of lands & structures. Recommends that requirement be explicitly stated to mean that residual dose limit of 15 mrem/yr intended.
BRONSON,F.L. Affiliation Not Assigned. 59FR43200 00004. 94/09/13. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 1p. 81774:336-81774:337.
- 9411180049** Comment on proposed rules 10CFR20,30,40,50,51,70 & 72 re radiological criteria for decommissioning of lands & structures. Provides state perspective on decommissioning. Some aspects of proposed rule desirable for consistency.
KERR,G.W. Illinois, State of. 59FR43200 00020. 94/10/12. NRC - No Detailed Affiliation Given. 10pp. 81774:346-81774:355.
- 9411180052** Comment supporting proposed rules 10CFR20,30,40,50,51,70 & 72 re radiological criteria for decommissioning of lands & structures. Recommends that Commission set radiological criteria for decommissioning at 30 mrem/yr.
BARKLEY,R.S. Affiliation Not Assigned. BARKLEY,R.S. Region 1 (Post 820201). 59FR43200 00005. 94/09/26. MALARO,J.C. Office of Nuclear Regulatory Research (Post 860720). 6pp. 81774:356-81774:361.
- 9411210173** Forwards proposed rule 10CFR50, "Shutdown & Low-Power Operations for Nuclear Power Reactors." Proposed rule would require power reactor licensees to assure that uncontrolled changes in reactivity will not occur when plant shutdown.
RATHBUN,D.K. Office of Congressional Affairs (Post 911117). CCS. 94/10/17. LIEBERMAN,J.I. Senate, Environment & Public Works. LEHMAN,R.H. House of Rep. SHARP,P.R. House of Rep., Energy & Commerce. 3pp. 81842:145-81842:185.
- 9411210183** Forwards proposed rule 10CFR21, "Procurement of Commercial Grade Items by Nuclear Power Plant Licensees." Proposed rule would clarify & add flexibility to process of procuring items for safety-related svc by NPP licensees.
RATHBUN,D.K. Office of Congressional Affairs (Post 911117). CCS. 94/10/14. LIEBERMAN,J.I. Senate, Environment & Public Works. SHARP,P.R. House of Rep., Energy & Commerce. LEHMAN,R.H. House of Rep. 3pp. 81842:186-81842:213.
- 9411280046** "Using Licensee Advisory Boards In Development of Restricted Use Decommissioning Plans, Issues for Discussion at Dec 1994 Workshop."
* NRC - No Detailed Affiliation Given. 94/11/28. 39PP. 81853:001-81853:039.
- 9411280073** Agenda for meeting w/DOE,DOD & EPA to discuss format, housekeeping & schedule.
* NRC - No Detailed Affiliation Given. 94/11/28. NRC - No Detailed Affiliation Given. 4pp. 81853:040-81853:043.

9411280245 Forwards proposed rule 10CFR50,52 & 100, "Reactor Site Criteria Including Seismic & Earthquake Engineering Criteria for Nuclear Power Plants & Proposed Denial of Petition from Free Environ, Inc et al."
RATHBUN,D.K. Office of Congressional Affairs (Post 911117). CCS. 94/10/12. LIEBERMAN,J.I. Senate, Environment & Public Works. SHARP,P. House of Rep., Energy & Commerce. LEHMAN,R. House of Rep. 3pp. 81899:248-81899:336.

9411280308 Transmits FR notices and Commission notation vote sheets re regulatory history AF06-1 re TS (10CFR50). Index encl.
GRIMES,C.I. AF06-1 001. 94/11/22. LANHAM,D.H. Document Control Branch (Document Control Desk). 19pp. 81863:275-81863:293.

PRESS PRESS RELEASES

- 9411090019** "NRC Appoints Senior Public Affairs Officer to Region I Ofc in King of Prussia, PA."
* Office of Public Affairs (Post 911117). 94/09/20. 1p. 81770:001-81770:001.
- 9411090023** "NRC Licensing Board Schedules Prehearing Conference in River Bend Proceeding."
* Office of Public Affairs (Post 911117). 94/09/21. 2pp. 81770:002-81770:004.
- 9411090027** "NRC Issues Final Policy on Meetings Open to Public; Begins Toll-Free Telephone Recording & Bulletin Board Svc to Announce Public Meetings."
* Office of Public Affairs (Post 911117). 94/09/21. 2pp. 81770:005-81770:007.
- 9411090031** "NRC Proposes to Amend Requirements Governing TS for Nuclear Power Plant."
* Office of Public Affairs (Post 911117). 94/09/22. 2pp. 81770:008-81770:010.
- 9411090034** "NRC Issues Regulations for Enrichment Plants in OH & KY."
* Office of Public Affairs (Post 911117). 94/09/23. 2pp. 8177:355-8177:356.
- 9411090037** "NRC 22nd Water Reactor Safety Info Meeting Scheduled for 941024-26."
* Office of Public Affairs (Post 911117). 94/09/26. 1p. 81770:011-81770:011.
- 9411090042** Ack receipt of two independent ACRS repts commenting on NUREG-1465, "Accident Source Terms for Light-Water Nuclear Power Plants" & proposed revs to 10CFR50, App J, "Primary Reactor Containment Leakage Testing..."
* Office of Public Affairs (Post 911117). 94/09/26. 1p. 81719:301-81719:307.
- 9411090047** "NRC ACRS to Meet in Rockville, MD on 941006-08."
* Office of Public Affairs (Post 911117). 94/09/26. 2pp. 81770:012-81770:013.
- 9411090055** "NRC Chairman Signs Arrangement W/South African Nuclear Agency."
* Office of Public Affairs (Post 911117). 94/09/26. 1p. 81770:014-81770:014.
- 9411090058** Advises that NRC has published new pamphlet & mgt directive describing improvements in public petition process under 10CFR2.206.
* Office of Public Affairs (Post 911117). 2.206. 94/10/03. 1p. 81770:015-81770:015.
- 9411090064** Ack receipt of ACRS rept commenting on impact of DOE proposed program approach on NRC high level radwaste licensing activities.
* Office of Public Affairs (Post 911117). 94/10/04. 1p. 81770:016-81770:020.
- 9411090068** "NRC Proposes Amends to Regulations Governing Embrittlement of Reactor Pressure Vessels."
* Office of Public Affairs (Post 911117). 94/10/05. 1p. 81770:021-81770:021.
- 9411090073** "NRC Staff Proposes to Fine PSE&G \$500,000 for Alleged Violations at Salem Nuclear Power Plant."
* Office of Public Affairs (Post 911117). 94/10/05. 3pp. 81770:022-81770:024.
- 9411090188** "NRC Staff Proposes \$80,000 Fine Against Commonwealth Edison Co for Fitness for Duty Violations at Quad Cities Nuclear Station."
* Office of Public Affairs (Post 911117). 94/10/13. 2pp. 81770:025-81770:026.
- 9411090193** "NRC Asks Inspector General to Examine Intrusiveness Concerns."
* Office of Public Affairs (Post 911117). 94/10/19. 1p. 81770:027-81770:027.
- 9411090194** Ack receipt of ACRS rept commenting on potential for BWR ECCS strainer blockage caused by debris from accident.
* Office of Public Affairs (Post 911117). 94/10/19. 1p. 81770:028-81770:031.
- 9411090201** "NRC Staff Proposes \$100,000 Fine Against Commonwealth Edison for Radiation Protection Violation at Quad Cities Nuclear Station."
* Office of Public Affairs (Post 911117). 94/10/19. 2pp. 81770:032-81770:034.
- 9411090207** "NRC Establishes Toll-Free Number to Handle General Inquiries From Public."
* Office of Public Affairs (Post 911117). 94/10/21. 1p. 81770:035-81770:035.
- 9411090211** "NRC Proposes Rule on Shutdown, Low-Power Operations for Nuclear Power Plants."
* Office of Public Affairs (Post 911117). 94/10/21. 2pp. 81770:036-81770:037.
- 9411090213** "NRC Raises Concerns About Preventive Maint Practices at Nuclear Power Plants."
* Office of Public Affairs (Post 911117). 94/10/24. 2pp. 81770:038-81770:040.
- 9411090220** "NRC ACRS to Meet in Rockville, MD on 941103-05."
* Office of Public Affairs (Post 911117). 94/10/24. 2pp. 81770:041-81770:043.
- 9411090229** "NRC ACMUI to Meet 941117-18 in Rockville, MD."
* Office of Public Affairs (Post 911117). 94/10/26. 1p. 81770:046-81770:046.
- 9411090235** "NRC Staff Proposes to Fine HL&P \$100,000; Requires Info From Company Two Officials."
* Office of Public Affairs (Pre 870413). 94/10/27. 3pp. 81075:267-81075:269.
- 9411090241** "NRC Proposes to Amend Requirements Governing Procurement of Safety-Related Items for Nuclear Power Plants."
* Office of Public Affairs (Pre 870413). 94/10/31. 2pp. 81075:270-81075:271.

- 9411090244 "NRC ACRS to Meet 941110 in Rockville,MD."
* Office of Public Affairs (Post 911117). 94/11/01. 2pp. 81075:272-81075:273.
- 9411150560 "NRC,BLM & BIA Issue Draft EIS on Proposed MN Mining Project."
* Office of Public Affairs (Post 911117). 94/11/14. 2pp. 81777:356-81777:357.
- 9411150561 "Workshop on PRA."
* Office of Public Affairs (Post 911117). 94/11/10. 1p. 81778:351-81778:351.
- 9411150563 "Visit by Indian Nuclear Regulators to Discuss Safety Issues."
* Office of Public Affairs (Post 911117). 94/11/04. 1p. 81777:360-81777:360.
- 9411210084 "NRC Staff Cites Rosemount Nuclear Instruments for Violation of Regulatory Requirements."
* Office of Public Affairs (Post 911117). 94/11/15. 2pp. 81842:142-81842:143.
- 9411210089 "NRC to Hold Workshop on Decommissioning Issues."
* Office of Public Affairs (Post 911117). 94/11/16. 1p. 81842:144-81842:144.
- 9411280109 "NRC Staff Proposes to Fine PECO Energy Co \$87,500 for Alleged Violations at Peach Bottom Nuclear Power Plant."
* Office of Public Affairs (Post 911117). 94/11/22. 2pp. 81903:075-81903:076.
- 9411280112 "NRC Schedules Public Workshop on Possible Advisory Boards."
* Office of Public Affairs (Post 911117). 94/11/22. 2pp. 81903:077-81903:078.
- 9411280129 Forwards ACRS rept providing comments on NRC test & analysis programs in support of design certification reviews for Westinghouse Electric AP600 & GE Nuclear Energy simplified BWR advanced light water reactors.
* Office of Public Affairs (Post 911117). 94/11/17. 1p. 81903:079-81903:084.
- 9411280133 "Workshop on Electronic Info Exchange."
* Office of Public Affairs (Post 911117). 94/11/17. 1p. 81891:322-81891:322.

PRM PETITION FOR RULEMAKING

- 9411140005 Petition for rulemaking PRM-150-3 re Agreement State regulation of by-product matl.
NIMMO,E. Measurex Corp. 59FR50706. 94/04/07. Office of the Secretary of the Commission. 15pp. 81716:002-81716:017.
- 9411140007 Comment opposing petition for rulemaking PRM-150-3 re petitioners request for proposed rules to require NRC to require Agreement States to notify NRC of all proposed & completed regulatory actions.
PARIS,R.D. Oregon, State of. 59FR50706 00002. 94/11/04. Docketing & Services Branch. 1p. 81716:018-81716:018.
- 9411140010 Comment supporting petition for rulemaking PRM-35-11 re request that NRC amend regulations to recognize that current medical practice concerning therapeutic uses of I-131.
MCCARTNEY,W.H. American College of Nuclear Physicians. CONWAY,J.J. Society of Nuclear Medicine. 59FR37950 00003. 94/10/14. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 81716:019-81716:019.
- 9411140023 Notice of receipt & petition for rulemaking,requesting that NRC amend regulations governing rulemaking to require NRC to publish Agreement State license to notify NRC of all proposed & completed rulemaking.
HOYLE,J.C. Office of the Secretary of the Commission. 59FR50706. 94/09/30. 12pp. 81716:024-81716:035.
- 9411140025 Comment supporting petition for rulemaking PRM-150-3 re Agreement States to notify of all proposed & completed regulatory actions & NRC to publish Agreement State notices of proposed & completed rulemaking.
DUKES,J.R. ABB Process Automation, Inc. (formerly Process Automation Business & Accuracy). 59FR50706 00001. 94/10/24. Docketing & Services Branch. 1p. 81716:036-81716:036.
- 9411170110 Forwards petition for rulemaking PRM-150-3,requesting that NRC amend 10CFR2 & 150.
RATHBUN,D.K. Office of Congressional Affairs (Post 911117). CCS. 94/10/03. LIEBERMAN,J.I. Senate, Environment & Public Works. 3pp. 81785:312-81785:344.
- 9411230050 Responds to office review request to denial of petition for establishment of 1 mrem/year as public dose limit (PRM-20-23).EP & RP branch proposed revision to table 2 of denial.
RUSSELL,W.T. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/11/07. BECKJORD,E.S. Office of Nuclear Regulatory Research (Post 860720). 3pp. 81828:324-81828:358.
- 9411230062 Summarizes ofc review request re denial of petition (PRM-20-23) for establishment of 1 mrem/year public dose limit.Petitioner requested that limit for dose member of public be reduced from current 100 mrem/yr to 1 mrem/yr.
BECKJORD,E.S. Office of Nuclear Regulatory Research (Post 860720). 94/10/21. RUSSELL,W.T. Office of Nuclear Reactor Regulation, Director (Post 870411). BERNERO,R.M. Office of Nuclear Material Safety & Safeguards. JORDAN,E.L. Office for Analysis & Evaluation of Operational Data, Director. 32pp. 81828:327-81828:358.

PROJ PROJECTS - PREDOCKET LICENSING

- 9409260097 Forwards listed items in response to NRC 940527 RAI re amend to PSN certificate of compliance.Portion of Item 8 withheld (ref 10CFR2.790).
MASSEY,J.V. Sierra Nuclear, Inc. SNC-94-484. 94/06/31. STURZ,F.C. Division of Industrial & Medical Nuclear Safety (Post 870729). 5pp. 81751:001-81752:075.
- 9409260110 Responds to NRC 940527 RAI re amend to certificate of compliance & suppl info to responses (June 1994) concerning design calculations.
* Sierra Nuclear, Inc. 94/08/31. 16pp. 81751:006-81751:021.
- 9409260113 ANO-109.002.101 R03 Rev 3 to Design Calculation, "VCC Load Combination Evaluation."
THOMPSON,T.C., MOORE,A.D. Sierra Nuclear, Inc. 94/07/09. 11pp. 81751:022-81751:032.
- 9409260116 ANO-109.002.011 R03 Rev 3 to design calculation, "Tipover & 5 Ft Drop Accident Condition Analyses for VSC-24."
THOMPSON,T.C., LEE,W.J. Sierra Nuclear, Inc. 94/06/29. 44pp. 81751:033-81751:077.

- 9409260118 ANO-109.002.213 R00 Rev 0 to design calculation, "Length of Engagement MSB Hoist Rings."
THOMPSON,T.C. Sierra Nuclear, Inc. 94/06/16. 26pp. 81751:078-81751:103.
- 9409260126 ANO-109.001.006 R00 Rev 0 to design calculation, "Required Boron Concentrations for Various Assembly Types & Fuel Enrichments in VSC-24 MSB."
HOPF,J.E., MASSEY,J.V. Sierra Nuclear, Inc. 94/04/29. 72pp. 81751:104-81751:175.
- 9409260131 Proposed Rev 1,Amend A to "SAR for Ventilated Storage Cask Sys."
* Sierra Nuclear, Inc. 94/06/30. 200pp. 81751:176-81752:063.
- 9409260134 Proposed tech specs re fuel spec & boron concentration in MSB cavity water.
* Sierra Nuclear, Inc. 94/06/30. 16pp. 81752:064-81752:075.
- 9411020267 Forwards updated P&IDs & general arrangement drawing lists & drawings.Encl A provides instructions for incorporating info into notebook.
ROWLAND,T.J. Energy, Dept. of, Idaho Operations Office. 94/10/18. COMFORT,G.C. NRC - No Detailed Affiliation Given. 28pp. 81633:167-81633:208.
- 9411030098 Requests extension of payment period in order to provide sufficient time to correct invoices or resolve listed inquiries.
BAUMGARDNER,B. AECL Technologies. 94/10/20. License Fee & Debt Collection Branch (Post 890827). SCALETTI,D. Commissioners (Post 750119). 2pp. 81643:345-81643:346.
- 9411030273 Discusses Mescalero Apache initiative to operator away-from-reactor ISFSI.
BERNERO,R.M. Office of Nuclear Material Safety & Safeguards. 94/10/26. ROSS,V.K. 5pp. 81640:236-81640:241.
- 9411040008 Discusses combined rept, "Review of West Valley Thorex Waste Neutralization Process," which provides analysis & review of physico-chemical aspects of THOREX neutralization processes selected for West Valley Demonstration Project.
COMFORT,G.C. Licensing Branch. 94/10/24. NAIR,P.K. Texas, State of. 1p. 81575:025-81575:025.
- 9411040287 Forwards response to violations noted in insp.Corrective actions:revs to checklist to identify more insp/hold points during rebar placement.
MASSEY,J.V. Sierra Nuclear, Inc. SNC-94-588. 94/10/31. Document Control Branch (Document Control Desk). 3pp. 81651:326-81651:328.
- 9411080236 Responds to 931005 ltr,forwarding technical review of contractor rept for 921203, "Update of Independent Analyses Section 15.4" for MHTGR.
CHERNOCK,W.P. Energy, Dept. of. 94/10/12. Commissioners (Post 750119). 3pp. 81677:358-81677:360.
- 9411080295 Ack receipt of 941006 ltr to Selin,asking questions re general license rulemaking,VSC-24 cask design,Sierra Nuclear Corp & contractors fabrication & QA nonconformances, multi-assembly sealed basket weld problems & exemption.
BERNERO,R.M. Office of Nuclear Material Safety & Safeguards. 94/11/02. SHILLINGLAW,F. Appleton, WI. 1p. 81679:115-81679:127.
- 9411080299 Submits questions re general license rulemaking,VSC-24 cask design,Sierra Nuclear Corp & contractors fabrication & QA nonconformances,multi-assembly sealed basket weld problems & exemption,cask transport methods & Pail-sades pad issue.
SHILLINGLAW,F. Appleton, WI. 94/10/06. THE CHAIRMAN Commissioners (Post 750119). 9pp. 81679:116-81679:124.
- 9411080306 Discusses concern re lack of seismic requirements for spent fuel dry cask storage pad & foundation matl at Palisades. Unrelated J Massey 921015 calculation concerning crushing of tile encl.
LANDSMAN,R.B. Region 3 (Post 820201). 94/02/17. THE CHAIRMAN Commissioners (Post 750119). 3pp. 81679:125-81679:127.
- 9411090045 Responds to 941024 ltr to CJ Paperiello re nonproprietary material.
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 94/11/03. SHILLINGLAW,F. Affiliation Not Assigned. 1p. 81745:195-81745:196.
- 9411090063 Requests copy of release of non-proprietary info found in 940831 ltr re PSN certificate of compliance.
SHILLINGLAW,F. Affiliation Not Assigned. 94/10/24. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 1p. 81745:196-81745:196.
- 9411090281 Requests that distribution copy of research info ltr 172, "Sys Analysis of CANDU 3 Reactor," dtd 931022 be place in PDR.
HODGES,M.W. Division of Systems Research (Post 880717). 94/11/02. Public Document Branch. 1p. 81715:235-81715:235.
- 9411100140 Responds to 941003 ltr, re Sylvania City Council's 940923 ltr,which included Resolution 32-94,calling on NRC to consider public comments & to require site-specific impact statement prior to issuing any permit for dry cask storage.
RATHBUN,D.K. Office of Congressional Affairs (Post 911117). CCS. 94/10/27. KAPTUR,M. House of Rep. 6pp. 81752:239-81752:258.
- 9411100165 Forwards ltr recently received from Sylvania City Council requesting that NRC consider public comments & prepare site-specific impact rept prior to issuing permit for dry cask storage of nuclear waste.
KAPTUR,M. House of Rep. 94/10/03. RATHBUN,D.K. Office of Congressional Affairs (Post 911117). 9pp. 81752:247-81752:258.
- 9411100282 Discusses meeting w/Vectra Technologies,Inc on 941102 re potential mods on NUHOMS design & add-on spent fuel qualification request.
SHUM,E.Y. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/08. HAUGHNEY,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 3pp. 81745:192-81745:194.
- 9411140129 Discusses NRC belief that review of ALWR util requirements document served valuable role in identification & resolution of technical & policy issues for future LWR designs.
CRUTCHFIELD,D. Associate Director for Advanced Reactors & License Renewal (Post 910918). 94/11/02. TAYLOR,J.J. Affiliation Not Assigned. 2pp. 81736:132-81736:133.
- 9411150254 Forwards responses to 940929 questions re TN-32 Topical SAR.
MASON,M. Transnuclear, Inc. 94/11/07. STURZ,F.C. Division of Industrial & Medical Nuclear Safety (Post 870729). 37pp. 81772:192-81772:228.

204 NONDOCKETED ITEMS

9411160327 Submits daily highlight re 941110 meeting in New Orleans, LA to discuss current program plans for future owners group activities under General License Renewal Program.
MOUTON, J.P. License Renewal & Environmental Review Project Directorate (Post 921004). 94/11/08. RUSSEL, W., MIRAGLIA, F., THADANI, A. NRC - No Detailed Affiliation Given. 3pp. 81767:352-81767:352.

9411170242 Informs that presentation concerning NRC procedures applicable to licensing of off-reactor-site ISFSI will be 941115 at 9 a.m.
LOVEJOY, L.A. New Mexico, State of. 94/10/12. HAUGHNEY, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 1p. 81823:059-81823:059.

9411170270 RAI in CANDU 3U SAR Section 13.6 re process that will be employed to achieve compliance w/ current requirements for physical security.
HINK, A.D. AECL Technologies. 94/11/09. Document Control Branch (Document Control Desk). 6pp. 81793:252-81793:257.

9411170275 Ack receipt of 940929 ltr re RAI on TN-32 dry storage cask topical SAR, informing of response on 941111.
MASON, M. Transnuclear, Inc. E-13514. 94/11/03. STURZ, F.C. Division of Industrial & Medical Nuclear Safety (Post 870729). 1p. 81823:062-81823:062.

941120138 Rev Z to "SAR for Ventilated Storage Cask Sys." Vol I.
MCCONAGHY, W.J. Pacific Sierra Nuclear Associates. 94/11/16. Office of Nuclear Material Safety & Safeguards. 2pp. 81843:001-81843:343.

-9411220143 PSN-91-001 RZ "SAR for Ventilated Storage Cask Sys."
* Pacific Sierra Nuclear Associates. 94/10/31. 340pp. 81843:004-81843:343.

941120213 Summary of 941110 B&W Owners Group generic license renewal program meeting in New Orleans, LA. NRC indicated that B&W Owners Group on right track in pursuing technical assessment of plant components & structures for license renewal.
LEE, S. License Renewal & Environmental Review Project Directorate (Post 921004). 94/11/15. License Renewal & Environmental Review Project Directorate (Post 921004). 35pp. 81822:166-81822:200.

9411230115 Forwards proposed breakdown of recent questions between technical & administration. Licensee proposes answering technical items by 941128 & meeting to discuss answers on 941202.
STUART, I.F. Nuclear Assurance Corp. IFS/94/274/NACS. 94/11/17. STURZ, F. NRC - No Detailed Affiliation Given. 2pp. 81849:326-81849:327.

9411250230 Forwards summary of proposal to transport & treat class A low-level waste, resulting from West Valley Demonstration Project.
CHAMBERLAIN, J. West Valley Nuclear Services Co., Inc. 94/11/09. CUOMO, M. New York, State of. MOYNIHAN, D., D'AMATO, A. Senate. 4pp. 81866:250-81866:253.

9411260217 Forwards info for vitrification facility NRC readiness notebook.
ROWLAND, T.J. Energy, Dept. of. 94/11/17. COMFORT, G.C. NRC - No Detailed Affiliation Given. 100pp. 81898:251-81899:019.

9411280290 Informs that DOE West Valley Demonstration Project considering proposal to characterize, package, load & transport Class A LLW & mixed-LLW (hazardous/radioactive) to commercial NRC licensed facility for treatment.
ROWLAND, T.J. Energy, Dept. of. 94/10/18. COMFORT, G. NRC - No Detailed Affiliation Given. 5pp. 81894:333-81894:337.

9411290107 Informs that monitors determine contractor has established viable programs in areas reviewed.
COMFORT, G.C. Licensing Branch. 94/11/23. ROWLAND, T. Energy, Dept. of. Idaho Operations Office. 6pp. 81922:264-81922:269.

9411290122 Ack receipt of sending missing Section 3. Change pages on App 5 encl.
SHILLINGLAW, F. Appleton, WI. 94/11/14. NRC - No Detailed Affiliation Given. 2pp. 81951:245-81951:246.

9411300165 Forwards "Draft Environ Assessment for Const & Operation of Contaminated Soil Consolidation Area at West Valley Demonstration Project" for review & comments. Draft EA also available at listed library locations.
* West Valley Nuclear Services Co., Inc. 94/10/20. COMFORT, G. NRC - No Detailed Affiliation Given. 5pp. 81908:001-81908:091.

-9411300179 "Draft Environ Assessment for Const & Operation of Contaminated Soil Consolidation Area at West Valley Demonstration Project."
* Energy, Dept. of. 94/10/31. 84pp. 81908:008-81908:091.

PT21 NONCOMPLIANCE REPORTS AND RELATED CORRESPONDENCE

9411010149 Interim deficiency rept re relays used in ITT Barton model 288 have been determined to be not qualified for seismic application. Initially reported on 940803. Final rept will be provided 941201.
MURPHY, R.F. ITT Barton. 94/10/05. Office of Nuclear Material Safety & Safeguards. 2pp. 81587:024-81587:025.

9411010220 Informs that due to unknown current addresses, listed former customers were not notified of error notices received from former software suppliers.
ORR, R.S. Boeing Computer Services Co. (div. of Boeing Co.). G-1151-RSO-94-4. 94/10/18. Document Control Branch (Document Control Desk). 46pp. 81574:257-81574:297.

9411010271 Part 21 Rept 166 re potential defect in component of DSRV & DSR Enterprise Standby DG sys. Licensee will issue svc info memo, addressing proper storage practices for EGA control box.
MOWERY, J.D. Cooper Industries, Inc. QCG-9979. 94/10/26. Document Control Branch (Document Control Desk). 7pp. 81585:080-81585:086.

9411030366 Part 21 rept re incorrect trip units during pre-installation testing & prior to final acceptance. Corrected breakers returned to plant by GE.
BOULETTE, E.T. Boston Edison Co. BECO LTR 94-118. 94/10/31. Document Control Branch (Document Control Desk). 4pp. 81640:242-81640:245.

9411040131 Part 21 & deficiency rept problems w/ Woodard EGA control box that control speed/frequency of emergency diesel generator sys.
MOWERY, J.D. Cooper Energy Services. 94/10/26. Document Control Branch (Document Control Desk). 2pp. 81651:333-81651:334.

9411070090 Final Part 21 rept 94-002A re three air start distributor cams cracking at plants. Cams replaced w/ cams made using electric arc.
PRATTIANNE, S.A. Coltec Industries, Inc. 94-002A. 94/06/01. Document Control Branch (Document Control Desk). 5pp. 81654:209-81654:213.

9411070194 Forwards Oct update of Part 21 database, now responsibility of Quality Assurance & Maint Branch as result of recent reorganization within NRR. Update identifies new Part 21 issues appended to database during month of Oct.
BLACK, S.C. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/31. ZIMMERMAN, R.P. Associate Director for Projects (Post 870411). THADANI, A.C., SPESSARD, R.L. Office of Nuclear Reactor Regulation, Director (Post 870411). 4pp. 81621:354-81621:357.

9411090029 Submits followup to 940516 part 21 rept informing of investigation to determine data supplied in mid-80 used by Nuclear Utilities to set torque switches in MOV.
MCCULLOUGH, H.G. Crane Co. 94/10/28. Document Control Branch (Document Control Desk). 1p. 81717:357-81717:359.

9411150598 Rev to Part 21 rept re potential problem w/ master power connecting rods. Vendor recommends listed util perform visual insp of master rods to determine applicability of rept.
SCHNEIDER, J.R. Cooper Energy Services. QCG-9995. 94/11/09. Document Control Branch (Document Control Desk). 3pp. 81779:254-81779:256.

9411160266 Part 21 rept re defect in valve actuator for Copes Vulcan valve. Copes Vulcan has instituted upgrade on spring adjustment screw which reduces thread undercut area.
CAHILL, W.J. Power Authority of the State of New York (New York Power Authority). IPN-94-142. 94/11/08. Document Control Branch (Document Control Desk). 12pp. 81781:267-81781:278.

9411160313 Part 21 rept re model A424-18 source assembly used in model 680BE exposure device mfg by licensee. Equipment returned to Amersham for evaluation.
PODOLAK, L. Amersham Corp. 94/11/14. Document Control Branch (Document Control Desk). 3pp. 81781:347-81781:349.

9411170274 Forwards error notice. GTICES Program Rept Form 94.25 received from former software supplier. Lists former customers not notified because of unknown current addresses.
ORR, R.S. Boeing Computer Services Co. (div. of Boeing Co.). 94/11/07. Document Control Branch (Document Control Desk). 5pp. 81800:233-81800:237.

9411210111 Interim Part 21 Rept 94-12 re Limitorque actuator potential motor pinion key failure. Comm Ed issued guidelines to six nuclear stations on methods for properly installing motor pinion keys.
JOHNSON, I.M. Commonwealth Edison Co. 94-12. 94/11/11. Office of Nuclear Reactor Regulation, Director (Post 870411). 5pp. 81831:127-81831:131.

9411210123 Part 21 rept re Unit 3A sequencers at Turkey Point Plant. Unless contacted by FP&L to perform programming changes & subsequent V&V to sequencer software, United Controls plans no other evaluation of defect for listed reason.
CHARLTON, M., CAMP, B., BUTLER, D. United Controls, Inc. 94/11/15. Document Control Branch (Document Control Desk). 4pp. 81830:357-81830:360.

9411210141 Part 21 rept re overpressure effect test procedure changes for Models 1152, 1153 & 1154 Flange 4 differential transmitters. Determines that users must evaluate new test procedures to insure procedures meet field application.
VAN SLOUN, M.L. Rosemount, Inc. 94/11/10. NRC - No Detailed Affiliation Given. 8pp. 81831:155-81831:162.

9411210269 Part 21 rept re AFW pump turbine governor valve binding caused by galvanic & crevice corrosion between stem & stem packaging components. Turbine mfg by Terry Steam Turbine Co. Licensee plans to periodically exercise valve stems.
SLY, C. Baltimore Gas & Electric Co. 94/11/15. HUFFMAN, W. Region 1 (Post 820201). 4pp. 81833:354-81833:357.

9411220257 Provides info to closeout status of evaluation of deviation or failure to comply pursuant to requirements of 10CFR21.
LIPARULO, N.J. Westinghouse Electric Corp. NTD-NRC-94-4343. 94/11/15. Document Control Branch (Document Control Desk). 3pp. 81833:010-81833:012.

9411230285 Part 21 rept re deviation from sales specs on Dow Corning 96-081 RTV adhesive/sealant. Caused by deviation from sales specs or whether deviation limited to listed lots of matl unknown. NRC will be updated as vendor gains info.
BUCKLER, D. Dow Corning Corp. 94/11/17. Document Control Branch (Document Control Desk). 15pp. 81854:217-81854:231.

9411280210 Interim Rept 94-012 re potential issue related to certain support columns that may be tilted beyond design parameters. Licensee completed extensive evaluation of issue.
LIPARULO, N.J. Westinghouse Electric Corp. NTD-NRC-94-4344. 94/11/15. Document Control Branch (Document Control Desk). 4pp. 81883:350-81883:353.

9411290025 Responds to 941006 verbal request, informing that util has proceduralized program for handling vendor error notices on licensed software which includes evaluation of error for 10CFR21 applicability.
KRICH, R.M. Carolina Power & Light Co. RNP/94-1927. 94/11/18. Document Control Branch (Document Control Desk). 2pp. 81903:358-81903:359.

9411290063 Provides error notices received from former software suppliers.
ORR, R.S. Boeing Computer Services Co. (div. of Boeing Co.). 94/11/18. Document Control Branch (Document Control Desk). 5pp. 81905:210-81905:214.

QA999 QUALITY ASSURANCE INSPECTIONS

9411030271 Ltr contract, definitizing task order 44 entitled, "Combustion Engineering Vendor Insp."
WIGGINS, E.J. Division of Contracts (Post 940714). NRC-03-93-045. FIN J-2166-4. 94/09/13. LOFY, R.A. PARAMETER, Inc. 6pp. 81607:323-81607:329.

- 9411070131 Forwards insp rept 99900403/94-02 on 940621-23.No violations noted.Results of insp indicate failure to ensure that adequate quality assurance program was in place & properly implemented by Toshiba for GIRAFFE Phase 1 test activities.
BORCHARDT,R.W. Standardization Project Directorate (Post 920517). 94/10/11. MARRIOTT,P.W. General Electric Co. 5pp. 81621:272-81621:293.
- 9411070155 Insp rept 99900403/94-02 on 940621-23.No violations or deviations noted.Major areas inspected:10CFR50,App B & 10CFR21.
MCINTYRE,R.P., POTAPOVS,U. Vendor Inspection Branch. 94/09/28. 17pp. 81621:277-81621:293.
- 9411140057 Responds to ltr,dtd 940819,requesting NRC interpretation of IN entitled, "Recognition of ASME Accreditation Program for N Stamp Holders." Informs that proposed method for verifying ASME suppliers QA programs needs to be modified.
GALLO,R.M. Office of Nuclear Reactor Regulation, Director (Post 870411). IEIN-86-021. 94/11/04. FITZWILLIAM,J. Nova Machine Products Corp. 4pp. 81732:221-81732:224.
- 9411160334 Responds to 940712-0901 ltrs re safety significance of fastener failures in nuclear industry as ref in closeout of GL 91-17 concerning GSI-29, "Bolting Degradation or Failure in NPPs." Informs that fastener failures low.
RUSSELL,W.T. Office of Nuclear Reactor Regulation, Director (Post 870411). GL-91-17. 94/11/03. JOHNSON,S.P. Affiliation Not Assigned. 10pp. 81761:345-81761:354.
- 9411220111 Responds to 940928 reply to notice of nonconformance issued on 940829 re evaluation of SPC-ND mgt,staff & quality program & its implementation related to supply of PWR core reload designs & analyses.Reply appears adequate.
GALLO,R.M. 94/11/09. MCALEES,D.G. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 4pp. 81798:180-81798:183.
- 9411220215 Discusses insp rept 99900271/93-01 on 930201-0308 & investigation case 4-90-009 between Feb 1990 & Nov 1993 & forwards notice of violation.
MIRAGLIA,F.J. Office of Nuclear Reactor Regulation, Director (Post 870411). EA-94-049. 94/11/15. QUIST,S.M. Affiliation Not Assigned. 5pp. 81798:316-81798:323.
- 9411220220 Notice of violation from insp on 930201-0308 & investigation conducted between Feb 1990 & Nov 1993.Violation noted: licensee quality implementation procedure not adequately established.
* Office of Nuclear Reactor Regulation, Director (Post 870411). EA-94-049. 94/11/15. 2pp. 81798:321-81798:323.
- 9411220245 Ack receipt 941024 ltr informing NRC of steps taken to correct violations noted in insp rept 99900387/94-01.
GALLO,R.M. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/11/08. NAUD,C. Sorrento Electronics, Inc. 1p. 81799:128-81799:128.
- REGGD REGULATORY GUIDES**
- 9207290242 Reviews 920529 ltr re "1991 Houston Workshop Access Authorization Questions & Answers" & finds guidance in draft document not to conflict w/ 10CFR73.56,73.57 or NRC RG 5.66, "Access Authorization Program for Nuclear Plants."
GRIMES,B.K. Division of Reactor Inspection & Safeguards (870411-921003). 92/06/30. WHITESEL,R.N. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 1p. 81665:191-81665:231.
- 9411010156 Comment on draft Reg Guide DG-8015 re release of patients administered radioactive matis.Expresses concerns on record keeping for period of 3 years.
DEGROOT,L.J. Chicago, Univ. of, Chicago, IL. 59FR33795 00006. 94/09/28. SCHNEIDER,S. Office of Nuclear Regulatory Research (Post 860720). 2pp. 81515:055-81515:056.
- 9411010323 "For comment" issue of draft rev 3 to reg guide 08.013, task DG-8014 (proposed Rev 3 to RG 8.13), "Instruction re Prenatal Radiation Exposure."
* Office of Nuclear Regulatory Research (Post 860720). 94/10/31. 22pp. 81561:339-81561:359.
- 9411020150 Rev 11 to Reg Guide 01.147, "Inservice Insp Code Case Acceptability-ASME Section XI,Div 1."
BECKJORD,E.S. Office of Nuclear Regulatory Research (Post 860720). 94/10/31. 11pp. 81566:313-81566:323.
- 9411030015 Comment on draft reg guide entitled, "Guide for Preparation of Applications for Licenses for Non-Self-Contained Irradiators." Application for license should also address applicants radiation protection program (ref DG-0003).
RATLIFF,R.A. Texas, State of. 59FR44730 00005. 94/10/19. Division of Freedom of Information & Publications Services (Post 940714). 1p. 81561:039-81561:039.
- 9411040156 Rev 30 to reg guide 01.0085, "Matis Code Case Acceptability ASME Section III Div 1."
* Office of Nuclear Regulatory Research (Post 860720). 94/10/31. 24pp. 81628:178-81628:198.
- 9411040236 Rev 30 to reg guide 1.84, "Design & Fabrication Code Case Acceptability ASME Section III Div 1."
* Office of Nuclear Regulatory Research (Post 860720). 94/10/31. 21pp. 81602:256-81602:276.
- 9411070389 "For comment" issue of second proposed Rev 2 to Reg Guide 10.5, "Applications for Licenses of Broad Scope." (Previously Issued as Draft FC 408-4).Draft RG number is DG-0005.
* Office of Nuclear Regulatory Research (Post 860720). 94/10/31. 62pp. 81622:265-81622:327.
- 9411090016 Requests deviation from Reg Guide 1.97 re seismic qualification of CST water level instrumentation.
HAAS,K.M. Consumers Power Co. GL-82-33. 94/10/31. Document Control Branch (Document Control Desk). 2pp. 81750:326-81750:327.
- 9411090218 Confirms arrangement for 941114-16 safety audit to be performed by NRC & FERC for storage pond dam & dike at plant.Audit will focus on safety of dam & dike including operation,maint & any emergency planning aspects.
NERSES,V. Project Directorate II-3. 94/11/03. MCMEKIN,T.C. Duke Power Co. 4pp. 81666:329-81666:332.

- 9411100082 Informs that Crow Butte Resources,Inc annual pond insp rept found in accordance w/Reg Guide 3.11.1.
WASTLER,S.L. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 94/11/08. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 81805:357-81805:357.
- 9411140009 "For comment" issue of draft reg guide DG-1027, "Format & Content of Application For Approval For Thermal Annealing of Reactor Pressure Vessels."
* Office of Nuclear Regulatory Research (Post 860720). 94/10/31. 39pp. 81736:019-81736:060.
- 9411160009 Forwards technical evaluation rept to comply w/license condition 41 & reg guide 3.11.1.
MURDOCK,E.S. Pathfinder Mines Corp. 94/11/03. HOLONICH,J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 8pp. 81783:294-81783:301.
- 9411160036 Comment re proposed Rev 3 to Reg Guide 8.13 concerning physiological effects of radiation exposure on humans (ref DG-8015).
STEINMEYER,K.P. Affiliation Not Assigned. 59FR33795 00007. 94/11/10. Office of Administration, Director (Post 940714). 3pp. 81746:114-81746:116.
- 9411160140 "Regulatory Guide List."
* Office of Nuclear Regulatory Research (Post 860720). 94/11/01. 38pp. 81772:045-81772:082.
- 9411210274 Submits info re seismic verification of existing,new & replacement equipment,including RG 1.97 equipment.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 94/11/10. Document Control Branch (Document Control Desk). 3pp. 81837:092-81837:094.
- 9411210278 Ack receipt of approval of several exceptions to RG 1.97 design & qualification criteria.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 94/11/10. Document Control Branch (Document Control Desk). 4pp. 81837:095-81837:098.
- 9411250019 Forwards design details & failure modes & effects analysis for proposed upgrade of wide range level indication to four channel,two train sys,per NUREG-0737,Suppl 1 & Reg Guide 1.97,Rev 2.
QUINN,S.E. Consolidated Edison Co. of New York, Inc. 94/11/15. Document Control Branch (Document Control Desk). 10pp. 81885:317-81885:326.

REVIEW GRP NRC RESEARCH REVIEW GROUPS

- 9207290242 Reviews 920529 ltr re "1991 Houston Workshop Access Authorization Questions & Answers" & finds guidance in draft document not to conflict w/ 10CFR73.56,73.57 or NRC RG 5.66, "Access Authorization Program for Nuclear Plants."
GRIMES,B.K. Division of Reactor Inspection & Safeguards (870411-921003). 92/06/30. WHITESEL,R.N. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 1p. 81665:191-81665:231.
- 9411080206 Requests that NRC review encl draft, "1991 Houston Workshop Access Authorization Questions & Answers," to ensure that answers to questions consistent w/NRC interpretation of applicable regulation.
WHITESEL,R.N. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 92/05/29. GRIMES,B.K. Division of Reactor Inspection & Safeguards (870411-921003). 37pp. 81665:192-81665:231.
- 9408300133 Ack receipt of 940715 ltr & accompanying copies of final NEI industry application guide for evaluation of thermo-lag 330-1 fire barrier sys.
MCCRACKEN,C.E. Plant Systems Branch. 94/08/18. MARION,A. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 2pp. 81805:355-81805:356.
- 9411020208 Forwards Nuclear Regulatory Review Study re assessment of US nuclear regulatory process prepared by consulting firm of T Perrin.
BAYNE,P. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 94/10/27. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 4pp. 81569:001-81570:191.
- 9411020228 "Nuclear Regulatory Review Study."
PERRIN,T. 94/10/30. 551pp. 81569:005-81570:191.
- 9411030043 Comments on proposed rule 10CFR2 re reexamination of NRC enforcement policy.Endorses response submitted by Nuclear Energy Institute.
CARNS,N.S. Wolf Creek Nuclear Operating Corp. 59FR49215 00030. 94/10/24. MEYER,D. Division of Freedom of Information & Publications Services (Post 940714). 1p. 81561:162-81561:162.
- 9411030058 Comments on proposed rule 10CFR2 re reexamination of NRC enforcement policy.Endorses response submitted by Nuclear Energy Institute.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 59FR49215 00033. 94/10/25. MEYER,D. Division of Freedom of Information & Publications Services (Post 940714). 1p. 81561:278-81561:278.
- 9411030064 Comment supporting proposed rule 10CFR2 re reexamination of NRC enforcement policy.Endorses comments provided by Nuclear Energy Institute.
PHARES,R.F. Illinois Power Co. 59FR49215 00035. 94/10/24. MEYER,D. Division of Freedom of Information & Publications Services (Post 940714). 1p. 81561:316-81561:316.
- 9411030066 Comments on proposed rule 10CFR2 re reexamination of NRC enforcement policy.Endorses response provided by Nuclear Energy Institute.
PELLETIER,J.P. Vermont Yankee Nuclear Power Corp. 59FR49215 00034. 94/10/24. MEYER,D. Division of Freedom of Information & Publications Services (Post 940714). 1p. 81561:317-81561:317.
- 9411030096 Comments on proposed rule 10CFR2 re reexamination of NRC enforcement policy.Endorses response submitted by Nuclear Energy Institute.
BOULETTE,E.T. Boston Edison Co. 59FR49215 00025. 94/10/24. MEYER,D. Division of Freedom of Information & Publications Services (Post 940714). 3pp. 81560:103-81560:105.

206 NONDOCKETED ITEMS

9411040170 Informs of receipt of Towers Perrin study & cover ltr & starting to review report. First reading raises concerns about sweeping conclusions that consultants have drawn.
THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 94/10/31. BAYNE, P. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 1p. 81628:296-81628:296.

9411090246 Forwards rept, "Nuclear Regulatory Review Study" which presents study of NRC regulatory process by Towers Perrin. Rept provided to inform NRC employees of industry perspective on NRC practices over years. W/o encl.
TAYLOR, J.M. Ofc of the Executive Director for Operations. 94/11/03. NRC - No Detailed Affiliation Given. 1p. 81667:320-81667:320.

9411140029 Discusses technical repts & guidance documents developed by various nuclear industry groups to be used by licensees in addressing specific technical issues. NRC encourages frank & open communication w/industry.
RUSSELL, W.T. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/11/08. COLVIN, J.F. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 2pp. 81736:072-81736:073.

9411160269 Provides proprietary TR-103226, TR-103244 & TR-103231 as suppl info to EPRI MOV Performance Prediction Program Topical Rept.
CALLAWAY, R.C. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 94/11/09. HANSEN, A. Project Directorate III-3. 1p. 81809:033-81809:038.

-9411160273 Requests that TR-103226, "Methods To Address Rate-Of-Loading Effects Inf Torque Switch Controlled MOVs," TR-103244, "Methodology Implementation Guide," & TR-103231, "Methodology Assessment Rept," be withheld per 10CFR2.790.
KENNY, A.K. Electric Power Research Institute. 94/11/03. SCARBROUGH, T.G. Office of Nuclear Reactor Regulation, Director (Post 870411). 5pp. 81809:034-81809:038.

9411160291 Provides addl clarifications & thoughts re 941014 meeting on newly created Nuclear Energy Inst TS task force. Defines objectives, responsibilities of task force & effective resource allocation by both parties.
MODEEN, D.J. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 94/11/09. ZIMMERMAN, R. Associate Director for Projects (Post 870411). 4pp. 81770:358-81770:361.

9411160318 Notification of 941201 meeting w/ASME Work Group & NEI in Rockville, MD to present & discuss rev of ASME boiler & pressure vessel code to address periodic testing of MOV.
WESSMAN, R.H. Mechanical Engineering Branch. 94/11/07. SHERON, B.W. Division of Engineering (Post 921004). 1p. 81772:131-81772:131.

9411160329 Forwards proprietary Topical Rept EPRI TR-103237, "EPRI MOV Performance Prediction Program." Topical Rept EPRI TR-103237 withheld (ref 10CFR2.790(a)(4)).
CALLAWAY, R.C. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 94/11/09. HANSEN, A. Project Directorate III-3. 2pp. 81781:350-81781:355.

-9411160330 Requests that proprietary Topical Rept EPRI TR-103237, "EPRI MOV Performance Prediction Program," be withheld (ref 10CFR2.790(a)(4)).
KENNY, A. Electric Power Research Institute. 94/11/03. SCARBROUGH, T. Mechanical Engineering Branch. 4pp. 81781:352-81781:355.

9411180020 Comment supporting proposed rule 10CFR20 re frequency of medical exam for use of respiratory protection equipment.
SCHMITT, J.F. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 59FR47565 00003. 94/11/15. HOYLE, J.C. Office of the Secretary of the Commission. 2pp. 81774:300-81774:301.

9411180064 Requests extended comment period for NRC draft, "Revised Analyses of Decommissioning for Reference BWR Power Station."
SCHMITT, J.F. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 59FR55299 00001. 94/11/15. MEYER, D.L. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 81775:013-81775:014.

9411210236 Forwards NUPIC documents identified on document list w/ exception of MOU. W/o encl.
FIELDSETH, C.A. Nuclear Procurement Issues Committee (NUPIC). 94/11/08. CAMPBELL, L. NRC - No Detailed Affiliation Given. 2pp. 81831:192-81831:193.

9411210302 Summary of 940726 meeting w/NEI re status of continuing efforts to resolve Thermo-Lag fire barrier issues. List of attendees encl.
MCCRACKEN, C.E. Plant Systems Branch. 94/08/10. HOLAHAN, G.M. Division of Systems Safety & Analysis (Post 921004). 10pp. 81792:170-81792:178.

9411210399 Informs of 941121 meeting w/NUMARC in Rockville, MD re industry commitment to maintaining ALWR life cycle standardization. Proposed agenda encl.
MAGRUDER, S.L. Standardization Project Directorate (Post 920517). 94/11/16. RUSSELL, W., MIRAGLIA, F., THADANI, A. NRC - No Detailed Affiliation Given. 5pp. 81809:025-81809:029.

9411220133 Summary of 941006 meeting w/NEI in Rockville, MD re implementation of revised source term at plant. List of attendees encl.
WILSON, J.H. Standardization Project Directorate (Post 920517). 94/11/10. Standardization Project Directorate (Post 920517). 5pp. 81821:358-81821:362.

9411230170 Forwards fourth set of approved changes to improved STS for confirmatory review by Owners Groups.
GRIMES, C.I. 94/09/26. EATON, J. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 1,074pp. 81819:001-81821:346.

9411280060 Ack receipt of 940916 ltr apprising NRC staff of formation of NEI SG Issues Working Group. NRC Staff agrees w/NUMARC on importance of SG integrity in terms of plant safety.
TAYLOR, J.M. Ofc of the Executive Director for Operations. 94/11/17. RASIN, W.H. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 3pp. 81863:341-81863:345.

-9411280067 Informs NRC of NUMARC efforts in forming working group to address policy level SG integrity & related issues. Formation of working group necessary transition for previous industry efforts under NUMARC SG Degradation Specific Mgt.
RASIN, W.H. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 94/09/16. TAYLOR, J.M. Ofc of the Executive Director for Operations. 2pp. 81863:344-81863:345.

9411280118 Informs of 941201 meeting w/NEI in Rockville, MD to discuss status & results of CRD mechanism penetration insps.
BRINKMAN, D.S. Project Directorate I-1. 94/11/09. CASE, M.J. Project Directorate I-1. 3pp. 81863:355-81863:357.

SECY POSITION PAPERS BEFORE THE COMMISSION

9411140154 Final response to FOIA request for info. Forwards App A info which will be available in PDR.
GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (890206-940714). 93/10/20. LAMBERSKI, J. Troutman Sanders (formerly Troutman, Sanders, Lockerman & Ashmore). 2pp. 81732:071-81732:133.

-9411130136 SECY-91-358 Consults NRC concerning whether or not to take enforcement action for inaccurate info provided by util employee during 890330 NRC meeting re issuance of full power OL for facility.
TAYLOR, J.M. Ofc of the Executive Director for Operations. 91/11/07. 72pp. 81732:074-81732:132.

9411180003 SECY-94-274 Weekly info rept for wk ending 941104.
BLAHA, J.L. Assistant for Operations (Post 890205). 94/11/09. 22pp. 81788:324-81788:345.

9411180025 SECY-94-272 Weekly info rept for wk ending 941028.
BLAHA, J.L. Assistant for Operations (Post 890205). 94/11/03. 31pp. 81788:293-81788:323.

9411180039 SECY-94-269 Litigation Rept - 1994 - 11.
CORDESS, J.F. Solicitor (Post 860701). 94/11/02. 17pp. 81809:001-81809:017.

9411180066 SECY-94-261 Obtains Commission approval for publication of final rule.
TAYLOR, J.M. Ofc of the Executive Director for Operations. 94/10/20. 122pp. 81778:181-81778:312.

9411180072 SECY-94-237 Requests Commission approval to implement two changes in existing enforcement review process which should enhance process by improving timeliness of enforcement actions.
TAYLOR, J.M. Ofc of the Executive Director for Operations. 94/09/12. 4pp. 81782:167-81782:170.

9411180085 SECY-94-265 Weekly info rept for wk ending 941021.
BLAHA, J.L. Assistant for Operations (Post 890205). 94/10/26. 24pp. 81777:259-81777:282.

9411180089 SECY-94-267 Provides update of status of plants to App G, "Fracture Toughness Requirements," to 10CFR50 & 50.61, "Fracture Toughness Requirements for Protection Against Pressurized Thermal Shock Events."
TAYLOR, J.M. Ofc of the Executive Director for Operations. 94/10/28. 180pp. 81778:001-81778:180.

9411180091 SECY-94-268 Informs Commission of staff activities & progress w/respect to ASP program & related activities.
TAYLOR, J.M. Ofc of the Executive Director for Operations. 94/10/31. 7pp. 81778:313-81778:320.

STATE PROG STATE PROGRAMS

9411010131 Comment on proposed rule 10CFR2 re reexamination of NRC enforcement policy. Energy Facility Site Evaluation Council strongly believes that open enforcement conferences should become permanent part of Commission regulatory program.
* Washington, State of. 59FR49215 00016. 94/10/21. NRC - No Detailed Affiliation Given. 5pp. 81514:356-81514:360.

9411010345 "Discharge Monitoring Rept for Hope Creek Generating Station for Month of Sept 1994." W/941020 ltr.
NORKA, A. HOVEY, R.J. Public Service Electric & Gas Co. of New Jersey. 94/09/30. CORPORALE, G. New Jersey, State of. 21pp. 81577:325-81577:345.

9411010348 "Susquehanna Steam Electric Station Discharge Monitoring Rept for Sept 1994." W/941025 ltr.
SAXTON, C.H., FIELDS, J.S. Pennsylvania Power & Light Co. PLE-18103. 94/09/30. CROWLEY, K. Pennsylvania, Commonwealth of. 12pp. 81579:330-81579:341.

9411030004 Expresses appreciation for response of 940923 to notice of violation on 940826 concerning activities conducted in areas of exclusive federal jurisdiction.
STOHR, J.P. Region 2 (Post 820201). EA-94-170. 94/10/13. STEWART, W.H. Code Services, Inc. 2pp. 81561:011-81561:012.

9411030014 Forwards final minutes of 941007 third mgt review board meeting which includes changes specified at 941027 meeting.
SCHNEIDER, K.N. Office of State Programs (Post 911117). 94/10/31. THOMPSON, H. Dep Exec Dir for Nuc Reactor Reg. Regional Operations & Research (Post 890205). BANGART, R. Office of State Programs (Post 911117). BERNERO, R. Office of Nuclear Material Safety & Safeguards. 8pp. 81561:029-81561:036.

9411030015 Comment on draft reg guide entitled, "Guide for Preparation of Applications for Licenses for Non-Self-Contained Irradiators." Application for license should also address applicants radiation protection program (ref DG-0003).
RATLIFF, R.A. Texas, State of. 59FR4730 00005. 94/10/19. Division of Freedom of Information & Publications Services (Post 940714). 1p. 81561:039-81561:039.

9411030103 Confirms understanding from 941017 meeting w/S Salomon that Linda Cafe will supply coffee, tea & soda for both workshops on 941115 & 941116-17. Agendas of both workshops encl.
LOHAUS, P.H. Office of State Programs (Post 911117). 94/10/31. EDWARDS, L. Affiliation Not Assigned. 6pp. 81560:159-81560:165.

9411030116 Comment on proposed rule 10CFR2 re reexamination of NRC enforcement policy. Recommends that open enforcement conference become permanent part of NRC enforcement policy program.
WILLIAMS, J.R. Ohio, State of. 59FR49215 00036. 94/10/20. MEYER, D. Division of Freedom of Information & Publications Services (Post 940714). 3pp. 81560:185-81560:187.

- 9411030324 Advises that NJ Dept of Environ Protection & Energy Bureau of Engineering reviewed until 940920 License Amend Request LCR-93-06 & has no comments. TOSCH,K.W. New Jersey, State of. 94/10/26. Document Control Branch (Document Control Desk). 2pp. 81640:352-81640:353.
- 9411030328 Advises that NJ Dept of Environ Protection Bureau of Nuclear Engineering reviewed until 940830 License Change Request 94-17 & has no comments. TOSCH,K.W. New Jersey, State of. 94/10/27. Document Control Branch (Document Control Desk). 2pp. 81640:314-81640:315.
- 9411040008 Discusses combined rept, "Review of West Valley Thorex Waste Neutralization Process," which provides analysis & review of physico-chemical aspects of THOREX neutralization processes selected for West Valley Demonstration Project. COMFORT,G.C. Licensing Branch. 94/10/24. NAIR,P.K. Texas, State of. 1p. 81575:025-81575:025.
- 9411040019 Transmits State Agreements Program info re 941213-15 radiography workshop to discuss draft proposed industrial radiography rule. LOHAUS,P.H. Office of State Programs (Post 911117). SP-94-152. 94/10/31. General. 1p. 81575:044-81575:044.
- 9411040065 Requests written approval for removal of fish barrier net from discharge canal during FY95, based on PATC recommendation. BOULETTE,E.T. Boston Edison Co. BECO 94-112. 94/10/31. LANDRY,T. Massachusetts, Commonwealth of. 2pp. 81653:243-81653:244.
- 9411040211 Forwards Land Quality Div review comments dtd 941013 from P Maciuka & S Ingle on licensee 940923 response to earlier review comments submitted under author 941013 ltr re Reno Creek multiwell pump test. MOONEY,G. Wyoming, State of. 94/10/25. WETZ,T.V. Energy Fuels Nuclear, Inc. 7pp. 81651:335-81651:341.
- 9411070092 Transmits responses to WY DEQ comments on MP-9 aquifer test & licensee cover ltr requesting authorization to proceed w/ installation of Mine Unit I monitoring wells. W/one oversize drawing. REHMANN,M.R. Energy Fuels Nuclear, Inc. 94/11/01. HOLONICH,J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 30pp. 81716:294-81716:324.
- 9411070096 Notification of 941122 meeting w/licensee in Arlington,TX to discuss enforcement conference. COLLINS,S.J. Region 4 (Post 820201). EA-94-208. 94/10/28. Region 4 (Post 820201). 3pp. 81604:353-81604:355.
- 9411070117 Forwards insp rept 150-00042/94-06 on 940928. No violation noted. KASNER,L.L. Region 4 (Post 820201). 94/10/27. GALLAGHER,C.T. Nuclear Startup Services, Inc. 4pp. 81605:111-81605:114.
- 9411070182 Informs that State of SC Div of Radwaste Mgt to move to new ofc & lists telephone numbers. AUTRY,V.R. South Carolina, State of. 94/11/07. General. 1p. 81605:275-81605:275.
- 9411070200 Ack receipt of 941010 ltr informing NRC of steps taken to correct violations noted in insp rept 150-00001/94-03. STOHRI,J.P. Region 2 (Post 820201). 94/10/18. STEWART,W.H. Affiliation Not Assigned. 1p. 81605:321-81605:321.
- 9411070206 Confirms invitation for State of OR attendance at 941115 workshop in Rockville,MD re draft policy statement for Agreement State adequacy compatibility. Draft workshop agenda encl. BANGART,R.L. Office of State Programs (Post 911117). 94/11/02. PARIS,R.D. Oregon, State of. 9pp. 81605:322-81605:330.
- 9411070217 Submits written notification of US Ecology Richland Facility Stds Manual of operational air sample in excess of reporting levels on 940909. LEDOUX,M.R. U.S. Ecology, Inc. (formerly Nuclear Engineering, Inc.). 94/10/12. REBERTSON,G. Washington, State of. 1p. 81663:139-81663:139.
- 9411070229 Submits notification of US Ecology Richland Facility Stds Manual of operational air sample in excess of reporting levels on 940912. LEDOUX,M.R. U.S. Ecology, Inc. (formerly Nuclear Engineering, Inc.). 94/10/13. ROBERTSON,G. Washington, State of. 1p. 81663:140-81663:140.
- 9411070394 Informs that corrective action to CAR YM-94-045 results unsatisfactory. SPENCE,R.E. Energy, Dept. of. HLWR. 94/11/01. HAYES,L.R. Nevada, State of. 5pp. 81731:319-81731:323.
- 9411080007 PNO-IV-94-057 on 941026, Law/Crandell, Inc reported to Phoenix Police Dept that R Tougiant employee of Law had been missing since 941024 & w/company vehicle & Troxler nuclear density gauge in possession. State of AZ informed NRC. HORNOR,J. Region 4 (Post 820201). 94/11/02. 1p. 81627:329-81627:329.
- 9411080012 Responds to 940927 ltr to I Selin re transmittal of NRC rept documenting review of Texas Radiation Control Program held in Feb & Mar 1994. BANGART,R.L. Office of State Programs (Post 911117). 94/11/03. HALL,J. Texas, State of. 4pp. 81628:056-81628:060.
- 9411080009 Requests status of NRC review of Texas Radiation Control Program in Feb & Mar 1994. HALL,J. Texas, State of. 94/09/27. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 1p. 81628:060-81628:060.
- 9411080017 Requests that State of Wyoming provide addl clarification on whether State desires to pursue issue, in order for NRC to proceed w/more detailed evaluation of limited agreement for in situ U recovery. BANGART,R.L. Office of State Programs (Post 911117). 94/11/02. FINLEY,D.A. Wyoming, State of. 2pp. 81628:136-81628:139.
- 9411080018 Confirms arrangements for transcribed enforcement conference to be conducted in Arlington,TX on 941122 & to provide summary of apparent violations that NRC expects to be prepared to discuss during conference. CALLAN,L.J. Region 4 (Post 820201). EA-94-208. 94/11/02. FOX,G.D. Nuclear Scanning. 4pp. 81628:140-81628:143.
- 9411080020 Forwards technical info, including sealed source & device registry certificates provided for addition to catalogues. LOHAUS,L. Office of State Programs (Post 911117). SP-94-153. 94/11/07. General. 26pp. 81627:334-81627:359.
- 9411080063 Repsends to 941011 ltr, requesting approval to use Exxon Corp's naturally occurring radioactive material contained in "supersacks" to build ten foot separation wall between unstable & stable portions of trench 14W. ELSEN,M.J. Washington, State of. 94/10/24. LEDOUX,M. U.S. Ecology, Inc. (formerly Nuclear Engineering, Inc.). 50pp. 81717:221-81717:267.
- 9411080270 Responds to 941007 ltr, providing copy of geologic & USGS Moab 1:24,000 topographic maps to help understand responses. ALLISON,M.L. Utah, State of. 94/10/27. HOLONICH,J.J. Division of Waste Management (NMSS 940403). 29pp. 81679:240-81679:285.
- 9411080274 "Interim Geologic Map of Moab 30 X 60 Minute Quadrangle, Grand County Utah." DOELLING,H.H. Utah, State of. 93/07/31. 16pp. 81679:267-81679:285.
- 9411090057 Forwards incident & event info, program mgt info, training course info, technical info & other info for attention. LOHAUS,P.H. Office of State Programs (Post 911117). SP-94-155. 94/11/04. General. 9pp. 81637:326-81637:334.
- 9411090075 Expresses apologies for delay in responding to 940422 technical assistance request re disposal of radwaste to sanitary sewer & submits response to questions posed. Submits answers to questions requested in ltr. BANGART,R.L. Office of State Programs (Post 911117). 94/11/03. MERGES,P.J. New York, State of. 6pp. 81639:259-81639:267.
- 9411090079 Informs that response to request for technical assistance still not received as of 940422 & requests NRC response. MERGES,P.J. New York, State of. 94/06/07. BANGART,R. Office of State Programs (Post 911117). 1p. 81639:265-81639:265.
- 9411090085 Requests technical assistance in implementing new restrictions on releases of radioactive matl to sanitary sewer sys as ref in 10CFR20. MERGES,P.J. New York, State of. 94/04/22. BANGART,R. Office of State Programs (Post 911117). 2pp. 81639:266-81639:267.
- 9411090119 Responds to ltr, dtd 940808, re Begig Company device evaluation. Informs that device evaluation not warranted & company request not urgent. Company may submit application to another Agreement State regulatory agency. LOHAUS,P.H. Office of State Programs (Post 911117). 94/11/07. ALDRICH,R. New York, State of. 1p. 81639:225-81639:225.
- 9411090135 Transmits State Agreements Program Info SP-94-154 re policy & guidance directive PG 2-07, "SRP for Applications for Use of Sealed Sources in Portable Gauging Devices." LOHAUS,P.H. Office of State Programs (Post 911117). SP-94-154. 94/11/03. General. 1p. 81639:232-81639:234.
- 9411090200 Forwards policy & guidance directive PG 2-07, "SRP for Applications for Use of Sealed Sources in Portable Gauging Devices." W/o encl. PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/10/14. HEHL,C.W. Region 1 (Post 820201). STOHRI,J.P. Region 2 (Post 820201). AXELSON,W.L. Region 3 (Post 820201). 2pp. 81639:233-81639:234.
- 9411090149 Transcript of 941024 all Agreement States meeting in Portland, ME. Pp 1-290. * Office of State Programs (Post 911117). NRC-11. 94/10/24. 291pp. 81638:001-81638:167.
- 9411090156 Transcript of 941025 all Agreement States meeting in Portland, ME. Pp 291-520. * Office of State Programs (Post 911117). NRC-11. 94/10/25. 231pp. 81638:295-81638:167.
- 9411090291 "Wastewater Rept for Davis-Besse Nuclear Power Station Unit 1 for Sept 1994." W/941012 ltr. WOOD,J.K. Toledo Edison Co. 94/09/30. 7pp. 81750:332-81750:338.
- 9411090392 Grants licensee permission to carry out work as outlined in licensee 941031 ltr, proposing drilling & const of 32 monitor wells & completion of 10 wells previously drilled. MOONEY,G. Wyoming, State of. 94/11/04. WETZ,T.V. Energy Fuels Nuclear, Inc. 2pp. 81719:308-81719:309.
- 9411090399 Forwards "Ferrochromium Slag Leachability Rept Jan 1992 for Shieldalloy Metallurgical Corp." EVES,C.S. Shieldalloy Metallurgical Corp. 94/10/31. IKENBERRY,T.A. Washington, State of. 1p. 81717:326-81717:344.
- 9411100014 Comment opposing draft policy statement on Agreement State adequacy & compatibility. ROSE,C.H. Affiliation Not Assigned. 59FR37269 00004. 94/10/10. Office of the Secretary of the Commission. 10pp. 81672:268-81672:277.
- 9411100020 Comment supporting rewrite of draft policy statement on Agreement State adequacy & compatibility. STRONG,T.R. Washington, State of. 59FR37269 00005. 94/10/14. Docketing & Services Branch. 4pp. 81672:318-81672:321.
- 9411100021 Comment on draft policy statement on Agreement State adequacy & compatibility. Federal regulations re disposal of low-level radioactive waste provide safe & scientific levels of protection & reduction/minimization of potential harm. CRUMP,A.E. Central Midwest Interstate Low-Level Radioactive Waste Commission (formerly Cent. CRUMP,A.E. Affiliation Not Assigned. 59FR37269 00009. 94/10/19. Docketing & Services Branch. 5pp. 81672:322-81672:326.
- 9411100022 Comment supporting adequacy & compatibility for NRC & "Agreement State" radiation control programs to protect public health & safety. VOLPE,J.A. Kentucky, Commonwealth of. 59FR37269 00007. 94/10/18. Docketing & Services Branch. 4pp. 81672:327-81672:330.
- 9411100023 Notice of meeting on 941115 in Rockville, MD to discuss draft policy statement for Agreement State regulatory programs adequacy to protect public health & safety & compatibility w/NRC regulatory program. BANGART,R. Office of State Programs (Post 911117). 59FR37269. 94/10/06. 3pp. 81672:331-81672:332.

208 NONDOCKETED ITEMS

- 9411100025** Comment opposing draft policy statement on Agreement State adequacy & compatibility. SHEARER, V.M. Affiliation Not Assigned. 59FR37269 00014. 94/10/29. Docketing & Services Branch. 1p. 81672:333-81672:333.
- 9411100026** Comment on draft policy statement on Agreement State adequacy & compatibility. NRC should not preclude state & local governments from setting more stringent stds because to do so precludes practice of representative democracy. SALISBURY, D. Affiliation Not Assigned. 59FR37269 00006. 94/10/18. CHILK Office of the Secretary of the Commission. 9pp. 81672:334-81672:342.
- 9411100027** Comment supporting adequacy & compatibility for NRC & Agreement State radiation control programs to protect public health & safety. MARSH, W.C. Southern California Edison Co. 59FR37269 00012. 94/10/26. Docketing & Services Branch. 4pp. 81672:343-81672:346.
- 9411100029** Comment supporting adequacy & compatibility for NRC & Agreement State radiation control programs to protect public health & safety. MOBLEY, M.H. Tennessee, State of. 59FR37269 00008. 94/10/17. Docketing & Services Branch. 3pp. 81672:349-81672:351.
- 9411100031** "Agreement State Regulatory Programs Adequacy to Protect Public Health & Safety & Compatibility w/NRC Regulatory Program Draft Statement of Policy." Extended comment period now expires on 941219. HOYLE, J.L. Office of the Secretary of the Commission. 59FR37269. 94/10/11. 2pp. 81672:347-81672:348.
- 9411100033** Comment re draft policy statement on Agreement State adequacy & compatibility. Believes that NRC, DPA, DOE & DOD failed to provide for public health & safety. JOHNSRUD, J.H. Environmental Coalition on Nuclear Power. 59FR37269 00003. 94/08/31. Office of the Secretary of the Commission. 3pp. 81672:352-81672:354.
- 9411100034** Comment supporting adequacy & compatibility for NRC & Agreement State radiation control programs necessary to protect public health & safety. DICUS, G.J. Arkansas, State of. 59FR37269 00013. 94/10/17. Office of the Secretary of the Commission. 3pp. 81672:355-81672:357.
- 9411100037** Comment opposing draft policy statement on Agreement State program. PEARCE, C.E. Affiliation Not Assigned. 59FR40058 00007. 94/10/21. BANGART, R. NRC - No Detailed Affiliation Given. 4pp. 81673:001-81673:004.
- 9411100038** Comment on draft policy statement on Agreement State adequacy & compatibility. Agreement State programs & NRC regional mats programs should have early & substantive input to rulemaking & determination of degree of such rules. RATLIFF, R.A. Texas, State of. 59FR37269 00011. 94/10/19. Docketing & Services Branch. 1p. 81673:005-81673:005.
- 9411100039** "Draft Policy Statement on Agreement States Program: Extension of Comment Period." re extension of comment period for draft on Agreement States program to 941219. HOYLE, J.C. Docketing & Services Branch. 59FR40058. 94/10/11. 2pp. 81673:006-81673:007.
- 9411100041** Comment re draft policy statement on Agreement State adequacy & compatibility. FERGUSON, S.S. Texas, State of. 59FR37269 00010. 94/10/20. Office of the Secretary of the Commission. 8pp. 81673:008-81673:015.
- 9411100048** Comment re draft policy statement on Agreement State adequacy & compatibility. Changes being implemented in states which interfere w/NRC requirements in 10CFR35 & w/interstate transfer of qualified physicians. PEARCE, C.E. Affiliation Not Assigned. 59FR37269 00015. 94/10/21. BANGART, R. Office of State Programs (Post 911117). 4pp. 81673:036-81673:039.
- 9411100091** Ack receipt of 941019 ltr in response to comments following April 1994 follow-up review of radiation control program for agreement mats. NRC will evaluate effectiveness of state action at time of next program review. BANGART, R.L. Office of State Programs (Post 911117). 94/11/07. SYLVA, Y. Nevada, State of. 1p. 81673:276-81673:276.
- 9411100200** Forwards Byron Station modified NPDES permit IL0048313, approved by State of IL on 940923. SCHWARTZ, G.K. Commonwealth Edison Co. BYRON 94-0418. 94/10/21. MARTIN, J.B. Region 3 (Post 820201). 14pp. 81747:337-81747:350.
- 9411100206** FOIA request for documents re all active NRC licensed facilities in State of MS. TSCHIRGI, D.M. Mississippi, State of. 93/10/05. Region 3 (Post 820201). 1p. 81755:005-81755:005.
- 9411100209** Final response to FOIA request for info. Forwards App A info which will be in PDR. GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (890206-940714). 93/10/21. TSCHIRGI, D.M. Mississippi, State of. 2pp. 81755:006-81755:058.
- 9411100218** Calls attention to comments received by NRC re "Final Environ Impact Statement for Const & Operation of Claiborne Enrichment Ctr, Homer, LA," NUREG-1484, Aug 1994, issued on 940829. HICKEY, J. Enrichment Branch. 94/11/09. Atomic Safety & Licensing Board Panel. 2pp. 81752:214-81752:223.
- 9411140004** Transmits State Agreements Program Info SP-94-158 re radiography workshop to be held in Houston, TX on 941213-15. LOHAUS, P.H. Office of State Programs (Post 911117). SP-94-158. 94/11/07. General. 1p. 81716:001-81716:001.
- 9411140005** Petition for rulemaking PRM-150-3 re Agreement State regulation of by-product mat. NIMMO, E. Measurex Corp. 59FR50706. 94/04/07. Office of the Secretary of the Commission. 15pp. 81716:002-81716:017.
- 9411140007** Comment opposing petition for rulemaking PRM-150-3 re petitioners request for proposed rules to require NRC to require Agreement States to notify NRC of all proposed & completed regulatory actions. PARIS, R.D. Oregon, State of. 59FR50706 00002. 94/11/04. Docketing & Services Branch. 1p. 81716:018-81716:018.
- 9411140023** Notice of receipt & petition for rulemaking, requesting that NRC amend regulations governing rulemaking to require NRC to publish Agreement State license to notify NRC of all proposed & completed rulemaking. HOYLE, J.C. Office of the Secretary of the Commission. 59FR50706. 94/09/30. 12pp. 81716:024-81716:035.
- 9411140025** Comment supporting petition for rulemaking PRM-150-3 re Agreement States to notify of all proposed & completed regulatory actions & NRC to publish Agreement State notices of proposed & completed rulemaking. DUKES, J.R. ABB Process Automation, Inc. (formerly Process Automation Business & Accuracy). 59FR50706 00001. 94/10/24. Docketing & Services Branch. 1p. 81716:036-81716:036.
- 9411150131** Forwards comments re proposed scope of EIS being prepared for Atlas Corp Moab, UT U mill tailings reclamation plan. MULLINS, A.T. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 94/11/03. Arizona, State of. 1p. 81760:347-81760:347.
- 9411150325** Forwards info requested in 941019 ltr for States of AI & KY & electronic copy of Kansas & Arkansas regulations. W/o encl. SOLLENBERGER, D. Office of State Programs (Post 911117). 94/11/09. HITCH, J.P. Oak Ridge National Laboratory. 1p. 81743:015-81743:015.
- 9411150337** Forwards 941104 FR notice (59FR55224-55225) announcing 941206-08 workshop on Site-Specific Advisory Boards. LOHAUS, P.H. Office of State Programs (Post 911117). SP-94-161. 94/11/10. General. 8pp. 81734:191-81734:198.
- 9411150552** Informs review completed of amend to license that would modify limits of air concentration for workers & in restricted areas. Responds that proposed change appears reasonable but add info on particle size needed. LOHAUS, P.H. Office of State Programs (Post 911117). 94/11/09. GRAVES, J.C. Tennessee, State of. 3pp. 81743:358-81743:360.
- 9411150571** Discusses info re license change request 94-30 re addition of new action statement to TS 3.1.3.2.1, position indication systems-operating for both Salem Units. TOSCH, K. New Jersey, State of. 94/11/03. Document Control Branch (Document Control Desk). 2pp. 81778:357-81778:358.
- 9411160207** Submits response to violations noted in Insp Repts 50-338/94-10 & 50-339/94-10. Corrective actions: upset conditions corrected & facility performance improved. MARSHALL, B.M. Virginia Power (Virginia Electric & Power Co.). 94/11/09. PANDEY, J.R. Virginia, Commonwealth of. 3pp. 81783:282-81783:284.
- 9411160246** Forwards Surry Power Station underground oil release site characterization report. MARSHALL, B.M. Virginia, Commonwealth of. 94/11/04. ANDERSON, J.M. Virginia, Commonwealth of. 2pp. 81777:283-81777:284.
- 9411160248** Responds to NRC ltr re violations noted in insp rept 150-00015/94-03. Corrective actions: in Dec of every yr form will be completed & w/application fee will be mailed certified return receipt via postal sys. ALLEN, G.W. Kansas, State of. 94/11/02. Document Control Branch (Document Control Desk). 2pp. 81783:279-81783:280.
- 9411170013** Responds to 940815 ltr, expressing continued concern re US Mgt & Operating Contractor's exploratory studies facility design process & apparent lack of NRC response to matter. KNAPP, M.R. Division of Waste Management (NMSS 940403). HLWR. 94/11/07. LOUX, R. Nevada, State of. 5pp. 81793:008-81793:012.
- 9411170030** Submits list of State participants in RESRAD training courses to be held in Rockville, MD. SOLLENBERGER, D. Office of State Programs (Post 911117). 94/11/09. General. BURNHAM, A. Colorado, State of. CLARK, D. Texas, State of. 3pp. 81760:123-81760:125.
- 9411170037** Forwards DOE issued press release re accuracy of worker exposure repts that were issued for SNL workers. Search warrant issued for records of Santa Fe, NM company that analyzed SNL employee radiation test results. LOHAUS, P.H. Office of State Programs (Post 911117). SP-94-159. 94/11/08. General. 3pp. 81760:169-81760:171.
- 9411170051** Discusses disk containing temporary instruction 2800/035 on quality mgt program & misadministration rule, sent by NRC on 941005. Requests disk be reviewed & quality mgt program & insp requirements be implemented. LOHAUS, P.H. Office of State Programs (Post 911117). SP-94-145. 94/11/10. General. 3pp. 81760:176-81760:178.
- 9411170055** Forwards comments from State of AL, GA, IL, KY, TN & WA in response to 941005 ltr requesting comments on rev to insp manual chapter 2800, "Mats Insp Program." BANGART, R.L. Office of State Programs (Post 911117). SP-94-144. 94/11/14. PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 2pp. 81760:181-81760:204.
- 9411170070** Submits comments on new draft of insp manual chapter 2800. MCNEES, J.L. Alabama, State of. 94/11/03. LOHAUS, P.H. Office of State Programs (Post 911117). 3pp. 81760:183-81760:185.
- 9411170074** Responds to Agreement States Ltr SP-94-144, "Request for Comments on Revised Insp Procedures Manual Chapter 2800, Mats Insp Program." Supports provision in section 05.01. HILL, T.E. Georgia, State of. 94/11/01. LOHAUS, P.H. Office of State Programs (Post 911117). 2pp. 81760:186-81760:187.
- 9411170079** Submits comments on proposed rev to NRC insp manual chapter 2800, "Mats Insp Program." ORTIGIER, T.W. Illinois, State of. SP-94-144. 94/11/02. LOHAUS, P.H. Office of State Programs (Post 911117). 3pp. 81760:188-81760:190.
- 9411170082** Submits comments on revised insp manual chapter 2800, "Mats Insp Program." JEFFS, V.D. Kentucky, Commonwealth of. 94/10/31. LOHAUS, P.H. Office of State Programs (Post 911117). 9pp. 81760:191-81760:199.

- 9411170086 Responds to SP-94-144 requesting comments on revised insp manual chapter 2800. Comments encl. FRAZEE, T.C. Washington, State of. SP-94-144. 94/11/07. LOHAUS, P.H. Office of State Programs (Post 911117). 5pp. 81760:200-81760:204.
- 9411170072 Responds to 940920 ltr, forwarding constituent 940915 ltr possible siting low-level radwaste disposal facility in Little Britain Township, Lancaster County, PA. TAYLOR, J.M. Ofc of the Executive Director for Operations. CCS. 94/10/31. WALKER, R.S. House of Rep. 3pp. 81787:299-81787:331.
- 9411170092 Rev 2 to "PA Low-Level Radwaste Disposal Facility Phase I (Screening) Siting Plan." NEWCOMB, W.E., DORNSIFE, W.P. Chem-Nuclear Systems, Inc. CCS. 94/04/30. 29pp. 81787:302-81787:331.
- 9411170078 Provides comments on revised insp program SP-94-144. Offers constructive criticism & critical comments. FREEMAN, B. Tennessee, State of. SP-94-144. 94/11/04. MEYERS, J. Tennessee, State of. 5pp. 81760:218-81760:222.
- 9411170110 Forwards petition for rulemaking PRM-150-3, requesting that NRC amend 10CFR2 & 150. RATHBUN, D.K. Office of Congressional Affairs (Post 911117). CCS. 94/10/03. LIEBERMAN, J.I. Senate, Environment & Public Works. 3pp. 81785:312-81785:344.
- 9411170218 Proposed amends to technical requirements in Cintichem consent order of June 1990. * New York, State of. 94/11/10. 11pp. 81793:210-81793:220.
- 9411170242 Informs that presentation concerning NRC procedures applicable to licensing of off-reactor-site (ISFSI) will be 941115 at 9 a.m. LOVEJOY, L.A. New Mexico, State of. 94/10/12. HAUGHNEY, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 1p. 81823:059-81823:059.
- 9411180006 Forwards application to renew NPDES permit for Diablo Canyon Power Plant (Permit CA 0003751). W/encl check in amount of \$10,000 to cover first annual fee & 1 oversize encl. FUJIMOTO, W.H. Pacific Gas & Electric Co. 94/11/07. BRIGGS, R. California, State of. 51pp. 81842:080-81842:132.
- 9411180021 Comment opposing draft policy statement on Agreement State adequacy & compatibility. ROTMAN, M. Affiliation Not Assigned. 59FR37269 00018. 94/11/03. NRC - No Detailed Affiliation Given. 3pp. 81774:302-81774:304.
- 9411180026 Comment re draft policy statement on Agreement State adequacy & compatibility. GODWIN, A.V. Arizona, State of. 59FR37269 00016. 94/11/01. Office of the Secretary of the Commission. 2pp. 81774:307-81774:308.
- 9411180033 Comment opposing draft policy statement on Agreement State adequacy & compatibility. State of NM rejects to NRC interpretation of term "compatibility" as written. ESPINOSA, J.M. New Mexico, State of. 59FR37269 00017. 94/11/02. CHILK, S.J. Office of the Secretary of the Commission. 2pp. 81774:334-81774:335.
- 9411180049 Comment on proposed rules 10CFR20.30, 40, 50, 51, 70 & 72 re radiological criteria for decommissioning of lands & structures. Provides state perspective on decommissioning. Some aspects of proposed rule desirable for consistency. KERR, G.W. Illinois, State of. 59FR43200 00020. 94/10/12. NRC - No Detailed Affiliation Given. 10pp. 81774:346-81774:355.
- 9411210045 Ack receipt of 941005 & 941024 ltrs informing NRC of steps taken to correct violations noted in insp rept 15000045/94-01. COLLINS, D.M. Region 2 (Post 820201). 94/11/03. FINCHAM, C. Affiliation Not Assigned. 1p. 81784:221-81784:221.
- 9411210064 Ack receipt of 941101 ltr requesting assistance on gamma knife device failure. LOHAUS, P.H. Office of State Programs (Post 911117). 94/11/16. HILL, T.E. Georgia, State of. 3pp. 81784:356-81784:359.
- 9411210075 Request technical assistance in mechanical engineering evaluation of gamma knife. HILL, T.E. Georgia, State of. 94/11/01. LOHAUS, P.H. Office of State Programs (Post 911117). 1p. 81784:359-81784:359.
- 9411210251 Forwards record of surveillance YMP-SR-94-052 to evaluate activities associated w/technical data mgt for period 940725-1013. SPENCE, R.E. Energy, Dept. of. HLWR. 94/11/10. NELSON, R.M. Nevada, State of. 18pp. 81864:103-81864:121.
- 9411210258 Forwards licensee revs to land quality division amend application & responses to land quality division completeness comments dtd 940923. WETZ, T.V. Energy Fuels Nuclear, Inc. 94/11/10. MOONEY, G. Wyoming, State of. 33pp. 81831:077-81831:109.
- 9411210337 FOIA request for info re possible allegation that State of IA misrepresented status of RC program to NRC. FLATER, D.A. Iowa, State of. 93/08/13. TAYLOR, J.M. Ofc of the Executive Director for Operations. 1p. 81817:001-81817:001.
- 9411210338 Final response to FOIA request for info re possible allegation that State of IA misrepresented status of RC program to NRC. Forwards documents listed in App A. GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (890206-940714). 93/10/26. FLATER, D.A. Iowa, State of. 5pp. 81817:002-81817:043.
- 9411210344 Confirms telcon w/J Goldberg, OGC re potential false & inaccurate statements made in ltr sent to NRC by State of IA, Agreement State. BERSON, B. Office of the General Counsel (Post 860701). 92/11/03. FUNK, D. Office of the General Counsel (Post 860701). 1p. 81817:035-81817:035.
- 9411210351 Forwards memo w/attachments from ET Pawlik, OI & requests legal opinion re Case 3-92-049 concerning possibility of alleged false statement to violate NRC requirements. HAYES, B.B. Ofc of Investigations (Post 880201). 92/11/24. PARLER, W.C. Office of the General Counsel (Post 860701). 1p. 81817:036-81817:036.
- 9411210360 Requests OGC legal opinion re OI Case 3-92-049 concerning alleged provision of false documentation on certain aspects of Agreement State program for State of IA. FORTUNA, R.A. Ofc of Investigations (Post 880201). 92/11/19. HAYES, B.B. Ofc of Investigations (Post 880201). 2pp. 81817:037-81817:040.
- 9411210367 Informs that OI Case 3-92-049 closed re alleged falsification of info provided to NRC by State of IA concerning Agreement State requirements. PAWLICK, E.T. Region 3 (Post 820201). 92/12/23. DAVIS, A.B. Region 3 (Post 820201). 1p. 81817:041-81817:041.
- 9411220059 Forwards technical info, including sealed source & device registry certificates. LOHAUS, P.H. Office of State Programs (Post 911117). SP-94-163. 94/11/16. General. 27pp. 81796:329-81796:354.
- 9411220096 Transmits State Agreements program info re memo entitled, "Guidance on Required Elements of Written Directive as Defined in 10CFR35.2." LOHAUS, P.H. Office of State Programs (Post 911117). SP-94-160. 94/11/16. General. 1p. 81798:351-81798:356.
- 9411160328 Provides guidance on required elements of written directives as defined in 10CFR35.2. Elements discussed include, format of brachytherapy directives, total source strength, use of range of doses, treatment, signature & dating. PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/11/07. HEHL, C.W. Region 1 (Post 820201). PHILIP, J. Region 2 (Post 820201). AXELSON, W.L. Region 3 (Post 820201). 4pp. 81798:353-81798:356.
- 9411220106 PNO-IV-94-057A: on 941102, portable gauge licensee, Law/ Crandall, Inc reported Troxler moisture/density gauge missing. Employee assigned to gauge failed to show at site. Licensee informed that employee & gauge found on 941103. * Region 4 (Post 820201). 94/11/03. 1p. 81798:138-81798:138.
- 9411220118 Responds to 941019 ltr requesting update of NRC contacts & telephone numbers for 1995 edition of directory of personnel responsible for radiological health programs. Rev sheet of existing page encl. LOHAUS, P.H. Office of State Programs (Post 911117). 94/11/17. HARDIN, C.M. Conference of Radiation Control Program Directors, Inc. 4pp. 81798:186-81798:189.
- 9411220122 Confirms that due to budget constraints, NRC will not renew State Net svc in 1995. BANGART, R.L. Office of State Programs (Post 911117). 94/11/18. CLEARY, T. California, State of. 1p. 81798:191-81798:192.
- 9411220165 Responds to 941013 ltr requesting assistance in determining how State could implement EPA requirements under CAA & maintain compatible regulations w/ NRC regulations for protection of public. BANGART, R.L. Office of State Programs (Post 911117). 94/11/17. FLATER, D.A. Iowa, State of. 2pp. 81799:054-81799:056.
- 9411220171 Requests NRC position in determining compatibility of Agreement State program if state were to implement EPA emission std. FLATER, D.A. Iowa, State of. 94/10/13. BANGART, R.L. Office of State Programs (Post 911117). 1p. 81799:056-81799:056.
- 9411220243 Requests permission for NRC to conduct radiological contamination survey to permit release for unrestricted use of plant. KINNEMAN, J.D. Region 1 (Post 820201). 94/11/17. ROSENTHAL, J. Affiliation Not Assigned. 3pp. 81799:125-81799:127.
- 9411230143 Ack receipt of 940914 meteorological monitoring QA/QC plan. Plan found acceptable & will become App G in final modified ground water discharge permit currently in process. OSTLER, D.A. Utah, State of. 94/10/27. ROMANKOWSKI, D. Envirocare of Utah, Inc. 243pp. 81849:078-81849:320.
- 9411250102 Submits ltr sent to State Director Regional of UT State Lands Trust Administration. Citizens of Castle Valley will resist & oppose vile proposal until uncerecerious death. ERLEY, D.D. Utah, State of. 94/11/03. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 3pp. 81866:347-81866:349.
- 9411250230 Forwards summary of proposal to transport & treat class A low-level waste, resulting from West Valley Demonstration Project. CHAMBERLAIN, J. West Valley Nuclear Services Co., Inc. 94/11/09. CUOMO, M. New York, State of. MOYNIHAN, D., D'AMATO, A. Senate. 4pp. 81866:250-81866:253.
- 9411280008 Advises that for purposes of completion of notification requirements under 10CFR73.72, original enrichment of SF assemblies was 93%, appropriate governors notified according to NRC requirements & armed escorts will be provided. JOHNSON, D.G. Rhode Island, State of. 94/11/17. BENNINGTON, G.M. Office of Nuclear Material Safety & Safeguards. 1p. 81840:197-81840:197.
- 9411280258 Summarizes 940922 telcon explaining that NRC does not regulate use of byproduct mail in Agreement States & no "personal" licenses issued by NRC or Agreement States. BHALLA, N. Region 1 (Post 820201). 94/11/02. VERANI, M.S. Affiliation Not Assigned. 1p. 81848:213-81848:214.
- 9411280269 Requests issuance of personal license as single organ user of radionuclide studies of heart, per 10CFR35.970 of NRC document of 921130. Transmits pertinent info showing nuclear cardiology study qualifications. W/o encl. VERANI, M.S. Baylor College of Medicine, Houston, TX. 94/09/22. GLENN, J.E. Region 1 (Post 820201). 1p. 81848:214-81848:214.
- 9411290033 Forwards insp rept 15000010/94-02 on 941006-1101. Apparent violations being considered for escalated enforcement action. STOHR, J.P. Region 2 (Post 820201). EA-94-219. 94/11/10. SCHMITZ, B. Affiliation Not Assigned. 2pp. 81857:242-81857:264.
- 9411290038 Insp rept 15000010/94-02 on 941006-1101. Apparent violations being considered for escalated enforcement action. Major areas inspected: review of organization & administration of licensed program & review of licensee activities. BERNARDEZ, H., HOSEY, C. Region 2 (Post 820201). 94/11/10. 21pp. 81857:244-81857:264.

210 NONDOCKETED ITEMS

9411290198 Requests approval for receipt of continuing education credits from American Academy of Health Physics for 1994 Annual All Agreement States Meeting sponsored by NRC.
LOHAUS, P.H. Office of State Programs (Post 911117). 94/11/22. JOHNSON, N. Affiliation Not Assigned. 6pp. 81869:038-81869:043.

9411290246 Submits response & comments to NRC 941028 request for Colorado River & sediment sampling, Atlas U mill tailings at Moab, UT. UT Administrative Code R317-2, "Stds of Quality for Waters of State" encl.
SINCLAIR, W.J. Utah, State of. 94/11/15. GILLEN, D.M. Office of Nuclear Material Safety & Safeguards. 7pp. 81905:215-81905:271.

9411290253 UT Administrative Code R317-2, "Stds of Quality for Waters of State."
* Utah, State of. 94/02/16. 50pp. 81905:222-81905:271.

9411290247 Forwards ltr from Sinclair of UT Dept of Environmental Quality re whether UT can enter into partial 11e.(2) agreement for only Envirocare site.
LOHAUS, P.H. Office of State Programs (Post 911117). 94/11/18. CAMERON, F.X. Office of the General Counsel (Post 860701). 2pp. 81870:180-81870:183.

9411290250 Expresses appreciation for opportunity to meet w/RL Bangart & P Lohaus on 941007. Reasons for wishing to assume 11e.(2) regulatory program at Envirocare, submitted.
SINCLAIR, W.J. Utah, State of. 94/11/07. BANGART, R.L. Office of State Programs (Post 911117). 2pp. 81870:181-81870:183.

9411300014 Responds to 941109 ltr which expressed concerns re adequacy & compatibility of Agreement State programs.
BANGART, R.L. Office of State Programs (Post 911117). 94/11/25. PEARCE, C.E. American Association for Nuclear Cardiology, Inc. 3pp. 81871:123-81871:127.

9411300019 Expresses gratitude for prompt response to inquiries in 941020 ltr. Informs that representative will not be present at 941115 NRC compatibility workshop. Concerns re Adequacy & Compatibility of Agreement State programs, expressed.
PEARCE, C.E. American Association for Nuclear Cardiology, Inc. 94/11/09. BANGART, R.L. Office of State Programs (Post 911117). 2pp. 81871:126-81871:127.

9411300021 Ack receipt of 941109 ltr documenting concerns about late notice of NRC meetings, courses & workshops. Informs that NRC established goal to provide training availability notices to Agreement States 60 days in advance of scheduled course.
BANGART, R.L. Office of State Programs (Post 911117). 94/11/25. MARSHALL, S.R. Nevada, State of. 3pp. 81871:154-81871:158.

9411300029 Advises that personnel from State of NV radioactive matl program cannot attend workshop due to late receipt of written confirmation. Requests that NRC provide notices of meetings, workshops & training courses 5 to 6 wks in advance.
MARSHALL, S.R. Nevada, State of. 94/11/09. BANGART, R. Office of State Programs (Post 911117). 2pp. 81871:157-81871:158.

9411300031 Ack receipt of 941012 ltr informing NRC of steps taken to correct violations noted in insp rept 15000009/94-02.
POTTER, J.P. Region 2 (Post 820201). 94/10/27. YUHR, L. Affiliation Not Assigned. 1p. 81871:172-81871:172.

9411300079 Notification of significant licensee meeting w/Johnson Yokogawa Corp re enforcement conference to discuss apparent violations resulting from conduct of unauthorized activities in areas of NRC jurisdiction.
COLLINS, D.M. Region 2 (Post 820201). 94/11/10. Region 1 (Post 820201). 2pp. 81871:315-81871:316.

9411300175 Discusses 941210 SALP meeting w/util to discuss plant performance over past 18 months.
EBNETER, S.D. Region 2 (Post 820201). 94/11/14. THOMPSON, S. South Carolina, State of. 3pp. 81872:245-81872:247.

9411300242 Forwards info on computer re controlled vols assigned to name or dept.
HANSON, R. New Hampshire, State of. 94/11/21. Document Control Branch (Document Control Desk). 21pp. 81910:227-81910:247.

9411300337 NPDES noncompliance notification: on 941116, sewage leak excursion occurred when vehicle struck capped 4-inch PVC vent/clean-out pipe connected to sewage line serving restroom facility.
STOMA, S.K. Entergy Operations, Inc. 94/11/21. GIVENS, D. Louisiana, State of. 2pp. 81923:345-81923:346.

9411300343 NPDES noncompliance notification: on 941116, sewage leak excursion occurred due to vehicle struck capped 4-inch PVC vent/clean-out pipe connected to sewage line serving restroom facility.
STOMA, S.K. Entergy Operations, Inc. 94/11/21. SIMMONS, M. Environmental Protection Agency. 2pp. 81923:347-81923:348.

9411300389 Offers no comments on util 940817 request for cost beneficial licensing action for rev to license amend application LCR 88-05 re permanent hydrogen water chemistry sys.
TOSCH, K. New Jersey, State of. 94/11/21. Document Control Branch (Document Control Desk). 2pp. 81923:359-81923:360.

TOPREP VENDOR REPORTS AND RELATED CORRESPONDENCE

9411010267 Forwards "Assessment of Indications in DC Cook Unit 2 Head Penetration 75" & proprietary rept WCAP-14118, Rev 1, "Structural Integrity Evaluation of RV Upper Head Penetrations...." Proprietary rept WCAP-14118 withheld.
FITZPATRICK, E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). AEP-NRC:1218. 94/10/26. RUSSELL, W.T. Document Control Branch (Document Control Desk). 3pp. 81587:001-81587:020.

9411010272 Requests that proprietary rept WCAP-14118, Rev 1, "Structural Integrity Evaluation of Reactor Vessel Upper Head Penetrations to Support Continued Operation: DC Cook Unit 2" be withheld (ref 10CFR2.790(b)(4)).
LIPARULO, N.J. Westinghouse Electric Corp. CAW-94-745. 94/10/24. RUSSELL, W. Document Control Branch (Document Control Desk). 10pp. 81587:011-81587:020.

9411020156 Advises NRC of CP&L revised plans for replacement of BSEP, Unit 1 FW spargers & associated impact on plans for replacement of N4D FW nozzle. GE proprietary rept NEDC-30634, Rev 1, "BSEP, Unit 1 FW...Analysis" encl. GE rept withheld.
COWAN, J.P. Carolina Power & Light Co. BSEP 94-0428. 94/10/28. Document Control Branch (Document Control Desk). 2pp. 81590:040-81590:041.

9411020220 Forwards Proposed Amends 176 & 130 to Licenses NPF-14 & NPF-22, respectively, adding ref PL-NF-90-001, Suppl to Section 6.9.3.2. Topical Rept PL-NF-90-001, Suppl 1 also encl.
BYRAM, R.G. Pennsylvania Power & Light Co. PLA-4218. 94/10/28. Document Control Branch (Document Control Desk). 5pp. 81589:312-81589:328.

9411020230 PL-NF-90-001 S01 "Application of Reactor Analysis Methods for BWR Design & Analysis," Suppl 1, "Loss of Feedwater Heating Changes & Use of RETRAN MOD 5.1."
LEHMANN, C.R., ROSCIOLI, A.J., STEFANKO, J.S. Pennsylvania Power & Light Co. 94/09/08. 8pp. 81589:321-81589:328.

9411030026 Forwards SER re approval of TR FTS-131, "Applications TR for BWR Design & Analysis," for util.
CLIFFORD, J.W. Project Directorate IV-2. TAC M81723. 94/10/12. PARRISH, J.V. Washington Public Power Supply System. 4pp. 81607:192-81607:207.

9411030033 SER approving TR FTS-131, "Application TR for BWR Design & Analysis." * Office of Nuclear Reactor Regulation, Director (Post 870411). 94/10/12. 12pp. 81607:196-81607:207.

9411030149 Rev 17 to "NEUT QA Program Topical Rept." Ltr dtd 941017 encl.
* Northeast Utilities Service Co. 94/08/10. 128pp. 81653:021-81653:148.

9411030204 Forwards proprietary revised preliminary draft Licensing TR, NEDC-32410P, "Nuclear Measurement Analysis & Control Power Range Neutron Monitor (NUMAC PRNM) Retrofit Plus Option III Stability Trip Function," rev draft B.Rept withheld.
REIGEL, D.W. General Electric Co. MFN 135-94. 94/10/28. JABBOUR, K. NRC - No Detailed Affiliation Given. 6pp. 81619:201-81619:206.

9411040096 Requests that proprietary Final Rept EPRI-TR 103581, "Thermal Stratification, Cycling & Stripping (TASCS)," be withheld (ref 10CFR2.790(a)(4)).
KENNY, A. Electric Power Research Institute. 94/09/30. CHAN, T.L. Document Control Branch (Document Control Desk). 4pp. 81649:355-81649:358.

9411040149 Summarizes 940818 OG meetings to discuss status of activities to implement improved STS & pressure temp limits rept. Attendees listed in Encl 1.
GRIMES, C.I. Technical Specifications Branch. 94/10/21. GRIMES, B.K. Division of Operating Reactor Support (Post 921004). 8pp. 81619:347-81619:354.

9411040206 Notification of 941107 meeting w/GE in San Jose, CA. Meeting to discuss plans, technical issues & design details re licensing activities for replacing analog equipment w/GE NUMAC digital power range neutron monitor.
JABBOUR, K.N. Project Directorate II-3. 94/10/20. BERKOW, H.N. Project Directorate II-3. 4pp. 81606:085-81606:088.

9411040252 Requests temporary exemption from requirements of 10CFR50.46, 10CFR50.44 & 10CFR50. App K to allow four lead fuel assemblies to be inserted into core during next Unit 2 refueling outage. C-E proprietary SER encl. SER withheld.
DENTON, R.E. Baltimore Gas & Electric Co. 94/11/01. Document Control Branch (Document Control Desk). 13pp. 81624:302-81624:314.

9411070237 Notification of 941103 meeting w/util in Rockville, MD to discuss technical issues re splices on cables.
TAM, P.S. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). TAC M89109. 94/10/31. RUSSELL, W., MIRAGLIA, F., THADANI, A. NRC - No Detailed Affiliation Given. 2pp. 81622:354-81622:355.

9411070273 Forwards proprietary WCAP-14209, "Evaluation of Effects of Insurge/Outsurge Transients at Integrity of Pressurizer at HB Robinson Unit 2," for Oct 1994. Westinghouse rept withheld (ref 10CFR2.790(b)(4)).
KRICH, R.M. Carolina Power & Light Co. RNP/94-1867. 94/10/28. Document Control Branch (Document Control Desk). 10pp. 81653:343-81653:352.

9411070425 Summary of 940921 meeting w/members of BWR-Vessel Internals Project re NRC preliminary assessment of rept, "BWR Core Shroud Insp & Evaluation Guidelines." Meeting focused on procedures for ECT core shroud insp. List of attendees encl.
WILLIAMS, F.J. Project Directorate I-1. 94/10/27. Project Directorate I-1. 26pp. 81658:084-81658:109.

9411080034 Forwards non-proprietary WCAP-14191, "Scaling Analysis For AP600 Passive Containment Cooling Sys.," & proprietary WCAP-14190, "Scaling Analysis For AP600 Passive Containment Cooling Sys."
LIPARULO, N.J. Westinghouse Electric Corp. NTD-NRC-94-4318. 94/10/27. BORCHARDT, R.W. Document Control Branch (Document Control Desk). 160pp. 81677:077-81677:182.

9411080043 Requests that "AP600 Passive Containment Cooling Sys Scaling Rept," be withheld per 10CFR2.790.
LIPARULO, N.J. Westinghouse Electric Corp. AW-94-737. 94/10/27. Document Control Branch (Document Control Desk). 9pp. 81677:079-81677:087.

9411080046 WCAP-14191 "Scaling Analysis for AP600 Passive Containment Cooling Sys."
SPENCER, D.R. Westinghouse Electric Corp. 94/10/31. 95pp. 81677:088-81677:182.

9411080137 Informs that rept, CEN-387-P, Rev 1-P-A, "Pressurizer Surge Line Flow Stratification Evaluation," dtd May 1994, will be withheld from public disclosure.
SHEA, J.W. Project Directorate I-2. 94/10/28. TOELLE, S.A. C-E Operating Plants Owners Group. 4pp. 81658:204-81658:207.

9411080307 Requests that encl ltrs be distributed to controlled copy of licensee QA program.
BRAYMAN, K.W. General Electric Co. NEDO-11209-04A. 94/10/31. NRC - No Detailed Affiliation Given. 1p. 81679:143-81679:147.

9411080310 Submits final WCAP for Model D-4 SG tube support plate limited displacement analyses.
PONTIOUS, H.D. Commonwealth Edison Co. 94/10/31. Office of Nuclear Reactor Regulation, Director (Post 870411). 3pp. 81679:150-81679:152.

- 9411090214 Forwards Topical Rept TR-098, "Oyster Creek Core Spray Sys Insp Program for Cycle 15 Refueling Outage."
KEATEN,R.W. General Public Utilities Corp. - GPU Service Corp. 5000-94-2290. 94/11/03. Document Control Branch (Document Control Desk). 1p. 81719:252-81719:270.
- 9411090232 TR-098 Topical Rept TR-098, "Oyster Creek Core Spray Sys Insp Program for Cycle 15 Refueling Outage."
NADEMUS,R. MANNING,W.P., JANDOVITZ,J.S. General Public Utilities Corp. - GPU Service Corp. 94/11/02. 18pp. 81719:253-81719:270.
- 9411140093 Notification of 941129 meeting w/BWR-Vessel & Internals Project Group (BWRVIP) in Rockville,MD to discuss status of BWRVIP.
BRINKMAN,D.S. Project Directorate I-1. 94/11/03. CASE,M.J. Project Directorate I-1. 3pp. 81732:211-81732:213.
- 9411140150 Final response to FOIA request for records.Records encl & available in PDR.
GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (890206-940714). 93/10/21. GORMAN,K.L. Affiliation Not Assigned. 1p. 81726:008-81726:021.
- 9411140152 Forwards draft technical evaluation rept, "Evaluation of GE Topical Rept on Elimination of Selected Response Time Testing Requirements."
ANDERSON,N.R. Idaho National Engineering Laboratory. FIN L-1695. 92/08/28. LOESER,P.J. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 81726:009-81726:009.
- 9411140156 "Evaluation of GE Topical Rept on Elimination of Selected Response Time Testing Requirements:BWR Owners Group Licensing Topical Rept NEDC-32013P,Mar 1992." draft rept.
NOLAN,A.E. EG&G Idaho, Inc. NOLAN,A.E. Idaho National Engineering Laboratory. 92/08/28. NRC - No Detailed Affiliation Given. 12pp. 81726:010-81726:021.
- 9411150218 Forwards proprietary response to request for addl info on WCAP-13589, "Assessment of Clad Flattening & Densification Power Spike Factor Elimination in Westinghouse Nuclear Fuel." Response withheld,ref 10CFR9.5(4).
LIPARULO,N.J. Westinghouse Electric Corp. NTD-NRC-94-4336. 94/11/07. JONES,R.C. Reactor Systems Branch (870411-890826). 2pp. 81780:290-81780:292.
- 9411150238 Requests proprietary response to request for addl info on WCAP-13589, "Assessment of Clad Flattening & Densification Power Spike Factor Elimination in Westinghouse Nuclear Fuel." be withheld (ref 10CFR2.790(b)).
LIPARULO,N.J. Westinghouse Electric Corp. AW-94-751. 94/11/07. JONES,R.C. Reactor Systems Branch (870411-890826). 1p. 81780:292-81780:292.
- 9411150385 Forwards errata to WCAP-12767, "Applicability of NOTRUMP to San Onofre Nuclear Generating Station,Unit 1."
LIPARULO,N.J. Westinghouse Electric Corp. 94/11/07. RUSSELL,W.T. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 81775:074-81775:076.
- 9411150394 WCAP-12767 ERR Errata to WCAP-12767, "Applicability of NOTRUMP to San Onofre Nuclear Generating Station Unit 1."
* Westinghouse Electric Corp. 94/11/07. 1p. 81775:076-81775:076.
- 9411150538 Forwards nonproprietary WCAP 13455, "Fracture Mechanics Evaluation Byron & Braidwood Units 1 & 2 Residual HX...Inlet & Outlet Nozzles" in support of current insp of Braidwood Unit 2 RHR HX inlet & outlet nozzle to shell welds.
PONTIUS,H.D. Commonwealth Edison Co. 94/11/08. Office of Nuclear Reactor Regulation, Director (Post 870411). 4pp. 81779:132-81779:194.
- 9411160218 Forwards response to request for suppl info re GL 94-03, "Intergranular Stress Corrosion Cracking of Core Shrouds in BWRs." W/one oversize drawing.
TERRY,C.D. Niagara Mohawk Power Corp. NMP1L 0874. 94/11/04. Document Control Branch (Document Control Desk). 1p. 81793:032-81793:207.
- 9411160234 Provides authorization for waiver of restrictions for nonproprietary documents received by NRC from Niagara Mohawk Power Corp re suppl response to GL 94-03.
MANAHAN,M.P. MPM Research & Consulting. GL-94-03. 94/11/10. Document Control Branch (Document Control Desk). 9pp. 81793:033-81793:041.
- 9411160239 GENE-523-A161-1094 "Structural Evaluation & Justification of Nine Mile Point 1 Core Shroud for Continued Operation."
BRANLUND,B.J., GORDON,B.M., RANGANATH,S. General Electric Co. 94/11/04. 42pp. 81793:042-81793:083.
- 9411160244 MPM-109439 Final rept entitled "Fracture Mechanics Assessment of Nine Mile Point Unit 1 Shroud H4 Weld."
* MPM Research & Consulting. 94/10/31. 123pp. 81793:084-81793:207.
- 9411160245 Discusses 941018 telcon re Topical Rept BAW-10189P, "CHF Testing & Analysis of Mark-BW Fuel Assembly Design."
TAYLOR,J.H. Babcock & Wilcox Co. JHT/94-175. 94/11/07. Document Control Branch (Document Control Desk). 7pp. 81775:348-81775:354.
- 9411160269 Provides proprietary TR-103226,TR-103244 & TR-103231 as suppl info to EPRI MOV Performance Prediction Program Topical Rept.
CALLAWAY,R.C. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 94/11/09. HANSEN,A. Project Directorate III-3. 1p. 81809:033-81809:038.
- 9411160273 Requests that TR-103226, "Methods To Address Rate-Of-Loading Effects Inf Torque Switch Controlled MOVs." TR-103244, "Methodology Implementation Guide," & TR-103231, "Methodology Assessment Rept," be withheld per 10CFR2.790.
KENNY,A.K. Electric Power Research Institute. 94/11/03. SCARBROUGH,T.G. Office of Nuclear Reactor Regulation, Director (Post 870411). 5pp. 81809:034-81809:038.
- 9411160280 Forwards application for amends to licenses NPF-14 & NPF-22, revising TS 3/4.3.8 re main turbine valve surveillance test interval.
BYRAM,R.G. Pennsylvania Power & Light Co. PLA-4221. 94/11/11. Document Control Branch (Document Control Desk). 2pp. 81782:276-81782:307.
- 9411160285 NEDO-32155 "Technical Bases for Extending GE Turbine Valve Surveillance Intervals."
STARK,S.J., PLACEK,R.J. General Electric Co. 93/09/30. 12pp. 81782:296-81782:307.
- 9411160327 Submits daily highlight re 941110 meeting in New Orleans,LA to discuss current program plans for future owners group activities under General License Renewal Program.
MOULTON,J.P. License Renewal & Environmental Review Project Directorate (Post 921004). 94/11/08. RUSSEL,W., MIRAGLIA,F., THADANI,A. NRC - No Detailed Affiliation Given. 3pp. 81767:350-81767:352.
- 9411160329 Forwards proprietary Topical Rept EPRI TR-103237, "EPRI MOV Performance Prediction Program." Topical Rept EPRI TR-103237 withheld (ref 10CFR2.790(a)(4)).
CALLAWAY,R.C. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 94/11/09. HANSEN,A. Project Directorate III-3. 2pp. 81781:350-81781:355.
- 9411160330 Requests that proprietary Topical Rept EPRI TR-103237, "EPRI MOV Performance Prediction Program," be withheld (ref 10CFR2.790(a)(4)).
KENNY,A. Electric Power Research Institute. 94/11/03. SCARBROUGH,T. Mechanical Engineering Branch. 4pp. 81781:352-81781:355.
- 9411170153 Forwards Errata to enhanced option I-A licensing TR NEDO-32339.
PINELLI,R.A. BWR Owners Group. 94/11/10. JONES,R.C. Document Control Branch (Document Control Desk). 2pp. 81785:183-81785:247.
- 9411170210 NEDO-32339 ERR Errata to enhanced option I-A TR NEDO-32339.
* BWR Owners Group. 94/11/01. 36pp. 81785:185-81785:247.
- 9411170236 Forwards responses to NRC 930823 RAI on Topical Rept BAW-10084P,Rev 3, "Program to Determine In-Reactors Performance of B&W Fuels..." dtd Jul 1991.Amended topical rept will be provided to NRC by 941231.Responses withheld.
TAYLOR,J.H. Babcock & Wilcox Co. JHT/94-180. 94/11/11. Document Control Branch (Document Control Desk). 2pp. 81793:208-81793:209.
- 9411180007 Discusses info re request for addl info re BWR core shroud generic safety assessment.
TERRY,C. General Electric Co. 94/11/10. Document Control Branch (Document Control Desk). 20pp. 81832:102-81832:120.
- 9411180060 Forwards Rev 0 to "Toledo Edison Co Davis-Besse Unit 1 Cycle 10 COLR" & Rev 1 to BAW-2223, "Davis-Besse Nuclear Power Station Unit 1,Cycle 10 - Reload Rept."
STETZ,J.P. Centenier Energy. 2260. 94/11/11. Document Control Branch (Document Control Desk). 1p. 81805:197-81805:289.
- 9411180070 BAW-2223 R01 "Davis-Besse Nuclear Power Station Unit 1,Cycle 10 - Reload Rept."
* Babcock & Wilcox Co. 94/10/31. 73pp. 81805:219-81805:289.
- 9411202018 Forwards proprietary response to NRC 940601 RAI re GE Topical Rept NEDC-32339P,Suppl 1,Encl withheld (ref 10CFR2.790).
PINELLI,R.A. BWR Owners Group. BWROG-94149. 94/11/09. JONES,R.C. Reactor Systems Branch. 1p. 81842:214-81842:214.
- 941120224 Forwards "Rept 6 Proposed SRP Rev For Digital Instrumentation Retrofit For Operating Reactor Plant."
TEDESCO,R.L. SCIENTECH, Inc. NRC-03-93-031. 94/11/14. JOYCE,J.P. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 81836:263-81836:342.
- 941120232 "Rept 6 Proposed SRP Rev For Digital Instrumentation Retrofit For Operating Reactor Plants."
* SCIENTECH, Inc. NRC-03-93-031. 94/11/14. 85pp. 81836:264-81836:342.
- 941120235 Forwards "Rept 7 Proposed SRP Rev For 10CFR50.59 Evaluations For Digital Upgrades For Operating Reactor Plants."
TEDESCO,R.L. SCIENTECH, Inc. NRC-03-93-031. 94/11/14. JOYCE,J.P. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 81837:001-81837:033.
- 941120236 "Rept 7 Proposed SRP Rev For 10CFR50.59 Evaluations For Digital Upgrades For Operating Reactor Plants."
* SCIENTECH, Inc. NRC-03-93-031. 94/11/14. 30pp. 81837:002-81837:033.
- 941120266 Forwards GENE-523-A163-1194, "Quad Cities & Dresden Main Steam Line Break Analysis W/ TRACG Model."
PIET,P.L. Commonwealth Edison Co. 94/11/15. Document Control Branch (Document Control Desk). 3pp. 81831:113-81831:126.
- 941120275 GENE-523-A163-1194 "Quad Cities & Dresden Main Steam Line Break Analysis W/ TRACG Model."
VILLALTA,J.A. General Electric Co. 94/11/09. 11pp. 81831:116-81831:126.
- 941120348 Forwards proprietary & nonproprietary versions of "Braidwood Unit 1 & Byron Unit 1 Model D4 SG Limited Tube Support Plate Displacement Analysis in Support of Interim Plugging Criteria." Proprietary version of analysis withheld.
SACCOMANDO,D.M. Commonwealth Edison Co. 94/11/14. Office of Nuclear Reactor Regulation, Director (Post 870411). 3pp. 81932:042-81932:280.
- 941120350 Requests that proprietary WCAP-14222, "Braidwood Unit 1 & Byron Unit 1 Model D4 SG Limited Tube Support Plate Displacement Analysis in Support of Interim Plugging Criteria" be withheld (ref 10CFR2.790(b)(4)).
LIPARULO,N.J. Westinghouse Electric Corp. CAV-94-752. 94/11/08. RUSSELL,W.T. Document Control Branch (Document Control Desk). 10pp. 81932:045-81932:054.
- 941120361 WCAP-14223 Nonproprietary "Braidwood Unit 1 & Byron Unit 1 Model D4 SG Limited Tube Support Plate Displacement Analysis in Support of Interim Plugging Criteria."
* Westinghouse Electric Corp. SG-94-11-005. 94/11/30. 200pp. 81932:058-81932:280.
- 941120384 Notification of 941130 & 1201 meetings w/licensees in Rockville,MD re presentation & discussion of EPRI MOV performance prediction program.
WEISSMAN,R.H. Mechanical Engineering Branch. 94/11/09. SHERON,B.W. Division of Engineering (Post 921004). 1p. 81809:022-81809:022.

212 NONDOCKETED ITEMS

- 9411210400 Notification of 941130 meeting w/Westinghouse representatives in Rockville, MD to discuss QA issues re electronic/optical records storage, authenticity & security.
PERALTA, J. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/11/16. BLACK, S.C. Office of Nuclear Reactor Regulation, Director (Post 870411). 3pp. 81809:030-81809:032.
- 9411220131 Submits papers on High-Burnup Fuel Behavior for review & info. Requested to advise of previously approved TR & equivalent submittals.
JONES, R.C. Reactor Systems Branch. 94/11/14. COPELAND, R.A. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 101pp. 81817:044-81817:150.
- 9411220174 Forwards proposed changes in improved STS re safety limits & administrative control.
GRIMES, C.I. Technical Specifications Branch. 94/11/10. BUSH, L. Westinghouse Operating Plants Owners Group. 60pp. 81817:226-81817:286.
- 9411220213 Summary of 941110 B&W Owners Group generic license renewal program meeting in New Orleans, LA. NRC indicated that B&W Owners Group on right track in pursuing technical assessment of plant components & structures for license renewal.
LEES, S. License Renewal & Environmental Review Project Directorate (Post 921004). 94/11/15. License Renewal & Environmental Review Project Directorate (Post 921004). 35pp. 81822:166-81822:200.
- 9411220264 Forwards nonproprietary & proprietary version of "Fracture Mechanics Evaluation Byron & Braidwood Units 1 & 2 Residual HX Tube Side Inlet & Outlet Nozzles." Proprietary version evaluation withheld (ref 10CFR2.790).
PONTIUS, H.D. Commonwealth Edison Co. 94/11/14. Office of Nuclear Reactor Regulation, Director (Post 870411). 3pp. 81892:175-81892:243.
- 9411220266 Requests that proprietary WCAP-13454, "Fracture Mechanics Evaluation Byron & Braidwood Units 1 & 2 Residual HX Tube Side Inlet & Outlet Nozzles" be withheld (ref 10CFR2.790).
LIPARULO, N.J. Westinghouse Electric Corp. CAW-94-753. 94/11/09. RUSSELL, W.T. Document Control Branch (Document Control Desk). 3pp. 81892:175-81892:186.
- 9411220271 WCAP 13455 Nonproprietary "Fracture Mechanics Evaluation Byron & Braidwood Units 1 & 2 Residual HX Tube Side Inlet & Outlet Nozzles."
BAMFORD, W.H. Westinghouse Electric Corp. 92/06/31. 56pp. 81892:187-81892:243.
- 9411220276 Informs of 941130 meeting w/Westinghouse in Rockville, MD re QA issues related to electronic & optical records storage.
PERALTA, J. 94/11/16. BLACK, S.C. 3pp. 81818:001-81818:003.
- 9411230082 Forwards LAR 94-11 to Licenses DPR-80 & DPR-82, revising TS 3/4.3.2, "ESFAS Instrumentation." Westinghouse nonproprietary repts WCAP-13900 & WCAP-14117 & proprietary repts WCAP-13878 also encl. Proprietary repts withheld.
RUEGER, G.M. Pacific Gas & Electric Co. DCL-94-254. 94/11/14. Document Control Branch (Document Control Desk). 2pp. 81893:001-81893:272.
- 9411230092 Requests that proprietary repts WCAP-13878, "Reliability Assessment of Potter & Brumfield MDR Series Relays" be withheld from public disclosure (ref 10CFR2.790).
LIPARULO, N.J. Westinghouse Electric Corp. CAW-94-739. 94/10/17. RUSSELL, W.T. Document Control Branch (Document Control Desk). 10pp. 81893:030-81893:039.
- 9411230096 WCAP-13900 Nonproprietary repts. "Extension of Slave Relay Surveillance Intervals, WOG SRT Subgroup Program MUHP-7040 Rev 0."
MORGAN, C., HOWARD, B. Westinghouse Electric Corp. 94/04/30. 35pp. 81893:040-81893:073.
- 9411230103 WCAP-14117 Nonproprietary "Reliability Assessment of Potter & Brumfield MDR Series Relays."
METRO, B.J., PETA, C.M., SPAN, R.M. Westinghouse Electric Corp. 94/06/30. 199pp. 81893:074-81893:272.
- 9411230170 Forwards fourth set of approved changes to improved STS for confirmatory review by Owners Groups.
GRIMES, C.I. 94/09/26. EATON, J. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 1,074pp. 81819:001-81821:346.
- 9411250081 Informs that staff reviewed info re core spray sparger insp in Topical Rept TR-098 from cycle 15 refueling outage on 941103 & finds acceptable.
DROMERICK, A.W. Project Directorate I-4. TAC M90802. 94/11/18. BARTON, J.J. General Public Utilities Corp. - GPU Service Corp. 4pp. 81850:341-81850:344.
- 9411280051 Informs that EPRI 940930 & 1004 submittals of TR-103581, "Thermal Stratification, Cycling & Stripping (TASCS)" will be withheld from public disclosure, per 10CFR2.790.
WESSMAN, R.H. Mechanical Engineering Branch. 94/11/17. KENNY, A. Electric Power Research Institute. 4pp. 81863:337-81863:340.
- 9411280205 Forwards "BWR-VIP Core Shroud NDE Uncertainty & Procedure Std."
LEONARD, S. BWR Owners Group. 94/11/22. BRINKMAN, D.S. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 81902:238-81902:333.
- 9411280208 "BWR-VIP Core Shroud NDE Uncertainty & Procedure Std."
SELBY, G., WALKER, S., LANDRUM, J. Electric Power Research Institute. 94/11/21. 100pp. 81902:240-81902:333.
- 9411290146 Final response to FOIA request for documents, Records in App A & B will be available in PDR App C records withheld in entirety (ref Exemption 4).
POWELL, D. Division of Freedom of Information & Publications Services (890206-940714). 93/11/24. GRIFFIN, S.B. Don't Waste New York. 5pp. 81900:160-81900:173.
- 9411290176 Affidavit of DJ Robare re repts NEDC-31994P, "Power Uprate Licensing Evaluation for NMPNS Unit 2." Rev 1, dtd May 1993, sought to be withheld.
ROBARE, D.J. General Electric Co. 93/04/30. 5pp. 81900:169-81900:173.
- 9411300230 Advises of organizational changes affecting GE quality program, per Rev 8 to NEDO-11209-04A.
SICK, P.W. General Electric Co. 94/07/24. Document Control Branch (Document Control Desk). 2pp. 81951:293-81951:294.
- 9411300232 Advises of GE Nuclear Energy organization changes.
SICK, P.W. General Electric Co. 94/11/23. Document Control Branch (Document Control Desk). 1p. 81925:146-81925:146.

WASTE MGT NUCLEAR WASTE MANAGEMENT

- 9411010143 Informs that response to Corrective Action Request YM-94-089 resulting from Yucca Mountain QA Div Audit YMP-94-09 of SNL determined to be unsatisfactory. Amended response required within 10 working days of date of ltr.
SPENCE, R.E. Energy, Dept. of. HLWR. 94/10/26. SHEPHARD, L.E. Sandia National Laboratories. 4pp. 81586:003-81586:007.
- 9411010147 Informs that response to Corrective Action Request YM-94-093 resulting from Yucca Mountain QA Div Audit YMP-94-09 of SNL determined to be unsatisfactory. Amended response required within 10 working days of date of ltr.
SPENCE, R.E. Energy, Dept. of. HLWR. 94/10/26. SHEPHARD, L.E. Sandia National Laboratories. 4pp. 81586:008-81586:014.
- 9411010151 Informs that response to Corrective Action Request YM-94-098 resulting from Yucca Mountain QA Div Audit YMP-94-09 of SNL determined to be satisfactory.
SPENCE, R.E. Energy, Dept. of. HLWR. 94/10/26. SHEPHARD, L.E. Sandia National Laboratories. 4pp. 81586:015-81586:019.
- 9411010159 Informs of verification of corrective action & closure of Corrective Action Request YM-94-095 resulting from Yucca Mountain QA Div Audit YMP-94-09 of SNL.
SPENCE, R.E. Energy, Dept. of. HLWR. 94/10/26. SHEPHARD, L.E. Sandia National Laboratories. 4pp. 81586:020-81586:023.
- 9411010191 Informs that response to Corrective Action Request YM-94-092 resulting from Yucca Mountain QA Div Audit YMP-94-09 of SNL determined to be satisfactory.
SPENCE, R.E. Energy, Dept. of. HLWR. 94/10/21. SHEPHARD, L.E. Sandia National Laboratories. 4pp. 81586:034-81586:037.
- 9411010333 Forwards Rev 3, Review C to MK-F-UMTRA-28, "Testing & Insp for Remedial Action Plan, Ambrosia Lake, NM, UMTRA Project."
BOSILJEVAC, F. Energy, Dept. of. 94/10/21. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 81586:330-81586:347.
- 9411010347 Rev 3, Review C to MK-F-UMTRA-28, "Testing & Insp for Remedial Action Insp Plan, Ambrosia Lake, NM, UMTRA Project."
* MK-Ferguson Co. 94/10/17. 16pp. 81586:332-81586:347.
- 9411020119 Forwards redline/strikeout version that accommodates changes introduced by US DOE & Yucca Mountain Site Characterization Ofc.
KOUTS, C.A. Energy, Dept. of. HLWR. 94/10/25. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 8pp. 81602:107-81602:114.
- 9411030079 Responds to 940914 ltr to Selin re thorium-contaminated soil located at Wayne Interim Storage Site.
TAYLOR, J.M. Ofc of the Executive Director for Operations. 94/10/12. KLEIN, H. House of Rep. 5pp. 81606:354-81606:358.
- 9411030094 Forwards listed document for five different radon barrier mats w/varying proctors tested during course of radon barrier placement at Ambrosia Lake, NM UMTRA site, as requested by M Abrams, DOE.
* MK-Ferguson Co. 94/10/21. Energy, Dept. of. 27pp. 81640:078-81640:104.
- 9411030119 "Yucca Mountain Site Characterization Project Genises Geographic Info Sys (GIS) Data Catalog."
* Energy, Dept. of. HLWR. 94/09/30. 200pp. 81643:159-81643:334.
- 9411030124 "Yucca Mountain Site Characterization Project Technical Data Catalog."
* Energy, Dept. of. HLWR. 94/09/30. 625pp. 81644:001-81645:261.
- 9411030212 Notification of 941108-09 meeting w/DOE in Las Vegas, NV to discuss technical issues needing experimental resolution for coupled THMC processes & adequacy of current DOE plans to address phenomena.
GARCIA, A. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 94/10/18. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 5pp. 81653:216-81653:220.
- 9411040010 Notification of 941024 & 25 meetings w/U recovery licensees in Rockville, MD to discuss issue of U recovery license fees & U recovery issues. W/encl. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 94/10/12. FERDINAND, B. Quivira Mining Co. VELASQUEZ, J.R. United Nuclear Corp. (subs. of UNC, Inc.). GRACE, M.P. Grace Mining Co. 8pp. 81575:031-81575:038.
- 9411040212 Forwards Project Interface Document (PID) 06-S-34. PID eliminates addl wastewater retention basin proposed to be constructed at New Rifle processing site.
ARP, S.J. Energy, Dept. of. 94/10/27. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 8pp. 81624:349-81624:357.
- 9411040217 Forwards record of surveillance YMP-SR-95-003 conducted at Sandia facilities in Albuquerque, NM on 941019-20. Surveillance considered completed & closed. Response to record not required.
SPENCE, R.E. Energy, Dept. of. 94/10/27. SHEPHARD, L.L. Sandia National Laboratories. 5pp. 81586:098-81586:102.
- 9411040227 Forwards responses to NRC comments from 940606 ltr re radiological & engineering assessment for Old Clifton Landfill vicinity property (GJ-40831-VL).
CORMIER, C.A. Energy, Dept. of. 94/10/26. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 7pp. 81653:205-81653:210.
- 9411070154 Forwards Yucca Mountain Site Characterization Project monthly repts. W/o encls.
BROCCOUM, S.J. Energy, Dept. of. HLWR. 94/10/28. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 81666:023-81666:024.
- 9411070239 Forwards RAECOM Calculation 16-491-04-00, including summary tables of parameters values used in calculation, as follow-up to 940804 ltr re Project Interface Document 16-S-32 for Ambrosia Lake, NM UMTRA Project site.
ABRAMS, M.F. Energy, Dept. of. 94/10/27. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 81653:253-81653:337.
- 9411070254 16-491-04-00 R00 "UMTRA - Ambrosia Lake Site Disposal Embankment Radon Bamer Thickness Design."
HTAY, A.B., BARAD, R. Morrison-Knudsen Co., Inc. 94/09/22. 83pp. 81653:255-81653:337.

- 9411070394 Informs that corrective action to CAR YM-94-045 results unsatisfactory. SPENCE,R.E. Energy, Dept. of. HLWR. 94/11/01. HAYES,L.R. Nevada, State of. 5pp. 81731:319-81731:323.
- 9411080171 Verifies Corrective Action & Closure of Corrective Action Request YM-94-051 resulting from US DOE/Headquarters QA Div Audit HQ-94-02 of Civilian Rad-waste Mgt Sys Mgt & Operating Contractor. SPENCE,R.E. Energy, Dept. of. HLWR. 94/10/28. FOUST,L.D. TRW Environmental Safety Systems, Inc. 8pp. 81716:163-81716:169.
- 9411080176 Evaluates Response to Corrective Action Request YM-94-097 resulting from Yucca Mountain QA Div Audit YMP-94-09 of Sandia Natl Labs. SPENCE,R.E. Energy, Dept. of. HLWR. 94/10/28. SHEPHARD,L.E. Sandia National Laboratories. 3pp. 81716:170-81716:172.
- 9411080220 Forwards proprietary request for addl info re review of 3R-STAT release analysis methodology topical rept.Encl withheld. CAREW,J.F. Brookhaven National Laboratory. FIN J-5007-0. TAC L50894. 94/10/12. HOGG,R.C. Low-Level Waste Management Branch (Post 901230). 1p. 81677:076-81677:076.
- 9411080238 Forwards response to comments made by staff & CO Dept of Public Health & Environ on Remedial Action Plan for Slick Rock UMTRA project site. EDGE,R. Energy, Dept. of. 94/11/03. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 4pp. 81679:001-81679:049.
- 9411080240 Evaluates Response to Corrective Action Request YM-94-091 resulting from Yucca Mountain QA Div Audit YMP-94-09 of Sandia Natl Labs. SPENCE,R.E. Energy, Dept. of. HLWR. 94/11/02. SHEPHARD,L.E. Sandia National Laboratories. 11pp. 81716:191-81716:200.
- 9411080241 Evaluates Response to Corrective Action Request YM-94-087 resulting from Yucca Mountain QA Div Audit YMP-94-09 of Sandia Natl Labs. SPENCE,R.E. Energy, Dept. of. HLWR. 94/11/02. SHEPHARD,L.E. Sandia National Laboratories. 6pp. 81716:201-81716:206.
- 9411080243 Requests transmittal of Sandia Natl Labs QA requirements & description implementation matrix for DOE/RW-0333P,Rev 1 & associated info.W/o encl. SPENCE,R.E. Energy, Dept. of. HLWR. 94/10/31. MILNER,R.A. Energy, Dept. of. 2pp. 81716:207-81716:207.
- 9411080297 Requests transmittal of LLNL QA requirements & description implementation matrix for DOE/RW-0333P,Rev 1 & associated info.W/o encl. SPENCE,R.E. Energy, Dept. of. HLWR. 94/10/31. MILNER,R.A. Energy, Dept. of. 2pp. 81716:237-81716:238.
- 9411080298 Forwards "Comments on NRC Staff Draft Directive on Release of Effluents from Licensed U Recovery Facilities." THOMPSON,A.J. Shaw, Pittman, Potts & Trowbridge. 94/10/19. KNAPP,M.R. Program Management, Policy Development & Analysis Staff (Post 870413). 1p. 81679:128-81679:142.
- 9411080303 "American Mining Congress Comments on NRC Staff Draft Directive on Release of Effluents from Licensed U Recovery Facilities." * Shaw, Pittman, Potts & Trowbridge. * American Mining Congress. 94/10/19. 14pp. 81679:129-81679:142.
- 9411080301 Verifies Corrective Action of Corrective Action Request YMP-94-040 resulting from Yucca Mountain QA Div Audit YMP-94-05 of Technical Mgt Support Svcs. SPENCE,R.E. Energy, Dept. of. HLWR. 94/11/02. VOEGELE,M.D. Science Applications International Corp. (formerly Science Applications, Inc.). 6pp. 81716:239-81716:245.
- 9411090074 Provides rock quality test results for Ambrosia Lake UMTRA site erosion protection. ABRAMS,M.F. Energy, Dept. of. 94/10/27. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 87pp. 81719:111-81719:197.
- 9411090192 Forwards technical assistance request for review of contractor rept.Rept provides areal density limits for conditions analyzed. AUSTIN,J.H. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). TAC L20002. 94/11/03. PIERSON,R. Licensing Branch. 2pp. 81719:320-81719:322.
- 9411090195 Forwards final criteria rept for Task 7 Under JCN L1376.W/o encl. NANEY,M.T. Oak Ridge National Laboratory. FIN L-1376. 94/10/27. DEMARCO,D. NRC - No Detailed Affiliation Given. 1p. 81719:322-81719:322.
- 9411090282 Forwards CNWRA 94-024, "Single Fracture Flow Behavior of Apache Leap Tuff Under Normal & Shear Loads." CHOWDHURY,A.H. Center for Nuclear Waste Regulatory Analyses. NRC-02-93-005. HLWR. 94/10/07. PHILIP,J. NRC - No Detailed Affiliation Given. 1p. 81770:059-81770:148.
- 9411090288 CNWRA 94-024 "Single Fracture Flow Behavior of Apache Leap Tuff Under Normal & Shear Loads." MOHANTY,S., CHOWDHURY,A.H., HSIUNG,S. Center for Nuclear Waste Regulatory Analyses. NRC-02-93-005. HLWR. 94/10/31. Division of Regulatory Applications (Post 870413). 71pp. 81770:060-81770:148.
- 9411090293 Forwards "Regulatory Program Database Development Status FY94." MACKIN,P.C. Center for Nuclear Waste Regulatory Analyses. NRC-02-93-005. HLWR. 94/10/10. LEE,M.P. Office of Nuclear Material Safety & Safeguards. 1p. 81770:149-81770:192.
- 9411090297 "Regulatory Program Database Development Status FY94." MACKIN,P.C., DEWISPELARE,A. Center for Nuclear Waste Regulatory Analyses. NRC-02-93-005. HLWR. 94/10/31. NRC - No Detailed Affiliation Given. 43pp. 81770:150-81770:192.
- 9411090340 Forwards summary rept from natural analog & performance assessment workshop on 940614 & 17 in San Antonio,TX. SAGAR,B. Center for Nuclear Waste Regulatory Analyses. HLWR. 94/08/04. RANDALL,J.D. NRC - No Detailed Affiliation Given. 6pp. 81732:005-81732:010.
- 9411090345 Forwards CNWRA 94-025, "Influence of Faults on Ascent of Mafic Magma by Dike Intrusion." MCKAGUE,H.L. Center for Nuclear Waste Regulatory Analyses. NRC-02-93-005. HLWR. 94/10/07. JUSTUS,P. NRC - No Detailed Affiliation Given. 1p. 81747:040-81747:066.
- 9411090348 CNWRA 94-025 "Influence of Faults on Ascent of Mafic Magma by Dike Intrusion." YOUNG,S.R., MCKAGUE,H.L., TERHUNE,R.W. Center for Nuclear Waste Regulatory Analyses. NRC-02-93-005. HLWR. 94/10/31. Division of Waste Management (NMSS 940403). 26pp. 81747:041-81747:066.
- 9411100214 Forwards "DOE OCRWM Ofc of QA Audit Rept of CRWMS M&O Vienna,VA Audit Number HQ-ARP-95-01 941010-14." HORTON,D.G. Energy, Dept. of. HLWR. 94/11/04. ROBERTSON,R.L. TRW Environmental Safety Systems, Inc. 2pp. 81770:193-81770:203.
- 9411100219 HQ-ARP-95-01 "DOE OCRWM Ofc of QA Audit Rept of CRWMS M&O Vienna,VA Audit Number HQ-ARP-95-01 941010-14." THREATT,D., HORTON,D.G. Energy, Dept. of. HLWR. 94/11/03. 9pp. 81770:195-81770:203.
- 9411100259 Forwards "OCRWM Ofc of QA Audit Plan for Audit HQ-95P-02A of EM-323 High Level Waste QA Program Germantown,MD 941114-16." HORTON,D.G. Energy, Dept. of. HLWR. 94/11/07. Energy, Dept. of. 2pp. 81770:209-81770:214.
- 9411100263 "OCRWM Ofc of QA Audit Plan for Audit HQ-95P-02A of EM-323 High Level Waste QA Program Germantown,MD 941114-16." COUTIER,W.R., HORTON,D.G. Energy, Dept. of. HLWR. 94/11/03. 4pp. 81770:211-81770:214.
- 9411100283 Forwards CNWRA 94-021, "Thermo-Hydro-Mechanical Coupled Modeling:Big-Ben Experiment.TC3 DECOVALEX-Phase III." CHOWDHURY,A.H. Center for Nuclear Waste Regulatory Analyses. NRC-02-93-005. HLWR. 94/09/29. PHILIP,J. NRC - No Detailed Affiliation Given. 1p. 81770:215-81770:289.
- 9411100287 CNWRA 94-021 "Thermo-Mechanical Coupled Modeling:Big-Ben Experiment.TC3 DECOVALEX-Phase III." AHOLA,M.P., OFOEGBU,G.I., CHOWDHURY,A.H. Center for Nuclear Waste Regulatory Analyses. NRC-02-93-005. HLWR. 94/09/30. Division of Regulatory Applications (Post 870413). 80pp. 81770:216-81770:289.
- 9411100288 Evaluates response to Corrective Action Request YM-94-096 resulting from Yucca Mountain QA Div Audit YMP-94-09 of Sandia Natl Labs.Response determined to be unsatisfactory. Amended response required within 10 working days. SPENCE,R.E. Energy, Dept. of. HLWR. 94/10/24. SHEPHARD,L.E. Sandia National Laboratories. 5pp. 81747:067-81747:071.
- 9411100289 Evaluates response to Corrective Action Request YM-94-099 resulting from Yucca Mountain QA Div Audit YMP-94-09 of Sandia Natl Labs.Response determined to be unsatisfactory. Amended response required within 10 working days. SPENCE,R.E. Energy, Dept. of. HLWR. 94/10/24. SHEPHARD,L.E. Sandia National Laboratories. 6pp. 81747:072-81747:077.
- 9411150106 Informs that response to corrective action request satisfactory. SPENCE,R.E. Energy, Dept. of. HLWR. 94/11/04. FOUST,L.D. TRW Environmental Safety Systems, Inc. 14pp. 81791:017-81791:030.
- 9411150222 Informs that 941013 response to corrective action request satisfactory. SPENCE,R.E. Energy, Dept. of. HLWR. 94/11/04. SHEPHARD,L.E. Sandia National Laboratories. 2pp. 81791:031-81791:033.
- 9411150392 Forwards branch technical position entitled "When to Remediate Inadvertent Contamination of Terrestrial Environ." AUSTIN,J.H. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 94/11/08. HEHL,C.W. Region 1 (Post 820201). STOHR,J.P. Region 2 (Post 820201). AXELSON,W.L. Region 3 (Post 820201). 3pp. 81780:268-81780:288.
- 9411150404 Branch technical position entitled "When to Remediate Inadvertent Contamination of Terrestrial Environ." * Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 94/10/31. 17pp. 81780:271-81780:288.
- 9411160066 Advises that extended due date of 941216 for CAR YM-94-056 acceptable. SPENCE,R.E. Energy, Dept. of. HLWR. 94/11/08. FOUST,L.D. TRW, Inc. 1p. 81791:054-81791:054.
- 9411160070 Advises that extended due date of 941216 for CAR YM-94-055 acceptable. SPENCE,R.E. Energy, Dept. of. HLWR. 94/11/08. FOUST,L.D. TRW, Inc. 1p. 81791:055-81791:055.
- 9411160078 Forwards "OCRWM QA Audit Plan for Audit YMP-95P-04 of USGS Denver,CO 941205-09." HORTON,D.G. Energy, Dept. of. HLWR. 94/11/08. HAYES,L.R. Interior, Dept. of, Geological Survey. 2pp. 81782:033-81782:037.
- 9411160081 "OCRWM QA Audit Plan for Audit YMP-95P-04 of USGS Denver,CO 941205-09." MAUDLIN,R.L., HORTON,D.G. Energy, Dept. of. HLWR. 94/11/07. 3pp. 81782:035-81782:037.
- 9411160216 Provides current status of Yucca Mountain site characterization Ofc ESF design reviews for FY95. BROCCOM,S.J. Energy, Dept. of. HLWR. 94/11/10. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 4pp. 81782:038-81782:041.
- 9411160263 Advises that program QA Managers meeting will be held on 941121 in Las Vegas,NV. HORTON,D.G. Energy, Dept. of. HLWR. 94/11/03. CHANEY,T.H. Interior, Dept. of, Geological Survey. BOLIVAR,S.L., MONKS,R.E. Los Alamos National Laboratory. 2pp. 81791:079-81791:080.
- 9411160357 Informs of NRC acceptance of Intermediate Milestone 20-5702-252-501, "Regulatory Program Database Development Status FY94," deliverable. LEE,M.P. Division of Waste Management (NMSS 940403). HLWR. 94/10/27. DEWISPELARE,A. Center for Nuclear Waste Regulatory Analyses. 1p. 81793:001-81793:001.

214 NONDOCKETED ITEMS

- 9411160359 Notification of 941129-1201 meetings w/DOE in Lakewood, CO to discuss technical issues re characterization of site hydrology prototype testing & ground-water travel time. Agenda encl.
GARCIA, A. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). HLWR. 94/11/08. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 6pp. 81793:008-81793:007.
- 9411170013 Responds to 940815 ltr, expressing continued concern re US Mgt & Operating Contractor's exploratory studies facility design process & apparent lack of NRC response to matter.
KNAPP, M.R. Division of Waste Management (NMSS 940403). HLWR. 94/11/07. LOUX, R. Nevada, State of. 5pp. 81793:008-81793:012.
- 9411170060 Informs of recent selections for two Senior On-Site Representative positions for Yucca Mountain.
KNAPP, M.R. Division of Waste Management (NMSS 940403). HLWR. 94/11/08. BARRETT, L. Energy, Dept. of. 3pp. 81793:013-81793:015.
- 9411170067 Responds to 941022 ltr & forwards Ofc Of Civilian Radioactive Waste Mgt Info Package.
GARCIA, A. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). HLWR. 94/11/08. YOSELEVSKY, S.A. Affiliation Not Assigned. 1p. 81793:016-81793:016.
- 9411170108 Provides NRC evaluation of suppl responses to open questions presented in SCA.
BELL, M.J. Engineering & Geosciences Branch (NMSS 940403). HLWR. 94/11/08. SHELOR, D.E. Energy, Dept. of. 7pp. 81791:131-81791:137.
- 9411170116 Submits interpretation of 10CFR61.41 re use of Part 20 dose methodology to show compliance.
FEDERLINE, M.V. Performance Assessment & Hydrology Branch (NMSS 940403). 94/11/07. REAMER, W.C. Office of the General Counsel (Post 860701). 7pp. 81789:016-81789:022.
- 9411170120 Provides concerns that should be addressed by DOE in TR on Seismic Designs Methodology.
BELL, M.J. Engineering & Geosciences Branch (NMSS 940403). HLWR. 94/11/03. MILNER, R.A. Energy, Dept. of. 4pp. 81793:017-81793:020.
- 9411170169 Provides status of performance assessment model validation activities & forwards recently completed paper entitled, "Model Validation From Regulatory Perspective: Summary."
FEDERLINE, M.V. Performance Assessment & Hydrology Branch (NMSS 940403). HLWR. 94/11/07. STEINDLER, M. Advisory Committee on Nuclear Waste. 3pp. 81791:138-81791:154.
- 9411170174 Determines that audit reviews of "Evaluation of Potential Yucca Mountain Repository" by Interra, Inc. & "Total-Sys Performance Assessment... (TSPA-1993)" by SNL acceptably meets requirement of Intermediate Milestone 5702-741-401.
MCCARTIN, T. Division of Waste Management (NMSS 940403). HLWR. 94/10/21. BACA, R.G. Center for Nuclear Waste Regulatory Analyses. 1p. 81793:031-81793:031.
- 9411170183 Trip rept of Hydrology & Geochemistry Panel of NWTRB 940912 & 13 visit to Las Vegas, NV to discuss GWTT & fluid flow pathways.
BROOKS, D., POHLE, J.A. Performance Assessment & Hydrology Branch (NMSS 940403). HLWR. 94/10/27. FEDERLINE, M.V. Performance Assessment & Hydrology Branch (NMSS 940403). 6pp. 81793:025-81793:030.
- 9411170201 Submits completed response to ltr dtd 941013, documenting NRC staff comment & questions re Civilian Radwaste Mgt sys M3t & Operating Contractor QA program & DOE oversight of M&O program.
DREYFUS, D.A. Energy, Dept. of. HLWR. 94/11/14. BERNERO, R.M. Office of Nuclear Material Safety & Safeguards. 64pp. 81791:155-81791:218.
- 9411170208 Submits results of review of DOE Study Plan 8.3.1.5.1.6, Rev 0, "Characterization of Future Regional Climate & Environs." Notices that ref (World Climate Research Programme) not acceptable. No SCA open items noted.
FEDERLINE, M.V. Performance Assessment & Hydrology Branch (NMSS 940403). HLWR. 94/10/18. MILNER, R.A. Energy, Dept. of. 3pp. 81782:063-81782:065.
- 9411170211 Trip rept of 941017-21 visit to Nevada test site to collect info on DOE plans & schedules for excavation of Exploratory Studies Facility using tunnel boring machine & to establish line of communication between DOE & NRC.
LEE, M.P. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). TRAPP, J.S. Engineering & Geosciences Branch (NMSS 940403). HLWR. 94/11/03. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). BELL, M.J. Engineering & Geosciences Branch (NMSS 940403). 12pp. 81782:066-81782:077.
- 9411170220 Forwards NRC remedial action plan signature page signed by Ramon Hall of U recovery field ofc. New signature pages will supersede previous pages signed by R Hall.
HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 94/11/04. CORMIER, C. Energy, Dept. of. 4pp. 81826:355-81826:358.
- 9411170288 Forwards CNWRA 94-026, "Engineered Barrier Sys Performance Assessment codes (EBSPAC) Progress Rept 931001-940925."
NAIR, P.K. Center for Nuclear Waste Regulatory Analyses. NRC-02-93-005. HLWR. 94/10/28. INTERANTE, C. NRC - No Detailed Affiliation Given. 1p. 81826:077-81826:156.
- 9411170290 CNWRA 94-026 "Engineered Barrier Sys Performance Assessment Codes (EBSPAC) Progress Rept 931001-940925."
LICHTNER, P.C. Center for Nuclear Waste Regulatory Analyses. NRC-02-93-005. HLWR. 94/10/31. NRC - No Detailed Affiliation Given. 87pp. 81826:078-81826:156.
- 9411170305 Forwards evaluation of QA requirements applicable to CNWRA activities.
MABRITO, B. Center for Nuclear Waste Regulatory Analyses. NRC-02-93-005. HLWR. 94/07/29. BELKE, W. Office of Nuclear Material Safety & Safeguards. 7pp. 81823:095-81823:101.
- 9411170320 Trip rept of 941004-06 visit to West Valley demonstration project to review SAR for vitrification operations & HLW interim storage.
TSCHOEPE, E., NAIR, P.K., SAGAR, B. Center for Nuclear Waste Regulatory Analyses. HLWR. 94/11/07. Center for Nuclear Waste Regulatory Analyses. 13pp. 81823:072-81823:084.
- 9411170321 Forwards "Observation of DOE OCRWM QA Audit YMP-94-01 of Civilian Radwaste Mgt Sys Mgt & Operating Contractor Design Package 2C."
MABRITO, B. Center for Nuclear Waste Regulatory Analyses. NRC-02-93-005. HLWR. 94/10/25. BELKE, W. Office of Nuclear Material Safety & Safeguards. 1p. 81822:082-81822:096.
- 9411170322 "Observation of DOE OCRWM QA Audit YMP-94-01 of Civilian Radwaste Mgt Sys Mgt & Operating Contractor Design Package 2C."
MABRITO, B., TRBOVICH, T. Center for Nuclear Waste Regulatory Analyses. NRC-02-93-005. HLWR. 94/10/31. NRC - No Detailed Affiliation Given. 14pp. 81822:083-81822:096.
- 9411170325 Forwards "Rept on Geographic Database Development & Investigations to Support CDM Development-Geochemistry FY94."
MCKAGUE, H.L. Center for Nuclear Waste Regulatory Analyses. NRC-02-93-005. HLWR. 94/10/28. BROOKS, D. NRC - No Detailed Affiliation Given. 1p. 81822:097-81822:165.
- 9411170327 "Rept on Geographic Database Development & Investigations to Support CMD Development-Geochemistry FY94."
TURNER, D., PICKETT, D. Center for Nuclear Waste Regulatory Analyses. NRC-02-93-005. HLWR. 94/10/31. NRC - No Detailed Affiliation Given. 67pp. 81822:098-81822:165.
- 9411180231 Forwards initial summary rept for repository/waste package ACD, W/o encl.
BROUCUM, S.J. Energy, Dept. of. HLWR. 94/11/07. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 81850:001-81850:002.
- 9411180265 Forwards "OCRWM Ofc of QA Audit Plan for Audit HQ-ARP-95-03 of CRWMS M&O (TRW) Vienna, VA, 941205-09."
HORTON, D.G. Energy, Dept. of. HLWR. 94/11/15. ROBERTSON, R.L. TRW Environmental Safety Systems, Inc. 2pp. 81850:005-81850:010.
- 9411180266 "OCRWM Ofc of QA Audit Plan for Audit HQ-ARP-95-03 of CRWMS M&O (TRW) Vienna, VA, 941205-09."
LENTZ, F.H., HORTON, D.G. Energy, Dept. of. HLWR. 94/11/15. 4pp. 81850:007-81850:010.
- 9411180267 Ack receipt of 940914 ltr that outlined problems w/topical rept process between NRC & DOE. DOE preparing responses to NRC questions & comments on Topical Repts YMP/92-41-TPR & YMP/TR-002-NP on extreme erosion.
MILNER, R.A. Energy, Dept. of. HLWR. 94/11/08. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 81850:003-81850:004.
- 9411180276 Forwards Rev 1 to "Proposed Ground Water Protection Strategy for U Mill Tailings Site at Green River, UT."
ABRAMS, M.F. Energy, Dept. of. 94/11/15. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 81830:289-81830:329.
- 9411180278 DOE/AL/62350-169 R01 Rev 1 to "Proposed Ground Water Protection Strategy for U Mill Tailings Site at Green River, UT."
* Jacobs Engineering Group, Inc. 94/11/30. 39pp. 81830:296-81830:329.
- 9411210080 Forwards "CNWRA Program Manager's Periodic Rept (PMPR) on Activities of CNWRA for Fiscal Reporting Period 941001-28." PMPR 95-01.
PATRICK, W.C. Center for Nuclear Waste Regulatory Analyses. NRC-02-93-005. HLWR. 94/11/11. LINEHAN, J.J. Program Management, Policy Development & Analysis Staff (Post 870413). 1p. 81850:022-81850:091.
- 9411210081 PMPR 95-01 "CNWRA Program Manager's Periodic Rept on Activities of CNWRA for Fiscal Reporting Period 941001-28."
* Center for Nuclear Waste Regulatory Analyses. NRC-02-93-005. HLWR. 94/11/11. NRC - No Detailed Affiliation Given. 69pp. 81850:023-81850:091.
- 9411210090 Forwards Draft Rev 2 to "Nye County Nuclear Waste Repository Project Ofc QA Manual: Policy, Program & Procedures" for review & informal comment.
BRADSHAW, L.W. Nye County, NV. HLWR. 94/11/11. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 81864:015-81864:080.
- 9411210097 Draft Rev 2 to "Nye County Nuclear Waste Repository Project Ofc QA Manual: Policy, Program & Procedures."
* Affiliation Not Assigned. HLWR. 94/11/10. 63pp. 81864:017-81864:080.
- 9411210197 Discusses TR on "Methodology to Assess Fault Displacement & Vibratory Ground Motion Hazards at Yucca Mountain."
BROUCUM, S.J. Energy, Dept. of. HLWR. 94/11/09. BELL, M.J. Engineering & Geosciences Branch (NMSS 940403). 9pp. 81864:086-81864:094.
- 9411210212 Provides info re OCRWM QA audit YMP-94-01 of civilian radwaste mgt sys & mgt operating contractor support of Yucca Mountain site characterization project.
HORTON, D.G. Energy, Dept. of. HLWR. 94/11/10. FOUST, L.D. TRW Environmental Safety Systems, Inc. 8pp. 81864:095-81864:102.
- 9411210251 Forwards record of surveillance YMP-SR-94-052 to evaluate activities associated w/technical data mgt for period 940725-1013.
SPENCER, R.E. Energy, Dept. of. HLWR. 94/11/10. NELSON, R.M. Nevada, State of. 18pp. 81864:103-81864:121.
- 9411210256 Forwards response to RAI 1 on addendum to Topical Rept DT-VERI-100-NP/P.A. Rev 1, "VERI Solidification Process" & ENCAP encapsulation utilizing VERI solidification process. W/one oversize graph.
JENSEN, C.E. Diversified Technologies. 94/10/21. THOMA, J. Low-Level Waste Management Branch (Post 901230). 20pp. 81864:198-81864:218.
- 9411210263 Responds to inquiry at 910829 QA meeting w/NRC on status of newly initiated OCRWM quality concerns program.
MILNER, R.A. Energy, Dept. of. HLWR. 94/10/27. HOLONICH, J. Office of Nuclear Material Safety & Safeguards. 2pp. 81864:122-81864:123.
- 9411220058 Forwards annotated comments on draft manuscript & returns manuscript as requested in 941101 ltr to M Knapp. Believes meeting to discuss comments would be productive. W/o encl.
HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 94/11/08. GEIDL, J. Energy, Dept. of. 1p. 81892:360-81892:360.

9411220079 Forwards "Rept of Geographic Info Sys Database Development & Investigations to Support Compliance Determination Method Development-Hydrology FY94." MCKAGUE,H.L. Center for Nuclear Waste Regulatory Analyses. NRC-02-93-005. HLWR. 94/10/28. BROOKS,D. NRC - No Detailed Affiliation Given. 1p. 81883:117-81883:204.

-9411220083 "Rept on Geographic Info Sys Database Development & Investigations to Support Compliance Determination Method Development-Hydrology FY94." TUPNER,D., AHOLA,M., FERRILL,D. Center for Nuclear Waste Regulatory Analyses. NRC-02-93-005. HLWR. 94/10/31. NRC - No Detailed Affiliation Given. 87pp. 81883:118-81883:204.

9411220116 Informs that evaluation of amended response to CAR YM-94-068 has been determined to be satisfactory. SPENCE,R.E. Energy, Dept. of. HLWR. 94/11/14. FOUST,L.D. TRW Environmental Safety Systems, Inc. Spp. 81850:112-81850:118.

9411220124 Forwards "QA Audit Plan For Audit YM-ARP-95-05 Of SAIC Technical & Mgt Support Svcs Las Vegas,NV & NV Test Site, 941212-16." HORTON,D.G. Energy, Dept. of. HLWR. 94/11/14. VOEGELE,M.D. Science Applications International Corp. (formerly Science Applications, Inc.). 2pp. 81850:125-81850:132.

-9411220132 YM-ARP-95-05 "QA Audit Plan For Audit YM-ARP-95-05 Of SAIC Technical & Mgt Support Services,Las Vegas,NV & NV Test Site 941212-16." MASLAR,S.R., HORTON,D.G. Energy, Dept. of. 94/11/10. 3pp. 81850:126-81850:132.

9411220349 Approves corrective action extension request for corrective action request YM-94-071 resulting from Yucca Mountain QA Div Audit YMP-94-01. SPENCE,R.E. Energy, Dept. of. HLWR. 94/11/15. FOUST,L.D. TRW Environmental Safety Systems, Inc. 1p. 81864:149-81864:149.

9411220366 Approves corrective action extension request for corrective action request YM-94-064 resulting from Yucca Mountain QA Div Audit YMP-94-01. SPENCE,R.E. Energy, Dept. of. HLWR. 94/11/15. FOUST,L.D. TRW Environmental Safety Systems, Inc. 1p. 81864:150-81864:150.

9411230035 Responds to 940810 request for comments on 1993 annual rept on LLRW mgt progress. AUSTIN,J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 94/10/31. COLEMAN,J. Energy, Dept. of. 6pp. 81829:353-81829:358.

9411230253 Informs of verification of corrective actions & closure of Corrective Action Request YM-94-090 resulting from Yucca Mountain QA Div Audit YMP-94-09 of SNL. SPENCE,R.E. Energy, Dept. of. HLWR. 94/11/16. SHEPARD,L.E. Sandia National Laboratories. 15pp. 81868:058-81868:072.

9411230261 Forwards Surveillance Record YMP-SR-95-001 resulting from Yucca Mountain QA Div surveillance of USGS on 941010. Surveillance considered completed & closed as of date of ltr.Response to surveillance record not required. SPENCE,R.E. Energy, Dept. of. HLWR. 94/11/16. HAYES,L.R. Interior, Dept. of, Geological Survey. 5pp. 81903:070-81903:074.

9411230289 Forwards DOE responses to comments received from NRC in 940901 ltr.from review of repts entitled, "Surface & Subsurface Cleanup Protocol for Radionuclides..." & "Site-Specific Analysis of Radiological & Physical Parameters..." APR,S.J. Energy, Dept. of. 94/11/10. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 3pp. 81883:206-81883:209.

9411250005 Forwards minutes of 941007 technical meeting/video- conference on NRC comments on DOE topical repts, "Extreme Erosion & Seismic Hazard Assessment Methodology" & topical rept review process. BELL,M.J. Engineering & Geosciences Branch (NMSS 940403). HLWR. 94/11/10. MILLNER,R.A. Energy, Dept. of. 2pp. 81887:240-81887:268.

-9411250008 Summary of 941007 technical meeting/video conference w/DOE re NRC comments on DOE topical repts, "Extreme Erosion & Seismic Hazard Assessment Methodology" & topical rept review process. LEFEVRE,H.E. Engineering & Geosciences Branch (NMSS 940403). EINBERG,C. Energy, Dept. of. HLWR. 94/11/10. Engineering & Geosciences Branch (NMSS 940403). 27pp. 81887:242-81887:268.

9411250012 Offers no programmatic concerns w/contents of paper entitled, "Flow Modeling in Heterogeneous Media in Context of Geologic Nuclear Waste Repositories," per 941027 request for programmatic review of paper. MCCARTIN,T. Performance Assessment & Hydrology Branch (NMSS 940403). HLWR. 94/11/15. SAGAR,B. Center for Nuclear Waste Regulatory Analyses. 1p. 81887:269-81887:269.

9411250014 Requests listed addl funding to support Div of Waste Mgt low-level waste & Site Decommissioning Mgt Plan performance assessment activities at CNWRA. FEDERLINE,M.V. Performance Assessment & Hydrology Branch (NMSS 940403). HLWR. 94/11/11. BEVERIDGE,G.G. Program Management, Policy Development & Analysis Staff (Post 870413). 1p. 81887:270-81887:270.

9411280166 Transmits data requested by S Ghose of US EPA Region IV re Church Rock Site. DU PONT,S. Canonic Environmental Services, Inc. 86-060-19. 94/11/09. BOSTICK,K.A. Jacobs Engineering Group, Inc. 3pp. 81885:124-81885:126.

9411290036 Extends gratitude re comments on DOE 940525 notice of inquiry that addressed waste acceptance issues concerning continued storage of spent nuclear fuel at reactor sites beyond 1998. BROWNSTEIN,A.B. Energy, Dept. of. HLWR. 94/11/07. BERNERO,R.M. Office of Nuclear Material Safety & Safeguards. 1p. 81912:106-81912:106.

9411300239 Forwards corrective action status rept for month of Oct 1994,as of 941031. HORTON,D.G. Energy, Dept. of. HLWR. 94/11/22. SPRAUL,J.G. NRC - No Detailed Affiliation Given. 18pp. 81930:020-81930:037.

9411300287 Advises that staff verified corrective action to CAR YM-94-058 & determined results to be satisfactory. SPENCE,R.E. Energy, Dept. of. HLWR. 94/11/18. FOUST,L.D. TRW, Inc. 4pp. 81930:016-81930:019.

9411300393 Discusses conclusions from analysis of Nuclear Metals,Inc site in response to questions re contaminated sludge in holding basin & existing levels of contaminants in groundwater. FEDERLINE,M. Performance Assessment & Hydrology Branch (NMSS 940403). HLWR. 94/11/14. AUSTIN,J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 1p. 81930:057-81930:057.

XPORTLIC EXPORT AND IMPORT LICENSES

9411020138 Forwards further amend to application for export license XSNM-2753, recently received by NRC.Amend requests change of plant unit for ultimate end use in Sweden to Unit 1 of barseback nuclear power plant.W/o encl. HAUBER,R.D. Office of International Programs (Post 911117). 94/10/26. DEDIK,T. Energy, Dept. of. 1p. 81566:360-81566:360.

9411020147 Forwards application for export license XSOU-8733, recently received by NRC for export of depleted U fuel pellets for return to Korea after Westinghouse Electric Corp conducts flow testing.W/o encl. HAUBER,R.D. Office of International Programs (Post 911117). 94/10/26. DEDIK,T. Energy, Dept. of. 1p. 81576:023-81576:023.

9411080042 Requests removal of ultimate consignee to 1 & ultimate end use from application. NOSS,D. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 94/10/27. WRIGHT,B. NRC - No Detailed Affiliation Given. 1p. 81658:170-81658:170.

9411080055 License for Marubeni American Corp to export 531.0 kg, enriched to 4.95 of U-235, to Japan. HAUBER,R.D. Office of International Programs (Post 911117). JJ5786. 94/11/01. 2pp. 81658:171-81658:172.

9411080073 Forwards requested GOJ assurances for cooperative re diplomatic notes exchanged for case numbers 284,285 & 286. MONDALE U.S. Embassies. 94/11/01. WEANT,D., DELABARRE,R. State, Dept. of. 1p. 81658:110-81658:110.

9411080078 Discusses MOFA request for expedited action from state & NRC re nuclear matl export license associated w/US serial 285. MONDALE U.S. Embassies. 94/11/01. WEANT,D., DELABARRE,R. State, Dept. of. 1p. 81658:111-81658:111.

9411080095 Requests confirmation of proposed transfer of items subj to US Sweden Nuclear Cooperation Agreement. KOBLES,E. Energy, Dept. of. 94/11/02. Sweden, Govt. of. 1p. 81658:181-81658:181.

9411090206 Forwards export license application for Indonesia which contains ink change to indicate 199.5 grams of U-235 rather than 19.5 grams as indicated on original application. SNELGROVE,J.L. Argonne National Laboratory, 94/09/30. WRIGHT,B.L. NRC - No Detailed Affiliation Given. 1p. 81666:359-81666:360.

-9411090212 Corrected application for license to export U metal for fabricated test targets to Indonesia.U grams had been changed from 19.9 grams to 199.5 grams. HART,T.A. Energy, Dept. of. 94/05/02. 1p. 81666:360-81666:360.

9411090236 Requests confirmation for proposed transfer to Sweden of listed items,per Article 1.3 of Agreement. HART,T.A. Energy, Dept. of. 94/10/18. KOBLET,E. Sweden, Govt. of. 1p. 81676:004-81676:004.

9411090389 License for Mitsubishi Intl Corp to export 743 kg of U-235 containing 17,887 enriched U, to Japan for use as reload fuel. HAUBER,R.D. Office of International Programs (Post 911117). 94/11/07. 2pp. 81715:237-81715:237.

9411090393 License for Edlow Intl Company to export 651 kg U-235, containing 16,214 kg enriched U, to Japan for use as reload fuel. HAUBER,R.D. Office of International Programs (Post 911117). KKK-92. 94/11/07. 2pp. 81715:238-81715:238.

9411160133 Certifies that terms & conditions of Additional Agreement for Cooperation did 600725,as amended,will apply to matl listed. DE BLOCK,M.J. European Communities, Commission of. 94/11/03. DEDIK,T. Energy, Dept. of. 2pp. 81772:097-81772:098.

9411160138 Confirms that transfer of matl as identified on above-noted license application will be subject to all terms & conditions of Agreement for Cooperation re Civil Uses of Atomic Energy between Govt of Canada & Govt of US. LAIDLAW,W.A. Canada Atomic Energy Control Board. 94/10/26. DEDIK,T. Energy, Dept. of. 1p. 81772:084-81772:084.

9411160147 License for Siemens Power Corp to export 615 kg of U-235, contained in 12,300 kg U, to Sweden. HAUBER,R.D. Office of International Programs (Post 911117). 94/11/09. 2pp. 81772:094-81772:095.

9411160160 License for General Electric Company to export 60,000 kg of UO2 in form of powder &/or pellets, to Canada. HAUBER,R.D. Office of International Programs (Post 911117). 94/11/09. 2pp. 81772:085-81772:086.

9411160164 Discusses 941021 ltr requesting views of Executive Branch as to whether issuance of export license meets applicable criteria of Atomic Energy Act of 1954. STRATFORD,R.J. State, Dept. of. 94/11/08. STOIBER,C.R. Office of International Programs (Post 911117). 2pp. 81772:092-81772:093.

9411160170 License for General Electric Co to export 48 tubes of Zircaloy to Norway. HAUBER,R.D. Office of International Programs (Post 911117). 94/11/09. 1p. 81772:096-81772:096.

9411160174 License for Transnuclear,Inc to export 3,618 kg of U-235, contained in 72,360 kg U, to Sweden. HAUBER,R.D. Office of International Programs (Post 911117). ABB-534. 94/11/09. 2pp. 81772:090-81772:091.

216 NONDOCKETED ITEMS

- 9411160183** License for Dept of Energy to export 199.5 g U-235, contained in 1000 g U, to Indonesia.
HAUBER,R.D. Office of International Programs (Post 911117). 94/11/09. 2pp.
81772:088-81772:089.
- 9411160197** Forwards amend fee for extension of export license XB001270.W/o encl.
FRITZ,N.G. Safety Light Corp. 94/10/24. WRIGHT,B. NRC - No Detailed Affiliation Given. 1p. 81769:360-81769:360.
- 9411160198** Forwards application for export license XSNM-2843, recently received by NRC, for export of natural & low-enriched U for use as reload fuel for Fukushima I, Unit 6 in Japan.
HAUBER,R.D. Office of International Programs (Post 911117). 94/11/10. DELABARRE,R. State, Dept. of. 1p. 81772:087-81772:087.
- 9411160208** Forwards amend requesting removal of Philippsburg plant from application.W/o encl.
HAUBER,R.D. Office of International Programs (Post 911117). 94/11/09. DEDIK,T. Energy, Dept. of. 1p. 81770:342-81770:342.
- 9411160225** Confirms that items listed in attachments to note 709 dtd 940829 be held subj to agreement upon their entries into territorial jurisdiction of Japan & that proposed recipients authorized persons in Japan.
MIN,P.A. U.S. Embassies. 94/10/18. Japan. 5pp. 81760:353-81760:358.
- 9411160267** Application for license to export 39,785 kg natural & enriched U dioxide, to Japan.
COLFORD,C. Mitsui & Co. (USA), Inc. MBK-F6-R13. 94/11/01. 1p. 81772:083-81772:083.
- 9411160292** Confirms that items listed in attachments to note 742 dtd 940902 be held subj to agreement upon their entries into territorial jurisdiction of Japan & that proposed recipients authorized persons in Japan.
MIN,P.A. U.S. Embassies. 94/10/19. Japan. 5pp. 81767:353-81767:357.
- 9411170004** Submits advance notification of import shipment consisting of 1 40ft ocean container containing 36 empty UO2 drums, type ANF 250, for entry into US at Port Elizabeth, NY on 941005.
HEHR,W. Braunkohle Transport USA, Inc. 94/09/22. COOK,J., BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 2pp. 81760:086-81760:087.
- 9411170006** Submits advance notification of import shipment consisting of 36 empty 402 containers, type ANF 250 & noncontaminated lashing matl, to enter US at Port Elizabeth, NJ on 940914.
HEHR,W. Braunkohle Transport USA, Inc. 94/08/04. BENNINGTON,G., COOK,J. Office of Nuclear Material Safety & Safeguards. 2pp. 81760:088-81760:089.
- 9411170009** Submits advance notification for export shipment of 26,033.087 kg U & 962.793 kg U-235 contained in cylinders of UF6, fissile & other SNM of low strategic significance.
MCLAUGHLIN,J. Transnuclear, Inc. 94/08/04. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 2pp. 81760:100-81760:101.
- 9411170012** Submits notification of import shipment consisting of 6 cylinders of UF6 in sealed overpacks will enter at Port of Sault Ste Marie on 941016.
HEHR,W. Braunkohle Transport USA, Inc. 94/08/04. BENNINGTON,G., COOK,J. Office of Nuclear Material Safety & Safeguards. 2pp. 81760:102-81760:103.
- 9411170015** Submits advance notification of import shipment, per requirements from implementation of convention of physical protection of nuclear matl.
HEHR,W. Braunkohle Transport USA, Inc. 94/09/12. COOK,J., BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 2pp. 81760:104-81760:105.
- 9411170016** Submits advance notification for export shipment of 7.9 kg U-235, contained in 40 kg U enriched to max of 19.98% to Japan.
MCLAUGHLIN,J. Transnuclear, Inc. 94/07/28. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 2pp. 81760:106-81760:107.
- 9411170017** Submits list of departure/arrival dates for shipments made re 5 model 48 Y cylinders, per "California Saturn" V.68.
ROSE,B. Affiliation Not Assigned. 94/09/22. BENNINGTON,G. Medical, Academic & Commercial Use Safety Branch. 1p. 81760:108-81760:108.
- 9411170019** Submits advance notification of import shipment, per requirements from implementation of convention of physical protection of nuclear matl.
HEHR,W. Braunkohle Transport USA, Inc. 94/09/20. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 2pp. 81760:109-81760:110.
- 9411170020** Submits list of departure/arrival dates for shipment of 5 model 48 Y cylinders, per "California Saturn" V.68.
ROSE,B. Affiliation Not Assigned. 94/09/22. Transportation Branch (Post 930207). 1p. 81760:111-81760:111.
- 9411170021** Submits advance notification of export shipment consisting of 14 cleaned & washed 30-B cylinders to be exported from US on 940910.
HEHR,W. Braunkohle Transport USA, Inc. 94/09/06. COOK,J., BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 2pp. 81760:112-81760:113.
- 9411170022** Submits list of departure/arrival dates for shipment made re 5 model 48 Y cylinders, per "California Saturn" V.68.
ROSE,B. Affiliation Not Assigned. 94/09/22. Transportation Branch (Post 930207). 1p. 81760:114-81760:114.
- 9411170023** Submits advance notification of import shipment, per requirements for implementation of convention of physical protection of nuclear matl.
HEHR,W. Braunkohle Transport USA, Inc. 94/09/20. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 2pp. 81760:115-81760:116.
- 9411170024** Submits advance notification of import shipment consisting of 1 40ft ocean container which contains 48 type ANF 250 empty UO2 drums, for entry into US on 941025.Rev 1.
HEHR,W. Braunkohle Transport USA, Inc. 94/10/05. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 2pp. 81760:117-81760:120.
- 9411170026** Submits advance notification of import shipment consisting of 1 40ft ocean container which contains 54 type ANF 250 empty UO2 drums, for entry into US on 941025.
HEHR,W. Braunkohle Transport USA, Inc. 94/09/19. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 2pp. 81760:119-81760:120.
- 9411170025** Submits advance notification of import shipment consisting of 4 cylinders of UF6 in sealed overpacks for entry into US on 941030.
HEHR,W. Braunkohle Transport USA, Inc. 94/09/14. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 2pp. 81760:121-81760:122.
- 9411170043** Submits advanced notification of import shipment consisting of 16 cylinders of UF6 in sealed overpacks, cylinders 30-B cylinders containing 35,000 Kgs & will enter Halifax, CA on 940925.Rev 2.
HEHR,W. Braunkohle Transport USA, Inc. 94/09/30. COOK,J., BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 2pp. 81760:172-81760:173.
- 9411170048** Submits advanced notification of shipment consisting of 16 cylinders of UF6 in sealed overpacks, cylinders 30-B cylinders containing 35,000 Kgs & arrive in Halifax, CA on 940925.Rev 1.
HEHR,W. Braunkohle Transport USA, Inc. 94/09/09. COOK,J., BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 2pp. 81760:174-81760:175.
- 9411170057** Submits advanced notification of import shipment consisting of 16 cylinders of UF6 in sealed overpacks, cylinders 30-B cylinders containing 35,000 Kgs & arrives at Portsmouth, VA on 941002.
HEHR,W. Braunkohle Transport USA, Inc. 94/07/29. COOK,J., BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 2pp. 81760:215-81760:216.
- 9411210023** Submits advance notification of export shipment, consisting of 48 drums of UO2 in pellet/solid form for entry into US on 940922.
HEHR,W. Braunkohle Transport USA, Inc. 94/09/14. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 2pp. 81785:001-81785:005.
- 9411210067** Submits advance notification of export shipment consisting of two 40ft Std Ocean Containers w/48 drums each of UO2 in pellet/solid form to arrive in Port of Elizabeth, NJ on 941006.
HEHR,W. Braunkohle Transport USA, Inc. 94/09/14. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 2pp. 81785:001-81785:002.
- 9411210192** Provides advance notification of export shipment of 48 drums of enriched Uranium Dioxide in pellet form. Shipment to leave US on 941015 for transit to Germany.
HEHR,W. Braunkohle Transport USA, Inc. 94/10/07. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 2pp. 81785:146-81785:147.
- 9411210279** Submits advance notification of export shipment, consisting of 48 drums of UO2 in pellet/solid form for entry into US on 940929.
HEHR,W. Braunkohle Transport USA, Inc. 94/09/14. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 2pp. 81785:151-81785:152.
- 9411220345** Application for license to export two test fuel assemblies containing slightly enriched UO2 pellets, to Canada.
* Westinghouse Electric Corp. EFM-94-0098. 94/11/04. 1p. 81818:025-81818:025.
- 9411230053** Submits minor typographical error in applications XSNM-2837 & XSNM-2838 for export of enriched U. Amended applications encl.
ASAMI,K. 94/11/08. WRIGHT,B.L. Office of International Programs (Post 911117). 1p. 81829:359-81829:361.
- 9411230060** Amended application for license to export enriched UO2, to Japan.
ASAMI,K. Marubeni America Corp. 94/09/22. 2pp. 81829:360-81829:361.
- 9411230066** Submits correction to application for export license XSNM-2841.
ASAMI,K. Affiliation Not Assigned. 94/11/14. WRIGHT,B.L. Office of International Programs (Post 911117). 2pp. 81830:001-81830:003.
- 9411230070** Corrected application for license to export UF6 to Japan, changing estimate date of first use to Feb-1996.
ASAMI,K. Marubeni America Corp. JJ5787. 94/10/11. 1p. 81830:003-81830:003.
- 9411230083** Discusses request for GOJ assurances for cooperation.
* Japan. 94/11/21. WEANT,D., DELABARRE,R. State, Dept. of. 1p. 81823:005-81823:005.
- 9411230294** Submits rept for all NRC export cases completed during months of Aug & Sept.
HAUBER,R.D. Office of International Programs (Post 911117). 94/11/17. DELABARRE,R. State, Dept. of. 7pp. 81841:188-81841:200.
- 9411230301** Informs that San Francisco Ofc will have new address, effective 940822.
* Mitsui & Co. (USA), Inc. 94/11/23. NRC - No Detailed Affiliation Given. 1p. 81894:300-81894:300.
- 9411250006** Transmits amended applications for export licenses to Japan. Last digit of DOE contract number on item of applications should read 5, not 4 as previously recorded.W/o encls.
HAUBER,R.D. Office of International Programs (Post 911117). 94/11/22. DELABARRE,R. State, Dept. of. 1p. 81841:359-81841:359.
- 9411250007** Forwards application for export license XSNM-2844, to export two test fuel assemblies containing enriched UO2 pellets for vibration/wear testing in Canada.W/o encl.
HAUBER,R.D. Office of International Programs (Post 911117). 94/11/18. DEDIK,T. Energy, Dept. of. 1p. 81841:360-81841:360.
- 9411250013** License for Marubeni America Corp to export 389 kg of U-235, containing 10,232 kg enriched U, to Japan.
HAUBER,R.D. Office of International Programs (Post 911117). 94/11/22. 2pp. 81842:001-81842:002.
- 9411250016** License for Marubeni America Corp to export 209 kg of U-235, containing 6,266 kg enriched U, to Japan.
HAUBER,R.D. Office of International Programs (Post 911117). 94/11/22. 2pp. 81842:003-81842:004.
- 9411250022** License for Edlow Intl Company to export 1,429 kg of U-235, containing 34,423 kg enriched U, to Japan.
HAUBER,R.D. Office of International Programs (Post 911117). 94/11/22. 2pp. 81842:005-81842:006.

9411250032 Transmits application for license to export low-enriched U for use in research & development work at IAEA Safeguards Analytical Lab in Seibersdorf, Austria. Requests opinion if export meets criteria of AEA of 1954, as amended. W/o encl.
HAUBER, R.D. Office of International Programs (Post 911117). 94/11/22.
DELABARRE, R. State, Dept. of. 1p. 81842:076-81842:076.

9411250048 License for US DOE to export 74 kg of U-235, containing 7,500 kg of enriched U & one-half g of plutonium containing 183,000 gallons of aqueous solution of nitric acid, to Great Britain.
HAUBER, R.D. Office of International Programs (Post 911117). 94/11/22. 2pp.
81841:357-81841:357.

9411250054 Transmits amended export license application for export of nuclear matl to Japan. Notes estimated date of first use by ultimate consignee should be changed to Feb 1996. W/o encl.
HAUBER, R. Office of International Programs (Post 911117). 94/11/22.
DELABARRE, R. State, Dept. of. 1p. 81841:358-81841:358.

9411250071 Forwards application for license to export nuclear matl to Vienna, Austria to be used in research at Safeguards Analytical Lab of IAEA.
ADKINS, J.N. United States Enrichment Corp. (USEC). 94/10/31. HAUBER, R. Office of International Programs (Post 911117). 3pp. 81841:353-81841:356.

9411250074 Application for license to export 306 kg U, containing 60.6 kg U-235, to Austria.
ADKINS, J.N. United States Enrichment Corp. (USEC). 94/10/21. 1p. 81841:356-81841:356.

9411280002 Submits advance notification of import shipment consisting of 16 cylinders of UF6 in sealed overpacks to enter into USA at Sault Ste. Marie on 940929.
HEHR, W. Braunkohle Transport USA, Inc. BTUSA 0994-555. 94/09/19.
BENNINGTON, G. Office of Nuclear Material Safety & Safeguards. 2pp. 81840:006-81840:007.

PERSONAL AUTHOR INDEX

The subject category column in this index gives the docket number and the symbol for the category of information within that docket; for example, 50-320 P. The docket subject categories are defined in Appendix A.

Subject categories for nondocketed items are also entered in this column by symbol; for example, ACRS. These categories are defined in Appendix B and listed in the Contents.

An asterisk following the accession number in this index indicates that the document is an enclosure to another document. To obtain the accession number of the principal document under which the enclosure is listed, refer to the index entitled "Cross Reference of Enclosures to Principal Documents."

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
ABBOTT, R.B.	9411160178	50-220 F	ANDERSON, R.O.	9411020127	50-282 Q	AXELRAD, M.	9411040041*	40-8027
ABBOTT, R.B.	9411220317	50-220 R	ANDERSON, R.O.	9411070081*	50-282 Q	AXELRAD, M.	9411300350	40-8027
ABBOTT, R.B.	9411280282	50-220 S	ANDERSON, R.O.	9411090129	50-263 S	AXELRAD, M.	9411300350	40-8027
ABELQUIST, E.W.	9411040208	40-501	ANDERSON, R.O.	9411090144	50-263 S	AXELRAD, M.	9411300352*	40-8027
ABRAMS, C.	9411300154	40-8102	ANDERSON, R.O.	9411090148	50-263 S	AXELRAD, M.	9411300352*	40-8027
ABRAMS, M.F.	9411070239	WASTE MGT	ANDERSON, R.O.	9411090372	50-282 R	AXELSON, W.L.	9411070053	50-186 Q
ABRAMS, M.F.	9411090074	WASTE MGT	ANDERSON, R.O.	9411170146	50-282 P	AXELSON, W.L.	9411230007	70-7002
ABRAMS, M.F.	9411180276	WASTE MGT	ANDERSON, R.O.	9411210129	50-263 R	AXELSON, W.L.	9411290047	50-10 W
ADAMONIS, D.C.	9411220271*	50-454 P	ANDERSON, R.O.	9411220117	50-263 S	AXELSON, W.L.	9411300121	50-10 F
ADAMS, A.	9411040187	ORG	ANDERSON, R.O.	9411220128	50-263 S	AXELSON, W.L.	9411300167	50-295 P
ADAMS, A.	9411080029	50-163 P	ANDERSON, R.O.	9411220168	50-263 S	AXELSON, W.L.	9411300172	50-254 F
ADAMS, A.	9411090401	50-186 P	ANDERSON, R.O.	9411220234	50-263 S	BACHMANN, R.G.	9411010077	70-3070
ADAMS, J.T.	9411040229	50-116 F	ANDERSON, R.O.	9411220241	50-263 P	BAGARRY, A.A.	9411170035	71-688
ADAMS, T.	9411210353*	FOIA	ANDERSON, R.O.	9411250239	50-306 Q	BAILEY, D.S.	9411040035	70-3070
ADAMS, T.G.	9411100171	40-8724	ANDERSON, R.O.	9411300134	50-282 Q	BAILEY, S.J.	9411210383	50-309 R
ADAMS, T.G.	9411210341*	FOIA	ANDERSON, R.O.	9411300258	50-282 Q	BAJRASZEWSKI, J.	9411010364	50-328 S
ADAMS, T.G.	9411210347*	FOIA	ANDERSON, R.O.	9411300273	50-263 S	BAKER, B.	9411170240*	ORG
ADAMS, V.	9411230212	50-166 R	ANDERSON, R.O.	9411300276	50-263 S	BALDWIN, R.S.	9411300027*	50-335 V
ADAMS, V.G.	9411070372	50-166 V	ANDERSON, R.O.	9411300284	50-282 S	BALL, R.S.	9411210153*	50-387 R
ADAMS, W.C.	9411020104*	70-135	ANDERSON, R.O.	9411300298	50-306 S	BALL, R.S.	9411210159*	50-387 R
ADAMS, W.C.	9411080289*	70-135	ANG, W.P.	9411170044*	50-397 Q	BAMFORD, W.H.	9411220271*	50-454 P
ADAMS, W.C.	9411140012	70-135	ANNEMAJER	9411040166	ORG	BANGART, R.	9411100023	STATE PRO G
ADAMS, W.C.	9411290244*	70-135	ANNEMAJER	9411040210	ORG	BANGART, R.L.	9411070206	STATE PRO G
ADENSAM, E.G.	9411230327*	50-266 P	APR, S.J.	9411230289	WASTE MGT	BANGART, R.L.	9411080012	STATE PRO G
ADENSAM, E.G.	9411040191	50-346 P	ARNESON, K.V.	9411070376	50-266 S	BANGART, R.L.	9411080017	STATE PRO G
ADENSAM, E.G.	9411040200*	50-346 P	ARP, S.J.	9411040212	WASTE MGT	BANGART, R.L.	9411090075	STATE PRO G
ADENSAM, E.G.	9411230081	50-255 H	ASAMI, K.	9411230053	XPORTLIC	BANGART, R.L.	9411100091	STATE PRO G
ADKINS, J.N.	9411250071	XPORTLIC	ASAMI, K.	9411230060*	XPORTLIC	BANGART, R.L.	9411160193*	PR
ADKINS, J.N.	9411250074*	XPORTLIC	ASAMI, K.	9411230066	XPORTLIC	BANGART, R.L.	9411160201*	PR
AHOLA, M.	9411220083*	WASTE MGT	ASAMI, K.	9411230070*	XPORTLIC	BANGART, R.L.	9411170055	STATE PRO G
AHOLA, M.P.	9411100287*	WASTE MGT	ASSA, R.R.	9411170128	50-457 P	BANGART, R.L.	9411220122	STATE PRO G
AHOLA, M.P.	9411280288	NUREG	ATKINSON, R.H.	9411030361	CONTRACT	BANGART, R.L.	9411220165	STATE PRO G
AIELLO, R.F.	9411030011*	50-280 Q	AUSTIN, J.	9411090192	WASTE MGT	BANGART, R.L.	9411300014	STATE PRO G
ALFORD, A.	9411100235	50-298 S	AUSTIN, J.H.	9411230035	WASTE MGT	BANGART, R.L.	9411300021	STATE PRO G
ALLEN, G.W.	9411160248	STATE PRO G	AUSTIN, J.H.	9411290281	50-29 P	BARAD, R.	9411070254*	WASTE MGT
ALLISON, D.P.	9404110411*	PR	AUSTIN, J.H.	9303040109*	FOIA	BARCHI, T.J.	9411070168	ORG
ALLISON, M.L.	9411080270	40-3453	AUSTIN, J.H.	9411100251	40-8027	BARCHI, T.J.	9411090225	ORG
AMATO, C.G.	9411150371*	70-3052	AUSTIN, J.H.	9411150112	50-54 W	BARCHI, T.J.	9411280104	ORG
ANAND, R.K.	9411170059	ORG	AUSTIN, J.H.	9411150190*	50-171 P	BARGER, J.W.	9411070005	50-346 Q
ANDERSEN, J.W.	9411230232	50-245 P	AUSTIN, J.H.	9411150370	40-7604	BARGER, J.W.	9411070006*	50-346 Q
ANDERSEN, J.W.	9411230288	50-213 P	AUSTIN, J.H.	9411150392	WASTE MGT	BARKLEY, R.S.	9411180052	PR
ANDERSEN, J.W.	9411280213	50-245 P	AUSTIN, J.H.	9411160150	70-925	BARKLEY, R.S.	9411180052	PR
ANDERSON, B.L.	9411220229	NUREG	AUSTIN, J.H.	9411160194	40-8027	BARNES, V.	9411080026	NUREG
ANDERSON, C.J.	9411020005	50-352 Q	AUSTIN, J.H.	9411160200*	40-8027	BARNES, V.	9411080032	NUREG
ANDERSON, C.J.	9411090007	50-277 Q	AUSTIN, J.H.	9411160203	70-364	BARR, K.	9411030105*	50-348 Q
ANDERSON, C.J.	9411150029	50-277 Q	AUSTIN, J.H.	9411160205*	70-364	BARR, K.	9411290092*	50-160 Q
ANDERSON, C.J.	9411150034*	50-277 Q	AUSTIN, J.H.	9411170281	27-48	BARR, K.P.	9411290255*	70-1113
ANDERSON, C.J.	9411160122	50-352 Q	AUSTIN, J.H.	9411170283*	27-48	BARRETT, R.J.	9409200241	ORG
ANDERSON, C.J.	9411160132	50-277 Q	AUSTIN, J.H.	9411210260*	FOIA	BARTH, C.A.	9411010049	50-424 G
ANDERSON, C.J.	9411220109	50-352 Q	AUSTIN, J.H.	9411210277*	FOIA	BARTH, C.A.	9411010064	50-424 G
ANDERSON, C.J.	9411220123*	50-352 Q	AUSTIN, J.H.	9411210277*	FOIA	BARTH, C.A.	9411300339	50-424 G
ANDERSON, C.J.	9411290278*	50-277 Q	AUSTIN, J.H.	9411290273	40-672	BARTH, C.A.	9411300344	50-424 G
ANDERSON, J.S.	9411040004	CONTRACT	AUSTIN, J.H.	9411300252	40-6940	BARTON, J.J.	9411030333	50-219 P
ANDERSON, M.L.	9411150381	50-305 R	AUSTIN, S.	9411090409	50-260 S	BARTON, J.J.	9411040120	50-219 F
ANDERSON, N.R.	9411140152*	FOIA	AUTRY, V.R.	9411070182	STATE PRO G	BARTON, J.J.	9411070164	50-219 Q
ANDERSON, R.A.	9411220162	50-324 P	AVERSA, L.	9411040294	50-354 S	BARTON, J.J.	9411180213	50-219 P
ANDERSON, R.A.	9411250084	50-324 P	AVERSA, L.	9411080242	50-354 S	BARTON, J.J.	9411220126	50-219 P
ANDERSON, R.A.	9411290229*	50-324 V	AXELRAD, M.	9411040029	40-8027	BARTON, J.J.	9411220330	50-219 R
ANDERSON, R.D.	9411080234	50-293 R	AXELRAD, M.	9411040029	40-8027	BARTON, J.J.	9411250206	50-219 O
ANDERSON, R.O.	9411020097	50-282 S	AXELRAD, M.	9411040041*	40-8027	BARTON, J.J.	9411300391	50-219 P

220 PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
BASS,B.R.	9411040076	NUREG	BERNERO,R.M.	9411010371	71-*****	BORES,R.	9411290275*	70-1100
BASSETT,C.H.	9411030040*	50-297	BERNERO,R.M.	9411030028	40-3453	BORES,R.J.	9411030073*	50-387
BASSETT,C.H.	9411070212*	70-1151	BERNERO,R.M.	9411030042	40-3453	BORES,R.J.	9411090025*	70-1100
BATEMAN,W.H.	9411030002	50-261	BERNERO,R.M.	9411030273	PROJ	BORES,R.J.	9411220097*	50-245
BATEMAN,W.H.	9411090248*	50-261	BERNERO,R.M.	9411080295	50-255	BORST	9411030358	50-267
BATEMAN,W.H.	9411140048*	50-400	BERNERO,R.M.	9411160189*	PR	BOSILJEVAC,F.	9411010333	WASTE MGT
BATEMAN,W.H.	9411250031*	50-395	BERNERO,R.M.	9411210308*	FOIA	BOULETTE,E.T.	9411010236	50-293
BATEMAN,W.H.	9411250172*	50-395	BERNERO,R.M.	9411210317*	FOIA	BOULETTE,E.T.	9411030096	PR
BATEMAN,W.H.	9411280179*	50-261	BERNERO,R.M.	9411220323	ORG	BOULETTE,E.T.	9411030366	50-293
BAUMGARDNER,B.	9411030098	PROJ	BERNERO,R.M.	9411230119	ORG	BOULETTE,E.T.	9411040065	50-293
BAX,R.L.	9411010307	50-249	BERNERO,R.M.	9411280054	ORG	BOULETTE,E.T.	9411070202	50-293
BAYNE,P.	9411020208	REVIEW GR P	BERNERO,R.M.	9411290174	40-8724	BOULETTE,E.T.	9411090315	50-293
BEACH,A.B.	9411070016	50-298	BERNERO,R.M.	9411300266*	50-250	BOULETTE,E.T.	9411220082	50-293
BEACH,A.B.	9411070028	50-482	BERNERO,R.M.	9411210344*	FOIA	BOULETTE,E.T.	9411250207	50-293
BEACH,A.B.	9411070063	50-298	BERNERO,R.M.	9411280258	STATE PRO G	BOULETTE,E.T.	9411250224	50-293
BEACH,A.B.	9411070118	50-445	BIDEN,J.R.	9411170045*	ORG	BOULETTE,E.T.	9411280134	50-293
BEACH,A.B.	9411070144	50-397	BIERSCHBACH,M.	9411080088	NUREG	BOULETTE,E.T.	9411280299	50-293
BEACH,A.B.	9411080014	50-458	BIERSCHBACH,M.	9411080106	NUREG	BOURASSA,M.D.	9411080244	50-155
BEACH,A.B.	9411100006	50-298	BILGER,S.J.	9411070340	CONTRACT	BOUWENS,M.R.	9411150343*	40-2253
BEACH,A.B.	9411100056	50-275	BISHOP,S.B.	9411070220	CONTRACT	BOWERS,E.J.	7810200229	50-322
BEACH,A.B.	9411160021	50-298	BISSETT,P.	9411280010*	50-334	BOWLING,M.L.	9411150416	50-280
BEACH,A.B.	9411160052	50-361	BITTNER,A.	9411080026	NUREG	BOWLING,M.L.	9411150469	50-338
BEACH,A.B.	9411170001	50-382	BITTNER,A.	9411080032	NUREG	BOWMAN,S.M.	9411080072	NUREG
BEACH,A.B.	9411170002	50-313	BLACK,S.C.	9411070194	PT21	BOYCE,R.W.	9411230291	50-353
BEACH,A.B.	9411170003	50-458	BLAHA,J.L.	9411180003	COMMISSION	BOYCE,R.W.	9411080248	50-353
BEACH,A.B.	9411170031	50-323	BLAHA,J.L.	9411180025	COMMISSION	BOYCE,T.H.	9411070271	52-1
BEACH,A.B.	9411220089	50-458	BLAHA,J.L.	9411180085	COMMISSION	BOYCE,T.H.	9411220426	52-1
BEACH,A.B.	9411220181	50-445	BLAIR,J.	9411180264*	50-482	BOYLE,M.L.	9411220383*	50-395
BEACH,A.B.	9411220185	50-361	BLAKE,J.	9411070078*	50-338	BRADSHAW,L.W.	9411210090	WASTE MGT
BEACH,A.B.	9411280011	50-498	BLAKE,J.	9411290076*	50-327	BRADY,J.B.	9411090041*	50-390
BEACH,A.B.	9411280014	50-285	BLAKE,J.J.	9411090092*	50-321	BRANCH,M.W.	9411070101*	50-280
BEACH,A.B.	9411280037	50-275	BLAKE,J.J.	9411210079*	50-259	BRANLUND,B.J.	9411160239*	50-220
BEACH,A.B.	9411202021	50-298	BLAKE,J.J.	9411290067*	50-250	BRAYMAN,J.	9411040293	50-250
BEALL,J.	9411040051	50-272	BLANCH,P.M.	9411030039*	PR	BRAYMAN,K.W.	9411080307	TOPREP
BEALL,J.	9411040078	50-254	BLANCH,P.M.	9411030057*	PR	BREENE,T.	9411170151*	50-282
BEARD,P.M.	9411030347	50-302	BLIND,A.A.	9411230214	50-315	BRICE,B.	9411140175	40-8681
BEARD,P.M.	9411080250	50-302	BLIND,A.A.	9411230217	50-316	BRIGHT,S.J.	9411230093*	50-254
BEARD,P.M.	9411100180	50-302	BLOCH,P.B.	9411100052	50-424	BRIGHT,S.J.	9411230093*	50-254
BEARDEN,W.C.	9411090041*	50-390	BLOCH,P.B.	9411180172	50-424	BRIGHT,S.J.	9411140013	50-254
BEARDSLEE,C.D.	9411080064*	50-219	BLOCH,P.B.	9411180173	50-424	BRIGL,D.	9411150323	50-265
BEAVER,J.	9411030321	50-289	BLOCH,P.B.	94111300330	50-424	BRIGL,D.	9411150323	50-265
BECHHOEFER,C.	9411100086	50-275	BLOCH,P.B.	94111300333	50-424	BRINKMAN,C.B.	9411010253	52-2
BECHHOEFER,C.	9411300321	50-160	BLOCH,P.B.	9411290296*	50-160	BRINKMAN,C.B.	9411010253	52-2
BECKER,T.S.	9411160247	50-382	BLOCH,P.B.	9411250226	50-285	BRINKMAN,D.S.	9411020110	50-220
BECKHAM,J.T.	9411030227	50-366	BLOCH,P.B.	9411180098	50-483	BRINKMAN,D.S.	9411040155	50-220
BECKHAM,J.T.	9411040097	50-321	BLUBAUGH,R.E.	9411080232	40-3453	BRINKMAN,D.S.	9411090021	50-220
BECKHAM,J.T.	9411070430	50-366	BLUBAUGH,R.E.	9411230192	40-3453	BRINKMAN,D.S.	9411140093	TOPREP
BECKHAM,J.T.	9411150265	50-321	BLUBAUGH,R.E.	9411230200	40-3453	BRINKMAN,D.S.	9411140178	50-220
BECKHAM,J.T.	9411150405	50-321	BLUBAUGH,R.E.	9411280223	40-3453	BRINKMAN,D.S.	9411280118	REVIEW GR P
BECKHAM,J.T.	9411150408	50-321	BOARDMAN,J.R.	9411280281	NUREG	BRINKMAN,D.S.	9411280237	50-410
BECKHAM,J.T.	9411160141	50-321	BOGER,B.	9411030044	50-259	BRINKMAN,D.S.	9411280241	50-220
BECKHAM,J.T.	9411220073	50-321	BOGER,B.A.	9411010106	50-269	BROCCOLO,E.A.	9411010174	50-295
BECKHAM,J.T.	9411220338	50-321	BOGER,B.A.	9411010153	50-400	BROCCOLO,E.A.	9411090280	50-304
BECKHAM,J.T.	9411250151	50-321	BOGER,B.A.	9411030022	50-259	BROCCOLO,E.A.	9411230227	50-295
BECKJORD,E.S.	9409120300*	PR	BOGER,B.A.	9411030029	50-324	BROCCOLO,E.A.	9411300272	50-295
BECKJORD,E.S.	9411020150	REGGD	BOGER,B.A.	9411030054	50-416	BROCCOLO,E.A.	9411070154	WASTE MGT
BECKJORD,E.S.	9411180044	PR	BOGER,B.A.	9411070056	50-261	BROCCOLO,E.A.	9411160216	WASTE MGT
BECKJORD,E.S.	9411230062*	PRM	BOGER,B.A.	9411070178	50-269	BROCCOLO,E.A.	9411180231	WASTE MGT
BECKJORD,E.S.	9411230326*	50-344	BOGER,B.A.	9411090018	50-250	BROCCOLO,E.A.	9411210197	WASTE MGT
BECKNER,W.D.	9411140096	50-445	BOGER,B.A.	9411210061	50-400	BROCCOLO,E.A.	9411180036*	PR
BEJLOVEC,W.	9411090339	50-373	BOGER,B.A.	9411210068	50-395	BRONSON,F.L.	9411180045	PR
BELISLE,G.A.	9411070101*	50-280	BOGER,B.A.	9411210070	50-302	BROOKS,D.	9411170183	WASTE MGT
BELISLE,G.A.	9411210060*	50-338	BOGER,B.A.	9411210207	50-269	BROUGHTON,T.G.	9411070203	50-289
BELL,D.	9411250236*	50-390	BOGER,B.A.	9411290002	50-413	BROUGHTON,T.G.	9411080109	50-289
BELL,G.M.	9411040314	50-133	BOGER,B.A.	9411290004	50-302	BROUGHTON,T.G.	9411210137	50-289
BELL,M.J.	9411170108	WASTE MGT	BOGER,B.A.	9411290055	50-413	BROUGHTON,T.G.	9411290150	50-289
BELL,M.J.	9411170120	WASTE MGT	BOGER,B.A.	9411290060	50-416	BROWN,J.F.	9411030034	CONTRACT
BELL,M.J.	9411250005	WASTE MGT	BOGER,B.A.	9411290071	50-261	BROWN,J.F.	9411040037	CONTRACT
BELLAMY,R.M.	9411150566	ORG	BOGER,B.A.	9411300064	50-424	BROWN,J.R.	9411230055*	50-269
BEMENT,R.S.	9407180094	50-313	BOGER,B.A.	9411300070	50-369	BROWN,K.	9411020034	I&E
BENES,G.G.	9411180274	50-254	BOGER,B.A.	9411300190	50-259	BROWN,R.E.	9411300149	40-8027
BENES,G.G.	9411220351	50-374	BOHLKE,W.H.	9411010040	PR	BROWN,S.W.	9411150147	50-171
BENES,G.G.	9411300204	50-373	BOHLKE,W.H.	9411220327	50-250	BROWN,S.W.	9411150185	50-171
BENJAN,R.	9411070093	ORG	BOHLKE,W.H.	9411300145	50-250	BROWN,W.S.	9411080056	NUREG
BERGMAN,T.A.	9411140159	50-445	BOLDT,G.L.	9411040297	50-302	BROWN,W.S.	9411080068	NUREG
BERGMAN,T.A.	9411140162*	50-445	BOLDT,G.L.	9411150440	50-302	BROWNSTEIN,A.B.	9411290036	WASTE MGT
BERKOW,H.N.	9411020048	50-269	BOLDT,G.L.	9411160272	50-302	BRUCE,A.L.	9411070211*	50-260
BERKOW,H.N.	9411020139	50-369	BOLDT,G.L.	9411180250	50-302	BRUNNER,J.	9411010136*	50-254
BERKOW,H.N.	9411030300	50-269	BOLDT,G.L.	9411180255	50-302	BUBICK,D.L.	9411230216*	50-315
BERKOW,H.N.	9411040257*	50-369	BONSER,B.R.	9411010190*	50-424	BUCKLER,D.	9411230285	PT21
BERKOW,H.N.	9411070363*	50-269	BONSER,B.R.	9411290020*	50-424	BUCKLEY,B.C.	9411020023	50-280
BERKOW,H.N.	9411090122*	50-269	BORCHARDT,R.W.	9411070131	52-4	BUCKLEY,B.C.	9411180076	50-280
BERKOW,H.N.	9411220231*	50-369	BORES,R.	9411030011*	50-293	BUCKLEY,B.C.	9411290105	50-280
BERLES,B.W.	9411100208	50-255	BORES,R.	9411030110*	50-277	BUCKLEY,B.C.	9411290111	50-281
BERLINGER,C.H.	9410240187*	50-280	BORES,R.	9411030141*	50-219	BUGBEE,B.	9411180024	PR
BERMUDEZ,H.	9411290038*	STATE PRO G	BORES,R.	9411030146*	50-213	BULLEN,H.C.	9411280136	71-162
BERNARD,J.A.	9411140068	50-20	BORES,R.	9411150017*	50-333	BULLEN,H.C.	9411300013	71-162
BERNERO,R.M.	9303050053*	FOIA	BORES,R.	9411180063*	50-289	BULLEN,H.C.	9411300017*	71-162

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
BULLEN,H.C.	9411300020*	71-162	CANTRELL,F.	9411290056*	50-416 Q	CHOWDURY,A.H.	9411280288	NUREG
BURBIDGE,G.	9411090260*	71-9257	CANTRELL,F.S.	9411010006*	50-416 Q	CHRISTENSEN,H.	9411010003	50-416 Q
BURDICK,T.	9411160028*	50-456 P	CANTRELL,F.S.	9411030071	50-416 P	CHRISTENSEN,H.	9411010163*	50-400 Q
BURFORD,J.N.	9411300244	50-250 P	CANTRELL,F.S.	9411070050*	50-395 Q	CHRISTENSEN,H.	9411070044	50-395 Q
BURGESS,S.D.	9411100113*	50-255 Q	CANTRELL,F.S.	9411070080*	50-395 Q	CHRISTENSEN,H.	9411070076	50-395 Q
BURNETT,R.F.	9410140257	50-3 Q	CANTRELL,F.S.	9411210022*	50-348 Q	CHRISTENSEN,H.	9411070196	50-395 Q
BURNETT,R.F.	9411220369	70-3070	CANTRELL,F.S.	9411290084*	50-395 Q	CHRISTENSEN,H.	9411070207	50-324 Q
BURSKI,R.F.	9411020258	50-382 Q	CANTRELL,F.S.	9411300037	50-395 P	CHRISTENSEN,H.	9411070226*	50-324 P
BURSKI,R.F.	9411040224	50-382 F	CAPRA,R.A.	9411080290*	50-237 P	CHRISTENSEN,H.	9411070262	50-324 Q
BURSKI,R.F.	9411040225	50-382 F	CAPRA,R.A.	9411090146	50-237 H	CHRISTENSEN,H.	9411100182	50-220 F
BURSKI,R.F.	9411100183	50-382 F	CAPRA,R.A.	9411140079*	50-237 P	CHRISTENSEN,H.	9411210012	50-324 Q
BURSKI,R.F.	9411160163	50-382 K	CAPUTO,C.	9411220180	50-286 S	CHRISTENSEN,H.	9411210015	50-348 Q
BURSKI,R.F.	9411160167	50-382 Q	CAREW,J.F.	9411080220	WASTE MGT	CHRISTENSEN,H.	9411210021*	50-324 Q
BURSKI,R.F.	9411160247	50-382 R	CAREY,T.D.	9411140019*	70-3070	CHRISTENSEN,H.	9411210027	50-261 Q
BURSKI,R.F.	9411210125	50-382 F	CARRIER,P.P.	9411020176	50-327 V	CHRISTENSEN,H.	9411210033*	50-261 Q
BURSKI,R.F.	9411280050	50-382 P	CARRIER,P.P.	9411070400	50-259 H	CHRISTENSEN,H.	9411210037*	50-261 Q
BURSKI,R.F.	9411280055	50-382 Q	CARRIER,P.P.	9411230303	50-259 F	CHRISTENSEN,H.	9411210073	50-400 Q
BUTCHER,R.	9411210039*	50-302 Q	CARLSON,R.W.	9411220229	NUREG	CHRISTENSEN,H.	9411290040	50-416 Q
BUTLER,D.	9411210123	50-250 S	CARNS,N.S.	9411030043	PR	CHRISTENSEN,H.	9411290041	50-324 Q
BUTLER,W.R.	9411020037*	50-271 P	CARNS,N.S.	9411300120	50-482 F	CHRISTENSEN,H.	9411290079	50-395 Q
BUTLER,W.R.	9411020094	50-244 P	CAROCIO,C.J.	9411220321	50-410 R	CHRISTENSEN,H.	9411290222	50-395 Q
BUTLER,W.R.	9411090117*	50-309 P	CARPENTER,C.A.	9411040254	50-301 P	CHRISTIAN,D.A.	9411020140	50-280 S
BYRAM,R.G.	9411020075	50-387 P	CARPENTER,C.A.	9411070283	50-483 P	CHRISTIAN,D.A.	9411030260	50-280 S
BYRAM,R.G.	9411020220	50-387 P	CARPENTER,C.A.	9411080037	50-301 P	CHRISTIAN,D.A.	9411090123	50-280 S
BYRAM,R.G.	9411020223*	50-387 P	CARPENTER,C.A.	9411080082*	50-461 P	CHRISTIAN,J.	9411180180	71-770
BYRAM,R.G.	9411020254	50-387 P	CARPENTER,C.A.	9411090185*	50-461 P	CHRISTNOT,E.F.	9411070054*	50-321 Q
BYRAM,R.G.	9411020256*	50-387 P	CARPENTER,J.H.	9411100052	50-424 G	CIALKOWSKI,M.	9411170314	50-373 R
BYRAM,R.G.	9411020260	50-387 Q	CARR,C.W.	9411070292	70-1201	CINQUEMANI,F.L.	9411180009	PR
BYRAM,R.G.	9411020263	50-387 F	CARR,C.W.	9411150574	70-1201	CLARK,R.A.	9411250085*	50-295 P
BYRAM,R.G.	9411020265	50-387 V	CARR,C.W.	9411160276*	71-115	CLARK,R.H.	9411010181*	50-414 P
BYRAM,R.G.	9411020273	50-387 P	CARRION,R.P.	9411090035*	50-413 Q	CLARK,R.H.	9411010187*	50-413 P
BYRAM,R.G.	9411020275*	50-387 P	CARROLL,G.	9411300335*	50-160 G	CLARY,J.R.	9411300375	CONTRACT
BYRAM,R.G.	9411020277*	50-387 P	CARSON,L.C.	9411220222	40-8989	CLAYTON,B.	9411220015	50-461 Q
BYRAM,R.G.	9411020280*	50-387 P	CARTER,K.	9411040026	CONTRACT	CLAYTON,B.	9411220018*	50-461 Q
BYRAM,R.G.	9411040258	50-387 P	CARTER,K.	9411040033	50-322 W	CLAYTON,B.	9411220101*	50-373 Q
BYRAM,R.G.	9411160280	50-387 P	CARTER,T.M.	9411230328	50-416 R	CLAYTON,O.J.	9411300280*	50-285 F
BYRAM,R.G.	9411160281*	50-387 P	CASE,M.J.	9411210104*	50-318 P	CLETCHER,J.W.	9411220300	NUREG
BYRAM,R.G.	9411180214	50-387 P	CASE,M.J.	9411220389*	50-247 P	CLETCHER,J.W.	9411220304	NUREG
BYRAM,R.G.	9411180220	50-387 Q	CASILLAS,J.L.	9411210275*	50-237 P	CLIFFORD,J.W.	9411030026	50-397 F
BYRAM,R.G.	9411210150	50-387 R	CASTELL,C.A.	9411030127	50-266 S	CLIFFORD,J.W.	9411070330	50-397 F
BYRAM,R.G.	9411250144	50-388 P	CASTO,C.	9411010031*	50-327 Q	CLIFFORD,J.W.	9411220411	50-397 P
BYRAM,R.G.	9411280192	50-387 V	CASTO,C.	9411010055*	50-327 Q	CLIFFORD,J.W.	9411220412*	50-397 P
BYRAM,R.G.	9411290136	50-387 P	CASTO,C.	9411090095*	50-269 Q	CLINE,W.	9411290027	50-395 P
BYRAM,R.G.	9411290138*	50-387 P	CASTO,C.	9411210020*	50-324 Q	CLINE,W.E.	9411010144	50-395 P
BYRAM,R.G.	9411290151	50-387 Q	CASTO,C.	9411290010*	50-348 Q	CLINE,W.E.	9411010231	50-269 F
BYRD,B.	9411040064	CONTRACT	CASTO,C.A.	9411010017*	50-261 Q	CLINE,W.E.	9411030021	50-324 F
CACAK,R.	9411140114	PR	CASTO,C.A.	9411210024	50-400 Q	CLINE,W.E.	9411030024	50-369 Q
CAHILL,S.J.	9411010103*	50-400 Q	CASTO,C.A.	9411210055	50-369 Q	CLINE,W.E.	9411030053	50-280 Q
CAHILL,W.J.	9411010287	50-286 P	CHAFEE,A.E.	9411220199	50-277 S	CLINE,W.E.	9411030092	50-348 Q
CAHILL,W.J.	9411010293*	50-286 P	CHAFEE,A.E.	9411250181	50-293 P	CLINE,W.E.	9411030095	50-259 F
CAHILL,W.J.	9411020107	50-333 P	CHAFEE,A.E.	9411280185	I&E	CLINE,W.E.	9411030112	50-327 F
CAHILL,W.J.	9411070077	50-286 Q	CHAMBERLAIN,D.	9411040006	50-482 S	CLINE,W.E.	9411030120	50-390 Q
CAHILL,W.J.	9411080162	50-333 P	CHAMBERLAIN,D.	9411070032*	50-482 Q	CLINE,W.E.	9411070105	50-338 Q
CAHILL,W.J.	9411090306	50-286 S	CHAMBERLAIN,D.	9411070125*	50-445 Q	CLINE,W.E.	9411070109	50-269 Q
CAHILL,W.J.	9411160266	50-286 S	CHAMBERLAIN,J.	9411250230	PROJ	CLINE,W.E.	9411070163	50-424 Q
CAHILL,W.J.	9411160278	50-333 Q	CHAN,T.L.	8708130104*	50-344 P	CLINE,W.E.	9411090028	50-413 Q
CAHILL,W.J.	9411160286	50-333 P	CHANIN,D.I.	9411180028	PR	CLINE,W.E.	9411210001	50-335 Q
CAHILL,W.J.	9411210194	50-286 P	CHAPMAN,N.G.	9411180190	FOIA	CLINE,W.E.	9411210050	50-327 Q
CAHILL,W.J.	9411210200*	50-286 P	CHAPPELL,C.R.	9411020271	71-9032	CLINE,W.E.	9411210105	50-250 Q
CAHILL,W.J.	9411220187	50-333 P	CHAPPELL,C.R.	9411020274	71-6049	CLINE,W.E.	9411290029	50-259 Q
CAHILL,W.J.	9411230321	50-333 P	CHAPPELL,C.R.	9411020276	71-9056	CLINE,W.E.	9411290053	50-321 Q
CAHILL,W.J.	9411280201	50-333 P	CHAPPELL,C.R.	9411030238	71-3021	CLINE,W.E.	9411290072	50-369 F
CAIN,C.L.	9411070301*	40-299	CHAPPELL,C.R.	9411040230	71-9245	CLINE,W.E.	9411290075	50-321 F
CAIN,C.L.	9411090043*	40-1162	CHAPPELL,C.R.	9411040233*	71-9245	CLINE,W.E.	9411290088	50-160 Q
CAIN,C.L.	9411090099*	40-2259	CHAPPELL,C.R.	9411040238	71-9127	CLINE,W.E.	9411290249	70-1113
CAIN,C.L.	9411180004*	50-267 Q	CHAPPELL,C.R.	9411040242*	71-9127	CLINE,W.E.	9411300001	50-269 Q
CAIN,C.L.	9411220085*	40-8971	CHAPPELL,C.R.	9411040245	71-9029	CLINE,W.E.	9411300122	50-324 F
CALLAN,L.J.	9411080018	STATE PRO G	CHAPPELL,C.R.	9411040247*	71-9029	CLINE,W.E.	9411300163	50-335 F
CALLAWAY,R.C.	9411160269	REVIEW GR P	CHAPPELL,C.R.	9411170303	71-9126	CLINE,W.F.	9411210043	50-250 F
CALLAWAY,R.C.	9411160329	REVIEW GR P	CHAPPELL,C.R.	9411170306*	71-9126	CLOERSEN,W.B.	9411010222*	70-1201
CAMP,B.	9411210123	50-250 S	CHAPPELL,C.R.	9411170326	71-9248	CLONINGER,T.H.	9411030100	50-498 P
CAMPBELL,C.A.	9411080254*	50-270 Q	CHAPPELL,C.R.	9411180269	71-9234	CLONINGER,T.H.	9411030199	50-498 Q
CAMPITELLI,A.T.	9411140170	40-6940	CHAPPELL,C.R.	9411180271*	71-9234	CLONINGER,T.H.	9411070198	50-498 P
CANADY,K.S.	9411010176	50-414 P	CHAPPELL,C.R.	9411290256	71-6553	CLONINGER,T.H.	9411250080	50-499 P
CANADY,K.S.	9411010184	50-413 P	CHAPPELL,C.R.	9411290258*	71-6553	CLONINGER,T.H.	9411300102	50-498 P
CANADY,K.S.	9411020229	50-369 P	CHARLTON,M.	9411210123	50-250 S	COHEN,S.	9411030180	CONTRACT
CANIANO,J.	9411030154	I&E	CHASE,G.	9411040153	40-8452	COLBURN,T.G.	9411010342	50-341 F
CANIANO,R.J.	9411070011	40-8155	CHASE,G.	9411170122	40-8452	COLBURN,T.G.	9411140191	50-341 P
CANIANO,R.J.	9411250200	I&E	CHATFIELD,E.	9411210365	50-334 F	COLBURN,T.G.	9411220301	50-341 P
CANT,G.	9411040044	I&E	CHERNOFF,W.P.	9411080236	PROJ	COLBURN,T.G.	9411230165	50-341 P
CANT,G.	9411040046	I&E	CHEUNG,L.	9411150023*	50-443 Q	COLE,N.M.	9411080071	50-219 P
CANT,G.	9411250189	I&E	CHIDAKEL,S.S.	9411300316	50-160 G	COLE,R.F.	9411010160	50-458 G
CANT,G.	9411250197	I&E	CHILK,S.J.	9411140161*	50-425 G	COLE,R.F.	9411180152	70-3070
CANT,G.	9411250205	I&E	CHILK,S.J.	9411300304	40-8027	COLE,R.F.	9411180156	70-3070
CANT,G.	9411250218	I&E	CHOWDHURY,A.H.	9411090282	WASTE MGT	COLE,R.F.	9411180158	70-3070
CANT,G.	9411250221	I&E	CHOWDHURY,A.H.	9411090288*	WASTE MGT	COLE,R.F.	9411300312	70-3070
CANT,G.	9411250223	I&E	CHOWDHURY,A.H.	9411100283	WASTE MGT	COLE,R.F.	9411300325	70-3070
CANTRELL,C.J.	9411030298	CONTRACT	CHOWDHURY,A.H.	9411100287*	WASTE MGT	COLEMAN,D.E.	9411220317	50-220 R

222 PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
COLEMAN,N.	9411280187	40-8902	COOPER,R.	9411080044	50-354 Q	CRUTCHFIELD,D.	9411080100	52-2
COLEY,J.L.	9411090092*	50-321 Q	COOPER,R.W.	9411020017	50-309 Q	CRUTCHFIELD,D.	9411140129	PROJ
COLEY,J.L.	9411210079*	50-259 Q	COOPER,R.W.	9411020047	50-289 Q	CRUTCHFIELD,D.	9411160321	ORG
COLFORD,C.	9411160267	XPORTLIC	COOPER,R.W.	9411220197	50-410 P	CRUTCHFIELD,D.	9411180204	52-2
COLGLAZIER,R.	9411180104	50-454 R	COOPER,R.W.	9411290234	50-244 P	CRUTCHFIELD,D.	9411250219*	52-1
COLLINGS,S.P.	9411100093	40-8943	COOPER,R.W.	9411290272	50-272 P	CRUTCHFIELD,D.	9411290119*	52-2
COLLINS,D.M.	9411010203	70-1201	COOPER,R.W.	9411290276	50-277 Q	CULBERTSON,D.L.	9411100274	71-23
COLLINS,D.M.	9411030016	70-143	COOPER,T.	9411210039*	50-302 Q	CUNNINGHAM,L.J.	9308310238*	PR
COLLINS,D.M.	9411030035	70-1151	COPINGER,D.A.	9411220300	NUREG	CUNNINGHAM,L.J.	9411090105	PR
COLLINS,D.M.	9411030036	50-297 Q	COPINGER,D.A.	9411220304	NUREG	CURET,S.B.	9411080271	FOIA
COLLINS,D.M.	9411030074	50-269 Q	CORDES,J.F.	9411180039	SECY	CURRAN,D.	9411010059	70-3070
COLLINS,D.M.	9411040012	50-335 Q	CORRANT,T.D.	9411160010	70-1201	CURRAN,D.	9411010059	70-3070
COLLINS,D.M.	9411040196	50-424 F	CORMIER,C.A.	9411040227	WASTE MGT	CURRAN,D.	9411010093	40-8027
COLLINS,D.M.	9411040270	50-321 F	CORWIN,J.B.	9411040190	CONTRACT	CURRAN,D.	9411010093	40-8027
COLLINS,D.M.	9411070191	70-1151	CORWIN,J.B.	9411070314	CONTRACT	CURRAN,D.	9411010107*	40-8027
COLLINS,D.M.	9411100166	70-27	CORWIN,J.B.	9411300378	CONTRACT	CURRAN,D.	9411010107*	40-8027
COLLINS,D.M.	9411210004	70-824	CORWIN,W.R.	9411040083	NUREG	CURRAN,D.	9411020086	40-8027
COLLINS,D.M.	9411210008	50-327 Q	COTTER,B.P.	9411010160	50-458 G	CURRAN,D.	9411020086	40-8027
COLLINS,D.M.	9411210014	70-27	COTTER,B.P.	9411300310	50-160 G	CURRAN,D.	9411040035	70-3070
COLLINS,D.M.	9411210028	70-27	COTTLE,W.T.	9411070315	50-498 P	CURRAN,D.	9411180148	70-3070
COLLINS,D.M.	9411210045	STATE PRO G	COTTLE,W.T.	9411090296	50-498	CURRAN,D.	9411300300	40-8027
COLLINS,D.M.	9411210051	70-1113	COTTLE,W.T.	9411230239	50-498 Q	CURRAN,D.	9411300300	40-8027
COLLINS,D.M.	9411210066	70-1113	COTTLE,W.T.	9411300219	50-498 P	CURTIS,J.R.	9411140158*	50-425
COLLINS,D.M.	9411210103	50-160 Q	COUTIER,W.R.	9411100263*	WASTE MGT	CYGAN,J.	9411230227	50-295
COLLINS,D.M.	9411210208	50-413 F	COWAN,J.	9411160268	50-324 Q	DAGSTANI,K.	9411080312	FOIA
COLLINS,D.M.	9411210401	50-269 F	COWAN,J.	9411220254	50-325 S	DAHBERG,K.A.	9411070419	50-410
COLLINS,D.M.	9411210402	50-369 F	COWAN,J.	9411300285	50-324 S	DAHBERG,K.A.	9411160178	50-220
COLLINS,D.M.	9411290024	70-27	COWAN,J.	9411300400	50-325 S	DAHBERG,K.A.	9411210346	50-410
COLLINS,D.M.	9411290215	70-1201	COWAN,J.P.	9411020156	50-325 P	DAHBERG,K.A.	9411220321	50-410
COLLINS,D.M.	9411290228	70-1151	COWAN,J.P.	9411020190	50-324 P	DAHBERG,K.A.	9411300269	50-410
COLLINS,D.M.	9411290238	70-1113	COWAN,J.P.	9411030137	50-324 P	DANIERO,R.D.	9411290178*	FOIA
COLLINS,D.M.	9411290245	70-143	COWGILL,C.	9411070067	50-318 S	DANKMYER,B.K.	9411210391	40-8778
COLLINS,D.M.	9411300010	70-1201	COWGILL,C.J.	9411150415	50-220 Q	DANKMYER,B.K.	9411300152	40-8778
COLLINS,D.M.	9411300079	STATE PRO G	COWGILL,C.J.	9411150484	50-333 Q	DAO,T.V.	9411150440	50-302
COLLINS,D.M.	9411300132	50-261 F	COWGILL,C.J.	9411220021	50-286 Q	DARBY,J.	9411250085*	50-295
COLLINS,F.	9411080031	ORG	COWGILL,C.J.	9411220153	50-247 Q	DATTA,A.	9411100284	40-7580
COLLINS,S.J.	9411070098	40-299	CRAFT,F.	9411290261	40-8903	DATTA,A.	9411180134	40-7580
COLLINS,S.J.	9411070023	50-285 F	CRAFT,F.	9411290262	40-8903	DAVENPORT,D.W.	9411170046	50-260
COLLINS,S.J.	9411070096	STATE PRO G	CRAFT,F.	9411290267	40-8903	DAVIS,C.R.	9411230260	50-259
COLLINS,S.J.	9411090039	40-1162	CRAFT,F.R.	9411100177	40-8903	DAVIS,J.	9411020197*	50-369
COLLINS,S.J.	9411090093	40-2259	CRANFORD,G.	9410180311	ORG	DAVIS,J.F.	9410140161*	50-250
COLLINS,S.J.	9411170032	40-6622	CRANFORD,G.F.	9410180171	ORG	DAWES,G.W.	9411070383	40-8778
COLLINS,S.J.	9411180001	50-267 Q	CRANFORD,G.F.	9411090199	ORG	DAWES,G.W.	9411210394*	40-8778
COLLINS,S.J.	9411180041	50-298 F	CRANFORD,G.F.	9411090400	ORG	DE AGAZIO,A.W.	9411230251	50-443
COLLINS,S.J.	9411180175	50-243 F	CRANFORD,G.F.	9411140127*	ORG	DE AGAZIO,A.W.	9411250027	50-443
COLLINS,S.J.	9411210038	50-344 Q	CRANFORD,G.F.	9411170272*	FOIA	DE BLOCK,M.J.	9411160133	XPORTLIC
COLLINS,S.J.	9411220019	50-312 Q	CRANFORD,G.F.	9411180053	ORG	DE PLANQUE,E.G.	9411180046	COMMISSION
COLLINS,S.J.	9411220023	50-528 P	CRANFORD,G.F.	9411180212*	FOIA	DE PLANQUE,E.G.	9411180077	COMMISSION
COLLINS,S.J.	9411220045	50-313 Q	CRANFORD,G.F.	9411280086	ORG	DE PLANQUE,E.G.	9411180080	COMMISSION
COLLINS,S.J.	9411220056	50-313 Q	CREED,J.R.	9411010057	50-409 F	DEAN,R.M.	9411090197*	50-361
COLLINS,S.J.	9411220080	40-8971	CREED,J.R.	9411030174	50-266 F	DEBARBA,E.A.	9411220362	50-336
COLLINS,S.J.	9411220092	50-344 P	CREED,J.R.	9411070030	50-254 F	DEBARBA,E.A.	9411230244	50-213
COLLINS,S.J.	9411220100	50-528 Q	CREED,J.R.	9411070074	50-282 Q	DEBARBA,E.A.	9411230249	50-213
COLLINS,S.J.	9411220136	50-361 Q	CREED,J.R.	9411150564	50-155 F	DECAMP,W.	9411040028*	50-219
COLLINS,S.J.	9411220207	70-1257	CREED,J.R.	9411220046	50-461 Q	DECKER,T.R.	9411030032*	50-369
COLLINS,S.J.	9411230118	50-498 F	CREED,J.R.	9411220202	50-155 F	DECKER,T.R.	9411070114*	50-269
COLLINS,S.J.	9411230141	50-397 F	CREED,J.R.	9411290195	50-255 Q	DECKER,T.R.	9411090035*	50-413
COLLINS,S.J.	9411230154	50-298 F	CREED,J.R.	9411300094	50-263 F	DECKER,T.R.	9411210056*	50-327
COLLINS,S.J.	9411280001	50-382 F	CREED,J.R.	9411300189	50-151 F	DEESE,R.J.	9411300373	50-369
COLLINS,S.J.	9411280004	50-456 Q	CREED,R.J.	9411220051*	50-461 Q	DEFAYETTER,W.	9411250200	I&E
COLLINS,S.J.	9411280009	50-482 F	CRLENJAK,R.V.	9411010013	50-481 Q	DEGROOT,L.J.	9411010156	REGGD.
COLLINS,S.J.	9411300158	50-397 F	CRLENJAK,R.V.	9411010016	50-327 Q	DEHART,M.D.	9411080072	NUREG
COLLINS,S.J.	9411300182	40-8084	CRLENJAK,R.V.	9411010045	50-327 Q	DELEZENSKI,J.	9411300138	50-312
COMBS,F.C.	9411210294*	FOIA	CRLENJAK,R.V.	9411010069	50-269 Q	DELLA GRECA,A.	9411150042*	50-220
COMFORT,G.C.	9411040008	PROJ	CRLENJAK,R.V.	9411010122	50-261 Q	DELMEDICO	9411250209	I&E
COMFORT,G.C.	9411290107	PROJ	CRLENJAK,R.V.	9411070072	50-338 Q	DELMEDICO,J.	9411250193	I&E
COMFORT,G.C.	9411300058	40-7102	CRLENJAK,R.V.	9411090082	50-269 Q	DELMEDICO,J.	9411250212	I&E
COMFORT,G.C.	9411300068	40-7102	CRLENJAK,R.V.	9411090084	50-321 Q	DELROSSO,L.	9411160261	50-302
CONICELLA,N.F.	9411020145	50-286 P	CRLENJAK,R.V.	9411210009	50-324 Q	DEMERCHANT,B.	9411220335*	50-219
CONICELLA,N.F.	9411080058	50-286 P	CRLENJAK,R.V.	9411210044	50-369 Q	DENTON,R.E.	9411020090	50-317
CONICELLA,N.F.	9411080104	50-286 P	CRLENJAK,R.V.	9411210069	50-259 Q	DENTON,R.E.	9411040164	50-317
CONICELLA,N.F.	9411160162	50-286 P	CRLENJAK,R.V.	9411290006	50-269 Q	DENTON,R.E.	9411040252	50-318
CONNEL,L.G.	9411090365	71-234	CRLENJAK,R.V.	9411290007	50-348 Q	DENTON,R.E.	9411080252	50-317
CONNER,J.A.	9411150009	70-27	CRLENJAK,R.V.	9411290061	50-250 Q	DENTON,R.E.	9411150338	PR
CONNER,J.A.	9411220212	70-824	CRLENJAK,R.V.	9411290069	50-327 Q	DENTON,R.E.	9411180012	50-317
CONNER,J.A.	9411280203	70-27	CRLENJAK,R.V.	9411290202	50-327 Q	DENTON,R.E.	9411230080	50-317
CONNER,J.A.	9411280224	70-27	CRLENJAK,R.V.	9411290233	50-269 Q	DESAL,B.B.	9411070259*	50-250
CONTER	9411030063*	50-293 Q	CROCKER,D.G.	9411030264	CONTRACT	DESAL,B.B.	9411290013*	50-250
CONWAY,J.J.	9411140010	PRM	CROSBIE,K.L.	9411230314	70-1359	DEWISPELARE,A.	9411090297*	WASTE MGT
CONWAY,J.J.	9411150228	PR	CROTEAU,R.	9411100278	50-250 F	DIBIASIO,A.	9411020197*	50-369
CONWAY,J.J.	9411070419	50-410 S	CROTEAU,R.	9411100280	50-250 F	DIBIASIO,A.M.	9410140161*	50-250
COOK,J.G.	9411020171	50-461 P	CROTEAU,R.P.	9411030133	50-250 P	DICK,G.F.	9411080021	50-454
COOK,J.G.	9411070424	50-461 Q	CROTEAU,R.P.	9411080047	50-250 Q	DICK,G.F.	9411080222	50-295
COOK,J.G.	9411070427	50-461 S	CROTEAU,R.P.	9411230135	50-250 P	DICK,G.F.	9411090142	50-237
COOK,J.G.	9411080269	50-461 P	CRUMP,A.E.	9411100021	STATE PRO G	DICK,G.F.	9411160142	50-454
COOK,J.G.	9411090395	50-461 Q	CRUMP,A.E.	9411100021	STATE PRO G	DICUS,G.J.	9411100034	STATE PRO G
COOLD,A.	9410140074*	PR	CRUSE,C.H.	9411180107	50-317 R	DIRCKS,W.J.	7812260205*	50-275
COONS,P.M.	9411090377	FOIA	CRUTCHFIELD,D.	9411080085	52-1	DODAR,J.	9411220222	40-8989

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
DODD,B.	9411030221	50-243 R	ELLIS,J.	9411160012	40-8027	FISICARO,J.J.	9411160196	50-458 S
DOERFLEIN,L.T.	9411150429*	50-220 Q	ELLIS,J.H.	9411220152	40-8027	FISICARO,J.J.	9411170007	50-458 P
DOELLING,H.H.	9411080274*	40-3453	ELLIS,J.H.	9411300115	40-8027	FISICARO,J.J.	9411170133	50-458 R
DOERFLEIN,L.T.	9411220163*	50-247 Q	ELROD,S.	9411010163*	50-400 Q	FISICARO,J.J.	9411220324	50-458 P
DOLAN,B.J.	9411100143*	50-269 F	ELSEN,M.J.	9411080063	27-48	FISICARO,J.J.	9411290096	50-458 S
DOLAN,B.J.	9411230045*	50-269 F	EMBREE,D.G.	9411150391	50-397 R	FISICARO,J.J.	9411300205	50-458 F
DOLAN,B.W.	9411220300	NUREG	EMMONS,K.	9411210385	50-213 R	FITZPATRICK,E.	9411010158	50-316 P
DOLAN,B.W.	9411220304	NUREG	EMRIT,R.	9411290141*	NUREG	FITZPATRICK,E.	9411010267	50-316 P
DONAHUE,J.W.	9411160233	50-400 S	ERESIAN,W.	9411170316*	50-116 V	FITZPATRICK,E.	9411010334	50-315 Q
DONNELL,T.	9411080081	ORG	ERLEY,D.D.	9411250102	40-3453	FITZPATRICK,E.	9411210284	50-315 P
DONNELLY,P.M.	9411080244	50-155 S	ERNSTES,M.	9411290221*	50-324 V	FITZPATRICK,E.	9411220274	50-315 Q
DONNELLY,P.M.	9411090261	50-155 R	ESKRIDGE,H.E.	9411140172	70-36	FITZPATRICK,E.	9411220348	50-315 P
DORMAN,D.H.	9411020032	50-271 P	ESKRIDGE,H.E.	9411140172	70-36	FITZPATRICK,E.	9411220375	50-315 F
DORMAN,D.H.	9411220244	50-271 P	ESPINOSA,J.M.	9411180033	STATE PRO G	FITZPATRICK,E.	9411300095	50-315 P
DORMSIF,W.P.	9411170092*	STATE PRO G	EUBANK,T.	9411230207	50-275 R	FITZPATRICK,E.	9411300355	50-315 P
DOVE,M.	9411080028	71-201	EVERHART,D.B.	9411150399*	40-8972	FLAGG,R.	9411210182	50-333 R
DRAGOUN,T.	9411150058*	50-184 Q	EVERHART,D.B.	9411300065*	40-8936	FLANNIGAN,R.D.	9411010165	50-482 S
DRANE,B.K.	9411020279*	70-143	EYES,C.S.	9411090399	40-7102	FLATER,D.A.	9411210337	FOIA
DRAPER,D.	9411080026	NUREG	EYES,C.S.	9411230238	40-8948	FLATER,D.A.	9411220171*	STATE PRO G
DRAPER,D.	9411030032	NUREG	EZZELL,P.F.	94111030234	50-302 F	FLEMING,J.A.	9411230191*	50-219 H
DRAPER,R.L.	9411010097	70-3070	FACAROS,N.	9411230307	50-344 P	FLEMING,J.A.	9411230199*	50-219 H
DRAPER,R.L.	9411010097	70-3070	FACCHINA,R.	9411150463	50-237 F	FLEMING,R.F.	9411090416	71-348
DRAPER,R.L.	9411010232	70-3070	FAIRTLIE,M.B.	9411170033	50-29 P	FLOREK,D.	9411220052*	50-271 V
DRAPER,R.L.	9411100150	70-3070	FANCELLI,I.A.	9411040166	ORG	FLORES,R.	9411210377	50-446 S
DRAPER,R.L.	9411180157	70-3070	FANCELLI,I.A.	9411040212	ORG	FLORES,R.	9411220156	50-446 S
DREYFUS,D.A.	9411170201	WASTE MGT	FANOUSS,F.	9411080051	52-2	FORBES,D.B.	9411070169*	50-424 Q
DRIEGER,R.W.	9411220400	50-361 S	FARBER,M.J.	9411100069	50-305 Q	FORBES,D.B.	9411210109*	50-250 Q
DROMERICK,A.W.	9411080262	50-219 P	FARBER,M.J.	9411100075*	50-305 Q	FORTUNA,R.A.	9411220360*	FOIA
DROMERICK,A.W.	9411090080	50-219 P	FARBER,M.J.	9411100076*	50-266 Q	FOSTER,J.	9411160083*	50-331 Q
DROMERICK,A.W.	9411140195	50-219 P	FARBER,M.J.	9411100077	50-266 Q	FOX,G.	9411300228	FOIA
DROMERICK,A.W.	9411160215	50-219 P	FARNHOLTZ,T.R.	9411070050*	50-395 Q	FRANCE,G.M.	9411030191*	70-36
DROMERICK,A.W.	9411230293	50-219 P	FARNHOLTZ,T.R.	9411070080*	50-395 Q	FRANKLIN,L.	9411040081	70-1358
DROMERICK,A.W.	9411250081	50-219 Q	FARNHOLTZ,T.R.	9411290084*	50-395 Q	FRANOVICH,M.X.	9411210038	52-3
DROMERICK,A.W.	9411280076	50-219 P	FARRAR,D.L.	9411210245	50-237 P	FRANTZ,S.P.	9411140186	52-1
DRYSDALE,P.	9411300075*	50-333 Q	FASANO,R.A.	9411080144	40-341	FRANTZ,S.P.	9411140188	52-1
DU PONT,S.	9411280166	WASTE MGT	FAWCETT-LONG,J.	9411080026	NUREG	FRANZ,J.F.	9411080223	50-331 P
DUDES,L.A.	9411220284	50-390 A	FAWCETT-LONG,J.	9411080032	NUREG	FRANZ,J.F.	9411080227	50-331 R
DUDES,L.A.	9411280105	50-390 A	FEDERLINE,M.	9411300393	WASTE MGT	FRANZ,J.F.	9411160026	50-331 Q
DUGSTAD,D.	9411090372	50-282 R	FEDERLINE,M.V.	9411170116	WASTE MGT	FRANZ,J.F.	9411230204	50-331 P
DUKES,J.R.	9411140025	PRM	FEDERLINE,M.V.	9411170169	WASTE MGT	FRANZ,J.F.	9411280155	50-331 P
DUMAS,D.	9411150528	PR	FEDERLINE,M.V.	9411170178	40-6622	FRANZ,J.F.	9411300053	50-331 V
DUNLOP,A.	9411160077*	50-331 Q	FEDERLINE,M.V.	9411170208	WASTE MGT	FRAZEE,T.C.	9411170086*	STATE PRO G
DUNNING,T.	9411030027	PR	FEDERLINE,M.V.	9411220405	ORG	FREDRICKSON,P.	9411030037*	50-390 Q
DUNNING,T.	9411030052	PR	FEDERLINE,M.V.	9411250014	WASTE MGT	FREDRICKSON,P.	9411030072*	50-390 Q
DURIKA,W.G.	9411010330*	50-458 R	FEIGENBAUM,T.	9411230205	50-443 Q	FREDRICKSON,P.	9411090041*	50-390 Q
DURR,J.P.	9411030077	50-443 Q	FEIGENBAUM,T.C.	9411250064	50-443 S	FREDRICKSON,P.	9411290021*	50-390 Q
DURR,J.P.	9411220064	50-289 Q	FEIGENBAUM,T.C.	9411020242	50-443 P	FREDRICKSON,P.	9411290051*	50-390 Q
DURR,J.P.	9411220091	50-245 Q	FEIGENBAUM,T.C.	9411090415	50-443 P	FREDRICKSON,P.	9411290087*	50-390 Q
EARNST,A.B.	9411290252	I&E	FEIGENBAUM,T.C.	9411150423	50-443 R	FREDRICKSON,P.	9411290114*	50-390 Q
EATON,R.B.	9411030259	50-293 P	FEIGENBAUM,T.C.	9411160089	50-443 F	FREEMAN,B.	9411170078	STATE PRO G
EATON,R.B.	9411080296	50-293 Q	FEIGENBAUM,T.C.	9411170280	50-443 P	FRESCO,A.	9411020197*	50-369 P
EBNETER,S.D.	9411010205	70-27	FEIGENBAUM,T.C.	9411300262	50-443 P	FRESCO,J.	9410140161*	50-250 P
EBNETER,S.D.	9411030080	70-27	FEINSTEIN,D.	9411230123*	ORG	FREUDENBERGER	9411210063*	50-413 Q
EBNETER,S.D.	9411070167	50-327 Q	FENECH,R.A.	9411250122	50-255 P	FRIJOUF,J.A.	9411040297	50-302 S
EBNETER,S.D.	9411290226	50-400 Q	FERDINAND,B.	9411010352	40-8084	FRIJOUF,J.A.	9411160272	50-302 S
EBNETER,S.D.	9411300083	50-281 P	FERDINAND,B.	9411090394	40-8905	FRIJOUF,J.A.	9411180250	50-302 S
EBNETER,S.D.	9411300175	50-269 Q	FERDINAND,B.	9411230221	40-8084	FRIJOUF,J.A.	9411180255	50-302 S
ECHVERRIA,D.	9411080026	NUREG	FERDINAND,B.	9411280178	40-8905	FRITZ,N.G.	9411160197	XPORTLIC
ECHVERRIA,D.	9411080032	NUREG	FERDINAND,B.	9411280191	40-8084	FRIZZLE,C.D.	9411300351	50-309 P
ECKERT,L.	9411030110*	50-277 Q	FERGUSON,D.B.	9411070204	70-143	FUHRMEISTER,R.	9411070067	50-318 S
ECKERT,L.	9411030141*	50-219 Q	FERGUSON,S.S.	9411100041	STATE PRO G	FUJIMOTO,W.H.	9411030131	50-275 P
ECKHOLT,E.	9411170151*	50-282 P	FERRILL,D.	9411220083*	WASTE MGT	FUJIMOTO,W.H.	9411180006	50-275 P
ECKLUND,B.S.	9411160250	50-528 R	FEUERBACHER,R.	9411140044*	71-9248	FUJIMOTO,W.H.	9411230207	50-275 R
ECONOMOS,N.	9411070078*	50-338 Q	FICI,J.A.	9411180122	70-1511	FULLER,M.L.	9411070033	40-3149
ECONOMOS,N.	9411290067*	50-250 Q	FICI,J.A.	9411300235	70-1151	FURIA,J.	9411030146*	50-213 Q
EDELMAN,P.G.	9411220333*	50-219 R	FIEDLER,J.	9411150446	50-237 F	FURIA,J.	9411150017*	50-333 Q
EDGAR,J.B.	9411030143	70-1257	FIEDLER,J.	9411150463	50-237 F	GALLO,R.M.	9411140057	QA999
EDGAR,J.B.	9411040193	70-1257	FIELDS,J.A.	9411040001	CONTRACT	GALLO,R.M.	9411220111	QA999
EDGAR,J.B.	9411140041	71-9248	FIELDS,J.S.	9411010348	50-387 R	GALLO,R.M.	9411220245	QA999
EDGAR,J.B.	9411140044*	71-9248	FIELDS,M.B.	9411070210	50-361 P	GAMBERONI,M.	9411040263	50-255 P
EDGAR,J.B.	9411140055	71-9217	FIELDS,M.B.	9411070221*	50-361 P	GAMBERONI,M.	9411160158	50-255 P
EDGAR,J.B.	9411150617	71-3	FIELDS,M.B.	9411080225	50-361 P	GAMBERONI,M.K.	9411020160	50-255 P
EDGAR,J.B.	9411300322	70-1257	FIELDS,M.B.	9411180054	50-361 Q	GAMBERONI,M.K.	9411070248	50-255 P
EDGE,R.	9411080238	WASTE MGT	FIELDS,P.H.	9411210236	REVIEW GR P	GAMBERONI,M.K.	9411090139	50-255 P
EDISON,G.E.	9411020135	50-412 P	FILLION,P.	9411210031*	50-400 Q	GAMBLE,R.M.	9411280283	NUREG
EDISON,G.E.	9411100169	50-334 Q	FISCHER,L.E.	9411220229	NUREG	GARCIA,A.	9411030212	WASTE MGT
EDISON,G.E.	9411140016	50-334 S	FISICARO,J.J.	9411080207*	50-458 F	GARCIA,A.	9411160359	WASTE MGT
EDWARDS,G.D.	9411080230	50-278 S	FISICARO,J.J.	9411280013	I&E	GARCIA,A.	9411170067	WASTE MGT
EDWARDS,G.D.	9411280036	50-277 S	FISICARO,J.J.	9403020078	50-458 F	GARDNER,R.L.	9411160276*	71-115
EDWARDS,K.R.	9411070388	40-8948	FISICARO,J.J.	9411010170	50-458 R	GARDNER,R.N.	9411160074	50-331 Q
EDWARDS,S.J.	9411180019	PR	FISICARO,J.J.	9411020182	50-458 P	GARDNER,R.N.	9411290012	50-341 Q
EINENBERG,E.	9411180153	50-10 R	FISICARO,J.J.	9411020286	50-458 S	GARDNER,R.N.	9411290026*	50-341 Q
EINBERG,C.	9411250008*	WASTE MGT	FISICARO,J.J.	9411040048	50-458 S	GARNER,L.W.	9411210060*	50-338 Q
EISENBERG,N.A.	9411170187	40-8943	FISICARO,J.J.	9411040115	50-458 F	GASKIN,C.E.	9411180138	40-6563
ELDER,M.L.	9411010181*	50-414 P	FISICARO,J.J.	9411070307	50-458 S	GATES,T.W.	9411020286	50-458 S
ELDER,M.L.	9411010187*	50-413 P	FISICARO,J.J.	9411070371	50-458 F	GATES,T.W.	9411040048	50-458 S
ELLIOTT,M.P.	9411210034*	70-27	FISICARO,J.J.	9411100269	50-458 Q	GATES,T.W.	9411070307	50-458 S
ELLIS,D.W.	9411010236	50-293 S	FISICARO,J.J.	9411160113	50-458 Q	GATES,T.W.	9411160196	50-458 S

224 PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
GATES, T.W.	9411290096	50-458	GRAY, P.A.	9411090258*	71-9257	GROTH, J.F.	9411230327	50-498
GATES, W.G.	9411070218	50-285	GRAY, P.A.	9411140136	71-9242	GROTH, J.F.	9411250216	50-498
GATES, W.G.	9411080136	50-285	GREENMAN, E.G.	9411010023	50-263	GROTH, J.F.	9411280142	50-498
GATES, W.G.	9411090414	50-285	GREENMAN, E.G.	9411010037	50-440	GROTH, J.F.	9411280212	50-498
GATES, W.G.	9411150070	50-285	GREENMAN, E.G.	9411010042	50-254	GROTH, J.F.	9411300314	50-498
GATES, W.G.	9411150272	50-285	GREENMAN, E.G.	9411010052	50-255	GROVE, E.	9411020197*	50-369
GATES, W.G.	9411150283	50-285	GREENMAN, E.G.	9411010065	50-254	GULDEMOND, W.G.	9411140139	50-446
GATES, W.G.	9411160237	50-285	GREENMAN, E.G.	9411010080	50-315	GULDEMOND, W.G.	9411300294	50-446
GATES, W.G.	9411160241	50-285	GREENMAN, E.G.	9411010102	50-254	GUNTER, P.	9411040028*	50-219
GATES, W.G.	9411160242*	50-285	GREENMAN, E.G.	9411010230	50-461	GUNTER, P.	9411040290	50-219
GATES, W.G.	9411170287	50-285	GREENMAN, E.G.	9411070008	50-373	GUZMAN, J.G.	9411100113*	50-255
GATES, W.G.	9411250128	50-285	GREENMAN, E.G.	9411100011	50-373	GWYNN, T.P.	9411020002	50-285
GATES, W.G.	9411300234	50-285	GREENMAN, E.G.	9411100055	50-255	GWYNN, T.P.	9411020007	50-275
GATES, W.G.	9411300278	50-285	GREENMAN, E.G.	9411100071	50-266	GWYNN, T.P.	9411020008	50-361
GAUL, W.	9411180281	40-341	GREENMAN, E.G.	9411100080	50-254	GWYNN, T.P.	9411020010	50-298
GEIGER, J.E.	9411020235	50-250	GREENMAN, E.G.	9411100126	50-10	GWYNN, T.P.	9411020011	50-482
GELLEN, D.M.	9411150336	40-6859	GREENMAN, E.G.	9411180017	50-254	GWYNN, T.P.	9411020027	50-445
GERBER, C.D.	9411080151*	40-341	GREENMAN, E.G.	9411220004	50-255	GWYNN, T.P.	9411020038	50-498
GERBER, M.D.	9411040107	CONTRACT	GREENMAN, E.G.	9411220020	50-10	GWYNN, T.P.	9411020051	50-528
GESCHWENDER, J.	9411150272	50-285	GREENMAN, E.G.	9411220027	50-341	GWYNN, T.P.	9411070069	50-285
GHASSEMI, B.	9411280283	NUREG	GREENMAN, E.G.	9411220034	50-346	GWYNN, T.P.	9411070084	50-313
GHOSH, A.	9411280288	NUREG	GREENMAN, E.G.	9411220039	50-282	GWYNN, T.P.	9411070097	50-298
GIARDINA, R.J.	9411100167	50-302	GREENMAN, E.G.	9411220068	50-282	GWYNN, T.P.	9411070126	50-528
GIBBS, L.P.	9411030219	50-317	GREENMAN, E.G.	9411220093	50-373	GWYNN, T.P.	9411070157	50-445
GIBBS, L.P.	9411140058	50-317	GREENMAN, E.G.	9411220112	50-255	GWYNN, T.P.	9411070193	50-361
GIBSON, A.F.	9411030115	50-269	GREENMAN, E.G.	9411230002	50-454	GWYNN, T.P.	9411160011	50-498
GIBSON, A.F.	9411070036	50-395	GREENMAN, E.G.	9411230010	50-461	GWYNN, T.P.	9411170034	50-397
GIBSON, A.F.	9411070039	50-413	GREENMAN, E.G.	9411230020	50-456	GWYNN, T.P.	9411170277	50-313
GIBSON, A.F.	9411070064	50-400	GREENMAN, E.G.	9411230027	50-254	GWYNN, T.P.	9411210046	50-498
GIBSON, A.F.	9411070069	50-369	GREENMAN, E.G.	9411230028	50-454	GWYNN, T.P.	9411220007	50-275
GIBSON, A.F.	9411070116	50-335	GREGORY, J.T.	9411030235	40-8724	GWYNN, T.P.	9411220024	50-482
GIBSON, A.F.	9411070152	50-261	GREGGER, L.R.	9411140066	50-440	GWYNN, T.P.	9411220148	50-382
GIBSON, A.F.	9411070153	50-424	GREGGER, L.R.	9411100073*	50-440	GWYNN, T.P.	9411280033	50-498
GIBSON, A.F.	9411070159	50-302	GREGGER, L.R.	9411100099	50-440	GWYNN, T.P.	9411290193	50-275
GIBSON, A.F.	9411070162	50-348	GREGORY, L.	9411040306	71-702	GWYNN, T.P.	9411300146	50-382
GIBSON, A.F.	9411070190	50-324	GREGORY, L.	9411040309*	71-702	HAAG, R.C.	9411070050*	50-395
GIBSON, A.F.	9411070238	50-321	GREIMANN, L.	9411080051	52-2	HAAG, R.C.	9411070080*	50-395
GIBSON, A.F.	9411070270	50-269	GRIFIN, S.B.	9411290189	FOIA	HAAG, R.C.	9411290084*	50-395
GIBSON, A.F.	9411290046	50-269	GRIFITH, B.L.	9411090273*	70-143	HAAS, K.M.	9411010164	50-255
GIBSON, A.F.	9411300026	50-269	GRIMES, B.K.	9207290242	REVIEW GR P	HAAS, K.M.	9411020205	50-255
GIBSON, A.F.	9411300054	50-324	GRIMES, B.K.	94110200153	50-3	HAAS, K.M.	9411090016	50-255
GIBSON, M.H.	9411040195	40-8584	GRIMES, B.K.	9411040133	I&E	HAAS, K.M.	9411090364	50-255
GILBERT, G.	9411180071*	50-369	GRIMES, B.K.	9411100237	50-3	HAAS, K.M.	9411100246	50-255
GILBERT, G.	9411230076*	50-369	GRIMES, B.K.	9411150578	50-3	HAAS, K.M.	9411180178	50-255
GILLEN, D.M.	9411140163	40-8902	GRIMES, B.K.	9411170039	50-3	HAAS, K.M.	9411220102	50-255
GILLEN, D.M.	9411140207	40-8903	GRIMES, B.K.	9411170279	50-3	HAAS, K.M.	9411220219	50-255
GILLEN, D.M.	9411150159	40-3453	GRIMES, B.K.	9411220280	ORG	HAERTJENS, B.L.	9411070138	70-364
GILLEN, D.M.	9411150215	40-8905	GRIMES, B.K.	9411220296*	ORG	HAERTJENS, B.L.	9411170214	70-135
GILLEN, D.M.	9411150237	40-8968	GRIMES, C.I.	9411040149	NUREG	HAERTJENS, B.L.	9411250246	70-135
GILLEN, D.M.	9411160159	40-8981	GRIMES, C.I.	9411220174	NUREG	HAGAN, J.J.	9411020058	50-272
GILLEY, S.D.	9411250077	50-328	GRIMES, C.I.	9411230170	NUREG	HAGAN, J.J.	9411020250	50-311
GIPSON, D.R.	9411160030	50-341	GRIMES, C.I.	9411280308	PR	HAGAN, J.J.	9411210395	50-311
GIPSON, D.R.	9411170256	50-341	GRIMSLEY, D.	9411090337	FOIA	HAGAN, J.J.	9411220259	50-272
GIPSON, D.R.	9411220134	50-341	GRIMSLEY, D.	9411090386	FOIA	HAGAN, J.J.	9411230308	50-311
GIPSON, D.R.	9411230085	50-341	GRIMSLEY, D.	9411230250	FOIA	HAGAN, J.J.	9411230312	50-272
GIPSON, D.R.	9411230317	50-341	GRIMSLEY, D.	9411250217	FOIA	HAGAN, J.J.	9411300084	50-272
GIPSON, D.R.	9411300107	50-341	GRIMSLEY, D.	9411290185	FOIA	HAGAN, J.J.	9411300361	50-272
GIPSON, D.R.	9411300111	50-341	GRIMSLEY, D.	9411300251	50-250	HAGAN, R.C.	9411180251	50-482
GIRARD, E.	9411010031*	50-327	GRIMSLEY, D.H.	9411080279	FOIA	HALL, J.	9411080009*	STATE PRO G
GIRARD, E.	9411290114*	50-390	GRIMSLEY, D.H.	9411080288	FOIA	HALL, J.B.	9411250194*	50-390
GLEASON, J.P.	9411010135	40-8681	GRIMSLEY, D.H.	9411080314	FOIA	HALL, J.B.	9411280095*	COMMISSION
GLEASON, J.P.	9411040021	40-8027	GRIMSLEY, D.H.	9411100138	FOIA	HALL, J.R.	9411040135	50-298
GLEASON, J.P.	9411300313	40-8027	GRIMSLEY, D.H.	9411100188	FOIA	HALL, R.E.	9411140164	40-8681
GLENN, J.	9411180202*	FOIA	GRIMSLEY, D.H.	9411100209	FOIA	HALMAN, E.L.	9411040072	CONTRACT
GLINSKI, R.L.	9411230019*	40-8948	GRIMSLEY, D.H.	9411140143	FOIA	HALTIWANGER, J.	9411210176	50-395
GLOERSEN, W.B.	9411070098*	70-824	GRIMSLEY, D.H.	9411140150	FOIA	HAMPTON, J.W.	9411020088	50-269
GLOERSEN, W.B.	9411290248*	70-143	GRIMSLEY, D.H.	9411140154	50-425	HAMPTON, J.W.	9411070344	50-269
GLUECK, D.R.	9411220324	50-458	GRIMSLEY, D.H.	9411170231	FOIA	HAMPTON, J.W.	9411070357	50-269
GODWIN, A.V.	9411180026	STATE PRO G	GRIMSLEY, D.H.	9411180117	FOIA	HAMPTON, J.W.	9411070368	50-269
GOLDEN, J.	9411030225	50-237	GRIMSLEY, D.H.	9411180193	FOIA	HAMPTON, J.W.	9411080253	50-270
GOODEN, A.	9411030105*	50-348	GRIMSLEY, D.H.	9411180199	FOIA	HAMPTON, J.W.	9411100139	50-269
GOODEN, A.	9411290092*	50-160	GRIMSLEY, D.H.	9411180223	FOIA	HAMPTON, J.W.	9411100210	50-269
GORALSKI, G.H.	9411170177	50-255	GRIMSLEY, D.H.	9411210287	FOIA	HAMPTON, J.W.	9411100253	50-269
GORDON, B.M.	9411160239*	50-220	GRIMSLEY, D.H.	9411210336	FOIA	HAMPTON, J.W.	9411150406	50-269
GORMAN, K.L.	9411140148	FOIA	GRIMSLEY, D.H.	9411210338	FOIA	HAMPTON, J.W.	9411220192	50-269
GORMAN, K.L.	9411250208	FOIA	GRIMSLEY, D.H.	9411230318	50-344	HAMPTON, J.W.	9411220251	50-270
GOSS, A.S.	9411070108	PR	GRIMSLEY, D.H.	9411250002	FOIA	HAMPTON, J.W.	9411220255	50-269
GRABO, B.A.	9411020248	50-529	GRIMSLEY, D.H.	9411250101	50-516	HAMPTON, J.W.	9411230032	50-269
GRABO, B.A.	9411090398*	50-528	GRIMSLEY, D.H.	9411250163	50-528	HAMPTON, J.W.	9411250092	50-270
GRABO, B.A.	9411300289	50-529	GRIMSLEY, D.H.	9411280268	FOIA	HAMPTON, J.W.	9411250099	50-269
GRAESSER, K.	9411080122	50-454	GRIMSLEY, D.H.	9411290175	FOIA	HAMPTON, J.W.	9411300069	50-287
GRAHAM, V.B.	9411040027	CONTRACT	GROBE, J.	9411010091	I&E	HAMPTON, J.W.	9411300392	50-269
GRAHAM, V.B.	9411040064	CONTRACT	GROBE, J.	9411230013	I&E	HANNON, J.N.	9411040286	50-255
GRANT, J.M.	9411010114	PR	GROSS, N.R.	9411070161	CONTRACT	HANNON, J.N.	9411080008	50-255
GRANT, J.M.	9411070047	50-271	GROTH, J.F.	9411150055	50-498	HANNON, J.N.	9411080199	50-263
GRAY, J.R.	9411160179*	PR	GROTH, J.F.	9411150296	50-498	HANNON, J.N.	9411090141*	50-255
GRAY, J.R.	9411210093	50-245	GROTH, J.F.	9411150312	50-498	HANNON, J.N.	9411140205*	50-315
GRAY, P.	9411090260*	71-9257	GROTH, J.F.	9411150499	50-498	HANNON, J.N.	9411150600*	50-315

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
HANNON,J.N.	9411250026	50-341 P	HELWIG,D.R.	9411160104	50-353 Q	HOLONICH,J.J.	9411150261	40-3453
HANSEN,A.G.	9411030323	50-266 P	HELWIG,D.R.	9411160109	50-352 V	HOLONICH,J.J.	9411150289	40-8968
HANSON,R.	9411300242	STATE PRO G	HENDERSON,D.A.	9411140167	50-302 P	HOLONICH,J.J.	9411150297*	40-8968
HARMON,P.E.	9411070192*	50-269 Q	HENRY,R.E.	9411290145*	50-348 P	HOLONICH,J.J.	9411150302	40-8943
HARRELL,P.H.	9411020036*	50-298 Q	HENSLEY,K.D.	9411090279*	70-143	HOLONICH,J.J.	9411150322	40-8698
HARRIS,C.	9411170266	FOIA	HENTSCHHELLA,L.	9411040079	CONTRACT	HOLONICH,J.J.	9411150334*	40-8698
HARRIS,C.A.	9411160323	FOIA	HERMANN,O.W.	9411080038	NUREG	HOLONICH,J.J.	9411150341*	40-8943
HARRIS,C.A.	9411250179	FOIA	HERNAN,R.W.	9411080189	50-289 P	HOLONICH,J.J.	9411150567	40-8968
HARRIS,D.N.	9411100245	50-245 S	HERNAN,R.W.	9411090137	50-289 P	HOLONICH,J.J.	9411170220	WASTE MGT
HARRIS,D.N.	9411250094	50-245 S	HERNAN,R.W.	9411290118	50-289 P	HOLONICH,J.J.	9411220058	WASTE MGT
HARRIS,D.R.	9411220221	50-225 P	HERNANDEZ,C.	9411280013	I&E	HOLONICH,J.J.	9411290153	40-6659
HARRISON,F.	9411170313	50-324 R	HERRON,J.T.	9411070306	50-298 S	HOLONICH,J.J.	9411290154*	40-6659
HART,T.A.	9411090212*	XPORTLIC	HERRON,J.T.	9411100235	50-298 S	HOLONICH,J.J.	9411290165	40-8902
HART,T.A.	9411090236	XPORTLIC	HERRON,J.T.	9411150269	50-298 R	HOLONICH,J.J.	9411290167*	40-8902
HARTLEY,R.S.	9411040087*	50-280 P	HERRON,J.T.	9411150536	50-298 S	HOLONICH,J.J.	9411290183	40-8102
HARTY,R.	9411170158*	50-320 P	HERRON,J.T.	9411150608	50-298 S	HOLONICH,J.J.	9411290186*	40-8102
HASBROOK,R.E.	9411030319	CONTRACT	HERRON,J.T.	9411150631	50-298 S	HOLONICH,J.J.	9411290188	40-8905
HASS,K.M.	9411160147	50-255 Q	HERRON,J.T.	9411220236	50-298 S	HOLONICH,J.J.	9411290191*	40-8905
HASS,K.M.	9411040313	50-255 P	HERRON,J.T.	9411250051	50-298 S	HOM,S.R.	9411010126	40-8027
HASSLEBERG,F.W.	9411090108	52-3	HERRON,J.T.	9411250124	50-298 S	HOM,S.R.	9411180142	40-8027
HASTY,R.	9411230076*	50-369 F	HEUMANN,E.	9411160195*	PR	HOOPER,G.L.	9411150386	50-424 R
HAUBER,R.	9411250054	XPORTLIC	HEYSEK,W.G.	9411070203	50-289 S	HOPF,J.E.	9409260126*	72-1007
HAUBER,R.D.	9411020138	XPORTLIC	HEYSEK,W.G.	9411210137	50-289 R	HOPKINS,J.B.	9411160136	50-440 P
HAUBER,R.D.	9411020147	XPORTLIC	HICKEY,J.	9411100218	70-3070	HOPKINS,P.C.	9411010190*	50-424 Q
HAUBER,R.D.	9411080055	XPORTLIC	HICKMAN,J.B.	9411040296	50-316 P	HOPKINS,P.C.	9411290020*	50-424 Q
HAUBER,R.D.	9411090389	XPORTLIC	HICKMAN,J.B.	9411140204	50-315 P	HORN,A.J.	9411150608	50-298 S
HAUBER,R.D.	9411090393	XPORTLIC	HICKMAN,J.B.	9411150592	50-315 P	HORN,A.J.	9411150631	50-298 S
HAUBER,R.D.	9411160147	XPORTLIC	HICKMAN,J.B.	9411180069*	50-315 P	HORN,G.R.	9411070151	50-298 F
HAUBER,R.D.	9411160160	XPORTLIC	HICKMAN,J.B.	9411220305	50-315 P	HORN,G.R.	9411080247	50-298 Q
HAUBER,R.D.	9411160170	XPORTLIC	HIGGINS,J.C.	9411080056	NUREG	HORN,G.R.	9411150253	50-298 F
HAUBER,R.D.	9411160174	XPORTLIC	HIGGINS,J.C.	9411080068	NUREG	HORN,G.R.	9411150516	50-298 P
HAUBER,R.D.	9411160183	XPORTLIC	HILAND,P.L.	9411010110*	50-254 Q	HORN,G.R.	9411210398	50-298 H
HAUBER,R.D.	9411160198	XPORTLIC	HILAND,P.L.	9411100142*	50-10 Q	HORN,G.R.	9411250147	50-298 F
HAUBER,R.D.	9411160208	XPORTLIC	HILAND,P.L.	9411230033*	50-254 Q	HORN,G.R.	9411300207	50-298 P
HAUBER,R.D.	9411230294	XPORTLIC	HILDEBRAND,J.E.	9411070214	50-146 P	HORNOR,J.	9411080007	I&E
HAUBER,R.D.	9411250006	XPORTLIC	HILL,L.M.	9411010365	50-286 S	HORTON,D.G.	9411100214	WASTE MGT
HAUBER,R.D.	9411250007	XPORTLIC	HILL,L.M.	9411080091	50-286 F	HORTON,D.G.	9411100219*	WASTE MGT
HAUBER,R.D.	9411250013	XPORTLIC	HILL,L.M.	9411150048	50-286 Q	HORTON,D.G.	9411100259	WASTE MGT
HAUBER,R.D.	9411250016	XPORTLIC	HILL,L.M.	9411150287	50-286 Q	HORTON,D.G.	9411100263*	WASTE MGT
HAUBER,R.D.	9411250022	XPORTLIC	HILL,L.M.	9411150447	50-286 R	HORTON,D.G.	9411160078	WASTE MGT
HAUBER,R.D.	9411250032	XPORTLIC	HILL,L.M.	9411220086	50-286 S	HORTON,D.G.	9411160081*	WASTE MGT
HAUBER,R.D.	9411250048	XPORTLIC	HILL,L.M.	9411220180	50-286 S	HORTON,D.G.	9411160263	WASTE MGT
HAUGHNEY,C.J.	9411030010	50-186 F	HILL,L.M.	9411250052	50-286 S	HORTON,D.G.	9411180265	WASTE MGT
HAUGHNEY,C.J.	9411090045	72-1007	HILL,L.T.	9411080254*	50-270 Q	HORTON,D.G.	9411180266*	WASTE MGT
HAUGHNEY,C.J.	9411090152	50-324 Y	HILL,R.D.	9411100252	50-348 F	HORTON,D.G.	9411210212	WASTE MGT
HAUGHNEY,C.J.	9411280024	70-754	HILL,R.D.	9411150485	50-348 R	HORTON,D.G.	9411220124	WASTE MGT
HAYES,B.B.	9411150367*	50-498 Q	HILL,R.D.	9411300329	50-348 S	HORTON,D.G.	9411220132*	WASTE MGT
HAYES,B.B.	9411210351*	FOIA	HILL,R.L.	9411230327	50-498 R	HORTON,D.G.	9411300239	WASTE MGT
HAYES,K.R.	9411210388	50-313 R	HILL,T.E.	9411170074*	STATE PRO G	HOSEY,C.	9411290038	STATE PRO G
HEBDON,F.J.	9411040310*	50-390 A	HILL,T.E.	9411210075*	STATE PRO G	HOTT,J.	9411290182	FOIA
HEBDON,F.J.	9411100119	50-259 P	HILL,W.	9411280307	50-263 P	HOUSE,J.E.	9411010073*	50-315 Q
HEBDON,F.J.	9411160172*	50-286 P	HILL,W.J.	9411020209	50-263 P	HOUSLEY,D.A.	9411230271*	50-440 S
HEBDON,F.J.	9411170107*	50-327 P	HILL,W.J.	9411280309	50-263 P	HOVEY,R.J.	9411010345	50-354 R
HEBDON,F.J.	9411170307	50-260 P	HILL,W.J.	9411280310	50-263 Q	HOVEY,R.J.	9411040294	50-354 S
HEBDON,F.J.	9411280047	50-259 F	HINK,A.D.	9411170270	PROJ	HOVEY,R.J.	9411080242	50-354 S
HEBDON,F.J.	9411280053*	50-259 F	HINNANT,C.S.	9411070300	50-261 Q	HOVEY,R.J.	9411230222	50-354 R
HEBERT,J.R.	9411040218	50-309 S	HINNANT,C.S.	9411150633	50-261 P	HOWARD,B.	9411230096*	50-275 P
HEBERT,J.R.	9411070189	50-309 Q	HINNANT,C.S.	9411220256	50-261 Q	HOWARD,M.L.	9411180264*	50-482 P
HEBERT,J.R.	9411150243	50-309 S	HIRSCH,D.	9411090118*	PR	HOYLE,J.C.	9411030337	50-309 S
HEBERT,J.R.	9411210383	50-309 R	HODGES,M.W.	9411090281	PROJ	HOYLE,J.C.	9411100015	PR
HEBERT,J.R.	9411220104	50-309 Q	HOFMAYER,C.	9411040293	50-250 P	HOYLE,J.C.	9411100039	STATE PRO G
HEBERT,J.R.	9411300250	50-309 Q	HOGG,R.	9411170213	27-47	HOYLE,J.C.	9411140023	PRM
HEHL,C.W.	9411090014	70-1100	HOGG,R.C.	9411040203	27-48	HOYLE,J.C.	9411140116	PR
HEHL,C.W.	9411160049	ORG	HOGG,R.C.	9411140194	27-47	HOYLE,J.C.	9411170149	10CFR
HEHL,C.W.	9411160056	ORG	HOLAHAN,G.H.	9411040285	50-387 S	HOYLE,J.C.	9411180073	ORG
HEHL,C.W.	9411220029	40-672	HOLAHAN,G.M.	9410190155*	50-10 S	HOYLE,J.C.	9411180096	10CFR
HEHR,W.	9411170004	XPORTLIC	HOLAHAN,G.M.	9411250058	50-458 Q	HOYLE,J.C.	9411180258	10CFR
HEHR,W.	9411170006	XPORTLIC	HOLBROOK,B.L.	9411070054*	50-321 Q	HOYLE,J.C.	9411180261	10CFR
HEHR,W.	9411170012	XPORTLIC	HOLIAN,B.E.	9411070232	50-528 P	HOYLE,J.C.	9411280152	10CFR
HEHR,W.	9411170015	XPORTLIC	HOLIAN,B.E.	9411070241*	50-528 P	HOYLE,J.C.	9411300306	50-324 G
HEHR,W.	9411170019	XPORTLIC	HOLIAN,B.E.	9411100030	50-529 P	HOYLE,J.C.	9411300323	50-160 G
HEHR,W.	9411170021	XPORTLIC	HOLIAN,B.E.	9411140008	50-528 P	HOYLE,J.L.	9411100031	STATE PRO G
HEHR,W.	9411170023	XPORTLIC	HOLIAN,B.E.	9411140014*	50-528 P	HOYNER,J.H.	9411220026	50-29 Q
HEHR,W.	9411170024	XPORTLIC	HOLLFIELD,C.	9411010339	50-416 S	HSIA,A.	9411250057	50-331 P
HEHR,W.	9411170025	XPORTLIC	HOLLAND,P.G.	9411080320	50-10 S	HSIA,A.	9411250059*	50-331 P
HEHR,W.	9411170026*	XPORTLIC	HOLLAND,W.E.	9411010197*	50-327 Q	HSIA,A.H.	9411020116	50-331 P
HEHR,W.	9411170043	XPORTLIC	HOLLER,E.	9411010077	70-3070	HSIA,A.H.	9411020118*	50-331 P
HEHR,W.	9411170048	XPORTLIC	HOLLER,E.	9411010134	70-3070	HSIA,A.H.	9411040248	50-331 P
HEHR,W.	9411170057	XPORTLIC	HOLLER,E.	9411100089	70-3070	HSIA,A.H.	9411070337	50-331 P
HEHR,W.	9411210023	XPORTLIC	HOLLER,E.	9411180164	70-3070	HSIA,A.H.	9411070341*	50-331 P
HEHR,W.	9411210067	XPORTLIC	HOLLOMAN,T.J.	9411150430	50-327 R	HSIA,A.H.	9411080153	50-331 P
HEHR,W.	9411210192	XPORTLIC	HOLLON,M.C.	9411160256	50-461 R	HSIEH,C.S.	9411170027	50-260 S
HEHR,W.	9411210279	XPORTLIC	HOLM,R.L.	9411030213	50-151 P	HSIEH,C.S.	9411300291	50-296 S
HEHR,W.	9411280002	XPORTLIC	HOLODY,D.	9411040059	I&E	HSIUNG,S.	9411090288*	WASTE MGT
HEIM,M.L.	9411010174	50-295 S	HOLODY,D.	9411040063	I&E	HSIUNG,S.M.	9411280288	NUREG
HEINEMAN,L.M.	9411170261	FOIA	HOLONICH,J.J.	9411030148	40-8102	HTAY,A.B.	9411070254*	WASTE MGT
HEINEMAN,L.M.	9411180196	FOIA	HOLONICH,J.J.	9411030152*	40-8102	HUBBARD,G.	9411230295*	FOIA
HELMES,C.J.	9406170233*	PR	HOLONICH,J.J.	9411040010	WASTE MGT	HUBER,M.P.	9411100113*	50-255 Q

226 PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
HUBER, R.	9411280145	71-707	JANKOVICH, J.P.	9411070175	71-702	JOOSTEN, J.K.	9411220166*	COMMISSION
HUDSPETH, J.B.	9411220302	50-348 F	JANKOVICH, J.P.	9411080188	71-496	JORDAN, E.L.	9310080277*	PR
HUFFERT, T.	9411210233*	FOIA	JANKOVICH, J.P.	9411100220	71-789	JORDAN, E.L.	9411140077*	ORG
HUGHES, J.	9411250125	50-445 R	JANKOVICH, J.P.	9411100221*	71-789	JORDAN, E.L.	9411160199*	PR
HUGHEY, C.	9411290056*	50-416 Q	JANKOVICH, J.P.	9411100224	71-201	JOYNER, J.H.	9411010331	50-352 F
HUGHEY, C.A.	9411010006*	50-416 Q	JANKOVICH, J.P.	9411100226*	71-201	JOYNER, J.H.	9411020041	50-271 F
HULL, J.T.	9411180176	50-424 G	JANKOVICH, J.P.	9411150005	71-332	JOYNER, J.H.	9411030047	50-277 F
HUMMER, J.J.	9411040030	CONTRACT	JANKOVICH, J.P.	9411150006*	71-332	JOYNER, J.H.	9411030068	50-387 Q
HUMPHREYS, L.L.	9411010161	50-289 R	JANKOVICH, J.P.	9411150007	71-325	JOYNER, J.H.	9411030085	50-293 Q
HUNGER, G.A.	9411010116	50-277 P	JANKOVICH, J.P.	9411150008*	71-325	JOYNER, J.H.	9411030104	50-277 Q
HUNGER, G.A.	9411010318	50-277 V	JANKOVICH, J.P.	9411170323	71-228	JOYNER, J.H.	9411030128	50-219 Q
HUNGER, G.A.	9411010322	50-352 P	JANKOVICH, J.P.	9411170324*	71-228	JOYNER, J.H.	9411030142	50-213 Q
HUNGER, G.A.	9411010349	50-277 P	JANKOVICH, J.P.	9411300356	71-341	JOYNER, J.H.	9411090066	50-443 Q
HUNGER, G.A.	9411020216	50-353 P	JANKOVICH, J.P.	9411300359	71-330	JOYNER, J.H.	9411090069	50-309 Q
HUNGER, G.A.	9411020244	50-277 P	JANKOVICH, J.P.	9411300360	71-360	JOYNER, J.H.	9411150012	50-333 Q
HUNGER, G.A.	9411030058	PR	JANKOVICH, J.P.	9411300363	71-260	JOYNER, J.H.	9411150020	50-244 Q
HUNGER, G.A.	9411070397	50-353 Q	JANKOVICH, J.P.	9411300365	71-238	JOYNER, J.H.	9411150026	50-317 F
HUNGER, G.A.	9411080218	50-352 F	JANKOVICH, J.P.	9411300368	71-691	JOYNER, J.H.	9411150028	50-245 Q
HUNGER, G.A.	9411160289	50-277 P	JANKOVICH, J.P.	9411300370	71-242	JOYNER, J.H.	9411150046	50-184 Q
HUNGER, G.A.	9411180161	50-277 P	JAUDON, J.	9411300199	50-390 Q	JOYNER, J.H.	9411150461	50-245 Q
HUNGER, G.A.	9411210397	50-352 F	JAUDON, J.P.	9411030013	50-390 Q	JOYNER, J.H.	9411180058	50-289 Q
HUNGER, G.A.	9411220120	50-352 P	JAUDON, J.P.	9411030025	50-390 Q	JOYNER, J.H.	9411220031*	50-29 Q
HUNGER, G.A.	9411220385	50-352 F	JAUDON, J.P.	9411030056	50-390 Q	JOYNER, J.H.	9411220055	50-272 Q
HUNGER, G.A.	9411230160	50-277 P	JAUDON, J.P.	9411070059	50-390 Q	JOYNER, J.H.	9411220084	50-245 Q
HUNGER, G.A.	9411230180	50-277 P	JAUDON, J.P.	9411090033	50-390 Q	JOYNER, J.H.	9411220172	50-333 Q
HUNGER, G.A.	9411250149	50-277 F	JAUDON, J.P.	9411090076	50-390 Q	JOYNER, J.H.	9411280005	50-286 Q
HUNGER, G.A.	9411250182	50-277 P	JAUDON, J.P.	9411210041	50-390 Q	JOYNER, J.H.	9411280029	50-309 Q
HUNGER, G.A.	9411290143	50-352 P	JAUDON, J.P.	9411290001	50-390 Q	JOYNER, J.H.	9411280038	50-289 Q
HUNGER, G.A.	9411290190	50-352 P	JAUDON, J.P.	9411290009	50-390 Q	JOYNER, J.H.	9411290274	70-1100 Q
HUNGER, G.A.	9411300305	50-352 P	JAUDON, J.P.	9411290017	50-390 Q	JOYNER, J.H.	9411300078	50-443 Q
HUNSTAD, A.A.	9411020097	50-282 S	JAUDON, J.P.	9411290022	50-390 Q	JOYNER, J.H.	9411300082	50-219 F
HUNSTAD, A.A.	9411300134	50-282 S	JAUDON, J.P.	9411290031	50-390 Q	JOYNER, J.H.	9411300106	50-272 Q
HUNSTAD, A.A.	9411300284	50-282 S	JAUDON, J.P.	9411290081	50-390 Q	JUDAY, R.A.	9411100258	40-6659 I
HUNSTAD, A.A.	9411300298	50-306 S	JAUDON, J.P.	9411290100	50-390 Q	JUDGE, J.A.	9411230231	50-293 Q
HUNTER, S.B.	9411250194*	50-390 A	JAUDON, J.P.	9411290102	50-390 Q	JULIAN, C.	9411090083*	50-390 Q
HUNTER, B.B.	9411280083*	50-390 A	JAUDON, J.P.	9411290216	50-390 Q	JURY, K.R.	9411030185	50-261 S
HUNTER, B.B.	9411280090*	COMMISSION	JAUDON, J.P.	9411290227	50-390 Q	JURY, K.R.	9411070253	50-261 S
HUNTER, B.B.	9411280095*	COMMISSION	JAUDON, J.P.	9411290259	50-390 Q	JURY, K.R.	9411210292	50-261 S
HURCHALL, J.A.	9411250232	40-7580 S	JAUDON, J.P.	9411300015	50-390 Q	JURY, K.R.	9411220176	50-261 S
HURCHALL, J.A.	9411300331	50-335 S	JAUDON, J.P.	9411300035	50-390 Q	JURY, K.R.	9411220263	50-261 S
HUTCHINSON, C.R.	9411010339	50-416 S	JAY, JOHN, E.	9411290161*	FOIA	KALMAN, G.	9411070312	50-368 P
HUTCHINSON, C.R.	9411210376	50-416 P	JEFFREY, W.J.	9411180187	50-277 R	KALMAN, G.	9411220397	50-368 V
HUTCHINSON, C.R.	9411220258	50-416 P	JEFFS, V.D.	9411170082*	STATE PRO G	KAMMERER, C.	9411290149*	50-275 H
IGLESIA, D.	9411070286	CONTRACT	JENG, D.C.	7811020287*	50-322 W	KANTNER, J.L.	9411080248	50-353 S
IGLESIA, D.	9411070286	CONTRACT	JENKINS, R.	9411210396	ORG	KANTNER, J.L.	9411230291	50-353 S
IGLESIA, D.A.	9411040259	CONTRACT	JENKINS, R.	9411220342	50-445 P	KAPLAN, R.L.	9411250017	50-361 R
IGLESIA, D.A.	9411040259	CONTRACT	JENNINGS, C.C.	9411230055*	50-269 F	KAPTUR, M.	9411100165*	72-1004
IGLESIA, D.A.	9411040269	CONTRACT	JENSEN, C.E.	9411210256	WASTE MGT	KARCHNAK, F.G.	9411170052	71-221
IGLESIA, D.A.	9411040269	CONTRACT	JICKLING, R.	9411160083*	50-331 Q	KASNER, L.L.	9411070117	STATE PRO G
INGRAM, F.L.	9411140015	70-3070	JICKLING, R.D.	9411070006*	50-346 Q	KATHPAL, H.B.	9411070325	CONTRACT
ISHII, M.	9411160157	NUREG	JOHANNES, R.N.	9411020134	50-482 P	KATHPAL, H.B.	9411070328	CONTRACT
ISKANDER, S.K.	9411040076	NUREG	JOHANNES, R.N.	9411210077	50-482 F	KATZ, D.	9411020144	50-29 H
ISKANDER, S.K.	9411160151	50-329 A	JOHANNES, R.N.	9411290030	50-482 Q	KAUL, M.K.	9411020136*	71-4909
JABBOUR, K.N.	9411040206	TOPREP	JOHNSON, A.R.	9411280048	50-244 Q	KAUP, K.	9411100117	50-456 P
JABBOUR, K.N.	9411230197	50-321 Q	JOHNSON, D.G.	9411280008	50-193 P	KAUP, K.L.	9411070423	50-456 Q
JABBOUR, K.N.	9411250056	50-321 P	JOHNSON, I.M.	9411210111	50-237 S	KAY, J.G.	9411210267	71-796
JABBOUR, K.N.	9411250069	50-321 P	JOHNSON, I.M.	9411210293	50-10 F	KAY, J.G.	9411210271*	71-796
JABBOUR, K.N.	9411280027	50-321 P	JOHNSON, I.M.	9411300211	50-10 F	KEATEN, R.W.	9411040283	50-219 P
JABBOUR, K.N.	9411280030	50-321 P	JOHNSON, P.	9411140173	FOIA	KEATEN, R.W.	9411070384	50-219 P
JACOBSEN, B.G.	9411080315	50-454 S	JOHNSON, T.B.	9411250194*	50-390 A	KEATEN, R.W.	9411090214	50-219 Q
JACOBSEN, B.	9411210188	50-454 S	JOHNSON, T.B.	9411280083*	50-390 A	KEATEN, R.W.	9411140157	50-219 P
JACOBSON, J.M.	9411100101	50-255 Q	JOHNSON, T.C.	9411280090*	COMMISSION	KEATEN, R.W.	9411150035	50-219 P
JACOBSON, J.M.	9411100113*	50-255 Q	JOHNSON, T.C.	9411020249	40-8724	KEATEN, R.W.	9411180139	50-219 P
JACOBSON, J.M.	9411160013	50-155 P	JOHNSON, T.C.	9411150233	40-8820	KEENEY, J.A.	9411040076	NUREG
JACOBSON, J.M.	9411160072	50-456 Q	JOHNSON, T.C.	9411290279	40-8724	KEIMIG, R.	9411280016*	50-286 Q
JAMES, J.G.	9411140142	FOIA	JOHNSON, T.P.	9411070259*	50-250 Q	KEIMIG, R.	9411300117*	50-272 Q
JANDOVITZ, J.S.	9411090232*	50-219 Q	JOHNSON, T.P.	9411290013*	50-250 Q	KEIMIG, R.R.	9411150030*	50-244 Q
JANG, J.C.	9411220031*	50-29 Q	JOHNSON, W.D.	9411280018*	50-285 Q	KEISER, H.W.	9411010012	50-458 G
JANG, J.C.	9411220060*	50-272 Q	JOHNSON, J.H.	9411100033	STATE PRO G	KEISER, H.W.	9411040034*	50-458 G
JANG, J.C.	9411220196*	50-333 Q	JOHNSTON, J.R.	9411090261	50-155 R	KEISER, H.W.	9411100115*	50-458 G
JANG, J.C.	9411300088*	50-443 Q	JOHNSTON, W.M.	9411280271	71-9032	KELLEY, S.J.	9411250127	50-352 R
JANISSE, J.D.	9411230215*	50-315 R	JOHNSTON, W.M.	9411280285	71-9033	KELLY, E.M.	9411020001	50-219 P
JANISSE, J.D.	9411230217	50-316 R	JOINER, J.E.	9411010188	50-424 G	KELLY, E.M.	9411020012	50-219 P
JANKOVICH, J.P.	9411010369	71-1	JOINER, J.E.	9411010192	50-424 G	KELLY, E.M.	9411030093	50-277 Q
JANKOVICH, J.P.	9411020268	71-792	JOLICOEUR, J.R.	9411180252	50-245 F	KELLY, E.M.	9411150200	50-213 Q
JANKOVICH, J.P.	9411020270*	71-792	JONES, B.W.	9411160185*	PR	KELLY, E.M.	9411150240	50-244 P
JANKOVICH, J.P.	9411030274	71-128	JONES, D.T.	9411100204	50-334 R	KELLY, E.M.	9411150258	50-220 P
JANKOVICH, J.P.	9411030278	71-257	JONES, D.W.	9411030032*	50-369 Q	KELLY, E.M.	9411150313	50-317 P
JANKOVICH, J.P.	9411030285	71-752	JONES, D.W.	9411070114*	50-269 Q	KELLY, E.M.	9411150335	50-247 P
JANKOVICH, J.P.	9411030288	71-134	JONES, D.W.	9411210056*	50-327 Q	KELLY, E.M.	9411150348	50-334 P
JANKOVICH, J.P.	9411030305	71-213	JONES, R.C.	9201240146*	50-344 P	KELLY, E.M.	9411150400	50-286 P
JANKOVICH, J.P.	9411030344	71-34	JONES, R.C.	9411030217	50-387 P	KELLY, E.M.	9411150407	50-443 P
JANKOVICH, J.P.	9411030346	71-325	JONES, R.C.	9411220131	TOPREP	KELLY, E.M.	9411150437	50-272 P
JANKOVICH, J.P.	9411070140	71-62	JONES, W.B.	9411160191	COMMISSION	KELLY, E.M.	9411150441	50-309 P
JANKOVICH, J.P.	9411070143*	71-62	JONES, W.B.	9411160249	50-275 P	KELLY, E.M.	9411150443	50-271 P
JANKOVICH, J.P.	9411070158	71-781	JONES, W.B.	9411160257	50-346 P	KELLY, E.M.	9411150451	50-387 P
JANKOVICH, J.P.	9411070166	71-146	JOOSTEN, J.K.	9411160168*	COMMISSION	KELLY, E.M.	9411150515	50-277 P
JANKOVICH, J.P.	9411070170*	71-146	JOOSTEN, J.K.	9411160175*	COMMISSION	KELLY, E.M.	9411150529	50-219 P

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
KELLY,E.M.	9411150532	50-333 P	KOZAK,T.J.	9411030082	50-282 S	LANDSMAN,R.B.	9411080306*	50-255 Y
KELLY,E.M.	9411150533	50-293 P	KRAFT,E.S.	9411010121	50-254 P	LANGE,D.J.	9411140032	50-288 V
KELLY,E.M.	9411150551	50-320 P	KRAFT,E.S.	9411070366	50-254 V	LANGE,D.J.	9411150575	50-157 V
KELLY,E.M.	9411220072	50-219 Q	KRAFT,E.S.	9411080023	50-254 V	LANGE,D.J.	9411170316*	50-116 V
KELLY,E.M.	9411300061	50-333 Q	KRAFT,E.S.	9411080146	50-254 P	LANGE,D.J.	9411180068	50-284 V
KELLY,E.M.	9411300075*	50-333 Q	KRAFT,E.S.	9411080203	50-254 S	LANGE,D.J.	9411290074	50-170 V
KELLY,G.B.	9411220309	50-331 P	KRAFT,E.S.	9411140013	50-254 S	LANGE,D.J.	9411290089	50-128 V
KELLY,G.B.	9411230063	50-331 P	KRAFT,E.S.	9411150323	50-265 S	LANKSBURY,R.	9411220038*	50-346 P
KENNEDY,J.L.	9411160148	50-255 P	KRAFT,E.S.	9411220211	50-265 S	LANKSBURY,R.D.	9411220044	50-331 Q
KENNEDY,J.L.	9411220409	50-255 P	KRAFT,E.S.	9411230125	50-254 Q	LANKSBURY,R.D.	9411220054*	50-331 Q
KENNY,A.	9411040096	TOPREP	KRAINIK,A.K.	9411010112	50-529 P	LANKSBURY,R.D.	9411220140	50-346 Q
KENNY,A.	9411160330*	REVIEW GR P	KRAUSE,D.R.	9411180191	50-62 F	LANKSBURY,R.D.	9411220147*	50-346 Q
KENNY,A.K.	9411160273*	REVIEW GR P	KRAUSE,E.A.	9411150269	50-298 R	LAPLATNEY,J.J.	94111040350	50-213 S
KENYON,T.J.	9411030304	52-3	KREISKER,D.	9411250148	50-461 K	LAPLATNEY,J.J.	9411210385	50-213 R
KERN,D.M.	9411070101*	50-280 Q	KRESS,T.S.	9411210074	52-3	LARKINS,J.T.	9411170224	ADVCM
KERR,G.W.	9411180049	PR	KRICH,R.M.	9411010129	50-261 Q	LARKINS,J.T.	9411180048	ADVCM
KERRY,J.F.	9411040302*	50-293 H	KRICH,R.M.	9411030339	50-261 F	LAU,P.	9411120288	50-457 S
KERRY,J.F.	9411230182*	50-219 H	KRICH,R.M.	9411070273	50-261 P	LAUFER,R.J.	9411040124	50-305 P
KEYS,T.A.	9411070211*	50-260 P	KRICH,R.M.	9411070431	50-261 F	LAUFER,R.J.	9411040129*	50-305 P
KHATIB-RAHBAR	9411200097*	50-295 P	KRICH,R.M.	9411080092	50-261 Q	LAUFER,R.J.	9411250039	50-305 P
KILLGORE,M.R.	9411040192*	50-446 P	KRICH,R.M.	9411180100	50-261 R	LAUFER,R.J.	9411250040*	50-305 P
KILLOREN,R.	9411030325	CONTRACT	KRICH,R.M.	9411220173	50-261 V	LAUGHERY,K.R.	9411030336	CONTRACT
KILLOREN,R.	9411030332	CONTRACT	KRICH,R.M.	9411250114	50-261 F	LAUGHIN,J.	9411300117*	50-272 Q
KILLOREN,R.	9411040089	CONTRACT	KRICH,R.M.	9411250117	50-261 P	LAWYER,L.L.	9411010103*	50-400 Q
KIMBALL,D.P.	9411220261	50-413 S	KRICH,R.M.	9411290025	50-261 S	LAWYER,L.L.	9411030011*	50-280 Q
KIMBALL,D.P.	9411220344	50-414 S	KRIEGER,R.W.	9411300297	50-361 S	LAWYER,L.L.	9411070122*	50-335 Q
KIMMICH,W.	9411300296	FOIA	KRINZMAN,A.	9411010350	50-213 S	LAWYER,L.L.	9411090088*	50-413 Q
KING,E.B.	9411150475*	50-245 Q	KRISHNAMURTHY	9411160091	NUREG	LAWYER,L.L.	9411290221*	50-324 V
KING,E.B.	9411280042*	50-289 Q	KRISHNASWAMY,P.	9411160005	NUREG	LAWYER,L.L.	9411300027*	50-335 V
KINNEMAN,J.D.	9411150317	40-2253	KROLL,T.	9411010136*	50-254 P	LAWYER,L.L.	9411300092*	50-369 Q
KINNEMAN,J.D.	9411150343*	40-2253	KROPP,W.J.	9411010054*	50-255 Q	LAYTON,M.	9411010018	40-8968
KINNEMAN,J.D.	9411220233	40-8702	KROPP,W.J.	9411010096*	50-315 Q	LAYTON,M.C.	9411160173	40-8968
KINNEMAN,J.D.	9411220243	STATE PRO G	KROPP,W.J.	9411010127	50-255 Q	LAZARUS,W.J.	9411020045	50-334 P
KINNEMAN,J.D.	9411290200	70-33	KROPP,W.J.	9411010130*	50-255 Q	LAZARUS,W.J.	9411150019*	50-309 Q
KINNEY,C.	9411250241*	50-306 Q	KROPP,W.J.	9411100058	50-255 Q	LAZARUS,W.J.	9411150419*	50-334 Q
KIRK,H.K.	9411040066	NUREG	KROPP,W.J.	9411220005*	50-255 Q	LAZARUS,W.J.	9411160061	50-309 P
KIRKWOOD,A.	9411020034	I&E	KROPP,W.J.	9411220043*	50-282 Q	LE,N.B.	9411140031	50-400 P
KIRSCH,D.	9411170047*	50-323 Q	KROPP,W.J.	9411230022	50-315 Q	LE,N.B.	9411300388	50-400 P
KIRSCH,D.	9411280044*	50-275 Q	KROPP,W.J.	9411230024*	50-315 Q	LEA,E.	9411300092*	50-369 Q
KISH,J.N.	9411140190*	50-237 S	KRUG,L.S.	9411280227	MISC	LEATHERMAN,J.E.	9411300178	52-4
KLAPPROTH,J.F.	9411020132	71-4909	KRZANIAK,M.	9411090255	71-9257	LEDoux,M.R.	9411070217	27-48
KLAPPROTH,J.F.	9411230241	70-1113	KRZANIAK,M.	9411090260*	71-9257	LEDoux,M.R.	9411070229	27-48
KLASKY,M.	9411010278	40-6940	KURITZKY,A.S.	9411250097*	50-295 P	LEE,B.S.	9411160020	NUREG
KLEINHARDT,S.	9411300254	50-374 S	LABARGE,D.E.	9411020129	50-328 P	LEE,J.I.	9411230159*	50-219 H
KLEINSORGE,W.P.	9411070050*	50-395 Q	LABARGE,D.E.	9411080172	50-327 P	LEE,M.P.	9411080076	NUREG
KLEINSORGE,W.P.	9411290084*	50-395 Q	LABARGE,D.E.	9411090103	50-327 P	LEE,M.P.	9411160357	WASTE MGT
KLINE,J.R.	9411100086	50-275 G	LABARGE,D.E.	9411170104	50-327 P	LEE,M.P.	9411170211	WASTE MGT
KNAPP,K.S.	9411160275	71-115	LABRUNA,S.	9411040139	50-354 P	LEE,S.	9411220213	PROJ
KNAPP,M.R.	9411170013	WASTE MGT	LABRUNA,S.	9411170273	50-272 R	LEE,T.D.	9411150214	70-27
KNAPP,M.R.	9411170060	WASTE MGT	LABRUNA,S.	9411220253	50-354 Q	LEE,W.J.	9409260116*	72-1007
KNAPP,M.R.	9411180189*	FOIA	LABRUNA,S.	9411300062	50-354 Q	LEFEVRE,H.E.	9411250008*	WASTE MGT
KNAPP,M.R.	9411180194*	FOIA	LABRUNA,S.	9411300125	50-354 P	LEHMANN,C.R.	9411020230*	50-387 P
KNORR,J.E.	9411010225	50-251 S	LABRUNA,S.	9411300131	50-354 Q	LENAHAN,J.	9411290076*	50-327 Q
KNORR,J.E.	9411150397	50-250 S	LADUN,R.H.	9411150314*	70-698	LENHART,T.E.	9411180233*	FOIA
KNORR,J.E.	9411210390	50-250 R	LADUN,R.H.	9411040280	50-219 P	LENHART,T.E.	9411210281*	FOIA
KOBLES,E.	9411080095	XPORTLIC	LAGOMARSINO,R.	9411250120*	50-275 H	LENTZ,F.H.	9411180266*	WASTE MGT
KOES,J.E.	9411160086	50-220 I	LAIDLAW,W.A.	9411160138	XPORTLIC	LEONARD,S.	9411280205	TOPREP
KOFRON,K.L.	9411150458	50-456 R	LAM,P.S.	9411010160	50-458 G	LESKOVJAN,LL	9411160336*	50-389 S
KOFRON,K.L.	9411210288	50-457 S	LAMASTRA,M.	9411100228	40-3392 G	LESSER,M.S.	9411010194	50-327 Q
KOFRON,K.L.	9411300184	50-457 S	LAMBERSKI,J.	9411010033	50-424 G	LESSER,M.S.	9411010197*	50-327 Q
KOH,B.	9411100265	40-8724	LAMBERSKI,J.	9411010033	50-424 G	LESSER,M.S.	9411070255	50-327 Q
KOHN,M.D.	9411010015	50-424 G	LAMBERSKI,J.	9411010244*	50-424 G	LESSER,M.S.	9411090024	50-259 O
KOHN,M.D.	9411010015	50-424 G	LAMBERSKI,J.	9411100123	50-424 G	LESSER,M.S.	9411090036*	50-259 O
KOHN,M.D.	9411010029	50-424 G	LAMBERSKI,J.	9411100123	50-424 G	LESSER,M.S.	9411290090	50-327 O
KOHN,M.D.	9411010029	50-424 G	LAMBERSKI,J.	9411100125	50-424 T	LESSER,M.S.	9411300185	50-259 P
KOHN,M.D.	9411010036*	50-424 G	LAMBERSKI,J.	9411100149	50-424 G	LESSER,T.H.	9411180280*	71-9225
KOHN,M.D.	9411010036*	50-424 G	LAMBERSKI,J.	9411100149	50-424 G	LEVANWAY,D.E.	9411040022	50-458 G
KOHN,M.D.	9411020098	50-424 G	LAMBERSKI,J.	9411100158	50-424 G	LEVANWAY,D.E.	9411040022	50-458 G
KOHN,M.D.	9411020098	50-424 G	LAMBERSKI,J.	9411100158	50-424 G	LEVANWAY,D.E.	9411040031	50-458 G
KOHN,M.D.	9411180163	50-424 G	LAMBERSKI,J.	9411140151	50-366 G	LEVANWAY,D.E.	9411100104	50-458 G
KOHN,M.D.	9411180163	50-424 G	LAMBERSKI,J.	9411180131	50-424 G	LEVENTHAL,P.	9411090118*	PR
KOHN,M.D.	9411300334	50-424 G	LAMBERSKI,J.	9411180131	50-424 G	LEVINE,J.M.	9411020248	50-529
KOHN,M.D.	9411300334	50-424 G	LAMBERSKI,J.	9411180146	50-424 T	LEVINE,J.M.	9411080134	50-529
KOHN,M.D.	9411300345	50-424 G	LAMBERSKI,J.	9411180146	50-424 T	LEVINE,J.M.	9411090391	50-528
KOHN,M.D.	9411300345	50-424 G	LAMBERSKI,J.	9411180162	50-424 G	LEVINE,J.M.	9411160250	50-528
KOKAJKO,LE.	9201170116*	50-344 P	LAMBERSKI,J.	9411180162	50-424 G	LEVINE,J.M.	9411250062	50-528 V
KOKAJKO,LE.	9202110381*	50-344 P	LAMBERSKI,J.	9411180174	50-424 G	LEVINE,J.M.	9411300089	50-530 Q
KOLL,M.	9411070186	CONTRACT	LAMBERSKI,J.	9411180174	50-424 G	LEVINE,J.M.	9411300289	50-529 S
KONZEK,G.J.	9411080088	NUREG	LAMBERSKI,J.	9411300347	50-424 G	LEVIS,B.	9411070317	50-324 F
KONZEK,G.J.	9411080106	NUREG	LAMBERSKI,J.	9411300347	50-424 G	LEVIS,B.	9411080196	50-324 F
KOSMIDER,M.D.	9411180029	PR	LAMBERT,L.D.	9411080061	NUREG	LEVIS,W.	9411170313	50-324 R
KOSMIDER,M.D.	9411230179	40-3392	LANDIS,K.	9411210039*	50-302 Q	LEWIS,D.R.	9411010050	50-424 G
KOTTENSTETTE,S.	9411080256	50-331 S	LANDIS,K.D.	9411010124*	50-335 Q	LEWIS,D.R.	9411040032	50-424 G
KOUBA,S.C.	9411030169	71-9218	LANDIS,K.D.	9411070259*	50-250 Q	LEWIS,D.R.	9411040032	50-424 G
KOUDELKA,M.B.	9411230220*	50-266 R	LANDIS,K.D.	9411210102	50-302 P	LEWIS,D.R.	9411300328	50-424 G
KOUDELKA,M.B.	9411230320	50-266 R	LANDIS,K.D.	9411290013*	50-250 Q	LEWIS,D.R.	9411300328	50-424 G
KOUTS,C.A.	9411020119	WASTE MGT	LANDIS,K.D.	9411290028	50-302 P	LEWIS,M.I.	9411180008	PR
KOZAK,M.W.	9411180005	PR	LANDRUM,J.	9411280208*	TOPREP	LICHTNER,P.C.	9411170290*	WASTE MGT

228 PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
LIEBERMAN, J.	9411040036	I&E	LOHAUS, P.H.	9411290198	STATE PRO G	MACE, M.J.	9411030296	CONTRACT
LIEBERMAN, J.	9411040051	50-272	LOHAUS, P.H.	9411290247	STATE PRO G	MACHON, R.D.	9411070279	50-260
LIEBERMAN, J.	9411040056	50-254	LOHMEIER, A.	9411220175*	50-244	MACHON, R.D.	9411090286	50-260
LIEBERMAN, J.	9411040078	50-254	LONG, A.	9411210039*	50-302	MACHON, R.D.	9411090409	50-260
LIEBERMAN, J.	9411040082	I&E	LONG, R.L.	9411160294	50-289	MACHON, R.D.	9411170027	50-260
LIEBERMAN, J.	9411150347	50-498	LONG, S.B.	9411250177	FOIA	MACHON, R.D.	9411170046	50-260
LIEBERMAN, J.	9411250191	50-498	LOO, W.T.	9411070113*	50-338	MACHON, R.D.	9411170076	50-259
LIEBERMAN, J.	9411250193	I&E	LOO, W.T.	9411290062*	50-321	MACHON, R.D.	9411300291	50-296
LIEBERMAN, J.	9411250209	I&E	LOPEZ, E.	9411210386	MISC	MACHON, R.	9411080035	MISC
LIEBERMAN, J.	9411250212	I&E	LOPRIERE, R.P.	9411030132	50-324	MACKIN, P.C.	9411090293	WASTE MGT
LIN, B.T.	9411040136	CONTRACT	LOVEJOY, L.A.	9411170242	PROJ	MACKIN, P.C.	9411090297*	WASTE MGT
LIN, B.T.	9411040174	CONTRACT	LUSTER, D.R.	9411020163	50-77	MADDEN, J.	9411080120	50-295
LIN, B.T.	9411040178	CONTRACT	LUTHIGER, P.	9411030341	40-8905	MADEDA, T.	9411290204*	50-255
LIN, B.T.	9411040183	CONTRACT	LUTZ, R.J.	9411280291*	50-348	MADEDA, T.J.	9411220051*	50-461
LIN, B.T.	9411040194	CONTRACT	LUTZ, P.J.	9411090181	50-336	MADERA, J.	9411030154	I&E
LIN, B.T.	9411040197	CONTRACT	LUTZ, P.J.	9411100241	50-336	MADERA, J.	9411230013	I&E
LIN, B.T.	9411040199	CONTRACT	LUTZ, P.J.	9411250196	50-336	MAGNO, A.C.	9411010362	71-171
LIN, B.T.	9411040202	CONTRACT	LYONS, D.W.	9411230223	50-354	MAGNO, A.C.	9411010363*	71-171
LIN, B.T.	9411040204	CONTRACT	MABRITO, B.	9411170305	WASTE MGT	MAGNUSON, S.D.	9411280167	40-8943
LIN, B.T.	9411040205	CONTRACT	MABRITO, B.	9411170321	WASTE MGT	MAGNUSON, S.D.	9411280169*	40-8943
LIN, B.T.	9411040207	CONTRACT	MABRITO, B.	9411170322*	WASTE MGT	MAGRUDER, S.L.	9411070381	52-2
LIN, B.T.	9411040219	CONTRACT	MACDONALD, C.E.	9411100190*	FOIA	MAGRUDER, S.L.	9411170168	52-3
LIN, B.T.	9411040228	50-416	MACE, M.	9411030086	CONTRACT	MAGRUDER, S.L.	9411210399	REVIEW GR P
LIN, S.D.	9411230328	50-416	MACE, M.	9411030123	50-298	MAHAFFY, J.H.	9411080035	MISC
LINEHAN, J.J.	9411030037*	50-390	MACE, M.	9411030150	50-285	MAIER, S.M.	9411040192*	50-446
LINK, B.	9411010178	50-266	MACE, M.	9411030161	50-458	MAKHIANI, A.	9411210272	FOIA
LINK, B.	9411010262	50-301	MACE, M.	9411030180	CONTRACT	MALANOWSKI, T.G.	9411010262	50-301
LINK, B.	9411020185	50-301	MACE, M.	9411030184	50-336	MALICH, P.J.	9411070227*	40-341
LINK, B.	9411030127	50-266	MACE, M.	9411030188	CONTRACT	MALICH, P.J.	9411160360	40-341
LINK, B.	9411040277	50-266	MACE, M.	9411030202	50-354	MALLET, B.	9411070124	50-417
LINK, B.	9411070376	50-266	MACE, M.	9411030208	50-313	MALLET, B.S.	9411070111	50-259
LINK, B.	9411250140	50-266	MACE, M.	9411030229	50-336	MALLET, B.S.	9411070148	50-250
LINKOUS, G.S.	9411040042	CONTRACT	MACE, M.	9411030233	50-286	MALONEY, R.E.	9411150243	50-309
LINVILLE, J.C.	9411020004	50-271	MACE, M.	9411030243	50-293	MAMISH, N.	9411040082	I&E
LINVILLE, J.C.	9411030059	50-293	MACE, M.	9411030243	50-298	MAMISH, N.	9411040085	70-27
LINVILLE, J.C.	9411150016	50-309	MACE, M.	9411030246	50-331	MANAHAN, M.P.	9411160234*	50-220
LINVILLE, J.C.	9411150413	50-334	MACE, M.	9411030252	50-266	MANAHAN, M.P.	9411160238	50-220
LINVILLE, J.C.	9411180037	50-293	MACE, M.	9411030253	CONTRACT	MANAHAN, M.P.	9411220071*	50-220
LINVILLE, J.C.	9411300003	50-293	MACE, M.	9411030289	50-285	MANAHAN, M.P.	9411220074*	50-220
LIPARULO, N.J.	9411150001	52-3	MACE, M.	9411030295	50-458	MANDEL, J.	9411040179	CONTRACT
LIPARULO, N.J.	9411010119	52-3	MACE, M.	9411030297	50-354	MANNING, W.P.	9411090232*	50-219
LIPARULO, N.J.	9411010258	52-3	MACE, M.	9411030309	50-255	MARRIOTT, P.W.	9411080116	52-4
LIPARULO, N.J.	9411010261*	52-3	MACE, M.	9411030310	50-368	MARRIOTT, P.W.	9411100272	52-4
LIPARULO, N.J.	9411010272*	50-316	MACE, M.	9411030315	50-336	MARRIOTT, P.W.	9411170278	52-4
LIPARULO, N.J.	9411030232	52-3	MACE, M.	9411030317	50-305	MARRIOTT, P.W.	9411180116	52-4
LIPARULO, N.J.	9411070332	52-3	MACE, M.	9411030319	CONTRACT	MARRIOTT, P.W.	9411220273	52-4
LIPARULO, N.J.	9411070333*	52-3	MACE, M.	9411030322	50-254	MARSH, L.B.	9411160005	NUREG
LIPARULO, N.J.	9411080034	52-3	MACE, M.	9411030332	CONTRACT	MARSH, L.B.	9411020078*	50-317
LIPARULO, N.J.	9411080043*	52-3	MACE, M.	9411040054	50-286	MARSH, L.B.	9411040165*	50-220
LIPARULO, N.J.	9411100120	52-3	MACE, M.	9411040068	50-471	MARSH, L.B.	9411080111*	50-286
LIPARULO, N.J.	9411100193	52-3	MACE, M.	9411040073	CONTRACT	MARSH, L.B.	9411080161*	50-318
LIPARULO, N.J.	9411140043	52-3	MACE, M.	9411040089	CONTRACT	MARSH, L.B.	9411090168*	50-333
LIPARULO, N.J.	9411150218	TOPREP	MACE, M.	9411040093	CONTRACT	MARSH, L.B.	9411100144	50-317
LIPARULO, N.J.	9411150238*	TOPREP	MACE, M.	9411040099	CONTRACT	MARSH, W.	9411220413	50-361
LIPARULO, N.J.	9411150385	50-206	MACE, M.	9411040111	50-266	MARSH, W.C.	9411030241	50-206
LIPARULO, N.J.	9411160154	PR	MACE, M.	9411040125	50-237	MARSH, W.C.	9411080070	50-206
LIPARULO, N.J.	9411210350*	50-454	MACE, M.	9411070066	CONTRACT	MARSH, W.C.	9411100027	STATE PRO G
LIPARULO, N.J.	9411220063	I&E	MACE, M.	9411300386	CONTRACT	MARSH, W.C.	9411250017	50-361
LIPARULO, N.J.	9411220257	52-3	MACE, M.H.	9411030214	CONTRACT	MARSH, W.C.	9411280239	50-361
LIPARULO, N.J.	9411220266*	50-454	MACE, M.H.	9411030281	CONTRACT	MARSH, W.C.	9411300030	50-361
LIPARULO, N.J.	9411230059	52-3	MACE, M.H.	9411030034	CONTRACT	MARSHALL, B.M.	9411070411	50-280
LIPARULO, N.J.	9411230072*	50-454	MACE, M.H.	9411030065	CONTRACT	MARSHALL, B.M.	9411160207	50-338
LIPARULO, N.J.	9411230092*	50-275	MACE, M.H.	9411030111	CONTRACT	MARSHALL, B.M.	9411160246	50-280
LIPARULO, N.J.	9411280164	52-3	MACE, M.H.	9411030135	50-285	MARSHALL, S.R.	9411300029*	STATE PRO G
LIPARULO, N.J.	9411280172*	52-3	MACE, M.H.	9411030155	50-458	MARTIN, J.B.	9102130262*	FOIA
LIPARULO, N.J.	9411280210	PT21	MACE, M.H.	9411030167	50-354	MARTIN, J.B.	9102130268*	FOIA
LIPARULO, N.J.	9411300380	52-3	MACE, M.H.	9411030175	50-368	MARTIN, J.B.	9411010138	50-266
LIPARULO, N.J.	9411300384*	52-3	MACE, M.H.	9411030193	CONTRACT	MARTIN, L.E.	9411010099	50-498
LIPPY, D.L.	9411250128	50-285	MACE, M.H.	9411030197	CONTRACT	MARTIN, L.E.	9411230153	50-498
LIU, C.	9411220239	NUREG	MACE, M.H.	9411030257	CONTRACT	MARTIN, L.E.	9411250240	50-498
LOCHBAUM, D.A.	9411040182	50-387	MACE, M.H.	9411030264	CONTRACT	MARTIN, L.E.	9411300223	50-498
LOCKWOOD, D.H.	9411030170	50-440	MACE, M.H.	9411030270	CONTRACT	MARTIN, R.E.	9411080194	50-413
LOCKWOOD, D.H.	9411030365	50-440	MACE, M.H.	9411030298	CONTRACT	MARTIN, T.	9411040059	I&E
LOHAUS, L.	9411080020	STATE PRO G	MACE, M.H.	9411030303	CONTRACT	MARTIN, T.	9411040063	I&E
LOHAUS, P.	9411170037	STATE PRO G	MACE, M.H.	9411030311	CONTRACT	MARTIN, T.O.	9411230006	50-315
LOHAUS, P.H.	9411030103	STATE PRO G	MACE, M.H.	9411030325	CONTRACT	MARTIN, T.T.	9411160071	50-213
LOHAUS, P.H.	9411040019	STATE PRO G	MACE, M.H.	9411030336	CONTRACT	MARTIN, T.T.	9411170237*	FOIA
LOHAUS, P.H.	9411090057	STATE PRO G	MACE, M.H.	9411030342	CONTRACT	MARTIN, T.T.	9411220226	50-293
LOHAUS, P.H.	9411090119	STATE PRO G	MACE, M.H.	9411030357	CONTRACT	MARTIN, T.T.	9411230004	50-245
LOHAUS, P.H.	9411090135	STATE PRO G	MACE, M.H.	9411030361	CONTRACT	MARTIN, T.T.	9411300016	50-277
LOHAUS, P.H.	9411140004	STATE PRO G	MACE, M.H.	9411040004	CONTRACT	MARTSEN, F.	9411010365	50-286
LOHAUS, P.H.	9411150337	STATE PRO G	MACE, M.H.	9411040013	CONTRACT	MASLAR, S.R.	9411220132*	WASTE MGT
LOHAUS, P.H.	9411150552	STATE PRO G	MACE, M.H.	9411040037	CONTRACT	MASNYK, O.M.	9411030084*	50-269
LOHAUS, P.H.	9411170051	STATE PRO G	MACE, M.H.	9411040042	CONTRACT	MASON, D.	9411150416	50-280
LOHAUS, P.H.	9411210064	STATE PRO G	MACE, M.H.	9411040049	CONTRACT	MASON, M.	9411090396	71-9202
LOHAUS, P.H.	9411220059	STATE PRO G	MACE, M.H.	9411040058	CONTRACT	MASON, M.	9411090405	71-9206
LOHAUS, P.H.	9411220096	STATE PRO G	MACE, M.H.	9411070100	CONTRACT	MASON, M.	9411150254	PROJ
LOHAUS, P.H.	9411220118	STATE PRO G	MACE, M.H.	9411300387	CONTRACT	MASON, M.	9411170275	PROJ

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
MASSEY,J.V.	9409260097	72-1007	MCALPINE,E.J.	9411210034*	70-27	MCMEEKIN,T.C.	9411070396	50-369 Q
MASSEY,J.V.	9409260126*	72-1007	MCALPINE,E.J.	9411290243*	70-1113	MCMEEKIN,T.C.	9411080131	50-369 P
MASSEY,J.V.	9411040287	72-1007	MCALPINE,E.J.	9411290248*	70-143	MCMEEKIN,T.C.	9411080163	50-369 P
MASTERLARK,J.	9411220211	50-265 S	MCCABE,D.E.	9411160151	50-329 A	MCMEEKIN,T.C.	9411180062	50-369 P
MATHENY,D.C.	9411090412	50-382 S	MCCABE,E.C.	9411090078*	50-443 Q	MCMEEKIN,T.C.	9411220286	50-369 P
MATHENY,D.C.	9411250214	50-382 S	MCCABE,E.C.	9411150475*	50-245 Q	MCMEEKIN,T.C.	9411230071	50-369 F
MATHENY,D.C.	9411250222	50-382 S	MCCABE,E.C.	9411280042*	50-289 Q	MCMEEKIN,T.C.	9411300348	50-369 S
MATTHEWS,J.E.	9411100133	40-8027	MCCANCE,W.T.	9411210237	50-245 F	MCMEEKIN,T.C.	9411300373	50-369 S
MATTHEWS,J.E.	9411100133	40-8027	MCCANCE,W.T.	9411250050	50-245 F	MCNEES,J.L.	9411170070*	STATE PRO G
MATTIA,M.J.	9411030330	CONTRACT	MCCANN,G.M.	9411030191*	70-36	MCWANE,G.J.	9411300374	CONTRACT
MATTIA,M.J.	9411030335	CONTRACT	MCCARTIN,T.	9411170174	WASTE MGT	MCWHORTER,R.D.	9411210060*	50-338 Q
MATTIA,M.J.	9411040011	CONTRACT	MCCARTIN,T.	9411250012	WASTE MGT	MECREDY,R.C.	9411030356	50-244 P
MATTIA,M.J.	9411040026	CONTRACT	MCCARTNEY,W.H.	9411140010	PRM	MECREDY,R.C.	9411020143	50-244 C
MATTIA,M.J.	9411040033	50-322 W	MCCARTNEY,W.H.	9411150228	PR	MECREDY,R.C.	9411030359*	50-244 P
MATTIA,M.J.	9411040050	CONTRACT	MCCONAGHY,W.J.	9411220138	72-1007	MECREDY,R.C.	9411030360*	50-244 P
MATTIA,M.J.	9411040090	CONTRACT	MCCONNELL,K.I.	9411080076	NUREG	MECREDY,R.C.	9411080317	50-244 P
MATTIA,M.J.	9411040101	CONTRACT	MCCOOL,W.B.	9411210316*	FOIA	MECREDY,R.C.	9411090265	50-244 Q
MATTIA,M.J.	9411040107	CONTRACT	MCCORMICK,M.J.	9411040303	50-220 F	MECREDY,R.C.	9411220310	50-244 Q
MATTIA,M.J.	9411040110	CONTRACT	MCCORMICK,M.J.	9411210118	50-410 P	MEDFORD,M.O.	9411010211	50-259 F
MATTIA,M.J.	9411040114	CONTRACT	MCCORMICK,M.J.	9411210160	50-410 P	MEDFORD,M.O.	9411040002	PR
MATTIA,M.J.	9411040126	CONTRACT	MCCORMICK,M.J.	9411210177*	50-410 P	MEEHAN,M.	9411280126*	40-672 R
MATTIA,M.J.	9411040136	CONTRACT	MCCORMICK,V.A.	9411150014	PR	MEGEHEE,M.H.	9411080001	50-344 P
MATTIA,M.J.	9411040141	CONTRACT	MCCORMICK-BARGE	9411010070	50-315 Q	MEISNER,M.J.	9411160017	50-416 R
MATTIA,M.J.	9411040143	CONTRACT	MCCORMICK-BARGE	9411010073*	50-315 Q	MELLOR,R.A.	9411070323	50-29 P
MATTIA,M.J.	9411040145	CONTRACT	MCCORMICK-BARGE	9411160073	50-331 Q	MENDEZ,R.	9411160077*	50-331 Q
MATTIA,M.J.	9411040150	CONTRACT	MCCORMICK-BARGE	9411160083*	50-331 Q	MENDONCA,M.M.	9411020043	50-170 F
MATTIA,M.J.	9411040152	CONTRACT	MCCORMICK-BERGE	9411030158	50-266 F	MENDONCA,M.M.	9411090230	50-284 V
MATTIA,M.J.	9411040157	CONTRACT	MCCOY,C.K.	9411020121	50-425 P	MENNING,J.E.	9411020055	50-383 Q
MATTIA,M.J.	9411040167	CONTRACT	MCCOY,C.K.	9411030106	50-424 S	MENNING,J.E.	9411080062*	50-286 P
MATTIA,M.J.	9411040174	CONTRACT	MCCOY,C.K.	9411030362	50-424 P	MENNING,J.E.	9411090164	50-333 P
MATTIA,M.J.	9411040178	CONTRACT	MCCOY,C.K.	9411090322	50-424 P	MENNING,J.E.	9411090238	50-333 P
MATTIA,M.J.	9411040179	CONTRACT	MCCOY,C.K.	9411150386	50-424 R	MENNING,J.E.	9411180023	50-333 Q
MATTIA,M.J.	9411040183	CONTRACT	MCCOY,C.K.	9411170212	50-424 Q	MERCER,J.M.	9411040068	50-471 P
MATTIA,M.J.	9411040194	CONTRACT	MCCOY,C.K.	9411280190	50-424 F	MERGES,P.J.	9411090079*	STATE PRO G
MATTIA,M.J.	9411040197	CONTRACT	MCCOY,C.K.	9411300317	50-424 S	MERGES,P.J.	9411090085*	STATE PRO G
MATTIA,M.J.	9411040199	CONTRACT	MCCOY,K.O.	9411030281	CONTRACT	MESERVE,R.A.	9411210158	50-206 M
MATTIA,M.J.	9411040202	CONTRACT	MCCRACKEN,C.E.	9408300133	REVIEW GR P	MESLER,F.E.	9411040049	CONTRACT
MATTIA,M.J.	9411040204	CONTRACT	MCCRACKEN,C.E.	9411210302	REVIEW GR P	METRO,B.J.	9411230103*	50-275 P
MATTIA,M.J.	9411040205	CONTRACT	MCCULLOUGH,D.	9411010136*	50-254 P	METZGER,R.L.	9411030342	CONTRACT
MATTIA,M.J.	9411040207	CONTRACT	MCCULLOUGH,H.G.	9411090029	50-302 S	MEYER,D.L.	9411150362*	PR
MATTIA,M.J.	9411040219	CONTRACT	MCDONALD,D.G.	9411020060	50-317 P	MEYER,G.	9411220008	50-245 V
MATTIA,M.J.	9411040222	CONTRACT	MCDONALD,D.G.	9411080108	50-317 P	MEYER,G.	9411220011*	50-245 V
MATTIA,M.J.	9411040228	CONTRACT	MCDONALD,D.G.	9411080156	50-318 P	MEYER,G.	9411220052*	50-271 V
MATTIA,M.J.	9411040243	CONTRACT	MCDONALD,D.G.	9411180079	50-318 P	MEYER,G.W.	9411020003	50-245 V
MATTIA,M.J.	9411040249	CONTRACT	MCDUFFIE,P.N.	9411080088	NUREG	MEYER,G.W.	9411020015	50-277 V
MATTIA,M.J.	9411040259	CONTRACT	MCDUFFIE,P.N.	9411080106	NUREG	MEYER,G.W.	9411020016	50-423 V
MATTIA,M.J.	9411040268	CONTRACT	MCELROY,M.K.	9411090367	71-*****	MEYER,G.W.	9411020018	50-317 V
MATTIA,M.J.	9411040269	CONTRACT	MCGARRY,J.M.	9411010232	70-3070	MEYER,G.W.	9411020024	50-289 V
MATTIA,M.J.	9411070186	CONTRACT	MCGARRY,J.M.	9411100083	70-3070	MEYER,G.W.	9411020029	50-286 V
MATTIA,M.J.	9411070220	CONTRACT	MCGARRY,J.M.	9411100083	70-3070	MEYER,G.W.	9411020044	50-213 V
MATTIA,M.J.	9411070286	CONTRACT	MCGARRY,J.M.	9411100095	70-3070	MEYER,G.W.	9411030177	50-277 Q
MATTIA,M.J.	9411070296	CONTRACT	MCGARRY,J.M.	9411100095	70-3070	MEYER,G.W.	9411070176	50-271 V
MATTIA,M.J.	9411070304	CONTRACT	MCGARRY,J.M.	9411180168	70-3070	MEYER,G.W.	9411100061	50-271 V
MATTIA,M.J.	9411070308	CONTRACT	MCGARRY,J.M.	9411180168	70-3070	MEYER,G.W.	9411150277	50-244 V
MATTIA,M.J.	9411070311	CONTRACT	MCGARRY,J.M.	9411300303	70-3070	MEYER,G.W.	9411150279*	50-244 V
MATTIA,M.J.	9411070318	CONTRACT	MCGARRY,J.M.	9411300303	70-3070	MEYER,G.W.	9411220001	50-410 V
MATTIA,M.J.	9411070325	CONTRACT	MCGIVERN,M.	9411010307	50-249 S	MEYER,G.W.	9411220006*	50-410 V
MATTIA,M.J.	9411070328	CONTRACT	MCGIVERN,M.	9411290270	50-237 S	MEYER,G.W.	9411220049	50-271 V
MATTIA,M.J.	9411070331	CONTRACT	MCGRATH,J.R.	9411300215	ORG	MEYER,G.W.	9411220099	50-410 V
MATTIA,M.J.	9411070334	CONTRACT	MCGRATH,J.R.	9411150374	I&E	MEYER,G.W.	9411220125	50-333 V
MATTIA,M.J.	9411070340	CONTRACT	MCGUFFIN,J.C.	9411030312	CONTRACT	MEYER,G.W.	9411220204	50-317 V
MATTIA,M.J.	9411300367	CONTRACT	MCGUIRE	9411030084*	50-269 Q	MEYER,G.W.	9411220217*	50-317 V
MATTIA,M.J.	9411300371	CONTRACT	MCGUIRE,D.R.	9411040016*	50-335 Q	MEYER,G.W.	9411280003	50-334 V
MATTIA,M.J.	9411300372	CONTRACT	MCGUIRE,D.R.	9411210016*	50-327 Q	MEYER,G.W.	9411280010*	50-334 V
MATTIA,M.J.	9411300375	CONTRACT	MCINTYRE,R.P.	9411070155*	52-4	MEYER,G.W.	9411280193	50-333 V
MATTIA,M.J.	9411300376	CONTRACT	MCINVALE,J.B.	9411180098	50-483 R	MEYER,G.W.	9411280195*	50-333 V
MATTIA,M.J.	9411300379	CONTRACT	MCKAGUE,H.L.	9411090345	WASTE MGT	MEYER,L.C.	9410040241*	50-321 Q
MATTIA,M.J.	9411300381	CONTRACT	MCKAGUE,H.L.	9411090348*	WASTE MGT	MEYER,L.C.	9410040241*	50-321 Q
MATTIA,M.J.	9411300383	CONTRACT	MCKAGUE,H.L.	9411170325	WASTE MGT	MEYER,L.C.	9411020241*	50-250 Q
MAUDLIN,R.L.	9411160081*	WASTE MGT	MCKAGUE,H.L.	9411220079	WASTE MGT	MEYER,L.C.	9411020241*	50-250 Q
MAXFIELD,G.J.	9411020212	50-266 F	MCKEE,P.F.	9407210276*	PR	MEYER,L.C.	9411250047*	50-443 Q
MAXFIELD,G.J.	9411030224	50-266 P	MCKEE,P.F.	9411070272*	50-336 P	MEYER,R.O.	9411090312	ORG
MAXFIELD,G.J.	9411090243	50-266 F	MCKEE,P.F.	9411070278	50-213 F	MICHELSSEN,M.A.	9411040185	70-36 P
MAXFIELD,G.J.	9411230030	50-266 F	MCKEE,P.F.	9411150569*	50-423 P	MICHELSSEN,M.A.	9411040185	70-36 P
MAXFIELD,G.J.	9411230218	50-266 F	MCKEE,P.F.	9411160236*	50-219 P	MICHELSSEN,M.A.	9411160031	70-1100
MAXFIELD,G.J.	9411230320	50-266 R	MCKEE,P.F.	9411230106	50-245 P	MICHELSSEN,M.A.	9411160031	70-1100
MAXIN,A.M.	9411020195	70-143	MCKEE,P.F.	9411230311*	50-336 P	MILANO,P.D.	9411090198	50-324 P
MAXIN,A.M.	9411090180	70-143	MCKEE,P.F.	9411280074*	50-219 P	MILANO,P.D.	9411150582	50-324 P
MAXWELL,B.R.	9411210286*	71-*****	MCKEE,P.F.	9411280249*	50-213 P	MILANO,P.D.	9411170300	50-324 P
MAXWELL,G.F.	9411010094*	50-369 Q	MCKEE,P.F.	9411290121	50-219 Q	MILES,B.K.	9411180179	71-987
MAYNARD,O.L.	9411010165	50-482 S	MCKEON,R.	9411010355	50-341 P	MILHOAN,J.L.	9411010162	50-498 G
MAYNARD,O.L.	9411210163	50-482 R	MCKEON,R.	9411070215	50-341 P	MILHOAN,J.L.	9411010167*	50-498 Q
MCAFFEE,W.J.	9411040076	NUREG	MCKEON,R.	9411070343	50-341 P	MILHOAN,J.L.	9411010221	50-498 Q
MCALPINE,E.J.	9411010222*	70-1201	MCKEON,R.	9411220114	50-341 P	MILHOAN,J.L.	9410300220	ORG
MCALPINE,E.J.	9411030040*	50-297 Q	MCKIBBEN,J.C.	9411020237	50-186 P	MILLER,C.L.	9411160274	ORG
MCALPINE,E.J.	9411030041*	70-1151	MCLAUGHLIN,J.	9411170009	XPORTLIC	MILLER,D.B.	9411090181	50-336 S
MCALPINE,E.J.	9411070098*	70-824	MCLAUGHLIN,J.	9411170016	XPORTLIC	MILLER,D.B.	9411100241	50-336 S
MCALPINE,E.J.	9411070212*	70-1151	MCMEEKIN,T.C.	9411020288	50-369 F	MILLER,D.B.	9411100245	50-245 S

230 PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
MILLER,D.B.	9411230167	50-423 S	MOZAFARI,B.L.	9411090240	50-261 P	NUNN,D.E.	9411020056	50-390 A
MILLER,D.B.	9411230167	50-423 S	MOZAFARI,B.L.	9411280171	50-261 P	NUNN,D.E.	9411020141	50-390 A
MILLER,D.B.	9411250094	50-245 S	MUELLER,J.H.	9411150342	50-298 Q	NUNN,D.E.	9411020198	50-390 Q
MILLER,D.B.	9411250094	50-245 S	MUELLER,J.H.	9411210240	50-298 P	NUNN,D.E.	9411020240	50-390 Q
MILLER,D.B.	9411250196	50-336 S	MUIRHEAD,D.M.	9411040284*	50-293 H	NUNN,D.E.	9411070249	50-390 S
MILLER,D.B.	9411250196	50-336 S	MULDER,R.U.	9411010237	50-62 F	NUNN,D.E.	9411070265	50-390 S
MILLER,G.	9411030051	PR	MULLINS,A.T.	9411150131	40-3453	NUNN,D.E.	9411080102	50-390 Q
MILLER,L.F.	9411010011	50-295 Q	MULLINS,A.T.	9411150364	40-3453	NUNN,D.E.	9411080110	50-390 A
MILLER,L.F.	9411010020*	50-295 Q	MUNRO,W.	9411160253	50-293 R	NUNN,D.E.	9411140022	50-390 A
MILLER,L.F.	9411230023*	50-456 Q	MUNTZ,J.A.	9411250127	50-352 R	NUNN,D.E.	9411150066	50-390 A
MILLER,L.F.	9411230031*	50-454 Q	MURDOCK,E.S.	9411160007	40-6622	NUNN,D.E.	9411150165	50-390 S
MILLER,M.	9411290010*	50-348 Q	MURDOCK,E.S.	9411160009	40-6622	NUNN,D.E.	9411180133	50-390 Q
MILLER,M.S.	9411010124*	50-335 Q	MURPHY,J.D.	9411230203	FOIA	NUNN,D.E.	9411180137	50-390 Q
MILLER,W.H.	9411290051*	50-390 Q	MURPHY,R.F.	9411010149	PT21	NUNN,D.E.	9411250029	50-390 Q
MILLS,L.	9411280260	71-9032	MURPHY,T.D.	9411100052	50-424 G	NUNN,D.E.	9411250034	50-390 A
MILNER,R.A.	9411180267	WASTE MGT	MURRAY,B.	9411220053*	50-313 Q	NUNN,D.E.	9411250046	50-390 Q
MILNER,R.A.	9411210263	WASTE MGT	MURRAY,B.	9411220107*	50-528 Q	NUNN,D.E.	9411250234	50-390 A
MIMS,D.C.	9411020154	50-368 F	MURRAY,B.	9411220142*	50-361 Q	NUNN,D.E.	9411280189	50-390 F
MIMS,D.C.	9411070299	50-368 Q	MURRAY,B.	9411280006*	50-458 Q	NUNN,D.E.	9411300136	50-390 S
MIMS,D.C.	9411080211	50-313 V	MURTHA,J.P.	9411220249*	ORG	O'BRIEN,D.W.	9411250052	50-286 S
MIMS,D.C.	9411090349	50-368 S	MUSE,J.A.	9411020136*	71-4909	O'BRIEN,P.	9411160157	NUREG
MIMS,D.C.	9411090353	50-313 S	MYERS,J.R.	9411250051	50-298 S	O'CONNOR,P.O.	9411140113	50-416 P
MIMS,D.C.	9411150002	50-313 Q	MYERS,L.W.	9411010199	50-498 S	O'HANLON,J.P.	9411020295	50-280 F
MIMS,D.C.	9411150122	50-313 Q	MYERS,R.L.	9411220119*	50-341 P	O'HANLON,J.P.	9411030343	50-338 P
MIMS,D.C.	9411150355	50-313 P	NADEMUS,R.	9411090232*	50-219 Q	O'HANLON,J.P.	9411040055	50-281 P
MIMS,D.C.	9411210387	50-368 R	NAIR,P.K.	9411170288	WASTE MGT	O'HANLON,J.P.	9411080033	PR
MIMS,D.C.	9411210388	50-313 R	NAIR,P.K.	9411170320	WASTE MGT	O'HANLON,J.P.	9411150572	50-338 Q
MIMS,D.C.	9411220299	50-368 R	NALLUSWAMI,M.S.	9411180249*	FOIA	O'HANLON,J.P.	9411180083	50-280 Q
MIMS,D.C.	9411250202	50-313 Q	NANEY,M.T.	9411090195*	WASTE MGT	O'HANLON,J.P.	9411210268	50-338 P
MIMS,D.C.	9411300290	50-368 S	NANSTAD,R.K.	9411160151	50-329 A	O'HANLON,J.P.	9411210274	50-280 P
MIN,P.A.	9411160225	XPORTLIC	NARDONE,P.E.	9411150423	FOIA	O'HANLON,J.P.	9411210278	50-280 P
MIN,P.A.	9411160292	XPORTLIC	NAULLUSWAMI,M.	9411210334*	FOIA	O'HANLON,J.P.	9411210370	50-280 Q
MINARICK,J.W.	9411220300	NUREG	NEISES,G.J.	9411180264*	50-482 P	O'HANLON,J.P.	9411220189	50-280 P
MINARICK,J.W.	9411220304	NUREG	NELSON,D.W.	9411300203*	50-186 Q	O'HANLON,J.P.	9411220278	50-280 Q
MINNITTE,S.F.	9411080309	40-341	NELSON,D.W.	9411070070*	50-186 Q	O'HANLON,J.P.	9411220356	50-338 F
MIRAGLIA,F.	9308260132*	PR	NELSON,D.W.	9411220248*	50-461 Q	O'HANLON,J.P.	9411220425	50-338 P
MIRAGLIA,F.J.	9404250053*	PR	NELSON,M.A.	9411030231	50-289 F	O'HANLON,J.P.	9411230156	50-338 F
MIRAGLIA,F.J.	9411220215	QA999	NELSON,O.	9411170151*	50-282 P	O'HARA,J.M.	9411080056	NUREG
MOBLEY,M.H.	9411100029	STATE PRO G	NELSON,R.A.	9411090410	40-8948	O'HARA,J.M.	9411080068	NUREG
MODEEN,D.J.	9411160291	REVIEW GR P	NELSON,R.A.	9411220095	40-8948	O'LEARY,H.R.	9411220075*	ORG
MODES,M.C.	9411080010	50-277 P	NERSES,V.	9411040250	50-369 P	O'DEAL,E.J.	9411180222*	FOIA
MODES,M.C.	9411080057	50-219 Q	NERSES,V.	9411090218	50-369 P	OFOEGBU,G.I.	9411100287*	WASTE MGT
MODES,M.C.	9411080064*	50-219 Q	NERSES,V.	9411180110	50-369 P	OHNSON,T.B.	9411280095*	COMMISSION
MODES,M.C.	9411150308	50-277 P	NERSES,V.	9411180136*	50-369 P	OKELLY,S.	9411100028	50-128 F
MODES,M.C.	9411150548	50-289 P	NERSES,V.	9411220223	50-369 P	OLIVIER,L.J.	9411010217	50-293 V
MODES,M.C.	9411220042	50-443 P	NERSES,V.	9411230109	50-369 P	OLIVIER,L.J.	9411030222	50-293 P
MODES,M.C.	9411220129	50-219 P	NERSES,V.	9411300191	50-369 P	OLIVIER,L.J.	9411160253	50-293 R
MODES,M.C.	9411220164	50-244 Q	NETHERCUTT,B.W.	9411280066	71-236	OLSEN,A.F.	9411230075	70-27
MODES,M.C.	9411220175*	50-244 Q	NETTLES,K.W.	9411250110	50-395 F	OLSEN,A.F.	9411280161	70-27
MOHAN,R.	9411160005	NUREG	NEUSCHWANGER,J.	9411070427	50-461 S	OLSHAN,L.N.	9411020175	50-272 P
MOHANTY,S.	9411090288*	WASTE MGT	NEWBERRY,S.F.	9411020065	50-390 A	OLSHAN,L.N.	9411220318	50-272 P
MONDALE	9411080073	XPORTLIC	NEWBERRY,S.F.	9411020169	50-390 H	OLSHAN,L.N.	9411280023	50-272 P
MONDALE	9411080078	XPORTLIC	NEWBERRY,S.F.	9411020215	50-390 H	OPEKA,F.J.	9411010066	50-213 P
MONTELEONE,S.	9411040088	NUREG	NEWBERRY,S.F.	9411030006	50-390 H	OPEKA,F.J.	9411010066	50-213 P
MOON,K.E.	9411030050	PR	NEWBERRY,S.F.	9411030121	50-390 H	OPEKA,F.J.	9411010098	50-213 P
MOONEY,G.	9411040211	40-9024	NEWBERRY,S.F.	9411030126	50-390 H	OPEKA,F.J.	9411010098	50-213 P
MOONEY,G.	9411100392	40-9024	NEWBERRY,S.F.	9411030147	50-390 H	OPEKA,F.J.	9411010061	50-213 H
MOORE,A.D.	9409260113*	72-1007	NEWBERRY,S.F.	9411280286	50-390 H	OPEKA,F.J.	9411010062	50-213 P
MOORE,C.	9411080026	NUREG	NEWBERRY,S.F.	9411280289	50-390 H	OPEKA,F.J.	9411010062	50-213 P
MOORE,C.	9411080032	NUREG	NEWCOMB,W.E.	9411170092*	STATE PRO G	OPEKA,F.J.	9411010084	50-245 P
MOORE,R.	9411210057*	50-369 Q	NEWTON,H.W.	9411080077*	50-206 R	OPEKA,F.J.	9411010084	50-245 P
MOORE,T.S.	9411020074	70-3070	NEWTON,H.W.	9411080086*	50-206 R	OPEKA,F.J.	9411020106	50-213 V
MOORE,T.S.	9411180152	70-3070	NICHOLSON,L.	9411220048	50-336 P	OPEKA,F.J.	9411020293	71-207
MOORE,T.S.	9411180156	70-3070	NICHOLSON,L.	9411220161	50-213 P	OPEKA,F.J.	9411020293	71-207
MOORE,T.S.	9411180158	70-3070	NICHOLSON,L.	9411290203	50-213 Q	OPEKA,F.J.	9411020293	71-207
MOORE,T.S.	9411300312	70-3070	NICHOLSON,L.E.	9411020046*	50-245 Q	OPEKA,F.J.	9411040003	50-213 H
MOORE,T.S.	9411300325	70-3070	NICK,J.	9411180063*	50-289 Q	OPEKA,F.J.	9411070429	50-245 P
MOORMAN,J.H.	9411070122*	50-335 Q	NIMITZ,R.L.	9411220097*	50-245 Q	OPEKA,F.J.	9411070429	50-245 P
MORA,A.J.	9411090331	FOIA	NIMMO,E.	9411140005	PRM	OPEKA,F.J.	9411070433	50-213 P
MORANTE,R.	9411040293	50-250 P	NINH,S.Q.	9411170302	52-3	OPEKA,F.J.	9411070433	50-213 P
MORELLA,C.A.	9411280261*	ORG	NINH,S.Q.	9411280211	52-3 Q	OPEKA,F.J.	9411100173	50-245 F
MOREY,D.	9411100329	50-348 S	NOGGLE,J.	9411030088*	50-293 Q	OPEKA,F.J.	9411100173	50-245 F
MORGAN,C.	9411230096*	50-275 P	NOGGLE,J.	9411090025*	70-1100	OPEKA,F.J.	9411160155	50-213 F
MORGAN,M.J.	9411210022*	50-348 Q	NOGGLE,J.	9411290275*	70-1100	OPEKA,F.J.	9411160155	50-213 F
MORISSEAU,D.	9411080026	NUREG	NOLAN,A.E.	9411140156*	FOIA	OPEKA,F.J.	9411160155	50-213 F
MORISSEAU,D.	9411080032	NUREG	NOLAN,A.E.	9411140156*	FOIA	OPEKA,F.J.	9411170129	50-423 P
MORRIS,J.S.	9411100264	50-186 Q	NOONANT,P.	9411100204	50-334 P	OPEKA,F.J.	9411170129	50-423 P
MORRONI,M.	9411230308	50-311 R	NORBERG,J.A.	9202050493*	50-344 P	OPEKA,F.J.	9411180118	50-213 P
MORRONI,M.	9411230312	50-272 R	NORK,A.	9411010345	50-354 P	OPEKA,F.J.	9411180118	50-213 P
MORT,S.L.	9411180201	50-155 F	NORRHO,L.J.	9411230064*	50-331 P	OPEKA,F.J.	9411180132	50-213 P
MORT,S.L.	9411300151	50-155 F	NORRIS,J.A.	9411070359	50-389 P	OPEKA,F.J.	9411180132	50-213 P
MOSEBEY,D.	9411180018	PR	NOSS,D.	9411080042	XPORTLIC	OPEKA,F.J.	9411180209	50-336 P
MOSLEH,A.	9411220239	NUREG	NOSS,D.	9411280270	70-1257	OPEKA,F.J.	9411180209	50-336 P
MOULTON,J.P.	9411180327	TOPREP	NOVAK,T.M.	7810270048*	50-322 W	OPEKA,F.J.	9411180211	50-245 P
MOWERY,J.D.	9411010271	50-206 S	NOVAK,T.M.	7811010185*	50-322 W	OPEKA,F.J.	9411180211	50-245 P
MOWERY,J.D.	9411040131	50-206 S	NOVAK,T.M.	7811070122*	50-322 W	OPEKA,F.J.	9411180224	50-213 P
MOWREY,C.L.	9411010214	50-251 S	NOWACK,M.P.	9411040058	CONTRACT	OPEKA,F.J.	9411180224	50-213 P
MOWREY,C.L.	9411170102	50-250 S	NUNN,D.E.	9411020050	50-390 A	OPEKA,F.J.	9411180241	50-423 Q

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
OPEKA,J.F.	9411210071	50-423 P	PEDERSON,C.D.	9411070070*	50-186 Q	PIERSON,R.	9411250245	70-36
OPEKA,J.F.	9411210071	50-423 P	PEDERSON,C.D.	9411090002	50-456 F	PIERSON,R.C.	9411010290	70-1151
OPEKA,J.F.	9411220362	50-336 P	PEDERSON,C.D.	9411090053	50-456 F	PIERSON,R.C.	9411010294*	70-1151
OPEKA,J.F.	9411220362	50-336 P	PEDERSON,C.D.	9411160016	50-341 F	PIERSON,R.C.	9411010301	70-1257
OPEKA,J.F.	9411230244	50-213 F	PEDERSON,C.D.	9411160048	50-454 F	PIERSON,R.C.	9411010303*	70-1257
OPEKA,J.F.	9411230244	50-213 F	PEDERSON,C.D.	9411160099	50-10 F	PIERSON,R.C.	9411010320	70-1257
OPEKA,J.F.	9411230249	50-213 Q	PEDERSON,C.D.	9411220247	50-461 Q	PIERSON,R.C.	9411010321*	70-1257
OPEKA,J.F.	9411230249	50-213 Q	PEDERSON,C.D.	9411220248*	50-461 Q	PIERSON,R.C.	9411010367	70-1100
ORDERS,W.T.	9411210021*	50-324 Q	PEDERSON,C.D.	9411300103	50-266 F	PIERSON,R.C.	9411020096	70-135
ORLANDO,D.A.	94111080128	ORG	PEDERSON,C.D.	9411300137	50-16 Q	PIERSON,R.C.	9411070183	70-36
ORLANDO,D.A.	9411280057	ORG	PEDERSON,C.D.	9411300143*	50-16 Q	PIERSON,R.C.	9411080291	70-1201
ORLANDO,D.A.	9411280062	ORG	PEDERSON,C.D.	9411300162	40-3392	PIERSON,R.C.	9411080292*	70-1201
ORLANDO,T.	9411150447	50-286 R	PEDERSON,C.D.	9411300177*	40-3392	PIERSON,R.C.	9411150590	70-1100
ORR,R.S.	9411010220	PT21	PEDERSON,C.D.	9411300198	50-186 Q	PIERSON,R.C.	9411150597*	70-1100
ORR,R.S.	9411080126	50-160 S	PEDERSON,C.D.	9411300202	50-346 P	PIERSON,R.C.	9411180275	40-6940
ORR,R.S.	9411170274	PT21	PEDRO,J.M.	9411300264	50-397 S	PIERSON,R.C.	9411280292	70-1201
ORR,R.S.	9411290063	PT21	PEEBLES,T.A.	9411010095	50-400 Q	PIERSON,R.C.	9411290224	70-135
ORTCIGER,T.W.	9411170079*	STATE PRO G	PEEBLES,T.A.	9411030008	50-280 Q	PIERSON,R.C.	9411300039	70-135
OSGOOD,N.L.	9411170317	71-*****	PEEBLES,T.A.	9411030097	50-259 V	PIERSON,R.C.	9411300063	70-135
OSHINOWO,F.	9411170071	70-1252	PEEBLES,T.A.	9411090070	50-413 Q	PIET,P.L.	9411020246	50-237 P
OSTERHOLTZ,C.	9411160028*	50-456 Q	PEEBLES,T.A.	9411210036	50-327 Q	PIET,P.L.	9411010060	50-237 P
OTLER,D.A.	9411230143	40-8989	PEEBLES,T.A.	9411210072	50-250 V	PIET,P.L.	9411090264	50-237 P
OTLEWIS,J.	9411210290	50-373 S	PEEBLES,T.A.	9411210147	50-261 Q	PIET,P.L.	9411210266	50-237 P
OTORI,F.	9411300387	CONTRACT	PEEBLES,T.A.	9411290068	50-390 V	PIET,P.L.	9411300319	50-237 P
OWENS,J.	9411010359	50-416 S	PEEBLES,T.A.	9411290192	50-324 Q	PINELLI,R.A.	9411170153	TOPREP
PACED,D.	9411010359	50-416 S	PEEBLES,T.A.	9411290206	50-324 V	PINELLI,R.A.	9411210218	TOPREP
PACED,D.	9411010361	50-416 V	PEEBLES,T.A.	9411300018	50-335 V	PINZON,J.	9411010199	50-498 S
PACED,P.L.	9411010051	50-390 S	PEEBLES,T.A.	9411300046	50-321 Q	PINZON,J.	9411250216	50-498 S
PACKER,D.F.	9411090412	50-382 S	PEEBLES,T.A.	9411300050	50-269 Q	PITTIGLIO,C.L.	9411150352	50-322 W
PALMER,R.B.	9411230089	50-254 P	PEEBLES,T.A.	9411300077	50-369 Q	PITTIGLIO,C.L.	9411160105	50-322 W
PANDOLFO,J.	9411220376	50-213 F	PELLET,J.L.	9411220155*	50-382 Q	PLACEK,R.J.	9411160285*	50-387 P
PAOLINO,R.J.	9411150537	50-412 Q	PELLETIER,J.P.	9411030066	PR	PLASSE,R.A.	9411160143	50-286 P
PAPERIELLO,C.J.	9410250200*	STATE PRO G	PELLUSO,L.	9411220060*	50-272 Q	PLASSE,R.A.	9411220025*	50-286 Q
PAPERIELLO,C.J.	9411030114	50-312 P	PELLUSO,L.	9411300088*	50-443 Q	PLOSKI,T.J.	9411300177*	40-3392
PAPERIELLO,C.J.	9411090237	71-*****	PENDER,T.L.	9411100249	71-339	PLUNKETT,T.F.	9411010123	50-251 P
PAPERIELLO,C.J.	9411090300	50-313 Q	PERALTA,J.	9411210400	TOPREP	PLUNKETT,T.F.	9411010214	50-251 S
PAPERIELLO,C.J.	9411160328*	STATE PRO G	PERALTA,J.	9411220276	TOPREP	PLUNKETT,T.F.	9411010225	50-251 S
PAPERIELLO,C.J.	9411170284	50-3 Q	PERGERSON,B.	9411010154	50-324 F	PLUNKETT,T.F.	9411010302	50-251 V
PAPERIELLO,C.J.	9411250213	ORG	PERKINS,K.E.	9411080006	50-361 Q	PLUNKETT,T.F.	9411010357	50-250 P
PARIS,R.D.	9411140007	PRM	PERKINS,K.E.	9411160044	50-528 Q	PLUNKETT,T.F.	9411140073	50-250 P
PARK,J.R.	9411290169	40-8968	PERRIN,T.	9411020228*	REVIEW GR P	PLUNKETT,T.F.	9411150397	50-250 S
PARKER,B.A.	9411290034*	50-259 Q	PERRY,J.S.	9411070426	50-237 S	PLUNKETT,T.F.	9411170102	50-250 S
PARKER,B.A.	9411290084*	50-395 Q	PERRY,J.S.	9411140118	50-237 S	PLUNKETT,T.F.	9411210390	50-250 R
PARKER,T.	9411090129	50-263 S	PERRY,J.S.	9411230150	50-237 Q	PODOLAK,L.	9411150614	71-40
PARKER,T.	9411090144	50-263 S	PERRY,J.S.	9411290270	50-237 S	PODOLAK,L.	9411160313	PT21
PARKER,T.	9411090148	50-263 S	PERRY,J.S.	9411300226	50-10 Q	POERTNER,K.	9411210039*	50-302 Q
PARKER,T.	9411220117	50-263 S	PERRY,J.S.	9411300271	50-249 S	POHLE,J.A.	9411170183	WASTE MGT
PARKER,T.	9411220128	50-263 S	PERRY,J.S.	9411300286	50-249 S	POLICH,T.J.	9411140049	50-445 P
PARKER,T.	9411220168	50-263 S	PERRY,J.S.	9411020053*	50-289 Q	POLICH,T.J.	9411140053*	50-445 P
PARKER,T.	9411220234	50-263 S	PERSENSKY,J.	9411080026	NUREG	POLICH,T.J.	9411160131	50-446 Q
PARKER,T.	9411300273	50-263 S	PERSENSKY,J.	9411080032	NUREG	POLK,H.E.	9411230295*	FOIA
PARKER,T.	9411300276	50-263 S	PERSHEY,C.	9411150458	50-456 R	POLLARD,R.D.	9411090087	50-286 P
PARKS,C.V.	9411080038	NUREG	PERSON,L.S.	9411300245	40-8794	POLLARD,R.D.	9411090087	50-286 P
PARKS,M.B.	9411080061	NUREG	PESCHEL,J.M.	9411250064	50-443 S	PONTIUS,H.D.	9411020238	50-454 P
PARKS,R.M.	9411080151*	40-341	PETA,C.M.	9411230103*	50-275 P	PONTIUS,H.D.	9411080310	50-456 P
PARLER,W.C.	9411210374*	FOIA	PETERSON,N.K.	9411150615	50-346 S	PONTIUS,H.D.	9411150538	50-454 P
PARRISH,J.V.	9411010341	50-397 P	PETERSON,N.K.	9411220209	50-346 S	PONTIUS,H.D.	9411210357*	50-454 P
PARRISH,J.V.	9411020227	50-397 H	PETERSON,S.R.	9411040295	50-282 P	PONTIUS,H.D.	9411220264	50-454 P
PARRISH,J.V.	9411030023	50-397 Q	PETERSON,S.R.	9411040299	50-282 P	PONTIUS,H.D.	9411230067	50-454 P
PARRISH,J.V.	9411070387	50-397 P	PETERSON,S.R.	9411070390	50-275 Q	POSUSNY,C.	9411020062	50-387 P
PARRISH,J.V.	9411080148	50-397 P	PETERSON,S.R.	9411100012	50-275 F	POSUSNY,C.	9411030331	50-387 P
PARRISH,J.V.	9411080154	50-397 P	PETERSON,S.R.	9411100017	50-275 P	POSUSNY,C.	9411140062	50-387 P
PARRISH,J.V.	9411250186	50-397 F	PETERSON,S.R.	9411100018*	50-275 P	POTAPOVS,U.	9411070155*	52-4
PARRISH,J.V.	9411300264	50-397 S	PETERSON,S.R.	9411220297	50-275 F	POTTER,J.P.	9411300031	STATE PRO G
PARRISH,J.V.	9411300369	50-397 Q	PETERSON,S.R.	9411220402	50-282 P	POWELL,D.	9411290146	FOIA
PARTRIDGE,W.	9411040045	CONTRACT	PETERSON,S.R.	9411230052	50-282 F	POWELL,R.	9411140176	FOIA
PASCIAK,W.J.	9411150301	70-698	PETSCHAUER,F.	9411040116	50-322 F	POWELL,R.	9411290155	FOIA
PASCIAK,W.J.	9411150314*	70-698	PHARES,R.F.	9411010026	PR	POWELL,R.	9411300295	FOIA
PASCIAK,W.J.	9411150351	70-3052	PHARES,R.F.	9411030064	PR	POWELL,R.A.	9411140174	FOIA
PASTVA,M.J.	9411020250	50-311 S	PHARES,R.F.	9411160256	50-461 R	POWELL,R.A.	9411290230	FOIA
PASTVA,M.J.	9411210395	50-311 S	PHARES,R.F.	9411180130	50-461 P	POWELL,R.A.	9411300237	50-237 P
PASTVA,M.J.	9411220259	50-272 S	PHARR,E.B.	9411030041*	70-1151	POWERS,D.A.	9411220016*	50-275 Q
PATEL,C.	9411140002*	50-382 P	PHILLIPS,M.P.	9411010032*	50-263 Q	POWERS,D.A.	9411220035*	50-482 Q
PATEL,C.P.	9411140001	50-382 P	PHILLIPS,M.P.	9411220032*	50-341 Q	PRATIENNE,S.A.	9411070090	50-171 S
PATRICK,W.C.	9411210080	WASTE MGT	PHILLIPS,M.P.	9411220069	50-155 Q	PRELL,J.A.	9411220217*	50-317 V
PATTERSON,C.A.	9411070226*	50-324 Q	PHILLIPS,M.P.	9411220077*	50-155 Q	PREVATTE,R.L.	9411010124*	50-335 Q
PATTERSON,G.	9411040069	CONTRACT	PIAZZA,F.	9411180107	50-317 R	PROFFITT,J.	9411020067*	50-390 H
PAULSON,O.A.	9411180177	40-8584	PICK,G.	9411040014	50-458 S	QUALL,W.	9411160271	40-341
PAULSON,O.A.	9411220088	40-8584	PICKETT,D.	9411170327*	WASTE MGT	QUAY,T.R.	9411030239	50-275 P
PAULSON,O.A.	9411250175	40-8584	PICKETT,D.V.	9411040246	50-416 P	QUENNOZ,S.M.	9411010370	50-344 P
PAUSTIAN,H.H.	9411210129	50-263 R	PICKETT,D.V.	9411080024	50-461 P	QUENNOZ,S.M.	9411080001	50-344 R
PAVEY,M.	9411030225	50-237 F	PICKETT,D.V.	9411090179	50-461 P	QUENNOZ,S.M.	9411080084	50-344 F
PAWLICK,E.T.	9411210367*	FOIA	PIERCE,K.G.	9411010207	50-237 G	QUENNOZ,S.M.	9411010096	50-344 P
PAYNE,D.C.	9411090088*	50-413 Q	PIEROTH,C.	9411290172	FOIA	QUENNOZ,S.M.	9411180145	50-344 P
PEARCE,C.E.	9411100037	STATE PRO G	PIERSON,R.C.	9411080286	70-135	QUERIO,R.E.	9411020064	50-373 Q
PEARCE,C.E.	9411100048	STATE PRO G	PIERSON,R.	9411080282	40-7580	QUINN,S.	9411150099*	50-247 P
PEARCE,C.E.	9411300019*	STATE PRO G	PIERSON,R.	9411250243	70-27	QUINN,S.E.	9411250019	50-247 P
PEDERSON,C.D.	9411030082	50-282 S	PIERSON,R.	9411250244	40-6940	QUINN,S.E.	9411070132	50-247 F

232 PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
QUINN,S.E.	9411070197	50-247 V	REYNOLDS,B.A.	9411040126	CONTRACT	RUDEBUSCH,T.L.	9411010169	50-458 G
QUINN,S.E.	9411090284	50-247 P	RHYNE,J.R.	9411020234	50-186 Q	RUDEBUSCH,T.L.	9411010185	50-458 G
QUINN,S.E.	9411090290	50-247 Q	RICCIO,J.P.	9411030046*	PR	RUDEBUSCH,T.L.	9411010185	50-458 G
QUINN,S.E.	9411150090	50-247 P	RICCIO,J.P.	9411030159	PR	RUDEBUSCH,T.L.	9411010195	50-458 G
QUINN,S.E.	9411220416	50-247 P	RICHARDS,S.A.	9410120200	50-188 V	RUDEBUSCH,T.L.	9411010195	50-458 G
QUINN,S.E.	9411220421	50-247 P	RICHARDS,S.A.	9411100277	50-73 V	RUDEBUSCH,T.L.	9411020087	50-458 G
QUINN,S.E.	9411230193	50-247 P	RICHARDS,S.A.	9411150540	50-150 V	RUDEBUSCH,T.L.	9411020087	50-458 G
QUINN,S.E.	9411230211	50-247 R	RICHARDS,S.A.	9411150619	50-150 V	RUDEBUSCH,T.L.	9411040023	50-458 G
QUINN,S.E.	9411300173	50-247 Q	RICHARDS,S.A.	9411170123	50-116 V	RUDEBUSCH,T.L.	9411100032	50-458 G
QUIRK,J.F.	9411020070	52-1	RICHARDS,S.A.	9411170315	50-116 V	RUDEBUSCH,T.L.	9411100032	50-458 G
RABBEIN,I.J.	9411040268	CONTRACT	RICHTER,M.H.	9411080212*	50-254 S	RUDISAIL,S.	9411010087*	50-269 Q
RABBEIN,J.	9411040011	CONTRACT	RICKER,J.	9411250241*	50-306 Q	RUDISAIL,S.	9411290208*	50-327 P
RAGLAND,R.C.	9411030073*	50-387 Q	RILEY,E.E.	9411070211*	50-260 P	RUEGER,G.M.	9411020081	50-323 P
RAINEY,G.R.	9411020069	50-277 R	RINALDI,F.	9411030198	50-352 P	RUEGER,G.M.	9411020200	50-323 P
RAINEY,G.R.	9411040154	50-277 F	RINALDI,F.	9411090091	50-352 P	RUEGER,G.M.	9411150078	50-275 S
RAINEY,G.R.	9411180128	50-277 Q	RINALDI,F.	9411220328	50-352 P	RUEGER,G.M.	9411150293	50-323 S
RAINEY,G.R.	9411180187	50-277 R	RINALDI,F.	9411220365	50-352 F	RUEGER,G.M.	9411230082	50-275 P
RALPH,R.O.	9411300271	50-249 S	RINALDI,F.	9411040264	50-155 V	RUEGER,G.M.	9411230087*	50-275 P
RANDOLPH,G.L.	9411220191	50-483 V	RING,M.A.	9411040265	50-237 V	RUEGER,G.M.	9411230327	50-323 S
RANGANATH,S.	9411160239*	50-220 P	RING,M.A.	9411160022	50-456 Q	RUEGER,G.M.	9411250113	50-133 S
RANGANATH,S.	9411210275*	50-237 P	RING,M.A.	9411220017	50-483 P	RUEGER,G.M.	9411250129	50-323 S
RANKIN,W.H.	9411030078*	50-280 Q	RING,M.A.	9411220113	50-346 P	RUEGER,G.M.	9411250192	50-275 T
RANKIN,W.H.	9411070113*	50-338 Q	RING,M.A.	9411220177	50-254 V	RUFF,A.B.	9411090041*	50-390 O
RANKIN,W.H.	9411070169*	50-424 Q	RING,M.A.	9411230043	50-255 Q	RULAND,W.H.	9411150015	50-443 Q
RANKIN,W.H.	9411210109*	50-250 Q	RING,M.A.	9411300164	50-255 P	RULAND,W.H.	9411150023*	50-443 Q
RANKIN,W.H.	9411290034*	50-259 Q	RING,M.A.	9411300180	50-155 P	RULAND,W.H.	9411150042*	50-220 Q
RANKIN,W.H.	9411290062*	50-321 Q	RING,M.A.	9411300218	50-155 V	RULAND,W.H.	9411150530	50-412 Q
RANKIN,W.H.	9411300011*	50-269 Q	ROARE,D.J.	9411290178*	FOIA	RULAND,W.H.	9411150537*	50-412 Q
RANSOM,C.B.	9411040087*	50-280 P	ROBBINS,K.W.	9411300286	50-249 S	RULAND,W.H.	9411220154	50-317 Q
RANSOM,C.B.	9411040087*	50-280 P	ROBERTS,D.	9411010163*	50-400 Q	RULAND,W.H.	9411220159*	50-317 Q
RANSOM,V.H.	9411160091	NUREG	ROBERTS,M.C.	9411290200	70-33	RUPERT,C.	9411100016	50-400 P
RASIN,W.H.	9411080011	PR	ROBINSON,K.	9411090397	40-3453	RUPERT,W.M.	9411100270	40-7604
RASIN,W.H.	9411280067*	REVIEW GR P	ROBINSON,W.R.	9411020020	50-400 P	RUPERT,W.M.	9411100279	40-7604
RATHBUN,D.K.	9411100140	72-1004	ROBINSON,W.R.	9411020071	50-400 F	RUSSELL,D.	9411090155*	50-237 H
RATHBUN,D.K.	9411170029	50-341 U	ROBINSON,W.R.	9411080129	50-400 P	RUSSELL,J.F.	9411040090	CONTRACT
RATHBUN,D.K.	9411170110	PRM	ROBINSON,W.R.	9411150003	50-400 P	RUSSELL,W.T.	9407260278*	PR
RATHBUN,D.K.	9411210173	PR	ROBINSON,W.R.	9411210144	50-400 R	RUSSELL,W.T.	9411040017	50-219 G
RATHBUN,D.K.	9411210183	PR	ROBINSON,W.R.	9411220290	50-400 R	RUSSELL,W.T.	9411040025*	50-219 G
RATHBUN,D.K.	9411220061	ORG	ROBINSON,W.R.	9411300221	50-400 P	RUSSELL,W.T.	9411090183	50-361 G
RATHBUN,D.K.	9411220246	ORG	ROBINSON,W.R.	9411300259	50-400 P	RUSSELL,W.T.	9411090189*	50-361 G
RATHBUN,D.K.	9411280245	PR	RODEHAUT,T.J.	9411040101	CONTRACT	RUSSELL,W.T.	9411140029	REVIEW GR P
RATLIFF,R.A.	9411030011	REGGD	RODEHAUT,T.J.	9411020237	50-245 F	RUSSELL,W.T.	9411140067	ORG
RATLIFF,R.A.	9411100038	STATE PRO G	RODGERS,R.C.	9411210244	50-245 F	RUSSELL,W.T.	9411140146*	50-390 A
RATTA,A.D.	9411090078*	50-443 Q	RODRIGUEZ,L.	9411040013	CONTRACT	RUSSELL,W.T.	9411160202*	PR
RAY,D.J.	9411090399	50-373 S	ROE,J.W.	9411170285	50-237 P	RUSSELL,W.T.	9411160296	ORG
RAY,D.J.	9411090378	50-373 Q	ROE,J.W.	9411170289*	50-237 P	RUSSELL,W.T.	9411160303	ORG
RAY,D.J.	9411170314	50-373 R	ROE,J.W.	9411180056	50-315 P	RUSSELL,W.T.	9411160334	QA999
RAY,D.J.	9411210290	50-373 S	ROE,J.W.	9411180065*	50-315 P	RUSSELL,W.T.	9411180014	ORG
RAY,D.J.	9411300254	50-374 S	ROE,J.W.	9411250073	50-446 P	RUSSELL,W.T.	9411220357	ORG
RECKLEY,W.D.	9411070310	50-373 P	ROE,K.K.	9411210219	71-*****	RUSSELL,W.T.	9411230050	PRM
RECKLEY,W.D.	9411070313*	50-373 P	ROECKLEIN,A.K.	9411150300	PR	RUSSELL,W.T.	9411230111*	50-219 H
RECKLEY,W.D.	9411230315	50-373 P	ROGAN,R.E.	9411040005	PR	RUSSELL,W.T.	9411250185	ORG
REDEKER,S.	9411150010	50-312 I	ROGAN,R.E.	9411100079	50-261 P	RUSSELL,W.T.	9411250204	52-1
REDEKER,S.J.	9411220028*	50-312 Q	ROGAN,R.E.	9411100102	50-261 Q	RUSSELL,W.T.	9411280287	50-160 G
REED,A.	9411230211	50-247 R	ROGAN,R.E.	9411100106	50-261 P	RUSSELL,W.T.	9411280293*	50-160 G
REED,W.	9411040157	CONTRACT	ROGAN,R.E.	9411100110	50-261 P	RUSSELL,W.T.	9411290113	52-2
REEVES,D.L.	9411250124	50-298 S	ROGERS,D.W.	9411170054	50-261 P	RUSSELL,W.T.	9411290116*	52-2
REHMANN,M.R.	9411070092	40-9024	ROGERS,K.C.	9411080185	71-325	RYLEY,M.	9411210385	50-213 R
REHN,D.L.	9411070420	50-414 S	ROGERS,K.C.	9411160232	COMMISSION	SACCOMANDO,D.M.	9411150544	50-457 Q
REHN,D.L.	9411070422	50-413 P	ROGERS,K.C.	9411180047	COMMISSION	SACCOMANDO,D.M.	9411160221	50-457 P
REHN,D.L.	9411100232	50-413 P	ROGERS,K.C.	9411180061	COMMISSION	SACCOMANDO,D.M.	9411180090	50-454 P
REHN,D.L.	9411150331	50-413 Q	ROGERS,K.C.	9411210144	50-400 R	SACCOMANDO,D.M.	9411210348	50-454 P
REHN,D.L.	9411150368	50-413 Q	ROGGE,J.F.	9411030081*	50-443 Q	SACCOMANDO,D.M.	9411220399	50-455 Q
REHN,D.L.	9411220203	50-413 P	ROGGE,J.F.	9411020035	50-245 Q	SACCOMANDO,D.M.	9411300311	50-454 P
REHN,D.L.	9411220261	50-413 S	ROGGE,J.F.	9411220067*	50-289 Q	SACCOMANDO,D.M.	9411300315	50-456 Q
REHN,D.L.	9411220344	50-414 S	ROONEY,V.L.	9411150568	50-423 P	SAFAR,S.	9411080051	52-2
REHN,D.L.	9411230097	50-413 T	ROONEY,V.L.	9411280148	50-213 P	SAGAR,B.	9411090340	WASTE MGT
REHN,D.L.	9411250090	50-413 P	ROSANO,D.	9411040056	50-254 Q	SAGAR,B.	9411170320	WASTE MGT
REHN,D.L.	9411250108	50-413 P	ROSCIOLI,A.J.	9411020230*	50-387 P	SAGER,D.A.	9411020149	50-335 P
REHN,D.L.	9411250150	50-413 S	ROSE,B.	9411170017	XPORTLIC	SAGER,D.A.	9411080181	50-335 P
REICHOLD,W.P.	9411010091	I&E	ROSE,B.	9411170020	XPORTLIC	SAGER,D.A.	9411080193	50-335 P
REID,D.A.	9411020296	50-271 P	ROSE,B.	9411170022	XPORTLIC	SAGER,D.A.	9411080235	50-335 S
REID,D.A.	9411140051	50-271 P	ROSE,C.H.	9411100014	STATE PRO G	SAGER,D.A.	9411160333	50-389 S
REID,D.A.	9411140130	50-271 P	ROSENBLUM,R.M.	9411100161	50-206 P	SAGER,D.A.	9411160342	50-335 P
REID,D.A.	9411150375	50-271 R	ROSS,T.M.	9411210022*	50-348 Q	SAGER,D.A.	9411180197	50-335 F
REID,D.A.	9411220200	50-271 Q	ROSSBACH,L.W.	9411180042*	50-293 Q	SAGER,D.A.	9411210289	50-335 P
REIDINGER,T.	9411300143*	50-16 Q	ROTH,W.V.	9411220396*	50-272 H	SAGER,D.A.	9411250123	50-335 R
REIDINGER,T.	9411300203*	50-186 Q	ROTHERT,W.C.	9411220380	50-293 R	SAGER,D.A.	9411300195	50-335 Q
REIDINGER,T.D.	9411070070*	50-186 Q	ROTMAN,M.	9411180021	STATE PRO G	SAGER,D.A.	9411300214	50-335 S
REIDINGER,T.S.	9411300177*	40-3392	ROUSE,R.G.	9411070349*	50-269 Q	SAGER,D.A.	9411300216	50-335 P
REIGEL,D.W.	9411030204	TOPREP	ROUTZAHN,L.K.	9411230206	50-440 R	SAGER,D.A.	9411300274	50-335 F
REILLY,F.K.	9411070222	40-341	ROWLAND,T.J.	9411020267	PROJ	SAGER,D.A.	9411300326	50-335 Q
REILLY,F.K.	9411300159	40-341	ROWLAND,T.J.	9411280217	PROJ	SAGER,D.A.	9411300331	50-335 S
REILLY,W.F.	9411020231	50-186 P	ROWLAND,T.J.	9411280290	PROJ	SALAS,P.	9411020283	50-259 Q
REITLER,E.	9411180183	70-1151	RUBIN,A.	9411170207	ORG	SALAS,P.	9411070208	50-260 P
RENIER,J.P.	9411080038	NUREG	RUBLEY,G.A.	9411220119*	50-341 P	SALAS,P.	9411070261	50-260 P
REPARAZA,A.	9411140044*	71-9248	RUDEBUSCH,T.L.	9411010056	50-458 G	SALAS,P.	9411080237	50-259 P
REVANKAR,S.T.	9411160157	NUREG	RUDEBUSCH,T.L.	9411010169	50-458 G	SALAS,P.	9411160192	50-260 P

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
SALAS,P.	9411220184	50-259 P	SELIN,I.	9411210328	COMMISSION	SHYMLOCK,M.	9411290208*	50-327 Q
SALAS,P.	9411220281	50-259 P	SELIN,I.	9411210339	COMMISSION	SHYMLOCK,M.B.	9411210057*	50-369 Q
SALAS,P.	9411220313	50-259 R	SELIN,I.	9411210371	COMMISSION	SICK,P.W.	9411300230	TOPREP
SALAS,P.	9411300170	50-260 Q	SELIN,I.	9411220075*	ORG	SICK,P.W.	9411300232	TOPREP
SALISBURY,D.	9411100026	STATE PRO G	SELIN,I.	9411220135	COMMISSION	SIEGEL,B.L.	9411030003	50-348 F
SALMON,H.P.	9411030061	50-333 S	SELIN,I.	9411220157*	COMMISSION	SIEGEL,J.O.	9411040001	CONTRACT
SALMON,H.P.	9411210182	50-333 R	SELIN,I.	9411220186	COMMISSION	SILK,D.	9411150030*	50-244 Q
SANDERS,C.F.	9411140081	70-1151	SEMNI,K.B.	9411210096	40-8989	SILK,D.	9411280016*	50-286 Q
SANFORD,M.O.	9411080201	50-390 A	SEN,G.	9411070306	50-298 S	SILLER,A.J.	9411280257*	ORG
SANTIAGO,P.	9411040036	I&E	SEN,G.	9411220236	50-298 S	SIMPIN,T.W.	9411220070	50-295 P
SANTIAGO,P.	9411040044	I&E	SEXTON,J.A.	9411040132	50-275 F	SIMPIN,T.W.	9411300246	50-295 P
SANTIAGO,P.	9411040046	I&E	SEXTON,J.A.	9411230061	50-275 F	SIMPSON,D.	9411030070*	50-333 S
SANTIAGO,P.	9411250189	I&E	SEXTON,J.A.	9411250210	50-275 F	SINCLAIR,M.P.	9411210295	50-255 P
SANTIAGO,P.	9411250197	I&E	SHAFFER,W.D.	9411001118	50-305 Q	SINCLAIR,W.J.	9411290246	40-3453
SANTIAGO,P.	9411250205	I&E	SHAFFER,W.D.	9411160050	50-155 P	SINCLAIR,W.J.	9411290250*	STATE PRO G
SANTIAGO,P.	9411250218	I&E	SHAFFER,W.D.	9411230001	50-305 Q	SINKULE,M.V.	9411010088	50-369 Q
SANTIAGO,P.	9411250221	I&E	SHAFFER,W.D.	9411230015	50-266 Q	SINKULE,M.V.	9411010094*	50-369 Q
SANTIAGO,P.	9411250223	I&E	SHAFFER,W.D.	9411230017*	50-266 Q	SINKULE,M.V.	9411010111	50-269 Q
SARTOR,W.	9411290255*	70-1113	SHAFFER,W.D.	9411300155	50-254 Q	SINKULE,M.V.	9411010115	50-321 Q
SARTOR,W.M.	9411010124*	50-335 Q	SHANBAY,M.M.	9411150115	40-185	SINKULE,M.V.	9411010173	50-424 Q
SASSER,J.	9411020061*	50-390 H	SHANBAY,M.M.	9411150384	40-8972	SINKULE,M.V.	9411070046	50-321 Q
SATORIUS,M.	9411250191	50-498 Q	SHANBAY,M.M.	9411150399*	40-8972	SINKULE,M.V.	9411070179	50-269 Q
SANDERS,R.F.	9411080150	50-338 F	SHANBAY,M.M.	9411300057	40-8936	SINKULE,M.V.	9411070192*	50-269 Q
SAWYER,C.B.	9411080255	70-7001	SHANBAY,M.M.	9411300065*	40-8936	SINKULE,M.V.	9411210052	50-413 Q
SAXTON,C.H.	9411010348	50-387 R	SHANKMAN,S.F.	9411160040	ORG	SINKULE,M.V.	9411210062	50-369 Q
SCACE,S.E.	9411080143	50-245 F	SHAPIRO,D.M.	9411100168	50-424 G	SINKULE,M.V.	9411210063*	50-413 Q
SCACE,S.E.	9411080143	50-245 F	SHARKEY,R.W.	9411020164	70-36	SINKULE,M.V.	9411290014	50-424 Q
SCACE,S.E.	9411180211	50-245 P	SHARKEY,R.W.	9411020164	70-36	SINKULE,M.V.	9411290039	50-413 P
SCHATZ,W.B.	9411160325*	FOIA	SHEA,J.W.	9411030338	50-387 S	SINKULE,M.V.	9411290065	50-269 Q
SCHATZ,W.B.	9411210366*	FOIA	SHEA,J.W.	9411070294	50-387 H	SINKULE,M.V.	9411300012	50-413 Q
SCHNEIDER,R.H.	9411090353	50-313 S	SHEA,J.W.	9411080137	TOPREP	SINKULE,M.V.	9411300028	50-424 Q
SCHNEIDER,R.H.	9411170158*	50-320 P	SHEA,J.W.	9411080216	50-387 P	SISCO,C.	9411220011*	50-245 V
SCHN,R.P.	9411010124*	50-335 Q	SHEA,J.W.	9411160217	50-277 P	SISK,D.	9411230237	50-323 S
SCHMIDT,D.	9411250235	40-3392	SHEA,J.W.	9411160230*	50-277 P	SISK,D.P.	9411150078	50-275 S
SCHMIDT,R.	9411230224*	50-354 R	SHEA,J.W.	9411170304	50-277 P	SISK,D.P.	9411150293	50-323 S
SCHMIDT,W.R.	9411100145	50-219 P	SHEA,J.W.	9411180097	50-277 P	SISK,D.P.	9411250129	50-323 S
SCHMITT,J.F.	9411180020	PR	SHEA,J.W.	9411220272	50-277 P	SIU,N.	9411220239	NUREG
SCHMITT,J.F.	9411180064	NUREG	SHEA,J.W.	9411290110	50-387 P	SKINNER,C.E.	9411170042*	50-458 Q
SCHNEIDER,J.F.	9411010360	50-282 Y	SHEAR,G.L.	9411010039	ORG	SKINNER,P.	9411010190*	50-424 Q
SCHNEIDER,J.R.	9411150598	50-382 S	SHEAR,G.L.	9411030178	70-36	SKINNER,P.	9411290020*	50-424 Q
SCHNEIDER,J.R.	9411170093	50-445 S	SHEAR,G.L.	9411230011*	70-7002	SKINNER,P.H.	9411070054*	50-321 Q
SCHNEIDER,K.N.	9411030014	STATE PRO G	SHEAR,G.L.	9411230016	40-8948	SKINNER,P.H.	9411290082	50-413 P
SCHNELL,D.F.	9411020126	50-483 P	SHEAR,G.L.	9411230019*	40-8948	SKINNER,P.H.	9411300033	50-424 P
SCHNELL,D.F.	9411020253	50-483 P	SHEARER,V.M.	9411100025	STATE PRO G	SKOLDS,J.L.	9411020290	50-395 P
SCHNELL,D.F.	9411040315	50-483 P	SHEIBANI,M.	9411030106	50-424 S	SKOLDS,J.L.	9411030195	PR
SCHOEPF,D.C.	9411210285	71-*****	SHEIBANI,M.	9411300317	50-424 S	SKOLDS,J.L.	9411080246	50-395 Q
SCHOLL,L.L.	9411220159*	50-317 Q	SHELL,R.H.	9411070274	50-327 F	SKOLDS,J.L.	9411180188	50-395 K
SCHOLL,R.	9411230295*	FOIA	SHELL,R.H.	9411070399	50-327 P	SKOLDS,J.L.	9411180226	50-395 Q
SCHRAGE,J.L.	9411040146	50-254 Q	SHELL,R.H.	9411090320	50-327 P	SKOLDS,J.L.	9411210176	50-395 R
SCHRAGE,J.L.	9411300238	50-237 P	SHELL,R.H.	9411150032	50-328 P	SKOLDS,J.L.	9411210265	50-395 P
SCHROCK,C.A.	9411010113	50-305 V	SHELL,R.H.	9411150346	50-328 P	SKOLDS,J.L.	9411300255	50-395 P
SCHROCK,C.A.	9411070415	50-305 Q	SHELL,R.H.	9411150357	50-328 R	SLAVICH,A.	9411080026	NUREG
SCHROCK,C.A.	9411090125	50-305 Q	SHELL,R.H.	9411150430	50-327 R	SLAVICH,A.	9411080032	NUREG
SCHROCK,C.A.	9411100160	50-305 K	SHELL,R.H.	9411160181	50-327 P	SLY,C.	9411210269	50-317 S
SCHROCK,C.A.	9411150381	50-305 R	SHELL,R.H.	9411220127	50-327 F	SMIDTS,C.	9411220239	NUREG
SCHROCK,C.A.	9411170292	50-305 P	SHELL,R.H.	9411230234	50-327 P	SMITH,D.R.	9411070346	40-8948
SCHROCK,C.A.	9411250146	50-305 F	SHELL,R.H.	9411290280	50-327 R	SMITH,D.R.	9411230168	40-7102
SCHROCK,C.A.	9411290016	50-305 Q	SHELTON,B.J.	9411160166*	PR	SMITH,G.O.	9411150391	50-397 R
SCHULTZ,E.D.	9411180207*	FOIA	SHELTON,D.	9411160258	50-341 F	SMITH,J.	9411160227	50-454 S
SCHULZE,W.E.	9411070066	CONTRACT	SHELTON,D.	9411160265	50-341 F	SMITH,J.H.	9411300324	50-315 S
SCHWARTZ,A.J.	9411150343*	40-2253	SHELTON,H.	9411090280	50-304 S	SMITH,L.P.	9411070340	CONTRACT
SCHWARTZ,G.K.	9411070147	50-454 S	SHELTON,H.	9411300272	50-295 S	SMITH,L.R.	9411010082	PR
SCHWARTZ,G.K.	9411070150	50-454 S	SHEMBARGER,K.M.	9411080025	52-3	SMITH,L.R.	9411040009	PR
SCHWARTZ,G.K.	9411070385	50-454 V	SHEMBARGER,K.M.	9411230036	52-3	SMITH,M.D.	9411080318*	50-244 P
SCHWARTZ,G.K.	9411080315	50-454 S	SHERANKO,R.G.	9411250145*	50-388 P	SMITH,R.I.	9411080088	NUREG
SCHWARTZ,G.K.	9411100200	50-454 P	SHIEH,A.S.	9411160091	NUREG	SMITH,R.I.	9411080106	NUREG
SCHWARTZ,G.K.	9411160227	50-454 R	SHIELDS,K.J.	9411090261	50-155 R	SMITH,T.R.	9411220313	50-259 R
SCHWARTZ,G.K.	9411180104	50-454 S	SHILLINGHAW,F.	9411090063*	72-1007	SMITH,W.F.	9411170042*	50-458 Q
SCHWARTZ,G.K.	9411210188	50-454 S	SHILLINGLAW,F.	9411090278	50-255 Y	SMITH,W.H.	9411070233	50-352 K
SCIACCA,F.	9411250085*	50-295 P	SHILLINGLAW,F.	9411080079	50-255 Y	SNELGROVE,J.L.	9411090206	XPORTLIC
SCOTT,D.J.	9411030225	50-237 F	SHILLINGLAW,F.	9411080299*	50-255 Y	SNYDER,M.J.	9411080235	50-335 S
SCOTT,D.J.	9411070071	50-237 F	SHILLINGLAW,F.	9411210231	50-255 P	SOKOLSKY,D.	9411250113	50-133 S
SCOTT,J.B.	9411040072	CONTRACT	SHILLINGLAW,F.	9411290122	72-1007	SOLBERG,D.	9411090382	ORG
SCOTT,M.A.	9411210022*	50-348 Q	SHIRAKI,C.Y.	9411040281	50-295 P	SOLLENBERGER,D.	9411150325	STATE PRO G
SCOTT,T.F.	9411090349	50-368 S	SHIRAKI,C.Y.	9411080285	50-237 P	SOLLENBERGER,D.	9411170030	STATE PRO G
SCOTT,T.F.	9411300293*	50-368 S	SHIRAKI,C.Y.	9411160209	50-304 Q	SOLON,L.R.	8104150101*	50-322 W
SCROGGINS,R.M.	9411290180*	FOIA	SHIRAKI,C.Y.	9411280043	50-295 P	SORIANO,R.	9411210296	71-431
SELBY,G.	9411280208*	TOPREP	SHON,F.J.	9411100086	50-275 G	SPAN,R.M.	9411230103*	50-275 P
SELIN,I.	9411180050	COMMISSION	SHON,F.J.	9411180152	70-3070	SPENCE,R.E.	9411220366	WASTE MGT
SELIN,I.	9411040170	COMMISSION	SHON,F.J.	9411180156	70-3070	SPENCE,R.E.	9411010143	WASTE MGT
SELIN,I.	9411140138	COMMISSION	SHON,F.J.	9411180158	70-3070	SPENCE,R.E.	9411010147	WASTE MGT
SELIN,I.	9411160190	COMMISSION	SHON,F.J.	9411300312	70-3070	SPENCE,R.E.	9411010151	WASTE MGT
SELIN,I.	9411160302	COMMISSION	SHON,F.J.	9411300325	70-3070	SPENCE,R.E.	9411010159	WASTE MGT
SELIN,I.	9411160317	COMMISSION	SHONKA,D.B.	9411030311	CONTRACT	SPENCE,R.E.	9411010191	WASTE MGT
SELIN,I.	9411180032	COMMISSION	SHONKA,D.B.	9411070100	CONTRACT	SPENCE,R.E.	9411040217	WASTE MGT
SELIN,I.	9411180075	COMMISSION	SHUM,E.Y.	9411100282	50-346 P	SPENCE,R.E.	9411070394	WASTE MGT
SELIN,I.	9411180087	COMMISSION	SHYMLOCK,M.	9411010087*	50-269 Q	SPENCE,R.E.	9411080171	WASTE MGT
SELIN,I.	9411180095	COMMISSION	SHYMLOCK,M.	9411210031*	50-400 Q	SPENCE,R.E.	9411080176	WASTE MGT

234 PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
SPENCE,R.E.	9411080240	WASTE MGT	STUART,I.F.	9411280088	71-9235	TERRY,C.	9411180007	TOPREP
SPENCE,R.E.	9411080241	WASTE MGT	STUDDS,G.E.	9411040279*	50-293 H	TERRY,C.D.	9411150324	50-410 P
SPENCE,R.E.	9411080243	WASTE MGT	STURZ,F.C.	9411100122	72-1008	TERRY,C.D.	9411160218	50-220 P
SPENCE,R.E.	9411080297	WASTE MGT	STURZ,F.C.	9411280259	50-317 Y	TERRY,C.D.	9411210297	50-220 P
SPENCE,R.E.	9411080301	WASTE MGT	STYER,P.	9411280263*	ORG	TERRY,C.D.	9411300114	50-220 Q
SPENCE,R.E.	9411160070	WASTE MGT	SUDNAK,P.J.	9411090360	50-483 F	TERRY,C.L.	9411030099	PR
SPENCE,R.E.	9411100289	WASTE MGT	SUWALA,M.C.	9411230132	70-27	TERRY,C.L.	9411040186	50-446 P
SPENCE,R.E.	9411150106	WASTE MGT	SWAFFORD,P.D.	9411210346	50-410 S	TERRY,C.L.	9411140095	50-445 F
SPENCE,R.E.	9411150222	WASTE MGT	SWAIN,A.D.	9411290177*	50-295 P	TERRY,C.L.	9411140139	50-446 S
SPENCE,R.E.	9411160066	WASTE MGT	SWAIN,R.L.	9411160151	50-329 A	TERRY,C.L.	9411140141	50-446 Q
SPENCE,R.E.	9411160070	WASTE MGT	SWANSON,K.	9411020217	71-146	TERRY,C.L.	9411150022	50-445 P
SPENCE,R.E.	94111210251	WASTE MGT	SWANSON,P.J.	9411250100*	50-295 P	TERRY,C.L.	9411160153	50-445 P
SPENCE,R.E.	9411220116	WASTE MGT	SYKES,K.W.	9411180153	50-10 R	TERRY,C.L.	9411160161	50-446 P
SPENCE,R.E.	9411220349	WASTE MGT	SYLVIA,B.R.	9411020128	50-410 P	TERRY,C.L.	9411210377	50-446 S
SPENCE,R.E.	9411230253	WASTE MGT	SYLVIA,B.R.	9411090311	50-410 P	TERRY,C.L.	9411220156	50-446 S
SPENCE,R.E.	9411230261	WASTE MGT	SYLVIA,B.R.	9411090314*	50-410 P	TERRY,C.L.	9411230040	50-445 P
SPENCER,A.L.	9411280064	71-685	SYLVIA,B.R.	9411220062	50-220 P	TERRY,C.L.	9411250125	50-445 R
SPENCER,D.R.	9411080046*	52-3	TABATABAIA,A.	9411030214	CONTRACT	TERRY,C.L.	9411250158	50-445 P
SPENCER,K.M.	9411100174*	50-302 P	TABOR,S.F.	9411220254	50-325 S	TERRY,C.L.	9411250160	50-445 P
SRINILTA,S.	9411180099*	50-454 P	TABOR,S.F.	9411300400	50-325 S	TERRY,C.L.	9411250170	50-445 P
STALL,J.A.	9411150469	50-338 R	TAMP,S.	9411040307	50-390 A	TERRY,C.L.	9411300294	50-446 S
STANG,J.F.	9411030182	50-237 P	TAMP,S.	9411070237	TOPREP	TERRY,L.	9411140124	50-445 F
STANG,J.F.	9411100244	50-237 P	TAMP,S.	9411070309	50-390 A	TESSIER,R.L.	9411160178	50-220 F
STANG,J.F.	9411140070	50-237 P	TAMP,S.	9411100273	50-390 A	TESTA,E.D.	9411030041*	70-1151
STANG,J.F.	9411170299	50-237 P	TAMP,S.	9411140140	50-390 A	THADANI,A.C.	9404250047*	PR
STANG,J.F.	9411180002	50-237 P	TAMP,S.	9411140182	50-390 A	THADANI,A.C.	9411230286*	FOIA
STANG,J.F.	9411230105	50-237 P	TAMP,S.	9411230142	50-390 A	THADANI,M.	9411040067	50-280 P
STANG,J.F.	9411230122*	50-237 P	TAMP,S.	9411250078	50-390 A	THADANI,M.	9411040291	50-339 P
STAPLE,B.D.	9411040066	NUREG	TANDON,S.	9411220271*	50-454 P	THADANI,M.	941070356	50-280 Q
STARK,S.J.	9411160285*	50-387 P	TANG,D.T.	9411080147	52-4	THADANI,M.	941070369*	50-389 P
STARKEY,R.S.	9411250214	50-382 S	TANG,D.T.	9411140180	52-4	THADANI,M.C.	9411020030*	50-280 P
STARKEY,R.S.	9411250222	50-382 S	TANG,D.T.	9411170173	52-4	THADANI,M.C.	9411020108	50-250 P
STAUTER,J.C.	9411230290	70-925	TANG,D.T.	9411230310	52-4	THADANI,M.C.	9411030138*	50-250 P
STAUTER,J.C.	9411250183	70-925	TANZER,S.	9411100187	FOIA	THADANI,M.C.	9411040275	50-280 P
STAUTER,J.C.	9411250183	70-925	TAYLOR,D.R.	9411210060*	50-338 Q	THADANI,M.C.	9411080304	50-280 V
STAUTER,J.C.	9411280180	70-925	TAYLOR,J.H.	9411160245	TOPREP	THADANI,M.C.	9411180081*	50-280 P
STEFANKO,J.S.	9411020230*	50-387 P	TAYLOR,J.H.	9411170236	TOPREP	THE CHAIRMAN	9411040170	COMMISSION
STEINER,G.W.	9411160178	50-220 P	TAYLOR,J.M.	9111130136*	50-425 G	THE CHAIRMAN	9411140138	COMMISSION
STEINHARDT,C.	9411140200	50-305 P	TAYLOR,J.M.	9205110252*	FOIA	THE CHAIRMAN	9411160190	COMMISSION
STEINHARDT,C.	9411150445	50-305 P	TAYLOR,J.M.	9207100275*	FOIA	THE CHAIRMAN	9411160302	COMMISSION
STEINHARDT,C.R.	9411150245	50-305 Q	TAYLOR,J.M.	9402020205*	PR	THE CHAIRMAN	9411160317	COMMISSION
STEINMEYER,K.P.	9411160036	REGGD	TAYLOR,J.M.	9405130201*	40-8820	THE CHAIRMAN	9411180032	COMMISSION
STETZ,J.P.	9411020082	50-346 V	TAYLOR,J.M.	9410310328	ORG	THE CHAIRMAN	9411180050	COMMISSION
STETZ,J.P.	9411030349	50-346 F	TAYLOR,J.M.	9411020054	50-390 H	THE CHAIRMAN	9411180075	COMMISSION
STETZ,J.P.	9411180060	50-346 P	TAYLOR,J.M.	9411030079	WASTE MGT	THE CHAIRMAN	9411180087	COMMISSION
STETZ,J.P.	9411180078	50-346 P	TAYLOR,J.M.	9411040271	50-293 H	THE CHAIRMAN	9411180095	COMMISSION
STETZ,J.P.	9411220139	50-346 P	TAYLOR,J.M.	9411040276*	50-293 H	THE CHAIRMAN	9411210328	COMMISSION
STEWART,J.S.	9411150279*	50-244 V	TAYLOR,J.M.	9411040300	50-293 H	THE CHAIRMAN	9411210339	COMMISSION
STEWART,W.L.	9411040007	PR	TAYLOR,J.M.	9411080141	ORG	THE CHAIRMAN	9411210371	COMMISSION
STEWART,W.L.	9411080115	50-528 P	TAYLOR,J.M.	9411090167*	PR	THE CHAIRMAN	9411220075*	ORG
STEWART,W.L.	9411140104	50-528 P	TAYLOR,J.M.	9411090246	REVIEW GR P	THE CHAIRMAN	9411220135	COMMISSION
STIPICEVICH,J.	9411230207	50-275 R	TAYLOR,J.M.	9411100013	PR	THE CHAIRMAN	9411220157*	COMMISSION
STOHR,J.P.	9411010118	70-1113	TAYLOR,J.M.	9411100186	50-206 H	THE CHAIRMAN	9411220186	COMMISSION
STOHR,J.P.	9411030004	STATE PRO G	TAYLOR,J.M.	9411100225	71-607	THEESFELD,T.	9411070426	50-237 S
STOHR,J.P.	9411070085	70-824	TAYLOR,J.M.	9411140110	PR	THOMAS,C.O.	9411080186	ORG
STOHR,J.P.	9411070200	STATE PRO G	TAYLOR,J.M.	9411170041	ORG	THOMAS,C.O.	9411150610	50-188 V
STOHR,J.P.	9411210011	MISC	TAYLOR,J.M.	9411170072	STATE PRO G	THOMAS,C.O.	9411150620	50-62 V
STOHR,J.P.	9411210030	70-27	TAYLOR,J.M.	9411170206	ORG	THOMAS,C.O.	9411220326	50-62 V
STOHR,J.P.	9411290033	STATE PRO G	TAYLOR,J.M.	9411170286	52-1	THOMAS,C.O.	9411220337	50-150 V
STOHR,J.P.	9411300192	50-160 P	TAYLOR,J.M.	9411170296	50-272 H	THOMAS,C.O.	9411220390	50-116 V
STOLZ,J.F.	9411020068*	50-387 P	TAYLOR,J.M.	9411180031	PR	THOMAS,G.S.	9411020224	50-412 P
STOLZ,J.F.	9411020178*	50-272 P	TAYLOR,J.M.	9411180066	SECY	THOMAS,G.S.	9411150330	50-334 F
STOLZ,J.F.	9411040018	50-352 P	TAYLOR,J.M.	9411180072	SECY	THOMAS,G.S.	9411160279	50-412 P
STOLZ,J.F.	9411040123	50-213 P	TAYLOR,J.M.	9411180089	SECY	THOMAS,G.S.	9411290157	50-334 P
STOLZ,J.F.	9411040304	50-272 P	TAYLOR,J.M.	9411180091	SECY	THOMAS,G.S.	9411290162	50-334 P
STOLZ,J.F.	9411090096*	50-352 P	TAYLOR,J.M.	9411220388	COMMISSION	THOMAS,M.	9411010055*	50-327 Q
STOLZ,J.F.	9411220325*	50-272 P	TAYLOR,J.M.	9411230100	50-219 H	THOMAS,M.	9411090095*	50-269 Q
STOLZ,J.F.	9411220354*	50-352 P	TAYLOR,J.M.	9411250088	52-3	THOMAS,N.	9411100222*	70-3070
STOLZ,J.F.	9411280025*	50-272 P	TAYLOR,J.M.	9411280060	REVIEW GR P	THOMAS,R.G.	9411250236*	50-390 A
STOMA,S.K.	9411300337	50-458 S	TAYLOR,J.M.	9411280121	40-672	THOMPSON,A.J.	9411080298	WASTE MGT
STOMA,S.K.	9411300343	50-458 S	TAYLOR,J.M.	9411280254	ORG	THOMPSON,H.L.	9011070370*	FOIA
STONE,B.J.	9411230317	50-341 R	TAYLOR,J.M.	9411280266*	ORG	THOMPSON,H.L.	9011070374*	FOIA
STOWERS,G.	9411040218	50-309 S	TAYLOR,J.M.	9411290181	40-8724	THOMPSON,H.L.	9411180212*	FOIA
STRANGE,J.	9411180219	FOIA	TAYLOR,J.M.	9411300253*	50-237 P	THOMPSON,H.L.	9411210380*	FOIA
STRATFORD,R.J.	9411160164	XPORTLIC	TAYLOR,J.M.	9411300265*	50-237 P	THOMPSON,H.L.	9411280174*	ORG
STRATMAN,R.A.	9411010209	50-440 P	TAYLOR,P.A.	9411090083*	50-390 Q	THOMPSON,T.C.	9409260113*	72-1007
STRATMAN,R.A.	9411030170	50-440 S	TAYLOR,T.	9411080040	ADVCM	THOMPSON,T.C.	9409260116*	72-1007
STRATMAN,R.A.	9411030354	50-440 P	TAYLOR,T.	9411100155*	FOIA	THOMPSON,T.C.	9409260118*	72-1007
STRATMAN,R.A.	9411030365	50-440 S	TEDESCO,R.	781020065*	50-322 W	THONUS,L.H.	9411170142	50-320 P
STRATMAN,R.A.	9411100151	50-440 P	TEDESCO,R.L.	7810300235*	50-322 W	THORNBERY,R.	9411250236*	50-390 A
STRATMAN,R.A.	9411100156	50-440 P	TEDESCO,R.L.	9411210224	TOPREP	THORPE,M.	9411180015	PR
STRATMAN,R.A.	9411160062	50-440 P	TEDESCO,R.L.	9411210235	TOPREP	THORSON,L.J.	9411220119*	50-341 P
STRATMAN,R.A.	9411230206	50-440 R	TEDEW,J.	9411290056*	50-416 Q	THREAT,D.	9411100219*	WASTE MGT
STRATMAN,R.A.	9411230256	50-440 P	TEDEW,J.	9411010163*	50-400 Q	TIDWELL,T.W.	9411150408	50-321 R
STRATMAN,R.A.	9411230266	50-440 S	TEMUS,C.J.	9411280255*	71-9255	TIERNAN,T.C.	9411030357	CONTRACT
STRONG,T.R.	9411100020	STATE PRO G	TERHUNE,R.W.	9411090348*	WASTE MGT	TIKTINSKY,D.	9411180135*	FOIA
STRUCKMEYER,R.	9411220196*	50-333 Q	TERRILL,B.	9411080026	NUREG	TIKTINSKY,D.	9411180184*	FOIA
STUART,I.F.	9411230115	PROJ	TERRILL,B.	9411080032	NUREG	TING,P.	9411250242	70-36

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
TINGEN,S.G.	9411070101*	50-280 Q	VETTER,J.	9411100130	FOIA	WETTERHAHN,M.J.	9411100162	50-458 G
TIPPS,S.B.	9411030227	50-366 S	VICTOR,W.	9411150536	50-298 S	WETTERHAHN,M.J.	9411300320	50-458 G
TIPPS,S.B.	9411220338	50-321 S	VIJAYKUMAR,R.	9411250097*	50-295 P	WETTERHAHN,M.J.	9411300320	50-458 G
TJERSLAND,G.T.	9411180279	71-9225	VIK,M.	9411250241*	50-306 Q	WETZ,T.V.	9411210258	40-8024
TMOMAS,G.S.	9411040181	50-334 F	VILLALTA,J.A.	9411210275*	50-237 P	WETZEL,B.A.	9411230078	50-263 P
TOBIN,W.	9411040016*	50-335 Q	VISSING,G.S.	9411070266	50-336 P	WHARTON,L.R.	9411030005	50-483 P
TOBIN,W.J.	9411210016*	50-327 Q	VISSING,G.S.	9411230309	50-336 P	WHARTON,L.R.	9411030007*	50-483 P
TOMOVESIK,J.	9411040167	CONTRACT	VOLPE,J.A.	9411100022	STATE PRO G	WHARTON,L.R.	9411070268	50-483 P
TOSCH,K.	9411150571	50-272 P	WADLEY,M.D.	9411040015	50-282 P	WHEELER,J.T.	9411030188	CONTRACT
TOSCH,K.	9411300389	50-354 P	WAGNER,B.R.	9411280090*	COMMISSION	WHEELER,L.L.	9411230112*	50-369 P
TOSCH,K.W.	9411030324	50-272 P	WALDEN,J.V.	9411150477	50-244 R	WHEELER,L.L.	9411230124	50-424 P
TOSCH,K.W.	9411030328	50-354 P	WALDEN,J.V.	9411250023*	50-244 R	WHEELER,L.L.	9411250063*	50-321 P
TRAN,L.	9411080160	50-155 P	WALKER,N.M.	9411010072	70-3070	WHITE,C.D.	9411250123	50-335 R
TRAN,L.N.	9411080053	50-528 P	WALKER,N.M.	9411010072	70-3070	WHITE,J.	9411150027*	50-387 Q
TRAN,L.N.	9411080067*	50-528 P	WALKER,N.M.	9411010079	70-3070	WHITE,J.R.	9411080003	50-354 Q
TRAN,L.N.	9411170141	50-155 P	WALKER,N.M.	9411010079	70-3070	WHITE,J.R.	9411080016	50-272 Q
TRAPP,J.S.	9411170211	WASTE MGT	WALKER,N.M.	9411010175	70-3070	WHITE,J.R.	9411150021	50-387 Q
TRBOVICH,T.	9411170322*	WASTE MGT	WALKER,N.M.	9411040035	70-3070	WHITE,J.R.	9411150208	50-387 Q
TREBY,S.A.	9411160204*	PR	WALKER,N.M.	9411100044	70-3070	WHITE,J.R.	9411220105	50-272 P
TREMBLAY,L.A.	9411160212	50-271 P	WALKER,N.M.	9411100044	70-3070	WHITENER,H.	9411010017*	50-261 Q
TROCINE,L.	9411070259*	50-250 Q	WALKER,N.M.	9411100128	70-3070	WHITESEL,R.N.	9411080206*	REVIEW GR P
TROCINE,L.	9411290013*	50-250 Q	WALKER,N.M.	9411100128	70-3070	WHITT,M.S.	9411210387	50-368 R
TROST,C.A.	9411010161	50-289 R	WALKER,N.M.	9411180160	70-3070	WHITTIER,G.D.	9411170295	50-309 Q
TROTTER,E.H.	9411090111	50-309 P	WALKER,N.M.	9411180160	70-3070	WHITTIER,G.W.	9411170297*	50-309 Q
TROTTIER,E.H.	9411290101	50-309 P	WALKER,N.M.	9411230048	70-3070	WICHES,D.L.	9411170181	40-8981
TROUP,G.L.	9411290243*	70-1113	WALKER,N.M.	9411230048	70-3070	WICHES,D.L.	9411170194	40-8502
TSCHAECH,E.A.N.	9411210283*	FOIA	WALKER,N.M.	9411230058	70-3070	WIDAY,J.A.	9411150477	50-244 R
TSCHIRGI,D.M.	9411100206	FOIA	WALKER,N.M.	9411230058	70-3070	WIDAY,J.A.	9411250020	50-244 R
TSCHOEPE,E.	9411170320	WASTE MGT	WALKER,R.D.	9411030099	PR	WIDMAN,M.T.	9411010190*	50-424 Q
TUCKMAN,M.S.	9411080229	50-269 V	WALKER,R.D.	9411140139	50-446 S	WIDMANN,M.T.	9411290020*	50-424 Q
TUCKMAN,M.S.	9411080239	50-369 P	WALKER,R.D.	9411140141	50-446 Q	WIENS,L.A.	9411070358	50-269 P
TUCKMAN,M.S.	9411220295	50-269 Q	WALKER,R.D.	9411250125	50-445 R	WIENS,L.A.	9411140196	50-269 Q
TUETKEN,R.P.	9411220214	50-295 Q	WALKER,S.	9411280208*	TOPREP	WIENS,L.A.	9411170134	50-270 Q
TUMMONS,P.	9411280264	FOIA	WALLACE,J.E.	9411070287*	50-260 S	WIENS,L.A.	9411170291	50-269 P
TURK,S.E.	9411300302	40-8681	WALLACE,J.E.	9411090286	50-260 S	WIENS,L.A.	9411180051	50-269 P
TURK,S.E.	9411300308	40-8681	WALLIN,G.A.	9411150375	50-271 R	WIERINGA,D.	9411080026	NUREG
TURK,S.E.	9411300316	50-160 G	WALLS,M.	9411150446	50-237 F	WIERINGA,D.	9411080032	NUREG
TURK,S.E.	9411300358	40-8681	WALLS,M.	9411150463	50-237 F	WIGGETT,B.W.	9411290130	50-271 I
TURNER,D.	9411170327*	WASTE MGT	WALTON,G.A.	9411030072*	50-390 Q	WIGGINS,E.J.	9411030200	CONTRACT
TURNER,D.	9411220083*	WASTE MGT	WALTON,G.A.	9411290021*	50-390 Q	WIGGINS,E.J.	9411030249	CONTRACT
TYLER,T.N.	9411080035	MISC	WALTON,G.A.	9411290087*	50-390 Q	WIGGINS,E.J.	9411030262	50-390 A
UDY,A.	9411010353*	50-275 Q	WANCZYK,R.J.	9411070302	50-271 S	WIGGINS,E.J.	9411030266	50-285 Q
UDY,A.	9411010353*	50-275 Q	WANCZYK,R.J.	9411070303	50-271 S	WIGGINS,E.J.	9411030271	CONTRACT
UDY,A.C.	9410040241*	50-321 Q	WANCZYK,R.J.	9411170068	50-271 S	WIGGINS,E.J.	9411030280	50-269 Q
UDY,A.C.	9410040241*	50-321 Q	WANCZYK,R.J.	9411170097	50-271 S	WIGGINS,E.J.	9411030283	50-302 Q
UDY,A.C.	9411020241*	50-250 Q	WANG,A.B.	9411250095	50-271 S	WIGGINS,E.J.	9411030286	50-338 Q
UDY,A.C.	9411040274*	50-333 Q	WANG,A.B.	9411080157	50-213 P	WIGGINS,E.J.	9411030291	CONTRACT
UDY,A.C.	9411100184*	50-334 Q	WANG,A.B.	9411170050	50-213 P	WIGGINS,E.J.	9411030299	CONTRACT
UDY,A.C.	9411100184*	50-334 Q	WANG,A.B.	9411280248	50-213 P	WIGGINS,E.J.	9411030312	CONTRACT
UDY,A.C.	9411250047*	50-443 Q	WANGLER,M.E.	9411280265	71-5957	WIGGINS,E.J.	9411040027	CONTRACT
UNE,T.	9411250001	FOIA	WARDEN,J.A.	9411090359	71-*****	WIGGINS,E.J.	9411040045	CONTRACT
UNNERSTALL,K.	9411250165	FOIA	WARE,C.T.	9411160178	50-220 F	WIGGINS,E.J.	9411040064	CONTRACT
URBAN,R.J.	9411150490*	50-333 Q	WAREMBOURG,D.	9411030358	50-267 F	WIGGINS,E.J.	9411040069	CONTRACT
UTTAL,S.L.	9411010128	40-8027	WAREMBOURG,D.W.	9411020125	50-267 S	WIGGINS,E.J.	9411040079	CONTRACT
VALENTI,J.P.	9411230238	40-8948	WAREMBOURG,D.W.	9411040119	50-267 S	WIGGINS,E.J.	9411070161	CONTRACT
VAN CLEAVE,V.	9411150367*	50-498 Q	WAREMBOURG,D.W.	9411070432	50-267 S	WIGGINS,E.J.	9411300374	CONTRACT
VAN DOORN,P.K.	9411090083*	50-390 Q	WAREMBOURG,D.W.	9411250104	50-267 W	WIGGINS,J.T.	9202060544*	50-344 P
VAN DOORN,P.K.	9411290087*	50-390 Q	WAREMBOURG,D.W.	9411250107	50-267 F	WIGGINS,J.T.	9411150033	50-220 Q
VAN SLOUN,M.L.	9411210141	PT21	WAREMBOURG,D.W.	9411300267	71-346	WIGGINS,J.T.	9411150418	50-354 S
VANDEN HEUVEL	9411220300	NUREG	WASONG,A.J.	9411080230	50-278 S	WIGGINTON,S.	9411140042	PR
VANDEN HEUVEL	9411220304	NUREG	WASONG,A.J.	9411280306	50-277 S	WILCOXEN,J.G.	9411010107*	40-8027
VANDENBURGH,C.	9411170011*	50-313 Q	WASTLER,S.L.	9411100082	40-8943	WILCOXEN,J.G.	9411010107*	40-8027
VANDENBURGH,C.	9411170042*	50-458 Q	WASTLER,S.L.	9411150624	40-8681	WILKINSON,T.M.	9411250114	50-261 F
VARGA,S.A.	8704290162*	50-344 P	WATER,J.D.	9411010028	PR	WILKIE,L.V.	9411010253	50-269 S
VARGA,S.A.	9411020158*	50-424 F	WEAVER,D.A.	9411020185	50-301 S	WILKINS,J.E.	9402020209*	PR
VARGA,S.A.	9411030294	50-317 F	WEBB,R.E.	9411290220	FOIA	WILKOWSKI,G.M.	9411160005	NUREG
VARGA,S.A.	9411080259	50-272 P	WEBER,R.L.	9411250036	50-269 R	WILLIAMS,A.L.	9411100208	50-255 R
VARGA,S.A.	9411100157*	50-317 P	WEBER,R.L.	9411250116	50-413 R	WILLIAMS,F.J.	9411070425	TOPREP
VARGA,S.A.	9411160187	50-289 P	WEBER,R.L.	9411250132	50-369 R	WILLIAMS,F.J.	9411220384	50-247 P
VARGA,S.A.	9411220374*	50-352 F	WEISS,D.	9411100114	71-702	WILLIAMS,F.J.	9411280233	50-247 P
VASELIN,J.	9411040214	40-8502	WEISS,S.H.	9411090406*	50-186 P	WILLIAMS,J.F.	9411170301	50-260 Q
VASELIN,J.	9411170185	40-8502	WEISS,S.H.	9411100024	50-29 P	WILLIAMS,J.H.	9411220006*	50-410 V
VAVREK,J.B.	9411290152	FOIA	WEISS,S.H.	9411210040*	50-344 Q	WILLIAMS,J.H.	9411280195*	50-333 V
VAVREK,K.J.	9411280298*	50-348 P	WEISS,S.H.	9411210040*	50-344 Q	WILLIAMS,J.R.	9411030116	PR
VAVREK,K.J.	9411280300*	50-348 P	WENSLSKI,F.	9411220087	70-734	WILLIAMS,M.D.	9411180210*	FOIA
VERANI,M.S.	9411280269*	STATE PRO G	WENSLSKI,F.A.	9411020057	70-734	WILLIAMS,O.G.	9411080283	FOIA
VERRELLI,D.	9411290128	50-338 Q	WENSLSKI,F.A.	9411220224*	70-1257 Q	WILLIAMS,R.A.	9411250042*	50-269 R
VERRELLI,D.M.	9411010117	50-335 Q	WERT,L.D.	9411090036*	50-259 Q	WILLIAMS,R.A.	9411250118*	50-413 R
VERRELLI,D.M.	9411030017	50-280 Q	WESSMAN,R.H.	9411160318	ORG	WILLIAMS,R.A.	9411250133*	50-369 R
VERRELLI,D.M.	9411070095	50-280 Q	WESSMAN,R.H.	9411210384	TOPREP	WILLIAMS,W.A.	9411030108	70-1100
VERRELLI,D.M.	9411070252	50-250 Q	WESSMAN,R.H.	9411280051	TOPREP	WILLIAMSON,E.L.	9411150367*	50-498 Q
VERRELLI,D.M.	9411210025	50-302 Q	WESTALL,D.	9411300203*	50-186 Q	WILMOTH,M.J.	9411010015	50-424 G
VERRELLI,D.M.	9411210054	50-338 Q	WESTERMAN,T.F.	9411210048*	50-498 Q	WILMOTH,M.J.	9411010152	50-424 G
VERRELLI,D.M.	9411290003	50-280 Q	WESTRA,C.	9411080026	NUREG	WILMOTH,M.J.	9411010152	50-424 G
VERRELLI,D.M.	9411290008	50-250 Q	WESTRA,C.	9411080032	NUREG	WILMOTH,M.J.	9411010228	50-424 G
VERRELLI,D.M.	9411300044	50-302 Q	WETTERHAHN,M.J.	9411020100	50-458 G	WILMOTH,M.J.	9411010228	50-424 G
VERRELLI,D.M.	9411300047	50-338 Q	WETTERHAHN,M.J.	9411020100	50-458 G	WILMOTH,M.J.	9411300299	50-424 G
VERRILLI,M.	9411160233	50-400 S	WETTERHAHN,M.J.	9411100162	50-458 G	WILMOTH,M.J.	9411300299	50-424 G

236 PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
WILSON,D.	9411090383	50-331 R	WOODLAN,D.R.	9411030134	PR	WYMER,S.L.	9411150431	50-255 F
WILSON,D.	9411300247	50-331 R	WOODLAN,D.R.	9411140095	50-445 F	YAAKLE,J.	9411040066	NUREG
WILSON,D.L.	9411080256	50-331 S	WOODLAN,D.R.	9411140124	50-445 F	YAROSZ,W.L.	9411170228	50-461 F
WILSON,J.H.	9411220133	REVIEW GR P	WOODLAN,D.R.	9411160297	50-445 F	YELVERTON,J.W.	9410280079	50-368 K
WILSON,R.	9411080026	NUREG	WOODLAN,D.R.	9411180106	50-445 P	YOUNG,D.E.	9411030185	50-261 S
WILSON,R.	9411080032	NUREG	WOODLAN,D.R.	9411230201	50-446 P	YOUNG,D.E.	9411070253	50-261 S
WILSON,W.A.	9411010161	50-289 R	WOODLAN,R.	9411010009	50-461 K	YOUNG,D.E.	9411210292	50-261 S
WINICK,T.	9411090267	50-410 O	WOODS,J.	9411180100	50-261 R	YOUNG,D.E.	9411220176	50-261 S
WINSBERG,K.L.	9411180087	COMMISSION	WOODWARD,R.	9411090383	50-331 R	YOUNG,D.E.	9411220263	50-261 S
WINSBERG,K.L.	9411180095	COMMISSION	WOODWARD,R.	9411300247	50-331 R	YOUNG,D.L.	9411160094*	50-443 F
WINSBERG,K.L.	9411220218	50-390 A	WOOSTER,K.A.	9411040163	50-155 F	YOUNG,D.L.	9411160096*	50-443 F
WINSBERG,K.L.	9411220269	50-390 A	WOOSTER,K.A.	9411180205*	50-155 F	YOUNG,J.O.	9411170064*	ORG
WINTER,R.	9411160077*	50-331 Q	WOOSTER,K.A.	9411180206*	50-155 F	YOUNG,K.D.	9411020219	50-331 P
WISEMAN,G.	9411210020*	50-324 Q	WORMAN,G.	9411230121	40-8584	YOUNG,K.D.	9411080165	50-331 V
WISHAM,C.L.	9411170061	70-734	WRIGHT,C.	9411180022	PR	YOUNG,K.D.	9411230202	50-331 P
WISHAM,C.L.	9411170089*	70-734	WRIGHT,F.N.	9411030078*	50-280 Q	YOUNG,K.D.	9411300048	50-331 Q
WISHAM,C.L.	9411170090*	70-734	WRIGHT,F.N.	9411070113*	50-338 Q	YOUNG,M.A.	9411020105	50-424 G
WOLF,D.M.	94111210291*	50-335 P	WRIGHT,F.N.	9411300011*	50-269 Q	YOUNG,S.R.	9411090348*	WASTE MGT
WOLF,G.	9411170308	50-346 R	WRIGHT,G.C.	9411070017	50-305 Q	YUNDT,C.P.	9411180145	50-344 P
WOLKIE,L.V.	9411250092	50-270 S	WU,Q.	9411160157	NUREG	ZAHOR,A.	9411280283	NUREG
WONG,H.J.	9411160067*	50-361 Q	WUJIGA,J.	9411150446	50-237 F	ZERIGUE,O.J.	9411250077	50-328 S
WOOD,J.K.	9411090291	50-346 R	WUNDER,G.F.	9411030001	50-395 F	ZERIGUE,O.J.	9411010364	50-328 S
WOOD,J.K.	9411150615	50-346 S	WUNDER,G.F.	9411080228	50-395 P	ZERIGUE,O.J.	9411070177	50-327 Q
WOOD,J.K.	9411170308	50-346 R	WUNDER,G.F.	9411080294	50-395 P	ZERIGUE,O.J.	9411300241	50-327 Q
WOOD,J.K.	9411220209	50-346 S	WUNDER,G.F.	9411090253	50-395 P	ZHANG,G.	9411160157	NUREG
WOODARD,J.D.	9411150485	50-348 R	WUNDER,G.F.	9411090256*	50-395 P	ZIEGLER,R.S.	9411150632	40-8902
WOODARD,J.D.	9411180035	50-348 P	WUNDER,G.F.	9411220364	50-395 P	ZIMMERMAN,J.I.	9411020142	50-424 F
WOODHEAD,C.	9411140168	40-8681	WUNDER,G.F.	9411250030	50-395 P	ZIMMERMAN,J.I.	9411080308	50-424 P
WOODHEAD,C.P.	9411010109	50-237 G	WUNDER,G.F.	9411250168	50-395 P	ZIMMERMAN,R.P.	9411280186	ORG
WOODHEAD,C.P.	9411100132	50-237 G	WYMER,S.L.	9411150409	50-255 F	ZOBLER,M.L.	9411100135	50-458 G
WOODLAN,D.R.	9411020031	50-445 P	WYMER,S.L.	9411150414	50-255 F	ZWOLINSKI,J.A.	9401130025*	50-255 Y

CORPORATE SOURCE INDEX

The subject category column in this index gives the docket number and the symbol for the category of information within that docket; for example, 50-232 P. The docket subject categories are defined in Appendix A.

Subject categories for nondocketed items are also entered in this column by symbol; for example, ACRS.

These categories are defined in Appendix B and listed in the Contents. An asterisk following the accession number in this index indicates that the document is an enclosure to another document. To obtain the accession number of the principal document under which the enclosure is listed, refer to the index entitled "Cross Reference of Enclosures to Principal Documents."

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY		AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.)	9411010253	52-2		Atkinson-Noland & Associates	9411030361	CONTRACT
	9411020164	70-36		Atlantic Richfield Co. (ARCO)	9411150632	40-8902
	9411020170*	70-36		Atlas Corp.	9411080232	40-3453
	9411040185	70-36			9411230192	40-3453
					9411230200	40-3453
ABB Process Automation, Inc. (formerly Process Automation Business & Accuracy) AECL Technologies	9411140172	70-36		B&W Fuel Co.	9411280223	40-3453
	9411160031	70-1100			9411070292	70-1201
	9411140025	PRM			9411150574	70-1201
	9411030098	PROJ			9411160010	70-1201
ASEA Brown Boveri, Inc.	9411170270	PROJ			9411160275	71-115
	9411010253	52-2		B. Koh & Associates, Inc.	9411160276*	71-115
	9411020164	70-36			9411100171	40-8724
	9411020170*	70-36			9411100172*	40-8724
	9411040185	70-36			9411210341*	FOIA
					9411210347*	FOIA
Alabama, State of	9411140172	70-36		BP Chemicals International	9411210353*	FOIA
Allied-Signal Corp.	9411160031	70-1100			9411100270	40-7604
	9411170070*	STATE PRO	G	BWR Owners Group	9411100279	40-7604
	9411180029	PR			9411170153	TOPREP
	9411230179	40-3392			9411170210*	TOPREP
American Airlines, Inc.	9411250235	40-3392			9411210218	TOPREP
	9411280066	71-236			9411280205	TOPREP
American Association for Nuclear Cardiology, Inc.	9411300025*	71-236		Babcock & Wilcox Co.	9411070138	70-364
	9411300019*	STATE PRO	G		9411080254*	50-270
					9411150009	70-27
American College of Nuclear Physicians	9411140010	PRM			9411150214	70-27
	9411150228	PR			9411160245	TOPREP
American Mining Congress	9411080303*	WASTE MGT			9411170214	70-135
Amersham Corp.	9411150614	71-40			9411170236	TOPREP
	9411160313	PT21			9411180070*	50-346
Anne Arundel County, MD	9411080309	40-341			9411220212	70-824
Appleton, WI	9411210261	40-341			9411230075	70-27
	9411080299*	50-255	Y		9411230132	70-27
	9411090278	50-255	Y		9411250246	70-135
	9411210231	50-255	P		9411280161	70-27
Applied Management Systems, Inc.	9411290122	72-1007			9411280203	70-27
Argonne National Laboratory	9411040219	CONTRACT			9411280224	70-27
Arizona Public Service Co. (formerly Arizona Nuclear Power Project)	9411090206	XPORTLIC		Baltimore Gas & Electric Co.	9411290179*	70-27
	9411010112	50-529	P		9411020090	50-317
	9411010112	50-529	P		9411030219	50-317
	9411020248	50-529	S		9411040164	50-317
	9411040007	PR			9411040164	50-317
	9411080115	50-528	P		9411040252	50-318
	9411080115	50-528	P		9411080252	50-317
	9411080115	50-528	P		9411080252	50-317
	9411080115*	50-528	P		9411140058	50-317
	9411080119*	50-528	P		9411150338	PR
	9411080119*	50-528	P		9411180012	50-317
	9411080119*	50-528	P		9411180107	50-317
	9411080134	50-529	P		9411210269	50-317
	9411090391	50-528	S		9411230080	50-317
	9411090398*	50-528	S	Battelle Human Affairs Research Centers	9411080026	NUREG
	9411140104	50-528	P		9411080032	NUREG
	9411140104	50-528	P	Battelle Memorial Institute, Columbus Laboratories	9411040068	50-471
	9411140104	50-528	P			
	9411140108*	50-528	P		9411160005	NUREG
	9411140108*	50-528	P		9411080026	NUREG
	9411140108*	50-528	P			
	9411160250	50-528	R	Battelle Memorial Institute, Pacific Northwest Laboratory	9411080032	NUREG
	9411160250	50-528	R		9411080088	NUREG
	9411160250	50-528	R			
	9411250062	50-528	R		9411080106	NUREG
	9411300089	50-530	Q		9411170158*	50-320
	9411300289	50-529	S		9411180194*	FOIA
Arizona, State of	9411180026	STATE PRO	G	Baylor College of Medicine, Houston, TX	9411180210*	FOIA
Arizona, Univ. of, Tucson, AZ	9411030188	CONTRACT			9411280269*	STATE PRO
Arkansas, State of	9411100034	STATE PRO	G	Bear Creek Uranium Co.	9411040153	40-8452
Army, Dept. of, Corps of Engineers	9411070388	40-8948		Bechtel Corp.	9411170122	40-8452
					9411080318*	50-244

238 CORPORATE SOURCE INDEX

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
Bechtel Power Corp.	9411080319*	50-244 P		9411010154	50-324 F
Bell Atlantic Corp.	9411180190	FOIA		9411020020	50-400 P
Blaw Knox Corp. (formerly Duraloy	9411040011	CONTRACT		9411020022*	50-400 P
Blaw-Knox, Inc.)	9411080028	71-201		9411020071	50-400 F
				9411020156	50-325 P
Boeing Co.	9411080126	50-160 S		9411020190	50-324 P
Boeing Computer Services Co. (div. of	9411010220	PT21		9411020190	50-324 P
Boeing Co.)				9411020193*	50-324 P
	9411170274	PT21		9411020193*	50-324 P
	9411290063	PT21		9411030132	50-324 V
Boston Edison Co.				9411030132	50-324 V
	9411010217	50-293 V		9411030137	50-324 P
	9411010236	50-293 S		9411030137	50-324 P
	9411030096	PR		9411030185	50-261 S
	9411030222	50-293 P		9411030339	50-261 F
	9411030366	50-293 S			
				9411040005	PR
	9411040065	50-293 P		9411040159*	50-324 P
	9411070202	50-293 F		9411040159*	50-324 P
	9411080234	50-293 R		9411070253	50-261 S
	9411090315	50-293 P		9411070273	50-261 P
	9411160253	50-293 R			
				9411070300	50-261 Q
	9411220082	50-293 P		9411070317	50-324 F
	9411220380	50-293 R		9411070317	50-324 F
	9411230231	50-293 I		9411070431	50-261 F
	9411250207	50-293 P		9411080092	50-261 Q
	9411250211*	50-293 P			
				9411080129	50-400 P
	9411250224	50-293 P		9411080196	50-324 F
	9411250227*	50-293 P		9411080196	50-324 F
	9411280134	50-293 P		9411090277*	50-324 Y
	9411280139*	50-293 P		9411100079	50-261 P
	9411280299	50-293 P			
				9411100079	50-261 P
Braunkohle Transport USA, Inc.	9411280301*	50-293 P		9411100079	50-261 P
	9411170004	XPORTLIC		9411100102	50-261 Q
	9411170006	XPORTLIC		9411100102	50-261 Q
	9411170012	XPORTLIC		9411100102	50-261 Q
	9411170015	XPORTLIC		9411100102	50-261 Q
				9411100102	50-261 Q
	9411170019	XPORTLIC		9411100102	50-261 Q
	9411170021	XPORTLIC		9411100106	50-261 P
	9411170023	XPORTLIC		9411100106	50-261 P
	9411170024	XPORTLIC		9411100106	50-261 P
	9411170025	XPORTLIC		9411100110	50-261 P
	9411170026*	XPORTLIC		9411100110	50-261 P
	9411170043	XPORTLIC		9411100110	50-261 P
	9411170048	XPORTLIC		9411100110	50-261 P
	9411170057	XPORTLIC		9411150003	50-400 P
	9411210023	XPORTLIC		9411150004*	50-400 P
	9411210067	XPORTLIC		9411150633	50-261 P
	9411210192	XPORTLIC		9411150634*	50-261 P
	9411210279	XPORTLIC		9411160233	50-400 S
	9411280002	XPORTLIC		9411160268	50-324 Q
Brookhaven National Laboratory	9410140161*	50-250 P		9411170054	50-261 P
				9411170054	50-261 P
	9411020197*	50-369 P		9411170054	50-261 P
	9411040088	NUREG		9411170313	50-324 R
	9411040293	50-250 P		9411180100	50-261 R
	9411080056	NUREG			
	9411080068	NUREG		9411210100	50-400 K
				9411210144	50-400 H
	9411080220	WASTE MGT		9411210292	50-261 S
Bucknell Univ., Lewisburg, PA	9411160020	NUREG		9411220162	50-324 P
	9411210285	71-*****		9411220162	50-324 P
	9411210286*	71-*****			
Burns & Roe Enterprises, Inc.	9411210219	71-*****		9411220167*	50-324 P
				9411220167*	50-324 P
Burns International Security Services,	9411160261	50-302 Q		9411220173	50-261 V
Inc.				9411220176	50-261 S
Burrelle's Press Clipping Service, dba	9411300376	CONTRACT		9411220254	50-325 S
Burrelle's Information Services					
CEXEC, Inc.	9411040136	CONTRACT		9411220256	50-261 Q
				9411220263	50-261 S
	9411040174	CONTRACT		9411220290	50-400 R
	9411040178	CONTRACT		9411250084	50-324 P
	9411040183	CONTRACT		9411250084	50-324 P
	9411040194	CONTRACT			
	9411040197	CONTRACT		9411250087*	50-324 P
				9411250087*	50-324 P
	9411040199	CONTRACT		9411250114	50-261 F
	9411040202	CONTRACT		9411250117	50-261 P
	9411040204	CONTRACT		9411290025	50-261 S
	9411040205	CONTRACT			
	9411040207	CONTRACT		9411290229*	50-324 V
				9411300221	50-400 P
COGEMA, Inc.	9411040228	CONTRACT		9411300259	50-400 P
Cabot Corp.	9411040214	40-8502		9411300261*	50-400 P
Cajun Electric Power Cooperative, Inc.	9411140170	40-6940		9411300285	50-324 Q
	9411010169	50-458 G			
	9411010185	50-458 G		9411300400	50-325 S
				9411280145	71-707
	9411010195	50-458 G	Carondelet Foundry Co.	9411290184*	71-707
	9411020087	50-458 G		9411020163	50-77 W
	9411100032	CONTRACT	Catholic Univ. of America, Washington, D	9411090282	WASTE MGT
California, Univ. of, Davis, CA	9411030264	CONTRACT	Center for Nuclear Waste Regulatory		
California, Univ. of, Los Angeles, CA	9411030257	CONTRACT			
			Analyses	9411090288*	WASTE MGT
California, Univ. of, Santa Barbara, CA	9411030193	CONTRACT		9411090293	WASTE MGT
Canada Atomic Energy Control Board	9411160138	XPORTLIC		9411090297*	WASTE MGT
Canonie Environmental Services, Inc.	9411280166	WASTE MGT			
Carolina Power & Light Co.	9411010129	50-261 Q			

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
	9411090340	WASTE MGT		9411070366	50-254 V
	9411090345	WASTE MGT		9411070366	50-254 V
	9411090348*	WASTE MGT		9411070385	50-454 V
	9411100283	WASTE MGT		9411070423	50-456 Q
	9411100287*	WASTE MGT		9411070426	50-237 S
	9411170288	WASTE MGT		9411080023	50-254 V
	9411170290*	WASTE MGT		9411080023	50-254 V
	9411170305	WASTE MGT		9411080120	50-295 V
	9411170320	WASTE MGT		9411080122	50-454 Q
	9411170321	WASTE MGT		9411080122	50-454 Q
	9411170322*	WASTE MGT		9411080146	50-254 P
	9411170325	WASTE MGT		9411080203	50-254 S
	9411170327*	WASTE MGT		9411080212*	50-254 S
	9411210080	WASTE MGT		9411080310	50-456 P
	9411210081*	WASTE MGT		9411080315	50-454 S
	9411220079	WASTE MGT		9411080320	50-10 S
	9411220083*	WASTE MGT		9411090264	50-237 P
Centerior Energy	9411280288	NUREG		9411090280	50-304 S
	9411010209	50-440 P		9411090339	50-373 S
	9411020082	50-346 V		9411090375	50-254 F
	9411030349	50-346 F		9411090378	50-373 Q
	9411030354	50-440 P		9411100117	50-456 P
	9411030365	50-440 S		9411100185	50-295 F
	9411090128	50-346 Q		9411100185	50-295 F
	9411100151	50-440 P		9411100189	50-295 F
	9411100154*	50-440 P		9411100200	50-454 P
	9411100156	50-440 S		9411140013	50-254 S
	9411100159*	50-440 P		9411140118	50-237 S
	9411100191	50-346 F		9411140190*	50-237 S
	9411160062	50-440 P		9411150323	50-265 S
	9411180060	50-346 P		9411150446	50-237 F
	9411180067*	50-346 P		9411150458	50-456 R
	9411180078	50-346 P		9411150458	50-456 R
	9411220139	50-346 P		9411150463	50-237 F
	9411230206	50-440 R		9411150463	50-237 F
	9411230208	50-346 F		9411150538	50-454 P
	9411230256	50-440 P		9411150544	50-457 Q
	9411230266	50-440 S		9411160221	50-457 P
	9411230271*	50-440 S		9411160223*	50-457 P
Central Midwest Interstate Low-Level	9411100021	STATE PRO G		9411160227	50-454 S
Radioactive Waste Commission (formerly Chem-Nuclear Systems, Inc. Chemetron Corp. Cherokee Nation Chestnut Hill College, Philadelphia, PA	9411170092*	STATE PRO G		9411160259	50-254 F
	9411100265	40-8724		9411160259	50-254 F
	9411010107*	40-8027		9411170314	50-373 R
	9411090367	71-*****		9411170314	50-373 R
Chicago, Univ. of, Chicago, IL Cimarron Corp.	9411010156	REGGD		9411180082	50-254 F
	9411230290	70-925		9411180090	50-454 P
	9411280180	70-925		9411180090	50-454 P
	9411280184*	70-925		9411180090	50-454 P
Citibank, N.A.	9411290172	FOIA		9411180090	50-454 P
Citizens Against Nuclear Trash	9411010059	70-3070		9411180092*	50-454 P
	9411010072	70-3070		9411180092*	50-454 P
	9411010079	70-3070		9411180092*	50-454 P
	9411100044	70-3070		9411180092*	50-454 P
	9411100128	70-3070		9411180094	50-454 F
	9411180160	70-3070		9411180099*	50-454 P
	9411230048	70-3070		9411180104	50-454 R
	9411230058	70-3070		9411180104	50-454 R
Citizens Awareness Network	9411020144	50-29 H		9411180153	50-10 R
Citizens United for Responsible Energy	9411040284*	50-293 H		9411180274	50-254 P
Cleveland Electric Illuminating Co. Colorado State Univ., Fort Collins, CO	9411030170	50-440 S		9411210065	50-295 F
	9411030034	CONTRACT		9411210111	50-237 S
	9411040037	CONTRACT		9411210111	50-237 S
Coltec Industries, Inc. Commerce, Dept. of	9411070090	50-171 S		9411210111	50-237 S
	9411030291	CONTRACT		9411210111	50-237 S
	9411030312	CONTRACT		9411210111	50-237 S
Committee to Bridge the Gap	9411090118*	PR		9411210111	50-237 S
Commonwealth Edison Co.	9411010060	50-237 P		9411210111	50-237 S
	9411010060	50-237 P		9411210188	50-454 S
	9411010089*	50-237 P		9411210245	50-237 P
	9411010121	50-254 P		9411210245	50-237 P
	9411010136*	50-254 P		9411210245	50-237 P
	9411010174	50-295 S		9411210245	50-237 P
	9411010307	50-249 S		9411210245	50-237 P
	9411020064	50-373 Q		9411210245	50-237 P
	9411020238	50-454 P		9411210245	50-237 P
	9411020246	50-237 P		9411210245	50-237 P
	9411020246	50-237 P		9411210245	50-237 P
	9411020246	50-237 P		9411210245	50-237 P
	9411030225	50-237 F		9411210245	50-237 P
	9411030225	50-237 F		9411210245	50-237 P
	9411030225	50-237 F		9411210266	50-237 P
	9411030237	50-373 F		9411210266	50-237 P
	9411040146	50-254 Q		9411210266	50-237 P
	9411040146	50-254 Q		9411210266	50-237 P
	9411040175	50-454 P		9411210288	50-457 S
	9411070071	50-237 F		9411210290	50-373 S
	9411070147	50-454 S		9411210293	50-10 F
	9411070150	50-454 S		9411210293	50-10 F

240 CORPORATE SOURCE INDEX

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
	9411210293	50-10	Consumers Power Co.	9411010164	50-255
	9411210293	50-10		9411020205	50-255
	9411210293	50-10		9411040163	50-155
	9411210293	50-10		9411040311	50-255
	9411210293	50-10		9411040313	50-255
	9411210293	50-10		9411080185	71-325
	9411210293	50-10		9411080244	50-155
	9411210293	50-10		9411090016	50-255
	9411210293	50-10		9411090261	50-155
	9411210293	50-10		9411090364	50-255
	9411210293	50-10		9411100208	50-255
	9411210348	50-454		9411100246	50-255
	9411210348	50-454		9411100248*	50-255
	9411210357*	50-454		9411150409	50-255
	9411220070	50-295		9411150414	50-255
	9411220070	50-295		9411150431	50-255
	9411220211	50-265		9411170177	50-255
	9411220214	50-295		9411180178	50-255
	9411220214	50-295		9411180181*	50-255
	9411220264	50-454		9411180201	50-155
	9411220264	50-454		9411180205*	50-155
	9411220351	50-374		9411180206*	50-155
	9411220399	50-455		9411220102	50-255
	9411230008	50-3		9411220219	50-255
	9411230067	50-454		9411250122	50-255
	9411230094	50-373		9411300151	50-155
	9411230094	50-373	Cooper Energy Services	9411040131	50-206
	9411230125	50-254		9411150598	50-382
	9411230150	50-237		9411170093	50-445
	9411230227	50-295	Cooper Industries, Inc.	9411010271	50-206
	9411230227	50-295		9411210158	50-206
	9411290270	50-237	Covington & Burling	9411090029	50-302
	9411300184	50-457	Crane Co.	9411040167	CONTRACT
	9411300204	50-373	Data Base, Inc.	9411300379	CONTRACT
	9411300204	50-373	Data Computer Corp. of America	9411070340	CONTRACT
	9411300211	50-10		9411070222	40-341
	9411300211	50-10	Defense, Dept. of, Defense Logistics Agency	9411300159	40-341
	9411300211	50-10		9411010355	50-341
	9411300226	50-10	Detroit Edison Co.	9411070215	50-341
	9411300226	50-10		9411070343	50-341
	9411300238	50-237		9411080089	50-341
	9411300246	50-295		9411160030	50-341
	9411300246	50-295		9411160258	50-341
	9411300248*	50-295		9411160265	50-341
	9411300248*	50-295		9411170256	50-341
	9411300254	50-374		9411220114	50-341
	9411300271	50-249		9411220119*	50-341
	9411300272	50-295		9411220134	50-341
	9411300286	50-249		9411220144*	50-341
	9411300311	50-454		9411230085	50-341
	9411300315	50-456		9411230317	50-341
	9411300319	50-237		9411210256	WASTE MGT
Community Maintenance Corp.	9411080312	FOIA	Diversified Technologies	9411210295	50-255
Compa Industries, Inc.	9411030214	CONTRACT	Don't Waste Michigan	9411290189	FOIA
Computech Engineering Services, Inc.	9411230203	FOIA	Don't Waste New York	9411230285	PT21
	9411140173	FOIA		9411210267	71-796
Computer Engineering Associates, Inc.	9411250100*	50-295	Dow Corning Corp.	9411210271*	71-796
Concord Associates, Inc.	9411010062	50-213	Drexel Univ., Philadelphia, PA	9411150528	PR
Connecticut Yankee Atomic Power Co.	9411010066	50-213	DuPont Merck Pharmaceutical Co.	9411010176	50-414
	9411010098	50-213	Duke Power Co.	9411010181*	50-414
	9411010108*	50-213		9411010184	50-413
	9411010350	50-213		9411010187*	50-413
	9411020199	50-213		9411020088	50-269
	9411020293	71-207		9411020229	50-369
	9411160155	50-213		9411020233*	50-369
	9411180118	50-213		9411020288	50-369
	9411180121*	50-213		9411020288	50-369
	9411180132	50-213		9411070344	50-269
	9411180224	50-213		9411070349*	50-269
	9411210385	50-213		9411070357	50-269
	9411220376	50-213		9411070357	50-269
	9411230244	50-213		9411070368	50-269
	9411230249	50-213		9411070368	50-269
Consolidated Edison Co. of New York, Inc.	9411070132	50-247		9411070368	50-269
	9411070197	50-247		9411070368	50-269
	9411090284	50-247		9411070396	50-369
	9411090290	50-247		9411070420	50-414
	9411150090	50-247		9411070422	50-413
	9411150099*	50-247		9411080131	50-369
	9411150104*	50-247		9411080131	50-369
	9411220416	50-247		9411080163	50-369
	9411220418*	50-247		9411080163	50-369
	9411220421	50-247		9411080229	50-269
	9411220423*	50-247		9411080239	50-369
	9411230193	50-247		9411080253	50-270
	9411230198*	50-247		9411100139	50-269
	9411230211	50-247		9411100139	50-269
	9411250019	50-247		9411100139	50-269
	9411300173	50-247		9411100143*	50-269

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
	9411100143*	50-269 F		9411290162	50-334 P
	9411100143*	50-269 F		9411300107	50-341 S
	9411100210	50-269 P		9411300111	50-341 S
	9411100232	50-413 P	E.I. du Pont de Nemours & Co., Inc.	9411040009	PR
	9411100253	50-269 S	EG&G Idaho, Inc.	9410040241*	50-321 Q
	9411150331	50-413 Q		9411010353*	50-275 Q
	9411150368	50-413 Q		9411020241*	50-250 Q
	9411150406	50-269 Q		9411040087*	50-280 P
	9411180062	50-369 F		9411040274*	50-333 Q
	9411180062	50-369 F		9411100184*	50-334 Q
	9411180071*	50-369 F		9411140156*	FOIA
	9411220192	50-269 F		9411160091	NUREG
	9411220192	50-269 F	Ebasco Services, Inc.	9411220239	NUREG
	9411220192	50-269 F	Edlow International Co.	9411280136	71-162
	9411220203	50-413 P		9411170071	70-1252
	9411220203	50-413 P	Electric Power Research Institute	9411040096	TOPREP
	9411220205*	50-413 P		9411160273*	REVIEW GR P
	9411220205*	50-413 P		9411160330*	REVIEW GR P
	9411220251	50-270 Q		9411280208*	TOPREP
	9411220255	50-269 Q	Emory & Henry College, Emory, VA	9411090359	71-*****
	9411220255	50-269 Q		9411040026	CONTRACT
	9411220255	50-269 Q	Encore Computer Corp.	9411040033	50-322 W
	9411220261	50-413 S		9411070092	40-9024
	9411220286	50-369 P	Energy Fuels Nuclear, Inc.	9411210258	40-9024
	9411220286	50-369 P	Energy Research Group, Inc.	9411250097*	50-295 P
	9411220288*	50-369 P		9411010143	WASTE MGT
	9411220288*	50-369 P	Energy, Dept. of	9411010147	WASTE MGT
	9411220295	50-269 Q		9411010151	WASTE MGT
	9411220295	50-269 Q		9411010159	WASTE MGT
	9411220295	50-269 Q		9411010191	WASTE MGT
	9411220344	50-414 S		9411010333	WASTE MGT
	9411230032	50-269 F		9411020119	WASTE MGT
	9411230032	50-269 F		9411030108	70-1100
	9411230032	50-269 F		9411030109*	70-1100
	9411230045*	50-269 F		9411030119	WASTE MGT
	9411230045*	50-269 F		9411030124	WASTE MGT
	9411230045*	50-269 F		9411030179*	71-9218
	9411230055*	50-269 F		9411030189*	71-9218
	9411230071	50-369 F		9411030192*	71-9218
	9411230071	50-369 F		9411040212	WASTE MGT
	9411230076*	50-369 F		9411040217	WASTE MGT
	9411230076*	50-369 F		9411040227	WASTE MGT
	9411230097	50-413 F		9411070154	WASTE MGT
	9411230097	50-413 F		9411070239	WASTE MGT
	9411230113*	50-413 F		9411070394	WASTE MGT
	9411230113*	50-413 F		9411080095	XPORTLIC
	9411250036	50-269 R		9411080171	WASTE MGT
	9411250036	50-269 R		9411080176	WASTE MGT
	9411250036	50-269 R		9411080236	PROJ
	9411250042*	50-269 R		9411080238	WASTE MGT
	9411250044*	50-269 R		9411080240	WASTE MGT
	9411250090	50-413 P		9411080241	WASTE MGT
	9411250092	50-270 S		9411080243	WASTE MGT
	9411250099	50-269 Q		9411080297	WASTE MGT
	9411250108	50-413 P		9411080301	WASTE MGT
	9411250116	50-413 R		9411090074	WASTE MGT
	9411250118*	50-413 R		9411090212*	XPORTLIC
	9411250118*	50-413 R		9411090236	XPORTLIC
	9411250119*	50-413 R		9411100214	WASTE MGT
	9411250132	50-369 R		9411100219*	WASTE MGT
	9411250133*	50-369 R		9411100259	WASTE MGT
	9411250134*	50-369 R		9411100263*	WASTE MGT
	9411250150	50-413 S		9411100288	WASTE MGT
	9411300069	50-287 P		9411100289	WASTE MGT
	9411300074*	50-287 P		9411150106	WASTE MGT
	9411300080*	50-287 P		9411150222	WASTE MGT
	9411300348	50-369 S		9411160066	WASTE MGT
	9411300373	50-369 S		9411160070	WASTE MGT
	9411300392	50-269 K		9411160078	WASTE MGT
	9411300392	50-269 K		9411160081*	WASTE MGT
	9411300392	50-269 K		9411160216	WASTE MGT
	9411300395*	50-269 K		9411160263	WASTE MGT
	9411010056	50-458 G		9411170201	WASTE MGT
	9411010169	50-458 G		9411180179	71-9787
	9411010185	50-458 G		9411180231	WASTE MGT
	9411010195	50-458 G		9411180265*	WASTE MGT
	9411020087	50-458 G		9411180267	WASTE MGT
	9411040023	50-458 G		9411180276	WASTE MGT
	9411100032	50-458 G		9411210197	WASTE MGT
	9411020224	50-412 P		9411210212	WASTE MGT
	9411040181	50-334 F		9411210251	WASTE MGT
	9411100204	50-334 F		9411210263	WASTE MGT
	9411150330	50-334 F		9411220075*	ORG
	9411160279	50-412 P		9411220116	WASTE MGT
	9411160282*	50-412 P		9411220124	WASTE MGT
	9411210365	50-334 F		9411220132*	WASTE MGT
	9411210368*	50-334 F		9411220349	WASTE MGT
	9411290157	50-334 P		9411220366	WASTE MGT

Duncan, Weinberg, Miller & Pembroke, P.C.
(formerly Duncan, Weinberg & Miller)

Duquesne Light Co.

242 CORPORATE SOURCE INDEX

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
Energy, Dept. of, Idaho Operations Office Entergy Operations, Inc.	9411230253	WASTE MGT	Facilities Management Co., Inc., Lanham, MD	9411040157	CONTRACT
	9411230261	WASTE MGT	Fansteel Metals	9411250232	40-7580
	9411230289	WASTE MGT	Fauske & Associates, Inc.	9411290129*	50-348 P
	9411250008*	WASTE MGT		9411290129*	50-348 P
	9411280217	PROJ		9411290133*	50-348 P
	9411280265	71-5957		9411290133*	50-348 P
	9411280290	PROJ		9411290137*	50-348 P
	9411290036	WASTE MGT		9411290137*	50-348 P
	9411300179*	PROJ		9411290145*	50-348 P
	9411300239	WASTE MGT		9411290147*	50-348 P
	9411300287	WASTE MGT		9411290147*	50-348 P
	9411020267	PROJ		9411290163*	50-348 P
	9407180094	50-313	Federal Emergency Management Agency	9411290163*	50-348 P
	9410280079	50-368		9411290163*	50-348 P
	9411010012	50-458	Federal Sources, Inc.	9411290166*	50-348 P
	9411010068*	50-368		9411290166*	50-348 P
	9411010170	50-458		9411290170*	50-348 P
	9411010330*	50-458		9410180229*	50-271 F
	9411010339	50-416		9411170103*	50-219 F
	9411010359	50-416		9411170261	FOIA
	9411010361	50-416		9411180196	FOIA
	9411020154	50-368		9411290182	FOIA
	9411020182	50-458	Federal Systems Group, Inc.	9411070033	40-3149
	9411020187*	50-458	Fenton Art Glass Co.	9411070296	CONTRACT
	9411020258	50-382	FirstPage	9411040013	CONTRACT
	9411020286	50-458	Florida International Univ., Miami, FL		
	9411040048	50-458		9411010040	PR
	9411040115	50-458		9411010123	50-251 P
	9411040224	50-382		9411010214	50-251 S
	9411040225	50-382		9411010225	50-251 S
	9411070299	50-368		9411010302	50-250 V
	9411070307	50-458		9411010357	50-250 P
	9411080211	50-313		9411010357	50-250 P
	9411080211	50-313		9411010358*	50-250 P
	9411090349	50-368		9411010358*	50-250 P
	9411090353	50-313		9411020149	50-335 P
	9411090412	50-382		9411020149*	50-335 P
	9411100115*	50-458		9411020151*	50-335 P
	9411100183	50-382		9411020151*	50-335 P
	9411100195*	50-382		9411020235	50-250 P
	9411100269	50-458		9411020235	50-250 P
	9411100271*	50-458		9411080181	50-335 P
	9411150002	50-313		9411080181*	50-335 P
	9411150002	50-313		9411080182*	50-335 P
	9411150122	50-313		9411080182*	50-335 P
	9411150122	50-313		9411080193	50-335 P
	9411150355	50-313		9411080193	50-335 P
	9411150383*	50-313		9411080235	50-335 P
	9411160017	50-416		9411140073	50-250 P
	9411160113	50-458		9411140073	50-250 P
	9411160163	50-382		9411140078*	50-250 P
	9411160167	50-382		9411140078*	50-250 P
	9411160196	50-458		9411150397	50-250 P
	9411160247	50-382		9411160333	50-389 P
	9411170007	50-458		9411160336*	50-389 P
	9411170010*	50-458		9411160342	50-335 P
	9411170133	50-458		9411160342	50-335 P
	9411210125	50-382		9411170102	50-250 P
	9411210376	50-416		9411180197	50-335 P
	9411210378*	50-416		9411210289	50-335 P
	9411210387	50-368		9411210291*	50-335 P
	9411210388	50-313		9411210390	50-250 P
	9411220258	50-416		9411220327	50-250 P
	9411220260*	50-416		9411250123	50-335 P
	9411220299	50-368		9411300145	50-250 P
	9411220324	50-458		9411300145	50-250 P
	9411230328	50-416		9411300195	50-335 P
	9411250202	50-313		9411300201*	50-335 P
	9411250214	50-382		9411300214	50-335 P
	9411250222	50-382		9411300216	50-335 P
	9411280050	50-382		9411300244	50-250 P
	9411280055	50-382		9411300274	50-335 P
	9411290096	50-458		9411300275*	50-335 P
	9411300205	50-458		9411300326	50-335 P
	9411300290	50-368		9411300326	50-335 P
	9411300293*	50-368		9411300331	50-335 P
	9411300336	50-313		9411030234	50-302 P
	9411300336	50-313		9411030347	50-302 P
	9411300337	50-458		9411040297	50-302 P
	9411300340	50-313		9411080250	50-302 P
	9411300340	50-313		9411100180	50-302 P
	9411300342	50-313		9411100215	50-302 P
	9411300342	50-313		9411150440	50-302 P
	9411300343	50-458		9411160272	50-302 P
	9411210096	40-8989		9411180250	50-302 P
	9411100033	STATE PRO	G	9411180255	50-302 P
	9411100222*	70-3070		9411300338	50-302 P
	9411300149	40-8027		9411160168*	COMMISSIO
	9411160133	XPORTLIC		9411160175*	COMMISSIO
Envirocare of Utah, Inc.			Florida Power Corp.		
Environmental Coalition on Nuclear Power					
Environmental Protection Agency					
European Communities, Commission of			France		

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
General Atomics (formerly GA Technologies, Inc./General Atomic Co.)	9411220166*	COMMISSIO		9411150265	50-321
	9411280246*	FOIA		9411150282*	50-321
	9411170081	70-734		9411150386	50-424
	9411170089*	70-734		9411150386	50-424
General Electric Co.	9411170090*	70-734		9411150405	50-321
	9411020070	52-1		9411150408	50-321
	9411020073*	52-1		9411150408	50-321
	9411020132	71-4909		9411160141	50-321
	9411020136*	71-4909		9411160141	50-321
	9411030204	TOPREP		9411160145*	50-321
	9411080116	52-4		9411170212	50-424
	9411080307	TOPREP		9411180131	50-424
	9411100272	52-4		9411180131	50-424
	9411160239*	50-220		9411180146	50-424
	9411160285*	50-387		9411180146	50-424
	9411170278	52-4		9411180162	50-424
	9411180007	TOPREP		9411180174	50-424
	9411180116	52-4		9411220073	50-321
	9411210275*	50-237		9411220338	50-321
	9411210283*	FOIA		9411250151	50-321
	9411220273	52-4		9411280190	50-424
	9411230241	70-1113		9411280190	50-424
	9411290176*	FOIA		9411300317	50-424
	9411300178	52-4		9411300328	50-424
General Physics Corp. General Public Utilities Corp. - GPU Service Corp.	9411300230	TOPREP	Georgia, State of	9411300347	50-424
	9411300232	TOPREP		9411170074*	STATE PRO
	9411040126	CONTRACT		9411210075*	STATE PRO
	9411010161	50-289		9411300335*	50-160
	9411030231	50-289		9411010362	71-171
	9411030333	50-219		9411010363*	71-171
	9411030334*	50-219		9411280271	71-9032
	9411040120	50-219		9411280285	71-9033
	9411040280	50-219		9411020217	71-146
	9411040283	50-219		9411030051	PR
	9411070164	50-219	Georgians Against Nuclear Energy Glitsch Field Services/NDE, Inc. (formerly Industrial Inspection)	9411040306	71-702
	9411070203	50-289		9411040309*	71-702
	9411070384	50-219		9403020078	50-458
	9411080099	50-289		9411020100	50-458
	9411080099	50-289		9411040022	50-458
	9411080109	50-289		9411040034*	50-458
	9411090214	50-219		9411070371	50-458
	9411090232*	50-219		9411080207*	50-458
	9411140157	50-219		9411100162	50-458
	9411140160*	50-219		9411300320	50-458
	9411150018	50-289	Halliburton NUS Environmental Corp. Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tousey)	9411040179	CONTRACT
	9411150035	50-219		9411010059	70-3070
	9411150039*	50-219		9411010093	40-8027
	9411160294	50-289		9411010107*	40-8027
	9411180139	50-219		9411020086	40-8027
	9411180213	50-219		9411040035	70-3070
	9411210137	50-289		9411180148	70-3070
	9411220126	50-219		9411300300	40-8027
	9411220330	50-219		9411090331	FOIA
	9411220333*	50-219		9411220367*	50-315
	9411250206	50-219	Holland & Knight Holtec International Homestake Mining Co.	9411100177	40-8903
	9411290150	50-289		9411290261	40-8903
	9411300157	50-289		9411290262	40-8903
	9411300327	50-289		9411290267	40-8903
	9411300391	50-219		9411040279*	50-293
	9411290178*	FOIA		9411100165*	72-1004
	9411010029	50-424		9411170240*	ORG
	9411010029	50-424		9411220249*	ORG
	9411010033	50-424		9411250120*	50-275
	9411010036*	50-424		9411280126*	40-672
General Services Administration Georgia Power Co.	9411010036*	50-424	House of Rep.	9411280261*	ORG
	9411020098	50-424		9411010099	50-498
	9411020121	50-425		9411010099	50-498
	9411030106	50-424		9411010100*	50-498
	9411030227	50-366		9411010105*	50-498
	9411030362	50-424		9411010199	50-498
	9411030363*	50-424		9411030100	50-498
	9411030364*	50-424		9411030100	50-498
	9411040032	50-424		9411030199	50-498
	9411040032	50-424		9411030199	50-498
	9411040097	50-321	Houston Lighting & Power Co.	9411070198	50-498
	9411040097	50-321		9411070198	50-498
	9411040103*	50-321		9411070315	50-498
	9411040103*	50-321		9411070315	50-498
	9411070430	50-366		9411070320*	50-498
	9411090322	50-424		9411070320*	50-498
	9411090322	50-424		9411090296	50-498
	9411100123	50-424		9411150055	50-498
	9411100123	50-424		9411150055	50-498
	9411100149	50-424		9411150059*	50-498
	9411100149	50-424		9411150059*	50-498
	9411100158	50-424		9411150059*	50-498
	9411100158	50-424		9411150059*	50-498
	9411100158	50-424		9411150296	50-498

244 CORPORATE SOURCE INDEX

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
	9411150296	50-498		9411220274	50-315
	9411150303*	50-498		9411220348	50-315
	9411150303*	50-498		9411220348	50-315
	9411150312	50-498		9411220358*	50-315
	9411150312	50-498		9411220358*	50-315
	9411150316*	50-498		9411220375	50-315
	9411150316*	50-498		9411220375	50-315
	9411150499	50-498		9411220393*	50-315
	9411150499	50-498		9411230214	50-315
	9411150507*	50-498		9411230215*	50-315
	9411150507*	50-498		9411230216*	50-315
	9411230153	50-498		9411230217	50-316
	9411230153	50-498		9411300095	50-315
	9411230239	50-498		9411300095	50-315
	9411230239	50-498		9411300097*	50-315
	9411230327	50-498		9411300097*	50-315
	9411230327	50-498		9411300324	50-315
	9411250080	50-499		9411300324	50-315
	9411250216	50-498		9411300355	50-315
	9411250240	50-498		9411300355	50-315
	9411250240	50-498		9411300357*	50-315
	9411280142	50-498		9411300357*	50-315
	9411280142	50-498		9411210386	MISC
	9411280212	50-498	Information Handling Services Institute for Energy & Environmental Research, Heidelberg, Germany	9411210272	FOIA
	9411280212	50-498			
	9411300102	50-498	Institute of Nuclear Power Operations	9411080081	ORG
	9411300102	50-498		9411080096	ORG
	9411300219	50-498	Interior, Dept. of, Fish & Wildlife Service	9411170064*	ORG
	9411300219	50-498			
	9411300223	50-498	Interior, Dept. of, Geological Survey	9411040081	70-1358
	9411300223	50-498			
	9411300314	50-498	Iowa State Univ., Ames, IA	9411030319	CONTRACT
	9411300314	50-498		9411040229	50-116
	9411300314	50-498		9411080051	52-2
	9411300318*	50-498	Iowa, State of	9411210337	FOIA
	9411300318*	50-498		9411220171*	STATE PRO
IES Utilities Inc., (formerly Iowa Electric Light & Power Co)	9411020219	50-331	Iowa-Illinois Gas & Electric	9411230089	50-254
	9411020221*	50-331		9411230089	50-254
	9411080165	50-331		9411230093*	50-254
	9411080223	50-331	JRA Associates	9411230093*	50-254
	9411080224*	50-331		9411080283	FOIA
	9411080227	50-331	Jacobs Engineering Group, Inc. Japan	9411180278*	WASTE MGT
	9411080256	50-331		9411170282*	52-4
	9411090383	50-331	Kansas, State of	9411230083	XPORTLIC
	9411160026	50-331	Kator, Scott & Heller	9411160248	STATE PRO
	9411230202	50-331		9411040072	CONTRACT
	9411230204	50-331	Kennecott Corp.	9411220088	40-8584
	9411280155	50-331		9411230121	40-8584
	9411280157*	50-331		9411230128*	40-8584
	9411300048	50-331		9411250175	40-8584
	9411300048	50-331		9411280117*	40-8584
	9411300053	50-331		9411040195	40-8584
IRT Corp.	9411300247	50-331	Kennecott Uranium Co. (formerly Minerals Exploration Co.)	9411180177	40-8584
ITT Barton	9411230314	70-1359		9411040079	CONTRACT
	9411230316*	70-1359	Kenrob & Associates, Inc. Kentucky, Commonwealth of	9411100022	STATE PRO
	9411010149	PT21			
Idaho National Engineering Laboratory	9410040241*	50-321		9411170082*	STATE PRO
	9411010353*	50-275	Kerr-McGee Corp.	9411250183	70-925
	9411020241*	50-250	Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates)	9411010015	50-424
	9411040087*	50-280		9411010015	50-424
	9411100174*	50-302			
	9411100184*	50-334		9411010029	50-424
	9411140152*	FOIA		9411010029	50-424
	9411140156*	FOIA		9411010036*	50-424
	9411250047*	50-443		9411010036*	50-424
Illinois Power Co.	9411010009	50-461		9411010152	50-424
	9411010026	PR		9411010228	50-424
	9411020171	50-461		9411010228	50-424
	9411030064	PR		9411020098	50-424
	9411070424	50-461		9411180163	50-424
	9411070427	50-461		9411300299	50-424
	9411080269	50-461		9411300334	50-424
	9411080272*	50-461		9411300345	50-424
	9411090395	50-461	Lawrence Livermore National Laboratory	9411220229	NUREG
	9411160256	50-461		9411300266*	50-250
	9411170228	50-461	Lawyers Committee for Civil Rights Under	9411040035	70-3070
	9411180130	50-461	Law		
Illinois, State of	9411250148	50-461	Long Island Power Authority	9411040116	50-322
	9411170079*	STATE PRO		9411040118*	50-322
	9411180049	PR	Louisiana Energy Services	9411010097	70-3070
Illinois, Univ. of, Urbana, IL	9411030213	50-151		9411010232	70-3070
Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.)	9411010158	50-316			
	9411010166*	50-316		9411100083	70-3070
	9411010267	50-316		9411100095	70-3070
	9411010334	50-315		9411180168	70-3070
			M.M.P. Quality Inspections, Inc.	9411300303	70-3070
				9411170035	71-688
	9411020196	50-315	MK-Ferguson Co.	9411010347*	WASTE MGT
	9411210284	50-315		9411030094	WASTE MGT
	9411210284	50-315	MPM Research & Consulting	9411160234*	50-220
	9411220274	50-315		9411160238	50-220

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
MPR Associates, Inc.	9411160244*	50-220		9411040303	50-220
	9411220071*	50-220		9411070419	50-410
	9411220074*	50-220		9411090311	50-410
	9411080071	50-219		9411090314*	50-410
	9411100145	50-219		9411090318*	50-410
Maine Yankee Atomic Power Co.	9411040218	50-309		9411100182	50-220
	9411070189	50-309		9411150324	50-410
	9411150243	50-309		9411160086	50-220
	9411170295	50-309		9411160178	50-220
	9411170297*	50-309		9411160218	50-220
	9411210076	50-309		9411210118	50-410
	9411210383	50-309		9411210160	50-410
	9411220104	50-309		9411210177*	50-410
	9411300250	50-309		9411210184*	50-410
	9411300351	50-309		9411210297	50-220
Marubeni America Corp.	9411300354*	50-309		9411210346	50-410
	9411230060*	XPORTLIC		9411220062	50-220
	9411230070*	XPORTLIC		9411220317	50-220
Maryland, Univ. of, College Park, MD	9411070372	50-166		9411220321	50-410
	9411080094*	50-166		9411280282	50-220
Massachusetts Institute of Technology, Cambridge, MA	9411220239	NUREG	Nordion International, Inc.	9411300114	50-220
	9411230212	50-166		9411300269	50-410
	9411140068	50-20		9411090255	71-9257
Measurix Corp.	9411140005	PRM		9411090258*	71-9257
Merex, Inc.	9411280263*	ORG		9411090260*	71-9257
Michigan, Univ. of, Ann Arbor, MI	9411090416	71-348	North Atlantic Energy Service Corp. (NAESCO)	9411140136	71-9242
Micro Analysis & Design, Inc.	9411030336	CONTRACT		9411020242	50-443
Minnesota Mining & Manufacturing Co. (3M Co.)	9411300296	FOIA		9411090415	50-443
Mississippi, State of	9411100206	FOIA		9411150423	50-443
	9411020231	50-186		9411160089	50-443
	9411020234	50-186		9411160094*	50-443
	9411020237	50-186		9411160096*	50-443
	9411100264	50-186		9411170280	50-443
Mitsui & Co. (USA), Inc.	9411160267	XPORTLIC	Northeast Nuclear Energy Co.	9411230205	50-443
Molycorp, Inc.	9411230301	XPORTLIC		9411250064	50-443
	9411070383	40-8778		9411300262	50-443
	9411210391	40-8778		9411300263*	50-443
	9411210394*	40-8778		9411010084	50-245
Morrison-Knudsen Co., Inc.	9411300152	40-8778		9411020106	50-213
	9411070254*	WASTE MGT		9411020293	71-207
	9411040058	CONTRACT		9411070429	50-245
	9411010093	40-8027		9411070433	50-213
	9411010107*	40-8027		9411070433	50-213
National Academy of Sciences	9411020086	40-8027		9411070434*	50-213
Native Americans for a Clean Environment	9411300300	40-8027		9411070434*	50-213
	9411070161	CONTRACT		9411080143	50-245
	9411070151	50-298		9411090181	50-336
	9411070306	50-298		9411090302	50-245
	9411080247	50-298		9411090302	50-245
Neal R. Gross & Co., Inc.	9411100235	50-298		9411100173	50-245
	9411150253	50-298		9411100241	50-336
	9411150259*	50-298		9411100245	50-245
	9411150269	50-298		9411160155	50-213
	9411150342	50-298		9411170129	50-423
Nebraska Public Power District	9411150516	50-298		9411170143*	50-423
	9411150520*	50-298		9411180209	50-336
	9411150536	50-298		9411180211	50-245
	9411150608	50-298		9411180217*	50-245
	9411150631	50-298		9411180241	50-423
	9411210240	50-298		9411210071	50-423
	9411210243*	50-298		9411210237	50-245
	9411210398	50-298		9411210244	50-245
	9411220236	50-298		9411210244	50-245
	9411220236	50-298		9411220362	50-336
	9411230164*	50-277		9411230167	50-423
	9411250051	50-298		9411250050	50-245
	9411250124	50-298		9411250094	50-245
	9411250147	50-298		9411250196	50-336
	9411300207	50-298		9411160325*	FOIA
Neenah High School, Neenah, WI	9411070066	CONTRACT	Northeast Ohio Regional Sewer District	9411180222*	FOIA
	9411300029*	STATE PRO		9411180233*	FOIA
	9411300242	STATE PRO		9411210281*	FOIA
	9411030324	50-272		9411210366*	FOIA
	9411030328	50-354		9411010061	50-213
Nevada, State of	9411150571	50-272	Northeast Utilities	9411010062	50-213
	9411300389	50-354		9411010066	50-213
	9411170242	PROJ		9411010084	50-245
	9411180033	STATE PRO		9411080143	50-245
	8104150101*	50-322		9411160155	50-213
New Hampshire, State of	9411090079*	STATE PRO		9411180118	50-213
	9411090085*	STATE PRO		9411180132	50-213
	9411170218	50-54		9411180209	50-336
	9411040029	40-8027		9411210071	50-423
	9411040041*	40-8027		9411220362	50-336
New Jersey, State of	9411250165	FOIA		9411250094	50-245
	9411020128	50-410		9411250196	50-336
	9411020131*	50-410		9411010098	50-213
	9411020168*	50-410		9411020293	71-207
New Mexico, State of			Northeast Utilities Service Co.		
New York, NY					
New York, State of					
Newman & Holtzinger					
Niagara Mohawk Power Corp.					

246 CORPORATE SOURCE INDEX

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY		AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9411030149	50-213	P		9411150272	50-285	S
	9411040003	50-213	H		9411150283	50-285	Q
	9411070429	50-245	P		9411160237	50-285	P
	9411070433	50-213	P		9411160241	50-285	P
	9411070433	50-213	P		9411160242*	50-285	P
	9411090181	50-336	S		9411160243*	50-285	F
	9411100173	50-245	F		9411170287	50-285	F
	9411170129	50-423	P		9411250128	50-285	R
	9411170143*	50-423	P		9411300234	50-285	V
	9411180211	50-245	P		9411300278	50-285	F
	9411180224	50-213	P		9411300280*	50-285	F
	9411230167	50-423	S	Oregon State Univ., Corvallis, OR	9411030221	50-243	R
	9411230244	50-213	F	Oregon, State of	9411140007	PRM	
	9411230249	50-213	Q	PECO Energy Co., (formerly Philadelphia Electric Co.)	9411010116	50-277	P
Northern States Power Co.	9411020097	50-282	S				
	9411020127	50-282	Q		9411010116	50-277	P
	9411020209	50-263	P		9411010116	50-277	P
	9411040015	50-282	P		9411010116	50-277	P
	9411040039*	50-282	P		9411010236	50-293	S
	9411070081*	50-282	Q		9411010318	50-277	V
	9411090129	50-263	S		9411010318	50-277	V
	9411090144	50-263	S		9411010318	50-277	V
	9411090148	50-263	S		9411010322	50-352	P
	9411090372	50-282	R		9411010322	50-352	P
	9411170146	50-282	P				
	9411170146	50-282	P		9411010327*	50-352	P
	9411170151*	50-282	P		9411010327*	50-352	P
	9411170151*	50-282	P		9411010349	50-277	P
	9411210129	50-263	R		9411010349	50-277	P
	9411220117	50-263	S		9411010351*	50-277	P
	9411220128	50-263	S		9411010351*	50-277	P
	9411220168	50-263	S		9411020089	50-277	R
	9411220234	50-263	S		9411020109*	50-277	R
	9411220241	50-263	P		9411020216	50-353	P
	9411250239	50-306	Q		9411020244	50-277	P
	9411250241*	50-306	Q				
	9411280307	50-263	P		9411030058	PR	
	9411280309	50-263	P		9411040154	50-277	F
	9411280310	50-263	Q		9411070233	50-352	K
	9411300134	50-282	S		9411070240*	50-352	K
					9411070397	50-353	Q
	9411300258	50-282	Q				
	9411300273	50-263	S		9411080218	50-352	F
	9411300276	50-263	S		9411080218	50-352	F
	9411300284	50-282	S		9411080230	50-278	S
	9411300298	50-306	S		9411080248	50-353	S
					9411160104	50-353	Q
Novetech Corp.	9411280283	NUREG			9411160109	50-352	V
Nuclear Assurance Corp.	9411180279	71-9225			9411160109	50-352	V
	9411180280*	71-9225			9411160289	50-277	P
	9411230115	PROJ			9411160289	50-277	P
	9411280088	71-9235			9411180128	50-277	Q
Nuclear Control Institute	9411090118*	PR					
	9411100187	FOIA			9411180161	50-277	P
Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council)	9411020208	REVIEW GR	P		9411180187	50-277	R
	9411080011	PR			9411210397	50-352	F
	9411080206*	REVIEW GR	P		9411220120	50-352	P
	9411160259	REVIEW GR	P		9411220385	50-352	F
	9411160291	REVIEW GR	P				
	9411160329	REVIEW GR	P		9411230160	50-277	P
	9411180020	PR			9411230160	50-277	P
	9411180064	NUREG			9411230180	50-277	P
Nuclear Fuel Services, Inc.	9411280067*	REVIEW GR	P		9411230180	50-277	P
	9411020195	70-143			9411230184*	50-277	P
	9411070204	70-143					
	9411090180	70-143			9411230184*	50-277	P
	9411090279*	70-143					
Nuclear Information & Resource Service	9411040028*	50-219	G		9411230184*	50-277	P
	9411040290	50-219	P		9411250149	50-277	F
Nuclear Procurement Issues Committee (NUPIC)	9411210236	REVIEW GR	P		9411250182	50-277	P
					9411250182	50-277	P
Nye County, NV	9411210090	WASTE MGT			9411250184*	50-277	P
Oak Ridge Associated Universities	9411020104*	70-135			9411250184*	50-277	P
	9411040208	40-501					
	9411080289*	70-135			9411280306	50-277	S
	9411140012	70-135			9411290097	50-352	F
					9411290143	50-352	P
	9411290244*	70-135			9411290143	50-352	P
Oak Ridge National Laboratory	9411040076	NUREG			9411290148*	50-352	P
	9411040083	NUREG			9411290148*	50-352	P
	9411080038	NUREG			9411290190	50-352	P
	9411080072	NUREG			9411290190	50-352	P
	9411090195*	WASTE MGT	A		9411290196*	50-352	P
	9411160151	50-329			9411290196*	50-352	P
	9411220300	NUREG			9411300305	50-352	P
	9411220304	NUREG			9411300305	50-352	P
Ohio, State of	9411030116	PR		Pacific Bell	9411300309*	50-352	P
					9411300309*	50-352	P
Omaha Public Power District	9411070218	50-285	P	Pacific Gas & Electric Co.	9411040243	CONTRACT	
	9411080136	50-285	P				
	9411090414	50-285	F		9411020081	50-323	P
	9411150070	50-285	Q		9411020159*	50-323	P
					9411020200	50-323	P
					9411030131	50-275	P

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
	9411030139*	50-275		9411290136	50-387
	9411040132	50-275		9411290138*	50-387
	9411040132	50-275		9411290138*	50-387
	9411040314	50-133		9411290140*	50-387
	9411150078	50-275		9411290140*	50-387
	9411150293	50-323		9411290142*	50-387
	9411180006	50-275		9411290142*	50-387
	9411180006	50-275		9411290151	50-387
	9411230061	50-275		9411290151	50-387
	9411230061	50-275		9411030325	CONTRACT
	9411230079*	50-275	Pennsylvania State Univ., University		
	9411230079*	50-275	Park, PA		
	9411230082	50-275		9411030332	CONTRACT
	9411230082	50-275		9411040089	CONTRACT
	9411230087*	50-275	Peter M. Coons, Inc.	9411080035	MISC
	9411230087*	50-275		9411090377	FOIA
	9411230087*	50-275			
	9411230090*	50-275	Petrotonics Co. (formerly Getty/Petrotonics Co.)	9411100258	40-6659
	9411230090*	50-275	Pilot Executive Software, Inc.	9411300381	CONTRACT
	9411230207	50-275	Portland General Electric Co.	9411010368	50-344
	9411230207	50-275		9411010370	50-344
	9411230237	50-323		9411080001	50-344
	9411250113	50-133		9411080084	50-344
	9411250129	50-323		9411100196	50-344
	9411250192	50-275		9411180145	50-344
	9411250210	50-275		9411180147*	50-344
	9411250210	50-275			
	9411250220*	50-275	Power Authority of the State of New York	9411010287	50-286
	9411250220*	50-275	(New York Power Authority)		
	9411220138	72-1007		9411010293*	50-286
	9411220143*	72-1007		9411010299*	50-286
				9411010365	50-286
Pacific Sierra Nuclear Associates					
	9411160091	NUREG		9411020107	50-333
Pacific-Nuclear Co.	9411160007	40-6622		9411030061	50-333
Pathfinder Mines Corp.	9411160009	40-6622		9411030070*	50-333
	9411170181	40-8981		9411070077	50-286
	9411170185	40-8502		9411080091	50-286
Pennsylvania Power & Light Co.	9411170194	40-8502		9411080162	50-333
	9411010348	50-387		9411090306	50-286
	9411020075	50-387		9411100242	50-333
	9411020075	50-387		9411100247	50-286
	9411020077*	50-387		9411150048	50-286
	9411020077*	50-387		9411150287	50-286
	9411020220	50-387		9411150447	50-286
	9411020220	50-387		9411160266	50-286
	9411020223*	50-387		9411160278	50-333
	9411020223*	50-387		9411160286	50-333
	9411020225*	50-387		9411160287*	50-333
	9411020225*	50-387		9411160290	50-286
	9411020230*	50-387		9411210182	50-333
	9411020254	50-387		9411210194	50-286
	9411020254	50-387		9411210200*	50-286
	9411020256*	50-387		9411210205*	50-286
	9411020256*	50-387		9411220086	50-286
	9411020257*	50-387		9411220180	50-286
	9411020257*	50-387		9411220187	50-333
	9411020260	50-387		9411220193*	50-333
	9411020260	50-387		9411230321	50-333
	9411020263	50-387		9411250052	50-286
	9411020263	50-387		9411280197	50-286
	9411020265	50-387		9411280201	50-333
	9411020265	50-387		9411170052	71-221
			Precision Components Corp.		
	9411020273	50-387		9411170058*	71-221
	9411020275*	50-387		9411030046*	PR
	9411020277	50-387	Public Citizen's Critical Mass Energy Project		
	9411020277	50-387		9411030159	PR
	9411020280*	50-387	Public Service Co. of Colorado	9411020125	50-267
	9411020280*	50-387		9411030358	50-267
	9411020281*	50-387		9411040119	50-267
	9411020281*	50-387		9411070432	50-267
	9411040258	50-387		9411250104	50-267
	9411040258	50-387		9411250107	50-267
	9411160280	50-387		9411300267	71-346
	9411160280	50-387		9411010345	50-354
	9411160281*	50-387	Public Service Electric & Gas Co. of New Jersey		
	9411160281*	50-387		9411020058	50-272
	9411160283*	50-387		9411020058	50-272
	9411160283*	50-387		9411020250	50-311
	9411180214	50-387		9411020264	50-354
	9411180220	50-387		9411040139	50-354
	9411180220	50-387		9411040142*	50-354
	9411210150	50-387		9411040294	50-354
	9411210150	50-387		9411080242	50-354
	9411210153*	50-387		9411100290	50-354
	9411210153*	50-387		9411100291	50-272
	9411210159*	50-387		9411100291	50-272
	9411250144	50-388		9411170273	50-272
	9411250145*	50-388		9411170273	50-272
	9411280192	50-387		9411180086	50-272
	9411280192	50-387		9411180086	50-272
	9411290136	50-387		9411180086	50-272

248 CORPORATE SOURCE INDEX

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY		AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9411180088	50-272	F		9411230182*	50-219	H
	9411180088	50-272	F		9411040029	40-8027	
	9411180088	50-272	F	Sequoyah Fuels Corp.	9411040041*	40-8027	
	9411210086	50-272	F		9411100133	40-8027	
	9411210395	50-311	S		9411160012	40-8027	
	9411220253	50-354	Q		9411220152	40-8027	
	9411220259	50-272	S		9411300115	40-8027	
	9411230222	50-354	R		9411300350	40-8027	
	9411230223*	50-354	R		9411300352*	40-8027	
	9411230224*	50-354	R	Shaw, Pittman, Potts & Trowbridge	9411010050	50-424	G
	9411230308	50-311	R		9411040032	50-424	G
	9411230312	50-272	R		9411080298	WASTE MGT	
	9411300062	50-354	O		9411080303*	WASTE MGT	
	9411300084	50-272	O		9411300328	50-424	G
	9411300084	50-272	Q	Shieldalloy Metallurgical Corp.	9411070346	40-8948	
	9411300084	50-272	Q		9411090399	40-7102	
	9411300125	50-354	P		9411090403*	40-7102	
	9411300126*	50-354	P		9411230168	40-7102	
	9411300131	50-354	Q		9411230238	40-8948	
	9411300135*	50-354	Q	Shonka Research Associates, Inc.	9411030311	CONTRACT	
	9411300361	50-272	P		9411070100	CONTRACT	
	9411300361	50-272	P	Siemens Power Corp. (formerly Siemens	9411030143	70-1257	
	9411300362*	50-272	P	Nuclear Power Corp., Advanced Nuclear			
	9411300362*	50-272	P		9411040193	70-1257	
Pulau Electronics Corp.	9411040050	CONTRACT			9411080042	XPORTLIC	
	9411300367	CONTRACT			9411140041	71-9248	
Pulsar Data Systems, Inc.	9411040259	CONTRACT			9411140044*	71-9248	
	9411040269	CONTRACT			9411140055	71-9217	
Purdue Univ., West Lafayette, IN	9411070286	CONTRACT			9411150617	71-3	
	9411160091	NUREG			9411150622*	71-3	
	9411160157	NUREG			9411230322*	50-333	P
Quivira Mining Co.	9411030341	40-8905			9411230323*	50-333	P
	9411090394	40-8905			9411280270	70-1257	
	9411280178	40-8905			9411300322	70-1257	
Radiation Safety Engineering, Inc.	9411030342	CONTRACT		Sierra Club Legal Defense Fund, Inc.	9411010072	70-3070	
Raytheon Service Co.	9411300013	71-162			9411010079	70-3070	
	9411300017*	71-162			9411010175	70-3070	
	9411300020*	71-162			9411040035	70-3070	
Readmore, Inc.	9411300383	CONTRACT			9411100044	70-3070	
Rensselaer Polytechnic Institute, Troy, NY	9411220221	50-225	P		9411100128	70-3070	
Rhode Island, State of	9411280008	50-193	P		9411180160	70-3070	
Rio Algom Mining Corp.	9411010352	40-8084			9411230048	70-3070	
	9411230221	40-8084		Sierra Nuclear, Inc.	9411230058	70-3070	
	9411280191	40-8084			9409260097	72-1007	
					9409260097	72-1007	
Rochester Gas & Electric Corp.	9411020143	50-244	C		9409260110*	72-1007	
	9411030356	50-244	P		9409260110*	72-1007	
	9411030359*	50-244	P		9409260113*	72-1007	
	9411030360*	50-244	P		9409260116*	72-1007	
	9411080317	50-244	P		9409260118*	72-1007	
	9411090265	50-244	F		9409260126*	72-1007	
	9411090266*	50-244	T		9409260131*	72-1007	
	9411090268*	50-244	T		9409260131*	72-1007	
	9411100179	50-244	T		9409260134*	72-1007	
	9411150477	50-244	R		9409260134*	72-1007	
	9411220310	50-244	Q		9411040287	72-1007	
	9411250020	50-244	R	Sierra Testing, Inc.	9411280064	71-685	
	9411250023*	50-244	R	Small Business Administration	9411040027	CONTRACT	
Rosemount, Inc.	9411210141	PT21			9411040064	CONTRACT	
S. Cohen & Associates, Inc.	9411030180	CONTRACT			9411040079	CONTRACT	
SCIENTECH, Inc.	9411210224	TOPREP			9411040157	CONTRACT	
	9411210232*	TOPREP			9411040249	CONTRACT	
	9411210235	TOPREP			9411040259	CONTRACT	
	9411210238*	TOPREP			9411040269	CONTRACT	
	9411230264*	FOIA			9411070286	CONTRACT	
	9411230300*	FOIA			9411070325	CONTRACT	
	9411230302*	FOIA			9411070328	CONTRACT	
Sacramento Municipal Utility District	9411230305*	FOIA			9411070340	CONTRACT	
	9411150010	50-312	I		9411300374	CONTRACT	
	9411220028*	50-312	Q		9411300375	CONTRACT	
	9411300138	50-312	H		9411300386	CONTRACT	
Safety Light Corp.	9411160197	XPORTLIC		Society of Nuclear Medicine	9411140010	PRM	
Sandia National Laboratories	9411040066	NUREG			9411150228	PR	
	9411080061	NUREG		South Carolina Electric & Gas Co.	9411020290	50-395	P
	9411180005	PR			9411030195	PR	
	9411280283	NUREG			9411080246	50-395	Q
Sartrex Corp.	9411070214	50-146	P		9411180188	50-395	K
Saxton Nuclear Experimental Corp.	9411250085*	50-295	P		9411180226	50-395	O
Science & Engineering Associates, Inc.	9411040066	NUREG			9411210176	50-395	R
Science Applications International Corp. (formerly Science Applications, Inc.)					9411210265	50-395	P
	9411040101	CONTRACT			9411250110	50-395	F
	9411220300	NUREG			9411300255	50-395	P
	9411220304	NUREG		South Carolina, State of	9411070182	STATE PRO	G
Senate	9411020061*	50-390	H	South Carolina, Univ. of, Columbia, SC	9411030253	CONTRACT	
	9411040302*	50-293	H		9411030281	CONTRACT	
	9411170045*	ORG			9411030241	50-206	F
	9411180202*	FOIA		Southern California Edison Co.	9411080070	50-206	R
	9411220396*	50-272	H		9411080077*	50-206	R
	9411230123*	ORG			9411080086*	50-206	R

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
	9411100027	STATE PRO		9411150165	50-390 S
	9411100161	50-206 P		9411150346	50-328 P
	9411100164*	50-206 P		9411150357	50-328 P
	9411170217	50-206 F		9411150430	50-327 R
	9411220400	50-361 S		9411160181	50-327 P
	9411220413	50-361 S		9411160192	50-260 P
	9411250017	50-361 R		9411170027	50-260 S
	9411280239	50-361 Q		9411170046	50-260 S
	9411280239	50-361 Q		9411170076	50-259 F
	9411300030	50-361 Q		9411170076	50-259 F
	9411300030	50-361 Q		9411180133	50-390 Q
	9411300036*	50-361 Q		9411180137	50-390 Q
	9411300036*	50-361 Q		9411210019	70-1166
	9411300297	50-361 S		9411220127	50-327 F
Southern Nuclear Operating Co.	9411100252	50-348 F		9411220127	50-327 F
	9411150361	50-346 F		9411220184	50-259 P
	9411150485	50-348 R		9411220184	50-259 P
	9411180035	50-348 P		9411220184	50-259 P
	9411220302	50-348 F		9411220265*	COMMISSIO N
	9411280300*	50-348 P		9411220281	50-259 P
	9411300329	50-348 S		9411220313	50-259 R
State, Dept. of	9411160164	XPORTLIC		9411220313	50-259 R
Stevenson & Associates	9411180234*	50-213 P		9411230234	50-327 P
	9411180239*	50-213 P		9411230260	50-259 P
	9411180243*	50-213 P		9411230260	50-259 P
	9411180244*	50-213 P		9411230260	50-259 P
Syracuse Univ., Syracuse, NY	9411250177	FOIA		9411230267*	50-259 P
TRC Environmental Consultants, Inc.	9411230169*	40-7102		9411230267*	50-259 P
	9411230174*	40-7102		9411230267*	50-259 P
	9411230176*	40-7102		9411230267*	50-259 P
	9411230177*	40-7102		9411230267*	50-259 P
Technadyne Engineering Consultants, Inc.	9411180028	PR		9411230267*	50-259 P
Tenneco Gas	9411100274	71-23		9411230303	50-259 F
Tennessee Valley Authority	9411010051	50-390 S		9411230303	50-259 F
	9411010180	50-390 S		9411230303	50-259 F
	9411010180	50-390 S		9411230303	50-259 F
	9411010211	50-259 F		9411230303	50-259 F
	9411010211	50-259 F		9411230304*	50-259 F
	9411010364	50-328 S		9411250029	50-390 Q
	9411020050	50-390 A		9411250029	50-390 Q
	9411020050	50-390 A		9411250034	50-390 A
	9411020056	50-390 A		9411250034	50-390 A
	9411020056	50-390 A		9411250046	50-390 Q
	9411020059*	50-390 A		9411250046	50-390 Q
	9411020141	50-390 A		9411250077	50-328 S
	9411020146*	50-390 A		9411250194*	50-390 A
	9411020176	50-327 V		9411250194*	50-390 A
	9411020176	50-327 V		9411250234	50-390 A
	9411020198	50-390 Q		9411250234	50-390 A
	9411020240	50-390 Q		9411280083*	50-390 A
	9411020283	50-259 Q		9411280083*	50-390 A
	9411030228	50-259 H		9411280090*	COMMISSIO N
	9411030228	50-259 H		9411280095*	COMMISSIO N
	9411030228	50-259 H		9411280189	50-390 F
	9411030228	50-259 H		9411290280	50-327 R
	9411040002	PR		9411290280	50-327 R
	9411070177	50-327 Q		9411300136	50-390 S
	9411070177	50-327 Q		9411300170	50-260 Q
	9411070208	50-260 P		9411300241	50-327 Q
	9411070211*	50-260 P		9411300291	50-296 S
	9411070249	50-390 S	Tennessee, State of	9411100029	STATE PRO G
	9411070261	50-260 P		9411170078	STATE PRO G
	9411070265	50-390 S	Texas A&M Univ., College Station, TX	9411030298	CONTRACT
	9411070265	50-390 S		9411040049	CONTRACT
	9411070274	50-327 F		9411100028	50-128 F
	9411070279	50-260 S		9411030099	PR
	9411070287*	50-260 S	Texas Utilities Co.	9411020031	50-445 P
	9411070399	50-327 P	Texas Utilities Electric Co. (TU Electric)	9411030134	PR
	9411070399	50-327 P		9411040186	50-446 P
	9411070400	50-259 H		9411040192*	50-446 P
	9411070400	50-259 H		9411140095	50-445 F
	9411070400	50-259 H		9411140097*	50-445 F
	9411080102	50-390 Q		9411140124	50-445 F
	9411080102	50-390 Q		9411140124	50-445 F
	9411080110	50-390 A		9411140139	50-446 S
	9411080201	50-390 A		9411140141	50-446 Q
	9411080205*	50-390 A		9411150022	50-445 P
	9411080237	50-259 P		9411160153	50-445 P
	9411090286	50-260 S		9411160153	50-445 P
	9411090320	50-327 P		9411160156*	50-445 P
	9411090321*	50-327 P		9411160156*	50-445 P
	9411090409	50-260 S		9411160161	50-446 P
	9411140022	50-390 A		9411160297	50-445 F
	9411140022	50-390 A		9411180106	50-445 P
	9411150032	50-328 P		9411180106	50-445 P
	9411150066	50-390 A		9411180149*	50-445 P
	9411150165	50-390 S		9411210377	50-446 S

250 CORPORATE SOURCE INDEX

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
	9411220156	50-446 S		9411290246	40-3453
	9411230040	50-445 P		9411290250*	STATE PRO G
	9411230040	50-445 P		9411290253*	40-3453
	9411230201	50-446 P	Vectra Technologies, Inc.	9411280251	71-9255
	9411250125	50-445 R	Vermont Yankee Nuclear Power Corp.	9411020296	50-271 P
	9411250158	50-445 P		9411020297*	50-271 P
	9411250158	50-445 P		9411030066	PR
	9411250159*	50-445 P		9411070302	50-271 S
	9411250159*	50-445 P		9411070303	50-271 S
	9411250160	50-445 P		9411140051	50-271 P
	9411250160	50-445 P		9411140130	50-271 P
	9411250166*	50-445 P		9411140131*	50-271 P
	9411250166*	50-445 P		9411150375	50-271 R
	9411250170	50-445 P		9411160212	50-271 P
	9411250170	50-445 P		9411170068	50-271 S
	9411300294	50-446 S		9411170097	50-271 S
Texas, State of	9411030015	REGGD		9411220200	50-271 Q
	9411080009*	STATE PRO G		9411250095	50-271 S
	9411100038	STATE PRO G		9411290130	50-271 I
	9411100041	STATE PRO G	Veterans Admin. Medical Center, Perry	9411070108	PR
Texas, Univ. of, Austin, TX	9411180022	PR	Point, MD		
Thermal Science, Inc.	9411210340*	FOIA	Virginia Polytechnic Institute & State	9411040042	CONTRACT
Toledo Edison Co.	9411090291	50-346 R	Univ., Blacksburg, VA		
	9411150615	50-346 S	Virginia Power (Virginia Electric & Powe	9411020140	50-280 S
	9411170308	50-346 R	Co.)		
Transnuclear, Inc.	9411220209	50-346 S		9411020295	50-280 F
	9411090396	71-9202		9411020295	50-280 F
	9411090402*	71-9202		9411030260	50-280 S
	9411090405	71-9206		9411030343	50-338 P
	9411090407*	71-9206		9411030343	50-338 P
	9411150254	PROJ		9411030345*	50-338 P
	9411170009	XPORTLIC		9411030345*	50-338 P
	9411170016	XPORTLIC		9411040055	50-281 P
TroutmanSanders (formerly Troutman,	9411170275	PROJ		9411070411	50-280 S
Sanders, Lockerman & Ashmore)	9411010033	50-424 G		9411080033	PR
	9411010188	50-424 G		9411080150	50-338 F
	9411010188	50-424 G		9411090123	50-280 S
	9411010192	50-424 G		9411150416	50-280 R
	9411010192	50-424 G		9411150469	50-338 R
	9411010244*	50-424 G		9411150572	50-338 Q
	9411100123	50-424 G		9411160207	50-338 Q
	9411100123	50-424 G		9411180083	50-280 Q
	9411100125	50-424 T		9411210268	50-338 P
	9411100125	50-424 T		9411210268	50-338 P
	9411100125	50-424 T		9411210274	50-280 P
	9411100149	50-424 G		9411210274	50-280 P
	9411100149	50-424 G		9411210274	50-280 P
	9411100158	50-424 G		9411210278	50-280 P
	9411100158	50-424 G		9411210278	50-280 P
	9411140151	50-366 G		9411210278	50-280 P
	9411140167	50-302 P		9411210278	50-280 P
	9411180131	50-424 G		9411210278	50-280 P
	9411180131	50-424 G		9411210370	50-280 Q
	9411180131	50-424 T		9411210370	50-280 Q
	9411180146	50-424 T		9411210370	50-280 Q
	9411180146	50-424 T		9411220189	50-280 P
	9411180162	50-424 G		9411220189	50-280 P
	9411180174	50-424 G		9411220194*	50-280 P
Truton (U.S.), Ltd.	9411300347	50-424 G		9411220194*	50-280 P
U.S. Ecology, Inc. (formerly Nuclear	9411210296	71-431		9411220278	50-280 Q
Engineering, Inc.)	9411070217	27-48		9411220356	50-338 Q
U.S. Embassies	9411070229	27-48		9411220356	50-338 Q
	9411080073	XPORTLIC		9411220425	50-338 P
	9411080078	XPORTLIC		9411230156	50-338 P
	9411160225	XPORTLIC	Virginia, Commonwealth of	9411230156	50-338 P
	9411160292	XPORTLIC		9411160246	50-280 P
UMETCO Minerals Corp.	9411140175	40-8681	Virginia, Univ. of, Charlottesville, VA	9411010237	50-62 F
US Robotech, Inc.	9411040249	CONTRACT		9411180191	50-62 F
Union Electric Co.	9411020126	50-483 P	Washington Public Power Supply System	9411010341	50-397 F
	9411020130*	50-483 P		9411020227	50-397 H
	9411020253	50-483 P		9411030023	50-397 Q
	9411040315	50-483 P		9411030030*	50-397 Q
	9411070277*	50-483 P		9411070387	50-397 P
	9411090360	50-483 F		9411080148	50-397 P
	9411180098	50-483 R		9411080149*	50-397 P
	9411180277	50-483 F		9411080154	50-397 P
	9411220191	50-483 V		9411080158*	50-397 P
	9411230209	50-483 F		9411100194	50-397 F
	9411230210	50-483 F		9411150391	50-397 F
Union of Concerned Scientists	9411090087	50-286 P		9411250186	50-397 F
	9411280260	71-9032		9411300264	50-397 S
United Airlines, Inc.	9411210123	50-250 S	Washington, State of	9411300369	50-397 Q
United Controls, Inc.	9411250071*	XPORTLIC		9411010131	PR
United States Enrichment Corp. (USEC)	9411250074*	XPORTLIC		9411080063	27-48
	9411040001	CONTRACT		9411100020	STATE PRO G
United Technologies Corp.				9411170086*	STATE PRO G
Utah, State of	9411080270	40-3453	West Valley Nuclear Services Co., Inc.	9411250230	PROJ
	9411080274*	40-3453		9411300165	PROJ
	9411230143	40-8989	Westinghouse Electric Corp.	9411010119	52-3
	9411250102	40-3453		9411010258	52-3

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
	9411010261*	52-3	Wisconsin Electric Power Co.	9411010178	50-266 P
	9411010269*	50-316 P		9411010178	50-266 P
	9411010272*	50-316 P		9411010262	50-301 S
	9411030169	71-9218		9411020185	50-301 S
	9411030173*	71-9218		9411020212	50-266 F
	9411030232	52-3		9411020212	50-266 F
	9411070332	52-3		9411030127	50-266 S
	9411070333*	52-3		9411030224	50-266 P
	9411080034	52-3		9411040277	50-266 P
	9411080043*	52-3		9411040277	50-266 P
	9411080046*	52-3		9411070376	50-266 S
	9411100120	52-3		9411090243	50-266 F
	9411100193	52-3		9411090243	50-266 F
	9411140043	52-3		9411090247*	50-266 F
	9411140081	70-1151		9411090247*	50-266 F
	9411150001	52-3		9411230030	50-266 F
	9411150218	TOPREP		9411230030	50-266 F
	9411150238*	TOPREP		9411230042*	50-266 F
	9411150385	50-206 P		9411230042*	50-266 F
	9411150394*	50-206 P		9411230218	50-266 R
	9411160154	PR		9411230220*	50-266 R
	9411180122	70-1511		9411230320	50-266 R
	9411180183	70-1151		9411230320	50-266 R
	9411210350*	50-454 P		9411250140	50-266 P
	9411210361*	50-454 P		9411250140	50-266 P
	9411220063	I&E		9411250142*	50-266 P
	9411220257	52-3		9411250142*	50-266 P
	9411220266*	50-454 P	Wisconsin Public Service Corp.	9411010113	50-305 V
	9411220266*	50-454 P		9411070415	50-305 Q
	9411220266*	50-454 P		9411090125	50-305 F
	9411220271*	50-454 P		9411100160	50-305 K
	9411220345	XPORTLIC		9411140200	50-305 P
	9411230059	52-3		9411150245	50-305 Q
	9411230072*	50-454 P		9411150381	50-305 R
	9411230072*	50-454 P		9411150445	50-305 P
	9411230072*	50-454 P		9411150454*	50-305 P
	9411230092*	50-275 P		9411170292	50-305 P
	9411230096*	50-275 P		9411250146	50-305 F
	9411230103*	50-275 P		9411290016	50-305 Q
	9411280164	52-3	Wise, Carter, Child & Caraway	9411040022	50-458 G
	9411280172*	52-3		9411040031	50-458 G
	9411280210	PT21		9411100104	50-458 S
	9411280291*	50-348 P	Wolf Creek Nuclear Operating Corp.	9411010165	50-482 S
	9411280298*	50-348 P		9411020134	50-482 P
	9411280300*	50-348 P		9411020137*	50-482 P
	9411300235	70-1151		9411030043	PR
	9411300380	52-3		9411180251	50-482 P
	9411300384*	52-3		9411180264*	50-482 P
	9411010107*	40-8027		9411210077	50-482 F
				9411210082*	50-482 F
Wilcoxon, Wilcoxon & Primomo (formerly Wilcoxon & Wilcoxon)				9411210163	50-482 R
William Beaumont Hosp., Royal Oak, MI	9411150014	PR		9411290030	50-482 Q
Winston & Strawn	9411010097	70-3070		9411300120	50-482 F
	9411010232	70-3070		9411080151*	40-341
	9411020100	50-458 G	Woodward-Clyde Consultants, Inc.	9411080159*	40-341
	9411100083	70-3070			
	9411100095	70-3070	Wyle Laboratories	9411250236*	50-390 A
	9411100150	70-3070	Wyoming, State of	9411040211	40-9024
	9411100162	50-458 G		9411090392	40-9024
	9411180157	70-3070	X-Ray, Inc.	9411090365	71-234
	9411180168	70-3070	Yankee Atomic Electric Co.	9411010114	PR
	9411300303	70-3070		9411040173	50-29 F
	9411300320	50-458 G		9411070047	50-271 H
Wisconsin Centrifugal, Inc.	9411100249	71-339		9411070323	50-29 P
				9411230245	50-29 F

REPORT NUMBER INDEX

The subject category column in this index gives the docket number and the symbol for the category of information within that docket; for example, 50-233 P. The docket subject categories are defined in Appendix A.

Subject categories for nondocketed items are also entered in this column by symbol; for example, ACRS.

These categories are defined in Appendix B and listed in the Contents. An asterisk following the accession number in this index indicates that the document is an enclosure to another document. To obtain the accession number of the principal document under which the enclosure is listed, refer to the index entitled "Cross Reference of Enclosures to Principal Documents."

REPORT NUMBER	ACCESSION NUMBER	SUBJECT CATEGORY	OTHER REPORT NUMBER	REPORT NUMBER	ACCESSION NUMBER	SUBJECT CATEGORY	OTHER REPORT NUMBER
16-491-04-00 R00	9411070254*	WASTE MGT		NUREG-1323 R00	9411290144	NUREG	
209-041-027A	9411250238*	50-390	A	NUREG-1494	9411080076	NUREG	
44213-1	9411250236*	50-390	A	NUREG-1508	9411160064	40-8968	
51-1235108-01	9411080254*	50-270	Q	NUREG/BR-0017 R09 AD	9411160139	NUREG	
88C1257-3-89-02B	9411080159*	40-341		NUREG/BR-0117 N94-3	9411280196	NUREG	
ACAD 89-003	9411080096	ORG		NUREG/BR-0118 R01	9411160118	NUREG	
ACAD 89-004	9411080081	ORG		NUREG/BR-0191 V01 N3	9411040052	NUREG	
ANO-109.001.006 R00	9409260126*	72-1007		NUREG/BR-0196 V1 N01	9411280198	NUREG	
ANO-109.002.011 R03	9409260116*	72-1007		NUREG/BR-0200	9411040057	NUREG	
ANO-109.002.101 R03	9409260113*	72-1007		NUREG/CP-0138	9411220239	NUREG	
ANO-109.002.213 R00	9409260118*	72-1007		NUREG/CP-0139	9411040088	NUREG	
BAW-2223 R01	9411180070*	50-346	P	NUREG/CR-4674 V19	9411220300	NUREG	ORNL/NOAC-232
C016 R01	9411180234*	50-213	P	NUREG/CR-4674 V20	9411220304	NUREG	ORNL/NOAC-232
C018 R00	9411180243*	50-213	P	NUREG/CR-5403	9411220229	NUREG	UCRL-ID-118245
C019 R00	9411180239*	50-213	P	NUREG/CR-5535 V06	9411160091	NUREG	EGG-2705
C020 R00	9411180244*	50-213	P	NUREG/CR-5591 V02 N2	9411040083	NUREG	ORNL/TM-11568
CA/TR-93-019-18	9411250100*	50-295	P	NUREG/CR-5625	9411080038	NUREG	ORNL-6698
CNEI-0400-24 R04	9411010187*	50-413	P	NUREG/CR-5680 V01	9411080032	NUREG	
CNEI-0400-25 R03	9411010181*	50-414	P	NUREG/CR-5680 V02	9411080026	NUREG	
CNWRA 94-021	9411100287*	WASTE MGT	HLWR	NUREG/CR-6087	9411160020	NUREG	BNL-NUREG-52390
CNWRA 94-024	9411090288*	WASTE MGT	HLWR	NUREG/CR-6102	9411080072	NUREG	ORNL/TM-12460
CNWRA 94-025	9411090348*	WASTE MGT	HLWR	NUREG/CR-6105	9411080068	NUREG	BNL-NUREG-52391
CNWRA 94-026	9411170290*	WASTE MGT	HLWR	NUREG/CR-6146	9411080056	NUREG	BNL-NUREG-52400
DC-10034A DRIFT RC	9411080319*	50-244	P	NUREG/CR-6154 V01	9411080061	NUREG	SAND94-1711
DOE/AL/62350-169 R01	9411180278*	WASTE MGT		NUREG/CR-6161	9411080051	52-2	IS-5103
DOE/WIPP 89-004 R08	9411030179*	71-9218		NUREG/CR-6166	9411040066	NUREG	
E-7316 R05	9411090402*	71-9202		NUREG/CR-6174 V01 FC	9411080088	NUREG	
EA-RDS-94-02 R01	9411180181*	50-255	P	NUREG/CR-6174 V02 FC	9411080106	NUREG	
EGG-DNSP-10826	9411010353*	50-275	Q IEB-90-001	NUREG/CR-6216	9411280288	NUREG	CNWRA 93-024
EGG-DNSP-11285	9411040087*	50-280	P TAC M88107	NUREG/CR-6226	9411160005	NUREG	BMI-2176
EGG-DNSP-11436	9411100184*	50-334	Q TAC M85354	NUREG/CR-6228	9411040076	NUREG	ORNL/TM-12735
EGG-DNSP-11488	9411050447*	50-443	Q IEB-90-001	NUREG/CR-6249	9411160151	50-329	A ORNL/TM-12777
EGG-DNSP-11489	9410040241*	50-321	Q TAC M85395	NUREG/CR-6267	9411160157	NUREG	PU NE-93/1
EGG-DNSP-11503	9411020241*	50-250	Q IEB-90-001	NUREG/CR-6281	9411280283	NUREG	
EGG-DNSP-11509	9411040274*	50-333	Q IEB-90-001	OIG/94A-1314	9411280114*	ORG	
ERI/NRC 93-105	9411250097*	50-295	P	OIG/94A-24	9411090226*	ORG	
FAI/91-107	9411290170*	50-348	P	OIG/94A-37	9411070172*	ORG	
FAI/91-23	9411290133*	50-348	P	OSSI 92-402A-2-REG 1	9411090268*	50-244	F
FAI/91-44	9411290129*	50-348	P	OSSI 92-402A-4-REG 1	9411090266*	50-244	F
FAI/91-56	9411290147*	50-348	P	PC/M 128-194 S01 R01	9411210291*	50-335	P
FAI/91-58	9411290163*	50-348	P	PIF 94-1837	9411010136*	50-254	P
FAI/91-62	9411290166*	50-348	P	PL-NF-90-001 S01	9411020230*	50-387	P
FAI/91-73	9411290137*	50-348	P	PL-NRS-0793-097 R03	9411160361*	40-341	
GENE-523-A161-1094	9411160239*	50-220	P	PMPR 95-01	9411210081*	WASTE MGT	HLWR
GENE-523-A163-1194	9411210275*	50-237	P	PSN-91-001 RZ	9411220143*	72-1007	
GGNS-MS-48.0 R02	9411220260*	50-416	P	RXE-94-004	9411040192*	50-446	P
HI-941183 R02	9411220357*	50-315	P	SE-403037-001 R00	9411140160*	50-219	P
HQ-ARP-95-01	9411100219*	WASTE MGT	HLWR	SEA 91-553-017-A:1	9411250085*	50-295	P
IAEA-CN-59/67	9411160175*	COMMISSIO	N	SECY-91-358	9111130136*	50-425	G
JPN-PSL-SEMS-94-026	9411300201*	50-335	Q	SECY-92-165	9205110252*	FOIA	
L-151(6)/5-93	9411040293	50-250	P	SECY-94-237	9411180072	SECY	
MCEI-0400-46	9411020233*	50-369	P	SECY-94-261	9411180066	SECY	
MPM-109439	9411160244*	50-220	P	SECY-94-265	9411180085	COMMISSIO	N
MPM-69437-NP	9411220074*	50-220	P	SECY-94-267	9411180089	SECY	
MSE-SMT-429(94)	9411010269*	50-316	P	SECY-94-268	9411180091	SECY	
NEDO-32155	9411160285*	50-387	P	SECY-94-269	9411180039	SECY	
NEDO-32339 ERR	9411170210*	TOPREP		SECY-94-272	9411180025	COMMISSIO	N
NUREG-0040 V18 N02	9411290139	NUREG		SECY-94-274	9411180003	COMMISSIO	N
NUREG-0325 R17	9411160041	NUREG		SEV-1019 DRIFT RA	9411080318*	50-244	P
NUREG-0383 V01 R17	9411290132	NUREG		TE-M1-94-20 R00	9411180217*	50-245	P
NUREG-0383 V02 R17	9411290134	NUREG		TR-098	9411090232*	50-219	Q
NUREG-0383 V03 R14	9411290135	NUREG		TR-94-0015 R00	9411180264*	50-482	P
NUREG-0750 V40 N02	9411080019	NUREG		TR-9407-N990 A	9411090260*	71-9257	
NUREG-0750 V40 N03	9411160001	NUREG		TVA-COLR-BF2C8 R00	9411070211*	50-260	P
NUREG-0933 S17	9411290141	NUREG		WCAP 13455	9411220271*	50-454	P
NUREG-1275 V10	9411280281	NUREG		WCAP-12767 ERR	9411150394*	50-206	P

254 REPORT NUMBER INDEX

REPORT NUMBER	ACCESSION NUMBER	SUB- JECT CATE- GORY	OTHER REPORT NUMBER	REPORT NUMBER	ACCESSION NUMBER	SUB- JECT CATE- GORY	OTHER REPORT NUMBER
WCAP-13900	9411230096*	50-275	P	WCAP-14191	9411080046*	52-3	
WCAP-14117	9411230103*	50-275	P	WCAP-14223	9411210361*	50-454	P SG-94-11-005
				YM-ARP-95-05	9411220132*	WASTE MGT	

CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENT

Item listed as enclosures are those indicated by an asterisk following the accession number in the indexes. The second column gives the accession number of the principal document under which the enclosure is listed. Knowing the accession number of the principal document, the date issued, and the category enables locating the title listing of the enclosure.

The subject category column in this index gives the docket number and the symbol for the category of information within that docket; for example, 50-320P. The docket subject categories are defined in Appendix A.

Subject categories for nondocketed items are also entered in this column by symbol; for example, ACRS. These categories are defined in Appendix B and listed in the Contents.

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
7810200229	9411250101	93/11/04	50-322 W	9411010036	9411010029	94/10/17	50-424 G
7810270048	9411250101	93/11/04	50-322 W	9411010054	9411010052	94/10/24	50-255 OQ
7810300235	9411250101	93/11/04	50-322 W	9411010055	9411010045	94/10/21	50-327 OQ
7811010185	9411250101	93/11/04	50-322 W	9411010068	9410280079	94/10/21	50-368 K
7811020065	9411250101	93/11/04	50-322 W	9411010073	9411010070	94/10/20	50-315 Q
7811020287	9411250101	93/11/04	50-322 W	9411010081	9411010069	94/10/13	50-269 O
7811070122	9411250101	93/11/04	50-322 W	9411010086	9411010080	94/10/21	50-315 OQ
7812260205	9411250101	93/11/04	50-275 H	9411010087	9411010069	94/10/13	50-269 OQ
8104150101	9411250101	93/11/04	50-322 W	9411010089	9411010060	94/10/28	50-237 OQ
8704290162	9411230318	93/11/01	50-344 P	9411010094	9411010088	94/10/12	50-369 Q
8708130104	9411230318	93/11/01	50-344 P	9411010096	9411010080	94/10/21	50-315 OQ
9011070370	9411280268	93/11/15	FOIA	9411010100	9411010099	94/10/26	50-498 OQ
9011070374	9411280268	93/11/15	FOIA	9411010103	9411010095	94/10/14	50-400 OQ
9102130262	9411280268	93/11/15	FOIA	9411010105	9411010099	94/10/26	50-498 OQ
9102130268	9411280268	93/11/15	FOIA	9411010107	9411010093	94/10/26	40-8027 P
9111130136	9411140154	93/10/20	50-425 G	9411010108	9411010098	94/10/21	50-213 P
9201170116	9411230318	93/11/01	50-344 P	9411010110	9411010102	94/10/24	50-254 OQ
9201240146	9411230318	93/11/01	50-344 P	9411010124	9411010117	94/10/18	50-335 OQ
9202050493	9411230318	93/11/01	50-344 P	9411010130	9411010127	94/10/21	50-255 OQ
9202060544	9411230318	93/11/01	50-344 P	9411010136	9411010121	94/10/21	50-254 P
9202110381	9411230318	93/11/01	50-344 P	9411010145	9411010138	94/10/21	50-266 OQ
9205110252	9411080288	93/10/14	FOIA	9411010163	9411010153	94/10/07	50-400 OQ
9207100275	9411080288	93/10/14	FOIA	9411010166	9411010158	94/10/28	50-316 OQ
9303040109	9411180117	93/10/07	FOIA	9411010167	9411010162	94/10/26	50-498 OQ
9303050053	9411180117	93/10/07	FOIA	9411010181	9411010176	94/10/24	50-414 P
9308260132	9411090105	94/11/01	PR	9411010183	9411010173	94/10/12	50-424 OQ
9308310238	9411150300	94/11/04	PR	9411010187	9411010184	94/10/24	50-413 OQ
9310080277	9411090105	94/11/01	PR	9411010190	9411010173	94/10/12	50-424 OQ
9401130025	9411080306	94/02/17	50-255 Y	9411010197	9411010194	94/10/17	50-327 OQ
9402020205	9411090105	94/11/01	PR	9411010212	9411010205	94/10/21	70-27 OQ
9402020209	9411090105	94/11/01	PR	9411010213	9411010203	94/10/12	70-1201 OQ
9404110411	9411090105	94/11/01	PR	9411010222	9411010203	94/10/12	70-1201 OQ
9404250047	9411090105	94/11/01	PR	9411010224	9411010221	94/10/26	50-498 OQ
9404250053	9411090105	94/11/01	PR	9411010244	9411010228	94/10/24	50-424 OQ
9405130201	9411150233	94/11/08	40-8820	9411010261	9411010258	94/10/21	52-3 G
9406170233	9411150300	94/11/04	PR	9411010269	9411010267	94/10/26	50-316 P
9407210276	9411090105	94/11/01	PR	9411010272	9411010267	94/10/26	50-316 P
9407260278	9411150300	94/11/04	PR	9411010293	9411010287	94/10/25	50-286 P
9409120300	9411150300	94/11/04	PR	9411010294	9411010290	94/10/27	70-1151 OQ
9409260110	9409260097	94/08/31	72-1007	9411010295	9411010290	94/10/27	70-1151 OQ
9409260113	9409260097	94/08/31	72-1007	9411010299	9411010287	94/10/25	50-286 P
9409260116	9409260097	94/08/31	72-1007	9411010303	9411010301	94/10/27	70-1257 OQ
9409260118	9409260097	94/08/31	72-1007	9411010304	9411010301	94/10/27	70-1257 OQ
9409260126	9409260097	94/08/31	72-1007	9411010321	9411010320	94/10/27	70-1257 OQ
9409260131	9409260097	94/08/31	72-1007	9411010325	9411010320	94/10/27	70-1257 OQ
9409260134	9409260097	94/08/31	72-1007	9411010327	9411010322	94/10/25	50-352 P
9410040241	9411230197	94/11/15	50-321 Q	9411010330	9411010170	94/10/24	50-458 R
9410140074	9411150300	94/11/04	PR	9411010347	9411010333	94/10/21	WASTE MGT OQ
9410140161	9411020108	94/10/27	50-250 P	9411010351	9411010349	94/10/25	50-277 P
9410180229	9411020041	94/10/21	50-271 F	9411010353	9411070390	94/10/28	50-275 P
9410190155	9411030338	94/10/24	50-10 S	9411010358	9411010357	94/10/26	50-250 P
9410240187	9411040275	94/10/25	50-280 P	9411010363	9411010362	94/10/25	71-171 OQ
9410250200	9411090135	94/11/03	STATE PRO G	9411020009	9411020004	94/10/25	50-271 OQ
9411010006	9411010003	94/10/17	50-416 Q	9411020019	9411020017	94/10/20	50-309 P
9411010014	9411010011	94/10/19	50-295 Q	9411020022	9411020020	94/10/24	50-400 P
9411010017	9411010013	94/10/14	50-261 Q	9411020026	9411020021	94/10/27	50-298 OQ
9411010020	9411010011	94/10/19	50-295 Q	9411020030	9411020023	94/10/27	50-280 P
9411010027	9411010023	94/10/20	50-263 Q	9411020033	9411020023	94/10/27	50-280 P
9411010031	9411010016	94/10/14	50-327 Q	9411020036	9411020021	94/10/27	50-298 OQ
9411010032	9411010023	94/10/20	50-263 Q	9411020037	9411020032	94/10/26	50-271 P

256 CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENTS

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
9411020040	9411020032	94/10/26	50-271	9411030191	9411030178	94/10/27	70-36
9411020042	9411020035	94/10/24	50-245	9411030192	9411030169	94/10/24	71-9218
9411020046	9411020035	94/10/24	50-245	9411030244	9411030239	94/10/12	50-275
9411020049	9411020047	94/10/24	50-289	9411030327	9411030323	94/10/28	50-266
9411020053	9411020047	94/10/24	50-289	9411030329	9411030323	94/10/28	50-266
9411020059	9411020056	94/10/25	50-390	9411030334	9411030333	94/10/28	50-219
9411020061	9411020054	94/10/27	50-390	9411030345	9411030343	94/10/25	50-338
9411020067	9411020054	94/10/27	50-390	9411030359	9411030356	94/10/27	50-244
9411020068	9411020062	94/10/20	50-387	9411030360	9411030356	94/10/27	50-244
9411020073	9411020070	94/10/28	52-1	9411030363	9411030362	94/10/25	50-424
9411020076	9411020062	94/10/20	50-387	9411030364	9411030362	94/10/25	50-424
9411020077	9411020075	94/10/25	50-387	9411040016	9411040012	94/10/25	50-335
9411020078	9411020060	94/10/21	50-317	9411040025	9411040017	94/10/27	50-219
9411020083	9411020060	94/10/21	50-317	9411040028	9411040017	94/10/27	50-219
9411020102	9411020094	94/10/27	50-244	9411040034	9411040022	94/10/28	50-458
9411020104	9411020096	94/10/27	70-135	9411040039	9411040015	94/10/27	50-282
9411020109	9411020089	94/10/20	50-277	9411040041	9411040029	94/10/31	40-8027
9411020113	9411020108	94/10/27	50-250	9411040070	9411040067	94/10/20	50-280
9411020118	9411020116	94/10/26	50-331	9411040087	9411040067	94/10/20	50-280
9411020120	9411020116	94/10/26	50-331	9411040103	9411040097	94/10/19	50-321
9411020130	9411020126	94/10/28	50-483	9411040118	9411040116	94/11/01	50-322
9411020131	9411020128	94/10/28	50-410	9411040129	9411040124	94/11/01	50-305
9411020136	9411020132	94/10/26	71-4909	9411040130	9411040124	94/11/01	50-305
9411020137	9411020134	94/10/27	50-482	9411040142	9411040139	94/10/31	50-354
9411020146	9411020141	94/10/21	50-390	9411040159	9411030137	94/10/28	50-324
9411020151	9411020149	94/10/27	50-335	9411040165	9411040155	94/10/31	50-220
9411020158	9411020142	94/10/26	50-424	9411040171	9411040155	94/10/31	50-220
9411020159	9411020081	94/10/24	50-323	9411040192	9411040186	94/10/28	50-446
9411020161	9411020145	94/10/28	50-286	9411040200	9411040191	94/11/01	50-346
9411020168	9411020128	94/10/28	50-410	9411040233	9411040230	94/11/01	71-9245
9411020170	9411020164	94/10/26	70-36	9411040242	9411040238	94/11/01	71-9127
9411020178	9411020175	94/10/20	50-272	9411040247	9411040245	94/11/01	71-9029
9411020181	9411020175	94/10/20	50-272	9411040256	9411040254	94/10/27	50-301
9411020183	9411020139	94/10/21	50-369	9411040257	9411040250	94/10/27	50-369
9411020187	9411020182	94/10/27	50-458	9411040260	9411040250	94/10/27	50-369
9411020193	9411020190	94/10/25	50-324	9411040266	9411030217	94/10/28	50-387
9411020197	9411020139	94/10/21	50-369	9411040273	9411040263	94/10/28	50-255
9411020221	9411020219	94/10/20	50-331	9411040274	9411180023	94/11/09	50-333
9411020223	9411020220	94/10/28	50-387	9411040276	9411040271	94/10/31	50-293
9411020225	9411020220	94/10/28	50-387	9411040279	9411040271	94/10/31	50-293
9411020228	9411020208	94/10/27	REVIEW GR	9411040284	9411040271	94/10/31	50-293
9411020230	9411020220	94/10/28	50-387	9411040292	9411040291	94/10/28	50-339
9411020233	9411020229	94/10/25	50-369	9411040302	9411040300	94/10/31	50-293
9411020241	9411080047	94/10/31	50-250	9411040309	9411040306	94/10/21	71-702
9411020256	9411020254	94/10/28	50-387	9411040310	9411040307	94/10/31	50-390
9411020257	9411020254	94/10/28	50-387	9411070006	9411070005	94/10/27	50-346
9411020270	9411020268	94/10/31	71-792	9411070015	9411070011	94/10/27	40-8155
9411020275	9411020273	94/10/27	50-387	9411070032	9411070028	94/10/28	50-482
9411020280	9411020277	94/10/28	50-387	9411070048	9411070044	94/10/21	50-395
9411020281	9411020277	94/10/28	50-387	9411070050	9411070044	94/10/21	50-395
9411020297	9411020296	94/10/28	50-271	9411070054	9411070046	94/10/26	50-321
9411030007	9411030005	94/10/27	50-483	9411070070	9411070053	94/10/28	50-186
9411030009	9411030005	94/10/27	50-483	9411070078	9411070072	94/10/26	50-338
9411030011	9411030008	94/10/21	50-280	9411070080	9411070076	94/10/28	50-395
9411030030	9411030023	94/10/19	50-397	9411070081	9411070074	94/10/28	50-282
9411030032	9411030024	94/10/07	50-369	9411070091	9411070085	94/10/21	70-824
9411030033	9411030026	94/10/12	50-397	9411070098	9411070085	94/10/21	70-824
9411030037	9411030025	94/10/27	50-390	9411070101	9411070095	94/10/24	50-280
9411030038	9411030035	94/10/14	70-1151	9411070113	9411070105	94/10/21	50-338
9411030039	9411030027	94/10/25	PR	9411070114	9411070109	94/10/21	50-269
9411030040	9411030036	94/10/20	50-297	9411070122	9411070116	94/10/20	50-335
9411030041	9411030035	94/10/14	70-1151	9411070125	9411070118	94/10/28	50-445
9411030046	9411030027	94/10/25	PR	9411070143	9411070140	94/10/25	71-62
9411030057	9411030052	94/10/28	PR	9411070155	9411070131	94/10/11	52-4
9411030062	9411030056	94/10/12	50-390	9411070156	9411070152	94/10/12	50-261
9411030063	9411030059	94/10/21	50-293	9411070169	9411070163	94/10/20	50-424
9411030067	9411030053	94/10/12	50-280	9411070170	9411070166	94/11/03	71-146
9411030070	9411030061	94/10/25	50-333	9411070172	9411070168	94/10/14	ORG
9411030072	9411030058	94/10/12	50-390	9411070187	9411070179	94/10/20	50-269
9411030073	9411030068	94/10/26	50-387	9411070192	9411070179	94/10/20	50-269
9411030078	9411030053	94/10/12	50-280	9411070199	9411070191	94/10/21	70-1151
9411030081	9411030077	94/10/26	50-443	9411070211	9411070208	94/10/31	50-260
9411030084	9411030074	94/10/14	50-269	9411070212	9411070191	94/10/21	70-1151
9411030088	9411030085	94/10/20	50-293	9411070216	9411070207	94/10/28	50-324
9411030105	9411030092	94/10/19	50-348	9411070221	9411070210	94/10/27	50-361
9411030109	9411030108	94/09/30	70-1100	9411070224	9411070220	94/10/27	50-361
9411030110	9411030104	94/10/21	50-277	9411070226	9411070207	94/10/28	50-324
9411030138	9411030133	94/10/26	50-250	9411070227	9411070222	94/11/01	40-341
9411030139	9411030131	94/10/19	50-275	9411070240	9411070233	94/10/28	50-352
9411030140	9411030133	94/10/26	50-250	9411070241	9411070232	94/10/27	50-528
9411030141	9411030128	94/10/21	50-219	9411070245	9411070232	94/10/27	50-528
9411030146	9411030142	94/10/21	50-213	9411070254	9411070239	94/10/27	WASTE MGT
9411030152	9411030148	94/10/20	40-8102	9411070259	9411070252	94/10/18	50-250
9411030173	9411030169	94/10/24	71-9218	9411070272	9411070266	94/10/31	50-336
9411030179	9411030169	94/10/24	71-9218	9411070275	9411070266	94/10/31	50-336
9411030186	9411030178	94/10/27	70-36	9411070277	9411070268	94/10/28	50-483
9411030189	9411030169	94/10/24	71-9218	9411070287	9411070279	94/11/01	50-260

CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENTS 257

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
9411070291	9411070283	94/10/28	50-483 P	9411090156	9411090149	94/10/24	STATE PRO G
9411070301	9411070298	94/10/28	40-299	9411090162	9411090152	94/10/25	50-324 Y
9411070313	9411070310	94/11/02	50-373 P	9411090167	9411090105	94/11/01	PR
9411070320	9411070315	94/11/03	50-498 P	9411090168	9411090164	94/11/03	50-333 P
9411070326	9411070312	94/11/01	50-368 P	9411090171	9411090164	94/11/03	50-333 P
9411070333	9411070332	94/10/31	52-3	9411090185	9411090179	94/11/03	50-461 P
9411070341	9411070337	94/11/02	50-331 P	9411090187	9411090179	94/11/03	50-461 P
9411070345	9411070337	94/11/02	50-331 P	9411090189	9411090183	94/10/28	50-361 G
9411070349	9411070344	94/10/31	50-269 Q	9411090195	9411090192	94/11/03	WASTE MGT
9411070363	9411070358	94/10/31	50-269 P	9411090197	9411090183	94/10/28	50-361 G
9411070364	9411070358	94/10/31	50-269 P	9411090212	9411090206	94/09/30	XPORTLIC
9411070367	9411070356	94/11/01	50-280 Q	9411090226	9411090225	94/10/17	ORG
9411070369	9411070359	94/11/01	50-389 P	9411090232	9411090214	94/11/03	50-219 Q
9411070373	9411070359	94/11/01	50-389 P	9411090247	9411090243	94/10/31	50-266 F
9411070392	9411070390	94/10/28	50-275 Q	9411090248	9411090240	94/11/04	50-261 P
9411070434	9411070433	94/10/31	50-213 P	9411090250	9411090240	94/11/04	50-261 P
9411080009	9411080012	94/11/03	STATE PRO G	9411090256	9411090253	94/11/02	50-395 P
9411080043	9411080034	94/10/27	52-3	9411090258	9411090255	94/10/24	71-9257
9411080046	9411080034	94/10/27	52-3	9411090260	9411090255	94/10/24	71-9257
9411080049	9411080037	94/11/01	50-301 P	9411090266	9411090265	94/11/07	50-244 F
9411080052	9411080044	94/10/31	50-354 Q	9411090268	9411090265	94/11/07	50-244 F
9411080054	9411080047	94/10/31	50-250 Q	9411090277	9411090152	94/10/25	50-324 Y
9411080062	9411080058	94/11/03	50-286 P	9411090279	9411090180	94/10/31	70-143
9411080064	9411080057	94/10/28	50-219 Q	9411090288	9411090282	94/10/07	WASTE MGT
9411080067	9411080053	94/10/31	50-528 P	9411090297	9411090293	94/10/10	WASTE MGT
9411080077	9411080070	94/10/28	50-206 R	9411090314	9411090311	94/10/28	50-410 P
9411080082	9411080024	94/11/01	50-461 P	9411090318	9411090311	94/10/28	50-410 P
9411080083	9411080053	94/10/31	50-528 P	9411090321	9411090320	94/11/02	50-327 P
9411080086	9411080070	94/10/28	50-206 R	9411090335	9411090021	94/11/04	50-220 P
9411080094	9411070372	94/04/01	50-166 V	9411090348	9411090345	94/10/07	WASTE MGT
9411080111	9411080104	94/11/02	50-286 P	9411090387	9411090386	93/10/19	FOIA
9411080113	9411080104	94/11/02	50-286 P	9411090398	9411090391	94/10/28	50-528 S
9411080119	9411080115	94/10/31	50-528 P	9411090402	9411090396	94/11/07	71-9202
9411080149	9411080148	94/10/31	50-397 P	9411090403	9411090399	94/10/31	40-7102
9411080151	9411080144	89/02/24	40-341	9411090404	9411090400	94/11/04	ORG
9411080158	9411080154	94/10/31	50-397 P	9411090406	9411090401	94/11/04	50-186 P
9411080159	9411080144	89/02/24	40-341	9411090407	9411090405	94/11/07	71-9206
9411080161	9411080156	94/11/01	50-318 P	9411090408	9411090401	94/11/04	50-186 P
9411080164	9411080156	94/11/01	50-318 P	9411090411	9411090400	94/11/04	ORG
9411080170	9411080160	94/11/03	50-155 P	9411090413	9411090400	94/11/04	ORG
9411080180	9411080172	94/11/02	50-327 P	9411100018	9411100017	94/10/31	50-275 P
9411080182	9411080181	94/11/02	50-335 P	9411100019	9411100017	94/10/31	50-275 P
9411080204	9411080199	94/11/02	50-263 P	9411100035	9411100030	94/11/03	50-529 P
9411080205	9411080201	94/10/31	50-390 A	9411100058	9411100055	94/10/27	50-255 Q
9411080206	9207290242	92/06/30	REVIEW GR P	9411100070	9411100066	94/10/28	50-440 Q
9411080207	9403020078	93/12/17	50-458 F	9411100073	9411100066	94/10/28	50-440 Q
9411080212	9411080203	94/11/01	50-254 S	9411100075	9411100069	94/11/03	50-305 Q
9411080224	9411080223	94/10/28	50-331 P	9411100076	9411100071	94/11/02	50-266 Q
9411080254	9411080253	94/11/02	50-270 Q	9411100111	9411100101	94/11/04	50-255 Q
9411080272	9411080269	94/10/31	50-461 P	9411100113	9411100101	94/11/04	50-255 Q
9411080274	9411080270	94/10/27	40-3453	9411100115	9411100104	94/11/01	50-458 G
9411080281	9411080279	93/10/13	FOIA	9411100131	9411100126	94/10/27	50-10 Q
9411080289	9411080286	94/11/04	70-135	9411100137	9411100126	94/10/27	50-10 Q
9411080290	9411080285	94/11/03	50-237 P	9411100142	9411100126	94/10/27	50-10 Q
9411080292	9411080291	94/11/04	70-1201	9411100143	9411100139	94/10/19	50-269 F
9411080293	9411080291	94/11/04	70-1201	9411100154	9411100151	94/11/07	50-440 P
9411080299	9411080295	94/11/02	50-255 Y	9411100155	9411100138	93/10/19	FOIA
9411080302	9411080285	94/11/03	50-237 P	9411100157	9411100144	94/10/28	50-317 P
9411080303	9411080298	94/10/19	WASTE MGT	9411100159	9411100156	94/11/07	50-440 P
9411080306	9411080295	94/11/02	50-255 Y	9411100163	9411100144	94/10/28	50-317 P
9411080318	9411080317	94/11/01	50-244 P	9411100164	9411100161	94/11/03	50-206 P
9411080319	9411080317	94/11/01	50-244 P	9411100165	9411100140	94/10/27	72-1004
9411090025	9411090014	94/10/28	70-1100	9411100172	9411100171	94/10/31	40-8724
9411090030	9411090024	94/11/02	50-259 Q	9411100174	9411100167	94/11/03	50-302 P
9411090035	9411090028	94/11/03	50-413 Q	9411100178	9411100169	94/11/04	50-334 Q
9411090036	9411090024	94/11/02	50-259 Q	9411100184	9411100169	94/11/04	50-334 Q
9411090041	9411090033	94/11/02	50-390 Q	9411100190	9411100188	93/10/21	FOIA
9411090043	9411090039	94/11/03	40-1162	9411100195	9411100183	94/10/06	50-382 F
9411090063	9411090045	94/11/03	72-1007	9411100217	9411100209	93/10/21	FOIA
9411090065	9411090021	94/11/04	50-220 P	9411100219	9411100214	94/11/04	WASTE MGT
9411090078	9411090066	94/10/31	50-443 Q	9411100221	9411100220	94/11/08	71-789
9411090079	9411090075	94/11/03	STATE PRO G	9411100222	9411100218	94/11/09	70-3070
9411090081	9411090070	94/11/01	50-413 Q	9411100226	9411100224	94/11/08	71-201
9411090083	9411090076	94/11/02	50-390 Q	9411100248	9411100246	94/10/31	50-255 P
9411090085	9411090075	94/11/03	STATE PRO G	9411100263	9411100259	94/11/07	WASTE MGT
9411090088	9411090070	94/11/01	50-413 Q	9411100271	9411100269	94/11/02	50-458 Q
9411090089	9411090082	94/11/02	50-269 Q	9411100287	9411100283	94/09/29	WASTE MGT
9411090092	9411090084	94/11/02	50-321 Q	9411140002	9411140001	94/11/04	50-382 P
9411090095	9411090082	94/11/02	50-269 Q	9411140003	9411140001	94/11/04	50-382 P
9411090096	9411090091	94/11/03	50-352 P	9411140014	9411140008	94/11/03	50-528 P
9411090099	9411090093	94/11/04	40-2259	9411140019	9411140015	94/11/08	70-3070
9411090117	9411090111	94/11/03	50-309 P	9411140020	9411140008	94/11/03	50-528 P
9411090118	9411090105	94/11/01	PR	9411140021	9411140016	94/11/07	50-334 P
9411090140	9411090105	94/11/01	PR	9411140044	9411140041	94/10/31	71-9248
9411090141	9411090139	94/10/26	50-255 P	9411140048	9411140031	94/11/04	50-400 P
9411090145	9411090139	94/10/26	50-255 P	9411140050	9411140031	94/11/04	50-400 P
9411090155	9411090146	94/11/04	50-237 H	9411140053	9411140049	94/11/02	50-445 P

258 CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENTS

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
9411140056	9411140049	94/11/02	50-445 P	9411160156	9411160153	94/11/11	50-445 P
9411140077	9411140067	94/11/07	ORG	9411160166	9411150300	94/11/04	PR
9411140078	9411140073	94/10/28	50-250 P	9411160168	9411140138	94/10/25	COMMISSIO N
9411140079	9411140070	94/11/07	50-237 P	9411160172	9411160162	94/11/04	50-286 P
9411140097	9411140095	94/11/04	50-445 F	9411160175	9411140138	94/10/25	COMMISSIO N
9411140108	9411140104	94/11/02	50-528 P	9411160179	9411150300	94/11/04	PR
9411140109	9411140096	94/11/04	50-445 P	9411160180	9411160011	94/11/03	50-498 Q
9411140127	9411090400	94/11/04	ORG	9411160185	9411150300	94/11/04	PR
9411140131	9411140130	94/11/07	50-271 P	9411160189	9411150300	94/11/04	PR
9411140144	9411140143	93/10/21	FOIA	9411160193	9411150300	94/11/04	PR
9411140146	9411140140	94/11/08	50-390 A	9411160195	9411150300	94/11/04	PR
9411140149	9411140140	94/11/08	50-390 A	9411160199	9411150300	94/11/04	PR
9411140152	9411140150	93/10/21	FOIA	9411160200	9411160194	94/11/02	40-8027
9411140156	9411140150	93/10/21	FOIA	9411160201	9411150300	94/11/04	PR
9411140158	9411140154	93/10/20	50-425 G	9411160202	9411150300	94/11/04	PR
9411140160	9411140157	94/11/09	50-219 P	9411160204	9411150300	94/11/04	PR
9411140161	9411140154	93/10/20	50-425 G	9411160205	9411160203	94/10/27	70-364
9411140162	9411140159	94/11/02	50-445 P	9411160214	9411160209	94/11/09	50-304
9411140166	9411140159	94/11/02	50-445 P	9411160223	9411160221	94/11/08	50-457
9411140190	9411140118	94/11/07	50-237 S	9411160230	9411160217	94/11/01	50-277
9411140205	9411140204	94/11/08	50-315 P	9411160234	9411160218	94/11/04	50-220
9411140206	9411140204	94/11/08	50-315 P	9411160236	9411160215	94/11/08	50-219
9411150004	9411150003	94/11/03	50-400 P	9411160239	9411160218	94/11/04	50-220
9411150006	9411150005	94/11/09	71-332	9411160242	9411160241	94/11/11	50-285
9411150008	9411150007	94/11/09	71-325	9411160243	9411160241	94/11/11	50-285
9411150017	9411150012	94/11/07	50-333 Q	9411160244	9411160218	94/11/04	50-220
9411150019	9411150016	94/11/07	50-309 Q	9411160273	9411160269	94/11/09	REVIEW GR
9411150023	9411150015	94/11/03	50-443 Q	9411160276	9411160275	94/10/20	71-115
9411150024	9411150020	94/11/07	50-244 Q	9411160281	9411160280	94/11/11	50-387
9411150027	9411150021	94/11/04	50-387 Q	9411160282	9411160279	94/11/04	50-412
9411150030	9411150020	94/11/07	50-244 Q	9411160283	9411160280	94/11/11	50-387
9411150034	9411150029	94/11/04	50-277 Q	9411160285	9411160280	94/11/11	50-387
9411150039	9411150035	94/11/07	50-219 P	9411160287	9411160286	94/11/10	50-333
9411150042	9411150033	94/11/04	50-220 Q	9411160325	9411160323	93/10/25	FOIA
9411150058	9411150046	94/11/07	50-184 Q	9411160328	9411220096	94/11/16	STATE PRO G
9411150059	9411150055	94/11/07	50-498 P	9411160330	9411160329	94/11/09	REVIEW GR
9411150099	9411150090	94/11/02	50-247 P	9411160336	9411160333	94/11/04	50-389
9411150104	9411150090	94/11/02	50-247 P	9411160361	9411160360	94/11/09	40-341
9411150190	9411150185	94/11/03	50-171 P	9411170005	9411170002	94/11/10	50-313
9411150192	9411150185	94/11/03	50-171 P	9411170010	9411170007	94/11/10	50-458
9411150238	9411150218	94/11/07	TOPREP	9411170011	9411170002	94/11/10	50-313
9411150259	9411150253	94/11/04	50-298 F	9411170018	9411170003	94/11/09	50-458
9411150279	9411150277	94/11/01	50-244 V	9411170026	9411170024	94/10/05	XPORTLIC
9411150282	9411150265	94/11/07	50-321 P	9411170036	9411170031	94/11/09	50-323
9411150297	9411150289	94/11/04	40-8968	9411170038	9411170034	94/11/09	50-397
9411150303	9411150296	94/11/08	50-498 P	9411170042	9411170003	94/11/09	50-458
9411150314	9411150301	94/10/18	70-698	9411170044	9411170034	94/11/09	50-397
9411150316	9411150312	94/11/08	50-498 P	9411170045	9411170041	94/11/08	ORG
9411150334	9411150322	94/11/08	40-8698	9411170047	9411170031	94/11/09	50-323
9411150341	9411150302	94/10/20	40-8943	9411170058	9411170052	94/11/09	71-221
9411150343	9411150317	94/10/18	40-2253	9411170064	9411170059	94/10/25	ORG
9411150362	9411150300	94/11/04	PR	9411170070	9411170055	94/11/14	STATE PRO G
9411150365	9411150351	94/10/13	70-3052	9411170074	9411170055	94/11/14	STATE PRO G
9411150367	9411150347	94/11/09	50-498 Q	9411170079	9411170055	94/11/14	STATE PRO G
9411150371	9411150351	94/10/13	70-3052	9411170082	9411170055	94/11/14	STATE PRO G
9411150383	9411150355	94/11/08	50-313 P	9411170086	9411170055	94/11/14	STATE PRO G
9411150394	9411150385	94/11/07	50-206 P	9411170089	9411170081	94/11/20	70-734
9411150399	9411150384	94/10/12	40-8972	9411170090	9411170081	94/10/20	70-734
9411150404	9411150392	94/11/08	WASTE MGT	9411170092	9411170072	94/10/31	STATE PRO G
9411150419	9411150413	94/11/02	50-334 Q	9411170103	9411300082	94/11/21	50-219
9411150421	9411150415	94/11/03	50-220 Q	9411170107	9411170104	94/11/09	50-327
9411150429	9411150415	94/11/03	50-220 Q	9411170119	9411170104	94/11/09	50-327
9411150454	9411150445	94/11/08	50-305 P	9411170143	9411170129	94/10/31	50-423
9411150467	9411150461	94/10/31	50-245 Q	9411170151	9411170146	94/11/10	50-282
9411150475	9411150461	94/10/31	50-245 Q	9411170158	9411170142	94/11/04	50-320
9411150490	9411150484	94/11/01	50-333 Q	9411170210	9411170153	94/11/10	TOPREP
9411150507	9411150499	94/11/07	50-498 P	9411170237	9411170231	93/10/26	FOIA
9411150520	9411150516	94/11/07	50-298 P	9411170240	9411170206	94/10/26	ORG
9411150537	9411150530	94/11/03	50-412 Q	9411170272	9411170266	93/11/01	FOIA
9411150569	9411150568	94/10/17	50-423 P	9411170282	9411170278	94/11/07	52-4
9411150576	9411150568	94/10/17	50-423 P	9411170283	9411170281	94/10/31	27-48
9411150597	9411150590	94/11/08	70-1100	9411170289	9411170285	94/11/10	50-237
9411150600	9411150592	94/11/08	50-315 P	9411170290	9411170288	94/10/28	WASTE MGT
9411150602	9411150590	94/11/08	70-1100	9411170297	9411170295	94/11/14	50-309
9411150611	9411150592	94/11/08	50-315 P	9411170306	9411170303	94/11/08	71-9126
9411150622	9411150617	94/11/07	71-3	9411170311	9411170307	94/11/14	50-260
9411150634	9411150633	94/11/04	50-261 P	9411170316	9411170315	94/11/14	50-116
9411160028	9411160022	94/11/09	50-456 Q	9411170322	9411170321	94/10/25	WASTE MGT
9411160059	9411160052	94/11/09	50-361 Q	9411170324	9411170323	94/11/10	71-228
9411160067	9411160052	94/11/09	50-361 Q	9411170327	9411170325	94/10/28	WASTE MGT
9411160075	9411160071	94/11/08	50-213 Q	9411180004	9411180001	94/11/16	50-267
9411160077	9411160074	94/11/08	50-331 Q	9411180027	9411180023	94/11/09	50-333
9411160081	9411160078	94/11/08	WASTE MGT	9411180036	9411180045	94/09/16	PR
9411160083	9411160073	94/11/03	50-331 Q	9411180042	9411180037	94/11/08	50-293
9411160094	9411160089	94/11/08	50-443 F	9411180059	9411180056	94/11/10	50-315
9411160096	9411160089	94/11/08	50-443 F	9411180063	9411180058	94/11/08	50-289
9411160145	9411160141	94/11/01	50-321 P	9411180065	9411180056	94/11/10	50-315

CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENTS 259

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
9411180067	9411180060	94/11/11	50-346 P	9411210340	9411210336	93/10/27	FOIA
9411180069	9411180056	94/11/10	50-315 P	9411210341	9411180117	93/10/07	FOIA
9411180070	9411180060	94/11/11	50-346 P	9411210344	9411210338	93/10/26	FOIA
9411180071	9411180062	94/10/25	50-369 F	9411210347	9411180117	93/10/07	FOIA
9411180081	9411180076	94/11/15	50-280 P	9411210350	9411210348	94/11/14	50-454 P
9411180084	9411180076	94/11/15	50-280 P	9411210351	9411210338	93/10/26	FOIA
9411180092	9411180090	94/11/07	50-454 P	9411210353	9411180117	93/10/07	FOIA
9411180099	9411180090	94/11/07	50-454 P	9411210357	9411210348	94/11/14	50-454 P
9411180121	9411180118	94/11/04	50-213 P	9411210360	9411210338	93/10/26	FOIA
9411180135	9411180117	93/10/07	FOIA	9411210361	9411210348	94/11/14	50-454 P
9411180136	9411180110	94/11/10	50-369 P	9411210366	9411180117	93/10/07	FOIA
9411180147	9411180145	94/11/10	50-344 P	9411210367	9411210338	93/10/26	FOIA
9411180149	9411180106	94/11/07	50-445 P	9411210368	9411210365	93/12/10	50-334 F
9411180181	9411180178	94/11/08	50-255 P	9411210374	9411210338	93/10/26	FOIA
9411180184	9411180117	93/10/07	FOIA	9411210378	9411210376	94/11/10	50-416 P
9411180189	9411180117	93/10/07	FOIA	9411210380	9411210338	93/10/26	FOIA
9411180194	9411180117	93/10/07	FOIA	9411210394	9411210391	94/10/24	40-8778
9411180202	9411180117	93/10/07	FOIA	9411220005	9411220004	94/11/04	50-255 Q
9411180205	9411180201	94/11/07	50-155 F	9411220006	9411220001	94/11/09	50-410 V
9411180206	9411180201	94/11/07	50-155 F	9411220011	9411220008	94/11/10	50-245 V
9411180207	9411180117	93/10/07	FOIA	9411220012	9411220007	94/11/16	50-275 Q
9411180210	9411180117	93/10/07	FOIA	9411220016	9411220007	94/11/16	50-275 Q
9411180212	9411180199	93/10/28	FOIA	9411220018	9411220015	94/11/08	50-461 Q
9411180217	9411180211	94/11/02	50-245 P	9411220025	9411220021	94/11/10	50-286 Q
9411180222	9411180117	93/10/07	FOIA	9411220028	9411220019	94/11/09	50-312 Q
9411180233	9411180117	93/10/07	FOIA	9411220030	9411220024	94/11/16	50-482 Q
9411180234	9411180224	94/11/10	50-213 P	9411220031	9411220026	94/11/10	50-29 Q
9411180239	9411180224	94/11/10	50-213 P	9411220032	9411220027	94/11/08	50-341 Q
9411180243	9411180224	94/11/10	50-213 P	9411220035	9411220024	94/11/16	50-482 Q
9411180244	9411180224	94/11/10	50-213 P	9411220038	9411220034	94/11/08	50-346 P
9411180249	9411180117	93/10/07	FOIA	9411220041	9411220039	94/11/10	50-282 Q
9411180264	9411180251	94/01/11	50-482 P	9411220043	9411220039	94/11/10	50-282 Q
9411180266	9411180265	94/11/15	WASTE MGT	9411220050	9411220044	94/11/07	50-331 Q
9411180271	9411180269	94/11/15	71-9234	9411220051	9411220046	94/11/07	50-461 Q
9411180278	9411180276	94/11/15	WASTE MGT	9411220052	9411220049	94/11/10	50-271 V
9411180280	9411180279	94/11/09	71-9225	9411220053	9411220045	94/11/18	50-313 Q
9411210013	9411210009	94/11/04	50-324 Q	9411220054	9411220044	94/11/07	50-331 Q
9411210016	9411210008	94/11/04	50-327 Q	9411220060	9411220055	94/11/15	50-272 Q
9411210018	9411210015	94/11/08	50-348 Q	9411220067	9411220064	94/11/15	50-289 Q
9411210020	9411210009	94/11/04	50-324 Q	9411220071	9411220062	94/09/14	50-220 P
9411210021	9411210012	94/10/28	50-324 Q	9411220074	9411220062	94/09/14	50-220 P
9411210022	9411210015	94/11/08	50-348 Q	9411220075	9411220061	94/10/27	ORG
9411210031	9411210024	94/11/10	50-400 Q	9411220077	9411220069	94/11/04	50-155 Q
9411210033	9411210027	94/11/04	50-261 Q	9411220083	9411220079	94/10/28	WASTE MGT
9411210034	9411210028	94/11/03	70-27 Q	9411220085	9411220080	94/11/09	40-8971
9411210035	9411210025	94/11/04	50-302 Q	9411220090	9411220084	94/11/09	50-245 Q
9411210037	9411210027	94/11/04	50-261 Q	9411220097	9411220084	94/11/09	50-245 Q
9411210039	9411210025	94/11/04	50-302 Q	9411220098	9411220093	94/11/09	50-373 Q
9411210040	9411210038	94/11/15	50-344 Q	9411220101	9411220093	94/11/09	50-373 Q
9411210048	9411210046	94/11/10	50-498 Q	9411220107	9411220100	94/11/18	50-528 Q
9411210049	9411210044	94/11/09	50-369 Q	9411220115	9411220109	94/11/09	50-352 Q
9411210056	9411210050	94/11/08	50-327 Q	9411220119	9411220114	94/11/17	50-341 P
9411210057	9411210044	94/11/09	50-369 Q	9411220123	9411220109	94/11/09	50-352 Q
9411210058	9411210054	94/11/07	50-338 Q	9411220132	9411220124	94/11/14	WASTE MGT
9411210060	9411210054	94/11/07	50-338 Q	9411220142	9411220136	94/11/09	50-361 Q
9411210063	9411210052	94/11/03	50-413 Q	9411220143	9411220138	94/11/16	72-1007
9411210075	9411210064	94/11/16	STATE PRO Q	9411220144	9411220134	94/11/16	50-341 F
9411210079	9411210069	94/11/04	50-259 Q	9411220145	9411220140	94/11/10	50-346 Q
9411210081	9411210080	94/11/11	WASTE MGT	9411220147	9411220140	94/11/10	50-346 Q
9411210082	9411210077	94/11/14	50-482 F	9411220155	9411220148	94/11/16	50-382 Q
9411210097	9411210090	94/11/11	WASTE MGT	9411220157	9411220135	94/11/03	COMMISSIO N
9411210104	9411180079	94/11/09	50-318 P	9411220159	9411220154	94/11/14	50-317 Q
9411210109	9411210105	94/11/04	50-250 Q	9411220163	9411220153	94/11/15	50-247 Q
9411210153	9411210150	94/11/14	50-387 Q	9411220166	9411220135	94/11/03	COMMISSIO N
9411210159	9411210150	94/11/14	50-387 R	9411220167	9411220162	94/11/16	50-324 P
9411210177	9411210160	94/11/14	50-410 P	9411220171	9411220165	94/11/17	STATE PRO G
9411210184	9411210160	94/11/14	50-410 P	9411220175	9411220164	94/11/16	50-244 Q
9411210200	9411210194	94/11/16	50-286 P	9411220193	9411220187	94/11/16	50-333 P
9411210205	9411210194	94/11/16	50-286 P	9411220194	9411220189	94/11/10	50-280 P
9411210232	9411210224	94/11/14	TOPREP	9411220196	9411220172	94/11/17	50-333 Q
9411210233	9411180117	93/10/07	FOIA	9411220205	9411220203	94/10/31	50-413 P
9411210238	9411210235	94/11/14	TOPREP	9411220210	9411220207	94/11/18	70-1257
9411210243	9411210240	94/11/14	50-298 P	9411220217	9411220204	94/11/10	50-317 V
9411210260	9411180117	93/10/07	FOIA	9411220220	9411220215	94/11/15	QA999
9411210271	9411210267	94/11/05	71-796	9411220224	9411220207	94/11/18	70-1257
9411210275	9411210266	94/11/15	50-237 P	9411220228	9411220226	94/11/16	50-293 Q
9411210277	9411180117	93/10/07	FOIA	9411220231	9411220223	94/11/09	50-369 P
9411210280	9411210004	94/11/03	70-824	9411220237	9411220223	94/11/09	50-369 P
9411210281	9411180117	93/10/07	FOIA	9411220248	9411220247	94/11/10	50-461 Q
9411210283	9411210272	93/08/12	FOIA	9411220249	9411220246	94/10/24	ORG
9411210286	9411210285	94/11/09	71-*****	9411220260	9411220258	94/11/10	50-416 P
9411210291	9411210289	94/11/16	50-335 P	9411220265	9411220218	94/11/17	COMMISSIO N
9411210294	9411180117	93/10/07	FOIA	9411220266	9411220264	94/11/14	50-454 P
9411210308	9411180117	93/10/07	FOIA	9411220271	9411220264	94/11/14	50-454 P
9411210316	9411210287	93/11/01	FOIA	9411220286	9411220286	94/11/09	50-369 P
9411210317	9411180117	93/10/07	FOIA	9411220296	9411220280	94/11/09	ORG
9411210334	9411180117	93/10/07	FOIA	9411220311	9411220309	94/11/11	50-331 P

260 CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENTS

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
9411220325	9411220318	94/11/08	50-272 P	9411250010	9411250002	93/11/08	FOIA
9411220331	9411220318	94/11/08	50-272 P	9411250023	9411250020	94/11/16	50-244 P
9411220333	9411220330	94/11/15	50-219 R	9411250031	9411250030	94/11/18	50-395 P
9411220335	9411220330	94/11/15	50-219 R	9411250033	9411250030	94/11/18	50-395 P
9411220343	9411220328	94/11/16	50-352 P	9411250038	9411250027	94/11/17	50-443 Q
9411220354	9411220328	94/11/16	50-352 P	9411250040	9411250039	94/11/18	50-305 P
9411220358	9411220348	94/11/16	50-315 P	9411250041	9411250039	94/11/18	50-305 P
9411220367	9411220348	94/11/16	50-315 P	9411250042	9411250036	94/11/15	50-269 P
9411220374	9411220365	94/11/09	50-352 P	9411250044	9411250036	94/11/15	50-269 P
9411220383	9411220364	94/11/07	50-395 P	9411250047	9411250027	94/11/17	50-443 Q
9411220387	9411220364	94/11/07	50-395 P	9411250059	9411250057	94/11/18	50-331 P
9411220389	9411220384	94/11/16	50-247 P	9411250061	9411250057	94/11/18	50-331 P
9411220392	9411220384	94/11/16	50-247 P	9411250063	9411250056	94/11/21	50-321 P
9411220393	9411220375	94/11/11	50-315 F	9411250074	9411250071	94/10/31	XPORTLIC
9411220396	9411170296	94/11/10	50-272 H	9411250085	9411280043	94/11/22	50-295 P
9411220406	9411220402	94/11/14	50-282 P	9411250087	9411250084	94/11/16	50-324 P
9411220412	9411220411	94/11/09	50-397 P	9411250097	9411280043	94/11/22	50-295 P
9411220418	9411220416	94/11/08	50-247 P	9411250100	9411280043	94/11/22	50-295 P
9411220423	9411220421	94/11/08	50-247 P	9411250118	9411250116	94/11/15	50-413 R
9411230011	9411230007	94/11/17	70-7002	9411250119	9411250116	94/11/15	50-413 R
9411230017	9411230015	94/11/18	50-266 Q	9411250120	9411250101	93/11/04	50-275 H
9411230019	9411230016	94/11/17	40-8948	9411250133	9411250132	94/11/15	50-369 P
9411230021	9411230020	94/11/14	50-456 Q	9411250134	9411250132	94/11/15	50-369 P
9411230023	9411230020	94/11/14	50-456 Q	9411250142	9411250140	94/11/16	50-266 P
9411230024	9411230022	94/11/17	50-315 Q	9411250145	9411250144	94/11/17	50-388 P
9411230029	9411230028	94/11/14	50-454 Q	9411250159	9411250158	94/11/18	50-445 P
9411230031	9411230028	94/11/14	50-454 Q	9411250166	9411250160	94/11/18	50-445 P
9411230033	9411230027	94/11/16	50-254 Q	9411250172	9411250168	94/11/18	50-395 P
9411230042	9411230030	94/07/21	50-266 Q	9411250173	9411250168	94/11/18	50-395 P
9411230045	9411230032	94/05/05	50-269 F	9411250180	9411250179	93/11/09	FOIA
9411230055	9411230032	94/05/05	50-269 F	9411250184	9411250182	94/11/17	50-277 P
9411230060	9411230053	94/11/08	XPORTLIC	9411250194	9411220218	94/11/17	50-390 P
9411230062	9411230050	94/11/07	PRM	9411250211	9411250207	94/11/22	50-293 P
9411230064	9411230063	94/11/17	50-331 P	9411250215	9411250163	93/11/08	50-528 P
9411230069	9411230063	94/11/17	50-331 P	9411250219	9411250204	94/11/23	52-1
9411230070	9411230066	94/11/14	XPORTLIC	9411250220	9411250210	94/11/08	50-275 F
9411230072	9411230067	94/11/09	50-454 P	9411250227	9411250224	94/11/22	50-293 P
9411230076	9411230071	94/10/10	50-369 F	9411250236	9411250234	94/11/11	50-390 P
9411230079	9411230061	94/08/19	50-275 F	9411250238	9411250234	94/11/11	50-390 P
9411230087	9411230082	94/11/14	50-275 P	9411250241	9411250239	94/11/15	50-306 Q
9411230090	9411230082	94/11/14	50-275 P	9411280006	9411280004	94/11/22	50-458 Q
9411230092	9411230082	94/11/14	50-275 P	9411280010	9411280003	94/11/17	50-334 V
9411230093	9411230089	94/11/21	50-254 P	9411280016	9411280005	94/11/17	50-286 Q
9411230096	9411230082	94/11/14	50-275 P	9411280018	9411280014	94/11/17	50-285 Q
9411230103	9411230082	94/11/14	50-275 P	9411280025	9411280023	94/11/04	50-272 P
9411230111	9411230100	94/11/09	50-219 H	9411280026	9411280023	94/11/04	50-272 P
9411230112	9411230109	94/11/17	50-369 P	9411280040	9411280037	94/11/18	50-275 Q
9411230113	9411230097	94/05/12	50-413 P	9411280042	9411280038	94/11/17	50-289 Q
9411230116	9411230109	94/11/17	50-369 P	9411280044	9411280037	94/11/18	50-275 Q
9411230122	9411230105	94/11/16	50-237 P	9411280053	9411280047	94/11/22	50-259 Q
9411230123	9410310328	94/10/20	ORG	9411280067	9411280060	94/11/17	REVIEW GR
9411230128	9411230121	94/01/24	40-8584 P	9411280074	9411280076	94/11/22	50-219 P
9411230130	9411230105	94/11/16	50-237 H	9411280083	9411220269	94/10/24	50-390 P
9411230159	9411230109	94/11/09	50-219 H	9411280090	9411220269	94/10/24	COMMISSIO
9411230164	9411230160	94/11/14	50-277 P	9411280095	9411220269	94/10/24	COMMISSIO
9411230169	9411230168	94/10/31	40-7102 H	9411280114	9411280104	94/11/04	ORG
9411230174	9411230168	94/10/31	40-7102 H	9411280117	9411250175	94/03/13	40-8584
9411230176	9411230168	94/10/31	40-7102 H	9411280126	9411280121	94/11/16	40-672
9411230177	9411230168	94/10/31	40-7102 H	9411280139	9411280134	94/11/22	50-293 P
9411230182	9411230100	94/11/09	50-219 H	9411280157	9411280155	94/11/10	50-331 P
9411230183	9411230165	94/11/15	50-341 P	9411280169	9411280167	94/11/17	40-8943
9411230184	9411230180	94/11/14	50-277 P	9411280172	9411280164	94/11/04	52-3
9411230191	9411230100	94/11/09	50-219 H	9411280174	9411250185	94/11/17	ORG
9411230198	9411230193	94/11/08	50-247 P	9411280179	9411280171	94/11/21	50-261 P
9411230199	9411230100	94/11/09	50-219 H	9411280182	9411280171	94/11/21	50-261 P
9411230215	9411230214	94/11/16	50-315 R	9411280184	9411280180	94/11/17	70-925
9411230216	9411230214	94/11/16	50-315 R	9411280195	9411280193	94/11/17	50-333 V
9411230220	9411230218	94/11/04	50-266 R	9411280208	9411280205	94/11/22	TOPREP
9411230223	9411230222	94/11/15	50-354 R	9411280230	9411280213	94/11/21	50-245 P
9411230224	9411230222	94/11/15	50-354 R	9411280246	9411250217	93/10/28	FOIA
9411230230	9411230197	94/11/15	50-321 Q	9411280249	9411280248	94/11/21	50-213 P
9411230264	9411230250	93/10/25	FOIA	9411280257	9411280254	94/10/06	ORG
9411230267	9411230260	94/11/15	50-259 P	9411280261	9411280254	94/10/06	ORG
9411230271	9411230266	94/11/17	50-440 S	9411280263	9411280254	94/10/06	ORG
9411230286	9411230250	93/10/25	FOIA	9411280266	9411280254	94/10/06	ORG
9411230295	9411230250	93/10/25	FOIA	9411280269	9411280258	94/11/02	STATE PRO
9411230300	9411230250	93/10/25	FOIA	9411280291	9411180035	94/11/09	50-348 P
9411230302	9411230250	93/10/25	FOIA	9411280293	9411280287	94/11/22	50-160 G
9411230304	9411230303	94/11/15	50-259 F	9411280296	9411280287	94/11/22	50-160 G
9411230305	9411230250	93/10/25	FOIA	9411280298	9411180035	94/11/09	50-348 P
9411230311	9411230309	94/11/08	50-336 P	9411280300	9411180035	94/11/09	50-348 P
9411230313	9411230309	94/11/08	50-336 P	9411280301	9411280299	94/11/22	50-293 P
9411230316	9411230314	94/11/15	70-1359	9411290010	9411290007	94/11/18	50-348 Q
9411230322	9411230321	94/11/16	50-333 P	9411290013	9411290008	94/11/10	50-250 Q
9411230323	9411230321	94/11/16	50-333 P	9411290015	9411290009	94/11/16	50-390 Q
9411230326	9411230318	93/11/01	50-344 P	9411290019	9411290012	94/11/23	50-341 Q
9411250008	9411250005	94/11/10	WASTE MGT	9411290020	9411290014	94/11/09	50-424 Q

CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENTS 261

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
9411290021	9411290009	94/11/16	50-390 Q	9411290250	9411290247	94/11/18	STATE PRO G
9411290026	9411290012	94/11/23	50-341 Q	9411290253	9411290246	94/11/15	40-3453
9411290034	9411290029	94/11/16	50-259 Q	9411290255	9411290249	94/11/23	70-1113
9411290037	9411290031	94/11/16	50-390 Q	9411290258	9411290256	94/11/22	71-6553
9411290038	9411290033	94/11/10	STATE PRO G	9411290275	9411290274	94/11/21	70-1100
9411290048	9411290040	94/11/14	50-416 Q	9411290277	9411290276	94/11/21	50-277 Q
9411290051	9411290031	94/11/16	50-390 Q	9411290278	9411290276	94/11/21	50-277 Q
9411290056	9411290040	94/11/14	50-416 Q	9411290282	9411290281	94/11/09	50-29 P
9411290059	9411290053	94/11/18	50-321 Q	9411300005	9411300001	94/11/23	50-269 Q
9411290062	9411290053	94/11/18	50-321 Q	9411300011	9411300001	94/11/23	50-269 Q
9411290067	9411290061	94/11/16	50-250 Q	9411300017	9411300013	94/11/11	71-162
9411290076	9411290069	94/11/17	50-327 Q	9411300019	9411300014	94/11/25	STATE PRO G
9411290080	9411290079	94/11/18	50-395 Q	9411300020	9411300013	94/11/11	71-162
9411290084	9411290079	94/11/18	50-395 Q	9411300022	9411300016	94/11/21	50-277 Q
9411290085	9411290081	94/11/10	50-390 Q	9411300025	9411280066	94/10/24	71-236
9411290087	9411290081	94/11/10	50-390 Q	9411300027	9411300018	94/11/17	50-335 V
9411290092	9411290088	94/11/17	50-160 Q	9411300029	9411300021	94/11/25	STATE PRO G
9411290109	9411290102	94/11/18	50-390 Q	9411300036	9411300030	94/11/22	50-361 Q
9411290114	9411290102	94/11/18	50-390 Q	9411300065	9411300057	94/11/02	40-8936
9411290116	9411290113	94/11/23	52-2	9411300074	9411300069	94/11/22	50-287 P
9411290119	9411290113	94/11/23	52-2	9411300075	9411300061	94/11/18	50-333 Q
9411290125	9411290121	94/11/23	50-219 Q	9411300080	9411300069	94/11/22	50-287 P
9411290129	9411180035	94/11/09	50-348 P	9411300085	9411300077	94/11/22	50-369 Q
9411290133	9411180035	94/11/09	50-348 P	9411300088	9411300078	94/11/21	50-443 Q
9411290137	9411180035	94/11/09	50-348 P	9411300092	9411300077	94/11/22	50-369 Q
9411290138	9411290136	94/11/21	50-387 P	9411300097	9411300095	94/11/18	50-315 P
9411290140	9411290136	94/11/21	50-387 P	9411300117	9411300106	94/11/21	50-272 Q
9411290142	9411290136	94/11/21	50-387 P	9411300126	9411300125	94/11/21	50-354 P
9411290145	9411180035	94/11/09	50-348 P	9411300135	9411300131	94/11/22	50-354 Q
9411290147	9411180035	94/11/09	50-348 P	9411300143	9411300137	94/11/16	50-16 Q
9411290148	9411290143	94/11/21	50-352 P	9411300177	9411300162	94/11/18	40-3392
9411290149	9411250101	93/11/04	50-275 H	9411300179	9411300165	94/10/20	PROJ
9411290154	9411290153	94/11/18	40-6659	9411300201	9411300195	94/11/25	50-335 Q
9411290156	9411290155	93/11/18	FOIA	9411300203	9411300198	94/11/21	50-186 Q
9411290161	9411290155	93/11/18	FOIA	9411300248	9411300246	94/11/21	50-295 P
9411290163	9411180035	94/11/09	50-348 P	9411300253	9411300237	93/11/22	50-237 P
9411290166	9411180035	94/11/09	50-348 P	9411300261	9411300259	94/11/23	50-400 P
9411290167	9411290165	94/11/15	40-8902	9411300263	9411300262	94/11/23	50-443 P
9411290170	9411180035	94/11/09	50-348 P	9411300265	9411300237	93/11/22	50-237 P
9411290176	9411290146	93/11/24	FOIA	9411300266	9411300251	93/11/22	50-250 P
9411290177	9411280043	94/11/22	50-295 P	9411300275	9411300274	94/11/22	50-335 F
9411290178	9411290175	93/11/18	FOIA	9411300280	9411300278	94/11/17	50-285 F
9411290179	9411280161	94/11/16	70-27	9411300293	9411300290	94/11/21	50-368 S
9411290180	9411290175	93/11/18	FOIA	9411300309	9411300305	94/11/22	50-352 P
9411290184	9411280145	94/11/15	71-707	9411300318	9411300314	94/11/17	50-498 P
9411290186	9411290183	94/11/16	40-8102	9411300335	9411300323	94/11/16	50-160 G
9411290191	9411290188	94/11/17	40-8905	9411300346	9411280043	94/11/22	50-295 P
9411290196	9411290190	94/11/21	50-352 Q	9411300352	9411300350	94/11/18	40-8027
9411290204	9411290195	94/11/21	50-255 Q	9411300354	9411300351	94/11/18	50-309 P
9411290208	9411290202	94/11/25	50-327 Q	9411300357	9411300355	94/11/18	50-315 P
9411290221	9411290206	94/11/22	50-324 V	9411300362	9411300361	94/11/18	50-272 P
9411290229	9411290206	94/11/22	50-324 V	9411300384	9411300380	94/11/14	52-3
9411290236	9411290230	93/11/17	FOIA	9411300395	9411300392	94/11/01	50-269 K
9411290239	9411290226	94/11/17	50-400 Q	9412010122	9411230318	93/11/01	50-344 P
9411290243	9411290238	94/11/23	70-1113	9412010128	9411230318	93/11/01	50-344 P
9411290244	9411290224	94/11/23	70-135	9412010146	9411230318	93/11/01	50-344 P
9411290248	9411290245	94/11/23	70-143	9412010168	9411300191	94/11/22	50-369 P
				9412020113	9411250101	93/11/04	50-322 W

APPENDIX A

DEFINITIONS OF DOCKET 50 CATEGORIES

A. APPLICATION/CONSTRUCTION STAGE DOCUMENTS AND CORRESPONDENCE

This category follows the application from submission to the day preceding the issuance of an operating license. It includes all correspondence and documents with substantive technical content that do not fall into other specific categories. Included are:

1. Application for construction permit.
2. General Information submitted with construction permit application.
3. Amendments and changes submitted by applicants and licensees.
4. NRC questions, requests for additional information, and applicant responses.
5. Early site review.
6. Correspondence and documents relating to unresolved design and construction issues.
7. Meeting announcements and summaries of meeting discussions on issues of item 6.
8. Correspondence regarding the utility Preliminary Safety Analysis Report (PSAR).
9. Information on laws and changes in regulations or policy that affect the status of the application (National Environmental Policy Act (NEPA), Water Quality Improvement Act, Water Pollution Control Act, etc.).
10. Construction Permit, amendments, and correspondence relating to the construction permit and related orders issued by the Office of Nuclear Reactor Regulation (NRR show cause and modifications) not involving the Atomic Safety Licensing and Appeal Board.
11. Scheduling of license application submission or review.
12. Environmental review information (other environmental documents are filed in Categories C, D, P, or R).
13. Seismic qualification review teams (SQRT) reports and related correspondence.
14. Application for operating license.
15. General Information submitted with operating license application.
16. Amendments and changes submitted by applicants and licensees.
17. Correspondence regarding the utility Final Safety Analysis Report (FSAR) and the Updated Final Safety Analysis Report (USAR).
18. Correspondence and documentation on generic technical matters highlighted by an event at another facility which may affect the subject facility; *not covered by an IE Bulletin.*

DEFINITIONS OF DOCKET 50 CATEGORIES

19. Safety Evaluation Reports (SERs) on specific generic issues.	21. Backup technical documents (e.g., topical reports) submitted in support of the application.
	22. Proposed equipment failure/instructions.
20. Reports of site visits.	23. NRC's changes in internal organizational structure.

B. UTILITY PRELIMINARY SAFETY ANALYSIS REPORTS (PSAR) AND AMENDMENTS

All related correspondence is filed in Category A.

1. Preliminary Safety Analysis Report (PSAR) submitted by utility (formerly called Hazards Summary Report or Safety Analysis Report).	2. Amendments and changes to the PSAR.
	3. Transmittal and acknowledgment letters.
	4. Certificates of service to the PSAR.

C. UTILITY ENVIRONMENTAL REPORT (ER), AMENDMENTS AND CORRESPONDENCE

1. Environmental Report (ER) submitted by the utility.	6. Federal Register notices citing the availability of items 1 and 2.
2. Amendments and supplements to the ER.	7. Correspondence relating to the review of ER.
3. Transmittal and acknowledgment letters.	8. Meeting announcements or reports of meetings where the primary subject of discussion is the ER.
4. Information on scheduling of submittal or review of ER.	9. Correspondence relating to certification of pollution control devices.
5. NRC questions, requests for additional information, and applicant responses.	NOTE: Other environmental documents are filed in Categories A, D, P, or R.

DEFINITIONS OF DOCKET 50 CATEGORIES

D. NRC DRAFT AND FINAL ENVIRONMENTAL (IMPACT) STATEMENTS (DES AND FES), SUPPLEMENTS AND CORRESPONDENCE

1. Draft and Final Environmental (Impact) Statements (DES and FES) prepared by NRC. 2. Supplements to the DES and FES. 3. Correspondence relating to the DES and FES. 4. Comments from other Federal, State, and local government agencies; organizations; and interested individuals. 5. Transmittal and acknowledgment letters. 6. Documents related to NRC review of environmental issues or of the ER obtained for purposes of writing the environmental statements.	7. Backup technical documents submitted in connection with above. 8. Federal Register notices citing availability of items 1 and 2. 9. Reports of site visits to obtain information for the DES or FES. 10. Meeting announcements or reports of meetings where the primary subject of discussion is the DES or FES. NOTE: Other environmental documents and correspondence are filed in Categories A, C, P, or R.
-

E. NRC SAFETY EVALUATION REPORTS (SER), SUPPLEMENTS AND CORRESPONDENCE

1. Formal Safety Evaluation Report (SER) prepared by NRC (formerly called NRC-AEC Hazard Analysis Report) in review of PSAR. 2. Supplements to the SER. 3. Correspondence relating to the SER and supplements. 4. Federal Register notices citing availability of items 1 and 2. 5. Information on scheduling of SER submittals and review.	6. Requests for additional information for use in preparing SER; responses to such requests. 7. Meeting announcements or reports of meetings where the primary subject of discussion is the SER. 8. Transmittal and acknowledgment letters. NOTE: Other documents dealing with specific safety-related issues are filed in Categories A, P, or W, depending on the phase of the licensing process.

DEFINITIONS OF DOCKET 50 CATEGORIES

F. SECURITY, MEDICAL, EMERGENCY, AND FIRE PROTECTION PLANS

All plans in this category are individual submissions. Emergency and Fire Protection Plans submitted as part of the licensing application are filed in this category.

1. Fire Hazard Protection Plans and surveys.
2. Plant evacuation correspondence.
3. Safeguards Contingency Plans.
4. Health Physics Program and its review.
5. Emergency Plans.
6. Correspondence relating to aforementioned plans.
7. Supplements, changes, and revisions to plans.
8. Correspondence and documentation relating to Appendix R of 10 CFR Part 50 (fire protection), guard training, emergency response centers, and emergency preparedness.
9. Transmittal and acknowledgment letters.
10. Meeting announcements and reports of meetings where the primary subject of discussion is related to the aforementioned plans and topics covered in item 8.

G. LEGAL AND ADJUDICATORY CORRESPONDENCE

This category contains all non-antitrust legal and adjudicatory documentation, except for transcripts, briefings, and testimony, which are filed in Category T. Show-cause orders and modification orders issued by the Office of Nuclear Reactor Regulation (NRR) (not before the Board) are filed in Categories A and P. Exhibits for proceedings (Hearings) are available only on microfiche (1984 to present) in the PDR, but upon request paper files are available to the PDR from the Docketing and Service Branch, Office of the Secretary.

1. Atomic Safety and Licensing Board (ASLB) and Atomic Safety and Licensing Appeal Board (ASLAB) hearing-related documents.
2. Federal Register notices regarding hearings.
3. Requests to make appearances at hearings.
4. Motions, briefs, arguments, statements, and related correspondence filed by participants for hearings.
5. Transmittal of supporting documents (e.g., SER, FES) to the Boards.
6. Correspondence to and from intervenors.
7. Board orders and decisions.
8. Petitions for Commission action.
9. Legal filings and Commission orders and decisions resulting from item 8.

NOTE: Since 1982, letters of concern, support, or opposition for all plants are filed in a General Public Comments folder.

DEFINITIONS OF DOCKET 50 CATEGORIES

H. GENERAL CORRESPONDENCE

This category includes documents with little or no bearing on the status of the application or license. Items that have no substantive technical content and administrative documents are included.

1. Change of address notifications (external only). 2. Changes in structure of organization (external only). 3. Changes in service lists. 4. NRC requests to applicants for additional copies of documents. 5. Correspondence from the public requesting information about the facility and NRC responses. 6. Correspondence on strictly administrative matters.	7. Letters of support, concern, or opposition to the facility. 8. Correspondence regarding the Local Public Document Rooms (LPDRs). 9. Professional qualification statements not pertaining to the hearing process. 10. Constituent, organizational, or utility correspondence forwarded by Congressman to NRC for response. 11. Resolutions passed by State and local governing bodies (e.g., town councils).

NOTE: Since 1982, letters of concern, support, or opposition for all plants are filed in a General Public Comments folder.

I. FINANCIAL INFORMATION

This category contains all financial information except that submitted as part of the application or its amendments or relating to the imposition of civil penalties.

1. Company annual reports, auditor statements, and stock prospectuses for all companies holding ownership.	2. Separately submitted financial information and related correspondence. 3. Transcripts and testimony before State commissions pertinent to financial information requested by NRC.

J. INSURANCE AND INDEMNITY INFORMATION

1. Indemnity agreements and amendments. 2. Endorsements of insurance policies.	3. Other correspondence regarding indemnity and insurance matters.

DEFINITIONS OF DOCKET 50 CATEGORIES

K. UTILITY FINAL SAFETY ANALYSIS REPORT (FSAR), UPDATED FINAL SAFETY ANALYSIS REPORTS (USAR), AND AMENDMENTS

1. Final Safety Analysis Report (FSAR), (formerly called Final Hazards Summary Report), submitted by the utility.
 2. Updated Final Safety Analysis Report (USAR) submitted by the utility and periodically updated to incorporate new information or modifications to the facility.
 3. Amendments and changes to the FSAR and USAR.
 4. Federal Register notices citing availability of the FSAR and amendments.
 5. Transmittal and acknowledgment letters.
 6. Certificates of service to the FSAR and USAR.
- NOTE: All related correspondence falls in Category A or P. Emergency and Fire Protection Plans submitted as part of the licensing application are filed in Category F.

L. LIMITED WORK AUTHORIZATIONS (LWA) AND RELATED CORRESPONDENCE

This category is limited to documents pertaining to Limited Work Authorizations (LWAs) whereby applicants can carry out limited site preparation and construction prior to the granting of a Construction Permit.

1. Limited Work Authorizations (LWAs) and amendments
2. Correspondence pertaining to work performed under LWAs.

M. ANTITRUST REVIEWS AND ANTITRUST CORRESPONDENCE

1. Documents submitted as part of the application for a Construction Permit and Operating License entitled "Information Requested by the Attorney General for Antitrust Review".
2. Correspondence where the primary topic of discussion is antitrust matters.
3. All antitrust proceeding documents, except for hearing transcripts, testimony, and briefings, which are filed in Category N.

N. ANTITRUST HEARING TRANSCRIPTS, TESTIMONY, AND BRIEFINGS

This category contains word-for-word transcripts of hearings, testimony, and briefings in antitrust matters. Related correspondence falls in Category M.

DEFINITIONS OF DOCKET 50 CATEGORIES

O. ADVISORY COMMITTEE ON REACTOR SAFEGUARDS (ACRS) REPORTS AND CORRESPONDENCE

This category contains plant-specific documents pertaining to ACRS safety reviews.

1. ACRS reports relating to facility license applications.
2. Announcement of ACRS meetings relating to facility license applications, including description of meeting agendas.
3. Statements and written testimony of ACRS members or presented by individuals at ACRS proceedings,

relating to both facility license applications and safety-related matters.

4. Technical correspondence, and memoranda to and from ACRS, including transmittal and acknowledgment letters relating to facility license applications.

NOTE: For generic and document-specific safety-related material, transcripts of ACRS subcommittee and full committee meetings, minutes, and ACRS reports (consultant, contract, and letter), see ACRS file category.

P. OPERATING LICENSE STAGE DOCUMENTS AND CORRESPONDENCE

This file assumes the position of the Application/Construction Stage (Category A) file for general technical items dated from the issuance of the operating license to the application for termination of the license.

1. Operating license, amendments, proposed amendments, changes, and related correspondence.
2. Show-cause and modification orders issued by NRR (not before the Board) for the operating license.
3. Technical specifications and changes.
4. Backup technical documents (e.g., topical reports) submitted in support of items 1 and 2.
5. Federal Register notices citing availability of item 1 and the FSAR.
6. Correspondence regarding the utility Final Safety Analysis Report (FSAR) and/or the Updated Final Safety Analysis Report (USAR).

7. All general technical correspondence, meeting announcements or meeting summaries relating to Technical Specifications, the Operating License or technical issues arising after the issuance of the Operating License.

8. Correspondence regarding codes (e.g., American Society of Mechanical Engineers), regulations, laws, or changes in policy that may affect plant operation or bear on the Operating License.

9. Information on the Standard Review Plan (STP).

10. Results of surveys or tests conducted in accordance with the Technical Specifications (not periodic reports, which fall in Category R).

11. Correspondence relating to NRC's Systematic Evaluation Program (SEP).

DEFINITIONS OF DOCKET 50 CATEGORIES

12. Owner's group meeting announcements and reports. 13. Quality assurance information. 14. Environmental matters (technical). 15. Seismic qualification review team (SQRT) reports and related correspondence. 16. Emergency core cooling system documents. 17. Radioactive waste information excluding onsite storage of low-level waste, filed in Category X, and independent spent fuel installations of high-level waste, filed in Category Y. 18. Correspondence regarding expansion of spent fuel storage pool.	19. Start-up test reports. 20. Correspondence and documentation on generic technical matters highlighted by an event at another facility which may affect the subject facility; <i>not covered by an IE Bulletin.</i> 21. SERs on specific generic issues. 22. Proposed equipment failure/instructions. 23. Inservice testing (not inspections). 24. Reports of site visits. 25. Application to voluntarily surrender license, dismantle, and dispose of component parts. 26. Changes in NRC's internal organizational structure.
-

Q. INSPECTION REPORTS, RESPONSE TO BULLETINS, CIRCULARS AND INFORMATION NOTICES, CIVIL PENALTIES, AND RELATED CORRESPONDENCE

1. Inspection reports. 2. Responses to IE Bulletins (formerly called Regulatory Operations (RO) Bulletins), Circulars (not published since 1981) and Information Notices. 3. Responses by applicant to IE correspondence. 4. Applicant's determination of proprietary nature of Inspection Reports. 5. Letters concerning areas of noncompliance. 6. Pre-service and in-service inspections and procedures.	7. Correspondence and orders relating to imposition and payment of civil penalties, including Notification of Significant Enforcement Actions (ENs). 8. Any correspondence relating to inspection and enforcements that does not specifically relate to incidents or events as defined in Category S. 9. Health physics inspections/appraisals. 10. Emergency preparedness inspections/appraisals. 11. Inspections and related correspondence from the International Atomic Energy Agency. 12. Systematic Assessment of Licensee Performance (SALP).

DEFINITIONS OF DOCKET 50 CATEGORIES

13. Construction Appraisal Team/Construction Assessment Team (CAT) reports.

A. Integrated Design Inspection (IDI) reports.

B. Independent Design Verification Program (IDVP) reports. | 15. Performance Appraisal Team (PAT) reports.

16. Licensee/Vendor interface inspections.

17. Correspondence relating to items 12, 13, 14, 15 and 16. |
|---|--|
- NOTE: For IE Bulletins and Information Notices, see I&E file series.
14. Notice of significant licensee meetings.
-

R. PERIODIC OPERATING REPORTS AND RELATED CORRESPONDENCE

This category includes periodic reports of a routine nature.

1. Monthly, semiannual, or annual operating reports (other than financial) for construction and operating stages.

2. Periodic environmental monitoring, effluent testing, or similar reports.

3. Periodic personnel exposure reports. | 4. Periodic nonconformance reports (issued pursuant to Board orders).

5. Operational Logbooks on Environmental Data, Radiological Data, operating log on plant systems core, plant status summary sheets.

6. Correspondence or other documents relating to the items listed. |
|---|--|
-

S. REPORTABLE OCCURRENCES, PNOs, PNSs, AND RELATED CORRESPONDENCE

This category contains all materials relating to abnormal, unusual, reportable, or nonroutine occurrences or events. These include:

1. All 24-hour, 10-day, 30-day, interim and final Licensee Event Reports (LERs) and follow-up correspondence (also called Incident Reports, Abnormal Occurrence Reports and Reportable Occurrences).

2. Potential or possible reportable Deficiency Reports and related correspondence.

3. Individual Personnel Exposure Reports. | 4. Construction Deficiency Reports submitted under 10 CFR 50.55(e).

5. Preliminary Notification of Occurrence (PNOs) and Preliminary Notification of Safeguards Events (PNS).

6. Environmental Technical Specifications Violation Reports and Environmental Event Reports.

7. Part 21 Reports or Defects and Noncompliance.

8. Correspondence or other documents relating to items 1-7. |
|---|---|

DEFINITIONS OF DOCKET 50 CATEGORIES

NOTE: For PNOs and PNSs, see I&E file series.

T. TRANSCRIPTS, TESTIMONY AND BRIEFINGS ON NON-ANTITRUST MATTERS

This category contains all word-for-word transcripts, testimony, and briefings, except for congressional matters (Category V), and antitrust matters (Category N).

1. Atomic Safety and Licensing Board (ASLB) and Atomic Safety and Licensing Appeal Board (ASLAB) transcripts.
2. Testimony and statements submitted to ASLB and ASLAB.
3. Commission meeting transcripts.

4. NRC staff briefings to the Commission.
5. Statements and written testimony submitted at Commission meeting or hearings.
6. Transcripts of utility briefs to NRC staff.
7. Corrections to above items.

NOTE: Transcripts on specific dockets are also filed on ACRS and 9.21 files series.

U. CONGRESSIONAL/EXECUTIVE CORRESPONDENCE

1. Statements and testimony before Congress or before bodies/committees appointed by the Executive or Legislative Branches.
2. Information supplied for the record of Congressional hearings.
3. Correspondence to and from Congress and the Executive Branch on other than constituent response matters.

4. Correspondence to or from State Legislative bodies.

NOTE: This category contains correspondence on substantive matters. Routine responses to constituent inquiries are filed in Category H.

V. LICENSING OF OPERATORS AND RELATED CORRESPONDENCE

1. Information bearing on licensing operators and shift engineers.
2. Power plant examination summary sheet.
3. Correspondence pertaining to operator examinations.

DEFINITIONS OF DOCKET 50 CATEGORIES

W. DECOMMISSIONING DOCUMENTS AND CORRESPONDENCE

This file assumes the position of the Operating License Stage (Category P) file for general technical items from the order for termination of the operating license onward.

Report on Dismantling, Safety Analysis Report on Decommissioning.

1. Order granting authority to dismantle/decommission.
2. Technical documents submitted, such as: Decommissioning Plan, Dismantling Plan, Environmental

3. Documents relating to disposal of radioactive material and decontamination of the site.
 4. Other correspondence relating to decommissioning.
 5. All documentation relating to the ongoing operation of the plant, formerly filed in Category P.
-

X. ONSITE STORAGE OF LOW-LEVEL WASTE

1. License application, license, proposed amendments and amendments to store low-level waste at a commercial reactor.
2. All related correspondence and reports.

NOTE: These documents will also have a Nuclear Materials Safety and Safeguards (NMSS) license or Docket-30 number associated with the Docket-50 number.

Y. INDEPENDENT SPENT FUEL STORAGE INSTALLATIONS (ISFSI)

1. License applications, licenses, amendments and proposed amendments to possess power reactor spent fuel and other radioactive materials associated with spent storage in an independent spent fuel storage installation. (Such spent fuel storage installations may be on a reactor site or at a separate site.)

2. All related correspondence and reports to the above.

NOTE: These documents will have an NMSS license and/or a Docket-72 number. For these installations on a reactor site, the associated Docket-50 number also has been identified.

APPENDIX B

DEFINITIONS OF NONDOCKETED CATEGORIES

10 CFR—Commission Meeting Records

Contains documentation pertaining to open and closed Commission meetings.

1. Sunshine Act Federal Register notices.
2. Full, written explanation of closed meetings.
3. Certification by the General Counsel on closed meetings.
4. Commission Determination Statements signed by the Secretary regarding the public disclosure of transcripts of Commission meetings.
5. Verbatim unofficial and official transcripts or portions of transcripts of open and closed Commission meetings made publicly available in accordance with provisions of 10 CFR Part 9, the Sunshine Act, and Commission policies.
6. Enclosures to released transcripts, including applicable viewgraphs, staff papers, and staff correspondence.
7. Staff Requirements Memoranda for open meetings; memoranda of record; record of votes of Commissioners on items under consideration at meetings.

ACRS—Advisory Committee on Reactor Safeguards

This category contains documents pertaining to safety-related areas reviewed by ACRS. ACRS serves as an independent advisory committee to the Commission.

ings related to both facility license applications and safety-related matters.

1. ACRS reports relating to safety-related matters.
2. Announcements of ACRS meetings relating to safety-related matters, including description of meeting agendas.
3. Transcripts of ACRS subcommittee and full committee meetings relating to both facility license applications and safety-related matters.
4. Statements and written testimony of ACRS members or presented by individuals at ACRS proceedings related to both facility license applications and safety-related matters.
5. Minutes of ACRS subcommittee and full committee meetings relating to both facility license application and safety-related matters.
6. ACRS consultant reports, comments and related correspondence relating to both facility license applications and safety-related matters.
7. Technical correspondence, and memoranda to and from ACRS pertaining to safety-related matters.
8. General correspondence and related material about ACRS, but not authored by ACRS or its consultants.

DEFINITIONS OF NONDOCKETED CATEGORIES

NOTE: For Docket-specific technical correspondence, memoranda and announcements of ACRS meetings, see category O of Docket 50 series.

ADVCM—NRC Advisory Committees

This category contains documentation pertaining to the responsibilities of all NRC advisory committees other than the Advisory Committee on Reactor Safeguards. Documents in this category include:

1. Charters of each advisory committee.
 2. Meeting announcements; description of meeting agenda.
 3. Minutes and verbatim transcripts of committee meetings.
 4. Committee-generated reports, memoranda, and correspondence that are publicly available.
 5. Committee-related correspondence.
-

COMMISSION—NRC Commissioner Correspondence

Contains documentation pertaining to the daily conduct of Commission business in the Office of the Commission.

1. Incoming and outgoing Commission-level correspondence to and from the Commissioners relating to official NRC business, including reports and other enclosures to the aforementioned.
2. Travel vouchers, telephone logs and official appointment calendars of participating Commissioner (placed in the PDR at the discretion of individual Commissioners).
3. Speeches, interviews, and testimony given by Commissioners at meetings, symposia, and Congressional hearings.
4. Weekly Information Reports (SECY series number) prepared by the Executive Director for Operations (EDO) for the Commissioners, providing a summary of key events and items of interest undertaken by individual staff and program offices.

NOTE: For transcripts of Commission meetings, see 10 CFR 9.7. For all other staff papers with a SECY series designation prepared for Commission review, see SECY file category.

CONTRACT—NRC Contracts and Modifications

Contains documentation pertaining to AEC and NRC contracts, grants, and Interagency Agreements.

DEFINITIONS OF NONDOCKETED CATEGORIES

1. Notification of contracts and grant execution, specifying contract number; project title; contractor name; contract type; funding and period of performance.	2. Contractual documents and modifications to contracts.
-

FOIA—Freedom of Information Act Requests and Appeals

Contains requests for agency records and information about records released in accordance with the provisions of the Freedom of Information Act (FOIA), or denial.

1. Requests made under the FOIA for NRC records (each is assigned a sequential identification number based on the year that the request is made, so that 89-100 refers to the 100th FOIA request made in 1989).	2. Correspondence between the NRC and the requester relevant to the processing, appeal, denial or granting of an FOIA request, and appeal of a denial.
	3. Records or portions thereof released in response to FOIA requests made under FOIA appeals.
-

GEN TECH IS—Generic Technical Issues

Contains records pertaining to unresolved safety issues of a generic nature that are being analyzed by the NRC Office of Nuclear Reactor Regulation (NRR).

cussing methodologies, analyses, the program and technical aspects of issues.

1. Draft reports of action plans to accomplish generic tasks in the NRR program.	3. Meeting notifications and minutes.
2. Correspondence with industry and within NRC dis-	4. Interim findings and status reports on generic tasks addressing related aspects of Generic Technical Issues.
-

I&E—Inspection and Enforcement Issuances

Contains bulletins, circulars and information notices that are issued by the NRC Office responsible for Inspection and Enforcement. These issuances describe some event that has occurred at a facility that may require some follow-up action by the licensee. Also included in this category are draft bulletins and information notices (I&E Misc), Preliminary Notifications of Events or Unusual Occurrences (PNOs), Preliminary Notifications of Safeguards

Events or Unusual Occurrences (PNSs), and Notifications of Significant Enforcement Actions (ENs).

1. I&E Circulars, which describe an event at a licensed facility and are informational in nature (discontinued in 1981).
2. I&E Information Notices, which are similar to circulars but are preliminary in nature and issued shortly after an event has occurred.
3. I&E Bulletins, which describe an event at a licensed facility and request all recipients to perform certain actions as a result of that event.

DEFINITIONS OF NONDOCKETED CATEGORIES

4. Draft I&E Bulletins and Information Notices which are being considered for issuance, and related comments and evaluations.

Unusual Occurrences (PNSs), which provide early notice of events of possible safety significance.

5. Preliminary Notifications of Events or Unusual Occurrences (PNOs), which provide updated information of an event of safety or public interest.

7. Notification of Significant Enforcement Actions (ENs), which provide information on a Notice of Violation and Proposed Imposition of Civil Penalties.

6. Preliminary Notifications of Safeguards Events or

NOTE: For utility responses to such issuances and related correspondence, see Categories Q and S of file.

MISC—Public Document Miscellaneous

Contains documents about topics not included in the scope of the other non-docketed categories.

NUREG—Staff and Contractor Formal Reports, Conference Proceedings, Brochures, and Related Correspondence

Formal reports on regulatory, technical, and administrative issues of interest to staff, industry, other Governmental entities, and the public are published in the NUREG series.

1. Results of licensing studies of specific plants or facilities preliminary to licensing actions.	6. Management and program analysis reports.
2. Results of analyses of general or specific problems of a regulatory or technical nature that are of interest to a major segment of the industry.	7. Statistical analyses that are of interest to the staff, the industry, and the public.
3. Action and review plans, as well as guidance, for meeting NRC requirements.	8. Administrative reports that are of interest to the staff, the industry, and the public.
4. Task force reports on specific topics.	9. Correspondence from industry, government, and the public commenting on reports.
5. Proceeding of conferences and workshops.	10. Internal NRC memoranda summarizing meetings or discussions pertaining to the contents of the reports.

NOTE: NUREG reports on specific plants or facilities are filed in Docket 50 Categories A, P, E, or D.

DEFINITIONS OF NONDOCKETED CATEGORIES

ORG — Organization File

Contains correspondence with professional organizations, Government agencies, and associations with which NRC is in contact; records other than Regulatory Guides that pertain to NRC's activities in standards development; records pertaining to specific NRC offices; and emergency petitions not assigned Petition for Rulemaking (PRM) numbers that request the Commission to take immediate action on some issue.

1. Meeting summaries and technical correspondence between NRC and professional associations and international bodies, such as the Atomic Industrial Forum and the International Atomic Energy Agency.
2. Correspondence between NRC's Office of Nuclear Regulatory Research and other Government

agencies in which both parties have joint regulatory responsibility; e.g., EPA has authority to control all radioactive pollutants emitted into the air.

3. Internal memoranda, correspondence between NRC and Congress, and other technical correspondence dealing with the role and activities of the Office of Nuclear Regulatory Research in developing standards.

NOTE: For Regulatory Guides and comments on Regulatory Guides issued by the NRC Office of Nuclear Regulatory Research, see the REGGD file category. For petitions for rulemaking filed by the public to amend, rescind or change an NRC regulation, see the PRM file category.

PR — Proposed Rule

Contains records dealing with NRC staff proposals to adopt, amend, or repeal a Commission regulation. Proposed Rules (PRs) can be initiated as a result of a Commission directive; a staff proposal; or as a result of a Commission determination that sufficient grounds exist for it to proceed with a petition for change in an NRC regulation (PRM) filed by an outside party or person.

1. Federal Register notice stating the terms or substance of the proposed rule, or a specification of the subject and issues involved.
2. Text of the Proposed Rule (PR).
3. Draft and generic proposed rules and Federal Register notices (PR Misc.).

4. Comments, statements, information, opinions, or arguments on the proposed change to a part of the Code of Federal Regulations, Title 10.
5. Requests from the nuclear industry, organizations, and other parties for written interpretation of the PR.

NOTE: For staff recommendations to the Commission on whether a PR should be adopted, see the SECY file category. For Commission review of staff recommendations, see the 10 CFR 9.7 file category.

DEFINITIONS OF NONDOCKETED CATEGORIES

PRM – Petition for Rulemaking

Contains records dealing with petitions filed with the Commission by an outside party to issue, amend or rescind an NRC regulation.

1. Petitions filed by any interested person or party to issue, amend, or rescind an NRC regulation.
2. Federal Register notice of the filing of the petition.
3. Correspondence between NRC and the Petitioner relevant to the status and substance of the petition.

4. Comments from the nuclear industry, professional associations, public interest groups, and others in favor of or in opposition to the PRM.

5. Statements, motions, orders, and correspondence dealing with emergency petitions filed by parties on such topics as fire protection and a reanalysis of the capacity of operating U.S. plants to withstand earthquakes.

NOTE: For staff recommendations to the Commissioners on whether the PRM should be denied or issued as a Proposed Rule, see the SECY file category. For Commission review of staff recommendations, see the 10 CFR 9.7 file category.

PROJ – Projects

Contains records pertaining to two classes of projects: (1) commercial nuclear power plants for which NRC has full licensing responsibilities; and (2) Government-owned reactors for which NRC provides technical expertise and occasional review. Both classes are identified with a "P" prefix, followed by a series of numbers.

1. "Pre-docketed" commercial nuclear power plants

These files contain all documentation up until the time that the NRC considers the application and the Safety Analysis Report (PSAR) is submitted by the utility complete enough for staff review. The unit is then assigned a docket number and the file transferred to the Docket-50 series category.

The documents are grouped together in categories, designated by alphabetic characters. These are the same categories as those used for the Docket-50 series.

A. Application/Construction Stage

1. Application submitted by the utility.

2. Meeting notices, summaries and correspondence discussing the completeness and adequacy of the Preliminary Safety Analysis Report (PSAR).

3. Applicant Quality Assurance Manual.

4. Early site review information.

5. Backup technical documents submitted in support of the application.

6. Early site visits.

B. Utility Preliminary Safety Analysis Report (PSAR) and Amendments

1. PSAR submitted by the utility.

2. Amendments and change to the PSAR.

3. Transmittal and acknowledgment letters.

DEFINITIONS OF NONDOCKETED CATEGORIES

G. Adjudicatory Correspondence

1. Motions, briefs, orders, etc., pertaining to pre-hearing conferences, if any.

2. Notices of deviations.

3. Follow-up correspondence resolving deviations cited.

M. Antitrust Correspondence

1. Submittals and related materials pertaining to the antitrust review.

2. Government-owned reactors

Q. Inspection Reports

1. Inspection reports of the applicant quality assurance program.

Meeting summaries and technical correspondence between NRC and other Government technical people relating to test reactors, critical experiments, and Department of Defense (DOD) reactors on U.S. Naval ships and other sites.

PT 21 – 10 CFR Part 21 Deficiency Reports

Deficiency reports submitted in compliance with Part 21 of Title 10 of the Code of Federal Regulations.

1. Reports by firms involved in the nuclear industry reporting noncompliance with NRC regulations or the existence of defects which could create a substantial safety hazard.

2. Correspondence pertaining to the NRC review of reports to assess the possibility of generic defects.

3. NRC inspection reports of defects cited.

4. Correspondence specifying appropriate follow-up actions taken by the Agency.

QA 999 – Quality Assurance Inspections

Contains inspection reports of vendor licensee interface from vendor's view, vendor products, vendor programs including equipment environmental qualification testing, and follow-up correspondence. Each vendor is assigned a docket number and is a part of the QA 999 series.

Vendors are defined as companies, both U.S. and foreign, that are engaged in the design, manufacture, or testing of both nuclear components, or supplying services to the nuclear industry. The controlling criteria are found in 10 CFR Part 21, 10 CFR Part 50, PSAR and FSAR submitted by utilities for specific facilities, and vendor QA Topical Reports.

1. NRC inspection reports of vendor facilities that cover the design, fabrication and testing of components for use in nuclear facilities and vendor/licensee interface.

2. Notices of deviation.

3. Vendor corrective actions and other follow-up correspondence associated with resolution of inspection findings.

NOTE: For vendor licensee interface inspection from licensee's view, see Docket 50 Category Q.

DEFINITIONS OF NONDOCKETED CATEGORIES

REGGD—Regulatory Guides

Contains new and revised Regulatory Guides and related correspondence. These guides describe to the industry and to the public methods acceptable to the NRC staff for implementing specific parts of the NRC regulations. They also delineate techniques used by the staff in evaluating specific problems or postulated accidents or provide guidance to applicants.

1. Federal Register notices announcing the issuance and availability of a proposed Regulatory Guide.
2. Revised or newly issued Regulatory Guides.
3. NRC value/impact assessment.

4. Comments submitted by the nuclear industry and interested members of the public regarding a proposed Regulatory Guide.

5. Summary of meetings held in the NRC to discuss proposed Regulatory Guides.

NOTE: For documentation pertaining to other work products and activities of the NRC Office of Nuclear Regulatory Research, which is responsible for standards development, see the Organization (ORG) file category. Industry codes and standards cited in Regulatory Guides are available for reference use only in the NRC Library.

RES—Research and Technical Assistance Reports

Contains reports, generally interim, submitted by NRC contractors providing research and technical assistance to the Commission. It also includes documentation pertaining to research activities of the Commission.

1. *Technical letter reports* provide information on the technical aspects of work by contractors or other government agencies and their contractors. These letter reports may consist of transmittal letters with interim or final informal reports attached, or the technical information may be incorporated in the body of the letter. The form and frequency of reporting is specified in the Contract Statement of Work.
 - a. Interim technical letter reports provide information on the technical aspects of the work at various stages and form a basis for development of the formal reports required by the contract. Interim technical letter reports may include, but are not limited to, informal (interim) progress reports, "quick-look" reports, data reports, project descriptions, pretest

predictions, model verifications, experiment safety analyses, experiment operating procedures, facility certification reports, and test results.

- b. Final technical letter reports are prepared to record the results of contract work that comprises review and evaluation of the work of others or work to be used by the staff in the licensing and regulation process. These technical letter reports are not followed by a formal report.
2. *Formal technical reports*, which may be periodic progress reports on long-term projects or final reports, are published in the NUREG/CR series. These reports are final products of research, original investigations, or significant compilations of information, or they may be progress reports.
 3. *Research Information Letters (RILs)* summarize research information for staff use. They are prepared in the NRC Office of Nuclear Regulatory Research (RES).

DEFINITIONS OF NONDOCKETED CATEGORIES

4. *Conference Proceedings* report the information presented at conferences sponsored or co-sponsored by NRC. Sponsorship or co-sponsorship by NRC requires that the subjects covered be of interest and value to NRC.

NOTE: For final reports of research conducted by contractors and conference proceedings, see NUREG reports series file. See also the WMRES file for research reports on disposal of high level waste.

REVIEW GRP—Research Review Groups

Contains records pertaining to the activities of internal and external Research Review Groups. Such groups provide a broad base of technical expertise to aid management in reviewing research in defined technical areas. They review and comment on research plans and predicted results of major experiments, the validity and applicability of research results; possible redirection of research projects; new research projects; and priorities within the technical areas covered by the Research Preview Group.

1. Agendas for quarterly Review Group meetings.
2. Summary minutes of Review Group meetings representing views expressed, including dissenting views.

3. Research plans and predicted results of major experiments and presentations by research contractors.

4. Comments on meetings from attendees, including representatives from contractors, universities, vendors, and other agencies.

5. Internal memoranda relating to topics under discussion.

6. Correspondence related to items 1 through 5.
-

RM—Rulemakings

Contains records pertaining to public hearings held on proposed changes to the Commission's regulations. Hearings are instituted at the discretion of the Commission based on the importance and the magnitude of the subject under consideration.

1. Designations of the presiding officer and any special directions for the conduct of the hearing.
2. Notifications of Hearing Board meetings.

3. Petitions, motions, testimony, and statements submitted by parties to the hearings.

4. Hearing Board orders and rulings.

5. Technical reports submitted as evidence in the proceedings.

6. Reports, if any, of the special Board to the Commission regarding the subject proceeding.
-

SECY—Staff Papers (Generally Referred to as SECY Papers) Before the Commission

Includes staff papers prepared for the information or approval of the Commission. They are assigned a SECY report series code.

1. Policy Issue Papers are used to present matters relating to policy formulation.

DEFINITIONS OF NONDOCKETED CATEGORIES

2. Rulemaking Issue Papers are used to present rulemaking activities of the Commission.
3. Adjudicatory Issue Papers are used to present matters relating to the granting, suspending, revoking or amending of licenses, or construction permits for nuclear power plants, and activities in which the Commission has an interest.
4. Information Papers are used to provide information to the Commission. Some (e.g., the weekly report of the Executive Director for Operations) provide general information about agency activities without specific reference to policy formulation, rulemaking, or adjudication.

These categories of staff papers may be issued as one of the following: (a) a Commission Meeting paper to be discussed at a Commission meeting; (b) an Affirmation paper which does not require interactive discussion among the Commissioners in a Commission meeting, but by law must be voted upon by the Commissioners in

the presence of each other; (c) a Notation Vote paper which does not require interactive discussion among all Commissioners or formal vote in a meeting, thereby lending itself to a written notation process; (d) a Negative Consent paper which contains issues which the Commission would like brought to its attention before action is taken but which do not require the formality of a Commission vote, and (e) Information Papers which provide information to the Commission and do not call for any action by the Commission.

As a general practice, papers that are regularly released to the public include those that are the subject of discussion at a public meeting of the Commission and those that address unclassified matters pertaining to the export and import of nuclear equipment and material.

NOTE: For Weekly Information Reports prepared by the NRC Office of the Executive Director for Operations to the Commission providing a summary of key events and items of interest undertaken by staff and program offices, see the Commission Correspondence file.

STATE PROG—State Programs

Contains records that pertain to the Commission's relations with State Governments. Areas covered include: (1) the State Agreements Program, whereby States may assume certain of the NRC's regulatory authority over nuclear materials; and (2) a wide range of liaison and co-operative activities regarding such functions as licensing and siting.

1. Correspondence between and among NRC Office of Governmental and Public Affairs and State officials, mostly State liaison officers and radiation control management health officials, regarding:
 - a. Cooperative programs in such technical areas as radiological incidents, water quality, radioactive waste disposal, and transportation surveillance.
 - b. NRC review of Agreement State radiation control program.

- c. Technical assistance to Agreement States in reviewing applications, compliance actions, developing regulations, and in other areas.

2. Agendas, reports, and transcripts of regional workshops and training programs on current matters of policy and regulations, i.e., decommissioning and radioactive waste disposal.
3. State Legislative Reports (discontinued as of December 1984).
4. Agreement State Licensing Statistics Reports (discontinued as of December 1984).

NOTE: For specific uranium milling and mining projects in which the Agency is providing technical assistance to States, see the Projects series file category.

DEFINITIONS OF NONDOCKETED CATEGORIES

TOPREP – Topical and Vendor Reports and Correspondence

Contains Topical Reports, generally of a technical generic nature, submitted by vendors, and correspondence pertaining to the NRC review of these reports. Vendor-related correspondence that is not docket-specific and documents generated by vendor-related Owner's Groups are also included in this category.

1. Topical reports, dealing with such technical matters as specifications, testing, and safety that are submitted by architects, engineers and other vendors.
2. Revisions, modifications, and amendments to Topical Reports.

3. Correspondence between NRC and vendors pertaining to the review of submittals.
4. Meeting agendas, summaries, minutes and correspondence pertinent to vendor activities, programs, methodologies, and design criteria.
5. Vendor-related Owner's Group meeting announcements, agendas, summaries, reports, and correspondence.

NOTE: For reports submitted by utilities that are written by vendors on their behalf and that relate to docketed cases, see the categories for the docket series.

WASH – AEC-Issued Formal Reports and Correspondence

Formal reports that were issued by the U.S. Atomic Energy Commission (AEC) Headquarters staff which carry the WASH series code and correspondence pertaining to those reports. The WASH series, which consisted of

administrative, scientific, and technical reports, ended in 1975 but correspondence is occasionally generated which refers to WASH reports. Post-1975 NRC-issued formal reports carry the NUREG series designation.

WM – Waste Management Documents

Contains records dealing with the activities of the NRC Division of High-Level Waste Management. Each topic has been assigned a unique number, prefixed by the letters "WM." Documents in these files include:

1. NRC and DOE precicensing activities regarding the disposal of high-level waste in geologic repositories, pursuant to the Nuclear Waste Policy Act of 1982.
 - a. Technical high-level waste site precicensing documentation.
 - b. Meeting agendas, minutes, and backup documents of DOE/NRC meetings in which DOE presents information on its geologic exploration program to identify sites for nuclear waste repositories.
 - c. Briefings by DOE on research being conducted on nuclear waste management.
2. NRC reviews of the site-by-site implementation of DOE's program for uranium mill tailings remedial actions, pursuant to the Uranium Mill Tailings Radiation Control Act of 1978.

DEFINITIONS OF NONDOCKETED CATEGORIES

3. Correspondence and comments between NRC and the Environmental Protection Agency (EPA) pertaining to the high-level waste standard.
4. NRC topical report reviews and associated correspondence.

5. Correspondence from citizens and other non-government organizations for the above items.

NOTE: For contractor research on waste management activities, see the WMRES category.

WMRES—Waste Management and Research Reports

Contains interim and final reports, and correspondence between NRC and its contractors regarding preclicensing activities in the area of high-level disposal in geologic repositories, including:

1. Periodic contractor progress reports.
2. Trip reports.

3. Draft and final reports submitted for NRC review or information.

4. Correspondence between NRC staff and contractors related to technical questions or issues to be resolved.

XPORTLIC—Export and Import Licenses

Contains records relating to the issuance of licenses to export or import nuclear facilities and materials.

1. License applications and amendments to export or import special nuclear material, source material, byproduct material, reactors, nuclear facility components, or reactor materials.
2. Correspondence between NRC and applicant or licensee pertaining to the review or status of a pending application or license amendment.
3. Commission letters requesting Executive Branch (e.g., U.S. Department of State) views.
4. Review and findings of the Executive Branch on whether issuance of a license would be inimical to the common defense and security of the United States.

5. Correspondence to and from foreign governments, international organizations, and members of the public.

6. Hearing records and decisions.

7. Memoranda from the office of the Secretary to the Executive Director for Operations (EDO) regarding the Commission decision on issuance of a proposed license.

8. Licenses, license amendments, and license renewals for types specified in item 1.

NOTE: For transcripts of Commission meetings and papers submitted for Commissioner consideration or information, see the 10 CFR 9.21 and SECY-series files.

BIBLIOGRAPHIC DATA SHEET

(See instructions on the reverse)

1. REPORT NUMBER
(Assigned by NRC, Add Vol.,
Supp., Rev., and Addendum Num-
bers, if any.)

NUREG-0540
Vol. 16, No. 11

2. TITLE AND SUBTITLE

Title List of Documents Made Publicly Available

November 1-30, 1994

3. DATE REPORT PUBLISHED

MONTH	YEAR
January	1995

4. FIN OR GRANT NUMBER

5. AUTHOR(S)

6. TYPE OF REPORT

Monthly

7. PERIOD COVERED (Inclusive Dates)

8. PERFORMING ORGANIZATION - NAME AND ADDRESS (If NRC, provide Division, Office or Region, U.S. Nuclear Regulatory Commission, and mailing address; if contractor, provide name and mailing address.)

Division of Freedom of Information and Publications Services
Office of Administration
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

9. SPONSORING ORGANIZATION - NAME AND ADDRESS (If NRC, type "Same as above"; if contractor, provide NRC Division, Office or Region, U.S. Nuclear Regulatory Commission, and mailing address.)

Same as 8, above.

10. SUPPLEMENTARY NOTES

11. ABSTRACT (200 words or less)

This document is a monthly publication containing descriptions of information received and generated by the U.S. Nuclear Regulatory Commission (NRC). This information includes (1) docketed material associated with civilian nuclear power plants and other uses of radioactive materials, and (2) nondocketed material received and generated by NRC pertinent to its role as a regulatory agency. The following indexes are included: Personal Author, Corporate Source, Report Number, and Cross Reference of Enclosures to Principal Documents.

12. KEY WORDS/DESCRIPTORS (List words or phrases that will assist researchers in locating the report.)

title list

13. AVAILABILITY STATEMENT

Unlimited

14. SECURITY CLASSIFICATION

(This Page)

Unclassified

(This Report)

Unclassified

15. NUMBER OF PAGES

16. PRICE