ECONOMIC EVALUATION GUIDE *for* Alternative Transportation Fuels

Prepared for:

Alternative Vehicle Fuels Core Assistance Program
of the Urban Consortium Energy Task Force
1301 Pennsylvania Avenue, NW
Washington, DC 20004-1793
202/626-2441

Prepared by:

Denise de Percin
Jack F. Werner, Jr.
Public Technology, Inc.
1301 Pennsylvania Avenue, NW
Washington, DC 20004-1793
202/626-2441

RECEIVED
JAN 13 1993

MASTER

DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED

JP

Acknowledgements

This guidebook is one of a series of products and activities supported by the Alternative Vehicle Fuels Core Assistance Program (AVFCAP), the Urban Consortium Energy Task Force, and Public Technology, Inc. (PTI). Denise de Percin and Jack Werner, from PTI, are responsible for the writing of this guide and general day-to-day management of the AVFCAP program.

Compilation of this Economic Evaluation Guide would not have been possible without the assistance of many people. Thanks go to all the members of the Urban Consortium Energy Task Force (UCETF) Alternative Vehicle Fuels and Technologies Unit, who provided feedback and advice; the AVF Unit private sector partners, who provided financial support for the AVFCAP program; and the Management Committee of AVFCAP, for their guidance. Special thanks go to the co-managers of the AVF Unit, Creighton Lederer, Detroit, MI, and Chuck Clinton, Washington, DC.

Preface

Alternative transportation fuels are receiving regulatory promotion on several governmental levels as a means of improving air quality, increasing our energy security, and reducing energy costs. The Alternative Motor Fuels Act of 1988 contains provisions to stimulate the supply and use of alcohol, natural gas, and electric vehicles. The 1990 Clean Air Act Amendments contain provisions that promote the use of cleaner fuels in regions with the greatest non-attainment of National Ambient Air Quality Standards. The National Energy Strategy calls for the use of alternative transportation fuels as part of a comprehensive plan for energy use. The Intermodal Surface Transportation Efficiency Act (ISTEA) passed by Congress in December 1991, gives cities and counties greater flexibility in allocating federal funds for local transportation priorities, and includes a specific program to address air quality issues.

On the state level, Texas and California are aggressively promoting the use of alternative transportation fuels. Texas has recently adopted legislation requiring the use of these fuels in public and private fleets through the 1990s. The 1990 California Clean Fuels Regulations set emissions standards that are more stringent than federal standards, and it has developed a schedule for the phase-in of vehicles with low, ultra-low, and zero emissions. The Northeastern states of Maine, Massachusetts, New Hampshire, New Jersey, Rhode Island and Vermont have agreed to adopt emissions standards similar to California's. States throughout the Midwest and West, including Arizona, Colorado, Nebraska, and South Dakota, have adopted legislation ranging from

the mandated use of oxygenates in gasoline to reduced registration fees for alternatively-fueled vehicles.

Private and public promotion measures are encouraging public fleet managers to examine their options to determine which alternative transportation fuels are best for their particular circumstances. The purpose of the Alternative Vehicle Fuels Core Assistance Program is to provide fuel-neutral information to be used as one component in a comprehensive decision process. The pages that follow are intended to outline for fleet managers the economic issues that must be considered when choosing among alternative fuels.

Contents

Acknowledgements	iii
Preface	v
1.0 Overview	1
1.1 Introduction	1
1.2 Outline	3
Endnote	4
2.0 Framework	5
2.1 Introduction	5
2.2 Matrix	6
Endnotes	6
3.0 Direct Costs	9
3.1 Capital Costs	9
3.2 Operating Costs	14
3.3 Lifecycle Costs	19
Endnotes	21
4.0 Indirect Costs	23
4.1 Regulatory Costs	23
4.2 Institutional Costs	26
4.3 Societal Costs	28
Endnotes	30
5.0 Cost Comparisons	31
5.1 Lifecycle Costs	31
5.2 Balancing the Costs	32
5.3 Comparisons With Petroleum Fuels	33

6.0 Financial Decisions	35
6.1 Alternative Fuels and Duty Cycles	35
6.2 Vehicle Options	36
6.3 Infrastructure Options	37
7.0 Conclusion	39
7.1 International Considerations	39
7.2 National Considerations	40
7.3 Local Considerations	41
Endnote	42
Appendix A	
AVFCAP Management Committee	43
Appendix B	
List of Related UCETF Reports	45
Appendix C	
AVF Economic Evaluation Scenarios	47

1.0 Overview

1.1 Introduction

Alternative transportation fuels (ATFs) offer the strong potential to aid in reducing U.S. dependence on foreign oil supplies, with the concomitant benefits of decreased air pollution and stabilized fuel costs in urban areas. These fuels — which include electricity, natural gas, propane, methanol, hydrogen, and ethanol — have captured only a small share of local government markets in the U.S. Local governments can play an instrumental role in realizing these benefits through practical development and highly visible demonstrations of alternative transportation fuels and technology options.

Recent legislative and regulatory initiatives by the Bush Administration, by Congress, and increasingly by state and local authorities, emphasize the growing importance of ATFs through the end of this century and beyond. The non-attainment cities mentioned in the Clean Air Act, as well as other major urban areas around the country, will be the leaders in testing ATFs and developing the infrastructure required to make them a viable transportation option.

For these reasons, the Urban Consortium Energy Task Force (UCETF) has organized a specially designed applied research and demonstration program to address alternative transportation fuels. Begun formally in October 1988, this program consists of local governments participating in direct partnership with energy utilities, fuel suppliers, manufacturers, research organizations, and

“Recent legislative and regulatory initiatives by the Bush Administration, by Congress, and increasingly by state and local authorities, emphasize the growing importance of ATFs through the end of this century and beyond.”

ATF associations. Primary financial support for city and county staff is provided by the UCETF; utility partners contribute both direct financial and technical support. To assure an effective administrative structure, the program is under the overall guidance of a management committee that consists of representatives from the membership of the UCETF, the Natural Gas Vehicle Coalition, the Electric Vehicle Association of the Americas, the Solar Energy Research Institute, Ford Motor Company, National Association of Fleet Administrators, Inc. (NAFA), and Public Technology, Inc. (PTI).

Important services for participating jurisdictions and for the collective projects in the Alternative Fuels and Technologies Unit are provided through the *Alternative Vehicle Fuels Core Assistance Program* (AVFCAP), managed by PTI. Activities within AVFCAP are designed to improve resource and information bases, provide coherent technical support, aid in the transfer of program results, and identify and develop Public Enterprise opportunities in the field of ATFs. AVFCAP is made possible by contributions of direct financial aid and in-kind assistance from the unit's private sector project partners. Additional support is provided by industry associations and staff from several of the Department of Energy's (DOE) national laboratories.

The production of this Economic Evaluation Guide is one activity of AVFCAP. The guide is intended for use by project managers and fleet operators in the public sector. Public fleets have been identified as one of the most likely areas where ATFs will first gain widespread use, because of existing and impending state and federal legislative mandates, as well as for practical reasons such as centralized servicing and refueling. The purpose of this guide is to provide balanced decision-support information to project managers who are considering conducting, or currently managing, ATF demonstration programs. Information for this guide was gathered as part of a related AVFCAP activity, the development of an Information Resource Database.¹

Economic issues related to the development and implementation of ATF programs at the local government level are extremely complex, and require an analysis of federal policies and national and international economics that is generally beyond the scope of local government project managers. The intent of this guide is to examine the information available on the economic evaluation of ATFs, and identify key elements that will help local governments realistically assess the potential costs and savings of an ATF program. The guide also discusses how these various economic factors are related, and how local government priorities affect how different factors are weighed.

Ultimately, each local government must develop a program that is particularly suited to its needs and resources. A wide range of factors, including, but not limited to, economic analysis, will determine the choice each jurisdiction makes regarding alternative fuels for their fleets.

1.2 Outline

Our discussions in this report are generally limited to the three alternative fuels that have figured most prominently in the national discussions about clean air and alternative fuels: compressed natural gas (CNG), electricity, and methanol.

The report is divided into seven major sections, as follows:

- Overview
- Framework
- Direct Costs
- Indirect Costs
- Cost Comparisons
- Financial Decisions
- Summary and Conclusions.

The first section describes the UCETF, PTI, and the ATF program. It also includes a descriptive outline of this report.

Section two provides a framework of the factors involved in the economic analysis of ATFs as compared to conventional fuels. It includes a matrix summary of economic elements that are discussed in later sections.

Sections three and four cover the direct (internal) and indirect (external, or nonmarket) costs of implementing and operating an ATF program.

The fifth section discusses some of the issues involved with making cost comparisons between different types of alternative fuels, as well as the problems involved with comparing the infant technologies used in alternative transportation fuels with a relatively mature and well-established petroleum fuel industry.

The sixth section raises additional non-quantitative factors that affect the financial decisions made by local governments in choosing one or several ATFs.

The last section addresses the national and international agendas related to clean air, and how they affect local governments. It also discusses further the issue of local government priorities, and how ATFs can help them attain their goals.

Endnote

- ¹ Access to the Information Resource Database will be available through Local Exchange, the online computer network and database operated for local governments by the National League of Cities, the International City/County Management Association, and PTI.

2.0 Framework

2.1 Introduction

The motivation for much of the legislation and regulation of ATFs on a federal and state level is concern about the environmental impact of mobile source emissions on air quality. A second motivation, in light of our increasing dependence on foreign sources for petroleum fuels, is the need for energy security. For local governments in particular, there is a third consideration that is at minimum, equally important: the economic impact of developing and using ATFs.

This guide approaches the economic evaluation of ATFs by assigning the associated costs into one of two categories: direct and indirect. Direct costs are the calculated and quantifiable expenses required to purchase and operate an alternatively-fueled vehicle, including capital costs, operating costs, and lifecycle costs. Indirect costs are secondary and higher costs associated with the use of alternatively-fueled vehicles that affect the overall economic equation. How these two different types of costs are weighed depends on the motivation for considering ATF use, and how the different “drivers” mentioned above — air quality, energy security, and economic advantages — are integrated. Some of the costs may be relevant to more than one category.

Reproduced in Appendix C are tables showing economic analyses of several alternative fuels.¹ These different scenarios are excellent examples of how the economic factors included in the matrix (figure 1) can be assessed. However, it is clear from the

disparity in the figures developed using different methods and sources that there is no firm consensus on the reasonable assumptions and input values used in these calculations. Furthermore, in order for an economic evaluation to be useful on a local level, it must be sensitive to regional factors in a way that no general analysis could.

2.2 Matrix

What follows is a matrix of the economic factors affecting alternative fuel choice based upon a review of the literature and experience with UCETF and other ATF demonstration programs. The purpose of the matrix is to give an overview of the economic issues involved in an evaluation of ATFs, prior to discussing them in more detail in sections Three and Four. The matrix is intended as a tool to assist project managers and fleet operators in developing an alternatively-fueled vehicle program that is suited to their needs and is economically viable.²

Endnotes

¹ See also the New York City's UCETF Report, "Alternative Fuels: Infrastructure Issues," listed in Appendix B.

² See also Denver's UCETF Report, "An Alternative Fuels Evaluation System for Fleet Vehicles," listed in Appendix B.

Figure 1. ECONOMIC EVALUATION MATRIX

	PETROLEUM	CNG	ELECTRICITY	METHANOL
DIRECT (INTERNAL) COSTS				
Capital Costs				
<i>Vehicle Costs</i>				
vehicle procurement				
vehicle conversion				
special equipment				
<i>Infrastructure Costs</i>				
fuel distribution				
service area				
fuel delivery				
education and training				
Operating Costs				
<i>Vehicle Costs</i>				
fuel				
service and maintenance				
parts				
<i>Infrastructure Costs</i>				
administration				
overhead				
registration				
insurance				
warranties				
retail fuel mark-up				
annual interest rate				
training				
Lifecycle Costs				
<i>Key Variables</i>				
lifetime expectancy				
maintenance				
recycling				
pollution equipment				
fuel efficiency				
pollution equipment				
recycling				
maintenance				
economies of scale				
INDIRECT (NON-MARKET) COSTS				
Regulatory				
<i>State and Local Programs</i>				
<i>Federal Programs</i>				
Institutional				
<i>Energy Security</i>				
<i>Economic Development</i>				
employment				
transportation				
military protection				
strategic petroleum reserves				
stability				
<i>Labor/Unions</i>				
wages				
training				
skill level				
non-union labor				
Societal Costs				
<i>Human Health</i>				
lost work time				
diminished capacity				
chronic health care issues				
<i>Ecological Health</i>				
costs to rectify damage				
best use of resources				

ECONOMIC EVALUATION MATRIX

	DIESEL	PROPANE	ETHANOL	HYDROGEN
DIRECT (INTERNAL) COSTS				
Capital Costs				
<i>Vehicle Costs</i>				
vehicle procurement				
vehicle conversion				
special equipment				
<i>Infrastructure Costs</i>				
fuel distribution				
service area				
fuel delivery				
education and training				
Operating Costs				
<i>Vehicle Costs</i>				
fuel				
service and maintenance				
parts				
<i>Infrastructure Costs</i>				
administration				
overhead				
registration				
insurance				
warranties				
retail fuel mark up				
annual interest rate				
training				
Lifecycle Costs				
<i>Key Variables</i>				
lifetime expectancy				
maintenance				
recycling				
pollution equipment				
fuel efficiency				
economies of scale				
INDIRECT (NON-MARKET) COSTS				
Regulatory				
<i>State and Local Programs</i>				
<i>Federal Programs</i>				
Institutional				
<i>Energy Security</i>				
<i>Economic Development</i>				
employment				
transportation				
military protection				
strategic petroleum reserves				
stability				
<i>Labor/Unions</i>				
wages				
training				
skill level				
non-union labor				
Societal Costs				
<i>Human Health</i>				
lost work time				
diminished capacity				
chronic health care issues				
<i>Ecological Health</i>				
costs to rectify damage				
best use of resources				

3.0 Direct Costs

The quantifiable costs required to purchase and operate an alternatively-fueled vehicle are known as the *direct* or *internal costs*. Direct costs are usually expressed in simple quantified terms; however, the methods for calculating these costs can be quite complicated. Furthermore, because there is no consensus within the field of alternative fuels on the correct assumptions and variables used to determine these costs, they have a very wide range of values.

Direct costs for any vehicle fall into three categories: capital costs, operating costs, and lifecycle costs. Some expenses, such as the price of fuel, maintenance costs, and resale value of the vehicle are familiar because they parallel costs required for petroleum fueled vehicles. This section focuses on the direct costs associated with ATFs that are different from conventional expenses, and may be overlooked by a project manager unfamiliar with these fuels.

“Furthermore, because there is no consensus within the field of alternative fuels on the correct assumptions and variables used to determine these costs, they have a very wide range of values.”

3.1 Capital Costs

The initial “one time” investment required to purchase a vehicle and establish a service and fueling station is known as the capital cost. Today, most alternatively-fueled vehicles are a specially manufactured “new technology,” or converted OEM (original engine manufacturer) vehicles, and are not mass produced. Consequently, these “up front” costs are considerably higher for alternatively-fueled vehicles than for petroleum or diesel fueled vehicles. The cost difference between fuels depends on many factors, including the type of technology, the level of market

penetration, and subsidies or discounts that may be available through special partnership and financing arrangements.

Vehicle Costs. These costs will depend largely on two factors: the choice of fuel and technology. Three expenses must be considered:

- procurement costs
- adaptation or conversion costs
- special features or equipment required.

For all fuel types, special features or equipment for the vehicles may be required as per the manufacturer's or converter's recommendation, or to meet user needs. Particularly for converted vehicles, the fuel tanks or battery packs may take up a significant amount of storage space in the vehicle. These vehicles may need to be equipped with extra storage space.

Below, we will discuss briefly the expenses that need to be considered for each major ATF.

CNG: Most CNG vehicles in use today are conventionally manufactured vehicles that have been converted to run on CNG using a retrofit kit.¹ Converted vehicles may run on CNG exclusively (a "dedicated" vehicle), or on CNG or petroleum on demand (a "bi-fuel" vehicle). In either case, the initial costs will have to include the price of the vehicle, plus the cost of the conversion kit, labor required to have the kit installed, and other adjustments required to enable the vehicle to operate on the CNG. If more than a few vehicles are to be converted, at least one fleet mechanic should be trained to perform the conversions on site. This generally represents a significant savings in time, money, and repairs over the long run.²

Electricity: In contrast to CNG, most electric vehicles (EVs) are available as OEM, or are converted by a manufacturer prior to purchase. The cost of this conversion is included in the price of the vehicle. If the battery packs are included as well, this generally makes the purchase price of an EV considerably higher than the cost of a petroleum fueled vehicle. Although the high price can be a barrier to purchasing, particularly with budgeting and procurement regulations, the entire lifecycle costs of an EV, or any vehicle, should be considered before deciding on its economic viability. Because EVs do not use an internal combustion engine (ICE), they are available almost exclusively as dedicated-fuel vehicles. Some hybrid EVs, which use small auxiliary motors to increase their range, have been produced.

Methanol: Methanol can be used in vehicles in several different ways, consequently there are several different types of vehicles adapted for its use. A conventional vehicle can run on a mixture of up to 15% methanol and petroleum fuel with few, if any, adjustments required. Methanol vehicles, fitted with non-corrosive parts, may be designed to run on neat or nearly-neat methanol, or methyl tertiary butyl ether (MTBE), which is approximately 85% methanol and 15% gasoline. Lastly, under development is a generation of “flexible-fueled” vehicles, that can run on any mixture of fuels from 100% gasoline to 100% methanol. None of these vehicles require the purchaser to incur costs for converting the vehicle. In the first case, no conversion is required; in the second and third cases, the vehicle would either be OEM or would be previously converted by the provider.

“Because ATFs are not yet fully commercial technologies, there is no well-developed system of fuel delivery and service; in most cases, the infrastructure must be built from scratch. The establishment of this infrastructure is complicated by the fact that it is very likely that several alternative fuels will develop and enter the market simultaneously.”

Infrastructure costs. The capital costs required to develop the infrastructure necessary to service and fuel alternatively-fueled vehicles can be substantial. We are accustomed to an established transportation system that includes all the mechanisms necessary for the delivery of fuels. Because ATFs are not yet fully commercial technologies, there is no well-developed system of fuel delivery and service; in most cases, the infrastructure must be built from scratch. The establishment of this infrastructure is complicated by the fact that it is very likely that several alternative fuels will develop and enter the market simultaneously. Public and private fleet vehicles have been targeted as an optimal place to begin to build this infrastructure, because in general they are serviced and fueled at one centralized location.

Although capital investment for the infrastructure development may vary widely between different fuel types, all will include the following costs:

- fuel distribution system (getting the fuel to the station or refueling area)
- fuel station or special service area (land, buildings, equipment)
- fuel delivery system (getting the fuel to the vehicle)
- initial education and training (management, mechanics, operators).

Fuel distribution system. Costs associated with the fuel distribution system will be closely linked to regional factors. Ideally, the choice of fuel by a jurisdiction should reflect the availability of the fuel type and its relative cost in that location, among other factors.³

CNG: Several factors need to be examined in determining the cost of the fuel delivery system for CNG. First and foremost, as indicated above, gas pipelines should be accessible in the jurisdiction. An analysis of the capacity of the pipelines, the amount of reserves in a jurisdiction, and the peak demand for gas should be carried out to determine if the gas supply is adequate to meet the projected increase in demand caused by the conversion of fleet vehicles to CNG.⁴ If there is sufficient pipeline capacity, the cost must be calculated to run additional pipe to the desired location of the service station or stations. Inlet pressure off the supply pipe will also be significant in determining operating and lifecycle costs; this is discussed in subsequent sections.

Natural gas can also be delivered to fueling stations via specially designed tanker trucks that transport the natural gas already compressed, and feed it into storage tanks. This system eliminates or minimizes the need for a compressor at the fueling station, and may be particularly useful in situations where a mobile or temporary refueling station is needed.

Electricity: Electricity is generally available in all jurisdictions, so accessibility is not a problem. The source of the electricity may be conventional or non-conventional — such as solar. Rewiring for adequate voltage and power may be required, depending on the size of the fleet and when the vehicles will be recharged. Costs associated with the delivery of electricity to a service area generally tend to be lower than delivery of other ATFs or conventional fuels.

Methanol: The delivery of methanol is possible by pipeline, and may be viable over long distances to areas of high demand; however, most methanol is currently transported as a liquid by truck. The economic viability of methanol distribution will depend largely on the proximity of methanol supply and the amounts required.⁵ Transportation costs for methanol, once purchased, should be roughly equivalent to conventional gasoline *per unit of volume*. However, methanol has about half the energy density of conventional fuel, close to twice as much methanol would need to be transported to operate a fleet comparable distances. This would result in higher overall transportation costs when compared with conventional fuels.

It should be noted that for liquid fuels (petroleum, methanol, diesel) used with a conventional delivery system, up to one-third of the fuel can be lost in running loss emissions and evaporative emissions during storage and refueling. Fuels that use a closed fueling system (CNG, propane, electricity) do not incur this loss. This can translate into savings in fuel transportation and

storage costs, and ultimately mean lower fuel costs and emissions.

Fueling station or special service area. A special service area or fueling station will be required for all ATFs. As mentioned above, fleet vehicles are seen as ideal for the initial application of ATFs because they are usually centrally fueled and serviced; this can reduce the amount of initial investment required. All stations will require the use of land, buildings, and equipment for servicing and fueling.

CNG: For CNG, an initial decision must be made in estimating the cost of a station, and whether the system is to be a slow-fill or fast-fill (cascade) system. This will determine the number of tanks required for refueling and the necessary equipment. In all instances, requirements will include, in addition to the CNG fueling equipment, a compressor sufficient to pump the CNG up to approximately 3000 psi from the inlet pressure off the gas line. Because CNG refueling can be done outside, building structures may be kept to a minimum. For extreme weather conditions, inside refueling may be preferred. In this case, buildings will need to be adequately ventilated and meet federal, state and local regulations concerning the storage and dispensing of CNG in an enclosed shelter. In all cases, stations and structures must meet National Fire Protection Association (NFPA) and other applicable building codes regulating CNG.

"It should be noted that for liquid fuels (petroleum, methanol, diesel) used with a conventional delivery system, up to one-third of the fuel can be lost in running loss emissions and evaporative emissions during storage and refueling. Fuels that use a closed fueling system (CNG, electricity) do not incur this loss."

Electricity: EVs can frequently be recharged where they are parked or garaged when not in use. This eliminates the need for a separate area for refueling. However, a service area is necessary for maintenance, such as watering the batteries and inspecting the battery packs on a regular basis. Furthermore, battery recharging should take place in a heated area in regions where cold weather is likely. An indoor charging area, if required, must be well-ventilated to accommodate the off-gassing of hydrogen during the final phase of charging.

Methanol: Because it is a liquid fuel, methanol requires a refueling station very similar to conventional gas stations. There are differences, however. Most important is the issue of underground storage tanks for methanol. The majority of underground tanks used to store petroleum fuel are not considered safe for the storage of methanol, due to its highly corrosive and toxic properties. New fiberglass tanks meet stricter codes, and are sufficient for storing methanol as well as gasoline. However, it should not be assumed automatically that an existing gasoline station can be easily, and inexpensively, converted for methanol use.

Generally the blending of fuels requires no additional equipment. Methanol is “splash-blended” with gasoline when used as an additive. If methanol is blended with gasoline before being stored at the station, a storage tank that meets the more stringent standards may not be necessary. If methanol is to be used as a neat (100% pure) or nearly-neat fuel, additional tanks may be required, in light of the lower energy density of methanol compared to gasoline.

Methanol is regarded as both explosive and toxic, and stations must conform to NFPA, state, and local codes regulating these substances. Furthermore, because of the tendency of methanol fumes to pool in low places, mechanics pits that are frequently used to service large vehicles (such as buses) in fleet stations can be hazardous. In some jurisdictions, this may necessitate building a new or special service area for methanol vehicles.

“Education and training are critical components of a successful ATF program and should include everyone involved with the program, from managers and administrators to operators and mechanics.”

Fuel delivery system. Getting the fuel from the storage tank or power source, once fuel is available and the station is built, generally does not require much additional capital investment. However, each fuel has its own particular requirements. CNG requires an auxiliary compressor. EVs will need a heavy duty extension cord to connect the power outlet and the vehicle. Methanol may require special non-corrosive hoses, particularly when used as a neat fuel, and may require additional safety features such as gloves and goggles, for servicing.

Education and training. Education and training are critical components of a successful ATF program and should include everyone involved with the program, from managers and administrators to operators and mechanics. Initial training and education may include time and costs to cover:

- orientation lectures and seminars
- training courses in installation and repair of ATF systems⁶; or to have instructors travel to fleet service stations to provide instruction
- visits to other jurisdictions with similar ATF programs
- conferences or workshops related to ATFs.

These initial training and education costs are considered a capital investment in the infrastructure of an ATF program. They are one-time costs specifically incurred by the decision to use ATFs, separate from, and in addition to, ongoing training costs covered in the next section as operating costs.

3.2 Operating Costs

Operating costs are the expenses incurred periodically over the lifetime of a vehicle, including routine fueling, inspection,

maintenance and repair. Many of these costs are identical to those of conventional petroleum fueled vehicles; however, some operating costs are particular to a specific alternative fuel type.

Vehicle costs. The operating costs associated with running a vehicle on a daily basis include the following expenses:

- fuel
- inspection and maintenance
- replacement parts.

Fuel. The price of fuel delivered to the station and to the vehicle can vary significantly, depending not only on the type of fuel and its regional availability, but also on world market prices and manufacturing. The latter circumstances are beyond the control or, practically speaking, the estimation of local government project managers; however, the former are well within their scope. Fuel price in all cases must include *applicable* local, state, and federal taxes, as well as any applicable motor fuel taxes. In the current regulatory environment, many exemptions to fuel taxes have been granted to alternative motor fuels.

Bulk, discount, or incentive rates are frequently available for local governments interested in converting part or all of their fleet to an ATF. The willingness of a utility or supplier to negotiate a special rate will depend in part on what the ratio is between its capacity, reserves, and peak demand. If the utility views the development of ATFs as an opportunity to expand their market or to utilize untapped capacity, it is likely to be supportive, both financially and technically, of a program that encourages the use of ATFs.

“The price of fuel delivered to the station and to the vehicle can vary significantly, depending not only on the type of fuel and its regional availability, but also on world market prices and manufacturing. The latter circumstances are beyond the control or, practically speaking, the estimation of local government project managers; however, the former are well within their scope.”

CNG: With CNG, there can be a significant difference between the price of the fuel delivered to the station and the price of the fuel delivered to the vehicle. The cost of CNG delivered to the vehicle depends on two factors: the choice of fueling system (slow or fast fill) and the inlet pressure of the gas in the pipeline. In all cases, an auxiliary compressor is required to increase the pressure from the pipeline to the 3000 psi held by a standard fuel cannister. This auxiliary compressor uses energy, usually electricity, to compress the natural gas. Depending on the number of vehicles being refueled daily, the amount of energy used by the compressor can add significantly to the cost of the fuel.

Electricity: With EVs, the price of the fuel delivered to the power station is the cost of the fuel; there is no additional expense. Because EVs are generally charged during off-peak hours (typically nighttime), the kW rate is usually lower than

during the day. Furthermore, the electric utility may be willing to grant a special incentive rate for using off-peak power, again reducing fuel costs.⁷ In some cases, the local electric utility has levied a demand charge on the fueling station, negating much of the economic advantage gained by switching fuels.⁸ In the near or middle term, electricity costs may be reduced by supplementing and/or supplying outlet power with solar electricity.

Methanol: Methanol generally must be purchased in bulk and delivered by truck, similar to petroleum fuel. Although currently there is an excess capacity for methanol production worldwide; regional availability may be limited. The only direct additional cost at the station for methanol fuel may be the expense to blend the fuel when it is used as an additive. However, in areas that have mandatory oxygenated fuel (oxyfuel) programs, blending does not seem to affect the cost of the fuel significantly.

“If the utility views the development of ATFs as an opportunity to expand their market or to utilize untapped capacity, it is likely to be supportive, both financially and technically, of a program that encourages the use of ATFs.”

Vehicle service and maintenance. Alternatively-fueled vehicles require periodic maintenance and inspection. With fuels such as CNG and methanol, which are used with an internal combustion engine, the maintenance and inspection procedures will be similar to those required by petroleum-fueled vehicles. EVs have a maintenance program that is suited to their particular motor and drive train. The inspection and maintenance procedures for different fuel types are covered in more depth in the UCETF “Guide to Alternatively-Fueled Vehicles.” Procedures that could involve additional costs beyond those of conventionally-fueled vehicles are covered briefly below.

CNG: For CNG vehicles, all items added as part of the conversion kit, including tanks, hoses, and regulators, require periodic inspection as recommended by the manufacturer or conversion installer. The CNG cannisters require regular inspection and recertification in compliance with DOT regulations. Experience with CNG vehicles seems to indicate that despite the additional parts, they seem to require less maintenance overall than petroleum fueled vehicles, because CNG is a cleaner burning fuel.

Electricity: EVs, in addition to routine battery recharging, require periodic inspection of battery packs. This involves removing them from the vehicles, using a fork lift or similar equipment equipped with a load spreader. Battery packs must also be watered on a regular basis. Watering takes place after the batteries have been fully charged; it is a relatively short (20 minute) process. The battery packs will have to be replaced during the life of the vehicle, with the frequency depending on many factors, including the mileage and duty cycle. Replacing the battery packs is relatively expensive, depending on the type of vehicle, the number of packs required, and the type of battery. All other parts of an EV — tires, lights, accessories, etc., —

should be inspected and maintained as they would on a conventional vehicle. Again, evidence seems to indicate that, overall, EVs require less maintenance than a petroleum fueled vehicle.

Methanol: Vehicles using less than 15% methanol as a blend with gasoline do not generally require any additional inspection and maintenance other than what is recommended by the vehicle manufacturer. Vehicles converted to run on neat or near-neat methanol should have all aluminum and rubber parts checked regularly, as there has been corrosion of these materials associated with methanol fuel use. In OEM vehicles developed to run on neat methanol or as flex-fuel vehicles, this problem has been addressed by redesigning the vulnerable parts. Maintenance on these vehicles should be similar to conventionally-fueled vehicles.

Vehicle parts. Some special replacement parts will be required for alternatively-fueled vehicles, as mentioned above.

CNG: For CNG vehicles, these parts will include canisters, hoses, pressure safety valves, regulators, reducers, and a mixer/carburetor, all of which are installed as part of the conversion.

Electricity: Because EVs do not use an ICE, most parts associated with EVs will be unique. The primary special replacement part will be the battery packs. Other parts will include the controller, converter, and battery charger.

Methanol: Special parts for neat or near-neat methanol vehicles and flex-fuel vehicles include a fuel sensor and a cold start system. Although the mechanical parts of a methanol vehicle are the same as a gasoline vehicle, some special non-corrosive pieces may have to be used, as methanol corrodesterneplated (lead-plated) fuel tanks, magnesium, copper, lead, zinc, aluminum, and some synthetic gaskets.

Infrastructure. Most of the infrastructure costs associated with operating expenses are fairly similar to those incurred by fleets operating on conventional fuels. These costs (and savings) include:

- program management/administration
- overhead
- registration, taxes
- insurance
- warranties
- retail fuel mark-up
- education and training.

There is a certain variation in these costs for ATFs. *Program management and administration costs*, for example, are predict-

able for petroleum-fueled fleets. However, fleets using ATFs, particularly at the beginning of the program, are going to require more time and attention, more oversight and hands-on management than a conventionally-fueled fleet. While the management of an ATF fleet may not require special attention over the long run, it will need a substantial investment of time and energy up front.

Overhead costs for ATFs will again be similar to those for petroleum-fueled vehicles. However, there may be increased overhead costs as a result of stocking special parts or operating a special service station that is used only by certain vehicles. In the long run, these additional costs may level out, and actually drop below the conventionally-fueled fleet costs as the number of vehicles using ATFs increases.

There seems to be little difference in the costs for *taxes, titles, tags or registration* for alternatively-fueled vehicles. Fees that are based on the weight of the vehicle may be slightly higher for these vehicles, because of the weight added by the extra fuel storage tanks (CNG, electricity, methanol) and the extra structural material (electricity) required. Future state and/or federal legislation may actually grant a reduction in these fees for ATFs as an incentive to their use.⁹

To date, most *insurance* companies have treated alternatively-fueled vehicles similarly to their conventionally-fueled counterparts. To the extent that alternatively-fueled vehicles cost more than conventional vehicles, collision insurance on the vehicles will likely be higher. Some insurance may charge higher rates for fuels perceived to be more flammable or toxic (CNG, methanol), although there is not clear evidence that these fuels are more hazardous than petroleum fuel. In the absence of standards within the insurance industry, rates may vary significantly from company to company.¹⁰

Insurance is also required for service stations. It is likely that the rates for underground storage tanks holding methanol will be significantly higher than those for petroleum fuels. Methanol has somewhat different properties from petroleum. It generally is regarded as more toxic, and is miscible in water; consequently, storage tank leaks are considered more serious. Because insurance rates for petroleum fuel storage tanks have recently been rising rapidly, the rates for methanol tanks may be very expensive. CNG refueling stations may also have higher insurance rates, again because of perceived safety issues.

Retail fuel mark-up may be avoided or diminished through the use of ATFs, as may relatively high motor fuel taxes. Both these savings can lower the daily operating cost and the total lifecycle

cost of the vehicle by a substantial amount, as long as these special conditions exist.

Education and training is part of the expense for maintaining the workers to service any fleet. Because ATFs require specialized skills, there will be additional training costs, over and above the conventionally-fueled costs, on a continuing basis. Furthermore, employees with these specialized skills may need to be paid at a higher wage than those working on conventional vehicles.

3.3 Lifecycle Costs

Concept. The lifecycle cost of a vehicle, expressed as the rate of cost per mile, should be *the* critical value when evaluating the economic viability of any fuel. Particularly because many of the expenses associated with alternatively-fueled vehicles are different from conventional vehicles, the lifecycle cost is one way to make sense of the many variables.

"The lifecycle cost of a vehicle, expressed as the rate of cost per mile, should be *the* critical value when evaluating the economic viability of any fuel. Particularly because many of the expenses associated with alternatively-fueled vehicles are different from conventional vehicles, the lifecycle cost is one way to make sense of the many variables."

The *most significant* economic barrier to the development of ATFs is not the cost of the vehicle or the fuel; experience has demonstrated that these expenses can be brought within reasonable range of conventional vehicle costs. Attempts to calculate the lifecycle costs of ATFs raises a different issue for new technologies that cannot be circumvented: Who pays for the infrastructure costs, and how? This introduces the oft-cited "chicken and egg" dilemma of ATF development. The infrastructure will not develop without adequate demand, while such demand is unlikely to occur in the absence of an adequate infrastructure to support it.

The economic viability of ATFs in a particular jurisdiction will depend on the answer to that question; but there is no readily available solution. Many local governments have been able to work with a variety of partners, including the vehicle manufacturers, the fuel suppliers, industry associations and state and federal government to share the infrastructure costs. We have paid in the past, and continue to pay, these costs for petroleum and diesel fuels; it is important to remember that we must pay infrastructure costs at some point for all industries.

Methods. The basic method for determining lifecycle cost of a vehicle is to add together the total capital and operating expenses over the lifetime of the vehicle, subtract the salvage and recycling value, and divide by the total number of vehicle miles traveled. This calculation gives a straightforward cost per mile for any vehicle.

There are several real and theoretical problems with applying this formula to ATFs. As we have seen in discussing the direct costs in this section, many of the parameters needed to determine the lifecycle cost of alternative transportation fuels have not been firmly established. Quantities such as the life expectancy of the vehicle, the total amount of time required for maintenance, and the real fuel efficiency, can only be estimated based on incomplete data.

Because multiplying variables together magnifies their inaccuracies, a lifecycle cost estimate for ATFs may contain a high degree of uncertainty. Calculating the lifecycle cost for ATFs is not a futile exercise, however. If we do not have absolute figures for many of the variables, we have at least some fairly precise estimates. In many cases, cost modeling performed to determine lifecycle costs of ATFs includes both worst-case and best-case scenarios.¹¹ Sensitivity analyses can also be performed that indicate which input data causes the greatest variation in the final answer.

“Alternatively-fueled vehicles are unusual in that they require higher front-end investment than conventional vehicles. These costs, sometimes a barrier to development and procurement of ATFs, can be justified economically by savings over the lifetime of the vehicle.”

Alternatively-fueled vehicles are unusual in that they require higher front-end investment than conventional vehicles. These costs, sometimes a barrier to development and procurement of ATFs, can be justified economically by savings over the lifetime of the vehicle. Even when the expense of ATFs only meet or slightly exceed those of petroleum fueled vehicles, there may be additional, external factors that tip the scales in favor of ATFs.¹²

Key variables. There are a number of variables used in calculating the lifecycle cost for ATFs that will differ significantly from those used for petroleum fuel. These key variables may include, but are not limited to:

- increased lifetime expectancy
- reduced maintenance — parts and labor
- value of recycled battery packs
- cost reduction on vehicles for forgone pollution control equipment
- fuel efficiency
- economies of scale available with OEM manufacturing.

Further research and use of ATFs will undoubtedly establish more reliable data to be used in lifecycle cost analysis; these adjustments will improve the accuracy of these calculations.¹³ It is important to note that lifecycle costs for petroleum and diesel fuels, despite the extensive documentation of their costs, also are constantly being updated to improve accuracy. Uncertainty in the value of the variables should not be a barrier to using lifecycle cost analysis to determine the direct economic worth of ATFs.

Endnotes

- ¹ OEM vehicles, especially for heavy-duty niche applications, may be available in the near future.
- ² Several jurisdictions have had difficulties using service providers who are not close by; routine adjustments of the vehicle conversion kit and troubleshooting become prohibitively expensive when travel time and costs are included. There should be a trained mechanic on staff who is familiar with the conversion process and can take care of minor problems.
- ³ For example, areas without convenient access to gas pipelines are unlikely to choose CNG as an alternative fuel.
- ⁴ Worldwide reserves of natural gas are extensive enough to be of minimal concern to a local government if the regional supply of natural gas is adequate.
- ⁵ There is some concern about worldwide capacity to manufacture sufficient methanol in the near term if demand increases sharply.
- ⁶ Hocking Technical College, in Nelsonville, Ohio, teaches a one week intensive class on the installation and servicing of CNG conversion kits for experienced mechanics. They are currently expanding their program to include other AVFs. Instruction in the installation and repair conversion kits may also be available from the kit provider. Instruction on the maintenance and repair of EVs and OEM vehicles should be available from the provider as well. Check with the provider in advance about the availability of instruction *before* purchasing.
- ⁷ The use of off-peak power for peak-shaving and load spreading, as well as for the avoidance of capital investment in new power generating facilities, is of substantial concern to the electric utility industry.
- ⁸ As reported by staff from the city of Albuquerque, NM, at the AVF Unit meeting in Ft. Lauderdale, October 16-17, 1989.
- ⁹ For example, the state of Arizona recently passed legislation that reduces the registration fees for alternatively-fueled vehicles to provide an incentive for their use.
- ¹⁰ New York City is currently working on a UCETF project examining insurance and leasing issues. This report should be available by December 1991.
- ¹¹ See models in Appendix A.
- ¹² This will be discussed more thoroughly in the section on indirect costs.
- ¹³ An alternative vehicle fuels information center and database is currently being established at the Solar Energy Research Institute (SERI) in Golden, Colorado. One of the purposes of the center will be to collect and standardize information related to alternative fuels that is used for emissions impact and lifecycle costing.

4.0 Indirect Costs

There are costs related to the use of any vehicle fuel, not directly involved with its purchase and operation, that are difficult to quantify. These indirect, or external costs (and savings), are not always tied to the economic bottom line of using ATFs; instead, they reflect the importance of other priorities in our society, such as health, safety, and the environment. In balancing the economic equation, it is frequently these less tangible indirect costs that tip the scales in the favor of ATFs.

Indirect (sometimes called “nonmarket”) costs¹ may be divided into three categories:

- regulatory
- institutional
- societal.

These categories reflect divergent priorities within different sectors that affect the choices between alternative and conventional fuels.

4.1 Regulatory Costs

Both state and federal governments affect the development and use of fuels through a complex system of unintentional, as well as deliberate, incentives and constraints. The motivations for these actions may differ, but they usually stem from one or more of three main “drivers”:

- energy security
- air quality improvement (environmental)
- economic benefits.

Federal programs. The federal government's approach to air quality problems has included a wide variety of actions, including penalties, constraints, incentives, mandates, and partnerships.

The best known set of federal regulations affecting the development of ATFs is the Clean Air Act. Cities that do not meet NAAQS established by this legislation face the loss of federal money for their transportation programs. Recent amendments to the Clean Air Act tighten these standards, and require the use of ATFs in some non-attainment cities. The details of the Clean Air Act are quite complex, and cannot be covered thoroughly here.² However, all local government should be aware of the role of their transportation plan within the context of the State Implementation Plan required by the Clean Air Act.

"The private utility industry has acknowledged that they have a responsibility to assist in developing the technology and infrastructure for the ATF industry if they want a market share in supplying the fuel for these vehicles. Private utilities, industry organizations, universities, and others in the private sector have joined with public organizations and the government in partnerships to achieve this end."

In addition to the Clean Air Act, there are two other pieces of national legislation that will have a direct bearing on the use of ATFs by local governments. The first is legislation currently being considered by Congress that will implement the Bush Administration's National Energy Strategy (NES). The version of the NES that has been passed by the House contains some specific mandates for the accelerated development and use of ATFs beyond what is required by the Clean Air Act Amendments. Although the Senate has not yet passed this bill, it is very likely that the provisions related to ATFs will not be substantially changed.

Secondly, last fall Congress passed a comprehensive transportation bill known as the intermodal Surface Transportation Efficiency Act of 1991. The ISTEA represents a major reform of federal transportation policy compared to former laws, which emphasized highway construction. Instead, almost half of the traditional highways funds called for in the ISTEA can be used for other modes of transportation. The flexibility built into these allocations allows cities and counties to establish regional transportation strategies that include alternatives such as pedestrian routes, bicycle facilities and ATFs. The \$6 billion Congestion Mitigation and Air Quality Improvement Program will also provide an opportunity for local governments, particularly those in non-attainment areas, to obtain money for alternatively-fueled vehicles.

Other potential federal measures that could serve as a catalyst to the development of ATF programs on a state and local level include:

- mandates for the production of alternatively-fueled vehicles by manufacturers
- partnerships with local governments, national labs, and private sector interests

- fuel subsidies to encourage the use of alternative fuels
- further penalties against regions that do not bring their air quality or their fleet vehicles up to standards by the established deadlines
- taxes or fines on fuels or vehicles that do not meet revised standards
- revising federal regulations that unnecessarily constrain the use (transportation, storage, dispensing) of ATFs.

It appears that the development and use of ATFs will have a substantial role as part of a comprehensive federal strategy for improving air quality. If the federal government demonstrates its commitment to the use of ATFs, support from other sectors is likely to follow suit.

State and local programs. Many cities, counties, and states with serious pollution problems have already begun to develop ATF programs as one approach to improving air quality. The most common regulatory tools used on a state and local level to encourage ATF use are regulatory mandates, penalties, and incentives.

Legislative mandates requiring the use of oxyfuel blends have been used by a number of cities and regions (*e.g.* Phoenix, Denver, Albuquerque) to effect an immediate impact on serious air quality problems. Legislative mandates may also be used to establish a cohesive and consistent long term strategy for resolving air quality problems. California, with the South Coast Air Quality Management District (SCAQMD), is well ahead of the rest of the country in taking this approach. They have developed a regional plan that aggressively addresses the air quality problem through many different avenues, including the use of a variety of ATFs. In this case, part of the legislative mandate involved making public funds available to support this plan. More recently, Texas has promulgated some far-reaching legislation that will also have a significant impact on the ATF market.

The private utility industry has acknowledged that they have a responsibility to assist in developing the technology and infrastructure for the ATF industry if they want a market share in supplying the fuel for these vehicles. Private utilities, industry organizations, universities, and others in the private sector have joined with public organizations and the government in partnerships to achieve this end. These private sector businesses have contributed financial, technical, and in-kind assistance to support the development of ATFs.

More recently, manufacturers have shown an increasing interest in alternatively-fueled vehicles, partly as a result of the intent of National Energy Plan and the Clean Air Act Amendments. The

recent agreement between GM Trucks, the Texas Land Commission, and 10 leading natural gas utilities for GM to produce over 1,000 light-duty trucks that will operate on CNG is one example of how partnerships between the public and private sector can establish a significant market for the manufacturers.

Penalties may be levied against vehicles that exceed fuel efficiency and emissions standards set by state and local authorities. In the case of the SCAQMD, regional emission standards are more stringent than the NAAQS (National Ambient Air Quality Standards) established by federal regulation. Increasingly stricter standards will require manufacturers of fleet vehicles, in particular, to either find a way to run much cleaner on petroleum fuel or switch to ATFs.

4.2 Institutional Costs

“It appears that the development and use of ATFs will have a substantial role as part of a comprehensive federal strategy for improving air quality. If the federal government demonstrates its commitment to the use of ATFs, support from other sectors is likely to follow suit.”

Institutional costs reflect the existing structure of our private and public sector development policies. As our policies evolve in response to an increasing awareness of our limited economic and environmental resources, the associated costs also change. There are three primary institutional costs involved with ATFs:

- energy security
- economic development
- labor.

Energy security. Energy security became a significant public issue in the United States during the energy shortage of the 1970s. The subsequent drop in oil prices during the 1980s reduced the public concern about our dependence on foreign fuel supplies in the near term, but in long-term planning our vulnerability to disruptions in our fuel supply remains critical. Because approximately 63% of domestic and imported petroleum oil is used in the transportation sector³, alternative fuels have the potential to alleviate some of our reliance on imported fuels.

Most people in the industry agree that it is unlikely that one single ATF will completely dominate the developing market. Diversification of fuel types can reduce our reliance on particular regions of the world that produce the majority of a specific fuel, such as petroleum in the Middle East. Many of our future vehicle fuels — including natural gas, methanol, ethanol, electricity, and hydrogen — are available to us within U.S. borders, or are located in more widely scattered areas throughout the world. Some ATFs can be developed as renewable fuel resources, further reducing our need for foreign imports, and mitigating some of the concern about future energy sources.

Economic development. Economic development can be tied to the issue of energy security in a number of ways. Dependence on foreign fuel moves funds out of the U.S. economy and aggravates our trade imbalance; this can have a direct bearing on the amount of money available for investment in development on a local level. The direct and indirect costs related to importing foreign petroleum include, but are not limited to:

- loss of employment due to overseas production of fuel
- transportation and delivery of fuels over long distances
- military protection of foreign fuel sources (e.g., maintaining a naval fleet in the Middle East)
- maintenance and protection of strategic petroleum reserves.⁴

Viable replacements for petroleum fuels, such as ATFs, can help minimize or eliminate these costs.

Growth and economic development of cities, townships and counties depends on a number of factors, including relatively cheap and stable energy costs. ATFs can contribute to local development by providing transportation run on cleaner fuels that meet these criteria. Furthermore, by reducing the need for petroleum fuel for transportation, more petroleum is available for use in other areas.

Labor. Union and other labor agreements between workers and management generally have not anticipated the implementation of ATFs. Although ATFs are still a neophyte technology, issues have already begun to emerge with workers, particularly those with union contracts. For example, a mechanic may be precluded from working on an alternatively-fueled vehicle if it is not included in the union contract. The union may require strict additional safety precautions for employees working with these fuels (even though they are not necessarily more dangerous), because their relative safety and toxicity is not as well documented and is less accepted than petroleum fuels.

Training and skill levels may also be important issues with ATFs. Special skills are required for workers installing the conversion kits and servicing the vehicles, and possibly for workers operating the vehicles and managing the fleets as well. They will need training to acquire these skills; consequently, these employees may have to be rated at a higher level and/or paid at a higher rate than their counterparts who work on conventional vehicles. Finally, although there are relatively few workers experienced with ATFs, there may be problems with bringing a non-union specialist in to work on fleet vehicles, or to train union workers.

All of these issues may involve renegotiating with employees or unions to accommodate changes in the transportation fleet. A higher level of training and skills will almost certainly mean higher costs for labor, either directly or indirectly.

4.3 Societal Costs

We are only beginning to understand the dramatic impact that the use of petroleum oil and other fuels has had on human and environmental health. It is even more difficult to estimate the economic loss resulting from continuing air pollution. The SCAQMD and others have begun attempts to quantify these costs — assigning monetary values for health problems such as migraine headaches and asthma attacks, estimating lost productivity in the workplace — and calculating the cost to repair at least the worst of the potentially irreversible damage to our environment.

As the demand for an accounting and rectification of these damages increases, expenses to repair the damage are becoming a significant factor in the cost of the fuels we presently use. Severe air quality problems violate what we believe is our right to a certain quality of life — good health, clean air, and a sound environment — that has become a priority for many people. ATFs, by significantly reducing the amount of harmful vehicle emissions, have a near-term and long-term potential to mitigate some of the monetary and quality of life costs of air pollution.

Human health costs. Air pollution's contribution to human ailments is a complex problem. Clearly, poor air quality aggravates and may create a wide number of health problems, including asthma, emphysema, allergy sensitivities, heart conditions and migraine headaches. In addition to the discomfort or pain caused to an individual, there is a direct economic loss in the workplace reflected in the amount of sick leave required and a decrease in productivity.

Poor air quality can also have a direct effect on the cost of medical treatment, resulting from intermittent and chronic health care problems. These costs are initially paid by the government, employers, and health insurance companies. Eventually these costs are passed back to the citizen in one form or another: as taxes, reduced coverage, increased health care costs.

Environmental costs. Air pollution has a wide-ranging effect on the health of our environment. In weighing the economic benefits of ATFs, the cost to repair unacceptable damage to our environment caused by the contributions of mobile source

emissions to air pollution must be considered. Problems such as the destruction of the ozone layer, greenhouse warming, acid rain and smog, along with secondary pollution of our water and food by air toxins, will require ever larger commitments of both time and money in the coming years on a local, national, and international scale.

Money invested in finding and developing solutions to our pollution problems, such as ATFs, may save us from overwhelming costs in the long run. Furthermore, if we do not take aggressive steps toward improving our air quality, it is possible that the damage to our environment will be irreversible. There is, however, a caveat with ATFs. We must be careful that with the use of new fuels, we do not increase the emissions of currently unregulated pollutants that may cause equally severe or worse air quality problems in the future. With foresight, this risk can be minimized or eliminated.

“We must be careful that with the use of new fuels, we do not increase the emissions of currently unregulated pollutants that may cause equally severe or worse air quality problems in the future. With foresight, this risk can be minimized or eliminated.”

There are environmental issues stemming from the production of all fuels are frequently overlooked when evaluating the emissions impact. Therefore, a fuel that causes considerable pollution during its manufacture may not have the overall air quality benefit it appears to.

CNG: CNG is perhaps the fuel least likely to have these concomitant production problems; in fact, there is great potential to save natural gas that is currently vented, flared, or reinjected during the drilling for petroleum and other fuels. However, there is for CNG the basic machinery and energy needed to extricate the fuel from its source.

Electricity: The overall picture for electricity generation is very sensitive to the type of fuel used at the power plant. For example, the use of high sulfur coal to produce electricity could negate virtually all of the advantages gained by the switch to electric vehicles. On the other hand, the use of photovoltaic cells (pvs) to recharge an electric vehicle could result in a renewable fuel that is virtually free of emissions.

Methanol: Methanol has manufacturing costs that depend on its source. Currently, most methanol is made from CNG through a somewhat complex process. The manufacture of methanol requires consumption of approximately 30-40% of the energy inherent in the fuel, raising the issue of efficient use of world resources for fuel production.

Lastly, we must accept the fact that a significant increase in the amount of fuels being transported, regardless of precautions, will cause a related rise in the number of spills and accidents. There are costs associated with the prevention of these accidents, the losses incurred, and the efforts necessary to rectify damage.

Endnotes

¹ Cost is a difficult word to use in this context, because it connotes a monetary amount that is not applicable to many of the subjects discussed in this section. Cost in this case could mean more closely, value or worth. How these indirect costs are determined reflects the evolving values and priorities of local governments and their constituents.

² A good source for information on the details and implications of the Clean Air Act for local governments is Bob Yunkhe at the Environmental Defense Fund in Denver, Colorado.

³ According to the American Petroleum Institute, January, 1990.

⁴ The FY 1991 Budget requests \$424 million for maintaining the Strategic Petroleum Reserves.

5.0 Cost Comparisons

Comparisons among ATFs, and between ATFs and petroleum fuels, are not straightforward. There are many inherent difficulties, ranging from incomplete information about the lifecycle costs of ATFs, to the prejudicial use of petroleum costs as the norm against which we evaluate other fuels. ATF technology is also a rapidly changing field, and cost estimates which are accurate today may change substantially in one or more years. This is true for petroleum-fueled vehicles as well, but to a lesser degree. This section will discuss some of the issues involved with making these comparisons.

5.1 Lifecycle Costs

As mentioned earlier, the complete data necessary to calculate the actual lifecycle costs of alternatively-fueled vehicles is not yet available. Although we have good estimates for many of the values, they have not all been verified by practical experience. Evidence from research, modeling, and demonstration projects to date indicates that lifecycle costs of alternatively-fueled vehicles are likely to be comparable to conventional vehicles in the worst-case scenario. The best-case scenario for lifecycle costs would include alternatively-fueled vehicles that can take advantage of the economies of scale in mass production. In this scenario, lifecycle costs would be substantially lower for most alternatively-fueled vehicles.

Practically speaking, production and operation of alternatively-fueled vehicles is likely to fall somewhere between these two extremes. The rate of market penetration for alternatively-fueled

vehicles will depend on a large number of factors, many of them external to market demands.

5.2 Balancing the Costs

Assessing the economic and practical viability of ATFs requires weighing and combining the direct and indirect costs associated with these fuels. State and local governments, private interests, and the public all have different perceptions and priorities regarding the balance of these costs.

“Nonmarket drivers are the primary incentive for federal policy, and the primary justification for federal intervention in the transportation market.”

Government priorities. Nonmarket drivers are the primary incentive for federal policy, and the primary justification for federal intervention in the transportation market. As the result of a variety of pressures, the federal government is in the process of establishing a national clean air policy and a national energy strategy. The Bush Administration’s approach to federal government involvement emphasizes market driven incentives for the public and private sectors to achieve these goals.

Federal government intervention on the side of ATFs can have both positive and negative effects, as demonstrated in a number of countries. New Zealand, Brazil, and Canada, in particular, began the use of ATFs primarily as a response to government mandates, incentives, and subsidies. In New Zealand, and to a lesser extent in Canada, widespread use of ATFs did not develop, despite federal government intervention. In Brazil, the program succeeded only as long as there was strong direct government intervention. These programs faltered for a variety of reasons, but these experience exemplify the impact direct institutional support can have on ATF development.

When institutional momentum brings in partners, generates interest, and increases funding sources, it is helpful. When institutional momentum reduces flexibility and constrains development of a program so that it cannot respond to market demands, it is harmful. The potential for a significant push from the federal government toward ATFs may generate a lot of money and stimulate the development of ATFs. However, if the federal government policy has a predisposition toward one particular fuel or fuel program, it may cause serious setbacks to the development of the ATF industry.

The best place for government intervention may be in the removal of barriers and restrictions to the use of ATFs, coupled with incentives to increase the competitiveness of ATFs with conventional fuels, as part of a wider effort aimed at developing the infrastructure required for these fuels. This would help solve the “chicken and egg” dilemma that the ATF industry faces,

while at the same time providing a level playing field for developing different fuels in response to market demand.

Private industry concerns. The primary motivation for private industry interest in the development of ATFs is economic. Consequently, their concerns focus on how much investment will be needed, and their return on this investment. For most utilities, expansion into ATFs represents a new market with considerable economic potential. Private utilities and industry associations have generally been very supportive of ATF programs, and in a number of cases have taken the lead in their development and marketing.

In a rapid growth industry, such as ATFs, where significant technological improvements occur with a certain frequency, utilities can be reluctant to invest in an expensive infrastructure or technology that may be obsolete in a relatively short amount of time. It is also difficult for the private sector to invest in ATFs without knowing how the market is going to develop, and in particular, which fuel or fuels are going to dominate the market.

Commitment by federal and state and local governments to ATFs is one way to help overcome some of these obstacles. A long term federal policy aimed at encouraging the development of ATFs will assuage at least some of the concerns that the private sector has about investing substantial amounts of money in an uncertain market.

“When institutional momentum brings in partners, generates interest, and increases funding sources, it is helpful. When institutional momentum reduces flexibility and constrains development of a program so that it cannot respond to market demands, it is harmful.”

Public concerns. The public's view of the balance between internal and external costs hinges largely on its collective values and its perception of the risks involved. There is a clear movement toward serious concern about our environment, on grassroots, national, and international levels. If ATFs are presented as one way to address this concern, without significant cost increases or risks to the consumer, they are likely to be successful. Public support of policies and legislation encouraging the use of ATFs is a significant factor, because sales of alternatively-fueled vehicles to individual consumers is not seen as a large part of the market; initial use of ATFs will be predominantly in public and private fleets for reasons discussed in other sections.

5.3 Comparisons with Petroleum Fuels

For practical reasons, petroleum fuels are usually used as the standard by which ATFs are judged. However, in the long run this must change because it is not realistic to use petroleum fuel costs as the baseline against which to compare estimated or real ATF costs. There are several reasons, from an economic perspec-

tive, why ATFs should not be evaluated only within the context of petroleum fuels.

“A long term federal policy aimed at encouraging the development of ATFs will assuage at least some of the concerns that the private sector has about investing substantial amounts of money in an uncertain market.”

First, comparing the petroleum fuel industry to the ATF industry is like comparing apples and oranges; it makes no sense because they are not the same. As discussed in other sections, there are many infrastructure and indirect costs associated with the development of the neophyte ATF industries that elevate the initial costs of these fuels. These costs will probably be absorbed by many different sectors of our society: federal and local governments, vehicle manufacturers, fuel suppliers, and the private citizen. Petroleum fuels are a mature industry, and have a virtual monopoly on the transportation sector; consequently any change in the status quo is going to require considerable financial investment.

Secondly, modeling and other cost estimates have usually tied the cost of ATFs directly to the cost of petroleum fuels. It has been assumed that there is little or no incentive to develop and use ATFs unless the cost of oil becomes prohibitively expensive, or the cost of the alternative fuel can be somehow brought down to the break even price with petroleum. In fact, there are many other direct and indirect economic justifications for pursuing ATFs, independent of petroleum fuel prices.

Lastly, we discussed in other sections the real costs of vehicle fuels, including direct economic costs, and indirect costs such as protection of fuel sources and damage to the environment. It is important to understand that we do not currently pay these indirect costs for petroleum fuels at the fuel pump. These prices are artificially low, because we pay for the indirect costs generated by the use of petroleum fuel in other ways — through state and federal taxes, through the trade deficit, and through the budget deficit.

6.0 Financial Decisions

“Different fuels are suited to specific uses in fleet applications, defined by duty cycle and vehicle type. These niches will be an important factor in the concurrent development of different ATF technologies.”

This section provides a discussion of the factors that will have an impact on the overall financial scenario of ATFs. Neither ATF technology nor the ATF industry is identical to that of conventional petroleum fuels. If ATFs are to be economically competitive, changes need to occur in many of the standard ways vehicles are evaluated and purchased. Motivated by the “drivers” discussed in earlier sections, the catalyst for these changes will be the priorities established by the federal, state and local governments, their constituencies, and the private sector. The issues raised in this section will have an impact on how ATF use develops and what the associated costs will be.

6.1 Alternative Fuels and Duty Cycles

The decision to use a particular fuel will be based in part on specific requirements such as the distance a vehicle must travel per day, minimum speed and drivability standards, refueling opportunities, flexibility in schedule, etc. Different fuels are suited to specific uses in fleet applications, defined by duty cycle and vehicle type. These niches will be an important factor in the concurrent development of different ATF technologies.

The likelihood that no one ATF will completely dominate the vehicle fuels market has substantial implications for economic issues and for the development of the ATF industry as a whole. Some of the factors that will be affected by fuel choice include:

- rate of market penetration
- rate and type of infrastructure development
- implications of fuel diversification.

These issues are all closely related, and to a certain extent, symbiotic.

“The uncertainty introduced by potential variables such as increased competition, instability of fuel supplies, and the market response to supply and demand of fuels, may cause significant changes not only in the cost of fuels, but also in the way in which the vehicle fuels market operates.”

The *rate of market penetration* will have an impact on the cost of alternatively-fueled vehicles, particularly with respect to the advantages of the economies of scale associated with OEM vehicles. The total cost difference between specially manufactured or converted vehicles and OEM vehicles are likely to be substantial. If several fuels are vying for position within the vehicle fuels market, this means that a single fuel is less likely to achieve a rapid rate of market penetration.

Slower market penetration for each fuel also means slower development of accompanying services that make up the *infrastructure* that supports each fuel. This can affect everything from the number of fueling stations to the availability of parts and qualified mechanics to service the vehicles. The development of several distinct fuel infrastructures simultaneously may strain the limited financial resources available for this type of investment.

The *loss of the petroleum monopoly* on the vehicle fuels market, foreshadowed by the development of alternative transportation fuels, has far-reaching implications. The uncertainty introduced by potential variables such as increased competition, instability of fuel supplies, and the market response to supply and demand of fuels, may cause significant changes not only in the cost of fuels, but also in the way in which the vehicle fuels market operates.

Choices about appropriate fuels for niche applications will also be a decisive factor in creating options for financing alternatively-fueled vehicles and the infrastructure to support them. However, it is also an opportunity for fleet managers and policy decision-makers to choose the most energy-efficient and cleanest vehicles and fuels to meet their needs.

6.2 Vehicle Options

Traditional budget and procurement procedures frequently present a barrier to the use of ATFs at a local government level. Many of these procedures were established to accommodate petroleum fueled vehicles as the norm, and are not flexible enough to incorporate the special financing requirements of alternatively-fueled vehicles. The implementation of successful ATF programs will require change or revision of budget and procurement procedures in order to make vehicles financially accessible. Some of the financing options for vehicle procurement include:

- purchase through traditional and alternative financing options
- leasing and leasing-to-buy

- joint financing programs with government, utilities, industry, and other private sector partners
- co-operative agreements, including donations for in-kind assistance
- grants or donations from public or private organizations
- “found” money resulting from law suit awards, oil over-charge funds, etc.

6.3 Infrastructure Options

“The implementation of successful ATF programs will require change or revision of budget and procurement procedures in order to make vehicles financially accessible.”

Infrastructure costs represent one of the most significant barriers to the widespread use of ATFs. This problem is compounded by the fact that it is not clear where the responsibility for developing the necessary infrastructure belongs. The federal government, through Clean Air Act legislation, has provided both a catalyst and a framework within which this infrastructure can develop. However, there is not likely to be one group that is willing to assume these entire costs. Rather, it is likely that this infrastructure will be funded on a piecemeal basis, depending on local or regional circumstances. Participants in the building of this infrastructure may include:

- utilities
- industry associations
- government (local, state, and federal)
- vehicle manufacturers
- private organizations
- public and private investors
- public interest groups.

Establishing the infrastructure is likely to be a step-by-step process, incorporating a growing number of participants from different sectors as the use of ATFs spreads. For reasons mentioned earlier, ATF use is currently targeted at public and private fleets. This will hold down infrastructure costs until the use of ATFs grows and can support further investment.

7.0 Conclusion

It is the crucial role of city and county governments to evaluate the true costs of all transportation fuels, and decide which fuels best meet their overall needs. Increasingly, local governments will have to evaluate their decisions within the larger context of national and international concerns, and consider the impact of these choices on our standard of living, the environment, and energy sources available for the future. Actions taken by national or international agencies may seem remote to local governments, but cities and counties are the most important link between the decisions of policy makers and their effective implementation.

7.1 International Considerations

In June of 1992, the United Nations is sponsoring the largest international conference ever to be held. The Conference on Environment and Development, nicknamed the "Earth Summit", is expected to pass international conventions on several issues, including one on global climate change. The global climate change convention will likely include a number of recommendations related to transportation, including the reduction of mobile source emissions that contribute to the destruction of the ozone layer. Although the conventions will be written, debated, and passed by policy delegates from over 100 nations, conference organizers recognize that it will be at the regional and local government level in each of the signatory countries that these policies will be implemented. The effectiveness of these conventions will depend on the efforts of city and county staff to translate the conference agreements into action.

The International Council on Local Environmental Initiatives (ICLEI) is coordinating a long-range urban CO₂ mitigation project. Twelve cities and urban counties, five in North America and six in Europe, are participating in a 10 year project to develop and implement effective strategies for reducing CO₂ in urban areas. Of the jurisdictions in the United States that are part of this program¹, all will be looking to reduce mobile source emissions as one important component in their overall strategy to improve air quality and decrease climate change emissions.

7.2 National Considerations

In addition to activities on the international level, the United States has in place, or is considering, four major pieces of federal legislation that will dramatically affect the transportation policies and planning of local governments, and, in particular, the use of alternative vehicle fuels.

First is the Alternative Motor Fuels Act (AMFA) of 1988 (Public Law 100-494) which is intended to encourage the development and widespread use of methanol, ethanol, and natural gas as transportation fuels by consumers, and encourage the production of methanol, ethanol, and natural gas powered motor vehicles. To meet these objectives, the AMFA provides vehicle manufacturers with incentives to produce alternative fuel vehicles. The law also requires the demonstration and testing of alternative fuels in a variety of vehicles and calls for several studies to further understand alternative fuels. Government agencies participating in the program include U.S. Department of Energy, the General Services Administration, the U.S. Department of Transportation, and the U.S. Environmental Protection Agency.

Second is the Clean Air Act Amendments of 1990, which contains broad legislation that will affect most urban areas. The Act requires comprehensive and coordinated transportation planning on the local, regional, and state levels. It also mandates that fleets of vehicles in non-attainment areas convert to cleaner burning fuels as part of the effort to bring urban air quality within compliance of the NAAQS. The motivation behind the Clean Air Act is environmental: urban populations must have clean air to breathe. It is important to point out that while the Clean Air Act contains much important regulation, it contains no funding to achieve these goals.

The third major effort underway in Congress is the implementation of the National Energy Strategy (NES) developed by the USDOE and the Bush Administration. The House has passed a

version of the NES that is still being considered by the Senate. Although the final language is not certain at this time, it is very likely that the bill will include strong support for one or more types of ATFs.

During the reauthorization of the Surface Transportation Act, there was extensive debate about what our national transportation policies should be, and at what levels these priorities should be determined. The final legislation, the Intermodal Surface Transportation Efficiency Act of 1991 (ISTEA), provides an increased amount of flexibility in funding and allows local governments to become key players in this discretionary spending. Rather than continue with "business as usual," the ISTEA encourages local governments to consider new and different solutions to transportation problems, and at the same time recognizes the link between transportation and other issues, such as air quality. In order to take advantage of this opportunity, however, local governments will have to become aggressively involved in the transportation planning and implementation process for their region and state.

7.3 Local Considerations

The recent interest in alternative transportation fuels has been a grassroots movement, built from the ground up through city, county, and state governments. Ahead of any federal mandates or initiatives, local governments have led the way to cleaner fuels, through applied ATF technology, innovative policies, and model legislation; and it is likely that local governments will continue to lead the way for federal agencies. Therefore, it is critical that local governments recognize the impact that they can have.

The importance of the role of local governments as "leaders by example" cannot be overstated. Demonstration projects of 5, 10 and 20 alternatively-fueled vehicles can generate important and much needed information. However, it will not be until thousands and hundreds of thousands of vehicles are running on ATFs that we will see any significant impact on air quality, energy security, or cost reduction. Public fleets are the optimal way to begin to establish the necessary infrastructure that will lead us to a future where ATFs are the norm in public and private fleets, and even for individual citizens.

Experience has taught that unless a fuel can be cost-competitive with gasoline or diesel, no other driver is sufficient on its own merit to guarantee the successful and widespread use of ATFs. In cases such as New Zealand and Brazil, where strong federal regulation encouraged the use of ATFs, the program declined precipitously when government support was withdrawn. If the

use of ATFs in the U.S. is to be successful in the long run, these fuels will have to be cost-competitive with gasoline and diesel.

For this reason, it is imperative that local governments examine the economic costs of ATFs. But they must do so in a way that considers the entire range of economic implications, both internal and external. The costs associated with external factors that have been discussed in this paper eventually are borne by the constituency that local governments serve directly: the citizen. Costs that are not paid directly at the fueling station are paid indirectly through higher federal, state, and local taxes, and other means.

Local governments are not being asked to take on this burden alone. The strength of the effort to put ATFs into broad commercial use will come from federal, state, and local governments working with the private sector to everyone's benefit. Each will need to invest experience, technical expertise and capital in order to build the infrastructure to support these fuels. Success will be when there are many fuel choices, but none are considered "alternative."

Endnote

¹ U.S. jurisdictions participating in the ICLEI CO₂ mitigation project are Dade County (FL), Minneapolis (MN), Portland (OR), and San Jose (CA). Toronto, Canada will be the fifth North American city in the program.

Appendix A

AVFCAP Management Committee

AVF Unit Co-Managers

Creighton Lederer
Director
Buildings & Safety Engineering
Detroit, MI

Chuck Clinton
Director
D.C. Energy Office
Washington, D.C.

AVF Management Committee

Paul Brown
Executive Director
EV Association of the Americas
Washington, D.C.

Stan Bull
Director
Solar Fuels Research
Division
National Renewable
Energy Laboratory
Golden, CO

Cliff Hayden
Alternative Fuels Specialist
Continental Management
Associates, Ltd.
Everett, WA

Helen Petrauskas
Vice-President
Environmental and Safety
Engineering
Ford Motor Company
Dearborn, MI

Jeff Seisler
Executive Director
Natural Gas Vehicle Coalition
1515 Wilson Blvd., Suite 1030
Arlington, VA

Jack Werner
Business Director
Public Technology, Inc.
1301 Pennsylvania Ave., NW
Washington, D.C.

Appendix B

List of Related UCETF Reports

“Alternative Transportation Fuels: Infrastructure Issues”
New York, NY; DG/89-327

“Alternative Vehicle Fuels: A Demonstration Project”
Albuquerque, NM; DG/90-316

“An Alternative Fuels Evaluation System for Fleet Vehicles”
Denver, CO; DG/89-325

“Analysis of Programmatic Fleet Conversion to Ethanol Blends”
Phoenix, AZ; DG/89-330

“A Regulatory Framework for Alternative Fuels and Transportation Management Services”
Denver, CO; DG/90-318

“Fleet Assessment for Opportunities to Effectively Deploy Light-Duty AVS”
Detroit, MI; DG/89-326

These reports are available from PTI, Publications Department; call toll free 1-800-852-4934.

Appendix C

AVF Economic Evaluation Scenarios

1. **“Preliminary Analysis of Vehicle, Fuel Distribution, and Fuel Volume/Price Requirements for Clean Air Act ‘Clean Fuels’ Program.”**

**Preliminary Analysis of
Vehicle, Fuel Distribution, and Fuel Volume/Price
Requirements(1) for
Clean Air Act "Clean Fuels" Program:
Methanol**

M. Singh
8/30/89
PPA/DOE

	1995	2000	2005	2010
I. Fuel Volumes(2) (Billion gal/year) (in Ozone Nonattainment Areas)				
Methanol Used(3)	0.5	3.7	5.9	7.1
Gasoline Displaced(4)	0.2	1.8	2.9	3.6
Gasoline Used	23.2	24.2	25.5	26.7
II. Potential Fuel Price Changes				
Methanol Subsidy @ 5¢/gal. Methanol(5) (Million)	\$23	\$184	\$295	\$357
Gasoline Price Increase Required to Support 5¢/gal. Subsidy(6)	0.1¢/gal.	0.8¢/gal.	1.2¢/gal.	1.3¢/gal.
III. Methanol Production Plants (Required Number)				
2,500 MT/D Plant Size or 10,000 MT/D Plant Size	2 1	14 4	22 6	27 7
IV. Refueling Outlets(8)				
In Ozone Non-Attainment Areas to Serve Flexible Fuel Vehicles	1,500	12,000	19,300	23,300
V. Vehicles				
Annual Sales(10)				
	<u>Cars</u>	680,000	<u>Light Trucks</u>	320,000
	GM	230,000	GM	110,000
	Ford	140,000	Ford	100,000
	Chrysler	70,000	Chrysler	70,000
	European	40,000	Others	40,000
	Asian	200,000		
Total Methanol Vehicles in Use(11) (Million)	0.5	5.2	9.5	12.6
% of LDVs in Ozone Nonattainment Areas	1.1%	10.7%	18.1%	22.7%
VI. Capital Costs - Cumulative (Billion)				
2,500 MT/D Methanol Plant(12)	\$0.54-\$0.74	\$3.78-\$5.18	\$5.94-\$8.14	\$7.29-\$9.99
or 10,000 MT/D Methanol Plant	\$0.68-\$0.92	\$2.72-\$3.68	\$4.08-\$5.52	\$4.76-\$6.44
Refueling Outlets(13)	\$0.08	\$0.64	\$1.02	\$1.24
Vehicles(14)	\$0.14	\$1.44	\$2.82	\$4.19

See Explanatory Notes Attached

Explanatory Notes: Methanol

1. All figures based on the proposal for sales of .5 million "clean fuel" light duty vehicles in 1995, .75 million in 1996 and 1.0 million each year thereafter, in nine worst ozone non-attainment areas. While the President's program only proposes sales through 2004, it is expected that sales of 1 million "clean fuel" vehicles will continue in subsequent years. The nine worst ozone non-attainment areas have a population of 57 million people or 23% of U.S. population (Source: EPA Office of Mobile Sources). Vehicle populations and fuel use in affected areas assumed equal to 23% of U.S. total. All figures are preliminary and subject to change.
2. All fuel volumes taken from DOE Motor Fuel Consumption (MFC) Model 14th Periodical Report Base Case as modified by methanol vehicle sales schedule, reported in BUSHRUN 1. DAT. Vehicles assumed to use M-85 with an M-85/gasoline mpg ratio of 1.74 i.e., equal BTU fuel efficiency.
3. 75% utilization of methanol assumed, meaning that 25% of the time the fuel flexible methanol vehicles are outside ozone non-attainment area and use gasoline.
4. Calculated to account for the 15% gasoline (by volume) in M-85.
5. Actual subsidy required to equalize methanol and gasoline prices depends on factors that are can not be accurately estimated at this time. 5c/gal is used here as an example. If greater or lesser subsidy is required, these figures can be adjusted in direct proportion to the per gallon subsidy.
6. Assumes only gasoline sold in ozone non-attainment areas bears the price increase or tax.
7. 90% capacity utilization assumed on methanol plant of the stated nominal capacity.
8. Based on each outlet dispensing 30,000 gal/month M-85 or 100,000 gal/months of all products. By 2010, about 50% of all outlets in non-attainment areas would have methanol available.
9. If dedicated vehicles are mandated, then additional outlets will be required (1) initially in ozone areas and (2) outside the urban areas to allow dedicated vehicles to travel freely. 10% is the minimum fraction that studies (on diesel vehicle owners) have shown will satisfy consumers that the fuel is "available". This would require an additional 15,000 outlets nationwide, at a cost of \$600 million.
10. Based on sale of 1,000,000 light duty vehicles per year distributed to vehicle types and manufacturers in proportion to 1988 sales shares.
11. From DOE the Motor Fuel Consumption Model 14th Periodical Report, December 1988, DOE/OR/21400-H12.

12. Plant cost estimates taken from DOE analysis of methane plant construction costs. Range of costs reflects differences in construction costs of plants in Areas II and III as defined in DOE Draft Report "Methanol Production Costs, Technical Report Two".
13. \$53,000/retail outlet includes proportional tank truck and terminal costs. Taken from Draft Report "Capital and Operating Cost of a Fuel Methanol Distribution System, 1988 Update", Oct. 1988, Energy and Environment Analysis, Inc.
14. \$275/vehicle incremental retail price as reported in "Characterization of Future Methanol Compatible Vehicle Attributes", Energy and Environmental Analysis, Inc., June 1989. Capital costs to manufacturers (fixed and variable) to produce vehicles are assumed equal to the cumulative price increase.

**Preliminary Analysis of
Vehicle, Fuel Distribution, and Fuel Volume/Price
Requirements(1) for
Clean Air Act "Clean Fuels" Program:
Natural Gas**

M. Singh
8/30/89
PPA/DOE

	1995	2000	2005	2010
I. Fuel Volumes(2) (in Ozone Nonattainment Areas)				
Natural Gas Used (Billion scf/yr) (3)	40.0	311.2	498.8	603.8
Gasoline Displaced (Billion gal/yr)	0.3	2.5	4.0	4.8
Gasoline Used (Billion gal/yr)	23.1	23.6	24.4	25.4
II. Potential Fuel Price Changes				
Natural Gas Subsidy @ 5¢/125 scf natural gas (Million) (4)	\$16	\$125	\$200	\$242
Gasoline Price Increase Required to Support 5¢/125 scf Subsidy(5)	0.1¢/gal.	0.5¢/gal.	0.8¢/gal.	1.0¢/gal.
III. Natural Gas Demand Comparisons				
NGV Demand vs. Domestic Natural Gas Production(6)	0.2%	1.7%	2.7%	3.3%
NGV Demand vs. Residential/Commercial Demand in Ozone Nonattainment Area(7)	2.4%	19.0%	30.4%	36.7%
IV. Refueling Outlets(8)				
In Ozone Non-Attainment Areas to Serve Flexible Fuel Vehicles (9)	480	3,720	5,970	7,220
V. Vehicles				
Annual Sales(10)	<u>Cars</u>	680,000	<u>Light Trucks</u>	320,000
	GM	230,000	GM	110,000
	Ford	140,000	Ford	100,000
	Chrysler	70,000	Chrysler	70,000
	European	40,000	Others	40,000
	Asian	200,000		
Total Natural Gas Vehicles in Use(11) (Million)	0.5	5.2	9.5	12.6
% of LDVs in Ozone Nonattainment Areas	1.1%	10.7%	18.1%	22.7%
VI. Capital Costs - Cumulative (Billion)				
Gas Exploration and Production(12)	\$0.03	\$0.22	\$0.36	\$0.43
Refueling Outlets(13)	\$0.17	\$1.33	\$2.14	\$2.59
Vehicles(14)	\$0.40	\$4.20	\$8.20	\$12.20

See Explanatory Notes Attached

Explanatory Notes: Natural Gas

1. All figures based on the proposal for sales of .5 million "clean fuel" light duty vehicles in 1995, .75 million in 1996 and 1.0 million each year thereafter, in nine worst ozone non-attainment areas. While the President's program only proposes sales through 2004, it is expected that sales of 1 million "clean fuel" vehicles will continue in subsequent years. The nine worst ozone non-attainment areas have a population of 57 million people or 23% of U.S. population (Source: EPA Office of Mobile Sources). Vehicle populations and fuel use in affected areas assumed equal to 23% of U.S. total. All figures are preliminary and subject to change.
2. Gasoline fuel volumes taken from DOE Motor Fuel Consumption (MFC) Model 14th Periodical Report Base Case as modified by methanol vehicle sales schedule, reported in BUSHRUN 1. DAT. In this analysis, natural gas vehicle (NGV) sales replace the methanol vehicle sales assumed in this run. NGVs are assumed to have the same energy efficiency as gasoline - powered vehicles.
3. 75% utilization of NGVs assumed, meaning that 25% of the time the dual-fuel NGVs are outside ozone non-attainment area and use gasoline.
4. Assume 1000 Btu/scf. Actual subsidy required to equalize natural gas and gasoline prices depends on factors that are can not be accurately estimated at this time. 5c/scf is used here as an example. If greater or lesser subsidy is required, these figures can be adjusted in direct proportion to the per 125 scf subsidy.
5. Assumes only gasoline sold in ozone non-attainment areas bears the price increase or tax.
6. Domestic natural gas production from EIA's Annual Energy Outlook 1989. Production for 2000 assumed for years 2005 and 2010.
7. 1987 residential/commercial demand in ozone nonattainment areas estimated from such demand in 8 states in which the nine areas re located. State-level per capita demand from State Energy Data Report (DOE/EIA-0214(87)) and population of nonattainment areas from State Metropolitan Area Data Book 1986.
8. Based on each outlet dispensing 83.6 106 scf/yr.
9. If dedicated vehicles are mandated, then additional outlets will be required (1) initially in ozone areas and (2) outside the urban areas to allow dedicated vehicles to travel freely. 10% is the minimum fraction that studies (on diesel vehicle owners) have shown will satisfy consumers that the fuel is "available". This would require an additional 15,000 outlets nationwide, at a cost of \$5.4 billion.
10. Based on sale of 1,000,000 light duty vehicles per year distributed to vehicle types and manufacturers in proportion to 1988 sales shares.
 1. From DOE the Motor Fuel Consumption Model 14th Periodical Report, December 1988, DOE/OR/21400-H12.
12. From Performance Profiles of Major Energy Producers 1987. Assumes depreciation, depletion and amortization costs represent capital costs for funding and producing natural gas in the U.S.
13. \$358,000/retail outlet includes cost of distribution hook-up. Taken from draft report, Assessment of Natural Gas Infrastructure for Transportation Use, EA Muller (Nov., 1988) and addendums.
14. \$800/vehicle incremental retail price as reported in Assessment of Costs and Benefits of Flexible and Alternative Fuel Use in the U.S., Transportation Sector, Progress Report Three: Vehicle and Fuel Distribution Requirement (Draft) (July 1989). Capital costs to manufacturers (fixed and variable) to produce vehicles are assumed equal to the cumulative price increase.

2. “Methanol vs. Natural Gas Vehicles: A Comparison of Resources Supply, Performance, Emissions, Fuel Storage, Safety, Costs, and Transitions.” DeLuchi et alia, University of California, Davis, 1988. SAE Technical Paper #881656.

- a. Table 14: Input data for the reference gasoline vehicle**
- b. Table 15: Estimates of the cost of methanol from RNG (delivered), US gas, and US coal 1985\$**
- c. Table 17: Capital and operating costs of CNG stations**
- d. Table 18: Base-case input costs data for methanol vehicles**
- e. Table 19: Base-case input cost data for natural gas vehicles**
- f. Table 20: Life-cycle cost estimates for methanol and NG vehicles**

Table 14: Input data for the reference gasoline vehicle

35	Overall lifetime fuel economy, miles/gallon
9500	The initial price of the car, with tax and license, 1985 U.S. \$
130,000	The life of the car, miles
0.03	Vehicle salvage value, fraction of initial cost
10,000	Miles driven per year
2535	The weight of the vehicle, lbs
0.09	The real annual interest rate, for auto loans or foregone savings
46.24	Insurance payments, \$/month, first n years
5	n, years (see above)
30.57	Insurance payments, \$/month, subsequent years
400	Maintenance costs, \$/year
7.50	Parking and tolls, \$/month
250.00	Four replacement tires, \$/set
50,000	Life of tires, miles
20.00	Accessories, \$/years
11.00	Oil, \$/year
90.00	Registration, including inspection and maintenance cost, \$/year
0.20	Gasoline tax, federal + average state, \$/gallon

Table 15: Estimates of the cost of methanol from RNG (delivered), U.S. gas, and U.S. coal 1985 \$/mbtu (higher heating value)*

	Fluor	JKPL	Cohen and Muller	Chevron	Jack Faucett Associates	Wagner and Tatterson	Sperling	Range used in this paper
Reference:	1981 (160)	1983 (109)	1985 (161)	1985 (78)	1986 (38)	1987 (162)	1988 (27)	
RNG:		12.04	11.71	14.06	7.99	6.18	8.66-14.03	9.00-12.50
U.S. gas:		---	11.17	12.50	11.46	6.18	8.95-14.32	
U.S. coal:	10-11.50†	14.37	17-19.66††	18.75	--	13.80	13.43-23.28	14.00-19.00

Note: Assumptions not identical in all cases. See ref. (76) for or review. As noted there, low-end estimates in the literature of the cost of methanol from RNG probably are valid only at relative low levels of demand. Thus our range does not include the lower end of the range of estimates for methanol from RNG shown above. See ref. (163) for estimates of the marginal supply costs of associated and non-associated gas for the years 2000-2010. Those estimates do not include any economic rent.

* We use 65,900 Btu/gallon of methanol.

† Depends on financial assumptions.

†† Depends on the size of the plant.

Table 16a: Estimated U.S. NG production, near- and middle-term scenarios

Production, TCF/year				
	Without NGVs in 2000 (EIA, 1988)	Growth in Non- NGV beyond 2000*	Required for NGVs	Total
Near term	17	0-3	2-3	19-23
Middle term	17	0-3	8-10	25-30

* Additional production required to support growth in demand by non-transportation sectors, above the 17 TCF/year projected recently by the EIA (167) for 2000 (the left-hand column of this table.) We assume that high prices in the middle term keep gas demand in non-transportation sectors from growing more than 3 TCF/year above the Energy Information Agency (167) projection for 2000.

Table 17: Capital and operating costs of CNG stations

Station location	Inlet psi	Car tank psi	Capacity SCFM	Installed \$/SCFM*	mmBtu-power/mmBtu-CNG	Maintenance \$mmbtu-CNG	Reference
Canada	175	3000	65	2700**	0.015		Topaloglu (86)
U.S.	--	2400-3000	30	2500	--	--	AGA (170)
U.S.	--	2400	50	1600-2600	--	--	Areospace Corp. (7)
Pacific Rim	20-70	2400	70***	2200***	0.055†	--	United Nations (171)
New Zealand	5	3000	60	2036	0.073	0.36	Abram et al. (152)††
U.S.	15	2400-3000	50	1700†††	--	--	Automotive Nat. Gas (172)
U.S.	5	2400-3000	103	1400†††	--	--	Automotive Nat. Gas (172)
U.S.	--	2400-3000	100	1250	--	--	AGA (170)
U.S.		2400	100	1250§	0.033	0.20-0.70	Bechtold et al. (173)
U.S.	150	2400-3000	100	1000†††	--	--	Automotive Nat. Gas (172)
New Zealand	50	3000	176	784	0.027	0.22	Abram et al. (152)††
U.S.	--	2400-3000	300	750	--	--	AGA (170)
New Zealand	300	3000	265	570	0.021	0.22	Abram et al. (152)††
U.S./Canada	--	2200-3200	--	--	0.03-0.05§§	0.14-0.18	LeFrenz et al. (174)
U.S.	--	2400	--	--	--	0.49	Elms (175)
U.S.	--	--	--	--	--	0.55	Bechtold and Timbario (8)

Notes:

-- = Not specified SCFM - standard cubic feet per minute. In the U.S., most inlet pressures are 5 psig or less.

* Total installed capital cost per SCFM of capacity, including installation, storage, dispensing, and gas hook-up, but not including land, foundation, and buildings, unless otherwise noted.

** Described as "total acquisition cost," which apparently includes foundations and buildings.

*** Given as \$146,000 (we assume 1983\$) for station actually delivering 2000 gigajoules/month. We assume 60% capacity factor. Installation and materials costs are fairly high, and may reflect higher costs in lesser developed countries.

† With our assumption of \$17.50/mmBtu power (1983 U.S.\$), in New Zealand (price data from ref. [181]).

†† We assume 1979 New Zealand dollars in original, \$1.1 NZ = \$1 U.S. in 1979, \$12.10/mmBtu for power (1979 U.S.\$).

††† We assume \$20,000-\$30,000 for installation and gas-line hook-up.

§ Given \$85,000 for the compressor in ref. and our assumption of \$40,000 for storage, dispensing, installation, gas hook-up.

§§ Data in reference given in \$-electricity/mmBtu-CNG. We assume \$16/mmBtu-power (1980\$), average 1980 commercial sector price.

Table 18: Base-case input cost data for methanol vehicles

High	Low	
0.82	0.59	Price of methanol from NG, a port or plant gate, \$/gallon*
1.25	0.92	Price of methanol from coal, plant gate, \$/gallon*
0.23	0.14	Domestic transportation cost and retail mark-up, \$/gallon
0	0	Extra initial cost of the vehicle, including engine downsizing and pollution control equipment, \$
130,000		Life of the vehicle, miles
1.0	1.0	Maintenance costs, fraction of gasoline vehicle's
1.10	1.20	Thermal efficiency, relative to gasoline
0.11	0.11	Fuel tax, Federal + average state, \$/gallon

Notes:

* From cost assumptions in Table 15, and assuming 65,900 BTU/gallon

Table 19: Base-case input cost data for natural gas vehicles

CNG		LNG		
High	Low	High	Low	
9.00	7.50	9.00	7.50	The cost of gas to the station, \$/mmBtu, near term
11.00	9.00	11.00	9.00	The cost of gas to the station, \$/mmBtu, middle term
750	650	--	--	Total capital cost of CNG station, \$/SCFM of capacity, excl. land and booth
250	250	--	--	Capacity of compressor, SCFM
4200	4600	--	--	Hours compressor operates per year
10,000	10,000	--	--	Cost of buildings for CNG station, \$
--	--	1.00	0.925	Installed capital cost of liquefier and booth, millions of \$
50,000	30,000	70,000	40,000	Cost of land, \$
20	20	20	20	Life of equipment, years
0.05	0.10	0.05	0.10	Salvage value of station equipment at end of life
0.15	0.15	0.15	0.15	Before-tax rate-of-return on investment, decimal factor
70,000	50,000	95,000	60,000	Staff salaries, total \$/year
0.075	0.035	0.23	0.18	Compression or liquefaction energy requirement, mmBtu in/mmBtu out
26.00	23.00	9.00	7.50	Cost of fuel used to compress or liquefy NG, \$/mmBtu, near term
35.00	30.00	11.00	9.00	Cost of fuel used to compress or liquefy NG, \$/mmBtu, middle term
0.50	0.25	0.20	0.16	Maintenance costs, \$/mmBtu of LNG or CNG produced
0.02	0.01	0.02	0.01	Yearly administration and general expenses, fraction of investment
--	--	1.03	1.01	Boil-off loss at LNG station, factor
---	---	---	---	----
4.21	2.24	4.55	2.83	Retail fuel mark-up, before taxes, near term, \$/mmBtu
4.88	2.49	5.01	3.10	Retail fuel mark-up, before taxes, middle term, \$/mmBtu
--	--	1.03	1.00	Boil-off loss factor, for LNG vehicles
800	700	950	650	Extra initial cost of fuel storage equipment, \$
0.25	0.45	0.10	0.35	Salvage value of fuel storage equipment, fraction of initial cost
250	350	250	350	Cost reduction for foregone pollution control equipment, \$
0	0	0	0	Cost difference for underhood parts, including engine size, \$
130,000	160,000	130,000	160,000	Life of vehicle, miles
1.10	1.25	1.10	1.27	Relative thermal efficiency
120	120	50	0	Extra weight of vehicle, lbs
1.0	0.8	1.0	0.8	Relative yearly maintenance cost
0.6	0.4	0.6	0.4	Relative yearly oil cost
1.05	1.0	1.05	1.0	Relative monthly insurance cost, first n years
1.0	1.0	1.0	1.0	Fuel tax, relative to gasoline tax cost-per-mile

Notes: -- = not relevant. Fuel cost is higher for compression than for liquefaction because compressors use electricity, whereas small-liquefiers run off of gas from the pipeline.

Table 20: Life-cycle cost estimates for methanol and NG vehicles

Base case:*				
Vehicle	Near term		Middle term	
	Break-even \$/gal**		Break-even \$/gall†	
	High	Low	Low	High
Methanol	\$2.00	\$1.33	\$2.74	\$1.85
LNG	\$2.23	\$0.75	\$2.52	\$0.92
CNG	\$2.14	\$0.75	\$2.46	\$0.93
35 mpg/350 mile-range, or 25 mpg/250 mile-range, CNG:***				
CNG	\$2.29	\$0.86	\$2.60	\$1.04
NGVs with no pollution control (3-way catalysts):†				
LNG	\$2.11	\$0.59	\$2.40	\$0.77
CNG	\$2.02	\$0.60	\$2.34	\$0.78
5% real interest rate:††				
LNG	\$2.14	\$0.64	\$2.43	\$0.81
CNG	\$2.06	\$0.55	\$2.37	\$0.82
High-pressure CNG inlet:†††				
CNG	\$1.93	\$0.68	\$2.19	\$0.85

Notes: In all cases mpg refers to gasoline vehicles. Efficiency for alternative vehicles calculated relative to gasoline mpg, from differences in vehicle weight and thermal efficiency.

* 35 mpg gasoline vehicle; 250 mile range for all vehicles; 9% real auto-loan rate; NGVs have full pollution control; low-pressure gas inlet for CNG.

** The break-even price of gasoline is that price of gasoline which equates the full life-cycle cost-per-mile of the alternative-fuel vehicle with the full life-cycle cost-per-mile of the baseline gasoline vehicle.

*** Modelled by increasing the cost of fuel storage by a factor of 1.4, and ignoring weight effects.

† With \$250 to \$350 reduction for foregone pollution control equipment.

†† The real rate of interest foregone by a cash purchaser. The 9% base case is a real auto-loan rate.

††† \$/SCFM changed to \$500-\$600; energy requirement to 0.015-0.020 mmBtu-power/mmBtu-CNG; maintenance requirement to \$0.15-0.25/mmBtu-CNG

3. "Is Methanol the Transportation Fuel of the Future?"
Daniel Sperling and Mark A. DeLuchi, 1989. Transportation Research Group, University of California, Davis.
- a. Table 2: Start-up barriers for methanol and CNG multifuel vehicles relative to gasoline

Table 2. Start-up barriers for methanol and CNG multifuel vehicles relative to gasoline; based on Refs. 17, 21, 22, and 41

Parameter	Methanol	CNG
Refueling station	\$40,000	\$300,000 or more
Multifuel vehicle		
Initial cost	+30 to 200	+ \$1600 (retrofit) + \$750 (factory)
Operating cost ^a	the same or more	less
Lifecycle cost ^a	the same or more	less or more
Performance ^a	the same or better	worse
Luggage space	the same	less
Cold start ^a	worse	the same

^aFor operation on the non-gasoline fuel.

4. "Electric Vehicles: Performance, Life-Cycle Costs, Emissions, and Recharging Requirements." DeLuchi, *et alia*, 1989. Transportation Research Group, University of California, Davis.
 - a. Table 5: Base-case input data for reference gasoline vehicles
 - b. Table 7: Base-case input data and calculated results for EVs
 - c. Table 8: Cost comparison of gasoline and electric passenger vehicles, calculated results, cents/mi

Table 5. Base-case input data for the reference gasoline vehicles

30.5	Overall lifetime fuel economy, miles/gallon, subcompacts
19.0	Overall lifetime fuel economy, miles/gallon, cargo vans
10,500	The initial price of the subcompact, with tax and license, \$
14,000	The initial price of the cargo van, with tax and license, \$
3%	Vehicle salvage value, related to initial price
120,000	Miles driven over life or until resale
10,000	Miles driven per year
2600	The driving weight of the subcompact, lbs
4000	The driving weight of the cargo van, lbs
46.24	Insurance payments, \$/month, first n years when coverage for collision damage is carried
5	n, years collision damage is carried
30.57	Insurance payments, \$/month, subsequent years, without collision
400	Maintenance costs, \$/year
7.50	Parking and tolls, \$/month
250.00	Four replacement tires, \$/set
50,000	Life of tires, miles
20.00	Accessories, \$/year
11.00	Oil, \$/year
25	Registration fee for subcompact cars, \$/year
40	Registration fee for vans, \$/year
20	Inspection and maintenance fee, \$/year
0.20	Gasoline tax, Federal + average State, \$/gallon
9%	The real annual interest rate, for auto loans (base case)
5%	The real annual interest rate, for high-yield savings accounts
7%	Reduction in vehicle efficiency per 10% increase in vehicle weight
5%	Sales tax

Accessory cost, insurance cost, maintenance cost, and parking and tolls from FHWA (1984). Vehicle weight and efficiency correlation from EPA test data (Heavenrich et al., 1987).

Table 7. Base-case input data and calculated results for EVs

High	Low	Cost item
	5.00	Cost of off-peak electricity at the outlet, ¢/kwh
	9.00	Cost of solar electricity at the outlet, ¢/kwh
0.90	0.95	Energy efficiency of the battery charger
0.70	0.75	Energy efficiency of the battery
5.5	6.1	EV powertrain efficiency/ICEV powertrain efficiency
150	150	Desired urban range, miles, subcompact, at 95% DoD
100	100	Desired urban range, miles, cargo van, at 95% DoD
110	80	OEM battery cost, \$/kwh of nominal or rated capacity
100	125	Battery energy density, wh delivered/kg of battery system
800	1200	Battery cycle life, at 80% DoD
5%	10%	Battery salvage value, percent of initial price
1.50	1.40	Retail to OEM mark-up factor
0	-400	Initial cost of EV (including charger but not battery) minus initial cost of ICEV, under mass production, \$
400	400	Cost of recharging outlet in new home, \$
100	100	Cost of recharging station in new business, \$/vehicle
30	30	Amortization period for cost of charging station, years
1.25	2.00	EV life/ICEV life
10%	13%	Weight reduction, excluding battery and battery support
0.09	0.06	Lbs structural support per lb of extra weight, passenger cars
2.00	1.50	Cost of extra structure, \$/lb.
75%	50%	Maintenance costs, percent of gasoline vehicle's
0%	0%	Oil costs, percent of gasoline vehicle's
<i>Calculated results:</i>		
7200	4000	Battery initial cost, passenger car, \$
7000	3900	Battery initial cost, van, \$
2.37	3.38	Passenger car efficiency, mi/kwh from the outlet
1.64	2.22	Van efficiency, mi/kwh from the outlet

Table 8. Cost comparison of gasoline and electric passenger vehicles, calculated results, cents/mi

Gasoline vehicle	Cost item	Electric Vehicle	
		Low	High
3.77	Energy ^a , including taxes	1.48	2.11
--	Battery	4.51	10.56
13.94	Initial price	9.90	12.55
--	Home recharging station	0.39	0.39
4.69	Insurance	4.67	5.21
4.47	Maintenance, oil, and tires	2.44	3.48
1.55	Reg., I&M, parking, accessories	1.38	1.43
28.42	TOTAL	24.77	35.73

^aAssuming \$0.95/gallon, 5¢/kwh.

5. "Curbing Air Pollution in Southern California: The Role of Electric Vehicles." Lamont C. Hempel, *et alia*, April 1989. The Claremont Graduate School - Center for Politics and Policy.
 - a. Table 5: Current lifecycle cost comparisons for electric and gasoline-powered vans
 - b. Table I-4: Annual electricity requirements for EVs under three scenarios
 - c. Table I-5: Estimated lifecycle cost comparisons for gasoline, methanol, and advanced next-generation electric vehicles

TABLE 5
CURRENT LIFECYCLE COST COMPARISONS FOR
ELECTRIC AND GASOLINE-POWERED VANS*
(cents per mile, in 1985 currency, at 12,000 mi./yr.)

COST FACTOR	TYPE OF VAN	
	<u>Electric</u>	<u>Gasoline</u>
Initial cost of vehicle**	14.16 (24.25)	16.42
Fuel cost	4.45	5.00
Battery cost	10.09	---
Insurance	7.50	7.59
Maintenance	3.13	6.25
Oil and accessories	0.84	1.08
Replacement tires	1.05	0.52
Parking and tolls	1.00	1.00
registration and taxes	4.36	3.33
Fuel tax	0.05	0.60
TOTAL PRIVATE COST	46.63	42.19

*Assumes EV production volumes at 50,000/yr.; EV efficiency at 1.5 mi/kWh from outlet, at 7c/kWh, with 60 mile range and battery cost of \$3,868; base price of conventional van at \$13,400, with gasoline lifetime fuel efficiency of 18 mpg, weight of 3800 lbs.; annual interest rate of 10%; insurance avg. at \$75/month; vehicle lives of 130,000 mi. for gasoline and 180,000 mi. for electric. **Without battery.

Source: Lotus 1-2-3 spreadsheet model developed by Mark Deluchi, University of California, Davis, 1987. Assumptions used are our own.

TABLE I-4
ANNUAL ELECTRICITY REQUIREMENTS FOR EVs
UNDER THREE SCENARIOS (in gWh/yr)

EV Fleet Size for each Scenario in the Year 2010	EVs as % of Total Fleet	EV Efficiency from Battery in miles per kWh (efficiency from outlet in parentheses)			
		2 (1.66)	3 (2.49)	4 (3.32)	5 (4.15)
I. 542,800	5%	3,924	2,616	1,962	1,570
II. 2,763,300	25%	19,976	13,317	9,988	7,990
III. 5,069,300	47%	36,646	24,430	18,323	14,658

EV market penetration scenarios are described in Chapter II.

TABLE I-5

ESTIMATED LIFECYCLE COST COMPARISONS FOR GASOLINE
METHANOL, AND ADVANCED "NEXT GENERATION" ELECTRIC VEHICLES*
(cents per mile, in 1985 currency, at 12,000 mi./yr.)

COST FACTOR	TYPE OF PASSENGER VEHICLE		
	Electric	Gasoline	Methanol
Initial cost of vehicle(1)	12.55 (18.40)	14.70	14.70
Fuel cost(2)	2.51	3.00	5.48
Battery cost(3)	5.85	---	---
Insurance(4)	5.00	5.08	5.08
Maintenance(5)	1.24	3.75	3.75
Oil and accessories(6)	0.46	0.60	0.60
Replacement tires(7)	0.73	0.44	0.44
Parking and tolls(8)	1.00	1.00	1.00
Vehicle registration(9)	1.28	1.00	1.00
Fuel tax (10)	0.03	0.60	0.60
TOTAL PRIVATE COST	30.64	30.16	32.62

*Assumes mass production of EVs with high performance advanced batteries, on-board chargers, and ac powertrains.

Source: Lotus 1-2-3 spreadsheet model developed by Mark Deluchi, University of California, Davis, 1987. Assumptions used are our own:

- (1) purchase price: EV = \$15,433 (18.4¢/mi) with battery included, \$12,200 (12.65¢/mi.) without; gasoline vehicle = \$12,000; methanol vehicle = \$12,000; assumes standard loan at 10% and expected vehicle lives of 130,000 miles for gasoline and methanol vehicles and 180,000 mi. for EVs (longer EV life is due primarily to lack of engine vibration and wear).

6. "Assessment of Costs and Benefits of Flexible and Alternative Fuel Use in the US Transportation Sector: Progress Report I — Context and Analytical Framework." January, 1988, USDOE.
 - a. Table 2: Summary of fuel and vehicle characteristics when alternative energy sources replace gasoline
 - b. Table A-1: Summary of alternative-fuel prices and assessment of their suitability relative to gasoline
 - c. Table E-1: Comparative summary of vehicle characteristics and cost for gasoline, diesel and alternative fuels

Table 2 — Summary of Fuel and Vehicle Characteristics When Alternative Energy Sources Replace Gasoline

	Ethanol	Methanol	CNG	Electricity
Near-Term Technical Acceptability	Proven	Proven	Satisfactory for some uses	Close to commercial
Economic Competitiveness (for energy output)	Much more expensive	Near equivalent	The same or better ^a	More expensive; wide range ^b
Availability	Limited	Limited; good future potential	Limited	Limited by generation constraints
Fuel Volume, Compared With Gasoline^d	1.5x	2x	5x	2x - 3x ^c
Refueling Procedure	No different from gasoline	No different from gasoline	More complex and lengthy	Recharging takes hours; battery replacement cumbersome
Fuel Storage Container Weight^d	1.3x	1.6x	100-140x (steel); 50-70x (aluminum)	Heavy; depends on technology
Fuel Storage Tank Cost^d	Nominal	Nominal	\$850-1,000	Battery type determines equivalence
Current State of Fuel System Technology Development	Production technology in Brazil	Pre-production stage	Commercial, but requires updating	Being used in niche markets
Representative Type of Vehicle	Light and heavy duty	Light and heavy duty	Niche fleets; light and heavy duty	Short range, light duty
Engine Performance Characteristics	Power gain, but less than methanol	Approximately 8% power gain ^a	Approximately 10% power loss	Comparable, at expense of range
Exhaust Emissions: HC, CO, NO_x and HC reactivity	Same or better; lower NO _x and HC reactivity	Same or better; lower NO _x & HC reactivity; potential for lower CO ^a	NO _x : same or higher HC: same or higher ^f CO: lower	Only emissions from generating plants (variable with facilities)
Energy Content (Net)				
Compared with about 18,500-19,000 BTU/lb for gasoline and diesel	11,500	8,600	21,300 ^f	N.A.
Compared with 112,000-128,000 BTU/gal for gasoline and diesel	75,700	56,600	22,800 ^f	N.A.

^aDepends on vehicle operational characteristics and refueling costs, which are linked to the natural gas rates assigned to transport uses by regulatory bodies.

^bDepends on battery technology and electricity costs (which have a wide range, based on variations in production technology and local regulation).

^cBased on equivalent driving range.

^dTwenty-gallon gasoline tank equivalent.

^eBased on engines optimized to use gasoline (methanol optimization yields higher gains).

^fPure methane. Other minor constituents (such as ethane and propane) boil at higher temperatures.

^gUnder "lean-burn" conditions.

Source: Mueller Associates, Inc.

**Table A-1 — Summary of Alternative-Fuel Prices
and Assessment of Their Suitability Relative to Gasoline**

Alternative Fuel	U.S. End-User Price Range		Technical Acceptability	Economic Competitiveness	Environmental Acceptance	Availability
	Unit Price	\$/Million BTU				
Gasoline						
Regular	\$0.53-0.65/gal ^a	4.2-5.1	—	—	—	—
Premium	\$0.60-0.78/gal ^a	4.7-6.2	—	—	—	—
LPG (HD-5)	\$0.23-0.33/gal ^b	2.8-4.0	Lagging behind	Same or better	Same or better	Limited
Ethanol	\$1.25-1.45/gal ^c	14.9-17.2	Proven	Much more expensive	Favorable	Limited
Methanol	\$0.35-0.45/gal ^d	5.5-7.0	Proven	Near equivalent	Much more favorable	Limited; good future potential
Natural Gas						
Residential	\$3.62-8.66/1000 scf	3.5-8.3 ^e	Satisfactory for some uses	Same or better ^f	Favorable	Limited ^g
Commercial	\$2.18-7.46/1000 scf	2.1-7.1				
Electricity						
Residential	\$0.015-0.133/kWh	4.2-37.9 ^h	Close to commercial	Wide range ⁱ	Same to much better ^j	Limited due to generation constraints
Commercial	\$0.006 ^k -0.127/kWh	1.7-36.1				
Synfuels						
Coal	—	—	Similar	More expensive	Unresolved	NA
Shale	—	—	Similar	Unknown	Unresolved	NA
Hydrogen	—	—	Requires development	More expensive	Very favorable	NA

^aR.A.C. prices without Federal or State taxes.

^bWholesale prices.

^cFOB plant.

^dFOB plant or port at current production levels.

^eDoes not anticipate any special rates for transportation vehicles.

^fDepends on vehicle operational characteristics and refueling costs.

^gRequires refueling infrastructure development; declining reserve base similar to petroleum; pipeline limitations.

^hThe extreme price range of electricity is due to production technology and regulation.

ⁱDepends on battery technology and electricity costs.

^jDepends on production technology.

^kFor industrial sector.

NA = Not available at present.

Table A-1 reinforces the assessment that methanol is the only alternative fuel that meets *all* the practical requirements for a broad-use transportation fuel. This is not to say that the other fuels cannot ever compete or that they should not be pursued. Each has niche markets that can be penetrated more effectively. However, methanol appears to be the only one with potential to make significant inroads into the U.S. transportation fuel market during the next dozen years or so.

Table E-1 — Comparative Summary of Vehicle Characteristics and Cost for Gasoline^a, Diesel, and Alternative Fuels

	Unleaded Gasoline	Diesel Fuel	LPG (HD-5)	CNG	Methanol	Ethanol
Current State of Fuel System Technology Development	Most advanced	Undergoing change to meet future emission standards	Commercial, but requires updating	Commercial, but requires updating	Preproduction stage	Production technology in Brazil
Best Representative Type of Vehicle for Use	Light-duty vehicles	Heavy-duty vehicles	Niche fleets, primarily light duty	Niche fleets, light and heavy duty	Light and heavy duty	Light and heavy duty
Current Fuel System Configuration Emphasis	Dedicated, single fuel	Dedicated, single fuel	Dual fuel	Dual fuel	Flexible fuel	Dedicated, single fuel in Brazil ^a
Fuel System Cost Differential (\$)	—	—	500-1,000	1,000-1,500	100-300	100-300 ^b
Engine Performance Characteristics	—	Low performance, high reliability and durability	Approximately 10-percent engine power loss	Approximately 10-percent engine power loss	Approximately 8-percent power gain minimum ^c	Power gain ^d
Exhaust Emissions: HC, CO, and NO _x	Meets standards	Particulate emissions to be regulated	HC: Same or higher CO: Lower NO _x : Higher	HC: Same or higher ^e CO: Lower NO _x : Higher	Same as gasoline, lower NO _x and reactivity	Same as gasoline, lower NO _x and reactivity

^aFlexible-fuel technology more likely in the United States^bBased on methanol flexible-fuel technology estimate.^cEight percent, based on engine optimized to use gasoline; methanol optimization yields higher gains.^dBetween methanol and gasoline.^eDepends on whether methane is counted as unburned hydrocarbon.

7. "Alternative Transport Fuels from Natural Gas." Rene Moreno and D.G. Fallen Bailey. June, 1989. World Bank Technical Paper # 98.
 - a. Annex 3: Model based on natural gas price tracking oil prices
 - b. Comparative costs of various fuels of different distribution and delivery scenarios (p.93-100)
 - c. Table IV-10: Break even crude oil price levels compared to natural gas based on prices tracking oil prices

a. Annex 3: Model based on natural gas price tracking oil prices

VEHICLE SPECIFICATIONS:					
	Passenger Cars	Light Trucks	Heavy Trucks	Taxis	Buses
Conventional fuel type:	gasoline	gasoline	diesel	gasoline	diesel
Miles per gallon	30.4	23.5	5.2	30.4	7.1
Kms per liter	12.9	10.0	2.2	12.9	3.0
Liters per Km	0.08	0.10	0.45	0.08	0.33
BTU's per Km	2,624	3,394	16,482	2,624	12,071
Vehicle Life Years	14	12	10	14	12
Annual Mileage (Kms)	12,000	19,000	22,000	96,000	60,000
Conversion Cost:					
CNG	\$1,000	\$1,800	\$4,500	\$1,800	\$4,500
LPG (Propane)	\$700	\$900	\$3,500	\$900	\$4,800
Methanol	\$350	\$500	\$3,200	\$500	\$4,300
Discount Rate on Conversion	10%	10%	10%	10%	10%
Annuitized Conversion Costs:					
CNG	\$136	\$264	\$732	\$244	\$660
Propane	\$95	\$132	\$570	\$122	\$704
Methanol	\$48	\$73	\$521	\$68	\$631
FUEL SPECIFICATIONS:					
	Gasoline	Diesel	CNG	Propane	Methanol
Mega Joules per kg	47.70	44.70		45.70	20.02
BTU per cubic foot			1000		
Specific Gravity (kg/liter)	0.75	0.86		0.51	0.80
Mega Joules per liter	35.78	38.44		23.31	16.02
Delivered fuel prices					
Crude Oil	\$20.00 /barrel				
Natural gas	\$1.25 /Mcf.				
0-5 km (\$/liter)	\$0.159	\$0.166		\$0.103	\$0.153
0-5 km (\$/MMBTU)	\$4.69	\$4.56	\$5.20	\$4.67	\$10.10
300 km (\$/liter)	\$0.182	\$0.189		\$0.128	\$0.176
300 km (\$/MMBTU)	\$5.37	\$5.19	\$7.77	\$5.79	\$11.62

BASIC MODEL PARAMETERS & ASSUMPTIONS

Oil Price:	\$20.00 /barrel	
Gasoline Refining Cost:	\$5.00 /barrel	
1 barrel =	42 US gallons	
1 US gallon =	3.785 liters	
LPG price at source:	\$125 per MT	
1 BTU =	1055 Joules =	251.99 calories
Discount Factor:	10%	

Fuel	Calorific Content	Specific Gravity
Natural Gas	1000 BTU/cf.	
Gasoline	47.7 MJ/kg	0.75 kg/liter
Diesel (Gas Oil)	44.7 MJ/kg	0.86 kg/liter
Methanol	20.02 MJ/kg	0.80 kg/liter
LPG (Propane)	45.7 MJ/kg	0.51 kg/liter

	Passenger Cars	Light Trucks	Heavy Trucks	Taxis	Buses
Vehicle Life	14	12	10	14	12
Annual kms/year	12000	19000	22000	96000	60000
Mileage(mi/gallon)	30.4	23.5	5.2	30.4	7.1
Mileage (km/liter)	12.9	10.0	2.2	12.9	3.0

NATURAL GAS

Gas Feedstock at Source.....	\$1.25 /Mcf.
	(.0625 times Crude Oil Price (/barrel))
Calorific Content	= 1000 BTU/cf.
	= 1 MBTU/cf

COST OF CONVENTIONAL FUELS

Distance from Supply	Crude Oil Price (\$/barrel)	FUEL COST (cents per liter)		FUEL COST (Cents per km)			
		gasoline	diesel	Cars & Taxis	Light Trucks	Heavy Trucks	Buses
				gasoline	gasoline	diesel	diesel
0-5 km	\$20	15.89	16.61	1.23	1.59	7.51	5.50
50 km	\$20	16.27	16.99	1.26	1.63	7.68	5.63
100 km	\$20	16.65	17.37	1.29	1.67	7.85	5.75
300 km	\$20	18.20	18.92	1.41	1.82	8.56	6.27

Sensitivity of fuel costs to crude oil price 0-5 km :		gasoline	diesel	Cars & Taxis	Light Trucks	Heavy Trucks	Buses
		cents/liter		cents/km			
0-5 km :	\$10	9.60	10.03	0.74	0.96	4.54	3.32
	20	15.89	16.61	1.23	1.59	7.51	5.50
	30	22.18	23.18	1.72	2.22	10.48	7.68
	40	28.47	29.75	2.20	2.85	13.46	9.86
	50	34.76	36.33	2.69	3.48	16.43	12.03
	60	41.05	42.90	3.18	4.11	19.40	14.21
	70	47.34	49.47	3.66	4.74	22.38	16.39
	80	53.63	56.05	4.15	5.37	25.35	18.57
	90	59.92	62.62	4.64	6.00	28.33	20.75
	100	66.21	69.19	5.12	6.63	31.30	22.92
300 km :	\$10	11.91	12.34	0.92	1.19	5.58	4.09
	20	18.20	18.92	1.41	1.82	8.56	6.27
	30	24.49	25.49	1.90	2.45	11.53	8.44
	40	30.78	32.06	2.38	3.08	14.50	10.62
	50	37.07	38.64	2.87	3.71	17.48	12.80
	60	43.36	45.21	3.36	4.34	20.45	14.98
	70	49.65	51.79	3.84	4.97	23.42	17.16
	80	55.95	58.36	4.33	5.60	26.40	19.33
	90	62.24	64.93	4.82	6.23	29.37	21.51
	100	68.53	71.51	5.30	6.86	32.34	23.69

GASOLINE

Calorific Content: 47.7 MJ/kg
Specific Gravity: 0.75 kg/liter

Delivered Costs:

	Feedstock	Transport USc/liter	Total
0-5 km	15.73	0.16	15.89
50 km	15.73	0.54	16.27
100 km	15.73	0.92	16.65
300 km	15.73	2.48	18.20

COST OF NATURAL GAS BASED FUELS (Cents/km)

(Based on calorific equivalence)

CNG

Calorific \ 1 liter gasoline = 33.9 cf Natural Gas
 Equivalence / 1 liter diesel = 36.4 cf Natural Gas

FAST FILL		Passenger Cars	Light Trucks	Heavy Trucks	Taxis	Buses
		(cents per km)				
0-5 km	Delivered Fuel	1.365	1.766	8.575	1.365	6.281
	Conversion Cost	1.131	1.390	3.329	0.255	1.101
	Total Cost	2.496	3.156	11.904	1.620	7.381

FAST FILL		Passenger Cars	Light Trucks	Heavy Trucks	Taxis	Buses
		(cents per km)				
300 km	Delivered Fuel	2.039	2.638	12.811	2.039	9.383
	Conversion Cost	1.131	1.390	3.329	0.255	1.101
	Total Cost	3.171	4.029	16.140	2.294	10.484

TRICKLE FILL		Passenger Cars	Light Trucks	Heavy Trucks	Taxis	Buses
		(cents per km)				
0-5 km	Delivered Fuel	0.935	1.209	5.872	0.935	4.301
	Conversion Cost	1.131	1.390	3.329	0.255	1.101
	Total Cost	2.066	2.600	9.201	1.189	5.402

TRICKLE FILL		Passenger Cars	Light Trucks	Heavy Trucks	Taxis	Buses
		(cents per km)				
300 km	Delivered Fuel	1.609	2.082	10.108	1.609	7.403
	Conversion Cost	1.131	1.390	3.329	0.255	1.101
	Total Cost	2.740	3.472	13.437	1.864	8.504

CNG

Calorific Content: 1000 BTU/cf.
 Filling Station: 5 year Life
 Operating days: 310 per year

Station Capacity	Cost	Annuitized Capital Cost
50 Mcf/day.....	\$150,000	\$39,570
150 Mcf/day.....	\$450,000	\$118,709

Delivered CNG Cost for 50 Mcf Capacity Station (Fast-Fill)

		COSTS PER Mcf	
Capital		\$2.55	
Feedstock		\$1.25	
Operating		\$1.40	

Transport Cost			Trickle Fill
	0 km (at gate)	\$5.20	\$3.56
\$0.53	50 km	\$5.73	\$4.09
\$0.93	100 km	\$6.13	\$4.49
\$2.57	300 km	\$7.77	\$6.13

Vehicle Conversion:	Cars	Light Trucks	Heavy Trucks	Taxis	Buses
Cost	\$1,000	\$1,800	\$4,500	\$1,800	\$4,500
Km/Year	12,000	19,000	22,000	96,000	60,000
Annuitized Cost/yr	\$136	\$264	\$732	\$244	\$660
per km	\$0.011	\$0.014	\$0.033	\$0.003	\$0.011

Sensitivity of CNG Cost (Local) to Natural Gas Price Change					
Gas Price \$/Mcf.	Fast Fill				
	Passenger Cars	Light Trucks	Heavy Trucks	Taxis	Buses
	(cents per km)				
1.00	2.43	3.07	11.49	1.55	7.08
1.50	2.56	3.24	12.32	1.69	7.68
2.00	2.69	3.41	13.14	1.82	8.29
2.50	2.82	3.58	13.96	1.95	8.89
3.00	2.96	3.75	14.79	2.08	9.49
3.50	3.09	3.92	15.61	2.21	10.10
Sensitivity of Cost to Gas Price Changes:	0.11%	0.11%	0.14%	0.17%	0.17%

Sensitivity of CNG Cost (Distance 300 km) to Natural Gas Price Change					
Gas Price \$/Mcf.	Fast Fill				
	Passenger Cars	Light Trucks	Heavy Trucks	Taxis	Buses
	(cents per km)				
1.00	3.11	3.94	15.73	2.23	10.18
1.50	3.24	4.11	16.55	2.36	10.79
2.00	3.37	4.28	17.38	2.49	11.39
2.50	3.50	4.45	18.20	2.62	11.99
3.00	3.63	4.62	19.02	2.75	12.60
3.50	3.76	4.79	19.85	2.88	13.20
Sensitivity of Cost to Gas Price Changes:	0.08%	0.09%	0.10%	0.12%	0.12%

Sensitivity of CNG Cost (Local) to Natural Gas Price Change

Gas Price \$/Mcf.	Trickle Fill-				
	Passenger Cars	Light Trucks	Heavy Trucks	Taxis	Buses
	(cents per km)				
1.00	2.00	2.51	8.79	1.12	5.10
1.50	2.13	2.68	9.61	1.25	5.70
2.00	2.26	2.85	10.44	1.39	6.31
2.50	2.39	3.02	11.26	1.52	6.91
3.00	2.53	3.19	12.09	1.65	7.51
3.50	2.66	3.36	12.91	1.78	8.12
Sensitivity of Cost to					
Gas Price Changes:					
	0.13%	0.13%	0.19%	0.23%	0.24%

Sensitivity of CNG Cost (Distance 300 km) to Natural Gas Price Change

Gas Price \$/Mcf.	Trickle Fill-				
	Passenger Cars	Light Trucks	Heavy Trucks	Taxis	Buses
	(cents per km)				
1.00	2.67	3.39	13.03	1.80	8.20
1.50	2.81	3.56	13.85	1.93	8.81
2.00	2.94	3.73	14.67	2.06	9.41
2.50	3.07	3.90	15.50	2.19	10.01
3.00	3.20	4.07	16.32	2.32	10.62
3.50	3.33	4.24	17.15	2.45	11.22
Sensitivity of Cost to					
Gas Price Changes:					
	0.10%	0.10%	0.13%	0.15%	0.15%

LPG (PROPANE)

1 liter Gasoline =	1.535 liter Propane/LPG
1 liter Propane =	0.651 liter Gasoline
1 liter Diesel =	1.649 liter Propane/LPG
1 liter Propane =	0.606 liter Diesel

		Passenger Cars	Light Trucks	Heavy Trucks	Taxis	Buses
		(cents per km)				
0-5 km	Delivered Fuel	1.225	1.585	7.697	1.225	5.637
	Conversion Cost	0.792	0.695	2.589	0.127	1.174
	Total Cost	2.017	2.280	10.286	1.353	6.811

		Passenger Cars	Light Trucks	Heavy Trucks	Taxis	Buses
		(cents per km)				
300 km	Delivered Fuel	1.520	1.966	9.547	1.520	6.992
	Conversion Cost	0.792	0.695	2.539	0.127	1.174
	Total Cost	2.312	2.661	12.137	1.647	8.167

LPG (Propane)

Spec. Gravity: 0.51 kg/liter
 = 1.96 liter/kg
 Calorific Content: 45.7 MJ/kg
 43318 BTU/kg

Filling Station:
 Capacity: 2000 lit/day
 Cost: \$40,000
 Life: 5 years
 Output: 620000 lit/year

Delivered Cost: (\$/liter)

	0-5 km	50 km	100 km	300 km
Feedstock	\$0.064	\$0.064	\$0.064	\$0.064
Transport	0.002	0.007	0.011	0.027
Station Costs:				
Capital	\$0.017	\$0.017	\$0.017	\$0.017
Labor	0.012	\$0.012	\$0.012	\$0.012
Miscel.	0.008	\$0.008	\$0.008	\$0.008
Total	\$0.103	\$0.107	\$0.111	\$0.128

Vehicle Conversion:

	Cars	Light Trucks	Heavy trucks	Taxis	Buses
Conversion Cost	\$700	\$900	\$3,500	\$900	\$4,800
Km/year	12,000	19,000	22,000	96,000	60,000
Annuitized Conv:	\$95	\$132	\$570	\$122	\$704
per km:	\$0.008	\$0.007	\$0.026	\$0.001	\$0.012

Sensitivity of LPG Cost (Local) to Natural Gas Price Change

Gas Price \$/Mcf.	Passenger Cars	Light Trucks	Heavy Trucks	Taxis	Buses
(cents per km)					
1.00	1.87	2.08	9.34	1.20	6.11
1.50	2.17	2.48	11.24	1.50	7.51
2.00	2.47	2.87	13.14	1.81	8.90
2.50	2.77	3.26	15.04	2.11	10.29
3.00	3.08	3.65	16.94	2.41	11.69
3.50	3.38	4.04	18.85	2.72	13.08
Sensitivity of Cost to Gas Price Changes:	0.32%	0.38%	0.41%	0.50%	0.46%

Sensitivity of LPG Cost (Distant 300 km) to Natural Gas Price Change

Gas Price \$/Mcf.	Passenger Cars	Light Trucks	Heavy Trucks	Taxis	Buses
(cents per km)					
1.00	2.16	2.47	11.19	1.50	7.47
1.50	2.46	2.86	13.09	1.80	8.86
2.00	2.77	3.25	14.99	2.10	10.26
2.50	3.07	3.64	16.89	2.40	11.65
3.00	3.37	4.03	18.80	2.71	13.04
3.50	3.67	4.42	20.70	3.01	14.44
Sensitivity of Cost to Gas Price Changes:	0.28%	0.32%	0.34%	0.40%	0.37%

METHANOL

Specific Gravity: 0.8 kg/liter
Calorific Content: 20.02 MJ/kg

Methanol Plant (Life: 15 years)

Capacity (tons/day)	1200	2500
Service Factor	81%	81%
Production (Tons/year)	354,780	739,125
Capital (1986 US\$ million)	207	349
Gas Feedstock Mcf/ton meth.	32	32
O & M (\$ million/year)	14	26

Cost Summary per Ton Methanol (\$/ton)

Capital Cost	\$76.71	\$62.08
Gas Feedstock	40.00	40.00
O & M	\$39.46	\$35.18
Total plant gate:	\$156.17 /ton	\$137.26 /ton
	\$0.156 /kg	\$0.137 /kg
	\$0.125 /liter	\$0.110 /liter

M90 Blend:

Methanol Plant Capacity:		1200	2500
Methanol	90%	\$0.112	\$0.099
Gasoline	10%	0.016	0.016
Blending Cost		0.011	0.011
		<hr/>	<hr/>
M90- Blend Cost		\$0.140	\$0.126

Delivered Cost of Methanol M90 Blend

		US cents per liter	
Blend		13.957	12.595
Filling Station Cost		2.576	2.576
TOTAL		16.533	15.171
Transport Cost		Cost at Delivery Point	
Distance	c/liter	(US cents per liter)	
0-5 km	0.164	16.697	15.335
50 km	0.544	17.077	15.715
100 km	0.924	17.457	16.095
300 km	2.476	19.009	17.647

Vehicle Conversion:

	Cars	Light Trucks	Heavy trucks	Taxis	Buses
Conversion Cost	\$350	\$500	\$3,200	\$500	\$4,300
Km/year	12000	19000	22000	96000	60000
Annuitized Conv:	\$48	\$73	\$521	\$68	\$631
per km:	\$0.004	\$0.004	\$0.024	\$0.001	\$0.011

METHANOL (M90)

1 liter Gasoline =	2.234 liter Methanol
1 liter Methanol =	0.448 liter Gasoline
1 liter Diesel =	2.400 liter Methanol
1 liter Methanol =	0.417 liter Diesel

		Passenger Cars	Light Trucks	Heavy Trucks	Taxis	Buses
		(cents per km)				
0-5 km	Delivered Fuel	2.650	3.429	16.649	2.650	12.194
	Conversion Cost	0.396	0.386	2.367	0.071	1.052
	Total Cost	3.046	3.815	19.017	2.721	13.246

		Passenger Cars	Light Trucks	Heavy Trucks	Taxis	Buses
		(cents per km)				
300 km	Delivered Fuel	3.050	3.945	19.159	3.050	14.032
	Conversion Cost	0.396	0.386	2.367	0.071	1.052
	Total Cost	3.446	4.332	21.527	3.121	15.084