**Cover Sheet for a Hanford
Historical Document
Released for Public Availability**

Released 1994

**Prepared for the U.S. Department of Energy
under Contract DE-AC06-76RLO 1830**

**Pacific Northwest Laboratory
Operated for the U.S. Department of Energy
by Battelle Memorial Institute**

C-65

DUN-7033 RD

SERIES AND COPY NO.

DATE _____

June 9, 1970

(CLASSIFICATION)

DOUGLAS/UNITED NUCLEAR, INC.

RICHLAND, WASHINGTON

RESTRICTED DATA

THIS DOCUMENT CONTAINS RESTRICTED INFORMATION AS
DEFINED IN EXECUTIVE ORDER 11652 OF 1954.
ITS TRANSMISSION OR DISCLOSURE OF ITS
CONTENT IN ANY MANNER IS UNAUTHORIZED
AND IS PROHIBITED.

TITLE

THORIA DATA ANALYSIS

OTHER OFFICIAL CLASSIFIED INFORMATION

THIS MATERIAL CONTAINS INFORMATION AFFECTING THE NATIONAL DEFENSE OF THE UNITED STATES WITHIN THE MEANING OF THE ESPIONAGE LAWS, TITLE 18, U. S. C. , SECS. 793 AND 794, THE TRANSMISSION OR REVELATION OF WHICH IN ANY MANNER TO AN UNAUTHORIZED PERSON IS PROHIBITED BY LAW.

AUTHOR

K. E. Fields
J. P. Schmidt

ISSUING OFFICE

ISSUING FILE

BATTELLE-NORTHWEST

JUN 23 1970

CIRCULATING COPY

SECTION

THIS DOCUMENT MUST NOT BE LEFT UNATTENDED OR WHERE AN UNAUTHORIZED PERSON MAY HAVE ACCESS TO IT. WHEN NOT IN USE, IT MUST BE STORED IN AN APPROVED LOCKED RECEPTACLE WITHIN AN APPROVED SECURED AREA. WHILE IT IS YOUR RESPONSIBILITY AND UNTIL YOU HAVE OBTAINED A SIGNED RECEIPT FROM CLASSIFICATION OFFICIALS, IT IS YOUR RESPONSIBILITY TO KEEP IT AND ITS CONTENTS WITHIN THE LIMITS OF THE SUBJECT AND FROM AN UNAUTHORIZED PERSON. IT IS FOR TRANSMITTAL TO, AND STORAGE IN, YOUR PLACE OF RESIDENCE IS PROVIDED. IT IS NOT TO BE DISCLOSED. IF ADDITIONAL COPIES ARE REQUIRED, OBTAIN THEM FROM THE RELATED ISSUING OFFICE. PERSONS READING THIS DOCUMENT ARE REQUESTED TO SIGN IN THE SPACE PROVIDED BELOW.

ROUTE TO:

PAYROLL NO.

LOCATION

FILE	ROUTE	DATE
100-443888-100	100-443888-100	100-443888-100

SIGNATURE AND DATE

~~JUN 23 1976~~

JUN 23 1970

APR 7 1977

54-5100-166 (10-65)

AEC-RLOO RICHLAND, WASH.

(CLASSIFICATION)

THE

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, make any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

DISCLAIMER

Portions of this document may be illegible in electronic image products. Images are produced from the best available original document.

DECLASSIFIED

Classification Cancelled and Changed To

DECLASSIFIED

By Authority of D S Lewis

CG-NMP-1, 8-26-94

By J E Savely 10-7-94

Verified By Geri Miley 10-11-94

This document consists of
20 pages.

DISTRIBUTION

BATTELLE NORTHWEST

- 1. Dr. C. W. Lindenmeier
2. R. L. Buschbom

ARCHO

3. D. H. Doerge
4. G. F. Smith

DUN

5. JT Baker
6. JR Bolliger
7. WA Cease
8. RG Clough
9. KE Fields
10. Elizabeth Fredrickson
11. GC Fullmer
12. AR Maguire
13. WM Mathis
14. RH Meichle
15. PR Praetorious
16. T. Prudich
17. RK Robinson
18. RP Rowe
19. GE Ruffin
20. JP Schmidt
21. JT Stringer
22. DUN File
23. DUN Record

RESTRICTED
This document contains Restricted Data. Its transmittal
in any form, or its contents in any form, to any
unauthorized person is prohibited.

DECLASSIFIED

DATE June 9, 1970

TO Dr. C. W. Lindenmeier, Manager
Theoretical & Neutron Physics Section
Battelle Northwest

FROM J. P. Schmidt/K. E. Fields *J.P. Schmidt*
Fuel and Target Irradiation Section *K.E. Fields*
DUN

SUBJECT THORIA DATA ANALYSIS

Thoria is irradiated in the Hanford reactors for the production of U-233. The product quality is acutely sensitive to the control of the unseparable contaminant isotopes U-232 and U-238. Recent discussions between personnel of ARCHO and DUN indicate that product quality of a forthcoming separations campaign can be significantly enhanced by analysis of data for which we solicit your support. This letter describes the necessary background and the required analysis.

Virgin thoria lots are processed to required transient impurity levels by the National Lead Company of Ohio. They are subsequently shipped to DUN identified by this virgin lot number and are accompanied by the transient impurity levels and U-238 contaminant levels based on statistical samples and analytic chemistry results. Virgin NLO thoria lots consist of various tonnages or fractions thereof, and two or three such lots are typically combined into a single DUN thoria element lot. By weighted averages, the U-238 contaminant level of DUN thoria lots is thus accurately known. The range of U-238 contaminant in any given DUN lot was further controlled by establishing three categories, A, B, and C, with U-238 ranges of 0-1.99, 2.0-3.3, and 3.4-5.0, respectively, on a thoria basis. Thus when a DUN lot contains two or more NLO lots, there is no mixing of A, B, or C category NLO lots.

Thoria elements are charged into the reactor as 38-piece target columns. Target column exposure is controlled by the U-232 buildup which is limited to a column average of 8 ppm. After irradiation, the target column discharges are set up in large units of tubes designated as "keys" to facilitate handling. A key may consist of several DUN thoria lots and a given DUN thoria lot may appear in more than one key. All lots which appear in a given key, however, are only from a single category. The average U-238 content of a key is thus determined by a simple weighted average method based on the U-238 levels and relative amounts of each DUN lot in the key under consideration. We appear to have no recourse but to assume a uniform distribution, with respect to U-238 contaminant, of the DUN lots as they are distributed in the various "keys" in which they might appear. There are several factors which tend to make this a reasonable assumption and primarily relate to the random mixing within a DUN key which can occur at four levels: during post fabrication handling, during charge makeup, during charging, and in the establishment of keys.

DECLASSIFIED

MASTER

All columns of a given key are discharged at one time. The elements are tonged into storage buckets and many such buckets consisting of 228 elements each are identified by a key number. Individual buckets are sent to ARHCO and a dissolver charge is three tons which would be a minimum of seven full buckets of thoria elements.

The problem statement, with this background, is as follows. The U-233 content and U-232 and U-238 contaminant levels forwarded to ARHCO are strictly key averages. Because no post separation product blending is possible, it becomes critical to know what variation in product and contaminant level is possible between buckets of a given key to assure that the most uniform product possible within customer specifications results. It is tentatively planned to blend buckets from various keys so that all dissolver batches will blend to a uniform product quality in terms of the U-232 and U-238 contaminants.

Further discussion will probably be beneficial to the analysis. The U-233 evolves from a transmutation and subsequent beta decay scheme of Th-232 as a function of surrounding support enrichment fuel exposure as displayed in Figure 1. The U-232 contaminant is the daughter decay product of an $n-2\eta$ $\gamma-\eta$ reaction chain on Th-232 and is also dependent on the exposure of surrounding enrichment as displayed in Figure 2. The U-238 contaminant results from that present in the unirradiated thoria which is not significantly affected by the irradiation cycle and a contribution from the extraction system.

The U-233 and U-232 content can also be described on an element basis. The exposure of each element in terms of the surrounding enrichment is proportional to the relative gamma activity ("Weasel" measurements) of the element in question. Thus the U-233 product distribution within a given target column is proportional to the chopped cosine flux distribution and the basis of our problem is revealed. If the distribution of target elements in a given bucket is not representative of the U-233 U-232, and U-238 values of the key as a whole, the dissolver blending does not have a good basis, and furthermore, it would be possible to have a disproportionate number of elements in certain buckets from the ends of several columns which would result in a low U-233 yield from the dissolver batch. The U-238 level, however, would not be affected and a highly contaminated product batch could result.

Individual weasel data of the target elements from six buckets of key 9124 are presented. (Table 1) Furthermore, typical weasel data from six individual target columns and the calculated peak to average flux (or exposure) values (Figures 3 through 8)*and the distribution of all target column exposures (in terms of surrounding enrichment exposure) from key 9124 are included. (Table 2) From these data, we request an analysis on the distribution of U-233 (and thus U-232) in a given bucket of a given key with respect to the average U-233 level of the key which is also enclosed. Additional information on the sizes of various keys and their makeup from parent DUN lots is enclosed**and we would appreciate your comments on the applicability of your analysis to the remaining keys. We should also like to discuss with you the factors involved in the mixing of NLO lots in DUN lots and keys to derive at least a relative assessment of the validity of our assumption on uniform U-238 contaminant within a given key, and what limits if any might be attached to it.

If at any time questions arise pertaining to the data, please feel free to call upon us.

*Table 4.

**Table 5.

DECLASSIFIED

U-233 Yield as a Function of Irradiation
Time and Support Enrichment Exposure²⁶

Figure 1

Figure 2

U-232 Contamination as a Function of Irradiation Time
and Supporting Enrichment Exposure²⁶

DECLASSIFIED

Weasel Reading

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38
Position in Column

DUN-7033 RD

10 X 10 TO 1 1/2 INCH 46 1320
7 X 10 INCHES
MADE IN U.S.A.
KELJFELL LASER CO

DECLASSIFIED

WEASEL READING

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38

Position in Column

SECRET

~~SECRET~~

Position in Column

SECRET

-8-

DUN-7083 RD

FIGURE 6

WEASEL DATA TARGET COLUMN NO. 4

DECLASSIFIED

Weasel Reading
4.0
3.0
2.0
1.0

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38

Position in Column

FIGURE 7

WEASEL DATA TARGET COLUMN NO. 5

DECLASSIFIED

Weasel Reading

Position in Column

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38

FIGURE 8

WEASEL DATA TARGET COLUMN NO. 6

Weasel Reading

DECLASSIFIED

Position in Column

SECRET RD

TABLE 1

WEASEL DATA FROM SIX BUCKETS OF THORIA ELEMENTS FROM KEY 9124

<u>Weasel Reading</u>	<u>No. of Pieces Bkt 536T</u>	<u>No. of Pieces Bkt 536B</u>	<u>No. of Pieces Bkt 535T</u>	<u>No. of Pieces Bkt 535B</u>	<u>No. of Pieces Bkt 534T</u>	<u>No. of Pieces Bkt 533T</u>	
0.1	.01	2	-	-	1	-	3
0.15	.0225	5	-	2	-	3	-
0.2	.04	3	2	4	5	3	9
0.25	.0625	2	2	-	3	1	2
0.3	.09	5	4	8	5	1	1
0.35	.1225	4	5	2	-	2	2
0.4	.16	5	5	6	3	3	4
0.45	.2025	4	1	2	3	1	-
0.50	.25	-	5	2	2	5	2
0.55	.3025	2	2	1	2	1	1
0.6	.36	5	3	2	3	5	3
0.65	.4225	1	1	2	2	-	1
0.7	.49	3	5	4	2	1	5
0.75	.5625	4	1	5	-	2	1
0.8	.64	2	4	3	2	-	4
0.85	.7225	-	3	-	-	4	2
0.9	.81	4	3	2	2	4	4
0.95	.9025	2	2	3	2	3	-
1.0	1.0	1	3	1	1	3	-
1.05	1.1025	1	-	-	-	1	2
1.1	1.21	-	4	-	3	1	-
1.15	1.3225	2	-	-	-	-	3
1.2	1.44	1	3	1	2	-	3
1.25	1.5625	1	-	3	-	1	1
1.3	1.69	3	3	1	3	1	3
1.35	1.8225	2	-	2	2	2	1
1.4		3	4	3	2	2	3
1.45		1	1	2	-	1	-
1.5		2	2	4	4	2	2
1.55		3	2	4	-	-	-

DECLASSIFIED

Table 1 - cont.

Weasel Reading	No. of Pieces Bkt 536T	No. of Pieces Bkt 536B	No. of Pieces Bkt 535T	No. of Pieces Bkt 535B	No. of Pieces Bkt 534T	No. of Pieces Bkt 533T
1.6	2.50 2	4	1	3	3	4
1.65	2.7225 -	2	-	1	1	2
1.7	2.89 2	9	6	7	1	6
1.75	3.0225 1	2	1	2	-	1
1.8	3.24 1	8	3	3	1	4
1.85	3.4225 4	5	2	2	-	1
1.9	3.60 5	5	-	2	4	-
1.95	3.8025 -	2	4	-	2	1
2.0	4.0 3	2	4	4	-	-
2.05	4.2025 2	-	3	2	-	-
2.1	4.41 3	-	5	2	1	1
2.15	4.6225 1	1	2	-	1	3
2.2	4.84 -	1	4	9	1	5
2.25	5.0625 2	2	-	1	3	1
2.3	5.29 5	2	3	3	1	3
2.35	5.5225 1	-	2	-	3	2
2.4	5.76 -	-	1	-	3	4
2.45	5.9025 -	-	2	1	2	-
2.5	6.25 3	2	1	2	4	5
2.55	6.5025 2	1	3	-	-	3
2.6	6.76 8	2	5	1	2	5
2.65	7.0225 3	1	1	1	1	-
2.7	7.29 2	2	7	4	1	8
2.75	7.5625 4	1	2	-	4	2
2.8	7.84 1	1	3	5	3	7
2.85	8.1225 3	2	2	1	1	2
2.9	8.41 3	2	5	6	1	6
2.95	8.7025 2	1	1	-	2	1
3.0	9.00 2	1	3	1	2	4
3.05	9.3025 2	2	6	-	-	7
3.1	9.61 3	1	4	3	2	2
3.15	9.9225 3	-	-	1	-	2

DECLASSIFIED

Table 1 - cont.

Weasel Reading	No. of Pieces Bkt 536T	No. of Pieces Bkt 536B	No. of Pieces Bkt 535T	No. of Pieces Bkt 535B	No. of Pieces Bkt 534T	No. of Pieces Bkt 533T
3.2	10.24 4	4	4	3	6	7
3.25	10.5625 1	-	3	1	-	-
3.3	10.8 1	2	2	2	1	8
3.35	11.2225 4	3	2	-	-	3
3.4	11.56 4	2	2	4	2	6
3.45	11.9025 3	1	-	1	1	1
3.5	12.24 2	5	1	3	1	5
3.55	12.5825 3	1	3	-	2	-
3.6	12.96 5	1	4	4	2	3
3.65	13.3225 2	-	-	1	1	2
3.7	13.68 7	4	2	2	-	4
3.75	14.0225 4	-	3	1	-	1
3.8	14.4 3	1	2	1	3	7
3.85	14.7625 1	1	3	2	1	-
3.9	15.12 1	5	2	2	4	3
3.95	15.4625 -	3	-	1	2	-
4.0	15.84 -	1	2	3	3	4
4.05	16.2025 1	1	1	-	2	2
4.1	16.56 4	3	1	6	3	3
4.15	16.9225 1	1	2	1	-	-
4.2	17.28 1	3	1	7	2	2
4.25	17.6425 -	1	-	1	1	-
4.3	18.0 2	3	1	5	2	1
4.35	18.3625 -	1	-	-	1	-
4.4	18.72 2	3	1	2	2	-
4.45	19.0825 4	1	1	-	2	-
4.5	19.44 1	3	-	3	5	-
4.55	19.8025 -	-	1	2	-	-
4.6	20.16 2	2	-	1	5	1
4.65	20.5225 1	1	-	-	3	-
4.7	20.88 2	1	5	3	4	1
4.75	21.24 2	-	1	1	2	-

DECLASSIFIED

~~SECRET~~

Table 1 - cont.

Weasel Reading	No. of Pieces Bkt 535T		No. of Pieces Bkt 535B		No. of Pieces Bkt 535B		No. of Pieces Bkt 534T		No. of Pieces Bkt 533T	
4.8	23.04	2	1	-	4	3	1			
4.85	23.5225	-	1	-	1	1	-			
4.9	24.01	-	2	3	3	6	2			
4.95	24.5025	1	2	1	1	1	1			
5.0	25.00	1	2	-	-	-	-			
5.05	25.5025	1	-	-	3	-	-			
5.1	26.01	-	5	-	3	2	-			
5.15	26.5225	1	1	-	-	-	-			
5.2	27.04	1	-	-	-	-	-		2	
5.3	28.01	-	4	1	2	3				
5.35	28.5025	-	1	2	1	-				
5.4	29.01	1	1	-	5	-				
5.45	29.5025	-	1	-	-	-				
5.5	30.01	3	1	2	-	1				
5.55	30.5025	-	2	-	1	1				
5.6	31.01	2	1	-	1	4				
5.65	31.5025	1	1	-	1	1				
5.7	32.01	-	2	2	-	8				
5.75	32.5025		2	-	1	3				
5.8	33.01		-	-	3	3				
5.85	33.5025		-	1	-	-				
5.9	34.01		2	-	2	2				
5.95	34.5025		-	1	1	1				
6.0	35.01		-	-	2	5				
6.05	35.5025		-	2	-	-				
6.1	36.01		-	2	-	1				
6.15	36.5025		-	-	-	1				
6.2	37.01		-	2	-	-				
6.25	37.5025		1	-	-	-				
6.3	38.01		-	-	-	1				
6.35	38.5025		-	-	-	-				
6.4	39.01		-	-	-	-				

DECLASSIFIED

~~SECRET~~

Table 1 - cont.

<u>Weasel Reading</u>	<u>No. of Pieces Bkt 535T</u>	<u>No. of Pieces Bkt 536B</u>	<u>No. of Pieces Bkt 535T</u>	<u>No. of Pieces Bkt 535B</u>	<u>No. of Pieces Bkt 534T</u>	<u>No. of Pieces Bkt 533T</u>
6.45 41.6025	-	1	2	-	3	-
6.5 42.25		1	2	-	3	
6.55 42.9725		-	-	-	-	
6.6 43.56			-	2	1	
6.65 44.2225			-	1	1	
6.7 44.89			2	-	-	
6.75 45.5525			-	-	1	
6.8 46.24			-	1	1	
6.85 46.9025			-	-	1	
6.9 47.51			-	1	1	
6.95 48.3025			-	-	-	
7.0 48.9			-	-	-	
7.05 49.7025			1	-	-	
7.1 50.41			-	-	2	
7.15 51.1225				-	-	
7.2 51.84				-	1	1
↓				-	↓	↓
7.6 57.76				1		

DECLASSIFIED

TABLE 2

SURROUNDING ENRICHMENT EXPOSURES OF KEY 9124
(MWD/T)

689	645	645	654	507	653	692	710	643	691
676	645	633	623	562	640	673	687	639	672
698	682	627	661	622	670	689	678	651	679
688	700	661	620	661	671	671	673	708	667
690	660	685	686	607	689	676	718	699	649
706	663	653	658	610	678	690	661	647	664
695	671	694	680	659	696	692	704	674	683
696	686	589	671	681	702	717	709	668	694
670	653	695	620	678	669	691	706	679	690
693	714	670	659	676	686	668	686	698	660
703	667	671	709	670	668	671	705	696	674
686	666	678	695	654	706	683	699	696	633
688	666	699	632	619	669	703	685	679	694
699	678	671	591	613	671	673	656	677	681
685	687	684	666	630	678	700	647	671	689
651	683	689	665	669	694	711	638	636	651
653	656	673	661	671	681	693	686	688	685
686	683	679	671	647	679	697	693	684	662
691	711	629	681	642	686	693	704	722	648
678	691	658	643	696	692	693	692	713	672
702	651	687	656	679	697	708	667	684	695

Enrichment exposure 673 MWD/T average.

DECLASSIFIED

TABLE 3U-238 CONTENT OF KEY 9124 - WEIGHTED AVERAGE 1.09 PPM U-238

<u>Dun Lot No.</u>	<u>No. of Pieces</u>	<u>Percent of Key</u>	<u>U-238* (ppm)</u>
TK 307M	380	4.8	0.70
TK 308M	38	0.5	1.80
TK 309M	1634	20.5	0.64
TK 310M	950	11.9	1.30
TK 311M	646	8.1	1.30
TK 312M	456	5.7	1.48
TK 313M	380	4.8	1.30
TK 314M	684	8.6	0.90
TK 315M	456	5.7	1.20
TK 316M	228	2.9	1.25
TK 317M	570	7.1	1.60
TK 318M	38	0.5	0.90
TK 319M	722	9.1	1.30
TK 325M	798	10.0	0.90

*DUN analysis of U-238 content by lot on a ThO₂ basis.

DECLASSIFIED

Table 4EXAMPLES OF MAKEUP OF THORIA KEYS

<u>Key No.</u>	<u>No. of Buckets</u>	<u>Total Pieces/Key</u>	<u>Lot No.</u>	<u>Pieces/Lot</u>	<u>Dun/Lot U-238 (ppm)</u>	<u>Key Avg. U-238 (ppm)</u>
9076	2	418	195	266	1.50	1.47
			184	114	1.50	
			182	38	1.20	
9142	7	1444	311	38	1.30	1.24
			308	532	1.80	
			318	874	0.90	
8901	13	2850	135	228	1.00	1.04
			122	190	0.90	
			125	266	1.30	
			136	380	0.50	
			126	114	1.70	
			128	152	1.80	
			132	532	0.60	
			118	228	1.10	
			117	304	0.70	
			127	228	1.70	
			129	228	1.80	
9082	24	5244	202	228	0.47	0.98
			200	532	1.30	
			207	1064	1.10	
			205	76	1.03	
			208	266	0.15	
			209	38	0.75	
			201	684	1.13	
			204	1026	0.80	
			196	266	1.50	
			203	1064	0.97	
8860	34	7334	135	798	1.00	1.04
			125	456	1.30	
			122	722	0.90	
			117	608	0.70	
			136	418	0.50	
			129	418	1.80	
			124	1064	1.30	
			126	418	1.70	
			119	380	0.40	
			123	1102	1.20	
			132	266	0.60	
			128	266	1.80	
			127	418	1.70	

DECLASSIFIED

Table 5

WEASEL AND EXPOSURE DATA FROM SIX TARGET COLUMNS

Target Column	<u>Exposure</u>					
	No. 1	No. 2	No. 3	No. 4	No. 5	No. 6
Average Exposure MWD/Tube	105.80	115.70	109.70	109.60	110.80	101.40
Maximum Exposure MWD/Tube	199.03	226.80	209.48	195.85	190.85	174.63
Peak/Average Exposure	1.88	1.96	1.91	1.79	1.72	1.72
Average Exposure MWD/T	753	823	781	780	789	722
Peak Exposure MWD/T	1417	1615	1492	1395	1359	1243

Position	<u>Weasel</u>					
	No. 1	No. 2	No. 3	No. 4	No. 5	No. 6
1	0.5	0.5	0.4	0.3	0.5	0.3
2	0.8	0.6	0.7	0.5	0.7	0.4
3	0.7	0.8	0.8	0.7	0.9	0.5
4	1.1	1.0	0.9	0.9	1.1	0.8
5	1.1	1.4	1.1	1.0	1.3	1.1
6	1.2	1.5	1.2	1.3	1.6	1.2
7	1.3	1.4	1.4	1.2	1.8	1.4
8	1.6	1.5	1.5	1.4	1.7	1.3
9	1.5	1.8	1.6	1.7	1.6	1.4
10	1.8	1.7	1.7	1.7	1.8	1.6
11	1.8	2.4	1.9	1.6	2.0	1.7
12	2.2	2.0	2.0	1.9	2.3	1.8
13	2.5	2.6	2.6	2.1	2.7	2.0
14	2.4	2.4	2.4	2.5	2.7	2.0
15	2.9	3.1	2.4	2.6	2.8	2.1
16	2.8	2.7	2.6	2.4	3.0	2.5
17	3.2	2.7	2.6	2.8	3.3	2.2
18	3.2	3.0	2.6	3.1	3.1	2.3
19	3.5	3.9	3.2	3.1	3.6	2.9
20	3.7	3.8	3.6	2.8	3.5	2.5
21	3.7	3.4	3.2	3.3	3.6	3.0
22	3.8	3.4	3.8	3.4	3.6	3.1
23	3.8	3.5	3.3	2.9	3.3	2.7
24	3.3	4.0	3.3	3.5	3.4	2.7
25	3.1	3.0	3.0	3.3	2.8	2.6
26	2.6	2.5	2.8	2.7	2.8	2.9
27	2.2	2.2	2.7	2.9	2.5	2.8
28	2.0	2.0	2.3	2.6	2.4	2.7
29	1.7	1.8	2.2	2.3	2.3	2.1
30	1.8	2.0	2.0	1.9	1.8	2.3
31	1.6	1.6	1.8	2.0	1.6	2.0
32	1.7	1.5	1.7	1.8	1.5	1.7
33	1.3	1.4	1.5	1.7	1.4	1.8
34	1.3	1.4	1.4	1.3	1.3	1.2
35	1.0	1.1	1.1	1.2	1.1	1.0
36	0.9	0.8	1.0	1.0	0.8	0.8
37	0.6	0.6	0.7	0.7	0.7	0.6
38	0.5	0.6	0.5	0.5	0.5	0.4

DECLASSIFIED