UNCLASSIFIED.

WSRC-TR--92-398

DE93 006245

SECOND QUARTER 1992

SANITARY LANDFILL GROUNDWATER MONITORING REPORT (U)

KEY WORDS

hazardous waste
LFW wells
radium
tritium
volatile organics

PUBLICATION DATE: AUGUST 1992

Authorized Derivative Classifier:

WESTINGHOUSE SAVANNAH RIVER COMPANY
SAVANNAH RIVER SITE
AIKEN, SC 29808

Prepared for the U.S. Department of Energy under Control Contract No. DE-AC09-89SR18035

UNCLASSIFIED

MASTER

DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED

SANITARY LANDFILL SECOND QUARTER 1992

All copies of this Groundwater Quality Assessment Report transmitted to the regulatory agencies are stamped by a registered P.G. of South Carolina. Copies of the report retained at the Savannah River Site for reference do not include the registered P.G. stamp.

Second Quarter 1992 Data Review

This report contains analytical data for samples taken during second quarter 1992 from wells of the LFW series located at the Sanitary Landfill at the Savannah River Site. This data is submitted in reference to the Sanitary Landfill Operating Permit (DWP-087A).

WELL LFW 6

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N84537.8 E45241.2	33.286553 °N 81.711886 °W	160.4-141.1 ft msl	171.7 ft msl	4" Steel	

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 05/28/92
 Depth to water: 17.59 ft (5.36 m) below TOC
 Water elevation: 154.11 ft (46.97 m) msl
 Sp. conductance: 276 μ S/cm
 Water evacuated before sampling: 34 gal

Time: 9:30
 pH: 5.9
 Alkalinity: 118 mg/L
 Water temperature: 18.0°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	7.1	pH	0	WA
•		pH	7.1	pH	0	WA
•		Specific conductance	209	μ S/cm	0	WA
•		Specific conductance	209	μ S/cm	0	WA
		Aluminum	16	μ g/L	0	WA
		Aluminum	< 15	μ g/L	0	WA
	■	Antimony	8.0	μ g/L	2	WA
	■	Antimony	5.5	μ g/L	2	WA
		Arsenic	5.2	μ g/L	0	WA
		Arsenic	4.9	μ g/L	0	WA
		Barium	12	μ g/L	0	WA
		Barium	11	μ g/L	0	WA
		Benzene	1.8	μ g/L	0	WA
		Bromodichloromethane	< 5.0	μ g/L	0	WA
		Bromoform	< 5.0	μ g/L	0	WA
		Bromomethane (Methyl bromide)	< 10	μ g/L	0	WA
		Cadmium	< 0.35	μ g/L	0	WA
		Cadmium	1.0	μ g/L	0	WA
		Calcium	3,790	μ g/L	0	WA
		Calcium	3,620	μ g/L	0	WA
		Carbon tetrachloride	< 5.0	μ g/L	0	WA
		Chloride	8,020	μ g/L	0	WA
		Chlorobenzene	< 5.0	μ g/L	0	WA
		Chloroethane	< 10	μ g/L	0	WA
		Chloroethene (Vinyl chloride)	1.9	μ g/L	1	WA
		2-Chloroethyl vinyl ether	< 10	μ g/L	0	WA
		Chloroform	< 5.0	μ g/L	0	WA
		Chloromethane (Methyl chloride)	< 10	μ g/L	0	WA
		Chromium	< 1.1	μ g/L	0	WA
		Chromium	< 1.1	μ g/L	0	WA
		Copper	< 1.1	μ g/L	0	WA
		Copper	< 1.1	μ g/L	0	WA
		Dibromochloromethane	< 5.0	μ g/L	0	WA
		1,1-Dichloroethane	12	μ g/L	2	WA
		1,2-Dichloroethane	< 5.0	μ g/L	0	WA
		cis-1,2-Dichloroethene	< 5.0	μ g/L	0	WA
		1,1-Dichloroethylene	< 5.0	μ g/L	0	WA
		Dichloromethane (Methylene chloride)	1.6	μ g/L	0	WA
		2,4-Dichlorophenoxyacetic acid	< 1.1	μ g/L	0	WA

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 6 collected on 05/28/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		1,2-Dichloropropane	<5.0	µg/L	0	WA
		cis-1,3-Dichloropropene	<5.0	µg/L	0	WA
		trans-1,3-Dichloropropene	<5.0	µg/L	0	WA
		Endrin	<0.11	µg/L	0	WA
		Ethylbenzene	<5.0	µg/L	0	WA
		Fluoride	<100	µg/L	0	WA
		Lead	<2.0	µg/L	0	WA
		Lead	<2.0	µg/L	0	WA
		Lindane	<0.056	µg/L	0	WA
		Magnesium	5,130	µg/L	0	WA
		Magnesium	4,970	µg/L	0	WA
		Manganese	48	µg/L	1	WA
		Manganese	46	µg/L	1	WA
		Mercury	<0.20	µg/L	0	WA
		Methoxychlor	<0.56	µg/L	0	WA
		Nickel	<3.1	µg/L	0	WA
		Nickel	8.1	µg/L	0	WA
		Nitrate as nitrogen	256	µg/L	0	WA
		Potassium	1,420	µg/L	0	WA
		Potassium	1,440	µg/L	0	WA
		Selenium	<2.0	µg/L	0	WA
		Selenium	<2.0	µg/L	0	WA
		Silica	7,650	µg/L	0	WA
		Silica	7,470	µg/L	0	WA
		Silver	<0.70	µg/L	0	WA
		Silver	<0.70	µg/L	0	WA
		Sodium	4,860	µg/L	0	WA
		Sodium	4,710	µg/L	0	WA
		Sulfate	5,500	µg/L	0	WA
		1,1,2,2-Tetrachloroethane	<5.0	µg/L	0	WA
		Tetrachloroethylene	1.3	µg/L	0	WA
		Toluene	<5.0	µg/L	0	WA
		Total organic carbon	3,840	µg/L	0	WA
		Total organic carbon	3,840	µg/L	0	WA
		Total organic halogens	80	µg/L	2	WA
		Toxaphene	<1.1	µg/L	0	WA
		2,4,5-TP (Silvex)	<0.55	µg/L	0	WA
		1,1,1-Trichloroethane	<5.0	µg/L	0	WA
		1,1,2-Trichloroethane	1.2	µg/L	0	WA
		Trichloroethylene	2.7	µg/L	1	WA
		Trichlorofluoromethane	1.3	µg/L	0	WA
		Vanadium	<0.88	µg/L	0	WA
		Vanadium	<0.88	µg/L	0	WA
		Gross alpha	4.4E+00 ± 1.1E+00	pCi/L	0	CN
		Nonvolatile beta	<5.0E+00	pCi/L	0	CN
		Radium-226	1.5E+00 ± 3.1E-01	pCi/L	0	CN
		Tritium	2.3E+00 ± 4.1E-01	pCi/mL	0	CN

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 7

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N84310.3	33.286177 °N	159.8-140.5 ft msl	171.2 ft msl	4" Steel	
E45318.9	81.711239 °W				

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 06/04/92 Time: 14:00
 Depth to water: 19.10 ft (5.82 m) below TOC
 Water elevation: 152.10 ft (46.36 m) msl
 Inaccessibility or pump failure prevented sample collection.

WELL LFW 8

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N84032.6	33.285720 °N	159.2-139.9 ft msl	170.5 ft msl	4" Steel	
E45415.3	81.710445 °W				

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 05/29/92 Time: 10:45
 Depth to water: 20.65 ft (6.29 m) below TOC pH: 6.6
 Water elevation: 149.85 ft (45.67 m) msl Alkalinity: 62 mg/L
 Sp. conductance: 385 µS/cm Water temperature: 18.8°C
 Water evacuated before sampling: 26 gal

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
●		pH	6.3	pH	0	GE
●		pH	6.3	pH	0	GE
●		pH	6.7	pH	0	WA
●		pH	6.7	pH	0	WA
●		pH	6.1	pH	0	WA
		Specific conductance	180	µS/cm	0	GE
		Specific conductance	195	µS/cm	0	GE
●		Specific conductance	223	µS/cm	0	WA
●		Specific conductance	224	µS/cm	0	WA
●		Specific conductance	201	µS/cm	0	WA
		Aluminum	<20	µg/L	0	GE
		Aluminum	<20	µg/L	0	GE
		Aluminum	<20	µg/L	0	GE
		Aluminum	<15	µg/L	0	WA
		Aluminum	<15	µg/L	0	WA
		Antimony	<2.0	µg/L	0	GE
		Antimony	<2.0	µg/L	0	GE
		Antimony	<2.0	µg/L	0	GE
■		Antimony	9.2	µg/L	2	WA
		Antimony	<2.6	µg/L	0	WA
		Arsenic	9.4	µg/L	0	GE
		Arsenic	9.5	µg/L	0	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 8 collected on 05/29/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Arsenic	11	µg/L	0	GE
		Arsenic	14	µg/L	0	WA
		Arsenic	13	µg/L	0	WA
		Barium	<3.0	µg/L	0	GE
		Barium	<3.0	µg/L	0	GE
		Barium	<3.0	µg/L	0	GE
		Barium	7.0	µg/L	0	WA
		Barium	4.3	µg/L	0	WA
		Benzene	2.6	µg/L	1	GE
		Benzene	2.7	µg/L	1	GE
		Benzene	2.7	µg/L	1	GE
		Benzene	2.8	µg/L	1	WA
		Benzene	<5.0	µg/L	0	WA
		Bromodichloromethane	<1.0	µg/L	0	GE
		Bromodichloromethane	<1.0	µg/L	0	GE
		Bromodichloromethane	<1.0	µg/L	0	GE
		Bromodichloromethane	<5.0	µg/L	0	WA
		Bromodichloromethane	<5.0	µg/L	0	WA
		Bromoform	<1.0	µg/L	0	GE
		Bromoform	<1.0	µg/L	0	GE
		Bromoform	<1.0	µg/L	0	GE
		Bromoform	<5.0	µg/L	0	WA
		Bromoform	<5.0	µg/L	0	WA
		Bromomethane (Methyl bromide)	<1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	<10	µg/L	0	WA
		Bromomethane (Methyl bromide)	<10	µg/L	0	WA
		Cadmium	<2.0	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Cadmium	0.50	µg/L	0	WA
		Cadmium	0.65	µg/L	0	WA
		Calcium	7,460	µg/L	0	GE
		Calcium	7,540	µg/L	0	GE
		Calcium	7,540	µg/L	0	GE
		Calcium	6,820	µg/L	0	WA
		Calcium	6,900	µg/L	0	WA
		Carbon tetrachloride	<1.0	µg/L	0	GE
		Carbon tetrachloride	<1.0	µg/L	0	GE
		Carbon tetrachloride	<1.0	µg/L	0	GE
		Carbon tetrachloride	<5.0	µg/L	0	WA
		Carbon tetrachloride	<5.0	µg/L	0	WA
		Chloride	16,700	µg/L	0	GE
		Chloride	16,800	µg/L	0	GE
		Chloride	15,900	µg/L	0	WA
		Chloride	17,500	µg/L	0	WA
		Chlorobenzene	13	µg/L	2	GE
		Chlorobenzene	13	µg/L	2	GE
		Chlorobenzene	13	µg/L	2	GE
		Chlorobenzene	11	µg/L	2	WA
		Chlorobenzene	15	µg/L	2	WA
		Chloroethane	7.0	µg/L	1	GE
		Chloroethane	7.0	µg/L	1	GE
		Chloroethane	8.5	µg/L	1	GE
		Chloroethane	<10	µg/L	0	WA

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 8 collected on 05/29/92, laboratory analyses (cont.)

H	D	Analyte	Result	Unit	Flag	Lab
		Chloroethane	< 10	µg/L	0	WA
■		Chloroethene (Vinyl chloride)	106	µg/L	2	GE
■		Chloroethene (Vinyl chloride)	113	µg/L	2	GE
■		Chloroethene (Vinyl chloride)	128	µg/L	2	GE
■		Chloroethene (Vinyl chloride)	97	µg/L	2	WA
■		Chloroethene (Vinyl chloride)	123	µg/L	2	WA
		2-Chloroethyl vinyl ether	< 1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	< 1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	< 1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	< 10	µg/L	0	WA
		2-Chloroethyl vinyl ether	< 10	µg/L	0	WA
		Chloroform	< 1.0	µg/L	0	GE
		Chloroform	< 1.0	µg/L	0	GE
		Chloroform	< 1.0	µg/L	0	GE
		Chloroform	< 5.0	µg/L	0	WA
		Chloroform	< 5.0	µg/L	0	WA
		Chloromethane (Methyl chloride)	1.8	µg/L	0	GE
		Chloromethane (Methyl chloride)	1.9	µg/L	0	GE
		Chloromethane (Methyl chloride)	< 1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	< 10	µg/L	0	WA
		Chloromethane (Methyl chloride)	< 10	µg/L	0	WA
		Chromium	< 4.0	µg/L	0	GE
		Chromium	< 4.0	µg/L	0	GE
		Chromium	< 4.0	µg/L	0	GE
		Chromium	< 1.1	µg/L	0	WA
		Chromium	< 1.1	µg/L	0	WA
		Copper	< 4.0	µg/L	0	GE
		Copper	< 4.0	µg/L	0	GE
		Copper	< 4.0	µg/L	0	GE
		Copper	< 1.1	µg/L	0	WA
		Copper	< 1.1	µg/L	0	WA
		Dibromochloromethane	< 1.0	µg/L	0	GE
		Dibromochloromethane	< 1.0	µg/L	0	GE
		Dibromochloromethane	< 1.0	µg/L	0	GE
		Dibromochloromethane	< 5.0	µg/L	0	WA
		Dibromochloromethane	< 5.0	µg/L	0	WA
		1,1-Dichloroethane	24	µg/L	2	GE
		1,1-Dichloroethane	24	µg/L	2	GE
		1,1-Dichloroethane	24	µg/L	2	GE
		1,1-Dichloroethane	27	µg/L	2	WA
		1,1-Dichloroethane	35	µg/L	2	WA
		1,2-Dichloroethane	1.4	µg/L	0	GE
		1,2-Dichloroethane	1.3	µg/L	0	GE
		1,2-Dichloroethane	1.4	µg/L	0	GE
		1,2-Dichloroethane	1.7	µg/L	0	WA
		1,2-Dichloroethane	1.8	µg/L	0	WA
		cis-1,2-Dichloroethene	< 5.0	µg/L	0	WA
		cis-1,2-Dichloroethene	< 5.0	µg/L	0	WA
		1,1-Dichloroethylene	< 1.0	µg/L	0	GE
		1,1-Dichloroethylene	< 1.0	µg/L	0	GE
		1,1-Dichloroethylene	< 1.0	µg/L	0	GE
		1,1-Dichloroethylene	< 5.0	µg/L	0	WA
		1,1-Dichloroethylene	< 5.0	µg/L	0	WA
		trans-1,2-Dichloroethylene	< 1.0	µg/L	0	GE
		trans-1,2-Dichloroethylene	< 1.0	µg/L	0	GE
		trans-1,2-Dichloroethylene	< 1.0	µg/L	0	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 8 collected on 05/29/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Dichloromethane (Methylene chloride)	3.5	µg/L	0	GE
		Dichloromethane (Methylene chloride)	5.2	µg/L	0	GE
		Dichloromethane (Methylene chloride)	3.8	µg/L	0	GE
		Dichloromethane (Methylene chloride)	3.9	µg/L	0	WA
		Dichloromethane (Methylene chloride)	5.9	µg/L	0	WA
		2,4-Dichlorophenoxyacetic acid	<0.30	µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30	µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<1.1	µg/L	0	WA
		2,4-Dichlorophenoxyacetic acid	<1.1	µg/L	0	WA
		1,2-Dichloropropane	<1.0	µg/L	0	GE
		1,2-Dichloropropane	<1.0	µg/L	0	GE
		1,2-Dichloropropane	<1.0	µg/L	0	GE
		1,2-Dichloropropane	<5.0	µg/L	0	WA
		1,2-Dichloropropane	<5.0	µg/L	0	WA
		cis-1,3-Dichloropropene	<1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	<5.0	µg/L	0	WA
		cis-1,3-Dichloropropene	<5.0	µg/L	0	WA
		trans-1,3-Dichloropropene	<1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	<5.0	µg/L	0	WA
		trans-1,3-Dichloropropene	<5.0	µg/L	0	WA
		Endrin	<0.0060	µg/L	0	GE
		Endrin	<0.0060	µg/L	0	GE
		Endrin	<0.11	µg/L	0	WA
		Endrin	<0.22	µg/L	0	WA
		Endrin	<0.11	µg/L	0	WA
		Ethylbenzene	13	µg/L	0	GE
		Ethylbenzene	13	µg/L	0	GE
		Ethylbenzene	13	µg/L	0	GE
		Ethylbenzene	11	µg/L	0	WA
		Ethylbenzene	16	µg/L	0	WA
		Fluoride	200	µg/L	0	GE
		Fluoride	197	µg/L	0	GE
		Fluoride	175	µg/L	0	WA
		Fluoride	165	µg/L	0	WA
		Lead	<3.0	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE
		Lead	<2.0	µg/L	0	WA
		Lead	<2.0	µg/L	0	WA
		Lindane	<0.0050	µg/L	0	GE
		Lindane	<0.0050	µg/L	0	GE
		Lindane	<0.056	µg/L	0	WA
		Lindane	<0.11	µg/L	0	WA
		Lindane	<0.056	µg/L	0	WA
		Magnesium	11,800	µg/L	0	GE
		Magnesium	12,100	µg/L	0	GE
		Magnesium	11,900	µg/L	0	GE
		Magnesium	11,000	µg/L	0	WA
		Magnesium	11,000	µg/L	0	WA
		Manganese	26	µg/L	1	GE
		Manganese	26	µg/L	1	GE
		Manganese	26	µg/L	1	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 8 collected on 05/29/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Manganese	21	µg/L	0	WA
		Manganese	20	µg/L	0	WA
		Mercury	<0.20	µg/L	0	GE
		Mercury	<0.20	µg/L	0	GE
		Mercury	<0.20	µg/L	0	WA
		Mercury	<0.20	µg/L	0	WA
		Mercury	<0.20	µg/L	0	WA
		Methoxychlor	<0.50	µg/L	0	GE
		Methoxychlor	<0.50	µg/L	0	GE
		Methoxychlor	<0.56	µg/L	0	WA
		Methoxychlor	<1.1	µg/L	0	WA
		Methoxychlor	<1.1	µg/L	0	WA
		Methoxychlor	<0.56	µg/L	0	WA
		Nickel	<4.0	µg/L	0	GE
		Nickel	<4.0	µg/L	0	GE
		Nickel	<4.0	µg/L	0	GE
		Nickel	<3.1	µg/L	0	WA
		Nickel	<3.1	µg/L	0	WA
		Nitrate as nitrogen	70	µg/L	0	GE
		Nitrate as nitrogen	80	µg/L	0	GE
		Nitrate as nitrogen	<10	µg/L	0	WA
		Nitrate as nitrogen	210	µg/L	0	WA
		Potassium	1,700	µg/L	0	GE
		Potassium	1,670	µg/L	0	GE
		Potassium	1,720	µg/L	0	GE
		Potassium	1,270	µg/L	0	WA
		Potassium	1,440	µg/L	0	WA
		Selenium	<2.0	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Selenium	<2.0	µg/L	0	WA
		Selenium	<2.0	µg/L	0	WA
		Silica	5,720	µg/L	0	GE
		Silica	5,680	µg/L	0	GE
		Silica	5,640	µg/L	0	GE
		Silica	5,050	µg/L	0	WA
		Silica	5,000	µg/L	0	WA
		Silver	<2.0	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Silver	<0.70	µg/L	0	WA
		Silver	<0.70	µg/L	0	WA
		Sodium	16,100	µg/L	0	GE
		Sodium	16,200	µg/L	0	GE
		Sodium	16,000	µg/L	0	GE
		Sodium	16,100	µg/L	0	WA
		Sodium	15,700	µg/L	0	WA
		Sulfate	<1,000	µg/L	0	GE
		Sulfate	<1,000	µg/L	0	GE
		Sulfate	535	µg/L	0	WA
		Sulfate	<2,500	µg/L	0	WA
		1,1,2,2-Tetrachloroethane	<1.0	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<5.0	µg/L	0	WA
		1,1,2,2-Tetrachloroethane	<5.0	µg/L	0	WA

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 8 collected on 05/29/92, laboratory analyses (cont.)

H	D	Analyte	Result	Unit	Flag	Lab
		Tetrachloroethylene	< 1.0	µg/L	0	GE
		Tetrachloroethylene	< 1.0	µg/L	0	GE
		Tetrachloroethylene	< 1.0	µg/L	0	GE
		Tetrachloroethylene	< 5.0	µg/L	0	WA
		Tetrachloroethylene	< 5.0	µg/L	0	WA
		Toluene	5.3	µg/L	0	GE
		Toluene	5.5	µg/L	0	GE
		Toluene	5.4	µg/L	0	GE
		Toluene	4.9	µg/L	0	WA
		Toluene	6.6	µg/L	0	WA
		Total organic carbon	5,240	µg/L	1	GE
		Total organic carbon	6,700	µg/L	1	GE
		Total organic carbon	7,660	µg/L	1	WA
		Total organic carbon	5,020	µg/L	1	WA
		Total organic halogens	137	µg/L	2	GE
		Total organic halogens	130	µg/L	2	GE
		Total organic halogens	191	µg/L	2	WA
		Total organic halogens	245	µg/L	2	WA
		Total organic halogens	245	µg/L	2	WA
		Toxaphene	< 0.24	µg/L	0	GE
		Toxaphene	< 0.24	µg/L	0	GE
		Toxaphene	< 1.1	µg/L	0	WA
		Toxaphene	< 2.3	µg/L	0	WA
		Toxaphene	< 2.3	µg/L	0	WA
		Toxaphene	< 1.1	µg/L	0	WA
		2,4,5-TP (Silvex)	< 0.090	µg/L	0	GE
		2,4,5-TP (Silvex)	< 0.090	µg/L	0	GE
		2,4,5-TP (Silvex)	< 0.56	µg/L	0	WA
		2,4,5-TP (Silvex)	< 0.55	µg/L	0	WA
		1,1,1-Trichloroethane	< 1.0	µg/L	0	GE
		1,1,1-Trichloroethane	< 1.0	µg/L	0	GE
		1,1,1-Trichloroethane	< 1.0	µg/L	0	GE
		1,1,1-Trichloroethane	< 5.0	µg/L	0	WA
		1,1,1-Trichloroethane	< 5.0	µg/L	0	WA
		1,1,2-Trichloroethane	< 1.0	µg/L	0	GE
		1,1,2-Trichloroethane	< 1.0	µg/L	0	GE
		1,1,2-Trichloroethane	< 1.0	µg/L	0	GE
		1,1,2-Trichloroethane	1.1	µg/L	0	WA
		1,1,2-Trichloroethane	< 5.0	µg/L	0	WA
		Trichloroethylene	< 1.0	µg/L	0	GE
		Trichloroethylene	< 1.0	µg/L	0	GE
		Trichloroethylene	< 1.0	µg/L	0	GE
		Trichloroethylene	< 5.0	µg/L	0	WA
		Trichloroethylene	< 5.0	µg/L	0	WA
		Trichlorofluoromethane	< 1.0	µg/L	0	GE
		Trichlorofluoromethane	< 1.0	µg/L	0	GE
		Trichlorofluoromethane	< 1.0	µg/L	0	GE
		Trichlorofluoromethane	< 5.0	µg/L	0	WA
		Trichlorofluoromethane	< 5.0	µg/L	0	WA
		Vanadium	< 8.0	µg/L	0	GE
		Vanadium	< 8.0	µg/L	0	GE
		Vanadium	< 8.0	µg/L	0	GE
		Vanadium	< 0.88	µg/L	0	WA
		Vanadium	< 0.88	µg/L	0	WA
		Gross alpha	4.7E+00 ± 2.3E+00	pCi/L	0	GP
		Gross alpha	1.0E+01 ± 1.7E+00	pCi/L	1	GP

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 8 collected on 05/29/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Gross alpha	6.4E+00 ± 6.5E-01	pCi/L	0	CN
		Gross alpha	4.9E+00 ± 5.0E-01	pCi/L	0	CN
		Nonvolatile beta	1.0E+01 ± 2.3E+00	pCi/L	0	GP
		Nonvolatile beta	1.1E+01 ± 1.7E+00	pCi/L	0	GP
		Nonvolatile beta	1.1E+01 ± 1.3E+00	pCi/L	0	CN
		Nonvolatile beta	1.2E+01 ± 1.2E+00	pCi/L	0	CN
		Radium-226	2.5E+00 ± 3.0E-01	pCi/L	0	GP
		Radium-226	<5.0E-01	pCi/L	0	GP
		Radium-226	1.6E+00 ± 3.2E-01	pCi/L	0	CN
		Radium-226	2.3E+00 ± 3.5E-01	pCi/L	0	CN
		Tritium	6.5E+00 ± 5.0E-01	pCi/mL	0	GP
		Tritium	7.1E+00 ± 5.0E-01	pCi/mL	0	GP
		Tritium	7.3E+00 ± 5.0E-01	pCi/mL	0	GP
		Tritium	5.8E+00 ± 5.2E-01	pCi/mL	0	CN
		Tritium	5.9E+00 ± 5.3E-01	pCi/mL	0	CN

WELL LFW 10A

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N84369.6	33.287315 °N	159.2-129.2 ft msl	175.5 ft msl	4" PVC	
E45935.6	81.709731 °W				

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 05/29/92	Time: 10:00
Depth to water: 23.11 ft (7.04 m) below TOC	pH: 6.3
Water elevation: 152.39 ft (46.45 m) msl	Alkalinity: 267 mg/L
Sp. conductance: 692 µS/cm	Water temperature: 19.1°C
Water evacuated before sampling: 61 gal	

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	6.2	pH	0	WA
•		Specific conductance	372	µS/cm	1	WA
		Aluminum	< 15	µg/L	0	WA
■		Antimony	8.3	µg/L	2	WA
		Arsenic	9.0	µg/L	0	WA
		Barium	9.0	µg/L	0	WA
■		Benzene	8.6	µg/L	2	WA
		Bromodichloromethane	< 5.0	µg/L	0	WA
		Bromoform	< 5.0	µg/L	0	WA
		Bromomethane (Methyl bromide)	< 10	µg/L	0	WA
		Cadmium	1.1	µg/L	0	WA
		Calcium	11,400	µg/L	0	WA
		Carbon tetrachloride	< 5.0	µg/L	0	WA
		Chloride	31,900	µg/L	0	WA
		Chlorobenzene	< 5.0	µg/L	0	WA
		Chloroethane	< 10	µg/L	0	WA
		Chloroethene (Vinyl chloride)	< 10	µg/L	0	WA
		2-Chloroethyl vinyl ether	< 10	µg/L	0	WA
		Chloroform	< 5.0	µg/L	0	WA

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 10A collected on 05/29/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Chloromethane (Methyl chloride)	< 10	µg/L	0	WA
		Chromium	< 1.1	µg/L	0	WA
		Copper	< 1.1	µg/L	0	WA
		Dibromochloromethane	< 5.0	µg/L	0	WA
		1,1-Dichloroethane	170	µg/L	2	WA
		1,2-Dichloroethane	1.6	µg/L	0	WA
		cis-1,2-Dichloroethene	< 5.0	µg/L	0	WA
		1,1-Dichloroethylene	5.9	µg/L	1	WA
		Dichloromethane (Methylene chloride)	355	µg/L	0	WA
		2,4-Dichlorophenoxyacetic acid	< 1.1	µg/L	0	WA
		2,4-Dichlorophenoxyacetic acid	< 2.3	µg/L	0	WA
		1,2-Dichloropropane	1.5	µg/L	0	WA
		cis-1,3-Dichloropropene	< 5.0	µg/L	0	WA
		trans-1,3-Dichloropropene	< 5.0	µg/L	0	WA
		Endrin	< 0.11	µg/L	0	WA
		Ethylbenzene	16	µg/L	0	WA
		Fluoride	149	µg/L	0	WA
		Lead	< 2.0	µg/L	0	WA
		Lindane	< 0.056	µg/L	0	WA
		Magnesium	16,500	µg/L	0	WA
		Manganese	39	µg/L	1	WA
		Mercury	< 0.20	µg/L	0	WA
		Methoxychlor	< 0.56	µg/L	0	WA
		Nickel	3.8	µg/L	0	WA
		Nitrate as nitrogen	< 10	µg/L	0	WA
		Potassium	284	µg/L	0	WA
		Selenium	< 2.0	µg/L	0	WA
		Silica	9,610	µg/L	0	WA
		Silver	< 0.70	µg/L	0	WA
		Sodium	24,100	µg/L	0	WA
		Sulfate	< 2,500	µg/L	0	WA
		1,1,2,2-Tetrachloroethane	< 5.0	µg/L	0	WA
■		Tetrachloroethylene	36	µg/L	2	WA
		Toluene	30	µg/L	0	WA
		Total organic carbon	33,300	µg/L	2	WA
		Total organic halogens	765	µg/L	2	WA
		Toxaphene	< 1.1	µg/L	0	WA
		2,4,5-TP (Silvex)	< 0.56	µg/L	0	WA
		2,4,5-TP (Silvex)	< 1.1	µg/L	0	WA
		1,1,1-Trichloroethane	26	µg/L	0	WA
		1,1,2-Trichloroethane	1.3	µg/L	0	WA
■		Trichloroethylene	48	µg/L	2	WA
		Trichlorofluoromethane	< 5.0	µg/L	0	WA
		Vanadium	< 0.88	µg/L	0	WA
		Gross alpha	4.1E+00 ± 1.3E+00	pCi/L	0	CN
		Nonvolatile beta	< 5.0E+00	pCi/L	0	CN
		Radium-226	1.4E+00 ± 3.7E-01	pCi/L	0	CN
■		Tritium	1.6E+02 ± 2.3E+00	pCi/mL	2	CN

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 16

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N84748.9 E45852.6	33.288018 °N 81.710687 °W	161.2-131.2 ft msl	178.8 ft msl	4" PVC	

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 05/28/92
 Depth to water: 23.43 ft (7.14 m) below TOC
 Water elevation: 155.37 ft (47.36 m) msl
 Sp. conductance: 41 μ S/cm
 Water evacuated before sampling: 63 gal

Time: 14:35
 pH: 4.4
 Alkalinity: 0 mg/L
 Water temperature: 19.7°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	6.5	pH	0	WA
•		Specific conductance	42	μ S/cm	0	WA
		Aluminum	34	μ g/L	0	WA
	■	Antimony	7.6	μ g/L	2	WA
		Arsenic	<2.0	μ g/L	0	WA
		Barium	8.3	μ g/L	0	WA
		Benzene	<5.0	μ g/L	0	WA
		Bromodichloromethane	<5.0	μ g/L	0	WA
		Bromoform	<5.0	μ g/L	0	WA
		Bromomethane (Methyl bromide)	<10	μ g/L	0	WA
		Cadmium	<0.35	μ g/L	0	WA
		Calcium	1,260	μ g/L	0	WA
		Carbon tetrachloride	<5.0	μ g/L	0	WA
		Chloride	5,860	μ g/L	0	WA
		Chlorobenzene	<5.0	μ g/L	0	WA
		Chloroethane	<10	μ g/L	0	WA
		Chloroethene (Vinyl chloride)	<10	μ g/L	0	WA
		2-Chloroethyl vinyl ether	<10	μ g/L	0	WA
		Chloroform	<5.0	μ g/L	0	WA
		Chloromethane (Methyl chloride)	<10	μ g/L	0	WA
		Chromium	<1.1	μ g/L	0	WA
		Copper	11	μ g/L	0	WA
		Dibromochloromethane	<5.0	μ g/L	0	WA
		1,1-Dichloroethane	25	μ g/L	2	WA
		1,2-Dichloroethane	<5.0	μ g/L	0	WA
		cis-1,2-Dichloroethene	<5.0	μ g/L	0	WA
		1,1-Dichloroethylene	<5.0	μ g/L	0	WA
		Dichloromethane (Methylene chloride)	16	μ g/L	0	WA
		2,4-Dichlorophenoxyacetic acid	<1.1	μ g/L	0	WA
		1,2-Dichloropropane	<5.0	μ g/L	0	WA
		cis-1,3-Dichloropropene	<5.0	μ g/L	0	WA
		trans-1,3-Dichloropropene	<5.0	μ g/L	0	WA
		Endrin	<0.11	μ g/L	0	WA
		Ethylbenzene	<5.0	μ g/L	0	WA
		Fluoride	<100	μ g/L	0	WA
		Lead	6.0	μ g/L	0	WA
		Lindane	<0.054	μ g/L	0	WA
		Magnesium	1,830	μ g/L	0	WA
		Manganese	2.2	μ g/L	0	WA

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 16 collected on 05/28/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Mercury	<0.20	µg/L	0	WA
		Methoxychlor	<0.54	µg/L	0	WA
		Nickel	6.1	µg/L	0	WA
		Nitrate as nitrogen	675	µg/L	0	WA
		Potassium	424	µg/L	0	WA
		Selenium	<2.0	µg/L	0	WA
		Silica	8,820	µg/L	0	WA
		Silver	<0.70	µg/L	0	WA
		Sodium	1,910	µg/L	0	WA
		Sulfate	<2,500	µg/L	0	WA
		1,1,2,2-Tetrachloroethane	<5.0	µg/L	0	WA
		Tetrachloroethylene	2.7	µg/L	1	WA
		Toluene	<5.0	µg/L	0	WA
		Total organic carbon	1,440	µg/L	0	WA
		Total organic halogens	89	µg/L	2	WA
		Toxaphene	<1.1	µg/L	0	WA
		2,4,5-TP (Silvex)	<0.57	µg/L	0	WA
		1,1,1-Trichloroethane	3.9	µg/L	0	WA
		1,1,2-Trichloroethane	1.1	µg/L	0	WA
■		Trichloroethylene	7.8	µg/L	2	WA
		Trichlorofluoromethane	<5.0	µg/L	0	WA
		Vanadium	<0.88	µg/L	0	WA
		Gross alpha	<3.0E+00	pCi/L	0	CN
		Nonvolatile beta	<5.0E+00	pCi/L	0	CN
		Radium-226	5.3E-01 ± 1.8E-01	pCi/L	0	CN
■		Tritium	2.1E+01 ± 8.6E-01	pCi/mL	2	CN

WELL LFW 17

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N84602.8	33.287295 °N	158.5-128.5 ft msl	177.8 ft msl	4" PVC	
E45607.3	81.711048 °W				

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 05/28/92
 Depth to water: 23.09 ft (7.04 m) below TOC
 Water elevation: 154.71 ft (47.16 m) msl
 Sp. conductance: 239 µS/cm
 Water evacuated before sampling: 69 gal

Time: 9:00
 pH: 6.0
 Alkalinity: 70 mg/L
 Water temperature: 19.1°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
●		pH	6.6	pH	0	WA
●		Specific conductance	187	µS/cm	0	WA
		Aluminum	<15	µg/L	0	WA
■		Antimony	9.6	µg/L	2	WA
		Arsenic	14	µg/L	0	WA
		Barium	<4.0	µg/L	0	WA
		Benzene	2.6	µg/L	1	WA
		Bromodichloromethane	<5.0	µg/L	0	WA

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 17 collected on 05/28/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Bromoform	< 5.0	µg/L	0	WA
		Bromomethane (Methyl bromide)	< 10	µg/L	0	WA
		Cadmium	0.45	µg/L	0	WA
		Calcium	4,050	µg/L	0	WA
		Carbon tetrachloride	< 5.0	µg/L	0	WA
		Chloride	25,800	µg/L	0	WA
		Chloride	26,300	µg/L	0	WA
		Chlorobenzene	33	µg/L	2	WA
		Chloroethane	< 10	µg/L	0	WA
		Chloroethene (Vinyl chloride)	< 10	µg/L	0	WA
		2-Chloroethyl vinyl ether	< 10	µg/L	0	WA
		Chloroform	< 5.0	µg/L	0	WA
		Chloromethane (Methyl chloride)	< 10	µg/L	0	WA
		Chromium	< 1.1	µg/L	0	WA
		Copper	< 1.1	µg/L	0	WA
		Dibromochloromethane	< 5.0	µg/L	0	WA
		1,1-Dichloroethane	21	µg/L	2	WA
		1,2-Dichloroethane	3.8	µg/L	1	WA
		cis-1,2-Dichloroethene	< 5.0	µg/L	0	WA
		1,1-Dichloroethylene	< 5.0	µg/L	0	WA
		Dichloromethane (Methylene chloride)	2.2	µg/L	0	WA
		2,4-Dichlorophenoxyacetic acid	< 1.1	µg/L	0	WA
		1,2-Dichloropropane	< 5.0	µg/L	0	WA
		cis-1,3-Dichloropropene	< 5.0	µg/L	0	WA
		trans-1,3-Dichloropropene	< 5.0	µg/L	0	WA
		Endrin	< 0.22	µg/L	0	WA
		Ethylbenzene	8.7	µg/L	0	WA
		Fluoride	< 100	µg/L	0	WA
		Lead	< 2.0	µg/L	0	WA
		Lindane	< 0.11	µg/L	0	WA
		Magnesium	7,830	µg/L	0	WA
		Manganese	13	µg/L	0	WA
		Mercury	< 0.20	µg/L	0	WA
		Methoxychlor	< 1.1	µg/L	0	WA
		Nickel	< 3.1	µg/L	0	WA
		Nitrate as nitrogen	101	µg/L	0	WA
		Potassium	834	µg/L	0	WA
		Selenium	< 2.0	µg/L	0	WA
		Silica	5,190	µg/L	0	WA
		Silver	< 0.70	µg/L	0	WA
		Sodium	17,900	µg/L	0	WA
		Sulfate	1,120	µg/L	0	WA
		1,1,2,2-Tetrachloroethane	< 5.0	µg/L	0	WA
		Tetrachloroethylene	< 5.0	µg/L	0	WA
		Toluene	1.8	µg/L	0	WA
		Total organic carbon	4,770	µg/L	0	WA
		Total organic halogens	156	µg/L	2	WA
		Toxaphene	< 2.2	µg/L	0	WA
		2,4,5-TP (Silvex)	< 0.54	µg/L	0	WA
		1,1,1-Trichloroethane	< 5.0	µg/L	0	WA
		1,1,2-Trichloroethane	1.1	µg/L	0	WA
		Trichloroethylene	< 5.0	µg/L	0	WA
		Trichlorofluoromethane	< 5.0	µg/L	0	WA
		Vanadium	< 0.88	µg/L	0	WA
		Gross alpha	< 3.0E + 00	pCi/L	0	CN
		Nonvolatile beta	< 5.0E + 00	pCi/L	0	CN

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 17 collected on 05/28/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Radium-226	6.9E-01 ± 2.1E-01	pCi/L	0	CN
		Tritium	8.4E+00 ± 6.0E-01	pCi/mL	0	CN

WELL LFW 18

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N84577.3	33.286997 °N	160.1-130.1 ft msl	175.0 ft msl	4" PVC	
E45459.4	81.711388 °W				

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 05/28/92
 Depth to water: 20.43 ft (6.23 m) below TOC
 Water elevation: 154.57 ft (47.11 m) msl
 Sp. conductance: 259 µS/cm
 Water evacuated before sampling: 64 gal

Time: 8:15
 pH: 6.3
 Alkalinity: 95 mg/L
 Water temperature: 18.7°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	6.7	pH	0	WA
•		Specific conductance	137	µS/cm	0	WA
		Aluminum	<15	µg/L	0	WA
		Antimony	<2.6	µg/L	0	WA
		Arsenic	21	µg/L	0	WA
		Barium	<4.0	µg/L	0	WA
		Benzene	1.3	µg/L	0	WA
		Bromodichloromethane	<5.0	µg/L	0	WA
		Bromoform	<5.0	µg/L	0	WA
		Bromomethane (Methyl bromide)	<10	µg/L	0	WA
		Cadmium	<0.35	µg/L	0	WA
		Calcium	4,090	µg/L	0	WA
		Carbon tetrachloride	<5.0	µg/L	0	WA
		Chloride	11,600	µg/L	0	WA
		Chlorobenzene	<5.0	µg/L	0	WA
		Chloroethane	<10	µg/L	0	WA
		Chloroethene (Vinyl chloride)	1.4	µg/L	1	WA
		2-Chloroethyl vinyl ether	<10	µg/L	0	WA
		Chloroform	<5.0	µg/L	0	WA
		Chloromethane (Methyl chloride)	<10	µg/L	0	WA
		Chromium	<1.1	µg/L	0	WA
		Copper	<1.1	µg/L	0	WA
		Dibromochloromethane	<5.0	µg/L	0	WA
		1,1-Dichloroethane	9.8	µg/L	1	WA
		1,2-Dichloroethane	2.4	µg/L	0	WA
		cis-1,2-Dichloroethene	<5.0	µg/L	0	WA
		1,1-Dichloroethylene	<5.0	µg/L	0	WA
		Dichloromethane (Methylene chloride)	1.4	µg/L	0	WA
		2,4-Dichlorophenoxyacetic acid	<1.1	µg/L	0	WA
		1,2-Dichloropropane	<5.0	µg/L	0	WA
		cis-1,3-Dichloropropene	<5.0	µg/L	0	WA
		trans-1,3-Dichloropropene	<5.0	µg/L	0	WA

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 18 collected on 05/28/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Endrin	<0.22	µg/L	0	WA
		Ethylbenzene	8.7	µg/L	0	WA
		Fluoride	<100	µg/L	0	WA
		Lead	<2.0	µg/L	0	WA
		Lindane	<0.11	µg/L	0	WA
		Magnesium	5,760	µg/L	0	WA
		Manganese	8.1	µg/L	0	WA
		Mercury	<0.20	µg/L	0	WA
		Methoxychlor	<1.1	µg/L	0	WA
		Nickel	5.7	µg/L	0	WA
		Nitrate as nitrogen	172	µg/L	0	WA
		Potassium	1,290	µg/L	0	WA
		Selenium	<2.0	µg/L	0	WA
		Silica	6,210	µg/L	0	WA
		Silver	<0.70	µg/L	0	WA
		Sodium	9,930	µg/L	0	WA
		Sulfate	511	µg/L	0	WA
		1,1,2,2-Tetrachloroethane	<5.0	µg/L	0	WA
		Tetrachloroethylene	<5.0	µg/L	0	WA
		Toluene	2.5	µg/L	0	WA
		Total organic carbon	4,230	µg/L	0	WA
		Total organic halogens	144	µg/L	2	WA
		Total organic halogens	150	µg/L	2	WA
		Toxaphene	<2.2	µg/L	0	WA
		2,4,5-TP (Silvex)	<0.55	µg/L	0	WA
		1,1,1-Trichloroethane	<5.0	µg/L	0	WA
		1,1,2-Trichloroethane	1.2	µg/L	0	WA
		Trichloroethylene	<5.0	µg/L	0	WA
		Trichlorofluoromethane	1.1	µg/L	0	WA
		Vanadium	<0.88	µg/L	0	WA
		Gross alpha	3.1E+00 ± 8.7E-01	pCi/L	0	CN
		Nonvolatile beta	5.2E+00 ± 1.5E+00	pCi/L	0	CN
		Radium-226	<5.0E-01	pCi/L	0	CN
		Tritium	5.0E+00 ± 5.0E-01	pCi/mL	0	CN

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 19

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N84817.2 E45135.4	33.286998 °N 81.712707 °W	160.0-130.0 ft msl	176.7 ft msl	4" PVC	

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 05/28/92
 Depth to water: 20.73 ft (6.32 m) below TOC
 Water elevation: 155.97 ft (47.54 m) msl
 Sp. conductance: 19 μ S/cm
 Water evacuated before sampling: 68 gal

Time: 10:00
 pH: 4.3
 Alkalinity: 0 mg/L
 Water temperature: 18.5°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	6.6	pH	0	WA
•		Specific conductance	18	μ S/cm	0	WA
		Aluminum	< 15	μ g/L	0	WA
	■	Antimony	6.3	μ g/L	2	WA
		Arsenic	< 2.0	μ g/L	0	WA
		Barium	4.0	μ g/L	0	WA
		Benzene	< 5.0	μ g/L	0	WA
		Bromodichloromethane	< 5.0	μ g/L	0	WA
		Bromoform	< 5.0	μ g/L	0	WA
		Bromomethane (Methyl bromide)	< 10	μ g/L	0	WA
		Cadmium	< 0.35	μ g/L	0	WA
		Calcium	442	μ g/L	0	WA
		Carbon tetrachloride	< 5.0	μ g/L	0	WA
		Chloride	2,960	μ g/L	0	WA
		Chlorobenzene	< 5.0	μ g/L	0	WA
		Chloroethane	< 10	μ g/L	0	WA
		Chloroethene (Vinyl chloride)	< 10	μ g/L	0	WA
		2-Chloroethyl vinyl ether	< 10	μ g/L	0	WA
		Chloroform	< 5.0	μ g/L	0	WA
		Chloromethane (Methyl chloride)	< 10	μ g/L	0	WA
		Chromium	< 1.1	μ g/L	0	WA
		Copper	6.2	μ g/L	0	WA
		Dibromochloromethane	< 5.0	μ g/L	0	WA
		1,1-Dichloroethane	< 5.0	μ g/L	0	WA
		1,2-Dichloroethane	< 5.0	μ g/L	0	WA
		cis-1,2-Dichloroethene	< 5.0	μ g/L	0	WA
		1,1-Dichloroethylene	< 5.0	μ g/L	0	WA
		Dichloromethane (Methylene chloride)	< 5.0	μ g/L	0	WA
		2,4-Dichlorophenoxyacetic acid	< 1.1	μ g/L	0	WA
		1,2-Dichloropropane	< 5.0	μ g/L	0	WA
		cis-1,3-Dichloropropene	< 5.0	μ g/L	0	WA
		trans-1,3-Dichloropropene	< 5.0	μ g/L	0	WA
		Endrin	< 0.11	μ g/L	0	WA
		Ethylbenzene	< 5.0	μ g/L	0	WA
		Fluoride	< 100	μ g/L	0	WA
		Lead	4.8	μ g/L	0	WA
		Lindane	< 0.056	μ g/L	0	WA
		Magnesium	521	μ g/L	0	WA
		Manganese	2.9	μ g/L	0	WA

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 19 collected on 05/28/92, laboratory analyses (cont.)

<u>H</u> <u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
	Mercury	<0.20	µg/L	0	WA
	Methoxychlor	<0.56	µg/L	0	WA
	Nickel	<3.1	µg/L	0	WA
	Nitrate as nitrogen	407	µg/L	0	WA
	Potassium	228	µg/L	0	WA
	Selenium	<2.0	µg/L	0	WA
	Silica	5,590	µg/L	0	WA
	Silver	<0.70	µg/L	0	WA
	Sodium	1,400	µg/L	0	WA
	Sulfate	378	µg/L	0	WA
	1,1,2,2-Tetrachloroethane	<5.0	µg/L	0	WA
	Tetrachloroethylene	<5.0	µg/L	0	WA
	Toluene	<5.0	µg/L	0	WA
	Total organic carbon	3,370	µg/L	0	WA
	Total organic halogens	36	µg/L	1	WA
	Toxaphene	<1.1	µg/L	0	WA
	2,4,5-TP (Silvex)	<0.55	µg/L	0	WA
	1,1,1-Trichloroethane	<5.0	µg/L	0	WA
	1,1,2-Trichloroethane	1.0	µg/L	0	WA
	Trichloroethylene	<5.0	µg/L	0	WA
	Trichlorofluoromethane	<5.0	µg/L	0	WA
	Vanadium	<0.88	µg/L	0	WA
	Gross alpha	4.3E+00 ± 7.7E-01	pCi/L	0	CN
	Nonvolatile beta	6.9E+00 ± 1.2E+00	pCi/L	0	CN
	Radium-226	1.2E+00 ± 2.6E-01	pCi/L	0	CN
	Tritium	2.4E+00 ± 4.1E-01	pCi/mL	0	CN

WELL LFW 20

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N85262.6	33.288714 °N	165.0-135.0 ft msl	180.5 ft msl	4" PVC	
E45582.9	81.712395 °W				

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 05/29/92 Time: 14:25
 Depth to water: 21.55 ft (6.57 m) below TOC
 Water elevation: 158.95 ft (48.45 m) msl
 No water was evacuated before sampling.

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 21

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N84178.3 E46149.4	33.287241 °N 81.708796 °W	158.9-128.9 ft msl	175.6 ft msl	4" PVC	

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 05/29/92
 Depth to water: 25.21 ft (7.68 m) below TOC
 Water elevation: 150.39 ft (45.84 m) msl
 Sp. conductance: 1413 μ S/cm
 Water evacuated before sampling: 56 gal

Time: 14:00
 pH: 6.5
 Alkalinity: 363 mg/L
 Water temperature: 18.8°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.9	pH	0	WA
•		Specific conductance	1,150	μ S/cm	2	WA
		Aluminum	< 15	μ g/L	0	WA
		Antimony	4.5	μ g/L	1	WA
		Arsenic	25	μ g/L	0	WA
		Barium	14	μ g/L	0	WA
■		Benzene	21	μ g/L	2	WA
		Bromodichloromethane	< 5.0	μ g/L	0	WA
		Bromoform	< 5.0	μ g/L	0	WA
		Bromomethane (Methyl bromide)	< 10	μ g/L	0	WA
		Cadmium	2.3	μ g/L	0	WA
		Calcium	46,200	μ g/L	0	WA
		Carbon tetrachloride	< 5.0	μ g/L	0	WA
		Chloride	37,500	μ g/L	0	WA
		Chlorobenzene	< 5.0	μ g/L	0	WA
		Chloroethane	< 10	μ g/L	0	WA
		Chloroethene (Vinyl chloride)	< 10	μ g/L	0	WA
		2-Chloroethyl vinyl ether	< 10	μ g/L	0	WA
		Chloroform	< 5.0	μ g/L	0	WA
		Chloromethane (Methyl chloride)	< 10	μ g/L	0	WA
		Chromium	< 1.1	μ g/L	0	WA
		Copper	< 1.1	μ g/L	0	WA
		Dibromochloromethane	< 5.0	μ g/L	0	WA
		1,1-Dichloroethane	286	μ g/L	2	WA
		1,2-Dichloroethane	3.9	μ g/L	1	WA
		cis-1,2-Dichloroethene	< 5.0	μ g/L	0	WA
		1,1-Dichloroethylene	5.0	μ g/L	1	WA
		Dichloromethane (Methylene chloride)	16	μ g/L	0	WA
		2,4-Dichlorophenoxyacetic acid	< 1.1	μ g/L	0	WA
		2,4-Dichlorophenoxyacetic acid	< 2.2	μ g/L	0	WA
■		1,2-Dichloropropane	7.7	μ g/L	2	WA
		cis-1,3-Dichloropropene	< 5.0	μ g/L	0	WA
		trans-1,3-Dichloropropene	< 5.0	μ g/L	0	WA
		Endrin	< 0.11	μ g/L	0	WA
		Ethylbenzene	87	μ g/L	0	WA
		Fluoride	163	μ g/L	0	WA
		Fluoride	168	μ g/L	0	WA
		Lead	< 2.0	μ g/L	0	WA
		Lindane	< 0.054	μ g/L	0	WA

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 21 collected on 05/29/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Magnesium	33,400	µg/L	0	WA
		Manganese	363	µg/L	2	WA
		Mercury	<0.20	µg/L	0	WA
		Methoxychlor	<0.54	µg/L	0	WA
		Nickel	<3.1	µg/L	0	WA
		Nitrate as nitrogen	<10	µg/L	0	WA
		Potassium	323	µg/L	0	WA
		Selenium	<2.0	µg/L	0	WA
		Silica	7,800	µg/L	0	WA
		Silver	<0.70	µg/L	0	WA
		Sodium	52,300	µg/L	0	WA
		Sulfate	421	µg/L	0	WA
		1,1,2,2-Tetrachloroethane	<5.0	µg/L	0	WA
		Tetrachloroethylene	4.9	µg/L	1	WA
		Toluene	250	µg/L	0	WA
		Total organic carbon	460,000	µg/L	2	WA
		Total organic carbon	439,000	µg/L	2	WA
		Total organic halogens	1,090	µg/L	2	WA
		Toxaphene	<1.1	µg/L	0	WA
		2,4,5-TP (Silvex)	<0.54	µg/L	0	WA
		2,4,5-TP (Silvex)	<1.1	µg/L	0	WA
		1,1,1-Trichloroethane	3.8	µg/L	0	WA
		1,1,2-Trichloroethane	<5.0	µg/L	0	WA
	■	Trichloroethylene	27	µg/L	2	WA
		Trichlorofluoromethane	43	µg/L	2	WA
		Vanadium	<0.88	µg/L	0	WA
		Gross alpha	1.0E+01 ± 1.7E+00	pCi/L	1	CN
		Nonvolatile beta	5.1E+00 ± 1.0E-01	pCi/L	0	CN
		Radium-226	2.3E+00 ± 4.0E-01	pCi/L	0	CN
		Tritium	1.2E+01 ± 6.9E-01	pCi/mL	1	CN

WELL LFW 22

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N84223.6	33.287628 °N	152.4-122.4 ft msl	174.2 ft msl	4" PVC	
E46325.2	81.708421 °W				

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 05/29/92
 Depth to water: 23.47 ft (7.15 m) below TOC
 Water elevation: 150.73 ft (45.94 m) msl
 Sp. conductance: 768 µS/cm
 Water evacuated before sampling: 74 gal
 Time: 13:30
 pH: 6.3
 Alkalinity: 234 mg/L
 Water temperature: 18.9°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.8	pH	0	WA
•		Specific conductance	459	µS/cm	1	WA
		Aluminum	<15	µg/L	0	WA
	■	Antimony	10	µg/L	2	WA

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 22 collected on 05/29/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Arsenic	9.3	µg/L	0	WA
		Barium	12	µg/L	0	WA
		Benzene	<5.0	µg/L	0	WA
		Bromodichloromethane	<5.0	µg/L	0	WA
		Bromoform	<5.0	µg/L	0	WA
		Bromomethane (Methyl bromide)	<10	µg/L	0	WA
		Cadmium	2.3	µg/L	0	WA
		Calcium	15,100	µg/L	0	WA
		Carbon tetrachloride	<5.0	µg/L	0	WA
		Chloride	24,500	µg/L	0	WA
		Chlorobenzene	<5.0	µg/L	0	WA
		Chloroethane	<10	µg/L	0	WA
		Chloroethene (Vinyl chloride)	<10	µg/L	0	WA
		2-Chloroethyl vinyl ether	<10	µg/L	0	WA
		Chloroform	<5.0	µg/L	0	WA
		Chloromethane (Methyl chloride)	<10	µg/L	0	WA
		Chromium	<1.1	µg/L	0	WA
		Copper	<1.1	µg/L	0	WA
		Dibromochloromethane	<5.0	µg/L	0	WA
		1,1-Dichloroethane	90	µg/L	2	WA
		1,2-Dichloroethane	<5.0	µg/L	0	WA
		cis-1,2-Dichloroethene	<5.0	µg/L	0	WA
		1,1-Dichloroethylene	3.1	µg/L	0	WA
		Dichloromethane (Methylene chloride)	239	µg/L	0	WA
		2,4-Dichlorophenoxyacetic acid	0.74	µg/L	0	WA
		1,2-Dichloropropane	3.5	µg/L	1	WA
		cis-1,3-Dichloropropene	<5.0	µg/L	0	WA
		trans-1,3-Dichloropropene	<5.0	µg/L	0	WA
		Endrin	<0.12	µg/L	0	WA
		Endrin	<0.23	µg/L	0	WA
		Ethylbenzene	230	µg/L	0	WA
		Fluoride	110	µg/L	0	WA
		Lead	<2.0	µg/L	0	WA
		Lindane	<0.058	µg/L	0	WA
		Lindane	<0.11	µg/L	0	WA
		Magnesium	10,300	µg/L	0	WA
		Manganese	73	µg/L	2	WA
		Mercury	<0.20	µg/L	0	WA
		Methoxychlor	<0.58	µg/L	0	WA
		Methoxychlor	<1.1	µg/L	0	WA
		Methoxychlor	<1.1	µg/L	0	WA
		Nickel	<3.1	µg/L	0	WA
		Nitrate as nitrogen	163	µg/L	0	WA
		Potassium	345	µg/L	0	WA
		Selenium	2.2	µg/L	0	WA
		Silica	7,810	µg/L	0	WA
		Silver	<0.70	µg/L	0	WA
		Sodium	18,800	µg/L	0	WA
		Sulfate	<250	µg/L	0	WA
		1,1,2,2-Tetrachloroethane	<5.0	µg/L	0	WA
		Tetrachloroethylene	4.8	µg/L	1	WA
		Toluene	244	µg/L	0	WA
		Total organic carbon	147,000	µg/L	2	WA
		Total organic halogens	602	µg/L	2	WA
		Toxaphene	<1.2	µg/L	0	WA
		Toxaphene	<2.3	µg/L	0	WA

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 22 collected on 05/29/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Toxaphene	< 2.3	µg/L	0	WA
		2,4,5-TP (Silvex)	< 0.56	µg/L	0	WA
		1,1,1-Trichloroethane	5.1	µg/L	0	WA
		1,1,2-Trichloroethane	< 5.0	µg/L	0	WA
	■	Trichloroethylene	25	µg/L	2	WA
		Trichlorofluoromethane	44	µg/L	2	WA
		Vanadium	< 0.88	µg/L	0	WA
		Gross alpha	6.7E+00 ± 1.3E+00	pCi/L	0	CN
		Nonvolatile beta	< 5.0E+00	pCi/L	0	CN
		Radium-226	9.5E-01 ± 2.4E-01	pCi/L	0	CN
		Tritium	5.1E+00 ± 5.1E-01	pCi/mL	0	CN

WELL LFW 23

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N84251.3	33.287903 °N	155.1-125.1 ft msl	171.8 ft msl	4" PVC	
E46456.1	81.708131 °W				

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 05/29/92
 Depth to water: 20.85 ft (6.36 m) below TOC
 Water elevation: 150.95 ft (46.01 m) msl
 Sp. conductance: 25 µS/cm
 Water evacuated before sampling: 68 gal

Time: 12:50
 pH: 4.2
 Alkalinity: 0 mg/L
 Water temperature: 18.4°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.3	pH	0	WA
•		Specific conductance	22	µS/cm	0	WA
		Aluminum	21	µg/L	0	WA
		Antimony	< 2.6	µg/L	0	WA
		Arsenic	< 2.0	µg/L	0	WA
		Barium	< 4.0	µg/L	0	WA
		Benzene	< 5.0	µg/L	0	WA
		Benzene	< 5.0	µg/L	0	WA
		Bromodichloromethane	< 5.0	µg/L	0	WA
		Bromodichloromethane	< 5.0	µg/L	0	WA
		Bromodichloromethane	< 5.0	µg/L	0	WA
		Bromoform	< 5.0	µg/L	0	WA
		Bromoform	< 5.0	µg/L	0	WA
		Bromoform	< 5.0	µg/L	0	WA
		Bromomethane (Methyl bromide)	< 10	µg/L	0	WA
		Bromomethane (Methyl bromide)	< 10	µg/L	0	WA
		Bromomethane (Methyl bromide)	< 10	µg/L	0	WA
		Cadmium	0.45	µg/L	0	WA
		Calcium	416	µg/L	0	WA
		Carbon tetrachloride	< 5.0	µg/L	0	WA
		Carbon tetrachloride	< 5.0	µg/L	0	WA
		Carbon tetrachloride	< 5.0	µg/L	0	WA
		Chloride	2,070	µg/L	0	WA

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 23 collected on 05/29/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Chlorobenzene	< 5.0	µg/L	0	WA
		Chlorobenzene	< 5.0	µg/L	0	WA
		Chloroethane	< 10	µg/L	0	WA
		Chloroethane	< 10	µg/L	0	WA
		Chloroethane	< 10	µg/L	0	WA
		Chloroethene (Vinyl chloride)	< 10	µg/L	0	WA
		Chloroethene (Vinyl chloride)	< 10	µg/L	0	WA
		Chloroethene (Vinyl chloride)	< 10	µg/L	0	WA
		2-Chloroethyl vinyl ether	< 10	µg/L	0	WA
		2-Chloroethyl vinyl ether	< 10	µg/L	0	WA
		2-Chloroethyl vinyl ether	< 10	µg/L	0	WA
		Chloroform	< 5.0	µg/L	0	WA
		Chloroform	< 5.0	µg/L	0	WA
		Chloroform	< 5.0	µg/L	0	WA
		Chloromethane (Methyl chloride)	< 10	µg/L	0	WA
		Chloromethane (Methyl chloride)	< 10	µg/L	0	WA
		Chloromethane (Methyl chloride)	< 10	µg/L	0	WA
		Chromium	< 1.1	µg/L	0	WA
		Copper	1.2	µg/L	0	WA
		Dibromochloromethane	< 5.0	µg/L	C	WA
		Dibromochloromethane	< 5.0	µg/L	0	WA
		Dibromochloromethane	< 5.0	µg/L	0	WA
		1,1-Dichloroethane	1.8	µg/L	0	WA
		1,1-Dichloroethane	2.3	µg/L	0	WA
		1,1-Dichloroethane	3.3	µg/L	0	WA
		1,2-Dichloroethane	< 5.0	µg/L	0	WA
		1,2-Dichloroethane	< 5.0	µg/L	0	WA
		1,2-Dichloroethane	< 5.0	µg/L	0	WA
		cis-1,2-Dichloroethene	< 5.0	µg/L	0	WA
		cis-1,2-Dichloroethene	< 5.0	µg/L	0	WA
		cis-1,2-Dichloroethene	< 5.0	µg/L	0	WA
		1,1-Dichloroethylene	< 5.0	µg/L	0	WA
		1,1-Dichloroethylene	< 5.0	µg/L	0	WA
		Dichloromethane (Methylene chloride)	6.1	µg/L	0	WA
		Dichloromethane (Methylene chloride)	7.9	µg/L	0	WA
		Dichloromethane (Methylene chloride)	4.4	µg/L	0	WA
		2,4-Dichlorophenoxyacetic acid	< 1.1	µg/L	0	WA
		1,2-Dichloropropane	< 5.0	µg/L	0	WA
		1,2-Dichloropropane	< 5.0	µg/L	0	WA
		1,2-Dichloropropane	< 5.0	µg/L	0	WA
		cis-1,3-Dichloropropene	< 5.0	µg/L	0	WA
		cis-1,3-Dichloropropene	< 5.0	µg/L	0	WA
		cis-1,3-Dichloropropene	< 5.0	µg/L	0	WA
		trans-1,3-Dichloropropene	< 5.0	µg/L	0	WA
		trans-1,3-Dichloropropene	< 5.0	µg/L	0	WA
		trans-1,3-Dichloropropene	< 5.0	µg/L	0	WA
		Endrin	< 0.11	µg/L	0	WA
		Ethylbenzene	< 5.0	µg/L	0	WA
		Ethylbenzene	< 5.0	µg/L	0	WA
		Ethylbenzene	< 5.0	µg/L	0	WA
		Fluoride	< 100	µg/L	0	WA
		Lead	7.1	µg/L	0	WA
		Lindane	< 0.056	µg/L	0	WA
		Magnesium	635	µg/L	0	WA
		Manganese	2.2	µg/L	0	WA
		Mercury	< 0.20	µg/L	0	WA

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 23 collected on 05/29/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Methoxychlor	<0.56	µg/L	0	WA
		Nickel	4.1	µg/L	0	WA
		Nitrate as nitrogen	816	µg/L	0	WA
		Potassium	368	µg/L	0	WA
		Selenium	<2.0	µg/L	0	WA
		Silica	7,160	µg/L	0	WA
		Silver	<0.70	µg/L	0	WA
		Sodium	2,010	µg/L	0	WA
		Sulfate	<250	µg/L	0	WA
		1,1,2,2-Tetrachloroethane	<5.0	µg/L	0	WA
		1,1,2,2-Tetrachloroethane	<5.0	µg/L	0	WA
		1,1,2,2-Tetrachloroethane	<5.0	µg/L	0	WA
		Tetrachloroethylene	<5.0	µg/L	0	WA
		Tetrachloroethylene	<5.0	µg/L	0	WA
		Tetrachloroethylene	<5.0	µg/L	0	WA
		Toluene	<5.0	µg/L	0	WA
		Toluene	<5.0	µg/L	0	WA
		Total organic carbon	910	µg/L	0	WA
		Total organic halogens	33	µg/L	1	WA
		Toxaphene	<1.1	µg/L	0	WA
		2,4,5-TP (Silvex)	<0.55	µg/L	0	WA
		1,1,1-Trichloroethane	1.1	µg/L	0	WA
		1,1,1-Trichloroethane	1.0	µg/L	0	WA
		1,1,1-Trichloroethane	<5.0	µg/L	0	WA
		1,1,2-Trichloroethane	<5.0	µg/L	0	WA
		1,1,2-Trichloroethane	<5.0	µg/L	0	WA
		1,1,2-Trichloroethane	<5.0	µg/L	0	WA
		Trichloroethylene	<5.0	µg/L	0	WA
		Trichloroethylene	<5.0	µg/L	0	WA
		Trichlorofluoromethane	2.1	µg/L	0	WA
		Trichlorofluoromethane	3.3	µg/L	0	WA
		Trichlorofluoromethane	3.1	µg/L	0	WA
		Vanadium	<0.88	µg/L	0	WA
		Gross alpha	<3.0E+00	pCi/L	0	CN
		Nonvolatile beta	<5.0E+00	pCi/L	0	CN
		Radium-226	1.2E+00 ± 2.8E-01	pCi/L	0	CN
		Tritium	<2.0E+00	pCi/mL	0	CN

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 24

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N84544.2 E46520.8	33.288656 °N 81.708530 °W	154.5-124.5 ft msl	171.3 ft msl	4" PVC	

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 05/29/92	Time: 12:15
Depth to water: 17.93 ft (5.47 m) below TOC	pH: 4.2
Water elevation: 153.37 ft (46.75 m) msl	Alkalinity: 0 mg/L
Sp. conductance: 17 µS/cm	Water temperature: 18.1°C
Water evacuated before sampling: 76 gal	

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.3	pH	0	WA
•		Specific conductance	15	µS/cm	0	WA
		Aluminum	< 15	µg/L	0	WA
		Antimony	< 2.6	µg/L	0	WA
		Arsenic	< 2.0	µg/L	0	WA
		Barium	< 4.0	µg/L	0	WA
		Benzene	< 5.0	µg/L	0	WA
		Bromodichloromethane	< 5.0	µg/L	0	WA
		Bromoform	< 5.0	µg/L	0	WA
		Bromomethane (Methyl bromide)	< 10	µg/L	0	WA
		Cadmium	0.45	µg/L	0	WA
		Calcium	293	µg/L	0	WA
		Carbon tetrachloride	< 5.0	µg/L	0	WA
		Chloride	1,860	µg/L	0	WA
		Chlorobenzene	< 5.0	µg/L	0	WA
		Chloroethane	< 10	µg/L	0	WA
		Chloroethene (Vinyl chloride)	< 10	µg/L	0	WA
		2-Chloroethyl vinyl ether	< 10	µg/L	0	WA
		Chloroform	< 5.0	µg/L	0	WA
		Chloromethane (Methyl chloride)	< 10	µg/L	0	WA
		Chromium	1.3	µg/L	0	WA
		Copper	11	µg/L	0	WA
		Dibromochloromethane	< 5.0	µg/L	0	WA
		1,1-Dichloroethane	< 5.0	µg/L	0	WA
		1,2-Dichloroethane	< 5.0	µg/L	0	WA
		cis-1,2-Dichloroethene	< 5.0	µg/L	0	WA
		1,1-Dichloroethylene	< 5.0	µg/L	0	WA
		Dichloromethane (Methylene chloride)	5.7	µg/L	0	WA
		2,4-Dichlorophenoxyacetic acid	< 1.1	µg/L	0	WA
		1,2-Dichloropropane	< 5.0	µg/L	0	WA
		cis-1,3-Dichloropropene	< 5.0	µg/L	0	WA
		trans-1,3-Dichloropropene	< 5.0	µg/L	0	WA
		Endrin	< 0.11	µg/L	0	WA
		Ethylbenzene	< 5.0	µg/L	0	WA
		Fluoride	< 100	µg/L	0	WA
		Lead	4.3	µg/L	0	WA
		Lindane	< 0.057	µg/L	0	WA
		Magnesium	506	µg/L	0	WA
		Manganese	1.8	µg/L	0	WA

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 24 collected on 05/29/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Mercury	<0.20	µg/L	0	WA
		Methoxychlor	<0.57	µg/L	0	WA
		Nickel	4.8	µg/L	0	WA
		Nitrate as nitrogen	495	µg/L	0	WA
		Nitrate as nitrogen	495	µg/L	0	WA
		Potassium	411	µg/L	0	WA
		Selenium	<2.0	µg/L	0	WA
		Silica	5,470	µg/L	0	WA
		Silver	<0.70	µg/L	0	WA
		Sodium	1,140	µg/L	0	WA
		Sulfate	<250	µg/L	0	WA
		1,1,2,2-Tetrachloroethane	<5.0	µg/L	0	WA
		Tetrachloroethylene	<5.0	µg/L	0	WA
		Toluene	<5.0	µg/L	0	WA
		Total organic carbon	<500	µg/L	0	WA
		Total organic halogens	<20	µg/L	0	WA
		Toxaphene	<1.1	µg/L	0	WA
		2,4,5-TP (Silvex)	<0.56	µg/L	0	WA
		1,1,1-Trichloroethane	<5.0	µg/L	0	WA
		1,1,2-Trichloroethane	<5.0	µg/L	0	WA
		Trichloroethylene	<5.0	µg/L	0	WA
		Trichlorofluoromethane	<5.0	µg/L	0	WA
		Vanadium	<0.88	µg/L	0	WA
		Gross alpha	<3.0E+00	pCi/L	0	CN
		Nonvolatile beta	5.4E+00 ± 7.3E-01	pCi/L	0	CN
		Radium-226	9.9E-01 ± 3.2E-01	pCi/L	0	CN
		Radium-226	7.0E-01 ± 2.1E-01	pCi/L	0	CN
		Tritium	2.4E+00 ± 4.2E-01	pCi/mL	0	CN

WELL LFW 25

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N84967.2	33.289436 °N	153.2-123.2 ft msl	174.7 ft msl	4" PVC	
E46425.7	81.709602 °W				

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 06/02/92
 Depth to water: 18.77 ft (5.72 m) below TOC
 Water elevation: 155.93 ft (47.53 m) msl
 Sp. conductance: 16 µS/cm
 Water evacuated before sampling: 86 gal

Time: 9:00
 pH: 4.0
 Alkalinity: 0 mg/L
 Water temperature: 18.0°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	4.7	pH	0	WA
•		pH	4.7	pH	0	WA
•		Specific conductance	15	µS/cm	0	WA
•		Specific conductance	15	µS/cm	0	WA
		Aluminum	19	µg/L	0	WA
		Aluminum	18	µg/L	0	WA

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 25 collected on 06/02/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Antimony	<2.6	µg/L	0	WA
		Antimony	3.3	µg/L	1	WA
		Arsenic	<2.0	µg/L	0	WA
		Arsenic	<2.0	µg/L	0	WA
		Barium	7.2	µg/L	0	WA
		Barium	5.6	µg/L	0	WA
		Benzene	<5.0	µg/L	0	WA
		Bromodichloromethane	<5.0	µg/L	0	WA
		Bromoform	<5.0	µg/L	0	WA
		Bromomethane (Methyl bromide)	<10	µg/L	0	WA
		Cadmium	<0.35	µg/L	0	WA
		Cadmium	<0.35	µg/L	0	WA
		Calcium	211	µg/L	0	WA
		Calcium	201	µg/L	0	WA
		Carbon tetrachloride	<5.0	µg/L	0	WA
		Chloride	2,290	µg/L	0	WA
		Chlorobenzene	<5.0	µg/L	0	WA
		Chloroethane	<10	µg/L	0	WA
		Chloroethene (Vinyl chloride)	<10	µg/L	0	WA
		2-Chloroethyl vinyl ether	<10	µg/L	0	WA
		Chloroform	<5.0	µg/L	0	WA
		Chloromethane (Methyl chloride)	<10	µg/L	0	WA
		Chromium	<1.1	µg/L	0	WA
		Chromium	<1.1	µg/L	0	WA
		Copper	5.7	µg/L	0	WA
		Copper	5.7	µg/L	0	WA
		Dibromochloromethane	<5.0	µg/L	0	WA
		1,1-Dichloroethane	<5.0	µg/L	0	WA
		1,2-Dichloroethane	<5.0	µg/L	0	WA
		cis-1,2-Dichloroethene	<5.0	µg/L	0	WA
		1,1-Dichloroethylene	<5.0	µg/L	0	WA
		Dichloromethane (Methylene chloride)	7.0	µg/L	0	WA
		2,4-Dichlorophenoxyacetic acid	<1.1	µg/L	0	WA
		2,4-Dichlorophenoxyacetic acid	<2.2	µg/L	0	WA
		1,2-Dichloropropane	<5.0	µg/L	0	WA
		cis-1,3-Dichloropropene	<5.0	µg/L	0	WA
		trans-1,3-Dichloropropene	<5.0	µg/L	0	WA
		Endrin	<0.10	µg/L	0	WA
		Ethylbenzene	<5.0	µg/L	0	WA
		Fluoride	<100	µg/L	0	WA
		Lead	2.9	µg/L	0	WA
		Lead	2.8	µg/L	0	WA
		Lindane	<0.052	µg/L	0	WA
		Magnesium	436	µg/L	0	WA
		Magnesium	411	µg/L	0	WA
		Manganese	0.95	µg/L	0	WA
		Manganese	1.1	µg/L	0	WA
		Mercury	<0.20	µg/L	0	WA
		Methoxychlor	<0.52	µg/L	0	WA
		Nickel	<3.1	µg/L	0	WA
		Nickel	<3.1	µg/L	0	WA
		Nitrate as nitrogen	649	µg/L	0	WA
		Potassium	85	µg/L	0	WA
		Potassium	221	µg/L	0	WA
		Selenium	<2.0	µg/L	0	WA
		Selenium	<2.0	µg/L	0	WA

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 25 collected on 06/02/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Silica	6,390	µg/L	0	WA
		Silica	6,050	µg/L	0	WA
		Silver	<0.70	µg/L	0	WA
		Silver	1.0	µg/L	0	WA
		Sodium	1,110	µg/L	0	WA
		Sodium	1,070	µg/L	0	WA
		Sulfate	<250	µg/L	0	WA
		1,1,2,2-Tetrachloroethane	<5.0	µg/L	0	WA
		Tetrachloroethylene	<5.0	µg/L	0	WA
		Toluene	<5.0	µg/L	0	WA
		Total organic carbon	<500	µg/L	0	WA
		Total organic halogens	52	µg/L	2	WA
		Toxaphene	<1.0	µg/L	0	WA
		2,4,5-TP (Silvex)	<0.55	µg/L	0	WA
		2,4,5-TP (Silvex)	<1.1	µg/L	0	WA
		1,1,1-Trichloroethane	<5.0	µg/L	0	WA
		1,1,2-Trichloroethane	<5.0	µg/L	0	WA
		Trichloroethylene	<5.0	µg/L	0	WA
		Trichlorofluoromethane	<5.0	µg/L	0	WA
		Vanadium	<0.88	µg/L	0	WA
		Vanadium	<0.88	µg/L	0	WA
		Gross alpha	<3.0E+00	pCi/L	0	CN
		Nonvolatile beta	5.4E+00 ± 2.8E+00	pCi/L	0	CN
		Radium-226	<5.0E-01	pCi/L	0	CN
		Tritium	<2.0E+00	pCi/mL	0	CN

WELL LFW 26

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N85654.6	33.289663 °N	164.2-143.2 ft msl	186.5 ft msl	4" PVC	
E45633.8	81.713023 °W				

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 06/02/92
 Depth to water: 25.09 ft (7.65 m) below TOC
 Water elevation: 161.41 ft (49.20 m) msl
 Sp. conductance: 13 µS/cm
 Water evacuated before sampling: 48 gal

Time: 13:25
 pH: 4.5
 Alkalinity: 0 mg/L
 Water temperature: 19.4°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	4.5	pH	0	WA
•		Specific conductance	11	µS/cm	0	WA
		Aluminum	<15	µg/L	0	WA
		Antimony	<2.6	µg/L	0	WA
		Arsenic	<2.0	µg/L	0	WA
		Barium	4.1	µg/L	0	WA
		Benzene	<5.0	µg/L	0	WA
		Bromodichloromethane	<5.0	µg/L	0	WA
		Bromoform	<5.0	µg/L	0	WA

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 26 collected on 06/02/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Bromomethane (Methyl bromide)	<10	µg/L	0	WA
		Cadmium	<0.35	µg/L	0	WA
		Calcium	171	µg/L	0	WA
		Carbon tetrachloride	<5.0	µg/L	0	WA
		Chloride	2,530	µg/L	0	WA
		Chlorobenzene	<5.0	µg/L	0	WA
		Chloroethane	<10	µg/L	0	WA
		Chloroethene (Vinyl chloride)	<10	µg/L	0	WA
		2-Chloroethyl vinyl ether	<10	µg/L	0	WA
		Chloroform	<5.0	µg/L	0	WA
		Chloromethane (Methyl chloride)	<10	µg/L	0	WA
		Chromium	<1.1	µg/L	0	WA
		Copper	2.0	µg/L	0	WA
		Dibromochloromethane	<5.0	µg/L	0	WA
		1,1-Dichloroethane	<5.0	µg/L	0	WA
		1,2-Dichloroethane	<5.0	µg/L	0	WA
		cis-1,2-Dichloroethene	<5.0	µg/L	0	WA
		1,1-Dichloroethylene	<5.0	µg/L	0	WA
		Dichloromethane (Methylene chloride)	6.6	µg/L	0	WA
		2,4-Dichlorophenoxyacetic acid	<1.1	µg/L	0	WA
		1,2-Dichloropropane	<5.0	µg/L	0	WA
		cis-1,3-Dichloropropene	<5.0	µg/L	0	WA
		trans-1,3-Dichloropropene	<5.0	µg/L	0	WA
		Endrin	<0.11	µg/L	0	WA
		Endrin	<0.22	µg/L	0	WA
		Ethylbenzene	<5.0	µg/L	0	WA
		Fluoride	<100	µg/L	0	WA
		Lead	<2.0	µg/L	0	WA
		Lindane	<0.054	µg/L	0	WA
		Lindane	<0.11	µg/L	0	WA
		Magnesium	238	µg/L	0	WA
		Manganese	1.1	µg/L	0	WA
		Mercury	<0.20	µg/L	0	WA
		Methoxychlor	<0.54	µg/L	0	WA
		Methoxychlor	<1.1	µg/L	0	WA
		Methoxychlor	<1.1	µg/L	0	WA
		Nickel	<3.1	µg/L	0	WA
		Nitrate as nitrogen	352	µg/L	0	WA
		Potassium	<84	µg/L	0	WA
		Selenium	<2.0	µg/L	0	WA
		Silica	5,630	µg/L	0	WA
		Silver	<0.70	µg/L	0	WA
		Sodium	1,010	µg/L	0	WA
		Sulfate	<250	µg/L	0	WA
		1,1,2,2-Tetrachloroethane	<5.0	µg/L	0	WA
		Tetrachloroethylene	<5.0	µg/L	0	WA
		Toluene	<5.0	µg/L	0	WA
		Total organic carbon	<500	µg/L	0	WA
		Total organic halogens	<20	µg/L	0	WA
		Total organic halogens	<20	µg/L	0	WA
		Toxaphene	<1.1	µg/L	0	WA
		Toxaphene	<2.2	µg/L	0	WA
		Toxaphene	<2.2	µg/L	0	WA
		2,4,5-TP (Silvex)	<0.55	µg/L	0	WA
		1,1,1-Trichloroethane	<5.0	µg/L	0	WA
		1,1,2-Trichloroethane	<5.0	µg/L	0	WA

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 26 collected on 06/02/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Trichloroethylene	<5.0	µg/L	0	WA
		Trichlorofluoromethane	<5.0	µg/L	0	WA
		Vanadium	1.4	µg/L	0	WA
		Gross alpha	<3.0E+00	pCi/L	0	CN
		Nonvolatile beta	<5.0E+00	pCi/L	0	CN
		Radium-226	5.9E-01 ± 2.1E-01	pCi/L	0	CN
		Tritium	<2.0E+00	pCi/mL	0	CN

WELL LFW 27

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N85839.1	33.290010 °N	163.9-142.9 ft msl	189.2 ft msl	4" PVC	
E45596.1	81.713481 °W				

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 06/02/92
 Depth to water: 26.77 ft (8.16 m) below TOC
 Water elevation: 162.43 ft (49.51 m) msl
 Sp. conductance: 14 µS/cm
 Water evacuated before sampling: 51 gal

Time: 12:55
 pH: 4.6
 Alkalinity: 0 mg/L
 Water temperature: 19.5°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	4.5	pH	0	WA
•		Specific conductance	12	µS/cm	0	WA
		Aluminum	18	µg/L	0	WA
	■	Antimony	6.1	µg/L	2	WA
		Arsenic	<2.0	µg/L	0	WA
		Barium	13	µg/L	0	WA
		Benzene	<5.0	µg/L	0	WA
		Bromodichloromethane	<5.0	µg/L	0	WA
		Bromoform	<5.0	µg/L	0	WA
		Bromomethane (Methyl bromide)	<10	µg/L	0	WA
		Cadmium	<0.35	µg/L	0	WA
		Calcium	230	µg/L	0	WA
		Carbon tetrachloride	<5.0	µg/L	0	WA
		Chloride	2,370	µg/L	0	WA
		Chlorobenzene	<5.0	µg/L	0	WA
		Chloroethane	<10	µg/L	0	WA
		Chloroethene (Vinyl chloride)	<10	µg/L	0	WA
		2-Chloroethyl vinyl ether	<10	µg/L	0	WA
		Chloroform	<5.0	µg/L	0	WA
		Chloromethane (Methyl chloride)	<10	µg/L	0	WA
		Chromium	<1.1	µg/L	0	WA
		Copper	3.8	µg/L	0	WA
		Dibromochloromethane	<5.0	µg/L	0	WA
		1,1-Dichloroethane	<5.0	µg/L	0	WA
		1,2-Dichloroethane	<5.0	µg/L	0	WA
		cis-1,2-Dichloroethene	<5.0	µg/L	0	WA
		1,1-Dichloroethylene	<5.0	µg/L	0	WA

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 27 collected on 06/02/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Dichloromethane (Methylene chloride)	6.9	µg/L	0	WA
		2,4-Dichlorophenoxyacetic acid	< 1.1	µg/L	0	WA
		1,2-Dichloropropane	< 5.0	µg/L	0	WA
		cis-1,3-Dichloropropene	< 5.0	µg/L	0	WA
		trans-1,3-Dichloropropene	< 5.0	µg/L	0	WA
		Endrin	< 0.11	µg/L	0	WA
		Ethylbenzene	< 5.0	µg/L	0	WA
		Fluoride	< 100	µg/L	0	WA
		Lead	< 2.0	µg/L	0	WA
		Lindane	< 0.054	µg/L	0	WA
		Magnesium	263	µg/L	0	WA
		Manganese	3.2	µg/L	0	WA
		Mercury	< 0.20	µg/L	0	WA
		Methoxychlor	< 0.54	µg/L	0	WA
		Nickel	< 3.1	µg/L	0	WA
		Nitrate as nitrogen	258	µg/L	0	WA
		Potassium	274	µg/L	0	WA
		Selenium	< 2.0	µg/L	0	WA
		Silica	6,100	µg/L	0	WA
		Silver	1.0	µg/L	0	WA
		Sodium	1,240	µg/L	0	WA
		Sulfate	< 250	µg/L	0	WA
		1,1,2,2-Tetrachloroethane	< 5.0	µg/L	0	WA
		Tetrachloroethylene	< 5.0	µg/L	0	WA
		Toluene	< 5.0	µg/L	0	WA
		Total organic carbon	< 500	µg/L	0	WA
		Total organic halogens	17	µg/L	0	WA
		Toxaphene	< 1.1	µg/L	0	WA
		2,4,5-TP (Silvex)	< 0.57	µg/L	0	WA
		1,1,1-Trichloroethane	< 5.0	µg/L	0	WA
		1,1,2-Trichloroethane	< 5.0	µg/L	0	WA
		Trichloroethylene	< 5.0	µg/L	0	WA
		Trichlorofluoromethane	< 5.0	µg/L	0	WA
		Vanadium	0.88	µg/L	0	WA
		Gross alpha	< 3.0E + 00	pCi/L	0	CN
		Nonvolatile beta	< 5.0E + 00	pCi/L	0	CN
		Radium-226	< 5.0E - 01	pCi/L	0	CN
		Tritium	< 2.0E + 00	pCi/mL	0	CN

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 28

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Formation
N86079.6 E45555.3	33.290475 °N 81.714056 °W	162.1-141.1 ft msl	192.4 ft msl	4" PVC	

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 06/05/92	Time: 9:15
Depth to water: 28.66 ft (8.74 m) below TOC	pH: 4.3
Water elevation: 163.74 ft (49.91 m) msl	Alkalinity: 3 mg/L
Sp. conductance: 28 μ S/cm	Water temperature: 19.8°C
Water evacuated before sampling: 15 gal	
The well went dry during purging.	

LABORATORY ANALYSES

H	D	Analyte	Result	Unit	Flag	Lab
•		pH	5.6	pH	0	WA
•		pH	5.6	pH	0	WA
•		Specific conductance	24	μ S/cm	0	WA
•		Specific conductance	24	μ S/cm	0	WA
		Aluminum	15	μ g/L	0	WA
		Antimony	<2.6	μ g/L	0	WA
		Arsenic	<2.0	μ g/L	0	WA
		Barium	11	μ g/L	0	WA
		Benzene	<5.0	μ g/L	0	WA
		Bromodichloromethane	<5.0	μ g/L	0	WA
		Bromoform	<5.0	μ g/L	0	WA
		Bromomethane (Methyl bromide)	<10	μ g/L	0	WA
		Cadmium	<0.35	μ g/L	0	WA
		Calcium	2,000	μ g/L	0	WA
		Carbon tetrachloride	<5.0	μ g/L	0	WA
		Chloride	2,090	μ g/L	0	WA
		Chlorobenzene	<5.0	μ g/L	0	WA
		Chloroethane	<10	μ g/L	0	WA
		Chloroethene (Vinyl chloride)	<10	μ g/L	0	WA
		2-Chloroethyl vinyl ether	<10	μ g/L	0	WA
		Chloroform	<5.0	μ g/L	0	WA
		Chloromethane (Methyl chloride)	<10	μ g/L	0	WA
		Chromium	<1.1	μ g/L	0	WA
		Copper	11	μ g/L	0	WA
		Dibromochloromethane	<5.0	μ g/L	0	WA
		1,1-Dichloroethane	<5.0	μ g/L	0	WA
		1,2-Dichloroethane	<5.0	μ g/L	0	WA
		cis-1,2-Dichloroethene	<5.0	μ g/L	0	WA
		1,1-Dichloroethylene	<5.0	μ g/L	0	WA
		Dichloromethane (Methylene chloride)	1.8	μ g/L	0	WA
		2,4-Dichlorophenoxyacetic acid	<1.1	μ g/L	0	WA
		1,2-Dichloropropane	<5.0	μ g/L	0	WA
		cis-1,3-Dichloropropene	<5.0	μ g/L	0	WA
		trans-1,3-Dichloropropene	<5.0	μ g/L	0	WA
		Endrin	<0.11	μ g/L	0	WA
		Ethylbenzene	<5.0	μ g/L	0	WA
		Fluoride	<100	μ g/L	0	WA
		Lead	<2.0	μ g/L	0	WA
		Lindane	<0.057	μ g/L	0	WA

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 28 collected on 06/05/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Magnesium	564	µg/L	0	WA
		Manganese	6.4	µg/L	0	WA
		Mercury	<0.20	µg/L	0	WA
		Methoxychlor	<0.57	µg/L	0	WA
		Nickel	<3.1	µg/L	0	WA
		Nitrate as nitrogen	306	µg/L	0	WA
		Potassium	766	µg/L	0	WA
		Selenium	<2.0	µg/L	0	WA
		Silica	7,050	µg/L	0	WA
		Silver	<0.70	µg/L	0	WA
		Sodium	1,870	µg/L	0	WA
		Sulfate	903	µg/L	0	WA
		Sulfate	918	µg/L	0	WA
		1,1,2,2-Tetrachloroethane	<5.0	µg/L	0	WA
		Tetrachloroethylene	<5.0	µg/L	0	WA
		Toluene	<5.0	µg/L	0	WA
		Total organic carbon	1,450	µg/L	0	WA
		Total organic halogens	28	µg/L	1	WA
		Toxaphene	<1.1	µg/L	0	WA
		2,4,5-TP (Silvex)	<0.57	µg/L	0	WA
		1,1,1-Trichloroethane	<5.0	µg/L	0	WA
		1,1,2-Trichloroethane	<5.0	µg/L	0	WA
		Trichloroethylene	<5.0	µg/L	0	WA
		Trichlorofluoromethane	<5.0	µg/L	0	WA
		Vanadium	<0.88	µg/L	0	WA
		Gross alpha	<3.0E+00	pCi/L	0	CN
		Nonvolatile beta	<5.0E+00	pCi/L	0	CN
		Radium-226	<5.0E-01	pCi/L	0	CN
		Tritium	<2.0E+00	pCi/mL	0	CN

WELL LFW 29

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N86372.7	33.291038 °N	164.9-143.9 ft msl	195.3 ft msl	4" PVC	
E45503.3	81.714763 °W				

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 06/02/92
Depth to water: 30.04 ft (9.16 m) below TOC
Water elevation: 165.26 ft (50.37 m) msl
Sp. conductance: 22 µS/cm
Water evacuated before sampling: 56 gal

Time: 12:00
pH: 4.3
Alkalinity: 0 mg/L
Water temperature: 18.6°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	4.4	pH	0	WA
•		Specific conductance	20	µS/cm	0	WA
		Aluminum	18	µg/L	0	WA
		Antimony	<2.6	µg/L	0	WA
		Arsenic	<2.0	µg/L	0	WA

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 29 collected on 06/02/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Barium	15	µg/L	0	WA
		Benzene	< 5.0	µg/L	0	WA
		Bromodichloromethane	< 5.0	µg/L	0	WA
		Bromoform	< 5.0	µg/L	0	WA
		Bromomethane (Methyl bromide)	< 10	µg/L	0	WA
		Cadmium	< 0.35	µg/L	0	WA
		Calcium	482	µg/L	0	WA
		Carbon tetrachloride	< 5.0	µg/L	0	WA
		Chloride	2,520	µg/L	0	WA
		Chloride	2,490	µg/L	0	WA
		Chlorobenzene	< 5.0	µg/L	0	WA
		Chloroethane	< 10	µg/L	0	WA
		Chloroethene (Vinyl chloride)	< 10	µg/L	0	WA
		2-Chloroethyl vinyl ether	< 10	µg/L	0	WA
		Chloroform	< 5.0	µg/L	0	WA
		Chloromethane (Methyl chloride)	< 10	µg/L	0	WA
		Chromium	< 1.1	µg/L	0	WA
		Copper	5.5	µg/L	0	WA
		Dibromochloromethane	< 5.0	µg/L	0	WA
		1,1-Dichloroethane	< 5.0	µg/L	0	WA
		1,2-Dichloroethane	< 5.0	µg/L	0	WA
		cis-1,2-Dichloroethene	< 5.0	µg/L	0	WA
		1,1-Dichloroethylene	< 5.0	µg/L	0	WA
		Dichloromethane (Methylene chloride)	10	µg/L	0	WA
		2,4-Dichlorophenoxyacetic acid	< 1.1	µg/L	0	WA
		1,2-Dichloropropane	< 5.0	µg/L	0	WA
		cis-1,3-Dichloropropene	< 5.0	µg/L	0	WA
		trans-1,3-Dichloropropene	< 5.0	µg/L	0	WA
		Endrin	< 0.11	µg/L	0	WA
		Ethylbenzene	< 5.0	µg/L	0	WA
		Fluoride	< 100	µg/L	0	WA
		Lead	< 2.0	µg/L	0	WA
		Lindane	< 0.054	µg/L	0	WA
		Magnesium	480	µg/L	0	WA
		Manganese	3.1	µg/L	0	WA
		Mercury	< 0.20	µg/L	0	WA
		Methoxychlor	< 0.54	µg/L	0	WA
		Nickel	< 3.1	µg/L	0	WA
		Nitrate as nitrogen	855	µg/L	0	WA
		Potassium	486	µg/L	0	WA
		Selenium	< 2.0	µg/L	0	WA
		Silica	5,320	µg/L	0	WA
		Silver	< 0.70	µg/L	0	WA
		Sodium	864	µg/L	0	WA
		Sulfate	< 250	µg/L	0	WA
		1,1,2,2-Tetrachloroethane	< 5.0	µg/L	0	WA
		Tetrachloroethylene	< 5.0	µg/L	0	WA
		Toluene	< 5.0	µg/L	0	WA
		Total organic carbon	< 500	µg/L	0	WA
		Total organic halogens	30	µg/L	1	WA
		Toxaphene	< 1.1	µg/L	0	WA
		2,4,5-TP (Silvex)	< 0.55	µg/L	0	WA
		1,1,1-Trichloroethane	< 5.0	µg/L	0	WA
		1,1,2-Trichloroethane	< 5.0	µg/L	0	WA
		Trichloroethylene	< 5.0	µg/L	0	WA
		Trichlorofluoromethane	< 5.0	µg/L	0	WA

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 29 collected on 06/02/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Vanadium	0.97	µg/L	0	WA
		Gross alpha	< 3.0E+00	pCi/L	0	CN
		Nonvolatile beta	7.0E+00 ± 2.9E+00	pCi/L	0	CN
		Radium-226	1.8E+00 ± 3.0E-01	pCi/L	0	CN
		Tritium	< 2.0E+00	pCi/mL	0	CN

WELL LFW 30

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N86318.4 E45170.9	33.290375 °N 81.715532 °W	162.7-141.7 ft msl	210.0 ft msl	4" PVC	

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 06/02/92
 Depth to water: 44.66 ft (13.61 m) below TOC
 Water elevation: 165.34 ft (50.40 m) msl
 Sp. conductance: 22 µS/cm
 Water evacuated before sampling: 62 gal

Time: 11:25
 pH: 4.7
 Alkalinity: 1 mg/L
 Water temperature: 18.8°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	4.9	pH	0	WA
•		Specific conductance	19	µS/cm	0	WA
		Aluminum	19	µg/L	0	WA
		Antimony	< 2.6	µg/L	0	WA
		Arsenic	< 2.0	µg/L	0	WA
		Barium	15	µg/L	0	WA
		Benzene	< 5.0	µg/L	0	WA
		Bromodichloromethane	< 5.0	µg/L	0	WA
		Bromoform	< 5.0	µg/L	0	WA
		Bromomethane (Methyl bromide)	< 10	µg/L	0	WA
		Cadmium	< 0.35	µg/L	0	WA
		Calcium	1,480	µg/L	0	WA
		Carbon tetrachloride	< 5.0	µg/L	0	WA
		Chloride	2,240	µg/L	0	WA
		Chlorobenzene	< 5.0	µg/L	0	WA
		Chloroethane	< 10	µg/L	0	WA
		Chloroethene (Vinyl chloride)	< 10	µg/L	0	WA
		2-Chloroethyl vinyl ether	< 10	µg/L	0	WA
		Chloroform	< 5.0	µg/L	0	WA
		Chloromethane (Methyl chloride)	< 10	µg/L	0	WA
		Chromium	< 1.1	µg/L	0	WA
		Copper	5.0	µg/L	0	WA
		Dibromochloromethane	< 5.0	µg/L	0	WA
		1,1-Dichloroethane	< 5.0	µg/L	0	WA
		1,2-Dichloroethane	< 5.0	µg/L	0	WA
		cis-1,2-Dichloroethene	< 5.0	µg/L	0	WA
		1,1-Dichloroethylene	< 5.0	µg/L	0	WA
		Dichloromethane (Methylene chloride)	4.4	µg/L	0	WA
		2,4-Dichlorophenoxyacetic acid	< 1.1	µg/L	0	WA

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 30 collected on 06/02/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		1,2-Dichloropropane	<5.0	µg/L	0	WA
		cis-1,3-Dichloropropene	<5.0	µg/L	0	WA
		trans-1,3-Dichloropropene	<5.0	µg/L	0	WA
		Endrin	<0.11	µg/L	0	WA
		Ethylbenzene	<5.0	µg/L	0	WA
		Fluoride	<100	µg/L	0	WA
		Lead	<2.0	µg/L	0	WA
		Lindane	<0.055	µg/L	0	WA
		Magnesium	576	µg/L	0	WA
		Manganese	4.3	µg/L	0	WA
		Mercury	<0.20	µg/L	0	WA
		Methoxychlor	<0.55	µg/L	0	WA
		Nickel	<3.1	µg/L	0	WA
		Nitrate as nitrogen	783	µg/L	0	WA
		Potassium	361	µg/L	0	WA
		Selenium	<2.0	µg/L	0	WA
		Silica	6,220	µg/L	0	WA
		Silver	1.4	µg/L	0	WA
		Sodium	1,100	µg/L	0	WA
		Sulfate	439	µg/L	0	WA
		1,1,2,2-Tetrachloroethane	<5.0	µg/L	0	WA
		Tetrachloroethylene	<5.0	µg/L	0	WA
		Toluene	<5.0	µg/L	0	WA
		Total organic carbon	<500	µg/L	0	WA
		Total organic halogens	13	µg/L	0	WA
		Toxaphene	<1.1	µg/L	0	WA
		2,4,5-TP (Silvex)	<0.53	µg/L	0	WA
		1,1,1-Trichloroethane	<5.0	µg/L	0	WA
		1,1,2-Trichloroethane	<5.0	µg/L	0	WA
		Trichloroethylene	<5.0	µg/L	0	WA
		Trichlorofluoromethane	<5.0	µg/L	0	WA
		Vanadium	<0.88	µg/L	0	WA
		Gross alpha	<3.0E+00	pCi/L	0	CN
		Nonvolatile beta	<5.0E+00	pCi/L	0	CN
		Radium-226	<5.0E-01	pCi/L	0	CN
		Tritium	<2.0E+00	pCi/mL	0	CN

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 31

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Formation
N86262.2 E44869.0	33.289758 °N 81.716217 °W	166.0-145.0 ft msl	229.3 ft msl	4" PVC	

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 06/02/92	Time: 10:50
Depth to water: 64.33 ft (19.61 m) below TOC	pH: 4.4
Water elevation: 164.97 ft (50.28 m) msl	Alkalinity: 0 mg/L
Sp. conductance: 22 µS/cm	Water temperature: 18.3°C
Water evacuated before sampling: 52 gal	

LABORATORY ANALYSES

H	D	Analyte	Result	Unit	Flag	Lab
•		pH	5.0	pH	0	WA
•		Specific conductance	19	µS/cm	0	WA
		Aluminum	24	µg/L	0	WA
		Antimony	3.6	µg/L	1	WA
		Arsenic	< 2.0	µg/L	0	WA
		Barium	4.5	µg/L	0	WA
		Benzene	< 5.0	µg/L	0	WA
		Bromodichloromethane	< 5.0	µg/L	0	WA
		Bromoform	< 5.0	µg/L	0	WA
		Bromomethane (Methyl bromide)	< 10	µg/L	0	WA
		Cadmium	< 0.35	µg/L	0	WA
		Calcium	502	µg/L	0	WA
		Carbon tetrachloride	< 5.0	µg/L	0	WA
		Chloride	2,990	µg/L	0	WA
		Chlorobenzene	< 5.0	µg/L	0	WA
		Chloroethane	< 10	µg/L	0	WA
		Chloroethene (Vinyl chloride)	< 10	µg/L	0	WA
		2-Chloroethyl vinyl ether	< 10	µg/L	0	WA
		Chloroform	< 5.0	µg/L	0	WA
		Chloromethane (Methyl chloride)	< 10	µg/L	0	WA
		Chromium	< 1.1	µg/L	0	WA
		Copper	11	µg/L	0	WA
		Dibromochloromethane	< 5.0	µg/L	0	WA
		1,1-Dichloroethane	< 5.0	µg/L	0	WA
		1,2-Dichloroethane	< 5.0	µg/L	0	WA
		cis-1,2-Dichloroethene	< 5.0	µg/L	0	WA
		1,1-Dichloroethylene	< 5.0	µg/L	0	WA
		Dichloromethane (Methylene chloride)	3.8	µg/L	0	WA
		2,4-Dichlorophenoxyacetic acid	< 1.1	µg/L	0	WA
		1,2-Dichloropropane	< 5.0	µg/L	0	WA
		cis-1,3-Dichloropropene	< 5.0	µg/L	0	WA
		trans-1,3-Dichloropropene	< 5.0	µg/L	0	WA
		Endrin	< 0.10	µg/L	0	WA
		Ethylbenzene	< 5.0	µg/L	0	WA
		Fluoride	< 100	µg/L	0	WA
		Lead	< 2.0	µg/L	0	WA
		Lindane	< 0.051	µg/L	0	WA
		Magnesium	367	µg/L	0	WA
		Manganese	2.4	µg/L	0	WA

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 31 collected on 06/02/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Mercury	<0.20	µg/L	0	WA
		Methoxychlor	<0.51	µg/L	0	WA
		Nickel	<3.1	µg/L	0	WA
		Nitrate as nitrogen	427	µg/L	0	WA
		Potassium	720	µg/L	0	WA
		Selenium	<2.0	µg/L	0	WA
		Silica	6,260	µg/L	0	WA
		Silver	1.6	µg/L	0	WA
		Sodium	1,320	µg/L	0	WA
		Sulfate	894	µg/L	0	WA
		1,1,2,2-Tetrachloroethane	<5.0	µg/L	0	WA
		Tetrachloroethylene	<5.0	µg/L	0	WA
		Toluene	<5.0	µg/L	0	WA
		Total organic carbon	<500	µg/L	0	WA
		Total organic halogens	<10	µg/L	0	WA
		Toxaphene	<1.0	µg/L	0	WA
		2,4,5-TP (Silvex)	<0.55	µg/L	0	WA
		1,1,1-Trichloroethane	<5.0	µg/L	0	WA
		1,1,2-Trichloroethane	<5.0	µg/L	0	WA
		Trichloroethylene	<5.0	µg/L	0	WA
		Trichlorofluoromethane	<5.0	µg/L	0	WA
		Vanadium	<0.88	µg/L	0	WA
		Gross alpha	<3.0E+00	pCi/L	0	CN
		Gross alpha	<3.0E+00	pCi/L	0	CN
		Nonvolatile beta	<5.0E+00	pCi/L	0	CN
		Nonvolatile beta	<5.0E+00	pCi/L	0	CN
		Radium-226	1.1E+00 ± 2.4E-01	pCi/L	0	CN
		Tritium	2.1E+00 ± 4.1E-01	pCi/mL	0	CN
		Tritium	2.1E+00 ± 4.1E-01	pCi/mL	0	CN

WELL LFW 32

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N85836.8	33.288927 °N	165.3-144.3 ft msl	223.7 ft msl	4" PVC	
E44935.9	81.715214 °W				

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 06/02/92
 Depth to water: 60.35 ft (18.39 m) below TOC
 Water elevation: 163.35 ft (49.79 m) msl
 Sp. conductance: 19 µS/cm
 Water evacuated before sampling: 50 gal
 Time: 10:20
 pH: 4.3
 Alkalinity: 0 mg/L
 Water temperature: 18.4°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.0	pH	0	WA
•		Specific conductance	17	µS/cm	0	WA
		Aluminum	<15	µg/L	0	WA
		Antimony	<2.6	µg/L	0	WA
		Arsenic	<2.0	µg/L	0	WA

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 32 collected on 06/02/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Barium	< 4.0	µg/L	0	WA
		Benzene	< 5.0	µg/L	0	WA
		Bromodichloromethane	< 5.0	µg/L	0	WA
		Bromoform	< 5.0	µg/L	0	WA
		Bromomethane (Methyl bromide)	< 10	µg/L	0	WA
		Cadmium	< 0.35	µg/L	0	WA
		Calcium	282	µg/L	0	WA
		Carbon tetrachloride	< 5.0	µg/L	0	WA
		Chloride	2,880	µg/L	0	WA
		Chlorobenzene	< 5.0	µg/L	0	WA
		Chloroethane	< 10	µg/L	0	WA
		Chloroethene (Vinyl chloride)	< 10	µg/L	0	WA
		2-Chloroethyl vinyl ether	< 10	µg/L	0	WA
		Chloroform	< 5.0	µg/L	0	WA
		Chloromethane (Methyl chloride)	< 10	µg/L	0	WA
		Chromium	40	µg/L	0	WA
		Copper	2.8	µg/L	0	WA
		Dibromochloromethane	< 5.0	µg/L	0	WA
		1,1-Dichloroethane	< 5.0	µg/L	0	WA
		1,2-Dichloroethane	< 5.0	µg/L	0	WA
		cis-1,2-Dichloroethene	< 5.0	µg/L	0	WA
		1,1-Dichloroethylene	< 5.0	µg/L	0	WA
		Dichloromethane (Methylene chloride)	< 5.0	µg/L	0	WA
		2,4-Dichlorophenoxyacetic acid	< 1.1	µg/L	0	WA
		1,2-Dichloropropane	< 5.0	µg/L	0	WA
		cis-1,3-Dichloropropene	< 5.0	µg/L	0	WA
		trans-1,3-Dichloropropene	< 5.0	µg/L	0	WA
		Endrin	< 0.11	µg/L	0	WA
		Ethylbenzene	< 5.0	µg/L	0	WA
		Fluoride	< 100	µg/L	0	WA
		Lead	< 2.0	µg/L	0	WA
		Lindane	< 0.056	µg/L	0	WA
		Magnesium	390	µg/L	0	WA
		Manganese	7.2	µg/L	0	WA
		Mercury	< 0.20	µg/L	0	WA
		Methoxychlor	< 0.56	µg/L	0	WA
		Nickel	29	µg/L	0	WA
		Nitrate as nitrogen	511	µg/L	0	WA
		Potassium	740	µg/L	0	WA
		Selenium	< 2.0	µg/L	0	WA
		Silica	6,150	µg/L	0	WA
		Silver	< 0.70	µg/L	0	WA
		Sodium	1,410	µg/L	0	WA
		Sulfate	325	µg/L	0	WA
		1,1,2,2-Tetrachloroethane	< 5.0	µg/L	0	WA
		Tetrachloroethylene	< 5.0	µg/L	0	WA
		Toluene	< 5.0	µg/L	0	WA
		Total organic carbon	< 500	µg/L	0	WA
		Total organic halogens	< 10	µg/L	0	WA
		Toxaphene	< 1.1	µg/L	0	WA
		2,4,5-TP (Silvex)	< 0.56	µg/L	0	WA
		1,1,1-Trichloroethane	< 5.0	µg/L	0	WA
		1,1,2-Trichloroethane	< 5.0	µg/L	0	WA
		Trichloroethylene	< 5.0	µg/L	0	WA
		Trichlorofluoromethane	< 5.0	µg/L	0	WA
		Vanadium	< 0.88	µg/L	0	WA

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 32 collected on 06/02/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Gross alpha	< 3.0E+00	pCi/L	0	CN
		Nonvolatile beta	< 5.0E+00	pCi/L	0	CN
		Radium-226	1.1E+00 ± 2.5E-01	pCi/L	0	CN
		Tritium	2.8E+00 ± 4.3E-01	pCi/mL	0	CN

WELL LFW 33

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N85633.8 E44973.0	33.288538 °N 81.714722 °W	165.4-144.4 ft msl	213.7 ft msl	4" PVC	

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 06/04/92
 Depth to water: 52.58 ft (16.03 m) below TOC
 Water elevation: 161.12 ft (49.11 m) msl
 Sp. conductance: 20 µS/cm
 Water evacuated before sampling: 44 gal

Time: 9:20
 pH: 4.3
 Alkalinity: 0 mg/L
 Water temperature: 18.9°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.2	pH	0	GE
•		pH	5.2	pH	0	GE
•		pH	5.3	pH	0	WA
•		pH	5.3	pH	0	WA
•		pH	5.6	pH	0	WA
		Specific conductance	20	µS/cm	0	GE
		Specific conductance	20	µS/cm	0	GE
•		Specific conductance	17	µS/cm	0	WA
•		Specific conductance	17	µS/cm	0	WA
•		Specific conductance	16	µS/cm	0	WA
		Aluminum	< 20	µg/L	0	GE
		Aluminum	< 20	µg/L	0	GE
		Aluminum	15	µg/L	0	WA
		Aluminum	< 15	µg/L	0	WA
		Antimony	< 2.0	µg/L	0	GE
		Antimony	< 2.0	µg/L	0	GE
		Antimony	< 2.6	µg/L	0	WA
		Antimony	< 2.6	µg/L	0	WA
		Arsenic	< 2.0	µg/L	0	GE
		Arsenic	< 2.0	µg/L	0	GE
		Arsenic	< 2.0	µg/L	0	WA
		Arsenic	< 2.0	µg/L	0	WA
		Barium	< 3.0	µg/L	0	GE
		Barium	3.1	µg/L	0	GE
		Barium	< 4.0	µg/L	0	WA
		Barium	< 4.0	µg/L	0	WA
		Benzene	< 1.0	µg/L	0	GE
		Benzene	< 1.0	µg/L	0	GE
		Benzene	< 5.0	µg/L	0	WA
		Benzene	< 5.0	µg/L	0	WA

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 33 collected on 06/04/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Bromodichloromethane	<1.0	µg/L	0	GE
		Bromodichloromethane	<1.0	µg/L	0	GE
		Bromodichloromethane	<5.0	µg/L	0	WA
		Bromodichloromethane	<5.0	µg/L	0	WA
		Bromoform	<1.0	µg/L	0	GE
		Bromoform	<1.0	µg/L	0	GE
		Bromoform	<5.0	µg/L	0	WA
		Bromoform	<5.0	µg/L	0	WA
		Bromomethane (Methyl bromide)	<1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	<10	µg/L	0	WA
		Bromomethane (Methyl bromide)	<10	µg/L	0	WA
		Cadmium	<2.0	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Cadmium	<0.35	µg/L	0	WA
		Cadmium	<0.35	µg/L	0	WA
		Calcium	265	µg/L	0	GE
		Calcium	268	µg/L	0	GE
		Calcium	250	µg/L	0	WA
		Calcium	249	µg/L	0	WA
		Carbon tetrachloride	<1.0	µg/L	0	GE
		Carbon tetrachloride	<1.0	µg/L	0	GE
		Carbon tetrachloride	<5.0	µg/L	0	WA
		Carbon tetrachloride	<5.0	µg/L	0	WA
		Chloride	2,470	µg/L	0	GE
		Chloride	2,300	µg/L	0	GE
		Chloride	2,850	µg/L	0	WA
		Chloride	2,830	µg/L	0	WA
		Chlorobenzene	<1.0	µg/L	0	GE
		Chlorobenzene	<1.0	µg/L	0	GE
		Chlorobenzene	<5.0	µg/L	0	WA
		Chlorobenzene	<5.0	µg/L	0	WA
		Chloroethane	<1.0	µg/L	0	GE
		Chloroethane	<1.0	µg/L	0	GE
		Chloroethane	<10	µg/L	0	WA
		Chloroethane	<10	µg/L	0	WA
		Chloroethene (Vinyl chloride)	<1.0	µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0	µg/L	0	GE
		Chloroethene (Vinyl chloride)	<10	µg/L	0	WA
		Chloroethene (Vinyl chloride)	<10	µg/L	0	WA
		2-Chloroethyl vinyl ether	<1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	<10	µg/L	0	WA
		2-Chloroethyl vinyl ether	<10	µg/L	0	WA
		Chloroform	<1.0	µg/L	0	GE
		Chloroform	<1.0	µg/L	0	GE
		Chloroform	<5.0	µg/L	0	WA
		Chloroform	<5.0	µg/L	0	WA
		Chloromethane (Methyl chloride)	<1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	<10	µg/L	0	WA
		Chloromethane (Methyl chloride)	<10	µg/L	0	WA
		Chromium	<4.0	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Chromium	<1.1	µg/L	0	WA
		Chromium	<1.1	µg/L	0	WA

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 33 collected on 06/04/92, laboratory analyses (cont.)

H	D	Analyte	Result	Unit	Flag	Lab
		Copper	<4.0	µg/L	0	GE
		Copper	<4.0	µg/L	0	GE
		Copper	2.0	µg/L	0	WA
		Copper	<1.1	µg/L	0	WA
		Dibromochloromethane	<1.0	µg/L	0	GE
		Dibromochloromethane	<1.0	µg/L	0	GE
		Dibromochloromethane	<5.0	µg/L	0	WA
		Dibromochloromethane	<5.0	µg/L	0	WA
		1,1-Dichloroethane	<1.0	µg/L	0	GE
		1,1-Dichloroethane	<1.0	µg/L	0	GE
		1,1-Dichloroethane	<5.0	µg/L	0	WA
		1,1-Dichloroethane	<5.0	µg/L	0	WA
		1,2-Dichloroethane	<1.0	µg/L	0	GE
		1,2-Dichloroethane	<1.0	µg/L	0	GE
		1,2-Dichloroethane	<5.0	µg/L	0	WA
		1,2-Dichloroethane	<5.0	µg/L	0	WA
		cis-1,2-Dichloroethene	<5.0	µg/L	0	WA
		cis-1,2-Dichloroethene	<5.0	µg/L	0	WA
		1,1-Dichloroethylene	<1.0	µg/L	0	GE
		1,1-Dichloroethylene	<1.0	µg/L	0	GE
		1,1-Dichloroethylene	<5.0	µg/L	0	WA
		1,1-Dichloroethylene	<5.0	µg/L	0	WA
		trans-1,2-Dichloroethylene	<1.0	µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	4.1	µg/L	0	GE
		Dichloromethane (Methylene chloride)	2.9	µg/L	0	WA
		Dichloromethane (Methylene chloride)	2.3	µg/L	0	WA
		2,4-Dichlorophenoxyacetic acid	<0.30	µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30	µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<1.1	µg/L	0	WA
		2,4-Dichlorophenoxyacetic acid	<1.1	µg/L	0	WA
		1,2-Dichloropropane	<1.0	µg/L	0	GE
		1,2-Dichloropropane	<1.0	µg/L	0	GE
		1,2-Dichloropropane	<5.0	µg/L	0	WA
		1,2-Dichloropropane	<5.0	µg/L	0	WA
		cis-1,3-Dichloropropene	<1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	<5.0	µg/L	0	WA
		cis-1,3-Dichloropropene	<5.0	µg/L	0	WA
		trans-1,3-Dichloropropene	<1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	<5.0	µg/L	0	WA
		trans-1,3-Dichloropropene	<5.0	µg/L	0	WA
		Endrin	<0.0060	µg/L	0	GE
		Endrin	<0.0060	µg/L	0	GE
		Endrin	<0.0060	µg/L	0	GE
		Endrin	<0.11	µg/L	0	WA
		Endrin	<0.11	µg/L	0	WA
		Ethylbenzene	<1.0	µg/L	0	GE
		Ethylbenzene	<1.0	µg/L	0	GE
		Ethylbenzene	<5.0	µg/L	0	WA
		Ethylbenzene	<5.0	µg/L	0	WA
		Fluoride	<100	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE
		Fluoride	<100	µg/L	0	WA

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 33 collected on 06/04/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Fluoride	< 100	µg/L	0	WA
		Lead	< 3.0	µg/L	0	GE
		Lead	< 3.0	µg/L	0	GE
		Lead	< 2.0	µg/L	0	WA
		Lead	< 2.0	µg/L	0	WA
		Lindane	< 0.0050	µg/L	0	GE
		Lindane	< 0.0050	µg/L	0	GE
		Lindane	< 0.0050	µg/L	0	GE
		Lindane	< 0.054	µg/L	0	WA
		Lindane	< 0.055	µg/L	0	WA
		Magnesium	371	µg/L	0	GE
		Magnesium	376	µg/L	0	GE
		Magnesium	342	µg/L	0	WA
		Magnesium	337	µg/L	0	WA
		Manganese	< 2.0	µg/L	0	GE
		Manganese	< 2.0	µg/L	0	GE
		Manganese	0.85	µg/L	0	WA
		Manganese	0.67	µg/L	0	WA
		Mercury	< 0.20	µg/L	0	GE
		Mercury	< 0.20	µg/L	0	GE
		Mercury	< 0.20	µg/L	0	WA
		Mercury	< 0.20	µg/L	0	WA
		Methoxychlor	< 0.50	µg/L	0	GE
		Methoxychlor	< 0.50	µg/L	0	GE
		Methoxychlor	< 0.50	µg/L	0	GE
		Methoxychlor	< 0.54	µg/L	0	WA
		Methoxychlor	< 0.55	µg/L	0	WA
		Nickel	< 4.0	µg/L	0	GE
		Nickel	< 4.0	µg/L	0	GE
		Nickel	< 3.1	µg/L	0	WA
		Nickel	< 3.1	µg/L	0	WA
		Nitrate as nitrogen	460	µg/L	0	GE
		Nitrate as nitrogen	490	µg/L	0	GE
		Nitrate as nitrogen	500	µg/L	0	GE
		Nitrate as nitrogen	473	µg/L	0	WA
		Nitrate as nitrogen	415	µg/L	0	WA
		Potassium	583	µg/L	0	GE
		Potassium	642	µg/L	0	GE
		Potassium	567	µg/L	0	WA
		Potassium	586	µg/L	0	WA
		Selenium	< 2.0	µg/L	0	GE
		Selenium	< 2.0	µg/L	0	GE
		Selenium	< 2.0	µg/L	0	WA
		Selenium	< 2.0	µg/L	0	WA
		Silica	6,370	µg/L	0	GE
		Silica	6,450	µg/L	0	GE
		Silica	6,050	µg/L	0	WA
		Silica	6,140	µg/L	0	WA
		Silver	< 2.0	µg/L	0	GE
		Silver	< 2.0	µg/L	0	GE
		Silver	1.0	µg/L	0	WA
		Silver	< 0.70	µg/L	0	WA
		Sodium	1,330	µg/L	0	GE
		Sodium	1,360	µg/L	0	GE
		Sodium	1,370	µg/L	0	WA
		Sodium	1,390	µg/L	0	WA

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 33 collected on 06/04/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Sulfate	<1,000	µg/L	0	GE
		Sulfate	<1,000	µg/L	0	GE
		Sulfate	402	µg/L	0	WA
		Sulfate	377	µg/L	0	WA
		1,1,2,2-Tetrachloroethane	<1.0	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<5.0	µg/L	0	WA
		1,1,2,2-Tetrachloroethane	<5.0	µg/L	0	WA
		Tetrachloroethylene	<1.0	µg/L	0	GE
		Tetrachloroethylene	<1.0	µg/L	0	GE
		Tetrachloroethylene	<5.0	µg/L	0	WA
		Tetrachloroethylene	<5.0	µg/L	0	WA
		Toluene	<1.0	µg/L	0	GE
		Toluene	<1.0	µg/L	0	GE
		Toluene	<5.0	µg/L	0	WA
		Toluene	<5.0	µg/L	0	WA
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic carbon	669	µg/L	0	WA
		Total organic carbon	669	µg/L	0	WA
		Total organic halogens	<5.0	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	GE
		Total organic halogens	28	µg/L	1	WA
		Total organic halogens	25	µg/L	0	WA
		Total organic halogens	182	µg/L	2	WA
		Toxaphene	<0.24	µg/L	0	GE
		Toxaphene	<0.24	µg/L	0	GE
		Toxaphene	<0.24	µg/L	0	GE
		Toxaphene	<1.1	µg/L	0	WA
		Toxaphene	<1.1	µg/L	0	WA
		2,4,5-TP (Silvex)	<0.090	µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090	µg/L	0	GE
		2,4,5-TP (Silvex)	<0.56	µg/L	0	WA
		2,4,5-TP (Silvex)	<0.56	µg/L	0	WA
		1,1,1-Trichloroethane	<1.0	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0	µg/L	0	GE
		1,1,1-Trichloroethane	<5.0	µg/L	0	WA
		1,1,1-Trichloroethane	<5.0	µg/L	0	WA
		1,1,2-Trichloroethane	<1.0	µg/L	0	GE
		1,1,2-Trichloroethane	<1.0	µg/L	0	GE
		1,1,2-Trichloroethane	<5.0	µg/L	0	WA
		1,1,2-Trichloroethane	<5.0	µg/L	0	WA
		Trichloroethylene	<1.0	µg/L	0	GE
		Trichloroethylene	<1.0	µg/L	0	GE
		Trichloroethylene	<5.0	µg/L	0	WA
		Trichloroethylene	<5.0	µg/L	0	WA
		Trichlorofluoromethane	10	µg/L	2	GE
		Trichlorofluoromethane	<1.0	µg/L	0	GE
		Trichlorofluoromethane	<5.0	µg/L	0	WA
		Trichlorofluoromethane	<5.0	µg/L	0	WA
		Vanadium	<8.0	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Vanadium	0.88	µg/L	0	WA
		Vanadium	<0.88	µg/L	0	WA
		Gross alpha	6.8E+00 ± 1.9E+00	pCi/L	0	GP
		Gross alpha	7.6E+00 ± 1.0E+00	pCi/L	1	GP

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 33 collected on 06/04/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Gross alpha	< 3.0E+00	pCi/L	0	CN
		Gross alpha	< 3.0E+00	pCi/L	0	CN
		Nonvolatile beta	8.9E+00 ± 1.9E+00	pCi/L	0	GP
		Nonvolatile beta	1.0E+01 ± 1.0E+00	pCi/L	0	GP
		Nonvolatile beta	8.9E+00 ± 4.0E+00	pCi/L	0	CN
		Nonvolatile beta	2.1E+01 ± 4.2E+00	pCi/L	0	CN
		Radium-226	1.6E+00 ± 2.4E-01	pCi/L	0	GP
		Radium-226	< 5.0E-01	pCi/L	0	GP
		Radium-226	8.8E-01 ± 2.7E-01	pCi/L	0	CN
		Radium-226	5.6E-01 ± 2.2E-01	pCi/L	0	CN
		Radium-226	7.8E-01 ± 2.1E-01	pCi/L	0	CN
		Tritium	2.4E+00 ± 4.0E-01	pCi/mL	0	GP
		Tritium	2.5E+00 ± 4.0E-01	pCi/mL	0	GP
		Tritium	3.3E+00 ± 3.5E-01	pCi/mL	0	CN
		Tritium	9.1E+00 ± 5.2E-01	pCi/mL	0	CN

WELL LFW 34

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N85409.5	33.288114 °N	164.7-143.7 ft msl	201.0 ft msl	4" PVC	
E45016.9	81.714171 °W				

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 06/02/92
 Depth to water: 40.89 ft (12.46 m) below TOC
 Water elevation: 160.11 ft (48.80 m) msl
 Sp. conductance: 21 µS/cm
 Water evacuated before sampling: 43 gal

Time: 9:45
 pH: 4.2
 Alkalinity: 0 mg/L
 Water temperature: 18.2°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.1	pH	0	WA
•		Specific conductance	19	µS/cm	0	WA
		Aluminum	17	µg/L	0	WA
		Antimony	< 2.6	µg/L	0	WA
		Arsenic	< 2.0	µg/L	0	WA
		Barium	5.0	µg/L	0	WA
		Benzene	< 5.0	µg/L	0	WA
		Bromodichloromethane	< 5.0	µg/L	0	WA
		Bromoform	< 5.0	µg/L	0	WA
		Bromomethane (Methyl bromide)	< 10	µg/L	0	WA
		Cadmium	< 0.35	µg/L	0	WA
		Calcium	393	µg/L	0	WA
		Carbon tetrachloride	< 5.0	µg/L	0	WA
		Chloride	3,640	µg/L	0	WA
		Chlorobenzene	< 5.0	µg/L	0	WA
		Chloroethane	< 10	µg/L	0	WA
		Chloroethene (Vinyl chloride)	< 10	µg/L	0	WA
		2-Chloroethyl vinyl ether	< 10	µg/L	0	WA
		Chloroform	< 5.0	µg/L	0	WA

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 34 collected on 06/02/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Chloromethane (Methyl chloride)	< 10	µg/L	0	WA
		Chromium	< 1.1	µg/L	0	WA
		Copper	3.7	µg/L	0	WA
		Dibromochloromethane	< 5.0	µg/L	0	WA
		1,1-Dichloroethane	< 5.0	µg/L	0	WA
		1,2-Dichloroethane	< 5.0	µg/L	0	WA
		cis-1,2-Dichloroethene	< 5.0	µg/L	0	WA
		1,1-Dichloroethylene	< 5.0	µg/L	0	WA
		Dichloromethane (Methylene chloride)	3.3	µg/L	0	WA
		2,4-Dichlorophenoxyacetic acid	< 1.1	µg/L	0	WA
		1,2-Dichloropropane	< 5.0	µg/L	0	WA
		cis-1,3-Dichloropropene	< 5.0	µg/L	0	WA
		trans-1,3-Dichloropropene	< 5.0	µg/L	0	WA
		Endrin	< 0.11	µg/L	0	WA
		Ethylbenzene	< 5.0	µg/L	0	WA
		Fluoride	< 100	µg/L	0	WA
		Lead	< 2.0	µg/L	0	WA
		Lindane	< 0.054	µg/L	0	WA
		Magnesium	400	µg/L	0	WA
		Manganese	2.0	µg/L	0	WA
		Mercury	< 0.20	µg/L	0	WA
		Methoxychlor	< 0.54	µg/L	0	WA
		Nickel	< 3.1	µg/L	0	WA
		Nitrate as nitrogen	407	µg/L	0	WA
		Potassium	600	µg/L	0	WA
		Selenium	< 2.0	µg/L	0	WA
		Silica	5,860	µg/L	0	WA
		Silver	0.70	µg/L	0	WA
		Sodium	1,490	µg/L	0	WA
		Sulfate	534	µg/L	0	WA
		1,1,2,2-Tetrachloroethane	< 5.0	µg/L	0	WA
		Tetrachloroethylene	< 5.0	µg/L	0	WA
		Toluene	< 5.0	µg/L	0	WA
		Total organic carbon	< 500	µg/L	0	WA
		Total organic halogens	21	µg/L	0	WA
		Toxaphene	< 1.1	µg/L	0	WA
		2,4,5-TP (Silvex)	< 0.54	µg/L	0	WA
		1,1,1-Trichloroethane	< 5.0	µg/L	0	WA
		1,1,2-Trichloroethane	< 5.0	µg/L	0	WA
		Trichloroethylene	< 5.0	µg/L	0	WA
		Trichlorofluoromethane	< 5.0	µg/L	0	WA
		Vanadium	< 0.88	µg/L	0	WA
		Gross alpha	< 3.0E + 00	pCi/L	0	CN
		Nonvolatile beta	< 5.0E + 00	pCi/L	0	CN
		Radium-226	9.4E-01 ± 2.3E-01	pCi/L	0	CN
		Tritium	2.3E + 00 ± 4.2E-01	pCi/mL	0	CN

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 35

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N85237.4 E45378.8	33.288325 °N 81.712883 °W	164.4-143.4 ft msl	183.7 ft msl	4" PVC	

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 05/29/92	Time: 14:50
Depth to water: 24.82 ft (7.57 m) below TOC	pH: 4.4
Water elevation: 158.88 ft (48.43 m) msl	Alkalinity: 1 mg/L
Sp. conductance: 25 µS/cm	Water temperature: 19.7°C
Water evacuated before sampling: 51 gal	

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.2	pH	0	WA
•		Specific conductance	23	µS/cm	0	WA
		Aluminum	21	µg/L	0	WA
	■	Antimony	10	µg/L	2	WA
		Arsenic	< 2.0	µg/L	0	WA
		Barium	6.9	µg/L	0	WA
		Benzene	< 5.0	µg/L	0	WA
		Bromodichloromethane	< 5.0	µg/L	0	WA
		Bromoform	< 5.0	µg/L	0	WA
		Bromomethane (Methyl bromide)	< 10	µg/L	0	WA
		Cadmium	2.3	µg/L	0	WA
		Calcium	386	µg/L	0	WA
		Carbon tetrachloride	< 5.0	µg/L	0	WA
		Chloride	3,060	µg/L	0	WA
		Chlorobenzene	< 5.0	µg/L	0	WA
		Chloroethane	< 10	µg/L	0	WA
		Chloroethene (Vinyl chloride)	< 10	µg/L	0	WA
		2-Chloroethyl vinyl ether	< 10	µg/L	0	WA
		Chloroform	< 5.0	µg/L	0	WA
		Chloromethane (Methyl chloride)	< 10	µg/L	0	WA
		Chromium	< 1.1	µg/L	0	WA
		Copper	3.3	µg/L	0	WA
		Dibromochloromethane	< 5.0	µg/L	0	WA
		1,1-Dichloroethane	< 5.0	µg/L	0	WA
		1,2-Dichloroethane	< 5.0	µg/L	0	WA
		cis-1,2-Dichloroethene	< 5.0	µg/L	0	WA
		1,1-Dichloroethylene	< 5.0	µg/L	0	WA
		Dichloromethane (Methylene chloride)	< 5.0	µg/L	0	WA
		2,4-Dichlorophenoxyacetic acid	< 1.1	µg/L	0	WA
		1,2-Dichloropropane	< 5.0	µg/L	0	WA
		cis-1,3-Dichloropropene	< 5.0	µg/L	0	WA
		trans-1,3-Dichloropropene	< 5.0	µg/L	0	WA
		Endrin	< 0.11	µg/L	0	WA
		Ethylbenzene	< 5.0	µg/L	0	WA
		Fluoride	< 100	µg/L	0	WA
		Lead	< 2.0	µg/L	0	WA
		Lindane	< 0.056	µg/L	0	WA
		Magnesium	694	µg/L	0	WA
		Manganese	4.0	µg/L	0	WA

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 35 collected on 05/29/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Mercury	<0.20	µg/L	0	WA
		Methoxychlor	<0.56	µg/L	0	WA
		Nickel	<3.1	µg/L	0	WA
		Nitrate as nitrogen	1,120	µg/L	0	WA
		Potassium	549	µg/L	0	WA
		Selenium	<2.0	µg/L	0	WA
		Silica	5,800	µg/L	0	WA
		Silver	<0.70	µg/L	0	WA
		Sodium	2,350	µg/L	0	WA
		Sulfate	251	µg/L	0	WA
		1,1,2,2-Tetrachloroethane	<5.0	µg/L	0	WA
		Tetrachloroethylene	<5.0	µg/L	0	WA
		Toluene	<5.0	µg/L	0	WA
		Total organic carbon	1,960	µg/L	0	WA
		Total organic halogens	<20	µg/L	0	WA
		Toxaphene	<1.1	µg/L	0	WA
		2,4,5-TP (Silvex)	<0.56	µg/L	0	WA
		1,1,1-Trichloroethane	<5.0	µg/L	0	WA
		1,1,2-Trichloroethane	<5.0	µg/L	0	WA
		Trichloroethylene	<5.0	µg/L	0	WA
		Trichlorofluoromethane	<5.0	µg/L	0	WA
		Vanadium	<0.88	µg/L	0	WA
		Gross alpha	<3.0E+00	pCi/L	0	CN
		Nonvolatile beta	<5.0E+00	pCi/L	0	CN
		Radium-226	9.7E-01 ± 2.5E-01	pCi/L	0	CN
		Tritium	<2.0E+00	pCi/mL	0	CN

WELL LFW 36

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N83535.5	33.284894 °N	151.3-130.3 ft msl	170.4 ft msl	4" PVC	
E45582.3	81.709040 °W				

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 06/04/92
 Depth to water: 24.75 ft (7.54 m) below TOC
 Water elevation: 145.65 ft (44.39 m) msl
 Sp. conductance: 323 µS/cm
 Water evacuated before sampling: 50 gal

Time: 12:45
 pH: 6.2
 Alkalinity: 94 mg/L
 Water temperature: 19.8°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	6.2	pH	0	WA
•		Specific conductance	264	µS/cm	1	WA
		Aluminum	<15	µg/L	0	WA
		Antimony	<2.6	µg/L	0	WA
		Arsenic	<2.0	µg/L	0	WA
		Barium	<4.0	µg/L	0	WA
■		Benzene	5.8	µg/L	2	WA
		Bromodichloromethane	<5.0	µg/L	0	WA

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 36 collected on 06/04/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Bromoform	<5.0	µg/L	0	WA
		Bromomethane (Methyl bromide)	<10	µg/L	0	WA
		Cadmium	<0.35	µg/L	0	WA
		Calcium	4,990	µg/L	0	WA
		Carbon tetrachloride	<5.0	µg/L	0	WA
		Chloride	30,500	µg/L	0	WA
		Chloride	30,200	µg/L	0	WA
		Chlorobenzene	11	µg/L	2	WA
		Chloroethane	3.8	µg/L	0	WA
		Chloroethene (Vinyl chloride)	<10	µg/L	0	WA
		2-Chloroethyl vinyl ether	<10	µg/L	0	WA
		Chloroform	<5.0	µg/L	0	WA
		Chloromethane (Methyl chloride)	<10	µg/L	0	WA
		Chromium	<1.1	µg/L	0	WA
		Copper	<1.1	µg/L	0	WA
		Dibromochloromethane	<5.0	µg/L	0	WA
		1,1-Dichloroethane	73	µg/L	2	WA
■		1,2-Dichloroethane	6.8	µg/L	2	WA
		cis-1,2-Dichloroethene	<5.0	µg/L	0	WA
		1,1-Dichloroethylene	<5.0	µg/L	0	WA
		Dichloromethane (Methylene chloride)	9.2	µg/L	0	WA
		2,4-Dichlorophenoxyacetic acid	<1.1	µg/L	0	WA
		1,2-Dichloropropane	<5.0	µg/L	0	WA
		cis-1,3-Dichloropropene	<5.0	µg/L	0	WA
		trans-1,3-Dichloropropene	<5.0	µg/L	0	WA
		Endrin	<0.11	µg/L	0	WA
		Ethylbenzene	1.1	µg/L	0	WA
		Fluoride	<100	µg/L	0	WA
		Fluoride	<100	µg/L	0	WA
		Lead	<2.0	µg/L	0	WA
		Lindane	<0.055	µg/L	0	WA
		Magnesium	11,700	µg/L	0	WA
		Manganese	13	µg/L	0	WA
		Mercury	<0.20	µg/L	0	WA
		Methoxychlor	<0.55	µg/L	0	WA
		Nickel	<3.1	µg/L	0	WA
		Nitrate as nitrogen	<10	µg/L	0	WA
		Potassium	443	µg/L	0	WA
		Selenium	<2.0	µg/L	0	WA
		Silica	7,400	µg/L	0	WA
		Silver	<0.70	µg/L	0	WA
		Sodium	27,300	µg/L	0	WA
		Sulfate	2,910	µg/L	0	WA
		1,1,2,2-Tetrachloroethane	<5.0	µg/L	0	WA
		Tetrachloroethylene	<5.0	µg/L	0	WA
		Toluene	<5.0	µg/L	0	WA
		Total organic carbon	4,920	µg/L	0	WA
		Total organic halogens	950	µg/L	2	WA
		Toxaphene	<1.1	µg/L	0	WA
		2,4,5-TP (Silvex)	0.11	µg/L	0	WA
		1,1,1-Trichloroethane	1.8	µg/L	0	WA
		1,1,2-Trichloroethane	<5.0	µg/L	0	WA
		Trichloroethylene	1.7	µg/L	0	WA
		Trichlorofluoromethane	32	µg/L	2	WA
		Vanadium	<0.88	µg/L	0	WA
		Gross alpha	<3.0E+00	pCi/L	0	CN

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 36 collected on 06/04/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Nonvolatile beta	<5.0E+00	pCi/L	0	CN
		Radium-226	<5.0E-01	pCi/L	0	CN
		Tritium	7.8E+00 ± 4.9E-01	pCi/mL	0	CN

WELL LFW 37

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N83113.2	33.284100 °N	150.8-129.8 ft msl	169.9 ft msl	4" PVC	
E45667.7	81.707994 °W				

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 06/03/92
 Depth to water: 27.29 ft (8.32 m) below TOC
 Water elevation: 142.61 ft (43.47 m) msl
 Sp. conductance: 184 µS/cm
 Water evacuated before sampling: 34 gal

Time: 1 :20
 pH: 4.7
 Alkalinity: 16 mg/L
 Water temperature: 19.1°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.8	pH	0	WA
•		pH	5.8	pH	0	WA
•		Specific conductance	155	µS/cm	0	WA
•		Specific conductance	157	µS/cm	0	WA
		Aluminum	16	µg/L	0	WA
■		Antimony	9.9	µg/L	2	WA
		Arsenic	<2.0	µg/L	0	WA
		Barium	18	µg/L	0	WA
■		Benzene	5.6	µg/L	2	WA
■		Benzene	5.2	µg/L	2	WA
		Bromodichloromethane	<5.0	µg/L	0	WA
		Bromodichloromethane	<5.0	µg/L	0	WA
		Bromodichloromethane	<5.0	µg/L	0	WA
		Bromoform	<5.0	µg/L	0	WA
		Bromoform	<5.0	µg/L	0	WA
		Bromoform	<5.0	µg/L	0	WA
		Bromomethane (Methyl bromide)	<10	µg/L	0	WA
		Bromomethane (Methyl bromide)	<10	µg/L	0	WA
		Bromomethane (Methyl bromide)	<10	µg/L	0	WA
		Cadmium	0.42	µg/L	0	WA
		Calcium	2,870	µg/L	0	WA
		Carbon tetrachloride	<5.0	µg/L	0	WA
		Carbon tetrachloride	<5.0	µg/L	0	WA
		Carbon tetrachloride	<5.0	µg/L	0	WA
		Chloride	29,400	µg/L	0	WA
		Chlorobenzene	<5.0	µg/L	0	WA
		Chlorobenzene	<5.0	µg/L	0	WA
		Chloroethane	<10	µg/L	0	WA
		Chloroethane	<10	µg/L	0	WA
		Chloroethane	<10	µg/L	0	WA
		Chloroethene (Vinyl chloride)	<10	µg/L	0	WA

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 37 collected on 06/03/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Chloroethene (Vinyl chloride)	< 10	µg/L	0	WA
		Chloroethene (Vinyl chloride)	< 10	µg/L	0	WA
		2-Chloroethyl vinyl ether	< 10	µg/L	0	WA
		2-Chloroethyl vinyl ether	< 10	µg/L	0	WA
		2-Chloroethyl vinyl ether	< 10	µg/L	0	WA
		Chloroform	< 5.0	µg/L	0	WA
		Chloroform	< 5.0	µg/L	0	WA
		Chloroform	< 5.0	µg/L	0	WA
		Chloromethane (Methyl chloride)	< 10	µg/L	0	WA
		Chloromethane (Methyl chloride)	< 10	µg/L	0	WA
		Chloromethane (Methyl chloride)	< 10	µg/L	0	WA
		Chromium	< 1.1	µg/L	0	WA
		Copper	1.4	µg/L	0	WA
		Dibromochloromethane	< 5.0	µg/L	0	WA
		Dibromochloromethane	< 5.0	µg/L	0	WA
		Dibromochloromethane	< 5.0	µg/L	0	WA
		1,1-Dichloroethane	98	µg/L	2	WA
		1,1-Dichloroethane	96	µg/L	2	WA
		1,1-Dichloroethane	92	µg/L	2	WA
■		1,2-Dichloroethane	7.1	µg/L	2	WA
■		1,2-Dichloroethane	7.8	µg/L	2	WA
■		1,2-Dichloroethane	6.6	µg/L	2	WA
		cis-1,2-Dichloroethene	< 5.0	µg/L	0	WA
		cis-1,2-Dichloroethene	< 5.0	µg/L	0	WA
		cis-1,2-Dichloroethene	< 5.0	µg/L	0	WA
		1,1-Dichloroethylene	1.5	µg/L	0	WA
		1,1-Dichloroethylene	1.6	µg/L	0	WA
		Dichloromethane (Methylene chloride)	32	µg/L	0	WA
		Dichloromethane (Methylene chloride)	31	µg/L	0	WA
		Dichloromethane (Methylene chloride)	27	µg/L	0	WA
		2,4-Dichlorophenoxyacetic acid	< 1.1	µg/L	0	WA
		1,2-Dichloropropane	< 5.0	µg/L	0	WA
		1,2-Dichloropropane	< 5.0	µg/L	0	WA
		1,2-Dichloropropane	< 5.0	µg/L	0	WA
		cis-1,3-Dichloropropene	< 5.0	µg/L	0	WA
		cis-1,3-Dichloropropene	< 5.0	µg/L	0	WA
		cis-1,3-Dichloropropene	< 5.0	µg/L	0	WA
		trans-1,3-Dichloropropene	< 5.0	µg/L	0	WA
		trans-1,3-Dichloropropene	< 5.0	µg/L	0	WA
		trans-1,3-Dichloropropene	< 5.0	µg/L	0	WA
		Endrin	< 0.11	µg/L	0	WA
		Ethylbenzene	< 5.0	µg/L	0	WA
		Ethylbenzene	< 5.0	µg/L	0	WA
		Ethylbenzene	< 5.0	µg/L	0	WA
		Fluoride	< 100	µg/L	0	WA
		Lead	< 2.0	µg/L	0	WA
		Lindane	< 0.054	µg/L	0	WA
		Magnesium	5,170	µg/L	0	WA
		Manganese	0.85	µg/L	0	WA
		Mercury	< 0.20	µg/L	0	WA
		Mercury	< 0.20	µg/L	0	WA
		Methoxychlor	< 0.54	µg/L	0	WA
		Nickel	< 3.1	µg/L	0	WA
		Nitrate as nitrogen	222	µg/L	0	WA
		Potassium	403	µg/L	0	WA
		Selenium	< 2.0	µg/L	0	WA

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 37 collected on 06/03/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Silica	12,300	µg/L	0	WA
		Silver	1.2	µg/L	0	WA
		Sodium	21,400	µg/L	0	WA
		Sulfate	4,420	µg/L	0	WA
		Sulfate	4,310	µg/L	0	WA
		1,1,2,2-Tetrachloroethane	<5.0	µg/L	0	WA
		1,1,2,2-Tetrachloroethane	<5.0	µg/L	0	WA
		1,1,2,2-Tetrachloroethane	<5.0	µg/L	0	WA
		Tetrachloroethylene	<5.0	µg/L	0	WA
		Tetrachloroethylene	<5.0	µg/L	0	WA
		Tetrachloroethylene	<5.0	µg/L	0	WA
		Toluene	<5.0	µg/L	0	WA
		Toluene	<5.0	µg/L	0	WA
		Total organic carbon	3,050	µg/L	0	WA
		Total organic halogens	391	µg/L	2	WA
		Toxaphene	<1.1	µg/L	0	WA
		2,4,5-TP (Silvex)	<0.56	µg/L	0	WA
		1,1,1-Trichloroethane	4.3	µg/L	0	WA
		1,1,1-Trichloroethane	1.7	µg/L	0	WA
		1,1,1-Trichloroethane	3.8	µg/L	0	WA
		1,1,2-Trichloroethane	<5.0	µg/L	0	WA
		1,1,2-Trichloroethane	<5.0	µg/L	0	WA
		1,1,2-Trichloroethane	<5.0	µg/L	0	WA
	■	Trichloroethylene	7.1	µg/L	2	WA
	■	Trichloroethylene	7.2	µg/L	2	WA
		Trichlorofluoromethane	20	µg/L	2	WA
		Trichlorofluoromethane	19	µg/L	2	WA
		Trichlorofluoromethane	18	µg/L	2	WA
		Vanadium	<0.88	µg/L	0	WA
		Gross alpha	<3.0E+00	pCi/L	0	CN
		Nonvolatile beta	7.4E+00 ± 2.0E+00	pCi/L	0	CN
		Radium-226	2.0E+00 ± 3.2E-01	pCi/L	0	CN
		Tritium	1.3E+01 ± 7.1E-01	pCi/mL	1	CN

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 38

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N83172.3 E46018.5	33.284803 °N 81.707185 °W	151.5-130.5 ft msl	170.3 ft msl	4" PVC	

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 06/03/92
 Depth to water: 27.33 ft (8.33 m) below TOC
 Water elevation: 142.97 ft (43.58 m) msl
 Sp. conductance: 61 μ S/cm
 Water evacuated before sampling: 33 gal

Time: 12:35
 pH: 4.0
 Alkalinity: 0 mg/L
 Water temperature: 20.3°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.1	pH	0	WA
•		Specific conductance	53	μ S/cm	0	WA
		Aluminum	34	μ g/L	0	WA
		Antimony	<2.6	μ g/L	0	WA
		Arsenic	<2.0	μ g/L	0	WA
		Barium	16	μ g/L	0	WA
		Benzene	<5.0	μ g/L	0	WA
		Bromodichloromethane	<5.0	μ g/L	0	WA
		Bromoform	<5.0	μ g/L	0	WA
		Bromomethane (Methyl bromide)	<10	μ g/L	0	WA
		Cadmium	<0.35	μ g/L	0	WA
		Calcium	772	μ g/L	0	WA
		Carbon tetrachloride	<5.0	μ g/L	0	WA
		Chloride	15,500	μ g/L	0	WA
		Chlorobenzene	<5.0	μ g/L	0	WA
		Chloroethane	<10	μ g/L	0	WA
		Chloroethene (Vinyl chloride)	<10	μ g/L	0	WA
		2-Chloroethyl vinyl ether	<10	μ g/L	0	WA
		Chloroform	<5.0	μ g/L	0	WA
		Chloromethane (Methyl chloride)	<10	μ g/L	0	WA
		Chromium	<1.1	μ g/L	0	WA
		Copper	3.2	μ g/L	0	WA
		Dibromochloromethane	<5.0	μ g/L	0	WA
		1,1-Dichloroethane	58	μ g/L	2	WA
		1,2-Dichloroethane	3.9	μ g/L	1	WA
		cis-1,2-Dichloroethene	<5.0	μ g/L	0	WA
		1,1-Dichloroethylene	2.9	μ g/L	0	WA
		Dichloromethane (Methylene chloride)	56	μ g/L	0	WA
		2,4-Dichlorophenoxyacetic acid	<1.1	μ g/L	0	WA
		1,2-Dichloropropane	<5.0	μ g/L	0	WA
		cis-1,3-Dichloropropene	<5.0	μ g/L	0	WA
		trans-1,3-Dichloropropene	<5.0	μ g/L	0	WA
		Endrin	<0.11	μ g/L	0	WA
		Ethylbenzene	<5.0	μ g/L	0	WA
		Fluoride	<100	μ g/L	0	WA
		Lead	<2.0	μ g/L	0	WA
		Lindane	<0.056	μ g/L	0	WA
		Magnesium	1,060	μ g/L	0	WA
		Manganese	4.8	μ g/L	0	WA

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 38 collected on 06/03/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Mercury	<0.20	µg/L	0	WA
		Methoxychlor	<0.56	µg/L	0	WA
		Nickel	<3.1	µg/L	0	WA
		Nitrate as nitrogen	153	µg/L	0	WA
		Potassium	463	µg/L	0	WA
		Selenium	<2.0	µg/L	0	WA
		Silica	11,500	µg/L	0	WA
		Silver	<0.70	µg/L	0	WA
		Sodium	8,200	µg/L	0	WA
		Sulfate	<2,500	µg/L	0	WA
		1,1,2,2-Tetrachloroethane	<5.0	µg/L	0	WA
		Tetrachloroethylene	1.8	µg/L	0	WA
		Toluene	<5.0	µg/L	0	WA
		Total organic carbon	1,080	µg/L	0	WA
		Total organic halogens	254	µg/L	2	WA
		Toxaphene	<1.1	µg/L	0	WA
		2,4,5-TP (Silvex)	<0.56	µg/L	0	WA
		1,1,1-Trichloroethane	6.7	µg/L	0	WA
		1,1,2-Trichloroethane	<5.0	µg/L	0	WA
■		Trichloroethylene	18	µg/L	2	WA
		Trichlorofluoromethane	17	µg/L	2	WA
		Vanadium	<0.88	µg/L	0	WA
		Gross alpha	<3.0E+00	pCi/L	0	CN
		Nonvolatile beta	<5.0E+00	pCi/L	0	CN
		Radium-226	6.3E-01 ± 1.8E-01	pCi/L	0	CN
■		Tritium	3.8E+01 ± 1.1E+00	pCi/mL	2	CN

WELL LFW 39

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N83213.1	33.285220 °N	152.2-131.2 ft msl	171.4 ft msl	4" PVC	
E46218.5	81.706738 °W				

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 06/03/92
 Depth to water: 28.25 ft (8.61 m) below TOC
 Water elevation: 143.15 ft (43.63 m) msl
 Sp. conductance: 31 µS/cm
 Water evacuated before sampling: 31 gal

Time: 12:00
 pH: 4.0
 Alkalinity: 0 mg/L
 Water temperature: 19.9°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.1	pH	0	WA
•		Specific conductance	26	µS/cm	0	WA
		Aluminum	25	µg/L	0	WA
		Antimony	<2.6	µg/L	0	WA
		Arsenic	<2.0	µg/L	0	WA
		Barium	5.4	µg/L	0	WA
		Benzene	<5.0	µg/L	0	WA
		Bromodichloromethane	<5.0	µg/L	0	WA

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 39 collected on 06/03/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Bromoform	< 5.0	µg/L	0	WA
		Bromomethane (Methyl bromide)	< 10	µg/L	0	WA
		Cadmium	< 0.35	µg/L	0	WA
		Calcium	358	µg/L	0	WA
		Carbon tetrachloride	< 5.0	µg/L	0	WA
		Chloride	3,650	µg/L	0	WA
		Chloride	3,620	µg/L	0	WA
		Chlorobenzene	< 5.0	µg/L	0	WA
		Chloroethane	< 10	µg/L	0	WA
		Chloroethene (Vinyl chloride)	< 10	µg/L	0	WA
		2-Chloroethyl vinyl ether	< 10	µg/L	0	WA
		Chloroform	< 5.0	µg/L	0	WA
		Chloromethane (Methyl chloride)	< 10	µg/L	0	WA
		Chromium	< 1.1	µg/L	0	WA
		Copper	2.6	µg/L	0	WA
		Dibromochloromethane	< 5.0	µg/L	0	WA
		1,1-Dichloroethane	38	µg/L	2	WA
		1,2-Dichloroethane	< 5.0	µg/L	0	WA
		cis-1,2-Dichloroethene	< 5.0	µg/L	0	WA
■		1,1-Dichloroethylene	8.5	µg/L	2	WA
		Dichloromethane (Methylene chloride)	13	µg/L	0	WA
		2,4-Dichlorophenoxyacetic acid	< 1.1	µg/L	0	WA
		1,2-Dichloropropane	< 5.0	µg/L	0	WA
		cis-1,3-Dichloropropene	< 5.0	µg/L	0	WA
		trans-1,3-Dichloropropene	< 5.0	µg/L	0	WA
		Endrin	< 0.11	µg/L	0	WA
		Ethylbenzene	< 5.0	µg/L	0	WA
		Fluoride	< 100	µg/L	0	WA
		Lead	< 2.0	µg/L	0	WA
		Lindane	< 0.055	µg/L	0	WA
		Magnesium	727	µg/L	0	WA
		Manganese	0.67	µg/L	0	WA
		Mercury	< 0.20	µg/L	0	WA
		Methoxychlor	< 0.55	µg/L	0	WA
		Nickel	< 3.1	µg/L	0	WA
		Nitrate as nitrogen	1,110	µg/L	0	WA
		Potassium	253	µg/L	0	WA
		Selenium	< 2.0	µg/L	0	WA
		Silica	8,630	µg/L	0	WA
		Silver	< 0.70	µg/L	0	WA
		Sodium	2,650	µg/L	0	WA
		Sulfate	< 250	µg/L	0	WA
		1,1,2,2-Tetrachloroethane	< 5.0	µg/L	0	WA
		Tetrachloroethylene	4.5	µg/L	1	WA
		Toluene	< 5.0	µg/L	0	WA
		Total organic carbon	< 500	µg/L	0	WA
		Total organic halogens	288	µg/L	2	WA
		Toxaphene	< 1.1	µg/L	0	WA
		2,4,5-TP (Silvex)	< 0.54	µg/L	0	WA
		1,1,1-Trichloroethane	101	µg/L	1	WA
		1,1,2-Trichloroethane	< 5.0	µg/L	0	WA
■		Trichloroethylene	9.8	µg/L	2	WA
		Trichlorofluoromethane	134	µg/L	2	WA
		Vanadium	< 0.88	µg/L	0	WA
		Gross alpha	< 3.0E + 00	pCi/L	0	CN
		Nonvolatile beta	< 5.0E + 00	pCi/L	0	CN

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 39 collected on 06/03/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Radium-226	<5.0E-01	pCi/L	0	CN
		Tritium	2.2E+00 ± 4.2E-01	pCi/mL	0	CN

WELL LFW 40

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N83248.8	33.285587 °N	152.2-131.2 ft msl	171.0 ft msl	4" PVC	
E46395.1	81.706343 °W				

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 06/03/92
 Depth to water: 28.39 ft (8.65 m) below TOC
 Water elevation: 142.61 ft (43.47 m) msl
 Sp. conductance: 17 µS/cm
 Water evacuated before sampling: 30 gal

Time: 11:25
 pH: 4.3
 Alkalinity: 0 mg/L
 Water temperature: 19.7°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.3	pH	0	WA
•		Specific conductance	16	µS/cm	0	WA
		Aluminum	<15	µg/L	0	WA
■		Antimony	6.3	µg/L	2	WA
		Arsenic	<2.0	µg/L	0	WA
		Barium	<4.0	µg/L	0	WA
		Benzene	<5.0	µg/L	0	WA
		Bromodichloromethane	<5.0	µg/L	0	WA
		Bromoform	<5.0	µg/L	0	WA
		Bromomethane (Methyl bromide)	<10	µg/L	0	WA
		Cadmium	<0.35	µg/L	0	WA
		Calcium	290	µg/L	0	WA
		Carbon tetrachloride	<5.0	µg/L	0	WA
		Chloride	2,610	µg/L	0	WA
		Chlorobenzene	<5.0	µg/L	0	WA
		Chloroethane	<10	µg/L	0	WA
		Chloroethene (Vinyl chloride)	<10	µg/L	0	WA
		2-Chloroethyl vinyl ether	<10	µg/L	0	WA
		Chloroform	<5.0	µg/L	0	WA
		Chloromethane (Methyl chloride)	<10	µg/L	0	WA
		Chromium	<1.1	µg/L	0	WA
		Copper	2.8	µg/L	0	WA
		Dibromochloromethane	<5.0	µg/L	0	WA
		1,1-Dichloroethane	<5.0	µg/L	0	WA
		1,2-Dichloroethane	<5.0	µg/L	0	WA
		cis-1,2-Dichloroethene	<5.0	µg/L	0	WA
		1,1-Dichloroethylene	<5.0	µg/L	0	WA
		Dichloromethane (Methylene chloride)	16	µg/L	0	WA
		2,4-Dichlorophenoxyacetic acid	<1.1	µg/L	0	WA
		1,2-Dichloropropane	<5.0	µg/L	0	WA
		cis-1,3-Dichloropropene	<5.0	µg/L	0	WA
		trans-1,3-Dichloropropene	<5.0	µg/L	0	WA

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 40 collected on 06/03/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Endrin	<0.11	µg/L	0	WA
		Ethylbenzene	<5.0	µg/L	0	WA
		Fluoride	<100	µg/L	0	WA
		Lead	<2.0	µg/L	0	WA
		Lindane	<0.057	µg/L	0	WA
		Magnesium	354	µg/L	0	WA
		Manganese	<0.35	µg/L	0	WA
		Mercury	<0.20	µg/L	0	WA
		Methoxychlor	<0.57	µg/L	0	WA
		Nickel	<3.1	µg/L	0	WA
		Nitrate as nitrogen	186	µg/L	0	WA
		Nitrate as nitrogen	202	µg/L	0	WA
		Potassium	350	µg/L	0	WA
		Selenium	<2.0	µg/L	0	WA
		Silica	6,780	µg/L	0	WA
		Silver	1.2	µg/L	0	WA
		Sodium	2,000	µg/L	0	WA
		Sulfate	407	µg/L	0	WA
		1,1,2,2-Tetrachloroethane	<5.0	µg/L	0	WA
		Tetrachloroethylene	1.5	µg/L	0	WA
		Toluene	<5.0	µg/L	0	WA
		Total organic carbon	<500	µg/L	0	WA
		Total organic halogens	52	µg/L	2	WA
		Toxaphene	<1.1	µg/L	0	WA
		2,4,5-TP (Silvex)	<0.55	µg/L	0	WA
		1,1,1-Trichloroethane	6.8	µg/L	0	WA
		1,1,2-Trichloroethane	<5.0	µg/L	0	WA
		Trichloroethylene	2.3	µg/L	0	WA
		Trichlorofluoromethane	21	µg/L	2	WA
		Vanadium	<0.88	µg/L	0	WA
		Gross alpha	<3.0E+00	pCi/L	0	CN
		Nonvolatile beta	<5.0E+00	pCi/L	0	CN
		Radium-226	<5.0E-01	pCi/L	0	CN
		Tritium	<2.0E+00	pCi/mL	0	CN

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 41

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N83304.9 E46626.9	33.286089 °N 81.705841 °W	151.3-130.3 ft msl	170.5 ft msl	4" PVC	

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 06/03/92	Time: 10:45
Depth to water: 26.44 ft (8.06 m) below TOC	pH: 4.2
Water elevation: 144.06 ft (43.91 m) msl	Alkalinity: 0 mg/L
Sp. conductance: 15 µS/cm	Water temperature: 19.1°C
Water evacuated before sampling: 36 gal	

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.3	pH	0	WA
•		Specific conductance	13	µS/cm	0	WA
		Aluminum	<15	µg/L	0	WA
	■	Antimony	6.0	µg/L	2	WA
		Arsenic	<2.0	µg/L	0	WA
		Barium	<4.0	µg/L	0	WA
		Benzene	<5.0	µg/L	0	WA
		Bromodichloromethane	<5.0	µg/L	0	WA
		Bromoform	<5.0	µg/L	0	WA
		Bromomethane (Methyl bromide)	<10	µg/L	0	WA
		Cadmium	<0.35	µg/L	0	WA
		Calcium	208	µg/L	0	WA
		Carbon tetrachloride	<5.0	µg/L	0	WA
		Chloride	2,450	µg/L	0	WA
		Chlorobenzene	<5.0	µg/L	0	WA
		Chloroethane	<10	µg/L	0	WA
		Chloroethene (Vinyl chloride)	<10	µg/L	0	WA
		2-Chloroethyl vinyl ether	<10	µg/L	0	WA
		Chloroform	<5.0	µg/L	0	WA
		Chloromethane (Methyl chloride)	<10	µg/L	0	WA
		Chromium	<1.1	µg/L	0	WA
		Copper	<1.1	µg/L	0	WA
		Dibromochloromethane	<5.0	µg/L	0	WA
		1,1-Dichloroethane	<5.0	µg/L	0	WA
		1,2-Dichloroethane	<5.0	µg/L	0	WA
		cis-1,2-Dichloroethene	<5.0	µg/L	0	WA
		1,1-Dichloroethylene	<5.0	µg/L	0	WA
		Dichloromethane (Methylene chloride)	<5.0	µg/L	0	WA
		2,4-Dichlorophenoxyacetic acid	<1.0	µg/L	0	WA
		1,2-Dichloropropane	<5.0	µg/L	0	WA
		cis-1,3-Dichloropropene	<5.0	µg/L	0	WA
		trans-1,3-Dichloropropene	<5.0	µg/L	0	WA
		Endrin	<0.11	µg/L	0	WA
		Ethylbenzene	<5.0	µg/L	0	WA
		Fluoride	<100	µg/L	0	WA
		Fluoride	<100	µg/L	0	WA
		Lead	<2.0	µg/L	0	WA
		Lindane	<0.054	µg/L	0	WA
		Magnesium	289	µg/L	0	WA

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 41 collected on 06/03/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Manganese	<0.35	µg/L	0	WA
		Mercury	<0.20	µg/L	0	WA
		Methoxychlor	<0.54	µg/L	0	WA
		Nickel	<3.1	µg/L	0	WA
		Nitrate as nitrogen	250	µg/L	0	WA
		Potassium	291	µg/L	0	WA
		Selenium	<2.0	µg/L	0	WA
		Silica	6,590	µg/L	0	WA
		Silver	1.7	µg/L	0	WA
		Sodium	1,330	µg/L	0	WA
		Sulfate	<250	µg/L	0	WA
		1,1,2,2-Tetrachloroethane	<5.0	µg/L	0	WA
		Tetrachloroethylene	<5.0	µg/L	0	WA
		Toluene	<5.0	µg/L	0	WA
		Total organic carbon	<500	µg/L	0	WA
		Total organic halogens	27	µg/L	1	WA
		Toxaphene	<1.1	µg/L	0	WA
		2,4,5-TP (Silvex)	<0.52	µg/L	0	WA
		1,1,1-Trichloroethane	<5.0	µg/L	0	WA
		1,1,2-Trichloroethane	<5.0	µg/L	0	WA
		Trichloroethylene	<5.0	µg/L	0	WA
		Trichlorofluoromethane	15	µg/L	2	WA
		Vanadium	1.1	µg/L	0	WA
		Gross alpha	<3.0E+00	pCi/L	0	CN
		Nonvolatile beta	<5.0E+00	pCi/L	0	CN
		Radium-226	<5.0E-01	pCi/L	0	CN
		Tritium	<2.0E+00	pCi/mL	0	CN

WELL LFW 42

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N83776.2	33.286978 °N	151.2-130.2 ft msl	170.1 ft.msl	4" PVC	
E46532.9	81.707005 °W				

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 06/03/92
 Depth to water: 23.65 ft (7.21 m) below TOC
 Water elevation: 146.45 ft (44.64 m) msl
 Sp. conductance: 15 µS/cm
 Water evacuated before sampling: 43 gal

Time: 10:05
 pH: 4.3
 Alkalinity: 0 mg/L
 Water temperature: 18.3°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.4	pH	0	WA
•		Specific conductance	13	µS/cm	0	WA
		Aluminum	<15	µg/L	0	WA
		Antimony	<2.6	µg/L	0	WA
		Arsenic	<2.0	µg/L	0	WA
		Barium	<4.0	µg/L	0	WA
		Benzene	<5.0	µg/L	0	WA

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 42 collected on 06/03/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Bromodichloromethane	<5.0	µg/L	0	WA
		Bromoform	<5.0	µg/L	0	WA
		Bromomethane (Methyl bromide)	<10	µg/L	0	WA
		Cadmium	1.0	µg/L	0	WA
		Calcium	222	µg/L	0	WA
		Carbon tetrachloride	<5.0	µg/L	0	WA
		Chloride	2,240	µg/L	0	WA
		Chlorobenzene	<5.0	µg/L	0	WA
		Chloroethane	<10	µg/L	0	WA
		Chloroethene (Vinyl chloride)	<10	µg/L	0	WA
		2-Chloroethyl vinyl ether	<10	µg/L	0	WA
		Chloroform	<5.0	µg/L	0	WA
		Chloromethane (Methyl chloride)	<10	µg/L	0	WA
		Chromium	<1.1	µg/L	0	WA
		Copper	<1.1	µg/L	0	WA
		Dibromochloromethane	<5.0	µg/L	0	WA
		1,1-Dichloroethane	<5.0	µg/L	0	WA
		1,2-Dichloroethane	<5.0	µg/L	0	WA
		cis-1,2-Dichloroethene	<5.0	µg/L	0	WA
		1,1-Dichloroethylene	<5.0	µg/L	0	WA
		Dichloromethane (Methylene chloride)	6.2	µg/L	0	WA
		2,4-Dichlorophenoxyacetic acid	<1.1	µg/L	0	WA
		1,2-Dichloropropane	<5.0	µg/L	0	WA
		cis-1,3-Dichloropropene	<5.0	µg/L	0	WA
		trans-1,3-Dichloropropene	<5.0	µg/L	0	WA
		Endrin	<0.11	µg/L	0	WA
		Ethylbenzene	<5.0	µg/L	0	WA
		Fluoride	<100	µg/L	0	WA
		Lead	<2.0	µg/L	0	WA
		Lindane	<0.053	µg/L	0	WA
		Magnesium	282	µg/L	0	WA
		Manganese	<0.35	µg/L	0	WA
		Mercury	<0.20	µg/L	0	WA
		Methoxychlor	<0.53	µg/L	0	WA
		Nickel	<3.1	µg/L	0	WA
		Nitrate as nitrogen	188	µg/L	0	WA
		Potassium	243	µg/L	0	WA
		Selenium	<2.0	µg/L	0	WA
		Silica	6,940	µg/L	0	WA
		Silver	0.70	µg/L	0	WA
		Sodium	1,480	µg/L	0	WA
		Sulfate	254	µg/L	0	WA
		1,1,2,2-Tetrachloroethane	<5.0	µg/L	0	WA
		Tetrachloroethylene	<5.0	µg/L	0	WA
		Toluene	<5.0	µg/L	0	WA
		Total organic carbon	2,430	µg/L	0	WA
		Total organic halogens	57	µg/L	2	WA
		Toxaphene	<1.1	µg/L	0	WA
		2,4,5-TP (Silvex)	<0.55	µg/L	0	WA
		1,1,1-Trichloroethane	7.1	µg/L	0	WA
		1,1,2-Trichloroethane	<5.0	µg/L	0	WA
		Trichloroethylene	<5.0	µg/L	0	WA
		Trichlorofluoromethane	10	µg/L	2	WA
		Vanadium	0.97	µg/L	0	WA
		Gross alpha	<3.0E+00	pCi/L	0	CN
		Nonvolatile beta	<5.0E+00	pCi/L	0	CN

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 42 collected on 06/03/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Radium-226	8.1E-01 ± 2.1E-01	pCi/L	0	CN
		Tritium	<2.0E+00	pCi/mL	0	CN

WELL LFW 43B

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N86459.2	33.290800 °N	100.4-90.4 ft msl	203.0 ft msl	4" PVC	
E45240.5	81.715622 °W				

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 06/04/92
 Depth to water: 37.49 ft (11.43 m) below TOC
 Water elevation: 165.51 ft (50.45 m) msl
 Sp. conductance: 25 µS/cm
 Water evacuated before sampling: 198 gal

Time: 11:15
 pH: 5.3
 Alkalinity: 5 mg/L
 Water temperature: 18.8°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.6	pH	0	WA
•		pH	5.6	pH	0	WA
•		Specific conductance	22	µS/cm	0	WA
•		Specific conductance	22	µS/cm	0	WA
		Arsenic	<2.0	µg/L	0	WA
		Arsenic	<2.0	µg/L	0	WA
		Barium	6.8	µg/L	0	WA
		Barium	7.8	µg/L	0	WA
		Benzene	<5.0	µg/L	0	WA
		Bromodichloromethane	<5.0	µg/L	0	WA
		Bromoform	<5.0	µg/L	0	WA
		Bromomethane (Methyl bromide)	<10	µg/L	0	WA
		Cadmium	0.35	µg/L	0	WA
		Cadmium	0.60	µg/L	0	WA
		Calcium	1,790	µg/L	0	WA
		Calcium	1,960	µg/L	0	WA
		Carbon tetrachloride	<5.0	µg/L	0	WA
		Chloride	2,020	µg/L	0	WA
		Chlorobenzene	<5.0	µg/L	0	WA
		Chloroethane	<10	µg/L	0	WA
		Chloroethene (Vinyl chloride)	<10	µg/L	0	WA
		2-Chloroethyl vinyl ether	<10	µg/L	0	WA
		Chloroform	<5.0	µg/L	0	WA
		Chloromethane (Methyl chloride)	<10	µg/L	0	WA
		Chromium	<1.1	µg/L	0	WA
		Chromium	<1.1	µg/L	0	WA
		Dibromochloromethane	<5.0	µg/L	0	WA
		1,1-Dichloroethane	<5.0	µg/L	0	WA
		1,2-Dichloroethane	<5.0	µg/L	0	WA
		cis-1,2-Dichloroethene	<5.0	µg/L	0	WA
		1,1-Dichloroethylene	<5.0	µg/L	0	WA
		Dichloromethane (Methylene chloride)	1.1	µg/L	0	WA

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 43B collected on 06/04/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		2,4-Dichlorophenoxyacetic acid	< 1.1	µg/L	0	WA
		1,2-Dichloropropane	< 5.0	µg/L	0	WA
		cis-1,3-Dichloropropene	< 5.0	µg/L	0	WA
		trans-1,3-Dichloropropene	< 5.0	µg/L	0	WA
		Endrin	< 0.11	µg/L	0	WA
		Endrin	< 0.22	µg/L	0	WA
		Ethylbenzene	< 5.0	µg/L	0	WA
		Fluoride	< 100	µg/L	0	WA
		Iron	15	µg/L	0	WA
		Iron	12	µg/L	0	WA
		Lead	< 2.0	µg/L	0	WA
		Lead	< 2.0	µg/L	0	WA
		Lindane	< 0.054	µg/L	0	WA
		Lindane	< 0.11	µg/L	0	WA
		Magnesium	282	µg/L	0	WA
		Magnesium	312	µg/L	0	WA
		Manganese	8.6	µg/L	0	WA
		Manganese	9.8	µg/L	0	WA
		Mercury	< 0.20	µg/L	0	WA
		Methoxychlor	< 0.54	µg/L	0	WA
		Methoxychlor	< 1.1	µg/L	0	WA
		Methoxychlor	< 1.1	µg/L	0	WA
		Nitrate as nitrogen	1,130	µg/L	0	WA
		Phenols	< 5.0	µg/L	0	WA
		Phenols	< 5.0	µg/L	0	WA
		Potassium	418	µg/L	0	WA
		Potassium	361	µg/L	0	WA
		Selenium	< 2.0	µg/L	0	WA
		Selenium	< 2.0	µg/L	0	WA
		Silica	7,850	µg/L	0	WA
		Silica	8,540	µg/L	0	WA
		Silver	< 0.70	µg/L	0	WA
		Silver	< 0.70	µg/L	0	WA
		Sodium	1,660	µg/L	0	WA
		Sodium	1,790	µg/L	0	WA
		Sulfate	581	µg/L	0	WA
		1,1,2,2-Tetrachloroethane	< 5.0	µg/L	0	WA
		Tetrachloroethylene	< 5.0	µg/L	0	WA
		Toluene	< 5.0	µg/L	0	WA
		Total dissolved solids	62,000	µg/L	0	WA
		Total organic carbon	< 500	µg/L	0	WA
		Total organic halogens	153	µg/L	2	WA
		Total organic halogens	127	µg/L	2	WA
		Total phosphates (as P)	65	µg/L	0	WA
		Toxaphene	< 1.1	µg/L	0	WA
		Toxaphene	< 2.2	µg/L	0	WA
		Toxaphene	< 2.2	µg/L	0	WA
		2,4,5-TP (Silvex)	< 0.55	µg/L	0	WA
		1,1,1-Trichloroethane	< 5.0	µg/L	0	WA
		1,1,2-Trichloroethane	< 5.0	µg/L	0	WA
		Trichloroethylene	< 5.0	µg/L	0	WA
		Trichlorofluoromethane	< 5.0	µg/L	0	WA
		Gross alpha	< 3.0E+00	pCi/L	0	CN
		Nonvolatile beta	< 5.0E+00	pCi/L	0	CN
		Radium-226	6.6E-01 ± 2.4E-01	pCi/L	0	CN
		Tritium	< 2.0E+00	pCi/mL	0	CN

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 43C

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N86480.6 E45234.9	33.290838 °N 81.715679 °W	138.5-128.5 ft msl	202.6 ft msl	4" PVC	

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 06/04/92
 Depth to water: 36.96 ft (11.27 m) below TOC
 Water elevation: 165.64 ft (50.49 m) msl
 Sp. conductance: 18 µS/cm
 Water evacuated before sampling: 99 gal

Time: 11:40
 pH: 5.0
 Alkalinity: 1 mg/L
 Water temperature: 19.4°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.5	pH	0	WA
•		Specific conductance	15	µS/cm	0	WA
		Arsenic	<2.0	µg/L	0	WA
		Barium	4.5	µg/L	0	WA
		Benzene	<5.0	µg/L	0	WA
		Bromodichloromethane	<5.0	µg/L	0	WA
		Bromoform	<5.0	µg/L	0	WA
		Bromomethane (Methyl bromide)	<10	µg/L	0	WA
		Cadmium	0.58	µg/L	0	WA
		Calcium	853	µg/L	0	WA
		Carbon tetrachloride	<5.0	µg/L	0	WA
		Chloride	1,730	µg/L	0	WA
		Chloride	1,730	µg/L	0	WA
		Chlorobenzene	<5.0	µg/L	0	WA
		Chloroethane	<10	µg/L	0	WA
		Chloroethene (Vinyl chloride)	<10	µg/L	0	WA
		2-Chloroethyl vinyl ether	<10	µg/L	0	WA
		Chloroform	<5.0	µg/L	0	WA
		Chloromethane (Methyl chloride)	<10	µg/L	0	WA
		Chromium	<1.1	µg/L	0	WA
		Dibromochloromethane	<5.0	µg/L	0	WA
		1,1-Dichloroethane	<5.0	µg/L	0	WA
		1,2-Dichloroethane	<5.0	µg/L	0	WA
		cis-1,2-Dichloroethene	<5.0	µg/L	0	WA
		1,1-Dichloroethylene	<5.0	µg/L	0	WA
		Dichloromethane (Methylene chloride)	<5.0	µg/L	0	WA
		2,4-Dichlorophenoxyacetic acid	<1.1	µg/L	0	WA
		2,4-Dichlorophenoxyacetic acid	<2.2	µg/L	0	WA
		1,2-Dichloropropane	<5.0	µg/L	0	WA
		cis-1,3-Dichloropropene	<5.0	µg/L	0	WA
		trans-1,3-Dichloropropene	<5.0	µg/L	0	WA
		Endrin	<0.11	µg/L	0	WA
		Ethylbenzene	<5.0	µg/L	0	WA
		Fluoride	<100	µg/L	0	WA
		Iron	3.6	µg/L	0	WA
		Lead	<2.0	µg/L	0	WA
		Lindane	<0.054	µg/L	0	WA
		Magnesium	359	µg/L	0	WA
		Manganese	6.3	µg/L	0	WA

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 43C collected on 06/04/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Mercury	<0.20	µg/L	0	WA
		Methoxychlor	<0.54	µg/L	0	WA
		Nitrate as nitrogen	434	µg/L	0	WA
		Phenols	<5.0	µg/L	0	WA
		Potassium	351	µg/L	0	WA
		Selenium	<2.0	µg/L	0	WA
		Silica	6,480	µg/L	0	WA
		Silver	0.78	µg/L	0	WA
		Sodium	1,020	µg/L	0	WA
		Sulfate	310	µg/L	0	WA
		1,1,2,2-Tetrachloroethane	<5.0	µg/L	0	WA
		Tetrachloroethylene	<5.0	µg/L	0	WA
		Toluene	<5.0	µg/L	0	WA
		Total dissolved solids	11,000	µg/L	0	WA
		Total organic carbon	<500	µg/L	0	WA
		Total organic halogens	<20	µg/L	0	WA
		Total phosphates (as P)	48	µg/L	0	WA
		Toxaphene	<1.1	µg/L	0	WA
		2,4,5-TP (Silvex)	<0.55	µg/L	0	WA
		2,4,5-TP (Silvex)	<1.1	µg/L	0	WA
		1,1,1-Trichloroethane	<5.0	µg/L	0	WA
		1,1,2-Trichloroethane	<5.0	µg/L	0	WA
		Trichloroethylene	<5.0	µg/L	0	WA
		Trichlorofluoromethane	<5.0	µg/L	0	WA
		Gross alpha	4.8E+00 ± 1.5E+00	pCi/L	0	CN
		Nonvolatile beta	<5.0E+00	pCi/L	0	CN
		Radium-226	<5.0E-01	pCi/L	0	CN
		Tritium	<2.0E+00	pCi/mL	0	CN

WELL LFW 43D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N86443.2	33.290771 °N	170.9-150.9 ft msl	202.9 ft msl	4" PVC	
E45244.5	81.715581 °W				

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 06/04/92
 Depth to water: 36.86 ft (11.24 m) below TOC
 Water elevation: 166.04 ft (50.61 m) msl
 Sp. conductance: 19 µS/cm
 Water evacuated before sampling: 41 gal
 Time: 10:50
 pH: 4.9
 Alkalinity: 0 mg/L
 Water temperature: 19.3°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.3	pH	0	WA
•		Specific conductance	19	µS/cm	0	WA
		Arsenic	<2.0	µg/L	0	WA
		Barium	10	µg/L	0	WA
		Benzene	<5.0	µg/L	0	WA
		Bromodichloromethane	<5.0	µg/L	0	WA

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 43D collected on 06/04/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Bromoform	<5.0	µg/L	0	WA
		Bromomethane (Methyl bromide)	<10	µg/L	0	WA
		Cadmium	<0.35	µg/L	0	WA
		Calcium	676	µg/L	0	WA
		Carbon tetrachloride	<5.0	µg/L	0	WA
		Chloride	2,150	µg/L	0	WA
		Chlorobenzene	<5.0	µg/L	0	WA
		Chloroethane	<10	µg/L	0	WA
		Chloroethene (Vinyl chloride)	<10	µg/L	0	WA
		2-Chloroethyl vinyl ether	<10	µg/L	0	WA
		Chloroform	<5.0	µg/L	0	WA
		Chloromethane (Methyl chloride)	<10	µg/L	0	WA
		Chromium	<1.1	µg/L	0	WA
		Dibromochloromethane	<5.0	µg/L	0	WA
		1,1-Dichloroethane	<5.0	µg/L	0	WA
		1,2-Dichloroethane	<5.0	µg/L	0	WA
		cis-1,2-Dichloroethene	<5.0	µg/L	0	WA
		1,1-Dichloroethylene	<5.0	µg/L	0	WA
		Dichloromethane (Methylene chloride)	1.0	µg/L	0	WA
		2,4-Dichlorophenoxyacetic acid	<1.1	µg/L	0	WA
		1,2-Dichloropropane	<5.0	µg/L	0	WA
		cis-1,3-Dichloropropene	<5.0	µg/L	0	WA
		trans-1,3-Dichloropropene	<5.0	µg/L	0	WA
		Endrin	<0.11	µg/L	0	WA
		Ethylbenzene	<5.0	µg/L	0	WA
		Fluoride	<100	µg/L	0	WA
		Iron	6.1	µg/L	0	WA
		Lead	<2.0	µg/L	0	WA
		Lindane	<0.054	µg/L	0	WA
		Magnesium	599	µg/L	0	WA
		Manganese	13	µg/L	0	WA
		Mercury	<0.20	µg/L	0	WA
		Methoxychlor	<0.54	µg/L	0	WA
		Nitrate as nitrogen	930	µg/L	0	WA
		Phenols	<5.0	µg/L	0	WA
		Potassium	201	µg/L	0	WA
		Selenium	<2.0	µg/L	0	WA
		Silica	5,920	µg/L	0	WA
		Silver	<0.70	µg/L	0	WA
		Sodium	1,060	µg/L	0	WA
		Sulfate	<250	µg/L	0	WA
		1,1,2,2-Tetrachloroethane	<5.0	µg/L	0	WA
		Tetrachloroethylene	<5.0	µg/L	0	WA
		Toluene	<5.0	µg/L	0	WA
		Total dissolved solids	15,000	µg/L	0	WA
		Total organic carbon	<500	µg/L	0	WA
		Total organic halogens	72	µg/L	2	WA
		Total phosphates (as P)	48	µg/L	0	WA
		Toxaphene	<1.1	µg/L	0	WA
		2,4,5-TP (Silvex)	<0.55	µg/L	0	WA
		1,1,1-Trichloroethane	<5.0	µg/L	0	WA
		1,1,2-Trichloroethane	<5.0	µg/L	0	WA
		Trichloroethylene	<5.0	µg/L	0	WA
		Trichlorofluoromethane	<5.0	µg/L	0	WA
		Gross alpha	<3.0E + 00	pCi/L	0	CN
		Gross alpha	<3.0E + 00	pCi/L	0	CN

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 43D collected on 06/04/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Nonvolatile beta	<5.0E+00	pCi/L	0	CN
		Nonvolatile beta	<5.0E+00	pCi/L	0	CN
		Radium-226	<5.0E-01	pCi/L	0	CN
		Tritium	<2.0E+00	pCi/mL	0	CN
		Tritium	<2.0E+00	pCi/mL	0	CN

WELL LFW 44D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N84524.4	33.286167 °N	159.3-139.5 ft msl	170.3 ft msl	4" PVC	
E45022.6	81.712435 °W				

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 06/04/92
 Depth to water: 15.95 ft (4.86 m) below TOC
 Water elevation: 154.35 ft (47.05 m) msl
 Sp. conductance: 21 µS/cm
 Water evacuated before sampling: 39 gal

Time: 14:45
 pH: 4.7
 Alkalinity: 0 mg/L
 Water temperature: 19.4 °C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.2	pH	0	WA
•		Specific conductance	19	µS/cm	0	WA
		Arsenic	<2.0	µg/L	0	WA
		Barium	<4.0	µg/L	0	WA
		Benzene	<5.0	µg/L	0	WA
		Bromodichloromethane	<5.0	µg/L	0	WA
		Bromoform	<5.0	µg/L	0	WA
		Bromomethane (Methyl bromide)	<10	µg/L	0	WA
		Cadmium	0.70	µg/L	0	WA
		Calcium	446	µg/L	0	WA
		Carbon tetrachloride	<5.0	µg/L	0	WA
		Chloride	3,250	µg/L	0	WA
		Chlorobenzene	<5.0	µg/L	0	WA
		Chloroethane	<10	µg/L	0	WA
		Chloroethene (Vinyl chloride)	<10	µg/L	0	WA
		2-Chloroethyl vinyl ether	<10	µg/L	0	WA
		Chloroform	<5.0	µg/L	0	WA
		Chloromethane (Methyl chloride)	<10	µg/L	0	WA
		Chromium	<1.1	µg/L	0	WA
		Dibromochloromethane	<5.0	µg/L	0	WA
		1,1-Dichloroethane	<5.0	µg/L	0	WA
		1,2-Dichloroethane	<5.0	µg/L	0	WA
		cis-1,2-Dichloroethene	<5.0	µg/L	0	WA
		1,1-Dichloroethylene	<5.0	µg/L	0	WA
		Dichloromethane (Methylene chloride)	1.5	µg/L	0	WA
		2,4-Dichlorophenoxyacetic acid	<1.1	µg/L	0	WA
		1,2-Dichloropropane	<5.0	µg/L	0	WA
		cis-1,3-Dichloropropene	<5.0	µg/L	0	WA
		trans-1,3-Dichloropropene	<5.0	µg/L	0	WA

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 44D collected on 06/04/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Endrin	<0.11	µg/L	0	WA
		Ethylbenzene	<5.0	µg/L	0	WA
		Fluoride	<100	µg/L	0	WA
		Iron	5.3	µg/L	0	WA
		Lead	<2.0	µg/L	0	WA
		Lindane	<0.053	µg/L	0	WA
		Magnesium	424	µg/L	0	WA
		Manganese	2.3	µg/L	0	WA
		Mercury	<0.20	µg/L	0	WA
		Methoxychlor	<0.53	µg/L	0	WA
		Nitrate as nitrogen	682	µg/L	0	WA
		Phenols	<5.0	µg/L	0	WA
		Potassium	879	µg/L	0	WA
		Selenium	<2.0	µg/L	0	WA
		Silica	6,420	µg/L	0	WA
		Silver	<0.70	µg/L	0	WA
		Sodium	1,440	µg/L	0	WA
		Sulfate	288	µg/L	0	WA
		1,1,2,2-Tetrachloroethane	<5.0	µg/L	0	WA
		Tetrachloroethylene	<5.0	µg/L	0	WA
		Toluene	<5.0	µg/L	0	WA
		Total dissolved solids	13,000	µg/L	0	WA
		Total organic carbon	<500	µg/L	0	WA
		Total organic halogens	83	µg/L	2	WA
		Total phosphates (as P)	34	µg/L	0	WA
		Toxaphene	<1.1	µg/L	0	WA
		2,4,5-TP (Silvex)	<0.56	µg/L	0	WA
		1,1,1-Trichloroethane	<5.0	µg/L	0	WA
		1,1,2-Trichloroethane	<5.0	µg/L	0	WA
		Trichloroethylene	<5.0	µg/L	0	WA
		Trichlorofluoromethane	<5.0	µg/L	0	WA
		Gross alpha	<3.0E+00	pCi/L	0	CN
		Nonvolatile beta	5.3E+00 ± 3.9E+00	pCi/L	0	CN
		Radium-226	<5.0E-01	pCi/L	0	CN
		Tritium	2.8E+00 ± 3.3E-01	pCi/mL	0	CN

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 45D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N84217.8 E45142.0	33.285684 °N 81.711525 °W	154.7-134.7 ft msl	166.3 ft msl	4" PVC	

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 06/05/92	Time: 10:00
Depth to water: 14.53 ft (4.43 m) below TOC	pH: 4.4
Water elevation: 151.77 ft (46.26 m) msl	Alkalinity: 0 mg/L
Sp. conductance: 19 µS/cm	Water temperature: 18.9°C
Water evacuated before sampling: 45 gal	

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.3	pH	0	GE
•		pH	5.3	pH	0	GE
•		pH	5.3	pH	0	GE
•		pH	5.7	pH	0	WA
•		pH	5.7	pH	0	WA
•		pH	5.3	pH	0	WA
		Specific conductance	19	µS/cm	0	GE
		Specific conductance	19	µS/cm	0	GE
		Specific conductance	20	µS/cm	0	GE
•		Specific conductance	15	µS/cm	0	WA
•		Specific conductance	15	µS/cm	0	WA
•		Specific conductance	15	µS/cm	0	WA
		Arsenic	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	WA
		Arsenic	<2.0	µg/L	0	WA
		Arsenic	<2.0	µg/L	0	WA
		Barium	4.9	µg/L	0	GE
		Barium	5.0	µg/L	0	GE
		Barium	<4.0	µg/L	0	WA
		Barium	<4.0	µg/L	0	WA
		Barium	<4.0	µg/L	0	WA
		Benzene	<1.0	µg/L	0	GE
		Benzene	<1.0	µg/L	0	GE
		Benzene	<5.0	µg/L	0	WA
		Benzene	<5.0	µg/L	0	WA
		Benzene	<5.0	µg/L	0	WA
		Bromodichloromethane	<1.0	µg/L	0	GE
		Bromodichloromethane	<1.0	µg/L	0	GE
		Bromodichloromethane	<5.0	µg/L	0	WA
		Bromodichloromethane	<5.0	µg/L	0	WA
		Bromodichloromethane	<5.0	µg/L	0	WA
		Bromodichloromethane	<5.0	µg/L	0	WA
		Bromoform	<1.0	µg/L	0	GE
		Bromoform	<1.0	µg/L	0	GE
		Bromoform	<5.0	µg/L	0	WA
		Bromoform	<5.0	µg/L	0	WA
		Bromoform	<5.0	µg/L	0	WA
		Bromoform	<5.0	µg/L	0	WA

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 45D collected on 06/05/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Bromomethane (Methyl bromide)	< 1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	< 1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	< 10	µg/L	0	WA
		Bromomethane (Methyl bromide)	< 10	µg/L	0	WA
		Bromomethane (Methyl bromide)	< 10	µg/L	0	WA
		Bromomethane (Methyl bromide)	< 10	µg/L	0	WA
		Cadmium	< 2.0	µg/L	0	GE
		Cadmium	< 2.0	µg/L	0	GE
		Cadmium	0.35	µg/L	0	WA
		Cadmium	< 0.35	µg/L	0	WA
		Cadmium	< 0.35	µg/L	0	WA
		Calcium	349	µg/L	0	GE
		Calcium	371	µg/L	0	GE
		Calcium	396	µg/L	0	WA
		Calcium	356	µg/L	0	WA
		Calcium	368	µg/L	0	WA
		Carbon tetrachloride	< 1.0	µg/L	0	GE
		Carbon tetrachloride	< 1.0	µg/L	0	GE
		Carbon tetrachloride	< 5.0	µg/L	0	WA
		Carbon tetrachloride	< 5.0	µg/L	0	WA
		Carbon tetrachloride	< 5.0	µg/L	0	WA
		Carbon tetrachloride	< 5.0	µg/L	0	WA
		Chloride	2,390	µg/L	0	GE
		Chloride	2,290	µg/L	0	GE
		Chloride	2,410	µg/L	0	GE
		Chloride	2,660	µg/L	0	WA
		Chloride	2,800	µg/L	0	WA
		Chlorobenzene	< 1.0	µg/L	0	GE
		Chlorobenzene	< 1.0	µg/L	0	GE
		Chlorobenzene	< 5.0	µg/L	0	WA
		Chlorobenzene	< 5.0	µg/L	0	WA
		Chlorobenzene	< 5.0	µg/L	0	WA
		Chloroethane	< 1.0	µg/L	0	GE
		Chloroethane	< 1.0	µg/L	0	GE
		Chloroethane	< 10	µg/L	0	WA
		Chloroethane	< 10	µg/L	0	WA
		Chloroethane	< 10	µg/L	0	WA
		Chloroethane	< 10	µg/L	0	WA
		Chloroethane	< 10	µg/L	0	WA
		Chloroethene (Vinyl chloride)	< 1.0	µg/L	0	GE
		Chloroethene (Vinyl chloride)	< 1.0	µg/L	0	GE
		Chloroethene (Vinyl chloride)	< 10	µg/L	0	WA
		Chloroethene (Vinyl chloride)	< 10	µg/L	0	WA
		Chloroethene (Vinyl chloride)	< 10	µg/L	0	WA
		Chloroethene (Vinyl chloride)	< 10	µg/L	0	WA
		2-Chloroethyl vinyl ether	< 1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	< 1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	< 10	µg/L	0	WA
		2-Chloroethyl vinyl ether	< 10	µg/L	0	WA
		2-Chloroethyl vinyl ether	< 10	µg/L	0	WA
		2-Chloroethyl vinyl ether	< 10	µg/L	0	WA
		Chloroform	< 1.0	µg/L	0	GE
		Chloroform	< 1.0	µg/L	0	GE
		Chloroform	< 5.0	µg/L	0	WA
		Chloroform	< 5.0	µg/L	0	WA
		Chloroform	< 5.0	µg/L	0	WA
		Chloroform	< 5.0	µg/L	0	WA

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 45D collected on 06/05/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Chloromethane (Methyl chloride)	< 1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	< 1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	< 10	µg/L	0	WA
		Chloromethane (Methyl chloride)	< 10	µg/L	0	WA
		Chloromethane (Methyl chloride)	< 10	µg/L	0	WA
		Chloromethane (Methyl chloride)	< 10	µg/L	0	WA
		Chromium	< 4.0	µg/L	0	GE
		Chromium	< 4.0	µg/L	0	GE
		Chromium	< 1.1	µg/L	0	WA
		Chromium	< 1.1	µg/L	0	WA
		Chromium	< 1.1	µg/L	0	WA
		Dibromochloromethane	< 1.0	µg/L	0	GE
		Dibromochloromethane	< 1.0	µg/L	0	GE
		Dibromochloromethane	< 5.0	µg/L	0	WA
		Dibromochloromethane	< 5.0	µg/L	0	WA
		Dibromochloromethane	< 5.0	µg/L	0	WA
		Dibromochloromethane	< 5.0	µg/L	0	WA
		1,1-Dichloroethane	< 1.0	µg/L	0	GE
		1,1-Dichloroethane	< 1.0	µg/L	0	GE
		1,1-Dichloroethane	< 5.0	µg/L	0	WA
		1,1-Dichloroethane	< 5.0	µg/L	0	WA
		1,1-Dichloroethane	< 5.0	µg/L	0	WA
		1,1-Dichloroethane	< 5.0	µg/L	0	WA
		1,2-Dichloroethane	< 1.0	µg/L	0	GE
		1,2-Dichloroethane	< 1.0	µg/L	0	GE
		1,2-Dichloroethane	< 5.0	µg/L	0	WA
		1,2-Dichloroethane	< 5.0	µg/L	0	WA
		1,2-Dichloroethane	< 5.0	µg/L	0	WA
		1,2-Dichloroethane	< 5.0	µg/L	0	WA
		cis-1,2-Dichloroethene	< 5.0	µg/L	0	WA
		cis-1,2-Dichloroethene	< 5.0	µg/L	0	WA
		cis-1,2-Dichloroethene	< 5.0	µg/L	0	WA
		cis-1,2-Dichloroethene	< 5.0	µg/L	0	WA
		1,1-Dichloroethylene	< 1.0	µg/L	0	GE
		1,1-Dichloroethylene	< 1.0	µg/L	0	GE
		1,1-Dichloroethylene	< 5.0	µg/L	0	WA
		1,1-Dichloroethylene	< 5.0	µg/L	0	WA
		1,1-Dichloroethylene	< 5.0	µg/L	0	WA
		trans-1,2-Dichloroethylene	< 1.0	µg/L	0	GE
		trans-1,2-Dichloroethylene	< 1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	4.6	µg/L	0	GE
		Dichloromethane (Methylene chloride)	3.9	µg/L	0	GE
		Dichloromethane (Methylene chloride)	11	µg/L	0	WA
		Dichloromethane (Methylene chloride)	5.5	µg/L	0	WA
		Dichloromethane (Methylene chloride)	6.6	µg/L	0	WA
		Dichloromethane (Methylene chloride)	10	µg/L	0	WA
		2,4-Dichlorophenoxyacetic acid	< 0.30	µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	< 0.30	µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	< 0.30	µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	< 1.1	µg/L	0	WA
		2,4-Dichlorophenoxyacetic acid	< 1.1	µg/L	0	WA
		1,2-Dichloropropane	< 1.0	µg/L	0	GE
		1,2-Dichloropropane	< 1.0	µg/L	0	GE
		1,2-Dichloropropane	< 5.0	µg/L	0	WA
		1,2-Dichloropropane	< 5.0	µg/L	0	WA
		1,2-Dichloropropane	< 5.0	µg/L	0	WA

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 45D collected on 06/05/92, laboratory analyses (cont.)

H	D	Analyte	Result	Unit	Flag	Lab
		1,2-Dichloropropane	< 5.0	µg/L	0	WA
		cis-1,3-Dichloropropene	< 1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	< 1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	< 5.0	µg/L	0	WA
		cis-1,3-Dichloropropene	< 5.0	µg/L	0	WA
		cis-1,3-Dichloropropene	< 5.0	µg/L	0	WA
		cis-1,3-Dichloropropene	< 5.0	µg/L	0	WA
		trans-1,3-Dichloropropene	< 1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	< 1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	< 5.0	µg/L	0	WA
		trans-1,3-Dichloropropene	< 5.0	µg/L	0	WA
		trans-1,3-Dichloropropene	< 5.0	µg/L	0	WA
		trans-1,3-Dichloropropene	< 5.0	µg/L	0	WA
		Endrin	< 0.0060	µg/L	0	GE
		Endrin	< 0.0060	µg/L	0	GE
		Endrin	< 0.11	µg/L	0	WA
		Endrin	< 0.11	µg/L	0	WA
		Ethylbenzene	< 1.0	µg/L	0	GE
		Ethylbenzene	< 1.0	µg/L	0	GE
		Ethylbenzene	< 5.0	µg/L	0	WA
		Ethylbenzene	< 5.0	µg/L	0	WA
		Ethylbenzene	< 5.0	µg/L	0	WA
		Ethylbenzene	< 5.0	µg/L	0	WA
		Fluoride	< 100	µg/L	0	GE
		Fluoride	< 100	µg/L	0	GE
		Fluoride	< 100	µg/L	0	GE
		Fluoride	< 100	µg/L	0	WA
		Fluoride	< 100	µg/L	0	WA
		Iron	15	µg/L	0	GE
		Iron	18	µg/L	0	GE
		Iron	26	µg/L	0	WA
		Iron	16	µg/L	0	WA
		Iron	19	µg/L	0	WA
		Lead	< 3.0	µg/L	0	GE
		Lead	< 3.0	µg/L	0	GE
		Lead	< 2.0	µg/L	0	WA
		Lead	< 2.0	µg/L	0	WA
		Lead	< 2.0	µg/L	0	WA
		Lindane	< 0.0050	µg/L	0	GE
		Lindane	< 0.0050	µg/L	0	GE
		Lindane	< 0.055	µg/L	0	WA
		Lindane	< 0.055	µg/L	0	WA
		Magnesium	414	µg/L	0	GE
		Magnesium	416	µg/L	0	GE
		Magnesium	429	µg/L	0	WA
		Magnesium	392	µg/L	0	WA
		Magnesium	395	µg/L	0	WA
		Manganese	2.7	µg/L	0	GE
		Manganese	2.7	µg/L	0	GE
		Manganese	2.7	µg/L	0	WA
		Manganese	2.6	µg/L	0	WA
		Manganese	3.0	µg/L	0	WA
		Mercury	< 0.20	µg/L	0	GE
		Mercury	< 0.20	µg/L	0	GE
		Mercury	< 0.20	µg/L	0	GE
		Mercury	< 0.20	µg/L	0	WA

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 45D collected on 06/05/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Mercury	<0.20	µg/L	0	WA
		Methoxychlor	<0.50	µg/L	0	GE
		Methoxychlor	<0.50	µg/L	0	GE
		Methoxychlor	<0.55	µg/L	0	WA
		Methoxychlor	<0.55	µg/L	0	WA
		Nitrate as nitrogen	100	µg/L	0	GE
		Nitrate as nitrogen	100	µg/L	0	GE
		Nitrate as nitrogen	325	µg/L	0	WA
		Nitrate as nitrogen	335	µg/L	0	WA
		Nitrate as nitrogen	291	µg/L	0	WA
		Phenols	<5.0	µg/L	0	GE
		Phenols	<5.0	µg/L	0	GE
		Phenols	<5.0	µg/L	0	WA
		Phenols	<5.0	µg/L	0	WA
		Phenols	<5.0	µg/L	0	WA
		Potassium	556	µg/L	0	GE
		Potassium	597	µg/L	0	GE
		Potassium	569	µg/L	0	WA
		Potassium	569	µg/L	0	WA
		Potassium	452	µg/L	0	WA
		Selenium	<2.0	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Selenium	<2.0	µg/L	0	WA
		Selenium	<2.0	µg/L	0	WA
		Selenium	<2.0	µg/L	0	WA
		Silica	6,630	µg/L	0	GE
		Silica	6,660	µg/L	0	GE
		Silica	5,470	µg/L	0	WA
		Silica	5,230	µg/L	0	WA
		Silica	5,210	µg/L	0	WA
		Silver	<2.0	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Silver	<0.70	µg/L	0	WA
		Silver	<0.70	µg/L	0	WA
		Silver	<0.70	µg/L	0	WA
		Sodium	1,210	µg/L	0	GE
		Sodium	1,220	µg/L	0	GE
		Sodium	1,290	µg/L	0	WA
		Sodium	1,230	µg/L	0	WA
		Sodium	1,210	µg/L	0	WA
		Sulfate	<1,000	µg/L	0	GE
		Sulfate	<1,000	µg/L	0	GE
		Sulfate	<1,000	µg/L	0	GE
		Sulfate	484	µg/L	0	WA
		Sulfate	464	µg/L	0	WA
		Sulfate	780	µg/L	0	WA
		1,1,2,2-Tetrachloroethane	<1.0	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<5.0	µg/L	0	WA
		1,1,2,2-Tetrachloroethane	<5.0	µg/L	0	WA
		1,1,2,2-Tetrachloroethane	<5.0	µg/L	0	WA
		1,1,2,2-Tetrachloroethane	<5.0	µg/L	0	WA
		1,1,2,2-Tetrachloroethane	<5.0	µg/L	0	WA
		Tetrachloroethylene	<1.0	µg/L	0	GE
		Tetrachloroethylene	2.9	µg/L	1	GE
		Tetrachloroethylene	<5.0	µg/L	0	WA
		Tetrachloroethylene	<5.0	µg/L	0	WA

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 45D collected on 06/05/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Tetrachloroethylene	<5.0	µg/L	0	WA
		Tetrachloroethylene	<5.0	µg/L	0	WA
		Toluene	<1.0	µg/L	0	GE
		Toluene	<1.0	µg/L	0	GE
		Toluene	<5.0	µg/L	0	WA
		Toluene	<5.0	µg/L	0	WA
		Toluene	<5.0	µg/L	0	WA
		Total dissolved solids	7,000	µg/L	0	GE
		Total dissolved solids	8,000	µg/L	0	GE
		Total dissolved solids	15,000	µg/L	0	WA
		Total dissolved solids	11,000	µg/L	0	WA
		Total dissolved solids	13,000	µg/L	0	WA
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic carbon	<500	µg/L	0	WA
		Total organic carbon	<500	µg/L	0	WA
		Total organic halogens	<5.0	µg/L	0	GE
		Total organic halogens	5.2	µg/L	0	GE
		Total organic halogens	37	µg/L	1	WA
		Total organic halogens	<10	µg/L	0	WA
		Total phosphates (as P)	<50	µg/L	0	GE
		Total phosphates (as P)	<50	µg/L	0	GE
		Total phosphates (as P)	62	µg/L	0	WA
		Total phosphates (as P)	<20	µg/L	0	WA
		Toxaphene	<0.24	µg/L	0	GE
		Toxaphene	<0.24	µg/L	0	GE
		Toxaphene	<1.1	µg/L	0	WA
		Toxaphene	<1.1	µg/L	0	WA
		2,4,5-TP (Silvex)	<0.090	µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090	µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090	µg/L	0	GE
		2,4,5-TP (Silvex)	<0.54	µg/L	0	WA
		2,4,5-TP (Silvex)	<0.55	µg/L	0	WA
		1,1,1-Trichloroethane	<1.0	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0	µg/L	0	GE
		1,1,1-Trichloroethane	<5.0	µg/L	0	WA
		1,1,1-Trichloroethane	<5.0	µg/L	0	WA
		1,1,1-Trichloroethane	<5.0	µg/L	0	WA
		1,1,1-Trichloroethane	<5.0	µg/L	0	WA
		1,1,2-Trichloroethane	<1.0	µg/L	0	GE
		1,1,2-Trichloroethane	<1.0	µg/L	0	GE
		1,1,2-Trichloroethane	<5.0	µg/L	0	WA
		1,1,2-Trichloroethane	<5.0	µg/L	0	WA
		1,1,2-Trichloroethane	<5.0	µg/L	0	WA
		1,1,2-Trichloroethane	<5.0	µg/L	0	WA
		Trichloroethylene	<1.0	µg/L	0	GE
		Trichloroethylene	1.5	µg/L	0	GE
		Trichloroethylene	<5.0	µg/L	0	WA
		Trichloroethylene	<5.0	µg/L	0	WA
		Trichloroethylene	<5.0	µg/L	0	WA
		Trichlorofluoromethane	<1.0	µg/L	0	GE
		Trichlorofluoromethane	<1.0	µg/L	0	GE
		Trichlorofluoromethane	<5.0	µg/L	0	WA
		Trichlorofluoromethane	<5.0	µg/L	0	WA
		Trichlorofluoromethane	<5.0	µg/L	0	WA
		Trichlorofluoromethane	<5.0	µg/L	0	WA

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 45D collected on 06/05/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Gross alpha	2.0E+00 ± 6.0E-01	pCi/L	0	GP
		Gross alpha	2.4E+00 ± 6.0E-01	pCi/L	0	GP
		Gross alpha	< 3.0E+00	pCi/L	0	CN
		Gross alpha	< 3.0E+00	pCi/L	0	CN
		Nonvolatile beta	< 2.0E+00	pCi/L	0	GP
		Nonvolatile beta	< 2.0E+00	pCi/L	0	GP
		Nonvolatile beta	< 5.0E+00	pCi/L	0	CN
		Nonvolatile beta	< 5.0E+00	pCi/L	0	CN
		Radium-226	1.4E+00 ± 2.5E-01	pCi/L	0	GP
		Radium-226	1.3E+00 ± 2.6E-01	pCi/L	0	GP
		Radium-226	< 5.0E-01	pCi/L	0	CN
		Radium-226	< 5.0E-01	pCi/L	0	CN
		Tritium	1.4E+00 ± 4.0E-01	pCi/mL	0	GP
		Tritium	1.4E+00 ± 4.0E-01	pCi/mL	0	GP
		Tritium	< 2.0E+00	pCi/mL	0	CN
		Tritium	< 2.0E+00	pCi/mL	0	CN

WELL LFW 46D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N84054.0	33.285356 °N	157.1-137.3 ft msl	165.1 ft msl	4" PVC	
E45162.8	81.711152 °W				

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 06/04/92
 Depth to water: 14.59 ft (4.45 m) below TOC
 Water elevation: 150.51 ft (45.88 m) msl
 Sp. conductance: 110 µS/cm
 Water evacuated before sampling: 35 gal
 Time: 15:25
 pH: 5.3
 Alkalinity: 4 mg/L
 Water temperature: 18.9°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.6	pH	0	WA
•		Specific conductance	27	µS/cm	0	WA
		Arsenic	< 2.0	µg/L	0	WA
		Barium	16	µg/L	0	WA
		Benzene	< 5.0	µg/L	0	WA
		Bromodichloromethane	< 5.0	µg/L	0	WA
		Bromoform	< 5.0	µg/L	0	WA
		Bromomethane (Methyl bromide)	< 10	µg/L	0	WA
		Cadmium	< 0.35	µg/L	0	WA
		Calcium	9,690	µg/L	0	WA
		Carbon tetrachloride	< 5.0	µg/L	0	WA
		Chloride	2,740	µg/L	0	WA
		Chlorobenzene	< 5.0	µg/L	0	WA
		Chloroethane	< 10	µg/L	0	WA
		Chloroethene (Vinyl chloride)	< 10	µg/L	0	WA
		2-Chloroethyl vinyl ether	< 10	µg/L	0	WA
		Chloroform	< 5.0	µg/L	0	WA
		Chloromethane (Methyl chloride)	< 10	µg/L	0	WA

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 46D collected on 06/04/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Chromium	<1.1	µg/L	0	WA
		Dibromochloromethane	<5.0	µg/L	0	WA
		1,1-Dichloroethane	<5.0	µg/L	0	WA
		1,2-Dichloroethane	<5.0	µg/L	0	WA
		cis-1,2-Dichloroethene	<5.0	µg/L	0	WA
		1,1-Dichloroethylene	<5.0	µg/L	0	WA
		Dichloromethane (Methylene chloride)	2.1	µg/L	0	WA
		2,4-Dichlorophenoxyacetic acid	<1.1	µg/L	0	WA
		1,2-Dichloropropane	<5.0	µg/L	0	WA
		cis-1,3-Dichloropropene	<5.0	µg/L	0	WA
		trans-1,3-Dichloropropene	<5.0	µg/L	0	WA
		Endrin	<0.11	µg/L	0	WA
		Ethylbenzene	<5.0	µg/L	0	WA
		Fluoride	<100	µg/L	0	WA
		Iron	31	µg/L	0	WA
		Lead	<2.0	µg/L	0	WA
		Lindane	<0.056	µg/L	0	WA
		Magnesium	4,560	µg/L	0	WA
		Manganese	4.5	µg/L	0	WA
		Mercury	<0.20	µg/L	0	WA
		Methoxychlor	<0.56	µg/L	0	WA
		Nitrate as nitrogen	452	µg/L	0	WA
		Phenols	<5.0	µg/L	0	WA
		Potassium	1,030	µg/L	0	WA
		Selenium	<2.0	µg/L	0	WA
		Silica	6,650	µg/L	0	WA
		Silver	<0.70	µg/L	0	WA
		Sodium	1,430	µg/L	0	WA
		Sulfate	33,300	µg/L	0	WA
		1,1,2,2-Tetrachloroethane	<5.0	µg/L	0	WA
		Tetrachloroethylene	<5.0	µg/L	0	WA
		Toluene	<5.0	µg/L	0	WA
		Total dissolved solids	62,000	µg/L	0	WA
		Total organic carbon	980	µg/L	0	WA
		Total organic halogens	78	µg/L	2	WA
		Total phosphates (as P)	51	µg/L	0	WA
		Toxaphene	<1.1	µg/L	0	WA
		2,4,5-TP (Silvex)	<0.56	µg/L	0	WA
		1,1,1-Trichloroethane	<5.0	µg/L	0	WA
		1,1,2-Trichloroethane	<5.0	µg/L	0	WA
		Trichloroethylene	<5.0	µg/L	0	WA
		Trichlorofluoromethane	<5.0	µg/L	0	WA
		Gross alpha	<3.0E+00	pCi/L	0	CN
		Nonvolatile beta	5.3E+00 ± 4.0E+00	pCi/L	0	CN
		Radium-226	9.3E-01 ± 2.4E-01	pCi/L	0	CN
		Tritium	<2.0E+00	pCi/mL	0	CN

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 47C

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N83843.9 E45178.6	33.284917 °N 81.710702 °W	115.8-105.7 ft msl	161.4 ft msl	4" PVC	

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 06/04/92	Time: 16:25
Depth to water: 13.16 ft (4.01 m) below TOC	pH: 5.5
Water elevation: 148.24 ft (45.18 m) msl	Alkalinity: 10 mg/L
Sp. conductance: 64 µS/cm	Water temperature: 19.3°C
Water evacuated before sampling: 112 gal	

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.8	pH	0	WA
•		Specific conductance	56	µS/cm	0	WA
		Arsenic	<2.0	µg/L	0	WA
		Barium	<4.0	µg/L	0	WA
		Benzene	<5.0	µg/L	0	WA
		Bromodichloromethane	<5.0	µg/L	0	WA
		Bromoform	<5.0	µg/L	0	WA
		Bromomethane (Methyl bromide)	<10	µg/L	0	WA
		Cadmium	0.60	µg/L	0	WA
		Calcium	1,520	µg/L	0	WA
		Carbon tetrachloride	<5.0	µg/L	0	WA
		Chloride	2,250	µg/L	0	WA
		Chlorobenzene	<5.0	µg/L	0	WA
		Chloroethane	<10	µg/L	0	WA
	■	Chloroethene (Vinyl chloride)	7.7	µg/L	2	WA
		2-Chloroethyl vinyl ether	<10	µg/L	0	WA
		Chloroform	<5.0	µg/L	0	WA
		Chloromethane (Methyl chloride)	<10	µg/L	0	WA
		Chromium	<1.1	µg/L	0	WA
		Dibromochloromethane	<5.0	µg/L	0	WA
		1,1-Dichloroethane	2.0	µg/L	0	WA
		1,2-Dichloroethane	<5.0	µg/L	0	WA
		cis-1,2-Dichloroethene	<5.0	µg/L	0	WA
		1,1-Dichloroethylene	<5.0	µg/L	0	WA
		Dichloromethane (Methylene chloride)	2.1	µg/L	0	WA
		2,4-Dichlorophenoxyacetic acid	<1.1	µg/L	0	WA
		1,2-Dichloropropane	<5.0	µg/L	0	WA
		cis-1,3-Dichloropropene	<5.0	µg/L	0	WA
		trans-1,3-Dichloropropene	<5.0	µg/L	0	WA
		Endrin	<0.11	µg/L	0	WA
		Ethylbenzene	<5.0	µg/L	0	WA
		Fluoride	<100	µg/L	0	WA
		Iron	5.2	µg/L	0	WA
		Lead	<2.0	µg/L	0	WA
		Lindane	<0.053	µg/L	0	WA
		Magnesium	3,100	µg/L	0	WA
		Manganese	3.8	µg/L	0	WA
		Mercury	<0.20	µg/L	0	WA
		Methoxychlor	<0.53	µg/L	0	WA

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 47C collected on 06/04/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Nitrate as nitrogen	543	µg/L	0	WA
		Phenols	<5.0	µg/L	0	WA
		Potassium	788	µg/L	0	WA
		Selenium	<2.0	µg/L	0	WA
		Silica	7,570	µg/L	0	WA
		Silver	<0.70	µg/L	0	WA
		Sodium	4,470	µg/L	0	WA
		Sulfate	290	µg/L	0	WA
		1,1,2,2-Tetrachloroethane	<5.0	µg/L	0	WA
		Tetrachloroethylene	<5.0	µg/L	0	WA
		Toluene	<5.0	µg/L	0	WA
		Total dissolved solids	32,000	µg/L	0	WA
		Total organic carbon	877	µg/L	0	WA
		Total organic halogens	107	µg/L	2	WA
		Total phosphates (as P)	22	µg/L	0	WA
		Toxaphene	<1.1	µg/L	0	WA
		2,4,5-TP (Silvex)	<0.56	µg/L	0	WA
		1,1,1-Trichloroethane	<5.0	µg/L	0	WA
		1,1,2-Trichloroethane	<5.0	µg/L	0	WA
		Trichloroethylene	<5.0	µg/L	0	WA
		Trichlorofluoromethane	<5.0	µg/L	0	WA
		Gross alpha	<3.0E+00	pCi/L	0	CN
		Nonvolatile beta	<5.0E+00	pCi/L	0	CN
		Radium-226	9.9E-01 ± 2.2E-01	pCi/L	0	CN
		Tritium	3.4E+00 ± 3.5E-01	pCi/mL	0	CN

WELL LFW 47D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N83859.3	33.284933 °N	154.7-134.9 ft msl	161.7 ft msl	4" PVC	
E45167.9	81.710760 °W				

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 06/04/92
 Depth to water: 12.91 ft (3.94 m) below TOC
 Water elevation: 148.79 ft (45.35 m) msl
 Sp. conductance: 29 µS/cm
 Water evacuated before sampling: 36 gal

Time: 16:05
 pH: 5.2
 Alkalinity: 1 mg/L
 Water temperature: 19.5°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.5	pH	0	WA
•		Specific conductance	28	µS/cm	0	WA
		Arsenic	<2.0	µg/L	0	WA
		Barium	13	µg/L	0	WA
		Benzene	<5.0	µg/L	0	WA
		Bromodichloromethane	<5.0	µg/L	0	WA
		Bromoform	<5.0	µg/L	0	WA
		Bromomethane (Methyl bromide)	<10	µg/L	0	WA
		Cadmium	<0.35	µg/L	0	WA

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 47D collected on 06/04/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Calcium	1,610	µg/L	0	WA
		Carbon tetrachloride	<5.0	µg/L	0	WA
		Chloride	3,670	µg/L	0	WA
		Chlorobenzene	<5.0	µg/L	0	WA
		Chloroethane	<10	µg/L	0	WA
		Chloroethene (Vinyl chloride)	<10	µg/L	0	WA
		2-Chloroethyl vinyl ether	<10	µg/L	0	WA
		Chloroform	<5.0	µg/L	0	WA
		Chloromethane (Methyl chloride)	<10	µg/L	0	WA
		Chromium	<1.1	µg/L	0	WA
		Dibromochloromethane	<5.0	µg/L	0	WA
		1,1-Dichloroethane	<5.0	µg/L	0	WA
		1,2-Dichloroethane	<5.0	µg/L	0	WA
		cis-1,2-Dichloroethene	<5.0	µg/L	0	WA
		1,1-Dichloroethylene	<5.0	µg/L	0	WA
		Dichloromethane (Methylene chloride)	2.0	µg/L	0	WA
		2,4-Dichlorophenoxyacetic acid	<1.1	µg/L	0	WA
		1,2-Dichloropropane	<5.0	µg/L	0	WA
		cis-1,3-Dichloropropene	<5.0	µg/L	0	WA
		trans-1,3-Dichloropropene	<5.0	µg/L	0	WA
		Endrin	<0.10	µg/L	0	WA
		Ethylbenzene	<5.0	µg/L	0	WA
		Fluoride	<100	µg/L	0	WA
		Fluoride	<100	µg/L	0	WA
		Iron	22	µg/L	0	WA
		Lead	<2.0	µg/L	0	WA
		Lindane	<0.052	µg/L	0	WA
		Magnesium	935	µg/L	0	WA
		Manganese	3.8	µg/L	0	WA
		Mercury	<0.20	µg/L	0	WA
		Methoxychlor	<0.52	µg/L	0	WA
		Nitrate as nitrogen	291	µg/L	0	WA
		Phenols	<5.0	µg/L	0	WA
		Potassium	919	µg/L	0	WA
		Selenium	<2.0	µg/L	0	WA
		Silica	5,250	µg/L	0	WA
		Silver	<0.70	µg/L	0	WA
		Sodium	930	µg/L	0	WA
		Sulfate	9,880	µg/L	0	WA
		1,1,2,2-Tetrachloroethane	<5.0	µg/L	0	WA
		Tetrachloroethylene	<5.0	µg/L	0	WA
		Toluene	<5.0	µg/L	0	WA
		Total dissolved solids	13,000	µg/L	0	WA
		Total organic carbon	566	µg/L	0	WA
		Total organic halogens	20	µg/L	0	WA
		Total phosphates (as P)	166	µg/L	0	WA
		Toxaphene	<1.0	µg/L	0	WA
		2,4,5-TP (Silvex)	<0.55	µg/L	0	WA
		1,1,1-Trichloroethane	<5.0	µg/L	0	WA
		1,1,2-Trichloroethane	<5.0	µg/L	0	WA
		Trichloroethylene	<5.0	µg/L	0	WA
		Trichlorofluoromethane	<5.0	µg/L	0	WA
		Gross alpha	<3.0E+00	pCi/L	0	CN
		Nonvolatile beta	<5.0E+00	pCi/L	0	CN
		Radium-226	<5.0E-01	pCi/L	0	CN
		Tritium	<2.0E+00	pCi/mL	0	CN

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 48C

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N83877.0 E45430.3	33.285401 °N 81.710103 °W	118.2-108.2 ft msl	169.3 ft msl	4" PVC	

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 06/04/92	Time: 13:40
Depth to water: 21.04 ft (6.41 m) below TOC	pH: 5.3
Water elevation: 148.26 ft (45.19 m) msl	Alkalinity: 2 mg/L
Sp. conductance: 27 µS/cm	Water temperature: 19.2°C
Water evacuated before sampling: 105 gal	

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.6	pH	0	WA
•		Specific conductance	19	µS/cm	0	WA
		Arsenic	<2.0	µg/L	0	WA
		Barium	8.7	µg/L	0	WA
		Benzene	<5.0	µg/L	0	WA
		Bromodichloromethane	<5.0	µg/L	0	WA
		Bromoform	<5.0	µg/L	0	WA
		Bromomethane (Methyl bromide)	<10	µg/L	0	WA
		Cadmium	<0.35	µg/L	0	WA
		Calcium	872	µg/L	0	WA
		Carbon tetrachloride	<5.0	µg/L	0	WA
		Chloride	2,410	µg/L	0	WA
		Chlorobenzene	<5.0	µg/L	0	WA
		Chloroethane	<10	µg/L	0	WA
		Chloroethene (Vinyl chloride)	<10	µg/L	0	WA
		2-Chloroethyl vinyl ether	<10	µg/L	0	WA
		Chloroform	<5.0	µg/L	0	WA
		Chloromethane (Methyl chloride)	<10	µg/L	0	WA
		Chromium	<1.1	µg/L	0	WA
		Dibromochloromethane	<5.0	µg/L	0	WA
		1,1-Dichloroethane	<5.0	µg/L	0	WA
		1,2-Dichloroethane	<5.0	µg/L	0	WA
		cis-1,2-Dichloroethene	<5.0	µg/L	0	WA
		1,1-Dichloroethylene	<5.0	µg/L	0	WA
		Dichloromethane (Methylene chloride)	6.5	µg/L	0	WA
		2,4-Dichlorophenoxyacetic acid	<1.1	µg/L	0	WA
		1,2-Dichloropropane	<5.0	µg/L	0	WA
		cis-1,3-Dichloropropene	<5.0	µg/L	0	WA
		trans-1,3-Dichloropropene	<5.0	µg/L	0	WA
		Endrin	<0.11	µg/L	0	WA
		Ethylbenzene	<5.0	µg/L	0	WA
		Fluoride	<100	µg/L	0	WA
		Iron	<1.9	µg/L	0	WA
		Lead	<2.0	µg/L	0	WA
		Lindane	<0.054	µg/L	0	WA
		Magnesium	452	µg/L	0	WA
		Manganese	15	µg/L	0	WA
		Mercury	0.79	µg/L	0	WA
		Methoxychlor	<0.54	µg/L	0	WA

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 48C collected on 06/04/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Nitrate as nitrogen	825	µg/L	0	WA
		Phenols	<5.0	µg/L	0	WA
		Potassium	618	µg/L	0	WA
		Selenium	<2.0	µg/L	0	WA
		Silica	6,900	µg/L	0	WA
		Silver	0.78	µg/L	0	WA
		Sodium	1,810	µg/L	0	WA
		Sulfate	539	µg/L	0	WA
		1,1,2,2-Tetrachloroethane	<5.0	µg/L	0	WA
		Tetrachloroethylene	<5.0	µg/L	0	WA
		Toluene	<5.0	µg/L	0	WA
		Total dissolved solids	14,000	µg/L	0	WA
		Total dissolved solids	15,000	µg/L	0	WA
		Total organic carbon	<500	µg/L	0	WA
		Total organic halogens	51	µg/L	2	WA
		Total phosphates (as P)	41	µg/L	0	WA
		Toxaphene	<1.1	µg/L	0	WA
		2,4,5-TP (Silvex)	<0.55	µg/L	0	WA
		1,1,1-Trichloroethane	<5.0	µg/L	0	WA
		1,1,2-Trichloroethane	<5.0	µg/L	0	WA
		Trichloroethylene	<5.0	µg/L	0	WA
		Trichlorofluoromethane	<5.0	µg/L	0	WA
		Gross alpha	<3.0E+00	pCi/L	0	CN
		Nonvolatile beta	<5.0E+00	pCi/L	0	CN
		Radium-226	<5.0E-01	pCi/L	0	CN
		Tritium	2.6E+00 ± 3.2E-01	pCi/mL	0	CN

WELL LFW 48D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N83877.5	33.285424 °N	155.0-134.9 ft msl	169.5 ft msl	4" PVC	
E45443.7	81.710069 °W				

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 04/28/92
 Depth to water: 20.68 ft (6.30 m) below TOC
 Water elevation: 148.82 ft (45.36 m) msl
 Sp. conductance: 426 µS/cm
 Water evacuated before sampling: 56 gal

Time: 10:00
 pH: 6.9
 Alkalinity: 157 mg/L
 Water temperature: 17.6°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	6.4	pH	0	WA
•		Specific conductance	277	µS/cm	1	WA
•		Specific conductance	279	µS/cm	1	WA
		Arsenic	11	µg/L	0	WA
		Barium	5.1	µg/L	0	WA
		Benzene	4.3	µg/L	1	WA
		Bromodichloromethane	<5.0	µg/L	0	WA
		Bromoform	<5.0	µg/L	0	WA

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 48D collected on 04/28/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Bromomethane (Methyl bromide)	< 10	µg/L	0	WA
		Cadmium	< 0.35	µg/L	0	WA
		Calcium	7,880	µg/L	0	WA
		Carbon tetrachloride	< 5.0	µg/L	0	WA
		Chloride	25,500	µg/L	0	WA
		Chlorobenzene	29	µg/L	2	WA
		Chloroethane	< 10	µg/L	0	WA
■		Chloroethene (Vinyl chloride)	104	µg/L	2	WA
		2-Chloroethyl vinyl ether	< 10	µg/L	0	WA
		Chloroform	< 5.0	µg/L	0	WA
		Chloromethane (Methyl chloride)	< 10	µg/L	0	WA
		Chromium	< 1.1	µg/L	0	WA
		Dibromochloromethane	< 5.0	µg/L	0	WA
		1,1-Dichloroethane	49	µg/L	2	WA
		1,2-Dichloroethane	1.9	µg/L	0	WA
		1,1-Dichloroethylene	< 5.0	µg/L	0	WA
		trans-1,2-Dichloroethylene	< 5.0	µg/L	0	WA
		Dichloromethane (Methylene chloride)	7.2	µg/L	0	WA
		2,4-Dichlorophenoxyacetic acid	< 1.1	µg/L	0	WA
		2,4-Dichlorophenoxyacetic acid	< 2.2	µg/L	0	WA
		1,2-Dichloropropane	< 5.0	µg/L	0	WA
		cis-1,3-Dichloropropene	< 5.0	µg/L	0	WA
		trans-1,3-Dichloropropene	< 5.0	µg/L	0	WA
		Endrin	< 0.11	µg/L	0	WA
		Ethylbenzene	20	µg/L	0	WA
		Fluoride	254	µg/L	0	WA
		Fluoride	254	µg/L	0	WA
		Iron	48,800	µg/L	2	WA
		Lead	< 2.0	µg/L	0	WA
		Lindane	< 0.056	µg/L	0	WA
		Magnesium	16,700	µg/L	0	WA
		Manganese	18	µg/L	0	WA
		Mercury	< 0.20	µg/L	0	WA
		Mercury	< 0.20	µg/L	0	WA
		Methoxychlor	< 0.56	µg/L	0	WA
		Nitrate as nitrogen	146	µg/L	0	WA
		Phenols	9.5	µg/L	0	WA
		Phenols	10	µg/L	0	WA
		Potassium	1,400	µg/L	0	WA
		Selenium	< 2.0	µg/L	0	WA
		Silica	5,620	µg/L	0	WA
		Silver	< 0.70	µg/L	0	WA
		Sodium	20,300	µg/L	0	WA
		Sulfate	336	µg/L	0	WA
		1,1,1,2-Tetrachloroethane	< 5.0	µg/L	0	WA
		Tetrachloroethylene	< 5.0	µg/L	0	WA
		Toluene	6.0	µg/L	0	WA
		Total dissolved solids	131,000	µg/L	0	WA
		Total organic carbon	14,200	µg/L	2	WA
		Total organic carbon	14,000	µg/L	2	WA
		Total organic halogens	144	µg/L	2	WA
		Total phosphates (as P)	45	µg/L	0	WA
		Total phosphates (as P)	39	µg/L	0	WA
		Toxaphene	< 1.1	µg/L	0	WA
		2,4,5-TP (Siivex)	< 0.53	µg/L	0	WA
		2,4,5-TP (Silvex)	< 1.1	µg/L	0	WA

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 48D collected on 04/28/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		1,1,1-Trichloroethane	< 5.0	µg/L	0	WA
		1,1,2-Trichloroethane	< 5.0	µg/L	0	WA
		Trichloroethylene	< 5.0	µg/L	0	WA
		Trichlorofluoromethane	< 5.0	µg/L	0	WA
		Gross alpha	< 3.0E+00	pCi/L	0	CN
		Nonvolatile beta	< 5.0E+00	pCi/L	0	CN
		Radium-226	9.8E-01 ± 9.8E-02	pCi/L	0	CN
		Tritium	6.2E+00 ± 9.7E-01	pCi/mL	0	CN

WELL LFW 55C

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N83613.2 E45205.9	33.284451 °N 81.710181 °W	104.1-94.1 ft msl	156.4 ft msl	4" PVC	

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 06/08/92
 Depth to water: 10.08 ft (3.07 m) below TOC
 Water elevation: 146.32 ft (44.60 m) msl
 Sp. conductance: 30 µS/cm
 Water evacuated before sampling: 138 gal

Time: 14:25
 pH: 4.8
 Alkalinity: 1 mg/L
 Water temperature: 19.5°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.4	pH	0	WA
•		pH	5.4	pH	0	WA
•		Specific conductance	24	µS/cm	0	WA
•		Specific conductance	24	µS/cm	0	WA
		Arsenic	< 2.0	µg/L	0	WA
		Barium	< 4.0	µg/L	0	WA
		Benzene	< 5.0	µg/L	0	WA
		Bromodichloromethane	< 5.0	µg/L	0	WA
		Bromoform	< 5.0	µg/L	0	WA
		Bromomethane (Methyl bromide)	< 10	µg/L	0	WA
		Cadmium	0.88	µg/L	0	WA
		Calcium	844	µg/L	0	WA
		Carbon tetrachloride	< 5.0	µg/L	0	WA
		Chloride	2,830	µg/L	0	WA
		Chlorobenzene	< 5.0	µg/L	0	WA
		Chloroethane	< 10	µg/L	0	WA
		Chloroethene (Vinyl chloride)	< 10	µg/L	0	WA
		2-Chloroethyl vinyl ether	< 10	µg/L	0	WA
		Chloroform	< 5.0	µg/L	0	WA
		Chloromethane (Methyl chloride)	< 10	µg/L	0	WA
		Chromium	< 1.1	µg/L	0	WA
		Dibromochloromethane	< 5.0	µg/L	0	WA
		1,1-Dichloroethane	< 5.0	µg/L	0	WA
		1,2-Dichloroethane	< 5.0	µg/L	0	WA
		cis-1,2-Dichloroethene	< 5.0	µg/L	0	WA
		1,1-Dichloroethylene	< 5.0	µg/L	0	WA

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 55C collected on 06/08/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Dichloromethane (Methylene chloride)	13	µg/L	0	WA
		2,4-Dichlorophenoxyacetic acid	<1.1	µg/L	0	WA
		2,4-Dichlorophenoxyacetic acid	<2.2	µg/L	0	WA
		1,2-Dichloropropane	<5.0	µg/L	0	WA
		cis-1,3-Dichloropropene	<5.0	µg/L	0	WA
		trans-1,3-Dichloropropene	<5.0	µg/L	0	WA
		Endrin	<0.11	µg/L	0	WA
		Ethylbenzene	<5.0	µg/L	0	WA
		Fluoride	<100	µg/L	0	WA
		Iron	<1.9	µg/L	0	WA
		Lead	<2.0	µg/L	0	WA
		Lindane	<0.056	µg/L	0	WA
		Magnesium	934	µg/L	0	WA
		Manganese	5.6	µg/L	0	WA
		Mercury	<0.20	µg/L	0	WA
		Methoxychlor	<0.56	µg/L	0	WA
		Nitrate as nitrogen	1,280	µg/L	0	WA
		Phenols	<5.0	µg/L	0	WA
		Phenols	<5.0	µg/L	0	WA
		Potassium	539	µg/L	0	WA
		Selenium	<2.0	µg/L	0	WA
		Silica	7,510	µg/L	0	WA
		Silver	<0.70	µg/L	0	WA
		Sodium	1,950	µg/L	0	WA
		Sulfate	551	µg/L	0	WA
		Sulfate	554	µg/L	0	WA
		1,1,2,2-Tetrachloroethane	<5.0	µg/L	0	WA
		Tetrachloroethylene	<5.0	µg/L	0	WA
		Toluene	<5.0	µg/L	0	WA
		Total dissolved solids	20,000	µg/L	0	WA
		Total organic carbon	<500	µg/L	0	WA
		Total organic halogens	27	µg/L	1	WA
		Total phosphates (as P)	22	µg/L	0	WA
		Toxaphene	<1.1	µg/L	0	WA
		2,4,5-TP (Silvex)	<0.55	µg/L	0	WA
		2,4,5-TP (Silvex)	<1.1	µg/L	0	WA
		1,1,1-Trichloroethane	<5.0	µg/L	0	WA
		1,1,2-Trichloroethane	<5.0	µg/L	0	WA
		Trichloroethylene	<5.0	µg/L	0	WA
		Trichlorofluoromethane	<5.0	µg/L	0	WA
		Gross alpha	<3.0E+00	pCi/L	0	CN
		Nonvolatile beta	<5.0E+00	pCi/L	0	CN
		Radium-226	<5.0E-01	pCi/L	0	CN
		Tritium	<2.0E+00	pCi/mL	0	CN

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 55D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N83601.3 E45189.3	33.284398 °N 81.710202 °W	141.4-121.2 ft msl	155.4 ft msl	4" PVC	

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 06/08/92
 Depth to water: 9.05 ft (2.76 m) below TOC
 Water elevation: 146.35 ft (44.61 m) msl
 Sp. conductance: 29 μ S/cm
 Water evacuated before sampling: 66 gal

Time: 14:05
 pH: 4.6
 Alkalinity: 1 mg/L
 Water temperature: 18.3°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.4	pH	0	WA
•		Specific conductance	25	μ S/cm	0	WA
		Arsenic	<2.0	μ g/L	0	WA
		Barium	8.6	μ g/L	0	WA
		Benzene	<5.0	μ g/L	0	WA
		Bromodichloromethane	<5.0	μ g/L	0	WA
		Bromoform	<5.0	μ g/L	0	WA
		Bromomethane (Methyl bromide)	<10	μ g/L	0	WA
		Cadmium	0.75	μ g/L	0	WA
		Calcium	1,150	μ g/L	0	WA
		Carbon tetrachloride	<5.0	μ g/L	0	WA
		Chloride	2,710	μ g/L	0	WA
		Chloride	2,740	μ g/L	0	WA
		Chlorobenzene	<5.0	μ g/L	0	WA
		Chloroethane	<10	μ g/L	0	WA
		Chloroethene (Vinyl chloride)	<10	μ g/L	0	WA
		2-Chloroethyl vinyl ether	<10	μ g/L	0	WA
		Chloroform	<5.0	μ g/L	0	WA
		Chloromethane (Methyl chloride)	<10	μ g/L	0	WA
		Chromium	<1.1	μ g/L	0	WA
		Dibromochloromethane	<5.0	μ g/L	0	WA
		1,1-Dichloroethane	<5.0	μ g/L	0	WA
		1,2-Dichloroethane	<5.0	μ g/L	0	WA
		cis-1,2-Dichloroethene	<5.0	μ g/L	0	WA
		1,1-Dichloroethylene	<5.0	μ g/L	0	WA
		Dichloromethane (Methylene chloride)	9.4	μ g/L	0	WA
		2,4-Dichlorophenoxyacetic acid	<1.1	μ g/L	0	WA
		1,2-Dichloropropane	<5.0	μ g/L	0	WA
		cis-1,3-Dichloropropene	<5.0	μ g/L	0	WA
		trans-1,3-Dichloropropene	<5.0	μ g/L	0	WA
		Endrin	<0.11	μ g/L	0	WA
		Endrin	<0.43	μ g/L	0	WA
		Ethylbenzene	<5.0	μ g/L	0	WA
		Fluoride	<100	μ g/L	0	WA
		Iron	1.9	μ g/L	0	WA
		Lead	<2.0	μ g/L	0	WA
		Lindane	<0.054	μ g/L	0	WA
		Lindane	<0.22	μ g/L	0	WA
		Magnesium	938	μ g/L	0	WA

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 55D collected on 06/08/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Manganese	6.7	µg/L	0	WA
		Mercury	<0.20	µg/L	0	WA
		Methoxychlor	<0.54	µg/L	0	WA
		Methoxychlor	<2.2	µg/L	0	WA
		Methoxychlor	<2.2	µg/L	0	WA
		Nitrate as nitrogen	383	µg/L	0	WA
		Phenols	<5.0	µg/L	0	WA
		Potassium	1,010	µg/L	0	WA
		Selenium	<2.0	µg/L	0	WA
		Silica	6,020	µg/L	0	WA
		Silver	<0.70	µg/L	0	WA
		Sodium	1,290	µg/L	0	WA
		Sulfate	3,140	µg/L	0	WA
		1,1,2,2-Tetrachloroethane	<5.0	µg/L	0	WA
		Tetrachloroethylene	<5.0	µg/L	0	WA
		Toluene	<5.0	µg/L	0	WA
		Total dissolved solids	33,000	µg/L	0	WA
		Total organic carbon	838	µg/L	0	WA
		Total organic halogens	11	µg/L	0	WA
		Total phosphates (as P)	<20	µg/L	0	WA
		Toxaphene	<1.1	µg/L	0	WA
		Toxaphene	<4.3	µg/L	0	WA
		Toxaphene	<4.3	µg/L	0	WA
		2,4,5-TP (Silvex)	<0.57	µg/L	0	WA
		1,1,1-Trichloroethane	<5.0	µg/L	0	WA
		1,1,2-Trichloroethane	<5.0	µg/L	0	WA
		Trichloroethylene	<5.0	µg/L	0	WA
		Trichlorofluoromethane	<5.0	µg/L	0	WA
		Gross alpha	<3.0E+00	pCi/L	0	CN
		Nonvolatile beta	<5.0E+00	pCi/L	0	CN
		Radium-226	<5.0E-01	pCi/L	0	CN
		Tritium	2.1E+00 ± 3.7E-01	pCi/mL	0	CN

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 56D

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Formation
N83398.0 E45306.6	33.284140 °N 81.709498 °W	151.4-131.3 ft msl	158.1 ft msl	4" PVC	

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 06/08/92	Time: 14:55
Depth to water: 13.20 ft (4.02 m) below TOC	pH: 4.3
Water elevation: 144.90 ft (44.17 m) msl	Alkalinity: 0 mg/L
Sp. conductance: 23 µS/cm	Water temperature: 18.7°C
Water evacuated before sampling: 36 gal	

LABORATORY ANALYSES

H	D	Analyte	Result	Unit	Flag	Lab
•		pH	5.3	pH	0	WA
•		Specific conductance	18	µS/cm	0	WA
		Arsenic	<2.0	µg/L	0	WA
		Barium	4.3	µg/L	0	WA
		Benzene	<5.0	µg/L	0	WA
		Bromodichloromethane	<5.0	µg/L	0	WA
		Bromoform	<5.0	µg/L	0	WA
		Bromomethane (Methyl bromide)	<10	µg/L	0	WA
		Cadmium	<0.35	µg/L	0	WA
		Calcium	479	µg/L	0	WA
		Carbon tetrachloride	<5.0	µg/L	0	WA
		Chloride	3,570	µg/L	0	WA
		Chlorobenzene	<5.0	µg/L	0	WA
		Chloroethane	<10	µg/L	0	WA
		Chloroethene (Vinyl chloride)	<10	µg/L	0	WA
		2-Chloroethyl vinyl ether	<10	µg/L	0	WA
		Chloroform	<5.0	µg/L	0	WA
		Chloromethane (Methyl chloride)	<10	µg/L	0	WA
		Chromium	<1.1	µg/L	0	WA
		Dibromochloromethane	<5.0	µg/L	0	WA
		1,1-Dichloroethane	1.7	µg/L	0	WA
		1,2-Dichloroethane	<5.0	µg/L	0	WA
		cis-1,2-Dichloroethene	<5.0	µg/L	0	WA
		1,1-Dichloroethylene	<5.0	µg/L	0	WA
		Dichloromethane (Methylene chloride)	6.2	µg/L	0	WA
		2,4-Dichlorophenoxyacetic acid	<1.1	µg/L	0	WA
		1,2-Dichloropropane	<5.0	µg/L	0	WA
		cis-1,3-Dichloropropene	<5.0	µg/L	0	WA
		trans-1,3-Dichloropropene	<5.0	µg/L	0	WA
		Endrin	<0.11	µg/L	0	WA
		Ethylbenzene	<5.0	µg/L	0	WA
		Fluoride	<100	µg/L	0	WA
		Iron	2.1	µg/L	0	WA
		Lead	<2.0	µg/L	0	WA
		Lindane	<0.054	µg/L	0	WA
		Magnesium	438	µg/L	0	WA
		Manganese	1.8	µg/L	0	WA
		Mercury	<0.20	µg/L	0	WA
		Mercury	<0.20	µg/L	0	WA

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 56D collected on 06/08/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Methoxychlor	<0.54	µg/L	0	WA
		Nitrate as nitrogen	341	µg/L	0	WA
		Phenols	<5.0	µg/L	0	WA
		Potassium	830	µg/L	0	WA
		Selenium	<2.0	µg/L	0	WA
		Silica	5,330	µg/L	0	WA
		Silver	<0.70	µg/L	0	WA
		Sodium	1,580	µg/L	0	WA
		Sulfate	352	µg/L	0	WA
		1,1,2,2-Tetrachloroethane	<5.0	µg/L	0	WA
		Tetrachloroethylene	<5.0	µg/L	0	WA
		Toluene	<5.0	µg/L	0	WA
		Total dissolved solids	24,000	µg/L	0	WA
		Total organic carbon	741	µg/L	0	WA
		Total organic halogens	19	µg/L	0	WA
		Total phosphates (as P)	<20	µg/L	0	WA
		Toxaphene	<1.1	µg/L	0	WA
		2,4,5-TP (Silvex)	<0.54	µg/L	0	WA
		1,1,1-Trichloroethane	<5.0	µg/L	0	WA
		1,1,2-Trichloroethane	<5.0	µg/L	0	WA
		Trichloroethylene	<5.0	µg/L	0	WA
		Trichlorofluoromethane	<5.0	µg/L	0	WA
		Gross alpha	<3.0E+00	pCi/L	0	CN
		Nonvolatile beta	<5.0E+00	pCi/L	0	CN
		Radium-226	<5.0E-01	pCi/L	0	CN
		Tritium	6.9E+00 ± 5.7E-01	pCi/mL	0	CN

WELL LFW 57B

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N83196.7	33.283914 °N	78.4-68.4 ft msl	165.4 ft msl	4" PVC	
E45440.6	81.708754 °W				

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 06/08/92
 Depth to water: 22.14 ft (6.75 m) below TOC
 Water elevation: 143.26 ft (43.67 m) msl
 Sp. conductance: 65 µS/cm
 Water evacuated before sampling: 196 gal

Time: 13:30
 pH: 3.7
 Alkalinity: 0 mg/L
 Water temperature: 19.5°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	4.3	pH	0	WA
•		Specific conductance	52	µS/cm	0	WA
		Arsenic	<2.0	µg/L	0	WA
		Barium	5.8	µg/L	0	WA
		Benzene	<5.0	µg/L	0	WA
		Bromodichloromethane	<5.0	µg/L	0	WA
		Bromoform	<5.0	µg/L	0	WA
		Bromomethane (Methyl bromide)	<10	µg/L	0	WA

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 57B collected on 06/08/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Cadmium	<0.35	µg/L	0	WA
		Calcium	984	µg/L	0	WA
		Carbon tetrachloride	<5.0	µg/L	0	WA
		Chloride	2,340	µg/L	0	WA
		Chlorobenzene	<5.0	µg/L	0	WA
		Chloroethane	<10	µg/L	0	WA
		Chloroethene (Vinyl chloride)	<10	µg/L	0	WA
		2-Chloroethyl vinyl ether	<10	µg/L	0	WA
		Chloroform	<5.0	µg/L	0	WA
		Chloromethane (Methyl chloride)	<10	µg/L	0	WA
		Chromium	<1.1	µg/L	0	WA
		Dibromochloromethane	<5.0	µg/L	0	WA
		1,1-Dichloroethane	<5.0	µg/L	0	WA
		1,2-Dichloroethane	<5.0	µg/L	0	WA
		cis-1,2-Dichloroethene	<5.0	µg/L	0	WA
		1,1-Dichloroethylene	<5.0	µg/L	0	WA
		Dichloromethane (Methylene chloride)	9.0	µg/L	0	WA
		2,4-Dichlorophenoxyacetic acid	<1.1	µg/L	0	WA
		1,2-Dichloropropane	<5.0	µg/L	0	WA
		cis-1,3-Dichloropropene	<5.0	µg/L	0	WA
		trans-1,3-Dichloropropene	<5.0	µg/L	0	WA
•		Endrin	<0.10	µg/L	0	WA
		Ethylbenzene	<5.0	µg/L	0	WA
		Fluoride	<100	µg/L	0	WA
		Fluoride	<100	µg/L	0	WA
		Iron	9.5	µg/L	0	WA
		Lead	<2.0	µg/L	0	WA
•		Lindane	<0.050	µg/L	0	WA
		Magnesium	442	µg/L	0	WA
		Manganese	14	µg/L	0	WA
		Mercury	<0.20	µg/L	0	WA
•		Methoxychlor	<0.50	µg/L	0	WA
		Nitrate as nitrogen	1,220	µg/L	0	WA
		Phenols	<5.0	µg/L	0	WA
		Potassium	864	µg/L	0	WA
		Selenium	<2.0	µg/L	0	WA
		Silica	9,060	µg/L	0	WA
		Silver	<0.70	µg/L	0	WA
		Sodium	1,610	µg/L	0	WA
		Sulfate	8,650	µg/L	0	WA
		1,1,2,2-Tetrachloroethane	<5.0	µg/L	0	WA
		Tetrachloroethylene	<5.0	µg/L	0	WA
		Toluene	<5.0	µg/L	0	WA
		Total dissolved solids	40,000	µg/L	0	WA
		Total organic carbon	<500	µg/L	0	WA
		Total organic halogens	<10	µg/L	0	WA
		Total phosphates (as P)	<20	µg/L	0	WA
•		Toxaphene	<1.0	µg/L	0	WA
		2,4,5-TP (Silvex)	<0.54	µg/L	0	WA
		1,1,1-Trichloroethane	<5.0	µg/L	0	WA
		1,1,2-Trichloroethane	<5.0	µg/L	0	WA
		Trichloroethylene	<5.0	µg/L	0	WA
		Trichlorofluoromethane	<5.0	µg/L	0	WA
		Gross alpha	5.8E+00 ± 9.0E-01	pCi/L	0	CN
		Nonvolatile beta	6.8E+00 ± 4.0E+00	pCi/L	0	CN
		Radium-226	3.2E+00 ± 3.7E-01	pCi/L	0	CN

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 57B collected on 06/08/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Tritium	<2.0E+00	pCi/mL	0	CN

WELL LFW 57C

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N83200.1	33.283873 °N	117.9-107.8 ft msl	165.0 ft msl	4" PVC	
E45411.1	81.708838 °W				

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 06/08/92	Time: 13:00
Depth to water: 21.66 ft (6.60 m) below TOC	pH: 4.8
Water elevation: 143.34 ft (43.69 m) msl	Alkalinity: 0 mg/L
Sp. conductance: 31 µS/cm	Water temperature: 19.6°C
Water evacuated before sampling: 93 gal	

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.2	pH	0	WA
•		Specific conductance	25	µS/cm	0	WA
		Arsenic	<2.0	µg/L	0	WA
		Barium	5.8	µg/L	0	WA
		Benzene	<5.0	µg/L	0	WA
		Bromodichloromethane	<5.0	µg/L	0	WA
		Bromoform	<5.0	µg/L	0	WA
		Bromomethane (Methyl bromide)	<10	µg/L	0	WA
		Cadmium	0.75	µg/L	0	WA
		Calcium	1,210	µg/L	0	WA
		Carbon tetrachloride	<5.0	µg/L	0	WA
		Chloride	2,570	µg/L	0	WA
		Chlorobenzene	<5.0	µg/L	0	WA
		Chloroethane	<10	µg/L	0	WA
		Chloroethene (Vinyl chloride)	<10	µg/L	0	WA
		2-Chloroethyl vinyl ether	<10	µg/L	0	WA
		Chloroform	<5.0	µg/L	0	WA
		Chloromethane (Methyl chloride)	<10	µg/L	0	WA
		Chromium	<1.1	µg/L	0	WA
		Dibromochloromethane	<5.0	µg/L	0	WA
		1,1-Dichloroethane	<5.0	µg/L	0	WA
		1,2-Dichloroethane	<5.0	µg/L	0	WA
		cis-1,2-Dichloroethene	<5.0	µg/L	0	WA
		1,1-Dichloroethylene	<5.0	µg/L	0	WA
		Dichloromethane (Methylene chloride)	12	µg/L	0	WA
		2,4-Dichlorophenoxyacetic acid	<1.1	µg/L	0	WA
		1,2-Dichloropropane	<5.0	µg/L	0	WA
		cis-1,3-Dichloropropene	<5.0	µg/L	0	WA
		trans-1,3-Dichloropropene	<5.0	µg/L	0	WA
		Endrin	<0.11	µg/L	0	WA
		Ethylbenzene	<5.0	µg/L	0	WA
		Fluoride	<100	µg/L	0	WA
		Iron	<1.9	µg/L	0	WA

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 57C collected on 06/08/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Lead	<2.0	µg/L	0	WA
		Lindane	<0.054	µg/L	0	WA
		Magnesium	915	µg/L	0	WA
		Manganese	5.8	µg/L	0	WA
		Mercury	<0.20	µg/L	0	WA
		Methoxychlor	<0.54	µg/L	0	WA
		Nitrate as nitrogen	1,420	µg/L	0	WA
		Phenols	<5.0	µg/L	0	WA
		Potassium	619	µg/L	0	WA
		Selenium	<2.0	µg/L	0	WA
		Silica	7,800	µg/L	0	WA
		Silver	<0.70	µg/L	0	WA
		Sodium	1,900	µg/L	0	WA
		Sulfate	650	µg/L	0	WA
		1,1,2,2-Tetrachloroethane	<5.0	µg/L	0	WA
		Tetrachloroethylene	<5.0	µg/L	0	WA
		Toluene	<5.0	µg/L	0	WA
		Total dissolved solids	35,000	µg/L	0	WA
		Total organic carbon	<500	µg/L	0	WA
		Total organic halogens	18	µg/L	0	WA
		Total phosphates (as P)	23	µg/L	0	WA
		Toxaphene	<1.1	µg/L	0	WA
		2,4,5-TP (Silvex)	<0.55	µg/L	0	WA
		1,1,1-Trichloroethane	<5.0	µg/L	0	WA
		1,1,2-Trichloroethane	<5.0	µg/L	0	WA
		Trichloroethylene	<5.0	µg/L	0	WA
		Trichlorofluoromethane	<5.0	µg/L	0	WA
		Gross alpha	<3.0E+00	pCi/L	0	CN
		Nonvolatile beta	<5.0E+00	pCi/L	0	CN
		Radium-226	7.0E-01 ± 1.9E-01	pCi/L	0	CN
		Tritium	<2.0E+00	pCi/mL	0	CN

WELL LFW 57D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N83190.2	33.283861 °N	150.4-130.6 ft msl	164.8 ft msl	4" PVC	
E45417.4	81.708802 °W				

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 06/08/92
 Depth to water: 21.45 ft (6.54 m) below TOC
 Water elevation: 143.35 ft (43.69 m) msl
 Sp. conductance: 117 µS/cm
 Water evacuated before sampling: 41 gal
 Time: 12:40
 pH: 5.5
 Alkalinity: 16 mg/L
 Water temperature: 18.1°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	6.1	pH	0	WA
•		Specific conductance	139	µS/cm	0	WA
		Arsenic	<2.0	µg/L	0	WA

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 57D collected on 06/08/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Barium	6.7	µg/L	0	WA
		Benzene	1.8	µg/L	0	WA
		Bromodichloromethane	<5.0	µg/L	0	WA
		Bromoform	<5.0	µg/L	0	WA
		Bromomethane (Methyl bromide)	<10	µg/L	0	WA
		Cadmium	<0.35	µg/L	0	WA
		Calcium	3,190	µg/L	0	WA
		Carbon tetrachloride	<5.0	µg/L	0	WA
		Chloride	13,700	µg/L	0	WA
		Chlorobenzene	2.9	µg/L	0	WA
		Chloroethane	<10	µg/L	0	WA
		Chloroethene (Vinyl chloride)	<10	µg/L	0	WA
		2-Chloroethyl vinyl ether	<10	µg/L	0	WA
		Chloroform	<5.0	µg/L	0	WA
		Chloromethane (Methyl chloride)	<10	µg/L	0	WA
		Chromium	<1.1	µg/L	0	WA
		Dibromochloromethane	<5.0	µg/L	0	WA
		1,1-Dichloroethane	37	µg/L	2	WA
		1,2-Dichloroethane	1.4	µg/L	0	WA
		cis-1,2-Dichloroethene	<5.0	µg/L	0	WA
		1,1-Dichloroethylene	<5.0	µg/L	0	WA
		Dichloromethane (Methylene chloride)	9.1	µg/L	0	WA
		2,4-Dichlorophenoxyacetic acid	<1.1	µg/L	0	WA
		1,2-Dichloropropane	<5.0	µg/L	0	WA
		cis-1,3-Dichloropropene	<5.0	µg/L	0	WA
		trans-1,3-Dichloropropene	<5.0	µg/L	0	WA
		Endrin	<0.11	µg/L	0	WA
		Ethylbenzene	<5.0	µg/L	0	WA
		Fluoride	<100	µg/L	0	WA
		Iron	108	µg/L	0	WA
		Lead	<2.0	µg/L	0	WA
		Lindane	<0.053	µg/L	0	WA
		Magnesium	5,850	µg/L	0	WA
		Manganese	36	µg/L	1	WA
		Mercury	<0.20	µg/L	0	WA
		Methoxychlor	<0.53	µg/L	0	WA
		Nitrate as nitrogen	181	µg/L	0	WA
		Phenols	<5.0	µg/L	0	WA
		Potassium	613	µg/L	0	WA
		Selenium	<2.0	µg/L	0	WA
		Silica	5,210	µg/L	0	WA
		Silver	<0.70	µg/L	0	WA
		Sodium	12,000	µg/L	0	WA
		Sulfate	3,320	µg/L	0	WA
		1,1,2,2-Tetrachloroethane	<5.0	µg/L	0	WA
		Tetrachloroethylene	<5.0	µg/L	0	WA
		Toluene	<5.0	µg/L	0	WA
		Total dissolved solids	71,000	µg/L	0	WA
		Total organic carbon	1,800	µg/L	0	WA
		Total organic halogens	190	µg/L	2	WA
		Total phosphates (as P)	41	µg/L	0	WA
		Toxaphene	<1.1	µg/L	0	WA
		2,4,5-TP (Silvex)	<0.55	µg/L	0	WA
		1,1,1-Trichloroethane	<5.0	µg/L	0	WA
		1,1,2-Trichloroethane	<5.0	µg/L	0	WA
		Trichloroethylene	<5.0	µg/L	0	WA

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 57D collected on 06/08/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Trichlorofluoromethane	<5.0	µg/L	0	WA
		Gross alpha	<3.0E+00	pCi/L	0	CN
		Nonvolatile beta	<5.0E+00	pCi/L	0	CN
		Radium-226	<5.0E-01	pCi/L	0	CN
		Tritium	4.2E+00 ± 4.7E-01	pCi/mL	0	CN

WELL LFW 58D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N82940.6	33.283771 °N	147.6-127.5 ft msl	167.6 ft msl	4" PVC	
E45700.2	81.707573 °W				

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 06/08/92
 Depth to water: 26.25 ft (8.00 m) below TOC
 Water elevation: 141.35 ft (43.08 m) msl
 Sp. conductance: 72 µS/cm
 Water evacuated before sampling: 36 gal

Time: 12:00
 pH: 4.4
 Alkalinity: 0 mg/L
 Water temperature: 19.3°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.3	pH	0	WA
•		Specific conductance	60	µS/cm	0	WA
		Arsenic	<2.0	µg/L	0	WA
		Barium	6.7	µg/L	0	WA
		Benzene	2.8	µg/L	1	WA
		Bromodichloromethane	<5.0	µg/L	0	WA
		Bromoform	<5.0	µg/L	0	WA
		Bromomethane (Methyl bromide)	<10	µg/L	0	WA
		Cadmium	<0.35	µg/L	0	WA
		Calcium	1,240	µg/L	0	WA
		Carbon tetrachloride	<5.0	µg/L	0	WA
		Chloride	13,100	µg/L	0	WA
		Chlorobenzene	<5.0	µg/L	0	WA
		Chloroethane	1.3	µg/L	0	WA
		Chloroethene (Vinyl chloride)	<10	µg/L	0	WA
		2-Chloroethyl vinyl ether	<10	µg/L	0	WA
		Chloroform	<5.0	µg/L	0	WA
		Chloromethane (Methyl chloride)	<10	µg/L	0	WA
		Chromium	<1.1	µg/L	0	WA
		Dibromochloromethane	<5.0	µg/L	0	WA
		1,1-Dichloroethane	56	µg/L	2	WA
		1,2-Dichloroethane	2.5	µg/L	1	WA
		cis-1,2-Dichloroethene	<5.0	µg/L	0	WA
		1,1-Dichloroethylene	1.8	µg/L	0	WA
		Dichloromethane (Methylene chloride)	51	µg/L	0	WA
		2,4-Dichlorophenoxyacetic acid	0.35	µg/L	0	WA
		1,2-Dichloropropane	<5.0	µg/L	0	WA
		cis-1,3-Dichloropropene	<5.0	µg/L	0	WA
		trans-1,3-Dichloropropene	<5.0	µg/L	0	WA

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 58D collected on 06/08/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Endrin	<0.11	µg/L	0	WA
		Ethylbenzene	<5.0	µg/L	0	WA
		Fluoride	<100	µg/L	0	WA
		Iron	95	µg/L	0	WA
		Lead	<2.0	µg/L	0	WA
		Lindane	<0.055	µg/L	0	WA
		Magnesium	1,060	µg/L	0	WA
		Manganese	28	µg/L	1	WA
		Mercury	<0.20	µg/L	0	WA
		Methoxychlor	<0.55	µg/L	0	WA
		Nitrate as nitrogen	503	µg/L	0	WA
		Phenols	<5.0	µg/L	0	WA
		Potassium	857	µg/L	0	WA
		Selenium	<2.0	µg/L	0	WA
		Silica	11,700	µg/L	0	WA
		Silver	<0.70	µg/L	0	WA
		Sodium	8,500	µg/L	0	WA
		Sulfate	406	µg/L	0	WA
		1,1,2,2-Tetrachloroethane	<5.0	µg/L	0	WA
		Tetrachloroethylene	3.0	µg/L	1	WA
		Toluene	<5.0	µg/L	0	WA
		Total dissolved solids	50,000	µg/L	0	WA
		Total dissolved solids	49,000	µg/L	0	WA
		Total organic carbon	1,610	µg/L	0	WA
		Total organic halogens	330	µg/L	2	WA
		Total phosphates (as P)	<20	µg/L	0	WA
		Toxaphene	<1.1	µg/L	0	WA
		2,4,5-TP (Silvex)	<0.55	µg/L	0	WA
		1,1,1-Trichloroethane	9.5	µg/L	0	WA
		1,1,2-Trichloroethane	<5.0	µg/L	0	WA
■		Trichloroethylene	15	µg/L	2	WA
		Trichlorofluoromethane	65	µg/L	2	WA
		Gross alpha	<3.0E+00	pCi/L	0	CN
		Nonvolatile beta	<5.0E+00	pCi/L	0	CN
		Radium-226	<5.0E-01	pCi/L	0	CN
		Tritium	6.6E+00 ± 5.6E-01	pCi/mL	0	CN

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 59B

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N83027.1 E46047.4	33.284529 °N 81.706827 °W	76.0-66.0 ft msl	168.1 ft msl	4" PVC	

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 06/05/92	Time: 15:00
Depth to water: 25.84 ft (7.88 m) below TOC	pH: 3.9
Water elevation: 142.26 ft (43.36 m) msl	Alkalinity: 0 mg/L
Sp. conductance: 56 µS/cm	Water temperature: 20.3°C
Water evacuated before sampling: 201 gal	

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	4.2	pH	0	WA
•		Specific conductance	1,270	µS/cm	2	WA
		Arsenic	< 2.0	µg/L	0	WA
		Barium	< 4.0	µg/L	0	WA
		Benzene	< 5.0	µg/L	0	WA
		Bromodichloromethane	< 5.0	µg/L	0	WA
		Bromoform	< 5.0	µg/L	0	WA
		Bromomethane (Methyl bromide)	< 10	µg/L	0	WA
		Cadmium	< 0.35	µg/L	0	WA
		Calcium	724	µg/L	0	WA
		Carbon tetrachloride	< 5.0	µg/L	0	WA
		Chloride	2,060	µg/L	0	WA
		Chlorobenzene	< 5.0	µg/L	0	WA
		Chloroethane	< 10	µg/L	0	WA
		Chloroethene (Vinyl chloride)	< 10	µg/L	0	WA
		2-Chloroethyl vinyl ether	< 10	µg/L	0	WA
		Chloroform	< 5.0	µg/L	0	WA
		Chloromethane (Methyl chloride)	< 10	µg/L	0	WA
		Chromium	< 1.1	µg/L	0	WA
		Dibromochloromethane	< 5.0	µg/L	0	WA
		1,1-Dichloroethane	< 5.0	µg/L	0	WA
		1,2-Dichloroethane	< 5.0	µg/L	0	WA
		cis-1,2-Dichloroethene	< 5.0	µg/L	0	WA
		1,1-Dichloroethylene	< 5.0	µg/L	0	WA
		Dichloromethane (Methylene chloride)	2.2	µg/L	0	WA
		2,4-Dichlorophenoxyacetic acid	< 1.1	µg/L	0	WA
		1,2-Dichloropropane	< 5.0	µg/L	0	WA
		cis-1,3-Dichloropropene	< 5.0	µg/L	0	WA
		trans-1,3-Dichloropropene	< 5.0	µg/L	0	WA
		Endrin	< 0.11	µg/L	0	WA
		Ethylbenzene	< 5.0	µg/L	0	WA
		Fluoride	< 100	µg/L	0	WA
		Iron	11	µg/L	0	WA
		Lead	< 2.0	µg/L	0	WA
		Lindane	< 0.057	µg/L	0	WA
		Magnesium	327	µg/L	0	WA
		Manganese	15	µg/L	0	WA
		Mercury	< 0.20	µg/L	0	WA
		Methoxychlor	< 0.57	µg/L	0	WA

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 59B collected on 06/05/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Nitrate as nitrogen	665	µg/L	0	WA
		Phenols	< 5.0	µg/L	0	WA
		Potassium	238	µg/L	0	WA
		Selenium	< 2.0	µg/L	0	WA
		Silica	8,800	µg/L	0	WA
		Silver	< 0.70	µg/L	0	WA
		Sodium	1,410	µg/L	0	WA
		Sulfate	8,280	µg/L	0	WA
		1,1,2,2-Tetrachloroethane	< 5.0	µg/L	0	WA
		Tetrachloroethylene	< 5.0	µg/L	0	WA
		Toluene	< 5.0	µg/L	0	WA
		Total dissolved solids	21,000	µg/L	0	WA
		Total organic carbon	617	µg/L	0	WA
		Total organic halogens	< 20	µg/L	0	WA
		Total phosphates (as P)	< 20	µg/L	0	WA
		Toxaphene	< 1.1	µg/L	0	WA
		2,4,5-TP (Silvex)	< 0.54	µg/L	0	WA
		1,1,1-Trichloroethane	< 5.0	µg/L	0	WA
		1,1,2-Trichloroethane	< 5.0	µg/L	0	WA
		Trichloroethylene	< 5.0	µg/L	0	WA
		Trichlorofluoromethane	< 5.0	µg/L	0	WA
		Gross alpha	4.2E+00 ± 1.4E+00	pCi/L	0	CN
		Nonvolatile beta	< 5.0E+00	pCi/L	0	CN
		Radium-226	2.2E+00 ± 3.4E-01	pCi/L	0	CN
		Tritium	< 2.0E+00	pCi/mL	0	CN

WELL LFW 59C

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N83011.0	33.284501 °N	110.3-100.3 ft msl	167.3 ft msl	4" PVC	
E46052.0	81.706784 °W				

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 06/05/92
 Depth to water: 24.86 ft (7.58 m) below TOC
 Water elevation: 142.44 ft (43.42 m) msl
 Sp. conductance: 41 µS/cm
 Water evacuated before sampling: 112 gal

Time: 14:10
 pH: 4.4
 Alkalinity: 0 mg/L
 Water temperature: 20.0°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	4.8	pH	0	WA
•		Specific conductance	36	µS/cm	0	WA
		Arsenic	< 2.0	µg/L	0	WA
		Barium	7.2	µg/L	0	WA
		Benzene	< 5.0	µg/L	0	WA
		Bromodichloromethane	< 5.0	µg/L	0	WA
		Bromoform	< 5.0	µg/L	0	WA
		Bromomethane (Methyl bromide)	< 10	µg/L	0	WA
		Cadmium	< 0.35	µg/L	0	WA

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 59C collected on 06/05/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Calcium	967	µg/L	0	WA
		Carbon tetrachloride	<5.0	µg/L	0	WA
		Chloride	4,610	µg/L	0	WA
		Chlorobenzene	<5.0	µg/L	0	WA
		Chloroethane	<10	µg/L	0	WA
		Chloroethene (Vinyl chloride)	<10	µg/L	0	WA
		2-Chloroethyl vinyl ether	<10	µg/L	0	WA
		Chloroform	<5.0	µg/L	0	WA
		Chloromethane (Methyl chloride)	<10	µg/L	0	WA
		Chromium	<1.1	µg/L	0	WA
		Dibromochloromethane	<5.0	µg/L	0	WA
		1,1-Dichloroethane	7.6	µg/L	1	WA
		1,2-Dichloroethane	<5.0	µg/L	0	WA
		cis-1,2-Dichloroethene	<5.0	µg/L	0	WA
		1,1-Dichloroethylene	<5.0	µg/L	0	WA
		Dichloromethane (Methylene chloride)	21	µg/L	0	WA
		2,4-Dichlorophenoxyacetic acid	<1.1	µg/L	0	WA
		1,2-Dichloropropane	<5.0	µg/L	0	WA
		cis-1,3-Dichloropropene	<5.0	µg/L	0	WA
		trans-1,3-Dichloropropene	<5.0	µg/L	0	WA
		Endrin	<0.11	µg/L	0	WA
		Ethylbenzene	<5.0	µg/L	0	WA
		Fluoride	<100	µg/L	0	WA
		Iron	23	µg/L	0	WA
		Lead	<2.0	µg/L	0	WA
		Lindane	<0.057	µg/L	0	WA
		Magnesium	1,010	µg/L	0	WA
		Manganese	5.4	µg/L	0	WA
		Mercury	<0.20	µg/L	0	WA
		Methoxychlor	<0.57	µg/L	0	WA
		Nitrate as nitrogen	1,480	µg/L	0	WA
		Phenols	<5.0	µg/L	0	WA
		Potassium	653	µg/L	0	WA
		Selenium	<2.0	µg/L	0	WA
		Silica	7,060	µg/L	0	WA
		Silver	1.1	µg/L	0	WA
		Sodium	2,710	µg/L	0	WA
		Sulfate	<250	µg/L	0	WA
		1,1,2,2-Tetrachloroethane	<5.0	µg/L	0	WA
		Tetrachloroethylene	<5.0	µg/L	0	WA
		Toluene	<5.0	µg/L	0	WA
		Total dissolved solids	32,000	µg/L	0	WA
		Total organic carbon	<500	µg/L	0	WA
		Total organic halogens	45	µg/L	1	WA
		Total phosphates (as P)	<20	µg/L	0	WA
		Toxaphene	<1.1	µg/L	0	WA
		2,4,5-TP (Silvex)	<0.55	µg/L	0	WA
		1,1,1-Trichloroethane	<5.0	µg/L	0	WA
		1,1,2-Trichloroethane	<5.0	µg/L	0	WA
		Trichloroethylene	3.8	µg/L	1	WA
		Trichlorofluoromethane	<5.0	µg/L	0	WA
		Gross alpha	<3.0E+00	pCi/L	0	CN
		Nonvolatile beta	<5.0E+00	pCi/L	0	CN
		Radium-226	1.2E+00 ± 2.6E-01	pCi/L	0	CN
		Tritium	9.8E+00 ± 6.6E-01	pCi/mL	0	CN

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 59D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N83000.1 E46056.1	33.284484 °N 81.706752 °W	149.3-129.3 ft msl	167.6 ft msl	4" PVC	

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 06/05/92
 Depth to water: 25.48 ft (7.77 m) below TOC
 Water elevation: 142.12 ft (43.32 m) msl
 Sp. conductance: 37 μ S/cm
 Water evacuated before sampling: 34 gal

Time: 14:25
 pH: 4.6
 Alkalinity: 0 mg/L
 Water temperature: 19.4°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.7	pH	0	WA
•		Specific conductance	45	μ S/cm	0	WA
		Arsenic	<2.0	μ g/L	0	WA
		Barium	6.8	μ g/L	0	WA
		Benzene	1.1	μ g/L	0	WA
		Bromodichloromethane	<5.0	μ g/L	0	WA
		Bromoform	<5.0	μ g/L	0	WA
		Bromomethane (Methyl bromide)	<10	μ g/L	0	WA
		Cadmium	0.55	μ g/L	0	WA
		Calcium	872	μ g/L	0	WA
		Carbon tetrachloride	<5.0	μ g/L	0	WA
		Chloride	8,190	μ g/L	0	WA
		Chlorobenzene	<5.0	μ g/L	0	WA
		Chloroethane	<10	μ g/L	0	WA
		Chloroethene (Vinyl chloride)	<10	μ g/L	0	WA
		2-Chloroethyl vinyl ether	<10	μ g/L	0	WA
		Chloroform	<5.0	μ g/L	0	WA
		Chloromethane (Methyl chloride)	<10	μ g/L	0	WA
		Chromium	<1.1	μ g/L	0	WA
		Dibromochloromethane	<5.0	μ g/L	0	WA
		1,1-Dichloroethane	35	μ g/L	2	WA
		1,2-Dichloroethane	1.6	μ g/L	0	WA
		cis-1,2-Dichloroethene	<5.0	μ g/L	0	WA
		1,1-Dichloroethylene	1.3	μ g/L	0	WA
		Dichloromethane (Methylene chloride)	42	μ g/L	0	WA
		2,4-Dichlorophenoxyacetic acid	<1.1	μ g/L	0	WA
		1,2-Dichloropropane	<5.0	μ g/L	0	WA
		cis-1,3-Dichloropropene	<5.0	μ g/L	0	WA
		trans-1,3-Dichloropropene	<5.0	μ g/L	0	WA
		Endrin	<0.11	μ g/L	0	WA
		Ethylbenzene	<5.0	μ g/L	0	WA
		Fluoride	<100	μ g/L	0	WA
		Iron	39	μ g/L	0	WA
		Lead	2.8	μ g/L	0	WA
		Lindane	<0.057	μ g/L	0	WA
		Magnesium	866	μ g/L	0	WA
		Manganese	17	μ g/L	0	WA
		Mercury	<0.20	μ g/L	0	WA
		Methoxychlor	<0.57	μ g/L	0	WA

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 59D collected on 06/05/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Nitrate as nitrogen	213	µg/L	0	WA
		Phenols	<5.0	µg/L	0	WA
		Potassium	357	µg/L	0	WA
		Selenium	<2.0	µg/L	0	WA
		Silica	8,410	µg/L	0	WA
		Silver	<0.70	µg/L	0	WA
		Sodium	3,620	µg/L	0	WA
		Sulfate	<250	µg/L	0	WA
		1,1,2,2-Tetrachloroethane	<5.0	µg/L	0	WA
		Tetrachloroethylene	<5.0	µg/L	0	WA
		Toluene	<5.0	µg/L	0	WA
		Total dissolved solids	30,000	µg/L	0	WA
		Total organic carbon	607	µg/L	0	WA
		Total organic halogens	209	µg/L	2	WA
		Total phosphates (as P)	<20	µg/L	0	WA
		Toxaphene	<1.1	µg/L	0	WA
		2,4,5-TP (Silvex)	<0.56	µg/L	0	WA
		1,1,1-Trichloroethane	3.7	µg/L	0	WA
		1,1,2-Trichloroethane	<5.0	µg/L	0	WA
■		Trichloroethylene	14	µg/L	2	WA
		Trichlorofluoromethane	<5.0	µg/L	0	WA
		Gross alpha	<3.0E+00	pCi/L	0	CN
		Nonvolatile beta	<5.0E+00	pCi/L	0	CN
		Radium-226	<5.0E-01	pCi/L	0	CN
		Radium-226	<5.0E-01	pCi/L	0	CN
		Tritium	8.1E+00 ± 6.1E-01	pCi/mL	0	CN

WELL LFW 60D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N82531.5	33.282903 °N	143.8-123.8 ft msl	157.1 ft msl	4" PVC	
E45722.3	81.706720 °W				

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 06/05/92
 Depth to water: 19.14 ft (5.83 m) below TOC
 Water elevation: 137.96 ft (42.05 m) msl
 Sp. conductance: 20 µS/cm
 Water evacuated before sampling: 11 gal
 The well went dry during purging.

Time: 11:10
 pH: 4.7
 Alkalinity: 7 mg/L
 Water temperature: 19.2°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	4.8	pH	0	WA
•		Specific conductance	19	µS/cm	0	WA
		Arsenic	<2.0	µg/L	0	WA
		Barium	<4.0	µg/L	0	WA
		Benzene	<5.0	µg/L	0	WA
		Bromodichloromethane	<5.0	µg/L	0	WA
		Bromoform	<5.0	µg/L	0	WA
		Bromomethane (Methyl bromide)	<10	µg/L	0	WA

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 60D collected on 06/05/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Cadmium	<0.35	µg/L	0	WA
		Calcium	1,240	µg/L	0	WA
		Carbon tetrachloride	<5.0	µg/L	0	WA
		Chloride	1,790	µg/L	0	WA
		Chlorobenzene	<5.0	µg/L	0	WA
		Chloroethane	<10	µg/L	0	WA
		Chloroethene (Vinyl chloride)	<10	µg/L	0	WA
		2-Chloroethyl vinyl ether	<10	µg/L	0	WA
		Chloroform	<5.0	µg/L	0	WA
		Chloromethane (Methyl chloride)	<10	µg/L	0	WA
		Chromium	<1.1	µg/L	0	WA
		Dibromochloromethane	<5.0	µg/L	0	WA
		1,1-Dichloroethane	<5.0	µg/L	0	WA
		1,2-Dichloroethane	<5.0	µg/L	0	WA
		cis-1,2-Dichloroethene	<5.0	µg/L	0	WA
		1,1-Dichloroethylene	<5.0	µg/L	0	WA
		Dichloromethane (Methylene chloride)	9.1	µg/L	0	WA
		2,4-Dichlorophenoxyacetic acid	<1.1	µg/L	0	WA
		1,2-Dichloropropane	<5.0	µg/L	0	WA
		cis-1,3-Dichloropropene	<5.0	µg/L	0	WA
		trans-1,3-Dichloropropene	<5.0	µg/L	0	WA
		Endrin	<0.11	µg/L	0	WA
		Ethylbenzene	<5.0	µg/L	0	WA
		Fluoride	<100	µg/L	0	WA
		Iron	197	µg/L	1	WA
		Lead	<2.0	µg/L	0	WA
		Lindane	<0.057	µg/L	0	WA
		Magnesium	290	µg/L	0	WA
		Manganese	23	µg/L	0	WA
		Mercury	<0.20	µg/L	0	WA
		Methoxychlor	<0.57	µg/L	0	WA
		Nitrate as nitrogen	213	µg/L	0	WA
		Phenols	<5.0	µg/L	0	WA
		Potassium	231	µg/L	0	WA
		Selenium	<2.0	µg/L	0	WA
		Silica	4,640	µg/L	0	WA
		Silver	<0.70	µg/L	0	WA
		Sodium	1,800	µg/L	0	WA
		Sulfate	559	µg/L	0	WA
		1,1,2,2-Tetrachloroethane	<5.0	µg/L	0	WA
		Tetrachloroethylene	<5.0	µg/L	0	WA
		Toluene	<5.0	µg/L	0	WA
		Total dissolved solids	19,000	µg/L	0	WA
		Total organic carbon	<500	µg/L	0	WA
		Total organic halogens	66	µg/L	2	WA
		Total organic halogens	81	µg/L	2	WA
		Total phosphates (as P)	<20	µg/L	0	WA
		Toxaphene	<1.1	µg/L	0	WA
		2,4,5-TP (Silvex)	<0.55	µg/L	0	WA
		1,1,1-Trichloroethane	<5.0	µg/L	0	WA
		1,1,2-Trichloroethane	<5.0	µg/L	0	WA
		Trichloroethylene	<5.0	µg/L	0	WA
		Trichlorofluoromethane	<5.0	µg/L	0	WA
		Gross alpha	<3.0E+00	pCi/L	0	CN
		Nonvolatile beta	<5.0E+00	pCi/L	0	CN
		Radium-226	<5.0E-01	pCi/L	0	CN

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 60D collected on 06/05/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Tritium	< 2.0E + 00	pCi/mL	0	CN

WELL LFW 61C

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N83084.4	33.285378 °N	121.1-111.0 ft msl	168.3 ft msl	4" PVC	
E46489.6	81.705774 °W				

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 04/28/92	Time: 10:50
Depth to water: 26.95 ft (8.21 m) below TOC	pH: 5.0
Water elevation: 141.35 ft (43.08 m) msl	Alkalinity: 0 mg/L
Sp. conductance: 39 µS/cm	Water temperature: 18.4°C
Water evacuated before sampling: 80 gal	

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.2	pH	0	WA
•		Specific conductance	34	µS/cm	0	WA
		Arsenic	< 2.0	µg/L	0	WA
		Barium	7.5	µg/L	0	WA
		Benzene	< 5.0	µg/L	0	WA
		Bromodichloromethane	< 5.0	µg/L	0	WA
		Bromoform	< 5.0	µg/L	0	WA
		Bromomethane (Methyl bromide)	< 10	µg/L	0	WA
		Cadmium	0.47	µg/L	0	WA
		Calcium	982	µg/L	0	WA
		Carbon tetrachloride	< 5.0	µg/L	0	WA
		Chloride	6,280	µg/L	0	WA
		Chloride	6,310	µg/L	0	WA
		Chlorobenzene	< 5.0	µg/L	0	WA
		Chloroethane	17	µg/L	2	WA
		Chloroethene (Vinyl chloride)	< 10	µg/L	0	WA
		2-Chloroethyl vinyl ether	< 10	µg/L	0	WA
		Chloroform	< 5.0	µg/L	0	WA
		Chloromethane (Methyl chloride)	< 10	µg/L	0	WA
		Chromium	< 1.1	µg/L	0	WA
		Dibromochloromethane	< 5.0	µg/L	0	WA
		1,1-Dichloroethane	32	µg/L	2	WA
		1,2-Dichloroethane	< 5.0	µg/L	0	WA
		1,1-Dichloroethylene	3.3	µg/L	0	WA
		trans-1,2-Dichloroethylene	< 5.0	µg/L	0	WA
		Dichloromethane (Methylene chloride)	173	µg/L	0	WA
		2,4-Dichlorophenoxyacetic acid	< 1.1	µg/L	0	WA
		1,2-Dichloropropane	< 5.0	µg/L	0	WA
		cis-1,3-Dichloropropene	< 5.0	µg/L	0	WA
		trans-1,3-Dichloropropene	< 5.0	µg/L	0	WA
		Endrin	< 0.11	µg/L	0	WA
		Endrin	< 0.22	µg/L	0	WA
		Ethylbenzene	18	µg/L	0	WA

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 61C collected on 04/28/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Fluoride	< 100	µg/L	0	WA
		Iron	32	µg/L	0	WA
		Lead	< 2.0	µg/L	0	WA
		Lindane	< 0.056	µg/L	0	WA
		Lindane	< 0.11	µg/L	0	WA
		Magnesium	797	µg/L	0	WA
		Manganese	18	µg/L	0	WA
		Mercury	< 0.20	µg/L	0	WA
		Methoxychlor	< 0.56	µg/L	0	WA
		Methoxychlor	< 1.1	µg/L	0	WA
		Methoxychlor	< 2.2	µg/L	0	WA
		Nitrate as nitrogen	435	µg/L	0	WA
		Phenols	18	µg/L	0	WA
		Potassium	757	µg/L	0	WA
		Selenium	< 2.0	µg/L	0	WA
		Silica	8,300	µg/L	0	WA
		Silver	< 0.70	µg/L	0	WA
		Sodium	4,250	µg/L	0	WA
		Sulfate	< 250	µg/L	0	WA
		1,1,2,2-Tetrachloroethane	< 5.0	µg/L	0	WA
		Tetrachloroethylene	4.0	µg/L	1	WA
		Toluene	7.0	µg/L	0	WA
		Total dissolved solids	35,000	µg/L	0	WA
		Total organic carbon	5,720	µg/L	1	WA
		Total organic halogens	158	µg/L	2	WA
		Total phosphates (as P)	105	µg/L	0	WA
		Toxaphene	< 1.1	µg/L	0	WA
		Toxaphene	< 2.2	µg/L	0	WA
		Toxaphene	< 4.4	µg/L	0	WA
		2,4,5-TP (Silvex)	< 0.54	µg/L	0	WA
		1,1,1-Trichloroethane	32	µg/L	0	WA
		1,1,2-Trichloroethane	< 5.0	µg/L	0	WA
■		Trichloroethylene	14	µg/L	2	WA
		Trichlorofluoromethane	234	µg/L	2	WA
		Gross alpha	< 3.0E+00	pCi/L	0	CN
		Gross alpha	< 3.0E+00	pCi/L	0	CN
		Nonvolatile beta	5.4E+00 ± 2.7E+00	pCi/L	0	CN
		Nonvolatile beta	< 5.0E+00	pCi/L	0	CN
		Radium-226	5.3E-01 ± 5.8E-02	pCi/L	0	CN
		Tritium	2.5E+00 ± 4.5E-01	pCi/mL	0	CN
		Tritium	2.3E+00 ± 4.5E-01	pCi/mL	0	CN

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 61D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N83089.1 E46471.1	33.285358 °N 81.705832 °W	150.4-130.3 ft msl	168.3 ft msl	4" PVC	

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 04/28/92	Time: 11:35
Depth to water: 25.32 ft (7.72 m) below TOC	pH: 5.0
Water elevation: 142.98 ft (43.58 m) msl	Alkalinity: 0 mg/L
Sp. conductance: 20 µS/cm	Water temperature: 18.1°C
Water evacuated before sampling: 33 gal	

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.2	pH	0	GE
•		pH	5.1	pH	0	GE
•		pH	5.1	pH	0	WA
•		pH	5.1	pH	0	WA
		Radium-226	.		0	CN
		Specific conductance	20	µS/cm	0	GE
		Specific conductance	20	µS/cm	0	GE
•		Specific conductance	17	µS/cm	0	WA
•		Specific conductance	17	µS/cm	0	WA
		Arsenic	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	WA
		Arsenic	<2.0	µg/L	0	WA
		Barium	<3.0	µg/L	0	GE
		Barium	<3.0	µg/L	0	GE
		Barium	<4.0	µg/L	0	WA
		Barium	<4.0	µg/L	0	WA
•		Benzene	<1.0	µg/L	0	GE
•		Benzene	<1.0	µg/L	0	GE
		Benzene	<5.0	µg/L	0	WA
		Benzene	<5.0	µg/L	0	WA
		Benzene	<5.0	µg/L	0	WA
•		Bromodichloromethane	<1.0	µg/L	0	GE
•		Bromodichloromethane	<1.0	µg/L	0	GE
		Bromodichloromethane	<5.0	µg/L	0	WA
		Bromodichloromethane	<5.0	µg/L	0	WA
		Bromodichloromethane	<5.0	µg/L	0	WA
•		Bromoform	<1.0	µg/L	0	GE
•		Bromoform	<1.0	µg/L	0	GE
		Bromoform	<5.0	µg/L	0	WA
		Bromoform	<5.0	µg/L	0	WA
		Bromoform	<5.0	µg/L	0	WA
•		Bromomethane (Methyl bromide)	<1.0	µg/L	0	GE
•		Bromomethane (Methyl bromide)	<1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	<10	µg/L	0	WA
		Bromomethane (Methyl bromide)	<10	µg/L	0	WA
		Bromomethane (Methyl bromide)	<10	µg/L	0	WA

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 61D collected on 04/28/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Bromomethane (Methyl bromide)	< 10	µg/L	0	WA
		Cadmium	< 2.0	µg/L	0	GE
		Cadmium	< 2.0	µg/L	0	GE
		Cadmium	< 0.35	µg/L	0	WA
		Cadmium	< 0.35	µg/L	0	WA
		Calcium	332	µg/L	0	GE
		Calcium	331	µg/L	0	GE
		Calcium	347	µg/L	0	WA
		Calcium	343	µg/L	0	WA
•		Carbon tetrachloride	< 1.0	µg/L	0	GE
•		Carbon tetrachloride	< 1.0	µg/L	0	GE
		Carbon tetrachloride	< 5.0	µg/L	0	WA
		Carbon tetrachloride	< 5.0	µg/L	0	WA
		Carbon tetrachloride	< 5.0	µg/L	0	WA
		Carbon tetrachloride	< 5.0	µg/L	0	WA
		Chloride	2,060	µg/L	0	GE
		Chloride	2,180	µg/L	0	GE
		Chloride	2,750	µg/L	0	WA
		Chloride	2,950	µg/L	0	WA
•		Chlorobenzene	< 1.0	µg/L	0	GE
•		Chlorobenzene	< 1.0	µg/L	0	GE
		Chlorobenzene	< 5.0	µg/L	0	WA
		Chlorobenzene	< 5.0	µg/L	0	WA
		Chlorobenzene	< 5.0	µg/L	0	WA
•		Chloroethane	< 1.0	µg/L	0	GE
•		Chloroethane	< 1.0	µg/L	0	GE
		Chloroethane	< 10	µg/L	0	WA
		Chloroethane	< 10	µg/L	0	WA
		Chloroethane	< 10	µg/L	0	WA
		Chloroethane	< 10	µg/L	0	WA
•		Chloroethene (Vinyl chloride)	< 1.0	µg/L	0	GE
•		Chloroethene (Vinyl chloride)	< 1.0	µg/L	0	GE
		Chloroethene (Vinyl chloride)	< 10	µg/L	0	WA
		Chloroethene (Vinyl chloride)	< 10	µg/L	0	WA
		Chloroethene (Vinyl chloride)	< 10	µg/L	0	WA
•		2-Chloroethyl vinyl ether	< 1.0	µg/L	0	GE
•		2-Chloroethyl vinyl ether	< 1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	< 10	µg/L	0	WA
		2-Chloroethyl vinyl ether	< 10	µg/L	0	WA
		2-Chloroethyl vinyl ether	< 10	µg/L	0	WA
		2-Chloroethyl vinyl ether	< 10	µg/L	0	WA
•		Chloroform	< 1.0	µg/L	0	GE
•		Chloroform	< 1.0	µg/L	0	GE
		Chloroform	< 5.0	µg/L	0	WA
		Chloroform	< 5.0	µg/L	0	WA
		Chloroform	< 5.0	µg/L	0	WA
		Chloroform	< 5.0	µg/L	0	WA
•		Chloromethane (Methyl chloride)	< 1.0	µg/L	0	GE
•		Chloromethane (Methyl chloride)	< 1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	< 10	µg/L	0	WA
		Chloromethane (Methyl chloride)	< 10	µg/L	0	WA
		Chloromethane (Methyl chloride)	< 10	µg/L	0	WA
		Chloromethane (Methyl chloride)	< 10	µg/L	0	WA
		Chromium	< 4.0	µg/L	0	GE
		Chromium	< 4.0	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 61D collected on 04/28/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Chromium	< 1.1	µg/L	0	WA
		Chromium	< 1.1	µg/L	0	WA
•		Dibromochloromethane	< 1.0	µg/L	0	GE
•		Dibromochloromethane	< 1.0	µg/L	0	GE
		Dibromochloromethane	< 5.0	µg/L	0	WA
		Dibromochloromethane	< 5.0	µg/L	0	WA
		Dibromochloromethane	< 5.0	µg/L	0	WA
		Dibromochloromethane	< 5.0	µg/L	0	WA
•		1,1-Dichloroethane	< 1.0	µg/L	0	GE
•		1,1-Dichloroethane	11	µg/L	2	GE
		1,1-Dichloroethane	12	µg/L	2	WA
		1,1-Dichloroethane	12	µg/L	2	WA
		1,1-Dichloroethane	12	µg/L	2	WA
		1,1-Dichloroethane	11	µg/L	2	WA
•		1,2-Dichloroethane	< 1.0	µg/L	0	GE
•		1,2-Dichloroethane	< 1.0	µg/L	0	GE
		1,2-Dichloroethane	< 5.0	µg/L	0	WA
		1,2-Dichloroethane	< 5.0	µg/L	0	WA
		1,2-Dichloroethane	< 5.0	µg/L	0	WA
		1,2-Dichloroethane	< 5.0	µg/L	0	WA
•		1,1-Dichloroethylene	< 1.0	µg/L	0	GE
•		1,1-Dichloroethylene	< 1.0	µg/L	0	GE
		1,1-Dichloroethylene	2.2	µg/L	0	WA
		1,1-Dichloroethylene	2.2	µg/L	0	WA
		1,1-Dichloroethylene	2.1	µg/L	0	WA
•		trans-1,2-Dichloroethylene	< 1.0	µg/L	0	GE
•		trans-1,2-Dichloroethylene	< 1.0	µg/L	0	GE
		trans-1,2-Dichloroethylene	< 5.0	µg/L	0	WA
		trans-1,2-Dichloroethylene	< 5.0	µg/L	0	WA
		trans-1,2-Dichloroethylene	< 5.0	µg/L	0	WA
		trans-1,2-Dichloroethylene	< 5.0	µg/L	0	WA
•		Dichloromethane (Methylene chloride)	< 1.0	µg/L	0	GE
•		Dichloromethane (Methylene chloride)	11	µg/L	0	GE
		Dichloromethane (Methylene chloride)	12	µg/L	0	WA
		Dichloromethane (Methylene chloride)	13	µg/L	0	WA
		Dichloromethane (Methylene chloride)	11	µg/L	0	WA
		Dichloromethane (Methylene chloride)	11	µg/L	0	WA
		2,4-Dichlorophenoxyacetic acid	< 0.30	µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	< 0.30	µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	< 1.1	µg/L	0	WA
		2,4-Dichlorophenoxyacetic acid	< 1.1	µg/L	0	WA
•		1,2-Dichloropropane	< 1.0	µg/L	0	GE
•		1,2-Dichloropropane	< 1.0	µg/L	0	GE
		1,2-Dichloropropane	< 5.0	µg/L	0	WA
		1,2-Dichloropropane	< 5.0	µg/L	0	WA
		1,2-Dichloropropane	< 5.0	µg/L	0	WA
		1,2-Dichloropropane	< 5.0	µg/L	0	WA
•		cis-1,3-Dichloropropene	< 1.0	µg/L	0	GE
•		cis-1,3-Dichloropropene	< 1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	< 5.0	µg/L	0	WA
		cis-1,3-Dichloropropene	< 5.0	µg/L	0	WA
		cis-1,3-Dichloropropene	< 5.0	µg/L	0	WA
•		trans-1,3-Dichloropropene	< 1.0	µg/L	0	GE
•		trans-1,3-Dichloropropene	< 1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	< 5.0	µg/L	0	WA

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 61D collected on 04/28/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		trans-1,3-Dichloropropene	<5.0	µg/L	0	WA
		trans-1,3-Dichloropropene	<5.	µg/L	0	WA
		trans-1,3-Dichloropropene	<5.0	µg/L	0	WA
		Endrin	<0.0060	µg/L	0	GE
		Endrin	<0.0060	µg/L	0	GE
		Endrin	<0.11	µg/L	0	WA
		Endrin	<0.11	µg/L	0	WA
•		Ethylbenzene	<1.0	µg/L	0	GE
•		Ethylbenzene	<1.0	µg/L	0	GE
		Ethylbenzene	<5.0	µg/L	0	WA
		Ethylbenzene	<5.0	µg/L	0	WA
		Ethylbenzene	<5.0	µg/L	0	WA
		Ethylbenzene	<5.0	µg/L	0	WA
		Fluoride	<100	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE
		Fluoride	<100	µg/L	0	WA
		Fluoride	<100	µg/L	0	WA
		Iron	4.9	µg/L	0	GE
		Iron	5.4	µg/L	0	GE
		Iron	8.6	µg/L	0	WA
		Iron	8.0	µg/L	0	WA
		Lead	<3.0	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE
		Lead	<2.0	µg/L	0	WA
		Lead	<2.0	µg/L	0	WA
		Lindane	<0.0050	µg/L	0	GE
		Lindane	<0.0050	µg/L	0	GE
		Lindane	<0.055	µg/L	0	WA
		Lindane	<0.055	µg/L	0	WA
		Magnesium	515	µg/L	0	GE
		Magnesium	521	µg/L	0	GE
		Magnesium	534	µg/L	0	WA
		Magnesium	509	µg/L	0	WA
		Manganese	<2.0	µg/L	0	GE
		Manganese	<2.0	µg/L	0	GE
		Manganese	0.92	µg/L	0	WA
		Manganese	0.75	µg/L	0	WA
		Mercury	<0.20	µg/L	0	GE
		Mercury	<0.20	µg/L	0	GE
		Mercury	<0.20	µg/L	0	WA
		Mercury	<0.20	µg/L	0	WA
		Methoxychlor	<0.50	µg/L	0	GE
		Methoxychlor	<0.50	µg/L	0	GE
		Methoxychlor	<0.55	µg/L	0	WA
		Methoxychlor	<0.55	µg/L	0	WA
		Nitrate as nitrogen	120	µg/L	0	GE
		Nitrate as nitrogen	120	µg/L	0	GE
		Nitrate as nitrogen	387	µg/L	0	WA
		Nitrate as nitrogen	331	µg/L	0	WA
		Phenols	<5.0	µg/L	0	GE
		Phenols	<5.0	µg/L	0	GE
		Phenols	<5.0	µg/L	0	WA
		Phenols	<5.0	µg/L	0	WA
		Potassium	<500	µg/L	0	GE
		Potassium	<500	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 61D collected on 04/28/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Potassium	511	µg/L	0	WA
		Potassium	269	µg/L	0	WA
		Selenium	<2.0	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Selenium	<2.0	µg/L	0	WA
		Selenium	<2.0	µg/L	0	WA
		Silica	7,350	µg/L	0	GE
		Silica	7,410	µg/L	0	GE
		Silica	6,810	µg/L	0	WA
		Silica	6,610	µg/L	0	WA
		Silver	<2.0	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Silver	1.9	µg/L	0	WA
		Silver	<0.70	µg/L	0	WA
		Sodium	1,480	µg/L	0	GE
		Sodium	1,500	µg/L	0	GE
		Sodium	1,590	µg/L	0	WA
		Sodium	1,580	µg/L	0	WA
		Sulfate	<1,000	µg/L	0	GE
		Sulfate	<1,000	µg/L	0	GE
		Sulfate	<250	µg/L	0	WA
		Sulfate	<250	µg/L	0	WA
•		1,1,2,2-Tetrachloroethane	<1.0	µg/L	0	GE
•		1,1,2,2-Tetrachloroethane	<1.0	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<5.0	µg/L	0	WA
		1,1,2,2-Tetrachloroethane	<5.0	µg/L	0	WA
		1,1,2,2-Tetrachloroethane	<5.0	µg/L	0	WA
		1,1,2,2-Tetrachloroethane	<5.0	µg/L	0	WA
•	■	Tetrachloroethylene	8.1	µg/L	2	GE
•		Tetrachloroethylene	2.7	µg/L	1	GE
		Tetrachloroethylene	2.7	µg/L	1	WA
		Tetrachloroethylene	2.6	µg/L	1	WA
		Tetrachloroethylene	2.8	µg/L	1	WA
		Tetrachloroethylene	2.5	µg/L	1	WA
•		Toluene	<1.0	µg/L	0	GE
•		Toluene	<1.0	µg/L	0	GE
		Toluene	<5.0	µg/L	0	WA
		Toluene	<5.0	µg/L	0	WA
		Toluene	<5.0	µg/L	0	WA
		Total dissolved solids	28,000	µg/L	0	GE
		Total dissolved solids	27,000	µg/L	0	GE
		Total dissolved solids	19,000	µg/L	0	WA
		Total dissolved solids	22,000	µg/L	0	WA
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic carbon	744	µg/L	0	WA
		Total organic carbon	1,060	µg/L	0	WA
		Total organic halogens	156	µg/L	2	GE
		Total organic halogens	151	µg/L	2	GE
		Total organic halogens	<5.0	µg/L	0	GE
		Total organic halogens	72	µg/L	2	WA
		Total organic halogens	52	µg/L	2	WA
		Total phosphates (as P)	<50	µg/L	0	GE
		Total phosphates (as P)	<50	µg/L	0	GE
		Total phosphates (as P)	<50	µg/L	0	GE
		Total phosphates (as P)	<20	µg/L	0	WA

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 61D collected on 04/28/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Total phosphates (as P)	43	µg/L	0	WA
		Toxaphene	<0.24	µg/L	0	GE
		Toxaphene	<0.24	µg/L	0	GE
		Toxaphene	<1.1	µg/L	0	WA
		Toxaphene	<1.1	µg/L	0	WA
		2,4,5-TP (Silvex)	<0.090	µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090	µg/L	0	GE
		2,4,5-TP (Silvex)	<0.53	µg/L	0	WA
		2,4,5-TP (Silvex)	<0.54	µg/L	0	WA
•		1,1,1-Trichloroethane	<1.0	µg/L	0	GE
•		1,1,1-Trichloroethane	22	µg/L	0	GE
		1,1,1-Trichloroethane	24	µg/L	0	WA
		1,1,1-Trichloroethane	22	µg/L	0	WA
		1,1,1-Trichloroethane	24	µg/L	0	WA
		1,1,1-Trichloroethane	21	µg/L	0	WA
•		1,1,2-Trichloroethane	<1.0	µg/L	0	GE
•		1,1,2-Trichloroethane	<1.0	µg/L	0	GE
		1,1,2-Trichloroethane	<5.0	µg/L	0	WA
		1,1,2-Trichloroethane	<5.0	µg/L	0	WA
		1,1,2-Trichloroethane	<5.0	µg/L	0	WA
		1,1,2-Trichloroethane	<5.0	µg/L	0	WA
•		Trichloroethylene	4.9	µg/L	1	GE
•		Trichloroethylene	4.7	µg/L	1	GE
	■	Trichloroethylene	5.3	µg/L	2	WA
		Trichloroethylene	4.8	µg/L	1	WA
		Trichloroethylene	4.8	µg/L	1	WA
•		Trichlorofluoromethane	<1.0	µg/L	0	GE
•		Trichlorofluoromethane	49	µg/L	2	GE
		Trichlorofluoromethane	119	µg/L	2	WA
		Trichlorofluoromethane	112	µg/L	2	WA
		Trichlorofluoromethane	121	µg/L	2	WA
		Trichlorofluoromethane	100	µg/L	2	WA
		Gross alpha	2.0E+00 ± 4.0E-01	pCi/L	0	GP
		Gross alpha	<2.0E+00	pCi/L	0	GP
		Gross alpha	<3.0E+00	pCi/L	0	CN
		Gross alpha	<3.0E+00	pCi/L	0	CN
		Nonvolatile beta	3.3E+00 ± 5.0E-01	pCi/L	0	GP
		Nonvolatile beta	<2.0E+00	pCi/L	0	GP
		Nonvolatile beta	<5.0E+00	pCi/L	0	CN
		Nonvolatile beta	5.5E+00 ± 2.7E+00	pCi/L	0	CN
		Radium-226	6.0E-01 ± 1.0E-01	pCi/L	0	TE
		Radium-226	6.0E-01 ± 1.0E-01	pCi/L	0	TE
		Radium-226	5.1E-01 ± 6.9E-02	pCi/L	0	CN
		Radium-226	6.3E-01 ± 7.9E-02	pCi/L	0	CN
		Tritium	1.7E+00 ± 4.0E-01	pCi/mL	0	GP
		Tritium	2.1E+00 ± 4.0E-01	pCi/mL	0	GP
		Tritium	2.6E+00 ± 4.5E-01	pCi/mL	0	CN
		Tritium	2.5E+00 ± 4.5E-01	pCi/mL	0	CN

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 62B

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N83001.2 E45915.5	33.284257 °N 81.707124 °W	72.8-62.8 ft msl	164.9 ft msl	4" PVC	

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 06/05/92	Time: 12:40
Depth to water: 23.21 ft (7.07 m) below TOC	pH: 4.7
Water elevation: 141.69 ft (43.19 m) msl	Alkalinity: 0 mg/L
Sp. conductance: 41 µS/cm	Water temperature: 20.8°C
Water evacuated before sampling: 208 gal	

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.1	pH	0	WA
•		Specific conductance	22	µS/cm	0	WA
		Arsenic	<2.0	µg/L	0	WA
		Barium	7.1	µg/L	0	WA
		Benzene	<5.0	µg/L	0	WA
		Bromodichloromethane	<5.0	µg/L	0	WA
		Bromoform	<5.0	µg/L	0	WA
		Bromomethane (Methyl bromide)	<10	µg/L	0	WA
		Cadmium	<0.35	µg/L	0	WA
		Calcium	1,040	µg/L	0	WA
		Carbon tetrachloride	<5.0	µg/L	0	WA
		Chloride	2,220	µg/L	0	WA
		Chlorobenzene	<5.0	µg/L	0	WA
		Chloroethane	<10	µg/L	0	WA
		Chloroethene (Vinyl chloride)	<10	µg/L	0	WA
		2-Chloroethyl vinyl ether	<10	µg/L	0	WA
		Chloroform	<5.0	µg/L	0	WA
		Chloromethane (Methyl chloride)	<10	µg/L	0	WA
		Chromium	<1.1	µg/L	0	WA
		Dibromochloromethane	<5.0	µg/L	0	WA
		1,1-Dichloroethane	<5.0	µg/L	0	WA
		1,2-Dichloroethane	<5.0	µg/L	0	WA
		cis-1,2-Dichloroethene	<5.0	µg/L	0	WA
		1,1-Dichloroethylene	<5.0	µg/L	0	WA
		Dichloromethane (Methylene chloride)	5.5	µg/L	0	WA
		2,4-Dichlorophenoxyacetic acid	<1.1	µg/L	0	WA
		1,2-Dichloropropane	<5.0	µg/L	0	WA
		cis-1,3-Dichloropropene	<5.0	µg/L	0	WA
		trans-1,3-Dichloropropene	<5.0	µg/L	0	WA
		Endrin	<0.11	µg/L	0	WA
		Ethylbenzene	<5.0	µg/L	0	WA
		Fluoride	<100	µg/L	0	WA
		Fluoride	<100	µg/L	0	WA
		Iron	20	µg/L	0	WA
		Lead	<2.0	µg/L	0	WA
		Lindane	<0.057	µg/L	0	WA
		Magnesium	354	µg/L	0	WA
		Manganese	25	µg/L	1	WA
		Mercury	<0.20	µg/L	0	WA

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 62B collected on 06/05/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Methoxychlor	<0.57	µg/L	0	WA
		Nitrate as nitrogen	872	µg/L	0	WA
		Phenols	<5.0	µg/L	0	WA
		Potassium	434	µg/L	0	WA
		Selenium	<2.0	µg/L	0	WA
		Silica	8,650	µg/L	0	WA
		Silver	<0.70	µg/L	0	WA
		Sodium	2,550	µg/L	0	WA
		Sulfate	5,660	µg/L	0	WA
		1,1,2,2-Tetrachloroethane	<5.0	µg/L	0	WA
		Tetrachloroethylene	<5.0	µg/L	0	WA
		Toluene	<5.0	µg/L	0	WA
		Total dissolved solids	38,000	µg/L	0	WA
		Total organic carbon	<500	µg/L	0	WA
		Total organic halogens	<10	µg/L	0	WA
		Total phosphates (as P)	129	µg/L	0	WA
		Toxaphene	<1.1	µg/L	0	WA
		2,4,5-TP (Silvex)	<0.55	µg/L	0	WA
		1,1,1-Trichloroethane	<5.0	µg/L	0	WA
		1,1,2-Trichloroethane	<5.0	µg/L	0	WA
		Trichloroethylene	<5.0	µg/L	0	WA
		Trichlorofluoromethane	<5.0	µg/L	0	WA
		Gross alpha	<3.0E+00	pCi/L	0	CN
		Nonvolatile beta	<5.0E+00	pCi/L	0	CN
		Radium-226	2.0E+00 ± 3.2E-01	pCi/L	0	CN
		Tritium	<2.0E+00	pCi/mL	0	CN

WELL LFW 62C

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N83012.7	33.284268 °N	118.4-108.4 ft msl	165.5 ft msl	4" PVC	
E45906.7	81.707169 °W				

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 06/05/92
 Depth to water: 23.43 ft (7.14 m) below TOC
 Water elevation: 142.07 ft (43.30 m) msl
 Sp. conductance: 31 µS/cm
 Water evacuated before sampling: 89 gal
 Time: 13:10
 pH: 4.6
 Alkalinity: 0 mg/L
 Water temperature: 20.2°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.3	pH	0	WA
•		Specific conductance	27	µS/cm	0	WA
		Arsenic	<2.0	µg/L	0	WA
		Barium	7.2	µg/L	0	WA
		Benzene	<5.0	µg/L	0	WA
		Bromodichloromethane	<5.0	µg/L	0	WA
		Bromoform	<5.0	µg/L	0	WA
		Bromomethane (Methyl bromide)	<10	µg/L	0	WA

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 62C collected on 06/05/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Cadmium	<0.35	µg/L	0	WA
		Calcium	1,150	µg/L	0	WA
		Carbon tetrachloride	<5.0	µg/L	0	WA
		Chloride	3,040	µg/L	0	WA
		Chlorobenzene	<5.0	µg/L	0	WA
		Chloroethane	<10	µg/L	0	WA
		Chloroethene (Vinyl chloride)	<10	µg/L	0	WA
		2-Chloroethyl vinyl ether	<10	µg/L	0	WA
		Chloroform	<5.0	µg/L	0	WA
		Chloromethane (Methyl chloride)	<10	µg/L	0	WA
		Chromium	<1.1	µg/L	0	WA
		Dibromochloromethane	<5.0	µg/L	0	WA
		1,1-Dichloroethane	7.4	µg/L	1	WA
		1,2-Dichloroethane	<5.0	µg/L	0	WA
		cis-1,2-Dichloroethene	<5.0	µg/L	0	WA
		1,1-Dichloroethylene	<5.0	µg/L	0	WA
		Dichloromethane (Methylene chloride)	12	µg/L	0	WA
		2,4-Dichlorophenoxyacetic acid	<1.1	µg/L	0	WA
		1,2-Dichloropropane	<5.0	µg/L	0	WA
		cis-1,3-Dichloropropene	<5.0	µg/L	0	WA
		trans-1,3-Dichloropropene	<5.0	µg/L	0	WA
		Endrin	<0.11	µg/L	0	WA
		Ethylbenzene	<5.0	µg/L	0	WA
		Fluoride	<100	µg/L	0	WA
		Iron	<1.9	µg/L	0	WA
		Lead	<2.0	µg/L	0	WA
		Lindane	<0.055	µg/L	0	WA
		Magnesium	948	µg/L	0	WA
		Manganese	13	µg/L	0	WA
		Mercury	<0.20	µg/L	0	WA
		Methoxychlor	<0.55	µg/L	0	WA
		Nitrate as nitrogen	1,940	µg/L	0	WA
		Phenols	<5.0	µg/L	0	WA
		Potassium	685	µg/L	0	WA
		Selenium	<2.0	µg/L	0	WA
		Silica	6,390	µg/L	0	WA
		Silver	<0.70	µg/L	0	WA
		Sodium	1,660	µg/L	0	WA
		Sulfate	<250	µg/L	0	WA
		1,1,2,2-Tetrachloroethane	<5.0	µg/L	0	WA
		Tetrachloroethylene	1.6	µg/L	0	WA
		Toluene	<5.0	µg/L	0	WA
		Total dissolved solids	14,000	µg/L	0	WA
		Total organic carbon	<500	µg/L	0	WA
		Total organic halogens	<10	µg/L	0	WA
		Total phosphates (as P)	<20	µg/L	0	WA
		Toxaphene	<1.1	µg/L	0	WA
		2,4,5-TP (Silvex)	<0.57	µg/L	0	WA
		1,1,1-Trichloroethane	<5.0	µg/L	0	WA
		1,1,2-Trichloroethane	<5.0	µg/L	0	WA
	■	Trichloroethylene	7.5	µg/L	2	WA
		Trichlorofluoromethane	<5.0	µg/L	0	WA
		Gross alpha	<3.0E+00	pCi/L	0	CN
		Nonvolatile beta	<5.0E+00	pCi/L	0	CN
		Radium-226	7.3E-01 ± 2.1E-01	pCi/L	0	CN
		Tritium	7.2E+00 ± 5.8E-01	pCi/mL	0	CN

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 62D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N82991.6 E45922.9	33.284247 °N 81.707086 °W	147.6-127.6 ft msl	164.8 ft msl	4" PVC	

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 06/05/92
 Depth to water: 22.51 ft (6.86 m) below TOC
 Water elevation: 142.29 ft (43.37 m) msl
 Sp. conductance: 39 µS/cm
 Water evacuated before sampling: 10 gal
 The well went dry during purging.

Time: 12:20
 pH: 3.8
 Alkalinity: 1 mg/L
 Water temperature: 19.8°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.3	pH	0	WA
•		Specific conductance	34	µS/cm	0	WA
		Arsenic	<2.0	µg/L	0	WA
		Barium	10	µg/L	0	WA
		Benzene	<5.0	µg/L	0	WA
		Bromodichloromethane	<5.0	µg/L	0	WA
		Bromoform	<5.0	µg/L	0	WA
		Bromomethane (Methyl bromide)	<10	µg/L	0	WA
		Cadmium	<0.35	µg/L	0	WA
		Calcium	1,220	µg/L	0	WA
		Carbon tetrachloride	<5.0	µg/L	0	WA
		Chloride	6,580	µg/L	0	WA
		Chlorobenzene	<5.0	µg/L	0	WA
		Chloroethane	5.8	µg/L	1	WA
		Chloroethene (Vinyl chloride)	<10	µg/L	0	WA
		2-Chloroethyl vinyl ether	<10	µg/L	0	WA
		Chloroform	<5.0	µg/L	0	WA
		Chloromethane (Methyl chloride)	<10	µg/L	0	WA
		Chromium	<1.1	µg/L	0	WA
		Dibromochloromethane	<5.0	µg/L	0	WA
		1,1-Dichloroethane	38	µg/L	2	WA
		1,2-Dichloroethane	1.1	µg/L	0	WA
		cis-1,2-Dichloroethene	<5.0	µg/L	0	WA
		1,1-Dichloroethylene	2.7	µg/L	0	WA
		Dichloromethane (Methylene chloride)	34	µg/L	0	WA
		2,4-Dichlorophenoxyacetic acid	<1.1	µg/L	0	WA
		1,2-Dichloropropane	<5.0	µg/L	0	WA
		cis-1,3-Dichloropropene	<5.0	µg/L	0	WA
		trans-1,3-Dichloropropene	<5.0	µg/L	0	WA
		Endrin	<0.11	µg/L	0	WA
		Ethylbenzene	<5.0	µg/L	0	WA
		Fluoride	<100	µg/L	0	WA
		Iron	37	µg/L	0	WA
		Lead	7.9	µg/L	1	WA
		Lindane	<0.055	µg/L	0	WA
		Magnesium	898	µg/L	0	WA
		Manganese	37	µg/L	1	WA
		Mercury	<0.20	µg/L	0	WA
		Methoxychlor	<0.55	µg/L	0	WA

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL LFW 62D collected on 06/05/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Nitrate as nitrogen	367	µg/L	0	WA
		Phenols	< 5.0	µg/L	0	WA
		Potassium	603	µg/L	0	WA
		Selenium	< 2.0	µg/L	0	WA
		Silica	8,710	µg/L	0	WA
		Silver	1.2	µg/L	0	WA
		Sodium	3,560	µg/L	0	WA
		Sulfate	529	µg/L	0	WA
		1,1,2,2-Tetrachloroethane	< 5.0	µg/L	0	WA
		Tetrachloroethylene	3.1	µg/L	1	WA
		Toluene	< 5.0	µg/L	0	WA
		Total dissolved solids	35,000	µg/L	0	WA
		Total organic carbon	865	µg/L	0	WA
		Total organic halogens	202	µg/L	2	WA
		Total phosphates (as P)	123	µg/L	0	WA
		Toxaphene	< 1.1	µg/L	0	WA
		2,4,5-TP (Silvex)	< 0.54	µg/L	0	WA
		1,1,1-Trichloroethane	26	µg/L	0	WA
		1,1,2-Trichloroethane	< 5.0	µg/L	0	WA
■		Trichloroethylene	11	µg/L	2	WA
		Trichlorofluoromethane	89	µg/L	2	WA
		Gross alpha	< 3.0E+00	pCi/L	0	CN
		Nonvolatile beta	< 5.0E+00	pCi/L	0	CN
		Radium-226	6.7E-01 ± 2.4E-01	pCi/L	0	CN
		Tritium	5.0E+00 ± 5.0E-01	pCi/mL	0	CN
		Tritium	4.4E+00 ± 4.8E-01	pCi/mL	0	CN

● = exceeded holding time. ■ = exceeded primary drinking water standard.

**DATE
FILMED**

3 / 24 / 93