1 of 1

Services Provided by the 222-S Laboratory for Regulatory Support

S. P. Thomas

Date Published
November 1993

Prepared for the U.S. Department of Energy
Assistant Secretary for Environment, Safety and Health

**Westinghouse
Hanford Company**

P.O. Box 1970
Richland, Washington 99352

Hanford Operations and Engineering Contractor for the
U.S. Department of Energy under Contract DE-AC06-87RL10930

DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED
pu

Approved for Public Release

ORIGINAL

Date Received: 10/22/93		INFORMATION RELEASE REQUEST		Reference: WHC-CM-3-4	
Complete for all Types of Release					
Purpose ☐ Speech or Presentation ☐ Full Paper ☐ Summary ☐ Abstract ☐ Visual Aid ☐ Speakers Bureau ☐ Poster Session ☐ Videotape ☐ Other			ID Number (include revision, volume, etc.) <div style="text-align: center;">WHC-EP-0689</div>		
(Check only one suffix) ☐ Reference ☐ Technical Report ☐ Thesis or Dissertation ☐ Manual ☐ Brochure/Flier ☐ Software/Database ☐ Controlled Document ☒ Other			List attachments. Date Release Required <div style="text-align: center;">10/29/93</div>		
Title Services Provided by the 222-S Laboratory for Regulatory Support				Unclassified Category UC-630	
New or novel (patentable) subject matter? ☒ No ☐ Yes If "Yes", has disclosure been submitted by WHC or other company? ☐ No ☐ Yes Disclosure No(s).				Information received from others in confidence, such as proprietary data, trade secrets, and/or inventions? ☒ No ☐ Yes (Identify)	
Copyrights? ☒ No ☐ Yes If "Yes", has written permission been granted? ☐ No ☐ Yes (Attach Permission)				Trademarks? ☒ No ☐ Yes (Identify)	
Complete for Speech or Presentation					
Title of Conference or Meeting			Group or Society Sponsoring		
Date(s) of Conference or Meeting		City/State		Will proceedings be published? ☐ Yes ☐ No Will material be handed out? ☐ Yes ☐ No	
Title of Journal					
CHECKLIST FOR SIGNATORIES					
Review Required per WHC-CM-3-4		Yes	No	Reviewer - Signature Indicates Approval	
				Name (printed)	Date
Classification/Unclassified		☐	☒		
Controlled Nuclear Information		☐	☒		
Patent - General Counsel		☒	☒	See part 2 for signature 11-1-93	
Legal - General Counsel		☒	☒	See part 2 for signature 11-1-93	
Applied Technology/Export		☐	☒	Not IRR	
Controlled Information or International Program		☐	☒		
WHC Program/Project		☒	☐	L. P. Diediker	10-28-93
Communications		☐	☒		
RL Program/Project		☒	☐	M. J. Furman - per telecon	10-29-93
Publication Services		☒	☐	K. A. Coffman	10/29/93
Other Program/Project		☐	☐		
Information conforms to all applicable requirements. The above information is certified to be correct.					
References Available to Intended Audience		Yes	No	INFORMATION RELEASE ADMINISTRATION APPROVAL STAMP	
		☒	☐	Stamp is required before release. Release is contingent upon resolution of mandatory comments.	
Transmit to DOE-HQ/Office of Scientific and Technical Information		☒	☐
Author/Requestor (Printed/Signature)			Date		
L. P. Diediker			10-28-93		
Intended Audience					
☒ Internal ☐ Sponsor ☒ External					
Responsible Manager (Printed/Signature)					
L. P. Diediker					
		Date Cancelled		Date Disapproved	

Document Title: SERVICES PROVIDED BY THE 222-S LABORATORY
FOR REGULATORY SUPPORT

Prepared by:

S. P. Thomas, Advanced Engineer
Effluent and Emission Monitoring

9-28-93

Date

Approved by:

L. P. Diediker, Manager
Effluent and Emission Monitoring

9-28-93

Date

Reviewed by:

B. G. Erlandson, Manager
Regulatory Field Support

9-28-93

Date

Reviewed by:

D. D. Volkman, Manager
Environmental Management Systems Integration

10/25/93

Date

Reviewed by:

J. J. Dorian, Manager
Environmental Engineering Studies

9-28-93

Date

Reviewed by:

E. F. Riedel, Manager
Radioanalytical Chemistry

9-28-93

Date

Reviewed by:

J. G. Kristofzski, Manager
Program Support

10/28/93

Date

Approved by:

R. P. Marshall, Jr., Manager
Analytical Operations

10/28/93

Date

CONTENTS

1.0 SCOPE OF SERVICES	1
2.0 REGULATORY REPORTING REQUIREMENTS	1
2.1 Radionuclide Air Emissions Report for <i>Clean Air Act of 1977</i>	1
2.2 Environmental Releases Report	2
2.3 Hanford Site Environmental Report	2
2.4 Effluent Information System-Onsite Discharge Information System Report	2
2.5 Near-Facility Operational Environmental Monitoring Report	2
3.0 222-S LABORATORY SERVICES AND DATA QUALITY OBJECTIVES	2
3.1 Sample and Analysis Requirements	2
3.2 Composite Sample Requirements	3
3.3 Yearend Data Reporting Due Dates	3
3.4 Laboratory Procedures	3
3.5 Completeness of Analytical Data	3
3.6 Quality Control	4
3.7 Access to Raw Data	4
4.0 IMPROVED DATA HANDLING SERVICES	4
4.1 Counting Error	4
4.2 Routine Electronic Transfer of Analytical Data	4
5.0 REFERENCES	5
GLOSSARY	

LIST OF TABLES

1	Regulatory Support Air Emission Sample and Analysis Criteria for 222-S Laboratory	7
2	Regulatory Support Liquid Effluent Sample and Analysis Criteria for 222-S Laboratory	8
3	Regulatory Support Pond Vegetation and Sediment Sample and Analysis Criteria for 222-S Laboratory	9
4	Regulatory Support Nonroutine Environmental Sample and Analysis Criteria for 222-S Laboratory	9

SERVICES PROVIDED BY THE 222-S LABORATORY FOR REGULATORY SUPPORT

1.0 SCOPE OF SERVICES

This document defines the services the 222-S Laboratory shall provide Regulatory Support (RS) and the samples RS plans to submit to the 222-S Laboratory throughout the calendar year for analysis. Analysis of effluent (liquid and air discharges) and environmental (air, liquid, animal, and vegetative) samples is required using standard laboratory procedures, in accordance with regulatory and control requirements cited in *Quality Assurance Program Plan for Radionuclide Airborne Emissions Monitoring* (especially Appendix G) (WHC 1993a), *Quality Assurance Project Plan for Facility Effluent Monitoring Plan Activities* (WHC 1992), and *Operational Environmental Monitoring Program Quality Assurance Project Plan* (WHC 1993b). Should changes to this document be necessary, the 222-S Laboratory or RS may amend it at any time with a jointly approved internal memo. (This document supersedes WHC-SP-0720, *Statement of Work for Services Provided by the 222-S Laboratory for Environmental Assurance*.)

2.0 REGULATORY REPORTING REQUIREMENTS

It is essential for the 222-S Laboratory to meet the due dates specified. The analytical data required by those due dates are necessary to maintain compliance with environmental release reporting commitments mandated by regulatory agencies and the U.S. Department of Energy (DOE). Variances to technical criteria or due dates in this document must be documented by the 222-S Laboratory and approved or acknowledged by RS as unavoidable.

2.1 Radionuclide Air Emissions Report for the *Clean Air Act of 1977*

This report documents radionuclide air emissions from the Hanford Site and the resulting effective dose equivalent to any member of the public from those emissions. This report complies with the reporting requirements of the *Code of Federal Regulations*, Title 40, "Protection of the Environment," Part 61, "National Emissions Standards for Hazardous Air Pollutants," Subpart H, "National Emission Standards for Emissions of Radionuclides Other Than Radon From Department of Energy Facilities."

2.2 Environmental Releases Report

The purpose of this report is to fulfill the effluent discharge reporting requirements of DOE Order 5400.1 (DOE 1988) and to summarize the compliance status of effluent releases from Westinghouse Hanford Company (Westinghouse Hanford) facilities with respect to the administrative control value guidelines given in WHC-CM-7-5, *Environmental Compliance*.

2.3 Hanford Site Environmental Report

Pacific Northwest Laboratory annually compiles and publishes this report for DOE, in compliance with DOE Order 5400.1 (DOE 1988).

2.4 Effluent Information System-Onsite Discharge Information System Report

Each year Westinghouse Hanford transmits this report electronically to Idaho National Engineering Laboratory in Idaho Falls for inclusion in the Effluent Information System-Onsite Discharge Information System (EIS-ODIS) database, in compliance with DOE Order 5484.1 (DOE 1983).

2.5 Near-Facility Operational Environmental Monitoring Report

Westinghouse Hanford publishes this report annually. The report provides a yearly summary of sampling and analysis of soil, vegetation, ambient air, etc. near Westinghouse Hanford facilities.

3.0 222-S LABORATORY SERVICES AND DATA QUALITY OBJECTIVES

The 222-S Laboratory shall provide the following analytical services when analyzing low-level environmental and effluent samples from RS.

3.1 Sample and Analysis Requirements

All services necessary shall be provided to complete the analytical requirements listed in Tables 1 through 4. Analyses shall be performed in accordance with applicable requirements and procedures contained in the references listed in section 1.0 above. Analytical results shall be expressed in the units shown for the respective minimum

detectable concentrations (MDC) in the tables. (By September 30th of each year, RS will provide updated analytical requirements to the 222-S Laboratory that identify the analytes to be measured in samples from various radioactive effluents and emissions in the 200 Areas.)

3.2 Composite Sample Requirements

Air emission composite samples for the first three quarters shall be reported to RS within the second month following the end of the sampling quarter. All monthly liquid samples shall be reported to RS within 45 days after the end of the sampling month.

3.3 Yearend Data Reporting Due Dates

The due dates for submission of yearend analysis results to RS on weekly samples collected up through December 31st are:

- Air emission data February 18, 1994
- Liquid effluent data February 25, 1994
- Environmental data (pond vegetation and sediment) March 18, 1994

The analysis results from any weekly sample collected on or after January 1st of the succeeding new year will be applied to that year.

3.4 Laboratory Procedures

Use laboratory analytical procedures that are:

- In compliance with EPA Method 114, Section 4.0, "Quality Assurance Methods," 40 CFR Part 61, Appendix B (specifically, 4.4 and 4.5), and applicable requirements and procedures contained in the references in listed section 1.0 above
- Appropriate to the sample medium and size and the analysis requirements listed in Tables 1 through 4.

3.5 Completeness of Analytical Data

For completeness of analyses, fulfill the following objective:

For all RS-related samples received, produce a minimum of 90% usable analytical data.

3.6 Quality Control

Quality control (QC) test results and laboratory intercomparison scores shall be provided quarterly. The QC tests shall be for accuracy, precision, completeness (see section 3.5 above), and background. Test results should be presented in bar-line graph style. All test shall be in accordance with applicable requirements and procedures contained in the references listed in section 1.0 above.

RS does submit duplicate effluent and environmental samples for analysis. The 222-S Laboratory does not know the identity of these samples when it analyzes them.

3.7 Access to Raw Data

As needed, RS shall have access to any 222-S Laboratory raw data related to RS samples.

4.0 IMPROVED DATA HANDLING SERVICES

The 222-S Laboratory shall provide RS with improved data handling services that affect analytical counting error and routine electronic transmission of analysis data.

4.1 Counting Error

Provide by December 1, 1993, the counting error associated with each radioanalytical result. (Counting error is but one component of total propagated error, for which a definition is being developed that will be acceptable to both the 222-S Laboratory and RS.)

4.2 Routine Electronic Transfer of Analytical Data

Implement routine electronic download of all analytical data to RS by December 1, 1993. Electronically transmit all calendar-year 1993 data to RS by January 31, 1994, but without counting errors on data for the first three quarters of 1993.

5.0 REFERENCES

Clean Air Act of 1977, 42 USC 7401 et seq.

DOE, 1988, *General Environmental Protection Program*, DOE Order 5400.1, U.S. Department of Energy, Washington, D.C.

DOE, 1983, *Environmental Protection, Safety and Health Protection Information Reporting Requirements*, DOE Order 5484.1, U.S. Department of Energy, Washington D.C.

40 CFR 61, "National Emissions Standards for Hazardous Air Pollutants," Title 40, *Code of Federal Regulations*, Part 61, as amended, U.S. Environmental Protection Agency, Washington, D.C.

40 CFR 61, "Quality Assurance Methods," Title 40, *Code of Federal Regulations*, Part 61, as amended, Appendix B, U.S. Environmental Protection Agency, Washington, D.C.

WHC-CM-7-5, *Environmental Compliance*, Westinghouse Hanford Company, Richland, Washington.

WHC, 1993a, *Quality Assurance Program Plan for Radionuclide Airborne Emissions Monitoring*, WHC-EP-0536-1, Westinghouse Hanford Company, Richland, Washington.

WHC, 1993b, *Operational Environmental Monitoring Program Quality Assurance Project Plan*, WHC-EP-0538-1, Westinghouse Hanford Company, Richland, Washington.

WHC, 1992, *Quality Assurance Project Plan for Facility Effluent Monitoring Plan Activities*, WHC-EP-0446 Revision 1, Westinghouse Hanford Company, Richland, Washington.

Table 1. Regulatory Support Air Emission Sample and Analysis Criteria for 222-S Laboratory

Air emission sample and analysis criteria					
Sample size	Type of analysis	Samples/year (delivery frequency)	MDC ($\mu\text{Ci/mL}$) ^a	TT (days)	Unit price (\$)
Nominal 2 cfm for period of collection, unless otherwise indicated	Total α and total β	5,200 (100/week)	2.0 E-15 and 1.9 E-14	14	25
	^{90}Sr	72 (18/quarter)	1.9 E-14	60	150
	Gamma spec (^{137}Cs)	72 (18/quarter)	7.0 E-15	60	50
	$^{239,240}\text{Pu}$	112 (28/quarter)	4.0 E-15	60	150
	Total U	12 (3/quarter)	7.0 E-8 g/mL	60	80
	^3H	26 (1 biweekly)	7.0 E-06	30	50
	^{14}C	26 (1 biweekly)	3.0 E-13	30	50
	Ag zeolite (^{106}Ru)	260 (5/week) 12 (1/month)	2.0 E-15	30	50
	^{241}Am	112 (28/quarter)	8.0 E-15	60	250
	^{147}Pm	4 (1/quarter)	3.0 E-13	60	150
	^{212}Pb	52 (1/week)	5.0 E-14	60	50

^aUnless other units of measure are indicated

MDC = minimum detectable concentrations

TT = turnaround time

Table 2. Regulatory Support Liquid Effluent Sample and Analysis Criteria for 222-S Laboratory

Liquid effluent sample and analysis criteria					
Sample size	Type of analysis	Samples/year (delivery frequency)	MDC ($\mu\text{Ci/mL}$) ^a	TT (days)	Unit price (\$)
0.5 L	Total α and total β	408 (34/month)	2.0 E-09 and 8.0 E-09	30	50
	^{90}Sr	408 (34/month)	2.0 E-08	30	80
	Gamma spec (^{137}Cs)	408 (34/month)	4.0 E-08	30	50
	Total U	228 (19/month)	1.0 E-09 g/mL	30	50
	^3H	180 (15/month)	3.0 E-05	30	50
	^{99}Tc	48 (4/month)	2.0 E-07	30	150
	^{129}I	24 (2/month)	4.0 E-07	30	150
	^{147}Pm	72 (6/month)	1.0 E-06	30	150
1.0 L	^{241}Am	252 (21/month)	1.0 E-08	30	125
	$^{239,240}\text{Pu}$	408 (34/month)	5.0 E-09	30	80
	pH	252 (21/month)	NA	60	50
	TOC	132 (11/month)	1.0 E-05 g/mL	60	80
	NO_3	168 (14/month)	1.0 E-06 g/mL	60	80
	K^+	12 (1/month)	5.0 E-07 g/mL	60	80

^aUnless other units of measure are indicated

TOC = total organic carbon

MDC = minimum detectable concentrations

NA = not applicable

TT = turnaround time

Table 3. Regulatory Support Pond Vegetation and Sediment Sample and Analysis Criteria for 222-S Laboratory

Pond vegetation and sediment sample and analysis criteria					
Sample size (g) (dry weight)	Type of analysis	Samples/year (delivery frequency)	MDC ($\mu\text{Ci/mL}$) ^a	TT (days)	Unit price (\$)
50	⁹⁰ Sr	22 (annually)	1.0 E-05	90	150
200	Gamma spec	22 (annually)	2.0 E-07	90	150
50	^{239,240} Pu	22 (annually)	1.0 E-06	90	150
50	Total U	22 (annually)	1.0 E-07 g/g	90	125

^aUnless other units of measure are indicated

MDC = minimum detectable concentrations

TT = turnaround time

Table 4. Regulatory Support Nonroutine Environmental Sample and Analysis Criteria for 222-S Laboratory^a

Nonroutine environmental sample and analysis criteria					
Sample size	Type of analysis	Samples/year (delivery frequency)	MDC ($\mu\text{Ci/mL}$) ^b	TT (days)	Unit price (\$)
Varies	Total α and total β	50	1.0 E-01	90	80
	⁹⁰ Sr	100	1.0 E-06	90	150
	Gamma spec	100	2.0 E-07	90	150
	^{239,240} Pu	100	1.0 E-06	90	150
	Total U	100	1.0 E-07 g/g	90	125
Total analyses and costs		9,490			492,150

^aThis table presents information for solids analysis only (animals, nests, feces, vegetation, etc.). Occasional nonroutine air and liquid samples, however, may need analyzing by the 222-S Laboratory or preparation for analysis at another laboratory, but their total should be small compared to that of routine samples. Costs and MDCs for analyzing these types of samples should be commensurate with those for routine liquid samples.

^bUnless other units of measure are indicated

MDC = minimum detectable concentrations

TT = turnaround time

GLOSSARY

ACRONYMS AND INITIALISMS

DOE	U.S. Department of Energy
EIS-ODIS	Effluent Information System-Onsite Discharge Information System
EPA	U.S. Environmental Protection Agency
MDC	minimum detectable concentrations
RS	Regulatory Support
TT	turnaround time
Westinghouse Hanford	Westinghouse Hanford Company

DEFINITION OF TERMS

Accuracy. The degree of agreement of a measurement with a true or known value.

Completeness. A measure of the amount of valid data obtained compared to the amount expected under normal conditions.

Precision. A measure of the agreement among individual measurements of the same parameters under similar conditions.

Turnaround time. Elapsed time, in days, from when a sample is received by the laboratory until the analysis results are reported to RS for that sample.

DISTRIBUTION

Number of copies

ONSITE

1	<u>U.S. Department of Energy- Richland Operations Office</u>	
	Public Reading Room	A1-65
78	<u>Westinghouse Hanford Company</u>	
	J. E. Atterberry	T6-14
	M. L. Bell	T6-16
	L. P. Diediker (40)	T1-30
	J. N. Diven	B5-25
	D. A. Dodd	T6-50
	J. J. Dorian	H6-30
	B. G. Erlandson	H6-20
	T. G. Ibsen	T7-26
	G. W. Jackson	H6-21
	R. A. Jones	T6-22
	J. G. Kristofzski	T6-06
	W. D. Leggett	T6-07
	R. P. Marshall	T6-14
	C. J. Perkins	X0-21
	J. K. Perry	H6-20
	J. R. Prilucik	T6-24
	E. F. Riedel	T6-50
	J. W. Schmidt	H6-30
	L. H. Taylor	T6-50
	S. P. Thomas (10)	X0-21
	G. L. Troyer	T6-50
	R. E. Vogel	T6-20
	Central Files	L8-15
	Correspondence Control	A3-01
	President's Office	B3-01
	Information Release Services (3)	A3-36
	Publications Services	R1-08
	EPIC	H4-22

DATE

FILMED

2 / 16 / 94

END