DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

Pre-Decisional Draft

BN-SA-3677 HEDR

BN-SA--3677-HEDR 1

DE93 006346

DETERMINATION OF THE SPATIAL RESOLUTION REQUIRED FOR THE HEDR DOSE CODE

Hanford Environmental Dose
Reconstruction Project
Dose Code Recovery Activities
- Calculation 007

B. A. Napier
J. C. Simpson

December 1992

Prepared for the
Technical Steering Panel
and the Centers for Disease Control
Under Contract 200-92-0503 (CDC)/18620 (BNW)

Battelle
Pacific Northwest Laboratories
Richland, Washington 99352

MASTER

DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED

PREFACE

This report documents one of a series of scoping calculations performed as part of the dose code recovery activities for the Hanford Environmental Dose Reconstruction Project. These scoping calculations form a mutually-dependent set that build upon each other, and each is best read in the context of the others. The complete list of scoping reports is given below.

<u>Title</u>	<u>Calculation Number</u>
Scoping Calculation for Components of the Cow-Milk Dose Pathway for Evaluating the Dose Contribution from Iodine-131	001
Determination of the Contribution of Livestock Water Ingestion to Dose from the Cow-Milk Pathway	002
Determination of Radionuclides and Pathways Contributing to Dose in 1945	003
Determination of Radionuclides and Pathways Contributing to Cumulative Dose	004
Determination of Dose Distributions and Parameter Sensitivity	005
Determination of the Feasibility of Reducing the Spatial Domain of the HEDR Dose Code	006
Determination of the Spatial Resolution Required for the HEDR Dose Code	007
Determination of the Temporal Resolution Required for the HEDR Dose Code	008

Additional scoping calculations are in progress or planned, and each will be documented in similar project reports.

CONTENTS

1.0	INTRODUCTION	1
2.0	TECHNICAL METHODS	3
2.1	CALCULATION OF DOSES	3
2.2	EVALUATION TECHNIQUES	4
3.0	RESULTS/DISCUSSION	7
3.1	EVALUATION OF DOSE MAGNITUDE	7
3.2	EVALUATION OF DOSE GRADIENT	7
3.3	EVALUATION OF UNCERTAINTY VARIATIONS	8
3.4	EVALUATION OF POPULATION CENTERS AND MILK-PRODUCING AREAS.	8
3.5	EVALUATION OF CONFIDENCE IN THE ATMOSPHERIC TRANSPORT MODEL.	9
3.6	ADDITIONAL COMMENTS.	9
4.0	RECOMMENDATIONS	10
5.0	QUALITY ASSURANCE	11
6.0	REFERENCES	12
APPENDIX A -PILOT CODE RESULTS FOR THREE AREAS FOR INFANTS (IAGE=1) AND ADULTS (IAGE=2) WITH ALL PARAMETERS VARYING STOCHASTICALLY .		13
APPENDIX B - PILOT CODE RESULTS FOR THREE AREAS FOR INFANTS WITH DOSE FACTORS AND FEED-TO-MILK TRANSFER FACTORS SET TO CENTRAL VALUES		14

FIGURES

1. Total 1945 Thyroid Dose to Reference Infants Drinking Milk from Cows on Feeding Regime 1. 5

1.0 INTRODUCTION

A series of scoping calculations has been undertaken to evaluate the doses that may have been received by individuals living in the vicinity of the Hanford site. Existing plans for numerical modeling of doses include use of an arbitrarily selected 6-mile by 6-mile atmospheric dispersion grid. The primary impetus for this scoping calculation was to determine if all of the Hanford Environmental Dose Reconstruction (HEDR) Project atmospheric domain need be modeled with a 6-mile by 6-mile environmental grid, or if the doses resulting from atmospheric transport of radionuclides from Hanford could be adequately addressed with somewhat less spatial resolution without loss of accuracy and without influencing the calculated uncertainty. Current conceptual design of the primary HEDR dose code requires compilation of a very large database of intermediate results, and a reduction by about a factor of two in the size of this database could have significant impact on the selection of a final design strategy.

This scoping calculation (Calculation 007) examined the spatial distribution of potential doses resulting from releases in the year 1945. This study builds on the work initiated in the first scoping calculation, of iodine in cow's milk; the third scoping calculation, which added additional pathways; the fifth calculation, which addressed the uncertainty of the dose estimates at a point; and the sixth calculation, which extrapolated the doses throughout the atmospheric transport domain. A projection of dose to representative individuals throughout the proposed HEDR atmospheric transport domain (Ramsdell and Burk 1992) was prepared on the basis of the HEDR source term (Heeb 1992). Addressed in this calculation were the contributions to iodine-131 thyroid dose of infants from 1) air submersion and groundshine external dose, 2) inhalation, 3) ingestion of soil by humans, 4) ingestion of leafy vegetables, 5) ingestion of other vegetables and fruits, 6) ingestion of meat, 7) ingestion of eggs, and 8) ingestion of cows' milk from Feeding Regime 1 as described in scoping calculation 001.

Recommendations determined from scoping calculations are provided to the HEDR Technical Steering Panel (TSP) in order to furnish a definitive technical basis to assist in deciding the overall spatial resolution that should be

included in the HEDR process for estimating dose to individuals. This scoping calculation is designed to provide information pertinent to developing the dose code, especially information relevant to deciding whether particular nodes of the current domain could be combined; the intent is to simplify the amount of information that must be stored and retrieved.

2.0 TECHNICAL METHODS

Thyroid doses were calculated for infants with maximal exposure parameters throughout the current HEDR atmospheric transport domain. The calculation used results from the detailed HEDR source term (Heeb 1992), the HEDR atmospheric transport model RATCHET (Ramsdell and Burk 1992), and the PILOT code developed to provide analyses for preparation of a plan for performing sensitivity and uncertainty analyses of the HEDR model. Individuals were assumed to have a rural lifestyle, with milk supplied by a backyard cow supported on Feeding Regime 1 (HEDR staff 1991, page 2.17). Parameters in the calculations were selected as those intended for use in the main calculational model (Snyder et al. 1992). In the analysis for scoping calculation 005, the distributions from Snyder et al. (1992) were shown to lead to doses for which the uncertainties were dominated by the feed-to-milk transfer factor and the ingestion dose factor. Therefore, analyses were also performed with these two parameters set to constant values, so that the atmospheric transport and deposition values could be evaluated without these confounding factors.

Surface-deposition data used were not Phase I values; rather, they were recalculated (J. V. Ramsdell Jr., personal communication, December 1992) using the RATCHET atmospheric dispersion code (Ramsdell and Burk 1992) based upon the latest Hanford iodine-131 source term information reported by Heeb (Heeb 1992, page 4.36). Daily air concentrations and surface depositions from 100 realizations were used in these scoping calculations (J. V. Ramsdell Jr., personal communication, December 1992).

2.1 CALCULATION OF DOSES

As part of the dose code studies, a prototype implementation of the full set of required equations has been made. This prototype code, called PILOT, is still in development, and has not yet completed the required Quality Assurance testing and documentation; results must be considered to come from unverified software. However, the developers are now reasonably comfortable with its results.

The case simulated was that of an infant drinking milk from a backyard cow being fed on Feeding Regime 1. Monthly thyroid dose results from iodine-131 were estimated using the PILOT code for the combined pathways of 1) air submersion and groundshine external dose, 2) inhalation, 3) ingestion of soil by humans, 4) ingestion of leafy vegetables, 5) ingestion of other vegetables and fruits, 6) ingestion of meat, 7) ingestion of eggs, and 8) ingestion of cows' milk from Feeding Regime 1. These doses included the seasonally-dependent variation in vegetation growth, cow feeding patterns, and fresh food availability.

PILOT code results for 6-mile by 6-mile grid nodes in the vicinity of Baker, Oregon, and Eltopia and Spokane, Washington, are provided in Appendix A with all parameters varying stochastically, and in Appendix B with the feed-to-milk transfer factor and ingestion-dose factor set to constant values. Results for "composite nodes" made up for air concentrations and depositions averaged across each of these sets of nodes are also presented.

2.2 EVALUATION TECHNIQUES

The first evaluation was based on simple magnitudes of dose. The map of estimates developed in scoping calculation 006 was used as a basis for evaluating the extent of the dispersion plume and areas that appeared to have either relatively low doses or small gradients (small rates of change across space). This map is reproduced as Figure 1. Node compounding may be applicable for areas with doses near or below the TSP's dose decision level (Shleien 1992).

An additional evaluation of the dose gradient was made for each of the evaluated locations. The doses were estimated for central nodes and the eight nodes immediately surrounding them, forming compound nodes 18-miles by 18-miles in size. The median dose values at each node in the set were used to estimate rates of change of the dose rate across each area. Measures of the change in dose rate were ratios of maximum/minimum median for the clusters of 9 nodes, average and standard deviation of the nine values, coefficients of variation of the medians, and absolute differences between high and low. This analysis was repeated for contiguous blocks of four, rather than nine, nodes, to evaluate the potential for using 12-mile by 12-mile nodes.

1945 Total Doses

average iodine deposition

- Less than 0.1 rads to thyroid
- 0.1 - 1.0 rads to thyroid
- 1.0 - 5.0 rads to thyroid
- 5.0 - 10.0 rads to thyroid
- 10.0 - 50.0 rads to thyroid
- 50.0 - 100 rads to thyroid
- 100 - 500 rads to thyroid
- 500 - 1000 rads to thyroid
- State lines
- County lines
- Study area
- River
- Cities

FIGURE 1. Total 1945 Dose to Reference Infants Drinking Milk from Cows on Feeding Regime 1

The contribution of atmospheric transport to the uncertainty of the dose was evaluated by investigating the ratios of the 95th percentile to the 5th percentile doses, both for a fully stochastic analysis and for one in which the feed-to-milk transfer factor and ingestion dose factor were held constant. Rough estimates of the variability of the atmospheric dispersion component were also made using the median and 95th percentile value.

Consideration was given to the areas of either large population or known commercial milk production. These areas were located on the map and considered in the evaluation.

Finally, consideration was given to the limits of reliability of the RATCHET model. Use of a Lagrangian puff model over long distances, and in rugged terrain, may add a degree of uncertainty not reflected in the calculated results. The authors' judgement of the overall accuracy of the modeling approach was weighed against the possibility of presenting information in a manner that could be misinterpreted as suggesting more knowledge than is actually available.

3.0 RESULTS/DISCUSSION

The primary impetus for this scoping study was to determine if areas of the HEDR atmospheric domain could be addressed with a resolution of less than a proposed 6-mile by 6-mile grid. The current conceptual design of the primary HEDR dose code requires compilation of a very large database of intermediate results, and a reduction by about a factor of two in the size of this database could have significant impact on the selection of a final design strategy.

3.1 EVALUATION OF DOSE MAGNITUDE

There is a relatively large range of projected doses across the current HEDR atmospheric transport domain. Average thyroid doses to individuals of the group consisting of infants drinking milk from private cows on Feeding Regime 1 range from over 100 rad, near the downwind center of the domain, to less than 0.1 rad along the northwest and southeast corners. These corners correspond to areas in and beyond the Cascade Mountains to the west and the Blue Mountains to the southeast. This result, if coupled with a desire to retain detail in the areas of higher dose, would indicate that the scale should be retained at 6-mile centers in the Columbia Basin and towards the northeast, but could be reduced in the opposing northwest/southeast corners.

3.2 EVALUATION OF DOSE GRADIENT

The steepest gradient in the dose rate field is to the immediate west of the Hanford Site in Yakima County. The gradient is smallest following the prevailing plume footprint along an axis from Hanford towards Spokane. The overall gradient is also fairly smooth in the northwest and southeast corners, where the absolute magnitude is also low. Assuming the desire is to adequately characterize the annual footprint of the plume, this implies that larger nodes could be employed in the northwest, northeast, and southeast corners of the domain.

A strong discriminator was not provided by detailed numerical analysis of the gradients across either 12-mile by 12-mile composite nodes or 18-mile by 18-mile composite nodes. Although the absolute magnitude of doses falls

off more quickly near the center of the domain, the relative ratios of minimum to maximum, or other descriptors of the relative change across space, are essentially the same for regions around Baker, Oregon, and Eltopia and Spokane, Washington. This indicates that in a general sense, the concentrations are decreasing roughly exponentially with distance from Hanford throughout the domain. There is no strong function of gradient that permits an easy choice of breakpoint between 6-mile by 6-mile nodes and a larger size.

3.3 EVALUATION OF UNCERTAINTY VARIATIONS

The ratios of 95th to 5th percentile dose estimate at any node are lowest along the main plume axis trending from Hanford towards Spokane. Measures of overall uncertainty caused by transport and deposition are relatively high along the areas at the edge of the footprint, where either high gradients exist or certain areas are in a situation where they may or may not be subjected to deposition from selected plumes, depending on assumptions of release time or transport variability. These areas of relatively high variability are west towards Yakima and in areas of the extreme northwest and southeast of the domain.

When the various parameters contributing to the overall uncertainty are factored in, the atmospheric transport and deposition do not provide a strong discriminator. There are no areas with obviously higher uncertainty caused by the processes of transport and deposition. Intra-node variations mask any observable trends. This process suggests that the areas near the outer edges of the domain could be combined without affecting the calculated uncertainties by more than a few percent.

3.4 EVALUATION OF POPULATION CENTERS AND MILK-PRODUCING AREAS

The population center nearest the releases is, of course, the Tri-Cities of Richland, Kennewick, and Pasco. Milk was produced in the immediate vicinity, as well as to the east around Walla Walla and to the west up the Yakima River Valley. Population centers in low-dose/high-gradient milk-producing regions include Yakima, Ellensburg, and Wenatchee. The Spokane/Coeur d'Alene area has moderate dose rates, and relatively uniform deposition across the entire area. This might imply that the cities along the

face of the Cascades should receive detailed attention, but that the more populous Spokane Valley could be handled with larger compound nodes.

3.5 EVALUATION OF CONFIDENCE IN THE ATMOSPHERIC TRANSPORT MODEL

A general HEDR staff impression of the RATCHET model is that it should perform best in the region nearest to the Hanford Site, and that the performance will slowly degrade with distance. The performance will be lower at the edges of the current domain because of the influence of the mountains in all directions.

Use of larger grid spacing at the outer edges of the domain would reflect the level of HEDR staff confidence about the reliability of the transport model. Because concerns have been raised in various public review forums about using the RATCHET results over long distances, use of larger nodes near the edge could be a positive way of responding to those apprehensions.

6 ADDITIONAL COMMENTS

It must be emphasized that the dose estimates presented in this scoping calculation do not represent final dose estimates for any person living in the HEDR study area. The computations use parameters selected to represent a general class of potentially exposed individuals, and may not adequately represent any one person. The computation described herein is intended solely as a theoretical screening device to direct the attention and level of detail needed in the development of the final dose code package.

4.0 RECOMMENDATIONS

Scoping calculations were performed to determine the advisability of using dose calculational grid node spacings of other than 6-miles by 6-miles. No clear-cut discriminators could be devised to give unequivocal answers to the questions of scale. The recommendations below are based on an accumulation of evidence tempered by the desire to reduce the HEDRIC environmental accumulation database to approximately one-half of its originally projected size. Based on the results of this scoping study, the following recommendations are made for the HEDR Project:

- A two-part nested grid should be implemented. The inner grid should retain the 6-mile by 6-mile node spacing, with node dimensions of 26 by 36 (156 miles by 216 miles). The outer grid should be composed of 18-mile by 18-mile nodes, 3 rows deep on the north and east boundaries and 2 rows deep on the south and west boundaries of the current domain. This will result in a total of 1064 nodes¹.
- For the purpose, later in the project, of producing maps to represent dose rates to representative individual categories across the domain, the calculations need not include all nodes within the domain. A procedure to produce isopleths on a map using interpolation techniques from a selected subset of nodes would provide adequate information, while reducing computational complexity.

It should be recognized that the recommendation for a nested grid of 1064 nodes is based on the accumulation of evidence, and is subject to debate. However, it fulfills the stated desire of members of the TSP to reduce the complexity of the codes, and it cuts the size of the proposed environmental data base by about a factor of one-half.

¹ Scoping calculation 006 indicated that doses should be evaluated for the full 75,000 square mile HEDR study domain. The number of nodes required to evaluate those doses should be reduced from 2096 to 1064.

5.0 QUALITY ASSURANCE

Quality assurance was undertaken in accordance with PNL-MA-70, Volume 1, Procedures for Quality Assurance Program, under PNL administrative procedure PAP-70-301, "Hand Calculations, General." Complete documentation of the calculation was prepared by the authors, who performed the calculations. A thorough independent review was conducted by a senior scientist independent of the HEDR Project. Documentation is on file and available for review.

6.0 REFERENCES

HEDR staff. 1991. Air Pathway Report; Phase I of the Hanford Environmental Dose Reconstruction Project. PNL-7412 HEDR Rev. 1, Pacific Northwest Laboratory, Richland, Washington.

Heeb, C. M. 1992. Iodine-131 Releases from the Hanford Site, 1944 Through 1947. PNWD-2033 HEDR Vol. 1, Battelle, Pacific Northwest Laboratories, Richland, Washington.

Ramsdell, J. V., Jr., and K. W. Burk. 1992. Regional Atmospheric Transport Code for Hanford Emission Tracking (RATCHET). PNL-8003 HEDR, Pacific Northwest Laboratory, Richland, Washington.

Shleien, B. 1992. Scoping Document for Determination of Temporal and Geographic Domains for the HEDR Project, Technical Steering Panel, Washington State Department of Ecology, Lacey, Washington.

Snyder, S. F., W. T. Farris, B. A. Napier, T. A. Ikenberry, and R. O. Gilbert. 1992. Parameters Used in the Environmental Pathways (DESCARTES) and Radiological Dose (CIDER) Modules of the Hanford Environmental Dose Reconstruction Integrated Codes (HEDRIC) for the Air Pathway. PNWD-2023 HEDR, Battelle, Pacific Northwest Laboratories, Richland, Washington.

APPENDIX A

PILOT CODE RESULTS FOR THREE AREAS FOR INFANTS (IAGE=1) AND ADULTS (IAGE=2)
WITH ALL PARAMETERS VARYING STOCHASTICALLY

The following pages were prepared with the PILOT code. The PILOT output was manipulated into a readable form using commercial software called SAS[®]. Data are provided for three locations and their surroundings: Baker City, Oregon, Eltopia, Washington, and Spokane, Washington. The node representing Baker City is node 152. That representing Eltopia is node 962. The node representing Spokane is node 1507. The other eight nodes surrounding these central nodes are provided also; nodes are numbered sequentially, with the lower numbers being to the south and west on the grid.

Two age groups are also represented in this appendix. Those labeled IAGE=1 are infants. Those labeled IAGE=2 are adults.

Several statistics are provided for each node for each age group. Doses are presented for each month of the year 1945. The months are labeled MON. Results of the stochastic analyses are provided in terms of the minimum (MIN), fifth percentile (P5), twenty-fifth percentile (Q1), median (MEDIAN), seventy-fifth percentile (Q3), ninety-fifth percentile (P95), and maximum (MAX) value calculated in the 100 realizations. The totals at the bottom of each column are the actual calculated totals for the year, they may not be the sum of the individual monthly values.

The SAS System

12:53 Sunday, December 13, 1992 1

IAGE=1 NODE=110

MON	MIN	P5	Q1	MEDIAN	Q3	P95	MAX
1	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000
2	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000
3	0.000000	0.000000	0.000000	0.000000	0.000001	0.000006	0.00010
4	0.000000	0.000001	0.000000	0.000001	0.000001	0.000003	0.00010
5	0.000287	0.002444	0.00498	0.01039	0.03435	0.10786	0.37933
6	0.000177	0.002579	0.00709	0.02043	0.05595	0.33201	1.02461
7	0.000074	0.000948	0.00259	0.00621	0.02031	0.07837	0.80784
8	0.011206	0.041408	0.12210	0.26383	0.48562	2.03874	4.96738
9	0.005934	0.025623	0.04934	0.10564	0.22493	0.49344	2.60794
10	0.001079	0.002921	0.00831	0.01804	0.03401	0.19911	0.58510
11	0.000099	0.000287	0.00066	0.00118	0.00270	0.00787	0.01506
12	0.000008	0.000031	0.00006	0.00012	0.00028	0.00069	0.00150
	0.020359	0.097944	0.22203	0.48859	0.82284	3.62735	7.67948

IAGE=1 NODE=111

MON	MIN	P5	Q1	MEDIAN	Q3	P95	MAX
1	.0000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000
2	.0000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000
3	.0000000	0.000000	0.000000	0.000000	0.000001	0.000006	0.00012
4	.0000003	0.000001	0.000000	0.000000	0.000001	0.000003	0.00009
5	.0001816	0.001164	0.00287	0.00796	0.02094	0.10934	0.22674
6	.0001124	0.001712	0.00498	0.01313	0.03414	0.25333	0.87631
7	.0000594	0.000592	0.00199	0.00405	0.01592	0.06661	0.70859
8	.0071032	0.051410	0.11286	0.26852	0.55985	1.54974	4.21765
9	.0046546	0.021622	0.05729	0.11481	0.24027	0.66856	2.07951
10	.0010372	0.003640	0.00918	0.01882	0.03796	0.23617	0.96541
11	.0001308	0.000205	0.00081	0.00153	0.00295	0.00881	0.01778
12	.0000140	0.000029	0.00008	0.00013	0.00029	0.00070	0.00164
	.016690	0.10812	0.23446	0.48879	0.87406	3.21299	7.30910

IAGE=1 NODE=112

MON	MIN	P5	Q1	MEDIAN	Q3	P95	MAX
1	.0000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000
2	.0000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000
3	.0000000	0.000000	0.000000	0.000000	0.000001	0.000007	0.00014
4	.0000002	0.000001	0.000000	0.000000	0.000001	0.000002	0.00010
5	.0001073	0.000895	0.00226	0.00598	0.01242	0.09735	0.38824
6	.0000701	0.001015	0.00331	0.00735	0.02421	0.21877	0.61155
7	.0000493	0.000427	0.00132	0.00268	0.01296	0.05652	0.61575
8	.0001211	0.053869	0.11925	0.28371	0.58249	1.60649	4.93324
9	.0059760	0.029547	0.05727	0.13307	0.25096	0.68863	2.69988
10	.0010250	0.003780	0.01094	0.01913	0.05230	0.14773	0.45092
11	.0001788	0.000270	0.00076	0.00162	0.00320	0.00772	0.01964
12	.0000197	0.000032	0.00007	0.00014	0.00026	0.00066	0.00177
	.023462	0.10253	0.22776	0.51413	0.90371	3.17693	7.42192

BAKER and surrounding nodes
"Normal" run

IAGE=1 NODE=151

MON	MIN	P5	Q1	MEDIAN	Q3	P95	MAX
1	.0000000	0.000000	0.00000	0.00000	0.00000	0.00000	0.00000
2	.0000000	0.000000	0.00000	0.00000	0.00000	0.00000	0.00000
3	.0000000	0.000000	0.00000	0.00000	0.00001	0.00006	0.00010
4	.0000003	0.000001	0.00000	0.00000	0.00001	0.00002	0.00006
5	.0004203	0.002270	0.00500	0.00974	0.02981	0.10271	0.34610
6	.0001860	0.002228	0.00663	0.02012	0.05172	0.28849	1.08692
7	.0000839	0.000913	0.00250	0.00657	0.01822	0.07902	0.88469
8	.0091012	0.073617	0.17806	0.36433	0.64748	2.63118	6.68321
9	.0065198	0.029959	0.06239	0.13227	0.26391	0.63042	2.35187
10	.0000087	0.003339	0.01112	0.02081	0.04899	0.17662	0.70326
11	.00001374	0.000263	0.00077	0.00153	0.00340	0.00862	0.01610
12	.0000112	0.000030	0.00008	0.00014	0.00033	0.00074	0.00165
	.023358	0.13264	0.29256	0.64752	1.05803	4.53109	9.42443

IAGE=1 NODE=152

MON	MIN	P5	Q1	MEDIAN	Q3	P95	MAX
1	.0000000	0.000000	0.00000	0.00000	0.00000	0.00000	0.00000
2	.0000000	0.000000	0.00000	0.00000	0.00000	0.00000	0.00000
3	.0000000	0.000000	0.00000	0.00000	0.00001	0.00007	0.00013
4	.0000002	0.000001	0.00000	0.00000	0.00001	0.00002	0.00007
5	.0004263	0.001064	0.00293	0.00721	0.02011	0.08538	0.24552
6	.0001047	0.001289	0.00422	0.01245	0.03387	0.22323	0.85636
7	.0000664	0.000629	0.00193	0.00398	0.01517	0.06623	0.75848
8	.0088675	0.051549	0.16675	0.35818	0.63799	3.06937	6.16548
9	.0064691	0.030298	0.07274	0.14051	0.29036	0.73755	1.24954
10	.0009486	0.004114	0.01135	0.02316	0.05365	0.20635	0.40427
11	.0001577	0.000363	0.00082	0.00166	0.00380	0.01033	0.02501
12	.0000132	0.000041	0.00008	0.00015	0.00033	0.00075	0.00217
	.018613	0.10943	0.30534	0.61917	1.05388	4.68703	8.69558

IAGE=1 NODE=153

MON	MIN	P5	Q1	MEDIAN	Q3	P95	MAX
1	0.000000	0.000000	0.00000	0.00000	0.00000	0.00000	0.00000
2	0.000000	0.000000	0.00000	0.00000	0.00000	0.00000	0.00000
3	0.000000	0.000000	0.00000	0.00000	0.00001	0.00007	0.00015
4	0.000000	0.000000	0.00000	0.00000	0.00000	0.00002	0.00008
5	0.000184	0.000844	0.00209	0.00472	0.01323	0.07315	0.20680
6	0.000077	0.000800	0.00295	0.00718	0.02169	0.18444	0.58566
7	0.000055	0.000450	0.00140	0.00275	0.01220	0.05590	0.64354
8	0.013124	0.058312	0.17248	0.33051	0.70562	2.28539	7.27229
9	0.005644	0.032929	0.07768	0.15429	0.28580	0.63942	1.46017
10	0.002346	0.003273	0.01218	0.02934	0.04628	0.12156	0.69507
11	0.000147	0.000207	0.00088	0.00180	0.00353	0.00824	0.02293
12	0.000015	0.000032	0.00009	0.00015	0.00030	0.00074	0.00168
	0.040044	0.13164	0.32555	0.57146	1.03772	3.37698	9.61173

BAKER and surrounding nodes
"Normal" run

IAGE=1 NODE=192

MON	MIN	P5	Q1	MEDIAN	Q3	P95	MAX
1	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.0000
2	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.0000
3	0.000000	0.000000	0.000000	0.000000	0.000001	0.000006	0.0001
4	0.000000	0.000001	0.000000	0.000000	0.000001	0.000002	0.0000
5	0.000323	0.001795	0.00442	0.00943	0.02794	0.08407	0.4943
6	0.000168	0.002143	0.00656	0.01979	0.04943	0.27013	1.0559
7	0.000101	0.000963	0.00251	0.00705	0.02088	0.08450	0.9331
8	0.015051	0.083254	0.26019	0.48778	0.94240	2.72815	11.8248
9	0.004401	0.044251	0.07815	0.14801	0.31229	0.69353	2.9064
10	0.000962	0.004556	0.01083	0.02591	0.04953	0.17185	0.2743
11	0.000205	0.000441	0.00105	0.00173	0.00427	0.00928	0.0213
12	0.000024	0.000049	0.00010	0.00018	0.00036	0.00075	0.0020
	0.040967	0.17560	0.40317	0.75094	1.36397	4.58713	15.2316

IAGE=1 NODE=193

MON	MIN	P5	Q1	MEDIAN	Q3	P95	MAX
1	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000
2	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000
3	0.000000	0.000000	0.000000	0.000000	0.000001	0.000007	0.00014
4	0.000000	0.000000	0.000000	0.000000	0.000000	0.000002	0.00005
5	0.000132	0.00118	0.00239	0.00745	0.01645	0.06174	0.24488
6	0.000098	0.00140	0.00364	0.01108	0.03365	0.21294	0.72906
7	0.000080	0.00062	0.00182	0.00427	0.01589	0.07048	0.78279
8	0.020483	0.11038	0.24447	0.49674	0.94082	3.32101	7.75292
9	0.007315	0.04470	0.08230	0.16726	0.32706	0.84286	1.51530
10	0.001173	0.00400	0.01144	0.02521	0.04669	0.20097	2.01113
11	0.000182	0.00046	0.00084	0.00205	0.00396	0.00845	0.02593
12	0.000018	0.00004	0.00009	0.00018	0.00036	0.00074	0.00232
	0.043458	0.18819	0.35976	0.76464	1.49151	5.29394	12.5533

IAGE=1 NODE=194

MON	MIN	P5	Q1	MEDIAN	Q3	P95	MAX
1	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.0000
2	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.0000
3	0.000000	0.000000	0.000000	0.000000	0.000001	0.000008	0.0002
4	0.000000	0.000000	0.000000	0.000000	0.000000	0.000001	0.0001
5	0.000174	0.000530	0.00168	0.00541	0.01150	0.05004	0.4665
6	0.000068	0.000747	0.00293	0.00655	0.02098	0.19270	0.5831
7	0.000066	0.000454	0.00137	0.00282	0.01186	0.05884	0.6575
8	0.026657	0.067158	0.20933	0.43996	0.83412	3.00851	10.3997
9	0.006593	0.042912	0.08879	0.16399	0.34158	0.99785	2.2721
10	0.001495	0.004804	0.01343	0.02677	0.06183	0.27826	1.0734
11	0.000174	0.000340	0.00096	0.00186	0.00432	0.01196	0.0259
12	0.000018	0.000040	0.00008	0.00017	0.00035	0.00087	0.0023
	0.046087	0.14073	0.35623	0.70852	1.26673	4.26515	13.6954

BAKER and surrounding nodes
"Normal" run

IAGE=2 NODE=110

MON	MIN	P5	Q1	MEDIAN	Q3	P95	MAX
1	.00000000	.0000000	0.000000	0.000000	0.000000	0.00000	0.00000
2	.00000000	.0000000	0.000000	0.000000	0.000000	0.00000	0.00000
3	.00000000	.0000000	0.000000	0.000000	0.000005	0.00001	0.00003
4	.00000017	.0000004	0.000001	0.000002	0.000004	0.00001	0.00002
5	.00018278	.0003010	0.000818	0.001552	0.003091	0.00958	0.03252
6	.00020375	.0004757	0.001014	0.002316	0.006459	0.03044	0.07407
7	.00002121	.0000706	0.000184	0.000492	0.001982	0.00772	0.04112
8	.00083822	.0041815	0.016465	0.033003	0.078949	0.21618	0.36767
9	.00088231	.0027123	0.007597	0.015720	0.030413	0.05840	0.17555
10	.00019524	.0004603	0.001945	0.002895	0.005348	0.01268	0.03631
11	.00000778	.0000212	0.000099	0.000205	0.000316	0.00074	0.00258
12	.00000125	.0000051	0.000013	0.000025	0.000057	0.00010	0.00038
	.0032381	.010960	0.034168	0.060042	0.11906	0.31667	0.52675

IAGE=2 NODE=111

MON	MIN	P5	Q1	MEDIAN	Q3	P95	MAX
1	.00000000	.0000000	0.000000	0.000000	0.000000	0.00000	0.00000
2	.00000000	.0000000	0.000000	0.000000	0.000000	0.00000	0.00000
3	.00000000	.0000000	0.000000	0.000000	0.000005	0.00001	0.00004
4	.00000013	.0000002	0.000001	0.000002	0.000003	0.00001	0.00001
5	.00006721	.0001575	0.000585	0.001110	0.002105	0.00823	0.03323
6	.00010406	.0002846	0.000654	0.001512	0.004493	0.02424	0.05924
7	.00001286	.0000447	0.000134	0.000349	0.001441	0.00649	0.03785
8	.00066599	.0042066	0.017186	0.037152	0.073180	0.19445	0.32763
9	.00072685	.0026096	0.008914	0.015835	0.032311	0.05880	0.18310
10	.00024454	.0005703	0.001828	0.003367	0.005841	0.02284	0.06333
11	.00000767	.0000258	0.000111	0.000213	0.000341	0.00076	0.00230
12	.00000194	.0000053	0.000014	0.000026	0.000053	0.00012	0.00042
	.0019392	.011935	0.034418	0.067985	0.12306	0.30844	0.41833

IAGE=2 NODE=112

MON	MIN	P5	Q1	MEDIAN	Q3	P95	MAX
1	.00000000	.0000000	0.000000	0.000000	0.000000	0.00000	0.00000
2	.00000000	.0000000	0.000000	0.000000	0.000000	0.00000	0.00000
3	.00000000	.0000000	0.000000	0.000000	0.000004	0.00002	0.00004
4	.00000001	.0000002	0.000001	0.000001	0.000002	0.00001	0.00001
5	.0000486	.0001278	0.000402	0.000731	0.001669	0.00494	0.03051
6	.0000601	.0002005	0.000417	0.001011	0.003297	0.01772	0.05875
7	.0000085	.0000288	0.000094	0.000248	0.001164	0.00536	0.03413
8	.0010211	.0043190	0.018218	0.036301	0.084803	0.17195	0.32860
9	.0009040	.0038296	0.009237	0.017160	0.030619	0.06775	0.20528
10	.0001025	.0005761	0.001867	0.003436	0.007978	0.01506	0.05914
11	.0000063	.0000270	0.000112	0.000209	0.000328	0.00073	0.00196
12	.0000017	.0000043	0.000014	0.000027	0.000051	0.00012	0.00043
	.0027934	.014568	0.036447	0.064341	0.12298	0.25718	0.53883

BAKER and surrounding nodes
"Normal" run

IAGE=2 NODE=151

MON	MIN	P5	Q1	MEDIAN	Q3	P95	MAX
1	.00000000	.00000000	0.000000	0.000000	0.000000	0.000000	0.000000
2	.00000000	.00000000	0.000000	0.000000	0.000000	0.000000	0.000000
3	.00000000	.00000000	0.000000	0.000000	0.000000	0.000002	0.000004
4	.00000013	.00000002	0.0000001	0.0000001	0.000000	0.000001	0.000001
5	.00017629	.0003142	0.000735	0.001361	0.00268	0.01087	0.02529
6	.00019911	.0004483	0.000931	0.002349	0.00643	0.02922	0.05705
7	.00002367	.0000697	0.000199	0.000551	0.00205	0.00810	0.04272
8	.00072999	.0066036	0.022709	0.049921	0.12218	0.27382	0.38126
9	.00080693	.0037047	0.010202	0.018180	0.03636	0.07609	0.20828
10	.00012350	.0005953	0.002122	0.003431	0.00630	0.02110	0.09797
11	.00000945	.0000325	0.000128	0.000264	0.00041	0.00080	0.00273
12	.00000218	.0000057	0.000016	0.000030	0.00007	0.00013	0.00041
	.0023338	.016588	0.046284	0.086350	0.10660	0.39274	0.62659

IAGE=2 NODE=152

MON	MIN	P5	Q1	MEDIAN	Q3	P95	MAX
1	.00000000	.00000000	0.000000	0.000000	0.000000	0.000000	0.000000
2	.00000000	.00000000	0.000000	0.000000	0.000000	0.000000	0.000000
3	.00000000	.00000000	0.000000	0.000000	0.000001	0.000002	0.000004
4	.00000006	.00000002	0.0000001	0.0000001	0.000000	0.000001	0.000001
5	.00010622	.0002123	0.000517	0.000904	0.00254	0.00869	0.01678
6	.00009823	.0002744	0.000667	0.001455	0.00402	0.02200	0.04773
7	.00001454	.0000479	0.000132	0.000360	0.00145	0.00678	0.03810
8	.00082668	.0062038	0.023792	0.055650	0.10285	0.26898	0.42489
9	.00080073	.0033243	0.011593	0.019633	0.03816	0.07247	0.24409
10	.00026937	.0006278	0.002217	0.004278	0.00717	0.01876	0.03865
11	.00000892	.0000310	0.000147	0.000256	0.00039	0.00086	0.00283
12	.00000153	.0000062	0.000018	0.000030	0.00006	0.00012	0.00045
	.0021756	.013293	0.047675	0.089500	0.15609	0.35142	0.62616

IAGE=2 NODE=153

MON	MIN	P5	Q1	MEDIAN	Q3	P95	MAX
1	.00000000	.00000000	0.000000	0.000000	0.000000	0.000000	0.000000
2	.00000000	.00000000	0.000000	0.000000	0.000000	0.000000	0.000000
3	.00000000	.00000000	0.000000	0.000000	0.000004	0.000002	0.000005
4	.00000003	.00000002	0.000000	0.0000001	0.000002	0.000001	0.000001
5	.00004414	.0000958	0.000340	0.000668	0.001581	0.00487	0.01135
6	.00004954	.0001875	0.000409	0.000966	0.002838	0.01472	0.04621
7	.00000901	.0000355	0.000095	0.000266	0.001158	0.00528	0.03325
8	.00087325	.0086663	0.026088	0.048275	0.091410	0.22726	0.42433
9	.00081495	.0030845	0.011347	0.021673	0.037251	0.07187	0.23292
10	.00012304	.0006076	0.002011	0.004569	0.007874	0.01674	0.06196
11	.00000698	.0000366	0.000126	0.000249	0.000401	0.00072	0.00192
12	.00000235	.0000045	0.000018	0.000030	0.000054	0.00013	0.00045
	.0020568	.019198	0.044968	0.081106	0.15188	0.36559	0.59303

BAKER and surrounding nodes
"Normal" run

IAGE=2 NODE=192

MON	MIN	P5	Q1	MEDIAN	Q3	P95	MAX
1	.00000000	.00000000	0.000000	0.000000	0.000000	0.000000	0.000000
2	.00000000	.00000000	0.000000	0.000000	0.000000	0.000000	0.000000
3	.00000000	.00000000	0.000000	0.000000	0.000001	0.000002	0.000004
4	.00000005	.00000002	0.000001	0.000001	0.000000	0.000001	0.000001
5	.00005882	.0002347	0.000624	0.001448	0.00243	0.01074	0.02357
6	.00019180	.0003720	0.000886	0.002279	0.00635	0.02705	0.04711
7	.00002825	.0000697	0.000221	0.000583	0.00214	0.00822	0.04470
8	.00086816	.0006258	0.037188	0.084316	0.14821	0.42281	0.88007
9	.00085421	.0044285	0.013644	0.023234	0.04457	0.10020	0.34856
10	.00030177	.0006753	0.002378	0.004195	0.00397	0.01829	0.06731
11	.00001830	.0000477	0.000201	0.000303	0.00056	0.00092	0.00382
12	.00000304	.0000084	0.000019	0.000037	0.00007	0.00017	0.00045
	.0024709	.022961	0.060054	0.11233	0.21644	0.58330	1.35956

IAGE=2 NODE=193

MON	MIN	P5	Q1	MEDIAN	Q3	P95	MAX
1	.00000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000
2	.00000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000
3	.00000000	0.000000	0.000000	0.000000	0.000001	0.000002	0.000005
4	.00000002	0.000000	0.000000	0.000001	0.000000	0.000000	0.000001
5	.00007120	0.000143	0.000452	0.000947	0.00176	0.00704	0.01630
6	.00009714	0.000233	0.000603	0.001518	0.00379	0.01990	0.03573
7	.00001595	0.000048	0.000143	0.000392	0.00149	0.00652	0.03849
8	.00096887	0.012282	0.038972	0.079545	0.13863	0.34280	0.67109
9	.00086286	0.004709	0.014325	0.027282	0.04588	0.09169	0.24370
10	.00014195	0.000827	0.002428	0.004349	0.00900	0.02551	0.07922
11	.00000950	0.000047	0.000189	0.000291	0.00054	0.00098	0.00217
12	.00000248	0.000007	0.000018	0.000036	0.00006	0.00014	0.00046
	.0023393	0.020724	0.065854	0.12456	0.18978	0.47611	0.75627

IAGE=2 NODE=194

MON	MIN	P5	Q1	MEDIAN	Q3	P95	MAX
1	.00000000	.00000000	0.000000	0.000000	0.000000	0.000000	0.000000
2	.00000000	.00000000	0.000000	0.000000	0.000000	0.000000	0.000000
3	.00000000	.00000000	0.000000	0.000000	0.000000	0.000002	0.000005
4	.00000000	.00000001	0.000000	0.000001	0.000000	0.000000	0.000001
5	.0000596	.0000960	0.000285	0.000739	0.00132	0.00516	0.01764
6	.0000502	.0001421	0.000362	0.000955	0.00254	0.01392	0.02922
7	.0000091	.0000384	0.000101	0.000274	0.00112	0.00507	0.03220
8	.00111130	.00093459	0.034398	0.070870	0.12399	0.32914	0.54745
9	.0008985	.0044706	0.013664	0.024627	0.04782	0.10372	0.25589
10	.0002078	.0007749	0.002435	0.004987	0.00863	0.01727	0.03541
11	.0000194	.0000413	0.000183	0.000306	0.00049	0.00088	0.00214
12	.0000018	.0000056	0.000018	0.000031	0.00006	0.00014	0.00046
	.0023822	.018998	0.058367	0.098652	0.17657	0.46780	0.69953

IAGE=1 NODE=9001

MON	MIN	P5	Q1	MEDIAN	Q3	P95	MAX
1	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000
2	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000
3	0.000000	0.000000	0.000000	0.000000	0.000001	0.000007	0.000013
4	0.000000	0.000001	0.000000	0.000000	0.000001	0.000002	0.000007
5	0.000286	0.001529	0.00348	0.00735	0.01908	0.08652	0.27422
6	0.000117	0.001598	0.00468	0.01335	0.03495	0.23453	0.79817
7	0.000070	0.000695	0.00210	0.00447	0.01565	0.06727	0.75369
8	0.016450	0.065754	0.18877	0.35869	0.74505	2.79660	6.88346
9	0.006327	0.035381	0.06869	0.14659	0.28266	0.60839	2.37927
10	0.001031	0.004362	0.01187	0.02307	0.05246	0.16155	0.72687
11	0.000174	0.000372	0.00081	0.00173	0.00354	0.00945	0.01690
12	0.000014	0.000038	0.00008	0.00016	0.00032	0.00072	0.00169
	0.036187	0.13143	0.31271	0.58394	1.13155	4.26254	9.37133

IAGE=2 NODE=9001

MON	MIN	P5	Q1	MEDIAN	Q3	P95	MAX
1	.0000000	.0000000	0.000000	0.000000	0.000000	0.000000	0.000000
2	.0000000	.0000000	0.000000	0.000000	0.000000	0.000000	0.000000
3	.0000000	.0000000	0.000000	0.000000	0.000001	0.000002	0.000004
4	.0000001	.0000002	0.000001	0.000001	0.000000	0.000001	0.000001
5	.0001135	.0002390	0.000541	0.000970	0.00200	0.00739	0.02335
6	.0001204	.0003001	0.000728	0.001556	0.00437	0.02238	0.05432
7	.0000167	.0000518	0.000141	0.000391	0.00155	0.00684	0.03816
8	.0012866	.0088222	0.027255	0.049070	0.11081	0.30172	0.62920
9	.0011992	.0038466	0.010475	0.020621	0.03791	0.08162	0.27708
10	.0001679	.0006898	0.002308	0.004090	0.00702	0.02274	0.10454
11	.0000123	.0000375	0.000156	0.000258	0.00040	0.00077	0.00266
12	.0000015	.0000067	0.000017	0.000030	0.00006	0.00013	0.00043
	.0048408	.016347	0.044305	0.082670	0.15634	0.42734	1.06254

BAKER and surrounding nodes
"Normal" run

IAGE=1 NODE=920

MON	MIN	P5	Q1	MEDIAN	Q3	P95	MAX
1	0.00062	0.00164	0.0046	0.0099	0.0186	0.030	0.059
2	0.00042	0.00067	0.0021	0.0034	0.0062	0.017	0.057
3	0.00011	0.00024	0.0009	0.0022	0.0043	0.013	0.035
4	0.00824	0.01350	0.0431	0.0913	0.2842	1.743	10.265
5	0.41107	1.73874	3.9340	8.7999	14.9440	54.991	122.974
6	1.17489	3.70371	7.5437	14.2137	26.5305	94.464	233.669
7	1.86386	5.91029	10.6230	22.7773	43.0717	125.040	283.077
8	1.77081	6.39346	17.9419	33.5071	69.7636	157.113	418.274
9	1.85933	4.65779	14.2710	23.2169	50.0952	171.936	260.753
10	1.81932	3.96132	12.3010	32.7298	69.0173	208.337	527.013
11	0.20276	0.35825	0.7476	1.3217	2.5027	5.571	11.461
12	0.13296	0.17952	0.4500	0.6075	0.9013	1.753	2.898
	9.56993	33.4974	77.3719	153.186	271.203	771.088	1702.07

IAGE=1 NODE=921

MON	MIN	P5	Q1	MEDIAN	Q3	P95	MAX
1	0.00032	0.00073	0.0029	0.0061	0.0158	0.042	0.113
2	0.00040	0.00087	0.0021	0.0035	0.0060	0.021	0.033
3	0.00010	0.00021	0.0007	0.0020	0.0050	0.020	0.068
4	0.00608	0.01238	0.0415	0.0826	0.2401	1.120	8.793
5	0.47687	1.14596	2.8578	5.9105	10.9566	45.330	90.067
6	1.07419	3.04427	5.9043	12.5851	21.8868	96.859	342.477
7	1.59246	4.49683	9.6165	18.4824	36.9241	127.471	293.691
8	1.58799	5.30948	12.5120	22.4215	39.9264	106.621	294.494
9	1.56472	3.59830	11.2593	18.1216	36.1305	134.627	232.992
10	1.85211	2.25525	8.7621	21.2300	63.7722	129.796	699.043
11	0.15549	0.35015	0.6980	1.2802	2.1746	6.076	13.191
12	0.08382	0.14566	0.3156	0.4416	0.6554	1.173	1.732
	9.95970	25.7420	60.2450	103.773	211.323	592.842	1504.89

IAGE=1 NODE=922

MON	MIN	P5	Q1	MEDIAN	Q3	P95	MAX
1	0.00054	0.00085	0.00317	0.0061	0.0164	0.0359	0.068
2	0.00050	0.00075	0.00183	0.0031	0.0053	0.0135	0.026
3	0.00010	0.00014	0.00051	0.0017	0.0037	0.0123	0.112
4	0.00455	0.00957	0.02158	0.0466	0.1483	0.8706	3.117
5	0.30205	1.11903	2.24411	4.8920	9.0597	33.3798	83.253
6	0.58096	2.34320	4.65791	9.5936	16.2154	66.9187	143.354
7	0.68923	2.44179	5.17403	10.5963	19.8098	70.5192	209.658
8	0.59906	2.62865	5.21517	9.6700	17.4604	51.8141	116.397
9	0.80638	1.91264	4.97474	8.6952	16.4711	54.1415	110.136
10	0.37791	1.10272	4.85605	9.7305	20.2716	54.7279	318.713
11	0.11528	0.18601	0.28064	0.5510	0.8603	2.4850	3.896
12	0.07992	0.10879	0.20895	0.3211	0.4651	0.8170	1.669
	5.08898	14.3072	29.3773	61.0795	104.888	316.798	806.661

IAGE=1 NODE=961

MON	MIN	P5	Q1	MEDIAN	Q3	P95	MAX
1	0.00039	0.00074	0.0034	0.0109	0.0216	0.071	0.122
2	0.00043	0.00114	0.0032	0.0070	0.0114	0.031	0.060
3	0.00016	0.00031	0.0009	0.0027	0.0034	0.010	0.021
4	0.01129	0.01848	0.0536	0.1198	0.4190	3.102	23.061
5	0.92942	3.79346	8.1834	15.8630	29.8157	91.931	269.694
6	2.15779	7.64628	17.2201	34.3212	61.2816	201.729	504.014
7	1.83830	5.87548	17.0399	29.7758	63.1683	187.107	373.985
8	2.13150	6.61121	14.3889	28.0609	58.3714	151.486	371.563
9	2.41392	5.36380	15.5647	28.5355	59.9391	177.806	403.995
10	1.34043	3.43399	12.0386	29.0674	61.4976	197.610	862.744
11	0.14806	0.36310	0.5920	1.1935	2.1041	5.606	10.303
12	0.11201	0.15064	0.3093	0.4618	0.6284	1.130	1.773
	12.8504	39.5476	95.7594	165.243	367.308	849.152	2678.87

IAGE=1 NODE=962

MON	MIN	P5	Q1	MEDIAN	Q3	P95	MAX
1	0.00024	0.00057	0.0029	0.0069	0.0138	0.033	0.078
2	0.00064	0.00099	0.0031	0.0065	0.0091	0.027	0.071
3	0.00011	0.00022	0.0007	0.0015	0.0028	0.007	0.018
4	0.01141	0.01606	0.0347	0.1010	0.3672	2.237	10.613
5	0.65844	2.84495	5.9772	10.9169	20.3211	62.160	222.960
6	1.40124	4.98530	13.4899	23.9695	40.6614	141.361	318.204
7	1.36670	5.37240	13.9109	22.0222	46.6895	142.473	230.011
8	1.16252	4.28935	8.0140	15.9502	28.5058	82.256	155.683
9	1.57015	4.02632	11.0360	21.3312	39.1105	115.432	398.091
10	0.74729	2.15239	6.2230	21.4544	48.4611	133.763	302.585
11	0.10065	0.19305	0.4023	0.8573	1.6475	3.680	8.032
12	0.05589	0.10628	0.2090	0.2996	0.4120	0.824	1.122
	9.07807	26.3672	65.1013	124.847	210.965	592.406	1545.53

IAGE=1 NODE=963

MON	MIN	P5	Q1	MEDIAN	Q3	P95	MAX
1	0.00020	0.00047	0.0020	0.0043	0.0090	0.016	0.025
2	0.00074	0.00114	0.0031	0.0060	0.0106	0.029	0.096
3	0.00012	0.00019	0.0009	0.0020	0.0047	0.019	0.060
4	0.00830	0.01257	0.0317	0.0859	0.2273	1.468	3.404
5	0.41245	2.24392	4.8686	9.3837	19.3442	57.390	152.637
6	1.01060	3.89314	10.9679	20.6607	34.1359	123.142	242.380
7	1.30315	4.03761	9.0532	15.6283	29.3194	95.943	184.382
8	0.75938	2.02430	5.1734	8.0435	18.9524	52.997	96.578
9	1.48795	2.55032	7.1089	12.5802	25.1773	74.028	197.567
10	1.31763	1.90360	5.8864	16.2717	31.9953	130.245	292.784
11	0.09754	0.18126	0.3742	0.7774	1.5093	3.699	9.742
12	0.05425	0.07541	0.1788	0.2493	0.3717	0.732	1.058
	6.75213	20.6875	47.9270	83.8072	161.613	499.176	892.072

ELTOPIA and surrounding nodes
"Normal" run

MON	MIN	P5	Q1	MEDIAN	Q3	P95	MAX
1	0.00024	0.00037	0.0014	0.0032	0.0072	0.017	0.041
2	0.00088	0.00118	0.0027	0.0045	0.0077	0.015	0.022
3	0.00017	0.00086	0.0021	0.0048	0.0122	0.042	0.073
4	0.01640	0.03521	0.0741	0.1638	0.5067	2.907	6.308
5	1.17592	3.83980	8.5922	16.8748	35.1901	106.371	508.440
6	1.38755	5.32201	14.7452	27.9828	56.6004	191.163	453.365
7	1.74703	4.78352	12.7741	21.2085	42.2214	138.702	300.678
8	2.51435	4.96344	11.1513	19.3708	43.6349	129.144	359.218
9	2.34058	7.85310	18.4486	33.9127	69.5925	237.922	526.991
10	0.58754	2.19250	10.3182	20.4582	54.5994	153.905	304.647
11	0.14081	0.23541	0.4897	0.7700	1.6534	4.122	6.933
12	0.06566	0.11108	0.2210	0.2909	0.4713	0.788	1.297
	13.2224	33.9857	84.0014	157.530	306.024	925.516	1987.79

MON	MIN	P5	Q1	MEDIAN	Q3	P95	MAX
1	0.00018	0.00033	0.0012	0.0027	0.0050	0.012	0.068
2	0.00102	0.00145	0.0030	0.0061	0.0096	0.022	0.055
3	0.00014	0.00040	0.0009	0.0022	0.0041	0.011	0.024
4	0.00982	0.01628	0.0554	0.1243	0.3279	1.482	6.522
5	0.63886	2.76563	6.5564	11.1362	23.9920	75.716	166.941
6	0.87424	5.69579	14.1845	25.6928	47.2087	178.563	304.330
7	1.88277	4.83714	10.3970	19.0809	33.3515	115.673	283.769
8	1.57505	4.19466	8.9507	16.1429	29.3478	100.196	245.947
9	1.60650	4.25949	12.6244	23.2886	50.9190	146.697	316.820
10	0.37748	1.88105	8.4236	18.4962	45.7502	114.844	502.754
11	0.10733	0.21099	0.4083	0.6952	1.3440	3.291	4.154
12	0.05543	0.09500	0.1624	0.2232	0.3564	0.655	1.221
	9.21157	23.7566	63.9303	117.545	230.127	674.418	1601.59

MON	MIN	P5	Q1	MEDIAN	Q3	P95	MAX
1	0.00012	0.00019	0.0009	0.0027	0.0052	0.013	0.024
2	0.00088	0.00164	0.0039	0.0071	0.0130	0.031	0.059
3	0.00014	0.00030	0.0011	0.0023	0.0038	0.013	0.029
4	0.000784	0.01242	0.0331	0.0666	0.2509	1.023	2.199
5	0.52080	2.27780	5.0432	9.3010	17.0887	57.211	131.677
6	1.04631	5.17366	11.6496	23.4973	36.8291	136.552	325.069
7	1.07749	3.14768	7.0069	13.4253	23.5668	62.887	188.282
8	1.12768	2.29254	5.9636	10.5098	20.9963	67.890	131.407
9	1.24433	3.80385	9.8431	17.4173	32.8639	111.407	381.269
10	0.86563	1.24594	4.5815	12.8912	34.8945	132.988	162.178
11	0.08483	0.12617	0.2750	0.4980	1.0208	2.625	4.199
12	0.04236	0.06449	0.1364	0.1893	0.2977	0.617	0.784
	6.73425	18.6235	47.7267	95.2658	165.219	539.390	1067.24

A.11

IAGE=2 NODE=920

MON	MIN	P5	Q1	MEDIAN	Q3	P95	MAX
1	0.00030	0.00053	0.00309	0.00623	0.01533	0.0423	0.1046
2	0.00020	0.00052	0.00081	0.00156	0.00288	0.0067	0.0131
3	0.00005	0.00011	0.00036	0.00110	0.00243	0.0062	0.0091
4	0.01174	0.01618	0.03296	0.05733	0.11643	0.4136	0.6977
5	0.10945	0.21302	0.51283	0.83487	1.69838	4.4040	6.1289
6	0.19984	0.43877	0.97211	1.49657	2.90459	5.6601	11.1917
7	0.53016	0.88568	2.10356	3.62931	5.88756	13.8392	33.5548
8	0.40272	1.18566	2.36372	4.15422	6.85861	13.7021	30.5065
9	0.33123	0.95826	1.54339	2.82113	4.77646	9.5945	16.9652
10	0.63282	1.09001	2.62670	4.73248	7.71606	15.3214	41.5860
11	0.06753	0.12304	0.21055	0.35582	0.51199	1.1853	2.4538
12	0.09882	0.14612	0.28135	0.44540	0.74669	1.5892	2.9391
	2.45241	6.66574	11.5055	20.6643	29.6648	59.8382	134.299

IAGE=2 NODE=921

MON	MIN	P5	Q1	MEDIAN	Q3	P95	MAX
1	0.00013	0.00051	0.00134	0.00371	0.00818	0.0364	0.0875
2	0.00024	0.00036	0.00083	0.00152	0.00299	0.0073	0.0101
3	0.00003	0.00006	0.00026	0.00098	0.00277	0.0091	0.0144
4	0.00402	0.01077	0.02857	0.05225	0.10575	0.2925	0.4664
5	0.05612	0.17922	0.35836	0.63126	1.02528	2.7921	4.5039
6	0.13869	0.39994	0.80911	1.38581	2.54354	5.4689	7.3881
7	0.30097	0.64075	1.71285	3.18043	5.25494	10.0435	25.5983
8	0.38250	0.96855	1.97242	3.10516	5.0767	9.5896	25.6330
9	0.43974	0.75582	1.42541	2.35338	3.11111	8.8361	15.7192
10	0.78764	1.12975	2.39016	4.36849	7.29032	12.4126	35.3464
11	0.08972	0.13151	0.25510	0.36807	0.50538	1.3615	2.7839
12	0.06251	0.10549	0.19253	0.32511	0.53792	0.9608	2.4997
	2.85784	5.30009	10.2585	17.6664	25.8138	49.2391	80.2278

IAGE=2 NODE=922

MON	MIN	P5	Q1	MEDIAN	Q3	P95	MAX
1	0.00017	0.00057	0.00137	0.00403	0.00750	0.02327	0.0723
2	0.00027	0.00036	0.00087	0.00153	0.00314	0.00712	0.0121
3	0.00002	0.00003	0.00018	0.00075	0.00185	0.00588	0.0127
4	0.00207	0.00485	0.01538	0.03094	0.05786	0.17070	0.3805
5	0.04435	0.14909	0.28359	0.53019	0.89553	2.17384	4.4560
6	0.09172	0.26808	0.52158	1.04176	1.86637	4.10487	6.5305
7	0.10859	0.41651	1.01161	1.73182	2.85726	6.42940	9.8762
8	0.13879	0.39804	0.87496	1.30999	2.22860	4.44900	9.7394
9	0.17294	0.31209	0.59076	0.85290	1.58823	4.31206	6.2724
10	0.21723	0.40425	0.92153	1.43747	2.63511	4.66663	15.6327
11	0.03274	0.05399	0.11529	0.17483	0.25123	0.52190	1.5324
12	0.03859	0.06507	0.14407	0.24115	0.36134	0.89549	1.9085
	1.05139	2.76002	4.81760	8.03994	13.0837	24.6317	49.0528

IAGE=2 NODE=961

MON	MIN	P5	Q1	MEDIAN	Q3	P95	MAX
1	0.00026	0.00080	0.00227	0.00751	0.01935	0.0745	0.2061
2	0.00026	0.00050	0.00178	0.00320	0.00627	0.0164	0.0407
3	0.00007	0.00010	0.00026	0.00069	0.00181	0.0037	0.0072
4	0.01464	0.02341	0.04107	0.07602	0.16698	0.3701	1.3346
5	0.17115	0.44456	0.93595	1.40696	2.85059	8.9631	13.2632
6	0.44562	1.18730	2.15414	3.31147	7.11512	17.2476	30.2965
7	0.74550	1.10167	2.47153	5.79430	9.29919	16.5453	25.9597
8	0.53219	1.07834	2.34233	4.01333	7.04443	11.0126	26.4881
9	0.44335	0.93292	1.94027	3.57088	5.56134	13.2316	25.3258
10	0.57210	1.09682	2.29450	4.22180	7.32123	20.2965	38.3641
11	0.04545	0.09590	0.15862	0.25967	0.38474	0.9865	1.6950
12	0.06559	0.11387	0.18474	0.34323	0.51508	0.9945	1.4877
	3.17230	6.93193	14.0216	22.0478	40.0214	88.0837	153.573

IAGE=2 NODE=962

MON	MIN	P5	Q1	MEDIAN	Q3	P95	MAX
1	0.00018	0.00046	0.00168	0.00447	0.01113	0.0321	0.1517
2	0.00037	0.00058	0.00150	0.00303	0.00576	0.0119	0.0238
3	0.00003	0.00007	0.00021	0.00055	0.00143	0.0034	0.0078
4	0.00449	0.01228	0.03199	0.06602	0.12838	0.3269	0.7136
5	0.10457	0.35454	0.65270	1.17887	2.19871	7.9830	13.5345
6	0.31014	0.78657	1.47743	2.35712	4.69058	13.9980	22.5421
7	0.60715	0.93177	2.14567	3.58423	6.72391	16.1266	28.1081
8	0.41449	0.69071	1.44106	2.37450	4.41514	8.5099	18.7769
9	0.31800	0.62414	1.24350	2.15144	3.65822	8.0721	15.5959
10	0.40041	0.66300	1.70147	2.77421	4.62712	10.3368	16.9546
11	0.02811	0.05804	0.08865	0.15428	0.25935	0.6110	2.5881
12	0.04075	0.06138	0.11304	0.21411	0.37748	0.6731	1.3300
	3.00209	5.06107	9.52663	17.2973	27.7047	60.1819	104.770

IAGE=2 NODE=963

MON	MIN	P5	Q1	MEDIAN	Q3	P95	MAX
1	0.00010	0.00031	0.00103	0.00236	0.00585	0.0123	0.0579
2	0.00038	0.00062	0.00155	0.00253	0.00659	0.0103	0.0273
3	0.00004	0.00007	0.00024	0.00105	0.00278	0.0085	0.0119
4	0.00425	0.00918	0.02439	0.05433	0.09127	0.1888	0.2765
5	0.05832	0.31017	0.55834	0.91980	1.89922	4.8287	8.8042
6	0.17751	0.60370	1.19612	2.09155	4.28811	10.7768	15.3801
7	0.36419	0.64258	1.45607	2.56168	4.27113	7.7605	23.4497
8	0.26040	0.41849	0.91617	1.55585	2.53835	4.2917	10.9221
9	0.25093	0.46254	0.86536	1.45867	2.32156	6.0156	9.7039
10	0.25641	0.55364	1.35460	2.14483	4.27680	8.5011	26.2613
11	0.01909	0.04322	0.08302	0.12582	0.21727	0.6118	2.4073
12	0.02981	0.05099	0.09748	0.16075	0.26837	0.6801	1.2497
	1.82649	3.86745	7.33647	10.9926	20.8816	40.7260	90.6674

IAGE=2 NODE=1002

MON	MIN	P5	Q1	MEDIAN	Q3	P95	MAX
1	0.00016	0.00039	0.00089	0.00253	0.00694	0.0214	0.1050
2	0.00028	0.00072	0.00120	0.00238	0.00429	0.0121	0.0138
3	0.00012	0.00034	0.00096	0.00287	0.00712	0.0227	0.0837
4	0.01238	0.02028	0.04532	0.09524	0.20156	0.4954	0.7027
5	0.13888	0.55990	1.14253	1.62227	3.18530	9.3883	15.1845
6	0.22564	0.84607	1.83022	3.08098	5.84787	15.3595	22.6068
7	0.49934	0.77812	1.96511	3.56071	6.26596	12.0823	17.8777
8	0.49962	0.72104	1.67548	3.05731	5.38608	10.4682	17.5585
9	0.34193	0.92367	2.19269	3.71640	6.40458	16.0685	19.2949
10	0.37060	1.00508	2.01548	3.57739	6.54409	10.7704	12.4330
11	0.03831	0.06476	0.14643	0.21641	0.35070	0.6899	1.4376
12	0.03747	0.06246	0.12983	0.23755	0.37095	0.6400	1.1756
	2.50266	6.82667	12.1817	19.2106	35.7207	70.2910	88.4847

IAGE=2 NODE=1003

MON	MIN	P5	Q1	MEDIAN	Q3	P95	MAX
1	0.00013	0.00025	0.00086	0.00179	0.00388	0.0120	0.0329
2	0.00049	0.00065	0.00147	0.00287	0.00564	0.0110	0.0129
3	0.00005	0.00013	0.00033	0.00095	0.00274	0.0064	0.0217
4	0.00490	0.01329	0.03088	0.07098	0.13467	0.3095	0.8242
5	0.13698	0.48733	0.71505	1.22749	1.95030	5.5684	7.1070
6	0.32355	0.78530	1.51206	2.56972	5.06197	12.1698	22.3190
7	0.49892	0.77789	1.84134	2.81626	4.99098	11.6164	15.5042
8	0.29912	0.77022	1.43881	2.29542	3.96796	7.3904	14.6678
9	0.23165	0.64030	1.46694	2.60548	3.80554	9.7760	14.4883
10	0.27242	0.82836	1.72335	3.04447	4.95521	12.2720	33.2783
11	0.03085	0.05211	0.10037	0.15728	0.27233	0.5739	2.2536
12	0.02206	0.05215	0.08970	0.14960	0.27507	0.5310	0.8678
	1.87751	5.92724	9.80083	15.9650	25.2754	52.9079	93.1474

IAGE=2 NODE=1004

MON	MIN	P5	Q1	MEDIAN	Q3	P95	MAX
1	0.00007	0.00025	0.00079	0.00170	0.00346	0.01094	0.0442
2	0.00040	0.00083	0.00175	0.00336	0.00675	0.01222	0.0194
3	0.00004	0.00009	0.00030	0.00091	0.00215	0.00545	0.0098
4	0.00402	0.00895	0.02312	0.04920	0.09320	0.18007	0.2852
5	0.08297	0.27207	0.58620	0.92499	1.79284	4.09516	7.6294
6	0.25359	0.71583	1.32978	2.09354	4.35208	9.74540	23.8015
7	0.30590	0.50452	1.20157	2.04323	3.35539	7.25335	9.9097
8	0.26720	0.42901	1.03067	1.47485	2.58591	4.41009	9.9585
9	0.26961	0.54542	1.02426	1.77760	2.82582	7.06641	14.7572
10	0.23152	0.51934	1.08846	2.00936	3.71494	7.10960	11.1829
11	0.01929	0.04164	0.07493	0.12124	0.21607	0.40498	0.6195
12	0.02599	0.03979	0.07914	0.13482	0.22459	0.41332	0.8072
	1.59090	3.68600	7.11358	12.1255	18.1678	37.0814	69.6664

IAGE=1 NODE=9003

MON	MIN	P5	Q1	MEDIAN	Q3	P95	MAX
1	0.00070	0.00132	0.0040	0.0073	0.0118	0.029	0.039
2	0.00084	0.00125	0.0033	0.0056	0.0088	0.027	0.035
3	0.00042	0.00061	0.0017	0.0030	0.0055	0.012	0.039
4	0.01214	0.01521	0.0439	0.0925	0.3711	2.519	11.040
5	0.65171	2.32134	5.6207	11.1339	19.3537	58.581	201.094
6	1.16792	4.55338	11.6552	23.0403	36.3589	133.049	298.238
7	1.40485	4.94904	11.4650	21.0520	37.2559	122.801	277.225
8	1.51532	4.32527	9.7608	18.2149	33.9771	99.176	232.442
9	1.80531	4.43355	12.4614	20.8850	41.4324	124.687	252.325
10	0.83685	2.15096	8.7909	23.3459	45.6757	120.631	594.863
11	0.13168	0.27243	0.4983	0.8776	1.7673	3.971	6.620
12	0.09071	0.11579	0.2568	0.3553	0.4968	0.920	1.458
	8.98831	27.0881	67.4877	111.104	227.337	594.948	1632.32

IAGE=2 NODE=9003

MON	MIN	P5	Q1	MEDIAN	Q3	P95	MAX
1	0.00045	0.00065	0.00219	0.00473	0.00977	0.0260	0.0712
2	0.00048	0.00069	0.00144	0.00239	0.00499	0.0097	0.0168
3	0.00014	0.00027	0.00079	0.00158	0.00284	0.0064	0.0151
4	0.00932	0.01869	0.03619	0.07462	0.12064	0.3229	0.7412
5	0.09743	0.35173	0.61391	1.10426	2.06584	5.5562	8.7855
6	0.23556	0.66215	1.41285	2.12477	4.22180	10.3045	16.9850
7	0.55423	0.85707	1.96184	2.98150	5.94351	10.2012	17.7359
8	0.38098	0.70867	1.67070	2.72449	4.37442	7.9590	20.4806
9	0.32400	0.71045	1.40000	2.53151	4.00435	9.0950	13.3406
10	0.45938	0.89997	1.79572	3.36396	5.01100	14.9022	27.6388
11	0.04571	0.08197	0.13789	0.22227	0.32548	0.8224	1.2010
12	0.05490	0.08449	0.15193	0.25967	0.39277	0.7217	1.2628
	2.38690	5.12072	9.43940	16.1972	25.2787	56.4795	98.8971

IAGE=1 NODE=1465

MON	MIN	P5	Q1	MEDIAN	Q3	P95	MAX
1	0.00005	0.00013	0.00036	0.00083	0.00217	0.0050	0.0125
2	0.00001	0.00003	0.00006	0.00011	0.00023	0.0005	0.0012
3	0.00003	0.00005	0.00013	0.00032	0.00058	0.0028	0.0076
4	0.00158	0.00255	0.00558	0.00847	0.01167	0.0246	0.0572
5	0.00428	0.00826	0.01486	0.02385	0.04770	0.1958	0.4410
6	0.18108	0.37522	0.75197	1.73209	4.35207	12.5723	28.8734
7	0.15376	0.43070	0.97034	2.06303	3.85726	14.7519	33.3792
8	0.17562	0.45613	0.96169	2.31181	3.93110	12.2735	37.3821
9	0.38053	0.73612	1.70895	3.05224	5.90708	16.2895	45.7887
10	0.08113	0.13632	0.29519	0.50295	1.06800	2.6519	7.0690
11	0.01770	0.02885	0.05698	0.10521	0.17751	0.5602	1.9383
12	0.00190	0.00494	0.01090	0.01772	0.02997	0.0739	0.1892
	1.11137	2.33618	5.70971	10.4128	18.2446	54.5521	142.925

IAGE=1 NODE=1466

MON	MIN	P5	Q1	MEDIAN	Q3	P95	MAX
1	0.00004	0.00009	0.00034	0.00076	0.00179	0.0056	0.0130
2	0.00001	0.00002	0.00004	0.00007	0.00013	0.0003	0.0006
3	0.00002	0.00003	0.00011	0.00024	0.00048	0.0021	0.0061
4	0.00168	0.00242	0.00488	0.00734	0.01075	0.0236	0.0493
5	0.00376	0.00632	0.01156	0.01866	0.03295	0.1290	0.2338
6	0.07736	0.31279	0.74066	1.37191	3.10921	10.0904	31.8627
7	0.16112	0.50040	1.00715	2.14521	3.88282	13.8038	33.3677
8	0.19544	0.40865	0.93919	1.93403	3.51292	12.6122	32.7996
9	0.17084	0.50507	1.69703	2.64249	5.10414	12.5724	45.4937
10	0.04010	0.09273	0.29507	0.48861	0.80654	1.8073	6.9334
11	0.01596	0.02493	0.06017	0.09155	0.15685	0.3965	1.6868
12	0.00151	0.00406	0.00844	0.01431	0.02081	0.0517	0.1686
	1.00998	1.80943	5.10713	9.01229	15.9811	46.3752	126.884

IAGE=1 NODE=1467

MON	MIN	P5	Q1	MEDIAN	Q3	P95	MAX
1	0.00002	0.00005	0.00030	0.00050	0.00147	0.0046	0.0149
2	0.00001	0.00002	0.00003	0.00005	0.00009	0.0003	0.0004
3	0.00001	0.00003	0.00010	0.00021	0.00040	0.0016	0.0044
4	0.00175	0.00230	0.00417	0.00664	0.00985	0.0234	0.0521
5	0.00301	0.00443	0.00892	0.01424	0.03031	0.0954	0.5376
6	0.05658	0.30291	0.55436	1.16802	2.15719	8.0089	18.6068
7	0.14458	0.50158	0.90160	1.87722	3.37816	13.5447	33.0805
8	0.12984	0.34586	0.75200	1.68067	3.05561	10.8497	26.7242
9	0.23612	0.43089	1.30453	2.28733	4.06868	12.2566	53.1078
10	0.02593	0.08544	0.25116	0.41420	0.73566	1.6210	7.2503
11	0.01145	0.02172	0.05126	0.08720	0.13618	0.3145	1.3337
12	0.00104	0.00341	0.00655	0.01098	0.01708	0.0403	0.1441
	0.67440	1.73657	4.44123	7.14443	13.9423	39.2184	107.198

IAGE=1 NODE=1506

MON	MIN	P5	Q1	MEDIAN	Q3	P95	MAX
1	0.00005	0.00013	0.00033	0.00087	0.00216	0.0050	0.0133
2	0.00001	0.00003	0.00006	0.00014	0.00030	0.0006	0.0016
3	0.00003	0.00006	0.00013	0.00033	0.00057	0.0025	0.0075
4	0.00133	0.00266	0.00513	0.00778	0.01112	0.0265	0.0658
5	0.00408	0.00885	0.01598	0.02524	0.05381	0.1668	0.3204
6	0.15889	0.35556	0.82873	1.71326	3.41247	12.2810	32.6277
7	0.12497	0.36259	0.84480	1.74888	3.34388	10.8519	36.4086
8	0.14790	0.36002	0.92217	1.87670	3.57412	11.2623	36.7135
9	0.37901	0.45836	1.58717	3.33370	5.59091	16.7541	45.8870
10	0.07508	0.13297	0.30069	0.61125	1.16137	2.6470	5.2207
11	0.01757	0.02910	0.05872	0.10344	0.20784	0.5347	1.7054
12	0.00203	0.00421	0.00963	0.01546	0.02577	0.0600	0.1429
	1.03995	2.11492	4.91720	10.0233	19.6289	53.3078	155.484

IAGE=1 NODE=1507

MON	MIN	P5	Q1	MEDIAN	Q3	P95	MAX
1	0.00005	0.00010	0.00035	0.00072	0.00163	0.0055	0.0118
2	0.00001	0.00002	0.00005	0.00009	0.00017	0.0004	0.0008
3	0.00002	0.00003	0.00011	0.00027	0.00049	0.0024	0.0072
4	0.00136	0.00226	0.00476	0.00685	0.01037	0.0212	0.0486
5	0.00357	0.00655	0.01112	0.02030	0.03501	0.1269	0.3958
6	0.11754	0.34957	0.64911	1.35729	2.71396	10.7585	26.1237
7	0.13752	0.40230	0.94861	1.88312	3.46884	12.4256	32.4316
8	0.16646	0.38426	1.00209	1.93199	3.28816	11.6869	27.8970
9	0.32845	0.56784	1.68708	3.13288	5.05087	16.1113	33.9835
10	0.03308	0.12537	0.27747	0.43181	0.96735	2.4950	7.8485
11	0.01624	0.02710	0.05632	0.09177	0.16807	0.5440	1.3080
12	0.00155	0.00397	0.00715	0.01183	0.01845	0.0513	0.1336
	0.90752	1.81042	5.20217	9.38775	16.5149	47.5924	122.493

IAGE=1 NODE=1508

MON	MIN	P5	Q1	MEDIAN	Q3	P95	MAX
1	0.00002	0.00005	0.00027	0.00048	0.00136	0.0042	0.0146
2	0.00001	0.00002	0.00004	0.00006	0.00011	0.0003	0.0004
3	0.00002	0.00003	0.00009	0.00022	0.00041	0.0019	0.0063
4	0.00144	0.00203	0.00388	0.00650	0.00935	0.0209	0.0475
5	0.00309	0.00504	0.00928	0.01637	0.03449	0.1501	1.0987
6	0.06862	0.26604	0.56511	1.05774	2.20069	7.3546	25.7006
7	0.11484	0.46829	0.82091	1.67655	3.22572	11.1501	31.9702
8	0.13064	0.32186	0.81846	1.67590	3.00967	10.1916	28.0198
9	0.19445	0.42592	1.43853	2.38830	4.48402	13.4919	40.6283
10	0.06053	0.10055	0.22320	0.40670	0.81225	2.1492	7.3086
11	0.01326	0.02238	0.04678	0.07916	0.14200	0.4487	1.4180
12	0.00119	0.00345	0.00564	0.00908	0.01540	0.0455	0.1404
	0.69912	1.60526	4.53107	7.65226	13.8740	47.7618	114.981

SPOKANE and surrounding nodes
"Normal" run

IAGE=1 NODE=1547

MON	MIN	P5	Q1	MEDIAN	Q3	P95	MAX
1	0.00005	0.00013	0.00035	0.00079	0.00204	0.0056	0.0138
2	0.00002	0.00003	0.00007	0.00017	0.00035	0.0007	0.0022
3	0.00002	0.00008	0.00017	0.00031	0.00052	0.0018	0.0057
4	0.00114	0.00234	0.00452	0.00698	0.01091	0.0258	0.0652
5	0.00412	0.00878	0.01439	0.02377	0.04551	0.1448	0.4741
6	0.11831	0.31790	0.78887	1.57761	3.47516	11.4623	27.6086
7	0.11580	0.30632	0.81465	1.48550	2.72524	9.1204	23.1189
8	0.18939	0.34065	0.92530	1.79846	3.63211	10.8054	29.2638
9	0.24612	0.46107	1.61088	3.31962	6.04928	19.6547	43.8650
10	0.06186	0.14401	0.30854	0.52234	1.03508	3.1546	4.3654
11	0.01528	0.02818	0.06495	0.10033	0.20110	0.5853	0.8584
12	0.00210	0.00405	0.00880	0.01363	0.02266	0.0618	0.0882
	0.78719	1.64188	4.86501	9.10882	19.4224	45.6258	110.361

IAGE=1 NODE=1548

MON	MIN	P5	Q1	MEDIAN	Q3	P95	MAX
1	0.00004	0.00011	0.00035	0.00076	0.00159	0.0056	0.0109
2	0.00001	0.00002	0.00006	0.00011	0.00022	0.0005	0.0012
3	0.00002	0.00004	0.00011	0.00027	0.00045	0.0019	0.0058
4	0.00114	0.00206	0.00445	0.00658	0.01015	0.0216	0.0519
5	0.00360	0.00726	0.01189	0.02284	0.04502	0.1428	0.4298
6	0.11896	0.30270	0.66019	1.37821	2.94154	9.1019	25.9502
7	0.10757	0.32947	0.77564	1.59337	3.02301	12.5687	26.5005
8	0.19726	0.35959	0.91134	1.81214	3.40889	12.2962	29.0672
9	0.33480	0.50727	1.60213	3.18085	4.96436	13.6983	27.5466
10	0.06089	0.10961	0.27775	0.49337	0.95228	2.1276	5.6197
11	0.01498	0.02542	0.05229	0.09229	0.17754	0.4526	0.8179
12	0.00175	0.00378	0.00697	0.01115	0.01860	0.0441	0.0870
	0.86214	1.67338	4.75972	9.19924	14.9873	48.0065	113.855

IAGE=1 NODE=1549

MON	MIN	P5	Q1	MEDIAN	Q3	P95	MAX
1	0.00003	0.00007	0.00028	0.00053	0.00124	0.0039	0.0153
2	0.00001	0.00002	0.00004	0.00007	0.00015	0.0003	0.0006
3	0.00002	0.00003	0.00010	0.00021	0.00044	0.0020	0.0060
4	0.00118	0.00200	0.00387	0.00604	0.00948	0.0195	0.0469
5	0.00313	0.00586	0.00986	0.01669	0.02910	0.1219	0.2408
6	0.08377	0.30847	0.53426	1.13308	2.26386	7.5487	21.7855
7	0.11250	0.38205	0.76096	1.45919	2.78993	9.7407	24.5894
8	0.19062	0.35326	0.84420	1.68985	2.90297	10.0167	25.6279
9	0.20630	0.44624	1.42650	2.39635	4.47160	11.4446	36.8694
10	0.05919	0.10062	0.22781	0.44055	0.84356	2.1128	4.4584
11	0.01354	0.02233	0.04295	0.07865	0.14464	0.3572	1.3728
12	0.00126	0.00301	0.00514	0.00955	0.01513	0.0365	0.1053
	0.80000	1.56090	4.15958	7.21973	14.2255	47.2645	102.229

SPOKANE and surrounding nodes
"Normal" run

IAGE=2 NODE=1465

MON	MIN	P5	Q1	MEDIAN	Q3	P95	MAX
1	0.000009	0.00008	0.00023	0.00044	0.00103	0.00267	0.00403
2	0.000007	0.00001	0.00002	0.00005	0.00008	0.00017	0.00066
3	0.000003	0.00002	0.00006	0.00012	0.00025	0.00063	0.00159
4	0.000757	0.00151	0.00291	0.00443	0.00726	0.01455	0.02609
5	0.002282	0.00378	0.00795	0.01283	0.02169	0.05247	0.11038
6	0.023278	0.07059	0.14414	0.23677	0.46624	1.19319	1.98168
7	0.018409	0.05206	0.12897	0.21185	0.35031	0.89416	1.20697
8	0.030982	0.06237	0.12101	0.24041	0.41876	0.94624	1.96814
9	0.084363	0.14394	0.27631	0.48077	1.01702	2.23876	2.96607
10	0.014864	0.02903	0.06099	0.09963	0.19702	0.33670	0.47073
11	0.004340	0.00621	0.01124	0.01887	0.03152	0.05461	0.08030
12	0.001306	0.00205	0.00465	0.00689	0.01077	0.02663	0.04954
	0.18991	0.43514	0.83500	1.39926	2.42134	5.88662	7.54732

IAGE=2 NODE=1466

MON	MIN	P5	Q1	MEDIAN	Q3	P95	MAX
1	0.000007	0.00008	0.00024	0.00041	0.00089	0.00205	0.00447
2	0.000006	0.00001	0.00002	0.00003	0.00005	0.00011	0.00039
3	0.000002	0.00001	0.00004	0.00010	0.00021	0.00054	0.00116
4	0.000704	0.00139	0.00275	0.00415	0.00716	0.01303	0.02191
5	0.001828	0.00275	0.00624	0.00965	0.01517	0.03542	0.21466
6	0.018495	0.04361	0.11513	0.18402	0.36368	0.98753	1.76534
7	0.016745	0.05431	0.11912	0.20413	0.33384	0.86671	1.18010
8	0.022665	0.05050	0.11032	0.22557	0.35040	0.71342	1.63472
9	0.031627	0.11660	0.25507	0.44893	0.76214	1.89263	3.81371
10	0.011562	0.02678	0.04909	0.08322	0.15769	0.29612	0.50139
11	0.003861	0.00581	0.01012	0.01681	0.02801	0.05287	0.06711
12	0.000857	0.00137	0.00332	0.00528	0.00782	0.01999	0.03386
	0.11303	0.39784	0.71210	1.22273	2.07552	4.77781	7.84411

IAGE=2 NODE=1467

MON	MIN	P5	Q1	MEDIAN	Q3	P95	MAX
1	0.000004	0.00003	0.00014	0.00038	0.00063	0.00243	0.00496
2	0.000004	0.00001	0.00001	0.00002	0.00003	0.00006	0.00020
3	0.000001	0.00001	0.00003	0.00009	0.00018	0.00046	0.00103
4	0.000686	0.00116	0.00236	0.00401	0.00630	0.01111	0.01811
5	0.001502	0.00219	0.00443	0.00749	0.01136	0.03776	0.10939
6	0.013069	0.03828	0.08013	0.15288	0.27186	0.71655	1.20229
7	0.015585	0.05226	0.11003	0.18091	0.30396	0.71845	1.17616
8	0.016575	0.03839	0.10003	0.18176	0.30743	0.72432	1.27109
9	0.053441	0.11959	0.21538	0.39079	0.59769	1.42904	3.10613
10	0.012110	0.02323	0.04637	0.06902	0.12026	0.24303	0.40090
11	0.003113	0.00543	0.00976	0.01518	0.02327	0.04742	0.06033
12	0.000610	0.00096	0.00235	0.00397	0.00580	0.01369	0.01954
	0.12027	0.32582	0.65678	1.11239	1.69041	3.99826	5.29482

SPOKANE and surrounding nodes
"Normal" run

IAGE=2 NODE=1506

MON	MIN	P5	Q1	MEDIAN	Q3	P95	MAX
1	0.000009	0.00007	0.00024	0.00042	0.00103	0.00261	0.00426
2	0.000007	0.00001	0.00003	0.00005	0.00010	0.00025	0.00084
3	0.000003	0.00002	0.00006	0.00013	0.00023	0.00062	0.00160
4	0.000714	0.00127	0.00256	0.00385	0.00646	0.01273	0.02409
5	0.002081	0.00378	0.00784	0.01243	0.02132	0.05172	0.25412
6	0.024505	0.05716	0.13465	0.24874	0.45040	0.88036	1.93363
7	0.015609	0.04273	0.11291	0.18019	0.27918	0.73587	1.20554
8	0.025562	0.05270	0.12585	0.21700	0.36578	0.87017	1.32068
9	0.029806	0.14617	0.25066	0.52700	0.99434	2.39729	4.79446
10	0.012101	0.02666	0.06394	0.10155	0.17734	0.40114	1.40237
11	0.004445	0.00591	0.01233	0.01987	0.02912	0.05381	0.09899
12	0.001152	0.00152	0.00324	0.00526	0.00763	0.01813	0.03735
	0.11972	0.37058	0.79125	1.45316	2.35671	5.41983	10.0516

IAGE=2 NODE=1507

MON	MIN	P5	Q1	MEDIAN	Q3	P95	MAX
1	0.000008	0.00007	0.00021	0.00038	0.00083	0.00205	0.00401
2	0.000006	0.00001	0.00002	0.00003	0.00006	0.00015	0.00062
3	0.000003	0.00001	0.00005	0.00011	0.00021	0.00059	0.00122
4	0.000677	0.00138	0.00266	0.00379	0.00605	0.01150	0.02131
5	0.001905	0.00292	0.00623	0.01004	0.01602	0.02952	0.09901
6	0.018181	0.05238	0.11362	0.19530	0.34020	0.94931	1.84504
7	0.014133	0.04649	0.10837	0.18243	0.29752	0.78291	1.00355
8	0.013290	0.05086	0.11331	0.20931	0.40500	0.82549	1.10343
9	0.065793	0.14662	0.26751	0.48525	0.81738	1.98772	3.55758
10	0.017461	0.02519	0.05310	0.08585	0.15561	0.33852	0.94719
11	0.003626	0.00544	0.01037	0.01742	0.02555	0.05030	0.06218
12	0.000819	0.00103	0.00220	0.00358	0.00551	0.00944	0.02073
	0.14632	0.36131	0.70507	1.24848	2.03794	4.56977	7.08487

IAGE=2 NODE=1508

MON	MIN	P5	Q1	MEDIAN	Q3	P95	MAX
1	0.000005	0.000036	0.00014	0.00034	0.00057	0.00221	0.00488
2	0.000005	0.000006	0.00001	0.00002	0.00004	0.00008	0.00039
3	0.000002	0.000010	0.00004	0.00009	0.00019	0.00051	0.00086
4	0.000640	0.001145	0.00239	0.00362	0.00595	0.01025	0.01778
5	0.001484	0.002197	0.00518	0.00733	0.01219	0.04732	0.12960
6	0.012099	0.039867	0.08504	0.15074	0.26743	0.84976	1.33703
7	0.013647	0.046689	0.09673	0.16437	0.26664	0.65590	1.07844
8	0.030796	0.045266	0.09921	0.18604	0.33237	0.71019	1.33791
9	0.060615	0.095620	0.20030	0.41142	0.67083	2.07753	3.64661
10	0.010495	0.020963	0.04554	0.07611	0.11561	0.28354	0.46779
11	0.002870	0.004652	0.00984	0.01469	0.02153	0.04681	0.05838
12	0.000564	0.000859	0.00171	0.00281	0.00424	0.00770	0.01546
	0.15103	0.30723	0.60377	1.03862	1.72798	4.56171	6.55215

SPOKANE and surrounding nodes
"Normal" run

IAGE=2 NODE=1547

MON	MIN	P5	Q1	MEDIAN	Q3	P95	MAX
1	0.000008	0.00006	0.00024	0.00043	0.00108	0.00260	0.00452
2	0.000007	0.00001	0.00003	0.00007	0.00013	0.00034	0.00091
3	0.000004	0.00002	0.00007	0.00012	0.00022	0.00064	0.00165
4	0.000659	0.00112	0.00224	0.00347	0.00593	0.01144	0.02176
5	0.001987	0.00326	0.00739	0.01232	0.01961	0.04287	0.08757
6	0.018813	0.05488	0.11084	0.24350	0.41024	1.11394	1.62642
7	0.014013	0.03844	0.09207	0.16048	0.23853	0.67322	0.91321
8	0.012479	0.04764	0.10613	0.21650	0.34546	0.70672	1.02920
9	0.057568	0.14994	0.28382	0.51141	0.92214	2.10052	3.40925
10	0.016189	0.03324	0.06396	0.09591	0.20165	0.36942	0.47714
11	0.004243	0.00617	0.01126	0.01870	0.02972	0.05817	0.08352
12	0.001010	0.00130	0.00244	0.00436	0.00691	0.01388	0.03179
	0.14016	0.37721	0.76551	1.36027	2.38410	4.75123	6.89402

IAGE=2 NODE=1548

MON	MIN	P5	Q1	MEDIAN	Q3	P95	MAX
1	0.000008	0.00006	0.00022	0.00039	0.00075	0.00225	0.00361
2	0.000006	0.00001	0.00002	0.00004	0.00008	0.00021	0.00074
3	0.000003	0.00002	0.00005	0.00011	0.00021	0.00049	0.00123
4	0.000653	0.00119	0.00228	0.00347	0.00563	0.01030	0.01981
5	0.001802	0.00276	0.00686	0.01050	0.01727	0.03923	0.13075
6	0.014604	0.04483	0.11741	0.18214	0.33471	0.80972	1.28677
7	0.012579	0.04086	0.09964	0.16431	0.26544	0.71170	0.95844
8	0.012147	0.04495	0.11021	0.21202	0.36130	0.75951	1.69096
9	0.065418	0.11799	0.26720	0.47310	0.89443	1.92182	4.13675
10	0.012674	0.03052	0.05624	0.09524	0.14513	0.31588	0.59718
11	0.003407	0.00557	0.01084	0.01716	0.02337	0.04656	0.07282
12	0.000753	0.00100	0.00191	0.00296	0.00473	0.00762	0.01391
	0.13369	0.34015	0.73147	1.25978	2.05464	4.25425	7.60756

IAGE=2 NODE=1549

MON	MIN	P5	Q1	MEDIAN	Q3	P95	MAX
1	0.000005	0.000047	0.00015	0.00031	0.00055	0.00217	0.00477
2	0.000005	0.000006	0.00002	0.00003	0.00005	0.00013	0.00058
3	0.000002	0.000011	0.00004	0.00010	0.00020	0.00050	0.00096
4	0.000620	0.001152	0.00230	0.00331	0.00539	0.00963	0.01825
5	0.001557	0.002103	0.00489	0.00819	0.01317	0.03391	0.10196
6	0.015087	0.042561	0.08205	0.15594	0.30805	0.65164	1.30548
7	0.011381	0.039815	0.08850	0.15442	0.25639	0.62494	0.86119
8	0.034124	0.042804	0.09568	0.18703	0.33422	0.67096	1.17340
9	0.061673	0.099924	0.20815	0.40768	0.77244	1.92427	3.01736
10	0.009490	0.023072	0.04745	0.07755	0.14555	0.26647	0.37314
11	0.002422	0.004631	0.00880	0.01402	0.02231	0.03956	0.06085
12	0.000629	0.000833	0.00155	0.00236	0.00401	0.00628	0.01301
	0.15651	0.29318	0.56518	1.04855	1.90125	4.05059	5.46517

IAGE=1 NODE=9004

MON	MIN	P5	Q1	MEDIAN	Q3	P95	MAX
1	0.00004	0.00012	0.00037	0.00076	0.00160	0.0055	0.0116
2	0.00001	0.00002	0.00005	0.00010	0.00020	0.0004	0.0010
3	0.00002	0.00004	0.00012	0.00027	0.00048	0.0023	0.0063
4	0.00141	0.00234	0.00467	0.00699	0.01033	0.0231	0.0538
5	0.00364	0.00697	0.01282	0.02153	0.04379	0.1309	0.2772
6	0.12628	0.31070	0.69661	1.42364	2.65930	10.3692	27.2630
7	0.13441	0.39776	0.90737	1.80277	3.36397	11.3175	31.0834
8	0.16170	0.36912	0.98998	1.89329	3.09963	10.7407	27.3719
9	0.30669	0.48009	1.52760	3.13668	4.88205	12.7708	38.5154
10	0.03383	0.11511	0.26744	0.45510	1.09048	2.5245	7.5557
11	0.01603	0.02651	0.05556	0.09092	0.16997	0.5566	1.2521
12	0.00156	0.00396	0.00760	0.01251	0.01977	0.0528	0.1328
	1.02242	1.81655	4.73661	9.06033	15.8738	48.0638	124.746

IAGE=2 NODE=9004

MON	MIN	P5	Q1	MEDIAN	Q3	P95	MAX
1	0.000007	0.00008	0.00021	0.00044	0.00087	0.00222	0.00351
2	0.000006	0.00001	0.00002	0.00004	0.00007	0.00016	0.00059
3	0.000003	0.00002	0.00005	0.00012	0.00020	0.00050	0.00121
4	0.000696	0.00137	0.00264	0.00377	0.00613	0.01179	0.02042
5	0.001876	0.00313	0.00650	0.01000	0.01713	0.04131	0.22657
6	0.018739	0.05263	0.10733	0.19774	0.35972	0.78028	1.64486
7	0.014311	0.04607	0.10682	0.17810	0.28790	0.73529	0.98707
8	0.013267	0.04999	0.11068	0.20681	0.37852	0.79235	1.04689
9	0.069892	0.13876	0.25138	0.47022	0.71979	1.85229	3.66763
10	0.017205	0.02706	0.05469	0.08453	0.15342	0.34569	0.72647
11	0.003809	0.00533	0.00994	0.01731	0.02529	0.04956	0.06114
12	0.000941	0.00127	0.00280	0.00434	0.00632	0.01135	0.02488
	0.14438	0.33604	0.71789	1.26230	1.92697	4.57450	6.95424

APPENDIX B

**PILOT CODE RESULTS FOR THREE AREAS FOR INFANTS WITH DOSE
FACTORS AND FEED-TO-MILK TRANSFER FACTORS SET TO CENTRAL
VALUES**

PILOT CODE RESULTS FOR THREE AREAS FOR INFANTS WITH DOSE FACTORS AND FEED-TO-MILK TRANSFER FACTORS SET TO CENTRAL VALUES

The following pages were prepared with the PILOT code. The PILOT output was manipulated into a readable form using commercial software called SAS[®]. Data are provided for three locations and their surroundings: Baker City, Oregon, Eltopia, Washington, and Spokane, Washington. The node representing Baker City is node 152. That representing Eltopia is node 962. The node representing Spokane is node 1507. The other eight nodes surrounding these central nodes are provided also; nodes are numbered sequentially, with the lower numbers being to the south and west on the grid.

Several statistics are provided for each node. Doses are presented for each month of the year 1945. The months are labeled MON. Results of the stochastic analyses are provided in terms of the minimum (MIN), fifth percentile (P5), twenty-fifth percentile (Q1), median (MEDIAN), seventy-fifth percentile (Q3), ninety-fifth percentile (P95), and maximum (MAX) value calculated in the 100 realizations. The totals at the bottom of each column are the actual calculated totals for the year, they may not be the sum of the individual monthly values.

11

NODE=110 (SW of BAKER)

MON	MIN	P5	Q1	MEDIAN	Q3	P95	MAX
1	.0000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000
2	.0000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000
3	.0000000	0.000000	0.000000	0.000000	0.000000	0.000001	0.000001
4	.0000003	0.000001	0.000001	0.000002	0.000000	0.000001	0.000001
5	.0004924	0.000763	0.001558	0.002611	0.004446	0.00854	0.01206
6	.0002689	0.000912	0.001678	0.003953	0.00906	0.02878	0.07319
7	.0001222	0.000256	0.000494	0.001325	0.00351	0.01516	0.02492
8	.0053123	0.014720	0.041893	0.090948	0.16331	0.32389	0.69771
9	.0067364	0.010697	0.026363	0.036307	0.05163	0.09120	0.14361
10	.0018801	0.002869	0.005843	0.009948	0.01639	0.03351	0.05148
11	.0000969	0.000246	0.000576	0.000968	0.00203	0.00330	0.00610
12	.0000106	0.000024	0.000056	0.000102	0.00015	0.00028	0.00042
	.024107	0.044714	0.092069	0.15942	0.26583	0.42142	0.83697

NODE=111 (S of BAKER)

MON	MIN	P5	Q1	MEDIAN	Q3	P95	MAX
1	.0000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000
2	.0000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000
3	.0000000	0.000000	0.000000	0.000000	0.000000	0.000001	0.000001
4	.0000002	0.000000	0.000001	0.000002	0.000000	0.000000	0.000001
5	.0002436	0.000365	0.000989	0.002036	0.00358	0.00742	0.01445
6	.0001606	0.000628	0.001089	0.002269	0.00710	0.02239	0.06427
7	.0000738	0.000171	0.000336	0.000930	0.00281	0.01376	0.02179
8	.0049651	0.016452	0.048384	0.085613	0.15188	0.31342	0.52079
9	.0051807	0.010081	0.025286	0.040122	0.05711	0.09592	0.12943
10	.0017917	0.003047	0.006907	0.011252	0.01890	0.03692	0.05909
11	.0000856	0.000248	0.000652	0.001015	0.00206	0.00365	0.00716
12	.0000095	0.000026	0.000057	0.000101	0.00016	0.00027	0.00046
	.017033	0.051382	0.095457	0.15976	0.25270	0.40124	0.66497

NODE=112 (SE of BAKER)

MON	MIN	P5	Q1	MEDIAN	Q3	P95	MAX
1	.0000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000
2	.0000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000
3	.0000000	0.000000	0.000000	0.000000	0.000000	0.000001	0.000002
4	.0000001	0.000000	0.000001	0.000001	0.000000	0.000000	0.000001
5	.0001889	0.000274	0.000710	0.001408	0.00262	0.00711	0.01071
6	.0001078	0.000322	0.000759	0.001422	0.00483	0.01807	0.06009
7	.0000479	0.000121	0.000247	0.000658	0.00223	0.01231	0.01891
8	.0067622	0.015098	0.047331	0.096732	0.16641	0.34200	0.55306
9	.0067531	0.011177	0.027301	0.040909	0.06038	0.09649	0.18278
10	.0008027	0.002884	0.006862	0.012835	0.01864	0.04199	0.06583
11	.0000750	0.000235	0.000661	0.001127	0.00196	0.00347	0.00774
12	.0000088	0.000024	0.000057	0.000102	0.00016	0.00027	0.00050
	.025193	0.042061	0.10464	0.16515	0.26682	0.43906	0.62435

DOSE FACTORS and TRANSFER FACTORS set to central values

NODE=151 (W of BAKER)

MON	MIN	P5	Q1	MEDIAN	Q3	P95	MAX
1	.0000000	0.000000	0.000000	0.00000	0.00000	0.00000	0.00000
2	.0000000	0.000000	0.000000	0.00000	0.00000	0.00000	0.00000
3	.0000000	0.000000	0.000000	0.00000	0.00000	0.00001	0.00001
4	.0000002	0.000000	0.000001	0.00000	0.00000	0.00000	0.00001
5	.0004842	0.000666	0.001419	0.00245	0.00423	0.00849	0.01122
6	.0002718	0.000914	0.001677	0.00402	0.00890	0.02754	0.06730
7	.0001369	0.000263	0.000596	0.00140	0.00352	0.01482	0.02726
8	.0055180	0.031817	0.069827	0.13593	0.24727	0.41635	0.80751
9	.0076623	0.012681	0.032861	0.04559	0.06687	0.10941	0.17499
10	.0008762	0.003405	0.007098	0.01249	0.01962	0.04164	0.08379
11	.0001060	0.000301	0.000672	0.00113	0.00239	0.00395	0.00765
12	.0000117	0.000027	0.000065	0.00012	0.00018	0.00031	0.00050
	.019772	0.066105	0.12779	0.21590	0.35212	0.55245	0.89905

NODE=152 (BAKER)

MON	MIN	P5	Q1	MEDIAN	Q3	P95	MAX
1	.0000000	0.000000	0.000000	0.00000	0.00000	0.00000	0.00000
2	.0000000	0.000000	0.000000	0.00000	0.00000	0.00000	0.00000
3	.0000000	0.000000	0.000000	0.00000	0.00000	0.00001	0.00001
4	.0000001	0.000000	0.000001	0.00000	0.00000	0.00000	0.00001
5	.0002119	0.000330	0.000852	0.00208	0.00323	0.00722	0.01319
6	.0001648	0.000575	0.001088	0.00209	0.00600	0.02226	0.05660
7	.0000832	0.000181	0.000358	0.00097	0.00278	0.01309	0.02334
8	.0062845	0.025224	0.073716	0.12801	0.23368	0.49640	0.60494
9	.0075922	0.015750	0.031244	0.05026	0.07084	0.12165	0.16437
10	.0020618	0.003308	0.007168	0.01341	0.02027	0.04601	0.06348
11	.0001211	0.000300	0.000686	0.00125	0.00213	0.00382	0.00806
12	.0000123	0.000030	0.000064	0.00012	0.00017	0.00030	0.00052
	.018531	0.057922	0.13501	0.21167	0.34952	0.59351	0.79484

NODE=153 (E of BAKER)

MON	MIN	P5	Q1	MEDIAN	Q3	P95	MAX
1	.0000000	0.000000	0.000000	0.00000	0.00000	0.00000	0.00000
2	.0000000	0.000000	0.000000	0.00000	0.00000	0.00000	0.00000
3	.0000000	0.000000	0.000000	0.00000	0.00000	0.00001	0.00002
4	.0000001	0.000000	0.000000	0.00000	0.00000	0.00000	0.00000
5	.0000753	0.000224	0.000611	0.00133	0.00226	0.00587	0.01221
6	.0001049	0.000295	0.000672	0.00143	0.00421	0.01687	0.05026
7	.0000551	0.000121	0.000249	0.00072	0.00219	0.01166	0.01983
8	.0061000	0.027201	0.064430	0.11632	0.22489	0.38800	0.54367
9	.0073725	0.014614	0.034781	0.05085	0.07478	0.11204	0.17687
10	.0009588	0.003963	0.008281	0.01389	0.02187	0.04157	0.06737
11	.0000842	0.000261	0.000757	0.00117	0.00210	0.00353	0.00789
12	.0000096	0.000029	0.000064	0.00011	0.00017	0.00027	0.00051
	.017364	0.054209	0.12591	0.20572	0.31741	0.55766	0.68759

DOSE FACTORS and TRANSFER FACTORS set to central values

NODE=192 (NW of BAKER)

MON	MIN	P5	Q1	MEDIAN	Q3	P95	MAX
1	.0000000	0.000000	0.000000	0.00000	0.00000	0.00000	0.00000
2	.0000000	0.000000	0.000000	0.00000	0.00000	0.00000	0.00000
3	.0000000	0.000000	0.000000	0.00000	0.00000	0.00001	0.00001
4	.0000001	0.000000	0.000001	0.00000	0.00000	0.00000	0.00001
5	.0003468	0.000493	0.001334	0.00233	0.00425	0.00865	0.01130
6	.0003003	0.000871	0.001674	0.00376	0.00843	0.02700	0.06185
7	.0001644	0.000280	0.000629	0.00136	0.00389	0.01395	0.02874
8	.0066534	0.029091	0.098799	0.18528	0.33015	0.61944	0.75488
9	.0051587	0.019064	0.039863	0.06036	0.08876	0.13178	0.21585
10	.0022024	0.003548	0.009499	0.01456	0.02386	0.04596	0.07278
11	.0001421	0.000389	0.000872	0.00133	0.00275	0.00433	0.00889
12	.0000147	0.000039	0.000079	0.00014	0.00021	0.00036	0.00058
	.020625	0.083549	0.17023	0.29396	0.47599	0.75311	0.99475

NODE=193 (N of BAKER)

MON	MIN	P5	Q1	MEDIAN	Q3	P95	MAX
1	.0000000	0.000000	0.00000	0.00000	0.00000	0.00000	0.00000
2	.0000000	0.000000	0.00000	0.00000	0.00000	0.00000	0.00000
3	.0000000	0.000000	0.00000	0.00000	0.00000	0.00001	0.00002
4	.0000001	0.000000	0.00000	0.00000	0.00000	0.00000	0.00000
5	.0001652	0.000317	0.00087	0.00160	0.00303	0.00597	0.00961
6	.0002529	0.000544	0.00095	0.00194	0.00534	0.02102	0.05236
7	.0001036	0.000177	0.000437	0.00096	0.00257	0.01203	0.02415
8	.0071170	0.049200	0.10741	0.18626	0.31775	0.54172	1.03655
9	.0081718	0.019463	0.04444	0.06284	0.09094	0.14346	0.18227
10	.0011325	0.003818	0.01054	0.01601	0.02350	0.04476	0.07096
11	.0001218	0.000331	0.00086	0.00145	0.00243	0.00396	0.00850
12	.0000123	0.000032	0.00008	0.00013	0.00019	0.00030	0.00056
	.019407	0.079184	0.18285	0.28504	0.44783	0.65642	1.21361

NODE=194 (NE of BAKER)

MON	MIN	P5	Q1	MEDIAN	Q3	P95	MAX
1	.0000000	0.000000	0.000000	0.00000	0.00000	0.00000	0.00000
2	.0000000	0.000000	0.000000	0.00000	0.00000	0.00000	0.00000
3	.0000000	0.000000	0.000000	0.00000	0.00000	0.00001	0.00002
4	.0000000	0.000000	0.000000	0.00000	0.00000	0.00000	0.00000
5	.0001271	0.000207	0.000551	0.00125	0.00238	0.00478	0.00916
6	.0001158	0.000318	0.000583	0.00137	0.00348	0.01541	0.04460
7	.0000717	0.000112	0.000263	0.00070	0.00182	0.01075	0.02024
8	.0085358	0.032720	0.093622	0.16222	0.29483	0.47729	0.63064
9	.0087843	0.020571	0.041000	0.05756	0.09058	0.14363	0.17974
10	.0017029	0.003683	0.010491	0.01510	0.02252	0.04135	0.06990
11	.0000919	0.000273	0.000839	0.00128	0.00212	0.00354	0.00736
12	.0000093	0.000030	0.000070	0.00012	0.00017	0.00028	0.00048
	.020416	0.074451	0.16332	0.25762	0.42249	0.58556	0.80342

DOSE FACTORS and TRANSFER FACTORS set to central values

NODE=920 (SW of ELTOPIA)

MON	MIN	P5	Q1	MEDIAN	Q3	P95	MAX
1	0.00032	0.00070	0.00270	0.00616	0.0104	0.0221	0.0327
2	0.00033	0.00064	0.00093	0.00127	0.0019	0.0030	0.0041
3	0.00006	0.00013	0.00033	0.00071	0.0014	0.0037	0.0050
4	0.00669	0.01332	0.03001	0.05470	0.1039	0.2056	0.3134
5	0.35358	0.67630	0.97102	1.30265	1.9454	3.0660	4.0514
6	0.87499	1.32252	1.95571	2.68941	3.3983	5.2740	6.4129
7	1.56144	3.24401	5.31626	8.28982	12.0320	24.8270	45.5775
8	2.36314	3.75589	6.54663	9.10515	13.2937	22.9412	32.0627
9	1.53849	2.38374	4.16413	5.87701	7.7814	13.1630	17.8257
10	1.97406	3.43003	5.85967	8.78082	14.3499	23.2257	36.8939
11	0.35303	0.46841	0.85915	1.32756	2.0708	3.0254	5.0911
12	0.17964	0.26472	0.34874	0.44085	0.5758	0.8055	0.9022
	14.5337	17.6944	30.0988	41.1258	54.7486	89.2861	102.192

NODE=921 (S of ELTOPIA)

MON	MIN	P5	Q1	MEDIAN	Q3	P95	MAX
1	0.00018	0.00045	0.00107	0.00273	0.0081	0.0150	0.0367
2	0.00026	0.00050	0.00109	0.00139	0.0019	0.0028	0.0046
3	0.00005	0.00009	0.00017	0.00066	0.0020	0.0046	0.0068
4	0.00542	0.01451	0.02587	0.05076	0.1020	0.1827	0.5401
5	0.22666	0.41740	0.70207	0.89427	1.2874	2.0927	4.4918
6	0.72907	1.08154	1.59445	2.08226	3.3171	4.8631	7.0699
7	1.35833	2.20862	4.65104	6.81080	11.5121	17.7393	24.7848
8	2.05095	2.67588	4.79006	6.62522	9.2827	13.2520	19.6307
9	1.15315	1.95303	3.27437	4.67257	6.1342	10.3161	17.3921
10	1.45659	2.38110	4.63220	7.28679	10.9713	20.0600	36.6867
11	0.32663	0.48413	0.74681	1.20694	1.9238	3.1137	3.9140
12	0.12176	0.17844	0.24728	0.31477	0.4070	0.5652	0.9452
	8.83069	15.6334	23.4520	32.8435	43.0850	66.6177	82.4377

NODE=922 (SE of ELTOPIA)

MON	MIN	P5	Q1	MEDIAN	Q3	P95	MAX
1	0.00037	0.00058	0.00123	0.00273	0.00685	0.0145	0.0249
2	0.00030	0.00061	0.00096	0.00129	0.00176	0.0028	0.0041
3	0.00004	0.00005	0.00013	0.00058	0.00124	0.0031	0.0049
4	0.00316	0.00710	0.01348	0.02760	0.04972	0.1263	0.4154
5	0.21650	0.34506	0.54885	0.74186	1.13130	1.9409	3.3527
6	0.56142	0.75398	1.20312	1.46655	2.35561	3.7865	5.4921
7	0.66315	1.41192	2.23218	3.98312	5.69797	10.8422	14.7528
8	0.89573	1.31928	2.29643	3.32365	3.97746	6.5150	7.4092
9	0.50186	0.83578	1.51493	2.01448	3.09991	4.6985	9.5911
10	0.51986	0.98540	2.01679	3.07720	4.61113	8.7754	11.7692
11	0.10087	0.20724	0.33198	0.50476	0.70838	1.1358	1.7874
12	0.10401	0.11978	0.17155	0.20183	0.27300	0.4081	0.4417
	5.81887	7.27399	11.3592	15.8894	21.1811	33.0488	39.5848

DOSE FACTORS and TRANSFER FACTORS set to central values

NODE=961 (W of ELTOPIA)

MON	MIN	P5	Q1	MEDIAN	Q3	P95	MAX
1	0.00030	0.00063	0.00168	0.0073	0.0158	0.0374	0.0604
2	0.00024	0.00054	0.00165	0.0026	0.0051	0.0098	0.0107
3	0.00012	0.00014	0.00030	0.0006	0.0010	0.0018	0.0029
4	0.01586	0.02022	0.03782	0.0663	0.1485	0.3295	0.6992
5	0.67349	1.13111	1.84336	2.4504	3.5320	6.6264	10.1578
6	1.75081	2.90765	4.31041	6.7968	8.5785	11.5462	16.3338
7	2.68900	4.41317	7.61283	12.1178	16.6274	24.9496	39.1317
8	3.53291	4.17031	6.63960	9.2365	11.8662	18.5607	27.3745
9	2.24833	2.87488	5.09921	6.8435	9.0319	15.9066	27.0612
10	1.41638	3.17592	5.51794	9.5564	12.9756	22.4889	31.0603
11	0.29798	0.49099	0.73396	1.1626	1.7205	2.9600	3.6663
12	0.17879	0.18881	0.27166	0.3214	0.3862	0.4709	0.5981
	17.2589	21.2178	35.1933	51.2464	62.0486	97.5403	135.857

NODE=962 (ELTOPIA)

MON	MIN	P5	Q1	MEDIAN	Q3	P95	MAX
1	0.00022	0.00040	0.00137	0.00326	0.0073	0.0164	0.0305
2	0.00041	0.00106	0.00185	0.00251	0.0034	0.0052	0.0080
3	0.00007	0.00010	0.00020	0.00045	0.0008	0.0018	0.0030
4	0.00619	0.01616	0.02926	0.05706	0.0956	0.3722	0.7743
5	0.51203	0.73356	1.29076	1.84948	2.4715	4.5539	6.6149
6	1.22208	2.01486	3.22217	4.62359	5.9929	8.6698	12.8515
7	1.68929	3.33065	5.74306	8.54410	11.0296	21.1176	33.0973
8	1.48418	2.48538	4.09745	5.88916	7.7400	10.7562	15.0055
9	1.56440	1.93877	3.12092	4.58401	6.2663	10.6169	19.0242
10	1.12907	1.80696	3.88269	6.37777	8.8719	17.4060	26.2743
11	0.17292	0.27066	0.49241	0.82968	1.2548	2.1959	2.4286
12	0.09631	0.13001	0.18383	0.22327	0.2689	0.3430	0.4955
	10.3903	15.6397	25.7314	33.3305	46.0873	68.6946	77.4800

NODE=963 (E of ELTOPIA)

MON	MIN	P5	Q1	MEDIAN	Q3	P95	MAX
1	0.00022	0.00029	0.00083	0.00183	0.00438	0.0090	0.0114
2	0.00045	0.00089	0.00175	0.00252	0.00326	0.0052	0.0082
3	0.00008	0.00010	0.00019	0.00088	0.00186	0.0039	0.0057
4	0.00598	0.00981	0.02325	0.04537	0.09013	0.1619	0.2196
5	0.39701	0.64787	1.08384	1.46374	2.11552	3.7766	8.2393
6	1.12275	1.55514	2.62918	3.69045	4.88258	8.1013	11.5991
7	1.28118	2.20138	3.73033	5.90583	7.77181	12.4347	26.2545
8	1.15780	1.43223	2.70242	3.45542	4.66324	6.6661	7.8132
9	0.89190	1.25781	2.04451	2.82438	4.00157	6.8280	10.8599
10	1.00038	1.53148	2.76983	5.10597	7.72772	13.1365	19.9263
11	0.14749	0.22103	0.42933	0.68843	1.13378	2.0208	2.8648
12	0.09191	0.10506	0.14295	0.17018	0.22088	0.3026	0.3982
	8.54744	11.2011	18.8537	24.1036	31.8561	48.3464	64.6027

DOSE FACTORS and TRANSFER FACTORS set to central values

NODE=1002 (NW of ELTOPIA)

MON	MIN	P5	Q1	MEDIAN	Q3	P95	MAX
1	0.00016	0.00029	0.00080	0.00178	0.0051	0.0121	0.0197
2	0.00049	0.00070	0.00149	0.00214	0.0028	0.0055	0.0082
3	0.00017	0.00040	0.00081	0.00200	0.0057	0.0139	0.0340
4	0.01859	0.02743	0.04104	0.09561	0.1947	0.3916	0.7329
5	0.81086	1.21435	2.02779	3.01184	3.9256	6.5832	9.9523
6	1.43849	2.02702	4.18584	5.59703	7.1269	9.2811	11.3505
7	1.64190	3.27426	5.57992	8.23047	11.7308	16.7524	23.6207
8	2.21550	2.86410	4.87277	7.21796	9.2419	14.3943	18.2574
9	2.17046	3.41626	5.68507	7.59955	10.4715	18.5586	30.4292
10	1.66624	2.24305	4.75397	7.12617	10.5525	19.1376	24.9628
11	0.19004	0.30839	0.53488	0.83208	1.2150	2.0037	3.1325
12	0.08341	0.13720	0.18400	0.22265	0.2654	0.3797	0.4912
	14.9395	18.8471	32.1548	41.3714	52.9268	79.1394	93.7560

NODE=1003 (N of ELTOPIA)

MON	MIN	P5	Q1	MEDIAN	Q3	P95	MAX
1	0.00024	0.00029	0.00067	0.00139	0.0024	0.0065	0.0368
2	0.00055	0.00103	0.00185	0.00253	0.0033	0.0045	0.0084
3	0.00009	0.00015	0.00039	0.00061	0.0015	0.0036	0.0122
4	0.01077	0.01340	0.03206	0.06058	0.1406	0.2979	0.4571
5	0.57744	0.85015	1.49703	2.00309	2.6825	3.8880	5.2892
6	1.34542	1.82671	3.58372	4.65425	5.9484	9.1038	10.4531
7	1.45803	2.94259	4.45604	7.19967	10.2087	15.3558	22.9695
8	1.85708	2.42931	3.94166	5.58265	7.7868	10.9646	15.0549
9	1.15903	1.93416	3.62828	5.08658	7.4294	11.7922	29.8543
10	1.17757	1.88749	3.58276	6.21854	8.8085	17.8142	19.6954
11	0.17878	0.23974	0.47900	0.65570	1.0093	1.7310	2.1873
12	0.06090	0.09466	0.13607	0.17002	0.2095	0.2611	0.4013
	11.8241	15.1282	24.8095	34.9196	42.4168	69.0038	84.1390

NODE=1004 (NE of ELTOPIA)

MON	MIN	P5	Q1	MEDIAN	Q3	P95	MAX
1	0.00012	0.00022	0.00051	0.00148	0.00324	0.0071	0.0093
2	0.00080	0.00123	0.00220	0.00312	0.00381	0.0060	0.0067
3	0.00010	0.00013	0.00032	0.00070	0.00120	0.0029	0.0047
4	0.00873	0.01110	0.02121	0.03887	0.08018	0.1840	0.4216
5	0.55860	0.70794	1.15683	1.48585	1.97601	3.6022	5.5454
6	1.32826	1.78324	3.15193	3.88004	5.38779	7.3804	9.2120
7	0.84845	2.22071	3.30756	4.38945	6.62013	10.0964	19.5289
8	1.34369	1.62773	2.68273	3.54240	4.69741	7.1442	9.2813
9	0.85886	1.33544	2.55022	3.72764	5.35484	9.4585	16.9034
10	0.74626	1.38323	2.51717	4.03054	6.48852	11.6931	17.7480
11	0.13527	0.16108	0.30550	0.51208	0.78638	1.3035	2.1536
12	0.05481	0.07800	0.10559	0.13620	0.15767	0.2103	0.3146
	6.96484	11.1090	17.7117	22.7894	29.9885	46.5006	59.7001

DOSE FACTORS and TRANSFER FACTORS set to central values

NODE=1465 (SW of SPOKANE)

MON	MIN	P5	Q1	MEDIAN	Q3	P95	MAX
1	0.00002	0.00006	0.00024	0.00043	0.00069	0.00128	0.00172
2	0.00002	0.00002	0.00003	0.00003	0.00006	0.00011	0.00016
3	0.00001	0.00002	0.00005	0.00013	0.00020	0.00038	0.00057
4	0.00162	0.00223	0.00300	0.00354	0.00429	0.00542	0.00705
5	0.00413	0.00624	0.00839	0.01020	0.01252	0.011911	0.020423
6	0.13714	0.18660	0.32808	0.44935	0.60079	1.02104	1.81990
7	0.18873	0.20634	0.36033	0.43597	0.61812	0.96755	1.15446
8	0.16078	0.20896	0.37068	0.53648	0.76830	1.39663	2.99496
9	0.32426	0.58547	0.82242	1.36015	1.78683	2.75029	4.51767
10	0.07893	0.14889	0.23968	0.36113	0.48809	1.10448	1.56082
11	0.02280	0.03280	0.05084	0.07720	0.11323	0.18174	0.22548
12	0.00277	0.00627	0.00867	0.01137	0.01515	0.02039	0.02860
	1.14837	1.56790	2.51039	3.36118	4.47514	7.07553	8.55122

NODE=1466 (S of SPOKANE)

MON	MIN	P5	Q1	MEDIAN	Q3	P95	MAX
1	0.00002	0.00005	0.00020	0.00042	0.00065	0.00111	0.00146
2	0.00001	0.00001	0.00002	0.00002	0.00003	0.00006	0.00010
3	0.00001	0.00001	0.00004	0.00010	0.00017	0.00029	0.00048
4	0.00144	0.00221	0.00277	0.00347	0.00400	0.00491	0.00617
5	0.00325	0.00509	0.00639	0.00777	0.01034	0.05272	0.29898
6	0.11197	0.15813	0.24229	0.36959	0.49969	0.70042	1.01803
7	0.16856	0.20355	0.34863	0.43904	0.62542	0.91023	1.04489
8	0.14756	0.18710	0.33840	0.48963	0.74270	1.26751	1.50387
9	0.26777	0.37894	0.72750	1.17849	1.75755	2.69820	3.34465
10	0.06004	0.11615	0.19493	0.28844	0.42492	0.83636	1.21202
11	0.01778	0.02809	0.04508	0.06730	0.09517	0.14660	0.18267
12	0.00222	0.00473	0.00619	0.00834	0.01118	0.01484	0.02284
	0.89649	1.28240	2.31464	2.99332	4.31059	5.74453	6.66328

NODE=1467 (SE of SPOKANE)

MON	MIN	P5	Q1	MEDIAN	Q3	P95	MAX
1	0.00001	0.00002	0.00016	0.00027	0.00055	0.00119	0.00180
2	0.00001	0.00001	0.00001	0.00002	0.00002	0.00003	0.00006
3	0.00000	0.00001	0.00003	0.00008	0.00013	0.00024	0.00032
4	0.00146	0.00189	0.00251	0.00308	0.00360	0.00463	0.00557
5	0.00271	0.00378	0.00455	0.00566	0.00710	0.00866	0.019178
6	0.08625	0.11896	0.18612	0.25669	0.39619	0.55682	0.79444
7	0.15201	0.18967	0.32019	0.40545	0.55913	0.80704	1.01127
8	0.14892	0.17780	0.29031	0.37061	0.63680	1.12476	1.73930
9	0.19788	0.37000	0.63031	0.96141	1.35398	2.55136	3.82597
10	0.07092	0.08744	0.16406	0.24453	0.34625	0.65607	0.89972
11	0.01692	0.02271	0.03687	0.05504	0.07498	0.12217	0.15336
12	0.00161	0.00347	0.00448	0.00650	0.00792	0.01195	0.01703
	0.88817	1.01361	1.86016	2.41067	3.40346	4.84403	6.74564

DOSE FACTORS and TRANSFER FACTORS set to central values

NODE=1506 (W of SPOKANE)

MON	MIN	P5	Q1	MEDIAN	Q3	P95	MAX
1	0.00002	0.00006	0.00023	0.00043	0.00067	0.00132	0.00181
2	0.00001	0.00002	0.00003	0.00004	0.00007	0.00015	0.00022
3	0.00001	0.00002	0.00005	0.00012	0.00023	0.00036	0.00078
4	0.00146	0.00207	0.00265	0.00317	0.00394	0.00488	0.00593
5	0.00444	0.00591	0.00805	0.01001	0.01230	0.012339	0.022718
6	0.11076	0.16532	0.31720	0.41434	0.61220	0.87319	1.85511
7	0.16110	0.17112	0.30669	0.38747	0.52293	0.82343	1.01147
8	0.13633	0.21656	0.32825	0.50021	0.76497	1.19088	1.56694
9	0.21100	0.45338	0.89551	1.29678	2.04029	2.74537	4.29575
10	0.05169	0.13842	0.26800	0.37268	0.52351	1.14503	1.59043
11	0.02077	0.03175	0.05464	0.08094	0.11706	0.17115	0.23506
12	0.00279	0.00510	0.00718	0.00970	0.01238	0.01805	0.02652
	0.90495	1.29420	2.38879	3.42690	4.59644	6.31330	7.28374

NODE=1507 (SPOKANE)

MON	MIN	P5	Q1	MEDIAN	Q3	P95	MAX
1	0.00002	0.00005	0.00020	0.00038	0.00058	0.00104	0.00133
2	0.00001	0.00001	0.00002	0.00003	0.00005	0.00009	0.00015
3	0.00001	0.00001	0.00004	0.00010	0.00019	0.00033	0.00048
4	0.00150	0.00201	0.00246	0.00306	0.00355	0.00446	0.00532
5	0.00325	0.00481	0.00626	0.00813	0.00990	0.04255	0.14082
6	0.12136	0.15584	0.24377	0.37942	0.46780	0.75064	1.38414
7	0.14111	0.18536	0.30192	0.38985	0.56128	0.84346	0.95486
8	0.13127	0.21260	0.33745	0.48328	0.70681	1.31960	1.60674
9	0.35665	0.52051	0.86605	1.25519	1.67601	2.68841	3.37467
10	0.09129	0.13272	0.22140	0.29687	0.43368	0.90138	1.17743
11	0.02470	0.02788	0.04563	0.06601	0.09417	0.14827	0.19559
12	0.00238	0.00397	0.00534	0.00709	0.00922	0.01337	0.02156
	1.12565	1.42490	2.27488	2.90281	3.95880	5.82310	6.35587

NODE=1508 (E of SPOKANE)

MON	MIN	P5	Q1	MEDIAN	Q3	P95	MAX
1	0.00001	0.00003	0.00014	0.00026	0.00052	0.00106	0.00166
2	0.00001	0.00001	0.00001	0.00002	0.00003	0.00005	0.00011
3	0.00000	0.00001	0.00003	0.00009	0.00014	0.00027	0.00039
4	0.00138	0.00181	0.00239	0.00286	0.00334	0.00423	0.00496
5	0.00282	0.00381	0.00508	0.00611	0.00782	0.06579	0.16775
6	0.10009	0.13171	0.19776	0.27273	0.37467	0.56363	0.78200
7	0.13670	0.16871	0.28140	0.34663	0.49892	0.73314	0.87386
8	0.12057	0.18056	0.26608	0.39842	0.64732	1.23036	1.73215
9	0.21029	0.32863	0.66108	1.02747	1.51779	2.50174	3.57442
10	0.05261	0.08971	0.17158	0.26360	0.36579	0.63900	0.90164
11	0.01688	0.02347	0.03703	0.05655	0.07784	0.12402	0.14876
12	0.00172	0.00309	0.00410	0.00549	0.00707	0.01037	0.01770
	0.79288	1.04865	1.77488	2.50697	3.78910	4.98511	6.77678

DOSE FACTORS and TRANSFER FACTORS set to central values

NODE=1547 (NW of SPOKANE)

MON	MIN	P5	Q1	MEDIAN	Q3	P95	MAX
1	0.00002	0.00006	0.00023	0.00040	0.00067	0.00126	0.00190
2	0.00001	0.00002	0.00003	0.00005	0.00009	0.00021	0.00026
3	0.00001	0.00002	0.00006	0.00011	0.00021	0.00035	0.00111
4	0.00114	0.00188	0.00233	0.00283	0.00341	0.00449	0.00538
5	0.00490	0.00585	0.00760	0.00972	0.01207	0.07746	0.16860
6	0.09588	0.17163	0.29683	0.39409	0.55344	0.89595	2.27471
7	0.13450	0.14882	0.26180	0.33803	0.44965	0.73152	0.89413
8	0.11515	0.17491	0.30839	0.44296	0.67764	1.29905	2.46417
9	0.28412	0.41760	0.89959	1.36046	1.89948	3.11466	4.34780
10	0.07655	0.15121	0.26447	0.34926	0.53486	1.08744	1.67033
11	0.02278	0.03221	0.05166	0.08026	0.10989	0.17119	0.22698
12	0.00325	0.00453	0.00631	0.00812	0.01170	0.01724	0.02522
	0.94152	1.34088	2.39769	3.20881	4.29147	6.22273	7.84701

NODE=1548 (N of SPOKANE)

MON	MIN	P5	Q1	MEDIAN	Q3	P95	MAX
1	0.00002	0.00005	0.00020	0.00038	0.00063	0.00104	0.00137
2	0.00001	0.00001	0.00002	0.00003	0.00006	0.00013	0.00018
3	0.00001	0.00001	0.00004	0.00009	0.00019	0.00030	0.00080
4	0.00131	0.00183	0.00230	0.00277	0.00331	0.00421	0.00497
5	0.00375	0.00490	0.00641	0.00806	0.01060	0.08432	0.30313
6	0.11550	0.14893	0.24419	0.34738	0.47081	0.70993	1.49254
7	0.13106	0.16515	0.27357	0.35137	0.49896	0.75709	0.89499
8	0.11821	0.18862	0.32472	0.45920	0.67697	1.24946	1.91247
9	0.26174	0.35730	0.86220	1.29679	1.77981	2.90174	4.72522
10	0.06613	0.14014	0.22584	0.32344	0.44741	0.91337	1.40357
11	0.01999	0.02808	0.04626	0.06821	0.09666	0.15466	0.18904
12	0.00255	0.00371	0.00497	0.00672	0.00881	0.01306	0.02159
	0.93483	1.12739	2.23440	2.88996	4.10969	6.15292	7.45221

NODE=1549 (NE of SPOKANE)

MON	MIN	P5	Q1	MEDIAN	Q3	P95	MAX
1	0.00001	0.00003	0.00013	0.00025	0.00050	0.00098	0.00164
2	0.00001	0.00001	0.00002	0.00002	0.00003	0.00008	0.00016
3	0.00000	0.00001	0.00003	0.00009	0.00016	0.00028	0.00041
4	0.00144	0.00167	0.00228	0.00264	0.00310	0.00395	0.00443
5	0.00276	0.00386	0.00518	0.00630	0.00871	0.06579	0.10821
6	0.07074	0.12894	0.19092	0.28243	0.38097	0.60218	0.77601
7	0.11485	0.16106	0.25193	0.32709	0.45811	0.68213	0.78795
8	0.13728	0.17810	0.30422	0.39954	0.59090	1.23141	2.67973
9	0.26680	0.38314	0.67743	0.98181	1.61989	2.43997	3.22320
10	0.04591	0.09028	0.19600	0.25245	0.36431	0.72071	0.97071
11	0.01726	0.02206	0.03798	0.05856	0.07556	0.12282	0.15384
12	0.00173	0.00301	0.00405	0.00541	0.00691	0.01029	0.01761
	0.83795	1.10316	1.83072	2.50467	3.51771	4.94404	7.19359

DOSE FACTORS and TRANSFER FACTORS set to central values

NODE=9001 (averaged deposition of 9 nodes around BAKER)

MON	MIN	P5	Q1	MEDIAN	Q3	P95	MAX
1	.0000000	0.000000	0.000000	0.00000	0.00000	0.00000	0.00000
2	.0000000	0.000000	0.000000	0.00000	0.00000	0.00000	0.00000
3	.0000000	0.000000	0.000000	0.00000	0.00000	0.00001	0.00001
4	.0000002	0.000000	0.000001	0.00000	0.00000	0.00000	0.00001
5	.0003104	0.000511	0.000994	0.00182	0.00320	0.00686	0.00955
6	.0001936	0.000635	0.001152	0.00231	0.00616	0.02205	0.05899
7	.0000956	0.000195	0.000395	0.00102	0.00285	0.01314	0.02323
8	.0085227	0.028965	0.068842	0.13291	0.22491	0.47397	0.68490
9	.0088783	0.015491	0.034616	0.04826	0.07520	0.12655	0.16123
10	.0013329	0.003662	0.008438	0.01305	0.01957	0.03988	0.08187
11	.0001267	0.000298	0.000723	0.00114	0.00220	0.00372	0.00748
12	.0000126	0.000030	0.000066	0.00012	0.00017	0.00028	0.00048
	.032840	0.073516	0.13487	0.22827	0.36449	0.55727	0.82890

NODE=9003 (averaged deposition of 9 nodes around ELTOPIA)

MON	MIN	P5	Q1	MEDIAN	Q3	P95	MAX
1	0.00040	0.00068	0.00185	0.00422	0.0074	0.0126	0.0153
2	0.00063	0.00117	0.00178	0.00229	0.0029	0.0042	0.0050
3	0.00021	0.00027	0.00066	0.00110	0.0017	0.0033	0.0045
4	0.01418	0.01798	0.03094	0.05609	0.1118	0.2530	0.4069
5	0.54094	0.79763	1.36963	1.72425	2.2978	3.8219	5.4291
6	1.35147	1.80721	3.10259	3.93455	5.1157	6.9687	8.6984
7	1.58880	3.34631	4.88275	7.95311	10.0364	16.0768	23.4072
8	2.36514	2.83444	4.60727	6.44785	7.6298	11.2614	14.3193
9	1.57137	2.01927	3.76936	4.82093	6.6025	11.3822	18.1478
10	1.40791	2.48353	4.56709	6.74427	9.1132	15.9569	22.6585
11	0.21505	0.33664	0.60068	0.86053	1.2860	2.0406	2.5381
12	0.14671	0.16957	0.21103	0.24891	0.2973	0.3609	0.4820
	10.8779	14.9263	25.5897	33.5574	42.4372	60.1041	72.2853

NODE=9004 (averaged deposition of 9 nodes around SPOKANE)

MON	MIN	P5	Q1	MEDIAN	Q3	P95	MAX
1	0.00002	0.00006	0.00022	0.00038	0.00062	0.00100	0.00135
2	0.00001	0.00001	0.00002	0.00003	0.00005	0.00010	0.00014
3	0.00001	0.00002	0.00005	0.00010	0.00018	0.00031	0.00046
4	0.00161	0.00203	0.00259	0.00308	0.00358	0.00436	0.00536
5	0.00362	0.00492	0.00658	0.00813	0.01034	0.009847	0.19651
6	0.09190	0.14849	0.25197	0.34563	0.50156	0.69729	1.22599
7	0.14337	0.18672	0.30237	0.38793	0.52687	0.80372	0.93234
8	0.13278	0.20309	0.32936	0.46369	0.67260	1.23118	1.55972
9	0.33829	0.48613	0.82212	1.12390	1.70083	2.42603	3.04832
10	0.08908	0.12258	0.22273	0.29437	0.42791	0.85295	1.23144
11	0.02426	0.02750	0.04520	0.06500	0.09318	0.14680	0.19396
12	0.00243	0.00429	0.00570	0.00768	0.00973	0.01365	0.02207
	1.10587	1.33669	2.15709	2.90452	3.93893	5.37181	6.28752

DOSE FACTORS and TRANSFER FACTORS set to central values

**DATE
FILMED**

3 / 19 / 93