WSRC-TR-92-392

**K- AND PAR POND SEWAGE SLUDGE APPLICATION SITES
GROUNDWATER MONITORING REPORTS - SECOND
QUARTER 1992**

by WSRC Contact - C. Y. Thompson

Westinghouse Savannah River Company
Savannah River Site
Aiken, South Carolina 29808

Other Authors: *N/A*

This paper was prepared in connection with work done under Contract No. DE-AC09-89SR18035 with the U. S. Department of Energy. By acceptance of this paper, the publisher and/or recipient acknowledges the U. S. Government's right to retain a nonexclusive, royalty-free license in and to any copyright covering this paper, along with the right to reproduce and to authorize others to reproduce all or part of the copyrighted paper.

MASTER

ep
DISSEMINATION OF THIS DOCUMENT IS UNLIMITED

SECOND QUARTER 1992

K-AREA AND PAR POND SEWAGE SLUDGE APPLICATION SITES GROUNDWATER MONITORING REPORT (U)

KEY WORDS

alkalinity
chlordane
hazardous waste
KSS wells
PSS wells

PUBLICATION DATE: OCTOBER 1992

Authorized Derivative Classifier:

M. A. Ebra

C. J. Thompson

WESTINGHOUSE SAVANNAH RIVER COMPANY
SAVANNAH RIVER SITE
AIKEN, SC 29808

Abstract

During second quarter 1992, the three wells at the K-Area Sewage Sludge Application Site (KSS wells) and the three wells at the Par Pond Sewage Sludge Application Site (PSS wells) were sampled for analyses required each quarter or annually by South Carolina Department of Health and Environmental Control Construction Permit 13,173. None of the constituents analyzed for exceeded the Primary Drinking Water Standard or the Savannah River Site Flag 2 criteria at either the K-Area Sewage Sludge Application Site or the Par Pond Sewage Sludge Application Site.

Contents

	Page
Abstract	iii
List of Figures	vii
List of Tables	ix
Executive Summary	1
Introduction	2
Discussion	3
Groundwater Monitoring Data	3
Analytical Results Exceeding Standards	3
Water Elevations and Groundwater Flow Directions	4
Conclusions	5
Errata	6
Appendix A—Primary Drinking Water Standards	A-1
Appendix B—Flagging Criteria	B-1
Appendix C—Figures	C-1
Appendix D—Groundwater Monitoring Results Tables	D-1

List of Figures

	Page
1. Location of the K-Area and Par Pond Sewage Sludge Application Sites at the Savannah River Site	C-2
2. Location of Groundwater Monitoring Wells at the K-Area Sewage Sludge Application Site	C-3
3. Location of Groundwater Monitoring Wells at the Par Pond Sewage Sludge Application Site	C-4
4. Potentiometric Surface Map of the K-Area Sewage Sludge Application Site	C-5
5. Potentiometric Surface Map of the Par Pond Sewage Sludge Application Site	C-6

List of Tables

	Page
1. Constituents Exceeding the Primary Drinking Water Standards at the K-Area Sewage Sludge Application Site	D-3
2. Constituents Exceeding the Primary Drinking Water Standards at the Par Pond Sewage Sludge Application Site	D-3
3. Constituents Exceeding Half the Primary Drinking Water Standards or Other Flag 1 or Flag 2 Criteria at the K-Area Sewage Sludge Application Site	D-4
4. Constituents Exceeding Half the Primary Drinking Water Standards or Other Flag 1 or Flag 2 Criteria at the Par Pond Sewage Sludge Application Site	D-4
5. Groundwater Monitoring Results for Individual Wells at the K-Area Sewage Sludge Application Site	D-5
6. Groundwater Monitoring Results for Individual Wells at the Par Pond Sewage Sludge Application Site	D-10

Executive Summary

Eleven sewage sludge application sites at the Savannah River Site (SRS) were originally the subject of a research program, begun in 1980, using domestic sewage sludge to reclaim borrow pits and to enhance forest productivity at SRS. As part of this research program, wastewater sludge was applied to the K-Area Sewage Sludge Application Site and Par Pond Sewage Sludge Application Site in 1981. These sites received a second and last application of sludge in 1988. This application was a one-time occurrence in accordance with Construction Permit 13,173, issued in April 1987 by the South Carolina Department of Health and Environmental Control (SCDHEC). Both sites are now inactive.

The monitoring wells at the K-Area and Par Pond Sewage Sludge Application Sites are sampled quarterly as part of the SRS Groundwater Monitoring Program and to comply with SCDHEC Construction Permit 13,173.

During second quarter 1992, samples from the three monitoring wells at the K-Area site (KSS series) and the three monitoring wells at the Par Pond site (PSS series) were analyzed for constituents required by the SCDHEC construction permit and for other constituents required by the SRS Groundwater Monitoring Program. This report describes monitoring results that exceeded the U.S. Environmental Protection Agency Primary Drinking Water Standards (PDWS) or the SRS flagging criteria.

Well PSS 3D went dry during purging; thus, the sample collected from this well may not be a representative groundwater sample.

During second quarter 1992, none of the constituents analyzed for exceeded either the PDWS or the SRS Flag 2 criteria at the K-Area Sewage Sludge Application Site or the Par Pond Sewage Sludge Application Site.

The field measurement for alkalinity was as high as 9 mg/L in the KSS well series and 1 mg/L in the PSS well series.

Historical water-level elevations at the K-Area Sewage Sludge Application Site and at the Par Pond Sewage Sludge Application Site indicate that the groundwater flow directions are south to southwest (SRS grid coordinates). Thus, at the K-Area Sewage Sludge Application Site, well KSS 1D is upgradient, KSS 3D is downgradient, and KSS 2D is downgradient within the southern border of the application area. At the Par Pond Sewage Sludge Application Site, well PSS 1D is upgradient, and wells PSS 2D and 3D are downgradient.

Introduction

The 11 sewage sludge application sites at the Savannah River Site (SRS) were originally the subject of a research program, begun in 1980, using domestic sewage sludge to reclaim borrow pits and to enhance forest productivity at SRS. After sludge was applied to the sites, hardwoods and pines were planted to quantify the wood biomass that could be produced using the sludge as a fertilizer and soil conditioner. As part of this research program, wastewater sludge was applied to the K-Area Sewage Sludge Application Site and Par Pond Sewage Sludge Application Site in 1981 under Industrial Waste Permit 175.

The 17-acre K-Area Sewage Sludge Application Site lies southeast of K Area on the west bank of Pen Branch (see Figures 1 and 2 in Appendix C). The Par Pond Sewage Sludge Application Site includes 22 acres south of Par Pond, approximately 1.3 miles north-northeast of the intersection of Roads B and F (see Figures 1 and 3 in Appendix C). Both sites are now inactive. They received a second and last application of sludge in 1988. This application, from the Central Shops Sanitary Sludge Lagoon, was a one-time occurrence in accordance with Construction Permit 13,173, issued in April 1987 by the South Carolina Department of Health and Environmental Control (SCDHEC).

In 1988, SRS determined that new wells were required at the K-Area and Par Pond Sewage Sludge Application Sites to assess the effects of sewage sludge application on groundwater. SRS installed three new wells at the K-Area site and three new wells at the Par Pond site after approval by SCDHEC. These wells, which were first sampled during fourth quarter 1988, are designated KSS 1D, 2D, and 3D and PSS 1D, 2D, and 3D. All wells monitor the water table and are constructed of 4-in. polyvinyl chloride pipe.

In 1989, the K-Area and Par Pond Sewage Sludge Application Sites became part of the Resource Conservation and Recovery Act Facilities Investigation/Remedial Investigation program because chlordane was found in the sludge from the Central Shops lagoon.

Data from the six wells monitoring the K-Area and Par Pond Sewage Sludge Application Sites for second quarter 1992 are presented in this report as required by Special Condition 4 of SCDHEC Construction Permit 13,173.

Discussion

Groundwater Monitoring Data

The standard practice at SRS is to purge a minimum of four well volumes from each well and ensure that the field parameters have stabilized before sample collection. A well that goes dry before completion of purging is allowed to recover and is sampled without further purging within 24 hours. If successful, this sequence constitutes a single sampling event. During second quarter 1992, well PSS 3D went dry during purging; thus, the sample collected from this well may not be a representative groundwater sample. PSS 3D has consistently purged dry since its installation.

Samples from the three monitoring wells at the K-Area Sewage Sludge Application Site and the three monitoring wells at the Par Pond Sewage Sludge Application Site are analyzed quarterly for the following parameters as required by SCDHEC Construction Permit 13,173:

- Specific conductance and pH (laboratory measurements)
- Water quality indicators: chloride, nitrate and nitrite (as nitrogen), sodium, and total dissolved solids

Annually, these wells are also analyzed for cadmium, calcium, copper, iron, lead, magnesium, manganese, nickel, potassium, and total phosphates (as phosphorus) as required by the construction permit. The wells may also receive additional analyses as part of the SRS Groundwater Monitoring Program.

This report describes monitoring results that exceeded the U.S. Environmental Protection Agency Primary Drinking Water Standards (PDWS) (see Appendix A) or the SRS flagging criteria (see Appendix B) during second quarter 1992.

Appendix C shows the locations of the monitored sites at SRS (Figure 1), the individual KSS and PSS monitoring wells (Figures 2 and 3, respectively), and the flow directions of the groundwater beneath the sites (Figures 4 and 5). Monitoring results tables as well as analyses that exceeded the holding times and PDWS are in Appendix D.

Analytical Results Exceeding Standards

Tables 1 and 2 (Appendix D) summarize any constituents that exceeded the PDWS at the K-Area Sewage Sludge Application Site or Par Pond Sewage Sludge Application Site, respectively, during second quarter 1992. None of the constituents analyzed for exceeded the PDWS in the KSS or PSS wells.

Constituents exceeding other flagging criteria (see Appendix B) during second quarter 1992 are summarized in Table 3 (Appendix D) for the K-Area Sewage Sludge Application Site

and Table 4 (Appendix D) for the Par Pond Sewage Sludge Application Site. None of the constituents analyzed for exceeded the SRS Flag 2 criteria at either site.

Results are presented for all analyzed constituents for the KSS and PSS wells in Tables 5 and 6, respectively (Appendix D).

Presently, SRS sets no flagging criteria for alkalinity. In the KSS well series, alkalinity ranged as high as 9 mg/L in well KSS 3D. Alkalinity reached 1 mg/L in wells PSS 1D and 3D.

Water Elevations and Groundwater Flow Directions

Water-level elevations at the K-Area Sewage Sludge Application Site indicate that the groundwater flow direction is generally south to southwest (SRS coordinates), although the nearly linear orientation of these wells makes such a determination tentative. Well KSS 1D is upgradient, KSS 3D is downgradient, and KSS 2D is downgradient within the southern border of the application area.

During second quarter 1992, only two water-level elevations were obtained at the Par Pond Sewage Sludge Application Site. Thus, determination of flow direction was not possible. Historically, flow direction has been reported as south to southwest (SRS coordinates). Based upon this precedent, well PSS 1D is upgradient, and wells PSS 2D and 3D are downgradient.

Conclusions

- During second quarter 1992, none of the constituents analyzed exceeded either the PDWS or the SRS Flag 2 criteria at the K-Area Sewage Sludge Application Site.
- During second quarter 1992, none of the constituents analyzed exceeded either the PDWS or the SRS Flag 2 criteria at the Par Pond Sewage Sludge Application Site.

Errata

First Quarter 1992:

- Chlordane analysis was requested as part of the Base/Neutral/Acid suite of analyses as described in the Environmental Protection Department/Environmental Monitoring Section contract with the analytical laboratory. However, the Roy F. Weston laboratory, who conducted the analyses for first through third quarters 1992, does not include chlordane in their Base/Neutral/Acid suite of analyses. Chlordane analysis will be conducted by General Engineering Laboratories for fourth quarter 1992.

Appendix A – Primary Drinking Water Standards

Primary Drinking Water Standards

<u>Analyte</u>	<u>Unit</u>	<u>Level</u>	<u>Status</u>	<u>Reference</u>
Americium-241	pCi/L	6.34E+00	Proposed	EPA, 1991
Americium-243	pCi/L	6.37E+00	Proposed	EPA, 1991
Antimony	µg/L	5 ^a	Proposed	EPA, 1990
Antimony-125	pCi/L	3E+02	Final	EPA, 1977
Arsenic	µg/L	50	Final	CFR, 1991
Barium	µg/L	2,000	Final	CFR, 1991
Barium-140	pCi/L	9E+01	Final	EPA, 1977
Benzene	µg/L	5	Final	CFR, 1991
Benzo[a]anthracene	µg/L	0.1	Proposed	EPA, 1990
Benzo[b]fluoranthene	µg/L	0.2	Proposed	EPA, 1990
Benzo[k]fluoranthene	µg/L	0.2	Proposed	EPA, 1990
Benzo[a]pyrene	µg/L	0.2	Proposed	EPA, 1990
Beryllium	µg/L	1	Proposed	EPA, 1990
Beryllium-7	pCi/L	6E+03	Final	EPA, 1977
Bromodichloromethane	µg/L	100	Final	CFR, 1991
Bromoform	µg/L	100	Final	CFR, 1991
2-sec-Butyl-4,6-dinitrophenol (Dinoseb)	µg/L	7	Proposed	EPA, 1990
Cadmium	µg/L	5	Final	CFR, 1991
Carbon-14	pCi/L	2E+03	Final	EPA, 1977
Carbon tetrachloride	µg/L	5	Final	CFR, 1991
Cerium-141	pCi/L	3E+02	Final	EPA, 1977
Cerium-144	pCi/L	2.61E+02	Proposed	EPA, 1991
Cesium-134	pCi/L	8.13E+02 ^b	Proposed	EPA, 1991
Cesium-137	pCi/L	2E+02	Final	EPA, 1977
Chlordane	µg/L	2	Final	CFR, 1991
Chloroethene (Vinyl chloride)	µg/L	2	Final	CFR, 1991
Chloroform	µg/L	100	Final	CFR, 1991
Chromium	µg/L	100	Final	CFR, 1991
Chromium-51	pCi/L	6E+03	Final	EPA, 1977
Chrysene	µg/L	0.2	Proposed	EPA, 1990
Cobalt-57	pCi/L	1E+03	Final	EPA, 1977
Cobalt-58	pCi/L	9E+03	Final	EPA, 1977
Cobalt-60	pCi/L	1E+02	Final	EPA, 1977
Copper	µg/L	1,300	Final	CFR, 1991
Curium-242	pCi/L	1.33E+02	Proposed	EPA, 1991
Curium-243	pCi/L	8.3E+00	Proposed	EPA, 1991
Curium-244	pCi/L	9.84E+00	Proposed	EPA, 1991
Curium-246	pCi/L	6.27E+00	Proposed	EPA, 1991
Cyanide	µg/L	200	Proposed	EPA, 1990
Dibenz[a,h]anthracene	µg/L	0.3	Proposed	EPA, 1990
Dibromochloromethane	µg/L	100	Final	CFR, 1991
Dibromochloropropane	µg/L	0.2	Final	CFR, 1991
1,2-Dichlorobenzene	µg/L	600	Final	CFR, 1991
1,4-Dichlorobenzene	µg/L	75	Final	CFR, 1991
1,2-Dichloroethane	µg/L	5	Final	CFR, 1991
1,1-Dichloroethylene	µg/L	7	Final	CFR, 1991
cis-1,2-Dichloroethylene	µg/L	70	Final	CFR, 1991
trans-1,2-Dichloroethylene	µg/L	100	Final	CFR, 1991
Dichloromethane (Methylene chloride)	µg/L	5	Proposed	EPA, 1990
2,4-Dichlorophenoxyacetic acid	µg/L	70	Final	CFR, 1991
1,2-Dichloropropane	µg/L	5	Final	CFR, 1991
Endrin	µg/L	0.2	Final	CFR, 1991
Ethylbenzene	µg/L	700	Final	CFR, 1991
Europium-154	pCi/L	2E+02	Final	EPA, 1977

<u>Analyte</u>	<u>Unit</u>	<u>Level</u>	<u>Status</u>	<u>Reference</u>
Europium-155	pCi/L	6E+02	Final	EPA, 1977
Fluoride	µg/L	4,000	Final	CFR, 1991
Gross alpha ^c	pCi/L	1.5E+01	Final	CFR, 1991
Heptachlor	µg/L	0.4	Final	CFR, 1991
Heptachlor epoxide	µg/L	0.2	Final	CFR, 1991
Hexachlorobenzene	µg/L	1	Proposed	EPA, 1990
Hexachlorocyclopentadiene	µg/L	50	Proposed	EPA, 1990
Iodine-129	pCi/L	1E+00	Final	EPA, 1977
Iodine-131	pCi/L	3E+00	Final	EPA, 1977
Iron-55	pCi/L	2E+03	Final	EPA, 1977
Iron-59	pCi/L	2E+02	Final	EPA, 1977
Lanthanum-140	pCi/L	6E+01	Final	EPA, 1977
Lead	µg/L	15	Final	CFR, 1991
Lindane	µg/L	0.2	Final	CFR, 1991
Manganese-54	pCi/L	3E+02	Final	EPA, 1977
Mercury	µg/L	2	Final	CFR, 1991
Methoxychlor	µg/L	40	Final	CFR, 1991
Neptunium-237	pCi/L	7.06E+00	Proposed	EPA, 1991
Nickel	µg/L	100	Proposed	EPA, 1990
Nickel-59	pCi/L	3E+02	Final	EPA, 1977
Nickel-63	pCi/L	5E+01	Final	EPA, 1977
Niobium-95	pCi/L	3E+02	Final	EPA, 1977
Nitrate as nitrogen	µg/L	10,000	Final	CFR, 1991
Nitrite as nitrogen	µg/L	1,000	Final	CFR, 1991
Nonvolatile beta	pCi/L	5E+01	Proposed	EPA, 1986
PCBs ^d	µg/L	0.5	Final	CFR, 1991
Pentachlorophenol	µg/L	1	Final	CFR, 1991
Plutonium-238	pCi/L	7.02E+00	Proposed	EPA, 1991
Plutonium-239	pCi/L	6.21E+01	Proposed	EPA, 1991
Plutonium-239/240 ^e	pCi/L	6.21E+01	Proposed	EPA, 1991
Plutonium-240	pCi/L	6.22E+01	Proposed	EPA, 1991
Plutonium-241	pCi/L	6.26E+01	Proposed	EPA, 1991
Plutonium-242	pCi/L	6.54E+01	Proposed	EPA, 1991
Potassium-40	pCi/L	3E+02	Proposed	EPA, 1986
Radium-226	pCi/L	1.57E+01	Proposed	EPA, 1991
Radium-228	pCi/L	7.85E+00	Proposed	EPA, 1991
Radon-222	pCi/L	3E+02	Proposed	EPA, 1991
Ruthenium-103	pCi/L	2E+02	Final	EPA, 1977
Ruthenium-106	pCi/L	3E+01	Final	EPA, 1977
Selenium	µg/L	50	Final	CFR, 1991
Silver	µg/L	50	Final	CFR, 1991
Sodium-22	pCi/L	4.66E+02	Proposed	EPA, 1991
Strontium-89	pCi/L	2E+01 ^f	Final	EPA, 1977
Strontium-89/90 ^e	pCi/L	8E+00	Final	CFR, 1991
Strontium-90	pCi/L	8E+00	Final	CFR, 1991
Styrene	µg/L	100	Final	CFR, 1991
Sulfate	µg/L	400,000 ^a	Proposed	EPA, 1990
Technetium-99	pCi/L	9E+02	Final	EPA, 1977
Tetrachloroethylene	µg/L	5	Final	CFR, 1991
Thallium	µg/L	1	Proposed	EPA, 1990
Thorium-228	pCi/L	1.25E+02	Proposed	EPA, 1991
Thorium-230	pCi/L	7.92E+01	Proposed	EPA, 1991
Thorium-232	pCi/L	8.8E+01	Proposed	EPA, 1991
Thorium-234	pCi/L	4.01E+02	Proposed	EPA, 1991
Tin-113	pCi/L	3E+02	Final	EPA, 1977
Toluene	µg/L	1,000	Final	CFR, 1991

<u>Analyte</u>	<u>Unit</u>	<u>Level</u>	<u>Status</u>	<u>Reference</u>
Total radium	pCi/L	5E+00	Final	CFR, 1991
Total trihalomethanes	µg/L	100	Final	CFR, 1991
Toxaphene	µg/L	3	Final	CFR, 1991
2,4,5-TP (Silvex)	µg/L	50	Final	CFR, 1991
1,2,4-Trichlorobenzene	µg/L	9	Proposed	EPA, 1990
1,1,1-Trichloroethane	µg/L	200	Final	CFR, 1991
1,1,2-Trichloroethane	µg/L	5	Proposed	EPA, 1990
Trichloroethylene	µg/L	5	Final	CFR, 1991
Tritium	pCi/mL	2E+01	Final	CFR, 1991
Uranium	µg/L	20	Proposed	EPA, 1991
Uranium alpha activity	pCi/L	3E+01	Proposed	EPA, 1991
Uranium-233/234 ^a	pCi/L	1.38E+01	Proposed	EPA, 1991
Uranium-234	pCi/L	1.39E+01	Proposed	EPA, 1991
Uranium-235	pCi/L	1.45E+01	Proposed	EPA, 1991
Uranium-238	pCi/L	1.46E+01	Proposed	EPA, 1991
Xylenes	µg/L	10,000	Final	CFR, 1991
Zinc-65	pCi/L	3E+02	Final	EPA, 1977
Zirconium-95	pCi/L	2E+02	Final	EPA, 1977
Zirconium/Niobium-95 ^e	pCi/L	2E+02	Final	EPA, 1977

Note: Drinking water standards set by EPA (1977) correspond to the level at which each radionuclide contributes 4 mrem/yr of dose to an individual consuming 2 L of contaminated liquid a day. See EPA (1977) for details.

- ^a This value is the lower of two proposed levels.
- ^b EPD/EMS uses the proposed standard because it is a lower value; the final PDWS in 1977 may have been in error.
- ^c The standard given is for gross alpha including radium-226 but excluding radon and uranium.
- ^d Analyses were conducted in 1992 for the following: PCB 1016, PCB 1221, PCB 1232, PCB 1242, PCB 1248, PCB 1254, and PCB 1260.
- ^e For double radionuclide analyses where each separate radionuclide has its own standard, the more stringent standard is used.
- ^f This value is the lower of two levels given for strontium-89.

References

CFR (Code of Federal Regulations), 1991. *National Primary Drinking Water Regulations*, 40 CFR, Part 141, pp. 578-715. Washington, DC.

EPA (U.S. Environmental Protection Agency), 1977. *National Interim Primary Drinking Water Regulations*, EPA-570/9-76-003. Washington, DC.

EPA (U.S. Environmental Protection Agency), 1986. *Water Pollution Control; National Primary Drinking Water Regulations, Radionuclides (Proposed)*, *Federal Register*, September 30, 1986, pp. 34835-34862. Washington, DC.

EPA (U.S. Environmental Protection Agency), 1990. *National Primary and Secondary Drinking Water Regulations; Synthetic Organic Chemicals and Inorganic Chemicals; Proposed Rule*, *Federal Register*, July 25, 1990, pp. 30369-30448. Washington, DC.

EPA (U.S. Environmental Protection Agency), 1991. *National Primary Drinking Water Regulations; Radionuclides; Proposed Rule*, *Federal Register*, July 18, 1991, pp. 33052-33127. Washington, DC.

Appendix B – Flagging Criteria

Flagging Criteria

Beginning in 1991, the Environmental Monitoring Section of the Environmental Protection Department (EPD/EMS) modified its guidelines for flagging constituents in the Groundwater Monitoring Program. These flagging criteria are as follows:

- Flag 2 criteria for constituents equal the U.S. Environmental Protection Agency (EPA) Primary Drinking Water Standard, the EPA proposed Primary Drinking Water Standard, or the EPA Secondary Drinking Water Standard. If a constituent does not have a drinking water standard, the Flag 2 criterion equals 10 times the method detection limit (MDL) calculated as the 90th percentile detection limit obtained recently by one of the primary analytical laboratories.
- Flag 1 criteria for constituents equal one-half of the EPA Primary Drinking Water Standard, one-half the EPA proposed Primary Drinking Water Standard, or one-half the EPA Secondary Drinking Water Standard. If a constituent does not have an EPA drinking water standard, the Flag 1 criterion equals 5 times the MDL calculated as the 90th percentile detection limit obtained recently by one of the primary analytical laboratories.
- Analytical results for constituents below Flag 1 or below sample detection limits are classified as Flag 0.

The following parameters are not assigned flagging criteria: alkalinity, calcium, carbonate, color, corrosivity, magnesium, odor, potassium, Eh, silica, sodium, total dissolved solids, total phosphorus, total phosphates (as P), and turbidity. In addition, common laboratory contaminants and cleaners including phthalates, methylene chloride, ketones, and toluene are not assigned flagging criteria.

Analyte	Unit	Flag 1	Flag 2	Source
Acenaphthene	µg/L	50	100	EPA Method 8270
Acenaphthylene	µg/L	50	100	EPA Method 8270
Acetone	µg/L	50	100	EPA Method 8240
Acetonitrile (Methyl cyanide)	µg/L	500	1,000	EPA Method 8240
Acetophenone	µg/L	50	100	EPA Method 8270
2-Acetylaminofluorene	µg/L	50	100	EPA Method 8270
Acrolein	µg/L	100	200	EPA Method 8240
Acrylonitrile	µg/L	100	200	EPA Method 8240
Aldrin	µg/L	2.5	5	EPA Method 8080
Alkalinity (as CaCO ₃)		No flag	No flag	Set by EPD/EMS
Allyl chloride	µg/L	250	500	EPA Method 8240
Aluminum	µg/L	100	200	EPA Method 6010
Americium-241	pCi/L	3.17E+00	6.34E+00	Proposed DWS (EPA, 1991)
Americium-243	pCi/L	3.19E+00	6.37E+00	Proposed DWS (EPA, 1991)
4-Aminobiphenyl	µg/L	50	100	EPA Method 8270
Ammonia	µg/L	500	1,000	APHA Method 417B
Ammonia nitrogen	µg/L	50	100	EPA Method 350.1
Aniline	µg/L	50	100	EPA Method 8270
Anthracene	µg/L	50	100	EPA Method 8270
Antimony	µg/L	2.5	5	Proposed DWS (EPA, 1990)
Antimony-125	pCi/L	1.5E+02	3E+02	Final DWS (EPA, 1977)

Analyte	Unit	Flag 1	Flag 2	Source
Aramite	µg/L	50	100	EPA Method 8270
Arsenic	µg/L	25	50	Final DWS (CFR, 1991a)
Azobenzene	µg/L	50	100	EPA Method 625
Barium	µg/L	1,000	2,000	Final DWS (CFR, 1991a)
Barium-140	pCi/L	4.5E+01	9E+01	Final DWS (EPA, 1977)
Benzene	µg/L	2.5	5	Final DWS (CFR, 1991a)
alpha-Benzene hexachloride	µg/L	2.5	5	EPA Method 8080
beta-Benzene hexachloride	µg/L	2.5	5	EPA Method 8080
delta-Benzene hexachloride	µg/L	2.5	5	EPA Method 8080
Benzidine	µg/L	250	500	EPA Method 8270
Benzo[a]anthracene	µg/L	0.05	0.1	Proposed DWS (EPA, 1990)
Benzo[b]fluoranthene	µg/L	0.1	0.2	Proposed DWS (EPA, 1990)
Benzo[k]fluoranthene	µg/L	0.1	0.2	Proposed DWS (EPA, 1990)
Benzo[g,h,i]perylene	µg/L	50	100	EPA Method 8270
Benzo[a]pyrene	µg/L	0.1	0.2	Proposed DWS (EPA, 1990)
Benzoic acid	µg/L	250	500	EPA Method 8270
1,4-Benzoquinone	µg/L	50	100	EPA Method 8270
Benzyl alcohol	µg/L	100	200	EPA Method 8270
Beryllium	µg/L	0.5	1	Proposed DWS (EPA, 1990)
Beryllium-7	pCi/L	3E+03	6E+03	Final DWS (EPA, 1977)
Bis(2-chloroethoxy) methane	µg/L	50	100	EPA Method 8270
Bis(2-chloroethyl) ether	µg/L	50	100	EPA Method 8270
Bis(2-chloroisopropyl) ether	µg/L	50	100	EPA Method 8270
Bis(chloromethyl) ether	µg/L	50	100	EPA Method 8270
Bis(chloromethyl-ethyl) ether	µg/L	50	100	EPA Method 8270
Bis(2-ethylhexyl) phthalate		No flag	No flag	Set by EPD/EMS
Bromide	µg/L	5,000	10,000	EPA Method 300.0
Bromodichloromethane	µg/L	50	100	Final DWS (CFR, 1991a)
Bromoform	µg/L	50	100	Final DWS (CFR, 1991a)
Bromomethane (Methyl bromide)	µg/L	5	10	EPA Method 8240
4-Bromophenyl phenyl ether	µg/L	50	100	EPA Method 8270
2-sec-Butyl-4,6-dinitrophenol	µg/L	3.5	7	Proposed DWS (EPA, 1990)
Butylbenzyl phthalate		No flag	No flag	Set by EPD/EMS
Cadmium	µg/L	2.5	5	Final DWS (CFR, 1991a)
Calcium		No flag	No flag	Set by EPD/EMS
Carbon disulfide	µg/L	5	10	EPA Method 8240
Carbon tetrachloride	µg/L	2.5	5	Final DWS (CFR, 1991a)
Carbon-14	pCi/L	1E+03	2E+03	Final DWS (EPA, 1977)
Carbonate	µg/L	500	1,000	EPA Method 310.1
Cerium-141	pCi/L	1.5E+02	3E+02	Final DWS (EPA, 1977)
Cerium-144	pCi/L	1.31E+02	2.61E+02	Proposed DWS (EPA, 1991)
Cesium-134	pCi/L	4.07E+01	8.13E+01	Proposed DWS (EPA, 1991)
Cesium-137	pCi/L	1E+02	2E+02	Final DWS (EPA, 1977)
Chlordane	µg/L	1	2	Final DWS (CFR, 1991a)
Chloride	µg/L	125,000	250,000	Secondary DWS (CFR, 1991b)
4-Chloroaniline	µg/L	50	100	EPA Method 8270
Chlorobenzene	µg/L	5	10	EPA Method 8240
Chlorobenzilate	µg/L	50	100	EPA Method 8270
Chloroethane	µg/L	5	10	EPA Method 8240
Chloroethene (Vinyl chloride)	µg/L	1	2	Final DWS (CFR, 1991a)
Chloroethyl vinyl ether	µg/L	5	10	EPA Method 8240
2-Chloroethyl vinyl ether	µg/L	5	10	EPA Method 8240
Chloroform	µg/L	50	100	Final DWS (CFR, 1991a)
para-Chloro-meta-cresol	µg/L	50	100	EPA Method 8270
Chloromethane (Methyl chloride)	µg/L	5	10	EPA Method 8240
2-Chloronaphthalene	µg/L	50	100	EPA Method 8240

Analyte	Unit	Flag 1	Flag 2	Source
2-Chlorophenol	µg/L	50	100	EPA Method 8270
4-Chlorophenyl phenyl ether	µg/L	50	100	EPA Method 8270
Chloroprene	µg/L	1,000	2,000	EPA Method 8240
Chromium	µg/L	50	100	Final DWS (CFR, 1991a)
Chromium-51	pCi/L	3E+03	6E+03	Final DWS (EPA, 1977)
Chrysene	µg/L	0.1	0.2	Proposed DWS (EPA, 1990)
Cobalt	µg/L	20	40	EPA Method 6010
Cobalt-57	pCi/L	5E+02	1E+03	Final DWS (EPA, 1977)
Cobalt-58	pCi/L	4.5E+03	9E+03	Final DWS (EPA, 1977)
Cobalt-60	pCi/L	5E+01	1E+02	Final DWS (EPA, 1977)
Color		No flag	No flag	Set by EPD/EMS
Copper	µg/L	650	1,300	Final DWS (CFR, 1991a)
Corrosivity		No flag	No flag	Set by EPD/EMS
m-Cresol (3-Methylphenol)	µg/L	50	100	EPA Method 8270
o-Cresol (2-Methylphenol)	µg/L	50	100	EPA Method 8270
p-Cresol (4-Methylphenol)	µg/L	50	100	EPA Method 8270
Curium-242	pCi/L	6.65E+01	1.33E+02	Proposed DWS (EPA, 1991)
Curium-243	pCi/L	4.15E+00	8.3E+00	Proposed DWS (EPA, 1991)
Curium-244	pCi/L	4.92E+00	9.84E+00	Proposed DWS (EPA, 1991)
Curium-246	pCi/L	3.14E+00	6.27E+00	Proposed DWS (EPA, 1991)
Cyanide	µg/L	100	200	Proposed DWS (EPA, 1990)
p,p'-DDD	µg/L	2.5	5	EPA Method 8080
p,p'-DDE	µg/L	2.5	5	EPA Method 8080
p,p'-DDT	µg/L	2.5	5	EPA Method 8080
Di-n-butyl phthalate		No flag	No flag	Set by EPD/EMS
Di-n-octyl phthalate		No flag	No flag	Set by EPD/EMS
Diallate	µg/L	50	100	EPA Method 8270
Dibenz[a,h]anthracene	µg/L	0.15	0.3	Proposed DWS (EPA, 1990)
Dibenzofuran	µg/L	50	100	EPA Method 8270
Dibromochloromethane	µg/L	50	100	Final DWS (CFR, 1991a)
Dibromochloropropane	µg/L	0.1	0.2	Final DWS (CFR, 1991a)
1,2-Dibromo-3-chloropropane	µg/L	250	500	EPA Method 8240
1,2-Dibromoethane	µg/L	100	200	EPA Method 8240
Dibromomethane (Methylene bromide)	µg/L	5	10	EPA Method 8240
1,2-Dichlorobenzene	µg/L	300	600	Final DWS (CFR, 1991a)
1,3-Dichlorobenzene	µg/L	50	100	EPA Method 8270
1,4-Dichlorobenzene	µg/L	37.5	75	Final DWS (CFR, 1991a)
3,3'-Dichlorobenzidine	µg/L	50	100	EPA Method 8270
trans-1,4-Dichloro-2-butene	µg/L	150	300	EPA Method 8240
Dichlorodifluoromethane	µg/L	5	10	EPA Method 8240
1,1-Dichloroethane	µg/L	5	10	EPA Method 8240
1,2-Dichloroethane	µg/L	2.5	5	Final DWS (CFR, 1991a)
cis-1,2-Dichloroethene	µg/L	35	70	Final DWS (CFR, 1991a)
1,1-Dichloroethylene	µg/L	3.5	7	Final DWS (CFR, 1991a)
1,2-Dichloroethylene	µg/L	25	50	EPA Method 8240
trans-1,2-Dichloroethylene	µg/L	50	100	Final DWS (CFR, 1991a)
Dichloromethane (Methylene chloride)		No flag	No flag	Set by EPD/EMS
2,4-Dichlorophenol	µg/L	50	100	EPA Method 8270
2,6-Dichlorophenol	µg/L	50	100	EPA Method 8270
2,4-Dichlorophenoxyacetic acid	µg/L	35	70	Final DWS (CFR, 1991a)
1,2-Dichloropropane	µg/L	2.5	5	Final DWS (CFR, 1991a)
cis-1,3-Dichloropropene	µg/L	5	10	EPA Method 8240
trans-1,3-Dichloropropene	µg/L	5	10	EPA Method 8240
Dieldrin	µg/L	2.5	5	EPA Method 8080

Analyte	Unit	Flag 1	Flag 2	Source
Diethyl phthalate		No flag	No flag	Set by EPD/EMS
Dimethoate	µg/L	50	100	EPA Method 8270
p-Dimethylaminoazobenzene	µg/L	50	100	EPA Method 8270
p-(Dimethylamino)ethylbenzene	µg/L	50	100	EPA Method 8270
7,12-Dimethylbenz[a]anthracene	µg/L	50	100	EPA Method 8270
3,3'-Dimethylbenzidine	µg/L	50	100	EPA Method 8270
a,a-Dimethylphenethylamine	µg/L	50	100	EPA Method 8270
2,4-Dimethyl phenol	µg/L	50	100	EPA Method 8270
Dimethyl phthalate		No flag	No flag	Set by EPD/EMS
1,3-Dinitrobenzene	µg/L	50	100	EPA Method 8270
4,6-Dinitro-ortho-cresol	µg/L	250	500	EPA Method 8270
2,4-Dinitrophenol	µg/L	250	500	EPA Method 8270
2,4-Dinitrotoluene	µg/L	50	100	EPA Method 8270
2,6-Dinitrotoluene	µg/L	50	100	EPA Method 8270
1,4-Dioxane	µg/L	50	100	EPA Method 8270
Diphenylamine	µg/L	50	100	EPA Method 8270
1,2-Diphenylhydrazine	µg/L	50	100	EPA Method 8270
Dissolved organic carbon	µg/L	5,000	10,000	EPA Method 9060
Disulfoton	µg/L	50	100	EPA Method 8270
Eh		No flag	No flag	Set by EPD/EMS
alpha-Endosulfan	µg/L	50	100	EPA Method 8270
beta-Endosulfan	µg/L	50	100	EPA Method 8270
Endosulfan I	µg/L	2.5	5	EPA Method 8080
Endosulfan II	µg/L	2.5	5	EPA Method 8080
Endosulfan sulfate	µg/L	2.5	5	EPA Method 8080
Endrin	µg/L	0.1	0.2	Final DWS (CFR, 1991a)
Endrin aldehyde	µg/L	2.5	5	EPA Method 8080
Endrin ketone		No flag	No flag	Set by EPD/EMS
Ethyl methacrylate	µg/L	50	100	EPA Method 8270
Ethyl methanesulfonate	µg/L	50	100	EPA Method 8270
Ethylbenzene	µg/L	350	700	Final DWS (CFR, 1991a)
Europium-154	pCi/L	1E+02	2E+02	Final DWS (EPA, 1977)
Europium-155	pCi/L	3E+02	6E+02	Final DWS (EPA, 1977)
Famphur	µg/L	50	100	EPA Method 8270
Fluoranthene	µg/L	50	100	EPA Method 8270
Fluorene	µg/L	50	100	EPA Method 8270
Fluoride	µg/L	2,000	4,000	Final DWS (CFR, 1991a)
Gross alpha	pCi/L	7.5E+00	1.5E+01	Final DWS (CFR, 1991a)
Heptachlor	µg/L	0.2	0.4	Final DWS (CFR, 1991a)
Heptachlor epoxide	µg/L	0.1	0.2	Final DWS (CFR, 1991a)
Heptachlorodibenzo-p-dioxin isomers	µg/L	0.00325	0.0065	EPA Method 8280
1,2,3,4,6,7,8-Heptachlorodibenzo-p-dioxin	µg/L	0.00325	0.0065	EPA Method 8280
Heptachlorodibenzo-p-furan isomers	µg/L	0.00225	0.0045	EPA Method 8280
1,2,3,4,6,7,8-Heptachlorodibenzo-p-furan	µg/L	0.00225	0.0045	EPA Method 8280
Hexachlorobenzene	µg/L	0.5	1	Proposed DWS (EPA, 1990)
Hexachlorobutadiene	µg/L	50	100	EPA Method 8270
Hexachlorocyclopentadiene	µg/L	25	50	Proposed DWS (EPA, 1990)
Hexachlorodibenzo-p-dioxin isomers	µg/L	0.00225	0.0045	EPA Method 8280
1,2,3,4,7,8-Hexachlorodibenzo-p-dioxin	µg/L	0.00225	0.0045	EPA Method 8280
Hexachlorodibenzo-p-furan isomers	µg/L	0.002	0.004	EPA Method 8280

Analyte	Unit	Flag 1	Flag 2	Source
1,2,3,4,7,8-Hexachlorodibenzo- p-furan	µg/L	0.002	0.004	EPA Method 8280
Hexachloroethane	µg/L	50	100	EPA Method 8270
Hexachlorophene	µg/L	250	500	EPA Method 8270
Hexachloropropene	µg/L	50	100	EPA Method 8270
2-Hexanone	µg/L	100	200	EPA Method 8240
Indeno[1,2,3-c,d]pyrene	µg/L	50	100	EPA Method 8270
Iodine	µg/L	500	1,000	EPA Method 415
Iodine-129	pCi/L	5E-01	1E+00	Final DWS (EPA, 1977)
Iodine-131	pCi/L	1.5E+00	3E+00	Final DWS (EPA, 1977)
Iodomethane (Methyl iodide)	µg/L	75	150	EPA Method 8240
Iron	µg/L	150	300	Secondary DWS (CFR, 1991b)
Iron-55	pCi/L	1E+03	2E+03	Final DWS (EPA, 1977)
Iron-59	pCi/L	1E+02	2E+02	Final DWS (EPA, 1977)
Isobutyl alcohol	µg/L	500	1,000	EPA Method 8240
Isodrin	µg/L	50	100	EPA Method 8270
Isophorone	µg/L	50	100	EPA Method 8270
Isosafrole	µg/L	50	100	EPA Method 8270
Kepone	µg/L	50	100	EPA Method 8270
Lanthanum-140	pCi/L	3E+01	6E+01	Final DWS (EPA, 1977)
Lead	µg/L	7.5	15	Final DWS (CFR, 1991a)
Lindane	µg/L	0.1	0.2	Final DWS (CFR, 1991a)
Lithium	µg/L	25	50	EPA Method 6010
Magnesium		No flag	No flag	Set by EPD/EMS
Manganese	µg/L	25	50	Secondary DWS (CFR, 1991b)
Manganese-54	pCi/L	1.5E+02	3E+02	Final DWS (EPA, 1977)
Mercury	µg/L	1	2	Final DWS (CFR, 1991a)
Methacrylonitrile	µg/L	250	500	EPA Method 8240
Methapyrilene	µg/L	50	100	EPA Method 8270
Methoxychlor	µg/L	20	40	Final DWS (CFR, 1991a)
3-Methylcholanthrene	µg/L	50	100	EPA Method 8270
2-Methyl-4,6-dinitrophenol	µg/L	250	500	EPA Method 8270
Methyl ethyl ketone		No flag	No flag	Set by EPD/EMS
Methyl isobutyl ketone		No flag	No flag	Set by EPD/EMS
Methyl methacrylate	µg/L	50	100	EPA Method 8270
Methyl methanesulfonate	µg/L	50	100	EPA Method 8270
2-Methylnaphthalene	µg/L	50	100	EPA Method 8270
Molybdenum	µg/L	250	500	EPA Method 6010
Naphthalene	µg/L	50	100	EPA Method 8270
1,4-Naphthoquinone	µg/L	50	100	EPA Method 8270
1-Naphthylamine	µg/L	50	100	EPA Method 8270
2-Naphthylamine	µg/L	50	100	EPA Method 8270
Neptunium-237	pCi/L	3.53E+00	7.06E+00	Proposed DWS (EPA, 1991)
Nickel	µg/L	50	100	Proposed DWS (EPA, 1990)
Nickel-59	pCi/L	1.5E+02	3E+02	Final DWS (EPA, 1977)
Nickel-63	pCi/L	2.5E+01	5E+01	Final DWS (EPA, 1977)
Niobium-95	pCi/L	1.5E+02	3E+02	Final DWS (EPA, 1977)
Nitrate as nitrogen	µg/L	5,000	10,000	Final DWS (CFR, 1991a)
Nitrite as nitrogen	µg/L	500	1,000	Final DWS (CFR, 1991a)
2-Nitroaniline	µg/L	50	100	EPA Method 8270
3-Nitroaniline	µg/L	50	100	EPA Method 8270
4-Nitroaniline	µg/L	50	100	EPA Method 8270
Nitrobenzene	µg/L	50	100	EPA Method 8270
Nitrogen by Kjeldahl method	µg/L	500	1,000	EPA Method 351.2
2-Nitrophenol	µg/L	50	100	EPA Method 8270
4-Nitrophenol	µg/L	50	100	EPA Method 8270

Analyte	Unit	Flag 1	Flag 2	Source
4-Nitroquinoline-1-oxide	µg/L	50	100	EPA Method 8270
N-Nitrosodi-n-butylamine	µg/L	50	100	EPA Method 8270
N-Nitrosodiethylamine	µg/L	50	100	EPA Method 8270
N-Nitrosodimethylamine	µg/L	50	100	EPA Method 8270
N-Nitrosodiphenylamine	µg/L	50	100	EPA Method 8270
N-Nitrosodi-propylamine	µg/L	50	100	EPA Method 8270
N-Nitrosomethylethylamine	µg/L	50	100	EPA Method 8270
N-Nitrosomorpholine	µg/L	50	100	EPA Method 8270
N-Nitrosopiperidine	µg/L	50	100	EPA Method 8270
N-Nitrosopyrrolidine	µg/L	50	100	EPA Method 8270
5-Nitro-o-toluidine	µg/L	50	100	EPA Method 8270
Nonvolatile beta	pCi/L	2.5E+01	5E+01	Proposed DWS (EPA, 1986)
Octachlorodibenzo-p-dioxin isomers	µg/L	0.005	0.01	EPA Method 8280
Octachlorodibenzo-p-furan isomers	µg/L	0.005	0.01	EPA Method 8280
Odor		No flag	No flag	Set by EPD/EMS
Oil & Grease	µg/L	5,000	10,000	EPA Method 413.1
Parathion	µg/L	2.5	5	EPA Method 8080
Parathion methyl	µg/L	2.5	5	EPA Method 8080
PCB 1016	µg/L	0.25	0.5	Final DWS (CFR, 1991a)
PCB 1221	µg/L	0.25	0.5	Final DWS (CFR, 1991a)
PCB 1232	µg/L	0.25	0.5	Final DWS (CFR, 1991a)
PCB 1242	µg/L	0.25	0.5	Final DWS (CFR, 1991a)
PCB 1248	µg/L	0.25	0.5	Final DWS (CFR, 1991a)
PCB 1254	µg/L	0.25	0.5	Final DWS (CFR, 1991a)
PCB 1260	µg/L	0.25	0.5	Final DWS (CFR, 1991a)
PCB 1262	µg/L	0.25	0.5	Final DWS (CFR, 1991a)
Pentachlorobenzene	µg/L	50	100	EPA Method 8270
Pentachlorodibenzo-p-dioxin isomers	µg/L	0.00275	0.0055	EPA Method 8280
1,2,3,7,8-Pentachlorodibenzo-p-dioxin	µg/L	0.00275	0.0055	EPA Method 8280
Pentachlorodibenzo-p-furan isomers	µg/L	0.00275	0.0055	EPA Method 8280
1,2,3,7,8-Pentachlorodibenzo-p-furan	µg/L	0.00275	0.0055	EPA Method 8280
Pentachloroethane	µg/L	50	100	EPA Method 8270
Pentachloronitrobenzene	µg/L	50	100	EPA Method 8270
Pentachlorophenol	µg/L	0.5	1	Final DWS (CFR, 1991a)
pH	pH	8	10	Set by EPD/EMS
pH	pH	4	3	Set by EPD/EMS
Phenacetin	µg/L	50	100	EPA Method 8270
Phenanthrene	µg/L	50	100	EPA Method 8270
Phenol	µg/L	50	100	EPA Method 8270
Phenols	µg/L	25	50	EPA Method 420.1
p-Phenylenediamine	µg/L	50	100	EPA Method 8270
Phorate	µg/L	2.5	5	EPA Method 8080
2-Picoline	µg/L	50	100	EPA Method 8270
Plutonium-238	pCi/L	3.51E+00	7.02E+00	Proposed DWS (EPA, 1991)
Plutonium-239	pCi/L	3.11E+01	6.21E+01	Proposed DWS (EPA, 1991)
Plutonium-239/240 ^a	pCi/L	3.11E+01	6.21E+01	Proposed DWS (EPA, 1991)
Plutonium-240	pCi/L	3.11E+01	6.22E+01	Proposed DWS (EPA, 1991)
Plutonium-241	pCi/L	3.13E+01	6.26E+01	Proposed DWS (EPA, 1991)
Plutonium-242	pCi/L	3.27E+01	6.54E+01	Proposed DWS (EPA, 1991)
Potassium		No flag	No flag	Set by EPD/EMS
Potassium-40	pCi/L	1.5E+02	3E+02	Proposed DWS (EPA, 1986)
Pronamid	µg/L	50	100	EPA Method 8270
Propionitrile	µg/L	1,000	2,000	EPA Method 8240

Analyte	Unit	Flag 1	Flag 2	Source
Pyrene	µg/L	50	100	EPA Method 8270
Pyridine	µg/L	50	100	EPA Method 8270
Radium-226	pCi/L	7.85E+00	1.57E+01	Proposed DWS (EPA, 1991)
Radium-228	pCi/L	3.93E+00	7.85E+00	Proposed DWS (EPA, 1991)
Radon-222	pCi/L	1.5E+02	3E+02	Proposed DWS (EPA, 1991)
Ruthenium-103	pCi/L	1E+02	2E+02	Final DWS (EPA, 1977)
Ruthenium-106	pCi/L	1.5E+01	3E+01	Final DWS (EPA, 1977)
Safrole	µg/L	50	100	EPA Method 8270
Selenium	µg/L	25	50	Final DWS (CFR, 1991a)
Silica		No flag	No flag	Set by EPD/EMS
Silver	µg/L	25	50	Final DWS (CFR, 1991a)
Sodium		No flag	No flag	Set by EPD/EMS
Sodium-22	pCi/L	2.33E+02	4.66E+02	Proposed DWS (EPA, 1991)
Specific conductance	µS/cm	250	500	Set by EPD/EMS
Strontium-89	pCi/L	1E+01	2E+01	Final DWS (EPA, 1977)
Strontium-89/90 ^a	pCi/L	4E+00	8E+00	Final DWS (CFR, 1991a)
Strontium-90	pCi/L	4E+00	8E+00	Final DWS (CFR, 1991a)
Styrene	µg/L	50	100	Final DWS (CFR, 1991a)
Sulfate	µg/L	200,000	400,000	Proposed DWS (EPA, 1990)
Sulfide	µg/L	5,000	10,000	EPA Method 9030
Sulfotep	µg/L	50	100	EPA Method 8270
Surfactants		No flag	No flag	Set by EPD/EMS
2,3,7,8-TCDD	µg/L	0.00225	0.0045	EPA Method 8280
2,3,7,8-TCDF	µg/L	0.002	0.004	EPA Method 8280
Technetium-99	pCi/L	4.5E+02	9E+02	Final DWS (EPA, 1977)
1,2,4,5-Tetrachlorobenzene	µg/L	50	100	EPA Method 8270
Tetrachlorodibenzo-p-dioxin isomers	µg/L	0.00225	0.0045	EPA Method 8280
Tetrachlorodibenzo-p-furan isomers	µg/L	0.002	0.004	EPA Method 8280
1,1,1,2-Tetrachloroethane	µg/L	5	10	EPA Method 8240
1,1,2,2-Tetrachloroethane	µg/L	5	10	EPA Method 8240
Tetrachloroethylene	µg/L	2.5	5	Final DWS (CFR, 1991a)
2,3,4,6-Tetrachlorophenol	µg/L	50	100	EPA Method 8270
Tetraethyl dithiopyrophosphate	µg/L	50	100	EPA Method 8270
Thallium	µg/L	0.5	1	Proposed DWS (EPA, 1990)
Thionazin	µg/L	50	100	EPA Method 8270
Thorium-228	pCi/L	6.25E+01	1.25E+02	Proposed DWS (EPA, 1991)
Thorium-230	pCi/L	3.96E+01	7.92E+01	Proposed DWS (EPA, 1991)
Thorium-232	pCi/L	4.4E+01	8.8E+01	Proposed DWS (EPA, 1991)
Thorium-234	pCi/L	2E+02	4.01E+02	Proposed DWS (EPA, 1991)
Tin	µg/L	10	20	EPA Method 282.2
Tin-113	pCi/L	1.5E+02	3E+02	Final DWS (EPA, 1977)
Toluene	µg/L	500	1,000	Final DWS (CFR, 1991a)
o-Toluidine	µg/L	50	100	EPA Method 8270
Total carbon	µg/L	5,000	10,000	EPA Method 9060
Total dissolved solids		No flag	No flag	Set by EPD/EMS
Total hydrocarbons	µg/L	5,000	10,000	EPA Method 418.1
Total inorganic carbon	µg/L	5,000	10,000	EPA Method 9060
Total organic carbon	µg/L	5,000	10,000	EPA Method 9060
Total organic halogens	µg/L	25	50	EPA Method 9020
Total organic nitrogen	µg/L	500	1,000	EPA Method 420
Total petroleum hydrocarbons	µg/L	5,000	10,000	EPA Method 418.1
Total phosphates (as P)		No flag	No flag	Set by EPD/EMS
Total phosphorus		No flag	No flag	Set by EPD/EMS
Total radium	pCi/L	2.5E+00	5E+00	Final DWS (CFR, 1991a)

Analyte	Unit	Flag 1	Flag 2	Source
Total silica	µg/L	500	1,000	EPA Method 6010
Total trihalomethanes	µg/L	50	100	Final DWS (CFR, 1991a)
Toxaphene	µg/L	1.5	3	Final DWS (CFR, 1991a)
2,4,5-TP (Silvex)	µg/L	25	50	Final DWS (CFR, 1991a)
Tributyl phosphate	µg/L	50	100	EPA Method 8270
1,2,4-Trichlorobenzene	µg/L	4.5	9	Proposed DWS (EPA, 1990)
1,1,1-Trichloroethane	µg/L	100	200	Final DWS (CFR, 1991a)
1,1,2-Trichloroethane	µg/L	2.5	5	Proposed DWS (EPA, 1990)
Trichloroethylene	µg/L	2.5	5	Final DWS (CFR, 1991a)
Trichlorofluoromethane	µg/L	5	10	EPA Method 8240
2,4,5-Trichlorophenol	µg/L	50	100	EPA Method 8270
2,4,6-Trichlorophenol	µg/L	50	100	EPA Method 8270
2,4,5-Trichlorophenoxyacetic acid	µg/L	2.5	5	EPA Method 8150
1,2,3-Trichloropropane	µg/L	5	10	EPA Method 8240
O,O,O-Triethyl phosphorothioate	µg/L	50	100	EPA Method 8270
1,3,5-Trinitrobenzene	µg/L	50	100	EPA Method 8270
Tritium	pCi/mL	1E+01	2E+01	Final DWS (CFR, 1991a)
Turbidity		No flag	No flag	Set by EPD/EMS
Uranium	µg/L	10	20	Proposed DWS (EPA, 1991)
Uranium alpha activity	pCi/L	1.5E+01	3E+01	Proposed DWS (EPA, 1991)
Uranium-233/234 ^a	pCi/L	6.9E-00	1.38E+01	Proposed DWS (EPA, 1991)
Uranium-234	pCi/L	6.95E+00	1.39E+01	Proposed DWS (EPA, 1991)
Uranium-235	pCi/L	7.25E+00	1.45E+01	Proposed DWS (EPA, 1991)
Uranium-238	pCi/L	7.3E+00	1.46E+01	Proposed DWS (EPA, 1991)
Vanadium	µg/L	50	100	EPA Method 6010
Vinyl acetate	µg/L	5	10	EPA Method 8240
Xylenes	µg/L	5,000	10,000	Final DWS (CFR, 1991a)
Zinc	µg/L	2,500	5,000	Secondary DWS (CFR, 1991b)
Zinc-65	pCi/L	1.5E+02	3E+02	Final DWS (EPA, 1977)
Zirconium-95	pCi/L	1E+02	2E+02	Final DWS (EPA, 1977)
Zirconium/Niobium-95 ^a	pCi/L	1E+02	2E+02	Final DWS (EPA, 1977)

^a For double radionuclide analyses where each separate radionuclide has its own standard, the more stringent standard is used.

References

APHA (American Public Health Association, American Water Works Association, and Water Pollution Control Federation), 1985. **Standard Methods for the Examination of Water and Wastewater**, 16th edition. Washington, DC.

CFR (Code of Federal Regulations), 1991a. *National Primary Drinking Water Regulations*, 40 CFR, Part 141, pp. 578-715. Washington, DC.

CFR (Code of Federal Regulations), 1991b. *National Secondary Drinking Water Regulations*, 40 CFR, Part 143, pp. 758-762. Washington, DC.

EPA (U.S. Environmental Protection Agency), 1977. **National Interim Primary Drinking Water Regulations**, EPA-570/9-76-003. Washington, DC.

EPA (U.S. Environmental Protection Agency), 1986. *Water Pollution Control; National Primary Drinking Water Regulations, Radionuclides (Proposed)*. **Federal Register**, September 30, 1986, pp. 34836-34862. Washington, DC.

EPA (U.S. Environmental Protection Agency), 1990. *National Primary and Secondary Drinking Water Regulations; Synthetic Organic Chemicals and Inorganic Chemicals (Proposed Rule)*. **Federal Register**, July 25, 1990, pp. 30369-30448. Washington, DC.

EPA (U.S. Environmental Protection Agency), 1991. *National Primary Drinking Water Regulations; Radionuclides; Proposed Rule*. **Federal Register**, July 18, 1991, pp. 33052-33127. Washington, DC.

Appendix C – Figures

Figure 1. Location of the K-Area and Par Pond Sewage Sludge Application Sites at the Savannah River Site

Figure 2. Location of Groundwater Monitoring Wells at the K-Area Sewage Sludge Application Site

Figure 3. Location of Groundwater Monitoring Wells at the Par Pond Sewage Sludge Application Site

Figure 4. Potentiometric Surface Map of the K-Area Sewage Sludge Application Site

Figure 5. Potentiometric Surface Map of the Par Pond Sewage Sludge Application Site

Appendix D – Groundwater Monitoring Results Tables

Key to Reading the Tables

The following abbreviations may appear in the tabular data:

BA = Barringer Laboratories, Inc.
CN = Clemson Technical Center, Inc.
D = drinking water standard
E = exponential notation (e.g., $1.1\text{E}-09 = 1.1 \times 10^{-9} = 0.0000000011$)
EM = EPD/EMS Laboratory
GE = General Engineering Laboratories
GP = Environmental Physics, Inc.
H = holding time
1,2,3,4,6,7,8-HPCDD = 1,2,3,4,6,7,8-heptachlorodibenzo-p-dioxin
1,2,3,4,6,7,8-HPCDF = 1,2,3,4,6,7,8-heptachlorodibenzo-p-furan
1,2,3,4,7,8-HXCDD = 1,2,3,4,7,8-hexachlorodibenzo-p-dioxin
1,2,3,4,7,8-HXCDF = 1,2,3,4,7,8-heptachlorodibenzo-p-furan
Lindane = gamma-benzene hexachloride
MA = M-Area Laboratory
msl = mean sea level
MSL = million structures/liter
NTU = turbidity unit
pH = pH unit
pCi/L = picocuries per liter
pCi/mL = picocuries per milliliter
Sp. = specific
PVC = polyvinyl chloride
TCDD = tetrachlorodibenzo-p-dioxin
TCDF = tetrachlorodibenzo-p-furan
TE = Teledyne Isotopes, Inc.
TM = TMA/Eberline
TOC = top of casing
WA = Roy F. Weston, Inc.
 $\mu\text{g/L}$ = micrograms per liter
 $\mu\text{S/cm}$ = microsiemens per centimeter

Holding Times

Standard analytical methods include a limit, called holding time, on the maximum elapsed time between sample collection and extraction or analysis by the laboratory. In the data tables, a large dot (●) in the H (holding time) column indicates that holding time was exceeded. Analyses performed beyond holding time may not yield valid results.

South Carolina Department of Health and Environmental Control (SCDHEC) allows only 15 minutes to elapse between sampling and analysis for pH. Thus, laboratory pH analyses always exceed holding time.

Laboratory-initiated procedures for reducing the number of other analyses performed out of holding time include subcontracting analyses when difficulties with equipment, personnel, or work load would prevent timely analyses. Beginning fourth quarter 1991, SRS reduced the compensation to laboratories for analyses performed out of holding time.

Table 1. Constituents Exceeding the Primary Drinking Water Standards at the K-Area Sewage Sludge Application Site

<u>Well</u>	<u>Constituent</u>	<u>Unit</u>	<u>1Q92</u>	<u>2Q92</u>
KSS 2D	Lead	µg/L	16 ^a	NA ^b
	Lead	µg/L	16 ^a	NA
	Lead	µg/L	16 ^a	NA

^a Duplicate samples of lead.

^b NA = not analyzed.

Table 2. Constituents Exceeding the Primary Drinking Water Standards at the Par Pond Sewage Sludge Application Site

<u>Well</u>	<u>Constituent</u>	<u>Unit</u>	<u>1Q92</u>	<u>2Q92</u>
N ^a	None	N	N	N

^a N = not applicable.

Table 3. Constituents Exceeding Half the Primary Drinking Water Standards or Other Flag 1 or Flag 2 Criteria at the K-Area Sewage Sludge Application Site

<u>Well</u>	<u>Constituent</u>	<u>Unit</u>	<u>2Q92</u>	<u>Flag</u>
N ^a	None	N	N	N

^a N = not applicable.

Table 4. Constituents Exceeding Half the Primary Drinking Water Standards or Other Flag 1 or Flag 2 Criteria at the Par Pond Sewage Sludge Application Site

<u>Well</u>	<u>Constituent</u>	<u>Unit</u>	<u>2Q92</u>	<u>Flag</u>
N ^a	None	N	N	N

^a N = not applicable.

Table 5. Groundwater Monitoring Results for Individual Wells at the K-Area Sewage Sludge Application Site

WELL KSS 1D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N47758.9 E40219.1	33.197023 °N 81.653674 °W	177.5-157.4 ft msl	229.8 ft msl	4" PVC	Water table

FIELD MEASUREMENTS

Sample date: 05/28/92
 Depth to water: 53.96 ft (16.45 m) below TOC
 Water elevation: 175.84 ft (53.60 m) msl
 Sp. conductance: 50 μ S/cm
 Water evacuated before sampling: 48 gal

Time: 13:00
 pH: 5.7
 Alkalinity: 8 mg/L
 Water temperature: 20.3°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	6.5	pH	0	WA
•		pH	6.5	pH	0	WA
•		Specific conductance	47	μ S/cm	0	WA
•		Specific conductance	47	μ S/cm	0	WA
		Acenaphthene	<10	μ g/L	0	WA
		Acenaphthylene	<10	μ g/L	0	WA
		Anthracene	<10	μ g/L	0	WA
		Benzidine	<50	μ g/L	0	WA
		Benzo[a]anthracene	<10	μ g/L	0	WA
		Benzo[b]fluoranthene	<10	μ g/L	0	WA
		Benzo[k]fluoranthene	<10	μ g/L	0	WA
		Benzo[g,h,i]perylene	<10	μ g/L	0	WA
		Benzo[a]pyrene	<10	μ g/L	0	WA
		Bis(2-chloroethoxy) methane	<10	μ g/L	0	WA
		Bis(2-chloroethyl) ether	<10	μ g/L	0	WA
		Bis(2-chloroisopropyl) ether	<10	μ g/L	0	WA
		Bis(2-ethylhexyl) phthalate	18	μ g/L	0	WA
		4-Bromophenyl phenyl ether	<10	μ g/L	0	WA
		Butylbenzyl phthalate	<10	μ g/L	0	WA
		Chloride	3,300	μ g/L	0	WA
		para-Chloro-meta-cresol	<10	μ g/L	0	WA
		2-Chloronaphthalene	<10	μ g/L	0	WA
		2-Chlorophenol	<10	μ g/L	0	WA
		4-Chlorophenyl phenyl ether	<10	μ g/L	0	WA
		Chrysene	<10	μ g/L	0	WA
		Dibenz[a,h]anthracene	<10	μ g/L	0	WA
		Di-n-butyl phthalate	2.0	μ g/L	0	WA
		1,2-Dichlorobenzene	<10	μ g/L	0	WA
		1,3-Dichlorobenzene	<10	μ g/L	0	WA
		1,4-Dichlorobenzene	<10	μ g/L	0	WA
		3,3'-Dichlorobenzidine	<20	μ g/L	0	WA
		2,4-Dichlorophenol	<10	μ g/L	0	WA
		Diethyl phthalate	<10	μ g/L	0	WA
		2,4-Dimethyl phenol	<10	μ g/L	0	WA
		Dimethyl phthalate	<10	μ g/L	0	WA
		4,6-Dinitro-ortho-cresol	<50	μ g/L	0	WA

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL KSS 1D collected on 05/28/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		2,4-Dinitrophenol	< 50	µg/L	0	WA
		2,4-Dinitrotoluene	< 10	µg/L	0	WA
		2,6-Dinitrotoluene	< 10	µg/L	0	WA
		Di-n-octyl phthalate	< 10	µg/L	0	WA
		Fluoranthene	< 10	µg/L	0	WA
		Fluorene	< 10	µg/L	0	WA
		Hexachlorobenzene	< 10	µg/L	0	WA
		Hexachlorobutadiene	< 10	µg/L	0	WA
		Hexachlorocyclopentadiene	< 10	µg/L	0	WA
		Hexachloroethane	< 10	µg/L	0	WA
		Indeno[1,2,3-c,d]pyrene	< 10	µg/L	0	WA
		Isophorone	< 10	µg/L	0	WA
		Naphthalene	< 10	µg/L	0	WA
		Nitrate as nitrogen	613	µg/L	0	WA
•		Nitrite as nitrogen	< 10	µg/L	0	WA
		Nitrobenzene	< 10	µg/L	0	WA
		2-Nitrophenol	< 10	µg/L	0	WA
		4-Nitrophenol	< 50	µg/L	0	WA
		N-Nitrosodimethylamine	< 10	µg/L	0	WA
		N-Nitrosodiphenylamine	< 10	µg/L	0	WA
		N-Nitrosodipropylamine	< 10	µg/L	0	WA
		Pentachlorophenol	< 50	µg/L	0	WA
		Phenanthrene	< 10	µg/L	0	WA
		Phenol	< 10	µg/L	0	WA
		Pyrene	< 10	µg/L	0	WA
		Sodium	2,330	µg/L	0	WA
		Total dissolved solids	44,000	µg/L	0	WA
		1,2,4-Trichlorobenzene	< 10	µg/L	0	WA
		2,4,6-Trichlorophenol	< 10	µg/L	0	WA

WELL KSS 2D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N46803.8	33.195266 °N	164.7-144.6 ft msl	192.3 ft msl	4" PVC	Water table
E40437.0	81.651247 °W				

FIELD MEASUREMENTS

Sample date: 05/28/92
 Depth to water: 27.06 ft (8.25 m) below TOC
 Water elevation: 165.24 ft (50.37 m) msl
 Sp. conductance: 23 µS/cm
 Water evacuated before sampling: 54 gal

Time: 12:00
 pH: 5.2
 Alkalinity: 5 mg/L
 Water temperature: 19.8°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	6.3	pH	0	WA
•		Specific conductance	18	µS/cm	0	WA
		Acenaphthene	< 10	µg/L	0	WA
		Acenaphthylene	< 10	µg/L	0	WA
		Anthracene	< 10	µg/L	0	WA
		Benzidine	< 50	µg/L	0	WA

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL KSS 2D collected on 05/28/92, laboratory analyses (cont.)

H	D	Analyte	Result	Unit	Flag	Lab
		Benzo[a]anthracene	< 10	µg/L	0	WA
		Benzo[b]fluoranthene	< 10	µg/L	0	WA
		Benzo[k]fluoranthene	< 10	µg/L	0	WA
		Benzo[g,h,i]perylene	< 10	µg/L	0	WA
		Benzo[a]pyrene	< 10	µg/L	0	WA
		Bis(2-chloroethoxy) methane	< 10	µg/L	0	WA
		Bis(2-chloroethyl) ether	< 10	µg/L	0	WA
		Bis(2-chloroisopropyl) ether	< 10	µg/L	0	WA
		Bis(2-ethylhexyl) phthalate	14	µg/L	0	WA
		4-Bromophenyl phenyl ether	< 10	µg/L	0	WA
		Butylbenzyl phthalate	< 10	µg/L	0	WA
		Chloride	2,930	µg/L	0	WA
		para-Chloro-meta-cresol	< 10	µg/L	0	WA
		2-Chloronaphthalene	< 10	µg/L	0	WA
		2-Chlorophenol	< 10	µg/L	0	WA
		4-Chlorophenyl phenyl ether	< 10	µg/L	0	WA
		Chrysene	< 10	µg/L	0	WA
		Dibenz[a,h]anthracene	< 10	µg/L	0	WA
		Di-n-butyl phthalate	1.7	µg/L	0	WA
		1,2-Dichlorobenzene	< 10	µg/L	0	WA
		1,3-Dichlorobenzene	< 10	µg/L	0	WA
		1,4-Dichlorobenzene	< 10	µg/L	0	WA
		3,3'-Dichlorobenzidine	< 20	µg/L	0	WA
		2,4-Dichlorophenol	< 10	µg/L	0	WA
		Diethyl phthalate	< 10	µg/L	0	WA
		2,4-Dimethyl phenol	< 10	µg/L	0	WA
		Dimethyl phthalate	< 10	µg/L	0	WA
		4,6-Dinitro-ortho-cresol	< 50	µg/L	0	WA
		2,4-Dinitrophenol	< 50	µg/L	0	WA
		2,4-Dinitrotoluene	< 10	µg/L	0	WA
		2,6-Dinitrotoluene	< 10	µg/L	0	WA
		Di-n-octyl phthalate	< 10	µg/L	0	WA
		Fluoranthene	< 10	µg/L	0	WA
		Fluorene	< 10	µg/L	0	WA
		Hexachlorobenzene	< 10	µg/L	0	WA
		Hexachlorobutadiene	< 10	µg/L	0	WA
		Hexachlorocyclopentadiene	< 10	µg/L	0	WA
		Hexachloroethane	< 10	µg/L	0	WA
		Indeno[1,2,3-c,d]pyrene	< 10	µg/L	0	WA
		Isophorone	< 10	µg/L	0	WA
		Naphthalene	< 10	µg/L	0	WA
		Nitrate as nitrogen	555	µg/L	0	WA
•		Nitrite as nitrogen	< 10	µg/L	0	WA
		Nitrobenzene	< 10	µg/L	0	WA
		2-Nitrophenol	< 10	µg/L	0	WA
		4-Nitrophenol	< 50	µg/L	0	WA
		N-Nitrosodimethylamine	< 10	µg/L	0	WA
		N-Nitrosodiphenylamine	< 10	µg/L	0	WA
		N-Nitrosodipropylamine	< 10	µg/L	0	WA
		Pentachlorophenol	< 50	µg/L	0	WA
		Phenanthrene	< 10	µg/L	0	WA
		Phenol	< 10	µg/L	0	WA
		Pyrene	< 10	µg/L	0	WA
		Sodium	1,780	µg/L	0	WA
		Total dissolved solids	19,000	µg/L	0	WA
		1,2,4-Trichlorobenzene	< 10	µg/L	0	WA
		2,4,6-Trichlorophenol	< 10	µg/L	0	WA

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL KSS 3D

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Formation
N46644.3 E40748.0	33.195420 °N 81.650120 °W	159.3-139.3 ft msl	185.2 ft msl	4" PVC	Water table

FIELD MEASUREMENTS

Sample date: 05/28/92	Time: 11:15
Depth to water: 20.67 ft (6.30 m) below TOC	pH: 5.6
Water elevation: 164.53 ft (50.15 m) msl	Alkalinity: 9 mg/L
Sp. conductance: 32 µS/cm	Water temperature: 18.6°C
Water evacuated before sampling: 66 gal	

LABORATORY ANALYSES

H	D	Analyte	Result	Unit	Flag	Lab
•		pH	6.3	pH	0	WA
•		Specific conductance	29	µS/cm	0	WA
		Acenaphthene	< 11	µg/L	0	WA
		Acenaphthylene	< 11	µg/L	0	WA
		Anthracene	< 11	µg/L	0	WA
		Benidine	< 55	µg/L	0	WA
		Benzo[a]anthracene	< 11	µg/L	0	WA
		Benzo[b]fluoranthene	< 11	µg/L	0	WA
		Benzo[k]fluoranthene	< 11	µg/L	0	WA
		Benzo[g,h,i]perylene	< 11	µg/L	0	WA
		Benzo[a]pyrene	< 11	µg/L	0	WA
		Bis(2-chloroethoxy) methane	< 11	µg/L	0	WA
		Bis(2-chloroethyl) ether	< 11	µg/L	0	WA
		Bis(2-chloroisopropyl) ether	< 11	µg/L	0	WA
		Bis(2-ethylhexyl) phthalate	6.8	µg/L	0	WA
		4-Bromophenyl phenyl ether	< 11	µg/L	0	WA
		Butylbenzyl phthalate	< 11	µg/L	0	WA
		Chloride	2,890	µg/L	0	WA
		para-Chloro-meta-cresol	< 11	µg/L	0	WA
		2-Chloronaphthalene	< 11	µg/L	0	WA
		2-Chlorophenol	< 11	µg/L	0	WA
		4-Chlorophenyl phenyl ether	< 11	µg/L	0	WA
		Chrysene	< 11	µg/L	0	WA
		Dibenz[a,h]anthracene	< 11	µg/L	0	WA
		Di-n-butyl phthalate	1.5	µg/L	0	WA
		1,2-Dichlorobenzene	< 11	µg/L	0	WA
		1,3-Dichlorobenzene	< 11	µg/L	0	WA
		1,4-Dichlorobenzene	< 11	µg/L	0	WA
		3,3'-Dichlorobenzidine	< 22	µg/L	0	WA
		2,4-Dichlorophenol	< 11	µg/L	0	WA
		Diethyl phthalate	< 11	µg/L	0	WA
		2,4-Dimethyl phenol	< 11	µg/L	0	WA
		Dimethyl phthalate	< 11	µg/L	0	WA
		4,6-Dinitro-ortho-cresol	< 55	µg/L	0	WA
		2,4-Dinitrophenol	< 55	µg/L	0	WA
		2,4-Dinitrotoluene	< 11	µg/L	0	WA
		2,6-Dinitrotoluene	< 11	µg/L	0	WA
		Di-n-octyl phthalate	< 11	µg/L	0	WA
		Fluoranthene	< 11	µg/L	0	WA

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL KSS 3D collected on 05/28/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Fluorene	<11	µg/L	0	WA
		Hexachlorobenzene	<11	µg/L	0	WA
		Hexachlorobutadiene	<11	µg/L	0	WA
		Hexachlorocyclopentadiene	<11	µg/L	0	WA
		Hexachloroethane	<11	µg/L	0	WA
		Indeno[1,2,3-c,d]pyrene	<11	µg/L	0	WA
		Isophorone	<11	µg/L	0	WA
		Naphthalene	<11	µg/L	0	WA
		Nitrate as nitrogen	331	µg/L	0	WA
•		Nitrite as nitrogen	<10	µg/L	0	WA
•		Nitrite as nitrogen	<10	µg/L	0	WA
		Nitrobenzene	<11	µg/L	0	WA
		2-Nitrophenol	<11	µg/L	0	WA
		4-Nitrophenol	<55	µg/L	0	WA
		N-Nitrosodimethylamine	<11	µg/L	0	WA
		N-Nitrosodiphenylamine	<11	µg/L	0	WA
		N-Nitrosodipropylamine	<11	µg/L	0	WA
		Pentachlorophenol	<55	µg/L	0	WA
		Phenanthrene	<11	µg/L	0	WA
		Phenol	<11	µg/L	0	WA
		Pyrene	<11	µg/L	0	WA
		Sodium	1,540	µg/L	0	WA
		Total dissolved solids	32,000	µg/L	0	WA
		Total dissolved solids	34,000	µg/L	0	WA
		1,2,4-Trichlorobenzene	<11	µg/L	0	WA
		2,4,6-Trichlorophenol	<11	µg/L	0	WA

• = exceeded holding time. ■ = exceeded primary drinking water standard.

Table 6. Groundwater Monitoring Results for Individual Wells at the Par Pond Sewage Sludge Application Site

WELL PSS 1D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N37298.4 E75773.3	33.231837 °N 81.539797 °W	202.1-182.1 ft msl	219.6 ft msl	4" PVC	Water table

FIELD MEASUREMENTS

Sample date: 06/17/92
 Depth to water: 24.45 ft (7.45 m) below TOC
 Water elevation: 195.15 ft (59.48 m) msl
 Sp. conductance: 13 μ S/cm
 Water evacuated before sampling: 34 gal

Time: 10:00
 pH: 4.7
 Alkalinity: 1 mg/L
 Water temperature: 19.9°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.9	pH	0	WA
•		pH	5.9	pH	0	WA
•		Specific conductance	11	μ S/cm	0	WA
•		Specific conductance	11	μ S/cm	0	WA
		Acenaphthene	<11	μ g/L	0	WA
		Acenaphthylene	<11	μ g/L	0	WA
		Anthracene	<11	μ g/L	0	WA
		Benzidine	<55	μ g/L	0	WA
		Benzo[a]anthracene	<11	μ g/L	0	WA
		Benzo[b]fluoranthene	<11	μ g/L	0	WA
		Benzo[k]fluoranthene	<11	μ g/L	0	WA
		Benzo[g,h,i]perylene	<11	μ g/L	0	WA
		Benzo[a]pyrene	<11	μ g/L	0	WA
		Bis(2-chloroethoxy) methane	<11	μ g/L	0	WA
		Bis(2-chloroethyl) ether	<11	μ g/L	0	WA
		Bis(2-chloroisopropyl) ether	<11	μ g/L	0	WA
		Bis(2-ethylhexyl) phthalate	<11	μ g/L	0	WA
		4-Bromophenyl phenyl ether	<11	μ g/L	0	WA
		Butylbenzyl phthalate	<11	μ g/L	0	WA
		Chloride	1,560	μ g/L	0	WA
		para-Chloro-meta-cresol	<11	μ g/L	0	WA
		2-Chloronaphthalene	<11	μ g/L	0	WA
		2-Chlorophenol	<11	μ g/L	0	WA
		4-Chlorophenyl phenyl ether	<11	μ g/L	0	WA
		Chrysene	<11	μ g/L	0	WA
		Dibenz[a,h]anthracene	<11	μ g/L	0	WA
		Di-n-butyl phthalate	<11	μ g/L	0	WA
		1,2-Dichlorobenzene	<11	μ g/L	0	WA
		1,3-Dichlorobenzene	<11	μ g/L	0	WA
		1,4-Dichlorobenzene	<11	μ g/L	0	WA
		3,3'-Dichlorobenzidine	<22	μ g/L	0	WA
		2,4-Dichlorophenol	<11	μ g/L	0	WA
		Diethyl phthalate	<11	μ g/L	0	WA
		2,4-Dimethyl phenol	<11	μ g/L	0	WA
		Dimethyl phthalate	<11	μ g/L	0	WA
		4,6-Dinitro-ortho-cresol	<55	μ g/L	0	WA

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL PSS 1D collected on 06/17/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		2,4-Dinitrophenol	< 55	µg/L	0	WA
		2,4-Dinitrotoluene	< 11	µg/L	0	WA
		2,6-Dinitrotoluene	< 11	µg/L	0	WA
		Di-n-octyl phthalate	< 11	µg/L	0	WA
		Fluoranthene	< 11	µg/L	0	WA
		Fluorene	< 11	µg/L	0	WA
		Hexachlorobenzene	< 11	µg/L	0	WA
		Hexachlorobutadiene	< 11	µg/L	0	WA
		Hexachlorocyclopentadiene	< 11	µg/L	0	WA
		Hexachloroethane	< 11	µg/L	0	WA
		Indeno[1,2,3-c,d]pyrene	< 11	µg/L	0	WA
		Isophorone	< 11	µg/L	0	WA
		Naphthalene	< 11	µg/L	0	WA
		Nitrate as nitrogen	505	µg/L	0	WA
•		Nitrite as nitrogen	< 10	µg/L	0	WA
		Nitrobenzene	< 11	µg/L	0	WA
		2-Nitrophenol	< 11	µg/L	0	WA
		4-Nitrophenol	< 55	µg/L	0	WA
		N-Nitrosodimethylamine	< 11	µg/L	0	WA
		N-Nitrosodiphenylamine	< 11	µg/L	0	WA
		N-Nitrosodipropylamine	< 11	µg/L	0	WA
		Pentachlorophenol	< 55	µg/L	0	WA
		Phenanthrene	< 11	µg/L	0	WA
		Phenol	< 11	µg/L	0	WA
		Pyrene	< 11	µg/L	0	WA
		Sodium	673	µg/L	0	WA
		Total dissolved solids	25,000	µg/L	0	WA
		1,2,4-Trichlorobenzene	< 11	µg/L	0	WA
		2,4,6-Trichlorophenol	< 11	µg/L	0	WA

WELL PSS 2D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N36037.9	33.229270 °N	197.1-177.1 ft msl	228.7 ft msl	4" PVC	Water table
E75910.1	81.536993 °W				

FIELD MEASUREMENTS

Sample date: 06/17/92
 Depth to water: 35.38 ft (10.78 m) below TOC
 Water elevation: 193.32 ft (58.92 m) msl
 Sp. conductance: 15 µS/cm
 Water evacuated before sampling: 43 gal

Time: 9:25
 pH: 4.5
 Alkalinity: 0 mg/L
 Water temperature: 19.3°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.5	pH	0	WA
•		Specific conductance	13	µS/cm	0	WA
		Acenaphthene	< 11	µg/L	0	WA
		Acenaphthylene	< 11	µg/L	0	WA

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL PSS 2D collected on 06/17/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Anthracene	<11	µg/L	0	WA
		Benzene	<5.0	µg/L	0	WA
		Benidine	<55	µg/L	0	WA
		Benzo[a]anthracene	<11	µg/L	0	WA
		Benzo[b]fluoranthene	<11	µg/L	0	WA
		Benzo[k]fluoranthene	<11	µg/L	0	WA
		Benzo[g,h,i]perylene	<11	µg/L	0	WA
		Benzo[a]pyrene	<11	µg/L	0	WA
		Bis(2-chloroethoxy) methane	<11	µg/L	0	WA
		Bis(2-chloroethyl) ether	<11	µg/L	0	WA
		Bis(2-chloroisopropyl) ether	<11	µg/L	0	WA
		Bis(2-ethylhexyl) phthalate	<11	µg/L	0	WA
		Bromodichloromethane	<5.0	µg/L	0	WA
		Bromoform	<5.0	µg/L	0	WA
		Bromomethane (Methyl bromide)	<10	µg/L	0	WA
		4-Bromophenyl phenyl ether	<11	µg/L	0	WA
		Butylbenzyl phthalate	<11	µg/L	0	WA
		Carbon tetrachloride	<5.0	µg/L	0	WA
		Chloride	1,430	µg/L	0	WA
		Chlorobenzene	<5.0	µg/L	0	WA
		para-Chloro-meta-cresol	<11	µg/L	0	WA
		Chloroethane	<10	µg/L	0	WA
		Chloroethene (Vinyl chloride)	<10	µg/L	0	WA
		2-Chloroethyl vinyl ether	<10	µg/L	0	WA
		Chloroform	<5.0	µg/L	0	WA
		Chloromethane (Methyl chloride)	<10	µg/L	0	WA
		2-Chloronaphthalene	<11	µg/L	0	WA
		2-Chlorophenol	<11	µg/L	0	WA
		4-Chlorophenyl phenyl ether	<11	µg/L	0	WA
		Chrysene	<11	µg/L	0	WA
		Dibenz[a,h]anthracene	<11	µg/L	0	WA
		Dibromochloromethane	<5.0	µg/L	0	WA
		Di-n-butyl phthalate	<11	µg/L	0	WA
		1,2-Dichlorobenzene	<11	µg/L	0	WA
		1,3-Dichlorobenzene	<11	µg/L	0	WA
		1,4-Dichlorobenzene	<11	µg/L	0	WA
		3,3'-Dichlorobenzidine	<22	µg/L	0	WA
		1,1-Dichloroethane	<5.0	µg/L	0	WA
		1,2-Dichloroethane	<5.0	µg/L	0	WA
		trans-1,2-Dichloroethene	<5.0	µg/L	0	WA
		1,1-Dichloroethylene	<5.0	µg/L	0	WA
		Dichloromethane (Methylene chloride)	1.3	µg/L	0	WA
		2,4-Dichlorophenol	<11	µg/L	0	WA
		1,2-Dichloropropane	<5.0	µg/L	0	WA
		cis-1,3-Dichloropropene	<5.0	µg/L	0	WA
		trans-1,3-Dichloropropene	<5.0	µg/L	0	WA
		Diethyl phthalate	<11	µg/L	0	WA
		2,4-Dimethyl phenol	<11	µg/L	0	WA
		Dimethyl phthalate	<11	µg/L	0	WA
		4,6-Dinitro-ortho-cresol	<55	µg/L	0	WA
		2,4-Dinitrophenol	<55	µg/L	0	WA
		2,4-Dinitrotoluene	<11	µg/L	0	WA
		2,6-Dinitrotoluene	<11	µg/L	0	WA
		Di-n-octyl phthalate	<11	µg/L	0	WA
		Ethylbenzene	<5.0	µg/L	0	WA
		Fluoranthene	<11	µg/L	0	WA

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL PSS 2D collected on 06/17/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Fluorene	< 11	µg/L	0	WA
		Hexachlorobenzene	< 11	µg/L	0	WA
		Hexachlorobutadiene	< 11	µg/L	0	WA
		Hexachlorocyclopentadiene	< 11	µg/L	0	WA
		Hexachloroethane	< 11	µg/L	0	WA
		Indeno[1,2,3-c,d]pyrene	< 11	µg/L	0	WA
		Isophorone	< 11	µg/L	0	WA
		Naphthalene	< 11	µg/L	0	WA
		Nitrate as nitrogen	619	µg/L	0	WA
•		Nitrite as nitrogen	10	µg/L	0	WA
		Nitrobenzene	< 11	µg/L	0	WA
		2-Nitrophenol	< 11	µg/L	0	WA
		4-Nitrophenol	< 55	µg/L	0	WA
		N-Nitrosodimethylamine	< 11	µg/L	0	WA
		N-Nitrosodiphenylamine	< 11	µg/L	0	WA
		N-Nitrosodipropylamine	< 11	µg/L	0	WA
		Pentachlorophenol	< 55	µg/L	0	WA
		Phenanthrene	< 11	µg/L	0	WA
		Phenol	< 11	µg/L	0	WA
		Pyrene	< 11	µg/L	0	WA
		Sodium	927	µg/L	0	WA
		1,1,2,2-Tetrachloroethane	< 5.0	µg/L	0	WA
		Tetrachloroethylene	< 5.0	µg/L	0	WA
		Toluene	< 5.0	µg/L	0	WA
		Total dissolved solids	21,000	µg/L	0	WA
		1,2,4-Trichlorobenzene	< 11	µg/L	0	WA
		1,1,1-Trichloroethane	< 5.0	µg/L	0	WA
		1,1,2-Trichloroethane	< 5.0	µg/L	0	WA
		Trichloroethylene	< 5.0	µg/L	0	WA
		Trichlorofluoromethane	< 5.0	µg/L	0	WA
		2,4,6-Trichlorophenol	< 11	µg/L	0	WA

WELL PSS 3D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N35974.1	33.229501 °N	198.5-178.5 ft msl	234.0 ft msl	4" PVC	Water table
E76138.7	81.536268 °W				

FIELD MEASUREMENTS

Sample date: 06/17/92
 Depth to water: Not available
 Water elevation: Not available
 Sp. conductance: 9 µS/cm
 Water evacuated before sampling: 6 gal
 The well went dry during purging.

Time: 14:15
 pH: 4.8
 Alkalinity: 1 mg/L
 Water temperature: 19.9°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.4	pH	0	WA
•		Specific conductance	7.9	µS/cm	0	WA

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL PSS 3D collected on 06/17/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Acenaphthene	<11	µg/L	0	WA
		Acenaphthylene	<11	µg/L	0	WA
		Anthracene	<11	µg/L	0	WA
		Benzidine	<55	µg/L	0	WA
		Benzo[a]anthracene	<11	µg/L	0	WA
		Benzo[b]fluoranthene	<11	µg/L	0	WA
		Benzo[k]fluoranthene	<11	µg/L	0	WA
		Benzo[g,h,i]perylene	<11	µg/L	0	WA
		Benzo[a]pyrene	<11	µg/L	0	WA
		Bis(2-chloroethoxy) methane	<11	µg/L	0	WA
		Bis(2-chloroethyl) ether	<11	µg/L	0	WA
		Bis(2-chloroisopropyl) ether	<11	µg/L	0	WA
		Bis(2-ethylhexyl) phthalate	<11	µg/L	0	WA
		4-Bromophenyl phenyl ether	<11	µg/L	0	WA
		Butylbenzyl phthalate	<11	µg/L	0	WA
		Chloride	1,140	µg/L	0	WA
		para-Chloro-meta-cresol	<11	µg/L	0	WA
		2-Chloronaphthalene	<11	µg/L	0	WA
		2-Chlorophenol	<11	µg/L	0	WA
		4-Chlorophenyl phenyl ether	<11	µg/L	0	WA
		Chrysene	<11	µg/L	0	WA
		Dibenz[a,h]anthracene	<11	µg/L	0	WA
		Di-n-butyl phthalate	<11	µg/L	0	WA
		1,2-Dichlorobenzene	<11	µg/L	0	WA
		1,3-Dichlorobenzene	<11	µg/L	0	WA
		1,4-Dichlorobenzene	<11	µg/L	0	WA
		3,3'-Dichlorobenzidine	<22	µg/L	0	WA
		2,4-Dichlorophenol	<11	µg/L	0	WA
		Diethyl phthalate	<11	µg/L	0	WA
		2,4-Dimethyl phenol	<11	µg/L	0	WA
		Dimethyl phthalate	<11	µg/L	0	WA
		4,6-Dinitro-ortho-cresol	<55	µg/L	0	WA
		2,4-Dinitrophenol	<55	µg/L	0	WA
		2,4-Dinitrotoluene	<11	µg/L	0	WA
		2,6-Dinitrotoluene	<11	µg/L	0	WA
		Di-n-octyl phthalate	<11	µg/L	0	WA
		Fluoranthene	<11	µg/L	0	WA
		Fluorene	<11	µg/L	0	WA
		Hexachlorobenzene	<11	µg/L	0	WA
		Hexachlorobutadiene	<11	µg/L	0	WA
		Hexachlorocyclopentadiene	<11	µg/L	0	WA
		Hexachloroethane	<11	µg/L	0	WA
		Indeno[1,2,3-c,d]pyrene	<11	µg/L	0	WA
		Isophorone	<11	µg/L	0	WA
		Naphthalene	<11	µg/L	0	WA
		Nitrate as nitrogen	347	µg/L	0	WA
•		Nitrite as nitrogen	<10	µg/L	0	WA
		Nitrobenzene	<11	µg/L	0	WA
		2-Nitrophenol	<11	µg/L	0	WA
		4-Nitrophenol	<55	µg/L	0	WA
		N-Nitrosodimethylamine	<11	µg/L	0	WA
		N-Nitrosodiphenylamine	<11	µg/L	0	WA
		N-Nitrosodipropylamine	<11	µg/L	0	WA
		Pentachlorophenol	<55	µg/L	0	WA
		Phenanthrene	<11	µg/L	0	WA
		Phenol	<11	µg/L	0	WA

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL PSS 3D collected on 06/17/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Pyrene	< 11	µg/L	0	WA
		Sodium	651	µg/L	0	WA
		Total dissolved solids	25,000	µg/L	0	WA
		1,2,4-Trichlorobenzene	< 11	µg/L	0	WA
		2,4,6-Trichlorophenol	< 11	µg/L	0	WA

● = exceeded holding time. ■ = exceeded primary drinking water standard.

END

DATE
FILMED

3 / 24 / 93