Received OSTI
MAR 04 1992

Center for Advanced Materials

CAM

Conversion of Ethane and of Propane to Higher Olefin Hydrocarbons

Quarterly Report

October 1–December 31, 1991

H. Heinemann and G.A. Somorjai

December 1991

Materials and Chemical Sciences Division

Lawrence Berkeley Laboratory • University of California

ONE CYCLOTRON ROAD, BERKELEY, CA 94720 • (415) 486-4755

MASTER

Prepared for the U.S. Department of Energy under Contract DE-AC03-76SF00098

DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED

DISCLAIMER

This document was prepared as an account of work sponsored by the United States Government. Neither the United States Government nor any agency thereof, nor The Regents of the University of California, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by its trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof, or The Regents of the University of California. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof or The Regents of the University of California and shall not be used for advertising or product endorsement purposes.

This report has been reproduced directly
from the best available copy.

Available to DOE and DOE Contractors
from the Office of Scientific and Technical Information
P.O. Box 62, Oak Ridge, TN 37831
Prices available from (615) 576-8401, FTS 626-8401

Available to the public from the
National Technical Information Service
U.S. Department of Commerce
5285 Port Royal Road, Springfield, VA 22161

Lawrence Berkeley Laboratory is an equal opportunity employer.

LBL-31527
UC Code 108

QUARTERLY REPORT

October 1, 1991 - December 31, 1991

LBL--31527

DE92 008296

**CONVERSION OF ETHANE AND OF PROPANE
TO HIGHER OLEFIN HYDROCARBONS**

Principal Investigators: Heinz Heinemann
Gabor A. Somorjai

Center for Advanced Materials
Materials Sciences Division
Lawrence Berkeley Laboratory
University of California
Berkeley, CA 94720

This work was supported by the Assistant Secretary for Fossil Energy, Office of Technical Coordination, U.S. Department of Energy under Contract DE-AC03-76SF00098, through the Pittsburgh Energy Technology Center, Pittsburgh, Pennsylvania.

INDEX

I.	Task Description for 1992	3
II.	Introduction	3
III.	Highlights	3
IV.	Progress of Studies	4
	<i>Reactions of Ethane</i>	4

I. Task Description for FY 1992

Initial work on this project has shown that it is possible to convert ethane and propane in the presence of steam and oxygen over a catalyst comprising calcium-nickel-potassium oxide to both lower and higher hydrocarbons at temperatures in the range of 300-600° C. Major amounts of CO₂ are formed at the higher temperatures and conversions are relatively low at the lower temperatures. However, there are indications that the objective of preparing C₆ to C₁₂ olefins may be achieved by operating at intermediate temperatures and much higher space velocities than have thus far been used. It is proposed to do a systematic investigation making blank runs to distinguish between thermal and catalytic reactions and investigating modified catalysts such as calcium cobalt potassium oxide, calcium nickel sodium oxide, magnesium nickel potassium oxide, and others. A wide variety of operating conditions will be investigated. The catalytic reaction mechanism and the role of carbon on the catalyst will be investigated by experiments with carbon and oxygen isotopes.

II. Introduction

During the first quarter of FY 1992, experimental work was slowed down by mechanical problems with catalyst preparation. Plans have been drawn and equipment ordered for a pressure unit (500-1000 psi), since it is considered likely that pressure would favor the oligomerization of intermediate olefins to higher, liquid hydrocarbons. This unit will be assembled and put into operation during the second quarter.

III. Highlights

- A reevaluation of the data presented in the quarterly report of September 30, 1991, shows that in the presence of Ca₃NiK_{0.1} catalyst, the conversion of ethane in the presence of oxygen and steam results in lower CO₂ and higher ethylene selectivities than by purely thermal reaction.
- The work carried out thus far demonstrates that oxidative olefin coupling of ethane and propane is inhibited by the rapid oxidation of intermediates. This suggests either much shorter contact times or the presence of catalysts which would permit rapid conversion of the intermediates to higher hydrocarbons.

- A series of experiments were performed over zeolite and metal-zeolite catalysts. Blank runs showed little ethane conversion in the absence of oxygen and steam. With oxygen high CO₂ selectivities prevailed. A vanadium-ZSM-5 catalyst gave the most promising results. At 550°C in the presence of oxygen and steam, an ethane conversion of $\approx$ 40% was obtained with 55% selectivity to ethylene, only 20% selectivity to CO₂ and about 20% selectivity to CO. About 3% higher hydrocarbons were formed.
- Use of a Li-MgO catalyst did not result in interesting conversion.

IV. Progress of Studies

Reactions of Ethane

A number of catalysts were prepared. These included: HZSM-5; NaZSM-5; NiZSM-5; VZSM-5 and Li-MgO.

All of these were tested for the conversion of ethane either alone or in the presence of oxygen or oxygen and steam at an ethane space velocity of 4 mmoles/g cat/hr and over a temperature range of 350-600°C. The results are shown in Figs. 1-11.

With two exceptions, the reaction of ethane alone gave too low conversions over the whole temperature range to be meaningful (Fig. 1; 3; 7). In the case of NiZSM-5, there was appreciable conversion to methane (Fig. 5).

When ethane and oxygen were charged to HZSM-5 and NaZSM-5 (Fig. 2 and 4 resp), conversion increased at temperatures above 500°C. Surprisingly, selectivity to CO₂ decreased above 500°C while ethylene selectivity increased sharply. Conversion to methane was minimal.

The NiZSM-5 catalyst in the presence of oxygen (Fig. 6) was essentially a combustion and CO forming catalyst. The CO formation may be due to a Boudouart reaction between coke lay down and CO₂.

The vanadium ZSM-5 catalyst is the most interesting of this series. In the presence of oxygen (Fig. 8) appreciable conversion was obtained, which at temperatures above

500°C was increasingly to ethylene, while CO_x declined and methane formation was minimal. When steam was added to the feed (Fig. 9) the only change was a small increase in ethylene selectivity. Over this catalyst a small amount (4%) of higher hydrocarbons is formed.

The Li-MgO catalyst was tested because it has been widely described in the literature for the oxidative coupling of methane at 700-850°C. Ethane and oxygen gave good conversions at 600° (Fig. 10) with about equal selectivities (40%) to ethylene and CO_x. In the presence of oxygen and steam (Fig. 11) there was a severe decline in conversion compared to the run with C₂H₆ plus oxygen and a major increase in CO_x.

It is apparent that oxydehydrogenation of ethane to ethylene is easily accomplished in almost all cases, but that the olefin is more easily oxidized than polymerized. Since it is known that propylene is easier to polymerize than ethylene, a few of the experiments described will be repeated with a propane charge.

Reaction of Ethane over H-ZSM5 Catalyst

Figure 1

Reaction of Ethane with Oxygen over H-ZSM5 Catalyst

Figure 2

Reaction of Ethane over Na-ZSM-5 Catalyst

Figure 3

Reaction of Ethane with Oxygen over Na-ZSM5 Catalyst

Figure 4

Reaction of Ethane over Ni-ZSM-5 Catalyst

Figure 5

Reaction of Ethane with Oxygen over Ni-ZSM5

Figure 6

Reaction of Ethane over V-ZSM5 Catalyst

Figure 7

Reaction of Ethane with Oxygen over V-ZSM5 Catalyst

Figure 8

Reaction of Ethane with Oxygen in the Presence of Steam over V-ZSM5 Catalyst

Figure 9

Reaction of Ethane with Oxygen over Li/MgO (YFC-0716)

Figure 10

Reaction of Ethane with Oxygen in the Presence of Steam over Li/MgO (YFC-0716) Catalyst

Figure 11

END

**DATE
FILMED**

3 / 25 / 92