ESH-EMS-890045

**THE ENVIRONMENTAL AND HEALTH PROTECTION DEPARTMENT
ENVIRONMENTAL MONITORING SECTION**

**THE SAVANNAH RIVER SITE'S
GROUNDWATER MONITORING PROGRAM**

THIRD QUARTER 1989 (U)

DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED

*Westinghouse Savannah River Company
Savannah River Site
Aiken, South Carolina 29808*

DSV

10/1/89

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by the trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

This paper was prepared in connection with work done under Contract No. DE-AC09-89SR18035 with the U.S. Department of Energy. By acceptance of this report, the publisher and/or recipient acknowledges the U.S. Government's right to retain a nonexclusive, royalty free license in and to any copyright covering this report, along with the right to reproduce and to authorize others to reproduce all or part of the copyrighted report.

THE SAVANNAH RIVER SITE'S GROUNDWATER MONITORING PROGRAM

CONDUCTED BY

THE ENVIRONMENTAL AND HEALTH PROTECTION DEPARTMENT

FOR

THE THIRD QUARTER 1989 (U)

by

Environmental Monitoring Section
Environmental and Health Protection Department
Westinghouse Savannah River Company
Aiken, South Carolina

and

Exploration Resources, Inc.
Athens, Georgia

MASTER

EP

EXPLORATION RESOURCES DOCUMENT IS UNLIMITED

Exploration Resources

425 North Lumpkin Street, Athens, Georgia 30601

CONTENTS

	<u>Page</u>
Executive Summary	1
Introduction	9
Corrections to Previous Quarterly Reports	11
Well Abandonment	13
Well Maintenance	15
Well Construction	21
Well Stabilization	27
Coring	31
Surveying	35
Sample Scheduling	37
Custodian Review	37
Special Requests	38
Sample Collection	43
Sample Analysis	57
Replicate Analyses of Samples	58
Comments on Replicate Analyses	67
Blanks	69
Quality Control Standards	86
Review of the Analytical Data for Errors	89
Analytical Methods	101
Flagging Criteria	111
Analytical Data of Drinking Water Monitoring	113
Field and Analytical Data of Groundwater Monitoring	119
ABP (A-Area Metals Earning Pit)	120
ABW (A-Area Background Well near Firing Range)	123

CONTENTS

	<u>Page</u>
Field and Analytical Data of Groundwater Monitoring (cont.)	
AC (A-Area Cluster Perimeter Wells and M-Area Plume Definition Wells)	123
ACB (A-Area Coal Pile Runoff Containment Basin)	124
AMB (Metallurgical Laboratory Seepage Basin)	124
AOB (Motor Shop Oil Basin)	126
ARP (A-Area Burning/Rubble Pits)	127
ASB (Savannah River Laboratory Seepage Basins)	128
BG (Burial Grounds)	144
BGO (Burial Grounds Perimeter Wells)	146
BRD (Road A Chemical Basin, Baxley Road)	168
CCB (C-Area Coal Pile Runoff Containment Basin)	169
CDB (C-Area Disassembly Basin)	170
CMP (Chemicals, Metals, Pesticides Pits)	170
CRP (C-Area Burning/Rubble Pit)	175
CSA (Central Shops Hydrofluoric Acid Spill Area)	178
CSB (C-Area Reactor Seepage Basins)	178
CSO (Fire Department Training Facility, Central Shops Burnable Oil Basin)	179
CSR (Central Shops Burning/Rubble Pits)	180
DBP (D-Area Burning/Rubble Pits)	180
DCB (D-Area Coal Pile Runoff Containment Basin)	181
DOB (D-Area Oil Disposal Basin)	188
F (F-Area Seepage Basins)	189
FAC (F-Area Acid/Caustic Basin)	189
FAL (F-Area A Line)	192
FBP (F-Area Burning/Rubble Pits)	192
FCA (F-Area Canyon Building)	193
FCB (F-Area Coal Pile Runoff Containment Basin)	197
FET (F-Area Effluent Treatment Facility)	198
FNB (Old F-Area Seepage Basin)	199
FSB (F-Area Seepage Basins)	200
FSS (F-Area Sludge Land Application Site)	229
FTF (F-Area Tank Farm)	230
GBW (Background Well near Hawthorne Fire Tower)	233
H (H-Area Seepage Basins)	233
HAC (H-Area Acid/Caustic Basin)	234
HAP (H-Area Auxiliary Pump Pit)	235
HCA (H-Area Canyon Building)	236
HCB (H-Area Coal Pile Runoff Containment Basin)	237
HET (H-Area Effluent Treatment Facility)	237
HR3 (Old H-Area Retention Basin)	238
HR8 (H-Area Retention Basin)	239
HSB (H-Area Seepage Basins)	239
HSS (H-Area Sludge Land Application Site)	289
HTF (H-Area Tank Farm)	290
HWS (Hazardous Waste Storage Facility at Central Shops)	294
HXB (Ford Building Seepage Basin, Heat Exchanger Repair Facility Basin)	294

CONTENTS

	<u>Page</u>
Field and Analytical Data of Groundwater Monitoring (cont.)	
KAB (K-Area Ash Basin)	295
KAC (K-Area Acid/Caustic Basin)	295
KCB (K-Area Coal Pile Runoff Containment Basin)	298
KDB (K-Area Disassembly Basin)	298
KRB (K-Area Retention Basin)	299
KRP (K-Area Burning/Rubble Pit)	301
KSB (K-Area Reactor Seepage Basin)	304
KSS (K-Area Sludge Land Application Site)	304
LAC (L-Area Acid/Caustic Basin)	305
LCO (L-Area Oil and Chemical Basin)	306
LDB (L-Area Disassembly Basin)	307
LFW (Sanitary Landfill)	308
LRP (L-Area Burning/Rubble Pit)	322
LSB (L-Area Reactor Seepage Basin)	325
MCB (Miscellaneous Chemical Basin)	325
MGA (Series A, Monitoring Grid Wells for Burial Grounds)	329
MGC (Series C, Monitoring Grid Wells for Burial Grounds)	329
MGE (Series E, Monitoring Grid Wells for Burial Grounds)	330
MGG (Series G, Monitoring Grid Wells for Burial Grounds)	330
MSB (M-Area Hazardous Waste Management Facility (HWMF) and Plume Definition Wells	330
NBG (Naval Fuels Background Wells)	397
PAC (P-Area Acid/Caustic Basin)	398
PCB (P-Area Coal Pile Runoff Containment Basin)	401
PDB (P-Area Disassembly Basin)	401
PRP (P-Area Burning/Rubble Pit)	401
PSB (P-Area Reactor Seepage Basins)	403
PSS (Par Pond Sludge Land Application Site)	404
RAC (R-Area Acid/Caustic Basin)	405
RRP (R-Area Burning/Rubble Pits)	405
RSA (Series A, R-Area Reactor Seepage Basins)	406
RSB (Series B, R-Area Reactor Seepage Basins)	406
RSC (Series C, R-Area Reactor Seepage Basins)	407
RSD (Series D, between R-Area Reactor Seepage Basins (904-103G) and R-Area Reactor Building)	408
RSE (Series E, R-Area Reactor Seepage Basins)	409
RSF (Series F, R-Area Reactor Seepage Basins)	411
RWM (M-Area Recovery Wells, also used for plume definition)	411
SBG (S-Area Background Wells)	416
SLP (S-Area Low Point Pump Pit)	417
SRW (Silverton Road Waste Site)	418
SSS (Sewage Sludge Application Sites Wells)	426
TBG (TNX Burying Grounds)	427
XSB (Old TNX Seepage Basin)	430
YSB (New TNX Seepage Basin)	434
Z (F Area and H Area)	443
ZBG (Z-Area Background Wells)	443

CONTENTS

	<u>Page</u>
Field and Analytical Data of Groundwater Monitoring (cont.)	
ZDT (Z-Area Drain Tank)	444
ZW (F Area and H Area)	444
Water-Level Data	445
Location Index by Area	461
Location Index by Well Series	465
References	469
Related Documents	473

EXECUTIVE SUMMARY

The Environmental Monitoring Section of the Environmental and Health Protection (EHP) Department administers the Savannah River Site's Groundwater Monitoring Program. During third quarter 1989 (July-September), EHP conducted routine sampling of monitoring wells and drinking water locations. EHP collected the drinking water samples from Savannah River Site (SRS) drinking water systems supplied by wells.

EHP established two sets of flagging criteria in 1986 to assist in the management of sample results. The flagging criteria do not define contamination levels; instead they aid personnel in sample scheduling, interpretation of data, and trend identification. The flagging criteria are based on detection limits, background levels in SRS groundwater, and drinking water standards. An explanation of flagging criteria for the third quarter is presented in the **Flagging Criteria** section of this document.

All analytical results from third quarter 1989 are listed in this report, which is distributed to all waste-site custodians. One or more parameters exceeded Flag 2 at 75 monitoring sites. Parameters exceeded Flag 2 for the first time since 1984 at 10 monitoring sites.

The EHP Laboratory in Building 735-A analyzed the drinking water samples for radioactive constituents. Gross alpha exceeded Flag 1 (5 pCi/L) at 221-F Building (12.4 pCi/L, 9.42 pCi/L), at 221-H Building (5.66 pCi/L), and at 772-F Building (7.09 pCi/L, 6.71 pCi/L). Nonvolatile beta exceeded Flag 1 (10 pCi/L) at 221-F Building (11.16 pCi/L).

Those sites with constituents in the groundwater above Flag 2 in third quarter 1989 are listed in the following table, organized by location and well series. Data from all laboratory analyses above Flag 2 are reported. (In quarterly reports prior to the Third Quarter 1988 Report, the table was generated using data only from the former primary laboratory, Envirodyne Engineers.) Also, field specific conductance and pH data exceeding Flag 2 are reported. (In quarterly reports prior to the Third Quarter 1988 Report, the table was generated using only laboratory specific conductance and pH data.)

Portions of the third quarter analytical data were omitted due to laboratory errors. These data will be published in the Fourth Quarter 1989 Report. The missing data include radionuclide analyses from Teledyne Isotopes; volatile organics, herbicides/pesticides, lithium, and comprehensive analyses from General Engineering; radionuclide analyses from the Environmental and Health Protection laboratory; replicate analyses of gross alpha, nonvolatile beta, and tritium from metaTRACE; and iron, mercury, manganese, lead, total organic halogens, total radium, tritium, and volatile organics analyses from metaTRACE. See the Review of the Analytical Data for Errors section of this document for detailed lists of the missing data.

EXECUTIVE SUMMARY

THIRD QUARTER EHP GROUNDWATER DATA ABOVE FLAGGING CRITERIA

<u>Site</u>	<u>Well Series</u>	<u>Parameters Above Flag 2 Criteria</u> <u>Third Quarter 1989</u>	<u>First Time Since 1984</u>
100 AREAS			
<u>C Area</u>			
C-Area Burning/Rubble Pit	CRP	Chromium, lead, pH, total organic halogens, trichloroethylene, tritium	Tetrachloroethylene
C-Area Disassembly Basin	CDB	Manganese, lead, tritium	
C-Area Reactor Seepage Basins	CSB	Copper, lead, pH, total organic halogens, trichloroethylene, tritium	
<u>K Area</u>			
K-Area Acid/Caustic Basin	KAC	Iron, manganese, lead, sulfate, total radium	
K-Area Ash Basin	KAB	Iron, manganese, total radium, total organic halogens	
K-Area Burning/Rubble Pit	KRP	Iron, manganese, lead, tetrachloroethylene, trichloroethylene	
K-Area Coal Pile Runoff Containment Basin	KCB	Gross alpha, manganese, sulfate, total radium, tritium	
K-Area Disassembly Basin	KDB	Manganese, lead, tetrachloroethylene, total organic halogens, trichloroethylene, tritium	
K-Area Reactor Seepage Basin	KSB	Tritium	
K-Area Retention Basin	KRB	Nonvolatile beta, lead, tritium	
K-Area Sludge Land Application Site	KSS	Iron	
<u>L Area</u>			
L-Area Acid/Caustic Basin	LAC	Lead, pH, tetrachloroethylene, total organic halogens, trichloroethylene	
L-Area Burning/Rubble Pit	LRP	Lead	
L-Area Disassembly Basin	LDB	Tetrachloroethylene, total organic halogens	
L-Area Oil and Chemical Basin	LCO	Nonvolatile beta, mercury, manganese, pH, sulfate, tetrachloroethylene, total organic halogens, trichloroethylene, tritium	
L-Area Reactor Seepage Basin	LSB	Lead, tritium	

EXECUTIVE SUMMARY

THIRD QUARTER EHP GROUNDWATER DATA ABOVE FLAGGING CRITERIA (cont.)

Site	Well Series	Parameters Above Flag 2 Criteria	
		Third Quarter 1989	First Time Since 1984

100 AREAS (cont.)

P Area

P-Area Acid/Caustic Basin	PAC	Iron, manganese, sulfate	Tritium
P-Area Burning/Rubble Pit	PRP	Iron, manganese, lead, tetrachloroethylene, total organic halogens, trichloroethylene, tritium, 1,1,1-trichloroethane	
P-Area Coal Pile Runoff Containment Basin	PCB	Chromium, copper, iron, manganese, nickel, lead, selenium, sulfate, total organic halogens	
P-Area Disassembly Basin	PDB	Lead, tritium	
P-Area Reactor Seepage Basins	PSB	Copper, nitrate as nitrogen, lead, tritium	

R Area

R-Area Acid/Caustic Basin	RAC	Lead	
Series B, R-Area Reactor Seepage Basin	RSB		Gross alpha
Series D, between R-Area Reactor Seepage Basin 1 and R-Area Reactor Building	RSD	Nonvolatile beta	
Series E, R-Area Reactor Seepage Basins	RSE	Nonvolatile beta	Tritium
Series F, R-Area Reactor Seepage Basins	RSF	pH	

200 AREAS

General

Scattered in and around F Area and H Area	ZW	Tritium
---	----	---------

F Area

F-Area Acid/Caustic Basin	FAC	Gross alpha, mercury, manganese, pH, total radium, total organic halogens	
F-Area A Line	FAL	Manganese, total organic halogens, trichloroethylene	
F-Area Burning/Rubble Pits	FBP	Nonvolatile beta, total organic halogens, trichloroethylene	

EXECUTIVE SUMMARY

THIRD QUARTER EHP GROUNDWATER DATA ABOVE FLAGGING CRITERIA (cont.)

Site	Well Series	Parameters Above Flag 2 Criteria Third Quarter 1989	First Time Since 1984
200 AREAS (cont.)			
<u>F Area (cont.)</u>			
F-Area Canyon Building	FCA	Gross alpha, nonvolatile beta, manganese, nitrate as nitrogen, lead, strontium-89/90, total radium, total organic halogens, trichloroethylene, tritium	
F-Area Coal Pile Runoff Containment Basin	FCB	Iron, manganese	
F-Area Seepage Basins	F	Gross alpha, nonvolatile beta, strontium-89/90, tritium	
	FSB	Gross alpha, barium, nonvolatile beta, cadmium, chromium, cesium-137, copper, iron, mercury, manganese, nickel, nitrate as nitrogen, lead, pH, tetrachloroethylene, total radium, total organic halogens, trichloroethylene, tritium	Silver
F-Area Sludge Land Application Site	FSS	Iron, manganese, lead, pH, tritium	Total organic halogens
F-Area Tank Farm	FTF	Gross alpha, nonvolatile beta, pH, total radium, tritium	
Naval Fuel Material Facility	NBG	Manganese, nitrate as nitrogen, lead, total organic halogens, trichloroethylene, tritium	
Old F-Area Seepage Basin	FNB	Gross alpha, nonvolatile beta, manganese, nitrate as nitrogen, total radium, total organic halogens, trichloroethylene, tritium	
<u>H Area</u>			
H-Area Acid/Caustic Basin	HAC	Iron, sulfate, tritium	
H-Area Auxiliary Pump Pit	HAP	Tritium	
H-Area Canyon Building	HCA	Manganese, lead, tetrachloroethylene, trichloroethylene, tritium	
H-Area Coal Pile Runoff Containment Basin	HCB	Gross alpha, cadmium, copper, fluoride, iron, manganese, lead, pH, selenium, sulfate, total radium, tritium	
H-Area Effluent Treatment Facility	HET	Iron, tritium	Total organic halogens
H-Area Retention Basin	HRB	Gross alpha, manganese, nitrate as nitrogen, lead, total radium, tritium	

EXECUTIVE SUMMARY

THIRD QUARTER EHP GROUNDWATER DATA ABOVE FLAGGING CRITERIA (cont.)

Site	Well Series	Parameters Above Flag 2 Criteria Third Quarter 1989	First Time Since 1984
200 AREAS (cont.)			
<u>H Area (cont.)</u>			
H-Area Seepage Basins	H	Nonvolatile beta, tritium	
	HSB	Aluminum, gross alpha, arsenic, barium, nonvolatile beta, cadmium, cobalt-60, iron, mercury, manganese, nitrate as nitrogen, lead, pH, tetrachloroethylene, total radium, total organic halogens, trichloroethylene, tritium	
H-Area Sludge Land Application Site	HSS	Lead	
H-Area Tank Farm	HTF	Gross alpha, nonvolatile beta, cadmium, chromium, lead, pH, total radium, tritium	
Old H-Area Retention Basin	HR3	Tritium	
<u>S Area</u>			
S-Area Background Wells	SBG	Lead, tetrachloroethylene, total organic halogens, trichloroethylene, tritium	
S-Area Low Point Pump Pit	SLP	Manganese	
<u>Z Area</u>			
Z-Area Low Point Drain Tank	ZDT	Tritium	
300/700 AREAS			
A-Area Background Well near Firing Range	ABW	Trichloroethylene	
A-Area Burning/Rubble Pits	ARP	Tetrachloroethylene, total organic halogens, trichloroethylene	
A-Area Cluster Perimeter Wells	AC	pH	
A-Area Coal Pile Runoff Containment Basin	ACB	Gross alpha, total radium	
A-Area Metals Burning Pit	ABP	Tetrachloroethylene, total organic halogens, trichloroethylene	
Hazardous Waste Management Facility and Plume Definition Wells	MSB	Aluminum, gross alpha, nonvolatile beta, carbon tetrachloride, cadmium, chromium, iron, mercury, manganese, nitrate as nitrogen, lead, pH, selenium, tetrachloroethylene, total radium, total organic halogens, trichloroethylene, zinc	Beryllium

EXECUTIVE SUMMARY

THIRD QUARTER EHP GROUNDWATER DATA ABOVE FLAGGING CRITERIA (cont.)

<u>Site</u>	<u>Well Series</u>	<u>Parameters Above Flag 2 Criteria</u> <u>Third Quarter 1989</u>	<u>First Time Since 1984</u>
300/700 AREAS (cont.)			
M-Area Recovery Wells	RWM	Nitrate as nitrogen, tetrachloroethylene, total radium, trichloroethylene	
Metallurgical Laboratory Seepage Basin	AMB	pH, tetrachloroethylene, total organic halogens, trichloroethylene	
Miscellaneous Chemical Basin	MCB	Carbon tetrachloride, manganese, pH, tetrachloroethylene, total radium, total organic halogens, trichloroethylene	Gross alpha, nonvolatile beta, chromium
Motor Shop Oil Basin	AOB	Tetrachloroethylene, total organic halogens, trichloroethylene	
Savannah River Laboratory Seepage Basins	ASB	Gross alpha, iron, mercury, pH, tetrachloroethylene, total organic halogens, trichloroethylene, tritium	
Silverton Road Waste Site	SRW	Carbon tetrachloride, iron, lead, tetrachloroethylene, total organic halogens, trichloroethylene	
400 AREA			
D-Area Burning/Rubble Pits	DBP	Iron, manganese	
D-Area Coal Pile Runoff Containment Basin	DCB	Gross alpha, arsenic, beryllium, nonvolatile beta, cadmium, chromium, copper, fluoride, iron, manganese, nickel, lead, pH, selenium, sulfate, tetrachloroethylene, total radium, total organic halogens, trichloroethylene, tritium, zinc	
D-Area Oil Disposal Basin	DOB	Iron, tetrachloroethylene, total organic halogens, trichloroethylene	
600 AREAS			
<u>Burial Grounds</u>			
Burial Grounds	BG	Gross alpha, nonvolatile beta, tritium	
Burial Grounds Perimeter Wells	BGO	Gross alpha, nonvolatile beta, carbon tetrachloride, cadmium, iron, manganese, lead, pH, tetrachloroethylene, total organic halogens, trichloroethylene, tritium	Chloroform
Monitoring Grid Wells for Burial Ground 643-G	MGC	Tritium	
	MGE	Gross alpha, nonvolatile beta, tritium	

EXECUTIVE SUMMARY

THIRD QUARTER EHP GROUNDWATER DATA ABOVE FLAGGING CRITERIA (cont.)

Site	Well Series	Parameters Above Flag 2 Criteria Third Quarter 1989	First Time Since 1984
------	-------------	--	-----------------------

600 AREAS (cont.)

Central Shops

Central Shops Burning/Rubble Pits	CSR	Iron
-----------------------------------	-----	------

General

Chemicals, Metals, Pesticides Pits	CMP	Iron, manganese, lead, pH, tetrachloroethylene, trichloroethylene,
------------------------------------	-----	--

Road A Chemical Basin (Baxley Road)	BRD	Lead
-------------------------------------	-----	------

Sanitary Landfill	LFW	Gross alpha, carbon tetrachloride, iron, manganese, tetrachloroethylene, total radium, total organic halogens, trichloroethylene, tritium
-------------------	-----	---

TNX

New TNX Seepage Basin	YSB	Iron, pH, total organic halogens
-----------------------	-----	----------------------------------

Old TNX Seepage Basin	XSB	Gross alpha, carbon tetrachloride, manganese, nitrate as nitrogen, pH, tetrachloroethylene, total organic halogens, trichloroethylene
-----------------------	-----	---

TNX Burying Ground	TBG	Gross alpha, carbon tetrachloride, mercury, manganese, nitrate as nitrogen, tetrachloroethylene, total radium, total organic halogens, trichloroethylene
--------------------	-----	--

INTRODUCTION

This report is a summary of the Savannah River Site's (SRS) groundwater monitoring program conducted by the Environmental and Health Protection Department's (EHP) Environmental Monitoring Section in the third quarter of 1989 and includes the analytical results, field data, and detailed documentation for this program. The purpose of this report is two-fold: to provide a historical record of the activities and rationale of the program and to provide an official document of the analytical results.

EHP is responsible for all routine groundwater monitoring activities at the Savannah River Site, including the following:

- installation, maintenance, and abandonment of monitoring wells
- soil core investigations
- determination of the sampling schedule and parameter selection
- collection and analysis of groundwater samples
- initial review of the analytical data
- reporting the results to the facility custodian and to the Environmental Protection Section of EHP

EHP is the custodian of the groundwater monitoring wells, not the facility being monitored. It is the responsibility of the facility custodian (i.e., Reactor, Raw Materials, etc.) to assist in the determination of the sample schedule, to review the data, and to make any decisions regarding the facility.

Each custodian receives a copy of this report; the following site-specific data are available to each custodian upon request:

- a computer printout of all analytical data for the quarter, flagged with levels (0, 1, or 2)
- a computer printout (designed to assist in identifying trends) of the analytical data for this quarter and for the previous seven quarters
- a computer printout (designed to assist in identifying elevated analytical values) of each well site and all analytical values above Flag 1 and Flag 2 criteria for the quarter

CORRECTIONS TO PREVIOUS QUARTERLY REPORTS

Corrections to the First Quarter 1989 Report (ESH-EMS-890043)

In the Flagging Criteria section, one of the analytes is incorrectly listed as "tetrachloroethane." It should read "tetrachloroethylene."

Corrections to the Second Quarter 1989 Report (ESH-EMS-890044)

In the Well Abandonment section BG 10A and BG 10B are listed under the heading "Burial Grounds (Building 643-G)." However, BG 10A and BG 10B are actually closer to building 904-56G than to 643-G.

In the Flagging Criteria section, the second flagging criterion (Flag 2) given for tritium is incorrectly listed as 20,000 pCi/mL. The correct Flag 2 for tritium is 20 pCi/mL.

Also in the Flagging Criteria section, one of the analytes is incorrectly listed as "tetrachloroethane." It should read "tetrachloroethylene."

The following section was inadvertently left out of the Review of the Analytical Data for Errors in the Sample Analysis section; it should have been included in the review of metaTRACE.

metaTRACE re-analyzed several samples because the analytical results were considerably different from previous results. In several cases the rerun results were significantly different from the original results.

<u>Well</u>	<u>Analyte</u>	<u>Original Result</u>	<u>Rerun Result</u>
BG 52	Gross alpha	110 $\pm$ 20 pCi/L	120 $\pm$ 20 pCi/L
BG 52	Nonvolatile Beta	91 $\pm$ 10 pCi/L	91 $\pm$ 10 pCi/L
BG 60	Gross alpha	14.0 $\pm$ 3 pCi/L	11.0 $\pm$ 3 pCi/L
BG 62	Gross alpha	19 $\pm$ 4 pCi/L	33.0 $\pm$ 6 pCi/L
BG 62	Nonvolatile Beta	24 $\pm$ 4 pCi/L	30 $\pm$ 5 pCi/L
BGO 2D	Total radium	3.7 $\pm$ 0.7 pCi/L	1.8 $\pm$ 0.2 pCi/L
BGO 3D	Gross alpha	13 $\pm$ 3 pCi/L	15 $\pm$ 5 pCi/L
BGO 3D	Total radium	4.6 $\pm$ 0.7 pCi/L	1.9 $\pm$ 0.2 pCi/L
BGO 8A	Nonvolatile Beta	13 $\pm$ 4 pCi/L	<7 pCi/L
BGO 23D*	Total radium	3 $\pm$ 0.5 pCi/L	10 $\pm$ 6 pCi/L
FSB 97C	Gross alpha	72 $\pm$ 14 pCi/L	72 $\pm$ 14 pCi/L
FSB 97C	Nonvolatile Beta	910 $\pm$ 100 pCi/L	910 $\pm$ 100 pCi/L

* The original result was deleted from the database but has since been re-entered.

CORRECTIONS

Corrections to the Second Quarter 1989 Report (cont.)

Well	Analyte	Original Result	Rerun Result
FSB109D*	Tritium	240 $\pm$ 30 pCi/mL	230 $\pm$ 30 pCi/mL
HR8 11	Gross alpha	5.8 $\pm$ 3.3 pCi/L	6.0 $\pm$ 3 pCi/L
HR8 11	Nonvolatile Beta	6.8 $\pm$ 3.4 pCi/L	5.7 $\pm$ 2.7 pCi/L
HSB 70	Tritium	500 $\pm$ 50 pCi/mL	480 $\pm$ 50 pCi/mL
HSB 84D	Nonvolatile Beta	2,100 $\pm$ 300 pCi/L	2,200 $\pm$ 300 pCi/L
HSB 86C*	Nickel	116.5 μ g/L	86.7 μ g/L
HSB102C	Nonvolatile Beta	17 $\pm$ 4 pCi/L	14 $\pm$ 4 pCi/L
HSB116D	Tritium	160,000 $\pm$ 2,000 pCi/mL	15,000 $\pm$ 2,000 pCi/mL
HSB117C	Gross alpha	<3.0 pCi/L	11.0 $\pm$ 4 pCi/L
HSB139D	Tritium	340 $\pm$ 40 pCi/mL	320 $\pm$ 40 pCi/mL
HTF 5	Gross alpha	19 $\pm$ 4 pCi/L	16 $\pm$ 4 pCi/L
HTF 6	Gross alpha	33 $\pm$ 6 pCi/L	28 $\pm$ 6 pCi/L
HTF 6	Nonvolatile Beta	77 $\pm$ 8 pCi/L	73 $\pm$ 8 pCi/L
HTF 7	Gross alpha	15 $\pm$ 4 pCi/L	30 $\pm$ 6 pCi/L
HTF 7	Nonvolatile Beta	20 $\pm$ 4 pCi/L	23 $\pm$ 6 pCi/L
HTF 8	Total radium	10 $\pm$ 2 pCi/L	3.4 $\pm$ 0.5 pCi/L
HTF 16	Gross alpha	74 $\pm$ 9 pCi/L	120 $\pm$ 20 pCi/L
HTF 16	Nonvolatile Beta	64 $\pm$ 7 pCi/L	76 $\pm$ 8 pCi/L
HTF 34	Gross alpha	8.3 $\pm$ 2.7 pCi/L	6.1 $\pm$ 2.9 pCi/L
HTF 34	Nonvolatile Beta	9 $\pm$ 3.6 pCi/L	6 $\pm$ 3.3 pCi/L
HTF 34	Tritium	16 $\pm$ 20 pCi/mL	16 $\pm$ 20 pCi/mL
KAB 4*	Gross alpha	<3.0 pCi/L	10 $\pm$ 6 pCi/L
KSB 1*	Tritium	1,300 $\pm$ 200 pCi/mL	1,200 $\pm$ 200 pCi/mL
LCO 1	Nonvolatile Beta	180 $\pm$ 20 pCi/L	190 $\pm$ 20 pCi/L
LFW 21	Gross alpha	35 $\pm$ 7 pCi/L	24 $\pm$ 5 pCi/L
LFW 21	Tritium	130 $\pm$ 20 pCi/mL	130 $\pm$ 20 pCi/mL
LFW 21(R)	Gross alpha	30 $\pm$ 6 pCi/L	23 $\pm$ 5 pCi/L
LFW 21(R)	Tritium	130 $\pm$ 20 pCi/mL	130 $\pm$ 20 pCi/mL
MGC 19	Gross alpha	140 $\pm$ 20 pCi/L	140 $\pm$ 20 pCi/L
MGC 19	Nonvolatile Beta	37 $\pm$ 10 pCi/L	37 $\pm$ 10 pCi/L
PSB 4A*	Tritium	24,000 $\pm$ 300 pCi/mL	25,000 $\pm$ 300 pCi/mL
RSD 8	Gross alpha	72 $\pm$ 8 pCi/L	16 $\pm$ 5 pCi/L
RSE 8	Gross alpha	4.3 $\pm$ 2.4 pCi/L	5.7 $\pm$ 2.8 pCi/L
RSE 8	Nonvolatile Beta	9.6 $\pm$ 3.8 pCi/L	10 $\pm$ 3 pCi/L
TBG 3	Gross alpha	17 $\pm$ 4 pCi/L	80 $\pm$ 10 pCi/L
TBG 4	Gross alpha	13 $\pm$ 4 pCi/L	69 $\pm$ 10 pCi/L
TBG 5	Nonvolatile Beta	7.9 $\pm$ 3.9 pCi/L	<6 pCi/L
XSB 4D*	Nickel	<5.0 μ g/L	7.5 μ g/L
YSB 3A*	Nickel	<5.0 μ g/L	22.0 μ g/L

* The original result was deleted from the database but has since been re-entered.

WELL ABANDONMENT

The primary source of data for this section is the SRS Daily Activities Report. During second quarter 1989 Westinghouse, the oversight group, maintained these records. Graves Well Drilling performed drilling activities.

Second Quarter 1989 Abandonments

Production Wells

<u>Well</u>	<u>SRS Coordinates</u>		<u>Abandonment</u>	<u>Reason</u>
	<u>North</u>	<u>East</u>	<u>Completed</u>	
PW 69G (Building 905-69G)	106894.9	72135.7	05/15/89*	Production well abandonment

Third Quarter 1989 Abandonments

There were no well abandonments completed during third quarter.

* This is the latest date on the daily activities report. An abandonment completion date is not given.

WELL MAINTENANCE

The source of data for this section is well maintenance records kept by Ge-Hy Sampling of New Ellenton, SC, and Environmental and Health Protection during the first, second, and third quarters of 1989. Monitor Testing Corporation's (MTC) Daily Reports are a secondary source. MTC performed all maintenance activities during the first, second, and third quarters of 1989.

First Quarter Well Maintenance

MSB Series, M-Area Hazardous Waste Management Facility and Plume Definition Wells

MSB 36B: On 3/22/89, the pump would not start. MTC repaired the pump during first quarter.

RSE Series, R-Area Reactor Seepage Basins

RSE 25: On 3/20/89, the flowmeter needed replacing; and the locking bracket and pin, a lock, the well identification sign, and the sign bolt were missing. MTC replaced the flowmeter and the lock.

Second Quarter Well Maintenance

ACB Well Series, A-Area Coal Pile Runoff Containment Basin

ACB 3A: On 4/5/89, the pump would not start. MTC pulled the pump out and installed a new 4-inch pump. On 5/6/89, the locking bracket and pin, a lock, and the yellow chain were missing. MTC replaced the yellow chain.

BGO Series, Burial Grounds Perimeter Wells

BGO 27C: On 5/30/89, samplers were unable to remove the liquid level pipe cap and were, therefore, unable to sample the well. MTC removed the old liquid level pipe cap and replaced it with a new liquid level pipe cap.

CMP Series; Chemicals, Metals, Pesticides Pits

CMP 13: On 4/29/89, the flowmeter did not work. MTC replaced the flowmeter.

HSB Series, H-Area Seepage Basins

HSB 84C: On 4/11/89, the riser pipe elbow needed replacing. MTC disassembled the sampling tee, the nipple, and the riser pipe elbow, replaced the riser pipe elbow, teflon-taped the connections, and reassembled the pump.

WELL MAINTENANCE

LCO Series, L-Area Oil and Chemical Basin

LCO 4: On 5/14/89, the flowmeter needed replacing. MTC replaced the flowmeter and installed a new stainless steel security cable.

ZBG Series, Z-Area Background Wells

ZBG 2: On 3/29/88, the hose clamp, both locks, and the locking bracket and pin were missing; the flowmeter needed replacing. On 6/7/89, a lock was missing, and the flowmeter needed replacing. MTC replaced the flowmeter and installed a new lock and a hose clamp.

Third Quarter Well Maintenance

BGO Series, Burial Grounds Perimeter Wells

BGO 26A: On 7/22/89, the flowmeter tie down, the hose clamp, a lock, the well identification sign, and the sign bolt were missing. MTC installed a security cable.

BGO 27C: On 7/22/89, the well identification sign and the sign bolt were missing, and samplers were unable to remove the water level pipe cap. MTC noted that the necessary materials are not in stock.

BGO 29A: On 7/22/89, the water discharge hose, the hose clamp, a lock, the well identification sign, and the sign bolt were missing. MTC replaced the water discharge hose, the hose clamp, and the lock.

FSB Series, F-Area Seepage Basins

FSB 76C: On 7/8/89, the sampling tee and the riser pipe elbow needed replacing. On 7/21/89, MTC replaced the riser pipe elbow and the sampling tee.

FSB 78C: On 7/2/89, the sampling tee needed replacing. On 7/17/89, MTC replaced the sampling tee.

FSB 79B: On 7/17/89, MTC installed a sampling tee. A new sampling tee was not on a work order.

FSB 79C: On 7/1/89, the sampling tee needed replacing. On 7/17/89, MTC replaced the sampling tee.

FSB 87B: On 5/2/89, the electrical box needed repairing. On 7/17/89, MTC installed an electric receptacle.

FSB 90D: On 5/22/89, the coupling was cracked between the gate valve and the sampling tee. On 7/17/89, MTC noted that they saw no leaks.

WELL MAINTENANCE

HSB Series, H-Area Seepage Basins

HSB 65A: On 4/4/89, the riser pipe elbow needed replacing. On 7/17/89, MTC replaced the riser elbow pipe and wired the electrical box.

HSB 68C: On 5/31/89, the riser pipe elbow needed replacing. On 7/17/89, MTC replaced the riser pipe elbow.

HSB 71: On 4/11/89, the sampling tee needed replacing. On 7/17/89, MTC replaced the sampling tee and installed a sample nipple cap.

HSB 83A: On 4/5/89, the sampling tee needed replacing. On 7/17/89, MTC replaced the sampling tee and installed a riser pipe elbow, which was not on the work order.

HSB 83B: On 4/5/89, the sampling tee needed replacing. On 7/17/89, MTC replaced the sampling tee.

HSB 83C: On 4/5/89, the sampling tee needed replacing. On 7/17/89, MTC replaced the sampling tee.

HSB 84A: On 5/31/89, the riser pipe elbow needed replacing. On 7/17/89, MTC replaced the riser pipe elbow.

HSB 84C: On 2/5/89, the riser pipe elbow needed replacing. On 7/17/89, MTC replaced the riser pipe elbow.

HSB 84D: On 5/31/89, the sampling tee needed replacing. On 7/17/89, MTC replaced the sampling tee.

HSB 86C: On 5/30/89, the riser pipe elbow needed replacing. On 7/17/89, MTC replaced the riser pipe elbow.

HSB 86D: On 5/30/89, the sampling tee needed replacing. On 7/17/89, MTC replaced the sampling tee and installed a sample nipple cap.

HSB105D: On 4/5/89, the flowmeter needed replacing. On 7/17/89, MTC replaced the flowmeter.

KAB Series, K-Area Ash Basin

KAB 3: On 5/6/89, the sampling tee needed replacing. On 7/21/89, MTC replaced the sampling tee, checked over the well, and noted that a sample cock and bushing are needed.

KAB 4: On 1/24/89, the flowmeter needed replacing. On 7/21/89, MTC replaced the flowmeter and installed a sampling tee.

KCB Series, K-Area Coal Pile Runoff Containment Basin

KCB 1: On 5/6/89, the sampling tee needed replacing. On 7/21/89, MTC replaced the sampling tee and checked over the well.

WELL MAINTENANCE

LFW Series, Sanitary Landfill

LFW 7: On 1/24/89, the flowmeter needed replacing. On 7/20/89, MTC replaced the flow meter.

LFW 8: On 7/20/89, MTC noted that there was heavy damage above ground.

LFW 21: On 1/24/89, the electrical box and the ground wire needed replacing, and the delineator post and the concrete pad needed repairs. On 6/13/89, the sampling tee needed replacing, and the concrete pad, the electrical box, and the security cable needed repairs. On 7/21/89, MTC noted that they needed to repair the concrete pad first, install the delineator post, and then install the electrical box with new Sealtite and a connector. MTC replaced the sampling tee.

LFW 23: On 5/7/89, the liquid level pipe cap was missing, and the sampling tee needed replacing. On 7/21/89, MTC replaced the sampling tee and the liquid level pipe cap.

LRP Series, L-Area Burning/Rubble Pit

LRP 3: On 4/9/89, the flowmeter needed replacing. On 7/21/89, MTC replaced the flowmeter and installed a stainless steel security cable.

MSB Series, M-Area Hazardous Waste Management Facility and Plume Definition Wells

MSB 7A: On 6/26/89, the water discharge hose, the hose clamp, and the yellow chain were missing. On 7/19/89, MTC replaced the discharge hose, the hose clamp, and the yellow chain.

MSB 26B: On 4/23/89, the water discharge hose, the hose clamp, the locking bracket pin, a lock, the well identification sign, and the sign bolt were missing. On 7/19/89, MTC replaced the discharge hose and the hose clamp.

MSB 42A: On 7/18/89, the gate valve needed replacing. On 7/19/89, MTC replaced the gate valve.

MSB 47TA: On 1/19/89, there were several leaks in the pump assembly. On 7/19/89, MTC disassembled the discharge line, taped up the joints and reassembled the discharge line. MTC checked the pressure.

MSB 49B: On 4/29/89, the flowmeter needed replacing. On 7/19/89, MTC replaced the flowmeter.

MSB 50B: On 7/17/89, the flowmeter needed replacing. On 7/19/89, replaced the flowmeter.

MSB 52B: On 3/7/89, the sample nipple cap was missing. On 7/19/89, MTC replaced the sample nipple cap.

WELL MAINTENANCE

MSB Series, M-Area Hazardous Waste Management Facility and Plume Definition Wells (cont.)

MSB 52D: On 3/7/89, the sample nipple cap was missing. On 7/19/89, MTC replaced the sample nipple cap.

MSB 54B: On 5/7/89, the flowmeter needed replacing. On 7/19/89, MTC replaced the flowmeter.

MSB 72B: On 3/25/89, there were leaks at the hose connection and the hose clamp needed repairing. On 7/19/89, MTC cut off the bad end of the hose and installed a new hose clamp.

PRP Series, P-Area Burning/Rubble Pit

PRP 2: On 5/16/89, the flowmeter needed replacing. On 7/21/89, MTC replaced the flowmeter and installed a stainless steel security cable.

PRP 4: On 5/16/89, the flowmeter needed replacing. On 7/21/89, MTC replaced the flowmeter and installed a stainless steel security cable.

SRW Series, Silverton Road Waste Site

SRW 3A: On 4/2/89, the sampling tee needed replacing. On 7/20/89, MTC replaced the sampling tee.

SRW 7: On 4/4/89, the flowmeter needed replacing. On 7/20/89, MTC replaced the flowmeter.

SRW 9: On 6/16/89, the riser pipe elbow needed replacing. On 7/20/89, MTC replaced the riser pipe elbow.

SRW 9A: On 4/2/89, the sampling tee needed replacing. On 7/20/89, MTC replaced the sampling tee.

SRW 11: On 6/18/89, the flowmeter and the riser pipe elbow needed replacing. On 7/20/89, MTC replaced the flowmeter and the riser pipe elbow.

SRW 12A: On 4/2/89, the sampling tee needed replacing. On 7/20/89, MTC replaced the sampling tee.

SRW 12B: On 4/2/89, the sampling tee needed replacing. On 7/20/89, MTC replaced the sampling tee. MTC noted that the sample cock and the bushing need replacing.

SRW 13C: On 1/21/89, there were several leaks in the pump assembly. On 7/20/89, MTC disassembled the discharge line, taped the joints and reassembled the discharge line.

SRW 14A: On 7/20/89, MTC installed a sampling tee.

SRW 14C: On 7/20/89, MTC installed a coupling.

WELL MAINTENANCE

SRW Series, Silverton Road Waste Site (cont.)

SRW 16B: On 4/4/89, the sampling tee needed replacing. On 7/20/89, MTC replaced the sampling tee.

WELL CONSTRUCTION

The primary source of data for this section is the SRP Monitoring Well Installation Report (DPSOP 254-V-2). Secondary sources include the following:

- South Carolina Department of Health and Environmental Control (SCDHEC) Water Well Record
- SRP Monitoring Well Construction Details
- Field Geologic Log
- SRP Daily Activities Report
- SRP Well Development Report
- Monitor Testing Corporation Pump Data Sheet
- Monitor Testing Corporation Well Completion Report

Westinghouse, the oversight group, maintained these reports during third quarter 1989. Monitor Testing Corporation (MTC) conducted drilling activities.

Although the Well Construction section gathers data from these sources, it does not attempt to replace the original records, from which more detailed information can be obtained. The original records can be found in the Environmental and Health Protection Department Library.

Geologic characteristics were logged as noted for each well. Some wells do not have information about geologic characteristics because logging is usually done only for the deepest well in a cluster. Wireline coring is the most prevalent coring method used to determine lithologic and hydrologic characteristics of subsurface sediments. For most boreholes logged this way, the drillers set a temporary surface casing as a guide for the core barrel used in wireline coring. In these cases, the drillers use the mud rotary method to drill the first stage of the borehole, then they set the temporary casing and begin wireline coring. Consequently, wireline coring begins below ground surface for these wells.

The well start date is the date that well installation personnel first officially visited the well site. All depths and measurements given under Placement in this section are from ground level. Casings were cut off or increased to 2.5 ft above ground level after installation, except as noted. However, because of construction activities, the final distances between top of casing

WELL CONSTRUCTION

and ground level vary. The actual distances between top of casing and ground level will be reported in the Surveying section as surveying data are received.

C.S. stands for carbon steel. S.S. stands for stainless steel. The length of the sump includes the sump cap. All pump placements are measured from ground level to the top of the pump.

ABP Series A-Area Metals Burning Pit

All of these wells were drilled by mud rotary drilling. ABP 3C was also partially drilled by air rotary drilling. At all of these wells except ABP 3C, wash cuttings were taken and lithologies were logged during drilling. ABP 3C was sampled by wireline coring. Geophysical logging was conducted for well ABP 3C only. Well ABP 6D was accepted by Westinghouse 7/17/89; well ABP 8C was accepted by Westinghouse 7/25/89; well ABP 8D was accepted by Westinghouse 7/21/89. No acceptance date is given for well ABP 3C.

ABP 3C

The well start date is 6/20/89; drilling began 6/20/89; grouting was completed 7/10/89; the pump was installed 8/4/89. The total depth of the borehole is 248.0 ft from ground level. The borehole was drilled by air rotary from 0.0 to 15.0 ft, and a temporary surface casing was set. The core was obtained by wireline coring from 15.0 to 248.0 ft, and lithologies were logged. The borehole was backfilled from 248.0 to 208.0 ft and reamed from 0 to 208.0 ft.

<u>Item</u>	<u>Type</u>	<u>Length (ft)</u>	<u>Placement (ft)</u>
Casing	4" PVC	189.5	0-187.0
Screen	4" .016"-slot PVC	5.0	187.0-192.0
Sump	4" PVC	5.4	192.0-197.4
Pump	Grundfos 10S05-9	N/A	185.0

ABP 6D

The well start date is 6/27/89; drilling began 6/27/89; grouting was completed 7/5/89. The total depth of the borehole is 165.0 ft from ground level. This well is a piezometer; no pump or sump was installed.

<u>Item</u>	<u>Type</u>	<u>Length (ft)</u>	<u>Placement (ft)</u>
Casing	2" PVC	143.1	0-140.6
Screen	2" .010"-slot PVC	20.0	140.6-160.6
Sump Cap	2" PVC	0.3	160.6-160.9

WELL CONSTRUCTION

ABP 8C

The well start date is 7/11/89; drilling began 7/12/89; grouting was completed 7/20/89; the pump was installed 8/4/89. The total depth of the borehole is 220.0 ft from ground level.

<u>Item</u>	<u>Type</u>	<u>Length (ft)</u>	<u>Placement (ft)</u>
Casing	4" PVC	181.7	0-179.2
Screen	4" .016"-slot PVC	5.1	179.2-184.3
Sump	4" PVC	5.3	184.3-189.6
Pump	Grundfos 10S05-9	N/A	186.0

ABP 8D

The well start date is 7/17/89; drilling began 7/17/89; grouting was completed 7/20/89. The total depth of the borehole is 170.0 ft from ground level.

<u>Item</u>	<u>Type</u>	<u>Length (ft)</u>	<u>Placement (ft)</u>
Casing	4" PVC	143.1	0-140.6
Screen	4" .016"-slot PVC	20.1	140.6-160.7
Sump	4" PVC	5.3	160.7-166.0

BRD Series Road A Chemical Basin (Baxley Road)

BRD 5D

This well was drilled by mud rotary drilling. Wash cuttings were taken during drilling, and lithologies were logged. The well start date is 7/6/89; drilling began 7/10/89; grouting was completed 7/11/89; the pump was installed 8/2/89. The total depth of the borehole is 62.0 ft from ground level. The well was accepted by Westinghouse on 7/20/89.

<u>Item</u>	<u>Type</u>	<u>Length (ft)</u>	<u>Placement (ft)</u>
Casing	4" PVC	36.8	0-34.3
Screen	4" .016"-slot PVC	20.0	34.3-54.3
Sump	4" PVC	5.4	54.3-59.7
Pump	Grundfos 10S05-9	N/A	57.5

WELL CONSTRUCTION

MCB Series Miscellaneous Chemical Basin

All of these wells were drilled by mud rotary drilling. MCB 6C was also drilled partially by air rotary drilling. Wash cuttings were obtained during drilling for all boreholes except MCB 6C, and lithologies were logged. MCB 6C was sampled by wireline coring. Geophysical logging was conducted for all these wells except MCB 8D and MCB 9D. Well MCB 8D was accepted by Westinghouse 7/14/89; well MCB 9D was accepted by Westinghouse 7/17/89. No acceptance date is given for any other of these wells.

MCB 5C

The well start date is 6/29/89; drilling began 6/29/89; grouting was completed 7/10/89; the pump was installed 8/3/89. The total depth of the borehole is 222.0 ft from ground level. The borehole was backfilled from 222.0 to 187.0 ft.

<u>Item</u>	<u>Type</u>	<u>Length (ft)</u>	<u>Placement (ft)</u>
Casing	4" PVC	178.5	0-176.0
Screen	4" .016"-slot PVC	5	176.0-181.0
Sump	4" PVC	5.4	181.0-186.4
Pump	Grundfos 10S05-9	N/A	173.6

MCB 6C

The well start date is 6/12/89; drilling began 6/13/89; grouting was completed 6/21/89; the pump was installed 8/3/89. The total depth of the borehole is 233.0 ft from ground level. The borehole was drilled by air rotary drilling from 0 to 15.0 ft, and a temporary surface casing was set. The borehole was backfilled from 233.0 to 182.0 ft and reamed from 0.0 to 182.0 ft.

<u>Item</u>	<u>Type</u>	<u>Length (ft)</u>	<u>Placement (ft)</u>
Casing	4" PVC	162.5	0-160.0
Screen	4" .016"-slot PVC	5.0	160.0-165.0
Sump	4" PVC	5.5	165.0-170.5
Pump	Grundfos 10S05-9	N/A	167

MCB 7C

The well start date is 7/10/89; drilling began 7/10/89; grouting was completed 7/17/89; the pump was installed 8/3/89. The total depth of the borehole is 192.0 ft from ground level.

<u>Item</u>	<u>Type</u>	<u>Length (ft)</u>	<u>Placement (ft)</u>
Casing	4" PVC	177.5	0-175.0
Screen	4" .016"-slot PVC	5.0	175.0-180.0
Sump	4" PVC	5.4	180.0-185.4
Pump	Grundfos 10S05-9	N/A	173.6

WELL CONSTRUCTION

MCB 8D

The well start date is 7/5/89; drilling began 7/5/89; grouting was completed 7/7/89. The total depth of the borehole is 135.0 ft from ground level. This well is a piezometer; no pump or sump was installed.

<u>Item</u>	<u>Type</u>	<u>Length (ft)</u>	<u>Placement (ft)</u>
Casing	2" PVC	114.2	0-111.7
Screen	2" .01"-slot PVC	20.0	111.7-131.7
Sump Cap	2" PVC	0.3	131.7-132.0

MCB 9D

The well start date is 6/29/89; drilling began 6/29/89; grouting was completed 7/7/89. The total depth of the borehole is 135.0 ft from ground level. This well is a piezometer; no pump or sump was installed.

<u>Item</u>	<u>Type</u>	<u>Length (ft)</u>	<u>Placement (ft)</u>
Casing	2" PVC	115.4	0-112.9
Screen	2" .01"-slot PVC	20.0	112.9-132.9
Sump Cap	2" PVC	0.4	132.9-133.3

WELL STABILIZATION

Because the water in a newly installed well may be influenced by the grout, pH and specific conductance tests were performed for the following wells. Measurements were made on the first water withdrawn from the well and at one-well-volume intervals until stabilization. Wells were pumped unless otherwise noted.

ABP 3C

Date: 9/25/89

One well volume = 25.5 gal

Well Vol.	pH	Sp. Cond. (μ mhos/cm)	Water Temp. ($^{\circ}$ C)	Comments
0	12.1	1,727	18.0	Strongly turbid; orange brown
1	10.5	272	18.3	Strongly turbid; orange brown
2	6.4	115	18.8	Strongly turbid; light brown
3	6.1	82	19.1	Moderately turbid; light brown
4	6.1	78	18.9	Moderately turbid; light brown

ABP 8C

Date: 9/19/89

One well volume = 5.0 gal

Well Vol.	pH	Sp. Cond. (μ mhos/cm)	Water Temp. ($^{\circ}$ C)	Comments
0	-	-	-	Well pumped dry before water reached the surface

ABP 8D

Date: 9/19/89

One well volume = 4.8 gal

Well Vol.	pH	Sp. Cond. (μ mhos/cm)	Water Temp. ($^{\circ}$ C)	Comments
0	-	-	-	Well pumped dry before water reached the surface

WELL STABILIZATION

AOB 3

Date: 9/9/89

One well volume - 12.8 gal

Well Vol.	pH	Sp. Cond. (μ mhos/cm)	Water Temp. ($^{\circ}$ C)	Comments
0	5.3	28	21.2	Weakly turbid; yellow brown; dry after 3.6 gal

Date: 9/10/89

Well Vol.	pH	Sp. Cond. (μ mhos/cm)	Water Temp. ($^{\circ}$ C)	Comments
0	6.7	108	21.8	Weakly turbid; light brown

BRD 5D

Date: 9/19/89

One well volume - 14.6 gal

Well Vol.	pH	Sp. Cond. (μ mhos/cm)	Water Temp. ($^{\circ}$ C)	Comments
0	6.7	97	20.0	Moderately turbid; light brown
1	5.8	48	20.4	Moderately turbid; light brown; surges
2	5.6	39	20.9	Moderately turbid; light brown; surges
3	5.5	36	21.2	Weakly turbid; light brown; surges
4	5.5	35	21.5	Clear; surges

MCB 5C

Date: 9/19/89

One well volume - 28.2 gal

Well Vol.	pH	Sp. Cond. (μ mhos/cm)	Water Temp. ($^{\circ}$ C)	Comments
0	12.4	4,720	19.9	Moderately turbid; brown; dry after 11 gal

Date: 9/20/89

Well Vol.	pH	Sp. Cond. (μ mhos/cm)	Water Temp. ($^{\circ}$ C)	Comments
0	12.2	2,120	19.5	Weakly turbid; light brown

WELL STABILIZATION

MCB 6C

Date: 9/25/89

One well volume = 27.7 gal

Well Vol.	pH	Sp. Cond. (μ mhos/cm)	Water Temp. (°C)	Comments
0	12.0	1,769	17.8	Weakly turbid; light brown; dry after 14 gal

Date: 9/26/89

Well Vol.	pH	Sp. Cond. (μ mhos/cm)	Water Temp. (°C)	Comments
0	9.6	217	18.5	Strongly turbid; orange brown

MCB 7C

Date: 9/25/89

One well volume = 7.2 gal

Well Vol.	pH	Sp. Cond. (μ mhos/cm)	Water Temp. (°C)	Comments
0	12.2	2,010	17.5	Weakly turbid; light brown
1	12.0	1,425	18.0	Moderately turbid; light brown; dry after 14.5 gal

Date: 9/26/89

Well Vol.	pH	Sp. Cond. (μ mhos/cm)	Water Temp. (°C)	Comments
0	9.6	159	18.8	Moderately turbid; light brown

CORING

The sources of data for this section are the SRS Field Geologic Logs, SRS Daily Activities Reports, and the Monitor Testing Corporation (MTC) Soil Boring Logs. The oversight groups, Westinghouse and Bechtel Corporation, kept these records during second quarter 1989. MTC performed the drilling. The completion date given for each core is the date drilling was completed, unless otherwise noted.

F-Area Process Sewer Line Soil Borings

The following borings, done by hollow stem or flight augering with split spoon sampling, were taken to check for leaks in the sewer line as it was removed in the F-Area Seepage Basin closure process.

<u>Core ID</u>	<u>Completion Date</u>	<u>Depth (ft)</u>
FPS 2A	07/05/89*	72
FPS 3E	07/17/89	15
FPS 3F	07/18/89	15
FPS 4A	07/06/89	15
FPS 4B	07/06/89	15
FPS 4C	07/07/89	15
FPS 4D	07/07/89	15
FPS 4E	07/10/89	15
FPS 4F	07/10/89	15
FPS 5A	07/12/89	15
FPS 5B	07/13/89	15
FPS 5C	07/13/89	15
FPS 5D	07/13/89	15
FPS 5E	07/14/89	15
FPS 5F	07/14/89	15
FPS 6A	08/08/89	15
FPS 6B	08/08/89	15
FPS 7A	08/11/89	15
FPS 7B	08/11/89	15
FPS 7C	08/11/89	15
FPS 8A	08/08/89	15
FPS 8B	08/08/89	15
FPS 8C	08/09/89	15
FPS 8D	08/09/89	15

* This is the grouting completion date.

CORING

F-Area Process Sewer Line Soil Borings (contd.)

<u>Core ID</u>	<u>Completion Date</u>	<u>Depth (ft)</u>
FPS 8E	08/10/89	15
FPS 8F	08/10/89	15
FPS 9A	08/04/89	15
FPS 9B	08/04/89	15
FPS 9C	08/07/89	15
FPS 9D	08/07/89	15
FPS 9E	08/10/89	15
FPS 9F	08/10/89	15
FPS 10A	08/11/89	15
FPS 10B	08/11/89	15
FPS 11A	08/14/89	15
FPS 11B	08/14/89	15
FPS 11C	08/14/89	15
FPS 11D	08/14/89	15
FPS 12A	08/15/89	15
FPS 12B	08/15/89	15
FPS 13A	08/15/89	15
FPS 13B	08/15/89	15
FPS 14A	08/14/89	15
FPS 14B	08/14/89	15
FPS 14C	08/14/89	15
FPS 14D	08/14/89	15
FPS 14E	08/15/89	15
FPS 14F	08/15/89	15

H-Area Process Sewer Line Soil Borings

The following borings, done by hollow stem or flight augering with split spoon sampling, were taken to check for leaks in the sewer line as it was removed in the H-Area Seepage Basin closure process.

<u>Core ID</u>	<u>Completion Date</u>	<u>Depth (ft)</u>
HPS 2B	Not given	15
HPS 2C	09/05/89	15
HPS 4	08/30/89	11
HPS 4A	Not given	15
HPS 4B	Not given	15
HPS 4C	Not given	11
HPS 5A	08/28/89	15
HPS 5B	08/28/89	9
HPS 6	08/28/89	Not given
HPS 6A	08/29/89	15
HPS 6B	08/29/89	15
HPS 6C	08/29/89	3
HPS 8A	08/21/89	15

CORING

H-Area Process Sewer Line Soil Borings (contd.)

<u>Core ID</u>	<u>Completion Date</u>	<u>Depth (ft)</u>
HPS 8B	08/21/89	15
HPS 8C	08/22/89	15
HPS 8D	08/21/89	Not given
HPS 8E	08/23/89	15
HPS 9A	08/23/89	15
HPS 9B	08/23/89	15
HPS 9C	08/24/89	15
HPS 9D	08/23/89	15
HPS 9E	08/24/89	15
HPS 9F	08/24/89	15
HPS 10A	08/23/89	15
HPS 10B	08/23/89	15
HPS 10C	08/24/89	15
HPS 10D	08/24/89	15
HPS 10E	08/24/89	15
HPS 10F	08/24/89	15
HPS 11A	08/25/89	15
HPS 11B	08/25/89	15
HPS 11C	08/25/89	15
HPS 11D	08/28/89	15
HPS 11E	08/28/89	15
HPS 11F	08/25/89	15
HPS 12A	08/21/89	15
HPS 12B	08/21/89	15
HPS 12C	08/21/89	15
HPS 12D	08/21/89	15
HPS 12E	08/22/89	15
HPS 12F	08/22/89	15
HPS 13A	08/16/89	15
HPS 13B	08/17/89	15
HPS 13C	08/16/89	15
HPS 13D	08/17/89	15
HPS 13E	08/17/89	15
HPS 13F	08/17/89	15
HPS 14A	08/18/89	15
HPS 14B	08/18/89	15
HPS 15A	08/18/89	15
HPS 15B	08/18/89	15
HPS 16A	08/16/89	15
HPS 16B	08/16/89	15
HPS 16C	08/16/89	15
HPS 16D	08/17/89	15
HPS 16E	08/17/89	15
HPS 16F	08/17/89	15

CORING

H-Area Process Sewer Line Soil Borings (contd.)

<u>Core ID</u>	<u>Completion Date</u>	<u>Depth (ft)</u>
HPS 17A	08/28/89*	40
HPS 18A	08/28/89*	25

H-Area Tank Farm Evaporation Tower Foundation Borings

The following borings, done by hollow stem augering and a combination of Shelby tube and split spoon sampling, were installed as part of a subsurface study of the foundation design for the evaporator column facilities near the high level tanks in H Area.

<u>Core ID</u>	<u>Completion Date</u>	<u>Depth (ft)</u>
1	08/07/89	51.5
2	08/03/89	51.5
3	08/02/89*	31.5
4	08/08/89*	51.5
5	08/08/89*	51.5
6	08/02/89*	31.5
7	08/02/89*	31.5
8	08/07/89	31.5
9	08/01/89	76.5
10	07/28/89	76.5

* This is the grouting completion date.

SURVEYING

The source of data for this section is a database maintained by Surveying and Mapping Consultants of Tigerville, South Carolina. Surveying and Mapping Consultants conducted the following surveying between 7/1/89 and 9/30/89. Elevations are in feet above mean sea level.

<u>Well ID</u>	<u>SRS Coordinates</u>		<u>Top of Casing Elevation</u>	<u>Ground Elevation</u>	<u>Final Height of Casing Above Ground</u>
	<u>North</u>	<u>East</u>			
ABP 1DD	97511.37	44433.59	360.05	357.9	2.15
ABP 2DD	97753.66	44126.74	370.58	368.3	2.28
ABP 3C	97778.17	44506.28	354.54	352.3	2.24
ABP 4DD	97495.51	44101.26	365.00	362.7	2.30
ABP 6D	97889.65	44101.44	365.28	363.0	2.28
ABP 7D	97449.67	43930.14	364.19	361.9	2.29
ABP 8C	97855.58	43968.72	372.05	369.8	2.25
ABP 8D	97854.85	43984.06	370.91	368.8	2.11
AOB 3	102164.39	50959.41	352.61	350.6	2.01
BRD 5D	55955.70	29252.58	205.01	202.7	2.31
MCB 5C	97315.11	44862.83	339.10	337.2	1.90
MCB 6C	97413.08	45207.73	332.06	330.0	2.06
MCB 7C	97139.93	44870.57	337.69	335.7	1.99
MCB 8D	97180.60	44769.89	340.68	337.4	3.28
MCB 9D	97605.75	44858.80	342.88	339.1	3.78
YSC 1C	78186.24	65855.46	274.39	272.5	1.89
YSC 1D	78170.70	65859.14	274.42	272.8	1.62
YSC 2A	78311.53	66100.08	283.69	281.7	1.99
YSC 2D	78320.43	66130.70	284.04	282.0	2.04
YSC 4A	77050.08	65883.50	-	287.5	-
YSC 4C	77059.73	65901.85	289.62	287.9	1.72
YSC 5A	74295.93	67134.86	274.92	273.0	1.92

SAMPLE SCHEDULING

The Environmental Monitoring Section (EMS) of the Environmental and Health Protection Department (EHP) derived the sampling schedule for the third quarter 1989 using the following premises.

Flagging criteria, South Carolina Department of Health and Environmental Control (SCDHEC) analytical requirements, and special custodian requests provide the basis for generating the EHP Groundwater Monitoring Schedule. Initially, four quarters of comprehensive analyses (Group I, II, and III constituents, major ions, phosphate, total dissolved solids, and tritium) are scheduled for wells new to the monitoring program. After the initial four quarters of comprehensives, one quarter of comprehensive analyses is scheduled every two years. If parameters exceed background levels within a well series, additional monitoring is required. One of the indicator parameters included in the comprehensive analyses is total organic halogens (TOH). If TOH is above 10 $\mu\text{g/L}$ for two consecutive sampling events (excluding the first sampling event), GCMS VOA analyses are scheduled for that well.

Analytes detected above prescribed levels are assigned flagging values of either 1 or 2. Analytes detected above Flag 1 are subsequently scheduled once a year (first quarter), and those above Flag 2 are scheduled twice a year (first and third quarters). Criteria for Flag 1 and Flag 2 designations are listed in the **Flagging Criteria** section of this report.

Custodians from each facility assist sampling schedule development by reviewing previous analytical data and requesting additional analyses for their areas. The special requests for this quarter are listed at the end of this section.

The third quarter schedule also contains routine quarterly sampling requests, Resource Conservation and Recovery Act (RCRA) requests, and routine radioactivity program requests.

CUSTODIAN REVIEW

Six weeks prior to first quarter 1989, each custodian received the 1989 sampling schedule for review.

SAMPLE SCHEDULING

SPECIAL REQUESTS

The third quarter 1989 sampling schedule includes the following special requests.

C. S. Leason (Power Department) requested comprehensive analyses (including pesticides/herbicides) and turbidity analyses for the FAC wells, the HAC wells, the KAC wells, and the PAC wells as required under South Carolina Hazardous Waste Management (SCHWM) Interim Status Regulations (R. 69-79.265).

L. L. Clifton (Power Department) requested nitrate, chloride, sodium, pH, conductivity, total dissolved solids, and nitrite analyses for the FSS wells, the HSS wells, the KSS wells, and the PSS wells as required according to Land Application Permits.

On the advice of Sirrine Environmental Consultants, Dave Clark (Power Department) requested the following for the RCRA Facility Investigation (RFI) of the Burning/Rubble pits at SRS: xylene and 2-methylnaphthalene analyses for the ARP wells; copper, nickel, xylene, ethyl benzene, and base/neutral/acid analyses for the CRP wells; base/neutral/acid analyses for the KRP wells; organochloro-pesticides and base/neutral/acid analyses for the LRP wells; and GCMS VOA analyses for the RRP wells.

B. J. Eichlin (Power Department) requested sodium, pH, conductivity, total organic halogens, calcium, and magnesium analyses for the CRP wells as a grout leaching study.

The Environmental Protection Section requested tritium analyses for the CDB wells, the KDB wells, and the PDB wells.

Cathy Lewis (Environmental Protection Section) requested silver, arsenic, barium, cadmium, chromium, mercury, lead, selenium, fluoride, nitrate, total radium, gross alpha, nonvolatile beta, Group II, Group III, calcium, magnesium, potassium, GCMS VOA, copper, nickel, phosphate, zinc, cyanide, total dissolved solids, tritium, cobalt, thallium, vanadium, and antimony analyses for the FSB wells.

Cathy Lewis requested silver, arsenic, barium, cadmium, chromium, mercury, lead, selenium, fluoride, nitrate, total radium, gross alpha, nonvolatile beta, endrin, Group II, Group III, calcium, magnesium, potassium, phosphate, total dissolved solids, tritium, GCMS VOA, copper, nickel, zinc, cyanide, antimony, cobalt, and vanadium analyses for the HSB wells. She requested in a memo that HSB 85A, 85B, and 85C also receive the analyses performed on the BGO wells under SCHWM Regulations.

Ralph Nichols (Savannah River Laboratory) requested Group II, Group III, potassium, and cyanide analyses for the AMB wells. Four replicates of Group III analyses were requested as part of Part B permitting requirements.

Ralph Nichols requested silver, arsenic, barium, cadmium, chromium, mercury, lead, selenium, fluoride, nitrate, total radium, gross alpha, nonvolatile beta, americium-241, americium-242, curium-242, curium-243/244, curium-246,

SAMPLE SCHEDULING

plutonium-238, plutonium-239/240, plutonium-241, plutonium-242, uranium-233/234, uranium-235, uranium-238, radium-226, radium-228, strontium-89, strontium-90, and gamma PHA (cobalt-60, cesium-137) analyses for the ASB wells. He also requested Appendix IX analyses for ASB 1A, 2A, 3A, 4, 5A, and 6A.

Ralph Nichols requested silver, arsenic, barium, cadmium, chromium, mercury, lead, selenium, fluoride, nitrate, total radium, gross alpha, nonvolatile beta, Group II, Group III, calcium, magnesium, GCMS VOA, phosphate, total dissolved solids, tritium, gamma PHA (cobalt-60, cesium-137), americium-241, americium-242, curium-242, curium-243/244, curium-246, plutonium-238, plutonium-239/240, plutonium-241, plutonium-242, uranium-233/234, uranium-235, uranium-238, radium-226, radium-228, strontium-89, strontium-90, thorium-228, thorium-230, and thorium-232 analyses for the TBG wells.

Ralph Nichols requested silver, arsenic, barium, cadmium, chromium, mercury, lead, selenium, fluoride, nitrate, total radium, gross alpha, nonvolatile beta, Group II, Group III, calcium, potassium, magnesium, GC VOA, gamma PHA (cobalt-60, cesium-137), americium-241, americium-242, curium-242, curium-243/244, curium-246, plutonium-238, plutonium-239/240, plutonium-241, plutonium-242, uranium-233/234, uranium-235, uranium-238, radium-226, radium-228, strontium-89, strontium-90, thorium-228, thorium-230, and thorium-232 analyses for the XSB wells.

Ralph Nichols requested silver, arsenic, barium, cadmium, chromium, mercury, lead, selenium, fluoride, nitrate, total radium, gross alpha, nonvolatile beta, chloride, iron, manganese, sodium, sulfate, pH, conductivity, total organic carbon, potassium, magnesium, calcium, silicon, GC VOA, beryllium, copper, nickel, phosphate, zinc, and tritium analyses for the YSB wells. He also requested Appendix IX analyses for the YSB wells as part of a Natural Resources Defense Council (NRDC) lawsuit agreement.

Ray Sims (Raw Materials A/M Area) requested silver, arsenic, barium, cadmium, chromium, mercury, lead, selenium, nitrate, chloride, phenols, sodium, sulfate, pH, conductivity, GCMS VOA, copper, nickel, phosphate, zinc, cyanide, uranium-233/234, uranium-235, uranium-238, and aluminum analyses for MSB 1A, 2A, 3A, 4A, 5A, 6A, 7A, 8A, 9A, 9B, 9C, 10A, 10B, 10C, 11A, 11B, 11C, 11D, 11F, 12A, 12B, 12C, 12D, 12TA, 12TB, 13A, 13B, 13C, 14A, 14B, 14C, 15A, 17A, 17B, 17C, 18A, 18B, 18C, 19A, 19B, 19C, 20A, 20C, 21A, 21C, 21TA, 22, 31A, 31B, 31C, 36A, 36B, 36C, 36D, 36TA, 39A, 39B, 39C, 39D, 39TA, 40A, 40B, 40C, 40D, 40TA, and RWM 1. In addition, he requested cobalt and Appendix IX analyses for MSB 1A, 2A, 3A, 4A, 5A, 6A, 7A, 8A, 13A, 13B, 13C, and 22.

Ray Sims requested silver, arsenic, barium, cadmium, chromium, mercury, lead, selenium, nitrate, chloride, phenols, sodium, sulfate, pH, conductivity, GCMS VOA, copper, nickel, phosphate, zinc, cyanide, uranium-233/234, uranium-235, uranium-238, aluminum, total radium, and cobalt analyses for MSB 29A, 29B, 29C, 29D, 29TA, 43A, 43B, 43D, and 43TA.

Bob Lorenz (Raw Materials A/M Area), in response to the M-Area RCRA Facility Investigation (RFI), requested comprehensive analyses, lithium,

SAMPLE SCHEDULING

pesticides/herbicides, and GCMS VOA analyses for the MCB wells, the ABP wells, and the BRD wells.

Cathy Lewis (Mixed Waste Management Technology) requested comprehensive analyses, pesticides/herbicides, and turbidity analyses for BGO 1D, 2D, 3D, 4D, 5C, 5D, 6A, 6C, 6D, 7D, 8A, 8C, 8D, 9D, 10A, 10C, 10D, 11D, 12A, 12C, 12D, 13D, 14A, 14C, 14D, 15D, 16A, 16D, 17D, 18A, 18D, 19D, 20D, 21D, 22D, 23D, 24D, and 25A.

Cathy Lewis requested the following analyses as part of the RFI program at Tank 16: silver, chromium, gamma PHA (cesium-137), mercury, lead, barium, cadmium, sodium, nitrate, pH, total radium, gross alpha, nonvolatile beta, and tritium analyses for HTF 5, 6, 7, 8, and 34; and gamma PHA (cesium-137), pH, tritium, gross alpha, nonvolatile beta, nitrate, and sodium analyses for well Z 13.

Cathy Lewis (Mixed Waste Management Technology) and Natalie Park (Environmental Protection Section) requested pH, conductivity, total organic carbon, chloride, sulfate, and nitrate analyses and analyses of priority pollutant parameters above Flag 1 for the LFW wells in compliance with reporting requirements of DWP #087A.

Paul Jones (Mixed Waste Management Technology) requested cadmium, mercury, lead, gross alpha, nonvolatile beta, phenols, GCMS VOA, and tritium analyses for BGO 26A, 26D, 27C, 27D, 28D, 29A, 30C, 30D, 31C, 31D, 32D, 33C, 33D, 34D, 35C, 35D, 36D, 37C, 37D, 38D, and 39D. Normal GCMS VOA, naphthalene, xylene, acetophenone, and gamma PHA analyses were requested for these wells as part of the RFI program.

T. P. Gaughan (Mixed Waste Management Technology) requested lead and GC VOA analyses for CMP 8, 8A, 8B, 9B, 10, 10B, 11, 11B, 12, 12A, 12B, 13, 13B, 14B, 14C, 15A, 15B, 15C, 16B, and 16C.

Terry Killeen (Environmental Monitoring Section) requested uranium-233/234, uranium-235, uranium-238, plutonium-238, plutonium-239/240, plutonium-241, plutonium-242, strontium-89, and strontium-90 analyses for the FBP wells.

Terry Killeen (Environmental Monitoring Section) requested gamma PHA (cesium-137, neptunium-237), strontium-89, strontium-90, radium-226, radium-228, uranium-233/234, uranium-235, uranium-238, plutonium-238, plutonium-239/240, plutonium-241, plutonium-242, thorium-228, thorium-230, thorium-232, americium-241, americium-242, curium-242, curium-243/244, curium-246, iodine-129, technetium-99, carbon-14, iron-55, nickel-59, and nickel-63 analyses for FSB 76, 78, 79, 89D, 90D, 91D, 92D, 94D, 102C, 103C, 104D, 106C, and 110D. They requested these same analyses for wells HSB 66, 69, 85C, 101D, 103D, 105D, 107D, 111E, 114D, 116D, 129D, 133D, 134D, 137D, 139D, and well Z 8.

The Environmental Monitoring Section requested nitrate and sodium analyses for the FTF wells and HTF wells.

SAMPLE SCHEDULING

Separations Technology requested silver, barium, cadmium, chromium, mercury, lead, fluoride, nitrate, total radium, gross alpha, nonvolatile beta, iron, manganese, phenols, sodium, beryllium, copper, nickel, and zinc analyses for the FNB wells.

L-Area requested gross alpha, nonvolatile beta, and tritium analyses for the LSB wells as part of the *L-Area Environmental Impact Statement*, DOE-EIS-0108, Section 6.2.3.

A. E. Hodge (Z Area) requested silver, arsenic, barium, cadmium, chromium, mercury, lead, selenium, nitrate, total radium, gross alpha, GCMS VOA, tritium, gamma PHA, antimony, nitrite, and technetium-99 analyses for the ZBG wells as required for the lifetime of the facility.

A. E. Hodge requested four replicate tritium analyses for the ZDT wells.

SAMPLE COLLECTION

Sample collection was performed by EHP personnel and by Jeff Bullard, Bonnie Bullard, and Jack Bullard of Ge-Hy Sampling of New Ellenton, South Carolina.

Each sampler maintained a field notebook. Field measurements include pH, temperature, specific conductance, air temperature, depth to the water prior to pumping, and volume of water pumped prior to sampling. These field books are located in the third quarter 1989 section of the EHP Groundwater Monitoring Library.

All samples were collected on a routine basis during the third quarter of 1989, except as indicated below. The sampler's observations about the water sample, well condition, and any special method of collecting also are noted in the following table. All wells were pumped except as noted. Wells that went dry were revisited and sampled usually within 24 hours. A revisitation after this 24-hour period is considered a separate sampling event. For these wells, only the volume purged before the well went dry is given in this section. The total amount of water purged from each well is given in the Field and Analytical Data section.

Comments about dry wells, continuously pumping wells, and malfunctioning wells can be found in the Field and Analytical Data section.

<u>Well</u>	<u>Date</u>	<u>Comment</u>
ABP Series		
ABP 2A	09/25/89	Weakly turbid; light brown
ABP 3C	09/25/89	Moderately turbid; light brown
AC Series		
AC 1B	07/27/89	No water in standpipe
AMB Series		
AMB 4	08/06/89	Dry after 0.3 gal
AMB 6	08/06/89	Moderately turbid; yellow brown
AMB 7	08/05/89	Dry after 1.3 gal
	08/06/89	Weakly turbid; brown gray; odor
AOB Series		
AOB 1	08/06/89	Small amount of fine sand
AOB 3	09/09/89	Dry after 3.6 gal
	09/10/89	Weakly turbid; light brown

SAMPLE COLLECTION

<u>Well</u>	<u>Date</u>	<u>Comment</u>
ARP Series		
ARP 1A	08/06/89	No water in standpipe
ARP 2	08/06/89	Aerated; sand; weakly turbid; light brown
ARP 4	08/06/89	Aerated
ASB Series		
ASB 1A	08/08/89	No water in standpipe
	09/10/89	No water in standpipe
ASB 3A	08/08/89	Oil-like substance on sample surface; aerated
	09/10/89	Light brown
ASB 4	09/09/89	Turbid; light brown
ASB 6A	08/08/89	Aerated; small amount of fine sand
	09/10/89	Small amount of fine sand
ASB 6AA	08/08/89	Weakly turbid; light brown
ASB 7	08/08/89	Aerated
BGO Series		
BGO 1D	07/29/89	Dry after ~5 gal
	07/30/89	Light brown; turbid
BGO 3D	07/29/89	Dry after ~3 gal
BGO 4D	07/23/89	No water in standpipe (~67 ft)
BGO 5C	07/29/89	Dry after 16 gal
BGO 5D	07/29/89	Dry after 5 gal
	07/30/89	Weakly turbid
BGO 6D	07/29/89	Dry after 6 gal
BGO 8A	07/29/89	Dry after 25 gal
BGO 10A	07/29/89	Dry after 31 gal
BGO 10C	07/29/89	Dry after 30 gal
BGO 10D	07/29/89	No water in standpipe (~71 ft)
BGO 12A	07/29/89	Dry after 30 gal
BGO 12C	07/29/89	Dry after 33 gal
BGO 12D	07/29/89	Dry after 6 gal
BGO 13D	07/29/89	No water in standpipe (~88 ft)
BGO 14A	07/29/89	Dry after ~18 gal
BGO 14C	07/29/89	Dry after 13 gal
BGO 14D	07/29/89	No water in standpipe (~71 ft)
BGO 16A	07/25/89	Dry after 20 gal
BGO 16D	07/25/89	Dry after 2.3 gal
BGO 17D	07/25/89	Light gray; weakly turbid
BGO 20D	07/25/89	Dry after 6.3 gal
	07/26/89	No water in standpipe (~58 ft)
BGO 21D	07/25/89	Dry after 6 gal
	07/26/89	Red brown; turbid
BGO 24D	07/25/89	Dry after ~5 gal
BGO 25A	07/29/89	Dry after 11 gal
BGO 26A	07/22/89	Dry after 44 gal

SAMPLE COLLECTION

<u>Well</u>	<u>Date</u>	<u>Comment</u>
BGO Series (cont.)		
BGO 26D	07/22/89	Dry after 6 gal
	07/23/89	Turbid; brown
BGO 27C	07/22/89	Turbid; brown; unable to remove standpipe cap
BGO 27D	07/22/89	Dry after 9.6 gal
	07/23/89	Turbid; brown
BGO 28D	07/22/89	Dry after 6.2 gal
	07/23/89	Turbid; brown
BGO 29A	07/22/89	Dry after 34.5 gal
	07/23/89	Weakly turbid; light brown
BGO 30C	07/22/89	Dry after 23 gal
	07/23/89	Turbid; brown
BGO 30D	07/22/89	Dry after 8.8 gal
	07/23/89	Weakly turbid; light brown
BGO 31C	07/22/89	Dry after 27.5 gal
	07/23/89	Weakly turbid; light brown
BGO 31D	07/22/89	Dry after 6.6 gal
	07/23/89	Turbid; brown
BGO 32D	07/22/89	Dry after 4 gal
	07/23/89	Turbid; brown
BGO 33C	07/19/89	Very weakly turbid; light brown
BGO 33D	07/23/89	Dry after 8 gal
	07/24/89	Weakly turbid; light brown
BGO 34D	07/23/89	Dry after 10 gal
	07/24/89	Weakly turbid; light brown
BGO 35D	07/23/89	Dry after 7.4 gal
	07/24/89	Weakly turbid; light brown
BGO 36D	07/23/89	Dry after 6.3 gal
	07/24/89	Turbid; light brown
BGO 37D	07/23/89	Dry after 4.2 gal
	07/24/89	Weakly turbid; light brown
BGO 38D	07/23/89	Dry after 6 gal
	07/24/89	Weakly turbid; light brown
BGO 39D	07/23/89	Dry after 3.9 gal
	07/24/89	Very weakly turbid; light brown
BRD Series		
BRD 3	08/12/89	No water in standpipe; pump runs, no water purged
	09/19/89	No water in standpipe; pump runs, no water purged
CCB Series		
CCB 1	08/27/89	No water in standpipe
CCB 2	08/27/89	Strongly turbid; dark red; sand
CCB 3	08/27/89	Dry after 9.5 gal; weakly turbid; light brown
CCB 4	08/27/89	Aerated

SAMPLE COLLECTION

<u>Well</u>	<u>Date</u>	<u>Comment</u>
CDB Series		
CDB 1	09/06/89	Dry after ~8 gal; flowmeter not working, estimated volume purged; weakly turbid; light brown
CDB 2	09/06/89	Dry after 4.5 gal; weakly turbid; light brown
CMP Series		
CMP 11	08/12/89	Dry after 12 gal
CMP 12	08/12/89	Dry after 11 gal
CMP 13	08/12/89	Dry after 5 gal
	08/13/89	Very weakly turbid; light brown
CMP 15B	08/12/89	Dry after 18.5 gal
CMP 15C	08/12/89	No water in standpipe (~44 ft)
CMP 16C	08/12/89	No water in standpipe (~88 ft)
CRP Series		
CRP 3	08/27/89	No water in standpipe; dry after 8 gal
CSB Series		
CSB 1A	08/19/89	No water in standpipe
CSB 2A	08/19/89	Dry after 2 gal
CSB 3A	08/19/89	Dry after 2.5 gal
CSB 5A	08/19/89	Dry after 3.5 gal
CSR Series		
CSR 2	08/22/89	No water in standpipe; pump runs, no water purged
CSR 4	08/22/89	Weakly turbid; light brown
DCB Series		
DCB 1A	08/26/89	Brown
DCB 6	08/26/89	Dry after 4.6 gal
DCB 10	08/26/89	Brown
DCB 11	08/26/89	Dry after 17.8 gal
DCB 13	08/26/89	No water in standpipe; dry after 1.4 gal
DCB 14	08/26/89	Odor; very weakly turbid; light gray
DCB 15	08/26/89	Dry after 3.9 gal; turbid; brown
DCB 16	08/26/89	Dry after 3.6 gal; turbid; orange brown
FAC Series		
FAC 3	08/05/89	Dry after bailing ~0.5 gal
	08/06/89	Moderately brown; medium turbid
FAC 5	08/05/89	Dry after bailing 8.4 gal
FAC 6	08/05/89	Dry after bailing 3 gal
FAC 7	08/05/89	Dry after bailing 2.8 gal

SAMPLE COLLECTION

Well	Date	Comment
FAC Series (cont.)		
FAC 8	08/05/89	Dry after bailing 9.3 gal
	08/06/89	Moderately brown; turbid
FAL Series		
FAL 1	08/19/89	Dry after 3.7 gal
FAL 2	08/19/89	Dry after 0.5 gal
	08/20/89	Moderately turbid; brown
FCA Series		
FCA 2D	08/19/89	Dry after bailing ~3.6 gal
	08/20/89	Medium brown; turbid
FCA 9C	09/19/89	Unable to sample, construction in area
FCA 9D	08/19/89	Dry after bailing ~1 gal
	08/20/89	Medium red brown; turbid
	09/19/89	Unable to sample, construction in area
FCA 10A	08/19/89	Dry after bailing 3.1 gal
	08/20/89	Turbid; brown
FCA 10C	09/19/89	Unable to sample, construction in area
FCA 10D	09/19/89	Unable to sample, construction in area
FCA 16A	08/20/89	Medium red brown; turbid
FCA 16D	08/19/89	Dry after bailing 0.7 gal
	08/20/89	Turbid; brown
	09/19/89	Unable to sample, construction in area
FCA 19D	08/19/89	Dry after 2 gal
	08/20/89	Weakly turbid; light brown
FCB Series		
FCB 4	08/26/89	Dry after 10.5 gal
	08/27/89	Red brown; turbid
FCB 5	08/22/89	Dry after 2 gal
FCB 6	08/22/89	Dry after 1 gal
FCB 7	08/22/89	No water in standpipe
FET Series		
FET 1D	08/26/89	Dry after 6 gal
FSB Series		
FSB 76	07/08/89	No water in standpipe
FSB 78C	07/01/89	Dry after 22 gal
FSB 87D	07/01/89	No water in standpipe; pump runs, no water purged
FSB 88D	07/01/89	Dry after pumping 4 gal
	07/02/89	Weakly turbid; light brown
FSB 90C	07/02/89	Dry after 21.7 gal

SAMPLE COLLECTION

<u>Well</u>	<u>Date</u>	<u>Comment</u>
FSB Series (cont.)		
FSB 90D	07/02/89	Dry after 1 gal
FSB 91C	07/02/89	Dry after 18.5 gal
FSB 92D	07/02/89	Weakly turbid; light brown
FSB 93D	07/08/89	Dry after 1.5 gal
FSB 94C	07/02/89	Dry after pumping 22.5
	07/03/89	Dark brown
FSB 94D	07/02/89	No water in standpipe; pump runs, no water purged
FSB 95C	07/02/89	Dry after 21.5
FSB 95D	07/02/89	Water level at bottom of standpipe
FSB 96A	07/02/89	Dry after 17 gal
FSB 97C	07/08/89	Dry after 27 gal
FSB 97D	07/08/89	Dry after 1.6 gal
FSB 98A	07/08/89	Dry after 24 gal
FSB 98D	07/08/89	Dry after pumping 1.1 gal
	07/09/89	Weakly turbid; light brown
FSB100A	07/02/89	Dry after pumping 16 gal
	07/03/89	Aerated
FSB105D	07/08/89	Dry after 1 gal
	07/09/89	Moderately turbid; light brown
FSB107D	07/09/89	No water in standpipe
FSB108D	07/01/89	Dry after 1.9 gal
FSB109D	07/02/89	Dry after 3 gal
FSS Series		
FSS 1D	08/22/89	Dry after 7 gal
	08/23/89	Aerated; brown; turbid
FSS 2D	08/22/89	Dry after 8 gal
	08/23/89	Light brown; turbid
FSS 3D	08/22/89	Dry after 8.5 gal
	08/23/89	Aerated
FSS 4D	08/22/89	Dry after 8 gal
GBW Series		
GBW 1	08/07/89	No water in standpipe; pump runs, no water purged
HAC Series		
HAC 2	08/08/89	Dry after 3.7 gal
HAC 3	08/08/89	Dry after 6.5 gal
HCA Series		
HCA 1	08/08/89	Dry after 15 gal
HCA 3	08/08/89	Dry after 9 gal; light brown; weakly turbid
HCA 4	08/08/89	Dry after 18 gal

SAMPLE COLLECTION

Well	Date	Comment
HCB Series		
HCB 2	08/08/89	Light brown; turbid
HCB 4	08/09/89	Light red brown; weakly turbid
HET Series		
HET 2D	08/08/89	Dry after 9 gal
HET 3D	08/08/89	Dry after 10 gal
HET 4D	08/08/89	Dry after 14 gal
	08/09/89	Light brown; turbid
HR8 Series		
HR8 13	08/16/89	Light brown; weakly turbid
HSB Series		
HSB 68	07/04/89	No water in standpipe (~28 ft)
HSB 68B	07/03/89	Dry after ~46 gal
	07/04/89	Medium brown; turbid; aerated
HSB 70C	07/08/89	Dry after 25.5 gal
HSB 71C	07/11/89	Dry after 21 gal
HSB 84C	07/08/89	Dry after 14 gal
HSB 85B	07/15/89	Dry after ~45 gal
	07/16/89	Slightly aerated
HSB100C	07/01/89	Slightly aerated
HSB102D	07/12/89	Medium brown; moderately turbid; dry after 8 gal
HSB104D	07/02/89	Light brown; weakly turbid
HSB105D	07/02/89	Flowmeter not working; estimated volume purged
HSB112E	07/15/89	Dry after 2 gal
	07/16/89	Light brown; turbid
HSB115C	07/03/89	Dry after 14.5 gal
HSB115D	07/03/89	Dry after 3.3 gal
	07/04/89	Red brown; turbid
HSB117D	07/11/89	Light gray white; turbid
HSB124A	07/08/89	Dry after 42 gal
HSB126D	07/08/89	Dry after 7 gal
HSB127C	07/08/89	Dry after 28.5 gal
HSB132D	07/16/89	Flowmeter not working; estimated volume purged
HSB133C	07/08/89	Dry after 23 gal
HSB135C	07/15/89	Very light brown; very weakly turbid
HSB135D	07/15/89	Very light brown; very weakly turbid
HSB139C	07/08/89	Dry after ~27 gal
HSS Series		
HSS 1D	08/08/89	Dry after 21 gal
HSS 3D	08/08/89	Dry after 19.5 gal
	08/09/89	Red brown; turbid

SAMPLE COLLECTION

<u>Well</u>	<u>Date</u>	<u>Comment</u>
HWS Series		
HWS 1A	08/09/89	Dry after 2 gal
	08/10/89	Turbid; brown
KAB Series		
KAB 1	09/03/89	Dry after 14 gal
KAC Series		
KAC 5	08/01/89	Dry after 12 gal
	08/02/89	Light brown; weakly turbid
KAC 6	08/01/89	Dry after 7 gal
	08/02/89	Red brown; turbid
KAC 7	08/01/89	Dry after ~6 gal
	08/02/89	Light brown; turbid
KCB Series		
KCB 2	08/26/89	Very light brown; small amount of oil-like film on sample surface
KCB 4	08/26/89	Very light brown
KDB Series		
KDB 1	09/18/89	Dry after 17 gal
KDB 3	08/15/89	Dry after 18 gal
KRB Series		
KRB 1	09/03/89	Dry after 2.5 gal
	09/04/89	Weakly turbid; rust brown
KRB 13	09/03/89	Dry after 1 gal
	09/04/89	Very weakly turbid; light brown
KRB 14	09/03/89	Dry after 6.8 gal
	09/04/89	Turbid; light brown
KRB 15	09/03/89	Dry after 1.5 gal
	09/04/89	Turbid; light brown
KSS Series		
KSS 2D	09/03/89	Dry after 10 gal
	09/04/89	Weakly turbid
LCO Series		
LCO 1	09/06/89	Dry after 10 gal
LCO 4	09/06/89	Slight pink color

SAMPLE COLLECTION

Well	Date	Comment
LDB Series		
LDB 1	09/06/89	Dry after 17 gal; weakly turbid; light brown
LDB 2	09/06/89	Dry after 19 gal; weakly turbid; light brown
LFW Series		
LFW 6	09/17/89	Onion-like odor
LFW 7	09/17/89	Onion-like odor
LFW 8	09/28/89	Onion-like odor
LFW 17	09/17/89	Onion-like odor
LFW 18	09/17/89	Flowmeter not working, estimated volume purged; onion-like odor
LFW 19	09/17/89	Flowmeter not working, estimated volume purged
LFW 28	09/16/89	Dry after ~11 gal
LRP Series		
LRP 1	09/03/89	Weakly turbid; light brown
LRP 3	09/03/89	Aerated; weakly turbid; light brown
LSB Series		
LSB 4	09/06/89	Flowmeter not working, estimated volume purged
MCB Series		
MCB 2	08/19/89	Dry after 7 gal
	08/20/89	Turbid; light brown
	09/19/89	Dry after 7 gal
MCB 4	08/19/89	Dry after 2.4
	09/19/89	Dry after 2 gal
MCB 5	08/19/89	Dry after 6 gal
	09/19/89	Dry after 7 gal
MCB 5C	09/19/89	Dry after 11 gal
	09/20/89	Weakly turbid; light brown
MCB 6	08/19/89	Dry after 1.5
	08/20/89	Aerated
	09/19/89	Dry after 1.5 gal
	09/20/89	Aerated; weakly turbid; light brown
MCB 6C	09/19/89	Dry after 3.6 gal
	09/20/89	Well water level recovered but would not pump water to surface
	09/25/89	Dry after 14 gal
	09/26/89	Strongly turbid; light brown
MCB 7C	09/25/89	Dry after 14.5 gal
	09/26/89	Moderately turbid; light brown

SAMPLE COLLECTION

<u>Well</u>	<u>Date</u>	<u>Comment</u>
MSB Series		
MSB 1A	07/09/89	No water in standpipe; pump runs, no water purged
MSB 2A	07/09/89	No water in standpipe
	08/22/89	No water in standpipe
	09/27/89	No water in standpipe
	07/09/89	Solvent odor; no water in standpipe; hard to tell if pump running, no water purged
MSB 4A	07/09/89	No water in standpipe; pump runs, no water purged
MSB 5A	07/09/89	No water in standpipe
	08/22/89	No water in standpipe
	09/27/89	No water in standpipe
	07/09/89	Turbid; brown; small amount of sand
MSB 7A	09/27/89	Fine sand
	07/04/89	Dry after 7 gal
MSB 9C	07/04/89	No water in standpipe
MSB 11F	07/04/89	No water in standpipe
MSB 12D	07/12/89	No water in standpipe; pump runs, no water purged
MSB 13B	07/12/89	No samples collected; dry after 2 gal
	08/19/89	Aerated
	07/16/89	Dry after bailing 1 gal; strongly turbid; red brown
MSB 13C	08/19/89	Dry after bailing 2 L
	08/20/89	Turbid; red brown
	07/09/89	No water in standpipe
	07/15/89	Dry after 1.8 gal
MSB 15D	07/16/89	Very weakly turbid; light brown
	07/15/89	Dry after 0.5 gal
	07/16/89	Weakly turbid; light brown; no water in standpipe
MSB 16C	07/11/89	Light brown
MSB 18B	07/15/89	Dry after 9.1 gal
MSB 20C	07/15/89	Dry after 1.4 gal
MSB 22	07/16/89	No water in standpipe, aerated
	08/19/89	Dry after 1 gal
	08/20/89	No water in standpipe; aerated
	07/26/89	No water in standpipe; pump runs, no water purged
MSB 23TA	07/26/89	Sample collected at each of first five well volumes; at zero well volume weakly turbid and light brown
	08/30/89	Sample collected at each of first five well volumes; at zero well volume weakly turbid and light brown
	09/29/89	Sample collected at each of first five well volumes; at zero well volume weakly turbid and rust brown
MSB 24	07/26/89	Dry after 5.5 gal
MSB 25	07/12/89	No water in standpipe; pump runs, no water purged
MSB 26	07/25/89	No water in standpipe
MSB 27A	07/26/89	No water in standpipe
MSB 27B	07/26/89	Flowmeter not working; estimated volume purged

SAMPLE COLLECTION

Well	Date	Comment
MSB Series (cont.)		
MSB 30AA	07/15/89	Dry after 71 gal
MSB 30C	07/15/89	Very weakly turbid; light brown
MSB 31C	07/19/89	Solvent odor
MSB 32	07/06/89	Very weakly turbid; light brown
MSB 35D	07/31/89	No water in standpipe; pump runs, no water purged
MSB 36D	07/18/89	Dry after ~1 gal
	07/19/89	Turbid; brown; no water in standpipe
MSB 37A	07/18/89	Dry after 76 gal
MSB 37D	07/18/89	Dry after 1 gal
	07/19/89	No water in standpipe; weakly turbid; light brown
MSB 38D	07/06/89	No water in standpipe; pump runs, no water purged
MSB 39A	07/04/89	Dry after 66 gal
MSB 40C	08/02/89	No water in standpipe
MSB 40D	08/01/89	Dry after 2 gal
	08/02/89	No water in standpipe; turbid; brown
MSB 41D	07/06/89	No water in standpipe; pump runs, no water purged
MSB 42D	07/18/89	No water in standpipe; pump runs, no water purged
MSB 44C	07/30/89	Strongly turbid; brown
MSB 46A	07/29/89	Dry after 48 gal
MSB 46B	07/29/89	No water in standpipe
MSB 47TA	08/03/89	Light brown
MSB 48C	07/29/89	Weakly turbid; light brown
MSB 49D	07/25/89	Dry after 10 gal
MSB 50B	07/17/89	Flowmeter not working; estimated volume purged
MSB 51D	07/17/89	Dry after 5 gal
	07/18/89	Weakly turbid; light brown
MSB 52D	08/02/89	Dry after 1 gal
MSB 55D	07/29/89	No water in standpipe
MSB 61D	08/05/89	Dry after 5 gal; weakly turbid; light brown
MSB 66B	08/05/89	Moderately turbid; light brown
MSB 66C	08/05/89	Strongly turbid; light yellow brown
MSB 66D	08/05/89	Pump would not start
MSB 68D	08/05/89	Weakly turbid; light brown
MSB 69C	07/29/89	Dry after 28.3 gal
MSB 69TA	07/29/89	Pump would not start
	09/05/89	Very weakly turbid; light brown
MSB 70C	07/06/89	Hydrogen sulfide odor
MSB 71B	07/16/89	Dry after 40 gal; weakly turbid; light brown
MSB 72B	08/01/89	Weakly turbid; light brown
MSB 82C	07/29/89	Moderately turbid; light brown
MSB 85C	07/29/89	Dry after 25.2 gal

SAMPLE COLLECTION

<u>Well</u>	<u>Date</u>	<u>Comment</u>
NBG Series		
NBG 1	08/26/89	Dry after 9 gal
	08/27/89	Very light brown; weakly turbid
NBG 2	08/26/89	Dry after 13 gal
	08/27/89	Light brown; weakly turbid
NBG 3	08/26/89	Dry after 5.6 gal
NBG 4	08/26/89	Dry after 7 gal
NBG 5	08/26/89	Dry after 13 gal
	08/27/89	Sample tee leaks
PAC Series		
PAC 2	08/02/89	Light brown; turbid
PAC 5	08/01/89	Dry after ~9 gal
PAC 6	08/01/89	Dry after ~9 gal
	08/02/89	Light brown; weakly turbid
PRP Series		
PRP 1A	09/04/89	Oil-like film; brown
PSB Series		
PSB 5A	08/22/89	Dry after ~7 gal
PSS Series		
PSS 1D	09/03/89	Dry after 12 gal
PSS 3D	09/03/89	Dry after 6 gal
	09/04/89	Turbid; brown; no water in standpipe
RAC Series		
RAC 1	09/12/89	Very light brown; weakly turbid
RAC 3	09/12/89	Very light brown; weakly turbid
RWM Series		
RWM 1	07/16/89	Aerated
	08/14/89	Aerated
RWM 2	07/16/89	Slightly aerated
RWM 3	07/16/89	Unable to remove standpipe cap
SLP Series		
SLP 1	08/12/89	Dry after 4.4 gal

SAMPLE COLLECTION

<u>Well</u>	<u>Date</u>	<u>Comment</u>
SRW Series		
SRW 1	08/13/89	No water in standpipe; pump runs, no water purged
SRW 2	08/13/89	Aerated
SRW 4	08/13/89	No water in standpipe; pump runs, no water purged
SRW 5	08/13/89	Aerated
SRW 6	08/13/89	Weakly turbid; brown
SRW 7	08/13/89	Dry after 2.5 gal; moderately turbid; orange brown; sand
SRW 10	08/13/89	No water in standpipe
SRW 11	08/13/89	Aerated
SRW 12C	08/16/89	Turbid; light brown
SRW 13C	08/16/89	Turbid; light brown
SRW 14C	08/16/89	No water in standpipe
SRW 16A	08/19/89	Dry after 22 gal; turbid; gray brown
SRW 16C	08/19/89	Aerated
SSS Series		
SSS 1	08/12/89	Strongly turbid; brown; sand
SSS 2	08/12/89	Moderately turbid; light brown
SSS 3	08/12/89	Weakly turbid; light brown
SSS 5	08/12/89	Dry after bailing 400 mL
SSS 7	08/13/89	Weakly turbid; light brown; sand
	08/12/89	Dry after bailing 2 L
SSS 8	08/13/89	Very weakly turbid; brown; sand
	08/12/89	Strongly turbid; orange brown; sand
SSS 9	08/12/89	Strongly turbid; orange brown; sand
SSS 10	08/13/89	Strongly turbid; orange brown; sand
SSS 17	08/12/89	Strongly turbid; orange brown
SSS 20	08/12/89	Dry after bailing 1.5 L
	08/13/89	Weakly turbid; brown
SSS 22	08/13/89	Weakly turbid; light brown
SSS 23	08/13/89	Moderately turbid; orange brown
SSS 26	08/12/89	Strongly turbid; tan
SSS 27	08/12/89	Strongly turbid; orange brown
TBG Series		
TBG 3	09/09/89	Dry after ~6 gal
	09/10/89	Light brown; weakly turbid
TBG 5	09/09/89	Dry after 6.5 gal
TBG 6	09/09/89	Dry after 6.5 gal
	09/10/89	Light brown; turbid
XSB Series		
XSB 2D	09/09/89	Dry after 5 gal
XSB 3A	09/09/89	No water in standpipe

SAMPLE COLLECTION

<u>Well</u>	<u>Date</u>	<u>Comment</u>
Z Series		
Z 2	09/19/89	Will discontinue sampling this well
Z 12	09/19/89	Will discontinue sampling this well
Z 13	09/19/89	Will discontinue sampling this well

SAMPLE ANALYSIS

The following SCDHEC-certified laboratories performed the sample analyses for the Environmental and Health Protection Department. All analyses were conducted by EPA-approved methods except as noted below.

General Engineering of Charleston, South Carolina, and metaTRACE, Inc. of St. Louis, Missouri, the primary subcontracting laboratories for sample analysis, performed all routine analyses, with the following exceptions.

Teledyne Isotopes of Westwood, New Jersey, performed routine isotope analyses.

The 735-A Laboratory operated by the Environmental and Health Protection Department at the Savannah River Site conducted total activity analyses of samples for shipping clearance. The 735-A Laboratory also conducted tritium, gross alpha, nonvolatile beta, and selected radionuclide analyses of samples from specified well series in the radioactivity monitoring program. The gross alpha and nonvolatile beta analytical methods used by the 735-A Laboratory do not correspond to the EPA methods for these determinations. The 735-A Laboratory radioactivity determinations are reported as the absolute concentrations calculated from the analytical tests.

The M-Area Laboratory at SRS performed chloroform, tetrachloroethylene, trans-1,2-dichloroethene, 1,1-dichloroethylene, trichloroethylene, and 1,1,1-trichloroethane analyses for certain wells in A and M Areas.

The laboratories reported the following data incorrectly in third quarter:

- metaTRACE reported total nitrate instead of nitrate as nitrogen. These data were corrected by a factor of 0.226 for the Replicate Analyses tables and in the Field and Analytical Data.
- metaTRACE tested for silicon instead of silica. These data were corrected by a factor of 2.14 for the calculation of Replicate Analyses statistical tables. Data for silicon and silica are reported separately in the Field and Analytical Data.
- General Engineering tested for total phosphorus instead of total phosphates. There is no applicable conversion for these data. General Engineering corrected the problem in mid-quarter; therefore, they reported some total phosphorus results and some total phosphates results. Data for total phosphorus and total phosphates are reported separately in the Field and Analytical Data.

SAMPLE ANALYSIS

REPLICATE ANALYSES OF SAMPLES

Two sets of replicate samples are analyzed in order to satisfy quality assurance standards in the primary laboratories, metaTRACE and General Engineering. Each laboratory generally conducts its own in-house replicates program by analyzing 10% of the samples in replicate. Additionally, EHP sends blind replicates for approximately 5% of the total samples to both laboratories for analysis. All of these results are reported by the laboratories and are included in the Field and Analytical Data section of this report. In previous quarterly reports, blind replicate results were also listed in the Sample Analysis section. However, instead of duplicating information from the Field and Analytical Data section, the replicate analytical results are now used to generate an index for comparison. This index is called the Mean Relative Difference (MRD); it is used along with t-test results to evaluate the laboratories' performance. Consult the tables in the Field and Analytical Data section for blind replicate data from the following samples:

<u>Well</u>	<u>Sample Date</u>	<u>Well</u>	<u>Sample Date</u>	<u>Well</u>	<u>Sample Date</u>
ABP 4	08/09/89	HSB 65B	07/23/89	MSB 11C	07/25/89
AMB 5	08/06/89	HSB 85A	07/22/89	MSB 20A	07/25/89
ASB 2A	09/10/89	HSB105C	07/22/89	MSB 26	07/25/89
ASB 8B	08/08/89	HSB121A	07/22/89	MSB 43D	07/30/89
BGO 2D	07/29/89	HSB129D	09/03/89	MSB 35A	07/31/89
BGO 8D	07/29/89	KSS 1D	09/03/89	MSB 67B	08/05/89
BGO 27C	07/22/89	LFW 16	09/08/89	PAC 4	08/02/89
DCB 2A	08/26/89	LFW 31	09/08/89	PSS 2D	09/03/89
FAC 4	08/06/89	LFW 35	09/08/89	RWM 7	08/14/89
FSB 76B	07/22/89	MSB 5A	08/22/89	SRW 12A	08/16/89
FSB 79B	07/22/89	MSB 5A	09/27/89	XSB 4D	09/09/89
FSB 88C	07/22/89	MSB 8A	07/25/89	YSB 2A	09/10/89
FSB 99A	07/22/89				

Certain analytes did not show measurable concentrations above the detection limits at either laboratory. These analytes, listed below, are not considered in further evaluation of the replicates programs.

<u>Analyte</u>	<u>General Engineering</u>		<u>metaTRACE</u>	
	<u>Detection Limit</u>	<u>Number of Analyses</u>	<u>Detection Limit</u>	<u>Number of Analyses</u>
alpha, alpha-Dimethyl-phenethylamine	10 µg/L	10	10 µg/L	4
alpha-Benzenehexachloride	10 µg/L	28	0.05 µg/L	4
Acetone	1000 µg/L	10	10 µg/L	4
Acetophenone	10 µg/L	10	10 µg/L	4
Acrolein	1000 µg/L	17	100 µg/L	8
Acrylonitrile	20 µg/L	17	5 µg/L	8
alpha-Endosulfan	10 µg/L	12	-	-
Aldrin	10 µg/L	30	0.05 µg/L	4
Acenaphthene	10 µg/L	22	10 µg/L	4
Acenaphthylene	10 µg/L	22	10 µg/L	4

SAMPLE ANALYSIS

Analyte	<u>General Engineering</u>		<u>metaTRACE</u>	
	<u>Detection Limit</u>	<u>Number of Analyses</u>	<u>Detection Limit</u>	<u>Number of Analyses</u>
Aniline	10 µg/L	10	-	-
Anthracene	10 µg/L	22	10 µg/L	4
Aramite	10 µg/L	10	-	-
Allyl chloride	1000 µg/L	10	100 µg/L	4
Azobenzene	-	-	10 µg/L	4
Benzo(a)anthracene	10 µg/L	20	10 µg/L	4
Benzo(a)pyrene	10 µg/L	22	10 µg/L	4
Benzo(b)fluoranthene	10 µg/L	20	-	-
beta-Benzenehexachloride	10 µg/L	28	0.05 µg/L	4
Butylbenzyl phthalate	10 µg/L	22	10 µg/L	4
Bis(chloromethyl)ether	10 µg/L	12	-	-
Bis(chloromethyl-ethyl)ether	1000 µg/L	10	10 µg/L	4
beta-Endosulfan	10 µg/L	12	-	-
Benzidine	10 µg/L	12	50 µg/L	4
Benzoic acid	-	-	50 µg/L	4
Benzo bifluoroanthene	-	-	10 µg/L	4
Benzo(g,h,i)perylene	10 µg/L	22	10 µg/L	4
Benzo(k)fluoranthene	10 µg/L	20	10 µg/L	4
Bromodichloromethane	10 µg/L	113	5 µg/L	52
Benzyl alcohol	20 µg/L	10	10 µg/L	4
Bis(2-chloroethoxy) methane	10 µg/L	22	10 µg/L	4
Bis(2-chloroisopropyl) ether	10 µg/L	12	10 µg/L	4
Bis(2-chloroethyl) ether	10 µg/L	22	10 µg/L	4
Dichlorodifluoromethane	1000 µg/L	10	5 µg/L	4
Bromoform	10 µg/L	113	5 µg/L	52
Chrysene	10 µg/L	22	10 µg/L	4
Methylene bromide	1 µg/L	44	10 µg/L	4
Bromomethane	10 µg/L	113	10 µg/L	52
Chloromethane	10 µg/L	113	10 µg/L	52
Acetonitrile (methyl cyanide)	1000 µg/L	10	100 µg/L	4
Chlorobenzilate	10 µg/L	10	10 µg/L	4
Chlorobenzene	10 µg/L	113	5 µg/L	64
Chlordane	10 µg/L	30	1 µg/L	4
Chloroprene	1000 µg/L	10	5 µg/L	4
Pentachlorobenzene	10 µg/L	10	10 µg/L	4
Pentachloroethane	10 µg/L	10	10 µg/L	22
Pentachloronitrobenzene	10 µg/L	10	10 µg/L	4
Hexachlorobenzene	10 µg/L	22	10 µg/L	4
Hexachlorocyclopentadiene	10 µg/L	22	10 µg/L	4
Hexachloroethane	10 µg/L	22	10 µg/L	4
Carbon disulfide	1000 µg/L	10	5 µg/L	4
Cyanide	5 µg/L	58	5 µg/L	54
Chloroethene (vinyl chloride)	10 µg/L	113	5 µg/L	47
Chloroethane	10 µg/L	113	10 µg/L	52
Benzene	10 µg/L	113	5 µg/L	52
Dibenz(a,h)anthracene	10 µg/L	22	10 µg/L	4
Dibromochloropropane	1000 µg/L	10	-	-
delta-Benzenehexachloride	10 µg/L	28	0.05 µg/L	4

SAMPLE ANALYSIS

Analyte	General Engineering		metaTRACE	
	Detection Limit	Number of Analyses	Detection Limit	Number of Analyses
Dibromochloromethane	10 µg/L	113	5 µg/L	52
Diethyl phthalate	10 µg/L	22	10 µg/L	4
Diallate	10 µg/L	10	10 µg/L	4
Dibenzofuran	10 µg/L	10	10 µg/L	4
Dimethoate	10 µg/L	10	10 µg/L	4
Disulfoton	10 µg/L	10	10 µg/L	4
Dieldrin	10 µg/L	30	0.1 µg/L	4
Dimethyl phthalate	10 µg/L	22	10 µg/L	4
Di-n-butyl phthalate	10 µg/L	22	10 µg/L	4
Di-n-octyl phthalate	10 µg/L	22	10 µg/L	4
Diphenylamine	10 µg/L	10	10 µg/L	4
Ethyl methanesulfonate	10 µg/L	10	10 µg/L	4
Endrin aldehyde	10 µg/L	28	0.2 µg/L	4
Endrin	10 µg/L	61	0.1 µg/L	22
Endosulfan I	1 µg/L	12	0.05 µg/L	4
Endosulfan II	1 µg/L	12	0.1 µg/L	4
Endosulfan sulfate	10 µg/L	32	0.1 µg/L	4
Ethylbenzene	10 µg/L	113	5 µg/L	52
Ethyl methacrylate	10 µg/L	10	10 µg/L	22
Famphur	10 µg/L	10	10 µg/L	4
Fluoranthene	10 µg/L	22	10 µg/L	4
Fluorene	10 µg/L	22	10 µg/L	4
Hexachlorobutadiene	10 µg/L	22	10 µg/L	4
Hexachlorophene	10 µg/L	11	-	-
Hexachloropropene	10 µg/L	10	10 µg/L	4
Heptachlorodibenzodioxins	-	-	9.9 ng/L	8
Heptachlorodibenzofurans	-	-	8.7 ng/L	8
Heptachlor	10 µg/L	30	0.05 µg/L	4
Heptachlor epoxide	10 µg/L	36	0.05 µg/L	4
Hexachlorodibenzodioxins	-	-	10 ng/L	8
Hexachlorodibenzofurans	-	-	6.1 ng/L	8
Indeno(1,2,3-c,d)pyrene	10 µg/L	22	10 µg/L	4
Iodomethane	1000 µg/L	10	5 µg/L	4
Isosafrole	10 µg/L	10	10 µg/L	4
Isobutyl alcohol	1000 µg/L	10	-	-
Isodrin	10 µg/L	10	10 µg/L	4
Isophorone	10 µg/L	22	10 µg/L	4
Kepone	10 µg/L	10	-	-
Lindane	10 µg/L	49	0.05 µg/L	14
m-Cresol	-	-	10 µg/L	4
Methacrylonitrile	1000 µg/L	10	5 µg/L	4
Methylethyl ketone	1000 µg/L	10	10 µg/L	4
Methyl methacrylate	10 µg/L	10	5 µg/L	4
Methyl methane sulfonate	10 µg/L	10	10 µg/L	4
Methoxychlor	3.5 µg/L	33	0.5 µg/L	14
Methylisobutyl ketone	1000 µg/L	10	-	-
Methapyrilene	10 µg/L	10	10 µg/L	4
Naphthalene	10 µg/L	22	10 µg/L	4

SAMPLE ANALYSIS

Analyte	General Engineering		metaTRACE	
	Detection Limit	Number of Analyses	Detection Limit	Number of Analyses
Nitrobenzene	10 µg/L	22	10 µg/L	4
n-Nitrosodimethylamine	10 µg/L	22	10 µg/L	4
n-Nitrosodi-n-butylamine	10 µg/L	10	10 µg/L	4
n-Nitrosodi-propylamine	10 µg/L	22	10 µg/L	4
n-Nitrosodiethylamine	10 µg/L	10	10 µg/L	4
n-Nitrosoethylmethylanine	10 µg/L	10	10 µg/L	4
n-Nitrosomorpholine	10 µg/L	10	10 µg/L	4
n-Nitrosodiphenylamine	10 µg/L	22	10 µg/L	4
n-Nitrosopiperidine	10 µg/L	10	10 µg/L	4
n-Nitrosopyrrolidine	10 µg/L	10	10 µg/L	4
Nitrite (as N)	10 µg/L	6	2500 µg/L	4
4-Nitroquinoline-1-oxide	10 µg/L	10	10 µg/L	4
5-Nitro-o-toluidine	10 µg/L	10	-	-
Orthochlorodibenzodioxins	-	-	10 ng/L	8
Orthochlorodibenzofurans	-	-	10 ng/L	8
o-Toluidine	10 µg/L	10	10 µg/L	4
PCB 1016	150 µg/L	20	0.5 µg/L	4
PCB 1221	150 µg/L	22	0.5 µg/L	4
PCB 1232	150 µg/L	22	0.5 µg/L	4
PCB 1242	150 µg/L	22	0.5 µg/L	4
PCB 1248	150 µg/L	22	0.5 µg/L	4
PCB 1254	150 µg/L	22	1 µg/L	4
PCB 1260	150 µg/L	22	1 µg/L	4
PCB 1262	10 µg/L	10	-	-
Pentachlorodibenzodioxins	-	-	8.8 ng/L	8
Pentachlorodibenzofurans	-	-	7.3 ng/L	8
Pentachlorophenol	10 µg/L	16	50 µg/L	4
p-Phenylenediamine	10 µg/L	10	10 µg/L	4
p-Dimethylaminoazobenzene	10 µg/L	10	10 µg/L	4
Phenacetin	10 µg/L	10	10 µg/L	4
Phenanthrene	10 µg/L	22	10 µg/L	4
Phorate	1 µg/L	10	10 µg/L	4
2,2-Bis(4-chlorophenyl)- 1,1-DCLE	10 µg/L	30	0.1 µg/L	4
2,2-Bis(4-chlorophenyl)- 1,1-DCE	10 µg/L	30	0.1 µg/L	4
2,2-Bis(4-chlorophenyl)- 1,1,1-TCE	10 µg/L	30	0.1 µg/L	4
Pronamide	10 µg/L	10	10 µg/L	4
Propionitrile	1000 µg/L	10	5 µg/L	4
Farathion	1 µg/L	10	10 µg/L	4
Parathion methyl	1 µg/L	10	10 µg/L	4
Pyrene	10 µg/L	22	10 µg/L	4
Pyridine	10 µg/L	10	10 µg/L	4
Safrole	10 µg/L	10	10 µg/L	4
2-Sec-butyl-4,6-dinitrophenol	10 µg/L	10	10 µg/L	4
Silvex	0.5 µg/L	12	0.07 µg/L	14
Styrene	1000 µg/L	10	5 µg/L	4

SAMPLE ANALYSIS

Analyte	General Engineering		metaTRACE	
	Detection Limit	Number of Analyses	Detection Limit	Number of Analyses
Sulfide	1000 µg/L	10	1000 µg/L	6
1,2,4,5-Tetrachlorobenzene	10 µg/L	10	10 µg/L	4
Tetrachlorodibenzodioxin	-	-	8.4 ng/L	8
Tetrachlorodibenzofuran	-	-	6.5 ng/L	8
1,1,2,2-Tetrachloroethane	10 µg/L	113	5 µg/L	52
1,1,1,2-Tetrachloroethane	1000 µg/L	10	5 µg/L	4
Tetraethyl dithio- pyrophosphate	-	-	10 µg/L	4
o,o,o-Triethyl phosphorothioate	10 µg/L	10	10 µg/L	4
Thionazin	-	-	10 µg/L	4
Thallium	2 µg/L	19	10 µg/L	22
Toxaphene	10 µg/L	49	1 µg/L	14
trans-1,3-Dichloropropene	-	-	5 µg/L	31
trans-1,4-Dichloro-2- butene	1000 µg/L	10	10 µg/L	4
Uranium	1000 µg/L	27	100 µg/L	8
Vinyl acetate	1000 µg/L	10	5 µg/L	4
Xylenes	2000 µg/L	23	5 µg/L	4
1-Naphthylamine	10 µg/L	10	10 µg/L	4
1,1,2-Trichloroethane	10 µg/L	113	5 µg/L	52
1,2-Dibromoethane	-	-	5 µg/L	4
1,2-Dibromo-3-chloropropane	-	-	10 µg/L	4
1,2-Dichloroethylene	-	-	5 µg/L	4
1,2-Dichlorobenzene	10 µg/L	10	10 µg/L	4
1,2-Dichloroethane	10 µg/L	113	5 µg/L	52
1,2-Dichloropropane	10 µg/L	113	5 µg/L	52
1,2-Diphenyl hydrazine	10 µg/L	12	-	-
1,2,3-Trichloropropane	1000 µg/L	10	5 µg/L	4
1,2,4-Trichlorobenzene	10 µg/L	22	10 µg/L	4
1,3-Dichlorobenzene	10 µg/L	10	10 µg/L	4
cis-1,3-Dichloropropene	10 µg/L	113	5 µg/L	52
trans-1,3-Dichloropropene	10 µg/L	110	5 µg/L	18
1,3-Dinitrobenzene	10 µg/L	10	-	-
1,3,5-Trinitrobenzene	10 µg/L	10	-	-
1,4-Benzoquinone	-	-	10 µg/L	4
1,4-Dichlorobenzene	10 µg/L	10	10 µg/L	4
1,4-Dioxane	10 µg/L	10	10 µg/L	4
1,4-Naphthoquinone	10 µg/L	10	10 µg/L	4
2-Acetylaminofluorene	10 µg/L	8	10 µg/L	4
2-Chloroethylvinyl ether	10 µg/L	131	5 µg/L	48
2-Chlorophenol	10 µg/L	16	10 µg/L	4
2-Chloronaphthalene	10 µg/L	22	10 µg/L	4
2-Hexanone	1000 µg/L	10	10 µg/L	4
2-Methylnaphthalene	10 µg/L	10	10 µg/L	4
2-Methyl phenol	10 µg/L	10	-	-
2-Nitroaniline	10 µg/L	10	-	-
2-Naphthylamine	10 µg/L	10	10 µg/L	4

SAMPLE ANALYSIS

Analyte	<u>General Engineering</u>		<u>metaTRACE</u>	
	<u>Detection Limit</u>	<u>Number of Analyses</u>	<u>Detection Limit</u>	<u>Number of Analyses</u>
2-Nitrophenol	10 µg/L	16	10 µg/L	4
2-Picoline	10 µg/L	10	10 µg/L	4
2,3,4,6-Tetrachlorophenol	10 µg/L	10	10 µg/L	4
2,4,-Dichlorophenoxyacetic acid	0.5 µg/L	31	12 µg/L	20
2,4-Dichlorophenol	10 µg/L	16	10 µg/L	4
2,4-Dimethyl phenol	10 µg/L	16	10 µg/L	4
2,4-Dinitrophenol	45 µg/L	16	50 µg/L	4
2,4-Dinitrotoluene	10 µg/L	22	10 µg/L	4
2,4,5-Trichlorophenoxyacetic acid	0.5 µg/L	29	0.07 µg/L	4
2,4,5-Trichlorophenol	10 µg/L	10	10 µg/L	4
2,4,6-Trichlorophenol	10 µg/L	16	10 µg/L	4
2,6-Dichlorophenol	10 µg/L	10	10 µg/L	4
2,6-Dinitrotoluene	10 µg/L	22	10 µg/L	4
3-Methylcholanthrene	10 µg/L	10	10 µg/L	4
3-Methyl phenol	10 µg/L	10	-	-
3-Nitroaniline	10 µg/L	10	-	-
3,3-Dichlorobenzidene	20 µg/L	22	20 µg/L	4
3,3-Dimethylbenzidine	10 µg/L	8	10 µg/L	4
4-Aminobiphenyl	10 µg/L	10	10 µg/L	4
4-Bromophenylphenyl ether	10 µg/L	22	10 µg/L	4
4-Chloroaniline	10 µg/L	10	10 µg/L	4
4-Chlorophenylphenyl ether	10 µg/L	22	10 µg/L	4
4-Chloro-3-methylphenol	-	-	10 µg/L	4
para-Chloro-meta-cresol	10 µg/L	16	-	-
4-Methyl-2-pentanone	-	-	10 µg/L	4
4-Methyl phenol	10 µg/L	10	-	-
4-Nitroaniline	10 µg/L	10	-	-
4-Nitrophenol	10 µg/L	16	10 µg/L	4
2-Methyl-4,6-dinitrophenol	30 µg/L	16	-	-
7,12-Dimethylbenz(a)anthracene	10 µg/L	10	10 µg/L	4

In order to assess the measurement precision or reproducibility of identical chemical analyses, groundwater monitoring personnel devised an index known as the Mean Relative Difference (MRD). The MRD index is defined as

$$\text{MRD} = \frac{\sum_{i=1}^n (|X_i - Y_i| / [(X_i + Y_i) / 2])}{n} \times 100$$

where X_i and Y_i represent an analyte's concentrations in a water sample and in the replicate for the i^{th} well, respectively. This index is used for both intralaboratory and interlaboratory comparisons.

SAMPLE ANALYSIS

There are two types of intralaboratory comparisons; in-house and blind. For the in-house comparisons, the quantities X_i and Y_i represent the original result and the in-house duplicate rerun, respectively. For blind comparisons, X_i and Y_i represent the result for the real sample and the EHP blind duplicate, respectively.

For both intralaboratory comparisons, MRD_w is calculated as the average absolute difference between an original sample and its duplicate expressed as a percentage of the mean of those two samples.

For interlaboratory comparisons, X_i and Y_i represent the mean analyte concentrations for the i^{th} well. X_i and Y_i are calculated from the real sample result, the EHP blind replicate result, and the laboratory duplicate result. X_i represents the mean from one laboratory; Y_i represents the mean from the other. For interlaboratory comparisons, MRD_b is calculated as the average absolute difference between laboratories for the i^{th} well expressed as a percentage of the mean of both laboratories. Generally, the closer the original results and their replicate results are to each other, the lower the MRD.

Intralaboratory Comparison

The MRD_w indexes for metaTRACE and General Engineering are tabulated below. The MRD_w of each set of in-house replicates and the MRD_w of each set of blind replicates can be used for intralaboratory comparison. (# = Number of Analyses).

Analyte	General Engineering				metaTRACE			
	In-house		EHP (Blind)		In-house		EHP (Blind)	
	#	MRD	#	MRD	#	MRD	#	MRD
Silver	29	3.18	26	2.63	11	13.7	25	3.43
Aluminum	10	8.16	8	39.0	5	2.42	10	3.12
Gross alpha	28	5.33	27	5.08	21	16.8	27	25.1
Arsenic	30	0.0436	29	0	13	0	28	0
Barium	27	4.33	24	10.1	13	24.1	24	9.94
Beryllium	5	0	4	0	0	-	3	61.0
Nonvolatile beta	27	4.96	23	16.2	18	9.01	24	9.85
Bis(2-ethylhexyl)								
phthalate	6	2.54	6	12.5	0	-	2	0
Calcium	15	3.33	18	8.45	12	10.9	18	25.3
Trichlorofluoromethane	36	5.05	23	8.03	0	-	22	2.27
Carbon tetrachloride	37	4.42	23	8.03	0	-	22	0
Cadmium	30	0.0828	29	0	13	1.74	28	5.01
Chloroform	37	6.22	23	8.03	0	-	22	6.06
Methylene chloride	36	13.9	23	8.03	0	-	22	10.3
Chloride	24	1.59	25	5.21	18	0.380	25	5.80
Cobalt	6	0	12	0	9	0.518	11	13.0
Specific conductance	25	0.683	25	1.38	21	9.59	24	8.29
Chromium	31	0.224	29	0	12	0.0627	27	6.33
Copper	17	7.13	16	24.1	9	0.706	15	7.64
Fluoride	17	0.357	20	1.6	15	1.58	20	0
Iron	35	7.82	26	42.9	12	56.5	25	59.5

SAMPLE ANALYSIS

Analyte	General Engineering				metaTRACE			
	In-house		EHP (Blind)		In-house		EHP (Blind)	
	#	MRD	#	MRD	#	MRD	#	MRD
Mercury	28	1.19	28	9.93	21	2.26	27	2.71
Potassium	14	2.43	18	4.73	12	2.27	18	4.91
Toluene	36	4.55	23	8.03	0	-	22	3.90
Magnesium	15	3.04	18	17.3	12	6.71	18	6.49
Manganese	38	6.25	28	16.1	13	6.10	28	18.8
Sodium	24	4.81	22	7.81	13	5.22	23	6.31
Nickel	17	1.31	16	1.08	10	25.8	15	0.727
Nitrate (as N)	26	4.21	26	4.95	22	3.24	24	5.59
Lead	43	5.38	30	6.82	14	5.86	28	29.4
pH	29	0.782	26	2.42	28	0.658	26	4.13
Phenols	29	0	24	0	15	0	23	0
Antimony	6	0	11	0	10	0	10	15.5
Selenium	29	0.399	26	0	11	0	24	0.149
Silica	14	5.53	18	8.14	-	-	-	-
Silicon	-	-	-	-	11	9.32	18	13.0
Tin	3	0	3	0	0	-	2	11.4
Sulfate	26	0.974	26	0.915	20	0.751	26	12.8
Tetrachloroethylene	37	5.79	23	17.7	0	-	22	4.88
Total dissolved solids	14	7.20	17	11.2	18	4.16	17	13.6
Total organic carbon	22	0	22	37.4	22	1.46	22	5.84
Total radium	31	17.7	26	15.7	20	11.0	27	7.46
Total organic halogens	34	5.42	25	34.9	19	8.67	22	20.4
Total phosphorus	17	9.70	18	58.4	-	-	-	-
Total phosphates	6	0.654	4	4.55	18	51.3	22	19.0
Trichloroethylene	37	7.78	23	6.75	0	-	22	6.87
Tritium	23	3.44	23	8.46	44	1.64	23	4.16
Turbidity	5	2.59	5	35.5	4	0.262	5	45.9
trans-1,2-Dichloroethene	36	5.10	23	8.03	0	-	20	0.476
Vanadium	5	0	11	0	9	0	10	12.5
1,1-Dichloroethylene	36	8.43	23	12.7	0	-	22	9.05
1,1-Dichloroethane	36	6.40	23	8.03	0	-	22	0
1,1,1-Trichloroethane	37	8.15	23	17.1	0	-	22	0
Zinc	16	10.5	16	27.7	9	44.4	15	36.3

Interlaboratory Comparison

Choosing a Reference Detection Limit

For interlaboratory comparisons, it is necessary to establish a reference detection limit (RDL) for calculation of the MRD. The RDL is chosen from the detection limits in the analytical data from both laboratories. Since some detection limits may be anomalously high (due to dilution or other effects, for example), the RDL for the laboratories is chosen as the value that is greater than or equal to at least 90% of the detection limit values from both laboratories.

SAMPLE ANALYSIS

Normalizing Data to the RDL

All of the results less than the RDL are adjusted to the new RDL value. Results that are detection limit values and are above the RDL are eliminated from the MRD index comparison process and from the t-tests. By definition, less than 10% of the detection limit values may be above the RDL.

In addition to the MRD_b calculations, paired t-tests (Steel and Torrie, 1980) were performed to see if the difference between analyte concentrations at the same well reported by each laboratory is significant. The t-test is a tool to test the null hypothesis that there is no significant difference in the concentrations given by the two labs. The MRD_b and t-test results for the analytes with at least one result above the RDL are listed below.

<u>Analyte</u>	<u>MRD_b</u>	<u>Significance of Probability*</u>
Silver	0	-
Aluminum	32.8	.0882
Gross alpha	31.5	.0702
Arsenic	0	-
Barium	5.05	.616
Beryllium	31.1	.423
Nonvolatile beta	28.1	.319
Bis(2-ethylhexyl) phthalate	0	-
Calcium	31.6	.0118
Trichlorofluoromethane	0	-
Carbon tetrachloride	0	-
Cadmium	3.86	.326
Chloroform	0	-
Methylene chloride	9.25	.289
Chloride	10.7	.379
Cobalt	4.54	.341
Specific conductance	15.3	.107
Chromium	2.54	.269
Copper	4.55	.428
Fluoride	0	-
Iron	56.7	.411
Mercury	12.3	.245
Potassium	0	-
Toluene	0	-
Magnesium	16.3	.462
Manganese	7.19	.735
Sodium	0	-
Nickel	0.303	.339
Nitrate (as N)	29.2	.0440
Lead	7.73	.497

* This number is the t-test result and represents the probability that the two laboratories, on the average, reported different concentration measurements for the same analyte at the same well. Values less than 0.05 indicate a significant difference between the labs at the 95% confidence limit.

SAMPLE ANALYSIS

<u>Analyte</u>	<u>MRDb</u>	<u>Significance of Probability*</u>
pH	10.6	.205
Phenols	0	-
Antimony	19.9	.343
Selenium	2.43	.313
Tin	25.1	.500
Sulfate	7.13	.645
Tetrachloroethylene	10.4	.359
Total dissolved solids	24.0	.242
Total organic carbon	45.6	.00609
Total radium	13.0	.165
Total organic halogens	49.9	.541
Total phosphates	23.2	.201
Trichloroethylene	18.9	.332
Tritium	21.3	.0219
Turbidity	120	.0674
trans-1,2-Dichloroethene	3.23	.329
Vanadium	0.416	.343
1,1-Dichloroethylene	0	-
1,1-Dichloroethane	1.39	.328
1,1,1-Trichloroethane	0.791	.538
Zinc	76.4	.00152

* This number is the t-test result and represents the probability that the two laboratories, on the average, reported different concentration measurements for the same analyte at the same well. Values less than 0.05 indicate a significant difference between the labs at the 95% confidence limit.

COMMENTS ON REPLICATE ANALYSES

Intralaboratory Comparison

The MRDs for in-house duplicates are in many cases higher than corresponding MRDs for EHP blind replicates. This reflects the differences in reproducibility between laboratory duplicates and blind replicates. The laboratory duplicates show better reproducibility. The decreased reproducibility of the blind replicates reflects variability caused by sampling, transport, sample preparation, and/or analysis. Differences between in-house duplicates reflect variability in analysis. In-house duplicates outside of compliance limits are re-analyzed, decreasing variability.

In-house MRDs for General Engineering are generally low. The largest EHP blind MRDs for General Engineering are derived from analyses of the following analytes: aluminum, nonvolatile beta, copper, iron, magnesium, manganese, tetrachloroethylene, total organic carbon, total organic halogens, total phosphorus, turbidity, and zinc. The high MRD for 1,1,1-trichloroethane is caused by variation in detection limits.

SAMPLE ANALYSIS

High blind MRDs for nonvolatile beta, manganese, tetrachloroethylene and total organic carbon are caused by the low magnitude of the results. Because the results are low, small differences between the results represent a large percentage of the result; therefore, the MRD is high.

The following wells had very large differences between blind replicate results and original results:

<u>Analyte</u>	<u>Well</u>
Aluminum	HSB 65B, MSB 8A
Copper	MSB 8A
Iron	AMB 5, LFW 31, MSB 8A, MSB 11C, PSS 2D, YSB 2A
Magnesium	FSB 99A
Total organic halogens	FAC 4, FSB 76B, LFW 31, LFW 35, PSS 2D
Total phosphates	BGO 2D, BGO 8D, FSB 88C, HSB 65B, MSB 20A
Turbidity	HSB 85A
Zinc	MSB 8A

For metaTRACE, the largest blind MRDs are derived from analyses of the following analytes: gross alpha, beryllium, calcium, manganese, lead, antimony, total organic halogens, turbidity, and zinc.

The following results for metaTRACE blind replicates were significantly different from original results and contribute to high blind MRDs for the laboratory.

<u>Analyte</u>	<u>Well</u>
Beryllium	MSB 5A
Calcium	BGO 8D, PAC 4
Manganese	ASB 8B
Lead	PAC 4, XSB 4D, AMB 5, FAC 4
Antimony	MSB 5A
Total organic halogens	ABP 4, BGO 27C, FSB 76B
Turbidity	PAC 4
Zinc	HSB 85A, FSB 88C, MSB 20A

The high MRD for gross alpha is principally caused by the low magnitude of the results.

The high barium MRDs for in-house duplicates are principally caused by large differences in the results from FSB 111C and HSB 135C. The high nitrogen MRDs for in-house duplicates are caused by large differences in the results from FSB 109D and HSB 110D. The high total phosphates MRDs are caused by variable in-house results from BGO 10A, BGO 16A, HSB 113D, and HSB 136C. The high zinc MRDs are caused by variable in-house results from FSB 110C and HSB 110D.

SAMPLE ANALYSIS

Interlaboratory Comparison

Calcium, nitrate, total organic carbon, tritium, and zinc results have significance of probability values of less than 0.05. Nitrate and zinc values are generally higher for metaTRACE than for General Engineering. Calcium and tritium values are generally higher for General Engineering than for metaTRACE. For total organic carbon results, the low significance of probability is produced by the low magnitude of the results.

The interlaboratory mean relative difference (MRD_b) reflects variability in sample results that may be introduced by variations in sampling, shipping, sample preparation, and analysis procedures. High MRD_bs were calculated for the following analytes: aluminum, gross alpha, beryllium, nonvolatile beta, iron, antimony, tin, total dissolved solids, total organic halogens, total phosphates, and turbidity. These high MRD_bs are generally caused by anomalous results, which also cause high intralaboratory MRDs.

BLANKS

Samples of distilled water used for rinse water in the field were sent to metaTRACE, General Engineering, and Teledyne Isotopes labeled as well samples to identify potential contaminants in the rinse water, sample containers, or analytical equipment. The blanks tables list the dates, field measurements, and analytical results for these blanks. The laboratory data are organized under headings that do not appear in the tables. The following sample table provides the headings for the data.

<u>Flagging Criterion</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Laboratory</u>
0	TETRACHLOROETHYLENE	LT 1.00	ug/L	Gen. Eng.
0	CHLOROFORM	LT 1	ug/L	metaTRACE
1	AMERICIUM-243	0.42+-0.33	pCi/L	Teledyne

The following codes appear in these data:

B - analyte detected in associated blank as well as in sample

J - estimated value

LT - less than

mg/L - milligrams per liter

pCi/L - picocuries per liter

pCi/mL - picocuries per milliliter

pH - pH units

ng/L - nanograms per liter

NTU - turbidity units

ug/L - micrograms per liter

UMHC - micromhos per centimeter

umhos/cm - micromhos per centimeter

Gen. Eng. - General Engineering

metaTRACE - metaTRACE, Inc.

Teledyne - Teledyne Isotopes

WELL BLANK

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/09/89 Time 1230
 pH = 4.4 Alkalinity = 1 mg/L
 Specific conductance = 8 umhos/cm
 Water temperature = 38.3 degrees Celsius

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE	4.00 UMIC	Gen. Eng.
0	SPECIFIC CONDUCTANCE	6.30 UMIC	metaTRACE
0	PH	4.88 pH	Gen. Eng.
0	PH	5.13 pH	metaTRACE
0	TURBIDITY	0.32 NTU	Gen. Eng.
0	TURBIDITY	0.19 NTU	metaTRACE
0	ALPHA-BENZENEHEXACHLORIDE	LT	Gen. Eng.
0	SILVER	LT	Gen. Eng.
0	SILVER	LT	metaTRACE
0	ALUMINUM	56 ug/L	Gen. Eng.
0	ALUMINUM	LT	metaTRACE
0	ALDRIN	10 ug/L	Gen. Eng.
0	ARSENIC	2 ug/L	Gen. Eng.
0	ARSENIC	LT	metaTRACE
0	BARIIUM	4 ug/L	Gen. Eng.
0	BARIIUM	25 ug/L	metaTRACE
0	BETA-BENZENEHEXACHLORIDE	LT	Gen. Eng.
0	BERYLLIUM	5 ug/L	Gen. Eng.
0	BERYLLIUM	LT	metaTRACE
0	BROMODICHLOROMETHANE	5 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	LT	metaTRACE
0	CALCIUM	91 ug/L	Gen. Eng.
0	CALCIUM	20 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	metaTRACE
0	CARBON TETRACHLORIDE	1.00 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	5.00 ug/L	metaTRACE
0	CADMIUM	2 ug/L	Gen. Eng.
0	CADMIUM	4 ug/L	metaTRACE
0	BROMOFORM	1 ug/L	Gen. Eng.
0	BROMOFORM	5 ug/L	metaTRACE
0	CHLOROFORM	1 ug/L	Gen. Eng.
0	CHLOROFORM	5 ug/L	metaTRACE
0	METHYLENE CHLORIDE	1 ug/L	Gen. Eng.
0	METHYLENE CHLORIDE	5 ug/L	metaTRACE
0	BROMOMETHANE	1 ug/L	Gen. Eng.
0	BROMOMETHANE	10 ug/L	metaTRACE
0	CHLOROMETHANE	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	10 ug/L	metaTRACE
0	CHLORIDE	1000 ug/L	Gen. Eng.
0	CHLORIDE	250 ug/L	metaTRACE
0	CHLOROBENZENE	1 ug/L	Gen. Eng.
0	CHLOROBENZENE	5 ug/L	metaTRACE
0	CHLORDANE	10 ug/L	Gen. Eng.
0	CORAL	4 ug/L	Gen. Eng.
0	CORAL	10 ug/L	metaTRACE
0	CHROMIUM	4 ug/L	Gen. Eng.
0	CHROMIUM	10 ug/L	metaTRACE
0	COPPER	28 ug/L	Gen. Eng.
0	COPPER	10 ug/L	metaTRACE
0	CYANIDE	5 ug/L	Gen. Eng.
0	CYANIDE	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	1 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	5 ug/L	metaTRACE
0	CHLOROETHANE	1 ug/L	Gen. Eng.
0	CHLOROETHANE	10 ug/L	metaTRACE
0	BENZENE	1 ug/L	Gen. Eng.
0	BENZENE	5 ug/L	metaTRACE
0	DELTA-BENZENEHEXACHLORIDE	LT	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	metaTRACE
0	DIELDRIN	10 ug/L	Gen. Eng.
0	ENDRIAL ALDEHYDE	10 ug/L	Gen. Eng.
0	ENDRIAL	10 ug/L	Gen. Eng.
0	ENDRIAL	0.006 ug/L	metaTRACE
0	ENDOSULFAN I	10 ug/L	Gen. Eng.
0	ENDOSULFAN II	10 ug/L	Gen. Eng.
0	ENDOSULFAN SULFATE	10 ug/L	Gen. Eng.
0	ETHYLBENZENE	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	5 ug/L	metaTRACE
0	FLUORIDE	100 ug/L	Gen. Eng.
0	FLUORIDE	250 ug/L	metaTRACE
0	IRON	86 ug/L	Gen. Eng.
0	IRON	10 ug/L	metaTRACE
0	MERCURY	0.40 ug/L	Gen. Eng.
0	MERCURY	0.20 ug/L	metaTRACE
0	HEPTACHLOR	10 ug/L	Gen. Eng.
0	HEPTACHLOR EPOXIDE	10 ug/L	Gen. Eng.
0	POTASSIUM	500 ug/L	Gen. Eng.
0	POTASSIUM	5000 ug/L	metaTRACE
0	LITHIUM	5 ug/L	Gen. Eng.
0	LITHIUM	50 ug/L	metaTRACE
0	LINDANE	10 ug/L	Gen. Eng.
0	LINDANE	0.009 ug/L	metaTRACE
0	TOLUENE	1 ug/L	Gen. Eng.
0	TOLUENE	5 ug/L	metaTRACE
0	METHOXYCHLOR	0.50 ug/L	Gen. Eng.
0	METHOXYCHLOR	0.50 ug/L	metaTRACE
0	MAGNESIUM	11 ug/L	Gen. Eng.
0	MAGNESIUM	3 ug/L	metaTRACE
0	MANGANESE	3 ug/L	Gen. Eng.
0	MANGANESE	10 ug/L	metaTRACE
0	SODIUM	232 ug/L	Gen. Eng.
0	SODIUM	100 ug/L	metaTRACE
0	NICKEL	4 ug/L	Gen. Eng.
0	NICKEL	5 ug/L	metaTRACE

CONTINUED

WELL BLANK COLLECTED ON 07/09/89 LABORATORY ANALYSES CONTINUED

0	NITRITE AS NITROGEN	LT	10 ug/L	Gen. Eng.
0	NITRITE AS NITROGEN	LT	250 ug/L	metaTRACE
0	NITRATE AS NITROGEN	LT	50 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN	LT	1600 ug/L	metaTRACE
0	LEAD	LT	8 ug/L	Gen. Eng.
0	LEAD	LT	3 ug/L	metaTRACE
0	PHENOLS	LT	8 ug/L	Gen. Eng.
0	PHENOLS	LT	5 ug/L	metaTRACE
0	2,2-BIS(4-CHLOROPHENYL)-1,1-DCE	LT	10 ug/L	Gen. Eng.
0	2,2-BIS(4-CHLOROPHENYL)-1,1-DCE	LT	10 ug/L	Gen. Eng.
0	2,2-BIS(4-CHLOROPHENYL)-1,1,1-TCE	LT	10 ug/L	Gen. Eng.
0	ANTIMONY	LT	3 ug/L	Gen. Eng.
0	ANTIMONY	LT	10 ug/L	metaTRACE
0	SELENIUM	LT	2 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	metaTRACE
0	SILICON	LT	2311 ug/L	metaTRACE
0	SILICA	LT	152000 ug/L	Gen. Eng.
0	TIN	LT	2 ug/L	Gen. Eng.
0	TIN	LT	133 ug/L	metaTRACE
0	SULFATE	LT	5000 ug/L	Gen. Eng.
0	SULFATE	LT	1000 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS	LT	150000 ug/L	Gen. Eng.
0	TOTAL DISSOLVED SOLIDS	LT	78000 ug/L	metaTRACE
0	THALLIUM	LT	2 ug/L	Gen. Eng.
0	THALLIUM	LT	3 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	Gen. Eng.
0	TOTAL ORGANIC CARBON	LT	1250 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	Gen. Eng.
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	metaTRACE
0	TOTAL PHOSPHORUS	LT	110 ug/L	Gen. Eng.
0	TOTAL PHOSPHATES	LT	10 ug/L	metaTRACE
0	TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TOXAPHENE	LT	10 ug/L	Gen. Eng.
0	TOXAPHENE	LT	0.24 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	URANIUM	LT	1000 ug/L	Gen. Eng.
0	URANIUM	LT	1880 ug/L	metaTRACE
0	VAHADIUM	LT	20 ug/L	Gen. Eng.
0	VAHADIUM	LT	10 ug/L	metaTRACE
0	XYLENES	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	2 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0	2,4-DICHLOROPHENOXYACETIC ACID	LT	0.30 ug/L	Gen. Eng.
0	2,4,5-TRICHLOROPHENOXYACETIC ACID	LT	0.09 ug/L	Gen. Eng.
0	ZINC	LT	8 ug/L	Gen. Eng.
0	ZINC	LT	4 ug/L	metaTRACE
0	GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
0	GROSS ALPHA	LT	3 pCi/L	metaTRACE
0	NONVOLATILE BETA	LT	2 pCi/L	Gen. Eng.
0	NONVOLATILE BETA	LT	5 pCi/L	metaTRACE
2	TOTAL RADIUM	16.50+-4.60	pCi/L	Gen. Eng.
0	TOTAL RADIUM	LT	1 pCi/L	metaTRACE
0	TRITIUM	LT	1 pCi/mL	metaTRACE
0	TRITIUM	LT	1 pCi/mL	metaTRACE

WELL BLANK

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/23/89 Time 1345
 pH = 4.7 Alkalinity = 1 mg/L
 Specific conductance = 4 umhos/cm
 Water temperature = 36.4 degrees Celsius

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE		2.10 UMIC	Gen. Eng.
0	SPECIFIC CONDUCTANCE		3.84 UMIC	metaTRACE
0	PH		5.02 pH	Gen. Eng.
0	PH		5.41 pH	metaTRACE
0	TURBIDITY		0.33 NTU	Gen. Eng.
0	TURBIDITY		0.14 NTU	metaTRACE
0	ALPHA-BENZENEHEXACHLORIDE	LT	10 ug/L	Gen. Eng.
0	ALPHA-BENZENEHEXACHLORIDE	LT	10 ug/L	Gen. Eng.
0	ALPHA-ENDOSULFAN	LT	10 ug/L	Gen. Eng.
0	SILVER	LT	2 ug/L	Gen. Eng.
0	SILVER	LT	2 ug/L	metaTRACE
0	SILVER	LT	2 ug/L	metaTRACE
2	SILVER		125 ug/L	metaTRACE
0	ALUMINUM	LT	20 ug/L	Gen. Eng.
0	ALUMINUM	LT	35 ug/L	metaTRACE
0	ALUMINUM	LT	35 ug/L	metaTRACE
CONTINUED				

CONTINUED

WELL BLANK COLLECTED ON 07/23/89 LABORATORY ANALYSES CONTINUED

0 ALDRIN	LT	10 ug/L	Gen. Eng.
0 ALDRIN	LT	10 ug/L	Gen. Eng.
0 ACENAPHTHENE	LT	10 ug/L	Gen. Eng.
0 ACENAPHTHYLENE	LT	10 ug/L	Gen. Eng.
0 ANTHRACENE	LT	10 ug/L	Gen. Eng.
0 ARSENIC	LT	2 ug/L	Gen. Eng.
0 ARSENIC	LT	3 ug/L	metaTRACE
0 BARIUM	LT	4 ug/L	Gen. Eng.
0 BARIUM	LT	25 ug/L	metaTRACE
0 BARIUM	LT	25 ug/L	metaTRACE
0 BENZO(A)ANTHRACENE	LT	10 ug/L	Gen. Eng.
0 BENZO(A)PYRENE	LT	10 ug/L	Gen. Eng.
0 BENZO(B)FLUORANTHENE	LT	10 ug/L	Gen. Eng.
0 BETA-BENZENEHEXACHLORIDE	LT	10 ug/L	Gen. Eng.
0 BETA-BENZENEHEXACHLORIDE	LT	10 ug/L	Gen. Eng.
0 BUTYLBENZYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0 BIS(CHLOROMETHYL)ETHER	LT	10 ug/L	Gen. Eng.
0 BERYLLIUM	LT	5 ug/L	Gen. Eng.
0 BERYLLIUM	LT	3 ug/L	metaTRACE
0 BERYLLIUM	LT	3 ug/L	metaTRACE
0 BETA-ENDOSULFAM	LT	10 ug/L	Gen. Eng.
0 BENZIDINE	LT	10 ug/L	Gen. Eng.
0 BENZO(G,H,I)PERYLENE	LT	10 ug/L	Gen. Eng.
0 BENZO(K)FLUORANTHENE	LT	10 ug/L	Gen. Eng.
0 BROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 BROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0 BIS(2-CHLOROETHOXY) METHANE	LT	10 ug/L	Gen. Eng.
0 BIS(2-CHLOROISOPROPYL) ETHER	LT	10 ug/L	Gen. Eng.
0 BIS(2-CHLOROETHYL) ETHER	LT	10 ug/L	Gen. Eng.
0 BIS(2-ETHYLHEXYL) PHTHALATE	LT	10 ug/L	Gen. Eng.
0 CALCIUM	LT	31 ug/L	Gen. Eng.
0 CALCIUM	LT	1022 ug/L	metaTRACE
0 CALCIUM	LT	1039 ug/L	metaTRACE
0 TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0 TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE
0 CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0 CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0 CADIUM	LT	2 ug/L	Gen. Eng.
0 CADIUM	LT	4 ug/L	metaTRACE
0 CADIUM	LT	4 ug/L	metaTRACE
0 BROMOFORM	LT	1 ug/L	Gen. Eng.
0 BROMOFORM	LT	5 ug/L	metaTRACE
0 CHLOROFORM	LT	1 ug/L	Gen. Eng.
0 CHLOROFORM	LT	5 ug/L	metaTRACE
0 CHRYSENE	LT	10 ug/L	Gen. Eng.
0 METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0 METHYLENE CHLORIDE	JR	4 ug/L	metaTRACE
0 BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0 BROMOMETHANE	LT	10 ug/L	metaTRACE
0 CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 CHLOROMETHANE	LT	10 ug/L	metaTRACE
0 CHLORIDE	LT	1000 ug/L	Gen. Eng.
0 CHLORIDE	LT	250 ug/L	metaTRACE
0 CHLORIDE	LT	250 ug/L	metaTRACE
0 CHLORO BENZENE	LT	1 ug/L	Gen. Eng.
0 CHLORO BENZENE	LT	5 ug/L	metaTRACE
0 CHLORDANE	LT	10 ug/L	Gen. Eng.
0 CHLORDANE	LT	10 ug/L	Gen. Eng.
0 HEXACHLORO BENZENE	LT	10 ug/L	Gen. Eng.
0 HEXACHLORO CYCLOPENTADIENE	LT	10 ug/L	Gen. Eng.
0 HEXACHLOROETHANE	LT	10 ug/L	Gen. Eng.
0 COBALT	LT	4 ug/L	Gen. Eng.
0 COBALT	LT	10 ug/L	metaTRACE
0 COBALT	LT	10 ug/L	metaTRACE
0 CHROMIUM	LT	4 ug/L	Gen. Eng.
0 CHROMIUM	LT	10 ug/L	metaTRACE
0 CHROMIUM	LT	10 ug/L	metaTRACE
0 COPPER	LT	4 ug/L	Gen. Eng.
0 COPPER	LT	10 ug/L	metaTRACE
0 COPPER	LT	10 ug/L	metaTRACE
0 CYANIDE	LT	5 ug/L	Gen. Eng.
0 CYANIDE	LT	5 ug/L	metaTRACE
0 CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0 CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0 CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 CHLOROETHANE	LT	10 ug/L	metaTRACE
0 BENZENE	LT	1 ug/L	Gen. Eng.
0 BENZENE	LT	5 ug/L	metaTRACE
0 DIBENZ(A,H)ANTHRACENE	LT	10 ug/L	Gen. Eng.
0 DELTA-BENZENEHEXACHLORIDE	LT	10 ug/L	Gen. Eng.
0 DELTA-BENZENEHEXACHLORIDE	LT	10 ug/L	Gen. Eng.
0 DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0 DIETHYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0 DICHLORIN	LT	10 ug/L	Gen. Eng.
0 DICHLORIN	LT	10 ug/L	Gen. Eng.
0 DIMETHYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0 DI-N-BUTYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0 DI-N-OCTYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0 ENDORIN ALDEHYDE	LT	10 ug/L	Gen. Eng.
0 ENDORIN ALDEHYDE	LT	10 ug/L	Gen. Eng.
0 ENDORIN	LT	10 ug/L	Gen. Eng.
0 ENDORIN	LT	10 ug/L	Gen. Eng.
0 ENDORIN	LT	0.006 ug/L	metaTRACE
0 ENDOSULFAM I	LT	10 ug/L	Gen. Eng.
0 ENDOSULFAM II	LT	10 ug/L	Gen. Eng.
0 ENDOSULFAM SULFATE	LT	10 ug/L	Gen. Eng.
0 ENDOSULFAM SULFATE	LT	10 ug/L	Gen. Eng.
0 ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0 ETHYLBENZENE	LT	5 ug/L	metaTRACE
0 FLUORIDE	LT	100 ug/L	Gen. Eng.
0 FLUORIDE	LT	250 ug/L	metaTRACE
0 FLUORIDE	LT	250 ug/L	metaTRACE
0 FLUORANTHENE	LT	10 ug/L	Gen. Eng.
0 IRON	LT	98 ug/L	Gen. Eng.
0 IRON	LT	12 ug/L	metaTRACE
0 IRON	LT	17 ug/L	metaTRACE
0 FLUORENE	LT	10 ug/L	Gen. Eng.
0 HEXACHLORO BUTADIENE	LT	10 ug/L	Gen. Eng.

CONTINUED

WELL BLANK COLLECTED ON 07/23/89 LABORATORY ANALYSES CONTINUED

0 MERCURY	LT	0.20 ug/L	Gen. Eng.
0 MERCURY	LT	0.20 ug/L	metaTRACE
0 HEPTACHLOR	LT	10 ug/L	Gen. Eng.
0 HEPTACHLOR	LT	10 ug/L	Gen. Eng.
0 HEPTACHLOR EPOXIDE	LT	10 ug/L	Gen. Eng.
0 HEPTACHLOR EPOXIDE	LT	10 ug/L	Gen. Eng.
0 INDENO(1,2,3-C,D)PYRENE	LT	10 ug/L	Gen. Eng.
0 ISOPHORONE	LT	10 ug/L	Gen. Eng.
0 POTASSIUM	LT	900 ug/L	Gen. Eng.
0 POTASSIUM	LT	5000 ug/L	metaTRACE
0 POTASSIUM	LT	5000 ug/L	metaTRACE
0 LITHIUM	LT	5 ug/L	Gen. Eng.
0 LITHIUM	LT	7 ug/L	metaTRACE
0 LINDANE	LT	10 ug/L	Gen. Eng.
0 LINDANE	LT	10 ug/L	Gen. Eng.
0 LINDANE	LT	0.005 ug/L	metaTRACE
0 TOLUENE	LT	1 ug/L	Gen. Eng.
0 TOLUENE	LT	5 ug/L	metaTRACE
0 METHOXYCHLOR	LT	0.50 ug/L	Gen. Eng.
0 METHOXYCHLOR	LT	0.50 ug/L	Gen. Eng.
0 METHOXYCHLOR	LT	0.50 ug/L	metaTRACE
0 MAGNESIUM	LT	7 ug/L	Gen. Eng.
0 MAGNESIUM	LT	24 ug/L	metaTRACE
0 MAGNESIUM	LT	25 ug/L	metaTRACE
0 MANGANESE	LT	2 ug/L	Gen. Eng.
0 MANGANESE	LT	10 ug/L	metaTRACE
0 MANGANESE	LT	10 ug/L	metaTRACE
0 SODIUM	LT	12A ug/L	Gen. Eng.
0 SODIUM	LT	100 ug/L	metaTRACE
0 SODIUM	LT	54 ug/L	metaTRACE
0 NAPHTHALENE	LT	10 ug/L	Gen. Eng.
0 NITROBENZENE	LT	10 ug/L	Gen. Eng.
0 N-NITROSODIMETHYLAMINE	LT	10 ug/L	Gen. Eng.
0 N-NITROSODI-PROPYLAMINE	LT	10 ug/L	Gen. Eng.
0 NICKEL	LT	10 ug/L	Gen. Eng.
0 NICKEL	LT	5 ug/L	metaTRACE
0 NICKEL	LT	5 ug/L	metaTRACE
0 NICKEL	LT	5 ug/L	metaTRACE
0 N-NITROSODIPHENYLAMINE	LT	10 ug/L	Gen. Eng.
0 NITRITE AS NITROGEN	LT	10 ug/L	Gen. Eng.
0 NITRITE AS NITROGEN	LT	2500 ug/L	metaTRACE
0 NITRITE AS NITROGEN	LT	2500 ug/L	metaTRACE
0 NITRATE AS NITROGEN	LT	50 ug/L	Gen. Eng.
0 NITRATE AS NITROGEN	LT	230 ug/L	metaTRACE
0 NITRATE AS NITROGEN	LT	230 ug/L	metaTRACE
0 LEAD	LT	8 ug/L	Gen. Eng.
0 PCB 1016	LT	150 ug/L	Gen. Eng.
0 PCB 1221	LT	150 ug/L	Gen. Eng.
0 PCB 1232	LT	150 ug/L	Gen. Eng.
0 PCB 1242	LT	150 ug/L	Gen. Eng.
0 PCB 1248	LT	150 ug/L	Gen. Eng.
0 PCB 1254	LT	150 ug/L	Gen. Eng.
0 PCB 1260	LT	150 ug/L	Gen. Eng.
0 PENTACHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0 PHENANTHRENE	LT	10 ug/L	Gen. Eng.
0 PHENOLS	LT	5 ug/L	Gen. Eng.
0 PHENOLS	LT	10 ug/L	Gen. Eng.
0 PHENOLS	LT	5 ug/L	metaTRACE
0 PHENOLS	LT	5 ug/L	metaTRACE
0 2,2-BIS(4-CHLOROPHENYL)-1,1-DCE	LT	10 ug/L	Gen. Eng.
0 2,2-BIS(4-CHLOROPHENYL)-1,1-DCE	LT	10 ug/L	Gen. Eng.
0 2,2-BIS(4-CHLOROPHENYL)-1,1-DCE	LT	10 ug/L	Gen. Eng.
0 2,2-BIS(4-CHLOROPHENYL)-1,1-DCE	LT	10 ug/L	Gen. Eng.
0 2,2-BIS(4-CHLOROPHENYL)-1,1,1-TCE	LT	10 ug/L	Gen. Eng.
0 2,2-BIS(4-CHLOROPHENYL)-1,1,1-TCE	LT	10 ug/L	Gen. Eng.
0 PYRENE	LT	10 ug/L	Gen. Eng.
0 ANTIMONY	LT	3 ug/L	Gen. Eng.
0 ANTIMONY	LT	10 ug/L	metaTRACE
0 SELENIUM	LT	2 ug/L	Gen. Eng.
0 SELENIUM	LT	2 ug/L	metaTRACE
0 SILICON	LT	34200 ug/L	metaTRACE
0 SILICON	LT	41210 ug/L	metaTRACE
0 SILICA	LT	91500 ug/L	Gen. Eng.
0 TIN	LT	2 ug/L	Gen. Eng.
0 TIN	LT	100 ug/L	metaTRACE
0 SULFATE	LT	5000 ug/L	Gen. Eng.
0 SULFATE	LT	1000 ug/L	metaTRACE
0 SULFATE	LT	1000 ug/L	metaTRACE
0 1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0 TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0 TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0 TOTAL DISSOLVED SOLIDS	LT	106000 ug/L	Gen. Eng.
0 TOTAL DISSOLVED SOLIDS	LT	86000 ug/L	metaTRACE
0 TOTAL DISSOLVED SOLIDS	LT	86000 ug/L	metaTRACE
0 THALLIUM	LT	2 ug/L	Gen. Eng.
0 THALLIUM	LT	3 ug/L	metaTRACE
0 TOTAL ORGANIC CARBON	LT	1000 ug/L	Gen. Eng.
0 TOTAL ORGANIC CARBON	LT	1000 ug/L	metaTRACE
0 TOTAL ORGANIC HALOGENS	LT	5 ug/L	Gen. Eng.
0 TOTAL ORGANIC HALOGENS	LT	7 ug/L	metaTRACE
0 TOTAL PHOSPHORUS	LT	50 ug/L	Gen. Eng.
0 TOTAL PHOSPHATES	LT	10 ug/L	metaTRACE
0 TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0 TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0 TOXAPHENE	LT	10 ug/L	Gen. Eng.
0 TOXAPHENE	LT	10 ug/L	Gen. Eng.
0 TOXAPHENE	LT	0.24 ug/L	metaTRACE
0 TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0 TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0 URANIUM	LT	1000 ug/L	Gen. Eng.
0 URANIUM	LT	1880 ug/L	metaTRACE
0 URANIUM	LT	1880 ug/L	metaTRACE
0 VANADIUM	LT	20 ug/L	Gen. Eng.
0 VANADIUM	LT	10 ug/L	metaTRACE
0 VANADIUM	LT	10 ug/L	metaTRACE
0 XYLENES	LT	2 ug/L	Gen. Eng.
0 1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0 1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE

CONTINUED

WELL BLANK COLLECTED ON 07/23/89 LABORATORY ANALYSES CONTINUED

0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	1,2-DIPHENYL HYDRAZINE	LT	10 ug/L	Gen. Eng.
0	1,2,4-TRICHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	10 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0	2-CHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2-CHLORONAPHTHALENE	LT	10 ug/L	Gen. Eng.
0	2-NITROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,4-DICHLOROPHOXYACETIC ACID	LT	0.30 ug/L	Gen. Eng.
0	2,4-DICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,4-DIMETHYL PHENOL	LT	10 ug/L	Gen. Eng.
0	2,4-DINITROPHENOL	LT	45 ug/L	Gen. Eng.
0	2,4-DINITROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,4,5-TRICHLOROPHOXYACETIC ACID	LT	0.09 ug/L	Gen. Eng.
0	2,4,6-TRICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,6-DINITROPHENOL	LT	10 ug/L	Gen. Eng.
0	3,3-DICHLOROBENZIDENE	LT	10 ug/L	Gen. Eng.
0	4-BROMOPHENYLPHENYL ETHER	LT	10 ug/L	Gen. Eng.
0	4-CHLOROPHENYLPHENYL ETHER	LT	10 ug/L	Gen. Eng.
0	PARA-CHLORO-META-CRESOL	LT	10 ug/L	Gen. Eng.
0	4-NITROPHENOL	LT	10 ug/L	Gen. Eng.
0	2-METHYL-4,6-DINITROPHENOL	LT	30 ug/L	Gen. Eng.
0	ZINC	LT	4 ug/L	Gen. Eng.
0	ZINC	LT	15 ug/L	metaTRACE
0	ZINC	LT	16 ug/L	metaTRACE
0	GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
0	GROSS ALPHA	LT	3 pCi/L	metaTRACE
0	GROSS ALPHA	LT	3 pCi/L	metaTRACE
0	NONVOLATILE BETA	LT	2 pCi/L	Gen. Eng.
0	NONVOLATILE BETA	LT	6 pCi/L	metaTRACE
0	NONVOLATILE BETA	LT	6 pCi/L	metaTRACE
0	TOTAL RADIUM	LT	1 pCi/L	Gen. Eng.
0	TOTAL RADIUM	LT	1 pCi/L	metaTRACE
0	TRITIUM	LT	0.70 pCi/mL	Gen. Eng.
0	TRITIUM	LT	1 pCi/mL	metaTRACE

WELL BLANK

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/06/89 time 735
 pH = 5.5 Alkalinity = 1 mg/L
 Specific conductance = 1 umhos/cm
 Water temperature = 23.6 degrees Celsius

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE	LT	1.70 uMHC	Gen. Eng.
0	SPECIFIC CONDUCTANCE	LT	2.52 uMHC	metaTRACE
0	SPECIFIC CONDUCTANCE	LT	2.53 uMHC	metaTRACE
0	PH	LT	5.26 pH	Gen. Eng.
1	PH	LT	3.78 pH	metaTRACE
2	PH	LT	2.53 pH	metaTRACE
0	TURBIDITY	LT	0.20 NTU	Gen. Eng.
0	TURBIDITY	LT	0.20 NTU	metaTRACE
0	TURBIDITY	LT	0.21 NTU	metaTRACE
0	ALPHA-BENZENEHEXACHLORIDE	LT	10 ug/L	Gen. Eng.
0	ALPHA-BENZENEHEXACHLORIDE	LT	0.50 ug/L	Gen. Eng.
0	ACETOPHENONE	LT	10 ug/L	Gen. Eng.
0	ALPHA-ENDOSULFAM	LT	10 ug/L	Gen. Eng.
0	SILVER	LT	2 ug/L	Gen. Eng.
0	ALUMINUM	LT	20 ug/L	Gen. Eng.
0	ALDRIN	LT	10 ug/L	Gen. Eng.
0	ALDRIN	LT	0.50 ug/L	Gen. Eng.
0	ACENAPHTHENE	LT	10 ug/L	Gen. Eng.
0	ACENAPHTHYLENE	LT	10 ug/L	Gen. Eng.
0	ANTHRACENE	LT	10 ug/L	Gen. Eng.
0	ARSENIC	LT	2 ug/L	Gen. Eng.
0	BARIUM	LT	4 ug/L	Gen. Eng.
0	BENZO(A)ANTHRACENE	LT	10 ug/L	Gen. Eng.
0	BENZO(A)PYRENE	LT	10 ug/L	Gen. Eng.
0	BENZO(B)FLUORANTHENE	LT	10 ug/L	Gen. Eng.
0	BETA-BENZENEHEXACHLORIDE	LT	10 ug/L	Gen. Eng.
0	BETA-BENZENEHEXACHLORIDE	LT	0.50 ug/L	Gen. Eng.
0	BUTYL BENZYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0	BIS(CHLOROMETHYL)ETHER	LT	10 ug/L	Gen. Eng.
0	BERYLLIUM	LT	3 ug/L	Gen. Eng.
0	BETA-ENDOSULFAM	LT	10 ug/L	Gen. Eng.
0	BENZIDINE	LT	10 ug/L	Gen. Eng.
0	BENZO(G,H,I)PERYLENE	LT	10 ug/L	Gen. Eng.
0	BENZO(K)FLUORANTHENE	LT	10 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
0	BIS(2-CHLOROETHOXY) METHANE	LT	10 ug/L	Gen. Eng.
0	BIS(2-CHLOROISOPROPYL) ETHER	LT	10 ug/L	Gen. Eng.
0	BIS(2-CHLOROETHYL) ETHER	LT	10 ug/L	Gen. Eng.
0	BIS(2-ETHYLHEXYL) PHTHALATE	LT	10 ug/L	Gen. Eng.
0	CALCIUM	LT	42 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.

CONTINUED

WELL BLANK COLLECTED ON 08/06/89 LABORATORY ANALYSES CONTINUED

0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0	CADMIUM	LT	2 ug/L	Gen. Eng.
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	BROMOFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	5 ug/L	metaTRACE
0	CHRYSENE	LT	10 ug/L	Gen. Eng.
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0	METHYLENE CHLORIDE	LT	5 ug/L	metaTRACE
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
0	CHLORIDE	LT	1000 ug/L	Gen. Eng.
0	CHLORIDE	LT	250 ug/L	metaTRACE
0	CHLORIDE	LT	250 ug/L	metaTRACE
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	5 ug/L	metaTRACE
0	CHLORDANE	LT	10 ug/L	Gen. Eng.
0	CHLORDANE	LT	0.50 ug/L	Gen. Eng.
0	HEXACHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	HEXACHLOROCYCLOPENTADIENE	LT	10 ug/L	Gen. Eng.
0	HEXACHLOROETHANE	LT	10 ug/L	Gen. Eng.
0	CORAL	LT	4 ug/L	Gen. Eng.
0	CHROMIUM	LT	4 ug/L	Gen. Eng.
0	COPPER	LT	4 ug/L	Gen. Eng.
0	CYANIDE	LT	5 ug/L	Gen. Eng.
0	CYANIDE	LT	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	5 ug/L	metaTRACE
0	DIBENZ(A,H)ANTHRACENE	LT	10 ug/L	Gen. Eng.
0	DELTA-BENZENEHEXACHLORIDE	LT	10 ug/L	Gen. Eng.
0	DELTA-BENZENEHEXACHLORIDE	LT	0.50 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0	DIETHYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0	DIELDRIN	LT	10 ug/L	Gen. Eng.
0	DIELDRIN	LT	0.50 ug/L	Gen. Eng.
0	DIMETHYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0	DI-N-BUTYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0	DI-N-OCTYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0	ENDRIN ALDEHYDE	LT	10 ug/L	Gen. Eng.
0	ENDRIN ALDEHYDE	LT	0.50 ug/L	Gen. Eng.
0	ENDRIN	LT	10 ug/L	Gen. Eng.
0	ENDRIN	LT	0.50 ug/L	Gen. Eng.
0	ENDRIN	LT	0.006 ug/L	metaTRACE
0	ENDOSULFAM I	LT	0.50 ug/L	Gen. Eng.
0	ENDOSULFAM II	LT	0.50 ug/L	Gen. Eng.
0	ENDOSULFAM SULFATE	LT	10 ug/L	Gen. Eng.
0	ENDOSULFAM SULFATE	LT	0.50 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	5 ug/L	metaTRACE
0	FLUORIDE	LT	100 ug/L	Gen. Eng.
0	FLUORIDE	LT	250 ug/L	metaTRACE
0	FLUORIDE	LT	250 ug/L	metaTRACE
0	FLUORANTHENE	LT	10 ug/L	Gen. Eng.
0	IRON	LT	14 ug/L	Gen. Eng.
0	FLUORENE	LT	10 ug/L	Gen. Eng.
0	HEXACHLOROBUTADIENE	LT	10 ug/L	Gen. Eng.
0	MERCURY	LT	0.20 ug/L	Gen. Eng.
0	MERCURY	LT	0.20 ug/L	metaTRACE
0	MERCURY	LT	0.20 ug/L	metaTRACE
0	HEPTACHLOR	LT	10 ug/L	Gen. Eng.
0	HEPTACHLOR	LT	0.50 ug/L	Gen. Eng.
0	HEPTACHLOR EPOXIDE	LT	10 ug/L	Gen. Eng.
0	HEPTACHLOR EPOXIDE	LT	0.50 ug/L	Gen. Eng.
0	INDENO(1,2,3-C,D)PYRENE	LT	10 ug/L	Gen. Eng.
0	ISOPHORONE	LT	10 ug/L	Gen. Eng.
0	POTASSIUM	LT	500 ug/L	Gen. Eng.
0	LITHIUM	LT	5 ug/L	Gen. Eng.
0	LINDANE	LT	10 ug/L	Gen. Eng.
0	LINDANE	LT	0.50 ug/L	Gen. Eng.
0	LINDANE	LT	0.005 ug/L	metaTRACE
0	TOLUENE	LT	1 ug/L	Gen. Eng.
0	TOLUENE	LT	5 ug/L	metaTRACE
0	METHOXYCHLOR	LT	4 ug/L	Gen. Eng.
0	METHOXYCHLOR	LT	0.50 ug/L	metaTRACE
0	MAGNESIUM	LT	5 ug/L	Gen. Eng.
0	MANGANESE	LT	2 ug/L	Gen. Eng.
0	SODIUM	LT	250 ug/L	Gen. Eng.
0	NAPHTHALENE	LT	10 ug/L	Gen. Eng.
0	NITROBENZENE	LT	10 ug/L	Gen. Eng.
0	N-NITROSODIMETHYLAMINE	LT	10 ug/L	Gen. Eng.
0	N-NITROSODI-PROPYLAMINE	LT	10 ug/L	Gen. Eng.
0	NICKEL	LT	4 ug/L	Gen. Eng.
0	N-NITROSODIPHENYLAMINE	LT	10 ug/L	Gen. Eng.
0	NITRITE AS NITROGEN	LT	10 ug/L	Gen. Eng.
0	NITRITE AS NITROGEN	LT	1000 ug/L	metaTRACE
0	NITRITE AS NITROGEN	LT	1000 ug/L	metaTRACE
0	NITRATE AS NITROGEN	LT	50 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN	LT	230 ug/L	metaTRACE
0	NITRATE AS NITROGEN	LT	230 ug/L	metaTRACE
0	LEAD	LT	6 ug/L	Gen. Eng.
0	LEAD	LT	3 ug/L	metaTRACE
0	PCB 1016	LT	150 ug/L	Gen. Eng.
0	PCB 1221	LT	150 ug/L	Gen. Eng.
0	PCB 1232	LT	150 ug/L	Gen. Eng.
0	PCB 1242	LT	150 ug/L	Gen. Eng.
0	PCB 1248	LT	150 ug/L	Gen. Eng.
0	PCB 1254	LT	150 ug/L	Gen. Eng.
0	PCB 1260	LT	150 ug/L	Gen. Eng.
0	PENTACHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	PHENANTHRENE	LT	10 ug/L	Gen. Eng.
0	PHENOLS	LT	5 ug/L	Gen. Eng.
0	PHENOLS	LT	10 ug/L	Gen. Eng.

CONTINUED

WELL BLANK COLLECTED ON 08/06/89 LABORATORY ANALYSES CONTINUED

0 PHENOLS	LT	5 ug/L	metaTRACE
0 2,2-BIS(4-CHLOROPHENYL)-1,1-DCE	LT	10 ug/L	Gen. Eng.
0 2,2-BIS(4-CHLOROPHENYL)-1,1-DCE	LT	0.50 ug/L	Gen. Eng.
0 2,2-BIS(4-CHLOROPHENYL)-1,1-DCE	LT	10 ug/L	Gen. Eng.
0 2,2-BIS(4-CHLOROPHENYL)-1,1-DCE	LT	0.50 ug/L	Gen. Eng.
0 2,2-BIS(4-CHLOROPHENYL)-1,1-DCE	LT	10 ug/L	Gen. Eng.
0 2,2-BIS(4-CHLOROPHENYL)-1,1-DCE	LT	0.50 ug/L	Gen. Eng.
0 PYRENE	LT	10 ug/L	Gen. Eng.
0 ANTIMONY	LT	3 ug/L	Gen. Eng.
0 SELENIUM	LT	2 ug/L	Gen. Eng.
1 SILICA	LT	33100 ug/L	Gen. Eng.
0 TIN	LT	2 ug/L	Gen. Eng.
0 SULFATE	LT	5000 ug/L	Gen. Eng.
0 SULFATE	LT	1000 ug/L	metaTRACE
0 SULFATE	LT	1000 ug/L	metaTRACE
0 1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0 TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0 TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0 TOTAL DISSOLVED SOLIDS	LT	20000 ug/L	Gen. Eng.
0 TOTAL DISSOLVED SOLIDS	LT	29000 ug/L	metaTRACE
0 THALLIUM	LT	2 ug/L	Gen. Eng.
0 TOTAL ORGANIC CARBON	LT	1000 ug/L	Gen. Eng.
0 TOTAL ORGANIC CARBON	LT	1800 ug/L	metaTRACE
0 TOTAL ORGANIC HALOGENS	LT	5 ug/L	Gen. Eng.
0 TOTAL ORGANIC HALOGENS	LT	5 ug/L	metaTRACE
0 TOTAL ORGANIC HALOGENS	LT	5 ug/L	metaTRACE
0 TOTAL PHOSPHORUS	LT	50 ug/L	Gen. Eng.
0 TOTAL PHOSPHATES	LT	10 ug/L	metaTRACE
0 TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0 TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0 TOXAPHENE	LT	10 ug/L	Gen. Eng.
0 TOXAPHENE	LT	5 ug/L	Gen. Eng.
0 TOXAPHENE	LT	0.24 ug/L	metaTRACE
0 TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0 TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0 TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0 URANIUM	LT	1000 ug/L	Gen. Eng.
0 VANADIUM	LT	20 ug/L	Gen. Eng.
0 XYLENES	LT	2 ug/L	Gen. Eng.
0 1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0 1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0 1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0 1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0 1,2-DIPHENYL HYDRAZINE	LT	10 ug/L	Gen. Eng.
0 1,2,4-TRICHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0 CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0 CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0 TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0 2-CHLOROETHYL VINYL ETHER	LT	10 ug/L	Gen. Eng.
0 2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0 2-CHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0 2-CHLORONAPHTHALENE	LT	10 ug/L	Gen. Eng.
0 2-METHYLNAPHTHALENE	LT	10 ug/L	Gen. Eng.
0 2-NITROPHENOL	LT	10 ug/L	Gen. Eng.
0 2,4-DICHLOROPHENOXYACETIC ACID	LT	0.30 ug/L	Gen. Eng.
0 2,4-DICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0 2,4-DIMETHYL PHENOL	LT	10 ug/L	Gen. Eng.
0 2,4-DINITROPHENOL	LT	45 ug/L	Gen. Eng.
0 2,4-DINITROTOLUENE	LT	10 ug/L	Gen. Eng.
0 2,4,5-TRICHLOROPHENOXYACETIC ACID	LT	0.09 ug/L	Gen. Eng.
0 2,4,6-TRICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0 2,6-DINITROTOLUENE	LT	10 ug/L	Gen. Eng.
0 3,3-DICHLOROBENZIDENE	LT	10 ug/L	Gen. Eng.
0 4-BROMOPHENYLPHENYL ETHER	LT	10 ug/L	Gen. Eng.
0 4-CHLOROPHENYLPHENYL ETHER	LT	10 ug/L	Gen. Eng.
0 PARA-CHLORO-META-CRESOL	LT	10 ug/L	Gen. Eng.
0 4-NITROPHENOL	LT	10 ug/L	Gen. Eng.
0 2-METHYL-4,6-DINITROPHENOL	LT	30 ug/L	Gen. Eng.
0 ZINC	LT	4 ug/L	Gen. Eng.
0 GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
0 GROSS ALPHA	LT	2 pCi/L	metaTRACE
0 NONVOLATILE BETA	LT	2 pCi/L	Gen. Eng.
0 NONVOLATILE BETA	LT	4 pCi/L	metaTRACE
0 TOTAL RADIUM	LT	1 pCi/L	Gen. Eng.
0 TOTAL RADIUM	LT	1 pCi/L	metaTRACE
0 TRITIUM	LT	0.70 pCi/mL	Gen. Eng.
0 TRITIUM	LT	1 pCi/mL	metaTRACE
0 TRITIUM	LT	1 pCi/mL	metaTRACE

WELL BLANK

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/09/89 Time 1400
pH = 4.8 Alkalinity = 0 mg/L
Specific conductance = 1 umhos/cm
Water temperature = 28.6 degrees Celsius

LABORATORY ANALYSES

0 GROSS ALPHA	LT	1 pCi/L	Teledyne
0 AMERICIUM-241	LT	0.07 pCi/L	Teledyne
1 AMERICIUM-243	LT	0.42+-0.33 pCi/L	Teledyne
0 BARIUM-140	LT	30 pCi/L	Teledyne
0 NONVOLATILE BETA	LT	1 pCi/L	Teledyne
0 BERYLLIUM-7	LT	60 pCi/L	Teledyne
0 CERIUM-141	LT	20 pCi/L	Teledyne
0 CERIUM-144	LT	40 pCi/L	Teledyne
0 CURIUM-242	LT	0.07 pCi/L	Teledyne
0 CURIUM-248	LT	0.08 pCi/L	Teledyne
0 CURIUM-243/244	LT	0.07 pCi/L	Teledyne
0 COBALT-58	LT	6 pCi/L	Teledyne
0 COBALT-60	LT	5 pCi/L	Teledyne
0 CESIUM-134	LT	5 pCi/L	Teledyne
0 CESIUM-137	LT	5 pCi/L	Teledyne
0 CARBON-14	LT	8 pCi/L	Teledyne
0 IRON-55	LT	50 pCi/L	Teledyne
0 IRON-59	LT	20 pCi/L	Teledyne
0 IODINE-129	LT	3 pCi/L	Teledyne
0 IODINE-131	LT	90 pCi/L	Teledyne
0 POTASSIUM-40	LT	100 pCi/L	Teledyne
0 MANGANESE-54	LT	5 pCi/L	Teledyne
0 NICKEL-59	LT	90 pCi/L	Teledyne
0 NICKEL-63	LT	7 pCi/L	Teledyne
0 PLUTONIUM-238	LT	0.70 pCi/L	Teledyne
0 PLUTONIUM-242	LT	0.70 pCi/L	Teledyne
0 PLUTONIUM-239/240	LT	0.50 pCi/L	Teledyne
0 RADIUM-226	LT	90 pCi/L	Teledyne
0 RADIUM-226	LT	1 pCi/L	Teledyne
0 RADIUM-228	LT	0.80 pCi/L	Teledyne
0 RUTHENIUM-103	LT	8 pCi/L	Teledyne
0 RUTHENIUM-106	LT	40 pCi/L	Teledyne
0 STRONTIUM-89	LT	3 pCi/L	Teledyne
0 STRONTIUM-90	LT	0.90 pCi/L	Teledyne
0 TECHNETIUM-99	LT	4 pCi/L	Teledyne
0 THORIUM-228	LT	8 pCi/L	Teledyne
0 THORIUM-228	LT	0.60 pCi/L	Teledyne
0 THORIUM-230	LT	0.40 pCi/L	Teledyne
0 THORIUM-232	LT	0.30 pCi/L	Teledyne
0 URANIUM-235	LT	0.60 pCi/L	Teledyne
0 URANIUM-238	LT	0.60 pCi/L	Teledyne
0 URANIUM-233/234	LT	0.60 pCi/L	Teledyne
0 ZINC-65	LT	10 pCi/L	Teledyne
0 ZIRCONIUM-95	LT	6 pCi/L	Teledyne

WELL BLANK

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/16/89 Time 1610
pH = 5.1 Alkalinity = 1 mg/L
Specific conductance = 2 umhos/cm
Water temperature = 33.1 degrees Celsius

LABORATORY ANALYSES

0 SPECIFIC CONDUCTANCE	1.80 UMIC	Gen. Eng.
0 SPECIFIC CONDUCTANCE	10.60 UMIC	metaTRACE
0 PH	5.83 pH	Gen. Eng.
0 PH	4.84 pH	metaTRACE
0 TURBIDITY	LT	0.20 NTU
0 TURBIDITY	LT	0.40 NTU
0 TURBIDITY	LT	0.40 NTU
0 ALPHA-BENZENEHEXACHLORIDE	LT	0.50 ug/L
0 ALPHA-BENZENEHEXACHLORIDE	LT	10 ug/L
0 ACETOPHENONE	LT	500 ug/L
0 ALPHA-ENDOSULFAN	LT	10 ug/L
0 SILVER	LT	2 ug/L
0 SILVER	LT	2 ug/L
0 ALUMINUM	LT	25 ug/L
0 ALUMINUM	LT	30 ug/L
0 ALDRIN	LT	0.50 ug/L
0 ALDRIN	LT	10 ug/L
0 ACENAPHTHENE	LT	10 ug/L
0 ACENAPHTHYLENE	LT	10 ug/L
0 ANTHRACENE	LT	10 ug/L
0 ARSENIC	LT	2 ug/L
0 ARSENIC	LT	3 ug/L
0 BARIUM	LT	4 ug/L
0 BARIUM	LT	25 ug/L
0 BENZO(A)ANTHRACENE	LT	10 ug/L
0 BENZO(A)PYRENE	LT	10 ug/L
0 BENZO(B)FLUORANTHENE	LT	10 ug/L
0 BETA-BENZENEHEXACHLORIDE	LT	0.50 ug/L
0 BETA-BENZENEHEXACHLORIDE	LT	10 ug/L
0 BUTYLBENZYL PHTHALATE	LT	10 ug/L
0 BIS(CHLOROMETHYL)ETHER	LT	10 ug/L
0 BERYLLIUM	LT	5 ug/L
0 BERYLLIUM	LT	1 ug/L
0 BETA-ENDOSULFAN	LT	10 ug/L
0 BENZIDINE	LT	10 ug/L
0 BENZO(C,H,I)PERYLENE	LT	10 ug/L
0 BENZO(K)FLUORANTHENE	LT	10 ug/L
0 BROMODICHLOROMETHANE	LT	1 ug/L

CONTINUED

WELL BLANK COLLECTED ON 08/18/89 LABORATORY ANALYSES CONTINUED

0	BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
0	BIS(2-CHLOROETHOXY) METHANE	LT	10 ug/L	Gen. Eng.
0	BIS(2-CHLOROISOPROPYL) ETHER	LT	10 ug/L	Gen. Eng.
0	BIS(2-CHLOROETHYL) ETHER	LT	10 ug/L	Gen. Eng.
0	BIS(2-ETHYLNEXYL) PHTHALATE	LT	10 ug/L	Gen. Eng.
0	CALCIUM	LT	112 ug/L	Gen. Eng.
0	CALCIUM	LT	34 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0	CADMIUM	LT	2 ug/L	Gen. Eng.
0	CADMIUM	LT	4 ug/L	metaTRACE
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	BROMOFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	10 ug/L	Gen. Eng.
0	CHLORSENE	LT	10 ug/L	Gen. Eng.
0	METHYLENE CHLORIDE	LT	3 ug/L	Gen. Eng.
0	METHYLENE CHLORIDE	LT	3 ug/L	metaTRACE
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
0	CHLORIDE	LT	1000 ug/L	Gen. Eng.
0	CHLORIDE	LT	2000 ug/L	metaTRACE
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	5 ug/L	metaTRACE
0	CHLORDANE	LT	0.50 ug/L	Gen. Eng.
0	CHLORDANE	LT	10 ug/L	Gen. Eng.
0	HEXACHLOROCYCLOPENTADIENE	LT	10 ug/L	Gen. Eng.
0	HEXACHLOROCYCLOPENTADIENE	LT	10 ug/L	Gen. Eng.
0	CORALT	LT	4 ug/L	Gen. Eng.
0	CORALT	LT	7 ug/L	metaTRACE
0	CHROMIUM	LT	4 ug/L	Gen. Eng.
0	CHROMIUM	LT	8 ug/L	metaTRACE
0	COPPER	LT	15 ug/L	Gen. Eng.
0	CYANIDE	LT	5 ug/L	Gen. Eng.
0	CYANIDE	LT	5 ug/L	metaTRACE
0	CYANIDE	LT	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	5 ug/L	metaTRACE
0	DIBENZ(A,H)ANTHRACENE	LT	10 ug/L	Gen. Eng.
0	DELTA-BENZENEHEXACHLORIDE	LT	0.50 ug/L	Gen. Eng.
0	DELTA-BENZENEHEXACHLORIDE	LT	10 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0	DIETHYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0	DICLORIN	LT	0.50 ug/L	Gen. Eng.
0	DICLORIN	LT	10 ug/L	Gen. Eng.
0	DI-METHYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0	DI-N-BUTYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0	DI-N-OCTYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0	ENDRIN ALDEHYDE	LT	0.50 ug/L	Gen. Eng.
0	ENDRIN ALDEHYDE	LT	10 ug/L	Gen. Eng.
0	ENDRIN	LT	0.50 ug/L	Gen. Eng.
0	ENDRIN	LT	10 ug/L	Gen. Eng.
0	ENDRIN	LT	0.008 ug/L	metaTRACE
0	ENDOSULFAN I	LT	0.50 ug/L	Gen. Eng.
0	ENDOSULFAN II	LT	0.50 ug/L	Gen. Eng.
0	ENDOSULFAN SULFATE	LT	0.50 ug/L	Gen. Eng.
0	ENDOSULFAN SULFATE	LT	10 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	5 ug/L	metaTRACE
0	FLUORIDE	LT	100 ug/L	Gen. Eng.
0	FLUORIDE	LT	250 ug/L	metaTRACE
0	FLUORANTHENE	LT	10 ug/L	Gen. Eng.
0	IRON	LT	14 ug/L	Gen. Eng.
0	IRON	LT	5 ug/L	metaTRACE
0	FLUORENE	LT	10 ug/L	Gen. Eng.
0	HEXACHLOROBUTADIENE	LT	10 ug/L	Gen. Eng.
0	MERCURY	LT	0.20 ug/L	Gen. Eng.
0	MERCURY	LT	0.20 ug/L	metaTRACE
0	HEPTACHLOR	LT	0.50 ug/L	Gen. Eng.
0	HEPTACHLOR	LT	10 ug/L	Gen. Eng.
0	HEPTACHLOR EPOXIDE	LT	0.50 ug/L	Gen. Eng.
0	HEPTACHLOR EPOXIDE	LT	10 ug/L	Gen. Eng.
0	INDENO(1,2,3-C,D)PYRENE	LT	10 ug/L	Gen. Eng.
0	ISOPHORENE	LT	10 ug/L	Gen. Eng.
0	POTASSIUM	LT	500 ug/L	Gen. Eng.
0	POTASSIUM	LT	2000 ug/L	metaTRACE
0	LITHIUM	LT	5 ug/L	Gen. Eng.
0	LITHIUM	LT	41 ug/L	metaTRACE
0	LINDANE	LT	0.50 ug/L	Gen. Eng.
0	LINDANE	LT	10 ug/L	Gen. Eng.
0	LINDANE	LT	0.005 ug/L	metaTRACE
0	TOLENE	LT	1 ug/L	Gen. Eng.
0	TOLENE	LT	5 ug/L	metaTRACE
0	METHOXYCHLOR	LT	4 ug/L	Gen. Eng.
0	METHOXYCHLOR	LT	0.50 ug/L	metaTRACE
0	MAGNESIUM	LT	12 ug/L	Gen. Eng.
0	MAGNESIUM	LT	6 ug/L	metaTRACE
0	MANGANESE	LT	2 ug/L	Gen. Eng.
0	MANGANESE	LT	2 ug/L	metaTRACE
0	SODIUM	LT	130 ug/L	Gen. Eng.
0	SODIUM	LT	40 ug/L	metaTRACE
0	NAPHTHALENE	LT	10 ug/L	Gen. Eng.
0	NITROBENZENE	LT	10 ug/L	Gen. Eng.
0	N-NITROSODIMETHYLAMINE	LT	10 ug/L	Gen. Eng.
0	N-NITROSODI-PROPYLAMINE	LT	10 ug/L	Gen. Eng.
0	NICKEL	LT	4 ug/L	Gen. Eng.
0	NICKEL	LT	5 ug/L	metaTRACE
0	NICKEL	LT	5 ug/L	metaTRACE
0	N-NITROSODIPHENYLAMINE	LT	10 ug/L	Gen. Eng.

CONTINUED

WELL BLANK COLLECTED ON 08/18/89 LABORATORY ANALYSES CONTINUED

0	NITRITE AS NITROGEN	LT	10 ug/L	Gen. Eng.
0	NITRITE AS NITROGEN	LT	2500 ug/L	metaTRACE
0	NITRATE AS NITROGEN	LT	50 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN	LT	230 ug/L	metaTRACE
0	LEAD	LT	6 ug/L	Gen. Eng.
0	LEAD	LT	3 ug/L	metaTRACE
0	PCB 1010	LT	150 ug/L	Gen. Eng.
0	PCB 1221	LT	150 ug/L	Gen. Eng.
0	PCB 1232	LT	150 ug/L	Gen. Eng.
0	PCB 1242	LT	150 ug/L	Gen. Eng.
0	PCB 1248	LT	150 ug/L	Gen. Eng.
0	PCB 1254	LT	150 ug/L	Gen. Eng.
0	PCB 1260	LT	150 ug/L	Gen. Eng.
0	PENTACHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	PHENANTHRENE	LT	10 ug/L	Gen. Eng.
0	PHENOLS	LT	5 ug/L	Gen. Eng.
0	PHENOLS	LT	10 ug/L	Gen. Eng.
0	PHENOLS	LT	5 ug/L	metaTRACE
0	2,2-BIS(4-CHLOROPHENYL)-1,1-DCE	LT	0.50 ug/L	Gen. Eng.
0	2,2-BIS(4-CHLOROPHENYL)-1,1-DCE	LT	10 ug/L	Gen. Eng.
0	2,2-BIS(4-CHLOROPHENYL)-1,1-DCE	LT	0.50 ug/L	Gen. Eng.
0	2,2-BIS(4-CHLOROPHENYL)-1,1-DCE	LT	10 ug/L	Gen. Eng.
0	2,2-BIS(4-CHLOROPHENYL)-1,1,1-TCE	LT	0.50 ug/L	Gen. Eng.
0	2,2-BIS(4-CHLOROPHENYL)-1,1,1-TCE	LT	10 ug/L	Gen. Eng.
0	PYRENE	LT	10 ug/L	Gen. Eng.
0	ANTIMONY	LT	3 ug/L	Gen. Eng.
0	ANTIMONY	LT	10 ug/L	metaTRACE
0	SELENIUM	LT	2 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	metaTRACE
0	SILICON	LT	4368 ug/L	metaTRACE
0	SILICON	LT	4368 ug/L	metaTRACE
0	SILICA	LT	9280 ug/L	Gen. Eng.
0	SILVEX	LT	0.09 ug/L	Gen. Eng.
0	SILVEX	LT	0.07 ug/L	metaTRACE
0	TIN	LT	2 ug/L	Gen. Eng.
0	SULFATE	LT	5000 ug/L	Gen. Eng.
0	SULFATE	LT	1000 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS	LT	5000 ug/L	Gen. Eng.
0	TOTAL DISSOLVED SOLIDS	LT	24000 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS	LT	20000 ug/L	metaTRACE
0	THALLIUM	LT	2 ug/L	Gen. Eng.
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	Gen. Eng.
0	TOTAL ORGANIC CARBON	LT	1170 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	Gen. Eng.
0	TOTAL ORGANIC HALOGENS	LT	10 ug/L	metaTRACE
0	TOTAL PHOSPHATES	LT	50 ug/L	Gen. Eng.
0	TOTAL PHOSPHATES	LT	15 ug/L	metaTRACE
0	TOTAL PHOSPHATES	LT	38 ug/L	metaTRACE
0	TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TOXAPHENE	LT	5 ug/L	Gen. Eng.
0	TOXAPHENE	LT	10 ug/L	Gen. Eng.
0	TOXAPHENE	LT	0.24 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	URANIUM	LT	1000 ug/L	Gen. Eng.
0	URANIUM	LT	100 ug/L	metaTRACE
0	VANADIUM	LT	20 ug/L	Gen. Eng.
0	VANADIUM	LT	5 ug/L	metaTRACE
0	XYLENES	LT	2 ug/L	Gen. Eng.
0	XYLENES	LT	5 ug/L	metaTRACE
0	XYLENES	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	1,2-DIPHENYL HYDRAZINE	LT	10 ug/L	Gen. Eng.
0	1,2,4-TRICHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	10 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0	2-CHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2-CHLORONAPHTHALENE	LT	10 ug/L	Gen. Eng.
0	2-METHYLNAPHTHALENE	LT	10 ug/L	Gen. Eng.
0	2-NITROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,4-DICHLOROPHENOXYACETIC ACID	LT	0.30 ug/L	Gen. Eng.
0	2,4-DICHLOROPHENOXYACETIC ACID	LT	0.48 ug/L	metaTRACE
0	2,4-DICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,4-DIMETHYL PHENOL	LT	10 ug/L	Gen. Eng.
0	2,4-DINITROPHENOL	LT	45 ug/L	Gen. Eng.
0	2,4-DINITROTOLUENE	LT	10 ug/L	Gen. Eng.
0	2,4,6-TRICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,6-DINITROTOLUENE	LT	10 ug/L	Gen. Eng.
0	3,3-DICHLOROBENZIDENE	LT	10 ug/L	Gen. Eng.
0	4-BROMOPHENYLPHENYL ETHER	LT	10 ug/L	Gen. Eng.
0	4-CHLOROPHENYLPHENYL ETHER	LT	10 ug/L	Gen. Eng.
0	PARA-CHLORO-META-CRESOL	LT	10 ug/L	Gen. Eng.
0	4-NITROPHENOL	LT	10 ug/L	Gen. Eng.
0	2-METHYL-4,6-DINITROPHENOL	LT	30 ug/L	Gen. Eng.
0	ZINC	LT	2 ug/L	Gen. Eng.
0	ZINC	LT	6 ug/L	metaTRACE
0	GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
0	GROSS ALPHA	LT	3 pCi/L	metaTRACE
0	NONVOLATILE BETA	LT	2 pCi/L	Gen. Eng.

CONTINUED

WELL BLANK COLLECTED ON 08/16/89 LABORATORY ANALYSES CONTINUED

0 NONVOLATILE BETA	LT	5 pCi/L	metaTRACE
0 TOTAL RADIUM	LT	1 pCi/L	Gen. Eng.
0 TOTAL RADIUM	LT	1 pCi/L	metaTRACE
0 TOTAL RADIUM	LT	1 pCi/L	metaTRACE
0 TRITIUM	LT	0.70 pCi/mL	Gen. Eng.
0 TRITIUM	LT	1 pCi/mL	metaTRACE

WELL BLANK

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/21/89 Time 1010
pH = 5.1 Alkalinity = 1 mg/L
Specific conductance = 1 umhos/cm
Water temperature = 26.4 degrees Celsius

LABORATORY ANALYSES

0 GROSS ALPHA	LT	0.70 pCi/L	Teledyne
0 AMERICIUM-241	LT	0.30 pCi/L	Teledyne
0 AMERICIUM-243	LT	1 pCi/L	Teledyne
0 BARIUM-140	LT	20 pCi/L	Teledyne
0 NONVOLATILE BETA	LT	1 pCi/L	Teledyne
0 BERYLLIUM-7	LT	40 pCi/L	Teledyne
0 CERIUM-141	LT	10 pCi/L	Teledyne
0 CERIUM-144	LT	30 pCi/L	Teledyne
0 CURIUM-242	LT	0.30 pCi/L	Teledyne
0 CURIUM-246	LT	0.70 pCi/L	Teledyne
0 CURIUM-243/244	LT	0.60 pCi/L	Teledyne
0 COBALT-58	LT	4 pCi/L	Teledyne
0 COBALT-60	LT	3 pCi/L	Teledyne
0 CESIUM-134	LT	3 pCi/L	Teledyne
0 CESIUM-137	LT	3 pCi/L	Teledyne
0 CARBON-14	LT	8 pCi/L	Teledyne
0 IRON-55	LT	50 pCi/L	Teledyne
0 IRON-59	LT	9 pCi/L	Teledyne
0 IODINE-129	LT	2 pCi/L	Teledyne
0 IODINE-131	LT	30 pCi/L	Teledyne
0 POTASSIUM-40	LT	50 pCi/L	Teledyne
0 MANGANESE-54	LT	3 pCi/L	Teledyne
0 NICKEL-59	LT	100 pCi/L	Teledyne
0 NICKEL-63	LT	7 pCi/L	Teledyne
0 PLUTONIUM-238	LT	0.30 pCi/L	Teledyne
0 PLUTONIUM-242	LT	0.20 pCi/L	Teledyne
0 PLUTONIUM-239/240	LT	0.10 pCi/L	Teledyne
0 RADIUM-226	LT	80 pCi/L	Teledyne
0 RADIUM-226	LT	1 pCi/L	Teledyne
0 RADIUM-228	LT	0.90 pCi/L	Teledyne
0 RUTHENIUM-103	LT	5 pCi/L	Teledyne
0 RUTHENIUM-106	LT	30 pCi/L	Teledyne
0 STRONTIUM-89	LT	3 pCi/L	Teledyne
0 STRONTIUM-90	LT	0.90 pCi/L	Teledyne
0 TECHNETIUM-99	LT	3 pCi/L	Teledyne
0 THORIUM-228	LT	7 pCi/L	Teledyne
0 THORIUM-228	LT	0.70 pCi/L	Teledyne
0 THORIUM-230	LT	0.30 pCi/L	Teledyne
0 THORIUM-232	LT	0.20 pCi/L	Teledyne
0 URANIUM-235	LT	0.10 pCi/L	Teledyne
0 URANIUM-238	LT	0.20 pCi/L	Teledyne
0 URANIUM-233/234	LT	0.20 pCi/L	Teledyne
0 ZINC-65	LT	7 pCi/L	Teledyne
0 ZIRCONIUM-95	LT	4 pCi/L	Teledyne

WELL BLANK

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/22/89 Time 1415
pH = 5.3 Alkalinity = 1 mg/L
Specific conductance = 2 umhos/cm
Water temperature = 39.1 degrees Celsius

LABORATORY ANALYSES

0 A,A-DIMETHYLPHENETHYLAMINE	LT	10 ug/L	Gen. Eng.
0 ALPHA-BENZENEHEXACHLORIDE	LT	0.50 ug/L	Gen. Eng.
0 ACETONE	LT	1 ug/L	Gen. Eng.
0 ACETOPHENONE	LT	10 ug/L	Gen. Eng.
0 ACROLEIN	LT	20 ug/L	Gen. Eng.
0 ACRYLONITRILE	LT	20 ug/L	Gen. Eng.
0 SILVER	LT	2 ug/L	Gen. Eng.
0 ALDRIN	LT	0.50 ug/L	Gen. Eng.
0 ACENAPHTHENE	LT	10 ug/L	Gen. Eng.
0 ACENAPHTHYLENE	LT	10 ug/L	Gen. Eng.
0 ANILINE	LT	10 ug/L	Gen. Eng.
0 ANTHRACENE	LT	10 ug/L	Gen. Eng.
0 ARAMITE	LT	10 ug/L	Gen. Eng.
0 ARSENIC	LT	2 ug/L	Gen. Eng.
0 ALLYL CHLORIDE	LT	1 ug/L	Gen. Eng.
0 BARIUM	LT	4 ug/L	Gen. Eng.
0 BENZO(A)ANTHRACENE	LT	10 ug/L	Gen. Eng.
0 BENZO(A)PYRENE	LT	10 ug/L	Gen. Eng.
0 BENZO(B)FLUORANTHENE	LT	10 ug/L	Gen. Eng.
0 BETA-BENZENEHEXACHLORIDE	LT	0.50 ug/L	Gen. Eng.
0 BUTYLBENZYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0 BIS(CHLOROMETHYL-ETHYL)ETHER	LT	10 ug/L	Gen. Eng.
0 BERYLLIUM	LT	5 ug/L	Gen. Eng.
0 BENZO(G,H,I)PERYLENE	LT	10 ug/L	Gen. Eng.
0 BENZO(K)FLUORANTHENE	LT	10 ug/L	Gen. Eng.
0 BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 BENZYL ALCOHOL	LT	20 ug/L	Gen. Eng.

CONTINUED

WELL BLANK COLLECTED ON 08/22/89 LABORATORY ANALYSES CONTINUED

0 BIS(2-CHLOROETHOXY) METHANE	LT	10 ug/L	Gen. Eng.
0 BIS(2-CHLOROETHYL) ETHER	LT	10 ug/L	Gen. Eng.
0 BIS(2-ETHYLHEXYL) PHTHALATE	LT	10 ug/L	Gen. Eng.
0 DICHLORODIFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0 TRICHLOROFUOROMETHANE	LT	1 ug/L	Gen. Eng.
0 CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0 CADMIUM	LT	2 ug/L	Gen. Eng.
0 BROMOFORM	LT	1 ug/L	Gen. Eng.
0 CHLOROFORM	LT	1 ug/L	Gen. Eng.
0 CHRYSENE	LT	10 ug/L	Gen. Eng.
0 METHYLENE BROMIDE	LT	1 ug/L	Gen. Eng.
0 METHYLENE BROMIDE	LT	1 ug/L	Gen. Eng.
0 METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0 BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0 CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 ACETONITRILE (METHYL CYANIDE)	LT	1 ug/L	Gen. Eng.
0 CHLOROBENZILATE	LT	10 ug/L	Gen. Eng.
0 CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0 CHLORDANE	LT	0.50 ug/L	Gen. Eng.
0 CHLOROPRENE	LT	1 ug/L	Gen. Eng.
0 PENTACHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0 PENTACHLOROETHANE	LT	10 ug/L	Gen. Eng.
0 PENTACHLORONITROBENZENE	LT	10 ug/L	Gen. Eng.
0 HEXACHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0 HEXACHLOROCYCLOPENTADIENE	LT	10 ug/L	Gen. Eng.
0 HEXACHLOROETHANE	LT	10 ug/L	Gen. Eng.
0 COBALT	LT	4 ug/L	Gen. Eng.
0 CHROMIUM	LT	4 ug/L	Gen. Eng.
0 CARBON DISULFIDE	LT	1 ug/L	Gen. Eng.
0 COPPER	LT	4 ug/L	Gen. Eng.
0 CYANIDE	LT	5 ug/L	Gen. Eng.
0 CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0 CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 BENZENE	LT	1 ug/L	Gen. Eng.
0 DIBENZ(A,H)ANTHRACENE	LT	10 ug/L	Gen. Eng.
0 DIBROMOCHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0 DELTA-BENZENEHEXACHLORIDE	LT	0.50 ug/L	Gen. Eng.
0 DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 DIETHYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0 DIALATE	LT	10 ug/L	Gen. Eng.
0 DIBENZOFURAN	LT	10 ug/L	Gen. Eng.
0 DIMETHOATE	LT	10 ug/L	Gen. Eng.
0 DISULFOTON	LT	10 ug/L	Gen. Eng.
0 DIELDRIN	LT	0.50 ug/L	Gen. Eng.
0 DIMETHYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0 DI-N-BUTYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0 DI-N-OCTYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0 DIPHENYLAMINE	LT	10 ug/L	Gen. Eng.
0 ETHYL METHANESULFONATE	LT	10 ug/L	Gen. Eng.
0 ENDRIIN ALDEHYDE	LT	0.50 ug/L	Gen. Eng.
0 ENDRIIN	LT	0.50 ug/L	Gen. Eng.
0 ENDOSULFAN I	LT	0.50 ug/L	Gen. Eng.
0 ENDOSULFAN II	LT	0.50 ug/L	Gen. Eng.
0 ENDOSULFAN SULFATE	LT	0.50 ug/L	Gen. Eng.
0 ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0 ETHYL METHACRYLATE	LT	10 ug/L	Gen. Eng.
0 FAMPUR	LT	10 ug/L	Gen. Eng.
0 FLUORANTHENE	LT	10 ug/L	Gen. Eng.
0 FLUORENE	LT	10 ug/L	Gen. Eng.
0 HEXACHLOROBUTADIENE	LT	10 ug/L	Gen. Eng.
0 HEXACHLOROPHENE	LT	10 ug/L	Gen. Eng.
0 HEXACHLOROPROPENE	LT	10 ug/L	Gen. Eng.
0 MERCURY	LT	0.20 ug/L	Gen. Eng.
0 HEPTACHLOR	LT	0.50 ug/L	Gen. Eng.
0 HEPTACHLOR EPOXIDE	LT	0.50 ug/L	Gen. Eng.
0 INDENO(1,2,3-C,D)PYRENE	LT	10 ug/L	Gen. Eng.
0 IODOMETHANE	LT	1 ug/L	Gen. Eng.
0 ISOSAFROLE	LT	10 ug/L	Gen. Eng.
0 ISOBUTYL ALCOHOL	LT	1 ug/L	Gen. Eng.
0 ISODRIN	LT	10 ug/L	Gen. Eng.
0 ISOPHORONE	LT	10 ug/L	Gen. Eng.
0 KEPONE	LT	10 ug/L	Gen. Eng.
0 LINDANE	LT	0.50 ug/L	Gen. Eng.
0 METHACRYLONITRILE	LT	1 ug/L	Gen. Eng.
0 TOLUENE	LT	1 ug/L	Gen. Eng.
0 METHYLETHYL KETONE	LT	1 ug/L	Gen. Eng.
0 METHYL METHACRYLATE	LT	10 ug/L	Gen. Eng.
0 METHYL METHANE SULFONATE	LT	10 ug/L	Gen. Eng.
0 METHOXYCHLOR	LT	4 ug/L	Gen. Eng.
0 METHYLISOBUTYL KETONE	LT	1 ug/L	Gen. Eng.
0 METHAPYRILENE	LT	10 ug/L	Gen. Eng.
0 NAPHTHALENE	LT	10 ug/L	Gen. Eng.
0 NITROBENZENE	LT	10 ug/L	Gen. Eng.
0 N-NITROSODIMETHYLAMINE	LT	10 ug/L	Gen. Eng.
0 N-NITROSODI-N-BUTYLAMINE	LT	10 ug/L	Gen. Eng.
0 N-NITROSODI-PROPYLAMINE	LT	10 ug/L	Gen. Eng.
0 N-NITROSODIETHYLAMINE	LT	10 ug/L	Gen. Eng.
0 N-NITROSODIETHYLMETHYLAMINE	LT	10 ug/L	Gen. Eng.
0 NICKEL	LT	4 ug/L	Gen. Eng.
0 N-NITROSOMORPHOLINE	LT	10 ug/L	Gen. Eng.
0 N-NITROSODIPHENYLAMINE	LT	10 ug/L	Gen. Eng.
0 N-NITROSOPIPERIDINE	LT	10 ug/L	Gen. Eng.
0 N-NITROSOPYRROLIDINE	LT	10 ug/L	Gen. Eng.
0 4-NITROQUINOLINE-1-OXIDE	LT	10 ug/L	Gen. Eng.
0 5-NITRO-O-TOLUIDINE	LT	10 ug/L	Gen. Eng.
0 O-TOLUIDINE	LT	10 ug/L	Gen. Eng.
0 LEAD	LT	6 ug/L	Gen. Eng.
0 PCB 1016	LT	0.50 ug/L	Gen. Eng.
0 PCB 1221	LT	0.50 ug/L	Gen. Eng.
0 PCB 1232	LT	0.50 ug/L	Gen. Eng.
0 PCB 1242	LT	0.50 ug/L	Gen. Eng.
0 PCB 1248	LT	0.50 ug/L	Gen. Eng.
0 PCB 1254	LT	0.50 ug/L	Gen. Eng.
0 PCB 1260	LT	0.50 ug/L	Gen. Eng.
0 PCB 1262	LT	0.50 ug/L	Gen. Eng.
0 PENTACHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0 P-TOLYLENE-DIAMINE	LT	10 ug/L	Gen. Eng.
0 P-DIMETHYLAMINOAZOBENZENE	LT	10 ug/L	Gen. Eng.
0 PHENACETIN	LT	10 ug/L	Gen. Eng.

CONTINUED

WELL BLANK COLLECTED ON 08/22/89 LABORATORY ANALYSES CONTINUED

0 PHENANTHRENE	LT	10 ug/L	Gen. Eng.
0 PHENOLS	LT	10 ug/L	Gen. Eng.
0 PHOSPHATE	LT	0.50 ug/L	Gen. Eng.
0 2,2-BIS(4-CHLOROPHENYL)-1,1-DCE	LT	0.50 ug/L	Gen. Eng.
0 2,2-BIS(4-CHLOROPHENYL)-1,1-DCE	LT	0.50 ug/L	Gen. Eng.
0 2,2-BIS(4-CHLOROPHENYL)-1,1,1-TCE	LT	0.50 ug/L	Gen. Eng.
0 PRONAMIDE	LT	10 ug/L	Gen. Eng.
0 PROPIONITRILE	LT	1 ug/L	Gen. Eng.
0 PARATHION	LT	0.50 ug/L	Gen. Eng.
0 PARATHION METHYL	LT	0.50 ug/L	Gen. Eng.
0 PYRENE	LT	10 ug/L	Gen. Eng.
0 PYRIDINE	LT	10 ug/L	Gen. Eng.
0 SAFROLE	LT	10 ug/L	Gen. Eng.
0 SODIUM	LT	3 ug/L	Gen. Eng.
0 2-SEC-BUTYL-4,6-DINITROPHENOL	LT	10 ug/L	Gen. Eng.
0 SELENIUM	LT	2 ug/L	Gen. Eng.
0 SILVER	LT	0.50 ug/L	Gen. Eng.
0 TIN	LT	2 ug/L	Gen. Eng.
0 STYRENE	LT	1 ug/L	Gen. Eng.
0 SULFIDE	LT	1000 ug/L	Gen. Eng.
0 1,2,4,5-TETRACHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0 1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,1,1,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0 0,0,0-TRIETHYL PHOSPHOROTHIOATE	LT	10 ug/L	Gen. Eng.
0 THALLIUM	LT	2 ug/L	Gen. Eng.
0 TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0 TOXAPHENE	LT	5 ug/L	Gen. Eng.
0 TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0 TRANS-1,4-DICHLORO-2-BUTENE	LT	1 ug/L	Gen. Eng.
0 VANADIUM	LT	20 ug/L	Gen. Eng.
0 VINYL ACETATE	LT	1 ug/L	Gen. Eng.
0 XYLENES	LT	2 ug/L	Gen. Eng.
0 1-NAPHTHYLAMINE	LT	10 ug/L	Gen. Eng.
0 1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0 1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,2-DICHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0 1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0 1,2,3-TRICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0 1,2,4-TRICHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0 1,3-DICHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0 CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0 TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0 1,3-DINITROBENZENE	LT	10 ug/L	Gen. Eng.
0 1,3,5-TRINITROBENZENE	LT	10 ug/L	Gen. Eng.
0 1,4-DICHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0 1,4-DIOXANE	LT	10 ug/L	Gen. Eng.
0 1,4-NAPHTHOQUINONE	LT	10 ug/L	Gen. Eng.
0 2-ACETYLAMINOFUORENE	LT	10 ug/L	Gen. Eng.
0 2-CHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0 2-CHLORONAPHTHALENE	LT	10 ug/L	Gen. Eng.
0 2-HEXANONE	LT	1 ug/L	Gen. Eng.
0 2-METHYLNAPHTHALENE	LT	10 ug/L	Gen. Eng.
0 2-METHYL PHENOL	LT	10 ug/L	Gen. Eng.
0 2-NITROANILINE	LT	10 ug/L	Gen. Eng.
0 2-NAPHTHYLAMINE	LT	10 ug/L	Gen. Eng.
0 2-NITROPHENOL	LT	10 ug/L	Gen. Eng.
0 2-PICOLINE	LT	10 ug/L	Gen. Eng.
0 2,3,4,6-TETRACHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0 2,4-DICHLOROPHENOXYACETIC ACID	LT	0.50 ug/L	Gen. Eng.
0 2,4-DICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0 2,4-DIMETHYL PHENOL	LT	10 ug/L	Gen. Eng.
0 2,4-DINITROPHENOL	LT	10 ug/L	Gen. Eng.
0 2,4-DINITROTOLUENE	LT	10 ug/L	Gen. Eng.
0 2,4,5-TRICHLOROPHENOXYACETIC ACID	LT	0.50 ug/L	Gen. Eng.
0 2,4,5-TRICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0 2,4,6-TRICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0 2,6-DICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0 2,6-DINITROTOLUENE	LT	10 ug/L	Gen. Eng.
0 3-METHYLCOLANTHRENE	LT	10 ug/L	Gen. Eng.
0 3-METHYL PHENOL	LT	10 ug/L	Gen. Eng.
0 3-NITROANILINE	LT	10 ug/L	Gen. Eng.
0 3,3-DICHLOROBENZIDENE	LT	20 ug/L	Gen. Eng.
0 3,3-DIMETHYLBENZIDINE	LT	10 ug/L	Gen. Eng.
0 4-AMINOBIIPHENYL	LT	10 ug/L	Gen. Eng.
0 4-BROMOPHENYLPHENYL ETHER	LT	10 ug/L	Gen. Eng.
0 4-CHLOROANILINE	LT	10 ug/L	Gen. Eng.
0 4-CHLOROPHENYLPHENYL ETHER	LT	10 ug/L	Gen. Eng.
0 PARA-CHLORO-META-CRESOL	LT	10 ug/L	Gen. Eng.
0 4-METHYL PHENOL	LT	10 ug/L	Gen. Eng.
0 4-NITROANILINE	LT	10 ug/L	Gen. Eng.
0 4-NITROPHENOL	LT	10 ug/L	Gen. Eng.
0 2-METHYL-4,6-DINITROPHENOL	LT	10 ug/L	Gen. Eng.
0 7,12-DIMETHYLBENZ(A)ANTHRACENE	LT	10 ug/L	Gen. Eng.
0 ZINC	LT	2 ug/L	Gen. Eng.

WELL BLANK

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/23/89 Time 755
 pH = 5.4 Alkalinity = 1 mg/L
 Specific conductance = 2 umhos/cm
 Water temperature = 23.6 degrees Celsius

LABORATORY ANALYSES

0 SPECIFIC CONDUCTANCE		3.00 UMC	Gen. Eng.
0 SPECIFIC CONDUCTANCE		10.80 UMC	metaTRACE
0 PH		5.28 pH	Gen. Eng.
0 PH		4.30 pH	metaTRACE
0 TURBIDITY	LT	0.20 NTU	Gen. Eng.
0 TURBIDITY	LT	0.23 NTU	metaTRACE
0 ALPHA-BENZENECHLORIDE	LT	10 ug/L	Gen. Eng.
0 ALPHA-BENZENECHLORIDE	LT	0.50 ug/L	Gen. Eng.
0 ACETOPHENONE	LT	500 ug/L	Gen. Eng.
0 ALPHA-ENDOSULFAN	LT	10 ug/L	Gen. Eng.
0 SILVER	LT	2 ug/L	Gen. Eng.
0 SILVER	LT	2 ug/L	metaTRACE
0 ALUMINUM	LT	38 ug/L	Gen. Eng.
0 ALUMINUM	LT	30 ug/L	metaTRACE
0 ALDRIN	LT	10 ug/L	Gen. Eng.
0 ALDRIN	LT	0.50 ug/L	Gen. Eng.
0 ACENAPHTHENE	LT	10 ug/L	Gen. Eng.
0 ACENAPHTHYLENE	LT	10 ug/L	Gen. Eng.
0 ANTHRACENE	LT	10 ug/L	Gen. Eng.
0 ARSENIC	LT	2 ug/L	Gen. Eng.
0 ARSENIC	LT	3 ug/L	metaTRACE
0 BARIUM	LT	4 ug/L	Gen. Eng.
0 BARIUM	LT	25 ug/L	metaTRACE
0 BENZO(A)ANTHRACENE	LT	10 ug/L	Gen. Eng.
0 BENZO(A)PYRENE	LT	10 ug/L	Gen. Eng.
0 BENZO(B)FLUORANTHENE	LT	10 ug/L	Gen. Eng.
0 BETA-BENZENECHLORIDE	LT	10 ug/L	Gen. Eng.
0 BETA-BENZENECHLORIDE	LT	0.50 ug/L	Gen. Eng.
0 BUTYLBENZYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0 BIS(CHLOROMETHYL)ETHER	LT	10 ug/L	Gen. Eng.
0 BERYLLIUM	LT	5 ug/L	Gen. Eng.
0 BERYLLIUM	LT	1 ug/L	metaTRACE
0 BETA-ENDOSULFAN	LT	10 ug/L	Gen. Eng.
0 BENZIDINE	LT	10 ug/L	Gen. Eng.
0 BENZO(C,H,I)PERYLENE	LT	10 ug/L	Gen. Eng.
0 BENZO(K)FLUORANTHENE	LT	10 ug/L	Gen. Eng.
0 BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
0 BIS(2-CHLOROETHOXY) METHANE	LT	10 ug/L	Gen. Eng.
0 BIS(2-CHLOROISOPROPYL) ETHER	LT	10 ug/L	Gen. Eng.
0 BIS(2-CHLOROETHYL) ETHER	LT	10 ug/L	Gen. Eng.
0 BIS(2-ETHYLHEXYL) PHTHALATE	LT	0 ug/L	Gen. Eng.
0 CALCIUM		52 ug/L	Gen. Eng.
0 CALCIUM		546 ug/L	metaTRACE
0 TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0 TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE
0 CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0 CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0 CADMIUM	LT	2 ug/L	Gen. Eng.
0 CADMIUM	LT	4 ug/L	metaTRACE
0 BROMOFORM	LT	1 ug/L	Gen. Eng.
0 BROMOFORM	LT	5 ug/L	metaTRACE
0 CHLOROFORM	LT	4 ug/L	Gen. Eng.
0 CHLOROFORM	LT	5 ug/L	metaTRACE
0 CHRYSENE	LT	10 ug/L	Gen. Eng.
1 METHYLENE CHLORIDE		1 ug/L	Gen. Eng.
1 METHYLENE CHLORIDE	JB	5 ug/L	metaTRACE
0 BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0 BROMOMETHANE	LT	10 ug/L	metaTRACE
0 CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 CHLOROMETHANE	LT	10 ug/L	metaTRACE
0 CHLORIDE	LT	1000 ug/L	Gen. Eng.
0 CHLORIDE	LT	250 ug/L	metaTRACE
0 CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0 CHLOROBENZENE	LT	5 ug/L	metaTRACE
0 CHLOROBENZENE	LT	5 ug/L	metaTRACE
0 CHLORDANE	LT	10 ug/L	Gen. Eng.
0 CHLORDANE	LT	0.50 ug/L	Gen. Eng.
0 HEXACHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0 HEXACHLOROCYCLOPENTADIENE	LT	10 ug/L	Gen. Eng.
0 HEXACHLOROETHANE	LT	10 ug/L	Gen. Eng.
0 COBALT	LT	4 ug/L	Gen. Eng.
0 COBALT	LT	7 ug/L	metaTRACE
0 CHROMIUM	LT	4 ug/L	Gen. Eng.
0 CHROMIUM	LT	5 ug/L	metaTRACE
0 COPPER	LT	8 ug/L	Gen. Eng.
0 COPPER	LT	10 ug/L	metaTRACE
0 CYANIDE	LT	5 ug/L	Gen. Eng.
0 CYANIDE	LT	5 ug/L	metaTRACE
0 CYANIDE	LT	5 ug/L	metaTRACE
0 CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0 CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0 CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 CHLOROETHANE	LT	10 ug/L	metaTRACE
0 BENZENE	LT	1 ug/L	Gen. Eng.
0 BENZENE	LT	5 ug/L	metaTRACE
0 DIBENZ(A,H)ANTHRACENE	LT	10 ug/L	Gen. Eng.
0 DELTA-BENZENECHLORIDE	LT	10 ug/L	Gen. Eng.
0 DELTA-BENZENECHLORIDE	LT	0.50 ug/L	Gen. Eng.
0 DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0 DIETHYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0 DIELDRIN	LT	10 ug/L	Gen. Eng.
0 DIELDRIN	LT	0.50 ug/L	Gen. Eng.
0 DIMETHYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0 DI-N-BUTYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0 DI-N-OCTYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0 ENDRIAL ALDEHYDE	LT	10 ug/L	Gen. Eng.

CONTINUED

WELL BLANK COLLECTED ON 08/23/89 LABORATORY ANALYSES CONTINUED

0	ENDRIN ALDEHYDE	LT	0.50 ug/L	Gen. Eng.
0	ENDRIN	LT	10 ug/L	Gen. Eng.
0	ENDRIN	LT	0.50 ug/L	Gen. Eng.
0	ENDRIN	LT	0.006 ug/L	metaTRACE
0	ENDOSULFAM I	LT	0.50 ug/L	Gen. Eng.
0	ENDOSULFAM II	LT	0.50 ug/L	Gen. Eng.
0	ENDOSULFAM SULFATE	LT	10 ug/L	Gen. Eng.
0	ENDOSULFAM SULFATE	LT	0.50 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
1	ETHYLBENZENE	J	5 ug/L	metaTRACE
0	FLUORIDE	LT	100 ug/L	Gen. Eng.
0	FLUORIDE	LT	250 ug/L	metaTRACE
0	FLUORANTHENE	LT	10 ug/L	Gen. Eng.
0	IRON	LT	7 ug/L	Gen. Eng.
0	IRON	LT	6 ug/L	metaTRACE
0	FLUORENE	LT	10 ug/L	Gen. Eng.
0	HEXACHLOROBUTADIENE	LT	10 ug/L	Gen. Eng.
0	MERCURY	LT	0.20 ug/L	Gen. Eng.
0	MERCURY	LT	0.20 ug/L	metaTRACE
0	HEPTACHLOR	LT	10 ug/L	Gen. Eng.
0	HEPTACHLOR	LT	0.50 ug/L	Gen. Eng.
0	HEPTACHLOR EPOXIDE	LT	10 ug/L	Gen. Eng.
0	HEPTACHLOR EPOXIDE	LT	0.50 ug/L	Gen. Eng.
0	INDENO(1,2,3-C,D)PYRENE	LT	10 ug/L	Gen. Eng.
0	ISOPHORONE	LT	10 ug/L	Gen. Eng.
0	POTASSIUM	LT	500 ug/L	Gen. Eng.
0	POTASSIUM	LT	2000 ug/L	metaTRACE
0	LITHIUM	LT	5 ug/L	Gen. Eng.
0	LITHIUM	LT	41 ug/L	metaTRACE
0	LINDANE	LT	10 ug/L	Gen. Eng.
0	LINDANE	LT	0.50 ug/L	Gen. Eng.
0	LINDANE	LT	0.005 ug/L	metaTRACE
0	TOLUENE	LT	1 ug/L	Gen. Eng.
0	TOLUENE	LT	5 ug/L	metaTRACE
0	METHOXYCHLOR	LT	4 ug/L	Gen. Eng.
0	METHOXYCHLOR	LT	0.50 ug/L	metaTRACE
0	MAGNESIUM	LT	8 ug/L	Gen. Eng.
0	MAGNESIUM	LT	15 ug/L	metaTRACE
0	MANGANESE	LT	2 ug/L	Gen. Eng.
0	MANGANESE	LT	2 ug/L	metaTRACE
0	SODIUM	LT	162 ug/L	Gen. Eng.
0	SODIUM	LT	80 ug/L	metaTRACE
0	NAPHTHALENE	LT	10 ug/L	Gen. Eng.
0	NITROBENZENE	LT	10 ug/L	Gen. Eng.
0	N-NITROSODIMETHYLAMINE	LT	10 ug/L	Gen. Eng.
0	N-NITROSODI-PROPYLAMINE	LT	10 ug/L	Gen. Eng.
0	NICKEL	LT	4 ug/L	Gen. Eng.
0	NICKEL	LT	5 ug/L	metaTRACE
0	N-NITROSODIPHENYLAMINE	LT	10 ug/L	Gen. Eng.
0	NITRITE AS NITROGEN	LT	10 ug/L	Gen. Eng.
0	NITRITE AS NITROGEN	LT	2500 ug/L	metaTRACE
0	NITRATE AS NITROGEN	LT	50 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN	LT	20 ug/L	metaTRACE
0	LEAD	LT	6 ug/L	Gen. Eng.
0	LEAD	LT	3 ug/L	metaTRACE
0	PCB 1016	LT	150 ug/L	Gen. Eng.
0	PCP 1221	LT	150 ug/L	Gen. Eng.
0	PCB 1232	LT	150 ug/L	Gen. Eng.
0	PCB 1242	LT	150 ug/L	Gen. Eng.
0	PCB 1248	LT	150 ug/L	Gen. Eng.
0	PCB 1254	LT	150 ug/L	Gen. Eng.
0	PCB 1260	LT	150 ug/L	Gen. Eng.
0	PENTACHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	PHENANTHRENE	LT	10 ug/L	Gen. Eng.
0	PHENOLS	LT	5 ug/L	Gen. Eng.
0	PHENOLS	LT	10 ug/L	Gen. Eng.
0	PHENOLS	LT	5 ug/L	metaTRACE
0	PHENOLS	LT	5 ug/L	metaTRACE
0	2,2-BIS(4-CHLOROPHENYL)-1,1-DCE	LT	10 ug/L	Gen. Eng.
0	2,2-BIS(4-CHLOROPHENYL)-1,1-DCE	LT	0.50 ug/L	Gen. Eng.
0	2,2-BIS(4-CHLOROPHENYL)-1,1-DCE	LT	10 ug/L	Gen. Eng.
0	2,2-BIS(4-CHLOROPHENYL)-1,1-DCE	LT	0.50 ug/L	Gen. Eng.
0	2,2-BIS(4-CHLOROPHENYL)-1,1,1-TCE	LT	10 ug/L	Gen. Eng.
0	2,2-BIS(4-CHLOROPHENYL)-1,1,1-TCE	LT	0.50 ug/L	Gen. Eng.
0	PYRENE	LT	10 ug/L	Gen. Eng.
0	ANTIMONY	LT	3 ug/L	Gen. Eng.
0	ANTIMONY	LT	10 ug/L	metaTRACE
0	SELENIUM	LT	2 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	metaTRACE
1	SILICON	LT	4635 ug/L	metaTRACE
1	SILICA	LT	7590 ug/L	Gen. Eng.
0	SILVEX	LT	0.09 ug/L	Gen. Eng.
0	SILVEX	LT	0.07 ug/L	metaTRACE
0	TIN	LT	2 ug/L	Gen. Eng.
0	TIN	LT	100 ug/L	metaTRACE
0	SULFATE	LT	5000 ug/L	Gen. Eng.
0	SULFATE	LT	1000 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS	LT	13000 ug/L	Gen. Eng.
0	TOTAL DISSOLVED SOLIDS	LT	49000 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS	LT	53000 ug/L	metaTRACE
0	THALLIUM	LT	2 ug/L	Gen. Eng.
0	THALLIUM	LT	3 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	Gen. Eng.
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	Gen. Eng.
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	metaTRACE
0	TOTAL PHOSPHATES	LT	50 ug/L	Gen. Eng.
0	TOTAL PHOSPHATES	LT	12 ug/L	metaTRACE
0	TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TOXAPHENE	LT	10 ug/L	Gen. Eng.
0	TOXAPHENE	LT	5 ug/L	Gen. Eng.
0	TOXAPHENE	LT	0.24 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE

CONTINUED

WELL BLANK COLLECTED ON 08/23/89 LABORATORY ANALYSES CONTINUED

0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	URANIUM	LT	1000 ug/L	Gen. Eng.
0	URANIUM	LT	100 ug/L	metaTRACE
0	VANADIUM	LT	20 ug/L	Gen. Eng.
0	VANADIUM	LT	5 ug/L	metaTRACE
0	XYLENES	LT	2 ug/L	Gen. Eng.
0	XYLENES	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	1,2-DIPHENYL HYDRAZINE	LT	10 ug/L	Gen. Eng.
0	1,2,4-TRICHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	10 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0	2-CHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2-CHLORONAPHTHALENE	LT	10 ug/L	Gen. Eng.
0	2-METHYLNAPHTHALENE	LT	10 ug/L	Gen. Eng.
0	2-NITROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,4-DICHLOROPHENOXYACETIC ACID	LT	0.30 ug/L	Gen. Eng.
0	2,4-DICHLOROPHENOXYACETIC ACID	LT	0.46 ug/L	metaTRACE
0	2,4-DICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,4-DIMETHYL PHENOL	LT	10 ug/L	Gen. Eng.
0	2,4-DINITROPHENOL	LT	45 ug/L	Gen. Eng.
0	2,4-DINITROTOLUENE	LT	10 ug/L	Gen. Eng.
0	2,4,6-TRICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,6-DINITROTOLUENE	LT	10 ug/L	Gen. Eng.
0	3,3-DICHLOROBENZIDENE	LT	10 ug/L	Gen. Eng.
0	4-CROMOPHENYLPHENYL ETHER	LT	10 ug/L	Gen. Eng.
0	4-CHLOROPHENYLPHENYL ETHER	LT	10 ug/L	Gen. Eng.
0	PARA-CHLORO-META-CRESOL	LT	10 ug/L	Gen. Eng.
0	4-NITROPHENOL	LT	10 ug/L	Gen. Eng.
0	2-METHYL-4,6-DINITROPHENOL	LT	30 ug/L	Gen. Eng.
0	ZINC	LT	10 ug/L	Gen. Eng.
0	ZINC	LT	13 ug/L	metaTRACE
0	GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
0	GROSS ALPHA	LT	2 pCi/L	metaTRACE
0	NONVOLATILE BETA	LT	2 pCi/L	Gen. Eng.
0	NONVOLATILE BETA	LT	4 pCi/L	metaTRACE
0	TOTAL RADIUM	LT	1 pCi/L	Gen. Eng.
0	TOTAL RADIUM	LT	1 pCi/L	metaTRACE
0	TOTAL RADIUM	LT	1 pCi/L	metaTRACE
0	TOTAL RADIUM	LT	1 pCi/L	metaTRACE
0	TRITIUM	LT	0.70 pCi/mL	Gen. Eng.
0	TRITIUM	LT	1 pCi/mL	metaTRACE

WELL BLANK

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/25/89 Time

LABORATORY ANALYSES

0	HEPTACHLORODIBENZODIOXINS	LT	0.97 ng/L	metaTRACE
0	HEPTACHLORODIBENZOFURANS	LT	0.85 ng/L	metaTRACE
0	HEXACHLORODIBENZODIOXINS	LT	0.81 ng/L	metaTRACE
0	HEXACHLORODIBENZOFURANS	LT	0.70 ng/L	metaTRACE
0	ORTHOCHLORODIBENZODIOXINS	LT	0.94 ng/L	metaTRACE
0	ORTHOCHLORODIBENZOFURANS	LT	0.80 ng/L	metaTRACE
0	PENTACHLORODIBENZODIOXINS	LT	0.70 ng/L	metaTRACE
0	PENTACHLORODIBENZOFURANS	LT	0.52 ng/L	metaTRACE
0	TETRACHLORODIBENZODIOXIN	LT	0.68 ng/L	metaTRACE
0	TETRACHLORODIBENZOFURAN	LT	0.54 ng/L	metaTRACE

WELL BLANK

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/03/89 Time 1745
pH = 5.2 Alkalinity = 0 mg/L
Specific conductance = 2 umhos/cm
Water temperature = 30.4 degrees Celsius

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE	LT	8.00 UMH/C	Gen. Eng.
0	SPECIFIC CONDUCTANCE	LT	31.60 UMH/C	metaTRACE
0	PH	LT	5.20 pH	Gen. Eng.
0	PH	LT	3.18 pH	metaTRACE
0	TURBIDITY	LT	0.20 NTU	Gen. Eng.
0	TURBIDITY	LT	0.33 NTU	metaTRACE
0	ALPHA-BENZENEHEXACHLORIDE	LT	0.50 ug/L	Gen. Eng.
0	ALPHA-BENZENEHEXACHLORIDE	LT	10 ug/L	Gen. Eng.
0	ACETOPHENONE	LT	10 ug/L	Gen. Eng.
0	ALPHA-ENDOSULFAM	LT	10 ug/L	Gen. Eng.
0	SILVER	LT	2 ug/L	Gen. Eng.
0	SILVER	LT	2 ug/L	metaTRACE
0	ALUMINUM	LT	20 ug/L	Gen. Eng.

CONTINUED

WELL BLANK COLLECTED ON 09/03/89 LABORATORY ANALYSES CONTINUED

0 ALUMINUM	LT	30 ug/L	metaTRACE
0 ALDRIN	LT	0.50 ug/L	Gen. Eng.
0 ALDRIN	LT	10 ug/L	Gen. Eng.
0 ACENAPHTHENE	LT	10 ug/L	Gen. Eng.
0 ACENAPHTHYLENE	LT	10 ug/L	Gen. Eng.
0 ANTHRACENE	LT	10 ug/L	Gen. Eng.
0 ARSENIC	LT	2 ug/L	Gen. Eng.
0 ARSENIC	LT	3 ug/L	metaTRACE
0 BARIUM	LT	4 ug/L	Gen. Eng.
0 BARIUM	LT	25 ug/L	metaTRACE
0 BENZO(A)ANTHRACENE	LT	10 ug/L	Gen. Eng.
0 BENZO(A)PYRENE	LT	10 ug/L	Gen. Eng.
0 BENZO(B)FLUORANTHENE	LT	10 ug/L	Gen. Eng.
0 BETA-BENZENEHEXACHLORIDE	LT	0.50 ug/L	Gen. Eng.
0 BETA-BENZENEHEXACHLORIDE	LT	10 ug/L	Gen. Eng.
0 BUTYLBENZYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0 BIS(CHLOROETHYL)ETHER	LT	10 ug/L	Gen. Eng.
0 BERYLLIUM	LT	5 ug/L	Gen. Eng.
0 BERYLLIUM	LT	1 ug/L	metaTRACE
0 BETA-ENOSULFAN	LT	10 ug/L	Gen. Eng.
0 BENZIDINE	LT	10 ug/L	Gen. Eng.
0 BENZO(G,H,I)PERYLENE	LT	10 ug/L	Gen. Eng.
0 BENZO(K)FLUORANTHENE	LT	10 ug/L	Gen. Eng.
0 BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 BROMODICHLOROMETHANE	LT	3 ug/L	metaTRACE
0 BIS(2-CHLOROETHOXY) METHANE	LT	10 ug/L	Gen. Eng.
0 BIS(2-CHLOROISOPROPYL) ETHER	LT	10 ug/L	Gen. Eng.
0 BIS(2-CHLOROETHYL) ETHER	LT	10 ug/L	Gen. Eng.
0 BIS(2-ETHYLHEXYL) PHTHALATE	LT	10 ug/L	Gen. Eng.
0 CALCIUM	LT	10 ug/L	Gen. Eng.
0 CALCIUM	LT	158 ug/L	metaTRACE
0 TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0 TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE
0 CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0 CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0 CADMIUM	LT	2 ug/L	Gen. Eng.
0 CADMIUM	LT	4 ug/L	metaTRACE
0 BROMOFORM	LT	1 ug/L	Gen. Eng.
0 BROMOFORM	LT	5 ug/L	metaTRACE
0 CHLOROFORM	LT	1 ug/L	Gen. Eng.
0 CHLOROFORM	LT	5 ug/L	metaTRACE
0 CHRYSENE	LT	10 ug/L	Gen. Eng.
0 METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0 METHYLENE CHLORIDE	LT	5 ug/L	metaTRACE
0 BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0 BROMOMETHANE	LT	10 ug/L	metaTRACE
0 CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 CHLOROMETHANE	LT	10 ug/L	metaTRACE
0 CHLORIDE	LT	1000 ug/L	Gen. Eng.
0 CHLORIDE	LT	250 ug/L	metaTRACE
0 CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0 CHLOROBENZENE	LT	5 ug/L	metaTRACE
0 CHLORDANE	LT	0.50 ug/L	Gen. Eng.
0 CHLORDANE	LT	10 ug/L	Gen. Eng.
0 HEXACHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0 HEXACHLOROXYCLOPENTADIENE	LT	10 ug/L	Gen. Eng.
0 HEXACHLOROETHANE	LT	10 ug/L	Gen. Eng.
0 CORAL T	LT	4 ug/L	Gen. Eng.
0 CORAL T	LT	7 ug/L	metaTRACE
0 CHROMIUM	LT	4 ug/L	Gen. Eng.
0 CHROMIUM	LT	5 ug/L	metaTRACE
0 COPPER	LT	4 ug/L	Gen. Eng.
0 COPPER	LT	10 ug/L	metaTRACE
0 CYANIDE	LT	5 ug/L	Gen. Eng.
0 CYANIDE	LT	5 ug/L	metaTRACE
0 CYANIDE	LT	5 ug/L	metaTRACE
0 CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0 CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 CHLOROETHANE	LT	10 ug/L	metaTRACE
0 BENZENE	LT	1 ug/L	Gen. Eng.
0 BENZENE	LT	5 ug/L	metaTRACE
0 DIBENZ(A,H)ANTHRACENE	LT	10 ug/L	Gen. Eng.
0 DELTA-BENZENEHEXACHLORIDE	LT	0.50 ug/L	Gen. Eng.
0 DELTA-BENZENEHEXACHLORIDE	LT	10 ug/L	Gen. Eng.
0 DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 DIBROMOCHLOROMETHANE	LT	15 ug/L	metaTRACE
0 DIETHYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0 DIELDRIN	LT	0.50 ug/L	Gen. Eng.
0 DIELDRIN	LT	10 ug/L	Gen. Eng.
0 DIMETHYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0 DI-N-BUTYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0 DI-N-OCTYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0 ENDRIN ALDEHYDE	LT	0.50 ug/L	Gen. Eng.
0 ENDRIN ALDEHYDE	LT	10 ug/L	Gen. Eng.
0 ENDRIN	LT	0.50 ug/L	Gen. Eng.
0 ENDRIN	LT	10 ug/L	metaTRACE
0 ENDRIN	LT	0.006 ug/L	Gen. Eng.
0 ENDSULFAN I	LT	0.50 ug/L	Gen. Eng.
0 ENDSULFAN II	LT	0.50 ug/L	Gen. Eng.
0 ENDSULFAN SULFATE	LT	0.50 ug/L	Gen. Eng.
0 ENDSULFAN SULFATE	LT	10 ug/L	Gen. Eng.
0 ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0 ETHYLBENZENE	LT	5 ug/L	metaTRACE
0 FLUORIDE	LT	100 ug/L	Gen. Eng.
0 FLUORIDE	LT	250 ug/L	metaTRACE
0 FLUORANTHENE	LT	10 ug/L	Gen. Eng.
0 IRON	LT	4 ug/L	Gen. Eng.
0 IRON	LT	5 ug/L	metaTRACE
0 FLUORENE	LT	10 ug/L	Gen. Eng.
0 HEXACHLOROBUTADIENE	LT	10 ug/L	Gen. Eng.
0 MERCURY	LT	0.20 ug/L	Gen. Eng.
0 MERCURY	LT	0.20 ug/L	metaTRACE
0 MERCURY	LT	0.20 ug/L	metaTRACE
0 HEPTACHLOR	LT	0.50 ug/L	Gen. Eng.
0 HEPTACHLOR	LT	10 ug/L	Gen. Eng.
0 HEPTACHLOR EPOXIDE	LT	0.50 ug/L	Gen. Eng.
0 HEPTACHLOR EPOXIDE	LT	10 ug/L	Gen. Eng.
0 INDENO(1,2,3-C,D)PYRENE	LT	10 ug/L	Gen. Eng.
0 ISOPHORONE	LT	10 ug/L	Gen. Eng.

CONTINUED

WELL BLANK COLLECTED ON 09/03/89 LABORATORY ANALYSES CONTINUED

0 POTASSIUM	LT	500 ug/L	Gen. Eng.
0 POTASSIUM	LT	2000 ug/L	metaTRACE
0 LITHIUM	LT	5 ug/L	Gen. Eng.
0 LITHIUM	LT	41 ug/L	metaTRACE
0 LINDANE	LT	0.50 ug/L	Gen. Eng.
0 LINDANE	LT	10 ug/L	Gen. Eng.
0 LINDANE	LT	0.005 ug/L	metaTRACE
0 TOLUENE	LT	1 ug/L	Gen. Eng.
0 TOLUENE	LT	5 ug/L	metaTRACE
0 METHOXYCHLOR	LT	4 ug/L	Gen. Eng.
0 METHOXYCHLOR	LT	0.50 ug/L	metaTRACE
0 MAGNESIUM	LT	2 ug/L	Gen. Eng.
0 MAGNESIUM	LT	6 ug/L	metaTRACE
0 MANGANESE	LT	2 ug/L	Gen. Eng.
0 MANGANESE	LT	2 ug/L	metaTRACE
0 SODIUM	LT	101 ug/L	Gen. Eng.
0 SODIUM	LT	40 ug/L	metaTRACE
0 NAPHTHALENE	LT	10 ug/L	Gen. Eng.
0 NITROBENZENE	LT	10 ug/L	Gen. Eng.
0 N-NITROSODIMETHYLAMINE	LT	10 ug/L	Gen. Eng.
0 N-NITROSODI-PROPYLAMINE	LT	10 ug/L	Gen. Eng.
0 NICKEL	LT	4 ug/L	Gen. Eng.
0 NICKEL	LT	5 ug/L	metaTRACE
0 N-NITROSODIPHENYLAMINE	LT	10 ug/L	Gen. Eng.
0 NITRITE AS NITROGEN	LT	10 ug/L	Gen. Eng.
0 NITRATE AS NITROGEN	LT	2500 ug/L	metaTRACE
0 NITRATE AS NITROGEN	LT	50 ug/L	Gen. Eng.
0 LEAD	LT	2500 ug/L	metaTRACE
0 LEAD	LT	6 ug/L	Gen. Eng.
0 PCB 1016	LT	3 ug/L	metaTRACE
0 PCB 1221	LT	150 ug/L	Gen. Eng.
0 PCB 1232	LT	150 ug/L	Gen. Eng.
0 PCB 1242	LT	150 ug/L	Gen. Eng.
0 PCB 1248	LT	150 ug/L	Gen. Eng.
0 PCB 1254	LT	150 ug/L	Gen. Eng.
0 PCB 1260	LT	150 ug/L	Gen. Eng.
0 PENTACHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0 PHENANTHRENE	LT	10 ug/L	Gen. Eng.
0 PHENOLS	LT	5 ug/L	Gen. Eng.
0 PHENOLS	LT	10 ug/L	Gen. Eng.
0 PHENOLS	LT	5 ug/L	metaTRACE
0 PHENOLS	LT	5 ug/L	metaTRACE
0 2,2-BIS(4-CHLOROPHENYL)-1,1-DICL	LT	0.50 ug/L	Gen. Eng.
0 2,2-BIS(4-CHLOROPHENYL)-1,1-DICL	LT	10 ug/L	Gen. Eng.
0 2,2-BIS(4-CHLOROPHENYL)-1,1-DICL	LT	0.50 ug/L	Gen. Eng.
0 2,2-BIS(4-CHLOROPHENYL)-1,1-DICL	LT	10 ug/L	Gen. Eng.
0 2,2-BIS(4-CHLOROPHENYL)-1,1,1-TCE	LT	0.50 ug/L	Gen. Eng.
0 2,2-BIS(4-CHLOROPHENYL)-1,1,1-TCE	LT	10 ug/L	Gen. Eng.
0 PYRENE	LT	10 ug/L	Gen. Eng.
0 ANTIMONY	LT	3 ug/L	Gen. Eng.
0 ANTIMONY	LT	10 ug/L	metaTRACE
0 SELENIUM	LT	2 ug/L	Gen. Eng.
0 SELENIUM	LT	2 ug/L	metaTRACE
0 SILICON	LT	50 ug/L	metaTRACE
0 SILICA	LT	645 ug/L	Gen. Eng.
0 SILVEX	LT	0.09 ug/L	Gen. Eng.
0 SILVEX	LT	0.07 ug/L	metaTRACE
0 TIN	LT	2 ug/L	Gen. Eng.
0 TIN	LT	100 ug/L	metaTRACE
0 SULFATE	LT	5000 ug/L	Gen. Eng.
0 SULFATE	LT	1000 ug/L	metaTRACE
0 1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0 TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0 TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0 TOTAL DISSOLVED SOLIDS	LT	4000 ug/L	Gen. Eng.
0 TOTAL DISSOLVED SOLIDS	LT	10000 ug/L	metaTRACE
0 THALLIUM	LT	2 ug/L	Gen. Eng.
0 TOTAL ORGANIC CARBON	LT	1000 ug/L	Gen. Eng.
0 TOTAL ORGANIC CARBON	LT	1000 ug/L	metaTRACE
0 TOTAL ORGANIC HALOGENS	LT	6 ug/L	Gen. Eng.
0 TOTAL ORGANIC HALOGENS	LT	9 ug/L	metaTRACE
0 TOTAL PHOSPHATES	LT	50 ug/L	Gen. Eng.
0 TOTAL PHOSPHATES	LT	134 ug/L	metaTRACE
0 TOTAL PHOSPHATES	LT	153 ug/L	metaTRACE
0 TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0 TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0 TOXAPHENE	LT	5 ug/L	Gen. Eng.
0 TOXAPHENE	LT	10 ug/L	Gen. Eng.
0 TOXAPHENE	LT	0.24 ug/L	metaTRACE
0 TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0 TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0 TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0 URANIUM	LT	1000 ug/L	Gen. Eng.
0 URANIUM	LT	100 ug/L	metaTRACE
0 VANADIUM	LT	20 ug/L	Gen. Eng.
0 VANADIUM	LT	5 ug/L	metaTRACE
0 XYLENES	LT	2 ug/L	Gen. Eng.
0 XYLENES	LT	5 ug/L	metaTRACE
0 1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0 1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0 1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0 1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0 1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0 1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0 1,2-DIPHENYL HYDRAZINE	LT	10 ug/L	Gen. Eng.
0 1,2,4-TRICHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0 CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0 CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0 TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0 2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0 2-CHLOROETHYL VINYL ETHER	LT	10 ug/L	Gen. Eng.

CONTINUED

WELL BLANK COLLECTED ON 09/03/89 LABORATORY ANALYSES CONTINUED

0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0	2-CHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2-CHLORONAPHTHALENE	LT	10 ug/L	Gen. Eng.
0	2-METHYLNAPHTHALENE	LT	10 ug/L	Gen. Eng.
0	2-NITROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,4-DICHLOROPHENOXYACETIC ACID	LT	0.30 ug/L	Gen. Eng.
0	2,4-DICHLOROPHENOXYACETIC ACID	LT	0.46 ug/L	metaTRACE
0	2,4-DICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,4-DIMETHYL PHENOL	LT	10 ug/L	Gen. Eng.
0	2,4-DINITROPHENOL	LT	45 ug/L	Gen. Eng.
0	2,4-DINITROTOLUENE	LT	10 ug/L	Gen. Eng.
0	2,4,6-TRICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,6-DINITROTOLUENE	LT	10 ug/L	Gen. Eng.
0	3,3-DICHLOROBENZIDENE	LT	10 ug/L	Gen. Eng.
0	4-BROMOPHENYLPHENYL ETHER	LT	10 ug/L	Gen. Eng.
0	4-CHLOROPHENYLPHENYL ETHER	LT	10 ug/L	Gen. Eng.
0	PARA-CHLORO-META-CRESOL	LT	10 ug/L	Gen. Eng.
0	4-NITROPHENOL	LT	10 ug/L	Gen. Eng.
0	2-METHYL-4,6-DINITROPHENOL	LT	30 ug/L	Gen. Eng.
0	ZINC	LT	2 ug/L	Gen. Eng.
0	ZINC	LT	5 ug/L	metaTRACE
0	GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
0	GROSS ALPHA	LT	3 pCi/L	metaTRACE
0	GROSS ALPHA	LT	3 pCi/L	metaTRACE
0	NONVOLATILE BETA	LT	2 pCi/L	Gen. Eng.
0	NONVOLATILE BETA	LT	5 pCi/L	metaTRACE
0	NONVOLATILE BETA	LT	5 pCi/L	metaTRACE
0	TOTAL RADIUM	LT	1 pCi/L	Gen. Eng.
0	TOTAL RADIUM	LT	1 pCi/L	metaTRACE
0	TRITIUM	LT	0.70 pCi/mL	Gen. Eng.
0	TRITIUM	LT	1 pCi/mL	metaTRACE

WELL BLANK

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/07/89 Time 1005
pH = 5.9 Alkalinity = 2 mg/L
Specific conductance = 1 umhos/cm
Water temperature = 24.6 degrees Celsius

LABORATORY ANALYSES

0	GROSS ALPHA	LT	0.90 pCi/L	Teledyne
0	AMERICIUM-241	LT	0.40 pCi/L	Teledyne
1	AMERICIUM-243	LT	0.51+-0.36 pCi/L	Teledyne
0	BARIUM-140	LT	7 pCi/L	Teledyne
0	NONVOLATILE BETA	LT	2 pCi/L	Teledyne
0	BERYLLIUM-7	LT	30 pCi/L	Teledyne
0	CERIUM-141	LT	7 pCi/L	Teledyne
0	CERIUM-144	LT	30 pCi/L	Teledyne
0	CURIUM-242	LT	0.10 pCi/L	Teledyne
0	CURIUM-246	LT	0.60 pCi/L	Teledyne
0	CURIUM-243/244	LT	0.20 pCi/L	Teledyne
0	COBALT-58	LT	3 pCi/L	Teledyne
0	COBALT-60	LT	3 pCi/L	Teledyne
0	CESIUM-134	LT	3 pCi/L	Teledyne
0	CESIUM-137	LT	4 pCi/L	Teledyne
0	CARBON-14	LT	8 pCi/L	Teledyne
1	IRON-55	LT	140+-	40 pCi/L
0	IRON-59	LT	7 pCi/L	Teledyne
0	IODINE-129	LT	2 pCi/L	Teledyne
0	IODINE-131	LT	8 pCi/L	Teledyne
0	POTASSIUM-40	LT	50 pCi/L	Teledyne
0	MANGANESE-54	LT	3 pCi/L	Teledyne
0	NICKEL-59	LT	200 pCi/L	Teledyne
0	NICKEL-63	LT	8 pCi/L	Teledyne
0	PLUTONIUM-238	LT	0.10 pCi/L	Teledyne
1	PLUTONIUM-242	LT	0.72+-0.20 pCi/L	Teledyne
0	PLUTONIUM-239/240	LT	0.05 pCi/L	Teledyne
0	RADIUM-226	LT	60 pCi/L	Teledyne
0	RADIUM-226	LT	1 pCi/L	Teledyne
0	RADIUM-228	LT	0.90 pCi/L	Teledyne
0	RUTHEMIUM-103	LT	4 pCi/L	Teledyne
0	RUTHEMIUM-106	LT	30 pCi/L	Teledyne
0	STRONTIUM-89	LT	5 pCi/L	Teledyne
0	STRONTIUM-90	LT	1 pCi/L	Teledyne
0	TECHNETIUM-99	LT	5 pCi/L	Teledyne
0	THORIUM-228	LT	6 pCi/L	Teledyne
1	THORIUM-228	LT	5.80+-1.70 pCi/L	Teledyne
0	THORIUM-230	LT	0.60 pCi/L	Teledyne
0	THORIUM-232	LT	0.30 pCi/L	Teledyne
0	URANIUM-235	LT	0.30 pCi/L	Teledyne
0	URANIUM-238	LT	0.60 pCi/L	Teledyne
0	URANIUM-233/234	LT	0.60 pCi/L	Teledyne
0	ZINC-65	LT	7 pCi/L	Teledyne
0	ZIRCONIUM-95	LT	4 pCi/L	Teledyne

WELL BLANK

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/09/89 Time 1330
pH = 5.6 Alkalinity = 1 mg/L
Specific conductance = 0 umhos/cm
Water temperature = 36.0 degrees Celsius

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE	0.60 UMH/C	Gen. Eng.
0	SPECIFIC CONDUCTANCE	6.34 UMH/C	metaTRACE
0	PH	5.84 pH	Gen. Eng.
1	PH	6.62 pH	metaTRACE
0	TURBIDITY	0.20 NTU	Gen. Eng.
0	TURBIDITY	0.30 NTU	metaTRACE
0	ALPHA-BENZENEHEXACHLORIDE	LT	0.50 ug/L
0	ALPHA-BENZENEHEXACHLORIDE	LT	10 ug/L
0	ACETOPHENONE	LT	500 ug/L
0	ALPHA-ENDOSULFAM	LT	10 ug/L
0	SILVER	LT	2 ug/L
0	SILVER	LT	2 ug/L
0	ALUMINUM	LT	20 ug/L
0	ALUMINUM	LT	30 ug/L
0	ALDRIN	LT	0.50 ug/L
0	ALDRIN	LT	10 ug/L
0	ACENAPHTHENE	LT	10 ug/L
0	ACENAPHTHYLENE	LT	10 ug/L
0	ANTHRACENE	LT	10 ug/L
0	ARSENIC	LT	2 ug/L
0	ARSENIC	LT	3 ug/L
0	BARIUM	LT	4 ug/L
0	BARIUM	LT	25 ug/L
0	BENZO(A)ANTHRACENE	LT	10 ug/L
0	BENZO(A)PYRENE	LT	10 ug/L
0	BENZO(B)FLUORANTHENE	LT	10 ug/L
0	BETA-BENZENEHEXACHLORIDE	LT	0.50 ug/L
0	BETA-BENZENEHEXACHLORIDE	LT	10 ug/L
0	BUTYLBENZYL PHTHALATE	LT	10 ug/L
0	BIS(CHLOROMETHYL)ETHER	LT	10 ug/L
0	BERYLLIUM	LT	5 ug/L
0	BERYLLIUM	LT	1 ug/L
0	BETA-ENDOSULFAM	LT	10 ug/L
0	BENZIDINE	LT	10 ug/L
0	BENZO(G,H,I)PERYLENE	LT	10 ug/L
0	BENZO(K)FLUORANTHENE	LT	10 ug/L
0	BROMODICHLOROMETHANE	LT	1 ug/L
0	BROMODICHLOROMETHANE	LT	5 ug/L
0	BIS(2-CHLOROETHOXY) METHANE	LT	10 ug/L
0	BIS(2-CHLOROISOPROPYL) ETHER	LT	10 ug/L
0	BIS(2-CHLOROETHYL) ETHER	LT	10 ug/L
0	BIS(2-ETHYLHEXYL) PHTHALATE	LT	10 ug/L
0	CALCIUM	LT	26 ug/L
0	CALCIUM	LT	26 ug/L
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L
0	CARBON TETRACHLORIDE	LT	1.00 ug/L
0	CARBON TETRACHLORIDE	LT	5.00 ug/L
0	CADMIUM	LT	2 ug/L
0	CADMIUM	LT	4 ug/L
0	BROMOFORM	LT	1 ug/L
0	BROMOFORM	LT	5 ug/L
0	CHLOROFORM	LT	1 ug/L
0	CHLOROFORM	LT	5 ug/L
0	CHRYSENE	LT	10 ug/L
0	METHYLENE CHLORIDE	LT	1 ug/L
0	METHYLENE CHLORIDE	LT	5 ug/L
0	BROMOMETHANE	LT	1 ug/L
0	BROMOMETHANE	LT	10 ug/L
0	CHLOROMETHANE	LT	1 ug/L
0	CHLOROMETHANE	LT	10 ug/L
0	CHLORIDE	LT	1000 ug/L
0	CHLORIDE	LT	250 ug/L
0	CHLOROBENZENE	LT	1 ug/L
0	CHLOROBENZENE	LT	5 ug/L
0	CHLORDANE	LT	0.50 ug/L
0	CHLORDANE	LT	10 ug/L
0	HEXACHLOROBENZENE	LT	10 ug/L
0	HEXACHLOROCYCLOPENTADIENE	LT	10 ug/L
0	HEXACHLOROETHANE	LT	10 ug/L
0	COBALT	LT	4 ug/L
0	COBALT	LT	7 ug/L
0	CHROMIUM	LT	4 ug/L
1	CHROMIUM	LT	7 ug/L
0	COPPER	LT	4 ug/L
0	COPPER	LT	10 ug/L
0	CYANIDE	LT	5 ug/L
0	CYANIDE	LT	5 ug/L
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L
0	CHLOROETHANE	LT	1 ug/L
0	CHLOROETHANE	LT	10 ug/L
0	BENZENE	LT	1 ug/L
0	BENZENE	LT	5 ug/L
0	DIBENZ(A,H)ANTHRACENE	LT	10 ug/L
0	DELTA-BENZENEHEXACHLORIDE	LT	0.50 ug/L
0	DELTA-BENZENEHEXACHLORIDE	LT	10 ug/L
0	DIBROMOCHLOROMETHANE	LT	1 ug/L
0	DIBROMOCHLOROMETHANE	LT	5 ug/L
0	DIETHYL PHTHALATE	LT	10 ug/L
0	DIELDRIN	LT	0.50 ug/L
0	DIELDRIN	LT	10 ug/L
0	DIMETHYL PHTHALATE	LT	10 ug/L
0	DI-N-BUTYL PHTHALATE	LT	10 ug/L
0	DI-N-OCTYL PHTHALATE	LT	10 ug/L
0	ENDRIN ALDEHYDE	LT	0.50 ug/L
0	ENDRIN ALDEHYDE	LT	10 ug/L
0	ENDRIN	LT	0.50 ug/L
0	ENDRIN	LT	10 ug/L

CONTINUED

WELL BLANK COLLECTED ON 09/09/89 LABORATORY ANALYSES CONTINUED

0	ENDRIN	LT	0.006 ug/L	metaTRACE
0	ENDOSULFAN I	LT	0.50 ug/L	Gen. Eng.
0	ENDOSULFAN II	LT	0.50 ug/L	Gen. Eng.
0	ENDOSULFAN SULFATE	LT	0.50 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	10 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	FLUORIDE	LT	5 ug/L	metaTRACE
0	FLUORIDE	LT	100 ug/L	Gen. Eng.
0	FLUORANTHENE	LT	250 ug/L	metaTRACE
0	IRON	LT	10 ug/L	Gen. Eng.
0	IRON	LT	4 ug/L	Gen. Eng.
0	FLUORENE	LT	5 ug/L	metaTRACE
0	HEXACHLOROBUTADIENE	LT	10 ug/L	Gen. Eng.
0	MERCURY	LT	10 ug/L	Gen. Eng.
0	MERCURY	LT	0.20 ug/L	metaTRACE
0	MERCURY	LT	0.22 ug/L	metaTRACE
0	HEPTACHLOR	LT	0.50 ug/L	Gen. Eng.
0	HEPTACHLOR	LT	10 ug/L	Gen. Eng.
0	HEPTACHLOR EPOXIDE	LT	0.50 ug/L	Gen. Eng.
0	HEPTACHLOR EPOXIDE	LT	10 ug/L	Gen. Eng.
0	INDENO(1,2,3-C,D)PYRENE	LT	10 ug/L	Gen. Eng.
0	ISOPHORENE	LT	10 ug/L	Gen. Eng.
0	POTASSIUM	LT	500 ug/L	Gen. Eng.
0	POTASSIUM	LT	2000 ug/L	metaTRACE
0	LITHIUM	LT	5 ug/L	Gen. Eng.
0	LITHIUM	LT	41 ug/L	metaTRACE
0	LINDANE	LT	0.50 ug/L	Gen. Eng.
0	LINDANE	LT	10 ug/L	Gen. Eng.
0	LINDANE	LT	0.005 ug/L	metaTRACE
0	TOLUENE	LT	1 ug/L	Gen. Eng.
0	TOLUENE	LT	5 ug/L	metaTRACE
0	METHOXYCHLOR	LT	4 ug/L	Gen. Eng.
0	METHOXYCHLOR	LT	0.50 ug/L	metaTRACE
0	MAGNESIUM	LT	4 ug/L	Gen. Eng.
0	MAGNESIUM	LT	14 ug/L	metaTRACE
0	MANGANESE	LT	2 ug/L	Gen. Eng.
0	MANGANESE	LT	2 ug/L	metaTRACE
0	SODIUM	LT	119 ug/L	Gen. Eng.
0	SODIUM	LT	237 ug/L	metaTRACE
0	NAPHTHALENE	LT	10 ug/L	Gen. Eng.
0	NITROBENZENE	LT	10 ug/L	Gen. Eng.
0	N-NITROSODIMETHYLAMINE	LT	10 ug/L	Gen. Eng.
0	N-NITROSODI-PROPYLAMINE	LT	10 ug/L	Gen. Eng.
0	NICKEL	LT	4 ug/L	Gen. Eng.
0	NICKEL	LT	5 ug/L	metaTRACE
0	N-NITROSODIPHENYLAMINE	LT	10 ug/L	Gen. Eng.
0	NITRITE AS NITROGEN	LT	10 ug/L	Gen. Eng.
0	NITRITE AS NITROGEN	LT	2500 ug/L	metaTRACE
0	NITRATE AS NITROGEN	LT	50 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN	LT	230 ug/L	metaTRACE
0	LEAD	LT	10 ug/L	Gen. Eng.
0	LEAD	LT	3 ug/L	metaTRACE
0	PCB 1016	LT	150 ug/L	Gen. Eng.
0	PCB 1221	LT	150 ug/L	Gen. Eng.
0	PCB 1232	LT	150 ug/L	Gen. Eng.
0	PCB 1242	LT	150 ug/L	Gen. Eng.
0	PCB 1248	LT	150 ug/L	Gen. Eng.
0	PCB 1254	LT	150 ug/L	Gen. Eng.
0	PCB 1260	LT	150 ug/L	Gen. Eng.
0	PENTACHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	PHENANTHRENE	LT	10 ug/L	Gen. Eng.
0	PHENOLS	LT	5 ug/L	Gen. Eng.
0	PHENOLS	LT	10 ug/L	Gen. Eng.
0	PHENOLS	LT	5 ug/L	metaTRACE
0	PHENOLS	LT	5 ug/L	metaTRACE
0	PHENOLS	LT	5 ug/L	metaTRACE
0	PHENOLS	LT	5 ug/L	metaTRACE
0	2,2-BIS(4-CHLOROPHENYL)-1,1-DCE	LT	0.50 ug/L	Gen. Eng.
0	2,2-BIS(4-CHLOROPHENYL)-1,1-DCE	LT	10 ug/L	Gen. Eng.
0	2,2-BIS(4-CHLOROPHENYL)-1,1-DCE	LT	0.50 ug/L	Gen. Eng.
0	2,2-BIS(4-CHLOROPHENYL)-1,1-DCE	LT	10 ug/L	Gen. Eng.
0	2,2-BIS(4-CHLOROPHENYL)-1,1,1-TCE	LT	0.50 ug/L	Gen. Eng.
0	2,2-BIS(4-CHLOROPHENYL)-1,1,1-TCE	LT	10 ug/L	Gen. Eng.
0	PYRENE	LT	10 ug/L	Gen. Eng.
0	ANTIMONY	LT	3 ug/L	Gen. Eng.
0	ANTIMONY	LT	10 ug/L	metaTRACE
0	SELENIUM	LT	2 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	metaTRACE
1	SILICON	LT	139 ug/L	metaTRACE
1	SILICA	LT	595 ug/L	Gen. Eng.
0	SILVEX	LT	0.09 ug/L	Gen. Eng.
0	SILVEX	LT	0.07 ug/L	metaTRACE
0	TIN	LT	2 ug/L	Gen. Eng.
0	TIN	LT	100 ug/L	metaTRACE
0	SULFATE	LT	5000 ug/L	Gen. Eng.
0	SULFATE	LT	1000 ug/L	metaTRACE
0	SULFATE	LT	1000 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS	LT	13000 ug/L	Gen. Eng.
0	TOTAL DISSOLVED SOLIDS	LT	29000 ug/L	metaTRACE
0	THALLIUM	LT	2 ug/L	Gen. Eng.
0	THALLIUM	LT	3 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	Gen. Eng.
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	Gen. Eng.
0	TOTAL ORGANIC HALOGENS	LT	6 ug/L	metaTRACE
0	TOTAL PHOSPHATES	LT	50 ug/L	Gen. Eng.
0	TOTAL PHOSPHATES	LT	10 ug/L	metaTRACE
0	TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TOXAPHENE	LT	5 ug/L	Gen. Eng.
0	TOXAPHENE	LT	10 ug/L	Gen. Eng.
0	TOXAPHENE	LT	0.24 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE

CONTINUED

WELL BLANK COLLECTED ON 09/09/89 LABORATORY ANALYSES CONTINUED

0	URANIUM	LT	1000 ug/L	Gen. Eng.
0	URANIUM	LT	100 ug/L	metaTRACE
0	VANADIUM	LT	20 ug/L	Gen. Eng.
0	VANADIUM	LT	5 ug/L	metaTRACE
0	XYLENES	LT	2 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	1,2-DIPHENYL HYDRAZINE	LT	10 ug/L	Gen. Eng.
0	1,2,4-TRICHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	10 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0	2-CHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2-CHLORONAPHTHALENE	LT	10 ug/L	Gen. Eng.
0	2-METHYLNAPHTHALENE	LT	10 ug/L	Gen. Eng.
0	2-NITROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,4-DICHLOROPHENOXYACETIC ACID	LT	0.30 ug/L	Gen. Eng.
0	2,4-DICHLOROPHENOXYACETIC ACID	LT	0.46 ug/L	metaTRACE
0	2,4-DICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,4-DIMETHYL PHENOL	LT	10 ug/L	Gen. Eng.
0	2,4-DINITROPHENOL	LT	45 ug/L	Gen. Eng.
0	2,4-DINITROTOLUENE	LT	10 ug/L	Gen. Eng.
0	2,4,6-TRICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,6-DINITROTOLUENE	LT	10 ug/L	Gen. Eng.
0	3,3-DICHLOROBENZIDENE	LT	10 ug/L	Gen. Eng.
0	4-BROMOPHENYLPHENYL ETHER	LT	10 ug/L	Gen. Eng.
0	4-CHLOROPHENYLPHENYL ETHER	LT	10 ug/L	Gen. Eng.
0	PARA-CHLORO-META-CRESOL	LT	10 ug/L	Gen. Eng.
0	4-NITROPHENOL	LT	10 ug/L	Gen. Eng.
0	2-METHYL-4,6-DINITROPHENOL	LT	30 ug/L	Gen. Eng.
0	ZINC	LT	2 ug/L	Gen. Eng.
0	ZINC	LT	4 ug/L	metaTRACE
2	GROSS ALPHA	LT	15.80+-3.40 pCi/L	Gen. Eng.
0	GROSS ALPHA	LT	1 pCi/L	metaTRACE
0	NONVOLATILE BETA	LT	2 pCi/L	Gen. Eng.
0	NONVOLATILE BETA	LT	4 pCi/L	metaTRACE
0	TOTAL RADIUM	LT	1 pCi/L	Gen. Eng.
0	TOTAL RADIUM	LT	1 pCi/L	metaTRACE
0	TOTAL RADIUM	LT	1 pCi/L	metaTRACE
0	TRITIUM	LT	0.70 pCi/mL	Gen. Eng.
0	TRITIUM	LT	1 pCi/mL	metaTRACE

WELL BLANK

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/10/89 Time 1315
pH = 5.6 Alkalinity = 1 mg/L
Specific conductance = 0 umhos/cm
Water temperature = 34.8 degrees Celsius

LABORATORY ANALYSES

0	HEPTACHLORODIBENZODIOXINS	LT	8 ng/L	metaTRACE
0	HEPTACHLORODIBENZOFURANS	LT	8 ng/L	metaTRACE
0	HEXACHLORODIBENZODIOXINS	LT	10 ng/L	metaTRACE
0	HEXACHLORODIBENZOFURANS	LT	7 ng/L	metaTRACE
0	ORTHOCOLORODIBENZODIOXINS	LT	10 ng/L	metaTRACE
0	ORTHOCOLORODIBENZOFURANS	LT	10 ng/L	metaTRACE
0	PENTACHLORODIBENZODIOXINS	LT	4 ng/L	metaTRACE
0	PENTACHLORODIBENZOFURANS	LT	6 ng/L	metaTRACE
0	TETRACHLORODIBENZODIOXIN	LT	10 ng/L	metaTRACE
0	TETRACHLORODIBENZOFURAN	LT	6 ng/L	metaTRACE
0	A, A-DIMETHYLPHENETHYLAMINE	LT	10 ug/L	metaTRACE
0	A, A-DIMETHYLPHENETHYLAMINE	LT	10 ug/L	Gen. Eng.
0	ALPHA-BENZENEHEXACHLORIDE	LT	0.05 ug/L	metaTRACE
0	ALPHA-BENZENEHEXACHLORIDE	LT	0.50 ug/L	Gen. Eng.
0	ACETONE	LT	10 ug/L	metaTRACE
0	ACETONE	LT	1 ug/L	Gen. Eng.
0	ACETOPHENONE	LT	10 ug/L	metaTRACE
0	ACETOPHENONE	LT	10 ug/L	Gen. Eng.
0	ACROLEIN	LT	100 ug/L	metaTRACE
0	ACROLEIN	LT	20 ug/L	Gen. Eng.
0	ACRYLONITRILE	LT	5 ug/L	metaTRACE
0	ACRYLONITRILE	LT	20 ug/L	Gen. Eng.
0	SILVER	LT	2 ug/L	metaTRACE
0	SILVER	LT	2 ug/L	Gen. Eng.
0	ALUMINUM	LT	30 ug/L	metaTRACE
0	ALDRIN	LT	0.05 ug/L	metaTRACE
0	ALDRIN	LT	0.50 ug/L	Gen. Eng.
0	ACENAPHTHENE	LT	10 ug/L	metaTRACE
0	ACENAPHTHENE	LT	10 ug/L	Gen. Eng.
0	ACENAPHTHYLENE	LT	10 ug/L	metaTRACE
0	ACENAPHTHYLENE	LT	10 ug/L	Gen. Eng.
0	ANILINE	LT	10 ug/L	Gen. Eng.
0	ANTHRACENE	LT	10 ug/L	metaTRACE
0	ANTHRACENE	LT	10 ug/L	Gen. Eng.
0	ARAMITE	LT	10 ug/L	Gen. Eng.
0	ARSENIC	LT	3 ug/L	metaTRACE
0	ARSENIC	LT	2 ug/L	Gen. Eng.
0	ALLYL CHLORIDE	LT	100 ug/L	metaTRACE
0	ALLYL CHLORIDE	LT	1 ug/L	Gen. Eng.
0	AZOBENZENE	LT	10 ug/L	metaTRACE

CONTINUED

WELL BLANK COLLECTED ON 09/10/89 LABORATORY ANALYSES CONTINUED

0	BARIIUM	LT	200 ug/L	metaTRACE
0	BARIIUM	LT	4 ug/L	Gen. Eng.
0	BENZO(A)ANTHRACENE	LT	10 ug/L	metaTRACE
0	BENZO(A)ANTHRACENE	LT	10 ug/L	Gen. Eng.
0	BENZO(A)PYRENE	LT	10 ug/L	metaTRACE
0	BENZO(A)PYRENE	LT	10 ug/L	Gen. Eng.
0	BENZO(B)FLUORANTHENE	LT	10 ug/L	Gen. Eng.
0	BETA-BENZENECHLORIDE	LT	0.05 ug/L	metaTRACE
0	BETA-BENZENECHLORIDE	LT	0.50 ug/L	Gen. Eng.
0	BUTYLBENZYL PHTHALATE	LT	10 ug/L	metaTRACE
0	BUTYLBENZYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0	BIS(CHLOROMETHYL-ETHYL)ETHER	LT	10 ug/L	metaTRACE
0	BIS(CHLOROMETHYL-ETHYL)ETHER	LT	10 ug/L	Gen. Eng.
0	BERYLLIUM	LT	1 ug/L	metaTRACE
0	BERYLLIUM	LT	5 ug/L	Gen. Eng.
0	BENZIDINE	LT	50 ug/L	metaTRACE
0	BENZOIC ACID	LT	50 ug/L	metaTRACE
0	BENZO BIFLUOROANTHENE	LT	10 ug/L	metaTRACE
0	BENZO(G,H,I)PERYLENE	LT	10 ug/L	metaTRACE
0	BENZO(G,H,I)PERYLENE	LT	10 ug/L	Gen. Eng.
0	BENZO(K)FLUORANTHENE	LT	10 ug/L	metaTRACE
0	BENZO(K)FLUORANTHENE	LT	10 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	BENZYL ALCOHOL	LT	10 ug/L	metaTRACE
0	BENZYL ALCOHOL	LT	20 ug/L	Gen. Eng.
0	BIS(2-CHLOROETHOXY) METHANE	LT	10 ug/L	metaTRACE
0	BIS(2-CHLOROETHOXY) METHANE	LT	10 ug/L	Gen. Eng.
0	BIS(2-CHLOROISOPROPYL) ETHER	LT	10 ug/L	metaTRACE
0	BIS(2-CHLOROETHYL) ETHER	LT	10 ug/L	metaTRACE
0	BIS(2-CHLOROETHYL) ETHER	LT	10 ug/L	Gen. Eng.
1	BIS(2-ETHYLHEXYL) PHTHALATE	LT	2 ug/L	metaTRACE
0	BIS(2-ETHYLHEXYL) PHTHALATE	LT	10 ug/L	Gen. Eng.
0	DICHLORODIFLUOROMETHANE	LT	5 ug/L	metaTRACE
0	DICHLORODIFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	TRICHLOROFUOROMETHANE	LT	5 ug/L	metaTRACE
0	TRICHLOROFUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	CADMIUM	LT	4 ug/L	metaTRACE
0	CADMIUM	LT	2 ug/L	Gen. Eng.
0	BROMOFORM	LT	5 ug/L	metaTRACE
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	CHRYSENE	LT	10 ug/L	metaTRACE
0	CHRYSENE	LT	10 ug/L	Gen. Eng.
0	METHYLENE BROMIDE	LT	10 ug/L	metaTRACE
0	METHYLENE BROMIDE	LT	1 ug/L	Gen. Eng.
0	METHYLENE BROMIDE	LT	1 ug/L	Gen. Eng.
1	METHYLENE CHLORIDE	JB	2 ug/L	metaTRACE
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	5 ug/L	metaTRACE
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	ACETONITRILE (METHYL CYANIDE)	LT	100 ug/L	metaTRACE
0	ACETONITRILE (METHYL CYANIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROBENZILATE	LT	10 ug/L	metaTRACE
0	CHLOROBENZILATE	LT	10 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	5 ug/L	metaTRACE
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHLORDANE	LT	1 ug/L	metaTRACE
0	CHLORDANE	LT	0.50 ug/L	Gen. Eng.
0	CHLOROPRENE	LT	5 ug/L	metaTRACE
0	CHLOROPRENE	LT	1 ug/L	Gen. Eng.
0	PENTACHLOROBENZENE	LT	10 ug/L	metaTRACE
0	PENTACHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	PENTACHLOROETHANE	LT	5 ug/L	metaTRACE
0	PENTACHLOROETHANE	LT	10 ug/L	Gen. Eng.
0	PENTACHLOROETHANE	LT	10 ug/L	metaTRACE
0	PENTACHLORONITROBENZENE	LT	10 ug/L	Gen. Eng.
0	PENTACHLORONITROBENZENE	LT	10 ug/L	metaTRACE
0	HEXACHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	HEXACHLOROBENZENE	LT	10 ug/L	metaTRACE
0	HEXACHLOROCCYCLOPENTADIENE	LT	10 ug/L	Gen. Eng.
0	HEXACHLOROCCYCLOPENTADIENE	LT	10 ug/L	metaTRACE
0	HEXACHLOROETHANE	LT	10 ug/L	Gen. Eng.
0	HEXACHLOROETHANE	LT	7 ug/L	metaTRACE
0	CORAL T	LT	4 ug/L	Gen. Eng.
0	CORAL T	LT	5 ug/L	metaTRACE
0	CHROMIUM	LT	4 ug/L	Gen. Eng.
0	CARRON DISULFIDE	LT	5 ug/L	metaTRACE
0	CARRON DISULFIDE	LT	1 ug/L	Gen. Eng.
0	COPPER	LT	10 ug/L	metaTRACE
0	COPPER	LT	4 ug/L	Gen. Eng.
0	CYANIDE	LT	5 ug/L	metaTRACE
0	CYANIDE	LT	5 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	10 ug/L	metaTRACE
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	RENZENE	LT	5 ug/L	metaTRACE
0	RENZENE	LT	1 ug/L	Gen. Eng.
0	DIBENZ(A,H)ANTHRACENE	LT	10 ug/L	metaTRACE
0	DIBENZ(A,H)ANTHRACENE	LT	10 ug/L	Gen. Eng.
0	DELTAMOCHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	DELTA-BENZENECHLORIDE	LT	0.05 ug/L	metaTRACE
0	DELTA-BENZENECHLORIDE	LT	0.50 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	DIETHYL PHTHALATE	LT	10 ug/L	metaTRACE
0	DIETHYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0	DIALATE	LT	10 ug/L	metaTRACE
0	DIALATE	LT	10 ug/L	Gen. Eng.
0	DIBENZOFURAN	LT	10 ug/L	metaTRACE
0	DIBENZOFURAN	LT	10 ug/L	Gen. Eng.
0	DIMETHOATE	LT	10 ug/L	metaTRACE

CONTINUED

WELL BLANK COLLECTED ON 09/10/89 LABORATORY ANALYSES CONTINUED

0	DIMETHOATE	LT	10 ug/L	Gen. Eng.
0	DISULFOTON	LT	10 ug/L	metaTRACE
0	DISULFOTON	LT	10 ug/L	Gen. Eng.
0	DIELORIN	LT	0.10 ug/L	metaTRACE
0	DIELORIN	LT	0.50 ug/L	Gen. Eng.
0	DIMETHYL PHTHALATE	LT	10 ug/L	metaTRACE
0	DIMETHYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0	DI-N-BUTYL PHTHALATE	LT	10 ug/L	metaTRACE
0	DI-N-BUTYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0	DI-N-OCTYL PHTHALATE	LT	10 ug/L	metaTRACE
0	DI-N-OCTYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0	DIPHENYLAMINE	LT	10 ug/L	metaTRACE
0	DIPHENYLAMINE	LT	10 ug/L	Gen. Eng.
0	ETHYL METHANESULFONATE	LT	10 ug/L	metaTRACE
0	ETHYL METHANESULFONATE	LT	10 ug/L	Gen. Eng.
0	ENDRIN ALDEHYDE	LT	0.20 ug/L	metaTRACE
0	ENDRIN ALDEHYDE	LT	0.50 ug/L	Gen. Eng.
0	ENDRIN	LT	0.10 ug/L	metaTRACE
0	ENDRIN	LT	0.50 ug/L	Gen. Eng.
0	ENDOSULFAN I	LT	0.05 ug/L	metaTRACE
0	ENDOSULFAN I	LT	0.50 ug/L	Gen. Eng.
0	ENDOSULFAN II	LT	0.10 ug/L	metaTRACE
0	ENDOSULFAN II	LT	0.50 ug/L	Gen. Eng.
0	ENDOSULFAN SULFATE	LT	0.10 ug/L	metaTRACE
0	ENDOSULFAN SULFATE	LT	0.50 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	5 ug/L	metaTRACE
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	ETHYL METHACRYLATE	LT	5 ug/L	metaTRACE
0	ETHYL METHACRYLATE	LT	10 ug/L	Gen. Eng.
0	ETHYL METHACRYLATE	LT	10 ug/L	metaTRACE
0	FAMPHUR	LT	10 ug/L	Gen. Eng.
0	FAMPHUR	LT	10 ug/L	metaTRACE
0	FLUORANTHENE	LT	10 ug/L	Gen. Eng.
0	FLUORANTHENE	LT	10 ug/L	metaTRACE
0	FLUORENE	LT	10 ug/L	Gen. Eng.
0	FLUORENE	LT	10 ug/L	metaTRACE
0	HEXACHLOROBUTADIENE	LT	10 ug/L	Gen. Eng.
0	HEXACHLOROBUTADIENE	LT	10 ug/L	metaTRACE
0	HEXACHLOROPHENE	LT	10 ug/L	Gen. Eng.
0	HEXACHLOROPHENE	LT	10 ug/L	metaTRACE
0	HEXACHLOROPROPENE	LT	10 ug/L	Gen. Eng.
0	HEXACHLOROPROPENE	LT	0.20 ug/L	metaTRACE
0	MERCURY	LT	0.20 ug/L	Gen. Eng.
0	MERCURY	LT	0.20 ug/L	metaTRACE
0	HEPTACHLOR	LT	0.05 ug/L	Gen. Eng.
0	HEPTACHLOR	LT	0.50 ug/L	metaTRACE
0	HEPTACHLOR EPOXIDE	LT	0.05 ug/L	Gen. Eng.
0	HEPTACHLOR EPOXIDE	LT	0.50 ug/L	metaTRACE
0	INDENO(1,2,3-C,D)PYRENE	LT	10 ug/L	Gen. Eng.
0	INDENO(1,2,3-C,D)PYRENE	LT	10 ug/L	metaTRACE
0	IODOETHANE	LT	5 ug/L	Gen. Eng.
0	IODOETHANE	LT	1 ug/L	metaTRACE
0	ISOSAFROLE	LT	10 ug/L	Gen. Eng.
0	ISOSAFROLE	LT	10 ug/L	metaTRACE
0	ISOBUTYL ALCOHOL	LT	1 ug/L	Gen. Eng.
0	ISODRIN	LT	10 ug/L	metaTRACE
0	ISODRIN	LT	10 ug/L	Gen. Eng.
0	ISOPHORONE	LT	10 ug/L	metaTRACE
0	ISOPHORONE	LT	10 ug/L	Gen. Eng.
0	KEPONE	LT	10 ug/L	metaTRACE
0	LINDANE	LT	0.05 ug/L	Gen. Eng.
0	LINDANE	LT	0.50 ug/L	metaTRACE
0	M-CRESOL	LT	10 ug/L	Gen. Eng.
0	METHACRYLONITRILE	LT	5 ug/L	metaTRACE
0	METHACRYLONITRILE	LT	1 ug/L	Gen. Eng.
0	TOLUENE	LT	5 ug/L	metaTRACE
0	TOLUENE	LT	1 ug/L	Gen. Eng.
0	METHYLETHYL KETONE	LT	10 ug/L	metaTRACE
0	METHYLETHYL KETONE	LT	1 ug/L	Gen. Eng.
0	METHYL METHACRYLATE	LT	5 ug/L	metaTRACE
0	METHYL METHACRYLATE	LT	10 ug/L	Gen. Eng.
0	METHYL METHANE SULFONATE	LT	10 ug/L	metaTRACE
0	METHYL METHANE SULFONATE	LT	10 ug/L	Gen. Eng.
0	METHOXYCHLOR	LT	0.05 ug/L	metaTRACE
0	METHOXYCHLOR	LT	4 ug/L	Gen. Eng.
0	METHYLISOBUTYL KETONE	LT	1 ug/L	Gen. Eng.
0	METHAPRYLENE	LT	10 ug/L	metaTRACE
0	METHAPRYLENE	LT	10 ug/L	Gen. Eng.
0	SODIUM	LT	97 ug/L	metaTRACE
0	NAPHTHALENE	LT	10 ug/L	Gen. Eng.
0	NAPHTHALENE	LT	10 ug/L	metaTRACE
0	NITROBENZENE	LT	10 ug/L	Gen. Eng.
0	NITROBENZENE	LT	10 ug/L	metaTRACE
0	N-NITROSODIMETHYLAMINE	LT	10 ug/L	Gen. Eng.
0	N-NITROSODIMETHYLAMINE	LT	10 ug/L	metaTRACE
0	N-NITROSODI-N-BUTYLAMINE	LT	10 ug/L	Gen. Eng.
0	N-NITROSODI-N-BUTYLAMINE	LT	10 ug/L	metaTRACE
0	N-NITROSODI-PROPYLAMINE	LT	10 ug/L	Gen. Eng.
0	N-NITROSODI-PROPYLAMINE	LT	10 ug/L	metaTRACE
0	N-NITROSODIETHYLAMINE	LT	10 ug/L	Gen. Eng.
0	N-NITROSODIETHYLAMINE	LT	10 ug/L	metaTRACE
0	N-NITROSODIETHYLMETHYLAMINE	LT	10 ug/L	Gen. Eng.
0	N-NITROSODIETHYLMETHYLAMINE	LT	10 ug/L	metaTRACE
0	NICKEL	LT	6 ug/L	Gen. Eng.
0	NICKEL	LT	4 ug/L	metaTRACE
0	N-NITROSOMORPHOLINE	LT	10 ug/L	Gen. Eng.
0	N-NITROSOMORPHOLINE	LT	10 ug/L	metaTRACE
0	N-NITROSODIPHENYLAMINE	LT	10 ug/L	Gen. Eng.
0	N-NITROSODIPHENYLAMINE	LT	10 ug/L	metaTRACE
0	N-NITROSOPERIDINE	LT	10 ug/L	Gen. Eng.
0	N-NITROSOPERIDINE	LT	10 ug/L	metaTRACE
0	N-NITROSOPYRROLIDINE	LT	10 ug/L	Gen. Eng.
0	N-NITROSOPYRROLIDINE	LT	10 ug/L	metaTRACE
0	4-NITROQUINOLINE-1-OXIDE	LT	10 ug/L	Gen. Eng.
0	4-NITROQUINOLINE-1-OXIDE	LT	10 ug/L	metaTRACE
0	5-NITRO-O-TOLUIDINE	LT	10 ug/L	Gen. Eng.
0	5-NITRO-O-TOLUIDINE	LT	10 ug/L	metaTRACE
0	0-TOLUIDINE	LT	10 ug/L	Gen. Eng.
0	0-TOLUIDINE	LT	10 ug/L	metaTRACE
0	LEAD	LT	3 ug/L	Gen. Eng.
0	LEAD	LT	6 ug/L	metaTRACE

CONTINUED

WELL BLANK COLLECTED ON 09/10/89 LABORATORY ANALYSES CONTINUED

0	PCB 1016	LT	0.50 ug/L	metaTRACE
0	PCB 1016	LT	0.50 ug/L	Gen. Eng.
0	PCB 1221	LT	0.50 ug/L	metaTRACE
0	PCB 1221	LT	0.50 ug/L	Gen. Eng.
0	PCB 1232	LT	0.50 ug/L	metaTRACE
0	PCB 1232	LT	0.50 ug/L	Gen. Eng.
0	PCB 1242	LT	0.50 ug/L	metaTRACE
0	PCB 1242	LT	0.50 ug/L	Gen. Eng.
0	PCB 1248	LT	0.50 ug/L	metaTRACE
0	PCB 1248	LT	0.50 ug/L	Gen. Eng.
0	PCB 1254	LT	1 ug/L	metaTRACE
0	PCB 1254	LT	0.50 ug/L	Gen. Eng.
0	PCB 1260	LT	1 ug/L	metaTRACE
0	PCB 1260	LT	0.50 ug/L	Gen. Eng.
0	PCB 1262	LT	0.50 ug/L	metaTRACE
0	PENTACHLOROPHENOL	LT	50 ug/L	metaTRACE
0	PENTACHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	P-PHENYLENEDIAMINE	LT	10 ug/L	metaTRACE
0	P-PHENYLENEDIAMINE	LT	10 ug/L	Gen. Eng.
0	P-DIMETHYLAMINOAZOBENZENE	LT	10 ug/L	metaTRACE
0	P-DIMETHYLAMINOAZOBENZENE	LT	10 ug/L	Gen. Eng.
0	PHENACETIN	LT	10 ug/L	metaTRACE
0	PHENACETIN	LT	10 ug/L	Gen. Eng.
0	PHENANTHRENE	LT	10 ug/L	metaTRACE
0	PHENANTHRENE	LT	10 ug/L	Gen. Eng.
0	PHENOLS	LT	10 ug/L	metaTRACE
0	PHENOLS	LT	10 ug/L	Gen. Eng.
0	PHORATE	LT	10 ug/L	metaTRACE
0	PHORATE	LT	0.50 ug/L	Gen. Eng.
0	2,2-BIS(4-CHLOROPHENYL)-1,1-DCE	LT	0.10 ug/L	metaTRACE
0	2,2-BIS(4-CHLOROPHENYL)-1,1-DCE	LT	0.50 ug/L	Gen. Eng.
0	2,2-BIS(4-CHLOROPHENYL)-1,1-DCE	LT	0.10 ug/L	metaTRACE
0	2,2-BIS(4-CHLOROPHENYL)-1,1-DCE	LT	0.50 ug/L	Gen. Eng.
0	2,2-BIS(4-CHLOROPHENYL)-1,1,1-TCE	LT	0.10 ug/L	metaTRACE
0	2,2-BIS(4-CHLOROPHENYL)-1,1,1-TCE	LT	0.50 ug/L	Gen. Eng.
0	PRONAMIDE	LT	10 ug/L	metaTRACE
0	PRONAMIDE	LT	10 ug/L	Gen. Eng.
0	PROPIONITRILE	LT	5 ug/L	metaTRACE
0	PROPIONITRILE	LT	1 ug/L	Gen. Eng.
0	PARATHION	LT	10 ug/L	metaTRACE
0	PARATHION METHYL	LT	0.50 ug/L	Gen. Eng.
0	PARATHION METHYL	LT	10 ug/L	metaTRACE
0	PYRENE	LT	0.50 ug/L	Gen. Eng.
0	PYRENE	LT	10 ug/L	metaTRACE
0	PYRIDINE	LT	10 ug/L	Gen. Eng.
0	PYRIDINE	LT	10 ug/L	metaTRACE
0	SAFROLE	LT	10 ug/L	Gen. Eng.
0	SAFROLE	LT	10 ug/L	metaTRACE
0	ANTIMONY	LT	10 ug/L	metaTRACE
0	ANTIMONY	LT	3 ug/L	Gen. Eng.
0	2-SEC-BUTYL-4,6-DINITROPHENOL	LT	10 ug/L	metaTRACE
0	2-SEC-BUTYL-4,6-DINITROPHENOL	LT	10 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	metaTRACE
0	SELENIUM	LT	2 ug/L	Gen. Eng.
0	SILVEX	LT	0.07 ug/L	metaTRACE
0	SILVEX	LT	0.50 ug/L	Gen. Eng.
0	TIN	LT	100 ug/L	metaTRACE
1	TIN	LT	2 ug/L	Gen. Eng.
0	STYRENE	LT	5 ug/L	metaTRACE
0	STYRENE	LT	1 ug/L	Gen. Eng.
0	SULFIDE	LT	1000 ug/L	metaTRACE
0	SULFIDE	LT	1000 ug/L	Gen. Eng.
0	1,2,4,5-TETRACHLOROBENZENE	LT	10 ug/L	metaTRACE
0	1,2,4,5-TETRACHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	10.0 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TETRAETHYL DITHIOPYROPHOSPHATE	LT	10 ug/L	metaTRACE
0	O,O,O-TRIETHYL PHOSPHOROTHIOATE	LT	10 ug/L	Gen. Eng.
0	O,O,O-TRIETHYL PHOSPHOROTHIOATE	LT	10 ug/L	metaTRACE
0	THIAMIN	LT	10 ug/L	Gen. Eng.
0	THALLIUM	LT	2 ug/L	metaTRACE
0	THALLIUM	LT	10.0 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	LT	1.00 ug/L	metaTRACE
0	TRICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	TOXAPHENE	LT	5 ug/L	metaTRACE
0	TOXAPHENE	LT	5 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	Gen. Eng.
0	TRANS-1,4-DICHLORO-2-BUTENE	LT	10 ug/L	metaTRACE
0	TRANS-1,4-DICHLORO-2-BUTENE	LT	1 ug/L	Gen. Eng.
0	VANADIUM	LT	5 ug/L	metaTRACE
0	VANADIUM	LT	20 ug/L	Gen. Eng.
0	VINYL ACETATE	LT	5 ug/L	metaTRACE
0	VINYL ACETATE	LT	1 ug/L	Gen. Eng.
0	XYLENES	LT	5 ug/L	metaTRACE
0	XYLENES	LT	2 ug/L	Gen. Eng.
0	1-NAPHTHYLAMINE	LT	10 ug/L	metaTRACE
0	1-NAPHTHYLAMINE	LT	10 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DIBROMOETHANE	LT	5 ug/L	metaTRACE
0	1,2-DIBROMO-3-CHLOROPROPANE	LT	10 ug/L	metaTRACE
0	1,2-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHYLENE	LT	10 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.

CONTINUED

WELL BLANK COLLECTED ON 09/10/89 LABORATORY ANALYSES CONTINUED

0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	1,2,3-TRICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	1,2,3-TRICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	1,2,4-TRICHLOROBENZENE	LT	10 ug/L	metaTRACE
0	1,2,4-TRICHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	1,3-DICHLOROBENZENE	LT	10 ug/L	metaTRACE
0	1,3-DICHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	1,3-DINITROBENZENE	LT	10 ug/L	metaTRACE
0	1,3,5-TRINITROBENZENE	LT	10 ug/L	Gen. Eng.
0	1,4-BENZOQUINONE	LT	10 ug/L	metaTRACE
0	1,4-DICHLOROBENZENE	LT	10 ug/L	metaTRACE
0	1,4-DICHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	1,4-DIOXANE	LT	10 ug/L	metaTRACE
0	1,4-DIOXANE	LT	10 ug/L	Gen. Eng.
0	1,4-NAPHTHOQUINONE	LT	10 ug/L	metaTRACE
0	1,4-NAPHTHOQUINONE	LT	10 ug/L	Gen. Eng.
0	2-ACETYLAMINOFUORENE	LT	10 ug/L	metaTRACE
0	2-ACETYLAMINOFUORENE	LT	10 ug/L	Gen. Eng.
0	2-CHLOROPHENOL	LT	10 ug/L	metaTRACE
0	2-CHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2-CHLORONAPHTHALENE	LT	10 ug/L	metaTRACE
0	2-CHLORONAPHTHALENE	LT	10 ug/L	Gen. Eng.
0	2-HEXANONE	LT	10 ug/L	metaTRACE
0	2-HEXANONE	LT	1 ug/L	Gen. Eng.
0	2-METHYLNAPHTHALENE	LT	10 ug/L	metaTRACE
0	2-METHYLNAPHTHALENE	LT	10 ug/L	Gen. Eng.
0	2-METHYL PHENOL	LT	10 ug/L	metaTRACE
0	2-NITROANILINE	LT	10 ug/L	Gen. Eng.
0	2-NAPHTHYLAMINE	LT	10 ug/L	metaTRACE
0	2-NAPHTHYLAMINE	LT	10 ug/L	Gen. Eng.
0	2-NITROPHENOL	LT	10 ug/L	metaTRACE
0	2-NITROPHENOL	LT	10 ug/L	Gen. Eng.
0	2-PICOLINE	LT	10 ug/L	metaTRACE
0	2-PICOLINE	LT	10 ug/L	Gen. Eng.
0	2,3,4,6-TETRACHLOROPHENOL	LT	10 ug/L	metaTRACE
0	2,3,4,6-TETRACHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,4-DICHLOROPHENOXYACETIC ACID	LT	0.46 ug/L	metaTRACE
0	2,4-DICHLOROPHENOXYACETIC ACID	LT	0.50 ug/L	Gen. Eng.
0	2,4-DICHLOROPHENOL	LT	10 ug/L	metaTRACE
0	2,4-DICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,4-DIMETHYL PHENOL	LT	10 ug/L	metaTRACE
0	2,4-DIMETHYL PHENOL	LT	10 ug/L	Gen. Eng.
0	2,4-DINITROPHENOL	LT	50 ug/L	metaTRACE
0	2,4-DINITROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,4-DINITROTOLUENE	LT	10 ug/L	metaTRACE
0	2,4-DINITROTOLUENE	LT	10 ug/L	Gen. Eng.
0	2,4,5-TRICHLOROPHENOXYACETIC ACID	LT	0.07 ug/L	metaTRACE
0	2,4,5-TRICHLOROPHENOXYACETIC ACID	LT	0.50 ug/L	Gen. Eng.
0	2,4,5-TRICHLOROPHENOL	LT	10 ug/L	metaTRACE
0	2,4,5-TRICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,4,6-TRICHLOROPHENOL	LT	10 ug/L	metaTRACE
0	2,4,6-TRICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,6-DICHLOROPHENOL	LT	10 ug/L	metaTRACE
0	2,6-DICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,6-DINITROTOLUENE	LT	10 ug/L	metaTRACE
0	2,6-DINITROTOLUENE	LT	10 ug/L	Gen. Eng.
0	3-METHYLCHOLANTHRENE	LT	10 ug/L	metaTRACE
0	3-METHYLCHOLANTHRENE	LT	10 ug/L	Gen. Eng.
0	3-METHYL PHENOL	LT	10 ug/L	metaTRACE
0	3-NITROANILINE	LT	10 ug/L	Gen. Eng.
0	3,3-DICHLOROBENZIDENE	LT	20 ug/L	metaTRACE
0	3,3-DICHLOROBENZIDENE	LT	20 ug/L	Gen. Eng.
0	3,3-DIMETHYLBENZIDINE	LT	10 ug/L	metaTRACE
0	3,3-DIMETHYLBENZIDINE	LT	10 ug/L	Gen. Eng.
0	4-AMINOBIIPHENYL	LT	10 ug/L	metaTRACE
0	4-AMINOBIIPHENYL	LT	10 ug/L	Gen. Eng.
0	4-BROMOPHENYLPHENYL ETHER	LT	10 ug/L	metaTRACE
0	4-BROMOPHENYLPHENYL ETHER	LT	10 ug/L	Gen. Eng.
0	4-CHLOROANILINE	LT	10 ug/L	metaTRACE
0	4-CHLOROANILINE	LT	10 ug/L	Gen. Eng.
0	4-CHLOROPHENYLPHENYL ETHER	LT	10 ug/L	metaTRACE
0	4-CHLOROPHENYLPHENYL ETHER	LT	10 ug/L	Gen. Eng.
0	4-CHLORO-3-METHYLPHENOL	LT	10 ug/L	metaTRACE
0	PARA-CHLORO-META-CRESOL	LT	10 ug/L	Gen. Eng.
0	4-METHYL-2-PENTANONE	LT	10 ug/L	metaTRACE
0	4-METHYL PHENOL	LT	10 ug/L	Gen. Eng.
0	4-NITROANILINE	LT	10 ug/L	metaTRACE
0	4-NITROPHENOL	LT	10 ug/L	Gen. Eng.
0	4-NITROPHENOL	LT	10 ug/L	metaTRACE
0	2-METHYL-4,6-DINITROPHENOL	LT	10 ug/L	Gen. Eng.
0	7,12-DIMETHYLBENZ(A)ANTHRACENE	LT	10 ug/L	metaTRACE
0	7,12-DIMETHYLBENZ(A)ANTHRACENE	LT	10 ug/L	Gen. Eng.
0	ZINC	LT	9 ug/L	metaTRACE
0	ZINC	LT	2 ug/L	Gen. Eng.

WELL BLANK

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/11/89 Time 940
 pH = 5.9 Alkalinity = 1 mg/L
 Specific conductance = 0 umhos/cm
 Water temperature = 24.6 degrees Celsius

LABORATORY ANALYSES

0 GROSS ALPHA	LT	2 pCi/L	Teledyne
0 AMERICIUM-241	LT	0.10 pCi/L	Teledyne
0 AMERICIUM-243	LT	0.60 pCi/L	Teledyne
0 BARIUM-140	LT	10 pCi/L	Teledyne
0 NONVOLATILE BETA	LT	2 pCi/L	Teledyne
0 BERYLLIUM-7	LT	40 pCi/L	Teledyne
0 CERIUM-141	LT	9 pCi/L	Teledyne
0 CERIUM-144	LT	30 pCi/L	Teledyne
0 CURIUM-242	LT	0.10 pCi/L	Teledyne
1 CURIUM-246	LT	2.10+0.40 pCi/L	Teledyne
0 CURIUM-243/244	LT	0.50 pCi/L	Teledyne
0 COBALT-58	LT	4 pCi/L	Teledyne
0 COBALT-60	LT	4 pCi/L	Teledyne
0 CESIUM-134	LT	3 pCi/L	Teledyne
0 CESIUM-137	LT	4 pCi/L	Teledyne
0 CARBON-14	LT	8 pCi/L	Teledyne
0 IRON-55	LT	50 pCi/L	Teledyne
0 IRON-59	LT	10 pCi/L	Teledyne
0 IODINE-129	LT	2 pCi/L	Teledyne
0 IODINE-131	LT	20 pCi/L	Teledyne
0 POTASSIUM-40	LT	40 pCi/L	Teledyne
0 MANGANESE-54	LT	4 pCi/L	Teledyne
0 NICKEL-59	LT	100 pCi/L	Teledyne
0 NICKEL-63	LT	7 pCi/L	Teledyne
0 PLUTONIUM-238	LT	0.50 pCi/L	Teledyne
0 PLUTONIUM-242	LT	0.20 pCi/L	Teledyne
0 PLUTONIUM-239/240	LT	0.10 pCi/L	Teledyne
0 RADIUM-226	LT	70 pCi/L	Teledyne
0 RADIUM-228	LT	1 pCi/L	Teledyne
0 RUTHENIUM-103	LT	0.80 pCi/L	Teledyne
0 RUTHENIUM-106	LT	5 pCi/L	Teledyne
0 STRONTIUM-89	LT	30 pCi/L	Teledyne
0 STRONTIUM-90	LT	3 pCi/L	Teledyne
0 TECHNETIUM-99	LT	0.70 pCi/L	Teledyne
0 THORIUM-228	LT	3 pCi/L	Teledyne
1 THORIUM-228	LT	6 pCi/L	Teledyne
0 THORIUM-230	LT	3.80+-1.10 pCi/L	Teledyne
0 THORIUM-232	LT	0.09 pCi/L	Teledyne
0 THORIUM-232	LT	0.05 pCi/L	Teledyne
0 URANIUM-235	LT	0.50 pCi/L	Teledyne
0 URANIUM-238	LT	1 pCi/L	Teledyne
0 URANIUM-233/234	LT	0.70 pCi/L	Teledyne
0 ZINC-65	LT	8 pCi/L	Teledyne
0 ZIRCONIUM-95	LT	4 pCi/L	Teledyne

WELL BLANK

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/14/89 Time 945
 pH = 5.7 Alkalinity = 1 mg/L
 Specific conductance = 1 umhos/cm
 Water temperature = 25.4 degrees Celsius

LABORATORY ANALYSES

0 SPECIFIC CONDUCTANCE	0.80 UMC	Gen. Eng.
0 SPECIFIC CONDUCTANCE	11.99 UMC	metaTRACE
0 PH	5.05 pH	Gen. Eng.
0 PH	5.68 pH	metaTRACE
0 TURBIDITY	0.20 NTU	Gen. Eng.
0 TURBIDITY	0.25 NTU	metaTRACE
0 TURBIDITY	0.25 NTU	metaTRACE
0 ALPHA-BENZENEHEXACHLORIDE	LT	0.50 ug/L
0 ALPHA-BENZENEHEXACHLORIDE	LT	10 ug/L
0 ACETOPHENONE	LT	10 ug/L
0 ACRYLONITRILE	LT	5 ug/L
0 ALPHA-ENDOSULFAN	LT	10 ug/L
0 SILVER	LT	2 ug/L
0 SILVER	LT	2 ug/L
0 ALUMINUM	LT	20 ug/L
0 ALUMINUM	LT	30 ug/L
0 ALDRIN	LT	0.50 ug/L
0 ALDRIN	LT	10 ug/L
0 ACENAPHTHENE	LT	10 ug/L
0 ACENAPHTHYLENE	LT	10 ug/L
0 ANTHRACENE	LT	10 ug/L
0 ARSENIC	LT	2 ug/L
0 ARSENIC	LT	3 ug/L
0 BARIUM	LT	4 ug/L
0 BARIUM	LT	25 ug/L
0 BENZO(A)ANTHRACENE	LT	10 ug/L
0 BENZO(A)PYRENE	LT	10 ug/L
0 BENZO(B)FLUORANTHENE	LT	10 ug/L
0 BETA-BENZENEHEXACHLORIDE	LT	0.50 ug/L
0 BETA-BENZENEHEXACHLORIDE	LT	10 ug/L
0 BUTYLBENZYL PHTHALATE	LT	10 ug/L
0 BIS(CHLOROMETHYL)ETHER	LT	10 ug/L
0 BERYLLIUM	LT	5 ug/L
1 BERYLLIUM	LT	2 ug/L
0 BETA-ENDOSULFAN	LT	10 ug/L
0 BENZIDINE	LT	10 ug/L
0 BENZO(C,H,I)PERYLENE	LT	10 ug/L
0 BENZO(K)FLUORANTHENE	LT	10 ug/L
0 BROMODICHLOROMETHANE	LT	1 ug/L

CONTINUED

WELL BLANK COLLECTED ON 09/14/89 LABORATORY ANALYSES CONTINUED

0 BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
0 BIS(2-CHLOROETHOXY) METHANE	LT	10 ug/L	Gen. Eng.
0 BIS(2-CHLOROISOPROPYL) ETHER	LT	10 ug/L	Gen. Eng.
0 BIS(2-CHLOROETHYL) ETHER	LT	10 ug/L	Gen. Eng.
0 BIS(2-ETHYLHEXYL) PHTHALATE	LT	10 ug/L	Gen. Eng.
0 CALCIUM	LT	14 ug/L	Gen. Eng.
0 CALCIUM	LT	84 ug/L	metaTRACE
0 TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0 TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE
0 CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0 CARBON TETRACHLORIDE	LT	9.00 ug/L	metaTRACE
0 CADMIUM	LT	2 ug/L	Gen. Eng.
0 CADMIUM	LT	4 ug/L	metaTRACE
0 BROMOFORM	LT	1 ug/L	Gen. Eng.
0 BROMOFORM	LT	5 ug/L	metaTRACE
0 CHLOROFORM	LT	1 ug/L	Gen. Eng.
0 CHLOROFORM	LT	5 ug/L	metaTRACE
0 CHRYSENE	LT	10 ug/L	Gen. Eng.
0 METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
1 METHYLENE CHLORIDE	B	6 ug/L	metaTRACE
0 BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0 BROMOMETHANE	LT	10 ug/L	metaTRACE
0 CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 CHLOROMETHANE	LT	10 ug/L	metaTRACE
0 CHLORIDE	LT	1000 ug/L	Gen. Eng.
0 CHLORIDE	LT	250 ug/L	metaTRACE
0 CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0 CHLOROBENZENE	LT	5 ug/L	metaTRACE
0 CHLORDANE	LT	0.50 ug/L	Gen. Eng.
0 CHLORDANE	LT	10 ug/L	Gen. Eng.
0 HEXACHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0 HEXACHLOROCYCLOPENTADIENE	LT	10 ug/L	Gen. Eng.
0 HEXACHLOROETHANE	LT	10 ug/L	Gen. Eng.
0 COBALT	LT	4 ug/L	Gen. Eng.
0 COBALT	LT	7 ug/L	metaTRACE
0 CHROMIUM	LT	4 ug/L	Gen. Eng.
1 CHROMIUM	LT	6 ug/L	metaTRACE
0 CARBON DISULFIDE	LT	5 ug/L	metaTRACE
0 COPPER	LT	4 ug/L	Gen. Eng.
0 COPPER	LT	10 ug/L	metaTRACE
0 CYANIDE	LT	5 ug/L	Gen. Eng.
0 CYANIDE	LT	5 ug/L	metaTRACE
0 CYANIDE	LT	5 ug/L	metaTRACE
0 CYANIDE	LT	5 ug/L	metaTRACE
0 CHLORETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0 CHLORETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0 CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 CHLOROETHANE	LT	10 ug/L	metaTRACE
0 BENZENE	LT	1 ug/L	Gen. Eng.
0 BENZENE	LT	5 ug/L	metaTRACE
0 DIBENZ(A,H)ANTHRACENE	LT	10 ug/L	Gen. Eng.
0 DELTA-BENZENEHEXACHLORIDE	LT	0.50 ug/L	Gen. Eng.
0 DELTA-BENZENEHEXACHLORIDE	LT	10 ug/L	Gen. Eng.
0 DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0 DIETHYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0 DIELDRIN	LT	0.50 ug/L	Gen. Eng.
0 DIELDRIN	LT	10 ug/L	Gen. Eng.
0 DIMETHYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0 DI-N-BUTYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0 DI-N-OCTYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0 ENDRIIN ALDEHYDE	LT	0.50 ug/L	Gen. Eng.
0 ENDRIIN ALDEHYDE	LT	10 ug/L	Gen. Eng.
0 ENDRIIN	LT	0.50 ug/L	Gen. Eng.
0 ENDRIIN	LT	10 ug/L	Gen. Eng.
0 ENDOSULFAN I	LT	0.50 ug/L	Gen. Eng.
0 ENDOSULFAN II	LT	0.50 ug/L	Gen. Eng.
0 ENDOSULFAN SULFATE	LT	0.50 ug/L	Gen. Eng.
0 ENDOSULFAN SULFATE	LT	10 ug/L	Gen. Eng.
0 ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0 ETHYLBENZENE	LT	5 ug/L	metaTRACE
0 FLUORIDE	LT	100 ug/L	Gen. Eng.
0 FLUORIDE	LT	250 ug/L	metaTRACE
0 FLUORANTHENE	LT	10 ug/L	Gen. Eng.
0 IRON	LT	11 ug/L	Gen. Eng.
0 IRON	LT	5 ug/L	metaTRACE
0 FLUORENE	LT	10 ug/L	Gen. Eng.
0 HEXACHLOROBUTADIENE	LT	10 ug/L	Gen. Eng.
0 MERCURY	LT	0.20 ug/L	Gen. Eng.
0 MERCURY	LT	0.20 ug/L	metaTRACE
0 MERCURY	LT	0.20 ug/L	metaTRACE
0 HEPTACHLOR	LT	0.50 ug/L	Gen. Eng.
0 HEPTACHLOR	LT	10 ug/L	Gen. Eng.
0 HEPTACHLOR EPOXIDE	LT	0.50 ug/L	Gen. Eng.
0 HEPTACHLOR EPOXIDE	LT	10 ug/L	Gen. Eng.
0 INDENO(1,2,3-C,D)PYRENE	LT	10 ug/L	Gen. Eng.
0 ISOPHORENE	LT	10 ug/L	Gen. Eng.
0 POTASSIUM	LT	900 ug/L	Gen. Eng.
0 POTASSIUM	LT	2000 ug/L	metaTRACE
0 LITHIUM	LT	3 ug/L	Gen. Eng.
0 LITHIUM	LT	41 ug/L	metaTRACE
0 LINDANE	LT	0.50 ug/L	Gen. Eng.
0 LINDANE	LT	10 ug/L	Gen. Eng.
0 TOLUENE	LT	1 ug/L	Gen. Eng.
0 TOLUENE	LT	5 ug/L	metaTRACE
1 METHYLETHYL KETONE	LT	10 ug/L	metaTRACE
0 METHOXYCHLOR	LT	4 ug/L	Gen. Eng.
0 MAGNESIUM	LT	2 ug/L	Gen. Eng.
0 MAGNESIUM	LT	69 ug/L	metaTRACE
0 MANGANESE	LT	2 ug/L	metaTRACE
0 MANGANESE	LT	3 ug/L	metaTRACE
0 SODIUM	LT	76 ug/L	Gen. Eng.
0 SODIUM	LT	80 ug/L	metaTRACE
0 NAPHTHALENE	LT	10 ug/L	Gen. Eng.
0 NITROBENZENE	LT	10 ug/L	Gen. Eng.
0 N-NITROSODIMETHYLAMINE	LT	10 ug/L	Gen. Eng.
0 N-NITROSODI-PROPYLAMINE	LT	10 ug/L	Gen. Eng.
0 NICKEL	LT	4 ug/L	Gen. Eng.
0 NICKEL	LT	5 ug/L	metaTRACE

CONTINUED

WELL BLANK COLLECTED ON 09/14/89 LABORATORY ANALYSES CONTINUED

0	N-NITROSODIPHENYLAMINE	LT	10 ug/L	Gen. Eng.
0	NITRITE AS NITROGEN	LT	10 ug/L	Gen. Eng.
0	NITRITE AS NITROGEN	LT	2500 ug/L	metaTRACE
0	NITRATE AS NITROGEN	LT	30 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN	LT	230 ug/L	metaTRACE
0	LEAD	LT	8 ug/L	Gen. Eng.
0	LEAD	LT	3 ug/L	metaTRACE
0	PCB 1016	LT	150 ug/L	Gen. Eng.
0	PCB 1221	LT	150 ug/L	Gen. Eng.
0	PCB 1232	LT	150 ug/L	Gen. Eng.
0	PCB 1242	LT	150 ug/L	Gen. Eng.
0	PCB 1248	LT	150 ug/L	Gen. Eng.
0	PCB 1254	LT	150 ug/L	Gen. Eng.
0	PCB 1260	LT	150 ug/L	Gen. Eng.
0	PENTACHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	PHENANTHRENE	LT	10 ug/L	Gen. Eng.
0	PHENOLS	LT	5 ug/L	Gen. Eng.
0	PHENOLS	LT	10 ug/L	Gen. Eng.
1	PHENOLS	LT	11 ug/L	metaTRACE
0	PHENOLS	LT	5 ug/L	metaTRACE
0	2,2-BIS(4-CHLOROPHENYL)-1,1-DCE	LT	0.50 ug/L	Gen. Eng.
0	2,2-BIS(4-CHLOROPHENYL)-1,1-DCE	LT	10 ug/L	Gen. Eng.
0	2,2-BIS(4-CHLOROPHENYL)-1,1-DCE	LT	0.50 ug/L	Gen. Eng.
0	2,2-BIS(4-CHLOROPHENYL)-1,1-DCE	LT	10 ug/L	Gen. Eng.
0	2,2-BIS(4-CHLOROPHENYL)-1,1,1-TCE	LT	0.50 ug/L	Gen. Eng.
0	2,2-BIS(4-CHLOROPHENYL)-1,1,1-TCE	LT	10 ug/L	Gen. Eng.
0	PYRENE	LT	10 ug/L	Gen. Eng.
0	ANTHRAZENE	LT	3 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	Gen. Eng.
1	SILICON	LT	92 ug/L	metaTRACE
1	SILICA	LT	1050 ug/L	Gen. Eng.
0	SILVEX	LT	0.09 ug/L	Gen. Eng.
0	TIN	LT	2 ug/L	Gen. Eng.
1	TIN	LT	126 ug/L	metaTRACE
0	SULFATE	LT	5000 ug/L	Gen. Eng.
0	SULFATE	LT	1000 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS	LT	1000 ug/L	Gen. Eng.
0	TOTAL DISSOLVED SOLIDS	LT	12000 ug/L	metaTRACE
0	THALLIUM	LT	2 ug/L	Gen. Eng.
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	Gen. Eng.
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	Gen. Eng.
0	TOTAL ORGANIC HALOGENS	LT	9 ug/L	metaTRACE
0	TOTAL PHOSPHATES	LT	50 ug/L	Gen. Eng.
0	TOTAL PHOSPHATES	LT	10 ug/L	metaTRACE
0	TOTAL PHOSPHATES	LT	10 ug/L	metaTRACE
0	TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TOXAPHENE	LT	5 ug/L	Gen. Eng.
0	TOXAPHENE	LT	10 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	URANIUM	LT	1000 ug/L	Gen. Eng.
0	URANIUM	LT	100 ug/L	metaTRACE
0	VANADIUM	LT	20 ug/L	Gen. Eng.
0	VANADIUM	LT	5 ug/L	metaTRACE
0	VINYL ACETATE	LT	10 ug/L	metaTRACE
0	XYLENES	LT	2 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
1	1,2-DICHLOROETHANE	8	6 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
1	1,2-DICHLOROPROPANE	JB	7 ug/L	metaTRACE
0	1,2-DIPHENYL HYDRAZINE	LT	10 ug/L	Gen. Eng.
0	1,2,4-TRICHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	10 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0	2-CHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2-CHLORONAPHTHALENE	LT	10 ug/L	Gen. Eng.
0	2-METHYLNAPHTHALENE	LT	10 ug/L	Gen. Eng.
0	2-NITROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,4-DICHLOROPHENOXYACETIC ACID	LT	0.30 ug/L	Gen. Eng.
0	2,4-DICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,4-DIMETHYL PHENOL	LT	10 ug/L	Gen. Eng.
0	2,4-DINITROPHENOL	LT	45 ug/L	Gen. Eng.
0	2,4-DINITROTOLUENE	LT	10 ug/L	Gen. Eng.
0	2,4,6-TRICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,6-DINITROTOLUENE	LT	10 ug/L	Gen. Eng.
0	3,3-DICHLOROBENZIDENE	LT	10 ug/L	Gen. Eng.
0	4-BROMOPHENYLPHENYL ETHER	LT	10 ug/L	Gen. Eng.
0	4-CHLOROPHENYLPHENYL ETHER	LT	10 ug/L	Gen. Eng.
0	PARA-CHLORO-META-CRESOL	LT	10 ug/L	Gen. Eng.
0	4-NITROPHENOL	LT	10 ug/L	Gen. Eng.
0	2-METHYL-4,6-DINITROPHENOL	LT	30 ug/L	Gen. Eng.
0	ZINC	LT	2 ug/L	Gen. Eng.
0	ZINC	LT	4 ug/L	metaTRACE
0	GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
0	GROSS ALPHA	LT	4 pCi/L	metaTRACE
0	NONVOLATILE BETA	LT	2 pCi/L	Gen. Eng.
0	NONVOLATILE BETA	LT	4 pCi/L	metaTRACE
0	TOTAL RADIUM	LT	1 pCi/L	Gen. Eng.
0	TOTAL RADIUM	LT	1 pCi/L	metaTRACE

CONTINUED

WELL BLANK COLLECTED ON 09/14/89 LABORATORY ANALYSES CONTINUED

0	TOTAL RADIUM	LT	1 pCi/L	metaTRACE
0	TOTAL RADIUM	LT	1 pCi/L	metaTRACE
0	TRITIUM	LT	0.70 pCi/mL	Gen. Eng.
0	TRITIUM	LT	1 pCi/mL	metaTRACE

WELL BLANK

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/27/89 Time 1620
pH = 5.5 Alkalinity = 1 mg/L
Specific conductance = 1 umhos/cm
Water temperature = 27.0 degrees Celsius

LABORATORY ANALYSES

0	HEPTACHLORODIBENZODIOXINS	LT	5 ng/L	metaTRACE
0	HEPTACHLORODIBENZOFURANS	LT	7 ng/L	metaTRACE
0	HEXACHLORODIBENZODIOXINS	LT	8 ng/L	metaTRACE
0	HEXACHLORODIBENZOFURANS	LT	5 ng/L	metaTRACE
0	ORTHOCHELORODIBENZODIOXINS	LT	8 ng/L	metaTRACE
0	ORTHOCHELORODIBENZOFURANS	LT	10 ng/L	metaTRACE
0	PENTACHLORODIBENZODIOXINS	LT	7 ng/L	metaTRACE
0	PENTACHLORODIBENZOFURANS	LT	3 ng/L	metaTRACE
0	TETRACHLORODIBENZODIOXIN	LT	2 ng/L	metaTRACE
0	TETRACHLORODIBENZOFURAN	LT	2 ng/L	metaTRACE
0	A, A-DIMETHYLPHENETHYLAMINE	LT	10 ug/L	metaTRACE
0	ALPHA-BENZENEHEXACHLORIDE	LT	0.05 ug/L	metaTRACE
0	ACETONE	LT	10 ug/L	metaTRACE
0	ACETOPHENONE	LT	10 ug/L	metaTRACE
0	ACROLEIN	LT	100 ug/L	metaTRACE
0	ACRYLONITRILE	LT	5 ug/L	metaTRACE
0	SILVER	LT	2 ug/L	metaTRACE
0	ALUMINUM	LT	30 ug/L	metaTRACE
0	ALUMINUM	LT	30 ug/L	metaTRACE
0	ALDRIN	LT	0.05 ug/L	metaTRACE
0	ACENAPHTHENE	LT	10 ug/L	metaTRACE
0	ACENAPHTHYLENE	LT	10 ug/L	metaTRACE
0	ANTHRACENE	LT	10 ug/L	metaTRACE
0	ARSENIC	LT	3 ug/L	metaTRACE
0	ARSENIC	LT	3 ug/L	metaTRACE
0	ALLYL CHLORIDE	LT	100 ug/L	metaTRACE
0	AZOBENZENE	LT	10 ug/L	metaTRACE
0	BARBIT	LT	25 ug/L	metaTRACE
0	BARBIT	LT	25 ug/L	metaTRACE
0	BENZO(A)ANTHRACENE	LT	10 ug/L	metaTRACE
0	BENZO(A)PYRENE	LT	10 ug/L	metaTRACE
0	BETA-BENZENEHEXACHLORIDE	LT	0.05 ug/L	metaTRACE
0	BUTYLBENZYL PHTHALATE	LT	10 ug/L	metaTRACE
0	BIS(CHLOROMETHYL-ETHYL) ETHER	LT	10 ug/L	metaTRACE
0	BERYLLIUM	LT	1 ug/L	metaTRACE
0	BERYLLIUM	LT	1 ug/L	metaTRACE
0	BENZIDINE	LT	50 ug/L	metaTRACE
0	BENZOIC ACID	LT	50 ug/L	metaTRACE
0	BENZO BIFLUOROANTHENE	LT	10 ug/L	metaTRACE
0	BENZO(G,H,I)PERYLENE	LT	10 ug/L	metaTRACE
0	BENZO(K)FLUOROANTHENE	LT	10 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
0	BENZYL ALCOHOL	LT	10 ug/L	metaTRACE
0	BIS(2-CHLOROETHOXY) METHANE	LT	10 ug/L	metaTRACE
0	BIS(2-CHLOROISOPROPYL) ETHER	LT	10 ug/L	metaTRACE
0	BIS(2-CHLOROETHYL) ETHER	LT	10 ug/L	metaTRACE
0	BIS(2-ETHYLHEXYL) PHTHALATE	LT	10 ug/L	metaTRACE
0	DICHLORODIFLUOROMETHANE	LT	5 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0	CADMIUM	LT	4 ug/L	metaTRACE
0	CADMIUM	LT	4 ug/L	metaTRACE
0	BROMOFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	5 ug/L	metaTRACE
0	CHRYSENE	LT	10 ug/L	metaTRACE
0	METHYLENE BROMIDE	LT	10 ug/L	metaTRACE
1	METHYLENE CHLORIDE	J	4 ug/L	metaTRACE
0	BROMOMETHANE	LT	5 ug/L	metaTRACE
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
0	ACETONITRILE (METHYL CYANIDE)	LT	100 ug/L	metaTRACE
0	CHLOROBENZILATE	LT	10 ug/L	metaTRACE
0	CHLOROBENZENE	LT	5 ug/L	metaTRACE
0	CHLORDANE	LT	1 ug/L	metaTRACE
0	CHLOROPRENE	LT	5 ug/L	metaTRACE
0	PENTACHLOROBENZENE	LT	10 ug/L	metaTRACE
0	PENTACHLOROETHANE	LT	5 ug/L	metaTRACE
0	PENTACHLOROETHANE	LT	10 ug/L	metaTRACE
0	PENTACHLORONITROBENZENE	LT	10 ug/L	metaTRACE
0	HEXACHLOROBENZENE	LT	10 ug/L	metaTRACE
0	HEXACHLOROCYCLOPENTADIENE	LT	10 ug/L	metaTRACE
0	HEXACHLOROETHANE	LT	10 ug/L	metaTRACE
0	COBALT	LT	7 ug/L	metaTRACE
0	COBALT	LT	7 ug/L	metaTRACE
0	CHROMIUM	LT	5 ug/L	metaTRACE
0	CHROMIUM	LT	5 ug/L	metaTRACE
0	CARBON DISULFIDE	LT	5 ug/L	metaTRACE
0	COPPER	LT	10 ug/L	metaTRACE
0	COPPER	LT	10 ug/L	metaTRACE
0	CYANIDE	LT	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0	CHLOROETHANE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	5 ug/L	metaTRACE
0	DIBENZ(A,H)ANTHRACENE	LT	10 ug/L	metaTRACE
0	DELTA-BENZENEHEXACHLORIDE	LT	0.05 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0	DIETHYL PHTHALATE	LT	10 ug/L	metaTRACE
0	DIALATE	LT	10 ug/L	metaTRACE
0	DIBENZOFURAN	LT	10 ug/L	metaTRACE
0	DIMETHOATE	LT	10 ug/L	metaTRACE

CONTINUED

WELL BLANK COLLECTED ON 09/27/89 LABORATORY ANALYSES CONTINUED

0	DISULFOTON	LT	10 ug/L	metaTRACE
0	DIELDRIN	LT	0.10 ug/L	metaTRACE
0	DIMETHYL PHTHALATE	LT	10 ug/L	metaTRACE
0	DI-N-BUTYL PHTHALATE	LT	10 ug/L	metaTRACE
0	DI-N-OCTYL PHTHALATE	LT	10 ug/L	metaTRACE
0	DIPHENYLAMINE	LT	10 ug/L	metaTRACE
0	ETHYL METHANESULFONATE	LT	10 ug/L	metaTRACE
0	ENDRIN ALDEHYDE	LT	0.20 ug/L	metaTRACE
0	ENDRIN	LT	0.10 ug/L	metaTRACE
0	ENDOSULFAN I	LT	0.05 ug/L	metaTRACE
0	ENDOSULFAN II	LT	0.10 ug/L	metaTRACE
0	ENDOSULFAN SULFATE	LT	0.10 ug/L	metaTRACE
0	ETHYLBENZENE	LT	5 ug/L	metaTRACE
0	ETHYL METHACRYLATE	LT	5 ug/L	metaTRACE
0	ETHYL METHACRYLATE	LT	10 ug/L	metaTRACE
0	FAMPHUR	LT	10 ug/L	metaTRACE
0	FLUORANTHENE	LT	10 ug/L	metaTRACE
0	FLUORENE	LT	10 ug/L	metaTRACE
0	HEXACHLOROBUTADIENE	LT	10 ug/L	metaTRACE
0	HEXACHLOROPROPENE	LT	10 ug/L	metaTRACE
0	MERCURY	LT	0.20 ug/L	metaTRACE
0	MERCURY	LT	0.20 ug/L	metaTRACE
0	HEPTACHLOR	LT	0.05 ug/L	metaTRACE
0	HEPTACHLOR EPOXIDE	LT	0.05 ug/L	metaTRACE
0	INDENO(1,2,3-C,D)PYRENE	LT	10 ug/L	metaTRACE
0	IODOMETHANE	LT	5 ug/L	metaTRACE
0	ISOSAFROLE	LT	10 ug/L	metaTRACE
0	ISODRIN	LT	10 ug/L	metaTRACE
0	ISOPHORONE	LT	10 ug/L	metaTRACE
0	LINDANE	LT	0.05 ug/L	metaTRACE
0	M-CRESSOL	LT	10 ug/L	metaTRACE
0	METHACRYLONITRILE	LT	5 ug/L	metaTRACE
0	TOLUENE	LT	5 ug/L	metaTRACE
0	METHYLETHYL KETONE	LT	10 ug/L	metaTRACE
0	METHYL METHACRYLATE	LT	5 ug/L	metaTRACE
0	METHYL METHANE SULFONATE	LT	10 ug/L	metaTRACE
0	METHOXYCHLOR	LT	0.05 ug/L	metaTRACE
0	METHAPYLENE	LT	10 ug/L	metaTRACE
0	SODIUM	LT	197 ug/L	metaTRACE
0	SODIUM	LT	197 ug/L	metaTRACE
0	NAPHTHALENE	LT	10 ug/L	metaTRACE
0	NITROBENZENE	LT	10 ug/L	metaTRACE
0	N-NITROSODIMETHYLAMINE	LT	10 ug/L	metaTRACE
0	N-NITROSODI-N-BUTYLAMINE	LT	10 ug/L	metaTRACE
0	N-NITROSODI-PROPYLAMINE	LT	10 ug/L	metaTRACE
0	N-NITROSODIETHYLAMINE	LT	10 ug/L	metaTRACE
0	N-NITROSODIETHYLAMINE	LT	10 ug/L	metaTRACE
0	NICKEL	LT	5 ug/L	metaTRACE
0	N-NITROSOMORPHOLINE	LT	10 ug/L	metaTRACE
0	N-NITROSODIPHENYLAMINE	LT	10 ug/L	metaTRACE
0	N-NITROSOPEROXIDINE	LT	10 ug/L	metaTRACE
0	N-NITROSOPYRROLIDINE	LT	10 ug/L	metaTRACE
0	4-NITROQUINOLINE-1-OXIDE	LT	10 ug/L	metaTRACE
0	O-TOLUIDINE	LT	10 ug/L	metaTRACE
0	LEAD	LT	3 ug/L	metaTRACE
0	LEAD	LT	3 ug/L	metaTRACE
0	PCB 1016	LT	0.50 ug/L	metaTRACE
0	PCB 1221	LT	0.50 ug/L	metaTRACE
0	PCB 1232	LT	0.50 ug/L	metaTRACE
0	PCB 1242	LT	0.50 ug/L	metaTRACE
0	PCB 1248	LT	0.50 ug/L	metaTRACE
0	PCB 1254	LT	1 ug/L	metaTRACE
0	PCB 1260	LT	1 ug/L	metaTRACE
0	PENTACHLOROPHENOL	LT	50 ug/L	metaTRACE
0	P-PHENYLENEDIAMINE	LT	10 ug/L	metaTRACE
0	P-DIMETHYLAMINOAZOBENZENE	LT	10 ug/L	metaTRACE
0	PHENACETIN	LT	10 ug/L	metaTRACE
0	PHENANTHRENE	LT	10 ug/L	metaTRACE
0	PHENOLS	LT	10 ug/L	metaTRACE
0	PHORATE	LT	10 ug/L	metaTRACE
0	2,2-BIS(4-CHLOROPHENYL)-1,1-DCE	LT	0.10 ug/L	metaTRACE
0	2,2-BIS(4-CHLOROPHENYL)-1,1-DCE	LT	0.10 ug/L	metaTRACE
0	2,2-BIS(4-CHLOROPHENYL)-1,1,1-TCE	LT	0.10 ug/L	metaTRACE
0	PRONAMIDE	LT	10 ug/L	metaTRACE
0	PROPIONITRILE	LT	5 ug/L	metaTRACE
0	PARATHION	LT	10 ug/L	metaTRACE
0	PARATHION METHYL	LT	10 ug/L	metaTRACE
0	PYRENE	LT	10 ug/L	metaTRACE
0	PYRIDINE	LT	10 ug/L	metaTRACE
0	SAFROLE	LT	10 ug/L	metaTRACE
0	ANTIMONY	LT	10 ug/L	metaTRACE
0	ANTIMONY	LT	10 ug/L	metaTRACE
0	2-SEC-BUTYL-4,6-DINITROPHENOL	LT	10 ug/L	metaTRACE
0	SELENIUM	LT	2 ug/L	metaTRACE
0	SELENIUM	LT	2 ug/L	metaTRACE
0	SILVEX	LT	0.07 ug/L	metaTRACE
1	TIN	LT	152 ug/L	metaTRACE
0	STYRENE	LT	5 ug/L	metaTRACE
0	SULFIDE	LT	1000 ug/L	metaTRACE
0	SULFIDE	LT	1000 ug/L	metaTRACE
0	1,2,4,5-TETRACHLOROBENZENE	LT	10 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	10.0 ug/L	metaTRACE
0	TETRAETHYL DITHIOPYRROPHOSPHATE	LT	10 ug/L	metaTRACE
0	O,O,O-TRIEHYL PHOSPHOROTHIOATE	LT	10 ug/L	metaTRACE
0	THIONAZIN	LT	10 ug/L	metaTRACE
0	THALLIUM	LT	3 ug/L	metaTRACE
0	THALLIUM	LT	10 ug/L	metaTRACE
0	TRICHLOROETHYLENE	LT	10.0 ug/L	metaTRACE
0	TOXAPHENE	LT	1 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	TRANS-1,4-DICHLORO-2-BUTENE	LT	10 ug/L	metaTRACE
0	VANADIUM	LT	5 ug/L	metaTRACE
0	VANADIUM	LT	5 ug/L	metaTRACE
0	VINYL ACETATE	LT	5 ug/L	metaTRACE
0	XYLENES	LT	5 ug/L	metaTRACE
0	1-NAPHTHYLAMINE	LT	10 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE

CONTINUED

WELL BLANK COLLECTED ON 09/27/89 LABORATORY ANALYSES CONTINUED

0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DIBROMOETHANE	LT	5 ug/L	metaTRACE
0	1,2-DIBROMO-3-CHLOROPROPANE	LT	10 ug/L	metaTRACE
0	1,2-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROBENZENE	LT	10 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	1,2,3-TRICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	1,2,4-TRICHLOROBENZENE	LT	10 ug/L	metaTRACE
0	1,3-DICHLOROBENZENE	LT	10 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	1,4-BENZOQUINONE	LT	10 ug/L	metaTRACE
0	1,4-DICHLOROBENZENE	LT	10 ug/L	metaTRACE
0	1,4-DIOXANE	LT	10 ug/L	metaTRACE
0	1,4-NAPHTHOQUINONE	LT	10 ug/L	metaTRACE
0	2-ACETYLAMINOFLOURENE	LT	10 ug/L	metaTRACE
0	2-CHLOROPHENOL	LT	10 ug/L	metaTRACE
0	2-CHLORONAPHTHALENE	LT	10 ug/L	metaTRACE
0	2-HEXANONE	LT	10 ug/L	metaTRACE
0	2-METHYLNAPHTHALENE	LT	10 ug/L	metaTRACE
0	2-NAPHTHYLAMINE	LT	10 ug/L	metaTRACE
0	2-NITROPHENOL	LT	10 ug/L	metaTRACE
0	2-PICOLINE	LT	10 ug/L	metaTRACE
0	2,3,4,6-TETRACHLOROPHENOL	LT	10 ug/L	metaTRACE
0	2,4-DICHLOROPHOXYACETIC ACID	LT	0.46 ug/L	metaTRACE
0	2,4-DICHLOROPHENOL	LT	10 ug/L	metaTRACE
0	2,4-DIMETHYL PHENOL	LT	10 ug/L	metaTRACE
0	2,4-DINITROPHENOL	LT	50 ug/L	metaTRACE
0	2,4-DINITROTOLUENE	LT	10 ug/L	metaTRACE
0	2,4,5-TRICHLOROPHOXYACETIC ACID	LT	0.07 ug/L	metaTRACE
0	2,4,5-TRICHLOROPHENOL	LT	10 ug/L	metaTRACE
0	2,4,6-TRICHLOROPHENOL	LT	10 ug/L	metaTRACE
0	2,6-DICHLOROPHENOL	LT	10 ug/L	metaTRACE
0	2,6-DINITROTOLUENE	LT	10 ug/L	metaTRACE
0	3-METHYLCHOLANTHRENE	LT	10 ug/L	metaTRACE
0	3,3-DICHLOROBENZIDENE	LT	20 ug/L	metaTRACE
0	3,3-DIMETHYLBENZIDINE	LT	10 ug/L	metaTRACE
0	4-AMINOBIOPHENYL	LT	10 ug/L	metaTRACE
0	4-BROMOPHENYLPHENYL ETHER	LT	10 ug/L	metaTRACE
0	4-CHLOROANILINE	LT	10 ug/L	metaTRACE
0	4-CHLOROPHENYLPHENYL ETHER	LT	10 ug/L	metaTRACE
0	4-CHLORO-3-METHYLPHENOL	LT	10 ug/L	metaTRACE
0	4-METHYL-2-PENTANONE	LT	10 ug/L	metaTRACE
0	4-NITROPHENOL	LT	10 ug/L	metaTRACE
0	7,12-DIMETHYLBENZ(A)ANTHRACENE	LT	10 ug/L	metaTRACE
0	ZINC	LT	8 ug/L	metaTRACE
0	ZINC	LT	8 ug/L	metaTRACE

SAMPLE ANALYSIS

QUALITY CONTROL STANDARDS

During the third quarter of 1989, the Environmental and Health Protection Department/EMS conducted quality assessments of the two primary laboratories used for sample analysis, MetaTRACE, Inc. and General Engineering Laboratories. The laboratories were sent two sets of certified environmental quality control standards (Batch No. 2521 and No. 2522) purchased from Environmental Resource Associates (ERA) of Arvada, Colorado.

BATCH NO. 2521 (ERA 389)

<u>Parameter</u>	<u>Certified Value</u>	<u>Advisory Range</u>	<u>General Engineering</u>	<u>metaTRACE</u>
Turbidity (NTU)	0.80	0.6-1.0	0.47*	0.83 0.82
Inorganics:				
Fluoride (mg/L)	4.7	3.9-5.5	4.8	<0.250* 4.1
Nitrate (as N) (mg/L)	7.5	6.5-8.5	7.47	8.38
Potassium (mg/L)	26	23-29	38.6*	<2.0* <2.0*
Sulfate (mg/L)	100	97-121	98	110 107
pH (pH)	9.0	8.8-9.2	9.12	^
Metals:				
Arsenic (µg/L)	91.6	69-113	95	82.8
Barium (µg/L)	308	231-385	318	301 313
Cadmium (µg/L)	252	189-315	288	227 226
Calcium (mg/L)	36.6	27-47	24.5*	17.5* 18.2*
Chromium (µg/L)	287	215-360	337	294 291
Iron (µg/L)	418	314-522	450	491 448
Lead (µg/L)	352	264-440	382	306
Manganese (µg/L)	231	173-289	245	223 226
Mercury (µg/L)	15.1	11-19	19.7	15.1 15.5
Selenium (µg/L)	137	103-171	133	129 127
Silver (µg/L)	136	102-170	86	^
Pesticides/Herbicides:				
Endrin (µg/L)	0.196	0.059-0.29	0.16	<0.006*
Lindane (µg/L)	0.256	0.074-0.35	0.14	<0.005*

* Results out of range.

^ No results received.

SAMPLE ANALYSIS

QUALITY CONTROL STANDARDS (cont.)

<u>Parameter</u>	<u>Certified Value</u>	<u>Advisory Range</u>	<u>General Engineering</u>	<u>metaTRACE</u>
------------------	------------------------	-----------------------	----------------------------	------------------

Pesticides/Herbicides (cont.):

Methoxychlor (µg/L)	0.098	0.041-0.13	<0.50	<0.50
2,4-D (µg/L)	0.103	0.028-0.13	<0.30	<0.46
Silvex (µg/L)	0.167	0.058-0.23	0.16	<0.07
Toxaphene (µg/L)	0.125	0.051-0.16	<1.0	<0.24

Halomethanes:

Chloroform (µg/L)	70.8	48-86	67	75
Bromodichloromethane (µg/L)	34.1	17-48	34	38
Chlorodibromomethane (µg/L)	25.6	13-34	19	22
Bromoform (µg/L)	39.3	17-61	36	42

Volatiles:

1,2-Dichloroethane (µg/L)	9.48	4.60-13	9.47	<5.0
1,4-Dichlorobenzene (µg/L)	0	<DL	<1.0	^
Benzene (µg/L)	14.7	5.4-19.0	12.3	<5.0*
1,1,1-Trichloroethane (µg/L)	0	<DL	<1.0	<5.0
1,1-Dichloroethylene (µg/L)	0	<DL	<1.0	<5.0
Carbon tetrachloride (µg/L)	0	<DL	6.5*	<5.0
Tetrachloroethylene (µg/L)	0	<DL	<1.0	<5.0

BATCH NO. 2522 (ERA 389A)

<u>Parameter</u>	<u>Certified Value</u>	<u>Advisory Range</u>	<u>General Engineering</u>	<u>metaTRACE</u>
------------------	------------------------	-----------------------	----------------------------	------------------

Turbidity (NTU)	3.1	2.5-3.7	3.1	2.81 2.84
-----------------	-----	---------	-----	--------------

Inorganics:

Fluoride (mg/L)	2.0	1.7-2.3	2.06	1.5*
Nitrate (as N) (mg/L)	5.1	4.4-5.8	4.54	5.36
Potassium (mg/L)	18	14-22	19.2	<2.0* <2.0*
Sulfate (mg/L)	119	106-132	109	115
pH (pH)	9.0	8.8-9.2	9.1	6.43*

Metals:

Arsenic (µg/L)	165	124-206	164	153 155
Barium (µg/L)	325	244-406	106*	122* 123*
Cadmium (µg/L)	191	143-239	174	196 197

* Results out of range.

^ No results received.

<DL Result should be less than laboratory detection limit.

SAMPLE ANALYSIS

QUALITY CONTROL STANDARDS (cont.)

<u>Parameter</u>	<u>Certified Value</u>	<u>Advisory Range</u>	<u>General Engineering</u>	<u>metaTRACE</u>
Metals (cont.):				
Calcium (mg/L)	21	16-26	22.8	20.8 20.8
Chromium (µg/L)	535	401-669	548	503 581
Iron (µg/L)	480	360-600	460	495 498
Lead (µg/L)	286	214-358	289	235 227
Manganese (µg/L)	492	369-615	504	546 547
Mercury (µg/L)	14	10-18	14.2	13
Selenium (µg/L)	125	94-156	113	120 114
Silver (µg/L)	125	94-156	135	73.9*
Pesticides/Herbicides:				
Endrin (µg/L)	0.256	0.077-0.38	0.19	0.26
Lindane (µg/L)	0.119	0.034-0.16	0.07	0.106
Methoxychlor (µg/L)	0.176	0.053-0.28	0.14	J0.106
2,4-D (µg/L)	0.448	0.13-0.58	0.38	0.47
Silvex (µg/L)	0.271	0.081-0.35	0.275	0.46*
Toxaphene (µg/L)	1.62	0.65-2.1	1.4	<0.24*
Halomethanes:				
Chloroform (µg/L)	59.7	40-72	53.7	110*
Bromodichloromethane (µg/L)	31.8	16-44	32.5	60*
Chlorodibromomethane (µg/L)	14.4	9.9-19	15.0	26*
Bromoform (µg/L)	12.2	5.5-19	10.9	20*
Volatiles:				
1,2-Dichloroethane (µg/L)	3.63	1.8-5.1	3.34	8.0*
1,4-Dichlorobenzene (µg/L)	22.6	4.1-43	21.6	44*
Benzene (µg/L)	0	<DL	<1.0	<5.0
1,1,1-Trichloroethane (µg/L)	0	<DL	<1.0	<5.0
1,1-Dichloroethylene (µg/L)	0	<DL	<1.0	<5.0
Carbon tetrachloride (µg/L)	4.52	2.1-6.4	4.0	9.0*
Tetrachloroethylene (µg/L)	0	<DL	<1.0	<5.0
Unregulated Volatiles:				
o-Chlorotoluene (µg/L)	6.40	1.9-10	6.02	^
1,3-Dichloropropane (µg/L)	39.7	12-64	39	^

* Results out of range.

^ No results received.

<DL Result should be less than laboratory detection limit.

J Estimated value.

SAMPLE ANALYSIS

QUALITY CONTROL STANDARDS (cont.)

Unregulated Volatiles (cont.):

1,1,1,2-Tetrachloro- ethane (µg/L)	8.83	4.1-12	8.22	^
m-Xylene (µg/L)	22.2	10-35	18.1	^

^ No results received.

The standards analyses were reviewed by comparing the laboratory results with the ERA-certified values and advisory ranges. The replicate analyses conducted by metaTRACE were not used in the comparison. The review demonstrates that each laboratory performed as follows:

<u>Laboratory</u>	<u>No. of Analyses</u>	<u>No. Within Limits</u>	<u>No. Outside Limits</u>	<u>Percentage Rating</u>
General Engineering				
Batch No. 2521	34	30	4	88%
Batch No. 2522	38	37	1	97%
metaTRACE				
Batch No. 2521	31	25	6	81%
Batch No. 2522	34	20	14	59%

REVIEW OF THE ANALYTICAL DATA FOR ERRORS

More details concerning the following corrections are in the Groundwater Monitoring Program Changes to the Database Log Book, where the corrections are recorded.

Several well names and sample dates were corrected in the analytical and field data.

General Engineering and metaTRACE incorrectly site-coded some laboratory identification numbers. The laboratory-assigned well names were reviewed and corrected.

All the laboratories entered several incorrect analytical units. After a review of the laboratory records, these units were corrected.

Several analytical results were significantly different from historical data. A review of the laboratory records revealed problems with these values, and the original values were corrected.

Although most of the methylene chloride results show positive values, these values should be considered suspect because the positive analytical results from laboratory blanks and EHP blind blanks indicate that laboratory contamination may have occurred.

SAMPLE ANALYSIS

REVIEW OF THE ANALYTICAL DATA FOR ERRORS (cont.)

Due to an error, wells Z 8 and Z 13 were not sampled.

Review of the General Engineering Analytical Data

General Engineering re-analyzed several samples because the analytical results were considerably different from previous results. In several cases the rerun results were significantly different from the original results.

<u>Analyte</u>	<u>Well</u>	<u>Original Result</u>	<u>Rerun Result</u>
Gross alpha	MSB 10C	27.4 $\pm$ 8.2 pCi/L	24.0 $\pm$ 3.5 pCi/L
	FTF 7	10.4 $\pm$ 3.2 pCi/L	484 $\pm$ 123 pCi/L
Nonvolatile beta	HTF 5	72.4 $\pm$ 6.9 pCi/L	78.8 $\pm$ 6.9 pCi/L
	MSB 10C	30.2 $\pm$ 5.5 pCi/L	19.3 $\pm$ 1.2 pCi/L
	FTF 7	301 $\pm$ 7.6 pCi/L	3150 $\pm$ 587 pCi/L
Total radium	MSB 12C	19 $\pm$ 6.0 pCi/L	7.32 $\pm$ 1.7 pCi/L

During third quarter 1989 General Engineering reported total phosphorus concentrations until EHP requested that they report total phosphate concentrations instead. This occurred during August; therefore, the third quarter analytical data contains results for both analytes.

The analytical results from several laboratory blanks from General Engineering were considerably above detection limits. The following samples accompanied the blanks in their respective analytical runs.

<u>Run Date</u>	<u>Time</u>	<u>Analyte(s)</u>	<u>Associated Samples</u>
07/07/89	16:31	Aluminum, Zinc	MSB 9A, MSB 9B, MSB 9C, MSB 10A, MSB 10B, MSB 10C, MSB 11A, MSB 11B, MSB 11D, MSB 11F, MSB 39A
07/10/89	14:26	Iron	MSB 9A, MSB 9B, MSB 9C, MSB 10A, MSB 10B, MSB 10C, MSB 11A, MSB 11B, MSB 11D, MSB 11F, MSB 39A
07/07/89	18:26	Aluminum, Zinc	MSB 39B, MSB 39C, MSB 39D, MSB 39TA
07/10/89	14:38	Iron	MSB 39B, MSB 39C, MSB 39D, MSB 39TA
07/25/89	01:13	Toluene	MSB 12TA, MSB 12TB, MSB 18A, MSB 18B, MSB 19A
07/24/89	20:34	Methylene chloride, benzene	MSB 31A
08/03/89	07:56	Sodium	BGO 2D, BGO 8D
08/08/89	11:16	Sodium	KAC 1, KAC 2, KAC 3, KAC 4, KAC 5, KAC 6, PAC 5, PAC 6
08/24/89	16:34	Sodium	FCA 19D

SAMPLE ANALYSIS

REVIEW OF THE ANALYTICAL DATA FOR ERRORS (cont.)

Run Date	Time	Analyte(s)	Associated Samples
09/20/89	16:02	Methylene chloride	MSB 2A, MSB 5A, MSB 6A, MSB 7A, MSB 8A
09/13/89	11:28	Methylene chloride	FBP 3A, PRP 1A, PRP 3, PRP 4
09/14/89	12:56	Methylene chloride	LFW 16, LFW 31, LFW 35

The analytical results for several EHP blanks sent to General Engineering were elevated. The samples listed below accompanied the blanks in their respective analytical runs.

Sample Date	Analyte(s)	Associated Samples
07/09/89	Aluminum, iron, magnesium, copper, manganese, sodium, zinc, total radium	MSB 2A, MSB 5A, MSB 6A, MSB 7A, MSB 14A, MSB 14B, MSB 14C
07/23/89	Iron, sodium, nickel	HSB 85A, HSB105C, HSB121A
08/16/89	Aluminum, calcium, copper, sodium	FCA 19D
08/23/89	Sodium	FCB 5, FCB 6, FSS 1D, FSS 3D, FSS 4D
209/03/89	Sodium	DCB 14, KSS 1D, KSS 2D, KSS 3D, PSS 1D, PSS 2D, PSS 3D
09/09/89	Gross alpha, lead	LFW 16, LFW 31, LFW 35

General Engineering analyzed the following samples after the seven-day holding time for total organic halogen analyses: CMP 8A, CMP 8B, CMP 9B, CMP 10, CMP 10B, CMP 14B, CMP 14C, CMP 16B, CRP 2, DCB 12, DCB 14, FCA 16D, and FSS 2D.

General Engineering analyzed the following samples after the seven-day holding time for GCMS VOA analyses: DCB 10, DCB 11, DCB 13, DCB 15, and DCB 16.

General Engineering analyzed the following samples past the holding time for the Appendix IX GCMS VOA analyses: MSB 2A, MSB 5A, MSB 6A, MSB 7A, and MSB 8A.

The following third quarter analytical results reported by General Engineering are considerably different from previous results. A review of the laboratory records did not reveal a problem with the analyses.

Analyte	Well
Silver	ASB 3A, ASB 5A
Aluminum	MSB 12A, MSB 12B, MSB 12C, MSB 12TA, MSB 12TB, MSB 13C, MSB 14C, MSB 18B, MSB 19B, MSB 21TA, MSB 36A, MSB 36B, MSB 39TA, ZBG 2
Gross alpha	ASB 9, BG 60, DCB 6, MSB 11A, MSB 12C
Arsenic	DCB 6, DCB 10, DCB 11, DCB 13

SAMPLE ANALYSIS

REVIEW OF THE ANALYTICAL DATA FOR ERRORS (cont.)

Analyte	Well
Bis(2-ethylhexyl) phthalate	MSB 22
Barium	MSB 12TB, MSB 22, MSB 36A
Beryllium	DCB 11
Nonvolatile beta	BG 60, FCA 9D, MGE 30, MSB 11A, ZW 5
Calcium	FAC 7, HAC 3
Carbon tetrachloride	MCB 5, PRP 3
Chloride	DCB 14, FAC 3, KAC 2
Specific conductance	DCB 15, DCB 16, FET 4D, FSS 1D
Chromium	DCB 10, FAC 3
Copper	LAC 1, MSB 5A, MSB 7A, MSB 11F, MSB 12C, MSB 19B, MSB 36TA
Iron	AMB 5, ASB 2A, ASB 9, BGO 27C, CMP 11, CSR 3, DBP 4, DCB 8, DCB 10, DCB 13, FAC 3, FSS 2D, HAC 1, HCB 2, HSS 3D, KAC 6, KAC 7, MSB 7A, MSB 8A, MSB 11D, MSB 13A, MSB 14A, MSB 14C, MSB 17A, MSB 18A, MSB 18C, MSB 19C, MSB 20C, MSB 21A, MSB 31B, MSB 36B, MSB 36D, MSB 36TA, MSB 39D, MSB 40D, PCB 2A, SRW 9, SRW 13B, SRW 14B, SRW 14C, SRW 16A, YSB 2A
Mercury	FAC 3, FAC 7, MSB 8A, MSB 11B, MSB 14A, MSB 17A, MSB 43A
Potassium	AMB 4, PAC 1
Toluene	ASB 8B
Magnesium	FSB 99A, KAC 7
Manganese	DBP 3, DCB 3A, DCB 5A, DCB 10, DCB 11, HCB 4, KAB 2, KAC 7, MSB 10B, MSB 17A, PCB 1A, SRW 9
Sodium	FSB 79B, KAC 7, MSB 9A, MSB 10A, MSB 10B, MSB 10C, MSB 11A, MSB 11D, MSB 11F, MSB 21C, MSB 36D, MSB 36TA, MSB 39D, MSB 39TA
Nickel	DCB 1A, PCB 1A
Nitrate (as N)	FBP 1A, FBP 2A, FCA 9D, FET 4D, HAC 1, MSB 13C, MSB 17B
Lead	ASB 1A, BGO 27C, CMP 12A, CRP 3, DCB 11, FCA 9D, HCB 2, KAC 1, MSB 14C, PAC 4, SRW 7
Phenols	HAC 4
Silica	FSB 79B, YSB 2A
Sulfate	DCB 5A, DCB 9, DCB 10, DCB 14, FSS 2D, HAC 1, HCB 2, HCB 4, KAC 2, KAC 6, KAC 7, PCB 1A, PCB 3A
1,1,2,2-Tetrachloro- ethane	ASB 8B
Tetrachloroethylene	ARP 2, ASB 8C, MCB 5, MSB 11D, MSB 22, MSB 26, MSB 31B, MSB 39B
Total dissolved solids	HET 4D
Total organic carbon	FSB 76B, FSB 79B, FSB 88C, FSB 99A, FSS 1D, HSB 85A, HSB121A
Total radium	HCB 2, MSB 9B, MSB 10C, MSB 19C, MSB 36B, MSB 39A

SAMPLE ANALYSIS

REVIEW OF THE ANALYTICAL DATA FOR ERRORS (cont.)

<u>Analyte</u>	<u>Well</u>
Total organic halogens	AMB 7, AOB 2, ASB 8, CRP 1, DCB 1A, DCB 6, DCB 7, DCB 10, DCB 13, FAC 3, FAC 4, FAL 1, FBP 3A, FCA 10A, FCA 16A, FCA 19D, FCB 6, FSB 76B, FSS 3D, HET 4D, KAC 7, KRP 4, LAC 1, LAC 4, MCB 2, MCB 5, MCB 6, MSB 2A, MSB 13A, PCB 1A, PCB 4A, PRP 1A, PRP 2, PRP 4, PSS 2D, SRW 2, XSB 4D, YSB 2A
Total phosphates	AMB 5, AMB 6, AMB 7, BGO 8D, BGO 27C, DCB 14, FAC 5, FET 4D, FSB 88C, FSS 1D, FCA 19D, FCB 5, FSS 2D, HAC 2, HAC 3, HET 4D, HSB 65B, KAC 6, KAC 7, KSS 1D, MSB 10A, MSB 11A, MSB 11D, MSB 13C, MSB 14A, MSB 18A, MSB 20A, MSB 20C, MSB 21C, MSB 21TA, MSB 22, MSB 31C, MSB 36A, MSB 36C, PAC 4, PSS 1D, PSS 2D, PSS 3D, RWM 1
Trichloroethylene	ARP 3, CRP 3, CRP 4, DCB 1A, DCB 15, FBP 2A, MSB 11D, MSB 22, MSB 26
Tritium	ASB 8C, DCB 14, ZW 5
Turbidity	BGO 2D, FAC 3, FAC 5, FAC 6, FAC 8, HSB 85A, KAC 2, KAC 4, KAC 5, KAC 6, KAC 7, PAC 3
Zinc	DCB 10, MSB 29B, MSB 40D, PCB 1A
1,1,1-Trichloroethane	KAC 5
1,1-Dichloroethylene	PRP 3
1,1-Dichloroethane	PRP 3
1,2-Dichloroethane	FAL 2

The following analyses were not performed by General Engineering for the following reasons.

<u>Well</u>	<u>Analyte</u>	<u>Reason</u>
ARP 1, ARP 1A, ARP 2, ARP 3, and ARP 4	2-Methylnaphthalene	Proper sample aliquot not collected
BGO 27B and BGO 27C	Acetophenone, naphthalene	Proper sample aliquot not collected
DOB 1	Specific conductance, pH	Proper sample aliquot not collected
FAC 3	Pesticides/herbicides, gross alpha, nonvolatile beta, total radium	Insufficient water for complete sampling
FAC 6	Pesticides/herbicides	Insufficient water for complete sampling

SAMPLE ANALYSIS

REVIEW OF THE ANALYTICAL DATA FOR ERRORS (cont.)

<u>Well</u>	<u>Analyte</u>	<u>Reason</u>
FCA 2D	Gross alpha, nonvolatile beta, total radium	Insufficient water for complete sampling
FCA 16D	Tritium, gross alpha, nonvolatile beta, total radium	Insufficient water for complete sampling
MCB 2, MCB 4, MCB 5, and MCB 6	GCMS VOA, lithium, endrin, lindane, methoxychlor, toxaphene, 2,4-D, silvex, comprehensive analyses	Data not available at time of publication due to laboratory error
MSB 13B	Cyanide, pesticides, PCBs (as part of Appendix IX suite)	Insufficient water for complete sampling
MSB 13C	Endrin, gross alpha, nonvolatile beta, total radium, cyanide, complete Appendix IX suite	Insufficient water for complete sampling

Review of the metaTRACE Analytical Data

metaTRACE re-analyzed several samples after reviewing the laboratory records. The rerun results of the following analytes were significantly different from the original results.

<u>Analyte</u>	<u>Well</u>	<u>Original Result</u>	<u>Rerun Result</u>
Gross alpha	BGO 26D	6.2 $\pm$ 2.6 pCi/L	14 $\pm$ 6 pCi/L
	BGO 38D	11.0 $\pm$ 4 pCi/L	20 $\pm$ 8 pCi/L
	BGO 39D	<3.0 pCi/L	5.8 $\pm$ 3.2 pCi/L
	FSB 88D	470 $\pm$ 50 pCi/L	400 $\pm$ 40 pCi/L
	FSB 89D	300 $\pm$ 30 pCi/L	270 $\pm$ 30 pCi/L
	FSB 91D	76 $\pm$ 8 pCi/L	1200 $\pm$ 200 pCi/L
	FSB 92D	950 $\pm$ 100 pCi/L	500 $\pm$ 50 pCi/L
	FSB 93D	1000 $\pm$ 100 pCi/L	700 $\pm$ 70 pCi/L
	FSB 97A	5.6 $\pm$ 4.0 pCi/L	<4.0 pCi/L
	FSB 97C	590 $\pm$ 50 pCi/L	400 $\pm$ 60 pCi/L
	FSB 97D	930 $\pm$ 100 pCi/L	800 $\pm$ 90 pCi/L
	FSB 98D	1600 $\pm$ 200 pCi/L	1100 $\pm$ 200 pCi/L
	FSB105D	890 $\pm$ 90 pCi/L	840 $\pm$ 90 pCi/L
	FSB110D	2700 $\pm$ 300 pCi/L	2000 $\pm$ 200 pCi/L
	HSB 84A	3.6 $\pm$ 2.6 pCi/L	8.5 $\pm$ 4.0 pCi/L
	HSB102D	240 $\pm$ 30 pCi/L	320 $\pm$ 40 pCi/L
	HSB112D	12 $\pm$ 4 pCi/L	17 $\pm$ 7 pCi/L
	HSB112E	17 $\pm$ 6 pCi/L	16 $\pm$ 7 pCi/L

SAMPLE ANALYSIS

REVIEW OF THE ANALYTICAL DATA FOR ERRORS (cont.)

<u>Analyte</u>	<u>Well</u>	<u>Original Result</u>	<u>Rerun Result</u>
Nonvolatile beta	BGO 39D	<5.0 pCi/L	7.5 ±3.8 pCi/L
	FSB 97C	2600 ±300 pCi/L	2300 ±300 pCi/L
	HSB 84D	3000 ±300 pCi/L	2600 ±300 pCi/L
	HSB127D	94 ±10 pCi/L	96 ±10 pCi/L
	HSB138D	74 ±8 pCi/L	77 ±9 pCi/L
Total radium	BGO 26D	1.6 ±0.4 pCi/L	1.0 ±0.2 pCi/L
	HSB125D	4.1 ±0.5 pCi/L	3.8 ±0.4 pCi/L
Tritium	HSB 83A	41 ±5 pCi/mL	<1.0 pCi/mL
	HSB 84A	160 ±20 pCi/mL	840 ±90 pCi/mL
	HSB117D	500 ±50 pCi/mL	480 ±50 pCi/mL
	HSB135D	860 ±90 pCi/mL	820 ±90 pCi/mL
	HSB139D	72 ±8 pCi/mL	68 ±7 pCi/mL

Several EHP blanks sent to metaTRACE showed elevated results. The samples listed below accompanied the blanks in their respective analytical runs.

<u>Sample Date</u>	<u>Analyte(s)</u>	<u>Associated Samples</u>
07/23/89	Silver	BGO 27C, BGO 36D, BGO 37D, BGO 38D, BGO 39D, HSB 65B, HSB 85A, HSB105C, HSB121A
07/23/89*	Calcium, magnesium, zinc	BGO 27C, BGO 36D, BGO 37D, BGO 38D, BGO 39D, FSB 88C, HSB 65B, HSB 85A, HSB105C, HSB121A
08/23/89	Calcium	CSB 2A, CSB 6A, DCB 2A, FNB 1, FNB 2, FNB 3, KDB 3, KSS 1D, PSS 2D, YSB 1A, YSB 2A, YSB 3A, YSB 4A
08/23/89	Ethyl benzene	CSB 2A, CSB 6A, FNB 1, FNB 2, FNB 3, KDB 3
09/03/89	Calcium	CSB 2A, CSB 6A, DCB 2A, FNB 1, FNB 2, FNB 3, KDB 3, KSS 1D, PSS 2D, YSB 1A, YSB 2A, YSB 3A
09/03/89	Total phosphate	KSS 1D, PSS 2D, YSB 1A, YSB 3A, YSB 4A
09/27/89	Tin	MSB 2A, MSB 5A, MSB 6A, MSB 7A, MSB 8A

* The blank was inadvertently re-analyzed and had high values both times.

The following third quarter analytical results reported by metaTRACE are considerably different from previous results. A review of the laboratory records did not reveal a problem with the analyses.

SAMPLE ANALYSIS

REVIEW OF THE ANALYTICAL DATA FOR ERRORS (cont.)

Analyte	Well
Silver	FSB 94C
Aluminum	HSB 68C, HSB 71C, HSB 84A, HSB 84D, HSB 86C, HSB107C, HSB109D, HSB127C, HSB130C, HSB133C, HSB136C, YSB 4A
Gross alpha	BG 60, BGO 5D, BGO 30D, BGO 31D, BGO 32D, FTF 3, FTF 4, FTF 7, FTF 12, FTF 15, FTF 16, FTF 17, FTF 18, FTF 19, FTF 20, FTF 21, FTF 22, FTF 23, FTF 24A, FTF 25A, FTF 26, FTF 27, HSB111E, HTF 5, HTF 6, HTF 7, LFW 6, LFW 18, LFW 25, MGE 30, MSB 43D, RSB 7
Bis(2-ethylhexyl) phthalate	LFW 7, LFW 10A, LFW 22, LFW 24, LFW 25, LFW 27, LFW 29, LFW 39, LFW 41
Barium	AMB 5, ASB 8B, BGO 35C, FSB 97C, FSB 98D, HSB134C, HTF 5, HTF 6, HTF 7
Beryllium	MSB 5A
Nonvolatile beta	BG 60, BGO 30D, BGO 31D, BGO 32D, FTF 7, HSB100D, HSB111E, HTF 5, HTF 6, HTF 7, HTF 34, MGE 30, MSB 43D, RSB 7
Benzene	HSB 71C
Calcium	ABP 3, BGO 11D, BGO 14C, BGO 16A, BGO 20D, BGO 22D, BGO 27D, BGO 30D, BGO 31D, BGO 33D, BGO 36D, BGO 37C, BGO 37D, BGO 39D, FSB 98C, HSB 83B, HSB 83C, PAC 4, YSB 1A, YSB 3A, YSB 4A
Trichlorofluoromethane	FSB 76C, LDB 2, LFW 10A, LFW 21, LFW 22, LFW 23, LFW 37, LFW 38, LFW 39, LFW 41
Carbon tetrachloride	LFW 10A, LFW 40, TBG 5, XSB 2D, XSB 5A
Cadmium	BGO 11D, HTF 5, HTF 6, HTF 7, MSB 5A
Methylene chloride	HSB 71, HSB 71C, HSB 84D, HSB 86D, HSB102D, HSB107D, HSB109D, HSB111C, HSB112C, HSB115D, HSB116C, HSB117C, HSB138D, LFW 7, LFW 10A, LFW 17, LFW 21
Chloroform	HSB109D
Chloride	ABP 3, BGO 33D, FSB 98A, LFW 16
Cobalt	FSB 97C, FSB 98D, HSB 86C, MSB 5A
Specific conductance	BGO 6C, BGO 14C, BGO 26A, BGO 27D, BGO 33D, BGO 37D, BGO 38D, HSB 66, HSB 68A, HSB 84A, HSB100D, HSB107C, HSB110C, HSB113C, HSB131D, HSB133D, LFW 40, YSB 1A, YSB 3A
Chromium	FSB 93D, FSB 97D, HTF 5, HTF 6, HTF 7, HTF 34, MSB 5A
Copper	FSB 90D, FSB 97D, FSB 98D, FSB105D, HSB 68C, HSB 70, MSB 5A, PSB 5A, PSB 7A
Diethyl phthalate	LFW 7, LFW 8, LFW 17, LFW 18
Di-n-octyl phthalate	LFW 10A, LFW 18, LFW 19, LFW 22, LFW 24, LFW 28, LFW 29, LFW 36, LFW 39, LFW 41, LFW 42
Fluoride	BGO 12C, FSB 97C, FSB 98A

SAMPLE ANALYSIS

REVIEW OF THE ANALYTICAL DATA FOR ERRORS (cont.)

Analyte	Well
Iron	BGO 2D, BGO 8A, BGO 11D, BGO 27C, BGO 27D, BGO 29A, BGO 33D, BGO 35C, BGO 36D, BGO 38D, CSB 4A, DOB 4, FSB 78A, FSB 87A, FSB 93C, FSB 97C, FSB 98A, FSB 98D, HSB 66, HSB 84B, HSB 85B, HSB 86A, HSB102D, HSB105C, HSB127C, HSB129D, LFW 36, PAC 4, PSB 2A, PSB 4A, PSB 7A, TBG 7, XSB 1D, YSB 3A, YSB 4A
Potassium	BGO 14C
Magnesium	BGO 12D, BGO 33D, FSB 93C, FSB 94C, HSB109D, HSB130D, YSB 1A, YSB 3A, YSB 4A
Manganese	ASB 8B, BGO 27D, BGO 36D, BGO 39D, FSB 93C, FSB 97C, FSB 98D, HSB 84A, HSB109D, KSS 1D
Sodium	BGO 11D, FSB 93C, HSB 84A, HSB130D, HTF 3, YSB 1A, YSB 3A, YSB 4A
Nickel	FSB 97C, FSB 98D, FSB109D, HSB 86C, HSB100D
Nitrate (as N)	BGO 1D, BGO 30D, FSB 76C, FTF 3, HSB 84A, HSB131D, HSB133C, HTF 16, HTF 22, KSS 1D, LFW 40, PSS 2D
Lead	BGO 11D, BGO 27D, BGO 31D, BGO 36D, BGO 37D, CDB 1, FSB 93D, FSB 98D, FSB105D, FSB108D, HSB 70, HSB110D, MSB 43D, PAC 4, PDB 2
pH	YSB 1A
Phenols	BGO 8A, BGO 14A, BGO 33D, HSB125D
Antimony	FSB 93D, MSB 5A, MSB 7A
Silica	BGO 26D, BGO 36D, FSB 93C, FSB 97C
Sulfate	ABP 2A, BGO 12C, HSB106C, TBG 3, TBG 4, TBG 5, TBG 6, XSB 2D, XSB 3A
trans-1,2-Dichloro-ethene	BGO 27D, BGO 28D, BGO 33C, LFW 6, LFW 7, LFW 17, LFW 18, LFW 36, LFW 37, LFW 38, TBG 3, TBG 4, TBG 5, XSB 1D, XSB 2D
Total dissolved solids	BGO 12C, BGO 12D, BGO 14C, BGO 22D, BGO 33C, BGO 37C, FSB 97C, FSB 98A, FSB110C, FSB111C, FSB111D, HSB 67, HSB 68A, HSB 83C, HSB107C, HSB117D, HSB126C, HSB133C, HSB133D
Total organic carbon	BGO 14A, BGO 26D, FSB 91D, HSB116C, HSB129C, LFW 7, LFW 17, LFW 21, LFW 36, LFW 37
Total radium	FSB 97C, FTF 3, FTF 4, FTF 7, FTF 12, FTF 15, FTF 24A, FTF 25A, FTF 27, LFW 6
Total organic halogens	BGO 3D, BGO 12A, BGO 26A, BGO 30C, BGO 36D, CSB 3A, DOB 1, HSB101D, HSB133D, KRB 13, KRB 15
Total phosphates	AMB 5, BGO 5D, BGO 6C, BGO 10A, BGO 12A, BGO 15D, BGO 16A, BGO 16D, BGO 20D, BGO 21D, BGO 26D, BGO 31D, BGO 32D, BGO 34D, BGO 35D, BGO 38D, BGO 39D, FAC 4, FSB 93D, HSB 65A, HSB 68B, HSB 83A, HSB 83B, HSB 83C, HSB 84A, HSB 84B, HSB102C, HSB104D, HSB110C, HSB112C, HSB114D, HSB120A, HSB121A, HSB126C, HSB133C,

SAMPLE ANALYSIS

REVIEW OF THE ANALYTICAL DATA FOR ERRORS (cont.)

Analyte	Well
Total phosphates (cont.)	HSB133D, HSB134C, HSB135C, MSB 11C, PSS 2D, XSB 2D
Trichloroethylene	BGO 27D, BGO 30D, BGO 31D, BGO 32D, BGO 33C, BGO 35D, CSB 2A, CSB 4A, DOB 1, HSB 65, HSB 68C, HSB 83D, HSB134D, HSB136C, HSB136D, HSB137C, HSB137D, KDB 3, MSB 20A, MSB 23TA
Tritium	BGO 14C, BGO 27C, BGO 27D, BGO 31D, HSB110D, HSB134D, KRB 8, KRB 13, KRB 14, LFW 10A, LFW 18, LFW 21, MSB 43D, PDB 3
Turbidity	BGO 3D, BGO 6D, BGO 10C, BGO 12A, BGO 18D
Zinc	FSB 76A, FSB 93C, FSB 97C, FSB 98A, FSB 98D, FSB100A, FSB105D, FSB110C, HSB 83D, HSB 85C, HSB104C, HSB104D, HSB105D, HSB107C, HSB110D, HSB111D, HSB114C, HSB117A, HSB120A, HSB131C, HSB131D, HSB132D, HSB136C, HSB136D, MSB 5A, MSB 7A, YSB 1A
1,1,1-Trichloroethane	LFW 40
1,1-Dichloroethylene	LFW 38
1,1-Dichloroethane	LFW 7, LFW 17, LFW 36

The following analyses were not performed by metaTRACE because of the following reasons.

Well	Analyte	Reason
BGO 6C, BGO 15D, and BGO 18D	Pesticides	Laboratory problems prevented analysis
BGO 24D	Pesticides	Not extracted due to laboratory oversight
BRD 1, BRD 2, and BRD 4	Comprehensive analyses, GCMS VOA, lithium	Data not available at time of publication due to laboratory error
BRD 5D	GCMS VOA, lithium	Data not available at time of publication due to laboratory error
FCA 2D	Gross alpha, nonvolatile beta, tritium	Data not available at time of publication due to laboratory error
FSB 91D	Arsenic	Sample could not be ana- lyzed due to background interference

SAMPLE ANALYSIS

REVIEW OF THE ANALYTICAL DATA FOR ERRORS (cont.)

<u>Well</u>	<u>Analyte</u>	<u>Reason</u>
HTF 3	Nitrate	Laboratory did not receive nitrate bottle
KDB 1	Manganese, sulfate, tritium, gross alpha, total radium, iron, mercury, lead, total, organic halogens, GCMS VOA	Data not available at time of publication due to laboratory error
MCB 2, MCB 4, MCB 5, and MCB 6	Comprehensive analyses, GCMS VOA, lithium, pesticides/herbicides	Data not available at time of publication due to laboratory error
MSB 8A	Appendix IX pesticides/herbicides, PCBs, and base/neutral/acids	Insufficient water for complete collection
ZW 5	Nonvolatile beta, tritium	Data not available at time of publication due to laboratory error

Review of the M-Area Analytical Data

The following third quarter analytical results reported by M-Area laboratory are considerably different from previous results. A review of the laboratory records did not reveal a problem with the analyses.

<u>Analyte</u>	<u>Well</u>
Tetrachloroethylene	MSB 11D, RWM 9, RWM 11
Trichloroethylene	MSB 17A, MSB 23TA, MSB 48C, MSB 67C, RWM 8
1,1-Dichloroethylene	RWM 8

Review of the Teledyne Isotopes Analytical Data

Teledyne did not test any samples for plutonium-241 and did not test the FSB and HSB series wells for neptunium-237 because these requests were accidentally omitted from the Custody Transfer Records.

Due to a misunderstanding, Teledyne failed to perform some of the requested analyses. Teledyne omitted all requested analyses for the following wells:

ASB 6AA	FSB 91D
ASB 8TA	FSB 94D
ASB 9B	ZBG 1A

SAMPLE ANALYSIS

REVIEW OF THE ANALYTICAL DATA FOR ERRORS (cont.)

For the following wells, Teledyne performed gross alpha and nonvolatile beta analyses, but they omitted all specific radioisotope analyses:

FSB 76	HSB 85C	HSB107D	HSB137D
FSB 79	HSB103D	HSB111E	HSB139D
FSB 89D	HSB105D	HSB134D	

Review of the Environmental Monitoring Section Analytical Data

The following drinking water analytical results reported by the Environmental Monitoring Laboratory are considerably different from previous results. A review of the laboratory records did not reveal a problem with the analyses.

Analyte	Site
Gross alpha	Savannah Raw Comp, 221-F Building, 241-24H Building, 704-F Building, 704-S De-nse Waste Processing Facility (DWPF), 772-F Building
Nonvolatile beta	221-F Building, 704-S DWPF
Tritium	105-K Building

The following radioactive analytical results reported by the Environmental Monitoring Laboratory are considerably different from previous results. A review of the laboratory records did not reveal a problem with the analyses.

Gross alpha	BG 58, BG 63, F 10, F 15, FCA 1N, H 14, HTF 1, HTF 17, MGC 32, RSE 2, RSE 5, SBG 2, SBG 6
Nonvolatile beta	BG 53, BG 54, BG 59, BG 67, F 10, F 15, FTF 7, H 8, H 13, HTF 2, HTF 3, HTF 22, RSA 7, RSB 9, RSE 12, RSE 18, SBG 3
Strontium-89/90	F 10, FCA 2C
Total Activity	DCB 14
Tritium	BG 57, DCB 14, F 10, HSB106D, KRB 8, KRB 13

The following analyses were not performed by the Environmental Monitoring Laboratory because of the following reasons.

Well	Analyte	Reason
FTF 24A, FTF 25A, FTF 26, and FTF 27	Chromium-51, cobalt-60, zirconium/niobium-95, ruthenium-103, ruthenium-106, antimony-125, iodine-131, cesium-134, cesium-137, cerium-144	Data not available at time of publication due to laboratory error

SAMPLE ANALYSIS

REVIEW OF THE ANALYTICAL DATA FOR ERRORS (cont.)

<u>Well</u>	<u>Analyte</u>	<u>Reason</u>
HTF 5, HTF 6, HTF 7, and HTF 8	Chromium-51, cobalt-60, zirconium/niobium-95, ruthenium-103, ruthenium-106, antimony-125, iodine-131, cesium-134, cesium-137, cerium-144	Data not available at time of publication due to laboratory error

ANALYTICAL METHODS

Laboratories performed analyses using the Environmental Protection Agency (EPA) methods listed in the table, with the following exceptions:

- The Environmental and Health Protection (EHP) Laboratory at SRS conducts tritium, gross alpha, and nonvolatile beta analyses of samples for shipping clearance. The gross alpha and nonvolatile beta analytical methods used by the EHP Laboratory are in-house methods based on applicable EPA methods. Methods used by EHP for testing radioisotopes are also in-house analytical methods.
- Some methods are not EPA methods. These are designated with an asterisk (*).

If more than one analytical method is listed for one analyte, the method listed first is the method that was used for at least half of the analyses.

The method code 200.7 means the inductively coupled plasma (ICP) method of analysis was used.

The M-Area Laboratory at SRS analyzes chloroform, tetrachloroethylene, trans-1,2-dichloroethene, 1,1-dichloroethylene, trichloroethylene, and 1,1,1-trichloroethane by EPA methods 601 (Gas Chromatograph) and 624 (Gas Chromatograph/Mass Spectrometer). The M-Area Laboratory conducts only these analyses and analyzes only certain wells in the A and M Areas.

<u>Analyte</u>	<u>Methods</u>	
	<u>General</u>	<u>metaTRACE</u>
a,a-Dimethylphenethylamine	8270	8270
alpha-Benzenehexachloride	8080	8080
	8270	
Acetone	8240	8240
Acetophenone	8270	8270
Acrolein	8240	624
		8240
Acrylonitrile	8240	624
		8240

SAMPLE ANALYSIS

ANALYTICAL METHODS (cont.)

Analyte	Methods	
	General	
	Engineering	metaTRACE
alpha-Endosulfan	8270	608
Silver	6010	200.7
Aluminum	6010	200.7
Aldrin	8080	8080
	8270	
Gross alpha	900.0	900.0
Acenaphthene	8270	8270
Acenaphthylene	8270	8270
Aniline	8270	-
Anthracene	8270	8270
Aramite	8270	-
Arsenic	7060	7060
Allyl chloride	8240	8240
Azobenzene	-	8270
Barium	6010	200.7
Benzo(a)anthracene	8270	8270
Benzo(a)pyrene	8270	8270
Benzo(b)fluoranthene	8270	-
beta-Benzenehexachloride	8080	608
	8270	8080
Butylbenzyl phthalate	8270	8270
Bis(chloromethyl)ether	8270	-
Bis(chloromethyl-ethyl)ether	8270	8270
	8240	
Beryllium	6010	200.7
beta-Endosulfan	8270	-
Benzidine	8270	8270
Benzoic acid	-	8270
Nonvolatile beta	900.0	900.0
Benzo bifluoroanthene	8270	8270
Benzo(g,h,i)perylene	8270	8270
Benzo(k)fluoranthene	8270	8270
Bromodichloromethane	8240	624
	8010	8240
Benzyl alcohol	8270	8270
Bis(2-chloroethoxy)methane	8270	8270
Bis(2-chloroisopropyl)ether	8270	8270
Bis(2-chloroethyl)ether	8270	8270
Bis(2-ethylhexyl) phthalate	8270	625
		8270
Calcium	6010	200.7
Dichlorodifluoromethane	8240	8240
Trichlorofluoromethane	8240	624
	8010	8240
Carbon tetrachloride	8240	624
	8010	8240

SAMPLE ANALYSIS

ANALYTICAL METHODS (cont.)

<u>Analyte</u>	<u>Methods</u>	
	<u>General</u>	<u>metaTRACE</u>
	<u>Engineering</u>	
Cadmium	6010	200.7
Bromoform	8240	624
	8010	8240
Chloroform	8240	624
	8010	8240
Chrysene	8270	8270
Methylene bromide	8240	8240
Methylene chloride	8240	624
	8010	8240
Bromomethane	8240	624
	8010	8240
Chloromethane	8240	624
	8010	8240
Acetonitrile (methyl cyanide)	8240	8240
Chloride	300.1	300.0
Chlorobenzilate	8270	8270
Chlorobenzene	8240	624
Chlorobenzene	8240	624
	8010	8240
Chlordane	8080	8080
	8270	
Chloroprene	8240	8240
Pentachlorobenzene	8270	8270
Pentachloroethane	8270	8240
		8270
Pentachloronitrobenzene	8270	8270
Hexachlorobenzene	8270	8270
Hexachlorocyclopentadiene	8270	8270
Hexachloroethane	8270	8270
Cobalt	6010	200.7
Specific conductance	120.1	120.1
Chromium	6010	200.7
Carbon disulfide	8240	8240
Copper	6010	200.7
Cyanide	9012	335.2
Chloroethene (vinyl chloride)	8240	624
	8010	8240
Chloroethane	8240	624
	8010	8240
Benzene	8240	624
	8010	8240
Dibenz(a,h)anthracene	8270	8270
Dibromochloropropane	8240	-
delta-Benzenehexachloride	8080	608
	8270	8080

SAMPLE ANALYSIS

ANALYTICAL METHODS (cont.)

Analyte	Methods	
	General	
	Engineering	metaTRACE
Dibromochloromethane	8240	624
	8010	8240
Diethyl phthalate	8270	625
		8270
Diallate	8270	8270
Dibenzofuran	8270	8270
Dimethoate	8270	8270
Disulfoton	8270	8270
Dieldrin	8080	8080
	8270	
Dimethyl phthalate	8270	8270
di-n-Butyl phthalate	8270	8270
di-n-Octyl phthalate	8270	625
		8270
Diphenylamine	8270	8270
Ethyl methanesulfonate	8270	8270
Endrin aldehyde	8080	8080
	8270	
Endrin	8080	608
	8270	8080
Endosulfan I	8080	8080
Endosulfan II	8080	8080
Endosulfan sulfate	8080	8080
	8270	
Ethylbenzene	8240	624
	8010	8240
Ethyl methacrylate	8270	8240
		8270
Fluoride	340.1	300.0
Famphur	8270	8270
Fluoranthene	8270	8270
Iron	6010	200.7
Fluorene	8270	8270
Hexachlorobutadiene	8270	8270
Hexachlorophene	8270	-
Hexachloropropene	8270	8270
Mercury	7470	245.1
Heptachlorodibenzodioxins	-	8280
Heptachlorodibenzofurans	-	8280
Heptachlor	8080	8080
	8270	608
Heptachlor epoxide	8270	8080
	8080	
Hexachlorodibenzodioxins	-	8280
Hexachlorodibenzofurans	-	8280
Indeno(1,2,3-c,d)pyrene	8270	8270

SAMPLE ANALYSIS

ANALYTICAL METHODS (cont.)

Analyte	Methods	
	General	
	Engineering	metaTRACE
Iodomethane	8240	8240
Isosafrole	8270	8270
Isobutyl alcohol	8240	-
Isodrin	8270	8270
Isophorone	8270	8270
Potassium	6010	200.7
Kepone	8270	-
Lithium	6010	200.7
Lindane	8080	608
	8270	8080
m-Cresol	-	8270
Methacrylonitrile	8240	8240
Toluene	8240	624
	8010	8240
Methylethyl ketone	8240	8240
Methyl methacrylate	8270	8240
Methyl methane sulfonate	8270	8270
Methoxychlor	8080	608
		8080
Magnesium	6010	200.7
Methylisobutyl ketone	8240	-
Manganese	6010	200.7
Methapyrilene	8270	8270
Sodium	6010	200.7
Naphthalene	8270	8270
Nitrobenzene	8270	8270
n-Nitrosodimethylamine	8270	8270
n-Nitrosodi-n-butylamine	8270	8270
n-Nitrosodi-propylamine	8270	8270
n-Nitrosodiethylamine	8270	8270
n-Nitrosoethylmethylamine	8270	8270
Nickel	6010	200.7
n-Nitrosomorpholine	8270	8270
n-Nitrosodiphenylamine	8270	8270
n-Nitrosopiperidine	8270	8270
n-Nitrosopyrrolidine	8270	8270
Nitrite (as N)	300.1	300.0
Nitrate (as N)	300.1	352.1
	353.3	
4-Nitroquinoline-1-oxide	8270	8270
5-Nitro-o-toluidine	8270	-
Orthochlorodibenzodioxins	-	8280
Orthochlorodibenzofurans	-	8280
o-Toluidine	8270	8270
Lead	7421	7241

SAMPLE ANALYSIS

ANALYTICAL METHODS (cont.)

Analyte	Methods	
	General Engineering	metaTRACE
p-Bromofluorobenzene	-	624
		8240
PCB 1016	8270	8080
	8080	
PCB 1221	8270	8080
	8080	
PCB 1232	8270	8080
	8080	
PCB 1242	8270	8080
	8080	
PCB 1248	8270	8080
	8080	
PCB 1254	8270	8080
	8080	
PCB 1260	8270	8080
	8080	
PCB 1262	8080	-
Pentachlorodibenzodioxins	-	8280
Pentachlorodibenzofurans	-	8280
Pentachlorophenol	8270	8270
p-Phenylenediamine	8270	8270
p-Dimethylaminoazobenzene	-	8270
p-(Dimethylamino)ethylbenzene	8270	-
pH	150.1	150.1
Phenacetin	8270	8270
Phenanthrene	8270	8270
Phenols	420.1	420.1
	8270	8270
Phorate	8080	8270
2,2-Bis(4-chlorophenyl)-1,1-DCLE	8080	8080
	8270	
2,2-Bis(4-chlorophenyl)-1,1-DCE	8080	8080
	8270	
2,2-Bis(4-chlorophenyl)-1,1,1-TCE	8080	8080
	8270	
Pronamide	8270	8270
Propionitrile	8240	8240
Parathion	8080	8270
Parathion methyl	8080	8270
Pyrene	8270	8270
Pyridine	8270	8270
Safrole	8270	8270
Antimony	7041	204.2
2-sec-Butyl-4,6-dinitrophenol	8270	8270
Selenium	7740	7740
Silicon	-	200.7

SAMPLE ANALYSIS

ANALYTICAL METHODS (cont.)

<u>Analyte</u>	<u>Methods</u>	
	<u>General</u>	<u>metaTRACE</u>
	<u>Engineering</u>	
Silica	6010	-
Silvex	8150	509B
		8150
Tin	282.2	200.7
Sulfate	300.1	300.0
Styrene	8240	8240
Sulfide	9030	376.1
1,2,4,5-Tetrachlorobenzene	8270	8270
Tetrachlorodibenzodioxin	-	8280
Tetrachlorodibenzofuran	-	8280
1,1,2,2-Tetrachloroethane	8240	624
	8010	8240
1,1,1,2-Tetrachloroethane	8240	8240
Tetrachloroethylene	8240	624
	8010	8240
Total dissolved solids	160.1	160.2
Tetraethyl dithiopyrophosphate	-	8270
o,o,o-Triethyl phosphcrothioate	8270	8270
Thionazin	-	8270
Thallium	7481	7481
Total organic carbon	9060	415.1
Total radium	900.1	903.0
Total organic halogens	9020	450.1
Total phosphorus	365.4	-
Total phosphates	365.2	365.4
	365.4	
Trichloroethylene	8240	624
	8010	8240
Tritium	906.0	9763M*
Turbidity	180.1	180.1
Toxaphene	8080	608
	8270	8080
trans-1,2-Dichloroethene	8240	624
	8010	
trans-1,3-Dichloropropene	8240	624
trans-1,4-Dichloro-2-butene	8240	8240
Uranium	6010	200.7
Vanadium	6010	200.7
Vinyl acetate	8240	8240
Xylenes	8240	624
		8240
1-Naphthylamine	8270	8270

* This is an in-house method based on the Los Alamos *Manual of Methods for Radionuclides*.

SAMPLE ANALYSIS

ANALYTICAL METHODS (cont.)

Analyte	Methods	
	General	metaTRACE
	Engineering	
1,1-Dichloroethylene	8240	624
	8010	8240
1,1-Dichloroethane	8240	624
	8010	8240
1,1,1-Trichloroethane	8240	624
	8010	8240
1,1,2-Trichloroethane	8240	624
	8010	8240
1,2-Dibromoethane	-	8240
1,2-Dibromo-3-chloropropane	-	8240
1,2-Dichloroethylene	-	8240
1,2-Dichlorobenzene	8270	8270
1,2-Dichloroethane	8240	624
	8010	8240
1,2-Dichloropropane	8240	624
	8010	8240
1,2-Diphenyl hydrazine	8270	-
1,2,3-Trichloropropane	8240	8240
1,2,4-Trichlorobenzene	8270	8270
1,3-Dichlorobenzene	8270	8270
cis-1,3-Dichloropropene	8240	624
	8010	8240
trans-1,3-Dichloropropene	8240	624
	8010	
1,3-Dinitrobenzene	8270	-
1,3,5-Trinitrobenzene	8270	-
1,4-Benzoquinone	-	8270
1,4-Dichlorobenzene	8270	8270
1,4-Dioxane	8270	8240
1,4-Naphthoquinone	8270	8270
2-Acetylaminofluorene	8270	8270
2-Chloroethylvinyl ether	8240	624
	8270	
2-Chlorophenol	8270	8270
2-Chloronaphthalene	8270	8270
2-Fluorobiphenyl	-	625
		8270
2-Fluorophenol	-	625
		8270
2-Hexanone	8240	8240
2-Methylnaphthalene	8270	8270
2-Methyl phenol	8270	-
2-Nitroaniline	8270	-
2-Naphthylamine	8270	8270
2-Nitrophenol	8270	8270
2-Picoline	8270	8270

SAMPLE ANALYSIS

ANALYTICAL METHODS (cont.)

<u>Analyte</u>	<u>Methods</u>	
	<u>General</u>	<u>metaTRACE</u>
	<u>Engineering</u>	
2,3,4,6-Tetrachlorophenol	8270	8270
2,4-Dichlorophenoxyacetic acid	8150	509B
		8150
2,4-Dichlorophenol	8270	8270
2,4-Dimethyl phenol	8270	8270
2,4-Dinitrophenol	8270	8270
2,4-Dinitrotoluene	8270	8270
2,4,5-Trichlorophenoxyacetic acid	8150	8150
2,4,5-Trichlorophenol	8270	8270
2,4,6-Trichlorophenol	8270	8270
2,6-Dichlorophenol	8270	8270
2,6-Dinitrotoluene	8270	8270
3-Methylcholanthrene	8270	8270
3-Methyl phenol	8270	-
3-Nitroaniline	8270	-
3,3-Dichlorobenzidene	8270	8270
3,3-Dimethylbenzidine	-	8270
3,3-Dimethoxybenzidine	8270	-
4-Aminobiphenyl	8270	8270
4-Bromophenylphenyl ether	8270	8270
4-Chloroaniline	8270	8270
4-Chlorophenylphenyl ether	8270	8270
4-Chloro-3-methylphenol	-	8270
para-Chloro-meta-cresol	8270	-
4-Methyl-2-pentanone	-	8240
4-Methyl phenol	8270	-
4-Nitroaniline	8270	-
4-Nitrophenol	8270	8270
2-Methyl-4,6-Dinitrophenol	8270	-
7,12-Dimethylbenz(a)anthracene	8270	8270
Zinc	6010	200.7

Teledyne Isotopes conducted analyses of radioisotopes during third quarter 1989 by the following in-house analytical methods, which are based on applicable EPA methods.

<u>Analyte</u>	<u>Method</u>		
		Curium-242	052-32
		Curium-246	052-32
Gross alpha	032-1	Curium-243/244	052-32
Americium-241	052-32	Cobalt-58	042-5
Americium-243	052-32	Cobalt-60	042-5
Barium-140	042-5	Cesium-134	042-5
Nonvolatile beta	032-1	Cesium-137	042-5
Beryllium-7	042-5	Carbon-14	032-82
Cerium-141	042-5	Europium-154	042-5
Cerium-144	042-5	Iron-55	032-62

SAMPLE ANALYSIS

ANALYTICAL METHODS (cont.)

<u>Analyte</u>	<u>Method</u>
Iron-59	042-5
Iodine-129	032-90
	032-11
Iodine-131	042-5
Potassium-40	042-5
Manganese-54	042-5
Nickel-59	032-79
Nickel-63	032-37
Plutonium-238	052-32
Plutonium-242	052-32
Plutonium-239/240	052-32
Radium-226	022-65
	042-5
Radium-228	032-67
Ruthenium-103	042-5
Ruthenium-106	042-5
Strontium-89	032-16
Strontium-90	032-16
Technetium-99	032-78
Thorium-228	042-5
	052-32
Thorium-230	052-32
Thorium-232	052-32
Thorium-234	0420-5
Tritium	052-2
Uranium-234	052-32
Uranium-235	042-5
	052-32
Uranium-238	052-32
Zinc-65	042-5
Zirconium-95	042-5

FLAGGING CRITERIA

Two flagging criteria levels were established in 1986. The first flagging level identifies chemical constituents above detection or background levels, and the second flagging level identifies chemical constituents at a slightly higher analytical level. The flagging criteria are modified periodically, and the changes are documented in the quarterly reports.

The Flag 1 criteria are based on current analytical detection limits, approximate background concentration levels in SRS groundwaters, or EPA Drinking Water Standards.

The Flag 2 criteria are higher and are usually set at one-half the U.S. Environmental Protection Agency's Interim Primary Drinking Water Standards (DWS). If no drinking water standard exists for a particular constituent, the Flag 2 criterion is set at some appropriate level based on regional values.

Results for all analytes not listed on this table are automatically set at Flag 1, with the following exceptions:

- If the result is below the analytical detection limit, it is coded with a 0, meaning that it is not flagged.
- Odor, corrosivity, total dissolved solids, surfactants, sulfides, nitrites, color, turbidity, and GC Scan analytes are automatically coded with a 0. These parameters are not flagged because they are regarded as aesthetic measurements and do not apply to health effects.

Parameter	Unit	Flag 1		Flag 2	
		Criteria	Standard	Criteria	Standard
Silver	µg/L	2	DL	25	1/2 CFR ^b
Aluminum	µg/L	80	~2 x BG	400	~10 x BG
Arsenic	µg/L	1	DL	25	1/2 CFR ^b
Barium	µg/L	50	~2 x BG	500	1/2 CFR ^b
Beryllium	µg/L	2	DL	20	10 x DL
Carbon tetrachloride	µg/L	1	DL	2.5	1/2 EPA ^a
Calcium	µg/L	10,000	BG		
Cadmium	µg/L	2	DL	5	1/2 CFR ^b
Chloride	µg/L	10,000	~2 x BG	125,000	1/2 CFR ^a
Specific conductance	µmhos/cm	100	~2 x BG	Trend vs. time	
Chromium	µg/L	4	DL	25	1/2 CFR ^b
Copper	µg/L	20	~2 x BG	500	1/2 CFR ^a
Cyanide	µg/L	5	DL	100	1/2 USDWS
Fluoride	µg/L	500	1/8 CFR ^b	2000	1/2 CFR ^b
Iron	µg/L	150	1/2 CFR ^a	300	CFR ^a

FLAGGING CRITERIA

Parameter	Unit	Flag 1		Flag 2	
		Criteria	Standard	Criteria	Standard
Mercury	µg/L	0.4	2 x DL	1	1/2 CFR ^b
Potassium	µg/L	5,000	BG		
Magnesium	µg/L	5,000	BG		
Manganese	µg/L	25	1/2 CFR ^a	50	CFR ^a
Sodium	µg/L	5,000	~2 x BG	Trend vs. time	
Nickel	µg/L	8	2 x DL	175	1/2 IHA
Nitrate (as N)	µg/L	3,000	~2 x BG	10,000	CFR ^b
Lead	µg/L	20	~2 x BG	25	1/2 CFR ^b
pH	pH	<4	BG	<3	
pH	pH	>6.5	BG	>8	
Phenols	µg/L	2	DL	Trend vs. time	
Selenium	µg/L	2	DL	5	1/2 CFR ^b
Silica	µg/L	10,000	BG		
Sulfate	µg/L	10,000	~2 x DL	125,000	1/2 CFR ^a
Total organic carbon	µg/L	5,000	~2 x BG	25,000	~10 x BG
Total organic halogens	µg/L	10	2 x DL	25	5 x DL
Total phosphates	µg/L	300	BG		
Zinc	µg/L	250	~2 x BG	2500	1/2 CFR ^a
Gross alpha	pCi/L	5	~2 x BG	15	CFR ^b
Nonvolatile beta	pCi/L	10	~2 x BG	50	~10 x BG
Total radium	pCi/L	2.5	~2 x BG	5	CFR ^b
Strontium-89/90	pCi/L	4	DL	8	EPA
Tritium	pCi/L	10,000	1/2 CFR ^b	20,000	CFR ^b
Cobalt-60	pCi/L	10*	1/10 EPA	50	1/2 EPA
Chromium-51	pCi/L	600*	1/10 EPA	3,000	1/2 EPA
Cesium-134	pCi/L	10*	1/8 CFR	40	1/2 CFR
Cesium-137	pCi/L	20*	1/10 EPA	100	1/2 EPA
Iodine-131	pCi/L	1*	1/3 EPA	1.5	1/2 EPA
Ruthenium-103	pCi/L	20*	1/10 EPA	100	1/2 EPA
Ruthenium-106	pCi/L	3	1/10 EPA	15	1/2 EPA
Antimony-125	pCi/L	30*	1/10 EPA	150	1/2 EPA
Zirconium/Niobium-95	pCi/L	20*	1/10 EPA	100	1/2 EPA
Endrin	µg/L	0.04	DL	0.10	1/2 CFR ^b
Lindane	µg/L	0.018	DL	2	1/2 CFR ^b
Methoxychlor	µg/L	0.10	DL	50	1/2 CFR ^b
Silvex	µg/L	0.10	DL	5	1/2 CFR ^b
Toxaphene	µg/L	0.64	DL	2.5	1/2 CFR ^b
2,4-D	µg/L	0.38	DL	50	1/2 CFR ^b
Chloroform	µg/L	1	DL	50	1/2 CFR ^b
Trichloroethylene	µg/L	1	DL	2.5	1/2 EPA ^a
Tetrachloroethylene	µg/L	1	DL	5	5 x DL
1,1,1-TCE	µg/L	1	DL	100	1/2 EPA ^a

* This is the detection limit requested by the EPA in their drinking water standards from 1976.

BG = approximate background concentration at SRS.

CFR = Code of Federal Regulations, 1986. National Primary Drinking Water Regulations, Radionuclides (Proposed), 40 CFR, Part 141.

CFR^a = Code of Federal Regulations, 1986. National Secondary Drinking Water Regulations, 40 CFR, Part 143.

CFR^b = Code of Federal Regulations, 1987. National Primary Drinking Water Regulations, 40 CFR, Part 141.

DL = analytical detection limit.

EPA = U.S. Environmental Protection Agency, 1977. National Interim Primary Drinking Water Regulations, EPA-570/9-76-003.

EPA^a = U.S. Environmental Protection Agency, 1987. National Primary Drinking Water Regulations; Volatile Synthetic Organic Chemicals, Federal Register, July 8, 1987, pp. 25690-25717.

IHA = EPA Interim Health Advisory.

USDWS = U.S. Public Health drinking water standard.

ANALYTICAL DATA OF DRINKING WATER MONITORING

This section lists the analytical results of radioactive monitoring of drinking water from SRS wells. The Environmental and Health Protection Laboratory in Building 735-A conducts all analyses.

<u>Sample Location</u>	<u>Sample Date</u>	<u>Analysis</u>	<u>Result</u>
A Area	08/08/89	Gross alpha	0.59 $\pm$ 0.53 pCi/L
		Nonvolatile beta	1.31 $\pm$ 0.85 pCi/L
		Nonvolatile beta	1.12 $\pm$ 0.81 pCi/L
		Tritium	-0.19 $\pm$ 0.18 pCi/mL
Allendale Gate	08/08/89	Gross alpha	-0.02 $\pm$ 0.21 pCi/L
		Nonvolatile beta	0.48 $\pm$ 0.72 pCi/L
		Tritium	-0.13 $\pm$ 0.19 pCi/mL
Barnwell Gate	08/08/89	Gross alpha	-0.02 $\pm$ 0.19 pCi/L
		Nonvolatile beta	0.57 $\pm$ 0.72 pCi/L
		Strontium-89/90	-0.99 $\pm$ 1.40 pCi/L
		Tritium	-0.06 $\pm$ 0.20 pCi/mL
Central Shops	08/08/89	Gross alpha	0.07 $\pm$ 0.25 pCi/L
		Nonvolatile beta	1.11 $\pm$ 0.79 pCi/L
		Tritium	-0.10 $\pm$ 0.17 pCi/mL
Classification Yard	08/08/89	Gross alpha	0.22 $\pm$ 0.41 pCi/L
		Nonvolatile beta	1.65 $\pm$ 0.93 pCi/L
		Tritium	-0.30 $\pm$ 0.18 pCi/mL
D Area	08/08/89	Gross alpha	0.26 $\pm$ 0.51 pCi/L
		Nonvolatile beta	2.36 $\pm$ 1.07 pCi/L
		Tritium	0.45 $\pm$ 0.18 pCi/mL
Emergency Operations Center (EOC)	08/08/89	Gross alpha	-0.02 $\pm$ 0.17 pCi/L
		Nonvolatile beta	1.20 $\pm$ 0.80 pCi/L
		Tritium	-0.11 $\pm$ 0.18 pCi/mL
Firing Range	08/08/89	Gross alpha	1.79 $\pm$ 0.85 pCi/L
		Nonvolatile beta	1.38 $\pm$ 0.85 pCi/L
		Tritium	0.93 $\pm$ 0.19 pCi/mL
Forestry Building	08/08/89	Gross alpha	1.49 $\pm$ 0.77 pCi/L
		Nonvolatile beta	1.53 $\pm$ 0.87 pCi/L
		Tritium	0.84 $\pm$ 0.19 pCi/mL

DRINKING WATER DATA

<u>Sample Location</u>	<u>Sample Date</u>	<u>Analysis</u>	<u>Result</u>
Jackson Gate	08/08/89	Gross alpha	0.78 $\pm$ 0.56 pCi/L
		Nonvolatile beta	1.31 $\pm$ 0.82 pCi/L
		Strontium-89/90	-0.50 $\pm$ 1.40 pCi/L
		Tritium	0.08 $\pm$ 0.20 pCi/mL
Par Pond Laboratory	08/08/89	Gross alpha	0.44 $\pm$ 0.51 pCi/L
		Nonvolatile beta	1.36 $\pm$ 0.87 pCi/L
		Tritium	0.03 $\pm$ 0.17 pCi/mL
Talatha Gate	08/08/89	Gross alpha	3.32 $\pm$ 1.16 pCi/L
		Nonvolatile beta	1.15 $\pm$ 0.81 pCi/L
		Tritium	1.01 $\pm$ 0.21 pCi/mL
TC-1 (704-B)	08/08/89	Gross alpha	0.69 $\pm$ 0.53 pCi/L
		Nonvolatile beta	1.77 $\pm$ 0.89 pCi/L
		Tritium	-0.31 $\pm$ 0.17 pCi/mL
TNX	08/08/89	Gross alpha	0.34 $\pm$ 0.50 pCi/L
		Nonvolatile beta	3.57 $\pm$ 1.21 pCi/L
		Tritium	-0.27 $\pm$ 0.17 pCi/mL
Williston Gate	08/08/89	Gross alpha	0.59 $\pm$ 0.59 pCi/L
		Nonvolatile beta	1.60 $\pm$ 0.92 pCi/L
		Strontium-89/90	-0.46 $\pm$ 1.28 pCi/L
		Tritium	-0.13 $\pm$ 0.20 pCi/mL
Z Area	08/08/89	Gross alpha	0.58 $\pm$ 0.52 pCi/L
		Nonvolatile beta	1.99 $\pm$ 0.95 pCi/L
		Tritium	0.12 $\pm$ 0.19 pCi/mL
105-C Building	07/27/89	Gross alpha	1.00 $\pm$ 0.73 pCi/L
		Nonvolatile beta	0.61 $\pm$ 0.71 pCi/L
		Tritium	-0.04 $\pm$ 0.16 pCi/mL
	08/08/89	Gross alpha	0.64 $\pm$ 0.52 pCi/L
		Nonvolatile beta	1.38 $\pm$ 0.84 pCi/L
		Tritium	0.02 $\pm$ 0.17 pCi/mL
	09/05/89	Gross alpha	1.01 $\pm$ 0.62 pCi/L
		Nonvolatile beta	0.70 $\pm$ 0.74 pCi/L
		Tritium	-0.06 $\pm$ 0.19 pCi/mL
105-K Building	07/27/89	Gross alpha	1.28 $\pm$ 0.84 pCi/L
		Nonvolatile beta	0.85 $\pm$ 0.75 pCi/L
		Tritium	0.01 $\pm$ 0.16 pCi/mL
	08/08/89	Gross alpha	0.47 $\pm$ 0.47 pCi/L
		Nonvolatile beta	0.98 $\pm$ 0.79 pCi/L
		Tritium	0.26 $\pm$ 0.17 pCi/mL

DRINKING WATER DATA

<u>Sample Location</u>	<u>Sample Date</u>	<u>Analysis</u>	<u>Result</u>
105-K Building (cont.)	09/05/89	Gross alpha	0.74 $\pm$ 0.55 pCi/L
		Nonvolatile beta	2.80 $\pm$ 1.07 pCi/L
		Tritium	2.10 $\pm$ 0.21 pCi/mL
		Tritium	2.03 $\pm$ 0.18 pCi/mL
105-L Building	07/27/89	Gross alpha	0.18 $\pm$ 0.39 pCi/L
		Nonvolatile beta	1.98 $\pm$ 0.90 pCi/L
		Tritium	-0.13 $\pm$ 0.16 pCi/mL
	08/08/89	Gross alpha	0.27 $\pm$ 0.38 pCi/L
		Nonvolatile beta	0.98 $\pm$ 0.79 pCi/L
		Tritium	0.10 $\pm$ 0.12 pCi/mL
	09/06/89	Gross alpha	0.43 $\pm$ 0.42 pCi/L
		Nonvolatile beta	1.80 $\pm$ 0.91 pCi/L
		Tritium	0.33 $\pm$ 0.20 pCi/mL
105-P Building	07/27/89	Gross alpha	0.41 $\pm$ 0.53 pCi/L
		Nonvolatile beta	1.49 $\pm$ 0.85 pCi/L
		Tritium	0.18 $\pm$ 0.16 pCi/mL
	08/08/89	Gross alpha	0.68 $\pm$ 0.56 pCi/L
		Nonvolatile beta	1.31 $\pm$ 0.84 pCi/L
		Tritium	1.79 $\pm$ 0.18 pCi/mL
	09/05/89	Tritium	1.92 $\pm$ 0.18 pCi/mL
		Gross alpha	0.83 $\pm$ 0.57 pCi/L
		Nonvolatile beta	1.57 $\pm$ 0.88 pCi/L
221-F Building	07/27/89	Tritium	0.70 $\pm$ 0.20 pCi/mL
		Gross alpha	2.78 $\pm$ 1.35 pCi/L
		Nonvolatile beta	5.13 $\pm$ 1.34 pCi/L
	08/08/89	Tritium	-0.21 $\pm$ 0.16 pCi/mL
		Gross alpha	3.29 $\pm$ 1.24 pCi/L
		Nonvolatile beta	6.28 $\pm$ 1.55 pCi/L
	09/05/89	Tritium	0.12 $\pm$ 0.17 pCi/mL
		Gross alpha	12.4 $\pm$ 2.60 pCi/L
		Gross alpha	9.42 $\pm$ 2.35 pCi/L
221-H Building	07/27/89	Nonvolatile beta	11.16 $\pm$ 2.22 pCi/L
		Nonvolatile beta	8.70 $\pm$ 1.73 pCi/L
		Tritium	-0.25 $\pm$ 0.19 pCi/mL
	08/08/89	Gross alpha	1.22 $\pm$ 0.57 pCi/L
		Nonvolatile beta	2.92 $\pm$ 1.05 pCi/L
		Strontium-89/90	-0.18 $\pm$ 3.37 pCi/L
	08/08/89	Tritium	-0.13 $\pm$ 0.11 pCi/mL
		Gross alpha	5.66 $\pm$ 1.34 pCi/L
		Nonvolatile beta	4.91 $\pm$ 1.37 pCi/L
	08/08/89	Tritium	0.03 $\pm$ 0.16 pCi/mL

DRINKING WATER DATA

Sample Location	Sample Date	Analysis	Result
221-H Building (cont.)	09/05/89	Gross alpha	3.62 $\pm$ 1.18 pCi/L
		Gross alpha	4.22 $\pm$ 1.45 pCi/L
		Nonvolatile beta	4.39 $\pm$ 1.29 pCi/L
		Nonvolatile beta	4.53 $\pm$ 1.19 pCi/L
		Tritium	0.06 $\pm$ 0.14 pCi/mL
241-24H	07/27/89	Gross alpha	0.89 $\pm$ 0.81 pCi/L
		Nonvolatile beta	2.77 $\pm$ 1.05 pCi/L
		Tritium	-0.19 $\pm$ 0.16 pCi/mL
617-G Wackenhut Training Facility	08/11/89	Gross alpha	0.89 $\pm$ 0.59 pCi/L
		Nonvolatile beta	0.71 $\pm$ 0.73 pCi/L
		Tritium	1.74 $\pm$ 0.21 pCi/mL
681-1G Pump House	08/08/89	Gross alpha	0.35 $\pm$ 0.41 pCi/L
		Nonvolatile beta	3.34 $\pm$ 1.13 pCi/L
		Tritium	-0.16 $\pm$ 0.18 pCi/mL
681-3G Pump House	08/08/89	Gross alpha	0.28 $\pm$ 0.40 pCi/L
		Nonvolatile beta	2.48 $\pm$ 1.02 pCi/L
		Tritium	-0.24 $\pm$ 0.18 pCi/mL
701-1F Building	07/27/89	Gross alpha	1.90 $\pm$ 1.08 pCi/L
		Nonvolatile beta	3.64 $\pm$ 1.15 pCi/L
		Tritium	-0.14 $\pm$ 0.16 pCi/mL
701-1H Building	08/08/89	Gross alpha	1.91 $\pm$ 0.87 pCi/L
		Nonvolatile beta	4.81 $\pm$ 1.33 pCi/L
		Tritium	0.02 $\pm$ 0.17 pCi/mL
701-12G Barricade 7	08/08/89	Gross alpha	-0.02 $\pm$ 0.19 pCi/L
		Nonvolatile beta	0.94 $\pm$ 0.78 pCi/L
		Tritium	1.64 $\pm$ 0.21 pCi/mL
701-13G Barricade 6	08/08/89	Gross alpha	0.67 $\pm$ 0.55 pCi/L
		Nonvolatile beta	0.78 $\pm$ 0.76 pCi/L
		Tritium	2.57 $\pm$ 0.21 pCi/mL
701-8G Barricade 8	08/08/89	Gross alpha	0.50 $\pm$ 0.45 pCi/L
		Nonvolatile beta	1.20 $\pm$ 0.80 pCi/L
		Tritium	3.63 $\pm$ 0.23 pCi/mL
704-F Building	08/08/89	Gross alpha	1.47 $\pm$ 0.78 pCi/L
		Nonvolatile beta	7.64 $\pm$ 1.81 pCi/L
		Tritium	-0.04 $\pm$ 0.17 pCi/mL
704-H Building	09/05/89	Gross alpha	2.23 $\pm$ 0.98 pCi/L
		Nonvolatile beta	4.82 $\pm$ 1.22 pCi/L
		Tritium	-0.16 $\pm$ 0.19 pCi/mL

DRINKING WATER DATA

<u>Sample Location</u>	<u>Sample Date</u>	<u>Analysis</u>	<u>Result</u>
704-S DWPF	08/14/89	Gross alpha	1.84 $\pm$ 0.88 pCi/L
		Nonvolatile beta	4.32 $\pm$ 1.27 pCi/L
		Tritium	-0.03 $\pm$ 0.20 pCi/mL
772-F Building	09/05/89	Gross alpha	7.09 $\pm$ 1.87 pCi/L
		Gross alpha	6.71 $\pm$ 1.96 pCi/L
		Nonvolatile beta	7.54 $\pm$ 1.75 pCi/L
		Nonvolatile beta	7.34 $\pm$ 1.58 pCi/L
		Tritium	-0.01 $\pm$ 0.19 pCi/mL

FIELD AND ANALYTICAL DATA OF GROUNDWATER MONITORING

This section presents the field and analytical results for samples collected during third quarter 1989. The tables are presented in alphabetical order by well series and in numerical order within each series. Refer to the location indexes following this section to determine the series names. The tabular data contain all the analytical results for samples collected during this quarter except for those analyses described in the **Sample Analysis** section. Some samples are analyzed for field parameters only and have no laboratory analyses.

The laboratory data are organized under headings that do not appear in the tables. The following sample table provides the headings for the Laboratory Analyses tables.

<u>Flagging</u> <u>Criterion</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Laboratory</u>
0	TETRACHLOROETHYLENE	LT 1.00	ug/L	Gen. Eng.
0	CHLOROFORM	LT 1	ug/L	metaTRACE
0	STRONTIUM-89/90	0.20+-0.20	pCi/L	Teledyne

The following codes appear in the tabular data:

B = analyte detected in associated blank as well as in sample

J = estimated value

LT = less than

mg/L = milligrams per liter

ng/L = nanograms per liter

pCi/L = picocuries per liter

pCi/mL = picocuries per milliliter

pH = pH units

NTU = turbidity units

TOC = top of well casing

ug/L = micrograms per liter

UMHC = micromhos per centimeter

umhos/cm = micromhos per centimeter

Gen. Eng. = General Engineering

HP, 735A = Environmental and Health Protection Laboratory, SRS

M-Area, SRS = M-Area Laboratory, SRS

metaTRACE = metaTRACE, Inc.

Teledyne = Teledyne Isotopes

WELL ABP 1A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/09/89 Time 750
 Depth to water = 140.92 ft (42.95 m) below the TOC
 Water elevation = 218.98 ft (66.75 m) msl
 pH = 4.8 Alkalinity = 0 mg/L
 Specific conductance = 20 umhos/cm
 Water temperature = 19.0 degrees Celsius
 Water evacuated from the well prior to sampling = 120 gal

LABORATORY ANALYSES

0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	METHYLENE CHLORIDE	LT	1 ug/L	W-Area, SRS
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHLOROBENZENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROBENZENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	TOLUENE	LT	1 ug/L	Gen. Eng.
0	TOLUENE	LT	1 ug/L	Gen. Eng.
0	MANGANESE	LT	3 ug/L	Gen. Eng.
0	MANGANESE	LT	3 ug/L	Gen. Eng.
0	LEAD	LT	6 ug/L	Gen. Eng.
0	LEAD	LT	6 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	W-Area, SRS
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	Gen. Eng.
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	Gen. Eng.
1	TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
1	TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
1	TRICHLOROETHYLENE	LT	1.32 ug/L	W-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	W-Area, SRS
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	W-Area, SRS
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	W-Area, SRS
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.

WELL ABP 1A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/25/89 Time 1205
 Depth to water = 140.58 ft (42.85 m) below the TOC
 Water elevation = 219.32 ft (66.85 m) msl
 pH = 5.0 Alkalinity = 0 mg/L
 Specific conductance = 23 umhos/cm
 Water temperature = 18.3 degrees Celsius
 Water evacuated from the well prior to sampling = 121 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE		16.00 LMHC	metaTRACE
0	PH		5.08 pH	metaTRACE
0	SILVER	LT	2 ug/L	metaTRACE
0	ARSENIC	LT	3 ug/L	metaTRACE
0	BARIIUM	LT	25 ug/L	metaTRACE
0	CALCIUM		1783 ug/L	metaTRACE
0	CALCIUM	LT	4 ug/L	metaTRACE
0	CHLORIDE		1300 ug/L	metaTRACE

CONTINUED

WELL ABP 1A COLLECTED ON 09/25/89 LABORATORY ANALYSES CONTINUED

1	CHROMIUM		7 ug/L	metaTRACE
0	ENDRIN	LT	0.006 ug/L	metaTRACE
0	FLUORIDE	LT	250 ug/L	metaTRACE
0	IRON		71 ug/L	metaTRACE
0	MERCURY	LT	0.20 ug/L	metaTRACE
0	POTASSIUM	LT	2000 ug/L	metaTRACE
0	LINDANE	LT	0.005 ug/L	metaTRACE
0	METHOXYCHLOR	LT	0.50 ug/L	metaTRACE
0	MAGNESIUM		268 ug/L	metaTRACE
0	MANGANESE		4 ug/L	metaTRACE
0	SODIUM		1050 ug/L	metaTRACE
0	NITRATE AS NITROGEN		750 ug/L	metaTRACE
0	LEAD	LT	3 ug/L	metaTRACE
0	PHENOLS	LT	5 ug/L	metaTRACE
0	SELENIUM	LT	2 ug/L	metaTRACE
1	SILICON		2986 ug/L	metaTRACE
0	SILVEX	LT	0.07 ug/L	metaTRACE
0	SULFATE	LT	1000 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS		26000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	metaTRACE
0	TOTAL PHOSPHATES	LT	10 ug/L	metaTRACE
0	TOXAPHENE	LT	0.24 ug/L	metaTRACE
0	2,4-DICHLOROPHENOXYACETIC ACID	LT	0.46 ug/L	metaTRACE
0	GROSS ALPHA	LT	2 pCi/L	metaTRACE
0	NONVOLATILE BETA	LT	4 pCi/L	metaTRACE
0	TOTAL RADIUM		1.00+-0.20 pCi/L	metaTRACE
0	TRITIUM		1.40+-0.20 pCi/mL	metaTRACE

WELL ABP 2A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/05/89 Time 910
 Depth to water = 154.25 ft (47.02 m) below the TOC
 Water elevation = 217.65 ft (66.34 m) msl
 pH = 4.8 Alkalinity = 0 mg/L
 Specific conductance = 15 umhos/cm
 Water temperature = 19.0 degrees Celsius
 Water evacuated from the well prior to sampling = 95 gal

LABORATORY ANALYSES

0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	5 ug/L	W-Area, SRS
1	METHYLENE CHLORIDE	LT	2 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	TOLUENE	LT	1 ug/L	Gen. Eng.
0	MANGANESE	LT	6 ug/L	Gen. Eng.
0	LEAD	LT	6 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	W-Area, SRS
1	TOTAL ORGANIC HALOGENS		12 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE		19.0 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE		26.9 ug/L	W-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	W-Area, SRS
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	W-Area, SRS
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	W-Area, SRS
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.

WELL ABP 2A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/25/89 Time 1325
 Depth to water = 153.88 ft (46.90 m) below the TOC
 Water elevation = 218.02 ft (66.45 m) msl
 pH = 5.0 Alkalinity = 1 mg/L
 Specific conductance = 16 umhos/cm
 Water temperature = 18.3 degrees Celsius
 Water evacuated from the well prior to sampling = 96 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE		14.84 LMHC	metaTRACE
0	SPECIFIC CONDUCTANCE		14.83 LMHC	metaTRACE
0	PH		5.13 pH	metaTRACE
0	PH		5.13 pH	metaTRACE
0	SILVER	LT	2 ug/L	metaTRACE
0	ARSENIC	LT	3 ug/L	metaTRACE
0	BARIIUM	LT	25 ug/L	metaTRACE
0	CALCIUM		980 ug/L	metaTRACE

CONTINUED

WELL ABP 2A COLLECTED ON 09/25/89 LABORATORY ANALYSES CONTINUED

0	CADMIUM	LT	4 ug/L	metaTRACE
0	CHLORIDE		1300 ug/L	metaTRACE
0	CHROMIUM	LT	5 ug/L	metaTRACE
0	ENDRIN	LT	0.006 ug/L	metaTRACE
0	FLUORIDE	LT	250 ug/L	metaTRACE
0	IRON		10 ug/L	metaTRACE
0	MERCURY	LT	0.20 ug/L	metaTRACE
0	MERCURY		0.20 ug/L	metaTRACE
0	POTASSIUM	LT	2000 ug/L	metaTRACE
0	LINDANE	LT	0.005 ug/L	metaTRACE
0	METHOXYCHLOR	LT	0.50 ug/L	metaTRACE
0	MAGNESIUM		238 ug/L	metaTRACE
0	MANGANESE		7 ug/L	metaTRACE
0	SODIUM		1019 ug/L	metaTRACE
0	NITRATE AS NITROGEN		610 ug/L	metaTRACE
0	LEAD	LT	3 ug/L	metaTRACE
0	PHENOLS	LT	5 ug/L	metaTRACE
0	SELENIUM	LT	2 ug/L	metaTRACE
1	SILICON		3176 ug/L	metaTRACE
0	SILVEX	LT	0.07 ug/L	metaTRACE
0	SULFATE	LT	1000 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS		28000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	metaTRACE
1	TOTAL ORGANIC HALOGENS		14 ug/L	metaTRACE
0	TOTAL PHOSPHATES		45 ug/L	metaTRACE
0	TOXAPHENE	LT	0.24 ug/L	metaTRACE
0	2,4-DICHLOROPHENOXYACETIC ACID	LT	0.46 ug/L	metaTRACE
0	GROSS ALPHA	LT	3 pCi/L	metaTRACE
0	NONVOLATILE BETA	LT	5 pCi/L	metaTRACE
0	TOTAL RADIUM		1.00+-0.20 pCi/L	metaTRACE
0	TRITIUM		1.10+-0.20 pCi/mL	metaTRACE

WELL ABP 3

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/09/89 Time 1005
 Depth to water = 134.00 ft (40.84 m) below the TOC
 Water elevation = 219.70 ft (66.97 m) msl
 pH = 4.8 Alkalinity = 0 mg/L
 Specific conductance = 16 umhos/cm
 Water temperature = 20.4 degrees Celsius
 Water evacuated from the well prior to sampling = 33 gal

LABORATORY ANALYSES

0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	10 ug/L	M-Area, SRS
1	METHYLENE CHLORIDE		1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	TOLUENE	LT	1 ug/L	Gen. Eng.
0	MANGANESE		10 ug/L	Gen. Eng.
0	LEAD	LT	6 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
1	TETRACHLOROETHYLENE		1.00 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	10.0 ug/L	M-Area, SRS
2	TOTAL ORGANIC HALOGENS		37 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE		64.0 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE		65.2 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	10 ug/L	M-Area, SRS
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	10 ug/L	M-Area, SRS
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	10 ug/L	M-Area, SRS
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.

WELL ABP 3

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/25/89 Time 1430
 Depth to water = 134.25 ft (40.92 m) below the TOC
 Water elevation = 219.45 ft (66.89 m) msl
 pH = 5.2 Alkalinity = 1 mg/L
 Specific conductance = 22 umhos/cm
 Water temperature = 19.3 degrees Celsius
 Water evacuated from the well prior to sampling = 33 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE		22.37 uMHC	metaTRACE
0	PH		5.31 pH	metaTRACE
0	SILVER	LT	2 ug/L	metaTRACE
0	ARSENIC	LT	3 ug/L	metaTRACE

CONTINUED

WELL ABP 3 COLLECTED ON 09/25/89 LABORATORY ANALYSES CONTINUED

0	BARIUM	LT	25 ug/L	metaTRACE
0	CALCIUM		2196 ug/L	metaTRACE
0	CADMIUM	LT	4 ug/L	metaTRACE
0	CHLORIDE		1600 ug/L	metaTRACE
1	CHROMIUM		7 ug/L	metaTRACE
0	ENDRIN	LT	0.006 ug/L	metaTRACE
0	FLUORIDE	LT	250 ug/L	metaTRACE
0	IRON		17 ug/L	metaTRACE
0	MERCURY	LT	0.20 ug/L	metaTRACE
0	POTASSIUM	LT	2000 ug/L	metaTRACE
0	LINDANE	LT	0.005 ug/L	metaTRACE
0	METHOXYCHLOR	LT	0.50 ug/L	metaTRACE
0	MAGNESIUM		304 ug/L	metaTRACE
0	MANGANESE		14 ug/L	metaTRACE
0	SODIUM		1478 ug/L	metaTRACE
0	NITRATE AS NITROGEN		520 ug/L	metaTRACE
0	LEAD	LT	3 ug/L	metaTRACE
0	PHENOLS	LT	5 ug/L	metaTRACE
0	SELENIUM	LT	2 ug/L	metaTRACE
1	SILICON		3021 ug/L	metaTRACE
0	SILVEX	LT	0.07 ug/L	metaTRACE
0	SULFATE	LT	1000 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS		30000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	metaTRACE
2	TOTAL ORGANIC HALOGENS		33 ug/L	metaTRACE
0	TOTAL PHOSPHATES		15 ug/L	metaTRACE
0	TOXAPHENE	LT	0.24 ug/L	metaTRACE
0	2,4-DICHLOROPHENOXYACETIC ACID	LT	0.46 ug/L	metaTRACE
0	GROSS ALPHA	LT	3 pCi/L	metaTRACE
0	NONVOLATILE BETA	LT	4 pCi/L	metaTRACE
0	TOTAL RADIUM	LT	1 pCi/L	metaTRACE
0	TRITIUM		1.20+-0.20 pCi/mL	metaTRACE

WELL ABP 3C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/19/89 Time 1535
 Depth to water = 147.20 ft (44.87 m) below the TOC
 Water elevation = 207.30 ft (63.19 m) msl
 The well pumped dry before sampling could be done.

WELL ABP 3C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/25/89 Time 1450
 Depth to water = 158.14 ft (48.20 m) below the TOC
 Water elevation = 196.36 ft (59.85 m) msl
 pH = 6.1 Alkalinity = 8 mg/L
 Specific conductance = 78 umhos/cm
 Water temperature = 18.9 degrees Celsius
 Water evacuated from the well prior to sampling = 102 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE		80.30 uMHC	metaTRACE
0	PH		6.18 pH	metaTRACE
0	SILVER	LT	2 ug/L	metaTRACE
0	SILVER	LT	2 ug/L	metaTRACE
0	ARSENIC	LT	3 ug/L	metaTRACE
0	BARIUM	LT	25 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
0	CALCIUM		1980 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0	CADMIUM	LT	4 ug/L	metaTRACE
0	BROMOFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	5 ug/L	metaTRACE
1	METHYLENE CHLORIDE	J	3 ug/L	metaTRACE
0	BROMOMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
0	CHLORIDE		2400 ug/L	metaTRACE
0	CHLOROBENZENE	LT	5 ug/L	metaTRACE
0	CHROMIUM	LT	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0	CHLOROETHANE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0	ENDRIN	LT	0.006 ug/L	metaTRACE
0	ETHYLBENZENE	LT	5 ug/L	metaTRACE
0	FLUORIDE	LT	250 ug/L	metaTRACE
0	IRON		14 ug/L	metaTRACE
0	MERCURY	LT	0.20 ug/L	metaTRACE
0	POTASSIUM	LT	2000 ug/L	metaTRACE
0	LINDANE	LT	0.005 ug/L	metaTRACE
0	TOLUENE	LT	5 ug/L	metaTRACE
0	METHOXYCHLOR	LT	0.50 ug/L	metaTRACE
0	MAGNESIUM		282 ug/L	metaTRACE
1	MANGANESE		47 ug/L	metaTRACE
1	SODIUM		11300 ug/L	metaTRACE
1	NITRATE AS NITROGEN		3100 ug/L	metaTRACE
0	LEAD	LT	3 ug/L	metaTRACE
0	PHENOLS	LT	5 ug/L	metaTRACE
0	SELENIUM	LT	2 ug/L	metaTRACE
1	SILICON		4206 ug/L	metaTRACE
0	SILVEX	LT	0.07 ug/L	metaTRACE
0	SULFATE		4300 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
2	TETRACHLOROETHYLENE		15.0 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS		102000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	metaTRACE

CONTINUED

WELL ABP 3C COLLECTED ON 09/25/89 LABORATORY ANALYSES CONTINUED

0	TOTAL ORGANIC CARBON	LT	1000 ug/L	metaTRACE
2	TOTAL ORGANIC HALOGENS		38 ug/L	metaTRACE
1	TOTAL PHOSPHATES		601 ug/L	metaTRACE
1	TOTAL PHOSPHATES		550 ug/L	metaTRACE
0	TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TOXAPHENE	LT	0.24 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0	2,4-DICHLOROPHENOXYACETIC ACID	LT	0.46 ug/L	metaTRACE
1	GROSS ALPHA		8.80+-4.40 pCi/L	metaTRACE
0	NONVOLATILE BETA		7.60+-3.30 pCi/L	metaTRACE
0	TOTAL ACTIVITY		-0.61+-1.50 pCi/mL	HP, 735A
0	TOTAL RADIUM		1.00+-0.30 pCi/L	metaTRACE
0	TRITIUM	LT	1 pCi/mL	metaTRACE
0	TRITIUM		0.45+-0.90 pCi/mL	HP, 735A

WELL ABP 4

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/09/89 Time 825
Depth to water = 147.14 ft (44.85 m) below the TOC
Water elevation = 217.16 ft (66.19 m) msl
pH = 4.7 Alkalinity = 0 mg/L
Specific conductance = 20 umhos/cm
Water temperature = 18.9 degrees Celsius
Water evacuated from the well prior to sampling = 90 gal

LABORATORY ANALYSES

0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	BROMOFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	5 ug/L	metaTRACE
0	METHYLENE CHLORIDE	LT	1 ug/L	M-Area, SRS
1	METHYLENE CHLORIDE	J	2 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	5 ug/L	metaTRACE
0	TOLUENE	LT	1 ug/L	Gen. Eng.
0	TOLUENE	LT	5 ug/L	metaTRACE
0	MANGANESE		5 ug/L	Gen. Eng.
0	MANGANESE		4 ug/L	metaTRACE
0	LEAD	LT	6 ug/L	Gen. Eng.
0	LEAD	LT	10 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
1	TETRACHLOROETHYLENE	LT	2.00 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
1	TETRACHLOROETHYLENE	LT	2.04 ug/L	M-Area, SRS
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	Gen. Eng.
1	TOTAL ORGANIC HALOGENS		17 ug/L	metaTRACE
2	TRICHLOROETHYLENE		5.00 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE		6.00 ug/L	metaTRACE
2	TRICHLOROETHYLENE		5.24 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	M-Area, SRS
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area, SRS
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area, SRS
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE

WELL ABP 4

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/09/89 Time 825
Depth to water = 147.14 ft (44.85 m) below the TOC
Water elevation = 217.16 ft (66.19 m) msl
pH = 4.7 Alkalinity = 0 mg/L
Specific conductance = 20 umhos/cm
Water temperature = 18.9 degrees Celsius
Water evacuated from the well prior to sampling = 90 gal

LABORATORY ANALYSES

0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	BROMOFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	1 ug/L	M-Area, SRS
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0	METHYLENE CHLORIDE	LT	5 ug/L	metaTRACE
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	5 ug/L	metaTRACE
0	TOLUENE	LT	1 ug/L	Gen. Eng.
0	TOLUENE	LT	5 ug/L	metaTRACE
0	MANGANESE		5 ug/L	Gen. Eng.
0	MANGANESE		4 ug/L	metaTRACE
0	LEAD	LT	6 ug/L	Gen. Eng.
0	LEAD	LT	5 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
1	TETRACHLOROETHYLENE	LT	2.00 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
1	TETRACHLOROETHYLENE	LT	2.09 ug/L	M-Area, SRS
2	TOTAL ORGANIC HALOGENS		51 ug/L	Gen. Eng.
0	TOTAL ORGANIC HALOGENS		8 ug/L	metaTRACE
2	TRICHLOROETHYLENE		5.00 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE	J	5.00 ug/L	metaTRACE
2	TRICHLOROETHYLENE		5.01 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	M-Area, SRS
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area, SRS
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area, SRS
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE

WELL ABP 4

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/25/89 Time 1240
Depth to water = 146.90 ft (44.78 m) below the TOC
Water elevation = 217.40 ft (66.26 m) msl
pH = 5.1 Alkalinity = 1 mg/L
Specific conductance = 20 umhos/cm
Water temperature = 18.0 degrees Celsius
Water evacuated from the well prior to sampling = 91 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE		17.38 UMH/C	metaTRACE
0	PH		5.15 pH	metaTRACE
0	SILVER	LT	2 ug/L	metaTRACE
0	ARSENIC	LT	3 ug/L	metaTRACE
0	BARIUM	LT	25 ug/L	metaTRACE
0	CALCIUM		1282 ug/L	metaTRACE
0	CADMIUM	LT	4 ug/L	metaTRACE
0	CHLORIDE		1400 ug/L	metaTRACE
1	CHROMIUM		6 ug/L	metaTRACE
0	ENDRIN	LT	0.006 ug/L	metaTRACE

CONTINUED

WELL ABP 4 COLLECTED ON 09/25/89 LABORATORY ANALYSES CONTINUED

0	FLUORIDE	LT	250 ug/L	metaTRACE
0	IRON		7 ug/L	metaTRACE
0	MERCURY	LT	0.20 ug/L	metaTRACE
0	POTASSIUM	LT	2000 ug/L	metaTRACE
0	LINDANE	LT	0.005 ug/L	metaTRACE
0	METHOXYCHLOR	LT	0.50 ug/L	metaTRACE
0	MAGNESIUM		319 ug/L	metaTRACE
0	MANGANESE		5 ug/L	metaTRACE
0	SODIUM		1121 ug/L	metaTRACE
0	NITRATE AS NITROGEN		860 ug/L	metaTRACE
0	LEAD	LT	3 ug/L	metaTRACE
0	PHENOLS	LT	5 ug/L	metaTRACE
0	SELENIUM	LT	2 ug/L	metaTRACE
0	SILICON		3233 ug/L	metaTRACE
0	SILVEX	LT	0.07 ug/L	metaTRACE
0	SULFATE	LT	1000 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS		34000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS		5 ug/L	metaTRACE
0	TOTAL PHOSPHATES	LT	10 ug/L	metaTRACE
0	TOXAPHENE	LT	0.24 ug/L	metaTRACE
0	2,4-DICHLOROPHENOXYACETIC ACID	LT	0.46 ug/L	metaTRACE
0	CROSS ALPHA	LT	3 pCi/L	metaTRACE
0	NONVOLATILE BETA	LT	4 pCi/L	metaTRACE
0	TOTAL RADIUM		1.80+-0.30 pCi/L	metaTRACE
0	TRITIUM		1.50+-0.20 pCi/mL	metaTRACE

WELL ABP BC

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/19/89 Time 1500
Depth to water = 176.56 ft (53.82 m) below the TOC
Water elevation = 195.54 ft (59.60 m) msl
The well pumped dry before sampling could be done.

WELL ABP BD

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/19/89 Time 1515
Depth to water = 153.38 ft (46.75 m) below the TOC
Water elevation = 217.52 ft (66.30 m) msl
The well pumped dry before sampling could be done.

WELL ABW 1

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/05/89 Time 1400
Depth to water = 101.39 ft (30.90 m) below the TOC
Water elevation = 223.41 ft (68.10 m) msl
pH = 4.6 Alkalinity = 0 mg/L
Specific conductance = 25 umhos/cm
Water temperature = 21.2 degrees Celsius
Water evacuated from the well prior to sampling = 130 gal

LABORATORY ANALYSES

0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	M-Area, SRS
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
1	TOLUENE		2 ug/L	Gen. Eng.
1	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
1	TETRACHLOROETHYLENE		3.00 ug/L	Gen. Eng.
1	TETRACHLOROETHYLENE		3.32 ug/L	M-Area, SRS
2	TRICHLOROETHYLENE		6.00 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE		3.24 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	M-Area, SRS
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area, SRS
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area, SRS
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.

WELL AC 1A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/27/89 Time 705
Depth to water = 50.29 ft (15.33 m) below the TOC
Water elevation = 211.81 ft (64.56 m) msl
pH = 5.4 Alkalinity = 3 mg/L
Specific conductance = 21 umhos/cm
Water temperature = 18.7 degrees Celsius
Water evacuated from the well prior to sampling = 181 gal

WELL AC 1B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/27/89 Time 655
pH = 5.5 Alkalinity = 4 mg/L
Specific conductance = 25 umhos/cm
Water temperature = 18.7 degrees Celsius
Water evacuated from the well prior to sampling = 34 gal

WELL AC 2A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/15/89 Time 1640
Depth to water = 123.06 ft (37.51 m) below the TOC
Water elevation = 221.64 ft (67.56 m) msl
pH = 5.4 Alkalinity = 10 mg/L
Specific conductance = 33 umhos/cm
Water temperature = 21.1 degrees Celsius
Water evacuated from the well prior to sampling = 204 gal

LABORATORY ANALYSES

0	CHLOROFORM	LT	1 ug/L	M-Area, SRS
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0	TRICHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	M-Area, SRS
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area, SRS
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area, SRS

WELL AC 2B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/15/89 Time 1650
Depth to water = 116.55 ft (35.52 m) below the TOC
Water elevation = 228.25 ft (69.57 m) msl
pH = 4.8 Alkalinity = 2 mg/L
Specific conductance = 18 umhos/cm
Water temperature = 20.4 degrees Celsius
Water evacuated from the well prior to sampling = 26 gal

WELL AC 3A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/27/89 Time 805
Depth to water = 94.02 ft (28.66 m) below the TOC
Water elevation = 208.28 ft (63.48 m) msl
pH = 5.1 Alkalinity = 16 mg/L
Specific conductance = 46 umhos/cm
Water temperature = 19.9 degrees Celsius
Water evacuated from the well prior to sampling = 159 gal

WELL AC 3B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/27/89 Time 810
Depth to water = 92.29 ft (28.13 m) below the TOC
Water elevation = 210.21 ft (64.07 m) msl
pH = 9.3 Alkalinity = 38 mg/L
Specific conductance = 88 umhos/cm
Water temperature = 19.9 degrees Celsius
Water evacuated from the well prior to sampling = 341 gal

WELL ACB 1A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/06/89 Time 1150
 Depth to water = 123.84 ft (37.75 m) below the TOC
 Water elevation = 235.76 ft (71.86 m) msl
 pH = 5.7 Alkalinity = 14 mg/L
 Specific conductance = 86 umhos/cm
 Water temperature = 21.0 degrees Celsius
 Water evacuated from the well prior to sampling = 47 gal

LABORATORY ANALYSES

0 TOTAL ORGANIC HALOGENS	LT	5 ug/L	Gen. Eng.
0 GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
0 TOTAL RADIUM	LT	1 pCi/L	Gen. Eng.

WELL ACB 2A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/06/89 Time 1215
 Depth to water = 113.56 ft (34.61 m) below the TOC
 Water elevation = 236.24 ft (72.01 m) msl
 pH = 5.2 Alkalinity = 1 mg/L
 Specific conductance = 44 umhos/cm
 Water temperature = 21.0 degrees Celsius
 Water evacuated from the well prior to sampling = 74 gal

LABORATORY ANALYSES

0 TOTAL ORGANIC HALOGENS	LT	5 ug/L	Gen. Eng.
0 GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
0 TOTAL RADIUM	LT	1 pCi/L	Gen. Eng.

WELL ACB 3A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/06/89 Time 1235
 Depth to water = 111.06 ft (33.85 m) below the TOC
 Water elevation = 237.24 ft (72.31 m) msl
 pH = 5.0 Alkalinity = 0 mg/L
 Specific conductance = 204 umhos/cm
 Water temperature = 21.7 degrees Celsius
 Water evacuated from the well prior to sampling = 80 gal

LABORATORY ANALYSES

1 TOTAL ORGANIC HALOGENS		15 ug/L	Gen. Eng.
1 GROSS ALPHA		13.40+-3.40 pCi/L	Gen. Eng.
2 TOTAL RADIUM		23.00+-5.00 pCi/L	Gen. Eng.

WELL ACB 4A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/06/89 Time 1250
 Depth to water = 121.48 ft (37.03 m) below the TOC
 Water elevation = 237.62 ft (72.43 m) msl
 pH = 5.1 Alkalinity = 1 mg/L
 Specific conductance = 110 umhos/cm
 Water temperature = 21.5 degrees Celsius
 Water evacuated from the well prior to sampling = 67 gal

LABORATORY ANALYSES

0 TOTAL ORGANIC HALOGENS	LT	5 ug/L	Gen. Eng.
2 GROSS ALPHA		19.90+-3.90 pCi/L	Gen. Eng.
1 TOTAL RADIUM		3.11+-2.70 pCi/L	Gen. Eng.

WELL AMB 4

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/06/89 Time 1330
 Depth to water = 147.38 ft (44.92 m) below the TOC
 Water elevation = 233.02 ft (71.03 m) msl
 pH = 6.5 Alkalinity = 38 mg/L
 Specific conductance = 109 umhos/cm
 Water temperature = 25.2 degrees Celsius
 Water evacuated from the well prior to sampling = 1 gal
 The well went dry during purging.

LABORATORY ANALYSES

0 SPECIFIC CONDUCTANCE		73.00 UMH	Gen. Eng.
0 PH		6.29 pH	Gen. Eng.
0 SILVER	LT	2 ug/L	Gen. Eng.
0 ARSENIC	LT	2 ug/L	Gen. Eng.
0 BARIUM		10 ug/L	Gen. Eng.
0 CALCIUM		2340 ug/L	Gen. Eng.
0 CADMIUM	LT	2 ug/L	Gen. Eng.
0 CHLOROFORM	LT	2 ug/L	W-Area, SRS
0 CHLORIDE		2400 ug/L	Gen. Eng.
0 CHROMIUM	LT	4 ug/L	Gen. Eng.
0 CYANIDE	LT	5 ug/L	Gen. Eng.
0 FLUORIDE	LT	100 ug/L	Gen. Eng.

CONTINUED

WELL AMB 4 COLLECTED ON 08/06/89 LABORATORY ANALYSES CONTINUED

1 IRON		262 ug/L	Gen. Eng.
1 MERCURY		0.80 ug/L	Gen. Eng.
0 POTASSIUM		597 ug/L	Gen. Eng.
0 MAGNESIUM		363 ug/L	Gen. Eng.
1 MANGANESE		38 ug/L	Gen. Eng.
1 SODIUM		11000 ug/L	Gen. Eng.
1 NICKEL		27 ug/L	Gen. Eng.
0 NITRATE AS NITROGEN		140 ug/L	Gen. Eng.
0 LEAD		10 ug/L	Gen. Eng.
0 PHENOLS	LT	5 ug/L	Gen. Eng.
0 SELENIUM	LT	2 ug/L	Gen. Eng.
1 SILICA		8270 ug/L	Gen. Eng.
0 SULFATE	LT	5000 ug/L	Gen. Eng.
0 TETRACHLOROETHYLENE	LT	2.00 ug/L	W-Area, SRS
0 TOTAL DISSOLVED SOLIDS		40000 ug/L	Gen. Eng.
0 TOTAL ORGANIC CARBON		4000 ug/L	Gen. Eng.
2 TOTAL ORGANIC HALOGENS		30 ug/L	Gen. Eng.
1 TOTAL PHOSPHORUS		50 ug/L	Gen. Eng.
2 TRICHLOROETHYLENE		28.5 ug/L	W-Area, SRS
1 TRANS-1,2-DICHLOROETHENE		2 ug/L	W-Area, SRS
0 1,1-DICHLOROETHYLENE	LT	2 ug/L	W-Area, SRS
0 1,1,1-TRICHLOROETHANE	LT	2 ug/L	W-Area, SRS
0 GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
0 NONVOLATILE BETA	LT	2 pCi/L	Gen. Eng.
0 TOTAL RADIUM		1.09+-1.20 pCi/L	Gen. Eng.
0 TRITIUM	LT	0.70 pCi/mL	Gen. Eng.

WELL AMB 5

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/06/89 Time 1410
 Depth to water = 145.75 ft (44.43 m) below the TOC
 Water elevation = 233.85 ft (71.28 m) msl
 pH = 5.1 Alkalinity = 1 mg/L
 Specific conductance = 43 umhos/cm
 Water temperature = 21.2 degrees Celsius
 Water evacuated from the well prior to sampling = 32 gal

LABORATORY ANALYSES

0 SPECIFIC CONDUCTANCE		39.00 UMH	Gen. Eng.
0 SPECIFIC CONDUCTANCE		39.00 UMH	Gen. Eng.
0 SPECIFIC CONDUCTANCE		49.20 UMH	metaTRACE
0 PH		5.60 pH	Gen. Eng.
0 PH		5.42 pH	Gen. Eng.
0 PH		4.73 pH	metaTRACE
0 SILVER	LT	2 ug/L	Gen. Eng.
0 SILVER	LT	2 ug/L	Gen. Eng.
0 SILVER	LT	2 ug/L	metaTRACE
0 ARSENIC	LT	2 ug/L	Gen. Eng.
0 ARSENIC	LT	2 ug/L	Gen. Eng.
0 ARSENIC	LT	3 ug/L	metaTRACE
0 BARIUM		6 ug/L	Gen. Eng.
0 BARIUM		5 ug/L	Gen. Eng.
0 BARIUM	LT	25 ug/L	metaTRACE
0 BARIUM	LT	25 ug/L	metaTRACE
0 CALCIUM		817 ug/L	Gen. Eng.
0 CALCIUM		758 ug/L	Gen. Eng.
0 CALCIUM		638 ug/L	metaTRACE
0 CALCIUM		782 ug/L	metaTRACE
0 CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0 CADMIUM	LT	2 ug/L	Gen. Eng.
0 CADMIUM	LT	2 ug/L	Gen. Eng.
0 CADMIUM	LT	4 ug/L	metaTRACE
0 CADMIUM	LT	4 ug/L	metaTRACE
0 CHLOROFORM	LT	1 ug/L	Gen. Eng.
0 CHLOROFORM	LT	2 ug/L	W-Area, SRS
0 CHLORIDE		4000 ug/L	Gen. Eng.
0 CHLORIDE		4000 ug/L	Gen. Eng.
0 CHLORIDE		4400 ug/L	metaTRACE
0 CHROMIUM	LT	4 ug/L	Gen. Eng.
0 CHROMIUM	LT	4 ug/L	Gen. Eng.
0 CHROMIUM	LT	5 ug/L	metaTRACE
0 CYANIDE	LT	5 ug/L	Gen. Eng.
0 CYANIDE	LT	5 ug/L	Gen. Eng.
0 CYANIDE	LT	5 ug/L	metaTRACE
0 FLUORIDE	LT	100 ug/L	Gen. Eng.
0 FLUORIDE	LT	100 ug/L	Gen. Eng.
0 FLUORIDE	LT	250 ug/L	metaTRACE
0 IRON		75 ug/L	Gen. Eng.
0 IRON		68 ug/L	Gen. Eng.
0 IRON		30 ug/L	metaTRACE
0 MERCURY	LT	0.20 ug/L	Gen. Eng.
0 MERCURY	LT	0.20 ug/L	Gen. Eng.
0 MERCURY	LT	0.20 ug/L	metaTRACE
0 POTASSIUM	LT	500 ug/L	Gen. Eng.
0 POTASSIUM	LT	500 ug/L	Gen. Eng.
0 POTASSIUM	LT	2000 ug/L	metaTRACE
0 POTASSIUM	LT	2000 ug/L	metaTRACE
0 MAGNESIUM		435 ug/L	Gen. Eng.
0 MAGNESIUM		439 ug/L	Gen. Eng.
0 MAGNESIUM		338 ug/L	metaTRACE
0 MAGNESIUM		367 ug/L	metaTRACE
0 MANGANESE		18 ug/L	Gen. Eng.
0 MANGANESE		17 ug/L	Gen. Eng.
0 MANGANESE		16 ug/L	metaTRACE
0 MANGANESE		17 ug/L	metaTRACE
1 SODIUM		6880 ug/L	Gen. Eng.
1 SODIUM		6970 ug/L	Gen. Eng.
1 SODIUM		5807 ug/L	metaTRACE
1 SODIUM		6535 ug/L	metaTRACE
0 NITRATE AS NITROGEN		1320 ug/L	Gen. Eng.
0 NITRATE AS NITROGEN		1310 ug/L	Gen. Eng.
0 NITRATE AS NITROGEN		1500 ug/L	metaTRACE
0 LEAD	LT	6 ug/L	Gen. Eng.

CONTINUED

WELL AMB 5 COLLECTED ON 08/06/89 LABORATORY ANALYSES CONTINUED

0	LEAD	LT	6 ug/L	Gen. Eng.
0	LEAD		3 ug/L	metaTRACE
0	LEAD		4 ug/L	metaTRACE
0	PHENOLS	LT	5 ug/L	Gen. Eng.
0	PHENOLS	LT	5 ug/L	Gen. Eng.
0	PHENOLS	LT	5 ug/L	metaTRACE
0	PHENOLS	LT	5 ug/L	metaTRACE
0	SELENIUM	LT	2 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	Gen. Eng.
1	SELENIUM	LT	2 ug/L	metaTRACE
1	SILICON		3284 ug/L	metaTRACE
1	SILICON		3333 ug/L	metaTRACE
1	SILICA		6750 ug/L	Gen. Eng.
1	SILICA		7190 ug/L	Gen. Eng.
0	SULFATE	LT	5000 ug/L	Gen. Eng.
0	SULFATE	LT	5000 ug/L	Gen. Eng.
0	SULFATE		2400 ug/L	metaTRACE
2	TETRACHLOROETHYLENE		7.00 ug/L	Gen. Eng.
2	TETRACHLOROETHYLENE		5.35 ug/L	W-Area, SRS
0	TOTAL DISSOLVED SOLIDS		28000 ug/L	Gen. Eng.
0	TOTAL DISSOLVED SOLIDS		29000 ug/L	Gen. Eng.
0	TOTAL DISSOLVED SOLIDS		44000 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS		43000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON		1000 ug/L	Gen. Eng.
0	TOTAL ORGANIC CARBON		1000 ug/L	Gen. Eng.
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	metaTRACE
2	TOTAL ORGANIC HALOGENS		113 ug/L	Gen. Eng.
2	TOTAL ORGANIC HALOGENS		117 ug/L	Gen. Eng.
2	TOTAL ORGANIC HALOGENS		124 ug/L	metaTRACE
1	TOTAL PHOSPHORUS		200 ug/L	Gen. Eng.
1	TOTAL PHOSPHORUS		70 ug/L	Gen. Eng.
0	TOTAL PHOSPHATES	LT	10 ug/L	metaTRACE
2	TRICHLOROETHYLENE		160 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE		157 ug/L	W-Area, SRS
0	TRANS-1,2-DICHLOROETHENE		3 ug/L	W-Area, SRS
0	1,1-DICHLOROETHYLENE	LT	2 ug/L	W-Area, SRS
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	2 ug/L	W-Area, SRS
0	GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
0	GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
1	GROSS ALPHA		9.20+-2.30 pCi/L	metaTRACE
0	NONVOLATILE BETA	LT	2 pCi/L	Gen. Eng.
0	NONVOLATILE BETA	LT	2 pCi/L	Gen. Eng.
0	NONVOLATILE BETA	LT	4 pCi/L	metaTRACE
1	TOTAL RADIUM		3.62+-1.30 pCi/L	Gen. Eng.
0	TOTAL RADIUM		1.61+-1.20 pCi/L	Gen. Eng.
0	TOTAL RADIUM		2.30+-0.30 pCi/L	metaTRACE
0	TRITIUM	LT	0.70 pCi/mL	Gen. Eng.
0	TRITIUM	LT	0.70 pCi/mL	Gen. Eng.
0	TRITIUM	LT	1 pCi/mL	metaTRACE

WELL AMB 5

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/06/89 Time 1410
 Depth to water = 145.75 ft (44.43 m) below the TOC
 Water elevation = 233.85 ft (71.28 m) msl
 pH = 5.1 Alkalinity = 1 mg/L
 Specific conductance = 43 umhos/cm
 Water temperature = 21.2 degrees Celsius
 Water evacuated from the well prior to sampling = 32 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE		40.00 UMIC	Gen. Eng.
0	SPECIFIC CONDUCTANCE		45.70 UMIC	metaTRACE
0	PH		5.56 pH	Gen. Eng.
0	PH		4.56 pH	metaTRACE
0	SILVER	LT	2 ug/L	Gen. Eng.
0	SILVER	LT	2 ug/L	metaTRACE
0	ARSENIC	LT	2 ug/L	Gen. Eng.
0	ARSENIC	LT	3 ug/L	metaTRACE
0	BARIUM		6 ug/L	Gen. Eng.
0	BARIUM	LT	25 ug/L	metaTRACE
0	CALCIUM		710 ug/L	Gen. Eng.
0	CALCIUM		725 ug/L	metaTRACE
0	CADMIUM	LT	2 ug/L	Gen. Eng.
0	CADMIUM	LT	4 ug/L	metaTRACE
0	CHLOROFORM	LT	200 ug/L	W-Area, SRS
0	CHLORIDE		4000 ug/L	Gen. Eng.
0	CHLORIDE		4500 ug/L	metaTRACE
0	CHROMIUM	LT	4 ug/L	Gen. Eng.
0	CYANIDE	LT	5 ug/L	Gen. Eng.
0	CYANIDE	LT	5 ug/L	metaTRACE
0	FLUORIDE	LT	100 ug/L	Gen. Eng.
0	FLUORIDE	LT	250 ug/L	metaTRACE
0	IRON		39 ug/L	Gen. Eng.
0	MERCURY	LT	0.20 ug/L	Gen. Eng.
0	MERCURY	LT	0.20 ug/L	metaTRACE
0	POTASSIUM	LT	500 ug/L	Gen. Eng.
0	POTASSIUM	LT	2000 ug/L	metaTRACE
0	MAGNESIUM		436 ug/L	Gen. Eng.
0	MAGNESIUM		353 ug/L	metaTRACE
0	MANGANESE		19 ug/L	Gen. Eng.
0	MANGANESE		17 ug/L	metaTRACE
1	SODIUM		5790 ug/L	Gen. Eng.
1	SODIUM		6196 ug/L	metaTRACE
0	NITRATE AS NITROGEN		1360 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN		1400 ug/L	metaTRACE
0	LEAD	LT	6 ug/L	Gen. Eng.
0	LEAD		9 ug/L	metaTRACE
0	PHENOLS	LT	5 ug/L	Gen. Eng.
0	PHENOLS	LT	5 ug/L	metaTRACE
0	SELENIUM	LT	2 ug/L	Gen. Eng.
1	SILICON		3088 ug/L	metaTRACE

CONTINUED

WELL AMB 5 COLLECTED ON 08/06/89 LABORATORY ANALYSES CONTINUED

1	SILICA		7260 ug/L	Gen. Eng.
0	SULFATE	LT	5000 ug/L	Gen. Eng.
0	SULFATE		2900 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	200 ug/L	W-Area, SRS
0	TOTAL DISSOLVED SOLIDS		33000 ug/L	Gen. Eng.
0	TOTAL DISSOLVED SOLIDS		62000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON		4000 ug/L	Gen. Eng.
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	metaTRACE
2	TOTAL ORGANIC HALOGENS		125 ug/L	Gen. Eng.
2	TOTAL ORGANIC HALOGENS		132 ug/L	metaTRACE
0	TOTAL PHOSPHORUS	LT	50 ug/L	Gen. Eng.
0	TOTAL PHOSPHATES	LT	10 ug/L	metaTRACE
2	TRICHLOROETHYLENE		97.4 ug/L	W-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	200 ug/L	W-Area, SRS
0	1,1-DICHLOROETHYLENE	LT	200 ug/L	W-Area, SRS
0	1,1,1-TRICHLOROETHANE	LT	200 ug/L	W-Area, SRS
0	GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
0	GROSS ALPHA	LT	4 pCi/L	metaTRACE
0	NONVOLATILE BETA	LT	2 pCi/L	Gen. Eng.
0	NONVOLATILE BETA	LT	4 pCi/L	metaTRACE
0	TOTAL RADIUM		2.03+-2.10 pCi/L	Gen. Eng.
0	TOTAL RADIUM		2.30+-0.50 pCi/L	metaTRACE
0	TRITIUM	LT	0.70 pCi/mL	Gen. Eng.
0	TRITIUM	LT	1 pCi/mL	metaTRACE

WELL AMB 6

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/06/89 Time 1455
 Depth to water = 143.25 ft (43.66 m) below the TOC
 Water elevation = 233.95 ft (71.31 m) msl
 pH = 5.4 Alkalinity = 6 mg/L
 Specific conductance = 43 umhos/cm
 Water temperature = 21.7 degrees Celsius
 Water evacuated from the well prior to sampling = 31 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE		41.00 UMIC	Gen. Eng.
0	PH		5.90 pH	Gen. Eng.
0	SILVER	LT	2 ug/L	Gen. Eng.
0	ARSENIC	LT	2 ug/L	Gen. Eng.
0	BARIUM	LT	4 ug/L	Gen. Eng.
0	CALCIUM		305 ug/L	Gen. Eng.
0	CADMIUM	LT	2 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	W-Area, SRS
0	CHLORIDE		3300 ug/L	Gen. Eng.
0	CHROMIUM	LT	4 ug/L	Gen. Eng.
0	CYANIDE	LT	5 ug/L	Gen. Eng.
0	FLUORIDE	LT	100 ug/L	Gen. Eng.
0	IRON		63 ug/L	Gen. Eng.
1	MERCURY		0.60 ug/L	Gen. Eng.
0	POTASSIUM		648 ug/L	Gen. Eng.
0	MAGNESIUM		75 ug/L	Gen. Eng.
0	MANGANESE		7 ug/L	Gen. Eng.
1	SODIUM		7800 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN		140 ug/L	Gen. Eng.
0	LEAD	LT	6 ug/L	Gen. Eng.
0	PHENOLS	LT	5 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	Gen. Eng.
1	SILICA		8660 ug/L	Gen. Eng.
0	SULFATE	LT	5000 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	100 ug/L	W-Area, SRS
0	TOTAL DISSOLVED SOLIDS		55000 ug/L	Gen. Eng.
0	TOTAL ORGANIC CARBON		1000 ug/L	Gen. Eng.
0	TOTAL ORGANIC HALOGENS		5 ug/L	Gen. Eng.
1	TOTAL PHOSPHORUS		450 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE		8.81 ug/L	W-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	W-Area, SRS
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	W-Area, SRS
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	W-Area, SRS
0	GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
0	NONVOLATILE BETA		2.30+-1.10 pCi/L	Gen. Eng.
0	TOTAL RADIUM		1.30+-1.40 pCi/L	Gen. Eng.
0	TRITIUM	LT	0.70 pCi/mL	Gen. Eng.

WELL AMB 7

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/06/89 Time 1305
 Depth to water = 135.55 ft (41.32 m) below the TOC
 Water elevation = 234.35 ft (71.43 m) msl
 pH = 8.1 Alkalinity = 103 mg/L
 Specific conductance = 215 umhos/cm
 Water temperature = 22.4 degrees Celsius
 Water evacuated from the well prior to sampling = 1 gal
 The well went dry during purging.

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE		190.0 UMIC	Gen. Eng.
1	PH		7.81 pH	Gen. Eng.
0	SILVER	LT	2 ug/L	Gen. Eng.
0	ARSENIC	LT	2 ug/L	Gen. Eng.
0	BARIUM		11 ug/L	Gen. Eng.
0	CALCIUM		3040 ug/L	Gen. Eng.
0	CADMIUM	LT	2 ug/L	Gen. Eng.
0	CHLOROFORM	LT	3 ug/L	W-Area, SRS
0	CHLORIDE		2200 ug/L	Gen. Eng.
0	CHROMIUM	LT	4 ug/L	Gen. Eng.
0	CYANIDE	LT	5 ug/L	Gen. Eng.
0	FLUORIDE	LT	100 ug/L	Gen. Eng.

CONTINUED

WELL A01 7 COLLECTED ON 08/06/89 LABORATORY ANALYSES CONTINUED

0	IRON		80 ug/L	Gen. Eng.
0	MERCURY	LT	0.20 ug/L	Gen. Eng.
1	POTASSIUM		3490 ug/L	Gen. Eng.
0	MAGNESIUM		400 ug/L	Gen. Eng.
0	MANGANESE		8 ug/L	Gen. Eng.
1	SODIUM		42300 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN	LT	50 ug/L	Gen. Eng.
0	LEAD	LT	6 ug/L	Gen. Eng.
0	PHENOLS	LT	5 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	Gen. Eng.
1	SILICA		7700 ug/L	Gen. Eng.
0	SULFATE		5800 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	2.50 ug/L	M-Area, SRS
0	TOTAL DISSOLVED SOLIDS		137000 ug/L	Gen. Eng.
0	TOTAL ORGANIC CARBON		2000 ug/L	Gen. Eng.
2	TOTAL ORGANIC HALOGENS		72 ug/L	Gen. Eng.
1	TOTAL PHOSPHORUS		530 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE	LT	2.63 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	3 ug/L	M-Area, SRS
0	1,1-DICHLOROETHYLENE	LT	3 ug/L	M-Area, SRS
1	1,1,1-TRICHLOROETHANE		13 ug/L	M-Area, SRS
0	GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
0	NONVOLATILE BETA		0.10+2.50 pCi/L	Gen. Eng.
0	TOTAL RADIUM		1.10+1.70 pCi/L	Gen. Eng.
0	TRITIUM	LT	0.70 pCi/mL	Gen. Eng.

WELL A01 1

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/06/89 Time 1055
 Depth to water = 108.16 ft (32.36 m) below the TOC
 Water elevation = 234.94 ft (71.61 m) msl
 pH = 4.9 Alkalinity = 0 mg/L
 Specific conductance = 34 umhos/cm
 Water temperature = 20.8 degrees Celsius
 Water evacuated from the well prior to sampling = 43 gal

LABORATORY ANALYSES

0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	5 ug/L	M-Area, SRS
1	METHYLENE CHLORIDE		1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	ENDRIN	LT	0.10 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	TOLUENE	LT	2 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
2	TETRACHLOROETHYLENE		123 ug/L	Gen. Eng.
2	TETRACHLOROETHYLENE		136 ug/L	M-Area, SRS
2	TOTAL ORGANIC HALOGENS		227 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE		118 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE		139 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	50 ug/L	M-Area, SRS
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	M-Area, SRS
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	M-Area, SRS
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.

WELL A01 2

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/06/89 Time 1120
 Depth to water = 109.60 ft (33.41 m) below the TOC
 Water elevation = 235.80 ft (71.87 m) msl
 pH = 5.1 Alkalinity = 1 mg/L
 Specific conductance = 21 umhos/cm
 Water temperature = 21.5 degrees Celsius
 Water evacuated from the well prior to sampling = 41 gal

LABORATORY ANALYSES

0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	M-Area, SRS
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.

CONTINUED

WELL A01 2 COLLECTED ON 08/06/89 LABORATORY ANALYSES CONTINUED

0	BENZENE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	ENDRIN	LT	0.10 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	TOLUENE	LT	1 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
1	TOTAL ORGANIC HALOGENS		12 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	M-Area, SRS
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area, SRS
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area, SRS
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.

WELL A01 3

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/10/89 Time 1220
 Depth to water = 115.76 ft (35.28 m) below the TOC
 Water elevation = 238.04 ft (72.18 m) msl
 pH = 6.7 Alkalinity = 44 mg/L
 Specific conductance = 108 umhos/cm
 Water temperature = 21.8 degrees Celsius
 Water evacuated from the well prior to sampling = 5 gal
 The well went dry during purging.

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE		100.0 UMIC	Gen. Eng.
1	SPECIFIC CONDUCTANCE		100.0 UMIC	Gen. Eng.
1	PH		7.32 pH	Gen. Eng.
1	PH		7.38 pH	Gen. Eng.
0	SILVER	LT	2 ug/L	Gen. Eng.
0	SILVER	LT	2 ug/L	Gen. Eng.
0	ARSENIC	LT	2 ug/L	Gen. Eng.
0	ARSENIC	LT	2 ug/L	Gen. Eng.
0	BARIIUM		8 ug/L	Gen. Eng.
0	BARIIUM		8 ug/L	Gen. Eng.
1	CALCIUM		26500 ug/L	Gen. Eng.
1	CALCIUM		27900 ug/L	Gen. Eng.
0	CADMIUM	LT	2 ug/L	Gen. Eng.
0	CADMIUM	LT	2 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	M-Area, SRS
0	CHLORIDE		2600 ug/L	Gen. Eng.
0	CHLORIDE		2600 ug/L	Gen. Eng.
0	CHROMIUM	LT	4 ug/L	Gen. Eng.
0	CHROMIUM	LT	4 ug/L	Gen. Eng.
0	ENDRIN	LT	0.10 ug/L	Gen. Eng.
0	ENDRIN	LT	0.10 ug/L	Gen. Eng.
0	FLUORIDE	LT	100 ug/L	Gen. Eng.
0	FLUORIDE	LT	100 ug/L	Gen. Eng.
1	IRON		236 ug/L	Gen. Eng.
1	IRON		243 ug/L	Gen. Eng.
0	MERCURY		0.30 ug/L	Gen. Eng.
0	MERCURY		0.30 ug/L	Gen. Eng.
0	POTASSIUM	LT	500 ug/L	Gen. Eng.
0	POTASSIUM	LT	500 ug/L	Gen. Eng.
0	LINDANE	LT	0.05 ug/L	Gen. Eng.
0	LINDANE	LT	0.05 ug/L	Gen. Eng.
0	METHOXYCHLOR	LT	0.50 ug/L	Gen. Eng.
0	METHOXYCHLOR	LT	0.50 ug/L	Gen. Eng.
0	MAGNESIUM		308 ug/L	Gen. Eng.
0	MAGNESIUM		327 ug/L	Gen. Eng.
0	MANGANESE		13 ug/L	Gen. Eng.
0	MANGANESE		13 ug/L	Gen. Eng.
0	SODIUM		1600 ug/L	Gen. Eng.
0	SODIUM		1600 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN		420 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN		400 ug/L	Gen. Eng.
0	LEAD	LT	6 ug/L	Gen. Eng.
0	LEAD	LT	6 ug/L	Gen. Eng.
1	PHENOLS		6 ug/L	Gen. Eng.
1	PHENOLS		6 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	Gen. Eng.
1	SILICA		7710 ug/L	Gen. Eng.
1	SILICA		8150 ug/L	Gen. Eng.
0	SILVEX	LT	0.09 ug/L	Gen. Eng.
0	SILVEX	LT	0.09 ug/L	Gen. Eng.
0	SULFATE	LT	5000 ug/L	Gen. Eng.
0	SULFATE	LT	5000 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0	TOTAL DISSOLVED SOLIDS		55000 ug/L	Gen. Eng.
0	TOTAL DISSOLVED SOLIDS		61000 ug/L	Gen. Eng.
0	TOTAL ORGANIC CARBON		1000 ug/L	Gen. Eng.
0	TOTAL ORGANIC CARBON		1000 ug/L	Gen. Eng.
2	TOTAL ORGANIC HALOGENS		29 ug/L	Gen. Eng.
2	TOTAL ORGANIC HALOGENS		32 ug/L	Gen. Eng.
0	TOTAL PHOSPHATES		70 ug/L	Gen. Eng.
0	TOTAL PHOSPHATES		70 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0	TOXAPHENE	LT	1 ug/L	Gen. Eng.
0	TOXAPHENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	M-Area, SRS
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area, SRS

CONTINUED

WELL AOB 3 COLLECTED ON 08/10/89 LABORATORY ANALYSES CONTINUED

0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area, SRS
0	2,4-DICHLOROPHENOXYACETIC ACID	LT	0.30 ug/L	Gen. Eng.
0	2,4-DICHLOROPHENOXYACETIC ACID	LT	0.30 ug/L	Gen. Eng.
0	GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
0	GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
0	NONVOLATILE BETA	LT	2 pCi/L	Gen. Eng.
0	NONVOLATILE BETA	LT	2 pCi/L	Gen. Eng.
1	TOTAL ACTIVITY		6.40+-1.22 pCi/mL	HP, 735A
0	TOTAL RADIUM		1.20+-1.10 pCi/L	Gen. Eng.
0	TOTAL RADIUM		1 pCi/L	Gen. Eng.
0	TRITIUM		2.38+-0.38 pCi/mL	Gen. Eng.
0	TRITIUM		2.37+-0.38 pCi/mL	Gen. Eng.
0	TRITIUM		1.89+-0.73 pCi/mL	HP, 735A

WELL ARP 1A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/06/89 Time 930
 pH = 4.9 Alkalinity = 0 mg/L
 Specific conductance = 23 umhos/cm
 Water temperature = 21.0 degrees Celsius
 Water evacuated from the well prior to sampling = 55 gal

LABORATORY ANALYSES

0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	TOLUENE	LT	1 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	Gen. Eng.
1	TRICHLOROETHYLENE		2.00 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	XYLENES	LT	2 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.

WELL ARP 2

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/06/89 Time 1000
 Depth to water = 122.19 ft (37.24 m) below the TOC
 Water elevation = 215.11 ft (65.57 m) msl
 pH = 4.9 Alkalinity = 1 mg/L
 Specific conductance = 15 umhos/cm
 Water temperature = 19.9 degrees Celsius
 Water evacuated from the well prior to sampling = 65 gal

LABORATORY ANALYSES

0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	METHYLENE CHLORIDE	LT	1 ug/L	M-Area, SRS
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	TOLUENE	LT	1 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
2	TETRACHLOROETHYLENE		16.0 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE		4.00 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	M-Area, SRS
0	XYLENES	LT	2 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	LT	1 ug/L	M-Area, SRS
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area, SRS
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.

CONTINUED

WELL ARP 2 COLLECTED ON 08/06/89 LABORATORY ANALYSES CONTINUED

0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.

WELL ARP 3

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/06/89 Time 1030
 Depth to water = 122.53 ft (37.35 m) below the TOC
 Water elevation = 217.27 ft (66.22 m) msl
 pH = 4.8 Alkalinity = 0 mg/L
 Specific conductance = 25 umhos/cm
 Water temperature = 20.0 degrees Celsius
 Water evacuated from the well prior to sampling = 76 gal

LABORATORY ANALYSES

0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	LT	10 ug/L	Gen. Eng.
1	TRICHLOROFLUOROMETHANE		1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	10 ug/L	Gen. Eng.
1	CARBON TETRACHLORIDE		1.00 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	10.0 ug/L	Gen. Eng.
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	BROMOFORM	LT	10 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	10 ug/L	Gen. Eng.
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0	METHYLENE CHLORIDE	LT	10 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	10 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	10 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	10 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	10 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	10 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	10 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	10 ug/L	Gen. Eng.
0	TOLUENE	LT	1 ug/L	Gen. Eng.
0	TOLUENE	LT	10 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	10 ug/L	Gen. Eng.
2	TETRACHLOROETHYLENE		45.0 ug/L	Gen. Eng.
2	TETRACHLOROETHYLENE		26.0 ug/L	Gen. Eng.
2	TOTAL ORGANIC HALOGENS		1500 ug/L	Gen. Eng.
2	TOTAL ORGANIC HALOGENS		1500 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE		840 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE		451 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	10 ug/L	Gen. Eng.
0	XYLENES	LT	2 ug/L	Gen. Eng.
0	XYLENES	LT	20 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	10 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	LT	10 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	10 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	10 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	10 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	10 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	10 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	10 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	10 ug/L	Gen. Eng.

WELL ARP 4

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/06/89 Time 900
 Depth to water = 133.64 ft (40.73 m) below the TOC
 Water elevation = 214.76 ft (65.46 m) msl
 pH = 4.8 Alkalinity = 0 mg/L
 Specific conductance = 19 umhos/cm
 Water temperature = 20.6 degrees Celsius
 Water evacuated from the well prior to sampling = 44 gal

LABORATORY ANALYSES

0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	M-Area, SRS
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.

CONTINUED

WELL ARP 4 COLLECTED ON 08/08/89 LABORATORY ANALYSES CONTINUED

0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	TOLUENE	LT	1 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	W-Area, SRS
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	Gen. Eng.
1	TRICHLOROETHYLENE	LT	2.00 ug/L	Gen. Eng.
1	TRICHLOROETHYLENE	LT	2.07 ug/L	W-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	W-Area, SRS
0	XYLENES	LT	2 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	W-Area, SRS
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	W-Area, SRS
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.

WELL ASB 1A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/08/89 Time 1100
 pH = 5.0 Alkalinity = 0 mg/L
 Specific conductance = 58 umhos/cm
 Water temperature = 20.0 degrees Celsius
 Water evacuated from the well prior to sampling = 52 gal

LABORATORY ANALYSES

0	SILVER	LT	2 ug/L	Gen. Eng.
0	SILVER	LT	2 ug/L	Gen. Eng.
0	ARSENIC	LT	2 ug/L	Gen. Eng.
0	ARSENIC	LT	2 ug/L	Gen. Eng.
0	BARIIUM	LT	4 ug/L	Gen. Eng.
0	BARIIUM	LT	4 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	CADMIUM	LT	2 ug/L	Gen. Eng.
0	CADMIUM	LT	2 ug/L	Gen. Eng.
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	W-Area, SRS
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHROMIUM	LT	4 ug/L	Gen. Eng.
0	CHROMIUM	LT	4 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	FLUORIDE	LT	100 ug/L	Gen. Eng.
0	FLUORIDE	LT	100 ug/L	Gen. Eng.
0	IRON	LT	9 ug/L	Gen. Eng.
0	IRON	LT	10 ug/L	Gen. Eng.
0	MERCURY	LT	0.20 ug/L	Gen. Eng.
0	MERCURY	LT	0.20 ug/L	Gen. Eng.
0	TOLUENE	LT	1 ug/L	Gen. Eng.
0	TOLUENE	LT	1 ug/L	Gen. Eng.
1	MANGANESE	LT	27 ug/L	Gen. Eng.
1	MANGANESE	LT	25 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN	LT	260 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN	LT	270 ug/L	Gen. Eng.
0	LEAD	LT	6 ug/L	Gen. Eng.
0	LEAD	LT	6 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
1	TETRACHLOROETHYLENE	LT	4.00 ug/L	Gen. Eng.
1	TETRACHLOROETHYLENE	LT	4.00 ug/L	Gen. Eng.
1	TETRACHLOROETHYLENE	LT	3.70 ug/L	W-Area, SRS
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	Gen. Eng.
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	Gen. Eng.
1	TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
1	TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
1	TRICHLOROETHYLENE	LT	1.12 ug/L	W-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.

CONTINUED

WELL ASB 1A COLLECTED ON 08/08/89 LABORATORY ANALYSES CONTINUED

0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
1	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	W-Area, SRS
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	W-Area, SRS
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	W-Area, SRS
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0	GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
0	GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
0	AMERICIUM-241	LT	0.08 pCi/L	Teledyne
1	AMERICIUM-243	LT	1.30+-0.60 pCi/L	Teledyne
0	BARIIUM-140	LT	9 pCi/L	Teledyne
0	NONVOLATILE BETA	LT	2 pCi/L	Gen. Eng.
0	NONVOLATILE BETA	LT	2 pCi/L	Gen. Eng.
0	BERYLLIUM-7	LT	30 pCi/L	Teledyne
0	CERIUM-141	LT	8 pCi/L	Teledyne
0	CERIUM-144	LT	20 pCi/L	Teledyne
0	CURIUM-242	LT	0.08 pCi/L	Teledyne
1	CURIUM-246	LT	0.67+-0.52 pCi/L	Teledyne
0	CURIUM-243/244	LT	0.08 pCi/L	Teledyne
0	COBALT-58	LT	3 pCi/L	Teledyne
0	COBALT-60	LT	3 pCi/L	Teledyne
0	CESIUM-134	LT	3 pCi/L	Teledyne
0	CESIUM-137	LT	3 pCi/L	Teledyne
0	IRON-59	LT	7 pCi/L	Teledyne
0	IODINE-131	LT	10 pCi/L	Teledyne
0	POTASSIUM-40	LT	40 pCi/L	Teledyne
0	MANGANESE-54	LT	3 pCi/L	Teledyne
0	PLUTONIUM-238	LT	0.40 pCi/L	Teledyne
0	PLUTONIUM-242	LT	0.20 pCi/L	Teledyne
0	PLUTONIUM-239/240	LT	0.20 pCi/L	Teledyne
0	RADIUM-226	LT	70 pCi/L	Teledyne
1	RADIUM-228	LT	1.60+-0.50 pCi/L	Teledyne
0	RADIUM-228	LT	1 pCi/L	Teledyne
0	RUTHENIUM-103	LT	3 pCi/L	Teledyne
0	RUTHENIUM-106	LT	20 pCi/L	Teledyne
0	STRONTIUM-89	LT	4 pCi/L	Teledyne
0	STRONTIUM-90	LT	5 pCi/L	Teledyne
0	THORIUM-228	LT	1.10+-1.20 pCi/L	Gen. Eng.
0	TOTAL RADIUM	LT	1.10+-1.20 pCi/L	Gen. Eng.
0	TOTAL RADIUM	LT	1.42+-0.35 pCi/mL	Gen. Eng.
0	TRITIUM	LT	1.44+-0.34 pCi/mL	Gen. Eng.
0	TRITIUM	LT	0.03 pCi/L	Teledyne
0	URANIUM-235	LT	0.07 pCi/L	Teledyne
0	URANIUM-238	LT	0.22+-0.11 pCi/L	Teledyne
1	URANIUM-233/234	LT	0.07 pCi/L	Teledyne
0	ZINC-65	LT	6 pCi/L	Teledyne
0	ZIRCONIUM-95	LT	3 pCi/L	Teledyne

WELL ASB 1A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/10/89 Time 1020
 pH = 5.0 Alkalinity = 1 mg/L
 Specific conductance = 59 umhos/cm
 Water temperature = 20.2 degrees Celsius
 Water evacuated from the well prior to sampling = 56 gal

LABORATORY ANALYSES

0	HEPTACHLORODIBENZODIOXINS	LT	10 ng/L	metaTRACE
0	HEPTACHLORODIBENZODIOXINS	LT	7 ng/L	metaTRACE
0	HEXACHLORODIBENZODIOXINS	LT	7 ng/L	metaTRACE
0	HEXACHLORODIBENZODIOXINS	LT	5 ng/L	metaTRACE
0	ORTHOCHLORODIBENZODIOXINS	LT	10 ng/L	metaTRACE
0	ORTHOCHLORODIBENZODIOXINS	LT	10 ng/L	metaTRACE
U	PENTACHLORODIBENZODIOXINS	LT	3 ng/L	metaTRACE
U	PENTACHLORODIBENZODIOXINS	LT	6 ng/L	metaTRACE
U	TETRACHLORODIBENZODIOXIN	LT	6 ng/L	metaTRACE
U	TETRACHLORODIBENZODIOXIN	LT	6 ng/L	metaTRACE
0	A, A-DIMETHYLPHENETHYLAMINE	LT	10 ug/L	Gen. Eng.
0	ALPHA-BENZENEHEXACHLORIDE	LT	0.50 ug/L	Gen. Eng.
0	ACETONE	LT	1 ug/L	Gen. Eng.
0	ACETOPHENONE	LT	10 ug/L	Gen. Eng.
0	ACROLEIN	LT	20 ug/L	Gen. Eng.
0	ACRYLONITRILE	LT	20 ug/L	Gen. Eng.
0	SILVER	LT	2 ug/L	Gen. Eng.
0	ALDRIN	LT	0.50 ug/L	Gen. Eng.
0	ACENAPHTHENE	LT	10 ug/L	Gen. Eng.
0	ACENAPHTHYLENE	LT	10 ug/L	Gen. Eng.
0	ANILINE	LT	10 ug/L	Gen. Eng.
0	ANTHRACENE	LT	10 ug/L	Gen. Eng.
0	ARAMITE	LT	10 ug/L	Gen. Eng.
1	ARSENIC	LT	2 ug/L	Gen. Eng.
0	ALLYL CHLORIDE	LT	1 ug/L	Gen. Eng.
0	BARIIUM	LT	8 ug/L	Gen. Eng.
0	BENZO(A)ANTHRACENE	LT	10 ug/L	Gen. Eng.
0	BENZO(A)PYRENE	LT	10 ug/L	Gen. Eng.
0	BENZO(B)FLUORANTHENE	LT	10 ug/L	Gen. Eng.
0	BETA-BENZENEHEXACHLORIDE	LT	0.50 ug/L	Gen. Eng.

CONTINUED

WELL ASB 1A COLLECTED ON 09/10/89 LABORATORY ANALYSES CONTINUED

0 BUTYLBENZYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0 BIS(CHLOROMETHYL-ETHYL)ETHER	LT	10 ug/L	Gen. Eng.
0 BERYLLIUM	LT	5 ug/L	Gen. Eng.
0 BENZO(G,H,I)PERYLENE	LT	10 ug/L	Gen. Eng.
0 BENZO(K)FLUORANTHENE	LT	10 ug/L	Gen. Eng.
0 BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 BENZYL ALCOHOL	LT	20 ug/L	Gen. Eng.
0 BIS(2-CHLOROETHOXY) METHANE	LT	10 ug/L	Gen. Eng.
0 BIS(2-CHLOROETHYL) ETHER	LT	10 ug/L	Gen. Eng.
0 BIS(2-ETHYLHEXYL) PHTHALATE	LT	10 ug/L	Gen. Eng.
0 DICHLORODIFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0 TRICHLORODIFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0 CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0 CADMIUM	LT	2 ug/L	Gen. Eng.
0 BROMOFORM	LT	1 ug/L	Gen. Eng.
0 CHLOROFORM	LT	1 ug/L	Gen. Eng.
0 CHRYSENE	LT	10 ug/L	Gen. Eng.
0 METHYLENE BROMIDE	LT	1 ug/L	Gen. Eng.
0 METHYLENE BROMIDE	LT	1 ug/L	Gen. Eng.
0 METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0 BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0 CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 ACETONITRILE (METHYL CYANIDE)	LT	1 ug/L	Gen. Eng.
0 CHLOROBENZILATE	LT	10 ug/L	Gen. Eng.
0 CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0 CHLORANE	LT	0.50 ug/L	Gen. Eng.
0 CHLOROPRENE	LT	1 ug/L	Gen. Eng.
0 PENTACHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0 PENTACHLOROETHANE	LT	10 ug/L	Gen. Eng.
0 PENTACHLORONITROBENZENE	LT	10 ug/L	Gen. Eng.
0 HEXACHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0 HEXACHLOROCYCLOPENTADIENE	LT	10 ug/L	Gen. Eng.
0 HEXACHLOROETHANE	LT	10 ug/L	Gen. Eng.
0 COBALT	LT	4 ug/L	Gen. Eng.
0 CHROMIUM	LT	4 ug/L	Gen. Eng.
0 CARBON DISULFIDE	LT	1 ug/L	Gen. Eng.
0 COPPER	LT	17 ug/L	Gen. Eng.
0 CYANIDE	LT	5 ug/L	Gen. Eng.
0 CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0 CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 BENZENE	LT	1 ug/L	Gen. Eng.
0 DIBENZ(A,H)ANTHRACENE	LT	10 ug/L	Gen. Eng.
0 DIBROMOCHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0 DELTA-BENZENEHEXACHLORIDE	LT	0.50 ug/L	Gen. Eng.
0 DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 DIETHYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0 DIALLYLATE	LT	10 ug/L	Gen. Eng.
0 DIBENZOFURAN	LT	10 ug/L	Gen. Eng.
0 DIMETHOATE	LT	10 ug/L	Gen. Eng.
0 DISULFOTON	LT	10 ug/L	Gen. Eng.
0 DICHLORIN	LT	0.50 ug/L	Gen. Eng.
0 DIMETHYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0 DI-N-BUTYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0 DI-N-OCTYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0 DIPHENYLAMINE	LT	10 ug/L	Gen. Eng.
0 ETHYL METHANESULFONATE	LT	10 ug/L	Gen. Eng.
0 ENDRIN ALDEHYDE	LT	0.50 ug/L	Gen. Eng.
0 ENDRIN	LT	0.50 ug/L	Gen. Eng.
0 ENDOSULFAN I	LT	0.50 ug/L	Gen. Eng.
0 ENDOSULFAN II	LT	0.50 ug/L	Gen. Eng.
0 ENDOSULFAN SULFATE	LT	0.50 ug/L	Gen. Eng.
0 ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0 ETHYL METHACRYLATE	LT	10 ug/L	Gen. Eng.
0 FAMPUR	LT	10 ug/L	Gen. Eng.
0 FLUORANTHENE	LT	10 ug/L	Gen. Eng.
0 FLUORENE	LT	10 ug/L	Gen. Eng.
0 HEXACHLOROBUTADIENE	LT	10 ug/L	Gen. Eng.
0 HEXACHLOROPHENE	LT	10 ug/L	Gen. Eng.
0 HEXACHLOROPROPENE	LT	10 ug/L	Gen. Eng.
0 MERCURY	LT	0.30 ug/L	Gen. Eng.
0 HEPTACHLOR	LT	0.50 ug/L	Gen. Eng.
0 HEPTACHLOR EPOXIDE	LT	0.50 ug/L	Gen. Eng.
0 INDENO(1,2,3-C,D)PYRENE	LT	10 ug/L	Gen. Eng.
0 IODOMETHANE	LT	1 ug/L	Gen. Eng.
0 ISOSAFROLE	LT	10 ug/L	Gen. Eng.
0 ISOBUTYL ALCOHOL	LT	1 ug/L	Gen. Eng.
0 ISODRIM	LT	10 ug/L	Gen. Eng.
0 ISOPHORONE	LT	10 ug/L	Gen. Eng.
0 KEPONE	LT	10 ug/L	Gen. Eng.
0 LINDANE	LT	0.50 ug/L	Gen. Eng.
0 METHACRYLONITRILE	LT	1 ug/L	Gen. Eng.
0 TOLUENE	LT	1 ug/L	Gen. Eng.
0 METHYLETHYL KETONE	LT	1 ug/L	Gen. Eng.
0 METHYL METHACRYLATE	LT	10 ug/L	Gen. Eng.
0 METHYL METHANE SULFONATE	LT	10 ug/L	Gen. Eng.
0 METHOXYCHLOR	LT	4 ug/L	Gen. Eng.
0 METHYLISOBUTYL KETONE	LT	1 ug/L	Gen. Eng.
0 METHAPYRILENE	LT	10 ug/L	Gen. Eng.
0 NAPHTHALENE	LT	10 ug/L	Gen. Eng.
0 NITROBENZENE	LT	10 ug/L	Gen. Eng.
0 N-NITROSODIMETHYLAMINE	LT	10 ug/L	Gen. Eng.
0 N-NITROSODI-N-BUTYLAMINE	LT	10 ug/L	Gen. Eng.
0 N-NITROSODI-PROPYLAMINE	LT	10 ug/L	Gen. Eng.
0 N-NITROSODIETHYLAMINE	LT	10 ug/L	Gen. Eng.
0 N-NITROETHYLMETHYLAMINE	LT	10 ug/L	Gen. Eng.
0 NICKEL	LT	4 ug/L	Gen. Eng.
0 N-NITROSOMORPHOLINE	LT	10 ug/L	Gen. Eng.
0 N-NITROSODIPHENYLAMINE	LT	10 ug/L	Gen. Eng.
0 N-NITROSOPIPERIDINE	LT	10 ug/L	Gen. Eng.
0 N-NITROSOPYRROLIDINE	LT	10 ug/L	Gen. Eng.
0 4-NITROQUINOLINE-1-OXIDE	LT	10 ug/L	Gen. Eng.
0 5-NITRO-O-TOLUIDINE	LT	10 ug/L	Gen. Eng.
0 O-TOLUIDINE	LT	10 ug/L	Gen. Eng.
0 LEAD	LT	19 ug/L	Gen. Eng.
0 PCB 1016	LT	0.50 ug/L	Gen. Eng.
0 PCB 1221	LT	0.50 ug/L	Gen. Eng.
0 PCB 1232	LT	0.50 ug/L	Gen. Eng.
0 PCB 1242	LT	0.50 ug/L	Gen. Eng.
0 PCB 1248	LT	0.50 ug/L	Gen. Eng.

CONTINUED

WELL ASB 1A COLLECTED ON 09/10/89 LABORATORY ANALYSES CONTINUED

0 PCB 1254	LT	0.50 ug/L	Gen. Eng.
0 PCB 1260	LT	0.50 ug/L	Gen. Eng.
0 PCB 1262	LT	0.50 ug/L	Gen. Eng.
0 PENTACHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0 P-PHENYLENEDIAMINE	LT	10 ug/L	Gen. Eng.
0 P-DIMETHYLAMINOAZOBENZENE	LT	10 ug/L	Gen. Eng.
0 PHENACETIN	LT	10 ug/L	Gen. Eng.
0 PHENANTHRENE	LT	10 ug/L	Gen. Eng.
0 PHENOLS	LT	10 ug/L	Gen. Eng.
0 PHORATE	LT	0.50 ug/L	Gen. Eng.
0 2,2-BIS(4-CHLOROPHENYL)-1,1-DCE	LT	0.50 ug/L	Gen. Eng.
0 2,2-BIS(4-CHLOROPHENYL)-1,1-DCE	LT	0.50 ug/L	Gen. Eng.
0 2,2-BIS(4-CHLOROPHENYL)-1,1,1-TCE	LT	0.50 ug/L	Gen. Eng.
0 PRONAMIDE	LT	10 ug/L	Gen. Eng.
0 PROPIONITRILE	LT	1 ug/L	Gen. Eng.
0 PARATHION	LT	0.50 ug/L	Gen. Eng.
0 PARATHION METHYL	LT	0.50 ug/L	Gen. Eng.
0 PYRENE	LT	10 ug/L	Gen. Eng.
0 PYRIDINE	LT	10 ug/L	Gen. Eng.
0 SAFFROLE	LT	10 ug/L	Gen. Eng.
0 ANTIMONY	LT	3 ug/L	Gen. Eng.
0 2-SEC-BUTYL-4,6-DINITROPHENOL	LT	10 ug/L	Gen. Eng.
0 SILENIUM	LT	2 ug/L	Gen. Eng.
0 SILVEX	LT	0.50 ug/L	Gen. Eng.
0 TIN	LT	2 ug/L	Gen. Eng.
0 STYRENE	LT	1 ug/L	Gen. Eng.
0 SULFIDE	LT	1000 ug/L	Gen. Eng.
0 1,2,4,5-TETRACHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0 1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,1,1,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1-TETRACHLOROETHYLENE	LT	4.00 ug/L	Gen. Eng.
0 0,0,0-TRIETHYL PHOSPHOROTHIOATE	LT	2 ug/L	Gen. Eng.
0 THALLIUM	LT	2 ug/L	Gen. Eng.
0 TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0 TOXAPHENE	LT	5 ug/L	Gen. Eng.
0 TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0 TRANS-1,4-DICHLORO-2-BUTENE	LT	1 ug/L	Gen. Eng.
0 VANADIUM	LT	20 ug/L	Gen. Eng.
0 VINYL ACETATE	LT	1 ug/L	Gen. Eng.
0 XYLENES	LT	2 ug/L	Gen. Eng.
0 1-NAPHTHYLAMINE	LT	10 ug/L	Gen. Eng.
0 1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0 1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,2-DICHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0 1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0 1,2,3-TRICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0 1,2,4-TRICHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0 1,3-DICHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0 CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0 TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0 1,3-DINITROBENZENE	LT	10 ug/L	Gen. Eng.
0 1,3,5-TRINITROBENZENE	LT	10 ug/L	Gen. Eng.
0 1,4-DICHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0 1,4-DIOXANE	LT	10 ug/L	Gen. Eng.
0 1,4-NAPHTHOQUINONE	LT	10 ug/L	Gen. Eng.
0 2-ACETYLAMINOFLUORENE	LT	10 ug/L	Gen. Eng.
0 2-CHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0 2-CHLORONAPHTHALENE	LT	10 ug/L	Gen. Eng.
0 2-HEXANONE	LT	1 ug/L	Gen. Eng.
0 2-METHYLNAPHTHALENE	LT	10 ug/L	Gen. Eng.
0 2-METHYL PHENOL	LT	10 ug/L	Gen. Eng.
0 2-NITROANILINE	LT	10 ug/L	Gen. Eng.
0 2-NAPHTHYLAMINE	LT	10 ug/L	Gen. Eng.
0 2-NITROPHENOL	LT	10 ug/L	Gen. Eng.
0 2-PICOLINE	LT	10 ug/L	Gen. Eng.
0 2,3,4,6-TETRACHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0 2,4-DICHLOROPHENOXYACETIC ACID	LT	0.50 ug/L	Gen. Eng.
0 2,4-DICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0 2,4-DIMETHYL PHENOL	LT	10 ug/L	Gen. Eng.
0 2,4-DINITROPHENOL	LT	10 ug/L	Gen. Eng.
0 2,4-DINITROTOLUENE	LT	10 ug/L	Gen. Eng.
0 2,4,5-TRICHLOROPHENOXYACETIC ACID	LT	0.50 ug/L	Gen. Eng.
0 2,4,5-TRICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0 2,4,6-TRICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0 2,6-DICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0 2,6-DINITROTOLUENE	LT	10 ug/L	Gen. Eng.
0 3-METHYLCHOLANTHRENE	LT	10 ug/L	Gen. Eng.
0 3-METHYL PHENOL	LT	10 ug/L	Gen. Eng.
0 3-NITROANILINE	LT	10 ug/L	Gen. Eng.
0 3,3-DICHLOROBENZIDINE	LT	20 ug/L	Gen. Eng.
0 3,3-DIMETHYLBENZIDINE	LT	10 ug/L	Gen. Eng.
0 4-AMINOBIOPHENYL	LT	10 ug/L	Gen. Eng.
0 4-BROMOPHENYLPHENYL ETHER	LT	10 ug/L	Gen. Eng.
0 4-CHLOROANILINE	LT	10 ug/L	Gen. Eng.
0 4-CHLOROPHENYLPHENYL ETHER	LT	10 ug/L	Gen. Eng.
0 PARA-CHLORO-META-CRESOL	LT	10 ug/L	Gen. Eng.
0 4-METHYL PHENOL	LT	10 ug/L	Gen. Eng.
0 4-NITROANILINE	LT	10 ug/L	Gen. Eng.
0 4-NITROPHENOL	LT	10 ug/L	Gen. Eng.
0 2-METHYL-4,6-DINITROPHENOL	LT	10 ug/L	Gen. Eng.
0 7,12-DIMETHYLBENZ(A)ANTHRACENE	LT	10 ug/L	Gen. Eng.
0 ZINC	LT	26 ug/L	Gen. Eng.

WELL ASB 2A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/08/89 Time 1130
 Depth to water = 112.09 ft (34.17 m) below the TOC
 Water elevation = 236.91 ft (72.21 m) msl
 pH = 5.6 Alkalinity = 11 mg/L
 Specific conductance = 83 umhos/cm
 Water temperature = 19.3 degrees Celsius
 Water evacuated from the well prior to sampling = 52 gal

LABORATORY ANALYSES

0 SILVER	LT	2 ug/L	Gen. Eng.
0 ARSENIC	LT	2 ug/L	Gen. Eng.
0 BARIUM	LT	8 ug/L	Gen. Eng.
0 BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0 CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0 CADMIUM	LT	2 ug/L	Gen. Eng.
0 BROMOFORM	LT	1 ug/L	Gen. Eng.
0 CHLOROFORM	LT	1 ug/L	Gen. Eng.
0 CHLOROFORM	LT	1 ug/L	W-Area, SRS
0 METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0 BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0 CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0 CHROMIUM	LT	4 ug/L	Gen. Eng.
0 CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0 CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 BENZENE	LT	1 ug/L	Gen. Eng.
0 DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0 FLUORIDE	LT	100 ug/L	Gen. Eng.
1 IRON	LT	162 ug/L	Gen. Eng.
0 MERCURY	LT	0.20 ug/L	Gen. Eng.
0 TOLUENE	LT	1 ug/L	Gen. Eng.
0 MANGANESE	LT	7 ug/L	Gen. Eng.
0 NITRATE AS NITROGEN	LT	140 ug/L	Gen. Eng.
0 LEAD	LT	6 ug/L	Gen. Eng.
0 SELENIUM	LT	2 ug/L	Gen. Eng.
0 1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
1 TETRACHLOROETHYLENE	LT	2.00 ug/L	Gen. Eng.
1 TETRACHLOROETHYLENE	LT	1.56 ug/L	W-Area, SRS
0 TOTAL ORGANIC HALOGENS	LT	5 ug/L	Gen. Eng.
0 TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0 TRICHLOROETHYLENE	LT	1.00 ug/L	W-Area, SRS
0 TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0 TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	W-Area, SRS
0 1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0 1,1-DICHLOROETHYLENE	LT	1 ug/L	W-Area, SRS
0 1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,1,1-TRICHLOROETHANE	LT	1 ug/L	W-Area, SRS
0 1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0 CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0 TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0 2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0 GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
1 AMERICIUM-241	LT	0.55+-0.14 pCi/L	Teledyne
1 AMERICIUM-243	LT	0.83+-0.32 pCi/L	Teledyne
0 BARIUM-140	LT	20 pCi/L	Teledyne
0 NONVOLATILE BETA	LT	2 pCi/L	Gen. Eng.
0 BERYLLIUM-7	LT	40 pCi/L	Teledyne
0 CERIUM-141	LT	10 pCi/L	Teledyne
0 CERIUM-144	LT	40 pCi/L	Teledyne
0 CURIUM-242	LT	0.20 pCi/L	Teledyne
1 CURIUM-246	LT	3.80+-0.30 pCi/L	Teledyne
0 CURIUM-243/244	LT	0.20 pCi/L	Teledyne
0 COBALT-58	LT	4 pCi/L	Teledyne
0 COBALT-60	LT	4 pCi/L	Teledyne
0 CESIUM-134	LT	4 pCi/L	Teledyne
0 CESIUM-137	LT	4 pCi/L	Teledyne
0 IRON-59	LT	10 pCi/L	Teledyne
0 IODINE-131	LT	40 pCi/L	Teledyne
0 POTASSIUM-40	LT	70 pCi/L	Teledyne
0 MANGANESE-54	LT	3 pCi/L	Teledyne
0 PLUTONIUM-238	LT	0.20 pCi/L	Teledyne
0 PLUTONIUM-242	LT	0.20 pCi/L	Teledyne
0 PLUTONIUM-239/240	LT	0.20 pCi/L	Teledyne
0 RADIUM-226	LT	100 pCi/L	Teledyne
1 RADIUM-226	LT	1.50+-0.60 pCi/L	Teledyne
1 RADIUM-228	LT	2.00+-0.80 pCi/L	Teledyne
0 RUTHENIUM-103	LT	6 pCi/L	Teledyne
0 RUTHENIUM-106	LT	30 pCi/L	Teledyne
0 STRONTIUM-89	LT	4 pCi/L	Teledyne
0 STRONTIUM-90	LT	0.80 pCi/L	Teledyne
0 THORIUM-228	LT	7 pCi/L	Teledyne
0 TOTAL RADIUM	LT	1.20+-1.20 pCi/L	Gen. Eng.
0 TRITIUM	LT	1.38+-0.34 pCi/mL	Gen. Eng.
0 URANIUM-235	LT	0.10 pCi/L	Teledyne
0 URANIUM-238	LT	0.10 pCi/L	Teledyne
0 URANIUM-233/234	LT	0.10 pCi/L	Teledyne
0 ZINC-65	LT	8 pCi/L	Teledyne
0 ZIRCONIUM-95	LT	4 pCi/L	Teledyne

WELL ASB 2A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/10/89 Time 920
 Depth to water = 111.92 ft (34.11 m) below the TOC
 Water elevation = 237.08 ft (72.26 m) msl
 pH = 5.6 Alkalinity = 11 mg/L
 Specific conductance = 79 umhos/cm
 Water temperature = 19.6 degrees Celsius
 Water evacuated from the well prior to sampling = 52 gal

LABORATORY ANALYSES

0 HEPTACHLORODIBENZODIOXINS	LT	9 ng/L	metaTRACE
0 HEPTACHLORODIBENZOFURANS	LT	6 ng/L	metaTRACE
0 HEXACHLORODIBENZODIOXINS	LT	8 ng/L	metaTRACE
0 HEXACHLORODIBENZOFURANS	LT	5 ng/L	metaTRACE
0 ORTHOCHLORODIBENZODIOXINS	LT	9 ng/L	metaTRACE
0 ORTHOCHLORODIBENZOFURANS	LT	9 ng/L	metaTRACE
0 PENTACHLORODIBENZODIOXINS	LT	5 ng/L	metaTRACE
0 PENTACHLORODIBENZOFURANS	LT	5 ng/L	metaTRACE
0 TETRACHLORODIBENZODIOXIN	LT	7 ng/L	metaTRACE
0 TETRACHLORODIBENZOFURAN	LT	7 ng/L	metaTRACE
0 A,A-DIMETHYLPHENETHYLAMINE	LT	10 ug/L	Gen. Eng.
0 A,A-DIMETHYLPHENETHYLAMINE	LT	10 ug/L	Gen. Eng.
0 ALPHA-BENZENEHEXACHLORIDE	LT	0.50 ug/L	Gen. Eng.
0 ALPHA-BENZENEHEXACHLORIDE	LT	0.50 ug/L	Gen. Eng.
0 ACETONE	LT	1 ug/L	Gen. Eng.
0 ACETONE	LT	1 ug/L	Gen. Eng.
0 ACETOPHENONE	LT	10 ug/L	Gen. Eng.
0 ACETOPHENONE	LT	10 ug/L	Gen. Eng.
0 ACROLEIN	LT	20 ug/L	Gen. Eng.
0 ACROLEIN	LT	20 ug/L	Gen. Eng.
0 ACRYLONITRILE	LT	20 ug/L	Gen. Eng.
0 ACRYLONITRILE	LT	20 ug/L	Gen. Eng.
0 SILVER	LT	2 ug/L	Gen. Eng.
0 SILVER	LT	2 ug/L	Gen. Eng.
0 ALDRIN	LT	0.50 ug/L	Gen. Eng.
0 ALDRIN	LT	0.50 ug/L	Gen. Eng.
0 ACENAPHTHENE	LT	10 ug/L	Gen. Eng.
0 ACENAPHTHENE	LT	10 ug/L	Gen. Eng.
0 ACENAPHTHYLENE	LT	10 ug/L	Gen. Eng.
0 ACENAPHTHYLENE	LT	10 ug/L	Gen. Eng.
0 ANILINE	LT	10 ug/L	Gen. Eng.
0 ANILINE	LT	10 ug/L	Gen. Eng.
0 ANTHRACENE	LT	10 ug/L	Gen. Eng.
0 ANTHRACENE	LT	10 ug/L	Gen. Eng.
0 ARAMITE	LT	10 ug/L	Gen. Eng.
0 ARAMITE	LT	10 ug/L	Gen. Eng.
0 ARSENIC	LT	2 ug/L	Gen. Eng.
0 ARSENIC	LT	2 ug/L	Gen. Eng.
0 ALLYL CHLORIDE	LT	1 ug/L	Gen. Eng.
0 ALLYL CHLORIDE	LT	1 ug/L	Gen. Eng.
0 BARIUM	LT	9 ug/L	Gen. Eng.
0 BARIUM	LT	8 ug/L	Gen. Eng.
0 BENZO(A)ANTHRACENE	LT	10 ug/L	Gen. Eng.
0 BENZO(A)ANTHRACENE	LT	10 ug/L	Gen. Eng.
0 BENZO(A)PYRENE	LT	10 ug/L	Gen. Eng.
0 BENZO(A)PYRENE	LT	10 ug/L	Gen. Eng.
0 BENZO(B)FLUORANTHENE	LT	10 ug/L	Gen. Eng.
0 BENZO(B)FLUORANTHENE	LT	10 ug/L	Gen. Eng.
0 BETA-BENZENEHEXACHLORIDE	LT	0.50 ug/L	Gen. Eng.
0 BETA-BENZENEHEXACHLORIDE	LT	0.50 ug/L	Gen. Eng.
0 BUTYLBENZYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0 BUTYLBENZYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0 BIS(CHLOROMETHYL-ETHYL)ETHER	LT	10 ug/L	Gen. Eng.
0 BIS(CHLOROMETHYL-ETHYL)ETHER	LT	10 ug/L	Gen. Eng.
0 BERYLLIUM	LT	5 ug/L	Gen. Eng.
0 BERYLLIUM	LT	5 ug/L	Gen. Eng.
0 BENZO(G,H,I)PERYLENE	LT	10 ug/L	Gen. Eng.
0 BENZO(G,H,I)PERYLENE	LT	10 ug/L	Gen. Eng.
0 BENZO(K)FLUORANTHENE	LT	10 ug/L	Gen. Eng.
0 BENZO(K)FLUORANTHENE	LT	10 ug/L	Gen. Eng.
0 BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 BENZYL ALCOHOL	LT	20 ug/L	Gen. Eng.
0 BENZYL ALCOHOL	LT	20 ug/L	Gen. Eng.
0 BIS(2-CHLOROETHOXY) METHANE	LT	10 ug/L	Gen. Eng.
0 BIS(2-CHLOROETHOXY) METHANE	LT	10 ug/L	Gen. Eng.
0 BIS(2-CHLOROETHYL) ETHER	LT	10 ug/L	Gen. Eng.
0 BIS(2-CHLOROETHYL) ETHER	LT	10 ug/L	Gen. Eng.
0 BIS(2-ETHYLHEXYL) PHTHALATE	LT	10 ug/L	Gen. Eng.
0 BIS(2-ETHYLHEXYL) PHTHALATE	LT	10 ug/L	Gen. Eng.
0 DICHLORODIFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0 DICHLORODIFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0 TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0 TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0 CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0 CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0 CADMIUM	LT	2 ug/L	Gen. Eng.
0 CADMIUM	LT	2 ug/L	Gen. Eng.
0 BROMOFORM	LT	1 ug/L	Gen. Eng.
0 BROMOFORM	LT	1 ug/L	Gen. Eng.
0 CHLOROFORM	LT	1 ug/L	Gen. Eng.
0 CHLOROFORM	LT	1 ug/L	Gen. Eng.
0 CHRYSENE	LT	10 ug/L	Gen. Eng.
0 CHRYSENE	LT	10 ug/L	Gen. Eng.
0 METHYLENE BROMIDE	LT	1 ug/L	Gen. Eng.
0 METHYLENE BROMIDE	LT	1 ug/L	Gen. Eng.
0 METHYLENE BROMIDE	LT	1 ug/L	Gen. Eng.
0 METHYLENE BROMIDE	LT	1 ug/L	Gen. Eng.
0 METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0 METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0 BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0 BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0 CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 ACETONITRILE (METHYL CYANIDE)	LT	1 ug/L	Gen. Eng.
0 ACETONITRILE (METHYL CYANIDE)	LT	1 ug/L	Gen. Eng.

CONTINUED

WELL ASB 2A COLLECTED ON 09/10/89 LABORATORY ANALYSES CONTINUED

0	CHLOROBENZILATE	LT	10 ug/L	Gen. Eng.
0	CHLOROBENZILATE	LT	10 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHLORDAME	LT	0.50 ug/L	Gen. Eng.
0	CHLORDAME	LT	0.50 ug/L	Gen. Eng.
0	CHLOROPRENE	LT	1 ug/L	Gen. Eng.
0	CHLOROPRENE	LT	1 ug/L	Gen. Eng.
0	PENTACHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	PENTACHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	PENTACHLOROETHANE	LT	10 ug/L	Gen. Eng.
0	PENTACHLOROETHANE	LT	10 ug/L	Gen. Eng.
0	PENTACHLORONITROBENZENE	LT	10 ug/L	Gen. Eng.
0	PENTACHLORONITROBENZENE	LT	10 ug/L	Gen. Eng.
0	HEXACHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	HEXACHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	HEXACHLOROCYCLOPENTADIENE	LT	10 ug/L	Gen. Eng.
0	HEXACHLOROCYCLOPENTADIENE	LT	10 ug/L	Gen. Eng.
0	HEXACHLOROETHANE	LT	10 ug/L	Gen. Eng.
0	HEXACHLOROETHANE	LT	10 ug/L	Gen. Eng.
0	COBALT	LT	4 ug/L	Gen. Eng.
0	COBALT	LT	4 ug/L	Gen. Eng.
0	CHROMIUM	LT	4 ug/L	Gen. Eng.
0	CHROMIUM	LT	4 ug/L	Gen. Eng.
0	CARBON DISULFIDE	LT	1 ug/L	Gen. Eng.
0	CARBON DISULFIDE	LT	1 ug/L	Gen. Eng.
0	COPPER	LT	4 ug/L	Gen. Eng.
0	COPPER	LT	4 ug/L	Gen. Eng.
0	CYANIDE	LT	5 ug/L	Gen. Eng.
0	CYANIDE	LT	5 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	DIBENZ(A,H)ANTHRACENE	LT	10 ug/L	Gen. Eng.
0	DIBENZ(A,H)ANTHRACENE	LT	10 ug/L	Gen. Eng.
0	DIBROMOCHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	DELTA-BENZENEHEXACHLORIDE	LT	0.50 ug/L	Gen. Eng.
0	DELTA-BENZENEHEXACHLORIDE	LT	0.50 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	DIETHYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0	DIETHYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0	DIALATE	LT	10 ug/L	Gen. Eng.
0	DIALATE	LT	10 ug/L	Gen. Eng.
0	DIBENZOFURAN	LT	10 ug/L	Gen. Eng.
0	DIBENZOFURAN	LT	10 ug/L	Gen. Eng.
0	DIMETHOATE	LT	10 ug/L	Gen. Eng.
0	DIMETHOATE	LT	10 ug/L	Gen. Eng.
0	DISULFOTON	LT	10 ug/L	Gen. Eng.
0	DISULFOTON	LT	10 ug/L	Gen. Eng.
0	DIELDRIN	LT	0.50 ug/L	Gen. Eng.
0	DIELDRIN	LT	0.50 ug/L	Gen. Eng.
0	DIMETHYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0	DIMETHYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0	DI-N-BUTYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0	DI-N-BUTYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0	DI-N-OCTYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0	DI-N-OCTYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0	DIPHENYLAMINE	LT	10 ug/L	Gen. Eng.
0	DIPHENYLAMINE	LT	10 ug/L	Gen. Eng.
0	ETHYL METHANESULFONATE	LT	10 ug/L	Gen. Eng.
0	ETHYL METHANESULFONATE	LT	10 ug/L	Gen. Eng.
0	ENDRIN ALDEHYDE	LT	0.50 ug/L	Gen. Eng.
0	ENDRIN ALDEHYDE	LT	0.50 ug/L	Gen. Eng.
0	ENDRIN	LT	0.50 ug/L	Gen. Eng.
0	ENDRIN	LT	0.50 ug/L	Gen. Eng.
0	ENDOSULFAN I	LT	0.50 ug/L	Gen. Eng.
0	ENDOSULFAN I	LT	0.50 ug/L	Gen. Eng.
0	ENDOSULFAN II	LT	0.50 ug/L	Gen. Eng.
0	ENDOSULFAN II	LT	0.50 ug/L	Gen. Eng.
0	ENDOSULFAN SULFATE	LT	0.50 ug/L	Gen. Eng.
0	ENDOSULFAN SULFATE	LT	0.50 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	ETHYL METHACRYLATE	LT	10 ug/L	Gen. Eng.
0	ETHYL METHACRYLATE	LT	10 ug/L	Gen. Eng.
0	FAMPHUR	LT	10 ug/L	Gen. Eng.
0	FAMPHUR	LT	10 ug/L	Gen. Eng.
0	FLUORANTHENE	LT	10 ug/L	Gen. Eng.
0	FLUORANTHENE	LT	10 ug/L	Gen. Eng.
0	FLUORENE	LT	10 ug/L	Gen. Eng.
0	FLUORENE	LT	10 ug/L	Gen. Eng.
0	HEXACHLOROBUTADIENE	LT	10 ug/L	Gen. Eng.
0	HEXACHLOROBUTADIENE	LT	10 ug/L	Gen. Eng.
0	HEXACHLOROPHENE	LT	10 ug/L	Gen. Eng.
0	HEXACHLOROPHENE	LT	10 ug/L	Gen. Eng.
0	HEXACHLOROPROPENE	LT	10 ug/L	Gen. Eng.
0	HEXACHLOROPROPENE	LT	10 ug/L	Gen. Eng.
0	MERCURY	LT	0.20 ug/L	Gen. Eng.
0	MERCURY	LT	0.20 ug/L	Gen. Eng.
0	HEPTACHLOR	LT	0.50 ug/L	Gen. Eng.
0	HEPTACHLOR	LT	0.50 ug/L	Gen. Eng.
0	HEPTACHLOR EPOXIDE	LT	0.50 ug/L	Gen. Eng.
0	HEPTACHLOR EPOXIDE	LT	0.50 ug/L	Gen. Eng.
0	INDENO(1,2,3-C,D)PYRENE	LT	10 ug/L	Gen. Eng.
0	INDENO(1,2,3-C,D)PYRENE	LT	10 ug/L	Gen. Eng.
0	IODOETHANE	LT	1 ug/L	Gen. Eng.
0	IODOETHANE	LT	1 ug/L	Gen. Eng.
0	ISOSAFROLE	LT	10 ug/L	Gen. Eng.
0	ISOSAFROLE	LT	10 ug/L	Gen. Eng.
0	ISOBUTYL ALCOHOL	LT	1 ug/L	Gen. Eng.
0	ISOBUTYL ALCOHOL	LT	1 ug/L	Gen. Eng.
0	ISODRIN	LT	10 ug/L	Gen. Eng.
0	ISODRIN	LT	10 ug/L	Gen. Eng.
0	ISOPHORONE	LT	10 ug/L	Gen. Eng.

CONTINUED

WELL ASB 2A COLLECTED ON 09/10/89 LABORATORY ANALYSES CONTINUED

0	ISOPHORONE	LT	10 ug/L	Gen. Eng.
0	KEPONE	LT	10 ug/L	Gen. Eng.
0	KEPONE	LT	10 ug/L	Gen. Eng.
0	LINDANE	LT	0.50 ug/L	Gen. Eng.
0	LINDANE	LT	0.50 ug/L	Gen. Eng.
0	METHACRYLONITRILE	LT	1 ug/L	Gen. Eng.
0	METHACRYLONITRILE	LT	1 ug/L	Gen. Eng.
0	TOLUENE	LT	1 ug/L	Gen. Eng.
0	TOLUENE	LT	1 ug/L	Gen. Eng.
0	METHYLETHYL KETONE	LT	1 ug/L	Gen. Eng.
0	METHYLETHYL KETONE	LT	1 ug/L	Gen. Eng.
0	METHYL METHACRYLATE	LT	10 ug/L	Gen. Eng.
0	METHYL METHACRYLATE	LT	10 ug/L	Gen. Eng.
0	METHYL METHANE SULFONATE	LT	10 ug/L	Gen. Eng.
0	METHYL METHANE SULFONATE	LT	10 ug/L	Gen. Eng.
0	METHOXYCHLOR	LT	4 ug/L	Gen. Eng.
0	METHOXYCHLOR	LT	4 ug/L	Gen. Eng.
0	METHYLISOBUTYL KETONE	LT	1 ug/L	Gen. Eng.
0	METHYLISOBUTYL KETONE	LT	1 ug/L	Gen. Eng.
0	METHAPYRILENE	LT	10 ug/L	Gen. Eng.
0	METHAPYRILENE	LT	10 ug/L	Gen. Eng.
0	NAPHTHALENE	LT	10 ug/L	Gen. Eng.
0	NAPHTHALENE	LT	10 ug/L	Gen. Eng.
0	NITROBENZENE	LT	10 ug/L	Gen. Eng.
0	NITROBENZENE	LT	10 ug/L	Gen. Eng.
0	N-NITROSODIMETHYLAMINE	LT	10 ug/L	Gen. Eng.
0	N-NITROSODIMETHYLAMINE	LT	10 ug/L	Gen. Eng.
0	N-NITROSODI-N-BUTYLAMINE	LT	10 ug/L	Gen. Eng.
0	N-NITROSODI-N-BUTYLAMINE	LT	10 ug/L	Gen. Eng.
0	N-NITROSODI-PROPYLAMINE	LT	10 ug/L	Gen. Eng.
0	N-NITROSODI-PROPYLAMINE	LT	10 ug/L	Gen. Eng.
0	N-NITROSODIETHYLAMINE	LT	10 ug/L	Gen. Eng.
0	N-NITROSODIETHYLAMINE	LT	10 ug/L	Gen. Eng.
0	N-NITROSODIETHYLAMINE	LT	10 ug/L	Gen. Eng.
0	N-NITROSODIETHYLAMINE	LT	10 ug/L	Gen. Eng.
0	NICKEL	LT	4 ug/L	Gen. Eng.
0	NICKEL	LT	4 ug/L	Gen. Eng.
0	N-NITROSOMORPHOLINE	LT	10 ug/L	Gen. Eng.
0	N-NITROSOMORPHOLINE	LT	10 ug/L	Gen. Eng.
0	N-NITROSODIPHENYLAMINE	LT	10 ug/L	Gen. Eng.
0	N-NITROSODIPHENYLAMINE	LT	10 ug/L	Gen. Eng.
0	N-NITROSODIPYRIDINE	LT	10 ug/L	Gen. Eng.
0	N-NITROSODIPYRIDINE	LT	10 ug/L	Gen. Eng.
0	N-NITROSOPYRROLIDINE	LT	10 ug/L	Gen. Eng.
0	N-NITROSOPYRROLIDINE	LT	10 ug/L	Gen. Eng.
0	4-NITROQUINOLINE-1-OXIDE	LT	10 ug/L	Gen. Eng.
0	4-NITROQUINOLINE-1-OXIDE	LT	10 ug/L	Gen. Eng.
0	5-NITRO-O-TOLUIDINE	LT	10 ug/L	Gen. Eng.
0	5-NITRO-O-TOLUIDINE	LT	10 ug/L	Gen. Eng.
0	O-TOLUIDINE	LT	10 ug/L	Gen. Eng.
0	O-TOLUIDINE	LT	10 ug/L	Gen. Eng.
0	LEAD	LT	6 ug/L	Gen. Eng.
0	LEAD	LT	6 ug/L	Gen. Eng.
0	PCB 1016	LT	0.50 ug/L	Gen. Eng.
0	PCB 1016	LT	0.50 ug/L	Gen. Eng.
0	PCB 1221	LT	0.50 ug/L	Gen. Eng.
0	PCB 1221	LT	0.50 ug/L	Gen. Eng.
0	PCB 1232	LT	0.50 ug/L	Gen. Eng.
0	PCB 1232	LT	0.50 ug/L	Gen. Eng.
0	PCB 1242	LT	0.50 ug/L	Gen. Eng.
0	PCB 1242	LT	0.50 ug/L	Gen. Eng.
0	PCB 1248	LT	0.50 ug/L	Gen. Eng.
0	PCB 1248	LT	0.50 ug/L	Gen. Eng.
0	PCB 1254	LT	0.50 ug/L	Gen. Eng.
0	PCB 1254	LT	0.50 ug/L	Gen. Eng.
0	PCB 1260	LT	0.50 ug/L	Gen. Eng.
0	PCB 1260	LT	0.50 ug/L	Gen. Eng.
0	PCB 1262	LT	0.50 ug/L	Gen. Eng.
0	PCB 1262	LT	0.50 ug/L	Gen. Eng.
0	PENTACHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	PENTACHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	P-PHENYLENEDIAMINE	LT	10 ug/L	Gen. Eng.
0	P-PHENYLENEDIAMINE	LT	10 ug/L	Gen. Eng.
0	P-DIMETHYLAMINOAZOBENZENE	LT	10 ug/L	Gen. Eng.
0	P-DIMETHYLAMINOAZOBENZENE	LT	10 ug/L	Gen. Eng.
0	PHENACETIN	LT	10 ug/L	Gen. Eng.
0	PHENACETIN	LT	10 ug/L	Gen. Eng.
0	PHENANTHRENE	LT	10 ug/L	Gen. Eng.
0	PHENANTHRENE	LT	10 ug/L	Gen. Eng.
0	PHENOLS	LT	10 ug/L	Gen. Eng.
0	PHENOLS	LT	10 ug/L	Gen. Eng.
0	PHORATE	LT	0.50 ug/L	Gen. Eng.
0	PHORATE	LT	0.50 ug/L	Gen. Eng.
0	2,2-BIS(4-CHLOROPHENYL)-1,1-DICHL	LT	0.50 ug/L	Gen. Eng.
0	2,2-BIS(4-CHLOROPHENYL)-1,1-DICHL	LT	0.50 ug/L	Gen. Eng.
0	2,2-BIS(4-CHLOROPHENYL)-1,1-DICHL	LT	0.50 ug/L	Gen. Eng.
0	2,2-BIS(4-CHLOROPHENYL)-1,1-DICHL	LT	0.50 ug/L	Gen. Eng.
0	2,2-BIS(4-CHLOROPHENYL)-1,1,1-TCE	LT	0.50 ug/L	Gen. Eng.
0	2,2-BIS(4-CHLOROPHENYL)-1,1,1-TCE	LT	0.50 ug/L	Gen. Eng.
0	PROXAMIDE	LT	10 ug/L	Gen. Eng.
0	PROXAMIDE	LT	10 ug/L	Gen. Eng.
0	PROPIONITRILE	LT	1 ug/L	Gen. Eng.
0	PROPIONITRILE	LT	1 ug/L	Gen. Eng.
0	PARATHION	LT	0.50 ug/L	Gen. Eng.
0	PARATHION	LT	0.50 ug/L	Gen. Eng.
0	PARATHION METHYL	LT	0.50 ug/L	Gen. Eng.
0	PARATHION METHYL	LT	0.50 ug/L	Gen. Eng.
0	PYRENE	LT	10 ug/L	Gen. Eng.
0	PYRENE	LT	10 ug/L	Gen. Eng.
0	PYRIDINE	LT	10 ug/L	Gen. Eng.
0	PYRIDINE	LT	10 ug/L	Gen. Eng.
0	SAFROLE	LT	10 ug/L	Gen. Eng.
0	SAFROLE	LT	10 ug/L	Gen. Eng.
0	ANTIMONY	LT	3 ug/L	Gen. Eng.
0	ANTIMONY	LT	3 ug/L	Gen. Eng.
0	2-SEC-BUTYL-4,6-DINITROPHENOL	LT	10 ug/L	Gen. Eng.
0	2-SEC-BUTYL-4,6-DINITROPHENOL	LT	10 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	Gen. Eng.

CONTINUED

WELL ASB 2A COLLECTED ON 09/10/89 LABORATORY ANALYSES CONTINUED

0	SILVEX	LT	0.50 ug/L	Gen. Eng.
0	SILVEX	LT	0.50 ug/L	Gen. Eng.
0	TIN	LT	2 ug/L	Gen. Eng.
0	TIN	LT	2 ug/L	Gen. Eng.
0	STYRENE	LT	1 ug/L	Gen. Eng.
0	STYRENE	LT	1 ug/L	Gen. Eng.
0	SULFIDE	LT	1000 ug/L	Gen. Eng.
0	SULFIDE	LT	1000 ug/L	Gen. Eng.
0	1,2,4,5-TETRACHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	1,2,4,5-TETRACHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
1	TETRACHLOROETHYLENE	LT	2.00 ug/L	Gen. Eng.
1	TETRACHLOROETHYLENE	LT	2.00 ug/L	Gen. Eng.
0	0,0,0-TRIETHYL PHOSPHOROTHIOATE	LT	10 ug/L	Gen. Eng.
0	0,0,0-TRIETHYL PHOSPHOROTHIOATE	LT	10 ug/L	Gen. Eng.
0	THALLIUM	LT	2 ug/L	Gen. Eng.
0	THALLIUM	LT	2 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TOXAPHENE	LT	5 ug/L	Gen. Eng.
0	TOXAPHENE	LT	5 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,4-DICHLORO-2-BUTENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,4-DICHLORO-2-BUTENE	LT	1 ug/L	Gen. Eng.
0	VANADIUM	LT	20 ug/L	Gen. Eng.
0	VANADIUM	LT	20 ug/L	Gen. Eng.
0	VINYL ACETATE	LT	1 ug/L	Gen. Eng.
0	VINYL ACETATE	LT	1 ug/L	Gen. Eng.
0	XYLENES	LT	2 ug/L	Gen. Eng.
0	XYLENES	LT	2 ug/L	Gen. Eng.
0	1-NAPHTHYLAMINE	LT	10 ug/L	Gen. Eng.
0	1-NAPHTHYLAMINE	LT	10 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	1,2-DICHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	1,2,3-TRICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	1,2,3-TRICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	1,2,4-TRICHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	1,2,4-TRICHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	1,3-DICHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	1,3-DICHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	1,3-DINITROBENZENE	LT	10 ug/L	Gen. Eng.
0	1,3-DINITROBENZENE	LT	10 ug/L	Gen. Eng.
0	1,3,5-TRINITROBENZENE	LT	10 ug/L	Gen. Eng.
0	1,3,5-TRINITROBENZENE	LT	10 ug/L	Gen. Eng.
0	1,4-DICHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	1,4-DICHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	1,4-DIOXANE	LT	10 ug/L	Gen. Eng.
0	1,4-DIOXANE	LT	10 ug/L	Gen. Eng.
0	1,4-NAPHTHOQUINONE	LT	10 ug/L	Gen. Eng.
0	1,4-NAPHTHOQUINONE	LT	10 ug/L	Gen. Eng.
0	2-ACETYLAMINOFLOURENE	LT	10 ug/L	Gen. Eng.
0	2-ACETYLAMINOFLOURENE	LT	10 ug/L	Gen. Eng.
0	2-CHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2-CHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2-CHLORONAPHTHALENE	LT	10 ug/L	Gen. Eng.
0	2-CHLORONAPHTHALENE	LT	10 ug/L	Gen. Eng.
0	2-HEXANONE	LT	1 ug/L	Gen. Eng.
0	2-HEXANONE	LT	1 ug/L	Gen. Eng.
0	2-METHYLNAPHTHALENE	LT	10 ug/L	Gen. Eng.
0	2-METHYLNAPHTHALENE	LT	10 ug/L	Gen. Eng.
0	2-METHYL PHENOL	LT	10 ug/L	Gen. Eng.
0	2-METHYL PHENOL	LT	10 ug/L	Gen. Eng.
0	2-NITROANILINE	LT	10 ug/L	Gen. Eng.
0	2-NITROANILINE	LT	10 ug/L	Gen. Eng.
0	2-NAPHTHYLAMINE	LT	10 ug/L	Gen. Eng.
0	2-NAPHTHYLAMINE	LT	10 ug/L	Gen. Eng.
0	2-NITROPHENOL	LT	10 ug/L	Gen. Eng.
0	2-NITROPHENOL	LT	10 ug/L	Gen. Eng.
0	2-PICOLINE	LT	10 ug/L	Gen. Eng.
0	2-PICOLINE	LT	10 ug/L	Gen. Eng.
0	2,3,4,6-TETRACHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,3,4,6-TETRACHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,4-DICHLOROPHENOXYACETIC ACID	LT	0.50 ug/L	Gen. Eng.
0	2,4-DICHLOROPHENOXYACETIC ACID	LT	0.50 ug/L	Gen. Eng.
0	2,4-DICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,4-DICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,4-DIMETHYL PHENOL	LT	10 ug/L	Gen. Eng.
0	2,4-DIMETHYL PHENOL	LT	10 ug/L	Gen. Eng.
0	2,4-DINITROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,4-DINITROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,4-DINITROTOLUENE	LT	10 ug/L	Gen. Eng.
0	2,4-DINITROTOLUENE	LT	10 ug/L	Gen. Eng.
0	2,4,5-TRICHLOROPHENOXYACETIC ACID	LT	0.50 ug/L	Gen. Eng.
0	2,4,5-TRICHLOROPHENOXYACETIC ACID	LT	0.50 ug/L	Gen. Eng.
0	2,4,5-TRICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,4,5-TRICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,4,6-TRICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,4,6-TRICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,6-DICHLOROPHENOL	LT	10 ug/L	Gen. Eng.

CONTINUED

WELL ASB 2A COLLECTED ON 09/10/89 LABORATORY ANALYSES CONTINUED

0	2,6-DICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,6-DINITROTOLUENE	LT	10 ug/L	Gen. Eng.
0	2,6-DINITROTOLUENE	LT	10 ug/L	Gen. Eng.
0	3-METHYLCHOLANTHRENE	LT	10 ug/L	Gen. Eng.
0	3-METHYLCHOLANTHRENE	LT	10 ug/L	Gen. Eng.
0	3-METHYL PHENOL	LT	10 ug/L	Gen. Eng.
0	3-METHYL PHENOL	LT	10 ug/L	Gen. Eng.
0	3-NITROANILINE	LT	10 ug/L	Gen. Eng.
0	3-NITROANILINE	LT	10 ug/L	Gen. Eng.
0	3,3-DICHLOROBENZIDENE	LT	20 ug/L	Gen. Eng.
0	3,3-DICHLOROBENZIDENE	LT	20 ug/L	Gen. Eng.
0	3,3-DIMETHYLBENZIDINE	LT	10 ug/L	Gen. Eng.
0	3,3-DIMETHYLBENZIDINE	LT	10 ug/L	Gen. Eng.
0	4-AMINOBIPHENYL	LT	10 ug/L	Gen. Eng.
0	4-AMINOBIPHENYL	LT	10 ug/L	Gen. Eng.
0	4-BROMOPHENYLPHENYL ETHER	LT	10 ug/L	Gen. Eng.
0	4-BROMOPHENYLPHENYL ETHER	LT	10 ug/L	Gen. Eng.
0	4-CHLOROANILINE	LT	10 ug/L	Gen. Eng.
0	4-CHLOROANILINE	LT	10 ug/L	Gen. Eng.
0	4-CHLOROPHENYLPHENYL ETHER	LT	10 ug/L	Gen. Eng.
0	4-CHLOROPHENYLPHENYL ETHER	LT	10 ug/L	Gen. Eng.
0	PARA-CHLORO-META-CRESOL	LT	10 ug/L	Gen. Eng.
0	PARA-CHLORO-META-CRESOL	LT	10 ug/L	Gen. Eng.
0	4-METHYL PHENOL	LT	10 ug/L	Gen. Eng.
0	4-METHYL PHENOL	LT	10 ug/L	Gen. Eng.
0	4-NITROANILINE	LT	10 ug/L	Gen. Eng.
0	4-NITROANILINE	LT	10 ug/L	Gen. Eng.
0	4-NITROPHENOL	LT	10 ug/L	Gen. Eng.
0	4-NITROPHENOL	LT	10 ug/L	Gen. Eng.
0	2-METHYL-4,6-DINITROPHENOL	LT	10 ug/L	Gen. Eng.
0	2-METHYL-4,6-DINITROPHENOL	LT	10 ug/L	Gen. Eng.
0	7,12-DIMETHYLBENZ(A)ANTHRACENE	LT	10 ug/L	Gen. Eng.
0	7,12-DIMETHYLBENZ(A)ANTHRACENE	LT	10 ug/L	Gen. Eng.
0	ZINC	LT	3 ug/L	Gen. Eng.
0	ZINC	LT	4 ug/L	Gen. Eng.

WELL ASB 2A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/10/89 Time 920
 Depth to water = 111.92 ft (34.11 m) below the TOC
 Water elevation = 237.08 ft (72.26 m) msl
 pH = 5.6 Alkalinity = 11 mg/L
 Specific conductance = 79 umhos/cm
 Water temperature = 19.6 degrees Celsius
 Water evacuated from the well prior to sampling = 52 gal

LABORATORY ANALYSES

0	HEPTACHLORODIBENZODIOXINS	LT	5 ng/L	metaTRACE
0	HEPTACHLORODIBENZOFURANS	LT	6 ng/L	metaTRACE
0	HEXACHLORODIBENZODIOXINS	LT	7 ng/L	metaTRACE
0	HEXACHLORODIBENZOFURANS	LT	4 ng/L	metaTRACE
0	ORTHOCHLORODIBENZODIOXINS	LT	8 ng/L	metaTRACE
0	ORTHOCHLORODIBENZOFURANS	LT	10 ng/L	metaTRACE
0	PENTACHLORODIBENZODIOXINS	LT	7 ng/L	metaTRACE
0	PENTACHLORODIBENZOFURANS	LT	5 ng/L	metaTRACE
0	TETRACHLORODIBENZODIOXIN	LT	6 ng/L	metaTRACE
0	TETRACHLORODIBENZOFURAN	LT	4 ng/L	metaTRACE
0	A,4-DIMETHYLPHENETHYLAMINE	LT	10 ug/L	Gen. Eng.
0	ALPHA-BENZENEHEXACHLORIDE	LT	0.50 ug/L	Gen. Eng.
0	ACETONE	LT	1 ug/L	Gen. Eng.
0	ACETOPHENONE	LT	10 ug/L	Gen. Eng.
0	ACROLEIN	LT	20 ug/L	Gen. Eng.
0	ACRYLONITRILE	LT	20 ug/L	Gen. Eng.
0	SILVER	LT	2 ug/L	Gen. Eng.
0	ALDRIN	LT	0.50 ug/L	Gen. Eng.
0	ACENAPHTHENE	LT	10 ug/L	Gen. Eng.
0	ACENAPHTHYLENE	LT	10 ug/L	Gen. Eng.
0	ANILINE	LT	10 ug/L	Gen. Eng.
0	ANTHRACENE	LT	10 ug/L	Gen. Eng.
0	ARAMITE	LT	10 ug/L	Gen. Eng.
0	ARSENIC	LT	2 ug/L	Gen. Eng.
0	ALLYL CHLORIDE	LT	1 ug/L	Gen. Eng.
0	BARIUM	LT	7 ug/L	Gen. Eng.
0	BENZO(A)ANTHRACENE	LT	10 ug/L	Gen. Eng.
0	BENZO(A)PYRENE	LT	10 ug/L	Gen. Eng.
0	BENZO(B)FLUORANTHENE	LT	10 ug/L	Gen. Eng.
0	BETA-BENZENEHEXACHLORIDE	LT	0.50 ug/L	Gen. Eng.
0	BUTYLBENZYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0	BIS(CHLOROMETHYL-ETHYL)ETHER	LT	10 ug/L	Gen. Eng.
0	BERYLLIUM	LT	5 ug/L	Gen. Eng.
0	BENZO(C,H,I)PERYLENE	LT	10 ug/L	Gen. Eng.
0	BENZO(K)FLUORANTHENE	LT	10 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	BENZYL ALCOHOL	LT	20 ug/L	Gen. Eng.
0	BIS(2-CHLOROETHOXY) METHANE	LT	10 ug/L	Gen. Eng.
0	BIS(2-CHLOROETHYL) ETHER	LT	10 ug/L	Gen. Eng.
0	BIS(2-ETHYLHEXYL) PHTHALATE	LT	10 ug/L	Gen. Eng.
0	DICHLORODIFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	TRICHLORODIFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	CADMIUM	LT	2 ug/L	Gen. Eng.
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	CHRYSENE	LT	10 ug/L	Gen. Eng.
0	METHYLENE BROMIDE	LT	1 ug/L	Gen. Eng.
0	METHYLENE BROMIDE	LT	1 ug/L	Gen. Eng.
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	ACETONITRILE (METHYL CYANIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROBENZILATE	LT	10 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHLORDANE	LT	0.50 ug/L	Gen. Eng.

CONTINUED

WELL ASB 2A COLLECTED ON 09/10/89 LABORATORY ANALYSES CONTINUED

0	CHLOROPRENE	LT	1 ug/L	Gen. Eng.
0	PENTACHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	PENTACHLOROETHANE	LT	10 ug/L	Gen. Eng.
0	PENTACHLORONITROBENZENE	LT	10 ug/L	Gen. Eng.
0	HEXACHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	HEXACHLOROCYCLOPENTADIENE	LT	10 ug/L	Gen. Eng.
0	HEXACHLOROETHANE	LT	10 ug/L	Gen. Eng.
0	COBALT	LT	4 ug/L	Gen. Eng.
0	CHROMIUM	LT	4 ug/L	Gen. Eng.
0	CARBON DISULFIDE	LT	1 ug/L	Gen. Eng.
0	COPPER	LT	4 ug/L	Gen. Eng.
0	CYANIDE	LT	5 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	DIBENZ(A,H)ANTHRACENE	LT	10 ug/L	Gen. Eng.
0	DIBROMOCHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	DELTA-BENZENEHEXACHLORIDE	LT	0.50 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	DIETHYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0	DIALATE	LT	10 ug/L	Gen. Eng.
0	DIBENZOFURAN	LT	10 ug/L	Gen. Eng.
0	DIMETHOATE	LT	10 ug/L	Gen. Eng.
0	DISULFOTON	LT	10 ug/L	Gen. Eng.
0	DIELDRIM	LT	0.50 ug/L	Gen. Eng.
0	DIMETHYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0	DI-N-BUTYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0	DI-N-OCTYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0	DIPHENYLAMINE	LT	10 ug/L	Gen. Eng.
0	ETHYL METHANESULFONATE	LT	10 ug/L	Gen. Eng.
0	ENDRIN ALDEHYDE	LT	0.50 ug/L	Gen. Eng.
0	ENDRIN	LT	0.50 ug/L	Gen. Eng.
0	ENDOSULFAN I	LT	0.50 ug/L	Gen. Eng.
0	ENDOSULFAN II	LT	0.50 ug/L	Gen. Eng.
0	ENDOSULFAN SULFATE	LT	0.50 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	ETHYL METHACRYLATE	LT	10 ug/L	Gen. Eng.
0	FAMPHUR	LT	10 ug/L	Gen. Eng.
0	FLUORANTHENE	LT	10 ug/L	Gen. Eng.
0	FLUORENE	LT	10 ug/L	Gen. Eng.
0	HEXACHLOROBUTADIENE	LT	10 ug/L	Gen. Eng.
0	HEXACHLOROPHENE	LT	10 ug/L	Gen. Eng.
0	HEXACHLOROPROPENE	LT	10 ug/L	Gen. Eng.
0	MERCURY	LT	0.20 ug/L	Gen. Eng.
0	HEPTACHLOR	LT	0.50 ug/L	Gen. Eng.
0	HEPTACHLOR EPOXIDE	LT	0.50 ug/L	Gen. Eng.
0	INDENO(1,2,3-C,D)PYRENE	LT	10 ug/L	Gen. Eng.
0	IODOETHANE	LT	1 ug/L	Gen. Eng.
0	ISOSAFROLE	LT	10 ug/L	Gen. Eng.
0	ISOBUTYL ALCOHOL	LT	1 ug/L	Gen. Eng.
0	ISODRIN	LT	10 ug/L	Gen. Eng.
0	ISOPHORONE	LT	10 ug/L	Gen. Eng.
0	KEPONE	LT	10 ug/L	Gen. Eng.
0	LINDANE	LT	0.50 ug/L	Gen. Eng.
0	METHACRYLONITRILE	LT	1 ug/L	Gen. Eng.
0	TOLUENE	LT	1 ug/L	Gen. Eng.
0	METHYLETHYL KETONE	LT	1 ug/L	Gen. Eng.
0	METHYL METHACRYLATE	LT	10 ug/L	Gen. Eng.
0	METHYL METHANE SULFONATE	LT	10 ug/L	Gen. Eng.
0	METHOXYCHLOR	LT	4 ug/L	Gen. Eng.
0	METHYLISOBUTYL KETONE	LT	1 ug/L	Gen. Eng.
0	METHAPYRILENE	LT	10 ug/L	Gen. Eng.
0	NAPHTHALENE	LT	10 ug/L	Gen. Eng.
0	NITROBENZENE	LT	10 ug/L	Gen. Eng.
0	N-NITROSODIMETHYLAMINE	LT	10 ug/L	Gen. Eng.
0	N-NITROSODI-N-BUTYLAMINE	LT	10 ug/L	Gen. Eng.
0	N-NITROSODI-PROPYLAMINE	LT	10 ug/L	Gen. Eng.
0	N-NITROSODIETHYLAMINE	LT	10 ug/L	Gen. Eng.
0	N-NITROETHYLENETHYLAMINE	LT	10 ug/L	Gen. Eng.
0	NICKEL	LT	4 ug/L	Gen. Eng.
0	N-NITROSOMORPHOLINE	LT	10 ug/L	Gen. Eng.
0	N-NITROSODIPHENYLAMINE	LT	10 ug/L	Gen. Eng.
0	N-NITROSOPIPERIDINE	LT	10 ug/L	Gen. Eng.
0	N-NITROSOPYRROLIDINE	LT	10 ug/L	Gen. Eng.
0	4-NITROQUINOLINE-1-OXIDE	LT	10 ug/L	Gen. Eng.
0	5-NITRO-O-TOLUIDINE	LT	10 ug/L	Gen. Eng.
0	O-TOLUIDINE	LT	10 ug/L	Gen. Eng.
0	LEAD	LT	6 ug/L	Gen. Eng.
0	PCB 1016	LT	0.50 ug/L	Gen. Eng.
0	PCB 1221	LT	0.50 ug/L	Gen. Eng.
0	PCB 1232	LT	0.50 ug/L	Gen. Eng.
0	PCB 1242	LT	0.50 ug/L	Gen. Eng.
0	PCB 1248	LT	0.50 ug/L	Gen. Eng.
0	PCB 1254	LT	0.50 ug/L	Gen. Eng.
0	PCB 1260	LT	0.50 ug/L	Gen. Eng.
0	PCB 1262	LT	0.50 ug/L	Gen. Eng.
0	PENTACHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	P-PHENYLENEDIAMINE	LT	10 ug/L	Gen. Eng.
0	P-DIMETHYLAMINOAZOBENZENE	LT	10 ug/L	Gen. Eng.
0	PHENACETIN	LT	10 ug/L	Gen. Eng.
0	PHENANTHRENE	LT	10 ug/L	Gen. Eng.
0	PHENOLS	LT	10 ug/L	Gen. Eng.
0	PHORATE	LT	0.50 ug/L	Gen. Eng.
0	2,2-BIS(4-CHLOROPHENYL)-1,1-DCE	LT	0.50 ug/L	Gen. Eng.
0	2,2-BIS(4-CHLOROPHENYL)-1,1-DCE	LT	0.50 ug/L	Gen. Eng.
0	2,2-BIS(4-CHLOROPHENYL)-1,1,1-TC	LT	0.50 ug/L	Gen. Eng.
0	PRONAMIDE	LT	10 ug/L	Gen. Eng.
0	PROPIONITRILE	LT	1 ug/L	Gen. Eng.
0	PARATHION	LT	0.50 ug/L	Gen. Eng.
0	PARATHION METHYL	LT	0.50 ug/L	Gen. Eng.
0	PYRENE	LT	10 ug/L	Gen. Eng.
0	PYRIDINE	LT	10 ug/L	Gen. Eng.
0	SAFROLE	LT	10 ug/L	Gen. Eng.
0	ANTIMONY	LT	3 ug/L	Gen. Eng.
0	2-SEC-BUTYL-4,6-DINITROPHENOL	LT	10 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	Gen. Eng.
0	SILVEX	LT	0.50 ug/L	Gen. Eng.
0	TIN	LT	2 ug/L	Gen. Eng.
0	STYRENE	LT	1 ug/L	Gen. Eng.
CONTINUED				

WELL ASB 2A COLLECTED ON 09/10/89 LABORATORY ANALYSES CONTINUED

0	SULFIDE	LT	1000 ug/L	Gen. Eng.
0	1,2,4,5-TETRACHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
1	TETRACHLOROETHYLENE	LT	2.00 ug/L	Gen. Eng.
0	0,0,0-TRIETHYL PHOSPHOROTHIOATE	LT	10 ug/L	Gen. Eng.
0	THALLIUM	LT	2 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TOXAPHENE	LT	5 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,4-DICHLORO-2-BUTENE	LT	1 ug/L	Gen. Eng.
0	VANADIUM	LT	20 ug/L	Gen. Eng.
0	VINYL ACETATE	LT	1 ug/L	Gen. Eng.
0	XYLENES	LT	2 ug/L	Gen. Eng.
0	1-NAPHTHYLAMINE	LT	10 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	1,2,3-TRICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	1,2,4-TRICHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	1,3-DICHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	1,3-DINITROBENZENE	LT	10 ug/L	Gen. Eng.
0	1,3,5-TRINITROBENZENE	LT	10 ug/L	Gen. Eng.
0	1,4-DICHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	1,4-DIOXANE	LT	10 ug/L	Gen. Eng.
0	1,4-NAPHTHOQUINONE	LT	10 ug/L	Gen. Eng.
0	2-ACETYLAMINOFUORENE	LT	10 ug/L	Gen. Eng.
0	2-CHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2-CHLORONAPHTHALENE	LT	10 ug/L	Gen. Eng.
0	2-HEXANONE	LT	1 ug/L	Gen. Eng.
0	2-METHYLNAPHTHALENE	LT	10 ug/L	Gen. Eng.
0	2-METHYL PHENOL	LT	10 ug/L	Gen. Eng.
0	2-NITROANILINE	LT	10 ug/L	Gen. Eng.
0	2-NAPHTHYLAMINE	LT	10 ug/L	Gen. Eng.
0	2-NITROPHENOL	LT	10 ug/L	Gen. Eng.
0	2-PICOLINE	LT	10 ug/L	Gen. Eng.
0	2,3,4,6-TETRACHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,4-DICHLOROPHENOXYACETIC ACID	LT	0.50 ug/L	Gen. Eng.
0	2,4-DICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,4-DIMETHYL PHENOL	LT	10 ug/L	Gen. Eng.
0	2,4-DINITROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,4-DINITROTOLUENE	LT	10 ug/L	Gen. Eng.
0	2,4,5-TRICHLOROPHENOXYACETIC ACID	LT	0.50 ug/L	Gen. Eng.
0	2,4,5-TRICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,4,6-TRICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,6-DICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,6-DINITROTOLUENE	LT	10 ug/L	Gen. Eng.
0	3-METHYLCHOLANTHRENE	LT	10 ug/L	Gen. Eng.
0	3-METHYL PHENOL	LT	10 ug/L	Gen. Eng.
0	3-NITROANILINE	LT	10 ug/L	Gen. Eng.
0	3,3-DICHLOROBENZIDENE	LT	20 ug/L	Gen. Eng.
0	3,3-DIMETHYLBENZIDINE	LT	10 ug/L	Gen. Eng.
0	4-AMINOBIIPHENYL	LT	10 ug/L	Gen. Eng.
0	4-BROMOPHENYLPHENYL ETHER	LT	10 ug/L	Gen. Eng.
0	4-CHLOROANILINE	LT	10 ug/L	Gen. Eng.
0	4-CHLOROPHENYLPHENYL ETHER	LT	10 ug/L	Gen. Eng.
0	PARA-CHLORO-META-CRESOL	LT	10 ug/L	Gen. Eng.
0	4-METHYL PHENOL	LT	10 ug/L	Gen. Eng.
0	4-NITROANILINE	LT	10 ug/L	Gen. Eng.
0	4-NITROPHENOL	LT	10 ug/L	Gen. Eng.
0	2-METHYL-4,6-DINITROPHENOL	LT	10 ug/L	Gen. Eng.
0	7,12-DIMETHYLBENZ(A)ANTHRACENE	LT	10 ug/L	Gen. Eng.
0	ZINC	LT	2 ug/L	Gen. Eng.

WELL ASB 3A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/08/89 Time 1205
Depth to water = 107.65 ft (32.81 m) below the TOC
Water elevation = 237.35 ft (72.35 m) msl
pH = 5.4 Alkalinity = 5 mg/L
Specific conductance = 39 umhos/cm
Water temperature = 18.8 degrees Celsius
Water evacuated from the well prior to sampling = 51 gal

LABORATORY ANALYSES

1	SILVER	LT	7 ug/L	Gen. Eng.
0	ARSENIC	LT	2 ug/L	Gen. Eng.
0	BARIUM	LT	14 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	CADMIUM	LT	2 ug/L	Gen. Eng.
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	M-Area, SRS
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHROMIUM	LT	4 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	FLUORIDE	LT	100 ug/L	Gen. Eng.
0	IRON	LT	42 ug/L	Gen. Eng.
CONTINUED				

WELL ASB 3A COLLECTED ON 08/08/89 LABORATORY ANALYSES CONTINUED

0 MERCURY	LT	0.20 ug/L	Gen. Eng.
0 TOLUENE	LT	1 ug/L	Gen. Eng.
0 MANGANESE	LT	3 ug/L	Gen. Eng.
0 NITRATE AS NITROGEN	LT	390 ug/L	Gen. Eng.
0 LEAD	LT	6 ug/L	Gen. Eng.
0 SELENIUM	LT	2 ug/L	Gen. Eng.
0 1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0 TETRACHLOROETHYLENE	LT	1.00 ug/L	W-Area, SRS
0 TOTAL ORGANIC HALOGENS	LT	5 ug/L	Gen. Eng.
0 TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0 TRICHLOROETHYLENE	LT	1.00 ug/L	W-Area, SRS
0 TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0 TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	W-Area, SRS
0 1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0 1,1-DICHLOROETHYLENE	LT	1 ug/L	W-Area, SRS
0 1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,1,1-TRICHLOROETHANE	LT	1 ug/L	W-Area, SRS
0 1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0 CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0 TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0 2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0 GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
1 AMERICIUM-241	LT	0.17+-0.08 pCi/L	Teledyne
1 AMERICIUM-243	LT	0.28+-0.25 pCi/L	Teledyne
0 BARIUM-140	LT	20 pCi/L	Teledyne
0 NONVOLATILE BETA	LT	2 pCi/L	Gen. Eng.
0 BERYLLIUM-7	LT	60 pCi/L	Teledyne
0 CERIUM-141	LT	20 pCi/L	Teledyne
0 CERIUM-144	LT	50 pCi/L	Teledyne
0 CURIUM-242	LT	0.10 pCi/L	Teledyne
1 CURIUM-246	LT	2.10+-0.20 pCi/L	Teledyne
1 CURIUM-243/244	LT	0.36+-0.15 pCi/L	Teledyne
0 COBALT-58	LT	6 pCi/L	Teledyne
0 COBALT-60	LT	6 pCi/L	Teledyne
0 CESIUM-134	LT	6 pCi/L	Teledyne
0 CESIUM-137	LT	6 pCi/L	Teledyne
0 IRON-59	LT	10 pCi/L	Teledyne
0 IODINE-131	LT	50 pCi/L	Teledyne
0 POTASSIUM-40	LT	90 pCi/L	Teledyne
0 MANGANESE-54	LT	6 pCi/L	Teledyne
0 PLUTONIUM-238	LT	0.20 pCi/L	Teledyne
0 PLUTONIUM-242	LT	0.20 pCi/L	Teledyne
0 PLUTONIUM-239/240	LT	0.10 pCi/L	Teledyne
0 RADIUM-226	LT	100 pCi/L	Teledyne
1 RADIUM-226	LT	2.60+-0.80 pCi/L	Teledyne
1 RADIUM-228	LT	1.90+-0.60 pCi/L	Teledyne
0 RUTHENIUM-103	LT	8 pCi/L	Teledyne
0 RUTHENIUM-106	LT	50 pCi/L	Teledyne
0 STRONTIUM-89	LT	3 pCi/L	Teledyne
0 STRONTIUM-90	LT	1 pCi/L	Teledyne
0 THORIUM-228	LT	10 pCi/L	Teledyne
1 TOTAL RADIUM	LT	3.80+-2.40 pCi/L	Gen. Eng.
0 TRITIUM	LT	0.95+-0.35 pCi/mL	Gen. Eng.
0 URANIUM-235	LT	0.20 pCi/L	Teledyne
0 URANIUM-238	LT	0.20 pCi/L	Teledyne
0 URANIUM-233/234	LT	0.20 pCi/L	Teledyne
0 ZINC-65	LT	10 pCi/L	Teledyne
0 ZIRCONIUM-95	LT	6 pCi/L	Teledyne

WELL ASB 3A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/10/89 Time 840
 Depth to water = 107.45 ft (32.75 m) below the TOC
 Water elevation = 237.55 ft (72.41 m) msl
 pH = 5.5 Alkalinity = 5 mg/L
 Specific conductance = 40 umhos/cm
 Water temperature = 19.5 degrees Celsius
 Water evacuated from the well prior to sampling = 51 gal

LABORATORY ANALYSES

0 HEPTACHLORODIBENZODIOXINS	LT	9 ng/L	metaTRACE
0 HEPTACHLORODIBENZOFURANS	LT	9 ng/L	metaTRACE
0 HEXACHLORODIBENZODIOXINS	LT	8 ng/L	metaTRACE
0 HEXACHLORODIBENZOFURANS	LT	6 ng/L	metaTRACE
0 ORTHOCHLORODIBENZODIOXINS	LT	9 ng/L	metaTRACE
0 ORTHOCHLORODIBENZOFURANS	LT	9 ng/L	metaTRACE
0 PENTACHLORODIBENZODIOXINS	LT	10 ng/L	metaTRACE
0 PENTACHLORODIBENZOFURANS	LT	9 ng/L	metaTRACE
0 TETRACHLORODIBENZODIOXIN	LT	8 ng/L	metaTRACE
0 TETRACHLORODIBENZOFURAN	LT	4 ng/L	metaTRACE
0 A,A-DIMETHYLPHENETHYLAMINE	LT	10 ug/L	Gen. Eng.
0 ALPHA-BENZENEHEXACHLORIDE	LT	0.50 ug/L	Gen. Eng.
0 ACETONE	LT	1 ug/L	Gen. Eng.
0 ACETOPHENONE	LT	10 ug/L	Gen. Eng.
0 ACROLEIN	LT	20 ug/L	Gen. Eng.
0 ACRYLONITRILE	LT	20 ug/L	Gen. Eng.
0 SILVER	LT	2 ug/L	Gen. Eng.
0 ALDRIN	LT	0.50 ug/L	Gen. Eng.
0 ACENAPHTHENE	LT	10 ug/L	Gen. Eng.
0 ACENAPHTHYLENE	LT	10 ug/L	Gen. Eng.
0 ANILINE	LT	10 ug/L	Gen. Eng.
0 ANTHRACENE	LT	10 ug/L	Gen. Eng.
0 ARAMITE	LT	10 ug/L	Gen. Eng.
0 ARSENIC	LT	2 ug/L	Gen. Eng.
0 ALLYL CHLORIDE	LT	1 ug/L	Gen. Eng.
0 BARIUM	LT	13 ug/L	Gen. Eng.
0 BENZO(A)ANTHRACENE	LT	10 ug/L	Gen. Eng.
0 BENZO(A)PYRENE	LT	10 ug/L	Gen. Eng.
0 BENZO(B)FLUORANTHENE	LT	10 ug/L	Gen. Eng.

CONTINUED

WELL ASB 3A COLLECTED ON 09/10/89 LABORATORY ANALYSES CONTINUED

0 BETA-BENZENEHEXACHLORIDE	LT	0.50 ug/L	Gen. Eng.
0 BUTYLBENZYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0 BIS(CHLOROMETHYL-ETHYL)ETHER	LT	10 ug/L	Gen. Eng.
0 BERYLLIUM	LT	5 ug/L	Gen. Eng.
0 BENZO(G,H,I)PERYLENE	LT	10 ug/L	Gen. Eng.
0 BENZO(K)FLUORANTHENE	LT	10 ug/L	Gen. Eng.
0 BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 BENZYL ALCOHOL	LT	20 ug/L	Gen. Eng.
0 BIS(2-CHLOROETHOXY) METHANE	LT	10 ug/L	Gen. Eng.
0 BIS(2-CHLOROETHYL) ETHER	LT	10 ug/L	Gen. Eng.
0 BIS(2-ETHYLHEXYL) PHTHALATE	LT	10 ug/L	Gen. Eng.
0 DICHLORODIFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0 TRICHLORODIFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0 CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0 CADMIUM	LT	2 ug/L	Gen. Eng.
0 BROMOFORM	LT	1 ug/L	Gen. Eng.
0 CHLOROFORM	LT	1 ug/L	Gen. Eng.
0 CHRYSENE	LT	10 ug/L	Gen. Eng.
0 METHYLENE BROMIDE	LT	1 ug/L	Gen. Eng.
0 METHYLENE BROMIDE	LT	1 ug/L	Gen. Eng.
0 METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0 BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0 CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 ACETONITRILE (METHYL CYANIDE)	LT	1 ug/L	Gen. Eng.
0 CHLOROBENZILATE	LT	10 ug/L	Gen. Eng.
0 CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0 CHLORDANE	LT	0.50 ug/L	Gen. Eng.
0 CHLOROPRENE	LT	1 ug/L	Gen. Eng.
0 PENTACHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0 PENTACHLOROETHANE	LT	10 ug/L	Gen. Eng.
0 PENTACHLORONITROBENZENE	LT	10 ug/L	Gen. Eng.
0 HEXACHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0 HEXACHLOROCYCLOPENTADIENE	LT	10 ug/L	Gen. Eng.
0 HEXACHLOROETHANE	LT	10 ug/L	Gen. Eng.
0 COBALT	LT	4 ug/L	Gen. Eng.
0 CHROMIUM	LT	4 ug/L	Gen. Eng.
0 CARBON DISULFIDE	LT	1 ug/L	Gen. Eng.
0 COPPER	LT	4 ug/L	Gen. Eng.
0 CYANIDE	LT	5 ug/L	Gen. Eng.
0 CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0 CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 BENZENE	LT	1 ug/L	Gen. Eng.
0 DIBENZ(A,H)ANTHRACENE	LT	10 ug/L	Gen. Eng.
0 DIBROMOCHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0 DELTA-BENZENEHEXACHLORIDE	LT	0.50 ug/L	Gen. Eng.
0 DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 DIETHYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0 DIALLATE	LT	10 ug/L	Gen. Eng.
0 DIBENZOFURAN	LT	10 ug/L	Gen. Eng.
0 DIMETHOATE	LT	10 ug/L	Gen. Eng.
0 DISULFOTOM	LT	10 ug/L	Gen. Eng.
0 DIELDRIN	LT	0.50 ug/L	Gen. Eng.
0 DIMETHYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0 DI-N-BUTYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0 DI-N-OCTYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0 DIPHENYLAMINE	LT	10 ug/L	Gen. Eng.
0 ETHYL METHANESULFONATE	LT	10 ug/L	Gen. Eng.
0 ENDRIN ALDEHYDE	LT	0.50 ug/L	Gen. Eng.
0 ENDRIN	LT	0.50 ug/L	Gen. Eng.
0 ENDO SULFAM I	LT	0.50 ug/L	Gen. Eng.
0 ENDO SULFAM II	LT	0.50 ug/L	Gen. Eng.
0 ENDO SULFAM SULFATE	LT	0.50 ug/L	Gen. Eng.
0 ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0 ETHYL METHACRYLATE	LT	10 ug/L	Gen. Eng.
0 FAMPUR	LT	10 ug/L	Gen. Eng.
0 FLUORANTHENE	LT	10 ug/L	Gen. Eng.
0 FLUORENE	LT	10 ug/L	Gen. Eng.
0 HEXACHLOROBUTADIENE	LT	10 ug/L	Gen. Eng.
0 HEXACHLOROPHENE	LT	10 ug/L	Gen. Eng.
0 HEXACHLOROPROPENE	LT	10 ug/L	Gen. Eng.
0 MERCURY	LT	0.20 ug/L	Gen. Eng.
0 HEPTACHLOR	LT	0.50 ug/L	Gen. Eng.
0 HEPTACHLOR EPOXIDE	LT	0.50 ug/L	Gen. Eng.
0 INDENO(1,2,3-C,D)PYRENE	LT	10 ug/L	Gen. Eng.
0 IODOMETHANE	LT	1 ug/L	Gen. Eng.
0 ISOSAFROLE	LT	10 ug/L	Gen. Eng.
0 ISOBUTYL ALCOHOL	LT	1 ug/L	Gen. Eng.
0 ISODRIN	LT	10 ug/L	Gen. Eng.
0 ISOPHORONE	LT	10 ug/L	Gen. Eng.
0 KEPONE	LT	10 ug/L	Gen. Eng.
0 LINDANE	LT	0.50 ug/L	Gen. Eng.
0 METHACRYLONITRILE	LT	1 ug/L	Gen. Eng.
0 TOLUENE	LT	1 ug/L	Gen. Eng.
0 METHYLETHYL KETONE	LT	1 ug/L	Gen. Eng.
0 METHYL METHACRYLATE	LT	10 ug/L	Gen. Eng.
0 METHYL METHANE SULFONATE	LT	10 ug/L	Gen. Eng.
0 METHOXYCHLOR	LT	4 ug/L	Gen. Eng.
0 METHYLISOBUTYL KETONE	LT	1 ug/L	Gen. Eng.
0 METHAPYRILENE	LT	10 ug/L	Gen. Eng.
0 NAPHTHALENE	LT	10 ug/L	Gen. Eng.
0 NITROBENZENE	LT	10 ug/L	Gen. Eng.
0 N-NITROSODIMETHYLAMINE	LT	10 ug/L	Gen. Eng.
0 N-NITROSODI-N-BUTYLAMINE	LT	10 ug/L	Gen. Eng.
0 N-NITROSODI-PROPYLAMINE	LT	10 ug/L	Gen. Eng.
0 N-NITROSODIETHYLAMINE	LT	10 ug/L	Gen. Eng.
0 N-NITROSOETHYLMETHYLAMINE	LT	10 ug/L	Gen. Eng.
0 NICKEL	LT	4 ug/L	Gen. Eng.
0 N-NITROSOMORPHOLINE	LT	10 ug/L	Gen. Eng.
0 N-NITROSODIPHENYLAMINE	LT	10 ug/L	Gen. Eng.
0 N-NITROSOPIPERIDINE	LT	10 ug/L	Gen. Eng.
0 N-NITROSOPYRROLIDINE	LT	10 ug/L	Gen. Eng.
0 4-NITROQUINOLINE-1-OXIDE	LT	10 ug/L	Gen. Eng.
0 5-NITRO-O-TOLUIDINE	LT	10 ug/L	Gen. Eng.
0 O-TOLUIDINE	LT	10 ug/L	Gen. Eng.
0 LEAD	LT	6 ug/L	Gen. Eng.
0 PCB 1016	LT	0.50 ug/L	Gen. Eng.
0 PCB 1221	LT	0.50 ug/L	Gen. Eng.
0 PCB 1232	LT	0.50 ug/L	Gen. Eng.
0 PCB 1242	LT	0.50 ug/L	Gen. Eng.

CONTINUED

WELL ASB 3A COLLECTED ON 09/10/89 LABORATORY ANALYSES CONTINUED

0 PCB 1248	LT	0.50 ug/L	Gen. Eng.
0 PCB 1254	LT	0.50 ug/L	Gen. Eng.
0 PCB 1260	LT	0.50 ug/L	Gen. Eng.
0 PCB 1262	LT	0.50 ug/L	Gen. Eng.
0 PENTACHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0 P-PHENYLENEDIAMINE	LT	10 ug/L	Gen. Eng.
0 P-DIMETHYLAMINOAZOBENZENE	LT	10 ug/L	Gen. Eng.
0 PHENACETIN	LT	10 ug/L	Gen. Eng.
0 PHENANTHRENE	LT	10 ug/L	Gen. Eng.
0 PHENOLS	LT	10 ug/L	Gen. Eng.
0 PHOSPHATE	LT	0.50 ug/L	Gen. Eng.
0 2,2-BIS(4-CHLOROPHENYL)-1,1-DCE	LT	0.50 ug/L	Gen. Eng.
0 2,2-BIS(4-CHLOROPHENYL)-1,1-DCE	LT	0.50 ug/L	Gen. Eng.
0 2,2-BIS(4-CHLOROPHENYL)-1,1,1-TCE	LT	0.50 ug/L	Gen. Eng.
0 PRONAMIDE	LT	10 ug/L	Gen. Eng.
0 PROPNITRILE	LT	1 ug/L	Gen. Eng.
0 PARATHION	LT	0.50 ug/L	Gen. Eng.
0 PARATHION METHYL	LT	0.50 ug/L	Gen. Eng.
0 PYRENE	LT	10 ug/L	Gen. Eng.
0 PYRIDINE	LT	10 ug/L	Gen. Eng.
0 SAFROLE	LT	10 ug/L	Gen. Eng.
0 ANTIMONY	LT	3 ug/L	Gen. Eng.
0 2-SEC-BUTYL-4,6-DINITROPHENOL	LT	10 ug/L	Gen. Eng.
0 SELENIUM	LT	2 ug/L	Gen. Eng.
0 SILVEX	LT	0.50 ug/L	Gen. Eng.
0 TIN	LT	2 ug/L	Gen. Eng.
0 STYRENE	LT	1 ug/L	Gen. Eng.
0 SULFIDE	LT	1000 ug/L	Gen. Eng.
0 1,2,4,5-TETRACHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0 1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,1,1,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0 0,0,0-TRIETHYL PHOSPHOROTHIOATE	LT	10 ug/L	Gen. Eng.
0 THALLIUM	LT	2 ug/L	Gen. Eng.
0 TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0 TOXAPHENE	LT	5 ug/L	Gen. Eng.
0 TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0 TRANS-1,4-DICHLORO-2-BUTENE	LT	1 ug/L	Gen. Eng.
0 VANADIUM	LT	20 ug/L	Gen. Eng.
0 VINYL ACETATE	LT	1 ug/L	Gen. Eng.
0 XYLENES	LT	2 ug/L	Gen. Eng.
0 1-NAPHTHYLAMINE	LT	10 ug/L	Gen. Eng.
0 1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0 1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,2-DICHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0 1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0 1,2,3-TRICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0 1,2,4-TRICHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0 1,3-DICHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0 CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0 TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0 1,3-DINITROBENZENE	LT	10 ug/L	Gen. Eng.
0 1,3,5-TRINITROBENZENE	LT	10 ug/L	Gen. Eng.
0 1,4-DICHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0 1,4-DIOXANE	LT	10 ug/L	Gen. Eng.
0 1,4-NAPHTHOQUINONE	LT	10 ug/L	Gen. Eng.
0 2-ACETYLAMINOFLOURENE	LT	10 ug/L	Gen. Eng.
0 2-CHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0 2-CHLORONAPHTHALENE	LT	10 ug/L	Gen. Eng.
0 2-HEXANONE	LT	1 ug/L	Gen. Eng.
0 2-METHYLNAPHTHALENE	LT	10 ug/L	Gen. Eng.
0 2-METHYL PHENOL	LT	10 ug/L	Gen. Eng.
0 2-NITROANILINE	LT	10 ug/L	Gen. Eng.
0 2-NAPHTHYLAMINE	LT	10 ug/L	Gen. Eng.
0 2-NITROPHENOL	LT	10 ug/L	Gen. Eng.
0 2-PICOLINE	LT	10 ug/L	Gen. Eng.
0 2,3,4,6-TETRACHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0 2,4-DICHLOROPHENOXYACETIC ACID	LT	0.50 ug/L	Gen. Eng.
0 2,4-DICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0 2,4-DIMETHYL PHENOL	LT	10 ug/L	Gen. Eng.
0 2,4-DINITROPHENOL	LT	10 ug/L	Gen. Eng.
0 2,4-DINITROTOLUENE	LT	10 ug/L	Gen. Eng.
0 2,4,5-TRICHLOROPHENOXYACETIC ACID	LT	0.50 ug/L	Gen. Eng.
0 2,4,5-TRICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0 2,4,6-TRICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0 2,6-DICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0 2,6-DINITROTOLUENE	LT	10 ug/L	Gen. Eng.
0 3-METHYLCOLANTHRENE	LT	10 ug/L	Gen. Eng.
0 3-METHYL PHENOL	LT	10 ug/L	Gen. Eng.
0 3-NITROANILINE	LT	10 ug/L	Gen. Eng.
0 3,3-DICHLOROBENZIDENE	LT	20 ug/L	Gen. Eng.
0 3,3-DIMETHYLBENZIDINE	LT	10 ug/L	Gen. Eng.
0 4-AMINOBIOPHENYL	LT	10 ug/L	Gen. Eng.
0 4-BROMOPHENYLPHENYL ETHER	LT	10 ug/L	Gen. Eng.
0 4-CHLOROANILINE	LT	10 ug/L	Gen. Eng.
0 4-CHLOROPHENYLPHENYL ETHER	LT	10 ug/L	Gen. Eng.
0 PARA-CHLORO-META-CRESOL	LT	10 ug/L	Gen. Eng.
0 4-METHYL PHENOL	LT	10 ug/L	Gen. Eng.
0 4-NITROANILINE	LT	10 ug/L	Gen. Eng.
0 4-NITROPHENOL	LT	10 ug/L	Gen. Eng.
0 2-METHYL-4,6-DINITROPHENOL	LT	10 ug/L	Gen. Eng.
0 7,12-DIMETHYLBENZ(A)ANTHRACENE	LT	10 ug/L	Gen. Eng.
0 ZINC	LT	15 ug/L	Gen. Eng.

WELL ASB 4

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/05/89 Time 1530
 Depth to water = 99.36 ft (30.29 m) below the TOC
 Water elevation = 236.24 ft (72.01 m) msl
 pH = 5.3 Alkalinity = 3 mg/L
 Specific conductance = 43 umhos/cm
 Water temperature = 22.0 degrees Celsius
 Water evacuated from the well prior to sampling = 28 gal

LABORATORY ANALYSES

0 SILVER	LT	2 ug/L	Gen. Eng.
0 ARSENIC	LT	2 ug/L	Gen. Eng.
0 BARIUM	LT	12 ug/L	Gen. Eng.
0 BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0 CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0 CADMIUM	LT	2 ug/L	Gen. Eng.
0 BROMOFORM	LT	1 ug/L	Gen. Eng.
0 CHLOROFORM	LT	1 ug/L	Gen. Eng.
0 CHLOROFORM	LT	1 ug/L	M-Area, SRS
0 METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0 BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0 CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0 CHROMIUM	LT	4 ug/L	Gen. Eng.
0 CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0 CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 BENZENE	LT	1 ug/L	Gen. Eng.
0 DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0 FLUORIDE	LT	100 ug/L	Gen. Eng.
0 IRON	LT	88 ug/L	Gen. Eng.
0 MERCURY	LT	0.20 ug/L	Gen. Eng.
1 TOLUENE		1 ug/L	Gen. Eng.
0 MANGANESE		3 ug/L	Gen. Eng.
0 NITRATE AS NITROGEN		450 ug/L	Gen. Eng.
0 LEAD	LT	6 ug/L	Gen. Eng.
0 SELENIUM	LT	2 ug/L	Gen. Eng.
0 1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0 TETRACHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
1 TOTAL ORGANIC HALOGENS		13 ug/L	Gen. Eng.
2 TRICHLOROETHYLENE		3.00 ug/L	Gen. Eng.
2 TRICHLOROETHYLENE		3.54 ug/L	M-Area, SRS
0 TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0 TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	M-Area, SRS
0 1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0 1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area, SRS
0 1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area, SRS
0 1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0 CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0 TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0 2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0 GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
1 AMERICIUM-241		0.23+-0.13 pCi/L	Teledyne
1 AMERICIUM-243		2.10+-1.10 pCi/L	Teledyne
0 BARIUM-140	LT	20 pCi/L	Teledyne
0 NONVOLATILE BETA	LT	2 pCi/L	Gen. Eng.
U BERYLLIUM-7	LT	40 pCi/L	Teledyne
0 CERIUM-141	LT	10 pCi/L	Teledyne
0 CERIUM-144	LT	30 pCi/L	Teledyne
0 CURIUM-242	LT	0.70 pCi/L	Teledyne
1 CURIUM-246		2.20+-0.30 pCi/L	Teledyne
1 CURIUM-243/244		0.74+-0.18 pCi/L	Teledyne
0 COBALT-58	LT	4 pCi/L	Teledyne
0 COBALT-60	LT	4 pCi/L	Teledyne
0 CESIUM-134	LT	4 pCi/L	Teledyne
0 CESIUM-137	LT	4 pCi/L	Teledyne
0 IRON-59	LT	10 pCi/L	Teledyne
0 IODINE-131	LT	40 pCi/L	Teledyne
0 POTASSIUM-40	LT	60 pCi/L	Teledyne
0 MANGANESE-54	LT	4 pCi/L	Teledyne
0 PLUTONIUM-238	LT	0.20 pCi/L	Teledyne
0 PLUTONIUM-242	LT	0.10 pCi/L	Teledyne
0 PLUTONIUM-239/240	LT	0.09 pCi/L	Teledyne
0 RADIUM-226	LT	80 pCi/L	Teledyne
0 RADIUM-226	LT	1 pCi/L	Teledyne
1 RADIUM-228		1.50+-0.60 pCi/L	Teledyne
0 RUTHENIUM-103	LT	6 pCi/L	Teledyne
0 RUTHENIUM-106	LT	30 pCi/L	Teledyne
0 STRONTIUM-89	LT	3 pCi/L	Teledyne
0 STRONTIUM-90	LT	1 pCi/L	Teledyne
0 THORIUM-228	LT	7 pCi/L	Teledyne
0 TOTAL RADIUM	LT	1 pCi/L	Gen. Eng.
0 TRITIUM	LT	0.70 pCi/mL	Gen. Eng.
0 URANIUM-235	LT	0.20 pCi/L	Teledyne
0 URANIUM-238	LT	0.20 pCi/L	Teledyne
0 URANIUM-233/234	LT	0.20 pCi/L	Teledyne
0 ZINC-65	LT	9 pCi/L	Teledyne
0 ZIRCONIUM-95	LT	4 pCi/L	Teledyne

WELL ASB 4

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/09/89 Time 1535
 Depth to water = 99.24 ft (30.25 m) below the TOC
 Water elevation = 236.36 ft (72.04 m) msl
 pH = 5.2 Alkalinity = 7 mg/L
 Specific conductance = 49 umhos/cm
 Water temperature = 23.8 degrees Celsius
 Water evacuated from the well prior to sampling = 27 gal

LABORATORY ANALYSES

0	HEPTACHLORODIBENZODIOXINS	LT	10 ng/L	metaTRACE
0	HEPTACHLORODIBENZOFURANS	LT	6 ng/L	metaTRACE
0	HEXACHLORODIBENZODIOXINS	LT	8 ng/L	metaTRACE
0	HEXACHLORODIBENZOFURANS	LT	4 ng/L	metaTRACE
0	ORTHOCHELORODIBENZODIOXINS	LT	10 ng/L	metaTRACE
0	ORTHOCHELORODIBENZOFURANS	LT	9 ng/L	metaTRACE
0	PENTACHLORODIBENZODIOXINS	LT	8 ng/L	metaTRACE
0	PENTACHLORODIBENZOFURANS	LT	7 ng/L	metaTRACE
0	TETRACHLORODIBENZODIOXIN	LT	7 ng/L	metaTRACE
0	TETRACHLORODIBENZOFURAN	LT	7 ng/L	metaTRACE
0	A,A-DIMETHYLPHENETHYLAMINE	LT	10 ug/L	Gen. Eng.
0	ALPHA-BENZENEHEXACHLORIDE	LT	0.50 ug/L	Gen. Eng.
0	ACETONE	LT	1 ug/L	Gen. Eng.
0	ACETOPHENONE	LT	10 ug/L	Gen. Eng.
0	ACROLEIN	LT	20 ug/L	Gen. Eng.
0	ACRYLONITRILE	LT	20 ug/L	Gen. Eng.
0	SILVER	LT	2 ug/L	Gen. Eng.
0	ALORIN	LT	0.50 ug/L	Gen. Eng.
0	ACENAPHTHENE	LT	10 ug/L	Gen. Eng.
0	ACENAPHTHYLENE	LT	10 ug/L	Gen. Eng.
0	ANILINE	LT	10 ug/L	Gen. Eng.
0	ANTHRACENE	LT	10 ug/L	Gen. Eng.
0	ARAMITE	LT	10 ug/L	Gen. Eng.
0	ARSENIC	LT	2 ug/L	Gen. Eng.
0	ALLYL CHLORIDE	LT	1 ug/L	Gen. Eng.
0	BARIUM	LT	14 ug/L	Gen. Eng.
0	BENZO(A)ANTHRACENE	LT	10 ug/L	Gen. Eng.
0	BENZO(A)PYRENE	LT	10 ug/L	Gen. Eng.
0	BENZO(B)FLUORANTHENE	LT	10 ug/L	Gen. Eng.
0	BETA-BENZENEHEXACHLORIDE	LT	0.50 ug/L	Gen. Eng.
0	BUTYL BENZYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0	BIS(CHLOROMETHYL-ETHYL)ETHER	LT	10 ug/L	Gen. Eng.
0	BERYLLIUM	LT	5 ug/L	Gen. Eng.
0	BENZO(G,H,I)PERYLENE	LT	10 ug/L	Gen. Eng.
0	BENZO(K)FLUORANTHENE	LT	10 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	BENZYL ALCOHOL	LT	20 ug/L	Gen. Eng.
0	BIS(2-CHLOROETHOXY) METHANE	LT	10 ug/L	Gen. Eng.
0	BIS(2-CHLOROETHYL) ETHER	LT	10 ug/L	Gen. Eng.
0	BIS(2-ETHYLHEXYL) PHTHALATE	LT	10 ug/L	Gen. Eng.
0	DICHLORODIFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	CADMIUM	LT	2 ug/L	Gen. Eng.
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	CHRYSENE	LT	10 ug/L	Gen. Eng.
0	METHYLENE BROMIDE	LT	1 ug/L	Gen. Eng.
0	METHYLENE BROMIDE	LT	1 ug/L	Gen. Eng.
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	ACETONITRILE (METHYL CYANIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROBENZILATE	LT	10 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHLORDANE	LT	0.50 ug/L	Gen. Eng.
0	CHLOROPRENE	LT	1 ug/L	Gen. Eng.
0	PENTACHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	PENTACHLOROETHANE	LT	10 ug/L	Gen. Eng.
0	PENTACHLORONITROBENZENE	LT	10 ug/L	Gen. Eng.
0	HEXACHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	HEXACHLOROCYCLOPENTADIENE	LT	10 ug/L	Gen. Eng.
0	HEXACHLOROETHANE	LT	10 ug/L	Gen. Eng.
0	COBALY	LT	4 ug/L	Gen. Eng.
0	CHROMIUM	LT	4 ug/L	Gen. Eng.
0	CARBON DISULFIDE	LT	1 ug/L	Gen. Eng.
0	COPPER	LT	4 ug/L	Gen. Eng.
0	CYANIDE	LT	5 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	DIBENZ(A,H)ANTHRACENE	LT	10 ug/L	Gen. Eng.
0	DIBROMOCHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	DELTA-BENZENEHEXACHLORIDE	LT	0.50 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	DIETHYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0	DIALATE	LT	10 ug/L	Gen. Eng.
0	DIBENZOFURAN	LT	10 ug/L	Gen. Eng.
0	DIMETHOATE	LT	10 ug/L	Gen. Eng.
0	DISULFOTON	LT	10 ug/L	Gen. Eng.
0	DIELDRIN	LT	0.50 ug/L	Gen. Eng.
0	DIMETHYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0	DI-N-BUTYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0	DI-N-OCTYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0	DIPHENYLAMINE	LT	10 ug/L	Gen. Eng.
0	ETHYL METHANESULFONATE	LT	10 ug/L	Gen. Eng.
0	ENDRIN ALDEHYDE	LT	0.50 ug/L	Gen. Eng.
0	ENDRIN	LT	0.50 ug/L	Gen. Eng.
0	ENDOSULFAN I	LT	0.50 ug/L	Gen. Eng.
0	ENDOSULFAN II	LT	0.50 ug/L	Gen. Eng.
0	ENDOSULFAN SULFATE	LT	0.50 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	ETHYL METHACRYLATE	LT	10 ug/L	Gen. Eng.
0	FAMPHUR	LT	10 ug/L	Gen. Eng.
0	FLUORANTHENE	LT	10 ug/L	Gen. Eng.
0	FLUORENE	LT	10 ug/L	Gen. Eng.

CONTINUED

WELL ASB 4 COLLECTED ON 09/09/89 LABORATORY ANALYSES CONTINUED

0	HEXACHLOROBUTADIENE	LT	10 ug/L	Gen. Eng.
0	HEXACHLOROPHENE	LT	10 ug/L	Gen. Eng.
0	HEXACHLOROPROPENE	LT	10 ug/L	Gen. Eng.
0	MERCURY	LT	0.20 ug/L	Gen. Eng.
0	HEPTACHLOR	LT	0.50 ug/L	Gen. Eng.
0	HEPTACHLOR EPOXIDE	LT	0.50 ug/L	Gen. Eng.
0	INDENO(1,2,3-C,D)PYRENE	LT	10 ug/L	Gen. Eng.
0	IODOMETHANE	LT	1 ug/L	Gen. Eng.
0	ISOSAFROLE	LT	10 ug/L	Gen. Eng.
0	ISOBUTYL ALCOHOL	LT	1 ug/L	Gen. Eng.
0	ISODRIN	LT	10 ug/L	Gen. Eng.
0	ISOPHORONE	LT	10 ug/L	Gen. Eng.
0	KEPONE	LT	10 ug/L	Gen. Eng.
0	LINDANE	LT	0.50 ug/L	Gen. Eng.
0	METHACRYLONITRILE	LT	1 ug/L	Gen. Eng.
0	TOLUENE	LT	1 ug/L	Gen. Eng.
0	METHYLETHYL KETONE	LT	1 ug/L	Gen. Eng.
0	METHYL METHACRYLATE	LT	10 ug/L	Gen. Eng.
0	METHYL METHANE SULFONATE	LT	10 ug/L	Gen. Eng.
0	METHOXYCHLOR	LT	4 ug/L	Gen. Eng.
0	METHYLISOBUTYL KETONE	LT	1 ug/L	Gen. Eng.
0	METHAPYRILENE	LT	10 ug/L	Gen. Eng.
0	NAPHTHALENE	LT	10 ug/L	Gen. Eng.
0	NITROBENZENE	LT	10 ug/L	Gen. Eng.
0	N-NITROSODIMETHYLAMINE	LT	10 ug/L	Gen. Eng.
0	N-NITROSODI-N-BUTYLAMINE	LT	10 ug/L	Gen. Eng.
0	N-NITROSODI-PROPYLAMINE	LT	10 ug/L	Gen. Eng.
0	N-NITROSODIETHYLAMINE	LT	10 ug/L	Gen. Eng.
0	N-NITROSOETHYLMETHYLAMINE	LT	10 ug/L	Gen. Eng.
0	NICKEL	LT	4 ug/L	Gen. Eng.
0	N-NITROSOMORPHOLINE	LT	10 ug/L	Gen. Eng.
0	N-NITROSODIPHENYLAMINE	LT	10 ug/L	Gen. Eng.
0	N-NITROSOPIPERIDINE	LT	10 ug/L	Gen. Eng.
0	N-NITROSOPYRROLIDINE	LT	10 ug/L	Gen. Eng.
0	4-NITROQUINOLINE-1-OXIDE	LT	10 ug/L	Gen. Eng.
0	5-NITRO-O-TOLUIDINE	LT	10 ug/L	Gen. Eng.
0	O-TOLUIDINE	LT	10 ug/L	Gen. Eng.
0	LEAD	LT	6 ug/L	Gen. Eng.
0	PCB 1016	LT	0.50 ug/L	Gen. Eng.
0	PCB 1221	LT	0.50 ug/L	Gen. Eng.
0	PCB 1232	LT	0.50 ug/L	Gen. Eng.
0	PCB 1242	LT	0.50 ug/L	Gen. Eng.
0	PCB 1248	LT	0.50 ug/L	Gen. Eng.
0	PCB 1254	LT	0.50 ug/L	Gen. Eng.
0	PCB 1260	LT	0.50 ug/L	Gen. Eng.
0	PCB 1262	LT	0.50 ug/L	Gen. Eng.
0	PENTACHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	P-PHENYLENEDIAMINE	LT	10 ug/L	Gen. Eng.
0	P-DIMETHYLAMINOAZOBENZENE	LT	10 ug/L	Gen. Eng.
0	PHENACETIN	LT	10 ug/L	Gen. Eng.
0	PHENANTHRENE	LT	10 ug/L	Gen. Eng.
0	PHENOLS	LT	10 ug/L	Gen. Eng.
0	PHORATE	LT	0.50 ug/L	Gen. Eng.
0	2,2-BIS(4-CHLOROPHENYL)-1,1-DCE	LT	0.50 ug/L	Gen. Eng.
0	2,2-BIS(4-CHLOROPHENYL)-1,1-DCE	LT	0.50 ug/L	Gen. Eng.
0	2,2-BIS(4-CHLOROPHENYL)-1,1,1-TCE	LT	0.50 ug/L	Gen. Eng.
0	PRONAMIDE	LT	10 ug/L	Gen. Eng.
0	PROPIONITRILE	LT	1 ug/L	Gen. Eng.
0	PARATHION	LT	0.50 ug/L	Gen. Eng.
0	PARATHION METHYL	LT	0.50 ug/L	Gen. Eng.
0	PYRENE	LT	10 ug/L	Gen. Eng.
0	PYRIDINE	LT	10 ug/L	Gen. Eng.
0	SAFROLE	LT	10 ug/L	Gen. Eng.
0	ANTIMONY	LT	3 ug/L	Gen. Eng.
0	2-SEC-BUTYL-4,6-DINITROPHENOL	LT	10 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	Gen. Eng.
0	SILVEX	LT	0.50 ug/L	Gen. Eng.
0	TIN	LT	2 ug/L	Gen. Eng.
0	STYRENE	LT	1 ug/L	Gen. Eng.
0	SULFIDE	LT	1000 ug/L	Gen. Eng.
0	1,2,4,5-TETRACHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	O,O,O-TRIETHYL PHOSPHOROTHIOATE	LT	10 ug/L	Gen. Eng.
0	THALLIUM	LT	2 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE	LT	3.00 ug/L	Gen. Eng.
0	TOXAPHENE	LT	5 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,4-DICHLORO-2-BUTENE	LT	1 ug/L	Gen. Eng.
0	VANADIUM	LT	20 ug/L	Gen. Eng.
0	VINYL ACETATE	LT	1 ug/L	Gen. Eng.
0	XYLENES	LT	2 ug/L	Gen. Eng.
0	1-NAPHTHYLAMINE	LT	10 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	1,2,3-TRICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	1,2,4-TRICHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	1,3-DICHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	1,3-DINITROBENZENE	LT	10 ug/L	Gen. Eng.
0	1,3,5-TRINITROBENZENE	LT	10 ug/L	Gen. Eng.
0	1,4-DICHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	1,4-DIOXANE	LT	10 ug/L	Gen. Eng.
0	1,4-NAPHTHOQUINONE	LT	10 ug/L	Gen. Eng.
0	2-ACETYLAMINOFLUORENE	LT	10 ug/L	Gen. Eng.
0	2-CHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2-CHLORONAPHTHALENE	LT	10 ug/L	Gen. Eng.
0	2-HEXANONE	LT	1 ug/L	Gen. Eng.
0	2-METHYLNAPHTHALENE	LT	10 ug/L	Gen. Eng.
0	2-METHYL PHENOL	LT	10 ug/L	Gen. Eng.
0	2-NITROANILINE	LT	10 ug/L	Gen. Eng.
0	2-NAPHTHYLAMINE	LT	10 ug/L	Gen. Eng.

CONTINUED

WELL ASB 4 COLLECTED ON 09/09/89 LABORATORY ANALYSES CONTINUED

0	2-NITROPHENOL	LT	10 ug/L	Gen. Eng.
0	2-PICOLINE	LT	10 ug/L	Gen. Eng.
0	2,3,4,6-TETRACHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,4-DICHLOROPHENOXACETIC ACID	LT	0.50 ug/L	Gen. Eng.
0	2,4-DICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,4-DIMETHYL PHENOL	LT	10 ug/L	Gen. Eng.
0	2,4-DINITROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,4-DINITROTOLUENE	LT	10 ug/L	Gen. Eng.
0	2,4,5-TRICHLOROPHENOXACETIC ACID	LT	0.50 ug/L	Gen. Eng.
0	2,4,5-TRICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,4,6-TRICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,6-DICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,6-DINITROTOLUENE	LT	10 ug/L	Gen. Eng.
0	3-METHYLCHOLANTHRENE	LT	10 ug/L	Gen. Eng.
0	3-METHYL PHENOL	LT	10 ug/L	Gen. Eng.
0	3-NITROANILINE	LT	10 ug/L	Gen. Eng.
0	3,3-DICHLOROBENZIDENE	LT	20 ug/L	Gen. Eng.
0	3,3-DIMETHYLBENZIDINE	LT	10 ug/L	Gen. Eng.
0	4-AMINOBIIPHENYL	LT	10 ug/L	Gen. Eng.
0	4-BROMOPHENYLPHENYL ETHER	LT	10 ug/L	Gen. Eng.
0	4-CHLOROANILINE	LT	10 ug/L	Gen. Eng.
0	4-CHLOROPHENYLPHENYL ETHER	LT	10 ug/L	Gen. Eng.
0	PARA-CHLORO-META-CRESOL	LT	10 ug/L	Gen. Eng.
0	4-METHYL PHENOL	LT	10 ug/L	Gen. Eng.
0	4-NITROANILINE	LT	10 ug/L	Gen. Eng.
0	4-NITROPHENOL	LT	10 ug/L	Gen. Eng.
0	2-METHYL-4,6-DINITROPHENOL	LT	10 ug/L	Gen. Eng.
0	7,12-DIMETHYLBENZ(A)ANTHRACENE	LT	10 ug/L	Gen. Eng.
0	ZINC	LT	20 ug/L	Gen. Eng.

WELL ASB 5A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/08/89 Time 1450
Depth to water = 109.08 ft (33.25 m) below the TOC
Water elevation = 235.92 ft (71.91 m) msl
pH = 5.1 Alkalinity = 2 mg/L
Specific conductance = 47 umhos/cm
Water temperature = 20.0 degrees Celsius
Water evacuated from the well prior to sampling = 47 gal

LABORATORY ANALYSES

1	SILVER	LT	5 ug/L	Gen. Eng.
0	ARSENIC	LT	2 ug/L	Gen. Eng.
0	BARIUM	LT	14 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	CADMIUM	LT	2 ug/L	Gen. Eng.
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	M-Area, SRS
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHROMIUM	LT	4 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	ETHYLENBENZENE	LT	1 ug/L	Gen. Eng.
0	FLUORIDE	LT	100 ug/L	Gen. Eng.
0	IRON	LT	20 ug/L	Gen. Eng.
0	MERCURY	LT	0.20 ug/L	Gen. Eng.
0	TOLUENE	LT	1 ug/L	Gen. Eng.
0	MANGANESE	LT	10 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN	LT	220 ug/L	Gen. Eng.
0	LEAD	LT	6 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
1	TETRACHLOROETHYLENE	LT	2.00 ug/L	Gen. Eng.
1	TETRACHLOROETHYLENE	LT	1.83 ug/L	M-Area, SRS
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE	LT	5.00 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE	LT	5.36 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	M-Area, SRS
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area, SRS
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area, SRS
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0	GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
0	AMERICIUM-241	LT	0.09 pCi/L	Teledyne
0	AMERICIUM-243	LT	0.20 pCi/L	Teledyne
0	BARIUM-140	LT	20 pCi/L	Teledyne
0	NONVOLATILE BETA	LT	2.10+-2.10 pCi/L	Gen. Eng.
0	BERYLLIUM-7	LT	40 pCi/L	Teledyne
0	CERIUM-141	LT	10 pCi/L	Teledyne
0	CERIUM-144	LT	40 pCi/L	Teledyne
0	CURIUM-242	LT	0.10 pCi/L	Teledyne
1	CURIUM-246	LT	0.24+-0.13 pCi/L	Teledyne
0	CURIUM-243/244	LT	0.20 pCi/L	Teledyne
0	COBALT-58	LT	4 pCi/L	Teledyne
0	COBALT-60	LT	4 pCi/L	Teledyne
0	CESIUM-134	LT	4 pCi/L	Teledyne
0	CESIUM-137	LT	4 pCi/L	Teledyne

CONTINUED

WELL ASB 5A COLLECTED ON 08/08/89 LABORATORY ANALYSES CONTINUED

0	IRON-59	LT	10 pCi/L	Teledyne
0	IODINE-131	LT	40 pCi/L	Teledyne
0	POTASSIUM-40	LT	60 pCi/L	Teledyne
0	MANGANESE-54	LT	4 pCi/L	Teledyne
0	PLUTONIUM-238	LT	0.20 pCi/L	Teledyne
0	PLUTONIUM-242	LT	0.10 pCi/L	Teledyne
0	PLUTONIUM-239/240	LT	0.10 pCi/L	Teledyne
0	RADIUM-226	LT	80 pCi/L	Teledyne
1	RADIUM-226	LT	1.20+-0.60 pCi/L	Teledyne
1	RADIUM-228	LT	1.80+-0.60 pCi/L	Teledyne
0	RUTHENIUM-103	LT	6 pCi/L	Teledyne
0	RUTHENIUM-106	LT	40 pCi/L	Teledyne
0	STRONTIUM-89	LT	3 pCi/L	Teledyne
0	STRONTIUM-90	LT	0.90 pCi/L	Teledyne
0	THORIUM-232	LT	8 pCi/L	Teledyne
1	TOTAL RADIUM	LT	3.70+-2.40 pCi/L	Gen. Eng.
0	TRITIUM	LT	2.24+-0.36 pCi/mL	Gen. Eng.
0	URANIUM-235	LT	0.10 pCi/L	Teledyne
0	URANIUM-238	LT	0.10 pCi/L	Teledyne
1	URANIUM-233/234	LT	0.12+-0.08 pCi/L	Teledyne
0	ZINC-65	LT	9 pCi/L	Teledyne
0	ZIRCONIUM-95	LT	4 pCi/L	Teledyne

WELL ASB 5A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/10/89 Time 1150
Depth to water = 108.89 ft (33.19 m) below the TOC
Water elevation = 236.11 ft (71.97 m) msl
pH = 5.0 Alkalinity = 1 mg/L
Specific conductance = 39 umhos/cm
Water temperature = 21.0 degrees Celsius
Water evacuated from the well prior to sampling = 47 gal

LABORATORY ANALYSES

0	HEPTACHLORODIBENZODIOXINS	LT	6 ng/L	metaTRACE
0	HEPTACHLORODIBENZOFURANS	LT	6 ng/L	metaTRACE
0	HEXACHLORODIBENZODIOXINS	LT	6 ng/L	metaTRACE
0	HEXACHLORODIBENZOFURANS	LT	5 ng/L	metaTRACE
0	ORTHOCHLORODIBENZODIOXINS	LT	10 ng/L	metaTRACE
0	ORTHOCHLORODIBENZOFURANS	LT	10 ng/L	metaTRACE
0	PENTACHLORODIBENZODIOXINS	LT	8 ng/L	metaTRACE
0	PENTACHLORODIBENZOFURANS	LT	8 ng/L	metaTRACE
0	TETRACHLORODIBENZODIOXIN	LT	8 ng/L	metaTRACE
0	TETRACHLORODIBENZOFURAN	LT	6 ng/L	metaTRACE
0	A, A-DIMETHYLPHENETHYLAMINE	LT	10 ug/L	Gen. Eng.
0	ALPHA-BENZENEHEXACHLORIDE	LT	0.50 ug/L	Gen. Eng.
0	ACETONE	LT	1 ug/L	Gen. Eng.
0	ACETOPHENONE	LT	10 ug/L	Gen. Eng.
0	ACROLEIN	LT	20 ug/L	Gen. Eng.
0	ACRYLONITRILE	LT	20 ug/L	Gen. Eng.
0	SILVER	LT	2 ug/L	Gen. Eng.
0	ALDRIN	LT	0.50 ug/L	Gen. Eng.
0	ACEPHAPHTHENE	LT	10 ug/L	Gen. Eng.
0	ACENAPHHTHYLENE	LT	10 ug/L	Gen. Eng.
0	ANILINE	LT	10 ug/L	Gen. Eng.
0	ANTHRACENE	LT	10 ug/L	Gen. Eng.
0	ARAMITE	LT	10 ug/L	Gen. Eng.
0	ARSENIC	LT	2 ug/L	Gen. Eng.
0	ALLYL CHLORIDE	LT	1 ug/L	Gen. Eng.
0	BARIUM	LT	14 ug/L	Gen. Eng.
0	BENZO(A)ANTHRACENE	LT	10 ug/L	Gen. Eng.
0	BENZO(A)PYRENE	LT	10 ug/L	Gen. Eng.
0	BENZO(B)FLUORANTHENE	LT	10 ug/L	Gen. Eng.
0	BETA-BENZENEHEXACHLORIDE	LT	0.50 ug/L	Gen. Eng.
0	BUTYLBENZYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0	BIS(CHLOROMETHYL-ETHYL)ETHER	LT	10 ug/L	Gen. Eng.
0	BERYLLIUM	LT	5 ug/L	Gen. Eng.
0	BENZO(G,H,I)PERYLENE	LT	10 ug/L	Gen. Eng.
0	BENZO(K)FLUORANTHENE	LT	10 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	BENZYL ALCOHOL	LT	20 ug/L	Gen. Eng.
0	BIS(2-CHLOROETHOXY) METHANE	LT	10 ug/L	Gen. Eng.
0	BIS(2-CHLOROETHYL) ETHER	LT	10 ug/L	Gen. Eng.
0	BIS(2-ETHYLHEXYL) PHTHALATE	LT	10 ug/L	Gen. Eng.
0	DICHLORODIFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	CADMIUM	LT	2 ug/L	Gen. Eng.
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	CHRYSENE	LT	10 ug/L	Gen. Eng.
0	METHYLENE BROMIDE	LT	1 ug/L	Gen. Eng.
0	METHYLENE BROMIDE	LT	1 ug/L	Gen. Eng.
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	ACETONITRILE (METHYL CYANIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROBENZILATE	LT	10 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHLORDANE	LT	0.50 ug/L	Gen. Eng.
0	CHLOROPRENE	LT	1 ug/L	Gen. Eng.
0	PENTACHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	PENTACHLOROETHANE	LT	10 ug/L	Gen. Eng.
0	PENTACHLORONITROBENZENE	LT	10 ug/L	Gen. Eng.
0	HEXACHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	HEXACHLOROCYCLOPENTADIENE	LT	10 ug/L	Gen. Eng.
0	HEXACHLOROETHANE	LT	10 ug/L	Gen. Eng.
0	COBALT	LT	4 ug/L	Gen. Eng.
0	CHROMIUM	LT	4 ug/L	Gen. Eng.
0	CARBON DISULFIDE	LT	1 ug/L	Gen. Eng.
0	COPPER	LT	4 ug/L	Gen. Eng.
0	CYANIDE	LT	5 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.

CONTINUED

WELL ASB 5A COLLECTED ON 09/10/89 LABORATORY ANALYSES CONTINUED

0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	DIBENZ(A,H)ANTHRACENE	LT	10 ug/L	Gen. Eng.
0	DIBROMOCHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	DELTA-BENZENEHEXACHLORIDE	LT	0.50 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	DIEHTYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0	DIALATE	LT	10 ug/L	Gen. Eng.
0	DIBENZOFURAN	LT	10 ug/L	Gen. Eng.
0	DIMETHOATE	LT	10 ug/L	Gen. Eng.
0	DISULFOTON	LT	10 ug/L	Gen. Eng.
0	DIELDRIN	LT	0.50 ug/L	Gen. Eng.
0	DIMETHYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0	DI-N-BUTYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0	DI-N-OCTYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0	DIPHENYLAMINE	LT	10 ug/L	Gen. Eng.
0	ETHYL METHANESULFONATE	LT	10 ug/L	Gen. Eng.
0	ENDRIN ALDEHYDE	LT	0.50 ug/L	Gen. Eng.
0	ENDRIN	LT	0.50 ug/L	Gen. Eng.
0	ENDOSULFAM I	LT	0.50 ug/L	Gen. Eng.
0	ENDOSULFAM II	LT	0.50 ug/L	Gen. Eng.
0	ENDOSULFAM SULFATE	LT	0.50 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	ETHYL METHACRYLATE	LT	10 ug/L	Gen. Eng.
0	FAMPHUR	LT	10 ug/L	Gen. Eng.
0	FLUORANTHENE	LT	10 ug/L	Gen. Eng.
0	FLUORENE	LT	10 ug/L	Gen. Eng.
0	HEXACHLOROBUTADIENE	LT	10 ug/L	Gen. Eng.
0	HEXACHLOROPHENE	LT	10 ug/L	Gen. Eng.
0	HEXACHLOROPROPENE	LT	10 ug/L	Gen. Eng.
0	MERCURY	LT	0.20 ug/L	Gen. Eng.
0	HEPTACHLOR	LT	0.50 ug/L	Gen. Eng.
0	HEPTACHLOR EPOXIDE	LT	0.50 ug/L	Gen. Eng.
0	INDENO(1,2,3-C,D)PYRENE	LT	10 ug/L	Gen. Eng.
0	IODOMETHANE	LT	1 ug/L	Gen. Eng.
0	ISOSAFROLE	LT	10 ug/L	Gen. Eng.
0	ISOBUTYL ALCOHOL	LT	1 ug/L	Gen. Eng.
0	ISODRIN	LT	10 ug/L	Gen. Eng.
0	ISOPHORONE	LT	10 ug/L	Gen. Eng.
0	KEPONE	LT	10 ug/L	Gen. Eng.
0	LINDANE	LT	0.50 ug/L	Gen. Eng.
0	METHACRYLONITRILE	LT	1 ug/L	Gen. Eng.
0	TOLUENE	LT	1 ug/L	Gen. Eng.
0	METHYLETHYL KETONE	LT	1 ug/L	Gen. Eng.
0	METHYL METHACRYLATE	LT	10 ug/L	Gen. Eng.
0	METHYL METHANE SULFONATE	LT	10 ug/L	Gen. Eng.
0	METHOXYCHLOR	LT	4 ug/L	Gen. Eng.
0	METHYLISOBUTYL KETONE	LT	1 ug/L	Gen. Eng.
0	METHAPYRILENE	LT	10 ug/L	Gen. Eng.
0	NAPHTHALENE	LT	10 ug/L	Gen. Eng.
0	NITROBENZENE	LT	10 ug/L	Gen. Eng.
0	N-NITROSODIMETHYLAMINE	LT	10 ug/L	Gen. Eng.
0	N-NITROSODI-N-BUTYLAMINE	LT	10 ug/L	Gen. Eng.
0	N-NITROSODI-PROPYLAMINE	LT	10 ug/L	Gen. Eng.
0	N-NITROSODIETHYLAMINE	LT	10 ug/L	Gen. Eng.
0	N-NITROETHYLETHYLAMINE	LT	10 ug/L	Gen. Eng.
0	NICKEL	LT	4 ug/L	Gen. Eng.
0	N-NITROSOMORPHOLINE	LT	10 ug/L	Gen. Eng.
0	N-NITROSODIPHENYLAMINE	LT	10 ug/L	Gen. Eng.
0	N-NITROSOPIPERIDINE	LT	10 ug/L	Gen. Eng.
0	N-NITROSOPYRROLIDINE	LT	10 ug/L	Gen. Eng.
0	4-NITROQUINOLINE-1-OXIDE	LT	10 ug/L	Gen. Eng.
0	5-NITRO-0-TOLUIDINE	LT	10 ug/L	Gen. Eng.
0	0-TOLUIDINE	LT	10 ug/L	Gen. Eng.
0	LEAD	LT	6 ug/L	Gen. Eng.
0	PCB 1016	LT	0.50 ug/L	Gen. Eng.
0	PCB 1221	LT	0.50 ug/L	Gen. Eng.
0	PCB 1232	LT	0.50 ug/L	Gen. Eng.
0	PCB 1242	LT	0.50 ug/L	Gen. Eng.
0	PCB 1248	LT	0.50 ug/L	Gen. Eng.
0	PCB 1254	LT	0.50 ug/L	Gen. Eng.
0	PCB 1260	LT	0.50 ug/L	Gen. Eng.
0	PCB 1262	LT	0.50 ug/L	Gen. Eng.
0	PENTACHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	P-PHENYLENEDIAMINE	LT	10 ug/L	Gen. Eng.
0	P-DIMETHYLAMINOAZOBENZENE	LT	10 ug/L	Gen. Eng.
0	PHENACETIN	LT	10 ug/L	Gen. Eng.
0	PHENANTHRENE	LT	10 ug/L	Gen. Eng.
0	PHENOLS	LT	10 ug/L	Gen. Eng.
0	PHORATE	LT	0.50 ug/L	Gen. Eng.
0	2,2-BIS(4-CHLOROPHENYL)-1,1-DCE	LT	0.50 ug/L	Gen. Eng.
0	2,2-BIS(4-CHLOROPHENYL)-1,1-DCE	LT	0.50 ug/L	Gen. Eng.
0	2,2-BIS(4-CHLOROPHENYL)-1,1,1-TCE	LT	0.50 ug/L	Gen. Eng.
0	PRONAMIDE	LT	10 ug/L	Gen. Eng.
0	PROPIONITRILE	LT	1 ug/L	Gen. Eng.
0	PARATHION	LT	0.50 ug/L	Gen. Eng.
0	PARATHION METHYL	LT	0.50 ug/L	Gen. Eng.
0	PYRENE	LT	10 ug/L	Gen. Eng.
0	PYRIDINE	LT	10 ug/L	Gen. Eng.
0	SAFROLE	LT	10 ug/L	Gen. Eng.
0	ANTIMONY	LT	3 ug/L	Gen. Eng.
0	2-SEC-BUTYL-4,6-DINITROPHENOL	LT	10 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	Gen. Eng.
0	SILVEX	LT	0.50 ug/L	Gen. Eng.
0	TIN	LT	2 ug/L	Gen. Eng.
0	STYRENE	LT	1 ug/L	Gen. Eng.
0	SULFIDE	LT	1000 ug/L	Gen. Eng.
0	1,2,4,5-TETRACHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
1	TETRACHLOROETHYLENE	LT	2.00 ug/L	Gen. Eng.
0	0,0,0-TRIETHYL PHOSPHOROTHIOATE	LT	10 ug/L	Gen. Eng.
0	THALLIUM	LT	2 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE	LT	19.0 ug/L	Gen. Eng.
0	TOXAPHENE	LT	5 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,4-DICHLORO-2-BUTENE	LT	1 ug/L	Gen. Eng.
0	VANADIUM	LT	20 ug/L	Gen. Eng.
0	VINYL ACETATE	LT	1 ug/L	Gen. Eng.

CONTINUED

WELL ASB 5A COLLECTED ON 09/10/89 LABORATORY ANALYSES CONTINUED

0	XYLENES	LT	2 ug/L	Gen. Eng.
0	1-NAPHTHYLAMINE	LT	10 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	1,2,3-TRICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	1,2,4-TRICHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	1,3-DICHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	1,3-DINITROBENZENE	LT	10 ug/L	Gen. Eng.
0	1,3,5-TRINITROBENZENE	LT	10 ug/L	Gen. Eng.
0	1,4-DICHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	1,4-DIOXANE	LT	10 ug/L	Gen. Eng.
0	1,4-NAPHTHOQUINONE	LT	10 ug/L	Gen. Eng.
0	2-ACETYLAMINOFLOURENE	LT	10 ug/L	Gen. Eng.
0	2-CHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2-CHLORONAPHTHALENE	LT	10 ug/L	Gen. Eng.
0	2-HEXANONE	LT	1 ug/L	Gen. Eng.
0	2-METHYLNAPHTHALENE	LT	10 ug/L	Gen. Eng.
0	2-METHYL PHENOL	LT	10 ug/L	Gen. Eng.
0	2-NITROANILINE	LT	10 ug/L	Gen. Eng.
0	2-NAPHTHYLAMINE	LT	10 ug/L	Gen. Eng.
0	2-NITROPHENOL	LT	10 ug/L	Gen. Eng.
0	2-PICOLINE	LT	10 ug/L	Gen. Eng.
0	2,3,4,6-TETRACHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,4-DICHLOROPHENOXYACETIC ACID	LT	0.50 ug/L	Gen. Eng.
0	2,4-DICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,4-DIMETHYL PHENOL	LT	10 ug/L	Gen. Eng.
0	2,4-DINITROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,4-DINITROTOLUENE	LT	10 ug/L	Gen. Eng.
0	2,4,5-TRICHLOROPHENOXYACETIC ACID	LT	0.50 ug/L	Gen. Eng.
0	2,4,5-TRICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,4,6-TRICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,6-DICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,6-DINITROTOLUENE	LT	10 ug/L	Gen. Eng.
0	3-METHYLCHOLANTHRENE	LT	10 ug/L	Gen. Eng.
0	3-METHYL PHENOL	LT	10 ug/L	Gen. Eng.
0	3-NITROANILINE	LT	10 ug/L	Gen. Eng.
0	3,3-DICHLOROBENZIDUENE	LT	20 ug/L	Gen. Eng.
0	3,3-DIMETHYLBENZIDUENE	LT	10 ug/L	Gen. Eng.
0	4-AMINOBIOPHENYL	LT	10 ug/L	Gen. Eng.
0	4-BROMOPHENYLPHENYL ETHER	LT	10 ug/L	Gen. Eng.
0	4-CHLOROANILINE	LT	10 ug/L	Gen. Eng.
0	4-CHLOROPHENYLPHENYL ETHER	LT	10 ug/L	Gen. Eng.
0	PARA-CHLORO-META-CRESOL	LT	10 ug/L	Gen. Eng.
0	4-METHYL PHENOL	LT	10 ug/L	Gen. Eng.
0	4-NITROANILINE	LT	10 ug/L	Gen. Eng.
0	4-NITROPHENOL	LT	10 ug/L	Gen. Eng.
0	2-METHYL-4,6-DINITROPHENOL	LT	10 ug/L	Gen. Eng.
0	7,12-DIMETHYLBENZ(A)ANTHRACENE	LT	10 ug/L	Gen. Eng.
0	ZINC	LT	6 ug/L	Gen. Eng.

WELL ASB 6A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/08/89 Time 1245
Depth to water = 114.92 ft (35.03 m) below the TOC
Water elevation = 235.28 ft (71.71 m) msl
pH = 4.9 Alkalinity = 0 mg/L
Specific conductance = 67 umhos/cm
Water temperature = 19.7 degrees Celsius
Water evacuated from the well prior to sampling = 51 gal

LABORATORY ANALYSES

0	SILVER	LT	2 ug/L	Gen. Eng.
0	ARSENIC	LT	2 ug/L	Gen. Eng.
0	BARIUM	LT	7 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	CADIUM	LT	2 ug/L	Gen. Eng.
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	2 ug/L	M-Area, SRS
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHROMIUM	LT	4 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	FLUORIDE	LT	100 ug/L	Gen. Eng.
0	IRON	LT	99 ug/L	Gen. Eng.
0	MERCURY	LT	0.20 ug/L	Gen. Eng.
0	TOLUENE	LT	1 ug/L	Gen. Eng.
0	MANGANESE	LT	19 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN	LT	690 ug/L	Gen. Eng.
0	LEAD	LT	6 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
1	TETRACHLOROETHYLENE	LT	4.00 ug/L	Gen. Eng.
1	TETRACHLOROETHYLENE	LT	2.13 ug/L	M-Area, SRS
1	TOTAL ORGANIC HALOGENS	LT	3 ug/L	Gen. Eng.
1	TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
1	TRICHLOROETHYLENE	LT	1.03 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.

CONTINUED

WELL ASB 6A COLLECTED ON 08/08/89 LABORATORY ANALYSES CONTINUED

0 TRANS-1,2-DICHLOROETHENE	LT	2 ug/L	M-Area, SRS
0 1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0 1,1-DICHLOROETHYLENE	LT	2 ug/L	M-Area, SRS
0 1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,1,1-TRICHLOROETHANE	LT	2 ug/L	M-Area, SRS
0 1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0 CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0 TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0 2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0 GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
1 AMERICIUM-241	LT	0.08+0.07 pCi/L	Teledyne
0 AMERICIUM-243	LT	0.20 pCi/L	Teledyne
0 BARIUM-140	LT	30 pCi/L	Teledyne
0 NONVOLATILE BUTA	LT	2.51+2.20 pCi/L	Gen. Eng.
0 BERYLLIUM-7	LT	50 pCi/L	Teledyne
0 CERIUM-141	LT	20 pCi/L	Teledyne
0 CERIUM-144	LT	40 pCi/L	Teledyne
1 CURIUM-242	LT	0.09+0.07 pCi/L	Teledyne
0 CURIUM-246	LT	0.40 pCi/L	Teledyne
0 CURIUM-243/244	LT	0.07 pCi/L	Teledyne
0 COBALT-58	LT	4 pCi/L	Teledyne
0 COBALT-60	LT	4 pCi/L	Teledyne
0 CESIUM-134	LT	4 pCi/L	Teledyne
0 CESIUM-137	LT	4 pCi/L	Teledyne
0 IRON-59	LT	10 pCi/L	Teledyne
0 IODINE-131	LT	80 pCi/L	Teledyne
0 POTASSIUM-40	LT	60 pCi/L	Teledyne
0 MANGANESE-54	LT	4 pCi/L	Teledyne
0 PLUTONIUM-238	LT	2 pCi/L	Teledyne
0 PLUTONIUM-242	LT	2 pCi/L	Teledyne
0 PLUTONIUM-239/240	LT	1 pCi/L	Teledyne
0 RADIUM-226	LT	90 pCi/L	Teledyne
1 RADIUM-226	LT	2.20+0.60 pCi/L	Teledyne
1 RADIUM-228	LT	3.80+0.70 pCi/L	Teledyne
0 RUTHENIUM-103	LT	6 pCi/L	Teledyne
0 RUTHENIUM-106	LT	30 pCi/L	Teledyne
0 STRONTIUM-89	LT	4 pCi/L	Teledyne
0 STRONTIUM-90	LT	0.80 pCi/L	Teledyne
0 THORIUM-232	LT	7 pCi/L	Teledyne
1 TOTAL RADIUM	LT	2.80+2.20 pCi/L	Gen. Eng.
1 TRITIUM	LT	3.23+0.38 pCi/mL	Gen. Eng.
0 URANIUM-235	LT	0.10 pCi/L	Teledyne
0 URANIUM-238	LT	0.10 pCi/L	Teledyne
0 URANIUM-233/234	LT	0.10 pCi/L	Teledyne
0 ZINC-65	LT	7 pCi/L	Teledyne
0 ZIRCONIUM-95	LT	5 pCi/L	Teledyne

WELL ASB 6A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/10/89 Time 1055
 Depth to water = 114.67 ft (34.95 m) below the TOC
 Water elevation = 235.53 ft (71.79 m) msl
 pH = 4.9 Alkalinity = 0 mg/L
 Specific conductance = 60 umhos/cm
 Water temperature = 20.7 degrees Celsius
 Water evacuated from the well prior to sampling = 45 gal

LABORATORY ANALYSES

0 HEPTACHLORODIBENZODIOXINS	LT	6 ng/L	metaTRACE
0 HEPTACHLORODIBENZOFURANS	LT	6 ng/L	metaTRACE
0 HEXACHLORODIBENZODIOXINS	LT	6 ng/L	metaTRACE
0 HEXACHLORODIBENZOFURANS	LT	4 ng/L	metaTRACE
0 ORTHOCHLORODIBENZODIOXINS	LT	8 ng/L	metaTRACE
0 ORTHOCHLORODIBENZOFURANS	LT	8 ng/L	metaTRACE
0 PENTACHLORODIBENZODIOXINS	LT	8 ng/L	metaTRACE
0 PENTACHLORODIBENZOFURANS	LT	7 ng/L	metaTRACE
0 TETRACHLORODIBENZODIOXIN	LT	7 ng/L	metaTRACE
0 TETRACHLORODIBENZOFURAN	LT	4 ng/L	metaTRACE
0 A,A-DIMETHYLPHENETHYLAMINE	LT	10 ug/L	Gen. Eng.
0 ALPHA-BENZENEHEXACHLORIDE	LT	0.50 ug/L	Gen. Eng.
0 ACETONE	LT	1 ug/L	Gen. Eng.
0 ACETOPHENONE	LT	10 ug/L	Gen. Eng.
0 ACROLEIN	LT	20 ug/L	Gen. Eng.
0 ACRYLONITRILE	LT	20 ug/L	Gen. Eng.
0 SILVER	LT	2 ug/L	Gen. Eng.
0 ALDRIN	LT	0.50 ug/L	Gen. Eng.
0 ACENAPHTHENE	LT	10 ug/L	Gen. Eng.
0 ACENAPHTHYLENE	LT	10 ug/L	Gen. Eng.
0 ANILINE	LT	10 ug/L	Gen. Eng.
0 ANTHRACENE	LT	10 ug/L	Gen. Eng.
0 ARAMITE	LT	10 ug/L	Gen. Eng.
0 ARSENIC	LT	2 ug/L	Gen. Eng.
0 ALLYL CHLORIDE	LT	1 ug/L	Gen. Eng.
0 BARIUM	LT	6 ug/L	Gen. Eng.
0 BENZO(A)ANTHRACENE	LT	10 ug/L	Gen. Eng.
0 BENZO(A)PYRENE	LT	10 ug/L	Gen. Eng.
0 BENZO(B)FLUORANTHENE	LT	10 ug/L	Gen. Eng.
0 BETA-BENZENEHEXACHLORIDE	LT	0.50 ug/L	Gen. Eng.
0 BUTYL BENZYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0 BIS(CHLOROMETHYL-ETHYL)ETHER	LT	10 ug/L	Gen. Eng.
0 BERYLLIUM	LT	5 ug/L	Gen. Eng.
0 BENZO(G,H,I)PERYLENE	LT	10 ug/L	Gen. Eng.
0 BENZO(K)FLUORANTHENE	LT	10 ug/L	Gen. Eng.
0 BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 BENZYL ALCOHOL	LT	20 ug/L	Gen. Eng.
0 BIS(2-CHLOROETHOXY) METHANE	LT	10 ug/L	Gen. Eng.
0 BIS(2-CHLOROETHYL) ETHER	LT	10 ug/L	Gen. Eng.
0 BIS(2-ETHYLHEXYL) PHTHALATE	LT	10 ug/L	Gen. Eng.
0 DICHLORODIFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0 TRICHLOROFUOROMETHANE	LT	1 ug/L	Gen. Eng.

CONTINUED

WELL ASB 6A COLLECTED ON 09/10/89 LABORATORY ANALYSES CONTINUED

0 CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0 CADMIUM	LT	2 ug/L	Gen. Eng.
0 BROMOFORM	LT	1 ug/L	Gen. Eng.
0 CHLOROFORM	LT	1 ug/L	Gen. Eng.
0 CHRYSENE	LT	10 ug/L	Gen. Eng.
0 METHYLENE BROMIDE	LT	1 ug/L	Gen. Eng.
0 METHYLENE BROMIDE	LT	1 ug/L	Gen. Eng.
0 METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0 BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0 CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 ACETONITRILE (METHYL CYANIDE)	LT	1 ug/L	Gen. Eng.
0 CHLOROBENZILATE	LT	10 ug/L	Gen. Eng.
0 CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0 CHLORDANE	LT	0.50 ug/L	Gen. Eng.
0 CHLOROPRENE	LT	1 ug/L	Gen. Eng.
0 PENTACHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0 PENTACHLOROETHANE	LT	10 ug/L	Gen. Eng.
0 PENTACHLORONITROBENZENE	LT	10 ug/L	Gen. Eng.
0 HEXACHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0 HEXACHLOROCCYCLOPENTADIENE	LT	10 ug/L	Gen. Eng.
0 HEXACHLOROETHANE	LT	10 ug/L	Gen. Eng.
0 COBALT	LT	4 ug/L	Gen. Eng.
0 CHROMIUM	LT	4 ug/L	Gen. Eng.
0 CARBON DISULFIDE	LT	1 ug/L	Gen. Eng.
0 COPPER	LT	4 ug/L	Gen. Eng.
0 CYANIDE	LT	5 ug/L	Gen. Eng.
0 CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0 CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 BENZENE	LT	1 ug/L	Gen. Eng.
0 DIBENZ(A,H)ANTHRACENE	LT	10 ug/L	Gen. Eng.
0 DIBROMOCHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0 DELTA-BENZENEHEXACHLORIDE	LT	0.50 ug/L	Gen. Eng.
0 DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 DIETHYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0 DIALATE	LT	10 ug/L	Gen. Eng.
0 DIBENZOFURAN	LT	10 ug/L	Gen. Eng.
0 DIMETHOATE	LT	10 ug/L	Gen. Eng.
0 DISULFOTON	LT	10 ug/L	Gen. Eng.
0 DIFLORIN	LT	0.50 ug/L	Gen. Eng.
0 DIMETHYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0 DI-N-BUTYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0 DI-N-OCTYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0 DIPHENYLAMINE	LT	10 ug/L	Gen. Eng.
0 ETHYL METHANESULFONATE	LT	10 ug/L	Gen. Eng.
0 ENDRIIN ALDEHYDE	LT	0.50 ug/L	Gen. Eng.
0 ENDRIIN	LT	0.50 ug/L	Gen. Eng.
0 ENDOSULFAN I	LT	0.50 ug/L	Gen. Eng.
0 ENDOSULFAN II	LT	0.50 ug/L	Gen. Eng.
0 ENDOSULFAN SULFATE	LT	0.50 ug/L	Gen. Eng.
0 ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0 ETHYL METHACRYLATE	LT	10 ug/L	Gen. Eng.
0 FAMPUR	LT	10 ug/L	Gen. Eng.
0 FLUORANTHENE	LT	10 ug/L	Gen. Eng.
0 FLUORENE	LT	10 ug/L	Gen. Eng.
0 HEXACHLOROBUTADIENE	LT	10 ug/L	Gen. Eng.
0 HEXACHLOROPHENE	LT	10 ug/L	Gen. Eng.
0 HEXACHLOROPROPENE	LT	10 ug/L	Gen. Eng.
0 MERCURY	LT	0.20 ug/L	Gen. Eng.
0 HEPTACHLOR	LT	0.50 ug/L	Gen. Eng.
0 HEPTACHLOR EPOXIDE	LT	0.50 ug/L	Gen. Eng.
0 INDENO(1,2,3-C,D)PYRENE	LT	10 ug/L	Gen. Eng.
0 IODOMETHANE	LT	1 ug/L	Gen. Eng.
0 ISOSAFROLE	LT	10 ug/L	Gen. Eng.
0 ISOBUTYL ALCOHOL	LT	1 ug/L	Gen. Eng.
0 ISODRIN	LT	10 ug/L	Gen. Eng.
0 ISOPHROME	LT	10 ug/L	Gen. Eng.
0 KEPONE	LT	10 ug/L	Gen. Eng.
0 LINDANE	LT	0.50 ug/L	Gen. Eng.
0 METHACRYLONITRILE	LT	1 ug/L	Gen. Eng.
0 TOLUENE	LT	1 ug/L	Gen. Eng.
0 METHYLETHYL KETONE	LT	1 ug/L	Gen. Eng.
0 METHYL METHACRYLATE	LT	10 ug/L	Gen. Eng.
0 METHYL METHANE SULFONATE	LT	10 ug/L	Gen. Eng.
0 METHOXYCHLOR	LT	4 ug/L	Gen. Eng.
0 METHYLISOBUTYL KETONE	LT	1 ug/L	Gen. Eng.
0 METHAPRYLENE	LT	10 ug/L	Gen. Eng.
0 NAPHTHALENE	LT	10 ug/L	Gen. Eng.
0 NITROBENZENE	LT	10 ug/L	Gen. Eng.
0 N-NITROSODIMETHYLAMINE	LT	10 ug/L	Gen. Eng.
0 N-NITROSODI-N-BUTYLAMINE	LT	10 ug/L	Gen. Eng.
0 N-NITROSODI-PROPYLAMINE	LT	10 ug/L	Gen. Eng.
0 N-NITROSODIETHYLAMINE	LT	10 ug/L	Gen. Eng.
0 N-NITROSODIETHYL METHYLAMINE	LT	10 ug/L	Gen. Eng.
0 NICKEL	LT	6 ug/L	Gen. Eng.
0 N-NITROSOMORPHOLINE	LT	10 ug/L	Gen. Eng.
0 N-NITROSODIPHENYLAMINE	LT	10 ug/L	Gen. Eng.
0 N-NITROSOPYRIDINE	LT	10 ug/L	Gen. Eng.
0 N-NITROSOPYRROLIDINE	LT	10 ug/L	Gen. Eng.
0 4-NITROQUINOLINE-1-OXIDE	LT	10 ug/L	Gen. Eng.
0 5-NITRO-O-TOLUIDINE	LT	10 ug/L	Gen. Eng.
0 O-TOLUIDINE	LT	10 ug/L	Gen. Eng.
0 LEAD	LT	2 ug/L	Gen. Eng.
0 PCB 1016	LT	0.50 ug/L	Gen. Eng.
0 PCB 1221	LT	0.50 ug/L	Gen. Eng.
0 PCB 1232	LT	0.50 ug/L	Gen. Eng.
0 PCB 1242	LT	0.50 ug/L	Gen. Eng.
0 PCB 1248	LT	0.50 ug/L	Gen. Eng.
0 PCB 1254	LT	0.50 ug/L	Gen. Eng.
0 PCB 1260	LT	0.50 ug/L	Gen. Eng.
0 PCB 1262	LT	0.50 ug/L	Gen. Eng.
0 PENTACHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0 P-PHENYLENEDIAMINE	LT	10 ug/L	Gen. Eng.
0 P-DIMETHYLAMINOAZOBENZENE	LT	10 ug/L	Gen. Eng.
0 PHENACETIN	LT	10 ug/L	Gen. Eng.
0 PHENANTHRENE	LT	10 ug/L	Gen. Eng.
0 PHENOLS	LT	10 ug/L	Gen. Eng.
0 PHORATE	LT	0.50 ug/L	Gen. Eng.
0 2,2-BIS(4-CHLOROPHENYL)-1,1-DCE	LT	0.50 ug/L	Gen. Eng.
0 2,2-BIS(4-CHLOROPHENYL)-1,1-DCE	LT	0.50 ug/L	Gen. Eng.

CONTINUED

WELL ASB 6A COLLECTED ON 09/10/89 LABORATORY ANALYSES CONTINUED

0	2,3-BIS(4-CHLOROPHENYL)-1,1,1-TCE	LT	0.50 ug/L	Gen. Eng.
0	PHOSPHAMIDE	LT	10 ug/L	Gen. Eng.
0	PROPIONITRILE	LT	1 ug/L	Gen. Eng.
0	PARATHION	LT	0.50 ug/L	Gen. Eng.
0	PARATHION METHYL	LT	0.50 ug/L	Gen. Eng.
0	PYRENE	LT	10 ug/L	Gen. Eng.
0	PYRIDINE	LT	10 ug/L	Gen. Eng.
0	SARFOL	LT	10 ug/L	Gen. Eng.
0	ANTIMONY	LT	3 ug/L	Gen. Eng.
0	2-SEC-BUTYL-4,6-DINITROPHENOL	LT	10 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	Gen. Eng.
0	SILYCEX	LT	0.50 ug/L	Gen. Eng.
0	TIM	LT	2 ug/L	Gen. Eng.
0	STYRENE	LT	1 ug/L	Gen. Eng.
0	SULFIDE	LT	1000 ug/L	Gen. Eng.
0	1,2,4,5-TETRACHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
1	TETRACHLOROETHYLENE	LT	3.00 ug/L	Gen. Eng.
0	0,0,0-TRIETHYL PHOSPHOROTHIOATE	LT	10 ug/L	Gen. Eng.
0	THALLIUM	LT	2 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TOXAPHENE	LT	5 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,4-DICHLORO-2-BUTENE	LT	1 ug/L	Gen. Eng.
0	VANADIUM	LT	20 ug/L	Gen. Eng.
0	VINYL ACETATE	LT	1 ug/L	Gen. Eng.
0	XYLENES	LT	2 ug/L	Gen. Eng.
0	1-NAPHTHYLAMINE	LT	10 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	10 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	1,2,3-TRICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	1,2,4-TRICHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	1,3-DICHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	1,3-DINITROBENZENE	LT	10 ug/L	Gen. Eng.
0	1,3,5-TRINITROBENZENE	LT	10 ug/L	Gen. Eng.
0	1,4-DICHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	1,4-DIOXANE	LT	10 ug/L	Gen. Eng.
0	1,4-NAPHTHOQUINONE	LT	10 ug/L	Gen. Eng.
0	2-ACETYLAMINOFLOURENE	LT	10 ug/L	Gen. Eng.
0	2-CHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2-CHLORONAPHTHALENE	LT	10 ug/L	Gen. Eng.
0	2-HEXANONE	LT	1 ug/L	Gen. Eng.
0	2-METHYLNAPHTHALENE	LT	10 ug/L	Gen. Eng.
0	2-METHYL PHENOL	LT	10 ug/L	Gen. Eng.
0	2-NITROANILINE	LT	10 ug/L	Gen. Eng.
0	2-NAPHTHYLAMINE	LT	10 ug/L	Gen. Eng.
0	2-NITROPHENOL	LT	10 ug/L	Gen. Eng.
0	2-PICOLINE	LT	10 ug/L	Gen. Eng.
0	2,3,4,6-TETRACHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,4-DICHLOROPHENOXYACETIC ACID	LT	0.50 ug/L	Gen. Eng.
0	2,4-DICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,4-DIMETHYL PHENOL	LT	10 ug/L	Gen. Eng.
0	2,4-DINITROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,4-DINITROTOLUENE	LT	10 ug/L	Gen. Eng.
0	2,4,5-TRICHLOROPHENOXYACETIC ACID	LT	0.50 ug/L	Gen. Eng.
0	2,4,5-TRICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,4,6-TRICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,6-DICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,6-DINITROTOLUENE	LT	10 ug/L	Gen. Eng.
0	3-METHYLCOLANTHRENE	LT	10 ug/L	Gen. Eng.
0	3-METHYL PHENOL	LT	10 ug/L	Gen. Eng.
0	3-NITROANILINE	LT	10 ug/L	Gen. Eng.
0	3,3-DICHLOROBENZIDENE	LT	20 ug/L	Gen. Eng.
0	3,3-DIMETHYLBENZIDINE	LT	10 ug/L	Gen. Eng.
0	4-AMINOBIOPHENYL	LT	10 ug/L	Gen. Eng.
0	4-BROMOPHENYLPHENYL ETHER	LT	10 ug/L	Gen. Eng.
0	4-CHLOROANILINE	LT	10 ug/L	Gen. Eng.
0	4-CHLOROPHENYLPHENYL ETHER	LT	10 ug/L	Gen. Eng.
0	PARA-CHLORO-META-CRESOL	LT	10 ug/L	Gen. Eng.
0	4-METHYL PHENOL	LT	10 ug/L	Gen. Eng.
0	4-NITROANILINE	LT	10 ug/L	Gen. Eng.
0	4-NITROPHENOL	LT	10 ug/L	Gen. Eng.
0	2-METHYL-4,6-DINITROPHENOL	LT	10 ug/L	Gen. Eng.
0	7,12-DIMETHYLBENZ(A)ANTHRACENE	LT	10 ug/L	Gen. Eng.
0	ZINC	LT	6 ug/L	Gen. Eng.

WELL ASB 6AA

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/08/89 Time 1420
 Depth to water = 138.34 ft (42.17 m) below the TOC
 Water elevation = 215.86 ft (65.79 m) msl
 pH = 10.6 Alkalinity = 76 mg/L
 Specific conductance = 221 umhos/cm
 Water temperature = 19.9 degrees Celsius
 Water evacuated from the well prior to sampling = 454 gal

LABORATORY ANALYSES

0	CHLOROFORM	LT	25 ug/L	M-Area, SRS
0	CHLOROFORM	LT	25 ug/L	M-Area, SRS
0	TETRACHLOROETHYLENE	LT	25.0 ug/L	M-Area, SRS
0	TETRACHLOROETHYLENE	LT	25.0 ug/L	M-Area, SRS
2	TRICHLOROETHYLENE	LT	3760 ug/L	M-Area, SRS
2	TRICHLOROETHYLENE	LT	3760 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	25 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	25 ug/L	M-Area, SRS

CONTINUED

WELL ASB 6AA COLLECTED ON 08/08/89 LABORATORY ANALYSES CONTINUED

0	1,1-DICHLOROETHYLENE	LT	25 ug/L	M-Area, SRS
0	1,1-DICHLOROETHYLENE	LT	25 ug/L	M-Area, SRS
0	1,1,1-TRICHLOROETHANE	LT	25 ug/L	M-Area, SRS
0	1,1,1-TRICHLOROETHANE	LT	25 ug/L	M-Area, SRS

WELL ASB 7

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/08/89 Time 1315
 Depth to water = 119.49 ft (36.42 m) below the TOC
 Water elevation = 233.91 ft (71.30 m) msl
 pH = 4.8 Alkalinity = 0 mg/L
 Specific conductance = 68 umhos/cm
 Water temperature = 20.2 degrees Celsius
 Water evacuated from the well prior to sampling = 59 gal

LABORATORY ANALYSES

0	SILVER	LT	2 ug/L	Gen. Eng.
0	ARSENIC	LT	2 ug/L	Gen. Eng.
0	BARILUM	LT	6 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	CADMIUM	LT	2 ug/L	Gen. Eng.
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	M-Area, SRS
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHROMIUM	LT	4 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	FLUORIDE	LT	100 ug/L	Gen. Eng.
0	IRON	LT	27 ug/L	Gen. Eng.
1	MERCURY	LT	0.40 ug/L	Gen. Eng.
0	TOLUENE	LT	1 ug/L	Gen. Eng.
1	MANGANESE	LT	32 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN	LT	980 ug/L	Gen. Eng.
0	LEAD	LT	9 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
1	TETRACHLOROETHYLENE	LT	3.00 ug/L	Gen. Eng.
1	TETRACHLOROETHYLENE	LT	2.81 ug/L	M-Area, SRS
1	TOTAL ORGANIC HALOGENS	LT	12 ug/L	Gen. Eng.
1	TRICHLOROETHYLENE	LT	2.00 ug/L	Gen. Eng.
1	TRICHLOROETHYLENE	LT	1.96 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	M-Area, SRS
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area, SRS
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area, SRS
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0	GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
1	AMERICIUM-241	LT	0.12+-0.08 pCi/L	Teledyne
0	AMERICIUM-243	LT	0.40 pCi/L	Teledyne
0	BARILUM-140	LT	20 pCi/L	Teledyne
0	NONVOLATILE BETA	LT	2.00+-2.20 pCi/L	Gen. Eng.
0	BERYLLIUM-7	LT	50 pCi/L	Teledyne
0	CERIUM-141	LT	10 pCi/L	Teledyne
0	CERIUM-144	LT	40 pCi/L	Teledyne
0	CURIUM-242	LT	0.09 pCi/L	Teledyne
1	CURIUM-246	LT	0.32+-0.13 pCi/L	Teledyne
0	CURIUM-243/244	LT	0.10 pCi/L	Teledyne
0	COBALT-58	LT	5 pCi/L	Teledyne
0	COBALT-60	LT	5 pCi/L	Teledyne
0	CESIUM-134	LT	5 pCi/L	Teledyne
0	CESIUM-137	LT	5 pCi/L	Teledyne
0	IRON-59	LT	10 pCi/L	Teledyne
0	IODINE-131	LT	40 pCi/L	Teledyne
0	POTASSIUM-40	LT	100 pCi/L	Teledyne
0	MANGANESE-54	LT	4 pCi/L	Teledyne
0	PLUTONIUM-238	LT	0.20 pCi/L	Teledyne
0	PLUTONIUM-242	LT	0.07 pCi/L	Teledyne
0	PLUTONIUM-239/240	LT	0.10 pCi/L	Teledyne
0	RADIUM-226	LT	100 pCi/L	Teledyne
1	RADIUM-226	LT	1.50+-0.50 pCi/L	Teledyne
1	RADIUM-228	LT	2.80+-0.70 pCi/L	Teledyne
0	RUTHENIUM-103	LT	6 pCi/L	Teledyne
0	RUTHENIUM-106	LT	40 pCi/L	Teledyne
0	STRONTIUM-89	LT	3 pCi/L	Teledyne
0	STRONTIUM-90	LT	0.70 pCi/L	Teledyne
0	THORIUM-232	LT	8 pCi/L	Teledyne
0	TOTAL RADIUM	LT	2.20+-2.10 pCi/L	Gen. Eng.
0	TRITIUM	LT	4.91+-0.40 pCi/mL	Gen. Eng.
0	URANIUM-235	LT	0.20 pCi/L	Teledyne
0	URANIUM-238	LT	0.20 pCi/L	Teledyne
0	URANIUM-233/234	LT	0.20 pCi/L	Teledyne
0	ZINC-65	LT	9 pCi/L	Teledyne
0	ZIRCONIUM-95	LT	5 pCi/L	Teledyne

WELL ASB B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/08/89 Time 945
 Depth to water = 118.26 ft (35.44 m) below the TOC
 Water elevation = 232.74 ft (70.94 m) msl
 pH = 4.5 Alkalinity = 0 mg/L
 Specific conductance = 29 umhos/cm
 Water temperature = 19.1 degrees Celsius
 Water evacuated from the well prior to sampling = 68 gal

LABORATORY ANALYSES

0 SILVER	LT	2 ug/L	Gen. Eng.
0 ARSENIC	LT	2 ug/L	Gen. Eng.
0 BARIUM	LT	4 ug/L	Gen. Eng.
0 BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0 CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0 CADMIUM	LT	2 ug/L	Gen. Eng.
0 BROMOFORM	LT	1 ug/L	Gen. Eng.
0 CHLOROFORM	LT	1 ug/L	Gen. Eng.
0 METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0 BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0 CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0 CHROMIUM	LT	4 ug/L	Gen. Eng.
0 CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0 CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 BENZENE	LT	1 ug/L	Gen. Eng.
0 DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0 FLUORIDE	LT	100 ug/L	Gen. Eng.
0 IRON	LT	100 ug/L	Gen. Eng.
0 MERCURY	LT	0.20 ug/L	Gen. Eng.
0 TOLUENE	LT	1 ug/L	Gen. Eng.
0 MANGANESE	LT	6 ug/L	Gen. Eng.
0 NITRATE AS NITROGEN	LT	880 ug/L	Gen. Eng.
0 LEAD	LT	11 ug/L	Gen. Eng.
0 SELENIUM	LT	2 ug/L	Gen. Eng.
0 1,1,2,2-TETRACHLOROETHANE	LT	2.00 ug/L	Gen. Eng.
1 TETRACHLOROETHYLENE	LT	256 ug/L	Gen. Eng.
2 TOTAL ORGANIC HALOGENS	LT	488 ug/L	Gen. Eng.
2 TRICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0 TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0 1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0 1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0 CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0 TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0 2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0 GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
0 AMERICIUM-241	LT	0.06 pCi/L	Teledyne
0 AMERICIUM-243	LT	0.20 pCi/L	Teledyne
0 BARIUM-140	LT	10 pCi/L	Teledyne
0 NONVOLATILE BETA	LT	3.77+-2.40 pCi/L	Gen. Eng.
0 BERYLLIUM-7	LT	30 pCi/L	Teledyne
0 CERIUM-141	LT	10 pCi/L	Teledyne
0 CERIUM-144	LT	30 pCi/L	Teledyne
0 CURIUM-242	LT	0.06 pCi/L	Teledyne
0 CURIUM-246	LT	0.30 pCi/L	Teledyne
0 CURIUM-243/244	LT	0.06 pCi/L	Teledyne
0 COBALT-58	LT	3 pCi/L	Teledyne
0 COBALT-60	LT	3 pCi/L	Teledyne
0 CESIUM-134	LT	3 pCi/L	Teledyne
0 CESIUM-137	LT	3 pCi/L	Teledyne
0 IRON-59	LT	7 pCi/L	Teledyne
0 IODINE-131	LT	30 pCi/L	Teledyne
0 POTASSIUM-40	LT	50 pCi/L	Teledyne
0 MANGANESE-54	LT	3 pCi/L	Teledyne
0 PLUTONIUM-238	LT	0.80 pCi/L	Teledyne
0 PLUTONIUM-242	LT	0.60 pCi/L	Teledyne
0 PLUTONIUM-239/240	LT	0.60 pCi/L	Teledyne
0 RADIUM-226	LT	70 pCi/L	Teledyne
0 RADIUM-228	LT	1 pCi/L	Teledyne
1 RADIUM-228	LT	1.70+-0.70 pCi/L	Teledyne
0 RUTHENIUM-103	LT	4 pCi/L	Teledyne
0 RUTHENIUM-106	LT	20 pCi/L	Teledyne
0 STRONTIUM-89	LT	3 pCi/L	Teledyne
0 STRONTIUM-90	LT	0.90 pCi/L	Teledyne
0 THORIUM-228	LT	6 pCi/L	Teledyne
0 TOTAL RADIUM	LT	1.50+-1.90 pCi/L	Gen. Eng.
0 TRITIUM	LT	2.14+-0.35 pCi/mL	Gen. Eng.
0 URANIUM-235	LT	0.20 pCi/L	Teledyne
0 URANIUM-238	LT	0.20 pCi/L	Teledyne
0 URANIUM-233/234	LT	0.20 pCi/L	Teledyne
0 ZINC-65	LT	6 pCi/L	Teledyne
0 ZIRCONIUM-95	LT	3 pCi/L	Teledyne

WELL ASB 8A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/08/89 Time 1020
 Depth to water = 131.24 ft (40.00 m) below the TOC
 Water elevation = 218.08 ft (66.47 m) msl
 pH = 5.1 Alkalinity = 1 mg/L
 Specific conductance = 21 umhos/cm
 Water temperature = 19.8 degrees Celsius
 Water evacuated from the well prior to sampling = 382 gal

LABORATORY ANALYSES

0 SILVER	LT	2 ug/L	Gen. Eng.
0 ARSENIC	LT	2 ug/L	Gen. Eng.
0 BARIUM	LT	5 ug/L	Gen. Eng.
0 BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0 CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0 CADMIUM	LT	2 ug/L	Gen. Eng.
0 BROMOFORM	LT	1 ug/L	Gen. Eng.
0 CHLOROFORM	LT	1 ug/L	Gen. Eng.
0 CHLOROFORM	LT	1 ug/L	M-Area, SRS
0 METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0 BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0 CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0 CHROMIUM	LT	4 ug/L	Gen. Eng.
0 CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0 CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 BENZENE	LT	1 ug/L	Gen. Eng.
0 DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0 FLUORIDE	LT	100 ug/L	Gen. Eng.
0 IRON	LT	12 ug/L	Gen. Eng.
0 MERCURY	LT	0.20 ug/L	Gen. Eng.
0 TOLUENE	LT	1 ug/L	Gen. Eng.
0 MANGANESE	LT	7 ug/L	Gen. Eng.
0 NITRATE AS NITROGEN	LT	880 ug/L	Gen. Eng.
0 LEAD	LT	6 ug/L	Gen. Eng.
0 SELENIUM	LT	2 ug/L	Gen. Eng.
0 1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0 TETRACHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0 TOTAL ORGANIC HALOGENS	LT	5 ug/L	Gen. Eng.
0 TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0 TRICHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0 TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0 TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	M-Area, SRS
0 1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0 1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area, SRS
0 1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area, SRS
0 1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0 CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0 TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0 2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0 GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
0 AMERICIUM-241	LT	0.10 pCi/L	Teledyne
0 AMERICIUM-243	LT	0.40 pCi/L	Teledyne
0 BARIUM-140	LT	10 pCi/L	Teledyne
0 NONVOLATILE BETA	LT	2 pCi/L	Gen. Eng.
0 BERYLLIUM-7	LT	40 pCi/L	Teledyne
0 CERIUM-141	LT	10 pCi/L	Teledyne
0 CERIUM-144	LT	30 pCi/L	Teledyne
0 CURIUM-242	LT	0.30 pCi/L	Teledyne
0 CURIUM-246	LT	0.45+-0.14 pCi/L	Teledyne
0 CURIUM-243/244	LT	0.60 pCi/L	Teledyne
0 COBALT-58	LT	5 pCi/L	Teledyne
0 COBALT-60	LT	4 pCi/L	Teledyne
0 CESIUM-134	LT	4 pCi/L	Teledyne
0 CESIUM-137	LT	4 pCi/L	Teledyne
0 IRON-59	LT	10 pCi/L	Teledyne
0 IODINE-131	LT	30 pCi/L	Teledyne
0 POTASSIUM-40	LT	100 pCi/L	Teledyne
0 MANGANESE-54	LT	4 pCi/L	Teledyne
0 PLUTONIUM-238	LT	0.30 pCi/L	Teledyne
0 PLUTONIUM-242	LT	0.10 pCi/L	Teledyne
0 PLUTONIUM-239/240	LT	0.09 pCi/L	Teledyne
0 RADIUM-226	LT	70 pCi/L	Teledyne
0 RADIUM-228	LT	1 pCi/L	Teledyne
0 RADIUM-228	LT	0.80 pCi/L	Teledyne
0 RUTHENIUM-103	LT	8 pCi/L	Teledyne
0 RUTHENIUM-106	LT	40 pCi/L	Teledyne
0 STRONTIUM-89	LT	4 pCi/L	Teledyne
0 STRONTIUM-90	LT	1 pCi/L	Teledyne
0 THORIUM-228	LT	6 pCi/L	Teledyne
0 TOTAL RADIUM	LT	1 pCi/L	Gen. Eng.
0 TRITIUM	LT	0.70 pCi/mL	Gen. Eng.
0 URANIUM-235	LT	0.20 pCi/L	Teledyne
0 URANIUM-238	LT	0.20 pCi/L	Teledyne
0 URANIUM-233/234	LT	0.20 pCi/L	Teledyne
0 ZINC-65	LT	9 pCi/L	Teledyne
0 ZIRCONIUM-95	LT	5 pCi/L	Teledyne

WELL ASB 88

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/08/89 Time 850
 Depth to water = 130.15 ft (39.67 m) below the TOC
 Water elevation = 219.85 ft (66.95 m) msl
 pH = 5.2 Alkalinity = 1 mg/L
 Specific conductance = 29 umhos/cm
 Water temperature = 19.1 degrees Celsius
 Water evacuated from the well prior to sampling = 273 gal

LABORATORY ANALYSES

0 SILVER	LT	2 ug/L	Gen. Eng.
0 SILVER	LT	2 ug/L	metaTRACE
0 ARSENIC	LT	2 ug/L	Gen. Eng.
0 ARSENIC	LT	3 ug/L	metaTRACE
0 BARIUM	LT	5 ug/L	Gen. Eng.
0 BARIUM	LT	5 ug/L	metaTRACE
0 BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
0 TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0 TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE
0 CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0 CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0 CADMIUM	LT	2 ug/L	Gen. Eng.
0 CADMIUM	LT	4 ug/L	metaTRACE
0 BROMOFORM	LT	5 ug/L	Gen. Eng.
0 BROMOFORM	LT	5 ug/L	metaTRACE
1 CHLOROFORM	LT	1 ug/L	Gen. Eng.
0 CHLOROFORM	LT	5 ug/L	metaTRACE
0 CHLOROFORM	LT	20 ug/L	W-Area, SRS
0 METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0 METHYLENE CHLORIDE	LT	5 ug/L	metaTRACE
0 BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0 BROMOMETHANE	LT	10 ug/L	metaTRACE
0 CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 CHLOROMETHANE	LT	10 ug/L	metaTRACE
0 CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0 CHLOROBENZENE	LT	5 ug/L	metaTRACE
0 CHROMIUM	LT	4 ug/L	Gen. Eng.
0 CHROMIUM	LT	5 ug/L	metaTRACE
0 CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0 CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0 CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 CHLOROETHANE	LT	10 ug/L	metaTRACE
0 BENZENE	LT	1 ug/L	Gen. Eng.
0 BENZENE	LT	5 ug/L	metaTRACE
0 DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0 ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0 ETHYLBENZENE	LT	5 ug/L	metaTRACE
0 FLUORIDE	LT	100 ug/L	Gen. Eng.
0 FLUORIDE	LT	250 ug/L	metaTRACE
0 IRON	LT	15 ug/L	Gen. Eng.
0 IRON	LT	7 ug/L	metaTRACE
0 MERCURY	LT	0.20 ug/L	Gen. Eng.
0 MERCURY	LT	0.20 ug/L	metaTRACE
0 TOLUENE	LT	1 ug/L	Gen. Eng.
0 TOLUENE	LT	5 ug/L	metaTRACE
0 MANGANESE	LT	5 ug/L	Gen. Eng.
0 MANGANESE	LT	5 ug/L	metaTRACE
0 NITRATE AS NITROGEN	LT	1600 ug/L	Gen. Eng.
0 NITRATE AS NITROGEN	LT	1800 ug/L	metaTRACE
0 LEAD	LT	6 ug/L	Gen. Eng.
0 LEAD	LT	6 ug/L	metaTRACE
0 SELENIUM	LT	2 ug/L	Gen. Eng.
0 SELENIUM	LT	2 ug/L	metaTRACE
0 1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
1 TETRACHLOROETHYLENE	LT	4.00 ug/L	Gen. Eng.
2 TETRACHLOROETHYLENE	LT	9.00 ug/L	metaTRACE
0 TETRACHLOROETHYLENE	LT	20.0 ug/L	W-Area, SRS
2 TOTAL ORGANIC HALOGENS	LT	942 ug/L	Gen. Eng.
2 TOTAL ORGANIC HALOGENS	LT	933 ug/L	metaTRACE
2 TRICHLOROETHYLENE	LT	905 ug/L	Gen. Eng.
2 TRICHLOROETHYLENE	LT	1500 ug/L	metaTRACE
2 TRICHLOROETHYLENE	LT	1760 ug/L	W-Area, SRS
0 TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0 TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0 TRANS-1,2-DICHLOROETHENE	LT	20 ug/L	W-Area, SRS
0 TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0 1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0 1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0 1,1-DICHLOROETHYLENE	LT	20 ug/L	W-Area, SRS
0 1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,1,1-TRICHLOROETHANE	LT	20 ug/L	W-Area, SRS
0 1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0 1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0 CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0 CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0 TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0 2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0 2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0 GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
0 GROSS ALPHA	LT	1.70-1.40 pCi/L	metaTRACE
0 AMERICIUM-241	LT	0.02 pCi/L	Teledyne
1 AMERICIUM-241	LT	0.30-0.03 pCi/L	Teledyne
0 BARIUM-140	LT	10 pCi/L	Teledyne
0 NONVOLATILE BETA	LT	2.50-2.20 pCi/L	Gen. Eng.
0 NONVOLATILE BETA	LT	4 pCi/L	metaTRACE
0 BERYLLIUM-7	LT	30 pCi/L	Teledyne

CONTINUED

WELL ASB 88 COLLECTED ON 08/08/89 LABORATORY ANALYSES CONTINUED

0 CERIUM-141	LT	10 pCi/L	Teledyne
0 CERIUM-144	LT	30 pCi/L	Teledyne
0 CURIUM-242	LT	0.02 pCi/L	Teledyne
0 CURIUM-246	LT	0.30 pCi/L	Teledyne
0 CURIUM-243/244	LT	0.02 pCi/L	Teledyne
0 COBALT-58	LT	3 pCi/L	Teledyne
0 COBALT-60	LT	3 pCi/L	Teledyne
0 CESIUM-134	LT	3 pCi/L	Teledyne
0 CESIUM-137	LT	3 pCi/L	Teledyne
0 IRON-59	LT	7 pCi/L	Teledyne
0 IODINE-131	LT	20 pCi/L	Teledyne
0 POTASSIUM-40	LT	60 pCi/L	Teledyne
0 MANGANESE-54	LT	3 pCi/L	Teledyne
0 PLUTONIUM-238	LT	0.20 pCi/L	Teledyne
0 PLUTONIUM-242	LT	0.20 pCi/L	Teledyne
0 PLUTONIUM-239/240	LT	0.10 pCi/L	Teledyne
0 RADIUM-226	LT	90 pCi/L	Teledyne
0 RADIUM-228	LT	1 pCi/L	Teledyne
0 RADIUM-228	LT	1 pCi/L	Teledyne
0 RUTHENIUM-103	LT	4 pCi/L	Teledyne
0 RUTHENIUM-106	LT	20 pCi/L	Teledyne
0 STRONTIUM-89	LT	3 pCi/L	Teledyne
0 STRONTIUM-90	LT	0.80 pCi/L	Teledyne
0 THORIUM-232	LT	8 pCi/L	Teledyne
0 TOTAL RADIUM	LT	1.20-0.30 pCi/L	Gen. Eng.
0 TOTAL RADIUM	LT	0.95-0.34 pCi/L	metaTRACE
0 TRITIUM	LT	1.10-0.20 pCi/L	Gen. Eng.
0 TRITIUM	LT	0.10 pCi/L	metaTRACE
0 URANIUM-235	LT	0.10 pCi/L	Teledyne
0 URANIUM-238	LT	0.10 pCi/L	Teledyne
0 URANIUM-233/234	LT	0.10 pCi/L	Teledyne
0 ZINC-65	LT	6 pCi/L	Teledyne
0 ZIRCONIUM-95	LT	4 pCi/L	Teledyne

WELL ASB 88

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/08/89 Time 850
 Depth to water = 130.15 ft (39.67 m) below the TOC
 Water elevation = 219.85 ft (66.95 m) msl
 pH = 5.2 Alkalinity = 1 mg/L
 Specific conductance = 29 umhos/cm
 Water temperature = 19.1 degrees Celsius
 Water evacuated from the well prior to sampling = 273 gal

LABORATORY ANALYSES

0 SILVER	LT	2 ug/L	Gen. Eng.
0 SILVER	LT	2 ug/L	metaTRACE
0 ARSENIC	LT	2 ug/L	Gen. Eng.
0 ARSENIC	LT	3 ug/L	metaTRACE
0 BARIUM	LT	5 ug/L	Gen. Eng.
1 BARIUM	LT	78 ug/L	metaTRACE
0 BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
0 TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0 TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE
0 CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0 CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0 CADMIUM	LT	2 ug/L	Gen. Eng.
0 CADMIUM	LT	4 ug/L	metaTRACE
0 BROMOFORM	LT	1 ug/L	Gen. Eng.
0 BROMOFORM	LT	5 ug/L	metaTRACE
1 CHLOROFORM	LT	1 ug/L	Gen. Eng.
0 CHLOROFORM	LT	5 ug/L	metaTRACE
0 CHLOROFORM	LT	1 ug/L	W-Area, SRS
0 METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0 METHYLENE CHLORIDE	LT	5 ug/L	metaTRACE
0 BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0 BROMOMETHANE	LT	10 ug/L	metaTRACE
0 CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 CHLOROMETHANE	LT	10 ug/L	metaTRACE
0 CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0 CHLOROBENZENE	LT	5 ug/L	metaTRACE
0 CHROMIUM	LT	4 ug/L	Gen. Eng.
0 CHROMIUM	LT	5 ug/L	metaTRACE
0 CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0 CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0 CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 CHLOROETHANE	LT	10 ug/L	metaTRACE
0 BENZENE	LT	1 ug/L	Gen. Eng.
0 BENZENE	LT	5 ug/L	metaTRACE
0 DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0 ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0 ETHYLBENZENE	LT	5 ug/L	metaTRACE
0 FLUORIDE	LT	100 ug/L	Gen. Eng.
0 FLUORIDE	LT	250 ug/L	metaTRACE
0 IRON	LT	8 ug/L	Gen. Eng.
2 IRON	LT	313 ug/L	metaTRACE
0 MERCURY	LT	0.20 ug/L	Gen. Eng.
0 MERCURY	LT	0.20 ug/L	metaTRACE
0 TOLUENE	LT	1 ug/L	Gen. Eng.
0 TOLUENE	LT	5 ug/L	metaTRACE
0 MANGANESE	LT	5 ug/L	Gen. Eng.
1 MANGANESE	LT	35 ug/L	metaTRACE
0 NITRATE AS NITROGEN	LT	1800 ug/L	Gen. Eng.
0 NITRATE AS NITROGEN	LT	1900 ug/L	metaTRACE
0 LEAD	LT	6 ug/L	Gen. Eng.
0 LEAD	LT	4 ug/L	metaTRACE
0 SELENIUM	LT	2 ug/L	Gen. Eng.
0 SELENIUM	LT	2 ug/L	metaTRACE
0 1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
2 TETRACHLOROETHYLENE	LT	11.0 ug/L	Gen. Eng.

CONTINUED

WELL ASB 88 COLLECTED ON 08/08/89 LABORATORY ANALYSES CONTINUED

2	TETRACHLOROETHYLENE	10.0 ug/L	metaTRACE
2	TETRACHLOROETHYLENE	6.52 ug/L	M-Area, SRS
2	TOTAL ORGANIC HALOGENS	897 ug/L	Gen. Eng.
2	TOTAL ORGANIC HALOGENS	922 ug/L	metaTRACE
2	TRICHLOROETHYLENE	922 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE	1400 ug/L	metaTRACE
2	TRICHLOROETHYLENE	161 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	1 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	5 ug/L	metaTRACE
1	TRANS-1,2-DICHLOROETHENE	6 ug/L	M-Area, SRS
0	TRANS-1,3-DICHLOROPROPENE	5 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	5 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	1 ug/L	M-Area, SRS
0	1,1-DICHLOROETHANE	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	1 ug/L	M-Area, SRS
0	1,1,2-TRICHLOROETHANE	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	5 ug/L	metaTRACE
0	GROSS ALPHA	3 pCi/L	Gen. Eng.
0	GROSS ALPHA	4 pCi/L	metaTRACE
1	AMERICIUM-241	0.07 pCi/L	Teledyne
1	AMERICIUM-243	1.10+-0.50 pCi/L	Teledyne
0	BARIUM-140	10 pCi/L	Teledyne
0	NONVOLATILE BETA	2 pCi/L	Gen. Eng.
0	NONVOLATILE BETA	4 pCi/L	metaTRACE
0	BERYLLIUM-7	30 pCi/L	Teledyne
0	CERIUM-141	8 pCi/L	Teledyne
0	CERIUM-144	30 pCi/L	Teledyne
0	CURIUM-242	0.07 pCi/L	Teledyne
0	CURIUM-246	0.50 pCi/L	Teledyne
0	CURIUM-243/244	0.07 pCi/L	Teledyne
0	COBALT-58	3 pCi/L	Teledyne
0	COBALT-60	3 pCi/L	Teledyne
0	CESIUM-134	3 pCi/L	Teledyne
0	CESIUM-137	3 pCi/L	Teledyne
0	IRON-59	8 pCi/L	Teledyne
0	IODINE-131	10 pCi/L	Teledyne
0	POTASSIUM-40	50 pCi/L	Teledyne
0	MANGANESE-54	3 pCi/L	Teledyne
0	PLUTONIUM-238	0.30 pCi/L	Teledyne
0	PLUTONIUM-242	0.10 pCi/L	Teledyne
0	PLUTONIUM-239/240	0.20 pCi/L	Teledyne
0	RADIUM-226	70 pCi/L	Teledyne
0	RADIUM-226	1 pCi/L	Teledyne
0	RADIUM-228	0.90 pCi/L	Teledyne
0	RUTHENIUM-103	4 pCi/L	Teledyne
0	RUTHENIUM-106	30 pCi/L	Teledyne
0	STRONTIUM-89	4 pCi/L	Teledyne
0	STRONTIUM-90	1 pCi/L	Teledyne
0	THORIUM-228	6 pCi/L	Teledyne
0	TOTAL RADIUM	1.10+-1.80 pCi/L	Gen. Eng.
0	TOTAL RADIUM	1.40+-0.30 pCi/L	metaTRACE
0	TOTAL RADIUM	1.10+-0.30 pCi/L	metaTRACE
0	TRITIUM	0.91+-0.34 pCi/mL	Gen. Eng.
0	TRITIUM	1.00+-0.10 pCi/mL	metaTRACE
0	URANIUM-235	0.20 pCi/L	Teledyne
0	URANIUM-238	0.30 pCi/L	Teledyne
0	URANIUM-233/234	0.20 pCi/L	Teledyne
0	ZINC-65	7 pCi/L	Teledyne
0	ZIRCONIUM-95	3 pCi/L	Teledyne

WELL ASB 8C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/08/89 Time 800
Depth to water = 126.86 ft (38.67 m) below the TOC
Water elevation = 222.84 ft (67.92 m) msl
pH = 4.8 Alkalinity = 0 mg/L
Specific conductance = 59 umhos/cm
Water temperature = 19.3 degrees Celsius
Water evacuated from the well prior to sampling = 125 gal

LABORATORY ANALYSES

0	SILVER	1T	2 ug/L	Gen. Eng.
0	ARSENIC	1T	2 ug/L	Gen. Eng.
0	BARIUM		10 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	1T	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	1T	1 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	1T	1.00 ug/L	Gen. Eng.
0	CADMIUM	1T	2 ug/L	Gen. Eng.
0	BROMOFORM	1T	1 ug/L	Gen. Eng.
1	CHLOROFORM		2 ug/L	Gen. Eng.
0	METHYLENE CHLORIDE	1T	1 ug/L	Gen. Eng.
0	BROMOMETHANE	1T	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	1T	1 ug/L	Gen. Eng.
0	CHLOROBENZENE	1T	1 ug/L	Gen. Eng.
0	CHROMIUM	1T	4 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	1T	1 ug/L	Gen. Eng.
0	CHLOROETHANE	1T	1 ug/L	Gen. Eng.
0	BENZENE	1T	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	1T	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	1T	1 ug/L	Gen. Eng.

CONTINUED

WELL ASB 8C COLLECTED ON 08/08/89 LABORATORY ANALYSES CONTINUED

0	FLUORIDE	LT	100 ug/L	Gen. Eng.
0	IRON		12 ug/L	Gen. Eng.
2	MERCURY		1.30 ug/L	Gen. Eng.
0	TOLENE	LT	1 ug/L	Gen. Eng.
0	MANGANESE		5 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN		1800 ug/L	Gen. Eng.
0	LEAD	LT	6 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
2	TETRACHLOROETHYLENE		76.0 ug/L	Gen. Eng.
2	TOTAL ORGANIC HALOGENS		968 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE		937 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0	GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
1	AMERICIUM-241		0.17+-0.13 pCi/L	Teledyne
0	AMERICIUM-243	LT	0.10 pCi/L	Teledyne
0	BARIUM-140	LT	20 pCi/L	Teledyne
0	NONVOLATILE BETA	LT	3.10+-2.30 pCi/L	Gen. Eng.
0	BERYLLIUM-7	LT	40 pCi/L	Teledyne
0	CERIUM-141	LT	20 pCi/L	Teledyne
0	CERIUM-144	LT	30 pCi/L	Teledyne
0	CURIUM-242	LT	0.10 pCi/L	Teledyne
1	CURIUM-246		0.49+-0.32 pCi/L	Teledyne
0	CURIUM-243/244	LT	0.10 pCi/L	Teledyne
0	COBALT-58	LT	4 pCi/L	Teledyne
0	COBALT-60	LT	3 pCi/L	Teledyne
0	CESIUM-134	LT	4 pCi/L	Teledyne
0	CESIUM-137	LT	4 pCi/L	Teledyne
0	IRON-59	LT	10 pCi/L	Teledyne
0	IODINE-131	LT	70 pCi/L	Teledyne
0	POTASSIUM-40	LT	70 pCi/L	Teledyne
0	MANGANESE-54	LT	3 pCi/L	Teledyne
0	PLUTONIUM-238	LT	0.20 pCi/L	Teledyne
0	PLUTONIUM-242	LT	0.60 pCi/L	Teledyne
0	PLUTONIUM-239/240	LT	0.10 pCi/L	Teledyne
0	RADIUM-226	LT	100 pCi/L	Teledyne
0	RADIUM-226	LT	1 pCi/L	Teledyne
1	RADIUM-228		1.70+-0.70 pCi/L	Teledyne
0	RUTHENIUM-103	LT	6 pCi/L	Teledyne
0	RUTHENIUM-106	LT	30 pCi/L	Teledyne
0	STRONTIUM-89	LT	3 pCi/L	Teledyne
0	STRONTIUM-90	LT	0.80 pCi/L	Teledyne
0	THORIUM-228	LT	7 pCi/L	Teledyne
0	TOTAL RADIUM		1.20+-1.80 pCi/L	Gen. Eng.
2	TRITIUM		24.90+-0.61 pCi/mL	Gen. Eng.
0	URANIUM-235	LT	0.10 pCi/L	Teledyne
0	URANIUM-238	LT	0.10 pCi/L	Teledyne
0	URANIUM-233/234	LT	0.10 pCi/L	Teledyne
0	ZINC-65	LT	8 pCi/L	Teledyne
0	ZIRCONIUM-95	LT	5 pCi/L	Teledyne

WELL ASB 8TA

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/08/89 Time 905
Depth to water = 135.45 ft (41.29 m) below the TOC
Water elevation = 214.15 ft (65.27 m) msl
pH = 5.0 Alkalinity = 0 mg/L
Specific conductance = 21 umhos/cm
Water temperature = 19.2 degrees Celsius
Water evacuated from the well prior to sampling = 554 gal

LABORATORY ANALYSES

0	CHLOROFORM	LT	1 ug/L	M-Area, SRS
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0	TRICHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	M-Area, SRS
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area, SRS
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area, SRS

WELL ASB 9

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/09/89 Time 1105
Depth to water = 70.08 ft (21.36 m) below the TOC
Water elevation = 238.92 ft (72.82 m) msl
pH = 4.9 Alkalinity = 0 mg/L
Specific conductance = 38 umhos/cm
Water temperature = 18.9 degrees Celsius
Water evacuated from the well prior to sampling = 59 gal

LABORATORY ANALYSES

0	SILVER	LT	2 ug/L	Gen. Eng.
0	ARSENIC	LT	2 ug/L	Gen. Eng.
0	BARIUM		27 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	CADMIUM	LT	2 ug/L	Gen. Eng.
0	BROMOFORM	LT	1 ug/L	Gen. Eng.

CONTINUED

WELL ASB 9 COLLECTED ON 08/09/89 LABORATORY ANALYSES CONTINUED

0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHROMIUM	LT	4 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	FLUORIDE	LT	100 ug/L	Gen. Eng.
0	IRON		6 ug/L	Gen. Eng.
0	MERCURY	LT	0.20 ug/L	Gen. Eng.
0	TOLUENE	LT	1 ug/L	Gen. Eng.
0	MANGANESE		19 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN		210 ug/L	Gen. Eng.
0	LEAD		7 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
1	TOTAL ORGANIC HALOGENS		22 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
2	GROSS ALPHA		30.10+-4.60 pCi/L	Gen. Eng.
0	AMERICIUM-241	LT	0.20 pCi/L	Teledyne
0	AMERICIUM-243	LT	0.70 pCi/L	Teledyne
0	BARIUM-140	LT	20 pCi/L	Teledyne
0	NONVOLATILE BETA		6.00+-3.10 pCi/L	Gen. Eng.
0	BERYLLIUM-7	LT	40 pCi/L	Teledyne
0	CERIUM-141	LT	10 pCi/L	Teledyne
0	CERIUM-144	LT	30 pCi/L	Teledyne
1	CURIUM-242		0.97+-0.74 pCi/L	Teledyne
1	CURIUM-246		0.49+-0.20 pCi/L	Teledyne
0	CURIUM-243/244	LT	0.20 pCi/L	Teledyne
0	COBALT-58	LT	3 pCi/L	Teledyne
0	COBALT-60	LT	4 pCi/L	Teledyne
0	CESIUM-134	LT	3 pCi/L	Teledyne
0	CESIUM-137	LT	4 pCi/L	Teledyne
0	IRON-59	LT	9 pCi/L	Teledyne
0	IODINE-131	LT	30 pCi/L	Teledyne
0	POTASSIUM-40	LT	50 pCi/L	Teledyne
0	MANGANESE-54	LT	3 pCi/L	Teledyne
0	PLUTONIUM-238	LT	0.10 pCi/L	Teledyne
0	PLUTONIUM-242	LT	0.60 pCi/L	Teledyne
0	PLUTONIUM-239/240	LT	0.30 pCi/L	Teledyne
0	RADIUM-226	LT	80 pCi/L	Teledyne
1	RADIUM-226		1.70+-0.80 pCi/L	Teledyne
1	RADIUM-228		1.90+-0.70 pCi/L	Teledyne
0	RUTHENIUM-103	LT	5 pCi/L	Teledyne
0	RUTHENIUM-106	LT	30 pCi/L	Teledyne
0	STRONTIUM-89	LT	3 pCi/L	Teledyne
0	STRONTIUM-90	LT	0.90 pCi/L	Teledyne
0	THORIUM-232	LT	7 pCi/L	Teledyne
0	TOTAL RADIUM		2.00+-2.10 pCi/L	Gen. Eng.
0	TRITIUM		1.07+-0.34 pCi/mL	Gen. Eng.
0	URANIUM-235	LT	0.20 pCi/L	Teledyne
0	URANIUM-238	LT	0.20 pCi/L	Teledyne
0	URANIUM-233/234	LT	0.20 pCi/L	Teledyne
0	ZINC-65	LT	7 pCi/L	Teledyne
0	ZIRCONIUM-95	LT	4 pCi/L	Teledyne

WELL ASB 9B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/09/89 Time 1130
Depth to water = 90.36 ft (27.54 m) below the TOC
Water elevation = 218.64 ft (66.64 m) msl
pH = 8.9 Alkalinity = 43 mg/L
Specific conductance = 112 umhos/cm
Water temperature = 19.3 degrees Celsius
Water evacuated from the well prior to sampling = 276 gal

LABORATORY ANALYSES

0	CHLOROFORM	LT	1 ug/L	M-Area, SRS
2	TETRACHLOROETHYLENE		45.2 ug/L	M-Area, SRS
2	TRICHLOROETHYLENE		51.2 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	M-Area, SRS
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area, SRS
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area, SRS

WELL ASB 9C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/09/89 Time 1050
Depth to water = 91.17 ft (27.79 m) below the TOC
Water elevation = 218.73 ft (66.67 m) msl
pH = 5.6 Alkalinity = 10 mg/L
Specific conductance = 49 umhos/cm
Water temperature = 19.2 degrees Celsius
Water evacuated from the well prior to sampling = 107 gal

LABORATORY ANALYSES

0	CHLOROFORM	LT	10 ug/L	M-Area, SRS
2	TETRACHLOROETHYLENE		61.0 ug/L	M-Area, SRS
2	TRICHLOROETHYLENE		46.5 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	10 ug/L	M-Area, SRS
0	1,1-DICHLOROETHYLENE	LT	10 ug/L	M-Area, SRS
0	1,1,1-TRICHLOROETHANE	LT	10 ug/L	M-Area, SRS

WELL BG 52

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/18/89 Time 1050
Depth to water = 61.30 ft (18.68 m) below the TOC
Water elevation = 228.50 ft (69.65 m) msl
pH = 6.7
Specific conductance = 31 umhos/cm
Water temperature = 21.4 degrees Celsius
No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

0	GROSS ALPHA		1.99+-0.92 pCi/L	HP, 735A
0	NONVOLATILE BETA		1.33+-0.98 pCi/L	HP, 735A
2	TRITIUM		28.20+-1.33 pCi/mL	HP, 735A

WELL BG 53

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/27/89 Time 1100
Depth to water = 58.50 ft (17.83 m) below the TOC
Water elevation = 227.20 ft (69.25 m) msl
pH = 5.3
Specific conductance = 25 umhos/cm
Water temperature = 21.5 degrees Celsius
No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

0	GROSS ALPHA		0.57+-0.46 pCi/L	HP, 735A
0	NONVOLATILE BETA		0.56+-0.85 pCi/L	HP, 735A
1	TRITIUM		15.55+-1.10 pCi/mL	HP, 735A

WELL BG 54

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/27/89 Time 1115
Depth to water = 48.40 ft (14.75 m) below the TOC
Water elevation = 228.80 ft (69.74 m) msl
pH = 5.7
Specific conductance = 49 umhos/cm
Water temperature = 21.1 degrees Celsius
No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

0	GROSS ALPHA		0.68+-0.53 pCi/L	HP, 735A
0	NONVOLATILE BETA		4.34+-1.39 pCi/L	HP, 735A
1	TRITIUM		13.69+-1.05 pCi/mL	HP, 735A

WELL BG 55

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/27/89 Time 1130
Depth to water = 49.60 ft (15.12 m) below the TOC
Water elevation = 227.30 ft (69.28 m) msl
pH = 4.9
Specific conductance = 34 umhos/cm
Water temperature = 21.3 degrees Celsius
No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

0	GROSS ALPHA		3.04+-1.03 pCi/L	HP, 735A
0	NONVOLATILE BETA		3.28+-1.31 pCi/L	HP, 735A
2	TRITIUM		1739+-42.3 pCi/mL	HP, 735A

WELL BG 56

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/27/89 Time 1145
 Depth to water = 48.50 ft (14.78 m) below the TOC
 Water elevation = 226.40 ft (69.01 m) msl
 pH = 4.8
 Specific conductance = 102 umhos/cm
 Water temperature = 21.6 degrees Celsius
 No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

1 GROSS ALPHA	8.22+-4.34 pCi/L	HP, 735A
0 NONVOLATILE BETA	5.98+-1.16 pCi/L	HP, 735A
2 TRITIUM	59123+- 531 pCi/mL	HP, 735A

WELL BG 57

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/27/89 Time 1200
 Depth to water = 47.20 ft (14.39 m) below the TOC
 Water elevation = 225.40 ft (68.70 m) msl
 pH = 5.6
 Specific conductance = 38 umhos/cm
 Water temperature = 21.4 degrees Celsius
 No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

0 GROSS ALPHA	0.90+-0.58 pCi/L	HP, 735A
0 NONVOLATILE BETA	0.05+-0.76 pCi/L	HP, 735A
2 TRITIUM	120+-10.1 pCi/mL	HP, 735A

WELL BG 58

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/27/89 Time 1220
 Depth to water = 50.40 ft (15.36 m) below the TOC
 Water elevation = 227.80 ft (69.43 m) msl
 pH = 5.4
 Specific conductance = 50 umhos/cm
 Water temperature = 22.3 degrees Celsius
 No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

2 GROSS ALPHA	47.10+-4.20 pCi/L	Gen. Eng.
2 GROSS ALPHA	160+- 20 pCi/L	metaTRACE
0 GROSS ALPHA	0.39+-0.41 pCi/L	HP, 735A
1 NONVOLATILE BETA	39.50+-3.90 pCi/L	Gen. Eng.
2 NONVOLATILE BETA	100+- 10 pCi/L	metaTRACE
0 NONVOLATILE BETA	1.44+-1.02 pCi/L	HP, 735A
2 TRITIUM	22.30+-0.55 pCi/mL	Gen. Eng.
2 TRITIUM	24.00+-3.00 pCi/mL	metaTRACE
2 TRITIUM	25.00+-3.00 pCi/mL	metaTRACE
1 TRITIUM	19.28+-1.17 pCi/mL	HP, 735A

WELL BG 59

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/27/89 Time 900
 Depth to water = 54.10 ft (16.49 m) below the TOC
 Water elevation = 228.60 ft (69.68 m) msl
 pH = 7.5
 Specific conductance = 51 umhos/cm
 Water temperature = 22.0 degrees Celsius
 No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

0 GROSS ALPHA	0.58+-0.47 pCi/L	HP, 735A
0 NONVOLATILE BETA	0.74+-0.89 pCi/L	HP, 735A
2 TRITIUM	35.00+-1.44 pCi/mL	HP, 735A

WELL BG 60

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/27/89 Time 915
 Depth to water = 45.60 ft (13.90 m) below the TOC
 Water elevation = 229.90 ft (70.07 m) msl
 pH = 5.6
 Specific conductance = 40 umhos/cm
 Water temperature = 21.3 degrees Celsius
 No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

2 GROSS ALPHA	22.60+-2.50 pCi/L	Gen. Eng.
2 GROSS ALPHA	570+- 90 pCi/L	metaTRACE
0 GROSS ALPHA	1.78+-0.79 pCi/L	HP, 735A
1 NONVOLATILE BETA	39.80+-2.30 pCi/L	Gen. Eng.
2 NONVOLATILE BETA	190+- 20 pCi/L	metaTRACE

CONTINUED

WELL BG 60 COLLECTED ON 07/27/89 LABORATORY ANALYSES CONTINUED

0 NONVOLATILE BETA	2.27+-1.15 pCi/L	HP, 735A
2 TRITIUM	22.50+-0.57 pCi/mL	Gen. Eng.
1 TRITIUM	18.00+-2.00 pCi/mL	metaTRACE
2 TRITIUM	20.04+-1.20 pCi/mL	HP, 735A

WELL BG 61

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/27/89 Time 930
 Depth to water = 43.50 ft (13.26 m) below the TOC
 Water elevation = 231.50 ft (70.56 m) msl
 pH = 6.0
 Specific conductance = 52 umhos/cm
 Water temperature = 21.4 degrees Celsius
 No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

0 GROSS ALPHA	0.87+-0.56 pCi/L	HP, 735A
0 NONVOLATILE BETA	1.53+-1.03 pCi/L	HP, 735A
1 TRITIUM	19.68+-1.17 pCi/mL	HP, 735A

WELL BG 62

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/27/89 Time 940
 Depth to water = 40.00 ft (12.19 m) below the TOC
 Water elevation = 232.50 ft (70.87 m) msl
 pH = 5.8
 Specific conductance = 30 umhos/cm
 Water temperature = 21.2 degrees Celsius
 No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

0 GROSS ALPHA	0.75+-0.52 pCi/L	HP, 735A
0 NONVOLATILE BETA	1.35+-0.99 pCi/L	HP, 735A
2 TRITIUM	26.98+-1.31 pCi/mL	HP, 735A

WELL BG 63

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/27/89 Time 950
 Depth to water = 39.50 ft (12.04 m) below the TOC
 Water elevation = 234.70 ft (71.54 m) msl
 pH = 5.8
 Specific conductance = 25 umhos/cm
 Water temperature = 21.1 degrees Celsius
 No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

0 GROSS ALPHA	-0.02+-0.18 pCi/L	HP, 735A
0 NONVOLATILE BETA	0.45+-0.83 pCi/L	HP, 735A
2 TRITIUM	30.40+-1.37 pCi/mL	HP, 735A

WELL BG 64

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/27/89 Time 1005
 Depth to water = 47.50 ft (14.48 m) below the TOC
 Water elevation = 237.80 ft (72.48 m) msl
 pH = 6.2
 Specific conductance = 36 umhos/cm
 Water temperature = 21.2 degrees Celsius
 No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

0 GROSS ALPHA	0.67+-0.50 pCi/L	HP, 735A
0 NONVOLATILE BETA	0.96+-0.93 pCi/L	HP, 735A
2 TRITIUM	27.29+-1.32 pCi/mL	HP, 735A

WELL BG 65

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/27/89 Time 1015
 Depth to water = 56.40 ft (17.19 m) below the TOC
 Water elevation = 234.50 ft (71.48 m) msl
 pH = 6.8
 Specific conductance = 56 umhos/cm
 Water temperature = 21.8 degrees Celsius
 No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

0 GROSS ALPHA	0.29+-0.36 pCi/L	HP, 735A
0 NONVOLATILE BETA	0.97+-0.94 pCi/L	HP, 735A
2 TRITIUM	29.48+-1.36 pCi/mL	HP, 735A

WELL BG 66

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/27/89 Time 1030
 Depth to water = 63.00 ft (19.20 m) below the TOC
 Water elevation = 233.00 ft (71.02 m) msl
 pH = 6.7
 Specific conductance = 61 umhos/cm
 Water temperature = 21.9 degrees Celsius
 No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

0 GROSS ALPHA	0.31+-0.39 pCi/L	HP, 735A
0 NONVOLATILE BETA	1.52+-1.05 pCi/L	HP, 735A
2 TRITIUM	39.99+-1.53 pCi/mL	HP, 735A

WELL BG 67

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/27/89 Time 1045
 Depth to water = 60.00 ft (18.29 m) below the TOC
 Water elevation = 234.70 ft (71.54 m) msl
 pH = 5.8
 Specific conductance = 34 umhos/cm
 Water temperature = 21.4 degrees Celsius
 No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

0 GROSS ALPHA	0.79+-0.54 pCi/L	HP, 735A
0 NONVOLATILE BETA	0.51+-0.85 pCi/L	HP, 735A
2 TRITIUM	57.58+-1.76 pCi/mL	HP, 735A

WELL BGO 10

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/30/89 Time 835
 Depth to water = 58.14 ft (17.72 m) below the TOC
 Water elevation = 236.96 ft (72.23 m) msl
 pH = 4.9 Alkalinity = 0 mg/L
 Specific conductance = 48 umhos/cm
 Water temperature = 20.5 degrees Celsius
 Water evacuated from the well prior to sampling = 6 gal
 The well went dry during purging.

LABORATORY ANALYSES

0 SPECIFIC CONDUCTANCE	46.70 UMHG	metaTRACE
0 PH	5.68 pH	metaTRACE
0 TURBIDITY	29 NTU	metaTRACE
0 SILVER	LT 2 ug/L	metaTRACE
0 ARSENIC	LT 3 ug/L	metaTRACE
0 BARIUM	LT 25 ug/L	metaTRACE
0 CALCIUM	1478 ug/L	metaTRACE
0 CADMIUM	LT 4 ug/L	metaTRACE
0 CHLORIDE	1700 ug/L	metaTRACE
0 CHROMIUM	LT 5 ug/L	metaTRACE
0 ENDRIIN	LT 0.006 ug/L	metaTRACE
0 FLUORIDE	LT 250 ug/L	metaTRACE
0 IRON	56 ug/L	metaTRACE
0 MERCURY	LT 0.20 ug/L	metaTRACE
0 POTASSIUM	LT 2000 ug/L	metaTRACE
0 LINDANE	0.02 ug/L	metaTRACE
0 METHOXYCHLOR	LT 0.50 ug/L	metaTRACE
0 MAGNESIUM	218 ug/L	metaTRACE
2 MANGANESE	73 ug/L	metaTRACE
1 SODIUM	6295 ug/L	metaTRACE
0 NITRATE AS NITROGEN	380 ug/L	metaTRACE
0 LEAD	13 ug/L	metaTRACE
0 PHENOLS	LT 5 ug/L	metaTRACE
0 SELENIUM	LT 2 ug/L	metaTRACE
1 SILICON	2771 ug/L	metaTRACE
0 SILVEX	LT 0.07 ug/L	metaTRACE
0 SULFATE	LT 1000 ug/L	metaTRACE
0 TOTAL DISSOLVED SOLIDS	54000 ug/L	metaTRACE
0 TOTAL ORGANIC CARBON	LT 1000 ug/L	metaTRACE
0 TOTAL ORGANIC HALOGENS	LT 5 ug/L	metaTRACE
0 TOTAL PHOSPHATES	LT 10 ug/L	metaTRACE
0 TOXAPHENE	LT 0.24 ug/L	metaTRACE
0 2,4-DICHLOROPHENOXYACETIC ACID	LT 0.46 ug/L	metaTRACE

CONTINUED

WELL BGO 10 COLLECTED ON 07/30/89 LABORATORY ANALYSES CONTINUED

1 GROSS ALPHA	6.90+-3.50 pCi/L	metaTRACE
0 NONVOLATILE BETA	8.90+-3.20 pCi/L	metaTRACE
0 TOTAL RADIUM	1.20+-0.30 pCi/L	metaTRACE
1 TRITIUM	13.00+-2.00 pCi/mL	metaTRACE

WELL BGO 20

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/29/89 Time 1130
 Depth to water = 58.47 ft (17.82 m) below the TOC
 Water elevation = 238.43 ft (72.67 m) msl
 pH = 5.0 Alkalinity = 4 mg/L
 Specific conductance = 47 umhos/cm
 Water temperature = 20.7 degrees Celsius
 Water evacuated from the well prior to sampling = 66 gal

LABORATORY ANALYSES

0 SPECIFIC CONDUCTANCE	41.00 UMHG	Gen. Eng.
0 SPECIFIC CONDUCTANCE	47.10 UMHG	metaTRACE
0 PH	4.59 pH	Gen. Eng.
1 PH	6.74 pH	metaTRACE
0 TURBIDITY	15 NTU	Gen. Eng.
0 TURBIDITY	0.25 NTU	metaTRACE
0 SILVER	LT 2 ug/L	Gen. Eng.
0 SILVER	LT 2 ug/L	metaTRACE
0 ARSENIC	LT 2 ug/L	Gen. Eng.
0 ARSENIC	LT 3 ug/L	metaTRACE
0 BARIUM	25 ug/L	Gen. Eng.
0 BARIUM	LT 25 ug/L	metaTRACE
0 CALCIUM	2230 ug/L	Gen. Eng.
0 CALCIUM	2145 ug/L	metaTRACE
0 CADMIUM	LT 2 ug/L	Gen. Eng.
0 CADMIUM	LT 4 ug/L	metaTRACE
0 CHLORIDE	2600 ug/L	Gen. Eng.
0 CHLORIDE	2900 ug/L	metaTRACE
0 CHROMIUM	LT 4 ug/L	Gen. Eng.
0 CHROMIUM	LT 5 ug/L	metaTRACE
0 ENDRIIN	LT 0.10 ug/L	Gen. Eng.
0 ENDRIIN	LT 0.006 ug/L	metaTRACE
0 FLUORIDE	LT 100 ug/L	Gen. Eng.
0 FLUORIDE	LT 250 ug/L	metaTRACE
0 IRON	13 ug/L	Gen. Eng.
1 IRON	218 ug/L	metaTRACE
0 MERCURY	LT 0.20 ug/L	Gen. Eng.
0 MERCURY	LT 0.20 ug/L	metaTRACE
0 POTASSIUM	LT 500 ug/L	Gen. Eng.
0 POTASSIUM	LT 2000 ug/L	metaTRACE
0 LINDANE	LT 0.05 ug/L	Gen. Eng.
0 LINDANE	LT 0.005 ug/L	metaTRACE
0 METHOXYCHLOR	LT 0.50 ug/L	Gen. Eng.
0 METHOXYCHLOR	LT 0.50 ug/L	metaTRACE
0 MAGNESIUM	1050 ug/L	Gen. Eng.
0 MAGNESIUM	958 ug/L	metaTRACE
0 MANGANESE	4 ug/L	Gen. Eng.
0 MANGANESE	4 ug/L	metaTRACE
0 SODIUM	2940 ug/L	Gen. Eng.
0 SODIUM	2264 ug/L	metaTRACE
0 NITRATE AS NITROGEN	2400 ug/L	Gen. Eng.
0 NITRATE AS NITROGEN	2900 ug/L	metaTRACE
0 LEAD	LT 6 ug/L	Gen. Eng.
0 LEAD	LT 3 ug/L	metaTRACE
0 PHENOLS	LT 5 ug/L	Gen. Eng.
0 PHENOLS	LT 5 ug/L	metaTRACE
0 SELENIUM	LT 2 ug/L	Gen. Eng.
0 SELENIUM	LT 2 ug/L	metaTRACE
1 SILICON	1928 ug/L	metaTRACE
1 SILICA	5240 ug/L	Gen. Eng.
0 SILVEX	LT 0.07 ug/L	metaTRACE
0 SULFATE	LT 5000 ug/L	Gen. Eng.
0 SULFATE	LT 1000 ug/L	metaTRACE
0 TOTAL DISSOLVED SOLIDS	40000 ug/L	Gen. Eng.
0 TOTAL DISSOLVED SOLIDS	53000 ug/L	metaTRACE
0 TOTAL ORGANIC CARBON	2000 ug/L	Gen. Eng.
0 TOTAL ORGANIC CARBON	LT 1000 ug/L	metaTRACE
0 TOTAL ORGANIC HALOGENS	LT 5 ug/L	Gen. Eng.
0 TOTAL ORGANIC HALOGENS	LT 5 ug/L	metaTRACE
0 TOTAL PHOSPHORUS	LT 50 ug/L	Gen. Eng.
0 TOTAL PHOSPHATES	LT 10 ug/L	metaTRACE
0 TOXAPHENE	LT 1 ug/L	Gen. Eng.
0 TOXAPHENE	LT 0.24 ug/L	metaTRACE
0 2,4-DICHLOROPHENOXYACETIC ACID	LT 0.30 ug/L	Gen. Eng.
0 2,4-DICHLOROPHENOXYACETIC ACID	LT 0.46 ug/L	metaTRACE
0 2,4,5-TRICHLOROPHENOXYACETIC ACID	LT 0.09 ug/L	Gen. Eng.
0 GROSS ALPHA	3.50+-1.10 pCi/L	Gen. Eng.
0 GROSS ALPHA	LT 3 pCi/L	metaTRACE
0 NONVOLATILE BETA	3.50+-1.60 pCi/L	Gen. Eng.
0 NONVOLATILE BETA	LT 4 pCi/L	metaTRACE
0 TOTAL RADIUM	2.00+-1.30 pCi/L	Gen. Eng.
0 TOTAL RADIUM	1.80+-0.20 pCi/L	metaTRACE
1 TRITIUM	19.80+-0.53 pCi/mL	Gen. Eng.
1 TRITIUM	18.00+-2.00 pCi/mL	metaTRACE

WELL BGO 2D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/29/89 Time 1130
 Depth to water = 58.47 ft (17.82 m) below the TOC
 Water elevation = 238.43 ft (72.67 m) msl
 pH = 5.0 Alkalinity = 4 mg/L
 Specific conductance = 47 umhos/cm
 Water temperature = 20.7 degrees Celsius
 Water evacuated from the well prior to sampling = 66 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE	41.00 UMHG	Gen. Eng.
0	SPECIFIC CONDUCTANCE	41.00 UMHG	Gen. Eng.
0	SPECIFIC CONDUCTANCE	57.90 UMHG	metaTRACE
0	PH	5.19 pH	Gen. Eng.
0	PH	5.15 pH	Gen. Eng.
1	PH	6.61 pH	metaTRACE
0	TURBIDITY	11 NTU	Gen. Eng.
0	TURBIDITY	12 NTU	Gen. Eng.
0	TURBIDITY	0.42 NTU	metaTRACE
0	TURBIDITY	0.42 NTU	metaTRACE
0	SILVER	2 ug/L	Gen. Eng.
0	SILVER	2 ug/L	Gen. Eng.
0	SILVER	2 ug/L	metaTRACE
0	ARSENIC	2 ug/L	Gen. Eng.
0	ARSENIC	2 ug/L	Gen. Eng.
0	ARSENIC	3 ug/L	metaTRACE
0	BARIIUM	25 ug/L	Gen. Eng.
0	BARIIUM	23 ug/L	Gen. Eng.
0	BARIIUM	25 ug/L	metaTRACE
0	CALCIUM	2150 ug/L	Gen. Eng.
0	CALCIUM	2150 ug/L	Gen. Eng.
0	CALCIUM	2095 ug/L	metaTRACE
0	CADMIUM	2 ug/L	Gen. Eng.
0	CADMIUM	2 ug/L	Gen. Eng.
0	CADMIUM	4 ug/L	metaTRACE
0	CHLORIDE	2800 ug/L	Gen. Eng.
0	CHLORIDE	2700 ug/L	Gen. Eng.
0	CHLORIDE	2800 ug/L	metaTRACE
0	CHROMIUM	4 ug/L	Gen. Eng.
0	CHROMIUM	4 ug/L	Gen. Eng.
0	CHROMIUM	5 ug/L	metaTRACE
0	ENDRIN	0.10 ug/L	Gen. Eng.
0	ENDRIN	0.10 ug/L	Gen. Eng.
0	ENDRIN	0.006 ug/L	metaTRACE
0	FLUORIDE	100 ug/L	Gen. Eng.
0	FLUORIDE	100 ug/L	Gen. Eng.
0	FLUORIDE	250 ug/L	metaTRACE
0	IRON	14 ug/L	Gen. Eng.
0	IRON	15 ug/L	Gen. Eng.
0	IRON	13 ug/L	metaTRACE
0	MERCURY	0.20 ug/L	Gen. Eng.
0	MERCURY	0.20 ug/L	Gen. Eng.
0	MERCURY	0.20 ug/L	metaTRACE
0	POTASSIUM	500 ug/L	Gen. Eng.
0	POTASSIUM	500 ug/L	Gen. Eng.
0	POTASSIUM	2000 ug/L	metaTRACE
0	LINDANE	0.05 ug/L	Gen. Eng.
0	LINDANE	0.05 ug/L	Gen. Eng.
0	LINDANE	0.005 ug/L	metaTRACE
0	METHOXYCHLOR	0.50 ug/L	Gen. Eng.
0	METHOXYCHLOR	0.50 ug/L	Gen. Eng.
0	METHOXYCHLOR	0.50 ug/L	metaTRACE
0	MAGNESIUM	1040 ug/L	Gen. Eng.
0	MAGNESIUM	1000 ug/L	Gen. Eng.
0	MAGNESIUM	942 ug/L	metaTRACE
0	MANGANESE	2 ug/L	Gen. Eng.
0	MANGANESE	2 ug/L	Gen. Eng.
0	MANGANESE	3 ug/L	metaTRACE
0	SODIUM	3000 ug/L	Gen. Eng.
0	SODIUM	2530 ug/L	Gen. Eng.
0	SODIUM	2290 ug/L	metaTRACE
0	NITRATE AS NITROGEN	2600 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN	2600 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN	2900 ug/L	metaTRACE
0	LEAD	6 ug/L	Gen. Eng.
0	LEAD	6 ug/L	Gen. Eng.
0	LEAD	3 ug/L	metaTRACE
0	PHENOLS	5 ug/L	Gen. Eng.
0	PHENOLS	5 ug/L	Gen. Eng.
0	PHENOLS	5 ug/L	Gen. Eng.
0	SELENIUM	2 ug/L	Gen. Eng.
0	SELENIUM	2 ug/L	Gen. Eng.
0	SELENIUM	2 ug/L	metaTRACE
1	SILICON	1928 ug/L	metaTRACE
1	SILICA	5160 ug/L	Gen. Eng.
1	SILICA	5450 ug/L	Gen. Eng.
0	SILVEX	0.07 ug/L	metaTRACE
0	SULFATE	5000 ug/L	Gen. Eng.
0	SULFATE	5000 ug/L	Gen. Eng.
0	SULFATE	1000 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS	47000 ug/L	Gen. Eng.
0	TOTAL DISSOLVED SOLIDS	43000 ug/L	Gen. Eng.
0	TOTAL DISSOLVED SOLIDS	50000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	1000 ug/L	Gen. Eng.
0	TOTAL ORGANIC CARBON	1000 ug/L	Gen. Eng.
0	TOTAL ORGANIC CARBON	1000 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	5 ug/L	Gen. Eng.
0	TOTAL ORGANIC HALOGENS	5 ug/L	Gen. Eng.
0	TOTAL ORGANIC HALOGENS	5 ug/L	metaTRACE
1	TOTAL PHOSPHORUS	170 ug/L	Gen. Eng.
1	TOTAL PHOSPHORUS	160 ug/L	Gen. Eng.
0	TOTAL PHOSPHATES	10 ug/L	metaTRACE
0	TOXAPHENE	1 ug/L	Gen. Eng.
0	TOXAPHENE	1 ug/L	Gen. Eng.
0	TOXAPHENE	0.24 ug/L	metaTRACE
0	2,4-DICHLOROPHENOXYACETIC ACID	0.30 ug/L	Gen. Eng.

CONTINUED

WELL BGO 2D COLLECTED ON 07/29/89 LABORATORY ANALYSES CONTINUED

0	2,4-DICHLOROPHENOXYACETIC ACID	LT	0.30 ug/L	Gen. Eng.
0	2,4-DICHLOROPHENOXYACETIC ACID	LT	0.46 ug/L	metaTRACE
0	2,4,5-TRICHLOROPHENOXYACETIC ACID	LT	0.09 ug/L	Gen. Eng.
0	2,4,5-TRICHLOROPHENOXYACETIC ACID	LT	0.09 ug/L	Gen. Eng.
0	GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
0	GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
0	GROSS ALPHA	LT	3 pCi/L	metaTRACE
0	GROSS ALPHA	LT	4 pCi/L	metaTRACE
0	NONVOLATILE BETA		3.43+-1.60 pCi/L	Gen. Eng.
0	NONVOLATILE BETA		3.15+-1.60 pCi/L	Gen. Eng.
0	NONVOLATILE BETA	LT	5 pCi/L	metaTRACE
0	NONVOLATILE BETA	LT	5 pCi/L	metaTRACE
1	TOTAL RADIUM		3.04+-1.30 pCi/L	Gen. Eng.
1	TOTAL RADIUM		2.52+-1.30 pCi/L	Gen. Eng.
0	TOTAL RADIUM		1.50+-0.20 pCi/L	metaTRACE
1	TRITIUM		19.60+-0.52 pCi/mL	Gen. Eng.
1	TRITIUM		19.40+-0.52 pCi/mL	Gen. Eng.
1	TRITIUM		18.00+-2.00 pCi/mL	metaTRACE

WELL BGO 3D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/30/89 Time 855
 Depth to water = 58.08 ft (17.70 m) below the TOC
 Water elevation = 234.62 ft (71.51 m) msl
 pH = 5.5 Alkalinity = 0 mg/L
 Specific conductance = 52 umhos/cm
 Water temperature = 26.6 degrees Celsius
 Water evacuated from the well prior to sampling = 3 gal
 The well went dry during purging.

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE		47.70 UMHG	metaTRACE
0	PH		4.94 pH	metaTRACE
0	TURBIDITY		19 NTU	metaTRACE
0	SILVER	LT	2 ug/L	metaTRACE
0	ARSENIC	LT	3 ug/L	metaTRACE
0	BARIUM	LT	25 ug/L	metaTRACE
0	CALCIUM		119 ug/L	metaTRACE
0	CADMIUM	LT	4 ug/L	metaTRACE
0	CHLORIDE		3300 ug/L	metaTRACE
0	CHROMIUM	LT	5 ug/L	metaTRACE
0	ENDRIN		0.03 ug/L	metaTRACE
0	FLUORIDE	LT	250 ug/L	metaTRACE
0	IRON		43 ug/L	metaTRACE
0	MERCURY	LT	0.20 ug/L	metaTRACE
0	POTASSIUM	LT	2000 ug/L	metaTRACE
0	LINDANE	LT	0.005 ug/L	metaTRACE
0	METHOXYCHLOR	LT	0.50 ug/L	metaTRACE
0	MAGNESIUM		306 ug/L	metaTRACE
0	MANGANESE		19 ug/L	metaTRACE
0	SODIUM		4220 ug/L	metaTRACE
0	NITRATE AS NITROGEN		2800 ug/L	metaTRACE
0	LEAD		4 ug/L	metaTRACE
0	PHENOLS	LT	5 ug/L	metaTRACE
0	SELENIUM	LT	2 ug/L	metaTRACE
0	SILICON	LT	3253 ug/L	metaTRACE
0	SILVEX	LT	0.07 ug/L	metaTRACE
0	SULFATE	LT	1000 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS		59000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	metaTRACE
1	TOTAL ORGANIC HALOGENS		13 ug/L	metaTRACE
0	TOTAL PHOSPHATES		40 ug/L	metaTRACE
0	TOXAPHENE	LT	0.24 ug/L	metaTRACE
0	2,4-DICHLOROPHENOXYACETIC ACID	LT	0.46 ug/L	metaTRACE
0	GROSS ALPHA		3.00+-2.40 pCi/L	metaTRACE
0	NONVOLATILE BETA	LT	5 pCi/L	metaTRACE
0	TOTAL RADIUM		2.30+-0.40 pCi/L	metaTRACE
2	TRITIUM		28.00+-3.00 pCi/mL	metaTRACE

WELL BGO 4D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/23/89 Time 1205
 pH = 6.3 Alkalinity = 19 mg/L
 Specific conductance = 63 umhos/cm
 Water temperature = 22.2 degrees Celsius
 Water evacuated from the well prior to sampling = 25 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE	66.10 UMHG	metaTRACE
0	PH	6.18 pH	metaTRACE
0	TURBIDITY	0.13 NTU	metaTRACE
0	SILVER	5 ug/L	metaTRACE
0	ARSENIC	3 ug/L	metaTRACE
0	BARIIUM	25 ug/L	metaTRACE
0	CALCIUM	9240 ug/L	metaTRACE
0	CADMIUM	4 ug/L	metaTRACE
0	CHLORIDE	1800 ug/L	metaTRACE
0	CHROMIUM	5 ug/L	metaTRACE
0	ENDRIN	0.006 ug/L	metaTRACE
0	FLUORIDE	250 ug/L	metaTRACE
0	IRON	24 ug/L	metaTRACE
0	MERCURY	0.20 ug/L	metaTRACE
0	POTASSIUM	2000 ug/L	metaTRACE
0	LINDANE	0.005 ug/L	metaTRACE
0	METHOXYCHLOR	0.50 ug/L	metaTRACE
0	MAGNESIUM	277 ug/L	metaTRACE
0	MANGANESE	12 ug/L	metaTRACE
0	SODIUM	2454 ug/L	metaTRACE

CONTINUED

WELL BGO 4D COLLECTED ON 07/23/89 LABORATORY ANALYSES CONTINUED

0	NITRATE AS NITROGEN	1300 ug/L	metaTRACE
0	LEAD	7 ug/L	metaTRACE
0	PHENOLS	5 ug/L	metaTRACE
0	SELENIUM	2 ug/L	metaTRACE
1	SILICON	3737 ug/L	metaTRACE
0	SILVEX	0.07 ug/L	metaTRACE
0	SULFATE	1500 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS	78000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	1000 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	5 ug/L	metaTRACE
0	TOTAL PHOSPHATES	10 ug/L	metaTRACE
0	TOXAPHENE	0.24 ug/L	metaTRACE
0	2,4-DICHLOROPHENOXYACETIC ACID	0.46 ug/L	metaTRACE
0	GROSS ALPHA	4 pCi/L	metaTRACE
0	NONVOLATILE BETA	6 pCi/L	metaTRACE
0	TOTAL RADIUM	1 pCi/L	metaTRACE
2	TRITIUM	260+- 30 pCi/mL	metaTRACE

WELL BGO 5C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/30/89 Time 950
 Depth to water = 80.86 ft (24.65 m) below the TOC
 Water elevation = 215.24 ft (65.61 m) msl
 pH = 6.4 Alkalinity = 8 mg/L
 Specific conductance = 54 umhos/cm
 Water temperature = 20.1 degrees Celsius
 Water evacuated from the well prior to sampling = 20 gal
 The well went dry during purging.

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE	52.80 UMHC	metaTRACE
1	PH	7.10 pH	metaTRACE
0	TURBIDITY	82 NTU	metaTRACE
0	SILVER	2 ug/L	metaTRACE
0	ARSENIC	3 ug/L	metaTRACE
0	BARIUM	25 ug/L	metaTRACE
0	CALCIUM	4011 ug/L	metaTRACE
0	CADMIUM	4 ug/L	metaTRACE
0	CHLORIDE	1900 ug/L	metaTRACE
1	CHROMIUM	8 ug/L	metaTRACE
0	ENDRIN	0.006 ug/L	metaTRACE
0	FLUORIDE	250 ug/L	metaTRACE
0	IRON	22 ug/L	metaTRACE
0	MERCURY	0.20 ug/L	metaTRACE
0	POTASSIUM	2000 ug/L	metaTRACE
0	LINDANE	0.005 ug/L	metaTRACE
0	METHOXYCHLOR	0.50 ug/L	metaTRACE
0	MAGNESIUM	343 ug/L	metaTRACE
0	MANGANESE	9 ug/L	metaTRACE
0	SODIUM	1822 ug/L	metaTRACE
0	NITRATE AS NITROGEN	930 ug/L	metaTRACE
0	LEAD	3 ug/L	metaTRACE
0	PHENOLS	5 ug/L	metaTRACE
0	SELENIUM	2 ug/L	metaTRACE
1	SILICON	4458 ug/L	metaTRACE
0	SILVEX	0.07 ug/L	metaTRACE
0	SULFATE	1500 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS	59000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	1000 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	5 ug/L	metaTRACE
1	TOTAL PHOSPHATES	1215 ug/L	metaTRACE
0	TOXAPHENE	0.24 ug/L	metaTRACE
0	2,4-DICHLOROPHENOXYACETIC ACID	0.46 ug/L	metaTRACE
0	GROSS ALPHA	4 pCi/L	metaTRACE
0	NONVOLATILE BETA	4 pCi/L	metaTRACE
0	TOTAL RADIUM	1 pCi/L	metaTRACE
1	TRITIUM	11.00+-2.00 pCi/mL	metaTRACE

WELL BGO 5D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/30/89 Time 1005
 Depth to water = 65.55 ft (19.98 m) below the TOC
 Water elevation = 230.75 ft (70.33 m) msl
 pH = 5.1 Alkalinity = 1 mg/L
 Specific conductance = 49 umhos/cm
 Water temperature = 20.3 degrees Celsius
 Water evacuated from the well prior to sampling = 6 gal
 The well went dry during purging.

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE	49.30 UMHC	metaTRACE
0	PH	6.08 pH	metaTRACE
0	TURBIDITY	9 NTU	metaTRACE
0	SILVER	2 ug/L	metaTRACE
0	ARSENIC	3 ug/L	metaTRACE
0	BARIUM	44 ug/L	metaTRACE
0	CALCIUM	957 ug/L	metaTRACE
0	CADMIUM	4 ug/L	metaTRACE
0	CHLORIDE	4200 ug/L	metaTRACE
0	CHROMIUM	5 ug/L	metaTRACE
0	ENDRIN	0.006 ug/L	metaTRACE
0	FLUORIDE	250 ug/L	metaTRACE
0	IRON	22 ug/L	metaTRACE
0	MERCURY	0.20 ug/L	metaTRACE
0	POTASSIUM	2000 ug/L	metaTRACE
0	LINDANE	0.005 ug/L	metaTRACE
0	METHOXYCHLOR	0.50 ug/L	metaTRACE
0	MAGNESIUM	943 ug/L	metaTRACE
2	MANGANESE	55 ug/L	metaTRACE

CONTINUED

WELL BGO 5D COLLECTED ON 07/30/89 LABORATORY ANALYSES CONTINUED

0	SODIUM	2969 ug/L	metaTRACE
0	NITRATE AS NITROGEN	2700 ug/L	metaTRACE
0	LEAD	9 ug/L	metaTRACE
0	PHENOLS	5 ug/L	metaTRACE
0	SELENIUM	2 ug/L	metaTRACE
1	SILICON	1928 ug/L	metaTRACE
0	SILVEX	0.07 ug/L	metaTRACE
0	SULFATE	1000 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS	46000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	1000 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	5 ug/L	metaTRACE
0	TOTAL PHOSPHATES	252 ug/L	metaTRACE
0	TOXAPHENE	0.24 ug/L	metaTRACE
0	2,4-DICHLOROPHENOXYACETIC ACID	0.46 ug/L	metaTRACE
2	GROSS ALPHA	20.00+-7.00 pCi/L	metaTRACE
0	NONVOLATILE BETA	9.50+-3.80 pCi/L	metaTRACE
1	TOTAL RADIUM	2.60+-0.30 pCi/L	metaTRACE
2	TRITIUM	26.00+-3.00 pCi/mL	metaTRACE

WELL BGO 6A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/23/89 Time 1310
 Depth to water = 126.84 ft (38.66 m) below the TOC
 Water elevation = 158.76 ft (48.39 m) msl
 pH = 7.5 Alkalinity = 97 mg/L
 Specific conductance = 340 umhos/cm
 Water temperature = 19.7 degrees Celsius
 Water evacuated from the well prior to sampling = 148 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	277.0 UMHC	metaTRACE
1	PH	7.49 pH	metaTRACE
0	TURBIDITY	0.22 NTU	metaTRACE
0	SILVER	2 ug/L	metaTRACE
0	ARSENIC	3 ug/L	metaTRACE
0	BARIUM	41 ug/L	metaTRACE
1	CALCIUM	48770 ug/L	metaTRACE
0	CADMIUM	4 ug/L	metaTRACE
0	CHLORIDE	2700 ug/L	metaTRACE
0	CHROMIUM	10 ug/L	metaTRACE
0	ENDRIN	0.006 ug/L	metaTRACE
0	FLUORIDE	250 ug/L	metaTRACE
0	IRON	54 ug/L	metaTRACE
0	MERCURY	0.20 ug/L	metaTRACE
0	POTASSIUM	5000 ug/L	metaTRACE
0	LINDANE	0.005 ug/L	metaTRACE
0	METHOXYCHLOR	0.50 ug/L	metaTRACE
0	MAGNESIUM	1314 ug/L	metaTRACE
0	MANGANESE	10 ug/L	metaTRACE
0	SODIUM	2403 ug/L	metaTRACE
0	NITRATE AS NITROGEN	230 ug/L	metaTRACE
0	LEAD	3 ug/L	metaTRACE
0	PHENOLS	5 ug/L	metaTRACE
0	SELENIUM	2 ug/L	metaTRACE
1	SILICON	22900 ug/L	metaTRACE
0	SILVEX	0.07 ug/L	metaTRACE
0	SULFATE	8400 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS	223000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	1000 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	6 ug/L	metaTRACE
0	TOTAL PHOSPHATES	47 ug/L	metaTRACE
0	TOXAPHENE	0.24 ug/L	metaTRACE
0	2,4-DICHLOROPHENOXYACETIC ACID	0.46 ug/L	metaTRACE
0	GROSS ALPHA	2 pCi/L	metaTRACE
0	NONVOLATILE BETA	6 pCi/L	metaTRACE
0	TOTAL RADIUM	1 pCi/L	metaTRACE
0	TRITIUM	1 pCi/mL	metaTRACE

WELL BGO 6C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/05/89 Time 950
 Depth to water = 66.49 ft (20.27 m) below the TOC
 Water elevation = 219.11 ft (66.79 m) msl
 pH = 7.5 Alkalinity = 58 mg/L
 Specific conductance = 153 umhos/cm
 Water temperature = 19.9 degrees Celsius
 Water evacuated from the well prior to sampling = 174 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	153.8 UMHC	metaTRACE
1	PH	7.22 pH	metaTRACE
0	TURBIDITY	0.64 NTU	metaTRACE
0	SILVER	5 ug/L	metaTRACE
0	ARSENIC	3 ug/L	metaTRACE
0	BARIUM	25 ug/L	metaTRACE
1	CALCIUM	22780 ug/L	metaTRACE
0	CADMIUM	4 ug/L	metaTRACE
0	CHLORIDE	2100 ug/L	metaTRACE
1	CHROMIUM	7 ug/L	metaTRACE
0	FLUORIDE	250 ug/L	metaTRACE
0	IRON	25 ug/L	metaTRACE
0	MERCURY	0.20 ug/L	metaTRACE
0	POTASSIUM	2000 ug/L	metaTRACE
0	MAGNESIUM	480 ug/L	metaTRACE
0	MANGANESE	2 ug/L	metaTRACE
0	SODIUM	1930 ug/L	metaTRACE
0	NITRATE AS NITROGEN	990 ug/L	metaTRACE

CONTINUED

WELL BGO 6C COLLECTED ON 08/05/89 LABORATORY ANALYSES CONTINUED

0	LEAD		6 ug/L	metaTRACE
1	PHENOLS		9 ug/L	metaTRACE
0	SELENIUM	LT	2 ug/L	metaTRACE
1	SILICON		5673 ug/L	metaTRACE
0	SILVEX	LT	0.07 ug/L	metaTRACE
0	SULFATE	LT	1000 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS		107000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	metaTRACE
0	TOTAL PHOSPHATES		83 ug/L	metaTRACE
0	2,4-DICHLOROPHENOXYACETIC ACID	LY	0.46 ug/L	metaTRACE
0	GROSS ALPHA		3.10+-2.10 pCi/L	metaTRACE
0	NONVOLATILE BETA	LT	6 pCi/L	metaTRACE
1	TOTAL ACTIVITY		1470+-40.8 pCi/mL	HP, 735A
0	TOTAL RADIUM	LT	1 pCi/L	metaTRACE
2	TRITIUM		1300+-200 pCi/mL	metaTRACE
2	TRITIUM		1440+-26.4 pCi/mL	HP, 735A

WELL BGO 6D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/30/89 Time 1020
 Depth to water = 54.61 ft (16.65 m) below the TOC
 Water elevation = 230.89 ft (70.38 m) msl
 pH = 6.5 Alkalinity = 45 mg/L
 Specific conductance = 105 umhos/cm
 Water temperature = 19.6 degrees Celsius
 Water evacuated from the well prior to sampling = 7 gal
 The well went dry during purging.

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE		103.8 UMC	metaTRACE
1	PH		7.58 pH	metaTRACE
0	TURBIDITY		53 NTU	metaTRACE
0	TURBIDITY		53 NTU	metaTRACE
0	SILVER	LT	5 ug/L	metaTRACE
0	ARSENIC	LT	3 ug/L	metaTRACE
0	BARIUM	LT	25 ug/L	metaTRACE
1	CALCIUM		19310 ug/L	metaTRACE
0	CADMIUM	LT	4 ug/L	metaTRACE
0	CHLORIDE		1600 ug/L	metaTRACE
0	CHROMIUM	LT	5 ug/L	metaTRACE
0	ENDRIN	LT	0.006 ug/L	metaTRACE
0	FLUORIDE	LT	250 ug/L	metaTRACE
0	IRON		88 ug/L	metaTRACE
0	MERCURY	LT	0.20 ug/L	metaTRACE
0	MERCURY	LT	0.20 ug/L	metaTRACE
0	POTASSIUM	LT	2000 ug/L	metaTRACE
0	LINDANE	LT	0.005 ug/L	metaTRACE
0	METHOXYCHLOR	LT	0.50 ug/L	metaTRACE
0	MAGNESIUM		858 ug/L	metaTRACE
1	MANGANESE		31 ug/L	metaTRACE
0	SODIUM		2242 ug/L	metaTRACE
0	NITRATE AS NITROGEN		340 ug/L	metaTRACE
0	LEAD		5 ug/L	metaTRACE
0	PHENOLS	LT	5 ug/L	metaTRACE
0	SELENIUM	LT	2 ug/L	metaTRACE
1	SILICON		4483 ug/L	metaTRACE
0	SILVEX	LT	0.07 ug/L	metaTRACE
0	SULFATE		1500 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS		54000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON		2100 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	metaTRACE
0	TOTAL PHOSPHATES		33 ug/L	metaTRACE
0	TOXAPHENE	LT	0.24 ug/L	metaTRACE
0	2,4-DICHLOROPHENOXYACETIC ACID	LT	0.46 ug/L	metaTRACE
1	GROSS ALPHA		5.20+-2.80 pCi/L	metaTRACE
0	NONVOLATILE BETA	LT	5 pCi/L	metaTRACE
1	TOTAL ACTIVITY		8560+-27.9 pCi/mL	HP, 735A
0	TOTAL RADIUM		1.90+-0.40 pCi/L	metaTRACE
2	TRITIUM		8800+-900 pCi/mL	metaTRACE
2	TRITIUM		8780+-20.3 pCi/mL	HP, 735A

WELL BGO 7D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/05/89 Time 1025
 Depth to water = 51.45 ft (15.68 m) below the TOC
 Water elevation = 230.95 ft (70.39 m) msl
 pH = 5.1 Alkalinity = 7 mg/L
 Specific conductance = 38 umhos/cm
 Water temperature = 19.8 degrees Celsius
 Water evacuated from the well prior to sampling = 55 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE		32.50 UMC	metaTRACE
0	PH		4.14 pH	metaTRACE
0	TURBIDITY		1 NTU	metaTRACE
0	SILVER	LT	2 ug/L	metaTRACE
0	ARSENIC	LT	3 ug/L	metaTRACE
0	BARIUM	LT	25 ug/L	metaTRACE
0	CALCIUM		1963 ug/L	metaTRACE
0	CADMIUM	LT	4 ug/L	metaTRACE
0	CHLORIDE		2500 ug/L	metaTRACE
0	CHROMIUM	LT	5 ug/L	metaTRACE
0	ENDRIN	LT	0.006 ug/L	metaTRACE
0	FLUORIDE	LT	250 ug/L	metaTRACE
0	IRON	LT	5 ug/L	metaTRACE
0	MERCURY	LT	0.20 ug/L	metaTRACE
0	POTASSIUM	LT	2000 ug/L	metaTRACE

CONTINUED

WELL BGO 7D COLLECTED ON 08/05/89 LABORATORY ANALYSES CONTINUED

0	LINDANE	LT	0.005 ug/L	metaTRACE
0	METHOXYCHLOR	LT	0.50 ug/L	metaTRACE
0	MAGNESIUM		510 ug/L	metaTRACE
0	MANGANESE		15 ug/L	metaTRACE
0	SODIUM		3309 ug/L	metaTRACE
0	NITRATE AS NITROGEN		1400 ug/L	metaTRACE
0	LEAD	LT	3 ug/L	metaTRACE
0	PHENOLS	LT	5 ug/L	metaTRACE
0	SELENIUM	LT	2 ug/L	metaTRACE
0	SILVEX	LT	0.07 ug/L	metaTRACE
0	SULFATE		2200 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS		39000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON		1400 ug/L	metaTRACE
2	TOTAL ORGANIC HALOGENS		187 ug/L	metaTRACE
0	TOTAL PHOSPHATES	LT	10 ug/L	metaTRACE
0	TOXAPHENE	LT	0.24 ug/L	metaTRACE
0	2,4-DICHLOROPHENOXYACETIC ACID	LT	0.46 ug/L	metaTRACE
0	GROSS ALPHA	LT	4 pCi/L	metaTRACE
0	NONVOLATILE BETA	LT	1.70+-0.40 pCi/L	metaTRACE
0	TOTAL RADIUM		54.00+-6.00 pCi/mL	metaTRACE
2	TRITIUM			

WELL BGO 8A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/30/89 Time 1040
 Depth to water = 120.88 ft (36.84 m) below the TOC
 Water elevation = 162.32 ft (49.48 m) msl
 pH = 11.6 Alkalinity = 79 mg/L
 Specific conductance = 1100 umhos/cm
 Water temperature = 19.9 degrees Celsius
 Water evacuated from the well prior to sampling = 29 gal
 The well went dry during purging.

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE		525.0 UMC	metaTRACE
2	PH		10.1 pH	metaTRACE
0	TURBIDITY		0.87 NTU	metaTRACE
0	SILVER	LT	2 ug/L	metaTRACE
0	ARSENIC	LT	3 ug/L	metaTRACE
0	ARSENIC	LT	3 ug/L	metaTRACE
1	BARIUM		190 ug/L	metaTRACE
1	BARIUM		142 ug/L	metaTRACE
1	CALCIUM		23300 ug/L	metaTRACE
1	CALCIUM		18970 ug/L	metaTRACE
0	CADMIUM	LT	4 ug/L	metaTRACE
0	CADMIUM	LT	4 ug/L	metaTRACE
0	CHLORIDE		2400 ug/L	metaTRACE
0	CHROMIUM	LT	5 ug/L	metaTRACE
0	CHROMIUM	LT	5 ug/L	metaTRACE
0	ENDRIN		0.02 ug/L	metaTRACE
0	FLUORIDE		300 ug/L	metaTRACE
0	IRON		144 ug/L	metaTRACE
0	IRON	LT	14 ug/L	metaTRACE
0	MERCURY	LT	0.20 ug/L	metaTRACE
0	MERCURY	LT	0.20 ug/L	metaTRACE
1	POTASSIUM		16110 ug/L	metaTRACE
1	POTASSIUM		12250 ug/L	metaTRACE
0	LINDANE	LT	0.005 ug/L	metaTRACE
0	METHOXYCHLOR	LT	0.50 ug/L	metaTRACE
0	MAGNESIUM		280 ug/L	metaTRACE
0	MAGNESIUM		229 ug/L	metaTRACE
0	MANGANESE	LT	2 ug/L	metaTRACE
0	MANGANESE	LT	2 ug/L	metaTRACE
1	SODIUM		10340 ug/L	metaTRACE
1	SODIUM		7638 ug/L	metaTRACE
0	NITRATE AS NITROGEN	LT	230 ug/L	metaTRACE
0	LEAD	LT	3 ug/L	metaTRACE
0	LEAD	LT	3 ug/L	metaTRACE
0	PHENOLS	LT	5 ug/L	metaTRACE
0	PHENOLS	LT	5 ug/L	metaTRACE
1	SELENIUM		2 ug/L	metaTRACE
0	SELENIUM	LT	2 ug/L	metaTRACE
1	SILICON		30420 ug/L	metaTRACE
1	SILICON		23370 ug/L	metaTRACE
0	SILVEX	LT	0.07 ug/L	metaTRACE
1	SULFATE		11300 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS		369000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS		6 ug/L	metaTRACE
0	TOTAL PHOSPHATES		65 ug/L	metaTRACE
0	TOXAPHENE	LT	0.24 ug/L	metaTRACE
0	2,4-DICHLOROPHENOXYACETIC ACID	LT	0.46 ug/L	metaTRACE
0	GROSS ALPHA	LT	7 pCi/L	metaTRACE
2	NONVOLATILE BETA		70.00+-7.00 pCi/L	metaTRACE
0	TOTAL RADIUM		1.00+-0.20 pCi/L	metaTRACE
0	TRITIUM	LT	1 pCi/mL	metaTRACE

WELL BGO 8C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/23/89 Time 1405
 Depth to water = 61.75 ft (18.82 m) below the TOC
 Water elevation = 221.55 ft (67.53 m) msl
 pH = 7.3 Alkalinity = 45 mg/L
 Specific conductance = 134 umhos/cm
 Water temperature = 19.9 degrees Celsius
 Water evacuated from the well prior to sampling = 149 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	112.1 UMHC	metaTRACE
1	PH	7.13 pH	metaTRACE
0	TURBIDITY	0.13 NTU	metaTRACE
0	SILVER	2 ug/L	metaTRACE
0	ARSENIC	3 ug/L	metaTRACE
0	BARIUM	18 ug/L	metaTRACE
1	CALCIUM	15710 ug/L	metaTRACE
0	CADMIUM	4 ug/L	metaTRACE
0	CHLORIDE	2400 ug/L	metaTRACE
0	CHROMIUM	10 ug/L	metaTRACE
0	ENDRIN	0.006 ug/L	metaTRACE
0	FLUORIDE	250 ug/L	metaTRACE
0	IRON	19 ug/L	metaTRACE
0	MERCURY	0.35 ug/L	metaTRACE
0	MERCURY	0.27 ug/L	metaTRACE
0	POTASSIUM	5000 ug/L	metaTRACE
0	LINDANE	0.005 ug/L	metaTRACE
0	METHOXYCHLOR	0.50 ug/L	metaTRACE
0	MAGNESIUM	525 ug/L	metaTRACE
0	MANGANESE	10 ug/L	metaTRACE
1	SODIUM	5053 ug/L	metaTRACE
0	NITRATE AS NITROGEN	770 ug/L	metaTRACE
0	LEAD	3 ug/L	metaTRACE
0	PHENOLS	5 ug/L	metaTRACE
0	PHENOLS	5 ug/L	metaTRACE
0	SELENIUM	2 ug/L	metaTRACE
1	SILICON	4638 ug/L	metaTRACE
0	SILVEX	0.07 ug/L	metaTRACE
0	SULFATE	2100 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS	75000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	1000 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	8 ug/L	metaTRACE
0	TOTAL PHOSPHATES	109 ug/L	metaTRACE
0	TOXAPHENE	0.24 ug/L	metaTRACE
0	2,4-DICHLOROPHENOXYACETIC ACID	0.46 ug/L	metaTRACE
0	GROSS ALPHA	2 pCi/L	metaTRACE
0	NONVOLATILE BETA	5 pCi/L	metaTRACE
0	TOTAL RADIUM	1 pCi/L	metaTRACE
0	TOTAL RADIUM	1 pCi/L	metaTRACE
0	TRITIUM	1 pCi/mL	metaTRACE

WELL BGO 8D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/29/89 Time 1235
 Depth to water = 52.28 ft (15.94 m) below the TOC
 Water elevation = 230.92 ft (70.39 m) msl
 pH = 5.0 Alkalinity = 1 mg/L
 Specific conductance = 32 umhos/cm
 Water temperature = 20.3 degrees Celsius
 Water evacuated from the well prior to sampling = 53 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE	26.00 UMHC	Gen. Eng.
0	SPECIFIC CONDUCTANCE	36.70 UMHC	metaTRACE
0	PH	5.04 pH	Gen. Eng.
0	PH	6.16 pH	metaTRACE
0	TURBIDITY	24 NTU	Gen. Eng.
0	TURBIDITY	0.74 NTU	metaTRACE
0	SILVER	2 ug/L	Gen. Eng.
0	SILVER	2 ug/L	metaTRACE
0	ARSENIC	2 ug/L	Gen. Eng.
0	ARSENIC	3 ug/L	metaTRACE
0	BARIUM	15 ug/L	Gen. Eng.
0	BARIUM	25 ug/L	metaTRACE
0	CALCIUM	1270 ug/L	Gen. Eng.
0	CALCIUM	816 ug/L	metaTRACE
0	CADMIUM	2 ug/L	Gen. Eng.
0	CADMIUM	4 ug/L	metaTRACE
0	CHLORIDE	1900 ug/L	Gen. Eng.
0	CHLORIDE	2100 ug/L	metaTRACE
0	CHROMIUM	4 ug/L	Gen. Eng.
0	CHROMIUM	5 ug/L	metaTRACE
0	ENDRIN	0.10 ug/L	Gen. Eng.
0	ENDRIN	0.006 ug/L	metaTRACE
0	FLUORIDE	100 ug/L	Gen. Eng.
0	FLUORIDE	250 ug/L	metaTRACE
0	IRON	23 ug/L	Gen. Eng.
0	IRON	18 ug/L	metaTRACE
0	MERCURY	0.20 ug/L	Gen. Eng.
0	MERCURY	0.20 ug/L	metaTRACE
0	POTASSIUM	500 ug/L	Gen. Eng.
0	POTASSIUM	2000 ug/L	metaTRACE
0	LINDANE	0.05 ug/L	Gen. Eng.
0	LINDANE	0.005 ug/L	metaTRACE
0	METHOXYCHLOR	0.50 ug/L	Gen. Eng.
0	METHOXYCHLOR	0.50 ug/L	metaTRACE
0	MAGNESIUM	524 ug/L	Gen. Eng.
0	MAGNESIUM	394 ug/L	metaTRACE
0	MANGANESE	17 ug/L	Gen. Eng.
0	MANGANESE	13 ug/L	metaTRACE

CONTINUED

WELL BGO 8D COLLECTED ON 07/29/89 LABORATORY ANALYSES CONTINUED

0	SODIUM	2600 ug/L	Gen. Eng.
0	SODIUM	1832 ug/L	metaTRACE
0	NITRATE AS NITROGEN	1300 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN	1400 ug/L	metaTRACE
0	LEAD	6 ug/L	Gen. Eng.
0	LEAD	3 ug/L	metaTRACE
0	PHENOLS	5 ug/L	Gen. Eng.
0	PHENOLS	5 ug/L	metaTRACE
0	SELENIUM	2 ug/L	Gen. Eng.
0	SELENIUM	2 ug/L	metaTRACE
1	SILICON	1627 ug/L	metaTRACE
1	SILICA	6390 ug/L	Gen. Eng.
0	SILVEX	0.07 ug/L	metaTRACE
0	SULFATE	5000 ug/L	Gen. Eng.
0	SULFATE	1000 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS	25000 ug/L	Gen. Eng.
0	TOTAL DISSOLVED SOLIDS	38000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	1000 ug/L	Gen. Eng.
0	TOTAL ORGANIC CARBON	1000 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	5 ug/L	Gen. Eng.
1	TOTAL ORGANIC HALOGENS	15 ug/L	metaTRACE
1	TOTAL PHOSPHORUS	2350 ug/L	Gen. Eng.
0	TOTAL PHOSPHATES	10 ug/L	metaTRACE
0	TOXAPHENE	1 ug/L	Gen. Eng.
0	TOXAPHENE	0.24 ug/L	metaTRACE
0	2,4-DICHLOROPHENOXYACETIC ACID	0.30 ug/L	Gen. Eng.
0	2,4-DICHLOROPHENOXYACETIC ACID	0.46 ug/L	metaTRACE
0	2,4,5-TRICHLOROPHENOXYACETIC ACID	0.09 ug/L	Gen. Eng.
0	GROSS ALPHA	2 pCi/L	metaTRACE
0	NONVOLATILE BETA	2.28+-2.40 pCi/L	Gen. Eng.
0	NONVOLATILE BETA	4 pCi/L	metaTRACE
1	TOTAL RADIUM	3.85+-2.40 pCi/L	Gen. Eng.
0	TOTAL RADIUM	1.10+-0.20 pCi/L	metaTRACE
1	TRITIUM	14.40+-0.47 pCi/mL	Gen. Eng.
1	TRITIUM	19.00+-2.00 pCi/mL	metaTRACE

WELL BGO 8D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/29/89 Time 1235
 Depth to water = 52.28 ft (15.94 m) below the TOC
 Water elevation = 230.92 ft (70.39 m) msl
 pH = 5.0 Alkalinity = 1 mg/L
 Specific conductance = 32 umhos/cm
 Water temperature = 20.3 degrees Celsius
 Water evacuated from the well prior to sampling = 53 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE	26.00 UMHC	Gen. Eng.
0	SPECIFIC CONDUCTANCE	34.50 UMHC	metaTRACE
0	PH	5.11 pH	Gen. Eng.
0	PH	5.95 pH	metaTRACE
0	TURBIDITY	20 NTU	Gen. Eng.
0	TURBIDITY	0.86 NTU	metaTRACE
0	SILVER	2 ug/L	Gen. Eng.
0	SILVER	2 ug/L	metaTRACE
0	ARSENIC	2 ug/L	Gen. Eng.
0	ARSENIC	3 ug/L	metaTRACE
0	BARIUM	14 ug/L	Gen. Eng.
0	BARIUM	25 ug/L	metaTRACE
0	CALCIUM	952 ug/L	Gen. Eng.
0	CALCIUM	2004 ug/L	metaTRACE
0	CADMIUM	2 ug/L	Gen. Eng.
0	CADMIUM	4 ug/L	metaTRACE
0	CHLORIDE	1900 ug/L	Gen. Eng.
0	CHLORIDE	2100 ug/L	metaTRACE
0	CHROMIUM	4 ug/L	Gen. Eng.
0	CHROMIUM	5 ug/L	metaTRACE
0	ENDRIN	0.10 ug/L	Gen. Eng.
0	ENDRIN	0.006 ug/L	metaTRACE
0	FLUORIDE	100 ug/L	Gen. Eng.
0	FLUORIDE	250 ug/L	metaTRACE
0	IRON	18 ug/L	Gen. Eng.
0	IRON	25 ug/L	metaTRACE
0	MERCURY	0.20 ug/L	Gen. Eng.
0	MERCURY	0.20 ug/L	metaTRACE
0	POTASSIUM	500 ug/L	Gen. Eng.
0	POTASSIUM	2000 ug/L	metaTRACE
0	LINDANE	0.05 ug/L	Gen. Eng.
0	LINDANE	0.005 ug/L	metaTRACE
0	METHOXYCHLOR	0.50 ug/L	Gen. Eng.
0	METHOXYCHLOR	0.50 ug/L	metaTRACE
0	MAGNESIUM	505 ug/L	Gen. Eng.
0	MAGNESIUM	441 ug/L	metaTRACE
0	MANGANESE	16 ug/L	Gen. Eng.
0	MANGANESE	16 ug/L	metaTRACE
0	SODIUM	2460 ug/L	Gen. Eng.
0	SODIUM	2030 ug/L	metaTRACE
0	NITRATE AS NITROGEN	1200 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN	1400 ug/L	metaTRACE
0	LEAD	6 ug/L	Gen. Eng.
0	LEAD	3 ug/L	metaTRACE
0	PHENOLS	5 ug/L	Gen. Eng.
0	PHENOLS	5 ug/L	metaTRACE
0	SELENIUM	2 ug/L	Gen. Eng.
0	SELENIUM	2 ug/L	metaTRACE
1	SILICON	2048 ug/L	metaTRACE
1	SILICA	6330 ug/L	Gen. Eng.
0	SILVEX	0.07 ug/L	Gen. Eng.
0	SULFATE	5000 ug/L	metaTRACE
0	SULFATE	1000 ug/L	Gen. Eng.
0	TOTAL DISSOLVED SOLIDS	21000 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS	37000 ug/L	Gen. Eng.

CONTINUED

WELL BGO 8D COLLECTED ON 07/29/89 LABORATORY ANALYSES CONTINUED

0	TOTAL ORGANIC CARBON	1000 ug/L	Gen. Eng.
0	TOTAL ORGANIC CARBON	1000 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	5 ug/L	Gen. Eng.
1	TOTAL ORGANIC HALOGENS	13 ug/L	metaTRACE
1	TOTAL PHOSPHORUS	60 ug/L	Gen. Eng.
0	TOTAL PHOSPHATES	10 ug/L	metaTRACE
0	TOXAPHENE	1 ug/L	Gen. Eng.
0	TOXAPHENE	0.24 ug/L	metaTRACE
0	2,4-DICHLOROPHENOXYACETIC ACID	0.30 ug/L	Gen. Eng.
0	2,4-DICHLOROPHENOXYACETIC ACID	0.46 ug/L	metaTRACE
0	2,4,5-TRICHLOROPHENOXYACETIC ACID	0.09 ug/L	Gen. Eng.
0	GROSS ALPHA	3 pCi/L	Gen. Eng.
0	GROSS ALPHA	3.60+-2.70 pCi/L	metaTRACE
0	NONVOLATILE BETA	2 pCi/L	Gen. Eng.
0	NONVOLATILE BETA	5 pCi/L	metaTRACE
0	TOTAL RADIUM	1 pCi/L	Gen. Eng.
0	TOTAL RADIUM	1.30+-0.20 pCi/L	metaTRACE
1	TRITIUM	15.20+-0.48 pCi/mL	Gen. Eng.
1	TRITIUM	14.00+-2.00 pCi/mL	metaTRACE
1	TRITIUM	14.00+-2.00 pCi/mL	metaTRACE

WELL BGO 9D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/23/89 Time 1535
Depth to water = 53.99 ft (16.46 m) below the TOC
Water elevation = 231.11 ft (70.44 m) msl
pH = 5.2 Alkalinity = 7 mg/L
Specific conductance = 41 umhos/cm
Water temperature = 21.3 degrees Celsius
Water evacuated from the well prior to sampling = 72 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE	33.30 UMHC	metaTRACE
0	PH	5.08 pH	metaTRACE
0	TURBIDITY	0.15 NTU	metaTRACE
0	SILVER	2 ug/L	metaTRACE
0	ARSENIC	3 ug/L	metaTRACE
0	BARIUM	25 ug/L	metaTRACE
0	CALCIUM	2217 ug/L	metaTRACE
0	CADMIUM	4 ug/L	metaTRACE
0	CHLORIDE	2200 ug/L	metaTRACE
0	CHROMIUM	10 ug/L	metaTRACE
0	ENDRIN	0.006 ug/L	metaTRACE
0	FLUORIDE	250 ug/L	metaTRACE
0	IRON	17 ug/L	metaTRACE
0	MERCURY	0.20 ug/L	metaTRACE
0	POTASSIUM	5000 ug/L	metaTRACE
0	LINDANE	0.005 ug/L	metaTRACE
0	METHOXYCHLOR	0.50 ug/L	metaTRACE
0	MAGNESIUM	604 ug/L	metaTRACE
2	MANGANESE	54 ug/L	metaTRACE
0	SODIUM	2783 ug/L	metaTRACE
0	NITRATE AS NITROGEN	2100 ug/L	metaTRACE
0	LEAD	3 ug/L	metaTRACE
0	PHENOLS	5 ug/L	metaTRACE
0	SELENIUM	2 ug/L	metaTRACE
1	SILICON	5217 ug/L	metaTRACE
0	SILVEX	0.17 ug/L	metaTRACE
0	SULFATE	1000 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS	52000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	1000 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	6 ug/L	metaTRACE
0	TOTAL PHOSPHATES	21 ug/L	metaTRACE
0	TOXAPHENE	0.24 ug/L	metaTRACE
0	2,4-DICHLOROPHENOXYACETIC ACID	0.47 ug/L	metaTRACE
0	GROSS ALPHA	2 pCi/L	metaTRACE
0	NONVOLATILE BETA	5 pCi/L	metaTRACE
0	TOTAL RADIUM	1.20+-0.30 pCi/L	metaTRACE
2	TRITIUM	38.00+-4.00 pCi/mL	metaTRACE

WELL BGO 10A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/30/89 Time 1105
Depth to water = 131.27 ft (40.01 m) below the TOC
Water elevation = 169.63 ft (51.70 m) msl
pH = 8.1 Alkalinity = 99 mg/L
Specific conductance = 270 umhos/cm
Water temperature = 20.5 degrees Celsius
Water evacuated from the well prior to sampling = 35 gal
The well went dry during purging.

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	214.0 UMHC	metaTRACE
1	PH	7.69 pH	metaTRACE
0	TURBIDITY	1 NTU	metaTRACE
0	SILVER	2 ug/L	metaTRACE
0	ARSENIC	3 ug/L	metaTRACE
0	BARIUM	25 ug/L	metaTRACE
1	CALCIUM	34890 ug/L	metaTRACE
0	CADMIUM	4 ug/L	metaTRACE
0	CHLORIDE	2700 ug/L	metaTRACE
0	CHROMIUM	5 ug/L	metaTRACE
0	ENDRIN	0.006 ug/L	metaTRACE
0	FLUORIDE	250 ug/L	metaTRACE
0	IRON	35 ug/L	metaTRACE
0	MERCURY	0.20 ug/L	metaTRACE
0	POTASSIUM	2000 ug/L	metaTRACE
1	LINDANE	0.02 ug/L	metaTRACE

CONTINUED

WELL BGO 10A COLLECTED ON 07/30/89 LABORATORY ANALYSES CONTINUED

0	METHOXYCHLOR	LT	0.50 ug/L	metaTRACE
0	MAGNESIUM	LT	1115 ug/L	metaTRACE
0	MANGANESE	LT	4 ug/L	metaTRACE
1	SODIUM	LT	10430 ug/L	metaTRACE
0	NITRATE AS NITROGEN	LT	230 ug/L	metaTRACE
0	LEAD	LT	3 ug/L	metaTRACE
0	PHENOLS	LT	5 ug/L	metaTRACE
0	SELENIUM	LT	2 ug/L	metaTRACE
1	SILICON	LT	25900 ug/L	metaTRACE
0	SILVEX	LT	0.07 ug/L	metaTRACE
1	SULFATE	LT	14100 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS	LT	226000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	metaTRACE
1	TOTAL PHOSPHATES	LT	517 ug/L	metaTRACE
0	TOTAL PHOSPHATES	LT	101 ug/L	metaTRACE
0	TOXAPHENE	LT	0.24 ug/L	metaTRACE
0	2,4-DICHLOROPHENOXYACETIC ACID	LT	0.46 ug/L	metaTRACE
0	GROSS ALPHA	LT	5 pCi/L	metaTRACE
0	NONVOLATILE BETA	LT	6 pCi/L	metaTRACE
0	TOTAL RADIUM	LT	1 pCi/L	metaTRACE
0	TRITIUM	LT	1 pCi/mL	metaTRACE
0	TRITIUM	LT	1 pCi/mL	metaTRACE

WELL BGO 10C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/30/89 Time 1120
Depth to water = 82.36 ft (25.10 m) below the TOC
Water elevation = 218.94 ft (66.73 m) msl
pH = 10.7 Alkalinity = 74 mg/L
Specific conductance = 168 umhos/cm
Water temperature = 19.8 degrees Celsius
Water evacuated from the well prior to sampling = 34 gal
The well went dry during purging.

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE		127.8 UMHC	metaTRACE
2	PH		8.31 pH	metaTRACE
0	TURBIDITY		4 NTU	metaTRACE
0	SILVER	LT	2 ug/L	metaTRACE
0	ARSENIC	LT	3 ug/L	metaTRACE
1	BARIUM		75 ug/L	metaTRACE
1	CALCIUM		26750 ug/L	metaTRACE
0	CADMIUM	LT	4 ug/L	metaTRACE
0	CHLORIDE		2100 ug/L	metaTRACE
0	CHROMIUM	LT	5 ug/L	metaTRACE
0	ENDRIN		0.006 ug/L	metaTRACE
0	FLUORIDE	LT	250 ug/L	metaTRACE
0	IRON		5 ug/L	metaTRACE
0	MERCURY	LT	0.20 ug/L	metaTRACE
0	POTASSIUM		2000 ug/L	metaTRACE
0	LINDANE		0.01 ug/L	metaTRACE
0	METHOXYCHLOR	LT	0.50 ug/L	metaTRACE
0	MAGNESIUM		867 ug/L	metaTRACE
0	MANGANESE	LT	2 ug/L	metaTRACE
1	SODIUM		7076 ug/L	metaTRACE
0	NITRATE AS NITROGEN		610 ug/L	metaTRACE
0	LEAD	LT	3 ug/L	metaTRACE
0	PHENOLS	LT	5 ug/L	metaTRACE
0	SELENIUM	LT	2 ug/L	metaTRACE
1	SILICON		9518 ug/L	metaTRACE
0	SILVEX	LT	0.08 ug/L	metaTRACE
0	SULFATE		4400 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS		117000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS		6 ug/L	metaTRACE
0	TOTAL PHOSPHATES		31 ug/L	metaTRACE
0	TOXAPHENE	LT	0.24 ug/L	metaTRACE
0	2,4-DICHLOROPHENOXYACETIC ACID	LT	0.48 ug/L	metaTRACE
0	GROSS ALPHA	LT	6 pCi/L	metaTRACE
0	NONVOLATILE BETA	LT	5 pCi/L	metaTRACE
0	TOTAL RADIUM	LT	1 pCi/L	metaTRACE
0	TRITIUM	LT	1 pCi/mL	metaTRACE

WELL BGO 10D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/29/89 Time 1420
The well was dry.

WELL BGO 11D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/05/89 Time 1105
 Depth to water = 75.43 ft (22.99 m) below the TOC
 Water elevation = 229.87 ft (70.07 m) msl
 pH = 4.9 Alkalinity = 0 mg/L
 Specific conductance = 37 umhos/cm
 Water temperature = 20.7 degrees Celsius
 Water evacuated from the well prior to sampling = 58 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE	29.90 UMH/C	metaTRACE
0	PH	4.11 pH	metaTRACE
0	TURBIDITY	0.39 NTU	metaTRACE
0	SILVER	2 ug/L	metaTRACE
1	ARSENIC	20 ug/L	metaTRACE
1	BARIUM	71 ug/L	metaTRACE
1	CALCIUM	11080 ug/L	metaTRACE
2	CADMIUM	39 ug/L	metaTRACE
0	CHLORIDE	2600 ug/L	metaTRACE
1	CHROMIUM	9 ug/L	metaTRACE
0	ENDRIN	0.006 ug/L	metaTRACE
0	FLUORIDE	250 ug/L	metaTRACE
1	IRON	285 ug/L	metaTRACE
0	MERCURY	0.20 ug/L	metaTRACE
0	POTASSIUM	3645 ug/L	metaTRACE
0	LINDANE	0.005 ug/L	metaTRACE
0	METHOXYCHLOR	0.50 ug/L	metaTRACE
0	MAGNESIUM	3107 ug/L	metaTRACE
2	MANGANESE	80 ug/L	metaTRACE
1	SODIUM	18290 ug/L	metaTRACE
0	NITRATE AS NITROGEN	2300 ug/L	metaTRACE
2	LEAD	70 ug/L	metaTRACE
0	PHENOLS	5 ug/L	metaTRACE
0	SELENIUM	2 ug/L	metaTRACE
0	SILVEX	0.07 ug/L	metaTRACE
0	SULFATE	1000 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS	56000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	1000 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	7 ug/L	metaTRACE
0	TOTAL PHOSPHATES	10 ug/L	metaTRACE
0	TOXAPHENE	0.24 ug/L	metaTRACE
0	2,4-DICHLOROPHENOXYACETIC ACID	0.46 ug/L	metaTRACE
0	GROSS ALPHA	3 pCi/L	metaTRACE
0	NONVOLATILE BETA	5 pCi/L	metaTRACE
0	TOTAL RADIUM	2.40+-0.40 pCi/L	metaTRACE
0	TRITIUM	9.60+-1.00 pCi/mL	metaTRACE

WELL BGO 12A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/30/89 Time 1145
 Depth to water = 131.57 ft (40.10 m) below the TOC
 Water elevation = 181.83 ft (55.42 m) msl
 pH = 5.8 Alkalinity = 31 mg/L
 Specific conductance = 151 umhos/cm
 Water temperature = 20.4 degrees Celsius
 Water evacuated from the well prior to sampling = 34 gal
 The well went dry during purging.

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	133.5 UMH/C	metaTRACE
1	PH	7.95 pH	metaTRACE
0	TURBIDITY	6 NTU	metaTRACE
0	SILVER	2 ug/L	metaTRACE
0	ARSENIC	3 ug/L	metaTRACE
1	BARIUM	69 ug/L	metaTRACE
1	CALCIUM	21130 ug/L	metaTRACE
0	CADMIUM	4 ug/L	metaTRACE
0	CHLORIDE	2000 ug/L	metaTRACE
0	CHROMIUM	5 ug/L	metaTRACE
0	ENDRIN	0.006 ug/L	metaTRACE
0	FLUORIDE	250 ug/L	metaTRACE
0	IRON	29 ug/L	metaTRACE
0	MERCURY	0.20 ug/L	metaTRACE
0	POTASSIUM	2000 ug/L	metaTRACE
0	LINDANE	0.005 ug/L	metaTRACE
0	METHOXYCHLOR	0.50 ug/L	metaTRACE
0	MAGNESIUM	512 ug/L	metaTRACE
0	MANGANESE	4 ug/L	metaTRACE
0	SODIUM	2095 ug/L	metaTRACE
0	NITRATE AS NITROGEN	380 ug/L	metaTRACE
0	LEAD	3 ug/L	metaTRACE
0	PHENOLS	5 ug/L	metaTRACE
0	SELENIUM	2 ug/L	metaTRACE
1	SILICON	14340 ug/L	metaTRACE
0	SILVEX	0.07 ug/L	metaTRACE
0	SULFATE	9100 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS	128000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	1000 ug/L	metaTRACE
2	TOTAL ORGANIC HALOGENS	40 ug/L	metaTRACE
0	TOTAL PHOSPHATES	45 ug/L	metaTRACE
0	TOXAPHENE	0.24 ug/L	metaTRACE
0	2,4-DICHLOROPHENOXYACETIC ACID	0.46 ug/L	metaTRACE
0	GROSS ALPHA	4 pCi/L	metaTRACE
0	NONVOLATILE BETA	5 pCi/L	metaTRACE
0	TOTAL RADIUM	1 pCi/L	metaTRACE
0	TRITIUM	1 pCi/mL	metaTRACE

WELL BGO 12C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/30/89 Time 1200
 Depth to water = 94.12 ft (28.69 m) below the TOC
 Water elevation = 219.48 ft (66.90 m) msl
 pH = 12.2 Alkalinity = 289 mg/L
 Specific conductance = 5600 umhos/cm
 Water temperature = 19.9 degrees Celsius
 Water evacuated from the well prior to sampling = 37 gal
 The well went dry during purging.

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	4842 UMH/C	metaTRACE
1	SPECIFIC CONDUCTANCE	4864 UMH/C	metaTRACE
2	PH	12.3 pH	metaTRACE
2	PH	12.3 pH	metaTRACE
0	TURBIDITY	0.28 NTU	metaTRACE
0	SILVER	2 ug/L	metaTRACE
0	ARSENIC	3 ug/L	metaTRACE
1	BARIUM	207 ug/L	metaTRACE
1	CALCIUM	92440 ug/L	metaTRACE
0	CADMIUM	4 ug/L	metaTRACE
0	CHLORIDE	420 ug/L	metaTRACE
0	CHROMIUM	5 ug/L	metaTRACE
0	ENDRIN	0.006 ug/L	metaTRACE
1	FLUORIDE	510 ug/L	metaTRACE
0	IRON	5 ug/L	metaTRACE
0	MERCURY	0.20 ug/L	metaTRACE
1	POTASSIUM	17470 ug/L	metaTRACE
0	LINDANE	0.005 ug/L	metaTRACE
0	METHOXYCHLOR	0.50 ug/L	metaTRACE
0	MAGNESIUM	15 ug/L	metaTRACE
0	MANGANESE	2 ug/L	metaTRACE
1	SODIUM	15830 ug/L	metaTRACE
0	NITRATE AS NITROGEN	410 ug/L	metaTRACE
0	LEAD	3 ug/L	metaTRACE
0	PHENOLS	5 ug/L	metaTRACE
0	SELENIUM	2 ug/L	metaTRACE
1	SILICON	2892 ug/L	metaTRACE
0	SILVEX	0.07 ug/L	metaTRACE
0	SULFATE	1800 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS	40000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	1000 ug/L	metaTRACE
1	TOTAL ORGANIC HALOGENS	17 ug/L	metaTRACE
0	TOTAL PHOSPHATES	10 ug/L	metaTRACE
0	TOXAPHENE	0.24 ug/L	metaTRACE
0	2,4-DICHLOROPHENOXYACETIC ACID	0.46 ug/L	metaTRACE
0	GROSS ALPHA	13 pCi/L	metaTRACE
1	NONVOLATILE BETA	30.00+-8.00 pCi/L	metaTRACE
1	TOTAL RADIUM	3.70+-0.40 pCi/L	metaTRACE
1	TRITIUM	10.00+-1.00 pCi/mL	metaTRACE

WELL BGO 12D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/30/89 Time 1215
 Depth to water = 84.48 ft (25.75 m) below the TOC
 Water elevation = 229.22 ft (69.87 m) msl
 pH = 7.6 Alkalinity = 50 mg/L
 Specific conductance = 150 umhos/cm
 Water temperature = 20.3 degrees Celsius
 Water evacuated from the well prior to sampling = 7 gal
 The well went dry during purging.

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	154.3 UMH/C	metaTRACE
2	PH	8.38 pH	metaTRACE
0	TURBIDITY	6 NTU	metaTRACE
0	SILVER	2 ug/L	metaTRACE
0	ARSENIC	3 ug/L	metaTRACE
0	BARIUM	30 ug/L	metaTRACE
1	CALCIUM	14470 ug/L	metaTRACE
0	CADMIUM	4 ug/L	metaTRACE
0	CHLORIDE	2800 ug/L	metaTRACE
0	CHROMIUM	5 ug/L	metaTRACE
0	ENDRIN	0.006 ug/L	metaTRACE
0	FLUORIDE	250 ug/L	metaTRACE
0	IRON	27 ug/L	metaTRACE
0	MERCURY	0.20 ug/L	metaTRACE
0	POTASSIUM	2156 ug/L	metaTRACE
0	LINDANE	0.005 ug/L	metaTRACE
0	METHOXYCHLOR	0.50 ug/L	metaTRACE
0	MAGNESIUM	2313 ug/L	metaTRACE
1	MANGANESE	29 ug/L	metaTRACE
0	SODIUM	3878 ug/L	metaTRACE
0	NITRATE AS NITROGEN	1600 ug/L	metaTRACE
0	LEAD	3 ug/L	metaTRACE
0	PHENOLS	5 ug/L	metaTRACE
0	SELENIUM	2 ug/L	metaTRACE
1	SILICON	3978 ug/L	metaTRACE
0	SILVEX	0.07 ug/L	metaTRACE
1	SULFATE	11400 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS	1131000 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS	1181000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	1000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	1000 ug/L	metaTRACE
2	TOTAL ORGANIC HALOGENS	37 ug/L	metaTRACE
0	TOTAL PHOSPHATES	10 ug/L	metaTRACE
0	TOXAPHENE	0.24 ug/L	metaTRACE
0	2,4-DICHLOROPHENOXYACETIC ACID	0.46 ug/L	metaTRACE
0	GROSS ALPHA	4 pCi/L	metaTRACE
0	NONVOLATILE BETA	5 pCi/L	metaTRACE
0	TOTAL RADIUM	2.10+-0.30 pCi/L	metaTRACE
0	TRITIUM	9.90+-1.00 pCi/mL	metaTRACE

WELL BGO 130

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/29/89 Time 1900
The well was dry.

WELL BGO 14A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/30/89 Time 1235
Depth to water = 143.58 ft (43.76 m) below the TOC
Water elevation = 158.34 ft (48.26 m) msl
pH = 11.9 Alkalinity = 359 mg/L
Specific conductance = 2700 umhos/cm
Water temperature = 20.3 degrees Celsius
Water evacuated from the well prior to sampling = 22 gal
The well went dry during purging.

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	1839 UMH/C	metaTRACE
2	PH	11.5 pH	metaTRACE
0	TURBIDITY	0.70 NTU	metaTRACE
0	SILVER	2 ug/L	metaTRACE
0	ARSENIC	3 ug/L	metaTRACE
1	BARIUM	145 ug/L	metaTRACE
1	CALCIUM	74790 ug/L	metaTRACE
0	CADMIUM	4 ug/L	metaTRACE
0	CHLORIDE	3400 ug/L	metaTRACE
0	CHROMIUM	5 ug/L	metaTRACE
0	ENDRIIN	0.02 ug/L	metaTRACE
0	FLUORIDE	420 ug/L	metaTRACE
0	IRON	10 ug/L	metaTRACE
0	MERCURY	0.20 ug/L	metaTRACE
1	POTASSIUM	80230 ug/L	metaTRACE
0	LINDANE	0.007 ug/L	metaTRACE
0	METHOXYCHLOR	0.50 ug/L	metaTRACE
0	MAGNESIUM	17 ug/L	metaTRACE
0	MANGANESE	2 ug/L	metaTRACE
1	SODIUM	56790 ug/L	metaTRACE
0	NITRATE AS NITROGEN	230 ug/L	metaTRACE
0	LEAD	3 ug/L	metaTRACE
1	PHENOLS	10 ug/L	metaTRACE
0	SELENIUM	2 ug/L	metaTRACE
1	SILICON	5120 ug/L	metaTRACE
1	SILVEX	0.12 ug/L	metaTRACE
1	SULFATE	22800 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS	648000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	1000 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	5 ug/L	metaTRACE
0	TOTAL PHOSPHATES	10 ug/L	metaTRACE
0	TOXAPHENE	0.24 ug/L	metaTRACE
0	2,4-DICHLOROPHENOXYACETIC ACID	0.46 ug/L	metaTRACE
0	GROSS ALPHA	8 pCi/L	metaTRACE
2	NONVOLATILE BETA	68.00+-7.00 pCi/L	metaTRACE
0	TOTAL RADIUM	1.60+-0.30 pCi/L	metaTRACE
0	TRITIUM	1 pCi/mL	metaTRACE

WELL BGO 14C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/30/89 Time 1250
Depth to water = 80.48 ft (24.53 m) below the TOC
Water elevation = 231.52 ft (67.52 m) msl
pH = 11.3 Alkalinity = 137 mg/L
Specific conductance = 740 umhos/cm
Water temperature = 20.1 degrees Celsius
Water evacuated from the well prior to sampling = 15 gal
The well went dry during purging.

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	546.0 UMH/C	metaTRACE
2	PH	6.65 pH	metaTRACE
0	TURBIDITY	7 NTU	metaTRACE
0	SILVER	2 ug/L	metaTRACE
0	ARSENIC	3 ug/L	metaTRACE
1	BARIUM	59 ug/L	metaTRACE
1	CALCIUM	42860 ug/L	metaTRACE
0	CADMIUM	4 ug/L	metaTRACE
0	CHLORIDE	2400 ug/L	metaTRACE
0	CHROMIUM	5 ug/L	metaTRACE
0	ENDRIIN	0.006 ug/L	metaTRACE
0	FLUORIDE	250 ug/L	metaTRACE
0	IRON	13 ug/L	metaTRACE
0	MERCURY	0.20 ug/L	metaTRACE
1	POTASSIUM	8287 ug/L	metaTRACE
0	LINDANE	0.003 ug/L	metaTRACE
0	METHOXYCHLOR	0.50 ug/L	metaTRACE
0	MAGNESIUM	78 ug/L	metaTRACE
0	MANGANESE	2 ug/L	metaTRACE
1	SODIUM	7449 ug/L	metaTRACE
0	NITRATE AS NITROGEN	1200 ug/L	metaTRACE
0	LEAD	9 ug/L	metaTRACE
0	PHENOLS	5 ug/L	metaTRACE
0	SELENIUM	2 ug/L	metaTRACE
1	SILICON	3735 ug/L	metaTRACE
0	SILVEX	0.07 ug/L	metaTRACE
0	SULFATE	2100 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS	178000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	1000 ug/L	metaTRACE
2	TOTAL ORGANIC HALOGENS	30 ug/L	metaTRACE

CONTINUED

WELL BGO 14C COLLECTED ON 07/30/89 LABORATORY ANALYSES CONTINUED

0	TOTAL PHOSPHATES	LT	10 ug/L	metaTRACE
0	TOXAPHENE	LT	0.24 ug/L	metaTRACE
0	2,4-DICHLOROPHENOXYACETIC ACID	LT	0.46 ug/L	metaTRACE
0	GROSS ALPHA	LT	5 pCi/L	metaTRACE
0	GROSS ALPHA	LT	4 pCi/L	metaTRACE
0	NONVOLATILE BETA	LT	8.00+-3.50 pCi/L	metaTRACE
0	NONVOLATILE BETA	LT	7 pCi/L	metaTRACE
0	TOTAL RADIUM	LT	1.20+-0.30 pCi/L	metaTRACE
1	TRITIUM	LT	16.00+-2.00 pCi/mL	metaTRACE

WELL BGO 14D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/29/89 Time 1555
The well was dry.

WELL BGO 15D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/05/89 Time 1210
Depth to water = 70.30 ft (21.43 m) below the TOC
Water elevation = 228.40 ft (69.62 m) msl
pH = 5.5 Alkalinity = 4 mg/L
Specific conductance = 30 umhos/cm
Water temperature = 21.0 degrees Celsius
Water evacuated from the well prior to sampling = 40 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE		41.40 UMH/C	metaTRACE
0	SPECIFIC CONDUCTANCE		3.58 UMH/C	metaTRACE
1	PH		3.58 pH	metaTRACE
1	PH		3.58 pH	metaTRACE
0	TURBIDITY		0.83 NTU	metaTRACE
0	SILVER	LT	5 ug/L	metaTRACE
0	ARSENIC	LT	3 ug/L	metaTRACE
0	BARIUM	LT	25 ug/L	metaTRACE
0	CALCIUM		2037 ug/L	metaTRACE
0	CADMIUM	LT	4 ug/L	metaTRACE
0	CHLORIDE		1900 ug/L	metaTRACE
0	CHLORIDE		1900 ug/L	metaTRACE
0	CHROMIUM	LT	5 ug/L	metaTRACE
0	FLUORIDE	LT	250 ug/L	metaTRACE
0	FLUORIDE	LT	250 ug/L	metaTRACE
0	IRON		13 ug/L	metaTRACE
0	MERCURY	LY	0.20 ug/L	metaTRACE
0	POTASSIUM	LT	2000 ug/L	metaTRACE
0	MAGNESIUM		285 ug/L	metaTRACE
0	MANGANESE		5 ug/L	metaTRACE
0	SODIUM		2301 ug/L	metaTRACE
0	NITRATE AS NITROGEN		1200 ug/L	metaTRACE
0	NITRATE AS NITROGEN		1100 ug/L	metaTRACE
0	LEAD	LT	5 ug/L	metaTRACE
0	PHENOLS	LT	5 ug/L	metaTRACE
0	SELENIUM	LT	3 ug/L	metaTRACE
1	SILICON		3370 ug/L	metaTRACE
0	SILVEX	LT	0.07 ug/L	metaTRACE
0	SULFATE	LT	1000 ug/L	metaTRACE
0	SULFATE	LT	1000 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS		24000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	metaTRACE
2	TOTAL ORGANIC HALOGENS		33 ug/L	metaTRACE
2	TOTAL ORGANIC HALOGENS		40 ug/L	metaTRACE
0	TOTAL PHOSPHATES	LT	10 ug/L	metaTRACE
0	2,4-DICHLOROPHENOXYACETIC ACID		0.46 ug/L	metaTRACE
0	GROSS ALPHA	LT	3 pCi/L	metaTRACE
0	GROSS ALPHA	LT	3 pCi/L	metaTRACE
0	NONVOLATILE BETA	LT	6 pCi/L	metaTRACE
0	NONVOLATILE BETA	LT	5 pCi/L	metaTRACE
1	TOTAL ACTIVITY		142+-3.98 pCi/mL	HP, 735A
0	TOTAL RADIUM	LT	1 pCi/L	metaTRACE
0	TOTAL RADIUM		1.20+-0.40 pCi/L	metaTRACE
2	TRITIUM		140+-20 pCi/mL	metaTRACE
2	TRITIUM		144+-2.62 pCi/mL	HP, 735A

WELL BGO 18A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/26/89 Time 945
Depth to water = 144.21 ft (43.96 m) below the TOC
Water elevation = 160.79 ft (49.01 m) msl
pH = 12.0 Alkalinity = 364 mg/L
Specific conductance = 2900 umhos/cm
Water temperature = 19.7 degrees Celsius
Water evacuated from the well prior to sampling = 24 gal
The well went dry during purging.

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE		1928	UMH/C	metaTRACE
2	PH		12.2	pH	metaTRACE
0	TURBIDITY		0.11	NTU	metaTRACE
0	SILVER	LT	5	ug/L	metaTRACE
0	ARSENIC	LT	3	ug/L	metaTRACE
1	BARIUM		209	ug/L	metaTRACE
1	CALCIUM		69540	ug/L	metaTRACE
0	CADMIUM	LT	4	ug/L	metaTRACE
CONTINUED					

CONTINUED

WELL BGO 16A COLLECTED ON 07/26/89 LABORATORY ANALYSES CONTINUED

0	CHLORIDE		1400 ug/L	metaTRACE
0	CHROMIUM	LT	5 ug/L	metaTRACE
0	ENDRIN	LT	0.006 ug/L	metaTRACE
0	FLUORIDE		300 ug/L	metaTRACE
0	IRON		17 ug/L	metaTRACE
0	MERCURY	LT	0.20 ug/L	metaTRACE
0	MERCURY	LT	0.20 ug/L	metaTRACE
1	POTASSIUM		39830 ug/L	metaTRACE
0	LINDANE	LT	0.005 ug/L	metaTRACE
0	METHOXYCHLOR	LT	0.50 ug/L	metaTRACE
0	MAGNESIUM		10 ug/L	metaTRACE
0	MANGANESE	LT	2 ug/L	metaTRACE
1	SODIUM		37040 ug/L	metaTRACE
0	NITRATE AS NITROGEN	LT	230 ug/L	metaTRACE
0	LEAD		6 ug/L	metaTRACE
1	PHENOLS		10 ug/L	metaTRACE
0	SELENIUM	LT	2 ug/L	metaTRACE
1	SILICON		3806 ug/L	metaTRACE
0	SILVEX	LT	0.07 ug/L	metaTRACE
0	SULFATE		8700 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS		68000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON		1340 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	metaTRACE
0	TOTAL PHOSPHATES		22 ug/L	metaTRACE
0	TOTAL PHOSPHATES		111 ug/L	metaTRACE
0	TOXAPHENE	LT	0.24 ug/L	metaTRACE
0	2,4-DICHLOROPHENOXYACETIC ACID	LT	0.46 ug/L	metaTRACE
0	GROSS ALPHA	LT	6 pCi/L	metaTRACE
1	NONVOLATILE BETA		40.00+-6.00 pCi/L	metaTRACE
0	TOTAL RADIUM		2.00+-0.30 pCi/L	metaTRACE
0	TRITIUM		1.60+-0.20 pCi/mL	metaTRACE

WELL BGO 16D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/26/89 Time 930
 Depth to water = 75.09 ft (22.89 m) below the TOC
 Water elevation = 229.51 ft (69.96 m) msl
 pH = 9.5 Alkalinity = 71 mg/L
 Specific conductance = 250 umhos/cm
 Water temperature = 21.1 degrees Celsius
 Water evacuated from the well prior to sampling = 2 gal
 The well went dry during purging.

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE		263.0 umhc	metaTRACE
1	PH		8.56 pH	metaTRACE
0	TURBIDITY		19 NTU	metaTRACE
0	SILVER	LT	2 ug/L	metaTRACE
0	ARSENIC	LT	3 ug/L	metaTRACE
0	BARIIUM	LT	25 ug/L	metaTRACE
0	CALCIUM		4498 ug/L	metaTRACE
0	CADMIUM	LT	4 ug/L	metaTRACE
0	CHLORIDE		1600 ug/L	metaTRACE
0	CHROMIUM	LT	5 ug/L	metaTRACE
0	ENDRIN	LT	0.006 ug/L	metaTRACE
0	FLUORIDE	LT	250 ug/L	metaTRACE
0	IRON		52 ug/L	metaTRACE
0	MERCURY	LT	0.20 ug/L	metaTRACE
1	POTASSIUM		5791 ug/L	metaTRACE
0	LINDANE	LT	0.005 ug/L	metaTRACE
0	METHOXYCHLOR	LT	0.50 ug/L	metaTRACE
0	MAGNESIUM		535 ug/L	metaTRACE
0	MANGANESE	LT	2 ug/L	metaTRACE
1	SODIUM		43180 ug/L	metaTRACE
0	NITRATE AS NITROGEN	LT	230 ug/L	metaTRACE
0	LEAD		8 ug/L	metaTRACE
0	PHENOLS	LT	5 ug/L	metaTRACE
0	SELENIUM	LT	2 ug/L	metaTRACE
0	SILVEX	LT	0.07 ug/L	metaTRACE
1	SULFATE		16800 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS		180000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON		2400 ug/L	metaTRACE
2	TOTAL ORGANIC HALOGENS		31 ug/L	metaTRACE
0	TOTAL PHOSPHATES	LT	10 ug/L	metaTRACE
0	TOXAPHENE	LT	0.24 ug/L	metaTRACE
0	2,4-DICHLOROPHENOXYACETIC ACID	LT	0.46 ug/L	metaTRACE
0	GROSS ALPHA	LT	5 pCi/L	metaTRACE
1	NONVOLATILE BETA		11.00+-5.00 pCi/mL	metaTRACE
1	TOTAL ACTIVITY		591+-7.52 pCi/mL	HP, 735A
0	TOTAL RADIUM		1.10+-0.30 pCi/L	metaTRACE
2	TRITIUM		1800+-200 pCi/mL	metaTRACE
2	TRITIUM		1800+-200 pCi/mL	metaTRACE
2	TRITIUM		630+-5.40 pCi/mL	HP, 735A

WELL BGO 17D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/25/89 Time 1105
 Depth to water = 68.33 ft (20.8 m) below the TOC
 Water elevation = 229.07 ft (70.10 m) msl
 pH = 7.3 Alkalinity = 11 mg/L
 Specific conductance = 71 umhos/cm
 Water temperature = 19.5 degrees Celsius
 Water evacuated from the well prior to sampling = 118 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE		68.31 umhc	metaTRACE
1	PH		7.09 pH	metaTRACE
0	TURBIDITY		23 NTU	metaTRACE
0	SILVER	LT	5 ug/L	metaTRACE
0	ARSENIC	LT	3 ug/L	metaTRACE
0	BARIIUM	LT	25 ug/L	metaTRACE
0	CALCIUM		5019 ug/L	metaTRACE
0	CADMIUM	LT	4 ug/L	metaTRACE
0	CHLORIDE		1800 ug/L	metaTRACE
1	CHROMIUM		5 ug/L	metaTRACE
0	ENDRIN	LT	0.006 ug/L	metaTRACE
0	FLUORIDE	LT	250 ug/L	metaTRACE
0	IRON		28 ug/L	metaTRACE
0	MERCURY	LT	0.20 ug/L	metaTRACE
0	POTASSIUM	LT	2000 ug/L	metaTRACE
0	LINDANE	LT	0.005 ug/L	metaTRACE
0	METHOXYCHLOR	LT	0.50 ug/L	metaTRACE
0	MAGNESIUM		278 ug/L	metaTRACE
0	MANGANESE		19 ug/L	metaTRACE
1	SODIUM		6135 ug/L	metaTRACE
0	NITRATE AS NITROGEN		1300 ug/L	metaTRACE
0	LEAD		4 ug/L	metaTRACE
0	PHENOLS	LT	5 ug/L	metaTRACE
0	PHENOLS	LT	5 ug/L	metaTRACE
0	SELENIUM	LT	2 ug/L	metaTRACE
1	SILICON		4260 ug/L	metaTRACE
0	SILVEX	LT	0.07 ug/L	metaTRACE
0	SULFATE		3900 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS		79000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	metaTRACE
0	TOTAL PHOSPHATES		156 ug/L	metaTRACE
0	TOXAPHENE	LT	0.24 ug/L	metaTRACE
0	2,4-DICHLOROPHENOXYACETIC ACID	LT	0.46 ug/L	metaTRACE
0	GROSS ALPHA		3.80+-2.80 pCi/L	metaTRACE
0	NONVOLATILE BETA	LT	4 pCi/L	metaTRACE
0	TOTAL RADIUM	LT	1 pCi/L	metaTRACE
1	TRITIUM		14.00+-2.00 pCi/mL	metaTRACE
1	TRITIUM		15.00+-2.00 pCi/mL	metaTRACE

WELL BGO 18A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/25/89 Time 1015
 Depth to water = 135.42 ft (41.28 m) below the TOC
 Water elevation = 159.78 ft (48.70 m) msl
 pH = 7.2 Alkalinity = 85 mg/L
 Specific conductance = 250 umhos/cm
 Water temperature = 19.8 degrees Celsius
 Water evacuated from the well prior to sampling = 173 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE		207.9 umhc	metaTRACE
1	PH		7.65 pH	metaTRACE
0	TURBIDITY		0.11 NTU	metaTRACE
0	SILVER	LT	5 ug/L	metaTRACE
1	ARSENIC		3 ug/L	metaTRACE
1	BARIIUM		65 ug/L	metaTRACE
1	CALCIUM		37820 ug/L	metaTRACE
0	CADMIUM	LT	4 ug/L	metaTRACE
0	CHLORIDE		2600 ug/L	metaTRACE
0	CHROMIUM	LT	5 ug/L	metaTRACE
0	ENDRIN	LT	0.006 ug/L	metaTRACE
0	FLUORIDE	LT	250 ug/L	metaTRACE
0	IRON		54 ug/L	metaTRACE
0	MERCURY	LT	0.20 ug/L	metaTRACE
0	POTASSIUM	LT	2000 ug/L	metaTRACE
0	LINDANE	LT	0.005 ug/L	metaTRACE
0	METHOXYCHLOR	LT	0.50 ug/L	metaTRACE
0	MAGNESIUM		2413 ug/L	metaTRACE
2	MANGANESE		65 ug/L	metaTRACE
0	SODIUM		3052 ug/L	metaTRACE
0	NITRATE AS NITROGEN	LT	230 ug/L	metaTRACE
0	LEAD	LT	3 ug/L	metaTRACE
0	PHENOLS	LT	5 ug/L	metaTRACE
0	SELENIUM	LT	2 ug/L	metaTRACE
1	SILICON		15890 ug/L	metaTRACE
0	SILVEX	LT	0.07 ug/L	metaTRACE
0	SULFATE		9000 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS		267000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS		5 ug/L	metaTRACE
0	TOTAL PHOSPHATES		182 ug/L	metaTRACE
0	TOXAPHENE	LT	0.24 ug/L	metaTRACE
0	2,4-DICHLOROPHENOXYACETIC ACID	LT	0.46 ug/L	metaTRACE
0	GROSS ALPHA	LT	5 pCi/L	metaTRACE
0	NONVOLATILE BETA	LT	4 pCi/L	metaTRACE
0	TOTAL RADIUM		1.40+-0.30 pCi/L	metaTRACE
0	TRITIUM	LT	1 pCi/mL	metaTRACE

WELL BGO 180

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/25/89 Time 1030
 Depth to water = 64.33 ft (19.61 m) below the TOC
 Water elevation = 230.97 ft (70.29 m) msl
 pH = 5.4 Alkalinity = 3 mg/L
 Specific conductance = 31 umhos/cm
 Water temperature = 19.5 degrees Celsius
 Water evacuated from the well prior to sampling = 56 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE	37.07 UMH/C	metaTRACE
0	PH	5.51 pH	metaTRACE
0	TURBIDITY	0.56 NTU	metaTRACE
0	SILVER	5 ug/L	metaTRACE
0	ARSENIC	3 ug/L	metaTRACE
0	BARIUM	25 ug/L	metaTRACE
0	CALCIUM	2133 ug/L	metaTRACE
0	CADMIUM	4 ug/L	metaTRACE
0	CHLORIDE	1900 ug/L	metaTRACE
1	CHROMIUM	6 ug/L	metaTRACE
0	FLUORIDE	250 ug/L	metaTRACE
0	IRON	8 ug/L	metaTRACE
0	MERCURY	0.20 ug/L	metaTRACE
0	POTASSIUM	2000 ug/L	metaTRACE
0	MAGNESIUM	362 ug/L	metaTRACE
1	MANGANESE	27 ug/L	metaTRACE
0	SODIUM	2068 ug/L	metaTRACE
0	NITRATE AS NITROGEN	1600 ug/L	metaTRACE
0	LEAD	6 ug/L	metaTRACE
0	PHENOLS	5 ug/L	metaTRACE
0	SELENIUM	2 ug/L	metaTRACE
1	SILICON	3871 ug/L	metaTRACE
0	SILVEX	0.07 ug/L	metaTRACE
0	SULFATE	6800 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS	38000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	1000 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	5 ug/L	metaTRACE
0	TOTAL PHOSPHATES	31 ug/L	metaTRACE
0	2,4-DICHLOROPHENOXYACETIC ACID	0.46 ug/L	metaTRACE
0	GROSS ALPHA	2 pCi/L	metaTRACE
0	NONVOLATILE BETA	4 pCi/L	metaTRACE
0	TOTAL RADIUM	1.10+-0.20 pCi/L	metaTRACE
1	TRITIUM	15.00+-2.00 pCi/mL	metaTRACE

WELL BGO 190

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/25/89 Time 930
 Depth to water = 55.76 ft (17.00 m) below the TOC
 Water elevation = 231.44 ft (70.54 m) msl
 pH = 5.8 Alkalinity = 5 mg/L
 Specific conductance = 38 umhos/cm
 Water temperature = 19.6 degrees Celsius
 Water evacuated from the well prior to sampling = 113 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE	40.80 UMH/C	metaTRACE
0	PH	5.43 pH	metaTRACE
0	TURBIDITY	2 NTU	metaTRACE
0	SILVER	5 ug/L	metaTRACE
0	ARSENIC	3 ug/L	metaTRACE
0	BARIUM	25 ug/L	metaTRACE
0	CALCIUM	2805 ug/L	metaTRACE
0	CADMIUM	4 ug/L	metaTRACE
0	CHLORIDE	2500 ug/L	metaTRACE
0	CHROMIUM	5 ug/L	metaTRACE
0	ENDRIN	0.006 ug/L	metaTRACE
0	FLUORIDE	250 ug/L	metaTRACE
0	IRON	28 ug/L	metaTRACE
0	MERCURY	0.20 ug/L	metaTRACE
0	POTASSIUM	2000 ug/L	metaTRACE
0	LINDANE	0.005 ug/L	metaTRACE
0	METHOXYCHLOR	0.50 ug/L	metaTRACE
0	MAGNESIUM	278 ug/L	metaTRACE
1	MANGANESE	26 ug/L	metaTRACE
0	SODIUM	3142 ug/L	metaTRACE
0	NITRATE AS NITROGEN	1200 ug/L	metaTRACE
0	LEAD	3 ug/L	metaTRACE
0	PHENOLS	5 ug/L	metaTRACE
0	SELENIUM	2 ug/L	metaTRACE
1	SILICON	4538 ug/L	metaTRACE
0	SILVEX	0.07 ug/L	metaTRACE
0	SULFATE	1700 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS	46000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	1000 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	5 ug/L	metaTRACE
0	TOTAL PHOSPHATES	21 ug/L	metaTRACE
0	TOXAPHENE	0.24 ug/L	metaTRACE
0	2,4-DICHLOROPHENOXYACETIC ACID	0.46 ug/L	metaTRACE
0	GROSS ALPHA	3 pCi/L	metaTRACE
0	GROSS ALPHA	3 pCi/L	metaTRACE
0	NONVOLATILE BETA	4 pCi/L	metaTRACE
0	NONVOLATILE BETA	4 pCi/L	metaTRACE
0	TOTAL RADIUM	1 pCi/L	metaTRACE
0	TOTAL RADIUM	1.00+-0.30 pCi/L	metaTRACE
2	TRITIUM	23.00+-3.00 pCi/mL	metaTRACE

WELL BGO 200

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/26/89 Time 905
 pH = 5.8 Alkalinity = 30 mg/L
 Specific conductance = 114 umhos/cm
 Water temperature = 19.5 degrees Celsius
 Water evacuated from the well prior to sampling = 7 gal
 The well went dry during purging.

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	109.6 UMH/C	metaTRACE
0	PH	5.98 pH	metaTRACE
0	TURBIDITY	52 NTU	metaTRACE
0	SILVER	5 ug/L	metaTRACE
0	ARSENIC	3 ug/L	metaTRACE
0	BARIUM	26 ug/L	metaTRACE
0	CALCIUM	8477 ug/L	metaTRACE
0	CADMIUM	4 ug/L	metaTRACE
0	CHLORIDE	2300 ug/L	metaTRACE
1	CHROMIUM	6 ug/L	metaTRACE
0	FLUORIDE	250 ug/L	metaTRACE
0	IRON	87 ug/L	metaTRACE
0	MERCURY	0.20 ug/L	metaTRACE
0	POTASSIUM	4846 ug/L	metaTRACE
0	MAGNESIUM	707 ug/L	metaTRACE
2	MANGANESE	132 ug/L	metaTRACE
1	SODIUM	12270 ug/L	metaTRACE
0	NITRATE AS NITROGEN	1700 ug/L	metaTRACE
0	LEAD	9 ug/L	metaTRACE
0	PHENOLS	5 ug/L	metaTRACE
0	SELENIUM	2 ug/L	metaTRACE
1	SILICON	4130 ug/L	metaTRACE
0	SILVEX	0.07 ug/L	metaTRACE
0	SULFATE	1400 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS	117000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	1000 ug/L	metaTRACE
1	TOTAL ORGANIC HALOGENS	14 ug/L	metaTRACE
0	TOTAL PHOSPHATES	161 ug/L	metaTRACE
1	2,4-DICHLOROPHENOXYACETIC ACID	0.75 ug/L	metaTRACE
0	GROSS ALPHA	5 pCi/L	metaTRACE
0	NONVOLATILE BETA	6.60+-3.10 pCi/L	metaTRACE
0	TOTAL RADIUM	1.00+-0.20 pCi/L	metaTRACE
1	TRITIUM	18.00+-2.00 pCi/mL	metaTRACE

WELL BGO 210

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/26/89 Time 1005
 Depth to water = 51.95 ft (15.83 m) below the TOC
 Water elevation = 233.45 ft (71.16 m) msl
 pH = 7.1 Alkalinity = 107 mg/L
 Specific conductance = 320 umhos/cm
 Water temperature = 19.8 degrees Celsius
 Water evacuated from the well prior to sampling = 7 gal
 The well went dry during purging.

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	270.1 UMH/C	metaTRACE
1	PH	7.30 pH	metaTRACE
0	TURBIDITY	232 NTU	metaTRACE
0	SILVER	5 ug/L	metaTRACE
0	ARSENIC	3 ug/L	metaTRACE
0	BARIUM	25 ug/L	metaTRACE
0	CALCIUM	4597 ug/L	metaTRACE
0	CADMIUM	4 ug/L	metaTRACE
0	CHLORIDE	1400 ug/L	metaTRACE
1	CHROMIUM	5 ug/L	metaTRACE
0	ENDRIN	0.006 ug/L	metaTRACE
0	FLUORIDE	250 ug/L	metaTRACE
0	IRON	20 ug/L	metaTRACE
0	MERCURY	0.20 ug/L	metaTRACE
1	POTASSIUM	43970 ug/L	metaTRACE
0	LINDANE	0.005 ug/L	metaTRACE
0	METHOXYCHLOR	0.50 ug/L	metaTRACE
0	MAGNESIUM	282 ug/L	metaTRACE
0	MANGANESE	3 ug/L	metaTRACE
1	SODIUM	28900 ug/L	metaTRACE
0	NITRATE AS NITROGEN	1900 ug/L	metaTRACE
0	LEAD	14 ug/L	metaTRACE
0	PHENOLS	5 ug/L	metaTRACE
0	SELENIUM	2 ug/L	metaTRACE
1	SILICON	3915 ug/L	metaTRACE
0	SILVEX	0.07 ug/L	metaTRACE
0	SULFATE	1400 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS	312000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	1000 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	5 ug/L	metaTRACE
0	TOTAL PHOSPHATES	206 ug/L	metaTRACE
0	TOXAPHENE	0.24 ug/L	metaTRACE
0	2,4-DICHLOROPHENOXYACETIC ACID	0.46 ug/L	metaTRACE
0	GROSS ALPHA	5 pCi/L	metaTRACE
1	NONVOLATILE BETA	44.00+-6.00 pCi/L	metaTRACE
0	TOTAL RADIUM	1.10+-0.20 pCi/L	metaTRACE
2	TRITIUM	32.00+-4.00 pCi/mL	metaTRACE

WELL BGO 220

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/26/89 Time 1110
 Depth to water = 55.43 ft (16.90 m) below the TOC
 Water elevation = 231.07 ft (70.43 m) msl
 pH = 5.4 Alkalinity = 8 mg/L
 Specific conductance = 32 umhos/cm
 Water temperature = 20.5 degrees Celsius
 Water evacuated from the well prior to sampling = 121 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE	38.35 UMH/C	metaTRACE
0	PH	5.33 pH	metaTRACE
0	TURBIDITY	2 NTU	metaTRACE
0	SILVER	LT 5 ug/L	metaTRACE
0	ARSENIC	LT 3 ug/L	metaTRACE
0	BARIUM	LT 25 ug/L	metaTRACE
0	CALCIUM	4738 ug/L	metaTRACE
0	CADMIUM	LT 4 ug/L	metaTRACE
0	CHLORIDE	1700 ug/L	metaTRACE
1	CHROMIUM	5 ug/L	metaTRACE
0	ENDRIN	LT 0.006 ug/L	metaTRACE
0	FLUORIDE	LT 250 ug/L	metaTRACE
0	IRON	105 ug/L	metaTRACE
0	MERCURY	LT 0.20 ug/L	metaTRACE
0	POTASSIUM	LT 2000 ug/L	metaTRACE
0	LINDANE	LT 0.005 ug/L	metaTRACE
0	METHOXYCHLOR	LT 0.50 ug/L	metaTRACE
0	MAGNESIUM	366 ug/L	metaTRACE
0	MANGANESE	16 ug/L	metaTRACE
0	SODIUM	2664 ug/L	metaTRACE
0	NITRATE AS NITROGEN	2100 ug/L	metaTRACE
0	LEAD	4 ug/L	metaTRACE
0	PHENOLS	LT 5 ug/L	metaTRACE
0	SELENIUM	LT 2 ug/L	metaTRACE
1	SILICON	3503 ug/L	metaTRACE
0	SILVEX	LT 0.07 ug/L	metaTRACE
0	SULFATE	LT 1000 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS	10000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	LT 1000 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	LT 5 ug/L	metaTRACE
0	TOTAL PHOSPHATES	65 ug/L	metaTRACE
0	TOXAPHENE	LT 0.24 ug/L	metaTRACE
0	2,4-DICHLOROPHENOXYACETIC ACID	LT 0.46 ug/L	metaTRACE
0	GROSS ALPHA	LT 2 pCi/L	metaTRACE
0	NONVOLATILE BETA	LT 5 pCi/L	metaTRACE
0	TOTAL RADIUM	1.20+-0.20 pCi/L	metaTRACE
1	TRITIUM	16.00+-2.00 pCi/mL	metaTRACE

WELL BGO 230

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/25/89 Time 1225
 Depth to water = 54.50 ft (16.61 m) below the TOC
 Water elevation = 234.70 ft (71.54 m) msl
 pH = 6.4 Alkalinity = 8 mg/L
 Specific conductance = 44 umhos/cm
 Water temperature = 21.5 degrees Celsius
 Water evacuated from the well prior to sampling = 48 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE	51.18 UMH/C	metaTRACE
0	PH	6.12 pH	metaTRACE
0	TURBIDITY	0.15 NTU	metaTRACE
0	SILVER	LT 5 ug/L	metaTRACE
0	ARSENIC	LT 3 ug/L	metaTRACE
0	BARIUM	LT 25 ug/L	metaTRACE
0	CALCIUM	1333 ug/L	metaTRACE
0	CADMIUM	LT 4 ug/L	metaTRACE
0	CHLORIDE	840 ug/L	metaTRACE
1	CHROMIUM	8 ug/L	metaTRACE
0	ENDRIN	LT 0.006 ug/L	metaTRACE
0	FLUORIDE	LT 250 ug/L	metaTRACE
0	IRON	13 ug/L	metaTRACE
0	MERCURY	LT 0.20 ug/L	metaTRACE
0	POTASSIUM	LT 2000 ug/L	metaTRACE
0	LINDANE	LT 0.005 ug/L	metaTRACE
0	METHOXYCHLOR	LT 0.50 ug/L	metaTRACE
0	MAGNESIUM	116 ug/L	metaTRACE
0	MANGANESE	3 ug/L	metaTRACE
1	SODIUM	5886 ug/L	metaTRACE
0	NITRATE AS NITROGEN	2100 ug/L	metaTRACE
0	LEAD	6 ug/L	metaTRACE
0	PHENOLS	LT 5 ug/L	metaTRACE
0	SELENIUM	LT 2 ug/L	metaTRACE
1	SILICON	2942 ug/L	metaTRACE
0	SILVEX	LT 0.07 ug/L	metaTRACE
0	SULFATE	1100 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS	35000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	LT 1000 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	LT 5 ug/L	metaTRACE
0	TOTAL PHOSPHATES	30 ug/L	metaTRACE
0	TOXAPHENE	LT 0.24 ug/L	metaTRACE
0	2,4-DICHLOROPHENOXYACETIC ACID	LT 0.46 ug/L	metaTRACE
0	GROSS ALPHA	LT 3 pCi/L	metaTRACE
0	NONVOLATILE BETA	LT 4 pCi/L	metaTRACE
0	TOTAL RADIUM	LT 1 pCi/L	metaTRACE
1	TRITIUM	18.00+-2.00 pCi/mL	metaTRACE

WELL BGO 240

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/26/89 Time 1140
 Depth to water = 57.57 ft (17.55 m) below the TOC
 Water elevation = 235.63 ft (71.82 m) msl
 pH = 10.3 Alkalinity = 24 mg/L
 Specific conductance = 132 umhos/cm
 Water temperature = 21.0 degrees Celsius
 Water evacuated from the well prior to sampling = 8 gal
 The well went dry during purging.

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	109.8 UMH/C	metaTRACE
2	PH	10.1 pH	metaTRACE
0	TURBIDITY	13 NTU	metaTRACE
0	SILVER	LT 5 ug/L	metaTRACE
0	ARSENIC	LT 3 ug/L	metaTRACE
0	BARIUM	29 ug/L	metaTRACE
0	CALCIUM	8839 ug/L	metaTRACE
0	CADMIUM	LT 4 ug/L	metaTRACE
0	CHLORIDE	1900 ug/L	metaTRACE
0	CHROMIUM	LT 5 ug/L	metaTRACE
0	FLUORIDE	LT 250 ug/L	metaTRACE
0	IRON	14 ug/L	metaTRACE
0	MERCURY	LT 0.20 ug/L	metaTRACE
0	POTASSIUM	LT 2000 ug/L	metaTRACE
0	MAGNESIUM	116 ug/L	metaTRACE
0	MANGANESE	LT 2 ug/L	metaTRACE
1	SODIUM	9117 ug/L	metaTRACE
0	NITRATE AS NITROGEN	860 ug/L	metaTRACE
0	LEAD	LT 3 ug/L	metaTRACE
0	PHENOLS	LT 5 ug/L	metaTRACE
0	SELENIUM	LT 2 ug/L	metaTRACE
1	SILICON	3637 ug/L	metaTRACE
0	SILVEX	LT 0.07 ug/L	metaTRACE
0	SULFATE	5800 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS	32000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	LT 1000 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	LT 5 ug/L	metaTRACE
0	TOTAL PHOSPHATES	52 ug/L	metaTRACE
0	2,4-DICHLOROPHENOXYACETIC ACID	LT 0.46 ug/L	metaTRACE
0	GROSS ALPHA	LT 4 pCi/L	metaTRACE
0	NONVOLATILE BETA	LT 4 pCi/L	metaTRACE
0	TOTAL RADIUM	LT 1 pCi/L	metaTRACE
0	TOTAL RADIUM	LT 1 pCi/L	metaTRACE
0	TRITIUM	4.30+-0.50 pCi/mL	metaTRACE

WELL BGO 25A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/30/89 Time 1315
 Depth to water = 136.94 ft (41.74 m) below the TOC
 Water elevation = 159.56 ft (48.63 m) msl
 pH = 7.4 Alkalinity = 98 mg/L
 Specific conductance = 290 umhos/cm
 Water temperature = 20.0 degrees Celsius
 Water evacuated from the well prior to sampling = 13 gal
 The well went dry during purging.

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	245.0 UMH/C	metaTRACE
2	PH	8.33 pH	metaTRACE
0	TURBIDITY	0.34 NTU	metaTRACE
0	SILVER	LT 2 ug/L	metaTRACE
0	ARSENIC	LT 3 ug/L	metaTRACE
0	BARIUM	41 ug/L	metaTRACE
1	CALCIUM	42900 ug/L	metaTRACE
0	CADMIUM	LT 4 ug/L	metaTRACE
0	CHLORIDE	2400 ug/L	metaTRACE
0	CHROMIUM	LT 5 ug/L	metaTRACE
0	ENDRIN	LT 0.006 ug/L	metaTRACE
0	FLUORIDE	LT 250 ug/L	metaTRACE
0	IRON	27 ug/L	metaTRACE
0	MERCURY	LT 0.20 ug/L	metaTRACE
0	POTASSIUM	LT 2000 ug/L	metaTRACE
0	LINDANE	LT 0.005 ug/L	metaTRACE
0	METHOXYCHLOR	LT 0.50 ug/L	metaTRACE
0	MAGNESIUM	785 ug/L	metaTRACE
0	MANGANESE	10 ug/L	metaTRACE
0	SODIUM	3255 ug/L	metaTRACE
0	NITRATE AS NITROGEN	LT 230 ug/L	metaTRACE
0	LEAD	4 ug/L	metaTRACE
0	PHENOLS	LT 5 ug/L	metaTRACE
0	SELENIUM	LT 2 ug/L	metaTRACE
1	SILICON	17470 ug/L	metaTRACE
0	SILVEX	LT 0.07 ug/L	metaTRACE
0	SULFATE	8700 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS	197000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	LT 1000 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	LT 5 ug/L	metaTRACE
0	TOTAL PHOSPHATES	73 ug/L	metaTRACE
0	TOXAPHENE	LT 0.24 ug/L	metaTRACE
0	2,4-DICHLOROPHENOXYACETIC ACID	LT 0.46 ug/L	metaTRACE
0	GROSS ALPHA	LT 5 pCi/L	metaTRACE
0	NONVOLATILE BETA	5.40+-3.60 pCi/L	metaTRACE
0	TOTAL RADIUM	LT 1 pCi/L	metaTRACE
0	TRITIUM	LT 1 pCi/mL	metaTRACE

WELL BGO 26A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/23/89 Time 830
 Depth to water = 124.76 ft (38.03 m) below the TOC
 Water elevation = 162.44 ft (49.51 m) msl
 pH = 12.0 Alkalinity = 711 mg/L
 Specific conductance = 2930 umhos/cm
 Water temperature = 20.9 degrees Celsius
 Water evacuated from the well prior to sampling = 49 gal
 The well went dry during purging.

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	1340 UMH/C	metaTRACE
2	PH	12.2 pH	metaTRACE
0	SILVER	2 ug/L	metaTRACE
0	ARSENIC	3 ug/L	metaTRACE
0	ARSENIC	3 ug/L	metaTRACE
0	BARIIUM	47 ug/L	metaTRACE
0	BARIIUM	49 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	5 ug/L	metaTRACE
1	CALCIUM	52010 ug/L	metaTRACE
1	CALCIUM	53380 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	5.00 ug/L	metaTRACE
0	CADMIUM	4 ug/L	metaTRACE
0	CADMIUM	4 ug/L	metaTRACE
0	BROMOFORM	5 ug/L	metaTRACE
0	CHLOROFORM	5 ug/L	metaTRACE
0	METHYLENE CHLORIDE	5 ug/L	metaTRACE
0	BROMOMETHANE	10 ug/L	metaTRACE
0	CHLOROETHANE	10 ug/L	metaTRACE
0	CHLORIDE	2400 ug/L	metaTRACE
0	CHLOROBENZENE	5 ug/L	metaTRACE
0	CHROMIUM	10 ug/L	metaTRACE
0	CHROMIUM	10 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	5 ug/L	metaTRACE
0	CHLOROETHANE	10 ug/L	metaTRACE
0	BENZENE	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	5 ug/L	metaTRACE
0	ETHYLBENZENE	5 ug/L	metaTRACE
0	FLUORIDE	300 ug/L	metaTRACE
0	IRON	10 ug/L	metaTRACE
1	IRON	198 ug/L	metaTRACE
0	MERCURY	0.20 ug/L	metaTRACE
0	POTASSIUM	5000 ug/L	metaTRACE
0	POTASSIUM	5000 ug/L	metaTRACE
0	TOLUENE	5 ug/L	metaTRACE
0	MAGNESIUM	33 ug/L	metaTRACE
0	MAGNESIUM	30 ug/L	metaTRACE
0	MANGANESE	10 ug/L	metaTRACE
0	MANGANESE	10 ug/L	metaTRACE
1	SODIUM	20400 ug/L	metaTRACE
1	SODIUM	21260 ug/L	metaTRACE
0	NITRATE AS NITROGEN	230 ug/L	metaTRACE
0	LEAD	3 ug/L	metaTRACE
0	LEAD	4 ug/L	metaTRACE
0	PHENOLS	5 ug/L	metaTRACE
0	SELENIUM	2 ug/L	metaTRACE
0	SELENIUM	2 ug/L	metaTRACE
1	SILICON	13910 ug/L	metaTRACE
1	SILICON	13910 ug/L	metaTRACE
0	SULFATE	8600 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	5.00 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS	438000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	1130 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	6 ug/L	metaTRACE
0	TOTAL PHOSPHATES	40 ug/L	metaTRACE
2	TRICHLOROETHYLENE	5.00 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	5 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	5 ug/L	metaTRACE
0	GROSS ALPHA	2 pCi/L	Teledyne
0	BARIUM-140	10 pCi/L	Teledyne
0	NONVOLATILE BETA	6 pCi/L	Teledyne
0	BERYLLIUM-7	40 pCi/L	Teledyne
0	CERIUM-141	10 pCi/L	Teledyne
0	CERIUM-144	40 pCi/L	Teledyne
0	COBALT-58	4 pCi/L	Teledyne
0	COBALT-60	4 pCi/L	Teledyne
0	CESIUM-134	4 pCi/L	Teledyne
0	CESIUM-137	4 pCi/L	Teledyne
0	IRON-59	9 pCi/L	Teledyne
0	IODINE-131	10 pCi/L	Teledyne
0	POTASSIUM-40	60 pCi/L	Teledyne
0	MANGANESE-54	3 pCi/L	Teledyne
0	RADIUM-226	90 pCi/L	Teledyne
0	RUTHENIUM-103	5 pCi/L	Teledyne
0	RUTHENIUM-106	30 pCi/L	Teledyne
0	THORIUM-228	8 pCi/L	Teledyne
0	TOTAL RADIUM	1.40+-0.30 pCi/L	metaTRACE
0	TRITIUM	1.30+-0.20 pCi/mL	metaTRACE
0	ZINC-65	8 pCi/L	Teledyne
0	ZIRCONIUM-95	4 pCi/L	Teledyne

WELL BGO 26D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/23/89 Time 850
 Depth to water = 59.78 ft (18.22 m) below the TOC
 Water elevation = 225.72 ft (68.80 m) msl
 pH = 5.1 Alkalinity = 5 mg/L
 Specific conductance = 67 umhos/cm
 Water temperature = 20.9 degrees Celsius
 Water evacuated from the well prior to sampling = 7 gal
 The well went dry during purging.

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE	45.50 UMH/C	metaTRACE
0	PH	5.77 pH	metaTRACE
0	SILVER	2 ug/L	metaTRACE
0	ARSENIC	3 ug/L	metaTRACE
0	BARIIUM	12 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	5 ug/L	metaTRACE
0	CALCIUM	6632 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	5.00 ug/L	metaTRACE
0	CADMIUM	4 ug/L	metaTRACE
0	BROMOFORM	5 ug/L	metaTRACE
0	CHLOROFORM	5 ug/L	metaTRACE
0	METHYLENE CHLORIDE	5 ug/L	metaTRACE
0	BROMOMETHANE	10 ug/L	metaTRACE
0	CHLOROMETHANE	10 ug/L	metaTRACE
0	CHLORIDE	2400 ug/L	metaTRACE
0	CHLOROBENZENE	5 ug/L	metaTRACE
0	CHROMIUM	10 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	5 ug/L	metaTRACE
0	CHLOROETHANE	10 ug/L	metaTRACE
0	BENZENE	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	5 ug/L	metaTRACE
0	ETHYLBENZENE	5 ug/L	metaTRACE
0	FLUORIDE	250 ug/L	metaTRACE
0	IRON	55 ug/L	metaTRACE
0	MERCURY	0.20 ug/L	metaTRACE
0	POTASSIUM	5000 ug/L	metaTRACE
0	TOLUENE	5 ug/L	metaTRACE
0	MAGNESIUM	378 ug/L	metaTRACE
0	MANGANESE	25 ug/L	metaTRACE
0	SODIUM	3344 ug/L	metaTRACE
0	NITRATE AS NITROGEN	790 ug/L	metaTRACE
0	LEAD	3 ug/L	metaTRACE
0	PHENOLS	5 ug/L	metaTRACE
0	SELENIUM	2 ug/L	metaTRACE
1	SILICON	290 ug/L	metaTRACE
0	SULFATE	1400 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	5.00 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS	440000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	1070 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	7 ug/L	metaTRACE
1	TOTAL PHOSPHATES	1034 ug/L	metaTRACE
0	TRICHLOROETHYLENE	5.00 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	5 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	5 ug/L	metaTRACE
1	GROSS ALPHA	6.20+-2.60 pCi/L	metaTRACE
1	GROSS ALPHA	14.00+-6.60 pCi/L	metaTRACE
0	BARIUM-140	9 pCi/L	Teledyne
1	NONVOLATILE BETA	10.00+-3.90 pCi/L	metaTRACE
0	BERYLLIUM-7	30 pCi/L	Teledyne
0	CERIUM-141	8 pCi/L	Teledyne
0	CERIUM-144	30 pCi/L	Teledyne
0	COBALT-58	3 pCi/L	Teledyne
0	COBALT-60	3 pCi/L	Teledyne
0	CESIUM-134	3 pCi/L	Teledyne
0	CESIUM-137	3 pCi/L	Teledyne
0	IRON-59	8 pCi/L	Teledyne
0	IODINE-131	10 pCi/L	Teledyne
0	POTASSIUM-40	50 pCi/L	Teledyne
0	MANGANESE-54	3 pCi/L	Teledyne
0	RADIUM-226	80 pCi/L	Teledyne
0	RUTHENIUM-103	4 pCi/L	Teledyne
0	RUTHENIUM-106	30 pCi/L	Teledyne
0	THORIUM-228	6 pCi/L	Teledyne
0	TOTAL RADIUM	1.60+-0.40 pCi/L	metaTRACE
0	TOTAL RADIUM	1.00+-0.20 pCi/L	metaTRACE
0	TRITIUM	5.20+-0.60 pCi/mL	metaTRACE
0	ZINC-65	7 pCi/L	Teledyne
0	ZIRCONIUM-95	3 pCi/L	Teledyne

WELL BGO 27C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/22/89 Time 1410
 pH = 6.5 Alkalinity = 43 mg/L
 Specific conductance = 120 umhos/cm
 Water temperature = 21.0 degrees Celsius
 Water evacuated from the well prior to sampling = 160 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	110.0 UMH/C	Gen. Eng.
1	SPECIFIC CONDUCTANCE	114.8 UMH/C	metaTRACE
1	PH	6.80 pH	Gen. Eng.
0	PH	6.20 pH	metaTRACE
0	SILVER	2 ug/L	Gen. Eng.
0	SILVER	2 ug/L	metaTRACE
0	ARSENIC	2 ug/L	Gen. Eng.
0	ARSENIC	3 ug/L	metaTRACE
0	BARIUM	8 ug/L	Gen. Eng.
0	BARIUM	25 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	1 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	5 ug/L	metaTRACE
1	CALCIUM	29000 ug/L	Gen. Eng.
1	CALCIUM	21970 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	1.00 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	5.00 ug/L	metaTRACE
0	CADMIUM	2 ug/L	Gen. Eng.
0	CADMIUM	4 ug/L	metaTRACE
0	BROMOFORM	1 ug/L	Gen. Eng.
0	BROMOFORM	5 ug/L	metaTRACE
0	CHLOROFORM	1 ug/L	Gen. Eng.
0	CHLOROFORM	5 ug/L	metaTRACE
0	METHYLENE CHLORIDE	1 ug/L	Gen. Eng.
0	METHYLENE CHLORIDE	5 ug/L	metaTRACE
0	BROMOMETHANE	1 ug/L	Gen. Eng.
0	BROMOMETHANE	10 ug/L	metaTRACE
0	CHLOROMETHANE	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	10 ug/L	metaTRACE
0	CHLORIDE	1500 ug/L	Gen. Eng.
0	CHLORIDE	1700 ug/L	metaTRACE
0	CHLOROBENZENE	1 ug/L	Gen. Eng.
0	CHLOROBENZENE	5 ug/L	metaTRACE
0	CHROMIUM	4 ug/L	Gen. Eng.
0	CHROMIUM	10 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	1 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	5 ug/L	metaTRACE
0	CHLOROETHANE	1 ug/L	Gen. Eng.
0	CHLOROETHANE	10 ug/L	metaTRACE
0	BENZENE	1 ug/L	Gen. Eng.
0	BENZENE	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	5 ug/L	metaTRACE
0	ETHYLBENZENE	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	5 ug/L	metaTRACE
0	FLUORIDE	130 ug/L	Gen. Eng.
0	FLUORIDE	250 ug/L	metaTRACE
0	IRON	39 ug/L	Gen. Eng.
0	IRON	32 ug/L	metaTRACE
0	MERCURY	0.20 ug/L	Gen. Eng.
0	MERCURY	0.20 ug/L	metaTRACE
0	POTASSIUM	500 ug/L	Gen. Eng.
0	POTASSIUM	5000 ug/L	metaTRACE
0	TOLUENE	1 ug/L	Gen. Eng.
0	TOLUENE	5 ug/L	metaTRACE
0	MAGNESIUM	434 ug/L	Gen. Eng.
0	MAGNESIUM	332 ug/L	metaTRACE
0	MANGANESE	3 ug/L	Gen. Eng.
0	MANGANESE	10 ug/L	metaTRACE
0	SODIUM	3740 ug/L	Gen. Eng.
0	SODIUM	2056 ug/L	metaTRACE
0	NITRATE AS NITROGEN	1300 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN	1200 ug/L	metaTRACE
0	LEAD	9 ug/L	Gen. Eng.
0	LEAD	3 ug/L	metaTRACE
0	PHENOLS	5 ug/L	Gen. Eng.
0	PHENOLS	5 ug/L	metaTRACE
0	SELENIUM	2 ug/L	Gen. Eng.
0	SELENIUM	2 ug/L	metaTRACE
1	SILICON	1739 ug/L	metaTRACE
1	SILICA	11400 ug/L	Gen. Eng.
0	SULFATE	5000 ug/L	Gen. Eng.
0	SULFATE	1100 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	1 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	1.00 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	5.00 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS	107000 ug/L	Gen. Eng.
0	TOTAL DISSOLVED SOLIDS	151000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	1060 ug/L	Gen. Eng.
0	TOTAL ORGANIC CARBON	1000 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	7 ug/L	Gen. Eng.
1	TOTAL ORGANIC HALOGENS	20 ug/L	metaTRACE
1	TOTAL PHOSPHORUS	920 ug/L	Gen. Eng.
1	TOTAL PHOSPHATES	622 ug/L	metaTRACE
2	TRICHLOROETHYLENE	10.0 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE	11.0 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	1 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	5 ug/L	metaTRACE
0	XYLENES	2 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	1 ug/L	Gen. Eng.

CONTINUED

WELL BGO 27C COLLECTED ON 07/22/89 LABORATORY ANALYSES CONTINUED

0	1,1,2-TRICHLOROETHANE	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	5 ug/L	metaTRACE
0	GROSS ALPHA	3 pCi/L	Gen. Eng.
0	GROSS ALPHA	3 pCi/L	metaTRACE
0	BARIUM-140	8 pCi/L	Teledyne
0	NONVOLATILE BETA	2.13+-2.20 pCi/L	Gen. Eng.
0	NONVOLATILE BETA	6 pCi/L	metaTRACE
0	BERYLLIUM-7	30 pCi/L	Teledyne
0	CERIUM-141	9 pCi/L	Teledyne
0	CERIUM-144	30 pCi/L	Teledyne
0	COBALT-58	3 pCi/L	Teledyne
0	COBALT-60	4 pCi/L	Teledyne
0	CESIUM-134	3 pCi/L	Teledyne
0	CESIUM-137	4 pCi/L	Teledyne
0	IRON-59	8 pCi/L	Teledyne
0	IODINE-131	10 pCi/L	Teledyne
1	POTASSIUM-40	55.40+-29.5 pCi/L	Teledyne
0	MANGANESE-54	3 pCi/L	Teledyne
0	RADIUM-226	100 pCi/L	Teledyne
0	RUTHENIUM-103	4 pCi/L	Teledyne
0	RUTHENIUM-106	30 pCi/L	Teledyne
0	THORIUM-232	6 pCi/L	Teledyne
0	TOTAL RADIUM	1 pCi/L	metaTRACE
0	TOTAL RADIUM	1 pCi/L	metaTRACE
2	TRITIUM	84.60+-1.02 pCi/mL	Gen. Eng.
2	TRITIUM	32.00+-4.00 pCi/mL	metaTRACE
0	ZINC-65	6 pCi/L	Teledyne
0	ZIRCONIUM-95	4 pCi/L	Teledyne

WELL BGO 27C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/22/89 Time 1410
 pH = 6.5 Alkalinity = 43 mg/L
 Specific conductance = 120 umhos/cm
 Water temperature = 21.0 degrees Celsius
 Water evacuated from the well prior to sampling = 160 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	110.0 UMH/C	Gen. Eng.
1	SPECIFIC CONDUCTANCE	109.3 UMH/C	metaTRACE
1	PH	7.49 pH	Gen. Eng.
1	PH	6.84 pH	metaTRACE
0	SILVER	2 ug/L	Gen. Eng.
0	SILVER	2 ug/L	metaTRACE
0	ARSENIC	2 ug/L	Gen. Eng.
0	ARSENIC	3 ug/L	metaTRACE
0	BARIUM	6 ug/L	Gen. Eng.
0	BARIUM	25 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	1 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	5 ug/L	metaTRACE
1	CALCIUM	29800 ug/L	Gen. Eng.
1	CALCIUM	21330 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	1.00 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	5.00 ug/L	metaTRACE
0	CADMIUM	2 ug/L	Gen. Eng.
0	CADMIUM	4 ug/L	metaTRACE
0	BROMOFORM	1 ug/L	Gen. Eng.
0	BROMOFORM	5 ug/L	metaTRACE
0	CHLOROFORM	1 ug/L	Gen. Eng.
0	CHLOROFORM	5 ug/L	metaTRACE
0	METHYLENE CHLORIDE	1 ug/L	Gen. Eng.
0	METHYLENE CHLORIDE	5 ug/L	metaTRACE
0	BROMOMETHANE	1 ug/L	Gen. Eng.
0	BROMOMETHANE	10 ug/L	metaTRACE
0	CHLOROMETHANE	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	10 ug/L	metaTRACE
0	CHLORIDE	1600 ug/L	Gen. Eng.
0	CHLORIDE	1700 ug/L	metaTRACE
0	CHLORIDE	1700 ug/L	metaTRACE
0	CHLOROBENZENE	1 ug/L	Gen. Eng.
0	CHLOROBENZENE	5 ug/L	metaTRACE
0	CHROMIUM	4 ug/L	Gen. Eng.
0	CHROMIUM	10 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	1 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	5 ug/L	metaTRACE
0	CHLOROETHANE	1 ug/L	Gen. Eng.
0	CHLOROETHANE	10 ug/L	metaTRACE
0	BENZENE	1 ug/L	Gen. Eng.
0	BENZENE	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	5 ug/L	metaTRACE
0	ETHYLBENZENE	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	5 ug/L	metaTRACE
0	FLUORIDE	120 ug/L	Gen. Eng.
0	FLUORIDE	250 ug/L	metaTRACE
0	FLUORIDE	250 ug/L	metaTRACE
0	IRON	43 ug/L	Gen. Eng.
0	IRON	16 ug/L	metaTRACE
0	MERCURY	0.20 ug/L	Gen. Eng.
0	MERCURY	0.20 ug/L	metaTRACE
0	POTASSIUM	500 ug/L	Gen. Eng.
0	POTASSIUM	5000 ug/L	metaTRACE

CONTINUED

WELL BGO 27C COLLECTED ON 07/22/89 LABORATORY ANALYSES CONTINUED

0	TOLUENE	LT	1 ug/L	Gen. Eng.
0	TOLUENE	LT	5 ug/L	metaTRACE
0	MAGNESIUM		360 ug/L	Gen. Eng.
0	MAGNESIUM		338 ug/L	metaTRACE
0	MANGANESE		2 ug/L	Gen. Eng.
0	MANGANESE	LT	10 ug/L	metaTRACE
0	SODIUM		3470 ug/L	Gen. Eng.
0	SODIUM		1882 ug/L	metaTRACE
0	NITRATE AS NITROGEN		960 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN		1200 ug/L	metaTRACE
0	NITRATE AS NITROGEN		1200 ug/L	metaTRACE
0	LEAD		7 ug/L	Gen. Eng.
0	LEAD	LT	3 ug/L	metaTRACE
0	PHENOLS	LT	5 ug/L	Gen. Eng.
0	PHENOLS	LT	5 ug/L	metaTRACE
0	SELENIUM	LT	2 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	metaTRACE
1	SILICON		870 ug/L	metaTRACE
1	SILICA		10300 ug/L	Gen. Eng.
0	SULFATE	LT	5000 ug/L	Gen. Eng.
0	SULFATE		1100 ug/L	metaTRACE
0	SULFATE		1100 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS		105000 ug/L	Gen. Eng.
0	TOTAL DISSOLVED SOLIDS		85000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON		2000 ug/L	Gen. Eng.
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS		9 ug/L	Gen. Eng.
0	TOTAL ORGANIC HALOGENS		10 ug/L	metaTRACE
1	TOTAL PHOSPHORUS		780 ug/L	Gen. Eng.
1	TOTAL PHOSPHATES		1097 ug/L	metaTRACE
2	TRICHLOROETHYLENE		11.0 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE		12.0 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	XYLENES	LT	2 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0	GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
0	GROSS ALPHA	LT	2 pCi/L	metaTRACE
0	GROSS ALPHA	LT	2 pCi/L	metaTRACE
0	NONVOLATILE BETA	LT	2 pCi/L	Gen. Eng.
0	NONVOLATILE BETA	LT	5 pCi/L	metaTRACE
0	NONVOLATILE BETA	LT	5 pCi/L	metaTRACE
0	TOTAL RADIUM	LT	1 pCi/L	metaTRACE
2	TRITIUM		81.20+-1.02 pCi/mL	Gen. Eng.
2	TRITIUM		26.00+-3.00 pCi/mL	metaTRACE
2	TRITIUM		26.00+-3.00 pCi/mL	metaTRACE

WELL BGO 27D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/23/89 Time 9:10
 Depth to water = 50.86 ft (15.50 m) below the TOC
 Water elevation = 225.44 ft (68.71 m) msl
 pH = 4.7 Alkalinity = 6 mg/L
 Specific conductance = 66 umhos/cm
 Water temperature = 21.0 degrees Celsius
 Water evacuated from the well prior to sampling = 10 gal
 The well went dry during purging.

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE		28.90 UMHG	metaTRACE
0	PH		5.70 pH	metaTRACE
0	SILVER	LT	5 ug/L	metaTRACE
0	ARSENIC	LT	3 ug/L	metaTRACE
0	BARIUM		34 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
0	CALCIUM		5240 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0	CADMIUM	LT	4 ug/L	metaTRACE
0	BROMOFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	5 ug/L	metaTRACE
0	METHYLENE CHLORIDE	LT	5 ug/L	metaTRACE
0	BROMOMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
0	CHLORIDE		1700 ug/L	metaTRACE
0	CHLOROBENZENE	LT	5 ug/L	metaTRACE
0	CHROMIUM	LT	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0	CHLOROETHANE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0	ETHYLBENZENE	LT	5 ug/L	metaTRACE
0	FLUORIDE	LT	250 ug/L	metaTRACE

CONTINUED

WELL BGO 27D COLLECTED ON 07/23/89 LABORATORY ANALYSES CONTINUED

2	IRON		1719 ug/L	metaTRACE
0	MERCURY	LT	0.20 ug/L	metaTRACE
0	POTASSIUM	LT	2000 ug/L	metaTRACE
0	TOLUENE	LT	5 ug/L	metaTRACE
0	MAGNESIUM		780 ug/L	metaTRACE
2	MANGANESE		222 ug/L	metaTRACE
0	SODIUM		2458 ug/L	metaTRACE
0	NITRATE AS NITROGEN		700 ug/L	metaTRACE
2	LEAD		26 ug/L	metaTRACE
0	PHENOLS	LT	5 ug/L	metaTRACE
0	SELENIUM	LT	2 ug/L	metaTRACE
1	SILICON		4538 ug/L	metaTRACE
0	SULFATE	LT	1000 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS		23000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	metaTRACE
2	TOTAL ORGANIC HALOGENS		25 ug/L	metaTRACE
0	TOTAL PHOSPHATES	LT	10 ug/L	metaTRACE
2	TRICHLOROETHYLENE		47.0 ug/L	metaTRACE
1	TRANS-1,2-DICHLOROETHENE	LT	18 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
1	GROSS ALPHA		7.80+-3.90 pCi/L	metaTRACE
0	BARIUM-140	LT	9 pCi/L	Teledyne
0	NONVOLATILE BETA		7.50+-3.60 pCi/L	metaTRACE
0	BERYLLIUM-7	LT	30 pCi/L	Teledyne
0	CERIUM-141	LT	9 pCi/L	Teledyne
0	CERIUM-144	LT	30 pCi/L	Teledyne
0	COBALT-58	LT	3 pCi/L	Teledyne
0	COBALT-60	LT	3 pCi/L	Teledyne
0	CESIUM-134	LT	3 pCi/L	Teledyne
0	CESIUM-137	LT	3 pCi/L	Teledyne
0	IRON-59	LT	7 pCi/L	Teledyne
0	IODINE-131	LT	20 pCi/L	Teledyne
0	POTASSIUM-40	LT	50 pCi/L	Teledyne
0	MANGANESE-54	LT	3 pCi/L	Teledyne
0	RADIUM-226	LT	70 pCi/L	Teledyne
0	RUTHENIUM-103	LT	4 pCi/L	Teledyne
0	RUTHENIUM-106	LT	30 pCi/L	Teledyne
0	THORIUM-232	LT	6 pCi/L	Teledyne
0	TOTAL RADIUM		1.60+-0.50 pCi/L	metaTRACE
2	TRITIUM		610+-70 pCi/mL	metaTRACE
0	ZINC-65	LT	6 pCi/L	Teledyne
0	ZIRCONIUM-95	LT	3 pCi/L	Teledyne

WELL BGO 28D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/23/89 Time 9:30
 Depth to water = 53.18 ft (16.21 m) below the TOC
 Water elevation = 224.22 ft (68.34 m) msl
 pH = 4.6 Alkalinity = 0 mg/L
 Specific conductance = 100 umhos/cm
 Water temperature = 21.8 degrees Celsius
 Water evacuated from the well prior to sampling = 8 gal
 The well went dry during purging.

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE		77.55 UMHG	metaTRACE
0	PH		5.32 pH	metaTRACE
0	SILVER	LT	2 ug/L	metaTRACE
0	ARSENIC	LT	3 ug/L	metaTRACE
0	BARIUM	LT	25 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
0	CALCIUM		2822 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0	CADMIUM	LT	4 ug/L	metaTRACE
0	BROMOFORM	LT	5 ug/L	metaTRACE
1	CHLOROFORM	B	12 ug/L	metaTRACE
0	METHYLENE CHLORIDE	LT	5 ug/L	metaTRACE
0	BROMOMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
1	CHLORIDE		11000 ug/L	metaTRACE
0	CHLOROBENZENE	LT	5 ug/L	metaTRACE
0	CHROMIUM	LT	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0	CHLOROETHANE	LT	10 ug/L	metaTRACE
1	BENZENE	J	2 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0	ETHYLBENZENE	LT	5 ug/L	metaTRACE
0	FLUORIDE	LT	250 ug/L	metaTRACE
2	IRON		614 ug/L	metaTRACE
0	MERCURY	LT	0.20 ug/L	metaTRACE
0	POTASSIUM	LT	2000 ug/L	metaTRACE
0	TOLUENE	LT	5 ug/L	metaTRACE
0	MAGNESIUM		442 ug/L	metaTRACE
2	MANGANESE		153 ug/L	metaTRACE
1	SODIUM		8913 ug/L	metaTRACE
0	NITRATE AS NITROGEN		880 ug/L	metaTRACE
0	LEAD		18 ug/L	metaTRACE
0	PHENOLS	LT	5 ug/L	metaTRACE
0	ANTIMONY	LT	10 ug/L	metaTRACE
0	SELENIUM	LT	2 ug/L	metaTRACE
1	SILICON		4939 ug/L	metaTRACE
0	SULFATE		2000 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE

CONTINUED

WELL BGO 280 COLLECTED ON 07/23/89 LABORATORY ANALYSES CONTINUED

2	TETRACHLOROETHYLENE	5.00 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS	82000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	2560 ug/L	metaTRACE
2	TOTAL ORGANIC HALOGENS	1053 ug/L	metaTRACE
1	TOTAL PHOSPHATES	323 ug/L	metaTRACE
0	TRICHLOROETHYLENE	500 ug/L	metaTRACE
1	TRANS-1,2-DICHLOROETHENE	2600 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	5 ug/L	metaTRACE
1	1,1-DICHLOROETHYLENE	6 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	5 ug/L	metaTRACE
1	GROSS ALPHA	8.20+-3.30 pCi/L	Teledyne
0	BARIUM-140	9 pCi/L	Teledyne
0	NONVOLATILE BETA	5 pCi/L	metaTRACE
0	BERYLLIUM-7	30 pCi/L	Teledyne
0	CERIUM-141	8 pCi/L	Teledyne
0	CERIUM-144	20 pCi/L	Teledyne
0	COBALT-58	3 pCi/L	Teledyne
0	COBALT-60	3 pCi/L	Teledyne
0	CESIUM-134	3 pCi/L	Teledyne
0	CESIUM-137	3 pCi/L	Teledyne
0	IRON-59	7 pCi/L	Teledyne
0	IODINE-131	10 pCi/L	Teledyne
0	POTASSIUM-40	50 pCi/L	Teledyne
0	MANGANESE-54	3 pCi/L	Teledyne
0	RADIUM-226	70 pCi/L	Teledyne
0	RUTHENIUM-103	4 pCi/L	Teledyne
0	RUTHENIUM-106	20 pCi/L	Teledyne
0	THORIUM-228	5 pCi/L	Teledyne
0	TOTAL RADIUM	1.90+-0.30 pCi/L	metaTRACE
2	TRITIUM	74000+-8000 pCi/mL	metaTRACE
0	ZINC-65	6 pCi/L	Teledyne
0	ZIRCONIUM-95	3 pCi/L	Teledyne

WELL BGO 29A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/23/89 Time 810
 Depth to water = 105.56 ft (32.18 m) below the TOC
 Water elevation = 158.64 ft (48.35 m) msl
 pH = 8.4 Alkalinity = 103 mg/L
 Specific conductance = 144 umhos/cm
 Water temperature = 20.3 degrees Celsius
 Water evacuated from the well prior to sampling = 42 gal
 The well went dry during purging.

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	132.2 UMHC	metaTRACE
2	PH	9.07 pH	metaTRACE
0	SILVER	2 ug/L	metaTRACE
0	ARSENIC	3 ug/L	metaTRACE
0	BARIUM	34 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	5 ug/L	metaTRACE
1	CALCIUM	20260 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	5.00 ug/L	metaTRACE
0	CADMIUM	4 ug/L	metaTRACE
0	BROMOFORM	5 ug/L	metaTRACE
0	CHLOROFORM	5 ug/L	metaTRACE
0	METHYLENE CHLORIDE	5 ug/L	metaTRACE
0	BROMOMETHANE	10 ug/L	metaTRACE
0	CHLOROMETHANE	10 ug/L	metaTRACE
0	CHLORIDE	1600 ug/L	metaTRACE
0	CHLOROBENZENE	5 ug/L	metaTRACE
0	CHROMIUM	10 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	5 ug/L	metaTRACE
0	CHLOROETHANE	10 ug/L	metaTRACE
0	BENZENE	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	5 ug/L	metaTRACE
0	ETHYLBENZENE	5 ug/L	metaTRACE
0	FLUORIDE	250 ug/L	metaTRACE
0	IRON	62 ug/L	metaTRACE
0	MERCURY	0.20 ug/L	metaTRACE
0	MERCURY	0.20 ug/L	metaTRACE
0	POTASSIUM	5000 ug/L	metaTRACE
0	TOLUENE	5 ug/L	metaTRACE
0	MAGNESIUM	832 ug/L	metaTRACE
0	MANGANESE	10 ug/L	metaTRACE
1	SODIUM	5942 ug/L	metaTRACE
0	NITRATE AS NITROGEN	1000 ug/L	metaTRACE
0	LEAD	3 ug/L	metaTRACE
0	PHENOLS	5 ug/L	metaTRACE
0	SELENIUM	2 ug/L	metaTRACE
1	SILICON	5217 ug/L	metaTRACE
0	SULFATE	3200 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	5.00 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS	87000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	1090 ug/L	metaTRACE
1	TOTAL ORGANIC HALOGENS	10 ug/L	metaTRACE
1	TOTAL PHOSPHATES	427 ug/L	metaTRACE
0	TRICHLOROETHYLENE	5.00 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	5 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	5 ug/L	metaTRACE

CONTINUED

WELL BGO 29A COLLECTED ON 07/23/89 LABORATORY ANALYSES CONTINUED

0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0	GROSS ALPHA	LT	2 pCi/L	metaTRACE
0	BARIUM-140	LT	8 pCi/L	Teledyne
0	NONVOLATILE BETA	LT	6 pCi/L	metaTRACE
0	BERYLLIUM-7	LT	30 pCi/L	Teledyne
0	CERIUM-141	LT	9 pCi/L	Teledyne
0	CERIUM-144	LT	30 pCi/L	Teledyne
0	COBALT-58	LT	3 pCi/L	Teledyne
0	COBALT-60	LT	4 pCi/L	Teledyne
0	CESIUM-134	LT	4 pCi/L	Teledyne
0	CESIUM-137	LT	4 pCi/L	Teledyne
0	IRON-59	LT	8 pCi/L	Teledyne
0	IODINE-131	LT	10 pCi/L	Teledyne
0	POTASSIUM-40	LT	60 pCi/L	Teledyne
0	MANGANESE-54	LT	3 pCi/L	Teledyne
0	RADIUM-226	LT	90 pCi/L	Teledyne
0	RUTHENIUM-103	LT	4 pCi/L	Teledyne
0	RUTHENIUM-106	LT	30 pCi/L	Teledyne
0	THORIUM-228	LT	7 pCi/L	Teledyne
0	TOTAL RADIUM	LT	1 pCi/L	metaTRACE
0	TRITIUM	LT	4.10+-0.50 pCi/mL	metaTRACE
0	ZINC-65	LT	7 pCi/L	Teledyne
0	ZIRCONIUM-95	LT	4 pCi/L	Teledyne

WELL BGO 30C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/23/89 Time 950
 Depth to water = 57.27 ft (17.46 m) below the TOC
 Water elevation = 217.23 ft (66.21 m) msl
 pH = 5.7 Alkalinity = 13 mg/L
 Specific conductance = 240 umhos/cm
 Water temperature = 20.9 degrees Celsius
 Water evacuated from the well prior to sampling = 29 gal
 The well went dry during purging.

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE		210.3 UMHC	metaTRACE
0	PH		6.30 pH	metaTRACE
0	SILVER	LT	2 ug/L	metaTRACE
0	ARSENIC	LT	3 ug/L	metaTRACE
0	BARIUM	LT	8 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
0	CALCIUM	LT	2971 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0	CADMIUM	LT	4 ug/L	metaTRACE
0	BROMOFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	5 ug/L	metaTRACE
0	METHYLENE CHLORIDE	LT	5 ug/L	metaTRACE
0	BROMOMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
0	CHLORIDE		2700 ug/L	metaTRACE
0	CHLOROBENZENE	LT	5 ug/L	metaTRACE
0	CHROMIUM	LT	10 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0	CHLOROETHANE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0	ETHYLBENZENE	LT	5 ug/L	metaTRACE
0	FLUORIDE	LT	250 ug/L	metaTRACE
0	IRON		37 ug/L	metaTRACE
0	MERCURY	LT	0.20 ug/L	metaTRACE
0	POTASSIUM	LT	5000 ug/L	metaTRACE
0	TOLUENE	LT	5 ug/L	metaTRACE
0	MAGNESIUM		453 ug/L	metaTRACE
2	MANGANESE		77 ug/L	metaTRACE
1	SODIUM		41610 ug/L	metaTRACE
0	NITRATE AS NITROGEN		990 ug/L	metaTRACE
0	LEAD	LT	3 ug/L	metaTRACE
0	PHENOLS	LT	5 ug/L	metaTRACE
0	SELENIUM	LT	2 ug/L	metaTRACE
1	SILICON		5797 ug/L	metaTRACE
1	SULFATE		65300 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS		165000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	metaTRACE
1	TOTAL ORGANIC HALOGENS		13 ug/L	metaTRACE
0	TOTAL PHOSPHATES		247 ug/L	metaTRACE
2	TRICHLOROETHYLENE	J	4.00 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0	GROSS ALPHA		3.20+-2.00 pCi/L	metaTRACE
0	BARIUM-140		9 pCi/L	Teledyne
0	NONVOLATILE BETA	LT	6 pCi/L	metaTRACE
0	BERYLLIUM-7	LT	40 pCi/L	Teledyne
0	CERIUM-141	LT	10 pCi/L	Teledyne
0	CERIUM-144	LT	40 pCi/L	Teledyne
0	COBALT-58	LT	4 pCi/L	Teledyne
0	COBALT-60	LT	4 pCi/L	Teledyne
0	CESIUM-134	LT	4 pCi/L	Teledyne
0	CESIUM-137	LT	4 pCi/L	Teledyne
0	IRON-59	LT	10 pCi/L	Teledyne
0	IODINE-131	LT	10 pCi/L	Teledyne
0	POTASSIUM-40	LT	90 pCi/L	Teledyne

CONTINUED.

CONTINUED

WELL BGO 30C COLLECTED ON 07/23/89 LABORATORY ANALYSES CONTINUED

0	MANGANESE-54	LT	4	pCi/L	Teledyne
0	RADIUM-226	LT	90	pCi/L	Teledyne
0	RUTHENIUM-103	LT	5	pCi/L	Teledyne
0	RUTHENIUM-106	LT	30	pCi/L	Teledyne
0	THORIUM-228	LT	7	pCi/L	Teledyne
0	TOTAL RADIUM	LT	1	pCi/L	metaTRACE
2	TRITIUM	110+-	20	pCi/mL	metaTRACE
2	TRITIUM	110+-	20	pCi/mL	metaTRACE
0	ZINC-65	LT	9	pCi/L	Teledyne
0	ZIRCONIUM-95	LT	4	pCi/L	Teledyne

WELL BGO 30D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/23/89 Time 1005
 Depth to water = 51.08 ft (15.57 m) below the TOC
 Water elevation = 223.72 ft (68.19 m) msl
 pH = 5.0 Alkalinity = 8 mg/L
 Specific conductance = 83 umhos/cm
 Water temperature = 22.4 degrees Celsius
 Water evacuated from the well prior to sampling = 10 gal
 The well went dry during purging.

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE		54.92	UMHC	metaTRACE
0	PH		5.63	pH	metaTRACE
0	SILVER	LT	2	ug/L	metaTRACE
0	ARSENIC	LT	3	ug/L	metaTRACE
0	BARIUM	LT	25	ug/L	metaTRACE
0	BROMODICHLOROMETHANE	LT	5	ug/L	metaTRACE
0	CALCIUM		4673	ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	5	ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00	ug/L	metaTRACE
0	CADMIUM	LT	4	ug/L	metaTRACE
0	BROMOFORM	LT	5	ug/L	metaTRACE
1	CHLOROFORM		19	ug/L	metaTRACE
0	METHYLENE CHLORIDE	LT	5	ug/L	metaTRACE
0	BROMOMETHANE	LT	10	ug/L	metaTRACE
0	CHLOROMETHANE	LT	10	ug/L	metaTRACE
0	CHLORIDE		6800	ug/L	metaTRACE
0	CHLOROBENZENE	LT	5	ug/L	metaTRACE
0	CHROMIUM	LT	5	ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5	ug/L	metaTRACE
0	CHLOROETHANE	LT	10	ug/L	metaTRACE
0	BENZENE	LT	5	ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5	ug/L	metaTRACE
0	ETHYLBENZENE	LT	5	ug/L	metaTRACE
0	FLUORIDE	LT	250	ug/L	metaTRACE
1	IRON		297	ug/L	metaTRACE
0	MERCURY	LT	0.20	ug/L	metaTRACE
0	POTASSIUM		2089	ug/L	metaTRACE
1	TOLUENE	J	1	ug/L	metaTRACE
0	MAGNESIUM		407	ug/L	metaTRACE
2	MANGANESE		66	ug/L	metaTRACE
1	SODIUM		7748	ug/L	metaTRACE
0	NITRATE AS NITROGEN		700	ug/L	metaTRACE
2	LEAD		52	ug/L	metaTRACE
0	PHENOLS	LT	5	ug/L	metaTRACE
0	ANTIMONY	LT	10	ug/L	metaTRACE
0	SELENIUM	LT	2	ug/L	metaTRACE
1	SILICON		3815	ug/L	metaTRACE
0	SULFATE		2000	ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5	ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	5.00	ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS		33000	ug/L	metaTRACE
0	TOTAL ORGANIC CARBON		1160	ug/L	metaTRACE
2	TOTAL ORGANIC HALOGENS		322	ug/L	metaTRACE
0	TOTAL PHOSPHATES	LT	10	ug/L	metaTRACE
2	TRICHLOROETHYLENE		73.0	ug/L	metaTRACE
1	TRANS-1,2-DICHLOROETHENE		560	ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5	ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5	ug/L	metaTRACE
1	1,1-DICHLOROETHANE		74	ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5	ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5	ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	5	ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	5	ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5	ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5	ug/L	metaTRACE
0	GROSS ALPHA	LT	3	pCi/L	metaTRACE
0	BARIUM-140	LT	10	pCi/L	Teledyne
0	NONVOLATILE BETA		4.40+-2.70	pCi/L	metaTRACE
0	BERYLLIUM-7	LT	40	pCi/L	Teledyne
0	CERIUM-141	LT	9	pCi/L	Teledyne
0	CERIUM-144	LT	30	pCi/L	Teledyne
0	COBALT-58	LT	4	pCi/L	Teledyne
0	COBALT-60	LT	4	pCi/L	Teledyne
0	CESIUM-134	LT	4	pCi/L	Teledyne
0	CESIUM-137	LT	4	pCi/L	Teledyne
0	IRON-59	LT	4	pCi/L	Teledyne
0	IODINE-131	LT	10	pCi/L	Teledyne
0	POTASSIUM-40	LT	20	pCi/L	Teledyne
0	MANGANESE-54	LT	100	pCi/L	Teledyne
0	RADIUM-226	LT	70	pCi/L	Teledyne
0	RUTHENIUM-103	LT	5	pCi/L	Teledyne
0	RUTHENIUM-106	LT	30	pCi/L	Teledyne
0	THORIUM-228	LT	6	pCi/L	Teledyne
0	TOTAL RADIUM		1.00+-0.20	pCi/L	metaTRACE
2	TRITIUM		25000+-3000	pCi/mL	metaTRACE
0	ZINC-65	LT	9	pCi/L	Teledyne
0	ZIRCONIUM-95	LT	5	pCi/L	Teledyne

WELL BGO 31C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/23/89 Time 1025
 Depth to water = 49.69 ft (15.15 m) below the TOC
 Water elevation = 223.41 ft (68.10 m) msl
 pH = 4.9 Alkalinity = 4 mg/L
 Specific conductance = 34 umhos/cm
 Water temperature = 21.5 degrees Celsius
 Water evacuated from the well prior to sampling = 34 gal
 The well went dry during purging.

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE		30.40	UMHC	metaTRACE	
0	SPECIFIC CONDUCTANCE		30.40	UMHC	metaTRACE	
0	PH		5.76	pH	metaTRACE	
0	PH		5.76	pH	metaTRACE	
0	SILVER	LT	2	ug/L	metaTRACE	
0	ARSENIC	LT	3	ug/L	metaTRACE	
0	BARIUM	LT	25	ug/L	metaTRACE	
0	BROMODICHLOROMETHANE	LT	5	ug/L	metaTRACE	
0	CALCIUM		2702	ug/L	metaTRACE	
0	TRICHLOROFLUOROMETHANE	LT	5	ug/L	metaTRACE	
0	CARBON TETRACHLORIDE	LT	5.00	ug/L	metaTRACE	
0	CADMIUM	LT	4	ug/L	metaTRACE	
0	BROMOFORM	LT	5	ug/L	metaTRACE	
0	CHLOROFORM	LT	5	ug/L	metaTRACE	
0	METHYLENE CHLORIDE	LT	3	ug/L	metaTRACE	
0	BROMOMETHANE	LT	10	ug/L	metaTRACE	
0	CHLOROMETHANE	LT	10	ug/L	metaTRACE	
0	CHLORIDE		1700	ug/L	metaTRACE	
0	CHLOROBENZENE	LT	5	ug/L	metaTRACE	
0	CHROMIUM	LT	10	ug/L	metaTRACE	
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5	ug/L	metaTRACE	
0	CHLOROETHANE	LT	10	ug/L	metaTRACE	
0	BENZENE	LT	5	ug/L	metaTRACE	
0	DIBROMOCHLOROMETHANE	LT	5	ug/L	metaTRACE	
0	ETHYLBENZENE	LT	5	ug/L	metaTRACE	
0	FLUORIDE	LT	250	ug/L	metaTRACE	
0	IRON		24	ug/L	metaTRACE	
0	MERCURY	LT	0.20	ug/L	metaTRACE	
0	POTASSIUM	LT	5000	ug/L	metaTRACE	
0	TOLUENE	LT	5	ug/L	metaTRACE	
0	MAGNESIUM		365	ug/L	metaTRACE	
0	MANGANESE		16	ug/L	metaTRACE	
0	SODIUM		3014	ug/L	metaTRACE	
0	NITRATE AS NITROGEN		1200	ug/L	metaTRACE	
0	LEAD		3	ug/L	metaTRACE	
0	PHENOLS	LT	5	ug/L	metaTRACE	
0	SELENIUM	LT	2	ug/L	metaTRACE	
1	SILICON		4348	ug/L	metaTRACE	
0	SULFATE		1900	ug/L	metaTRACE	
0	1,1,2,2-TETRACHLOROETHANE	LT	5	ug/L	metaTRACE	
0	TETRACHLOROETHYLENE	LT	5.00	ug/L	metaTRACE	
0	TOTAL DISSOLVED SOLIDS		39000	ug/L	metaTRACE	
0	TOTAL ORGANIC CARBON		1870	ug/L	metaTRACE	
1	TOTAL ORGANIC HALOGENS		14	ug/L	metaTRACE	
0	TOTAL PHOSPHATES		21	ug/L	metaTRACE	
0	TRICHLOROETHYLENE	LT	5.00	ug/L	metaTRACE	
0	TRANS-1,2-DICHLOROETHENE	LT	5	ug/L	metaTRACE	
0	1,1-DICHLOROETHYLENE	LT	5	ug/L	metaTRACE	
0	1,1-DICHLOROETHANE	LT	5	ug/L	metaTRACE	
0	1,1,1-TRICHLOROETHANE	LT	5	ug/L	metaTRACE	
0	1,1,2-TRICHLOROETHANE	LT	5	ug/L	metaTRACE	
0	1,2-DICHLOROETHANE	LT	5	ug/L	metaTRACE	
0	1,2-DICHLOROPROPANE	LT	5	ug/L	metaTRACE	
0	CIS-1,3-DICHLOROPROPENE	LT	5	ug/L	metaTRACE	
0	2-CHLOROETHYL VINYL ETHER	LT	5	ug/L	metaTRACE	
0	GROSS ALPHA	LT	2	pCi/L	metaTRACE	
0	BARIUM-140	LT	10	pCi/L	Teledyne	
0	NONVOLATILE BETA		5	pCi/L	metaTRACE	
0	BERYLLIUM-7	LT	50	pCi/L	Teledyne	
0	CERIUM-141	LT	10	pCi/L	Teledyne	
0	CERIUM-144	LT	40	pCi/L	Teledyne	
0	COBALT-58	LT	5	pCi/L	Teledyne	
0	COBALT-60	LT	5	pCi/L	Teledyne	
0	CESIUM-134	LT	5	pCi/L	Teledyne	
0	CESIUM-137	LT	5	pCi/L	Teledyne	
0	IRON-59	LT	10	pCi/L	Teledyne	
0	IODINE-131	LT	20	pCi/L	Teledyne	
0	POTASSIUM-40	LT	80	pCi/L	Teledyne	
0	MANGANESE-54	LT	5	pCi/L	Teledyne	
0	RADIUM-226	LT	100	pCi/L	Teledyne	
0	RUTHENIUM-103	LT	6	pCi/L	Teledyne	
0	RUTHENIUM-106	LT	40	pCi/L	Teledyne	
0	THORIUM-228	LT	10	pCi/L	Teledyne	
0	TOTAL RADIUM	LT	1	pCi/L	metaTRACE	
2	TRITIUM		190+-	20	pCi/mL	metaTRACE
0	ZINC-65	LT	10	pCi/L	Teledyne	
0	ZIRCONIUM-95	LT	5	pCi/L	Teledyne	

WELL BGO 310

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/23/89 Time 1040
 Depth to water = 49.27 ft (15.02 m) below the TOC
 Water elevation = 224.43 ft (68.41 m) msl
 pH = 4.1 Alkalinity = 0 mg/L
 Specific conductance = 39 umhos/cm
 Water temperature = 22.1 degrees Celsius
 Water evacuated from the well prior to sampling = 8 gal
 The well went dry during purging.

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE	28.50 UMH/C	metaTRACE
0	PH	5.09 pH	metaTRACE
0	SILVER	LT	5 ug/L metaTRACE
0	ARSENIC	LT	3 ug/L metaTRACE
0	BARIUM	LT	25 ug/L metaTRACE
0	BROMODICHLOROMETHANE	LT	5 ug/L metaTRACE
0	CALCIUM	LT	809 ug/L metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00 ug/L metaTRACE
0	CADMIUM	LT	4 ug/L metaTRACE
0	BROMOFORM	LT	5 ug/L metaTRACE
0	CHLOROFORM	LT	5 ug/L metaTRACE
0	METHYLENE CHLORIDE	LT	5 ug/L metaTRACE
0	BROMOMETHANE	LT	10 ug/L metaTRACE
0	CHLOROMETHANE	LT	10 ug/L metaTRACE
0	CHLORIDE	LT	2900 ug/L metaTRACE
0	CHLOROBENZENE	LT	5 ug/L metaTRACE
1	CHROMIUM	LT	6 ug/L metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L metaTRACE
0	CHLOROETHANE	LT	10 ug/L metaTRACE
0	BENZENE	LT	5 ug/L metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L metaTRACE
0	ETHYLBENZENE	LT	5 ug/L metaTRACE
0	FLUORIDE	LT	250 ug/L metaTRACE
0	IRON	LT	32 ug/L metaTRACE
0	MERCURY	LT	0.20 ug/L metaTRACE
0	POTASSIUM	LT	2000 ug/L metaTRACE
0	TOLUENE	LT	5 ug/L metaTRACE
0	MAGNESIUM	LT	1108 ug/L metaTRACE
0	MANGANESE	LT	14 ug/L metaTRACE
0	SODIUM	LT	1512 ug/L metaTRACE
0	NITRATE AS NITROGEN	LT	1200 ug/L metaTRACE
0	LEAD	LT	17 ug/L metaTRACE
0	PHENOLS	LT	5 ug/L metaTRACE
0	SELENIUM	LT	2 ug/L metaTRACE
1	SILICON	LT	3281 ug/L metaTRACE
0	SULFATE	LT	1000 ug/L metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L metaTRACE
0	TETRACHLOROETHYLENE	LT	5.00 ug/L metaTRACE
0	TOTAL DISSOLVED SOLIDS	LT	36000 ug/L metaTRACE
0	TOTAL ORGANIC CARBON	LT	1000 ug/L metaTRACE
2	TOTAL ORGANIC HALOGENS	LT	30 ug/L metaTRACE
0	TOTAL PHOSPHATES	LT	199 ug/L metaTRACE
2	TRICHLOROETHYLENE	LT	36.0 ug/L metaTRACE
1	TRANS-1,2-DICHLOROETHENE	LT	25 ug/L metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L metaTRACE
0	1,1-DICHLOROETHANE	LT	5 ug/L metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L metaTRACE
0	GROSS ALPHA	LT	4 pCi/L Teledyne
0	BARIUM-140	LT	10 pCi/L Teledyne
0	NONVOLATILE BETA	LT	5 pCi/L Teledyne
0	BERYLLIUM-7	LT	30 pCi/L Teledyne
0	CERIUM-141	LT	10 pCi/L Teledyne
0	CERIUM-144	LT	30 pCi/L Teledyne
0	COBALT-58	LT	3 pCi/L Teledyne
0	COBALT-60	LT	4 pCi/L Teledyne
0	CESIUM-134	LT	3 pCi/L Teledyne
0	CESIUM-137	LT	3 pCi/L Teledyne
0	IRON-59	LT	8 pCi/L Teledyne
0	IODINE-131	LT	10 pCi/L Teledyne
0	POTASSIUM-40	LT	60 pCi/L Teledyne
0	MANGANESE-54	LT	3 pCi/L Teledyne
0	RADIUM-226	LT	100 pCi/L Teledyne
0	RUTHENIUM-103	LT	4 pCi/L Teledyne
0	RUTHENIUM-106	LT	30 pCi/L Teledyne
0	THORIUM-228	LT	7 pCi/L Teledyne
0	TOTAL RADIUM	LT	1.90+-0.50 pCi/L metaTRACE
2	TRITIUM	LT	800+-80 pCi/mL metaTRACE
0	ZINC-65	LT	7 pCi/L Teledyne
0	ZIRCONIUM-95	LT	4 pCi/L Teledyne

WELL BGO 320

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/23/89 Time 1055
 Depth to water = 56.29 ft (17.16 m) below the TOC
 Water elevation = 225.41 ft (68.71 m) msl
 pH = 4.8 Alkalinity = 3 mg/L
 Specific conductance = 77 umhos/cm
 Water temperature = 22.5 degrees Celsius
 Water evacuated from the well prior to sampling = 4 gal
 The well went dry during purging.

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE	75.70 UMH/C	metaTRACE
0	SPECIFIC CONDUCTANCE	75.70 UMH/C	metaTRACE
0	PH	5.72 pH	metaTRACE
0	PH	5.72 pH	metaTRACE
0	SILVER	LT	2 ug/L metaTRACE
0	ARSENIC	LT	3 ug/L metaTRACE
0	BARIUM	LT	38 ug/L metaTRACE
0	BROMODICHLOROMETHANE	LT	5 ug/L metaTRACE
0	CALCIUM	LT	2605 ug/L metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00 ug/L metaTRACE
0	CADMIUM	LT	4 ug/L metaTRACE
0	BROMOFORM	LT	5 ug/L metaTRACE
0	CHLOROFORM	LT	5 ug/L metaTRACE
1	METHYLENE CHLORIDE	J	2 ug/L metaTRACE
0	BROMOMETHANE	LT	10 ug/L metaTRACE
0	CHLOROMETHANE	LT	10 ug/L metaTRACE
0	CHLORIDE	LT	4100 ug/L metaTRACE
0	CHLORIDE	LT	4100 ug/L metaTRACE
0	CHLOROBENZENE	LT	5 ug/L metaTRACE
0	CHROMIUM	LT	5 ug/L metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L metaTRACE
0	CHLOROETHANE	LT	10 ug/L metaTRACE
0	BENZENE	LT	5 ug/L metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L metaTRACE
0	ETHYLBENZENE	LT	5 ug/L metaTRACE
0	FLUORIDE	LT	250 ug/L metaTRACE
0	FLUORIDE	LT	250 ug/L metaTRACE
0	IRON	LT	68 ug/L metaTRACE
0	MERCURY	LT	0.20 ug/L metaTRACE
0	POTASSIUM	LT	2000 ug/L metaTRACE
0	TOLUENE	LT	5 ug/L metaTRACE
0	MAGNESIUM	LT	856 ug/L metaTRACE
2	MANGANESE	LT	64 ug/L metaTRACE
1	SODIUM	LT	8961 ug/L metaTRACE
1	NITRATE AS NITROGEN	LT	5100 ug/L metaTRACE
1	NITRATE AS NITROGEN	LT	5100 ug/L metaTRACE
1	LEAD	LT	21 ug/L metaTRACE
0	PHENOLS	LT	5 ug/L metaTRACE
0	ANTIMONY	LT	10 ug/L metaTRACE
0	SELENIUM	LT	2 ug/L metaTRACE
1	SILICON	LT	3871 ug/L metaTRACE
0	SULFATE	LT	1000 ug/L metaTRACE
0	SULFATE	LT	1000 ug/L metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L metaTRACE
2	TETRACHLOROETHYLENE	LT	16.0 ug/L metaTRACE
0	TOTAL DISSOLVED SOLIDS	LT	66000 ug/L metaTRACE
0	TOTAL DISSOLVED SOLIDS	LT	65000 ug/L metaTRACE
0	TOTAL ORGANIC CARBON	LT	1000 ug/L metaTRACE
2	TOTAL ORGANIC HALOGENS	LT	128 ug/L metaTRACE
2	TOTAL ORGANIC HALOGENS	LT	114 ug/L metaTRACE
1	TOTAL PHOSPHATES	LT	520 ug/L metaTRACE
2	TRICHLOROETHYLENE	LT	50.0 ug/L metaTRACE
1	TRANS-1,2-DICHLOROETHENE	LT	70 ug/L metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L metaTRACE
0	1,1-DICHLOROETHANE	LT	3 ug/L metaTRACE
1	1,1,1-TRICHLOROETHANE	LT	9 ug/L metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L metaTRACE
2	GROSS ALPHA	LT	28.00+-7.00 pCi/L Teledyne
0	BARIUM-140	LT	10 pCi/L Teledyne
1	NONVOLATILE BETA	LT	16.00+-4.00 pCi/L Teledyne
0	BERYLLIUM-7	LT	30 pCi/L Teledyne
0	CERIUM-141	LT	7 pCi/L Teledyne
0	CERIUM-144	LT	20 pCi/L Teledyne
0	COBALT-58	LT	3 pCi/L Teledyne
0	COBALT-60	LT	3 pCi/L Teledyne
0	CESIUM-134	LT	3 pCi/L Teledyne
0	CESIUM-137	LT	3 pCi/L Teledyne
0	IRON-59	LT	7 pCi/L Teledyne
0	IODINE-131	LT	10 pCi/L Teledyne
0	POTASSIUM-40	LT	50 pCi/L Teledyne
0	MANGANESE-54	LT	3 pCi/L Teledyne
0	RADIUM-226	LT	60 pCi/L Teledyne
0	RUTHENIUM-103	LT	4 pCi/L Teledyne
0	RUTHENIUM-106	LT	20 pCi/L Teledyne
0	THORIUM-228	LT	5 pCi/L Teledyne
1	TOTAL RADIUM	LT	2.90+-0.40 pCi/L metaTRACE
2	TRITIUM	LT	20000+-2000 pCi/mL metaTRACE
2	TRITIUM	LT	21000+-2000 pCi/mL metaTRACE
0	ZINC-65	LT	7 pCi/L Teledyne
0	ZIRCONIUM-95	LT	3 pCi/L Teledyne

WELL BGO 33C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/19/89 Time 1415
 Depth to water = 56.18 ft (17.12 m) below the TOC
 Water elevation = 223.22 ft (68.04 m) msl
 pH = 6.4 Alkalinity = 30 mg/L
 Specific conductance = 97 umhos/cm
 Water temperature = 20.3 degrees Celsius
 Water evacuated from the well prior to sampling = 128 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE		93.93 UMHG	metaTRACE
1	PH		6.65 pH	metaTRACE
0	SILVER	LT	2 ug/L	metaTRACE
0	ARSENIC	LT	3 ug/L	metaTRACE
0	BARIUM		36 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
1	CALCIUM		13440 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0	CADMIUM	LT	4 ug/L	metaTRACE
0	BROMOFORM	LT	5 ug/L	metaTRACE
1	CHLOROFORM	B	12 ug/L	metaTRACE
0	METHYLENE CHLORIDE	LT	5 ug/L	metaTRACE
0	BROMOMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
0	CHLORIDE		4500 ug/L	metaTRACE
0	CHLOROBENZENE	LT	5 ug/L	metaTRACE
0	CHROMIUM	LT	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0	CHLOROETHANE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0	ETHYLBENZENE	LT	5 ug/L	metaTRACE
0	FLUORIDE	LT	250 ug/L	metaTRACE
0	IRON		13 ug/L	metaTRACE
0	MERCURY	LT	0.20 ug/L	metaTRACE
0	POTASSIUM	LT	2000 ug/L	metaTRACE
0	TOLUENE	LT	5 ug/L	metaTRACE
0	MAGNESIUM		523 ug/L	metaTRACE
1	MANGANESE		38 ug/L	metaTRACE
1	SODIUM		5868 ug/L	metaTRACE
0	NITRATE AS NITROGEN		1100 ug/L	metaTRACE
0	LEAD	LT	3 ug/L	metaTRACE
0	PHENOLS	LT	5 ug/L	metaTRACE
0	ANTIMONY	LT	10 ug/L	metaTRACE
0	SELENIUM	LT	2 ug/L	metaTRACE
1	SILICON		4572 ug/L	metaTRACE
0	SULFATE		2800 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
1	TETRACHLOROETHYLENE	J	4.00 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS		110000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	metaTRACE
2	TOTAL ORGANIC HALOGENS		132 ug/L	metaTRACE
0	TOTAL PHOSPHATES		104 ug/L	metaTRACE
2	TRICHLOROETHYLENE		37.0 ug/L	metaTRACE
1	TRANS-1,2-DICHLOROETHENE		190 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0	GROSS ALPHA	LT	4 pCi/L	metaTRACE
0	BARIUM-140	LT	10 pCi/L	Teledyne
0	NONVOLATILE BETA	LT	4 pCi/L	metaTRACE
0	BERYLLIUM-7	LT	30 pCi/L	Teledyne
0	CERIUM-141	LT	8 pCi/L	Teledyne
0	CERIUM-144	LT	20 pCi/L	Teledyne
0	COBALT-58	LT	3 pCi/L	Teledyne
0	COBALT-60	LT	3 pCi/L	Teledyne
0	CESIUM-134	LT	3 pCi/L	Teledyne
0	CESIUM-137	LT	3 pCi/L	Teledyne
0	IRON-59	LT	7 pCi/L	Teledyne
0	IODINE-131	LT	20 pCi/L	Teledyne
0	POTASSIUM-40	LT	40 pCi/L	Teledyne
0	MANGANESE-54	LT	3 pCi/L	Teledyne
0	RADIUM-226	LT	70 pCi/L	Teledyne
0	RUTHENIUM-103	LT	4 pCi/L	Teledyne
0	RUTHENIUM-106	LT	20 pCi/L	Teledyne
0	THORIUM-228	LT	5 pCi/L	Teledyne
0	TOTAL RADIUM		1.00+-0.20 pCi/L	metaTRACE
2	TRITIUM		5000+-500 pCi/mL	metaTRACE
0	ZINC-65	LT	6 pCi/L	Teledyne
0	ZIRCONIUM-95	LT	3 pCi/L	Teledyne

WELL BGO 33D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/24/89 Time 855
 Depth to water = 52.68 ft (16.06 m) below the TOC
 Water elevation = 227.62 ft (69.38 m) msl
 pH = 4.4 Alkalinity = 0 mg/L
 Specific conductance = 109 umhos/cm
 Water temperature = 21.3 degrees Celsius
 Water evacuated from the well prior to sampling = 10 gal
 The well went dry during purging.

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE		97.50 UMHG	metaTRACE
0	PH		5.13 pH	metaTRACE
0	SILVER	LT	2 ug/L	metaTRACE
0	ARSENIC	LT	3 ug/L	metaTRACE
0	BARIUM		21 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
0	CALCIUM		1649 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0	CADMIUM	LT	4 ug/L	metaTRACE
0	BROMOFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	5 ug/L	metaTRACE
0	METHYLENE CHLORIDE	LT	5 ug/L	metaTRACE
0	BROMOMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
1	CHLORIDE		21900 ug/L	metaTRACE
0	CHLOROBENZENE	LT	5 ug/L	metaTRACE
0	CHROMIUM	LT	10 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0	CHLOROETHANE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0	ETHYLBENZENE	LT	5 ug/L	metaTRACE
0	FLUORIDE	LT	250 ug/L	metaTRACE
0	IRON		90 ug/L	metaTRACE
0	MERCURY		0.27 ug/L	metaTRACE
0	POTASSIUM	LT	5000 ug/L	metaTRACE
0	TOLUENE	LT	5 ug/L	metaTRACE
0	MAGNESIUM		1557 ug/L	metaTRACE
0	MANGANESE		17 ug/L	metaTRACE
0	SODIUM		4728 ug/L	metaTRACE
0	NITRATE AS NITROGEN		2600 ug/L	metaTRACE
0	LEAD		5 ug/L	metaTRACE
0	PHENOLS	LT	5 ug/L	metaTRACE
0	SELENIUM	LT	2 ug/L	metaTRACE
1	SILICON		2464 ug/L	metaTRACE
0	SULFATE	LT	1000 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS		86000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	metaTRACE
1	TOTAL ORGANIC HALOGENS		12 ug/L	metaTRACE
0	TOTAL PHOSPHATES		41 ug/L	metaTRACE
0	TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
1	GROSS ALPHA		7.20+-2.60 pCi/L	metaTRACE
0	BARIUM-140	LT	7 pCi/L	Teledyne
0	NONVOLATILE BETA		6.10+-3.60 pCi/L	metaTRACE
0	BERYLLIUM-7	LT	30 pCi/L	Teledyne
0	CERIUM-141	LT	8 pCi/L	Teledyne
0	CERIUM-144	LT	30 pCi/L	Teledyne
0	COBALT-58	LT	3 pCi/L	Teledyne
0	COBALT-60	LT	4 pCi/L	Teledyne
0	CESIUM-134	LT	3 pCi/L	Teledyne
0	CESIUM-137	LT	4 pCi/L	Teledyne
0	IRON-59	LT	7 pCi/L	Teledyne
0	IODINE-131	LT	9 pCi/L	Teledyne
0	POTASSIUM-40	LT	50 pCi/L	Teledyne
0	MANGANESE-54	LT	3 pCi/L	Teledyne
0	RADIUM-226	LT	80 pCi/L	Teledyne
0	RUTHENIUM-103	LT	4 pCi/L	Teledyne
0	RUTHENIUM-106	LT	30 pCi/L	Teledyne
0	THORIUM-228	LT	6 pCi/L	Teledyne
1	TOTAL RADIUM		4.50+-0.60 pCi/L	metaTRACE
2	TRITIUM		480+-50 pCi/mL	metaTRACE
0	ZINC-65	LT	7 pCi/L	Teledyne
0	ZIRCONIUM-95	LT	3 pCi/L	Teledyne

WELL BGO 340

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/24/89 Time 840
 Depth to water = 45.08 ft (13.74 m) below the TOC
 Water elevation = 229.82 ft (70.05 m) msl
 pH = 4.7 Alkalinity = 2 mg/L
 Specific conductance = 37 umhos/cm
 Water temperature = 20.9 degrees Celsius
 Water evacuated from the well prior to sampling = 12 gal
 The well went dry during purging.

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE	32.40 UMC	metaTRACE
0	PH	5.85 pH	metaTRACE
0	SILVER	LT	2 ug/L metaTRACE
0	ARSENIC	LT	3 ug/L metaTRACE
0	BARIUM	LT	23 ug/L metaTRACE
0	BROMODICHLOROMETHANE	LT	5 ug/L metaTRACE
0	CALCIUM	LT	1729 ug/L metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	3 ug/L metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00 ug/L metaTRACE
0	CADMIUM	LT	4 ug/L metaTRACE
0	BROMOFORM	LT	5 ug/L metaTRACE
0	CHLOROFORM	LT	5 ug/L metaTRACE
0	METHYLENE CHLORIDE	LT	5 ug/L metaTRACE
0	BROMOMETHANE	LT	10 ug/L metaTRACE
0	CHLOROMETHANE	LT	10 ug/L metaTRACE
0	CHLORIDE	LT	4000 ug/L metaTRACE
0	CHLORO BENZENE	LT	5 ug/L metaTRACE
0	CHROMIUM	LT	10 ug/L metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L metaTRACE
0	CHLOROETHANE	LT	10 ug/L metaTRACE
0	BENZENE	LT	5 ug/L metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L metaTRACE
0	ETHYLBENZENE	LT	5 ug/L metaTRACE
0	FLUORIDE	LT	250 ug/L metaTRACE
0	IRON	LT	29 ug/L metaTRACE
0	MERCURY	LT	0.27 ug/L metaTRACE
0	POTASSIUM	LT	5000 ug/L metaTRACE
0	TOLUENE	LT	5 ug/L metaTRACE
0	MAGNESIUM	LT	853 ug/L metaTRACE
0	MANGANESE	LT	2R ug/L metaTRACE
0	SODIUM	LT	3668 ug/L metaTRACE
0	NITRATE AS NITROGEN	LT	1100 ug/L metaTRACE
0	LEAD	LT	10 ug/L metaTRACE
0	PHENOLS	LT	5 ug/L metaTRACE
0	SELENIUM	LT	2 ug/L metaTRACE
0	SILICON	LT	1449 ug/L metaTRACE
0	SULFATE	LT	1000 ug/L metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L metaTRACE
0	TETRACHLOROETHYLENE	LT	5.00 ug/L metaTRACE
0	TOTAL DISSOLVED SOLIDS	LT	39000 ug/L metaTRACE
0	TOTAL DISSOLVED SOLIDS	LT	39000 ug/L metaTRACE
0	TOTAL ORGANIC CARBON	LT	1000 ug/L metaTRACE
0	TOTAL ORGANIC CARBON	LT	1000 ug/L metaTRACE
0	TOTAL ORGANIC HALOGENS	LT	15 ug/L metaTRACE
0	TOTAL ORGANIC HALOGENS	LT	17 ug/L metaTRACE
0	TOTAL PHOSPHATES	LT	10 ug/L metaTRACE
0	TRICHLOROETHYLENE	LT	5.00 ug/L metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L metaTRACE
0	1,1-DICHLOROETHANE	LT	5 ug/L metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L metaTRACE
0	GROSS ALPHA	LT	2.10+-1.60 pCi/L metaTRACE
0	BARIUM-140	LT	8 pCi/L Teledyne
0	NONVOLATILE BETA	LT	5 pCi/L Teledyne
0	BERYLLIUM-7	LT	40 pCi/L Teledyne
0	CERIUM-141	LT	8 pCi/L Teledyne
0	CERIUM-144	LT	30 pCi/L Teledyne
0	CORAL-58	LT	4 pCi/L Teledyne
0	CORAL-60	LT	4 pCi/L Teledyne
0	CESIUM-134	LT	4 pCi/L Teledyne
0	CESIUM-137	LT	4 pCi/L Teledyne
0	IRON-59	LT	9 pCi/L Teledyne
0	IODINE-131	LT	10 pCi/L Teledyne
0	POTASSIUM-40	LT	100 pCi/L Teledyne
0	MANGANESE-54	LT	4 pCi/L Teledyne
0	RADIUM-226	LT	70 pCi/L Teledyne
0	RUTHENIUM-103	LT	5 pCi/L Teledyne
0	RUTHENIUM-106	LT	40 pCi/L Teledyne
0	THORIUM-232	LT	7 pCi/L Teledyne
0	TOTAL RADIUM	LT	1.40+-0.30 pCi/L metaTRACE
2	TRITIUM	LT	37.00+-4.00 pCi/mL metaTRACE
0	ZINC-65	LT	10 pCi/L Teledyne
0	ZIRCONIUM-95	LT	4 pCi/L Teledyne

WELL BGO 350

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/23/89 Time 1155
 Depth to water = 46.78 ft (14.26 m) below the TOC
 Water elevation = 226.62 ft (69.07 m) msl
 pH = 6.4 Alkalinity = 21 mg/L
 Specific conductance = 83 umhos/cm
 Water temperature = 20.7 degrees Celsius
 Water evacuated from the well prior to sampling = 367 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE	68.70 UMC	metaTRACE
1	PH	7.02 pH	metaTRACE
0	SILVER	LT	2 ug/L metaTRACE
0	ARSENIC	LT	3 ug/L metaTRACE
1	BARIUM	LT	51 ug/L metaTRACE
0	BROMODICHLOROMETHANE	LT	5 ug/L metaTRACE
0	CALCIUM	LT	8047 ug/L metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00 ug/L metaTRACE
0	CADMIUM	LT	4 ug/L metaTRACE
0	BROMOFORM	LT	5 ug/L metaTRACE
0	CHLOROFORM	LT	5 ug/L metaTRACE
0	METHYLENE CHLORIDE	LT	5 ug/L metaTRACE
0	BROMOMETHANE	LT	10 ug/L metaTRACE
0	CHLOROMETHANE	LT	10 ug/L metaTRACE
0	CHLORIDE	LT	2000 ug/L metaTRACE
0	CHLORO BENZENE	LT	5 ug/L metaTRACE
0	CHROMIUM	LT	10 ug/L metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L metaTRACE
0	CHLOROETHANE	LT	10 ug/L metaTRACE
0	BENZENE	LT	5 ug/L metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L metaTRACE
0	ETHYLBENZENE	LT	5 ug/L metaTRACE
0	FLUORIDE	LT	250 ug/L metaTRACE
0	IRON	LT	11 ug/L metaTRACE
0	MERCURY	LT	0.20 ug/L metaTRACE
0	POTASSIUM	LT	5000 ug/L metaTRACE
0	TOLUENE	LT	5 ug/L metaTRACE
0	MAGNESIUM	LT	296 ug/L metaTRACE
0	MANGANESE	LT	20 ug/L metaTRACE
0	SODIUM	LT	3195 ug/L metaTRACE
0	NITRATE AS NITROGEN	LT	1200 ug/L metaTRACE
0	LEAD	LT	3 ug/L metaTRACE
0	PHENOLS	LT	5 ug/L metaTRACE
0	SELENIUM	LT	2 ug/L metaTRACE
1	SILICON	LT	5362 ug/L metaTRACE
0	SULFATE	LT	1700 ug/L metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L metaTRACE
0	TETRACHLOROETHYLENE	LT	5.00 ug/L metaTRACE
0	TOTAL DISSOLVED SOLIDS	LT	81000 ug/L metaTRACE
0	TOTAL ORGANIC CARBON	LT	1000 ug/L metaTRACE
0	TOTAL ORGANIC CARBON	LT	1000 ug/L metaTRACE
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L metaTRACE
0	TOTAL PHOSPHATES	LT	28 ug/L metaTRACE
0	TRICHLOROETHYLENE	LT	5.00 ug/L metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L metaTRACE
0	1,1-DICHLOROETHANE	LT	5 ug/L metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L metaTRACE
0	GROSS ALPHA	LT	2 pCi/L metaTRACE
0	BARIUM-140	LT	10 pCi/L Teledyne
0	NONVOLATILE BETA	LT	5 pCi/L metaTRACE
0	BERYLLIUM-7	LT	30 pCi/L Teledyne
0	CERIUM-141	LT	10 pCi/L Teledyne
0	CERIUM-144	LT	30 pCi/L Teledyne
0	CORAL-58	LT	3 pCi/L Teledyne
0	CORAL-60	LT	3 pCi/L Teledyne
0	CESIUM-134	LT	4 pCi/L Teledyne
0	CESIUM-137	LT	4 pCi/L Teledyne
0	IRON-59	LT	8 pCi/L Teledyne
0	IODINE-131	LT	10 pCi/L Teledyne
0	POTASSIUM-40	LT	60 pCi/L Teledyne
0	MANGANESE-54	LT	3 pCi/L Teledyne
0	RADIUM-226	LT	90 pCi/L Teledyne
0	RUTHENIUM-103	LT	4 pCi/L Teledyne
0	RUTHENIUM-106	LT	30 pCi/L Teledyne
0	THORIUM-232	LT	7 pCi/L Teledyne
0	TOTAL RADIUM	LT	1 pCi/L metaTRACE
0	TRITIUM	LT	7.50+-0.80 pCi/mL metaTRACE
0	ZINC-65	LT	7 pCi/L Teledyne
0	ZIRCONIUM-95	LT	3 pCi/L Teledyne

WELL BGO 350

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/24/89 Time 825
 Depth to water = 42.29 ft (12.89 m) below the TOC
 Water elevation = 231.21 ft (70.47 m) msl
 pH = 4.2 Alkalinity = 0 mg/L
 Specific conductance = 52 umhos/cm
 Water temperature = 20.9 degrees Celsius
 Water evacuated from the well prior to sampling = 9 gal
 The well went dry during purging.

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE	47.00 UMIC	metaTRACE
0	PH	5.16 pH	metaTRACE
0	SILVER	5 ug/L	metaTRACE
0	ARSENIC	3 ug/L	metaTRACE
0	BARIUM	25 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	5 ug/L	metaTRACE
0	CALCIUM	4087 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	5.00 ug/L	metaTRACE
0	CADMIUM	4 ug/L	metaTRACE
0	BROMOFORM	5 ug/L	metaTRACE
0	CHLOROFORM	5 ug/L	metaTRACE
0	METHYLENE CHLORIDE	5 ug/L	metaTRACE
0	BROMOMETHANE	10 ug/L	metaTRACE
0	CHLOROMETHANE	10 ug/L	metaTRACE
0	CHLORIDE	3200 ug/L	metaTRACE
0	CHLOROBENZENE	5 ug/L	metaTRACE
1	CHROMIUM	6 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	5 ug/L	metaTRACE
0	CHLOROETHANE	10 ug/L	metaTRACE
0	BENZENE	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	5 ug/L	metaTRACE
0	ETHYLBENZENE	5 ug/L	metaTRACE
0	FLUORIDE	250 ug/L	metaTRACE
0	IRON	32 ug/L	metaTRACE
0	MERCURY	0.20 ug/L	metaTRACE
0	POTASSIUM	2000 ug/L	metaTRACE
0	TOLUENE	5 ug/L	metaTRACE
0	MAGNESIUM	555 ug/L	metaTRACE
0	MANGANESE	17 ug/L	metaTRACE
1	SODIUM	5909 ug/L	metaTRACE
1	NITRATE AS NITROGEN	3400 ug/L	metaTRACE
0	PHENOLS	5 ug/L	metaTRACE
0	SELENIUM	2 ug/L	metaTRACE
1	SILICON	3604 ug/L	metaTRACE
0	SULFATE	1000 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	5.00 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS	50000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	1000 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	8 ug/L	metaTRACE
0	TOTAL PHOSPHATES	51 ug/L	metaTRACE
2	TRICHLOROETHYLENE	34.0 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	5 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	5 ug/L	metaTRACE
0	GROSS ALPHA	3.90+-2.60 pCi/L	Teledyne
0	BARIUM-140	9 pCi/L	Teledyne
0	NONVOLATILE BETA	3.80+-2.60 pCi/L	Teledyne
0	BERYLLIUM-7	30 pCi/L	Teledyne
0	CERIUM-141	9 pCi/L	Teledyne
0	CERIUM-144	30 pCi/L	Teledyne
0	COBALT-58	3 pCi/L	Teledyne
0	COBALT-60	3 pCi/L	Teledyne
0	CESIUM-134	3 pCi/L	Teledyne
0	CESIUM-137	3 pCi/L	Teledyne
0	IRON-59	7 pCi/L	Teledyne
0	IODINE-131	10 pCi/L	Teledyne
0	POTASSIUM-40	50 pCi/L	Teledyne
0	MANGANESE-54	3 pCi/L	Teledyne
0	RADIUM-226	90 pCi/L	Teledyne
0	RUTHENIUM-103	4 pCi/L	Teledyne
0	RUTHENIUM-106	20 pCi/L	Teledyne
0	THORIUM-228	6 pCi/L	Teledyne
0	TOTAL RADIUM	1.10+-0.40 pCi/L	metaTRACE
2	TRITIUM	970+-100 pCi/mL	metaTRACE
0	ZINC-65	6 pCi/L	Teledyne
0	ZIRCONIUM-95	3 pCi/L	Teledyne

WELL BGO 360

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/24/89 Time 810
 Depth to water = 41.49 ft (12.65 m) below the TOC
 Water elevation = 233.91 ft (71.30 m) msl
 pH = 4.5 Alkalinity = 1 mg/L
 Specific conductance = 34 umhos/cm
 Water temperature = 20.5 degrees Celsius
 Water evacuated from the well prior to sampling = 7 gal
 The well went dry during purging.

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	135.5 UMIC	metaTRACE
1	PH	3.58 pH	metaTRACE
0	SILVER	2 ug/L	metaTRACE
0	ARSENIC	3 ug/L	metaTRACE
0	BARIUM	8 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	5 ug/L	metaTRACE
0	CALCIUM	250 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	5.00 ug/L	metaTRACE
0	CADMIUM	4 ug/L	metaTRACE
0	BROMOFORM	5 ug/L	metaTRACE
0	CHLOROFORM	5 ug/L	metaTRACE
0	METHYLENE CHLORIDE	5 ug/L	metaTRACE
0	BROMOMETHANE	10 ug/L	metaTRACE
0	CHLOROMETHANE	10 ug/L	metaTRACE
0	CHLORIDE	3400 ug/L	metaTRACE
0	CHLOROBENZENE	5 ug/L	metaTRACE
0	CHROMIUM	10 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	5 ug/L	metaTRACE
0	CHLOROETHANE	10 ug/L	metaTRACE
0	BENZENE	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	5 ug/L	metaTRACE
0	ETHYLBENZENE	5 ug/L	metaTRACE
0	FLUORIDE	250 ug/L	metaTRACE
0	IRON	15 ug/L	metaTRACE
0	MERCURY	0.20 ug/L	metaTRACE
0	POTASSIUM	5000 ug/L	metaTRACE
0	TOLUENE	5 ug/L	metaTRACE
0	MAGNESIUM	115 ug/L	metaTRACE
0	MANGANESE	10 ug/L	metaTRACE
0	SODIUM	3910 ug/L	metaTRACE
0	NITRATE AS NITROGEN	1100 ug/L	metaTRACE
0	LEAD	15 ug/L	metaTRACE
0	PHENOLS	5 ug/L	metaTRACE
0	SELENIUM	2 ug/L	metaTRACE
0	SILICON	50 ug/L	metaTRACE
0	SULFATE	1000 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	5.00 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS	45000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	1000 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	3 ug/L	metaTRACE
0	TOTAL PHOSPHATES	140 ug/L	metaTRACE
0	TRICHLOROETHYLENE	5.00 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	5 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	5 ug/L	metaTRACE
1	GROSS ALPHA	12.00+-4.00 pCi/L	Teledyne
0	BARIUM-140	7 pCi/L	Teledyne
1	NONVOLATILE BETA	10.00+-4.00 pCi/L	metaTRACE
0	BERYLLIUM-7	30 pCi/L	Teledyne
0	CERIUM-141	8 pCi/L	Teledyne
0	CERIUM-144	30 pCi/L	Teledyne
0	COBALT-58	3 pCi/L	Teledyne
0	COBALT-60	3 pCi/L	Teledyne
0	CESIUM-134	3 pCi/L	Teledyne
0	CESIUM-137	3 pCi/L	Teledyne
0	IRON-59	7 pCi/L	Teledyne
0	IODINE-131	9 pCi/L	Teledyne
0	POTASSIUM-40	50 pCi/L	Teledyne
0	MANGANESE-54	3 pCi/L	Teledyne
0	RADIUM-226	80 pCi/L	Teledyne
0	RUTHENIUM-103	3 pCi/L	Teledyne
0	RUTHENIUM-106	30 pCi/L	Teledyne
0	THORIUM-228	6 pCi/L	Teledyne
0	TOTAL RADIUM	1.70+-0.30 pCi/mL	metaTRACE
2	TRITIUM	23.00+-3.00 pCi/mL	metaTRACE
0	ZINC-65	7 pCi/L	Teledyne
0	ZIRCONIUM-95	3 pCi/L	Teledyne

WELL BGO 37C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/19/89 Time 1450
 Depth to water = 37.58 ft (17.55 m) below the TOC
 Water elevation = 228.72 ft (69.71 m) msl
 pH = 4.3 Alkalinity = 0 mg/L
 Specific conductance = 36 umhos/cm
 Water temperature = 21.0 degrees Celsius
 Water evacuated from the well prior to sampling = 171 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE	46.52 UMHC	metaTRACE
0	PH	5.33 pH	metaTRACE
0	SILVER	2 ug/L	metaTRACE
0	ARSENIC	3 ug/L	metaTRACE
0	BARIUM	25 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	5 ug/L	metaTRACE
0	CALCIUM	2926 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	5 ug/L	metaTRACE
2	CARBON TETRACHLORIDE	13.0 ug/L	metaTRACE
0	CADMIUM	4 ug/L	metaTRACE
0	BROMOFORM	5 ug/L	metaTRACE
2	CHLOROFORM	50 ug/L	metaTRACE
0	METHYLENE CHLORIDE	5 ug/L	metaTRACE
0	BROMOMETHANE	10 ug/L	metaTRACE
0	CHLOROMETHANE	10 ug/L	metaTRACE
0	CHLORIDE	2100 ug/L	metaTRACE
0	CHLOROBENZENE	5 ug/L	metaTRACE
0	CHROMIUM	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	5 ug/L	metaTRACE
0	CHLOROETHANE	10 ug/L	metaTRACE
0	BENZENE	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	5 ug/L	metaTRACE
0	ETHYLBENZENE	5 ug/L	metaTRACE
0	FLUORIDE	250 ug/L	metaTRACE
0	IRON	41 ug/L	metaTRACE
0	MERCURY	0.20 ug/L	metaTRACE
0	POTASSIUM	2000 ug/L	metaTRACE
0	TOLUENE	5 ug/L	metaTRACE
0	MAGNESIUM	403 ug/L	metaTRACE
1	MANGANESE	49 ug/L	metaTRACE
0	SODIUM	4714 ug/L	metaTRACE
0	NITRATE AS NITROGEN	2400 ug/L	metaTRACE
0	LEAD	3 ug/L	metaTRACE
0	PHENOLS	5 ug/L	metaTRACE
0	ANTIMONY	10 ug/L	metaTRACE
0	SELENIUM	2 ug/L	metaTRACE
1	SILICON	3537 ug/L	metaTRACE
0	SULFATE	1800 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	5 ug/L	metaTRACE
2	TETRACHLOROETHYLENE	9.00 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS	23000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	1600 ug/L	metaTRACE
2	TOTAL ORGANIC HALOGENS	427 ug/L	metaTRACE
0	TOTAL PHOSPHATES	10 ug/L	metaTRACE
2	TRICHLOROETHYLENE	410 ug/L	metaTRACE
1	TRANS-1,2-DICHLOROETHENE	140 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	5 ug/L	metaTRACE
1	1,1-DICHLOROETHYLENE	6 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	5 ug/L	metaTRACE
0	GROSS ALPHA	2 pCi/L	Teledyne
0	BARIUM-140	20 pCi/L	Teledyne
0	NONVOLATILE BETA	4 pCi/L	Teledyne
0	BERYLLIUM-7	40 pCi/L	Teledyne
0	CERIUM-141	10 pCi/L	Teledyne
0	CERIUM-144	30 pCi/L	Teledyne
0	COBALT-58	4 pCi/L	Teledyne
0	COBALT-60	4 pCi/L	Teledyne
0	CESIUM-134	4 pCi/L	Teledyne
0	CESIUM-137	4 pCi/L	Teledyne
0	IRON-59	10 pCi/L	Teledyne
0	IODINE-131	30 pCi/L	Teledyne
0	POTASSIUM-40	100 pCi/L	Teledyne
0	MANGANESE-54	4 pCi/L	Teledyne
0	RADIUM-226	70 pCi/L	Teledyne
0	RUTHENIUM-103	6 pCi/L	Teledyne
0	RUTHENIUM-106	40 pCi/L	Teledyne
0	THORIUM-228	6 pCi/L	Teledyne
0	TOTAL RADIUM	1 pCi/L	metaTRACE
2	TRITIUM	9300+-1000 pCi/mL	metaTRACE
0	ZINC-65	9 pCi/L	Teledyne
0	ZIRCONIUM-95	5 pCi/L	Teledyne

WELL BGO 37D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/24/89 Time 795
 Depth to water = 52.27 ft (15.93 m) below the TOC
 Water elevation = 235.03 ft (71.64 m) msl
 pH = 5.2 Alkalinity = 4 mg/L
 Specific conductance = 46 umhos/cm
 Water temperature = 22.6 degrees Celsius
 Water evacuated from the well prior to sampling = 4 gal
 The well went dry during purging.

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	440.0 UMHC	metaTRACE
2	PH	2.98 pH	metaTRACE
0	SILVER	2 ug/L	metaTRACE
1	ARSENIC	3 ug/L	metaTRACE
0	BARIUM	25 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	5 ug/L	metaTRACE
0	CALCIUM	899 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	5.00 ug/L	metaTRACE
0	CADMIUM	4 ug/L	metaTRACE
0	BROMOFORM	5 ug/L	metaTRACE
0	CHLOROFORM	5 ug/L	metaTRACE
0	METHYLENE CHLORIDE	5 ug/L	metaTRACE
0	BROMOMETHANE	10 ug/L	metaTRACE
0	CHLOROMETHANE	10 ug/L	metaTRACE
0	CHLORIDE	1300 ug/L	metaTRACE
0	CHLOROBENZENE	5 ug/L	metaTRACE
0	CHROMIUM	10 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	5 ug/L	metaTRACE
0	CHLOROETHANE	10 ug/L	metaTRACE
0	BENZENE	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	5 ug/L	metaTRACE
0	ETHYLBENZENE	5 ug/L	metaTRACE
0	FLUORIDE	250 ug/L	metaTRACE
0	IRON	16 ug/L	metaTRACE
0	MERCURY	0.20 ug/L	metaTRACE
0	POTASSIUM	5000 ug/L	metaTRACE
0	TOLUENE	5 ug/L	metaTRACE
0	MAGNESIUM	233 ug/L	metaTRACE
2	MANGANESE	54 ug/L	metaTRACE
1	SODIUM	7676 ug/L	metaTRACE
1	NITRATE AS NITROGEN	3100 ug/L	metaTRACE
2	LEAD	50 ug/L	metaTRACE
0	PHENOLS	5 ug/L	metaTRACE
0	SELENIUM	2 ug/L	metaTRACE
1	SILICON	870 ug/L	metaTRACE
0	SULFATE	1000 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	5.00 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS	46000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	1000 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	6 ug/L	metaTRACE
0	TOTAL PHOSPHATES	13 ug/L	metaTRACE
0	TOTAL PHOSPHATES	19 ug/L	metaTRACE
0	TRICHLOROETHYLENE	5.00 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	5 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	5 ug/L	metaTRACE
1	1,1,1-TRICHLOROETHANE	4 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	5 ug/L	metaTRACE
0	GROSS ALPHA	3 pCi/L	Teledyne
0	BARIUM-140	8 pCi/L	Teledyne
0	NONVOLATILE BETA	5 pCi/L	Teledyne
0	BERYLLIUM-7	30 pCi/L	Teledyne
0	CERIUM-141	8 pCi/L	Teledyne
0	CERIUM-144	30 pCi/L	Teledyne
0	COBALT-58	3 pCi/L	Teledyne
0	COBALT-60	3 pCi/L	Teledyne
0	CESIUM-134	3 pCi/L	Teledyne
0	CESIUM-137	3 pCi/L	Teledyne
0	IRON-59	7 pCi/L	Teledyne
0	IODINE-131	8 pCi/L	Teledyne
0	POTASSIUM-40	60 pCi/L	Teledyne
0	MANGANESE-54	3 pCi/L	Teledyne
0	RADIUM-226	90 pCi/L	Teledyne
0	RUTHENIUM-103	3 pCi/L	Teledyne
0	RUTHENIUM-106	20 pCi/L	Teledyne
0	THORIUM-228	6 pCi/L	Teledyne
0	TOTAL RADIUM	1 pCi/L	metaTRACE
2	TRITIUM	22.00+-3.00 pCi/mL	metaTRACE
0	ZINC-65	6 pCi/L	Teledyne
0	ZIRCONIUM-95	3 pCi/L	Teledyne

WELL BGO 380

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/24/89 Time 735
 Depth to water = 58.28 ft (17.78 m) below the TOC
 Water elevation = 233.32 ft (71.12 m) msf
 pH = 3.9 Alkalinity = 0 mg/L
 Specific conductance = 28 umhos/cm
 Water temperature = 21.0 degrees Celsius
 Water evacuated from the well prior to sampling -
 The well went dry during purging.

7 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	177.2 UMHC	metaTRACE
1	PH	3.34 pH	metaTRACE
0	SILVER	2 ug/L	metaTRACE
0	ARSENIC	3 ug/L	metaTRACE
0	BARIUM	25 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	3 ug/L	metaTRACE
0	CALCIUM	325 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	5.00 ug/L	metaTRACE
0	CADMIUM	4 ug/L	metaTRACE
0	BROMOFORM	5 ug/L	metaTRACE
0	CHLOROFORM	5 ug/L	metaTRACE
0	METHYLENE CHLORIDE	5 ug/L	metaTRACE
0	BROMOMETHANE	10 ug/L	metaTRACE
0	CHLOROMETHANE	10 ug/L	metaTRACE
0	CHLORIDE	1300 ug/L	metaTRACE
0	CHLOROBENZENE	5 ug/L	metaTRACE
0	CHROMIUM	10 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	5 ug/L	metaTRACE
0	CHLOROETHANE	10 ug/L	metaTRACE
0	BENZENE	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	5 ug/L	metaTRACE
0	ETHYLBENZENE	5 ug/L	metaTRACE
0	FLUORIDE	250 ug/L	metaTRACE
0	IRON	15 ug/L	metaTRACE
0	MERCURY	0.20 ug/L	metaTRACE
0	POTASSIUM	5000 ug/L	metaTRACE
0	TOLUENE	5 ug/L	metaTRACE
0	MAGNESIUM	505 ug/L	metaTRACE
1	MANGANESE	33 ug/L	metaTRACE
0	SODIUM	2414 ug/L	metaTRACE
0	NITRATE AS NITROGEN	1900 ug/L	metaTRACE
0	LEAD	9 ug/L	metaTRACE
0	PHENOLS	5 ug/L	metaTRACE
0	SELENIUM	2 ug/L	metaTRACE
1	SILICON	2029 ug/L	metaTRACE
0	SULFATE	1000 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	5.00 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS	34000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	1000 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	6 ug/L	metaTRACE
1	TOTAL PHOSPHATES	348 ug/L	metaTRACE
0	TRICHLOROETHYLENE	5.00 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	5 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	5 ug/L	metaTRACE
1	GROSS ALPHA	11.00+-4.00 pCi/L	metaTRACE
2	GROSS ALPHA	20.00+-8.00 pCi/L	metaTRACE
0	BARIUM-140	8 pCi/L	Teledyne
0	NONVOLATILE BETA	9.40+-4.00 pCi/L	metaTRACE
0	BERYLLIUM-7	40 pCi/L	Teledyne
0	CERIUM-141	8 pCi/L	Teledyne
0	CERIUM-144	30 pCi/L	Teledyne
0	COBALT-58	4 pCi/L	Teledyne
0	COBALT-60	4 pCi/L	Teledyne
0	CESIUM-134	4 pCi/L	Teledyne
0	CESIUM-137	5 pCi/L	Teledyne
0	IRON-59	10 pCi/L	Teledyne
0	IODINE-131	10 pCi/L	Teledyne
0	POTASSIUM-40	100 pCi/L	Teledyne
0	MANGANESE-54	4 pCi/L	Teledyne
0	RADIUM-226	70 pCi/L	Teledyne
0	RUTHENIUM-103	5 pCi/L	Teledyne
0	RUTHENIUM-106	40 pCi/L	Teledyne
0	THORIUM-232	6 pCi/L	Teledyne
0	TOTAL RADIUM	1.60+-0.30 pCi/L	metaTRACE
2	TRITIUM	23.00+-3.00 pCi/mL	metaTRACE
0	ZINC-65	9 pCi/L	Teledyne
0	ZIRCONIUM-95	4 pCi/L	Teledyne

WELL BGO 390

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/24/89 Time 715
 Depth to water = 62.37 ft (19.01 m) below the TOC
 Water elevation = 233.33 ft (71.12 m) msf
 pH = 4.0 Alkalinity = 0 mg/L
 Specific conductance = 32 umhos/cm
 Water temperature = 21.5 degrees Celsius
 Water evacuated from the well prior to sampling -
 The well went dry during purging.

4 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	179.1 UMHC	metaTRACE
1	PH	3.32 pH	metaTRACE
0	SILVER	2 ug/L	metaTRACE
0	ARSENIC	3 ug/L	metaTRACE
0	BARIUM	27 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	5 ug/L	metaTRACE
0	CALCIUM	939 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	5.00 ug/L	metaTRACE
0	CADMIUM	4 ug/L	metaTRACE
0	BROMOFORM	5 ug/L	metaTRACE
0	CHLOROFORM	5 ug/L	metaTRACE
0	METHYLENE CHLORIDE	5 ug/L	metaTRACE
0	BROMOMETHANE	10 ug/L	metaTRACE
0	CHLOROMETHANE	10 ug/L	metaTRACE
0	CHLORIDE	3200 ug/L	metaTRACE
0	CHLOROBENZENE	5 ug/L	metaTRACE
0	CHROMIUM	10 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	5 ug/L	metaTRACE
0	CHLOROETHANE	10 ug/L	metaTRACE
0	BENZENE	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	5 ug/L	metaTRACE
0	ETHYLBENZENE	5 ug/L	metaTRACE
0	FLUORIDE	250 ug/L	metaTRACE
0	IRON	24 ug/L	metaTRACE
0	MERCURY	0.20 ug/L	metaTRACE
0	POTASSIUM	5000 ug/L	metaTRACE
0	TOLUENE	5 ug/L	metaTRACE
0	MAGNESIUM	403 ug/L	metaTRACE
2	MANGANESE	80 ug/L	metaTRACE
0	SODIUM	4805 ug/L	metaTRACE
0	NITRATE AS NITROGEN	1300 ug/L	metaTRACE
0	LEAD	8 ug/L	metaTRACE
0	PHENOLS	5 ug/L	metaTRACE
0	SELENIUM	2 ug/L	metaTRACE
1	SILICON	4058 ug/L	metaTRACE
0	SULFATE	1000 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	5.00 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS	40000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	1000 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	5 ug/L	metaTRACE
0	TOTAL PHOSPHATES	41 ug/L	metaTRACE
0	TRICHLOROETHYLENE	5.00 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	5 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	5 ug/L	metaTRACE
1	GROSS ALPHA	5.80+-3.20 pCi/L	metaTRACE
0	BARIUM-140	9 pCi/L	Teledyne
0	NONVOLATILE BETA	5 pCi/L	metaTRACE
0	BERYLLIUM-7	7.50+-3.80 pCi/L	metaTRACE
0	CERIUM-141	30 pCi/L	Teledyne
0	CERIUM-144	8 pCi/L	Teledyne
0	COBALT-58	4 pCi/L	Teledyne
0	COBALT-60	4 pCi/L	Teledyne
0	CESIUM-134	4 pCi/L	Teledyne
0	CESIUM-137	4 pCi/L	Teledyne
0	IRON-59	8 pCi/L	Teledyne
0	IODINE-131	10 pCi/L	Teledyne
0	POTASSIUM-40	60 pCi/L	Teledyne
0	MANGANESE-54	3 pCi/L	Teledyne
0	RADIUM-226	70 pCi/L	Teledyne
0	RUTHENIUM-103	4 pCi/L	Teledyne
0	RUTHENIUM-106	30 pCi/L	Teledyne
0	THORIUM-232	6 pCi/L	Teledyne
0	TOTAL RADIUM	1.30+-0.30 pCi/L	metaTRACE
2	TRITIUM	34.00+-4.00 pCi/mL	metaTRACE
0	ZINC-65	7 pCi/L	Teledyne
0	ZIRCONIUM-95	4 pCi/L	Teledyne

WELL BRD 1

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/12/89 Time 1305
 Depth to water = 40.15 ft (12.24 m) below the TOC
 Water elevation = 185.85 ft (56.49 m) msl
 pH = 5.0 Alkalinity = 0 mg/L
 Specific conductance = 30 umhos/cm
 Water temperature = 21.1 degrees Celsius
 Water evacuated from the well prior to sampling = 44 gal

LABORATORY ANALYSES

0 MANGANESE	22 ug/L	Gen. Eng.
0 LEAD	14 ug/L	Gen. Eng.

WELL BRD 1

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/19/89 Time 1205
 Depth to water = 40.52 ft (12.35 m) below the TOC
 Water elevation = 185.28 ft (56.38 m) msl
 pH = 4.9 Alkalinity = 0 mg/L
 Specific conductance = 35 umhos/cm
 Water temperature = 20.5 degrees Celsius
 Water evacuated from the well prior to sampling = 43 gal

LABORATORY ANALYSES

0 SPECIFIC CONDUCTANCE	24.80 UHMC	metatrace
0 PH	5.21 pH	metatrace
0 SILVER	LT	2 ug/L metatrace
0 ARSENIC	LT	3 ug/L metatrace
0 BARIUM	LT	8 ug/L metatrace
0 BROMODICHLOROMETHANE	LT	5 ug/L metatrace
0 CALCIUM	935 ug/L	metatrace
0 TRICHLOROFLUOROMETHANE	LT	5 ug/L metatrace
0 CARBON TETRACHLORIDE	LT	5.00 ug/L metatrace
0 CADMIUM	LT	6 ug/L metatrace
0 CHLOROFORM	LT	5 ug/L metatrace
0 CHLOROFORM	LT	5 ug/L metatrace
0 METHYLENE CHLORIDE	LT	5 ug/L metatrace
0 BROMOMETHANE	LT	10 ug/L metatrace
0 CHLOROMETHANE	LT	10 ug/L metatrace
0 CHLORIDE	1700 ug/L	metatrace
0 CHLOROBENZENE	LT	5 ug/L metatrace
0 CHROMIUM	LT	9 ug/L metatrace
0 CHLOROETHANE	LT	10 ug/L metatrace
0 BENZENE	LT	5 ug/L metatrace
0 DIBROMOCHLOROMETHANE	LT	5 ug/L metatrace
0 ENDRIK	LT	0.10 ug/L metatrace
0 ETHYLBENZENE	LT	5 ug/L metatrace
0 FLUORIDE	LT	250 ug/L metatrace
0 IRON	45 ug/L	metatrace
0 MERCURY	LT	0.20 ug/L metatrace
0 POTASSIUM	LT	1620 ug/L metatrace
0 LITHIUM	LT	26 ug/L metatrace
0 LINDANE	LT	0.05 ug/L metatrace
0 TOLUENE	LT	5 ug/L metatrace
0 METHOXYCHLOR	LT	0.50 ug/L metatrace
0 MAGNESIUM	458 ug/L	metatrace
0 MANGANESE	29 ug/L	metatrace
0 SODIUM	2037 ug/L	metatrace
0 NITRATE AS NITROGEN	5900 ug/L	metatrace
0 LEAD	7 ug/L	metatrace
0 PHENOLS	LT	5 ug/L metatrace
0 SELENIUM	LT	2 ug/L metatrace
0 SILICON	4744 ug/L	metatrace
0 SILVEX	LT	0.07 ug/L metatrace
0 SULFATE	1200 ug/L	metatrace
0 1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L metatrace
0 TETRACHLOROETHYLENE	LT	5.00 ug/L metatrace
0 TOTAL DISSOLVED SOLIDS	42000 ug/L	metatrace
0 TOTAL ORGANIC CARBON	LT	1000 ug/L metatrace
0 TOTAL ORGANIC HALOGENS	LT	5 ug/L metatrace
0 TOTAL PHOSPHATES	LT	10 ug/L metatrace
0 TRICHLOROETHYLENE	LT	5.00 ug/L metatrace
0 TOXAPHENE	LT	1 ug/L metatrace
0 TRANS-1,2-DICHLOROETHENE	LT	5 ug/L metatrace
0 1,1-DICHLOROETHYLENE	LT	5 ug/L metatrace
0 1,1-DICHLOROETHANE	LT	5 ug/L metatrace
0 1,1,1-TRICHLOROETHANE	LT	5 ug/L metatrace
0 1,1,2-TRICHLOROETHANE	LT	5 ug/L metatrace
0 1,2-DICHLOROETHANE	LT	5 ug/L metatrace
0 1,2-DICHLOROPROPANE	LT	5 ug/L metatrace
0 CIS-1,3-DICHLOROPROPENE	LT	5 ug/L metatrace
0 TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L metatrace
0 2-CHLOROETHYL VINYL ETHER	LT	5 ug/L metatrace
0 2,4-DICHLOROPHENOXYACETIC ACID	LT	0.46 ug/L metatrace
0 GROSS ALPHA	LT	4 pCi/L metatrace
0 NONVOLATILE BETA	LT	5 pCi/L metatrace
0 TOTAL RADIUM	LT	1 pCi/L metatrace
0 TRITIUM	LT	1 pCi/mL metatrace

WELL BRD 2

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/12/89 Time 1415
 Depth to water = 38.75 ft (11.81 m) below the TOC
 Water elevation = 188.93 ft (57.37 m) msl
 pH = 5.4 Alkalinity = 1 mg/L
 Specific conductance = 24 umhos/cm
 Water temperature = 21.3 degrees Celsius
 Water evacuated from the well prior to sampling = 52 gal

LABORATORY ANALYSES

0 MANGANESE	9 ug/L	Gen. Eng.
2 LEAD	51 ug/L	Gen. Eng.

WELL BRD 2

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/19/89 Time 1245
 Depth to water = 39.30 ft (11.98 m) below the TOC
 Water elevation = 188.00 ft (57.21 m) msl
 pH = 5.3 Alkalinity = 1 mg/L
 Specific conductance = 23 umhos/cm
 Water temperature = 20.4 degrees Celsius
 Water evacuated from the well prior to sampling = 51 gal

LABORATORY ANALYSES

0 SPECIFIC CONDUCTANCE	24.80 UHMC	metatrace
0 PH	5.72 pH	metatrace
0 SILVER	LT	2 ug/L metatrace
0 ARSENIC	LT	3 ug/L metatrace
0 BARIUM	LT	8 ug/L metatrace
0 BROMODICHLOROMETHANE	LT	5 ug/L metatrace
0 CALCIUM	1046 ug/L	metatrace
0 TRICHLOROFLUOROMETHANE	LT	5 ug/L metatrace
0 CARBON TETRACHLORIDE	LT	5.00 ug/L metatrace
0 CADMIUM	LT	6 ug/L metatrace
0 CHLOROFORM	LT	5 ug/L metatrace
0 CHLOROFORM	LT	5 ug/L metatrace
0 METHYLENE CHLORIDE	LT	5 ug/L metatrace
0 BROMOMETHANE	LT	10 ug/L metatrace
0 CHLOROMETHANE	LT	10 ug/L metatrace
0 CHLORIDE	1600 ug/L	metatrace
0 CHLOROBENZENE	LT	5 ug/L metatrace
0 CHROMIUM	LT	9 ug/L metatrace
0 CHLOROETHANE	LT	10 ug/L metatrace
0 BENZENE	LT	5 ug/L metatrace
0 DIBROMOCHLOROMETHANE	LT	5 ug/L metatrace
0 ENDRIK	LT	0.10 ug/L metatrace
0 ETHYLBENZENE	LT	5 ug/L metatrace
0 FLUORIDE	LT	250 ug/L metatrace
0 IRON	LT	24 ug/L metatrace
0 MERCURY	LT	0.20 ug/L metatrace
0 POTASSIUM	LT	1620 ug/L metatrace
0 LITHIUM	LT	26 ug/L metatrace
0 LINDANE	LT	0.05 ug/L metatrace
0 TOLUENE	LT	5 ug/L metatrace
0 METHOXYCHLOR	LT	0.50 ug/L metatrace
0 MAGNESIUM	335 ug/L	metatrace
0 MANGANESE	10 ug/L	metatrace
0 SODIUM	1695 ug/L	metatrace
0 NITRATE AS NITROGEN	4500 ug/L	metatrace
2 LEAD	38 ug/L	metatrace
0 PHENOLS	LT	5 ug/L metatrace
0 SELENIUM	LT	2 ug/L metatrace
0 SILICON	4400 ug/L	metatrace
0 SILVEX	LT	0.07 ug/L metatrace
0 SULFATE	1100 ug/L	metatrace
0 1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L metatrace
0 TETRACHLOROETHYLENE	LT	5.00 ug/L metatrace
0 TOTAL DISSOLVED SOLIDS	0.000 ug/L	metatrace
0 TOTAL ORGANIC CARBON	LT	1000 ug/L metatrace
0 TOTAL ORGANIC HALOGENS	LT	8 ug/L metatrace
0 TOTAL PHOSPHATES	LT	10 ug/L metatrace
0 TRICHLOROETHYLENE	LT	5.00 ug/L metatrace
0 TOXAPHENE	LT	1 ug/L metatrace
0 TRANS-1,2-DICHLOROETHENE	LT	5 ug/L metatrace
0 1,1-DICHLOROETHYLENE	LT	5 ug/L metatrace
0 1,1-DICHLOROETHANE	LT	5 ug/L metatrace
0 1,1,1-TRICHLOROETHANE	LT	5 ug/L metatrace
0 1,1,2-TRICHLOROETHANE	LT	5 ug/L metatrace
0 1,2-DICHLOROETHANE	LT	5 ug/L metatrace
0 1,2-DICHLOROPROPANE	LT	5 ug/L metatrace
0 CIS-1,3-DICHLOROPROPENE	LT	5 ug/L metatrace
0 TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L metatrace
0 2-CHLOROETHYL VINYL ETHER	LT	5 ug/L metatrace
0 2,4-DICHLOROPHENOXYACETIC ACID	LT	0.46 ug/L metatrace
0 GROSS ALPHA	LT	7 pCi/L metatrace
0 NONVOLATILE BETA	LT	5 pCi/L metatrace
0 TOTAL RADIUM	1.30+-0.40 pCi/L	metatrace
0 TRITIUM	1.10+-0.20 pCi/mL	metatrace

WELL BRD 3

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/12/89 Time 1340
The well was dry.

WELL BRD 3

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/19/89 Time 1220
The well was dry.

WELL BRD 4

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/12/89 Time 1435
Depth to water = 34.47 ft (10.51 m) below the TOC
Water elevation = 163.43 ft (49.81 m) msl
pH = 4.8 Alkalinity = 0 mg/L
Specific conductance = 25 umhos/cm
Water temperature = 20.3 degrees Celsius
Water evacuated from the well prior to sampling = 89 gal

LABORATORY ANALYSES

0 MANGANESE	6 ug/L	Gen. Eng.
0 LEAD	8 ug/L	Gen. Eng.

WELL BRD 4

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/19/89 Time 1315
Depth to water = 34.59 ft (10.54 m) below the TOC
Water elevation = 163.31 ft (49.78 m) msl
pH = 4.7 Alkalinity = 0 mg/L
Specific conductance = 24 umhos/cm
Water temperature = 20.1 degrees Celsius
Water evacuated from the well prior to sampling = 89 gal

LABORATORY ANALYSES

0 SPECIFIC CONDUCTANCE	22.60 UHMC	metaTRACE
0 PH	9.12 pH	metaTRACE
0 SILVER	LT 2 ug/L	metaTRACE
0 ARSENIC	LT 3 ug/L	metaTRACE
0 BARIUM	LT 8 ug/L	metaTRACE
0 BROMODICHLOROMETHANE	LT 5 ug/L	metaTRACE
0 CALCIUM	891 ug/L	metaTRACE
0 TRICHLOROFLUOROMETHANE	LT 5 ug/L	metaTRACE
0 CARBON TETRACHLORIDE	LT 5.00 ug/L	metaTRACE
0 CADMIUM	LT 6 ug/L	metaTRACE
0 BROMOFORM	LT 5 ug/L	metaTRACE
0 CHLOROFORM	LT 5 ug/L	metaTRACE
0 METHYLENE CHLORIDE	LT 5 ug/L	metaTRACE
0 BROMOMETHANE	LT 10 ug/L	metaTRACE
0 CHLOROMETHANE	LT 10 ug/L	metaTRACE
0 CHLORIDE	1700 ug/L	metaTRACE
0 CHLOROBENZENE	LT 5 ug/L	metaTRACE
0 CHROMIUM	10 ug/L	metaTRACE
0 CHLOROETHANE	LT 10 ug/L	metaTRACE
0 BENZENE	LT 5 ug/L	metaTRACE
0 DIBROMOCHLOROMETHANE	LT 5 ug/L	metaTRACE
0 ENDRIUM	LT 0.10 ug/L	metaTRACE
0 ETHYLENEBENZENE	LT 5 ug/L	metaTRACE
0 FLUORIDE	LT 250 ug/L	metaTRACE
0 IRON	21 ug/L	metaTRACE
0 MERCURY	LT 0.20 ug/L	metaTRACE
0 POTASSIUM	LT 1620 ug/L	metaTRACE
0 LITHIUM	LT 26 ug/L	metaTRACE
0 LINDANE	LT 0.05 ug/L	metaTRACE
0 TOLUENE	LT 5 ug/L	metaTRACE
0 METHOXYCHLOR	LT 0.30 ug/L	metaTRACE
0 MAGNESIUM	392 ug/L	metaTRACE
0 MANGANESE	7 ug/L	metaTRACE
0 SODIUM	1781 ug/L	metaTRACE
0 NITRATE AS NITROGEN	5200 ug/L	metaTRACE
0 LEAD	5 ug/L	metaTRACE
0 PHENOLS	LT 5 ug/L	metaTRACE
0 SELENIUM	LT 2 ug/L	metaTRACE
0 SILICON	4276 ug/L	metaTRACE
0 SILVEX	LT 0.07 ug/L	metaTRACE
0 SULFATE	LT 1000 ug/L	metaTRACE
0 1,1,2,2-TETRACHLOROETHANE	LT 5 ug/L	metaTRACE
0 TETRACHLOROETHYLENE	LT 5.00 ug/L	metaTRACE
0 TOTAL DISSOLVED SOLIDS	2000 ug/L	metaTRACE
0 TOTAL ORGANIC CARBON	LT 1000 ug/L	metaTRACE
0 TOTAL ORGANIC HALOGENS	LT 5 ug/L	metaTRACE
0 TOTAL PHOSPHATES	LT 10 ug/L	metaTRACE
0 TRICHLOROETHYLENE	LT 5.00 ug/L	metaTRACE
0 TOXAPHENE	LT 1 ug/L	metaTRACE
0 TRANS-1,2-DICHLOROETHENE	LT 5 ug/L	metaTRACE
0 1,1-DICHLOROETHYLENE	LT 5 ug/L	metaTRACE
0 1,1-DICHLOROETHANE	LT 5 ug/L	metaTRACE
0 1,1,1-TRICHLOROETHANE	LT 5 ug/L	metaTRACE
0 1,1,2-TRICHLOROETHANE	LT 5 ug/L	metaTRACE

CONTINUED

WELL BRD 4 COLLECTED ON 09/19/89 LABORATORY ANALYSES CONTINUED

0 1,2-DICHLOROETHANE	LT 5 ug/L	metaTRACE
0 1,2-DICHLOROPROPANE	LT 5 ug/L	metaTRACE
0 CIS-1,3-DICHLOROPROPENE	LT 5 ug/L	metaTRACE
0 TRANS-1,3-DICHLOROPROPENE	LT 5 ug/L	metaTRACE
0 2-CHLOROETHYL VINYL ETHER	LT 5 ug/L	metaTRACE
0 2,4-DICHLOROPHENOXYACETIC ACID	LT 0.46 ug/L	metaTRACE
0 GROSS ALPHA	3.70+-2.50 pCi/L	metaTRACE
0 NONVOLATILE BETA	LT 5 pCi/L	metaTRACE
0 TOTAL RADIUM	1.20+-0.40 pCi/L	metaTRACE
0 TRITIUM	2.00+-0.20 pCi/mL	metaTRACE

WELL BRD 5D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/19/89 Time 1120
Depth to water = 36.50 ft (11.13 m) below the TOC
Water elevation = 168.50 ft (51.36 m) msl
pH = 5.5 Alkalinity = 1 mg/L
Specific conductance = 35 umhos/cm
Water temperature = 21.5 degrees Celsius
Water evacuated from the well prior to sampling = 59 gal

LABORATORY ANALYSES

0 SPECIFIC CONDUCTANCE	36.80 UHMC	metaTRACE
0 PH	4.94 pH	metaTRACE
0 SILVER	LT 2 ug/L	metaTRACE
0 BARIUM	LT 25 ug/L	metaTRACE
0 CALCIUM	3626 ug/L	metaTRACE
0 CADMIUM	LT 4 ug/L	metaTRACE
0 CHLORIDE	2200 ug/L	metaTRACE
0 CHROMIUM	LT 5 ug/L	metaTRACE
0 ENDRIUM	LT 0.006 ug/L	metaTRACE
0 FLUORIDE	LT 250 ug/L	metaTRACE
0 IRON	12 ug/L	metaTRACE
0 MERCURY	LT 0.20 ug/L	metaTRACE
0 POTASSIUM	LT 2000 ug/L	metaTRACE
0 LINDANE	LT 0.005 ug/L	metaTRACE
0 METHOXYCHLOR	LT 0.50 ug/L	metaTRACE
0 MAGNESIUM	329 ug/L	metaTRACE
0 MANGANESE	25 ug/L	metaTRACE
0 SODIUM	3948 ug/L	metaTRACE
0 NITRATE AS NITROGEN	1500 ug/L	metaTRACE
0 LEAD	LT 3 ug/L	metaTRACE
0 PHENOLS	LT 5 ug/L	metaTRACE
0 SELENIUM	LT 2 ug/L	metaTRACE
0 SILICON	4856 ug/L	metaTRACE
0 SILVEX	LT 0.07 ug/L	metaTRACE
0 SULFATE	1800 ug/L	metaTRACE
0 TOTAL DISSOLVED SOLIDS	44000 ug/L	metaTRACE
0 TOTAL DISSOLVED SOLIDS	45000 ug/L	metaTRACE
0 TOTAL ORGANIC CARBON	LT 1000 ug/L	metaTRACE
0 TOTAL ORGANIC HALOGENS	LT 5 ug/L	metaTRACE
0 TOTAL PHOSPHATES	19 ug/L	metaTRACE
0 TOTAL PHOSPHATES	13 ug/L	metaTRACE
0 TOXAPHENE	LT 0.24 ug/L	metaTRACE
0 2,4-DICHLOROPHENOXYACETIC ACID	LT 3.46 ug/L	metaTRACE
0 GROSS ALPHA	LT 6 pCi/L	metaTRACE
0 GROSS ALPHA	LT 7 pCi/L	metaTRACE
0 NONVOLATILE BETA	LT 5 pCi/L	metaTRACE
0 NONVOLATILE BETA	LT 5 pCi/L	metaTRACE
0 TOTAL ACTIVITY	5.34+-1.13 pCi/mL	HP, 735A
0 TOTAL RADIUM	LT 1 pCi/L	metaTRACE
0 TRITIUM	LT 1 pCi/mL	metaTRACE
0 TRITIUM	1.28+-0.64 pCi/mL	HP, 735A

WELL CCB 1

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/27/89 Time 1500
pH = 4.9 Alkalinity = 0 mg/L
Specific conductance = 21 umhos/cm
Water temperature = 22.3 degrees Celsius
Water evacuated from the well prior to sampling = 47 gal

WELL CCB 2

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/27/89 Time 1435
Depth to water = 53.64 ft (16.35 m) below the TOC
Water elevation = 216.76 ft (66.07 m) msl
pH = 4.8 Alkalinity = 1 mg/L
Specific conductance = 27 umhos/cm
Water temperature = 22.8 degrees Celsius
Water evacuated from the well prior to sampling = 47 gal

WELL CCB 3

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/27/89 Time 1525
 Depth to water = 46.53 ft (14.18 m) below the TOC
 Water elevation = 220.87 ft (67.32 m) msl
 pH = 5.0 Alkalinity = 0 mg/L
 Specific conductance = 23 umhos/cm
 Water temperature = 20.3 degrees Celsius
 Water evacuated from the well prior to sampling = 12 gal
 The well went dry during purging.

WELL CCB 4

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/27/89 Time 1515
 Depth to water = 80.08 ft (18.31 m) below the TOC
 Water elevation = 222.92 ft (67.95 m) msl
 pH = 5.0 Alkalinity = 0 mg/L
 Specific conductance = 15 umhos/cm
 Water temperature = 21.4 degrees Celsius
 Water evacuated from the well prior to sampling = 30 gal

WELL CDB 1

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/06/89 Time 1315
 Depth to water = 79.15 ft (24.13 m) below the TOC
 Water elevation = 209.75 ft (63.93 m) msl
 pH = 5.3 Alkalinity = 8 mg/L
 Specific conductance = 74 umhos/cm
 Water temperature = 24.9 degrees Celsius
 Water evacuated from the well prior to sampling = 9 gal
 The well went dry during purging.

LABORATORY ANALYSES

1 IRON	270 ug/L	metaTRACE
2 MANGANESE	114 ug/L	metaTRACE
2 LEAD	128 ug/L	metaTRACE
1 TOTAL ACTIVITY	102+-2.42 pCi/mL	HP, 735A
2 TRITIUM	97.00+- 10 pCi/mL	metaTRACE
2 TRITIUM	102+-2.27 pCi/mL	HP, 735A

WELL CDB 2

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/06/89 Time 1300
 Depth to water = 78.56 ft (23.95 m) below the TOC
 Water elevation = 210.04 ft (64.02 m) msl
 pH = 5.2 Alkalinity = 6 mg/L
 Specific conductance = 72 umhos/cm
 Water temperature = 23.9 degrees Celsius
 Water evacuated from the well prior to sampling = 6 gal
 The well went dry during purging.

LABORATORY ANALYSES

0 IRON	65 ug/L	metaTRACE
1 MANGANESE	50 ug/L	metaTRACE
2 LEAD	34 ug/L	metaTRACE
1 TOTAL ACTIVITY	366+-4.24 pCi/mL	HP, 735A
2 TRITIUM	340+- 40 pCi/mL	metaTRACE
2 TRITIUM	365+-4.15 pCi/mL	HP, 735A

WELL CWP 8

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/15/89 Time 1325
 Depth to water = 26.95 ft (8.21 m) below the TOC
 Water elevation = 201.85 ft (61.46 m) msl
 pH = 5.3 Alkalinity = 4 mg/L
 Specific conductance = 24 umhos/cm
 Water temperature = 21.5 degrees Celsius
 Water evacuated from the well prior to sampling = 46 gal

LABORATORY ANALYSES

1 PH	7.09 pH	Gen. Eng.
1 PH	6.91 pH	Gen. Eng.
0 BROMODICHLOROMETHANE	LT	1 ug/L Gen. Eng.
0 BROMODICHLOROMETHANE	LT	1 ug/L Gen. Eng.
0 TRICHLOROFLUOROMETHANE	LT	1 ug/L Gen. Eng.
0 TRICHLOROFLUOROMETHANE	LT	1 ug/L Gen. Eng.
0 CARBON TETRACHLORIDE	LT	1.00 ug/L Gen. Eng.
0 CARBON TETRACHLORIDE	LT	1.00 ug/L Gen. Eng.
0 BROMOFORM	LT	1 ug/L Gen. Eng.
0 BROMOFORM	LT	1 ug/L Gen. Eng.
0 CHLOROFORM	LT	1 ug/L Gen. Eng.
0 CHLOROFORM	LT	1 ug/L Gen. Eng.
0 METHYLENE CHLORIDE	LT	1 ug/L Gen. Eng.
0 METHYLENE CHLORIDE	LT	1 ug/L Gen. Eng.
0 BROMOMETHANE	LT	1 ug/L Gen. Eng.
0 BROMOMETHANE	LT	1 ug/L Gen. Eng.

CONTINUED

WELL CWP 8 COLLECTED ON 08/15/89 LABORATORY ANALYSES CONTINUED

0 CHLOROMETHANE	LT	1 ug/L Gen. Eng.
0 CHLOROMETHANE	LT	1 ug/L Gen. Eng.
0 CHLOROBENZENE	LT	1 ug/L Gen. Eng.
0 CHLOROBENZENE	LT	1 ug/L Gen. Eng.
0 CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L Gen. Eng.
0 CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L Gen. Eng.
0 CHLOROETHANE	LT	1 ug/L Gen. Eng.
0 CHLOROETHANE	LT	1 ug/L Gen. Eng.
0 BENZENE	LT	1 ug/L Gen. Eng.
0 BENZENE	LT	1 ug/L Gen. Eng.
0 DIBROMOCHLOROMETHANE	LT	1 ug/L Gen. Eng.
0 DIBROMOCHLOROMETHANE	LT	1 ug/L Gen. Eng.
0 ETHYLBENZENE	LT	1 ug/L Gen. Eng.
0 ETHYLBENZENE	LT	1 ug/L Gen. Eng.
0 IRON	22 ug/L	Gen. Eng.
0 IRON	22 ug/L	Gen. Eng.
0 TOLUENE	LT	1 ug/L Gen. Eng.
0 TOLUENE	LT	1 ug/L Gen. Eng.
0 MANGANESE	9 ug/L	Gen. Eng.
0 MANGANESE	8 ug/L	Gen. Eng.
2 LEAD	44 ug/L	Gen. Eng.
2 LEAD	46 ug/L	Gen. Eng.
0 1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L Gen. Eng.
0 1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L Gen. Eng.
0 TETRACHLOROETHYLENE	LT	1.00 ug/L Gen. Eng.
0 TETRACHLOROETHYLENE	LT	1.00 ug/L Gen. Eng.
0 TOTAL ORGANIC HALOGENS	LT	5 ug/L Gen. Eng.
0 TOTAL ORGANIC HALOGENS	LT	5 ug/L Gen. Eng.
0 TRICHLOROETHYLENE	LT	1.00 ug/L Gen. Eng.
0 TRICHLOROETHYLENE	LT	1.00 ug/L Gen. Eng.
0 TRANS-1,2-DICHLOROETHENE	LT	1 ug/L Gen. Eng.
0 TRANS-1,2-DICHLOROETHENE	LT	1 ug/L Gen. Eng.
0 1,1-DICHLOROETHYLENE	LT	1 ug/L Gen. Eng.
0 1,1-DICHLOROETHYLENE	LT	1 ug/L Gen. Eng.
0 1,1-DICHLOROETHANE	LT	1 ug/L Gen. Eng.
0 1,1-DICHLOROETHANE	LT	1 ug/L Gen. Eng.
0 1,1,1-TRICHLOROETHANE	LT	1 ug/L Gen. Eng.
0 1,1,1-TRICHLOROETHANE	LT	1 ug/L Gen. Eng.
0 1,1,2-TRICHLOROETHANE	LT	1 ug/L Gen. Eng.
0 1,1,2-TRICHLOROETHANE	LT	1 ug/L Gen. Eng.
0 1,2-DICHLOROETHANE	LT	1 ug/L Gen. Eng.
0 1,2-DICHLOROETHANE	LT	1 ug/L Gen. Eng.
0 1,2-DICHLOROPROPANE	LT	1 ug/L Gen. Eng.
0 1,2-DICHLOROPROPANE	LT	1 ug/L Gen. Eng.
0 CIS-1,3-DICHLOROPROPENE	LT	1 ug/L Gen. Eng.
0 CIS-1,3-DICHLOROPROPENE	LT	1 ug/L Gen. Eng.
0 TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L Gen. Eng.
0 TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L Gen. Eng.
0 2-CHLOROETHYL VINYL ETHER	LT	1 ug/L Gen. Eng.
0 2-CHLOROETHYL VINYL ETHER	LT	1 ug/L Gen. Eng.

WELL CWP 8A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/15/89 Time 1355
 Depth to water = 48.83 ft (14.88 m) below the TOC
 Water elevation = 180.87 ft (55.13 m) msl
 pH = 6.3 Alkalinity = 29 mg/L
 Specific conductance = 117 umhos/cm
 Water temperature = 20.3 degrees Celsius
 Water evacuated from the well prior to sampling = 435 gal

LABORATORY ANALYSES

1 PH	7.06 pH	Gen. Eng.
0 BROMODICHLOROMETHANE	LT	1 ug/L Gen. Eng.
0 TRICHLOROFLUOROMETHANE	LT	1 ug/L Gen. Eng.
0 CARBON TETRACHLORIDE	LT	1.00 ug/L Gen. Eng.
0 BROMOFORM	LT	1 ug/L Gen. Eng.
0 CHLOROFORM	LT	1 ug/L Gen. Eng.
0 METHYLENE CHLORIDE	LT	1 ug/L Gen. Eng.
0 BROMOMETHANE	LT	1 ug/L Gen. Eng.
0 CHLOROBENZENE	LT	1 ug/L Gen. Eng.
0 CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L Gen. Eng.
0 CHLOROETHANE	LT	1 ug/L Gen. Eng.
0 BENZENE	LT	1 ug/L Gen. Eng.
0 DIBROMOCHLOROMETHANE	LT	1 ug/L Gen. Eng.
0 ETHYLBENZENE	LT	1 ug/L Gen. Eng.
1 IRON	235 ug/L	Gen. Eng.
0 TOLUENE	LT	1 ug/L Gen. Eng.
0 MANGANESE	20 ug/L	Gen. Eng.
0 LEAD	6 ug/L	Gen. Eng.
0 1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L Gen. Eng.
0 TETRACHLOROETHYLENE	LT	1.00 ug/L Gen. Eng.
0 TOTAL ORGANIC HALOGENS	LT	5 ug/L Gen. Eng.
0 TRICHLOROETHYLENE	LT	1.00 ug/L Gen. Eng.
0 TRANS-1,2-DICHLOROETHENE	LT	1 ug/L Gen. Eng.
0 1,1-DICHLOROETHYLENE	LT	1 ug/L Gen. Eng.
0 1,1-DICHLOROETHANE	LT	1 ug/L Gen. Eng.
0 1,1,1-TRICHLOROETHANE	LT	1 ug/L Gen. Eng.
0 1,1,2-TRICHLOROETHANE	LT	1 ug/L Gen. Eng.
0 1,2-DICHLOROETHANE	LT	1 ug/L Gen. Eng.
0 1,2-DICHLOROPROPANE	LT	1 ug/L Gen. Eng.
0 CIS-1,3-DICHLOROPROPENE	LT	1 ug/L Gen. Eng.
0 TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L Gen. Eng.
0 2-CHLOROETHYL VINYL ETHER	LT	1 ug/L Gen. Eng.

WELL CMP 88

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/15/89 Time 1415
 Depth to water = 32.21 ft (9.82 m) below the TOC
 Water elevation = 197.29 ft (60.13 m) msl
 pH = 7.0 Alkalinity = 48 mg/L
 Specific conductance = 137 umhos/cm
 Water temperature = 20.4 degrees Celsius
 Water evacuated from the well prior to sampling = 106 gal

LABORATORY ANALYSES

2 PH		8.03 pH	Gen. Eng.
0 BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0 CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0 BROMOFORM	LT	1 ug/L	Gen. Eng.
0 CHLOROFORM	LT	1 ug/L	Gen. Eng.
0 METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0 BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0 CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0 CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0 CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 BENZENE	LT	1 ug/L	Gen. Eng.
0 DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0 IRON	LT	36 ug/L	Gen. Eng.
0 TOLUENE	LT	1 ug/L	Gen. Eng.
0 MANGANESE	LT	2 ug/L	Gen. Eng.
0 LEAD	LT	6 ug/L	Gen. Eng.
0 1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0 TOTAL ORGANIC HALOGENS	LT	5 ug/L	Gen. Eng.
0 TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0 TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0 1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0 1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0 CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0 TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0 2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.

WELL CMP 98

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/15/89 Time 1205
 Depth to water = 121.06 ft (36.90 m) below the TOC
 Water elevation = 194.04 ft (59.14 m) msl
 pH = 9.0 Alkalinity = 58 mg/L
 Specific conductance = 143 umhos/cm
 Water temperature = 22.3 degrees Celsius
 Water evacuated from the well prior to sampling = 117 gal

LABORATORY ANALYSES

2 PH		8.93 pH	Gen. Eng.
0 BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0 CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0 BROMOFORM	LT	1 ug/L	Gen. Eng.
0 CHLOROFORM	LT	1 ug/L	Gen. Eng.
0 METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0 BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0 CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0 CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0 CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 BENZENE	LT	1 ug/L	Gen. Eng.
0 DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0 IRON	LT	34 ug/L	Gen. Eng.
0 TOLUENE	LT	1 ug/L	Gen. Eng.
0 MANGANESE	LT	2 ug/L	Gen. Eng.
0 LEAD	LT	6 ug/L	Gen. Eng.
0 1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0 TOTAL ORGANIC HALOGENS	LT	5 ug/L	Gen. Eng.
0 TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0 TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0 1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0 1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0 CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0 TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0 2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.

WELL CMP 10

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/15/89 Time 1235
 Depth to water = 93.41 ft (28.47 m) below the TOC
 Water elevation = 217.49 ft (66.29 m) msl
 pH = 5.0 Alkalinity = 1 mg/L
 Specific conductance = 20 umhos/cm
 Water temperature = 20.9 degrees Celsius
 Water evacuated from the well prior to sampling = 75 gal

LABORATORY ANALYSES

1 PH		6.59 pH	Gen. Eng.
0 BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0 CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0 BROMOFORM	LT	1 ug/L	Gen. Eng.
0 CHLOROFORM	LT	1 ug/L	Gen. Eng.
0 METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0 BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0 CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0 CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0 CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 BENZENE	LT	1 ug/L	Gen. Eng.
0 DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0 IRON	LT	15 ug/L	Gen. Eng.
0 TOLUENE	LT	1 ug/L	Gen. Eng.
0 MANGANESE	LT	7 ug/L	Gen. Eng.
0 LEAD	LT	14 ug/L	Gen. Eng.
0 1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0 TOTAL ORGANIC HALOGENS	LT	5 ug/L	Gen. Eng.
0 TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0 TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0 1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0 1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0 CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0 TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0 2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.

WELL CMP 10B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/15/89 Time 1205
 Depth to water = 116.59 ft (35.54 m) below the TOC
 Water elevation = 194.21 ft (59.20 m) msl
 pH = 7.7 Alkalinity = 71 mg/L
 Specific conductance = 196 umhos/cm
 Water temperature = 20.5 degrees Celsius
 Water evacuated from the well prior to sampling = 148 gal

LABORATORY ANALYSES

2 PH		8.26 pH	Gen. Eng.
0 BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0 CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0 BROMOFORM	LT	1 ug/L	Gen. Eng.
0 CHLOROFORM	LT	1 ug/L	Gen. Eng.
0 METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0 BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0 CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0 CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0 CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 BENZENE	LT	1 ug/L	Gen. Eng.
0 DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0 IRON	LT	12 ug/L	Gen. Eng.
0 TOLUENE	LT	1 ug/L	Gen. Eng.
0 MANGANESE	LT	2 ug/L	Gen. Eng.
0 LEAD	LT	6 ug/L	Gen. Eng.
0 1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0 TOTAL ORGANIC HALOGENS	LT	5 ug/L	Gen. Eng.
0 TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0 TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0 1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0 1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0 CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0 TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0 2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.

WELL CMP 11

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/13/89 Time 920
 Depth to water = 101.98 ft (31.08 m) below the TOC
 Water elevation = 208.52 ft (63.56 m) msl
 pH = 5.1 Alkalinity = 0 mg/L
 Specific conductance = 29 umhos/cm
 Water temperature = 20.1 degrees Celsius
 Water evacuated from the well prior to sampling = 15 gal
 The well went dry during purging.

LABORATORY ANALYSES

0 PH	5.05 pH	Gen. Eng.
0 PH	5.06 pH	Gen. Eng.
0 BROMODICHLOROMETHANE	LT	1 ug/L Gen. Eng.
0 BROMODICHLOROMETHANE	LT	1 ug/L Gen. Eng.
0 TRICHLOROFLUOROMETHANE	LT	1 ug/L Gen. Eng.
0 TRICHLOROFLUOROMETHANE	LT	1 ug/L Gen. Eng.
0 CARBON TETRACHLORIDE	LT	1.00 ug/L Gen. Eng.
0 CARBON TETRACHLORIDE	LT	1.00 ug/L Gen. Eng.
0 BROMOFORM	LT	1 ug/L Gen. Eng.
0 BROMOFORM	LT	1 ug/L Gen. Eng.
0 CHLOROFORM	LT	1 ug/L Gen. Eng.
0 CHLOROFORM	LT	1 ug/L Gen. Eng.
0 METHYLENE CHLORIDE	LT	1 ug/L Gen. Eng.
0 METHYLENE CHLORIDE	LT	1 ug/L Gen. Eng.
0 BROMOMETHANE	LT	1 ug/L Gen. Eng.
0 BROMOMETHANE	LT	1 ug/L Gen. Eng.
0 CHLOROMETHANE	LT	1 ug/L Gen. Eng.
0 CHLOROMETHANE	LT	1 ug/L Gen. Eng.
0 CHLOROBENZENE	LT	1 ug/L Gen. Eng.
0 CHLOROBENZENE	LT	1 ug/L Gen. Eng.
0 CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L Gen. Eng.
0 CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L Gen. Eng.
0 CHLOROETHANE	LT	1 ug/L Gen. Eng.
0 CHLOROETHANE	LT	1 ug/L Gen. Eng.
0 BENZENE	LT	1 ug/L Gen. Eng.
0 BENZENE	LT	1 ug/L Gen. Eng.
0 DIBROMOCHLOROMETHANE	LT	1 ug/L Gen. Eng.
0 DIBROMOCHLOROMETHANE	LT	1 ug/L Gen. Eng.
0 ETHYLBENZENE	LT	1 ug/L Gen. Eng.
0 ETHYLBENZENE	LT	1 ug/L Gen. Eng.
2 IRON	543 ug/L	Gen. Eng.
2 IRON	522 ug/L	Gen. Eng.
1 TOLUENE	4 ug/L	Gen. Eng.
1 TOLUENE	4 ug/L	Gen. Eng.
0 MANGANESE	9 ug/L	Gen. Eng.
0 MANGANESE	8 ug/L	Gen. Eng.
1 LEAD	23 ug/L	Gen. Eng.
1 LEAD	25 ug/L	Gen. Eng.
0 1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L Gen. Eng.
0 1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L Gen. Eng.
0 TETRACHLOROETHYLENE	LT	1.00 ug/L Gen. Eng.
0 TETRACHLOROETHYLENE	LT	1.00 ug/L Gen. Eng.
0 TOTAL ORGANIC HALOGENS	LT	5 ug/L Gen. Eng.
0 TOTAL ORGANIC HALOGENS	LT	5 ug/L Gen. Eng.
0 TRICHLOROETHYLENE	LT	1.00 ug/L Gen. Eng.
0 TRICHLOROETHYLENE	LT	1.00 ug/L Gen. Eng.
0 TRANS-1,2-DICHLOROETHENE	LT	1 ug/L Gen. Eng.
0 TRANS-1,2-DICHLOROETHENE	LT	1 ug/L Gen. Eng.
0 1,1-DICHLOROETHYLENE	LT	1 ug/L Gen. Eng.
0 1,1-DICHLOROETHYLENE	LT	1 ug/L Gen. Eng.
0 1,1-DICHLOROETHANE	LT	1 ug/L Gen. Eng.
0 1,1,1-TRICHLOROETHANE	LT	1 ug/L Gen. Eng.
0 1,1,1-TRICHLOROETHANE	LT	1 ug/L Gen. Eng.
0 1,1,2-TRICHLOROETHANE	LT	1 ug/L Gen. Eng.
0 1,1,2-TRICHLOROETHANE	LT	1 ug/L Gen. Eng.
0 1,2-DICHLOROETHANE	LT	1 ug/L Gen. Eng.
0 1,2-DICHLOROETHANE	LT	1 ug/L Gen. Eng.
0 1,2-DICHLOROPROPANE	LT	1 ug/L Gen. Eng.
0 1,2-DICHLOROPROPANE	LT	1 ug/L Gen. Eng.
0 CIS-1,3-DICHLOROPROPENE	LT	1 ug/L Gen. Eng.
0 CIS-1,3-DICHLOROPROPENE	LT	1 ug/L Gen. Eng.
0 TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L Gen. Eng.
0 TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L Gen. Eng.
0 2-CHLOROETHYL VINYL ETHER	LT	1 ug/L Gen. Eng.
0 2-CHLOROETHYL VINYL ETHER	LT	1 ug/L Gen. Eng.

WELL CMP 11B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/13/89 Time 1010
 Depth to water = 116.09 ft (35.38 m) below the TOC
 Water elevation = 194.11 ft (59.17 m) msl
 pH = 7.8 Alkalinity = 90 mg/L
 Specific conductance = 194 umhos/cm
 Water temperature = 20.2 degrees Celsius
 Water evacuated from the well prior to sampling = 139 gal

LABORATORY ANALYSES

1 PH	7.78 pH	Gen. Eng.
0 BROMODICHLOROMETHANE	LT	1 ug/L Gen. Eng.
0 TRICHLOROFLUOROMETHANE	LT	1 ug/L Gen. Eng.
0 CARBON TETRACHLORIDE	LT	1.00 ug/L Gen. Eng.
0 BROMOFORM	LT	1 ug/L Gen. Eng.
0 CHLOROFORM	LT	1 ug/L Gen. Eng.
0 METHYLENE CHLORIDE	LT	1 ug/L Gen. Eng.
0 BROMOMETHANE	LT	1 ug/L Gen. Eng.
0 CHLOROMETHANE	LT	1 ug/L Gen. Eng.
0 CHLOROBENZENE	LT	1 ug/L Gen. Eng.
0 CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L Gen. Eng.
0 CHLOROETHANE	LT	1 ug/L Gen. Eng.

CONTINUED

WELL CMP 11B COLLECTED ON 08/13/89 LABORATORY ANALYSES CONTINUED

0 BENZENE	LT	1 ug/L Gen. Eng.
0 DIBROMOCHLOROMETHANE	LT	1 ug/L Gen. Eng.
0 ETHYLBENZENE	LT	1 ug/L Gen. Eng.
0 IRON	33 ug/L	Gen. Eng.
0 TOLUENE	LT	1 ug/L Gen. Eng.
0 MANGANESE	LT	2 ug/L Gen. Eng.
0 LEAD	LT	6 ug/L Gen. Eng.
0 1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L Gen. Eng.
0 TETRACHLOROETHYLENE	LT	1.00 ug/L Gen. Eng.
0 TOTAL ORGANIC HALOGENS	LT	5 ug/L Gen. Eng.
0 TRICHLOROETHYLENE	LT	1.00 ug/L Gen. Eng.
0 TRANS-1,2-DICHLOROETHENE	LT	1 ug/L Gen. Eng.
0 1,1-DICHLOROETHYLENE	LT	1 ug/L Gen. Eng.
0 1,1-DICHLOROETHANE	LT	1 ug/L Gen. Eng.
0 1,1,1-TRICHLOROETHANE	LT	1 ug/L Gen. Eng.
0 1,1,2-TRICHLOROETHANE	LT	1 ug/L Gen. Eng.
0 1,2-DICHLOROETHANE	LT	1 ug/L Gen. Eng.
0 1,2-DICHLOROPROPANE	LT	1 ug/L Gen. Eng.
0 CIS-1,3-DICHLOROPROPENE	LT	1 ug/L Gen. Eng.
0 TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L Gen. Eng.
0 2-CHLOROETHYL VINYL ETHER	LT	1 ug/L Gen. Eng.

WELL CMP 12

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/13/89 Time 1255
 Depth to water = 74.66 ft (22.76 m) below the TOC
 Water elevation = 208.24 ft (63.47 m) msl
 pH = 5.1 Alkalinity = 3 mg/L
 Specific conductance = 18 umhos/cm
 Water temperature = 22.4 degrees Celsius
 Water evacuated from the well prior to sampling = 13 gal
 The well went dry during purging.

LABORATORY ANALYSES

0 PH	5.02 pH	Gen. Eng.
0 BROMODICHLOROMETHANE	LT	1 ug/L Gen. Eng.
1 TRICHLOROFLUOROMETHANE	LT	1 ug/L Gen. Eng.
0 CARBON TETRACHLORIDE	LT	1.00 ug/L Gen. Eng.
0 BROMOFORM	LT	1 ug/L Gen. Eng.
0 CHLOROFORM	LT	1 ug/L Gen. Eng.
0 METHYLENE CHLORIDE	LT	1 ug/L Gen. Eng.
0 BROMOMETHANE	LT	1 ug/L Gen. Eng.
0 CHLOROMETHANE	LT	1 ug/L Gen. Eng.
0 CHLOROBENZENE	LT	1 ug/L Gen. Eng.
0 CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L Gen. Eng.
0 CHLOROETHANE	LT	1 ug/L Gen. Eng.
0 BENZENE	LT	1 ug/L Gen. Eng.
0 DIBROMOCHLOROMETHANE	LT	1 ug/L Gen. Eng.
0 ETHYLBENZENE	LT	1 ug/L Gen. Eng.
0 IRON	29 ug/L	Gen. Eng.
0 TOLUENE	LT	1 ug/L Gen. Eng.
0 MANGANESE	8 ug/L	Gen. Eng.
0 LEAD	12 ug/L	Gen. Eng.
0 1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L Gen. Eng.
2 TETRACHLOROETHYLENE	LT	5.00 ug/L Gen. Eng.
0 TOTAL ORGANIC HALOGENS	LT	5 ug/L Gen. Eng.
2 TRICHLOROETHYLENE	LT	8.00 ug/L Gen. Eng.
0 TRANS-1,2-DICHLOROETHENE	LT	1 ug/L Gen. Eng.
0 1,1-DICHLOROETHYLENE	LT	1 ug/L Gen. Eng.
0 1,1-DICHLOROETHANE	LT	1 ug/L Gen. Eng.
0 1,1,1-TRICHLOROETHANE	LT	1 ug/L Gen. Eng.
0 1,1,2-TRICHLOROETHANE	LT	1 ug/L Gen. Eng.
0 1,2-DICHLOROETHANE	LT	1 ug/L Gen. Eng.
0 1,2-DICHLOROPROPANE	LT	1 ug/L Gen. Eng.
0 CIS-1,3-DICHLOROPROPENE	LT	1 ug/L Gen. Eng.
0 TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L Gen. Eng.
0 2-CHLOROETHYL VINYL ETHER	LT	1 ug/L Gen. Eng.

WELL CMP 12A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/13/89 Time 1450
 Depth to water = 104.08 ft (31.72 m) below the TOC
 Water elevation = 190.02 ft (54.87 m) msl
 pH = 6.8 Alkalinity = 58 mg/L
 Specific conductance = 186 umhos/cm
 Water temperature = 21.5 degrees Celsius
 Water evacuated from the well prior to sampling = 412 gal

LABORATORY ANALYSES

1 PH	6.89 pH	Gen. Eng.
0 BROMODICHLOROMETHANE	LT	1 ug/L Gen. Eng.
0 TRICHLOROFLUOROMETHANE	LT	1 ug/L Gen. Eng.
0 CARBON TETRACHLORIDE	LT	1.00 ug/L Gen. Eng.
0 BROMOFORM	LT	1 ug/L Gen. Eng.
0 CHLOROFORM	LT	1 ug/L Gen. Eng.
0 METHYLENE CHLORIDE	LT	1 ug/L Gen. Eng.
0 BROMOMETHANE	LT	1 ug/L Gen. Eng.
0 CHLOROMETHANE	LT	1 ug/L Gen. Eng.
0 CHLOROBENZENE	LT	1 ug/L Gen. Eng.
0 CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L Gen. Eng.
0 CHLOROETHANE	LT	1 ug/L Gen. Eng.
0 BENZENE	LT	1 ug/L Gen. Eng.
0 DIBROMOCHLOROMETHANE	LT	1 ug/L Gen. Eng.
0 ETHYLBENZENE	LT	1 ug/L Gen. Eng.
1 IRON	191 ug/L	Gen. Eng.
0 TOLUENE	LT	1 ug/L Gen. Eng.
2 MANGANESE	112 ug/L	Gen. Eng.
2 LEAD	27 ug/L	Gen. Eng.

CONTINUED

WELL CMP 12A COLLECTED ON 08/13/89 LABORATORY ANALYSES CONTINUED

0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.

WELL CMP 12B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/13/89 Time 1340
Depth to water = 90.37 ft (27.55 m) below the TOC
Water elevation = 193.53 ft (58.99 m) msl
pH = 7.5 Alkalinity = 64 mg/L
Specific conductance = 192 umhos/cm
Water temperature = 20.8 degrees Celsius
Water evacuated from the well prior to sampling = 119 gal

LABORATORY ANALYSES

1	PH		7.78 pH	Gen. Eng.
0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
1	METHYLENE CHLORIDE	LT	4 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	IRON	LT	15 ug/L	Gen. Eng.
0	TOLUENE	LT	1 ug/L	Gen. Eng.
0	MANGANESE	LT	2 ug/L	Gen. Eng.
0	LEAD	LT	6 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.

WELL CMP 13

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/13/89 Time 1510
Depth to water = 83.67 ft (25.50 m) below the TOC
Water elevation = 205.53 ft (62.65 m) msl
pH = 6.2 Alkalinity = 21 mg/L
Specific conductance = 81 umhos/cm
Water temperature = 23.2 degrees Celsius
Water evacuated from the well prior to sampling = 6 gal
The well went dry during purging.

LABORATORY ANALYSES

0	PH		6.34 pH	Gen. Eng.
0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
1	TRICHLOROFLUOROMETHANE	LT	3 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
1	METHYLENE CHLORIDE	LT	3 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	IRON	LT	32 ug/L	Gen. Eng.
1	TOLUENE	LT	1 ug/L	Gen. Eng.
0	MANGANESE	LT	11 ug/L	Gen. Eng.
0	LEAD	LT	13 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
2	TETRACHLOROETHYLENE	LT	19.0 ug/L	Gen. Eng.
1	TOTAL ORGANIC HALOGENS	LT	12 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE	LT	10.0 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.

CONTINUED

WELL CMP 13 COLLECTED ON 08/13/89 LABORATORY ANALYSES CONTINUED

0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.

WELL CMP 13B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/13/89 Time 1605
Depth to water = 95.45 ft (29.09 m) below the TOC
Water elevation = 193.85 ft (59.03 m) msl
pH = 8.1 Alkalinity = 73 mg/L
Specific conductance = 195 umhos/cm
Water temperature = 21.0 degrees Celsius
Water evacuated from the well prior to sampling = 153 gal

LABORATORY ANALYSES

2	PH		8.34 pH	Gen. Eng.
0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	IRON	LT	21 ug/L	Gen. Eng.
0	TOLUENE	LT	1 ug/L	Gen. Eng.
0	MANGANESE	LT	2 ug/L	Gen. Eng.
0	LEAD	LT	10 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.

WELL CMP 14B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/15/89 Time 1520
Depth to water = 71.17 ft (21.69 m) below the TOC
Water elevation = 193.33 ft (58.93 m) msl
pH = 7.9 Alkalinity = 63 mg/L
Specific conductance = 175 umhos/cm
Water temperature = 19.7 degrees Celsius
Water evacuated from the well prior to sampling = 165 gal

LABORATORY ANALYSES

2	PH		8.13 pH	Gen. Eng.
0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
1	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	IRON	LT	14 ug/L	Gen. Eng.
0	TOLUENE	LT	1 ug/L	Gen. Eng.
0	MANGANESE	LT	2 ug/L	Gen. Eng.
0	LEAD	LT	6 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.

WELL CMP 14C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/15/89 Time 1500
 Depth to water = 53.37 ft (16.27 m) below the TOC
 Water elevation = 210.73 ft (64.23 m) msl
 pH = 4.9 Alkalinity = 3 mg/L
 Specific conductance = 17 umhos/cm
 Water temperature = 20.0 degrees Celsius
 Water evacuated from the well prior to sampling = 67 gal

LABORATORY ANALYSES

0 PH		5.37 pH	Gen. Eng.
0 BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0 CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0 BROMOFORM	LT	1 ug/L	Gen. Eng.
0 CHLOROFORM	LT	1 ug/L	Gen. Eng.
0 METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0 BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0 CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0 CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0 CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 BENZENE	LT	1 ug/L	Gen. Eng.
0 DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0 IRON		13 ug/L	Gen. Eng.
0 TOLUENE	LT	1 ug/L	Gen. Eng.
0 MANGANESE		3 ug/L	Gen. Eng.
0 LEAD	LT	6 ug/L	Gen. Eng.
0 1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0 TOTAL ORGANIC HALOGENS	LT	5 ug/L	Gen. Eng.
0 TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0 TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0 1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0 1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0 CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0 TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0 2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.

WELL CMP 15A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/13/89 Time 1235
 Depth to water = 97.61 ft (29.75 m) below the TOC
 Water elevation = 178.89 ft (54.53 m) msl
 pH = 6.2 Alkalinity = 22 mg/L
 Specific conductance = 99 umhos/cm
 Water temperature = 21.2 degrees Celsius
 Water evacuated from the well prior to sampling = 428 gal

LABORATORY ANALYSES

0 PH		6.33 pH	Gen. Eng.
0 BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0 CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0 BROMOFORM	LT	1 ug/L	Gen. Eng.
0 CHLOROFORM	LT	1 ug/L	Gen. Eng.
0 METHYLENE CHLORIDE	LT	5 ug/L	Gen. Eng.
0 BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0 CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0 CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0 CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 BENZENE	LT	1 ug/L	Gen. Eng.
0 DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0 IRON		251 ug/L	Gen. Eng.
0 TOLUENE	LT	1 ug/L	Gen. Eng.
0 MANGANESE		38 ug/L	Gen. Eng.
0 LEAD	LT	6 ug/L	Gen. Eng.
0 1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0 TOTAL ORGANIC HALOGENS	LT	5 ug/L	Gen. Eng.
0 TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0 TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0 1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0 1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0 CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0 TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0 2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.

WELL CMP 15B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/13/89 Time 1045
 Depth to water = 75.40 ft (22.98 m) below the TOC
 Water elevation = 201.00 ft (61.27 m) msl
 pH = 8.3 Alkalinity = 37 mg/L
 Specific conductance = 101 umhos/cm
 Water temperature = 19.8 degrees Celsius
 Water evacuated from the well prior to sampling = 23 gal
 The well went dry during purging.

LABORATORY ANALYSES

2 PH		8.33 pH	Gen. Eng.
0 BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0 CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0 BROMOFORM	LT	1 ug/L	Gen. Eng.
0 CHLOROFORM	LT	1 ug/L	Gen. Eng.
0 METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0 BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0 CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0 CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0 CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 BENZENE	LT	1 ug/L	Gen. Eng.
0 DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0 IRON		21 ug/L	Gen. Eng.
0 TOLUENE	LT	1 ug/L	Gen. Eng.
0 MANGANESE	LT	2 ug/L	Gen. Eng.
0 LEAD	LT	6 ug/L	Gen. Eng.
0 1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0 TOTAL ORGANIC HALOGENS	LT	5 ug/L	Gen. Eng.
0 TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0 TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0 1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0 1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0 CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0 TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0 2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.

WELL CMP 15C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/12/89 Time 1505
 The well was dry.

WELL CMP 16B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/15/89 Time 1115
 Depth to water = 123.52 ft (37.65 m) below the TOC
 Water elevation = 194.18 ft (59.19 m) msl
 pH = 7.8 Alkalinity = 72 mg/L
 Specific conductance = 189 umhos/cm
 Water temperature = 20.6 degrees Celsius
 Water evacuated from the well prior to sampling = 136 gal

LABORATORY ANALYSES

2 PH		8.34 pH	Gen. Eng.
0 BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0 CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0 BROMOFORM	LT	1 ug/L	Gen. Eng.
0 CHLOROFORM	LT	1 ug/L	Gen. Eng.
0 METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0 BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0 CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0 CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0 CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 BENZENE	LT	1 ug/L	Gen. Eng.
0 DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0 IRON		4 ug/L	Gen. Eng.
0 TOLUENE	LT	1 ug/L	Gen. Eng.
0 MANGANESE	LT	2 ug/L	Gen. Eng.
0 LEAD	LT	6 ug/L	Gen. Eng.
0 1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0 TOTAL ORGANIC HALOGENS	LT	5 ug/L	Gen. Eng.
0 TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0 TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0 1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0 1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0 CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0 TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0 2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.

WELL CMP 16C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/12/89 Time 1530
The well was dry.

WELL CRP 1

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/27/89 Time 1250
Depth to water = 69.40 ft (21.15 m) below the TOC
Water elevation = 205.20 ft (62.55 m) msl
pH = 5.7 Alkalinity = 11 mg/L
Specific conductance = 46 umhos/cm
Water temperature = 21.5 degrees Celsius
Water evacuated from the well prior to sampling = 45 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE	36.00 UMHG	Gen. Eng.
0	PH	6.24 pH	Gen. Eng.
0	ALPHA-BENZENEHEXACHLORIDE	LT	Gen. Eng.
0	ALPHA-ENDOSULFAN	LT	Gen. Eng.
0	ALDRIN	LT	Gen. Eng.
0	ACENAPHTHENE	LT	Gen. Eng.
0	ACENAPHTHYLENE	LT	Gen. Eng.
0	ANTHRACENE	LT	Gen. Eng.
0	BENZO(A)ANTHRACENE	LT	Gen. Eng.
0	BENZO(A)PYRENE	LT	Gen. Eng.
0	BENZO(B)FLUORANTHENE	LT	Gen. Eng.
0	BETA-BENZENEHEXACHLORIDE	LT	Gen. Eng.
0	BUTYLBENZYL PHTHALATE	LT	Gen. Eng.
0	BIS(CHLOROMETHYL)ETHER	LT	Gen. Eng.
0	BETA-ENDOSULFAN	LT	Gen. Eng.
0	BENZIDINE	LT	Gen. Eng.
0	BENZO(G,H,I)PERYLENE	LT	Gen. Eng.
0	BENZO(K)FLUORANTHENE	LT	Gen. Eng.
0	BROMODICHLOROMETHANE	LT	Gen. Eng.
0	BIS(2-CHLOROETHOXY) METHANE	LT	Gen. Eng.
0	BIS(2-CHLOROISOPROPYL) ETHER	LT	Gen. Eng.
0	BIS(2-CHLOROETHYL) ETHER	LT	Gen. Eng.
0	BIS(2-ETHYLHEXYL) PHTHALATE	LT	Gen. Eng.
0	CALCIUM	4360 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	Gen. Eng.
0	CARBON TETRACHLORIDE	1.00 ug/L	Gen. Eng.
0	BROMOFORM	LT	Gen. Eng.
0	CHLOROFORM	LT	Gen. Eng.
0	CHRYSENE	LT	Gen. Eng.
0	METHYLENE CHLORIDE	LT	Gen. Eng.
0	BROMOMETHANE	LT	Gen. Eng.
0	CHLOROMETHANE	LT	Gen. Eng.
0	CHLOROBENZENE	LT	Gen. Eng.
0	CHLORDANE	LT	Gen. Eng.
0	HEXACHLOROBENZENE	LT	Gen. Eng.
0	HEXACHLOROCYCLOPENTADIENE	LT	Gen. Eng.
0	HEXACHLOROETHANE	LT	Gen. Eng.
0	CHROMIUM	4 ug/L	Gen. Eng.
0	COPPER	LT	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	Gen. Eng.
0	CHLOROETHANE	LT	Gen. Eng.
0	BENZENE	LT	Gen. Eng.
0	DIBENZ(A,H)ANTHRACENE	LT	Gen. Eng.
0	DELTA-BENZENEHEXACHLORIDE	LT	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	Gen. Eng.
0	DIETHYL PHTHALATE	LT	Gen. Eng.
0	DIELDRIN	LT	Gen. Eng.
0	DIMETHYL PHTHALATE	LT	Gen. Eng.
0	DI-N-BUTYL PHTHALATE	LT	Gen. Eng.
0	DI-N-OCTYL PHTHALATE	LT	Gen. Eng.
0	ENDRIN ALDEHYDE	LT	Gen. Eng.
0	ENDRIN	LT	Gen. Eng.
0	ENDOSULFAN SULFATE	LT	Gen. Eng.
0	ETHYLBENZENE	LT	Gen. Eng.
0	FLUORANTHENE	LT	Gen. Eng.
0	FLUORENE	LT	Gen. Eng.
0	HEXACHLOROBUTADIENE	LT	Gen. Eng.
0	HEPTACHLOR	LT	Gen. Eng.
0	HEPTACHLOR EPOXIDE	LT	Gen. Eng.
0	INDENO(1,2,3-C,D)PYRENE	LT	Gen. Eng.
0	ISOPHORONE	LT	Gen. Eng.
0	LINDANE	LT	Gen. Eng.
0	TOLUENE	LT	Gen. Eng.
0	MAGNESIUM	291 ug/L	Gen. Eng.
0	SODIUM	2000 ug/L	Gen. Eng.
0	NAPHTHALENE	LT	Gen. Eng.
0	NITROBENZENE	LT	Gen. Eng.
0	N-NITROSODIMETHYLAMINE	LT	Gen. Eng.
0	N-NITROSODI-PROPYLAMINE	LT	Gen. Eng.
0	NICKEL	4 ug/L	Gen. Eng.
0	N-NITROSODIPHENYLAMINE	LT	Gen. Eng.
0	LEAD	6 ug/L	Gen. Eng.
0	PCB 1016	150 ug/L	Gen. Eng.
0	PCB 1221	150 ug/L	Gen. Eng.
0	PCB 1232	150 ug/L	Gen. Eng.
0	PCB 1242	150 ug/L	Gen. Eng.
0	PCB 1248	150 ug/L	Gen. Eng.
0	PCB 1254	150 ug/L	Gen. Eng.
0	PCB 1260	150 ug/L	Gen. Eng.
0	PENTACHLOROPHENOL	LT	Gen. Eng.
0	PHENANTHRENE	LT	Gen. Eng.
0	PHENOLS	LT	Gen. Eng.
0	2,2-BIS(4-CHLOROPHENYL)-1,1-DCE	LT	Gen. Eng.
0	2,2-BIS(4-CHLOROPHENYL)-1,1-DCE	LT	Gen. Eng.
0	2,2-BIS(4-CHLOROPHENYL)-1,1,1-TCE	LT	Gen. Eng.

CONTINUED

WELL CRP 1 COLLECTED ON 08/27/89 LABORATORY ANALYSES CONTINUED

0	PYRENE	LT	10 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
2	TETRACHLOROETHYLENE	LT	21.0 ug/L	Gen. Eng.
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE	LT	215 ug/L	Gen. Eng.
0	TOXAPHENE	LT	10 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	XYLENES	LT	2 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	1,2-DIPHENYL HYDRAZINE	LT	10 ug/L	Gen. Eng.
0	1,2,4-TRICHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	10 ug/L	Gen. Eng.
0	2-CHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2-CHLORONAPHTHALENE	LT	10 ug/L	Gen. Eng.
0	2-NITROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,4-DICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,4-DIMETHYL PHENOL	LT	10 ug/L	Gen. Eng.
0	2,4-DINITROPHENOL	LT	45 ug/L	Gen. Eng.
0	2,4-DINITROTOLUENE	LT	10 ug/L	Gen. Eng.
0	2,4,6-TRICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,6-DINITROTOLUENE	LT	10 ug/L	Gen. Eng.
0	3,3-DICHLOROBENZIDENE	LT	10 ug/L	Gen. Eng.
0	4-BROMOPHENYLPHENYL ETHER	LT	10 ug/L	Gen. Eng.
0	4-CHLOROPHENYLPHENYL ETHER	LT	10 ug/L	Gen. Eng.
0	PARA-CHLORO-META-CRESOL	LT	10 ug/L	Gen. Eng.
0	4-NITROPHENOL	LT	10 ug/L	Gen. Eng.
0	2-METHYL-4,6-DINITROPHENOL	LT	30 ug/L	Gen. Eng.
2	TRITIUM		64.00+-0.90 pCi/mL	Gen. Eng.

WELL CRP 2

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/27/89 Time 1320
Depth to water = 74.15 ft (22.60 m) below the TOC
Water elevation = 204.35 ft (62.35 m) msl
pH = 5.0 Alkalinity = 0 mg/L
Specific conductance = 19 umhos/cm
Water temperature = 21.2 degrees Celsius
Water evacuated from the well prior to sampling = 85 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE	12.00 UMHG	Gen. Eng.	
0	SPECIFIC CONDUCTANCE	12.00 UMHG	Gen. Eng.	
0	PH	4.98 pH	Gen. Eng.	
0	PH	5.02 pH	Gen. Eng.	
0	ALPHA-BENZENEHEXACHLORIDE	LT	10 ug/L	Gen. Eng.
0	ALPHA-BENZENEHEXACHLORIDE	LT	10 ug/L	Gen. Eng.
0	ALPHA-ENDOSULFAN	LT	10 ug/L	Gen. Eng.
0	ALPHA-ENDOSULFAN	LT	10 ug/L	Gen. Eng.
0	ALDRIN	LT	10 ug/L	Gen. Eng.
0	ALDRIN	LT	10 ug/L	Gen. Eng.
0	ACENAPHTHENE	LT	10 ug/L	Gen. Eng.
0	ACENAPHTHENE	LT	10 ug/L	Gen. Eng.
0	ACENAPHTHYLENE	LT	10 ug/L	Gen. Eng.
0	ACENAPHTHYLENE	LT	10 ug/L	Gen. Eng.
0	ANTHRACENE	LT	10 ug/L	Gen. Eng.
0	ANTHRACENE	LT	10 ug/L	Gen. Eng.
0	BENZO(A)ANTHRACENE	LT	10 ug/L	Gen. Eng.
0	BENZO(A)ANTHRACENE	LT	10 ug/L	Gen. Eng.
0	BENZO(A)PYRENE	LT	10 ug/L	Gen. Eng.
0	BENZO(A)PYRENE	LT	10 ug/L	Gen. Eng.
0	BENZO(B)FLUORANTHENE	LT	10 ug/L	Gen. Eng.
0	BENZO(B)FLUORANTHENE	LT	10 ug/L	Gen. Eng.
0	BETA-BENZENEHEXACHLORIDE	LT	10 ug/L	Gen. Eng.
0	BETA-BENZENEHEXACHLORIDE	LT	10 ug/L	Gen. Eng.
0	BUTYLBENZYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0	BUTYLBENZYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0	BIS(CHLOROMETHYL)ETHER	LT	10 ug/L	Gen. Eng.
0	BIS(CHLOROMETHYL)ETHER	LT	10 ug/L	Gen. Eng.
0	BETA-ENDOSULFAN	LT	10 ug/L	Gen. Eng.
0	BETA-ENDOSULFAN	LT	10 ug/L	Gen. Eng.
0	BENZIDINE	LT	10 ug/L	Gen. Eng.
0	BENZIDINE	LT	10 ug/L	Gen. Eng.
0	BENZO(G,H,I)PERYLENE	LT	10 ug/L	Gen. Eng.
0	BENZO(G,H,I)PERYLENE	LT	10 ug/L	Gen. Eng.
0	BENZO(K)FLUORANTHENE	LT	10 ug/L	Gen. Eng.
0	BENZO(K)FLUORANTHENE	LT	10 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	BIS(2-CHLOROETHOXY) METHANE	LT	10 ug/L	Gen. Eng.
0	BIS(2-CHLOROETHOXY) METHANE	LT	10 ug/L	Gen. Eng.
0	BIS(2-CHLOROISOPROPYL) ETHER	LT	10 ug/L	Gen. Eng.
0	BIS(2-CHLOROISOPROPYL) ETHER	LT	10 ug/L	Gen. Eng.
0	BIS(2-CHLOROETHYL) ETHER	LT	10 ug/L	Gen. Eng.
0	BIS(2-CHLOROETHYL) ETHER	LT	10 ug/L	Gen. Eng.
0	BIS(2-ETHYLHEXYL) PHTHALATE	LT	10 ug/L	Gen. Eng.
0	BIS(2-ETHYLHEXYL) PHTHALATE	LT	10 ug/L	Gen. Eng.
0	CALCIUM	483	Gen. Eng.	
0	CALCIUM	477	Gen. Eng.	
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.

CONTINUED

WELL CRP 2 COLLECTED ON 08/27/89 LABORATORY ANALYSES CONTINUED

0	2,2-BIS(4-CHLOROPHENYL)-1,1-DCE	LT	10 ug/L	Gen. Eng.
0	2,2-BIS(4-CHLOROPHENYL)-1,1-DCE	LT	10 ug/L	Gen. Eng.
0	2,2-BIS(4-CHLOROPHENYL)-1,1-DCE	LT	10 ug/L	Gen. Eng.
0	2,2-BIS(4-CHLOROPHENYL)-1,1-DCE	LT	10 ug/L	Gen. Eng.
0	2,2-BIS(4-CHLOROPHENYL)-1,1,1-TCE	LT	10 ug/L	Gen. Eng.
0	2,2-BIS(4-CHLOROPHENYL)-1,1,1-TCE	LT	10 ug/L	Gen. Eng.
0	PYRENE	LT	10 ug/L	Gen. Eng.
0	PYRENE	LT	10 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
1	TOTAL ORGANIC HALOGENS		13 ug/L	Gen. Eng.
0	TOTAL ORGANIC HALOGENS		14 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TOXAPHENE	LT	10 ug/L	Gen. Eng.
0	TOXAPHENE	LT	10 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	XYLENES	LT	2 ug/L	Gen. Eng.
0	XYLENES	LT	2 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	1,2-DIPHENYL HYDRAZINE	LT	10 ug/L	Gen. Eng.
0	1,2-DIPHENYL HYDRAZINE	LT	10 ug/L	Gen. Eng.
0	1,2,4-TRICHLOROEBENZENE	LT	10 ug/L	Gen. Eng.
0	1,2,4-TRICHLOROEBENZENE	LT	10 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	10 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	10 ug/L	Gen. Eng.
0	2-CHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2-CHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2-CHLORONAPHTHALENE	LT	10 ug/L	Gen. Eng.
0	2-CHLORONAPHTHALENE	LT	10 ug/L	Gen. Eng.
0	2-NITROPHENOL	LT	10 ug/L	Gen. Eng.
0	2-NITROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,4-DICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,4-DICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,4-DIMETHYL PHENOL	LT	10 ug/L	Gen. Eng.
0	2,4-DIMETHYL PHENOL	LT	10 ug/L	Gen. Eng.
0	2,4-DINITROPHENOL	LT	45 ug/L	Gen. Eng.
0	2,4-DINITROPHENOL	LT	45 ug/L	Gen. Eng.
0	2,4-DINITROTOLUENE	LT	10 ug/L	Gen. Eng.
0	2,4-DINITROTOLUENE	LT	10 ug/L	Gen. Eng.
0	2,4,6-TRICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,4,6-TRICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,6-DINITROTOLUENE	LT	10 ug/L	Gen. Eng.
0	2,6-DINITROTOLUENE	LT	10 ug/L	Gen. Eng.
0	3,3-DICHLOROEBENZIDENE	LT	10 ug/L	Gen. Eng.
0	3,3-DICHLOROEBENZIDENE	LT	10 ug/L	Gen. Eng.
0	4-BROMOPHENYLPHENYL ETHER	LT	10 ug/L	Gen. Eng.
0	4-BROMOPHENYLPHENYL ETHER	LT	10 ug/L	Gen. Eng.
0	4-CHLOROPHENYLPHENYL ETHER	LT	10 ug/L	Gen. Eng.
0	4-CHLOROPHENYLPHENYL ETHER	LT	10 ug/L	Gen. Eng.
0	PARA-CHLORO-META-CRESOL	LT	10 ug/L	Gen. Eng.
0	PARA-CHLORO-META-CRESOL	LT	10 ug/L	Gen. Eng.
0	4-NITROPHENOL	LT	10 ug/L	Gen. Eng.
0	4-NITROPHENOL	LT	10 ug/L	Gen. Eng.
0	2-METHYL-4,6-DINITROPHENOL	LT	30 ug/L	Gen. Eng.
0	2-METHYL-4,6-DINITROPHENOL	LT	30 ug/L	Gen. Eng.
1	TOTAL ACTIVITY		318+-5.41 pCi/mL	HP, 735A
2	TRITIUM		380+-2.06 pCi/mL	Gen. Eng.
2	TRITIUM		387+-2.10 pCi/mL	Gen. Eng.
2	TRITIUM		306+-3.76 pCi/mL	HP, 735B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/27/89 Time 1545
pH = 11.2 Alkalinity = 417 mg/L
Specific conductance = 1636 umhos/cm
Water temperature = 22.5 degree Celsius
Water evacuated from the well prior to sampling = 9 gal
The well went dry during purging.

1	SPECIFIC CONDUCTANCE		1400 UMC	Gen. Eng
2	PH		11.6 pH	Gen. Eng
0	ALPHA-BENZENEHEXACHLORIDE	LT	10 ug/L	Gen. Eng
0	ALPHA-ENDOSULFAN	LT	10 ug/L	Gen. Eng
0	ALDRIN	LT	10 ug/L	Gen. Eng
0	ACENAPHTHENE	LT	10 ug/L	Gen. Eng
0	ACENAPHTHYLENE	LT	10 ug/L	Gen. Eng
0	ANTHRACENE	LT	10 ug/L	Gen. Eng
0	BENZO(A)ANTHRACENE	LT	10 ug/L	Gen. Eng
0	BENZO(A)PYRENE	LT	10 ug/L	Gen. Eng
0	BENZO(B)FLUORANTHENE	LT	10 ug/L	Gen. Eng
0	BETA-BENZENEHEXACHLORIDE	LT	10 ug/L	Gen. Eng
0	BUTYLBENZYL PHTHALATE	LT	10 ug/L	Gen. Eng
CONTINUED				

WELL CRP 3 COLLECTED ON 08/27/89 LABORATORY ANALYSES CONTINUED

0	BIS(CHLOROMETHYL)ETHER	LT	10 ug/L	Gen. Eng.
0	BETA-ENDOSULFAM	LT	10 ug/L	Gen. Eng.
0	BENZIDINE	LT	10 ug/L	Gen. Eng.
0	BENZO(G,H,I)PERYLENE	LT	10 ug/L	Gen. Eng.
0	BENZO(K)FLUORANTHENE	LT	10 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	BIS(2-CHLOROETHOXY) METHANE	LT	10 ug/L	Gen. Eng.
0	BIS(2-CHLOROISOPROPYL) ETHER	LT	10 ug/L	Gen. Eng.
0	BIS(2-CHLOROETHYL) ETHER	LT	10 ug/L	Gen. Eng.
0	BIS(2-ETHYLHEXYL) PHTHALATE	LT	10 ug/L	Gen. Eng.
1	CALCIUM		155000 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	CHRYSENE	LT	10 ug/L	Gen. Eng.
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHLORDANE	LT	10 ug/L	Gen. Eng.
0	HEXACHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	HEXACHLOROXYCLOPENTADIENE	LT	10 ug/L	Gen. Eng.
0	HEXACHLOROETHANE	LT	10 ug/L	Gen. Eng.
2	CHROMIUM		184 ug/L	Gen. Eng.
0	COPPER	LT	4 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	DIBENZ(A,H)ANTHRACENE	LT	10 ug/L	Gen. Eng.
0	DELTA-BENZENEHEXACHLORIDE	LT	10 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	DIETHYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0	DICHLORIN	LT	10 ug/L	Gen. Eng.
0	DIMETHYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0	DI-N-BUTYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0	DI-N-OCTYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0	ENDRIN ALDEHYDE	LT	10 ug/L	Gen. Eng.
0	ENDRIN	LT	10 ug/L	Gen. Eng.
0	ENDOSULFAN SULFATE	LT	10 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	FLUORANTHENE	LT	10 ug/L	Gen. Eng.
0	FLUORENE	LT	10 ug/L	Gen. Eng.
0	HEXACHLOROBUTADIENE	LT	10 ug/L	Gen. Eng.
0	HEPTACHLOR	LT	10 ug/L	Gen. Eng.
0	HEPTACHLOR EPOXIDE	LT	10 ug/L	Gen. Eng.
0	INDENO(1,2,3-C,D)PYRENE	LT	10 ug/L	Gen. Eng.
0	ISOPHORONE	LT	10 ug/L	Gen. Eng.
0	LINDANE	LT	10 ug/L	Gen. Eng.
1	TOLUENE		2 ug/L	Gen. Eng.
0	MAGNESIUM		12 ug/L	Gen. Eng.
1	SODIUM		5220 ug/L	Gen. Eng.
0	NAPHTHALENE	LT	10 ug/L	Gen. Eng.
0	NITROBENZENE	LT	10 ug/L	Gen. Eng.
0	N-NITROSODIMETHYLAMINE	LT	10 ug/L	Gen. Eng.
0	N-NITROSODI-PROPYLAMINE	LT	10 ug/L	Gen. Eng.
0	NICKEL	LT	4 ug/L	Gen. Eng.
0	N-NITROSODIPHENYLAMINE	LT	10 ug/L	Gen. Eng.
2	LEAD		47 ug/L	Gen. Eng.
0	PCB 1016	LT	150 ug/L	Gen. Eng.
0	PCB 1221	LT	150 ug/L	Gen. Eng.
0	PCB 1232	LT	150 ug/L	Gen. Eng.
0	PCB 1242	LT	150 ug/L	Gen. Eng.
0	PCB 1248	LT	150 ug/L	Gen. Eng.
0	PCB 1254	LT	150 ug/L	Gen. Eng.
0	PCB 1260	LT	150 ug/L	Gen. Eng.
0	PENTACHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	PHENANTHRENE	LT	10 ug/L	Gen. Eng.
0	PHENOLS	LT	10 ug/L	Gen. Eng.
0	2,2-BIS(4-CHLOROPHENYL)-1,1-DCE	LT	10 ug/L	Gen. Eng.
0	2,2-BIS(4-CHLOROPHENYL)-1,1-DCE	LT	10 ug/L	Gen. Eng.
0	2,2-BIS(4-CHLOROPHENYL)-1,1,1-TCE	LT	10 ug/L	Gen. Eng.
0	PYRENE	LT	10 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
1	TETRACHLOROETHYLENE		2.00 ug/L	Gen. Eng.
2	TOTAL ORGANIC HALOGENS		5000 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE		14400 ug/L	Gen. Eng.
0	TOXAPHENE	LT	10 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	XYLENES	LT	2 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
1	1,2-DICHLOROETHANE		18 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	1,2-DIPHENYL HYDRAZINE	LT	10 ug/L	Gen. Eng.
0	1,2,4-TRICHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	10 ug/L	Gen. Eng.
0	2-CHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2-CHLORONAPHTHALENE	LT	10 ug/L	Gen. Eng.
0	2-NITROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,4-DICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,4-DIMETHYL PHENOL	LT	10 ug/L	Gen. Eng.
0	2,4-DINITROPHENOL	LT	45 ug/L	Gen. Eng.
0	2,4-DINITROTOLUENE	LT	10 ug/L	Gen. Eng.
0	2,4,6-TRICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,6-DINITROTOLUENE	LT	10 ug/L	Gen. Eng.
0	3,3-DICHLOROBENZIDENE	LT	10 ug/L	Gen. Eng.
0	4-BROMOPHENYLPHENYL ETHER	LT	10 ug/L	Gen. Eng.
0	4-CHLOROPHENYLPHENYL ETHER	LT	10 ug/L	Gen. Eng.
0	PARA-CHLORO-META-CRESOL	LT	10 ug/L	Gen. Eng.
0	4-NITROPHENOL	LT	10 ug/L	Gen. Eng.
0	2-METHYL-4,6-DINITROPHENOL	LT	30 ug/L	Gen. Eng.
2	TRITIUM		27.00+-0.63 pCi/mL	Gen. Eng.

WELL CRP 4

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/27/89 Time 1350
 Depth to water = 63.19 ft (19.26 m) below the TOC
 Water elevation = 204.51 ft (62.34 m) msl
 pH = 5.0 Alkalinity = 0 mg/L
 Specific conductance = 29 umhos/cm
 Water temperature = 21.7 degrees Celsius
 Water evacuated from the well prior to sampling = 62 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE		20.00 UMC	Gen. Eng.
1	PH		6.65 pH	Gen. Eng.
0	ALPHA-BENZENEHEXACHLORIDE	LT	10 ug/L	Gen. Eng.
0	ALPHA-ENDOSULFAM	LT	10 ug/L	Gen. Eng.
0	ALDRIN	LT	10 ug/L	Gen. Eng.
0	ACENAPHTHENE	LT	10 ug/L	Gen. Eng.
0	ACENAPHTHYLENE	LT	10 ug/L	Gen. Eng.
0	ANTHRACENE	LT	10 ug/L	Gen. Eng.
0	BENZO(A)ANTHRACENE	LT	10 ug/L	Gen. Eng.
0	BENZO(A)PYRENE	LT	10 ug/L	Gen. Eng.
0	BENZO(B)FLUORANTHENE	LT	10 ug/L	Gen. Eng.
0	BETA-BENZENEHEXACHLORIDE	LT	10 ug/L	Gen. Eng.
0	BUTYLBENZYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0	BIS(CHLOROMETHYL)ETHER	LT	10 ug/L	Gen. Eng.
0	BETA-ENDOSULFAM	LT	10 ug/L	Gen. Eng.
0	BENZIDINE	LT	10 ug/L	Gen. Eng.
0	BENZO(G,H,I)PERYLENE	LT	10 ug/L	Gen. Eng.
0	BENZO(K)FLUORANTHENE	LT	10 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	BIS(2-CHLOROETHOXY) METHANE	LT	10 ug/L	Gen. Eng.
0	BIS(2-CHLOROISOPROPYL) ETHER	LT	10 ug/L	Gen. Eng.
0	BIS(2-CHLOROETHYL) ETHER	LT	10 ug/L	Gen. Eng.
0	BIS(2-ETHYLHEXYL) PHTHALATE	LT	10 ug/L	Gen. Eng.
0	CALCIUM		818 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	CHRYSENE	LT	10 ug/L	Gen. Eng.
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHLORDANE	LT	10 ug/L	Gen. Eng.
0	HEXACHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	HEXACHLOROXYCLOPENTADIENE	LT	10 ug/L	Gen. Eng.
0	HEXACHLOROETHANE	LT	10 ug/L	Gen. Eng.
0	CHROMIUM		4 ug/L	Gen. Eng.
0	COPPER	LT	4 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	DIBENZ(A,H)ANTHRACENE	LT	10 ug/L	Gen. Eng.
0	DELTA-BENZENEHEXACHLORIDE	LT	10 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	DIETHYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0	DICHLORIN	LT	10 ug/L	Gen. Eng.
0	DIMETHYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0	DI-N-BUTYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0	DI-N-OCTYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0	ENDRIN ALDEHYDE	LT	10 ug/L	Gen. Eng.
0	ENDRIN	LT	10 ug/L	Gen. Eng.
0	ENDOSULFAN SULFATE	LT	10 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	FLUORANTHENE	LT	10 ug/L	Gen. Eng.
0	FLUORENE	LT	10 ug/L	Gen. Eng.
0	HEXACHLOROBUTADIENE	LT	10 ug/L	Gen. Eng.
0	HEPTACHLOR	LT	10 ug/L	Gen. Eng.
0	HEPTACHLOR EPOXIDE	LT	10 ug/L	Gen. Eng.
0	INDENO(1,2,3-C,D)PYRENE	LT	10 ug/L	Gen. Eng.
0	ISOPHORONE	LT	10 ug/L	Gen. Eng.
0	LINDANE	LT	10 ug/L	Gen. Eng.
0	TOLUENE	LT	1 ug/L	Gen. Eng.
0	MAGNESIUM		309 ug/L	Gen. Eng.
0	SODIUM		2010 ug/L	Gen. Eng.
0	NAPHTHALENE	LT	10 ug/L	Gen. Eng.
0	NITROBENZENE	LT	10 ug/L	Gen. Eng.
0	N-NITROSODIMETHYLAMINE	LT	10 ug/L	Gen. Eng.
0	N-NITROSODI-PROPYLAMINE	LT	10 ug/L	Gen. Eng.
0	NICKEL	LT	4 ug/L	Gen. Eng.
0	N-NITROSODIPHENYLAMINE	LT	10 ug/L	Gen. Eng.
0	LEAD	LT	6 ug/L	Gen. Eng.
0	PCB 1016	LT	150 ug/L	Gen. Eng.
0	PCB 1221	LT	150 ug/L	Gen. Eng.
0	PCB 1232	LT	150 ug/L	Gen. Eng.
0	PCB 1242	LT	150 ug/L	Gen. Eng.
0	PCB 1248	LT	150 ug/L	Gen. Eng.
0	PCB 1254	LT	150 ug/L	Gen. Eng.
0	PCB 1260	LT	150 ug/L	Gen. Eng.
0	PENTACHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	PHENANTHRENE	LT	10 ug/L	Gen. Eng.
0	PHENOLS	LT	10 ug/L	Gen. Eng.
0	2,2-BIS(4-CHLOROPHENYL)-1,1-DCE	LT	10 ug/L	Gen. Eng.
0	2,2-BIS(4-CHLOROPHENYL)-1,1-DCE	LT	10 ug/L	Gen. Eng.
0	2,2-BIS(4-CHLOROPHENYL)-1,1,1-TCE	LT	10 ug/L	Gen. Eng.
0	PYRENE	LT	10 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
1	TETRACHLOROETHYLENE		1.00 ug/L	Gen. Eng.
2	TOTAL ORGANIC HALOGENS		3 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE		9.00 ug/L	Gen. Eng.
0	TOXAPHENE	LT	10 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	XYLENES	LT	2 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.

CONTINUED

WELL CRP 4 COLLECTED ON 08/27/89 LABORATORY ANALYSES CONTINUED

0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	1,2-DIPHENYL HYDRAZINE	LT	10 ug/L	Gen. Eng.
0	1,2,4-TRICHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	10 ug/L	Gen. Eng.
0	2-CHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2-CHLORONAPHTHALENE	LT	10 ug/L	Gen. Eng.
0	2-NITROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,4-DICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,4-DIMETHYL PHENOL	LY	10 ug/L	Gen. Eng.
0	2,4-DINITROPHENOL	LT	45 ug/L	Gen. Eng.
0	2,6-DINITROTOLUENE	LT	10 ug/L	Gen. Eng.
0	2,4,6-TRICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,6-DINITROTOLUENE	LT	10 ug/L	Gen. Eng.
0	3,3-DICHLOROBENZIDENE	LT	10 ug/L	Gen. Eng.
0	4-BROMOPHENYLPHENYL ETHER	LT	10 ug/L	Gen. Eng.
0	4-CHLOROPHENYLPHENYL ETHER	LT	10 ug/L	Gen. Eng.
0	PARA-CHLORO-META-CRESOL	LT	10 ug/L	Gen. Eng.
0	4-NITROPHENOL	LT	10 ug/L	Gen. Eng.
0	2-METHYL-4,6-DINITROPHENOL	LT	30 ug/L	Gen. Eng.
1	TRITIUM		14.50+-0.51 pCi/mL	Gen. Eng.

WELL CSA 1

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/17/89 Time 815
 Depth to water = 51.09 ft (15.57 m) below the TOC
 Water elevation = 239.71 ft (73.06 m) msl
 pH = 4.8 Alkalinity = 0 mg/L
 Specific conductance = 54 umhos/cm
 Water temperature = 23.6 degrees Celsius
 Water evacuated from the well prior to sampling = 20 gal

WELL CSA 2

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/17/89 Time 740
 Depth to water = 50.11 ft (15.27 m) below the TOC
 Water elevation = 239.99 ft (73.15 m) msl
 pH = 4.9 Alkalinity = 0 mg/L
 Specific conductance = 36 umhos/cm
 Water temperature = 21.1 degrees Celsius
 Water evacuated from the well prior to sampling = 57 gal

WELL CSA 3

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/17/89 Time 840
 Depth to water = 49.97 ft (15.23 m) below the TOC
 Water elevation = 239.43 ft (72.98 m) msl
 pH = 4.8 Alkalinity = 0 mg/L
 Specific conductance = 42 umhos/cm
 Water temperature = 21.1 degrees Celsius
 Water evacuated from the well prior to sampling = 59 gal

WELL CSA 4

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/17/89 Time 810
 Depth to water = 51.27 ft (15.63 m) below the TOC
 Water elevation = 239.13 ft (72.89 m) msl
 pH = 4.8 Alkalinity = 0 mg/L
 Specific conductance = 44 umhos/cm
 Water temperature = 21.5 degrees Celsius
 Water evacuated from the well prior to sampling = 54 gal

WELL CSB 1A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/19/89 Time 1630
 The well was dry.

WELL CSB 2A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/20/89 Time 1400
 Depth to water = 78.01 ft (23.78 m) below the TOC
 Water elevation = 206.59 ft (62.97 m) msl
 pH = 6.0 Alkalinity = 19 mg/L
 Specific conductance = 62 umhos/cm
 Water temperature = 23.8 degrees Celsius
 Water evacuated from the well prior to sampling = 2 gal
 The well went dry during purging.

LABORATORY ANALYSES

1	PH		7.59 pH	metaTRACE
0	BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0	BROMOFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	5 ug/L	metaTRACE
0	METHYLENE CHLORIDE	LT	5 ug/L	metaTRACE
0	BROMOMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROBENZENE	LT	5 ug/L	metaTRACE
0	CHLOROBENZENE	LT	5 ug/L	metaTRACE
0	CHROMIUM	LT	5 ug/L	metaTRACE
2	COPPER		2635 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0	CHLOROETHANE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0	ETHYLBENZENE	LT	5 ug/L	metaTRACE
0	IRON		80 ug/L	metaTRACE
1	TOLUENE		5 ug/L	metaTRACE
2	LEAD		96 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	metaTRACE
2	TOTAL ORGANIC HALOGENS		456 ug/L	metaTRACE
2	TRICHLOROETHYLENE		170 ug/L	metaTRACE
1	TRANS-1,2-DICHLOROETHENE		5 ug/L	metaTRACE
1	TRANS-1,2-DICHLOROETHENE		530 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
1	1,1,2-TRICHLOROETHANE	J	4 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0	GROSS ALPHA		0.77+-0.66 pCi/L	HP, 735A
0	NONVOLATILE BETA	LT	5 pCi/L	metaTRACE
0	NONVOLATILE BETA		3.02+-1.18 pCi/L	HP, 735A
1	TOTAL ACTIVITY		40.60+-2.56 pCi/mL	HP, 735A
2	TRITIUM		38.00+-4.00 pCi/mL	metaTRACE
2	TRITIUM		40.80+-1.56 pCi/mL	HP, 735A

WELL CSB 3A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/20/89 Time 1340
 Depth to water = 78.77 ft (24.01 m) below the TOC
 Water elevation = 206.13 ft (62.83 m) msl
 pH = 5.6 Alkalinity = 11 mg/L
 Specific conductance = 31 umhos/cm
 Water temperature = 24.5 degrees Celsius
 Water evacuated from the well prior to sampling = 3 gal
 The well went dry during purging.

LABORATORY ANALYSES

0	PH		4.21 pH	metaTRACE
0	BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0	BROMOFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	5 ug/L	metaTRACE
1	METHYLENE CHLORIDE		170 ug/L	metaTRACE
0	BROMOMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROBENZENE	LT	5 ug/L	metaTRACE
0	CHROMIUM	LT	5 ug/L	metaTRACE
1	COPPER		474 ug/L	metaTRACE
0	CHLOROETHANE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0	ETHYLBENZENE	LT	5 ug/L	metaTRACE
0	IRON		10 ug/L	metaTRACE
0	TOLUENE	LT	5 ug/L	metaTRACE
2	LEAD		66 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	metaTRACE
1	TOTAL ORGANIC HALOGENS		10 ug/L	metaTRACE
2	TRICHLOROETHYLENE		29.0 ug/L	metaTRACE

CONTINUED

WELL CSB 3A COLLECTED ON 08/20/89 LABORATORY ANALYSES CONTINUED

0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
1	1,2-DICHLOROETHANE	LT	470 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0	GROSS ALPHA	LT	0.87+-0.55 pCi/L	HP, 735A
0	NONVOLATILE BETA	LT	8 pCi/L	metaTRACE
0	NONVOLATILE BETA	LT	0.90+-0.91 pCi/L	HP, 735A
1	TOTAL ACTIVITY	LT	41800+- 948 pCi/mL	HP, 735A
2	TRITIUM	LT	39000+-4000 pCi/mL	metaTRACE
2	TRITIUM	LT	41728+- 646 pCi/mL	HP, 735A

WELL CSB 4A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/20/89 Time 1435
 Depth to water = 78.94 ft (24.06 m) below the TOC
 Water elevation = 206.16 ft (62.84 m) msl
 pH = 5.2 Alkalinity = 12 mg/L
 Specific conductance = 33 umhos/cm
 Water temperature = 22.8 degrees Celsius
 Water evacuated from the well prior to sampling = 47 gal

LABORATORY ANALYSES

0	PH	LT	4.83 pH	metaTRACE
0	BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0	BROMOFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	5 ug/L	metaTRACE
0	METHYLENE CHLORIDE	LT	5 ug/L	metaTRACE
0	BROMOMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROBENZENE	LT	5 ug/L	metaTRACE
0	CHROMIUM	LT	5 ug/L	metaTRACE
1	COPPER	LT	40 ug/L	metaTRACE
0	CHLOROETHANE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0	ETHYLBENZENE	LT	5 ug/L	metaTRACE
0	IRON	LT	101 ug/L	metaTRACE
0	TOLUENE	LT	5 ug/L	metaTRACE
0	LEAD	LT	20 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	metaTRACE
2	TOTAL ORGANIC HALOGENS	LT	108 ug/L	metaTRACE
2	TRICHLOROETHYLENE	LT	73.0 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0	GROSS ALPHA	LT	1.69+-0.76 pCi/L	HP, 735A
0	NONVOLATILE BETA	LT	5 pCi/L	metaTRACE
0	NONVOLATILE BETA	LT	1.53+-1.02 pCi/L	HP, 735A
1	TOTAL ACTIVITY	LT	18800+- 449 pCi/mL	HP, 735A
2	TRITIUM	LT	10000+-1000 pCi/mL	metaTRACE
2	TRITIUM	LT	18773+- 305 pCi/mL	HP, 735A

WELL CSB 5A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/20/89 Time 1315
 Depth to water = 76.60 ft (23.35 m) below the TOC
 Water elevation = 206.20 ft (62.85 m) msl
 pH = 10.7 Alkalinity = 47 mg/L
 Specific conductance = 193 umhos/cm
 Water temperature = 23.3 degrees Celsius
 Water evacuated from the well prior to sampling = 4 gal
 The well went dry during purging.

LABORATORY ANALYSES

2	PH	LT	9.52 pH	metaTRACE
2	PH	LT	9.52 pH	metaTRACE
0	BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0	BROMOFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	5 ug/L	metaTRACE
1	METHYLENE CHLORIDE	LT	13 ug/L	metaTRACE
0	BROMOMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROBENZENE	LT	5 ug/L	metaTRACE
0	CHROMIUM	LT	5 ug/L	metaTRACE
0	COPPER	LT	10 ug/L	metaTRACE
0	CHLOROETHANE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0	ETHYLBENZENE	LT	5 ug/L	metaTRACE

CONTINUED

WELL CSB 5A COLLECTED ON 08/20/89 LABORATORY ANALYSES CONTINUED

0	IRON	LT	12 ug/L	metaTRACE
0	TOLUENE	LT	5 ug/L	metaTRACE
0	LEAD	LT	5 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	metaTRACE
1	TOTAL ORGANIC HALOGENS	LT	11 ug/L	metaTRACE
2	TRICHLOROETHYLENE	LT	12.0 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
1	1,2-DICHLOROETHANE	LT	34 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0	GROSS ALPHA	LT	1.10+-0.76 pCi/L	HP, 735A
0	NONVOLATILE BETA	LT	5 pCi/L	metaTRACE
0	NONVOLATILE BETA	LT	2.55+-1.46 pCi/L	HP, 735A
1	TOTAL ACTIVITY	LT	7650+- 126 pCi/mL	HP, 735A
2	TRITIUM	LT	7300+- 800 pCi/mL	metaTRACE
2	TRITIUM	LT	7200+- 800 pCi/mL	metaTRACE
2	TRITIUM	LT	7658+-87.2 pCi/mL	HP, 735A

WELL CSB 6A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/20/89 Time 1505
 Depth to water = 79.68 ft (24.29 m) below the TOC
 Water elevation = 207.12 ft (63.13 m) msl
 pH = 6.0 Alkalinity = 20 mg/L
 Specific conductance = 89 umhos/cm
 Water temperature = 22.4 degrees Celsius
 Water evacuated from the well prior to sampling = 48 gal

LABORATORY ANALYSES

1	PH	LT	7.45 pH	metaTRACE
0	BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0	BROMOFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	5 ug/L	metaTRACE
0	METHYLENE CHLORIDE	LT	5 ug/L	metaTRACE
0	BROMOMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROBENZENE	LT	5 ug/L	metaTRACE
0	CHLOROBENZENE	LT	5 ug/L	metaTRACE
0	CHROMIUM	LT	5 ug/L	metaTRACE
0	COPPER	LT	10 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0	CHLOROETHANE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0	ETHYLBENZENE	LT	5 ug/L	metaTRACE
0	IRON	LT	12 ug/L	metaTRACE
0	TOLUENE	LT	5 ug/L	metaTRACE
0	LEAD	LT	2 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
1	TETRACHLOROETHYLENE	LT	2.00 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	metaTRACE
2	TRICHLOROETHYLENE	LT	4.00 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0	GROSS ALPHA	LT	0.41+-0.42 pCi/L	HP, 735A
0	NONVOLATILE BETA	LT	8.00+-4.10 pCi/L	metaTRACE
0	NONVOLATILE BETA	LT	0.99+-0.94 pCi/L	HP, 735A
1	TOTAL ACTIVITY	LT	426+-43.7 pCi/mL	HP, 735A
2	TRITIUM	LT	190+- 20 pCi/mL	metaTRACE
2	TRITIUM	LT	414+-24.4 pCi/mL	HP, 735A

WELL CSO 1

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/10/89 Time 810
 Depth to water = 55.18 ft (16.82 m) below the TOC
 Water elevation = 248.72 ft (75.81 m) msl
 pH = 4.6 Alkalinity = 0 mg/L
 Specific conductance = 41 umhos/cm
 Water temperature = 20.0 degrees Celsius
 Water evacuated from the well prior to sampling = 43 gal

LABORATORY ANALYSES

1	TRITIUM	LT	16.00+-2.00 pCi/mL	metaTRACE
---	---------	----	--------------------	-----------

WELL CSO 2

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/10/89 Time 020
 Depth to water = 33.25 ft (9.23 m) below the TOC
 Water elevation = 248.65 ft (75.79 m) msl
 pH = 4.6 Alkalinity = 0 mg/L
 Specific conductance = 33 umhos/cm
 Water temperature = 19.9 degrees Celsius
 Water evacuated from the well prior to sampling = 101 gal

LABORATORY ANALYSES

1 TRITIUM 16.00+-2.00 pCi/mL metaTRACE

WELL CSR 1

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/22/89 Time 1500
 Depth to water = 19.25 ft (5.87 m) below the TOC
 Water elevation = 254.85 ft (77.68 m) msl
 pH = 4.7 Alkalinity = 0 mg/L
 Specific conductance = 30 umhos/cm
 Water temperature = 20.1 degrees Celsius
 Water evacuated from the well prior to sampling = 46 gal

LABORATORY ANALYSES

2 IRON 332 ug/L Gen. Eng.
 0 LEAD 6 ug/L Gen. Eng.
 1 TRITIUM 10.70+-0.47 pCi/mL Gen. Eng.

WELL CSR 2

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/22/89 Time 1535
 The well was dry.

WELL CSR 3

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/22/89 Time 1605
 Depth to water = 31.91 ft (9.73 m) below the TOC
 Water elevation = 253.29 ft (77.20 m) msl
 pH = 5.0 Alkalinity = 1 mg/L
 Specific conductance = 18 umhos/cm
 Water temperature = 23.0 degrees Celsius
 Water evacuated from the well prior to sampling = 39 gal

LABORATORY ANALYSES

0 IRON 54 ug/L Gen. Eng.
 0 LEAD 12 ug/L Gen. Eng.
 0 TRITIUM 9.95+-0.46 pCi/mL Gen. Eng.

WELL CSR 4

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/22/89 Time 1520
 Depth to water = 30.03 ft (9.15 m) below the TOC
 Water elevation = 254.67 ft (77.62 m) msl
 pH = 4.7 Alkalinity = 0 mg/L
 Specific conductance = 19 umhos/cm
 Water temperature = 20.6 degrees Celsius
 Water evacuated from the well prior to sampling = 44 gal

LABORATORY ANALYSES

0 IRON 73 ug/L Gen. Eng.
 0 LEAD 6 ug/L Gen. Eng.
 1 TOTAL ACTIVITY 18.60+-1.57 pCi/mL HP, 735A
 0 TRITIUM 7.65+-0.44 pCi/mL Gen. Eng.
 0 TRITIUM 7.39+-0.86 pCi/mL HP, 735A

WELL DBP 1

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/27/89 Time 1000
 Depth to water = 18.44 ft (5.61 m) below the TOC
 Water elevation = 118.76 ft (36.20 m) msl
 pH = 4.7 Alkalinity = 0 mg/L
 Specific conductance = 55 umhos/cm
 Water temperature = 18.9 degrees Celsius
 Water evacuated from the well prior to sampling = 66 gal

LABORATORY ANALYSES

0 BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0 TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0 CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0 CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0 BROMOFORM	LT	1 ug/L	Gen. Eng.
0 BROMOFORM	LT	1 ug/L	Gen. Eng.
1 CHLOROFORM	LT	2 ug/L	Gen. Eng.
0 CHLOROFORM	LT	1 ug/L	Gen. Eng.
0 METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0 METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0 BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0 BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0 CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0 CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0 CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0 CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0 CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 BENZENE	LT	1 ug/L	Gen. Eng.
0 BENZENE	LT	1 ug/L	Gen. Eng.
0 DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0 ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0 IRON		57 ug/L	Gen. Eng.
0 IRON		59 ug/L	Gen. Eng.
0 TOLUENE	LT	1 ug/L	Gen. Eng.
0 TOLUENE	LT	1 ug/L	Gen. Eng.
0 MANGANESE		13 ug/L	Gen. Eng.
0 MANGANESE		12 ug/L	Gen. Eng.
0 1,1,2,2-TETRACHLOROETHANE		1 ug/L	Gen. Eng.
0 1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0 TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0 TOTAL ORGANIC HALOGENS	LT	5 ug/L	Gen. Eng.
0 TOTAL ORGANIC HALOGENS	LT	5 ug/L	Gen. Eng.
0 TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0 TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0 TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0 TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0 1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0 1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0 1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0 1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0 CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0 CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0 TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0 TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0 2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0 2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.

WELL DBP 2

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/27/89 Time 1145
 Depth to water = 10.05 ft (3.06 m) below the TOC
 Water elevation = 116.25 ft (35.43 m) msl
 pH = 4 Alkalinity = 0 mg/L
 Specific conductance = 260 umhos/cm
 Water temperature = 21.2 degrees Celsius
 Water evacuated from the well prior to sampling = 83 gal

LABORATORY ANALYSES

0 BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0 CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0 BROMOFORM	LT	1 ug/L	Gen. Eng.
0 CHLOROFORM	LT	1 ug/L	Gen. Eng.
0 METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0 BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0 CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0 CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0 CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 BENZENE	LT	1 ug/L	Gen. Eng.
0 DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
1 IRON		274 ug/L	Gen. Eng.
0 TOLUENE	LT	1 ug/L	Gen. Eng.

CONTINUED

WELL DBP 2 COLLECTED ON 08/27/89 LABORATORY ANALYSES CONTINUED

2	MANGANESE		457 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
1	TOTAL ORGANIC HALOGENS		10 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
1	1,1-DICHLOROETHANE		5 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.

WELL DBP 3

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/27/89 Time 1050
 Depth to water = 6.92 ft (2.11 m) below the TOC
 Water elevation = 121.38 ft (37.00 m) msl
 pH = 5.3 Alkalinity = 2 mg/L
 Specific conductance = 69 umhos/cm
 Water temperature = 21.4 degrees Celsius
 Water evacuated from the well prior to sampling = 91 gal

LABORATORY ANALYSES

0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	IRON		138 ug/L	Gen. Eng.
0	TOLUENE	LT	1 ug/L	Gen. Eng.
2	MANGANESE		118 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.

WELL DBP 4

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/27/89 Time 1120
 Depth to water = 7.15 ft (2.18 m) below the TOC
 Water elevation = 119.05 ft (36.29 m) msl
 pH = 4.3 Alkalinity = 0 mg/L
 Specific conductance = 140 umhos/cm
 Water temperature = 21.0 degrees Celsius
 Water evacuated from the well prior to sampling = 91 gal

LABORATORY ANALYSES

0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
2	IRON		517 ug/L	Gen. Eng.
0	TOLUENE	LT	1 ug/L	Gen. Eng.
2	MANGANESE		778 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.

CONTINUED

WELL DBP 4 COLLECTED ON 08/27/89 LABORATORY ANALYSES CONTINUED

0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.

WELL DCB 1A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/26/89 Time 1155
 Depth to water = 12.44 ft (3.79 m) below the TOC
 Water elevation = 114.88 ft (34.95 m) msl
 pH = 2.2 Alkalinity = 0 mg/L
 Specific conductance = 6820 umhos/cm
 Water temperature = 24.4 degrees Celsius
 Water evacuated from the well prior to sampling = 64 gal

LABORATORY ANALYSES

2	PH		2.47 pH	Gen. Eng.
0	SILVER	LT	2 ug/L	Gen. Eng.
0	ARSENIC	LT	2 ug/L	Gen. Eng.
2	BERYLLIUM		77 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
2	CADMIUM		21 ug/L	Gen. Eng.
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
2	CHROMIUM		180 ug/L	Gen. Eng.
1	COPPER		451 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
2	FLUORIDE		7900 ug/L	Gen. Eng.
2	IRON		420000 ug/L	Gen. Eng.
0	TOLUENE	LT	1 ug/L	Gen. Eng.
2	MANGANESE		22500 ug/L	Gen. Eng.
1	NICKEL		27 ug/L	Gen. Eng.
0	LEAD		7 ug/L	Gen. Eng.
1	SELENIUM		3 ug/L	Gen. Eng.
2	SULFATE		8420000 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
2	TOTAL ORGANIC HALOGENS		50 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE		12.0 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
2	ZINC		8300 ug/L	Gen. Eng.
1	GROSS ALPHA		10.40+-4.90 pCi/L	Gen. Eng.
1	NONVOLATILE BETA		39.60+-4.10 pCi/L	Gen. Eng.
2	TOTAL RADIUM		11.10+-3.30 pCi/L	Gen. Eng.
0	TRITIUM		5.02+-0.40 pCi/mL	Gen. Eng.

WELL DCB 2A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/26/89 Time 1055
 Depth to water = 10.85 ft (3.31 m) below the TOC
 Water elevation = 123.45 ft (37.63 m) msl
 pH = 4.7 Alkalinity = 0 mg/L
 Specific conductance = 55 umhos/cm
 Water temperature = 21.9 degrees Celsius
 Water evacuated from the well prior to sampling = 68 gal

LABORATORY ANALYSES

0	PH		5.03 pH	Gen. Eng.
0	PH		5.08 pH	Gen. Eng.
1	PH		3.41 pH	metaTRACE
0	SILVER	LT	2 ug/L	Gen. Eng.
0	SILVER	LT	2 ug/L	Gen. Eng.
0	SILVER	LT	2 ug/L	Gen. Eng.
0	ARSENIC	LT	2 ug/L	Gen. Eng.
0	ARSENIC	LT	2 ug/L	Gen. Eng.
0	ARSENIC	LT	3 ug/L	metaTRACE
0	BERYLLIUM	LT	5 ug/L	Gen. Eng.
0	BERYLLIUM	LT	5 ug/L	Gen. Eng.
0	BERYLLIUM	LT	1 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE

CONTINUED

WELL DCB 2A COLLECTED ON 08/26/89 LABORATORY ANALYSES CONTINUED

0	CADMIUM	LT	2 ug/L	Gen. Eng.
0	CADMIUM	LT	2 ug/L	Gen. Eng.
0	CADMIUM	LT	2 ug/L	Gen. Eng.
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	BROMOFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	5 ug/L	metaTRACE
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0	METHYLENE CHLORIDE	LT	5 ug/L	metaTRACE
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	5 ug/L	metaTRACE
0	CHROMIUM	LT	4 ug/L	Gen. Eng.
0	CHROMIUM	LT	4 ug/L	Gen. Eng.
0	CHROMIUM	LT	5 ug/L	metaTRACE
1	COPPER	LT	75 ug/L	Gen. Eng.
1	COPPER	LT	72 ug/L	Gen. Eng.
1	COPPER	LT	76 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	5 ug/L	metaTRACE
0	FLUORIDE	LT	100 ug/L	Gen. Eng.
0	FLUORIDE	LT	100 ug/L	Gen. Eng.
0	FLUORIDE	LT	250 ug/L	metaTRACE
0	IRON	LT	17 ug/L	Gen. Eng.
0	IRON	LT	20 ug/L	Gen. Eng.
0	IRON	LT	30 ug/L	metaTRACE
0	TOLUENE	LT	1 ug/L	Gen. Eng.
0	TOLUENE	LT	1 ug/L	Gen. Eng.
0	TOLUENE	LT	5 ug/L	metaTRACE
0	MANGANESE	LT	13 ug/L	Gen. Eng.
0	MANGANESE	LT	12 ug/L	Gen. Eng.
0	MANGANESE	LT	12 ug/L	metaTRACE
0	NICKEL	LT	4 ug/L	Gen. Eng.
0	NICKEL	LT	4 ug/L	Gen. Eng.
0	NICKEL	LT	5 ug/L	metaTRACE
2	LEAD	LT	30 ug/L	Gen. Eng.
2	LEAD	LT	34 ug/L	Gen. Eng.
2	LEAD	LT	26 ug/L	metaTRACE
0	SELENIUM	LT	2 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	metaTRACE
0	SULFATE	LT	5000 ug/L	Gen. Eng.
0	SULFATE	LT	5000 ug/L	Gen. Eng.
0	SULFATE	LT	1000 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	Gen. Eng.
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	Gen. Eng.
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	metaTRACE
1	TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
1	TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0	ZINC	LT	30 ug/L	Gen. Eng.

CONTINUED

WELL DCB 2A COLLECTED ON 08/26/89 LABORATORY ANALYSES CONTINUED

0	ZINC	LT	30 ug/L	Gen. Eng.
0	ZINC	LT	35 ug/L	metaTRACE
0	GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
0	GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
0	GROSS ALPHA	LT	3 pCi/L	metaTRACE
0	GROSS ALPHA	LT	3 pCi/L	metaTRACE
0	NONVOLATILE BETA	LT	2 pCi/L	Gen. Eng.
0	NONVOLATILE BETA	LT	2 pCi/L	Gen. Eng.
0	NONVOLATILE BETA	LT	4 pCi/L	metaTRACE
0	NONVOLATILE BETA	LT	5 pCi/L	metaTRACE
0	TOTAL RADIUM	LT	1 pCi/L	Gen. Eng.
0	TOTAL RADIUM	LT	1 pCi/L	Gen. Eng.
0	TOTAL RADIUM	LT	1.30+-0.40 pCi/L	metaTRACE
0	TRITIUM	LT	4.84+-0.40 pCi/mL	Gen. Eng.
0	TRITIUM	LT	4.77+-0.39 pCi/mL	Gen. Eng.
0	TRITIUM	LT	4.00+-0.40 pCi/mL	metaTRACE

WELL DCB 2A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/26/89 Time 1050

Depth to water = 10.85 ft (3.31 m) below the TOC

Water elevation = 123.45 ft (37.63 m) msl

pH = 4.7 Alkalinity = 0 mg/L

Specific conductance = 55 umho/cm

Water temperature = 21.9 degrees Celsius

Water evacuated from the well prior to sampling = 68 gal

LABORATORY ANALYSES

0	PH	LT	5.18 pH	Gen. Eng.
1	PH	LT	5.32 pH	metaTRACE
0	SILVER	LT	2 ug/L	Gen. Eng.
0	SILVER	LT	2 ug/L	metaTRACE
0	SILVER	LT	2 ug/L	metaTRACE
0	ARSENIC	LT	2 ug/L	Gen. Eng.
0	ARSENIC	LT	3 ug/L	metaTRACE
0	BERYLLIUM	LT	5 ug/L	Gen. Eng.
0	BERYLLIUM	LT	1 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	3.00 ug/L	metaTRACE
0	CADMIUM	LT	2 ug/L	Gen. Eng.
0	CADMIUM	LT	4 ug/L	metaTRACE
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	BROMOFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	5 ug/L	metaTRACE
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0	METHYLENE CHLORIDE	LT	5 ug/L	metaTRACE
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	5 ug/L	metaTRACE
0	CHROMIUM	LT	4 ug/L	Gen. Eng.
0	CHROMIUM	LT	5 ug/L	metaTRACE
1	COPPER	LT	85 ug/L	Gen. Eng.
1	COPPER	LT	82 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	5 ug/L	metaTRACE
0	FLUORIDE	LT	100 ug/L	Gen. Eng.
0	FLUORIDE	LT	250 ug/L	metaTRACE
0	FLUORIDE	LT	250 ug/L	metaTRACE
0	IRON	LT	18 ug/L	Gen. Eng.
0	IRON	LT	56 ug/L	metaTRACE
0	TOLUENE	LT	1 ug/L	Gen. Eng.
1	TOLUENE	J	2 ug/L	metaTRACE
0	MANGANESE	LT	13 ug/L	Gen. Eng.
0	MANGANESE	LT	12 ug/L	metaTRACE
0	NICKEL	LT	4 ug/L	Gen. Eng.
0	NICKEL	LT	5 ug/L	metaTRACE
0	NICKEL	LT	5 ug/L	metaTRACE
2	LEAD	LT	27 ug/L	Gen. Eng.
2	LEAD	LT	28 ug/L	metaTRACE
0	SELENIUM	LT	2 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	metaTRACE
0	SULFATE	LT	5000 ug/L	Gen. Eng.
0	SULFATE	LT	1000 ug/L	metaTRACE
0	SULFATE	LT	1000 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	Gen. Eng.
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	metaTRACE
1	TRICHLOROETHYLENE	LT	2.00 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE

CONTINUED

WELL DCB 2A COLLECTED ON 08/26/89 LABORATORY ANALYSES CONTINUED

0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	LT	5 ug/L	metatRACE
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metatRACE
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metatRACE
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	5 ug/L	metatRACE
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metatRACE
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metatRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metatRACE
0	ZINC		35 ug/L	Gen. Eng.
0	ZINC		32 ug/L	metatRACE
0	GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
0	GROSS ALPHA		3.80+-2.00 pCi/L	metatRACE
0	NONVOLATILE BETA	LT	2 pCi/L	Gen. Eng.
0	NONVOLATILE BETA	LT	4 pCi/L	metatRACE
0	TOTAL RADIUM	LT	1 pCi/L	Gen. Eng.
0	TOTAL RADIUM		1.10+-0.30 pCi/L	metatRACE
0	TOTAL RADIUM		1.60+-0.50 pCi/L	metatRACE
0	TRITIUM		5.24+-0.40 pCi/mL	Gen. Eng.
0	TRITIUM		4.00+-0.40 pCi/mL	metatRACE

WELL DCB 3A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/26/89 Time 1345
 Depth to water = 13.43 ft (4.09 m) below the TOC
 Water elevation = 119.57 ft (36.45 m) msl
 pH = 4.9 Alkalinity = 0 mg/L
 Specific conductance = 64 umhos/cm
 Water temperature = 21.9 degrees Celsius
 Water evacuated from the well prior to sampling = 61 gal

LABORATORY ANALYSES

0	PH		5.44 pH	Gen. Eng.
0	SILVER	LT	2 ug/L	Gen. Eng.
0	ARSENIC	LT	2 ug/L	Gen. Eng.
0	BERYLLIUM	LT	5 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	CADMIUM	LT	2 ug/L	Gen. Eng.
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHROMIUM	LT	4 ug/L	Gen. Eng.
0	COPPER	LT	4 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	FLUORIDE	LT	100 ug/L	Gen. Eng.
2	IRON		383 ug/L	Gen. Eng.
0	TOLUENE	LT	1 ug/L	Gen. Eng.
2	MANGANESE		54 ug/L	Gen. Eng.
0	NICKEL	LT	4 ug/L	Gen. Eng.
0	LEAD	LT	6 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	Gen. Eng.
0	SULFATE		8500 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
1	TETRACHLOROETHYLENE		1.00 ug/L	Gen. Eng.
0	TOTAL ORGANIC HALOGENS		5 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE		4.00 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0	ZINC		5 ug/L	Gen. Eng.
0	GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
0	NONVOLATILE BETA	LT	2 pCi/L	Gen. Eng.
0	TOTAL RADIUM	LT	1 pCi/L	Gen. Eng.
0	TRITIUM		5.44+-0.41 pCi/mL	Gen. Eng.

WELL DCB 4A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/26/89 Time 1325
 Depth to water = 10.93 ft (3.33 m) below the TOC
 Water elevation = 118.57 ft (36.14 m) msl
 pH = 4.0 Alkalinity = 0 mg/L
 Specific conductance = 729 umhos/cm
 Water temperature = 22.7 degrees Celsius
 Water evacuated from the well prior to sampling = 68 gal

LABORATORY ANALYSES

0	PH		4.32 pH	Gen. Eng.
0	SILVER	LT	2 ug/L	Gen. Eng.
0	ARSENIC	LT	2 ug/L	Gen. Eng.
1	BERYLLIUM		12 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	CADMIUM	LT	2 ug/L	Gen. Eng.
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHROMIUM	LT	4 ug/L	Gen. Eng.
0	COPPER		18 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
1	FLUORIDE		1600 ug/L	Gen. Eng.
1	IRON		180 ug/L	Gen. Eng.
0	TOLUENE	LT	1 ug/L	Gen. Eng.
2	MANGANESE		2140 ug/L	Gen. Eng.
2	NICKEL		287 ug/L	Gen. Eng.
0	LEAD		7 ug/L	Gen. Eng.
1	SELENIUM		3 ug/L	Gen. Eng.
2	SULFATE		546000 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	Gen. Eng.
1	TRICHLOROETHYLENE		2.00 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
1	ZINC		643 ug/L	Gen. Eng.
0	GROSS ALPHA		3.18+-2.30 pCi/L	Gen. Eng.
0	NONVOLATILE BETA		4.70+-2.00 pCi/L	Gen. Eng.
1	TOTAL RADIUM		4.30+-2.30 pCi/L	Gen. Eng.
0	TRITIUM		6.44+-0.42 pCi/mL	Gen. Eng.

WELL DCB 5A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/26/89 Time 1300
 Depth to water = 4.66 ft (1.42 m) below the TOC
 Water elevation = 118.24 ft (36.04 m) msl
 pH = 4.5 Alkalinity = 0 mg/L
 Specific conductance = 601 umhos/cm
 Water temperature = 23.1 degrees Celsius
 Water evacuated from the well prior to sampling = 64 gal

LABORATORY ANALYSES

0	PH		4.93 pH	Gen. Eng.
0	SILVER	LT	2 ug/L	Gen. Eng.
0	ARSENIC	LT	2 ug/L	Gen. Eng.
1	BERYLLIUM		6 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	CADMIUM	LT	2 ug/L	Gen. Eng.
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHROMIUM	LT	4 ug/L	Gen. Eng.
0	COPPER		4 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
1	FLUORIDE		1000 ug/L	Gen. Eng.
2	IRON		1800 ug/L	Gen. Eng.
0	TOLUENE	LT	1 ug/L	Gen. Eng.
2	MANGANESE		3270 ug/L	Gen. Eng.
1	NICKEL		130 ug/L	Gen. Eng.
0	LEAD		9 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	Gen. Eng.
2	SULFATE		533000 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.

CONTINUED

WELL DCB 5A COLLECTED ON 08/26/89 LABORATORY ANALYSES CONTINUED

0	TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
1	TOTAL ORGANIC HALOGENS		10 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE	LT	40.0 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
1	ZINC		299 ug/L	Gen. Eng.
0	GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
0	NONVOLATILE BETA		2.90+-1.80 pCi/L	Gen. Eng.
0	TOTAL RADIUM	LT	1 pCi/L	Gen. Eng.
0	TRITIUM		5.45+-0.41 pCi/mL	Gen. Eng.

WELL DCB 6

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/26/89 Time 1405
 Depth to water = 17.25 ft (5.26 m) below the TOC
 Water elevation = 115.95 ft (35.34 m) msl
 pH = 3.2 Alkalinity = 0 mg/L
 Specific conductance = 3700 umhos/cm
 Water temperature = 26.8 degrees Celsius
 Water evacuated from the well prior to sampling = 5 gal
 The well went dry during purging.

LABORATORY ANALYSES

1	PH		3.75 pH	Gen. Eng.
0	SILVER	LT	2 ug/L	Gen. Eng.
0	ARSENIC	LT	2 ug/L	Gen. Eng.
1	BERYLLIUM		20 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
2	CADMIUM		8 ug/L	Gen. Eng.
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
2	CHROMIUM		813 ug/L	Gen. Eng.
1	COPPER		190 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
2	FLUORIDE		6500 ug/L	Gen. Eng.
2	IRON		44600 ug/L	Gen. Eng.
0	TOLUENE	LT	1 ug/L	Gen. Eng.
2	MANGANESE		18200 ug/L	Gen. Eng.
2	NICKEL		1030 ug/L	Gen. Eng.
2	LEAD		36 ug/L	Gen. Eng.
2	SELENIUM		14 ug/L	Gen. Eng.
2	SULFATE		4460000 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
1	TETRACHLOROETHYLENE		2.00 ug/L	Gen. Eng.
2	TOTAL ORGANIC HALOGENS		47 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE		33.0 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
2	ZINC		2570 ug/L	Gen. Eng.
1	GROSS ALPHA		6.82+-3.30 pCi/L	Gen. Eng.
1	NONVOLATILE BETA		22.70+-4.20 pCi/L	Gen. Eng.
2	TOTAL RADIUM		13.10+-3.80 pCi/L	Gen. Eng.
0	TRITIUM		5.91+-0.76 pCi/mL	Gen. Eng.

WELL DCB 7

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/26/89 Time 1000
 Depth to water = 15.70 ft (4.79 m) below the TOC
 Water elevation = 117.10 ft (35.69 m) msl
 pH = 2.6 Alkalinity = 0 mg/L
 Specific conductance = 7300 umhos/cm
 Water temperature = 24.0 degrees Celsius
 Water evacuated from the well prior to sampling = 21 gal

LABORATORY ANALYSES

2	PH		2.92 pH	Gen. Eng.
0	SILVER	LT	2 ug/L	Gen. Eng.
0	ARSENIC	LT	2 ug/L	Gen. Eng.
2	BERYLLIUM		71 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.

CONTINUED

WELL DCB 7 COLLECTED ON 08/26/89 LABORATORY ANALYSES CONTINUED

2	CADMIUM		10 ug/L	Gen. Eng.
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
1	CHROMIUM		18 ug/L	Gen. Eng.
1	COPPER		213 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
2	FLUORIDE		6300 ug/L	Gen. Eng.
2	IRON		113000 ug/L	Gen. Eng.
0	TOLUENE	LT	1 ug/L	Gen. Eng.
2	MANGANESE		10300 ug/L	Gen. Eng.
2	NICKEL		1050 ug/L	Gen. Eng.
0	LEAD		15 ug/L	Gen. Eng.
1	SELENIUM		3 ug/L	Gen. Eng.
2	SULFATE		3100000 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
2	TOTAL ORGANIC HALOGENS		39 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE		52.0 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
2	ZINC		3180 ug/L	Gen. Eng.
0	GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
0	NONVOLATILE BETA		3.40+-1.10 pCi/L	Gen. Eng.
2	TOTAL RADIUM		6.70+-2.70 pCi/L	Gen. Eng.
0	TRITIUM		1.57+-0.36 pCi/mL	Gen. Eng.

WELL DCB 8

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/26/89 Time 1025
 Depth to water = 11.98 ft (3.65 m) below the TOC
 Water elevation = 124.84 ft (38.05 m) msl
 pH = 4.7 Alkalinity = 0 mg/L
 Specific conductance = 101 umhos/cm
 Water temperature = 21.4 degrees Celsius
 Water evacuated from the well prior to sampling = 38 gal

LABORATORY ANALYSES

0	PH		5.28 pH	Gen. Eng.
0	SILVER	LT	2 ug/L	Gen. Eng.
0	ARSENIC	LT	2 ug/L	Gen. Eng.
0	BERYLLIUM	LT	5 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	CADMIUM	LT	2 ug/L	Gen. Eng.
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHROMIUM	LT	4 ug/L	Gen. Eng.
1	COPPER		21 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	FLUORIDE	LT	100 ug/L	Gen. Eng.
1	IRON		199 ug/L	Gen. Eng.
0	TOLUENE	LT	1 ug/L	Gen. Eng.
0	MANGANESE		20 ug/L	Gen. Eng.
0	NICKEL	LT	4 ug/L	Gen. Eng.
0	LEAD		9 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	Gen. Eng.
0	SULFATE	LT	5000 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	Gen. Eng.
1	TRICHLOROETHYLENE		1.00 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
2	ZINC		22 ug/L	Gen. Eng.
0	GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
0	NONVOLATILE BETA	LT	2 pCi/L	Gen. Eng.
0	TOTAL RADIUM		1.30+-1.80 pCi/L	Gen. Eng.
0	TRITIUM		5.53+-0.41 pCi/mL	Gen. Eng.

WELL DCB 9

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/26/89 Time 1135
 Depth to water = 8.59 ft (2.62 m) below the TOC
 Water elevation = 113.71 ft (34.66 m) msl
 pH = 3.5 Alkalinity = 0 mg/L
 Specific conductance = 1433 umhos/cm
 Water temperature = 22.3 degrees Celsius
 Water evacuated from the well prior to sampling = 43 gal

LABORATORY ANALYSES

1	PH		3.66 pH	Gen. Eng.
0	SILVER	LT	2 ug/L	Gen. Eng.
0	ARSENIC	LT	2 ug/L	Gen. Eng.
1	BERYLLIUM		14 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	CADMIUM	LT	2 ug/L	Gen. Eng.
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHROMIUM	LT	4 ug/L	Gen. Eng.
1	COPPER		37 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
1	FLUORIDE		1800 ug/L	Gen. Eng.
2	IRON		1500 ug/L	Gen. Eng.
0	TOLUENE	LT	1 ug/L	Gen. Eng.
2	MANGANESE		56000 ug/L	Gen. Eng.
2	NICKEL		352 ug/L	Gen. Eng.
0	LEAD		7 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	Gen. Eng.
2	SULFATE		15000000 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
2	TETRACHLOROETHYLENE		6.00 ug/L	Gen. Eng.
2	TOTAL ORGANIC HALOGENS		28 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE		77.0 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
1	ZINC		861 ug/L	Gen. Eng.
1	GROSS ALPHA		12.70+-19.9 pCi/L	Gen. Eng.
1	NONVOLATILE BETA		4.50+-1.50 pCi/L	Gen. Eng.
1	TOTAL RADIUM		2.50+-2.00 pCi/L	Gen. Eng.
0	TRITIUM		5.63+-0.41 pCi/mL	Gen. Eng.

WELL DCB 10

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/26/89 Time 1225
 Depth to water = 9.95 ft (3.03 m) below the TOC
 Water elevation = 113.95 ft (34.73 m) msl
 pH = 2.2 Alkalinity = 0 mg/L
 Specific conductance = 8760 umhos/cm
 Water temperature = 24.7 degrees Celsius
 Water evacuated from the well prior to sampling = 37 gal

LABORATORY ANALYSES

2	PH		2.48 pH	Gen. Eng.
0	SILVER	LT	2 ug/L	Gen. Eng.
0	ARSENIC	LT	2 ug/L	Gen. Eng.
2	BERYLLIUM		103 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
2	CADMIUM		30 ug/L	Gen. Eng.
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
2	CHROMIUM		1170 ug/L	Gen. Eng.
2	COPPER		804 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
2	FLUORIDE		4800 ug/L	Gen. Eng.
2	IRON		1360 ug/L	Gen. Eng.
0	TOLUENE	LT	1 ug/L	Gen. Eng.
0	MANGANESE	LT	2 ug/L	Gen. Eng.
2	NICKEL		5120 ug/L	Gen. Eng.
0	LEAD	LT	6 ug/L	Gen. Eng.
2	SELENIUM		6 ug/L	Gen. Eng.
2	SULFATE		11400000 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.

CONTINUED

WELL DCB 10 COLLECTED ON 08/26/89 LABORATORY ANALYSES CONTINUED

0	TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
1	TOTAL ORGANIC HALOGENS		18 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
2	ZINC		12100 ug/L	Gen. Eng.
2	GROSS ALPHA		60.00+-13.4 pCi/L	Gen. Eng.
1	NONVOLATILE BETA		39.80+-3.60 pCi/L	Gen. Eng.
2	TOTAL RADIUM		35.80+-5.60 pCi/L	Gen. Eng.
0	TRITIUM		4.87+-0.44 pCi/mL	Gen. Eng.

WELL DCB 11

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/26/89 Time 1425
 Depth to water = 10.29 ft (3.14 m) below the TOC
 Water elevation = 120.31 ft (36.67 m) msl
 pH = 5.3 Alkalinity = 1 mg/L
 Specific conductance = 3670 umhos/cm
 Water temperature = 23.1 degrees Celsius
 Water evacuated from the well prior to sampling = 21 gal
 The well went dry during purging.

LABORATORY ANALYSES

0	PH		5.68 pH	Gen. Eng.
0	PH		5.69 pH	Gen. Eng.
0	SILVER	LT	2 ug/L	Gen. Eng.
0	SILVER	LT	2 ug/L	Gen. Eng.
2	ARSENIC		39 ug/L	Gen. Eng.
2	ARSENIC		38 ug/L	Gen. Eng.
0	BERYLLIUM	LT	5 ug/L	Gen. Eng.
0	BERYLLIUM	LT	5 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	CADMIUM	LT	2 ug/L	Gen. Eng.
0	CADMIUM	LT	2 ug/L	Gen. Eng.
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHROMIUM	LT	4 ug/L	Gen. Eng.
0	CHROMIUM	LT	4 ug/L	Gen. Eng.
0	COPPER	LT	6 ug/L	Gen. Eng.
0	COPPER	LT	6 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	FLUORIDE		120 ug/L	Gen. Eng.
0	FLUORIDE		120 ug/L	Gen. Eng.
2	IRON		134000 ug/L	Gen. Eng.
2	IRON		152000 ug/L	Gen. Eng.
0	TOLUENE	LT	1 ug/L	Gen. Eng.
0	TOLUENE	LT	1 ug/L	Gen. Eng.
2	MANGANESE		5400 ug/L	Gen. Eng.
2	MANGANESE		5160 ug/L	Gen. Eng.
1	NICKEL		27 ug/L	Gen. Eng.
1	NICKEL		27 ug/L	Gen. Eng.
0	LEAD	LT	6 ug/L	Gen. Eng.
0	LEAD	LT	6 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	Gen. Eng.
2	SULFATE		3490000 ug/L	Gen. Eng.
2	SULFATE		3230000 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	Gen. Eng.
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.

CONTINUED

WELL DCB 11 COLLECTED ON 08/26/89 LABORATORY ANALYSES CONTINUED

0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0	ZINC		69 ug/L	Gen. Eng.
0	ZINC		73 ug/L	Gen. Eng.
0	GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
0	GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
2	NONVOLATILE BETA		77.70+-2.60 pCi/L	Gen. Eng.
2	NONVOLATILE BETA		70.20+-2.50 pCi/L	Gen. Eng.
0	TOTAL RADIUM	LT	1 pCi/L	Gen. Eng.
0	TOTAL RADIUM	LT	1 pCi/L	Gen. Eng.
0	TRITIUM		3.88+-0.39 pCi/mL	Gen. Eng.
0	TRITIUM		3.85+-0.39 pCi/mL	Gen. Eng.

WELL DCB 12

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/26/89 Time 835
 Depth to water = 8.25 ft (2.51 m) below the TOC
 Water elevation = 108.65 ft (33.12 m) msl
 pH = 3.8 Alkalinity = 0 mg/L
 Specific conductance = 182 umhos/cm
 Water temperature = 21.3 degrees Celsius
 Water evacuated from the well prior to sampling = 43 gal

LABORATORY ANALYSES

1	PH		3.71 pH	Gen. Eng.
0	SILVER	LT	2 ug/L	Gen. Eng.
0	ARSENIC	LT	2 ug/L	Gen. Eng.
0	BERYLLIUM	LT	5 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	CADMIUM	LT	2 ug/L	Gen. Eng.
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHROMIUM	LT	4 ug/L	Gen. Eng.
1	COPPER		52 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
1	FLUORIDE		530 ug/L	Gen. Eng.
1	IRON		277 ug/L	Gen. Eng.
0	TOLUENE	LT	1 ug/L	Gen. Eng.
2	MANGANESE		151 ug/L	Gen. Eng.
0	NICKEL	LT	4 ug/L	Gen. Eng.
0	LEAD		15 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	Gen. Eng.
2	SULFATE		365000 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
2	TETRACHLOROETHYLENE		10.0 ug/L	Gen. Eng.
2	TOTAL ORGANIC HALOGENS		57 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE		83.0 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0	ZINC		22 ug/L	Gen. Eng.
0	GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
0	NONVOLATILE BETA	LT	2 pCi/L	Gen. Eng.
1	TOTAL ACTIVITY		257+-4.86 pCi/mL HP, 735A	
0	TOTAL RADIUM	LT	1 pCi/L	Gen. Eng.
2	TRITIUM		292+-1.81 pCi/mL	Gen. Eng.
2	TRITIUM		246+-3.37 pCi/mL HP, 735A	

WELL DCB 13

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/26/89 Time 1550
 pH = 5.6 Alkalinity = 124 mg/L
 Specific conductance = 460 umhos/cm
 Water temperature = 23.1 degrees Celsius
 Water evacuated from the well prior to sampling = 1 gal
 The well went dry during purging.

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE		340.0 UMHC	Gen. Eng.
0	PH		6.10 pH	Gen. Eng.
0	SILVER	LT	2 ug/L	Gen. Eng.
2	ARSENIC		86 ug/L	Gen. Eng.
1	BARIUM		385 ug/L	Gen. Eng.
0	BERYLLIUM	LT	5 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
1	CALCIUM		30300 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	CADMIUM	LT	2 ug/L	Gen. Eng.
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
1	CHLOROFORM		3 ug/L	Gen. Eng.
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
1	CHLORIDE		13400 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHROMIUM	LT	4 ug/L	Gen. Eng.
0	COPPER		5 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	FLUORIDE		150 ug/L	Gen. Eng.
2	IRON		36100 ug/L	Gen. Eng.
0	MERCURY	LT	0.20 ug/L	Gen. Eng.
1	POTASSIUM		10600 ug/L	Gen. Eng.
0	TOLUENE	LT	1 ug/L	Gen. Eng.
1	MAGNESIUM		7490 ug/L	Gen. Eng.
2	MANGANESE		767 ug/L	Gen. Eng.
1	SODIUM		9480 ug/L	Gen. Eng.
1	NICKEL		32 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN	LT	50 ug/L	Gen. Eng.
0	LEAD	LT	6 ug/L	Gen. Eng.
0	PHENOLS	LT	5 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	Gen. Eng.
1	SILICA		19800 ug/L	Gen. Eng.
1	SULFATE		47000 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TOTAL DISSOLVED SOLIDS		262000 ug/L	Gen. Eng.
1	TOTAL ORGANIC CARBON		5000 ug/L	Gen. Eng.
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	Gen. Eng.
0	TOTAL PHOSPHATES		90 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0	ZINC		36 ug/L	Gen. Eng.
0	GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
0	NONVOLATILE BETA		9.10+-1.20 pCi/L	Gen. Eng.
0	TOTAL RADIUM		2.30+-1.30 pCi/L	Gen. Eng.
0	TRITIUM		3.19+-0.39 pCi/mL	Gen. Eng.

WELL DCB 14

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/26/89 Time 1450
 Depth to water = 19.84 ft (6.05 m) below the TOC
 Water elevation = 109.56 ft (33.39 m) msl
 pH = 4.1 Alkalinity = 0 mg/L
 Specific conductance = 7220 umhos/cm
 Water temperature = 23.5 degrees Celsius
 Water evacuated from the well prior to sampling = 54 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE		4100 UMHC	Gen. Eng.
1	PH		3.89 pH	Gen. Eng.
0	SILVER	LT	2 ug/L	Gen. Eng.
0	ARSENIC	LT	2 ug/L	Gen. Eng.
0	BARIUM		14 ug/L	Gen. Eng.
2	BERYLLIUM		53 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
1	CALCIUM		188000 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	CADMIUM	LT	2 ug/L	Gen. Eng.
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLORIDE	LT	1000 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.

CONTINUED

WELL DCB 14 COLLECTED ON 08/26/89 LABORATORY ANALYSES CONTINUED

0	CHROMIUM	LT	4 ug/L	Gen. Eng.
0	COPPER	LT	4 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
2	FLUORIDE		3200 ug/L	Gen. Eng.
2	IRON		2520 ug/L	Gen. Eng.
0	MERCURY	LT	0.20 ug/L	Gen. Eng.
1	POTASSIUM		9450 ug/L	Gen. Eng.
0	TOLUENE	LT	1 ug/L	Gen. Eng.
1	MAGNESIUM		141000 ug/L	Gen. Eng.
2	MANGANESE		26900 ug/L	Gen. Eng.
1	SODIUM		47000 ug/L	Gen. Eng.
2	NICKEL		245 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN	LT	50 ug/L	Gen. Eng.
0	LEAD	LT	6 ug/L	Gen. Eng.
0	PHENOLS	LT	5 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	Gen. Eng.
1	SILICA		11800 ug/L	Gen. Eng.
2	SULFATE		13600000 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
2	TETRACHLOROETHYLENE		5.00 ug/L	Gen. Eng.
0	TOTAL DISSOLVED SOLIDS		10000000 ug/L	Gen. Eng.
1	TOTAL ORGANIC CARBON		10000 ug/L	Gen. Eng.
2	TOTAL ORGANIC HALOGENS		27 ug/L	Gen. Eng.
0	TOTAL PHOSPHATES	LT	50 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE		5.00 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
1	ZINC		298 ug/L	Gen. Eng.
1	GROSS ALPHA		10.60+-6.30 pCi/L	Gen. Eng.
0	NONVOLATILE BETA	LT	2 pCi/L	Gen. Eng.
1	TOTAL ACTIVITY		383+-56.3 pCi/mL HP, 735A	
0	TOTAL RADIUM		2.10+-2.00 pCi/L	Gen. Eng.
0	TRITIUM	LT	0.70 pCi/mL	Gen. Eng.
2	TRITIUM		55.90+-30.6 pCi/mL HP, 735A	

WELL DCB 15

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/26/89 Time 1510
 Depth to water = 19.82 ft (6.04 m) below the TOC
 Water elevation = 107.78 ft (32.85 m) msl
 pH = 6.1 Alkalinity = 240 mg/L
 Specific conductance = 1065 umhos/cm
 Water temperature = 24.2 degrees Celsius
 Water evacuated from the well prior to sampling = 4 gal
 The well went dry during purging.

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE		68.00 UMHC	Gen. Eng.
1	PH		6.59 pH	Gen. Eng.
0	SILVER	LT	2 ug/L	Gen. Eng.
0	ARSENIC	LT	2 ug/L	Gen. Eng.
1	BARIUM		94 ug/L	Gen. Eng.
0	BERYLLIUM	LT	5 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
1	CALCIUM		135000 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	CADMIUM	LT	2 ug/L	Gen. Eng.
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLORIDE		4400 ug/L	Gen. Eng.
0	CHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	4 ug/L	Gen. Eng.
0	CHROMIUM	LT	4 ug/L	Gen. Eng.
0	COPPER	LT	4 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	FLUORIDE		120 ug/L	Gen. Eng.
2	IRON		5880 ug/L	Gen. Eng.
0	MERCURY	LT	0.20 ug/L	Gen. Eng.
1	POTASSIUM		8810 ug/L	Gen. Eng.
0	TOLUENE	LT	1 ug/L	Gen. Eng.
1	MAGNESIUM		17300 ug/L	Gen. Eng.
2	MANGANESE		487 ug/L	Gen. Eng.
1	SODIUM		10400 ug/L	Gen. Eng.
0	NICKEL	LT	4 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN	LT	50 ug/L	Gen. Eng.
0	LEAD	LT	6 ug/L	Gen. Eng.
0	PHENOLS	LT	5 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	Gen. Eng.
1	SILICA		6800 ug/L	Gen. Eng.
2	SULFATE		168000 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TOTAL DISSOLVED SOLIDS		514000 ug/L	Gen. Eng.
1	TOTAL ORGANIC CARBON		11000 ug/L	Gen. Eng.
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	Gen. Eng.

CONTINUED

WELL DCB 15 COLLECTED ON 08/26/89 LABORATORY ANALYSES CONTINUED

0	TOTAL PHOSPHATES		120 ug/L	Gen. Eng.
1	TRICHLOROETHYLENE		1.00 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
1	1,1,1-TRICHLOROETHANE		1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0	ZINC		215 ug/L	Gen. Eng.
0	GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
0	NONVOLATILE BETA		6.20+-2.00 pCi/L	Gen. Eng.
0	TOTAL RADIUM	LT	1 pCi/L	Gen. Eng.
0	TRITIUM		5.75+-0.42 pCi/mL	Gen. Eng.

WELL DCB 16

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/26/89 Time 1530
 Depth to water = 18.05 ft (5.50 m) below the TOC
 Water elevation = 109.85 ft (33.48 m) msl
 pH = 6.5 Alkalinity = 349 mg/L
 Specific conductance = 924 umhos/cm
 Water temperature = 24.5 degrees Celsius
 Water evacuated from the well prior to sampling = 4 gal
 The well went dry during purging.

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE		79.00 UMHC	Gen. Eng.
1	PH		6.88 pH	Gen. Eng.
0	SILVER	LT	2 ug/L	Gen. Eng.
0	ARSENIC	LT	2 ug/L	Gen. Eng.
1	BARIUM		85 ug/L	Gen. Eng.
0	BERYLLIUM	LT	5 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
1	CALCIUM		156000 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	CADMIUM	LT	2 ug/L	Gen. Eng.
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
1	CHLORIDE		12800 ug/L	Gen. Eng.
0	CHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	CHROMIUM	LT	4 ug/L	Gen. Eng.
0	COPPER	LT	4 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	FLUORIDE		150 ug/L	Gen. Eng.
2	IRON		10300 ug/L	Gen. Eng.
0	MERCURY	LT	0.20 ug/L	Gen. Eng.
1	POTASSIUM		11600 ug/L	Gen. Eng.
1	TOLUENE		1 ug/L	Gen. Eng.
1	MAGNESIUM		13500 ug/L	Gen. Eng.
2	MANGANESE		230 ug/L	Gen. Eng.
1	SODIUM		33500 ug/L	Gen. Eng.
0	NICKEL	LT	4 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN	LT	50 ug/L	Gen. Eng.
0	LEAD	LT	6 ug/L	Gen. Eng.
0	PHENOLS	LT	5 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	Gen. Eng.
1	SILICA		2730 ug/L	Gen. Eng.
2	SULFATE		195000 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TOTAL DISSOLVED SOLIDS		576000 ug/L	Gen. Eng.
1	TOTAL ORGANIC CARBON		14000 ug/L	Gen. Eng.
1	TOTAL ORGANIC HALOGENS		19 ug/L	Gen. Eng.
0	TOTAL PHOSPHATES		140 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
1	1,1,1-TRICHLOROETHANE		10 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0	ZINC		8 ug/L	Gen. Eng.
0	GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
1	NONVOLATILE BETA		11.80+-2.60 pCi/L	Gen. Eng.
0	TOTAL RADIUM		1.00+-1.70 pCi/L	Gen. Eng.
0	TRITIUM		2.21+-0.36 pCi/mL	Gen. Eng.

WELL DOB 1

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/27/89 Time 820
 Depth to water = 12.06 ft (3.68 m) below the TOC
 Water elevation = 139.64 ft (42.56 m) msl
 pH = 5.2 Alkalinity = 3 mg/L
 Specific conductance = 122 umhos/cm
 Water temperature = 20.9 degrees Celsius
 Water evacuated from the well prior to sampling = 65 gal

LABORATORY ANALYSES

0	BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0	BROMOFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	5 ug/L	metaTRACE
0	METHYLENE CHLORIDE	LT	5 ug/L	metaTRACE
0	BROMOMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROBENZENE	LT	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0	CHLOROETHANE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0	ETHYLBENZENE	LT	5 ug/L	metaTRACE
2	IRON		571 ug/L	metaTRACE
0	TOLUENE	LT	5 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
2	TETRACHLOROETHYLENE		24.0 ug/L	metaTRACE
2	TOTAL ORGANIC HALOGENS		41 ug/L	metaTRACE
2	TRICHLOROETHYLENE		12.0 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE

WELL DOB 2

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/27/89 Time 845
 Depth to water = 12.98 ft (3.96 m) below the TOC
 Water elevation = 139.22 ft (42.43 m) msl
 pH = 5.2 Alkalinity = 3 mg/L
 Specific conductance = 79 umhos/cm
 Water temperature = 20.5 degrees Celsius
 Water evacuated from the well prior to sampling = 62 gal

LABORATORY ANALYSES

0	BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0	BROMOFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	5 ug/L	metaTRACE
0	METHYLENE CHLORIDE	LT	5 ug/L	metaTRACE
0	BROMOMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROBENZENE	LT	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0	CHLOROETHANE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0	ETHYLBENZENE	LT	5 ug/L	metaTRACE
2	IRON		3016 ug/L	metaTRACE
0	TOLUENE	LT	5 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
2	TETRACHLOROETHYLENE		16.0 ug/L	metaTRACE
2	TOTAL ORGANIC HALOGENS		572 ug/L	metaTRACE
2	TOTAL ORGANIC HALOGENS		572 ug/L	metaTRACE
2	TRICHLOROETHYLENE		370 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE

WELL DOB 3

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/27/89 Time 910
 Depth to water = 13.46 ft (4.10 m) below the TOC
 Water elevation = 139.34 ft (42.47 m) msl
 pH = 5.2 Alkalinity = 2 mg/L
 Specific conductance = 34 umhos/cm
 Water temperature = 21.8 degrees Celsius
 Water evacuated from the well prior to sampling = 61 gal

LABORATORY ANALYSES

0	BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0	BROMOFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	5 ug/L	metaTRACE
0	METHYLENE CHLORIDE	LT	5 ug/L	metaTRACE
0	BROMOMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROBENZENE	LT	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0	CHLOROETHANE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0	ETHYLBENZENE	LT	5 ug/L	metaTRACE
0	IRON		62 ug/L	metaTRACE
0	TOLUENE	LT	5 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	metaTRACE
0	TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE

WELL DOB 4

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/27/89 Time 800
 Depth to water = 13.99 ft (4.26 m) below the TOC
 Water elevation = 139.01 ft (42.37 m) msl
 pH = 5.0 Alkalinity = 0 mg/L
 Specific conductance = 44 umhos/cm
 Water temperature = 20.8 degrees Celsius
 Water evacuated from the well prior to sampling = 78 gal

LABORATORY ANALYSES

0	BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0	BROMOFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	5 ug/L	metaTRACE
0	METHYLENE CHLORIDE	LT	5 ug/L	metaTRACE
0	BROMOMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROBENZENE	LT	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0	CHLOROETHANE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0	ETHYLBENZENE	LT	5 ug/L	metaTRACE
2	IRON		521 ug/L	metaTRACE
2	IRON		467 ug/L	metaTRACE
0	TOLUENE	LT	5 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	metaTRACE
0	TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE

WELL F 2

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/24/89 Time 830
The well was dry.

WELL F 9

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/24/89 Time 900
The well was dry.

WELL F 10

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/24/89 Time 915
Depth to water = 11.00 ft (3.35 m) below the TOC
Water elevation = 269.10 ft (82.02 m) msl
pH = 7.3
Specific conductance = 600 umhos/cm
Water temperature = 25.4 degrees Celsius
No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

2	GROSS ALPHA	658+-187	pCi/L	HP, 735A
2	NONVOLATILE BETA	3434+-354	pCi/L	HP, 735A
2	STRONTIUM-89/90	16.41+-6.09	pCi/L	HP, 735A
2	STRONTIUM-89/90	13.30+-9.35	pCi/L	HP, 735A
2	TRITIUM	1257+-98.6	pCi/mL	HP, 735A

WELL F 14

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/24/89 Time 935
The well was dry.

WELL F 15

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/24/89 Time 905
Depth to water = 46.30 ft (14.11 m) below the TOC
Water elevation = 207.20 ft (63.16 m) msl
pH = 4.0
Specific conductance = 190 umhos/cm
Water temperature = 19.7 degrees Celsius
No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

2	GROSS ALPHA	35.77+-6.21	pCi/L	HP, 735A
2	NONVOLATILE BETA	78.54+-9.82	pCi/L	HP, 735A
2	TRITIUM	1102+-23.3	pCi/mL	HP, 735A
2	TRITIUM	1265+-8.01	pCi/mL	HP, 735A

WELL F 16

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/24/89 Time 940
The well was dry.

WELL F 17

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/24/89 Time 925
Depth to water = 38.20 ft (11.03 m) below the TOC
Water elevation = 203.60 ft (62.06 m) msl
pH = 6.8
Specific conductance = 82 umhos/cm
Water temperature = 21.4 degrees Celsius
No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

0	GROSS ALPHA	4.23+-1.45	pCi/L	HP, 735A
2	NONVOLATILE BETA	152+-19.4	pCi/L	HP, 735A
2	NONVOLATILE BETA	126+-18.2	pCi/L	HP, 735A
2	TRITIUM	516+-16.5	pCi/mL	HP, 735A

WELL F 18A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/24/89 Time 950
Depth to water = 30.60 ft (9.33 m) below the TOC
Water elevation = 202.80 ft (61.81 m) msl
pH = 3.8
Specific conductance = 1868 umhos/cm
Water temperature = 21.8 degrees Celsius
No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

2	GROSS ALPHA	344+-57	pCi/L	HP, 735A
2	NONVOLATILE BETA	882+-64.8	pCi/L	HP, 735A
2	NONVOLATILE BETA	964+-71.4	pCi/L	HP, 735A
2	TRITIUM	24348+-336	pCi/mL	HP, 735A
2	TRITIUM	26051+-36.2	pCi/mL	HP, 735A

WELL F 19

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/24/89 Time 945
The well was dry.

WELL F 24

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/24/89 Time 1000
Depth to water = 62.00 ft (18.90 m) below the TOC
Water elevation = 229.00 ft (69.80 m) msl
pH = 5.5
Specific conductance = 24 umhos/cm
Water temperature = 20.8 degrees Celsius
No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

0	GROSS ALPHA	0.18+-0.31	pCi/L	HP, 735A
0	NONVOLATILE BETA	1.81+-0.97	pCi/L	HP, 735A
1	TRITIUM	17.10+-1.07	pCi/mL	HP, 735A

WELL F 25

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/24/89 Time 845
Depth to water = 50.20 ft (15.30 m) below the TOC
Water elevation = 210.70 ft (64.22 m) msl
pH = 6.2
Specific conductance = 72 umhos/cm
Water temperature = 20.0 degrees Celsius
No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

1	GROSS ALPHA	7+-0.93	pCi/L	HP, 735A
1	NONVOLATILE BETA	86+-3.38	pCi/L	HP, 735A
1	NONVOLATILE BETA	16.14+-3.79	pCi/L	HP, 735A
1	TRITIUM	10.70+-0.92	pCi/mL	HP, 735A

WELL FAC 3

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/08/89 Time 1005
Depth to water = 84.35 ft (25.71 m) below the TOC
Water elevation = 227.45 ft (69.33 m) msl
pH = 9.0 Alkalinity = 20 mg/L
Specific conductance = 184 umhos/cm
Water temperature = 21.8 degrees Celsius
Water evacuated from the well prior to sampling = 1 gal
The well went dry during purging.

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	210.0 UMMC	Gen. Eng.
2	PH	8.83 pH	Gen. Eng.
0	TURBIDITY	1160 NTU	Gen. Eng.
0	SILVER	LT 2 ug/L	Gen. Eng.
1	ARSENIC	2 ug/L	Gen. Eng.
0	BARIUM	24 ug/L	Gen. Eng.
1	CALCIUM	25100 ug/L	Gen. Eng.
0	CADMIUM	LT 2 ug/L	Gen. Eng.
1	CHLORIDE	22000 ug/L	Gen. Eng.
1	CHROMIUM	13 ug/L	Gen. Eng.
0	FLUORIDE	LT 100 ug/L	Gen. Eng.
0	IRON	61 ug/L	Gen. Eng.
2	MERCURY	1.10 ug/L	Gen. Eng.
0	POTASSIUM	4110 ug/L	Gen. Eng.
0	MAGNESIUM	1130 ug/L	Gen. Eng.
0	MANGANESE	10 ug/L	Gen. Eng.
1	SODIUM	7430 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN	340 ug/L	Gen. Eng.
0	LEAD	LT 6 ug/L	Gen. Eng.

CONTINUED

WELL FAC 3 COLLECTED ON 08/06/89 LABORATORY ANALYSES CONTINUED

0	PHENOLS	LT	5 ug/L	Gen. Eng.
1	SELENIUM		2 ug/L	Gen. Eng.
1	SILICA		11500 ug/L	Gen. Eng.
1	SULFATE		61000 ug/L	Gen. Eng.
0	TOTAL DISSOLVED SOLIDS		141000 ug/L	Gen. Eng.
0	TOTAL ORGANIC CARBON		2000 ug/L	Gen. Eng.
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	Gen. Eng.
1	TOTAL PHOSPHORUS		800 ug/L	Gen. Eng.
0	TRITIUM		2.18+-0.38 pCi/mL	Gen. Eng.

WELL FAC 4

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/06/89 Time 1410
 Depth to water = 83.38 ft (25.41 m) below the TOC
 Water elevation = 226.52 ft (69.04 m) msl
 pH = 5.0 Alkalinity = 4 mg/L
 Specific conductance = 119 umhos/cm
 Water temperature = 22.8 degrees Celsius
 Water evacuated from the well prior to sampling = 49 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE		110.0 UMHG	Gen. Eng.
1	SPECIFIC CONDUCTANCE		115.0 UMHG	metaTRACE
0	PH		5.17 pH	Gen. Eng.
0	PH		4.17 pH	metaTRACE
0	TURBIDITY		5 NTU	Gen. Eng.
0	TURBIDITY		4 NTU	metaTRACE
0	SILVER	LT	2 ug/L	Gen. Eng.
0	SILVER	LT	2 ug/L	metaTRACE
0	ARSENIC	LT	2 ug/L	Gen. Eng.
0	ARSENIC	LT	3 ug/L	metaTRACE
0	BARIUM		44 ug/L	Gen. Eng.
0	BARIUM		41 ug/L	metaTRACE
0	CALCIUM		7810 ug/L	Gen. Eng.
0	CALCIUM		4346 ug/L	metaTRACE
0	CADMIUM	LT	2 ug/L	Gen. Eng.
0	CADMIUM	LT	4 ug/L	metaTRACE
0	CHLORIDE		2000 ug/L	Gen. Eng.
0	CHLORIDE		2000 ug/L	metaTRACE
0	CHROMIUM	LT	4 ug/L	Gen. Eng.
0	CHROMIUM	LT	5 ug/L	metaTRACE
0	ENDRIN	LT	0.10 ug/L	Gen. Eng.
0	ENDRIN	LT	0.006 ug/L	metaTRACE
0	FLUORIDE	LT	100 ug/L	Gen. Eng.
0	FLUORIDE	LT	250 ug/L	metaTRACE
0	IRON		83 ug/L	Gen. Eng.
0	IRON		69 ug/L	metaTRACE
1	MERCURY		0.40 ug/L	Gen. Eng.
0	MERCURY	LT	0.20 ug/L	metaTRACE
0	POTASSIUM		3030 ug/L	Gen. Eng.
0	POTASSIUM		3931 ug/L	metaTRACE
0	LINDANE	LT	0.05 ug/L	Gen. Eng.
0	LINDANE	LT	0.005 ug/L	metaTRACE
0	METHOXYCHLOR	LT	0.50 ug/L	Gen. Eng.
0	METHOXYCHLOR	LT	0.50 ug/L	metaTRACE
0	MAGNESIUM		3460 ug/L	Gen. Eng.
0	MAGNESIUM		3106 ug/L	metaTRACE
2	MANGANESE		339 ug/L	Gen. Eng.
2	MANGANESE		327 ug/L	metaTRACE
0	SODIUM		4010 ug/L	Gen. Eng.
0	SODIUM		4346 ug/L	metaTRACE
0	NITRATE AS NITROGEN		310 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN		410 ug/L	metaTRACE
0	LEAD	LT	6 ug/L	Gen. Eng.
0	LEAD	LT	6 ug/L	metaTRACE
0	PHENOLS	LT	5 ug/L	Gen. Eng.
0	PHENOLS	LT	5 ug/L	metaTRACE
0	SELENIUM	LT	2 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	metaTRACE
1	SILICON		3826 ug/L	metaTRACE
1	SILICA		9280 ug/L	Gen. Eng.
0	SILVEX	LT	0.07 ug/L	metaTRACE
1	SULFATE		43600 ug/L	Gen. Eng.
1	SULFATE		42800 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS		70000 ug/L	Gen. Eng.
0	TOTAL DISSOLVED SOLIDS		94000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON		1000 ug/L	Gen. Eng.
0	TOTAL ORGANIC CARBON		1100 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS		9 ug/L	Gen. Eng.
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	metaTRACE
0	TOTAL PHOSPHORUS	LT	50 ug/L	Gen. Eng.
0	TOTAL PHOSPHATES	LT	10 ug/L	metaTRACE
0	TOXAPHENE	LT	1 ug/L	Gen. Eng.
0	TOXAPHENE	LT	0.24 ug/L	metaTRACE
0	2,4-DICHLOROPHENOXYACETIC ACID	LT	0.30 ug/L	Gen. Eng.
0	2,4-DICHLOROPHENOXYACETIC ACID	LT	0.46 ug/L	metaTRACE
0	2,4,5-TRICHLOROPHENOXYACETIC ACID	LT	0.09 ug/L	Gen. Eng.
2	GROSS ALPHA		16.30+-3.60 pCi/L	Gen. Eng.
2	GROSS ALPHA		24.00+-6.00 pCi/L	metaTRACE
1	NONVOLATILE BETA		12.70+-3.40 pCi/L	Gen. Eng.
1	NONVOLATILE BETA		14.00+-4.00 pCi/L	metaTRACE
2	TOTAL RADIUM		19.20+-4.60 pCi/L	Gen. Eng.
2	TOTAL RADIUM		17.00+-2.00 pCi/L	metaTRACE
0	TRITIUM		1.68+-0.35 pCi/mL	Gen. Eng.
0	TRITIUM		1.20+-0.20 pCi/mL	metaTRACE

WELL FAC 4

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/06/89 Time 1410
 Depth to water = 83.38 ft (25.41 m) below the TOC
 Water elevation = 226.52 ft (69.04 m) msl
 pH = 5.0 Alkalinity = 4 mg/L
 Specific conductance = 119 umhos/cm
 Water temperature = 22.8 degrees Celsius
 Water evacuated from the well prior to sampling = 49 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE		110.0 UMHG	Gen. Eng.
1	SPECIFIC CONDUCTANCE		115.0 UMHG	metaTRACE
0	PH		5.17 pH	Gen. Eng.
0	PH		4.25 pH	metaTRACE
0	TURBIDITY		5 NTU	Gen. Eng.
0	TURBIDITY		4 NTU	metaTRACE
0	SILVER	LT	2 ug/L	Gen. Eng.
0	SILVER	LT	2 ug/L	metaTRACE
0	ARSENIC	LT	2 ug/L	Gen. Eng.
0	ARSENIC	LT	3 ug/L	metaTRACE
0	BARIUM		44 ug/L	Gen. Eng.
0	BARIUM		38 ug/L	metaTRACE
0	CALCIUM		6530 ug/L	Gen. Eng.
0	CALCIUM		6870 ug/L	metaTRACE
0	CADMIUM	LT	2 ug/L	Gen. Eng.
0	CADMIUM	LT	4 ug/L	metaTRACE
0	CHLORIDE		2000 ug/L	Gen. Eng.
0	CHLORIDE		2000 ug/L	metaTRACE
0	CHROMIUM	LT	4 ug/L	Gen. Eng.
0	CHROMIUM	LT	5 ug/L	metaTRACE
0	ENDRIN	LT	0.10 ug/L	Gen. Eng.
0	ENDRIN	LT	0.006 ug/L	metaTRACE
0	FLUORIDE	LT	100 ug/L	Gen. Eng.
0	FLUORIDE	LT	250 ug/L	metaTRACE
0	IRON		83 ug/L	Gen. Eng.
0	IRON		60 ug/L	metaTRACE
0	MERCURY		0.30 ug/L	Gen. Eng.
0	MERCURY	LT	0.20 ug/L	metaTRACE
0	POTASSIUM		3110 ug/L	Gen. Eng.
0	POTASSIUM		3822 ug/L	metaTRACE
0	LINDANE	LT	0.05 ug/L	Gen. Eng.
0	LINDANE	LT	0.005 ug/L	metaTRACE
0	METHOXYCHLOR	LT	0.50 ug/L	Gen. Eng.
0	METHOXYCHLOR	LT	0.50 ug/L	metaTRACE
0	MAGNESIUM		3360 ug/L	Gen. Eng.
0	MAGNESIUM		2873 ug/L	metaTRACE
2	MANGANESE		333 ug/L	Gen. Eng.
2	MANGANESE		299 ug/L	metaTRACE
0	SODIUM		3730 ug/L	Gen. Eng.
0	SODIUM		4034 ug/L	metaTRACE
0	NITRATE AS NITROGEN		300 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN		380 ug/L	metaTRACE
0	LEAD	LT	6 ug/L	Gen. Eng.
0	LEAD	LT	3 ug/L	metaTRACE
0	PHENOLS	LT	5 ug/L	Gen. Eng.
0	PHENOLS	LT	5 ug/L	metaTRACE
0	SELENIUM	LT	2 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	metaTRACE
1	SILICON		3573 ug/L	metaTRACE
1	SILICA		8850 ug/L	Gen. Eng.
0	SILVEX	LT	0.07 ug/L	metaTRACE
1	SULFATE		42000 ug/L	Gen. Eng.
1	SULFATE		42800 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS		73000 ug/L	Gen. Eng.
0	TOTAL DISSOLVED SOLIDS		67000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON		1000 ug/L	Gen. Eng.
0	TOTAL ORGANIC CARBON		2700 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON		2700 ug/L	metaTRACE
2	TOTAL ORGANIC HALOGENS		48 ug/L	Gen. Eng.
0	TOTAL ORGANIC HALOGENS		6 ug/L	metaTRACE
0	TOTAL PHOSPHORUS	LT	50 ug/L	Gen. Eng.
0	TOTAL PHOSPHATES	LT	10 ug/L	metaTRACE
0	TOXAPHENE	LT	1 ug/L	Gen. Eng.
0	TOXAPHENE	LT	0.24 ug/L	metaTRACE
0	2,4-DICHLOROPHENOXYACETIC ACID	LT	0.30 ug/L	Gen. Eng.
0	2,4-DICHLOROPHENOXYACETIC ACID	LT	0.46 ug/L	metaTRACE
0	2,4,5-TRICHLOROPHENOXYACETIC ACID	LT	0.09 ug/L	Gen. Eng.
1	GROSS ALPHA		11.60+-3.10 pCi/L	Gen. Eng.
2	GROSS ALPHA		18.00+-5.00 pCi/L	metaTRACE
0	NONVOLATILE BETA		8.20+-3.00 pCi/L	Gen. Eng.
0	NONVOLATILE BETA		9.90+-3.60 pCi/L	metaTRACE
2	TOTAL RADIUM		16.80+-4.30 pCi/L	Gen. Eng.
2	TOTAL RADIUM		16.00+-2.00 pCi/L	metaTRACE
0	TRITIUM		1.32+-0.35 pCi/mL	Gen. Eng.
0	TRITIUM		1.30+-0.20 pCi/mL	metaTRACE

WELL FAC 5

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/08/89 Time 1050
 Depth to water = 94.17 ft (28.70 m) below the TOC
 Water elevation = 221.63 ft (67.53 m) msl
 pH = 6.0 Alkalinity = 7 mg/L
 Specific conductance = 106 umhos/cm
 Water temperature = 21.6 degrees Celsius
 Water evacuated from the well prior to sampling = 8 gal
 The well went dry during purging.

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE	98.00 UMMC	Gen. Eng.
0	SPECIFIC CONDUCTANCE	98.00 UMMC	Gen. Eng.
0	PH	5.84 pH	Gen. Eng.
0	PH	5.84 pH	Gen. Eng.
0	TURBIDITY	181 NTU	Gen. Eng.
0	TURBIDITY	187 NTU	Gen. Eng.
0	SILVER	2 ug/L	Gen. Eng.
0	SILVER	2 ug/L	Gen. Eng.
0	ARSENIC	2 ug/L	Gen. Eng.
0	ARSENIC	2 ug/L	Gen. Eng.
0	BARIIUM	11 ug/L	Gen. Eng.
0	BARIIUM	10 ug/L	Gen. Eng.
0	CALCIUM	4570 ug/L	Gen. Eng.
0	CALCIUM	4510 ug/L	Gen. Eng.
0	CADMIUM	2 ug/L	Gen. Eng.
0	CADMIUM	2 ug/L	Gen. Eng.
0	CHLORIDE	2400 ug/L	Gen. Eng.
0	CHLORIDE	2400 ug/L	Gen. Eng.
0	CHROMIUM	4 ug/L	Gen. Eng.
0	CHROMIUM	4 ug/L	Gen. Eng.
0	ENDRIN	0.10 ug/L	Gen. Eng.
0	ENDRIN	0.10 ug/L	Gen. Eng.
0	FLUORIDE	100 ug/L	Gen. Eng.
0	FLUORIDE	100 ug/L	Gen. Eng.
0	IRON	30 ug/L	Gen. Eng.
0	IRON	32 ug/L	Gen. Eng.
0	MERCURY	0.30 ug/L	Gen. Eng.
0	MERCURY	0.30 ug/L	Gen. Eng.
1	POTASSIUM	5830 ug/L	Gen. Eng.
1	POTASSIUM	5800 ug/L	Gen. Eng.
0	LINDANE	0.05 ug/L	Gen. Eng.
0	METHOXYCHLOR	0.50 ug/L	Gen. Eng.
0	METHOXYCHLOR	0.50 ug/L	Gen. Eng.
0	MAGNESIUM	2570 ug/L	Gen. Eng.
0	MAGNESIUM	2520 ug/L	Gen. Eng.
2	MANGANESE	89 ug/L	Gen. Eng.
2	MANGANESE	86 ug/L	Gen. Eng.
0	SODIUM	3530 ug/L	Gen. Eng.
0	SODIUM	3370 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN	50 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN	50 ug/L	Gen. Eng.
0	LEAD	6 ug/L	Gen. Eng.
0	LEAD	6 ug/L	Gen. Eng.
0	PHENOLS	5 ug/L	Gen. Eng.
0	PHENOLS	5 ug/L	Gen. Eng.
0	SELENIUM	2 ug/L	Gen. Eng.
0	SELENIUM	2 ug/L	Gen. Eng.
1	SILICA	7330 ug/L	Gen. Eng.
1	SILICA	7120 ug/L	Gen. Eng.
1	SULFATE	28000 ug/L	Gen. Eng.
1	SULFATE	27000 ug/L	Gen. Eng.
0	TOTAL DISSOLVED SOLIDS	55000 ug/L	Gen. Eng.
0	TOTAL DISSOLVED SOLIDS	58000 ug/L	Gen. Eng.
1	TOTAL ORGANIC CARBON	6000 ug/L	Gen. Eng.
1	TOTAL ORGANIC CARBON	6000 ug/L	Gen. Eng.
0	TOTAL ORGANIC HALOGENS	5 ug/L	Gen. Eng.
0	TOTAL ORGANIC HALOGENS	6 ug/L	Gen. Eng.
1	TOTAL PHOSPHORUS	300 ug/L	Gen. Eng.
1	TOTAL PHOSPHORUS	300 ug/L	Gen. Eng.
0	TOXAPHENE	1 ug/L	Gen. Eng.
0	TOXAPHENE	1 ug/L	Gen. Eng.
0	2,4-DICHLOROPHENOXYACETIC ACID	0.30 ug/L	Gen. Eng.
0	2,4-DICHLOROPHENOXYACETIC ACID	0.30 ug/L	Gen. Eng.
0	2,4,5-TRICHLOROPHENOXYACETIC ACID	0.09 ug/L	Gen. Eng.
0	2,4,5-TRICHLOROPHENOXYACETIC ACID	0.09 ug/L	Gen. Eng.
1	GROSS ALPHA	8.18+-1.10 pCi/L	Gen. Eng.
1	GROSS ALPHA	9.28+-1.20 pCi/L	Gen. Eng.
1	NONVOLATILE BETA	17.90+-1.50 pCi/L	Gen. Eng.
1	NONVOLATILE BETA	17.50+-1.50 pCi/L	Gen. Eng.
2	TOTAL RADIUM	9.65+-3.20 pCi/L	Gen. Eng.
2	TOTAL RADIUM	8.85+-2.90 pCi/L	Gen. Eng.
0	TRITIUM	0.89+-0.34 pCi/mL	Gen. Eng.
0	TRITIUM	1.10+-0.34 pCi/mL	Gen. Eng.

WELL FAC 6

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/08/89 Time 1305
 Depth to water = 95.53 ft (29.12 m) below the TOC
 Water elevation = 216.97 ft (66.13 m) msl
 pH = 6.5 Alkalinity = 32 mg/L
 Specific conductance = 88 umhos/cm
 Water temperature = 22.2 degrees Celsius
 Water evacuated from the well prior to sampling = 3 gal
 The well went dry during purging.

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	120.0 UMMC	Gen. Eng.
1	PH	6.82 pH	Gen. Eng.
0	TURBIDITY	85 NTU	Gen. Eng.
0	SILVER	2 ug/L	Gen. Eng.
0	CONTINUED		

WELL FAC 6 COLLECTED ON 08/08/89 LABORATORY ANALYSES CONTINUED

0	ARSENIC	2 ug/L	Gen. Eng.
0	BARIIUM	8 ug/L	Gen. Eng.
0	CALCIUM	6180 ug/L	Gen. Eng.
0	CADMIUM	2 ug/L	Gen. Eng.
0	CHLORIDE	2900 ug/L	Gen. Eng.
0	CHROMIUM	4 ug/L	Gen. Eng.
0	FLUORIDE	100 ug/L	Gen. Eng.
0	IRON	44 ug/L	Gen. Eng.
0	MERCURY	0.20 ug/L	Gen. Eng.
0	POTASSIUM	3730 ug/L	Gen. Eng.
0	MAGNESIUM	167 ug/L	Gen. Eng.
0	MANGANESE	22 ug/L	Gen. Eng.
1	SODIUM	14000 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN	380 ug/L	Gen. Eng.
0	LEAD	6 ug/L	Gen. Eng.
0	PHENOLS	5 ug/L	Gen. Eng.
0	SELENIUM	2 ug/L	Gen. Eng.
1	SILICA	10500 ug/L	Gen. Eng.
0	SULFATE	5000 ug/L	Gen. Eng.
0	TOTAL DISSOLVED SOLIDS	76000 ug/L	Gen. Eng.
0	TOTAL ORGANIC CARBON	1000 ug/L	Gen. Eng.
0	TOTAL ORGANIC HALOGENS	5 ug/L	Gen. Eng.
1	TOTAL PHOSPHORUS	100 ug/L	Gen. Eng.
0	GROSS ALPHA	3 pCi/L	Gen. Eng.
0	NONVOLATILE BETA	8.40+-1.50 pCi/L	Gen. Eng.
0	TOTAL RADIUM	1.11+-1.60 pCi/L	Gen. Eng.
0	TRITIUM	1.72+-0.35 pCi/mL	Gen. Eng.

WELL FAC 7

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/08/89 Time 1240
 Depth to water = 95.26 ft (29.04 m) below the TOC
 Water elevation = 216.74 ft (66.06 m) msl
 pH = 6.5 Alkalinity = 20 mg/L
 Specific conductance = 79 umhos/cm
 Water temperature = 22.9 degrees Celsius
 Water evacuated from the well prior to sampling = 3 gal
 The well went dry during purging.

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE	96.00 UMMC	Gen. Eng.
1	PH	6.71 pH	Gen. Eng.
0	TURBIDITY	49 NTU	Gen. Eng.
0	SILVER	2 ug/L	Gen. Eng.
0	ARSENIC	2 ug/L	Gen. Eng.
0	BARIIUM	13 ug/L	Gen. Eng.
1	CALCIUM	14000 ug/L	Gen. Eng.
0	CADMIUM	2 ug/L	Gen. Eng.
0	CHLORIDE	3200 ug/L	Gen. Eng.
1	CHROMIUM	6 ug/L	Gen. Eng.
0	ENDRIN	0.10 ug/L	Gen. Eng.
0	FLUORIDE	100 ug/L	Gen. Eng.
0	IRON	96 ug/L	Gen. Eng.
2	MERCURY	1.30 ug/L	Gen. Eng.
0	POTASSIUM	3890 ug/L	Gen. Eng.
0	LINDANE	0.05 ug/L	Gen. Eng.
0	METHOXYCHLOR	0.50 ug/L	Gen. Eng.
0	MAGNESIUM	457 ug/L	Gen. Eng.
0	MANGANESE	20 ug/L	Gen. Eng.
1	SODIUM	9200 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN	180 ug/L	Gen. Eng.
0	LEAD	8 ug/L	Gen. Eng.
0	PHENOLS	5 ug/L	Gen. Eng.
0	SELENIUM	2 ug/L	Gen. Eng.
1	SILICA	12100 ug/L	Gen. Eng.
0	SULFATE	6000 ug/L	Gen. Eng.
0	TOTAL DISSOLVED SOLIDS	53000 ug/L	Gen. Eng.
0	TOTAL ORGANIC CARBON	1000 ug/L	Gen. Eng.
1	TOTAL ORGANIC HALOGENS	12 ug/L	Gen. Eng.
1	TOTAL PHOSPHORUS	140 ug/L	Gen. Eng.
0	TOXAPHENE	1 ug/L	Gen. Eng.
0	2,4-DICHLOROPHENOXYACETIC ACID	0.30 ug/L	Gen. Eng.
0	2,4,5-TRICHLOROPHENOXYACETIC ACID	0.09 ug/L	Gen. Eng.
0	GROSS ALPHA	3 pCi/L	Gen. Eng.
1	NONVOLATILE BETA	11.10+-3.00 pCi/L	Gen. Eng.
0	TOTAL RADIUM	1.27+-2.20 pCi/L	Gen. Eng.
0	TRITIUM	1.32+-0.35 pCi/mL	Gen. Eng.

WELL FAC 8

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/08/89 Time 1140
 Depth to water = 89.10 ft (27.16 m) below the TOC
 Water elevation = 221.90 ft (67.64 m) msl
 pH = 8.4 Alkalinity = 33 mg/L
 Specific conductance = 124 umhos/cm
 Water temperature = 21.4 degrees Celsius
 Water evacuated from the well prior to sampling = 9 gal
 The well went dry during purging.

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	140.0 UMMC	Gen. Eng.
1	PH	6.55 pH	Gen. Eng.
0	TURBIDITY	407 NTU	Gen. Eng.
0	SILVER	2 ug/L	Gen. Eng.
0	ARSENIC	2 ug/L	Gen. Eng.
0	BARIIUM	39 ug/L	Gen. Eng.
1	CALCIUM	14200 ug/L	Gen. Eng.
0	CADMIUM	2 ug/L	Gen. Eng.
0	CHLORIDE	3100 ug/L	Gen. Eng.
0	CONTINUED		

WELL FAC 8 COLLECTED ON 08/08/89 LABORATORY ANALYSES CONTINUED

0	CHROMIUM	LT	4 ug/L	Gen. Eng.
0	CHLORIDE	LT	0.10 ug/L	Gen. Eng.
0	FLUORIDE	LT	100 ug/L	Gen. Eng.
0	IRON	LT	65 ug/L	Gen. Eng.
0	MERCURY	LT	0.20 ug/L	Gen. Eng.
0	POTASSIUM	LT	1930 ug/L	Gen. Eng.
0	LITHIUM	LT	0.05 ug/L	Gen. Eng.
0	METHOXYCHLOR	LT	0.50 ug/L	Gen. Eng.
0	MAGNESIUM	LT	984 ug/L	Gen. Eng.
2	MANGANESE	LT	52 ug/L	Gen. Eng.
0	SODIUM	LT	4760 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN	LT	130 ug/L	Gen. Eng.
0	LEAD	LT	6 ug/L	Gen. Eng.
0	PHENOLS	LT	5 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	Gen. Eng.
1	SILICA	LT	11400 ug/L	Gen. Eng.
0	SULFATE	LT	5000 ug/L	Gen. Eng.
0	TOTAL DISSOLVED SOLIDS	LT	86000 ug/L	Gen. Eng.
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	Gen. Eng.
0	TOTAL ORGANIC HALOGENS	LT	9 ug/L	Gen. Eng.
1	TOTAL PHOSPHORUS	LT	320 ug/L	Gen. Eng.
0	TOXAPHENE	LT	1 ug/L	Gen. Eng.
0	2,4-DICHLOROPHENOXYACETIC ACID	LT	0.30 ug/L	Gen. Eng.
0	2,4,5-TRICHLOROPHENOXYACETIC ACID	LT	0.09 ug/L	Gen. Eng.
0	CROSS ALPHA	LT	3 pCi/L	Gen. Eng.
1	NONVOLATILE BETA	LT	12.40+-2.70 pCi/L	Gen. Eng.
2	TOTAL RADIUM	LT	5.18+-4.00 pCi/L	Gen. Eng.
0	TRITIUM	LT	1.11+-0.34 pCi/mL	Gen. Eng.

WELL FAC 1

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/20/89 Time 915
Depth to water = 96.25 ft (29.34 m) below the TOC
Water elevation = 216.65 ft (66.04 m) msl
pH = 7.1 Alkalinity = 71 mg/L
Specific conductance = 168 umhos/cm
Water temperature = 28.8 degrees Celsius
Water evacuated from the well prior to sampling = 4 gal
The well went dry during purging.

LABORATORY ANALYSES

0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	ETHYL BENZENE	LT	1 ug/L	Gen. Eng.
0	IRON	LT	21 ug/L	Gen. Eng.
0	TOLUENE	LT	1 ug/L	Gen. Eng.
1	MANGANESE	LT	26 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE	LT	23.0 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.

WELL FAC 2

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/20/89 Time 925
Depth to water = 97.20 ft (29.63 m) below the TOC
Water elevation = 214.90 ft (65.50 m) msl
pH = 5.4 Alkalinity = 10 mg/L
Specific conductance = 83 umhos/cm
Water temperature = 24.3 degrees Celsius
Water evacuated from the well prior to sampling = 1 gal
The well went dry during purging.

LABORATORY ANALYSES

0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
1	METHYLENE CHLORIDE	LT	8 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	ETHYL BENZENE	LT	1 ug/L	Gen. Eng.
1	IRON	LT	295 ug/L	Gen. Eng.

CONTINUED

WELL FAC 2 COLLECTED ON 08/20/89 LABORATORY ANALYSES CONTINUED

1	TOLUENE	LT	4 ug/L	Gen. Eng.
2	MANGANESE	LT	70 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
2	TOTAL ORGANIC HALOGENS	LT	297 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE	LT	13.0 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
1	1,2-DICHLOROETHANE	LT	229 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.

WELL FBP 1A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/08/89 Time 1010
Depth to water = 84.25 ft (25.68 m) below the TOC
Water elevation = 203.65 ft (62.07 m) msl
pH = 4.6 Alkalinity = 0 mg/L
Specific conductance = 112 umhos/cm
Water temperature = 19.8 degrees Celsius
Water evacuated from the well prior to sampling = 109 gal

LABORATORY ANALYSES

0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
1	TRICHLOROFLUOROMETHANE	LT	8 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	ETHYL BENZENE	LT	1 ug/L	Gen. Eng.
0	TOLUENE	LT	1 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN	LT	380 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
2	TOTAL ORGANIC HALOGENS	LT	29 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE	LT	8.00 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	URANIUM	LT	1000 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
2	NONVOLATILE BETA	LT	60.00+-5.90 pCi/L	Gen. Eng.
0	PLUTONIUM-238	LT	0.20 pCi/L	Teledyne
1	PLUTONIUM-242	LT	1.30+-0.30 pCi/L	Teledyne
1	PLUTONIUM-239/240	LT	3.00+-0.60 pCi/L	Teledyne
0	STRONTIUM-89	LT	5 pCi/L	Teledyne
0	STRONTIUM-90	LT	1 pCi/L	Teledyne
0	URANIUM-235	LT	0.10 pCi/L	Teledyne
0	URANIUM-238	LT	0.10 pCi/L	Teledyne
0	URANIUM-233/234	LT	0.10 pCi/L	Teledyne

WELL FBP 2A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/08/89 Time 1125
Depth to water = 101.35 ft (30.89 m) below the TOC
Water elevation = 187.75 ft (57.23 m) msl
pH = 5.1 Alkalinity = 1 mg/L
Specific conductance = 39 umhos/cm
Water temperature = 19.9 degrees Celsius
Water evacuated from the well prior to sampling = 132 gal

LABORATORY ANALYSES

0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
1	TRICHLOROFLUOROMETHANE	LT	15 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	ETHYL BENZENE	LT	1 ug/L	Gen. Eng.
0	TOLUENE	LT	1 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN	LT	780 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.

CONTINUED

WELL FBP 2A COLLECTED ON 09/06/89 LABORATORY ANALYSES CONTINUED

0	TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
2	TOTAL ORGANIC HALOGENS		176 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE		125 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	URANIUM	LT	1000 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0	NONVOLATILE BETA		6.10+-2.80 pCi/L	Gen. Eng.
0	PLUTONIUM-238	LT	0.20 pCi/L	Teledyne
1	PLUTONIUM-242		0.63+-0.25 pCi/L	Teledyne
0	PLUTONIUM-239/240	LT	0.08 pCi/L	Teledyne
0	STRONTIUM-89	LT	5 pCi/L	Teledyne
0	STRONTIUM-90	LT	1 pCi/L	Teledyne
0	URANIUM-235	LT	0.05 pCi/L	Teledyne
0	URANIUM-238	LT	0.05 pCi/L	Teledyne
0	URANIUM-233/234	LT	0.05 pCi/L	Teledyne

WELL FBP 3A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/06/89 Time 1230
 Depth to water = 102.54 ft (31.25 m) below the TOC
 Water elevation = 190.36 ft (58.02 m) msl
 pH = 5.0 Alkalinity = 3 mg/L
 Specific conductance = 58 umhos/cm
 Water temperature = 19.9 degrees Celsius
 Water evacuated from the well prior to sampling = 128 gal

LABORATORY ANALYSES

0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
1	TRICHLOROFLUOROMETHANE		5 ug/L	Gen. Eng.
1	TRICHLOROFLUOROMETHANE		6 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	TOLUENE	LT	1 ug/L	Gen. Eng.
0	TOLUENE	LT	1 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN		270 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN		290 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
2	TOTAL ORGANIC HALOGENS		47 ug/L	Gen. Eng.
2	TOTAL ORGANIC HALOGENS		54 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	URANIUM	LT	1000 ug/L	Gen. Eng.
0	URANIUM	LT	1000 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0	NONVOLATILE BETA	LT	2 pCi/L	Gen. Eng.
0	NONVOLATILE BETA	LT	2 pCi/L	Gen. Eng.
0	PLUTONIUM-238	LT	0.10 pCi/L	Teledyne
0	PLUTONIUM-242	LT	0.20 pCi/L	Teledyne
0	PLUTONIUM-239/240	LT	0.10 pCi/L	Teledyne
0	STRONTIUM-89	LT	4 pCi/L	Teledyne

CONTINUED

WELL FBP 3A COLLECTED ON 09/06/89 LABORATORY ANALYSES CONTINUED

0	STRONTIUM-90	LT	1 pCi/L	Teledyne
0	URANIUM-235	LT	0.10 pCi/L	Teledyne
0	URANIUM-238	LT	0.10 pCi/L	Teledyne
0	URANIUM-233/234	LT	0.10 pCi/L	Teledyne

WELL FBP 4

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/06/89 Time 1315
 Depth to water = 76.48 ft (23.31 m) below the TOC
 Water elevation = 209.82 ft (63.95 m) msl
 pH = 4.7 Alkalinity = 1 mg/L
 Specific conductance = 26 umhos/cm
 Water temperature = 19.3 degrees Celsius
 Water evacuated from the well prior to sampling = 116 gal

LABORATORY ANALYSES

0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	TOLUENE	LT	1 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN		430 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
2	TOTAL ORGANIC HALOGENS		47 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	URANIUM	LT	1000 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0	NONVOLATILE BETA	LT	2 pCi/L	Gen. Eng.
0	PLUTONIUM-238	LT	0.10 pCi/L	Teledyne
0	PLUTONIUM-242	LT	0.10 pCi/L	Teledyne
0	PLUTONIUM-239/240	LT	0.10 pCi/L	Teledyne
0	STRONTIUM-89	LT	4 pCi/L	Teledyne
0	STRONTIUM-90	LT	1 pCi/L	Teledyne
0	URANIUM-235	LT	0.10 pCi/L	Teledyne
1	URANIUM-238		0.52+-0.35 pCi/L	Teledyne
	URANIUM-233/234		0.19+-0.07 pCi/L	Teledyne

WELL FCA 1N

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/19/89 Time 1020
 The well was dry.

WELL FCA 1N

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/19/89 Time 1015
 Depth to water = 13.00 ft (3.96 m) below the TOC
 Water elevation = 299.30 ft (91.23 m) msl
 pH = 7.3
 Specific conductance = 245 umhos/cm
 Water temperature = 24.5 degrees Celsius
 No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

0	CROSS ALPHA		0.46+-2.39 pCi/L	HP, 735A
2	NONVOLATILE BETA		1028+-128 pCi/L	HP, 735A
0	CERIUM-144		0.00+-0.14 pCi/mL	HP, 735A
0	COBALT-60		0.00+-0.02 pCi/mL	HP, 735A
0	CHROMIUM-51		0.00+-0.23 pCi/mL	HP, 735A
0	CESIUM-134		0.00+-0.02 pCi/mL	HP, 735A
0	CESIUM-137		0.00+-0.02 pCi/mL	HP, 735A
0	IODINE-131		0.00+-0.06 pCi/mL	HP, 735A
0	RUTHENIUM-103		0.00+-0.02 pCi/mL	HP, 735A
0	RUTHENIUM-106		0.00+-0.16 pCi/mL	HP, 735A
0	AMERICIUM-241		0.00+-0.05 pCi/mL	HP, 735A
2	STRONTIUM-89/90		884+-22.4 pCi/L	HP, 735A
2	STRONTIUM-89/90		697+-19.2 pCi/L	HP, 735A
1	TRITIUM		13.50+-1.08 pCi/mL	HP, 735A
0	ZIRCONIUM/NIOBIUM-93		0.00+-0.06 pCi/mL	HP, 735A

WELL FCA 2C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/19/89 Time 1030
 Depth to water = 14.50 ft (4.42 m) below the TOC
 Water elevation = 297.70 ft (90.74 m) ms1
 pH = 7.7
 Specific conductance = 239 umhos/cm
 Water temperature = 24.2 degrees Celsius
 No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

0	GROSS ALPHA	0.64+-0.96 pCi/L	HP, 735A
1	NONVOLATILE BETA	30.84+-5.45 pCi/L	HP, 735A
0	CERIUM-144	LT 0.13 pCi/mL	HP, 735A
0	CERIUM-144	0.00+-0.13 pCi/mL	HP, 735A
0	CERIUM-144	LT 0.13 pCi/mL	HP, 735A
0	COBALT-60	LT 0.02 pCi/mL	HP, 735A
0	COBALT-60	0.00+-0.02 pCi/mL	HP, 735A
0	COBALT-60	LT 0.02 pCi/mL	HP, 735A
0	CHROMIUM-51	LT 0.19 pCi/mL	HP, 735A
0	CHROMIUM-51	0.00+-0.19 pCi/mL	HP, 735A
0	CHROMIUM-51	LT 0.19 pCi/mL	HP, 735A
0	CESIUM-134	0.00+-0.02 pCi/mL	HP, 735A
0	CESIUM-137	LT 0.02 pCi/mL	HP, 735A
0	CESIUM-137	0.00+-0.02 pCi/mL	HP, 735A
0	CESIUM-137	LT 0.02 pCi/mL	HP, 735A
0	IODINE-131	LT 0.04 pCi/mL	HP, 735A
0	IODINE-131	0.00+-0.04 pCi/mL	HP, 735A
0	IODINE-131	LT 0.04 pCi/mL	HP, 735A
0	NIOBILIUM-95	LT 0.02 pCi/mL	HP, 735A
0	NIOBILIUM-95	LT 0.02 pCi/mL	HP, 735A
0	RUTHENIUM-103	LT 0.02 pCi/mL	HP, 735A
0	RUTHENIUM-103	0.00+-0.02 pCi/mL	HP, 735A
0	RUTHENIUM-103	LT 0.02 pCi/mL	HP, 735A
0	RUTHENIUM-106	LT 0.16 pCi/mL	HP, 735A
0	RUTHENIUM-106	0.00+-0.16 pCi/mL	HP, 735A
0	RUTHENIUM-106	LT 0.16 pCi/mL	HP, 735A
0	ANTIMONY-125	LT 0.05 pCi/mL	HP, 735A
0	ANTIMONY-125	0.00+-0.05 pCi/mL	HP, 735A
0	ANTIMONY-125	LT 0.05 pCi/mL	HP, 735A
0	STRONTIUM-89/90	2.49+-3.45 pCi/L	HP, 735A
0	STRONTIUM-89/90	0.00+-4.97 pCi/L	HP, 735A
1	TRITIUM	12.30+-1.05 pCi/mL	HP, 735A
0	ZIRCONIUM/NIOBILIUM-95	0.00+-0.05 pCi/mL	HP, 735A
0	ZIRCONIUM-95	LT 0.03 pCi/mL	HP, 735A
0	ZIRCONIUM-95	LT 0.03 pCi/mL	HP, 735A

WELL FCA 2D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/20/89 Time 835
 Depth to water = 89.09 ft (27.15 m) below the TOC
 Water elevation = 223.11 ft (68.00 m) ms1
 pH = 4.1 Alkalinity = 0 mg/L
 Specific conductance = 376 umhos/cm
 Water temperature = 23.8 degrees Celsius
 Water evacuated from the well prior to sampling = 4 gal
 The well went dry during purging.

LABORATORY ANALYSES

0	BROMODICHLOROMETHANE	LT 1 ug/L	Gen. Eng.
1	TRICHLOROFLUOROMETHANE	21 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT 1.00 ug/L	Gen. Eng.
0	CADMIUM	LT 2 ug/L	Gen. Eng.
0	BROMOFORM	LT 1 ug/L	Gen. Eng.
0	CHLOROFORM	LT 1 ug/L	Gen. Eng.
0	METHYLENE CHLORIDE	LT 1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT 1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT 1 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT 1 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT 1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT 1 ug/L	Gen. Eng.
0	BENZENE	LT 1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT 1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT 1 ug/L	Gen. Eng.
0	IRON	82 ug/L	Gen. Eng.
0	TOLUENE	LT 1 ug/L	Gen. Eng.
2	MANGANESE	270 ug/L	Gen. Eng.
2	NITRATE AS NITROGEN	47000 ug/L	Gen. Eng.
2	LEAD	46 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT 1 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT 1.00 ug/L	Gen. Eng.
2	TOTAL ORGANIC HALOGENS	118 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE	191 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT 1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT 1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT 1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT 1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT 1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT 1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT 1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT 1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT 1 ug/L	Gen. Eng.
1	TRITIUM	14.00+-0.31 pCi/mL	Gen. Eng.

WELL FCA 2D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/19/89 Time 1040
 Depth to water = 89.00 ft (27.13 m) below the TOC
 Water elevation = 223.20 ft (68.03 m) ms1
 pH = 4.1
 Specific conductance = 216 umhos/cm
 Water temperature = 22.7 degrees Celsius
 No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

2	GROSS ALPHA	79.50+-4.20 pCi/L	Gen. Eng.
2	GROSS ALPHA	89.30+-3.90 pCi/L	Gen. Eng.
2	GROSS ALPHA	31.04+-11.2 pCi/L	HP, 735A
2	GROSS ALPHA	190+- 20 pCi/L	metaTRACE
2	NONVOLATILE BETA	460+-7.80 pCi/L	Gen. Eng.
2	NONVOLATILE BETA	494+-8.00 pCi/L	Gen. Eng.
2	NONVOLATILE BETA	257+-19.8 pCi/L	HP, 735A
2	NONVOLATILE BETA	370+- 40 pCi/L	metaTRACE
1	CHEMICAL CESIUM	0.07+-0.13 pCi/L	HP, 735A
0	STRONTIUM-89/90	0.00+-4.97 pCi/L	HP, 735A
0	TRITIUM	9.75+-0.46 pCi/mL	Gen. Eng.
0	TRITIUM	9.65+-0.30 pCi/mL	Gen. Eng.
0	TRITIUM	8.00+-0.84 pCi/mL	HP, 735A
0	TRITIUM	6.80+-0.70 pCi/mL	metaTRACE

WELL FCA 9B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/19/89 Time 950
 No water was evacuated from the well prior to sampling.
 The well went dry during purging.

WELL FCA 9C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/19/89 Time
 Inaccessibility or pump failure prevented sample collection.

WELL FCA 9D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/20/89 Time 945
 Depth to water = 89.19 ft (27.19 m) below the TOC
 Water elevation = 222.71 ft (67.88 m) ms1
 pH = 4.0 Alkalinity = 0 mg/L
 Specific conductance = 208 umhos/cm
 Water temperature = 25.2 degrees Celsius
 Water evacuated from the well prior to sampling = 1 gal
 The well went dry during purging.

LABORATORY ANALYSES

0	BROMODICHLOROMETHANE	LT 1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT 1 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT 1.00 ug/L	Gen. Eng.
0	CADMIUM	LT 2 ug/L	Gen. Eng.
0	BROMOFORM	LT 1 ug/L	Gen. Eng.
1	CHLOROFORM	2 ug/L	Gen. Eng.
0	METHYLENE CHLORIDE	LT 1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT 1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT 1 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT 1 ug/L	Gen. Eng.
0	CHLOROETHANE (VINYL CHLORIDE)	LT 1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT 1 ug/L	Gen. Eng.
0	BENZENE	LT 1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT 1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT 1 ug/L	Gen. Eng.
0	IRON	79 ug/L	Gen. Eng.
0	TOLUENE	LT 1 ug/L	Gen. Eng.
2	MANGANESE	55 ug/L	Gen. Eng.
2	NITRATE AS NITROGEN	22000 ug/L	Gen. Eng.
2	LEAD	103 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT 1 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT 1.00 ug/L	Gen. Eng.
0	TOTAL ORGANIC HALOGENS	LT 5 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE	3.00 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT 1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT 1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	LT 1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT 1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT 1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT 1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT 1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT 1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT 1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT 1 ug/L	Gen. Eng.
2	GROSS ALPHA	48.10+-3.70 pCi/L	Gen. Eng.
2	NONVOLATILE BETA	282+-6.40 pCi/L	Gen. Eng.
2	TOTAL RADIUM	16.80+-3.60 pCi/L	Gen. Eng.
0	TRITIUM	8.95+-0.47 pCi/mL	Gen. Eng.

WELL FCA 90

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/19/89 Time
Inaccessibility or pump failure prevented sample collection.

WELL FCA 10A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/20/89 Time 1050
Depth to water = 87.77 ft (26.75 m) below the TOC
Water elevation = 224.03 ft (68.29 m) msl
pH = 5.4 Alkalinity = 3 mg/L
Specific conductance = 70 umhos/cm
Water temperature = 25.1 degrees Celsius
Water evacuated from the well prior to sampling = 3 gal
The well went dry during purging.

LABORATORY ANALYSES

0 BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
1 TRICHLOROFLUOROMETHANE	LT	8 ug/L	Gen. Eng.
0 CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0 CADMIUM	LT	2 ug/L	Gen. Eng.
0 BROMOFORM	LT	1 ug/L	Gen. Eng.
0 CHLOROFORM	LT	1 ug/L	Gen. Eng.
0 METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0 BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0 CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0 CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0 CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 BENZENE	LT	1 ug/L	Gen. Eng.
0 DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0 IRON	LT	21 ug/L	Gen. Eng.
0 TOLUENE	LT	1 ug/L	Gen. Eng.
0 MANGANESE	LT	7 ug/L	Gen. Eng.
1 NITRATE AS NITROGEN	LT	3800 ug/L	Gen. Eng.
0 LEAD	LT	6 ug/L	Gen. Eng.
0 1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0 TOTAL ORGANIC HALOGENS	LT	5 ug/L	Gen. Eng.
0 TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0 TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0 1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0 1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0 CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0 TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0 2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
1 GROSS ALPHA	LT	14.80+-1.40 pCi/L	Gen. Eng.
1 NONVOLATILE BETA	LT	23.70+-1.60 pCi/L	Gen. Eng.
2 TOTAL RADIUM	LT	5.00+-1.30 pCi/L	Gen. Eng.
0 TRITIUM	LT	9.98+-0.46 pCi/mL	Gen. Eng.

WELL FCA 10A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/19/89 Time 930
Depth to water = 88.00 ft (26.82 m) below the TOC
Water elevation = 223.80 ft (68.22 m) msl
pH = 5.3
Specific conductance = 65 umhos/cm
Water temperature = 22.7 degrees Celsius
No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

0 GROSS ALPHA	LT	2.71+-1.35 pCi/L	HP, 735A
1 NONVOLATILE BETA	LT	3.93+-1.75 pCi/L	HP, 735A
0 CERIUM-144	LT	0.14 pCi/mL	HP, 735A
0 CERIUM-144	LT	0.00+-0.14 pCi/mL	HP, 735A
0 CERIUM-144	LT	0.14 pCi/mL	HP, 735A
0 COBALT-60	LT	0.01 pCi/mL	HP, 735A
0 COBALT-60	LT	0.00+-0.02 pCi/mL	HP, 735A
0 COBALT-60	LT	0.01 pCi/mL	HP, 735A
0 CHROMIUM-51	LT	0.23 pCi/mL	HP, 735A
0 CHROMIUM-51	LT	0.00+-0.23 pCi/mL	HP, 735A
0 CHROMIUM-51	LT	0.23 pCi/mL	HP, 735A
0 CESIUM-134	LT	0.00+-0.02 pCi/mL	HP, 735A
0 CESIUM-137	LT	0.02 pCi/mL	HP, 735A
0 CESIUM-137	LT	0.00+-0.02 pCi/mL	HP, 735A
0 CESIUM-137	LT	0.02 pCi/mL	HP, 735A
0 IODINE-131	LT	0.06 pCi/mL	HP, 735A
0 IODINE-131	LT	0.00+-0.06 pCi/mL	HP, 735A
0 IODINE-131	LT	0.06 pCi/mL	HP, 735A
0 NIOBIUM-93	LT	0.02 pCi/mL	HP, 735A
0 NIOBIUM-93	LT	0.02 pCi/mL	HP, 735A
0 RUTHENIUM-103	LT	0.02 pCi/mL	HP, 735A
0 RUTHENIUM-103	LT	0.00+-0.02 pCi/mL	HP, 735A
0 RUTHENIUM-103	LT	0.02 pCi/mL	HP, 735A
0 RUTHENIUM-106	LT	0.15 pCi/mL	HP, 735A
0 RUTHENIUM-106	LT	0.00+-0.15 pCi/mL	HP, 735A
0 RUTHENIUM-106	LT	0.15 pCi/mL	HP, 735A
0 ANTIMONY-125	LT	0.04 pCi/mL	HP, 735A
0 ANTIMONY-125	LT	0.00+-0.04 pCi/mL	HP, 735A
0 ANTIMONY-125	LT	0.04 pCi/mL	HP, 735A

CONTINUED

WELL FCA 10A COLLECTED ON 09/19/89 LABORATORY ANALYSES CONTINUED

0 STRONTIUM-89/90	LT	0.00+-6.02 pCi/L	HP, 735A
0 TRITIUM	LT	8.03+-0.93 pCi/mL	HP, 735A
0 ZIRCONIUM/NIOBIUM-95	LT	0.00+-0.06 pCi/mL	HP, 735A
0 ZIRCONIUM-95	LT	0.04 pCi/mL	HP, 735A
0 ZIRCONIUM-95	LT	0.04 pCi/mL	HP, 735A

WELL FCA 10B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/19/89 Time 940
No water was evacuated from the well prior to sampling.
The well went dry during purging.

WELL FCA 10C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/19/89 Time
Inaccessibility or pump failure prevented sample collection.

WELL FCA 10D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/19/89 Time 1005
The well was dry.

WELL FCA 10D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/19/89 Time
Inaccessibility or pump failure prevented sample collection.

WELL FCA 15A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/20/89 Time 1135
Depth to water = 87.94 ft (26.80 m) below the TOC
Water elevation = 224.26 ft (68.36 m) msl
pH = 5.8 Alkalinity = 11 mg/L
Specific conductance = 70 umhos/cm
Water temperature = 26.4 degrees Celsius
Water evacuated from the well prior to sampling = 6 gal

LABORATORY ANALYSES

0 BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
1 TRICHLOROFLUOROMETHANE	LT	10 ug/L	Gen. Eng.
0 CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0 CADMIUM	LT	2 ug/L	Gen. Eng.
0 BROMOFORM	LT	1 ug/L	Gen. Eng.
0 CHLOROFORM	LT	1 ug/L	Gen. Eng.
0 METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0 BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0 CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0 CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0 CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 BENZENE	LT	1 ug/L	Gen. Eng.
0 DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0 IRON	LT	29 ug/L	Gen. Eng.
0 TOLUENE	LT	1 ug/L	Gen. Eng.
0 MANGANESE	LT	5 ug/L	Gen. Eng.
1 NITRATE AS NITROGEN	LT	3000 ug/L	Gen. Eng.
0 LEAD	LT	6 ug/L	Gen. Eng.
0 1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
1 TETRACHLOROETHYLENE	LT	3.00 ug/L	Gen. Eng.
0 TOTAL ORGANIC HALOGENS	LT	5 ug/L	Gen. Eng.
0 TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0 TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0 1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0 1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0 CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0 TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0 2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
1 GROSS ALPHA	LT	6.48+-1.00 pCi/L	Gen. Eng.
1 NONVOLATILE BETA	LT	12.10+-1.30 pCi/L	Gen. Eng.
1 TOTAL RADIUM	LT	3.90+-1.40 pCi/L	Gen. Eng.
0 TRITIUM	LT	6.01+-0.41 pCi/mL	Gen. Eng.

WELL FCA 16A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/19/89 Time 1000
 Depth to water = 88.50 ft (26.98 m) below the TOC
 Water elevation = 223.70 ft (68.18 m) ms1
 pH = 5.8
 Specific conductance = 62 umhos/cm
 Water temperature = 24.1 degrees Celsius
 No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

0 GROSS ALPHA	4.68+-1.80 pCi/L	HP, 735A
0 NONVOLATILE BETA	5.65+-2.03 pCi/L	HP, 735A
0 CERIUM-144	LT	0.13 pCi/mL HP, 735A
0 CERIUM-144	7.00+-0.13 pCi/mL	HP, 735A
0 CERIUM-144	LT	0.13 pCi/mL HP, 735A
0 COBALT-60	LT	0.02 pCi/mL HP, 735A
0 COBALT-60	0.00+-0.02 pCi/mL	HP, 735A
0 COBALT-60	LT	0.02 pCi/mL HP, 735A
0 CHROMIUM-51	LT	0.19 pCi/mL HP, 735A
0 CHROMIUM-51	0.00+-0.19 pCi/mL	HP, 735A
0 CHROMIUM-51	LT	0.19 pCi/mL HP, 735A
0 CESIUM-134	0.00+-0.02 pCi/mL	HP, 735A
0 CESIUM-137	LT	0.02 pCi/mL HP, 735A
0 CESIUM-137	0.00+-0.02 pCi/mL	HP, 735A
0 CESIUM-137	LT	0.02 pCi/mL HP, 735A
0 IODINE-131	LT	0.04 pCi/mL HP, 735A
0 IODINE-131	0.00+-0.04 pCi/mL	HP, 735A
0 IODINE-131	LT	0.04 pCi/mL HP, 735A
0 NIOBIUM-95	LT	0.02 pCi/mL HP, 735A
0 NIOBIUM-95	LT	0.02 pCi/mL HP, 735A
0 RUTHENIUM-103	LT	0.02 pCi/mL HP, 735A
0 RUTHENIUM-103	0.00+-0.02 pCi/mL	HP, 735A
0 RUTHENIUM-103	LT	0.02 pCi/mL HP, 735A
0 RUTHENIUM-106	LT	0.18 pCi/mL HP, 735A
0 RUTHENIUM-106	0.00+-0.18 pCi/mL	HP, 735A
0 RUTHENIUM-106	LT	0.18 pCi/mL HP, 735A
0 ANTIMONY-125	0.00+-0.05 pCi/mL	HP, 735A
0 STRONTIUM-89/90	0.00+-6.71 pCi/L	HP, 735A
0 TRITIUM	5.30+-0.85 pCi/mL	HP, 735A
0 ZIRCONIUM-NIOBIUM-95	0.00+-0.05 pCi/mL	HP, 735A
0 ZIRCONIUM-95	LT	0.03 pCi/mL HP, 735A
0 ZIRCONIUM-95	LT	0.03 pCi/mL HP, 735A

WELL FCA 16B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/19/89 Time 1000
 Depth to water = 15.50 ft (4.72 m) below the TOC
 Water elevation = 296.60 ft (90.40 m) ms1
 No water was evacuated from the well prior to sampling.
 The well went dry during purging.

WELL FCA 16D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/20/89 Time 1010
 Depth to water = 88.47 ft (26.97 m) below the TOC
 Water elevation = 222.23 ft (67.74 m) ms1
 pH = 5.9 Alkalinity = 11 mg/L
 Specific conductance = 144 umhos/cm
 Water temperature = 24.2 degrees Celsius
 Water evacuated from the well prior to sampling = 1 gal
 The well went dry during purging.

LABORATORY ANALYSES

0 BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
1 TRICHLOROFLUOROMETHANE		8 ug/L	Gen. Eng.
0 CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0 CADMIUM	LT	2 ug/L	Gen. Eng.
0 BROMOFORM	LT	1 ug/L	Gen. Eng.
0 CHLOROFORM	LT	1 ug/L	Gen. Eng.
0 METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0 BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0 CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0 CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0 CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 BENZENE	LT	1 ug/L	Gen. Eng.
0 DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0 IRON		7 ug/L	Gen. Eng.
0 TOLUENE	LT	1 ug/L	Gen. Eng.
0 MANGANESE		14 ug/L	Gen. Eng.
2 NITRATE AS NITROGEN		10300 ug/L	Gen. Eng.
0 LEAD		12 ug/L	Gen. Eng.
0 1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
2 TOTAL ORGANIC HALOGENS		167 ug/L	Gen. Eng.
2 TRICHLOROETHYLENE		169 ug/L	Gen. Eng.
0 TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0 1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0 1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0 CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0 TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.

CONTINUED

WELL FCA 16D COLLECTED ON 08/20/89 LABORATORY ANALYSES CONTINUED

0 2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
1 TOTAL ACTIVITY		299+-5.62 pCi/mL	HP, 735A
2 TRITIUM		299+-3.86 pCi/mL	HP, 735A

WELL FCA 16D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/19/89 Time
 Inaccessibility or pump failure prevented sample collection.

WELL FCA 16T

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/19/89 Time 1000
 No water was evacuated from the well prior to sampling.
 The well went dry during purging.

WELL FCA 19D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/20/89 Time 845
 Depth to water = 96.76 ft (29.49 m) below the TOC
 Water elevation = 214.84 ft (65.48 m) ms1
 pH = 7.0 Alkalinity = 151 mg/L
 Specific conductance = 363 umhos/cm
 Water temperature = 25.4 degrees Celsius
 Water evacuated from the well prior to sampling = 2 gal
 The well went dry during purging.

LABORATORY ANALYSES

1 SPECIFIC CONDUCTANCE		240.0 uMHC	Gen. Eng.
1 SPECIFIC CONDUCTANCE		240.0 uMHC	Gen. Eng.
1 PH		7.16 pH	Gen. Eng.
1 PH		7.12 pH	Gen. Eng.
0 SILVER	LT	2 ug/L	Gen. Eng.
0 SILVER	LT	2 ug/L	Gen. Eng.
0 ARSENIC	LT	2 ug/L	Gen. Eng.
0 ARSENIC	LT	2 ug/L	Gen. Eng.
1 BARIUM		57 ug/L	Gen. Eng.
1 BARIUM		57 ug/L	Gen. Eng.
0 BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
1 CALCIUM		39400 ug/L	Gen. Eng.
1 CALCIUM		38700 ug/L	Gen. Eng.
0 TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0 TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0 CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0 CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0 CADMIUM	LT	2 ug/L	Gen. Eng.
0 CADMIUM	LT	2 ug/L	Gen. Eng.
0 BROMOFORM	LT	1 ug/L	Gen. Eng.
0 BROMOFORM	LT	1 ug/L	Gen. Eng.
1 CHLOROFORM		0 ug/L	Gen. Eng.
1 CHLOROFORM		10 ug/L	Gen. Eng.
0 METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0 METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0 BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0 BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0 CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 CHLORIDE		2900 ug/L	Gen. Eng.
0 CHLORIDE		2900 ug/L	Gen. Eng.
0 CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0 CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0 CHROMIUM	LT	4 ug/L	Gen. Eng.
0 CHROMIUM	LT	4 ug/L	Gen. Eng.
0 CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0 CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0 CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 BENZENE	LT	1 ug/L	Gen. Eng.
0 BENZENE	LT	1 ug/L	Gen. Eng.
0 DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0 ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0 FLUORIDE		160 ug/L	Gen. Eng.
0 FLUORIDE		170 ug/L	Gen. Eng.
0 IRON		26 ug/L	Gen. Eng.
0 IRON		26 ug/L	Gen. Eng.
0 MERCURY	LT	0.20 ug/L	Gen. Eng.
0 MERCURY	LT	0.20 ug/L	Gen. Eng.
1 POTASSIUM		22600 ug/L	Gen. Eng.
1 POTASSIUM		23100 ug/L	Gen. Eng.
1 TOLUENE		4 ug/L	Gen. Eng.
1 TOLUENE		4 ug/L	Gen. Eng.
0 MAGNESIUM		3510 ug/L	Gen. Eng.
0 MAGNESIUM		3580 ug/L	Gen. Eng.
2 MANGANESE		179 ug/L	Gen. Eng.
2 MANGANESE		173 ug/L	Gen. Eng.
1 SODIUM		29800 ug/L	Gen. Eng.
1 SODIUM		30100 ug/L	Gen. Eng.
0 NITRATE AS NITROGEN		70 ug/L	Gen. Eng.
0 NITRATE AS NITROGEN		70 ug/L	Gen. Eng.
0 LEAD	LT	6 ug/L	Gen. Eng.
0 LEAD	LT	6 ug/L	Gen. Eng.

CONTINUED

WELL FCA 190 COLLECTED ON 08/20/89 LABORATORY ANALYSES CONTINUED

0	PHENOLS	LT	5 ug/L	Gen. Eng.
0	PHENOLS	LT	5 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	Gen. Eng.
1	SILICA		13400 ug/L	Gen. Eng.
1	SILICA		13300 ug/L	Gen. Eng.
0	SULFATE		5400 ug/L	Gen. Eng.
0	SULFATE		5400 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TOTAL DISSOLVED SOLIDS		212000 ug/L	Gen. Eng.
0	TOTAL DISSOLVED SOLIDS		230000 ug/L	Gen. Eng.
0	TOTAL ORGANIC CARBON		2000 ug/L	Gen. Eng.
0	TOTAL ORGANIC CARBON		2000 ug/L	Gen. Eng.
2	TOTAL ORGANIC HALOGENS		51 ug/L	Gen. Eng.
2	TOTAL ORGANIC HALOGENS		51 ug/L	Gen. Eng.
0	TOTAL PHOSPHATES		260 ug/L	Gen. Eng.
0	TOTAL PHOSPHATES		250 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE		45.0 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE		45.0 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
1	1,1-DICHLOROETHYLENE		1 ug/L	Gen. Eng.
1	1,1-DICHLOROETHANE		2 ug/L	Gen. Eng.
1	1,1-DICHLOROETHANE		1 ug/L	Gen. Eng.
1	1,1,1-TRICHLOROETHANE		46 ug/L	Gen. Eng.
1	1,1,1-TRICHLOROETHANE		44 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0	GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
0	GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
1	NONVOLATILE BETA		23.50+-1.50 pCi/L	Gen. Eng.
1	NONVOLATILE BETA		24.50+-1.60 pCi/L	Gen. Eng.
0	TOTAL RADIUM	LT	1 pCi/L	Gen. Eng.
0	TOTAL RADIUM	LT	1 pCi/L	Gen. Eng.
0	TRITIUM		4.29+-0.39 pCi/mL	Gen. Eng.
0	TRITIUM		4.19+-0.39 pCi/mL	Gen. Eng.

WELL FCB 2

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/23/89 Time 1020
 Depth to water = 79.26 ft (24.16 m) below the TOC
 Water elevation = 228.04 ft (69.51 m) msl
 pH = 4.7 Alkalinity = 0 mg/L
 Specific conductance = 26 umhos/cm
 Water temperature = 20.3 degrees Celsius
 Water evacuated from the well prior to sampling = 59 gal

LABORATORY ANALYSES

0	PH		4.98 pH	Gen. Eng.
0	IRON		39 ug/L	Gen. Eng.
0	MANGANESE		5 ug/L	Gen. Eng.
0	LEAD		19 ug/L	Gen. Eng.
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	Gen. Eng.
0	TOTAL RADIUM		1.00+-1.70 pCi/L	Gen. Eng.

WELL FCB 3

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/23/89 Time 1145
 Depth to water = 82.38 ft (25.11 m) below the TOC
 Water elevation = 219.92 ft (67.03 m) msl
 pH = 6.4 Alkalinity = 38 mg/L
 Specific conductance = 134 umhos/cm
 Water temperature = 21.0 degrees Celsius
 Water evacuated from the well prior to sampling = 80 gal

LABORATORY ANALYSES

1	PH		6.61 pH	Gen. Eng.
0	IRON		11 ug/L	Gen. Eng.
0	MANGANESE		6 ug/L	Gen. Eng.
0	LEAD	LT	6 ug/L	Gen. Eng.
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	Gen. Eng.
0	TOTAL RADIUM		1.20+-1.80 pCi/L	Gen. Eng.

WELL FCB 4

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/27/89 Time 1010
 Depth to water = 79.40 ft (24.20 m) below the TOC
 Water elevation = 227.20 ft (69.25 m) msl
 pH = 5.1 Alkalinity = 3 mg/L
 Specific conductance = 30 umhos/cm
 Water temperature = 20.8 degrees Celsius
 Water evacuated from the well prior to sampling = 13 gal
 The well went dry during purging.

LABORATORY ANALYSES

0	PH		5.93 pH	Gen. Eng.
2	IRON		724 ug/L	Gen. Eng.
2	MANGANESE		67 ug/L	Gen. Eng.
0	LEAD		8 ug/L	Gen. Eng.
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	Gen. Eng.
0	TOTAL RADIUM	LT	1 pCi/L	Gen. Eng.

WELL FCB 5

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/23/89 Time 945
 Depth to water = 76.84 ft (23.42 m) below the TOC
 Water elevation = 227.05 ft (69.21 m) msl
 pH = 5.3 Alkalinity = 1 mg/L
 Specific conductance = 26 umhos/cm
 Water temperature = 23.4 degrees Celsius
 Water evacuated from the well prior to sampling = 2 gal
 The well went dry during purging.

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE		29.00 UMC	Gen. Eng.
0	SPECIFIC CONDUCTANCE		30.00 UMC	Gen. Eng.
0	PH		5.38 pH	Gen. Eng.
0	PH		5.42 pH	Gen. Eng.
0	SILVER	LT	2 ug/L	Gen. Eng.
0	SILVER	LT	2 ug/L	Gen. Eng.
0	ARSENIC	LT	2 ug/L	Gen. Eng.
0	ARSENIC	LT	2 ug/L	Gen. Eng.
0	BARIUM		14 ug/L	Gen. Eng.
0	BARIUM		14 ug/L	Gen. Eng.
0	CALCIUM		1300 ug/L	Gen. Eng.
0	CALCIUM		1300 ug/L	Gen. Eng.
0	CADMIUM	LT	2 ug/L	Gen. Eng.
0	CADMIUM	LT	2 ug/L	Gen. Eng.
0	CHLORIDE		1900 ug/L	Gen. Eng.
0	CHLORIDE		1900 ug/L	Gen. Eng.
0	CHROMIUM	LT	4 ug/L	Gen. Eng.
0	CHROMIUM	LT	4 ug/L	Gen. Eng.
0	FLUORIDE	LT	100 ug/L	Gen. Eng.
0	FLUORIDE	LT	100 ug/L	Gen. Eng.
0	IRON		16 ug/L	Gen. Eng.
0	IRON		16 ug/L	Gen. Eng.
0	MERCURY	LT	0.20 ug/L	Gen. Eng.
0	MERCURY	LT	0.20 ug/L	Gen. Eng.
0	POTASSIUM	LT	500 ug/L	Gen. Eng.
0	POTASSIUM	LT	500 ug/L	Gen. Eng.
0	MAGNESIUM		418 ug/L	Gen. Eng.
0	MAGNESIUM		417 ug/L	Gen. Eng.
0	MANGANESE		23 ug/L	Gen. Eng.
0	MANGANESE		23 ug/L	Gen. Eng.
0	SODIUM		2330 ug/L	Gen. Eng.
0	SODIUM		2330 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN		1010 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN		1010 ug/L	Gen. Eng.
0	LEAD		18 ug/L	Gen. Eng.
0	LEAD		15 ug/L	Gen. Eng.
0	PHENOLS	LT	5 ug/L	Gen. Eng.
0	PHENOLS	LT	5 ug/L	Gen. Eng.
0	ANTIMONY	LT	3 ug/L	Gen. Eng.
0	ANTIMONY	LT	3 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	Gen. Eng.
1	SILICA		8930 ug/L	Gen. Eng.
1	SILICA		6810 ug/L	Gen. Eng.
0	SULFATE	LT	5000 ug/L	Gen. Eng.
0	SULFATE	LT	5000 ug/L	Gen. Eng.
0	TOTAL DISSOLVED SOLIDS		12000 ug/L	Gen. Eng.
0	TOTAL DISSOLVED SOLIDS		11000 ug/L	Gen. Eng.
1	TOTAL ORGANIC CARBON		5000 ug/L	Gen. Eng.
1	TOTAL ORGANIC CARBON		5000 ug/L	Gen. Eng.
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	Gen. Eng.
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	Gen. Eng.
0	TOTAL PHOSPHATES	LT	50 ug/L	Gen. Eng.
0	TOTAL PHOSPHATES	LT	50 ug/L	Gen. Eng.
0	GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
0	GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
0	NONVOLATILE BETA	LT	2 pCi/L	Gen. Eng.
0	NONVOLATILE BETA	LT	2 pCi/L	Gen. Eng.
0	TOTAL RADIUM	LT	1 pCi/L	Gen. Eng.
0	TOTAL RADIUM	LT	1 pCi/L	Gen. Eng.
1	TRITIUM		14.50+-0.50 pCi/mL	Gen. Eng.
1	TRITIUM		14.90+-0.50 pCi/mL	Gen. Eng.

WELL FCB 6

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/23/89 Time 1040
 Depth to water = 82.75 ft (25.22 m) below the TOC
 Water elevation = 227.75 ft (69.42 m) msl
 pH = 6.8 Alkalinity = 34 mg/L
 Specific conductance = 140 umhos/cm
 Water temperature = 23.8 degrees Celsius
 Water evacuated from the well prior to sampling = 1 gal
 The well went dry during purging.

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE		139.0 UMMC	Gen. Eng.
1	PH		6.78 pH	Gen. Eng.
0	SILVER	LT	2 ug/L	Gen. Eng.
0	ARSENIC	LT	2 ug/L	Gen. Eng.
0	BARIUM		49 ug/L	Gen. Eng.
0	CALCIUM		9200 ug/L	Gen. Eng.
0	CADMIUM	LT	2 ug/L	Gen. Eng.
0	CHLORIDE		1600 ug/L	Gen. Eng.
0	CHROMIUM	LT	4 ug/L	Gen. Eng.
0	FLUORIDE	LT	100 ug/L	Gen. Eng.
0	IRON		7 ug/L	Gen. Eng.
0	MERCURY	LT	0.20 ug/L	Gen. Eng.
1	POTASSIUM		8440 ug/L	Gen. Eng.
0	MAGNESIUM		730 ug/L	Gen. Eng.
1	MANGANESE		26 ug/L	Gen. Eng.
1	SODIUM		9280 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN		1620 ug/L	Gen. Eng.
0	LEAD		9 ug/L	Gen. Eng.
0	PHENOLS	LT	5 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	Gen. Eng.
1	SILICA		8560 ug/L	Gen. Eng.
0	SULFATE	LT	5000 ug/L	Gen. Eng.
0	TOTAL DISSOLVED SOLIDS		79000 ug/L	Gen. Eng.
0	TOTAL ORGANIC CARBON		1000 ug/L	Gen. Eng.
0	TOTAL ORGANIC HALOGENS		7 ug/L	Gen. Eng.
0	TOTAL PHOSPHATES		70 ug/L	Gen. Eng.
0	GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
0	NONVOLATILE BETA	LT	9.40+-1.30 pCi/L	Gen. Eng.
0	TOTAL RADIUM	LT	1 pCi/L	Gen. Eng.
1	TRITIUM		10.70+-0.45 pCi/mL	Gen. Eng.

WELL FCB 7

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/22/89 Time 1503
 The well was dry.

WELL FET 10

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/27/89 Time 940
 Depth to water = 47.93 ft (14.58 m) below the TOC
 Water elevation = 222.17 ft (67.72 m) msl
 pH = 5.3 Alkalinity = 5 mg/L
 Specific conductance = 59 umhos/cm
 Water temperature = 20.5 degrees Celsius
 Water evacuated from the well prior to sampling = 7 gal
 The well went dry during purging.

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE		53.00 UMMC	Gen. Eng.
0	PH		5.86 pH	Gen. Eng.
0	SILVER	LT	2 ug/L	Gen. Eng.
0	ARSENIC	LT	2 ug/L	Gen. Eng.
0	BARIUM		7 ug/L	Gen. Eng.
0	CALCIUM		1080 ug/L	Gen. Eng.
0	CADMIUM	LT	2 ug/L	Gen. Eng.
0	CHLORIDE		3200 ug/L	Gen. Eng.
0	CHROMIUM	LT	4 ug/L	Gen. Eng.
0	FLUORIDE	LT	100 ug/L	Gen. Eng.
0	IRON		21 ug/L	Gen. Eng.
0	MERCURY	LT	0.20 ug/L	Gen. Eng.
0	POTASSIUM		887 ug/L	Gen. Eng.
0	MAGNESIUM		437 ug/L	Gen. Eng.
1	MANGANESE		43 ug/L	Gen. Eng.
1	SODIUM		7410 ug/L	Gen. Eng.
0	NICKEL	LT	4 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN		980 ug/L	Gen. Eng.
0	LEAD		12 ug/L	Gen. Eng.
0	PHENOLS	LT	5 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	Gen. Eng.
1	SILICA		7060 ug/L	Gen. Eng.
0	SULFATE		9100 ug/L	Gen. Eng.
0	TOTAL DISSOLVED SOLIDS		52000 ug/L	Gen. Eng.
0	TOTAL ORGANIC CARBON		2000 ug/L	Gen. Eng.
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	Gen. Eng.
0	TOTAL PHOSPHATES		250 ug/L	Gen. Eng.
0	GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
0	NONVOLATILE BETA	LT	3.50+-2.20 pCi/L	Gen. Eng.
0	TOTAL RADIUM	LT	1 pCi/L	Gen. Eng.
0	TRITIUM		7.24+-0.43 pCi/mL	Gen. Eng.

WELL FET 20

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/26/89 Time 1200
 Depth to water = 49.35 ft (15.04 m) below the TOC
 Water elevation = 220.65 ft (67.25 m) msl
 pH = 4.8 Alkalinity = 0 mg/L
 Specific conductance = 38 umhos/cm
 Water temperature = 21.4 degrees Celsius
 Water evacuated from the well prior to sampling = 44 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE		31.00 UMMC	Gen. Eng.
0	PH		5.08 pH	Gen. Eng.
0	SILVER	LT	2 ug/L	Gen. Eng.
0	ARSENIC	LT	2 ug/L	Gen. Eng.
0	BARIUM		10 ug/L	Gen. Eng.
0	CALCIUM		1160 ug/L	Gen. Eng.
0	CADMIUM	LT	2 ug/L	Gen. Eng.
0	CHLORIDE		3300 ug/L	Gen. Eng.
0	CHROMIUM	LT	4 ug/L	Gen. Eng.
0	FLUORIDE	LT	4 ug/L	Gen. Eng.
0	IRON		8 ug/L	Gen. Eng.
0	MERCURY	LT	0.20 ug/L	Gen. Eng.
0	POTASSIUM	LT	500 ug/L	Gen. Eng.
0	MAGNESIUM		675 ug/L	Gen. Eng.
0	MANGANESE		11 ug/L	Gen. Eng.
0	SODIUM		3990 ug/L	Gen. Eng.
0	NICKEL	LT	4 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN		1600 ug/L	Gen. Eng.
0	LEAD	LT	6 ug/L	Gen. Eng.
0	PHENOLS	LT	5 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	Gen. Eng.
1	SILICA		9150 ug/L	Gen. Eng.
0	SULFATE	LT	5000 ug/L	Gen. Eng.
0	TOTAL DISSOLVED SOLIDS		32000 ug/L	Gen. Eng.
0	TOTAL ORGANIC CARBON		1000 ug/L	Gen. Eng.
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	Gen. Eng.
0	TOTAL PHOSPHATES		90 ug/L	Gen. Eng.
0	GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
0	NONVOLATILE BETA	LT	2 pCi/L	Gen. Eng.
0	TOTAL RADIUM		1.30+-1.80 pCi/L	Gen. Eng.
0	TRITIUM		9.99+-0.47 pCi/mL	Gen. Eng.

WELL FET 30

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/26/89 Time 1225
 Depth to water = 64.38 ft (19.68 m) below the TOC
 Water elevation = 220.62 ft (67.25 m) msl
 pH = 5.1 Alkalinity = 1 mg/L
 Specific conductance = 44 umhos/cm
 Water temperature = 22.0 degrees Celsius
 Water evacuated from the well prior to sampling = 61 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE		41.00 UMMC	Gen. Eng.
0	PH		5.33 pH	Gen. Eng.
0	SILVER	LT	2 ug/L	Gen. Eng.
0	ARSENIC	LT	2 ug/L	Gen. Eng.
0	BARIUM		4 ug/L	Gen. Eng.
0	CALCIUM		615 ug/L	Gen. Eng.
0	CADMIUM	LT	2 ug/L	Gen. Eng.
0	CHLORIDE		3500 ug/L	Gen. Eng.
0	CHROMIUM	LT	4 ug/L	Gen. Eng.
0	FLUORIDE	LT	100 ug/L	Gen. Eng.
0	IRON		12 ug/L	Gen. Eng.
0	MERCURY	LT	0.20 ug/L	Gen. Eng.
0	POTASSIUM	LT	500 ug/L	Gen. Eng.
0	MAGNESIUM		336 ug/L	Gen. Eng.
0	MANGANESE		10 ug/L	Gen. Eng.
1	SODIUM		6780 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN		1700 ug/L	Gen. Eng.
0	LEAD	LT	8 ug/L	Gen. Eng.
1	PHENOLS		8 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	Gen. Eng.
1	SILICA		6920 ug/L	Gen. Eng.
0	SULFATE	LT	5000 ug/L	Gen. Eng.
0	TOTAL DISSOLVED SOLIDS		38000 ug/L	Gen. Eng.
0	TOTAL ORGANIC CARBON		3000 ug/L	Gen. Eng.
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	Gen. Eng.
0	TOTAL PHOSPHATES		170 ug/L	Gen. Eng.
0	GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
0	NONVOLATILE BETA	LT	2.60+-2.20 pCi/L	Gen. Eng.
0	TOTAL RADIUM	LT	1 pCi/L	Gen. Eng.
0	TRITIUM		9.93+-0.48 pCi/mL	Gen. Eng.

WELL FET 40

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/26/89 Time 1305
 Depth to water = 85.57 ft (19.99 m) below the TOC
 Water elevation = 221.33 ft (67.46 m) msl
 pH = 4.7 Alkalinity = 0 mg/L
 Specific conductance = 50 umhos/cm
 Water temperature = 22.1 degrees Celsius
 Water evacuated from the well prior to sampling = 57 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE	44.00 UMH/C	Gen. Eng.
0	PH	4.99 pH	Gen. Eng.
0	SILVER	LT	2 ug/L Gen. Eng.
0	ARSENIC	LT	2 ug/L Gen. Eng.
0	BARIIUM		9 ug/L Gen. Eng.
0	CALCIUM		1020 ug/L Gen. Eng.
0	CADMIUM	LT	2 ug/L Gen. Eng.
0	CHLORIDE		3700 ug/L Gen. Eng.
0	CHROMIUM	LT	4 ug/L Gen. Eng.
0	FLUORIDE	LT	100 ug/L Gen. Eng.
0	IRON		12 ug/L Gen. Eng.
0	MERCURY	LT	0.20 ug/L Gen. Eng.
0	POTASSIUM	LT	500 ug/L Gen. Eng.
0	MAGNESIUM		747 ug/L Gen. Eng.
0	MANGANESE		13 ug/L Gen. Eng.
1	SODIUM		5970 ug/L Gen. Eng.
1	NITRATE AS NITROGEN		3000 ug/L Gen. Eng.
0	LEAD	LT	6 ug/L Gen. Eng.
0	PHENOLS	LT	5 ug/L Gen. Eng.
0	SELENIUM	LT	2 ug/L Gen. Eng.
1	SILICA		7400 ug/L Gen. Eng.
0	SULFATE	LT	5000 ug/L Gen. Eng.
0	TOTAL DISSOLVED SOLIDS		44000 ug/L Gen. Eng.
0	TOTAL ORGANIC CARBON		2000 ug/L Gen. Eng.
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L Gen. Eng.
0	TOTAL PHOSPHATES		210 ug/L Gen. Eng.
0	GROSS ALPHA	LT	3 pCi/L Gen. Eng.
0	NONVOLATILE BETA		2.30+-2.20 pCi/L Gen. Eng.
0	TOTAL RADIUM	LT	1 pCi/L Gen. Eng.
1	TRITIUM		10.90+-0.48 pCi/mL Gen. Eng.

WELL FMB 1

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/19/89 Time 1510
 Depth to water = 76.07 ft (23.19 m) below the TOC
 Water elevation = 208.23 ft (63.47 m) msl
 pH = 4.5 Alkalinity = 0 mg/L
 Specific conductance = 84 umhos/cm
 Water temperature = 21.1 degrees Celsius
 Water evacuated from the well prior to sampling = 84 gal

LABORATORY ANALYSES

0	SILVER	LT	2 ug/L	metaTRACE
0	BARIIUM	LT	25 ug/L	metaTRACE
0	BERYLLIUM	LT	1 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0	CADMIUM	LT	4 ug/L	metaTRACE
0	BROMOFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	5 ug/L	metaTRACE
0	METHYLENE CHLORIDE	LT	5 ug/L	metaTRACE
0	BROMOMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROBENZENE	LT	5 ug/L	metaTRACE
0	CHLOROBENZENE	LT	5 ug/L	metaTRACE
0	CHROMIUM	LT	5 ug/L	metaTRACE
0	COPPER	LT	10 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0	CHLOROETHANE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0	ETHYLBENZENE	LT	5 ug/L	metaTRACE
0	FLUORIDE	LT	250 ug/L	metaTRACE
0	IRON		73 ug/L	metaTRACE
0	MERCURY		0.34 ug/L	metaTRACE
0	TOLUENE	LT	5 ug/L	metaTRACE
0	MANGANESE		18 ug/L	metaTRACE
1	SODIUM		9072 ug/L	metaTRACE
1	NICKEL		9 ug/L	metaTRACE
1	NITRATE AS NITROGEN		7500 ug/L	metaTRACE
0	LEAD		14 ug/L	metaTRACE
0	PHENOLS	LT	5 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
2	TOTAL ORGANIC HALOGENS		44 ug/L	metaTRACE
2	TRICHLOROETHYLENE		64.0 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0	ZINC		14 ug/L	metaTRACE
0	GROSS ALPHA		3.80+-2.80 pCi/L	metaTRACE
0	NONVOLATILE BETA		9.00+-3.90 pCi/L	metaTRACE

CONTINUED

WELL FMB 1 COLLECTED ON 08/19/89 LABORATORY ANALYSES CONTINUED

1	TOTAL ACTIVITY	258+-5.33 pCi/mL	HP, 735A
1	TOTAL RADIUM	2.60+-0.50 pCi/L	metaTRACE
2	TRITIUM	260+-30 pCi/mL	metaTRACE
2	TRITIUM	260+-30 pCi/mL	metaTRACE
2	TRITIUM	265+-3.64 pCi/mL	HP, 735A

WELL FMB 2

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/19/89 Time 1440
 Depth to water = 83.44 ft (25.42 m) below the TOC
 Water elevation = 204.36 ft (62.29 m) msl
 pH = 3.8 Alkalinity = 0 mg/L
 Specific conductance = 232 umhos/cm
 Water temperature = 20.1 degrees Celsius
 Water evacuated from the well prior to sampling = 49 gal

LABORATORY ANALYSES

0	SILVER	LT	2 ug/L	metaTRACE
1	BARIIUM		98 ug/L	metaTRACE
0	BERYLLIUM	LT	1 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0	CADMIUM	LT	4 ug/L	metaTRACE
0	BROMOFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	5 ug/L	metaTRACE
1	METHYLENE CHLORIDE	JB	4 ug/L	metaTRACE
0	BROMOMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROBENZENE	LT	5 ug/L	metaTRACE
0	CHLOROBENZENE	LT	5 ug/L	metaTRACE
0	CHROMIUM	LT	5 ug/L	metaTRACE
0	COPPER		20 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0	CHLOROETHANE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0	ETHYLBENZENE	LT	5 ug/L	metaTRACE
0	FLUORIDE		290 ug/L	metaTRACE
0	IRON		60 ug/L	metaTRACE
1	MERCURY		0.64 ug/L	metaTRACE
1	TOLUENE	J	2 ug/L	metaTRACE
2	MANGANESE		389 ug/L	metaTRACE
1	SODIUM		9072 ug/L	metaTRACE
1	NICKEL		17 ug/L	metaTRACE
2	NITRATE AS NITROGEN		22000 ug/L	metaTRACE
0	LEAD		5 ug/L	metaTRACE
0	PHENOLS	LT	5 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
1	TOTAL ORGANIC HALOGENS		21 ug/L	metaTRACE
2	TRICHLOROETHYLENE		22.0 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0	ZINC		32 ug/L	metaTRACE
2	GROSS ALPHA		74.00+-10 pCi/L	metaTRACE
2	NONVOLATILE BETA		500+-50 pCi/L	metaTRACE
1	TOTAL ACTIVITY		335+-5.89 pCi/mL	HP, 735A
2	TOTAL RADIUM		11.00+-2.00 pCi/L	metaTRACE
2	TRITIUM		320+-40 pCi/mL	metaTRACE
2	TRITIUM		332+-4.05 pCi/mL	HP, 735A

WELL FMB 3

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/19/89 Time 1415
 Depth to water = 78.03 ft (23.78 m) below the TOC
 Water elevation = 205.97 ft (62.78 m) msl
 pH = 4.8 Alkalinity = 0 mg/L
 Specific conductance = 76 umhos/cm
 Water temperature = 19.4 degrees Celsius
 Water evacuated from the well prior to sampling = 66 gal

LABORATORY ANALYSES

0	SILVER	LT	2 ug/L	metaTRACE
0	BARIIUM	LT	25 ug/L	metaTRACE
0	BERYLLIUM	LT	1 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0	CADMIUM	LT	4 ug/L	metaTRACE
0	BROMOFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	5 ug/L	metaTRACE
1	METHYLENE CHLORIDE	B	8 ug/L	metaTRACE
0	BROMOMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROBENZENE	LT	5 ug/L	metaTRACE
0	CHLOROBENZENE	LT	5 ug/L	metaTRACE
0	CHROMIUM	LT	5 ug/L	metaTRACE
0	COPPER	LT	10 ug/L	metaTRACE

CONTINUED

WELL FNB 3 COLLECTED ON 08/19/89 LABORATORY ANALYSES CONTINUED

0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0	CHLOROETHANE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0	ETHYLBENZENE	LT	5 ug/L	metaTRACE
0	FLUORIDE		320 ug/L	metaTRACE
0	IRON		31 ug/L	metaTRACE
0	MERCURY		0.23 ug/L	metaTRACE
0	TOLUENE	LT	5 ug/L	metaTRACE
2	MANGANESE		104 ug/L	metaTRACE
1	SODIUM		5613 ug/L	metaTRACE
0	NICKEL	LT	5 ug/L	metaTRACE
1	NITRATE AS NITROGEN		6100 ug/L	metaTRACE
0	LEAD		5 ug/L	metaTRACE
0	PHENOLS	LT	5 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	metaTRACE
0	TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0	ZINC		5 ug/L	metaTRACE
1	GROSS ALPHA		10.00+-4.00 pCi/L	metaTRACE
1	NONVOLATILE BETA		42.00+-6.00 pCi/L	metaTRACE
1	TOTAL ACTIVITY		82.30+-3.23 pCi/mL	HP, 735A
1	TOTAL RADIUM		2.60+-0.50 pCi/L	metaTRACE
2	TRITIUM		74.00+-8.00 pCi/mL	metaTRACE
2	TRITIUM		80.70+-2.08 pCi/mL	HP, 735A

WELL FNB 4

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/19/89 Time 1545
 Depth to water = 81.79 ft (24.93 m) below the TOC
 Water elevation = 209.71 ft (63.92 m) msl
 pH = 4.6 Alkalinity = 0 mg/L
 Specific conductance = 34 umhos/cm
 Water temperature = 21.2 degrees Celsius
 Water evacuated from the well prior to sampling = 78 gal

LABORATORY ANALYSES

0	SILVER	LT	2 ug/L	metaTRACE
0	BARIIUM	LT	25 ug/L	metaTRACE
0	BERYLLIUM	LT	1 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
0	TRICHLOROFUOROMETHANE	LT	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0	CADMIUM	LT	4 ug/L	metaTRACE
0	BROMOFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	5 ug/L	metaTRACE
0	METHYLENE CHLORIDE	LT	5 ug/L	metaTRACE
0	BROMOMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROBENZENE	LT	5 ug/L	metaTRACE
1	CHROMIUM		8 ug/L	metaTRACE
0	COPPER	LT	10 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0	CHLOROETHANE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0	ETHYLBENZENE	LT	5 ug/L	metaTRACE
0	FLUORIDE	LT	250 ug/L	metaTRACE
0	IRON		101 ug/L	metaTRACE
0	MERCURY	LT	0.20 ug/L	metaTRACE
0	TOLUENE	LT	5 ug/L	metaTRACE
0	MANGANESE		11 ug/L	metaTRACE
0	SODIUM		2530 ug/L	metaTRACE
0	NICKEL	LT	5 ug/L	metaTRACE
0	NITRATE AS NITROGEN		1900 ug/L	metaTRACE
0	LEAD	LT	3 ug/L	metaTRACE
0	PHENOLS	LT	5 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	metaTRACE
0	TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0	ZINC		18 ug/L	metaTRACE
0	GROSS ALPHA		3.30+-2.10 pCi/L	metaTRACE
0	NONVOLATILE BETA	LT	5 pCi/L	metaTRACE
0	TOTAL RADIUM		2.40+-0.40 pCi/L	metaTRACE
0	TRITIUM		6.60+-0.70 pCi/mL	metaTRACE

WELL FSB 76

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/08/89 Time 1140
 pH = 4.4 Alkalinity = 0 mg/L
 Specific conductance = 124 umhos/cm
 Water temperature = 22.8 degrees Celsius
 Water evacuated from the well prior to sampling = 45 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE		124.0 UMHC	metaTRACE
0	PH		5.26 pH	metaTRACE
0	SILVER	LT	2 ug/L	metaTRACE
0	ARSENIC	LT	3 ug/L	metaTRACE
0	BARIIUM		14 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
0	CALCIUM		1430 ug/L	metaTRACE
0	TRICHLOROFUOROMETHANE	LT	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0	CADMIUM	LT	4 ug/L	metaTRACE
0	BROMOFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	5 ug/L	metaTRACE
0	METHYLENE CHLORIDE	LT	5 ug/L	metaTRACE
0	BROMOMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
0	CHLORIDE		2600 ug/L	metaTRACE
0	CHLOROBENZENE	LT	5 ug/L	metaTRACE
0	COBALT	LT	10 ug/L	metaTRACE
0	CHROMIUM	LT	10 ug/L	metaTRACE
2	COPPER		560 ug/L	metaTRACE
0	CYANIDE	LT	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0	CHLOROETHANE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0	ETHYLBENZENE	LT	5 ug/L	metaTRACE
0	FLUORIDE	LT	250 ug/L	metaTRACE
0	IRON		22 ug/L	metaTRACE
0	MERCURY	LT	0.20 ug/L	metaTRACE
0	POTASSIUM	LT	5000 ug/L	metaTRACE
0	TOLUENE	LT	5 ug/L	metaTRACE
0	MANGNESIUM		1323 ug/L	metaTRACE
0	MANGANESE	LT	10 ug/L	metaTRACE
1	SODIUM		18630 ug/L	metaTRACE
0	NICKEL	LT	5 ug/L	metaTRACE
0	NITRATE AS NITROGEN		1400 ug/L	metaTRACE
2	LEAD		49 ug/L	metaTRACE
0	PHENOLS	LT	5 ug/L	metaTRACE
0	ANTIMONY	LT	10 ug/L	metaTRACE
0	SELENIUM	LT	2 ug/L	metaTRACE
1	SILICON		3922 ug/L	metaTRACE
0	SULFATE	LT	1000 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS		100000 ug/L	metaTRACE
0	THALLIUM	LT	3 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON		1020 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	metaTRACE
0	TOTAL PHOSPHATES	LT	10 ug/L	metaTRACE
0	TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	VANADIUM	LT	10 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
1	ZINC		742 ug/L	metaTRACE
1	GROSS ALPHA		8.70+-5.30 pCi/L	metaTRACE
0	GROSS ALPHA		4.90+-1.70 pCi/L	Teledyne
1	NONVOLATILE BETA		28.00+-5.00 pCi/L	metaTRACE
1	NONVOLATILE BETA		20.00+-2.00 pCi/L	Teledyne
2	TOTAL RADIUM		5.30+-0.60 pCi/L	metaTRACE
2	TRITIUM		1000+-100 pCi/mL	metaTRACE

WELL FSB 76A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/08/89 Time 1205
 Depth to water = 139.44 ft (42.50 m) below the TOC
 Water elevation = 154.46 ft (47.08 m) msl
 pH = 5.8 Alkalinity = 52 mg/L
 Specific conductance = 118 umhos/cm
 Water temperature = 22.1 degrees Celsius
 Water evacuated from the well prior to sampling = 306 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE		124.0 UMHC	metaTRACE
1	PH		6.56 pH	metaTRACE
0	SILVER	LT	2 ug/L	metaTRACE
0	ARSENIC	LT	3 ug/L	metaTRACE
0	BARIIUM		24 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
1	CALCIUM		18870 ug/L	metaTRACE
0	TRICHLOROFUOROMETHANE	LT	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0	CADMIUM	LT	4 ug/L	metaTRACE
0	BROMOFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	5 ug/L	metaTRACE

CONTINUED

WELL FSB 76A COLLECTED ON 07/08/89 LABORATORY ANALYSES CONTINUED

0 METHYLENE CHLORIDE	LT	5 ug/L	metaTRACE
0 BROMOMETHANE	LT	10 ug/L	metaTRACE
0 CHLOROMETHANE	LT	10 ug/L	metaTRACE
0 CHLORIDE	LT	2200 ug/L	metaTRACE
0 CHLOROBENZENE	LT	5 ug/L	metaTRACE
0 COBALT	LT	10 ug/L	metaTRACE
0 CHROMIUM	LT	10 ug/L	metaTRACE
0 COPPER	LT	10 ug/L	metaTRACE
0 CYANIDE	LT	5 ug/L	metaTRACE
0 CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0 CHLOROETHANE	LT	10 ug/L	metaTRACE
0 BENZENE	LT	5 ug/L	metaTRACE
0 DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0 ETHYLBENZENE	LT	5 ug/L	metaTRACE
0 FLUORIDE	LT	250 ug/L	metaTRACE
0 IRON	LT	10 ug/L	metaTRACE
0 MERCURY	LT	0.20 ug/L	metaTRACE
0 POTASSIUM	LT	5000 ug/L	metaTRACE
0 TOLUENE	LT	5 ug/L	metaTRACE
0 MAGNESIUM	LT	621 ug/L	metaTRACE
0 MANGANESE	LT	10 ug/L	metaTRACE
0 SODIUM	LT	2193 ug/L	metaTRACE
0 NICKEL	LT	5 ug/L	metaTRACE
0 NITRATE AS NITROGEN	LT	230 ug/L	metaTRACE
0 LEAD	LT	5 ug/L	metaTRACE
0 PHENOLS	LT	5 ug/L	metaTRACE
0 ANTIMONY	LT	10 ug/L	metaTRACE
0 SELENIUM	LT	2 ug/L	metaTRACE
1 SILICON	LT	356 ug/L	metaTRACE
0 SULFATE	LT	8000 ug/L	metaTRACE
0 1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0 TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0 TOTAL DISSOLVED SOLIDS	LT	143000 ug/L	metaTRACE
0 THALLIUM	LT	3 ug/L	metaTRACE
0 TOTAL ORGANIC CARBON	LT	1080 ug/L	metaTRACE
0 TOTAL ORGANIC HALOGENS	LT	9 ug/L	metaTRACE
1 TOTAL PHOSPHATES	LT	324 ug/L	metaTRACE
0 TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0 TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0 TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0 VANADIUM	LT	10 ug/L	metaTRACE
0 1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0 1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0 CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0 2-CHLOROETHYLVINYL ETHER	LT	5 ug/L	metaTRACE
0 ZINC	LT	15 ug/L	metaTRACE
0 GROSS ALPHA	LT	3 pCi/L	metaTRACE
0 NONVOLATILE BETA	LT	6 pCi/L	metaTRACE
0 TOTAL RADIUM	LT	1 pCi/L	metaTRACE
0 TRITIUM	LT	1 pCi/mL	metaTRACE

WELL FSB 76B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/22/89 Time 850
 Depth to water = 143.18 ft (43.64 m) below the TOC
 Water elevation = 150.62 ft (45.91 m) msl
 pH = 6.2 Alkalinity = 54 mg/L
 Specific conductance = 132 umhos/cm
 Water temperature = 21.2 degrees Celsius
 Water evacuated from the well prior to sampling = 134 gal

LABORATORY ANALYSES

1 SPECIFIC CONDUCTANCE	120.0 UMIC	Gen. Eng.
1 SPECIFIC CONDUCTANCE	120.0 UMIC	Gen. Eng.
1 SPECIFIC CONDUCTANCE	118.2 UMIC	metaTRACE
1 PH	7.03 pH	Gen. Eng.
1 PH	7.02 pH	Gen. Eng.
1 PH	6.91 pH	metaTRACE
0 SILVER	LT	2 ug/L
0 SILVER	LT	2 ug/L
0 SILVER	LT	2 ug/L
0 ARSENIC	LT	2 ug/L
0 ARSENIC	LT	2 ug/L
0 ARSENIC	LT	3 ug/L
0 BARIUM	LT	19 ug/L
0 BARIUM	LT	21 ug/L
0 BARIUM	LT	20 ug/L
0 BROMODICHLOROMETHANE	LT	1 ug/L
0 BROMODICHLOROMETHANE	LT	1 ug/L
0 BROMODICHLOROMETHANE	LT	5 ug/L
1 CALCIUM	29000 ug/L	Gen. Eng.
1 CALCIUM	30100 ug/L	Gen. Eng.
1 CALCIUM	21940 ug/L	metaTRACE
0 TRICHLOROFLUOROMETHANE	LT	1 ug/L
0 TRICHLOROFLUOROMETHANE	LT	1 ug/L
0 TRICHLOROFLUOROMETHANE	LT	5 ug/L
0 CARBON TETRACHLORIDE	LT	1.00 ug/L
0 CARBON TETRACHLORIDE	LT	1.00 ug/L
0 CARBON TETRACHLORIDE	LT	5.00 ug/L
0 CADMIUM	LT	2 ug/L
0 CADMIUM	LT	2 ug/L
0 CADMIUM	LT	4 ug/L
0 BROMOFORM	LT	1 ug/L
0 BROMOFORM	LT	1 ug/L
0 BROMOFORM	LT	5 ug/L
0 CHLOROFORM	LT	1 ug/L
0 CHLOROFORM	LT	1 ug/L
0 CHLOROFORM	LT	5 ug/L
0 METHYLENE CHLORIDE	LT	1 ug/L

CONTINUED

WELL FSB 76B COLLECTED ON 07/22/89 LABORATORY ANALYSES CONTINUED

0 METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0 METHYLENE CHLORIDE	LT	5 ug/L	metaTRACE
0 BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0 BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0 BROMOMETHANE	LT	10 ug/L	metaTRACE
0 CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 CHLOROMETHANE	LT	10 ug/L	metaTRACE
0 CHLORIDE	LT	2200 ug/L	Gen. Eng.
0 CHLORIDE	LT	2200 ug/L	Gen. Eng.
0 CHLORIDE	LT	2300 ug/L	metaTRACE
0 CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0 CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0 CHLOROBENZENE	LT	5 ug/L	metaTRACE
0 COBALT	LT	4 ug/L	Gen. Eng.
0 COBALT	LT	4 ug/L	Gen. Eng.
0 COBALT	LT	10 ug/L	metaTRACE
0 CHROMIUM	LT	4 ug/L	Gen. Eng.
0 CHROMIUM	LT	4 ug/L	Gen. Eng.
0 CHROMIUM	LT	10 ug/L	metaTRACE
0 COPPER	LT	4 ug/L	Gen. Eng.
0 COPPER	LT	4 ug/L	Gen. Eng.
0 COPPER	LT	10 ug/L	metaTRACE
0 CYANIDE	LT	5 ug/L	Gen. Eng.
0 CYANIDE	LT	5 ug/L	Gen. Eng.
0 CYANIDE	LT	5 ug/L	metaTRACE
0 CYANIDE	LT	5 ug/L	metaTRACE
0 CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0 CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0 CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0 CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 CHLOROETHANE	LT	10 ug/L	metaTRACE
0 BENZENE	LT	1 ug/L	Gen. Eng.
0 BENZENE	LT	1 ug/L	Gen. Eng.
0 BENZENE	LT	5 ug/L	metaTRACE
0 DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0 ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0 ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0 ETHYLBENZENE	LT	5 ug/L	metaTRACE
0 FLUORIDE	LT	110 ug/L	Gen. Eng.
0 FLUORIDE	LT	110 ug/L	Gen. Eng.
0 FLUORIDE	LT	250 ug/L	metaTRACE
0 IRON	LT	23 ug/L	Gen. Eng.
0 IRON	LT	25 ug/L	Gen. Eng.
0 IRON	LT	13 ug/L	metaTRACE
0 MERCURY	LT	0.20 ug/L	Gen. Eng.
0 MERCURY	LT	0.20 ug/L	Gen. Eng.
0 MERCURY	LT	0.20 ug/L	metaTRACE
0 POTASSIUM	LT	300 ug/L	Gen. Eng.
0 POTASSIUM	LT	300 ug/L	Gen. Eng.
0 POTASSIUM	LT	5000 ug/L	metaTRACE
0 TOLUENE	LT	1 ug/L	Gen. Eng.
0 TOLUENE	LT	1 ug/L	Gen. Eng.
0 TOLUENE	LT	5 ug/L	metaTRACE
0 MAGNESIUM	LT	655 ug/L	Gen. Eng.
0 MAGNESIUM	LT	700 ug/L	Gen. Eng.
0 MAGNESIUM	LT	623 ug/L	metaTRACE
0 MANGANESE	LT	2 ug/L	Gen. Eng.
0 MANGANESE	LT	2 ug/L	Gen. Eng.
0 MANGANESE	LT	10 ug/L	metaTRACE
0 SODIUM	LT	3340 ug/L	Gen. Eng.
0 SODIUM	LT	3240 ug/L	Gen. Eng.
0 SODIUM	LT	1643 ug/L	metaTRACE
0 NICKEL	LT	4 ug/L	Gen. Eng.
0 NICKEL	LT	4 ug/L	Gen. Eng.
0 NICKEL	LT	5 ug/L	metaTRACE
0 NITRATE AS NITROGEN	LT	300 ug/L	Gen. Eng.
0 NITRATE AS NITROGEN	LT	430 ug/L	Gen. Eng.
0 NITRATE AS NITROGEN	LT	520 ug/L	metaTRACE
0 LEAD	LT	8 ug/L	Gen. Eng.
0 LEAD	LT	6 ug/L	Gen. Eng.
0 LEAD	LT	3 ug/L	metaTRACE
0 PHENOLS	LT	3 ug/L	Gen. Eng.
0 PHENOLS	LT	3 ug/L	Gen. Eng.
0 PHENOLS	LT	5 ug/L	metaTRACE
0 ANTIMONY	LT	3 ug/L	Gen. Eng.
0 ANTIMONY	LT	3 ug/L	Gen. Eng.
0 ANTIMONY	LT	10 ug/L	metaTRACE
0 SELENIUM	LT	2 ug/L	Gen. Eng.
0 SELENIUM	LT	2 ug/L	Gen. Eng.
0 SELENIUM	LT	2 ug/L	metaTRACE
1 SILICON	LT	11010 ug/L	metaTRACE
1 SILICA	LT	20800 ug/L	Gen. Eng.
1 SILICA	LT	21000 ug/L	Gen. Eng.
0 SULFATE	LT	5000 ug/L	Gen. Eng.
0 SULFATE	LT	5000 ug/L	Gen. Eng.
0 SULFATE	LT	2800 ug/L	metaTRACE
0 1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0 TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0 TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0 TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0 TOTAL DISSOLVED SOLIDS	LT	119000 ug/L	Gen. Eng.
0 TOTAL DISSOLVED SOLIDS	LT	132000 ug/L	Gen. Eng.
0 TOTAL DISSOLVED SOLIDS	LT	100000 ug/L	metaTRACE
0 THALLIUM	LT	2 ug/L	Gen. Eng.
0 THALLIUM	LT	2 ug/L	Gen. Eng.
0 THALLIUM	LT	3 ug/L	metaTRACE
0 TOTAL ORGANIC CARBON	LT	1000 ug/L	Gen. Eng.
0 TOTAL ORGANIC CARBON	LT	1000 ug/L	Gen. Eng.
0 TOTAL ORGANIC CARBON	LT	1000 ug/L	metaTRACE
1 TOTAL ORGANIC HALOGENS	LT	14 ug/L	Gen. Eng.
1 TOTAL ORGANIC HALOGENS	LT	17 ug/L	Gen. Eng.
1 TOTAL ORGANIC HALOGENS	LT	11 ug/L	metaTRACE
1 TOTAL PHOSPHORUS	LT	400 ug/L	Gen. Eng.

CONTINUED

WELL FSB 768 COLLECTED ON 07/22/89 LABORATORY ANALYSES CONTINUED

1	TOTAL PHOSPHORUS	380 ug/L	Gen. Eng.
1	TOTAL PHOSPHATES	323 ug/L	metaTRACE
0	TRICHLOROETHYLENE	1.00 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	1.00 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	5.00 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	1 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	1 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	5 ug/L	metaTRACE
0	VANADIUM	20 ug/L	Gen. Eng.
0	VANADIUM	20 ug/L	Gen. Eng.
0	VANADIUM	10 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	5 ug/L	metaTRACE
0	ZINC	5 ug/L	Gen. Eng.
0	ZINC	4 ug/L	Gen. Eng.
0	ZINC	11 ug/L	metaTRACE
0	GROSS ALPHA	3 pCi/L	Gen. Eng.
0	GROSS ALPHA	3 pCi/L	Gen. Eng.
0	GROSS ALPHA	2 pCi/L	metaTRACE
0	NONVOLATILE BETA	2 pCi/L	Gen. Eng.
0	NONVOLATILE BETA	2 pCi/L	Gen. Eng.
0	NONVOLATILE BETA	6 pCi/L	metaTRACE
0	TOTAL RADIUM	1 pCi/L	Gen. Eng.
0	TOTAL RADIUM	1 pCi/L	Gen. Eng.
0	TOTAL RADIUM	1 pCi/L	metaTRACE
0	TRITIUM	0.70 pCi/mL	Gen. Eng.
0	TRITIUM	0.70 pCi/mL	Gen. Eng.
0	TRITIUM	1 pCi/mL	metaTRACE
0	TRITIUM	1 pCi/mL	metaTRACE

WELL FSB 768

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/22/89 Time 850
 Depth to water = 143.18 ft (43.54 m) below the TOC
 Water elevation = 150.62 ft (45.91 m) msl
 pH = 6.2 Alkalinity = 54 mg/L
 Specific conductance = 132 uhm/cm
 Water temperature = 21.2 degrees Celsius
 Water evacuated from the well prior to sampling = 134 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	120.0 uhm/cm	Gen. Eng.
1	SPECIFIC CONDUCTANCE	120.2 uhm/cm	metaTRACE
1	PH	7.02 pH	Gen. Eng.
1	PH	6.95 pH	metaTRACE
0	SILVER	2 ug/L	Gen. Eng.
0	SILVER	2 ug/L	metaTRACE
0	ARSENIC	2 ug/L	Gen. Eng.
0	ARSENIC	3 ug/L	metaTRACE
0	BARIUM	21 ug/L	Gen. Eng.
0	BARIUM	20 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	1 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	5 ug/L	metaTRACE
1	CALCIUM	30300 ug/L	Gen. Eng.
1	CALCIUM	23160 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	1.00 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	5.00 ug/L	metaTRACE
0	CADMIUM	2 ug/L	Gen. Eng.
0	CADMIUM	4 ug/L	metaTRACE
0	BROMOFORM	1 ug/L	Gen. Eng.
0	BROMOFORM	5 ug/L	metaTRACE
0	CHLOROFORM	1 ug/L	Gen. Eng.
0	CHLOROFORM	5 ug/L	metaTRACE
0	METHYLENE CHLORIDE	1 ug/L	Gen. Eng.
0	METHYLENE CHLORIDE	5 ug/L	metaTRACE
0	BROMOMETHANE	1 ug/L	Gen. Eng.
0	BROMOMETHANE	10 ug/L	metaTRACE
0	CHLOROMETHANE	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	10 ug/L	metaTRACE
0	CHLORIDE	2300 ug/L	Gen. Eng.
0	CHLORIDE	2300 ug/L	metaTRACE
0	CHLOROBENZENE	1 ug/L	Gen. Eng.
0	CHLOROBENZENE	5 ug/L	metaTRACE
0	COBALT	4 ug/L	Gen. Eng.
0	COBALT	10 ug/L	metaTRACE
0	CHROMIUM	4 ug/L	Gen. Eng.

CONTINUED

WELL FSB 768 COLLECTED ON 07/22/89 LABORATORY ANALYSES CONTINUED

0	CHROMIUM	10 ug/L	metaTRACE
0	COPPER	4 ug/L	Gen. Eng.
0	COPPER	10 ug/L	metaTRACE
0	CYANIDE	5 ug/L	Gen. Eng.
0	CYANIDE	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	1 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	5 ug/L	metaTRACE
0	CHLOROETHANE	1 ug/L	Gen. Eng.
0	CHLOROETHANE	10 ug/L	metaTRACE
0	BENZENE	1 ug/L	Gen. Eng.
0	BENZENE	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	5 ug/L	metaTRACE
0	ETHYLBENZENE	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	5 ug/L	metaTRACE
0	FLUORIDE	130 ug/L	Gen. Eng.
0	FLUORIDE	250 ug/L	metaTRACE
0	IRON	23 ug/L	Gen. Eng.
0	IRON	22 ug/L	metaTRACE
0	MERCURY	0.20 ug/L	Gen. Eng.
0	MERCURY	0.20 ug/L	metaTRACE
0	POTASSIUM	544 ug/L	Gen. Eng.
0	POTASSIUM	5000 ug/L	metaTRACE
0	TOLUENE	1 ug/L	Gen. Eng.
0	TOLUENE	5 ug/L	metaTRACE
0	MAGNESIUM	733 ug/L	Gen. Eng.
0	MAGNESIUM	651 ug/L	metaTRACE
0	MANGANESE	2 ug/L	Gen. Eng.
0	MANGANESE	10 ug/L	metaTRACE
0	SODIUM	3280 ug/L	Gen. Eng.
0	SODIUM	1768 ug/L	metaTRACE
0	NICKEL	4 ug/L	Gen. Eng.
0	NICKEL	6 ug/L	metaTRACE
0	NITRATE AS NITROGEN	510 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN	590 ug/L	metaTRACE
0	LEAD	6 ug/L	Gen. Eng.
0	LEAD	3 ug/L	metaTRACE
0	PHENOLS	5 ug/L	Gen. Eng.
0	PHENOLS	3 ug/L	metaTRACE
0	ANTIMONY	3 ug/L	Gen. Eng.
0	ANTIMONY	10 ug/L	metaTRACE
0	SELENIUM	2 ug/L	Gen. Eng.
0	SELENIUM	2 ug/L	metaTRACE
1	SILICON	11300 ug/L	metaTRACE
1	SILICA	17600 ug/L	Gen. Eng.
0	SULFATE	5000 ug/L	Gen. Eng.
0	SULFATE	2800 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	1 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	1.00 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	5.00 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS	124000 ug/L	Gen. Eng.
0	TOTAL DISSOLVED SOLIDS	99000 ug/L	metaTRACE
0	THALLIUM	2 ug/L	Gen. Eng.
0	THALLIUM	3 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	4700 ug/L	Gen. Eng.
0	TOTAL ORGANIC CARBON	1000 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	5 ug/L	Gen. Eng.
0	TOTAL ORGANIC HALOGENS	5 ug/L	metaTRACE
1	TOTAL PHOSPHORUS	380 ug/L	Gen. Eng.
0	TOTAL PHOSPHATES	290 ug/L	metaTRACE
0	TOTAL PHOSPHATES	285 ug/L	metaTRACE
0	TRICHLOROETHYLENE	1.00 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	5.00 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	1 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	5 ug/L	metaTRACE
0	VANADIUM	20 ug/L	Gen. Eng.
0	VANADIUM	10 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	5 ug/L	metaTRACE
0	ZINC	5 ug/L	Gen. Eng.
0	ZINC	11 ug/L	metaTRACE
0	GROSS ALPHA	3 pCi/L	Gen. Eng.
0	GROSS ALPHA	2 pCi/L	metaTRACE
0	NONVOLATILE BETA	2 pCi/L	Gen. Eng.
0	NONVOLATILE BETA	6 pCi/L	metaTRACE
0	TOTAL RADIUM	1 pCi/L	Gen. Eng.
0	TOTAL RADIUM	1 pCi/L	metaTRACE
0	TRITIUM	0.70 pCi/mL	Gen. Eng.
0	TRITIUM	1 pCi/mL	metaTRACE

WELL FSB 76C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/08/89 Time 1220
 Depth to water = 83.67 ft (25.50 m) below the TOC
 Water elevation = 209.93 ft (63.99 m) msl
 pH = 5.0 Alkalinity = 8 mg/L
 Specific conductance = 45 umhos/cm
 Water temperature = 22.5 degrees Celsius
 Water evacuated from the well prior to sampling = 153 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE	47.00 UMIC	metaTRACE
0	PH	6.03 pH	metaTRACE
0	SILVER	LT	2 ug/L metaTRACE
0	ARSENIC	LT	3 ug/L metaTRACE
0	BARIUM	LT	25 ug/L metaTRACE
0	BROMODICHLOROMETHANE	LT	5 ug/L metaTRACE
0	CALCIUM	7499 ug/L	metaTRACE
1	TRICHLOROFLUOROMETHANE	13 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00 ug/L metaTRACE
0	CADMIUM	LT	4 ug/L metaTRACE
0	BROMOFORM	LT	5 ug/L metaTRACE
0	CHLOROFORM	LT	5 ug/L metaTRACE
0	METHYLENE CHLORIDE	LT	5 ug/L metaTRACE
0	BROMOMETHANE	LT	10 ug/L metaTRACE
0	CHLOROMETHANE	LT	10 ug/L metaTRACE
0	CHLORIDE	2500 ug/L	metaTRACE
0	CHLOROBENZENE	LT	5 ug/L metaTRACE
0	COBALT	LT	10 ug/L metaTRACE
0	CHROMIUM	LT	10 ug/L metaTRACE
0	COPPER	LT	11 ug/L metaTRACE
0	CYANIDE	LT	5 ug/L metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L metaTRACE
0	CHLOROETHANE	LT	10 ug/L metaTRACE
0	BENZENE	LT	5 ug/L metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L metaTRACE
0	ETHYLBENZENE	LT	5 ug/L metaTRACE
0	FLUORIDE	250 ug/L	metaTRACE
0	IRON	LT	10 ug/L metaTRACE
0	MERCURY	LT	0.20 ug/L metaTRACE
0	POTASSIUM	LT	5000 ug/L metaTRACE
0	TOLUENE	LT	5 ug/L metaTRACE
0	MAGNESIUM	422 ug/L	metaTRACE
0	MANGANESE	2239 ug/L	metaTRACE
0	SODIUM	LT	5 ug/L metaTRACE
0	NICKEL	LT	5 ug/L metaTRACE
2	NITRATE AS NITROGEN	16000 ug/L	metaTRACE
0	LEAD	LT	3 ug/L metaTRACE
0	PHENOLS	LT	5 ug/L metaTRACE
0	ANTIMONY	LT	10 ug/L metaTRACE
0	SELENIUM	LT	2 ug/L metaTRACE
1	SILICON	5442 ug/L	metaTRACE
0	SULFATE	LT	1000 ug/L metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L metaTRACE
0	TETRACHLOROETHYLENE	LT	5.00 ug/L metaTRACE
0	TOTAL DISSOLVED SOLIDS	55000 ug/L	metaTRACE
0	THALLIUM	LT	3 ug/L metaTRACE
0	TOTAL ORGANIC CARBON	1650 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	6 ug/L	metaTRACE
0	TOTAL PHOSPHATES	LT	10 ug/L metaTRACE
0	TRICHLOROETHYLENE	LT	5.00 ug/L metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L metaTRACE
0	VANADIUM	LT	10 ug/L metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L metaTRACE
0	1,1-DICHLOROETHANE	LT	5 ug/L metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L metaTRACE
0	ZINC	52 ug/L	metaTRACE
0	GROSS ALPHA	LT	3 pCi/L metaTRACE
0	NONVOLATILE BETA	LT	5 pCi/L metaTRACE
0	TOTAL RADIUM	LT	1 pCi/L metaTRACE
0	TRITIUM	3.10+-0.40 pCi/mL	metaTRACE

WELL FSB 77

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/01/89 Time 1110
 Depth to water = 63.45 ft (19.34 m) below the TOC
 Water elevation = 209.85 ft (63.96 m) msl
 pH = 3.5 Alkalinity = 0 mg/L
 Specific conductance = 427 umhos/cm
 Water temperature = 21.0 degrees Celsius
 Water evacuated from the well prior to sampling = 61 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	481.0 UMIC	metaTRACE
0	PH	4.02 pH	metaTRACE
0	SILVER	LT	2 ug/L metaTRACE
0	SILVER	LT	2 ug/L metaTRACE
0	ARSENIC	LT	3 ug/L metaTRACE
0	BARIUM	LT	49 ug/L metaTRACE
0	BROMODICHLOROMETHANE	LT	5 ug/L metaTRACE
0	CALCIUM	842 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00 ug/L metaTRACE
0	CADMIUM	LT	4 ug/L metaTRACE
0	BROMOFORM	LT	5 ug/L metaTRACE

CONTINUED

WELL FSB 77 COLLECTED ON 07/01/89 LABORATORY ANALYSES CONTINUED

0	CHLOROFORM	LT	5 ug/L metaTRACE
0	METHYLENE CHLORIDE	LT	5 ug/L metaTRACE
0	BROMOMETHANE	LT	10 ug/L metaTRACE
0	CHLOROMETHANE	LT	10 ug/L metaTRACE
0	CHLORIDE	1000 ug/L	metaTRACE
0	CHLOROBENZENE	LT	5 ug/L metaTRACE
0	COBALT	LT	10 ug/L metaTRACE
0	CHROMIUM	LT	10 ug/L metaTRACE
1	COPPER	220 ug/L	metaTRACE
0	CYANIDE	LT	5 ug/L metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L metaTRACE
0	CHLOROETHANE	LT	10 ug/L metaTRACE
0	BENZENE	LT	5 ug/L metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L metaTRACE
0	ETHYLBENZENE	LT	5 ug/L metaTRACE
0	FLUORIDE	300 ug/L	metaTRACE
0	IRON	23 ug/L	metaTRACE
0	MERCURY	0.22 ug/L	metaTRACE
0	POTASSIUM	LT	5000 ug/L metaTRACE
0	TOLUENE	LT	5 ug/L metaTRACE
0	MAGNESIUM	505 ug/L	metaTRACE
2	MANGANESE	118 ug/L	metaTRACE
1	SODIUM	12810 ug/L	metaTRACE
0	NICKEL	8 ug/L	metaTRACE
1	NICKEL	9 ug/L	metaTRACE
2	NITRATE AS NITROGEN	55000 ug/L	metaTRACE
0	LEAD	LT	8 ug/L metaTRACE
0	PHENOLS	LT	5 ug/L metaTRACE
0	ANTIMONY	LT	10 ug/L metaTRACE
0	SELENIUM	LT	2 ug/L metaTRACE
1	SILICON	8500 ug/L	metaTRACE
0	SULFATE	1300 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L metaTRACE
0	TETRACHLOROETHYLENE	LT	5.00 ug/L metaTRACE
0	TOTAL DISSOLVED SOLIDS	184000 ug/L	metaTRACE
0	THALLIUM	LT	3 ug/L metaTRACE
0	TOTAL ORGANIC CARBON	LT	1000 ug/L metaTRACE
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L metaTRACE
0	TOTAL PHOSPHATES	LT	10 ug/L metaTRACE
0	TRICHLOROETHYLENE	LT	5.00 ug/L metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L metaTRACE
0	VANADIUM	LT	10 ug/L metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L metaTRACE
0	1,1-DICHLOROETHANE	LT	5 ug/L metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L metaTRACE
0	ZINC	54 ug/L	metaTRACE
2	GROSS ALPHA	570+- 60 pCi/L	metaTRACE
2	NONVOLATILE BETA	550+- 60 pCi/L	metaTRACE
2	TOTAL RADIUM	9.30+-1.00 pCi/L	metaTRACE
2	TRITIUM	3600+- 400 pCi/mL	metaTRACE
2	TRITIUM	4450+-48.1 pCi/mL	HP. 735A

WELL FSB 78

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/01/89 Time 1145
 Depth to water = 66.05 ft (20.13 m) below the TOC
 Water elevation = 206.55 ft (62.96 m) msl
 pH = 2.8 Alkalinity = 0 mg/L
 Specific conductance = 3610 umhos/cm
 Water temperature = 23.7 degrees Celsius
 Water evacuated from the well prior to sampling = 49 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	3732 UMIC	metaTRACE
1	PH	3.21 pH	metaTRACE
1	SILVER	9 ug/L	metaTRACE
0	ARSENIC	LT	3 ug/L metaTRACE
1	BARIUM	136 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	LT	5 ug/L metaTRACE
0	CALCIUM	1978 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00 ug/L metaTRACE
0	CADMIUM	LT	4 ug/L metaTRACE
0	BROMOFORM	LT	5 ug/L metaTRACE
1	CHLOROFORM	LT	5 ug/L metaTRACE
1	METHYLENE CHLORIDE	JB	4 ug/L metaTRACE
0	BROMOMETHANE	LT	10 ug/L metaTRACE
0	CHLOROMETHANE	LT	10 ug/L metaTRACE
0	CHLORIDE	1700 ug/L	metaTRACE
0	CHLOROBENZENE	LT	5 ug/L metaTRACE
1	COBALT	19 ug/L	metaTRACE
0	CHROMIUM	LT	10 ug/L metaTRACE
1	COPPER	62 ug/L	metaTRACE
1	CYANIDE	18 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L metaTRACE
0	CHLOROETHANE	LT	10 ug/L metaTRACE
0	BENZENE	LT	5 ug/L metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L metaTRACE
0	ETHYLBENZENE	LT	5 ug/L metaTRACE
0	FLUORIDE	250 ug/L	metaTRACE
0	IRON	119 ug/L	metaTRACE
0	MERCURY	0.20 ug/L	metaTRACE
0	POTASSIUM	LT	5000 ug/L metaTRACE
0	TOLUENE	LT	5 ug/L metaTRACE
0	MAGNESIUM	508 ug/L	metaTRACE
2	MANGANESE	212 ug/L	metaTRACE
1	SODIUM	448700 ug/L	metaTRACE

CONTINUED

WELL FSB 78 COLLECTED ON 07/01/89 LABORATORY ANALYSES CONTINUED

1	NICKEL	29 ug/L	metaTRACE
2	NITRATE AS NITROGEN	480000 ug/L	metaTRACE
0	LEAD	3 ug/L	metaTRACE
0	PHENOLS	5 ug/L	metaTRACE
0	ANTIMONY	10 ug/L	metaTRACE
0	SELENIUM	2 ug/L	metaTRACE
1	SILICON	81540 ug/L	metaTRACE
1	SULFATE	48400 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	5.00 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS	2313000 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS	2316000 ug/L	metaTRACE
0	THALLIUM	3 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	3140 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	7 ug/L	metaTRACE
0	TOTAL PHOSPHATES	170 ug/L	metaTRACE
0	TRICHLOROETHYLENE	5.00 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	5 ug/L	metaTRACE
0	VANADIUM	10 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	5 ug/L	metaTRACE
0	ZINC	97 ug/L	metaTRACE
2	GROSS ALPHA	1700+-200 pCi/L	Teledyne
2	GROSS ALPHA	250+-20 pCi/L	Teledyne
1	AMERICIUM-241	11.00+-5.00 pCi/L	Teledyne
0	AMERICIUM-243	7 pCi/L	Teledyne
0	BARIUM-140	20 pCi/L	Teledyne
2	NONVOLATILE BETA	2500+-300 pCi/L	metaTRACE
2	NONVOLATILE BETA	4100+-100 pCi/L	Teledyne
0	BERYLLIUM-7	50 pCi/L	Teledyne
0	CERIUM-141	10 pCi/L	Teledyne
0	CERIUM-144	40 pCi/L	Teledyne
1	CURIUM-242	6.40+-3.90 pCi/L	Teledyne
1	CURIUM-246	3.60+-2.70 pCi/L	Teledyne
1	CURIUM-243/244	19.00+-7.00 pCi/L	Teledyne
0	COBALT-58	5 pCi/L	Teledyne
0	COBALT-60	5 pCi/L	Teledyne
0	CESIUM-134	5 pCi/L	Teledyne
2	CESIUM-137	122+-12 pCi/L	Teledyne
0	CARBON-14	10 pCi/L	Teledyne
0	IRON-55	200 pCi/L	Teledyne
0	IRON-59	9 pCi/L	Teledyne
1	IODINE-129	44.00+-5.00 pCi/L	Teledyne
0	IODINE-131	40 pCi/L	Teledyne
0	POTASSIUM-40	60 pCi/L	Teledyne
0	MANGANESE-54	4 pCi/L	Teledyne
0	NICKEL-59	100 pCi/L	Teledyne
1	NICKEL-63	13.00+-7.00 pCi/L	Teledyne
0	PLUTONIUM-238	6 pCi/L	Teledyne
0	PLUTONIUM-242	3 pCi/L	Teledyne
0	PLUTONIUM-239/240	5 pCi/L	Teledyne
0	RADIUM-226	100 pCi/L	Teledyne
1	RADIUM-226	1.70+-0.70 pCi/L	Teledyne
1	RADIUM-228	33.00+-2.00 pCi/L	Teledyne
0	RUTHENIUM-103	7 pCi/L	Teledyne
0	RUTHENIUM-106	40 pCi/L	Teledyne
1	STRONTIUM-89	32.00+-9.00 pCi/L	Teledyne
1	STRONTIUM-90	130+-10 pCi/L	Teledyne
1	TECHNETIUM-99	74.00+-7.00 pCi/L	Teledyne
0	THORIUM-228	8 pCi/L	Teledyne
0	THORIUM-228	5 pCi/L	Teledyne
0	THORIUM-230	2 pCi/L	Teledyne
0	THORIUM-232	2 pCi/L	Teledyne
1	THORIUM-234	1210+-130 pCi/L	Teledyne
2	TOTAL RADIUM	7.60+-0.80 pCi/L	metaTRACE
2	TRITIUM	33700+-131 pCi/mL	HP-735A
1	URANIUM-235	53.30+-31 pCi/L	Teledyne
1	URANIUM-235	61.00+-45 pCi/L	Teledyne
1	URANIUM-238	1200+-100 pCi/L	Teledyne
1	URANIUM-233/234	220+-20 pCi/L	Teledyne
0	ZINC-65	7 pCi/L	Teledyne
0	ZIRCONIUM-95	6 pCi/L	Teledyne

WELL FSB 78A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/01/89 Time 1235
 Depth to water = 118.16 ft (36.02 m) below the TOC
 Water elevation = 154.44 ft (47.07 m) msl
 pH = 5.9 Alkalinity = 47 mg/L
 Specific conductance = 109 umhos/cm
 Water temperature = 21.9 degrees Celsius
 Water evacuated from the well prior to sampling = 331 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	122.8 uMHC	metaTRACE
1	PH	6.56 pH	metaTRACE
0	SILVER	2 ug/L	metaTRACE
0	ARSENIC	3 ug/L	metaTRACE
0	BARIUM	20 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	5 ug/L	metaTRACE
1	CALCIUM	16400 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	5.00 ug/L	metaTRACE
0	CADMIUM	4 ug/L	metaTRACE
0	BROMOFORM	5 ug/L	metaTRACE
0	CHLOROFORM	5 ug/L	metaTRACE

CONTINUED

WELL FSB 78A COLLECTED ON 07/01/89 LABORATORY ANALYSES CONTINUED

0	METHYLENE CHLORIDE	5 ug/L	metaTRACE
0	BROMOMETHANE	10 ug/L	metaTRACE
0	CHLOROMETHANE	10 ug/L	metaTRACE
0	CHLORIDE	1700 ug/L	metaTRACE
0	CHLOROBENZENE	5 ug/L	metaTRACE
0	COBALT	10 ug/L	metaTRACE
0	CHROMIUM	10 ug/L	metaTRACE
0	COPPER	10 ug/L	metaTRACE
0	CYANIDE	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	5 ug/L	metaTRACE
0	CHLOROETHANE	10 ug/L	metaTRACE
0	BENZENE	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	5 ug/L	metaTRACE
0	ETHYLBENZENE	5 ug/L	metaTRACE
0	FLUORIDE	250 ug/L	metaTRACE
0	IRON	100 ug/L	metaTRACE
0	MERCURY	0.20 ug/L	metaTRACE
0	MERCURY	0.20 ug/L	metaTRACE
0	POTASSIUM	5000 ug/L	metaTRACE
0	TOLUENE	5 ug/L	metaTRACE
0	MAGNESIUM	605 ug/L	metaTRACE
0	MANGANESE	10 ug/L	metaTRACE
0	SODIUM	1928 ug/L	metaTRACE
0	NITRATE AS NITROGEN	5 ug/L	metaTRACE
0	LEAD	230 ug/L	metaTRACE
0	PHENOLS	3 ug/L	metaTRACE
0	ANTIMONY	5 ug/L	metaTRACE
0	SELENIUM	10 ug/L	metaTRACE
1	SILICON	11920 ug/L	metaTRACE
0	SULFATE	7000 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	5.00 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS	100000 ug/L	metaTRACE
0	THALLIUM	3 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	1000 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	8 ug/L	metaTRACE
0	TOTAL PHOSPHATES	235 ug/L	metaTRACE
0	TOTAL PHOSPHATES	219 ug/L	metaTRACE
0	TRICHLOROETHYLENE	5.00 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	5 ug/L	metaTRACE
0	VANADIUM	10 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	5 ug/L	metaTRACE
0	ZINC	16 ug/L	metaTRACE
0	GROSS ALPHA	2 pCi/L	metaTRACE
0	NONVOLATILE BETA	5 pCi/L	metaTRACE
0	TOTAL RADIUM	1 pCi/L	metaTRACE
0	TRITIUM	9.90+-1.00 pCi/mL	metaTRACE

WELL FSB 78B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/01/89 Time 1300
 Depth to water = 119.86 ft (36.53 m) below the TOC
 Water elevation = 152.94 ft (46.62 m) msl
 pH = 6.7 Alkalinity = 80 mg/L
 Specific conductance = 223 umhos/cm
 Water temperature = 21.7 degrees Celsius
 Water evacuated from the well prior to sampling = 183 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	246.0 uMHC	metaTRACE
1	PH	7.60 pH	metaTRACE
0	SILVER	2 ug/L	metaTRACE
0	ARSENIC	3 ug/L	metaTRACE
0	BARIUM	39 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	5 ug/L	metaTRACE
1	CALCIUM	33290 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	5.00 ug/L	metaTRACE
0	CADMIUM	4 ug/L	metaTRACE
0	BROMOFORM	5 ug/L	metaTRACE
0	CHLOROFORM	5 ug/L	metaTRACE
1	METHYLENE CHLORIDE	5 ug/L	metaTRACE
0	BROMOMETHANE	10 ug/L	metaTRACE
0	CHLOROMETHANE	10 ug/L	metaTRACE
0	CHLORIDE	2100 ug/L	metaTRACE
0	CHLOROBENZENE	5 ug/L	metaTRACE
0	COBALT	10 ug/L	metaTRACE
0	CHROMIUM	10 ug/L	metaTRACE
0	COPPER	10 ug/L	metaTRACE
0	CYANIDE	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	5 ug/L	metaTRACE
0	CHLOROETHANE	10 ug/L	metaTRACE
0	BENZENE	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	5 ug/L	metaTRACE
0	ETHYLBENZENE	5 ug/L	metaTRACE
0	FLUORIDE	250 ug/L	metaTRACE
0	IRON	10 ug/L	metaTRACE
0	MERCURY	0.20 ug/L	metaTRACE
0	MERCURY	0.20 ug/L	metaTRACE
0	POTASSIUM	5000 ug/L	metaTRACE
0	TOLUENE	700 ug/L	metaTRACE
0	MAGNESIUM	10 ug/L	metaTRACE
0	MANGANESE	3568 ug/L	metaTRACE
0	SODIUM		

CONTINUED

WELL FSB 78B COLLECTED ON 07/01/89 LABORATORY ANALYSES CONTINUED

0 NICKEL	LT	5 ug/L	metaTRACE
1 NITRATE AS NITROGEN		7400 ug/L	metaTRACE
0 LEAD		3 ug/L	metaTRACE
0 PHENOLS	LT	5 ug/L	metaTRACE
0 ANTIMONY	LT	10 ug/L	metaTRACE
0 SELENIUM	LT	2 ug/L	metaTRACE
1 SILICON		7719 ug/L	metaTRACE
0 SULFATE		1400 ug/L	metaTRACE
0 1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0 TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0 TOTAL DISSOLVED SOLIDS		185000 ug/L	metaTRACE
0 THALLIUM	LT	3 ug/L	metaTRACE
0 THALLIUM	LT	3 ug/L	metaTRACE
0 TOTAL ORGANIC CARBON	LT	1000 ug/L	metaTRACE
0 TOTAL ORGANIC HALOGENS	LT	5 ug/L	metaTRACE
0 TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0 TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0 TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0 VANADIUM	LT	10 ug/L	metaTRACE
0 1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0 1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0 CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0 2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0 ZINC		15 ug/L	metaTRACE
0 GROSS ALPHA	LT	4 pCi/L	metaTRACE
1 NONVOLATILE BETA		10.00+-4.00 pCi/L	metaTRACE
0 TOTAL RADIUM		1.10+-0.40 pCi/L	metaTRACE
0 TOTAL RADIUM		1.30+-0.40 pCi/L	metaTRACE
2 TRITIUM		210+-30 pCi/mL	metaTRACE
2 TRITIUM		249+-3.61 pCi/mL	HP, 735A

WELL FSB 78C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/02/89 Time 950
 Depth to water = 57.78 ft (20.66 m) below the TOC
 Water elevation = 205.72 ft (62.70 m) msl
 pH = 4.0 Alkalinity = 0 mg/L
 Specific conductance = 2000 umhos/cm
 Water temperature = 21.1 degrees Celsius
 Water evacuated from the well prior to sampling = 27 gal
 The well went dry during purging.

LABORATORY ANALYSES

1 SPECIFIC CONDUCTANCE		2185 uS/cm	metaTRACE
0 PH		4.41 pH	metaTRACE
0 SILVER	LT	2 ug/L	metaTRACE
0 ARSENIC	LT	3 ug/L	metaTRACE
1 BARIUM		466 ug/L	metaTRACE
0 BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
1 CALCIUM		131500 ug/L	metaTRACE
0 TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE
0 CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
2 CADMIUM		17 ug/L	metaTRACE
0 BROMOFORM	LT	5 ug/L	metaTRACE
0 CHLOROFORM	LT	5 ug/L	metaTRACE
0 METHYLENE CHLORIDE	LT	5 ug/L	metaTRACE
0 BROMOMETHANE	LT	10 ug/L	metaTRACE
0 CHLOROMETHANE	LT	10 ug/L	metaTRACE
0 CHLORIDE		1800 ug/L	metaTRACE
0 CHLOROBENZENE	LT	5 ug/L	metaTRACE
1 COBALT		259 ug/L	metaTRACE
0 CHROMIUM	LT	10 ug/L	metaTRACE
0 COPPER		12 ug/L	metaTRACE
0 CYANIDE	LT	5 ug/L	metaTRACE
0 CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0 CHLOROETHANE	LT	10 ug/L	metaTRACE
0 BENZENE	LT	5 ug/L	metaTRACE
0 DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0 ETHYLBENZENE	LT	5 ug/L	metaTRACE
1 FLUORIDE		880 ug/L	metaTRACE
0 IRON		126 ug/L	metaTRACE
0 MERCURY	LT	0.20 ug/L	metaTRACE
0 MERCURY	LT	0.20 ug/L	metaTRACE
0 POTASSIUM	LT	5000 ug/L	metaTRACE
0 TOLUENE	LT	5 ug/L	metaTRACE
1 MAGNESIUM		27210 ug/L	metaTRACE
2 MANGANESE		5959 ug/L	metaTRACE
1 SODIUM		112400 ug/L	metaTRACE
1 NICKEL		84 ug/L	metaTRACE
2 NITRATE AS NITROGEN		290000 ug/L	metaTRACE
0 LEAD		6 ug/L	metaTRACE
0 PHENOLS	LT	5 ug/L	metaTRACE
0 PHENOLS	LT	5 ug/L	metaTRACE
0 ANTIMONY	LT	10 ug/L	metaTRACE
0 SELENIUM	LT	2 ug/L	metaTRACE
1 SILICON		7337 ug/L	metaTRACE
0 SULFATE	LT	1000 ug/L	metaTRACE
0 1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0 TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0 TOTAL DISSOLVED SOLIDS		2113000 ug/L	metaTRACE
0 THALLIUM	LT	3 ug/L	metaTRACE
0 TOTAL ORGANIC CARBON		1180 ug/L	metaTRACE
0 TOTAL ORGANIC HALOGENS	LT	5 ug/L	metaTRACE
0 TOTAL PHOSPHATES		64 ug/L	metaTRACE
0 TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0 TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0 TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0 VANADIUM	LT	10 ug/L	metaTRACE
0 1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE

CONTINUED

WELL FSB 78C COLLECTED ON 07/02/89 LABORATORY ANALYSES CONTINUED

0 1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0 CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0 2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
1 ZINC		583 ug/L	metaTRACE
2 GROSS ALPHA		74.00+-28 pCi/L	metaTRACE
2 NONVOLATILE BETA		1700+-200 pCi/L	metaTRACE
2 TOTAL RADIUM		29.00+-3.00 pCi/L	metaTRACE
2 TRITIUM		9000+-900 pCi/mL	metaTRACE
2 TRITIUM		10900+-75.3 pCi/mL	HP, 735A

WELL FSB 79

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/01/89 Time 1340
 Depth to water = 16.48 ft (5.02 m) below the TOC
 Water elevation = 201.32 ft (61.36 m) msl
 pH = 3.0 Alkalinity = 0 mg/L
 Specific conductance = 1823 umhos/cm
 Water temperature = 19.8 degrees Celsius
 Water evacuated from the well prior to sampling = 71 gal

LABORATORY ANALYSES

1 SPECIFIC CONDUCTANCE		2053 uS/cm	metaTRACE
1 SPECIFIC CONDUCTANCE		2057 uS/cm	metaTRACE
1 PH		3.44 pH	metaTRACE
1 PH		3.44 pH	metaTRACE
1 SILVER	LT	2 ug/L	metaTRACE
0 ARSENIC	LT	3 ug/L	metaTRACE
1 BARIUM		214 ug/L	metaTRACE
0 BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
0 CALCIUM		3011 ug/L	metaTRACE
0 TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE
0 CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0 CADMIUM	LT	4 ug/L	metaTRACE
0 BROMOFORM	LT	5 ug/L	metaTRACE
0 CHLOROFORM	LT	5 ug/L	metaTRACE
1 METHYLENE CHLORIDE	LT	3 ug/L	metaTRACE
0 BROMOMETHANE	LT	10 ug/L	metaTRACE
0 CHLOROMETHANE	LT	10 ug/L	metaTRACE
0 CHLORIDE		1900 ug/L	metaTRACE
0 CHLORIDE		1900 ug/L	metaTRACE
0 CHLOROBENZENE	LT	5 ug/L	metaTRACE
1 COBALT		226 ug/L	metaTRACE
0 CHROMIUM	LT	10 ug/L	metaTRACE
1 COPPER		67 ug/L	metaTRACE
0 CYANIDE	LT	5 ug/L	metaTRACE
0 CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0 CHLOROETHANE	LT	10 ug/L	metaTRACE
0 BENZENE	LT	5 ug/L	metaTRACE
0 DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0 ETHYLBENZENE	LT	5 ug/L	metaTRACE
0 FLUORIDE	LT	250 ug/L	metaTRACE
0 FLUORIDE	LT	250 ug/L	metaTRACE
1 IRON		294 ug/L	metaTRACE
1 MERCURY		0.53 ug/L	metaTRACE
0 POTASSIUM	LT	5000 ug/L	metaTRACE
0 TOLUENE	LT	5 ug/L	metaTRACE
0 MAGNESIUM		1476 ug/L	metaTRACE
2 MANGANESE		3932 ug/L	metaTRACE
1 SODIUM		88440 ug/L	metaTRACE
1 NICKEL		37 ug/L	metaTRACE
2 NITRATE AS NITROGEN		260000 ug/L	metaTRACE
2 NITRATE AS NITROGEN		260000 ug/L	metaTRACE
0 LEAD	LT	3 ug/L	metaTRACE
0 PHENOLS	LT	5 ug/L	metaTRACE
0 ANTIMONY	LT	10 ug/L	metaTRACE
0 SELENIUM	LT	2 ug/L	metaTRACE
1 SILICON		40120 ug/L	metaTRACE
0 SULFATE		5900 ug/L	metaTRACE
0 SULFATE		5900 ug/L	metaTRACE
0 1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0 TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0 TOTAL DISSOLVED SOLIDS		948000 ug/L	metaTRACE
0 THALLIUM	LT	3 ug/L	metaTRACE
0 TOTAL ORGANIC CARBON		1980 ug/L	metaTRACE
0 TOTAL ORGANIC CARBON		1850 ug/L	metaTRACE
0 TOTAL ORGANIC HALOGENS	LT	5 ug/L	metaTRACE
0 TOTAL ORGANIC HALOGENS	LT	5 ug/L	metaTRACE
0 TOTAL PHOSPHATES		58 ug/L	metaTRACE
0 TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0 TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0 TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0 VANADIUM	LT	10 ug/L	metaTRACE
0 1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0 1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0 CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0 2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0 ZINC		158 ug/L	metaTRACE
2 GROSS ALPHA		840+-90 pCi/L	metaTRACE
2 GROSS ALPHA		623+-90 pCi/L	metaTRACE
2 GROSS ALPHA		170+-10 pCi/L	Telodyne
1 AMERICIUM-241		5.10+-0.80 pCi/L	Telodyne
1 AMERICIUM-243		5.50+-0.80 pCi/L	Telodyne
0 BARIUM-140	LT	100000 pCi/L	Telodyne
2 NONVOLATILE BETA		1400+-200 pCi/L	metaTRACE
2 NONVOLATILE BETA		1278+-200 pCi/L	metaTRACE

CONTINUED

WELL FSB 79 COLLECTED ON 07/01/89 LABORATORY ANALYSES CONTINUED

2	NONVOLATILE BETA	1800+-100	pCi/L	Teledyne
0	BERYLLIUM-7	LT	200 pCi/L	Teledyne
0	BISMUTH-214	5.40+-2.80	pCi/L	Teledyne
0	CERIUM-141	LT	200 pCi/L	Teledyne
0	CERIUM-144	LT	20 pCi/L	Teledyne
0	CURIUM-242	LT	0.40 pCi/L	Teledyne
1	CURIUM-246	4.60+-0.90	pCi/L	Teledyne
1	CURIUM-243/244	3.20+-1.10	pCi/L	Teledyne
0	COBALT-58	LT	10 pCi/L	Teledyne
0	COBALT-60	14.00+-3.00	pCi/L	Teledyne
0	CESIUM-134	LT	3 pCi/L	Teledyne
0	CESIUM-137	LT	2 pCi/L	Teledyne
1	CARBON-14	6.70+-4.10	pCi/L	Teledyne
0	IRON-55	LT	90 pCi/L	Teledyne
0	IRON-59	LT	90 pCi/L	Teledyne
1	IODINE-129	62.00+-3.00	pCi/L	Teledyne
0	POTASSIUM-40	LT	30 pCi/L	Teledyne
0	MANGANESE-54	LT	3 pCi/L	Teledyne
0	NICKEL-59	LT	100 pCi/L	Teledyne
0	NICKEL-63	LT	10 pCi/L	Teledyne
1	LEAD-214	7.50+-3.10	pCi/L	Teledyne
0	PLUTONIUM-238	LT	0.20 pCi/L	Teledyne
1	PLUTONIUM-241	57.00+-31	pCi/L	Teledyne
0	PLUTONIUM-239/240	LT	0.10 pCi/L	Teledyne
0	RADIUM-226	LT	30 pCi/L	Teledyne
1	RADIUM-226	27.00+-3.00	pCi/L	Teledyne
1	RADIUM-228	30.00+-5.00	pCi/L	Teledyne
0	RUTHENIUM-103	LT	80 pCi/L	Teledyne
0	RUTHENIUM-106	LT	20 pCi/L	Teledyne
0	STRONTIUM-89	LT	600 pCi/L	Teledyne
1	STRONTIUM-90	400+-10	pCi/L	Teledyne
1	TECHNETIUM-99	150+-50	pCi/L	Teledyne
0	THORIUM-228	LT	4 pCi/L	Teledyne
1	THORIUM-228	46.00+-6.00	pCi/L	Teledyne
1	THORIUM-230	45.00+-5.00	pCi/L	Teledyne
1	THORIUM-232	3.70+-1.70	pCi/L	Teledyne
1	THORIUM-234	290+-30	pCi/L	Teledyne
2	TOTAL RADIUM	30.00+-3.00	pCi/L	metatrace
2	TRITIUM	18000+-2000	pCi/mL	metatrace
2	TRITIUM	18900+-97.3	pCi/mL	HP 735A
1	URANIUM-235	6.00+-1.30	pCi/L	Teledyne
1	URANIUM-238	410+-10	pCi/L	Teledyne
1	URANIUM-233/234	160+-10	pCi/L	Teledyne
0	ZINC-65	LT	8 pCi/L	Teledyne
0	ZIRCONIUM-95	LT	20 pCi/L	Teledyne

WELL FSB 79A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/01/89 Time 1425
Depth to water = 61.98 ft (18.89 m) below the TOC
Water elevation = 156.12 ft (47.59 m) msl
pH = 5.7 Alkalinity = 24 mg/L
Specific conductance = 113 umhos/cm
Water temperature = 21.0 degrees Celsius
Water evacuated from the well prior to sampling = 344 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE	92.20	UMHC	metatrace
1	PH	6.52	pH	metatrace
0	SILVER	LT	2 ug/L	metatrace
1	ARSENIC	LT	3 ug/L	metatrace
0	BARIUM	LT	25 ug/L	metatrace
0	BROMODICHLOROMETHANE	LT	5 ug/L	metatrace
1	CALCIUM	12210	ug/L	metatrace
1	TRICHLOROFLUOROMETHANE	LT	6 ug/L	metatrace
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metatrace
0	CADMIUM	LT	4 ug/L	metatrace
0	BROMOFORM	LT	5 ug/L	metatrace
0	CHLOROFORM	LT	5 ug/L	metatrace
0	METHYLENE CHLORIDE	LT	5 ug/L	metatrace
0	BROMOMETHANE	LT	10 ug/L	metatrace
0	CHLOROMETHANE	LT	10 ug/L	metatrace
0	CHLORIDE	1700	ug/L	metatrace
0	CHLOROBENZENE	LT	5 ug/L	metatrace
0	COBALT	LT	10 ug/L	metatrace
0	CHROMIUM	LT	10 ug/L	metatrace
0	COPPER	LT	10 ug/L	metatrace
0	CYANIDE	LT	5 ug/L	metatrace
0	CYANIDE	LT	5 ug/L	metatrace
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metatrace
0	CHLOROETHANE	LT	10 ug/L	metatrace
0	BENZENE	LT	5 ug/L	metatrace
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metatrace
0	ETHYL BENZENE	LT	5 ug/L	metatrace
0	FLUORIDE	250	ug/L	metatrace
0	IRON	102	ug/L	metatrace
0	MERCURY	LT	0.20 ug/L	metatrace
0	POTASSIUM	5000	ug/L	metatrace
0	TOLUENE	LT	5 ug/L	metatrace
0	MAGNESIUM	LT	517 ug/L	metatrace
0	MANGANESE	LT	10 ug/L	metatrace
0	SODIUM	1697	ug/L	metatrace
0	NICKEL	LT	5 ug/L	metatrace
0	NITRATE AS NITROGEN	LT	230 ug/L	metatrace
0	LEAD	LT	3 ug/L	metatrace
0	PHENOLS	LT	5 ug/L	metatrace
0	PHENOLS	LT	5 ug/L	metatrace
1	ANTIMONY	LT	6 ug/L	metatrace
0	SELENIUM	LT	2 ug/L	metatrace
1	SILICON	7948	ug/L	metatrace
0	SULFATE	3500	ug/L	metatrace
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metatrace
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metatrace

CONTINUED

WELL FSB 79A COLLECTED ON 07/01/89 LABORATORY ANALYSES CONTINUED

0	TOTAL DISSOLVED SOLIDS	92000	ug/L	metatrace
0	THALLIUM	LT	3 ug/L	metatrace
0	TOTAL ORGANIC CARBON	2210	ug/L	metatrace
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	metatrace
0	TOTAL PHOSPHATES	177	ug/L	metatrace
0	TRICHLOROETHYLENE	LT	5.00 ug/L	metatrace
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metatrace
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metatrace
0	VANADIUM	LT	10 ug/L	metatrace
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metatrace
0	1,1-DICHLOROETHANE	LT	5 ug/L	metatrace
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metatrace
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metatrace
0	1,2-DICHLOROETHANE	LT	5 ug/L	metatrace
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metatrace
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metatrace
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metatrace
0	ZINC	13	ug/L	metatrace
0	GROSS ALPHA	LT	2 pCi/L	metatrace
0	NONVOLATILE BETA	LT	5 pCi/L	metatrace
0	TOTAL RADIUM	LT	1 pCi/L	metatrace
1	TRITIUM	12.00+-2.00	pCi/mL	metatrace

WELL FSB 79B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/22/89 Time 1100
Depth to water = 61.98 ft (18.89 m) below the TOC
Water elevation = 156.22 ft (47.62 m) msl
pH = 6.4 Alkalinity = 67 mg/L
Specific conductance = 155 umhos/cm
Water temperature = 21.2 degrees Celsius
Water evacuated from the well prior to sampling = 196 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	150.0	UMHC	Gen. Eng.
1	SPECIFIC CONDUCTANCE	146.7	UMHC	metatrace
1	PH	7.19	pH	Gen. Eng.
1	PH	7.79	pH	metatrace
0	SILVER	LT	2 ug/L	Gen. Eng.
0	SILVER	LT	2 ug/L	metatrace
0	ARSENIC	LT	2 ug/L	Gen. Eng.
0	ARSENIC	LT	3 ug/L	metatrace
0	BARIUM	LT	31 ug/L	Gen. Eng.
0	BARIUM	LT	27 ug/L	metatrace
0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	LT	5 ug/L	metatrace
1	CALCIUM	39300	ug/L	Gen. Eng.
1	CALCIUM	28830	ug/L	metatrace
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L	metatrace
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metatrace
0	CADMIUM	LT	2 ug/L	Gen. Eng.
0	CADMIUM	LT	4 ug/L	metatrace
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	BROMOFORM	LT	5 ug/L	metatrace
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	5 ug/L	metatrace
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0	METHYLENE CHLORIDE	LT	5 ug/L	metatrace
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	10 ug/L	metatrace
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	10 ug/L	metatrace
0	CHLORIDE	2100	ug/L	Gen. Eng.
0	CHLORIDE	2000	ug/L	metatrace
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	5 ug/L	metatrace
0	COBALT	LT	4 ug/L	Gen. Eng.
0	COBALT	LT	10 ug/L	metatrace
0	CHROMIUM	LT	4 ug/L	Gen. Eng.
0	CHROMIUM	LT	10 ug/L	metatrace
0	COPPER	LT	5 ug/L	Gen. Eng.
0	COPPER	LT	10 ug/L	metatrace
0	CYANIDE	LT	5 ug/L	Gen. Eng.
0	CYANIDE	LT	5 ug/L	metatrace
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metatrace
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	10 ug/L	metatrace
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	5 ug/L	metatrace
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metatrace
0	ETHYL BENZENE	LT	1 ug/L	Gen. Eng.
0	ETHYL BENZENE	LT	5 ug/L	metatrace
0	FLUORIDE	130	ug/L	Gen. Eng.
0	FLUORIDE	250	ug/L	metatrace
0	IRON	33	ug/L	Gen. Eng.
0	IRON	34	ug/L	metatrace
0	MERCURY	LT	0.20 ug/L	Gen. Eng.
0	MERCURY	LT	0.20 ug/L	metatrace
0	POTASSIUM	533	ug/L	Gen. Eng.
0	POTASSIUM	5000	ug/L	metatrace
0	TOLUENE	LT	1 ug/L	Gen. Eng.
0	TOLUENE	LT	5 ug/L	metatrace
0	MAGNESIUM	869	ug/L	Gen. Eng.
0	MAGNESIUM	568	ug/L	metatrace
0	MANGANESE	LT	2 ug/L	Gen. Eng.
0	MANGANESE	LT	10 ug/L	metatrace
0	SODIUM	3810	ug/L	Gen. Eng.
0	SODIUM	1817	ug/L	metatrace

CONTINUED

WELL FSB 798 COLLECTED ON 07/22/89 LABORATORY ANALYSES CONTINUED

0 NICKEL	LT	4 ug/L	Gen. Eng.
0 NICKEL	LT	5 ug/L	metaTRACE
0 NITRATE AS NITROGEN		840 ug/L	Gen. Eng.
0 NITRATE AS NITROGEN		810 ug/L	metaTRACE
0 LEAD	LT	6 ug/L	Gen. Eng.
0 LEAD	LT	3 ug/L	metaTRACE
0 PHENOLS	LT	5 ug/L	Gen. Eng.
0 PHENOLS	LT	5 ug/L	metaTRACE
0 ANTIMONY	LT	3 ug/L	Gen. Eng.
0 ANTIMONY	LT	10 ug/L	metaTRACE
0 SELENIUM	LT	2 ug/L	Gen. Eng.
0 SELENIUM	LT	2 ug/L	metaTRACE
1 SILICON		9855 ug/L	metaTRACE
1 SILICA		33700 ug/L	Gen. Eng.
0 SULFATE	LT	5000 ug/L	Gen. Eng.
0 SULFATE		1400 ug/L	metaTRACE
0 1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0 TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0 TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0 TOTAL DISSOLVED SOLIDS		140000 ug/L	Gen. Eng.
0 TOTAL DISSOLVED SOLIDS		115000 ug/L	metaTRACE
0 THALLIUM	LT	2 ug/L	Gen. Eng.
0 THALLIUM	LT	3 ug/L	metaTRACE
0 TOTAL ORGANIC CARBON		3000 ug/L	Gen. Eng.
0 TOTAL ORGANIC CARBON	LT	1000 ug/L	metaTRACE
0 TOTAL ORGANIC HALOGENS	LT	5 ug/L	Gen. Eng.
0 TOTAL ORGANIC HALOGENS		9 ug/L	metaTRACE
1 TOTAL PHOSPHORUS		390 ug/L	Gen. Eng.
1 TOTAL PHOSPHATES		340 ug/L	metaTRACE
0 TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0 TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0 TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0 TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0 VANADIUM	LT	20 ug/L	Gen. Eng.
0 VANADIUM	LT	10 ug/L	metaTRACE
0 1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0 1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0 1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0 1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0 CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0 CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0 TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0 TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0 2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0 2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0 ZINC		31 ug/L	Gen. Eng.
0 ZINC		3 ug/L	metaTRACE
0 GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
0 GROSS ALPHA	LT	2 pCi/L	metaTRACE
0 NONVOLATILE BETA	LT	2 pCi/L	Gen. Eng.
0 NONVOLATILE BETA	LT	6 pCi/L	metaTRACE
0 TOTAL RADIUM	LT	1 pCi/L	Gen. Eng.
0 TOTAL RADIUM	LT	1 pCi/L	metaTRACE
1 TRITIUM		18.80+-0.53 pCi/mL	Gen. Eng.
1 TRITIUM		13.00+-2.00 pCi/mL	metaTRACE

WELL FSB 798

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/22/89 Time 1100
 Depth to water = 61.98 ft (18.89 m) below the TOC
 Water elevation = 156.22 ft (47.62 m) msl
 pH = 6.4 Alkalinity = 67 mg/L
 Specific conductance = 153 umhos/cm
 Water temperature = 21.2 degrees Celsius
 Water evacuated from the well prior to sampling = 196 gal

LABORATORY ANALYSES

1 SPECIFIC CONDUCTANCE		150.0 UMHC	Gen. Eng.
1 SPECIFIC CONDUCTANCE		146.1 UMHC	metaTRACE
1 PH		7.08 pH	Gen. Eng.
1 PH		7.20 pH	metaTRACE
0 SILVER	LT	2 ug/L	Gen. Eng.
0 SILVER	LT	2 ug/L	metaTRACE
0 ARSENIC	LT	2 ug/L	Gen. Eng.
0 ARSENIC	LT	3 ug/L	metaTRACE
0 BARIUM		30 ug/L	Gen. Eng.
0 BARIUM		28 ug/L	metaTRACE
0 BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
1 CALCIUM		37300 ug/L	Gen. Eng.
1 CALCIUM		28400 ug/L	metaTRACE
0 TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0 TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE
0 CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0 CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0 CADMIUM	LT	2 ug/L	Gen. Eng.
0 CADMIUM	LT	4 ug/L	metaTRACE
0 BROMOFORM	LT	1 ug/L	Gen. Eng.
0 BROMOFORM	LT	5 ug/L	metaTRACE
0 CHLOROFORM	LT	1 ug/L	Gen. Eng.
0 CHLOROFORM	LT	5 ug/L	metaTRACE
0 METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0 METHYLENE CHLORIDE	LT	5 ug/L	metaTRACE
0 BROMOMETHANE	LT	1 ug/L	Gen. Eng.

CONTINUED

WELL FSB 798 COLLECTED ON 07/22/89 LABORATORY ANALYSES CONTINUED

0 BROMOMETHANE	LT	10 ug/L	metaTRACE
0 CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 CHLOROMETHANE	LT	10 ug/L	metaTRACE
0 CHLORIDE		2000 ug/L	Gen. Eng.
0 CHLORIDE		2100 ug/L	metaTRACE
0 CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0 CHLOROBENZENE	LT	5 ug/L	metaTRACE
0 COBALT	LT	4 ug/L	Gen. Eng.
0 COBALT	LT	10 ug/L	metaTRACE
0 CHROMIUM	LT	4 ug/L	Gen. Eng.
0 CHROMIUM	LT	10 ug/L	metaTRACE
0 COPPER	LT	4 ug/L	Gen. Eng.
0 COPPER	LT	10 ug/L	metaTRACE
0 CYANIDE	LT	5 ug/L	Gen. Eng.
0 CYANIDE	LT	5 ug/L	metaTRACE
0 CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0 CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0 CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 CHLOROETHANE	LT	10 ug/L	metaTRACE
0 BENZENE	LT	1 ug/L	Gen. Eng.
0 BENZENE	LT	5 ug/L	metaTRACE
0 DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0 ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0 ETHYLBENZENE	LT	5 ug/L	metaTRACE
0 FLUORIDE		140 ug/L	Gen. Eng.
0 FLUORIDE	LT	250 ug/L	metaTRACE
0 IRON		29 ug/L	Gen. Eng.
0 IRON		27 ug/L	metaTRACE
0 MERCURY	LT	0.20 ug/L	Gen. Eng.
0 MERCURY	LT	0.20 ug/L	metaTRACE
0 POTASSIUM		542 ug/L	Gen. Eng.
0 POTASSIUM	LT	3000 ug/L	metaTRACE
0 TOLUENE	LT	1 ug/L	Gen. Eng.
0 TOLUENE	LT	5 ug/L	metaTRACE
0 MAGNESIUM		648 ug/L	Gen. Eng.
0 MAGNESIUM		572 ug/L	metaTRACE
0 MANGANESE	LT	2 ug/L	Gen. Eng.
0 MANGANESE	LT	10 ug/L	metaTRACE
0 SODIUM		3550 ug/L	Gen. Eng.
0 SODIUM		2011 ug/L	metaTRACE
0 NICKEL	LT	4 ug/L	Gen. Eng.
0 NICKEL	LT	5 ug/L	metaTRACE
0 NITRATE AS NITROGEN		700 ug/L	Gen. Eng.
0 NITRATE AS NITROGEN		790 ug/L	metaTRACE
0 LEAD	LT	6 ug/L	Gen. Eng.
0 LEAD	LT	3 ug/L	metaTRACE
0 PHENOLS	LT	5 ug/L	Gen. Eng.
0 PHENOLS	LT	5 ug/L	metaTRACE
0 ANTIMONY	LT	3 ug/L	Gen. Eng.
0 ANTIMONY	LT	10 ug/L	metaTRACE
0 SELENIUM	LT	2 ug/L	Gen. Eng.
0 SELENIUM	LT	2 ug/L	metaTRACE
1 SILICON		14490 ug/L	metaTRACE
1 SILICA		29700 ug/L	Gen. Eng.
0 SULFATE	LT	5000 ug/L	Gen. Eng.
0 SULFATE		2800 ug/L	metaTRACE
0 1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0 TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0 TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0 TOTAL DISSOLVED SOLIDS		165000 ug/L	Gen. Eng.
0 TOTAL DISSOLVED SOLIDS		118000 ug/L	metaTRACE
0 THALLIUM	LT	2 ug/L	Gen. Eng.
0 THALLIUM	LT	3 ug/L	metaTRACE
1 TOTAL ORGANIC CARBON		5000 ug/L	Gen. Eng.
1 TOTAL ORGANIC CARBON	LT	1000 ug/L	metaTRACE
0 TOTAL ORGANIC HALOGENS	LT	5 ug/L	Gen. Eng.
1 TOTAL ORGANIC HALOGENS		10 ug/L	metaTRACE
1 TOTAL PHOSPHORUS		360 ug/L	Gen. Eng.
1 TOTAL PHOSPHATES		376 ug/L	metaTRACE
0 TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0 TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0 TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0 TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0 VANADIUM	LT	20 ug/L	Gen. Eng.
0 VANADIUM	LT	10 ug/L	metaTRACE
0 1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0 1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0 1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0 1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0 CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0 CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0 TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0 TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0 2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0 2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0 ZINC		6 ug/L	Gen. Eng.
0 ZINC		10 ug/L	metaTRACE
0 GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
0 GROSS ALPHA	LT	2 pCi/L	metaTRACE
0 NONVOLATILE BETA	LT	2 pCi/L	Gen. Eng.
0 NONVOLATILE BETA	LT	6 pCi/L	metaTRACE
0 TOTAL RADIUM		1.25+-1.90 pCi/L	Gen. Eng.
0 TOTAL RADIUM	LT	1 pCi/L	metaTRACE
1 TRITIUM		18.10+-0.54 pCi/mL	Gen. Eng.
1 TRITIUM		13.00+-2.00 pCi/mL	metaTRACE

WELL FSB 79C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/01/89 Time 1410
 Depth to water = 22.23 ft (8.78 m) below the TOC
 Water elevation = 198.17 ft (59.79 m) msl
 pH = 3.3 Alkalinity = 0 mg/L
 Specific conductance = 1575 umhos/cm
 Water temperature = 21.6 degrees Celsius
 Water evacuated from the well prior to sampling = 161 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	1648 UMH/C	metaTRACE
1	PH	3.65 pH	metaTRACE
0	SILVER	2 ug/L	metaTRACE
0	ARSENIC	3 ug/L	metaTRACE
0	BARIUM	318 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	5 ug/L	metaTRACE
1	CALCIUM	19210 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	5.00 ug/L	metaTRACE
2	CADMIUM	38 ug/L	metaTRACE
0	BROMOFORM	5 ug/L	metaTRACE
0	CHLOROFORM	5 ug/L	metaTRACE
1	METHYLENE CHLORIDE	3 ug/L	metaTRACE
0	BROMOMETHANE	10 ug/L	metaTRACE
0	CHLOROMETHANE	10 ug/L	metaTRACE
0	CHLORIDE	2200 ug/L	metaTRACE
0	CHLOROBENZENE	5 ug/L	metaTRACE
1	COBALT	106 ug/L	metaTRACE
0	CHROMIUM	10 ug/L	metaTRACE
1	COPPER	74 ug/L	metaTRACE
0	CYANIDE	5 ug/L	metaTRACE
0	CYANIDE	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	5 ug/L	metaTRACE
0	CHLOROETHANE	10 ug/L	metaTRACE
0	BENZENE	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	5 ug/L	metaTRACE
0	ETHYLBENZENE	5 ug/L	metaTRACE
1	FLUORIDE	550 ug/L	metaTRACE
0	IRON	30 ug/L	metaTRACE
0	MERCURY	0.30 ug/L	metaTRACE
0	POTASSIUM	5000 ug/L	metaTRACE
0	TOLUENE	5 ug/L	metaTRACE
1	MAGNESIUM	14780 ug/L	metaTRACE
2	MANGANESE	2270 ug/L	metaTRACE
1	SODIUM	113000 ug/L	metaTRACE
1	NICKEL	31 ug/L	metaTRACE
2	NITRATE AS NITROGEN	220000 ug/L	metaTRACE
0	LEAD	3 ug/L	metaTRACE
0	PHENOLS	5 ug/L	metaTRACE
0	ANTIMONY	10 ug/L	metaTRACE
0	SELENIUM	2 ug/L	metaTRACE
1	SILICON	10530 ug/L	metaTRACE
0	SULFATE	1000 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	5.00 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS	1009000 ug/L	metaTRACE
0	THALLIUM	3 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	1010 ug/L	metaTRACE
1	TOTAL ORGANIC HALOGENS	14 ug/L	metaTRACE
0	TOTAL PHOSPHATES	10 ug/L	metaTRACE
0	TOTAL PHOSPHATES	10 ug/L	metaTRACE
0	TRICHLOROETHYLENE	5.00 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	5 ug/L	metaTRACE
0	VANADIUM	10 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	5 ug/L	metaTRACE
0	ZINC	137 ug/L	metaTRACE
2	GROSS ALPHA	780+- 80 pCi/L	metaTRACE
2	NONVOLATILE BETA	4800+- 500 pCi/L	metaTRACE
2	TOTAL RADIUM	89.00+-7.00 pCi/L	metaTRACE
2	TRITIUM	11000+-2000 pCi/mL	metaTRACE
2	TRITIUM	13100+-81.4 pCi/mL	MP, 735A

WELL FSB 87A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/01/89 Time 1600
 Depth to water = 135.12 ft (41.19 m) below the TOC
 Water elevation = 152.68 ft (46.54 m) msal
 pH = 8.0 Alkalinity = 35 mg/L
 Specific conductance = 106 umhos/cm
 Water temperature = 21.5 degrees Celsius
 Water evacuated from the well prior to sampling = 331 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	103.6 UMH/C	metaTRACE
1	PH	6.70 pH	metaTRACE
0	SILVER	2 ug/L	metaTRACE
0	ARSENIC	3 ug/L	metaTRACE
0	BARIUM	17 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	5 ug/L	metaTRACE
1	CALCIUM	15500 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	5.00 ug/L	metaTRACE

CONTINUED

WELL FSB 87A COLLECTED ON 07/01/89 LABORATORY ANALYSES CONTINUED

0	CADMIUM	4 ug/L	metaTRACE
0	BROMOFORM	5 ug/L	metaTRACE
0	CHLOROFORM	5 ug/L	metaTRACE
0	METHYLENE CHLORIDE	5 ug/L	metaTRACE
0	BROMOMETHANE	10 ug/L	metaTRACE
0	CHLOROMETHANE	10 ug/L	metaTRACE
0	CHLORIDE	1700 ug/L	metaTRACE
0	CHLOROBENZENE	5 ug/L	metaTRACE
0	COBALT	10 ug/L	metaTRACE
0	CHROMIUM	10 ug/L	metaTRACE
0	COPPER	10 ug/L	metaTRACE
0	CYANIDE	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	5 ug/L	metaTRACE
0	CHLOROETHANE	10 ug/L	metaTRACE
0	BENZENE	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	5 ug/L	metaTRACE
0	ETHYLBENZENE	5 ug/L	metaTRACE
0	FLUORIDE	250 ug/L	metaTRACE
0	IRON	117 ug/L	metaTRACE
0	MERCURY	0.30 ug/L	metaTRACE
0	POTASSIUM	5000 ug/L	metaTRACE
0	TOLUENE	5 ug/L	metaTRACE
0	MAGNESIUM	549 ug/L	metaTRACE
0	MANGANESE	10 ug/L	metaTRACE
0	SODIUM	1587 ug/L	metaTRACE
0	NICKEL	5 ug/L	metaTRACE
0	NITRATE AS NITROGEN	230 ug/L	metaTRACE
0	LEAD	3 ug/L	metaTRACE
0	PHENOLS	5 ug/L	metaTRACE
0	ANTIMONY	10 ug/L	metaTRACE
0	SELENIUM	2 ug/L	metaTRACE
1	SILICON	10480 ug/L	metaTRACE
0	SULFATE	5400 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	5 ug/L	metaTRACE
0	TRICHLOROETHYLENE	5.00 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS	82000 ug/L	metaTRACE
0	THALLIUM	3 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	1000 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	5 ug/L	metaTRACE
1	TOTAL PHOSPHATES	313 ug/L	metaTRACE
0	TRICHLOROETHYLENE	5.00 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	5 ug/L	metaTRACE
0	VANADIUM	10 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	5 ug/L	metaTRACE
0	ZINC	20 ug/L	metaTRACE
0	GROSS ALPHA	2 pCi/L	metaTRACE
0	NONVOLATILE BETA	5 pCi/L	metaTRACE
0	TOTAL RADIUM	1 pCi/L	metaTRACE
2	TRITIUM	27.00+-3.00 pCi/mL	metaTRACE

WELL FSB 87B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/01/89 Time 1550
 Depth to water = 138.03 ft (42.07 m) below the TOC
 Water elevation = 149.47 ft (45.56 m) msal
 pH = 3.3 Alkalinity = 3 mg/L
 Specific conductance = 62 umhos/cm
 Water temperature = 21.4 degrees Celsius
 Water evacuated from the well prior to sampling = 155 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE	60.20 UMH/C	metaTRACE
0	PH	5.74 pH	metaTRACE
0	SILVER	2 ug/L	metaTRACE
0	ARSENIC	3 ug/L	metaTRACE
0	BARIUM	25 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	5 ug/L	metaTRACE
0	CALCIUM	7683 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	5.00 ug/L	metaTRACE
0	CADMIUM	4 ug/L	metaTRACE
0	BROMOFORM	5 ug/L	metaTRACE
0	CHLOROFORM	5 ug/L	metaTRACE
0	METHYLENE CHLORIDE	5 ug/L	metaTRACE
0	BROMOMETHANE	10 ug/L	metaTRACE
0	CHLOROMETHANE	10 ug/L	metaTRACE
0	CHLORIDE	1500 ug/L	metaTRACE
0	CHLOROBENZENE	5 ug/L	metaTRACE
0	COBALT	10 ug/L	metaTRACE
0	CHROMIUM	10 ug/L	metaTRACE
0	COPPER	10 ug/L	metaTRACE
0	CYANIDE	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	5 ug/L	metaTRACE
0	CHLOROETHANE	10 ug/L	metaTRACE
0	BENZENE	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	5 ug/L	metaTRACE
0	ETHYLBENZENE	5 ug/L	metaTRACE
0	FLUORIDE	380 ug/L	metaTRACE
0	IRON	11 ug/L	metaTRACE
0	MERCURY	0.20 ug/L	metaTRACE
0	POTASSIUM	5000 ug/L	metaTRACE
0	TOLUENE	5 ug/L	metaTRACE
0	MAGNESIUM	423 ug/L	metaTRACE
0	MANGANESE	10 ug/L	metaTRACE
0	SODIUM	1887 ug/L	metaTRACE

CONTINUED

WELL FSB 878 COLLECTED ON 07/01/89 LABORATORY ANALYSES CONTINUED

0	NICKEL	LT	5 ug/L	metaTRACE
0	NITRATE AS NITROGEN		2700 ug/L	metaTRACE
0	LEAD	LT	3 ug/L	metaTRACE
0	PHENOLS	LT	5 ug/L	metaTRACE
0	ANTIMONY	LT	10 ug/L	metaTRACE
0	SELENIUM	LT	2 ug/L	metaTRACE
1	SILICON		3529 ug/L	metaTRACE
0	SULFATE		1100 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS		84000 ug/L	metaTRACE
0	THALLIUM	LT	3 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS		6 ug/L	metaTRACE
1	TOTAL PHOSPHATES		1168 ug/L	metaTRACE
0	TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	VANADIUM	LT	10 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0	ZINC		27 ug/L	metaTRACE
0	GROSS ALPHA	LT	2 pCi/L	metaTRACE
0	NONVOLATILE BETA	LT	5 pCi/L	metaTRACE
0	TOTAL RADIUM	LT	1 pCi/L	metaTRACE
2	TRITIUM		45.00+-5.00 pCi/mL	metaTRACE

WELL FSB 87C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/01/89 Time 1520
 Depth to water = 81.25 ft (24.77 m) below the TOC
 Water elevation = 208.25 ft (62.87 m) msf
 pH = 5.5 Alkalinity = 5 mg/L
 Specific conductance = 193 umhos/cm
 Water temperature = 21.9 degrees Celsius
 Water evacuated from the well prior to sampling = 149 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE		215.0 UMC	metaTRACE
0	PH		6.30 pH	metaTRACE
0	SILVER	LT	2 ug/L	metaTRACE
0	ARSENIC	LT	3 ug/L	metaTRACE
0	BARIUM	LT	26 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
1	CALCIUM		13940 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0	CADMIUM	LT	4 ug/L	metaTRACE
0	BROMOFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	5 ug/L	metaTRACE
1	METHYLENE CHLORIDE	JB	5 ug/L	metaTRACE
0	BROMOMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
0	CHLORIDE	LT	2400 ug/L	metaTRACE
0	CHLOROBENZENE	LT	5 ug/L	metaTRACE
0	COBALT	LT	10 ug/L	metaTRACE
0	CHROMIUM	LT	10 ug/L	metaTRACE
0	COPPER	LT	10 ug/L	metaTRACE
0	CYANIDE	LT	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0	CHLOROETHANE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0	ETHYLBENZENE	LT	5 ug/L	metaTRACE
0	FLUORIDE	LT	250 ug/L	metaTRACE
0	IRON	LT	10 ug/L	metaTRACE
0	MERCURY	LT	0.20 ug/L	metaTRACE
0	POTASSIUM	LT	5000 ug/L	metaTRACE
0	TOLUENE	LT	5 ug/L	metaTRACE
0	MAGNESIUM	LT	2212 ug/L	metaTRACE
0	MANGANESE	LT	10 ug/L	metaTRACE
1	SODIUM		11270 ug/L	metaTRACE
0	NICKEL	LT	5 ug/L	metaTRACE
2	NITRATE AS NITROGEN		20000 ug/L	metaTRACE
0	LEAD		5 ug/L	metaTRACE
0	PHENOLS	LT	5 ug/L	metaTRACE
0	ANTIMONY	LT	10 ug/L	metaTRACE
0	SELENIUM	LT	2 ug/L	metaTRACE
1	SILICON		3838 ug/L	metaTRACE
0	SULFATE	LT	1000 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS		224000 ug/L	metaTRACE
0	THALLIUM	LT	3 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	LT	3 ug/L	metaTRACE
0	TOTAL PHOSPHATES	LT	26 ug/L	metaTRACE
0	TOTAL PHOSPHATES	LT	10 ug/L	metaTRACE
0	TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	VANADIUM	LT	10 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE

CONTINUED

WELL FSB 87C COLLECTED ON 07/01/89 LABORATORY ANALYSES CONTINUED

0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0	ZINC		21 ug/L	metaTRACE
0	GROSS ALPHA	LT	4 pCi/L	metaTRACE
1	NONVOLATILE BETA		15.00+-4.00 pCi/L	metaTRACE
0	TOTAL RADIUM		1.10+-0.30 pCi/L	metaTRACE
2	TRITIUM		1100+-200 pCi/mL	metaTRACE
2	TRITIUM		1065+-200 pCi/mL	metaTRACE
2	TRITIUM		1250+-7.97 pCi/mL	HP, 735A

WELL FSB 87D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/01/89 Time 1610
 The well was dry.

WELL FSB 88C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/22/89 Time 945
 Depth to water = 72.57 ft (22.12 m) below the TOC
 Water elevation = 210.43 ft (64.14 m) msf
 pH = 4.8 Alkalinity = 6 mg/L
 Specific conductance = 34 umhos/cm
 Water temperature = 20.8 degrees Celsius
 Water evacuated from the well prior to sampling = 135 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE		49.00 UMC	Gen. Eng.
0	SPECIFIC CONDUCTANCE		43.40 UMC	metaTRACE
0	PH		5.92 pH	Gen. Eng.
0	PH		5.57 pH	metaTRACE
0	SILVER	LT	2 ug/L	Gen. Eng.
0	SILVER	LT	2 ug/L	metaTRACE
0	ARSENIC	LT	2 ug/L	Gen. Eng.
0	ARSENIC	LT	3 ug/L	metaTRACE
0	BARIUM		15 ug/L	Gen. Eng.
0	BARIUM		15 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
0	CALCIUM		4210 ug/L	Gen. Eng.
0	CALCIUM		5925 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0	CADMIUM	LT	2 ug/L	Gen. Eng.
0	CADMIUM	LT	4 ug/L	metaTRACE
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	BROMOFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	5 ug/L	metaTRACE
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0	METHYLENE CHLORIDE	LT	5 ug/L	metaTRACE
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
0	CHLORIDE		2800 ug/L	Gen. Eng.
0	CHLORIDE		3300 ug/L	metaTRACE
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	5 ug/L	metaTRACE
0	COBALT	LT	4 ug/L	Gen. Eng.
0	COBALT	LT	10 ug/L	metaTRACE
0	CHROMIUM	LT	4 ug/L	Gen. Eng.
0	CHROMIUM	LT	10 ug/L	metaTRACE
0	COPPER	LT	4 ug/L	Gen. Eng.
0	COPPER	LT	10 ug/L	metaTRACE
0	CYANIDE	LT	5 ug/L	Gen. Eng.
0	CYANIDE	LT	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	5 ug/L	metaTRACE
0	FLUORIDE	LT	100 ug/L	Gen. Eng.
0	FLUORIDE	LT	250 ug/L	metaTRACE
0	IRON		22 ug/L	Gen. Eng.
0	IRON		36 ug/L	metaTRACE
0	MERCURY	LT	0.20 ug/L	Gen. Eng.
0	MERCURY	LT	0.20 ug/L	metaTRACE
0	POTASSIUM	LT	900 ug/L	Gen. Eng.
0	POTASSIUM		2003 ug/L	metaTRACE
0	TOLUENE	LT	1 ug/L	Gen. Eng.
0	TOLUENE	LT	5 ug/L	metaTRACE
0	MAGNESIUM		569 ug/L	Gen. Eng.
0	MAGNESIUM		541 ug/L	metaTRACE
0	MANGANESE		12 ug/L	Gen. Eng.
0	MANGANESE		13 ug/L	metaTRACE
1	SODIUM		5340 ug/L	Gen. Eng.
0	SODIUM		3869 ug/L	metaTRACE
0	NICKEL	LT	4 ug/L	Gen. Eng.
0	NICKEL	LT	5 ug/L	metaTRACE

CONTINUED

WELL FSB 88C COLLECTED ON 07/22/89 LABORATORY ANALYSES CONTINUED

0	NITRATE AS NITROGEN	1600 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN	2000 ug/L	metaTRACE
0	LEAD	LT	6 ug/L
0	LEAD	LT	3 ug/L
0	PHENOLS	LT	5 ug/L
0	PHENOLS	LT	5 ug/L
0	ANTIMONY	LT	3 ug/L
0	ANTIMONY	LT	10 ug/L
0	SELENIUM	LT	2 ug/L
0	SELENIUM	LT	2 ug/L
1	SILICON	4262 ug/L	metaTRACE
1	SILICA	10400 ug/L	Gen. Eng.
0	SULFATE	LT	5000 ug/L
0	SULFATE	LT	1000 ug/L
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L
2	TETRACHLOROETHYLENE	9.00 ug/L	Gen. Eng.
2	TETRACHLOROETHYLENE	9.00 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS	72000 ug/L	Gen. Eng.
0	TOTAL DISSOLVED SOLIDS	43000 ug/L	metaTRACE
0	THALLIUM	LT	2 ug/L
0	THALLIUM	LT	3 ug/L
0	TOTAL ORGANIC CARBON	4000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	LT	1000 ug/L
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L
1	TOTAL ORGANIC HALOGENS	18 ug/L	metaTRACE
1	TOTAL PHOSPHORUS	1480 ug/L	Gen. Eng.
0	TOTAL PHOSPHATES	48 ug/L	metaTRACE
1	TRICHLOROETHYLENE	1.00 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	LT	5.00 ug/L
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L
0	VANADIUM	LT	20 ug/L
0	VANADIUM	LT	10 ug/L
0	1,1-DICHLOROETHYLENE	LT	1 ug/L
0	1,1-DICHLOROETHYLENE	LT	5 ug/L
0	1,1-DICHLOROETHANE	LT	1 ug/L
0	1,1-DICHLOROETHANE	LT	5 ug/L
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L
0	1,2-DICHLOROETHANE	LT	1 ug/L
0	1,2-DICHLOROETHANE	LT	5 ug/L
0	1,2-DICHLOROPROPANE	LT	1 ug/L
0	1,2-DICHLOROPROPANE	LT	5 ug/L
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L
0	ZINC	18 ug/L	Gen. Eng.
0	ZINC	34 ug/L	metaTRACE
0	GROSS ALPHA	LT	3 pCi/L
0	GROSS ALPHA	LT	2 pCi/L
0	NONVOLATILE BETA	2.09+2.30 pCi/L	Gen. Eng.
0	NONVOLATILE BETA	LT	5 pCi/L
0	TOTAL RADIUM	LT	1 pCi/L
0	TOTAL RADIUM	LT	1 pCi/L
2	TRITIUM	29.20+0.64 pCi/mL	Gen. Eng.
2	TRITIUM	22.00+3.00 pCi/mL	metaTRACE

WELL FSB 88C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/22/89 Time 945
 Depth to water = 72.57 ft (22.12 m) below the TOC
 Water elevation = 210.43 ft (64.14 m) msl
 pH = 4.8 Alkalinity = 6 mg/L
 Specific conductance = 54 umhos/cm
 Water temperature = 20.8 degrees Celsius
 Water evacuated from the well prior to sampling = 135 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE	49.00 umho	Gen. Eng.
0	SPECIFIC CONDUCTANCE	51.90 umho	metaTRACE
0	PH	5.84 pH	Gen. Eng.
0	PH	5.59 pH	metaTRACE
0	SILVER	LT	2 ug/L
0	SILVER	LT	2 ug/L
0	ARSENIC	LT	2 ug/L
0	ARSENIC	LT	3 ug/L
0	BARIUM	18 ug/L	Gen. Eng.
0	BARIUM	13 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	LT	1 ug/L
0	BROMODICHLOROMETHANE	LT	5 ug/L
0	CALCIUM	4070 ug/L	Gen. Eng.
0	CALCIUM	3709 ug/L	metaTRACE
0	TRICHLOROFUOROMETHANE	LT	1 ug/L
1	TRICHLOROFUOROMETHANE	J	3 ug/L
0	CARBON TETRACHLORIDE	LT	1.00 ug/L
0	CARBON TETRACHLORIDE	LT	5.00 ug/L
0	CADMIUM	LT	2 ug/L
0	CADMIUM	LT	4 ug/L
0	BROMOFORM	LT	1 ug/L
0	BROMOFORM	LT	5 ug/L
0	CHLOROFORM	LT	1 ug/L
0	CHLOROFORM	LT	5 ug/L
0	METHYLENE CHLORIDE	LT	1 ug/L
0	METHYLENE CHLORIDE	LT	5 ug/L
0	BROMOMETHANE	LT	1 ug/L
0	BROMOMETHANE	LT	10 ug/L
0	CHLOROMETHANE	LT	1 ug/L

CONTINUED

WELL FSB 88C COLLECTED ON 07/22/89 LABORATORY ANALYSES CONTINUED

0	CHLOROMETHANE	LT	10 ug/L
0	CHLORIDE	3000 ug/L	Gen. Eng.
0	CHLORIDE	3300 ug/L	metaTRACE
0	CHLOROBENZENE	LT	1 ug/L
0	CHLOROBENZENE	LT	5 ug/L
0	COBALT	LT	4 ug/L
0	COBALT	LT	10 ug/L
0	CHROMIUM	LT	4 ug/L
0	CHROMIUM	LT	10 ug/L
0	COPPER	LT	4 ug/L
0	COPPER	LT	10 ug/L
0	CYANIDE	LT	5 ug/L
0	CYANIDE	LT	5 ug/L
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L
0	CHLOROETHANE	LT	1 ug/L
0	CHLOROETHANE	LT	10 ug/L
0	BENZENE	LT	1 ug/L
0	BENZENE	LT	5 ug/L
0	DIBROMODICHLOROMETHANE	LT	1 ug/L
0	DIBROMODICHLOROMETHANE	LT	5 ug/L
0	ETHYLBENZENE	LT	1 ug/L
0	ETHYLBENZENE	LT	5 ug/L
0	FLUORIDE	LT	100 ug/L
0	FLUORIDE	LT	250 ug/L
0	IRON	LT	44 ug/L
0	IRON	LT	15 ug/L
0	MERCURY	LT	0.20 ug/L
0	MERCURY	LT	0.20 ug/L
0	POTASSIUM	LT	500 ug/L
0	POTASSIUM	LT	5000 ug/L
0	TOLUENE	LT	1 ug/L
0	TOLUENE	LT	5 ug/L
0	MAGNESIUM	584 ug/L	Gen. Eng.
0	MAGNESIUM	459 ug/L	metaTRACE
0	MANGANESE	14 ug/L	Gen. Eng.
0	MANGANESE	11 ug/L	metaTRACE
1	SODIUM	5450 ug/L	Gen. Eng.
0	SODIUM	3525 ug/L	metaTRACE
0	NICKEL	LT	4 ug/L
0	NICKEL	LT	5 ug/L
0	NITRATE AS NITROGEN	1700 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN	2000 ug/L	metaTRACE
0	LEAD	LT	6 ug/L
0	LEAD	LT	4 ug/L
0	PHENOLS	LT	5 ug/L
0	PHENOLS	LT	5 ug/L
0	ANTIMONY	LT	3 ug/L
0	ANTIMONY	LT	10 ug/L
0	SELENIUM	LT	2 ug/L
0	SELENIUM	LT	2 ug/L
1	SILICON	2609 ug/L	metaTRACE
1	SILICA	9890 ug/L	Gen. Eng.
0	SULFATE	LT	5000 ug/L
0	SULFATE	LT	1000 ug/L
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L
2	TETRACHLOROETHYLENE	7.00 ug/L	Gen. Eng.
2	TETRACHLOROETHYLENE	9.00 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS	66000 ug/L	Gen. Eng.
0	TOTAL DISSOLVED SOLIDS	45000 ug/L	metaTRACE
0	THALLIUM	LT	2 ug/L
0	THALLIUM	LT	3 ug/L
0	TOTAL ORGANIC CARBON	2000 ug/L	Gen. Eng.
0	TOTAL ORGANIC CARBON	LT	1000 ug/L
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L
1	TOTAL ORGANIC HALOGENS	17 ug/L	metaTRACE
1	TOTAL PHOSPHORUS	70 ug/L	Gen. Eng.
0	TOTAL PHOSPHATES	50 ug/L	metaTRACE
0	TRICHLOROETHYLENE	LT	1.00 ug/L
0	TRICHLOROETHYLENE	LT	5.00 ug/L
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L
0	VANADIUM	LT	20 ug/L
0	VANADIUM	LT	10 ug/L
0	1,1-DICHLOROETHYLENE	LT	1 ug/L
0	1,1-DICHLOROETHYLENE	LT	5 ug/L
0	1,1-DICHLOROETHANE	LT	1 ug/L
0	1,1-DICHLOROETHANE	LT	5 ug/L
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L
0	1,2-DICHLOROETHANE	LT	1 ug/L
0	1,2-DICHLOROETHANE	LT	5 ug/L
0	1,2-DICHLOROPROPANE	LT	1 ug/L
0	1,2-DICHLOROPROPANE	LT	5 ug/L
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L
0	ZINC	13 ug/L	Gen. Eng.
0	ZINC	18 ug/L	metaTRACE
0	GROSS ALPHA	LT	3 pCi/L
0	GROSS ALPHA	LT	2 pCi/L
0	NONVOLATILE BETA	2.11+2.30 pCi/L	Gen. Eng.
0	NONVOLATILE BETA	LT	5 pCi/L
0	TOTAL RADIUM	LT	1 pCi/L
0	TOTAL RADIUM	LT	1 pCi/L
2	TRITIUM	27.70+0.83 pCi/mL	Gen. Eng.
2	TRITIUM	21.00+3.00 pCi/mL	metaTRACE

WELL FSB 880

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/02/89 Time 1015
 Depth to water = 69.12 ft (21.07 m) below the TOC
 Water elevation = 213.28 ft (65.01 m) msf
 pH = 3.9 Alkalinity = 0 mg/L
 Specific conductance = 937 umhos/cm
 Water temperature = 22.0 degrees Celsius
 Water evacuated from the well prior to sampling = 5 gal
 The well went dry during purging.

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	945.0 UMMC	metaTRACE
0	PH	4.37 pH	metaTRACE
0	SILVER	LT 2 ug/L	metaTRACE
0	ARSENIC	LT 3 ug/L	metaTRACE
1	BARIUM	297 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	LT 5 ug/L	metaTRACE
1	CALCIUM	23650 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT 5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT 5.00 ug/L	metaTRACE
0	CADMIUM	LT 4 ug/L	metaTRACE
0	BROMOFORM	LT 5 ug/L	metaTRACE
0	CHLOROFORM	LT 5 ug/L	metaTRACE
1	METHYLENE CHLORIDE	JB 3 ug/L	metaTRACE
0	BROMOMETHANE	LT 10 ug/L	metaTRACE
0	CHLOROETHANE	LT 10 ug/L	metaTRACE
0	CHLORIDE	680 ug/L	metaTRACE
0	CHLOROBENZENE	LT 5 ug/L	metaTRACE
1	COBALT	25 ug/L	metaTRACE
0	CHROMIUM	LT 10 ug/L	metaTRACE
0	COPPER	LT 15 ug/L	metaTRACE
0	CYANIDE	LT 5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT 5 ug/L	metaTRACE
0	CHLOROETHANE	LT 10 ug/L	metaTRACE
0	BENZENE	LT 5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT 5 ug/L	metaTRACE
0	ETHYLBENZENE	LT 5 ug/L	metaTRACE
0	FLUORIDE	LT 250 ug/L	metaTRACE
0	IRON	93 ug/L	metaTRACE
2	MERCURY	1.28 ug/L	metaTRACE
0	POTASSIUM	LT 5000 ug/L	metaTRACE
0	TOLUENE	LT 5 ug/L	metaTRACE
0	MAGNESIUM	3015 ug/L	metaTRACE
2	MANGANESE	1128 ug/L	metaTRACE
1	SODIUM	103400 ug/L	metaTRACE
1	NICKEL	26 ug/L	metaTRACE
2	NITRATE AS NITROGEN	130000 ug/L	metaTRACE
0	LEAD	11 ug/L	metaTRACE
0	PHENOLS	LT 5 ug/L	metaTRACE
0	ANTIMONY	LT 10 ug/L	metaTRACE
0	SELENIUM	LT 2 ug/L	metaTRACE
1	SILICON	14760 ug/L	metaTRACE
0	SULFATE	1200 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT 5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT 5.00 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS	765000 ug/L	metaTRACE
0	THALLIUM	LT 3 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	LT 1000 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	LT 35 ug/L	metaTRACE
0	TOTAL PHOSPHATES	LT 5.00 ug/L	metaTRACE
0	TRICHLOROETHYLENE	LT 5 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT 5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT 5 ug/L	metaTRACE
0	VANADIUM	LT 10 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT 5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT 5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT 5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT 5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT 5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT 5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT 5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT 5 ug/L	metaTRACE
0	ZINC	179 ug/L	metaTRACE
2	GROSS ALPHA	470-- 50 pCi/L	metaTRACE
2	GROSS ALPHA	400-- 40 pCi/L	metaTRACE
2	NONVOLATILE BETA	1100-- 200 pCi/L	metaTRACE
2	TOTAL RADIUM	11.00-- 2.00 pCi/L	metaTRACE
2	TRITIUM	2400-- 300 pCi/mL	metaTRACE
2	TRITIUM	2770-- 11.9 pCi/mL	HP, 735A

WELL FSB 89C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/02/89 Time 1115
 Depth to water = 71.66 ft (21.84 m) below the TOC
 Water elevation = 209.64 ft (63.90 m) msf
 pH = 5.2 Alkalinity = 6 mg/L
 Specific conductance = 64 umhos/cm
 Water temperature = 21.6 degrees Celsius
 Water evacuated from the well prior to sampling = 139 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE	61.60 UMMC	metaTRACE
0	PH	6.04 pH	metaTRACE
0	SILVER	LT 2 ug/L	metaTRACE
0	ARSENIC	LT 3 ug/L	metaTRACE
0	BARIUM	LT 25 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	LT 5 ug/L	metaTRACE
0	CALCIUM	6379 ug/L	metaTRACE
1	TRICHLOROFLUOROMETHANE	LT 6 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT 5.00 ug/L	metaTRACE
0	CADMIUM	LT 4 ug/L	metaTRACE

CONTINUED

WELL FSB 89C COLLECTED ON 07/02/89 LABORATORY ANALYSES CONTINUED

0	BROMOFORM	LT 5 ug/L	metaTRACE
0	CHLOROFORM	LT 5 ug/L	metaTRACE
0	METHYLENE CHLORIDE	LT 5 ug/L	metaTRACE
0	BROMOMETHANE	LT 10 ug/L	metaTRACE
0	CHLOROMETHANE	LT 10 ug/L	metaTRACE
0	CHLORIDE	2400 ug/L	metaTRACE
0	CHLOROBENZENE	LT 5 ug/L	metaTRACE
0	COBALT	LT 10 ug/L	metaTRACE
0	CHROMIUM	LT 10 ug/L	metaTRACE
0	COPPER	LT 10 ug/L	metaTRACE
0	CYANIDE	LT 5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT 5 ug/L	metaTRACE
0	CHLOROETHANE	LT 10 ug/L	metaTRACE
0	BENZENE	LT 5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT 5 ug/L	metaTRACE
0	ETHYLBENZENE	LT 5 ug/L	metaTRACE
0	FLUORIDE	LT 250 ug/L	metaTRACE
0	IRON	13 ug/L	metaTRACE
0	MERCURY	LT 0.20 ug/L	metaTRACE
0	POTASSIUM	LT 5000 ug/L	metaTRACE
0	TOLUENE	LT 5 ug/L	metaTRACE
0	MAGNESIUM	495 ug/L	metaTRACE
0	MANGANESE	11 ug/L	metaTRACE
0	SODIUM	3678 ug/L	metaTRACE
0	NICKEL	LT 5 ug/L	metaTRACE
0	NITRATE AS NITROGEN	1400 ug/L	metaTRACE
0	LEAD	LT 3 ug/L	metaTRACE
0	PHENOLS	LT 5 ug/L	metaTRACE
0	ANTIMONY	LT 10 ug/L	metaTRACE
0	SELENIUM	LT 2 ug/L	metaTRACE
1	SILICON	3715 ug/L	metaTRACE
0	SULFATE	LT 1000 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT 5 ug/L	metaTRACE
2	TETRACHLOROETHYLENE	6.00 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS	68000 ug/L	metaTRACE
0	THALLIUM	LT 3 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	1250 ug/L	metaTRACE
1	TOTAL ORGANIC HALOGENS	10 ug/L	metaTRACE
0	TOTAL PHOSPHATES	LT 10 ug/L	metaTRACE
0	TRICHLOROETHYLENE	LT 5.00 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT 5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT 5 ug/L	metaTRACE
0	VANADIUM	LT 10 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT 5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT 5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT 5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT 5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT 5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT 5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT 5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT 5 ug/L	metaTRACE
0	ZINC	22 ug/L	metaTRACE
0	GROSS ALPHA	LT 2 pCi/L	metaTRACE
0	NONVOLATILE BETA	LT 5 pCi/L	metaTRACE
0	TOTAL RADIUM	LT 1 pCi/L	metaTRACE
2	TRITIUM	29.00-- 3.00 pCi/mL	metaTRACE
2	TRITIUM	29.00-- 3.00 pCi/mL	metaTRACE

WELL FSB 890

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/02/89 Time 1100
 Depth to water = 58.65 ft (20.92 m) below the TOC
 Water elevation = 212.95 ft (64.79 m) msf
 pH = 3.6 Alkalinity = 0 mg/L
 Specific conductance = 571 umhos/cm
 Water temperature = 22.5 degrees Celsius
 Water evacuated from the well prior to sampling = 28 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	583.5 UMMC	metaTRACE
0	PH	4.07 pH	metaTRACE
0	SILVER	LT 2 ug/L	metaTRACE
0	ARSENIC	LT 3 ug/L	metaTRACE
1	BARIUM	76 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	LT 5 ug/L	metaTRACE
0	CALCIUM	5674 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT 5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT 5.00 ug/L	metaTRACE
2	CADMIUM	6 ug/L	metaTRACE
0	BROMOFORM	LT 5 ug/L	metaTRACE
0	CHLOROFORM	LT 5 ug/L	metaTRACE
1	METHYLENE CHLORIDE	JB 3 ug/L	metaTRACE
0	BROMOMETHANE	LT 10 ug/L	metaTRACE
0	CHLOROMETHANE	LT 10 ug/L	metaTRACE
0	CHLORIDE	2500 ug/L	metaTRACE
0	CHLOROBENZENE	LT 5 ug/L	metaTRACE
1	COBALT	21 ug/L	metaTRACE
0	CHROMIUM	LT 10 ug/L	metaTRACE
1	COPPER	35 ug/L	metaTRACE
0	CYANIDE	LT 5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT 5 ug/L	metaTRACE
0	CHLOROETHANE	LT 10 ug/L	metaTRACE
0	BENZENE	LT 5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT 5 ug/L	metaTRACE
0	ETHYLBENZENE	LT 5 ug/L	metaTRACE
0	FLUORIDE	LT 250 ug/L	metaTRACE
0	IRON	24 ug/L	metaTRACE
2	MERCURY	4.03 ug/L	metaTRACE
0	POTASSIUM	LT 5000 ug/L	metaTRACE
0	TOLUENE	LT 5 ug/L	metaTRACE
0	MAGNESIUM	1255 ug/L	metaTRACE
2	MANGANESE	807 ug/L	metaTRACE
1	SODIUM	69880 ug/L	metaTRACE

CONTINUED

WELL FSB 890 COLLECTED ON 07/02/89 LABORATORY ANALYSES CONTINUED

1 NICKEL	13 ug/L	metaTRACE
2 NITRATE AS NITROGEN	74000 ug/L	metaTRACE
0 LEAD	4 ug/L	metaTRACE
0 PHENOLS	LT	5 ug/L metaTRACE
0 ANTIMONY	LT	10 ug/L metaTRACE
0 SELENIUM	LT	2 ug/L metaTRACE
1 SILICON	6956 ug/L	metaTRACE
0 SULFATE	2500 ug/L	metaTRACE
0 1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L metaTRACE
0 TETRACHLOROETHYLENE	LT	5.00 ug/L metaTRACE
0 TOTAL DISSOLVED SOLIDS	379000 ug/L	metaTRACE
0 THALLIUM	LT	3 ug/L metaTRACE
0 TOTAL ORGANIC CARBON	1150 ug/L	metaTRACE
0 TOTAL ORGANIC HALOGENS	8 ug/L	metaTRACE
0 TOTAL PHOSPHATES	LT	10 ug/L metaTRACE
0 TRICHLOROETHYLENE	LT	5.00 ug/L metaTRACE
0 TRANS-1,2-DICHLOROETHENE	LT	5 ug/L metaTRACE
0 TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L metaTRACE
0 VANADIUM	LT	10 ug/L metaTRACE
0 1,1-DICHLOROETHYLENE	LT	5 ug/L metaTRACE
0 1,1-DICHLOROETHANE	LT	5 ug/L metaTRACE
0 1,1,1-TRICHLOROETHYLENE	LT	5 ug/L metaTRACE
0 1,1,2-TRICHLOROETHYLENE	LT	5 ug/L metaTRACE
0 1,2-DICHLOROETHANE	LT	5 ug/L metaTRACE
0 1,2-DICHLOROPROPANE	LT	5 ug/L metaTRACE
0 CIS-1,3-DICHLOROPROPENE	LT	5 ug/L metaTRACE
0 2-CHLOROETHYL VINYL ETHER	LT	5 ug/L metaTRACE
0 ZINC	61 ug/L	metaTRACE
2 GROSS ALPHA	300+-30 pCi/L	metaTRACE
2 GROSS ALPHA	270+-30 pCi/L	metaTRACE
2 GROSS ALPHA	110+-10 pCi/L	Teledyne
1 AMERICIUM-241	2.80+-0.50 pCi/L	Teledyne
1 AMERICIUM-243	3.40+-0.50 pCi/L	Teledyne
0 BARIUM-140	LT	100000 pCi/L Teledyne
2 NONVOLATILE BETA	1400+-200 pCi/L	metaTRACE
2 NONVOLATILE BETA	1800+-100 pCi/L	Teledyne
0 BERYLLIUM-7	LT	200 pCi/L Teledyne
1 BISMUTH-214	6.50+-3.20 pCi/L	Teledyne
0 CERIUM-141	LT	200 pCi/L Teledyne
0 CERIUM-144	LT	20 pCi/L Teledyne
0 CURIUM-242	LT	0.20 pCi/L Teledyne
1 CURIUM-246	3.90+-0.50 pCi/L	Teledyne
1 CURIUM-243/244	0.97+-0.43 pCi/L	Teledyne
0 COBALT-58	LT	10 pCi/L Teledyne
0 COBALT-60	LT	3 pCi/L Teledyne
0 CESIUM-134	LT	3 pCi/L Teledyne
0 CESIUM-137	LT	2 pCi/L Teledyne
0 CARBON-14	LT	7 pCi/L Teledyne
0 IRON-55	LT	70 pCi/L Teledyne
0 IRON-59	LT	90 pCi/L Teledyne
1 IODINE-129	140+-10 pCi/L	Teledyne
1 POTASSIUM-40	66.00+-21 pCi/L	Teledyne
0 MANGANESE-54	LT	3 pCi/L Teledyne
0 NICKEL-59	LT	100 pCi/L Teledyne
1 NICKEL-63	15.00+-7.00 pCi/L	Teledyne
1 LEAD-214	4.20+-3.10 pCi/L	Teledyne
0 PLUTONIUM-238	LT	0.10 pCi/L Teledyne
1 PLUTONIUM-241	230+-30 pCi/L	Teledyne
0 PLUTONIUM-239/240	LT	0.09 pCi/L Teledyne
0 RADIUM-226	LT	40 pCi/L Teledyne
1 RADIUM-226	5.50+-0.80 pCi/L	Teledyne
1 RADIUM-228	18.00+-4.00 pCi/L	Teledyne
0 RUTHERGIUM-103	LT	70 pCi/L Teledyne
0 RUTHERGIUM-106	LT	30 pCi/L Teledyne
0 STRONTIUM-89	LT	700 pCi/L Teledyne
1 STRONTIUM-90	800+-10 pCi/L	Teledyne
1 TECHNETIUM-99	94.00+-11 pCi/L	Teledyne
0 THORIUM-228	LT	4 pCi/L Teledyne
1 THORIUM-228	4.10+-1.20 pCi/L	Teledyne
1 THORIUM-230	20.00+-2.00 pCi/L	Teledyne
1 THORIUM-232	2.90+-0.90 pCi/L	Teledyne
1 THORIUM-234	130+-30 pCi/L	Teledyne
2 TOTAL RADIUM	12.00+-22 pCi/L	metaTRACE
2 TRITIUM	2300+-300 pCi/mL	metaTRACE
2 TRITIUM	2300+-300 pCi/mL	metaTRACE
2 TRITIUM	2650+-11.7 pCi/mL	HP, 735A
1 URANIUM-235	3.20+-0.90 pCi/L	Teledyne
1 URANIUM-238	130+-10 pCi/L	Teledyne
1 URANIUM-233/234	100+-10 pCi/L	Teledyne
0 ZINC-65	LT	8 pCi/L Teledyne
0 ZIRCONIUM-95	LT	20 pCi/L Teledyne

WELL FSB 90C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/03/89 Time 945
Depth to water = 70.15 ft (21.38 m) below the TOC
Water elevation = 208.25 ft (63.48 m) msl
pH = 8.3 Alkalinity = 45 mg/L
Specific conductance = 232 umhos/cm
Water temperature = 21.1 degrees Celsius
Water evacuated from the well prior to sampling = 2nd gal
The well went dry during purging.

LABORATORY ANALYSES

1 SPECIFIC CONDUCTANCE	239.0 uMHC	metaTRACE
1 PH	7.39 pH	metaTRACE
0 SILVER	LT	2 ug/L metaTRACE
0 ARSENIC	LT	3 ug/L metaTRACE
0 BARIUM	LT	37 ug/L metaTRACE
0 BROMODICHLOROMETHANE	LT	5 ug/L metaTRACE
1 CALCIUM	15380 ug/L	metaTRACE
1 TRICHLOROFLUOROMETHANE	LT	6 ug/L metaTRACE
0 CARBON TETRACHLORIDE	LT	5.00 ug/L metaTRACE
0 CADMIUM	LT	4 ug/L metaTRACE

CONTINUED

WELL FSB 90C COLLECTED ON 07/03/89 LABORATORY ANALYSES CONTINUED

0 BROMOFORM	LT	5 ug/L metaTRACE
0 CHLOROFORM	LT	5 ug/L metaTRACE
1 METHYLENE CHLORIDE	LT	7 ug/L metaTRACE
0 BROMOMETHANE	LT	10 ug/L metaTRACE
0 CHLOROMETHANE	LT	10 ug/L metaTRACE
0 CHLORIDE	3600 ug/L	metaTRACE
0 CHLOROBENZENE	LT	5 ug/L metaTRACE
0 COBALT	LT	10 ug/L metaTRACE
0 CHROMIUM	LT	10 ug/L metaTRACE
0 COPPER	LT	10 ug/L metaTRACE
0 CYANIDE	LT	5 ug/L metaTRACE
0 CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L metaTRACE
0 CHLOROETHANE	LT	10 ug/L metaTRACE
0 BENZENE	LT	5 ug/L metaTRACE
0 DIBROMOCHLOROMETHANE	LT	5 ug/L metaTRACE
0 ETHYLBENZENE	LT	5 ug/L metaTRACE
0 FLUORIDE	LT	250 ug/L metaTRACE
0 IRON	LT	73 ug/L metaTRACE
0 MERCURY	LT	0.20 ug/L metaTRACE
0 POTASSIUM	LT	5000 ug/L metaTRACE
0 TOLUENE	LT	5 ug/L metaTRACE
0 MAGNESIUM	2818 ug/L	metaTRACE
1 MANGANESE	36 ug/L	metaTRACE
1 SODIUM	9505 ug/L	metaTRACE
0 NICKEL	LT	5 ug/L metaTRACE
2 NITRATE AS NITROGEN	14000 ug/L	metaTRACE
0 LEAD	LT	3 ug/L metaTRACE
0 PHENOLS	LT	5 ug/L metaTRACE
0 ANTIMONY	LT	10 ug/L metaTRACE
0 SELENIUM	LT	2 ug/L metaTRACE
1 SILICON	4841 ug/L	metaTRACE
0 SULFATE	LT	1000 ug/L metaTRACE
0 1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L metaTRACE
1 TETRACHLOROETHYLENE	J	2.00 ug/L metaTRACE
0 TOTAL DISSOLVED SOLIDS	204000 ug/L	metaTRACE
0 THALLIUM	LT	3 ug/L metaTRACE
0 TOTAL ORGANIC CARBON	1170 ug/L	metaTRACE
0 TOTAL ORGANIC HALOGENS	7 ug/L	metaTRACE
0 TOTAL PHOSPHATES	LT	35 ug/L metaTRACE
0 TRICHLOROETHYLENE	LT	5.00 ug/L metaTRACE
0 TRANS-1,2-DICHLOROETHENE	LT	5 ug/L metaTRACE
0 TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L metaTRACE
0 VANADIUM	LT	10 ug/L metaTRACE
0 1,1-DICHLOROETHYLENE	LT	5 ug/L metaTRACE
0 1,1-DICHLOROETHANE	LT	5 ug/L metaTRACE
0 1,1,1-TRICHLOROETHANE	LT	5 ug/L metaTRACE
0 1,1,2-TRICHLOROETHANE	LT	5 ug/L metaTRACE
0 1,2-DICHLOROETHANE	LT	5 ug/L metaTRACE
0 1,2-DICHLOROPROPANE	LT	5 ug/L metaTRACE
0 CIS-1,3-DICHLOROPROPENE	LT	5 ug/L metaTRACE
0 2-CHLOROETHYL VINYL ETHER	LT	5 ug/L metaTRACE
0 ZINC	LT	48 ug/L metaTRACE
0 GROSS ALPHA	LT	4 pCi/L metaTRACE
1 NONVOLATILE BETA	25.00+-5.00 pCi/L	metaTRACE
2 TRITIUM	920+-100 pCi/mL	metaTRACE
2 TRITIUM	1120+-7.62 pCi/mL	HP, 735A

WELL FSB 900

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/03/89 Time 1010
Depth to water = 67.09 ft (20.45 m) below the TOC
Water elevation = 211.51 ft (64.47 m) msl
pH = 3.9 Alkalinity = 0 mg/L
Specific conductance = 1296 umhos/cm
Water temperature = 22.5 degrees Celsius
Water evacuated from the well prior to sampling = 1 gal
The well went dry during purging.

LABORATORY ANALYSES

1 SPECIFIC CONDUCTANCE	1449 uMHC	metaTRACE
0 PH	4.19 pH	metaTRACE
0 SILVER	LT	2 ug/L metaTRACE
0 ARSENIC	LT	3 ug/L metaTRACE
2 BARIUM	838 ug/L	metaTRACE
0 BROMODICHLOROMETHANE	LT	5 ug/L metaTRACE
1 CALCIUM	22510 ug/L	metaTRACE
0 TRICHLOROFLUOROMETHANE	LT	5 ug/L metaTRACE
0 CARBON TETRACHLORIDE	LT	5.00 ug/L metaTRACE
2 CADMIUM	LT	16 ug/L metaTRACE
0 BROMOFORM	LT	5 ug/L metaTRACE
0 CHLOROFORM	LT	5 ug/L metaTRACE
1 METHYLENE CHLORIDE	J	4 ug/L metaTRACE
0 BROMOMETHANE	LT	10 ug/L metaTRACE
0 CHLOROMETHANE	LT	10 ug/L metaTRACE
0 CHLORIDE	LT	2500 ug/L metaTRACE
0 CHLOROBENZENE	LT	5 ug/L metaTRACE
1 COBALT	LT	36 ug/L metaTRACE
0 CHROMIUM	LT	10 ug/L metaTRACE
0 COPPER	LT	13 ug/L metaTRACE
0 CYANIDE	LT	5 ug/L metaTRACE
0 CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L metaTRACE
0 CHLOROETHANE	LT	10 ug/L metaTRACE
0 BENZENE	LT	5 ug/L metaTRACE
0 DIBROMOCHLOROMETHANE	LT	5 ug/L metaTRACE
0 ETHYLBENZENE	LT	5 ug/L metaTRACE
1 FLUORIDE	1600 ug/L	metaTRACE
2 IRON	343 ug/L	metaTRACE
0 MERCURY	LT	0.20 ug/L metaTRACE
0 POTASSIUM	LT	5000 ug/L metaTRACE
0 TOLUENE	LT	5 ug/L metaTRACE
1 MAGNESIUM	7486 ug/L	metaTRACE
2 MANGANESE	2514 ug/L	metaTRACE
1 SODIUM	100600 ug/L	metaTRACE
1 NICKEL	52 ug/L	metaTRACE

CONTINUED

WELL FSB 900 COLLECTED ON 07/03/89 LABORATORY ANALYSES CONTINUED

2	NITRATE AS NITROGEN	190000 ug/L	metaTRACE
2	LEAD	44 ug/L	metaTRACE
0	PHENOLS	LT	5 ug/L metaTRACE
0	ANTIMONY	LT	10 ug/L metaTRACE
0	SELENIUM	LT	2 ug/L metaTRACE
1	SILICON	8395 ug/L	metaTRACE
0	SULFATE	1200 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L metaTRACE
0	TETRACHLOROETHYLENE	LT	5.00 ug/L metaTRACE
0	TOTAL DISSOLVED SOLIDS	949000 ug/L	metaTRACE
0	THALLIUM	LT	3 ug/L metaTRACE
0	TOTAL ORGANIC CARBON	1460 ug/L	metaTRACE
1	TOTAL ORGANIC HALOGENS	17 ug/L	metaTRACE
0	TOTAL PHOSPHATES	19 ug/L	metaTRACE
U	TRICHLOROETHYLENE	LT	5.00 ug/L metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L metaTRACE
0	VANADIUM	LT	10 ug/L metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L metaTRACE
0	1,1-DICHLOROETHANE	LT	5 ug/L metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L metaTRACE
1	ZINC	367 ug/L	metaTRACE
2	GROSS ALPHA	330+- 40 pCi/L	metaTRACE
2	GROSS ALPHA	110+- 10 pCi/L	Teledyne
1	AMERICIUM-241	3.50+-2.00 pCi/L	Teledyne
0	AMERICIUM-243	LT	2 pCi/L Teledyne
0	BARIUM-140	LT	20 pCi/L Teledyne
2	NONVOLATILE BETA	3000+- 300 pCi/L	metaTRACE
2	NONVOLATILE BETA	3800+- 100 pCi/L	Teledyne
0	BERYLLIUM-7	LT	40 pCi/L Teledyne
0	CERIUM-141	LT	10 pCi/L Teledyne
0	CERIUM-144	LT	40 pCi/L Teledyne
1	CURIUM-242	3.20+-2.00 pCi/L	Teledyne
1	CURIUM-246	3.70+-1.60 pCi/L	Teledyne
1	CURIUM-243/244	10.00+-4.00 pCi/L	Teledyne
0	COBALT-58	LT	4 pCi/L Teledyne
0	COBALT-60	LT	7 pCi/L Teledyne
0	CESIUM-134	LT	4 pCi/L Teledyne
0	CESIUM-137	LT	4 pCi/L Teledyne
1	CARBON-14	9.00+-4.80 pCi/L	Teledyne
0	IRON-55	LT	200 pCi/L Teledyne
0	IRON-59	LT	10 pCi/L Teledyne
1	IODINE-129	77.00+-4.00 pCi/L	Teledyne
0	IODINE-131	LT	40 pCi/L Teledyne
0	POTASSIUM-40	LT	60 pCi/L Teledyne
0	MANGANESE-54	LT	4 pCi/L Teledyne
0	NICKEL-59	LT	100 pCi/L Teledyne
1	NICKEL-63	34.00+-7.00 pCi/L	Teledyne
0	PLUTONIUM-238	LT	0.60 pCi/L Teledyne
0	PLUTONIUM-242	LT	0.30 pCi/L Teledyne
0	PLUTONIUM-239/240	LT	0.50 pCi/L Teledyne
1	RADIUM-226	24.90+-7.50 pCi/L	Teledyne
1	RADIUM-228	46.00+-2.00 pCi/L	Teledyne
1	RADIUM-228	29.00+-4.00 pCi/L	Teledyne
0	RUTHENIUM-103	LT	6 pCi/L Teledyne
0	RUTHENIUM-106	LT	30 pCi/L Teledyne
1	STRONTIUM-89	140+- 20 pCi/L	Teledyne
1	STRONTIUM-90	770+- 10 pCi/L	Teledyne
1	TECHNETIUM-99	95.00+-7.00 pCi/L	Teledyne
0	THORIUM-228	LT	8 pCi/L Teledyne
1	THORIUM-228	30.00+-1.00 pCi/L	Teledyne
1	THORIUM-230	2.10+-0.50 pCi/L	Teledyne
0	THORIUM-232	LT	0.40 pCi/L Teledyne
2	TOTAL RADIUM	59.00+-6.00 pCi/L	metaTRACE
2	TRITIUM	11000+-2000 pCi/mL	metaTRACE
2	TRITIUM	14100+-85.2 pCi/mL	HP, 735A
1	URANIUM-235	3.30+-1.00 pCi/L	Teledyne
1	URANIUM-238	130+- 10 pCi/L	Teledyne
1	URANIUM-233/234	110+- 10 pCi/L	Teledyne
0	ZINC-65	LT	8 pCi/L Teledyne
0	ZIRCONIUM-95	LT	5 pCi/L Teledyne

WELL FSB 91C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/03/89 Time 920
 Depth to water = 70.62 ft (21.53 m) below the TOC
 Water elevation = 208.68 ft (63.61 m) msl
 pH = 5.6 Alkalinity = 29 mg/L
 Specific conductance = 577 umhos/cm
 Water temperature = 21.5 degrees Celsius
 Water evacuated from the well prior to sampling = 23 gal
 The well went dry during purging.

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	586.8 UMHC	metaTRACE
0	PH	6.40 pH	metaTRACE
0	SILVER	LT	2 ug/L metaTRACE
1	ARSENIC	4 ug/L	metaTRACE
1	BARIUM	248 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	LT	5 ug/L metaTRACE
1	CALCIUM	45040 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00 ug/L metaTRACE
2	CADMIUM	11 ug/L	metaTRACE
0	BROMOFORM	LT	5 ug/L metaTRACE
0	CHLOROFORM	LT	5 ug/L metaTRACE
0	METHYLENE CHLORIDE	LT	5 ug/L metaTRACE
0	BROMOMETHANE	LT	10 ug/L metaTRACE
0	CHL. ETHANE	LT	10 ug/L metaTRACE

CONTIN

WELL FSB 91C COLLECTED ON 07/03/89 LABORATORY ANALYSES CONTINUED

0	CHLORIDE	1700 ug/L	metaTRACE
0	CHLOROBENZENE	LT	5 ug/L metaTRACE
1	COBALT	22 ug/L	metaTRACE
0	CHROMIUM	LT	10 ug/L metaTRACE
0	COPPER	LT	10 ug/L metaTRACE
0	CYANIDE	LT	5 ug/L metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L metaTRACE
0	CHLOROETHANE	LT	10 ug/L metaTRACE
0	BENZENE	LT	5 ug/L metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L metaTRACE
0	ETHYLBENZENE	LT	5 ug/L metaTRACE
0	FLUORIDE	310 ug/L	metaTRACE
0	IRON	38 ug/L	metaTRACE
0	MERCURY	LT	0.20 ug/L metaTRACE
0	POTASSIUM	LT	5000 ug/L metaTRACE
0	TOLUENE	LT	5 ug/L metaTRACE
0	MAGNESIUM	4232 ug/L	metaTRACE
2	MANGANESE	759 ug/L	metaTRACE
1	SODIUM	44250 ug/L	metaTRACE
1	NICKEL	21 ug/L	metaTRACE
2	NITRATE AS NITROGEN	79000 ug/L	metaTRACE
0	LEAD	LT	3 ug/L metaTRACE
0	PHENOLS	LT	5 ug/L metaTRACE
0	ANTIMONY	LT	10 ug/L metaTRACE
0	SELENIUM	LT	2 ug/L metaTRACE
1	SILICON	3573 ug/L	metaTRACE
0	SULFATE	LT	1000 ug/L metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L metaTRACE
0	TETRACHLOROETHYLENE	LT	5.00 ug/L metaTRACE
0	TOTAL DISSOLVED SOLIDS	743000 ug/L	metaTRACE
0	THALLIUM	LT	3 ug/L metaTRACE
0	TOTAL ORGANIC CARBON	1440 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L metaTRACE
0	TOTAL PHOSPHATES	LT	10 ug/L metaTRACE
0	TRICHLOROETHYLENE	LT	5.00 ug/L metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L metaTRACE
0	VANADIUM	LT	10 ug/L metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L metaTRACE
0	1,1-DICHLOROETHANE	LT	5 ug/L metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L metaTRACE
0	ZINC	46 ug/L	metaTRACE
2	GROSS ALPHA	37.00+- 11 pCi/L	metaTRACE
2	NONVOLATILE BETA	1500+- 200 pCi/L	metaTRACE
2	TOTAL RADIUM	41.00+-5.00 pCi/L	metaTRACE
2	TRITIUM	3200+- 400 pCi/mL	metaTRACE
2	TRITIUM	3890+-45.1 pCi/mL	HP, 735A

WELL FSB 91D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/02/89 Time 1225
 Depth to water = 68.57 ft (20.90 m) below the TOC
 Water elevation = 210.63 ft (64.20 m) msl
 pH = 3.0 Alkalinity = 0 mg/L
 Specific conductance = 3230 umhos/cm
 Water temperature = 24.6 degrees Celsius
 Water evacuated from the well prior to sampling = 25 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	3263 UMHC	metaTRACE
1	PH	3.28 pH	metaTRACE
1	SILVER	9 ug/L	metaTRACE
2	BARIUM	602 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	LT	5 ug/L metaTRACE
0	CALCIUM	8085 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00 ug/L metaTRACE
2	CADMIUM	9 ug/L	metaTRACE
0	BROMOFORM	LT	5 ug/L metaTRACE
0	CHLOROFORM	LT	5 ug/L metaTRACE
1	METHYLENE CHLORIDE	LT	3 ug/L metaTRACE
0	BROMOMETHANE	LT	10 ug/L metaTRACE
0	CHLOROETHANE	LT	10 ug/L metaTRACE
0	CHLORIDE	2000 ug/L	metaTRACE
0	CHLOROBENZENE	LT	5 ug/L metaTRACE
1	COBALT	18 ug/L	metaTRACE
0	CHROMIUM	LT	10 ug/L metaTRACE
1	COPPER	74 ug/L	metaTRACE
0	CYANIDE	LT	5 ug/L metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L metaTRACE
0	CHLOROETHANE	LT	10 ug/L metaTRACE
0	BENZENE	LT	5 ug/L metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L metaTRACE
0	ETHYLBENZENE	LT	5 ug/L metaTRACE
0	FLUORIDE	390 ug/L	metaTRACE
0	IRON	81 ug/L	metaTRACE
1	MERCURY	0.52 ug/L	metaTRACE
0	POTASSIUM	LT	5000 ug/L metaTRACE
0	TOLUENE	LT	5 ug/L metaTRACE
0	MAGNESIUM	3839 ug/L	metaTRACE
2	MANGANESE	1550 ug/L	metaTRACE
1	SODIUM	103200 ug/L	metaTRACE
1	NICKEL	41 ug/L	metaTRACE
2	NITRATE AS NITROGEN	460000 ug/L	metaTRACE
0	LEAD	15 ug/L	metaTRACE
0	PHENOLS	LT	5 ug/L metaTRACE
0	ANTIMONY	LT	10 ug/L metaTRACE
0	SELENIUM	LT	2 ug/L metaTRACE

CONTINUED

WELL FSB 910 COLLECTED ON 07/02/89 LABORATORY ANALYSES CONTINUED

1	SILICON	16510 ug/L	metaTRACE
0	SULFATE	2900 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L metaTRACE
0	TETRACHLOROETHYLENE	LT	5.00 ug/L metaTRACE
0	TOTAL DISSOLVED SOLIDS	1454000 ug/L	metaTRACE
0	THALLIUM	LT	3 ug/L metaTRACE
0	TOTAL ORGANIC CARBON	1650 ug/L	metaTRACE
2	TOTAL ORGANIC HALOGENS	30 ug/L	metaTRACE
0	TOTAL PHOSPHATES	179 ug/L	metaTRACE
0	TRICHLOROETHYLENE	LT	5.00 ug/L metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L metaTRACE
0	VANADIUM	LT	10 ug/L metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L metaTRACE
0	1,1-DICHLOROETHANE	LT	5 ug/L metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L metaTRACE
0	ZINC	156 ug/L	metaTRACE
2	GROSS ALPHA	3500+- 400 pCi/L	metaTRACE
2	GROSS ALPHA	1200+- 200 pCi/L	metaTRACE
2	NONVOLATILE BETA	3700+- 400 pCi/L	metaTRACE
2	TOTAL RADIUM	76.00+-8.00 pCi/L	metaTRACE
2	TOTAL RADIUM	78.00+-8.00 pCi/L	metaTRACE
2	TRITIUM	36000+-4000 pCi/mL	metaTRACE
2	TRITIUM	44500+- 157 pCi/mL	HP, 735A

WELL FSB 920

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/02/89 Time 1335
 Depth to water = 66.59 ft (20.30 m) below the TOC
 Water elevation = 209.31 ft (63.80 m) msl
 pH = 3.2 Alkalinity = 0 mg/L
 Specific conductance = 2090 umhos/cm
 Water temperature = 20.7 degrees Celsius
 Water evacuated from the well prior to sampling = 32 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	2250 UMC	metaTRACE
0	PH	3.58 pH	metaTRACE
0	SILVER	LT	2 ug/L metaTRACE
0	ARSENIC	LT	3 ug/L metaTRACE
0	ARSENIC	LT	3 ug/L metaTRACE
2	BARIUM	749 ug/L	metaTRACE
2	BARIUM	744 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	LT	5 ug/L metaTRACE
1	CALCIUM	16460 ug/L	metaTRACE
1	CALCIUM	16810 ug/L	metaTRACE
1	TRICHLOROFLUOROMETHANE	J	2 ug/L metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00 ug/L metaTRACE
2	CADMIUM	49 ug/L	metaTRACE
2	CADMIUM	47 ug/L	metaTRACE
0	BROMOFORM	LT	5 ug/L metaTRACE
0	CHLOROFORM	LT	5 ug/L metaTRACE
1	METHYLENE CHLORIDE	JB	3 ug/L metaTRACE
0	BROMOMETHANE	LT	10 ug/L metaTRACE
0	CHLOROMETHANE	LT	10 ug/L metaTRACE
0	CHLORIDE	2100 ug/L	metaTRACE
0	CHLOROBENZENE	LT	5 ug/L metaTRACE
1	COBALT	28 ug/L	metaTRACE
1	COBALT	28 ug/L	metaTRACE
0	CHROMIUM	LT	10 ug/L metaTRACE
0	CHROMIUM	LT	10 ug/L metaTRACE
1	COPPER	81 ug/L	metaTRACE
1	COPPER	81 ug/L	metaTRACE
0	CYANIDE	LT	5 ug/L metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L metaTRACE
0	CHLOROETHANE	LT	10 ug/L metaTRACE
0	BENZENE	LT	5 ug/L metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L metaTRACE
0	ETHYLBENZENE	LT	5 ug/L metaTRACE
1	FLUORIDE	1100 ug/L	metaTRACE
0	IRON	50 ug/L	metaTRACE
0	IRON	48 ug/L	metaTRACE
1	MERCURY	0.35 ug/L	metaTRACE
0	POTASSIUM	LT	5000 ug/L metaTRACE
0	POTASSIUM	LT	5000 ug/L metaTRACE
0	TOLUENE	LT	5 ug/L metaTRACE
1	MAGNESIUM	16390 ug/L	metaTRACE
1	MAGNESIUM	16410 ug/L	metaTRACE
2	MANGANESE	1631 ug/L	metaTRACE
2	MANGANESE	1633 ug/L	metaTRACE
1	SODIUM	114200 ug/L	metaTRACE
1	SODIUM	113500 ug/L	metaTRACE
1	NICKEL	36 ug/L	metaTRACE
2	NITRATE AS NITROGEN	300000 ug/L	metaTRACE
0	LEAD	4 ug/L	metaTRACE
0	LEAD	4 ug/L	metaTRACE
0	PHENOLS	LT	5 ug/L metaTRACE
0	ANTIMONY	LT	10 ug/L metaTRACE
0	ANTIMONY	LT	10 ug/L metaTRACE
0	SELENIUM	LT	2 ug/L metaTRACE
0	SELENIUM	LT	2 ug/L metaTRACE
1	SILICON	9445 ug/L	metaTRACE
1	SILICON	9558 ug/L	metaTRACE
0	SULFATE	1200 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L metaTRACE
0	TETRACHLOROETHYLENE	LT	5.00 ug/L metaTRACE
0	TOTAL DISSOLVED SOLIDS	1279000 ug/L	metaTRACE
0	THALLIUM	LT	3 ug/L metaTRACE

CONTINUED

WELL FSB 920 COLLECTED ON 07/02/89 LABORATORY ANALYSES CONTINUED

0	THALLIUM	LT	10 ug/L metaTRACE
0	TOTAL ORGANIC CARBON	1080 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	9 ug/L	metaTRACE
0	TOTAL PHOSPHATES	33 ug/L	metaTRACE
0	TRICHLOROETHYLENE	LT	5.00 ug/L metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L metaTRACE
0	VANADIUM	LT	10 ug/L metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L metaTRACE
0	1,1-DICHLOROETHANE	LT	5 ug/L metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L metaTRACE
0	ZINC	141 ug/L	metaTRACE
0	ZINC	163 ug/L	metaTRACE
2	GROSS ALPHA	950+- 100 pCi/L	metaTRACE
2	GROSS ALPHA	500+- 50 pCi/L	metaTRACE
2	GROSS ALPHA	220+- 20 pCi/L	Teledyne
1	AMERICIUM-241	8.80+-4.80 pCi/L	Teledyne
1	AMERICIUM-243	11.00+-1.00 pCi/L	Teledyne
0	BARIUM-140	LT	20 pCi/L Teledyne
2	NONVOLATILE BETA	5900+- 600 pCi/L	metaTRACE
2	NONVOLATILE BETA	7700+- 200 pCi/L	Teledyne
0	BERYLLIUM-7	LT	40 pCi/L Teledyne
0	CERIUM-141	LT	20 pCi/L Teledyne
0	CERIUM-144	LT	40 pCi/L Teledyne
0	CURIUM-242	LT	5 pCi/L Teledyne
0	CURIUM-246	LT	10 pCi/L Teledyne
0	CURIUM-243/244	LT	9 pCi/L Teledyne
0	COBALT-58	LT	4 pCi/L Teledyne
1	COBALT-60	14.90+-3.80 pCi/L	Teledyne
0	CESIUM-134	LT	5 pCi/L Teledyne
0	CESIUM-137	8.96+-3.72 pCi/L	Teledyne
1	CARBON-14	16.00+-5.00 pCi/L	Teledyne
0	IRON-55	LT	200 pCi/L Teledyne
0	IRON-59	LT	10 pCi/L Teledyne
1	IODINE-129	68.00+-4.00 pCi/L	Teledyne
0	IODINE-131	LT	40 pCi/L Teledyne
0	POTASSIUM-40	LT	60 pCi/L Teledyne
0	MANGANESE-54	LT	4 pCi/L Teledyne
0	NICKEL-59	LT	100 pCi/L Teledyne
0	NICKEL-63	LT	200 pCi/L Teledyne
0	PLUTONIUM-238	LT	0.10 pCi/L Teledyne
1	PLUTONIUM-242	0.11+-0.09 pCi/L	Teledyne
0	PLUTONIUM-239/240	LT	0.10 pCi/L Teledyne
1	RADIUM-226	32.40+-7.10 pCi/L	Teledyne
1	RADIUM-226	76.00+-3.00 pCi/L	Teledyne
1	RADIUM-228	23.00+-2.00 pCi/L	Teledyne
0	RUTHENIUM-103	LT	6 pCi/L Teledyne
0	RUTHENIUM-106	LT	30 pCi/L Teledyne
0	STRONTIUM-89	LT	60 pCi/L Teledyne
1	STRONTIUM-90	1900+- 100 pCi/L	Teledyne
1	TECHNETIUM-99	170+- 10 pCi/L	Teledyne
0	THORIUM-228	LT	8 pCi/L Teledyne
1	THORIUM-228	1.00+-0.30 pCi/L	Teledyne
1	THORIUM-230	1.10+-0.30 pCi/L	Teledyne
1	THORIUM-232	0.17+-0.11 pCi/L	Teledyne
2	TOTAL RADIUM	89.00+-9.00 pCi/L	metaTRACE
2	TRITIUM	22000+-3000 pCi/mL	metaTRACE
2	TRITIUM	20500+- 116 pCi/mL	HP, 735A
1	URANIUM-235	5.10+-0.60 pCi/L	Teledyne
1	URANIUM-238	350+- 10 pCi/L	Teledyne
1	URANIUM-233/234	290+- 10 pCi/L	Teledyne
0	ZINC-65	LT	10 pCi/L Teledyne
0	ZIRCONIUM-95	LT	5 pCi/L Teledyne

WELL FSB 930

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/02/89 Time 1420
 Depth to water = 69.69 ft (21.24 m) below the TOC
 Water elevation = 206.51 ft (62.95 m) msl
 pH = 4.9 Alkalinity = 1 mg/L
 Specific conductance = 398 umhos/cm
 Water temperature = 21.8 degrees Celsius
 Water evacuated from the well prior to sampling = 168 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	420.0 UMC	metaTRACE
0	PH	5.64 pH	metaTRACE
0	SILVER	LT	2 ug/L metaTRACE
0	ARSENIC	LT	3 ug/L metaTRACE
0	BARIUM	8 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	LT	5 ug/L metaTRACE
0	CALCIUM	3452 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00 ug/L metaTRACE
0	CADMIUM	LT	4 ug/L metaTRACE
0	BROMOFORM	LT	5 ug/L metaTRACE
0	CHLOROFORM	LT	5 ug/L metaTRACE
0	METHYLENE CHLORIDE	LT	5 ug/L metaTRACE
0	BROMOMETHANE	LT	10 ug/L metaTRACE
0	CHLOROMETHANE	LT	10 ug/L metaTRACE
0	CHLORIDE	3100 ug/L	metaTRACE
0	CHLOROBENZENE	LT	5 ug/L metaTRACE
0	COBALT	LT	10 ug/L metaTRACE
0	CHROMIUM	LT	10 ug/L metaTRACE
0	COPPER	LT	10 ug/L metaTRACE
0	CYANIDE	LT	5 ug/L metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L metaTRACE

CONTINUED

WELL FSB 93C COLLECTED ON 07/02/89 LABORATORY ANALYSES CONTINUED

0	CHLOROETHANE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0	ETHYLBENZENE	LT	5 ug/L	metaTRACE
0	FLUORIDE	LT	250 ug/L	metaTRACE
0	IRON	LT	10 ug/L	metaTRACE
0	MERCURY	LT	0.22 ug/L	metaTRACE
0	POTASSIUM	LT	3000 ug/L	metaTRACE
0	TOLUENE	LT	5 ug/L	metaTRACE
0	MAGNESIUM	LT	784 ug/L	metaTRACE
0	MANGANESE	LT	12 ug/L	metaTRACE
0	SODIUM	LT	3584 ug/L	metaTRACE
1	NICKEL	LT	9 ug/L	metaTRACE
2	NITRATE AS NITROGEN	LT	52000 ug/L	metaTRACE
0	LEAD	LT	3 ug/L	metaTRACE
0	PHENOLS	LT	5 ug/L	metaTRACE
0	ANTIMONY	LT	10 ug/L	metaTRACE
0	SELENIUM	LT	2 ug/L	metaTRACE
1	SILICON	LT	52 ug/L	metaTRACE
0	SULFATE	LT	1100 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS	LT	425000 ug/L	metaTRACE
0	THALLIUM	LT	3 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	metaTRACE
0	TOTAL PHOSPHATES	LT	11 ug/L	metaTRACE
0	TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	VANADIUM	LT	10 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0	ZINC	LT	9 ug/L	metaTRACE
0	GROSS ALPHA	LT	6 pCi/L	metaTRACE
1	NONVOLATILE BETA	LT	45.00+-8.00 pCi/L	metaTRACE
1	TOTAL RADIUM	LT	3.00+-0.50 pCi/L	metaTRACE
2	TRITIUM	LT	1800+-200 pCi/mL	metaTRACE
2	TRITIUM	LT	2190+-34.4 pCi/mL	HP, 735A

WELL FSB 93D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/09/89 Time 945
 Depth to water = 67.82 ft (20.67 m) below the TOC
 Water elevation = 208.28 ft (63.48 m) msl
 pH = 7.8 Alkalinity = 0 mg/L
 Specific conductance = 2250 umhos/cm
 Water temperature = 22.6 degrees Celsius
 Water evacuated from the well prior to sampling = 2 gal
 The well went dry during purging.

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	LT	2499 UMC	metaTRACE
0	PH	LT	4.16 pH	metaTRACE
0	SILVER	LT	2 ug/L	metaTRACE
0	ARSENIC	LT	3 ug/L	metaTRACE
2	BARIUM	LT	706 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
1	CALCIUM	LT	73820 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
2	CADMIUM	LT	19 ug/L	metaTRACE
0	BROMOFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	5 ug/L	metaTRACE
0	METHYLENE CHLORIDE	LT	5 ug/L	metaTRACE
0	BROMOMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
0	CHLORIDE	LT	1500 ug/L	metaTRACE
0	CHLOROBENZENE	LT	5 ug/L	metaTRACE
1	COBALT	LT	19 ug/L	metaTRACE
2	CHROMIUM	LT	49 ug/L	metaTRACE
1	COPPER	LT	71 ug/L	metaTRACE
0	CYANIDE	LT	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0	CHLOROETHANE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0	ETHYLBENZENE	LT	5 ug/L	metaTRACE
0	FLUORIDE	LT	470 ug/L	metaTRACE
2	IRON	LT	524 ug/L	metaTRACE
0	MERCURY	LT	0.20 ug/L	metaTRACE
1	POTASSIUM	LT	6449 ug/L	metaTRACE
0	TOLUENE	LT	5 ug/L	metaTRACE
1	MAGNESIUM	LT	6564 ug/L	metaTRACE
2	MANGANESE	LT	1797 ug/L	metaTRACE
1	SODIUM	LT	90710 ug/L	metaTRACE
1	NICKEL	LT	80 ug/L	metaTRACE
2	NITRATE AS NITROGEN	LT	430000 ug/L	metaTRACE
2	LEAD	LT	448 ug/L	metaTRACE
0	PHENOLS	LT	5 ug/L	metaTRACE
1	ANTIMONY	LT	45 ug/L	metaTRACE
0	SELENIUM	LT	2 ug/L	metaTRACE
1	SILICON	LT	8304 ug/L	metaTRACE
0	SULFATE	LT	3000 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS	LT	2078000 ug/L	metaTRACE
0	THALLIUM	LT	3 ug/L	metaTRACE

CONTINUED

WELL FSB 93D COLLECTED ON 07/09/89 LABORATORY ANALYSES CONTINUED

0	TOTAL ORGANIC CARBON	LT	1820 ug/L	metaTRACE
1	TOTAL ORGANIC HALOGENS	LT	12 ug/L	metaTRACE
0	TOTAL PHOSPHATES	LT	31 ug/L	metaTRACE
0	TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	VANADIUM	LT	10 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
1	ZINC	LT	270 ug/L	metaTRACE
2	GROSS ALPHA	LT	1000+-100 pCi/L	metaTRACE
2	GROSS ALPHA	LT	700+-70 pCi/L	metaTRACE
2	NONVOLATILE BETA	LT	3600+-400 pCi/L	metaTRACE
2	TOTAL RADIUM	LT	40.00+-4.00 pCi/L	metaTRACE
2	TRITIUM	LT	34000+-4000 pCi/mL	metaTRACE

WELL FSB 94C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/03/89 Time 1105
 Depth to water = 75.14 ft (22.90 m) below the TOC
 Water elevation = 205.96 ft (62.78 m) msl
 pH = 10.4 Alkalinity = 222 mg/L
 Specific conductance = 1832 umhos/cm
 Water temperature = 21.3 degrees Celsius
 Water evacuated from the well prior to sampling = 29 gal
 The well went dry during purging.

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	LT	1795 UMC	metaTRACE
2	PH	LT	11.1 pH	metaTRACE
2	SILVER	LT	39 ug/L	metaTRACE
0	ARSENIC	LT	3 ug/L	metaTRACE
1	BARIUM	LT	429 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
1	CALCIUM	LT	98560 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0	CADMIUM	LT	4 ug/L	metaTRACE
0	BROMOFORM	LT	5 ug/L	metaTRACE
1	CHLOROFORM	LT	5 ug/L	metaTRACE
1	METHYLENE CHLORIDE	LT	3 ug/L	metaTRACE
0	BROMOMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
0	CHLORIDE	LT	1900 ug/L	metaTRACE
0	CHLOROBENZENE	LT	5 ug/L	metaTRACE
0	COBALT	LT	10 ug/L	metaTRACE
0	CHROMIUM	LT	10 ug/L	metaTRACE
0	COPPER	LT	10 ug/L	metaTRACE
0	CYANIDE	LT	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0	CHLOROETHANE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0	ETHYLBENZENE	LT	5 ug/L	metaTRACE
1	FLUORIDE	LT	1600 ug/L	metaTRACE
0	IRON	LT	10 ug/L	metaTRACE
0	MERCURY	LT	0.20 ug/L	metaTRACE
1	POTASSIUM	LT	72720 ug/L	metaTRACE
0	TOLUENE	LT	5 ug/L	metaTRACE
0	MAGNESIUM	LT	345 ug/L	metaTRACE
0	MANGANESE	LT	10 ug/L	metaTRACE
1	SODIUM	LT	178700 ug/L	metaTRACE
0	NICKEL	LT	5 ug/L	metaTRACE
2	NITRATE AS NITROGEN	LT	240000 ug/L	metaTRACE
0	LEAD	LT	3 ug/L	metaTRACE
0	PHENOLS	LT	5 ug/L	metaTRACE
0	ANTIMONY	LT	10 ug/L	metaTRACE
0	SELENIUM	LT	2 ug/L	metaTRACE
1	SILICON	LT	1023 ug/L	metaTRACE
0	SULFATE	LT	6900 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS	LT	1854000 ug/L	metaTRACE
0	THALLIUM	LT	3 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	LT	2560 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	LT	6 ug/L	metaTRACE
0	TOTAL PHOSPHATES	LT	18 ug/L	metaTRACE
0	TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	VANADIUM	LT	10 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0	ZINC	LT	11 ug/L	metaTRACE
2	GROSS ALPHA	LT	22.00+-14 pCi/L	metaTRACE
2	NONVOLATILE BETA	LT	1600+-200 pCi/L	metaTRACE
2	TOTAL RADIUM	LT	15.00+-2.00 pCi/L	metaTRACE
2	TRITIUM	LT	9800+-1000 pCi/mL	metaTRACE
2	TRITIUM	LT	11600+-77.4 pCi/mL	HP, 735A

WELL FSB 940

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/02/89 Time 1440
The well was dry.

WELL FSB 950

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/03/89 Time 1125
Depth to water = 78.98 ft (24.07 m) below the TOC
Water elevation = 203.02 ft (62.49 m) ms1
pH = 11.0 Alkalinity = 225 mg/L
Specific conductance = 1586 umhos/cm
Water temperature = 21.3 degrees Celsius
Water evacuated from the well prior to sampling = 26 gal
The well went dry during purging.

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE		1710 UMH/C	metaTRACE
2	PH		11.7 pH	metaTRACE
0	SILVER	LT	2 ug/L	metaTRACE
0	ARSENIC	LT	3 ug/L	metaTRACE
1	BARIUM		199 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
1	CALCIUM		117100 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0	CADMIUM	LT	4 ug/L	metaTRACE
0	BROMOFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	5 ug/L	metaTRACE
0	METHYLENE CHLORIDE	LT	5 ug/L	metaTRACE
0	BROMOMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
0	CHLORIDE		3000 ug/L	metaTRACE
0	CHLOROBENZENE	LT	5 ug/L	metaTRACE
0	COBALT	LT	10 ug/L	metaTRACE
0	CHROMIUM	LT	10 ug/L	metaTRACE
0	COPPER	LT	10 ug/L	metaTRACE
0	CYANIDE	LT	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0	CHLOROETHANE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0	ETHYLBENZENE	LT	5 ug/L	metaTRACE
0	FLUORIDE	LT	250 ug/L	metaTRACE
0	IRON		16 ug/L	metaTRACE
0	MERCURY	LT	0.20 ug/L	metaTRACE
1	POTASSIUM		15580 ug/L	metaTRACE
0	TOLUENE	LT	5 ug/L	metaTRACE
0	MAGNESIUM		141 ug/L	metaTRACE
0	MANGANESE	LT	10 ug/L	metaTRACE
1	SODIUM		44720 ug/L	metaTRACE
0	NICKEL	LT	5 ug/L	metaTRACE
2	NITRATE AS NITROGEN		100000 ug/L	metaTRACE
0	LEAD	LT	3 ug/L	metaTRACE
0	PHENOLS	LT	5 ug/L	metaTRACE
0	ANTIMONY	LT	10 ug/L	metaTRACE
0	SELENIUM	LT	2 ug/L	metaTRACE
1	SILICON		2324 ug/L	metaTRACE
0	SULFATE		3900 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS		1019000 ug/L	metaTRACE
0	THALLIUM	LT	3 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON		1910 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	metaTRACE
0	TOTAL PHOSPHATES	LT	10 ug/L	metaTRACE
0	TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	AMADIUM	LT	10 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0	ZINC		28 ug/L	metaTRACE
0	CROSS ALPHA	LT	13 pCi/L	metaTRACE
2	MONVOLATILE BETA		220+-30 pCi/L	metaTRACE
0	TOTAL RADIUM		2.40+-0.50 pCi/L	metaTRACE
2	TRITIUM		4700+-500 pCi/mL	metaTRACE
2	TRITIUM		5590+-53.7 pCi/mL	HP, 735A

WELL FSB 950

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/02/89 Time 1455
Depth to water = 78.94 ft (23.45 m) below the TOC
Water elevation = 207.36 ft (63.20 m) ms1
The well pumped dry before sampling could be done.

WELL FSB 96A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/03/89 Time 1145
Depth to water = 127.87 ft (38.71 m) below the TOC
Water elevation = 151.93 ft (46.31 m) ms1
pH = 9.8 Alkalinity = 115 mg/L
Specific conductance = 322 umhos/cm
Water temperature = 21.7 degrees Celsius
Water evacuated from the well prior to sampling = 21 gal
The well went dry during purging.

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE		273.0 UMH/C	metaTRACE
2	PH		10.6 pH	metaTRACE
0	SILVER	LT	2 ug/L	metaTRACE
0	ARSENIC		8 ug/L	metaTRACE
1	BARIUM		63 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
0	CALCIUM		7259 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0	CADMIUM	LT	4 ug/L	metaTRACE
0	BROMOFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	5 ug/L	metaTRACE
0	METHYLENE CHLORIDE	LT	5 ug/L	metaTRACE
0	BROMOMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
0	CHLORIDE		1700 ug/L	metaTRACE
0	CHLOROBENZENE	LT	5 ug/L	metaTRACE
0	COBALT	LT	10 ug/L	metaTRACE
0	CHROMIUM	LT	10 ug/L	metaTRACE
0	COPPER	LT	10 ug/L	metaTRACE
0	CYANIDE	LT	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0	CHLOROETHANE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0	ETHYLBENZENE	LT	5 ug/L	metaTRACE
0	FLUORIDE	LT	250 ug/L	metaTRACE
0	IRON		25 ug/L	metaTRACE
0	MERCURY	LT	0.20 ug/L	metaTRACE
1	POTASSIUM		34520 ug/L	metaTRACE
0	TOLUENE	LT	5 ug/L	metaTRACE
0	MAGNESIUM		592 ug/L	metaTRACE
0	MANGANESE	LT	10 ug/L	metaTRACE
1	SODIUM		58610 ug/L	metaTRACE
0	NICKEL	LT	5 ug/L	metaTRACE
0	NITRATE AS NITROGEN	LT	230 ug/L	metaTRACE
0	LEAD	LT	3 ug/L	metaTRACE
0	PHENOLS	LT	5 ug/L	metaTRACE
0	ANTIMONY	LT	10 ug/L	metaTRACE
0	SELENIUM	LT	2 ug/L	metaTRACE
1	SILICON		15550 ug/L	metaTRACE
0	SULFATE		7700 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS		193000 ug/L	metaTRACE
0	THALLIUM	LT	3 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON		1560 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS		5 ug/L	metaTRACE
0	TOTAL PHOSPHATES	LT	122 ug/L	metaTRACE
0	TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	AMADIUM	LT	10 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0	ZINC		5 ug/L	metaTRACE
0	CROSS ALPHA		3.90+-2.30 pCi/L	metaTRACE
1	MONVOLATILE BETA		23.00+-4.00 pCi/L	metaTRACE
0	TOTAL RADIUM		1.20+-0.30 pCi/L	metaTRACE
1	TRITIUM		11.00+-2.00 pCi/mL	metaTRACE

WELL FSB 97A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/08/89 Time 1500
 Depth to water = 134.97 ft (41.14 m) below the TOC
 Water elevation = 151.13 ft (46.08 m) msl
 pH = 6.5 Alkalinity = 69 mg/L
 Specific conductance = 218 umhos/cm
 Water temperature = 21.2 degrees Celsius
 Water evacuated from the well prior to sampling = 170 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	290.0 UMC	metatrace
1	PH	7.10	metatrace
0	SILVER	2 ug/L	metatrace
0	ARSENIC	3 ug/L	metatrace
0	BARIUM	51 ug/L	metatrace
0	BROMODICHLOROMETHANE	5 ug/L	metatrace
1	CALCIUM	41470 ug/L	metatrace
0	TRICHLOROFLUOROMETHANE	5 ug/L	metatrace
0	CARBON TETRACHLORIDE	5.00 ug/L	metatrace
0	CADMIUM	4 ug/L	metatrace
0	BROMOFORM	5 ug/L	metatrace
0	CHLOROFORM	5 ug/L	metatrace
0	METHYLENE CHLORIDE	5 ug/L	metatrace
0	BROMOMETHANE	10 ug/L	metatrace
0	CHLOROMETHANE	10 ug/L	metatrace
0	CHLORIDE	2400 ug/L	metatrace
0	CHLOROBENZENE	5 ug/L	metatrace
0	COBALT	10 ug/L	metatrace
0	CHROMIUM	10 ug/L	metatrace
0	COPPER	10 ug/L	metatrace
0	CYANIDE	5 ug/L	metatrace
0	CHLOROETHENE (VINYL CHLORIDE)	4 ug/L	metatrace
0	CHLOROETHANE	10 ug/L	metatrace
0	BENZENE	5 ug/L	metatrace
0	DIBROMOCHLOROMETHANE	5 ug/L	metatrace
0	ETHYLBENZENE	5 ug/L	metatrace
0	FLUORIDE	250 ug/L	metatrace
0	IRON	10 ug/L	metatrace
0	MERCURY	0.20 ug/L	metatrace
0	POTASSIUM	5000 ug/L	metatrace
0	TOLUENE	5 ug/L	metatrace
0	MAGNESIUM	1245 ug/L	metatrace
0	MANGANESE	20 ug/L	metatrace
1	SODIUM	9819 ug/L	metatrace
0	NICKEL	5 ug/L	metatrace
2	NITRATE AS NITROGEN	16000 ug/L	metatrace
0	LEAD	3 ug/L	metatrace
0	PHENOLS	5 ug/L	metatrace
0	ANTIMONY	10 ug/L	metatrace
0	SELENIUM	2 ug/L	metatrace
1	SILICON	1000 ug/L	metatrace
0	SULFATE	100 ug/L	metatrace
0	1,1,2,2-TETRACHLOROETHANE	5 ug/L	metatrace
0	TETRACHLOROETHYLENE	5.00 ug/L	metatrace
0	TOTAL DISSOLVED SOLIDS	257000 ug/L	metatrace
0	TOTAL DISSOLVED SOLIDS	257000 ug/L	metatrace
0	THALLIUM	3 ug/L	metatrace
0	TOTAL ORGANIC CARBON	1830 ug/L	metatrace
0	TOTAL ORGANIC HALOGENS	5 ug/L	metatrace
0	TOTAL PHOSPHATES	71 ug/L	metatrace
0	TRICHLOROETHYLENE	5.00 ug/L	metatrace
0	TRANS-1,2-DICHLOROETHENE	5 ug/L	metatrace
0	TRANS-1,3-DICHLOROPROPENE	5 ug/L	metatrace
0	VANADIUM	10 ug/L	metatrace
0	1,1-DICHLOROETHYLENE	5 ug/L	metatrace
0	1,1-DICHLOROETHANE	5 ug/L	metatrace
0	1,1,1-TRICHLOROETHANE	5 ug/L	metatrace
0	1,1,2-TRICHLOROETHANE	5 ug/L	metatrace
0	1,2-DICHLOROETHANE	5 ug/L	metatrace
0	1,2-DICHLOROPROPANE	5 ug/L	metatrace
0	CIS-1,3-DICHLOROPROPENE	5 ug/L	metatrace
0	2-CHLOROETHYL VINYL ETHER	5 ug/L	metatrace
0	ZINC	33 ug/L	metatrace
1	GROSS ALPHA	5.60+-4.00 pCi/L	metatrace
1	GROSS ALPHA	5.90+-4.00 pCi/L	metatrace
0	GROSS ALPHA	4 pCi/L	metatrace
1	NONVOLATILE BETA	24.00+-4.00 pCi/L	metatrace
1	NONVOLATILE BETA	28.00+-4.00 pCi/L	metatrace
0	TOTAL RADIUM	1.20+-0.30 pCi/L	metatrace
0	TOTAL RADIUM	1.60+-0.40 pCi/L	metatrace
2	TRITIUM	460+-50 pCi/mL	metatrace

WELL FSB 97C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/09/89 Time 825
 Depth to water = 81.02 ft (24.70 m) below the TOC
 Water elevation = 205.08 ft (62.51 m) msl
 pH = 5.1 Alkalinity = 12 mg/L
 Specific conductance = 2300 umhos/cm
 Water temperature = 21.6 degrees Celsius
 Water evacuated from the well prior to sampling = 32 gal
 The well went dry during purging.

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	2178 UMC	metatrace
0	PH	5.69	metatrace
0	SILVER	2 ug/L	metatrace
0	ARSENIC	3 ug/L	metatrace
2	BARIUM	1396 ug/L	metatrace
0	BROMODICHLOROMETHANE	5 ug/L	metatrace
1	CALCIUM	83070 ug/L	metatrace

CONTINUED

WELL FSB 97C COLLECTED ON 07/09/89 LABORATORY ANALYSES CONTINUED

0	TRICHLOROFLUOROMETHANE	LT	5 ug/L	metatrace
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metatrace
2	CADMIUM	LT	15 ug/L	metatrace
0	BROMOFORM	LT	5 ug/L	metatrace
0	CHLOROFORM	LT	5 ug/L	metatrace
0	METHYLENE CHLORIDE	LT	5 ug/L	metatrace
0	BROMOMETHANE	LT	10 ug/L	metatrace
0	CHLOROMETHANE	LT	10 ug/L	metatrace
0	CHLORIDE	LT	1700 ug/L	metatrace
0	CHLOROBENZENE	LT	5 ug/L	metatrace
1	COBALT	LT	322 ug/L	metatrace
0	CHROMIUM	LT	10 ug/L	metatrace
1	COPPER	LT	27 ug/L	metatrace
0	CYANIDE	LT	5 ug/L	metatrace
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metatrace
0	CHLOROETHANE	LT	5 ug/L	metatrace
0	BENZENE	LT	10 ug/L	metatrace
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metatrace
0	ETHYLBENZENE	LT	5 ug/L	metatrace
1	FLUORIDE	LT	5 ug/L	metatrace
2	IRON	LT	1400 ug/L	metatrace
0	MERCURY	LT	714 ug/L	metatrace
1	POTASSIUM	LT	0.20 ug/L	metatrace
0	TOLUENE	LT	31870 ug/L	metatrace
1	MAGNESIUM	LT	5 ug/L	metatrace
2	MANGANESE	LT	18020 ug/L	metatrace
1	SODIUM	LT	6731 ug/L	metatrace
1	NICKEL	LT	175200 ug/L	metatrace
2	NITRATE AS NITROGEN	LT	120 ug/L	metatrace
0	LEAD	LT	340000 ug/L	metatrace
0	PHENOLS	LT	7 ug/L	metatrace
0	ANTIMONY	LT	5 ug/L	metatrace
0	SELENIUM	LT	10 ug/L	metatrace
1	SILICON	LT	2 ug/L	metatrace
0	SULFATE	LT	13530 ug/L	metatrace
0	1,1,2,2-TETRACHLOROETHANE	LT	1000 ug/L	metatrace
0	TETRACHLOROETHYLENE	LT	5 ug/L	metatrace
0	TOTAL DISSOLVED SOLIDS	LT	5.00 ug/L	metatrace
0	THALLIUM	LT	3091000 ug/L	metatrace
0	TOTAL ORGANIC CARBON	LT	3 ug/L	metatrace
1	TOTAL ORGANIC HALOGENS	LT	1710 ug/L	metatrace
0	TOTAL PHOSPHATES	LT	11 ug/L	metatrace
0	TRICHLOROETHYLENE	LT	45 ug/L	metatrace
0	TRANS-1,2-DICHLOROETHENE	LT	5.00 ug/L	metatrace
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metatrace
0	VANADIUM	LT	5 ug/L	metatrace
0	1,1-DICHLOROETHYLENE	LT	10 ug/L	metatrace
0	1,1-DICHLOROETHANE	LT	5 ug/L	metatrace
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metatrace
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metatrace
0	1,2-DICHLOROETHANE	LT	5 ug/L	metatrace
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metatrace
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metatrace
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metatrace
1	ZINC	LT	357 ug/L	metatrace
2	GROSS ALPHA	LT	490+-50 pCi/L	metatrace
2	GROSS ALPHA	LT	400+-60 pCi/L	metatrace
2	NONVOLATILE BETA	LT	2600+-300 pCi/L	metatrace
2	NONVOLATILE BETA	LT	2300+-300 pCi/L	metatrace
2	TOTAL RADIUM	LT	120+-20 pCi/L	metatrace
2	TRITIUM	LT	21000+-3000 pCi/mL	metatrace

WELL FSB 97D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/09/89 Time 840
 Depth to water = 77.95 ft (23.78 m) below the TOC
 Water elevation = 208.05 ft (63.41 m) msl
 pH = 3.8 Alkalinity = 0 mg/L
 Specific conductance = 2570 umhos/cm
 Water temperature = 22.4 degrees Celsius
 Water evacuated from the well prior to sampling = 2 gal
 The well went dry during purging.

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE		2856 UMC	metatrace
0	PH		4.21 pH	metatrace
0	SILVER	LT	2 ug/L	metatrace
0	ARSENIC	LT	3 ug/L	metatrace
0	ARSENIC	LT	3 ug/L	metatrace
2	BARIUM		975 ug/L	metatrace
2	BARIUM		1021 ug/L	metatrace
0	BROMODICHLOROMETHANE	LT	5 ug/L	metatrace
1	CALCIUM		89190 ug/L	metatrace
1	CALCIUM		90080 ug/L	metatrace
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L	metatrace
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metatrace
2	CADMIUM		11 ug/L	metatrace
2	CADMIUM		14 ug/L	metatrace
0	BROMOFORM	LT	5 ug/L	metatrace
0	CHLOROFORM	LT	5 ug/L	metatrace
1	METHYLENE CHLORIDE	JB	4 ug/L	metatrace
0	BROMOMETHANE	LT	10 ug/L	metatrace
0	CHLOROMETHANE	LT	10 ug/L	metatrace
0	CHLORIDE		1700 ug/L	metatrace
0	CHLOROBENZENE	LT	5 ug/L	metatrace
1	COBALT		28 ug/L	metatrace
1	COBALT		28 ug/L	metatrace
2	CHROMIUM		40 ug/L	metatrace
2	CHROMIUM		40 ug/L	metatrace
1	COPPER		133 ug/L	metatrace
1	COPPER		141 ug/L	metatrace
1	CYANIDE		7 ug/L	metatrace
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metatrace

CONTINUED

WELL FSB 970 COLLECTED ON 07/09/89 LABORATORY ANALYSES CONTINUED

0	CHLOROETHANE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0	ETHYL BENZENE	LT	5 ug/L	metaTRACE
1	FLUORIDE		780 ug/L	metaTRACE
2	IRON		1750 ug/L	metaTRACE
2	IRON		1819 ug/L	metaTRACE
0	MERCURY	LT	0.20 ug/L	metaTRACE
0	POTASSIUM	LT	5000 ug/L	metaTRACE
0	POTASSIUM	LT	5000 ug/L	metaTRACE
0	TOLUENE	LT	5 ug/L	metaTRACE
1	MAGNESIUM		6125 ug/L	metaTRACE
1	MAGNESIUM		6330 ug/L	metaTRACE
2	MANGANESE		2877 ug/L	metaTRACE
2	MANGANESE		2973 ug/L	metaTRACE
1	SODIUM		180900 ug/L	metaTRACE
1	SODIUM		189800 ug/L	metaTRACE
1	NICKEL		56 ug/L	metaTRACE
2	NITRATE AS NITROGEN		460000 ug/L	metaTRACE
2	LEAD		82 ug/L	metaTRACE
2	LEAD		85 ug/L	metaTRACE
0	PHENOLS	LT	5 ug/L	metaTRACE
0	ANTIMONY	LT	10 ug/L	metaTRACE
0	ANTIMONY	LT	10 ug/L	metaTRACE
0	SELENIUM	LT	2 ug/L	metaTRACE
1	SILICON		21790 ug/L	metaTRACE
1	SILICON		22390 ug/L	metaTRACE
1	SULFATE		17100 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS		2813000 ug/L	metaTRACE
0	THALLIUM	LT	3 ug/L	metaTRACE
0	THALLIUM	LT	3 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON		2440 ug/L	metaTRACE
1	TOTAL ORGANIC HALOGENS		12 ug/L	metaTRACE
0	TOTAL PHOSPHATES		103 ug/L	metaTRACE
0	TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	VANADIUM	LT	10 ug/L	metaTRACE
0	VANADIUM	LT	10 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
1	ZINC		503 ug/L	metaTRACE
1	ZINC		516 ug/L	metaTRACE
2	GROSS ALPHA		930+-100 pCi/L	metaTRACE
2	GROSS ALPHA		800+-90 pCi/L	metaTRACE
2	NONVOLATILE BETA		3000+-300 pCi/L	metaTRACE
2	TOTAL RADIUM		25.00+-3.00 pCi/L	metaTRACE
2	TRITIUM		27000+-3000 pCi/mL	metaTRACE
2	TRITIUM		28000+-3000 pCi/mL	metaTRACE

WELL FSB 98A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/09/89 Time 905
 Depth to water = 132.51 ft (40.39 m) below the TOC
 Water elevation = 150.49 ft (45.87 m) msl
 pH = 11.8 Alkalinity = 970 mg/L
 Specific conductance = 4100 umhos/cm
 Water temperature = 21.9 degrees Celsius
 Water evacuated from the well prior to sampling = 29 gal
 The well went dry during purging.

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE		4661 UMC	metaTRACE
2	PH		12.4 pH	metaTRACE
0	SILVER	LT	2 ug/L	metaTRACE
0	ARSENIC	LT	3 ug/L	metaTRACE
2	BARIUM		712 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
1	CALCIUM		243500 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0	CADMIUM	LT	4 ug/L	metaTRACE
0	BROMOFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	5 ug/L	metaTRACE
0	METHYLENE CHLORIDE	LT	5 ug/L	metaTRACE
0	BROMOMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
0	CHLORIDE	LT	250 ug/L	metaTRACE
0	CHLOROBENZENE	LT	5 ug/L	metaTRACE
0	COBALT	LT	10 ug/L	metaTRACE
0	CHROMIUM	LT	10 ug/L	metaTRACE
0	COPPER	LT	10 ug/L	metaTRACE
0	CYANIDE	LT	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0	CHLOROETHANE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0	ETHYL BENZENE	LT	5 ug/L	metaTRACE
1	FLUORIDE		600 ug/L	metaTRACE
2	IRON		811 ug/L	metaTRACE
0	MERCURY	LT	0.20 ug/L	metaTRACE
1	POTASSIUM		19240 ug/L	metaTRACE
0	TOLUENE	LT	5 ug/L	metaTRACE
0	MAGNESIUM		29 ug/L	metaTRACE
1	MANGANESE	LT	10 ug/L	metaTRACE
1	SODIUM		15060 ug/L	metaTRACE

CONTINUED

WELL FSB 98A COLLECTED ON 07/09/89 LABORATORY ANALYSES CONTINUED

0	NICKEL	LT	5 ug/L	metaTRACE
0	NITRATE AS NITROGEN		430 ug/L	metaTRACE
0	LEAD		6 ug/L	metaTRACE
0	PHENOLS	LT	5 ug/L	metaTRACE
0	ANTIMONY	LT	10 ug/L	metaTRACE
0	SELENIUM	LT	2 ug/L	metaTRACE
1	SILICON		3081 ug/L	metaTRACE
0	SULFATE		1800 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS		35000 ug/L	metaTRACE
0	THALLIUM	LT	3 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON		1860 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON		2040 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	metaTRACE
0	TOTAL PHOSPHATES	LT	10 ug/L	metaTRACE
0	TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	VANADIUM	LT	10 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0	ZINC		185 ug/L	metaTRACE
0	GROSS ALPHA	LT	18 pCi/L	metaTRACE
1	NONVOLATILE BETA		33.00+-11 pCi/L	metaTRACE
2	TOTAL RADIUM		8.00+-0.80 pCi/L	metaTRACE
1	TRITIUM		17.00+-2.00 pCi/mL	metaTRACE

WELL FSB 98C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/08/89 Time 1540
 Depth to water = 78.48 ft (23.31 m) below the TOC
 Water elevation = 208.64 ft (62.98 m) msl
 pH = 3.0 Alkalinity = 0 mg/L
 Specific conductance = 1503 umhos/cm
 Water temperature = 22.8 degrees Celsius
 Water evacuated from the well prior to sampling = 156 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE		1929 UMC	metaTRACE
1	PH		3.40 pH	metaTRACE
0	SILVER	LT	2 ug/L	metaTRACE
0	ARSENIC	LT	3 ug/L	metaTRACE
2	BARIUM		603 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
1	CALCIUM		11410 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
2	CADMIUM		16 ug/L	metaTRACE
0	BROMOFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	5 ug/L	metaTRACE
0	METHYLENE CHLORIDE	LT	5 ug/L	metaTRACE
0	BROMOMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
0	CHLORIDE	LT	2400 ug/L	metaTRACE
0	CHLOROBENZENE	LT	5 ug/L	metaTRACE
1	COBALT		277 ug/L	metaTRACE
0	CHROMIUM	LT	10 ug/L	metaTRACE
1	COPPER		112 ug/L	metaTRACE
0	CYANIDE	LT	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0	CHLOROETHANE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0	ETHYL BENZENE	LT	5 ug/L	metaTRACE
1	FLUORIDE		1000 ug/L	metaTRACE
0	IRON		42 ug/L	metaTRACE
0	MERCURY	LT	0.20 ug/L	metaTRACE
0	POTASSIUM	LT	5000 ug/L	metaTRACE
0	TOLUENE	LT	5 ug/L	metaTRACE
0	MAGNESIUM		4914 ug/L	metaTRACE
2	MANGANESE		4479 ug/L	metaTRACE
1	SODIUM		123300 ug/L	metaTRACE
1	NICKEL		51 ug/L	metaTRACE
2	NITRATE AS NITROGEN		280000 ug/L	metaTRACE
0	LEAD	LT	3 ug/L	metaTRACE
0	PHENOLS	LT	5 ug/L	metaTRACE
0	ANTIMONY	LT	10 ug/L	metaTRACE
0	SELENIUM	LT	2 ug/L	metaTRACE
1	SILICON		37420 ug/L	metaTRACE
0	SULFATE		3700 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS		1149000 ug/L	metaTRACE
0	THALLIUM	LT	3 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON		1000 ug/L	metaTRACE
1	TOTAL ORGANIC HALOGENS		10 ug/L	metaTRACE
0	TOTAL PHOSPHATES	LT	28 ug/L	metaTRACE
0	TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	VANADIUM	LT	10 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE

CONTINUED

WELL FSB 98C COLLECTED ON 07/08/89 LABORATORY ANALYSES CONTINUED

0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0	ZINC	137	ug/L	metaTRACE
2	GROSS ALPHA	700+-	80 pCi/L	metaTRACE
2	NONVOLATILE BETA	1900+-	200 pCi/L	metaTRACE
2	TOTAL RADIUM	100+-	10 pCi/L	metaTRACE
2	TRITIUM	15000+-2000	pCi/mL	metaTRACE

WELL FSB 98D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/09/89 Time 925
 Depth to water = 74.02 ft (22.56 m) below the TOC
 Water elevation = 209.08 ft (63.73 m) msf
 pH = 7.1 Alkalinity = 0 mg/L
 Specific conductance = 2550 umhos/cm
 Water temperature = 23.0 degrees Celsius
 Water evacuated from the well prior to sampling = 1 gal
 The well went dry during purging.

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	2855	umho	metaTRACE
0	PH	4.16	pH	metaTRACE
0	SILVER	LT	2 ug/L	metaTRACE
0	ARSENIC	LT	3 ug/L	metaTRACE
2	BARIUM	2738	ug/L	metaTRACE
0	BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
1	CALCIUM	64960	ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
1	CADMIUM	4	ug/L	metaTRACE
0	BROMOFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	5 ug/L	metaTRACE
1	METHYLENE CHLORIDE	JB	5 ug/L	metaTRACE
0	BROMOMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
0	CHLORIDE	1300	ug/L	metaTRACE
0	CHLOROBENZENE	LT	5 ug/L	metaTRACE
1	COBALT	179	ug/L	metaTRACE
2	CHROMIUM	50	ug/L	metaTRACE
1	COPPER	129	ug/L	metaTRACE
0	CYANIDE	LT	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0	CHLOROETHANE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0	ETHYLBENZENE	LT	5 ug/L	metaTRACE
1	FLUORIDE	1200	ug/L	metaTRACE
2	IRON	3379	ug/L	metaTRACE
0	MERCURY	LT	0.20 ug/L	metaTRACE
1	POTASSIUM	29800	ug/L	metaTRACE
0	TOLUENE	LT	5 ug/L	metaTRACE
1	MAGNESIUM	8645	ug/L	metaTRACE
2	MANGANESE	9312	ug/L	metaTRACE
1	SODIUM	146500	ug/L	metaTRACE
2	NICKEL	485	ug/L	metaTRACE
2	NITRATE AS NITROGEN	410000	ug/L	metaTRACE
2	LEAD	652	ug/L	metaTRACE
0	PHENOLS	LT	5 ug/L	metaTRACE
0	ANTIMONY	LT	10 ug/L	metaTRACE
0	SELENIUM	LT	2 ug/L	metaTRACE
1	SILICON	19190	ug/L	metaTRACE
0	SULFATE	1300	ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS	2480000	ug/L	metaTRACE
0	THALLIUM	LT	3 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	3490	ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	9	ug/L	metaTRACE
0	TOTAL PHOSPHATES	92	ug/L	metaTRACE
0	TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	VARADIUM	LT	10 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
1	ZINC	896	ug/L	metaTRACE
2	GROSS ALPHA	1800+-	200 pCi/L	metaTRACE
2	GROSS ALPHA	1100+-	200 pCi/L	metaTRACE
2	NONVOLATILE BETA	2800+-	300 pCi/L	metaTRACE
2	TOTAL RADIUM	76.00+-8.00	pCi/L	metaTRACE
2	TRITIUM	34000+-4000	pCi/mL	metaTRACE

WELL FSB 99A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/22/89 Time 1205
 Depth to water = 137.55 ft (41.93 m) below the TOC
 Water elevation = 150.05 ft (45.74 m) msf
 pH = 7.1 Alkalinity = 89 mg/L
 Specific conductance = 168 umhos/cm
 Water temperature = 20.9 degrees Celsius
 Water evacuated from the well prior to sampling = 149 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	145.0	umho	Gen. Eng.
1	SPECIFIC CONDUCTANCE	147.7	umho	metaTRACE
1	SPECIFIC CONDUCTANCE	145.0	umho	metaTRACE
1	PH	7.73	pH	Gen. Eng.
1	PH	7.84	pH	metaTRACE
1	PH	7.31	pH	metaTRACE
0	SILVER	LT	2 ug/L	Gen. Eng.
0	SILVER	LT	2 ug/L	metaTRACE
0	ARSENIC	LT	2 ug/L	Gen. Eng.
0	ARSENIC	LT	3 ug/L	metaTRACE
0	BARIUM	49	ug/L	Gen. Eng.
0	BARIUM	46	ug/L	metaTRACE
0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
1	CALCIUM	30200	ug/L	Gen. Eng.
1	CALCIUM	22950	ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0	CADMIUM	2	ug/L	Gen. Eng.
0	CADMIUM	LT	4 ug/L	metaTRACE
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	BROMOFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	5 ug/L	metaTRACE
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0	METHYLENE CHLORIDE	LT	5 ug/L	metaTRACE
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
0	CHLORIDE	2000	ug/L	Gen. Eng.
0	CHLORIDE	2000	ug/L	metaTRACE
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	5 ug/L	metaTRACE
0	COBALT	LT	4 ug/L	Gen. Eng.
0	COBALT	LT	10 ug/L	metaTRACE
0	CHROMIUM	LT	4 ug/L	Gen. Eng.
0	CHROMIUM	LT	10 ug/L	metaTRACE
0	COPPER	LT	4 ug/L	Gen. Eng.
0	COPPER	LT	10 ug/L	metaTRACE
0	CYANIDE	LT	5 ug/L	Gen. Eng.
0	CYANIDE	LT	5 ug/L	metaTRACE
0	CYANIDE	LT	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	5 ug/L	metaTRACE
0	FLUORIDE	LT	100 ug/L	Gen. Eng.
0	FLUORIDE	LT	250 ug/L	metaTRACE
0	IRON	LT	21 ug/L	Gen. Eng.
0	IRON	LT	13 ug/L	metaTRACE
0	MERCURY	LT	0.20 ug/L	Gen. Eng.
0	MERCURY	LT	0.20 ug/L	metaTRACE
0	POTASSIUM	LT	2500 ug/L	Gen. Eng.
0	POTASSIUM	LT	5000 ug/L	metaTRACE
0	TOLUENE	LT	1 ug/L	Gen. Eng.
0	TOLUENE	LT	5 ug/L	metaTRACE
0	MAGNESIUM	LT	4 ug/L	Gen. Eng.
0	MAGNESIUM	LT	1528 ug/L	metaTRACE
0	MANGANESE	LT	5 ug/L	Gen. Eng.
0	MANGANESE	LT	10 ug/L	metaTRACE
1	SODIUM	5880	ug/L	Gen. Eng.
0	SODIUM	4319	ug/L	metaTRACE
0	NICKEL	LT	4 ug/L	Gen. Eng.
0	NICKEL	LT	5 ug/L	metaTRACE
0	NITRATE AS NITROGEN	1600	ug/L	Gen. Eng.
0	NITRATE AS NITROGEN	1600	ug/L	metaTRACE
0	LEAD	LT	6 ug/L	Gen. Eng.
0	LEAD	LT	3 ug/L	metaTRACE
0	PHENOLS	LT	5 ug/L	Gen. Eng.
0	PHENOLS	LT	5 ug/L	metaTRACE
0	ANTIMONY	LT	3 ug/L	Gen. Eng.
0	ANTIMONY	LT	10 ug/L	metaTRACE
0	SELENIUM	LT	2 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	metaTRACE
1	SILICON	10000	ug/L	metaTRACE
1	SILICA	20000	ug/L	Gen. Eng.
0	SULFATE	5000	ug/L	Gen. Eng.
0	SULFATE	1500	ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS	147000	ug/L	Gen. Eng.
0	TOTAL DISSOLVED SOLIDS	111000	ug/L	metaTRACE
0	THALLIUM	LT	2 ug/L	Gen. Eng.
0	THALLIUM	LT	3 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	2000	ug/L	Gen. Eng.

CONTINUED

WELL FSB 99A COLLECTED ON 07/22/89 LABORATORY ANALYSES CONTINUED

0	TOTAL ORGANIC CARBON	LY	1000 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	Gen. Eng.
0	TOTAL ORGANIC HALOGENS	LT	8 ug/L	metaTRACE
1	TOTAL PHOSPHORUS	LT	240 ug/L	Gen. Eng.
0	TOTAL PHOSPHATES	LT	188 ug/L	metaTRACE
0	TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
U	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	VANADIUM	LT	20 ug/L	Gen. Eng.
0	VANADIUM	LT	10 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0	ZINC	LT	4 ug/L	Gen. Eng.
0	ZINC	LT	7 ug/L	metaTRACE
0	GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
0	GROSS ALPHA	LT	2 pCi/L	metaTRACE
0	GROSS ALPHA	LT	3 pCi/L	metaTRACE
0	NONVOLATILE BETA	LT	3.76+-2.50 pCi/L	Gen. Eng.
0	NONVOLATILE BETA	LT	6 pCi/L	metaTRACE
0	NONVOLATILE BETA	LT	7 pCi/L	metaTRACE
0	TOTAL RADIUM	LT	1 pCi/L	Gen. Eng.
0	TOTAL RADIUM	LT	1 pCi/L	metaTRACE
2	TRITIUM	LT	58.20+-0.86 pCi/mL	Gen. Eng.
2	TRITIUM	LT	44.00+-5.00 pCi/mL	metaTRACE

WELL FSB 99A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/22/89 Time 1205
 Depth to water = 137.35 ft (41.93 m) below the TOC
 Water elevation = 150.05 ft (45.74 m) msf
 pH = 7.1 Alkalinity = 69 mg/L
 Specific conductance = 168 umhos/cm
 Water temperature = 20.9 degrees Celsius
 Water evacuated from the well prior to sampling = 149 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	145.0 uMHC	Gen. Eng.
1	SPECIFIC CONDUCTANCE	170.8 uMHC	metaTRACE
1	PH	7.69 pH	Gen. Eng.
1	PH	7.20 pH	metaTRACE
0	SILVER	LT	2 ug/L
0	SILVER	LT	2 ug/L
0	ARSENIC	LT	2 ug/L
0	ARSENIC	LT	3 ug/L
0	BARIUM	LT	44 ug/L
0	BARIUM	LT	45 ug/L
0	BROMODICHLOROMETHANE	LT	1 ug/L
0	BROMODICHLOROMETHANE	LT	5 ug/L
1	CALCIUM	32100 ug/L	Gen. Eng.
1	CALCIUM	22250 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L
0	CARBON TETRACHLORIDE	LT	1.00 ug/L
0	CARBON TETRACHLORIDE	LT	5.00 ug/L
0	CADMIUM	LT	2 ug/L
0	CADMIUM	LT	4 ug/L
0	BROMOFORM	LT	1 ug/L
0	BROMOFORM	LT	5 ug/L
0	CHLOROFORM	LT	1 ug/L
0	CHLOROFORM	LT	5 ug/L
0	METHYLENE CHLORIDE	LT	1 ug/L
0	METHYLENE CHLORIDE	LT	5 ug/L
0	BROMOMETHANE	LT	1 ug/L
0	BROMOMETHANE	LT	10 ug/L
0	CHLOROMETHANE	LT	1 ug/L
0	CHLOROMETHANE	LT	10 ug/L
0	CHLORIDE	LT	1900 ug/L
0	CHLORIDE	LT	2100 ug/L
0	CHLOROBENZENE	LT	1 ug/L
0	CHLOROBENZENE	LT	5 ug/L
0	COBALT	LT	4 ug/L
0	COBALT	LT	10 ug/L
0	CHROMIUM	LT	4 ug/L
0	CHROMIUM	LT	10 ug/L
0	COPPER	LT	4 ug/L
0	COPPER	LT	10 ug/L
0	CYANIDE	LT	5 ug/L
0	CYANIDE	LT	5 ug/L
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L
0	CHLOROETHANE	LT	1 ug/L
0	CHLOROETHANE	LT	10 ug/L
0	BENZENE	LT	1 ug/L
0	BENZENE	LT	5 ug/L
0	DIBROMOCHLOROMETHANE	LT	1 ug/L
0	DIBROMOCHLOROMETHANE	LT	5 ug/L

CONTINUED

WELL FSB 99A COLLECTED ON 07/22/89 LABORATORY ANALYSES CONTINUED

0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	5 ug/L	metaTRACE
0	FLUORIDE	LT	100 ug/L	Gen. Eng.
0	FLUORIDE	LT	250 ug/L	metaTRACE
0	IRON	LT	19 ug/L	Gen. Eng.
0	IRON	LT	36 ug/L	metaTRACE
0	MERCURY	LT	0.20 ug/L	Gen. Eng.
0	MERCURY	LT	0.20 ug/L	metaTRACE
0	POTASSIUM	LT	2180 ug/L	Gen. Eng.
0	POTASSIUM	LT	3000 ug/L	metaTRACE
0	TOLUENE	LT	1 ug/L	Gen. Eng.
0	TOLUENE	LT	5 ug/L	metaTRACE
0	MAGNESIUM	LT	1580 ug/L	Gen. Eng.
0	MAGNESIUM	LT	1477 ug/L	metaTRACE
0	MANGANESE	LT	8 ug/L	Gen. Eng.
0	MANGANESE	LT	10 ug/L	metaTRACE
0	SODIUM	LT	4390 ug/L	Gen. Eng.
0	SODIUM	LT	4187 ug/L	metaTRACE
0	NICKEL	LT	4 ug/L	Gen. Eng.
0	NICKEL	LT	5 ug/L	metaTRACE
0	NITRATE AS NITROGEN	LT	1600 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN	LT	1600 ug/L	metaTRACE
0	LEAD	LT	6 ug/L	Gen. Eng.
0	LEAD	LT	3 ug/L	metaTRACE
0	PHENOLS	LT	5 ug/L	Gen. Eng.
0	PHENOLS	LT	5 ug/L	metaTRACE
0	ANTIMONY	LT	3 ug/L	Gen. Eng.
0	ANTIMONY	LT	10 ug/L	metaTRACE
0	SELENIUM	LT	2 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	metaTRACE
1	SILICON	LT	9855 ug/L	metaTRACE
1	SILICA	LT	15100 ug/L	Gen. Eng.
0	SULFATE	LT	5000 ug/L	Gen. Eng.
0	SULFATE	LT	2300 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS	LT	134000 ug/L	Gen. Eng.
0	TOTAL DISSOLVED SOLIDS	LT	101000 ug/L	metaTRACE
0	THALLIUM	LT	2 ug/L	Gen. Eng.
0	THALLIUM	LT	3 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	LT	3000 ug/L	Gen. Eng.
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	Gen. Eng.
1	TOTAL ORGANIC HALOGENS	LT	10 ug/L	metaTRACE
1	TOTAL PHOSPHORUS	LT	200 ug/L	Gen. Eng.
0	TOTAL PHOSPHATES	LT	189 ug/L	metaTRACE
0	TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	VANADIUM	LT	20 ug/L	Gen. Eng.
0	VANADIUM	LT	10 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0	ZINC	LT	3 ug/L	Gen. Eng.
0	ZINC	LT	11 ug/L	metaTRACE
0	GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
0	GROSS ALPHA	LT	2 pCi/L	metaTRACE
0	NONVOLATILE BETA	LT	4.43+-2.30 pCi/L	Gen. Eng.
0	NONVOLATILE BETA	LT	7.20+-3.70 pCi/L	metaTRACE
0	TOTAL RADIUM	LT	1 pCi/L	Gen. Eng.
0	TOTAL RADIUM	LT	1 pCi/L	metaTRACE
2	TRITIUM	LT	58.60+-0.86 pCi/mL	Gen. Eng.
2	TRITIUM	LT	44.00+-5.00 pCi/mL	metaTRACE

WELL FSB 99C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/02/89 Time 1550
 Depth to water = 80.71 ft (24.80 m) below the TOC
 Water elevation = 206.99 ft (63.09 m) msf
 pH = 5.4 Alkalinity = 14 mg/L
 Specific conductance = 273 umhos/cm
 Water temperature = 21.1 degrees Celsius
 Water evacuated from the well prior to sampling = 129 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	287.0 uMHC	metaTRACE
0	PH	6.29 pH	metaTRACE
0	SILVER	LT	2 ug/L
0	ARSENIC	LT	3 ug/L
1	BARIUM	LT	97 ug/L
0	BROMODICHLOROMETHANE	LT	5 ug/L
1	CALCIUM	13470 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L
0	CARBON TETRACHLORIDE	LT	5.00 ug/L

CONTINUED

WELL FSB 99C COLLECTED ON 07/02/89 LABORATORY ANALYSES CONTINUED

0	CADMIUM	LT	4 ug/L	metaTRACE
0	BROMOFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	5 ug/L	metaTRACE
1	METHYLENE CHLORIDE	LT	4 ug/L	metaTRACE
0	BROMOMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
0	CHLORIDE	LT	2600 ug/L	metaTRACE
0	CHLOROBENZENE	LT	5 ug/L	metaTRACE
0	COBALT	LT	10 ug/L	metaTRACE
0	CHROMIUM	LT	10 ug/L	metaTRACE
0	COPPER	LT	10 ug/L	metaTRACE
0	CYANIDE	LT	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0	CHLOROETHANE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0	ETHYLBENZENE	LT	5 ug/L	metaTRACE
0	FLUORIDE	LT	250 ug/L	metaTRACE
0	IRON	LT	10 ug/L	metaTRACE
0	MERCURY	LT	0.20 ug/L	metaTRACE
0	POTASSIUM	LT	5000 ug/L	metaTRACE
0	TOLUENE	LT	5 ug/L	metaTRACE
1	MAGNESIUM	LT	5697 ug/L	metaTRACE
2	MANGANESE	LT	78 ug/L	metaTRACE
1	SODIUM	LT	22030 ug/L	metaTRACE
0	NICKEL	LT	5 ug/L	metaTRACE
2	NITRATE AS NITROGEN	LT	33000 ug/L	metaTRACE
0	LEAD	LT	3 ug/L	metaTRACE
0	PHENOLS	LT	5 ug/L	metaTRACE
0	ANTIMONY	LT	10 ug/L	metaTRACE
0	SELENIUM	LT	2 ug/L	metaTRACE
1	SILICON	LT	4753 ug/L	metaTRACE
0	SULFATE	LT	1100 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS	LT	292000 ug/L	metaTRACE
0	THALLIUM	LT	3 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	metaTRACE
0	TOTAL PHOSPHATES	LT	10 ug/L	metaTRACE
0	TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	VANADIUM	LT	10 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0	ZINC	LT	15 ug/L	metaTRACE
1	GROSS ALPHA	LT	7.80+-5.10 pCi/L	metaTRACE
1	NONVOLATILE BETA	LT	48.00+-7.00 pCi/L	metaTRACE
2	TOTAL RADIUM	LT	8.60+-0.80 pCi/L	metaTRACE
2	TRITIUM	LT	2300+-300 pCi/mL	metaTRACE
2	TRITIUM	LT	2700+-11.8 pCi/mL	HP, 735A

WELL FSB 99D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/02/89 Time 1535
Depth to water = 77.57 ft (23.64 m) below the TOC
Water elevation = 210.03 ft (64.02 m) sea
pH = 4.0 Alkalinity = 0 mg/L
Specific conductance = 69 umhos/cm
Water temperature = 23.0 degrees Celsius
Water evacuated from the well prior to sampling = 31 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE	LT	68.00 umho	metaTRACE
0	SPECIFIC CONDUCTANCE	LT	67.50 umho	metaTRACE
0	PH	LT	4.39 pH	metaTRACE
0	PH	LT	4.39 pH	metaTRACE
0	SILVER	LT	2 ug/L	metaTRACE
0	ARSENIC	LT	3 ug/L	metaTRACE
0	BARIUM	LT	25 ug/L	metaTRACE
0	BROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0	CALCIUM	LT	1951 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0	CADMIUM	LT	4 ug/L	metaTRACE
0	BROMOFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	5 ug/L	metaTRACE
0	METHYLENE CHLORIDE	LT	5 ug/L	metaTRACE
0	BROMOMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
0	CHLORIDE	LT	1800 ug/L	metaTRACE
0	CHLORIDE	LT	1800 ug/L	metaTRACE
0	CHLOROBENZENE	LT	5 ug/L	metaTRACE
0	COBALT	LT	10 ug/L	metaTRACE
0	CHROMIUM	LT	10 ug/L	metaTRACE
0	COPPER	LT	10 ug/L	metaTRACE
0	CYANIDE	LT	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0	CHLOROETHANE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0	ETHYLBENZENE	LT	5 ug/L	metaTRACE
0	FLUORIDE	LT	250 ug/L	metaTRACE
0	FLUORIDE	LT	250 ug/L	metaTRACE
0	IRON	LT	16 ug/L	metaTRACE
0	MERCURY	LT	0.20 ug/L	metaTRACE

CONTINUED

WELL FSB 99D COLLECTED ON 07/02/89 LABORATORY ANALYSES CONTINUED

0	POTASSIUM	LT	5000 ug/L	metaTRACE
0	TOLUENE	LT	5 ug/L	metaTRACE
0	MAGNESIUM	LT	344 ug/L	metaTRACE
2	MANGANESE	LT	30 ug/L	metaTRACE
0	SODIUM	LT	4755 ug/L	metaTRACE
0	NICKEL	LT	5 ug/L	metaTRACE
1	NITRATE AS NITROGEN	LT	4300 ug/L	metaTRACE
1	NITRATE AS NITROGEN	LT	4100 ug/L	metaTRACE
0	LEAD	LT	1 ug/L	metaTRACE
0	PHENOLS	LT	5 ug/L	metaTRACE
0	ANTIMONY	LT	10 ug/L	metaTRACE
0	SELENIUM	LT	2 ug/L	metaTRACE
1	SILICON	LT	10330 ug/L	metaTRACE
0	SULFATE	LT	4100 ug/L	metaTRACE
0	SULFATE	LT	4200 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS	LT	375000 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS	LT	381000 ug/L	metaTRACE
0	THALLIUM	LT	3 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	LT	1030 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	metaTRACE
0	TOTAL PHOSPHATES	LT	28 ug/L	metaTRACE
0	TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	VANADIUM	LT	10 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0	ZINC	LT	28 ug/L	metaTRACE
2	GROSS ALPHA	LT	58.00+-11 pCi/L	metaTRACE
1	NONVOLATILE BETA	LT	37.00+-8.00 pCi/L	metaTRACE
0	TOTAL RADIUM	LT	1.30+-0.30 pCi/L	metaTRACE
2	TRITIUM	LT	100+-10 pCi/mL	metaTRACE
2	TRITIUM	LT	100+-10 pCi/mL	metaTRACE
2	TRITIUM	LT	118+-2.56 pCi/mL	HP, 735A

WELL FSB100A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/03/89 Time 1040
Depth to water = 136.04 ft (41.47 m) below the TOC
Water elevation = 149.98 ft (45.71 m) sea
pH = 9.5 Alkalinity = 212 mg/L
Specific conductance = 320 umhos/cm
Water temperature = 21.5 degrees Celsius
Water evacuated from the well prior to sampling = 20 gal
The well went dry during purging.

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	LT	357.0 umho	metaTRACE
2	PH	LT	10.2 pH	metaTRACE
0	SILVER	LT	2 ug/L	metaTRACE
1	ARSENIC	LT	4 ug/L	metaTRACE
0	BARIUM	LT	28 ug/L	metaTRACE
0	BROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0	CALCIUM	LT	4918 ug/L	metaTRACE
1	TRICHLOROFLUOROMETHANE	LT	10 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0	CADMIUM	LT	4 ug/L	metaTRACE
0	BROMOFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	5 ug/L	metaTRACE
0	METHYLENE CHLORIDE	LT	5 ug/L	metaTRACE
0	BROMOMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
0	CHLORIDE	LT	2000 ug/L	metaTRACE
0	CHLOROBENZENE	LT	5 ug/L	metaTRACE
0	COBALT	LT	10 ug/L	metaTRACE
0	CHROMIUM	LT	10 ug/L	metaTRACE
0	COPPER	LT	10 ug/L	metaTRACE
0	CYANIDE	LT	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0	CHLOROETHANE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0	ETHYLBENZENE	LT	5 ug/L	metaTRACE
0	FLUORIDE	LT	250 ug/L	metaTRACE
0	IRON	LT	19 ug/L	metaTRACE
0	MERCURY	LT	0.20 ug/L	metaTRACE
0	MERCURY	LT	0.20 ug/L	metaTRACE
1	POTASSIUM	LT	18000 ug/L	metaTRACE
0	TOLUENE	LT	5 ug/L	metaTRACE
0	MAGNESIUM	LT	331 ug/L	metaTRACE
0	MANGANESE	LT	10 ug/L	metaTRACE
1	SODIUM	LT	49590 ug/L	metaTRACE
0	NICKEL	LT	5 ug/L	metaTRACE
1	NITRATE AS NITROGEN	LT	3200 ug/L	metaTRACE
0	LEAD	LT	3 ug/L	metaTRACE
0	PHENOLS	LT	5 ug/L	metaTRACE
0	ANTIMONY	LT	10 ug/L	metaTRACE
0	SELENIUM	LT	2 ug/L	metaTRACE
1	SILICON	LT	7495 ug/L	metaTRACE
1	SULFATE	LT	18000 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS	LT	200000 ug/L	metaTRACE
0	THALLIUM	LT	3 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	LT	2570 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	metaTRACE

CONTINUED

WELL FSB100A COLLECTED ON 07/03/89 LABORATORY ANALYSES CONTINUED

0	TOTAL PHOSPHATES	LT	174 ug/L	metaTRACE
0	TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	VANADIUM	LT	10 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0	ZINC	LT	53 ug/L	metaTRACE
0	GROSS ALPHA	LT	2 pCi/L	metaTRACE
1	NONVOLATILE BETA	LT	18.00+-4.00 pCi/L	metaTRACE
0	TOTAL RADIUM	LT	1 pCi/L	metaTRACE
2	TRITIUM	LT	96.00+-10 pCi/mL	metaTRACE

WELL FSB101A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/02/89 Time 1310
 Depth to water = 134.90 ft (41.12 m) below the TOC
 Water elevation = 130.30 ft (45.81 m) msl
 pH = 6.5 Alkalinity = 34 mg/L
 Specific conductance = 165 umhos/cm
 Water temperature = 20.5 degrees Celsius
 Water evacuated from the well prior to sampling = 149 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	LT	173.0 umho	metaTRACE
0	PH	LT	7.25 pH	metaTRACE
0	SILVER	LT	2 ug/L	metaTRACE
0	ARSENIC	LT	3 ug/L	metaTRACE
0	BARIUM	LT	40 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
1	CALCIUM	LT	26580 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0	CADMIUM	LT	4 ug/L	metaTRACE
0	BROMOFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	5 ug/L	metaTRACE
0	METHYLENE CHLORIDE	LT	5 ug/L	metaTRACE
0	BROMOMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
0	CHLORIDE	LT	2000 ug/L	metaTRACE
0	CHLOROBENZENE	LT	5 ug/L	metaTRACE
0	COBALT	LT	10 ug/L	metaTRACE
0	CHROMIUM	LT	10 ug/L	metaTRACE
0	COPPER	LT	10 ug/L	metaTRACE
0	CYANIDE	LT	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0	CHLOROETHANE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0	ETHYLBENZENE	LT	5 ug/L	metaTRACE
0	FLUORIDE	LT	250 ug/L	metaTRACE
0	IRON	LT	11 ug/L	metaTRACE
0	MERCURY	LT	0.20 ug/L	metaTRACE
0	POTASSIUM	LT	5000 ug/L	metaTRACE
0	TOLUENE	LT	5 ug/L	metaTRACE
0	MAGNESIUM	LT	703 ug/L	metaTRACE
0	MANGANESE	LT	10 ug/L	metaTRACE
0	SODIUM	LT	2147 ug/L	metaTRACE
0	NICKEL	LT	5 ug/L	metaTRACE
0	NITRATE AS NITROGEN	LT	860 ug/L	metaTRACE
0	LEAD	LT	3 ug/L	metaTRACE
0	PHENOLS	LT	5 ug/L	metaTRACE
0	ANTIMONY	LT	10 ug/L	metaTRACE
0	SELENIUM	LT	2 ug/L	metaTRACE
1	SILICON	LT	7549 ug/L	metaTRACE
0	SULFATE	LT	1900 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS	LT	128000 ug/L	metaTRACE
0	THALLIUM	LT	3 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	metaTRACE
0	TOTAL PHOSPHATES	LT	107 ug/L	metaTRACE
0	TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	VANADIUM	LT	10 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0	ZINC	LT	9 ug/L	metaTRACE
0	GROSS ALPHA	LT	2 pCi/L	metaTRACE
0	NONVOLATILE BETA	LT	5 pCi/L	metaTRACE
0	TOTAL RADIUM	LT	1 pCi/L	metaTRACE
0	TRITIUM	LT	1 pCi/mL	metaTRACE

WELL FSB102C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/08/89 Time 1320
 Depth to water = 5.99 ft (1.83 m) below the TOC
 Water elevation = 195.11 ft (59.47 m) msl
 pH = 3.9 Alkalinity = 0 mg/L
 Specific conductance = 629 umhos/cm
 Water temperature = 21.7 degrees Celsius
 Water evacuated from the well prior to sampling = 143 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	LT	709.0 umho	metaTRACE
0	PH	LT	4.35 pH	metaTRACE
0	SILVER	LT	2 ug/L	metaTRACE
0	ARSENIC	LT	3 ug/L	metaTRACE
1	BARIUM	LT	162 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
1	CALCIUM	LT	22530 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
2	CADMIUM	LT	0 ug/L	metaTRACE
0	BROMOFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	5 ug/L	metaTRACE
0	METHYLENE CHLORIDE	LT	5 ug/L	metaTRACE
0	BROMOMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
0	CHLORIDE	LT	2100 ug/L	metaTRACE
0	CHLOROBENZENE	LT	5 ug/L	metaTRACE
1	COBALT	LT	63 ug/L	metaTRACE
0	CHROMIUM	LT	10 ug/L	metaTRACE
0	COPPER	LT	11 ug/L	metaTRACE
0	CYANIDE	LT	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0	CHLOROETHANE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0	ETHYLBENZENE	LT	5 ug/L	metaTRACE
0	FLUORIDE	LT	430 ug/L	metaTRACE
0	IRON	LT	11 ug/L	metaTRACE
2	MERCURY	LT	1.24 ug/L	metaTRACE
0	POTASSIUM	LT	5000 ug/L	metaTRACE
0	TOLUENE	LT	5 ug/L	metaTRACE
1	MAGNESIUM	LT	8120 ug/L	metaTRACE
2	MANGANESE	LT	1410 ug/L	metaTRACE
0	SODIUM	LT	78320 ug/L	metaTRACE
1	NICKEL	LT	27 ug/L	metaTRACE
2	NITRATE AS NITROGEN	LT	92000 ug/L	metaTRACE
0	LEAD	LT	3 ug/L	metaTRACE
0	PHENOLS	LT	5 ug/L	metaTRACE
1	ANTIMONY	LT	47 ug/L	metaTRACE
0	SELENIUM	LT	2 ug/L	metaTRACE
1	SILICON	LT	4667 ug/L	metaTRACE
0	SULFATE	LT	1600 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS	LT	605000 ug/L	metaTRACE
0	THALLIUM	LT	3 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	metaTRACE
0	TOTAL PHOSPHATES	LT	51 ug/L	metaTRACE
0	TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	VANADIUM	LT	10 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0	ZINC	LT	62 ug/L	metaTRACE
1	GROSS ALPHA	LT	11.00+-6.00 pCi/L	metaTRACE
0	GROSS ALPHA	LT	2.10+-1.20 pCi/L	Teledyne
0	BARIUM-140	LT	90000 pCi/L	Teledyne
2	NONVOLATILE BETA	LT	940+-100 pCi/L	metaTRACE
2	NONVOLATILE BETA	LT	1100+-100 pCi/L	Teledyne
0	BERYLLIUM-7	LT	200 pCi/L	Teledyne
1	BISMUTH-214	LT	7.40+-2.60 pCi/L	Teledyne
0	CERIUM-141	LT	100 pCi/L	Teledyne
0	CERIUM-144	LT	20 pCi/L	Teledyne
0	COBALT-58	LT	10 pCi/L	Teledyne
0	COBALT-60	LT	3 pCi/L	Teledyne
0	CESIUM-134	LT	2 pCi/L	Teledyne
0	CESIUM-137	LT	2 pCi/L	Teledyne
1	CARBON-14	LT	12.00+-4.00 pCi/L	Teledyne
0	IRON-55	LT	70 pCi/L	Teledyne
0	IRON-59	LT	60 pCi/L	Teledyne
1	IODINE-129	LT	55.00+-3.00 pCi/L	Teledyne
0	POTASSIUM-40	LT	30 pCi/L	Teledyne
0	MANGANESE-54	LT	3 pCi/L	Teledyne
0	NICKEL-59	LT	100 pCi/L	Teledyne
0	NICKEL-63	LT	10 pCi/L	Teledyne
1	LEAD-214	LT	8.80+-2.90 pCi/L	Teledyne
0	RADIUM-226	LT	30 pCi/L	Teledyne
0	RUTHENIUM-103	LT	50 pCi/L	Teledyne
0	RUTHENIUM-106	LT	20 pCi/L	Teledyne
0	STRONTIUM-89	LT	400 pCi/L	Teledyne
1	STRONTIUM-90	LT	210+-10 pCi/L	Teledyne
1	TECHNETIUM-99	LT	93.00+-9.00 pCi/L	Teledyne
0	THORIUM-230	LT	4 pCi/L	Teledyne
2	TOTAL RADIUM	LT	8.40+-0.90 pCi/L	metaTRACE
2	TRITIUM	LT	2400+-300 pCi/mL	metaTRACE
0	ZINC-65	LT	6 pCi/L	Teledyne
0	ZIRCONIUM-95	LT	10 pCi/L	Teledyne

WELL FSB103C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/03/89 Time 1530
 Depth to water = 41.74 ft (12.72 m) below the TOC
 Water elevation = 200.66 ft (61.16 m) msl
 pH = 5.3 Alkalinity = 4 mg/L
 Specific conductance = 228 umhos/cm
 Water temperature = 22.8 degrees Celsius
 Water evacuated from the well prior to sampling = 154 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	245.0 UMC	metaTRACE
0	PH	5.83	metaTRACE
0	SILVER	2 ug/L	metaTRACE
0	ARSENIC	3 ug/L	metaTRACE
0	BARIUM	37 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	5 ug/L	metaTRACE
1	CALCIUM	22430 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	5.00 ug/L	metaTRACE
0	CADMIUM	4 ug/L	metaTRACE
0	BROMOFORM	5 ug/L	metaTRACE
0	CHLOROFORM	5 ug/L	metaTRACE
1	METHYLENE CHLORIDE	5 ug/L	metaTRACE
0	BROMOMETHANE	10 ug/L	metaTRACE
0	CHLOROMETHANE	10 ug/L	metaTRACE
0	CHLORIDE	2400 ug/L	metaTRACE
0	CHLOROBENZENE	5 ug/L	metaTRACE
0	COBALT	10 ug/L	metaTRACE
0	CHROMIUM	10 ug/L	metaTRACE
0	COPPER	10 ug/L	metaTRACE
0	CYANIDE	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	5 ug/L	metaTRACE
0	CHLOROETHANE	10 ug/L	metaTRACE
0	BENZENE	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	5 ug/L	metaTRACE
0	ETHYLBENZENE	5 ug/L	metaTRACE
0	FLUORIDE	250 ug/L	metaTRACE
0	IRON	17 ug/L	metaTRACE
0	MERCURY	0.20 ug/L	metaTRACE
0	POTASSIUM	5000 ug/L	metaTRACE
0	TOLUENE	5 ug/L	metaTRACE
0	MAGNESIUM	2180 ug/L	metaTRACE
2	MANGANESE	58 ug/L	metaTRACE
1	SODIUM	8440 ug/L	metaTRACE
0	NICKEL	7 ug/L	metaTRACE
2	NITRATE AS NITROGEN	23000 ug/L	metaTRACE
0	LEAD	3 ug/L	metaTRACE
0	PHENOLS	5 ug/L	metaTRACE
0	ANTIMONY	10 ug/L	metaTRACE
0	SELENIUM	2 ug/L	metaTRACE
1	SILICON	8206 ug/L	metaTRACE
0	SULFATE	2400 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	5.00 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS	259000 ug/L	metaTRACE
0	THALLIUM	3 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	1000 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	5 ug/L	metaTRACE
0	TOTAL PHOSPHATES	10 ug/L	metaTRACE
0	TRICHLOROETHYLENE	5.00 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	5 ug/L	metaTRACE
0	VANADIUM	10 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	5 ug/L	metaTRACE
0	ZINC	41 ug/L	metaTRACE
0	GROSS ALPHA	4 pCi/L	metaTRACE
0	GROSS ALPHA	2 pCi/L	Teledyne
1	NONVOLATILE BETA	23.00+-5.00 pCi/L	metaTRACE
1	NONVOLATILE BETA	23.00+-3.00 pCi/L	Teledyne
0	TOTAL RADIUM	1.20+-0.30 pCi/L	metaTRACE
2	TRITIUM	570+-60 pCi/mL	metaTRACE
2	TRITIUM	669+-5.89 pCi/mL	HP, 735A

WELL FSB104C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/03/89 Time 1315
 Depth to water = 20.10 ft (6.13 m) below the TOC
 Water elevation = 199.00 ft (60.66 m) msl
 pH = 5.1 Alkalinity = 1 mg/L
 Specific conductance = 325 umhos/cm
 Water temperature = 21.9 degrees Celsius
 Water evacuated from the well prior to sampling = 139 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	355.0 UMC	metaTRACE
0	PH	5.83	metaTRACE
0	SILVER	2 ug/L	metaTRACE
0	ARSENIC	3 ug/L	metaTRACE
1	BARIUM	55 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	5 ug/L	metaTRACE
1	CALCIUM	30420 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	5.00 ug/L	metaTRACE

CONTINUED

WELL FSB104C COLLECTED ON 07/03/89 LABORATORY ANALYSES CONTINUED

0	CADMIUM	LY	4 ug/L	metaTRACE
0	BROMOFORM	LY	5 ug/L	metaTRACE
0	CHLOROFORM	LY	5 ug/L	metaTRACE
0	METHYLENE CHLORIDE	LY	5 ug/L	metaTRACE
0	BROMOMETHANE	LY	10 ug/L	metaTRACE
0	CHLOROMETHANE	LY	10 ug/L	metaTRACE
0	CHLORIDE	LY	2500 ug/L	metaTRACE
0	CHLOROBENZENE	LY	5 ug/L	metaTRACE
0	COBALT	LY	10 ug/L	metaTRACE
0	CHROMIUM	LY	10 ug/L	metaTRACE
0	COPPER	LY	10 ug/L	metaTRACE
0	CYANIDE	LY	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LY	5 ug/L	metaTRACE
0	CHLOROETHANE	LY	10 ug/L	metaTRACE
0	BENZENE	LY	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LY	5 ug/L	metaTRACE
0	ETHYLBENZENE	LY	5 ug/L	metaTRACE
0	FLUORIDE	LY	250 ug/L	metaTRACE
0	IRON	LY	23 ug/L	metaTRACE
0	MERCURY	LY	0.20 ug/L	metaTRACE
0	POTASSIUM	LY	5000 ug/L	metaTRACE
0	TOLUENE	LY	5 ug/L	metaTRACE
0	MAGNESIUM	LY	4018 ug/L	metaTRACE
0	MANGANESE	LY	24 ug/L	metaTRACE
1	SODIUM	LY	11480 ug/L	metaTRACE
1	NICKEL	LY	10 ug/L	metaTRACE
2	NITRATE AS NITROGEN	LY	41000 ug/L	metaTRACE
0	LEAD	LY	3 ug/L	metaTRACE
0	PHENOLS	LY	5 ug/L	metaTRACE
0	ANTIMONY	LY	10 ug/L	metaTRACE
0	SELENIUM	LY	2 ug/L	metaTRACE
1	SILICON	LY	5310 ug/L	metaTRACE
0	SULFATE	LY	1400 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LY	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LY	5.00 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS	LY	276000 ug/L	metaTRACE
0	THALLIUM	LY	3 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	LY	1020 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	LY	5 ug/L	metaTRACE
0	TOTAL PHOSPHATES	LY	28 ug/L	metaTRACE
0	TRICHLOROETHYLENE	LY	5.00 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LY	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LY	5 ug/L	metaTRACE
0	VANADIUM	LY	10 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LY	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LY	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LY	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LY	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LY	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LY	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LY	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LY	5 ug/L	metaTRACE
0	ZINC	LY	38 ug/L	metaTRACE
0	GROSS ALPHA	LY	7 pCi/L	metaTRACE
1	NONVOLATILE BETA	LY	45.00+-6.00 pCi/L	metaTRACE
0	TOTAL RADIUM	LY	1 pCi/L	metaTRACE
2	TRITIUM	LY	920+-100 pCi/mL	metaTRACE
2	TRITIUM	LY	1090+-7.52 pCi/mL	HP, 735A

WELL FSB104D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/03/89 Time 1250
 Depth to water = 18.66 ft (5.68 m) below the TOC
 Water elevation = 202.54 ft (61.73 m) msl
 pH = 3.4 Alkalinity = 0 mg/L
 Specific conductance = 1372 umhos/cm
 Water temperature = 21.7 degrees Celsius
 Water evacuated from the well prior to sampling = 45 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE		1371 UMC	metaTRACE
1	PH		3.56 pH	metaTRACE
1	SILVER		2 ug/L	metaTRACE
0	ARSENIC	LT	3 ug/L	metaTRACE
1	BARIUM		322 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	LT	3 ug/L	metaTRACE
0	CALCIUM		4809 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	3 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
2	CADMIUM		11 ug/L	metaTRACE
0	BROMOFORM	LT	3 ug/L	metaTRACE
0	CHLOROFORM	LT	3 ug/L	metaTRACE
0	METHYLENE CHLORIDE	LT	3 ug/L	metaTRACE
0	BROMOMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
0	CHLORIDE		2000 ug/L	metaTRACE
0	CHLOROBENZENE	LT	3 ug/L	metaTRACE
1	COBALT		110 ug/L	metaTRACE
0	CHROMIUM	LT	10 ug/L	metaTRACE
1	COPPER		71 ug/L	metaTRACE
0	CYANIDE	LT	3 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	3 ug/L	metaTRACE
0	CHLOROETHANE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	3 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	3 ug/L	metaTRACE
0	ETHYL BENZENE	LT	3 ug/L	metaTRACE
0	FLUORIDE		480 ug/L	metaTRACE
0	IRON		133 ug/L	metaTRACE
0	MERCURY		0.28 ug/L	metaTRACE
0	POTASSIUM	LT	5000 ug/L	metaTRACE
0	TOLUENE	LT	3 ug/L	metaTRACE
0	MAGNESIUM		2420 ug/L	metaTRACE
2	MANGANESE		2288 ug/L	metaTRACE
CONTINUED				

CONTINUED

WELL FS81040 COLLECTED ON 07/03/89 LABORATORY ANALYSES CONTINUED

1	SODIUM	103700	ug/L	metaTRACE
1	NICKEL	38	ug/L	metaTRACE
2	NITRATE AS NITROGEN	210000	ug/L	metaTRACE
0	LEAD	LT	3	ug/L metaTRACE
0	PHENOLS	LT	5	ug/L metaTRACE
0	ANTIMONY	LT	10	ug/L metaTRACE
0	SELENIUM	LT	2	ug/L metaTRACE
1	SILICON	23630	ug/L	metaTRACE
0	SULFATE	1500	ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5	ug/L metaTRACE
0	TETRACHLOROETHYLENE	LT	5.00	ug/L metaTRACE
0	TOTAL DISSOLVED SOLIDS	784000	ug/L	metaTRACE
0	THALLIUM	LT	3	ug/L metaTRACE
0	TOTAL ORGANIC CARBON	1060	ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	8	ug/L	metaTRACE
0	TOTAL PHOSPHATES	16	ug/L	metaTRACE
0	TRICHLOROETHYLENE	LT	5.00	ug/L metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	5	ug/L metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5	ug/L metaTRACE
0	VANADIUM	LT	10	ug/L metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5	ug/L metaTRACE
0	1,1-DICHLOROETHANE	LT	5	ug/L metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5	ug/L metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5	ug/L metaTRACE
0	1,2-DICHLOROETHANE	LT	5	ug/L metaTRACE
0	1,2-DICHLOROPROPANE	LT	5	ug/L metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5	ug/L metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5	ug/L metaTRACE
0	ZINC	116	ug/L	metaTRACE
1	ACTINIUM-228	27.00+-8.00	pCi/L	Teledyne
2	GROSS ALPHA	980+-100	pCi/L	metaTRACE
2	GROSS ALPHA	250+-10	pCi/L	Teledyne
1	AMERICIUM-241	4.20+-1.00	pCi/L	Teledyne
1	AMERICIUM-243	6.60+-1.70	pCi/L	Teledyne
0	BARIUM-140	LT	100000	pCi/L metaTRACE
2	NONVOLATILE BETA	2200+-300	pCi/L	Teledyne
2	NONVOLATILE BETA	2900+-100	pCi/L	Teledyne
0	BERYLLIUM-7	LT	200	pCi/L Teledyne
1	BISMUTH-214	4.90+-3.10	pCi/L	Teledyne
0	CERIUM-141	LT	200	pCi/L Teledyne
0	CERIUM-144	LT	20	pCi/L Teledyne
0	CURIUM-242	LT	0.50	pCi/L Teledyne
1	CURIUM-246	3.90+-0.90	pCi/L	Teledyne
0	CURIUM-243/244	LT	1	pCi/L Teledyne
0	COBALT-58	LT	10	pCi/L Teledyne
1	COBALT-60	10.00+-3.00	pCi/L	Teledyne
0	CESIUM-134	LT	3	pCi/L Teledyne
0	CESIUM-137	LT	2	pCi/L Teledyne
0	CARBON-14	LT	7	pCi/L Teledyne
0	IRON-55	LT	90	pCi/L Teledyne
0	IRON-59	LT	80	pCi/L Teledyne
1	IODINE-129	62.00+-3.00	pCi/L	Teledyne
0	POTASSIUM-40	LT	30	pCi/L Teledyne
0	MANGANESE-54	LT	3	pCi/L Teledyne
0	NICKEL-59	LT	200	pCi/L Teledyne
1	NICKEL-63	23.00+-8.00	pCi/L	Teledyne
1	LEAD-212	4.00+-1.40	pCi/L	Teledyne
1	LEAD-214	9.90+-3.00	pCi/L	Teledyne
0	PLUTONIUM-238	LT	0.20	pCi/L Teledyne
0	PLUTONIUM-241	250+-	pCi/L	Teledyne
0	PLUTONIUM-239/240	LT	0.10	pCi/L Teledyne
0	RADIUM-226	LT	50	pCi/L Teledyne
1	RADIUM-228	44.00+-4.00	pCi/L	Teledyne
1	RADIUM-228	42.00+-8.00	pCi/L	Teledyne
0	RUTHENIUM-103	LT	60	pCi/L Teledyne
0	RUTHENIUM-106	LT	20	pCi/L Teledyne
0	STRONTIUM-89	LT	900	pCi/L Teledyne
1	STRONTIUM-90	830+-10	pCi/L	Teledyne
1	TECHNETIUM-99	130+-10	pCi/L	Teledyne
0	THORIUM-228	LT	4	pCi/L Teledyne
1	THORIUM-228	20.00+-4.00	pCi/L	Teledyne
1	THORIUM-230	36.00+-4.00	pCi/L	Teledyne
1	THORIUM-232	3.40+-1.30	pCi/L	Teledyne
1	THORIUM-234	520+-50	pCi/L	Teledyne
2	TOTAL RADIUM	49.00+-5.00	pCi/L	metaTRACE
2	TRITIUM	7700+-800	pCi/mL	metaTRACE
2	TRITIUM	9180+-69	pCi/mL	HP 735A
1	URANIUM-235	18.00+-10	pCi/L	Teledyne
1	URANIUM-235	19.00+-3.00	pCi/L	Teledyne
1	URANIUM-238	650+-20	pCi/L	Teledyne
1	URANIUM-233/234	520+-10	pCi/L	Teledyne
0	ZINC-65	LT	7	pCi/L Teledyne
0	ZIRCONIUM-95	LT	20	pCi/L Teledyne

WELL FS81050

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/08/89 Time 1410
 Depth to water = 80.76 ft (24.62 m) below the TOC
 Water elevation = 205.04 ft (62.50 m) msl
 pH = 3.2 Alkalinity = 0 mg/L
 Specific conductance = 1560 umhos/cm
 Water temperature = 22.5 degrees Celsius
 Water evacuated from the well prior to sampling = 179 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	1638	umho	metaTRACE
1	PH	3.61	pH	metaTRACE
0	SILVER	LT	2	ug/L metaTRACE
1	SILVER	LT	3	ug/L metaTRACE
0	ARSENIC	LT	3	ug/L metaTRACE
2	BARIUM	602	ug/L	metaTRACE
0	BROMODICHLOROMETHANE	LT	5	ug/L metaTRACE
1	CALCIUM	18500	ug/L	metaTRACE

CONTINUED

WELL FS81050 COLLECTED ON 07/08/89 LABORATORY ANALYSES CONTINUED

0	TRICHLOROFLUOROMETHANE	LT	5	ug/L metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00	ug/L metaTRACE
2	CADMIUM	22	ug/L	metaTRACE
0	BROMOFORM	LT	5	ug/L metaTRACE
0	CHLOROFORM	LT	5	ug/L metaTRACE
0	METHYLENE CHLORIDE	LT	5	ug/L metaTRACE
0	BROMOMETHANE	LT	10	ug/L metaTRACE
0	CHLOROMETHANE	LT	10	ug/L metaTRACE
0	CHLORIDE	2600	ug/L	metaTRACE
0	CHLOROBENZENE	LT	5	ug/L metaTRACE
1	COBALT	328	ug/L	metaTRACE
0	CHROMIUM	LT	10	ug/L metaTRACE
1	COPPER	74	ug/L	metaTRACE
0	CYANIDE	LT	5	ug/L metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5	ug/L metaTRACE
0	CHLOROETHANE	LT	10	ug/L metaTRACE
0	BENZENE	LT	5	ug/L metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5	ug/L metaTRACE
0	ETHYLBENZENE	LT	5	ug/L metaTRACE
1	FLUORIDE	1200	ug/L	metaTRACE
0	IRON	32	ug/L	metaTRACE
0	MERCURY	0.36	ug/L	metaTRACE
0	POTASSIUM	LT	5000	ug/L metaTRACE
1	TOLUENE	J	2	ug/L metaTRACE
1	MAGNESIUM	7751	ug/L	metaTRACE
2	MANGANESE	4558	ug/L	metaTRACE
1	SODIUM	100300	ug/L	metaTRACE
1	NICKEL	61	ug/L	metaTRACE
1	NICKEL	58	ug/L	metaTRACE
2	NITRATE AS NITROGEN	210000	ug/L	metaTRACE
0	LEAD	LT	3	ug/L metaTRACE
0	PHENOLS	LT	5	ug/L metaTRACE
1	ANTIMONY	29	ug/L	metaTRACE
0	SELENIUM	LT	2	ug/L metaTRACE
1	SILICON	11800	ug/L	metaTRACE
0	SULFATE	1300	ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5	ug/L metaTRACE
0	TETRACHLOROETHYLENE	LT	5.00	ug/L metaTRACE
0	TOTAL DISSOLVED SOLIDS	1031000	ug/L	metaTRACE
0	THALLIUM	LT	3	ug/L metaTRACE
0	TOTAL ORGANIC CARBON	1020	ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	7	ug/L	metaTRACE
0	TOTAL PHOSPHATES	120	ug/L	metaTRACE
0	TRICHLOROETHYLENE	LT	5.00	ug/L metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	5	ug/L metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5	ug/L metaTRACE
0	VANADIUM	LT	10	ug/L metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5	ug/L metaTRACE
0	1,1-DICHLOROETHANE	LT	5	ug/L metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5	ug/L metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5	ug/L metaTRACE
0	1,2-DICHLOROETHANE	LT	5	ug/L metaTRACE
0	1,2-DICHLOROPROPANE	LT	5	ug/L metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5	ug/L metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5	ug/L metaTRACE
0	ZINC	175	ug/L	metaTRACE
2	GROSS ALPHA	280+-	pCi/L	metaTRACE
2	GROSS ALPHA	284+-	pCi/L	metaTRACE
2	NONVOLATILE BETA	1930+-200	pCi/L	metaTRACE
2	NONVOLATILE BETA	1962+-200	pCi/L	metaTRACE
2	TOTAL RADIUM	130+-	pCi/L	metaTRACE
2	TRITIUM	10000+-1000	pCi/mL	metaTRACE

WELL FS81050

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/09/89 Time 800
 Depth to water = 78.17 ft (23.83 m) below the TOC
 Water elevation = 207.63 ft (63.29 m) msl
 pH = 3.5 Alkalinity = 0 mg/L
 Specific conductance = 2530 umhos/cm
 Water temperature = 22.8 degrees Celsius
 Water evacuated from the well prior to sampling = 1 gal
 The well went dry during purging.

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	2672	umho	metaTRACE
1	PH	3.98	pH	metaTRACE
0	SILVER	LT	2	ug/L metaTRACE
0	ARSENIC	LT	3	ug/L metaTRACE
2	BARIUM	675	ug/L	metaTRACE
0	BROMODICHLOROMETHANE	LT	5	ug/L metaTRACE
1	CALCIUM	16400	ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	5	ug/L metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00	ug/L metaTRACE
2	CADMIUM	17	ug/L	metaTRACE
0	BROMOFORM	LT	5	ug/L metaTRACE
0	CHLOROFORM	LT	5	ug/L metaTRACE
0	METHYLENE CHLORIDE	LT	5	ug/L metaTRACE
0	BROMOMETHANE	LT	10	ug/L metaTRACE
0	CHLOROMETHANE	LT	10	ug/L metaTRACE
0	CHLORIDE	1900	ug/L	metaTRACE
0	CHLOROBENZENE	LT	5	ug/L metaTRACE
1	COBALT	59	ug/L	metaTRACE
2	CHROMIUM	44	ug/L	metaTRACE
2	COPPER	6545	ug/L	metaTRACE
0	CYANIDE	LT	5	ug/L metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5	ug/L metaTRACE
0	CHLOROETHANE	LT	10	ug/L metaTRACE
0	BENZENE	LT	5	ug/L metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5	ug/L metaTRACE
0	ETHYLBENZENE	LT	5	ug/L metaTRACE
0	FLUORIDE	400	ug/L	metaTRACE
2	IRON	12950	ug/L	metaTRACE
0	MERCURY	LT	0.20	ug/L metaTRACE

CONTINUED

WELL FSB1050 COLLECTED ON 07/09/89 LABORATORY ANALYSES CONTINUED

1	POTASSIUM	5639 ug/L	metaTRACE
1	TOLUENE	1 ug/L	metaTRACE
1	MAGNESIUM	7531 ug/L	metaTRACE
2	MANGANESE	1888 ug/L	metaTRACE
1	SODIUM	229800 ug/L	metaTRACE
1	NICKEL	172 ug/L	metaTRACE
2	NITRATE AS NITROGEN	180000 ug/L	metaTRACE
2	LEAD	3660 ug/L	metaTRACE
0	PHENOLS	5 ug/L	metaTRACE
1	ANTIMONY	15 ug/L	metaTRACE
0	SELENIUM	2 ug/L	metaTRACE
1	SILICON	18810 ug/L	metaTRACE
0	SULFATE	4500 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	5.00 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS	1714000 ug/L	metaTRACE
0	THALLIUM	3 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	1430 ug/L	metaTRACE
1	TOTAL ORGANIC HALOGENS	11 ug/L	metaTRACE
0	TOTAL PHOSPHATES	180 ug/L	metaTRACE
0	TRICHLOROETHYLENE	5.00 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	5 ug/L	metaTRACE
0	VANADIUM	10 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	5 ug/L	metaTRACE
0	1,2-DICHLOROETHYL VINYL ETHER	5 ug/L	metaTRACE
1	ZINC	1509 ug/L	metaTRACE
2	GROSS ALPHA	890+- 90 pCi/L	metaTRACE
2	GROSS ALPHA	840+- 90 pCi/L	metaTRACE
2	NONVOLATILE BETA	2400+- 300 pCi/L	metaTRACE
2	TOTAL RADIUM	44.00+-5.00 pCi/L	metaTRACE
2	TOTAL RADIUM	40.00+-4.00 pCi/L	metaTRACE
2	TRITIUM	23000+-3000 pCi/mL	metaTRACE

WELL FSB106C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/08/89 Time 1250
 Depth to water = 34.23 ft (10.43 m) below the TOC
 Water elevation = 200.87 ft (61.23 m) msl
 pH = 4.6 Alkalinity = 0 mg/L
 Specific conductance = 712 umhos/cm
 Water temperature = 22.6 degrees Celsius
 Water evacuated from the well prior to sampling = 132 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	787.0 UMHG	metaTRACE
0	PH	4.92 pH	metaTRACE
0	SILVER	2 ug/L	metaTRACE
0	ARSENIC	3 ug/L	metaTRACE
1	BARIUM	239 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	5 ug/L	metaTRACE
1	CALCIUM	37350 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	5.00 ug/L	metaTRACE
2	CADMIUM	12 ug/L	metaTRACE
0	BROMOFORM	5 ug/L	metaTRACE
0	CHLOROFORM	5 ug/L	metaTRACE
0	METHYLENE CHLORIDE	5 ug/L	metaTRACE
0	BROMOMETHANE	10 ug/L	metaTRACE
0	CHLOROMETHANE	10 ug/L	metaTRACE
0	CHLORIDE	3400 ug/L	metaTRACE
0	CHLOROBENZENE	5 ug/L	metaTRACE
1	COBALT	86 ug/L	metaTRACE
0	CHROMIUM	14 ug/L	metaTRACE
0	COPPER	14 ug/L	metaTRACE
0	CYANIDE	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	5 ug/L	metaTRACE
0	CHLOROETHANE	10 ug/L	metaTRACE
0	BENZENE	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	5 ug/L	metaTRACE
0	ETHYL BENZENE	5 ug/L	metaTRACE
1	FLUORIDE	560 ug/L	metaTRACE
0	IRON	10 ug/L	metaTRACE
0	MERCURY	0.20 ug/L	metaTRACE
0	POTASSIUM	5000 ug/L	metaTRACE
0	TOLUENE	5 ug/L	metaTRACE
1	MAGNESIUM	9339 ug/L	metaTRACE
2	MANGANESE	1843 ug/L	metaTRACE
1	SODIUM	59870 ug/L	metaTRACE
1	NICKEL	25 ug/L	metaTRACE
2	NITRATE AS NITROGEN	100000 ug/L	metaTRACE
0	LEAD	3 ug/L	metaTRACE
0	PHENOLS	5 ug/L	metaTRACE
0	PHENOLS	5 ug/L	metaTRACE
1	ANTIMONY	21 ug/L	metaTRACE
0	SELENIUM	2 ug/L	metaTRACE
1	SILICON	4459 ug/L	metaTRACE
0	SULFATE	3000 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	5.00 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS	818000 ug/L	metaTRACE
0	THALLIUM	3 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	1000 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	7 ug/L	metaTRACE
0	TOTAL PHOSPHATES	87 ug/L	metaTRACE
0	TRICHLOROETHYLENE	5.00 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	5 ug/L	metaTRACE

CONTINUED

WELL FSB106C COLLECTED ON 07/08/89 LABORATORY ANALYSES CONTINUED

0	TRANS-1,3-DICHLOROPROPENE	5 ug/L	metaTRACE
0	VANADIUM	10 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	5 ug/L	metaTRACE
0	ZINC	52 ug/L	metaTRACE
2	GROSS ALPHA	34.00+-8.00 pCi/L	metaTRACE
1	GROSS ALPHA	11.00+-2.00 pCi/L	Teledyne
0	BARIUM-140	100000 pCi/L	Teledyne
2	NONVOLATILE BETA	1900+- 200 pCi/L	metaTRACE
2	NONVOLATILE BETA	2200+- 100 pCi/L	Teledyne
0	BERYLLIUM-7	200 pCi/L	Teledyne
0	CERIUM-141	200 pCi/L	Teledyne
0	CERIUM-144	20 pCi/L	Teledyne
0	COBALT-56	10 pCi/L	Teledyne
0	COBALT-60	5.30+-2.20 pCi/L	Teledyne
0	CESIUM-134	3 pCi/L	Teledyne
0	CESIUM-137	2 pCi/L	Teledyne
1	CARBON-14	45.00+- 17 pCi/L	Teledyne
0	IRON-55	80 pCi/L	Teledyne
0	IRON-59	80 pCi/L	Teledyne
1	IODINE-129	60.00+-3.00 pCi/L	Teledyne
0	POTASSIUM-40	40 pCi/L	Teledyne
0	MANGANESE-54	3 pCi/L	Teledyne
0	NICKEL-59	100 pCi/L	Teledyne
0	NICKEL-63	10 pCi/L	Teledyne
0	RADIUM-226	50 pCi/L	Teledyne
0	RUTHENIUM-103	60 pCi/L	Teledyne
0	RUTHENIUM-106	30 pCi/L	Teledyne
0	STRONTIUM-89	1000 pCi/L	Teledyne
1	STRONTIUM-90	1300+- 100 pCi/L	Teledyne
1	TECHNETIUM-99	240+- 5 pCi/L	Teledyne
0	THORIUM-232	5 pCi/L	Teledyne
2	TOTAL RADIUM	28.00+-3.00 pCi/mL	metaTRACE
2	TRITIUM	2800+- 300 pCi/L	metaTRACE
0	ZINC-65	8 pCi/L	Teledyne
0	ZIRCONIUM-95	20 pCi/L	Teledyne

WELL FSB107C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/09/89 Time 1115
 Depth to water = 62.39 ft (19.02 m) below the TOC
 Water elevation = 208.51 ft (63.55 m) msl
 pH = 6.2 Alkalinity = 65 mg/L
 Specific conductance = 216 umhos/cm
 Water temperature = 21.6 degrees Celsius
 Water evacuated from the well prior to sampling = 165 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	241.0 UMHG	metaTRACE
1	SPECIFIC CONDUCTANCE	241.0 UMHG	metaTRACE
1	PH	7.07 pH	metaTRACE
1	PH	7.07 pH	metaTRACE
0	SILVER	2 ug/L	metaTRACE
0	SILVER	2 ug/L	metaTRACE
0	ARSENIC	3 ug/L	metaTRACE
0	BARIUM	26 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	5 ug/L	metaTRACE
1	CALCIUM	31950 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	5.00 ug/L	metaTRACE
0	CADMIUM	4 ug/L	metaTRACE
0	BROMOFORM	5 ug/L	metaTRACE
0	CHLOROFORM	5 ug/L	metaTRACE
0	METHYLENE CHLORIDE	5 ug/L	metaTRACE
0	BROMOMETHANE	10 ug/L	metaTRACE
0	CHLOROMETHANE	10 ug/L	metaTRACE
0	CHLORIDE	2900 ug/L	metaTRACE
0	CHLOROBENZENE	5 ug/L	metaTRACE
0	COBALT	10 ug/L	metaTRACE
0	CHROMIUM	10 ug/L	metaTRACE
0	COPPER	10 ug/L	metaTRACE
0	CYANIDE	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	5 ug/L	metaTRACE
0	CHLOROETHANE	10 ug/L	metaTRACE
0	BENZENE	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	5 ug/L	metaTRACE
0	ETHYL BENZENE	5 ug/L	metaTRACE
0	FLUORIDE	250 ug/L	metaTRACE
0	IRON	10 ug/L	metaTRACE
0	MERCURY	0.20 ug/L	metaTRACE
0	POTASSIUM	5000 ug/L	metaTRACE
0	TOLUENE	5 ug/L	metaTRACE
0	MAGNESIUM	2015 ug/L	metaTRACE
2	MANGANESE	57 ug/L	metaTRACE
1	SODIUM	7559 ug/L	metaTRACE
0	NICKEL	5 ug/L	metaTRACE
0	NICKEL	5 ug/L	metaTRACE
1	NITRATE AS NITROGEN	8200 ug/L	metaTRACE
0	LEAD	3 ug/L	metaTRACE
0	PHENOLS	5 ug/L	metaTRACE
0	ANTIMONY	10 ug/L	metaTRACE
0	SELENIUM	2 ug/L	metaTRACE
1	SILICON	4205 ug/L	metaTRACE
0	SULFATE	1400 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	5.00 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS	174000 ug/L	metaTRACE

CONTINUED

WELL FS8107C COLLECTED ON 07/09/89 LABORATORY ANALYSES CONTINUED

0 THALLIUM	LT	3 ug/L	metaTRACE
0 TOTAL ORGANIC CARBON		1070 ug/L	metaTRACE
0 TOTAL ORGANIC CARBON		1010 ug/L	metaTRACE
0 TOTAL ORGANIC HALOGENS	LT	5 ug/L	metaTRACE
0 TOTAL ORGANIC HALOGENS	LT	5 ug/L	metaTRACE
0 TOTAL PHOSPHATES	LT	22 ug/L	metaTRACE
0 TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0 TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0 TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0 VANADIUM	LT	10 ug/L	metaTRACE
0 1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0 1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0 CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0 2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0 ZINC		21 ug/L	metaTRACE
0 GROSS ALPHA	LT	4 pCi/L	metaTRACE
1 NONVOLATILE BETA		46.00+-6.00 pCi/L	metaTRACE
0 TOTAL RADIUM	LT	1 pCi/L	metaTRACE
2 TRITIUM		160+- 20 pCi/mL	metaTRACE
2 TRITIUM		160+- 20 pCi/mL	metaTRACE

WELL FS8107D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/09/89 Time 1040
 pH = 3.4 Alkalinity = 0 mg/L
 Specific conductance = 553 umhos/cm
 Water temperature = 22.5 degrees Celsius
 Water evacuated from the well prior to sampling = 38 gal

LABORATORY ANALYSES

1 SPECIFIC CONDUCTANCE		571.0 UMH/C	metaTRACE
1 PH		3.86 pH	metaTRACE
0 SILVER	LT	2 ug/L	metaTRACE
0 ARSENIC	LT	3 ug/L	metaTRACE
0 BARIUM		154 ug/L	metaTRACE
0 BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
0 CALCIUM		3700 ug/L	metaTRACE
0 TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE
0 CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
2 CADMIUM		6 ug/L	metaTRACE
0 BROMOFORM	LT	5 ug/L	metaTRACE
0 CHLOROFORM	LT	5 ug/L	metaTRACE
0 METHYLENE CHLORIDE	LT	5 ug/L	metaTRACE
0 BROMOMETHANE	LT	10 ug/L	metaTRACE
0 CHLOROMETHANE	LT	10 ug/L	metaTRACE
0 CHLORIDE		1900 ug/L	metaTRACE
0 CHLORIDE		1900 ug/L	metaTRACE
0 CHLOROBENZENE	LT	5 ug/L	metaTRACE
1 COBALT		16 ug/L	metaTRACE
0 CHROMIUM	LT	10 ug/L	metaTRACE
1 COPPER		38 ug/L	metaTRACE
0 CYANIDE	LT	5 ug/L	metaTRACE
0 CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0 CHLOROETHANE	LT	10 ug/L	metaTRACE
0 BENZENE	LT	5 ug/L	metaTRACE
0 DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0 ETHYLBENZENE	LT	5 ug/L	metaTRACE
1 FLUORIDE		370 ug/L	metaTRACE
1 FLUORIDE		370 ug/L	metaTRACE
2 IRON		373 ug/L	metaTRACE
2 MERCURY		1.79 ug/L	metaTRACE
2 MERCURY		1.74 ug/L	metaTRACE
0 POTASSIUM	LT	5000 ug/L	metaTRACE
0 TOLUENE	LT	5 ug/L	metaTRACE
0 MAGNESIUM		2104 ug/L	metaTRACE
2 MANGANESE		738 ug/L	metaTRACE
1 SODIUM		51590 ug/L	metaTRACE
1 NICKEL		19 ug/L	metaTRACE
2 NITRATE AS NITROGEN		67000 ug/L	metaTRACE
2 NITRATE AS NITROGEN		70000 ug/L	metaTRACE
0 LEAD		7 ug/L	metaTRACE
0 PHENOLS	LT	5 ug/L	metaTRACE
0 ANTIMONY	LT	10 ug/L	metaTRACE
0 SELENIUM	LT	2 ug/L	metaTRACE
1 SILICON		9982 ug/L	metaTRACE
0 SULFATE	LT	1000 ug/L	metaTRACE
0 SULFATE	LT	1000 ug/L	metaTRACE
0 1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0 TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0 TOTAL DISSOLVED SOLIDS		336000 ug/L	metaTRACE
0 THALLIUM	LT	3 ug/L	metaTRACE
0 TOTAL ORGANIC CARBON	LT	1000 ug/L	metaTRACE
0 TOTAL ORGANIC CARBON	LT	1000 ug/L	metaTRACE
0 TOTAL ORGANIC HALOGENS	LT	5 ug/L	metaTRACE
0 TOTAL PHOSPHATES	LT	10 ug/L	metaTRACE
0 TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0 TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0 TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0 VANADIUM	LT	10 ug/L	metaTRACE
0 1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0 1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0 CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0 2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0 ZINC		42 ug/L	metaTRACE
2 GROSS ALPHA		610+- 70 pCi/L	metaTRACE

CONTINUED

WELL FS8107D COLLECTED ON 07/09/89 LABORATORY ANALYSES CONTINUED

2 NONVOLATILE BETA		1400+- 200 pCi/L	metaTRACE
2 TOTAL RADIUM		18.00+-2.00 pCi/L	metaTRACE
2 TRITIUM		2800+- 300 pCi/mL	metaTRACE

WELL FS8108D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/02/89 Time 925
 Depth to water = 83.74 ft (25.52 m) below the TOC
 Water elevation = 214.26 ft (65.31 m) msl
 pH = 6.0 Alkalinity = 18 mg/L
 Specific conductance = 112 umhos/cm
 Water temperature = 20.9 degrees Celsius
 Water evacuated from the well prior to sampling = 2 gal
 The well went dry during purging.

LABORATORY ANALYSES

0 SPECIFIC CONDUCTANCE		89.80 UMH/C	metaTRACE
1 PH		6.98 pH	metaTRACE
0 SILVER	LT	2 ug/L	metaTRACE
0 ARSENIC	LT	3 ug/L	metaTRACE
0 BARIUM		23 ug/L	metaTRACE
0 BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
1 CALCIUM		11170 ug/L	metaTRACE
1 TRICHLOROFLUOROMETHANE		5 ug/L	metaTRACE
0 CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0 CADMIUM	LT	4 ug/L	metaTRACE
0 BROMOFORM	LT	5 ug/L	metaTRACE
0 CHLOROFORM	LT	5 ug/L	metaTRACE
0 METHYLENE CHLORIDE	LT	5 ug/L	metaTRACE
0 BROMOMETHANE	LT	10 ug/L	metaTRACE
0 CHLOROMETHANE	LT	10 ug/L	metaTRACE
0 CHLORIDE		2400 ug/L	metaTRACE
0 CHLOROBENZENE	LT	5 ug/L	metaTRACE
0 COBALT	LT	10 ug/L	metaTRACE
0 CHROMIUM	LT	10 ug/L	metaTRACE
0 COPPER	LT	10 ug/L	metaTRACE
0 CYANIDE	LT	5 ug/L	metaTRACE
0 CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0 CHLOROETHANE	LT	10 ug/L	metaTRACE
0 BENZENE	LT	5 ug/L	metaTRACE
0 DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0 ETHYLBENZENE	LT	5 ug/L	metaTRACE
0 FLUORIDE	LT	250 ug/L	metaTRACE
0 IRON		16 ug/L	metaTRACE
0 MERCURY	LT	0.20 ug/L	metaTRACE
0 POTASSIUM	LT	5000 ug/L	metaTRACE
0 TOLUENE	LT	5 ug/L	metaTRACE
0 MAGNESIUM		504 ug/L	metaTRACE
1 MANGANESE		33 ug/L	metaTRACE
0 SODIUM		4189 ug/L	metaTRACE
0 NICKEL	LT	5 ug/L	metaTRACE
0 NITRATE AS NITROGEN	LT	230 ug/L	metaTRACE
2 LEAD		25 ug/L	metaTRACE
0 PHENOLS	LT	5 ug/L	metaTRACE
0 ANTIMONY	LT	10 ug/L	metaTRACE
0 SELENIUM	LT	2 ug/L	metaTRACE
1 SILICON		3391 ug/L	metaTRACE
0 SULFATE		2400 ug/L	metaTRACE
0 1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0 TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0 TOTAL DISSOLVED SOLIDS		52000 ug/L	metaTRACE
0 THALLIUM	LT	3 ug/L	metaTRACE
0 TOTAL ORGANIC CARBON	LT	1000 ug/L	metaTRACE
0 TOTAL ORGANIC HALOGENS		9 ug/L	metaTRACE
0 TOTAL PHOSPHATES	LT	38 ug/L	metaTRACE
0 TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0 TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0 TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0 VANADIUM	LT	10 ug/L	metaTRACE
0 1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0 1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0 CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0 2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0 ZINC		36 ug/L	metaTRACE
0 GROSS ALPHA	LT	2 pCi/L	metaTRACE
0 NONVOLATILE BETA	LT	5 pCi/L	metaTRACE
0 TOTAL RADIUM	LT	1 pCi/L	metaTRACE
1 TRITIUM		13.00+-2.00 pCi/mL	metaTRACE

WELL FS8109D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/03/89 Time 1205
 Depth to water = 82.50 ft (25.15 m) below the TOC
 Water elevation = 210.60 ft (64.19 m) msl
 pH = 6.2 Alkalinity = 39 mg/L
 Specific conductance = 126 umhos/cm
 Water temperature = 21.2 degrees Celsius
 Water evacuated from the well prior to sampling = 3 gal
 The well went dry during purging.

LABORATORY ANALYSES

0 SPECIFIC CONDUCTANCE		95.00 UMH/C	metaTRACE
1 PH		7.02 pH	metaTRACE
0 SILVER	LT	2 ug/L	metaTRACE
0 SILVER	LT	2 ug/L	metaTRACE

CONTINUED

WELL FSB1090 COLLECTED ON 07/03/89 LABORATORY ANALYSES CONTINUED

0	ARSENIC	LT	3 ug/L	metaTRACE
0	BARIUM		17 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
0	CALCIUM		4942 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0	CADMIUM	LT	4 ug/L	metaTRACE
0	BROMOFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	5 ug/L	metaTRACE
1	METHYLENE CHLORIDE	B	5 ug/L	metaTRACE
0	BROMOMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
0	CHLORIDE		1200 ug/L	metaTRACE
0	CHLOROBENZENE	LT	5 ug/L	metaTRACE
0	COBALT	LT	10 ug/L	metaTRACE
0	CHROMIUM	LT	10 ug/L	metaTRACE
0	COPPER	LT	10 ug/L	metaTRACE
0	CYANIDE	LT	5 ug/L	metaTRACE
0	CYANIDE	LT	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0	CHLOROETHANE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0	ETHYLBENZENE	LT	5 ug/L	metaTRACE
0	FLUORIDE	LT	250 ug/L	metaTRACE
0	IRON		18 ug/L	metaTRACE
0	MERCURY	LT	0.20 ug/L	metaTRACE
0	POTASSIUM	LT	5000 ug/L	metaTRACE
0	TOLUENE	LT	5 ug/L	metaTRACE
0	MAGNESIUM		1373 ug/L	metaTRACE
0	MANGANESE	LT	10 ug/L	metaTRACE
1	SODIUM		11880 ug/L	metaTRACE
1	NICKEL		75 ug/L	metaTRACE
1	NICKEL		15 ug/L	metaTRACE
0	NITRATE AS NITROGEN		1600 ug/L	metaTRACE
0	LEAD	LT	3 ug/L	metaTRACE
0	PHENOLS	LT	5 ug/L	metaTRACE
0	ANTIMONY	LT	10 ug/L	metaTRACE
0	SELENIUM	LT	2 ug/L	metaTRACE
1	SILICON		3833 ug/L	metaTRACE
0	SULFATE	LT	1000 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS		66000 ug/L	metaTRACE
0	THALLIUM	LT	3 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON		1350 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS		8 ug/L	metaTRACE
0	TOTAL PHOSPHATES		23 ug/L	metaTRACE
2	TRICHLOROETHYLENE		9.00 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	VANADIUM	LT	10 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0	ZINC		71 ug/L	metaTRACE
0	GROSS ALPHA	LT	3 pCi/L	metaTRACE
0	NONVOLATILE BETA	LT	5 pCi/L	metaTRACE
0	TOTAL RADIUM	LT	1 pCi/L	metaTRACE
2	TRITIUM		140+- 20 pCi/mL	metaTRACE
2	TRITIUM		170+-3.04 pCi/mL	HP, 735A

WELL FSB110C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/03/89 Time 1740
 Depth to water = 34.11 ft (10.40 m) below the TOC
 Water elevation = 199.89 ft (60.93 m) msl
 pH = 6.0 Alkalinity = 19 mg/L
 Specific conductance = 307 umhos/cm
 Water temperature = 21.9 degrees Celsius
 Water evacuated from the well prior to sampling = 179 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE		243.0 UMC	metaTRACE
1	PH		6.80 pH	metaTRACE
0	SILVER	LT	2 ug/L	metaTRACE
0	SILVER	LT	2 ug/L	metaTRACE
0	ARSENIC	LT	3 ug/L	metaTRACE
0	ARSENIC	LT	3 ug/L	metaTRACE
1	BARIUM		76 ug/L	metaTRACE
1	BARIUM		76 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
1	CALCIUM		30770 ug/L	metaTRACE
1	CALCIUM		29800 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0	CADMIUM	LT	4 ug/L	metaTRACE
0	CADMIUM	LT	4 ug/L	metaTRACE
0	BROMOFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	5 ug/L	metaTRACE
1	METHYLENE CHLORIDE	JB	3 ug/L	metaTRACE
0	BROMOMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
0	CHLORIDE		2700 ug/L	metaTRACE
0	CHLOROBENZENE	LT	5 ug/L	metaTRACE
0	COBALT	LT	10 ug/L	metaTRACE
0	COBALT	LT	10 ug/L	metaTRACE
0	CHROMIUM	LT	10 ug/L	metaTRACE

CONTINUED

WELL FSB110C COLLECTED ON 07/03/89 LABORATORY ANALYSES CONTINUED

0	CHROMIUM	LT	10 ug/L	metaTRACE
0	COPPER	LT	10 ug/L	metaTRACE
0	COPPER	LT	10 ug/L	metaTRACE
0	CYANIDE	LT	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0	CHLOROETHANE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0	ETHYLBENZENE	LT	5 ug/L	metaTRACE
0	FLUORIDE	LT	250 ug/L	metaTRACE
0	IRON		35 ug/L	metaTRACE
0	IRON		53 ug/L	metaTRACE
0	MERCURY	LT	0.20 ug/L	metaTRACE
0	POTASSIUM	LT	5000 ug/L	metaTRACE
0	POTASSIUM	LT	5000 ug/L	metaTRACE
0	TOLUENE	LT	5 ug/L	metaTRACE
0	MAGNESIUM		2660 ug/L	metaTRACE
0	MAGNESIUM		2610 ug/L	metaTRACE
0	MANGANESE		19 ug/L	metaTRACE
0	MANGANESE		14 ug/L	metaTRACE
1	SODIUM		15240 ug/L	metaTRACE
1	SODIUM		14970 ug/L	metaTRACE
0	NICKEL	LT	5 ug/L	metaTRACE
0	NICKEL	LT	5 ug/L	metaTRACE
2	NITRATE AS NITROGEN		31000 ug/L	metaTRACE
0	LEAD	LT	3 ug/L	metaTRACE
0	LEAD	LT	3 ug/L	metaTRACE
0	PHENOLS	LT	5 ug/L	metaTRACE
0	ANTIMONY	LT	10 ug/L	metaTRACE
0	ANTIMONY	LT	10 ug/L	metaTRACE
0	SELENIUM	LT	2 ug/L	metaTRACE
0	SELENIUM	LT	2 ug/L	metaTRACE
1	SILICON		4648 ug/L	metaTRACE
1	SILICON		4925 ug/L	metaTRACE
0	SULFATE		1200 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS		58000 ug/L	metaTRACE
0	THALLIUM	LT	3 ug/L	metaTRACE
0	THALLIUM	LT	3 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON		1080 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS		5 ug/L	metaTRACE
0	TOTAL PHOSPHATES		45 ug/L	metaTRACE
0	TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	VANADIUM	LT	10 ug/L	metaTRACE
0	VANADIUM	LT	10 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0	ZINC		80 ug/L	metaTRACE
0	ZINC		27 ug/L	metaTRACE
0	GROSS ALPHA	LT	7 pCi/L	metaTRACE
2	NONVOLATILE BETA		62.00+-7.00 pCi/L	metaTRACE
0	TOTAL RADIUM		1.00+-0.30 pCi/L	metaTRACE
2	TRITIUM		810+- 90 pCi/mL	metaTRACE
2	TRITIUM		936+-6.93 pCi/mL	HP, 735A

WELL FSB110C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/03/89 Time 1620
 Depth to water = 30.85 ft (9.40 m) below the TOC
 Water elevation = 203.65 ft (62.07 m) msl
 pH = 2.9 Alkalinity = 0 mg/L
 Specific conductance = 3540 umhos/cm
 Water temperature = 22.5 degrees Celsius
 Water evacuated from the well prior to sampling = 48 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE		3962 UMC	metaTRACE
1	PH		3.05 pH	metaTRACE
1	SILVER		7 ug/L	metaTRACE
1	ARSENIC		6 ug/L	metaTRACE
1	BARIUM		258 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
0	CALCIUM		2181 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0	CADMIUM	LT	4 ug/L	metaTRACE
0	BROMOFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	5 ug/L	metaTRACE
1	METHYLENE CHLORIDE	JB	4 ug/L	metaTRACE
0	BROMOMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
0	CHLORIDE		1400 ug/L	metaTRACE
0	CHLOROBENZENE	LT	5 ug/L	metaTRACE
1	COBALT		28 ug/L	metaTRACE
0	CHROMIUM	LT	10 ug/L	metaTRACE
1	COPPER		129 ug/L	metaTRACE
0	CYANIDE	LT	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0	CHLOROETHANE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0	ETHYLBENZENE	LT	5 ug/L	metaTRACE
0	FLUORIDE	LT	250 ug/L	metaTRACE
2	IRON		592 ug/L	metaTRACE

CONTINUED

WELL FSB1100 COLLECTED ON 07/03/89 LABORATORY ANALYSES CONTINUED

1	MERCURY	0.32	ug/L	metaTRACE
0	POTASSIUM	5000	ug/L	metaTRACE
0	TOLUENE	5	ug/L	metaTRACE
0	MAGNESIUM	1421	ug/L	metaTRACE
2	MANGANESE	1162	ug/L	metaTRACE
1	SODIUM	77510	ug/L	metaTRACE
1	NICKEL	63	ug/L	metaTRACE
2	NITRATE AS NITROGEN	550000	ug/L	metaTRACE
0	LEAD	10	ug/L	metaTRACE
0	PHENOLS	5	ug/L	metaTRACE
0	ANTIMONY	10	ug/L	metaTRACE
0	SELENIUM	2	ug/L	metaTRACE
1	SILICON	71300	ug/L	metaTRACE
1	SULFATE	22900	ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	5	ug/L	metaTRACE
0	TETRACHLOROETHYLENE	5.00	ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS	1728000	ug/L	metaTRACE
0	THALLIUM	3	ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	2290	ug/L	metaTRACE
1	TOTAL ORGANIC HALOGENS	11	ug/L	metaTRACE
0	TOTAL PHOSPHATES	48	ug/L	metaTRACE
0	TRICHLOROETHYLENE	5.00	ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	5	ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	5	ug/L	metaTRACE
0	VANADIUM	10	ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	5	ug/L	metaTRACE
0	1,1-DICHLOROETHANE	5	ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	5	ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	5	ug/L	metaTRACE
0	1,2-DICHLOROETHANE	5	ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	5	ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	5	ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	5	ug/L	metaTRACE
0	ZINC	230	ug/L	metaTRACE
1	ACTINIUM-228	18.00+-9.00	pCi/L	Teledyne
2	GROSS ALPHA	2700+-300	pCi/L	metaTRACE
2	GROSS ALPHA	2000+-200	pCi/L	metaTRACE
2	GROSS ALPHA	1400+-100	pCi/L	Teledyne
1	AMERICIUM-241	18.00+-3.00	pCi/L	Teledyne
1	AMERICIUM-243	2.10+-0.40	pCi/L	Teledyne
2	NONVOLATILE BETA	3200+-400	pCi/L	metaTRACE
2	NONVOLATILE BETA	3500+-200	pCi/L	Teledyne
0	BERYLLIUM-7	3000	pCi/L	Teledyne
1	BISMUTH-214	8.10+-3.70	pCi/L	Teledyne
0	CERIUM-141	8000	pCi/L	Teledyne
0	CERIUM-144	30	pCi/L	Teledyne
0	CURIUM-242	0.50	pCi/L	Teledyne
1	CURIUM-246	16.00+-3.00	pCi/L	Teledyne
1	CURIUM-243/244	10.00+-3.00	pCi/L	Teledyne
0	COBALT-58	90	pCi/L	Teledyne
0	COBALT-60	11.00+-3.00	pCi/L	Teledyne
0	CESIUM-134	4	pCi/L	Teledyne
0	CESIUM-137	3	pCi/L	Teledyne
1	CARBON-14	28.00+-5.00	pCi/L	Teledyne
0	IRON-55	80	pCi/L	Teledyne
0	IRON-59	2000	pCi/L	Teledyne
1	IODINE-129	58.00+-3.00	pCi/L	Teledyne
0	POTASSIUM-40	50	pCi/L	Teledyne
0	MANGANESE-54	6	pCi/L	Teledyne
0	NICKEL-59	100	pCi/L	Teledyne
0	NICKEL-63	20	pCi/L	Teledyne
1	LEAD-212	6.10+-3.30	pCi/L	Teledyne
1	LEAD-214	9.00+-4.10	pCi/L	Teledyne
0	PLUTONIUM-238	0.40	pCi/L	Teledyne
0	PLUTONIUM-241	490+-40	pCi/L	Teledyne
0	PLUTONIUM-239/240	0.30	pCi/L	Teledyne
0	RADIUM-226	40	pCi/L	Teledyne
1	RADIUM-226	12.00+-1.00	pCi/L	Teledyne
1	RADIUM-228	52.00+-4.00	pCi/L	Teledyne
0	RUTHENIUM-103	2000	pCi/L	Teledyne
0	RUTHENIUM-106	40	pCi/L	Teledyne
0	STRONTIUM-89	1000	pCi/L	Teledyne
1	STRONTIUM-90	530+-20	pCi/L	Teledyne
1	TECHNETIUM-99	260+-20	pCi/L	Teledyne
0	THORIUM-228	5	pCi/L	Teledyne
1	THORIUM-228	260+-20	pCi/L	Teledyne
1	THORIUM-230	90.00+-10	pCi/L	Teledyne
1	THORIUM-232	6.40+-3.00	pCi/L	Teledyne
1	THORIUM-234	680+-70	pCi/L	Teledyne
2	TOTAL RADIUM	27.00+-3.00	pCi/L	metaTRACE
2	TRITIUM	30000+-3000	pCi/mL	metaTRACE
2	TRITIUM	30200+-3000	pCi/mL	metaTRACE
2	TRITIUM	34900+-133	pCi/mL	HP, 735A
1	URANIUM-235	25.00+-10	pCi/L	Teledyne
1	URANIUM-235	18.00+-4.00	pCi/L	Teledyne
1	URANIUM-238	1200+-100	pCi/L	Teledyne
1	URANIUM-233/234	540+-20	pCi/L	Teledyne
0	ZINC-65	10	pCi/L	Teledyne
0	ZIRCONIUM-95	200	pCi/L	Teledyne

WELL FSB111C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/08/89 Time 1820
 Depth to water = 66.65 ft (20.32 m) below the TOC
 Water elevation = 209.65 ft (63.90 m) msl
 pH = 4.9 Alkalinity = 2 mg/L
 Specific conductance = 50 umhos/cm
 Water temperature = 21.2 degrees Celsius
 Water evacuated from the well prior to sampling = 147 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE	66.00	UMHC	metaTRACE
0	SPECIFIC CONDUCTANCE	66.40	UMHC	metaTRACE
0	PH	5.51	pH	metaTRACE
0	PH	5.51	pH	metaTRACE
0	SILVER	2	ug/L	metaTRACE
0	SILVER	2	ug/L	metaTRACE
0	ARSENIC	3	ug/L	metaTRACE
0	ARSENIC	3	ug/L	metaTRACE
0	BARIUM	25	ug/L	metaTRACE
0	BARIUM	8	ug/L	metaTRACE
0	BROMODICHLOROMETHANE	5	ug/L	metaTRACE
0	CALCIUM	6115	ug/L	metaTRACE
0	CALCIUM	9773	ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	5	ug/L	metaTRACE
0	CARBON TETRACHLORIDE	5.00	ug/L	metaTRACE
0	CADMIUM	4	ug/L	metaTRACE
0	CADMIUM	4	ug/L	metaTRACE
0	BROMOFORM	5	ug/L	metaTRACE
0	CHLOROFORM	5	ug/L	metaTRACE
0	METHYLENE CHLORIDE	5	ug/L	metaTRACE
0	BROMOMETHANE	10	ug/L	metaTRACE
0	CHLOROMETHANE	10	ug/L	metaTRACE
0	CHLORIDE	3500	ug/L	metaTRACE
0	CHLOROBENZENE	5	ug/L	metaTRACE
0	COBALT	10	ug/L	metaTRACE
0	COBALT	10	ug/L	metaTRACE
0	CHROMIUM	10	ug/L	metaTRACE
0	CHROMIUM	10	ug/L	metaTRACE
0	COPPER	10	ug/L	metaTRACE
0	COPPER	10	ug/L	metaTRACE
0	CYANIDE	5	ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	5	ug/L	metaTRACE
0	CHLOROETHANE	10	ug/L	metaTRACE
0	BENZENE	5	ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	5	ug/L	metaTRACE
0	ETHYLBENZENE	5	ug/L	metaTRACE
0	FLUORIDE	250	ug/L	metaTRACE
0	IRON	10	ug/L	metaTRACE
0	IRON	13	ug/L	metaTRACE
0	MERCURY	0.20	ug/L	metaTRACE
0	POTASSIUM	5000	ug/L	metaTRACE
0	POTASSIUM	5000	ug/L	metaTRACE
0	TOLUENE	5	ug/L	metaTRACE
0	MAGNESIUM	387	ug/L	metaTRACE
0	MAGNESIUM	380	ug/L	metaTRACE
0	MANGANESE	12	ug/L	metaTRACE
0	MANGANESE	10	ug/L	metaTRACE
0	SODIUM	3584	ug/L	metaTRACE
0	SODIUM	3553	ug/L	metaTRACE
0	NICKEL	3	ug/L	metaTRACE
0	NICKEL	5	ug/L	metaTRACE
0	NITRATE AS NITROGEN	2200	ug/L	metaTRACE
0	LEAD	3	ug/L	metaTRACE
0	LEAD	3	ug/L	metaTRACE
0	PHENOLS	5	ug/L	metaTRACE
0	ANTIMONY	10	ug/L	metaTRACE
0	ANTIMONY	10	ug/L	metaTRACE
0	SELENIUM	2	ug/L	metaTRACE
0	SELENIUM	2	ug/L	metaTRACE
1	SILICON	5215	ug/L	metaTRACE
1	SILICON	4585	ug/L	metaTRACE
0	SULFATE	1000	ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	5	ug/L	metaTRACE
0	TETRACHLOROETHYLENE	5.00	ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS	970000	ug/L	metaTRACE
0	THALLIUM	3	ug/L	metaTRACE
0	THALLIUM	10	ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	1350	ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	7	ug/L	metaTRACE
0	TOTAL PHOSPHATES	119	ug/L	metaTRACE
0	TRICHLOROETHYLENE	5.00	ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	5	ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	5	ug/L	metaTRACE
0	VANADIUM	10	ug/L	metaTRACE
0	VANADIUM	10	ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	5	ug/L	metaTRACE
0	1,1-DICHLOROETHANE	5	ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	5	ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	5	ug/L	metaTRACE
0	1,2-DICHLOROETHANE	5	ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	5	ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	5	ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	5	ug/L	metaTRACE
0	ZINC	42	ug/L	metaTRACE
0	ZINC	40	ug/L	metaTRACE
0	GROSS ALPHA	3	pCi/L	metaTRACE
0	NONVOLATILE BETA	6	pCi/L	metaTRACE
0	TOTAL RADIUM	1	pCi/L	metaTRACE
0	TRITIUM	6.00+-0.60	pCi/mL	metaTRACE

WELL F5B1110

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/08/89 Time 1705
 Depth to water = 64.00 ft (19.51 m) below the TOC
 Water elevation = 212.60 ft (64.80 m) msl
 pH = 4.1 Alkalinity = 0 mg/L
 Specific conductance = 42 umhos/cm
 Water temperature = 22.5 degrees Celsius
 Water evacuated from the well prior to sampling = 43 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE	41.40 UMMC	metatrace
0	PH	4.80 pH	metatrace
0	SILVER	2 ug/L	metatrace
0	ARSENIC	3 ug/L	metatrace
0	BARIUM	25 ug/L	metatrace
0	BROMODICHLOROMETHANE	5 ug/L	metatrace
0	CALCIUM	1381 ug/L	metatrace
1	TRICHLOROFLUOROMETHANE	15 ug/L	metatrace
0	CARBON TETRACHLORIDE	5.00 ug/L	metatrace
0	CADMIUM	4 ug/L	metatrace
0	BROMOFORM	5 ug/L	metatrace
0	CHLOROFORM	5 ug/L	metatrace
0	METHYLENE CHLORIDE	5 ug/L	metatrace
0	BROMOMETHANE	10 ug/L	metatrace
0	CHLOROMETHANE	10 ug/L	metatrace
0	CHLORIDE	2300 ug/L	metatrace
0	CHLORIDE	2300 ug/L	metatrace
0	CHLOROBENZENE	5 ug/L	metatrace
0	COBALT	10 ug/L	metatrace
0	CHROMIUM	10 ug/L	metatrace
0	COPPER	10 ug/L	metatrace
0	CYANIDE	5 ug/L	metatrace
0	CHLOROETHENE (VINYL CHLORIDE)	5 ug/L	metatrace
0	CHLOROETHANE	10 ug/L	metatrace
0	BENZENE	5 ug/L	metatrace
0	DIBROMOCHLOROMETHANE	5 ug/L	metatrace
0	ETHYLBENZENE	5 ug/L	metatrace
0	FLUORIDE	250 ug/L	metatrace
0	FLUORIDE	250 ug/L	metatrace
0	IRON	10 ug/L	metatrace
0	MERCURY	0.20 ug/L	metatrace
0	MERCURY	0.20 ug/L	metatrace
0	POTASSIUM	5000 ug/L	metatrace
0	TOLUENE	5 ug/L	metatrace
0	MAGNESIUM	697 ug/L	metatrace
1	MANGANESE	31 ug/L	metatrace
0	SODIUM	3082 ug/L	metatrace
0	NICKEL	6 ug/L	metatrace
0	NITRATE AS NITROGEN	2100 ug/L	metatrace
0	NITRATE AS NITROGEN	2000 ug/L	metatrace
0	LEAD	3 ug/L	metatrace
0	PHENOLS	5 ug/L	metatrace
0	ANTIMONY	10 ug/L	metatrace
0	SELENIUM	2 ug/L	metatrace
1	SILICON	3504 ug/L	metatrace
0	SULFATE	1200 ug/L	metatrace
0	SULFATE	1200 ug/L	metatrace
0	1,1,2,2-TETRACHLOROETHANE	5 ug/L	metatrace
0	TETRACHLOROETHYLENE	5.00 ug/L	metatrace
0	TOTAL DISSOLVED SOLIDS	14000 ug/L	metatrace
0	TOTAL DISSOLVED SOLIDS	11000 ug/L	metatrace
0	THALLIUM	3 ug/L	metatrace
0	TOTAL ORGANIC CARBON	1600 ug/L	metatrace
1	TOTAL ORGANIC HALOGENS	14 ug/L	metatrace
0	TOTAL PHOSPHATES	10 ug/L	metatrace
0	TRICHLOROETHYLENE	5.00 ug/L	metatrace
0	TRANS-1,2-DICHLOROETHENE	5 ug/L	metatrace
0	TRANS-1,3-DICHLOROPROPENE	5 ug/L	metatrace
0	VANADIUM	10 ug/L	metatrace
0	1,1-DICHLOROETHYLENE	5 ug/L	metatrace
0	1,1-DICHLOROETHANE	5 ug/L	metatrace
0	1,1,1-TRICHLOROETHANE	5 ug/L	metatrace
0	1,1,2-TRICHLOROETHANE	5 ug/L	metatrace
0	1,2-DICHLOROETHANE	5 ug/L	metatrace
0	1,2-DICHLOROPROPANE	5 ug/L	metatrace
0	CIS-1,3-DICHLOROPROPENE	5 ug/L	metatrace
0	2-CHLOROETHYL VINYL ETHER	5 ug/L	metatrace
0	ZINC	25 ug/L	metatrace
0	GROSS ALPHA	3 pCi/L	metatrace
0	GROSS ALPHA	3 pCi/L	metatrace
0	NONVOLATILE BETA	7.70+-3.60 pCi/L	metatrace
0	NONVOLATILE BETA	9.70+-3.60 pCi/L	metatrace
0	TOTAL RADIUM	1.10+-0.40 pCi/L	metatrace
0	TRITIUM	8.30+-0.90 pCi/mL	metatrace

WELL F5S 10

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/23/89 Time 1300
 Depth to water = 43.75 ft (13.34 m) below the TOC
 Water elevation = 222.25 ft (67.74 m) msl
 pH = 8.6 Alkalinity = 99 mg/L
 Specific conductance = 122 umhos/cm
 Water temperature = 23.6 degrees Celsius
 Water evacuated from the well prior to sampling = 8 gal
 The well went dry during purging.

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	110.0 UMMC	Gen. Eng.
2	PH	11.6 pH	Gen. Eng.
0	SILVER	2 ug/L	Gen. Eng.
0	ARSENIC	2 ug/L	Gen. Eng.

CONTINUED

WELL F5S 10 COLLECTED ON 08/23/89 LABORATORY ANALYSES CONTINUED

0	BARIUM	13 ug/L	Gen. Eng.
1	CALCIUM	71000 ug/L	Gen. Eng.
0	CADMIUM	2 ug/L	Gen. Eng.
0	CHLORIDE	2500 ug/L	Gen. Eng.
0	CHROMIUM	4 ug/L	Gen. Eng.
0	FLUORIDE	100 ug/L	Gen. Eng.
0	IRON	12 ug/L	Gen. Eng.
0	MERCURY	0.20 ug/L	Gen. Eng.
0	POTASSIUM	3110 ug/L	Gen. Eng.
0	MAGNESIUM	39 ug/L	Gen. Eng.
0	MANGANESE	2 ug/L	Gen. Eng.
1	SODIUM	11100 ug/L	Gen. Eng.
0	NITRITE AS NITROGEN	80 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN	360 ug/L	Gen. Eng.
2	LEAD	42 ug/L	Gen. Eng.
0	PHENOLS	5 ug/L	Gen. Eng.
0	SELENIUM	2 ug/L	Gen. Eng.
1	SILICA	5510 ug/L	Gen. Eng.
0	SULFATE	5000 ug/L	Gen. Eng.
0	TOTAL DISSOLVED SOLIDS	254000 ug/L	Gen. Eng.
1	TOTAL ORGANIC CARBON	7000 ug/L	Gen. Eng.
0	TOTAL ORGANIC HALOGENS	5 ug/L	Gen. Eng.
1	TOTAL PHOSPHATES	640 ug/L	Gen. Eng.
0	GROSS ALPHA	3 pCi/L	Gen. Eng.
0	NONVOLATILE BETA	2.90+-1.80 pCi/L	Gen. Eng.
0	TOTAL RADIUM	1.20+-1.80 pCi/L	Gen. Eng.
1	TRITIUM	12.30+-0.47 pCi/mL	Gen. Eng.

WELL F5S 20

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/23/89 Time 1240
 Depth to water = 39.89 ft (12.16 m) below the TOC
 Water elevation = 221.71 ft (67.58 m) msl
 pH = 5.2 Alkalinity = 5 mg/L
 Specific conductance = 109 umhos/cm
 Water temperature = 23.5 degrees Celsius
 Water evacuated from the well prior to sampling = 9 gal
 The well went dry during purging.

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE	91.00 UMMC	Gen. Eng.
0	SPECIFIC CONDUCTANCE	93.00 UMMC	Gen. Eng.
0	PH	5.53 pH	Gen. Eng.
0	PH	5.49 pH	Gen. Eng.
0	SILVER	2 ug/L	Gen. Eng.
0	SILVER	2 ug/L	Gen. Eng.
0	ARSENIC	2 ug/L	Gen. Eng.
0	ARSENIC	2 ug/L	Gen. Eng.
0	BARIUM	37 ug/L	Gen. Eng.
0	BARIUM	39 ug/L	Gen. Eng.
0	CALCIUM	4030 ug/L	Gen. Eng.
0	CALCIUM	3700 ug/L	Gen. Eng.
0	CADMIUM	2 ug/L	Gen. Eng.
0	CADMIUM	2 ug/L	Gen. Eng.
0	CHLORIDE	4100 ug/L	Gen. Eng.
0	CHLORIDE	4100 ug/L	Gen. Eng.
0	CHROMIUM	4 ug/L	Gen. Eng.
0	CHROMIUM	4 ug/L	Gen. Eng.
0	FLUORIDE	100 ug/L	Gen. Eng.
0	FLUORIDE	100 ug/L	Gen. Eng.
2	IRON	630 ug/L	Gen. Eng.
2	IRON	596 ug/L	Gen. Eng.
0	MERCURY	0.20 ug/L	Gen. Eng.
0	MERCURY	0.20 ug/L	Gen. Eng.
0	POTASSIUM	872 ug/L	Gen. Eng.
0	POTASSIUM	719 ug/L	Gen. Eng.
0	MAGNESIUM	1570 ug/L	Gen. Eng.
0	MAGNESIUM	1470 ug/L	Gen. Eng.
2	MANGANESE	704 ug/L	Gen. Eng.
2	MANGANESE	650 ug/L	Gen. Eng.
1	SODIUM	10700 ug/L	Gen. Eng.
1	SODIUM	9730 ug/L	Gen. Eng.
0	NITRITE AS NITROGEN	10 ug/L	Gen. Eng.
0	NITRITE AS NITROGEN	10 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN	560 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN	500 ug/L	Gen. Eng.
0	LEAD	10 ug/L	Gen. Eng.
0	LEAD	9 ug/L	Gen. Eng.
0	PHENOLS	5 ug/L	Gen. Eng.
0	PHENOLS	5 ug/L	Gen. Eng.
0	SELENIUM	2 ug/L	Gen. Eng.
0	SELENIUM	2 ug/L	Gen. Eng.
1	SILICA	9410 ug/L	Gen. Eng.
1	SILICA	8680 ug/L	Gen. Eng.
1	SULFATE	47000 ug/L	Gen. Eng.
1	SULFATE	44000 ug/L	Gen. Eng.
0	TOTAL DISSOLVED SOLIDS	71000 ug/L	Gen. Eng.
0	TOTAL DISSOLVED SOLIDS	71000 ug/L	Gen. Eng.
0	TOTAL ORGANIC CARBON	1000 ug/L	Gen. Eng.
0	TOTAL ORGANIC CARBON	1000 ug/L	Gen. Eng.
2	TOTAL ORGANIC HALOGENS	27 ug/L	Gen. Eng.
2	TOTAL ORGANIC HALOGENS	33 ug/L	Gen. Eng.
0	TOTAL PHOSPHATES	50 ug/L	Gen. Eng.
0	TOTAL PHOSPHATES	50 ug/L	Gen. Eng.
0	GROSS ALPHA	3 pCi/L	Gen. Eng.
0	GROSS ALPHA	3 pCi/L	Gen. Eng.
0	NONVOLATILE BETA	3.80+-1.10 pCi/L	Gen. Eng.
0	NONVOLATILE BETA	4.00+-1.10 pCi/L	Gen. Eng.
1	TOTAL ACTIVITY	368+-5.80 pCi/mL	HP, 735A
1	TOTAL RADIUM	3.20+-1.90 pCi/L	Gen. Eng.
0	TOTAL RADIUM	2.40+-1.80 pCi/L	Gen. Eng.
2	TRITIUM	432+-2.23 pCi/mL	Gen. Eng.
2	TRITIUM	431+-2.22 pCi/mL	Gen. Eng.
2	TRITIUM	358+-4.05 pCi/mL	HP, 735A

WELL FSS 30

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/23/89 Time 1225
 Depth to water = 38.70 ft (11.80 m) below the TOC
 Water elevation = 219.50 ft (66.90 m) msl
 pH = 5.1 Alkalinity = 1 mg/L
 Specific conductance = 57 umhos/cm
 Water temperature = 23.8 degrees Celsius
 Water evacuated from the well prior to sampling = 10 gal
 The well went dry during purging.

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE	60.00 UMH/C	Gen. Eng.
0	PH	5.87 pH	Gen. Eng.
0	SILVER	LT 2 ug/L	Gen. Eng.
0	ARSENIC	LT 2 ug/L	Gen. Eng.
0	BARIUM	18 ug/L	Gen. Eng.
0	CALCIUM	1410 ug/L	Gen. Eng.
0	CADMIUM	LT 2 ug/L	Gen. Eng.
0	CHLORIDE	3500 ug/L	Gen. Eng.
0	CHROMIUM	LT 4 ug/L	Gen. Eng.
0	FLUORIDE	LT 100 ug/L	Gen. Eng.
0	IRON	49 ug/L	Gen. Eng.
0	MERCURY	LT 0.20 ug/L	Gen. Eng.
0	POTASSIUM	LT 500 ug/L	Gen. Eng.
0	MAGNESIUM	901 ug/L	Gen. Eng.
2	MANGANESE	99 ug/L	Gen. Eng.
0	SODIUM	4870 ug/L	Gen. Eng.
0	NITRITE AS NITROGEN	LT 10 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN	830 ug/L	Gen. Eng.
0	LEAD	11 ug/L	Gen. Eng.
0	PHENOLS	LT 5 ug/L	Gen. Eng.
0	SELENIUM	LT 2 ug/L	Gen. Eng.
1	SILICA	6150 ug/L	Gen. Eng.
0	SULFATE	8400 ug/L	Gen. Eng.
0	TOTAL DISSOLVED SOLIDS	35000 ug/L	Gen. Eng.
0	TOTAL ORGANIC CARBON	1000 ug/L	Gen. Eng.
0	TOTAL ORGANIC HALOGENS	LT 5 ug/L	Gen. Eng.
0	TOTAL PHOSPHATES	170 ug/L	Gen. Eng.
0	GROSS ALPHA	LT 3 pCi/L	Gen. Eng.
0	NONVOLATILE BETA	2.90+-2.20 pCi/L	Gen. Eng.
0	TOTAL RADIUM	1.00+-1.70 pCi/L	Gen. Eng.
2	TRITIUM	69.50+-0.90 pCi/mL	Gen. Eng.

WELL FSS 40

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/23/89 Time 1200
 Depth to water = 75.75 ft (23.09 m) below the TOC
 Water elevation = 216.05 ft (65.85 m) msl
 pH = 4.8 Alkalinity = 2 mg/L
 Specific conductance = 49 umhos/cm
 Water temperature = 21.2 degrees Celsius
 Water evacuated from the well prior to sampling = 9 gal
 The well went dry during purging.

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE	52.00 UMH/C	Gen. Eng.
0	PH	5.26 pH	Gen. Eng.
0	SILVER	LT 2 ug/L	Gen. Eng.
0	ARSENIC	LT 2 ug/L	Gen. Eng.
0	BARIUM	10 ug/L	Gen. Eng.
0	CALCIUM	1620 ug/L	Gen. Eng.
0	CADMIUM	LT 2 ug/L	Gen. Eng.
0	CHLORIDE	3700 ug/L	Gen. Eng.
0	CHROMIUM	LT 4 ug/L	Gen. Eng.
0	FLUORIDE	LT 100 ug/L	Gen. Eng.
0	IRON	34 ug/L	Gen. Eng.
0	MERCURY	LT 0.20 ug/L	Gen. Eng.
0	POTASSIUM	500 ug/L	Gen. Eng.
0	MAGNESIUM	973 ug/L	Gen. Eng.
0	MANGANESE	15 ug/L	Gen. Eng.
1	SODIUM	5420 ug/L	Gen. Eng.
0	NITRITE AS NITROGEN	LT 10 ug/L	Gen. Eng.
1	NITRATE AS NITROGEN	3180 ug/L	Gen. Eng.
0	LEAD	7 ug/L	Gen. Eng.
0	PHENOLS	LT 5 ug/L	Gen. Eng.
0	SELENIUM	LT 2 ug/L	Gen. Eng.
1	SILICA	7720 ug/L	Gen. Eng.
0	SULFATE	LT 5000 ug/L	Gen. Eng.
0	TOTAL DISSOLVED SOLIDS	38000 ug/L	Gen. Eng.
0	TOTAL ORGANIC CARBON	1000 ug/L	Gen. Eng.
0	TOTAL ORGANIC HALOGENS	LT 5 ug/L	Gen. Eng.
0	TOTAL PHOSPHATES	200 ug/L	Gen. Eng.
0	GROSS ALPHA	LT 3 pCi/L	Gen. Eng.
0	NONVOLATILE BETA	LT 2 pCi/L	Gen. Eng.
0	TOTAL RADIUM	LT 1 pCi/L	Gen. Eng.
0	TRITIUM	6.64+-0.40 pCi/mL	Gen. Eng.

WELL FTF 1

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/10/89 Time 1020
 The well was dry.

WELL FTF 2

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/10/89 Time 1100
 The well was dry.

WELL FTF 3

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/10/89 Time 1030
 Depth to water = 59.00 ft (17.98 m) below the TOC
 Water elevation = 221.00 ft (67.36 m) msl
 pH = 8.3
 Specific conductance = 120 umhos/cm
 Water temperature = 30.0 degrees Celsius
 No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

0	PH	5.87 pH	metaTRACE
1	SODIUM	5331 ug/L	metaTRACE
0	NITRATE AS NITROGEN	LT 230 ug/L	metaTRACE
2	GROSS ALPHA	260+-30 pCi/L	metaTRACE
1	GROSS ALPHA	5.12+-2.24 pCi/L	HP, 735A
0	NONVOLATILE BETA	6.53+-1.51 pCi/L	HP, 735A
2	TOTAL RADIUM	20.00+-2.00 pCi/L	metaTRACE
0	TRITIUM	4.25+-0.78 pCi/mL	HP, 735A

WELL FTF 4

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/10/89 Time 1100
 Depth to water = 56.50 ft (17.22 m) below the TOC
 Water elevation = 222.00 ft (67.67 m) msl
 pH = 6.8
 Specific conductance = 73 umhos/cm
 Water temperature = 27.3 degrees Celsius
 No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

1	PH	6.93 pH	metaTRACE
0	SODIUM	4596 ug/L	metaTRACE
0	NITRATE AS NITROGEN	1400 ug/L	metaTRACE
2	GROSS ALPHA	290+-30 pCi/L	metaTRACE
0	GROSS ALPHA	2.37+-1.49 pCi/L	HP, 735A
0	NONVOLATILE BETA	6.20+-1.46 pCi/L	HP, 735A
2	TOTAL RADIUM	79.00+-8.00 pCi/L	metaTRACE
0	TRITIUM	6.67+-0.86 pCi/mL	HP, 735A

WELL FTF 5

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/10/89 Time 1115
 pH = 7.3
 Specific conductance = 303 umhos/cm
 Water temperature = 25.9 degrees Celsius
 No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

0	GROSS ALPHA	4.39+-5.79 pCi/L	HP, 735A
2	NONVOLATILE BETA	712+-73.3 pCi/L	HP, 735A
2	TRITIUM	28.10+-1.33 pCi/mL	HP, 735A

WELL FTF 6

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/10/89 Time 1045
The well was dry.

WELL FTF 7

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/10/89 Time 1030
Depth to water = 59.30 ft (18.07 m) below the TOC
Water elevation = 220.70 ft (67.27 m) ms1
pH = 7.1
Specific conductance = 229 umhos/cm
Water temperature = 33.4 degrees Celsius
No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

1	PH	6.89 pH	metaTRACE
0	SODIUM	2838 ug/L	metaTRACE
0	NITRATE AS NITROGEN	290 ug/L	metaTRACE
2	GROSS ALPHA	484+- 123 pCi/L	Gen. Eng.
1	GROSS ALPHA	10.40+-3.20 pCi/L	Gen. Eng.
2	GROSS ALPHA	280+- 30 pCi/L	metaTRACE
0	GROSS ALPHA	LT 75 pCi/L	metaTRACE
0	GROSS ALPHA	2.96+-2.55 pCi/L	HP, 735A
2	NONVOLATILE BETA	3150+- 587 pCi/L	Gen. Eng.
2	NONVOLATILE BETA	301+-7.60 pCi/L	Gen. Eng.
2	NONVOLATILE BETA	30000+-3000 pCi/L	metaTRACE
2	NONVOLATILE BETA	94.24+-11.2 pCi/L	HP, 735A
2	TOTAL RADIUM	13.00+-2.00 pCi/L	metaTRACE
0	TRITIUM	5.62+-0.40 pCi/mL	Gen. Eng.
0	TRITIUM	5.80+-0.60 pCi/mL	metaTRACE
0	TRITIUM	5.80+-0.60 pCi/mL	metaTRACE
0	TRITIUM	6.54+-0.86 pCi/mL	HP, 735A

WELL FTF 8

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/10/89 Time 1025
The well was dry.

WELL FTF 9

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/10/89 Time 915
The well was dry.

WELL FTF 10

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/10/89 Time 1005
The well was dry.

WELL FTF 11

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/10/89 Time 930
The well was dry.

WELL FTF 12

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/10/89 Time 920
Depth to water = 44.50 ft (13.56 m) below the TOC
Water elevation = 227.20 ft (69.25 m) ms1
pH = 11.8
Specific conductance = 1497 umhos/cm
Water temperature = 24.5 degrees Celsius
No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

2	PH	12.3 pH	metaTRACE
1	SODIUM	6073 ug/L	metaTRACE
0	NITRATE AS NITROGEN	2900 ug/L	metaTRACE
2	GROSS ALPHA	46.00+- 13 pCi/L	metaTRACE
0	GROSS ALPHA	-0.07+-5.02 pCi/L	HP, 735A
0	NONVOLATILE BETA	4.41+-10.9 pCi/L	HP, 735A

CONTINUED

WELL FTF 12 COLLECTED ON 08/10/89 LABORATORY ANALYSES CONTINUED

1	TOTAL RADIUM	3.20+-0.30 pCi/L	metaTRACE
1	TRITIUM	17.50+-1.11 pCi/mL	HP, 735A

WELL FTF 13

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/11/89 Time 1100
The well was dry.

WELL FTF 14

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/11/89 Time 1210
The well was dry.

WELL FTF 15

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/10/89 Time 1300
Depth to water = 84.30 ft (19.60 m) below the TOC
Water elevation = 222.20 ft (67.73 m) ms1
pH = 5.0
Specific conductance = 54 umhos/cm
Water temperature = 24.2 degrees Celsius
No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

1	PH	3.15 pH	metaTRACE
0	SODIUM	4735 ug/L	metaTRACE
1	NITRATE AS NITROGEN	4200 ug/L	metaTRACE
2	GROSS ALPHA	72.00+- 13 pCi/L	metaTRACE
0	GROSS ALPHA	2.77+-1.54 pCi/L	HP, 735A
0	NONVOLATILE BETA	2.19+-0.87 pCi/L	HP, 735A
0	TOTAL RADIUM	LT 1 pCi/L	metaTRACE
0	TRITIUM	9.56+-0.93 pCi/mL	HP, 735A

WELL FTF 16

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/10/89 Time 1315
Depth to water = 87.30 ft (20.51 m) below the TOC
Water elevation = 221.30 ft (67.45 m) ms1
pH = 5.5
Specific conductance = 42 umhos/cm
Water temperature = 24.6 degrees Celsius
No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

0	PH	5.23 pH	metaTRACE
0	SODIUM	3227 ug/L	metaTRACE
0	NITRATE AS NITROGEN	2200 ug/L	metaTRACE
2	GROSS ALPHA	130+- 20 pCi/L	metaTRACE
0	GROSS ALPHA	2.58+-1.47 pCi/L	HP, 735A
0	NONVOLATILE BETA	2.23+-0.97 pCi/L	HP, 735A
2	TOTAL RADIUM	6.20+-0.70 pCi/L	metaTRACE
0	TRITIUM	7.73+-0.89 pCi/mL	HP, 735A

WELL FTF 17

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/10/89 Time 1330
Depth to water = 69.00 ft (21.03 m) below the TOC
Water elevation = 220.60 ft (67.24 m) ms1
pH = 4.9
Specific conductance = 42 umhos/cm
Water temperature = 23.1 degrees Celsius
No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

0	PH	5.26 pH	metaTRACE
0	SODIUM	3837 ug/L	metaTRACE
0	NITRATE AS NITROGEN	2400 ug/L	metaTRACE
2	GROSS ALPHA	120+- 20 pCi/L	metaTRACE
0	GROSS ALPHA	3.42+-1.72 pCi/L	HP, 735A
0	NONVOLATILE BETA	3.08+-1.08 pCi/L	HP, 735A
2	TOTAL RADIUM	13.00+-2.00 pCi/L	metaTRACE
0	TRITIUM	8.70+-0.92 pCi/mL	HP, 735A

WELL FTF 18

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/10/89 Time 1350
 Depth to water = 68.70 ft (20.94 m) below the TOC
 Water elevation = 219.30 ft (66.84 m) msl
 pH = 5.1
 Specific conductance = 38 umhos/cm
 Water temperature = 23.8 degrees Celsius
 No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

0 PH	5.09 pH	metaTRACE
1 SODIUM	1928 ug/L	metaTRACE
0 NITRATE AS NITROGEN	1600 ug/L	metaTRACE
2 GROSS ALPHA	140+- 30 pCi/L	metaTRACE
0 GROSS ALPHA	2.87+-1.56 pCi/L	HP, 735A
0 NONVOLATILE BETA	1.95+-0.93 pCi/L	HP, 735A
2 TOTAL RADIUM	8.10+-0.90 pCi/L	metaTRACE
0 TRITIUM	7.15+-0.87 pCi/mL	HP, 735A

WELL FTF 19

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/11/89 Time 1115
 Depth to water = 66.40 ft (20.24 m) below the TOC
 Water elevation = 220.80 ft (67.30 m) msl
 pH = 5.8
 Specific conductance = 54 umhos/cm
 Water temperature = 27.5 degrees Celsius
 No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

0 PH	5.20 pH	metaTRACE
1 SODIUM	7169 ug/L	metaTRACE
0 NITRATE AS NITROGEN	2900 ug/L	metaTRACE
2 GROSS ALPHA	72.00+- 13 pCi/L	metaTRACE
0 GROSS ALPHA	2.40+-1.47 pCi/L	HP, 735A
0 NONVOLATILE BETA	8.73+-1.73 pCi/L	HP, 735A
0 TOTAL RADIUM	LT	metaTRACE
0 TRITIUM	5.44+-0.82 pCi/mL	HP, 735A

WELL FTF 20

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/11/89 Time 1000
 Depth to water = 68.00 ft (20.73 m) below the TOC
 Water elevation = 219.10 ft (66.78 m) msl
 pH = 5.6
 Specific conductance = 76 umhos/cm
 Water temperature = 25.4 degrees Celsius
 No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

0 PH	5.57 pH	metaTRACE
1 SODIUM	8276 ug/L	metaTRACE
0 NITRATE AS NITROGEN	1300 ug/L	metaTRACE
2 GROSS ALPHA	120+- 20 pCi/L	metaTRACE
0 GROSS ALPHA	0.97+-0.97 pCi/L	HP, 735A
0 NONVOLATILE BETA	2.74+-1.05 pCi/L	HP, 735A
2 TOTAL RADIUM	7.70+-0.80 pCi/L	metaTRACE
0 TRITIUM	6.98+-0.87 pCi/mL	HP, 735A

WELL FTF 21

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/11/89 Time 1010
 Depth to water = 65.50 ft (19.96 m) below the TOC
 Water elevation = 222.00 ft (67.67 m) msl
 pH = 12.0
 Specific conductance = 1604 umhos/cm
 Water temperature = 26.6 degrees Celsius
 No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

2 PH	12.8 pH	metaTRACE
1 SODIUM	34560 ug/L	metaTRACE
0 NITRATE AS NITROGEN	380 ug/L	metaTRACE
0 GROSS ALPHA	LT	metaTRACE
0 GROSS ALPHA	1.85+-7.52 pCi/L	HP, 735A
1 NONVOLATILE BETA	42.55+-16.5 pCi/L	HP, 735A
1 TOTAL RADIUM	4.20+-0.50 pCi/L	metaTRACE
0 TRITIUM	7.16+-0.86 pCi/mL	HP, 735A

WELL FTF 22

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/11/89 Time 1030
 Depth to water = 66.50 ft (20.27 m) below the TOC
 Water elevation = 220.30 ft (67.15 m) msl
 pH = 5.6
 Specific conductance = 57 umhos/cm
 Water temperature = 27.0 degrees Celsius
 No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

0 PH	5.52 pH	metaTRACE
1 SODIUM	5565 ug/L	metaTRACE
0 NITRATE AS NITROGEN	1800 ug/L	metaTRACE
2 GROSS ALPHA	160+- 30 pCi/L	metaTRACE
0 GROSS ALPHA	2.27+-1.40 pCi/L	HP, 735A
0 NONVOLATILE BETA	2.44+-1.00 pCi/L	HP, 735A
2 TOTAL RADIUM	10.00+-1.00 pCi/L	metaTRACE
0 TRITIUM	9.65+-0.93 pCi/mL	HP, 735A

WELL FTF 23

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/11/89 Time 1045
 Depth to water = 65.80 ft (20.06 m) below the TOC
 Water elevation = 220.20 ft (67.12 m) msl
 pH = 5.2
 Specific conductance = 50 umhos/cm
 Water temperature = 27.0 degrees Celsius
 No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

0 PH	4.96 pH	metaTRACE
0 SODIUM	4661 ug/L	metaTRACE
1 NITRATE AS NITROGEN	3000 ug/L	metaTRACE
2 GROSS ALPHA	36.00+-8.00 pCi/L	metaTRACE
0 GROSS ALPHA	3.82+-1.82 pCi/L	HP, 735A
0 NONVOLATILE BETA	3.15+-1.09 pCi/L	HP, 735A
2 TOTAL RADIUM	5.20+-0.60 pCi/L	metaTRACE
0 TRITIUM	9.00+-0.91 pCi/mL	HP, 735A

WELL FTF 24A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/11/89 Time 1130
 Depth to water = 49.80 ft (15.18 m) below the TOC
 Water elevation = 220.50 ft (67.21 m) msl
 pH = 6.4
 Specific conductance = 100 umhos/cm
 Water temperature = 27.0 degrees Celsius
 No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

0 PH	6.48 pH	metaTRACE
1 SODIUM	11190 ug/L	metaTRACE
1 NITRATE AS NITROGEN	3300 ug/L	metaTRACE
2 GROSS ALPHA	150+- 20 pCi/L	metaTRACE
0 GROSS ALPHA	0.71+-0.88 pCi/L	HP, 735A
0 NONVOLATILE BETA	3.65+-1.17 pCi/L	HP, 735A
0 CERIUM-144	LT	0.60 pCi/mL
0 CERIUM-144	LT	0.60 pCi/mL
0 COBALT-60	LT	0.07 pCi/mL
0 COBALT-60	LT	0.07 pCi/mL
0 CHROMIUM-51	LT	0.97 pCi/mL
0 CHROMIUM-51	LT	0.97 pCi/mL
0 CESIUM-134	LT	0.08 pCi/mL
0 CESIUM-134	LT	0.08 pCi/mL
0 CESIUM-137	LT	0.08 pCi/mL
0 CESIUM-137	LT	0.08 pCi/mL
0 IODINE-131	LT	0.36 pCi/mL
0 IODINE-131	LT	0.36 pCi/mL
0 NIOBIUM-95	LT	0.10 pCi/mL
0 NIOBIUM-95	LT	0.10 pCi/mL
0 RUTHENIUM-103	LT	0.09 pCi/mL
0 RUTHENIUM-103	LT	0.09 pCi/mL
0 RUTHENIUM-106	LT	0.74 pCi/mL
0 RUTHENIUM-106	LT	0.74 pCi/mL
0 ANTIMONY-123	LT	0.24 pCi/mL
0 ANTIMONY-123	LT	0.24 pCi/mL
2 TOTAL RADIUM	62.00+-7.00 pCi/L	metaTRACE
1 TRITIUM	14.60+-1.08 pCi/mL	HP, 735A
0 ZIRCONIUM-95	LT	0.15 pCi/mL
0 ZIRCONIUM-95	LT	0.15 pCi/mL

WELL FTF 25A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/10/89 Time 1000
 Depth to water = 49.00 ft (14.94 m) below the TOC
 Water elevation = 222.20 ft (67.73 m) msl
 pH = 6.7
 Specific conductance = 135 umhos/cm
 Water temperature = 29.2 degrees Celsius
 No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

1	PH	6.54	pH	metaTRACE
1	SODIUM	10370	ug/L	metaTRACE
1	NITRATE AS NITROGEN	3300	ug/L	metaTRACE
2	GROSS ALPHA	1100+-	200 pCi/L	metaTRACE
0	GROSS ALPHA	1.04+-	1.00 pCi/L	HP, 735A
0	NONVOLATILE BETA	8.77+-	1.77 pCi/L	HP, 735A
0	CERIUM-144	LT	0.49 pCi/mL	HP, 735A
0	CERIUM-144	LT	0.49 pCi/mL	HP, 735A
0	COBALT-60	LT	0.08 pCi/mL	HP, 735A
0	COBALT-60	LT	0.08 pCi/mL	HP, 735A
0	CHROMIUM-51	LT	1 pCi/mL	HP, 735A
0	CHROMIUM-51	LT	1 pCi/mL	HP, 735A
0	CESIUM-134	LT	0.07 pCi/mL	HP, 735A
0	CESIUM-134	LT	0.07 pCi/mL	HP, 735A
0	CESIUM-137	LT	0.08 pCi/mL	HP, 735A
0	CESIUM-137	LT	0.08 pCi/mL	HP, 735A
0	IODINE-131	LT	0.36 pCi/mL	HP, 735A
0	IODINE-131	LT	0.36 pCi/mL	HP, 735A
0	NIOBIUM-95	LT	0.11 pCi/mL	HP, 735A
0	NIOBIUM-95	LT	0.11 pCi/mL	HP, 735A
0	RUTHENIUM-103	LT	0.10 pCi/mL	HP, 735A
0	RUTHENIUM-103	LT	0.10 pCi/mL	HP, 735A
0	RUTHENIUM-106	LT	0.72 pCi/mL	HP, 735A
0	RUTHENIUM-106	LT	0.72 pCi/mL	HP, 735A
0	ANTIMONY-125	LT	0.22 pCi/mL	HP, 735A
0	ANTIMONY-125	LT	0.22 pCi/mL	HP, 735A
2	TOTAL RADIUM	50.00+-	5.00 pCi/L	metaTRACE
0	TRITIUM	9.85+-	0.95 pCi/mL	HP, 735A
0	ZIRCONIUM-95	LT	0.15 pCi/mL	HP, 735A
0	ZIRCONIUM-95	LT	0.15 pCi/mL	HP, 735A

WELL FTF 26

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/10/89 Time 1015
 Depth to water = 50.30 ft (15.33 m) below the TOC
 Water elevation = 220.60 ft (67.24 m) msl
 pH = 5.3
 Specific conductance = 103 umhos/cm
 Water temperature = 30.2 degrees Celsius
 No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

0	PH	5.22	pH	metaTRACE
1	SODIUM	9417	ug/L	metaTRACE
0	NITRATE AS NITROGEN	2600	ug/L	metaTRACE
2	GROSS ALPHA	490+-	50 pCi/L	metaTRACE
0	GROSS ALPHA	4.69+-	2.16 pCi/L	HP, 735A
1	NONVOLATILE BETA	11.99+-	2.11 pCi/L	HP, 735A
0	CERIUM-144	LT	0.57 pCi/mL	HP, 735A
0	CERIUM-144	LT	0.57 pCi/mL	HP, 735A
0	COBALT-60	LT	0.94 pCi/mL	HP, 735A
0	COBALT-60	LT	0.94 pCi/mL	HP, 735A
0	CHROMIUM-51	LT	0.97 pCi/mL	HP, 735A
0	CHROMIUM-51	LT	0.97 pCi/mL	HP, 735A
0	CESIUM-134	LT	0.07 pCi/mL	HP, 735A
0	CESIUM-134	LT	0.07 pCi/mL	HP, 735A
0	CESIUM-137	LT	0.08 pCi/mL	HP, 735A
0	CESIUM-137	LT	0.08 pCi/mL	HP, 735A
0	IODINE-131	LT	0.34 pCi/mL	HP, 735A
0	IODINE-131	LT	0.34 pCi/mL	HP, 735A
0	NIOBIUM-95	LT	0.09 pCi/mL	HP, 735A
0	NIOBIUM-95	LT	0.09 pCi/mL	HP, 735A
0	RUTHENIUM-103	LT	0.10 pCi/mL	HP, 735A
0	RUTHENIUM-103	LT	0.10 pCi/mL	HP, 735A
0	RUTHENIUM-106	LT	0.69 pCi/mL	HP, 735A
0	RUTHENIUM-106	LT	0.69 pCi/mL	HP, 735A
0	ANTIMONY-125	LT	0.22 pCi/mL	HP, 735A
0	ANTIMONY-125	LT	0.22 pCi/mL	HP, 735A
2	TOTAL RADIUM	38.00+-	4.00 pCi/L	metaTRACE
0	TRITIUM	6.12+-	0.84 pCi/mL	HP, 735A
0	ZIRCONIUM-95	LT	0.16 pCi/mL	HP, 735A
0	ZIRCONIUM-95	LT	0.16 pCi/mL	HP, 735A

WELL FTF 27

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/10/89 Time 1020
 Depth to water = 50.20 ft (15.30 m) below the TOC
 Water elevation = 220.30 ft (67.15 m) msl
 pH = 7.2
 Specific conductance = 139 umhos/cm
 Water temperature = 28.0 degrees Celsius
 No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

0	PH	4.98	pH	metaTRACE
0	PH	4.98	pH	metaTRACE
1	SODIUM	9091	ug/L	metaTRACE
1	NITRATE AS NITROGEN	4800	ug/L	metaTRACE
1	NITRATE AS NITROGEN	4200	ug/L	metaTRACE
2	GROSS ALPHA	190+-	20 pCi/L	metaTRACE
0	GROSS ALPHA	0.28+-	0.68 pCi/L	HP, 735A
0	NONVOLATILE BETA	4.58+-	1.30 pCi/L	HP, 735A
0	CERIUM-144	LT	0.42 pCi/mL	HP, 735A
0	CERIUM-144	LT	0.42 pCi/mL	HP, 735A
0	COBALT-60	LT	0.12 pCi/mL	HP, 735A
0	COBALT-60	LT	0.12 pCi/mL	HP, 735A
0	CHROMIUM-51	LT	1 pCi/mL	HP, 735A
0	CHROMIUM-51	LT	1 pCi/mL	HP, 735A
0	CESIUM-134	LT	0.10 pCi/mL	HP, 735A
0	CESIUM-134	LT	0.10 pCi/mL	HP, 735A
0	CESIUM-137	LT	0.11 pCi/mL	HP, 735A
0	CESIUM-137	LT	0.11 pCi/mL	HP, 735A
0	IODINE-131	LT	0.35 pCi/mL	HP, 735A
0	IODINE-131	LT	0.35 pCi/mL	HP, 735A
0	NIOBIUM-95	LT	0.15 pCi/mL	HP, 735A
0	NIOBIUM-95	LT	0.15 pCi/mL	HP, 735A
0	RUTHENIUM-103	LT	0.13 pCi/mL	HP, 735A
0	RUTHENIUM-103	LT	0.13 pCi/mL	HP, 735A
0	RUTHENIUM-106	LT	0.92 pCi/mL	HP, 735A
0	RUTHENIUM-106	LT	0.92 pCi/mL	HP, 735A
0	ANTIMONY-125	LT	0.32 pCi/mL	HP, 735A
0	ANTIMONY-125	LT	0.32 pCi/mL	HP, 735A
2	TOTAL RADIUM	91.00+-	10 pCi/L	metaTRACE
2	TRITIUM	24.70+-	1.26 pCi/mL	HP, 735A
0	ZIRCONIUM-95	LT	0.22 pCi/mL	HP, 735A
0	ZIRCONIUM-95	LT	0.22 pCi/mL	HP, 735A

WELL GBW 1

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/07/89 Time 810
 The well was dry.

WELL H 8

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/24/89 Time 1015
 Depth to water = 31.20 ft (9.51 m) below the TOC
 Water elevation = 228.00 ft (69.89 m) msl
 pH = 7.3
 Specific conductance = 419 umhos/cm
 Water temperature = 22.0 degrees Celsius
 No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

0	GROSS ALPHA	1.04+-	3.45 pCi/L	HP, 735A
2	NONVOLATILE BETA	568+-	73.8 pCi/L	HP, 735A
2	TRITIUM	5368+-	49.4 pCi/mL	HP, 735A

WELL H 10

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/24/89 Time 1115
 Depth to water = 31.00 ft (9.45 m) below the TOC
 Water elevation = 228.30 ft (69.98 m) msl
 pH = 8.8
 Specific conductance = 385 umhos/cm
 Water temperature = 22.2 degrees Celsius
 No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

0	GROSS ALPHA	1.99+-	2.13 pCi/L	HP, 735A
1	NONVOLATILE BETA	44.81+-	9.37 pCi/L	HP, 735A
2	TRITIUM	1133+-	23.5 pCi/mL	HP, 735A

WELL H 12

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/24/89 Time 1300
The well was dry.

WELL H 13

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/24/89 Time 1315
Depth to water = 20.20 ft (6.16 m) below the TOC
Water elevation = 224.20 ft (68.34 m) msl
pH = 7.2
Specific conductance = 204 umhos/cm
Water temperature = 21.3 degrees Celsius
No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

0 GROSS ALPHA	-0.55+-0.41 pCi/L	HP, 735A
0 NONVOLATILE BETA	74.45+-11.1 pCi/L	HP, 735A
2 TRITIUM	2680+-35.4 pCi/mL	HP, 735A

WELL H 14

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/24/89 Time 1430
Depth to water = 19.60 ft (5.97 m) below the TOC
Water elevation = 222.70 ft (67.88 m) msl
pH = 5.1
Specific conductance = 554 umhos/cm
Water temperature = 20.5 degrees Celsius
No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

1 GROSS ALPHA	6.84+-4.59 pCi/L	HP, 735A
1 NONVOLATILE BETA	22.60+-9.07 pCi/L	HP, 735A
2 TRITIUM	5910+- 52 pCi/mL	HP, 735A

WELL H 15

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/24/89 Time 1025
The well was dry.

WELL H 16

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/24/89 Time 1030
Depth to water = 16.10 ft (4.91 m) below the TOC
Water elevation = 225.40 ft (68.70 m) msl
pH = 6.9
Specific conductance = 25 umhos/cm
Water temperature = 22.0 degrees Celsius
No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

0 GROSS ALPHA	0.40+-0.44 pCi/L	HP, 735A
0 NONVOLATILE BETA	3.93+-1.32 pCi/L	HP, 735A
2 TRITIUM	48.90+-1.60 pCi/mL	HP, 735A

WELL H 17

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/24/89 Time 1105
Depth to water = 18.70 ft (5.70 m) below the TOC
Water elevation = 224.60 ft (68.46 m) msl
pH = 5.6
Specific conductance = 27 umhos/cm
Water temperature = 22.3 degrees Celsius
No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

0 GROSS ALPHA	1.88+-0.80 pCi/L	HP, 735A
0 NONVOLATILE BETA	3.76+-1.29 pCi/L	HP, 735A
2 TRITIUM	40.20+-1.48 pCi/mL	HP, 735A

WELL H 18A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/24/89 Time 1045
Depth to water = 16.10 ft (4.91 m) below the TOC
Water elevation = 223.40 ft (68.09 m) msl
pH = 5.7
Specific conductance = 28 umhos/cm
Water temperature = 21.3 degrees Celsius
No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

0 GROSS ALPHA	2.48+-1.42 pCi/L	HP, 735A
0 NONVOLATILE BETA	5.86+-2.31 pCi/L	HP, 735A
2 TRITIUM	22.00+-1.20 pCi/mL	HP, 735A

WELL H 19

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/24/89 Time 1055
The well was dry.

WELL HAC 1

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/08/89 Time 940
Depth to water = 29.80 ft (9.08 m) below the TOC
Water elevation = 268.60 ft (81.87 m) msl
pH = 5.0 Alkalinity = 3 mg/L
Specific conductance = 200 umhos/cm
Water temperature = 22.5 degrees Celsius
Water evacuated from the well prior to sampling = 36 gal

LABORATORY ANALYSES

1 SPECIFIC CONDUCTANCE	130.0 UMH/C	Gen. Eng.
1 SPECIFIC CONDUCTANCE	130.0 UMH/C	Gen. Eng.
0 PH	5.30 pH	Gen. Eng.
0 PH	5.40 pH	Gen. Eng.
0 TURBIDITY	LT 0.20 NTU	Gen. Eng.
0 TURBIDITY	LT 0.20 NTU	Gen. Eng.
0 SILVER	LT 2 ug/L	Gen. Eng.
0 SILVER	LT 2 ug/L	Gen. Eng.
0 ARSENIC	LT 2 ug/L	Gen. Eng.
0 ARSENIC	LT 2 ug/L	Gen. Eng.
0 BARIUM	6 ug/L	Gen. Eng.
0 BARIUM	6 ug/L	Gen. Eng.
0 CALCIUM	300 ug/L	Gen. Eng.
0 CALCIUM	292 ug/L	Gen. Eng.
0 CADMIUM	LT 2 ug/L	Gen. Eng.
0 CADMIUM	LT 2 ug/L	Gen. Eng.
0 CHLORIDE	4500 ug/L	Gen. Eng.
0 CHLORIDE	4500 ug/L	Gen. Eng.
0 CHROMIUM	LT 4 ug/L	Gen. Eng.
0 CHROMIUM	LT 4 ug/L	Gen. Eng.
0 ENDRIIN	LT 0.10 ug/L	Gen. Eng.
0 ENDRIIN	LT 0.10 ug/L	Gen. Eng.
0 FLUORIDE	LT 100 ug/L	Gen. Eng.
0 FLUORIDE	LT 100 ug/L	Gen. Eng.
0 IRON	21 ug/L	Gen. Eng.
0 IRON	22 ug/L	Gen. Eng.
0 MERCURY	LT 0.20 ug/L	Gen. Eng.
0 MERCURY	LT 0.20 ug/L	Gen. Eng.
0 POTASSIUM	LT 500 ug/L	Gen. Eng.
0 POTASSIUM	LT 500 ug/L	Gen. Eng.
0 LINDANE	LT 0.05 ug/L	Gen. Eng.
0 LINDANE	LT 0.05 ug/L	Gen. Eng.
0 METHOXYCHLOR	LT 0.50 ug/L	Gen. Eng.
0 METHOXYCHLOR	LT 0.50 ug/L	Gen. Eng.
0 MAGNESIUM	98 ug/L	Gen. Eng.
0 MAGNESIUM	95 ug/L	Gen. Eng.
0 MANGANESE	9 ug/L	Gen. Eng.
0 MANGANESE	9 ug/L	Gen. Eng.
1 SODIUM	32100 ug/L	Gen. Eng.
1 SODIUM	31800 ug/L	Gen. Eng.
0 NITRATE AS NITROGEN	2000 ug/L	Gen. Eng.
0 NITRATE AS NITROGEN	2200 ug/L	Gen. Eng.
0 LEAD	12 ug/L	Gen. Eng.
0 LEAD	12 ug/L	Gen. Eng.
0 PHENOLS	LT 5 ug/L	Gen. Eng.
0 PHENOLS	LT 5 ug/L	Gen. Eng.
0 SELENIUM	LT 2 ug/L	Gen. Eng.
0 SELENIUM	LT 2 ug/L	Gen. Eng.
1 SILICA	6510 ug/L	Gen. Eng.
1 SILICA	6460 ug/L	Gen. Eng.
1 SULFATE	38000 ug/L	Gen. Eng.
1 SULFATE	37000 ug/L	Gen. Eng.
0 TOTAL DISSOLVED SOLIDS	94000 ug/L	Gen. Eng.
0 TOTAL DISSOLVED SOLIDS	96000 ug/L	Gen. Eng.
0 TOTAL ORGANIC CARBON	2000 ug/L	Gen. Eng.
0 TOTAL ORGANIC CARBON	2000 ug/L	Gen. Eng.
0 TOTAL ORGANIC HALOGENS	LT 3 ug/L	Gen. Eng.
0 TOTAL ORGANIC HALOGENS	LT 7 ug/L	Gen. Eng.
0 TOTAL PHOSPHORUS	LT 50 ug/L	Gen. Eng.
0 TOTAL PHOSPHORUS	LT 50 ug/L	Gen. Eng.
0 TOXAPHENE	LT 1 ug/L	Gen. Eng.
0 TOXAPHENE	LT 1 ug/L	Gen. Eng.
0 2,4-DICHLOROPHENOXYACETIC ACID	LT 0.30 ug/L	Gen. Eng.
0 2,4-DICHLOROPHENOXYACETIC ACID	LT 0.30 ug/L	Gen. Eng.

CONTINUED

WELL HAC 1 COLLECTED ON 08/08/89 LABORATORY ANALYSES CONTINUED

0	2,4,5-TRICHLOROPHENOXYACETIC ACID	LT	0.09 ug/L	Gen. Eng.
0	2,4,5-TRICHLOROPHENOXYACETIC ACID	LT	0.09 ug/L	Gen. Eng.
0	GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
0	GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
0	NONVOLATILE BETA	LT	2 pCi/L	Gen. Eng.
0	NONVOLATILE BETA	LT	2 pCi/L	Gen. Eng.
0	TOTAL RADIUM	LT	1 pCi/L	Gen. Eng.
0	TOTAL RADIUM	LT	1 pCi/L	Gen. Eng.
2	TRITIUM		63.00+-0.88 pCi/mL	Gen. Eng.
2	TRITIUM		62.20+-0.88 pCi/mL	Gen. Eng.

WELL HAC 2

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/08/89 Time 1325
 Depth to water = 30.16 ft (9.19 m) below the TOC
 Water elevation = 267.94 ft (81.67 m) msl
 pH = 6.0 Alkalinity = 10 mg/L
 Specific conductance = 288 umhos/cm
 Water temperature = 21.9 degrees Celsius
 Water evacuated from the well prior to sampling = 4 gal
 The well went dry during purging.

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE		490.0 UMHK	Gen. Eng.
0	PH		5.66 pH	Gen. Eng.
0	TURBIDITY		13 NTU	Gen. Eng.
0	SILVER	LT	2 ug/L	Gen. Eng.
0	ARSENIC	LT	2 ug/L	Gen. Eng.
0	BARIUM		11 ug/L	Gen. Eng.
0	CALCIUM		791 ug/L	Gen. Eng.
0	CADMIUM	LT	2 ug/L	Gen. Eng.
0	CHLORIDE		3400 ug/L	Gen. Eng.
0	CHROMIUM	LT	4 ug/L	Gen. Eng.
0	ENDRIUM	LT	0.10 ug/L	Gen. Eng.
0	FLUORIDE	LT	100 ug/L	Gen. Eng.
2	IRON		376 ug/L	Gen. Eng.
1	MERCURY		0.50 ug/L	Gen. Eng.
0	POTASSIUM	LT	500 ug/L	Gen. Eng.
0	LINDANE	LT	0.05 ug/L	Gen. Eng.
0	METHOXYCHLOR	LT	0.50 ug/L	Gen. Eng.
0	MAGNESIUM		572 ug/L	Gen. Eng.
1	MANGANESE		42 ug/L	Gen. Eng.
1	SODIUM		119000 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN		850 ug/L	Gen. Eng.
0	LEAD		15 ug/L	Gen. Eng.
0	PHENOLS	LT	5 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	Gen. Eng.
1	SILICA		7770 ug/L	Gen. Eng.
2	SULFATE		185000 ug/L	Gen. Eng.
0	TOTAL DISSOLVED SOLIDS		306000 ug/L	Gen. Eng.
0	TOTAL ORGANIC CARBON		2000 ug/L	Gen. Eng.
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	Gen. Eng.
1	TOTAL PHOSPHORUS		110 ug/L	Gen. Eng.
0	TOXAPHENE	LT	4 ug/L	Gen. Eng.
0	2,4-DICHLOROPHENOXYACETIC ACID	LT	0.30 ug/L	Gen. Eng.
0	2,4,5-TRICHLOROPHENOXYACETIC ACID	LT	0.09 ug/L	Gen. Eng.
0	GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
0	NONVOLATILE BETA	LT	2 pCi/L	Gen. Eng.
0	TOTAL RADIUM		1.80+-0.80 pCi/L	Gen. Eng.
2	TRITIUM		60.80+-0.87 pCi/mL	Gen. Eng.

WELL HAC 3

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/08/89 Time 1340
 Depth to water = 29.66 ft (9.04 m) below the TOC
 Water elevation = 268.34 ft (81.79 m) msl
 pH = 6.2 Alkalinity = 27 mg/L
 Specific conductance = 424 umhos/cm
 Water temperature = 21.3 degrees Celsius
 Water evacuated from the well prior to sampling = 7 gal
 The well went dry during purging.

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE		390.0 UMHK	Gen. Eng.
0	PH		6.27 pH	Gen. Eng.
0	TURBIDITY		7 NTU	Gen. Eng.
0	SILVER	LT	2 ug/L	Gen. Eng.
0	ARSENIC	LT	2 ug/L	Gen. Eng.
0	BARIUM		7 ug/L	Gen. Eng.
0	CALCIUM		2210 ug/L	Gen. Eng.
0	CADMIUM	LT	2 ug/L	Gen. Eng.
0	CHLORIDE		8700 ug/L	Gen. Eng.
0	CHROMIUM	LT	4 ug/L	Gen. Eng.
0	ENDRIUM	LT	0.10 ug/L	Gen. Eng.
0	FLUORIDE	LT	100 ug/L	Gen. Eng.
0	IRON		61 ug/L	Gen. Eng.
0	MERCURY	LT	0.20 ug/L	Gen. Eng.
0	POTASSIUM		931 ug/L	Gen. Eng.
0	LINDANE	LT	0.05 ug/L	Gen. Eng.
0	METHOXYCHLOR	LT	0.50 ug/L	Gen. Eng.
0	MAGNESIUM		368 ug/L	Gen. Eng.
1	MANGANESE		25 ug/L	Gen. Eng.
1	SODIUM		64800 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN		1300 ug/L	Gen. Eng.
0	LEAD	LT	6 ug/L	Gen. Eng.
0	PHENOLS	LT	5 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	Gen. Eng.
1	SILICA		6620 ug/L	Gen. Eng.
1	SULFATE		99000 ug/L	Gen. Eng.

CONTINUED

WELL HAC 3 COLLECTED ON 08/08/89 LABORATORY ANALYSES CONTINUED

0	TOTAL DISSOLVED SOLIDS		228000 ug/L	Gen. Eng.
1	TOTAL ORGANIC CARBON		9000 ug/L	Gen. Eng.
1	TOTAL ORGANIC HALOGENS		10 ug/L	Gen. Eng.
1	TOTAL PHOSPHORUS		480 ug/L	Gen. Eng.
0	TOXAPHENE	LT	4 ug/L	Gen. Eng.
0	2,4-DICHLOROPHENOXYACETIC ACID	LT	0.30 ug/L	Gen. Eng.
0	2,4,5-TRICHLOROPHENOXYACETIC ACID	LT	0.09 ug/L	Gen. Eng.
0	GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
0	NONVOLATILE BETA	LT	2 pCi/L	Gen. Eng.
0	TOTAL RADIUM		1.30+-1.20 pCi/L	Gen. Eng.
2	TRITIUM		49.30+-0.80 pCi/mL	Gen. Eng.

WELL HAC 4

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/08/89 Time 1210
 Depth to water = 28.09 ft (8.56 m) below the TOC
 Water elevation = 268.81 ft (81.93 m) msl
 pH = 4.7 Alkalinity = 1 mg/L
 Specific conductance = 44 umhos/cm
 Water temperature = 22.3 degrees Celsius
 Water evacuated from the well prior to sampling = 53 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE		35.00 UMHK	Gen. Eng.
0	PH		4.99 pH	Gen. Eng.
0	TURBIDITY		0.30 NTU	Gen. Eng.
0	SILVER	LT	2 ug/L	Gen. Eng.
0	ARSENIC	LT	2 ug/L	Gen. Eng.
0	BARIUM		14 ug/L	Gen. Eng.
0	CALCIUM		425 ug/L	Gen. Eng.
0	CADMIUM	LT	2 ug/L	Gen. Eng.
0	CHLORIDE		3100 ug/L	Gen. Eng.
0	CHROMIUM	LT	4 ug/L	Gen. Eng.
0	ENDRIUM	LT	0.10 ug/L	Gen. Eng.
0	FLUORIDE	LT	100 ug/L	Gen. Eng.
0	IRON		36 ug/L	Gen. Eng.
1	MERCURY		0.90 ug/L	Gen. Eng.
0	POTASSIUM	LT	500 ug/L	Gen. Eng.
0	LINDANE	LT	0.05 ug/L	Gen. Eng.
0	METHOXYCHLOR	LT	0.50 ug/L	Gen. Eng.
0	MAGNESIUM		334 ug/L	Gen. Eng.
1	MANGANESE		49 ug/L	Gen. Eng.
0	SODIUM		4680 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN		1700 ug/L	Gen. Eng.
0	LEAD		9 ug/L	Gen. Eng.
1	PHENOLS		18 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	Gen. Eng.
1	SILICA		5970 ug/L	Gen. Eng.
0	SULFATE	LT	5000 ug/L	Gen. Eng.
0	TOTAL DISSOLVED SOLIDS		32000 ug/L	Gen. Eng.
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	Gen. Eng.
0	TOTAL ORGANIC HALOGENS		8 ug/L	Gen. Eng.
0	TOTAL PHOSPHORUS	LT	50 ug/L	Gen. Eng.
0	TOXAPHENE	LT	4 ug/L	Gen. Eng.
0	2,4-DICHLOROPHENOXYACETIC ACID	LT	0.30 ug/L	Gen. Eng.
0	2,4,5-TRICHLOROPHENOXYACETIC ACID	LT	0.09 ug/L	Gen. Eng.
0	GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
0	NONVOLATILE BETA	LT	2 pCi/L	Gen. Eng.
0	TOTAL RADIUM	LT	1 pCi/L	Gen. Eng.
2	TRITIUM		34.20+-0.69 pCi/mL	Gen. Eng.

WELL HAC 1

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/09/89 Time 1300
 Depth to water = 18.36 ft (5.60 m) below the TOC
 Water elevation = 270.74 ft (82.32 m) msl
 pH = 6.6 Alkalinity = 125 mg/L
 Specific conductance = 319 umhos/cm
 Water temperature = 20.8 degrees Celsius
 Water evacuated from the well prior to sampling = 53 gal

LABORATORY ANALYSES

1	MANGANESE		40 ug/L	Gen. Eng.
1	TOTAL ORGANIC HALOGENS		23 ug/L	Gen. Eng.
2	TRITIUM		24.20+-0.60 pCi/mL	Gen. Eng.

WELL HAC 2

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/09/89 Time 1245
 Depth to water = 19.82 ft (6.04 m) below the TOC
 Water elevation = 270.08 ft (82.32 m) msl
 pH = 5.1 Alkalinity = 1 mg/L
 Specific conductance = 59 umhos/cm
 Water temperature = 19.7 degrees Celsius
 Water evacuated from the well prior to sampling = 84 gal

LABORATORY ANALYSES

1	MANGANESE		25 ug/L	Gen. Eng.
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	Gen. Eng.
1	TRITIUM		14.90+-0.91 pCi/mL	Gen. Eng.

WELL HCA 1

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/08/89 Time 1245
 Depth to water = 41.70 ft (12.71 m) below the TOC
 Water elevation = 288.30 ft (81.78 m) msl
 pH = 5.8 Alkalinity = 8 mg/L
 Specific conductance = 50 umhos/cm
 Water temperature = 24.2 degrees Celsius
 Water evacuated from the well prior to sampling = 17 gal
 The well went dry during purging.

LABORATORY ANALYSES

0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
1	TRICHLOROFLUOROMETHANE	LT	8 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	TOLUENE	LT	1 ug/L	Gen. Eng.
0	MANGANESE	LT	17 ug/L	Gen. Eng.
1	LEAD	LT	21 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
1	TOTAL ACTIVITY		82.90+-3.30 pCi/mL	HP, 735A
2	TRITIUM		97.60+-1.05 pCi/mL	Gen. Eng.
2	TRITIUM		84.20+-2.08 pCi/mL	HP, 735A

WELL HCA 2

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/08/89 Time 1105
 Depth to water = 41.09 ft (12.52 m) below the TOC
 Water elevation = 289.71 ft (82.21 m) msl
 pH = 6.2 Alkalinity = 33 mg/L
 Specific conductance = 209 umhos/cm
 Water temperature = 26.5 degrees Celsius
 Water evacuated from the well prior to sampling = 72 gal

LABORATORY ANALYSES

0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	TOLUENE	LT	1 ug/L	Gen. Eng.
0	MANGANESE	LT	14 ug/L	Gen. Eng.
0	LEAD	LT	10 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
2	TRITIUM		54.30+-0.83 pCi/mL	Gen. Eng.

WELL HCA 3

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/08/89 Time 1300
 Depth to water = 42.24 ft (12.87 m) below the TOC
 Water elevation = 288.06 ft (81.71 m) msl
 pH = 6.3 Alkalinity = 35 mg/L
 Specific conductance = 97 umhos/cm
 Water temperature = 23.4 degrees Celsius
 Water evacuated from the well prior to sampling = 10 gal
 The well went dry during purging.

LABORATORY ANALYSES

0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	TOLUENE	LT	1 ug/L	Gen. Eng.
0	TOLUENE	LT	1 ug/L	Gen. Eng.
2	MANGANESE		78 ug/L	Gen. Eng.
2	MANGANESE		81 ug/L	Gen. Eng.
0	LEAD	LT	6 ug/L	Gen. Eng.
0	LEAD	LT	6 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
1	TETRACHLOROETHYLENE		2.00 ug/L	Gen. Eng.
1	TETRACHLOROETHYLENE		2.00 ug/L	Gen. Eng.
1	TRICHLOROETHYLENE		1.00 ug/L	Gen. Eng.
1	TRICHLOROETHYLENE		1.00 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
2	TRITIUM		129+-1.21 pCi/mL	Gen. Eng.
2	TRITIUM		126+-1.20 pCi/mL	Gen. Eng.

WELL HCA 4

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/08/89 Time 1230
 Depth to water = 42.48 ft (12.94 m) below the TOC
 Water elevation = 288.24 ft (81.76 m) msl
 pH = 5.9 Alkalinity = 7 mg/L
 Specific conductance = 51 umhos/cm
 Water temperature = 24.1 degrees Celsius
 Water evacuated from the well prior to sampling = 20 gal
 The well went dry during purging.

LABORATORY ANALYSES

0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
1	TRICHLOROFLUOROMETHANE		2 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	TOLUENE	LT	1 ug/L	Gen. Eng.
1	MANGANESE		40 ug/L	Gen. Eng.

CONTINUED

WELL HCA 4 COLLECTED ON 08/08/89 LABORATORY ANALYSES CONTINUED

2	LEAD		87 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE		31.0 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE		14.0 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
2	TRITIUM		67.20+-0.92 pCi/mL	Gen. Eng.

WELL HCB 1

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/09/89 Time 1435
Depth to water = 16.33 ft (4.98 m) below the TOC
Water elevation = 282.97 ft (80.15 m) msl
pH = 4.9 Alkalinity = 5 mg/L
Specific conductance = 52 umhos/cm
Water temperature = 19.2 degrees Celsius
Water evacuated from the well prior to sampling = 105 gal

LABORATORY ANALYSES

0	PH		4.89 pH	Gen. Eng.
0	ARSENIC	LT	2 ug/L	Gen. Eng.
0	CADMIUM	LT	2 ug/L	Gen. Eng.
0	COPPER		5 ug/L	Gen. Eng.
0	FLUORIDE	LT	100 ug/L	Gen. Eng.
0	IRON		81 ug/L	Gen. Eng.
2	MANGANESE		211 ug/L	Gen. Eng.
0	LEAD		12 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	Gen. Eng.
0	SULFATE	LT	5000 ug/L	Gen. Eng.
1	TOTAL ORGANIC HALOGENS		23 ug/L	Gen. Eng.
0	ZINC		15 ug/L	Gen. Eng.
0	GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
0	TOTAL RADIUM		1.40+-1.80 pCi/L	Gen. Eng.
2	TRITIUM		34.60+-0.70 pCi/mL	Gen. Eng.

WELL HCB 2

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/09/89 Time 1525
Depth to water = 13.45 ft (4.10 m) below the TOC
Water elevation = 268.24 ft (81.76 m) msl
pH = 2.6 Alkalinity = 0 mg/L
Specific conductance = 2920 umhos/cm
Water temperature = 20.5 degrees Celsius
Water evacuated from the well prior to sampling = 74 gal

LABORATORY ANALYSES

2	PH		2.70 pH	Gen. Eng.
0	ARSENIC	LT	2 ug/L	Gen. Eng.
0	CADMIUM		16 ug/L	Gen. Eng.
0	COPPER		1060 ug/L	Gen. Eng.
2	FLUORIDE		4000 ug/L	Gen. Eng.
2	IRON		98700 ug/L	Gen. Eng.
2	MANGANESE		15400 ug/L	Gen. Eng.
2	LEAD		150 ug/L	Gen. Eng.
2	SELENIUM		25 ug/L	Gen. Eng.
1	SULFATE		71000 ug/L	Gen. Eng.
1	TOTAL ORGANIC HALOGENS		18 ug/L	Gen. Eng.
1	ZINC		2180 ug/L	Gen. Eng.
2	GROSS ALPHA		50.90+-5.70 pCi/L	Gen. Eng.
2	TOTAL RADIUM		31.30+-5.70 pCi/L	Gen. Eng.
2	TRITIUM		31.20+-1.38 pCi/mL	Gen. Eng.

WELL HCB 3

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/09/89 Time 1500
Depth to water = 8.99 ft (2.74 m) below the TOC
Water elevation = 266.41 ft (81.20 m) msl
pH = 4.6 Alkalinity = 0 mg/L
Specific conductance = 38 umhos/cm
Water temperature = 19.2 degrees Celsius
Water evacuated from the well prior to sampling = 85 gal

LABORATORY ANALYSES

0	PH		4.83 pH	Gen. Eng.
0	ARSENIC	LT	2 ug/L	Gen. Eng.
0	CADMIUM	LT	2 ug/L	Gen. Eng.
0	COPPER		6 ug/L	Gen. Eng.
0	FLUORIDE	LT	100 ug/L	Gen. Eng.
0	IRON		70 ug/L	Gen. Eng.
0	MANGANESE		8 ug/L	Gen. Eng.
0	LEAD		19 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	Gen. Eng.
0	SULFATE	LT	5000 ug/L	Gen. Eng.

CONTINUED

WELL HCB 3 COLLECTED ON 08/09/89 LABORATORY ANALYSES CONTINUED

1	TOTAL ORGANIC HALOGENS		16 ug/L	Gen. Eng.
0	ZINC		9 ug/L	Gen. Eng.
0	GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
0	TOTAL RADIUM	LT	1 pCi/L	Gen. Eng.
2	TRITIUM		66.80+-0.91 pCi/mL	Gen. Eng.

WELL HCB 4

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/09/89 Time 1530
Depth to water = 13.37 ft (4.08 m) below the TOC
Water elevation = 264.43 ft (80.60 m) msl
pH = 4.4 Alkalinity = 0 mg/L
Specific conductance = 194 umhos/cm
Water temperature = 19.3 degrees Celsius
Water evacuated from the well prior to sampling = 74 gal

LABORATORY ANALYSES

0	PH		4.41 pH	Gen. Eng.
0	ARSENIC	LT	2 ug/L	Gen. Eng.
0	CADMIUM	LT	2 ug/L	Gen. Eng.
0	COPPER		16 ug/L	Gen. Eng.
0	FLUORIDE	LT	100 ug/L	Gen. Eng.
1	IRON		156 ug/L	Gen. Eng.
2	MANGANESE		296 ug/L	Gen. Eng.
0	LEAD		13 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	Gen. Eng.
2	SULFATE		2440000 ug/L	Gen. Eng.
0	TOTAL ORGANIC HALOGENS	LT	3 ug/L	Gen. Eng.
0	ZINC		96 ug/L	Gen. Eng.
0	GROSS ALPHA		3.40+-2.00 pCi/L	Gen. Eng.
0	TOTAL RADIUM		1.20+-1.80 pCi/L	Gen. Eng.
2	TRITIUM		32.50+-0.67 pCi/mL	Gen. Eng.

WELL HET 10

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/09/89 Time 1100
Depth to water = 14.26 ft (4.35 m) below the TOC
Water elevation = 267.94 ft (81.57 m) msl
pH = 4.8 Alkalinity = 0 mg/L
Specific conductance = 50 umhos/cm
Water temperature = 19.4 degrees Celsius
Water evacuated from the well prior to sampling = 80 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE		46.00 UMH/C	Gen. Eng.
0	SPECIFIC CONDUCTANCE		46.00 UMH/C	Gen. Eng.
0	PH		5.10 pH	Gen. Eng.
0	PH		5.10 pH	Gen. Eng.
0	SILVER	LT	2 ug/L	Gen. Eng.
1	SILVER		5 ug/L	Gen. Eng.
0	ARSENIC	LT	2 ug/L	Gen. Eng.
0	ARSENIC	LT	2 ug/L	Gen. Eng.
0	BARIUM	LT	4 ug/L	Gen. Eng.
0	BARIUM	LT	4 ug/L	Gen. Eng.
0	CALCIUM		200 ug/L	Gen. Eng.
0	CALCIUM		185 ug/L	Gen. Eng.
0	CADMIUM	LT	2 ug/L	Gen. Eng.
0	CADMIUM	LT	2 ug/L	Gen. Eng.
0	CHLORIDE		5300 ug/L	Gen. Eng.
0	CHLORIDE		5200 ug/L	Gen. Eng.
0	CHROMIUM	LT	4 ug/L	Gen. Eng.
0	CHROMIUM	LT	4 ug/L	Gen. Eng.
0	FLUORIDE	LT	100 ug/L	Gen. Eng.
0	FLUORIDE	LT	100 ug/L	Gen. Eng.
0	IRON		26 ug/L	Gen. Eng.
0	IRON		24 ug/L	Gen. Eng.
1	MERCURY		0.30 ug/L	Gen. Eng.
1	MERCURY		0.70 ug/L	Gen. Eng.
0	POTASSIUM	LT	500 ug/L	Gen. Eng.
0	POTASSIUM	LT	500 ug/L	Gen. Eng.
0	MAGNESIUM		135 ug/L	Gen. Eng.
0	MAGNESIUM		156 ug/L	Gen. Eng.
0	MANGANESE		15 ug/L	Gen. Eng.
0	MANGANESE		13 ug/L	Gen. Eng.
1	SODIUM		8630 ug/L	Gen. Eng.
1	SODIUM		8420 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN		1220 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN		1230 ug/L	Gen. Eng.
0	LEAD	LT	6 ug/L	Gen. Eng.
0	LEAD	LT	6 ug/L	Gen. Eng.
0	PHENOLS	LT	5 ug/L	Gen. Eng.
0	PHENOLS	LT	5 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	Gen. Eng.
1	SILICA		5330 ug/L	Gen. Eng.
1	SILICA		5380 ug/L	Gen. Eng.
0	SULFATE	LT	5000 ug/L	Gen. Eng.
0	SULFATE	LT	5000 ug/L	Gen. Eng.
0	TOTAL DISSOLVED SOLIDS		36000 ug/L	Gen. Eng.
0	TOTAL DISSOLVED SOLIDS		36000 ug/L	Gen. Eng.
0	TOTAL ORGANIC CARBON		1000 ug/L	Gen. Eng.
0	TOTAL ORGANIC CARBON		1000 ug/L	Gen. Eng.
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	Gen. Eng.
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	Gen. Eng.
1	TOTAL PHOSPHORUS		70 ug/L	Gen. Eng.
1	TOTAL PHOSPHORUS		60 ug/L	Gen. Eng.
0	GROSS ALPHA	LT	3 pCi/L	Gen. Eng.

CONTINUED

WELL HET 10 COLLECTED ON 08/09/89 LABORATORY ANALYSES CONTINUED

0 GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
0 NONVOLATILE BETA	LT	2 pCi/L	Gen. Eng.
0 NONVOLATILE BETA	LT	2 pCi/L	Gen. Eng.
0 TOTAL RADIUM	LT	1 pCi/L	Gen. Eng.
0 TOTAL RADIUM	LT	1 pCi/L	Gen. Eng.
2 TRITIUM		44.90+-0.76 pCi/mL	Gen. Eng.
2 TRITIUM		43.30+-0.74 pCi/mL	Gen. Eng.

WELL HET 20

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/09/89 Time 945
 Depth to water = 18.75 ft (5.72 m) below the TOC
 Water elevation = 258.15 ft (78.89 m) msf
 pH = 6.0 Alkalinity = 6 mg/L
 Specific conductance = 36 umhos/cm
 Water temperature = 19.1 degrees Celsius
 Water evacuated from the well prior to sampling = 11 gal
 The well went dry during purging.

LABORATORY ANALYSES

0 SPECIFIC CONDUCTANCE		32.00 UMHC	Gen. Eng.
0 PH		5.99 pH	Gen. Eng.
0 SILVER	LT	2 ug/L	Gen. Eng.
0 ARSENIC	LT	2 ug/L	Gen. Eng.
0 BARIUM		8 ug/L	Gen. Eng.
0 CALCIUM		2160 ug/L	Gen. Eng.
0 CADMIUM	LT	2 ug/L	Gen. Eng.
0 CHLORIDE		2000 ug/L	Gen. Eng.
0 CHROMIUM	LT	4 ug/L	Gen. Eng.
0 FLUORIDE	LT	100 ug/L	Gen. Eng.
0 IRON		62 ug/L	Gen. Eng.
0 MERCURY	LT	0.20 ug/L	Gen. Eng.
0 POTASSIUM	LT	300 ug/L	Gen. Eng.
0 MAGNESIUM		438 ug/L	Gen. Eng.
0 MANGANESE		14 ug/L	Gen. Eng.
0 SODIUM		4040 ug/L	Gen. Eng.
0 NITRATE AS NITROGEN		1120 ug/L	Gen. Eng.
0 LEAD		13 ug/L	Gen. Eng.
0 PHENOLS	LT	5 ug/L	Gen. Eng.
0 SELENIUM	LT	2 ug/L	Gen. Eng.
1 SILICA		6540 ug/L	Gen. Eng.
0 SULFATE	LT	5000 ug/L	Gen. Eng.
0 TOTAL DISSOLVED SOLIDS		30000 ug/L	Gen. Eng.
0 TOTAL ORGANIC CARBON		1000 ug/L	Gen. Eng.
0 TOTAL ORGANIC HALOGENS		9 ug/L	Gen. Eng.
1 TOTAL PHOSPHORUS		80 ug/L	Gen. Eng.
0 GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
0 NONVOLATILE BETA	LT	2 pCi/L	Gen. Eng.
0 TOTAL RADIUM	LT	1 pCi/L	Gen. Eng.
2 TRITIUM		36.70+-0.70 pCi/mL	Gen. Eng.

WELL HET 30

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/09/89 Time 920
 Depth to water = 18.49 ft (5.64 m) below the TOC
 Water elevation = 258.21 ft (78.70 m) msf
 pH = 5.3 Alkalinity = 0 mg/L
 Specific conductance = 28 umhos/cm
 Water temperature = 18.8 degrees Celsius
 Water evacuated from the well prior to sampling = 12 gal
 The well went dry during purging.

LABORATORY ANALYSES

0 SPECIFIC CONDUCTANCE		23.00 UMHC	Gen. Eng.
0 PH		5.24 pH	Gen. Eng.
0 SILVER	LT	2 ug/L	Gen. Eng.
0 ARSENIC	LT	2 ug/L	Gen. Eng.
0 BARIUM	LT	4 ug/L	Gen. Eng.
0 CALCIUM		317 ug/L	Gen. Eng.
0 CADMIUM	LT	2 ug/L	Gen. Eng.
0 CHLORIDE		2300 ug/L	Gen. Eng.
0 CHROMIUM	LT	4 ug/L	Gen. Eng.
0 FLUORIDE	LT	100 ug/L	Gen. Eng.
1 IRON		278 ug/L	Gen. Eng.
0 MERCURY	LT	0.20 ug/L	Gen. Eng.
0 POTASSIUM	LT	300 ug/L	Gen. Eng.
0 MAGNESIUM		332 ug/L	Gen. Eng.
0 MANGANESE		3 ug/L	Gen. Eng.
0 SODIUM		3480 ug/L	Gen. Eng.
0 NITRATE AS NITROGEN		1300 ug/L	Gen. Eng.
0 LEAD		8 ug/L	Gen. Eng.
0 PHENOLS	LT	5 ug/L	Gen. Eng.
0 SELENIUM	LT	2 ug/L	Gen. Eng.
1 SILICA		4120 ug/L	Gen. Eng.
0 SULFATE	LT	5000 ug/L	Gen. Eng.
0 TOTAL DISSOLVED SOLIDS		4000 ug/L	Gen. Eng.
0 TOTAL ORGANIC CARBON		1000 ug/L	Gen. Eng.
0 TOTAL ORGANIC HALOGENS		6 ug/L	Gen. Eng.
1 TOTAL PHOSPHORUS		130 ug/L	Gen. Eng.
0 GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
0 NONVOLATILE BETA	LT	2 pCi/L	Gen. Eng.
0 TOTAL RADIUM	LT	1 pCi/L	Gen. Eng.
2 TRITIUM		35.40+-0.69 pCi/mL	Gen. Eng.

WELL HET 40

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/09/89 Time 900
 Depth to water = 17.57 ft (5.38 m) below the TOC
 Water elevation = 259.13 ft (78.98 m) msf
 pH = 5.5 Alkalinity = 6 mg/L
 Specific conductance = 34 umhos/cm
 Water temperature = 18.8 degrees Celsius
 Water evacuated from the well prior to sampling = 16 gal
 The well went dry during purging.

LABORATORY ANALYSES

0 SPECIFIC CONDUCTANCE		29.00 UMHC	Gen. Eng.
0 PH		5.99 pH	Gen. Eng.
0 SILVER	LT	2 ug/L	Gen. Eng.
0 ARSENIC	LT	2 ug/L	Gen. Eng.
0 BARIUM		13 ug/L	Gen. Eng.
0 CALCIUM		1590 ug/L	Gen. Eng.
0 CADMIUM	LT	2 ug/L	Gen. Eng.
0 CHLORIDE		1800 ug/L	Gen. Eng.
0 CHROMIUM	LT	4 ug/L	Gen. Eng.
0 FLUORIDE	LT	100 ug/L	Gen. Eng.
2 IRON		867 ug/L	Gen. Eng.
0 MERCURY	LT	0.20 ug/L	Gen. Eng.
0 POTASSIUM	LT	300 ug/L	Gen. Eng.
0 MAGNESIUM		576 ug/L	Gen. Eng.
1 MANGANESE		28 ug/L	Gen. Eng.
0 SODIUM		3410 ug/L	Gen. Eng.
0 NITRATE AS NITROGEN		910 ug/L	Gen. Eng.
0 LEAD		8 ug/L	Gen. Eng.
0 PHENOLS	LT	5 ug/L	Gen. Eng.
0 SELENIUM	LT	2 ug/L	Gen. Eng.
1 SILICA		5760 ug/L	Gen. Eng.
0 SULFATE	LT	5000 ug/L	Gen. Eng.
0 TOTAL DISSOLVED SOLIDS	LT	1000 ug/L	Gen. Eng.
0 TOTAL ORGANIC CARBON		1000 ug/L	Gen. Eng.
2 TOTAL ORGANIC HALOGENS		28 ug/L	Gen. Eng.
1 TOTAL PHOSPHORUS		510 ug/L	Gen. Eng.
0 GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
0 NONVOLATILE BETA		2.41+-2.10 pCi/L	Gen. Eng.
0 TOTAL RADIUM	LT	1 pCi/L	Gen. Eng.
2 TRITIUM		35.90+-0.72 pCi/mL	Gen. Eng.

WELL HR3 11

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/16/89 Time 1040
 Depth to water = 12.61 ft (3.84 m) below the TOC
 Water elevation = 258.79 ft (78.88 m) msf
 pH = 4.7 Alkalinity = 0 mg/L
 Specific conductance = 44 umhos/cm
 Water temperature = 19.4 degrees Celsius
 Water evacuated from the well prior to sampling = 152 gal

LABORATORY ANALYSES

0 TOTAL ORGANIC HALOGENS	LT	20 ug/L	metaTRACE
0 GROSS ALPHA		1.16+-0.83 pCi/L	HP, 735A
0 NONVOLATILE BETA		1.35+-0.96 pCi/L	HP, 735A
1 TRITIUM		19.00+-2.00 pCi/mL	metaTRACE
2 TRITIUM		20.60+-1.17 pCi/mL	HP, 735A

WELL HR3 13

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/16/89 Time 1000
 Depth to water = 18.29 ft (5.57 m) below the TOC
 Water elevation = 257.91 ft (78.61 m) msf
 pH = 6.4 Alkalinity = 24 mg/L
 Specific conductance = 100 umhos/cm
 Water temperature = 21.5 degrees Celsius
 Water evacuated from the well prior to sampling = 142 gal

LABORATORY ANALYSES

0 TOTAL ORGANIC HALOGENS		6 ug/L	metaTRACE
0 GROSS ALPHA		0.72+-0.71 pCi/L	HP, 735A
0 NONVOLATILE BETA		4.50+-1.40 pCi/L	HP, 735A
0 CERIUM-144	LT	0.14 pCi/mL	HP, 735A
0 CERIUM-144	LT	0.14 pCi/mL	HP, 735A
0 COBALT-60	LT	0.02 pCi/mL	HP, 735A
0 COBALT-60	LT	0.02 pCi/mL	HP, 735A
0 CHROMIUM-51	LT	0.19 pCi/mL	HP, 735A
0 CHROMIUM-51	LT	0.19 pCi/mL	HP, 735A
0 CESIUM-134	LT	0.02 pCi/mL	HP, 735A
0 CESIUM-134	LT	0.02 pCi/mL	HP, 735A
0 CESIUM-137	LT	0.02 pCi/mL	HP, 735A
0 CESIUM-137	LT	0.02 pCi/mL	HP, 735A
0 IODINE-131	LT	0.06 pCi/mL	HP, 735A
0 IODINE-131	LT	0.06 pCi/mL	HP, 735A
0 NIOBIUM-95	LT	0.02 pCi/mL	HP, 735A
0 NIOBIUM-95	LT	0.02 pCi/mL	HP, 735A
0 RUTHENIUM-103	LT	0.02 pCi/mL	HP, 735A
0 RUTHENIUM-103	LT	0.02 pCi/mL	HP, 735A
0 RUTHENIUM-106	LT	0.18 pCi/mL	HP, 735A
0 RUTHENIUM-106	LT	0.18 pCi/mL	HP, 735A
0 ANTIMONY-123	LT	0.05 pCi/mL	HP, 735A
0 ANTIMONY-123	LT	0.05 pCi/mL	HP, 735A
2 TRITIUM		35.00+-4.00 pCi/mL	metaTRACE
2 TRITIUM		37.70+-1.45 pCi/mL	HP, 735A

CONTINUED

WELL HR3 13 COLLECTED ON 08/16/89 LABORATORY ANALYSES CONTINUED

0 ZIRCONIUM-95 LT 0.03 pCi/mL HP, 735A
0 ZIRCONIUM-95 LT 0.03 pCi/mL HP, 735A

WELL HR8 11

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/16/89 Time 1245
Depth to water = 14.19 ft (4.33 m) below the TOC
Water elevation = 245.01 ft (74.68 m) msl
pH = 4.6 Alkalinity = 0 mg/L
Specific conductance = 26 umhos/cm
Water temperature = 22.5 degrees Celsius
Water evacuated from the well prior to sampling = 96 gal

LABORATORY ANALYSES

0 MANGANESE LT 2 ug/L metaTRACE
0 NITRATE AS NITROGEN 660 ug/L metaTRACE
0 LEAD 12 ug/L metaTRACE
0 GROSS ALPHA 2.40+-1.80 pCi/L metaTRACE
0 GROSS ALPHA 3.90+-2.40 pCi/L metaTRACE
0 GROSS ALPHA 2.26+-1.13 pCi/L HP, 735A
0 NONVOLATILE BETA 3.88+-1.30 pCi/L HP, 735A
0 TOTAL RADIUM 1.80+-0.30 pCi/L metaTRACE
2 TRITIUM 38.00+-4.00 pCi/mL metaTRACE
2 TRITIUM 40.60+-1.52 pCi/mL HP, 735A

WELL HR8 12

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/16/89 Time 1215
Depth to water = 18.73 ft (5.71 m) below the TOC
Water elevation = 238.77 ft (72.78 m) msl
pH = 4.5 Alkalinity = 0 mg/L
Specific conductance = 34 umhos/cm
Water temperature = 21.1 degrees Celsius
Water evacuated from the well prior to sampling = 84 gal

LABORATORY ANALYSES

0 MANGANESE 2 ug/L metaTRACE
0 NITRATE AS NITROGEN 1300 ug/L metaTRACE
1 LEAD 21 ug/L metaTRACE
0 GROSS ALPHA LT 3 pCi/L metaTRACE
0 GROSS ALPHA LT 2.00+-1.07 pCi/L HP, 735A
1 NONVOLATILE BETA LT 11.27+-2.20 pCi/L HP, 735A
0 CERIUM-144 LT 0.14 pCi/mL HP, 735A
0 CERIUM-144 LT 0.14 pCi/mL HP, 735A
0 COBALT-60 LT 0.02 pCi/mL HP, 735A
0 COBALT-60 LT 0.02 pCi/mL HP, 735A
0 CHROMIUM-51 LT 0.19 pCi/mL HP, 735A
0 CHROMIUM-51 LT 0.19 pCi/mL HP, 735A
0 CESIUM-134 LT 0.02 pCi/mL HP, 735A
0 CESIUM-134 LT 0.02 pCi/mL HP, 735A
0 CESIUM-137 LT 0.02 pCi/mL HP, 735A
0 CESIUM-137 LT 0.02 pCi/mL HP, 735A
0 IODINE-131 LT 0.07 pCi/mL HP, 735A
0 IODINE-131 LT 0.07 pCi/mL HP, 735A
0 NIOBIUM-95 LT 0.02 pCi/mL HP, 735A
0 NIOBIUM-95 LT 0.02 pCi/mL HP, 735A
0 RUTHENIUM-103 LT 0.02 pCi/mL HP, 735A
0 RUTHENIUM-103 LT 0.02 pCi/mL HP, 735A
0 RUTHENIUM-106 LT 0.15 pCi/mL HP, 735A
0 RUTHENIUM-106 LT 0.15 pCi/mL HP, 735A
0 ANTIMONY-125 LT 0.05 pCi/mL HP, 735A
0 ANTIMONY-125 LT 0.05 pCi/mL HP, 735A
0 TOTAL RADIUM 1.60+-0.30 pCi/L metaTRACE
2 TRITIUM 28.00+-3.00 pCi/mL metaTRACE
2 TRITIUM 28.00+-1.30 pCi/mL HP, 735A
0 ZIRCONIUM-95 LT 0.04 pCi/mL HP, 735A
0 ZIRCONIUM-95 LT 0.04 pCi/mL HP, 735A

WELL HR8 13

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/16/89 Time 1105
Depth to water = 15.54 ft (4.74 m) below the TOC
Water elevation = 237.56 ft (72.41 m) msl
pH = 4.4 Alkalinity = 4 mg/L
Specific conductance = 56 umhos/cm
Water temperature = 21.3 degrees Celsius
Water evacuated from the well prior to sampling = 93 gal

LABORATORY ANALYSES

0 MANGANESE 4 ug/L metaTRACE
0 NITRATE AS NITROGEN 1400 ug/L metaTRACE
0 LEAD 19 ug/L metaTRACE
0 GROSS ALPHA LT 4 pCi/L metaTRACE
0 GROSS ALPHA 3.68+-1.48 pCi/L HP, 735A
1 NONVOLATILE BETA 5.29+-1.49 pCi/L HP, 735A
0 TOTAL RADIUM 3.20+-0.40 pCi/L metaTRACE
2 TRITIUM 27.00+-3.00 pCi/mL metaTRACE
2 TRITIUM 29.20+-1.33 pCi/mL HP, 735A

WELL HR8 14

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/16/89 Time 1135
Depth to water = 9.67 ft (2.95 m) below the TOC
Water elevation = 243.93 ft (74.35 m) msl
pH = 4.4 Alkalinity = 0 mg/L
Specific conductance = 285 umhos/cm
Water temperature = 20.9 degrees Celsius
Water evacuated from the well prior to sampling = 108 gal

LABORATORY ANALYSES

2 MANGANESE 66 ug/L metaTRACE
2 NITRATE AS NITROGEN 32000 ug/L metaTRACE
2 LEAD 30 ug/L metaTRACE
1 GROSS ALPHA 10.00+-4.00 pCi/L metaTRACE
2 GROSS ALPHA 19.87+-5.25 pCi/L HP, 735A
1 NONVOLATILE BETA 11.28+-3.11 pCi/L HP, 735A
0 CERIUM-144 LT 0.15 pCi/mL HP, 735A
0 CERIUM-144 LT 0.15 pCi/mL HP, 735A
0 COBALT-60 LT 0.02 pCi/mL HP, 735A
0 COBALT-60 LT 0.02 pCi/mL HP, 735A
0 CHROMIUM-51 LT 0.20 pCi/mL HP, 735A
0 CHROMIUM-51 LT 0.20 pCi/mL HP, 735A
0 CESIUM-134 LT 0.02 pCi/mL HP, 735A
0 CESIUM-134 LT 0.02 pCi/mL HP, 735A
0 CESIUM-137 LT 0.02 pCi/mL HP, 735A
0 CESIUM-137 LT 0.02 pCi/mL HP, 735A
0 IODINE-131 LT 0.08 pCi/mL HP, 735A
0 IODINE-131 LT 0.08 pCi/mL HP, 735A
0 NIOBIUM-95 LT 0.02 pCi/mL HP, 735A
0 NIOBIUM-95 LT 0.02 pCi/mL HP, 735A
0 RUTHENIUM-103 LT 0.02 pCi/mL HP, 735A
0 RUTHENIUM-103 LT 0.02 pCi/mL HP, 735A
0 RUTHENIUM-106 LT 0.16 pCi/mL HP, 735A
0 RUTHENIUM-106 LT 0.16 pCi/mL HP, 735A
0 ANTIMONY-125 LT 0.05 pCi/mL HP, 735A
0 ANTIMONY-125 LT 0.05 pCi/mL HP, 735A
2 TOTAL RADIUM 10.00+-1.00 pCi/L metaTRACE
0 TRITIUM 6.10+-0.70 pCi/mL metaTRACE
2 TRITIUM 6.04+-0.85 pCi/mL HP, 735A
0 ZIRCONIUM-95 LT 0.03 pCi/mL HP, 735A
0 ZIRCONIUM-95 LT 0.03 pCi/mL HP, 735A

WELL HSB 65

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/18/89 Time 1250
Depth to water = 40.46 ft (12.33 m) below the TOC
Water elevation = 231.54 ft (70.57 m) msl
pH = 4.9 Alkalinity = 0 mg/L
Specific conductance = 47 umhos/cm
Water temperature = 19.8 degrees Celsius
Water evacuated from the well prior to sampling = 55 gal

LABORATORY ANALYSES

0 SPECIFIC CONDUCTANCE 50.70 UMC metaTRACE
0 PH 5.09 pH metaTRACE
0 SILVER LT 5 ug/L metaTRACE
0 ALUMINUM 50 ug/L metaTRACE
0 ARSENIC LT 3 ug/L metaTRACE
0 BARIUM LT 25 ug/L metaTRACE
0 BROMODICHLOROMETHANE LT 5 ug/L metaTRACE
0 CALCIUM 904 ug/L metaTRACE
0 TRICHLOROFLUOROMETHANE LT 5 ug/L metaTRACE
0 CARBON TETRACHLORIDE LT 5.00 ug/L metaTRACE
0 CADMIUM LT 4 ug/L metaTRACE
0 BROMOFORM LT 5 ug/L metaTRACE
0 CHLOROFORM LT 5 ug/L metaTRACE
0 METHYLENE CHLORIDE LT 5 ug/L metaTRACE
0 BROMOMETHANE LT 10 ug/L metaTRACE
0 CHLOROMETHANE LT 10 ug/L metaTRACE
0 CHLORIDE 2900 ug/L metaTRACE
0 CHLOROETHYLENE LT 5 ug/L metaTRACE
0 COBALT LT 7 ug/L metaTRACE
1 CHROMIUM 9 ug/L metaTRACE
1 COPPER 63 ug/L metaTRACE
0 CYANIDE LT 5 ug/L metaTRACE
0 CHLOROETHYLENE (VINYL CHLORIDE) LT 5 ug/L metaTRACE
0 CHLOROETHANE LT 10 ug/L metaTRACE
0 BENZENE LT 5 ug/L metaTRACE
0 DIBROMOCHLOROMETHANE LT 5 ug/L metaTRACE
0 ENDRIUM LT 0.008 ug/L metaTRACE
0 ETHYLBENZENE LT 5 ug/L metaTRACE
0 FLUORIDE LT 290 ug/L metaTRACE
0 IRON 17 ug/L metaTRACE
0 MERCURY LT 0.20 ug/L metaTRACE
0 POTASSIUM LT 2000 ug/L metaTRACE
0 TOLUENE LT 5 ug/L metaTRACE
0 MAGNESIUM 994 ug/L metaTRACE
0 MANGANESE 3 ug/L metaTRACE
0 SODIUM 3265 ug/L metaTRACE
0 NICKEL LT 20 ug/L metaTRACE
1 NITRATE AS NITROGEN 3300 ug/L metaTRACE
0 LEAD 19 ug/L metaTRACE
0 PHENOLS LT 5 ug/L metaTRACE
0 ANTIMONY LT 10 ug/L metaTRACE
0 SELENIUM LT 2 ug/L metaTRACE
1 SILICON 2747 ug/L metaTRACE
0 SULFATE LT 1000 ug/L metaTRACE
0 1,1,2,2-TETRACHLOROETHANE LT 5 ug/L metaTRACE
0 TETRACHLOROETHYLENE LT 5.00 ug/L metaTRACE
0 TOTAL DISSOLVED SOLIDS 47000 ug/L metaTRACE

CONTINUED

WELL HSB 65 COLLECTED ON 07/18/89 LABORATORY ANALYSES CONTINUED

0	TOTAL DISSOLVED SOLIDS	46000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	1000 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	6 ug/L	metaTRACE
0	TOTAL PHOSPHATES	10 ug/L	metaTRACE
2	TRICHLOROETHYLENE	28.0 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	5 ug/L	metaTRACE
0	VANADIUM	5 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	5 ug/L	metaTRACE
0	ZINC	31 ug/L	metaTRACE
0	GROSS ALPHA	5 pCi/L	metaTRACE
0	NONVOLATILE BETA	4 pCi/L	metaTRACE
0	TOTAL RADIUM	1 pCi/L	metaTRACE
2	TRITIUM	31.00+-4.00 pCi/mL	metaTRACE

WELL HSB 65A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/18/89 Time 1235
 Depth to water = 103.82 ft (31.64 m) below the TOC
 Water elevation = 169.78 ft (51.75 m) msl
 pH = 7.2 Alkalinity = 65 mg/L
 Specific conductance = 220 umhos/cm
 Water temperature = 20.2 degrees Celsius
 Water evacuated from the well prior to sampling = 279 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	187.0 UMH/C	metaTRACE
1	PH	7.40 pH	metaTRACE
0	SILVER	2 ug/L	metaTRACE
0	ALUMINUM	35 ug/L	metaTRACE
0	ARSENIC	3 ug/L	metaTRACE
0	BARIUM	46 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	5 ug/L	metaTRACE
1	CALCIUM	32280 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	5.00 ug/L	metaTRACE
0	CADMIUM	4 ug/L	metaTRACE
0	BROMOFORM	5 ug/L	metaTRACE
0	CHLOROFORM	5 ug/L	metaTRACE
0	METHYLENE CHLORIDE	5 ug/L	metaTRACE
0	BROMOMETHANE	10 ug/L	metaTRACE
0	CHLOROMETHANE	10 ug/L	metaTRACE
0	CHLORIDE	2400 ug/L	metaTRACE
0	CHLOROBENZENE	5 ug/L	metaTRACE
0	COBALT	10 ug/L	metaTRACE
0	CHROMIUM	10 ug/L	metaTRACE
0	COPPER	10 ug/L	metaTRACE
0	COPPER	10 ug/L	metaTRACE
0	CYANIDE	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	5 ug/L	metaTRACE
0	CHLOROETHANE (VINYL CHLORIDE)	5 ug/L	metaTRACE
0	CHLOROETHANE	10 ug/L	metaTRACE
0	BENZENE	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	5 ug/L	metaTRACE
0	ENDRIN	0.006 ug/L	metaTRACE
0	ETHYLBENZENE	5 ug/L	metaTRACE
0	FLUORIDE	250 ug/L	metaTRACE
0	IRON	12 ug/L	metaTRACE
0	MERCURY	0.20 ug/L	metaTRACE
0	MERCURY	0.20 ug/L	metaTRACE
0	POTASSIUM	5000 ug/L	metaTRACE
0	TOLUENE	5 ug/L	metaTRACE
0	MANGANESE	723 ug/L	metaTRACE
0	MANGANESE	10 ug/L	metaTRACE
0	SODIUM	1914 ug/L	metaTRACE
0	NICKEL	5 ug/L	metaTRACE
0	NITRATE AS NITROGEN	230 ug/L	metaTRACE
0	LEAD	3 ug/L	metaTRACE
0	PHENOLS	5 ug/L	metaTRACE
0	ANTIMONY	10 ug/L	metaTRACE
0	SELENIUM	2 ug/L	metaTRACE
1	SILICON	15360 ug/L	metaTRACE
0	SULFATE	5400 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	5.00 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS	134000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	1000 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	13 ug/L	metaTRACE
0	TOTAL PHOSPHATES	68 ug/L	metaTRACE
0	TRICHLOROETHYLENE	5.00 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	5 ug/L	metaTRACE
0	VANADIUM	10 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	5 ug/L	metaTRACE
0	ZINC	6 ug/L	metaTRACE
0	GROSS ALPHA	4 pCi/L	metaTRACE
0	NONVOLATILE BETA	6 pCi/L	metaTRACE
0	TOTAL RADIUM	1 pCi/L	metaTRACE
0	TRITIUM	1.80+-0.20 pCi/mL	metaTRACE

WELL HSB 65B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/23/89 Time 1025
 Depth to water = 49.96 ft (15.23 m) below the TOC
 Water elevation = 223.74 ft (68.20 m) msl
 pH = 7.7 Alkalinity = 86 mg/L
 Specific conductance = 220 umhos/cm
 Water temperature = 19.8 degrees Celsius
 Water evacuated from the well prior to sampling = 264 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	190.0 UMH/C	Gen. Eng.
1	SPECIFIC CONDUCTANCE	185.4 UMH/C	metaTRACE
1	PH	7.87 pH	Gen. Eng.
1	PH	7.37 pH	metaTRACE
0	SILVER	2 ug/L	Gen. Eng.
0	SILVER	2 ug/L	metaTRACE
1	ALUMINUM	205 ug/L	Gen. Eng.
0	ALUMINUM	35 ug/L	metaTRACE
0	ARSENIC	2 ug/L	Gen. Eng.
0	ARSENIC	3 ug/L	metaTRACE
0	BARIUM	18 ug/L	Gen. Eng.
0	BARIUM	15 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	1 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	5 ug/L	metaTRACE
1	CALCIUM	49000 ug/L	Gen. Eng.
1	CALCIUM	32660 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	1.00 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	5.00 ug/L	metaTRACE
0	CADMIUM	2 ug/L	Gen. Eng.
0	CADMIUM	4 ug/L	metaTRACE
0	BROMOFORM	1 ug/L	Gen. Eng.
0	BROMOFORM	5 ug/L	metaTRACE
0	CHLOROFORM	1 ug/L	Gen. Eng.
0	CHLOROFORM	5 ug/L	metaTRACE
0	METHYLENE CHLORIDE	1 ug/L	Gen. Eng.
0	METHYLENE CHLORIDE	5 ug/L	metaTRACE
0	BROMOMETHANE	1 ug/L	Gen. Eng.
0	BROMOMETHANE	10 ug/L	metaTRACE
0	CHLOROMETHANE	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	10 ug/L	metaTRACE
0	CHLORIDE	2500 ug/L	Gen. Eng.
0	CHLORIDE	2500 ug/L	metaTRACE
0	CHLOROBENZENE	1 ug/L	Gen. Eng.
0	CHLOROBENZENE	5 ug/L	metaTRACE
0	COBALT	4 ug/L	Gen. Eng.
0	COBALT	10 ug/L	metaTRACE
0	CHROMIUM	4 ug/L	Gen. Eng.
0	CHROMIUM	10 ug/L	metaTRACE
0	COPPER	4 ug/L	Gen. Eng.
0	COPPER	10 ug/L	metaTRACE
0	CYANIDE	5 ug/L	Gen. Eng.
0	CYANIDE	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	1 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	5 ug/L	metaTRACE
0	CHLOROETHANE	1 ug/L	Gen. Eng.
0	CHLOROETHANE	10 ug/L	metaTRACE
0	BENZENE	1 ug/L	Gen. Eng.
0	BENZENE	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	5 ug/L	metaTRACE
0	ENDRIN	0.10 ug/L	Gen. Eng.
0	ENDRIN	0.006 ug/L	metaTRACE
0	ETHYLBENZENE	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	5 ug/L	metaTRACE
0	FLUORIDE	100 ug/L	Gen. Eng.
0	FLUORIDE	250 ug/L	metaTRACE
0	IRON	44 ug/L	Gen. Eng.
0	IRON	10 ug/L	metaTRACE
0	MERCURY	0.20 ug/L	Gen. Eng.
0	MERCURY	0.20 ug/L	metaTRACE
0	POTASSIUM	500 ug/L	Gen. Eng.
0	POTASSIUM	5000 ug/L	metaTRACE
0	TOLUENE	1 ug/L	Gen. Eng.
0	TOLUENE	5 ug/L	metaTRACE
0	MANGANESE	899 ug/L	Gen. Eng.
0	MANGANESE	725 ug/L	metaTRACE
0	MANGANESE	2 ug/L	Gen. Eng.
0	MANGANESE	10 ug/L	metaTRACE
0	SODIUM	1870 ug/L	Gen. Eng.
0	SODIUM	1763 ug/L	metaTRACE
0	NICKEL	4 ug/L	Gen. Eng.
0	NICKEL	5 ug/L	metaTRACE
0	NITRATE AS NITROGEN	50 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN	230 ug/L	metaTRACE
0	LEAD	6 ug/L	Gen. Eng.
0	LEAD	3 ug/L	metaTRACE
0	PHENOLS	5 ug/L	Gen. Eng.
0	PHENOLS	5 ug/L	metaTRACE
0	ANTIMONY	3 ug/L	Gen. Eng.
0	ANTIMONY	10 ug/L	metaTRACE
0	SELENIUM	2 ug/L	Gen. Eng.
0	SELENIUM	2 ug/L	metaTRACE
1	SILICON	9855 ug/L	metaTRACE
1	SILICA	13600 ug/L	Gen. Eng.
0	SULFATE	5000 ug/L	Gen. Eng.
0	SULFATE	1000 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	1 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	1.00 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	5.00 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS	153000 ug/L	Gen. Eng.
0	TOTAL DISSOLVED SOLIDS	134000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	2000 ug/L	Gen. Eng.
0	TOTAL ORGANIC CARBON	1000 ug/L	metaTRACE

CONTINUED

WELL HSB 658 COLLECTED ON 07/23/89 LABORATORY ANALYSES CONTINUED

0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	Gen. Eng.
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	metaTRACE
1	TOTAL PHOSPHORUS		80 ug/L	Gen. Eng.
0	TOTAL PHOSPHATES		35 ug/L	metaTRACE
0	TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	VANADIUM	LT	20 ug/L	Gen. Eng.
0	VANADIUM	LT	10 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0	ZINC		42 ug/L	Gen. Eng.
0	ZINC		18 ug/L	metaTRACE
0	GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
0	GROSS ALPHA	LT	3 pCi/L	metaTRACE
0	NONVOLATILE BETA	LT	2 pCi/L	Gen. Eng.
0	NONVOLATILE BETA	LT	6 pCi/L	metaTRACE
0	TOTAL RADIUM	LT	1 pCi/L	Gen. Eng.
0	TOTAL RADIUM	LT	1 pCi/L	metaTRACE
0	TRITIUM	LT	0.70 pCi/mL	Gen. Eng.
0	TRITIUM	LT	1 pCi/mL	metaTRACE

WELL HSB 658

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/23/89 Time 1025
 Depth to water = 49.96 ft (15.23 m) below the TOC
 Water elevation = 223.74 ft (68.20 m) msl
 pH = 7.7 Alkalinity = 86 mg/L
 Specific conductance = 220 umhos/cm
 Water temperature = 19.8 degrees Celsius
 Water evacuated from the well prior to sampling = 264 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE		190.0 UMH/C	Gen. Eng.
1	SPECIFIC CONDUCTANCE		212.1 UMH/C	metaTRACE
1	PH		7.90 pH	Gen. Eng.
0	PH		6.45 pH	metaTRACE
0	SILVER	LT	2 ug/L	Gen. Eng.
0	SILVER	LT	2 ug/L	metaTRACE
1	ALUMINUM		88 ug/L	Gen. Eng.
0	ALUMINUM	LT	35 ug/L	metaTRACE
0	ARSENIC	LT	2 ug/L	Gen. Eng.
0	ARSENIC	LT	3 ug/L	metaTRACE
0	BARIUM		18 ug/L	Gen. Eng.
0	BARIUM	LT	15 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
1	CALCIUM		49300 ug/L	Gen. Eng.
1	CALCIUM		33940 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0	CADMIUM	LT	2 ug/L	Gen. Eng.
0	CADMIUM	LT	4 ug/L	metaTRACE
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	BROMOFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	5 ug/L	metaTRACE
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0	METHYLENE CHLORIDE	LT	5 ug/L	metaTRACE
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
0	CHLORIDE		2500 ug/L	Gen. Eng.
0	CHLORIDE		2500 ug/L	metaTRACE
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	5 ug/L	metaTRACE
0	COBALT	LT	4 ug/L	Gen. Eng.
0	COBALT	LT	10 ug/L	metaTRACE
0	CHROMIUM	LT	4 ug/L	Gen. Eng.
0	CHROMIUM	LT	10 ug/L	metaTRACE
0	COPPER	LT	4 ug/L	Gen. Eng.
0	COPPER	LT	10 ug/L	metaTRACE
0	CYANIDE	LT	5 ug/L	Gen. Eng.
0	CYANIDE	LT	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	5 ug/L	metaTRACE
0	DIBROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	DIBROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
0	ENDRIN	LT	0.10 ug/L	Gen. Eng.

CONTINUED

WELL HSB 658 COLLECTED ON 07/23/89 LABORATORY ANALYSES CONTINUED

0	ENDRIN	LT	0.006 ug/L	metaTRACE
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	5 ug/L	metaTRACE
0	FLUORIDE	LT	100 ug/L	Gen. Eng.
0	FLUORIDE	LT	250 ug/L	metaTRACE
0	IRON		30 ug/L	Gen. Eng.
0	IRON	LT	10 ug/L	metaTRACE
0	MERCURY	LT	0.20 ug/L	Gen. Eng.
0	MERCURY	LT	0.20 ug/L	metaTRACE
0	POTASSIUM		329 ug/L	Gen. Eng.
0	POTASSIUM	LT	5000 ug/L	metaTRACE
1	TOLUENE		1 ug/L	Gen. Eng.
0	TOLUENE	LT	5 ug/L	metaTRACE
0	MAGNESIUM		920 ug/L	Gen. Eng.
0	MAGNESIUM		748 ug/L	metaTRACE
0	MANGANESE	LT	2 ug/L	Gen. Eng.
0	MANGANESE	LT	10 ug/L	metaTRACE
0	SODIUM		1990 ug/L	Gen. Eng.
0	SODIUM		1719 ug/L	metaTRACE
0	NICKEL		5 ug/L	Gen. Eng.
0	NICKEL	LT	5 ug/L	metaTRACE
0	NITRATE AS NITROGEN	LT	50 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN	LT	230 ug/L	metaTRACE
0	LEAD	LT	6 ug/L	Gen. Eng.
0	LEAD	LT	3 ug/L	metaTRACE
0	PHENOLS	LT	5 ug/L	Gen. Eng.
0	PHENOLS	LT	5 ug/L	metaTRACE
0	ANTIMONY	LT	3 ug/L	Gen. Eng.
0	ANTIMONY	LT	10 ug/L	metaTRACE
0	SELENIUM	LT	2 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	metaTRACE
1	SILICON		9710 ug/L	metaTRACE
1	SILICA		14200 ug/L	Gen. Eng.
0	SULFATE	LT	3000 ug/L	Gen. Eng.
0	SULFATE		1000 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS		152000 ug/L	Gen. Eng.
0	TOTAL DISSOLVED SOLIDS		127000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON		3000 ug/L	Gen. Eng.
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	Gen. Eng.
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	metaTRACE
1	TOTAL PHOSPHORUS		400 ug/L	Gen. Eng.
0	TOTAL PHOSPHATES		44 ug/L	metaTRACE
0	TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	VANADIUM	LT	20 ug/L	Gen. Eng.
0	VANADIUM	LT	10 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0	ZINC		30 ug/L	Gen. Eng.
0	ZINC		25 ug/L	metaTRACE
0	GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
0	GROSS ALPHA	LT	3 pCi/L	metaTRACE
0	NONVOLATILE BETA	LT	2 pCi/L	Gen. Eng.
0	NONVOLATILE BETA	LT	6 pCi/L	metaTRACE
0	TOTAL RADIUM	LT	1 pCi/L	Gen. Eng.
0	TOTAL RADIUM	LT	1 pCi/L	metaTRACE
0	TRITIUM	LT	0.70 pCi/mL	Gen. Eng.
0	TRITIUM	LT	1 pCi/mL	metaTRACE

WELL HSB 658

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/18/89 Time 1215
 Depth to water = 41.91 ft (12.77 m) below the TOC
 Water elevation = 231.69 ft (70.62 m) msl
 pH = 5.0 Alkalinity = 0 mg/L
 Specific conductance = 52 umhos/cm
 Water temperature = 19.9 degrees Celsius
 Water evacuated from the well prior to sampling = 62 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE		54.00 UMH/C	metaTRACE
0	PH		5.00 pH	metaTRACE
0	SILVER	LT	2 ug/L	metaTRACE
0	ALUMINUM	LT	35 ug/L	metaTRACE
0	ARSENIC	LT	3 ug/L	metaTRACE
0	BARIUM	LT	25 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
0	CALCIUM		1408 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE

CONTINUED

WELL HSB 65C COLLECTED ON 07/18/89 LABORATORY ANALYSES CONTINUED

0	CADMIUM	LT	4 ug/L	metaTRACE
0	BROMOFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	5 ug/L	metaTRACE
0	METHYLENE CHLORIDE	LT	5 ug/L	metaTRACE
0	BROMOMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
0	CHLORIDE	LT	3800 ug/L	metaTRACE
0	CHLOROBENZENE	LT	5 ug/L	metaTRACE
0	COBALT	LT	10 ug/L	metaTRACE
0	CHROMIUM	LT	10 ug/L	metaTRACE
0	COPPER	LT	10 ug/L	metaTRACE
0	CYANIDE	LT	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0	CHLOROETHANE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0	ENORIN	LT	0.006 ug/L	metaTRACE
0	ETHYLBENZENE	LT	5 ug/L	metaTRACE
0	FLUORIDE	LT	250 ug/L	metaTRACE
0	IRON	LT	15 ug/L	metaTRACE
0	MERCURY	LT	0.20 ug/L	metaTRACE
0	POTASSIUM	LT	5000 ug/L	metaTRACE
0	TOLUENE	LT	5 ug/L	metaTRACE
0	MAGNESIUM	LT	655 ug/L	metaTRACE
0	MANGANESE	LT	10 ug/L	metaTRACE
1	SODIUM	LT	5542 ug/L	metaTRACE
0	NICKEL	LT	5 ug/L	metaTRACE
1	NITRATE AS NITROGEN	LT	3200 ug/L	metaTRACE
0	LEAD	LT	3 ug/L	metaTRACE
0	PHENOLS	LT	5 ug/L	metaTRACE
0	ANTIMONY	LT	10 ug/L	metaTRACE
0	SELENIUM	LT	2 ug/L	metaTRACE
1	SILICON	LT	4638 ug/L	metaTRACE
0	SULFATE	LT	1000 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS	LT	65000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	metaTRACE
0	TOTAL PHOSPHATES	LT	10 ug/L	metaTRACE
0	TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	VANADIUM	LT	10 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0	ZINC	LT	17 ug/L	metaTRACE
0	GROSS ALPHA	LT	3 pCi/L	metaTRACE
0	NONVOLATILE BETA	LT	5 pCi/L	metaTRACE
0	TOTAL RADIUM	LT	1.40+-0.30 pCi/L	metaTRACE
2	TRITIUM	LT	24.00+-3.00 pCi/mL	metaTRACE

WELL HSB 66

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/05/89 Time 1315
 Depth to water = 55.11 ft (16.80 m) below the TOC
 Water elevation = 225.09 ft (68.61 m) msl
 pH = 5.4 Alkalinity = 4 mg/L
 Specific conductance = 44 umhos/cm
 Water temperature = 19.4 degrees Celsius
 Water evacuated from the well prior to sampling = 77 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE	93.70 uMHC	metaTRACE
0	PH	3.95 pH	metaTRACE
0	SILVER	LT	2 ug/L
0	ALUMINUM	LT	35 ug/L
0	ARSENIC	LT	3 ug/L
0	BARIUM	LT	25 ug/L
0	BROMODICHLOROMETHANE	LT	5 ug/L
0	CALCIUM	LT	1002 ug/L
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L
0	CARBON TETRACHLORIDE	LT	5.00 ug/L
0	CADMIUM	LT	4 ug/L
0	BROMOFORM	LT	5 ug/L
0	CHLOROFORM	LT	5 ug/L
0	METHYLENE CHLORIDE	LT	5 ug/L
0	BROMOMETHANE	LT	10 ug/L
0	CHLOROMETHANE	LT	10 ug/L
0	CHLORIDE	LT	2000 ug/L
0	CHLOROBENZENE	LT	5 ug/L
0	COBALT	LT	10 ug/L
0	CHROMIUM	LT	10 ug/L
1	COPPER	LT	23 ug/L
0	CYANIDE	LT	5 ug/L
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L
0	CHLOROETHANE	LT	10 ug/L
0	BENZENE	LT	5 ug/L
0	DIBROMOCHLOROMETHANE	LT	5 ug/L
0	ENORIN	LT	0.006 ug/L
0	ETHYLBENZENE	LT	5 ug/L
0	FLUORIDE	LT	250 ug/L
1	IRON	LT	172 ug/L
0	MERCURY	LT	0.20 ug/L
0	MERCURY	LT	0.20 ug/L
0	POTASSIUM	LT	5000 ug/L
0	TOLUENE	LT	5 ug/L
0	CONTINUED		

WELL HSB 66 COLLECTED ON 07/05/89 LABORATORY ANALYSES CONTINUED

0	MAGNESIUM	LT	375 ug/L	metaTRACE
0	MANGANESE	LT	10 ug/L	metaTRACE
0	SODIUM	LT	2114 ug/L	metaTRACE
0	NICKEL	LT	5 ug/L	metaTRACE
0	NITRATE AS NITROGEN	LT	230 ug/L	metaTRACE
0	LEAD	LT	10 ug/L	metaTRACE
0	PHENOLS	LT	5 ug/L	metaTRACE
0	ANTIMONY	LT	10 ug/L	metaTRACE
0	SELENIUM	LT	2 ug/L	metaTRACE
1	SILICON	LT	4540 ug/L	metaTRACE
0	SULFATE	LT	1000 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS	LT	31000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	LT	7 ug/L	metaTRACE
1	TOTAL PHOSPHATES	LT	349 ug/L	metaTRACE
0	TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	VANADIUM	LT	10 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0	ZINC	LT	17 ug/L	metaTRACE
0	GROSS ALPHA	LT	2 pCi/L	metaTRACE
0	GROSS ALPHA	LT	0.50 pCi/L	Teledyne
0	AMERICIUM-241	LT	0.20 pCi/L	Teledyne
1	AMERICIUM-243	LT	0.24+-0.18 pCi/L	Teledyne
0	BARIUM-140	LT	6 pCi/L	Teledyne
0	NONVOLATILE BETA	LT	5 pCi/L	metaTRACE
0	NONVOLATILE BETA	LT	2 pCi/L	Teledyne
0	BERYLLIUM-7	LT	30 pCi/L	Teledyne
0	CERIUM-141	LT	7 pCi/L	Teledyne
0	CERIUM-144	LT	20 pCi/L	Teledyne
0	CURIUM-242	LT	0.20 pCi/L	Teledyne
0	CURIUM-246	LT	0.30 pCi/L	Teledyne
0	CURIUM-243/244	LT	0.70 pCi/L	Teledyne
0	COBALT-58	LT	3 pCi/L	Teledyne
0	COBALT-60	LT	3 pCi/L	Teledyne
0	CESIUM-134	LT	3 pCi/L	Teledyne
0	CESIUM-137	LT	3 pCi/L	Teledyne
0	CARBON-14	LT	8 pCi/L	Teledyne
0	IRON-55	LT	50 pCi/L	Teledyne
0	IRON-59	LT	7 pCi/L	Teledyne
0	IODINE-129	LT	1 pCi/L	Teledyne
0	IODINE-131	LT	7 pCi/L	Teledyne
0	POTASSIUM-40	LT	50 pCi/L	Teledyne
0	MANGANESE-54	LT	3 pCi/L	Teledyne
0	NICKEL-59	LT	100 pCi/L	Teledyne
0	NICKEL-63	LT	8 pCi/L	Teledyne
0	PLUTONIUM-238	LT	2 pCi/L	Teledyne
0	PLUTONIUM-242	LT	1 pCi/L	Teledyne
0	PLUTONIUM-239/240	LT	3 pCi/L	Teledyne
0	RADIUM-226	LT	70 pCi/L	Teledyne
0	RADIUM-226	LT	0.80 pCi/L	Teledyne
0	RADIUM-228	LT	0.70 pCi/L	Teledyne
0	RUTHENIUM-103	LT	3 pCi/L	Teledyne
0	RUTHENIUM-106	LT	30 pCi/L	Teledyne
0	STRONTIUM-89	LT	3 pCi/L	Teledyne
0	STRONTIUM-90	LT	0.80 pCi/L	Teledyne
1	TECHNETIUM-99	LT	11.00+-5.00 pCi/L	Teledyne
0	THORIUM-228	LT	6 pCi/L	Teledyne
0	THORIUM-228	LT	0.60 pCi/L	Teledyne
0	THORIUM-230	LT	0.20 pCi/L	Teledyne
0	THORIUM-232	LT	0.20 pCi/L	Teledyne
0	TOTAL RADIUM	LT	1 pCi/L	metaTRACE
1	TRITIUM	LT	10.00+-1.00 pCi/mL	metaTRACE
0	URANIUM-235	LT	0.30 pCi/L	Teledyne
0	URANIUM-238	LT	0.50 pCi/L	Teledyne
0	URANIUM-233/234	LT	0.50 pCi/L	Teledyne
0	ZINC-65	LT	8 pCi/L	Teledyne
0	ZIRCONIUM-95	LT	3 pCi/L	Teledyne

WELL HSB 67

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/16/89 Time 1550
 Depth to water = 13.26 ft (4.04 m) below the TOC
 Water elevation = 224.54 ft (68.44 m) msl
 pH = 4.3 Alkalinity = 0 mg/L
 Specific conductance = 137 umhos/cm
 Water temperature = 19.0 degrees Celsius
 Water evacuated from the well prior to sampling = 62 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	138.9 uMHC	metaTRACE
0	PH	4.12 pH	metaTRACE
0	SILVER	LT	2 ug/L
2	ALUMINUM	LT	945 ug/L
0	ARSENIC	LT	3 ug/L
0	ARSENIC	LT	3 ug/L
0	BARIUM	LT	37 ug/L
0	BROMODICHLOROMETHANE	LT	5 ug/L
0	CALCIUM	LT	1677 ug/L
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L
0	CARBON TETRACHLORIDE	LT	5.00 ug/L
0	CADMIUM	LT	4 ug/L
0	BROMOFORM	LT	5 ug/L
0	CONTINUED		

WELL HSB 67 COLLECTED ON 07/16/89 LABORATORY ANALYSES CONTINUED

0	CHLOROFORM	LT	5 ug/L	metaTRACE
0	METHYLENE CHLORIDE	LT	5 ug/L	metaTRACE
0	BROMOMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
0	CHLORIDE	LT	2700 ug/L	metaTRACE
0	CHLOROBENZENE	LT	5 ug/L	metaTRACE
0	COBALT	LT	10 ug/L	metaTRACE
0	CHROMIUM	LT	10 ug/L	metaTRACE
1	COPPER	LT	33 ug/L	metaTRACE
0	CYANIDE	LT	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0	CHLOROETHANE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0	ENDRIN	LT	0.008 ug/L	metaTRACE
0	ETHYLBENZENE	LT	5 ug/L	metaTRACE
0	FLUORIDE	LT	250 ug/L	metaTRACE
0	IRON	LT	52 ug/L	metaTRACE
2	MERCURY	LT	2.27 ug/L	metaTRACE
0	POTASSIUM	LT	5000 ug/L	metaTRACE
0	TOLUENE	LT	5 ug/L	metaTRACE
0	MAGNESIUM	LT	1339 ug/L	metaTRACE
2	MANGANESE	LT	124 ug/L	metaTRACE
1	SODIUM	LT	19110 ug/L	metaTRACE
0	NICKEL	LT	7 ug/L	metaTRACE
2	NITRATE AS NITROGEN	LT	14000 ug/L	metaTRACE
0	LEAD	LT	5 ug/L	metaTRACE
0	LEAD	LT	4 ug/L	metaTRACE
0	PHENOLS	LT	5 ug/L	metaTRACE
0	ANTIMONY	LT	10 ug/L	metaTRACE
0	ANTIMONY	LT	10 ug/L	metaTRACE
0	SELENIUM	LT	2 ug/L	metaTRACE
0	SELENIUM	LT	2 ug/L	metaTRACE
1	SILICON	LT	3918 ug/L	metaTRACE
0	SULFATE	LT	1200 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS	LT	80000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	LT	7 ug/L	metaTRACE
0	TOTAL PHOSPHATES	LT	5.00 ug/L	metaTRACE
0	TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	VANADIUM	LT	10 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0	ZINC	LT	34 ug/L	metaTRACE
2	GROSS ALPHA	LT	19.00+-5.00 pCi/L	metaTRACE
2	NONVOLATILE BETA	LT	740+-80 pCi/L	metaTRACE
2	TOTAL RADIUM	LT	8.60+-0.90 pCi/L	metaTRACE
2	TRITIUM	LT	3800+-400 pCi/mL	metaTRACE

WELL HSB 68

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/04/89 Time 1120
 pH 7.3 Alkalinity = 0 mg/L
 Specific conductance = 325 umhos/cm
 Water temperature = 18.9 degrees Celsius
 Water evacuated from the well prior to sampling = 45 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	292.0 UMMC	metaTRACE
1	PH	3.64 pH	metaTRACE
0	SILVER	LT	2 ug/L
2	ALUMINUM	LT	5747 ug/L
0	ARSENIC	LT	3 ug/L
1	BARIUM	LT	95 ug/L
0	BROMODICHLOROMETHANE	LT	5 ug/L
0	CALCIUM	LT	3174 ug/L
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L
0	CARBON TETRACHLORIDE	LT	5.00 ug/L
0	CADMIUM	LT	4 ug/L
0	BROMOFORM	LT	5 ug/L
0	CHLOROFORM	LT	5 ug/L
0	METHYLENE CHLORIDE	LT	5 ug/L
0	BROMOMETHANE	LT	10 ug/L
0	CHLOROMETHANE	LT	10 ug/L
0	CHLORIDE	LT	1200 ug/L
0	CHLOROBENZENE	LT	5 ug/L
0	COBALT	LT	10 ug/L
0	CHROMIUM	LT	10 ug/L
1	COPPER	LT	59 ug/L
0	CYANIDE	LT	5 ug/L
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L
0	CHLOROETHANE	LT	10 ug/L
0	BENZENE	LT	5 ug/L
0	DIBROMOCHLOROMETHANE	LT	5 ug/L
0	ENDRIN	LT	0.008 ug/L
0	ETHYLBENZENE	LT	5 ug/L
0	FLUORIDE	LT	350 ug/L
1	IRON	LT	218 ug/L
1	MERCURY	LT	0.98 ug/L
0	POTASSIUM	LT	5000 ug/L
0	TOLUENE	LT	5 ug/L
0	MAGNESIUM	LT	792 ug/L
2	MANGANESE	LT	536 ug/L

CONTINUED

WELL HSB 68 COLLECTED ON 07/04/89 LABORATORY ANALYSES CONTINUED

1	SODIUM	LT	18440 ug/L	metaTRACE
1	NICKEL	LT	33 ug/L	metaTRACE
2	NITRATE AS NITROGEN	LT	38000 ug/L	metaTRACE
0	LEAD	LT	5 ug/L	metaTRACE
0	PHENOLS	LT	5 ug/L	metaTRACE
0	ANTIMONY	LT	10 ug/L	metaTRACE
0	SELENIUM	LT	2 ug/L	metaTRACE
1	SILICON	LT	8504 ug/L	metaTRACE
0	SULFATE	LT	1200 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS	LT	157000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	LT	8 ug/L	metaTRACE
0	TOTAL PHOSPHATES	LT	30 ug/L	metaTRACE
0	TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	VANADIUM	LT	10 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0	ZINC	LT	109 ug/L	metaTRACE
2	GROSS ALPHA	LT	28.00+-5.00 pCi/L	metaTRACE
2	GROSS ALPHA	LT	35.00+-5.00 pCi/L	metaTRACE
2	NONVOLATILE BETA	LT	5900+-600 pCi/L	metaTRACE
2	NONVOLATILE BETA	LT	5936+-600 pCi/L	metaTRACE
2	TOTAL RADIUM	LT	11.00+-2.00 pCi/L	metaTRACE
2	TRITIUM	LT	10000+-1000 pCi/mL	metaTRACE

WELL HSB 68A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/04/89 Time 1045
 Depth to water = 79.28 ft (24.16 m) below the TOC
 Water elevation = 170.12 ft (51.85 m) msl
 pH = 7.3 Alkalinity = 49 mg/L
 Specific conductance = 158 umhos/cm
 Water temperature = 19.4 degrees Celsius
 Water evacuated from the well prior to sampling = 319 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE	65.60 UMMC	metaTRACE
1	PH	6.91 pH	metaTRACE
0	SILVER	LT	2 ug/L
0	ALUMINUM	LT	35 ug/L
0	ARSENIC	LT	3 ug/L
0	BARIUM	LT	27 ug/L
0	BROMODICHLOROMETHANE	LT	5 ug/L
1	CALCIUM	LT	22470 ug/L
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L
0	CARBON TETRACHLORIDE	LT	5.00 ug/L
0	CADMIUM	LT	4 ug/L
0	BROMOFORM	LT	5 ug/L
0	CHLOROFORM	LT	5 ug/L
1	METHYLENE CHLORIDE	LT	7 ug/L
0	BROMOMETHANE	LT	10 ug/L
0	CHLOROMETHANE	LT	10 ug/L
0	CHLORIDE	LT	2400 ug/L
0	CHLOROBENZENE	LT	5 ug/L
0	COBALT	LT	10 ug/L
0	CHROMIUM	LT	10 ug/L
0	COPPER	LT	10 ug/L
0	CYANIDE	LT	5 ug/L
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L
0	CHLOROETHANE	LT	10 ug/L
0	BENZENE	LT	5 ug/L
0	DIBROMOCHLOROMETHANE	LT	5 ug/L
0	ENDRIN	LT	0.008 ug/L
0	ETHYLBENZENE	LT	5 ug/L
0	FLUORIDE	LT	250 ug/L
0	IRON	LT	10 ug/L
0	MERCURY	LT	0.20 ug/L
0	POTASSIUM	LT	5000 ug/L
0	TOLUENE	LT	5 ug/L
0	MAGNESIUM	LT	494 ug/L
0	MANGANESE	LT	10 ug/L
0	SODIUM	LT	1913 ug/L
0	NICKEL	LT	5 ug/L
0	NITRATE AS NITROGEN	LT	230 ug/L
0	LEAD	LT	3 ug/L
0	PHENOLS	LT	5 ug/L
0	ANTIMONY	LT	10 ug/L
0	SELENIUM	LT	2 ug/L
1	SILICON	LT	178 ug/L
0	SULFATE	LT	5100 ug/L
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L
0	TETRACHLOROETHYLENE	LT	5.00 ug/L
0	TOTAL DISSOLVED SOLIDS	LT	34000 ug/L
0	TOTAL ORGANIC CARBON	LT	1340 ug/L
1	TOTAL ORGANIC HALOGENS	LT	12 ug/L
1	TOTAL PHOSPHATES	LT	377 ug/L
0	TRICHLOROETHYLENE	LT	5.00 ug/L
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L
0	VANADIUM	LT	10 ug/L
0	1,1-DICHLOROETHYLENE	LT	5 ug/L
0	1,1-DICHLOROETHANE	LT	5 ug/L
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L

CONTINUED

WELL HSB 68A COLLECTED ON 07/04/89 LABORATORY ANALYSES CONTINUED

0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0	ZINC	LT	9 ug/L	metaTRACE
0	GROSS ALPHA	LT	3 pCi/L	metaTRACE
1	NONVOLATILE BETA	LT	13.00+-4.00 pCi/L	metaTRACE
0	TOTAL RADIUM	LT	1 pCi/L	metaTRACE
0	TRITIUM	LT	9.50+-1.00 pCi/mL	metaTRACE

WELL HSB 68B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/04/89 Time 1005
 Depth to water = 33.39 ft (10.18 m) below the TOC
 Water elevation = 216.61 ft (66.02 m) msl
 pH = 7.5 Alkalinity = 82 mg/L
 Specific conductance = 280 umhos/cm
 Water temperature = 20.0 degrees Celsius
 Water evacuated from the well prior to sampling = 50 gal
 The well went dry during purging.

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	146.5 UMHC	metaTRACE
1	PH	7.81 pH	metaTRACE
0	SILVER	LT	2 ug/L
0	ALUMINUM	LT	35 ug/L
0	ARSENIC	LT	3 ug/L
0	BARIUM	LT	25 ug/L
0	BROMODICHLOROMETHANE	LT	5 ug/L
1	CALCIUM	40750 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L
0	CARBON TETRACHLORIDE	LT	5.00 ug/L
0	CADMIUM	LT	4 ug/L
0	BROMOFORM	LT	5 ug/L
0	CHLOROFORM	LT	5 ug/L
0	METHYLENE CHLORIDE	LT	5 ug/L
0	BROMOMETHANE	LT	5 ug/L
0	CHLOROMETHANE	LT	10 ug/L
0	CHLORIDE	2600 ug/L	metaTRACE
0	CHLOROBENZENE	LT	5 ug/L
0	COBALT	LT	10 ug/L
0	CHROMIUM	LT	10 ug/L
0	COPPER	LT	10 ug/L
0	CYANIDE	LT	5 ug/L
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L
0	CHLOROETHANE	LT	10 ug/L
0	BENZENE	LT	5 ug/L
0	DIBROMOCHLOROMETHANE	LT	5 ug/L
0	ENDRIN	LT	0.006 ug/L
0	ETHYLBENZENE	LT	5 ug/L
0	FLUORIDE	LT	250 ug/L
0	IRON	LT	10 ug/L
0	MERCURY	LT	0.20 ug/L
0	POTASSIUM	LT	5000 ug/L
0	TOLUENE	LT	5 ug/L
0	MAGNESIUM	LT	856 ug/L
0	MANGANESE	LT	10 ug/L
0	SODIUM	LT	1889 ug/L
0	NICKEL	LT	5 ug/L
0	NITRATE AS NITROGEN	LT	380 ug/L
0	LEAD	LT	3 ug/L
0	PHENOLS	LT	5 ug/L
0	ANTIMONY	LT	10 ug/L
0	SELENIUM	LT	2 ug/L
1	SILICON	8637 ug/L	metaTRACE
0	SULFATE	2600 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L
0	TETRACHLOROETHYLENE	LT	5.00 ug/L
0	TOTAL DISSOLVED SOLIDS	90000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	1240 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L
1	TOTAL PHOSPHATES	1270 ug/L	metaTRACE
0	TRICHLOROETHYLENE	LT	5.00 ug/L
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L
0	VANADIUM	LT	10 ug/L
0	1,1-DICHLOROETHYLENE	LT	5 ug/L
0	1,1-DICHLOROETHANE	LT	5 ug/L
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L
0	1,2-DICHLOROETHANE	LT	5 ug/L
0	1,2-DICHLOROPROPANE	LT	5 ug/L
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L
0	ZINC	20 ug/L	metaTRACE
0	GROSS ALPHA	LT	4 pCi/L
1	NONVOLATILE BETA	12.00+-4.00 pCi/L	metaTRACE
0	TOTAL RADIUM	LT	1 pCi/L
2	TRITIUM	31.00+-4.00 pCi/mL	metaTRACE

WELL HSB 68C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/19/89 Time 910
 Depth to water = 32.47 ft (9.90 m) below the TOC
 Water elevation = 217.63 ft (66.33 m) msl
 pH = 5.8 Alkalinity = 4 mg/L
 Specific conductance = 127 umhos/cm
 Water temperature = 19.8 degrees Celsius
 Water evacuated from the well prior to sampling = 17 gal
 The well went dry during purging.

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	110.9 UMHC	metaTRACE
1	SPECIFIC CONDUCTANCE	110.9 UMHC	metaTRACE
0	PH	5.82 pH	metaTRACE
0	PH	5.82 pH	metaTRACE
0	SILVER	LT	5 ug/L
0	ALUMINUM	LT	30 ug/L
0	ARSENIC	LT	3 ug/L
0	BARIUM	LT	25 ug/L
0	BROMODICHLOROMETHANE	LT	5 ug/L
0	CALCIUM	5584 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L
0	CARBON TETRACHLORIDE	LT	5.00 ug/L
0	CADMIUM	LT	4 ug/L
0	BROMOFORM	LT	5 ug/L
0	CHLOROFORM	LT	5 ug/L
0	METHYLENE CHLORIDE	LT	5 ug/L
0	BROMOMETHANE	LT	10 ug/L
0	CHLOROMETHANE	LT	10 ug/L
0	CHLORIDE	3400 ug/L	metaTRACE
0	CHLORIDE	3400 ug/L	metaTRACE
0	CHLOROBENZENE	LT	5 ug/L
0	COBALT	LT	7 ug/L
0	CHROMIUM	LT	5 ug/L
1	COPPER	212 ug/L	metaTRACE
0	CYANIDE	LT	5 ug/L
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L
0	CHLOROETHANE	LT	10 ug/L
0	BENZENE	LT	5 ug/L
0	DIBROMOCHLOROMETHANE	LT	5 ug/L
0	ENDRIN	LT	0.006 ug/L
0	ETHYLBENZENE	LT	5 ug/L
0	FLUORIDE	LT	250 ug/L
0	FLUORIDE	LT	250 ug/L
0	IRON	LT	93 ug/L
0	MERCURY	LT	0.20 ug/L
0	MERCURY	LT	0.20 ug/L
0	POTASSIUM	LT	2000 ug/L
0	TOLUENE	LT	5 ug/L
0	MAGNESIUM	LT	1085 ug/L
2	MANGANESE	51 ug/L	metaTRACE
1	SODIUM	13030 ug/L	metaTRACE
0	NICKEL	LT	20 ug/L
2	NITRATE AS NITROGEN	11000 ug/L	metaTRACE
2	NITRATE AS NITROGEN	12000 ug/L	metaTRACE
0	LEAD	LT	13 ug/L
0	PHENOLS	LT	5 ug/L
0	ANTIMONY	LT	10 ug/L
0	ANTIMONY	LT	10 ug/L
0	SELENIUM	LT	2 ug/L
1	SILICON	4171 ug/L	metaTRACE
0	SULFATE	LT	1000 ug/L
0	SULFATE	LT	1000 ug/L
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L
0	TETRACHLOROETHYLENE	LT	5.00 ug/L
0	TOTAL DISSOLVED SOLIDS	100000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	LT	1000 ug/L
0	TOTAL ORGANIC CARBON	LT	1000 ug/L
0	TOTAL ORGANIC HALOGENS	LT	6 ug/L
0	TOTAL PHOSPHATES	LT	47 ug/L
2	TRICHLOROETHYLENE	27.0 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L
0	VANADIUM	LT	5 ug/L
0	1,1-DICHLOROETHYLENE	LT	5 ug/L
0	1,1-DICHLOROETHANE	LT	5 ug/L
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L
0	1,2-DICHLOROETHANE	LT	5 ug/L
0	1,2-DICHLOROPROPANE	LT	5 ug/L
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L
0	ZINC	193 ug/L	metaTRACE
0	GROSS ALPHA	LT	8 pCi/L
1	NONVOLATILE BETA	16.00+-4.00 pCi/L	metaTRACE
0	TOTAL RADIUM	LT	1 pCi/L
2	TRITIUM	1600+- 200 pCi/mL	metaTRACE

WELL HSB 69

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/15/89 Time 1455
 Depth to water = 15.96 ft (4.86 m) below the TOC
 Water elevation = 220.04 ft (67.07 m) msl
 pH = 3.9 Alkalinity = 0 mg/L
 Specific conductance = 410 umhos/cm
 Water temperature = 19.4 degrees Celsius
 Water evacuated from the well prior to sampling = 58 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	391.0 UMMC	metaTRACE
1	PH	3.73 pH	metaTRACE
0	SILVER	2 ug/L	metaTRACE
2	ALUMINUM	7132 ug/L	metaTRACE
0	ARSENIC	3 ug/L	metaTRACE
1	BARIUM	167 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	5 ug/L	metaTRACE
0	CALCIUM	7057 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	5.00 ug/L	metaTRACE
0	CADMIUM	4 ug/L	metaTRACE
0	BROMOFORM	5 ug/L	metaTRACE
0	CHLOROFORM	5 ug/L	metaTRACE
1	METHYLENE CHLORIDE	16 ug/L	metaTRACE
0	BROMOMETHANE	10 ug/L	metaTRACE
0	CHLOROMETHANE	10 ug/L	metaTRACE
0	CHLORIDE	2100 ug/L	metaTRACE
0	CHLOROBENZENE	5 ug/L	metaTRACE
1	COBALT	19 ug/L	metaTRACE
0	CHROMIUM	10 ug/L	metaTRACE
0	COPPER	14 ug/L	metaTRACE
0	CYANIDE	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	5 ug/L	metaTRACE
0	CHLOROETHANE	10 ug/L	metaTRACE
0	BENZENE	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	5 ug/L	metaTRACE
0	ENDRIN	0.006 ug/L	metaTRACE
0	ETHYLBENZENE	5 ug/L	metaTRACE
1	FLUORIDE	580 ug/L	metaTRACE
0	IRON	19 ug/L	metaTRACE
0	MERCURY	0.25 ug/L	metaTRACE
0	POTASSIUM	5000 ug/L	metaTRACE
0	TOLUENE	5 ug/L	metaTRACE
0	MAGNESIUM	3431 ug/L	metaTRACE
2	MANGANESE	1129 ug/L	metaTRACE
1	SODIUM	29280 ug/L	metaTRACE
1	NICKEL	44 ug/L	metaTRACE
2	NITRATE AS NITROGEN	44000 ug/L	metaTRACE
0	LEAD	3 ug/L	metaTRACE
0	PHENOLS	5 ug/L	metaTRACE
0	ANTIMONY	10 ug/L	metaTRACE
0	SELENIUM	2 ug/L	metaTRACE
1	SILICON	8136 ug/L	metaTRACE
0	SULFATE	1500 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	5.00 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS	208000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	1000 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	5 ug/L	metaTRACE
0	TOTAL PHOSPHATES	10 ug/L	metaTRACE
0	TRICHLOROETHYLENE	5.00 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	5 ug/L	metaTRACE
0	VANADIUM	10 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	5 ug/L	metaTRACE
0	ZINC	91 ug/L	metaTRACE
2	GROSS ALPHA	26.00+-6.00 pCi/L	metaTRACE
2	GROSS ALPHA	15.00+-4.00 pCi/L	Teledyne
1	AMERICIUM-241	35.00+-2.00 pCi/L	Teledyne
1	AMERICIUM-243	2.50+-0.90 pCi/L	Teledyne
0	BARIUM-140	20 pCi/L	Teledyne
2	NONVOLATILE BETA	8500+-900 pCi/L	metaTRACE
2	NONVOLATILE BETA	10000+-1000 pCi/L	Teledyne
0	BERYLLIUM-7	60 pCi/L	Teledyne
0	CERIUM-141	10 pCi/L	Teledyne
0	CERIUM-144	40 pCi/L	Teledyne
1	CURIUM-242	56.00+-2.00 pCi/L	Teledyne
1	CURIUM-246	15.00+-1.00 pCi/L	Teledyne
1	CURIUM-243/244	29.00+-2.00 pCi/L	Teledyne
0	COBALT-58	7 pCi/L	Teledyne
2	COBALT-60	384+-38 pCi/L	Teledyne
0	CESIUM-134	6 pCi/L	Teledyne
0	CESIUM-137	6 pCi/L	Teledyne
1	CARBON-14	48.00+-6.00 pCi/L	Teledyne
0	IRON-55	40 pCi/L	Teledyne
0	IRON-59	20 pCi/L	Teledyne
1	IODINE-129	7.30+-2.50 pCi/L	Teledyne
0	IODINE-131	40 pCi/L	Teledyne
0	POTASSIUM-40	60 pCi/L	Teledyne
0	MANGANESE-54	6 pCi/L	Teledyne
0	NICKEL-59	80 pCi/L	Teledyne
1	NICKEL-63	480+-10 pCi/L	Teledyne
0	PLUTONIUM-238	0.30 pCi/L	Teledyne
0	PLUTONIUM-242	1 pCi/L	Teledyne
0	PLUTONIUM-239/240	0.20 pCi/L	Teledyne
0	RADIUM-226	100 pCi/L	Teledyne
1	RADIUM-228	22.00+-1.00 pCi/L	Teledyne
1	RADIUM-228	40.00+-3.00 pCi/L	Teledyne
0	RUTHENIUM-103	7 pCi/L	Teledyne

CONTINUED

WELL HSB 69 COLLECTED ON 07/15/89 LABORATORY ANALYSES CONTINUED

0	RUTHENIUM-106	LT	50 pCi/L	Teledyne
1	STRONTIUM-89	LT	310+-40 pCi/L	Teledyne
1	STRONTIUM-90	LT	4200+-100 pCi/L	Teledyne
1	TECHNETIUM-99	LT	96.00+-6.00 pCi/L	Teledyne
0	THORIUM-228	LT	9 pCi/L	Teledyne
0	THORIUM-228	LT	2 pCi/L	Teledyne
0	THORIUM-230	LT	0.90 pCi/L	Teledyne
0	THORIUM-232	LT	0.70 pCi/L	Teledyne
2	TOTAL RADIUM	LT	28.00+-3.00 pCi/L	metaTRACE
2	TRITIUM	LT	17000+-2000 pCi/mL	metaTRACE
0	URANIUM-235	LT	0.10 pCi/L	Teledyne
1	URANIUM-238	LT	0.77+-0.28 pCi/L	Teledyne
1	URANIUM-233/234	LT	1.50+-0.30 pCi/L	Teledyne
0	ZINC-65	LT	20 pCi/L	Teledyne
0	ZIRCONIUM-95	LT	7 pCi/L	Teledyne

WELL HSB 69A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/06/89 Time 1135
 Depth to water = 86.23 ft (20.19 m) below the TOC
 Water elevation = 170.37 ft (51.93 m) msl
 pH = 7.1 Alkalinity = 67 mg/L
 Specific conductance = 182 umhos/cm
 Water temperature = 19.3 degrees Celsius
 Water evacuated from the well prior to sampling = 241 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE		186.0 UMMC	metaTRACE
1	PH		7.20 pH	metaTRACE
0	SILVER	LT	2 ug/L	metaTRACE
0	ALUMINUM	LT	35 ug/L	metaTRACE
1	ARSENIC		4 ug/L	metaTRACE
0	BARIUM		27 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
1	CALCIUM		27960 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0	CADMIUM	LT	4 ug/L	metaTRACE
0	BROMOFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	5 ug/L	metaTRACE
0	METHYLENE CHLORIDE	LT	5 ug/L	metaTRACE
0	BROMOMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
0	CHLORIDE		1800 ug/L	metaTRACE
0	CHLOROBENZENE	LT	5 ug/L	metaTRACE
0	COBALT	LT	10 ug/L	metaTRACE
0	CHROMIUM	LT	10 ug/L	metaTRACE
0	COPPER	LT	10 ug/L	metaTRACE
0	CYANIDE	LT	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0	CHLOROETHANE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0	ENDRIN		0.006 ug/L	metaTRACE
0	ETHYLBENZENE	LT	5 ug/L	metaTRACE
0	FLUORIDE	LT	250 ug/L	metaTRACE
0	IRON		11 ug/L	metaTRACE
0	MERCURY	LT	0.20 ug/L	metaTRACE
0	POTASSIUM	LT	5000 ug/L	metaTRACE
0	TOLUENE	LT	5 ug/L	metaTRACE
0	MAGNESIUM		762 ug/L	metaTRACE
0	MANGANESE		19 ug/L	metaTRACE
0	SODIUM		2301 ug/L	metaTRACE
0	NICKEL	LT	5 ug/L	metaTRACE
0	NITRATE AS NITROGEN	LT	230 ug/L	metaTRACE
0	LEAD	LT	3 ug/L	metaTRACE
0	PHENOLS	LT	5 ug/L	metaTRACE
0	ANTIMONY		10 ug/L	metaTRACE
0	SELENIUM	LT	2 ug/L	metaTRACE
1	SILICON		14670 ug/L	metaTRACE
0	SULFATE		6900 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS		134000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	metaTRACE
0	TOTAL PHOSPHATES		204 ug/L	metaTRACE
0	TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	VANADIUM	LT	10 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0	ZINC		11 ug/L	metaTRACE
0	GROSS ALPHA	LT	2 pCi/L	metaTRACE
0	NONVOLATILE BETA	LT	6 pCi/L	metaTRACE
0	TOTAL RADIUM	LT	1 pCi/L	metaTRACE
0	TRITIUM	LT	1 pCi/mL	metaTRACE

WELL HSB 70

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/08/89 Time 1405
 Depth to water = 18.91 ft (5.15 m) below the TOC
 Water elevation = 225.89 ft (68.85 m) msl
 pH = 5.2 Alkalinity = 4 mg/L
 Specific conductance = 71 umhos/cm
 Water temperature = 20.3 degrees Celsius
 Water evacuated from the well prior to sampling = 52 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE	72.00 UMH/C	metaTRACE
0	PH	5.26 pH	metaTRACE
0	SILVER	LT	2 ug/L metaTRACE
0	ALUMINUM	LT	35 ug/L metaTRACE
0	ARSENIC	LT	3 ug/L metaTRACE
1	BARIUM	LT	62 ug/L metaTRACE
0	BROMODICHLOROMETHANE	LT	5 ug/L metaTRACE
0	CALCIUM	LT	4789 ug/L metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00 ug/L metaTRACE
0	CADMIUM	LT	4 ug/L metaTRACE
0	BROMOFORM	LT	5 ug/L metaTRACE
0	CHLOROFORM	LT	5 ug/L metaTRACE
0	METHYLENE CHLORIDE	LT	5 ug/L metaTRACE
0	BROMOMETHANE	LT	10 ug/L metaTRACE
0	CHLOROETHANE	LT	10 ug/L metaTRACE
0	CHLORIDE	LT	1900 ug/L metaTRACE
0	CHLOROBENZENE	LT	5 ug/L metaTRACE
0	COBALT	LT	0 ug/L metaTRACE
0	CHROMIUM	LT	0 ug/L metaTRACE
1	COPPER	LT	29 ug/L metaTRACE
0	CYANIDE	LT	5 ug/L metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L metaTRACE
0	CHLOROETHANE	LT	10 ug/L metaTRACE
0	BENZENE	LT	5 ug/L metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L metaTRACE
0	ENDRIN	LT	0.006 ug/L metaTRACE
0	ETHYLBENZENE	LT	5 ug/L metaTRACE
0	FLUORIDE	LT	250 ug/L metaTRACE
0	IRON	LT	22 ug/L metaTRACE
0	MERCURY	LT	0.20 ug/L metaTRACE
0	POTASSIUM	LT	3000 ug/L metaTRACE
0	TOLUENE	LT	5 ug/L metaTRACE
0	MAGNESIUM	LT	1856 ug/L metaTRACE
0	MANGANESE	LT	11 ug/L metaTRACE
0	SODIUM	LT	3630 ug/L metaTRACE
0	NICKEL	LT	5 ug/L metaTRACE
0	NITRATE AS NITROGEN	LT	1700 ug/L metaTRACE
0	LEAD	LT	3 ug/L metaTRACE
0	PHENOLS	LT	5 ug/L metaTRACE
0	ANTIMONY	LT	10 ug/L metaTRACE
0	SELENIUM	LT	2 ug/L metaTRACE
1	SILICON	LT	3746 ug/L metaTRACE
0	SULFATE	LT	6400 ug/L metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L metaTRACE
0	TETRACHLOROETHYLENE	LT	5.00 ug/L metaTRACE
0	TOTAL DISSOLVED SOLIDS	LT	74000 ug/L metaTRACE
0	TOTAL ORGANIC CARBON	LT	1000 ug/L metaTRACE
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L metaTRACE
0	TOTAL PHOSPHATES	LT	10 ug/L metaTRACE
0	TRICHLOROETHYLENE	LT	5.00 ug/L metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L metaTRACE
0	VANADIUM	LT	10 ug/L metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L metaTRACE
0	1,1-DICHLOROETHANE	LT	5 ug/L metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L metaTRACE
0	ZINC	LT	25 ug/L metaTRACE
0	GROSS ALPHA	LT	5 pCi/L metaTRACE
0	NONVOLATILE BETA	LT	5 pCi/L metaTRACE
0	TOTAL RADIUM	LT	1 pCi/L metaTRACE
2	TRITIUM	180+- 20 pCi/mL	metaTRACE

WELL HSB 70C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/09/89 Time 1025
 Depth to water = 18.58 ft (5.66 m) below the TOC
 Water elevation = 224.52 ft (68.43 m) msl
 pH = 11.5 Alkalinity = 90 mg/L
 Specific conductance = 790 umhos/cm
 Water temperature = 20.0 degrees Celsius
 Water evacuated from the well prior to sampling = 30 gal
 The well went dry during purging.

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	456.0 UMH/C	metaTRACE
2	PH	11.6 pH	metaTRACE
0	SILVER	LT	2 ug/L metaTRACE
2	ALUMINUM	LT	837 ug/L metaTRACE
0	ARSENIC	LT	3 ug/L metaTRACE
1	BARIUM	LT	147 ug/L metaTRACE
0	BROMODICHLOROMETHANE	LT	5 ug/L metaTRACE
1	CALCIUM	LT	44750 ug/L metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00 ug/L metaTRACE
0	CADMIUM	LT	4 ug/L metaTRACE

CONTINUED

WELL HSB 70C COLLECTED ON 07/09/89 LABORATORY ANALYSES CONTINUED

0	BROMOFORM	LT	5 ug/L metaTRACE
0	CHLOROFORM	LT	5 ug/L metaTRACE
0	METHYLENE CHLORIDE	LT	5 ug/L metaTRACE
0	BROMOMETHANE	LT	10 ug/L metaTRACE
0	CHLOROMETHANE	LT	10 ug/L metaTRACE
0	CHLORIDE	LT	3400 ug/L metaTRACE
0	CHLOROBENZENE	LT	5 ug/L metaTRACE
0	COBALT	LT	10 ug/L metaTRACE
0	CHROMIUM	LT	10 ug/L metaTRACE
0	COPPER	LT	10 ug/L metaTRACE
0	CYANIDE	LT	5 ug/L metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L metaTRACE
0	CHLOROETHANE	LT	10 ug/L metaTRACE
0	BENZENE	LT	5 ug/L metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L metaTRACE
0	ENDRIN	LT	0.006 ug/L metaTRACE
0	ETHYLBENZENE	LT	5 ug/L metaTRACE
0	FLUORIDE	LT	270 ug/L metaTRACE
0	IRON	LT	10 ug/L metaTRACE
0	MERCURY	LT	0.20 ug/L metaTRACE
1	POTASSIUM	LT	6514 ug/L metaTRACE
0	TOLUENE	LT	5 ug/L metaTRACE
0	MAGNESIUM	LT	76 ug/L metaTRACE
0	MANGANESE	LT	10 ug/L metaTRACE
1	SODIUM	LT	20240 ug/L metaTRACE
0	NICKEL	LT	5 ug/L metaTRACE
2	NITRATE AS NITROGEN	LT	14000 ug/L metaTRACE
0	LEAD	LT	3 ug/L metaTRACE
0	PHENOLS	LT	5 ug/L metaTRACE
0	ANTIMONY	LT	10 ug/L metaTRACE
0	SELENIUM	LT	2 ug/L metaTRACE
1	SILICON	LT	4044 ug/L metaTRACE
0	SULFATE	LT	5000 ug/L metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L metaTRACE
0	TETRACHLOROETHYLENE	LT	5.00 ug/L metaTRACE
0	TOTAL DISSOLVED SOLIDS	LT	276000 ug/L metaTRACE
0	TOTAL DISSOLVED SOLIDS	LT	277000 ug/L metaTRACE
0	TOTAL ORGANIC CARBON	LT	1000 ug/L metaTRACE
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L metaTRACE
0	TOTAL PHOSPHATES	LT	20 ug/L metaTRACE
0	TRICHLOROETHYLENE	LT	5.00 ug/L metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L metaTRACE
0	VANADIUM	LT	10 ug/L metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L metaTRACE
0	1,1-DICHLOROETHANE	LT	5 ug/L metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L metaTRACE
0	ZINC	LT	4 ug/L metaTRACE
0	GROSS ALPHA	LT	6 pCi/L metaTRACE
2	NONVOLATILE BETA	LT	52.00+-6.00 pCi/L metaTRACE
0	TOTAL RADIUM	LT	1.20+-0.30 pCi/L metaTRACE
2	TRITIUM	LT	3100+- 400 pCi/mL metaTRACE

WELL HSB 71

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/11/89 Time 1225
 Depth to water = 17.13 ft (5.22 m) below the TOC
 Water elevation = 224.27 ft (68.38 m) msl
 pH = 5.2 Alkalinity = 1 mg/L
 Specific conductance = 94 umhos/cm
 Water temperature = 18.7 degrees Celsius
 Water evacuated from the well prior to sampling = 51 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	107.5 UMH/C	metaTRACE
0	PH	4.99 pH	metaTRACE
0	SILVER	LT	2 ug/L metaTRACE
0	ALUMINUM	LT	38 ug/L metaTRACE
0	ARSENIC	LT	3 ug/L metaTRACE
0	BARIUM	LT	5 ug/L metaTRACE
0	BROMODICHLOROMETHANE	LT	5 ug/L metaTRACE
0	CALCIUM	LT	916 ug/L metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00 ug/L metaTRACE
0	CADMIUM	LT	4 ug/L metaTRACE
0	BROMOFORM	LT	5 ug/L metaTRACE
1	CHLOROFORM	LT	8 ug/L metaTRACE
1	METHYLENE CHLORIDE	LT	77 ug/L metaTRACE
0	BROMOMETHANE	LT	10 ug/L metaTRACE
0	CHLOROMETHANE	LT	10 ug/L metaTRACE
0	CHLORIDE	LT	3400 ug/L metaTRACE
0	CHLOROBENZENE	LT	5 ug/L metaTRACE
0	COBALT	LT	10 ug/L metaTRACE
0	CHROMIUM	LT	10 ug/L metaTRACE
1	COPPER	LT	114 ug/L metaTRACE
0	CYANIDE	LT	5 ug/L metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L metaTRACE
0	CHLOROETHANE	LT	10 ug/L metaTRACE
0	BENZENE	LT	5 ug/L metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L metaTRACE
0	ENDRIN	LT	0.006 ug/L metaTRACE
0	ETHYLBENZENE	LT	5 ug/L metaTRACE
0	FLUORIDE	LT	250 ug/L metaTRACE
0	IRON	LT	10 ug/L metaTRACE
0	MERCURY	LT	0.21 ug/L metaTRACE
0	POTASSIUM	LT	5000 ug/L metaTRACE
0	TOLUENE	LT	5 ug/L metaTRACE
0	MAGNESIUM	LT	741 ug/L metaTRACE

CONTINUED

WELL HSB 71 COLLECTED ON 07/11/89 LABORATORY ANALYSES CONTINUED

0 MANGANESE	LT	10 ug/L	metaTRACE
1 SODIUM		12940 ug/L	metaTRACE
1 NICKEL		15 ug/L	metaTRACE
1 NITRATE AS NITROGEN		8400 ug/L	metaTRACE
0 LEAD	LT	11 ug/L	metaTRACE
0 PHENOLS	LT	5 ug/L	metaTRACE
0 ANTIMONY	LT	10 ug/L	metaTRACE
0 SELENIUM	LT	2 ug/L	metaTRACE
1 SILICON		2273 ug/L	metaTRACE
0 SULFATE	LT	1000 ug/L	metaTRACE
0 1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0 TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0 TOTAL DISSOLVED SOLIDS		117000 ug/L	metaTRACE
0 TOTAL ORGANIC CARBON	LT	1000 ug/L	metaTRACE
0 TOTAL ORGANIC HALOGENS	LT	5 ug/L	metaTRACE
0 TOTAL PHOSPHATES	LT	10 ug/L	metaTRACE
0 TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0 TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0 TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0 VANADIUM	LT	10 ug/L	metaTRACE
0 1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0 1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0 CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0 2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0 ZINC		70 ug/L	metaTRACE
0 GROSS ALPHA	LT	3 pCi/L	metaTRACE
1 NONVOLATILE BETA		30.00+-5.00 pCi/L	metaTRACE
0 TOTAL RADIUM	LT	1 pCi/L	metaTRACE
2 TRITIUM		1900+-200 pCi/mL	metaTRACE

WELL HSB 71C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/12/89 Time 910
 Depth to water = 18.80 ft (5.73 m) below the TOC
 Water elevation = 222.80 ft (67.91 m) sea
 pH = 9.6 Alkalinity = 35 mg/L
 Specific conductance = 710 umhos/cm
 Water temperature = 17.9 degrees Celsius
 Water evacuated from the well prior to sampling = 25 gal
 The well went dry during purging.

LABORATORY ANALYSES

1 SPECIFIC CONDUCTANCE		611.0 uMHC	metaTRACE
1 PH		9.63 pH	metaTRACE
0 SILVER	LT	2 ug/L	metaTRACE
1 ALUMINUM		154 ug/L	metaTRACE
0 ARSENIC	LT	3 ug/L	metaTRACE
1 BARIUM		159 ug/L	metaTRACE
0 BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
1 CALCIUM		22640 ug/L	metaTRACE
0 TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE
0 CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0 CADMIUM	LT	4 ug/L	metaTRACE
0 BROMOFORM	LT	5 ug/L	metaTRACE
0 CHLOROFORM	J	4 ug/L	metaTRACE
1 METHYLENE CHLORIDE	B	59 ug/L	metaTRACE
0 BROMOMETHANE	LT	10 ug/L	metaTRACE
0 CHLOROMETHANE	LT	10 ug/L	metaTRACE
0 CHLORIDE		6000 ug/L	metaTRACE
0 CHLOROBENZENE	LT	5 ug/L	metaTRACE
0 COBALT	LT	10 ug/L	metaTRACE
0 CHROMIUM	LT	10 ug/L	metaTRACE
0 COPPER	LT	10 ug/L	metaTRACE
0 CYANIDE	LT	5 ug/L	metaTRACE
0 CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0 CHLOROETHANE	LT	10 ug/L	metaTRACE
0 BENZENE	LT	5 ug/L	metaTRACE
0 DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0 ENDRIN	LT	0.008 ug/L	metaTRACE
0 ETHYLBENZENE	LT	5 ug/L	metaTRACE
0 FLUORIDE	LT	250 ug/L	metaTRACE
0 IRON	LT	10 ug/L	metaTRACE
0 MERCURY		0.21 ug/L	metaTRACE
1 POTASSIUM		9383 ug/L	metaTRACE
0 TOLUENE	LT	5 ug/L	metaTRACE
1 MAGNESIUM		6905 ug/L	metaTRACE
0 MANGANESE		23 ug/L	metaTRACE
1 SODIUM		102100 ug/L	metaTRACE
1 NICKEL		18 ug/L	metaTRACE
2 NITRATE AS NITROGEN		75000 ug/L	metaTRACE
0 LEAD	LT	5 ug/L	metaTRACE
0 PHENOLS	LT	5 ug/L	metaTRACE
0 ANTIMONY	LT	10 ug/L	metaTRACE
0 SELENIUM	LT	2 ug/L	metaTRACE
1 SILICON		3182 ug/L	metaTRACE
0 SULFATE		1200 ug/L	metaTRACE
0 1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0 TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0 TOTAL DISSOLVED SOLIDS		515000 ug/L	metaTRACE
0 TOTAL ORGANIC CARBON		1410 ug/L	metaTRACE
0 TOTAL ORGANIC HALOGENS	LT	5 ug/L	metaTRACE
0 TOTAL PHOSPHATES	LT	10 ug/L	metaTRACE
0 TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0 TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0 TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0 VANADIUM	LT	10 ug/L	metaTRACE
0 1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0 1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0 CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0 2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0 ZINC		6 ug/L	metaTRACE
0 GROSS ALPHA	LT	4 pCi/L	metaTRACE
0 NONVOLATILE BETA	LT	6 pCi/L	metaTRACE
0 TOTAL RADIUM	LT	1 pCi/L	metaTRACE
2 TRITIUM		41.00+-5.00 pCi/mL	metaTRACE
0 TRITIUM	LT	1 pCi/mL	metaTRACE

CONTINUED

WELL HSB 71C COLLECTED ON 07/12/89 LABORATORY ANALYSES CONTINUED

0 1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0 CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0 2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0 ZINC		21 ug/L	metaTRACE
0 GROSS ALPHA	LT	5 pCi/L	metaTRACE
2 NONVOLATILE BETA		220+-30 pCi/L	metaTRACE
2 TOTAL RADIUM		6.30+-0.70 pCi/L	metaTRACE
2 TRITIUM		9200+-1000 pCi/mL	metaTRACE
2 TRITIUM		9300+-1000 pCi/mL	metaTRACE

WELL HSB 83A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/18/89 Time 945
 Depth to water = 66.04 ft (20.13 m) below the TOC
 Water elevation = 171.28 ft (52.20 m) sea
 pH = 8.9 Alkalinity = 74 mg/L
 Specific conductance = 220 umhos/cm
 Water temperature = 19.3 degrees Celsius
 Water evacuated from the well prior to sampling = 276 gal

LABORATORY ANALYSES

1 SPECIFIC CONDUCTANCE		178.1 uMHC	metaTRACE
1 PH		7.04 pH	metaTRACE
0 SILVER	LT	2 ug/L	metaTRACE
0 ALUMINUM	LT	35 ug/L	metaTRACE
0 ARSENIC	LT	3 ug/L	metaTRACE
0 BARIUM		30 ug/L	metaTRACE
0 BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
1 CALCIUM		31370 ug/L	metaTRACE
0 TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE
0 CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0 CADMIUM	LT	4 ug/L	metaTRACE
0 BROMOFORM	LT	5 ug/L	metaTRACE
0 CHLOROFORM	LT	5 ug/L	metaTRACE
1 METHYLENE CHLORIDE	JB	4 ug/L	metaTRACE
0 BROMOMETHANE	LT	10 ug/L	metaTRACE
0 CHLOROMETHANE	LT	10 ug/L	metaTRACE
0 CHLORIDE		2400 ug/L	metaTRACE
0 CHLOROBENZENE	LT	5 ug/L	metaTRACE
0 COBALT	LT	10 ug/L	metaTRACE
0 CHROMIUM	LT	10 ug/L	metaTRACE
0 COPPER	LT	10 ug/L	metaTRACE
0 CYANIDE	LT	5 ug/L	metaTRACE
0 CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0 CHLOROETHANE	LT	10 ug/L	metaTRACE
0 BENZENE	LT	5 ug/L	metaTRACE
0 DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0 ENDRIN	LT	0.008 ug/L	metaTRACE
0 ETHYLBENZENE	LT	5 ug/L	metaTRACE
0 FLUORIDE	LT	250 ug/L	metaTRACE
0 IRON		36 ug/L	metaTRACE
0 MERCURY	LT	0.20 ug/L	metaTRACE
0 POTASSIUM	LT	5000 ug/L	metaTRACE
0 TOLUENE	LT	5 ug/L	metaTRACE
0 MAGNESIUM		682 ug/L	metaTRACE
0 MANGANESE	LT	10 ug/L	metaTRACE
0 SODIUM		2023 ug/L	metaTRACE
0 NICKEL	LT	5 ug/L	metaTRACE
2 NITRATE AS NITROGEN	LT	230 ug/L	metaTRACE
0 LEAD	LT	3 ug/L	metaTRACE
0 PHENOLS	LT	5 ug/L	metaTRACE
0 ANTIMONY	LT	10 ug/L	metaTRACE
0 SELENIUM	LT	2 ug/L	metaTRACE
1 SILICON		13620 ug/L	metaTRACE
0 SULFATE		5100 ug/L	metaTRACE
0 1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0 TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0 TOTAL DISSOLVED SOLIDS		127000 ug/L	metaTRACE
0 TOTAL ORGANIC CARBON	LT	1000 ug/L	metaTRACE
0 TOTAL ORGANIC HALOGENS	LT	6 ug/L	metaTRACE
0 TOTAL PHOSPHATES	LT	10 ug/L	metaTRACE
0 TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0 TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0 TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0 VANADIUM	LT	10 ug/L	metaTRACE
0 1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0 1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0 CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0 2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0 ZINC		6 ug/L	metaTRACE
0 GROSS ALPHA	LT	4 pCi/L	metaTRACE
0 NONVOLATILE BETA	LT	6 pCi/L	metaTRACE
0 TOTAL RADIUM	LT	1 pCi/L	metaTRACE
2 TRITIUM		41.00+-5.00 pCi/mL	metaTRACE
0 TRITIUM	LT	1 pCi/mL	metaTRACE

WELL HSB 838

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/18/89 Time 1000
 Depth to water = 14.70 ft (4.48 m) below the TOC
 Water elevation = 222.30 ft (67.78 m) msl
 pH = 6.8 Alkalinity = 41 mg/L
 Specific conductance = 132 umhos/cm
 Water temperature = 19.1 degrees Celsius
 Water evacuated from the well prior to sampling = 331 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	135.5	umhc	metatrace
1	PH	6.88	pH	metatrace
0	SILVER	LT	2 ug/L	metatrace
0	ALUMINUM	LT	35 ug/L	metatrace
0	ARSENIC	LT	4 ug/L	metatrace
0	BARIUM	LT	4 ug/L	metatrace
0	BROMODICHLOROMETHANE	LT	5 ug/L	metatrace
0	CALCIUM	1535	ug/L	metatrace
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L	metatrace
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metatrace
0	CADMIUM	LT	4 ug/L	metatrace
0	BROMOFORM	LT	5 ug/L	metatrace
0	CHLOROFORM	LT	5 ug/L	metatrace
0	METHYLENE CHLORIDE	LT	5 ug/L	metatrace
0	BROMOMETHANE	LT	10 ug/L	metatrace
0	CHLOROMETHANE	LT	10 ug/L	metatrace
0	CHLORIDE	2500	ug/L	metatrace
0	CHLOROBENZENE	LT	5 ug/L	metatrace
0	COBALT	LT	10 ug/L	metatrace
0	CHROMIUM	LT	10 ug/L	metatrace
0	COPPER	LT	10 ug/L	metatrace
0	CYANIDE	LT	5 ug/L	metatrace
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metatrace
0	CHLOROETHANE	LT	10 ug/L	metatrace
0	BENZENE	LT	5 ug/L	metatrace
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metatrace
0	ENDRIN	LT	0.008 ug/L	metatrace
0	ETHYLBENZENE	LT	5 ug/L	metatrace
0	FLUORIDE	LT	250 ug/L	metatrace
0	IRON	LT	13 ug/L	metatrace
0	MERCURY	LT	0.20 ug/L	metatrace
0	POTASSIUM	LT	5000 ug/L	metatrace
0	TOLENE	LT	5 ug/L	metatrace
0	MAGNESIUM	LT	510 ug/L	metatrace
0	MANGANESE	LT	10 ug/L	metatrace
0	SODIUM	3283	ug/L	metatrace
0	NICKEL	LT	5 ug/L	metatrace
0	NITRATE AS NITROGEN	LT	230 ug/L	metatrace
0	LEAD	LT	3 ug/L	metatrace
0	PHENOLS	LT	5 ug/L	metatrace
0	ANTIMONY	LT	10 ug/L	metatrace
0	SELENIUM	LT	2 ug/L	metatrace
1	SILICON	12170	ug/L	metatrace
0	SULFATE	1000	ug/L	metatrace
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metatrace
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metatrace
0	TOTAL DISSOLVED SOLIDS	5000	ug/L	metatrace
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	metatrace
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	metatrace
0	TOTAL PHOSPHATES	45	ug/L	metatrace
0	TRICHLOROETHYLENE	LT	5.00 ug/L	metatrace
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metatrace
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metatrace
0	VANADIUM	LT	10 ug/L	metatrace
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metatrace
0	1,1-DICHLOROETHANE	LT	5 ug/L	metatrace
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metatrace
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metatrace
0	1,2-DICHLOROETHANE	LT	5 ug/L	metatrace
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metatrace
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metatrace
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metatrace
0	ZINC	19	ug/L	metatrace
0	GROSS ALPHA	LT	3 pCi/L	metatrace
0	NONVOLATILE BETA	LT	8 pCi/L	metatrace
0	TOTAL RADIUM	LT	1 pCi/L	metatrace
0	TRITIUM	1.20+0.20	pCi/mL	metatrace

WELL HSB 83C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/18/89 Time 1045
 Depth to water = 12.78 ft (3.90 m) below the TOC
 Water elevation = 224.32 ft (68.37 m) msal
 pH = 9.4 Alkalinity = 1 mg/L
 Specific conductance = 27 umhos/cm
 Water temperature = 18.9 degrees Celsius
 Water evacuated from the well prior to sampling = 208 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE	26.10	umhc	metatrace
0	PH	9.35	pH	metatrace
0	SILVER	LT	2 ug/L	metatrace
0	ALUMINUM	LT	35 ug/L	metatrace
0	ARSENIC	LT	3 ug/L	metatrace
0	BARIUM	LT	38 ug/L	metatrace
0	BROMODICHLOROMETHANE	LT	5 ug/L	metatrace
1	CALCIUM	17040	ug/L	metatrace
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L	metatrace
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metatrace

CONTINUED

WELL HSB 83C COLLECTED ON 07/18/89 LABORATORY ANALYSES CONTINUED

0	CADMIUM	LT	4 ug/L	metatrace
0	BROMOFORM	LT	5 ug/L	metatrace
0	CHLOROFORM	LT	5 ug/L	metatrace
1	METHYLENE CHLORIDE	JB	4 ug/L	metatrace
0	BROMOMETHANE	LT	10 ug/L	metatrace
0	CHLOROMETHANE	LT	10 ug/L	metatrace
0	CHLORIDE	2500	ug/L	metatrace
0	CHLOROBENZENE	LT	5 ug/L	metatrace
0	COBALT	LT	10 ug/L	metatrace
0	CHROMIUM	LT	10 ug/L	metatrace
0	COPPER	LT	10 ug/L	metatrace
0	CYANIDE	LT	5 ug/L	metatrace
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metatrace
0	CHLOROETHANE	LT	10 ug/L	metatrace
0	BENZENE	LT	5 ug/L	metatrace
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metatrace
0	ENDRIN	LT	0.008 ug/L	metatrace
0	ETHYLBENZENE	LT	5 ug/L	metatrace
0	FLUORIDE	LT	250 ug/L	metatrace
0	IRON	LT	13 ug/L	metatrace
0	MERCURY	LT	0.20 ug/L	metatrace
0	POTASSIUM	LT	5000 ug/L	metatrace
0	TOLENE	LT	5 ug/L	metatrace
0	MAGNESIUM	LT	510 ug/L	metatrace
0	MANGANESE	LT	10 ug/L	metatrace
0	SODIUM	3283	ug/L	metatrace
0	NICKEL	LT	5 ug/L	metatrace
0	NITRATE AS NITROGEN	LT	230 ug/L	metatrace
0	LEAD	LT	3 ug/L	metatrace
0	PHENOLS	LT	5 ug/L	metatrace
0	ANTIMONY	LT	10 ug/L	metatrace
0	SELENIUM	LT	2 ug/L	metatrace
1	SILICON	12170	ug/L	metatrace
0	SULFATE	1000	ug/L	metatrace
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metatrace
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metatrace
0	TOTAL DISSOLVED SOLIDS	5000	ug/L	metatrace
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	metatrace
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	metatrace
0	TOTAL PHOSPHATES	45	ug/L	metatrace
0	TRICHLOROETHYLENE	LT	5.00 ug/L	metatrace
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metatrace
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metatrace
0	VANADIUM	LT	10 ug/L	metatrace
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metatrace
0	1,1-DICHLOROETHANE	LT	5 ug/L	metatrace
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metatrace
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metatrace
0	1,2-DICHLOROETHANE	LT	5 ug/L	metatrace
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metatrace
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metatrace
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metatrace
0	ZINC	19	ug/L	metatrace
0	GROSS ALPHA	LT	3 pCi/L	metatrace
0	NONVOLATILE BETA	LT	8 pCi/L	metatrace
0	TOTAL RADIUM	LT	1 pCi/L	metatrace
0	TRITIUM	1.20+0.20	pCi/mL	metatrace

WELL HSB 83D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/18/89 Time 1030
 Depth to water = 11.18 ft (3.41 m) below the TOC
 Water elevation = 225.82 ft (68.83 m) msal
 pH = 9.2 Alkalinity = 4 mg/L
 Specific conductance = 118 umhos/cm
 Water temperature = 18.6 degrees Celsius
 Water evacuated from the well prior to sampling = 71 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	118.7	umhc	metatrace
0	PH	9.33	pH	metatrace
0	SILVER	LT	2 ug/L	metatrace
0	ALUMINUM	LT	45 ug/L	metatrace
0	ARSENIC	LT	3 ug/L	metatrace
0	BARIUM	LT	35 ug/L	metatrace
0	BROMODICHLOROMETHANE	LT	5 ug/L	metatrace
0	CALCIUM	4797	ug/L	metatrace
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L	metatrace
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metatrace
0	CADMIUM	LT	4 ug/L	metatrace
0	BROMOFORM	LT	5 ug/L	metatrace
0	CHLOROFORM	LT	5 ug/L	metatrace
0	METHYLENE CHLORIDE	LT	5 ug/L	metatrace
0	BROMOMETHANE	LT	10 ug/L	metatrace
0	CHLOROMETHANE	LT	10 ug/L	metatrace
0	CHLORIDE	2200	ug/L	metatrace
0	CHLOROBENZENE	LT	5 ug/L	metatrace
0	COBALT	LT	7 ug/L	metatrace
0	CHROMIUM	LT	5 ug/L	metatrace
0	COPPER	LT	10 ug/L	metatrace
0	CYANIDE	LT	5 ug/L	metatrace
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metatrace
0	CHLOROETHANE	LT	10 ug/L	metatrace
0	BENZENE	LT	5 ug/L	metatrace
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metatrace
0	ENDRIN	LT	0.008 ug/L	metatrace
0	ETHYLBENZENE	LT	5 ug/L	metatrace
0	FLUORIDE	LT	250 ug/L	metatrace
0	IRON	LT	28 ug/L	metatrace
0	MERCURY	LT	0.20 ug/L	metatrace
0	POTASSIUM	LT	2000 ug/L	metatrace
0	TOLENE	LT	5 ug/L	metatrace
0	MAGNESIUM	1984	ug/L	metatrace

CONTINUED

WELL HSB 830 COLLECTED ON 07/18/89 LABORATORY ANALYSES CONTINUED

1	MANGANESE		30 ug/L	metatrace
1	SODIUM		10050 ug/L	metatrace
0	NICKEL	LT	5 ug/L	metatrace
2	NITRATE AS NITROGEN		12000 ug/L	metatrace
0	LEAD		5 ug/L	metatrace
0	PHENOLS	LT	5 ug/L	metatrace
0	ANTIMONY	LT	10 ug/L	metatrace
0	SELENIUM	LT	2 ug/L	metatrace
1	SILICON		3092 ug/L	metatrace
0	SULFATE		4200 ug/L	metatrace
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metatrace
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metatrace
0	TOTAL DISSOLVED SOLIDS		73000 ug/L	metatrace
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	metatrace
0	TOTAL ORGANIC HALOGENS	LT	1000 ug/L	metatrace
0	TOTAL PHOSPHATES	LT	9 ug/L	metatrace
2	TRICHLOROETHYLENE		25.0 ug/L	metatrace
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metatrace
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metatrace
0	VANADIUM	LT	5 ug/L	metatrace
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metatrace
0	1,1-DICHLOROETHANE	LT	5 ug/L	metatrace
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metatrace
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metatrace
0	1,2-DICHLOROETHANE	LT	5 ug/L	metatrace
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metatrace
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metatrace
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metatrace
0	ZINC		42 ug/L	metatrace
0	GROSS ALPHA	LT	3 pCi/L	metatrace
1	NONVOLATILE BETA		23.00+-4.00 pCi/L	metatrace
0	TOTAL RADIUM	LT	1 pCi/L	metatrace
2	TRITIUM		3900+- 400 pCi/mL	metatrace

WELL HSB 84A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/15/89 Time 1215
 Depth to water = 58.86 ft (17.94 m) below the TOC
 Water elevation = 169.84 ft (51.77 m) msl
 pH = 5.3 Alkalinity = 4 mg/L
 Specific conductance = 88 umhos/cm
 Water temperature = 19.4 degrees Celsius
 Water evacuated from the well prior to sampling = 274 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE		55.00 UMC	metatrace
0	PH		5.28 pH	metatrace
0	SILVER	LT	2 ug/L	metatrace
1	ALUMINUM		201 ug/L	metatrace
0	ARSENIC	LT	3 ug/L	metatrace
0	BARIUM		13 ug/L	metatrace
0	BROMODICHLOROMETHANE	LT	5 ug/L	metatrace
0	CALCIUM		3324 ug/L	metatrace
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L	metatrace
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metatrace
0	CADMIUM	LT	4 ug/L	metatrace
0	BROMOFORM	LT	5 ug/L	metatrace
0	CHLOROFORM	LT	5 ug/L	metatrace
0	METHYLENE CHLORIDE	LT	5 ug/L	metatrace
0	BROMOMETHANE	LT	10 ug/L	metatrace
0	CHLOROMETHANE	LT	10 ug/L	metatrace
0	CHLORIDE		2500 ug/L	metatrace
0	CHLOROBENZENE	LT	5 ug/L	metatrace
0	COBALT	LT	10 ug/L	metatrace
0	CHROMIUM	LT	10 ug/L	metatrace
0	COPPER	LT	10 ug/L	metatrace
0	CYANIDE	LT	5 ug/L	metatrace
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metatrace
0	CHLOROETHANE	LT	10 ug/L	metatrace
0	BENZENE	LT	5 ug/L	metatrace
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metatrace
0	ENDRIN	LT	0.008 ug/L	metatrace
0	ETHYLBENZENE	LT	5 ug/L	metatrace
0	FLUORIDE		380 ug/L	metatrace
0	IRON		23 ug/L	metatrace
0	MERCURY	LT	0.20 ug/L	metatrace
0	POTASSIUM	LT	5000 ug/L	metatrace
0	TOLUENE	LT	5 ug/L	metatrace
0	MAGNESIUM		372 ug/L	metatrace
2	MANGANESE		58 ug/L	metatrace
0	SODIUM		4498 ug/L	metatrace
0	NICKEL	LT	5 ug/L	metatrace
0	NITRATE AS NITROGEN		2200 ug/L	metatrace
0	LEAD	LT	3 ug/L	metatrace
0	PHENOLS	LT	5 ug/L	metatrace
0	ANTIMONY	LT	10 ug/L	metatrace
0	SELENIUM	LT	2 ug/L	metatrace
1	SILICON		7246 ug/L	metatrace
0	SULFATE		7200 ug/L	metatrace
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metatrace
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metatrace
0	TOTAL DISSOLVED SOLIDS		55000 ug/L	metatrace
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	metatrace
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	metatrace
0	TOTAL PHOSPHATES	LT	10 ug/L	metatrace
0	TRICHLOROETHYLENE	LT	5.00 ug/L	metatrace
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metatrace
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metatrace
0	VANADIUM	LT	10 ug/L	metatrace
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metatrace
0	1,1-DICHLOROETHANE	LT	5 ug/L	metatrace
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metatrace

CONTINUED

WELL HSB 84A COLLECTED ON 07/15/89 LABORATORY ANALYSES CONTINUED

0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metatrace
0	1,2-DICHLOROETHANE	LT	5 ug/L	metatrace
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metatrace
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metatrace
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metatrace
0	ZINC		5 ug/L	metatrace
1	GROSS ALPHA		8.50+-4.00 pCi/L	metatrace
0	GROSS ALPHA		3.80+-2.60 pCi/L	metatrace
2	NONVOLATILE BETA		1200+- 200 pCi/L	metatrace
0	TOTAL RADIUM		2.00+-0.30 pCi/L	metatrace
2	TRITIUM		890+- 90 pCi/mL	metatrace
2	TRITIUM		840+- 90 pCi/mL	metatrace

WELL HSB 84B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/15/89 Time 1320
 Depth to water = 18.20 ft (5.55 m) below the TOC
 Water elevation = 210.70 ft (64.22 m) msl
 pH = 8.2 Alkalinity = 67 mg/L
 Specific conductance = 210 umhos/cm
 Water temperature = 20.8 degrees Celsius
 Water evacuated from the well prior to sampling = 231 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE		208.0 UMC	metatrace
2	PH		8.11 pH	metatrace
0	SILVER	LT	2 ug/L	metatrace
0	ALUMINUM	LT	35 ug/L	metatrace
0	ARSENIC	LT	3 ug/L	metatrace
0	BARIUM		45 ug/L	metatrace
0	BROMODICHLOROMETHANE	LT	5 ug/L	metatrace
1	CALCIUM		28100 ug/L	metatrace
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L	metatrace
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metatrace
0	CADMIUM	LT	4 ug/L	metatrace
0	BROMOFORM	LT	5 ug/L	metatrace
0	CHLOROFORM	LT	5 ug/L	metatrace
0	METHYLENE CHLORIDE	LT	5 ug/L	metatrace
0	BROMOMETHANE	LT	10 ug/L	metatrace
0	CHLOROMETHANE	LT	10 ug/L	metatrace
0	CHLORIDE		2500 ug/L	metatrace
0	CHLOROBENZENE	LT	5 ug/L	metatrace
0	COBALT	LT	10 ug/L	metatrace
0	CHROMIUM	LT	10 ug/L	metatrace
0	COPPER	LT	10 ug/L	metatrace
0	CYANIDE	LT	5 ug/L	metatrace
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metatrace
0	CHLOROETHANE	LT	10 ug/L	metatrace
0	BENZENE	LT	5 ug/L	metatrace
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metatrace
0	ENDRIN	LT	0.008 ug/L	metatrace
0	ETHYLBENZENE	LT	5 ug/L	metatrace
0	FLUORIDE	LT	250 ug/L	metatrace
0	IRON		89 ug/L	metatrace
0	MERCURY	LT	0.20 ug/L	metatrace
0	POTASSIUM	LT	5000 ug/L	metatrace
0	TOLUENE	LT	5 ug/L	metatrace
0	MAGNESIUM		478 ug/L	metatrace
0	MANGANESE	LT	10 ug/L	metatrace
0	SODIUM		3480 ug/L	metatrace
0	NICKEL	LT	5 ug/L	metatrace
0	NITRATE AS NITROGEN		470 ug/L	metatrace
0	LEAD	LT	3 ug/L	metatrace
0	PHENOLS	LT	5 ug/L	metatrace
0	ANTIMONY	LT	10 ug/L	metatrace
0	SELENIUM	LT	2 ug/L	metatrace
1	SILICON		19130 ug/L	metatrace
0	SULFATE		3900 ug/L	metatrace
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metatrace
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metatrace
0	TOTAL DISSOLVED SOLIDS		154000 ug/L	metatrace
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	metatrace
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	metatrace
0	TOTAL PHOSPHATES	LT	84 ug/L	metatrace
0	TRICHLOROETHYLENE	LT	5.00 ug/L	metatrace
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metatrace
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metatrace
0	VANADIUM	LT	10 ug/L	metatrace
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metatrace
0	1,1-DICHLOROETHANE	LT	5 ug/L	metatrace
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metatrace
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metatrace
0	1,2-DICHLOROETHANE	LT	5 ug/L	metatrace
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metatrace
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metatrace
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metatrace
0	ZINC		14 ug/L	metatrace
0	GROSS ALPHA	LT	4 pCi/L	metatrace
0	NONVOLATILE BETA	LT	6 pCi/L	metatrace
0	TOTAL RADIUM	LT	1 pCi/L	metatrace
2	TRITIUM		180+- 20 pCi/mL	metatrace

WELL HSB 84C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/09/89 Time 1050
 Depth to water = 14.92 ft (4.55 m) below the TOC
 Water elevation = 214.18 ft (65.28 m) msl
 pH = 7.7 Alkalinity = 31 mg/L
 Specific conductance = 98 umhos/cm
 Water temperature = 21.6 degrees Celsius
 Water evacuated from the well prior to sampling = 16 gal
 The well went dry during purging.

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE	90.00 UMC	metatrace
1	PH	8.00 pH	metatrace
0	SILVER	2 ug/L	metatrace
1	ALUMINUM	95 ug/L	metatrace
0	ARSENIC	3 ug/L	metatrace
0	BARIUM	20 ug/L	metatrace
0	BROMODICHLOROMETHANE	5 ug/L	metatrace
1	CALCIUM	12200 ug/L	metatrace
0	TRICHLOROFLUOROMETHANE	5 ug/L	metatrace
0	CARBON TETRACHLORIDE	5.00 ug/L	metatrace
1	CADMIUM	4 ug/L	metatrace
0	BROMOFORM	5 ug/L	metatrace
0	CHLOROFORM	5 ug/L	metatrace
0	METHYLENE CHLORIDE	5 ug/L	metatrace
0	BROMOMETHANE	10 ug/L	metatrace
0	CHLOROMETHANE	10 ug/L	metatrace
0	CHLORIDE	3600 ug/L	metatrace
0	CHLOROBENZENE	5 ug/L	metatrace
0	COBALT	10 ug/L	metatrace
0	CHROMIUM	10 ug/L	metatrace
0	COPPER	10 ug/L	metatrace
0	CYANIDE	5 ug/L	metatrace
0	CHLOROETHENE (VINYL CHLORIDE)	5 ug/L	metatrace
0	CHLOROETHANE	10 ug/L	metatrace
0	BENZENE	5 ug/L	metatrace
0	DIBROMOCHLOROMETHANE	5 ug/L	metatrace
0	ENDRIN	0.006 ug/L	metatrace
0	ETHYL BENZENE	5 ug/L	metatrace
0	FLUORIDE	250 ug/L	metatrace
0	IRON	39 ug/L	metatrace
0	MERCURY	0.20 ug/L	metatrace
0	POTASSIUM	5000 ug/L	metatrace
0	TOLUENE	5 ug/L	metatrace
0	MAGNESIUM	643 ug/L	metatrace
0	MANGANESE	10 ug/L	metatrace
0	SODIUM	3878 ug/L	metatrace
0	NICKEL	5 ug/L	metatrace
0	NITRATE AS NITROGEN	1400 ug/L	metatrace
0	LEAD	3 ug/L	metatrace
0	PHENOLS	5 ug/L	metatrace
0	ANTIMONY	10 ug/L	metatrace
0	SELENIUM	2 ug/L	metatrace
1	SILICON	5530 ug/L	metatrace
0	SULFATE	1100 ug/L	metatrace
0	1,1,2,2-TETRACHLOROETHANE	5 ug/L	metatrace
0	TETRACHLOROETHYLENE	5.00 ug/L	metatrace
0	TOTAL DISSOLVED SOLIDS	126000 ug/L	metatrace
0	TOTAL ORGANIC CARBON	1000 ug/L	metatrace
0	TOTAL ORGANIC HALOGENS	5 ug/L	metatrace
0	TOTAL PHOSPHATES	13 ug/L	metatrace
0	TRICHLOROETHYLENE	5.00 ug/L	metatrace
0	TRANS-1,2-DICHLOROETHENE	5 ug/L	metatrace
0	TRANS-1,3-DICHLOROPROPENE	5 ug/L	metatrace
0	VANADIUM	10 ug/L	metatrace
0	1,1-DICHLOROETHYLENE	5 ug/L	metatrace
0	1,1-DICHLOROETHANE	5 ug/L	metatrace
0	1,1,1-TRICHLOROETHANE	5 ug/L	metatrace
0	1,1,2-TRICHLOROETHANE	5 ug/L	metatrace
0	1,2-DICHLOROETHANE	5 ug/L	metatrace
0	1,2-DICHLOROPROPANE	5 ug/L	metatrace
0	CIS-1,3-DICHLOROPROPENE	5 ug/L	metatrace
0	2-CHLOROETHYL VINYL ETHER	5 ug/L	metatrace
0	ZINC	36 ug/L	metatrace
0	GROSS ALPHA	4 pCi/L	metatrace
0	NONVOLATILE BETA	8.10+-3.50 pCi/L	metatrace
0	TOTAL RADIUM	1 pCi/L	metatrace
2	TRITIUM	250+-30 pCi/mL	metatrace

WELL HSB 84D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/15/89 Time 1240
 Depth to water = 9.24 ft (2.82 m) below the TOC
 Water elevation = 219.50 ft (66.92 m) msl
 pH = 4.1 Alkalinity = 0 mg/L
 Specific conductance = 240 umhos/cm
 Water temperature = 19.4 degrees Celsius
 Water evacuated from the well prior to sampling = 54 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	236.0 UMC	metatrace
0	PH	4.09 pH	metatrace
0	SILVER	2 ug/L	metatrace
2	ALUMINUM	3393 ug/L	metatrace
0	ARSENIC	3 ug/L	metatrace
0	BARIUM	34 ug/L	metatrace
0	BROMODICHLOROMETHANE	5 ug/L	metatrace
0	CALCIUM	3514 ug/L	metatrace
0	TRICHLOROFLUOROMETHANE	5 ug/L	metatrace
0	CARBON TETRACHLORIDE	5.00 ug/L	metatrace
0	CADMIUM	4 ug/L	metatrace

CONTINUED

WELL HSB 84D COLLECTED ON 07/15/89 LABORATORY ANALYSES CONTINUED

0	BROMOFORM	LT	5 ug/L	metatrace
1	CHLOROFORM	LT	5 ug/L	metatrace
1	METHYLENE CHLORIDE	B	80 ug/L	metatrace
0	BROMOMETHANE	LT	10 ug/L	metatrace
0	CHLOROMETHANE	LT	10 ug/L	metatrace
0	CHLORIDE	LT	2600 ug/L	metatrace
0	CHLOROBENZENE	LT	5 ug/L	metatrace
0	COBALT	LT	10 ug/L	metatrace
0	CHROMIUM	LT	10 ug/L	metatrace
0	COPPER	LT	10 ug/L	metatrace
0	CYANIDE	LT	5 ug/L	metatrace
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metatrace
0	CHLOROETHANE	LT	10 ug/L	metatrace
0	BENZENE	LT	5 ug/L	metatrace
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metatrace
0	ENDRIN	LT	0.006 ug/L	metatrace
0	ETHYL BENZENE	LT	5 ug/L	metatrace
0	FLUORIDE	LT	280 ug/L	metatrace
0	IRON	LT	10 ug/L	metatrace
0	MERCURY	LT	0.32 ug/L	metatrace
0	POTASSIUM	LT	5000 ug/L	metatrace
0	TOLUENE	LT	5 ug/L	metatrace
0	MAGNESIUM	LT	991 ug/L	metatrace
2	MANGANESE	LT	224 ug/L	metatrace
1	SODIUM	LT	19010 ug/L	metatrace
1	NICKEL	LT	9 ug/L	metatrace
2	NITRATE AS NITROGEN	LT	23000 ug/L	metatrace
0	LEAD	LT	3 ug/L	metatrace
0	PHENOLS	LT	5 ug/L	metatrace
0	ANTIMONY	LT	10 ug/L	metatrace
0	SELENIUM	LT	2 ug/L	metatrace
1	SILICON	LT	5409 ug/L	metatrace
0	SULFATE	LT	1100 ug/L	metatrace
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metatrace
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metatrace
0	TOTAL DISSOLVED SOLIDS	LT	171000 ug/L	metatrace
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	metatrace
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	metatrace
0	TOTAL PHOSPHATES	LT	10 ug/L	metatrace
0	TOTAL PHOSPHATES	LT	5.00 ug/L	metatrace
0	TRICHLOROETHYLENE	LT	5 ug/L	metatrace
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metatrace
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metatrace
0	VANADIUM	LT	10 ug/L	metatrace
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metatrace
0	1,1-DICHLOROETHANE	LT	5 ug/L	metatrace
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metatrace
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metatrace
0	1,2-DICHLOROETHANE	LT	5 ug/L	metatrace
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metatrace
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metatrace
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metatrace
0	ZINC	LT	55 ug/L	metatrace
2	GROSS ALPHA	LT	23.00+-6.00 pCi/L	metatrace
2	NONVOLATILE BETA	LT	3000+-300 pCi/L	metatrace
2	NONVOLATILE BETA	LT	2600+-300 pCi/L	metatrace
2	TOTAL RADIUM	LT	13.00+-2.00 pCi/L	metatrace
2	TRITIUM	LT	6500+-700 pCi/mL	metatrace

WELL HSB 85A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/22/89 Time 1145
 Depth to water = 126.46 ft (38.55 m) below the TOC
 Water elevation = 167.94 ft (51.19 m) msl
 pH = 7.0 Alkalinity = 65 mg/L
 Specific conductance = 194 umhos/cm
 Water temperature = 19.9 degrees Celsius
 Water evacuated from the well prior to sampling = 278 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE		180.0 UMC	Gen. Eng.
1	SPECIFIC CONDUCTANCE		157.4 UMC	metaTRACE
1	PH		7.02 pH	Gen. Eng.
1	PH		7.07 pH	metaTRACE
0	TURBIDITY		2 NTU	Gen. Eng.
0	TURBIDITY		0.22 NTU	metaTRACE
0	SILVER	LT	2 ug/L	Gen. Eng.
0	SILVER	LT	2 ug/L	metaTRACE
0	ALUMINUM		28 ug/L	Gen. Eng.
0	ALUMINUM	LT	35 ug/L	metaTRACE
0	ARSENIC	LT	2 ug/L	Gen. Eng.
0	ARSENIC	LT	3 ug/L	metaTRACE
0	BARIUM		37 ug/L	Gen. Eng.
0	BARIUM		31 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
1	CALCIUM		44100 ug/L	Gen. Eng.
1	CALCIUM		29440 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0	CADMIUM	LT	2 ug/L	Gen. Eng.
0	CADMIUM	LT	4 ug/L	metaTRACE
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	BROMOFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	5 ug/L	metaTRACE
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0	METHYLENE CHLORIDE	LT	5 ug/L	metaTRACE
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
CONTINUED				

CONTINUED

WELL HSB 85A COLLECTED ON 07/22/89 LABORATORY ANALYSES CONTINUED

0	CHLOROMETHANE	LT	10 ug/L	metatrace
0	CHLORIDE		2400 ug/L	Gen. Eng.
0	CHLORIDE		2400 ug/L	metatrace
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	5 ug/L	metatrace
0	COBALT	LT	4 ug/L	Gen. Eng.
0	COBALT	LT	10 ug/L	metatrace
0	CHROMIUM	LT	4 ug/L	Gen. Eng.
0	CHROMIUM	LT	10 ug/L	metatrace
0	COPPER	LT	8 ug/L	Gen. Eng.
0	COPPER	LT	10 ug/L	metatrace
0	CYANIDE	LT	5 ug/L	Gen. Eng.
0	CYANIDE	LT	5 ug/L	metatrace
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metatrace
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	10 ug/L	metatrace
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	5 ug/L	metatrace
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metatrace
0	ENDRIN	LT	0.10 ug/L	Gen. Eng.
0	ENDRIN	LT	0.008 ug/L	metatrace
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	5 ug/L	metatrace
0	FLUORIDE	LT	100 ug/L	Gen. Eng.
0	FLUORIDE	LT	250 ug/L	metatrace
0	IRON	LT	11 ug/L	Gen. Eng.
0	IRON	LT	10 ug/L	metatrace
0	MERCURY	LT	0.20 ug/L	Gen. Eng.
0	MERCURY	LT	0.20 ug/L	metatrace
0	POTASSIUM	LT	1340 ug/L	Gen. Eng.
0	POTASSIUM	LT	5000 ug/L	metatrace
0	LINDANE	LT	0.05 ug/L	Gen. Eng.
0	LINDANE	LT	0.005 ug/L	metatrace
0	TOLUENE	LT	1 ug/L	Gen. Eng.
0	TOLUENE	LT	5 ug/L	metatrace
0	METHOXYCHLOR	LT	0.50 ug/L	Gen. Eng.
0	METHOXYCHLOR	LT	0.50 ug/L	metatrace
0	MAGNESIUM	LT	915 ug/L	Gen. Eng.
0	MAGNESIUM	LT	725 ug/L	metatrace
0	MANGANESE	LT	2 ug/L	Gen. Eng.
0	MANGANESE	LT	10 ug/L	metatrace
0	SODIUM	LT	2080 ug/L	Gen. Eng.
0	SODIUM	LT	1821 ug/L	metatrace
0	NICKEL	LT	4 ug/L	Gen. Eng.
0	NICKEL	LT	5 ug/L	metatrace
0	NITRATE AS NITROGEN	LT	50 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN	LT	230 ug/L	metatrace
0	LEAD	LT	6 ug/L	Gen. Eng.
0	LEAD	LT	3 ug/L	metatrace
0	PHENOLS	LT	5 ug/L	Gen. Eng.
0	PHENOLS	LT	5 ug/L	metatrace
0	ANTIMONY	LT	3 ug/L	Gen. Eng.
0	ANTIMONY	LT	10 ug/L	metatrace
0	SELENIUM	LT	2 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	metatrace
0	SILICON	LT	10430 ug/L	metatrace
0	SILICA	LT	29400 ug/L	Gen. Eng.
0	SILVEX	LT	0.07 ug/L	metatrace
0	SULFATE	LT	8300 ug/L	Gen. Eng.
0	SULFATE	LT	5800 ug/L	metatrace
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metatrace
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metatrace
0	TOTAL DISSOLVED SOLIDS	LT	143000 ug/L	Gen. Eng.
0	TOTAL DISSOLVED SOLIDS	LT	142000 ug/L	metatrace
0	TOTAL ORGANIC CARBON	LT	2000 ug/L	Gen. Eng.
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	metatrace
0	TOTAL ORGANIC HALOGENS	LT	7 ug/L	Gen. Eng.
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	metatrace
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	metatrace
0	TOTAL PHOSPHORUS	LT	130 ug/L	Gen. Eng.
0	TOTAL PHOSPHATES	LT	84 ug/L	metatrace
0	TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	LT	5.00 ug/L	metatrace
0	TOXAPHENE	LT	1 ug/L	Gen. Eng.
0	TOXAPHENE	LT	0.24 ug/L	metatrace
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metatrace
0	VANADIUM	LT	20 ug/L	Gen. Eng.
0	VANADIUM	LT	10 ug/L	metatrace
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metatrace
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	LT	5 ug/L	metatrace
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metatrace
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metatrace
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	5 ug/L	metatrace
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metatrace
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metatrace
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metatrace
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metatrace
0	2,4-DICHLOROPHENOXYACETIC ACID	LT	0.30 ug/L	Gen. Eng.
0	2,4-DICHLOROPHENOXYACETIC ACID	LT	0.46 ug/L	metatrace
0	2,4,5-TRICHLOROPHENOXYACETIC ACID	LT	0.09 ug/L	Gen. Eng.
0	ZINC	LT	7 ug/L	metatrace
0	ZINC	LT	31 ug/L	Gen. Eng.
0	GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
0	GROSS ALPHA	LT	3 pCi/L	metatrace
0	NONVOLATILE BETA	LT	2 pCi/L	Gen. Eng.

CONTINUED

WELL HSB 85A COLLECTED ON 07/22/89 LABORATORY ANALYSES CONTINUED

0	NONVOLATILE BETA	LT	6 pCi/L	metatrace
0	TOTAL RADIUM	LT	1.15-1.90 pCi/L	Gen. Eng.
0	TOTAL RADIUM	LT	1 pCi/L	metatrace
0	TRITIUM	LT	0.70 pCi/mL	Gen. Eng.
0	TRITIUM	LT	1 pCi/mL	metatrace
0	TRITIUM	LT	1 pCi/mL	metatrace

WELL HSB 85A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/22/89 Time 1145
 Depth to water = 128.48 ft (38.55 m) below the TOC
 Water elevation = 167.94 ft (51.19 m) msl
 pH = 7.0 Alkalinity = 65 mg/L
 Specific conductance = 194 umhos/cm
 Water temperature = 19.9 degrees Celsius
 Water evacuated from the well prior to sampling = 278 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	180.0 uMHC	Gen. Eng.
1	SPECIFIC CONDUCTANCE	187.9 uMHC	metatrace
1	SPECIFIC CONDUCTANCE	187.9 uMHC	metatrace
1	PH	6.65 pH	Gen. Eng.
1	PH	7.25 pH	metatrace
1	PH	7.25 pH	metatrace
0	TURBIDITY	0.49 NTU	Gen. Eng.
0	TURBIDITY	0.08 NTU	metatrace
0	SILVER	LT	2 ug/L
0	SILVER	LT	2 ug/L
0	ALUMINUM	LT	31 ug/L
0	ALUMINUM	LT	35 ug/L
0	ARSENIC	LT	2 ug/L
0	ARSENIC	LT	3 ug/L
0	BARIUM	LT	36 ug/L
0	BARIUM	LT	31 ug/L
0	BROMODICHLOROMETHANE	LT	1 ug/L
0	BROMODICHLOROMETHANE	LT	5 ug/L
1	CALCIUM	43300 ug/L	Gen. Eng.
1	CALCIUM	29630 ug/L	metatrace
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L
0	CARBON TETRACHLORIDE	LT	1.00 ug/L
0	CARBON TETRACHLORIDE	LT	5.00 ug/L
0	CADMIUM	LT	2 ug/L
0	CADMIUM	LT	4 ug/L
0	BROMOFORM	LT	1 ug/L
0	BROMOFORM	LT	5 ug/L
0	CHLOROFORM	LT	1 ug/L
0	CHLOROFORM	LT	5 ug/L
0	METHYLENE CHLORIDE	LT	1 ug/L
0	METHYLENE CHLORIDE	LT	5 ug/L
0	BROMOMETHANE	LT	1 ug/L
0	BROMOMETHANE	LT	10 ug/L
0	CHLOROMETHANE	LT	1 ug/L
0	CHLOROMETHANE	LT	10 ug/L
0	CHLORIDE	LT	2400 ug/L
0	CHLORIDE	LT	2400 ug/L
0	CHLOROBENZENE	LT	1 ug/L
0	CHLOROBENZENE	LT	5 ug/L
0	COBALT	LT	4 ug/L
0	COBALT	LT	10 ug/L
0	CHROMIUM	LT	4 ug/L
0	CHROMIUM	LT	10 ug/L
0	COPPER	LT	4 ug/L
0	COPPER	LT	10 ug/L
0	CYANIDE	LT	5 ug/L
0	CYANIDE	LT	5 ug/L
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L
0	CHLOROETHANE	LT	1 ug/L
0	CHLOROETHANE	LT	10 ug/L
0	BENZENE	LT	1 ug/L
0	BENZENE	LT	5 ug/L
0	DIBROMOCHLOROMETHANE	LT	1 ug/L
0	DIBROMOCHLOROMETHANE	LT	5 ug/L
0	ENDRIN	LT	0.10 ug/L
0	ENDRIN	LT	0.008 ug/L
0	ETHYLBENZENE	LT	1 ug/L
0	ETHYLBENZENE	LT	5 ug/L
0	FLUORIDE	LT	100 ug/L
0	FLUORIDE	LT	250 ug/L
0	IRON	LT	7 ug/L
0	IRON	LT	10 ug/L
0	MERCURY	LT	0.20 ug/L
0	MERCURY	LT	0.20 ug/L
0	POTASSIUM	LT	1200 ug/L
0	POTASSIUM	LT	5000 ug/L
0	LINDANE	LT	0.05 ug/L
0	LINDANE	LT	0.005 ug/L
0	TOLUENE	LT	1 ug/L
0	TOLUENE	LT	5 ug/L
0	METHOXYCHLOR	LT	0.50 ug/L
0	METHOXYCHLOR	LT	0.50 ug/L
0	MAGNESIUM	LT	914 ug/L
0	MAGNESIUM	LT	737 ug/L
0	MANGANESE	LT	2 ug/L
0	MANGANESE	LT	10 ug/L
0	SODIUM	LT	1900 ug/L
0	SODIUM	LT	1815 ug/L
0	NICKEL	LT	4 ug/L
0	NICKEL	LT	5 ug/L
0	NITRATE AS NITROGEN	LT	50 ug/L
0	NITRATE AS NITROGEN	LT	230 ug/L
0	LEAD	LT	6 ug/L

CONTINUED

WELL HSB 85A COLLECTED ON 07/22/89 LABORATORY ANALYSES CONTINUED

0 LEAD	LT	3 ug/L	metaTRACE
0 PHENOLS	LT	5 ug/L	Gen. Eng.
0 PHENOLS	LT	5 ug/L	metaTRACE
0 ANTIMONY	LT	5 ug/L	Gen. Eng.
0 ANTIMONY	LT	10 ug/L	metaTRACE
0 SELENIUM	LT	2 ug/L	Gen. Eng.
0 SELENIUM	LT	2 ug/L	metaTRACE
1 SILICON		9563 ug/L	metaTRACE
1 SILICA		29300 ug/L	Gen. Eng.
0 SILVER	LT	0.07 ug/L	metaTRACE
0 SULFATE		6300 ug/L	Gen. Eng.
0 SULFATE		5800 ug/L	metaTRACE
0 1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0 TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0 TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0 TOTAL DISSOLVED SOLIDS		172000 ug/L	Gen. Eng.
0 TOTAL DISSOLVED SOLIDS		140000 ug/L	metaTRACE
1 TOTAL ORGANIC CARBON		8000 ug/L	Gen. Eng.
0 TOTAL ORGANIC CARBON	LT	1000 ug/L	metaTRACE
0 TOTAL ORGANIC HALOGENS	LT	5 ug/L	Gen. Eng.
0 TOTAL ORGANIC HALOGENS		8 ug/L	metaTRACE
1 TOTAL PHOSPHORUS		90 ug/L	Gen. Eng.
0 TOTAL PHOSPHATES		75 ug/L	metaTRACE
0 TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0 TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
3 TOXAPHENE	LT	1 ug/L	Gen. Eng.
3 TOXAPHENE	LT	0.24 ug/L	metaTRACE
0 TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0 TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0 VANADIUM	LT	20 ug/L	Gen. Eng.
0 VANADIUM	LT	10 ug/L	metaTRACE
0 1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0 1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0 1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0 1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0 CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0 CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0 TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0 TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0 2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0 2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0 2,4-DICHLOROPHENOXYACETIC ACID	LT	0.30 ug/L	Gen. Eng.
0 2,4-DICHLOROPHENOXYACETIC ACID	LT	0.40 ug/L	metaTRACE
0 2,4,5-TRICHLOROPHENOXYACETIC ACID	LT	0.09 ug/L	Gen. Eng.
0 ZINC		7 ug/L	Gen. Eng.
0 ZINC		8 ug/L	metaTRACE
0 GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
0 GROSS ALPHA	LT	3 pCi/L	metaTRACE
0 NONVOLATILE BETA	LT	2.24-2.20 pCi/L	Gen. Eng.
0 NONVOLATILE BETA	LT	6 pCi/L	metaTRACE
0 TOTAL RADIUM	LT	1 pCi/L	Gen. Eng.
0 TOTAL RADIUM	LT	1 pCi/L	metaTRACE
0 TRITIUM	LT	0.70 pCi/mL	Gen. Eng.
0 TRITIUM	LT	1 pCi/mL	metaTRACE

WELL HSB 85B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/16/89 Time 1010
 Depth to water = 62.79 ft (19.14 m) below the TOC
 Water elevation = 231.71 ft (70.63 m) msl
 pH = 8.4 Alkalinity = 71 mg/L
 Specific conductance = 220 umhos/cm
 Water temperature = 20.6 degrees Celsius
 Water evacuated from the well prior to sampling = 50 gal
 The well went dry during purging.

LABORATORY ANALYSES

1 SPECIFIC CONDUCTANCE		185.3 UMC	metaTRACE
2 PH		8.18 pH	metaTRACE
0 TURBIDITY		0.30 NTU	metaTRACE
0 SILVER	LT	2 ug/L	metaTRACE
0 ALUMINUM	LT	38 ug/L	metaTRACE
0 ARSENIC	LT	3 ug/L	metaTRACE
0 BARIUM	LT	28 ug/L	metaTRACE
0 BROMODICHLOROMETHANE	LT	0 ug/L	metaTRACE
1 CALCIUM		30790 ug/L	metaTRACE
0 TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE
0 CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0 CADMIUM	LT	4 ug/L	metaTRACE
0 BROMOFORM	LT	5 ug/L	metaTRACE
0 CHLOROFORM	LT	5 ug/L	metaTRACE
1 METHYLENE CHLORIDE	B	5 ug/L	metaTRACE
0 BROMOMETHANE	LT	10 ug/L	metaTRACE
0 CHLOROMETHANE	LT	10 ug/L	metaTRACE
0 CHLORIDE	LT	2100 ug/L	metaTRACE
0 CHLOROBENZENE	LT	5 ug/L	metaTRACE
0 COBALT	LT	10 ug/L	metaTRACE
0 CHROMIUM	LT	10 ug/L	metaTRACE
0 COPPER	LT	10 ug/L	metaTRACE
0 CYANIDE	LT	5 ug/L	metaTRACE
0 CHLORODETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0 CHLORODETHANE	LT	10 ug/L	metaTRACE
0 BENZENE	LT	5 ug/L	metaTRACE
0 DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0 ENDURIN	LT	0.006 ug/L	metaTRACE
0 ETHYL BENZENE	LT	5 ug/L	metaTRACE
0 FLUORIDE	LT	250 ug/L	metaTRACE
0 IRON	LT	55 ug/L	metaTRACE
0 MERCURY	LT	0.20 ug/L	metaTRACE
0 MERCURY	LT	0.20 ug/L	metaTRACE
0 POTASSIUM	LT	5000 ug/L	metaTRACE
0 LINDANE	LT	0.005 ug/L	metaTRACE
0 TOLUENE	LT	5 ug/L	metaTRACE
0 METHOXYCHLOR	LT	0.50 ug/L	metaTRACE
0 MAGNESIUM		154 ug/L	metaTRACE
0 MANGANESE	LT	10 ug/L	metaTRACE
0 SODIUM		3542 ug/L	metaTRACE
0 NICKEL	LT	5 ug/L	metaTRACE
0 NITRATE AS NITROGEN	LT	230 ug/L	metaTRACE
0 LEAD	LT	3 ug/L	metaTRACE
0 PHENOLS	LT	5 ug/L	metaTRACE
0 ANTIMONY	LT	10 ug/L	metaTRACE

CONTINUED

WELL HSB 85B COLLECTED ON 07/16/89 LABORATORY ANALYSES CONTINUED

0 ETHYLBENZENE	LT	5 ug/L	metaTRACE
0 FLUORIDE	LT	250 ug/L	metaTRACE
0 IRON		135 ug/L	metaTRACE
0 MERCURY	LT	0.20 ug/L	metaTRACE
0 POTASSIUM	LT	5000 ug/L	metaTRACE
0 LINDANE	LT	0.005 ug/L	metaTRACE
0 TOLUENE	LT	5 ug/L	metaTRACE
0 METHOXYCHLOR	LT	0.50 ug/L	metaTRACE
0 MAGNESIUM		1114 ug/L	metaTRACE
0 MANGANESE	LT	10 ug/L	metaTRACE
1 SODIUM		3525 ug/L	metaTRACE
0 NICKEL	LT	5 ug/L	metaTRACE
0 NITRATE AS NITROGEN	LT	230 ug/L	metaTRACE
0 LEAD	LT	3 ug/L	metaTRACE
0 PHENOLS	LT	5 ug/L	metaTRACE
0 ANTIMONY	LT	10 ug/L	metaTRACE
0 SELENIUM	LT	2 ug/L	metaTRACE
1 SILICON		8000 ug/L	metaTRACE
0 SILVER	LT	0.07 ug/L	metaTRACE
0 TIN	LT	100 ug/L	metaTRACE
0 SULFATE		2600 ug/L	metaTRACE
0 1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0 TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0 TOTAL DISSOLVED SOLIDS		115000 ug/L	metaTRACE
0 TOTAL ORGANIC CARBON		1550 ug/L	metaTRACE
1 TOTAL ORGANIC HALOGENS		13 ug/L	metaTRACE
0 TOTAL PHOSPHATES		99 ug/L	metaTRACE
0 TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0 TOXAPHENE	LT	0.24 ug/L	metaTRACE
0 TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0 TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0 VANADIUM	LT	10 ug/L	metaTRACE
0 1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0 1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0 CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0 2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0 2,4-DICHLOROPHENOXYACETIC ACID	LT	0.46 ug/L	metaTRACE
0 ZINC		13 ug/L	metaTRACE
0 GROSS ALPHA	LT	4 pCi/L	metaTRACE
0 NONVOLATILE BETA	LT	8 pCi/L	metaTRACE
0 TOTAL RADIUM	LT	1 pCi/L	metaTRACE
0 TRITIUM	LT	1 pCi/mL	metaTRACE

WELL HSB 85C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/16/89 Time 1045
 Depth to water = 57.12 ft (17.41 m) below the TOC
 Water elevation = 236.98 ft (72.23 m) msl
 pH = 4.8 Alkalinity = 5 mg/L
 Specific conductance = 32 umhos/cm
 Water temperature = 20.0 degrees Celsius
 Water evacuated from the well prior to sampling = 59 gal

LABORATORY ANALYSES

0 SPECIFIC CONDUCTANCE		33.20 UMC	metaTRACE
0 PH		5.00 pH	metaTRACE
0 TURBIDITY		0.28 NTU	metaTRACE
0 SILVER	LT	2 ug/L	metaTRACE
0 ALUMINUM	LT	56 ug/L	metaTRACE
0 ARSENIC	LT	3 ug/L	metaTRACE
0 BARIUM	LT	25 ug/L	metaTRACE
0 BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
0 CALCIUM		1075 ug/L	metaTRACE
0 TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE
0 CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0 CADMIUM	LT	4 ug/L	metaTRACE
0 BROMOFORM	LT	5 ug/L	metaTRACE
0 CHLOROFORM	LT	5 ug/L	metaTRACE
1 METHYLENE CHLORIDE	B	6 ug/L	metaTRACE
0 BROMOMETHANE	LT	10 ug/L	metaTRACE
0 CHLOROMETHANE	LT	10 ug/L	metaTRACE
0 CHLORIDE	LT	2000 ug/L	metaTRACE
0 CHLOROBENZENE	LT	5 ug/L	metaTRACE
0 COBALT	LT	10 ug/L	metaTRACE
0 CHROMIUM	LT	10 ug/L	metaTRACE
1 COPPER		27 ug/L	metaTRACE
0 CYANIDE	LT	5 ug/L	metaTRACE
0 CHLORODETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0 CHLORODETHANE	LT	10 ug/L	metaTRACE
0 BENZENE	LT	5 ug/L	metaTRACE
0 DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0 ENDURIN	LT	0.006 ug/L	metaTRACE
0 ETHYL BENZENE	LT	5 ug/L	metaTRACE
0 FLUORIDE	LT	250 ug/L	metaTRACE
0 IRON	LT	55 ug/L	metaTRACE
0 MERCURY	LT	0.20 ug/L	metaTRACE
0 MERCURY	LT	0.20 ug/L	metaTRACE
0 POTASSIUM	LT	5000 ug/L	metaTRACE
0 LINDANE	LT	0.005 ug/L	metaTRACE
0 TOLUENE	LT	5 ug/L	metaTRACE
0 METHOXYCHLOR	LT	0.50 ug/L	metaTRACE
0 MAGNESIUM		154 ug/L	metaTRACE
0 MANGANESE	LT	10 ug/L	metaTRACE
0 SODIUM		3542 ug/L	metaTRACE
0 NICKEL	LT	5 ug/L	metaTRACE
0 NITRATE AS NITROGEN	LT	230 ug/L	metaTRACE
0 LEAD	LT	3 ug/L	metaTRACE
0 PHENOLS	LT	5 ug/L	metaTRACE
0 ANTIMONY	LT	10 ug/L	metaTRACE

CONTINUED

WELL HSB 85C COLLECTED ON 07/16/89 LABORATORY ANALYSES CONTINUED

0	SELENIUM	LT	2 ug/L	metaTRACE
1	SILICON		2993 ug/L	metaTRACE
0	SILVER	LT	0.07 ug/L	metaTRACE
0	TIN	LT	100 ug/L	metaTRACE
0	SULFATE	LT	1000 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS	LT	39000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	LT	8 ug/L	metaTRACE
0	TOTAL PHOSPHATES	LT	10 ug/L	metaTRACE
0	TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TOXAPHENE	LT	0.24 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	VANADIUM	LT	10 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0	2,4-DICHLOROPHENOXYACETIC ACID	LT	0.46 ug/L	metaTRACE
0	ZINC	LT	141 ug/L	metaTRACE
0	GROSS ALPHA	LT	4 pCi/L	metaTRACE
0	GROSS ALPHA	LT	1 pCi/L	Telodyne
0	NONVOLATILE BETA	LT	5 pCi/L	metaTRACE
0	NONVOLATILE BETA		2.90+-1.10 pCi/L	Telodyne
0	TOTAL RADIUM		1.10+-0.30 pCi/L	metaTRACE
0	TRITIUM		1.90+-0.20 pCi/mL	metaTRACE

WELL HSB 86A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/11/89 Time 1440
 Depth to water = 95.38 ft (29.07 m) below the TOC
 Water elevation = 167.02 ft (50.91 m) msl
 pH = 6.5 Alkalinity = 40 mg/L
 Specific conductance = 142 umhos/cm
 Water temperature = 20.0 degrees Celsius
 Water evacuated from the well prior to sampling = 270 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE		151.0 UMMC	metaTRACE
1	PH		6.68 pH	metaTRACE
0	SILVER	LT	2 ug/L	metaTRACE
0	ALUMINUM	LT	35 ug/L	metaTRACE
0	ALUMINUM	LT	35 ug/L	metaTRACE
0	ARSENIC	LT	3 ug/L	metaTRACE
0	ARSENIC	LT	3 ug/L	metaTRACE
0	BARIUM	LT	26 ug/L	metaTRACE
0	BARIUM	LT	26 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
1	CALCIUM		22930 ug/L	metaTRACE
1	CALCIUM		22260 ug/L	metaTRACE
1	TRICHLOROFLUOROMETHANE	LT	13 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0	CADMIUM	LT	4 ug/L	metaTRACE
0	CADMIUM	LT	4 ug/L	metaTRACE
0	BROMOFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	5 ug/L	metaTRACE
0	METHYLENE CHLORIDE	LT	5 ug/L	metaTRACE
0	BROMOMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
0	CHLORIDE	LT	2600 ug/L	metaTRACE
0	CHLOROBENZENE	LT	5 ug/L	metaTRACE
0	COBALT	LT	10 ug/L	metaTRACE
0	COBALT	LT	10 ug/L	metaTRACE
0	CHROMIUM	LT	10 ug/L	metaTRACE
0	CHROMIUM	LT	10 ug/L	metaTRACE
0	COPPER	LT	10 ug/L	metaTRACE
0	COPPER	LT	10 ug/L	metaTRACE
0	CYANIDE	LT	5 ug/L	metaTRACE
0	CYANIDE	LT	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0	CHLOROETHANE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0	ENORIN	LT	0.006 ug/L	metaTRACE
0	ETHYLBENZENE	LT	5 ug/L	metaTRACE
0	FLUORIDE	LT	250 ug/L	metaTRACE
0	IRON	LT	41 ug/L	metaTRACE
0	IRON	LT	115 ug/L	metaTRACE
0	MERCURY	LT	0.20 ug/L	metaTRACE
0	MERCURY	LT	0.20 ug/L	metaTRACE
0	POTASSIUM	LT	5000 ug/L	metaTRACE
0	POTASSIUM	LT	5000 ug/L	metaTRACE
0	TOLUENE	LT	5 ug/L	metaTRACE
0	MAGNESIUM		749 ug/L	metaTRACE
0	MAGNESIUM		766 ug/L	metaTRACE
0	MANGANESE	LT	10 ug/L	metaTRACE
0	MANGANESE	LT	10 ug/L	metaTRACE
0	SODIUM		1883 ug/L	metaTRACE
0	SODIUM		1865 ug/L	metaTRACE
0	NICKEL	LT	5 ug/L	metaTRACE
0	NITRATE AS NITROGEN	LT	230 ug/L	metaTRACE
0	LEAD	LT	3 ug/L	metaTRACE
0	LEAD	LT	3 ug/L	metaTRACE
0	PHENOLS	LT	5 ug/L	metaTRACE
0	PHENOLS	LT	5 ug/L	metaTRACE
0	ANTIMONY	LT	10 ug/L	metaTRACE
0	ANTIMONY	LT	10 ug/L	metaTRACE

CONTINUED

WELL HSB 86A COLLECTED ON 07/11/89 LABORATORY ANALYSES CONTINUED

0	SELENIUM	LT	2 ug/L	metaTRACE
0	SELENIUM	LT	2 ug/L	metaTRACE
1	SILICON		13920 ug/L	metaTRACE
1	SILICON		13940 ug/L	metaTRACE
1	SULFATE		10300 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS	LT	112000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	metaTRACE
0	TOTAL PHOSPHATES	LT	172 ug/L	metaTRACE
0	TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	VANADIUM	LT	10 ug/L	metaTRACE
0	VANADIUM	LT	10 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0	ZINC		37 ug/L	metaTRACE
0	ZINC		37 ug/L	metaTRACE
0	GROSS ALPHA	LT	6 pCi/L	metaTRACE
0	NONVOLATILE BETA	LT	5 pCi/L	metaTRACE
0	TOTAL RADIUM	LT	1 pCi/L	metaTRACE
0	TRITIUM		4.40+-0.50 pCi/mL	metaTRACE

WELL HSB 86B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/11/89 Time 1520
 Depth to water = 39.56 ft (12.06 m) below the TOC
 Water elevation = 222.34 ft (67.77 m) msl
 pH = 6.8 Alkalinity = 87 mg/L
 Specific conductance = 240 umhos/cm
 Water temperature = 20.4 degrees Celsius
 Water evacuated from the well prior to sampling = 282 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE		228.0 UMMC	metaTRACE
1	PH		7.38 pH	metaTRACE
0	SILVER	LT	2 ug/L	metaTRACE
0	ALUMINUM	LT	35 ug/L	metaTRACE
0	ARSENIC	LT	3 ug/L	metaTRACE
0	BARIUM	LT	41 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
1	CALCIUM		41600 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0	CADMIUM	LT	4 ug/L	metaTRACE
0	BROMOFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	5 ug/L	metaTRACE
0	METHYLENE CHLORIDE	LT	5 ug/L	metaTRACE
0	BROMOMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
0	CHLORIDE	LT	2700 ug/L	metaTRACE
0	CHLOROBENZENE	LT	5 ug/L	metaTRACE
0	COBALT	LT	10 ug/L	metaTRACE
0	CHROMIUM	LT	10 ug/L	metaTRACE
0	COPPER	LT	10 ug/L	metaTRACE
0	CYANIDE	LT	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0	CHLOROETHANE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0	ENORIN	LT	0.006 ug/L	metaTRACE
0	ETHYLBENZENE	LT	5 ug/L	metaTRACE
0	FLUORIDE	LT	250 ug/L	metaTRACE
0	IRON	LT	10 ug/L	metaTRACE
0	MERCURY	LT	0.20 ug/L	metaTRACE
0	POTASSIUM	LT	5000 ug/L	metaTRACE
0	TOLUENE	LT	5 ug/L	metaTRACE
0	MAGNESIUM		876 ug/L	metaTRACE
0	MANGANESE	LT	10 ug/L	metaTRACE
0	SODIUM		2349 ug/L	metaTRACE
0	NICKEL	LT	5 ug/L	metaTRACE
0	NITRATE AS NITROGEN	LT	230 ug/L	metaTRACE
0	LEAD	LT	3 ug/L	metaTRACE
1	PHENOLS	LT	8 ug/L	metaTRACE
0	ANTIMONY	LT	10 ug/L	metaTRACE
0	SELENIUM	LT	2 ug/L	metaTRACE
1	SILICON		19120 ug/L	metaTRACE
0	SULFATE		3200 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS		171000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON		1340 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	metaTRACE
0	TOTAL PHOSPHATES	LT	19 ug/L	metaTRACE
0	TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	VANADIUM	LT	10 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE

CONTINUED

WELL HSB 868 COLLECTED ON 07/11/89 LABORATORY ANALYSES CONTINUED

0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0	ZINC		19 ug/L	metaTRACE
0	GROSS ALPHA	LT	5 pCi/L	metaTRACE
0	NONVOLATILE BETA	LT	5 pCi/L	metaTRACE
0	TOTAL RADIUM	LT	1 pCi/L	metaTRACE
0	TRITIUM	LT	1 pCi/mL	metaTRACE
0	TRITIUM	LT	1 pCi/mL	metaTRACE

WELL HSB 86C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/15/89 Time 940
 Depth to water = 38.18 ft (11.64 m) below the TOC
 Water elevation = 224.72 ft (68.50 m) msl
 pH = 4.5 Alkalinity = 0 mg/L
 Specific conductance = 490 umhos/cm
 Water temperature = 20.6 degrees Celsius
 Water evacuated from the well prior to sampling = 105 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE		506.0 UMH/C	metaTRACE
0	PH		4.43 pH	metaTRACE
0	SILVER	LT	2 ug/L	metaTRACE
1	ALUMINUM		292 ug/L	metaTRACE
0	ARSENIC	LT	3 ug/L	metaTRACE
0	BARIUM		48 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
0	CALCIUM		5063 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
2	CADMIUM		8 ug/L	metaTRACE
0	BROMOFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	5 ug/L	metaTRACE
0	METHYLENE CHLORIDE	LT	5 ug/L	metaTRACE
0	BROMOMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
0	CHLORIDE		2800 ug/L	metaTRACE
0	CHLOROBENZENE	LT	5 ug/L	metaTRACE
1	COBALT		73 ug/L	metaTRACE
0	CHROMIUM	LT	10 ug/L	metaTRACE
0	COPPER		10 ug/L	metaTRACE
0	CYANIDE	LT	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0	CHLOROETHANE	LT	5 ug/L	metaTRACE
0	BENZENE	LT	10 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0	ENDRIIN	LT	0.006 ug/L	metaTRACE
0	ETHYLBENZENE	LT	5 ug/L	metaTRACE
0	FLUORIDE	LT	250 ug/L	metaTRACE
0	IRON		26 ug/L	metaTRACE
0	MERCURY		0.26 ug/L	metaTRACE
0	MERCURY		0.30 ug/L	metaTRACE
1	POTASSIUM		6192 ug/L	metaTRACE
0	TOLUENE	LT	5 ug/L	metaTRACE
0	MAGNESIUM		3346 ug/L	metaTRACE
2	MANGANESE		4252 ug/L	metaTRACE
1	SODIUM		46820 ug/L	metaTRACE
1	NICKEL		146 ug/L	metaTRACE
2	NITRATE AS NITROGEN		52000 ug/L	metaTRACE
0	LEAD	LT	3 ug/L	metaTRACE
0	PHENOLS	LT	5 ug/L	metaTRACE
0	PHENOLS	LT	5 ug/L	metaTRACE
0	ANTIMONY	LT	10 ug/L	metaTRACE
0	SELENIUM	LT	2 ug/L	metaTRACE
1	SILICON		4182 ug/L	metaTRACE
0	SULFATE		2000 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS		277000 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS		279000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS		9 ug/L	metaTRACE
0	TOTAL PHOSPHATES	LT	10 ug/L	metaTRACE
0	TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	VANADIUM	LT	10 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0	ZINC		43 ug/L	metaTRACE
2	GROSS ALPHA		24.00+-6.00 pCi/L	metaTRACE
2	NONVOLATILE BETA		140+- 20 pCi/L	metaTRACE
2	TOTAL RADIUM		9.90+-1.00 pCi/L	metaTRACE
2	TRITIUM		16000+-2000 pCi/mL	metaTRACE

WELL HSB 86D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/15/89 Time 915
 Depth to water = 38.23 ft (11.65 m) below the TOC
 Water elevation = 224.77 ft (68.51 m) msl
 pH = 3.7 Alkalinity = 0 mg/L
 Specific conductance = 460 umhos/cm
 Water temperature = 20.5 degrees Celsius
 Water evacuated from the well prior to sampling = 50 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE		391.0 UMH/C	metaTRACE
1	PH		3.66 pH	metaTRACE
0	SILVER	LT	2 ug/L	metaTRACE
2	ALUMINUM		10130 ug/L	metaTRACE
0	ARSENIC	LT	3 ug/L	metaTRACE
0	BARIUM		100 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
1	CALCIUM		11560 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0	CADMIUM	LT	4 ug/L	metaTRACE
0	BROMOFORM	LT	5 ug/L	metaTRACE
1	CHLOROFORM		7 ug/L	metaTRACE
1	METHYLENE CHLORIDE	B	86 ug/L	metaTRACE
0	BROMOMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
0	CHLORIDE		2100 ug/L	metaTRACE
0	CHLOROBENZENE	LT	5 ug/L	metaTRACE
1	COBALT		15 ug/L	metaTRACE
0	CHROMIUM	LT	10 ug/L	metaTRACE
0	COPPER		13 ug/L	metaTRACE
0	CYANIDE	LT	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0	CHLOROETHANE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0	ENDRIIN	LT	0.006 ug/L	metaTRACE
0	ETHYLBENZENE	LT	5 ug/L	metaTRACE
1	FLUORIDE		830 ug/L	metaTRACE
0	IRON		40 ug/L	metaTRACE
0	MERCURY		0.22 ug/L	metaTRACE
0	POTASSIUM	LT	5000 ug/L	metaTRACE
0	TOLUENE	LT	5 ug/L	metaTRACE
0	MAGNESIUM		1490 ug/L	metaTRACE
2	MANGANESE		631 ug/L	metaTRACE
1	SODIUM		28610 ug/L	metaTRACE
1	NICKEL		29 ug/L	metaTRACE
2	NITRATE AS NITROGEN		44000 ug/L	metaTRACE
0	LEAD	LT	3 ug/L	metaTRACE
0	PHENOLS	LT	5 ug/L	metaTRACE
0	ANTIMONY	LT	10 ug/L	metaTRACE
0	SELENIUM	LT	2 ug/L	metaTRACE
1	SILICON		13090 ug/L	metaTRACE
0	SULFATE		1300 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS		246000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	metaTRACE
0	TOTAL PHOSPHATES	LT	10 ug/L	metaTRACE
0	TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	VANADIUM	LT	10 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0	ZINC		222 ug/L	metaTRACE
2	GROSS ALPHA		46.00+-8.00 pCi/L	metaTRACE
2	NONVOLATILE BETA		5600+- 600 pCi/L	metaTRACE
2	TOTAL RADIUM		32.00+-4.00 pCi/L	metaTRACE
2	TRITIUM		14000+-2000 pCi/mL	metaTRACE

WELL HSB100C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/01/89 Time 1135
 Depth to water = 34.60 ft (10.55 m) below the TOC
 Water elevation = 229.60 ft (69.76 m) msl
 pH = 5.7 Alkalinity = 7 mg/L
 Specific conductance = 38 umhos/cm
 Water temperature = 19.9 degrees Celsius
 Water evacuated from the well prior to sampling = 203 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE		44.00 UMH/C	metaTRACE
0	PH		5.92 pH	metaTRACE
0	SILVER	LT	2 ug/L	metaTRACE
0	ALUMINUM		38 ug/L	metaTRACE
0	ARSENIC	LT	3 ug/L	metaTRACE
0	BARIUM	LT	25 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
0	CALCIUM		5465 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0	CADMIUM	LT	4 ug/L	metaTRACE

CONTINUED

WELL HSB100C COLLECTED ON 07/01/89 LABORATORY ANALYSES CONTINUED

0	BROMOFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	5 ug/L	metaTRACE
0	METHYLENE CHLORIDE	LT	5 ug/L	metaTRACE
0	BROMOMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
0	CHLORIDE	LT	2000 ug/L	metaTRACE
0	CHLOROBENZENE	LT	5 ug/L	metaTRACE
0	COBALT	LT	10 ug/L	metaTRACE
0	CHROMIUM	LT	10 ug/L	metaTRACE
0	COPPER	LT	10 ug/L	metaTRACE
0	CYANIDE	LT	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0	CHLOROETHANE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0	ENDRIN	LT	0.009 ug/L	metaTRACE
0	ETHYLBENZENE	LT	5 ug/L	metaTRACE
0	FLUORIDE	LT	250 ug/L	metaTRACE
0	IRON	LT	23 ug/L	metaTRACE
0	MERCURY	LT	0.20 ug/L	metaTRACE
0	POTASSIUM	LT	5000 ug/L	metaTRACE
0	TOLUENE	LT	5 ug/L	metaTRACE
0	MAGNESIUM	LT	461 ug/L	metaTRACE
0	MANGANESE	LT	11 ug/L	metaTRACE
0	SODIUM	LT	1874 ug/L	metaTRACE
0	NICKEL	LT	5 ug/L	metaTRACE
0	NITRATE AS NITROGEN	LT	20 ug/L	metaTRACE
0	LEAD	LT	3 ug/L	metaTRACE
0	PHENOLS	LT	5 ug/L	metaTRACE
0	ANTIMONY	LT	10 ug/L	metaTRACE
0	SELENIUM	LT	2 ug/L	metaTRACE
1	SILICON	LT	6447 ug/L	metaTRACE
0	SULFATE	LT	1100 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS	LT	53000 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS	LT	60000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	LT	1620 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	metaTRACE
1	TOTAL PHOSPHATES	LT	415 ug/L	metaTRACE
0	TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	VANADIUM	LT	10 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0	ZINC	LT	90 ug/L	metaTRACE
0	GROSS ALPHA	LT	2 pCi/L	metaTRACE
0	NONVOLATILE BETA	LT	5 pCi/L	metaTRACE
0	TOTAL RADIUM	LT	1 pCi/L	metaTRACE
0	TRITIUM	LT	2.40+-0.30 pCi/mL	metaTRACE

WELL HSB100D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/01/89 Time 1155
Depth to water = 27.39 ft (8.41 m) below the TOC
Water elevation = 232.51 ft (70.87 m) msl
pH = 5.3 Alkalinity = 5 mg/L
Specific conductance = 68 umhos/cm
Water temperature = 21.1 degrees Celsius
Water evacuated from the well prior to sampling = 58 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	LT	397.0 uMHC	metaTRACE
0	PH	LT	5.92 pH	metaTRACE
0	SILVER	LT	2 ug/L	metaTRACE
0	ALUMINUM	LT	35 ug/L	metaTRACE
0	ARSENIC	LT	3 ug/L	metaTRACE
0	BARIUM	LT	25 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
0	CALCIUM	LT	2377 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0	CADMIUM	LT	4 ug/L	metaTRACE
0	BROMOFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	5 ug/L	metaTRACE
0	METHYLENE CHLORIDE	LT	5 ug/L	metaTRACE
0	BROMOMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
0	CHLORIDE	LT	3000 ug/L	metaTRACE
0	CHLOROBENZENE	LT	5 ug/L	metaTRACE
0	COBALT	LT	10 ug/L	metaTRACE
0	CHROMIUM	LT	10 ug/L	metaTRACE
0	COPPER	LT	10 ug/L	metaTRACE
0	CYANIDE	LT	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0	CHLOROETHANE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0	ENDRIN	LT	0.008 ug/L	metaTRACE
0	ETHYLBENZENE	LT	5 ug/L	metaTRACE
0	FLUORIDE	LT	250 ug/L	metaTRACE
0	IRON	LT	31 ug/L	metaTRACE
0	MERCURY	LT	0.20 ug/L	metaTRACE
0	POTASSIUM	LT	5000 ug/L	metaTRACE
0	TOLUENE	LT	5 ug/L	metaTRACE
0	MAGNESIUM	LT	564 ug/L	metaTRACE

CONTINUED

WELL HSB100D COLLECTED ON 07/01/89 LABORATORY ANALYSES CONTINUED

1	MANGANESE	LT	32 ug/L	metaTRACE
1	SODIUM	LT	7147 ug/L	metaTRACE
0	NICKEL	LT	7 ug/L	metaTRACE
1	NITRATE AS NITROGEN	LT	3700 ug/L	metaTRACE
0	LEAD	LT	3 ug/L	metaTRACE
0	PHENOLS	LT	5 ug/L	metaTRACE
0	ANTIMONY	LT	10 ug/L	metaTRACE
0	SELENIUM	LT	2 ug/L	metaTRACE
1	SILICON	LT	3385 ug/L	metaTRACE
0	SULFATE	LT	1000 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS	LT	72000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	LT	1120 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	metaTRACE
0	TOTAL PHOSPHATES	LT	18 ug/L	metaTRACE
0	TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	VANADIUM	LT	10 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0	ZINC	LT	154 ug/L	metaTRACE
0	GROSS ALPHA	LT	3 pCi/L	metaTRACE
1	NONVOLATILE BETA	LT	14.00+-4.00 pCi/L	metaTRACE
0	TOTAL RADIUM	LT	1.10+-0.40 pCi/L	metaTRACE
2	TRITIUM	LT	770+- 80 pCi/mL	metaTRACE
2	TRITIUM	LT	828+-6.21 pCi/mL	HP, 735A

WELL HSB101C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/01/89 Time 1240
Depth to water = 34.07 ft (10.38 m) below the TOC
Water elevation = 224.43 ft (68.41 m) msl
pH = 6.8 Alkalinity = 24 mg/L
Specific conductance = 104 umhos/cm
Water temperature = 20.3 degrees Celsius
Water evacuated from the well prior to sampling = 168 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE	LT	90.80 uMHC	metaTRACE
1	PH	LT	6.84 pH	metaTRACE
0	SILVER	LT	2 ug/L	metaTRACE
0	ALUMINUM	LT	35 ug/L	metaTRACE
0	ARSENIC	LT	3 ug/L	metaTRACE
0	BARIUM	LT	25 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
0	CALCIUM	LT	7655 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0	CADMIUM	LT	4 ug/L	metaTRACE
0	BROMOFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	5 ug/L	metaTRACE
1	METHYLENE CHLORIDE	LT	3 ug/L	metaTRACE
0	BROMOMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
0	CHLORIDE	LT	2000 ug/L	metaTRACE
0	CHLOROBENZENE	LT	5 ug/L	metaTRACE
0	COBALT	LT	10 ug/L	metaTRACE
0	CHROMIUM	LT	10 ug/L	metaTRACE
0	COPPER	LT	10 ug/L	metaTRACE
0	CYANIDE	LT	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0	CHLOROETHANE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0	ENDRIN	LT	0.008 ug/L	metaTRACE
0	ETHYLBENZENE	LT	5 ug/L	metaTRACE
0	FLUORIDE	LT	250 ug/L	metaTRACE
0	IRON	LT	14 ug/L	metaTRACE
0	MERCURY	LT	0.20 ug/L	metaTRACE
0	POTASSIUM	LT	5000 ug/L	metaTRACE
0	TOLUENE	LT	5 ug/L	metaTRACE
0	MAGNESIUM	LT	327 ug/L	metaTRACE
0	MANGANESE	LT	15 ug/L	metaTRACE
0	SODIUM	LT	4952 ug/L	metaTRACE
0	NICKEL	LT	5 ug/L	metaTRACE
0	NITRATE AS NITROGEN	LT	540 ug/L	metaTRACE
0	LEAD	LT	3 ug/L	metaTRACE
0	PHENOLS	LT	5 ug/L	metaTRACE
0	ANTIMONY	LT	10 ug/L	metaTRACE
0	SELENIUM	LT	2 ug/L	metaTRACE
1	SILICON	LT	6015 ug/L	metaTRACE
0	SULFATE	LT	1700 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS	LT	81000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	metaTRACE
1	TOTAL PHOSPHATES	LT	361 ug/L	metaTRACE
0	TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	VANADIUM	LT	10 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE

CONTINUED

WELL HSB101C COLLECTED ON 07/01/89 LABORATORY ANALYSES CONTINUED

0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0	ZINC	LT	25 ug/L	metaTRACE
0	GROSS ALPHA	LT	2 pCi/L	metaTRACE
0	NONVOLATILE BETA	LT	5 pCi/L	metaTRACE
0	TOTAL RADIUM	LT	1 pCi/L	metaTRACE
2	TRITIUM		62.00+-7.00 pCi/mL	metaTRACE

WELL HSB101D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/01/89 Time 1305
 Depth to water = 28.66 ft (8.74 m) below the TOC
 Water elevation = 230.04 ft (70.12 m) msl
 pH = 9.1 Alkalinity = 104 mg/L
 Specific conductance = 1205 umhos/cm
 Water temperature = 20.8 degrees Celsius
 Water evacuated from the well prior to sampling = 60 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE		1182 UMHC	metaTRACE
2	PH		9.13 pH	metaTRACE
0	SILVER	LT	2 ug/L	metaTRACE
1	ALUMINUM		370 ug/L	metaTRACE
2	ARSENIC		38 ug/L	metaTRACE
0	BARIUM	LT	25 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
0	CALCIUM	LT	275 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0	CADMIUM	LT	4 ug/L	metaTRACE
0	BROMOFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	5 ug/L	metaTRACE
0	METHYLENE CHLORIDE	LT	5 ug/L	metaTRACE
0	BROMOMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
0	CHLORIDE	LT	1600 ug/L	metaTRACE
0	CHLOROBENZENE	LT	5 ug/L	metaTRACE
0	COBALT	LT	10 ug/L	metaTRACE
0	CHROMIUM	LT	10 ug/L	metaTRACE
0	COPPER	LT	10 ug/L	metaTRACE
0	CYANIDE	LT	5 ug/L	metaTRACE
0	CYANIDE	LT	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0	CHLOROETHANE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0	ENORIN	LT	0.006 ug/L	metaTRACE
0	ETHYLBENZENE	LT	5 ug/L	metaTRACE
0	FLUORIDE	LT	250 ug/L	metaTRACE
0	IRON	LT	21 ug/L	metaTRACE
2	MERCURY		14.0 ug/L	metaTRACE
0	POTASSIUM	LT	5000 ug/L	metaTRACE
0	TOLUENE	LT	5 ug/L	metaTRACE
0	MAGNESIUM	LT	102 ug/L	metaTRACE
0	MANGANESE	LT	10 ug/L	metaTRACE
1	SODIUM		215400 ug/L	metaTRACE
0	NICKEL	LT	5 ug/L	metaTRACE
2	NITRATE AS NITROGEN		170000 ug/L	metaTRACE
0	LEAD	LT	3 ug/L	metaTRACE
0	PHENOLS	LT	5 ug/L	metaTRACE
0	ANTIMONY	LT	10 ug/L	metaTRACE
0	SELENIUM	LT	2 ug/L	metaTRACE
1	SILICON		2270 ug/L	metaTRACE
0	SULFATE	LT	6600 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS		776000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON		1110 ug/L	metaTRACE
2	TOTAL ORGANIC HALOGENS		31 ug/L	metaTRACE
1	TOTAL PHOSPHATES		1374 ug/L	metaTRACE
0	TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
1	VANADIUM		114 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0	ZINC	LT	18 ug/L	metaTRACE
0	GROSS ALPHA	LT	3 pCi/L	metaTRACE
0	GROSS ALPHA	LT	3 pCi/L	Teledyne
0	AMERICIUM-241	LT	0.20 pCi/L	Teledyne
0	AMERICIUM-243	LT	0.40 pCi/L	Teledyne
0	BARIUM-140	LT	10 pCi/L	Teledyne
2	NONVOLATILE BETA		77.00+-8.00 pCi/L	metaTRACE
2	NONVOLATILE BETA		78.00+-6.00 pCi/L	Teledyne
0	BERYLLIUM-7	LT	30 pCi/L	Teledyne
0	CERIUM-141	LT	9 pCi/L	Teledyne
0	CERIUM-144	LT	30 pCi/L	Teledyne
0	CURIUM-242	LT	0.40 pCi/L	Teledyne
1	CURIUM-246		0.81+-0.42 pCi/L	Teledyne
0	CURIUM-243/244	LT	0.90 pCi/L	Teledyne
0	COBALT-58	LT	3 pCi/L	Teledyne
0	COBALT-60	LT	5.99+-2.60 pCi/L	Teledyne
0	CESIUM-134	LT	3 pCi/L	Teledyne
0	CESIUM-137	LT	3 pCi/L	Teledyne

CONTINUED

WELL HSB101D COLLECTED ON 07/01/89 LABORATORY ANALYSES CONTINUED

1	CARBON-14		27.00+-5.00 pCi/L	Teledyne
0	IRON-55	LT	200 pCi/L	Teledyne
0	IRON-59	LT	8 pCi/L	Teledyne
1	IODINE-129		6.60+-1.40 pCi/L	Teledyne
0	IODINE-131	LT	20 pCi/L	Teledyne
0	POTASSIUM-40	LT	20 pCi/L	Teledyne
0	MANGANESE-54	LT	3 pCi/L	Teledyne
0	NICKEL-59	LT	100 pCi/L	Teledyne
0	NICKEL-63	LT	7 pCi/L	Teledyne
0	PLUTONIUM-238	LT	0.40 pCi/L	Teledyne
0	PLUTONIUM-242	LT	0.30 pCi/L	Teledyne
0	PLUTONIUM-239/240	LT	0.70 pCi/L	Teledyne
0	RADIUM-226	LT	70 pCi/L	Teledyne
0	RADIUM-228	LT	1 pCi/L	Teledyne
0	RADIUM-228	LT	0.80 pCi/L	Teledyne
0	RUTHENIUM-103	LT	4 pCi/L	Teledyne
0	RUTHENIUM-106	LT	30 pCi/L	Teledyne
0	STRONTIUM-89	LT	3 pCi/L	Teledyne
1	STRONTIUM-90		4.20+-1.10 pCi/L	Teledyne
1	TECHNETIUM-99		43.00+-4.00 pCi/L	Teledyne
0	THORIUM-228	LT	6 pCi/L	Teledyne
0	THORIUM-228	LT	5 pCi/L	Teledyne
0	THORIUM-230	LT	2 pCi/L	Teledyne
0	THORIUM-232	LT	1 pCi/L	Teledyne
0	TOTAL RADIUM		1 pCi/L	metaTRACE
2	TRITIUM		22000+-3000 pCi/mL	metaTRACE
2	TRITIUM		22800+-103 pCi/mL	HP, 735A
0	URANIUM-235	LT	0.20 pCi/L	Teledyne
1	URANIUM-238		1.20+-0.90 pCi/L	Teledyne
1	URANIUM-233/234		1.70+-1.10 pCi/L	Teledyne
0	ZINC-65	LT	7 pCi/L	Teledyne
0	ZIRCONIUM-95	LT	4 pCi/L	Teledyne

WELL HSB102C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/12/89 Time 1015
 Depth to water = 35.04 ft (10.68 m) below the TOC
 Water elevation = 223.96 ft (68.26 m) msl
 pH = 5.9 Alkalinity = 12 mg/L
 Specific conductance = 175 umhos/cm
 Water temperature = 19.9 degrees Celsius
 Water evacuated from the well prior to sampling = 206 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE		153.1 UMHC	metaTRACE
0	PH		5.93 pH	metaTRACE
0	SILVER	LT	2 ug/L	metaTRACE
0	ALUMINUM	LT	35 ug/L	metaTRACE
0	ARSENIC	LT	3 ug/L	metaTRACE
0	BARIUM	LT	22 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
0	CALCIUM	LT	6632 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0	CADMIUM	LT	4 ug/L	metaTRACE
0	BROMOFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	5 ug/L	metaTRACE
0	METHYLENE CHLORIDE	LT	5 ug/L	metaTRACE
0	BROMOMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
0	CHLORIDE	LT	4800 ug/L	metaTRACE
0	CHLOROBENZENE	LT	5 ug/L	metaTRACE
0	COBALT	LT	10 ug/L	metaTRACE
0	CHROMIUM	LT	10 ug/L	metaTRACE
0	COPPER	LT	10 ug/L	metaTRACE
0	CYANIDE	LT	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0	CHLOROETHANE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0	ENORIN	LT	0.006 ug/L	metaTRACE
0	ETHYLBENZENE	LT	5 ug/L	metaTRACE
0	FLUORIDE	LT	250 ug/L	metaTRACE
0	IRON	LT	12 ug/L	metaTRACE
0	MERCURY	LT	0.32 ug/L	metaTRACE
0	POTASSIUM	LT	5000 ug/L	metaTRACE
0	TOLUENE	LT	5 ug/L	metaTRACE
0	MAGNESIUM	LT	1576 ug/L	metaTRACE
2	MANGANESE		96 ug/L	metaTRACE
1	SODIUM		22000 ug/L	metaTRACE
0	NICKEL	LT	5 ug/L	metaTRACE
2	NITRATE AS NITROGEN		13000 ug/L	metaTRACE
0	LEAD	LT	3 ug/L	metaTRACE
0	PHENOLS	LT	5 ug/L	metaTRACE
0	ANTIMONY	LT	10 ug/L	metaTRACE
0	SELENIUM	LT	2 ug/L	metaTRACE
1	SILICON		3217 ug/L	metaTRACE
0	SULFATE	LT	1000 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS		148000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	metaTRACE
0	TOTAL PHOSPHATES	LT	13 ug/L	metaTRACE
0	TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	VANADIUM	LT	10 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE

CONTINUED

WELL HSB102C COLLECTED ON 07/12/89 LABORATORY ANALYSES CONTINUED

0	1,2-DICHLOROPROPANE	LT	3 ug/L	metatrace
0	CIS-1,3-DICHLOROPROPENE	LT	3 ug/L	metatrace
0	2-CHLOROETHYL VINYL ETHER	LT	3 ug/L	metatrace
0	ZINC		28 ug/L	metatrace
0	GROSS ALPHA	LT	3 pCi/L	metatrace
0	GROSS ALPHA	LT	3 pCi/L	metatrace
0	NONVOLATILE BETA		8.70+-3.90 pCi/L	metatrace
0	NONVOLATILE BETA		5.90+-3.90 pCi/L	metatrace
0	TOTAL RADIUM		1.20+-0.30 pCi/L	metatrace
2	TRITIUM		220+- 30 pCi/mL	metatrace
2	TRITIUM		220+- 30 pCi/mL	metatrace

WELL HSB102D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/12/89 Time 1035
 Depth to water = 30.28 ft (9.23 m) below the TOC
 Water elevation = 228.32 ft (69.59 m) msl
 pH = 3.7 Alkalinity = 0 mg/L
 Specific conductance = 960 umhos/cm
 Water temperature = 20.7 degrees Celsius
 Water evacuated from the well prior to sampling = 8 gal
 The well went dry during purging.

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE		896.0 UMHG	metatrace
0	PH		3.79 pH	metatrace
0	SILVER	LT	2 ug/L	metatrace
2	ALUMINUM		22040 ug/L	metatrace
0	ARSENIC	LT	3 ug/L	metatrace
1	BARIUM		184 ug/L	metatrace
0	BROMODICHLOROMETHANE	LT	3 ug/L	metatrace
1	CALCIUM		16670 ug/L	metatrace
0	TRICHLOROFLUOROMETHANE	LT	3 ug/L	metatrace
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metatrace
2	CADMIUM		3 ug/L	metatrace
0	BROMOFORM	LT	3 ug/L	metatrace
1	CHLOROFORM		3 ug/L	metatrace
0	METHYLENE CHLORIDE	8	72 ug/L	metatrace
0	BROMOMETHANE	LT	10 ug/L	metatrace
0	CHLOROMETHANE	LT	10 ug/L	metatrace
0	CHLORIDE		2800 ug/L	metatrace
0	CHLOROETHYLENE (VINYL CHLORIDE)	LT	3 ug/L	metatrace
1	COBALT		16 ug/L	metatrace
1	CHROMIUM		10 ug/L	metatrace
1	COPPER		53 ug/L	metatrace
0	CYANIDE	LT	3 ug/L	metatrace
0	CHLOROETHYLENE (VINYL CHLORIDE)	LT	3 ug/L	metatrace
0	CHLOROETHANE	LT	10 ug/L	metatrace
0	BENZENE	LT	3 ug/L	metatrace
0	DIBROMOCHLOROMETHANE	LT	3 ug/L	metatrace
0	ENDRIN	LT	0.006 ug/L	metatrace
0	ETHYLBENZENE	LT	3 ug/L	metatrace
0	FLUORIDE	LT	370 ug/L	metatrace
2	IRON		5705 ug/L	metatrace
2	MERCURY		2.23 ug/L	metatrace
0	POTASSIUM	LT	5000 ug/L	metatrace
0	TOLUENE	LT	3 ug/L	metatrace
0	MAGNESIUM		3629 ug/L	metatrace
2	MANGANESE		3798 ug/L	metatrace
1	SODIUM		58240 ug/L	metatrace
1	NICKEL		81 ug/L	metatrace
2	NITRATE AS NITROGEN		110000 ug/L	metatrace
1	LEAD		23 ug/L	metatrace
0	PHENOLS	LT	3 ug/L	metatrace
0	ANTIMONY	LT	10 ug/L	metatrace
0	SELENIUM	LT	2 ug/L	metatrace
1	SILICON		8182 ug/L	metatrace
0	SULFATE	LT	1000 ug/L	metatrace
0	1,1,2,2-TETRACHLOROETHANE	LT	3 ug/L	metatrace
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metatrace
0	TOTAL DISSOLVED SOLIDS		531000 ug/L	metatrace
0	TOTAL ORGANIC CARBON		1530 ug/L	metatrace
0	TOTAL ORGANIC HALOGENS		6 ug/L	metatrace
0	TOTAL PHOSPHATES		139 ug/L	metatrace
0	TRICHLOROETHYLENE	LT	5.00 ug/L	metatrace
0	TRANS-1,2-DICHLOROETHYLENE	LT	3 ug/L	metatrace
0	TRANS-1,3-DICHLOROPROPENE	LT	3 ug/L	metatrace
0	VANADIUM	LT	10 ug/L	metatrace
0	1,1-DICHLOROETHYLENE	LT	3 ug/L	metatrace
0	1,1-DICHLOROETHANE	LT	3 ug/L	metatrace
0	1,1,1-TRICHLOROETHANE	LT	3 ug/L	metatrace
0	1,1,2-TRICHLOROETHANE	LT	3 ug/L	metatrace
0	1,2-DICHLOROETHANE	LT	3 ug/L	metatrace
0	1,2-DICHLOROPROPANE	LT	3 ug/L	metatrace
0	CIS-1,3-DICHLOROPROPENE	LT	3 ug/L	metatrace
0	2-CHLOROETHYL VINYL ETHER	LT	3 ug/L	metatrace
1	ZINC		297 ug/L	metatrace
2	GROSS ALPHA		240+- 30 pCi/L	metatrace
2	GROSS ALPHA		320+- 40 pCi/L	metatrace
2	NONVOLATILE BETA		19000+-2000 pCi/L	metatrace
2	TOTAL RADIUM		35.00+-4.00 pCi/L	metatrace
2	TRITIUM		41000+-5000 pCi/mL	metatrace

WELL HSB103C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/01/89 Time 1400
 Depth to water = 24.47 ft (7.46 m) below the TOC
 Water elevation = 222.93 ft (67.95 m) msl
 pH = 5.1 Alkalinity = 3 mg/L
 Specific conductance = 250 umhos/cm
 Water temperature = 19.4 degrees Celsius
 Water evacuated from the well prior to sampling = 182 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE		130.0 UMHG	metatrace
0	PH		5.04 pH	metatrace
0	SILVER	LT	2 ug/L	metatrace
1	ALUMINUM		104 ug/L	metatrace
0	ARSENIC	LT	3 ug/L	metatrace
1	BARIUM		56 ug/L	metatrace
0	BROMODICHLOROMETHANE	LT	3 ug/L	metatrace
0	CALCIUM		5723 ug/L	metatrace
0	TRICHLOROFLUOROMETHANE	LT	3 ug/L	metatrace
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metatrace
0	CADMIUM	LT	4 ug/L	metatrace
0	BROMOFORM	LT	3 ug/L	metatrace
0	CHLOROFORM	LT	3 ug/L	metatrace
0	METHYLENE CHLORIDE	LT	3 ug/L	metatrace
0	BROMOMETHANE	LT	10 ug/L	metatrace
0	CHLOROMETHANE	LT	10 ug/L	metatrace
0	CHLORIDE		4900 ug/L	metatrace
0	CHLOROETHYLENE	LT	3 ug/L	metatrace
0	COBALT	LT	10 ug/L	metatrace
0	CHROMIUM	LT	10 ug/L	metatrace
0	COPPER	LT	10 ug/L	metatrace
0	CYANIDE	LT	3 ug/L	metatrace
0	CHLOROETHYLENE (VINYL CHLORIDE)	LT	3 ug/L	metatrace
0	CHLOROETHANE	LT	10 ug/L	metatrace
0	BENZENE	LT	3 ug/L	metatrace
0	DIBROMOCHLOROMETHANE	LT	3 ug/L	metatrace
0	ENDRIN	LT	0.006 ug/L	metatrace
0	ETHYLBENZENE	LT	3 ug/L	metatrace
0	FLUORIDE	LT	250 ug/L	metatrace
0	IRON		14 ug/L	metatrace
2	MERCURY		1.88 ug/L	metatrace
0	POTASSIUM	LT	5000 ug/L	metatrace
0	TOLUENE	LT	3 ug/L	metatrace
0	MAGNESIUM		4446 ug/L	metatrace
2	MANGANESE		357 ug/L	metatrace
1	SODIUM		23130 ug/L	metatrace
0	NICKEL	LT	3 ug/L	metatrace
2	NITRATE AS NITROGEN		24000 ug/L	metatrace
0	LEAD	LT	3 ug/L	metatrace
0	PHENOLS	LT	3 ug/L	metatrace
0	ANTIMONY	LT	10 ug/L	metatrace
0	SELENIUM	LT	2 ug/L	metatrace
1	SILICON		4548 ug/L	metatrace
0	SULFATE		1400 ug/L	metatrace
0	1,1,2,2-TETRACHLOROETHANE	LT	3 ug/L	metatrace
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metatrace
0	TOTAL DISSOLVED SOLIDS		226000 ug/L	metatrace
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	metatrace
0	TOTAL ORGANIC HALOGENS		9 ug/L	metatrace
0	TOTAL PHOSPHATES		32 ug/L	metatrace
0	TRICHLOROETHYLENE	LT	5.00 ug/L	metatrace
0	TRANS-1,2-DICHLOROETHYLENE	LT	3 ug/L	metatrace
0	TRANS-1,3-DICHLOROPROPENE	LT	3 ug/L	metatrace
0	VANADIUM	LT	10 ug/L	metatrace
0	1,1-DICHLOROETHYLENE	LT	3 ug/L	metatrace
0	1,1-DICHLOROETHANE	LT	3 ug/L	metatrace
0	1,1,1-TRICHLOROETHANE	LT	3 ug/L	metatrace
0	1,1,2-TRICHLOROETHANE	LT	3 ug/L	metatrace
0	1,2-DICHLOROETHANE	LT	3 ug/L	metatrace
0	1,2-DICHLOROPROPANE	LT	3 ug/L	metatrace
0	CIS-1,3-DICHLOROPROPENE	LT	3 ug/L	metatrace
0	2-CHLOROETHYL VINYL ETHER	LT	3 ug/L	metatrace
0	ZINC		25 ug/L	metatrace
0	GROSS ALPHA	LT	3 pCi/L	metatrace
1	NONVOLATILE BETA		21.00+-4.00 pCi/L	metatrace
1	TOTAL RADIUM		2.50+-0.60 pCi/L	metatrace
2	TRITIUM		870+- 90 pCi/mL	metatrace
2	TRITIUM		944+-6.63 pCi/mL	HP, 795A

WELL HSB103D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/01/89 Time 1420
 Depth to water = 21.93 ft (6.68 m) below the TOC
 Water elevation = 225.67 ft (68.79 m) msl
 pH = 4.3 Alkalinity = 0 mg/L
 Specific conductance = 410 umhos/cm
 Water temperature = 20.4 degrees Celsius
 Water evacuated from the well prior to sampling = 48 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE		378.0 UMHG	metatrace
0	PH		4.13 pH	metatrace
0	SILVER	LT	2 ug/L	metatrace
2	ALUMINUM		1222 ug/L	metatrace
0	ARSENIC	LT	3 ug/L	metatrace
0	BARIUM		33 ug/L	metatrace
0	BROMODICHLOROMETHANE	LT	3 ug/L	metatrace
0	CALCIUM		1136 ug/L	metatrace
0	TRICHLOROFLUOROMETHANE	LT	3 ug/L	metatrace
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metatrace

CONTINUED

WELL HSB1030 COLLECTED ON 07/01/89 LABORATORY ANALYSES CONTINUED

0	CADMIUM	LT	4 ug/L	metaTRACE
0	BROMOFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	5 ug/L	metaTRACE
0	METHYLENE CHLORIDE	LT	5 ug/L	metaTRACE
0	BROMOMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
0	CHLORIDE	LT	4100 ug/L	metaTRACE
0	CHLOROBENZENE	LT	5 ug/L	metaTRACE
0	COBALT	LT	10 ug/L	metaTRACE
0	CHROMIUM	LT	10 ug/L	metaTRACE
0	COPPER	LT	10 ug/L	metaTRACE
0	CYANIDE	LT	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0	CHLOROETHANE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0	ENDRIN	LT	0.04 ug/L	metaTRACE
0	ETHYLBENZENE	LT	5 ug/L	metaTRACE
0	FLUORIDE	LT	250 ug/L	metaTRACE
0	IRON	LT	35 ug/L	metaTRACE
2	MERCURY	LT	2.73 ug/L	metaTRACE
0	POTASSIUM	LT	5000 ug/L	metaTRACE
0	TOLUENE	LT	5 ug/L	metaTRACE
0	MAGNESIUM	LT	1548 ug/L	metaTRACE
2	MANGANESE	LT	129 ug/L	metaTRACE
1	SODIUM	LT	50880 ug/L	metaTRACE
0	NICKEL	LT	7 ug/L	metaTRACE
2	NITRATE AS NITROGEN	LT	58000 ug/L	metaTRACE
0	LEAD	LT	3 ug/L	metaTRACE
0	PHENOLS	LT	5 ug/L	metaTRACE
0	ANTIMONY	LT	10 ug/L	metaTRACE
0	SELENIUM	LT	2 ug/L	metaTRACE
1	SILICON	LT	1051 ug/L	metaTRACE
0	SULFATE	LT	1000 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS	LT	249000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	metaTRACE
1	TOTAL ORGANIC HALOGENS	LT	14 ug/L	metaTRACE
0	TOTAL PHOSPHATES	LT	48 ug/L	metaTRACE
0	TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	VANADIUM	LT	10 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0	ZINC	LT	29 ug/L	metaTRACE
1	GROSS ALPHA	LT	9.50+-3.20 pCi/L	metaTRACE
2	GROSS ALPHA	LT	16.00+-2.00 pCi/L	Teledyne
0	AMERICIUM-241	LT	0.10 pCi/L	Teledyne
1	AMERICIUM-243	LT	0.94+-0.26 pCi/L	Teledyne
0	BARIUM-140	LT	200000 pCi/L	Teledyne
2	NONVOLATILE BETA	LT	630+-70 pCi/L	Teledyne
2	NONVOLATILE BETA	LT	790+-20 pCi/L	Teledyne
0	BERYLLIUM-7	LT	200 pCi/L	Teledyne
0	CERTIUM-141	LT	200 pCi/L	Teledyne
0	CERTIUM-144	LT	20 pCi/L	Teledyne
0	CURIUM-242	LT	0.10 pCi/L	Teledyne
0	CURIUM-246	LT	0.10 pCi/L	Teledyne
0	CURIUM-243/244	LT	0.30 pCi/L	Teledyne
0	COBALT-58	LT	20 pCi/L	Teledyne
0	COBALT-60	LT	4 pCi/L	Teledyne
0	CESIUM-134	LT	3 pCi/L	Teledyne
0	CESIUM-137	LT	3 pCi/L	Teledyne
0	CARBON-14	LT	9 pCi/L	Teledyne
1	IRON-55	LT	91.00+-48 pCi/L	Teledyne
0	IRON-59	LT	100 pCi/L	Teledyne
1	IODINE-129	LT	26.00+-2.00 pCi/L	Teledyne
0	POTASSIUM-40	LT	40 pCi/L	Teledyne
0	MANGANESE-54	LT	4 pCi/L	Teledyne
0	NICKEL-59	LT	100 pCi/L	Teledyne
1	NICKEL-63	LT	21.00+-7.00 pCi/L	Teledyne
0	PLUTONIUM-238	LT	1 pCi/L	Teledyne
0	PLUTONIUM-241	LT	220+-140 pCi/L	Teledyne
0	PLUTONIUM-239/240	LT	0.60 pCi/L	Teledyne
0	RADIUM-226	LT	40 pCi/L	Teledyne
1	RADIUM-226	LT	11.00+-1.00 pCi/L	Teledyne
0	RADIUM-228	LT	6 pCi/L	Teledyne
0	RUTHENIUM-103	LT	70 pCi/L	Teledyne
0	RUTHENIUM-106	LT	30 pCi/L	Teledyne
0	STRONTIUM-89	LT	60 pCi/L	Teledyne
1	STRONTIUM-90	LT	310+-10 pCi/L	Teledyne
1	TECHNETIUM-99	LT	20.00+-4.00 pCi/L	Teledyne
0	THORIUM-228	LT	4 pCi/L	Teledyne
0	THORIUM-228	LT	0.20 pCi/L	Teledyne
1	THORIUM-230	LT	8.30+-1.30 pCi/L	Teledyne
1	THORIUM-232	LT	0.53+-0.31 pCi/L	Teledyne
2	TOTAL RADIUM	LT	10.00+-1.00 pCi/L	metaTRACE
2	TRITIUM	LT	3000+-300 pCi/mL	metaTRACE
2	TRITIUM	LT	3020+-37.7 pCi/mL	HP, 735A
0	URANIUM-235	LT	0.07 pCi/L	Teledyne
1	URANIUM-238	LT	0.20+-0.13 pCi/L	Teledyne
1	URANIUM-233/234	LT	0.28+-0.17 pCi/L	Teledyne
0	ZINC-65	LT	10 pCi/L	Teledyne
0	ZIRCONIUM-95	LT	20 pCi/L	Teledyne

WELL HSB104C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/02/89 Time 1220
 Depth to water = 27.78 ft (8.47 m) below the TOC
 Water elevation = 220.12 ft (67.09 m) ms
 pH = 10.3 Alkalinity = 57 mg/L
 Specific conductance = 260 umhos/cm
 Water temperature = 19.8 degrees Celsius
 Water evacuated from the well prior to sampling = 163 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	225.0 UMH/C	metaTRACE
2	PH	9.55 pH	metaTRACE
0	SILVER	LT	2 ug/L
2	ALUMINUM	875 ug/L	metaTRACE
0	ARSENIC	LT	3 ug/L
0	BARIUM	41 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	LT	5 ug/L
1	CALCIUM	16200 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L
0	CARBON TETRACHLORIDE	LT	5.00 ug/L
0	CADMIUM	LT	4 ug/L
0	BROMOFORM	LT	5 ug/L
0	CHLOROFORM	LT	5 ug/L
0	METHYLENE CHLORIDE	LT	5 ug/L
0	BROMOMETHANE	LT	10 ug/L
0	CHLOROMETHANE	LT	10 ug/L
0	CHLORIDE	LT	3400 ug/L
0	CHLOROBENZENE	LT	5 ug/L
0	COBALT	LT	10 ug/L
0	CHROMIUM	LT	10 ug/L
0	COPPER	LT	10 ug/L
0	CYANIDE	LT	5 ug/L
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L
0	CHLOROETHANE	LT	10 ug/L
0	BENZENE	LT	5 ug/L
0	DIBROMOCHLOROMETHANE	LT	5 ug/L
0	ENDRIN	LT	0.006 ug/L
0	ETHYLBENZENE	LT	5 ug/L
0	FLUORIDE	LT	250 ug/L
0	IRON	LT	23 ug/L
0	MERCURY	LT	0.20 ug/L
0	MERCURY	LT	0.20 ug/L
1	POTASSIUM	12240 ug/L	metaTRACE
0	TOLUENE	LT	5 ug/L
0	MAGNESIUM	534 ug/L	metaTRACE
0	MANGANESE	22 ug/L	metaTRACE
1	SODIUM	16600 ug/L	metaTRACE
0	NICKEL	LT	5 ug/L
1	NITRATE AS NITROGEN	6400 ug/L	metaTRACE
0	LEAD	LT	3 ug/L
0	PHENOLS	LT	5 ug/L
0	ANTIMONY	LT	10 ug/L
0	SELENIUM	LT	2 ug/L
1	SILICON	5370 ug/L	metaTRACE
0	SULFATE	3200 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L
0	TETRACHLOROETHYLENE	LT	5.00 ug/L
0	TOTAL DISSOLVED SOLIDS	147000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	1480 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L
0	TOTAL PHOSPHATES	102 ug/L	metaTRACE
0	TRICHLOROETHYLENE	LT	5.00 ug/L
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L
0	VANADIUM	LT	10 ug/L
0	1,1-DICHLOROETHYLENE	LT	5 ug/L
0	1,1-DICHLOROETHANE	LT	5 ug/L
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L
0	1,2-DICHLOROETHANE	LT	5 ug/L
0	1,2-DICHLOROPROPANE	LT	5 ug/L
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L
0	ZINC	55 ug/L	metaTRACE
0	GROSS ALPHA	3.00+-2.20 pCi/L	metaTRACE
1	NONVOLATILE BETA	24.00+-5.00 pCi/L	metaTRACE
0	TOTAL RADIUM	1.20+-0.40 pCi/L	metaTRACE
0	TOTAL RADIUM	1.30+-0.40 pCi/L	metaTRACE
2	TRITIUM	380+-40 pCi/mL	metaTRACE
2	TRITIUM	417+-4.43 pCi/mL	HP, 735A

WELL HSB104D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/02/89 Time 1045
 Depth to water = 22.69 ft (6.92 m) below the TOC
 Water elevation = 225.11 ft (68.61 m) ms
 pH = 4.1 Alkalinity = 0 mg/L
 Specific conductance = 470 umhos/cm
 Water temperature = 18.3 degrees Celsius
 Water evacuated from the well prior to sampling = 63 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	355.0 UMH/C	metaTRACE
1	PH	3.96 pH	metaTRACE
0	SILVER	LT	2 ug/L
2	ALUMINUM	7362 ug/L	metaTRACE
0	ARSENIC	LT	3 ug/L
1	BARIUM	85 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	LT	5 ug/L

CONTINUED

WELL HSB104D COLLECTED ON 07/02/89 LABORATORY ANALYSES CONTINUED

0	CALCIUM		3725 ug/L	metaTRACE	
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE	
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE	
0	CADMIUM	LT	4 ug/L	metaTRACE	
0	BROMOFORM	LT	5 ug/L	metaTRACE	
0	CHLOROFORM	LT	5 ug/L	metaTRACE	
0	METHYLENE CHLORIDE	LT	5 ug/L	metaTRACE	
0	BROMOMETHANE	LT	10 ug/L	metaTRACE	
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE	
0	CHLORIDE		1600 ug/L	metaTRACE	
0	CHLOROBENZENE	LT	5 ug/L	metaTRACE	
1	COBALT	LT	13 ug/L	metaTRACE	
0	CHROMIUM	LT	10 ug/L	metaTRACE	
0	COPPER	LT	10 ug/L	metaTRACE	
0	CYANIDE	LT	5 ug/L	metaTRACE	
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE	
0	CHLOROETHANE	LT	10 ug/L	metaTRACE	
0	BENZENE	LT	5 ug/L	metaTRACE	
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE	
0	ENDRIN	LT	0.006 ug/L	metaTRACE	
0	ETHYLBENZENE	LT	5 ug/L	metaTRACE	
0	FLUORIDE	LT	250 ug/L	metaTRACE	
0	IRON	LT	79 ug/L	metaTRACE	
2	MERCURY		5.95 ug/L	metaTRACE	
0	POTASSIUM	LT	5000 ug/L	metaTRACE	
0	TOLUENE	LT	5 ug/L	metaTRACE	
0	MAGNESIUM		1977 ug/L	metaTRACE	
2	MANGANESE		650 ug/L	metaTRACE	
1	SODIUM		39780 ug/L	metaTRACE	
1	NICKEL		13 ug/L	metaTRACE	
2	NITRATE AS NITROGEN		67000 ug/L	metaTRACE	
0	LEAD	LT	3 ug/L	metaTRACE	
0	PHENOLS	LT	5 ug/L	metaTRACE	
1	ANTIMONY	LT	19 ug/L	metaTRACE	
0	SELENIUM	LT	2 ug/L	metaTRACE	
1	SILICON		6041 ug/L	metaTRACE	
0	SULFATE		3200 ug/L	metaTRACE	
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE	
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE	
0	TOTAL DISSOLVED SOLIDS		234000 ug/L	metaTRACE	
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	metaTRACE	
0	TOTAL ORGANIC HALOGENS		7 ug/L	metaTRACE	
1	TOTAL PHOSPHATES	LT	340 ug/L	metaTRACE	
0	TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE	
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE	
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE	
0	VANADIUM	LT	10 ug/L	metaTRACE	
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE	
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE	
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE	
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE	
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE	
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE	
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE	
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE	
0	ZINC		110 ug/L	metaTRACE	
2	GROSS ALPHA		29.00+-5.00 pCi/L	metaTRACE	
2	NONVOLATILE BETA		3800+-400 pCi/L	metaTRACE	
2	TOTAL RADIUM		22.00+-3.00 pCi/L	metaTRACE	
2	TRITIUM		12000+-2000 pCi/mL	metaTRACE	
2	TRITIUM		12600+-76.5 pCi/mL	HP, 735A	

WELL HSB105C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/22/89 Time 1310
 Depth to water = 30.03 ft (9.15 m) below the TOC
 Water elevation = 219.47 ft (66.90 m) msl
 pH = 6.2 Alkalinity = 16 mg/L
 Specific conductance = 81 umhos/cm
 Water temperature = 19.0 degrees Celsius
 Water evacuated from the well prior to sampling = 190 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE		81.00 UMHC	Gen. Eng.
0	SPECIFIC CONDUCTANCE		68.00 UMHC	metaTRACE
0	PH		6.19 pH	Gen. Eng.
0	PH		6.29 pH	metaTRACE
0	SILVER	LT	2 ug/L	Gen. Eng.
0	SILVER	LT	2 ug/L	metaTRACE
0	ALUMINUM	LT	20 ug/L	Gen. Eng.
0	ALUMINUM	LT	35 ug/L	metaTRACE
0	ARSENIC	LT	2 ug/L	Gen. Eng.
0	ARSENIC	LT	3 ug/L	metaTRACE
0	BARIUM	LT	7 ug/L	Gen. Eng.
0	BARIUM	LT	25 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
0	CALCIUM		8040 ug/L	Gen. Eng.
0	CALCIUM		6977 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0	CADMIUM	LT	2 ug/L	Gen. Eng.
0	CADMIUM	LT	4 ug/L	metaTRACE
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	BROMOFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	5 ug/L	metaTRACE
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0	METHYLENE CHLORIDE	LT	5 ug/L	metaTRACE
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	10 ug/L	metaTRACE

CONTINUED

WELL HSB105C COLLECTED ON 07/22/89 LABORATORY ANALYSES CONTINUED

0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
0	CHLORIDE		3200 ug/L	Gen. Eng.
0	CHLORIDE		3500 ug/L	metaTRACE
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	5 ug/L	metaTRACE
0	COBALT	LT	4 ug/L	Gen. Eng.
0	COBALT	LT	10 ug/L	metaTRACE
0	CHROMIUM	LT	4 ug/L	Gen. Eng.
0	CHROMIUM	LT	10 ug/L	metaTRACE
0	COPPER	LT	4 ug/L	Gen. Eng.
0	COPPER	LT	10 ug/L	metaTRACE
0	CYANIDE	LT	5 ug/L	Gen. Eng.
0	CYANIDE	LT	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0	ENDRIN	LT	0.10 ug/L	Gen. Eng.
0	ENDRIN	LT	0.006 ug/L	metaTRACE
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	5 ug/L	metaTRACE
0	FLUORIDE	LT	100 ug/L	Gen. Eng.
0	FLUORIDE	LT	250 ug/L	metaTRACE
0	IRON		25 ug/L	Gen. Eng.
0	IRON		17 ug/L	metaTRACE
0	MERCURY	LT	0.20 ug/L	Gen. Eng.
0	MERCURY	LT	0.20 ug/L	metaTRACE
0	POTASSIUM		2820 ug/L	Gen. Eng.
0	POTASSIUM	LT	5000 ug/L	metaTRACE
0	TOLUENE	LT	1 ug/L	Gen. Eng.
0	TOLUENE	LT	5 ug/L	metaTRACE
0	MAGNESIUM		854 ug/L	Gen. Eng.
0	MAGNESIUM		708 ug/L	metaTRACE
0	MANGANESE		6 ug/L	Gen. Eng.
0	MANGANESE	LT	10 ug/L	metaTRACE
0	SODIUM		3580 ug/L	Gen. Eng.
0	SODIUM		3035 ug/L	metaTRACE
0	NICKEL	LT	4 ug/L	Gen. Eng.
0	NICKEL	LT	5 ug/L	metaTRACE
1	NITRATE AS NITROGEN		3000 ug/L	Gen. Eng.
1	NITRATE AS NITROGEN		3000 ug/L	metaTRACE
0	LEAD	LT	6 ug/L	Gen. Eng.
0	LEAD	LT	3 ug/L	metaTRACE
0	PHENOLS	LT	5 ug/L	Gen. Eng.
0	PHENOLS	LT	5 ug/L	metaTRACE
0	ANTIMONY	LT	3 ug/L	Gen. Eng.
0	ANTIMONY	LT	10 ug/L	metaTRACE
0	SELENIUM	LT	2 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	metaTRACE
1	SILICON		5362 ug/L	metaTRACE
1	SILICA		9870 ug/L	Gen. Eng.
0	SULFATE	LT	5000 ug/L	Gen. Eng.
0	SULFATE	LT	1000 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS		96000 ug/L	Gen. Eng.
0	TOTAL DISSOLVED SOLIDS		48000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON		2000 ug/L	Gen. Eng.
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	Gen. Eng.
0	TOTAL ORGANIC HALOGENS		9 ug/L	metaTRACE
1	TOTAL PHOSPHORUS		300 ug/L	Gen. Eng.
0	TOTAL PHOSPHATES		153 ug/L	metaTRACE
0	TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	VANADIUM	LT	20 ug/L	Gen. Eng.
0	VANADIUM	LT	10 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0	ZINC		35 ug/L	Gen. Eng.
0	ZINC		36 ug/L	metaTRACE
0	GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
0	GROSS ALPHA	LT	3 pCi/L	metaTRACE
0	NONVOLATILE BETA		4.80+-4.00 pCi/L	Gen. Eng.
0	NONVOLATILE BETA	LT	8 pCi/L	metaTRACE
0	TOTAL RADIUM		1.18+-1.10 pCi/L	Gen. Eng.
0	TOTAL RADIUM	LT	1 pCi/L	metaTRACE
2	TRITIUM		125+-1.22 pCi/mL	Gen. Eng.
2	TRITIUM		95.00+-10 pCi/mL	metaTRACE

WELL HSB105C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/22/89 Time 1310
 Depth to water = 30.03 ft (9.15 m) below the TOC
 Water elevation = 219.47 ft (86.90 m) msl
 pH = 8.2 Alkalinity = 18 mg/L
 Specific conductance = 81 umhos/cm
 Water temperature = 19.0 degrees Celsius
 Water evacuated from the well prior to sampling = 190 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE	82.00 UMH/C	Gen. Eng.
0	SPECIFIC CONDUCTANCE	80.00 UMH/C	Gen. Eng.
0	SPECIFIC CONDUCTANCE	71.80 UMH/C	metaTRACE
0	PH	8.27 pH	Gen. Eng.
0	PH	8.25 pH	Gen. Eng.
0	PH	8.32 pH	metaTRACE
0	SILVER	2 ug/L	Gen. Eng.
0	SILVER	2 ug/L	Gen. Eng.
0	SILVER	2 ug/L	metaTRACE
0	ALUMINUM	20 ug/L	Gen. Eng.
0	ALUMINUM	20 ug/L	Gen. Eng.
0	ALUMINUM	35 ug/L	metaTRACE
0	ARSENIC	2 ug/L	Gen. Eng.
0	ARSENIC	2 ug/L	Gen. Eng.
0	ARSENIC	3 ug/L	metaTRACE
0	BARIUM	7 ug/L	Gen. Eng.
0	BARIUM	7 ug/L	Gen. Eng.
0	BARIUM	25 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	1 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	1 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	5 ug/L	metaTRACE
0	CALCIUM	8140 ug/L	Gen. Eng.
0	CALCIUM	8220 ug/L	Gen. Eng.
0	CALCIUM	8033 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	1.00 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	1.00 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	5.00 ug/L	metaTRACE
0	CADMIUM	2 ug/L	Gen. Eng.
0	CADMIUM	2 ug/L	Gen. Eng.
0	CADMIUM	4 ug/L	metaTRACE
0	BROMOFORM	1 ug/L	Gen. Eng.
0	BROMOFORM	1 ug/L	Gen. Eng.
0	BROMOFORM	5 ug/L	metaTRACE
0	CHLOROFORM	1 ug/L	Gen. Eng.
0	CHLOROFORM	1 ug/L	Gen. Eng.
0	CHLOROFORM	5 ug/L	metaTRACE
0	METHYLENE CHLORIDE	1 ug/L	Gen. Eng.
0	METHYLENE CHLORIDE	4 ug/L	Gen. Eng.
0	METHYLENE CHLORIDE	5 ug/L	metaTRACE
0	BROMOMETHANE	1 ug/L	Gen. Eng.
0	BROMOMETHANE	1 ug/L	Gen. Eng.
0	BROMOMETHANE	10 ug/L	metaTRACE
0	CHLOROMETHANE	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	10 ug/L	metaTRACE
0	CHLORIDE	3200 ug/L	Gen. Eng.
0	CHLORIDE	3100 ug/L	Gen. Eng.
0	CHLORIDE	3500 ug/L	metaTRACE
0	CHLOROBENZENE	1 ug/L	Gen. Eng.
0	CHLOROBENZENE	1 ug/L	Gen. Eng.
0	CHLOROBENZENE	5 ug/L	metaTRACE
0	COBALT	4 ug/L	Gen. Eng.
0	COBALT	4 ug/L	Gen. Eng.
0	COBALT	10 ug/L	metaTRACE
0	CHROMIUM	4 ug/L	Gen. Eng.
0	CHROMIUM	4 ug/L	Gen. Eng.
0	CHROMIUM	10 ug/L	metaTRACE
0	COPPER	8 ug/L	Gen. Eng.
0	COPPER	8 ug/L	Gen. Eng.
0	COPPER	10 ug/L	metaTRACE
0	CYANIDE	3 ug/L	Gen. Eng.
0	CYANIDE	3 ug/L	Gen. Eng.
0	CYANIDE	3 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	1 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	1 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	3 ug/L	metaTRACE
0	CHLOROETHANE	1 ug/L	Gen. Eng.
0	CHLOROETHANE	1 ug/L	Gen. Eng.
0	CHLOROETHANE	10 ug/L	metaTRACE
0	BENZENE	1 ug/L	Gen. Eng.
0	BENZENE	1 ug/L	Gen. Eng.
0	BENZENE	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	5 ug/L	metaTRACE
0	ENDRIN	0.10 ug/L	Gen. Eng.
0	ENDRIN	0.10 ug/L	Gen. Eng.
0	ENDRIN	0.008 ug/L	metaTRACE
0	ETHYLBENZENE	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	5 ug/L	metaTRACE
0	FLUORIDE	100 ug/L	Gen. Eng.
0	FLUORIDE	100 ug/L	Gen. Eng.
0	FLUORIDE	250 ug/L	metaTRACE
0	IRON	28 ug/L	Gen. Eng.
0	IRON	21 ug/L	Gen. Eng.
2	IRON	1095 ug/L	metaTRACE
0	MERCURY	0.20 ug/L	Gen. Eng.
0	MERCURY	0.20 ug/L	Gen. Eng.
0	MERCURY	0.20 ug/L	metaTRACE
0	POTASSIUM	2730 ug/L	Gen. Eng.
0	POTASSIUM	2880 ug/L	Gen. Eng.
0	POTASSIUM	5000 ug/L	metaTRACE

CONTINUED

WELL HSB105C COLLECTED ON 07/22/89 LABORATORY ANALYSES CONTINUED

0	TOLUENE	1 ug/L	Gen. Eng.
0	TOLUENE	1 ug/L	Gen. Eng.
0	TOLUENE	5 ug/L	metaTRACE
0	MAGNESIUM	920 ug/L	Gen. Eng.
0	MAGNESIUM	925 ug/L	Gen. Eng.
0	MAGNESIUM	795 ug/L	metaTRACE
0	MANGANESE	6 ug/L	Gen. Eng.
0	MANGANESE	6 ug/L	Gen. Eng.
0	MANGANESE	11 ug/L	metaTRACE
0	SODIUM	3650 ug/L	Gen. Eng.
0	SODIUM	3600 ug/L	Gen. Eng.
0	SODIUM	3490 ug/L	metaTRACE
0	NICKEL	4 ug/L	Gen. Eng.
0	NICKEL	4 ug/L	Gen. Eng.
0	NICKEL	5 ug/L	metaTRACE
1	NITRATE AS NITROGEN	3200 ug/L	Gen. Eng.
1	NITRATE AS NITROGEN	3300 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN	2900 ug/L	metaTRACE
0	LEAD	6 ug/L	Gen. Eng.
0	LEAD	6 ug/L	Gen. Eng.
0	LEAD	3 ug/L	metaTRACE
0	PHENOLS	5 ug/L	Gen. Eng.
0	PHENOLS	5 ug/L	Gen. Eng.
0	PHENOLS	5 ug/L	metaTRACE
0	ANTIMONY	3 ug/L	Gen. Eng.
0	ANTIMONY	3 ug/L	Gen. Eng.
0	ANTIMONY	10 ug/L	metaTRACE
0	SELENIUM	2 ug/L	Gen. Eng.
0	SELENIUM	2 ug/L	Gen. Eng.
0	SELENIUM	2 ug/L	metaTRACE
1	SILICON	5797 ug/L	metaTRACE
1	SILICA	10100 ug/L	Gen. Eng.
1	SILICA	9940 ug/L	Gen. Eng.
0	SULFATE	5000 ug/L	Gen. Eng.
0	SULFATE	5000 ug/L	Gen. Eng.
0	SULFATE	1000 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	1 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	1 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	5 ug/L	metaTRACE
1	TETRACHLOROETHYLENE	2.00 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	1.00 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	5.00 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS	104000 ug/L	Gen. Eng.
0	TOTAL DISSOLVED SOLIDS	105000 ug/L	Gen. Eng.
0	TOTAL DISSOLVED SOLIDS	68000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	2000 ug/L	Gen. Eng.
0	TOTAL ORGANIC CARBON	2000 ug/L	Gen. Eng.
0	TOTAL ORGANIC CARBON	1000 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	5 ug/L	Gen. Eng.
0	TOTAL ORGANIC HALOGENS	5 ug/L	Gen. Eng.
0	TOTAL ORGANIC HALOGENS	8 ug/L	metaTRACE
1	TOTAL PHOSPHORUS	190 ug/L	Gen. Eng.
1	TOTAL PHOSPHORUS	160 ug/L	Gen. Eng.
0	TOTAL PHOSPHATES	144 ug/L	metaTRACE
0	TRICHLOROETHYLENE	1.00 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	1.00 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	5.00 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	1 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	1 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	5 ug/L	metaTRACE
0	VANADIUM	20 ug/L	Gen. Eng.
0	VANADIUM	20 ug/L	Gen. Eng.
0	VANADIUM	10 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	5 ug/L	metaTRACE
0	ZINC	34 ug/L	Gen. Eng.
0	ZINC	35 ug/L	Gen. Eng.
0	ZINC	38 ug/L	metaTRACE
0	GROSS ALPHA	3 pCi/L	Gen. Eng.
0	GROSS ALPHA	3 pCi/L	Gen. Eng.
0	GROSS ALPHA	3 pCi/L	metaTRACE
0	NONVOLATILE BETA	5.68+-2.40 pCi/L	Gen. Eng.
0	NONVOLATILE BETA	5.25+-2.40 pCi/L	Gen. Eng.
0	NONVOLATILE BETA	6 pCi/L	metaTRACE
0	TOTAL RADIUM	1 pCi/L	Gen. Eng.
0	TOTAL RADIUM	1 pCi/L	Gen. Eng.
0	TOTAL RADIUM	1 pCi/L	metaTRACE
2	TRITIUM	124+-1.21 pCi/mL	Gen. Eng.
2	TRITIUM	124+-1.21 pCi/mL	Gen. Eng.
2	TRITIUM	94.00+-10 pCi/mL	metaTRACE

WELL HSB1050

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/02/89 Time 1010
 Depth to water = 23.91 ft (7.29 m) below the TOC
 Water elevation = 229.59 ft (68.78 m) msl
 pH = 4.0 Alkalinity = 0 mg/L
 Specific conductance = 650 umhos/cm
 Water temperature = 18.5 degrees Celsius
 Water evacuated from the well prior to sampling = 52 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	532.0 UMMC	metatrace
1	PH	3.82 pH	metatrace
0	SILVER	2 ug/L	metatrace
2	ALUMINUM	6253 ug/L	metatrace
0	ARSENIC	3 ug/L	metatrace
1	BARIUM	81 ug/L	metatrace
0	BROMODICHLOROMETHANE	5 ug/L	metatrace
0	CALCIUM	4820 ug/L	metatrace
1	TRICHLOROFLUOROMETHANE	4 ug/L	metatrace
0	CARBON TETRACHLORIDE	5.00 ug/L	metatrace
0	CADMIUM	4 ug/L	metatrace
0	BROMOFORM	5 ug/L	metatrace
0	CHLOROFORM	5 ug/L	metatrace
0	METHYLENE CHLORIDE	5 ug/L	metatrace
0	BROMOMETHANE	10 ug/L	metatrace
0	CHLOROMETHANE	10 ug/L	metatrace
0	CHLORIDE	1300 ug/L	metatrace
0	CHLOROBENZENE	5 ug/L	metatrace
0	COBALT	10 ug/L	metatrace
0	CHROMIUM	10 ug/L	metatrace
0	COPPER	10 ug/L	metatrace
0	CYANIDE	5 ug/L	metatrace
0	CHLOROETHENE (VINYL CHLORIDE)	5 ug/L	metatrace
0	CHLOROETHANE	10 ug/L	metatrace
0	BENZENE	5 ug/L	metatrace
0	DIBROMOCHLOROMETHANE	5 ug/L	metatrace
0	ENDRIN	0.006 ug/L	metatrace
0	ETHYLBENZENE	5 ug/L	metatrace
0	FLUORIDE	480 ug/L	metatrace
0	IRON	62 ug/L	metatrace
2	MERCURY	4.53 ug/L	metatrace
0	POTASSIUM	5000 ug/L	metatrace
0	TOLUENE	5 ug/L	metatrace
0	MAGNESIUM	2256 ug/L	metatrace
2	MANGANESE	524 ug/L	metatrace
1	SODIUM	65720 ug/L	metatrace
1	NICKEL	23 ug/L	metatrace
2	NITRATE AS NITROGEN	100000 ug/L	metatrace
0	LEAD	3 ug/L	metatrace
0	PHENOLS	5 ug/L	metatrace
0	ANTIMONY	10 ug/L	metatrace
0	SELENIUM	2 ug/L	metatrace
1	SILICON	3378 ug/L	metatrace
0	SULFATE	2000 ug/L	metatrace
0	1,1,2,2-TETRACHLOROETHANE	5 ug/L	metatrace
0	TETRACHLOROETHYLENE	5.00 ug/L	metatrace
0	TOTAL DISSOLVED SOLIDS	361000 ug/L	metatrace
0	TOTAL ORGANIC CARBON	1700 ug/L	metatrace
1	TOTAL ORGANIC HALOGENS	12 ug/L	metatrace
0	TOTAL PHOSPHATES	85 ug/L	metatrace
0	TRICHLOROETHYLENE	5.00 ug/L	metatrace
0	TRANS-1,2-DICHLOROETHENE	5 ug/L	metatrace
0	TRANS-1,3-DICHLOROPROPENE	5 ug/L	metatrace
0	VANADIUM	10 ug/L	metatrace
0	1,1-DICHLOROETHYLENE	5 ug/L	metatrace
0	1,1-DICHLOROETHANE	5 ug/L	metatrace
0	1,1,1-TRICHLOROETHANE	5 ug/L	metatrace
0	1,1,2-TRICHLOROETHANE	5 ug/L	metatrace
0	1,2-DICHLOROETHANE	5 ug/L	metatrace
0	1,2-DICHLOROPROPANE	5 ug/L	metatrace
0	CIS-1,3-DICHLOROPROPENE	5 ug/L	metatrace
0	2-CHLOROETHYL VINYL ETHER	5 ug/L	metatrace
0	ZINC	99 ug/L	metatrace
2	GROSS ALPHA	31.00+-5.00 pCi/L	metatrace
2	GROSS ALPHA	28.00+-3.00 pCi/L	Teledyne
0	AMERICIUM-241	0.10 pCi/L	Teledyne
1	AMERICIUM-243	2.70+-0.40 pCi/L	Teledyne
0	BARIUM-140	1.00000 pCi/L	Teledyne
2	NONVOLATILE BETA	3000+-300 pCi/L	metatrace
2	NONVOLATILE BETA	4200+-100 pCi/L	Teledyne
0	BERYLLIUM-7	200 pCi/L	Teledyne
0	CERIUM-141	200 pCi/L	Teledyne
0	CERIUM-144	20 pCi/L	Teledyne
0	CURIUM-242	0.10 pCi/L	Teledyne
1	CURIUM-246	0.18+-0.12 pCi/L	Teledyne
0	CURIUM-243/244	0.20 pCi/L	Teledyne
0	COBALT-58	10 pCi/L	Teledyne
1	COBALT-60	10.00+-2.00 pCi/L	Teledyne
0	CESIUM-134	2 pCi/L	Teledyne
0	CESIUM-137	2 pCi/L	Teledyne
0	CARBON-14	7 pCi/L	Teledyne
0	IRON-55	90 pCi/L	Teledyne
0	IRON-59	80 pCi/L	Teledyne
1	IODINE-129	17.00+-2.00 pCi/L	Teledyne
0	POTASSIUM-40	40 pCi/L	Teledyne
0	MANGANESE-54	3 pCi/L	Teledyne
0	NICKEL-58	200 pCi/L	Teledyne
0	NICKEL-63	10 pCi/L	Teledyne
0	PLUTONIUM-238	2 pCi/L	Teledyne
0	PLUTONIUM-241	200 pCi/L	Teledyne
0	PLUTONIUM-239/240	0.80 pCi/L	Teledyne
0	RADIUM-226	40 pCi/L	Teledyne
1	RADIUM-226	15.00+-2.00 pCi/L	Teledyne
1	RADIUM-228	26.00+-5.00 pCi/L	Teledyne
0	RUTHENIUM-103	60 pCi/L	Teledyne
0	RUTHENIUM-106	30 pCi/L	Teledyne

CONTINUED

WELL HSB1050 COLLECTED ON 07/02/89 LABORATORY ANALYSES CONTINUED

0	STROMTIUM-89	LT	1000 pCi/L	Teledyne
1	STROMTIUM-90	LT	1500+-100 pCi/L	Teledyne
1	THORIUM-90	LT	120+-10 pCi/L	Teledyne
0	THORIUM-228	LT	4 pCi/L	Teledyne
1	THORIUM-228	LT	3.00+-0.90 pCi/L	Teledyne
1	THORIUM-230	LT	17.00+-2.00 pCi/L	Teledyne
1	THORIUM-232	LT	0.85+-0.48 pCi/L	Teledyne
2	TOTAL RADIUM	LT	20.00+-2.00 pCi/L	metatrace
2	TRITIUM	LT	28000+-3000 pCi/mL	metatrace
2	TRITIUM	LT	27600+-113 pCi/mL	HP, 735A
0	URANIUM-235	LT	0.10 pCi/L	Teledyne
1	URANIUM-238	LT	0.54+-0.29 pCi/L	Teledyne
1	URANIUM-233/234	LT	0.70+-0.38 pCi/L	Teledyne
0	ZINC-65	LT	8 pCi/L	Teledyne
0	ZIRCONIUM-95	LT	20 pCi/L	Teledyne

WELL HSB106C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/02/89 Time 930
 Depth to water = 31.75 ft (9.68 m) below the TOC
 Water elevation = 221.15 ft (67.41 m) msl
 pH = 8.8 Alkalinity = 11 mg/L
 Specific conductance = 132 umhos/cm
 Water temperature = 19.5 degrees Celsius
 Water evacuated from the well prior to sampling = 178 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	229.6 UMMC	metatrace
0	PH	8.01 pH	metatrace
0	SILVER	2 ug/L	metatrace
0	ALUMINUM	35 ug/L	metatrace
0	ARSENIC	3 ug/L	metatrace
0	BARIUM	25 ug/L	metatrace
0	BROMODICHLOROMETHANE	5 ug/L	metatrace
0	CALCIUM	8195 ug/L	metatrace
0	TRICHLOROFLUOROMETHANE	5 ug/L	metatrace
0	CARBON TETRACHLORIDE	5.00 ug/L	metatrace
0	CADMIUM	4 ug/L	metatrace
0	BROMOFORM	5 ug/L	metatrace
0	CHLOROFORM	5 ug/L	metatrace
0	METHYLENE CHLORIDE	5 ug/L	metatrace
0	BROMOMETHANE	10 ug/L	metatrace
0	CHLOROMETHANE	10 ug/L	metatrace
0	CHLORIDE	4000 ug/L	metatrace
0	CHLOROBENZENE	5 ug/L	metatrace
0	COBALT	10 ug/L	metatrace
0	CHROMIUM	10 ug/L	metatrace
0	COPPER	10 ug/L	metatrace
0	CYANIDE	5 ug/L	metatrace
0	CHLOROETHENE (VINYL CHLORIDE)	5 ug/L	metatrace
0	CHLOROETHANE	10 ug/L	metatrace
0	BENZENE	5 ug/L	metatrace
0	DIBROMOCHLOROMETHANE	5 ug/L	metatrace
0	ENDRIN	0.006 ug/L	metatrace
0	ETHYLBENZENE	5 ug/L	metatrace
0	FLUORIDE	250 ug/L	metatrace
0	IRON	24 ug/L	metatrace
0	MERCURY	0.20 ug/L	metatrace
0	POTASSIUM	5000 ug/L	metatrace
0	TOLUENE	5 ug/L	metatrace
0	MAGNESIUM	1115 ug/L	metatrace
0	MANGANESE	12 ug/L	metatrace
1	SODIUM	8311 ug/L	metatrace
0	NICKEL	5 ug/L	metatrace
0	NITRATE AS NITROGEN	230 ug/L	metatrace
0	LEAD	3 ug/L	metatrace
0	PHENOLS	5 ug/L	metatrace
0	ANTIMONY	10 ug/L	metatrace
0	SELENIUM	2 ug/L	metatrace
1	SILICON	4652 ug/L	metatrace
1	SULFATE	36200 ug/L	metatrace
0	1,1,2,2-TETRACHLOROETHANE	5 ug/L	metatrace
2	TETRACHLOROETHYLENE	5.00 ug/L	metatrace
0	TOTAL DISSOLVED SOLIDS	119000 ug/L	metatrace
0	TOTAL ORGANIC CARBON	1110 ug/L	metatrace
0	TOTAL ORGANIC HALOGENS	7 ug/L	metatrace
0	TOTAL PHOSPHATES	11 ug/L	metatrace
0	TOTAL PHOSPHATES	11 ug/L	metatrace
0	TRICHLOROETHYLENE	5.00 ug/L	metatrace
0	TRANS-1,2-DICHLOROETHENE	5 ug/L	metatrace
0	TRANS-1,3-DICHLOROPROPENE	5 ug/L	metatrace
0	VANADIUM	10 ug/L	metatrace
0	1,1-DICHLOROETHYLENE	5 ug/L	metatrace
0	1,1-DICHLOROETHANE	5 ug/L	metatrace
0	1,1,1-TRICHLOROETHANE	5 ug/L	metatrace
0	1,1,2-TRICHLOROETHANE	5 ug/L	metatrace
0	1,2-DICHLOROETHANE	5 ug/L	metatrace
0	1,2-DICHLOROPROPANE	5 ug/L	metatrace
0	CIS-1,3-DICHLOROPROPENE	5 ug/L	metatrace
0	2-CHLOROETHYL VINYL ETHER	5 ug/L	metatrace
0	ZINC	45 ug/L	metatrace
0	GROSS ALPHA	3 pCi/L	metatrace
0	NONVOLATILE BETA	6 pCi/L	metatrace
0	TOTAL RADIUM	1 pCi/L	metatrace
2	TRITIUM	370+-40 pCi/mL	metatrace
2	TRITIUM	392+-4.31 pCi/mL	HP, 735A

WELL HSB1080

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/01/89 Time 1515
 Depth to water = 28.97 ft (8.22 m) below the TOC
 Water elevation = 225.93 ft (68.86 m) msl
 pH = 4.5 Alkalinity = 0 mg/L
 Specific conductance = 270 umhos/cm
 Water temperature = 19.4 degrees Celsius
 Water evacuated from the well prior to sampling = 52 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	229.0 UMHG	metaTRACE
0	PH	4.24 pH	metaTRACE
0	SILVER	2 ug/L	metaTRACE
2	ALUMINUM	919 ug/L	metaTRACE
0	ARSENIC	3 ug/L	metaTRACE
0	BARIUM	37 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	5 ug/L	metaTRACE
0	CALCIUM	2787 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	5.00 ug/L	metaTRACE
0	CADMIUM	4 ug/L	metaTRACE
0	BROMOFORM	5 ug/L	metaTRACE
0	CHLOROFORM	5 ug/L	metaTRACE
0	METHYLENE CHLORIDE	5 ug/L	metaTRACE
0	BROMOMETHANE	10 ug/L	metaTRACE
0	CHLOROMETHANE	10 ug/L	metaTRACE
0	CHLORIDE	2200 ug/L	metaTRACE
0	CHLOROBENZENE	5 ug/L	metaTRACE
0	COBALT	10 ug/L	metaTRACE
0	CHROMIUM	10 ug/L	metaTRACE
0	COPPER	10 ug/L	metaTRACE
0	CYANIDE	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	5 ug/L	metaTRACE
0	CHLOROETHANE	10 ug/L	metaTRACE
0	BENZENE	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	5 ug/L	metaTRACE
0	ENDRIN	0.008 ug/L	metaTRACE
0	ETHYLBENZENE	5 ug/L	metaTRACE
0	FLUORIDE	250 ug/L	metaTRACE
0	IRON	78 ug/L	metaTRACE
2	MERCURY	3.01 ug/L	metaTRACE
0	POTASSIUM	5000 ug/L	metaTRACE
0	TOLUENE	5 ug/L	metaTRACE
0	MAGNESIUM	1081 ug/L	metaTRACE
2	MANGANESE	245 ug/L	metaTRACE
1	SODIUM	38550 ug/L	metaTRACE
0	NICKEL	13 ug/L	metaTRACE
2	NITRATE AS NITROGEN	42000 ug/L	metaTRACE
0	LEAD	3 ug/L	metaTRACE
0	PHENOLS	5 ug/L	metaTRACE
0	ANTIMONY	10 ug/L	metaTRACE
0	SELENIUM	2 ug/L	metaTRACE
1	SILICON	6222 ug/L	metaTRACE
0	SULFATE	1300 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	5.00 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS	189000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	1210 ug/L	metaTRACE
1	TOTAL ORGANIC HALOGENS	11 ug/L	metaTRACE
0	TOTAL PHOSPHATES	16 ug/L	metaTRACE
0	TRICHLOROETHYLENE	5.00 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	5 ug/L	metaTRACE
0	VANADIUM	10 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	5 ug/L	metaTRACE
0	ZINC	49 ug/L	metaTRACE
1	GROSS ALPHA	9.20+-2.90 pCi/L	metaTRACE
1	NONVOLATILE BETA	930+-100 pCi/L	metaTRACE
1	TOTAL RADIUM	4.20+-0.80 pCi/L	metaTRACE
2	TRITIUM	3600+-400 pCi/mL	metaTRACE
2	TRITIUM	3460+-40.3 pCi/mL	HP, 735A

WELL HSB107C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/03/89 Time 1105
 Depth to water = 42.43 ft (12.93 m) below the TOC
 Water elevation = 219.17 ft (66.80 m) msl
 pH = 6.8 Alkalinity = 63 mg/L
 Specific conductance = 225 umhos/cm
 Water temperature = 20.4 degrees Celsius
 Water evacuated from the well prior to sampling = 164 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE	58.40 UMHG	metaTRACE
1	PH	6.75 pH	metaTRACE
0	SILVER	2 ug/L	metaTRACE
0	ALUMINUM	57 ug/L	metaTRACE
0	ARSENIC	3 ug/L	metaTRACE
1	BARIUM	56 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	5 ug/L	metaTRACE
1	CALCIUM	15730 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	5.00 ug/L	metaTRACE

CONTINUED

WELL HSB107C COLLECTED ON 07/03/89 LABORATORY ANALYSES CONTINUED

0	CADMIUM	4 ug/L	metaTRACE
0	BROMOFORM	5 ug/L	metaTRACE
0	CHLOROFORM	5 ug/L	metaTRACE
0	METHYLENE CHLORIDE	5 ug/L	metaTRACE
0	BROMOMETHANE	10 ug/L	metaTRACE
0	CHLOROMETHANE	10 ug/L	metaTRACE
0	CHLORIDE	3200 ug/L	metaTRACE
0	CHLOROBENZENE	5 ug/L	metaTRACE
0	COBALT	10 ug/L	metaTRACE
0	CHROMIUM	10 ug/L	metaTRACE
0	COPPER	10 ug/L	metaTRACE
0	CYANIDE	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	5 ug/L	metaTRACE
0	CHLOROETHANE	10 ug/L	metaTRACE
0	BENZENE	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	5 ug/L	metaTRACE
0	ENDRIN	0.008 ug/L	metaTRACE
0	ETHYLBENZENE	5 ug/L	metaTRACE
0	FLUORIDE	250 ug/L	metaTRACE
2	IRON	754 ug/L	metaTRACE
0	MERCURY	0.20 ug/L	metaTRACE
0	POTASSIUM	5000 ug/L	metaTRACE
0	TOLUENE	5 ug/L	metaTRACE
0	MAGNESIUM	1147 ug/L	metaTRACE
2	MANGANESE	692 ug/L	metaTRACE
1	SODIUM	18660 ug/L	metaTRACE
0	NICKEL	5 ug/L	metaTRACE
1	NITRATE AS NITROGEN	3700 ug/L	metaTRACE
0	LEAD	3 ug/L	metaTRACE
0	PHENOLS	5 ug/L	metaTRACE
0	ANTIMONY	10 ug/L	metaTRACE
0	SELENIUM	2 ug/L	metaTRACE
1	SILICON	4904 ug/L	metaTRACE
0	SULFATE	1700 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	5.00 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS	61000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	1330 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	5 ug/L	metaTRACE
1	TOTAL PHOSPHATES	314 ug/L	metaTRACE
0	TRICHLOROETHYLENE	5.00 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	5 ug/L	metaTRACE
0	VANADIUM	10 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	5 ug/L	metaTRACE
0	ZINC	78 ug/L	metaTRACE
0	GROSS ALPHA	3 pCi/L	metaTRACE
1	NONVOLATILE BETA	19.00+-4.00 pCi/L	metaTRACE
0	TOTAL RADIUM	1 pCi/L	metaTRACE
2	TRITIUM	900+-90 pCi/mL	metaTRACE

WELL HSB107D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/03/89 Time 1010
 Depth to water = 37.50 ft (11.43 m) below the TOC
 Water elevation = 224.80 ft (68.52 m) msl
 pH = 4.6 Alkalinity = 0 mg/L
 Specific conductance = 420 umhos/cm
 Water temperature = 20.6 degrees Celsius
 Water evacuated from the well prior to sampling = 41 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	385.0 UMHG	metaTRACE
0	PH	4.31 pH	metaTRACE
0	SILVER	2 ug/L	metaTRACE
2	ALUMINUM	1279 ug/L	metaTRACE
0	ARSENIC	3 ug/L	metaTRACE
1	BARIUM	89 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	5 ug/L	metaTRACE
0	CALCIUM	4808 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	5.00 ug/L	metaTRACE
0	CADMIUM	4 ug/L	metaTRACE
0	BROMOFORM	5 ug/L	metaTRACE
1	CHLOROFORM	8 ug/L	metaTRACE
1	METHYLENE CHLORIDE	73 ug/L	metaTRACE
0	BROMOMETHANE	10 ug/L	metaTRACE
0	CHLOROMETHANE	10 ug/L	metaTRACE
0	CHLORIDE	1800 ug/L	metaTRACE
0	CHLOROBENZENE	5 ug/L	metaTRACE
0	COBALT	10 ug/L	metaTRACE
0	CHROMIUM	10 ug/L	metaTRACE
0	COPPER	10 ug/L	metaTRACE
0	CYANIDE	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	5 ug/L	metaTRACE
0	CHLOROETHANE	10 ug/L	metaTRACE
0	BENZENE	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	5 ug/L	metaTRACE
0	ENDRIN	0.008 ug/L	metaTRACE
0	ETHYLBENZENE	5 ug/L	metaTRACE
0	FLUORIDE	250 ug/L	metaTRACE
0	IRON	28 ug/L	metaTRACE
2	MERCURY	2.75 ug/L	metaTRACE
0	POTASSIUM	5000 ug/L	metaTRACE
0	TOLUENE	5 ug/L	metaTRACE
0	MAGNESIUM	3131 ug/L	metaTRACE

CONTINUED

WELL HSB107D COLLECTED ON 07/03/89 LABORATORY ANALYSES CONTINUED

2	MANGANESE	350 ug/L	metatrace
1	SODIUM	41040 ug/L	metatrace
1	NICKEL	13 ug/L	metatrace
2	NITRATE AS NITROGEN	64000 ug/L	metatrace
0	LEAD	LT	metatrace
0	PHENOLS	LT	metatrace
0	ANTIMONY	LT	metatrace
0	SELENIUM	LT	metatrace
1	SILICON	4353 ug/L	metatrace
0	SULFATE	1000 ug/L	metatrace
0	1,1,2,2-TETRACHLOROETHANE	LT	metatrace
0	TETRACHLOROETHYLENE	LT	metatrace
0	TOTAL DISSOLVED SOLIDS	245000 ug/L	metatrace
0	TOTAL ORGANIC CARBON	LT	metatrace
2	TOTAL ORGANIC HALOGENS	37 ug/L	metatrace
0	TOTAL PHOSPHATES	20 ug/L	metatrace
0	TRICHLOROETHYLENE	LT	metatrace
0	TRANS-1,2-DICHLOROETHENE	LT	metatrace
0	TRANS-1,3-DICHLOROPROPENE	LT	metatrace
0	VANADIUM	LT	metatrace
0	1,1-DICHLOROETHYLENE	LT	metatrace
0	1,1-DICHLOROETHANE	LT	metatrace
0	1,1,1-TRICHLOROETHANE	LT	metatrace
0	1,1,2-TRICHLOROETHANE	LT	metatrace
0	1,2-DICHLOROETHANE	LT	metatrace
0	1,2-DICHLOROPROPANE	LT	metatrace
0	CIS-1,3-DICHLOROPROPENE	LT	metatrace
0	2-CHLOROETHYL VINYL ETHER	LT	metatrace
0	ZINC	43 ug/L	metatrace
2	GROSS ALPHA	24.00+-5.00 pCi/L	metatrace
2	GROSS ALPHA	50.00+-4.00 pCi/L	Teledyne
0	AMERICIUM-241	LT	Teledyne
1	AMERICIUM-243	1.80+-0.40 pCi/L	Teledyne
0	BARIUM-140	LT	Teledyne
2	NONVOLATILE BETA	6700+-700 pCi/L	metatrace
2	NONVOLATILE BETA	9600+-200 pCi/L	Teledyne
0	BERYLLIUM-7	LT	Teledyne
0	CERIUM-141	LT	Teledyne
0	CERIUM-144	LT	Teledyne
0	CURIUM-242	LT	Teledyne
1	CURIUM-246	0.14+-0.12 pCi/L	Teledyne
0	CURIUM-243/244	LT	Teledyne
0	COBALT-58	LT	Teledyne
2	COBALT-60	110+-10 pCi/L	Teledyne
0	CESIUM-134	LT	Teledyne
0	CESIUM-137	LT	Teledyne
0	CARBON-14	LT	Teledyne
0	IRON-55	LT	Teledyne
0	IRON-59	LT	Teledyne
1	IODINE-129	8.20+-1.50 pCi/L	Teledyne
0	POTASSIUM-40	45.00+-20 pCi/L	Teledyne
0	MANGANESE-54	LT	Teledyne
0	NICKEL-59	LT	Teledyne
1	NICKEL-63	120+-10 pCi/L	Teledyne
0	PLUTONIUM-238	LT	Teledyne
1	PLUTONIUM-241	390+-100 pCi/L	Teledyne
1	PLUTONIUM-239/240	1.80+-1.40 pCi/L	Teledyne
0	RADIUM-226	LT	Teledyne
1	RADIUM-226	9.20+-1.10 pCi/L	Teledyne
1	RADIUM-228	58.00+-6.00 pCi/L	Teledyne
0	RUTHENIUM-103	LT	Teledyne
0	RUTHENIUM-106	LT	Teledyne
0	STRONTIUM-89	LT	Teledyne
1	STRONTIUM-90	3700+-100 pCi/L	Teledyne
1	TECHNETIUM-99	140+-10 pCi/L	Teledyne
0	THORIUM-228	LT	Teledyne
0	THORIUM-228	LT	Teledyne
1	THORIUM-230	16.00+-2.00 pCi/L	Teledyne
1	THORIUM-232	0.37+-0.27 pCi/L	Teledyne
2	TOTAL RADIUM	18.00+-2.00 pCi/L	metatrace
2	TRITIUM	23000+-3000 pCi/mL	metatrace
2	TRITIUM	23800+-105 pCi/mL	HP, 735A
0	URANIUM-235	LT	Teledyne
0	URANIUM-238	LT	Teledyne
0	URANIUM-233/234	LT	Teledyne
0	ZINC-65	LT	Teledyne
0	ZIRCONIUM-95	LT	Teledyne

WELL HSB108C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/02/89 Time 1615
 Depth to water = 48.05 ft (14.65 m) below the TOC
 Water elevation = 218.15 ft (66.49 m) msl
 pH = 7.0 Alkalinity = 70 mg/L
 Specific conductance = 210 umhos/cm
 Water temperature = 20.4 degrees Celsius
 Water evacuated from the well prior to sampling = 92 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	165.0 UMHC	metatrace
1	PH	7.00 pH	metatrace
0	SILVER	LT	metatrace
0	ALUMINUM	LT	metatrace
0	ARSENIC	LT	metatrace
0	BARIUM	LT	metatrace
0	BROMODICHLOROMETHANE	LT	metatrace
1	CALCIUM	30390 ug/L	metatrace
0	TRICHLOROFLUOROMETHANE	LT	metatrace
0	CARBON TETRACHLORIDE	LT	metatrace
0	CADMIUM	LT	metatrace
0	BROMOFORM	LT	metatrace
0	CHLOROFORM	LT	metatrace
0	METHYLENE CHLORIDE	LT	metatrace

CONTINUED

WELL HSB108C COLLECTED ON 07/02/89 LABORATORY ANALYSES CONTINUED

0	BROMOMETHANE	LT	metatrace
0	CHLOROMETHANE	LT	metatrace
0	CHLORIDE	LT	metatrace
0	CHLOROBENZENE	LT	metatrace
0	COBALT	LT	metatrace
0	CHROMIUM	LT	metatrace
0	COPPER	LT	metatrace
0	CYANIDE	LT	metatrace
0	CHLOROETHENE (VINYL CHLORIDE)	LT	metatrace
0	CHLOROETHANE	LT	metatrace
0	BENZENE	LT	metatrace
0	DIBROMOCHLOROMETHANE	LT	metatrace
0	ENDRIN	LT	metatrace
0	ETHYLBENZENE	LT	metatrace
0	FLUORIDE	LT	metatrace
0	IRON	LT	metatrace
0	MERCURY	LT	metatrace
0	POTASSIUM	LT	metatrace
0	TOLUENE	LT	metatrace
0	MAGNESIUM	LT	metatrace
0	MANGANESE	LT	metatrace
0	SODIUM	LT	metatrace
0	NICKEL	LT	metatrace
1	NITRATE AS NITROGEN	3000 ug/L	metatrace
0	LEAD	LT	metatrace
0	PHENOLS	LT	metatrace
0	ANTIMONY	LT	metatrace
0	SELENIUM	LT	metatrace
1	SILICON	5459 ug/L	metatrace
0	SULFATE	1200 ug/L	metatrace
0	1,1,2,2-TETRACHLOROETHANE	LT	metatrace
0	TETRACHLOROETHYLENE	LT	metatrace
0	TOTAL DISSOLVED SOLIDS	114000 ug/L	metatrace
0	TOTAL ORGANIC CARBON	LT	metatrace
0	TOTAL ORGANIC HALOGENS	LT	metatrace
1	TOTAL PHOSPHATES	331 ug/L	metatrace
0	TRICHLOROETHYLENE	LT	metatrace
0	TRANS-1,2-DICHLOROETHENE	LT	metatrace
0	TRANS-1,3-DICHLOROPROPENE	LT	metatrace
0	VANADIUM	LT	metatrace
0	1,1-DICHLOROETHYLENE	LT	metatrace
0	1,1-DICHLOROETHANE	LT	metatrace
0	1,1,1-TRICHLOROETHANE	LT	metatrace
0	1,1,2-TRICHLOROETHANE	LT	metatrace
0	1,2-DICHLOROETHANE	LT	metatrace
0	1,2-DICHLOROPROPANE	LT	metatrace
0	CIS-1,3-DICHLOROPROPENE	LT	metatrace
0	2-CHLOROETHYL VINYL ETHER	LT	metatrace
0	ZINC	LT	metatrace
0	GROSS ALPHA	LT	metatrace
0	NONVOLATILE BETA	LT	metatrace
0	TOTAL RADIUM	LT	metatrace
2	TRITIUM	290+-30 pCi/mL	metatrace
2	TRITIUM	327+-3.94 pCi/mL	HP, 735A

WELL HSB108D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/02/89 Time 1645
 Depth to water = 42.37 ft (12.91 m) below the TOC
 Water elevation = 223.93 ft (68.25 m) msl
 pH = 4.3 Alkalinity = 0 mg/L
 Specific conductance = 380 umhos/cm
 Water temperature = 22.1 degrees Celsius
 Water evacuated from the well prior to sampling = 47 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	305.0 UMHC	metatrace
0	PH	4.20 pH	metatrace
0	SILVER	LT	metatrace
2	ALUMINUM	1384 ug/L	metatrace
0	ARSENIC	LT	metatrace
1	BARIUM	97 ug/L	metatrace
0	BROMODICHLOROMETHANE	LT	metatrace
0	CALCIUM	5388 ug/L	metatrace
0	TRICHLOROFLUOROMETHANE	LT	metatrace
0	CARBON TETRACHLORIDE	LT	metatrace
0	CADMIUM	LT	metatrace
0	BROMOFORM	LT	metatrace
0	CHLOROFORM	LT	metatrace
0	METHYLENE CHLORIDE	LT	metatrace
0	BROMOMETHANE	LT	metatrace
0	CHLOROMETHANE	LT	metatrace
0	CHLORIDE	LT	metatrace
0	CHLOROBENZENE	LT	metatrace
1	COBALT	19 ug/L	metatrace
0	CHROMIUM	LT	metatrace
0	COPPER	LT	metatrace
0	CYANIDE	LT	metatrace
0	CHLOROETHENE (VINYL CHLORIDE)	LT	metatrace
0	CHLOROETHANE	LT	metatrace
0	BENZENE	LT	metatrace
0	DIBROMOCHLOROMETHANE	LT	metatrace
0	ENDRIN	LT	metatrace
0	ETHYLBENZENE	LT	metatrace
0	FLUORIDE	LT	metatrace
0	IRON	LT	metatrace
2	MERCURY	5.09 ug/L	metatrace
0	POTASSIUM	LT	metatrace
0	TOLUENE	LT	metatrace
0	MAGNESIUM	2572 ug/L	metatrace
2	MANGANESE	895 ug/L	metatrace
1	SODIUM	37860 ug/L	metatrace
1	NICKEL	43 ug/L	metatrace

CONTINUED

WELL HSB1080 COLLECTED ON 07/02/89 LABORATORY ANALYSES CONTINUED

2	NITRATE AS NITROGEN		34000 ug/L	metatrace
0	LEAD	LT	3 ug/L	metatrace
0	PHENOLS	LT	5 ug/L	metatrace
0	ANTIMONY	LT	10 ug/L	metatrace
0	SELENIUM	LT	2 ug/L	metatrace
1	SILICON		4503 ug/L	metatrace
0	SULFATE		3400 ug/L	metatrace
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metatrace
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metatrace
0	TOTAL DISSOLVED SOLIDS		249000 ug/L	metatrace
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	metatrace
0	TOTAL ORGANIC HALOGENS		10 ug/L	metatrace
0	TOTAL PHOSPHATES		17 ug/L	metatrace
0	TRICHLOROETHYLENE	LT	5.00 ug/L	metatrace
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metatrace
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metatrace
0	VANADIUM	LT	10 ug/L	metatrace
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metatrace
0	1,1-DICHLOROETHANE	LT	5 ug/L	metatrace
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metatrace
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metatrace
0	1,2-DICHLOROETHANE	LT	5 ug/L	metatrace
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metatrace
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metatrace
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metatrace
0	ZINC		63 ug/L	metatrace
2	GROSS ALPHA		18.00+-4.00 pCi/L	metatrace
2	NONVOLATILE BETA		4500+-500 pCi/L	metatrace
2	TOTAL RADIUM		11.00+-2.00 pCi/L	metatrace
2	TRITIUM		23000+-3000 pCi/mL	metatrace
2	TRITIUM		22900+-103 pCi/mL	HP, 735A

WELL HSB109C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/02/89 Time 1510
 Depth to water = 43.13 ft (13.15 m) below the TOC
 Water elevation = 218.47 ft (66.59 m) msl
 pH = 6.3 Alkalinity = 15 mg/L
 Specific conductance = 62 umhos/cm
 Water temperature = 20.3 degrees Celsius
 Water evacuated from the well prior to sampling = 145 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE		65.00 UMHC	metatrace
0	SPECIFIC CONDUCTANCE		61.60 UMHC	metatrace
0	PH		6.43 pH	metatrace
0	PH		6.43 pH	metatrace
0	SILVER	LT	2 ug/L	metatrace
0	ALUMINUM	LT	35 ug/L	metatrace
0	ARSENIC	LT	3 ug/L	metatrace
0	BARIUM	LT	25 ug/L	metatrace
0	BROMODICHLOROMETHANE	LT	5 ug/L	metatrace
0	CALCIUM		7614 ug/L	metatrace
1	TRICHLOROFLUOROMETHANE		7 ug/L	metatrace
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metatrace
0	CADMIUM	LT	4 ug/L	metatrace
0	BROMOFORM	LT	5 ug/L	metatrace
0	CHLOROFORM	LT	5 ug/L	metatrace
0	METHYLENE CHLORIDE	LT	5 ug/L	metatrace
0	BROMOMETHANE	LT	10 ug/L	metatrace
0	CHLOROMETHANE	LT	10 ug/L	metatrace
0	CHLORIDE		2100 ug/L	metatrace
0	CHLOROBENZENE	LT	5 ug/L	metatrace
0	COBALT	LT	10 ug/L	metatrace
0	CHROMIUM	LT	10 ug/L	metatrace
0	COPPER	LT	10 ug/L	metatrace
0	CYANIDE	LT	5 ug/L	metatrace
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metatrace
0	CHLOROETHANE	LT	10 ug/L	metatrace
0	BENZENE	LT	5 ug/L	metatrace
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metatrace
0	ENDRIN	LT	0.008 ug/L	metatrace
0	ETHYLBENZENE	LT	5 ug/L	metatrace
0	FLUORIDE	LT	250 ug/L	metatrace
0	IRON		20 ug/L	metatrace
0	MERCURY	LT	0.20 ug/L	metatrace
0	POTASSIUM	LT	5000 ug/L	metatrace
0	TOLUENE	LT	5 ug/L	metatrace
0	MAGNESIUM		448 ug/L	metatrace
0	MANGANESE		15 ug/L	metatrace
1	SODIUM		5954 ug/L	metatrace
0	NICKEL	LT	5 ug/L	metatrace
0	NITRATE AS NITROGEN	LT	230 ug/L	metatrace
0	LEAD	LT	3 ug/L	metatrace
0	PHENOLS	LT	5 ug/L	metatrace
0	ANTIMONY	LT	10 ug/L	metatrace
0	SELENIUM	LT	2 ug/L	metatrace
1	SILICON		6717 ug/L	metatrace
0	SULFATE		1200 ug/L	metatrace
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metatrace
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metatrace
0	TOTAL DISSOLVED SOLIDS		42000 ug/L	metatrace
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	metatrace
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	metatrace
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	metatrace
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	metatrace
1	TOTAL PHOSPHATES		321 ug/L	metatrace
0	TRICHLOROETHYLENE	LT	5.00 ug/L	metatrace
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metatrace
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metatrace
0	VANADIUM	LT	10 ug/L	metatrace
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metatrace
0	1,1-DICHLOROETHANE	LT	5 ug/L	metatrace

CONTINUED

WELL HSB109C COLLECTED ON 07/02/89 LABORATORY ANALYSES CONTINUED

0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metatrace
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metatrace
0	1,2-DICHLOROETHANE	LT	5 ug/L	metatrace
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metatrace
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metatrace
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metatrace
0	ZINC		58 ug/L	metatrace
0	GROSS ALPHA	LT	2 pCi/L	metatrace
0	GROSS ALPHA	LT	2 pCi/L	metatrace
0	NONVOLATILE BETA	LT	5 pCi/L	metatrace
0	NONVOLATILE BETA	LT	5 pCi/L	metatrace
0	TOTAL RADIUM	LT	1 pCi/L	metatrace
2	TRITIUM		71.00+-8.00 pCi/mL	metatrace
2	TRITIUM		72.00+-8.00 pCi/mL	metatrace

WELL HSB109D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/02/89 Time 1525
 Depth to water = 38.11 ft (11.62 m) below the TOC
 Water elevation = 223.09 ft (68.00 m) msl
 pH = 4.6 Alkalinity = 0 mg/L
 Specific conductance = 79 umhos/cm
 Water temperature = 21.6 degrees Celsius
 Water evacuated from the well prior to sampling = 43 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE		80.50 UMHC	metatrace
0	PH		4.38 pH	metatrace
0	SILVER	LT	2 ug/L	metatrace
1	ALUMINUM		305 ug/L	metatrace
0	ARSENIC	LT	3 ug/L	metatrace
0	BARIUM	LT	25 ug/L	metatrace
0	BROMODICHLOROMETHANE	LT	5 ug/L	metatrace
0	CALCIUM		2122 ug/L	metatrace
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L	metatrace
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metatrace
0	CADMIUM	LT	4 ug/L	metatrace
0	BROMOFORM	LT	5 ug/L	metatrace
1	CHLOROFORM		35 ug/L	metatrace
0	METHYLENE CHLORIDE	B	80 ug/L	metatrace
0	BROMOMETHANE	LT	10 ug/L	metatrace
0	CHLOROMETHANE	LT	10 ug/L	metatrace
0	CHLORIDE		1500 ug/L	metatrace
0	CHLOROBENZENE	LT	5 ug/L	metatrace
0	COBALT	LT	10 ug/L	metatrace
0	CHROMIUM	LT	10 ug/L	metatrace
0	COPPER	LT	10 ug/L	metatrace
0	CYANIDE	LT	5 ug/L	metatrace
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metatrace
0	CHLOROETHANE	LT	10 ug/L	metatrace
0	BENZENE	LT	5 ug/L	metatrace
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metatrace
0	ENDRIN	LT	0.008 ug/L	metatrace
0	ETHYLBENZENE	LT	5 ug/L	metatrace
0	FLUORIDE	LT	250 ug/L	metatrace
0	IRON		17 ug/L	metatrace
0	MERCURY		0.25 ug/L	metatrace
0	POTASSIUM	LT	5000 ug/L	metatrace
1	TOLUENE	J	3 ug/L	metatrace
0	MAGNESIUM		1993 ug/L	metatrace
2	MANGANESE		398 ug/L	metatrace
0	SODIUM		4690 ug/L	metatrace
1	NICKEL		15 ug/L	metatrace
1	NITRATE AS NITROGEN		8300 ug/L	metatrace
0	LEAD	LT	3 ug/L	metatrace
0	PHENOLS	LT	5 ug/L	metatrace
0	ANTIMONY	LT	10 ug/L	metatrace
0	SELENIUM	LT	2 ug/L	metatrace
1	SILICON		3640 ug/L	metatrace
0	SULFATE	LT	1000 ug/L	metatrace
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metatrace
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metatrace
0	TOTAL DISSOLVED SOLIDS		73000 ug/L	metatrace
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	metatrace
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	metatrace
0	TOTAL PHOSPHATES	LT	5 ug/L	metatrace
0	TRICHLOROETHYLENE	LT	5.00 ug/L	metatrace
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metatrace
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metatrace
0	VANADIUM	LT	10 ug/L	metatrace
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metatrace
0	1,1-DICHLOROETHANE	LT	5 ug/L	metatrace
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metatrace
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metatrace
0	1,2-DICHLOROETHANE	LT	5 ug/L	metatrace
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metatrace
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metatrace
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metatrace
0	ZINC		28 ug/L	metatrace
0	GROSS ALPHA	LT	2 pCi/L	metatrace
2	NONVOLATILE BETA		290+-30 pCi/L	metatrace
0	TOTAL RADIUM		1.40+-0.40 pCi/L	metatrace
2	TRITIUM		2500+-300 pCi/mL	metatrace
2	TRITIUM		2500+-300 pCi/mL	metatrace
2	TRITIUM		2010+-35.3 pCi/mL	HP, 735A

WELL HSB110C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/02/89 Time 1405
 Depth to water = 38.78 ft (11.21 m) below the TOC
 Water elevation = 218.92 ft (66.73 m) msl
 pH = 5.8 Alkalinity = 5 mg/L
 Specific conductance = 33 umhos/cm
 Water temperature = 20.0 degrees Celsius
 Water evacuated from the well prior to sampling = 140 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	182.5 UMS/C	metatrace
0	PH	5.15 pH	metatrace
0	SILVER	LT	2 ug/L metatrace
0	ALUMINUM	LT	35 ug/L metatrace
0	ARSENIC	LT	3 ug/L metatrace
0	BARIIUM	LT	25 ug/L metatrace
0	BROMODICHLOROMETHANE	LT	5 ug/L metatrace
0	CALCIUM	LT	2577 ug/L metatrace
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L metatrace
0	CARBON TETRACHLORIDE	LT	5.00 ug/L metatrace
0	CADMIUM	LT	4 ug/L metatrace
0	BROMOFORM	LT	5 ug/L metatrace
0	CHLOROFORM	LT	5 ug/L metatrace
0	METHYLENE CHLORIDE	LT	5 ug/L metatrace
0	BROMOMETHANE	LT	10 ug/L metatrace
0	CHLOROMETHANE	LT	10 ug/L metatrace
0	CHLORIDE	LT	2600 ug/L metatrace
0	CHLOROBENZENE	LT	5 ug/L metatrace
0	COBALT	LT	10 ug/L metatrace
0	CHROMIUM	LT	10 ug/L metatrace
0	COPPER	LT	10 ug/L metatrace
0	CYANIDE	LT	5 ug/L metatrace
0	CYANIDE	LT	5 ug/L metatrace
U	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L metatrace
0	CHLOROETHANE	LT	10 ug/L metatrace
0	BENZENE	LT	5 ug/L metatrace
0	DIBROMOCHLOROMETHANE	LT	5 ug/L metatrace
0	ENDRIN	LT	0.008 ug/L metatrace
0	ETHYLBENZENE	LT	5 ug/L metatrace
0	FLUORIDE	LT	250 ug/L metatrace
0	IRON	LT	21 ug/L metatrace
0	MERCURY	LT	0.20 ug/L metatrace
U	POTASSIUM	LT	5000 ug/L metatrace
0	TOLUENE	LT	5 ug/L metatrace
0	MAGNESIUM	LT	358 ug/L metatrace
0	MANGANESE	LT	22 ug/L metatrace
0	SODIUM	LT	2945 ug/L metatrace
0	NICKEL	LT	5 ug/L metatrace
0	NITRATE AS NITROGEN	LT	770 ug/L metatrace
0	LEAD	LT	3 ug/L metatrace
0	PHENOLS	LT	5 ug/L metatrace
0	ANTIMONY	LT	10 ug/L metatrace
0	SELENIUM	LT	2 ug/L metatrace
1	SILICON	LT	5120 ug/L metatrace
0	SULFATE	LT	1300 ug/L metatrace
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L metatrace
0	TETRACHLOROETHYLENE	LT	5.00 ug/L metatrace
0	TOTAL DISSOLVED SOLIDS	LT	53000 ug/L metatrace
0	TOTAL ORGANIC CARBON	LT	1000 ug/L metatrace
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L metatrace
1	TOTAL PHOSPHATES	LT	385 ug/L metatrace
0	TRICHLOROETHYLENE	LT	5.00 ug/L metatrace
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L metatrace
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L metatrace
0	VANADIUM	LT	10 ug/L metatrace
0	1,1-DICHLOROETHYLENE	LT	5 ug/L metatrace
0	1,1-DICHLOROETHANE	LT	5 ug/L metatrace
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L metatrace
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L metatrace
0	1,2-DICHLOROETHANE	LT	5 ug/L metatrace
0	1,2-DICHLOROPROPANE	LT	5 ug/L metatrace
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L metatrace
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L metatrace
0	ZINC	LT	64 ug/L metatrace
0	GROSS ALPHA	LT	2 pCi/L metatrace
0	NONVOLATILE BETA	LT	8 pCi/L metatrace
0	TOTAL RADIUM	LT	1 pCi/L metatrace
2	TRITIUM	76.00+-8.00 pCi/mL	metatrace
2	TRITIUM	84.50+-2.09 pCi/mL	HP, 735A

WELL HSB110C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/02/89 Time 1305
 Depth to water = 33.07 ft (10.08 m) below the TOC
 Water elevation = 222.53 ft (67.83 m) msl
 pH = 4.0 Alkalinity = 0 ug/L
 Specific conductance = 188 umhos/cm
 Water temperature = 20.7 degrees Celsius
 Water evacuated from the well prior to sampling = 45 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	158.0 UMS/C	metatrace
1	PH	3.91 pH	metatrace
0	SILVER	LT	5 ug/L metatrace
U	SILVER	LT	2 ug/L metatrace
2	ALUMINUM	LT	3829 ug/L metatrace
2	ALUMINUM	LT	3702 ug/L metatrace
0	ARSENIC	LT	3 ug/L metatrace
0	ARSENIC	LT	3 ug/L metatrace
0	BARIIUM	LT	25 ug/L metatrace

CONTINUED

WELL HSB110C COLLECTED ON 07/02/89 LABORATORY ANALYSES CONTINUED

0	BARIIUM	LT	22 ug/L metatrace
0	BROMODICHLOROMETHANE	LT	5 ug/L metatrace
0	CALCIUM	LT	3308 ug/L metatrace
0	CALCIUM	LT	2691 ug/L metatrace
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L metatrace
0	CARBON TETRACHLORIDE	LT	5.00 ug/L metatrace
0	CADMIUM	LT	4 ug/L metatrace
0	CADMIUM	LT	4 ug/L metatrace
0	BROMOFORM	LT	5 ug/L metatrace
U	CHLOROFORM	LT	5 ug/L metatrace
0	METHYLENE CHLORIDE	LT	5 ug/L metatrace
0	BROMOMETHANE	LT	10 ug/L metatrace
0	CHLOROMETHANE	LT	10 ug/L metatrace
0	CHLORIDE	LT	1500 ug/L metatrace
0	CHLOROBENZENE	LT	5 ug/L metatrace
0	COBALT	LT	10 ug/L metatrace
0	COBALT	LT	10 ug/L metatrace
0	CHROMIUM	LT	10 ug/L metatrace
0	CHROMIUM	LT	10 ug/L metatrace
0	COPPER	LT	10 ug/L metatrace
0	COPPER	LT	10 ug/L metatrace
0	CYANIDE	LT	5 ug/L metatrace
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L metatrace
0	CHLOROETHANE	LT	10 ug/L metatrace
0	BENZENE	LT	5 ug/L metatrace
0	DIBROMOCHLOROMETHANE	LT	5 ug/L metatrace
0	ENDRIN	LT	0.008 ug/L metatrace
0	ETHYLBENZENE	LT	5 ug/L metatrace
0	FLUORIDE	LT	250 ug/L metatrace
0	IRON	LT	21 ug/L metatrace
0	IRON	LT	20 ug/L metatrace
0	MERCURY	LT	0.20 ug/L metatrace
U	POTASSIUM	LT	5000 ug/L metatrace
0	POTASSIUM	LT	5000 ug/L metatrace
0	TOLUENE	LT	5 ug/L metatrace
0	MAGNESIUM	LT	442 ug/L metatrace
0	MAGNESIUM	LT	326 ug/L metatrace
2	MANGANESE	LT	251 ug/L metatrace
2	MANGANESE	LT	238 ug/L metatrace
1	SODIUM	LT	5920 ug/L metatrace
1	SODIUM	LT	5851 ug/L metatrace
1	NICKEL	LT	18 ug/L metatrace
0	NICKEL	LT	5 ug/L metatrace
2	NITRATE AS NITROGEN	LT	16000 ug/L metatrace
1	LEAD	LT	22 ug/L metatrace
0	LEAD	LT	20 ug/L metatrace
0	PHENOLS	LT	5 ug/L metatrace
0	ANTIMONY	LT	10 ug/L metatrace
0	ANTIMONY	LT	10 ug/L metatrace
0	SELENIUM	LT	2 ug/L metatrace
0	SELENIUM	LT	2 ug/L metatrace
1	SILICON	LT	11840 ug/L metatrace
1	SILICON	LT	11730 ug/L metatrace
0	SULFATE	LT	3900 ug/L metatrace
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L metatrace
0	TETRACHLOROETHYLENE	LT	5.00 ug/L metatrace
0	TOTAL DISSOLVED SOLIDS	LT	91000 ug/L metatrace
0	TOTAL ORGANIC CARBON	LT	1000 ug/L metatrace
0	TOTAL ORGANIC HALOGENS	LT	6 ug/L metatrace
0	TOTAL PHOSPHATES	LT	47 ug/L metatrace
0	TRICHLOROETHYLENE	LT	5.00 ug/L metatrace
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L metatrace
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L metatrace
0	VANADIUM	LT	10 ug/L metatrace
0	VANADIUM	LT	10 ug/L metatrace
0	1,1-DICHLOROETHYLENE	LT	5 ug/L metatrace
0	1,1-DICHLOROETHANE	LT	5 ug/L metatrace
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L metatrace
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L metatrace
0	1,2-DICHLOROETHANE	LT	5 ug/L metatrace
0	1,2-DICHLOROPROPANE	LT	5 ug/L metatrace
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L metatrace
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L metatrace
1	ZINC	LT	510 ug/L metatrace
0	ZINC	LT	89 ug/L metatrace
1	GROSS ALPHA	LT	8.80+-3.00 pCi/L metatrace
2	NONVOLATILE BETA	LT	850+-70 pCi/L metatrace
1	TOTAL RADIUM	LT	4.20+-0.70 pCi/L metatrace
2	TRITIUM	1900+-200 pCi/mL	metatrace
2	TRITIUM	1900+-200 pCi/mL	metatrace
2	TRITIUM	2370+-33.8 pCi/mL	HP, 735A

WELL HSB110C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/03/89 Time 1200
 Depth to water = 39.88 ft (10.94 m) below the TOC
 Water elevation = 220.12 ft (67.00 m) msl
 pH = 5.1 Alkalinity = 5 mg/L
 Specific conductance = 290 umhos/cm
 Water temperature = 20.2 degrees Celsius
 Water evacuated from the well prior to sampling = 223 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	247.0 UMS/C	metatrace
0	PH	4.71 pH	metatrace
0	SILVER	LT	2 ug/L metatrace
1	ALUMINUM	LT	223 ug/L metatrace
0	ARSENIC	LT	3 ug/L metatrace
0	BARIIUM	LT	25 ug/L metatrace
0	BROMODICHLOROMETHANE	LT	5 ug/L metatrace
1	CALCIUM	LT	16520 ug/L metatrace
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L metatrace
0	CARBON TETRACHLORIDE	LT	5.00 ug/L metatrace

CONTINUED

WELL HSB111C COLLECTED ON 07/03/89 LABORATORY ANALYSES CONTINUED

0	CADMIUM	LT	4 ug/L	metatrace
0	BROMOFORM	LT	5 ug/L	metatrace
1	CHLOROFORM	J	3 ug/L	metatrace
0	METHYLENE CHLORIDE	B	58 ug/L	metatrace
0	BROMOMETHANE	LT	10 ug/L	metatrace
0	CHLOROMETHANE	LT	10 ug/L	metatrace
0	CHLORIDE	LT	3200 ug/L	metatrace
0	CHLOROBENZENE	LT	5 ug/L	metatrace
0	COBALT	LT	10 ug/L	metatrace
0	CHROMIUM	LT	10 ug/L	metatrace
0	COPPER	LT	10 ug/L	metatrace
0	CYANIDE	LT	5 ug/L	metatrace
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metatrace
0	CHLOROETHANE	LT	10 ug/L	metatrace
0	BENZENE	LT	5 ug/L	metatrace
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metatrace
0	ENORIN	LT	0.008 ug/L	metatrace
0	ETHYLBENZENE	LT	5 ug/L	metatrace
0	FLUORIDE	LT	250 ug/L	metatrace
0	IRON	LT	30 ug/L	metatrace
0	MERCURY	LT	0.20 ug/L	metatrace
0	POTASSIUM	LT	5000 ug/L	metatrace
0	TOLUENE	LT	5 ug/L	metatrace
0	MAGNESIUM	LT	3805 ug/L	metatrace
2	MANGANESE	LT	55 ug/L	metatrace
1	SODIUM	LT	13960 ug/L	metatrace
0	NICKEL	LT	7 ug/L	metatrace
2	NITRATE AS NITROGEN	LT	36000 ug/L	metatrace
0	LEAD	LT	3 ug/L	metatrace
0	PHENOLS	LT	5 ug/L	metatrace
0	ANTIMONY	LT	10 ug/L	metatrace
0	SELENIUM	LT	2 ug/L	metatrace
1	SILICON	LT	5497 ug/L	metatrace
0	SULFATE	LT	1000 ug/L	metatrace
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metatrace
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metatrace
0	TOTAL DISSOLVED SOLIDS	LT	238000 ug/L	metatrace
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	metatrace
0	TOTAL ORGANIC HALOGENS	LT	7 ug/L	metatrace
0	TOTAL PHOSPHATES	LT	110 ug/L	metatrace
0	TRICHLOROETHYLENE	LT	5.00 ug/L	metatrace
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metatrace
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metatrace
0	VANADIUM	LT	10 ug/L	metatrace
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metatrace
0	1,1-DICHLOROETHANE	LT	5 ug/L	metatrace
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metatrace
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metatrace
0	1,2-DICHLOROETHANE	LT	5 ug/L	metatrace
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metatrace
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metatrace
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metatrace
0	ZINC	LT	88 ug/L	metatrace
0	GROSS ALPHA	LT	2 pCi/L	metatrace
2	NONVOLATILE BETA	LT	59.00+-6.00 pCi/L	metatrace
0	TOTAL RADIUM	LT	1 pCi/L	metatrace
2	TRITIUM	LT	2900+-300 pCi/mL	metatrace

WELL HSB111D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/03/89 Time 1345
 Depth to water = 33.66 ft (10.26 m) below the TOC
 Water elevation = 222.34 ft (67.77 m) msl
 pH = 4.8 Alkalinity = 0 mg/L
 Specific conductance = 700 umhos/cm
 Water temperature = 21.4 degrees Celsius
 Water evacuated from the well prior to sampling = 201 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	856.0 umho	metatrace
0	PH	4.85 pH	metatrace
0	SILVER	LT	2 ug/L
1	ALUMINUM	LT	285 ug/L
0	ARSENIC	LT	3 ug/L
1	BARIUM	LT	53 ug/L
0	BROMODICHLOROMETHANE	LT	5 ug/L
0	CALCIUM	LT	7538 ug/L
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L
0	CARBON TETRACHLORIDE	LT	5.00 ug/L
0	CADMIUM	LT	4 ug/L
0	BROMOFORM	LT	5 ug/L
0	CHLOROFORM	LT	5 ug/L
0	METHYLENE CHLORIDE	LT	5 ug/L
0	BROMOMETHANE	LT	10 ug/L
0	CHLOROMETHANE	LT	10 ug/L
0	CHLORIDE	LT	3100 ug/L
0	CHLOROBENZENE	LT	5 ug/L
0	COBALT	LT	10 ug/L
0	CHROMIUM	LT	10 ug/L
0	COPPER	LT	10 ug/L
0	CYANIDE	LT	5 ug/L
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L
0	CHLOROETHANE	LT	10 ug/L
0	BENZENE	LT	5 ug/L
0	DIBROMOCHLOROMETHANE	LT	5 ug/L
0	ENORIN	LT	0.008 ug/L
0	ETHYLBENZENE	LT	5 ug/L
0	FLUORIDE	LT	250 ug/L
0	IRON	LT	48 ug/L
0	MERCURY	LT	0.20 ug/L
0	MERCURY	LT	0.20 ug/L
0	POTASSIUM	LT	5000 ug/L
0	TOLUENE	LT	5 ug/L

CONTINUED

WELL HSB111D COLLECTED ON 07/03/89 LABORATORY ANALYSES CONTINUED

0	MAGNESIUM	3300 ug/L	metatrace
2	MANGANESE	77 ug/L	metatrace
1	SODIUM	86150 ug/L	metatrace
0	NICKEL	LT	5 ug/L
2	NITRATE AS NITROGEN	120000 ug/L	metatrace
0	LEAD	LT	3 ug/L
0	PHENOLS	LT	5 ug/L
0	PHENOLS	LT	5 ug/L
0	ANTIMONY	LT	10 ug/L
0	SELENIUM	LT	2 ug/L
1	SILICON	3874 ug/L	metatrace
0	SULFATE	LT	1000 ug/L
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L
0	TETRACHLOROETHYLENE	LT	5.00 ug/L
0	TOTAL DISSOLVED SOLIDS	486000 ug/L	metatrace
0	TOTAL ORGANIC CARBON	LT	1000 ug/L
0	TOTAL ORGANIC HALOGENS	LT	10 ug/L
0	TOTAL PHOSPHATES	LT	54 ug/L
0	TRICHLOROETHYLENE	LT	5.00 ug/L
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L
0	VANADIUM	LT	10 ug/L
0	1,1-DICHLOROETHYLENE	LT	5 ug/L
0	1,1-DICHLOROETHANE	LT	5 ug/L
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L
0	1,2-DICHLOROETHANE	LT	5 ug/L
0	1,2-DICHLOROPROPANE	LT	5 ug/L
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L
0	ZINC	99 ug/L	metatrace
1	GROSS ALPHA	5.20+-2.80 pCi/L	metatrace
2	NONVOLATILE BETA	180+-20 pCi/L	metatrace
2	TOTAL RADIUM	8.60+-0.80 pCi/L	metatrace
2	TRITIUM	16000+-2000 pCi/mL	metatrace
2	TRITIUM	16000+-2000 pCi/mL	metatrace

WELL HSB111E

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/03/89 Time 1215
 Depth to water = 33.44 ft (10.19 m) below the TOC
 Water elevation = 223.46 ft (67.81 m) msl
 pH = 4.2 Alkalinity = 0 mg/L
 Specific conductance = 194 umhos/cm
 Water temperature = 20.6 degrees Celsius
 Water evacuated from the well prior to sampling = 46 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	122.5 umho	metatrace
1	PH	3.65 pH	metatrace
0	SILVER	LT	2 ug/L
2	ALUMINUM	LT	1407 ug/L
0	ARSENIC	LT	3 ug/L
0	BARIUM	LT	43 ug/L
0	BROMODICHLOROMETHANE	LT	5 ug/L
0	CALCIUM	LT	4198 ug/L
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L
0	CARBON TETRACHLORIDE	LT	5.00 ug/L
0	CADMIUM	LT	4 ug/L
0	BROMOFORM	LT	5 ug/L
0	CHLOROFORM	LT	5 ug/L
0	METHYLENE CHLORIDE	LT	5 ug/L
0	BROMOMETHANE	LT	10 ug/L
0	CHLOROMETHANE	LT	10 ug/L
0	CHLORIDE	LT	2600 ug/L
0	CHLOROBENZENE	LT	5 ug/L
0	COBALT	LT	10 ug/L
0	CHROMIUM	LT	10 ug/L
0	COPPER	LT	10 ug/L
0	CYANIDE	LT	5 ug/L
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L
0	CHLOROETHANE	LT	10 ug/L
0	BENZENE	LT	5 ug/L
0	DIBROMOCHLOROMETHANE	LT	5 ug/L
0	ENORIN	LT	0.008 ug/L
0	ETHYLBENZENE	LT	5 ug/L
0	FLUORIDE	LT	400 ug/L
0	IRON	LT	10 ug/L
0	MERCURY	LT	0.20 ug/L
0	POTASSIUM	LT	5000 ug/L
0	TOLUENE	LT	5 ug/L
0	MAGNESIUM	LT	905 ug/L
2	MANGANESE	342 ug/L	metatrace
1	SODIUM	11190 ug/L	metatrace
1	NICKEL	9 ug/L	metatrace
2	NITRATE AS NITROGEN	19000 ug/L	metatrace
0	LEAD	LT	3 ug/L
0	PHENOLS	LT	5 ug/L
0	ANTIMONY	LT	10 ug/L
0	SELENIUM	LT	2 ug/L
1	SILICON	104 ug/L	metatrace
0	SULFATE	LT	1400 ug/L
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L
0	TETRACHLOROETHYLENE	LT	5.00 ug/L
0	TOTAL DISSOLVED SOLIDS	111000 ug/L	metatrace
0	TOTAL ORGANIC CARBON	LT	1000 ug/L
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L
0	TOTAL PHOSPHATES	LT	10 ug/L
0	TRICHLOROETHYLENE	LT	5.00 ug/L
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L
0	VANADIUM	LT	10 ug/L
0	1,1-DICHLOROETHYLENE	LT	5 ug/L

CONTINUED

WELL HSB111E COLLECTED ON 07/03/89 LABORATORY ANALYSES CONTINUED

0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0	ZINC	LT	77 ug/L	metaTRACE
2	GROSS ALPHA	20.00+-4.00	pCi/L	metaTRACE
2	GROSS ALPHA	16.00+-2.00	pCi/L	Teledyne
1	AMERICIUM-241	0.24+-0.15	pCi/L	Teledyne
1	AMERICIUM-243	1.70+-0.40	pCi/L	Teledyne
0	BARIUM-140	LT	200000 pCi/L	Teledyne
2	NONVOLATILE BETA	5500+- 600	pCi/L	metaTRACE
2	NONVOLATILE BETA	5400+- 100	pCi/L	Teledyne
0	BERYLLIUM-7	LT	300 pCi/L	Teledyne
0	CERIUM-141	LT	200 pCi/L	Teledyne
0	CERIUM-144	LT	20 pCi/L	Teledyne
0	CURIUM-242	LT	0.10 pCi/L	Teledyne
1	CURIUM-246	0.42+-0.17	pCi/L	Teledyne
1	CURIUM-243/244	0.36+-0.27	pCi/L	Teledyne
0	COBALT-58	LT	20 pCi/L	Teledyne
2	COBALT-60	140+- 10	pCi/L	Teledyne
0	CESIUM-134	LT	4 pCi/L	Teledyne
0	CESIUM-137	LT	3 pCi/L	Teledyne
0	CARBON-14	LT	10 pCi/L	Teledyne
0	IRON-55	LT	70 pCi/L	Teledyne
0	IRON-59	LT	100 pCi/L	Teledyne
1	IODINE-129	2.60+-1.10	pCi/L	Teledyne
0	POTASSIUM-40	LT	50 pCi/L	Teledyne
0	MANGANESE-54	LT	4 pCi/L	Teledyne
0	NICKEL-58	LT	100 pCi/L	Teledyne
1	NICKEL-63	190+- 10	pCi/L	Teledyne
0	PLUTONIUM-238	LT	0.60 pCi/L	Teledyne
1	PLUTONIUM-241	310+- 100	pCi/L	Teledyne
0	PLUTONIUM-239/240	LT	0.30 pCi/L	Teledyne
0	RADIUM-226	LT	40 pCi/L	Teledyne
1	RADIUM-226	11.00+-1.00	pCi/L	Teledyne
1	RADIUM-228	47.00+-5.00	pCi/L	Teledyne
0	RUTHENIUM-103	LT	80 pCi/L	Teledyne
0	RUTHENIUM-106	LT	30 pCi/L	Teledyne
0	STRONTIUM-89	LT	1000 pCi/L	Teledyne
1	STRONTIUM-90	2900+- 100	pCi/L	Teledyne
1	TECHNETIUM-99	72.00+-8.00	pCi/L	Teledyne
0	THORIUM-228	LT	4 pCi/L	Teledyne
0	THORIUM-228	LT	0.20 pCi/L	Teledyne
0	THORIUM-228	LT	0.20 pCi/L	Teledyne
1	THORIUM-230	5.00+-1.20	pCi/L	Teledyne
0	THORIUM-232	LT	0.10 pCi/L	Teledyne
2	TOTAL RADIUM	15.00+-2.00	pCi/L	metaTRACE
2	TRITIUM	2100+- 300	pCi/mL	metaTRACE
0	URANIUM-235	LT	0.10 pCi/L	Teledyne
1	URANIUM-238	0.25+-0.22	pCi/L	Teledyne
1	URANIUM-233/234	1.10+-0.40	pCi/L	Teledyne
0	ZINC-65	LT	10 pCi/L	Teledyne
0	ZIRCONIUM-95	LT	20 pCi/L	Teledyne

WELL HSB112C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/15/89 Time 1045
 Depth to water = 32.94 ft (10.04 m) below the TOC
 Water elevation = 221.96 ft (67.65 m) msl
 pH = 6.4 Alkalinity = 15 mg/L
 Specific conductance = 270 umhos/cm
 Water temperature = 20.4 degrees Celsius
 Water evacuated from the well prior to sampling = 225 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	207.0	UMHC	metaTRACE
1	SPECIFIC CONDUCTANCE	206.6	UMHC	metaTRACE
0	PH	6.34	pH	metaTRACE
0	PH	6.36	pH	metaTRACE
0	SILVER	LT	2 ug/L	metaTRACE
0	ALUMINUM	LT	35 ug/L	metaTRACE
0	ARSENIC	LT	3 ug/L	metaTRACE
0	BARIUM	LT	44 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
1	CALCIUM	18670	ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0	CADMIUM	LT	4 ug/L	metaTRACE
0	BROMOFORM	LT	5 ug/L	metaTRACE
1	CHLOROFORM	LT	5 ug/L	metaTRACE
1	METHYLENE CHLORIDE	8	63 ug/L	metaTRACE
0	BROMOMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
0	CHLORIDE	3400	ug/L	metaTRACE
0	CHLORIDE	3200	ug/L	metaTRACE
0	CHLOROBENZENE	LT	5 ug/L	metaTRACE
0	COBALT	LT	10 ug/L	metaTRACE
0	CHROMIUM	LT	10 ug/L	metaTRACE
0	COPPER	LT	10 ug/L	metaTRACE
0	CYANIDE	LT	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0	CHLOROETHANE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0	ENDRIN	LT	0.006 ug/L	metaTRACE
0	ETHYLBENZENE	LT	5 ug/L	metaTRACE
0	FLUORIDE	310	ug/L	metaTRACE
0	FLUORIDE	250	ug/L	metaTRACE
0	IRON	LT	10 ug/L	metaTRACE
0	MERCURY	0.24	ug/L	metaTRACE

CONTINUED

WELL HSB112C COLLECTED ON 07/15/89 LABORATORY ANALYSES CONTINUED

0	POTASSIUM	LT	5000 ug/L	metaTRACE
0	TOLUENE	LT	5 ug/L	metaTRACE
0	MAGNESIUM	LT	3509 ug/L	metaTRACE
1	MANGANESE	LT	37 ug/L	metaTRACE
1	SODIUM	15590	ug/L	metaTRACE
1	NICKEL	LT	9 ug/L	metaTRACE
2	NITRATE AS NITROGEN	20000	ug/L	metaTRACE
2	NITRATE AS NITROGEN	20000	ug/L	metaTRACE
0	LEAD	LT	3 ug/L	metaTRACE
0	PHENOLS	LT	5 ug/L	metaTRACE
0	ANTIMONY	LT	10 ug/L	metaTRACE
0	SELENIUM	LT	2 ug/L	metaTRACE
1	SILICON	4455	ug/L	metaTRACE
0	SULFATE	1000	ug/L	metaTRACE
0	SULFATE	1000	ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS	214000	ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	metaTRACE
0	TOTAL PHOSPHATES	LT	10 ug/L	metaTRACE
0	TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	VANADIUM	LT	10 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0	ZINC	LT	53 ug/L	metaTRACE
0	GROSS ALPHA	LT	3 pCi/L	metaTRACE
0	GROSS ALPHA	LT	3 pCi/L	metaTRACE
2	NONVOLATILE BETA	62.00+-7.00	pCi/L	metaTRACE
2	NONVOLATILE BETA	61.00+-7.00	pCi/L	metaTRACE
0	TOTAL RADIUM	1.60+-0.30	pCi/L	metaTRACE
2	TRITIUM	2700+- 300	pCi/mL	metaTRACE

WELL HSB112D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/15/89 Time 1025
 Depth to water = 31.54 ft (9.61 m) below the TOC
 Water elevation = 223.56 ft (68.14 m) msl
 pH = 4.8 Alkalinity = 0 mg/L
 Specific conductance = 490 umhos/cm
 Water temperature = 21.3 degrees Celsius
 Water evacuated from the well prior to sampling = 107 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	421.0	UMHC	metaTRACE
0	PH	4.69	pH	metaTRACE
0	SILVER	LT	2 ug/L	metaTRACE
1	ALUMINUM	104	ug/L	metaTRACE
1	ALUMINUM	95	ug/L	metaTRACE
0	ARSENIC	LT	3 ug/L	metaTRACE
0	ARSENIC	LT	3 ug/L	metaTRACE
0	BARIUM	LT	15 ug/L	metaTRACE
0	BARIUM	LT	15 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
0	CALCIUM	1446	ug/L	metaTRACE
0	CALCIUM	1435	ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0	CADMIUM	LT	4 ug/L	metaTRACE
0	CADMIUM	LT	4 ug/L	metaTRACE
0	BROMOFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	5 ug/L	metaTRACE
0	METHYLENE CHLORIDE	LT	5 ug/L	metaTRACE
0	BROMOMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
0	CHLORIDE	1800	ug/L	metaTRACE
0	CHLOROBENZENE	LT	5 ug/L	metaTRACE
0	COBALT	LT	10 ug/L	metaTRACE
0	COBALT	LT	10 ug/L	metaTRACE
0	CHROMIUM	LT	10 ug/L	metaTRACE
0	CHROMIUM	LT	10 ug/L	metaTRACE
0	COPPER	LT	10 ug/L	metaTRACE
0	COPPER	LT	10 ug/L	metaTRACE
0	CYANIDE	LT	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0	CHLOROETHANE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0	ENDRIN	LT	0.008 ug/L	metaTRACE
0	ETHYLBENZENE	LT	5 ug/L	metaTRACE
0	FLUORIDE	250	ug/L	metaTRACE
0	IRON	LT	15 ug/L	metaTRACE
0	IRON	LT	10 ug/L	metaTRACE
0	MERCURY	0.24	ug/L	metaTRACE
0	POTASSIUM	LT	5000 ug/L	metaTRACE
0	POTASSIUM	LT	5000 ug/L	metaTRACE
0	TOLUENE	LT	5 ug/L	metaTRACE
0	MAGNESIUM	869	ug/L	metaTRACE
0	MAGNESIUM	887	ug/L	metaTRACE
2	MANGANESE	137	ug/L	metaTRACE
2	MANGANESE	160	ug/L	metaTRACE
0	SODIUM	75490	ug/L	metaTRACE
1	SODIUM	71230	ug/L	metaTRACE

CONTINUED

WELL HSB112D COLLECTED ON 07/15/89 LABORATORY ANALYSES CONTINUED

1	NICKEL		8 ug/L	metaTRACE
2	NITRATE AS NITROGEN		52000 ug/L	metaTRACE
0	LEAD	LT	3 ug/L	metaTRACE
0	LEAD	LT	3 ug/L	metaTRACE
0	PHENOLS	LT	5 ug/L	metaTRACE
0	ANTIMONY	LT	10 ug/L	metaTRACE
0	ANTIMONY	LT	10 ug/L	metaTRACE
0	SELENIUM	LT	2 ug/L	metaTRACE
0	SELENIUM	LT	2 ug/L	metaTRACE
1	SILICON		3727 ug/L	metaTRACE
1	SILICON		3864 ug/L	metaTRACE
0	SULFATE		5700 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS		286000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS		6 ug/L	metaTRACE
0	TOTAL PHOSPHATES	LT	10 ug/L	metaTRACE
0	TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	VANADIUM	LT	10 ug/L	metaTRACE
0	VANADIUM	LT	10 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0	ZINC		17 ug/L	metaTRACE
0	ZINC		13 ug/L	metaTRACE
1	GROSS ALPHA		12.00+-4.00 pCi/L	metaTRACE
1	GROSS ALPHA		17.00+-7.00 pCi/L	metaTRACE
2	NONVOLATILE BETA		130+-20 pCi/L	metaTRACE
1	TOTAL RADIUM		4.70+-0.50 pCi/L	metaTRACE
2	TRITIUM		18000+-2000 pCi/mL	metaTRACE
2	TRITIUM		18000+-2000 pCi/mL	metaTRACE

WELL HSB112E

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/16/89 Time 940
 Depth to water = 31.65 ft (9.65 m) below the TOC
 Water elevation = 223.45 ft (68.11 m) msl
 pH = 6.0 Alkalinity = 17 mg/L
 Specific conductance = 490 umhos/cm
 Water temperature = 21.8 degrees Celsius
 Water evacuated from the well prior to sampling = 2 gal
 The well went dry during purging.

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE		416.0 UMHC	metaTRACE
0	PH		5.88 pH	metaTRACE
0	SILVER	LT	2 ug/L	metaTRACE
0	ALUMINUM	LT	35 ug/L	metaTRACE
0	ARSENIC	LT	3 ug/L	metaTRACE
1	BARIUM		114 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
0	CALCIUM		10620 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0	CADMIUM	LT	4 ug/L	metaTRACE
0	BROMOFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	5 ug/L	metaTRACE
1	METHYLENE CHLORIDE		15 ug/L	metaTRACE
0	BROMOMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
0	CHLORIDE		2400 ug/L	metaTRACE
0	CHLOROBENZENE	LT	5 ug/L	metaTRACE
1	COBALT		18 ug/L	metaTRACE
0	CHROMIUM	LT	10 ug/L	metaTRACE
0	COPPER	LT	10 ug/L	metaTRACE
0	CYANIDE	LT	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0	CHLOROETHANE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0	ENDRIN	LT	0.006 ug/L	metaTRACE
0	ETHYLBENZENE	LT	5 ug/L	metaTRACE
0	FLUORIDE	LT	250 ug/L	metaTRACE
0	IRON		12 ug/L	metaTRACE
0	MERCURY		0.21 ug/L	metaTRACE
1	POTASSIUM		9984 ug/L	metaTRACE
0	TOLUENE	LT	5 ug/L	metaTRACE
0	MAGNESIUM		2045 ug/L	metaTRACE
2	MANGANESE		1083 ug/L	metaTRACE
1	SODIUM		58980 ug/L	metaTRACE
1	NICKEL		49 ug/L	metaTRACE
2	NITRATE AS NITROGEN		47000 ug/L	metaTRACE
0	LEAD	LT	3 ug/L	metaTRACE
0	PHENOLS	LT	5 ug/L	metaTRACE
0	ANTIMONY	LT	10 ug/L	metaTRACE
0	SELENIUM	LT	2 ug/L	metaTRACE
1	SILICON		4455 ug/L	metaTRACE
0	SULFATE		2500 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS		301000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON		1080 ug/L	metaTRACE
1	TOTAL ORGANIC HALOGENS		11 ug/L	metaTRACE
0	TOTAL PHOSPHATES		134 ug/L	metaTRACE
0	TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE

CONTINUED

WELL HSB112E COLLECTED ON 07/16/89 LABORATORY ANALYSES CONTINUED

0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	VANADIUM	LT	10 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0	ZINC		115 ug/L	metaTRACE
2	GROSS ALPHA		17.00+-6.00 pCi/L	metaTRACE
2	GROSS ALPHA		16.00+-7.00 pCi/L	metaTRACE
2	NONVOLATILE BETA		550+-60 pCi/L	metaTRACE
2	TOTAL RADIUM		5.30+-0.60 pCi/L	metaTRACE
2	TRITIUM		17000+-2000 pCi/mL	metaTRACE

WELL HSB113C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/03/89 Time 1520
 Depth to water = 38.98 ft (11.88 m) below the TOC
 Water elevation = 222.02 ft (67.67 m) msl
 pH = 5.5 Alkalinity = 2 mg/L
 Specific conductance = 136 umhos/cm
 Water temperature = 20.5 degrees Celsius
 Water evacuated from the well prior to sampling = 198 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE		29.30 UMHC	metaTRACE
0	PH		5.44 pH	metaTRACE
0	SILVER	LT	2 ug/L	metaTRACE
1	ALUMINUM		89 ug/L	metaTRACE
0	ARSENIC	LT	3 ug/L	metaTRACE
0	BARIUM		28 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
0	CALCIUM		6765 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0	CADMIUM	LT	4 ug/L	metaTRACE
0	BROMOFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	5 ug/L	metaTRACE
0	METHYLENE CHLORIDE	LT	5 ug/L	metaTRACE
0	BROMOMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
0	CHLORIDE		3000 ug/L	metaTRACE
0	CHLOROBENZENE	LT	5 ug/L	metaTRACE
0	COBALT	LT	10 ug/L	metaTRACE
0	CHROMIUM	LT	10 ug/L	metaTRACE
0	COPPER	LT	10 ug/L	metaTRACE
0	CYANIDE	LT	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0	CHLOROETHANE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0	ENDRIN	LT	0.006 ug/L	metaTRACE
0	ETHYLBENZENE	LT	5 ug/L	metaTRACE
0	FLUORIDE	LT	250 ug/L	metaTRACE
0	IRON		47 ug/L	metaTRACE
0	MERCURY	LT	0.20 ug/L	metaTRACE
0	POTASSIUM	LT	5000 ug/L	metaTRACE
0	TOLUENE	LT	5 ug/L	metaTRACE
0	MAGNESIUM		1960 ug/L	metaTRACE
2	MANGANESE		52 ug/L	metaTRACE
0	SODIUM		8834 ug/L	metaTRACE
0	NICKEL	LT	5 ug/L	metaTRACE
2	NITRATE AS NITROGEN		12000 ug/L	metaTRACE
0	LEAD	LT	3 ug/L	metaTRACE
0	PHENOLS	LT	5 ug/L	metaTRACE
0	ANTIMONY	LT	10 ug/L	metaTRACE
0	SELENIUM	LT	2 ug/L	metaTRACE
1	SILICON		4474 ug/L	metaTRACE
0	SULFATE		1300 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS		120000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	metaTRACE
0	TOTAL PHOSPHATES	LT	30 ug/L	metaTRACE
0	TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	VANADIUM	LT	10 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0	ZINC		19 ug/L	metaTRACE
1	GROSS ALPHA	LT	3 pCi/L	metaTRACE
1	NONVOLATILE BETA		32.00+-5.00 pCi/L	metaTRACE
0	TOTAL RADIUM	LT	1 pCi/L	metaTRACE
2	TRITIUM		1200+-200 pCi/mL	metaTRACE

WELL HSB1130

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/03/89 Time 1435
 Depth to water = 37.39 ft (11.40 m) below the TOC
 Water elevation = 223.51 ft (68.13 m) msl
 pH = 3.7 Alkalinity = 0 mg/L
 Specific conductance = 460 umhos/cm
 Water temperature = 21.7 degrees Celsius
 Water evacuated from the well prior to sampling = 35 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	391.0 UMMC	metaTRACE
1	PH	3.51 pH	metaTRACE
0	SILVER	LT	2 ug/L metaTRACE
2	ALUMINUM	10220 ug/L	metaTRACE
0	ARSENIC	LT	3 ug/L metaTRACE
1	BARIUM	75 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	LT	5 ug/L metaTRACE
0	CALCIUM	5991 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00 ug/L metaTRACE
0	CADMIUM	LT	4 ug/L metaTRACE
0	BROMOFORM	LT	5 ug/L metaTRACE
0	CHLOROFORM	LT	5 ug/L metaTRACE
0	METHYLENE CHLORIDE	LT	5 ug/L metaTRACE
0	BROMOMETHANE	LT	10 ug/L metaTRACE
0	CHLOROMETHANE	LT	10 ug/L metaTRACE
0	CHLORIDE	LT	1700 ug/L metaTRACE
0	CHLOROBENZENE	LT	5 ug/L metaTRACE
0	COBALT	LT	10 ug/L metaTRACE
0	CHROMIUM	LT	10 ug/L metaTRACE
0	COPPER	LT	11 ug/L metaTRACE
0	CYANIDE	LT	5 ug/L metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L metaTRACE
0	CHLOROETHANE	LT	10 ug/L metaTRACE
0	BENZENE	LT	5 ug/L metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L metaTRACE
0	ENDRIN	LT	0.006 ug/L metaTRACE
0	ETHYLBENZENE	LT	5 ug/L metaTRACE
1	FLUORIDE	540 ug/L	metaTRACE
0	IRON	78 ug/L	metaTRACE
0	MERCURY	LT	0.20 ug/L metaTRACE
0	POTASSIUM	LT	5000 ug/L metaTRACE
0	TOLUENE	LT	5 ug/L metaTRACE
0	MAGNESIUM	1241 ug/L	metaTRACE
2	MANGANESE	263 ug/L	metaTRACE
1	SODIUM	25920 ug/L	metaTRACE
1	NICKEL	13 ug/L	metaTRACE
2	NITRATE AS NITROGEN	63000 ug/L	metaTRACE
0	LEAD	11 ug/L	metaTRACE
0	PHENOLS	LT	5 ug/L metaTRACE
0	ANTIMONY	LT	10 ug/L metaTRACE
0	SELENIUM	LT	2 ug/L metaTRACE
1	SILICON	15560 ug/L	metaTRACE
0	SULFATE	LT	1000 ug/L metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L metaTRACE
0	TETRACHLOROETHYLENE	LT	5.00 ug/L metaTRACE
0	TOTAL DISSOLVED SOLIDS	258000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	2520 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	9 ug/L	metaTRACE
0	TOTAL PHOSPHATES	LT	10 ug/L metaTRACE
0	TOTAL PHOSPHATES	58 ug/L	metaTRACE
0	TRICHLOROETHYLENE	LT	5.00 ug/L metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L metaTRACE
0	VANADIUM	LT	10 ug/L metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L metaTRACE
0	1,1-DICHLOROETHANE	LT	5 ug/L metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L metaTRACE
0	ZINC	137 ug/L	metaTRACE
2	GROSS ALPHA	37.00+-6.00 pCi/L	metaTRACE
2	NONVOLATILE BETA	1300+-200 pCi/L	metaTRACE
2	TOTAL RADIUM	18.00+-2.00 pCi/L	metaTRACE
2	TRITIUM	19000+-2000 pCi/mL	metaTRACE

WELL HSB114C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/04/89 Time 1505
 Depth to water = 39.77 ft (12.12 m) below the TOC
 Water elevation = 224.03 ft (68.29 m) msl
 pH = 4.8 Alkalinity = 2 mg/L
 Specific conductance = 700 umhos/cm
 Water temperature = 21.2 degrees Celsius
 Water evacuated from the well prior to sampling = 116 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	579.0 UMMC	metaTRACE
0	PH	4.80 pH	metaTRACE
0	SILVER	LT	2 ug/L metaTRACE
2	ALUMINUM	497 ug/L	metaTRACE
0	ARSENIC	LT	3 ug/L metaTRACE
1	BARIUM	85 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	LT	5 ug/L metaTRACE
1	CALCIUM	12120 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00 ug/L metaTRACE

CONTINUED

WELL HSB114C COLLECTED ON 07/04/89 LABORATORY ANALYSES CONTINUED

0	CADMIUM	LT	4 ug/L metaTRACE
0	BROMOFORM	LT	5 ug/L metaTRACE
0	CHLOROFORM	LT	5 ug/L metaTRACE
1	METHYLENE CHLORIDE	JB	3 ug/L metaTRACE
0	BROMOMETHANE	LT	10 ug/L metaTRACE
0	CHLOROMETHANE	LT	10 ug/L metaTRACE
0	CHLORIDE	LT	4900 ug/L metaTRACE
0	CHLOROBENZENE	LT	5 ug/L metaTRACE
0	COBALT	LT	10 ug/L metaTRACE
0	CHROMIUM	LT	10 ug/L metaTRACE
0	COPPER	LT	10 ug/L metaTRACE
0	CYANIDE	LT	5 ug/L metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L metaTRACE
0	CHLOROETHANE	LT	10 ug/L metaTRACE
0	BENZENE	LT	5 ug/L metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L metaTRACE
0	ENDRIN	LT	0.006 ug/L metaTRACE
0	ETHYLBENZENE	LT	5 ug/L metaTRACE
0	FLUORIDE	LT	250 ug/L metaTRACE
0	IRON	LT	21 ug/L metaTRACE
0	MERCURY	LT	0.25 ug/L metaTRACE
0	POTASSIUM	LT	5000 ug/L metaTRACE
0	TOLUENE	LT	5 ug/L metaTRACE
1	MAGNESIUM	6361 ug/L	metaTRACE
2	MANGANESE	354 ug/L	metaTRACE
1	SODIUM	89360 ug/L	metaTRACE
1	NICKEL	18 ug/L	metaTRACE
2	NITRATE AS NITROGEN	120000 ug/L	metaTRACE
0	LEAD	LT	3 ug/L metaTRACE
0	PHENOLS	LT	5 ug/L metaTRACE
0	ANTIMONY	LT	10 ug/L metaTRACE
0	SELENIUM	LT	2 ug/L metaTRACE
1	SILICON	4728 ug/L	metaTRACE
0	SULFATE	LT	3300 ug/L metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L metaTRACE
0	TETRACHLOROETHYLENE	LT	5.00 ug/L metaTRACE
0	TOTAL DISSOLVED SOLIDS	487000 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS	489000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	LT	1000 ug/L metaTRACE
0	TOTAL ORGANIC HALOGENS	LT	7 ug/L metaTRACE
0	TOTAL PHOSPHATES	LT	19 ug/L metaTRACE
0	TRICHLOROETHYLENE	LT	5.00 ug/L metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L metaTRACE
0	VANADIUM	LT	10 ug/L metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L metaTRACE
0	1,1-DICHLOROETHANE	LT	5 ug/L metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L metaTRACE
0	ZINC	LT	85 ug/L metaTRACE
1	GROSS ALPHA	10.00+-4.00 pCi/L	metaTRACE
2	NONVOLATILE BETA	200+-20 pCi/L	metaTRACE
2	TOTAL RADIUM	12.00+-2.00 pCi/L	metaTRACE
2	TRITIUM	16000+-2000 pCi/mL	metaTRACE

WELL HSB114D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/04/89 Time 1530
 Depth to water = 39.90 ft (12.16 m) below the TOC
 Water elevation = 224.10 ft (68.31 m) msl
 pH = 4.1 Alkalinity = 0 mg/L
 Specific conductance = 405 umhos/cm
 Water temperature = 23.0 degrees Celsius
 Water evacuated from the well prior to sampling = 47 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	385.0 UMMC	metaTRACE
1	PH	3.93 pH	metaTRACE
0	SILVER	LT	2 ug/L metaTRACE
2	ALUMINUM	4152 ug/L	metaTRACE
0	ARSENIC	LT	3 ug/L metaTRACE
1	BARIUM	57 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	LT	5 ug/L metaTRACE
0	CALCIUM	3884 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00 ug/L metaTRACE
0	CADMIUM	LT	4 ug/L metaTRACE
0	BROMOFORM	LT	5 ug/L metaTRACE
0	CHLOROFORM	LT	5 ug/L metaTRACE
1	METHYLENE CHLORIDE	JB	3 ug/L metaTRACE
0	BROMOMETHANE	LT	10 ug/L metaTRACE
0	CHLOROMETHANE	LT	10 ug/L metaTRACE
0	CHLORIDE	LT	1200 ug/L metaTRACE
0	CHLOROBENZENE	LT	5 ug/L metaTRACE
0	COBALT	LT	10 ug/L metaTRACE
0	CHROMIUM	LT	10 ug/L metaTRACE
0	COPPER	LT	10 ug/L metaTRACE
0	CYANIDE	LT	5 ug/L metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L metaTRACE
0	CHLOROETHANE	LT	10 ug/L metaTRACE
0	BENZENE	LT	5 ug/L metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L metaTRACE
0	ENDRIN	LT	0.008 ug/L metaTRACE
0	ETHYLBENZENE	LT	5 ug/L metaTRACE
0	FLUORIDE	LT	440 ug/L metaTRACE
0	IRON	LT	90 ug/L metaTRACE
0	MERCURY	LT	0.20 ug/L metaTRACE
0	POTASSIUM	LT	5000 ug/L metaTRACE
0	TOLUENE	LT	5 ug/L metaTRACE

CONTINUED

WELL HSB1140 COLLECTED ON 07/04/89 LABORATORY ANALYSES CONTINUED

0	MAGNESIUM	864	ug/L	metaTRACE
2	MANGANESE	269	ug/L	metaTRACE
1	SODIUM	34980	ug/L	metaTRACE
1	NICKEL	11	ug/L	metaTRACE
2	NITRATE AS NITROGEN	57000	ug/L	metaTRACE
0	LEAD	5	ug/L	metaTRACE
0	PHENOLS	LT	5 ug/L	metaTRACE
0	ANTIMONY	LT	10 ug/L	metaTRACE
0	SELENIUM	LT	2 ug/L	metaTRACE
1	SILICON	10700	ug/L	metaTRACE
0	SULFATE	1600	ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS	226000	ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	1000	ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	8	ug/L	metaTRACE
0	TOTAL PHOSPHATES	77	ug/L	metaTRACE
0	TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	VANADIUM	LT	10 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0	ZINC	132	ug/L	metaTRACE
2	GROSS ALPHA	22.00+-4.00	pCi/L	metaTRACE
1	CROSS ALPHA	13.00+-4.00	pCi/L	Teledyne
0	AMERICIUM-241	LT	0.10 pCi/L	Teledyne
0	AMERICIUM-243	LT	0.50 pCi/L	Teledyne
0	BARIUM-140	LT	9 pCi/L	Teledyne
2	NONVOLATILE BETA	1600+-200	pCi/L	metaTRACE
2	NONVOLATILE BETA	2100+-100	pCi/L	Teledyne
0	BERYLLIUM-7	LT	40 pCi/L	Teledyne
0	CERIUM-141	LT	10 pCi/L	Teledyne
0	CERIUM-144	LT	30 pCi/L	Teledyne
0	CURIUM-242	LT	0.30 pCi/L	Teledyne
1	CURIUM-246	1.20+-0.30	pCi/L	Teledyne
0	CURIUM-243/244	LT	0.70 pCi/L	Teledyne
0	COBALT-58	LT	5 pCi/L	Teledyne
2	COBALT-60	163+-16	pCi/L	Teledyne
0	CESIUM-134	LT	5 pCi/L	Teledyne
0	CESIUM-137	LT	4 pCi/L	Teledyne
0	CARBON-14	LT	9 pCi/L	Teledyne
0	IRON-55	LT	200 pCi/L	Teledyne
0	IRON-59	LT	10 pCi/L	Teledyne
1	IODINE-129	14.00+-2.00	pCi/L	Teledyne
0	IODINE-131	LT	20 pCi/L	Teledyne
0	POTASSIUM-40	LT	50 pCi/L	Teledyne
0	MANGANESE-54	LT	5 pCi/L	Teledyne
0	NICKEL-59	LT	100 pCi/L	Teledyne
1	NICKEL-63	160+-10	pCi/L	Teledyne
0	PLUTONIUM-238	LT	0.20 pCi/L	Teledyne
0	PLUTONIUM-242	LT	0.30 pCi/L	Teledyne
0	PLUTONIUM-239/240	LT	0.20 pCi/L	Teledyne
0	RADIUM-226	LT	80 pCi/L	Teledyne
1	RADIUM-226	15.00+-1.00	pCi/L	Teledyne
0	RADIUM-228	LT	3 pCi/L	Teledyne
0	RUTHEMIUM-103	LT	5 pCi/L	Teledyne
0	RUTHEMIUM-106	LT	40 pCi/L	Teledyne
1	STRONTIUM-89	31.00+-16	pCi/L	Teledyne
1	STRONTIUM-90	610+-20	pCi/L	Teledyne
1	TECHNETIUM-99	160+-10	pCi/L	Teledyne
0	THORIUM-228	LT	7 pCi/L	Teledyne
0	THORIUM-228	LT	2 pCi/L	Teledyne
0	THORIUM-230	LT	1 pCi/L	Teledyne
0	THORIUM-232	LT	1 pCi/L	Teledyne
2	TOTAL RADIUM	20.00+-2.00	pCi/L	metaTRACE
2	TRITIUM	16000+-2000	pCi/mL	metaTRACE
0	URANIUM-235	LT	0.07 pCi/L	Teledyne
1	URANIUM-238	1.10+-0.40	pCi/L	Teledyne
1	URANIUM-233/234	1.70+-0.60	pCi/L	Teledyne
0	ZINC-65	LT	10 pCi/L	Teledyne
0	ZIRCONIUM-95	LT	5 pCi/L	Teledyne

WELL HSB1150

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/04/89 Time 1145
 Depth to water = 44.61 ft (13.60 m) below the TOC
 Water elevation = 224.69 ft (68.49 m) msl
 pH = 11.1 Alkalinity = 48 mg/L
 Specific conductance = 830 umhos/cm
 Water temperature = 21.0 degrees Celsius
 Water evacuated from the well prior to sampling = 18 gal
 The well went dry during purging.

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	656.0	umho	metaTRACE
2	PH	11.1	pH	metaTRACE
0	SILVER	LT	2 ug/L	metaTRACE
2	ALUMINUM	1391	ug/L	metaTRACE
0	ARSENIC	LT	3 ug/L	metaTRACE
0	BARIUM	LT	35 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
1	CALCIUM	30130	ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0	CADMIUM	LT	4 ug/L	metaTRACE
0	BROMOFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	5 ug/L	metaTRACE

CONTINUED

WELL HSB1150 COLLECTED ON 07/04/89 LABORATORY ANALYSES CONTINUED

0	METHYLENE CHLORIDE	LT	5 ug/L	metaTRACE
0	BROMOMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
0	CHLORIDE	1400	ug/L	metaTRACE
0	CHLOROBENZENE	LT	5 ug/L	metaTRACE
0	COBALT	LT	10 ug/L	metaTRACE
0	CHROMIUM	LT	10 ug/L	metaTRACE
0	COPPER	LT	10 ug/L	metaTRACE
0	CYANIDE	LT	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0	CHLOROETHANE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0	ENORIN	LT	0.006 ug/L	metaTRACE
0	ETHYLBENZENE	LT	5 ug/L	metaTRACE
0	FLUORIDE	LT	250 ug/L	metaTRACE
0	IRON	LT	13 ug/L	metaTRACE
0	MERCURY	LT	0.20 ug/L	metaTRACE
0	POTASSIUM	LT	5000 ug/L	metaTRACE
0	TOLUENE	LT	5 ug/L	metaTRACE
0	MANGANESE	LT	306 ug/L	metaTRACE
1	SODIUM	77570	ug/L	metaTRACE
0	NICKEL	66000	ug/L	metaTRACE
2	NITRATE AS NITROGEN	86000	ug/L	metaTRACE
0	LEAD	LT	3 ug/L	metaTRACE
0	PHENOLS	LT	5 ug/L	metaTRACE
0	ANTIMONY	LT	10 ug/L	metaTRACE
0	SELENIUM	LT	2 ug/L	metaTRACE
1	SILICON	3770	ug/L	metaTRACE
0	SULFATE	7100	ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS	450000	ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	1000	ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	15	ug/L	metaTRACE
0	TOTAL PHOSPHATES	20	ug/L	metaTRACE
0	TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	VANADIUM	LT	10 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0	ZINC	LT	26 ug/L	metaTRACE
0	GROSS ALPHA	LT	3 pCi/L	metaTRACE
2	NONVOLATILE BETA	86.00+-9.00	pCi/L	metaTRACE
0	TOTAL RADIUM	1.90+-0.40	pCi/L	metaTRACE
2	TRITIUM	22000+-3000	pCi/mL	metaTRACE

WELL HSB1150

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/04/89 Time 1200
 Depth to water = 44.10 ft (13.44 m) below the TOC
 Water elevation = 225.00 ft (68.58 m) msl
 pH = 6.0 Alkalinity = 20 mg/L
 Specific conductance = 430 umhos/cm
 Water temperature = 21.1 degrees Celsius
 Water evacuated from the well prior to sampling = 3 gal
 The well went dry during purging.

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	395.0	umho	metaTRACE
0	PH	5.80	pH	metaTRACE
0	SILVER	LT	2 ug/L	metaTRACE
0	ALUMINUM	LT	35 ug/L	metaTRACE
0	ARSENIC	LT	3 ug/L	metaTRACE
1	BARIUM	59	ug/L	metaTRACE
0	BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
1	CALCIUM	23310	ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0	CADMIUM	LT	4 ug/L	metaTRACE
0	BROMOFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	5 ug/L	metaTRACE
1	METHYLENE CHLORIDE	8	ug/L	metaTRACE
0	BROMOMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
0	CHLORIDE	1700	ug/L	metaTRACE
0	CHLOROBENZENE	LT	5 ug/L	metaTRACE
0	COBALT	LT	10 ug/L	metaTRACE
0	CHROMIUM	LT	10 ug/L	metaTRACE
0	COPPER	LT	10 ug/L	metaTRACE
0	CYANIDE	LT	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0	CHLOROETHANE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0	ENORIN	LT	0.006 ug/L	metaTRACE
0	ETHYLBENZENE	LT	5 ug/L	metaTRACE
0	FLUORIDE	LT	250 ug/L	metaTRACE
0	IRON	LT	83 ug/L	metaTRACE
0	MERCURY	LT	0.20 ug/L	metaTRACE
0	POTASSIUM	LT	5000 ug/L	metaTRACE
0	TOLUENE	LT	5 ug/L	metaTRACE
0	MANGANESE	1736	ug/L	metaTRACE
2	MANGANESE	318	ug/L	metaTRACE
1	SODIUM	36830	ug/L	metaTRACE
1	NICKEL	78	ug/L	metaTRACE

CONTINUED

WELL HSB1150 COLLECTED ON 07/04/89 LABORATORY ANALYSES CONTINUED

2	NITRATE AS NITROGEN	63000 ug/L	metaTRACE
0	LEAD	4 ug/L	metaTRACE
0	PHENOLS	5 ug/L	metaTRACE
0	ANTIMONY	10 ug/L	metaTRACE
0	SELENIUM	2 ug/L	metaTRACE
1	SILICON	10300 ug/L	metaTRACE
0	SULFATE	1900 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	5.00 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS	381000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	1000 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	6 ug/L	metaTRACE
1	TOTAL PHOSPHATES	460 ug/L	metaTRACE
0	TRICHLOROETHYLENE	5.00 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	5 ug/L	metaTRACE
0	VANADIUM	5 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	5 ug/L	metaTRACE
0	ZINC	101 ug/L	metaTRACE
0	GROSS ALPHA	3.60+-2.40 pCi/L	metaTRACE
2	NONVOLATILE BETA	460+-50 pCi/L	metaTRACE
0	TOTAL RADIUM	1.30+-0.40 pCi/L	metaTRACE
2	TRITIUM	18000+-2000 pCi/mL	metaTRACE

WELL HSB116C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/04/89 Time 1250
 Depth to water = 32.42 ft (9.88 m) below the TOC
 Water elevation = 225.08 ft (68.61 m) msl
 pH = 5.8 Alkalinity = 7 mg/L
 Specific conductance = 470 umhos/cm
 Water temperature = 21.0 degrees Celsius
 Water evacuated from the well prior to sampling = 132 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	403.0 UMC	metaTRACE
0	PH	5.71 pH	metaTRACE
0	SILVER	2 ug/L	metaTRACE
0	ALUMINUM	35 ug/L	metaTRACE
0	ARSENIC	3 ug/L	metaTRACE
1	BARIUM	52 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	5 ug/L	metaTRACE
0	CALCIUM	3683 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	5.00 ug/L	metaTRACE
0	CADMIUM	4 ug/L	metaTRACE
0	BROMOFORM	5 ug/L	metaTRACE
0	CHLOROFORM	5 ug/L	metaTRACE
1	METHYLENE CHLORIDE	8	metaTRACE
0	BROMOMETHANE	62 ug/L	metaTRACE
0	CHLOROMETHANE	10 ug/L	metaTRACE
0	CHLORIDE	10 ug/L	metaTRACE
0	CHLOROBENZENE	910 ug/L	metaTRACE
1	COBALT	33 ug/L	metaTRACE
0	CHROMIUM	10 ug/L	metaTRACE
0	COPPER	10 ug/L	metaTRACE
0	CYANIDE	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	5 ug/L	metaTRACE
0	CHLOROETHANE	10 ug/L	metaTRACE
0	BENZENE	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	5 ug/L	metaTRACE
0	ENDRIN	0.006 ug/L	metaTRACE
0	ETHYL BENZENE	5 ug/L	metaTRACE
0	FLUORIDE	250 ug/L	metaTRACE
0	IRON	11 ug/L	metaTRACE
0	MERCURY	0.20 ug/L	metaTRACE
0	POTASSIUM	5000 ug/L	metaTRACE
0	TOLUENE	5 ug/L	metaTRACE
0	MAGNESIUM	1023 ug/L	metaTRACE
2	MANGANESE	579 ug/L	metaTRACE
1	SODIUM	62060 ug/L	metaTRACE
0	NICKEL	5 ug/L	metaTRACE
2	NITRATE AS NITROGEN	73000 ug/L	metaTRACE
0	LEAD	3 ug/L	metaTRACE
0	PHENOLS	5 ug/L	metaTRACE
0	ANTIMONY	10 ug/L	metaTRACE
0	SELENIUM	2 ug/L	metaTRACE
1	SILICON	103 ug/L	metaTRACE
0	SULFATE	5700 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	5.00 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS	307000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	2420 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	5 ug/L	metaTRACE
0	TOTAL PHOSPHATES	46 ug/L	metaTRACE
0	TRICHLOROETHYLENE	5.00 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	5 ug/L	metaTRACE
0	VANADIUM	10 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	5 ug/L	metaTRACE

CONTINUED

WELL HSB116C COLLECTED ON 07/04/89 LABORATORY ANALYSES CONTINUED

0	2-CHLOROETHYL VINYL ETHER	5 ug/L	metaTRACE
0	ZINC	24 ug/L	metaTRACE
1	GROSS ALPHA	5.10+-2.60 pCi/L	metaTRACE
2	NONVOLATILE BETA	85.00+-9.00 pCi/L	metaTRACE
1	TOTAL RADIUM	4.30+-0.80 pCi/L	metaTRACE
1	TOTAL RADIUM	4.90+-0.60 pCi/L	metaTRACE
2	TRITIUM	23000+-3000 pCi/mL	metaTRACE

WELL HSB1160

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/04/89 Time 1345
 Depth to water = 30.77 ft (9.38 m) below the TOC
 Water elevation = 226.03 ft (68.89 m) msl
 pH = 4.2 Alkalinity = 0 mg/L
 Specific conductance = 355 umhos/cm
 Water temperature = 22.6 degrees Celsius
 Water evacuated from the well prior to sampling = 46 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	327.0 UMC	metaTRACE
1	SPECIFIC CONDUCTANCE	330.0 UMC	metaTRACE
0	PH	4.13 pH	metaTRACE
0	PH	4.13 pH	metaTRACE
0	SILVER	2 ug/L	metaTRACE
2	ALUMINUM	4314 ug/L	metaTRACE
0	ARSENIC	3 ug/L	metaTRACE
1	BARIUM	132 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	5 ug/L	metaTRACE
0	CALCIUM	6060 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	5.00 ug/L	metaTRACE
0	CADMIUM	4 ug/L	metaTRACE
0	BROMOFORM	5 ug/L	metaTRACE
0	CHLOROFORM	5 ug/L	metaTRACE
1	METHYLENE CHLORIDE	3 ug/L	metaTRACE
0	BROMOMETHANE	10 ug/L	metaTRACE
0	CHLOROMETHANE	10 ug/L	metaTRACE
0	CHLORIDE	1500 ug/L	metaTRACE
0	CHLORIDE	1500 ug/L	metaTRACE
0	CHLOROBENZENE	5 ug/L	metaTRACE
1	COBALT	10 ug/L	metaTRACE
0	CHROMIUM	10 ug/L	metaTRACE
0	COPPER	10 ug/L	metaTRACE
0	CYANIDE	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	5 ug/L	metaTRACE
0	CHLOROETHANE	10 ug/L	metaTRACE
0	BENZENE	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	5 ug/L	metaTRACE
0	ENDRIN	0.006 ug/L	metaTRACE
0	ETHYL BENZENE	5 ug/L	metaTRACE
0	FLUORIDE	460 ug/L	metaTRACE
0	FLUORIDE	450 ug/L	metaTRACE
0	IRON	82 ug/L	metaTRACE
0	MERCURY	0.20 ug/L	metaTRACE
0	POTASSIUM	5000 ug/L	metaTRACE
0	TOLUENE	5 ug/L	metaTRACE
0	MAGNESIUM	1855 ug/L	metaTRACE
2	MANGANESE	620 ug/L	metaTRACE
1	SODIUM	24810 ug/L	metaTRACE
1	NICKEL	31 ug/L	metaTRACE
2	NITRATE AS NITROGEN	50000 ug/L	metaTRACE
2	NITRATE AS NITROGEN	49000 ug/L	metaTRACE
2	LEAD	36 ug/L	metaTRACE
0	PHENOLS	5 ug/L	metaTRACE
0	ANTIMONY	10 ug/L	metaTRACE
0	SELENIUM	2 ug/L	metaTRACE
1	SILICON	9156 ug/L	metaTRACE
0	SULFATE	1000 ug/L	metaTRACE
0	SULFATE	1000 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	5.00 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS	224000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	1000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	1000 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	9 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	9 ug/L	metaTRACE
0	TOTAL PHOSPHATES	10 ug/L	metaTRACE
0	TRICHLOROETHYLENE	5.00 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	5 ug/L	metaTRACE
0	VANADIUM	10 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	5 ug/L	metaTRACE
0	ZINC	177 ug/L	metaTRACE
2	GROSS ALPHA	35.00+-5.00 pCi/L	metaTRACE
2	GROSS ALPHA	36.00+-5.00 pCi/L	metaTRACE
2	GROSS ALPHA	23.00+-3.00 pCi/L	Teledyne
0	AMERICIUM-241	0.10 pCi/L	Teledyne
0	AMERICIUM-243	0.20 pCi/L	Teledyne
0	BARIUM-140	10 pCi/L	Teledyne
2	NONVOLATILE BETA	4300+-500 pCi/L	metaTRACE
2	NONVOLATILE BETA	4441+-500 pCi/L	metaTRACE
2	NONVOLATILE BETA	3500+-100 pCi/L	Teledyne
0	BERYLLIUM-7	40 pCi/L	Teledyne
0	CERIUM-141	9 pCi/L	Teledyne
0	CERIUM-144	30 pCi/L	Teledyne
0	CURIUM-242	0.30 pCi/L	Teledyne

CONTINUED

WELL HSB116D COLLECTED ON 07/04/89 LABORATORY ANALYSES CONTINUED

1	CURIUM-246	1.10+-0.50 pCi/L	Teledyne
0	CURIUM-243/244	LT	0.70 pCi/L Teledyne
0	COBALT-58	LT	6 pCi/L Teledyne
2	COBALT-60	311+-	31 pCi/L Teledyne
0	CESIUM-134	LT	5 pCi/L Teledyne
0	CESIUM-137	LT	5 pCi/L Teledyne
0	CARBON-14	LT	10 pCi/L Teledyne
0	IRON-55	LT	100 pCi/L Teledyne
0	IRON-59	LT	10 pCi/L Teledyne
1	IODINE-129	27.00+-2.00 pCi/L	Teledyne
0	IODINE-131	LT	20 pCi/L Teledyne
0	POTASSIUM-40	LT	50 pCi/L Teledyne
0	MANGANESE-54	LT	5 pCi/L Teledyne
0	NICKEL-59	LT	80 pCi/L Teledyne
1	NICKEL-63	270+-	10 pCi/L Teledyne
0	PLUTONIUM-238	LT	0.30 pCi/L Teledyne
0	PLUTONIUM-242	LT	0.20 pCi/L Teledyne
0	PLUTONIUM-239/240	LT	0.50 pCi/L Teledyne
0	RADIUM-226	LT	80 pCi/L Teledyne
1	RADIUM-226	23.00+-1.00 pCi/L	Teledyne
1	RADIUM-228	13.00+-3.00 pCi/L	Teledyne
0	RUTHENIUM-103	LT	5 pCi/L Teledyne
0	RUTHENIUM-106	LT	40 pCi/L Teledyne
1	STRONTIUM-89	260+-	30 pCi/L Teledyne
1	STRONTIUM-90	1400+-	100 pCi/L Teledyne
1	TECHNETIUM-99	56.00+-4.00 pCi/L	Teledyne
0	THORIUM-228	LT	7 pCi/L Teledyne
1	THORIUM-228	9.20+-2.40 pCi/L	Teledyne
0	THORIUM-230	LT	0.70 pCi/L Teledyne
0	THORIUM-232	LT	0.50 pCi/L Teledyne
2	TOTAL RADIUM	34.00+-4.00 pCi/L	metaTRACE
2	TRITIUM	14000+-2000 pCi/mL	metaTRACE
0	URANIUM-235	LT	0.05 pCi/L Teledyne
1	URANIUM-238	1.20+-0.40 pCi/L	Teledyne
1	URANIUM-233/234	1.50+-0.40 pCi/L	Teledyne
0	ZINC-65	LT	10 pCi/L Teledyne
0	ZIRCONIUM-95	LT	5 pCi/L Teledyne

WELL HSB117A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/06/89 Time 1005
 Depth to water = 71.75 ft (21.87 m) below the TOC
 Water elevation = 164.35 ft (50.16 m) msl
 pH = 6.9 Alkalinity = 46 mg/L
 Specific conductance = 155 umhos/cm
 Water temperature = 18.8 degrees Celsius
 Water evacuated from the well prior to sampling = 224 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	157.0 uMHC	metaTRACE
1	SPECIFIC CONDUCTANCE	157.0 uMHC	metaTRACE
1	PH	6.84 pH	metaTRACE
1	PH	6.91 pH	metaTRACE
0	SILVER	LT	2 ug/L metaTRACE
0	SILVER	LT	2 ug/L metaTRACE
0	ALUMINUM	59 ug/L	metaTRACE
1	ARSENIC	4 ug/L	metaTRACE
0	BARIUM	35 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	LT	5 ug/L metaTRACE
1	CALCIUM	28480 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00 ug/L metaTRACE
0	CADMIUM	LT	4 ug/L metaTRACE
0	BROMOFORM	LT	5 ug/L metaTRACE
0	CHLOROFORM	LT	5 ug/L metaTRACE
0	METHYLENE CHLORIDE	LT	5 ug/L metaTRACE
0	BROMOMETHANE	LT	10 ug/L metaTRACE
0	CHLOROMETHANE	LT	10 ug/L metaTRACE
0	CHLORIDE	1800 ug/L	metaTRACE
0	CHLOROBENZENE	LT	5 ug/L metaTRACE
0	COBALT	LT	10 ug/L metaTRACE
0	CHROMIUM	LT	10 ug/L metaTRACE
0	COPPER	LT	10 ug/L metaTRACE
0	CYANIDE	LT	5 ug/L metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L metaTRACE
0	CHLOROETHANE	LT	10 ug/L metaTRACE
0	BENZENE	LT	5 ug/L metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L metaTRACE
0	ENDRIN	0.006 ug/L	metaTRACE
0	ETHYLBENZENE	LT	5 ug/L metaTRACE
0	FLUORIDE	LT	250 ug/L metaTRACE
0	IRON	18 ug/L	metaTRACE
0	MERCURY	LT	0.20 ug/L metaTRACE
0	POTASSIUM	LT	5000 ug/L metaTRACE
0	TOLUENE	LT	5 ug/L metaTRACE
0	MAGNESIUM	1377 ug/L	metaTRACE
2	MANGANESE	160 ug/L	metaTRACE
0	SODIUM	1714 ug/L	metaTRACE
0	NICKEL	LT	5 ug/L metaTRACE
0	NICKEL	LT	5 ug/L metaTRACE
0	NITRATE AS NITROGEN	LT	230 ug/L metaTRACE
0	LEAD	LT	3 ug/L metaTRACE
0	PHENOLS	LT	5 ug/L metaTRACE
0	ANTIMONY	LT	10 ug/L metaTRACE
0	SELENIUM	LT	2 ug/L metaTRACE
1	SILICON	13020 ug/L	metaTRACE
0	SULFATE	8700 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L metaTRACE
0	TETRACHLOROETHYLENE	LT	5.00 ug/L metaTRACE
0	TOTAL DISSOLVED SOLIDS	112000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	2190 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L metaTRACE
0	TOTAL PHOSPHATES	121 ug/L	metaTRACE

CONTINUED

WELL HSB117A COLLECTED ON 07/06/89 LABORATORY ANALYSES CONTINUED

0	TRICHLOROETHYLENE	LT	5.00 ug/L metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L metaTRACE
0	VANADIUM	LT	10 ug/L metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L metaTRACE
0	1,1-DICHLOROETHANE	LT	5 ug/L metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L metaTRACE
0	ZINC	142 ug/L	metaTRACE
0	GROSS ALPHA	LT	2 pCi/L metaTRACE
0	NONVOLATILE BETA	LT	6 pCi/L metaTRACE
0	TOTAL RADIUM	LT	1 pCi/L metaTRACE
0	TRITIUM	LT	1 pCi/mL metaTRACE

WELL HSB117C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/11/89 Time 1150
 Depth to water = 14.65 ft (4.47 m) below the TOC
 Water elevation = 221.65 ft (67.56 m) msl
 pH = 5.4 Alkalinity = 3 ug/L
 Specific conductance = 540 umhos/cm
 Water temperature = 18.2 degrees Celsius
 Water evacuated from the well prior to sampling = 170 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	461.0 uMHC	metaTRACE
0	PH	5.33 pH	metaTRACE
0	SILVER	LT	2 ug/L metaTRACE
1	ALUMINUM	374 ug/L	metaTRACE
0	ARSENIC	LT	3 ug/L metaTRACE
1	BARIUM	84 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	LT	5 ug/L metaTRACE
1	CALCIUM	13880 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00 ug/L metaTRACE
0	CADMIUM	LT	4 ug/L metaTRACE
0	BROMOFORM	LT	5 ug/L metaTRACE
0	CHLOROFORM	LT	5 ug/L metaTRACE
1	METHYLENE CHLORIDE	8	15 ug/L metaTRACE
0	BROMOMETHANE	LT	10 ug/L metaTRACE
0	CHLOROMETHANE	LT	10 ug/L metaTRACE
0	CHLORIDE	5400 ug/L	metaTRACE
0	CHLOROBENZENE	LT	5 ug/L metaTRACE
0	COBALT	LT	10 ug/L metaTRACE
0	CHROMIUM	LT	10 ug/L metaTRACE
0	COPPER	LT	10 ug/L metaTRACE
0	CYANIDE	LT	5 ug/L metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L metaTRACE
0	CHLOROETHANE	LT	10 ug/L metaTRACE
0	BENZENE	LT	5 ug/L metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L metaTRACE
0	ENDRIN	0.006 ug/L	metaTRACE
0	ETHYLBENZENE	LT	5 ug/L metaTRACE
0	FLUORIDE	LT	250 ug/L metaTRACE
0	IRON	13 ug/L	metaTRACE
0	MERCURY	0.24 ug/L	metaTRACE
0	POTASSIUM	LT	5000 ug/L metaTRACE
0	TOLUENE	LT	5 ug/L metaTRACE
1	MAGNESIUM	6199 ug/L	metaTRACE
2	MANGANESE	111 ug/L	metaTRACE
1	SODIUM	63940 ug/L	metaTRACE
1	NICKEL	10 ug/L	metaTRACE
2	NITRATE AS NITROGEN	61000 ug/L	metaTRACE
0	LEAD	LT	3 ug/L metaTRACE
0	PHENOLS	LT	5 ug/L metaTRACE
0	ANTIMONY	LT	10 ug/L metaTRACE
0	SELENIUM	LT	2 ug/L metaTRACE
1	SILICON	3638 ug/L	metaTRACE
0	SULFATE	LT	1000 ug/L metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L metaTRACE
0	TETRACHLOROETHYLENE	LT	5.00 ug/L metaTRACE
0	TOTAL DISSOLVED SOLIDS	396000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	LT	1000 ug/L metaTRACE
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L metaTRACE
0	TOTAL PHOSPHATES	LT	10 ug/L metaTRACE
0	TRICHLOROETHYLENE	LT	5.00 ug/L metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L metaTRACE
0	VANADIUM	LT	10 ug/L metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L metaTRACE
0	1,1-DICHLOROETHANE	LT	5 ug/L metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L metaTRACE
0	ZINC	24 ug/L	metaTRACE
1	GROSS ALPHA	9.00+-4.00 pCi/L	metaTRACE
2	NONVOLATILE BETA	160+-20 pCi/L	metaTRACE
2	TOTAL RADIUM	7.90+-0.80 pCi/L	metaTRACE
2	TRITIUM	8100+-900 pCi/mL	metaTRACE

WELL HSB1170

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/11/89 Time 1130
 Depth to water = 12.21 ft (3.72 m) below the TOC
 Water elevation = 224.09 ft (68.30 m) msl
 pH = 5.3 Alkalinity = 4 mg/L
 Specific conductance = 52 umhos/cm
 Water temperature = 17.5 degrees Celsius
 Water evacuated from the well prior to sampling = 80 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE	54.80 UMC	metaTRACE
0	PH	5.23 pH	metaTRACE
0	SILVER	LT 2 ug/L	metaTRACE
0	ALUMINUM	LT 35 ug/L	metaTRACE
0	ARSENIC	LT 3 ug/L	metaTRACE
0	BARIUM	LT 25 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	LT 5 ug/L	metaTRACE
0	CALCIUM	1184 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT 5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT 5.00 ug/L	metaTRACE
0	CADMIUM	LT 4 ug/L	metaTRACE
0	BROMOFORM	LT 5 ug/L	metaTRACE
0	CHLOROFORM	LT 5 ug/L	metaTRACE
0	METHYLENE CHLORIDE	LT 5 ug/L	metaTRACE
0	BROMOMETHANE	LT 10 ug/L	metaTRACE
0	CHLOROMETHANE	LT 10 ug/L	metaTRACE
0	CHLORIDE	2500 ug/L	metaTRACE
0	CHLOROBENZENE	LT 5 ug/L	metaTRACE
0	COBALT	LT 10 ug/L	metaTRACE
0	CHROMIUM	LT 10 ug/L	metaTRACE
0	COPPER	LT 10 ug/L	metaTRACE
0	CYANIDE	LT 5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT 5 ug/L	metaTRACE
0	CHLOROETHANE	LT 10 ug/L	metaTRACE
0	BENZENE	LT 5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT 5 ug/L	metaTRACE
0	ENDRIN	0.006 ug/L	metaTRACE
0	ETHYLBENZENE	LT 5 ug/L	metaTRACE
0	FLUORIDE	LT 250 ug/L	metaTRACE
0	IRON	LT 25 ug/L	metaTRACE
0	MERCURY	LT 0.20 ug/L	metaTRACE
0	POTASSIUM	LT 5000 ug/L	metaTRACE
0	TOLUENE	LT 5 ug/L	metaTRACE
0	MAGNESIUM	427 ug/L	metaTRACE
0	MANGANESE	LT 10 ug/L	metaTRACE
1	SODIUM	6591 ug/L	metaTRACE
0	NICKEL	LT 5 ug/L	metaTRACE
1	NITRATE AS NITROGEN	3100 ug/L	metaTRACE
0	LEAD	LT 3 ug/L	metaTRACE
0	PHENOLS	LT 5 ug/L	metaTRACE
0	ANTIMONY	LT 10 ug/L	metaTRACE
0	SELENIUM	LT 2 ug/L	metaTRACE
1	SILICON	2029 ug/L	metaTRACE
0	SULFATE	2000 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT 5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT 5.00 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS	33000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	LT 1000 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	LT 5 ug/L	metaTRACE
0	TOTAL PHOSPHATES	LT 10 ug/L	metaTRACE
0	TRICHLOROETHYLENE	LT 5.00 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT 5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT 5 ug/L	metaTRACE
0	VANADIUM	LT 10 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT 3 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT 5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT 5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT 5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT 5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT 5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT 5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT 5 ug/L	metaTRACE
0	ZINC	10 ug/L	metaTRACE
1	GROSS ALPHA	5.00+-3.00 pCi/L	metaTRACE
1	NONVOLATILE BETA	18.00+-5.00 pCi/L	metaTRACE
0	TOTAL RADIUM	1.80+-0.30 pCi/L	metaTRACE
0	TOTAL RADIUM	1.80+-0.30 pCi/L	metaTRACE
2	TRITIUM	500+-50 pCi/mL	metaTRACE
2	TRITIUM	480+-50 pCi/mL	metaTRACE

WELL HSB118A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/11/89 Time 1330
 Depth to water = 81.29 ft (24.78 m) below the TOC
 Water elevation = 188.01 ft (58.60 m) msl
 pH = 6.9 Alkalinity = 49 mg/L
 Specific conductance = 170 umhos/cm
 Water temperature = 19.5 degrees Celsius
 Water evacuated from the well prior to sampling = 211 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	167.0 UMC	metaTRACE
1	PH	7.13 pH	metaTRACE
0	SILVER	LT 2 ug/L	metaTRACE
0	ALUMINUM	LT 35 ug/L	metaTRACE
0	ARSENIC	LT 3 ug/L	metaTRACE
1	BARIUM	56 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	LT 5 ug/L	metaTRACE
1	CALCIUM	24370 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT 5 ug/L	metaTRACE

CONTINUED

WELL HSB118A COLLECTED ON 07/11/89 LABORATORY ANALYSES CONTINUED

0	CARBON TETRACHLORIDE	LT 5.00 ug/L	metaTRACE
0	CADMIUM	LT 4 ug/L	metaTRACE
0	BROMOFORM	LT 5 ug/L	metaTRACE
0	CHLOROFORM	LT 5 ug/L	metaTRACE
0	METHYLENE CHLORIDE	LT 5 ug/L	metaTRACE
0	BROMOMETHANE	LT 10 ug/L	metaTRACE
0	CHLOROMETHANE	LT 10 ug/L	metaTRACE
0	CHLORIDE	2600 ug/L	metaTRACE
0	CHLOROBENZENE	LT 5 ug/L	metaTRACE
0	COBALT	LT 10 ug/L	metaTRACE
0	CHROMIUM	LT 10 ug/L	metaTRACE
0	COPPER	LT 10 ug/L	metaTRACE
0	CYANIDE	LT 5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT 5 ug/L	metaTRACE
0	CHLOROETHANE	LT 10 ug/L	metaTRACE
0	BENZENE	LT 5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT 5 ug/L	metaTRACE
0	ENDRIN	0.006 ug/L	metaTRACE
0	ETHYLBENZENE	LT 5 ug/L	metaTRACE
0	FLUORIDE	LT 250 ug/L	metaTRACE
0	IRON	LT 25 ug/L	metaTRACE
0	MERCURY	LT 0.20 ug/L	metaTRACE
0	POTASSIUM	LT 5000 ug/L	metaTRACE
0	TOLUENE	LT 5 ug/L	metaTRACE
0	MAGNESIUM	721 ug/L	metaTRACE
2	MANGANESE	66 ug/L	metaTRACE
0	SODIUM	2751 ug/L	metaTRACE
0	NICKEL	LT 5 ug/L	metaTRACE
0	NITRATE AS NITROGEN	LT 230 ug/L	metaTRACE
0	LEAD	LT 3 ug/L	metaTRACE
0	PHENOLS	LT 5 ug/L	metaTRACE
0	ANTIMONY	LT 10 ug/L	metaTRACE
0	SELENIUM	LT 2 ug/L	metaTRACE
1	SILICON	19970 ug/L	metaTRACE
0	SULFATE	7600 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT 5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT 5.00 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS	84000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	LT 1000 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	LT 5 ug/L	metaTRACE
0	TOTAL PHOSPHATES	LT 134 ug/L	metaTRACE
0	TRICHLOROETHYLENE	LT 5.00 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT 5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT 5 ug/L	metaTRACE
0	VANADIUM	LT 10 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT 3 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT 5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT 5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT 5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT 5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT 5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT 5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT 5 ug/L	metaTRACE
0	ZINC	21 ug/L	metaTRACE
0	GROSS ALPHA	LT 7 pCi/L	metaTRACE
0	NONVOLATILE BETA	LT 6 pCi/L	metaTRACE
0	TOTAL RADIUM	1.00+-0.30 pCi/L	metaTRACE
0	TRITIUM	LT 1 pCi/mL	metaTRACE

WELL HSB119A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/12/89 Time 1235
 Depth to water = 91.84 ft (27.99 m) below the TOC
 Water elevation = 185.26 ft (56.37 m) msl
 pH = 8.5 Alkalinity = 35 mg/L
 Specific conductance = 193 umhos/cm
 Water temperature = 20.7 degrees Celsius
 Water evacuated from the well prior to sampling = 203 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	195.0 UMC	metaTRACE
2	PH	8.56 pH	metaTRACE
0	SILVER	LT 2 ug/L	metaTRACE
0	ALUMINUM	LT 35 ug/L	metaTRACE
1	ARSENIC	5 ug/L	metaTRACE
0	BARIUM	29 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	LT 5 ug/L	metaTRACE
1	CALCIUM	25800 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT 5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT 5.00 ug/L	metaTRACE
0	CADMIUM	LT 4 ug/L	metaTRACE
0	BROMOFORM	LT 5 ug/L	metaTRACE
0	CHLOROFORM	LT 5 ug/L	metaTRACE
0	METHYLENE CHLORIDE	LT 5 ug/L	metaTRACE
0	BROMOMETHANE	LT 10 ug/L	metaTRACE
0	CHLOROMETHANE	LT 10 ug/L	metaTRACE
0	CHLORIDE	2700 ug/L	metaTRACE
0	CHLOROBENZENE	LT 5 ug/L	metaTRACE
0	COBALT	LT 10 ug/L	metaTRACE
0	CHROMIUM	LT 10 ug/L	metaTRACE
0	COPPER	LT 10 ug/L	metaTRACE
0	CYANIDE	LT 5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT 5 ug/L	metaTRACE
0	CHLOROETHANE	LT 10 ug/L	metaTRACE
0	BENZENE	LT 5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT 5 ug/L	metaTRACE
0	ENDRIN	0.006 ug/L	metaTRACE
0	ETHYLBENZENE	LT 5 ug/L	metaTRACE
0	FLUORIDE	LT 250 ug/L	metaTRACE
0	IRON	LT 25 ug/L	metaTRACE
0	MERCURY	LT 0.20 ug/L	metaTRACE
1	POTASSIUM	7290 ug/L	metaTRACE
0	TOLUENE	LT 5 ug/L	metaTRACE

CONTINUED

WELL HSB119A COLLECTED ON 07/12/89 LABORATORY ANALYSES CONTINUED

0	MAGNESIUM		633 ug/L	metaTRACE
0	MANGANESE	LT	10 ug/L	metaTRACE
1	SODIUM		7874 ug/L	metaTRACE
0	NICKEL	LT	3 ug/L	metaTRACE
0	NITRATE AS NITROGEN		2100 ug/L	metaTRACE
0	LEAD	LT	3 ug/L	metaTRACE
0	PHENOLS	LT	5 ug/L	metaTRACE
0	ANTIMONY	LT	10 ug/L	metaTRACE
0	SELENIUM	LT	2 ug/L	metaTRACE
1	SILICON		16540 ug/L	metaTRACE
0	SULFATE		5000 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS		131000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS		9 ug/L	metaTRACE
0	TOTAL PHOSPHATES		181 ug/L	metaTRACE
0	TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	3 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	3 ug/L	metaTRACE
0	VANADIUM	LT	10 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	3 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	3 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	3 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	3 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	3 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	3 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	3 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	3 ug/L	metaTRACE
0	ZINC		20 ug/L	metaTRACE
0	GROSS ALPHA	LT	4 pCi/L	metaTRACE
1	NONVOLATILE BETA		18.00+-4 pCi/L	metaTRACE
0	TOTAL RADIUM	LT	pCi/L	metaTRACE
2	TRITIUM		150+-20 pCi/mL	metaTRACE

WELL HSB120A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/12/89 Time 1330
 Depth to water = 103.36 ft (31.50 m) below the TOC
 Water elevation = 164.84 ft (50.24 m) msl
 pH = 8.5 Alkalinity = 79 mg/L
 Specific conductance = 240 umhos/cm
 Water temperature = 19.6 degrees Celsius
 Water evacuated from the well prior to sampling = 208 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE		228.0 UMHC	metaTRACE
2	PH		8.54 pH	metaTRACE
0	SILVER	LT	2 ug/L	metaTRACE
0	ALUMINUM	LT	35 ug/L	metaTRACE
1	ARSENIC		3 ug/L	metaTRACE
0	BARIUM		28 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
1	CALCIUM		34060 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	3 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0	CADMIUM	LT	4 ug/L	metaTRACE
0	BROMOFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	5 ug/L	metaTRACE
0	METHYLENE CHLORIDE	LT	3 ug/L	metaTRACE
0	BROMOMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
0	CHLORIDE		2700 ug/L	metaTRACE
0	CHLOROBENZENE	LT	5 ug/L	metaTRACE
0	COBALT	LT	10 ug/L	metaTRACE
0	CHROMIUM	LT	10 ug/L	metaTRACE
0	COPPER	LT	10 ug/L	metaTRACE
0	CYANIDE	LT	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	3 ug/L	metaTRACE
0	CHLOROETHANE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	3 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	3 ug/L	metaTRACE
0	ENDRIN	LT	0.006 ug/L	metaTRACE
0	ETHYLBENZENE	LT	3 ug/L	metaTRACE
0	FLUORIDE	LT	250 ug/L	metaTRACE
0	IRON	LT	10 ug/L	metaTRACE
0	MERCURY	LT	0.20 ug/L	metaTRACE
0	POTASSIUM	LT	5000 ug/L	metaTRACE
0	TOLUENE	LT	3 ug/L	metaTRACE
0	MAGNESIUM		398 ug/L	metaTRACE
0	MANGANESE	LT	10 ug/L	metaTRACE
1	SODIUM		5978 ug/L	metaTRACE
0	NICKEL	LT	5 ug/L	metaTRACE
0	NITRATE AS NITROGEN	LT	230 ug/L	metaTRACE
0	LEAD	LT	3 ug/L	metaTRACE
0	PHENOLS	LT	5 ug/L	metaTRACE
0	ANTIMONY	LT	10 ug/L	metaTRACE
0	SELENIUM	LT	2 ug/L	metaTRACE
1	SILICON		17120 ug/L	metaTRACE
0	SULFATE		8400 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS		106000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	metaTRACE
0	TOTAL PHOSPHATES		22 ug/L	metaTRACE
0	TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	VANADIUM	LT	10 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE

CONTINUED

WELL HSB120A COLLECTED ON 07/12/89 LABORATORY ANALYSES CONTINUED

0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0	ZINC		42 ug/L	metaTRACE
0	GROSS ALPHA	LT	5 pCi/L	metaTRACE
0	NONVOLATILE BETA		5.90+-3.10 pCi/L	metaTRACE
0	TOTAL RADIUM		1.00+-0.30 pCi/L	metaTRACE
0	TRITIUM	LT	1 pCi/mL	metaTRACE

WELL HSB121A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/22/89 Time 1420
 Depth to water = 104.29 ft (31.79 m) below the TOC
 Water elevation = 170.31 ft (51.91 m) msl
 pH = 7.6 Alkalinity = 88 mg/L
 Specific conductance = 260 umhos/cm
 Water temperature = 19.6 degrees Celsius
 Water evacuated from the well prior to sampling = 229 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE		240.0 UMHC	Gen. Eng.
1	SPECIFIC CONDUCTANCE		211.8 UMHC	metaTRACE
1	PH		7.03 pH	Gen. Eng.
1	PH		7.80 pH	metaTRACE
0	SILVER	LT	2 ug/L	Gen. Eng.
0	SILVER	LT	2 ug/L	metaTRACE
0	ALUMINUM	LT	20 ug/L	Gen. Eng.
0	ALUMINUM	LT	35 ug/L	metaTRACE
1	ARSENIC		2 ug/L	Gen. Eng.
0	ARSENIC	LT	3 ug/L	metaTRACE
0	BARIUM		33 ug/L	Gen. Eng.
0	BARIUM		35 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
1	CALCIUM		47300 ug/L	Gen. Eng.
1	CALCIUM		38400 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0	CADMIUM	LT	2 ug/L	Gen. Eng.
0	CADMIUM	LT	4 ug/L	metaTRACE
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	BROMOFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	5 ug/L	metaTRACE
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0	METHYLENE CHLORIDE	LT	5 ug/L	metaTRACE
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
0	CHLORIDE		2400 ug/L	Gen. Eng.
0	CHLORIDE		2500 ug/L	metaTRACE
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	5 ug/L	metaTRACE
0	COBALT	LT	4 ug/L	Gen. Eng.
0	COBALT	LT	10 ug/L	metaTRACE
0	CHROMIUM	LT	4 ug/L	Gen. Eng.
0	CHROMIUM	LT	10 ug/L	metaTRACE
0	COPPER	LT	4 ug/L	Gen. Eng.
0	COPPER	LT	10 ug/L	metaTRACE
0	CYANIDE	LT	5 ug/L	Gen. Eng.
0	CYANIDE	LT	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	10 ug/L	metaTRACE
0	BENZENE		1 ug/L	Gen. Eng.
0	BENZENE		5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE		1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0	ENDRIN	LT	0.10 ug/L	Gen. Eng.
0	ENDRIN	LT	0.006 ug/L	metaTRACE
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	5 ug/L	metaTRACE
0	FLUORIDE	LT	100 ug/L	Gen. Eng.
0	FLUORIDE	LT	250 ug/L	metaTRACE
0	IRON		30 ug/L	Gen. Eng.
0	IRON		32 ug/L	metaTRACE
0	MERCURY	LT	0.20 ug/L	Gen. Eng.
0	MERCURY	LT	0.20 ug/L	metaTRACE
0	POTASSIUM		4280 ug/L	Gen. Eng.
0	POTASSIUM	LT	5000 ug/L	metaTRACE
0	TOLUENE	LT	1 ug/L	Gen. Eng.
0	TOLUENE	LT	3 ug/L	metaTRACE
0	MAGNESIUM		791 ug/L	Gen. Eng.
0	MAGNESIUM		801 ug/L	metaTRACE
0	MANGANESE		9 ug/L	Gen. Eng.
0	MANGANESE		11 ug/L	metaTRACE
0	SODIUM		3850 ug/L	Gen. Eng.
0	SODIUM		4297 ug/L	metaTRACE
0	NICKEL	LT	4 ug/L	Gen. Eng.
0	NICKEL	LT	5 ug/L	metaTRACE
0	NITRATE AS NITROGEN	LT	30 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN	LT	230 ug/L	metaTRACE
0	LEAD	LT	6 ug/L	Gen. Eng.
0	LEAD	LT	3 ug/L	metaTRACE
0	PHENOLS	LT	5 ug/L	Gen. Eng.
0	PHENOLS	LT	5 ug/L	metaTRACE
0	ANTIMONY	LT	3 ug/L	Gen. Eng.

CONTINUED

WELL HSB121A COLLECTED ON 07/22/89 LABORATORY ANALYSES CONTINUED

0	ANTIMONY	LT	10 ug/L	metaTRACE
0	SELENIUM	LT	2 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	metaTRACE
1	SILICON	LT	21590 ug/L	metaTRACE
1	SILICA	LT	45400 ug/L	Gen. Eng.
1	SULFATE	LT	10000 ug/L	Gen. Eng.
0	SULFATE	LT	9800 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	3 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS	LT	208000 ug/L	Gen. Eng.
0	TOTAL DISSOLVED SOLIDS	LT	169000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	LT	2000 ug/L	Gen. Eng.
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	LT	3 ug/L	Gen. Eng.
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	metaTRACE
1	TOTAL PHOSPHORUS	LT	50 ug/L	Gen. Eng.
0	TOTAL PHOSPHATES	LT	35 ug/L	metaTRACE
0	TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	3 ug/L	metaTRACE
0	VANADIUM	LT	20 ug/L	Gen. Eng.
0	VANADIUM	LT	10 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	3 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	LT	3 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	3 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	3 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	3 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	3 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	3 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	3 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	3 ug/L	metaTRACE
0	ZINC	LT	28 ug/L	Gen. Eng.
0	ZINC	LT	3 pCi/L	metaTRACE
0	GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
0	GROSS ALPHA	LT	3 pCi/L	metaTRACE
0	NONVOLATILE BETA	LT	4.60+-2.60 pCi/L	Gen. Eng.
0	NONVOLATILE BETA	LT	8 pCi/L	metaTRACE
0	TOTAL RADIUM	LT	1 pCi/L	Gen. Eng.
0	TOTAL RADIUM	LT	1 pCi/L	metaTRACE
0	TRITIUM	LT	0.70 pCi/mL	Gen. Eng.
0	TRITIUM	LT	1 pCi/mL	metaTRACE

WELL HSB121A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/22/89 Time 1420
 Depth to water = 104.29 ft (31.79 m) below the TOC
 Water elevation = 170.31 ft (51.91 m) msl
 pH = 7.6 Alkalinity = 88 mg/L
 Specific conductance = 260 umhos/cm
 Water temperature = 19.6 degrees Celsius
 Water evacuated from the well prior to sampling = 229 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	240.0 UMC	Gen. Eng.
1	SPECIFIC CONDUCTANCE	226.0 UMC	metaTRACE
1	PH	7.30 pH	Gen. Eng.
1	PH	7.02 pH	metaTRACE
0	SILVER	LT	2 ug/L
0	SILVER	LT	2 ug/L
0	ALUMINUM	LT	30 ug/L
0	ALUMINUM	LT	35 ug/L
1	ARSENIC	LT	2 ug/L
0	ARSENIC	LT	3 ug/L
0	BARIUM	LT	38 ug/L
0	BARIUM	LT	34 ug/L
0	BROMODICHLOROMETHANE	LT	1 ug/L
0	BROMODICHLOROMETHANE	LT	3 ug/L
1	CALCIUM	31800 ug/L	Gen. Eng.
1	CALCIUM	36410 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L
0	TRICHLOROFLUOROMETHANE	LT	3 ug/L
0	CARBON TETRACHLORIDE	LT	1.00 ug/L
0	CARBON TETRACHLORIDE	LT	5.00 ug/L
0	CADMIUM	LT	2 ug/L
0	CADMIUM	LT	4 ug/L
0	BROMOFORM	LT	1 ug/L
0	BROMOFORM	LT	3 ug/L
0	CHLOROFORM	LT	1 ug/L
0	CHLOROFORM	LT	3 ug/L
0	METHYLENE CHLORIDE	LT	1 ug/L
0	METHYLENE CHLORIDE	LT	3 ug/L
0	BROMOMETHANE	LT	1 ug/L
0	BROMOMETHANE	LT	10 ug/L
0	CHLOROMETHANE	LT	1 ug/L
0	CHLOROMETHANE	LT	10 ug/L
0	CHLORIDE	2500 ug/L	Gen. Eng.
0	CHLORIDE	2800 ug/L	metaTRACE
0	CHLOROBENZENE	LT	1 ug/L
0	CHLOROBENZENE	LT	3 ug/L
0	COBALT	LT	4 ug/L
0	COBALT	LT	10 ug/L

CONTINUED

WELL HSB121A COLLECTED ON 07/22/89 LABORATORY ANALYSES CONTINUED

0	CHROMIUM	LT	4 ug/L	Gen. Eng.
0	CHROMIUM	LT	10 ug/L	metaTRACE
0	COPPER	LT	6 ug/L	Gen. Eng.
0	COPPER	LT	10 ug/L	metaTRACE
0	CYANIDE	LT	3 ug/L	Gen. Eng.
0	CYANIDE	LT	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	3 ug/L	metaTRACE
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	3 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	3 ug/L	metaTRACE
0	ENORIN	LT	0.10 ug/L	Gen. Eng.
0	ENORIN	LT	0.008 ug/L	metaTRACE
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	3 ug/L	metaTRACE
0	FLUORIDE	LT	100 ug/L	Gen. Eng.
0	FLUORIDE	LT	250 ug/L	metaTRACE
0	IRON	LT	34 ug/L	Gen. Eng.
0	IRON	LT	47 ug/L	metaTRACE
0	MERCURY	LT	0.20 ug/L	Gen. Eng.
0	MERCURY	LT	0.20 ug/L	metaTRACE
0	POTASSIUM	LT	4780 ug/L	Gen. Eng.
0	POTASSIUM	LT	5000 ug/L	metaTRACE
0	TOLUENE	LT	1 ug/L	Gen. Eng.
0	TOLUENE	LT	3 ug/L	metaTRACE
0	MAGNESIUM	LT	896 ug/L	Gen. Eng.
0	MAGNESIUM	LT	763 ug/L	metaTRACE
0	MANGANESE	LT	11 ug/L	Gen. Eng.
0	MANGANESE	LT	10 ug/L	metaTRACE
0	SODIUM	LT	4230 ug/L	Gen. Eng.
0	SODIUM	LT	4368 ug/L	metaTRACE
0	NICKEL	LT	4 ug/L	Gen. Eng.
0	NICKEL	LT	5 ug/L	metaTRACE
0	NITRATE AS NITROGEN	LT	50 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN	LT	230 ug/L	metaTRACE
0	LEAD	LT	8 ug/L	Gen. Eng.
0	LEAD	LT	3 ug/L	metaTRACE
0	PHENOLS	LT	5 ug/L	Gen. Eng.
0	PHENOLS	LT	5 ug/L	metaTRACE
0	ANTIMONY	LT	3 ug/L	Gen. Eng.
0	ANTIMONY	LT	10 ug/L	metaTRACE
0	SELENIUM	LT	2 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	metaTRACE
1	SILICON	LT	22610 ug/L	Gen. Eng.
1	SILICA	LT	49000 ug/L	Gen. Eng.
1	SULFATE	LT	10000 ug/L	Gen. Eng.
1	SULFATE	LT	10000 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	3 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS	LT	191000 ug/L	Gen. Eng.
0	TOTAL DISSOLVED SOLIDS	LT	189000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	LT	4000 ug/L	Gen. Eng.
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	LT	3 ug/L	Gen. Eng.
0	TOTAL ORGANIC HALOGENS	LT	6 ug/L	metaTRACE
1	TOTAL PHOSPHORUS	LT	60 ug/L	Gen. Eng.
0	TOTAL PHOSPHATES	LT	41 ug/L	metaTRACE
0	TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	3 ug/L	metaTRACE
0	VANADIUM	LT	20 ug/L	Gen. Eng.
0	VANADIUM	LT	10 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	3 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	LT	3 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	3 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	3 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	3 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	3 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	3 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	3 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	3 ug/L	metaTRACE
0	ZINC	LT	3 ug/L	Gen. Eng.
0	ZINC	LT	41 ug/L	metaTRACE
0	GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
0	GROSS ALPHA	LT	3 pCi/L	metaTRACE
0	NONVOLATILE BETA	LT	6.84+-2.70 pCi/L	Gen. Eng.
0	NONVOLATILE BETA	LT	8 pCi/L	metaTRACE
0	TOTAL RADIUM	LT	1 pCi/L	Gen. Eng.
0	TOTAL RADIUM	LT	1 pCi/L	metaTRACE
0	TRITIUM	LT	0.70 pCi/mL	Gen. Eng.
0	TRITIUM	LT	1 pCi/mL	metaTRACE

WELL HSB122A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/05/89 Time 1240
 Depth to water = 101.60 ft (30.97 m) below the TOC
 Water elevation = 170.00 ft (51.82 m) msl
 pH = 7.2 Alkalinity = 76 mg/L
 Specific conductance = 260 umhos/cm
 Water temperature = 19.6 degrees Celsius
 Water evacuated from the well prior to sampling = 22 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	239.3 UMHG	metaTRACE
1	PH	7.25 pH	metaTRACE
0	SILVER	LT 2 ug/L	metaTRACE
0	ALUMINUM	LT 35 ug/L	metaTRACE
0	ARSENIC	LT 3 ug/L	metaTRACE
0	BARIUM	LT 25 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	LT 5 ug/L	metaTRACE
1	CALCIUM	37080 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT 5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT 5.00 ug/L	metaTRACE
0	CADMIUM	LT 4 ug/L	metaTRACE
0	BROMOFORM	LT 5 ug/L	metaTRACE
0	CHLOROFORM	LT 5 ug/L	metaTRACE
0	METHYLENE CHLORIDE	LT 5 ug/L	metaTRACE
0	BROMOMETHANE	LT 10 ug/L	metaTRACE
0	CHLOROMETHANE	LT 10 ug/L	metaTRACE
0	CHLORIDE	2000 ug/L	metaTRACE
0	CHLOROBENZENE	LT 5 ug/L	metaTRACE
0	COBALT	LT 10 ug/L	metaTRACE
0	CHROMIUM	LT 10 ug/L	metaTRACE
0	COPPER	LT 10 ug/L	metaTRACE
0	CYANIDE	LT 5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT 5 ug/L	metaTRACE
0	CHLOROETHANE	LT 10 ug/L	metaTRACE
0	BENZENE	LT 5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT 5 ug/L	metaTRACE
0	ENDRIN	0.006 ug/L	metaTRACE
0	ETHYLBENZENE	LT 5 ug/L	metaTRACE
0	FLUORIDE	LT 250 ug/L	metaTRACE
0	IRON	LT 33 ug/L	metaTRACE
0	MERCURY	LT 0.20 ug/L	metaTRACE
0	POTASSIUM	LT 5000 ug/L	metaTRACE
0	TOLUENE	LT 5 ug/L	metaTRACE
0	MAGNESIUM	LT 763 ug/L	metaTRACE
0	MANGANESE	LT 13 ug/L	metaTRACE
0	SODIUM	LT 2176 ug/L	metaTRACE
0	NICKEL	LT 5 ug/L	metaTRACE
0	NITRATE AS NITROGEN	LT 230 ug/L	metaTRACE
0	LEAD	LT 3 ug/L	metaTRACE
0	PHENOLS	LT 5 ug/L	metaTRACE
0	ANTIMONY	LT 10 ug/L	metaTRACE
0	SELENIUM	LT 2 ug/L	metaTRACE
1	SILICON	18460 ug/L	metaTRACE
1	SULFATE	10000 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT 5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT 5.00 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS	170000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	LT 1780 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	LT 5 ug/L	metaTRACE
0	TOTAL PHOSPHATES	LT 77 ug/L	metaTRACE
0	TOTAL PHOSPHATES	LT 34 ug/L	metaTRACE
0	TRICHLOROETHYLENE	LT 5.00 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT 5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT 5 ug/L	metaTRACE
0	VANADIUM	LT 10 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT 5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT 5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT 5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT 5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT 5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT 5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT 5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT 5 ug/L	metaTRACE
0	ZINC	LT 18 ug/L	metaTRACE
0	GROSS ALPHA	LT 2 pCi/L	metaTRACE
0	NONVOLATILE BETA	LT 6 pCi/L	metaTRACE
0	TOTAL RADIUM	LT 1 pCi/L	metaTRACE
0	TRITIUM	LT 1 pCi/mL	metaTRACE

WELL HSB123A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/05/89 Time 1420
 Depth to water = 94.13 ft (28.69 m) below the TOC
 Water elevation = 170.37 ft (51.93 m) msl
 pH = 9.0 Alkalinity = 71 mg/L
 Specific conductance = 270 umhos/cm
 Water temperature = 19.7 degrees Celsius
 Water evacuated from the well prior to sampling = 219 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	254.0 UMHG	metaTRACE
2	PH	8.80 pH	metaTRACE
0	SILVER	LT 2 ug/L	metaTRACE
0	ALUMINUM	LT 35 ug/L	metaTRACE
0	ARSENIC	LT 3 ug/L	metaTRACE
1	BARIUM	66 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	LT 5 ug/L	metaTRACE
1	CALCIUM	36030 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT 5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT 5.00 ug/L	metaTRACE

CONTINUED

WELL HSB123A COLLECTED ON 07/05/89 LABORATORY ANALYSES CONTINUED

0	CADMIUM	LT 4 ug/L	metaTRACE
0	BROMOFORM	LT 5 ug/L	metaTRACE
0	CHLOROFORM	LT 5 ug/L	metaTRACE
0	METHYLENE CHLORIDE	LT 5 ug/L	metaTRACE
0	BROMOMETHANE	LT 10 ug/L	metaTRACE
0	CHLOROMETHANE	LT 10 ug/L	metaTRACE
0	CHLORIDE	1900 ug/L	metaTRACE
0	CHLOROBENZENE	LT 5 ug/L	metaTRACE
0	COBALT	LT 10 ug/L	metaTRACE
0	CHROMIUM	LT 10 ug/L	metaTRACE
0	COPPER	LT 10 ug/L	metaTRACE
0	CYANIDE	LT 5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT 5 ug/L	metaTRACE
0	CHLOROETHANE	LT 10 ug/L	metaTRACE
0	BENZENE	LT 5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT 5 ug/L	metaTRACE
0	ENDRIN	0.006 ug/L	metaTRACE
0	ETHYLBENZENE	LT 5 ug/L	metaTRACE
0	FLUORIDE	LT 250 ug/L	metaTRACE
0	IRON	LT 89 ug/L	metaTRACE
0	MERCURY	LT 0.20 ug/L	metaTRACE
0	POTASSIUM	LT 5000 ug/L	metaTRACE
0	TOLUENE	LT 5 ug/L	metaTRACE
0	MAGNESIUM	LT 890 ug/L	metaTRACE
0	MANGANESE	LT 13 ug/L	metaTRACE
1	SODIUM	5686 ug/L	metaTRACE
0	NICKEL	LT 5 ug/L	metaTRACE
0	NITRATE AS NITROGEN	LT 230 ug/L	metaTRACE
0	LEAD	LT 7 ug/L	metaTRACE
0	PHENOLS	LT 5 ug/L	metaTRACE
0	ANTIMONY	LT 10 ug/L	metaTRACE
0	SELENIUM	LT 2 ug/L	metaTRACE
1	SILICON	20020 ug/L	metaTRACE
1	SULFATE	10600 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT 5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT 5.00 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS	184000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	LT 1250 ug/L	metaTRACE
U	TOTAL ORGANIC HALOGENS	LT 5 ug/L	metaTRACE
0	TOTAL PHOSPHATES	LT 98 ug/L	metaTRACE
0	TRICHLOROETHYLENE	LT 5.00 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT 5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT 5 ug/L	metaTRACE
0	VANADIUM	LT 10 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT 5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT 5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT 5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT 5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT 5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT 5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT 5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT 5 ug/L	metaTRACE
0	ZINC	LT 15 ug/L	metaTRACE
0	GROSS ALPHA	LT 2 pCi/L	metaTRACE
0	NONVOLATILE BETA	LT 6 pCi/L	metaTRACE
0	TOTAL RADIUM	LT 1 pCi/L	metaTRACE
0	TRITIUM	LT 1 pCi/mL	metaTRACE

WELL HSB124A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/09/89 Time 1130
 Depth to water = 74.12 ft (22.59 m) below the TOC
 Water elevation = 192.08 ft (58.55 m) msl
 pH = 11.4 Alkalinity = 117 mg/L
 Specific conductance = 730 umhos/cm
 Water temperature = 19.7 degrees Celsius
 Water evacuated from the well prior to sampling = 48 gal
 The well went dry during purging.

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	235.6 UMHG	metaTRACE
2	PH	11.3 pH	metaTRACE
0	SILVER	LT 2 ug/L	metaTRACE
1	ALUMINUM	370 ug/L	metaTRACE
0	ARSENIC	LT 3 ug/L	metaTRACE
1	BARIUM	105 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	LT 5 ug/L	metaTRACE
1	CALCIUM	50670 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT 5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT 5.00 ug/L	metaTRACE
0	CADMIUM	LT 4 ug/L	metaTRACE
0	BROMOFORM	LT 5 ug/L	metaTRACE
0	CHLOROFORM	LT 5 ug/L	metaTRACE
0	METHYLENE CHLORIDE	LT 5 ug/L	metaTRACE
0	BROMOMETHANE	LT 10 ug/L	metaTRACE
0	CHLOROMETHANE	LT 10 ug/L	metaTRACE
0	CHLORIDE	2500 ug/L	metaTRACE
0	CHLOROBENZENE	LT 5 ug/L	metaTRACE
0	COBALT	LT 10 ug/L	metaTRACE
0	CHROMIUM	LT 10 ug/L	metaTRACE
0	COPPER	LT 10 ug/L	metaTRACE
0	CYANIDE	LT 5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT 5 ug/L	metaTRACE
0	CHLOROETHANE	LT 10 ug/L	metaTRACE
0	BENZENE	LT 5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT 5 ug/L	metaTRACE
0	ENDRIN	0.006 ug/L	metaTRACE
0	ETHYLBENZENE	LT 5 ug/L	metaTRACE
0	FLUORIDE	LT 300 ug/L	metaTRACE
0	IRON	LT 10 ug/L	metaTRACE
0	MERCURY	LT 0.20 ug/L	metaTRACE
1	POTASSIUM	10690 ug/L	metaTRACE
0	TOLUENE	LT 5 ug/L	metaTRACE
0	MAGNESIUM	167 ug/L	metaTRACE

CONTINUED

WELL HSB124A COLLECTED ON 07/09/89 LABORATORY ANALYSES CONTINUED

0	MANGANESE	LT	10 ug/L	metatrace
1	SODIUM		8277 ug/L	metatrace
0	NICKEL	LT	5 ug/L	metatrace
0	NITRATE AS NITROGEN	LT	230 ug/L	metatrace
0	LEAD	LT	3 ug/L	metatrace
0	PHENOLS	LT	5 ug/L	metatrace
0	ANTIMONY	LT	10 ug/L	metatrace
0	SELENIUM	LT	2 ug/L	metatrace
1	SILICON		11590 ug/L	metatrace
1	SULFATE		10300 ug/L	metatrace
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metatrace
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metatrace
0	TOTAL DISSOLVED SOLIDS		224000 ug/L	metatrace
0	TOTAL ORGANIC CARBON		1590 ug/L	metatrace
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	metatrace
0	TOTAL PHOSPHATES		68 ug/L	metatrace
0	TRICHLOROETHYLENE	LT	5.00 ug/L	metatrace
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metatrace
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metatrace
0	VANADIUM	LT	10 ug/L	metatrace
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metatrace
0	1,1-DICHLOROETHANE	LT	5 ug/L	metatrace
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metatrace
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metatrace
0	1,2-DICHLOROETHANE	LT	5 ug/L	metatrace
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metatrace
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metatrace
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metatrace
0	ZINC		6 ug/L	metatrace
0	GROSS ALPHA	LT	4 pCi/L	metatrace
1	NONVOLATILE BETA		13.00+4.00 pCi/L	metatrace
0	TOTAL RADIUM		1.50+0.40 pCi/L	metatrace
0	TRITIUM	LT	1 pCi/mL	metatrace

WELL HSB125C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/16/89 Time 1515
 Depth to water = 8.83 ft (2.69 m) below the TOC
 Water elevation = 223.07 ft (67.99 m) msl
 pH = 8.4 Alkalinity = 23 mg/L
 Specific conductance = 95 umhos/cm
 Water temperature = 19.2 degrees Celsius
 Water evacuated from the well prior to sampling = 216 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE		75.60 UMHG	metatrace
1	PH		8.56 pH	metatrace
0	SILVER	LT	2 ug/L	metatrace
0	ALUMINUM	LT	35 ug/L	metatrace
0	ARSENIC	LT	3 ug/L	metatrace
0	BARIUM	LT	25 ug/L	metatrace
0	BROMODICHLOROMETHANE	LT	5 ug/L	metatrace
1	CALCIUM		10700 ug/L	metatrace
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L	metatrace
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metatrace
0	CADMIUM	LT	4 ug/L	metatrace
0	BROMOFORM	LT	5 ug/L	metatrace
0	CHLOROFORM	LT	5 ug/L	metatrace
1	METHYLENE CHLORIDE	LT	5 ug/L	metatrace
0	BROMOMETHANE	LT	10 ug/L	metatrace
0	CHLOROMETHANE	LT	10 ug/L	metatrace
0	CHLORIDE		2700 ug/L	metatrace
0	CHLOROBENZENE	LT	5 ug/L	metatrace
0	COBALT	LT	10 ug/L	metatrace
0	CHROMIUM	LT	10 ug/L	metatrace
0	COPPER	LT	10 ug/L	metatrace
0	CYANIDE	LT	5 ug/L	metatrace
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metatrace
0	CHLOROETHANE	LT	10 ug/L	metatrace
0	BENZENE	LT	5 ug/L	metatrace
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metatrace
0	ENDRIN	LT	0.006 ug/L	metatrace
0	ETHYLBENZENE	LT	5 ug/L	metatrace
0	FLUORIDE	LT	250 ug/L	metatrace
0	IRON		38 ug/L	metatrace
0	MERCURY	LT	0.20 ug/L	metatrace
0	POTASSIUM	LT	5000 ug/L	metatrace
0	TOLUENE	LT	5 ug/L	metatrace
0	MAGNESIUM		1257 ug/L	metatrace
0	MANGANESE		10 ug/L	metatrace
0	SODIUM		2356 ug/L	metatrace
0	NICKEL	LT	5 ug/L	metatrace
0	NITRATE AS NITROGEN	LT	230 ug/L	metatrace
0	LEAD	LT	3 ug/L	metatrace
0	PHENOLS	LT	5 ug/L	metatrace
0	ANTIMONY	LT	10 ug/L	metatrace
0	SELENIUM	LT	2 ug/L	metatrace
1	SILICON		4252 ug/L	metatrace
0	TIN	LT	100 ug/L	metatrace
0	SULFATE		1300 ug/L	metatrace
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metatrace
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metatrace
0	TOTAL DISSOLVED SOLIDS		290000 ug/L	metatrace
0	TOTAL ORGANIC CARBON		1040 ug/L	metatrace
1	TOTAL ORGANIC HALOGENS		22 ug/L	metatrace
0	TOTAL PHOSPHATES		116 ug/L	metatrace
0	TRICHLOROETHYLENE	LT	5.00 ug/L	metatrace
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metatrace
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metatrace
0	VANADIUM	LT	10 ug/L	metatrace
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metatrace
0	1,1-DICHLOROETHANE	LT	5 ug/L	metatrace
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metatrace

CONTINUED

WELL HSB125C COLLECTED ON 07/16/89 LABORATORY ANALYSES CONTINUED

0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metatrace
0	1,2-DICHLOROETHANE	LT	5 ug/L	metatrace
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metatrace
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metatrace
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metatrace
0	ZINC		44 ug/L	metatrace
0	GROSS ALPHA	LT	3 pCi/L	metatrace
0	NONVOLATILE BETA	LT	8 pCi/L	metatrace
0	TOTAL RADIUM	LT	1 pCi/L	metatrace
0	TRITIUM		3.60+0.40 pCi/mL	metatrace

WELL HSB125D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/16/89 Time 1430
 Depth to water = 9.19 ft (2.80 m) below the TOC
 Water elevation = 222.91 ft (67.82 m) msl
 pH = 5.2 Alkalinity = 1 mg/L
 Specific conductance = 620 umhos/cm
 Water temperature = 17.7 degrees Celsius
 Water evacuated from the well prior to sampling = 94 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE		497.0 UMHG	metatrace
0	PH		5.19 pH	metatrace
0	SILVER	LT	2 ug/L	metatrace
1	ALUMINUM		179 ug/L	metatrace
0	ARSENIC	LT	3 ug/L	metatrace
0	BARIUM		40 ug/L	metatrace
0	BROMODICHLOROMETHANE	LT	5 ug/L	metatrace
0	CALCIUM		1031 ug/L	metatrace
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L	metatrace
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metatrace
0	CADMIUM	LT	4 ug/L	metatrace
0	BROMOFORM	LT	5 ug/L	metatrace
0	CHLOROFORM	LT	5 ug/L	metatrace
1	METHYLENE CHLORIDE	LT	3 ug/L	metatrace
0	BROMOMETHANE	LT	10 ug/L	metatrace
0	CHLOROMETHANE	LT	10 ug/L	metatrace
0	CHLORIDE		4900 ug/L	metatrace
0	CHLOROBENZENE	LT	5 ug/L	metatrace
0	COBALT	LT	10 ug/L	metatrace
0	CHROMIUM	LT	10 ug/L	metatrace
0	COPPER	LT	10 ug/L	metatrace
0	CYANIDE	LT	5 ug/L	metatrace
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metatrace
0	CHLOROETHANE	LT	10 ug/L	metatrace
0	BENZENE	LT	5 ug/L	metatrace
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metatrace
0	ENDRIN	LT	0.006 ug/L	metatrace
0	ETHYLBENZENE	LT	5 ug/L	metatrace
0	FLUORIDE	LT	250 ug/L	metatrace
0	IRON		38 ug/L	metatrace
2	MERCURY		3.15 ug/L	metatrace
0	POTASSIUM	LT	5000 ug/L	metatrace
0	TOLUENE	LT	5 ug/L	metatrace
0	MAGNESIUM		1277 ug/L	metatrace
0	MANGANESE		252 ug/L	metatrace
1	SODIUM		113200 ug/L	metatrace
1	NICKEL		9 ug/L	metatrace
2	NITRATE AS NITROGEN		72000 ug/L	metatrace
0	LEAD	LT	3 ug/L	metatrace
1	PHENOLS		12 ug/L	metatrace
0	ANTIMONY	LT	10 ug/L	metatrace
0	SELENIUM	LT	2 ug/L	metatrace
1	SILICON		3364 ug/L	metatrace
0	SULFATE		6800 ug/L	metatrace
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metatrace
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metatrace
0	TOTAL DISSOLVED SOLIDS		367000 ug/L	metatrace
0	TOTAL ORGANIC CARBON		1050 ug/L	metatrace
1	TOTAL ORGANIC HALOGENS		11 ug/L	metatrace
0	TOTAL PHOSPHATES	LT	10 ug/L	metatrace
0	TRICHLOROETHYLENE	LT	5.00 ug/L	metatrace
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metatrace
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metatrace
0	VANADIUM	LT	10 ug/L	metatrace
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metatrace
0	1,1-DICHLOROETHANE	LT	5 ug/L	metatrace
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metatrace
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metatrace
0	1,2-DICHLOROETHANE	LT	5 ug/L	metatrace
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metatrace
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metatrace
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metatrace
0	ZINC		28 ug/L	metatrace
0	GROSS ALPHA		4.00+2.80 pCi/L	metatrace
2	NONVOLATILE BETA		85.00+9.00 pCi/L	metatrace
1	TOTAL RADIUM		4.10+0.50 pCi/L	metatrace
1	TOTAL RADIUM		3.80+0.40 pCi/L	metatrace
2	TRITIUM		8900+900 pCi/mL	metatrace

WELL HSB126C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/08/89 Time 1140
 Depth to water = 9.07 ft (2.78 m) below the TOC
 Water elevation = 203.93 ft (62.04 m) msl
 pH = 7.7 Alkalinity = 71 mg/L
 Specific conductance = 240 umhos/cm
 Water temperature = 17.6 degrees Celsius
 Water evacuated from the well prior to sampling = 79 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	226.0 UMH/C	metatrace
1	PH	7.60 pH	metatrace
0	SILVER	2 ug/L	metatrace
0	ALUMINUM	35 ug/L	metatrace
0	ARSENIC	3 ug/L	metatrace
0	BARIUM	19 ug/L	metatrace
0	BROMODICHLOROMETHANE	3 ug/L	metatrace
1	CALCIUM	34570 ug/L	metatrace
0	TRICHLOROFLUOROMETHANE	3 ug/L	metatrace
0	CARBON TETRACHLORIDE	5.00 ug/L	metatrace
0	CADMIUM	4 ug/L	metatrace
0	BROMOFORM	3 ug/L	metatrace
0	CHLOROFORM	3 ug/L	metatrace
0	METHYLENE CHLORIDE	3 ug/L	metatrace
0	BROMOMETHANE	10 ug/L	metatrace
0	CHLOROMETHANE	10 ug/L	metatrace
0	CHLORIDE	2700 ug/L	metatrace
0	CHLOROBENZENE	3 ug/L	metatrace
0	COBALT	10 ug/L	metatrace
0	CHROMIUM	10 ug/L	metatrace
0	COPPER	10 ug/L	metatrace
0	CYANIDE	3 ug/L	metatrace
0	CHLOROETHENE (VINYL CHLORIDE)	3 ug/L	metatrace
0	CHLOROETHANE	10 ug/L	metatrace
0	BENZENE	3 ug/L	metatrace
0	DIBROMOCHLOROMETHANE	3 ug/L	metatrace
0	ENDRIN	0.008 ug/L	metatrace
0	ETHYLBENZENE	3 ug/L	metatrace
0	FLUORIDE	290 ug/L	metatrace
0	IRON	12 ug/L	metatrace
0	MERCURY	0.20 ug/L	metatrace
0	POTASSIUM	3000 ug/L	metatrace
0	TOLUENE	3 ug/L	metatrace
0	MAGNESIUM	1337 ug/L	metatrace
0	MANGANESE	10 ug/L	metatrace
1	SODIUM	8809 ug/L	metatrace
0	NICKEL	3 ug/L	metatrace
1	NITRATE AS NITROGEN	4400 ug/L	metatrace
0	LEAD	3 ug/L	metatrace
0	PHENOLS	3 ug/L	metatrace
0	ANTIMONY	10 ug/L	metatrace
0	SELENIUM	2 ug/L	metatrace
1	SILICON	14100 ug/L	metatrace
0	SULFATE	3300 ug/L	metatrace
0	1,1,2,2-TETRACHLOROETHANE	3 ug/L	metatrace
0	TETRACHLOROETHYLENE	5.00 ug/L	metatrace
0	TOTAL DISSOLVED SOLIDS	66000 ug/L	metatrace
0	TOTAL ORGANIC CARBON	1020 ug/L	metatrace
0	TOTAL ORGANIC HALOGENS	3 ug/L	metatrace
0	TOTAL PHOSPHATES	41 ug/L	metatrace
0	TRICHLOROETHYLENE	5.00 ug/L	metatrace
0	TRANS-1,2-DICHLOROETHENE	3 ug/L	metatrace
0	TRANS-1,3-DICHLOROPROPENE	3 ug/L	metatrace
0	VANADIUM	10 ug/L	metatrace
0	1,1-DICHLOROETHYLENE	3 ug/L	metatrace
0	1,1-DICHLOROETHANE	3 ug/L	metatrace
0	1,1,1-TRICHLOROETHANE	3 ug/L	metatrace
0	1,1,2-TRICHLOROETHANE	3 ug/L	metatrace
0	1,2-DICHLOROETHANE	3 ug/L	metatrace
0	1,2-DICHLOROPROPANE	3 ug/L	metatrace
0	CIS-1,3-DICHLOROPROPENE	3 ug/L	metatrace
0	2-CHLOROETHYL VINYL ETHER	3 ug/L	metatrace
0	ZINC	17 ug/L	metatrace
0	GROSS ALPHA	4 pCi/L	metatrace
0	NONVOLATILE BETA	5.40+-3.40 pCi/L	metatrace
0	TOTAL RADIUM	1 pCi/L	metatrace
2	TRITIUM	260+- 30 pCi/mL	metatrace

WELL HSB126D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/09/89 Time 905
 Depth to water = 7.23 ft (2.20 m) below the TOC
 Water elevation = 205.47 ft (62.63 m) msl
 pH = 4.4 Alkalinity = 0 mg/L
 Specific conductance = 560 umhos/cm
 Water temperature = 18.0 degrees Celsius
 Water evacuated from the well prior to sampling = 9 gal
 The well went dry during purging.

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	561.0 UMH/C	metatrace
0	PH	4.83 pH	metatrace
0	SILVER	2 ug/L	metatrace
2	ALUMINUM	475 ug/L	metatrace
0	ARSENIC	3 ug/L	metatrace
0	BARIUM	112 ug/L	metatrace
0	BROMODICHLOROMETHANE	3 ug/L	metatrace
0	CALCIUM	8673 ug/L	metatrace
0	TRICHLOROFLUOROMETHANE	3 ug/L	metatrace
0	CARBON TETRACHLORIDE	5.00 ug/L	metatrace
0	CADMIUM	4 ug/L	metatrace

CONTINUED

WELL HSB126D COLLECTED ON 07/09/89 LABORATORY ANALYSES CONTINUED

0	BROMOFORM	3 ug/L	metatrace
0	CHLOROFORM	3 ug/L	metatrace
1	METHYLENE CHLORIDE	4 ug/L	metatrace
0	BROMOMETHANE	10 ug/L	metatrace
0	CHLOROMETHANE	10 ug/L	metatrace
0	CHLORIDE	4900 ug/L	metatrace
0	CHLOROBENZENE	3 ug/L	metatrace
0	COBALT	10 ug/L	metatrace
0	CHROMIUM	10 ug/L	metatrace
0	COPPER	10 ug/L	metatrace
0	CYANIDE	3 ug/L	metatrace
0	CHLOROETHENE (VINYL CHLORIDE)	3 ug/L	metatrace
0	CHLOROETHANE	10 ug/L	metatrace
0	BENZENE	3 ug/L	metatrace
0	DIBROMOCHLOROMETHANE	3 ug/L	metatrace
0	ENDRIN	0.008 ug/L	metatrace
0	ETHYLBENZENE	3 ug/L	metatrace
0	FLUORIDE	250 ug/L	metatrace
0	IRON	18 ug/L	metatrace
2	MERCURY	2.80 ug/L	metatrace
0	POTASSIUM	3000 ug/L	metatrace
1	TOLUENE	1 ug/L	metatrace
0	MAGNESIUM	4383 ug/L	metatrace
2	MANGANESE	57 ug/L	metatrace
1	SODIUM	72150 ug/L	metatrace
0	NICKEL	3 ug/L	metatrace
2	NITRATE AS NITROGEN	67000 ug/L	metatrace
0	LEAD	3 ug/L	metatrace
0	PHENOLS	3 ug/L	metatrace
0	ANTIMONY	10 ug/L	metatrace
0	SELENIUM	2 ug/L	metatrace
1	SILICON	3674 ug/L	metatrace
0	SULFATE	1500 ug/L	metatrace
0	1,1,2,2-TETRACHLOROETHANE	3 ug/L	metatrace
0	TETRACHLOROETHYLENE	5.00 ug/L	metatrace
0	TOTAL DISSOLVED SOLIDS	423000 ug/L	metatrace
0	TOTAL ORGANIC CARBON	1590 ug/L	metatrace
1	TOTAL ORGANIC HALOGENS	16 ug/L	metatrace
0	TOTAL PHOSPHATES	195 ug/L	metatrace
0	TRICHLOROETHYLENE	5.00 ug/L	metatrace
0	TRANS-1,2-DICHLOROETHENE	3 ug/L	metatrace
0	TRANS-1,3-DICHLOROPROPENE	3 ug/L	metatrace
0	VANADIUM	10 ug/L	metatrace
0	1,1-DICHLOROETHYLENE	3 ug/L	metatrace
0	1,1-DICHLOROETHANE	3 ug/L	metatrace
0	1,1,1-TRICHLOROETHANE	3 ug/L	metatrace
0	1,1,2-TRICHLOROETHANE	3 ug/L	metatrace
0	1,2-DICHLOROETHANE	3 ug/L	metatrace
0	1,2-DICHLOROPROPANE	3 ug/L	metatrace
0	CIS-1,3-DICHLOROPROPENE	3 ug/L	metatrace
0	2-CHLOROETHYL VINYL ETHER	3 ug/L	metatrace
0	ZINC	14 ug/L	metatrace
0	GROSS ALPHA	4 pCi/L	metatrace
1	NONVOLATILE BETA	33.00+-5.00 pCi/L	metatrace
1	TOTAL RADIUM	2.50+-0.40 pCi/L	metatrace
2	TRITIUM	3500+- 400 pCi/mL	metatrace

WELL HSB127C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/09/89 Time 955
 Depth to water = 15.57 ft (4.75 m) below the TOC
 Water elevation = 210.13 ft (64.05 m) msl
 pH = 7.7 Alkalinity = 78 mg/L
 Specific conductance = 325 umhos/cm
 Water temperature = 19.6 degrees Celsius
 Water evacuated from the well prior to sampling = 32 gal
 The well went dry during purging.

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	282.0 UMH/C	metatrace
1	PH	7.80 pH	metatrace
0	SILVER	2 ug/L	metatrace
0	ALUMINUM	35 ug/L	metatrace
0	ARSENIC	3 ug/L	metatrace
0	BARIUM	29 ug/L	metatrace
0	BROMODICHLOROMETHANE	3 ug/L	metatrace
1	CALCIUM	45450 ug/L	metatrace
0	TRICHLOROFLUOROMETHANE	3 ug/L	metatrace
0	CARBON TETRACHLORIDE	5.00 ug/L	metatrace
0	CADMIUM	4 ug/L	metatrace
0	BROMOFORM	3 ug/L	metatrace
0	CHLOROFORM	3 ug/L	metatrace
0	METHYLENE CHLORIDE	3 ug/L	metatrace
0	BROMOMETHANE	10 ug/L	metatrace
0	CHLOROMETHANE	10 ug/L	metatrace
0	CHLORIDE	3500 ug/L	metatrace
0	CHLOROBENZENE	3 ug/L	metatrace
0	COBALT	10 ug/L	metatrace
0	CHROMIUM	10 ug/L	metatrace
0	COPPER	10 ug/L	metatrace
0	CYANIDE	3 ug/L	metatrace
0	CHLOROETHENE (VINYL CHLORIDE)	3 ug/L	metatrace
0	CHLOROETHANE	10 ug/L	metatrace
0	BENZENE	3 ug/L	metatrace
0	DIBROMOCHLOROMETHANE	3 ug/L	metatrace
0	ENDRIN	0.008 ug/L	metatrace
0	ETHYLBENZENE	3 ug/L	metatrace
0	FLUORIDE	250 ug/L	metatrace
0	IRON	104 ug/L	metatrace
0	MERCURY	0.20 ug/L	metatrace
0	POTASSIUM	3000 ug/L	metatrace
0	TOLUENE	3 ug/L	metatrace
0	MAGNESIUM	1500 ug/L	metatrace
0	MANGANESE	10 ug/L	metatrace

CONTINUED

WELL HSB127C COLLECTED ON 07/09/89 LABORATORY ANALYSES CONTINUED

1	SODIUM		8667 ug/L	metatrace
0	NICKEL	LT	5 ug/L	metatrace
2	NITRATE AS NITROGEN		13000 ug/L	metatrace
0	LEAD	LT	3 ug/L	metatrace
0	PHENOLS	LT	5 ug/L	metatrace
0	ANTIMONY	LT	10 ug/L	metatrace
0	SELENIUM	LT	2 ug/L	metatrace
1	SILICON		8555 ug/L	metatrace
0	SULFATE		1300 ug/L	metatrace
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metatrace
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metatrace
0	TOTAL DISSOLVED SOLIDS		218000 ug/L	metatrace
0	TOTAL ORGANIC CARBON		1580 ug/L	metatrace
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	metatrace
0	TOTAL PHOSPHATES		45 ug/L	metatrace
0	TOTAL PHOSPHATES		39 ug/L	metatrace
0	TRICHLOROETHYLENE	LT	5.00 ug/L	metatrace
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metatrace
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metatrace
0	VANADIUM	LT	10 ug/L	metatrace
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metatrace
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metatrace
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metatrace
0	1,2-DICHLOROETHANE	LT	5 ug/L	metatrace
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metatrace
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metatrace
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metatrace
0	ZINC		30 ug/L	metatrace
0	GROSS ALPHA	LT	4 pCi/L	metatrace
1	NONVOLATILE BETA		27.00+-5.00 pCi/L	metatrace
0	TOTAL RADIUM	LT	1 pCi/L	metatrace
2	TRITIUM		1100+-200 pCi/mL	metatrace

WELL HSB127D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/08/89 Time 1315
 Depth to water = 7.05 ft (2.15 m) below the TOC
 Water elevation = 219.05 ft (66.77 m) msl
 pH = 4.7 Alkalinity = 0 mg/L
 Specific conductance = 340 umhos/cm
 Water temperature = 18.8 degrees Celsius
 Water evacuated from the well prior to sampling = 74 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE		336.0 UMHK	metatrace
1	SPECIFIC CONDUCTANCE		340.0 UMHK	metatrace
0	PH		4.78 pH	metatrace
0	PH		4.78 pH	metatrace
0	SILVER	LT	2 ug/L	metatrace
1	ALUMINUM		94 ug/L	metatrace
0	ARSENIC	LT	3 ug/L	metatrace
0	BARIUM		15 ug/L	metatrace
0	BROMODICHLOROMETHANE	LT	5 ug/L	metatrace
0	CALCIUM		1308 ug/L	metatrace
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L	metatrace
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metatrace
0	CADMIUM	LT	4 ug/L	metatrace
0	BROMOFORM	LT	5 ug/L	metatrace
0	CHLOROFORM	LT	5 ug/L	metatrace
0	METHYLENE CHLORIDE	LT	5 ug/L	metatrace
0	BROMOMETHANE	LT	10 ug/L	metatrace
0	CHLOROMETHANE	LT	10 ug/L	metatrace
0	CHLORIDE		2100 ug/L	metatrace
0	CHLOROBENZENE	LT	5 ug/L	metatrace
0	COBALT	LT	10 ug/L	metatrace
0	CHROMIUM	LT	10 ug/L	metatrace
0	COPPER	LT	10 ug/L	metatrace
0	CYANIDE	LT	5 ug/L	metatrace
0	CHLOROETHENE (VINYL CHLOR. L.)	LT	5 ug/L	metatrace
0	CHLOROETHANE	LT	10 ug/L	metatrace
0	BENZENE	LT	5 ug/L	metatrace
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metatrace
0	ENDRIN	LT	0.006 ug/L	metatrace
0	ETHYLBENZENE	LT	5 ug/L	metatrace
0	FLUORIDE	LT	250 ug/L	metatrace
0	IRON		10 ug/L	metatrace
2	MERCURY		1.68 ug/L	metatrace
0	POTASSIUM	LT	5000 ug/L	metatrace
0	TOLUENE	LT	5 ug/L	metatrace
0	MAGNESIUM		1091 ug/L	metatrace
2	MANGANESE		172 ug/L	metatrace
1	SODIUM		52580 ug/L	metatrace
0	NICKEL	LT	5 ug/L	metatrace
2	NITRATE AS NITROGEN		38000 ug/L	metatrace
0	LEAD	LT	3 ug/L	metatrace
0	PHENOLS	LT	5 ug/L	metatrace
1	ANTIMONY		19 ug/L	metatrace
0	SELENIUM	LT	2 ug/L	metatrace
1	SILICON		2889 ug/L	metatrace
0	SULFATE		4300 ug/L	metatrace
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metatrace
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metatrace
0	TOTAL DISSOLVED SOLIDS		217000 ug/L	metatrace
0	TOTAL ORGANIC CARBON		1190 ug/L	metatrace
0	TOTAL ORGANIC HALOGENS		9 ug/L	metatrace
1	TOTAL ORGANIC HALOGENS		12 ug/L	metatrace
0	TOTAL PHOSPHATES	LT	10 ug/L	metatrace
0	TRICHLOROETHYLENE	LT	5.00 ug/L	metatrace
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metatrace
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metatrace
0	VANADIUM	LT	10 ug/L	metatrace
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metatrace

CONTINUED

WELL HSB127D COLLECTED ON 07/08/89 LABORATORY ANALYSES CONTINUED

0	1,1-DICHLOROETHANE	LT	5 ug/L	metatrace
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metatrace
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metatrace
0	1,2-DICHLOROETHANE	LT	5 ug/L	metatrace
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metatrace
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metatrace
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metatrace
0	ZINC	LT	5 ug/L	metatrace
0	GROSS ALPHA		8 pCi/L	metatrace
2	NONVOLATILE BETA		94.00+-10 pCi/L	metatrace
2	NONVOLATILE BETA		98.00+-10 pCi/L	metatrace
1	TOTAL RADIUM		3.20+-0.80 pCi/L	metatrace
2	TRITIUM		17000+-2000 pCi/mL	metatrace

WELL HSB129C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/03/89 Time 1240
 Depth to water = 10.27 ft (3.13 m) below the TOC
 Water elevation = 204.83 ft (62.43 m) msl
 pH = 5.1 Alkalinity = 1 mg/L
 Specific conductance = 171 umhos/cm
 Water temperature = 19.5 degrees Celsius
 Water evacuated from the well prior to sampling = 163 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE		163.0 UMHK	metatrace
0	PH		5.68 pH	metatrace
0	SILVER	LT	2 ug/L	metatrace
0	ALUMINUM		42 ug/L	metatrace
0	ARSENIC	LT	3 ug/L	metatrace
0	BARIUM		45 ug/L	metatrace
0	BROMODICHLOROMETHANE	LT	5 ug/L	metatrace
1	CALCIUM		15900 ug/L	metatrace
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L	metatrace
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metatrace
0	CADMIUM	LT	4 ug/L	metatrace
0	BROMOFORM	LT	5 ug/L	metatrace
0	CHLOROFORM	LT	5 ug/L	metatrace
0	METHYLENE CHLORIDE	LT	5 ug/L	metatrace
0	BROMOMETHANE	LT	10 ug/L	metatrace
0	CHLOROMETHANE	LT	10 ug/L	metatrace
0	CHLORIDE		3900 ug/L	metatrace
0	CHLOROBENZENE	LT	5 ug/L	metatrace
0	COBALT	LT	7 ug/L	metatrace
0	CHROMIUM	LT	5 ug/L	metatrace
0	COPPER	LT	10 ug/L	metatrace
0	CYANIDE	LT	5 ug/L	metatrace
0	CYANIDE	LT	5 ug/L	metatrace
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metatrace
0	CHLOROETHANE	LT	10 ug/L	metatrace
0	BENZENE	LT	5 ug/L	metatrace
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metatrace
0	ENDRIN	LT	0.008 ug/L	metatrace
0	ETHYLBENZENE	LT	5 ug/L	metatrace
0	FLUORIDE	LT	250 ug/L	metatrace
0	IRON		13 ug/L	metatrace
0	MERCURY		0.20 ug/L	metatrace
0	POTASSIUM	LT	2000 ug/L	metatrace
0	TOLUENE	LT	5 ug/L	metatrace
0	MAGNESIUM		2982 ug/L	metatrace
2	MANGANESE		53 ug/L	metatrace
1	SODIUM		7918 ug/L	metatrace
0	NICKEL		6 ug/L	metatrace
2	NITRATE AS NITROGEN		17000 ug/L	metatrace
0	LEAD		4 ug/L	metatrace
0	PHENOLS	LT	5 ug/L	metatrace
0	ANTIMONY	LT	10 ug/L	metatrace
0	SELENIUM	LT	2 ug/L	metatrace
1	SILICON		4382 ug/L	metatrace
0	SULFATE	LT	1000 ug/L	metatrace
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metatrace
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metatrace
0	TOTAL DISSOLVED SOLIDS		147000 ug/L	metatrace
0	TOTAL DISSOLVED SOLIDS		135000 ug/L	metatrace
0	TOTAL ORGANIC CARBON		2490 ug/L	metatrace
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	metatrace
0	TOTAL PHOSPHATES		95 ug/L	metatrace
0	TOTAL PHOSPHATES		102 ug/L	metatrace
0	TRICHLOROETHYLENE	LT	5.00 ug/L	metatrace
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metatrace
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metatrace
0	VANADIUM	LT	5 ug/L	metatrace
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metatrace
0	1,1-DICHLOROETHANE	LT	5 ug/L	metatrace
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metatrace
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metatrace
0	1,2-DICHLOROETHANE	LT	5 ug/L	metatrace
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metatrace
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metatrace
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metatrace
0	ZINC		78 ug/L	metatrace
0	GROSS ALPHA	LT	4 pCi/L	metatrace
2	NONVOLATILE BETA		94.00+-10 pCi/L	metatrace
1	TOTAL ACTIVITY		2340+-11.2 pCi/mL	HP, 735A
1	TOTAL RADIUM	LT	1 pCi/L	metatrace
2	TRITIUM		2000+-200 pCi/mL	metatrace
2	TRITIUM		2340+-11.2 pCi/mL	HP, 735A

WELL HSB1290

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/03/89 Time 1135
 Depth to water = 7.16 ft (2.18 m) below the TOC
 Water elevation = 207.54 ft (63.26 m) msl
 pH = 4.1 Alkalinity = 0 mg/L
 Specific conductance = 410 umhos/cm
 Water temperature = 19.1 degrees Celsius
 Water evacuated from the well prior to sampling = 74 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	405.0 UMC	metaTRACE
1	SPECIFIC CONDUCTANCE	403.0 UMC	metaTRACE
0	PH	4.81 pH	metaTRACE
0	PH	4.83 pH	metaTRACE
0	SILVER	2 ug/L	metaTRACE
1	ALUMINUM	237 ug/L	metaTRACE
0	ARSENIC	3 ug/L	metaTRACE
1	BARIUM	51 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	5 ug/L	metaTRACE
0	CALCIUM	3916 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	5.00 ug/L	metaTRACE
0	CADMIUM	4 ug/L	metaTRACE
0	BROMOFORM	5 ug/L	metaTRACE
0	CHLOROFORM	5 ug/L	metaTRACE
0	METHYLENE CHLORIDE	5 ug/L	metaTRACE
0	BROMOMETHANE	10 ug/L	metaTRACE
0	CHLOROMETHANE	10 ug/L	metaTRACE
0	CHLORIDE	5400 ug/L	metaTRACE
0	CHLOROBENZENE	5 ug/L	metaTRACE
0	COBALT	7 ug/L	metaTRACE
0	CHROMIUM	5 ug/L	metaTRACE
0	COPPER	13 ug/L	metaTRACE
0	CYANIDE	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	5 ug/L	metaTRACE
0	CHLOROETHANE	10 ug/L	metaTRACE
0	BENZENE	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	5 ug/L	metaTRACE
0	ENDRIN	0.006 ug/L	metaTRACE
0	ETHYLBENZENE	5 ug/L	metaTRACE
0	FLUORIDE	250 ug/L	metaTRACE
2	IRON	425 ug/L	metaTRACE
1	MERCURY	0.59 ug/L	metaTRACE
0	POTASSIUM	2000 ug/L	metaTRACE
0	TOLUENE	5 ug/L	metaTRACE
0	MAGNESIUM	3154 ug/L	metaTRACE
1	MANGANESE	25 ug/L	metaTRACE
1	SODIUM	68050 ug/L	metaTRACE
0	NICKEL	5 ug/L	metaTRACE
2	NITRATE AS NITROGEN	53000 ug/L	metaTRACE
0	LEAD	8 ug/L	metaTRACE
0	PHENOLS	5 ug/L	metaTRACE
0	ANTIMONY	10 ug/L	metaTRACE
0	SELENIUM	2 ug/L	metaTRACE
1	SILICON	3047 ug/L	metaTRACE
0	SULFATE	1000 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	5.00 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS	292000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	1000 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	5 ug/L	metaTRACE
0	TOTAL PHOSPHATES	30 ug/L	metaTRACE
0	TRICHLOROETHYLENE	5.00 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	5 ug/L	metaTRACE
0	VANADIUM	5 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	5 ug/L	metaTRACE
0	ZINC	11 ug/L	metaTRACE
1	GROSS ALPHA	9.40+-4.30 pCi/L	metaTRACE
1	GROSS ALPHA	14.00+-4.00 pCi/L	Teledyne
1	AMERICIUM-241	0.60+-0.29 pCi/L	Teledyne
1	AMERICIUM-243	2.90+-0.80 pCi/L	Teledyne
0	BARIUM-140	50 pCi/L	Teledyne
2	NONVOLATILE BETA	180+-20 pCi/L	metaTRACE
2	NONVOLATILE BETA	160+-10 pCi/L	Teledyne
0	BERYLLIUM-7	70 pCi/L	Teledyne
0	CERIUM-141	20 pCi/L	Teledyne
0	CERIUM-144	50 pCi/L	Teledyne
1	CURIUM-242	0.49+-0.26 pCi/L	Teledyne
1	CURIUM-246	0.36+-0.20 pCi/L	Teledyne
1	CURIUM-243/244	0.33+-0.22 pCi/L	Teledyne
0	COBALT-58	7 pCi/L	Teledyne
0	COBALT-60	6 pCi/L	Teledyne
0	CESIUM-134	6 pCi/L	Teledyne
0	CESIUM-137	6 pCi/L	Teledyne
1	CARBON-14	62.00+-9.00 pCi/L	Teledyne
1	CARBON-14	26.00+-9.00 pCi/L	Teledyne
0	IRON-55	50 pCi/L	Teledyne
0	IRON-55	80 pCi/L	Teledyne
0	IRON-59	20 pCi/L	Teledyne
0	IODINE-129	2 pCi/L	Teledyne
1	IODINE-129	3.00+-1.10 pCi/L	Teledyne
0	IODINE-131	100 pCi/L	Teledyne
0	POTASSIUM-40	100 pCi/L	Teledyne
0	MANGANESE-54	5 pCi/L	Teledyne
0	NICKEL-59	100 pCi/L	Teledyne
0	NICKEL-59	100 pCi/L	Teledyne
0	NICKEL-63	7 pCi/L	Teledyne
0	NICKEL-63	10 pCi/L	Teledyne

CONTINUED

WELL HSB1290 COLLECTED ON 09/03/89 LABORATORY ANALYSES CONTINUED

0	PLUTONIUM-238	LT	0.30 pCi/L	Teledyne
0	PLUTONIUM-242	LT	0.40 pCi/L	Teledyne
0	PLUTONIUM-239/240	LT	0.40 pCi/L	Teledyne
0	RADIUM-226	LT	100 pCi/L	Teledyne
1	RADIUM-226	LT	2.30+-0.60 pCi/L	Teledyne
1	RADIUM-228	LT	3.00+-0.60 pCi/L	Teledyne
0	RUTHENIUM-103	LT	10 pCi/L	Teledyne
0	RUTHENIUM-106	LT	50 pCi/L	Teledyne
0	STRONTIUM-89	LT	5 pCi/L	Teledyne
0	STRONTIUM-89	LT	60 pCi/L	Teledyne
0	STRONTIUM-90	LT	0.90 pCi/L	Teledyne
1	STRONTIUM-90	LT	50.00+-6.00 pCi/L	Teledyne
1	TECHNETIUM-99	LT	220+-10 pCi/L	Teledyne
1	TECHNETIUM-99	LT	260+-10 pCi/L	Teledyne
0	THORIUM-228	LT	10 pCi/L	Teledyne
1	THORIUM-228	LT	34.00+-4.00 pCi/L	Teledyne
0	THORIUM-230	LT	0.07 pCi/L	Teledyne
1	THORIUM-232	LT	0.63+-0.56 pCi/L	Teledyne
1	TOTAL ACTIVITY	LT	11600+-79 pCi/mL	HP, 735A
1	TOTAL RADIUM	LT	4.40+-0.60 pCi/L	metaTRACE
2	TRITIUM	LT	10000+-1000 pCi/mL	metaTRACE
2	TRITIUM	LT	11700+-78.4 pCi/mL	HP, 735A
1	URANIUM-235	LT	0.52+-0.43 pCi/L	Teledyne
1	URANIUM-238	LT	1.10+-0.60 pCi/L	Teledyne
1	URANIUM-233/234	LT	11.00+-2.00 pCi/L	Teledyne
0	ZINC-65	LT	10 pCi/L	Teledyne
0	ZIRCONIUM-95	LT	7 pCi/L	Teledyne

WELL HSB1290

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/03/89 Time 1135
 Depth to water = 7.16 ft (2.18 m) below the TOC
 Water elevation = 207.54 ft (63.26 m) msl
 pH = 4.1 Alkalinity = 0 mg/L
 Specific conductance = 410 umhos/cm
 Water temperature = 19.1 degrees Celsius
 Water evacuated from the well prior to sampling = 74 gal

LABORATORY ANALYSES

1	GROSS ALPHA	LT	5.30+-2.70 pCi/L	Teledyne
0	BARIUM-140	LT	6000 pCi/L	Teledyne
2	NONVOLATILE BETA	LT	160+-10 pCi/L	Teledyne
0	BERYLLIUM-7	LT	100 pCi/L	Teledyne
0	CERIUM-141	LT	50 pCi/L	Teledyne
0	CERIUM-144	LT	20 pCi/L	Teledyne
0	COBALT-58	LT	10 pCi/L	Teledyne
0	COBALT-60	LT	3 pCi/L	Teledyne
0	CESIUM-134	LT	3 pCi/L	Teledyne
0	CESIUM-137	LT	3 pCi/L	Teledyne
0	IRON-59	LT	50 pCi/L	Teledyne
0	POTASSIUM-40	LT	100 pCi/L	Teledyne
0	MANGANESE-54	LT	4 pCi/L	Teledyne
0	RADIUM-226	LT	50 pCi/L	Teledyne
0	RUTHENIUM-103	LT	30 pCi/L	Teledyne
0	RUTHENIUM-106	LT	50 pCi/L	Teledyne
0	THORIUM-228	LT	5 pCi/L	Teledyne
0	ZINC-65	LT	10 pCi/L	Teledyne
0	ZIRCONIUM-95	LT	10 pCi/L	Teledyne

WELL HSB130C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/05/89 Time 1455
 Depth to water = 18.91 ft (5.78 m) below the TOC
 Water elevation = 199.39 ft (60.77 m) msl
 pH = 8.0 Alkalinity = 47 mg/L
 Specific conductance = 210 umhos/cm
 Water temperature = 18.0 degrees Celsius
 Water evacuated from the well prior to sampling = 125 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	LT	104.0 UMC	metaTRACE
1	PH	LT	7.80 pH	metaTRACE
0	SILVER	LT	2 ug/L	metaTRACE
0	ALUMINUM	LT	35 ug/L	metaTRACE
0	ARSENIC	LT	3 ug/L	metaTRACE
0	BARIUM	LT	25 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
1	CALCIUM	LT	27270 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0	CADMIUM	LT	4 ug/L	metaTRACE
0	BROMOFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	5 ug/L	metaTRACE
0	METHYLENE CHLORIDE	LT	5 ug/L	metaTRACE
0	BROMOMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
0	CHLORIDE	LT	1300 ug/L	metaTRACE
0	CHLOROBENZENE	LT	5 ug/L	metaTRACE
0	COBALT	LT	10 ug/L	metaTRACE
0	CHROMIUM	LT	10 ug/L	metaTRACE
0	COPPER	LT	10 ug/L	metaTRACE
0	CYANIDE	LT	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0	CHLOROETHANE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0	ENDRIN	LT	0.006 ug/L	metaTRACE

CONTINUED

WELL HSB130C COLLECTED ON 07/05/89 LABORATORY ANALYSES CONTINUED

0 ETHYLBENZENE	LT	5 ug/L	metaTRACE
0 FLUORIDE	LT	250 ug/L	metaTRACE
0 IRON	LT	10 ug/L	metaTRACE
0 MERCURY	LT	0.20 ug/L	metaTRACE
0 POTASSIUM	LT	5000 ug/L	metaTRACE
0 TOLUENE	LT	5 ug/L	metaTRACE
0 MAGNESIUM	LT	619 ug/L	metaTRACE
0 MANGANESE	LT	10 ug/L	metaTRACE
0 SODIUM	LT	3519 ug/L	metaTRACE
0 NICKEL	LT	5 ug/L	metaTRACE
0 NITRATE AS NITROGEN	LT	230 ug/L	metaTRACE
0 LEAD	LT	3 ug/L	metaTRACE
0 PHENOLS	LT	5 ug/L	metaTRACE
0 ANTIMONY	LT	10 ug/L	metaTRACE
0 SELENIUM	LT	2 ug/L	metaTRACE
1 SILICON	LT	6794 ug/L	metaTRACE
0 SULFATE	LT	1800 ug/L	metaTRACE
0 1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0 TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0 TOTAL DISSOLVED SOLIDS	LT	114000 ug/L	metaTRACE
0 TOTAL ORGANIC CARBON	LT	1120 ug/L	metaTRACE
0 TOTAL ORGANIC HALOGENS	LT	5 ug/L	metaTRACE
0 TOTAL PHOSPHATES	LT	22 ug/L	metaTRACE
0 TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0 TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0 TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0 VANADIUM	LT	10 ug/L	metaTRACE
0 1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0 1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0 CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0 2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0 ZINC	LT	8 ug/L	metaTRACE
0 GROSS ALPHA	LT	2 pCi/L	metaTRACE
0 NONVOLATILE BETA	LT	6 pCi/L	metaTRACE
0 TOTAL RADIUM	LT	1 pCi/L	metaTRACE
0 TRITIUM	LT	3.00+-0.30 pCi/mL	metaTRACE

WELL HSB130D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/05/89 Time 1550
 Depth to water = 18.69 ft (5.70 m) below the TOC
 Water elevation = 199.91 ft (60.93 m) msl
 pH = 7.9 Alkalinity = 28 meq/L
 Specific conductance = 89 umhos/cm
 Water temperature = 19.2 degrees Celsius
 Water evacuated from the well prior to sampling = 61 gal

LABORATORY ANALYSES

0 SPECIFIC CONDUCTANCE	LT	84.10 UMHC	metaTRACE
0 PH	LT	6.49 pH	metaTRACE
0 SILVER	LT	2 ug/L	metaTRACE
0 ALUMINUM	LT	35 ug/L	metaTRACE
0 ARSENIC	LT	3 ug/L	metaTRACE
0 BARIUM	LT	25 ug/L	metaTRACE
0 BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
0 CALCIUM	LT	5633 ug/L	metaTRACE
0 TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE
0 CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0 CADMIUM	LT	4 ug/L	metaTRACE
0 BROMOFORM	LT	5 ug/L	metaTRACE
0 CHLOROFORM	LT	5 ug/L	metaTRACE
0 METHYLENE CHLORIDE	LT	5 ug/L	metaTRACE
0 BROMOMETHANE	LT	10 ug/L	metaTRACE
0 CHLOROMETHANE	LT	10 ug/L	metaTRACE
0 CHLORIDE	LT	1200 ug/L	metaTRACE
0 CHLOROGENE	LT	5 ug/L	metaTRACE
0 COBALT	LT	10 ug/L	metaTRACE
0 CHROMIUM	LT	10 ug/L	metaTRACE
0 COPPER	LT	10 ug/L	metaTRACE
0 CYANIDE	LT	5 ug/L	metaTRACE
0 CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0 CHLOROETHANE	LT	10 ug/L	metaTRACE
0 BENZENE	LT	5 ug/L	metaTRACE
0 DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0 ENDRIN	LT	0.006 ug/L	metaTRACE
0 ETHYLBENZENE	LT	5 ug/L	metaTRACE
0 FLUORIDE	LT	250 ug/L	metaTRACE
0 IRON	LT	31 ug/L	metaTRACE
0 MERCURY	LT	0.20 ug/L	metaTRACE
0 POTASSIUM	LT	5000 ug/L	metaTRACE
0 TOLUENE	LT	5 ug/L	metaTRACE
0 MAGNESIUM	LT	243 ug/L	metaTRACE
0 MANGANESE	LT	10 ug/L	metaTRACE
0 SODIUM	LT	593 ug/L	metaTRACE
0 NICKEL	LT	5 ug/L	metaTRACE
0 NITRATE AS NITROGEN	LT	230 ug/L	metaTRACE
0 LEAD	LT	3 ug/L	metaTRACE
0 PHENOLS	LT	5 ug/L	metaTRACE
0 ANTIMONY	LT	10 ug/L	metaTRACE
0 SELENIUM	LT	2 ug/L	metaTRACE
1 SILICON	LT	4159 ug/L	metaTRACE
0 SULFATE	LT	1000 ug/L	metaTRACE
0 1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0 TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0 TOTAL DISSOLVED SOLIDS	LT	57000 ug/L	metaTRACE
0 TOTAL ORGANIC CARBON	LT	1800 ug/L	metaTRACE
0 TOTAL ORGANIC HALOGENS	LT	5 ug/L	metaTRACE

CONTINUED

WELL HSB130D COLLECTED ON 07/05/89 LABORATORY ANALYSES CONTINUED

0 TOTAL PHOSPHATES	LT	127 ug/L	metaTRACE
0 TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0 TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0 TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0 VANADIUM	LT	10 ug/L	metaTRACE
0 1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0 1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0 CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0 2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0 ZINC	LT	10 ug/L	metaTRACE
0 GROSS ALPHA	LT	2 pCi/L	metaTRACE
0 NONVOLATILE BETA	LT	6 pCi/L	metaTRACE
0 TOTAL RADIUM	LT	1 pCi/L	metaTRACE
0 TRITIUM	LT	6.70+-0.70 pCi/mL	metaTRACE

WELL HSB131C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/08/89 Time 1050
 Depth to water = 8.45 ft (2.58 m) below the TOC
 Water elevation = 203.25 ft (61.95 m) msl
 pH = 7.8 Alkalinity = 94 meq/L
 Specific conductance = 255 umhos/cm
 Water temperature = 18.0 degrees Celsius
 Water evacuated from the well prior to sampling = 157 gal

LABORATORY ANALYSES

1 SPECIFIC CONDUCTANCE	LT	217.0 UMHC	metaTRACE
1 PH	LT	7.90 pH	metaTRACE
0 SILVER	LT	2 ug/L	metaTRACE
0 ALUMINUM	LT	35 ug/L	metaTRACE
0 ARSENIC	LT	3 ug/L	metaTRACE
0 BARIUM	LT	25 ug/L	metaTRACE
0 BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
1 CALCIUM	LT	39430 ug/L	metaTRACE
0 TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE
0 CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0 CADMIUM	LT	4 ug/L	metaTRACE
0 BROMOFORM	LT	5 ug/L	metaTRACE
0 CHLOROFORM	LT	5 ug/L	metaTRACE
0 METHYLENE CHLORIDE	LT	5 ug/L	metaTRACE
0 BROMOMETHANE	LT	10 ug/L	metaTRACE
0 CHLOROMETHANE	LT	10 ug/L	metaTRACE
0 CHLORIDE	LT	2600 ug/L	metaTRACE
0 CHLOROGENE	LT	5 ug/L	metaTRACE
0 COBALT	LT	10 ug/L	metaTRACE
0 CHROMIUM	LT	10 ug/L	metaTRACE
0 COPPER	LT	10 ug/L	metaTRACE
0 CYANIDE	LT	5 ug/L	metaTRACE
0 CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0 CHLOROETHANE	LT	10 ug/L	metaTRACE
0 BENZENE	LT	5 ug/L	metaTRACE
0 DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0 ENDRIN	LT	0.006 ug/L	metaTRACE
0 ETHYLBENZENE	LT	5 ug/L	metaTRACE
0 FLUORIDE	LT	250 ug/L	metaTRACE
0 IRON	LT	11 ug/L	metaTRACE
0 MERCURY	LT	0.20 ug/L	metaTRACE
0 POTASSIUM	LT	5000 ug/L	metaTRACE
0 TOLUENE	LT	5 ug/L	metaTRACE
0 MAGNESIUM	LT	607 ug/L	metaTRACE
0 MANGANESE	LT	10 ug/L	metaTRACE
0 SODIUM	LT	4078 ug/L	metaTRACE
0 NICKEL	LT	5 ug/L	metaTRACE
1 NITRATE AS NITROGEN	LT	3900 ug/L	metaTRACE
0 LEAD	LT	3 ug/L	metaTRACE
0 PHENOLS	LT	5 ug/L	metaTRACE
0 ANTIMONY	LT	10 ug/L	metaTRACE
0 SELENIUM	LT	2 ug/L	metaTRACE
1 SILICON	LT	8110 ug/L	metaTRACE
0 SULFATE	LT	1100 ug/L	metaTRACE
0 1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0 TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0 TOTAL DISSOLVED SOLIDS	LT	152000 ug/L	metaTRACE
0 TOTAL ORGANIC CARBON	LT	1090 ug/L	metaTRACE
0 TOTAL ORGANIC HALOGENS	LT	5 ug/L	metaTRACE
0 TOTAL PHOSPHATES	LT	10 ug/L	metaTRACE
0 TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0 TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0 TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0 VANADIUM	LT	10 ug/L	metaTRACE
0 1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0 1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0 CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0 2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0 ZINC	LT	41 ug/L	metaTRACE
0 GROSS ALPHA	LT	4 pCi/L	metaTRACE
0 NONVOLATILE BETA	LT	5 pCi/L	metaTRACE
0 TOTAL RADIUM	LT	1 pCi/L	metaTRACE
2 TRITIUM	LT	180+- 20 pCi/mL	metaTRACE

WELL HSB1310

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/08/89 Time 1105
 Depth to water = 6.21 ft (1.89 m) below the TOC
 Water elevation = 205.89 ft (62.76 m) msl
 pH = 5.1 Alkalinity = 7 mg/L
 Specific conductance = 30 umhos/cm
 Water temperature = 20.2 degrees Celsius
 Water evacuated from the well prior to sampling = 54 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	254.0 UMAC	metaTRACE
0	PH	5.05 pH	metaTRACE
0	SILVER	2 ug/L	metaTRACE
0	ALUMINUM	39 ug/L	metaTRACE
0	ARSENIC	3 ug/L	metaTRACE
0	BARIUM	25 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	5 ug/L	metaTRACE
0	CALCIUM	2019 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	5.00 ug/L	metaTRACE
0	CADMIUM	4 ug/L	metaTRACE
0	BROMOFORM	5 ug/L	metaTRACE
0	CHLOROFORM	5 ug/L	metaTRACE
0	METHYLENE CHLORIDE	5 ug/L	metaTRACE
0	BROMOMETHANE	10 ug/L	metaTRACE
0	CHLOROMETHANE	10 ug/L	metaTRACE
0	CHLORIDE	1200 ug/L	metaTRACE
0	CHLOROBENZENE	5 ug/L	metaTRACE
0	COBALT	10 ug/L	metaTRACE
0	CHROMIUM	10 ug/L	metaTRACE
0	COPPER	10 ug/L	metaTRACE
0	CYANIDE	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	5 ug/L	metaTRACE
0	CHLOROETHANE	10 ug/L	metaTRACE
0	BENZENE	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	5 ug/L	metaTRACE
0	ENDRIN	0.006 ug/L	metaTRACE
0	ETHYLBENZENE	5 ug/L	metaTRACE
0	FLUORIDE	250 ug/L	metaTRACE
0	IRON	12 ug/L	metaTRACE
0	MERCURY	0.20 ug/L	metaTRACE
0	POTASSIUM	5000 ug/L	metaTRACE
0	TOLUENE	5 ug/L	metaTRACE
0	MAGNESIUM	714 ug/L	metaTRACE
0	MANGANESE	10 ug/L	metaTRACE
0	SODIUM	1171 ug/L	metaTRACE
0	NICKEL	5 ug/L	metaTRACE
0	NITRATE AS NITROGEN	2000 ug/L	metaTRACE
0	LEAD	3 ug/L	metaTRACE
0	PHENOLS	5 ug/L	metaTRACE
0	ANTIMONY	10 ug/L	metaTRACE
0	SELENIUM	2 ug/L	metaTRACE
1	SILICON	1096 ug/L	metaTRACE
0	SULFATE	2700 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	5.00 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS	38000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	1070 ug/L	metaTRACE
1	TOTAL ORGANIC HALOGENS	12 ug/L	metaTRACE
0	TOTAL PHOSPHATES	86 ug/L	metaTRACE
0	TRICHLOROETHYLENE	5.00 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	5 ug/L	metaTRACE
0	VANADIUM	10 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	5 ug/L	metaTRACE
0	ZINC	44 ug/L	metaTRACE
0	GROSS ALPHA	3 pCi/L	metaTRACE
0	NONVOLATILE BETA	5 pCi/L	metaTRACE
0	TOTAL RADIUM	1 pCi/L	metaTRACE
1	TRITIUM	15.00--2.00 pCi/mL	metaTRACE

WELL HSB132C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/16/89 Time 1350
 Depth to water = 17.79 ft (5.42 m) below the TOC
 Water elevation = 222.71 ft (67.88 m) msl
 pH = 5.8 Alkalinity = 4 mg/L
 Specific conductance = 55 umhos/cm
 Water temperature = 19.5 degrees Celsius
 Water evacuated from the well prior to sampling = 136 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE	48.20 UMAC	metaTRACE
0	PH	5.67 pH	metaTRACE
0	SILVER	2 ug/L	metaTRACE
0	ALUMINUM	41 ug/L	metaTRACE
0	ARSENIC	3 ug/L	metaTRACE
0	BARIUM	25 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	5 ug/L	metaTRACE
0	CALCIUM	1177 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	5.00 ug/L	metaTRACE
0	CADMIUM	4 ug/L	metaTRACE

CONTINUED

WELL HSB132C COLLECTED ON 07/16/89 LABORATORY ANALYSES CONTINUED

0	BROMOFORM	5 ug/L	metaTRACE
0	CHLOROFORM	5 ug/L	metaTRACE
1	METHYLENE CHLORIDE	5 ug/L	metaTRACE
0	BROMOMETHANE	10 ug/L	metaTRACE
0	CHLOROMETHANE	10 ug/L	metaTRACE
0	CHLORIDE	2600 ug/L	metaTRACE
0	CHLOROBENZENE	5 ug/L	metaTRACE
0	COBALT	10 ug/L	metaTRACE
0	CHROMIUM	10 ug/L	metaTRACE
0	COPPER	10 ug/L	metaTRACE
0	CYANIDE	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	5 ug/L	metaTRACE
0	CHLOROETHANE	10 ug/L	metaTRACE
0	BENZENE	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	5 ug/L	metaTRACE
0	ENDRIN	0.006 ug/L	metaTRACE
0	ETHYLBENZENE	5 ug/L	metaTRACE
0	FLUORIDE	250 ug/L	metaTRACE
0	IRON	28 ug/L	metaTRACE
0	MERCURY	0.20 ug/L	metaTRACE
0	POTASSIUM	5000 ug/L	metaTRACE
0	TOLUENE	5 ug/L	metaTRACE
0	MAGNESIUM	296 ug/L	metaTRACE
0	MANGANESE	25 ug/L	metaTRACE
1	SODIUM	7356 ug/L	metaTRACE
0	NICKEL	6 ug/L	metaTRACE
0	NITRATE AS NITROGEN	230 ug/L	metaTRACE
0	LEAD	3 ug/L	metaTRACE
0	PHENOLS	5 ug/L	metaTRACE
0	ANTIMONY	10 ug/L	metaTRACE
0	SELENIUM	2 ug/L	metaTRACE
1	SILICON	4415 ug/L	metaTRACE
0	TIN	100 ug/L	metaTRACE
0	SULFATE	8500 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	5.00 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS	44000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	1480 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	5 ug/L	metaTRACE
0	TOTAL PHOSPHATES	72 ug/L	metaTRACE
0	TRICHLOROETHYLENE	5.00 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	5 ug/L	metaTRACE
0	VANADIUM	10 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	5 ug/L	metaTRACE
0	ZINC	18 ug/L	metaTRACE
0	GROSS ALPHA	3 pCi/L	metaTRACE
0	NONVOLATILE BETA	6 pCi/L	metaTRACE
0	TOTAL RADIUM	1 pCi/L	metaTRACE
0	TRITIUM	1 pCi/mL	metaTRACE

WELL HSB132D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/16/89 Time 1300
 Depth to water = 18.24 ft (5.56 m) below the TOC
 Water elevation = 222.46 ft (67.81 m) msl
 pH = 5.3 Alkalinity = 4 mg/L
 Specific conductance = 30 umhos/cm
 Water temperature = 18.8 degrees Celsius
 Water evacuated from the well prior to sampling = 57 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE	27.50 UMAC	metaTRACE
0	PH	5.61 pH	metaTRACE
0	SILVER	2 ug/L	metaTRACE
0	ALUMINUM	35 ug/L	metaTRACE
0	ARSENIC	3 ug/L	metaTRACE
0	BARIUM	25 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	5 ug/L	metaTRACE
0	CALCIUM	2271 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	5.00 ug/L	metaTRACE
0	CADMIUM	4 ug/L	metaTRACE
0	BROMOFORM	5 ug/L	metaTRACE
0	CHLOROFORM	5 ug/L	metaTRACE
0	METHYLENE CHLORIDE	5 ug/L	metaTRACE
0	BROMOMETHANE	10 ug/L	metaTRACE
0	CHLOROMETHANE	10 ug/L	metaTRACE
0	CHLORIDE	2500 ug/L	metaTRACE
0	CHLOROBENZENE	2500 ug/L	metaTRACE
0	COBALT	5 ug/L	metaTRACE
0	CHROMIUM	10 ug/L	metaTRACE
0	COPPER	10 ug/L	metaTRACE
0	CYANIDE	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	5 ug/L	metaTRACE
0	CHLOROETHANE	10 ug/L	metaTRACE
0	BENZENE	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	5 ug/L	metaTRACE
0	ENDRIN	0.006 ug/L	metaTRACE
0	ETHYLBENZENE	5 ug/L	metaTRACE
0	FLUORIDE	250 ug/L	metaTRACE
0	FLUORIDE	250 ug/L	metaTRACE
0	IRON	18 ug/L	metaTRACE
0	MERCURY	0.20 ug/L	metaTRACE
0	POTASSIUM	5000 ug/L	metaTRACE

CONTINUED

WELL HSB1320 COLLECTED ON 07/16/89 LABORATORY ANALYSES CONTINUED

0	TOLUENE	LT	5 ug/L	metaTRACE
0	MAGNESIUM		374 ug/L	metaTRACE
0	MANGANESE		16 ug/L	metaTRACE
0	SODIUM		3323 ug/L	metaTRACE
0	NICKEL	LT	5 ug/L	metaTRACE
0	NITRATE AS NITROGEN		1100 ug/L	metaTRACE
0	NITRATE AS NITROGEN		1100 ug/L	metaTRACE
0	LEAD	LT	3 ug/L	metaTRACE
0	PHENOLS	LT	5 ug/L	metaTRACE
0	ANTIMONY	LT	10 ug/L	metaTRACE
0	SELENIUM	LT	2 ug/L	metaTRACE
1	SILICON		3052 ug/L	metaTRACE
0	TIN	LT	100 ug/L	metaTRACE
0	SULFATE		1100 ug/L	metaTRACE
0	SULFATE		1200 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS		22000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	metaTRACE
1	TOTAL ORGANIC HALOGENS		14 ug/L	metaTRACE
0	TOTAL PHOSPHATES	LT	10 ug/L	metaTRACE
0	TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	VANADIUM	LT	10 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0	ZINC		68 ug/L	metaTRACE
0	CROSS ALPHA	LT	3 pCi/L	metaTRACE
0	NONVOLATILE BETA	LT	6 pCi/L	metaTRACE
0	TOTAL RADIUM	LT	1 pCi/L	metaTRACE
1	TRITIUM		13.00+-2.00 pCi/mL	metaTRACE

WELL HSB1330

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/09/89 Time 1205
 Depth to water = 26.08 ft (7.94 m) below the TOC
 Water elevation = 229.34 ft (69.96 m) msl
 pH = 11.2 Alkalinity = 71 mg/L
 Specific conductance = 410 umhos/cm
 Water temperature = 18.4 degrees Celsius
 Water evacuated from the well prior to sampling = 27 gal
 The well went dry during purging.

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE		688.0 UMHC	metaTRACE
2	PH		11.8 pH	metaTRACE
0	SILVER	LT	2 ug/L	metaTRACE
1	ALUMINUM		194 ug/L	metaTRACE
0	ARSENIC	LT	3 ug/L	metaTRACE
0	BARIUM		41 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
1	CALCIUM		20010 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0	CADMIUM	LT	4 ug/L	metaTRACE
0	BROMOFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	5 ug/L	metaTRACE
0	METHYLENE CHLORIDE	LT	5 ug/L	metaTRACE
0	BROMOMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
0	CHLORIDE		2200 ug/L	metaTRACE
0	CHLOROBENZENE	LT	5 ug/L	metaTRACE
0	COBALT	LT	10 ug/L	metaTRACE
0	CHROMIUM	LT	10 ug/L	metaTRACE
0	COPPER	LT	10 ug/L	metaTRACE
0	CYANIDE	LT	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0	CHLOROETHANE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0	ENORIN	LT	0.006 ug/L	metaTRACE
0	ETHYLBENZENE	LT	5 ug/L	metaTRACE
0	FLUORIDE	LT	250 ug/L	metaTRACE
0	IRON	LT	10 ug/L	metaTRACE
0	MERCURY	LT	0.20 ug/L	metaTRACE
1	POTASSIUM		18330 ug/L	metaTRACE
0	TOLUENE	LT	5 ug/L	metaTRACE
0	MAGNESIUM		173 ug/L	metaTRACE
0	MANGANESE	LT	10 ug/L	metaTRACE
1	SODIUM		15430 ug/L	metaTRACE
0	NICKEL	LT	5 ug/L	metaTRACE
0	NITRATE AS NITROGEN		1700 ug/L	metaTRACE
0	LEAD	LT	3 ug/L	metaTRACE
0	PHENOLS	LT	5 ug/L	metaTRACE
0	ANTIMONY	LT	10 ug/L	metaTRACE
0	SELENIUM	LT	2 ug/L	metaTRACE
1	SILICON		5837 ug/L	metaTRACE
1	SULFATE		10600 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS		69000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON		1680 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS		6 ug/L	metaTRACE
1	TOTAL PHOSPHATES		379 ug/L	metaTRACE
0	TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE

CONTINUED

WELL HSB1330 COLLECTED ON 07/09/89 LABORATORY ANALYSES CONTINUED

0	VANADIUM	LT	10 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0	ZINC		9 ug/L	metaTRACE
0	CROSS ALPHA	LT	4 pCi/L	metaTRACE
1	NONVOLATILE BETA		18.00+-4.00 pCi/L	metaTRACE
0	TOTAL RADIUM	LT	1 pCi/L	metaTRACE
0	TRITIUM		5.30+-0.60 pCi/mL	metaTRACE
0	TRITIUM		5.30+-0.60 pCi/mL	metaTRACE

WELL HSB1330

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/08/89 Time 1525
 Depth to water = 20.44 ft (6.23 m) below the TOC
 Water elevation = 234.86 ft (71.59 m) msl
 pH = 5.8 Alkalinity = 11 mg/L
 Specific conductance = 72 umhos/cm
 Water temperature = 18.1 degrees Celsius
 Water evacuated from the well prior to sampling = 84 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE		177.0 UMHC	metaTRACE
0	PH		5.85 pH	metaTRACE
0	SILVER	LT	2 ug/L	metaTRACE
0	ALUMINUM	LT	35 ug/L	metaTRACE
0	ARSENIC	LT	3 ug/L	metaTRACE
0	BARIUM	LT	25 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
0	CALCIUM		2407 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0	CADMIUM	LT	4 ug/L	metaTRACE
0	BROMOFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	5 ug/L	metaTRACE
0	METHYLENE CHLORIDE	LT	5 ug/L	metaTRACE
0	BROMOMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
0	CHLORIDE		5100 ug/L	metaTRACE
0	CHLOROBENZENE	LT	5 ug/L	metaTRACE
0	COBALT	LT	10 ug/L	metaTRACE
0	CHROMIUM	LT	10 ug/L	metaTRACE
0	COPPER	LT	10 ug/L	metaTRACE
0	CYANIDE	LT	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0	CHLOROETHANE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0	ENORIN	LT	0.606 ug/L	metaTRACE
0	ETHYLBENZENE	LT	5 ug/L	metaTRACE
0	FLUORIDE	LT	250 ug/L	metaTRACE
0	IRON	LT	10 ug/L	metaTRACE
0	MERCURY	LT	0.20 ug/L	metaTRACE
0	POTASSIUM	LT	3000 ug/L	metaTRACE
0	TOLUENE	LT	5 ug/L	metaTRACE
0	MAGNESIUM		148 ug/L	metaTRACE
0	MANGANESE	LT	10 ug/L	metaTRACE
1	SODIUM		9573 ug/L	metaTRACE
0	NICKEL	LT	5 ug/L	metaTRACE
0	NITRATE AS NITROGEN		720 ug/L	metaTRACE
0	LEAD	LT	3 ug/L	metaTRACE
0	PHENOLS	LT	5 ug/L	metaTRACE
0	ANTIMONY	LT	10 ug/L	metaTRACE
0	SELENIUM	LT	2 ug/L	metaTRACE
1	SILICON		459 ug/L	metaTRACE
0	SULFATE		4300 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS		13000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON		1180 ug/L	metaTRACE
1	TOTAL ORGANIC HALOGENS		12 ug/L	metaTRACE
0	TOTAL PHOSPHATES		283 ug/L	metaTRACE
0	TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	VANADIUM	LT	10 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0	ZINC		23 ug/L	metaTRACE
0	CROSS ALPHA	LT	3 pCi/L	metaTRACE
0	CROSS ALPHA	LT	2 pCi/L	Telodyne
0	AMERICIUM-241	LT	0.20 pCi/L	Telodyne
0	AMERICIUM-243	LT	1 pCi/L	Telodyne
0	BARIUM-140	LT	10 pCi/L	Telodyne
0	NONVOLATILE BETA	LT	5 pCi/L	metaTRACE
0	NONVOLATILE BETA		3.40+-1.30 pCi/L	Telodyne
0	BERYLLIUM-7	LT	50 pCi/L	Telodyne
0	CERIUM-141	LT	10 pCi/L	Telodyne
0	CERIUM-144	LT	40 pCi/L	Telodyne
0	CURIUM-242	LT	0.20 pCi/L	Telodyne
1	CURIUM-246		0.38+-0.23 pCi/L	Telodyne
0	CURIUM-243/244	LT	1 pCi/L	Telodyne

CONTINUED

WELL HSB133D COLLECTED ON 07/08/89 LABORATORY ANALYSES CONTINUED

0	COBALT-58	LT	5	pCi/L	Teledyne
0	COBALT-60	LT	5	pCi/L	Teledyne
0	CESIUM-134	LT	5	pCi/L	Teledyne
0	CESIUM-137	LT	5	pCi/L	Teledyne
0	CARBON-14	LT	10	pCi/L	Teledyne
0	IRON-55	LT	200	pCi/L	Teledyne
0	IRON-59	LT	10	pCi/L	Teledyne
0	IODINE-129	LT	1	pCi/L	Teledyne
0	IODINE-131	LT	20	pCi/L	Teledyne
0	POTASSIUM-40	LT	200	pCi/L	Teledyne
0	MANGANESE-54	LT	5	pCi/L	Teledyne
0	NICKEL-59	LT	100	pCi/L	Teledyne
0	NICKEL-63	LT	7	pCi/L	Teledyne
0	PLUTONIUM-238	LT	0.50	pCi/L	Teledyne
1	PLUTONIUM-242	LT	4.70+-1.00	pCi/L	Teledyne
0	PLUTONIUM-239/240	LT	0.50	pCi/L	Teledyne
0	RADIUM-226	LT	90	pCi/L	Teledyne
0	RADIUM-228	LT	1	pCi/L	Teledyne
0	RADIUM-228	LT	0.80	pCi/L	Teledyne
0	RUTHENIUM-103	LT	6	pCi/L	Teledyne
0	RUTHENIUM-106	LT	40	pCi/L	Teledyne
0	STRONTIUM-89	LT	3	pCi/L	Teledyne
0	STRONTIUM-90	LT	1	pCi/L	Teledyne
0	TECHNETIUM-99	LT	5	pCi/L	Teledyne
0	THORIUM-228	LT	8	pCi/L	Teledyne
0	THORIUM-230	LT	1	pCi/L	Teledyne
0	THORIUM-230	LT	0.40	pCi/L	Teledyne
0	THORIUM-232	LT	0.70	pCi/L	Teledyne
0	TOTAL RADIUM	LT	1.30+-0.40	pCi/L	metaTRACE
2	TRITIUM	LT	83.00+-9.00	pCi/mL	metaTRACE
0	URANIUM-235	LT	0.05	pCi/L	Teledyne
0	URANIUM-238	LT	0.20	pCi/L	Teledyne
1	URANIUM-233/234	LT	0.24+-0.18	pCi/L	Teledyne
0	ZINC-65	LT	10	pCi/L	Teledyne
0	ZIRCONIUM-95	LT	6	pCi/L	Teledyne

WELL HSB134C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/18/89 Time 1405
 Depth to water = 17.97 ft (5.48 m) below the TOC
 Water elevation = 220.43 ft (67.19 m) msl
 pH = 5.6 Alkalinity = 4 mg/L
 Specific conductance = 47 umhos/cm
 Water temperature = 19.0 degrees Celsius
 Water evacuated from the well prior to sampling = 205 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE		41.60	UMHC	metaTRACE
0	PH		5.67	pH	metaTRACE
0	SILVER	LT	2	ug/L	metaTRACE
0	SILVER	LT	2	ug/L	metaTRACE
0	ALUMINUM	LT	35	ug/L	metaTRACE
0	ARSENIC	LT	3	ug/L	metaTRACE
2	BARIUM	LT	792	ug/L	metaTRACE
0	BROMODICHLOROMETHANE	LT	5	ug/L	metaTRACE
0	CALCIUM	LT	2893	ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	5	ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00	ug/L	metaTRACE
0	CADMIUM	LT	4	ug/L	metaTRACE
0	BROMOFORM	LT	5	ug/L	metaTRACE
0	CHLOROFORM	LT	5	ug/L	metaTRACE
0	METHYLENE CHLORIDE	LT	5	ug/L	metaTRACE
0	BROMOMETHANE	LT	10	ug/L	metaTRACE
0	CHLOROMETHANE	LT	10	ug/L	metaTRACE
0	CHLORIDE	LT	2900	ug/L	metaTRACE
0	CHLOROBENZENE	LT	5	ug/L	metaTRACE
0	COBALT	LT	10	ug/L	metaTRACE
0	CHROMIUM	LT	10	ug/L	metaTRACE
0	COPPER	LT	10	ug/L	metaTRACE
0	CYANIDE	LT	5	ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5	ug/L	metaTRACE
0	CHLOROETHANE	LT	10	ug/L	metaTRACE
0	BENZENE	LT	5	ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5	ug/L	metaTRACE
0	ENDRIH	LT	0.006	ug/L	metaTRACE
0	ETHYLBENZENE	LT	5	ug/L	metaTRACE
0	FLUORIDE	LT	250	ug/L	metaTRACE
0	IRON	LT	10	ug/L	metaTRACE
0	MERCURY	LT	0.20	ug/L	metaTRACE
0	POTASSIUM	LT	5000	ug/L	metaTRACE
0	TOLUENE	LT	5	ug/L	metaTRACE
0	MAGNESIUM	LT	969	ug/L	metaTRACE
0	MANGANESE	LT	21	ug/L	metaTRACE
0	SODIUM	LT	2583	ug/L	metaTRACE
0	NICKEL	LT	5	ug/L	metaTRACE
0	NICKEL	LT	5	ug/L	metaTRACE
0	NITRATE AS NITROGEN	LT	1600	ug/L	metaTRACE
0	LEAD	LT	3	ug/L	metaTRACE
0	PHENOLS	LT	5	ug/L	metaTRACE
0	ANTIMONY	LT	10	ug/L	metaTRACE
0	SELENIUM	LT	2	ug/L	metaTRACE
1	SILICON	LT	8985	ug/L	metaTRACE
0	SULFATE	LT	1000	ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5	ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	5.00	ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS	LT	47000	ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	LT	1000	ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	LT	5	ug/L	metaTRACE
0	TOTAL PHOSPHATES	LT	14	ug/L	metaTRACE
0	TOTAL PHOSPHATES	LT	10	ug/L	metaTRACE
0	TRICHLOROETHYLENE	LT	5.00	ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	5	ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5	ug/L	metaTRACE

CONTINUED

WELL HSB134C COLLECTED ON 07/18/89 LABORATORY ANALYSES CONTINUED

0	VAMADIUM	LT	10	ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5	ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	5	ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5	ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5	ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	5	ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	5	ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5	ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5	ug/L	metaTRACE
0	ZINC	LT	7	ug/L	metaTRACE
0	GROSS ALPHA	LT	3	pCi/L	metaTRACE
0	NONVOLATILE BETA	LT	6	pCi/L	metaTRACE
0	TOTAL RADIUM	LT	1	pCi/L	metaTRACE
2	TRITIUM	LT	51.00+-6.00	pCi/mL	metaTRACE

WELL HSB134D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/18/89 Time 1335
 Depth to water = 15.50 ft (4.75 m) below the TOC
 Water elevation = 222.50 ft (67.82 m) msl
 pH = 4.4 Alkalinity = 0 mg/L
 Specific conductance = 250 umhos/cm
 Water temperature = 18.7 degrees Celsius
 Water evacuated from the well prior to sampling = 66 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE		224.3	UMHC	metaTRACE	
0	PH		4.44	pH	metaTRACE	
0	SILVER	LT	2	ug/L	metaTRACE	
2	ALUMINUM		444	ug/L	metaTRACE	
0	ARSENIC	LT	3	ug/L	metaTRACE	
0	BARIUM		38	ug/L	metaTRACE	
0	BROMODICHLOROMETHANE	LT	5	ug/L	metaTRACE	
0	CALCIUM		641	ug/L	metaTRACE	
0	TRICHLOROFLUOROMETHANE	LT	5	ug/L	metaTRACE	
0	CARBON TETRACHLORIDE	LT	5.00	ug/L	metaTRACE	
0	CADMIUM	LT	4	ug/L	metaTRACE	
0	BROMOFORM	LT	5	ug/L	metaTRACE	
0	CHLOROFORM	LT	5	ug/L	metaTRACE	
0	METHYLENE CHLORIDE	LT	5	ug/L	metaTRACE	
0	BROMOMETHANE	LT	10	ug/L	metaTRACE	
0	CHLOROMETHANE	LT	10	ug/L	metaTRACE	
0	CHLORIDE		2300	ug/L	metaTRACE	
0	CHLOROBENZENE	LT	5	ug/L	metaTRACE	
0	COBALT	LT	7	ug/L	metaTRACE	
0	CHROMIUM	LT	5	ug/L	metaTRACE	
0	COPPER	LT	10	ug/L	metaTRACE	
0	CYANIDE	LT	5	ug/L	metaTRACE	
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5	ug/L	metaTRACE	
0	CHLOROETHANE	LT	10	ug/L	metaTRACE	
0	BENZENE	LT	5	ug/L	metaTRACE	
0	DIBROMOCHLOROMETHANE	LT	5	ug/L	metaTRACE	
0	ENDRIH	LT	0.006	ug/L	metaTRACE	
0	ETHYLBENZENE	LT	5	ug/L	metaTRACE	
0	FLUORIDE	LT	250	ug/L	metaTRACE	
0	IRON		18	ug/L	metaTRACE	
1	MERCURY		0.40	ug/L	metaTRACE	
0	POTASSIUM	LT	2000	ug/L	metaTRACE	
0	TOLUENE	LT	5	ug/L	metaTRACE	
0	MAGNESIUM		1426	ug/L	metaTRACE	
2	MANGANESE		101	ug/L	metaTRACE	
1	SODIUM		34130	ug/L	metaTRACE	
0	NICKEL	LT	5	ug/L	metaTRACE	
2	NITRATE AS NITROGEN		27000	ug/L	metaTRACE	
0	LEAD		4	ug/L	metaTRACE	
0	PHEOLS	LT	5	ug/L	metaTRACE	
0	ANTIMONY	LT	10	ug/L	metaTRACE	
0	SELENIUM	LT	2	ug/L	metaTRACE	
1	SILICON		3181	ug/L	metaTRACE	
0	SULFATE	LT	1000	ug/L	metaTRACE	
0	1,1,2,2-TETRACHLOROETHANE		5	ug/L	metaTRACE	
0	TETRACHLOROETHYLENE	LT	5.00	ug/L	metaTRACE	
0	TOTAL DISSOLVED SOLIDS		157000	ug/L	metaTRACE	
0	TOTAL ORGANIC CARBON	LT	1000	ug/L	metaTRACE	
0	TOTAL ORGANIC HALOGENS		24	ug/L	metaTRACE	
1	TOTAL PHOSPHATES		10	ug/L	metaTRACE	
2	TRICHLOROETHYLENE	LT	22.0	ug/L	metaTRACE	
0	TRANS-1,2-DICHLOROETHENE	LT	5	ug/L	metaTRACE	
0	TRANS-1,3-DICHLOROPROPENE	LT	5	ug/L	metaTRACE	
0	VAMADIUM	LT	5	ug/L	metaTRACE	
0	1,1-DICHLOROETHYLENE	LT	5	ug/L	metaTRACE	
0	1,1-DICHLOROETHANE	LT	5	ug/L	metaTRACE	
0	1,1,1-TRICHLOROETHANE	LT	5	ug/L	metaTRACE	
0	1,1,2-TRICHLOROETHANE	LT	5	ug/L	metaTRACE	
0	1,2-DICHLOROETHANE	LT	5	ug/L	metaTRACE	
0	1,2-DICHLOROPROPANE	LT	5	ug/L	metaTRACE	
0	CIS-1,3-DICHLOROPROPENE	LT	5	ug/L	metaTRACE	
0	2-CHLOROETHYL VINYL ETHER	LT	5	ug/L	metaTRACE	
0	ZINC		19	ug/L	metaTRACE	
0	GROSS ALPHA	LT	3	pCi/L	metaTRACE	
0	GROSS ALPHA		3.60+-2.00	pCi/L	Teledyne	
0	BARIUM-140	LT	100000	pCi/L	Teledyne	
2	NONVOLATILE BETA		350+-	40	pCi/L	metaTRACE
2	NONVOLATILE BETA		430+-	10	pCi/L	Teledyne
0	BERYLLIUM-7	LT	300	pCi/L	Teledyne	
0	CERIUM-141	LT	200	pCi/L	Teledyne	
0	CERIUM-144	LT	20	pCi/L	Teledyne	
0	COBALT-58	LT	20	pCi/L	Teledyne	
0	COBALT-60	LT	4	pCi/L	Teledyne	
0	CESIUM-134	LT	4	pCi/L	Teledyno	
0	CESIUM-137	LT	3	pCi/L	Teledyne	
1	CARBON-14		13.00+-6.00	pCi/L	Teledyne	
0	IRON-55	LT	90	pCi/L	Teledyne	

CONTINUED

WELL HSB1340 COLLECTED ON 07/18/89 LABORATORY ANALYSES CONTINUED

0	IRON-59	LT	100	pCi/L	Teledyne
1	IODINE-129		6.60+-1.40	pCi/L	Teledyne
0	POTASSIUM-40	LT	90	pCi/L	Teledyne
0	MANGANESE-54	LT	5	pCi/L	Teledyne
0	NICKEL-59	LT	100	pCi/L	Teledyne
0	NICKEL-63	LT	10	pCi/L	Teledyne
0	RADIUM-226	LT	40	pCi/L	Teledyne
0	RUTHENIUM-103	LT	70	pCi/L	Teledyne
0	RUTHENIUM-106	LT	40	pCi/L	Teledyne
0	STRONTIUM-89	LT	900	pCi/L	Teledyne
1	STRONTIUM-90		300+-	10 pCi/L	Teledyne
1	TECHNETIUM-99		19.00+-4.00	pCi/L	Teledyne
0	THORIUM-232	LT	5	pCi/L	Teledyne
0	TOTAL RADIUM		1.40+-0.30	pCi/mL	metaTRACE
2	TRITIUM		2800+-	300 pCi/mL	metaTRACE
0	ZINC-65	LT	10	pCi/L	Teledyne
0	ZIRCONIUM-95	LT	20	pCi/L	Teledyne

WELL HSB1350

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/15/89 Time 1420
 Depth to water = 25.97 ft (7.92 m) below the TOC
 Water elevation = 206.03 ft (62.80 m) msl
 pH = 7.8 Alkalinity = 71 mg/L
 Specific conductance = 230 umhos/cm
 Water temperature = 19.2 degrees Celsius
 Water evacuated from the well prior to sampling = 168 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE		183.3	UMHC	metaTRACE
1	SPECIFIC CONDUCTANCE		183.3	UMHC	metaTRACE
1	PH		7.93	pH	metaTRACE
1	PH		7.93	pH	metaTRACE
0	SILVER	LT	2	ug/L	metaTRACE
0	ALUMINUM	LT	35	ug/L	metaTRACE
0	ALUMINUM	LT	35	ug/L	metaTRACE
0	ARSENIC	LT	3	ug/L	metaTRACE
0	ARSENIC	LT	3	ug/L	metaTRACE
0	BARIUM		18	ug/L	metaTRACE
0	BARIUM	LT	3	ug/L	metaTRACE
0	BROMODICHLOROMETHANE	LT	5	ug/L	metaTRACE
1	CALCIUM		33010	ug/L	metaTRACE
1	CALCIUM		31290	ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	5	ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00	ug/L	metaTRACE
0	CADMIUM	LT	4	ug/L	metaTRACE
0	CADMIUM	LT	4	ug/L	metaTRACE
0	BROMOFORM	LT	5	ug/L	metaTRACE
0	CHLOROFORM	LT	5	ug/L	metaTRACE
0	METHYLENE CHLORIDE	LT	5	ug/L	metaTRACE
0	BROMOMETHANE	LT	10	ug/L	metaTRACE
0	CHLOROMETHANE	LT	10	ug/L	metaTRACE
0	CHLORIDE		2500	ug/L	metaTRACE
0	CHLORIDE		2500	ug/L	metaTRACE
0	CHLOROBENZENE	LT	5	ug/L	metaTRACE
0	COBALT	LT	10	ug/L	metaTRACE
0	COBALT	LT	10	ug/L	metaTRACE
0	CHROMIUM	LT	10	ug/L	metaTRACE
0	CHROMIUM	LT	10	ug/L	metaTRACE
0	COPPER	LT	10	ug/L	metaTRACE
0	COPPER	LT	10	ug/L	metaTRACE
0	CYANIDE	LT	5	ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5	ug/L	metaTRACE
0	CHLOROETHANE	LT	10	ug/L	metaTRACE
0	BENZENE	LT	5	ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5	ug/L	metaTRACE
0	ENDRIN	LT	0.006	ug/L	metaTRACE
0	ETHYLBENZENE	LT	5	ug/L	metaTRACE
0	FLUORIDE	LT	250	ug/L	metaTRACE
0	FLUORIDE	LT	250	ug/L	metaTRACE
0	IRON		21	ug/L	metaTRACE
0	IRON		24	ug/L	metaTRACE
0	MERCURY	LT	0.20	ug/L	metaTRACE
0	POTASSIUM	LT	5000	ug/L	metaTRACE
0	POTASSIUM	LT	5000	ug/L	metaTRACE
0	TOLUENE	LT	5	ug/L	metaTRACE
0	MAGNESIUM		462	ug/L	metaTRACE
0	MAGNESIUM		451	ug/L	metaTRACE
0	MANGANESE	LT	10	ug/L	metaTRACE
0	MANGANESE	LT	10	ug/L	metaTRACE
0	SODIUM		1825	ug/L	metaTRACE
0	SODIUM		1833	ug/L	metaTRACE
0	NICKEL	LT	5	ug/L	metaTRACE
0	NITRATE AS NITROGEN		930	ug/L	metaTRACE
0	NITRATE AS NITROGEN		950	ug/L	metaTRACE
0	LEAD	LT	3	ug/L	metaTRACE
0	LEAD	LT	3	ug/L	metaTRACE
0	PHENOLS	LT	5	ug/L	metaTRACE
0	ANTIMONY	LT	10	ug/L	metaTRACE
0	SELENIUM	LT	2	ug/L	metaTRACE
0	SELENIUM	LT	2	ug/L	metaTRACE
1	SILICON		12170	ug/L	metaTRACE
1	SILICON		7391	ug/L	metaTRACE
0	SULFATE		1300	ug/L	metaTRACE
0	SULFATE		1300	ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5	ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	5.00	ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS		148000	ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS		137000	ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	LT	1000	ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	LT	5	ug/L	metaTRACE
1	TOTAL PHOSPHATES		350	ug/L	metaTRACE
0	TRICHLOROETHYLENE	LT	5.00	ug/L	metaTRACE

CONTINUED

WELL HSB1350 COLLECTED ON 07/15/89 LABORATORY ANALYSES CONTINUED

0	TRANS-1,2-DICHLOROETHENE	LT	5	ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5	ug/L	metaTRACE
0	VANADIUM	LT	10	ug/L	metaTRACE
0	VANADIUM	LT	10	ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5	ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	5	ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5	ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5	ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	5	ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	5	ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5	ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5	ug/L	metaTRACE
0	ZINC		9	ug/L	metaTRACE
0	ZINC		5	ug/L	metaTRACE
0	GROSS ALPHA	LT	4	pCi/L	metaTRACE
0	NONVOLATILE BETA	LT	6	pCi/L	metaTRACE
0	TOTAL RADIUM		1.00+-0.30	pCi/L	metaTRACE
2	TRITIUM		47.00+-5.00	pCi/mL	metaTRACE

WELL HSB1350

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/15/89 Time 1400
 Depth to water = 13.48 ft (4.11 m) below the TOC
 Water elevation = 218.82 ft (66.70 m) msl
 pH = 5.0 Alkalinity = 2 mg/L
 Specific conductance = 126 umhos/cm
 Water temperature = 20.4 degrees Celsius
 Water evacuated from the well prior to sampling = 64 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE		99.20	UMHC	metaTRACE
0	PH		4.93	pH	metaTRACE
0	SILVER	LT	2	ug/L	metaTRACE
0	ALUMINUM		44	ug/L	metaTRACE
0	ARSENIC	LT	3	ug/L	metaTRACE
0	BARIUM	LT	25	ug/L	metaTRACE
0	BROMODICHLOROMETHANE	LT	5	ug/L	metaTRACE
0	CALCIUM		418	ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	5	ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00	ug/L	metaTRACE
0	CADMIUM	LT	4	ug/L	metaTRACE
0	BROMOFORM	LT	5	ug/L	metaTRACE
0	CHLOROFORM	LT	5	ug/L	metaTRACE
1	METHYLENE CHLORIDE	JB	3	ug/L	metaTRACE
0	BROMOMETHANE	LT	10	ug/L	metaTRACE
0	CHLOROMETHANE	LT	10	ug/L	metaTRACE
0	CHLORIDE		2300	ug/L	metaTRACE
0	CHLOROBENZENE	LT	5	ug/L	metaTRACE
0	COBALT	LT	10	ug/L	metaTRACE
0	CHROMIUM	LT	10	ug/L	metaTRACE
0	COPPER	LT	10	ug/L	metaTRACE
0	CYANIDE	LT	5	ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5	ug/L	metaTRACE
0	CHLOROETHANE	LT	10	ug/L	metaTRACE
0	BENZENE	LT	5	ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5	ug/L	metaTRACE
0	ENDRIN	LT	0.006	ug/L	metaTRACE
0	ETHYLBENZENE	LT	5	ug/L	metaTRACE
0	FLUORIDE	LT	250	ug/L	metaTRACE
0	IRON		19	ug/L	metaTRACE
0	MERCURY	LT	0.20	ug/L	metaTRACE
0	POTASSIUM	LT	5000	ug/L	metaTRACE
0	TOLUENE	LT	5	ug/L	metaTRACE
0	MAGNESIUM		338	ug/L	metaTRACE
0	MANGANESE	LT	10	ug/L	metaTRACE
1	SODIUM		17960	ug/L	metaTRACE
0	NICKEL	LT	5	ug/L	metaTRACE
2	NITRATE AS NITROGEN		11000	ug/L	metaTRACE
0	LEAD	LT	3	ug/L	metaTRACE
0	PHENOLS	LT	5	ug/L	metaTRACE
0	ANTIMONY	LT	10	ug/L	metaTRACE
0	SELENIUM	LT	2	ug/L	metaTRACE
1	SILICON		2174	ug/L	metaTRACE
0	SULFATE	LT	1000	ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5	ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	5.00	ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS		79000	ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	LT	1000	ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	LT	5	ug/L	metaTRACE
0	TOTAL PHOSPHATES	LT	10	ug/L	metaTRACE
0	TRICHLOROETHYLENE	LT	5.00	ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	5	ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5	ug/L	metaTRACE
0	VANADIUM	LT	10	ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5	ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	5	ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5	ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5	ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	5	ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	5	ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5	ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5	ug/L	metaTRACE
0	ZINC		14	ug/L	metaTRACE
0	GROSS ALPHA	LT	3	pCi/L	metaTRACE
1	NONVOLATILE BETA		37.00+-5.00	pCi/L	metaTRACE
0	TOTAL RADIUM	LT	1	pCi/L	metaTRACE
0	TOTAL RADIUM		1.00+-0.30	pCi/L	metaTRACE
2	TRITIUM		860+-	90 pCi/mL	metaTRACE
2	TRITIUM		820+-	90 pCi/mL	metaTRACE

WELL HSB136C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/18/89 Time 1635
 Depth to water = 11.17 ft (3.40 m) below the TOC
 Water elevation = 216.73 ft (66.06 m) ms1
 pH = 6.4 Alkalinity = 15 mg/L
 Specific conductance = 520 umhos/cm
 Water temperature = 20.7 degrees Celsius
 Water evacuated from the well prior to sampling = 161 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	506.2 UMMC	metaTRACE
1	PH	6.51	metaTRACE
0	SILVER	2 ug/L	metaTRACE
0	ALUMINUM	59 ug/L	metaTRACE
0	ARSENIC	3 ug/L	metaTRACE
1	BARIUM	86 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	5 ug/L	metaTRACE
1	CALCIUM	18140 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	5.00 ug/L	metaTRACE
0	CADMIUM	4 ug/L	metaTRACE
0	BROMOFORM	5 ug/L	metaTRACE
0	CHLOROFORM	5 ug/L	metaTRACE
0	METHYLENE CHLORIDE	5 ug/L	metaTRACE
0	BROMOMETHANE	10 ug/L	metaTRACE
0	CHLOROMETHANE	10 ug/L	metaTRACE
0	CHLORIDE	4200 ug/L	metaTRACE
0	CHLOROBENZENE	5 ug/L	metaTRACE
0	COBALT	7 ug/L	metaTRACE
0	CHROMIUM	5 ug/L	metaTRACE
0	COPPER	10 ug/L	metaTRACE
0	CYANIDE	5 ug/L	metaTRACE
0	CYANIDE	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	5 ug/L	metaTRACE
0	CHLOROETHANE	10 ug/L	metaTRACE
0	BENZENE	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	5 ug/L	metaTRACE
0	ENDRIN	0.006 ug/L	metaTRACE
0	ETHYLBENZENE	5 ug/L	metaTRACE
0	FLUORIDE	250 ug/L	metaTRACE
0	IRON	15 ug/L	metaTRACE
0	MERCURY	0.20 ug/L	metaTRACE
0	POTASSIUM	4627 ug/L	metaTRACE
0	TOLUENE	5 ug/L	metaTRACE
0	MAGNESIUM	3990 ug/L	metaTRACE
2	MANGANESE	84 ug/L	metaTRACE
1	SODIUM	58930 ug/L	metaTRACE
0	NICKEL	5 ug/L	metaTRACE
2	NITRATE AS NITROGEN	54000 ug/L	metaTRACE
0	LEAD	8 ug/L	metaTRACE
0	PHENOLS	5 ug/L	metaTRACE
0	PHENOLS	5 ug/L	metaTRACE
0	ANTIMONY	10 ug/L	metaTRACE
1	SELENIUM	2 ug/L	metaTRACE
1	SILICON	4516 ug/L	metaTRACE
0	SULFATE	1100 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	5.00 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS	398000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	1000 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	7 ug/L	metaTRACE
0	TOTAL PHOSPHATES	10 ug/L	metaTRACE
0	TOTAL PHOSPHATES	75 ug/L	metaTRACE
2	TRICHLOROETHYLENE	39.0 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	5 ug/L	metaTRACE
0	VANADIUM	5 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	5 ug/L	metaTRACE
0	ZINC	63 ug/L	metaTRACE
0	GROSS ALPHA	3 pCi/L	metaTRACE
2	NONVOLATILE BETA	150+- 20 pCi/L	metaTRACE
1	TOTAL RADIUM	2.80+-0.40 pCi/L	metaTRACE
2	TRITIUM	10000+-1000 pCi/mL	metaTRACE

WELL HSB136D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/19/89 Time 1325
 Depth to water = 6.45 ft (1.97 m) below the TOC
 Water elevation = 221.55 ft (67.53 m) ms1
 pH = 4.0 Alkalinity = 0 mg/L
 Specific conductance = 400 umhos/cm
 Water temperature = 19.3 degrees Celsius
 Water evacuated from the well prior to sampling = 75 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	242.9 UMMC	metaTRACE
1	PH	3.98	metaTRACE
0	SILVER	2 ug/L	metaTRACE
2	ALUMINUM	4240 ug/L	metaTRACE
0	ARSENIC	3 ug/L	metaTRACE
1	BARIUM	89 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	5 ug/L	metaTRACE
0	CALCIUM	3623 ug/L	metaTRACE

CONTINUED

WELL HSB136D COLLECTED ON 07/19/89 LABORATORY ANALYSES CONTINUED

0	TRICHLOROFLUOROMETHANE	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	5.00 ug/L	metaTRACE
0	CADMIUM	4 ug/L	metaTRACE
0	BROMOFORM	5 ug/L	metaTRACE
0	CHLOROFORM	5 ug/L	metaTRACE
0	METHYLENE CHLORIDE	5 ug/L	metaTRACE
0	BROMOMETHANE	10 ug/L	metaTRACE
0	CHLOROMETHANE	10 ug/L	metaTRACE
0	CHLORIDE	2100 ug/L	metaTRACE
0	CHLOROBENZENE	5 ug/L	metaTRACE
1	COBALT	11 ug/L	metaTRACE
0	CHROMIUM	5 ug/L	metaTRACE
0	COPPER	20 ug/L	metaTRACE
0	CYANIDE	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	5 ug/L	metaTRACE
0	CHLOROETHANE	10 ug/L	metaTRACE
0	BENZENE	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	5 ug/L	metaTRACE
0	ENDRIN	0.006 ug/L	metaTRACE
0	ETHYLBENZENE	5 ug/L	metaTRACE
0	FLUORIDE	480 ug/L	metaTRACE
0	IRON	34 ug/L	metaTRACE
0	MERCURY	0.20 ug/L	metaTRACE
0	POTASSIUM	2261 ug/L	metaTRACE
0	TOLUENE	5 ug/L	metaTRACE
0	MAGNESIUM	1211 ug/L	metaTRACE
2	MANGANESE	433 ug/L	metaTRACE
1	SODIUM	36920 ug/L	metaTRACE
1	NICKEL	19 ug/L	metaTRACE
2	NITRATE AS NITROGEN	40000 ug/L	metaTRACE
0	LEAD	11 ug/L	metaTRACE
0	PHENOLS	5 ug/L	metaTRACE
0	ANTIMONY	10 ug/L	metaTRACE
0	SELENIUM	2 ug/L	metaTRACE
1	SILICON	6296 ug/L	metaTRACE
0	SULFATE	1500 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	5.00 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS	192000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	1000 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	7 ug/L	metaTRACE
0	TOTAL PHOSPHATES	10 ug/L	metaTRACE
2	TRICHLOROETHYLENE	21.0 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	5 ug/L	metaTRACE
0	VANADIUM	5 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	5 ug/L	metaTRACE
0	ZINC	128 ug/L	metaTRACE
2	GROSS ALPHA	27.00+-5.00 pCi/L	metaTRACE
2	NONVOLATILE BETA	3100+- 400 pCi/L	metaTRACE
2	TOTAL RADIUM	22.00+-3.00 pCi/L	metaTRACE
2	TRITIUM	14000+-2000 pCi/mL	metaTRACE
2	TRITIUM	14200+-2000 pCi/mL	metaTRACE

WELL HSB137C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/19/89 Time 1300
 Depth to water = 15.16 ft (4.62 m) below the TOC
 Water elevation = 220.84 ft (67.31 m) ms1
 pH = 5.7 Alkalinity = 9 mg/L
 Specific conductance = 550 umhos/cm
 Water temperature = 21.2 degrees Celsius
 Water evacuated from the well prior to sampling = 163 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	510.7 UMMC	metaTRACE
0	PH	6.04	metaTRACE
0	SILVER	2 ug/L	metaTRACE
0	ALUMINUM	68 ug/L	metaTRACE
0	ARSENIC	3 ug/L	metaTRACE
1	BARIUM	62 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	5 ug/L	metaTRACE
1	CALCIUM	25450 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	5.00 ug/L	metaTRACE
0	CADMIUM	4 ug/L	metaTRACE
0	BROMOFORM	5 ug/L	metaTRACE
0	CHLOROFORM	5 ug/L	metaTRACE
0	METHYLENE CHLORIDE	5 ug/L	metaTRACE
0	BROMOMETHANE	10 ug/L	metaTRACE
0	CHLOROMETHANE	10 ug/L	metaTRACE
0	CHLORIDE	4100 ug/L	metaTRACE
0	CHLOROBENZENE	5 ug/L	metaTRACE
0	COBALT	7 ug/L	metaTRACE
0	CHROMIUM	5 ug/L	metaTRACE
0	COPPER	10 ug/L	metaTRACE
0	CYANIDE	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	5 ug/L	metaTRACE
0	CHLOROETHANE	10 ug/L	metaTRACE
0	BENZENE	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	5 ug/L	metaTRACE
0	ENDRIN	0.006 ug/L	metaTRACE
0	ETHYLBENZENE	5 ug/L	metaTRACE
0	FLUORIDE	250 ug/L	metaTRACE
0	IRON	27 ug/L	metaTRACE
0	MERCURY	0.20 ug/L	metaTRACE

CONTINUED

WELL HSB137C COLLECTED ON 07/19/89 LABORATORY ANALYSES CONTINUED

0	POTASSIUM	LT	2000	ug/L	metaTRACE
0	TOLUENE	LT	5	ug/L	metaTRACE
0	MAGNESIUM	LT	4502	ug/L	metaTRACE
2	MANGANESE	LT	129	ug/L	metaTRACE
1	SODIUM	LT	55260	ug/L	metaTRACE
0	NICKEL	LT	5	ug/L	metaTRACE
2	NITRATE AS NITROGEN	LT	61000	ug/L	metaTRACE
0	LEAD	LT	5	ug/L	metaTRACE
0	PHENOLS	LT	5	ug/L	metaTRACE
0	ANTIMONY	LT	10	ug/L	metaTRACE
0	SELENIUM	LT	2	ug/L	metaTRACE
1	SILICON	LT	4472	ug/L	metaTRACE
0	SULFATE	LT	3300	ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5	ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	5.00	ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS	LT	427000	ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	LT	1000	ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	LT	5	ug/L	metaTRACE
0	TOTAL PHOSPHATES	LT	11	ug/L	metaTRACE
2	TRICHLOROETHYLENE	LT	21.0	ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	5	ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5	ug/L	metaTRACE
0	VARADILUM	LT	5	ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5	ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	5	ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5	ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5	ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	5	ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	5	ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5	ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5	ug/L	metaTRACE
0	ZINC	LT	34	ug/L	metaTRACE
0	GROSS ALPHA	LT	3	pCi/L	metaTRACE
2	NONVOLATILE BETA	LT	150+-	20 pCi/L	metaTRACE
0	TOTAL RADIUM	LT	1.10+-0.20	pCi/L	metaTRACE
2	TRITIUM	LT	8600+-	900 pCi/mL	metaTRACE

WELL HSB137D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/19/89 Time 1015
 Depth to water = 13.34 ft (4.07 m) below the TOC
 Water elevation = 223.26 ft (68.05 m) msl
 pH = 5.0 Alkalinity = 0 mg/L
 Specific conductance = 150 umhos/cm
 Water temperature = 18.5 degrees Celsius
 Water evacuated from the well prior to sampling = 62 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE		156.5	UMHC	metaTRACE
0	PH		5.11	pH	metaTRACE
0	SILVER	LT	2	ug/L	metaTRACE
1	ALUMINUM		150	ug/L	metaTRACE
0	ARSENIC	LT	3	ug/L	metaTRACE
0	BARIUM		40	ug/L	metaTRACE
0	BROMODICHLOROMETHANE	LY	5	ug/L	metaTRACE
0	CALCIUM		5358	ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	5	ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00	ug/L	metaTRACE
0	CADMIUM	LT	4	ug/L	metaTRACE
0	BROMOFORM	LT	5	ug/L	metaTRACE
0	CHLOROFORM	LT	5	ug/L	metaTRACE
0	METHYLENE CHLORIDE	LT	5	ug/L	metaTRACE
0	BROMOMETHANE	LT	10	ug/L	metaTRACE
0	CHLOROMETHANE	LT	10	ug/L	metaTRACE
0	CHLORIDE		2400	ug/L	metaTRACE
0	CHLOROBENZENE	LT	5	ug/L	metaTRACE
0	COBALT	LT	7	ug/L	metaTRACE
0	CHROMIUM	LT	7	ug/L	metaTRACE
1	COPPER		63	ug/L	metaTRACE
0	CYANIDE		5	ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5	ug/L	metaTRACE
0	CHLOROETHANE	LT	10	ug/L	metaTRACE
0	BENZENE	LT	5	ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5	ug/L	metaTRACE
0	ENDRIN	LT	0.008	ug/L	metaTRACE
0	ETHYLBENZENE	LT	5	ug/L	metaTRACE
0	FLUORIDE	LT	250	ug/L	metaTRACE
0	IRON		67	ug/L	metaTRACE
0	MERCURY	LT	0.20	ug/L	metaTRACE
0	POTASSIUM	LT	2000	ug/L	metaTRACE
0	TOLUENE	LT	5	ug/L	metaTRACE
0	MAGNESIUM		2357	ug/L	metaTRACE
2	MANGANESE		213	ug/L	metaTRACE
1	SODIUM		22660	ug/L	metaTRACE
0	NICKEL		7	ug/L	metaTRACE
2	NITRATE AS NITROGEN		20000	ug/L	metaTRACE
0	LEAD		12	ug/L	metaTRACE
0	PHENOLS	LY	5	ug/L	metaTRACE
0	ANTIMONY	LT	10	ug/L	metaTRACE
0	SELENIUM	LT	2	ug/L	metaTRACE
1	SILICON		3860	ug/L	metaTRACE
0	SULFATE		1300	ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LY	5	ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	5.00	ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS		136000	ug/L	metaTRACE
0	TOTAL ORGANIC CARBON		1000	ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	LT	5	ug/L	metaTRACE
0	TOTAL PHOSPHATES	LT	10	ug/L	metaTRACE
2	TRICHLOROETHYLENE	LT	18.0	ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LY	5	ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5	ug/L	metaTRACE
0	VANADIUM	LT	5	ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5	ug/L	metaTRACE
0	CONTINUED				

CONTINUED

WELL HSB137D COLLECTED ON 07/19/89 LABORATORY ANALYSES CONTINUED

0	1,1-DICHLOROETHANE	LT	5	ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5	ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5	ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	5	ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	5	ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5	ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5	ug/L	metaTRACE
0	ZINC	LT	132	ug/L	metaTRACE
0	GROSS ALPHA	LT	4.20+-2.30	pCi/L	metaTRACE
0	GROSS ALPHA	LT	2	pCi/L	Teledyne
0	BARIUM-140	LT	80000	pCi/L	Teledyne
2	NONVOLATILE BETA	LT	560+-	60 pCi/L	metaTRACE
2	NONVOLATILE BETA	LT	550+-	10 pCi/L	Teledyne
0	BERYLLIUM-7	LT	200	pCi/L	Teledyne
0	CERIUM-141	LT	100	pCi/L	Teledyne
0	CERIUM-144	LT	20	pCi/L	Teledyne
0	COBALT-58	LT	20	pCi/L	Teledyne
1	COBALT-60	LT	25.00+-5.00	pCi/L	Teledyne
0	CESIUM-134	LT	4	pCi/L	Teledyne
0	CESIUM-137	LT	3	pCi/L	Teledyne
1	CARBON-14	LT	21.00+-4.00	pCi/L	Teledyne
0	IRON-55	LT	70	pCi/L	Teledyne
0	IRON-59	LT	100	pCi/L	Teledyne
1	IODINE-129	LT	5.40+-1.50	pCi/L	Teledyne
0	POTASSIUM-40	LT	90	pCi/L	Teledyne
0	MANGANESE-54	LT	5	pCi/L	Teledyne
0	NICKEL-59	LT	100	pCi/L	Teledyne
1	NICKEL-63	LT	41.00+-7.00	pCi/L	Teledyne
0	RADIUM-226	LT	40	pCi/L	Teledyne
0	RUTHENIUM-103	LT	60	pCi/L	Teledyne
0	RUTHENIUM-106	LT	40	pCi/L	Teledyne
0	STRONTIUM-89	LT	70	pCi/L	Teledyne
1	STRONTIUM-90	LT	270+-	10 pCi/L	Teledyne
1	TECHNETIUM-99	LT	55.00+-	11 pCi/L	Teledyne
0	THORIUM-232	LT	5	pCi/L	Teledyne
1	TOTAL RADIUM	LT	4.80+-0.50	pCi/L	metaTRACE
2	TRITIUM	LT	10000+-1000	pCi/mL	metaTRACE
0	ZINC-65	LT	10	pCi/L	Teledyne
0	ZIRCONIUM-95	LT	20	pCi/L	Teledyne

WELL HSB138D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/11/89 Time 1040
 Depth to water = 29.23 ft (8.91 m) below the TOC
 Water elevation = 223.17 ft (68.02 m) msl
 pH = 5.0 Alkalinity = 7 mg/L
 Specific conductance = 240 umhos/cm
 Water temperature = 19.4 degrees Celsius
 Water evacuated from the well prior to sampling = 54 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE		207.2	UMHC	metaTRACE
0	PH		4.98	pH	metaTRACE
0	SILVER	LT	2	ug/L	metaTRACE
1	ALUMINUM		205	ug/L	metaTRACE
0	ARSENIC	LT	3	ug/L	metaTRACE
0	BARIUM	LT	25	ug/L	metaTRACE
0	BROMODICHLOROMETHANE	LT	5	ug/L	metaTRACE
0	CALCIUM	LT	2086	ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	5	ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00	ug/L	metaTRACE
0	CADMIUM	LT	4	ug/L	metaTRACE
0	BROMOFORM	LT	5	ug/L	metaTRACE
1	CHLOROFORM	LT	7	ug/L	metaTRACE
1	METHYLENE CHLORIDE	B	95	ug/L	metaTRACE
0	BROMOMETHANE	LT	10	ug/L	metaTRACE
0	CHLOROMETHANE	LT	10	ug/L	metaTRACE
0	CHLORIDE		2800	ug/L	metaTRACE
0	CHLOROBENZENE	LT	5	ug/L	metaTRACE
0	COBALT	LT	10	ug/L	metaTRACE
0	CHROMIUM	LT	10	ug/L	metaTRACE
0	COPPER	LT	10	ug/L	metaTRACE
0	CYANIDE	LT	5	ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5	ug/L	metaTRACE
0	CHLOROETHANE	LT	10	ug/L	metaTRACE
0	BENZENE	LT	5	ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5	ug/L	metaTRACE
0	ENDRIN	LT	0.006	ug/L	metaTRACE
0	ETHYLBENZENE	LT	5	ug/L	metaTRACE
0	FLUORIDE	LT	250	ug/L	metaTRACE
0	IRON		43	ug/L	metaTRACE
0	MERCURY		0.23	ug/L	metaTRACE
0	POTASSIUM	LT	5000	ug/L	metaTRACE
0	TOLUENE	LT	5	ug/L	metaTRACE
0	MAGNESIUM		1272	ug/L	metaTRACE
0	MANGANESE		23	ug/L	metaTRACE
1	SODIUM		34890	ug/L	metaTRACE
0	NICKEL	LT	5	ug/L	metaTRACE
2	NITRATE AS NITROGEN		25000	ug/L	metaTRACE
0	LEAD	LT	3	ug/L	metaTRACE
0	PHENOLS	LT	5	ug/L	metaTRACE
0	ANTIMONY	LT	10	ug/L	metaTRACE
0	SELENIUM	LT	2	ug/L	metaTRACE
1	SILICON		2838	ug/L	metaTRACE
0	SULFATE	LT	1000	ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5	ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	5.00	ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS		153000	ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	LT	1000	ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	LT	1000	ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	LT	5	ug/L	metaTRACE
0	TOTAL PHOSPHATES	LT	10	ug/L	metaTRACE
0	TRICHLOROETHYLENE	LT	5.00	ug/L	metaTRACE

CONTINUED

WELL HSB1380 COLLECTED ON 07/11/89 LABORATORY ANALYSES CONTINUED

0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	VANADIUM	LT	10 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0	ZINC	LT	17 ug/L	metaTRACE
1	GROSS ALPHA		8.10+-3.60 pCi/L	metaTRACE
2	NONVOLATILE BETA		74.00+-8.00 pCi/L	metaTRACE
2	NONVOLATILE BETA		77.00+-9.00 pCi/L	metaTRACE
1	TOTAL RADIUM		4.20+-0.30 pCi/L	metaTRACE
2	TRITIUM		4800+-500 pCi/mL	metaTRACE

WELL HSB139A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/08/89 Time 1100
 Depth to water = 61.98 ft (18.89 m) below the TOC
 Water elevation = 171.72 ft (52.34 m) msl
 pH = 8.2 Alkalinity = 79 mg/L
 Specific conductance = 250 umhos/cm
 Water temperature = 18.7 degrees Celsius
 Water evacuated from the well prior to sampling = 234 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE		228.0 UMC	metaTRACE
1	PH		7.98 pH	metaTRACE
0	SILVER	LT	2 ug/L	metaTRACE
0	ALUMINUM	LT	35 ug/L	metaTRACE
0	ALUMINUM	LT	35 ug/L	metaTRACE
0	ARSENIC	LT	3 ug/L	metaTRACE
0	ARSENIC	LT	3 ug/L	metaTRACE
0	BARIUM	LT	26 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	LT	26 ug/L	metaTRACE
1	CALCIUM		33430 ug/L	metaTRACE
1	CALCIUM		32970 ug/L	metaTRACE
0	TRICHLOROFUOROMETHANE	LT	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0	CADMIUM	LT	4 ug/L	metaTRACE
0	CADMIUM	LT	4 ug/L	metaTRACE
0	BROMOFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	5 ug/L	metaTRACE
0	METHYLENE CHLORIDE	LT	5 ug/L	metaTRACE
0	BROMOMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
0	CHLORIDE		1800 ug/L	metaTRACE
0	CHLORIDE		1800 ug/L	metaTRACE
0	CHLOROBENZENE	LT	5 ug/L	metaTRACE
0	COBALT	LT	10 ug/L	metaTRACE
0	COBALT	LT	10 ug/L	metaTRACE
0	CHROMIUM	LT	10 ug/L	metaTRACE
0	CHROMIUM	LT	10 ug/L	metaTRACE
0	COPPER	LT	10 ug/L	metaTRACE
0	COPPER	LT	10 ug/L	metaTRACE
0	CYANIDE	LT	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0	CHLOROETHANE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0	ENDRIN	LT	0.006 ug/L	metaTRACE
0	ETHYLBENZENE	LT	5 ug/L	metaTRACE
0	FLUORIDE	LT	250 ug/L	metaTRACE
0	FLUORIDE	LT	250 ug/L	metaTRACE
0	IRON	LT	10 ug/L	metaTRACE
0	IRON	LT	10 ug/L	metaTRACE
0	MERCURY	LT	0.20 ug/L	metaTRACE
0	POTASSIUM	LT	5000 ug/L	metaTRACE
0	POTASSIUM	LT	5000 ug/L	metaTRACE
0	TOLUENE	LT	5 ug/L	metaTRACE
0	MAGNESIUM		761 ug/L	metaTRACE
0	MAGNESIUM		754 ug/L	metaTRACE
0	MANGANESE	LT	10 ug/L	metaTRACE
0	MANGANESE	LT	10 ug/L	metaTRACE
0	SODIUM		3534 ug/L	metaTRACE
0	SODIUM		3539 ug/L	metaTRACE
0	NICKEL	LT	5 ug/L	metaTRACE
0	NITRATE AS NITROGEN	LT	230 ug/L	metaTRACE
0	NITRATE AS NITROGEN	LT	230 ug/L	metaTRACE
0	LEAD	LT	3 ug/L	metaTRACE
0	LEAD	LT	3 ug/L	metaTRACE
0	PHENOLS	LT	5 ug/L	metaTRACE
0	ANTIMONY	LT	10 ug/L	metaTRACE
0	ANTIMONY	LT	10 ug/L	metaTRACE
0	SELENIUM	LT	2 ug/L	metaTRACE
0	SELENIUM	LT	2 ug/L	metaTRACE
1	SILICON		17290 ug/L	metaTRACE
1	SILICON		17320 ug/L	metaTRACE
0	SULFATE		4300 ug/L	metaTRACE
0	SULFATE		4300 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS		164000 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS		169000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON		1550 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	metaTRACE
0	TOTAL PHOSPHATES		38 ug/L	metaTRACE
0	TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE

CONTINUED

WELL HSB139A COLLECTED ON 07/08/89 LABORATORY ANALYSES CONTINUED

0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	VANADIUM	LT	10 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0	ZINC		14 ug/L	metaTRACE
0	ZINC		12 ug/L	metaTRACE
0	GROSS ALPHA	LT	2 pCi/L	metaTRACE
0	NONVOLATILE BETA	LT	6 pCi/L	metaTRACE
0	TOTAL RADIUM	LT	1 pCi/L	metaTRACE
0	TRITIUM	LT	1 pCi/mL	metaTRACE

WELL HSB139C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/09/89 Time 935
 Depth to water = 19.24 ft (5.86 m) below the TOC
 Water elevation = 214.56 ft (65.40 m) msl
 pH = 5.9 Alkalinity = 8 mg/L
 Specific conductance = 450 umhos/cm
 Water temperature = 18.5 degrees Celsius
 Water evacuated from the well prior to sampling = 31 gal
 The well went dry during purging.

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE		430.0 UMC	metaTRACE
0	PH		6.00 pH	metaTRACE
0	SILVER	LT	2 ug/L	metaTRACE
0	ALUMINUM	LT	35 ug/L	metaTRACE
0	ARSENIC	LT	3 ug/L	metaTRACE
0	ARSENIC	LT	3 ug/L	metaTRACE
1	BARIUM		60 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
1	CALCIUM		18310 ug/L	metaTRACE
0	TRICHLOROFUOROMETHANE	LT	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0	CADMIUM	LT	4 ug/L	metaTRACE
0	BROMOFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	5 ug/L	metaTRACE
1	METHYLENE CHLORIDE	JB	3 ug/L	metaTRACE
0	BROMOMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
0	CHLORIDE		5600 ug/L	metaTRACE
0	CHLOROBENZENE	LT	5 ug/L	metaTRACE
0	COBALT	LT	10 ug/L	metaTRACE
0	CHROMIUM	LT	10 ug/L	metaTRACE
0	COPPER	LT	10 ug/L	metaTRACE
0	CYANIDE	LT	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0	CHLOROETHANE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0	ENDRIN	LT	0.006 ug/L	metaTRACE
0	ETHYLBENZENE	LT	5 ug/L	metaTRACE
0	FLUORIDE	LT	250 ug/L	metaTRACE
0	IRON		50 ug/L	metaTRACE
0	MERCURY		0.25 ug/L	metaTRACE
0	POTASSIUM	LT	5000 ug/L	metaTRACE
0	TOLUENE	LT	5 ug/L	metaTRACE
1	MAGNESIUM		5500 ug/L	metaTRACE
2	MANGANESE		219 ug/L	metaTRACE
1	SODIUM		43470 ug/L	metaTRACE
0	NICKEL	LT	5 ug/L	metaTRACE
2	NITRATE AS NITROGEN		47000 ug/L	metaTRACE
0	LEAD	LT	3 ug/L	metaTRACE
0	PHENOLS	LT	5 ug/L	metaTRACE
0	ANTIMONY	LT	10 ug/L	metaTRACE
0	SELENIUM	LT	2 ug/L	metaTRACE
1	SILICON		4770 ug/L	metaTRACE
0	SULFATE		1300 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
2	TETRACHLOROETHYLENE		8.00 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS		427000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON		1140 ug/L	metaTRACE
1	TOTAL ORGANIC HALOGENS		12 ug/L	metaTRACE
0	TOTAL PHOSPHATES		120 ug/L	metaTRACE
0	TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	VANADIUM	LT	10 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0	ZINC		34 ug/L	metaTRACE
0	GROSS ALPHA	LT	8 pCi/L	metaTRACE
1	NONVOLATILE BETA		42.00+-5.00 pCi/L	metaTRACE
0	TOTAL RADIUM		1.60+-0.40 pCi/L	metaTRACE
2	TRITIUM		3000+-300 pCi/mL	metaTRACE

WELL HSB139D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/08/89 Time 1230
 Depth to water = 9.04 ft (2.76 m) below the TOC
 Water elevation = 224.76 ft (68.31 m) msl
 pH = 5.1 Alkalinity = 4 mg/L
 Specific conductance = 32 umhos/cm
 Water temperature = 19.6 degrees Celsius
 Water evacuated from the well prior to sampling = 65 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE	30.00 UMHG	metaTRACE
0	PH	5.11 pH	metaTRACE
0	SILVER	2 ug/L	metaTRACE
0	ALUMINUM	35 ug/L	metaTRACE
0	ARSENIC	3 ug/L	metaTRACE
0	BARIUM	25 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	5 ug/L	metaTRACE
0	CALCIUM	971 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	5.00 ug/L	metaTRACE
0	CADMIUM	4 ug/L	metaTRACE
0	BROMOFORM	5 ug/L	metaTRACE
0	CHLOROFORM	5 ug/L	metaTRACE
0	METHYLENE CHLORIDE	5 ug/L	metaTRACE
0	BROMOMETHANE	10 ug/L	metaTRACE
0	CHLOROMETHANE	10 ug/L	metaTRACE
0	CHLORIDE	2100 ug/L	metaTRACE
0	CHLOROBENZENE	5 ug/L	metaTRACE
0	COBALT	10 ug/L	metaTRACE
0	CHROMIUM	10 ug/L	metaTRACE
0	COPPER	10 ug/L	metaTRACE
0	CYANIDE	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	5 ug/L	metaTRACE
0	CHLOROETHANE	10 ug/L	metaTRACE
0	BENZENE	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	5 ug/L	metaTRACE
0	ENDRIW	0.006 ug/L	metaTRACE
0	ETHYLBENZENE	5 ug/L	metaTRACE
0	FLUORIDE	250 ug/L	metaTRACE
0	IRON	13 ug/L	metaTRACE
0	MERCURY	0.27 ug/L	metaTRACE
0	POTASSIUM	5000 ug/L	metaTRACE
0	TOLUENE	5 ug/L	metaTRACE
0	MAGNESIUM	430 ug/L	metaTRACE
0	MANGANESE	15 ug/L	metaTRACE
0	SODIUM	3116 ug/L	metaTRACE
0	NICKEL	5 ug/L	metaTRACE
2	NITRATE AS NITROGEN	13000 ug/L	metaTRACE
0	LEAD	3 ug/L	metaTRACE
0	PHENOLS	5 ug/L	metaTRACE
0	ANTIMONY	10 ug/L	metaTRACE
0	SELENIUM	2 ug/L	metaTRACE
1	SILICON	3463 ug/L	metaTRACE
0	SULFATE	1700 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	5.00 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS	28000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	1460 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	10 ug/L	metaTRACE
0	TOTAL PHOSPHATES	10 ug/L	metaTRACE
0	TRICHLOROETHYLENE	5.00 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	5 ug/L	metaTRACE
0	VANADIUM	10 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	5 ug/L	metaTRACE
0	ZINC	12 ug/L	metaTRACE
0	GROSS ALPHA	2 pCi/L	metaTRACE
0	GROSS ALPHA	0.90 pCi/L	Teledyne
0	NONVOLATILE BETA	4 pCi/L	metaTRACE
0	NONVOLATILE BETA	1.80+-1.10 pCi/L	Teledyne
0	TOTAL RADIUM	1.00+-0.20 pCi/mL	metaTRACE
2	TRITIUM	72.00+-8.00 pCi/mL	metaTRACE
2	TRITIUM	71.00+-8.00 pCi/mL	metaTRACE
2	TRITIUM	68.00+-7.00 pCi/mL	metaTRACE

WELL HSS 10

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/09/89 Time 1130
 Depth to water = 43.98 ft (13.41 m) below the TOC
 Water elevation = 266.12 ft (81.11 m) msl
 pH = 5.8 Alkalinity = 1 mg/L
 Specific conductance = 27 umhos/cm
 Water temperature = 18.7 degrees Celsius
 Water evacuated from the well prior to sampling = 25 gal
 The well went dry during purging.

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE	23.00 UMHG	Gen. Eng.
0	PH	5.69 pH	Gen. Eng.
0	SILVER	2 ug/L	Gen. Eng.
0	ARSENIC	2 ug/L	Gen. Eng.
0	BARIUM	45 ug/L	Gen. Eng.
0	CALCIUM	966 ug/L	Gen. Eng.
0	CADMIUM	2 ug/L	Gen. Eng.

CONTINUED

WELL HSS 10 COLLECTED ON 08/09/89 LABORATORY ANALYSES CONTINUED

0	CHLORIDE	1600 ug/L	Gen. Eng.
0	CHROMIUM	4 ug/L	Gen. Eng.
0	FLUORIDE	100 ug/L	Gen. Eng.
0	IRON	30 ug/L	Gen. Eng.
0	MERCURY	0.20 ug/L	Gen. Eng.
0	POTASSIUM	1400 ug/L	Gen. Eng.
0	MAGNESIUM	536 ug/L	Gen. Eng.
0	MANGANESE	6 ug/L	Gen. Eng.
0	SODIUM	1810 ug/L	Gen. Eng.
0	NITRITE AS NITROGEN	10 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN	950 ug/L	Gen. Eng.
0	LEAD	6 ug/L	Gen. Eng.
0	PHENOLS	5 ug/L	Gen. Eng.
0	SELENIUM	2 ug/L	Gen. Eng.
1	SILICA	9310 ug/L	Gen. Eng.
0	SULFATE	5000 ug/L	Gen. Eng.
0	TOTAL DISSOLVED SOLIDS	28000 ug/L	Gen. Eng.
0	TOTAL ORGANIC CARBON	1000 ug/L	Gen. Eng.
1	TOTAL ORGANIC HALOGENS	22 ug/L	Gen. Eng.
0	TOTAL PHOSPHORUS	50 ug/L	Gen. Eng.
0	GROSS ALPHA	3 pCi/L	Gen. Eng.
0	NONVOLATILE BETA	2 pCi/L	Gen. Eng.
0	TOTAL RADIUM	1 pCi/L	Gen. Eng.
0	TRITIUM	0.87+-0.33 pCi/mL	Gen. Eng.

WELL HSS 20

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/09/89 Time 1205
 Depth to water = 39.21 ft (11.95 m) below the TOC
 Water elevation = 265.19 ft (80.83 m) msl
 pH = 5.5 Alkalinity = 1 mg/L
 Specific conductance = 27 umhos/cm
 Water temperature = 18.7 degrees Celsius
 Water evacuated from the well prior to sampling = 81 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE	23.00 UMHG	Gen. Eng.
0	PH	5.57 pH	Gen. Eng.
0	SILVER	2 ug/L	Gen. Eng.
0	ARSENIC	2 ug/L	Gen. Eng.
0	BARIUM	21 ug/L	Gen. Eng.
0	CALCIUM	1110 ug/L	Gen. Eng.
0	CADMIUM	2 ug/L	Gen. Eng.
0	CHLORIDE	1800 ug/L	Gen. Eng.
0	CHROMIUM	4 ug/L	Gen. Eng.
0	FLUORIDE	100 ug/L	Gen. Eng.
0	IRON	15 ug/L	Gen. Eng.
0	MERCURY	0.20 ug/L	Gen. Eng.
0	POTASSIUM	1090 ug/L	Gen. Eng.
0	MAGNESIUM	336 ug/L	Gen. Eng.
0	MANGANESE	12 ug/L	Gen. Eng.
0	SODIUM	2020 ug/L	Gen. Eng.
0	NITRITE AS NITROGEN	10 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN	790 ug/L	Gen. Eng.
0	LEAD	6 ug/L	Gen. Eng.
0	PHENOLS	5 ug/L	Gen. Eng.
0	SELENIUM	2 ug/L	Gen. Eng.
1	SILICA	26400 ug/L	Gen. Eng.
0	SULFATE	3000 ug/L	Gen. Eng.
0	TOTAL DISSOLVED SOLIDS	44000 ug/L	Gen. Eng.
0	TOTAL ORGANIC CARBON	1000 ug/L	Gen. Eng.
0	TOTAL ORGANIC HALOGENS	5 ug/L	Gen. Eng.
1	TOTAL PHOSPHORUS	880 ug/L	Gen. Eng.
0	GROSS ALPHA	3 pCi/L	Gen. Eng.
0	NONVOLATILE BETA	2 pCi/L	Gen. Eng.
0	TOTAL RADIUM	1 pCi/L	Gen. Eng.
0	TRITIUM	2.12+-0.36 pCi/mL	Gen. Eng.

WELL HSS 30

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/09/89 Time 1115
 Depth to water = 29.97 ft (9.13 m) below the TOC
 Water elevation = 279.83 ft (85.29 m) msl
 pH = 4.5 Alkalinity = 0 mg/L
 Specific conductance = 33 umhos/cm
 Water temperature = 19.0 degrees Celsius
 Water evacuated from the well prior to sampling = 24 gal
 The well went dry during purging.

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE	38.00 UMHG	Gen. Eng.
0	PH	4.55 pH	Gen. Eng.
0	SILVER	2 ug/L	Gen. Eng.
0	ARSENIC	2 ug/L	Gen. Eng.
0	BARIUM	13 ug/L	Gen. Eng.
0	CALCIUM	277 ug/L	Gen. Eng.
0	CADMIUM	2 ug/L	Gen. Eng.
0	CHLORIDE	2800 ug/L	Gen. Eng.
0	CHROMIUM	4 ug/L	Gen. Eng.
0	FLUORIDE	100 ug/L	Gen. Eng.
1	IRON	150 ug/L	Gen. Eng.
1	MERCURY	0.50 ug/L	Gen. Eng.
0	POTASSIUM	500 ug/L	Gen. Eng.
0	MAGNESIUM	357 ug/L	Gen. Eng.
0	MANGANESE	8 ug/L	Gen. Eng.
0	SODIUM	2380 ug/L	Gen. Eng.
0	NITRITE AS NITROGEN	10 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN	1110 ug/L	Gen. Eng.

CONTINUED

WELL HSS 3D COLLECTED ON 08/09/89 LABORATORY ANALYSES CONTINUED

2	LEAD		102 ug/L	Gen. Eng.
0	PHENOLS	LT	5 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	Gen. Eng.
1	SILICA		5410 ug/L	Gen. Eng.
0	SULFATE	LT	5000 ug/L	Gen. Eng.
0	TOTAL DISSOLVED SOLIDS		44000 ug/L	Gen. Eng.
0	TOTAL ORGANIC CARBON		1000 ug/L	Gen. Eng.
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	Gen. Eng.
1	TOTAL PHOSPHORUS		830 ug/L	Gen. Eng.
0	GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
0	NONVOLATILE BETA	LT	2 pCi/L	Gen. Eng.
0	TOTAL RADIUM	LT	1 pCi/L	Gen. Eng.
0	TRITIUM		9.10+-0.45 pCi/mL	Gen. Eng.

WELL HTF 1

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/20/89 Time 915
Depth to water = 9.20 ft (2.80 m) below the TOC
Water elevation = 272.80 ft (83.15 m) ms
pH = 6.3
Specific conductance = 249 umhos/cm
Water temperature = 28.3 degrees Celsius
No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

1	PH		7.39 pH	metaTRACE
1	BARIUM		188 ug/L	metaTRACE
2	CADMIUM		14 ug/L	metaTRACE
1	CHROMIUM		9 ug/L	metaTRACE
1	SODIUM		5455 ug/L	metaTRACE
0	NITRATE AS NITROGEN	LT	230 ug/L	metaTRACE
0	GROSS ALPHA		1.21+-1.29 pCi/L	HP, 735A
0	NONVOLATILE BETA		7.39+-2.64 pCi/L	HP, 735A
2	TRITIUM		33.96+-1.37 pCi/mL	HP, 735A

WELL HTF 2

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/20/89 Time 915
Depth to water = 7.80 ft (2.38 m) below the TOC
Water elevation = 274.00 ft (83.52 m) ms
pH = 6.0
Specific conductance = 109 umhos/cm
Water temperature = 28.4 degrees Celsius
No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

0	PH		6.21 pH	metaTRACE
0	BARIUM		34 ug/L	metaTRACE
2	CADMIUM		41 ug/L	metaTRACE
0	CHROMIUM	LT	5 ug/L	metaTRACE
0	SODIUM		2851 ug/L	metaTRACE
0	NITRATE AS NITROGEN	LT	230 ug/L	metaTRACE
0	GROSS ALPHA		0.25+-0.53 pCi/L	HP, 735A
1	NONVOLATILE BETA		27.29+-4.32 pCi/L	HP, 735A
2	TRITIUM		25.04+-1.22 pCi/mL	HP, 735A

WELL HTF 3

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/21/89 Time 900
Depth to water = 5.50 ft (1.68 m) below the TOC
Water elevation = 275.20 ft (83.88 m) ms
pH = 6.5
Specific conductance = 192 umhos/cm
Water temperature = 29.3 degrees Celsius
No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

2	PH		8.30 pH	metaTRACE
1	BARIUM		104 ug/L	metaTRACE
2	CADMIUM		14 ug/L	metaTRACE
0	CHROMIUM	LT	5 ug/L	metaTRACE
1	SODIUM		11080 ug/L	metaTRACE
0	GROSS ALPHA		0.82+-1.04 pCi/L	HP, 735A
2	NONVOLATILE BETA		60.10+-8.45 pCi/L	HP, 735A
2	NONVOLATILE BETA		52.22+-7.79 pCi/L	HP, 735A
2	TRITIUM		30.07+-1.31 pCi/mL	HP, 735A

WELL HTF 4

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/20/89 Time 940
Depth to water = 8.90 ft (2.71 m) below the TOC
Water elevation = 274.00 ft (83.52 m) ms
pH = 6.5
Specific conductance = 166 umhos/cm
Water temperature = 27.9 degrees Celsius
No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

0	PH		6.20 pH	metaTRACE
1	BARIUM		61 ug/L	metaTRACE
2	CADMIUM		45 ug/L	metaTRACE
0	CHROMIUM	LT	5 ug/L	metaTRACE
0	SODIUM		3917 ug/L	metaTRACE
0	NITRATE AS NITROGEN	LT	230 ug/L	metaTRACE
0	GROSS ALPHA		0.43+-0.64 pCi/L	HP, 735A
0	NONVOLATILE BETA		1.83+-1.28 pCi/L	HP, 735A
2	TRITIUM		30.33+-1.31 pCi/mL	HP, 735A

WELL HTF 5

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/20/89 Time 1030
Depth to water = 26.50 ft (8.08 m) below the TOC
Water elevation = 279.30 ft (85.13 m) ms
pH = 5.5
Specific conductance = 42 umhos/cm
Water temperature = 28.7 degrees Celsius
No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

0	PH		5.80 pH	metaTRACE
0	SILVER	LT	2 ug/L	metaTRACE
0	BARIUM		42 ug/L	metaTRACE
2	CADMIUM		7 ug/L	metaTRACE
1	CHROMIUM		10 ug/L	metaTRACE
0	MERCURY	LT	0.20 ug/L	metaTRACE
0	SODIUM		3125 ug/L	metaTRACE
0	NITRATE AS NITROGEN		2100 ug/L	metaTRACE
2	LEAD		43 ug/L	metaTRACE
1	GROSS ALPHA		7.31+-3.10 pCi/L	Gen. Eng.
2	GROSS ALPHA		95.00+-10 pCi/L	metaTRACE
0	GROSS ALPHA		0.11+-0.47 pCi/L	HP, 735A
2	NONVOLATILE BETA		72.40+-6.90 pCi/L	Gen. Eng.
2	NONVOLATILE BETA		78.80+-6.90 pCi/L	Gen. Eng.
2	NONVOLATILE BETA		120+-20 pCi/L	metaTRACE
2	NONVOLATILE BETA		51.89+-7.07 pCi/L	HP, 735A
2	NONVOLATILE BETA		62.83+-8.69 pCi/L	HP, 735A
0	CERIUM-144	LT	0.52 pCi/mL	HP, 735A
0	CERIUM-144	LT	0.52 pCi/mL	HP, 735A
0	COBALT-60	LT	0.08 pCi/mL	HP, 735A
0	COBALT-60	LT	0.08 pCi/mL	HP, 735A
0	CHROMIUM-51	LT	2 pCi/mL	HP, 735A
0	CHROMIUM-51	LT	2 pCi/mL	HP, 735A
0	CESIUM-134	LT	0.07 pCi/mL	HP, 735A
0	CESIUM-134	LT	0.07 pCi/mL	HP, 735A
0	CESIUM-137	LT	0.08 pCi/mL	HP, 735A
0	CESIUM-137	LT	0.08 pCi/mL	HP, 735A
0	IODINE-131	LT	3 pCi/mL	HP, 735A
0	IODINE-131	LT	3 pCi/mL	HP, 735A
0	NIOBIUM-95	LT	0.17 pCi/mL	HP, 735A
0	NIOBIUM-95	LT	0.17 pCi/mL	HP, 735A
0	RUTHENIUM-103	LT	0.16 pCi/mL	HP, 735A
0	RUTHENIUM-103	LT	0.16 pCi/mL	HP, 735A
0	RUTHENIUM-106	LT	0.72 pCi/mL	HP, 735A
0	RUTHENIUM-106	LT	0.72 pCi/mL	HP, 735A
0	ANTIMONY-125	LT	0.22 pCi/mL	HP, 735A
0	ANTIMONY-125	LT	0.22 pCi/mL	HP, 735A
0	TOTAL RADIUM		1.80+-0.30 pCi/L	metaTRACE
2	TRITIUM		38.70+-0.72 pCi/mL	Gen. Eng.
2	TRITIUM		30.00+-3.00 pCi/mL	metaTRACE
2	TRITIUM		30.38+-1.31 pCi/mL	HP, 735A
0	ZIRCONIUM-95	LT	0.19 pCi/mL	HP, 735A
0	ZIRCONIUM-95	LT	0.19 pCi/mL	HP, 735A

WELL HTF 6

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/20/89 Time 1045
Depth to water = 28.70 ft (8.75 m) below the TOC
Water elevation = 276.70 ft (84.34 m) ms
pH = 5.2
Specific conductance = 47 umhos/cm
Water temperature = 30.8 degrees Celsius
No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

0	PH		5.32 pH	metaTRACE
0	SILVER	LT	2 ug/L	metaTRACE
1	BARIUM		60 ug/L	metaTRACE
2	CADMIUM		14 ug/L	metaTRACE
2	CHROMIUM		37 ug/L	metaTRACE
0	MERCURY	LT	0.20 ug/L	metaTRACE
0	SODIUM		4218 ug/L	metaTRACE
0	NITRATE AS NITROGEN		2100 ug/L	metaTRACE

CONTINUED

WELL HTF 6 COLLECTED ON 07/20/89 LABORATORY ANALYSES CONTINUED

2	LEAD	71 ug/L	metaTRACE
2	GROSS ALPHA	500+-200 pCi/L	metaTRACE
0	GROSS ALPHA	0.16+-0.42 pCi/L	HP, 735A
0	NONVOLATILE BETA	750+-200 pCi/L	metaTRACE
1	NONVOLATILE BETA	13.59+-2.55 pCi/L	HP, 735A
0	COBALT-60	LT	0.07 pCi/mL HP, 735A
0	COBALT-60	LT	0.07 pCi/mL HP, 735A
0	CHROMIUM-51	LT	2 pCi/mL HP, 735A
0	CHROMIUM-51	LT	2 pCi/mL HP, 735A
0	CESIUM-134	LT	0.08 pCi/mL HP, 735A
0	CESIUM-134	LT	0.08 pCi/mL HP, 735A
2	CESIUM-137	0.50+-0.08 pCi/mL	HP, 735A
2	CESIUM-137	0.50+-0.08 pCi/mL	HP, 735A
0	IODINE-131	LT	2 pCi/mL HP, 735A
0	IODINE-131	LT	2 pCi/mL HP, 735A
0	NIOBILUM-95	LT	0.14 pCi/mL HP, 735A
0	NIOBILUM-95	LT	0.14 pCi/mL HP, 735A
0	RUTHENIUM-103	LT	0.16 pCi/mL HP, 735A
0	RUTHENIUM-103	LT	0.16 pCi/mL HP, 735A
0	RUTHENIUM-106	LT	0.76 pCi/mL HP, 735A
0	RUTHENIUM-106	LT	0.76 pCi/mL HP, 735A
0	ANTIMONY-125	LT	0.24 pCi/mL HP, 735A
0	ANTIMONY-125	LT	0.24 pCi/mL HP, 735A
2	TOTAL RADIUM	8.00+-0.60 pCi/L	metaTRACE
2	TRITIUM	26.00+-3.00 pCi/mL	metaTRACE
2	TRITIUM	26.17+-1.24 pCi/mL	HP, 735A
0	ZIRCONIUM-95	LT	0.17 pCi/mL HP, 735A
0	ZIRCONIUM-95	LT	0.17 pCi/mL HP, 735A

WELL HTF 7

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/20/89 Time 1025
 Depth to water = 29.80 ft (9.08 m) below the TOC
 Water elevation = 275.50 ft (83.97 m) msl
 pH = 5.4
 Specific conductance = 156 umhos/cm
 Water temperature = 24.8 degrees Celsius
 No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

0	PH	5.77 pH	metaTRACE
0	SILVER	LT	2 ug/L metaTRACE
1	BARIUM	106 ug/L	metaTRACE
2	CADMIUM	26 ug/L	metaTRACE
1	CHROMIUM	8 ug/L	metaTRACE
0	MERCURY	LT	0.20 ug/L metaTRACE
1	SODIUM	7018 ug/L	metaTRACE
0	NITRATE AS NITROGEN	LT	230 ug/L metaTRACE
2	LEAD	26 ug/L	metaTRACE
2	GROSS ALPHA	42.00+-16 pCi/L	metaTRACE
0	GROSS ALPHA	0.50+-0.75 pCi/L	HP, 735A
1	NONVOLATILE BETA	42.00+-9.00 pCi/L	metaTRACE
0	NONVOLATILE BETA	5.21+-1.82 pCi/L	HP, 735A
0	COBALT-60	LT	0.08 pCi/mL HP, 735A
0	COBALT-60	LT	0.08 pCi/mL HP, 735A
0	CHROMIUM-51	LT	2 pCi/mL HP, 735A
0	CHROMIUM-51	LT	2 pCi/mL HP, 735A
0	CESIUM-134	LT	0.07 pCi/mL HP, 735A
0	CESIUM-134	LT	0.07 pCi/mL HP, 735A
0	CESIUM-137	LT	0.08 pCi/mL HP, 735A
0	CESIUM-137	LT	0.08 pCi/mL HP, 735A
0	IODINE-131	LT	3 pCi/mL HP, 735A
0	IODINE-131	LT	3 pCi/mL HP, 735A
0	NIOBILUM-95	LT	0.15 pCi/mL HP, 735A
0	NIOBILUM-95	LT	0.15 pCi/mL HP, 735A
0	RUTHENIUM-103	LT	0.15 pCi/mL HP, 735A
0	RUTHENIUM-103	LT	0.15 pCi/mL HP, 735A
0	RUTHENIUM-106	LT	0.70 pCi/mL HP, 735A
0	RUTHENIUM-106	LT	0.70 pCi/mL HP, 735A
0	ANTIMONY-125	LT	0.22 pCi/mL HP, 735A
0	ANTIMONY-125	LT	0.22 pCi/mL HP, 735A
0	TOTAL RADIUM	1.80+-0.70 pCi/L	metaTRACE
0	TRITIUM	6.90+-0.70 pCi/mL	metaTRACE
0	TRITIUM	6.33+-0.82 pCi/mL	HP, 735A
0	ZIRCONIUM-95	LT	0.19 pCi/mL HP, 735A
0	ZIRCONIUM-95	LT	0.19 pCi/mL HP, 735A

WELL HTF 8

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/20/89 Time 1015
 Depth to water = 29.50 ft (8.99 m) below the TOC
 Water elevation = 276.20 ft (84.19 m) msl
 pH = 4.6
 Specific conductance = 42 umhos/cm
 Water temperature = 26.5 degrees Celsius
 No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

0	PH	4.59 pH	metaTRACE
0	SILVER	LT	2 ug/L metaTRACE
0	BARIUM	LT	25 ug/L metaTRACE
2	CADMIUM	23 ug/L	metaTRACE
0	CHROMIUM	LT	5 ug/L metaTRACE
0	MERCURY	LT	0.20 ug/L metaTRACE
0	SODIUM	3072 ug/L	metaTRACE
0	NITRATE AS NITROGEN	2200 ug/L	metaTRACE
2	LEAD	52 ug/L	metaTRACE

CONTINUED

WELL HTF 8 COLLECTED ON 07/20/89 LABORATORY ANALYSES CONTINUED

0	GROSS ALPHA	3.90+-2.80 pCi/L	metaTRACE
0	GROSS ALPHA	0.87+-0.70 pCi/L	HP, 735A
0	NONVOLATILE BETA	LT	5 pCi/L metaTRACE
0	NONVOLATILE BETA	3.62+-1.28 pCi/L	HP, 735A
0	COBALT-60	LT	0.08 pCi/mL HP, 735A
0	COBALT-60	LT	0.08 pCi/mL HP, 735A
0	CHROMIUM-51	LT	2 pCi/mL HP, 735A
0	CHROMIUM-51	LT	2 pCi/mL HP, 735A
0	CESIUM-134	LT	0.07 pCi/mL HP, 735A
0	CESIUM-134	LT	0.07 pCi/mL HP, 735A
0	CESIUM-137	LT	0.08 pCi/mL HP, 735A
0	CESIUM-137	LT	0.08 pCi/mL HP, 735A
0	IODINE-131	LT	3 pCi/mL HP, 735A
0	IODINE-131	LT	3 pCi/mL HP, 735A
0	NIOBILUM-95	LT	0.16 pCi/mL HP, 735A
0	NIOBILUM-95	LT	0.16 pCi/mL HP, 735A
1	OTHER	0.07+-0.04 pCi/mL	HP, 735A
1	OTHER	0.07+-0.04 pCi/mL	HP, 735A
0	RUTHENIUM-103	LT	0.17 pCi/mL HP, 735A
0	RUTHENIUM-103	LT	0.17 pCi/mL HP, 735A
0	RUTHENIUM-106	LT	0.72 pCi/mL HP, 735A
0	RUTHENIUM-106	LT	0.72 pCi/mL HP, 735A
0	ANTIMONY-125	LT	0.21 pCi/mL HP, 735A
0	ANTIMONY-125	LT	0.21 pCi/mL HP, 735A
0	TOTAL RADIUM	1.10+-0.20 pCi/L	metaTRACE
2	TRITIUM	22.00+-3.00 pCi/mL	metaTRACE
2	TRITIUM	23.20+-1.18 pCi/mL	HP, 735A
0	ZIRCONIUM-95	LT	0.21 pCi/mL HP, 735A
0	ZIRCONIUM-95	LT	0.21 pCi/mL HP, 735A

WELL HTF 9

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/20/89 Time 1055
 Depth to water = 50.10 ft (15.27 m) below the TOC
 Water elevation = 273.90 ft (83.49 m) msl
 pH = 6.3
 Specific conductance = 98 umhos/cm
 Water temperature = 29.8 degrees Celsius
 No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

0	PH	6.14 pH	metaTRACE
0	BARIUM	LT	25 ug/L metaTRACE
0	CADMIUM	LT	4 ug/L metaTRACE
0	CHROMIUM	LT	5 ug/L metaTRACE
0	SODIUM	4461 ug/L	metaTRACE
0	NITRATE AS NITROGEN	LT	230 ug/L metaTRACE
0	GROSS ALPHA	0.08+-0.34 pCi/L	HP, 735A
0	NONVOLATILE BETA	4.34+-1.39 pCi/L	HP, 735A
2	TRITIUM	135+-2.61 pCi/mL	HP, 735A

WELL HTF 10

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/21/89 Time 915
 Depth to water = 49.90 ft (15.21 m) below the TOC
 Water elevation = 272.80 ft (83.15 m) msl
 pH = 6.3
 Specific conductance = 163 umhos/cm
 Water temperature = 25.6 degrees Celsius
 No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

0	PH	6.07 pH	metaTRACE
0	BARIUM	38 ug/L	metaTRACE
2	CADMIUM	17 ug/L	metaTRACE
1	CHROMIUM	11 ug/L	metaTRACE
1	SODIUM	5161 ug/L	metaTRACE
0	NITRATE AS NITROGEN	LT	230 ug/L metaTRACE
0	GROSS ALPHA	0.74+-0.77 pCi/L	HP, 735A
0	NONVOLATILE BETA	1.91+-1.29 pCi/L	HP, 735A
2	TRITIUM	104+-2.29 pCi/mL	HP, 735A

WELL HTF 11

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/21/89 Time 930
 Depth to water = 49.30 ft (15.03 m) below the TOC
 Water elevation = 273.30 ft (83.36 m) msl
 pH = 6.6
 Specific conductance = 81 umhos/cm
 Water temperature = 26.0 degrees Celsius
 No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

0	PH	6.29 pH	metaTRACE
0	BARIUM	LT	25 ug/L metaTRACE
2	CADMIUM	14 ug/L	metaTRACE
0	CHROMIUM	LT	5 ug/L metaTRACE
1	SODIUM	6878 ug/L	metaTRACE
0	NITRATE AS NITROGEN	LT	230 ug/L metaTRACE
0	GROSS ALPHA	0.67+-0.83 pCi/L	HP, 735A
0	NONVOLATILE BETA	2.22+-1.09 pCi/L	HP, 735A
2	TRITIUM	115+-2.47 pCi/mL	HP, 735A

WELL HTF 12

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/20/89 Time 1055
 Depth to water = 50.00 ft (15.24 m) below the TOC
 Water elevation = 272.90 ft (83.18 m) msl
 pH = 6.1
 Specific conductance = 60 umhos/cm
 Water temperature = 28.6 degrees Celsius
 No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

0 PH	6.09 pH	metaTRACE
0 BARIUM	25 ug/L	metaTRACE
2 CADMIUM	31 ug/L	metaTRACE
2 CHROMIUM	47 ug/L	metaTRACE
0 SODIUM	4534 ug/L	metaTRACE
0 NITRATE AS NITROGEN	230 ug/L	metaTRACE
0 GROSS ALPHA	0.54+-0.57 pCi/L	HP, 735A
0 NONVOLATILE BETA	1.10+-0.92 pCi/L	HP, 735A
2 TRITIUM	199+-3.05 pCi/mL	HP, 735A

WELL HTF 13

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/20/89 Time 1110
 Depth to water = 51.10 ft (15.58 m) below the TOC
 Water elevation = 273.30 ft (83.30 m) msl
 pH = 5.8
 Specific conductance = 33 umhos/cm
 Water temperature = 28.6 degrees Celsius
 No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

0 PH	6.12 pH	metaTRACE
1 BARIUM	71 ug/L	metaTRACE
2 CADMIUM	53 ug/L	metaTRACE
2 CHROMIUM	46 ug/L	metaTRACE
0 SODIUM	1563 ug/L	metaTRACE
0 NITRATE AS NITROGEN	770 ug/L	metaTRACE
0 GROSS ALPHA	0.43+-0.51 pCi/L	HP, 735A
0 NONVOLATILE BETA	0.90+-0.88 pCi/L	HP, 735A
2 TRITIUM	20.76+-1.14 pCi/mL	HP, 735A

WELL HTF 14

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/20/89 Time 1100
 The well was dry.

WELL HTF 15

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/20/89 Time 1315
 Depth to water = 49.80 ft (15.18 m) below the TOC
 Water elevation = 272.70 ft (83.12 m) msl
 pH = 4.9
 Specific conductance = 56 umhos/cm
 Water temperature = 27.4 degrees Celsius
 No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

0 PH	5.27 pH	metaTRACE
1 BARIUM	211 ug/L	metaTRACE
2 CADMIUM	87 ug/L	metaTRACE
2 CHROMIUM	55 ug/L	metaTRACE
1 SODIUM	6123 ug/L	metaTRACE
0 NITRATE AS NITROGEN	2700 ug/L	metaTRACE
0 GROSS ALPHA	0.58+-0.60 pCi/L	HP, 735A
0 NONVOLATILE BETA	1.45+-0.98 pCi/L	HP, 735A
2 TRITIUM	44.11+-1.55 pCi/mL	HP, 735A

WELL HTF 16

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/21/89 Time 845
 Depth to water = 31.40 ft (9.57 m) below the TOC
 Water elevation = 268.90 ft (81.96 m) msl
 pH = 5.8
 Specific conductance = 52 umhos/cm
 Water temperature = 22.5 degrees Celsius
 No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

0 PH	5.62 pH	metaTRACE
1 BARIUM	86 ug/L	metaTRACE
2 CADMIUM	17 ug/L	metaTRACE
1 CHROMIUM	13 ug/L	metaTRACE

CONTINUED

WELL HTF 16 COLLECTED ON 07/21/89 LABORATORY ANALYSES CONTINUED

0 SODIUM	3515 ug/L	metaTRACE
1 NITRATE AS NITROGEN	3000 ug/L	metaTRACE
0 GROSS ALPHA	0.55+-0.58 pCi/L	HP, 735A
0 NONVOLATILE BETA	1.30+-0.95 pCi/L	HP, 735A
2 TRITIUM	30.35+-1.33 pCi/mL	HP, 735A

WELL HTF 17

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/21/89 Time 830
 Depth to water = 29.00 ft (8.84 m) below the TOC
 Water elevation = 261.20 ft (79.61 m) msl
 pH = 6.6
 Specific conductance = 88 umhos/cm
 Water temperature = 23.8 degrees Celsius
 No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

0 PH	5.93 pH	metaTRACE
0 BARIUM	33 ug/L	metaTRACE
2 CADMIUM	28 ug/L	metaTRACE
1 CHROMIUM	13 ug/L	metaTRACE
0 SODIUM	3094 ug/L	metaTRACE
1 NITRATE AS NITROGEN	3700 ug/L	metaTRACE
0 GROSS ALPHA	0.09+-0.35 pCi/L	HP, 735A
0 NONVOLATILE BETA	2.98+-1.21 pCi/L	HP, 735A
2 TRITIUM	44.04+-1.55 pCi/mL	HP, 735A

WELL HTF 18

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/20/89 Time 1300
 Depth to water = 52.50 ft (16.00 m) below the TOC
 Water elevation = 271.20 ft (82.66 m) msl
 pH = 4.7
 Specific conductance = 59 umhos/cm
 Water temperature = 25.3 degrees Celsius
 No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

0 PH	4.27 pH	metaTRACE
0 BARIUM	47 ug/L	metaTRACE
0 CADMIUM	4 ug/L	metaTRACE
1 CHROMIUM	11 ug/L	metaTRACE
1 SODIUM	5526 ug/L	metaTRACE
0 NITRATE AS NITROGEN	1400 ug/L	metaTRACE
0 GROSS ALPHA	1.72+-0.97 pCi/L	HP, 735A
0 NONVOLATILE BETA	4.18+-1.36 pCi/L	HP, 735A
1 TRITIUM	14.43+-1.03 pCi/mL	HP, 735A

WELL HTF 19

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/20/89 Time 1330
 Depth to water = 56.00 ft (17.07 m) below the TOC
 Water elevation = 268.80 ft (81.93 m) msl
 pH = 4.9
 Specific conductance = 35 umhos/cm
 Water temperature = 26.2 degrees Celsius
 No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

0 PH	5.79 pH	metaTRACE
0 BARIUM	37 ug/L	metaTRACE
0 CADMIUM	4 ug/L	metaTRACE
0 CHROMIUM	5 ug/L	metaTRACE
0 SODIUM	3006 ug/L	metaTRACE
0 NITRATE AS NITROGEN	450 ug/L	metaTRACE
0 GROSS ALPHA	0.44+-0.54 pCi/L	HP, 735A
0 NONVOLATILE BETA	1.70+-1.01 pCi/L	HP, 735A
0 TRITIUM	9.86+-0.93 pCi/mL	HP, 735A

WELL HTF 20

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/20/89 Time 1345
 Depth to water = 56.40 ft (17.19 m) below the TOC
 Water elevation = 268.50 ft (81.84 m) msl
 pH = 4.6
 Specific conductance = 52 umhos/cm
 Water temperature = 28.5 degrees Celsius
 No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

0 PH	4.73 pH	metaTRACE
0 BARIUM	23 ug/L	metaTRACE
0 CADMIUM	4 ug/L	metaTRACE
0 CHROMIUM	5 ug/L	metaTRACE
1 SODIUM	5575 ug/L	metaTRACE

CONTINUED

WELL HTF 20 COLLECTED ON 7/20/89 LABORATORY ANALYSES CONTINUED

0	NITRATE AS NITROGEN	2900 ug/L	metaTRACE
0	GROSS ALPHA	0.21+-0.42 pCi/L	HP, 735A
0	NONVOLATILE BETA	1.84+-1.04 pCi/L	HP, 735A
1	TRITIUM	18.21+-1.12 pCi/mL	HP, 735A

WELL HTF 21

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/20/89 Time 1400
 Depth to water = 55.10 ft (16.79 m) below the TOC
 Water elevation = 269.60 ft (82.18 m) msl
 pH = 4.7
 Specific conductance = 50 umhos/cm
 Water temperature = 27.0 degrees Celsius
 No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

0	PH	4.91 pH	metaTRACE
0	PH	4.91 pH	metaTRACE
0	BARIUM	41 ug/L	metaTRACE
0	CADMIUM	21 ug/L	metaTRACE
1	CHROMIUM	21 ug/L	metaTRACE
1	SODIUM	5585 ug/L	metaTRACE
0	NITRATE AS NITROGEN	2900 ug/L	metaTRACE
0	NITRATE AS NITROGEN	2900 ug/L	metaTRACE
0	GROSS ALPHA	1.13+-0.79 pCi/L	HP, 735A
0	NONVOLATILE BETA	2.67+-1.15 pCi/L	HP, 735A
2	TRITIUM	22.54+-1.19 pCi/mL	HP, 735A

WELL HTF 22

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/21/89 Time 1000
 Depth to water = 60.00 ft (18.29 m) below the TOC
 Water elevation = 273.50 ft (83.36 m) msl
 pH = 6.2
 Specific conductance = 161 umhos/cm
 Water temperature = 29.3 degrees Celsius
 No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

1	PH	6.68 pH	metaTRACE
0	BARIUM	27 ug/L	metaTRACE
0	CADMIUM	4 ug/L	metaTRACE
1	CHROMIUM	8 ug/L	metaTRACE
1	SODIUM	6148 ug/L	metaTRACE
0	NITRATE AS NITROGEN	610 ug/L	metaTRACE
0	GROSS ALPHA	-0.25+-0.42 pCi/L	HP, 735A
0	NONVOLATILE BETA	4.82+-1.78 pCi/L	HP, 735A
1	TRITIUM	13.58+-1.01 pCi/mL	HP, 735A

WELL HTF 23

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/21/89 Time 1015
 Depth to water = 61.50 ft (18.75 m) below the TOC
 Water elevation = 272.50 ft (83.06 m) msl
 pH = 6.5
 Specific conductance = 129 umhos/cm
 Water temperature = 27.8 degrees Celsius
 No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

1	PH	7.29 pH	metaTRACE
0	BARIUM	25 ug/L	metaTRACE
0	CADMIUM	4 ug/L	metaTRACE
1	CHROMIUM	6 ug/L	metaTRACE
0	SODIUM	4884 ug/L	metaTRACE
0	NITRATE AS NITROGEN	2100 ug/L	metaTRACE
0	GROSS ALPHA	0.10+-0.39 pCi/L	HP, 735A
0	NONVOLATILE BETA	3.00+-1.23 pCi/L	HP, 735A
2	TRITIUM	24.56+-1.23 pCi/mL	HP, 735A

WELL HTF 24

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/21/89 Time 1045
 Depth to water = 60.80 ft (18.53 m) below the TOC
 Water elevation = 273.10 ft (83.24 m) msl
 pH = 5.8
 Specific conductance = 40 umhos/cm
 Water temperature = 27.7 degrees Celsius
 No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

0	PH	5.80 pH	metaTRACE
0	BARIUM	25 ug/L	metaTRACE
0	CADMIUM	4 ug/L	metaTRACE
1	CHROMIUM	8 ug/L	metaTRACE

CONTINUED

WELL HTF 24 COLLECTED ON 07/21/89 LABORATORY ANALYSES CONTINUED

0	SODIUM	4404 ug/L	metaTRACE
0	NITRATE AS NITROGEN	2300 ug/L	metaTRACE
0	GROSS ALPHA	-0.02+-0.24 pCi/L	HP, 735A
0	NONVOLATILE BETA	0.52+-0.83 pCi/L	HP, 735A
1	TRITIUM	18.39+-1.12 pCi/mL	HP, 735A

WELL HTF 25

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/21/89 Time 1130
 Depth to water = 60.80 ft (18.53 m) below the TOC
 Water elevation = 273.50 ft (83.36 m) msl
 pH = 5.8
 Specific conductance = 38 umhos/cm
 Water temperature = 27.3 degrees Celsius
 No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

0	PH	6.04 pH	metaTRACE
1	BARIUM	107 ug/L	metaTRACE
2	CADMIUM	14 ug/L	metaTRACE
1	CHROMIUM	11 ug/L	metaTRACE
0	SODIUM	4979 ug/L	metaTRACE
0	NITRATE AS NITROGEN	720 ug/L	metaTRACE
0	GROSS ALPHA	-0.03+-0.24 pCi/L	HP, 735A
0	NONVOLATILE BETA	1.57+-0.99 pCi/L	HP, 735A
2	TRITIUM	25.75+-1.27 pCi/mL	HP, 735A

WELL HTF 26

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/21/89 Time 1030
 Depth to water = 51.50 ft (15.70 m) below the TOC
 Water elevation = 284.00 ft (86.56 m) msl
 pH = 6.3
 Specific conductance = 73 umhos/cm
 Water temperature = 26.6 degrees Celsius
 No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

0	PH	5.46 pH	metaTRACE
0	BARIUM	32 ug/L	metaTRACE
0	CADMIUM	4 ug/L	metaTRACE
1	CHROMIUM	7 ug/L	metaTRACE
0	SODIUM	3415 ug/L	metaTRACE
0	NITRATE AS NITROGEN	2500 ug/L	metaTRACE
0	GROSS ALPHA	1.91+-1.06 pCi/L	HP, 735A
1	NONVOLATILE BETA	10.97+-2.24 pCi/L	HP, 735A
1	TRITIUM	13.48+-1.01 pCi/mL	HP, 735A

WELL HTF 27

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/21/89 Time 1200
 Depth to water = 59.80 ft (18.23 m) below the TOC
 Water elevation = 273.30 ft (83.30 m) msl
 pH = 4.5
 Specific conductance = 61 umhos/cm
 Water temperature = 25.8 degrees Celsius
 No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

0	PH	4.48 pH	metaTRACE
0	BARIUM	25 ug/L	metaTRACE
0	CADMIUM	4 ug/L	metaTRACE
1	CHROMIUM	5 ug/L	metaTRACE
1	SODIUM	6104 ug/L	metaTRACE
0	NITRATE AS NITROGEN	2400 ug/L	metaTRACE
0	GROSS ALPHA	1.03+-0.77 pCi/L	HP, 735A
0	NONVOLATILE BETA	4.01+-1.34 pCi/L	HP, 735A
0	TRITIUM	9.94+-0.91 pCi/mL	HP, 735A

WELL HTF 28

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/21/89 Time 1115
 Depth to water = 59.00 ft (17.98 m) below the TOC
 Water elevation = 274.70 ft (83.73 m) msl
 pH = 4.9
 Specific conductance = 33 umhos/cm
 Water temperature = 25.0 degrees Celsius
 No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

0	PH	4.86 pH	metaTRACE
0	BARIUM	25 ug/L	metaTRACE
0	CADMIUM	4 ug/L	metaTRACE
1	CHROMIUM	13 ug/L	metaTRACE
0	SODIUM	3533 ug/L	metaTRACE

CONTINUED

WELL HTF 28 COLLECTED ON 07/21/89 LABORATORY ANALYSES CONTINUED

0 NITRATE AS NITROGEN 1700 ug/L metaTRACE
 0 GROSS ALPHA -0.02+-0.23 pCi/L HP, 735A
 0 NONVOLATILE BETA 0.78+-0.86 pCi/L HP, 735A
 1 TRITIUM 10.87+-0.94 pCi/mL HP, 735A

WELL HTF 29

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/21/89 Time 1100
 Depth to water = 59.20 ft (18.04 m) below the TOC
 Water elevation = 274.30 ft (83.61 m) msl
 pH = 5.9
 Specific conductance = 63 umhos/cm
 Water temperature = 25.3 degrees Celsius
 No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

0 PH 6.14 pH metaTRACE
 0 BARIUM LT 25 ug/L metaTRACE
 0 CADMIUM LT 4 ug/L metaTRACE
 1 CHROMIUM 8 ug/L metaTRACE
 1 SODIUM 6028 ug/L metaTRACE
 1 NITRATE AS NITROGEN 3300 ug/L metaTRACE
 0 GROSS ALPHA 0.34+-0.49 pCi/L HP, 735A
 0 NONVOLATILE BETA 0.99+-0.91 pCi/L HP, 735A
 1 TRITIUM 18.36+-1.10 pCi/mL HP, 735A

WELL HTF 31

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/21/89 Time 1145
 Depth to water = 52.20 ft (15.91 m) below the TOC
 Water elevation = 275.90 ft (83.97 m) msl
 pH = 5.1
 Specific conductance = 44 umhos/cm
 Water temperature = 25.7 degrees Celsius
 No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

0 PH 5.59 pH metaTRACE
 1 BARIUM 65 ug/L metaTRACE
 0 CADMIUM LT 4 ug/L metaTRACE
 1 CHROMIUM 7 ug/L metaTRACE
 1 SODIUM 5907 ug/L metaTRACE
 0 NITRATE AS NITROGEN 2500 ug/L metaTRACE
 0 GROSS ALPHA 0.21+-0.41 pCi/L HP, 735A
 0 NONVOLATILE BETA 0.98+-0.90 pCi/L HP, 735A
 1 TRITIUM 10.19+-0.91 pCi/mL HP, 735A

WELL HTF 32

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/21/89 Time 945
 Depth to water = 55.00 ft (16.76 m) below the TOC
 Water elevation = 274.10 ft (83.35 m) msl
 pH = 5.2
 Specific conductance = 42 umhos/cm
 Water temperature = 26.3 degrees Celsius
 No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

0 PH 4.66 pH metaTRACE
 0 BARIUM LT 25 ug/L metaTRACE
 0 BARIUM LT 25 ug/L metaTRACE
 0 CADMIUM LT 4 ug/L metaTRACE
 0 CADMIUM LT 4 ug/L metaTRACE
 0 CHROMIUM LT 5 ug/L metaTRACE
 0 CHROMIUM LT 5 ug/L metaTRACE
 1 SODIUM 5344 ug/L metaTRACE
 1 SODIUM 5098 ug/L metaTRACE
 0 NITRATE AS NITROGEN 2300 ug/L metaTRACE
 0 NITRATE AS NITROGEN 2600 ug/L metaTRACE
 0 GROSS ALPHA 0.10+-0.35 pCi/L HP, 735A
 0 NONVOLATILE BETA 0.39+-0.82 pCi/L HP, 735A
 1 TRITIUM 11.40+-0.95 pCi/mL HP, 735A

WELL HTF 34

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/20/89 Time 955
 Depth to water = 29.40 ft (8.96 m) below the TOC
 Water elevation = 276.10 ft (84.16 m) msl
 pH = 5.6
 Specific conductance = 73 umhos/cm
 Water temperature = 25.5 degrees Celsius
 No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

0 PH 5.62 pH metaTRACE
 0 SILVER LT 2 ug/L metaTRACE
 1 BARIUM 55 ug/L metaTRACE
 2 CADMIUM 6 ug/L metaTRACE
 1 CHROMIUM 14 ug/L metaTRACE
 0 MERCURY LT 0.20 ug/L metaTRACE
 0 SODIUM 4850 ug/L metaTRACE
 0 NITRATE AS NITROGEN 680 ug/L metaTRACE
 2 LEAD 57 ug/L metaTRACE
 2 GROSS ALPHA 160+-20 pCi/L metaTRACE
 0 GROSS ALPHA 0.85+-0.73 pCi/L HP, 735A
 2 NONVOLATILE BETA 75.00+-17 pCi/L metaTRACE
 0 NONVOLATILE BETA 1.73+-1.03 pCi/L HP, 735A
 1 TOTAL RADIUM 3.50+-0.40 pCi/L metaTRACE
 1 TRITIUM 17.00+-2.00 pCi/mL metaTRACE
 1 TRITIUM 18.04+-1.00 pCi/mL HP, 735A

WELL HWS 1A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/10/89 Time 705
 Depth to water = 81.03 ft (24.88 m) below the TOC
 Water elevation = 242.97 ft (74.06 m) msl
 pH = 5.4 Alkalinity = 1 mg/L
 Specific conductance = 26 umhos/cm
 Water temperature = 22.7 degrees Celsius
 Water evacuated from the well prior to sampling = 2 gal
 The well went dry during purging.

WELL HWS 2

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/10/89 Time 740
 Depth to water = 79.86 ft (24.34 m) below the TOC
 Water elevation = 243.34 ft (74.17 m) msl
 pH = 4.7 Alkalinity = 0 mg/L
 Specific conductance = 23 umhos/cm
 Water temperature = 20.5 degrees Celsius
 Water evacuated from the well prior to sampling = 73 gal

WELL HXB 1

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/09/89 Time 1325
 Depth to water = 58.71 ft (17.90 m) below the TOC
 Water elevation = 247.49 ft (75.44 m) msl
 pH = 4.6 Alkalinity = 0 mg/L
 Specific conductance = 26 umhos/cm
 Water temperature = 20.3 degrees Celsius
 Water evacuated from the well prior to sampling = 87 gal

WELL HXB 2

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/09/89 Time 1245
 Depth to water = 55.59 ft (16.94 m) below the TOC
 Water elevation = 248.81 ft (75.84 m) msl
 pH = 4.7 Alkalinity = 0 mg/L
 Specific conductance = 29 umhos/cm
 Water temperature = 21.0 degrees Celsius
 Water evacuated from the well prior to sampling = 95 gal

WELL HXB 3

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/09/89 Time 1305
 Depth to water = 55.81 ft (17.01 m) below the TOC
 Water elevation = 248.39 ft (75.71 m) msl
 pH = 4.6 Alkalinity = 0 mg/L
 Specific conductance = 29 umhos/cm
 Water temperature = 20.6 degrees Celsius
 Water evacuated from the well prior to sampling = 94 gal

WELL KAB 1

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/04/89 Time 1100
 Depth to water = 60.52 ft (18.5 m) below the TOC
 Water elevation = 205.48 ft (62.63 m) msl
 pH = 6.0 Alkalinity = 19 mg/L
 Specific conductance = 308 umhos/cm
 Water temperature = 23.1 degrees Celsius
 Water evacuated from the well prior to sampling = 16 gal
 The well went dry during purging.

LABORATORY ANALYSES

2 IRON	2550 ug/L	Gen. Eng.
2 MANGANESE	1310 ug/L	Gen. Eng.
2 TOTAL ORGANIC HALOGENS	31 ug/L	Gen. Eng.
0 GROSS ALPHA	4.19+-2.20 pCi/L	Gen. Eng.
2 TOTAL RADIUM	6.10+-2.60 pCi/L	Gen. Eng.

WELL KAB 2

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/03/89 Time 1450
 Depth to water = 53.51 ft (16.31 m) below the TOC
 Water elevation = 207.19 ft (63.15 m) msl
 pH = 6.5 Alkalinity = 67 mg/L
 Specific conductance = 381 umhos/cm
 Water temperature = 27.2 degrees Celsius
 Water evacuated from the well prior to sampling = 22 gal

LABORATORY ANALYSES

0 IRON	53 ug/L	Gen. Eng.
2 MANGANESE	94 ug/L	Gen. Eng.
0 TOTAL ORGANIC HALOGENS	LT	Gen. Eng.
0 GROSS ALPHA	LT	Gen. Eng.
0 TOTAL RADIUM	LT	Gen. Eng.

WELL KAB 3

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/03/89 Time 1355
 Depth to water = 47.46 ft (14.47 m) below the TOC
 Water elevation = 202.64 ft (61.77 m) msl
 pH = 5.2 Alkalinity = 13 mg/L
 Specific conductance = 172 umhos/cm
 Water temperature = 21.7 degrees Celsius
 Water evacuated from the well prior to sampling = 25 gal

LABORATORY ANALYSES

2 IRON	481 ug/L	Gen. Eng.
1 MANGANESE	35 ug/L	Gen. Eng.
0 TOTAL ORGANIC HALOGENS	LT	Gen. Eng.
0 GROSS ALPHA	3.67+-1.90 pCi/L	Gen. Eng.
1 TOTAL RADIUM	4.50+-2.40 pCi/L	Gen. Eng.

WELL KAB 4

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/03/89 Time 1320
 Depth to water = 51.78 ft (15.78 m) below the TOC
 Water elevation = 202.62 ft (61.76 m) msl
 pH = 6.9 Alkalinity = 185 mg/L
 Specific conductance = 668 umhos/cm
 Water temperature = 21.9 degrees Celsius
 Water evacuated from the well prior to sampling = 42 gal

LABORATORY ANALYSES

0 IRON	12 ug/L	Gen. Eng.
0 MANGANESE	4 ug/L	Gen. Eng.
0 TOTAL ORGANIC HALOGENS	LT	Gen. Eng.
1 GROSS ALPHA	5.24+-2.10 pCi/L	Gen. Eng.
2 TOTAL RADIUM	13.00+-3.50 pCi/L	Gen. Eng.

WELL KJ 1

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/02/89 Time 1250
 Depth to water = 48.86 ft (14.89 m) below the TOC
 Water elevation = 217.14 ft (66.19 m) msl
 pH = 5.0 Alkalinity = 0 mg/L
 Specific conductance = 1642 umhos/cm
 Water temperature = 19.0 degrees Celsius
 Water evacuated from the well prior to sampling = 67 gal

LABORATORY ANALYSES

1 SPECIFIC CONDUCTANCE	1800 UMH/C	Gen. Eng.
0 PH	5.08 pH	Gen. Eng.
0 TURBIDITY	11 NTU	Gen. Eng.
0 SILVER	LT	Gen. Eng.
0 ARSENIC	LT	Gen. Eng.
0 BARIUM	12 ug/L	Gen. Eng.
0 BROMODICHLOROMETHANE	LT	Gen. Eng.
0 CALCIUM	9220 ug/L	Gen. Eng.
0 TRICHLOROFLUOROMETHANE	LT	Gen. Eng.
0 CARBON TETRACHLORIDE	LT	Gen. Eng.
0 CADMIUM	2 ug/L	Gen. Eng.
0 BROMOFORM	LT	Gen. Eng.
1 CHLOROFORM	1 ug/L	Gen. Eng.
0 METHYLENE CHLORIDE	LT	Gen. Eng.
0 BROMOMETHANE	LT	Gen. Eng.
0 CHLOROMETHANE	LT	Gen. Eng.
1 CHLORIDE	24000 ug/L	Gen. Eng.
0 CHLOROETHYLENE	LT	Gen. Eng.
0 CHROMIUM	LT	Gen. Eng.
0 CHLOROETHYLENE (VINYL CHLORIDE)	LT	Gen. Eng.
0 CHLOROETHANE	LT	Gen. Eng.
0 BENZENE	LT	Gen. Eng.
0 DIBROMOCHLOROMETHANE	LT	Gen. Eng.
0 ENDRIN	0.10 ug/L	Gen. Eng.
0 ETHYLBENZENE	LT	Gen. Eng.
1 FLUORIDE	720 ug/L	Gen. Eng.
2 IRON	494 ug/L	Gen. Eng.
0 MERCURY	LT	Gen. Eng.
0 POTASSIUM	695 ug/L	Gen. Eng.
0 LINDANE	LT	Gen. Eng.
0 TOLUENE	LT	Gen. Eng.
0 METHOXYCHLOR	LT	Gen. Eng.
1 MAGNESIUM	9280 ug/L	Gen. Eng.
2 MANGANESE	132 ug/L	Gen. Eng.
1 SODIUM	406000 ug/L	Gen. Eng.
0 NITRATE AS NITROGEN	610 ug/L	Gen. Eng.
2 LEAD	62 ug/L	Gen. Eng.
0 PHENOLS	LT	Gen. Eng.
0 SELENIUM	LT	Gen. Eng.
1 SILICA	6300 ug/L	Gen. Eng.
2 SULFATE	1050000 ug/L	Gen. Eng.
0 1,1,2,2-TETRACHLOROETHANE	LT	Gen. Eng.
0 TETRACHLOROETHYLENE	LT	Gen. Eng.
0 TOTAL DISSOLVED SOLIDS	1260000 ug/L	Gen. Eng.
0 TOTAL ORGANIC CARBON	2000 ug/L	Gen. Eng.
1 TOTAL ORGANIC HALOGENS	11 ug/L	Gen. Eng.
1 TOTAL PHOSPHORUS	110 ug/L	Gen. Eng.
0 TRICHLOROETHYLENE	LT	Gen. Eng.
0 TOXAPHENE	LT	Gen. Eng.
0 TRANS-1,2-DICHLOROETHYLENE	LT	Gen. Eng.
0 1,1-DICHLOROETHYLENE	LT	Gen. Eng.
0 1,1-DICHLOROETHANE	LT	Gen. Eng.
0 1,1,1-TRICHLOROETHANE	LT	Gen. Eng.
0 1,1,2-TRICHLOROETHANE	LT	Gen. Eng.
0 1,2-DICHLOROETHANE	LT	Gen. Eng.
0 1,2-DICHLOROPROPANE	LT	Gen. Eng.
0 CIS-1,3-DICHLOROPROPENE	LT	Gen. Eng.
0 TRANS-1,3-DICHLOROPROPENE	LT	Gen. Eng.
0 2-CHLOROETHYL VINYL ETHER	LT	Gen. Eng.
0 2,4-DICHLOROPHENOXYACETIC ACID	LT	Gen. Eng.
0 2,4,5-TRICHLOROPHENOXYACETIC ACID	LT	Gen. Eng.
0 GROSS ALPHA	3 pCi/L	Gen. Eng.
0 NONVOLATILE BETA	2.55+-1.80 pCi/L	Gen. Eng.
1 TOTAL RADIUM	3.90+-2.20 pCi/L	Gen. Eng.
0 TRITIUM	1.48+-0.34 pCi/mL	Gen. Eng.

WELL KAC 2

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/02/89 Time 1320
 Depth to water = 36.26 ft (11.05 m) below the TOC
 Water elevation = 221.24 ft (67.43 m) msl
 pH = 6.1 Alkalinity = 33 mg/L
 Specific conductance = 222 umhos/cm
 Water temperature = 20.3 degrees Celsius
 Water evacuated from the well prior to sampling = 67 gal

LABORATORY ANALYSES

1 SPECIFIC CONDUCTANCE	220.0 UMH/C	Gen. Eng.
0 PH	6.23 pH	Gen. Eng.
0 TURBIDITY	23 NTU	Gen. Eng.
0 SILVER	LT	Gen. Eng.
0 ARSENIC	LT	Gen. Eng.
0 BARIUM	4 ug/L	Gen. Eng.
0 BROMODICHLOROMETHANE	LT	Gen. Eng.
0 CALCIUM	645 ug/L	Gen. Eng.
0 TRICHLOROFLUOROMETHANE	LT	Gen. Eng.
0 CARBON TETRACHLORIDE	LT	Gen. Eng.
0 CADMIUM	2 ug/L	Gen. Eng.
0 BROMOFORM	LT	Gen. Eng.
0 CHLOROFORM	LT	Gen. Eng.

CONTINUED

WELL KAC 2 COLLECTED ON 08/02/89 LABORATORY ANALYSES CONTINUED

0 METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0 BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0 CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
1 CHLORIDE		24000 ug/L	Gen. Eng.
0 CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0 CHROMIUM	LT	4 ug/L	Gen. Eng.
0 CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0 CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 BENZENE	LT	1 ug/L	Gen. Eng.
0 DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 ENDRIIN	LT	0.10 ug/L	Gen. Eng.
0 ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0 FLUORIDE	LT	100 ug/L	Gen. Eng.
0 IRON	LT	26 ug/L	Gen. Eng.
0 MERCURY	LT	0.20 ug/L	Gen. Eng.
0 POTASSIUM	LT	500 ug/L	Gen. Eng.
0 LINDANE	LT	0.05 ug/L	Gen. Eng.
0 TOLUENE	LT	1 ug/L	Gen. Eng.
0 METHOXYCHLOR	LT	0.50 ug/L	Gen. Eng.
0 MAGNESIUM	LT	314 ug/L	Gen. Eng.
0 MANGANESE	LT	2 ug/L	Gen. Eng.
1 SODIUM		45400 ug/L	Gen. Eng.
0 NITRATE AS NITROGEN		60 ug/L	Gen. Eng.
0 LEAD	LT	6 ug/L	Gen. Eng.
0 PHENOLS	LT	5 ug/L	Gen. Eng.
1 SELENIUM		4 ug/L	Gen. Eng.
1 SILICA		6120 ug/L	Gen. Eng.
2 SULFATE		1000000 ug/L	Gen. Eng.
0 1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0 TOTAL DISSOLVED SOLIDS		134000 ug/L	Gen. Eng.
0 TOTAL ORGANIC CARBON		1000 ug/L	Gen. Eng.
0 TOTAL ORGANIC HALOGENS	LT	5 ug/L	Gen. Eng.
1 TOTAL PHOSPHORUS		170 ug/L	Gen. Eng.
0 TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0 TOXAPHENE	LT	1 ug/L	Gen. Eng.
0 TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0 1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0 1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0 CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0 TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0 2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0 2,4-DICHLOROPHENOXYACETIC ACID	LT	0.30 ug/L	Gen. Eng.
0 2,4,5-TRICHLOROPHENOXYACETIC ACID	LT	0.09 ug/L	Gen. Eng.
0 GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
0 NONVOLATILE BETA	LT	2 pCi/L	Gen. Eng.
0 TOTAL RADIUM	LT	1 pCi/L	Gen. Eng.
1 TRITIUM		10.50+-0.47 pCi/mL	Gen. Eng.

WELL KAC 3

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/02/89 Time 1355
 Depth to water = 36.05 ft (10.99 m) below the TOC
 Water elevation = 221.75 ft (67.59 m) msl
 pH = 7.0 Alkalinity = 70 mg/L
 Specific conductance = 343 umhos/cm
 Water temperature = 18.4 degrees Celsius
 Water evacuated from the well prior to sampling = 80 gal

LABORATORY ANALYSES

1 SPECIFIC CONDUCTANCE		290.0 UMH	Gen. Eng.
1 PH		7.24	Gen. Eng.
0 TURBIDITY		6 NTU	Gen. Eng.
0 SILVER	LT	2 ug/L	Gen. Eng.
0 ARSENIC	LT	2 ug/L	Gen. Eng.
0 BARIUM	LT	4 ug/L	Gen. Eng.
0 BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 CALCIUM	LT	726 ug/L	Gen. Eng.
0 TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0 CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0 CADMIUM	LT	2 ug/L	Gen. Eng.
0 BROMOFORM	LT	1 ug/L	Gen. Eng.
0 CHLOROFORM	LT	1 ug/L	Gen. Eng.
0 METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0 BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0 CHLORIDE	LT	8300 ug/L	Gen. Eng.
0 CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0 CHROMIUM	LT	4 ug/L	Gen. Eng.
0 CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0 CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 BENZENE	LT	1 ug/L	Gen. Eng.
0 DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 ENDRIIN	LT	0.10 ug/L	Gen. Eng.
0 ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0 FLUORIDE	LT	280 ug/L	Gen. Eng.
0 IRON	LT	45 ug/L	Gen. Eng.
0 MERCURY	LT	0.20 ug/L	Gen. Eng.
0 POTASSIUM	LT	500 ug/L	Gen. Eng.
0 LINDANE	LT	0.05 ug/L	Gen. Eng.
0 TOLUENE	LT	1 ug/L	Gen. Eng.
0 METHOXYCHLOR	LT	0.50 ug/L	Gen. Eng.
0 MAGNESIUM	LT	317 ug/L	Gen. Eng.
0 MANGANESE	LT	2 ug/L	Gen. Eng.
1 SODIUM		67000 ug/L	Gen. Eng.
0 NITRATE AS NITROGEN		140 ug/L	Gen. Eng.
0 LEAD	LT	6 ug/L	Gen. Eng.
0 PHENOLS	LT	5 ug/L	Gen. Eng.
0 SELENIUM	LT	2 ug/L	Gen. Eng.

CONTINUED

WELL KAC 3 COLLECTED ON 08/02/89 LABORATORY ANALYSES CONTINUED

1 SILICA		5460 ug/L	Gen. Eng.
1 SULFATE		57000 ug/L	Gen. Eng.
0 1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0 TOTAL DISSOLVED SOLIDS		176000 ug/L	Gen. Eng.
0 TOTAL ORGANIC CARBON		2000 ug/L	Gen. Eng.
0 TOTAL ORGANIC HALOGENS	LT	5 ug/L	Gen. Eng.
1 TOTAL PHOSPHORUS		200 ug/L	Gen. Eng.
0 TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0 TOXAPHENE	LT	1 ug/L	Gen. Eng.
0 TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0 1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0 1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0 CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0 TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0 2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0 2,4-DICHLOROPHENOXYACETIC ACID	LT	0.30 ug/L	Gen. Eng.
0 2,4,5-TRICHLOROPHENOXYACETIC ACID	LT	0.09 ug/L	Gen. Eng.
0 GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
0 NONVOLATILE BETA	LT	2 pCi/L	Gen. Eng.
0 TOTAL RADIUM	LT	1 pCi/L	Gen. Eng.
0 TRITIUM		2.87+-0.37 pCi/mL	Gen. Eng.

WELL KAC 4

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/02/89 Time 1215
 Depth to water = 43.96 ft (13.40 m) below the TOC
 Water elevation = 216.04 ft (65.85 m) msl
 pH = 5.4 Alkalinity = 3 mg/L
 Specific conductance = 112 umhos/cm
 Water temperature = 18.8 degrees Celsius
 Water evacuated from the well prior to sampling = 99 gal

LABORATORY ANALYSES

1 SPECIFIC CONDUCTANCE		110.0 UMH	Gen. Eng.
0 PH		5.68	Gen. Eng.
0 TURBIDITY		0.39 NTU	Gen. Eng.
0 SILVER	LT	2 ug/L	Gen. Eng.
0 ARSENIC	LT	2 ug/L	Gen. Eng.
0 BARIUM	LT	5 ug/L	Gen. Eng.
0 BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 CALCIUM	LT	719 ug/L	Gen. Eng.
0 TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0 CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0 CADMIUM	LT	2 ug/L	Gen. Eng.
0 BROMOFORM	LT	1 ug/L	Gen. Eng.
1 CHLOROFORM		6 ug/L	Gen. Eng.
0 METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0 BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0 CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
1 CHLORIDE		10000 ug/L	Gen. Eng.
0 CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0 CHROMIUM	LT	4 ug/L	Gen. Eng.
0 CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0 CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 BENZENE	LT	1 ug/L	Gen. Eng.
0 DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 ENDRIIN	LT	0.10 ug/L	Gen. Eng.
0 ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0 FLUORIDE	LT	100 ug/L	Gen. Eng.
0 IRON	LT	120 ug/L	Gen. Eng.
0 MERCURY	LT	0.20 ug/L	Gen. Eng.
0 POTASSIUM	LT	500 ug/L	Gen. Eng.
0 LINDANE	LT	0.05 ug/L	Gen. Eng.
0 TOLUENE	LT	1 ug/L	Gen. Eng.
0 METHOXYCHLOR	LT	0.50 ug/L	Gen. Eng.
0 MAGNESIUM	LT	378 ug/L	Gen. Eng.
0 MANGANESE	LT	5 ug/L	Gen. Eng.
1 SODIUM		18700 ug/L	Gen. Eng.
0 NITRATE AS NITROGEN		280 ug/L	Gen. Eng.
0 LEAD	LT	7 ug/L	Gen. Eng.
0 PHENOLS	LT	5 ug/L	Gen. Eng.
0 SELENIUM	LT	2 ug/L	Gen. Eng.
1 SILICA		6370 ug/L	Gen. Eng.
1 SULFATE		27000 ug/L	Gen. Eng.
0 1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0 TOTAL DISSOLVED SOLIDS		47000 ug/L	Gen. Eng.
0 TOTAL ORGANIC CARBON		2000 ug/L	Gen. Eng.
0 TOTAL ORGANIC HALOGENS	LT	5 ug/L	Gen. Eng.
0 TOTAL PHOSPHORUS	LT	50 ug/L	Gen. Eng.
0 TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0 TOXAPHENE	LT	1 ug/L	Gen. Eng.
0 TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0 1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0 1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0 CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0 TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0 2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0 2,4-DICHLOROPHENOXYACETIC ACID	LT	0.30 ug/L	Gen. Eng.
0 2,4,5-TRICHLOROPHENOXYACETIC ACID	LT	0.09 ug/L	Gen. Eng.
0 GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
0 NONVOLATILE BETA	LT	2 pCi/L	Gen. Eng.
0 TOTAL RADIUM	LT	1.10+-1.80 pCi/L	Gen. Eng.
0 TRITIUM		2.39+-0.36 pCi/mL	Gen. Eng.

WELL KAC 5

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/02/89 Time 1115
 Depth to water = 37.46 ft (11.42 m) below the TOC
 Water elevation = 221.54 ft (67.53 m) msl
 pH = 5.4 Alkalinity = 4 mg/L
 Specific conductance = 64 umhos/cm
 Water temperature = 18.8 degrees Celsius
 Water evacuated from the well prior to sampling = 14 gal
 The well went dry during purging.

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE	64.00 UMH/C	Gen. Eng.
0	PH	5.63 pH	Gen. Eng.
0	TURBIDITY	16 NTU	Gen. Eng.
0	SILVER	2 ug/L	Gen. Eng.
0	ARSENIC	2 ug/L	Gen. Eng.
0	BARIUM	4 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	1 ug/L	Gen. Eng.
0	CALCIUM	712 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	1 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	1.00 ug/L	Gen. Eng.
0	CADMIUM	2 ug/L	Gen. Eng.
0	BROMOFORM	1 ug/L	Gen. Eng.
0	CHLOROFORM	1 ug/L	Gen. Eng.
0	METHYLENE CHLORIDE	1 ug/L	Gen. Eng.
0	BROMOMETHANE	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	1 ug/L	Gen. Eng.
0	CHLORIDE	8900 ug/L	Gen. Eng.
0	CHLOROBENZENE	1 ug/L	Gen. Eng.
0	CHROMIUM	4 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	1 ug/L	Gen. Eng.
0	CHLOROETHANE	1 ug/L	Gen. Eng.
0	BENZENE	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	1 ug/L	Gen. Eng.
0	ENDRIN	0.10 ug/L	Gen. Eng.
0	ETHYLBENZENE	1 ug/L	Gen. Eng.
0	FLUORIDE	100 ug/L	Gen. Eng.
2	IRON	334 ug/L	Gen. Eng.
0	MERCURY	0.20 ug/L	Gen. Eng.
0	POTASSIUM	500 ug/L	Gen. Eng.
0	LINDANE	0.05 ug/L	Gen. Eng.
0	TOLUENE	1 ug/L	Gen. Eng.
0	METHOXYCHLOR	0.50 ug/L	Gen. Eng.
0	MANGANESE	242 ug/L	Gen. Eng.
0	MANGANESE	11 ug/L	Gen. Eng.
1	SODIUM	10800 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN	50 ug/L	Gen. Eng.
0	LEAD	7 ug/L	Gen. Eng.
0	PHENOLS	5 ug/L	Gen. Eng.
0	SELENIUM	2 ug/L	Gen. Eng.
1	SILICA	6000 ug/L	Gen. Eng.
0	SULFATE	8000 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	1 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	1.00 ug/L	Gen. Eng.
0	TOTAL DISSOLVED SOLIDS	23000 ug/L	Gen. Eng.
0	TOTAL ORGANIC CARBON	2000 ug/L	Gen. Eng.
0	TOTAL ORGANIC HALOGENS	5 ug/L	Gen. Eng.
1	TOTAL PHOSPHORUS	70 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	1.00 ug/L	Gen. Eng.
0	TOXAPHENE	1 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	1 ug/L	Gen. Eng.
0	2,4-DICHLOROPHENOXYACETIC ACID	0.30 ug/L	Gen. Eng.
0	2,4,5-TRICHLOROPHENOXYACETIC ACID	0.09 ug/L	Gen. Eng.
0	GROSS ALPHA	3 pCi/L	Gen. Eng.
0	NONVOLATILE BETA	2 pCi/L	Gen. Eng.
0	TOTAL RADIUM	1 pCi/L	Gen. Eng.
0	TRITIUM	0.86+-0.35 pCi/mL	Gen. Eng.

WELL KAC 6

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/02/89 Time 1055
 Depth to water = 37.83 ft (11.53 m) below the TOC
 Water elevation = 221.17 ft (67.41 m) msl
 pH = 5.5 Alkalinity = 6 mg/L
 Specific conductance = 118 umhos/cm
 Water temperature = 18.7 degrees Celsius
 Water evacuated from the well prior to sampling = 8 gal
 The well went dry during purging.

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	110.0 UMH/C	Gen. Eng.
1	SPECIFIC CONDUCTANCE	110.0 UMH/C	Gen. Eng.
0	PH	5.65 pH	Gen. Eng.
0	PH	5.68 pH	Gen. Eng.
0	TURBIDITY	78 NTU	Gen. Eng.
0	TURBIDITY	80 NTU	Gen. Eng.
0	SILVER	2 ug/L	Gen. Eng.
0	SILVER	2 ug/L	Gen. Eng.
0	ARSENIC	2 ug/L	Gen. Eng.
0	ARSENIC	2 ug/L	Gen. Eng.
0	BARIUM	9 ug/L	Gen. Eng.
0	BARIUM	8 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	1 ug/L	Gen. Eng.

CONTINUED

WELL KAC 6 COLLECTED ON 08/02/89 LABORATORY ANALYSES CONTINUED

0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CALCIUM		1320 ug/L	Gen. Eng.
0	CALCIUM		1350 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	CADMIUM	LT	2 ug/L	Gen. Eng.
0	CADMIUM	LT	2 ug/L	Gen. Eng.
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
1	CHLOROFORM		2 ug/L	Gen. Eng.
1	CHLOROFORM		2 ug/L	Gen. Eng.
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLORIDE		8400 ug/L	Gen. Eng.
0	CHLORIDE		8300 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHROMIUM	LT	4 ug/L	Gen. Eng.
0	CHROMIUM	LT	4 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	ENDRIN	LT	0.10 ug/L	Gen. Eng.
0	ENDRIN	LT	0.10 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	FLUORIDE	LT	100 ug/L	Gen. Eng.
0	FLUORIDE	LT	100 ug/L	Gen. Eng.
0	IRON		111 ug/L	Gen. Eng.
0	IRON		116 ug/L	Gen. Eng.
0	MERCURY	LT	0.20 ug/L	Gen. Eng.
0	MERCURY	LT	0.20 ug/L	Gen. Eng.
0	POTASSIUM		625 ug/L	Gen. Eng.
0	POTASSIUM		644 ug/L	Gen. Eng.
0	LINDANE	LT	0.05 ug/L	Gen. Eng.
0	LINDANE	LT	0.05 ug/L	Gen. Eng.
0	TOLUENE	LT	1 ug/L	Gen. Eng.
0	TOLUENE	LT	1 ug/L	Gen. Eng.
0	METHOXYCHLOR	LT	0.50 ug/L	Gen. Eng.
0	METHOXYCHLOR	LT	0.50 ug/L	Gen. Eng.
0	MANGANESE		360 ug/L	Gen. Eng.
0	MANGANESE		342 ug/L	Gen. Eng.
0	MANGANESE		20 ug/L	Gen. Eng.
0	MANGANESE		20 ug/L	Gen. Eng.
1	SODIUM		17600 ug/L	Gen. Eng.
1	SODIUM		18200 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN		70 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN		70 ug/L	Gen. Eng.
0	LEAD		8 ug/L	Gen. Eng.
0	LEAD		8 ug/L	Gen. Eng.
0	PHENOLS	LT	5 ug/L	Gen. Eng.
0	PHENOLS	LT	5 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	Gen. Eng.
1	SILICA		6330 ug/L	Gen. Eng.
1	SILICA		6690 ug/L	Gen. Eng.
1	SULFATE		32000 ug/L	Gen. Eng.
1	SULFATE		32000 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TOTAL DISSOLVED SOLIDS		54000 ug/L	Gen. Eng.
0	TOTAL DISSOLVED SOLIDS		59000 ug/L	Gen. Eng.
0	TOTAL ORGANIC CARBON		2000 ug/L	Gen. Eng.
0	TOTAL ORGANIC CARBON		2000 ug/L	Gen. Eng.
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	Gen. Eng.
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	Gen. Eng.
1	TOTAL PHOSPHORUS		280 ug/L	Gen. Eng.
1	TOTAL PHOSPHORUS		280 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TOXAPHENE	LT	1 ug/L	Gen. Eng.
0	TOXAPHENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0	2,4-DICHLOROPHENOXYACETIC ACID	LT	0.30 ug/L	Gen. Eng.
0	2,4-DICHLOROPHENOXYACETIC ACID	LT	0.30 ug/L	Gen. Eng.
0	2,4,5-TRICHLOROPHENOXYACETIC ACID	LT	0.09 ug/L	Gen. Eng.
0	2,4,5-TRICHLOROPHENOXYACETIC ACID	LT	0.09 ug/L	Gen. Eng.

CONTINUED

WELL KAC 6 COLLECTED ON 08/02/89 LABORATORY ANALYSES CONTINUED

0 GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
0 GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
0 NONVOLATILE BETA	LT	2 pCi/L	Gen. Eng.
0 NONVOLATILE BETA	LT	3.28+-3.80 pCi/L	Gen. Eng.
0 TOTAL RADIUM	LT	1 pCi/L	Gen. Eng.
0 TOTAL RADIUM	LT	1 pCi/L	Gen. Eng.
0 TRITIUM	LT	1.00+-0.34 pCi/mL	Gen. Eng.
0 TRITIUM	LT	0.78+-0.34 pCi/mL	Gen. Eng.

WELL KAC 7

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/02/89 Time 1025
 Depth to water = 48.02 ft (14.64 m) below the TOC
 Water elevation = 217.08 ft (66.17 m) msl
 pH = 5.2 Alkalinity = 21 mg/L
 Specific conductance = 1393 umhos/cm
 Water temperature = 19.3 degrees Celsius
 Water evacuated from the well prior to sampling = 7 gal
 The well went dry during purging.

LABORATORY ANALYSES

1 SPECIFIC CONDUCTANCE		1100 UMHC	Gen. Eng.
0 PH		5.68 pH	Gen. Eng.
0 TURBIDITY		106 NTU	Gen. Eng.
0 SILVER	LT	2 ug/L	Gen. Eng.
0 ARSENIC	LT	2 ug/L	Gen. Eng.
0 BARIUM		27 ug/L	Gen. Eng.
0 BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 CALCIUM		7240 ug/L	Gen. Eng.
0 TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0 CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0 CADMIUM	LT	2 ug/L	Gen. Eng.
0 BROMOFORM	LT	1 ug/L	Gen. Eng.
1 CHLOROFORM		1 ug/L	Gen. Eng.
0 METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0 BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0 CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
1 CHLORIDE		18000 ug/L	Gen. Eng.
0 CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0 CHROMIUM	LT	4 ug/L	Gen. Eng.
0 CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0 CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 BENZENE	LT	1 ug/L	Gen. Eng.
0 DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 ENDRIIN	LT	0.10 ug/L	Gen. Eng.
0 ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0 FLUORIDE	LT	100 ug/L	Gen. Eng.
2 IRON		3000 ug/L	Gen. Eng.
0 MERCURY	LT	0.20 ug/L	Gen. Eng.
0 POTASSIUM		941 ug/L	Gen. Eng.
0 LINDANE	LT	0.05 ug/L	Gen. Eng.
0 TOLUENE	LT	1 ug/L	Gen. Eng.
0 METHOXYCHLOR	LT	0.50 ug/L	Gen. Eng.
0 MAGNESIUM		2250 ug/L	Gen. Eng.
2 MANGANESE		159 ug/L	Gen. Eng.
1 SODIUM		211000 ug/L	Gen. Eng.
0 NITRATE AS NITROGEN		770 ug/L	Gen. Eng.
0 LEAD		10 ug/L	Gen. Eng.
0 PHENOLS	LT	5 ug/L	Gen. Eng.
0 SELENIUM	LT	2 ug/L	Gen. Eng.
1 SILICA		11400 ug/L	Gen. Eng.
2 SULFATE		566000 ug/L	Gen. Eng.
0 1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0 TOTAL DISSOLVED SOLIDS		749000 ug/L	Gen. Eng.
0 TOTAL ORGANIC CARBON		2000 ug/L	Gen. Eng.
0 TOTAL ORGANIC HALOGENS	LT	5 ug/L	Gen. Eng.
1 TOTAL PHOSPHORUS		330 ug/L	Gen. Eng.
0 TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0 TOXAPHENE	LT	1 ug/L	Gen. Eng.
0 TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0 1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0 1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
1 1,1,1-TRICHLOROETHANE		1 ug/L	Gen. Eng.
0 1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0 CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0 TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0 2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0 2,4-DICHLOROPHENOXYACETIC ACID	LT	0.30 ug/L	Gen. Eng.
1 2,4,5-TRICHLOROPHENOXYACETIC ACID		0.09 ug/L	Gen. Eng.
0 GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
0 NONVOLATILE BETA		4.61+-1.60 pCi/L	Gen. Eng.
2 TOTAL RADIUM		6.93+-1.50 pCi/L	Gen. Eng.
0 TRITIUM		6.95+-0.44 pCi/mL	Gen. Eng.

WELL KCB 1

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/26/89 Time 1115
 Depth to water = 55.09 ft (16.79 m) below the TOC
 Water elevation = 205.31 ft (62.58 m) msl
 pH = 5.5 Alkalinity = 6 mg/L
 Specific conductance = 235 umhos/cm
 Water temperature = 22.5 degrees Celsius
 Water evacuated from the well prior to sampling = 56 gal

LABORATORY ANALYSES

0 MANGANESE		13 ug/L	Gen. Eng.
1 SULFATE		70000 ug/L	Gen. Eng.
0 GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
0 TOTAL RADIUM		2.40+-2.00 pCi/L	Gen. Eng.
1 TRITIUM		10.50+-0.47 pCi/mL	Gen. Eng.

WELL KCB 2

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/26/89 Time 1050
 Depth to water = 50.22 ft (15.31 m) below the TOC
 Water elevation = 204.18 ft (62.23 m) msl
 pH = 4.8 Alkalinity = 0 mg/L
 Specific conductance = 47 umhos/cm
 Water temperature = 21.5 degrees Celsius
 Water evacuated from the well prior to sampling = 43 gal

LABORATORY ANALYSES

0 MANGANESE		8 ug/L	Gen. Eng.
0 SULFATE		7200 ug/L	Gen. Eng.
0 GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
1 TOTAL RADIUM		3.20+-2.10 pCi/L	Gen. Eng.
2 TRITIUM		28.70+-0.63 pCi/mL	Gen. Eng.

WELL KCB 3

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/26/89 Time 1025
 Depth to water = 45.10 ft (13.75 m) below the TOC
 Water elevation = 202.80 ft (61.81 m) msl
 pH = 4.0 Alkalinity = 0 mg/L
 Specific conductance = 377 umhos/cm
 Water temperature = 21.8 degrees Celsius
 Water evacuated from the well prior to sampling = 49 gal

LABORATORY ANALYSES

2 MANGANESE		1210 ug/L	Gen. Eng.
2 SULFATE		219000 ug/L	Gen. Eng.
2 GROSS ALPHA		24.50+-4.50 pCi/L	Gen. Eng.
2 TOTAL RADIUM		8.10+-2.90 pCi/L	Gen. Eng.
2 TRITIUM		20.10+-0.57 pCi/mL	Gen. Eng.

WELL KCB 4

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/26/89 Time 1000
 Depth to water = 50.81 ft (15.49 m) below the TOC
 Water elevation = 204.79 ft (62.42 m) msl
 pH = 6.5 Alkalinity = 55 mg/L
 Specific conductance = 386 umhos/cm
 Water temperature = 23.0 degrees Celsius
 Water evacuated from the well prior to sampling = 41 gal

LABORATORY ANALYSES

0 MANGANESE	LT	2 ug/L	Gen. Eng.
1 SULFATE		81000 ug/L	Gen. Eng.
0 GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
0 TOTAL RADIUM	LT	1 pCi/L	Gen. Eng.
0 TRITIUM		7.21+-0.43 pCi/mL	Gen. Eng.

WELL KCB 1

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/18/89 Time 1250
 Depth to water = 64.40 ft (19.63 m) below the TOC
 Water elevation = 208.70 ft (63.61 m) msl
 pH = 4.7 Alkalinity = 0 mg/L
 Specific conductance = 82 umhos/cm
 Water temperature = 25.0 degrees Celsius
 Water evacuated from the well prior to sampling = 20 gal
 The well went dry during purging.

LABORATORY ANALYSES

0 BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
0 TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE
0 CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0 BROMOFORM	LT	5 ug/L	metaTRACE

CONTINUED

WELL KDB 1 COLLECTED ON 09/18/89 LABORATORY ANALYSES CONTINUED

0	CHLOROFORM	LT	5 ug/L	metaTRACE
0	METHYLENE CHLORIDE	LT	5 ug/L	metaTRACE
0	BROMOMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROBENZENE	LT	5 ug/L	metaTRACE
0	CHLOROETHANE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0	ETHYLBENZENE	LT	5 ug/L	metaTRACE
0	IRON	LT	279 ug/L	metaTRACE
0	MERCURY	LT	0.20 ug/L	metaTRACE
0	TOLUENE	LT	5 ug/L	metaTRACE
2	MANGANESE	LT	688 ug/L	metaTRACE
2	LEAD	LT	47 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
1	TOTAL ORGANIC HALOGENS	LT	15 ug/L	metaTRACE
0	TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
1	TOTAL ACTIVITY		762+-5.58 pCi/mL	HP, 735A
2	TOTAL RADIUM		6.30+-0.80 pCi/L	metaTRACE
2	TRITIUM		781+-5.50 pCi/mL	HP, 735A
2	TRITIUM		830+-90 pCi/mL	metaTRACE

WELL KDB 2

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/15/89 Time 1020
Depth to water = 66.42 ft (20.25 m) below the TOC
Water elevation = 207.08 ft (63.12 m) msl
pH = 5.0 Alkalinity = 0 mg/L
Specific conductance = 65 umhos/cm
Water temperature = 25.3 degrees Celsius
Water evacuated from the well prior to sampling = 64 gal

LABORATORY ANALYSES

0	BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
0	TRICHLOROFUOROMETHANE	LT	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0	BROMOFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	5 ug/L	metaTRACE
1	METHYLENE CHLORIDE	B	7 ug/L	metaTRACE
0	BROMOMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROBENZENE	LT	5 ug/L	metaTRACE
0	CHLOROETHANE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0	CHLOROETHANE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0	ETHYLBENZENE	LT	5 ug/L	metaTRACE
0	IRON	LT	12 ug/L	metaTRACE
0	MERCURY	LT	0.24 ug/L	metaTRACE
0	TOLUENE	LT	5 ug/L	metaTRACE
2	MANGANESE	LT	119 ug/L	metaTRACE
2	LEAD	LT	33 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
2	TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
2	TOTAL ORGANIC HALOGENS	LT	123 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	LT	123 ug/L	metaTRACE
2	TRICHLOROETHYLENE	LT	170 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
1	TOTAL ACTIVITY		2760+-58.9 pCi/mL	HP, 735A
0	TOTAL RADIUM		1 pCi/L	metaTRACE
2	TRITIUM		2200+-0.40 pCi/mL	metaTRACE
2	TRITIUM		2750+-39.7 pCi/mL	HP, 735A

WELL KDB 3

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/15/89 Time 1050
Depth to water = 65.29 ft (19.90 m) below the TOC
Water elevation = 208.11 ft (63.43 m) msl
pH = 6.2 Alkalinity = 102 mg/L
Specific conductance = 309 umhos/cm
Water temperature = 24.7 degrees Celsius
Water evacuated from the well prior to sampling = 21 gal
The well went dry during purging.

LABORATORY ANALYSES

0	BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
0	TRICHLOROFUOROMETHANE	LT	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0	BROMOFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	5 ug/L	metaTRACE
1	METHYLENE CHLORIDE	B	7 ug/L	metaTRACE
0	BROMOMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROBENZENE	LT	5 ug/L	metaTRACE
0	CHLOROETHANE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0	CHLOROETHANE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0	ETHYLBENZENE	LT	5 ug/L	metaTRACE
1	IRON	LT	270 ug/L	metaTRACE
0	MERCURY	LT	0.22 ug/L	metaTRACE
0	MERCURY	LT	0.23 ug/L	metaTRACE
0	TOLUENE	LT	5 ug/L	metaTRACE
2	MANGANESE	LT	72 ug/L	metaTRACE
0	LEAD	LT	9 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
1	TOTAL ORGANIC HALOGENS	LT	19 ug/L	metaTRACE
1	TOTAL ORGANIC HALOGENS	LT	21 ug/L	metaTRACE
2	TRICHLOROETHYLENE	LT	8.00 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
1	TOTAL ACTIVITY		138+-4.40 pCi/mL	HP, 735A
1	TOTAL RADIUM		3.40+-0.50 pCi/L	metaTRACE
1	TOTAL RADIUM		3.40+-0.50 pCi/L	metaTRACE
2	TRITIUM		110+-20 pCi/mL	metaTRACE
2	TRITIUM		110+-20 pCi/mL	metaTRACE
2	TRITIUM		135+-2.83 pCi/mL	HP, 735A

WELL KRB 1

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/04/89 Time 950
Depth to water = 58.86 ft (17.94 m) below the TOC
Water elevation = 207.64 ft (63.29 m) msl
pH = 5.3 Alkalinity = 3 ug/L
Specific conductance = 34 umhos/cm
Water temperature = 21.7 degrees Celsius
Water evacuated from the well prior to sampling = 3 gal
The well went dry during purging.

LABORATORY ANALYSES

0	BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
0	TRICHLOROFUOROMETHANE	LT	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0	CADMIUM	LT	4 ug/L	metaTRACE
0	BROMOFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	5 ug/L	metaTRACE
1	METHYLENE CHLORIDE	J	4 ug/L	metaTRACE
0	BROMOMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROBENZENE	LT	5 ug/L	metaTRACE
0	CHLOROETHANE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0	CHLOROETHANE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0	ETHYLBENZENE	LT	5 ug/L	metaTRACE
1	IRON	LT	201 ug/L	metaTRACE
0	TOLUENE	LT	5 ug/L	metaTRACE
1	MANGANESE	LT	27 ug/L	metaTRACE
2	LEAD	LT	519 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	metaTRACE
0	TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0	GROSS ALPHA		3.63+-1.36 pCi/L	HP, 735A
0	NONVOLATILE BETA	LT	4 pCi/L	metaTRACE
0	NONVOLATILE BETA		4.16+-1.63 pCi/L	HP, 735A

CONTINUED

WELL KRB 1 COLLECTED ON 09/04/89 LABORATORY ANALYSES CONTINUED

1 TOTAL ACTIVITY 102+-2.65 pCi/mL HP, 735A
 2 TRITIUM 87.00+-9.00 pCi/mL metaTRACE
 2 TRITIUM 87.00+-9.00 pCi/mL metaTRACE
 2 TRITIUM 101+-2.44 pCi/mL HP, 735A

WELL KRB 8

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/03/89 Time 1350
 Depth to water = 58.56 ft (17.85 m) below the TOC
 Water elevation = 209.34 ft (63.81 m) msl
 pH = 4.7 Alkalinity = 0 mg/L
 Specific conductance = 47 umhos/cm
 Water temperature = 22.3 degrees Celsius
 Water evacuated from the well prior to sampling = 22 gal

LABORATORY ANALYSES

0	BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0	CADMIUM	LT	4 ug/L	metaTRACE
0	BROMOFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	5 ug/L	metaTRACE
0	METHYLENE CHLORIDE	LT	5 ug/L	metaTRACE
0	BROMOMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROBENZENE	LT	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0	CHLOROETHANE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0	ETHYLBENZENE	LT	5 ug/L	metaTRACE
0	IRON	LT	12 ug/L	metaTRACE
0	TOLUENE	LT	5 ug/L	metaTRACE
1	MANGANESE	LT	32 ug/L	metaTRACE
2	LEAD	LT	37 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	metaTRACE
0	TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	2-CHLOROETHYLVINYL ETHER	LT	5 ug/L	metaTRACE
0	GROSS ALPHA	LT	2.42+-1.12 pCi/L	HP, 735A
0	NONVOLATILE BETA	LT	4 pCi/L	metaTRACE
0	NONVOLATILE BETA	LT	1.43+-0.98 pCi/L	HP, 735A
1	TOTAL ACTIVITY	LT	4100+-720 pCi/mL	HP, 735A
2	TRITIUM	LT	3700+-400 pCi/mL	metaTRACE
0	TRITIUM	LT	1 pCi/mL	metaTRACE
2	TRITIUM	LT	3986+-503 pCi/mL	HP, 735A

WELL KRB 13

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/04/89 Time 1015
 Depth to water = 77.89 ft (23.74 m) below the TOC
 Water elevation = 205.71 ft (62.70 m) msl
 pH = 5.9 Alkalinity = 16 mg/L
 Specific conductance = 56 umhos/cm
 Water temperature = 21.5 degrees Celsius
 Water evacuated from the well prior to sampling = 1 gal
 The well went dry during purging.

LABORATORY ANALYSES

0	BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0	CADMIUM	LT	4 ug/L	metaTRACE
0	BROMOFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	5 ug/L	metaTRACE
1	METHYLENE CHLORIDE	B	8 ug/L	metaTRACE
0	BROMOMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROBENZENE	LT	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0	CHLOROETHANE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0	ETHYLBENZENE	LT	5 ug/L	metaTRACE
0	IRON	LT	62 ug/L	metaTRACE
0	TOLUENE	LT	5 ug/L	metaTRACE
0	MANGANESE	LT	12 ug/L	metaTRACE
2	LEAD	LT	97 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	metaTRACE
0	TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE

CONTINUED

WELL KRB 13 COLLECTED ON 09/04/89 LABORATORY ANALYSES CONTINUED

1 1,2-DICHLOROETHANE 19 ug/L metaTRACE
 0 1,2-DICHLOROPROPANE LT 5 ug/L metaTRACE
 0 CIS-1,3-DICHLOROPROPENE LT 5 ug/L metaTRACE
 0 2-CHLOROETHYLVINYL ETHER LT 5 ug/L metaTRACE
 0 GROSS ALPHA 1.79+-0.99 pCi/L HP, 735A
 0 NONVOLATILE BETA LT 4 pCi/L metaTRACE
 0 NONVOLATILE BETA 2.06+-1.07 pCi/L HP, 735A
 1 TOTAL ACTIVITY 49600+-524 pCi/mL HP, 735A
 2 TRITIUM 47000+-4000 pCi/mL metaTRACE
 0 TRITIUM 4.40+-0.60 pCi/mL metaTRACE
 2 TRITIUM 49518+-514 pCi/mL HP, 735A
 2 TRITIUM 54020+-524 pCi/mL HP, 735A

WELL KRB 14

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/04/89 Time 1040
 Depth to water = 77.68 ft (23.68 m) below the TOC
 Water elevation = 204.82 ft (62.43 m) msl
 pH = 5.6 Alkalinity = 6 mg/L
 Specific conductance = 57 umhos/cm
 Water temperature = 21.7 degrees Celsius
 Water evacuated from the well prior to sampling = 7 gal
 The well went dry during purging.

LABORATORY ANALYSES

0	BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0	CADMIUM	LT	4 ug/L	metaTRACE
0	BROMOFORM	LT	5 ug/L	metaTRACE
1	CHLOROFORM	B	5 ug/L	metaTRACE
0	METHYLENE CHLORIDE	LT	5 ug/L	metaTRACE
0	BROMOMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROBENZENE	LT	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0	CHLOROETHANE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0	ETHYLBENZENE	LT	5 ug/L	metaTRACE
0	IRON	LT	8 ug/L	metaTRACE
0	TOLUENE	LT	5 ug/L	metaTRACE
0	MANGANESE	LT	20 ug/L	metaTRACE
0	LEAD	LT	5 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
1	TOTAL ORGANIC HALOGENS	LT	13 ug/L	metaTRACE
0	TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	2-CHLOROETHYLVINYL ETHER	LT	5 ug/L	metaTRACE
0	GROSS ALPHA	LT	1.57+-0.95 pCi/L	HP, 735A
0	NONVOLATILE BETA	LT	8.90+-3.20 pCi/L	metaTRACE
0	NONVOLATILE BETA	LT	2.81+-1.17 pCi/L	HP, 735A
1	TOTAL ACTIVITY	LT	18500+-31.5 pCi/mL	HP, 735A
2	TRITIUM	LT	180000+-20E3 pCi/mL	metaTRACE
2	TRITIUM	LT	18485+-31.5 pCi/mL	HP, 735A

WELL KRB 15

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/04/89 Time 1105
 Depth to water = 63.51 ft (19.36 m) below the TOC
 Water elevation = 206.09 ft (62.82 m) msl
 pH = 6.6 Alkalinity = 20 mg/L
 Specific conductance = 56 umhos/cm
 Water temperature = 21.5 degrees Celsius
 Water evacuated from the well prior to sampling = 2 gal
 The well went dry during purging.

LABORATORY ANALYSES

0	BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0	CADMIUM	LT	4 ug/L	metaTRACE
0	BROMOFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	5 ug/L	metaTRACE
1	METHYLENE CHLORIDE	B	7 ug/L	metaTRACE
0	BROMOMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROBENZENE	LT	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0	CHLOROETHANE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0	ETHYLBENZENE	LT	5 ug/L	metaTRACE
0	IRON	LT	22 ug/L	metaTRACE
0	TOLUENE	LT	5 ug/L	metaTRACE
0	MANGANESE	LT	14 ug/L	metaTRACE
0	LEAD	LT	19 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	LT	8 ug/L	metaTRACE

CONTINUED

WELL KRB 15 COLLECTED ON 09/04/89 LABORATORY ANALYSES CONTINUED

0	TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0	GROSS ALPHA	2.38+-1.20	pCi/L	HP, 735A
2	NONVOLATILE BETA	82.00+-9.00	pCi/L	metaTRACE
2	NONVOLATILE BETA	63.92+-6.38	pCi/L	HP, 735A
1	TOTAL ACTIVITY	62700+-853	pCi/mL	HP, 735A
2	TRITIUM	32000+-6000	pCi/mL	metaTRACE
2	TRITIUM	62767+-828	pCi/mL	HP, 735A

WELL KRP 1

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/27/89 Time 1250
 Depth to water = 46.90 ft (14.30 m) below the TOC
 Water elevation = 217.00 ft (66.14 m) msl
 pH = 4.5 Alkalinity = 0 mg/L
 Specific conductance = 38 umhos/cm
 Water temperature = 20.7 degrees Celsius
 Water evacuated from the well prior to sampling = 28 gal

LABORATORY ANALYSES

0	ALPHA-BENZENEHEXACHLORIDE	LT	10 ug/L	Gen. Eng.
0	ALPHA-BENZENEHEXACHLORIDE	LT	10 ug/L	Gen. Eng.
0	ALPHA-ENDOSULFAM	LT	10 ug/L	Gen. Eng.
0	ALPHA-ENDOSULFAM	LT	10 ug/L	Gen. Eng.
0	ALDRIN	LT	10 ug/L	Gen. Eng.
0	ALDRIN	LT	10 ug/L	Gen. Eng.
0	ACENAPHTHENE	LT	10 ug/L	Gen. Eng.
0	ACENAPHTHENE	LT	10 ug/L	Gen. Eng.
0	ACENAPHTHYLENE	LT	10 ug/L	Gen. Eng.
0	ACENAPHTHYLENE	LT	10 ug/L	Gen. Eng.
0	ANTHRACENE	LT	10 ug/L	Gen. Eng.
0	ANTHRACENE	LT	10 ug/L	Gen. Eng.
0	BENZO(A)ANTHRACENE	LT	10 ug/L	Gen. Eng.
0	BENZO(A)ANTHRACENE	LT	10 ug/L	Gen. Eng.
0	BENZO(A)PYRENE	LT	10 ug/L	Gen. Eng.
0	BENZO(A)PYRENE	LT	10 ug/L	Gen. Eng.
0	BENZO(B)FLUORANTHENE	LT	10 ug/L	Gen. Eng.
0	BENZO(B)FLUORANTHENE	LT	10 ug/L	Gen. Eng.
0	BETA-BENZENEHEXACHLORIDE	LT	10 ug/L	Gen. Eng.
0	BETA-BENZENEHEXACHLORIDE	LT	10 ug/L	Gen. Eng.
0	BUTYLBENZYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0	BUTYLBENZYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0	BIS(CHLOROMETHYL)ETHER	LT	10 ug/L	Gen. Eng.
0	BIS(CHLOROMETHYL)ETHER	LT	10 ug/L	Gen. Eng.
0	BETA-ENDOSULFAM	LT	10 ug/L	Gen. Eng.
0	BETA-ENDOSULFAM	LT	10 ug/L	Gen. Eng.
0	BENZIDINE	LT	10 ug/L	Gen. Eng.
0	BENZIDINE	LT	10 ug/L	Gen. Eng.
0	BENZO(G,H,I)PERYLENE	LT	10 ug/L	Gen. Eng.
0	BENZO(G,H,I)PERYLENE	LT	10 ug/L	Gen. Eng.
0	BENZO(K)FLUORANTHENE	LT	10 ug/L	Gen. Eng.
0	BENZO(K)FLUORANTHENE	LT	10 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	BIS(2-CHLOROETHOXY) METHANE	LT	10 ug/L	Gen. Eng.
0	BIS(2-CHLOROETHOXY) METHANE	LT	10 ug/L	Gen. Eng.
0	BIS(2-CHLOROISOPROPYL) ETHER	LT	10 ug/L	Gen. Eng.
0	BIS(2-CHLOROISOPROPYL) ETHER	LT	10 ug/L	Gen. Eng.
0	BIS(2-CHLOROETHYL) ETHER	LT	10 ug/L	Gen. Eng.
0	BIS(2-CHLOROETHYL) ETHER	LT	10 ug/L	Gen. Eng.
0	BIS(2-ETHYLHEXYL) PHTHALATE	LT	10 ug/L	Gen. Eng.
0	BIS(2-ETHYLHEXYL) PHTHALATE	LT	10 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	CHRYSENE	LT	10 ug/L	Gen. Eng.
0	CHRYSENE	LT	10 ug/L	Gen. Eng.
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHLORDANE	LT	10 ug/L	Gen. Eng.
0	CHLORDANE	LT	10 ug/L	Gen. Eng.
0	HEXACHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	HEXACHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	HEXACHLOROXYCLOPENTADIENE	LT	10 ug/L	Gen. Eng.
0	HEXACHLOROXYCLOPENTADIENE	LT	10 ug/L	Gen. Eng.
0	HEXACHLOROETHANE	LT	10 ug/L	Gen. Eng.
0	HEXACHLOROETHANE	LT	10 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	Gen. Eng.

CONTINUED

WELL KRP 1 COLLECTED ON 08/17/89 LABORATORY ANALYSES CONTINUED

0	DIBENZ(A,H)ANTHRACENE	LT	10 ug/L	Gen. Eng.
0	DIBENZ(A,H)ANTHRACENE	LT	10 ug/L	Gen. Eng.
0	DELTA-BENZENEHEXACHLORIDE	LT	10 ug/L	Gen. Eng.
0	DELTA-BENZENEHEXACHLORIDE	LT	10 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	DIETHYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0	DIETHYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0	DIELDRIN	LT	10 ug/L	Gen. Eng.
0	DIELDRIN	LT	10 ug/L	Gen. Eng.
0	DIMETHYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0	DIMETHYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0	DI-N-BUTYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0	DI-N-BUTYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0	DI-N-OCTYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0	DI-N-OCTYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0	ENDRIN ALDEHYDE	LT	10 ug/L	Gen. Eng.
0	ENDRIN ALDEHYDE	LT	10 ug/L	Gen. Eng.
0	ENDRIN	LT	10 ug/L	Gen. Eng.
0	ENDRIN	LT	10 ug/L	Gen. Eng.
0	ENDOSULFAM SULFATE	LT	10 ug/L	Gen. Eng.
0	ENDOSULFAM SULFATE	LT	10 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	FLUORANTHENE	LT	10 ug/L	Gen. Eng.
0	FLUORANTHENE	LT	10 ug/L	Gen. Eng.
2	IRON	301 ug/L	Gen. Eng.	
2	IRON	310 ug/L	Gen. Eng.	
0	FLUORENE	LT	10 ug/L	Gen. Eng.
0	FLUORENE	LT	10 ug/L	Gen. Eng.
0	HEXACHLOROBUTADIENE	LT	10 ug/L	Gen. Eng.
0	HEXACHLOROBUTADIENE	LT	10 ug/L	Gen. Eng.
0	HEPTACHLOR	LT	10 ug/L	Gen. Eng.
0	HEPTACHLOR	LT	10 ug/L	Gen. Eng.
0	HEPTACHLOR EPOXIDE	LT	10 ug/L	Gen. Eng.
0	HEPTACHLOR EPOXIDE	LT	10 ug/L	Gen. Eng.
0	INDENO(1,2,3-C,D)PYRENE	LT	10 ug/L	Gen. Eng.
0	INDENO(1,2,3-C,D)PYRENE	LT	10 ug/L	Gen. Eng.
0	ISOPHORONE	LT	10 ug/L	Gen. Eng.
0	ISOPHORONE	LT	10 ug/L	Gen. Eng.
0	LINDANE	LT	10 ug/L	Gen. Eng.
0	LINDANE	LT	10 ug/L	Gen. Eng.
0	TOLUENE	LT	1 ug/L	Gen. Eng.
0	TOLUENE	LT	1 ug/L	Gen. Eng.
0	MANGANESE	23 ug/L	Gen. Eng.	
0	MANGANESE	24 ug/L	Gen. Eng.	
0	NAPHTHALENE	LT	10 ug/L	Gen. Eng.
0	NAPHTHALENE	LT	10 ug/L	Gen. Eng.
0	NITROBENZENE	LT	10 ug/L	Gen. Eng.
0	NITROBENZENE	LT	10 ug/L	Gen. Eng.
0	N-NITROSODIMETHYLAMINE	LT	10 ug/L	Gen. Eng.
0	N-NITROSODIMETHYLAMINE	LT	10 ug/L	Gen. Eng.
0	N-NITROSODI-PROPYLAMINE	LT	10 ug/L	Gen. Eng.
0	N-NITROSODI-PROPYLAMINE	LT	10 ug/L	Gen. Eng.
0	N-NITROSODIPHENYLAMINE	LT	10 ug/L	Gen. Eng.
0	N-NITROSODIPHENYLAMINE	LT	10 ug/L	Gen. Eng.
2	LEAD	28 ug/L	Gen. Eng.	
2	LEAD	30 ug/L	Gen. Eng.	
0	PCB 1016	LT	150 ug/L	Gen. Eng.
0	PCB 1016	LT	150 ug/L	Gen. Eng.
0	PCB 1221	LT	150 ug/L	Gen. Eng.
0	PCB 1221	LT	150 ug/L	Gen. Eng.
0	PCB 1232	LT	150 ug/L	Gen. Eng.
0	PCB 1232	LT	150 ug/L	Gen. Eng.
0	PCB 1242	LT	150 ug/L	Gen. Eng.
0	PCB 1242	LT	150 ug/L	Gen. Eng.
0	PCB 1248	LT	150 ug/L	Gen. Eng.
0	PCB 1248	LT	150 ug/L	Gen. Eng.
0	PCB 1254	LT	150 ug/L	Gen. Eng.
0	PCB 1254	LT	150 ug/L	Gen. Eng.
0	PCB 1260	LT	150 ug/L	Gen. Eng.
0	PCB 1260	LT	150 ug/L	Gen. Eng.
0	PENTACHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	PENTACHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	PHENANTHRENE	LT	10 ug/L	Gen. Eng.
0	PHENANTHRENE	LT	10 ug/L	Gen. Eng.
0	PHENOLS	LT	10 ug/L	Gen. Eng.
0	PHENOLS	LT	10 ug/L	Gen. Eng.
0	2,2-BIS(4-CHLOROPHENYL)-1,1-DCE	LT	10 ug/L	Gen. Eng.
0	2,2-BIS(4-CHLOROPHENYL)-1,1-DCE	LT	10 ug/L	Gen. Eng.
0	2,2-BIS(4-CHLOROPHENYL)-1,1-DCE	LT	10 ug/L	Gen. Eng.
0	2,2-BIS(4-CHLOROPHENYL)-1,1-DCE	LT	10 ug/L	Gen. Eng.
0	2,2-BIS(4-CHLOROPHENYL)-1,1,1-TCE	LT	10 ug/L	Gen. Eng.
0	2,2-BIS(4-CHLOROPHENYL)-1,1,1-TCE	LT	10 ug/L	Gen. Eng.
0	PYRENE	LT	10 ug/L	Gen. Eng.
0	PYRENE	LT	10 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
1	TETRACHLOROETHYLENE	1.00 ug/L	Gen. Eng.	
1	TETRACHLOROETHYLENE	1.00 ug/L	Gen. Eng.	
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	Gen. Eng.
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	Gen. Eng.
1	TRICHLOROETHYLENE	1.00 ug/L	Gen. Eng.	
1	TRICHLOROETHYLENE	1.00 ug/L	Gen. Eng.	
0	TOXAPHENE	LT	10 ug/L	Gen. Eng.
0	TOXAPHENE	LT	10 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.

CONTINUED

WELL KRP 1 COLLECTED ON 08/27/89 LABORATORY ANALYSES CONTINUED

0 1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0 1,2-DIPHENYL HYDRAZINE	LT	10 ug/L	Gen. Eng.
0 1,2-DIPHENYL HYDRAZINE	LT	10 ug/L	Gen. Eng.
0 1,2,4-TRICHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0 1,2,4-TRICHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0 CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0 CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0 TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0 TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0 2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0 2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0 2-CHLOROETHYL VINYL ETHER	LT	10 ug/L	Gen. Eng.
0 2-CHLOROETHYL VINYL ETHER	LT	10 ug/L	Gen. Eng.
0 2-CHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0 2-CHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0 2-CHLORONAPHTHALENE	LT	10 ug/L	Gen. Eng.
0 2-CHLORONAPHTHALENE	LT	10 ug/L	Gen. Eng.
0 2-NITROPHENOL	LT	10 ug/L	Gen. Eng.
0 2-NITROPHENOL	LT	10 ug/L	Gen. Eng.
0 2,4-DICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0 2,4-DICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0 2,4-DIMETHYL PHENOL	LT	10 ug/L	Gen. Eng.
0 2,4-DIMETHYL PHENOL	LT	10 ug/L	Gen. Eng.
0 2,4-DINITROPHENOL	LT	45 ug/L	Gen. Eng.
0 2,4-DINITROPHENOL	LT	45 ug/L	Gen. Eng.
0 2,4-DINITROTOLUENE	LT	10 ug/L	Gen. Eng.
0 2,4-DINITROTOLUENE	LT	10 ug/L	Gen. Eng.
0 2,4,6-TRICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0 2,4,6-TRICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0 2,6-DINITROTOLUENE	LT	10 ug/L	Gen. Eng.
0 2,6-DINITROTOLUENE	LT	10 ug/L	Gen. Eng.
0 3,3-DICHLOROBENZIDENE	LT	10 ug/L	Gen. Eng.
0 3,3-DICHLOROBENZIDENE	LT	10 ug/L	Gen. Eng.
0 4-BROMOPHENYLPHENYL ETHER	LT	10 ug/L	Gen. Eng.
0 4-BROMOPHENYLPHENYL ETHER	LT	10 ug/L	Gen. Eng.
0 4-CHLOROPHENYLPHENYL ETHER	LT	10 ug/L	Gen. Eng.
0 4-CHLOROPHENYLPHENYL ETHER	LT	10 ug/L	Gen. Eng.
0 PARA-CHLORO-META-CRESOL	LT	10 ug/L	Gen. Eng.
0 PARA-CHLORO-META-CRESOL	LT	10 ug/L	Gen. Eng.
0 4-NITROPHENOL	LT	10 ug/L	Gen. Eng.
0 4-NITROPHENOL	LT	10 ug/L	Gen. Eng.
0 2-METHYL-4,6-DINITROPHENOL	LT	30 ug/L	Gen. Eng.
0 2-METHYL-4,6-DINITROPHENOL	LT	30 ug/L	Gen. Eng.

WELL KRP 2

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/27/89 Time 1325
 Depth to water = 38.39 ft (11.70 m) below the TOC
 Water elevation = 217.71 ft (66.36 m) msl
 pH = 5.1 Alkalinity = 2 mg/L
 Specific conductance = 28 umhos/cm
 Water temperature = 20.3 degrees Celsius
 Water evacuated from the well prior to sampling = 48 gal

LABORATORY ANALYSES

0 ALPHA-BENZENEHEXACHLORIDE	LT	10 ug/L	Gen. Eng.
0 ALPHA-ENDOSULFAM	LT	10 ug/L	Gen. Eng.
0 ALDRIN	LT	10 ug/L	Gen. Eng.
0 ACENAPHTHENE	LT	10 ug/L	Gen. Eng.
0 ACENAPHTHYLENE	LT	10 ug/L	Gen. Eng.
0 ANTHRACENE	LT	10 ug/L	Gen. Eng.
0 BENZO(A)ANTHRACENE	LT	10 ug/L	Gen. Eng.
0 BENZO(A)PYRENE	LT	10 ug/L	Gen. Eng.
0 BENZO(B)FLUORANTHENE	LT	10 ug/L	Gen. Eng.
0 BETA-BENZENEHEXACHLORIDE	LT	10 ug/L	Gen. Eng.
0 BUTYLBENZYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0 BIS(CHLOROMETHYL)ETHER	LT	10 ug/L	Gen. Eng.
0 BETA-ENDOSULFAM	LT	10 ug/L	Gen. Eng.
0 BENZIDINE	LT	10 ug/L	Gen. Eng.
0 BENZO(G,H,I)PERYLENE	LT	10 ug/L	Gen. Eng.
0 BENZO(K)FLUORANTHENE	LT	10 ug/L	Gen. Eng.
0 BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 BIS(2-CHLOROETHOXY) METHANE	LT	10 ug/L	Gen. Eng.
0 BIS(2-CHLOROISOPROPYL) ETHER	LT	10 ug/L	Gen. Eng.
0 BIS(2-ETHYLHEXYL) PHTHALATE	LT	10 ug/L	Gen. Eng.
0 TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0 CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0 BROMOFORM	LT	1 ug/L	Gen. Eng.
0 CHLOROFORM	LT	1 ug/L	Gen. Eng.
0 CHRYSENE	LT	10 ug/L	Gen. Eng.
0 METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0 BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0 CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0 CHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0 HEXACHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0 HEXACHLOROOCYCLOPENTADIENE	LT	10 ug/L	Gen. Eng.
0 HEXACHLOROETHANE	LT	10 ug/L	Gen. Eng.
0 CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0 CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 BENZENE	LT	1 ug/L	Gen. Eng.
0 DIBENZ(A,H)ANTHRACENE	LT	10 ug/L	Gen. Eng.
0 DELTA-BENZENEHEXACHLORIDE	LT	10 ug/L	Gen. Eng.
0 DIBROMOCHLOROMETHANE	LT	10 ug/L	Gen. Eng.
0 DIETHYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0 DIETHYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0 DIMETHYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0 DI-N-BUTYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0 DI-N-OCTYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0 ENDRIIN ALDEHYDE	LT	10 ug/L	Gen. Eng.
0 ENDRIIN	LT	10 ug/L	Gen. Eng.
0 ENDOSULFAM SULFATE	LT	10 ug/L	Gen. Eng.

CONTINUED

WELL KRP 2 COLLECTED ON 08/27/89 LABORATORY ANALYSES CONTINUED

0 ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0 FLUORANTHENE	LT	10 ug/L	Gen. Eng.
0 IRON	LT	12 ug/L	Gen. Eng.
0 FLUORENE	LT	10 ug/L	Gen. Eng.
0 HEXACHLOROBUTADIENE	LT	10 ug/L	Gen. Eng.
0 HEPTACHLOR	LT	10 ug/L	Gen. Eng.
0 HEPTACHLOR EPOXIDE	LT	10 ug/L	Gen. Eng.
0 INDENO(1,2,3-G,D)PYRENE	LT	10 ug/L	Gen. Eng.
0 ISOPHORENE	LT	10 ug/L	Gen. Eng.
0 LINDANE	LT	10 ug/L	Gen. Eng.
0 TOLUENE	LT	1 ug/L	Gen. Eng.
0 MANGANESE	LT	5 ug/L	Gen. Eng.
0 NAPHTHALENE	LT	10 ug/L	Gen. Eng.
0 NITROBENZENE	LT	10 ug/L	Gen. Eng.
0 N-NITROSODIMETHYLAMINE	LT	10 ug/L	Gen. Eng.
0 N-NITROSODI-PROPYLAMINE	LT	10 ug/L	Gen. Eng.
0 N-NITROSODIPHENYLAMINE	LT	10 ug/L	Gen. Eng.
2 LEAD	LT	62 ug/L	Gen. Eng.
0 PCB 1016	LT	150 ug/L	Gen. Eng.
0 PCB 1221	LT	150 ug/L	Gen. Eng.
0 PCB 1232	LT	150 ug/L	Gen. Eng.
0 PCB 1242	LT	150 ug/L	Gen. Eng.
0 PCB 1248	LT	150 ug/L	Gen. Eng.
0 PCB 1254	LT	150 ug/L	Gen. Eng.
0 PCB 1260	LT	150 ug/L	Gen. Eng.
0 PENTACHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0 PHENANTHRENE	LT	10 ug/L	Gen. Eng.
0 PHENOLS	LT	10 ug/L	Gen. Eng.
0 2,2-BIS(4-CHLOROPHENYL)-1,1-DCE	LT	10 ug/L	Gen. Eng.
0 2,2-BIS(4-CHLOROPHENYL)-1,1-DCE	LT	10 ug/L	Gen. Eng.
0 2,2-BIS(4-CHLOROPHENYL)-1,1,1-TCE	LT	10 ug/L	Gen. Eng.
0 PYRENE	LT	10 ug/L	Gen. Eng.
0 1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0 TOTAL ORGANIC HALOGENS	LT	5 ug/L	Gen. Eng.
0 TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0 TOXAPHENE	LT	10 ug/L	Gen. Eng.
0 TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0 1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0 1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0 1,2-DIPHENYL HYDRAZINE	LT	10 ug/L	Gen. Eng.
0 1,2,4-TRICHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0 CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0 TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0 2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0 2-CHLOROETHYL VINYL ETHER	LT	10 ug/L	Gen. Eng.
0 2-CHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0 2-CHLORONAPHTHALENE	LT	10 ug/L	Gen. Eng.
0 2-NITROPHENOL	LT	10 ug/L	Gen. Eng.
0 2,4-DICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0 2,4-DIMETHYL PHENOL	LT	10 ug/L	Gen. Eng.
0 2,4-DINITROPHENOL	LT	45 ug/L	Gen. Eng.
0 2,4-DINITROTOLUENE	LT	10 ug/L	Gen. Eng.
0 2,4,6-TRICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0 2,6-DINITROTOLUENE	LT	10 ug/L	Gen. Eng.
0 3,3-DICHLOROBENZIDENE	LT	10 ug/L	Gen. Eng.
0 4-BROMOPHENYLPHENYL ETHER	LT	10 ug/L	Gen. Eng.
0 4-CHLOROPHENYLPHENYL ETHER	LT	10 ug/L	Gen. Eng.
0 PARA-CHLORO-META-CRESOL	LT	10 ug/L	Gen. Eng.
0 4-NITROPHENOL	LT	10 ug/L	Gen. Eng.
0 2-METHYL-4,6-DINITROPHENOL	LT	30 ug/L	Gen. Eng.

WELL KRP 3

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/27/89 Time 1355
 Depth to water = 38.35 ft (11.08 m) below the TOC
 Water elevation = 218.15 ft (66.49 m) msl
 pH = 5.0 Alkalinity = 1 mg/L
 Specific conductance = 16 umhos/cm
 Water temperature = 23.7 degrees Celsius
 Water evacuated from the well prior to sampling = 30 gal

LABORATORY ANALYSES

0 ALPHA-BENZENEHEXACHLORIDE	LT	10 ug/L	Gen. Eng.
0 ALPHA-ENDOSULFAM	LT	10 ug/L	Gen. Eng.
0 ALDRIN	LT	10 ug/L	Gen. Eng.
0 ACENAPHTHENE	LT	10 ug/L	Gen. Eng.
0 ACENAPHTHYLENE	LT	10 ug/L	Gen. Eng.
0 ANTHRACENE	LT	10 ug/L	Gen. Eng.
0 BENZO(A)ANTHRACENE	LT	10 ug/L	Gen. Eng.
0 BENZO(A)PYRENE	LT	10 ug/L	Gen. Eng.
0 BENZO(B)FLUORANTHENE	LT	10 ug/L	Gen. Eng.
0 BETA-BENZENEHEXACHLORIDE	LT	10 ug/L	Gen. Eng.
0 BUTYLBENZYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0 BIS(CHLOROMETHYL)ETHER	LT	10 ug/L	Gen. Eng.
0 BETA-ENDOSULFAM	LT	10 ug/L	Gen. Eng.
0 BENZIDINE	LT	10 ug/L	Gen. Eng.
0 BENZO(G,H,I)PERYLENE	LT	10 ug/L	Gen. Eng.
0 BENZO(K)FLUORANTHENE	LT	10 ug/L	Gen. Eng.
0 BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 BIS(2-CHLOROETHOXY) METHANE	LT	10 ug/L	Gen. Eng.
0 BIS(2-CHLOROISOPROPYL) ETHER	LT	10 ug/L	Gen. Eng.
0 BIS(2-ETHYLHEXYL) PHTHALATE	LT	10 ug/L	Gen. Eng.
0 TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0 CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0 BROMOFORM	LT	1 ug/L	Gen. Eng.
0 CHLOROFORM	LT	1 ug/L	Gen. Eng.
0 CHRYSENE	LT	10 ug/L	Gen. Eng.

CONTINUED

WELL KRP 3 COLLECTED ON 08/27/89 LABORATORY ANALYSES CONTINUED

0 METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0 BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0 CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0 CHLORDANE	LT	10 ug/L	Gen. Eng.
0 HEXACHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0 HEXACHLOROCYCLOPENTADIENE	LT	10 ug/L	Gen. Eng.
0 HEXACHLOROETHANE	LT	10 ug/L	Gen. Eng.
0 CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0 CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 BENZENE	LT	1 ug/L	Gen. Eng.
0 DIBENZ(A,H)ANTHRACENE	LT	10 ug/L	Gen. Eng.
0 DELTA-BENZENEHEXACHLORIDE	LT	10 ug/L	Gen. Eng.
0 DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 DIETHYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0 DIELDRIN	LT	10 ug/L	Gen. Eng.
0 DIMETHYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0 DI-N-BUTYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0 DI-N-OCTYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0 ENDRIIN ALDEHYDE	LT	10 ug/L	Gen. Eng.
0 ENDRIIN	LT	10 ug/L	Gen. Eng.
0 ENDOSULFAN SULFATE	LT	10 ug/L	Gen. Eng.
0 ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0 FLUORANTHENE	LT	10 ug/L	Gen. Eng.
0 IRON	LT	113 ug/L	Gen. Eng.
0 FLUORENE	LT	10 ug/L	Gen. Eng.
0 HEXACHLOROBUTADIENE	LT	10 ug/L	Gen. Eng.
0 HEPTACHLOR	LT	10 ug/L	Gen. Eng.
0 HEPTACHLOR EPOXIDE	LT	10 ug/L	Gen. Eng.
0 INDENO(1,2,3-C,D)PYRENE	LT	10 ug/L	Gen. Eng.
0 ISOPHORONE	LT	10 ug/L	Gen. Eng.
0 LINDANE	LT	10 ug/L	Gen. Eng.
0 TOLUENE	LT	1 ug/L	Gen. Eng.
1 MANGANESE	LT	48 ug/L	Gen. Eng.
0 NAPHTHALENE	LT	10 ug/L	Gen. Eng.
0 NITROBENZENE	LT	10 ug/L	Gen. Eng.
0 N-NITROSODIMETHYLAMINE	LT	10 ug/L	Gen. Eng.
0 N-NITROSODI-PROPYLAMINE	LT	10 ug/L	Gen. Eng.
0 N-NITROSODIPHENYLAMINE	LT	10 ug/L	Gen. Eng.
1 LEAD	LT	23 ug/L	Gen. Eng.
0 PCB 1016	LT	150 ug/L	Gen. Eng.
0 PCB 1221	LT	150 ug/L	Gen. Eng.
0 PCB 1232	LT	150 ug/L	Gen. Eng.
0 PCB 1242	LT	150 ug/L	Gen. Eng.
0 PCB 1248	LT	150 ug/L	Gen. Eng.
0 PCB 1254	LT	150 ug/L	Gen. Eng.
0 PCB 1260	LT	150 ug/L	Gen. Eng.
0 PENTACHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0 PHENANTHRENE	LT	10 ug/L	Gen. Eng.
0 PHENOLS	LT	10 ug/L	Gen. Eng.
0 2,2-BIS(4-CHLOROPHENYL)-1,1-DCE	LT	10 ug/L	Gen. Eng.
0 2,2-BIS(4-CHLOROPHENYL)-1,1-DCE	LT	10 ug/L	Gen. Eng.
0 2,2-BIS(4-CHLOROPHENYL)-1,1,1-TCE	LT	10 ug/L	Gen. Eng.
0 PYRENE	LT	10 ug/L	Gen. Eng.
0 1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0 TOTAL ORGANIC HALOGENS	LT	5 ug/L	Gen. Eng.
0 TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0 TOXAPHENE	LT	10 ug/L	Gen. Eng.
0 TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0 1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0 1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0 1,2-DIPHENYL HYDRAZINE	LT	10 ug/L	Gen. Eng.
0 1,2,4-TRICHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0 CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0 TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0 2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0 2-CHLOROETHYL VINYL ETHER	LT	10 ug/L	Gen. Eng.
0 2-CHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0 2-CHLORONAPHTHALENE	LT	10 ug/L	Gen. Eng.
0 2-NITROPHENOL	LT	10 ug/L	Gen. Eng.
0 2,4-DICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0 2,4-DIMETHYL PHENOL	LT	10 ug/L	Gen. Eng.
0 2,4-DINITROPHENOL	LT	45 ug/L	Gen. Eng.
0 2,4-DINITROTOLUENE	LT	10 ug/L	Gen. Eng.
0 2,4,6-TRICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0 2,6-DINITROTOLUENE	LT	10 ug/L	Gen. Eng.
0 3,3-DICHLOROBENZIDENE	LT	10 ug/L	Gen. Eng.
0 4-BROMOPHENYLPHENYL ETHER	LT	10 ug/L	Gen. Eng.
0 4-CHLOROPHENYLPHENYL ETHER	LT	10 ug/L	Gen. Eng.
0 PARA-CHLORO-META-CRESOL	LT	10 ug/L	Gen. Eng.
0 4-NITROPHENOL	LT	10 ug/L	Gen. Eng.
0 2-METHYL-4,6-DINITROPHENOL	LT	30 ug/L	Gen. Eng.

WELL KRP 4

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/27/89 Time 1440
 Depth to water = 38.74 ft (11.81 m) below the TOC
 Water elevation = 216.86 ft (66.10 m) ms
 pH = 4.8 Alkalinity = 0 mg/L
 Specific conductance = 71 umhos/cm
 Water temperature = 20.4 degrees Celsius
 Water evacuated from the well prior to sampling = 74 gal

LABORATORY ANALYSES

0 ALPHA-BENZENEHEXACHLORIDE	LT	10 ug/L	Gen. Eng.
0 ALPHA-ENDOSULFAN	LT	10 ug/L	Gen. Eng.
0 ALDRIN	LT	10 ug/L	Gen. Eng.
0 ACENAPHTHENE	LT	10 ug/L	Gen. Eng.

CONTINUED

WELL KRP 4 COLLECTED ON 08/27/89 LABORATORY ANALYSES CONTINUED

0 ACENAPHTHYLENE	LT	10 ug/L	Gen. Eng.
0 ANTHRACENE	LT	10 ug/L	Gen. Eng.
0 BENZO(A)ANTHRACENE	LT	10 ug/L	Gen. Eng.
0 BENZO(A)PYRENE	LT	10 ug/L	Gen. Eng.
0 BENZO(B)FLUORANTHENE	LT	10 ug/L	Gen. Eng.
0 BETA-BENZENEHEXACHLORIDE	LT	10 ug/L	Gen. Eng.
0 BUTYLBENZYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0 BIS(CHLOROMETHYL)ETHER	LT	10 ug/L	Gen. Eng.
0 BETA-ENDOSULFAN	LT	10 ug/L	Gen. Eng.
0 BENZIDINE	LT	10 ug/L	Gen. Eng.
0 BENZO(G,H,I)PERYLENE	LT	10 ug/L	Gen. Eng.
0 BENZO(K)FLUORANTHENE	LT	10 ug/L	Gen. Eng.
0 BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 BIS(2-CHLOROETHOXY) METHANE	LT	10 ug/L	Gen. Eng.
0 BIS(2-CHLOROISOPROPYL) ETHER	LT	10 ug/L	Gen. Eng.
0 BIS(2-CHLOROETHYL) ETHER	LT	10 ug/L	Gen. Eng.
0 BIS(2-ETHYLHEXYL) PHTHALATE	LT	10 ug/L	Gen. Eng.
0 TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0 CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0 BROMOFORM	LT	1 ug/L	Gen. Eng.
0 CHLOROFORM	LT	1 ug/L	Gen. Eng.
0 CHRYSENE	LT	10 ug/L	Gen. Eng.
0 METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0 BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0 CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0 CHLORDANE	LT	10 ug/L	Gen. Eng.
0 HEXACHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0 HEXACHLOROCYCLOPENTADIENE	LT	10 ug/L	Gen. Eng.
0 HEXACHLOROETHANE	LT	10 ug/L	Gen. Eng.
0 CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0 CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 BENZENE	LT	1 ug/L	Gen. Eng.
0 DIBENZ(A,H)ANTHRACENE	LT	10 ug/L	Gen. Eng.
0 DELTA-BENZENEHEXACHLORIDE	LT	10 ug/L	Gen. Eng.
0 DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 DIETHYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0 DIELDRIN	LT	10 ug/L	Gen. Eng.
0 DIMETHYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0 DI-N-BUTYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0 DI-N-OCTYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0 ENDRIIN ALDEHYDE	LT	10 ug/L	Gen. Eng.
0 ENDRIIN	LT	10 ug/L	Gen. Eng.
0 ENDOSULFAN SULFATE	LT	10 ug/L	Gen. Eng.
0 ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0 FLUORANTHENE	LT	10 ug/L	Gen. Eng.
0 IRON	LT	11 ug/L	Gen. Eng.
0 FLUORENE	LT	10 ug/L	Gen. Eng.
0 HEXACHLOROBUTADIENE	LT	10 ug/L	Gen. Eng.
0 HEPTACHLOR	LT	10 ug/L	Gen. Eng.
0 HEPTACHLOR EPOXIDE	LT	10 ug/L	Gen. Eng.
0 INDENO(1,2,3-C,D)PYRENE	LT	10 ug/L	Gen. Eng.
0 ISOPHORONE	LT	10 ug/L	Gen. Eng.
0 LINDANE	LT	10 ug/L	Gen. Eng.
0 TOLUENE	LT	1 ug/L	Gen. Eng.
2 MANGANESE	LT	96 ug/L	Gen. Eng.
0 NAPHTHALENE	LT	10 ug/L	Gen. Eng.
0 NITROBENZENE	LT	10 ug/L	Gen. Eng.
0 N-NITROSODIMETHYLAMINE	LT	10 ug/L	Gen. Eng.
0 N-NITROSODI-PROPYLAMINE	LT	10 ug/L	Gen. Eng.
0 N-NITROSODIPHENYLAMINE	LT	10 ug/L	Gen. Eng.
0 LEAD	LT	6 ug/L	Gen. Eng.
0 PCB 1016	LT	150 ug/L	Gen. Eng.
0 PCB 1221	LT	150 ug/L	Gen. Eng.
0 PCB 1232	LT	150 ug/L	Gen. Eng.
0 PCB 1242	LT	150 ug/L	Gen. Eng.
0 PCB 1248	LT	150 ug/L	Gen. Eng.
0 PCB 1254	LT	150 ug/L	Gen. Eng.
0 PCB 1260	LT	150 ug/L	Gen. Eng.
0 PENTACHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0 PHENANTHRENE	LT	10 ug/L	Gen. Eng.
0 PHENOLS	LT	10 ug/L	Gen. Eng.
0 2,2-BIS(4-CHLOROPHENYL)-1,1-DCE	LT	10 ug/L	Gen. Eng.
0 2,2-BIS(4-CHLOROPHENYL)-1,1-DCE	LT	10 ug/L	Gen. Eng.
0 2,2-BIS(4-CHLOROPHENYL)-1,1,1-TCE	LT	10 ug/L	Gen. Eng.
0 PYRENE	LT	10 ug/L	Gen. Eng.
0 1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
2 TETRACHLOROETHYLENE	LT	86.0 ug/L	Gen. Eng.
1 TOTAL ORGANIC HALOGENS	LT	13 ug/L	Gen. Eng.
2 TRICHLOROETHYLENE	LT	27.0 ug/L	Gen. Eng.
0 TOXAPHENE	LT	10 ug/L	Gen. Eng.
0 TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0 1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0 1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0 1,2-DIPHENYL HYDRAZINE	LT	10 ug/L	Gen. Eng.
0 1,2,4-TRICHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0 CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0 TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0 2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0 2-CHLOROETHYL VINYL ETHER	LT	10 ug/L	Gen. Eng.
0 2-CHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0 2-CHLORONAPHTHALENE	LT	10 ug/L	Gen. Eng.
0 2-NITROPHENOL	LT	10 ug/L	Gen. Eng.
0 2,4-DICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0 2,4-DIMETHYL PHENOL	LT	10 ug/L	Gen. Eng.
0 2,4-DINITROPHENOL	LT	45 ug/L	Gen. Eng.
0 2,4-DINITROTOLUENE	LT	10 ug/L	Gen. Eng.
0 2,4,6-TRICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0 2,6-DINITROTOLUENE	LT	10 ug/L	Gen. Eng.
0 3,3-DICHLOROBENZIDENE	LT	10 ug/L	Gen. Eng.
0 4-BROMOPHENYLPHENYL ETHER	LT	10 ug/L	Gen. Eng.
0 4-CHLOROPHENYLPHENYL ETHER	LT	10 ug/L	Gen. Eng.
0 PARA-CHLORO-META-CRESOL	LT	10 ug/L	Gen. Eng.
0 4-NITROPHENOL	LT	10 ug/L	Gen. Eng.
0 2-METHYL-4,6-DINITROPHENOL	LT	30 ug/L	Gen. Eng.

WELL KSB 1

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/03/89 Time 1140
 Depth to water = 62.34 ft (19.00 m) below the TOC
 Water elevation = 205.06 ft (62.50 m) msl
 pH = 4.8 Alkalinity = 0 mg/L
 Specific conductance = 30 umhos/cm
 Water temperature = 23.1 degrees Celsius
 Water evacuated from the well prior to sampling = 77 gal

LABORATORY ANALYSES

0 GROSS ALPHA	2.27+-1.08 pCi/L	HP, 735A
0 NONVOLATILE BETA	2.94+-1.17 pCi/L	HP, 735A
1 TOTAL ACTIVITY	1070+-7.80 pCi/mL	HP, 735A
2 TRITIUM	970+-100 pCi/mL	metaTRACE
2 TRITIUM	1070+-7.53 pCi/mL	HP, 735A

WELL KSB 2

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/03/89 Time 1200
 Depth to water = 80.95 ft (24.58 m) below the TOC
 Water elevation = 204.85 ft (62.44 m) msl
 pH = 4.5 Alkalinity = 0 mg/L
 Specific conductance = 25 umhos/cm
 Water temperature = 22.2 degrees Celsius
 Water evacuated from the well prior to sampling = 81 gal

LABORATORY ANALYSES

0 GROSS ALPHA	0.59+-0.67 pCi/L	HP, 735A
0 NONVOLATILE BETA	0.71+-0.85 pCi/L	HP, 735A
1 TOTAL ACTIVITY	40.80+-1.97 pCi/mL	HP, 735A
2 TRITIUM	37.00+-4.00 pCi/mL	metaTRACE
2 TRITIUM	40.30+-1.66 pCi/mL	HP, 735A

WELL KSB 3

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/03/89 Time 1225
 Depth to water = 57.64 ft (17.57 m) below the TOC
 Water elevation = 203.86 ft (62.14 m) msl
 pH = 4.5 Alkalinity = 0 mg/L
 Specific conductance = 33 umhos/cm
 Water temperature = 22.3 degrees Celsius
 Water evacuated from the well prior to sampling = 89 gal

LABORATORY ANALYSES

0 GROSS ALPHA	0.84+-0.79 pCi/L	HP, 735A
0 NONVOLATILE BETA	1.86+-1.02 pCi/L	HP, 735A
1 TOTAL ACTIVITY	93.40+-2.55 pCi/mL	HP, 735A
2 TRITIUM	81.00+-9.00 pCi/mL	metaTRACE
2 TRITIUM	92.80+-2.33 pCi/mL	HP, 735A

WELL KSB 4A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/03/89 Time 1245
 Depth to water = 59.33 ft (18.08 m) below the TOC
 Water elevation = 204.77 ft (62.41 m) msl
 pH = 4.8 Alkalinity = 0 mg/L
 Specific conductance = 27 umhos/cm
 Water temperature = 23.6 degrees Celsius
 Water evacuated from the well prior to sampling = 91 gal

LABORATORY ANALYSES

0 GROSS ALPHA	1.21+-0.93 pCi/L	HP, 735A
0 NONVOLATILE BETA	1.07+-0.91 pCi/L	HP, 735A
1 TOTAL ACTIVITY	283+-4.04 pCi/mL	HP, 735A
2 TRITIUM	260+-30 pCi/mL	metaTRACE
2 TRITIUM	260+-30 pCi/mL	metaTRACE
2 TRITIUM	282+-3.90 pCi/mL	HP, 735A

WELL KSS 1D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/03/89 Time 1600
 Depth to water = 59.03 ft (17.99 m) below the TOC
 Water elevation = 170.77 ft (52.05 m) msl
 pH = 8.1 Alkalinity = 21 mg/L
 Specific conductance = 77 umhos/cm
 Water temperature = 21.0 degrees Celsius
 Water evacuated from the well prior to sampling = 44 gal

LABORATORY ANALYSES

0 SPECIFIC CONDUCTANCE	60.00 UMHG	Gen. Eng.
0 SPECIFIC CONDUCTANCE	77.23 UMHG	metaTRACE
0 PH	8.04 pH	Gen. Eng.
0 PH	6.18 pH	metaTRACE
0 SILVER	2 ug/L	Gen. Eng.
0 SILVER	2 ug/L	metaTRACE
0 ARSENIC	2 ug/L	Gen. Eng.
0 ARSENIC	3 ug/L	metaTRACE
0 BARIUM	6 ug/L	Gen. Eng.
0 BARIUM	25 ug/L	metaTRACE
0 CALCIUM	8470 ug/L	Gen. Eng.
0 CALCIUM	8516 ug/L	metaTRACE
0 CADMIUM	2 ug/L	Gen. Eng.
0 CADMIUM	4 ug/L	metaTRACE
0 CHLORIDE	3700 ug/L	Gen. Eng.
0 CHLORIDE	3300 ug/L	metaTRACE
0 CHROMIUM	4 ug/L	Gen. Eng.
0 CHROMIUM	5 ug/L	metaTRACE
0 FLUORIDE	100 ug/L	Gen. Eng.
0 FLUORIDE	250 ug/L	metaTRACE
0 IRON	12 ug/L	Gen. Eng.
0 IRON	75 ug/L	metaTRACE
0 MERCURY	0.20 ug/L	Gen. Eng.
0 MERCURY	0.20 ug/L	metaTRACE
0 MERCURY	0.20 ug/L	metaTRACE
0 POTASSIUM	500 ug/L	Gen. Eng.
0 POTASSIUM	2000 ug/L	metaTRACE
0 MAGNESIUM	475 ug/L	Gen. Eng.
0 MAGNESIUM	480 ug/L	metaTRACE
0 MANGANESE	23 ug/L	Gen. Eng.
0 MANGANESE	33 ug/L	metaTRACE
0 SODIUM	2320 ug/L	Gen. Eng.
0 SODIUM	2429 ug/L	metaTRACE
0 NITRITE AS NITROGEN	10 ug/L	Gen. Eng.
0 NITRITE AS NITROGEN	2500 ug/L	metaTRACE
0 NITRATE AS NITROGEN	470 ug/L	Gen. Eng.
0 NITRATE AS NITROGEN	7600 ug/L	metaTRACE
0 LEAD	6 ug/L	Gen. Eng.
0 LEAD	3 ug/L	metaTRACE
0 PHENOLS	5 ug/L	Gen. Eng.
0 PHENOLS	5 ug/L	metaTRACE
0 SELENIUM	2 ug/L	Gen. Eng.
0 SELENIUM	2 ug/L	metaTRACE
0 SILICON	3511 ug/L	metaTRACE
0 SILICA	7910 ug/L	Gen. Eng.
0 SULFATE	5000 ug/L	Gen. Eng.
0 SULFATE	1100 ug/L	metaTRACE
0 TOTAL DISSOLVED SOLIDS	45000 ug/L	Gen. Eng.
0 TOTAL DISSOLVED SOLIDS	58000 ug/L	metaTRACE
0 TOTAL DISSOLVED SOLIDS	56000 ug/L	metaTRACE
0 TOTAL ORGANIC CARBON	1000 ug/L	Gen. Eng.
0 TOTAL ORGANIC CARBON	1000 ug/L	metaTRACE
0 TOTAL ORGANIC HALOGENS	6 ug/L	Gen. Eng.
0 TOTAL ORGANIC HALOGENS	5 ug/L	metaTRACE
0 TOTAL PHOSPHATES	60 ug/L	Gen. Eng.
0 TOTAL PHOSPHATES	81 ug/L	metaTRACE
0 GROSS ALPHA	3 pCi/L	Gen. Eng.
0 GROSS ALPHA	3 pCi/L	metaTRACE
0 NONVOLATILE BETA	4.30+-3.40 pCi/L	Gen. Eng.
0 NONVOLATILE BETA	5 pCi/L	metaTRACE
0 TOTAL RADIUM	1 pCi/L	Gen. Eng.
0 TOTAL RADIUM	1 pCi/L	metaTRACE
0 TRITIUM	2.71+-0.37 pCi/mL	Gen. Eng.
0 TRITIUM	3.20+-0.40 pCi/mL	metaTRACE

WELL KSS 1D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/03/89 Time 1600
 Depth to water = 59.03 ft (17.99 m) below the TOC
 Water elevation = 170.77 ft (52.05 m) msl
 pH = 8.1 Alkalinity = 21 mg/L
 Specific conductance = 77 umhos/cm
 Water temperature = 21.0 degrees Celsius
 Water evacuated from the well prior to sampling = 44 gal

LABORATORY ANALYSES

0 SPECIFIC CONDUCTANCE	67.00 UMHG	Gen. Eng.
0 SPECIFIC CONDUCTANCE	67.40 UMHG	metaTRACE
0 PH	8.12 pH	Gen. Eng.
0 PH	6.14 pH	metaTRACE
0 SILVER	2 ug/L	Gen. Eng.
0 SILVER	2 ug/L	metaTRACE
0 ARSENIC	2 ug/L	Gen. Eng.
0 ARSENIC	3 ug/L	metaTRACE
0 BARIUM	6 ug/L	Gen. Eng.
0 BARIUM	25 ug/L	metaTRACE
0 CALCIUM	7540 ug/L	Gen. Eng.
0 CALCIUM	9372 ug/L	metaTRACE
0 CADMIUM	2 ug/L	Gen. Eng.
0 CADMIUM	4 ug/L	metaTRACE

CONTINUED

WELL KSS 10 COLLECTED ON 09/03/89 LABORATORY ANALYSES CONTINUED

0	CHLORIDE	3800 ug/L	Gen. Eng.
0	CHLORIDE	3300 ug/L	metatrace
0	CHROMIUM	4 ug/L	Gen. Eng.
0	CHROMIUM	5 ug/L	metatrace
0	FLUORIDE	100 ug/L	Gen. Eng.
0	FLUORIDE	250 ug/L	metatrace
0	IRON	10 ug/L	Gen. Eng.
0	IRON	39 ug/L	metatrace
0	MERCURY	0.20 ug/L	Gen. Eng.
0	MERCURY	0.23 ug/L	metatrace
0	POTASSIUM	500 ug/L	Gen. Eng.
0	POTASSIUM	2000 ug/L	metatrace
0	MAGNESIUM	400 ug/L	Gen. Eng.
0	MAGNESIUM	533 ug/L	metatrace
0	MANGANESE	22 ug/L	Gen. Eng.
1	MANGANESE	36 ug/L	metatrace
0	SODIUM	2110 ug/L	Gen. Eng.
0	SODIUM	2598 ug/L	metatrace
0	NITRITE AS NITROGEN	10 ug/L	Gen. Eng.
0	NITRITE AS NITROGEN	2500 ug/L	metatrace
0	NITRATE AS NITROGEN	460 ug/L	Gen. Eng.
1	NITRATE AS NITROGEN	7000 ug/L	metatrace
0	LEAD	6 ug/L	Gen. Eng.
0	LEAD	3 ug/L	metatrace
0	PHENOLS	5 ug/L	Gen. Eng.
0	PHENOLS	5 ug/L	metatrace
0	SELENIUM	2 ug/L	Gen. Eng.
0	SELENIUM	2 ug/L	metatrace
1	SILICON	3569 ug/L	metatrace
1	SILICA	6820 ug/L	Gen. Eng.
0	SULFATE	5000 ug/L	Gen. Eng.
0	SULFATE	1100 ug/L	metatrace
0	TOTAL DISSOLVED SOLIDS	32000 ug/L	Gen. Eng.
0	TOTAL DISSOLVED SOLIDS	64000 ug/L	metatrace
0	TOTAL ORGANIC CARBON	1000 ug/L	Gen. Eng.
0	TOTAL ORGANIC CARBON	5 ug/L	metatrace
0	TOTAL ORGANIC HALOGENS	3 ug/L	Gen. Eng.
0	TOTAL ORGANIC HALOGENS	5 ug/L	metatrace
0	TOTAL PHOSPHATES	50 ug/L	Gen. Eng.
0	TOTAL PHOSPHATES	77 ug/L	metatrace
0	GROSS ALPHA	3 pCi/L	Gen. Eng.
0	GROSS ALPHA	3 pCi/L	metatrace
0	NONVOLATILE BETA	2 pCi/L	Gen. Eng.
0	NONVOLATILE BETA	7 pCi/L	metatrace
0	TOTAL RADIUM	1 pCi/L	Gen. Eng.
0	TOTAL RADIUM	1 pCi/L	metatrace
0	TRITIUM	1.02+-0.37 pCi/mL	Gen. Eng.
0	TRITIUM	2.90+-0.30 pCi/mL	metatrace

WELL KSS 20

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/04/89 Time 1130
 Depth to water = 30.45 ft (9.28 m) below the TOC
 Water elevation = 161.85 ft (49.33 m) msl
 pH = 5.9 Alkalinity = 9 mg/L
 Specific conductance = 38 umhos/cm
 Water temperature = 19.9 degrees Celsius
 Water evacuated from the well prior to sampling = 12 gal
 The well went dry during purging.

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE	33.00 UMIC	Gen. Eng.
1	PH	6.82 pH	Gen. Eng.
0	SILVER	2 ug/L	Gen. Eng.
0	ARSENIC	2 ug/L	Gen. Eng.
0	BARIUM	4 ug/L	Gen. Eng.
0	CALCIUM	564 ug/L	Gen. Eng.
0	CADMIUM	2 ug/L	Gen. Eng.
0	CHLORIDE	1900 ug/L	Gen. Eng.
0	CHROMIUM	4 ug/L	Gen. Eng.
0	FLUORIDE	100 ug/L	Gen. Eng.
2	IRON	300 ug/L	Gen. Eng.
0	MERCURY	0.20 ug/L	Gen. Eng.
0	POTASSIUM	500 ug/L	Gen. Eng.
0	MAGNESIUM	123 ug/L	Gen. Eng.
1	MANGANESE	34 ug/L	Gen. Eng.
1	SODIUM	8580 ug/L	Gen. Eng.
0	NITRITE AS NITROGEN	10 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN	310 ug/L	Gen. Eng.
0	LEAD	6 ug/L	Gen. Eng.
0	PHENOLS	5 ug/L	Gen. Eng.
0	SELENIUM	2 ug/L	Gen. Eng.
1	SILICA	8630 ug/L	Gen. Eng.
0	SULFATE	5000 ug/L	Gen. Eng.
0	TOTAL DISSOLVED SOLIDS	34000 ug/L	Gen. Eng.
0	TOTAL ORGANIC CARBON	1000 ug/L	Gen. Eng.
0	TOTAL ORGANIC HALOGENS	3 ug/L	Gen. Eng.
0	TOTAL PHOSPHATES	50 ug/L	Gen. Eng.
0	GROSS ALPHA	3 pCi/L	Gen. Eng.
0	NONVOLATILE BETA	2 pCi/L	Gen. Eng.
0	TOTAL RADIUM	1.10+-1.70 pCi/mL	Gen. Eng.
0	TRITIUM	3.66+-0.39 pCi/mL	Gen. Eng.

WELL KSS 30

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/04/89 Time 1210
 Depth to water = 23.94 ft (7.30 m) below the TOC
 Water elevation = 161.26 ft (49.15 m) msl
 pH = 6.1 Alkalinity = 17 mg/L
 Specific conductance = 61 umhos/cm
 Water temperature = 19.0 degrees Celsius
 Water evacuated from the well prior to sampling = 66 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE	56.00 UMIC	Gen. Eng.
1	PH	6.59 pH	Gen. Eng.
0	SILVER	2 ug/L	Gen. Eng.
0	ARSENIC	2 ug/L	Gen. Eng.
0	BARIUM	7 ug/L	Gen. Eng.
0	CALCIUM	8350 ug/L	Gen. Eng.
0	CADMIUM	2 ug/L	Gen. Eng.
0	CHLORIDE	2600 ug/L	Gen. Eng.
0	CHROMIUM	4 ug/L	Gen. Eng.
0	FLUORIDE	100 ug/L	Gen. Eng.
0	IRON	21 ug/L	Gen. Eng.
0	MERCURY	0.20 ug/L	Gen. Eng.
0	POTASSIUM	500 ug/L	Gen. Eng.
0	MAGNESIUM	392 ug/L	Gen. Eng.
0	MANGANESE	19 ug/L	Gen. Eng.
0	SODIUM	1630 ug/L	Gen. Eng.
0	NITRITE AS NITROGEN	10 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN	360 ug/L	Gen. Eng.
0	LEAD	6 ug/L	Gen. Eng.
0	PHENOLS	5 ug/L	Gen. Eng.
0	SELENIUM	2 ug/L	Gen. Eng.
1	SILICA	7610 ug/L	Gen. Eng.
0	SULFATE	5000 ug/L	Gen. Eng.
0	TOTAL DISSOLVED SOLIDS	43000 ug/L	Gen. Eng.
0	TOTAL ORGANIC CARBON	1000 ug/L	Gen. Eng.
0	TOTAL ORGANIC HALOGENS	5 ug/L	Gen. Eng.
0	TOTAL PHOSPHATES	50 ug/L	Gen. Eng.
0	GROSS ALPHA	3 pCi/L	Gen. Eng.
0	NONVOLATILE BETA	2 pCi/L	Gen. Eng.
0	TOTAL RADIUM	1 pCi/L	Gen. Eng.
0	TRITIUM	3.77+-0.38 pCi/mL	Gen. Eng.

WELL LAC 1

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/09/89 Time 920
 Depth to water = 24.74 ft (7.54 m) below the TOC
 Water elevation = 213.46 ft (65.06 m) msl
 pH = 4.8 Alkalinity = 0 mg/L
 Specific conductance = 22 umhos/cm
 Water temperature = 22.3 degrees Celsius
 Water evacuated from the well prior to sampling = 60 gal

LABORATORY ANALYSES

0	PH	4.83 pH	Gen. Eng.
0	BROMODICHLOROMETHANE	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	1 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	1.00 ug/L	Gen. Eng.
0	BROMOFORM	1 ug/L	Gen. Eng.
0	CHLOROFORM	1 ug/L	Gen. Eng.
0	METHYLENE CHLORIDE	1 ug/L	Gen. Eng.
0	BROMOMETHANE	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	1 ug/L	Gen. Eng.
0	CHLOROBENZENE	1 ug/L	Gen. Eng.
0	COPPER	15 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	1 ug/L	Gen. Eng.
0	CHLOROETHANE	1 ug/L	Gen. Eng.
0	BENZENE	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	1 ug/L	Gen. Eng.
0	ETHYL BENZENE	1 ug/L	Gen. Eng.
0	IRON	32 ug/L	Gen. Eng.
0	TOLUENE	1 ug/L	Gen. Eng.
0	LEAD	8 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	1 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	1.00 ug/L	Gen. Eng.
2	TOTAL ORGANIC HALOGENS	34 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	1.00 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	1 ug/L	Gen. Eng.

WELL LAC 2

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/09/89 Time 945
 Depth to water = 26.30 ft (8.02 m) below the TOC
 Water elevation = 213.90 ft (65.20 m) msl
 pH = 4.8 Alkalinity = 0 mg/L
 Specific conductance = 26 umhos/cm
 Water temperature = 21.9 degrees Celsius
 Water evacuated from the well prior to sampling = 53 gal

LABORATORY ANALYSES

0 PH		4.89 pH	Gen. Eng.
0 BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0 CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0 BROMOFORM	LT	1 ug/L	Gen. Eng.
0 CHLOROFORM	LT	1 ug/L	Gen. Eng.
0 METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0 BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0 CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
1 COPPER		366 ug/L	Gen. Eng.
0 CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0 CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 BENZENE	LT	1 ug/L	Gen. Eng.
0 DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0 IRON		20 ug/L	Gen. Eng.
0 TOLUENE	LT	1 ug/L	Gen. Eng.
2 LEAD		38 ug/L	Gen. Eng.
0 1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
1 TETRACHLOROETHYLENE		2.00 ug/L	Gen. Eng.
2 TOTAL ORGANIC HALOGENS		72 ug/L	Gen. Eng.
2 TRICHLOROETHYLENE		22.0 ug/L	Gen. Eng.
0 TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0 1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0 1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0 CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0 TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0 2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.

WELL LAC 3

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/09/89 Time 1025
 Depth to water = 24.06 ft (7.33 m) below the TOC
 Water elevation = 213.74 ft (65.15 m) msl
 pH = 9.4 Alkalinity = 130 mg/L
 Specific conductance = 334 umhos/cm
 Water temperature = 22.1 degrees Celsius
 Water evacuated from the well prior to sampling = 60 gal

LABORATORY ANALYSES

2 PH		9.42 pH	Gen. Eng.
0 BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0 CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0 BROMOFORM	LT	1 ug/L	Gen. Eng.
0 CHLOROFORM	LT	1 ug/L	Gen. Eng.
0 METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0 BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0 CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0 COPPER		4 ug/L	Gen. Eng.
0 CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0 CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 BENZENE	LT	1 ug/L	Gen. Eng.
0 DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0 IRON		62 ug/L	Gen. Eng.
0 TOLUENE	LT	1 ug/L	Gen. Eng.
0 LEAD		6 ug/L	Gen. Eng.
0 1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
2 TETRACHLOROETHYLENE		36.0 ug/L	Gen. Eng.
2 TOTAL ORGANIC HALOGENS		73 ug/L	Gen. Eng.
2 TRICHLOROETHYLENE		39.0 ug/L	Gen. Eng.
0 TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0 1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0 1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0 CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0 TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0 2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.

WELL LAC 4

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/09/89 Time 905
 Depth to water = 23.51 ft (7.17 m) below the TOC
 Water elevation = 213.59 ft (65.10 m) msl
 pH = 6.9 Alkalinity = 43 mg/L
 Specific conductance = 137 umhos/cm
 Water temperature = 21.7 degrees Celsius
 Water evacuated from the well prior to sampling = 74 gal

LABORATORY ANALYSES

1 PH		7.23 pH	Gen. Eng.
0 BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0 CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0 BROMOFORM	LT	1 ug/L	Gen. Eng.
0 CHLOROFORM	LT	1 ug/L	Gen. Eng.
0 METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0 BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0 CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0 COPPER		4 ug/L	Gen. Eng.
0 CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0 CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 BENZENE	LT	1 ug/L	Gen. Eng.
0 DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0 IRON		17 ug/L	Gen. Eng.
0 TOLUENE	LT	1 ug/L	Gen. Eng.
0 LEAD		6 ug/L	Gen. Eng.
0 1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
2 TOTAL ORGANIC HALOGENS		33 ug/L	Gen. Eng.
1 TRICHLOROETHYLENE		1.00 ug/L	Gen. Eng.
0 TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0 1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0 1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0 CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0 TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0 2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.

WELL LCO 1

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/06/89 Time 1630
 Depth to water = 28.67 ft (8.74 m) below the TOC
 Water elevation = 212.03 ft (64.63 m) msl
 pH = 5.4 Alkalinity = 5 mg/L
 Specific conductance = 52 umhos/cm
 Water temperature = 21.7 degrees Celsius
 Water evacuated from the well prior to sampling = 12 gal
 The well went dry during purging.

LABORATORY ANALYSES

0 BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
0 TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE
0 CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0 BROMOFORM	LT	5 ug/L	metaTRACE
0 CHLOROFORM	LT	5 ug/L	metaTRACE
1 METHYLENE CHLORIDE	B	7 ug/L	metaTRACE
0 BROMOMETHANE	LT	10 ug/L	metaTRACE
0 CHLOROMETHANE	LT	10 ug/L	metaTRACE
1 CHLOROBENZENE	B	7 ug/L	metaTRACE
0 CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0 CHLOROETHANE	LT	10 ug/L	metaTRACE
0 BENZENE	LT	5 ug/L	metaTRACE
0 DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0 ETHYLBENZENE	LT	5 ug/L	metaTRACE
0 TOLUENE	LT	5 ug/L	metaTRACE
0 MANGANESE		5 ug/L	metaTRACE
0 LEAD	LT	3 ug/L	metaTRACE
0 SULFATE		2600 ug/L	metaTRACE
0 1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0 TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
2 TOTAL ORGANIC HALOGENS		83 ug/L	metaTRACE
0 TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0 TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0 TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0 1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0 1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0 CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0 2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
2 NONVOLATILE BETA		110+- 20 pCi/L	metaTRACE
1 TOTAL ACTIVITY		407+-4.45 pCi/mL	HP, 735A
0 TOTAL RADIUM		1.40+-0.40 pCi/L	metaTRACE
2 TRITIUM		360+- 40 pCi/mL	metaTRACE
2 TRITIUM		400+-4.33 pCi/mL	HP, 735A

WELL LCO 2

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/09/89 Time 1100
 Depth to water = 27.75 ft (8.46 m) below the TOC
 Water elevation = 213.85 ft (65.18 m) msl
 pH = 4.3 Alkalinity = 0 mg/L
 Specific conductance = 27 umhos/cm
 Water temperature = 21.0 degrees Celsius
 Water evacuated from the well prior to sampling = 45 gal

LABORATORY ANALYSES

0	PH		4.52 pH	metaTRACE
0	BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0	BROMOFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	5 ug/L	metaTRACE
0	METHYLENE CHLORIDE	LT	5 ug/L	metaTRACE
0	BROMOMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROBENZENE	LT	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0	CHLOROETHANE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0	ETHYLBENZENE	LT	5 ug/L	metaTRACE
0	MERCURY	LT	0.20 ug/L	metaTRACE
0	TOLUENE	LT	5 ug/L	metaTRACE
0	MANGANESE	LT	2 ug/L	metaTRACE
0	LEAD		12 ug/L	metaTRACE
0	SULFATE	LT	1000 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
1	TETRACHLOROETHYLENE	J	4.00 ug/L	metaTRACE
2	TOTAL ORGANIC HALOGENS		49 ug/L	metaTRACE
2	TRICHLOROETHYLENE	J	3.00 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0	NONVOLATILE BETA	LT	4 pCi/L	metaTRACE
0	TOTAL RADIUM	LT	1 pCi/L	metaTRACE
0	TRITIUM		8.00+-0.80 pCi/mL	metaTRACE

WELL LCO 3

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 05/09/89 Time 1035
 Depth to water = 27.92 ft (8.51 m) below the TOC
 Water elevation = 213.48 ft (65.07 m) msl
 pH = 9.7 Alkalinity = 140 mg/L
 Specific conductance = 340 umhos/cm
 Water temperature = 21.8 degrees Celsius
 Water evacuated from the well prior to sampling = 59 gal

LABORATORY ANALYSES

2	PH		9.96 pH	metaTRACE
0	BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0	BROMOFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	5 ug/L	metaTRACE
0	METHYLENE CHLORIDE	LT	5 ug/L	metaTRACE
0	BROMOMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROBENZENE	LT	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0	CHLOROETHANE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0	ETHYLBENZENE	LT	5 ug/L	metaTRACE
0	MERCURY	LT	0.20 ug/L	metaTRACE
0	TOLUENE	LT	5 ug/L	metaTRACE
0	MANGANESE	LT	2 ug/L	metaTRACE
0	LEAD		4 ug/L	metaTRACE
1	SULFATE		14200 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
2	TETRACHLOROETHYLENE		14.0 ug/L	metaTRACE
1	TOTAL ORGANIC HALOGENS		17 ug/L	metaTRACE
0	TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0	NONVOLATILE BETA	LT	4 pCi/L	metaTRACE
0	TOTAL RADIUM	LT	1 pCi/L	metaTRACE
0	TRITIUM		5.70+-0.60 pCi/mL	metaTRACE

WELL LCO 4

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/06/89 Time 1700
 Depth to water = 27.10 ft (8.26 m) below the TOC
 Water elevation = 210.10 ft (64.04 m) msl
 pH = 4.7 Alkalinity = 0 mg/L
 Specific conductance = 773 umhos/cm
 Water temperature = 21.8 degrees Celsius
 Water evacuated from the well prior to sampling = 46 gal

LABORATORY ANALYSES

0	PH		4.81 pH	metaTRACE
0	BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0	BROMOFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	5 ug/L	metaTRACE
1	METHYLENE CHLORIDE	JB	5 ug/L	metaTRACE
0	BROMOMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROBENZENE	LT	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0	CHLOROETHANE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
1	ETHYLBENZENE	J	5 ug/L	metaTRACE
2	MERCURY		1.06 ug/L	metaTRACE
0	TOLUENE	LT	5 ug/L	metaTRACE
2	MANGANESE		66 ug/L	metaTRACE
0	LEAD		6 ug/L	metaTRACE
2	SULFATE		308000 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
2	TETRACHLOROETHYLENE		20.0 ug/L	metaTRACE
2	TOTAL ORGANIC HALOGENS		60 ug/L	metaTRACE
2	TOTAL ORGANIC HALOGENS		58 ug/L	metaTRACE
0	TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
1	1,2-DICHLOROETHANE	JB	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0	NONVOLATILE BETA		5.20+-3.30 pCi/L	metaTRACE
1	TOTAL ACTIVITY		127+-2.65 pCi/mL	HP, 735A
1	TOTAL RADIUM		3.00+-0.50 pCi/L	metaTRACE
2	TRITIUM		120+-20 pCi/mL	metaTRACE
2	TRITIUM		124+-2.48 pCi/mL	HP, 735A

WELL LDB 1

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/06/89 Time 1115
 Depth to water = 38.11 ft (11.62 m) below the TOC
 Water elevation = 214.79 ft (65.47 m) msl
 pH = 4.4 Alkalinity = 0 mg/L
 Specific conductance = 42 umhos/cm
 Water temperature = 22.5 degrees Celsius
 Water evacuated from the well prior to sampling = 20 gal
 The well went dry during purging.

LABORATORY ANALYSES

0	BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0	BROMOFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	5 ug/L	metaTRACE
0	METHYLENE CHLORIDE	LT	5 ug/L	metaTRACE
0	BROMOMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROBENZENE	LT	5 ug/L	metaTRACE
0	CHLOROETHANE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
1	ETHYLBENZENE		7 ug/L	metaTRACE
0	TOLUENE	LT	5 ug/L	metaTRACE
1	LEAD		24 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
2	TETRACHLOROETHYLENE		7.00 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS		9 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS		9 ug/L	metaTRACE
0	TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE

WELL LDB 2

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/06/89 Time 1100
 Depth to water = 36.59 ft (11.15 m) below the TOC
 Water elevation = 215.31 ft (65.83 m) msl
 pH = 4.8 Alkalinity = 0 mg/L
 Specific conductance = 67 umhos/cm
 Water temperature = 22.1 degrees Celsius
 Water evacuated from the well prior to sampling = 22 gal
 The well went dry during purging.

LABORATORY ANALYSES

0	BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
1	TRICHLOROFLUOROMETHANE	LT	120 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0	BROMOFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	5 ug/L	metaTRACE
0	METHYLENE CHLORIDE	LT	5 ug/L	metaTRACE
0	BROMOMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	CHLOROETHANE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0	ETHYLBENZENE	LT	5 ug/L	metaTRACE
0	TOLUENE	LT	5 ug/L	metaTRACE
1	LEAD	LT	24 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
2	TOTAL ORGANIC HALOGENS	LT	79 ug/L	metaTRACE
2	TOTAL ORGANIC HALOGENS	LT	79 ug/L	metaTRACE
0	TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE

WELL LFW 6

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/17/89 Time 1140
 Depth to water = 19.49 ft (5.94 m) below the TOC
 Water elevation = 192.21 ft (46.39 m) msl
 pH = 6.3 Alkalinity = 95 mg/L
 Specific conductance = 344 umhos/cm
 Water temperature = 20.3 degrees Celsius
 Water evacuated from the well prior to sampling = 38 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE		210.3 UMC	metaTRACE
0	PH		6.25 pH	metaTRACE
0	ACROLEIN	LT	5 ug/L	metaTRACE
0	ACRYLONITRILE	LT	5 ug/L	metaTRACE
0	ALPHA-ENDOSULFAN	LT	0.05 ug/L	metaTRACE
0	ARSENIC	LT	3 ug/L	metaTRACE
0	BETA-BENZENEHEXACHLORIDE	LT	0.05 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
1	BIS(2-ETHYLHEXYL) PHTHALATE	B	4 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0	CADMIUM	LT	4 ug/L	metaTRACE
0	BROMOFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	5 ug/L	metaTRACE
1	METHYLENE CHLORIDE	B	6 ug/L	metaTRACE
0	BROMOMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
1	CHLORIDE	LT	25000 ug/L	metaTRACE
0	CHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	CHROMIUM	LT	5 ug/L	metaTRACE
0	CHLOROETHANE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0	CHLOROETHANE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	5 ug/L	metaTRACE
1	DELTA-BENZENEHEXACHLORIDE	LT	0.06 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
1	DIETHYL PHTHALATE	J	9 ug/L	metaTRACE
0	DI-N-OCTYL PHTHALATE	LT	10 ug/L	metaTRACE
0	ETHYLBENZENE	LT	5 ug/L	metaTRACE
2	IRON	LT	39340 ug/L	metaTRACE
0	MERCURY	LT	0.20 ug/L	metaTRACE
0	HEPTACHLOR	LT	0.05 ug/L	metaTRACE
1	TOLUENE	J	2 ug/L	metaTRACE
1	MANGANESE	LT	31 ug/L	metaTRACE
0	NITRATE AS NITROGEN	LT	230 ug/L	metaTRACE
0	LEAD	LT	3 ug/L	metaTRACE
0	SULFATE	LT	1700 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	LT	2550 ug/L	metaTRACE
2	TOTAL ORGANIC HALOGENS	LT	178 ug/L	metaTRACE
0	TRICHLOROETHYLENE	LY	5.00 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
1	XYLENES	J	3 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
1	1,1-DICHLOROETHANE	LT	13 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE

CONTINUED

WELL LFW 6 COLLECTED ON 09/17/89 LABORATORY ANALYSES CONTINUED

0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
-	GROSS ALPHA		18.00+-6.00 pCi/L	metaTRACE
2	TOTAL RADIUM		5.40+-1.20 pCi/L	metaTRACE
1	TRITIUM		10.00+-1.00 pCi/mL	metaTRACE

WELL LFW 7

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/17/89 Time 1115
 Depth to water = 20.67 ft (6.30 m) below the TOC
 Water elevation = 150.73 ft (45.94 m) msl
 pH = 6.6 Alkalinity = 153 mg/L
 Specific conductance = 466 umhos/cm
 Water temperature = 20.7 degrees Celsius
 Water evacuated from the well prior to sampling = 31 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE		335.0 UMC	metaTRACE
1	PH		6.54 pH	metaTRACE
0	ACROLEIN	LT	5 ug/L	metaTRACE
0	ACRYLONITRILE	LT	5 ug/L	metaTRACE
0	ALPHA-ENDOSULFAN	LT	0.10 ug/L	metaTRACE
1	ARSENIC	LT	21 ug/L	metaTRACE
0	BETA-BENZENEHEXACHLORIDE	LT	0.10 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
1	BIS(2-ETHYLHEXYL) PHTHALATE	B	140 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0	CADMIUM	LT	4 ug/L	metaTRACE
0	BROMOFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	5 ug/L	metaTRACE
1	METHYLENE CHLORIDE	LT	60 ug/L	metaTRACE
0	BROMOMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
1	CHLORIDE	LT	32000 ug/L	metaTRACE
0	CHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	CHROMIUM	LT	5 ug/L	metaTRACE
0	CHLOROETHANE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0	CHLOROETHANE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	5 ug/L	metaTRACE
1	DELTA-BENZENEHEXACHLORIDE	LT	0.10 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
1	DIETHYL PHTHALATE	LT	40 ug/L	metaTRACE
1	DI-N-OCTYL PHTHALATE	JB	7 ug/L	metaTRACE
1	ETHYLBENZENE	J	15 ug/L	metaTRACE
2	IRON	LT	40500 ug/L	metaTRACE
0	MERCURY	LT	0.20 ug/L	metaTRACE
0	HEPTACHLOR	LT	0.10 ug/L	metaTRACE
1	TOLUENE	J	10 ug/L	metaTRACE
0	MANGANESE	LT	13 ug/L	metaTRACE
0	NITRATE AS NITROGEN	LT	230 ug/L	metaTRACE
0	LEAD	LT	3 ug/L	metaTRACE
0	SULFATE	LT	1000 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	metaTRACE
2	TOTAL ORGANIC HALOGENS	LT	198 ug/L	metaTRACE
0	TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
1	XYLENES	J	13 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
2	GROSS ALPHA		17.00+-6.00 pCi/L	metaTRACE
2	TOTAL RADIUM		6.80+-0.80 pCi/L	metaTRACE
1	TRITIUM		15.00+-2.00 pCi/mL	metaTRACE

WELL LFW 8

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/17/89 Time 1100
 Depth to water = 21.63 ft (6.59 m) below the TOC
 Water elevation = 148.87 ft (45.38 m) msl
 Inaccessibility or pump failure prevented sample collection.

WELL LFW 8

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/28/89 Time 1035
 Depth to water = 21.53 ft (6.56 m) below the TOC
 Water elevation = 148.97 ft (45.41 m) msl
 pH = 6.6 Alkalinity = 122 mg/L
 Specific conductance = 368 umhos/cm
 Water temperature = 19.9 degrees Celsius
 Water evacuated from the well prior to sampling = 36 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	242.0 UMHG	metaTRACE
0	PH	6.39 pH	metaTRACE
0	ALPHA-ENDOSULFAN	LT 0.05 ug/L	metaTRACE
1	ARSENIC	11 ug/L	metaTRACE
0	BETA-BENZENEHEXACHLORIDE	LT 0.05 ug/L	metaTRACE
1	BIS(2-ETHYLHEXYL) PHTHALATE	JB 2 ug/L	metaTRACE
0	CADMIUM	LT 4 ug/L	metaTRACE
1	CHLORIDE	25700 ug/L	metaTRACE
1	CHLORIDE	25500 ug/L	metaTRACE
1	CHROMIUM	5 ug/L	metaTRACE
0	DELTA-BENZENEHEXACHLORIDE	LT 0.05 ug/L	metaTRACE
1	DIETHYL PHTHALATE	34 ug/L	metaTRACE
0	DI-N-OCTYL PHTHALATE	LT 10 ug/L	metaTRACE
2	IRON	39490 ug/L	metaTRACE
0	MERCURY	LT 0.20 ug/L	metaTRACE
0	HEPTACHLOR	LT 0.05 ug/L	metaTRACE
1	MANGANESE	32 ug/L	metaTRACE
0	NITRATE AS NITROGEN	LT 230 ug/L	metaTRACE
0	NITRATE AS NITROGEN	LT 230 ug/L	metaTRACE
0	LEAD	LT 3 ug/L	metaTRACE
0	SULFATE	1700 ug/L	metaTRACE
0	SULFATE	1700 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	4990 ug/L	metaTRACE
2	TOTAL ORGANIC HALOGENS	242 ug/L	metaTRACE
2	TOTAL ORGANIC HALOGENS	218 ug/L	metaTRACE
0	GROSS ALPHA	LT 9 pCi/L	metaTRACE
1	TOTAL RADIUM	2.90+-0.60 pCi/L	metaTRACE
1	TRITIUM	16.00+-2.00 pCi/mL	metaTRACE

WELL LFW 10A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/16/89 Time 1200
 Depth to water = 24.67 ft (7.52 m) below the TOC
 Water elevation = 150.83 ft (45.97 m) msl
 pH = 5.0 Alkalinity = 0 mg/L
 Specific conductance = 26 umhos/cm
 Water temperature = 21.4 degrees Celsius
 Water evacuated from the well prior to sampling = 58 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE	30.80 UMHG	metaTRACE
0	PH	5.30 pH	metaTRACE
0	ACROLEIN	LT 5 ug/L	metaTRACE
0	ACRYLONITRILE	LT 5 ug/L	metaTRACE
0	ALPHA-ENDOSULFAN	LT 0.05 ug/L	metaTRACE
0	ARSENIC	LT 3 ug/L	metaTRACE
0	BETA-BENZENEHEXACHLORIDE	LT 0.05 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	LT 5 ug/L	metaTRACE
1	BIS(2-ETHYLHEXYL) PHTHALATE	B 160 ug/L	metaTRACE
1	TRICHLOROFLUOROMETHANE	200 ug/L	metaTRACE
2	CARBON TETRACHLORIDE	24.0 ug/L	metaTRACE
0	CADMIUM	LT 4 ug/L	metaTRACE
0	BROMOFORM	LT 5 ug/L	metaTRACE
0	CHLOROFORM	LT 5 ug/L	metaTRACE
1	METHYLENE CHLORIDE	39 ug/L	metaTRACE
0	BROMOMETHANE	LT 10 ug/L	metaTRACE
0	CHLOROMETHANE	LT 10 ug/L	metaTRACE
0	CHLORIDE	3600 ug/L	metaTRACE
0	CHLOROBENZENE	LT 5 ug/L	metaTRACE
0	CHROMIUM	LT 5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT 5 ug/L	metaTRACE
0	CHLOROETHANE	LT 10 ug/L	metaTRACE
0	BENZENE	LT 5 ug/L	metaTRACE
0	DELTA-BENZENEHEXACHLORIDE	LT 0.05 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT 5 ug/L	metaTRACE
0	DIETHYL PHTHALATE	LT 10 ug/L	metaTRACE
1	DI-N-OCTYL PHTHALATE	B 150 ug/L	metaTRACE
0	ETHYLBENZENE	LT 5 ug/L	metaTRACE
0	IRON	27 ug/L	metaTRACE
0	MERCURY	0.23 ug/L	metaTRACE
0	HEPTACHLOR	LT 0.05 ug/L	metaTRACE
0	TOLUENE	LT 5 ug/L	metaTRACE
0	MANGANESE	LT 2 ug/L	metaTRACE
0	NITRATE AS NITROGEN	360 ug/L	metaTRACE
0	LEAD	LT 3 ug/L	metaTRACE
0	SULFATE	LT 1000 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT 5 ug/L	metaTRACE
1	TETRACHLOROETHYLENE	J 3.00 ug/L	metaTRACE
1	TOTAL ORGANIC CARBON	LT 1000 ug/L	metaTRACE
2	TOTAL ORGANIC HALOGENS	41 ug/L	metaTRACE
0	TRICHLOROETHYLENE	LT 5.00 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT 5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT 5 ug/L	metaTRACE
0	XYLENES	LT 5 ug/L	metaTRACE
1	1,1-DICHLOROETHYLENE	LT 8 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT 5 ug/L	metaTRACE
1	1,1,1-TRICHLOROETHANE	26 ug/L	metaTRACE
1	1,1,2-TRICHLOROETHANE	LT 5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT 5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT 5 ug/L	metaTRACE

CONTINUED

WELL LFW 10A COLLECTED ON 09/16/89 LABORATORY ANALYSES CONTINUED

0	CIS-1,3-DICHLOROPROPENE	LT 5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT 5 ug/L	metaTRACE
1	GROSS ALPHA	5.20+-2.50 pCi/L	metaTRACE
0	TOTAL RADIUM	2.10+-0.40 pCi/L	metaTRACE
2	TRITIUM	110+-20 pCi/mL	metaTRACE

WELL LFW 16

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/08/89 Time 1230
 Depth to water = 24.92 ft (7.60 m) below the TOC
 Water elevation = 153.88 ft (46.90 m) msl
 pH = 4.6 Alkalinity = 0 mg/L
 Specific conductance = 30 umhos/cm
 Water temperature = 21.2 degrees Celsius
 Water evacuated from the well prior to sampling = 60 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE	25.00 UMHG	Gen. Eng.
0	SPECIFIC CONDUCTANCE	28.90 UMHG	metaTRACE
0	PH	4.56 pH	Gen. Eng.
0	PH	4.26 pH	metaTRACE
0	ALPHA-BENZENEHEXACHLORIDE	LT 10 ug/L	Gen. Eng.
0	ACROLEIN	LT 20 ug/L	Gen. Eng.
0	ACRYLONITRILE	LT 20 ug/L	Gen. Eng.
0	ALPHA-ENDOSULFAN	LT 10 ug/L	Gen. Eng.
0	ALDRIN	LT 10 ug/L	Gen. Eng.
0	ACENAPHTHENE	LT 10 ug/L	Gen. Eng.
0	ACENAPHTHYLENE	LT 10 ug/L	Gen. Eng.
0	ANTHRACENE	LT 10 ug/L	Gen. Eng.
0	ARSENIC	LT 2 ug/L	Gen. Eng.
0	ARSENIC	LT 3 ug/L	metaTRACE
0	BENZO(A)ANTHRACENE	LT 10 ug/L	Gen. Eng.
0	BENZO(A)PYRENE	LT 10 ug/L	Gen. Eng.
0	BENZO(B)FLUORANTHENE	LT 10 ug/L	Gen. Eng.
0	BETA-BENZENEHEXACHLORIDE	LT 10 ug/L	Gen. Eng.
0	BUTYLBENZYL PHTHALATE	LT 10 ug/L	Gen. Eng.
0	BIS(2-ETHYLHEXYL) ETHER	LT 10 ug/L	Gen. Eng.
0	BETA-ENDOSULFAN	LT 10 ug/L	Gen. Eng.
0	BENZIDINE	LT 10 ug/L	Gen. Eng.
0	BENZO(G,H,I)PERYLENE	LT 10 ug/L	Gen. Eng.
0	BENZO(K)FLUORANTHENE	LT 10 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	LT 1 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	LT 5 ug/L	metaTRACE
0	BIS(2-CHLOROETHOXY) METHANE	LT 10 ug/L	Gen. Eng.
0	BIS(2-CHLOROISOPROPYL) ETHER	LT 10 ug/L	Gen. Eng.
0	BIS(2-CHLOROETHYL) ETHER	LT 10 ug/L	Gen. Eng.
0	BIS(2-ETHYLHEXYL) PHTHALATE	LT 10 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT 1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT 5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT 1.00 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT 5.00 ug/L	metaTRACE
0	CADMIUM	LT 2 ug/L	Gen. Eng.
0	CADMIUM	LT 4 ug/L	metaTRACE
0	BROMOFORM	LT 1 ug/L	Gen. Eng.
0	BROMOFORM	LT 5 ug/L	metaTRACE
0	CHLOROFORM	LT 1 ug/L	Gen. Eng.
0	CHLOROFORM	LT 5 ug/L	metaTRACE
0	CHRYSENE	LT 10 ug/L	Gen. Eng.
0	METHYLENE CHLORIDE	LT 1 ug/L	Gen. Eng.
0	METHYLENE CHLORIDE	LT 5 ug/L	metaTRACE
0	BROMOMETHANE	LT 1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT 10 ug/L	metaTRACE
0	CHLOROMETHANE	LT 1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT 10 ug/L	metaTRACE
0	CHLORIDE	3200 ug/L	Gen. Eng.
1	CHLORIDE	10300 ug/L	metaTRACE
0	CHLOROBENZENE	LT 1 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT 5 ug/L	metaTRACE
0	CHLORDANE	LT 10 ug/L	Gen. Eng.
0	HEXACHLOROBENZENE	LT 10 ug/L	Gen. Eng.
0	HEXACHLOROCYCLOPENTADIENE	LT 10 ug/L	Gen. Eng.
0	HEXACHLOROETHANE	LT 10 ug/L	Gen. Eng.
0	CHROMIUM	LT 4 ug/L	Gen. Eng.
0	CHROMIUM	LT 5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT 1 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT 5 ug/L	metaTRACE
0	CHLOROETHANE	LT 1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT 10 ug/L	metaTRACE
0	BENZENE	LT 1 ug/L	Gen. Eng.
0	BENZENE	LT 5 ug/L	metaTRACE
0	DIBENZ(A,H)ANTHRACENE	LT 10 ug/L	Gen. Eng.
0	DELTA-BENZENEHEXACHLORIDE	LT 10 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT 1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT 5 ug/L	metaTRACE
0	DIETHYL PHTHALATE	LT 10 ug/L	Gen. Eng.
0	DIETHYRIN	LT 10 ug/L	Gen. Eng.
0	DIMETHYL PHTHALATE	LT 10 ug/L	Gen. Eng.
0	DI-N-BUTYL PHTHALATE	LT 10 ug/L	Gen. Eng.
0	DI-N-OCTYL PHTHALATE	LT 10 ug/L	Gen. Eng.
0	ENDRIN ALDEHYDE	LT 10 ug/L	Gen. Eng.
0	ENDRIN	LT 10 ug/L	Gen. Eng.
0	ENDOSULFAN SULFATE	LT 10 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT 1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT 5 ug/L	metaTRACE
0	FLUORANTHENE	LT 10 ug/L	Gen. Eng.
0	IRON	35 ug/L	Gen. Eng.
0	IRON	38 ug/L	metaTRACE
0	FLUORENE	LT 10 ug/L	Gen. Eng.
0	HEXACHLOROBTADIENE	LT 10 ug/L	Gen. Eng.
0	MERCURY	0.20 ug/L	Gen. Eng.
0	MERCURY	0.27 ug/L	metaTRACE
0	HEPTACHLOR	LT 10 ug/L	Gen. Eng.
0	HEPTACHLOR EPOXIDE	LT 10 ug/L	Gen. Eng.

CONTINUED

WELL LFW 16 COLLECTED ON 09/08/89 LABORATORY ANALYSES CONTINUED

0	INDENO(1,2,3-C,D)PYRENE	LT	10 ug/L	Gen. Eng.
0	ISOPHORONE	LT	10 ug/L	Gen. Eng.
0	LINDANE	LT	10 ug/L	Gen. Eng.
0	TOLUENE	LT	1 ug/L	Gen. Eng.
0	TOLUENE	LT	5 ug/L	metaTRACE
0	MANGANESE	LT	2 ug/L	Gen. Eng.
0	MANGANESE	LT	3 ug/L	metaTRACE
0	NAPHTHALENE	LT	10 ug/L	Gen. Eng.
0	NITROBENZENE	LT	10 ug/L	Gen. Eng.
0	N-NITROSODIMETHYLAMINE	LT	10 ug/L	Gen. Eng.
0	N-NITROSODI-PROPYLAMINE	LT	10 ug/L	Gen. Eng.
0	N-NITROSODIPHENYLAMINE	LT	10 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN		860 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN		1000 ug/L	metaTRACE
0	LEAD		14 ug/L	Gen. Eng.
0	LEAD		10 ug/L	metaTRACE
0	PCB 1016	LT	150 ug/L	Gen. Eng.
0	PCB 1221	LT	150 ug/L	Gen. Eng.
0	PCB 1232	LT	150 ug/L	Gen. Eng.
0	PCB 1242	LT	150 ug/L	Gen. Eng.
0	PCB 1248	LT	150 ug/L	Gen. Eng.
0	PCB 1254	LT	150 ug/L	Gen. Eng.
0	PCB 1260	LT	150 ug/L	Gen. Eng.
0	PHENANTHRENE	LT	10 ug/L	Gen. Eng.
0	2,2-BIS(4-CHLOROPHENYL)-1,1-DCE	LT	10 ug/L	Gen. Eng.
0	2,2-BIS(4-CHLOROPHENYL)-1,1-DCE	LT	10 ug/L	Gen. Eng.
0	2,2-BIS(4-CHLOROPHENYL)-1,1,1-TCE	LT	10 ug/L	Gen. Eng.
0	PYRENE	LT	10 ug/L	Gen. Eng.
0	SULFATE	LT	5000 ug/L	Gen. Eng.
0	SULFATE	LT	1000 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
1	TETRACHLOROETHYLENE		3.00 ug/L	Gen. Eng.
1	TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON		1000 ug/L	Gen. Eng.
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	metaTRACE
2	TOTAL ORGANIC HALOGENS		90 ug/L	Gen. Eng.
1	TRICHLOROETHYLENE		2.00 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TOXAPHENE	LT	10 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	XYLENES	LT	2 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
1	1,1-DICHLOROETHANE		7 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
1	1,1,1-TRICHLOROETHANE		7 ug/L	Gen. Eng.
1	1,1,1-TRICHLOROETHANE	LT	8 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	1,2-DIPHENYL HYDRAZINE	LT	10 ug/L	Gen. Eng.
0	1,2,4-TRICHLOROETHANE	LT	10 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	10 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0	2-CHLORONAPHTHALENE	LT	10 ug/L	Gen. Eng.
0	2,4-DINITROTOLUENE	LT	10 ug/L	Gen. Eng.
0	2,6-DINITROTOLUENE	LT	10 ug/L	Gen. Eng.
0	3,3-DICHLOROBENZIDENE	LT	10 ug/L	Gen. Eng.
0	4-BROMOPHENYLPHENYL ETHER	LT	10 ug/L	Gen. Eng.
0	4-CHLOROPHENYLPHENYL ETHER	LT	10 ug/L	Gen. Eng.
0	GROSS ALPHA		3.41+-0.70 pCi/L	Gen. Eng.
1	GROSS ALPHA		5.20+-2.10 pCi/L	metaTRACE
1	TOTAL RADIUM		4.50+-1.10 pCi/L	Gen. Eng.
1	TOTAL RADIUM		2.80+-0.62 pCi/L	metaTRACE
0	TRITIUM		4.91+-0.40 pCi/mL	Gen. Eng.
0	TRITIUM		3.60+-0.40 pCi/mL	metaTRACE

WELL LFW 16

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/08/89 Time 1230
 Depth to water = 24.92 ft (7.60 m) below the TOC
 Water elevation = 153.88 ft (46.90 m) msl
 pH = 4.6 Alkalinity = 0 mg/L
 Specific conductance = 30 umhos/cm
 Water temperature = 21.2 degrees Celsius
 Water evacuated from the well prior to sampling = 60 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE		24.00 UAHM	Gen. Eng.
0	SPECIFIC CONDUCTANCE		28.91 UAHM	metaTRACE
0	PH		4.81 pH	Gen. Eng.
0	PH		4.27 pH	metaTRACE
0	ALPHA-BENZENEHEXACHLORIDE	LT	10 ug/L	Gen. Eng.
0	ACROLEIN	LT	20 ug/L	Gen. Eng.
0	ACRYLONITRILE	LT	20 ug/L	Gen. Eng.
0	ALPHA-ENDOSULFAM	LT	10 ug/L	Gen. Eng.
0	ALDRIN	LT	10 ug/L	Gen. Eng.
0	ACENAPHTHENE	LT	10 ug/L	Gen. Eng.
0	ACENAPHTHYLENE	LT	10 ug/L	Gen. Eng.
0	ANTHRACENE	LT	10 ug/L	Gen. Eng.
0	ARSENIC	LT	2 ug/L	Gen. Eng.
0	ARSENIC	LT	3 ug/L	metaTRACE
0	BENZO(A)ANTHRACENE	LT	10 ug/L	Gen. Eng.

CONTINUED

WELL LFW 16 COLLECTED ON 09/08/89 LABORATORY ANALYSES CONTINUED

0	BENZO(A)PYRENE	LT	10 ug/L	Gen. Eng.
0	BENZO(B)FLUORANTHENE	LT	10 ug/L	Gen. Eng.
0	BETA-BENZENEHEXACHLORIDE	LT	10 ug/L	Gen. Eng.
0	BUTYLBENZYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0	BIS(CHLOROMETHYL)ETHER	LT	10 ug/L	Gen. Eng.
0	BETA-ENDOSULFAM	LT	10 ug/L	Gen. Eng.
0	BENZIDINE	LT	10 ug/L	Gen. Eng.
0	BENZO(G,H,I)PERYLENE	LT	10 ug/L	Gen. Eng.
0	BENZO(K)FLUORANTHENE	LT	10 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
0	BIS(2-CHLOROETHOXY) METHANE	LT	10 ug/L	Gen. Eng.
0	BIS(2-CHLOROISOPROPYL) ETHER	LT	10 ug/L	Gen. Eng.
0	BIS(2-CHLOROETHYL) ETHER	LT	10 ug/L	Gen. Eng.
0	BIS(2-ETHYLHEXYL) PHTHALATE	LT	10 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0	CADMIUM	LT	2 ug/L	Gen. Eng.
0	CADMIUM	LT	4 ug/L	metaTRACE
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	BROMOFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	5 ug/L	metaTRACE
0	CHRYSENE	LT	10 ug/L	Gen. Eng.
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0	METHYLENE CHLORIDE	LT	5 ug/L	metaTRACE
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
0	CHLORIDE		3400 ug/L	Gen. Eng.
0	CHLORIDE		3100 ug/L	metaTRACE
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	5 ug/L	metaTRACE
0	CHLORDANE	LT	10 ug/L	Gen. Eng.
0	HEXACHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	HEXACHLOROCYCLOPENTADIENE	LT	10 ug/L	Gen. Eng.
0	HEXACHLOROETHANE	LT	10 ug/L	Gen. Eng.
0	CHROMIUM	LT	4 ug/L	Gen. Eng.
0	CHROMIUM	LT	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	5 ug/L	metaTRACE
0	DIBENZ(A,H)ANTHRACENE	LT	10 ug/L	Gen. Eng.
0	DELTA-BENZENEHEXACHLORIDE	LT	10 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0	DIETHYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0	DIELDRIN	LT	10 ug/L	Gen. Eng.
0	DIETHYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0	DI-N-BUTYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0	DI-N-OCTYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0	ENDRIN ALDEHYDE	LT	10 ug/L	Gen. Eng.
0	ENDRIN	LT	10 ug/L	Gen. Eng.
0	ENDOSULFAM SULFATE	LT	10 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	5 ug/L	metaTRACE
0	FLUORANTHENE	LT	10 ug/L	Gen. Eng.
0	IRON		31 ug/L	Gen. Eng.
0	IRON		40 ug/L	metaTRACE
0	FLUORENE	LT	10 ug/L	Gen. Eng.
0	HEXACHLOROBUTADIENE	LT	10 ug/L	Gen. Eng.
0	MERCURY	LT	0.20 ug/L	Gen. Eng.
0	MERCURY	LT	0.24 ug/L	metaTRACE
0	HEPTACHLOR	LT	10 ug/L	Gen. Eng.
0	HEPTACHLOR EPOXIDE	LT	10 ug/L	Gen. Eng.
0	INDENO(1,2,3-C,D)PYRENE	LT	10 ug/L	Gen. Eng.
0	ISOPHORONE	LT	10 ug/L	Gen. Eng.
0	LINDANE	LT	10 ug/L	Gen. Eng.
0	TOLUENE	LT	1 ug/L	Gen. Eng.
0	TOLUENE	LT	5 ug/L	metaTRACE
0	MANGANESE	LT	2 ug/L	Gen. Eng.
0	MANGANESE	LT	3 ug/L	metaTRACE
0	NAPHTHALENE	LT	10 ug/L	Gen. Eng.
0	NITROBENZENE	LT	10 ug/L	Gen. Eng.
0	N-NITROSODIMETHYLAMINE	LT	10 ug/L	Gen. Eng.
0	N-NITROSODI-PROPYLAMINE	LT	10 ug/L	Gen. Eng.
0	N-NITROSODIPHENYLAMINE	LT	10 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN		880 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN		1000 ug/L	metaTRACE
0	LEAD		13 ug/L	Gen. Eng.
0	LEAD		12 ug/L	metaTRACE
0	PCB 1016	LT	150 ug/L	Gen. Eng.
0	PCB 1221	LT	150 ug/L	Gen. Eng.
0	PCB 1232	LT	150 ug/L	Gen. Eng.
0	PCB 1242	LT	150 ug/L	Gen. Eng.
0	PCB 1248	LT	150 ug/L	Gen. Eng.
0	PCB 1254	LT	150 ug/L	Gen. Eng.
0	PCB 1260	LT	150 ug/L	Gen. Eng.
0	PHENANTHRENE	LT	10 ug/L	Gen. Eng.
0	2,2-BIS(4-CHLOROPHENYL)-1,1-DCE	LT	10 ug/L	Gen. Eng.
0	2,2-BIS(4-CHLOROPHENYL)-1,1-DCE	LT	10 ug/L	Gen. Eng.
0	2,2-BIS(4-CHLOROPHENYL)-1,1,1-TCE	LT	10 ug/L	Gen. Eng.
0	PYRENE	LT	10 ug/L	Gen. Eng.
0	SULFATE	LT	5000 ug/L	Gen. Eng.
0	SULFATE	LT	1000 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
1	TETRACHLOROETHYLENE		3.00 ug/L	Gen. Eng.
1	TETRACHLOROETHYLENE	J	2.00 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	Gen. Eng.
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	metaTRACE
2	TOTAL ORGANIC HALOGENS		86 ug/L	Gen. Eng.
1	TRICHLOROETHYLENE		2.00 ug/L	Gen. Eng.

CONTINUED

WELL LFW 16 COLLECTED ON 09/08/89 LABORATORY ANALYSES CONTINUED

0	TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TOXAPHENE	LT	10 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	XYLENES	LT	2 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
1	1,1-DICHLOROETHANE	LT	7 ug/L	Gen. Eng.
1	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
1	1,1,1-TRICHLOROETHANE	LT	7 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	8 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	10 ug/L	Gen. Eng.
0	1,2,4-TRICHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	10 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0	2-CHLORONAPHTHALENE	LT	10 ug/L	Gen. Eng.
0	2,4-DINITROTOLUENE	LT	10 ug/L	Gen. Eng.
0	2,6-DINITROTOLUENE	LT	10 ug/L	Gen. Eng.
0	3,3-DICHLOROBENZIDENE	LT	10 ug/L	Gen. Eng.
0	4-BROMOPHENYLPHENYL ETHER	LT	10 ug/L	Gen. Eng.
0	4-CHLOROPHENYLPHENYL ETHER	LT	10 ug/L	Gen. Eng.
0	GROSS ALPHA	LT	3.50+-2.30 pCi/L	metaTRACE
0	GROSS ALPHA	LT	5.10+-2.50 pCi/L	Gen. Eng.
2	TOTAL RADIUM	LT	3.30+-0.60 pCi/L	metaTRACE
1	TOTAL RADIUM	LT	4.52+-0.39 pCi/mL	Gen. Eng.
0	TRITIUM	LT	3.80+-0.40 pCi/mL	metaTRACE

WELL LFW 17

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/17/89 Time 1235
Depth to water = 24.71 ft (7.53 m) below the TOC
Water elevation = 153.09 ft (46.66 m) msl
pH = 6.4 Alkalinity = 95 mg/L
Specific conductance = 352 umhos/cm
Water temperature = 20.3 degrees Celsius
Water evacuated from the well prior to sampling = 65 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE		246.0 UMHG	metaTRACE
0	PH		6.23 pH	metaTRACE
0	ACROLEIN	LT	5 ug/L	metaTRACE
0	ACRYLONITRILE	LT	5 ug/L	metaTRACE
0	ALPHA-ENDOSULFAN	LT	0.05 ug/L	metaTRACE
1	ARSENIC	LT	22 ug/L	metaTRACE
0	BETA-BENZENEHEXACHLORIDE	LT	0.05 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
0	BIS(2-ETHYLHEXYL) PHTHALATE	LT	10 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0	CADMIUM	LT	4 ug/L	metaTRACE
0	BROMOFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	5 ug/L	metaTRACE
1	METHYLENE CHLORIDE	LT	8 ug/L	metaTRACE
0	BROMOMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
1	CHLORIDE	J	28100 ug/L	metaTRACE
0	CHLOROBENZENE	J	3 ug/L	metaTRACE
0	CHROMIUM	LT	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0	CHLOROETHANE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	5 ug/L	metaTRACE
1	DELTA-BENZENEHEXACHLORIDE		0.05 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
1	DIETHYL PHTHALATE		62 ug/L	metaTRACE
0	DI-N-OCTYL PHTHALATE	LT	10 ug/L	metaTRACE
1	ETHYLBENZENE	J	3 ug/L	metaTRACE
2	IRON		39330 ug/L	metaTRACE
0	MERCURY	LT	0.20 ug/L	metaTRACE
0	HEPTACHLOR	LT	0.05 ug/L	metaTRACE
1	TOLUENE	J	2 ug/L	metaTRACE
0	MANGANESE		23 ug/L	metaTRACE
0	NITRATE AS NITROGEN	LT	230 ug/L	metaTRACE
0	LEAD	LT	3 ug/L	metaTRACE
0	SULFATE	LT	1500 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	metaTRACE
2	TOTAL ORGANIC HALOGENS		146 ug/L	metaTRACE
0	TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
1	XYLENES		8 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0	GROSS ALPHA	LT	4 pCi/L	metaTRACE

CONTINUED

WELL LFW 17 COLLECTED ON 09/17/89 LABORATORY ANALYSES CONTINUED

0	TOTAL RADIUM		2.20+-0.50 pCi/L	metaTRACE
0	TRITIUM		6.30+-0.70 pCi/mL	metaTRACE

WELL LFW 18

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/17/89 Time 1210
Depth to water = 22.14 ft (6.75 m) below the TOC
Water elevation = 153.26 ft (46.71 m) msl
pH = 6.8 Alkalinity = 94 mg/L
Specific conductance = 309 umhos/cm
Water temperature = 21.0 degrees Celsius
Water evacuated from the well prior to sampling = 62 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE		204.7 UMHG	metaTRACE
0	PH		6.28 pH	metaTRACE
0	ACROLEIN	LT	5 ug/L	metaTRACE
0	ACRYLONITRILE	LT	5 ug/L	metaTRACE
0	ALPHA-ENDOSULFAN	LT	0.05 ug/L	metaTRACE
1	ARSENIC	LT	13 ug/L	metaTRACE
0	BETA-BENZENEHEXACHLORIDE	LT	0.05 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
1	BIS(2-ETHYLHEXYL) PHTHALATE	B	41 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0	CADMIUM	LT	4 ug/L	metaTRACE
0	BROMOFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	5 ug/L	metaTRACE
1	METHYLENE CHLORIDE	LT	8 ug/L	metaTRACE
0	BROMOMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROBENZENE	LT	5 ug/L	metaTRACE
0	CHROMIUM	LT	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
1	CHLOROETHANE	J	6 ug/L	metaTRACE
0	BENZENE	LT	5 ug/L	metaTRACE
1	DELTA-BENZENEHEXACHLORIDE		0.06 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
1	DIETHYL PHTHALATE		21 ug/L	metaTRACE
1	DI-N-OCTYL PHTHALATE	B	54 ug/L	metaTRACE
1	ETHYLBENZENE		13 ug/L	metaTRACE
2	IRON		36050 ug/L	metaTRACE
0	MERCURY	LT	0.20 ug/L	metaTRACE
0	HEPTACHLOR	LT	0.05 ug/L	metaTRACE
1	TOLUENE		22 ug/L	metaTRACE
1	MANGANESE		34 ug/L	metaTRACE
0	NITRATE AS NITROGEN	LT	230 ug/L	metaTRACE
0	LEAD	LT	3 ug/L	metaTRACE
0	SULFATE	LT	1000 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
1	TOTAL ORGANIC CARBON		6710 ug/L	metaTRACE
2	TOTAL ORGANIC HALOGENS		202 ug/L	metaTRACE
0	TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
1	XYLENES		39 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	32 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
1	GROSS ALPHA		11.00+-7.00 pCi/L	metaTRACE
2	TOTAL RADIUM		5.00+-0.60 pCi/L	metaTRACE
0	TRITIUM		7.40+-0.80 pCi/mL	metaTRACE

WELL LFW 19

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/17/89 Time 1305
Depth to water = 22.70 ft (6.92 m) below the TOC
Water elevation = 154.00 ft (46.94 m) msl
pH = 4.9 Alkalinity = 1 mg/L
Specific conductance = 17 umhos/cm
Water temperature = 19.2 degrees Celsius
Water evacuated from the well prior to sampling = 63 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE		24.30 UMHG	metaTRACE
0	PH		5.32 pH	metaTRACE
0	ACROLEIN	LT	5 ug/L	metaTRACE
0	ACRYLONITRILE	LT	5 ug/L	metaTRACE
0	ALPHA-ENDOSULFAN	LT	0.05 ug/L	metaTRACE
0	ARSENIC	LT	3 ug/L	metaTRACE
0	BETA-BENZENEHEXACHLORIDE	LT	0.05 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
1	BIS(2-ETHYLHEXYL) PHTHALATE	B	17 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0	CADMIUM	LT	4 ug/L	metaTRACE
0	BROMOFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	5 ug/L	metaTRACE
0	METHYLENE CHLORIDE	LT	5 ug/L	metaTRACE
0	BROMOMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE

CONTINUED

WELL LFW 19 COLLECTED ON 09/17/89 LABORATORY ANALYSES CONTINUED

0	CHLORIDE		2200 ug/L	metaTRACE
0	CHLOROBENZENE	LT	5 ug/L	metaTRACE
0	CHROMIUM	LT	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0	CHLOROETHANE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	3 ug/L	metaTRACE
0	DELTA-BENZENEHEXACHLORIDE	LT	0.05 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0	DIETHYL PHTHALATE	LT	10 ug/L	metaTRACE
1	DI-N-OCTYL PHTHALATE	B	36 ug/L	metaTRACE
0	ETHYLBENZENE	LT	5 ug/L	metaTRACE
0	IRON		67 ug/L	metaTRACE
0	MERCURY	LT	0.20 ug/L	metaTRACE
0	HEPTACHLOR	LT	0.05 ug/L	metaTRACE
1	TOLUENE	J	1 ug/L	metaTRACE
0	MANGANESE		3 ug/L	metaTRACE
0	NITRATE AS NITROGEN		360 ug/L	metaTRACE
0	LEAD		6 ug/L	metaTRACE
0	SULFATE	LT	1000 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	metaTRACE
0	TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	XYLENES	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
1	GROSS ALPHA		5.20+-2.70 pCi/L	metaTRACE
1	TOTAL RADIUM		2.90+-0.50 pCi/L	metaTRACE
1	TOTAL RADIUM		3.70+-0.60 pCi/L	metaTRACE
0	TRITIUM		3.60+-0.40 pCi/mL	metaTRACE

WELL LFW 20

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/08/89 Time 1720
 Depth to water = 23.57 ft (7.18 m) below the TOC
 Water elevation = 157.33 ft (47.95 m) msl
 pH = 4.8 Alkalinity = 0 mg/L
 Specific conductance = 14 umhos/cm
 Water temperature = 21.2 degrees Celsius
 Water evacuated from the well prior to sampling = 59 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE		14.88 uMHC	metaTRACE
1	PH		3.70 pH	metaTRACE
0	ARSENIC	LT	3 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0	CADMIUM	LT	4 ug/L	metaTRACE
0	BROMOFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	5 ug/L	metaTRACE
0	METHYLENE CHLORIDE	LT	5 ug/L	metaTRACE
0	BROMOMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
0	CHLORIDE	LT	2000 ug/L	metaTRACE
0	CHLOROBENZENE	LT	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0	CHLOROETHANE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0	ETHYLBENZENE	LT	5 ug/L	metaTRACE
0	IRON		71 ug/L	metaTRACE
0	MERCURY	LT	0.20 ug/L	metaTRACE
0	TOLUENE	LT	5 ug/L	metaTRACE
0	MANGANESE	LT	2 ug/L	metaTRACE
0	NITRATE AS NITROGEN		450 ug/L	metaTRACE
0	LEAD		3 ug/L	metaTRACE
0	SULFATE	LT	1000 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	metaTRACE
0	TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0	GROSS ALPHA		3.30+-2.10 pCi/L	metaTRACE
0	TOTAL RADIUM		1.80+-0.40 pCi/L	metaTRACE
0	TRITIUM		4.10+-0.50 pCi/mL	metaTRACE

WELL LFW 21

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/16/89 Time 1340
 Depth to water = 26.26 ft (8.00 m) below the TOC
 Water elevation = 149.94 ft (45.70 m) msl
 pH = 5.1 Alkalinity = 15 mg/L
 Specific conductance = 161 umhos/cm
 Water temperature = 21.3 degrees Celsius
 Water evacuated from the well prior to sampling = 57 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE		170.2 uMHC	metaTRACE
0	PH		5.44 pH	metaTRACE
0	ACROLEIN	LT	5 ug/L	metaTRACE
0	ACRYLONITRILE	LT	5 ug/L	metaTRACE
0	ARSENIC	LT	3 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
1	BIS(2-ETHYLHEXYL) PHTHALATE	B	13 ug/L	metaTRACE
1	TRICHLOROFLUOROMETHANE		170 ug/L	metaTRACE
2	CARBON TETRACHLORIDE		9.00 ug/L	metaTRACE
0	CADMIUM	LT	4 ug/L	metaTRACE
0	BROMOFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	5 ug/L	metaTRACE
1	METHYLENE CHLORIDE		280 ug/L	metaTRACE
0	BROMOMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
1	CHLORIDE		24900 ug/L	metaTRACE
0	CHLOROBENZENE	LT	5 ug/L	metaTRACE
0	CHROMIUM	LT	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
1	CHLOROETHANE	J	3 ug/L	metaTRACE
1	BENZENE	J	3 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
1	DIETHYL PHTHALATE		19 ug/L	metaTRACE
1	DI-N-OCTYL PHTHALATE	B	20 ug/L	metaTRACE
1	ETHYLBENZENE	J	2 ug/L	metaTRACE
2	IRON		921 ug/L	metaTRACE
0	MERCURY	LT	0.20 ug/L	metaTRACE
1	TOLUENE	J	1 ug/L	metaTRACE
2	MANGANESE		52 ug/L	metaTRACE
0	NITRATE AS NITROGEN	LT	230 ug/L	metaTRACE
0	LEAD	LT	3 ug/L	metaTRACE
0	SULFATE		7000 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
2	TETRACHLOROETHYLENE		150 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	metaTRACE
2	TOTAL ORGANIC HALOGENS		568 ug/L	metaTRACE
2	TRICHLOROETHYLENE		37.0 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
1	XYLENES		48 ug/L	metaTRACE
1	1,1-DICHLOROETHYLENE		13 ug/L	metaTRACE
1	1,1-DICHLOROETHANE		50 ug/L	metaTRACE
1	1,1,1-TRICHLOROETHANE		10 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER		5 ug/L	metaTRACE
0	GROSS ALPHA		28.00+-8.00 pCi/L	metaTRACE
2	TOTAL RADIUM		5.20+-0.70 pCi/L	metaTRACE
0	TRITIUM		9.90+-1.00 pCi/mL	metaTRACE

WELL LFW 22

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/16/89 Time 1315
 Depth to water = 24.61 ft (7.50 m) below the TOC
 Water elevation = 149.59 ft (45.60 m) msl
 pH = 4.7 Alkalinity = 0 mg/L
 Specific conductance = 19 umhos/cm
 Water temperature = 21.3 degrees Celsius
 Water evacuated from the well prior to sampling = 71 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE		20.90 uMHC	metaTRACE
0	PH		5.04 pH	metaTRACE
0	ACROLEIN	LT	5 ug/L	metaTRACE
0	ACRYLONITRILE	LT	5 ug/L	metaTRACE
0	ALPHA-KENDOSULFAN	LT	0.05 ug/L	metaTRACE
0	ARSENIC	LT	3 ug/L	metaTRACE
0	BETA-BENZENEHEXACHLORIDE	LT	0.05 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
1	BIS(2-ETHYLHEXYL) PHTHALATE	B	410 ug/L	metaTRACE
1	TRICHLOROFLUOROMETHANE		120 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0	CADMIUM	LT	4 ug/L	metaTRACE
0	BROMOFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	5 ug/L	metaTRACE
0	METHYLENE CHLORIDE	LT	5 ug/L	metaTRACE
0	BROMOMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
0	CHLORIDE		2100 ug/L	metaTRACE
J	CHLOROBENZENE	LT	5 ug/L	metaTRACE
0	CHROMIUM	LT	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0	CHLOROETHANE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	5 ug/L	metaTRACE
0	DELTA-BENZENEHEXACHLORIDE	LT	0.05 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0	DIETHYL PHTHALATE	LT	10 ug/L	metaTRACE
1	DI-N-OCTYL PHTHALATE	B	34 ug/L	metaTRACE

CONTINUED

WELL LFW 22 COLLECTED ON 09/16/89 LABORATORY ANALYSES CONTINUED

1	ETHYLBENZENE		1 ug/L	metaTRACE
0	IRON		49 ug/L	metaTRACE
0	MERCURY		0.26 ug/L	metaTRACE
0	HEPTACHLOR	LT	0.05 ug/L	metaTRACE
1	TOLUENE	J	1 ug/L	metaTRACE
0	MANGANESE	LT	2 ug/L	metaTRACE
0	NITRATE AS NITROGEN		430 ug/L	metaTRACE
0	LEAD		6 ug/L	metaTRACE
0	SULFATE	LT	1000 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	metaTRACE
2	TOTAL ORGANIC HALOGENS		35 ug/L	metaTRACE
0	TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	XYLENES	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
1	1,1,1-TRICHLOROETHANE		6 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0	GROSS ALPHA		4.10+-2.10 pCi/L	metaTRACE
0	TOTAL RADIUM		2.30+-0.50 pCi/L	metaTRACE
0	TRITIUM		3.70+-0.40 pCi/mL	metaTRACE

WELL LFW 23

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/16/89 Time 1250
Depth to water = 21.62 ft (6.59 m) below the TOC
Water elevation = 150.18 ft (45.78 m) msl
pH = 4.7 Alkalinity = 0 mg/L
Specific conductance = 18 umhos/cm
Water temperature = 21.8 degrees Celsius
Water evacuated from the well prior to sampling = 66 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE		18.17 uMHC	metaTRACE
0	PH		5.11 pH	metaTRACE
0	ACROLEIN	LT	5 ug/L	metaTRACE
0	ACRYLONITRILE	LT	5 ug/L	metaTRACE
0	ALPHA-ENDOSULFAN	LT	0.05 ug/L	metaTRACE
0	ARSENIC	LT	3 ug/L	metaTRACE
0	BETA-BENZENEHEXACHLORIDE	LT	0.05 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
0	BIS(2-ETHYLHEXYL) PHTHALATE	LT	10 ug/L	metaTRACE
1	TRICHLOROFLUOROMETHANE		27 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0	CADMIUM	LT	4 ug/L	metaTRACE
0	BROMOFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	5 ug/L	metaTRACE
1	METHYLENE CHLORIDE	J	5 ug/L	metaTRACE
0	BROMOMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
0	CHLORIDE		2100 ug/L	metaTRACE
0	CHLORIDE		2100 ug/L	metaTRACE
0	CHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	CHROMIUM	LT	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0	CHLOROETHANE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	5 ug/L	metaTRACE
0	DELTA-BENZENEHEXACHLORIDE	LT	0.05 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0	DIETHYL PHTHALATE	LT	10 ug/L	metaTRACE
0	DI-N-OCTYL PHTHALATE	LT	10 ug/L	metaTRACE
0	ETHYLBENZENE	LT	5 ug/L	metaTRACE
0	IRON		67 ug/L	metaTRACE
0	MERCURY	LT	0.20 ug/L	metaTRACE
0	HEPTACHLOR	LT	0.05 ug/L	metaTRACE
0	TOLUENE	LT	5 ug/L	metaTRACE
0	MANGANESE		3 ug/L	metaTRACE
0	NITRATE AS NITROGEN		320 ug/L	metaTRACE
0	NITRATE AS NITROGEN		320 ug/L	metaTRACE
0	LEAD		8 ug/L	metaTRACE
0	SULFATE	LT	1000 ug/L	metaTRACE
0	SULFATE	LT	1000 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	metaTRACE
1	TOTAL ORGANIC HALOGENS		11 ug/L	metaTRACE
0	TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	XYLENES	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0	GROSS ALPHA		5 pCi/L	metaTRACE
0	TOTAL RADIUM		1.80+-0.40 pCi/L	metaTRACE
0	TRITIUM		3.70+-0.40 pCi/mL	metaTRACE
0	TRITIUM		3.30+-0.40 pCi/mL	metaTRACE

WELL LFW 24

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/16/89 Time 1225
Depth to water = 18.92 ft (5.77 m) below the TOC
Water elevation = 152.38 ft (46.45 m) msl
pH = 4.7 Alkalinity = 0 mg/L
Specific conductance = 15 umhos/cm
Water temperature = 20.1 degrees Celsius
Water evacuated from the well prior to sampling = 73 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE		16.27 uMHC	metaTRACE
0	PH		5.14 pH	metaTRACE
0	ACROLEIN	LT	5 ug/L	metaTRACE
0	ACRYLONITRILE	LT	5 ug/L	metaTRACE
0	ARSENIC	LT	3 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
1	BIS(2-ETHYLHEXYL) PHTHALATE	B	40 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0	CADMIUM	LT	4 ug/L	metaTRACE
0	BROMOFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	5 ug/L	metaTRACE
0	METHYLENE CHLORIDE	LT	5 ug/L	metaTRACE
0	BROMOMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
0	CHLORIDE		1500 ug/L	metaTRACE
0	CHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	CHROMIUM	LT	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0	CHLOROETHANE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0	DIETHYL PHTHALATE	LT	10 ug/L	metaTRACE
1	DI-N-OCTYL PHTHALATE	B	40 ug/L	metaTRACE
0	ETHYLBENZENE	LT	5 ug/L	metaTRACE
0	IRON		46 ug/L	metaTRACE
0	MERCURY	LT	0.20 ug/L	metaTRACE
0	TOLUENE	LT	5 ug/L	metaTRACE
0	MANGANESE		4 ug/L	metaTRACE
0	NITRATE AS NITROGEN		500 ug/L	metaTRACE
0	LEAD		7 ug/L	metaTRACE
0	SULFATE	LT	1000 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	metaTRACE
0	TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	XYLENES	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
1	GROSS ALPHA		6.40+-2.70 pCi/L	metaTRACE
1	TOTAL RADIUM		2.60+-0.50 pCi/L	metaTRACE
0	TRITIUM		3.40+-0.40 pCi/mL	metaTRACE

WELL LFW 25

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/16/89 Time 1110
Depth to water = 20.03 ft (6.11 m) below the TOC
Water elevation = 154.67 ft (47.14 m) msl
pH = 4.8 Alkalinity = 0 mg/L
Specific conductance = 16 umhos/cm
Water temperature = 20.1 degrees Celsius
Water evacuated from the well prior to sampling = 83 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE		18.10 uMHC	metaTRACE
0	SPECIFIC CONDUCTANCE		14.64 uMHC	metaTRACE
0	PH		5.11 pH	metaTRACE
0	PH		5.09 pH	metaTRACE
0	ACROLEIN	LT	5 ug/L	metaTRACE
0	ACRYLONITRILE	LT	5 ug/L	metaTRACE
0	ALPHA-ENDOSULFAN	LT	0.05 ug/L	metaTRACE
0	ARSENIC	LT	3 ug/L	metaTRACE
0	BETA-BENZENEHEXACHLORIDE	LT	0.05 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
1	BIS(2-ETHYLHEXYL) PHTHALATE	B	22 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0	CADMIUM	LT	4 ug/L	metaTRACE
0	BROMOFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	5 ug/L	metaTRACE
0	METHYLENE CHLORIDE	LT	5 ug/L	metaTRACE
0	BROMOMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
0	CHLORIDE		1900 ug/L	metaTRACE
0	CHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	CHROMIUM	LT	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0	CHLOROETHANE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	5 ug/L	metaTRACE
0	DELTA-BENZENEHEXACHLORIDE	LT	0.05 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE

CONTINUED

WELL LFW 25 COLLECTED ON 09/16/89 LABORATORY ANALYSES CONTINUED

0	DIETHYL PHTHALATE	LT	10 ug/L	metaTRACE
0	DI-N-OCTYL PHTHALATE	B	19 ug/L	metaTRACE
0	ETHYLBENZENE	LT	5 ug/L	metaTRACE
0	IRON		48 ug/L	metaTRACE
0	MERCURY		0.23 ug/L	metaTRACE
0	HEPTACHLOR	LT	0.05 ug/L	metaTRACE
1	TOLUENE	J	2 ug/L	metaTRACE
0	MANGANESE		3 ug/L	metaTRACE
0	NITRATE AS NITROGEN		500 ug/L	metaTRACE
0	LEAD		6 ug/L	metaTRACE
0	SULFATE	LT	1000 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	metaTRACE
0	TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	XYLENES	LY	5 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
1	GROSS ALPHA		14.00+-4.00 pCi/L	metaTRACE
1	TOTAL RADIUM		4.50+-0.60 pCi/L	metaTRACE
0	TRITIUM		3.70+-0.40 pCi/mL	metaTRACE

WELL LFW 26

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/16/89 Time 1035
 Depth to water = 27.54 ft (8.39 m) below the TOC
 Water elevation = 159.36 ft (48.57 m) msl
 pH = 4.9 Alkalinity = 0 mg/L
 Specific conductance = 13 umhos/cm
 Water temperature = 19.8 degrees Celsius
 Water evacuated from the well prior to sampling = 45 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE		15.98 UMHC	metaTRACE
0	PH		5.16 pH	metaTRACE
0	ACROLEIN	LT	5 ug/L	metaTRACE
0	ACRYLONITRILE	LT	5 ug/L	metaTRACE
0	ALPHA-ENDOSULFAN	LT	0.05 ug/L	metaTRACE
0	ARSENIC	LT	3 ug/L	metaTRACE
0	BETA-BENZENEHEXACHLORIDE	LT	0.05 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
1	BIS(2-ETHYLHEXYL) PHTHALATE	B	13 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0	CADMIUM	LT	4 ug/L	metaTRACE
0	BROMOFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	5 ug/L	metaTRACE
0	METHYLENE CHLORIDE	LT	5 ug/L	metaTRACE
0	BROMOMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
0	CHLORIDE		1800 ug/L	metaTRACE
0	CHLOROBENZENE	LT	5 ug/L	metaTRACE
0	CHROMIUM	LT	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0	CHLOROETHANE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	5 ug/L	metaTRACE
0	DELTA-BENZENEHEXACHLORIDE	LT	0.05 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0	DIETHYL PHTHALATE	LT	10 ug/L	metaTRACE
1	DI-N-OCTYL PHTHALATE	B	14 ug/L	metaTRACE
0	ETHYLBENZENE	LT	5 ug/L	metaTRACE
0	IRON		32 ug/L	metaTRACE
0	MERCURY	LT	0.20 ug/L	metaTRACE
0	HEPTACHLOR	LT	0.05 ug/L	metaTRACE
0	TOLUENE	LT	5 ug/L	metaTRACE
0	MANGANESE	LT	2 ug/L	metaTRACE
0	NITRATE AS NITROGEN	LT	230 ug/L	metaTRACE
0	LEAD	LT	3 ug/L	metaTRACE
0	SULFATE	LT	1000 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	metaTRACE
0	TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	XYLENES	LY	5 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0	GROSS ALPHA		4.00+-2.10 pCi/L	metaTRACE
0	TOTAL RADIUM		1.40+-0.40 pCi/L	metaTRACE
0	TRITIUM		3.50+-0.40 pCi/mL	metaTRACE

WELL LFW 27

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/16/89 Time 1005
 Depth to water = 29.54 ft (9.00 m) below the TOC
 Water elevation = 180.06 ft (48.79 m) msl
 pH = 5.0 Alkalinity = 0 mg/L
 Specific conductance = 13 umhos/cm
 Water temperature = 19.5 degrees Celsius
 Water evacuated from the well prior to sampling = 45 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE		14.66 UMHC	metaTRACE
0	PH		5.25 pH	metaTRACE
0	ACROLEIN	LT	5 ug/L	metaTRACE
0	ACRYLONITRILE	LT	5 ug/L	metaTRACE
0	ALPHA-ENDOSULFAN	LT	0.05 ug/L	metaTRACE
0	ARSENIC	LT	3 ug/L	metaTRACE
0	BETA-BENZENEHEXACHLORIDE	LT	0.05 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
1	BIS(2-ETHYLHEXYL) PHTHALATE	B	24 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0	CADMIUM	LT	4 ug/L	metaTRACE
0	BROMOFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	5 ug/L	metaTRACE
0	METHYLENE CHLORIDE	LT	5 ug/L	metaTRACE
0	BROMOMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
0	CHLORIDE		2000 ug/L	metaTRACE
0	CHLOROBENZENE	LT	5 ug/L	metaTRACE
0	CHROMIUM	LT	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0	CHLOROETHANE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	5 ug/L	metaTRACE
0	DELTA-BENZENEHEXACHLORIDE	LT	0.05 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0	DIETHYL PHTHALATE	LT	10 ug/L	metaTRACE
1	DI-N-OCTYL PHTHALATE	B	5 ug/L	metaTRACE
0	ETHYLBENZENE	LT	5 ug/L	metaTRACE
0	IRON		28 ug/L	metaTRACE
0	MERCURY	LT	0.20 ug/L	metaTRACE
0	HEPTACHLOR	LT	0.05 ug/L	metaTRACE
0	TOLUENE	LT	5 ug/L	metaTRACE
0	MANGANESE		4 ug/L	metaTRACE
0	NITRATE AS NITROGEN	LT	230 ug/L	metaTRACE
0	LEAD	LT	3 ug/L	metaTRACE
0	SULFATE	LT	1000 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	metaTRACE
0	TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	XYLENES	LY	5 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0	GROSS ALPHA		1.10+-0.30 pCi/L	metaTRACE
0	TOTAL RADIUM		2.60+-0.30 pCi/mL	metaTRACE
0	TRITIUM			

WELL LFW 28

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/17/89 Time 900
 Depth to water = 31.44 ft (9.58 m) below the TOC
 Water elevation = 161.36 ft (49.18 m) msl
 pH = 5.2 Alkalinity = 1 mg/L
 Specific conductance = 22 umhos/cm
 Water temperature = 19.3 degrees Celsius
 Water evacuated from the well prior to sampling = 13 gal
 The well went dry during purging.

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE		25.80 UMHC	metaTRACE
0	PH		5.40 pH	metaTRACE
0	ACROLEIN	LT	5 ug/L	metaTRACE
0	ACRYLONITRILE	LT	5 ug/L	metaTRACE
0	ALPHA-ENDOSULFAN	LT	0.05 ug/L	metaTRACE
0	ARSENIC	LT	3 ug/L	metaTRACE
0	BETA-BENZENEHEXACHLORIDE	LT	0.05 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
0	BIS(2-ETHYLHEXYL) PHTHALATE	LT	10 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0	CADMIUM	LT	4 ug/L	metaTRACE
0	BROMOFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	5 ug/L	metaTRACE
0	METHYLENE CHLORIDE	LT	5 ug/L	metaTRACE
0	BROMOMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
0	CHLORIDE		1800 ug/L	metaTRACE
0	CHLORIDE		1800 ug/L	metaTRACE
0	CHLOROBENZENE	LT	5 ug/L	metaTRACE
1	CHROMIUM		6 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE

CONTINUED

WELL LFW 28 COLLECTED ON 09/17/89 LABORATORY ANALYSES CONTINUED

0	CHLOROETHANE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	5 ug/L	metaTRACE
0	DELTA-BENZENEHEXACHLORIDE	LT	0.05 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0	DIETHYL PHTHALATE	LT	10 ug/L	metaTRACE
1	DI-N-OCTYL PHTHALATE	B	150 ug/L	metaTRACE
0	ETHYLBENZENE	LT	5 ug/L	metaTRACE
0	IRON	LT	80 ug/L	metaTRACE
0	MERCURY	LT	0.20 ug/L	metaTRACE
0	HEPTACHLOR	LT	0.05 ug/L	metaTRACE
0	TOLUENE	LT	5 ug/L	metaTRACE
0	MANGANESE	LT	8 ug/L	metaTRACE
0	NITRATE AS NITROGEN	LT	380 ug/L	metaTRACE
0	NITRATE AS NITROGEN	LT	360 ug/L	metaTRACE
0	LEAD	LT	3 ug/L	metaTRACE
0	SULFATE	LT	1000 ug/L	metaTRACE
0	SULFATE	LT	1000 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	metaTRACE
0	TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	XYLENES	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0	GROSS ALPHA	LT	3 pCi/L	metaTRACE
0	TOTAL RADIUM	LT	2.00+-0.40 pCi/L	metaTRACE
0	TRITIUM	LT	3.00+-0.30 pCi/mL	metaTRACE
0	TRITIUM	LT	3.10+-0.30 pCi/mL	metaTRACE

WELL LFW 29

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/16/89 Time 940
 Depth to water = 33.14 ft (10.10 m) below the TOC
 Water elevation = 162.56 ft (49.55 m) msl
 pH = 4.7 Alkalinity = 0 mg/L
 Specific conductance = 24 umhos/cm
 Water temperature = 18.8 degrees Celsius
 Water evacuated from the well prior to sampling = 49 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE		24.10 UMHG	metaTRACE
0	PH		4.95 pH	metaTRACE
0	ACROLEIN	LT	5 ug/L	metaTRACE
0	ACRYLONITRILE	LT	5 ug/L	metaTRACE
0	ARSENIC	LT	3 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
1	BIS(2-ETHYLHEXYL) PHTHALATE	B	36 ug/L	metaTRACE
0	TRICHLOROFUOROMETHANE	LT	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0	CADMIUM	LT	4 ug/L	metaTRACE
0	BROMOFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	5 ug/L	metaTRACE
1	METHYLENE CHLORIDE	JB	3 ug/L	metaTRACE
0	BROMOMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
0	CHLORIDE	LT	1800 ug/L	metaTRACE
0	CHLOROBENZENE	LT	5 ug/L	metaTRACE
0	CHROMIUM	LT	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0	CHLOROETHANE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0	DIETHYL PHTHALATE	LT	10 ug/L	metaTRACE
1	DI-N-OCTYL PHTHALATE	B	68 ug/L	metaTRACE
0	ETHYLBENZENE	LT	5 ug/L	metaTRACE
0	IRON	LT	81 ug/L	metaTRACE
0	MERCURY	LT	0.20 ug/L	metaTRACE
1	TOLUENE	J	2 ug/L	metaTRACE
0	MANGANESE	LT	12 ug/L	metaTRACE
0	NITRATE AS NITROGEN	LT	1200 ug/L	metaTRACE
0	LEAD	LT	4 ug/L	metaTRACE
0	SULFATE	LT	1000 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	metaTRACE
0	TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	XYLENES	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
1	GROSS ALPHA	LT	5.50+-2.50 pCi/L	metaTRACE
1	TOTAL RADIUM	LT	4.50+-0.60 pCi/L	metaTRACE
0	TRITIUM	LT	2.10+-0.30 pCi/mL	metaTRACE

WELL LFW 30

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/16/89 Time 910
 Depth to water = 47.73 ft (14.55 m) below the TOC
 Water elevation = 163.07 ft (49.70 m) msl
 pH = 5.8 Alkalinity = 5 mg/L
 Specific conductance = 20 umhos/cm
 Water temperature = 18.3 degrees Celsius
 Water evacuated from the well prior to sampling = 55 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE		20.10 UMHG	metaTRACE
0	PH		5.89 pH	metaTRACE
0	ACROLEIN	LT	5 ug/L	metaTRACE
0	ACRYLONITRILE	LT	5 ug/L	metaTRACE
0	ALPHA-ENDOSULFAN	LT	0.05 ug/L	metaTRACE
0	ARSENIC	LT	3 ug/L	metaTRACE
0	BETA-BENZENEHEXACHLORIDE	LT	0.05 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
0	BIS(2-ETHYLHEXYL) PHTHALATE	LT	10 ug/L	metaTRACE
0	TRICHLOROFUOROMETHANE	LT	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0	CADMIUM	LT	4 ug/L	metaTRACE
0	BROMOFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	5 ug/L	metaTRACE
1	METHYLENE CHLORIDE	JB	2 ug/L	metaTRACE
0	BROMOMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
0	CHLORIDE	LT	990 ug/L	metaTRACE
0	CHLOROBENZENE	LT	5 ug/L	metaTRACE
0	CHROMIUM	LT	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0	CHLOROETHANE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	5 ug/L	metaTRACE
0	DELTA-BENZENEHEXACHLORIDE	LT	0.05 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0	DIETHYL PHTHALATE	LT	10 ug/L	metaTRACE
0	DI-N-OCTYL PHTHALATE	LT	10 ug/L	metaTRACE
0	ETHYLBENZENE	LT	5 ug/L	metaTRACE
0	IRON	LT	29 ug/L	metaTRACE
0	MERCURY	LT	0.20 ug/L	metaTRACE
0	HEPTACHLOR	LT	0.05 ug/L	metaTRACE
1	TOLUENE	J	2 ug/L	metaTRACE
0	MANGANESE	LT	9 ug/L	metaTRACE
0	NITRATE AS NITROGEN	LT	380 ug/L	metaTRACE
0	LEAD	LT	3 ug/L	metaTRACE
0	SULFATE	LT	1000 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	metaTRACE
0	TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	XYLENES	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0	GROSS ALPHA	LT	2 pCi/L	metaTRACE
0	TOTAL RADIUM	LT	1.20+-0.40 pCi/L	metaTRACE
0	TRITIUM	LT	3.30+-0.40 pCi/mL	metaTRACE

WELL LFW 31

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/08/89 Time 1130
 Depth to water = 67.65 ft (20.62 m) below the TOC
 Water elevation = 162.05 ft (49.39 m) msl
 pH = 5.1 Alkalinity = 1 mg/L
 Specific conductance = 21 umhos/cm
 Water temperature = 20.5 degrees Celsius
 Water evacuated from the well prior to sampling = 45 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE		16.00 UMHG	Gen. Eng.
0	SPECIFIC CONDUCTANCE		15.00 UMHG	Gen. Eng.
0	SPECIFIC CONDUCTANCE		18.52 UMHG	metaTRACE
0	PH		5.03 pH	Gen. Eng.
0	PH		5.09 pH	Gen. Eng.
0	PH		4.59 pH	metaTRACE
0	ACROLEIN	LT	20 ug/L	Gen. Eng.
U	ACROLEIN	LT	20 ug/L	Gen. Eng.
0	ACROLEIN	LT	5 ug/L	metaTRACE
0	ACRYLONITRILE	LT	20 ug/L	Gen. Eng.
0	ACRYLONITRILE	LT	20 ug/L	Gen. Eng.
0	ACRYLONITRILE	LT	5 ug/L	metaTRACE
0	ALPHA-ENDOSULFAN	LT	10 ug/L	Gen. Eng.
0	ALDRIN	LT	10 ug/L	Gen. Eng.
0	ACCINAPHTHENE	LT	10 ug/L	Gen. Eng.
0	ACCINAPHTHYLENE	LT	10 ug/L	Gen. Eng.
0	ANTHRACENE	LT	10 ug/L	Gen. Eng.
0	ARSENIC	LT	2 ug/L	Gen. Eng.
0	ARSENIC	LT	2 ug/L	Gen. Eng.
0	ARSENIC	LT	3 ug/L	metaTRACE
0	BENZO(A)PYRENE	LT	10 ug/L	Gen. Eng.
0	BUTYLBENZYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0	BIS(CHLOROMETHYL)ETHER	LT	10 ug/L	Gen. Eng.

CONTINUED

WELL LFW 31 COLLECTED ON 09/08/89 LABORATORY ANALYSES CONTINUED

0 BETA-ENDOSULFAN	LT	10 ug/L	Gen. Eng.
0 BENZIDINE	LT	10 ug/L	Gen. Eng.
0 BENZO(G,H,I)PERYLENE	LT	10 ug/L	Gen. Eng.
0 BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
0 BIS(2-CHLOROETHOXY) METHANE	LT	10 ug/L	Gen. Eng.
0 BIS(2-CHLOROISOPROPYL) ETHER	LT	10 ug/L	Gen. Eng.
0 BIS(2-CHLOROETHYL) ETHER	LT	10 ug/L	Gen. Eng.
0 BIS(2-ETHYLHEXYL) PHTHALATE	LT	10 ug/L	Gen. Eng.
0 TRICHLOROFUOROMETHANE	LY	1 ug/L	Gen. Eng.
0 TRICHLOROFUOROMETHANE	LT	1 ug/L	Gen. Eng.
0 TRICHLOROFUOROMETHANE	LT	5 ug/L	metaTRACE
0 CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0 CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0 CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0 CADMIUM	LT	2 ug/L	Gen. Eng.
0 CADMIUM	LT	2 ug/L	Gen. Eng.
0 CADMIUM	LT	4 ug/L	metaTRACE
0 BROMOFORM	LT	1 ug/L	Gen. Eng.
0 BROMOFORM	LT	1 ug/L	Gen. Eng.
0 BROMOFORM	LT	5 ug/L	metaTRACE
0 CHLOROFORM	LT	1 ug/L	Gen. Eng.
0 CHLOROFORM	LT	1 ug/L	Gen. Eng.
0 CHLOROFORM	LT	5 ug/L	metaTRACE
0 CHRYSENE	LT	10 ug/L	Gen. Eng.
0 METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0 METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0 METHYLENE CHLORIDE	LT	5 ug/L	metaTRACE
0 BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0 BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0 BROMOMETHANE	LT	10 ug/L	metaTRACE
0 CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 CHLOROMETHANE	LT	10 ug/L	metaTRACE
0 CHLORIDE	LT	2100 ug/L	Gen. Eng.
0 CHLORIDE	LT	2300 ug/L	Gen. Eng.
0 CHLORIDE	LT	1800 ug/L	metaTRACE
0 CHLORO BENZENE	LT	1 ug/L	Gen. Eng.
0 CHLORO BENZENE	LT	1 ug/L	Gen. Eng.
0 CHLORO BENZENE	LT	5 ug/L	metaTRACE
0 CHLORDANE	LT	10 ug/L	Gen. Eng.
0 HEXACHLORO BENZENE	LT	10 ug/L	Gen. Eng.
0 HEXACHLORO CYCLOPENTADIENE	LT	10 ug/L	Gen. Eng.
0 HEXACHLOROETHANE	LT	10 ug/L	Gen. Eng.
0 CHROMIUM	LT	4 ug/L	Gen. Eng.
0 CHROMIUM	LT	4 ug/L	Gen. Eng.
0 CHROMIUM	LT	5 ug/L	metaTRACE
0 CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0 CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0 CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0 CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 CHLOROETHANE	LT	10 ug/L	metaTRACE
0 BENZENE	LT	1 ug/L	Gen. Eng.
0 BENZENE	LT	1 ug/L	Gen. Eng.
0 BENZENE	LT	5 ug/L	metaTRACE
0 DIBENZ(A,H)ANTHRACENE	LT	10 ug/L	Gen. Eng.
0 DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0 DIETHYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0 DIELDRIN	LT	10 ug/L	Gen. Eng.
0 DIMETHYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0 DI-N-BUTYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0 DI-N-OCTYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0 ENDOSULFAN SULFATE	LT	10 ug/L	Gen. Eng.
0 ENDOSULFAN SULFATE	LT	10 ug/L	Gen. Eng.
0 ENDOSULFAN SULFATE	LT	10 ug/L	Gen. Eng.
0 ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0 ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0 ETHYLBENZENE	LT	5 ug/L	metaTRACE
0 FLUORANTHENE	LT	10 ug/L	Gen. Eng.
0 IRON	LT	72 ug/L	Gen. Eng.
0 IRON	LT	65 ug/L	Gen. Eng.
0 IRON	LT	57 ug/L	metaTRACE
0 IRON	LT	10 ug/L	Gen. Eng.
0 HEXACHLOROBUTADIENE	LT	10 ug/L	Gen. Eng.
0 MERCURY	LT	0.20 ug/L	Gen. Eng.
0 MERCURY	LT	0.20 ug/L	Gen. Eng.
0 MERCURY	LT	0.20 ug/L	metaTRACE
0 HEPTACHLOR	LT	10 ug/L	Gen. Eng.
0 HEPTACHLOR EPOXIDE	LT	10 ug/L	Gen. Eng.
0 HEPTACHLOR EPOXIDE	LT	10 ug/L	Gen. Eng.
0 HEPTACHLOR EPOXIDE	LT	10 ug/L	Gen. Eng.
0 HEPTACHLOR EPOXIDE	LT	10 ug/L	Gen. Eng.
0 HEPTACHLOR EPOXIDE	LT	10 ug/L	Gen. Eng.
0 HEPTACHLOR EPOXIDE	LT	10 ug/L	Gen. Eng.
0 INOENO(1,2,3-C,D)PYRENE	LT	150 ug/L	Gen. Eng.
0 ISOPHORENE	LT	10 ug/L	Gen. Eng.
0 TOLUENE	LT	1 ug/L	Gen. Eng.
0 TOLUENE	LT	1 ug/L	Gen. Eng.
0 TOLUENE	LT	5 ug/L	metaTRACE
0 MANGANESE	LT	5 ug/L	Gen. Eng.
0 MANGANESE	LT	5 ug/L	Gen. Eng.
0 MANGANESE	LT	5 ug/L	metaTRACE
0 NAPHTHALENE	LT	10 ug/L	Gen. Eng.
0 NITROBENZENE	LT	10 ug/L	Gen. Eng.
0 N-NITROSODIMETHYLAMINE	LT	10 ug/L	Gen. Eng.
0 N-NITROSODI-PROPYLAMINE	LT	10 ug/L	Gen. Eng.
0 N-NITROSODIPHENYLAMINE	LT	10 ug/L	Gen. Eng.
0 NITRATE AS NITROGEN	LT	220 ug/L	Gen. Eng.
0 NITRATE AS NITROGEN	LT	230 ug/L	Gen. Eng.
0 NITRATE AS NITROGEN	LT	450 ug/L	metaTRACE
0 LEAD	LT	6 ug/L	Gen. Eng.
0 LEAD	LT	7 ug/L	Gen. Eng.
0 LEAD	LT	5 ug/L	metaTRACE
0 PCB 1221	LT	150 ug/L	Gen. Eng.

CONTINUED

WELL LFW 31 COLLECTED ON 09/08/89 LABORATORY ANALYSES CONTINUED

0 PCB 1232	LT	150 ug/L	Gen. Eng.
0 PCB 1242	LT	150 ug/L	Gen. Eng.
0 PCB 1248	LT	150 ug/L	Gen. Eng.
0 PCB 1254	LT	150 ug/L	Gen. Eng.
0 PCB 1260	LT	150 ug/L	Gen. Eng.
0 PHENANTHRENE	LT	10 ug/L	Gen. Eng.
0 2,2-BIS(4-CHLOROPHENYL)-1,1-DCE	LT	10 ug/L	Gen. Eng.
0 2,2-BIS(4-CHLOROPHENYL)-1,1-DCE	LY	10 ug/L	Gen. Eng.
0 2,2-BIS(4-CHLOROPHENYL)-1,1,1-TCE	LT	10 ug/L	Gen. Eng.
0 PYRENE	LT	10 ug/L	Gen. Eng.
0 SULFATE	LT	3000 ug/L	Gen. Eng.
0 SULFATE	LT	3000 ug/L	Gen. Eng.
0 SULFATE	LT	1600 ug/L	metaTRACE
0 1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0 TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0 TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0 TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0 TOTAL ORGANIC CARBON	LT	1000 ug/L	Gen. Eng.
0 TOTAL ORGANIC CARBON	LT	1000 ug/L	Gen. Eng.
0 TOTAL ORGANIC CARBON	LT	1000 ug/L	metaTRACE
1 TOTAL ORGANIC HALOGENS	LT	23 ug/L	Gen. Eng.
2 TOTAL ORGANIC HALOGENS	LT	29 ug/L	Gen. Eng.
0 TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0 TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0 TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0 TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0 TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0 TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0 TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0 XYLENES	LT	2 ug/L	Gen. Eng.
0 XYLENES	LT	2 ug/L	Gen. Eng.
0 1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0 1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0 1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0 1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0 1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0 1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0 1,2-DIPHENYL HYDRAZINE	LT	10 ug/L	Gen. Eng.
0 1,2,4-TRICHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0 CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0 CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0 CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0 TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0 TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0 2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0 2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0 2-CHLOROETHYL VINYL ETHER	LT	10 ug/L	metaTRACE
0 2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0 2-CHLORONAPHTHALENE	LT	10 ug/L	Gen. Eng.
0 2,4-DINITROTOLUENE	LT	10 ug/L	Gen. Eng.
0 2,6-DINITROTOLUENE	LT	10 ug/L	Gen. Eng.
0 3,3-DICHLOROBENZIDENE	LT	10 ug/L	Gen. Eng.
0 4-BROMOPHENYLPHENYL ETHER	LT	10 ug/L	Gen. Eng.
0 4-CHLOROPHENYLPHENYL ETHER	LT	10 ug/L	Gen. Eng.
0 GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
0 GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
0 GROSS ALPHA	LT	6 pCi/L	metaTRACE
0 TOTAL RADIUM	LT	1.40+-1.20 pCi/L	Gen. Eng.
0 TOTAL RADIUM	LT	1 pCi/L	Gen. Eng.
0 TOTAL RADIUM	LT	1.40+-0.40 pCi/L	metaTRACE
0 TRITIUM	LT	2.38+-0.36 pCi/mL	Gen. Eng.
0 TRITIUM	LT	2.46+-0.36 pCi/mL	Gen. Eng.
0 TRITIUM	LT	1.70+-0.20 pCi/mL	metaTRACE

WELL LFW 31

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/08/89 Time 1130
 Depth to water = 87.65 ft (20.62 m) below the TOC
 Water elevation = 182.05 ft (49.39 m) msl
 pH = 5.1 Alkalinity = 1 mg/L
 Specific conductance = 21 umhos/cm
 Water temperature = 20.5 degrees Celsius
 Water evacuated from the well prior to sampling = 45 gal

LABORATORY ANALYSES

0 SPECIFIC CONDUCTANCE	15.00 UMC	Gen. Eng.
0 SPECIFIC CONDUCTANCE	18.86 UMC	metaTRACE
0 PH	5.22 pH	Gen. Eng.
0 PH	4.32 pH	metaTRACE
0 ALPHA-BENZENEMETHYLCHLORIDE	LT	10 ug/L
0 ACROLEIN	LT	20 ug/L
0 ACROLEIN	LT	5 ug/L
0 ACRYLONITRILE	LT	20 ug/L
0 ACRYLONITRILE	LT	5 ug/L
0 ALPHA-ENDOSULFAN	LT	10 ug/L
0 ALDRIN	LT	10 ug/L
0 ACENAPHTHENE	LT	10 ug/L
0 ACENAPHTHYLENE	LT	10 ug/L
0 ANTHRACENE	LT	10 ug/L

CONTINUED

WELL LFW J1 COLLECTED ON 09/08/89 LABORATORY ANALYSES CONTINUED

0	ARSENIC	LT	2 ug/L	Gen. Eng.
0	ARSENIC	LT	3 ug/L	metaTRACE
0	BENZO(A)ANTHRACENE	LT	10 ug/L	Gen. Eng.
0	BENZO(A)PYRENE	LT	10 ug/L	Gen. Eng.
0	BENZO(B)FLUORANTHENE	LT	10 ug/L	Gen. Eng.
0	BETA-BENZENECHLORIDE	LT	10 ug/L	Gen. Eng.
0	BUTYL BENZYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0	BIS(CHLOROMETHYL) ETHER	LT	10 ug/L	Gen. Eng.
0	BETA-ENOSULFAM	LT	10 ug/L	Gen. Eng.
0	BENZIDINE	LT	10 ug/L	Gen. Eng.
0	BENZO(C,H,I)PERYLENE	LT	10 ug/L	Gen. Eng.
0	BENZO(K)FLUORANTHENE	LT	10 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
0	BIS(2-CHLOROETHOXY) METHANE	LT	10 ug/L	Gen. Eng.
0	BIS(2-CHLORISOPROPYL) ETHER	LT	10 ug/L	Gen. Eng.
0	BIS(2-CHLOROETHYL) ETHER	LT	10 ug/L	Gen. Eng.
1	BIS(2-ETHYLHEXYL) PHTHALATE	LT	22 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0	CADMIUM	LT	2 ug/L	Gen. Eng.
0	CADMIUM	LT	4 ug/L	metaTRACE
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	BROMOFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	5 ug/L	metaTRACE
0	CHRYSENE	LT	10 ug/L	Gen. Eng.
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0	METHYLENE CHLORIDE	LT	5 ug/L	metaTRACE
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
0	CHLORIDE	LT	2200 ug/L	Gen. Eng.
0	CHLORIDE	LT	1700 ug/L	metaTRACE
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	5 ug/L	metaTRACE
0	CHLORDANE	LT	10 ug/L	Gen. Eng.
0	HEXACHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	HEXACHLOROCHLOROPENTADIENE	LT	10 ug/L	Gen. Eng.
0	HEXACHLOROETHANE	LT	10 ug/L	Gen. Eng.
0	CHROMIUM	LT	4 ug/L	Gen. Eng.
0	CHROMIUM	LT	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	5 ug/L	metaTRACE
0	DIBENZ(A,H)ANTHRACENE	LT	10 ug/L	Gen. Eng.
0	DELTA-BENZENEHEXACHLORIDE	LT	10 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0	DIEHTYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0	DIELDRIN	LT	10 ug/L	Gen. Eng.
0	DIMETHYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0	DI-N-BUTYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0	DI-N-OCTYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0	ENDRIN ALDEHYDE	LT	10 ug/L	Gen. Eng.
0	ENDRIN	LT	10 ug/L	Gen. Eng.
0	ENOSULFAM SULFATE	LT	10 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	5 ug/L	metaTRACE
0	FLUORANTHENE	LT	10 ug/L	Gen. Eng.
0	IRON	LT	9 ug/L	Gen. Eng.
0	IRON	LT	54 ug/L	metaTRACE
0	FLUORENE	LT	10 ug/L	Gen. Eng.
0	HEXACHLOROBUTADIENE	LT	10 ug/L	Gen. Eng.
0	MERCURY	LT	0.20 ug/L	Gen. Eng.
0	MERCURY	LT	0.20 ug/L	metaTRACE
0	HEPTACHLOR	LT	10 ug/L	Gen. Eng.
0	HEPTACHLOR EPOXIDE	LT	10 ug/L	Gen. Eng.
0	INDENO(1,2,3-C,D)PYRENE	LT	10 ug/L	Gen. Eng.
0	ISOPHORONE	LT	10 ug/L	Gen. Eng.
0	LINDANE	LT	10 ug/L	Gen. Eng.
0	TOLUENE	LT	1 ug/L	Gen. Eng.
0	TOLUENE	LT	5 ug/L	metaTRACE
0	MANGANESE	LT	5 ug/L	Gen. Eng.
0	MANGANESE	LT	5 ug/L	metaTRACE
0	NAPHTHALENE	LT	10 ug/L	Gen. Eng.
0	NITROBENZENE	LT	10 ug/L	Gen. Eng.
0	N-NITROSODIMETHYLAMINE	LT	10 ug/L	Gen. Eng.
0	N-NITROSODI-PROPYLAMINE	LT	10 ug/L	Gen. Eng.
0	N-NITROSODIPHENYLAMINE	LT	10 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN	LT	220 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN	LT	380 ug/L	metaTRACE
0	LEAD	LT	6 ug/L	Gen. Eng.
0	LEAD	LT	5 ug/L	metaTRACE
0	PCB 1016	LT	150 ug/L	Gen. Eng.
0	PCB 1221	LT	150 ug/L	Gen. Eng.
0	PCB 1232	LT	150 ug/L	Gen. Eng.
0	PCB 1242	LT	150 ug/L	Gen. Eng.
0	PCB 1248	LT	150 ug/L	Gen. Eng.
0	PCB 1254	LT	150 ug/L	Gen. Eng.
0	PCB 1260	LT	150 ug/L	Gen. Eng.
0	PHENANTHRENE	LT	10 ug/L	Gen. Eng.
0	2,2-BIS(4-CHLOROPHENYL)-1,1-DCE	LT	10 ug/L	Gen. Eng.
0	2,2-BIS(4-CHLOROPHENYL)-1,1-DCE	LT	10 ug/L	Gen. Eng.
0	2,2-BIS(4-CHLOROPHENYL)-1,1,1-TCE	LT	10 ug/L	Gen. Eng.
0	PYRENE	LT	10 ug/L	Gen. Eng.
0	SULFATE	LT	5000 ug/L	Gen. Eng.
0	SULFATE	LT	1500 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	Gen. Eng.

CONTINUED

WELL LFW J1 COLLECTED ON 09/08/89 LABORATORY ANALYSES CONTINUED

0	TOTAL ORGANIC CARBON	LT	1000 ug/L	metaTRACE
2	TOTAL ORGANIC HALOGENS	LT	45 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TUXAPHENE	LT	10 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	2 ug/L	Gen. Eng.
0	XYLENES	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	1,2-DIPHENYL HYDRAZINE	LT	10 ug/L	Gen. Eng.
0	1,2,4-TRICHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	10 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0	2-CHLORONAPHTHALENE	LT	10 ug/L	Gen. Eng.
0	2,4-DINITROTOLUENE	LT	10 ug/L	Gen. Eng.
0	2,6-DINITROTOLUENE	LT	10 ug/L	Gen. Eng.
0	3,3-DICHLOROBENZIDENE	LT	10 ug/L	Gen. Eng.
0	4-BROMOPHENYLPHENYL ETHER	LT	10 ug/L	Gen. Eng.
0	4-CHLOROPHENYLPHENYL ETHER	LT	10 ug/L	Gen. Eng.
0	GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
0	GROSS ALPHA	LT	3 pCi/L	metaTRACE
0	TOTAL RADIUM	LT	1 pCi/L	Gen. Eng.
0	TOTAL RADIUM	LT	1.20+0.40 pCi/L	metaTRACE
0	TRITIUM	LT	2.01+0.35 pCi/mL	Gen. Eng.
0	TRITIUM	LT	2.00+0.20 pCi/mL	metaTRACE

WELL LFW J2

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/08/89 Time 1610
 Depth to water = 63.79 ft (19.44 m) below the TOC
 Water elevation = 160.31 ft (48.86 m) msl
 pH = 4.8 Alkalinity = 0 mg/L
 Specific conductance = 21 umhos/cm
 Water temperature = 20.9 degrees Celsius
 Water evacuated from the well prior to sampling = 44 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE	20.33 UMC	metaTRACE
0	PH	4.59 pH	metaTRACE
0	ACROLEIN	LT	5 ug/L
0	ACRYLONITRILE	LT	5 ug/L
0	ARSENIC	LT	3 ug/L
0	BROMODICHLOROMETHANE	LT	5 ug/L
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L
0	CARBON TETRACHLORIDE	LT	5.00 ug/L
0	CADMIUM	LT	4 ug/L
0	BROMOFORM	LT	5 ug/L
0	CHLOROFORM	LT	5 ug/L
0	METHYLENE CHLORIDE	LT	5 ug/L
0	BROMOMETHANE	LT	10 ug/L
0	CHLOROMETHANE	LT	10 ug/L
0	CHLORIDE	LT	2800 ug/L
0	CHLOROBENZENE	LT	5 ug/L
0	CHROMIUM	LT	5 ug/L
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L
0	CHLOROETHANE	LT	10 ug/L
0	BENZENE	LT	5 ug/L
0	DIBROMOCHLOROMETHANE	LT	5 ug/L
0	ETHYLBENZENE	LT	5 ug/L
0	IRON	LT	12 ug/L
0	MERCURY	LT	0.20 ug/L
0	TOLUENE	LT	5 ug/L
0	MANGANESE	LT	5 ug/L
0	NITRATE AS NITROGEN	LT	590 ug/L
0	LEAD	LT	3 ug/L
0	SULFATE	LT	1000 ug/L
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L
0	TETRACHLOROETHYLENE	LT	5.00 ug/L
0	TOTAL ORGANIC CARBON	LT	1000 ug/L
0	TRICHLOROETHYLENE	LT	5.00 ug/L
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L
0	1,1-DICHLOROETHYLENE	LT	5 ug/L
0	1,1-DICHLOROETHANE	LT	5 ug/L
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L
0	1,2-DICHLOROETHANE	LT	5 ug/L
0	1,2-DICHLOROPROPANE	LT	5 ug/L
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L
0	GROSS ALPHA	LT	1 pCi/L
0	TOTAL RADIUM	LT	2.00+0.40 pCi/L
0	TRITIUM	LT	3.30+0.40 pCi/mL
0	TRITIUM	LT	3.20+0.40 pCi/mL

WELL LFW 33

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/08/89 Time 1635
 Depth to water = 94.97 ft (16.76 m) below the TOC
 Water elevation = 159.13 ft (48.50 m) msf
 pH = 4.7 Alkalinity = 0 mg/L
 Specific conductance = 17 umhos/cm
 Water temperature = 21.3 degrees Celsius
 Water evacuated from the well prior to sampling = 46 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE	20.98 UMH/C	metaTRACE
0	PH	5.05 pH	metaTRACE
0	ACROLEIN	LT	5 ug/L metaTRACE
0	ACRYLONITRILE	LT	5 ug/L metaTRACE
0	ARSENIC	LT	3 ug/L metaTRACE
0	BROMODICHLOROMETHANE	LT	5 ug/L metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00 ug/L metaTRACE
0	CADMIUM	LT	4 ug/L metaTRACE
0	BROMOFORM	LT	5 ug/L metaTRACE
0	CHLOROFORM	LT	5 ug/L metaTRACE
0	METHYLENE CHLORIDE	LT	5 ug/L metaTRACE
0	BROMOMETHANE	LT	10 ug/L metaTRACE
0	CHLOROMETHANE	LT	10 ug/L metaTRACE
0	CHLORIDE	2000 ug/L	metaTRACE
0	CHLOROBENZENE	LT	5 ug/L metaTRACE
0	CHROMIUM	LT	5 ug/L metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L metaTRACE
0	CHLOROETHANE	LT	10 ug/L metaTRACE
0	BENZENE	LT	5 ug/L metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L metaTRACE
0	ETHYLBENZENE	LT	5 ug/L metaTRACE
0	IRON	20 ug/L	metaTRACE
0	MERCURY	LT	0.20 ug/L metaTRACE
0	TOLUENE	LT	5 ug/L metaTRACE
0	MANGANESE	LT	3 ug/L metaTRACE
0	NITRATE AS NITROGEN	500 ug/L	metaTRACE
0	LEAD	LT	3 ug/L metaTRACE
0	SULFATE	LT	1000 ug/L metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L metaTRACE
0	TETRACHLOROETHYLENE	LT	5.00 ug/L metaTRACE
0	TOTAL ORGANIC CARBON	LT	1000 ug/L metaTRACE
0	TRICHLOROETHYLENE	LT	5.00 ug/L metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L metaTRACE
0	1,1-DICHLOROETHANE	LT	5 ug/L metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L metaTRACE
0	GROSS ALPHA	3.20+2.30 pCi/L	metaTRACE
0	TOTAL RADIUM	2.30+0.50 pCi/L	metaTRACE
0	TRITIUM	3.30+0.40 pCi/mL	metaTRACE

WELL LFW 34

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/08/89 Time 1655
 Depth to water = 43.40 ft (13.23 m) below the TOC
 Water elevation = 198.00 ft (48.16 m) msf
 pH = 4.8 Alkalinity = 0 mg/L
 Specific conductance = 20 umhos/cm
 Water temperature = 20.0 degrees Celsius
 Water evacuated from the well prior to sampling = 40 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE	18.51 UMH/C	metaTRACE
0	PH	4.50 pH	metaTRACE
0	ACROLEIN	LT	5 ug/L metaTRACE
0	ACRYLONITRILE	LT	5 ug/L metaTRACE
0	ARSENIC	LT	3 ug/L metaTRACE
0	BROMODICHLOROMETHANE	LT	5 ug/L metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00 ug/L metaTRACE
0	CADMIUM	LT	4 ug/L metaTRACE
0	BROMOFORM	LT	5 ug/L metaTRACE
0	CHLOROFORM	LT	5 ug/L metaTRACE
0	METHYLENE CHLORIDE	LT	5 ug/L metaTRACE
0	BROMOMETHANE	LT	10 ug/L metaTRACE
0	CHLOROMETHANE	LT	10 ug/L metaTRACE
0	CHLORIDE	2500 ug/L	metaTRACE
0	CHLOROBENZENE	LT	5 ug/L metaTRACE
0	CHROMIUM	LT	5 ug/L metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L metaTRACE
0	CHLOROETHANE	LT	10 ug/L metaTRACE
0	BENZENE	LT	5 ug/L metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L metaTRACE
0	ETHYLBENZENE	LT	5 ug/L metaTRACE
0	IRON	40 ug/L	metaTRACE
0	MERCURY	LT	0.23 ug/L metaTRACE
0	TOLUENE	LT	5 ug/L metaTRACE
0	MANGANESE	LT	7 ug/L metaTRACE
0	NITRATE AS NITROGEN	610 ug/L	metaTRACE
0	LEAD	4 ug/L	metaTRACE
0	SULFATE	LT	1000 ug/L metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L metaTRACE
0	TETRACHLOROETHYLENE	LT	5.00 ug/L metaTRACE
0	TOTAL ORGANIC CARBON	LT	1000 ug/L metaTRACE

CONTINUED

WELL LFW 34 COLLECTED ON 09/08/89 LABORATORY ANALYSES CONTINUED

0	TRICHLOROETHYLENE	LT	5.00 ug/L metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L metaTRACE
0	1,1-DICHLOROETHANE	LT	5 ug/L metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L metaTRACE
0	GROSS ALPHA	2.50+1.80 pCi/L	metaTRACE
0	GROSS ALPHA	LT	2 pCi/L metaTRACE
0	TOTAL RADIUM	1.80+0.50 pCi/L	metaTRACE
0	TRITIUM	3.50+0.40 pCi/mL	metaTRACE

WELL LFW 35

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/08/89 Time 1325
 Depth to water = 27.03 ft (8.24 m) below the TOC
 Water elevation = 157.07 ft (47.88 m) msf
 pH = 4.9 Alkalinity = 0 mg/L
 Specific conductance = 18 umhos/cm
 Water temperature = 20.8 degrees Celsius
 Water evacuated from the well prior to sampling = 36 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE	13.00 UMH/C	Gen. Eng.
0	SPECIFIC CONDUCTANCE	15.85 UMH/C	metaTRACE
0	PH	5.14 pH	Gen. Eng.
0	PH	4.60 pH	metaTRACE
0	ALPHA-BENZENEHEXACHLORIDE	LT	10 ug/L Gen. Eng.
0	ACROLEIN	LT	20 ug/L Gen. Eng.
0	ACROLEIN	LT	5 ug/L metaTRACE
0	ACRYLONITRILE	LT	20 ug/L Gen. Eng.
0	ACRYLONITRILE	LT	5 ug/L metaTRACE
0	ALDRIN	LT	10 ug/L Gen. Eng.
0	ACEPHAPHTHENE	LT	10 ug/L Gen. Eng.
0	ACEPHAPHTHYLENE	LT	10 ug/L Gen. Eng.
0	ANTHRACENE	LT	10 ug/L Gen. Eng.
0	ARSENIC	LT	2 ug/L Gen. Eng.
0	ARSENIC	LT	3 ug/L metaTRACE
0	BENZO(A)ANTHRACENE	LT	10 ug/L Gen. Eng.
0	BENZO(A)PYRENE	LT	10 ug/L Gen. Eng.
0	BENZO(B)FLUORANTHENE	LT	10 ug/L Gen. Eng.
0	BETA-BENZENEHEXACHLORIDE	LT	10 ug/L Gen. Eng.
0	BUTYLBENZYL PHTHALATE	LT	10 ug/L Gen. Eng.
0	BIS(CHLOROMETHYL) ETHER	LT	10 ug/L Gen. Eng.
0	BETA-ENDOSULFAM	LT	10 ug/L Gen. Eng.
0	BENZIDINE	LT	10 ug/L Gen. Eng.
0	BENZO(G,H,I)PERYLENE	LT	10 ug/L Gen. Eng.
0	BENZO(K)FLUORANTHENE	LT	10 ug/L Gen. Eng.
0	BROMODICHLOROMETHANE	LT	1 ug/L Gen. Eng.
0	BROMODICHLOROMETHANE	LT	5 ug/L metaTRACE
0	BIS(2-CHLOROETHOXY) METHANE	LT	10 ug/L Gen. Eng.
0	BIS(2-CHLOROISOPROPYL) ETHER	LT	10 ug/L Gen. Eng.
0	BIS(2-CHLOROETHYL) ETHER	LT	10 ug/L Gen. Eng.
0	BIS(2-ETHYLENYL) PHTHALATE	LT	10 ug/L Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L metaTRACE
0	CARBON TETRACHLORIDE	LT	1.00 ug/L Gen. Eng.
0	CARBON TETRACHLORIDE	LT	5.00 ug/L metaTRACE
0	CADMIUM	LT	2 ug/L Gen. Eng.
0	CADMIUM	LT	4 ug/L metaTRACE
0	BROMOFORM	LT	1 ug/L Gen. Eng.
0	BROMOFORM	LT	5 ug/L metaTRACE
0	CHLOROFORM	LT	5 ug/L metaTRACE
0	CHLOROFORM	LT	5 ug/L metaTRACE
0	CHRYSENE	LT	10 ug/L Gen. Eng.
0	METHYLENE CHLORIDE	LT	1 ug/L Gen. Eng.
0	METHYLENE CHLORIDE	LT	5 ug/L metaTRACE
0	BROMOMETHANE	LT	1 ug/L Gen. Eng.
0	BROMOMETHANE	LT	10 ug/L metaTRACE
0	CHLOROMETHANE	LT	1 ug/L Gen. Eng.
0	CHLOROMETHANE	LT	10 ug/L metaTRACE
0	CHLORIDE	2500 ug/L	Gen. Eng.
0	CHLORIDE	2100 ug/L	metaTRACE
0	CHLOROBENZENE	LT	5 ug/L Gen. Eng.
0	CHLOROBENZENE	LT	5 ug/L metaTRACE
0	CHLORDANE	LT	10 ug/L Gen. Eng.
0	HEXACHLOROBENZENE	LT	10 ug/L Gen. Eng.
0	HEXACHLOROCYCLOPENTADIENE	LT	10 ug/L Gen. Eng.
0	HEXACHLOROETHANE	LT	10 ug/L Gen. Eng.
0	CHROMIUM	LT	4 ug/L Gen. Eng.
0	CHROMIUM	LT	5 ug/L metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L metaTRACE
0	CHLOROETHANE	LT	1 ug/L Gen. Eng.
0	CHLOROETHANE	LT	10 ug/L metaTRACE
0	BENZENE	LT	1 ug/L Gen. Eng.
0	BENZENE	LT	5 ug/L metaTRACE
0	DIBENZ(A,H)ANTHRACENE	LT	10 ug/L Gen. Eng.
0	DELTA-BENZENEHEXACHLORIDE	LT	10 ug/L Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	5 ug/L metaTRACE
0	DIEHTYL PHTHALATE	LT	10 ug/L Gen. Eng.
0	DIELDRIN	LT	10 ug/L Gen. Eng.
0	DIMETHYL PHTHALATE	LT	10 ug/L Gen. Eng.
0	DI-N-BUTYL PHTHALATE	LT	10 ug/L Gen. Eng.
0	DI-N-OCTYL PHTHALATE	LT	10 ug/L Gen. Eng.
0	ENDRIN ALDEHYDE	LT	10 ug/L Gen. Eng.
0	ENDRIN	LT	10 ug/L Gen. Eng.

CONTINUED

WELL LFW 35 COLLECTED ON 09/08/89 LABORATORY ANALYSES CONTINUED

0	ENDOSULFAM SULFATE	LT	10 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	5 ug/L	metaTRACE
0	FLUORANTHENE	LT	10 ug/L	Gen. Eng.
0	IRON	LT	10 ug/L	Gen. Eng.
0	IRON	LT	16 ug/L	metaTRACE
0	FLUORENE	LT	10 ug/L	Gen. Eng.
0	HEXACHLOROBUTADIENE	LT	10 ug/L	Gen. Eng.
0	MERCURY	LT	0.20 ug/L	Gen. Eng.
0	MERCURY	LT	0.20 ug/L	metaTRACE
0	HEPTACHLOR	LT	10 ug/L	Gen. Eng.
0	HEPTACHLOR EPOXIDE	LT	10 ug/L	Gen. Eng.
0	INDENO(1,2,3-C,D)PYRENE	LT	10 ug/L	Gen. Eng.
0	ISOPHORONE	LT	10 ug/L	Gen. Eng.
0	LINDANE	LT	10 ug/L	Gen. Eng.
0	TOLUENE	LT	1 ug/L	Gen. Eng.
0	TOLUENE	LT	5 ug/L	metaTRACE
0	MANGANESE	LT	2 ug/L	Gen. Eng.
0	MANGANESE	LT	3 ug/L	metaTRACE
0	NAPHTHALENE	LT	10 ug/L	Gen. Eng.
0	NITROBENZENE	LT	10 ug/L	Gen. Eng.
0	N-NITROSODIMETHYLAMINE	LT	10 ug/L	Gen. Eng.
0	N-NITROSODI-N-PROPYLAMINE	LT	10 ug/L	Gen. Eng.
0	N-NITROSODIPHENYLAMINE	LT	10 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN	LT	320 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN	LT	470 ug/L	metaTRACE
0	LEAD	LT	6 ug/L	Gen. Eng.
0	LEAD	LT	3 ug/L	metaTRACE
0	PCB 1016	LT	150 ug/L	Gen. Eng.
0	PCB 1211	LT	150 ug/L	Gen. Eng.
0	PCB 1212	LT	150 ug/L	Gen. Eng.
0	PCB 1212	LT	150 ug/L	Gen. Eng.
0	PCB 1248	LT	150 ug/L	Gen. Eng.
0	PCB 1254	LT	150 ug/L	Gen. Eng.
0	PCB 1260	LT	150 ug/L	Gen. Eng.
0	PHENANTHRENE	LT	10 ug/L	Gen. Eng.
0	2,2-BIS(4-CHLOROPHENYL)-1,1-DCE	LT	10 ug/L	Gen. Eng.
0	2,2-BIS(4-CHLOROPHENYL)-1,1-DCE	LT	10 ug/L	Gen. Eng.
0	2,2-BIS(4-CHLOROPHENYL)-1,1,1-TCE	LT	10 ug/L	Gen. Eng.
0	PYRENE	LT	10 ug/L	Gen. Eng.
0	SULFATE	LT	5000 ug/L	Gen. Eng.
0	SULFATE	LT	1000 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	Gen. Eng.
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	metaTRACE
2	TOTAL ORGANIC HALOGENS	LT	27 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TOXAPHENE	LT	10 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	XYLENES	LT	2 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	1,2-DIPHENYL HYDRAZINE	LT	10 ug/L	Gen. Eng.
0	1,2,4-TRICHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	10 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0	2-CHLORONAPHTHALENE	LT	10 ug/L	Gen. Eng.
0	2,4-DINITROTOLUENE	LT	10 ug/L	Gen. Eng.
0	2,6-DINITROTOLUENE	LT	10 ug/L	Gen. Eng.
0	3,3-DICHLOROBENZIDENE	LT	10 ug/L	Gen. Eng.
0	4-BROMOPHENYLPHENYL ETHER	LT	10 ug/L	Gen. Eng.
0	4-CHLOROPHENYLPHENYL ETHER	LT	10 ug/L	Gen. Eng.
0	GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
0	GROSS ALPHA	LT	3 pCi/L	metaTRACE
0	TOTAL RADIUM	LT	1.20-1.80 pCi/L	Gen. Eng.
0	TOTAL RADIUM	LT	1 pCi/L	metaTRACE
0	TRITIUM	LT	4.80-0.40 pCi/mL	Gen. Eng.
0	TRITIUM	LT	4.00-0.40 pCi/mL	metaTRACE

WELL LFW 35

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/08/89 Time 1325

Depth to water = 27.03 ft (8.24 m) below the TOC

Water elevation = 127.07 ft (47.88 m) msl

pH = 4.9 Alkalinity = 0 mg/L

Specific conductance = 16 umhos/cm

Water temperature = 20.8 degrees Celsius

Water evacuated from the well prior to sampling = 36 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE	13.00 UMH/C	Gen. Eng.
0	SPECIFIC CONDUCTANCE	16.02 UMH/C	metaTRACE
0	PH	5.09 pH	Gen. Eng.
0	PH	4.79 pH	metaTRACE
0	ALPHA-BENZENEHEXACHLORIDE	LT	10 ug/L
0	ACROLEIN	LT	20 ug/L
0	ACROLEIN	LT	5 ug/L
0	ACRYLONITRILE	LT	20 ug/L
0	ACRYLONITRILE	LT	5 ug/L
0	ALPHA-ENDOSULFAM	LT	10 ug/L
0	ALDRIN	LT	10 ug/L
0	ACENAPHTHENE	LT	10 ug/L
0	ACENAPHTHYLENE	LT	10 ug/L
0	ANTHRACENE	LT	10 ug/L
0	ARSENIC	LT	2 ug/L
0	ARSENIC	LT	3 ug/L
0	BENZO(A)ANTHRACENE	LT	10 ug/L
0	BENZO(A)PYRENE	LT	10 ug/L
0	BENZO(B)FLUORANTHENE	LT	10 ug/L
0	BETA-BENZENEHEXACHLORIDE	LT	10 ug/L
0	BUTYL BENZYL PHTHALATE	LT	10 ug/L
0	BIS(4-CHLOROMETHYL) ETHER	LT	10 ug/L
0	BETA-ENDOSULFAM	LT	10 ug/L
0	BENZIDINE	LT	10 ug/L
0	BENZO(O,H)PERYLENE	LT	10 ug/L
0	BENZO(K)FLUORANTHENE	LT	10 ug/L
0	BROMODICHLOROMETHANE	LT	1 ug/L
0	BROMODICHLOROMETHANE	LT	5 ug/L
0	BIS(2-CHLOROETHOXY) METHANE	LT	10 ug/L
0	BIS(2-CHLOROISOPROPYL) ETHER	LT	10 ug/L
0	BIS(2-CHLOROETHYL) ETHER	LT	10 ug/L
0	BIS(2-ETHYLMETHYL) PHTHALATE	LT	10 ug/L
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L
0	CARBON TETRACHLORIDE	LT	1.00 ug/L
0	CARBON TETRACHLORIDE	LT	5.00 ug/L
0	CADMIUM	LT	2 ug/L
0	CADMIUM	LT	4 ug/L
0	BROMOFORM	LT	1 ug/L
0	BROMOFORM	LT	5 ug/L
0	CHLOROFORM	LT	1 ug/L
0	CHLOROFORM	LT	5 ug/L
0	CHRYSENE	LT	10 ug/L
0	METHYLENE CHLORIDE	LT	1 ug/L
0	METHYLENE CHLORIDE	LT	5 ug/L
0	BROMOMETHANE	LT	1 ug/L
0	BROMOMETHANE	LT	10 ug/L
0	CHLOROMETHANE	LT	1 ug/L
0	CHLOROMETHANE	LT	10 ug/L
0	CHLORIDE	LT	2500 ug/L
0	CHLORIDE	LT	2000 ug/L
0	CHLOROBENZENE	LT	1 ug/L
0	CHLOROBENZENE	LT	5 ug/L
0	CHLORDANE	LT	10 ug/L
0	HEXACHLOROBENZENE	LT	10 ug/L
0	HEXACHLOROCYCLOPENTADIENE	LT	10 ug/L
0	HEXACHLORODITHANE	LT	10 ug/L
0	CHROMIUM	LT	4 ug/L
0	CHROMIUM	LT	5 ug/L
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L
0	CHLOROETHANE	LT	1 ug/L
0	CHLOROETHANE	LT	10 ug/L
0	BENZENE	LT	1 ug/L
0	BENZENE	LT	5 ug/L
0	DIBENZ(A,H)ANTHRACENE	LT	10 ug/L
0	DELTA-BENZENEHEXACHLORIDE	LT	10 ug/L
0	DIBROMODICHLOROMETHANE	LT	1 ug/L
0	DIBROMODICHLOROMETHANE	LT	5 ug/L
0	DIETHYL PHTHALATE	LT	10 ug/L
0	DIELDRIN	LT	10 ug/L
0	DIMETHYL PHTHALATE	LT	10 ug/L
0	DI-N-BUTYL PHTHALATE	LT	10 ug/L
0	DI-N-OCTYL PHTHALATE	LT	10 ug/L
0	ENDRIN ALDEHYDE	LT	10 ug/L
0	ENDRIN	LT	10 ug/L
0	ENDOSULFAM SULFATE	LT	10 ug/L
0	ETHYLBENZENE	LT	1 ug/L
0	ETHYLBENZENE	LT	5 ug/L
0	FLUORANTHENE	LT	10 ug/L
0	IRON	LT	11 ug/L
0	IRON	LT	24 ug/L
0	FLUORENE	LT	10 ug/L
0	HEXACHLOROBUTADIENE	LT	10 ug/L
0	MERCURY	LT	0.20 ug/L
0	MERCURY	LT	0.20 ug/L
0	HEPTACHLOR	LT	10 ug/L
0	HEPTACHLOR EPOXIDE	LT	10 ug/L
0	INDENO(1,2,3-C,D)PYRENE	LT	10 ug/L
0	ISOPHORONE	LT	10 ug/L
0	LINDANE	LT	10 ug/L
0	TOLUENE	LT	1 ug/L
0	TOLUENE	LT	3 ug/L
0	MANGANESE	LT	3 ug/L
0	MANGANESE	LT	3 ug/L
0	NAPHTHALENE	LT	10 ug/L

CONTINUED

WELL LFW 35 COLLECTED ON 09/08/89 LABORATORY ANALYSES CONTINUED

0 NITROBENZENE	LT	10 ug/L	Gen. Eng.
0 N-NITROSODIMETHYLAMINE	LT	10 ug/L	Gen. Eng.
0 N-NITROSODI-PROPYLAMINE	LT	10 ug/L	Gen. Eng.
0 N-NITROSODIPHENYLAMINE	LT	10 ug/L	Gen. Eng.
0 NITRATE AS NITROGEN	LT	290 ug/L	Gen. Eng.
0 NITRATE AS NITROGEN	LT	560 ug/L	metaTRACE
0 LEAD	LT	7 ug/L	Gen. Eng.
0 LEAD	LT	3 ug/L	metaTRACE
0 PCB 1016	LT	150 ug/L	Gen. Eng.
0 PCB 1221	LT	150 ug/L	Gen. Eng.
0 PCB 1232	LT	150 ug/L	Gen. Eng.
0 PCB 1242	LT	150 ug/L	Gen. Eng.
0 PCB 1248	LT	150 ug/L	Gen. Eng.
0 PCB 1254	LT	150 ug/L	Gen. Eng.
0 PCB 1260	LT	150 ug/L	Gen. Eng.
0 PHENANTHRENE	LT	10 ug/L	Gen. Eng.
0 2,2-BIS(4-CHLOROPHENYL)-1,1-DCE	LT	10 ug/L	Gen. Eng.
0 2,2-BIS(4-CHLOROPHENYL)-1,1-DCE	LT	10 ug/L	Gen. Eng.
0 2,2-BIS(4-CHLOROPHENYL)-1,1,1-TCE	LT	10 ug/L	Gen. Eng.
0 PYRENE	LT	10 ug/L	Gen. Eng.
0 SULFATE	LT	5000 ug/L	Gen. Eng.
0 SULFATE	LT	1000 ug/L	metaTRACE
0 1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0 TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0 TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0 TOTAL ORGANIC CARBON	LT	1000 ug/L	Gen. Eng.
0 TOTAL ORGANIC CARBON	LT	1000 ug/L	metaTRACE
0 TOTAL ORGANIC HALOGENS	LT	5 ug/L	Gen. Eng.
0 TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0 TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0 TOXAPHENE	LT	10 ug/L	Gen. Eng.
0 TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0 TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0 TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0 XYLENES	LT	2 ug/L	Gen. Eng.
0 1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0 1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0 1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0 1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0 1,2-DIPHENYL HYDRAZINE	LT	10 ug/L	Gen. Eng.
0 1,2,4-TRICHLOROETHENE	LT	10 ug/L	Gen. Eng.
0 CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0 CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0 TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0 2-CHLOROETHYL VINYL ETHER	LT	10 ug/L	Gen. Eng.
0 2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0 2-CHLOROPHENYL ETHER	LT	10 ug/L	Gen. Eng.
0 2,4-DINITROTOLUENE	LT	10 ug/L	Gen. Eng.
0 2,6-DINITROTOLUENE	LT	10 ug/L	Gen. Eng.
0 3,3-DICHLOROBENZIDENE	LT	10 ug/L	Gen. Eng.
0 4-BROMOPHENYLPHENYL ETHER	LT	10 ug/L	Gen. Eng.
0 4-CHLOROPHENYLPHENYL ETHER	LT	10 ug/L	Gen. Eng.
0 GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
0 GROSS ALPHA	LT	2.70+-2.10 pCi/L	metaTRACE
0 TOTAL RADIUM	LT	1.00+-1.70 pCi/L	Gen. Eng.
0 TOTAL RADIUM	LT	1.50+-0.40 pCi/L	metaTRACE
0 TRITIUM	LT	4.80+-0.39 pCi/mL	Gen. Eng.
0 TRITIUM	LT	3.90+-0.40 pCi/mL	metaTRACE

WELL LFW 36

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/17/89 Time 1040
 Depth to water = 25.28 ft (7.71 m) below the TOC
 Water elevation = 145.12 ft (44.23 m) msl
 pH = 6.1 Alkalinity = 54 mg/L
 Specific conductance = 226 umhos/cm
 Water temperature = 21.1 degrees Celsius
 Water evacuated from the well prior to sampling = 41 gal

LABORATORY ANALYSES

1 SPECIFIC CONDUCTANCE	183.9 UMC	metaTRACE
0 PH	6.28 pH	metaTRACE
0 ACROLEIN	LT	5 ug/L
0 ACRYLONITRILE	LT	5 ug/L
0 ARSENIC	LT	3 ug/L
0 BROMODICHLOROMETHANE	LT	5 ug/L
1 BIS(2-ETHYLHEXYL) PHTHALATE	B	130 ug/L
0 TRICHLOROFLUOROMETHANE	LT	5 ug/L
0 CARBON TETRACHLORIDE	LT	5.00 ug/L
0 CADMIUM	LT	4 ug/L
0 BROMOFORM	LT	5 ug/L
0 CHLOROFORM	LT	5 ug/L
1 METHYLENE CHLORIDE	LT	12 ug/L
0 BROMOMETHANE	LT	10 ug/L
0 CHLOROMETHANE	LT	10 ug/L
1 CHLORIDE	LT	18900 ug/L
0 CHLOROBENZENE	LT	5 ug/L
0 CHROMIUM	LT	5 ug/L
0 CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L
0 CHLOROETHANE	LT	10 ug/L
0 BENZENE	LT	5 ug/L
0 DIBROMOCHLOROMETHANE	LT	5 ug/L
1 DIETHYL PHTHALATE	LT	25 ug/L

CONTINUED

WELL LFW 36 COLLECTED ON 09/17/89 LABORATORY ANALYSES CONTINUED

1 DI-N-OCTYL PHTHALATE	B	280 ug/L	metaTRACE
0 ETHYLBENZENE	LT	5 ug/L	metaTRACE
2 IRON	LT	10440 ug/L	metaTRACE
0 MERCURY	LT	0.33 ug/L	metaTRACE
0 TOLUENE	LT	9 ug/L	metaTRACE
1 MANGANESE	LT	39 ug/L	metaTRACE
0 NITRATE AS NITROGEN	LT	230 ug/L	metaTRACE
0 LEAD	LT	3 ug/L	metaTRACE
0 SULFATE	LT	2600 ug/L	metaTRACE
0 1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0 TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0 TOTAL ORGANIC CARBON	LT	1000 ug/L	metaTRACE
2 TOTAL ORGANIC HALOGENS	LT	180 ug/L	metaTRACE
0 TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0 TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0 TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0 XYLENES	LT	5 ug/L	metaTRACE
0 1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0 1,1-DICHLOROETHANE	LT	40 ug/L	metaTRACE
0 1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
1 1,2-DICHLOROPROPANE	J	3 ug/L	metaTRACE
0 CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0 2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0 GROSS ALPHA	LT	4.00+-3.00 pCi/L	metaTRACE
0 TOTAL RADIUM	LT	2.40+-0.50 pCi/L	metaTRACE
0 TRITIUM	LT	9.70+-1.00 pCi/mL	metaTRACE

WELL LFW 37

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/17/89 Time 1010
 Depth to water = 27.65 ft (8.43 m) below the TOC
 Water elevation = 142.25 ft (43.36 m) msl
 pH = 5.0 Alkalinity = 4 mg/L
 Specific conductance = 89 umhos/cm
 Water temperature = 18.8 degrees Celsius
 Water evacuated from the well prior to sampling = 41 gal

LABORATORY ANALYSES

0 SPECIFIC CONDUCTANCE	78.60 UMC	metaTRACE
0 PH	5.25 pH	metaTRACE
0 ACROLEIN	LT	5 ug/L
0 ACRYLONITRILE	LT	5 ug/L
0 ALPHA-ENDOSULFAN	LT	0.05 ug/L
0 ARSENIC	LT	3 ug/L
0 BETA-BENZENEHEXACHLORIDE	LT	0.05 ug/L
0 BROMODICHLOROMETHANE	LT	5 ug/L
0 BIS(2-ETHYLHEXYL) PHTHALATE	LT	10 ug/L
1 TRICHLOROFLUOROMETHANE	LT	75 ug/L
0 CARBON TETRACHLORIDE	LT	5.00 ug/L
0 CADMIUM	LT	4 ug/L
0 BROMOFORM	LT	5 ug/L
0 CHLOROFORM	LT	5 ug/L
1 METHYLENE CHLORIDE	LT	71 ug/L
0 BROMOMETHANE	LT	10 ug/L
0 CHLOROMETHANE	LT	10 ug/L
1 CHLORIDE	LT	18300 ug/L
0 CHLOROBENZENE	LT	5 ug/L
0 CHROMIUM	LT	5 ug/L
0 CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L
0 CHLOROETHANE	LT	10 ug/L
0 BENZENE	LT	5 ug/L
0 DELTA-BENZENEHEXACHLORIDE	LT	0.05 ug/L
0 DIBROMOCHLOROMETHANE	LT	5 ug/L
1 DIETHYL PHTHALATE	LT	17 ug/L
1 DI-N-OCTYL PHTHALATE	J	2 ug/L
0 ETHYLBENZENE	LT	5 ug/L
0 IRON	LT	51 ug/L
0 MERCURY	LT	0.21 ug/L
0 HEPTACHLOR	LT	0.05 ug/L
0 TOLUENE	LT	5 ug/L
0 MANGANESE	LT	7 ug/L
0 NITRATE AS NITROGEN	LT	230 ug/L
0 LEAD	LT	3 ug/L
0 SULFATE	LT	1300 ug/L
0 1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L
0 TETRACHLOROETHYLENE	LT	5.00 ug/L
0 TOTAL ORGANIC CARBON	LT	1000 ug/L
2 TOTAL ORGANIC HALOGENS	LT	154 ug/L
2 TOTAL ORGANIC HALOGENS	LT	122 ug/L
2 TRICHLOROETHYLENE	LT	18.0 ug/L
0 TRANS-1,2-DICHLOROETHENE	LT	5 ug/L
0 TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L
1 XYLENES	J	2 ug/L
1 1,1-DICHLOROETHYLENE	LT	6 ug/L
1 1,1-DICHLOROETHANE	LT	52 ug/L
1 1,1,1-TRICHLOROETHANE	LT	5 ug/L
0 1,1,2-TRICHLOROETHANE	LT	5 ug/L
0 1,2-DICHLOROETHANE	LT	5 ug/L
0 1,2-DICHLOROPROPANE	LT	5 ug/L
0 CIS-1,3-DICHLOROPROPENE	LT	5 ug/L
0 2-CHLOROETHYL VINYL ETHER	LT	5 ug/L
1 GROSS ALPHA	LT	6.80+-3.00 pCi/L
1 TOTAL RADIUM	LT	4.40+-0.60 pCi/L
1 TRITIUM	LT	12.00+-2.00 pCi/mL
1 TRITIUM	LT	13.00+-2.00 pCi/mL

WELL LFW 38

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/17/89 Time 935
 Depth to water = 27.69 ft (8.44 m) below the TOC
 Water elevation = 142.61 ft (43.47 m) msl
 pH = 4.8 Alkalinity = 0 mg/L
 Specific conductance = 45 umhos/cm
 Water temperature = 19.4 degrees Celsius
 Water evacuated from the well prior to sampling = 35 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE		46.00 UMHG	metaTRACE
0	PH		5.07 pH	metaTRACE
0	ACROLEIN	LT	5 ug/L	metaTRACE
0	ACRYLONITRILE	LT	5 ug/L	metaTRACE
0	ARSENIC	LT	3 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
0	BIS(2-ETHYLHEXYL) PHTHALATE	LT	10 ug/L	metaTRACE
1	TRICHLOROFLUOROMETHANE		120 ug/L	metaTRACE
2	CARBON TETRACHLORIDE		9.00 ug/L	metaTRACE
0	CADMIUM	LT	4 ug/L	metaTRACE
0	BROMOFORM	LT	5 ug/L	metaTRACE
1	METHYLENE CHLORIDE		27 ug/L	metaTRACE
0	BROMOMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
0	CHLORIDE		8100 ug/L	metaTRACE
0	CHLOROBENZENE	LT	5 ug/L	metaTRACE
0	CHROMIUM	LT	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0	CHLOROETHANE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
1	DIETHYL PHTHALATE	J	6 ug/L	metaTRACE
0	DI-N-OCTYL PHTHALATE	LT	10 ug/L	metaTRACE
0	ETHYLBENZENE	LT	5 ug/L	metaTRACE
0	IRON		30 ug/L	metaTRACE
1	MERCURY		0.40 ug/L	metaTRACE
0	TOLUENE	LT	5 ug/L	metaTRACE
0	MANGANESE		8 ug/L	metaTRACE
0	NITRATE AS NITROGEN	LT	230 ug/L	metaTRACE
0	LEAD	LT	3 ug/L	metaTRACE
0	SULFATE	LT	1000 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	metaTRACE
2	TOTAL ORGANIC HALOGENS		166 ug/L	metaTRACE
2	TRICHLOROETHYLENE		19.0 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	XYLENES	LT	5 ug/L	metaTRACE
1	1,1-DICHLOROETHYLENE		11 ug/L	metaTRACE
1	1,1-DICHLOROETHANE		27 ug/L	metaTRACE
1	1,1,1-TRICHLOROETHANE		9 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
1	1,2-DICHLOROETHANE		9 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0	GROSS ALPHA	LT	7 pCi/L	metaTRACE
0	TOTAL RADIUM		1.20+-0.40 pCi/L	metaTRACE
0	TRITIUM		5.50+-0.60 pCi/mL	metaTRACE

WELL LFW 39

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/16/89 Time 1525
 Depth to water = 28.67 ft (8.74 m) below the TOC
 Water elevation = 142.73 ft (43.50 m) msl
 pH = 4.7 Alkalinity = 0 mg/L
 Specific conductance = 13 umhos/cm
 Water temperature = 19.9 degrees Celsius
 Water evacuated from the well prior to sampling = 40 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE		16.43 UMHG	metaTRACE
0	PH		5.19 pH	metaTRACE
0	ACROLEIN	LT	5 ug/L	metaTRACE
0	ACRYLONITRILE	LT	5 ug/L	metaTRACE
0	ARSENIC	LT	3 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
1	BIS(2-ETHYLHEXYL) PHTHALATE	B	110 ug/L	metaTRACE
1	TRICHLOROFLUOROMETHANE		76 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0	CADMIUM	LT	4 ug/L	metaTRACE
0	BROMOFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	5 ug/L	metaTRACE
1	METHYLENE CHLORIDE	JB	2 ug/L	metaTRACE
0	BROMOMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
0	CHLORIDE		1900 ug/L	metaTRACE
0	CHLOROBENZENE	LT	5 ug/L	metaTRACE
0	CHROMIUM	LT	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0	CHLOROETHANE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0	DIETHYL PHTHALATE	LT	10 ug/L	metaTRACE
1	DI-N-OCTYL PHTHALATE	B	240 ug/L	metaTRACE
0	ETHYLBENZENE	LT	5 ug/L	metaTRACE
0	IRON		20 ug/L	metaTRACE
0	MERCURY		0.32 ug/L	metaTRACE

CONTINUED

WELL LFW 39 COLLECTED ON 09/16/89 LABORATORY ANALYSES CONTINUED

0	TOLUENE	LT	5 ug/L	metaTRACE
0	MANGANESE		3 ug/L	metaTRACE
0	NITRATE AS NITROGEN	LT	230 ug/L	metaTRACE
0	LEAD	LT	3 ug/L	metaTRACE
0	SULFATE	LT	1000 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	metaTRACE
2	TOTAL ORGANIC HALOGENS		113 ug/L	metaTRACE
0	TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	XYLENES	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	J	5 ug/L	metaTRACE
1	1,1,1-TRICHLOROETHANE		4 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0	GROSS ALPHA	LT	2 pCi/L	metaTRACE
0	TOTAL RADIUM	LT	1 pCi/L	metaTRACE
0	TRITIUM		4.50+-0.50 pCi/mL	metaTRACE

WELL LFW 40

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/16/89 Time 1500
 Depth to water = 28.81 ft (8.78 m) below the TOC
 Water elevation = 142.19 ft (43.34 m) msl
 pH = 4.8 Alkalinity = 0 mg/L
 Specific conductance = 26 umhos/cm
 Water temperature = 21.2 degrees Celsius
 Water evacuated from the well prior to sampling = 38 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE		31.10 UMHG	metaTRACE
0	PH		4.33 pH	metaTRACE
0	ACROLEIN	LT	5 ug/L	metaTRACE
0	ACRYLONITRILE	LT	5 ug/L	metaTRACE
0	ARSENIC	LT	3 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
1	BIS(2-ETHYLHEXYL) PHTHALATE	JB	2 ug/L	metaTRACE
1	TRICHLOROFLUOROMETHANE		450 ug/L	metaTRACE
2	CARBON TETRACHLORIDE		17.0 ug/L	metaTRACE
0	CADMIUM	LT	4 ug/L	metaTRACE
0	BROMOFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	5 ug/L	metaTRACE
1	METHYLENE CHLORIDE	B	12 ug/L	metaTRACE
0	BROMOMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
0	CHLORIDE		2600 ug/L	metaTRACE
0	CHLOROBENZENE	LT	5 ug/L	metaTRACE
0	CHROMIUM	LT	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
1	CHLOROETHANE	LT	5 ug/L	metaTRACE
0	BENZENE	LT	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0	DIETHYL PHTHALATE	LT	10 ug/L	metaTRACE
1	DI-N-OCTYL PHTHALATE	JB	5 ug/L	metaTRACE
0	ETHYLBENZENE	LT	5 ug/L	metaTRACE
0	IRON		25 ug/L	metaTRACE
0	MERCURY		0.20 ug/L	metaTRACE
0	TOLUENE	LT	5 ug/L	metaTRACE
0	MANGANESE	LT	2 ug/L	metaTRACE
0	NITRATE AS NITROGEN		1200 ug/L	metaTRACE
0	LEAD	LT	3 ug/L	metaTRACE
0	SULFATE		1100 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	metaTRACE
2	TOTAL ORGANIC HALOGENS		79 ug/L	metaTRACE
0	TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	XYLENES	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
1	1,1,1-TRICHLOROETHANE		19 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0	GROSS ALPHA		2.60+-2.10 pCi/L	metaTRACE
0	TOTAL RADIUM		1.70+-0.40 pCi/L	metaTRACE
0	TRITIUM		3.70+-0.40 pCi/mL	metaTRACE

WELL LFW 41

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/16/89 Time 1435
 Depth to water = 26.64 ft (8.12 m) below the TOC
 Water elevation = 143.86 ft (43.85 m) msl
 pH = 4.8 Alkalinity = 0 mg/L
 Specific conductance = 15 umhos/cm
 Water temperature = 19.4 degrees Celsius
 Water evacuated from the well prior to sampling = 46 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE	15.74 UMHC	metaTRACE
0	PH	5.25 pH	metaTRACE
0	ACROLEIN	LT	5 ug/L metaTRACE
0	ACRYLONITRILE	LT	5 ug/L metaTRACE
0	ARSENIC	LT	3 ug/L metaTRACE
0	BROMODICHLOROMETHANE	LT	5 ug/L metaTRACE
1	BIS(2-ETHYLHEXYL) PHTHALATE	B	290 ug/L metaTRACE
1	TRICHLOROFLUOROMETHANE	LT	12 ug/L metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00 ug/L metaTRACE
0	CADMIUM	LT	4 ug/L metaTRACE
0	BROMOFORM	LT	5 ug/L metaTRACE
0	CHLOROFORM	LT	5 ug/L metaTRACE
1	METHYLENE CHLORIDE	J8	3 ug/L metaTRACE
0	BROMOMETHANE	LT	10 ug/L metaTRACE
0	CHLOROMETHANE	LT	10 ug/L metaTRACE
0	CHLORIDE	LT	1700 ug/L metaTRACE
0	CHLOROBENZENE	LT	5 ug/L metaTRACE
0	CHROMIUM	LT	5 ug/L metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L metaTRACE
0	CHLOROETHANE	LT	10 ug/L metaTRACE
0	BENZENE	LT	5 ug/L metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L metaTRACE
0	DIETHYL PHTHALATE	LT	10 ug/L metaTRACE
1	DI-N-OCTYL PHTHALATE	B	59 ug/L metaTRACE
0	ETHYLBENZENE	LT	5 ug/L metaTRACE
0	IRON	LT	22 ug/L metaTRACE
0	MERCURY	LT	0.20 ug/L metaTRACE
0	TOLUENE	LT	5 ug/L metaTRACE
0	MANGANESE	LT	2 ug/L metaTRACE
0	NITRATE AS NITROGEN	LT	230 ug/L metaTRACE
0	LEAD	LT	3 ug/L metaTRACE
0	SULFATE	LT	1000 ug/L metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L metaTRACE
0	TETRACHLOROETHYLENE	LT	5.00 ug/L metaTRACE
0	TOTAL ORGANIC CARBON	LT	1000 ug/L metaTRACE
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L metaTRACE
0	TRICHLOROETHYLENE	LT	5.00 ug/L metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L metaTRACE
0	XYLENES	LT	5 ug/L metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L metaTRACE
0	1,1-DICHLOROETHANE	LT	5 ug/L metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L metaTRACE
0	GROSS ALPHA	LT	2.70+2.10 pCi/L metaTRACE
0	TOTAL RADIUM	LT	2.00+0.50 pCi/L metaTRACE
0	TRITIUM	LT	4.00+0.40 pCi/mL metaTRACE

WELL LFW 42

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/16/89 Time 1405
 Depth to water = 24.20 ft (7.38 m) below the TOC
 Water elevation = 145.90 ft (44.47 m) msl
 pH = 4.8 Alkalinity = 0 mg/L
 Specific conductance = 16 umhos/cm
 Water temperature = 20.3 degrees Celsius
 Water evacuated from the well prior to sampling = 51 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE	18.73 UMHC	metaTRACE
0	PH	5.32 pH	metaTRACE
0	ACROLEIN	LT	5 ug/L metaTRACE
0	ACRYLONITRILE	LT	5 ug/L metaTRACE
0	ALPHA-ENDOSULFAN	LT	0.05 ug/L metaTRACE
0	ARSENIC	LT	3 ug/L metaTRACE
0	BETA-BENZENEHEXACHLORIDE	LT	0.05 ug/L metaTRACE
0	BROMODICHLOROMETHANE	LT	5 ug/L metaTRACE
1	BIS(2-ETHYLHEXYL) PHTHALATE	B	52 ug/L metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00 ug/L metaTRACE
0	CADMIUM	LT	4 ug/L metaTRACE
0	BROMOFORM	LT	5 ug/L metaTRACE
0	CHLOROFORM	LT	5 ug/L metaTRACE
1	METHYLENE CHLORIDE	B	8 ug/L metaTRACE
0	BROMOMETHANE	LT	10 ug/L metaTRACE
0	CHLOROMETHANE	LT	10 ug/L metaTRACE
0	CHLORIDE	LT	1700 ug/L metaTRACE
0	CHLOROBENZENE	LT	5 ug/L metaTRACE
0	CHROMIUM	LT	5 ug/L metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L metaTRACE
0	CHLOROETHANE	LT	10 ug/L metaTRACE
0	BENZENE	LT	5 ug/L metaTRACE
0	DELTA-BENZENEHEXACHLORIDE	LT	0.05 ug/L metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L metaTRACE
0	DIETHYL PHTHALATE	LT	10 ug/L metaTRACE
1	DI-N-OCTYL PHTHALATE	B	52 ug/L metaTRACE

CONTINUED

WELL LFW 42 COLLECTED ON 09/16/89 LABORATORY ANALYSES CONTINUED

0	ETHYLBENZENE	LT	5 ug/L metaTRACE
0	IRON	LT	32 ug/L metaTRACE
0	MERCURY	LT	0.20 ug/L metaTRACE
0	HEPTACHLOR	LT	0.05 ug/L metaTRACE
0	TOLUENE	LT	5 ug/L metaTRACE
0	MANGANESE	LT	3 ug/L metaTRACE
0	NITRATE AS NITROGEN	LT	410 ug/L metaTRACE
0	LEAD	LT	3 ug/L metaTRACE
0	SULFATE	LT	1000 ug/L metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L metaTRACE
0	TETRACHLOROETHYLENE	LT	5.00 ug/L metaTRACE
0	TOTAL ORGANIC CARBON	LT	1000 ug/L metaTRACE
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L metaTRACE
0	TRICHLOROETHYLENE	LT	5.00 ug/L metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L metaTRACE
0	XYLENES	LT	5 ug/L metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L metaTRACE
0	1,1-DICHLOROETHANE	LT	5 ug/L metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L metaTRACE
1	GROSS ALPHA	LT	5.30+2.90 pCi/L metaTRACE
1	TOTAL RADIUM	LT	3.50+0.60 pCi/L metaTRACE
0	TRITIUM	LT	3.80+0.40 pCi/mL metaTRACE

WELL LRP 1

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/03/89 Time 1040
 Depth to water = 47.88 ft (14.59 m) below the TOC
 Water elevation = 205.02 ft (62.49 m) msl
 pH = 4.7 Alkalinity = 0 mg/L
 Specific conductance = 19 umhos/cm
 Water temperature = 20.5 degrees Celsius
 Water evacuated from the well prior to sampling = 55 gal

LABORATORY ANALYSES

0	ALPHA-BENZENEHEXACHLORIDE	LT	0.50 ug/L Gen. Eng.
0	ALPHA-BENZENEHEXACHLORIDE	LT	0.50 ug/L Gen. Eng.
0	ALPHA-BENZENEHEXACHLORIDE	LT	10 ug/L Gen. Eng.
0	ALPHA-BENZENEHEXACHLORIDE	LT	10 ug/L Gen. Eng.
0	ALPHA-ENDOSULFAN	LT	10 ug/L Gen. Eng.
0	ALPHA-ENDOSULFAN	LT	10 ug/L Gen. Eng.
0	ALDRIN	LT	0.50 ug/L Gen. Eng.
0	ALDRIN	LT	0.50 ug/L Gen. Eng.
0	ALDRIN	LT	10 ug/L Gen. Eng.
0	ALDRIN	LT	10 ug/L Gen. Eng.
0	ACENAPHTHENE	LT	10 ug/L Gen. Eng.
0	ACENAPHTHENE	LT	10 ug/L Gen. Eng.
0	ACENAPHTHYLENE	LT	10 ug/L Gen. Eng.
0	ACENAPHTHYLENE	LT	10 ug/L Gen. Eng.
0	ANTHRACENE	LT	10 ug/L Gen. Eng.
0	ANTHRACENE	LT	10 ug/L Gen. Eng.
0	BENZO(A)ANTHRACENE	LT	10 ug/L Gen. Eng.
0	BENZO(A)ANTHRACENE	LT	10 ug/L Gen. Eng.
0	BENZO(A)PYRENE	LT	10 ug/L Gen. Eng.
0	BENZO(A)PYRENE	LT	10 ug/L Gen. Eng.
0	BENZO(B)FLUORANTHENE	LT	10 ug/L Gen. Eng.
0	BENZO(B)FLUORANTHENE	LT	10 ug/L Gen. Eng.
0	BETA-BENZENEHEXACHLORIDE	LT	0.50 ug/L Gen. Eng.
0	BETA-BENZENEHEXACHLORIDE	LT	0.50 ug/L Gen. Eng.
0	BETA-BENZENEHEXACHLORIDE	LT	10 ug/L Gen. Eng.
0	BETA-BENZENEHEXACHLORIDE	LT	10 ug/L Gen. Eng.
0	BUTYLBENZYL PHTHALATE	LT	10 ug/L Gen. Eng.
0	BUTYLBENZYL PHTHALATE	LT	10 ug/L Gen. Eng.
0	BIS(CHLOROMETHYL) ETHER	LT	10 ug/L Gen. Eng.
0	BIS(CHLOROMETHYL) ETHER	LT	10 ug/L Gen. Eng.
0	BETA-ENDOSULFAN	LT	10 ug/L Gen. Eng.
0	BETA-ENDOSULFAN	LT	10 ug/L Gen. Eng.
0	BENZIDINE	LT	10 ug/L Gen. Eng.
0	BENZIDINE	LT	10 ug/L Gen. Eng.
0	BENZO(G,H,I)PERYLENE	LT	10 ug/L Gen. Eng.
0	BENZO(G,H,I)PERYLENE	LT	10 ug/L Gen. Eng.
0	BENZO(K)FLUORANTHENE	LT	10 ug/L Gen. Eng.
0	BENZO(K)FLUORANTHENE	LT	10 ug/L Gen. Eng.
0	BIS(2-CHLOROETHOXY) METHANE	LT	10 ug/L Gen. Eng.
0	BIS(2-CHLOROETHOXY) METHANE	LT	10 ug/L Gen. Eng.
0	BIS(2-CHLOROISOPROPYL) ETHER	LT	10 ug/L Gen. Eng.
0	BIS(2-CHLOROISOPROPYL) ETHER	LT	10 ug/L Gen. Eng.
0	BIS(2-CHLOROETHYL) ETHER	LT	10 ug/L Gen. Eng.
0	BIS(2-CHLOROETHYL) ETHER	LT	10 ug/L Gen. Eng.
0	BIS(2-ETHYLHEXYL) PHTHALATE	LT	10 ug/L Gen. Eng.
0	BIS(2-ETHYLHEXYL) PHTHALATE	LT	10 ug/L Gen. Eng.
0	CARBON TETRACHLORIDE	LT	1.30 ug/L Gen. Eng.
0	CARBON TETRACHLORIDE	LT	1.00 ug/L Gen. Eng.
0	CHLOROFORM	LT	1 ug/L Gen. Eng.
0	CHLOROFORM	LT	1 ug/L Gen. Eng.
0	CHRYSENE	LT	10 ug/L Gen. Eng.
0	CHRYSENE	LT	10 ug/L Gen. Eng.
0	CHLORDANE	LT	0.50 ug/L Gen. Eng.
0	CHLORDANE	LT	0.50 ug/L Gen. Eng.
0	CHLORDANE	LT	10 ug/L Gen. Eng.
0	CHLORDANE	LT	10 ug/L Gen. Eng.
0	HEXACHLOROBENZENE	LT	10 ug/L Gen. Eng.
0	HEXACHLOROBENZENE	LT	10 ug/L Gen. Eng.
0	HEXACHLOROCYCLOPENTADIENE	LT	10 ug/L Gen. Eng.
0	HEXACHLOROCYCLOPENTADIENE	LT	10 ug/L Gen. Eng.
0	HEXACHLOROETHANE	LT	10 ug/L Gen. Eng.
0	HEXACHLOROETHANE	LT	10 ug/L Gen. Eng.
0	DIBENZ(A,H)ANTHRACENE	LT	10 ug/L Gen. Eng.

CONTINUED

WELL 10P 1 COLLECTED ON 09/03/89 LABORATORY ANALYSES CONTINUED

0	TOXAPHENE	LT	10 ug/L	Gen. Eng.
0	TOXAPHENE	LT	10 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DIPHENYL HYDRAZINE	LT	10 ug/L	Gen. Eng.
0	1,2-DIPHENYL HYDRAZINE	LT	10 ug/L	Gen. Eng.
0	1,2,4-TRICHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	1,2,4-TRICHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	10 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	10 ug/L	Gen. Eng.
0	2-CHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2-CHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2-CHLOROPHTHALENE	LT	10 ug/L	Gen. Eng.
0	2-CHLOROPHTHALENE	LT	10 ug/L	Gen. Eng.
0	2-NITROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,4-DICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,4-DICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,4-DIMETHYL PHENOL	LT	10 ug/L	Gen. Eng.
0	2,4-DIMETHYL PHENOL	LT	10 ug/L	Gen. Eng.
0	2,4-DINITROPHENOL	LT	45 ug/L	Gen. Eng.
0	2,4-DINITROPHENOL	LT	45 ug/L	Gen. Eng.
0	2,4-DINITROTOLUENE	LT	10 ug/L	Gen. Eng.
0	2,4-DINITROTOLUENE	LT	10 ug/L	Gen. Eng.
0	2,4,6-TRICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,4,6-TRICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,6-DINITROTOLUENE	LT	10 ug/L	Gen. Eng.
0	2,6-DINITROTOLUENE	LT	10 ug/L	Gen. Eng.
0	3,3-DICHLOROBENZIDENE	LT	10 ug/L	Gen. Eng.
0	3,3-DICHLOROBENZIDENE	LT	10 ug/L	Gen. Eng.
0	4-BROMOPHENYLPHENYL ETHER	LT	10 ug/L	Gen. Eng.
0	4-BROMOPHENYLPHENYL ETHER	LT	10 ug/L	Gen. Eng.
0	4-CHLOROPHENYLPHENYL ETHER	LT	10 ug/L	Gen. Eng.
0	4-CHLOROPHENYLPHENYL ETHER	LT	10 ug/L	Gen. Eng.
0	PARA-CHLORO-META-CRESOL	LT	10 ug/L	Gen. Eng.
0	PARA-CHLORO-META-CRESOL	LT	10 ug/L	Gen. Eng.
0	4-NITROPHENOL	LT	10 ug/L	Gen. Eng.
0	4-NITROPHENOL	LT	10 ug/L	Gen. Eng.
0	2-METHYL-4,6-DINITROPHENOL	LT	30 ug/L	Gen. Eng.
0	2-METHYL-4,6-DINITROPHENOL	LT	30 ug/L	Gen. Eng.

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/03/89 Time 1105
Depth to water = 50.36 ft (15.35 m) below the TOC
Water elevation = 206.34 ft (62.89 m) msl
pH = 5.0 Alkalinity = 1 mg/L
Specific conductance = 25 umhos/cm
Water temperature = 20.5 degrees Celsius
Water evacuated from the well prior to sampling = 56 gal

LABORATORY ANALYSES

0	ALPHA-BENZENEHEXACHLORIDE	LT	0.50	ug/L	Gen. Eng.
0	ALPHA-BENZENEHEXACHLORIDE	LT	10	ug/L	Gen. Eng.
0	ALPHA-ENDOSULFAN	LT	10	ug/L	Gen. Eng.
0	ALDRIN	LT	0.50	ug/L	Gen. Eng.
0	ALDRIN	LT	10	ug/L	Gen. Eng.
0	ACENAPHTHENE	LT	10	ug/L	Gen. Eng.
0	ACENAPHTHYLENE	LT	10	ug/L	Gen. Eng.
0	ANTHRACENE	LT	10	ug/L	Gen. Eng.
0	BENZO(A)ANTHRACENE	LT	10	ug/L	Gen. Eng.
0	BENZO(A)PYRENE	LT	10	ug/L	Gen. Eng.
0	BENZO(B)FLUORANTHENE	LT	10	ug/L	Gen. Eng.
0	BETA-BENZENEHEXACHLORIDE	LT	0.50	ug/L	Gen. Eng.
0	BETA-BENZENEHEXACHLORIDE	LT	10	ug/L	Gen. Eng.
0	BUTYLBENZYL PHTHALATE	LT	10	ug/L	Gen. Eng.
0	BIS(CHLOROETHYL)ETHER	LT	10	ug/L	Gen. Eng.
0	BETA-ENDOSULFAN	LT	10	ug/L	Gen. Eng.
0	BENZIDINE	LT	10	ug/L	Gen. Eng.
0	BENZO(G,H,I)PERYLENE	LT	10	ug/L	Gen. Eng.
0	BENZO(K)FLUORANTHENE	LT	10	ug/L	Gen. Eng.
0	BIS(2-CHLOROETHOXY) METHANE	LT	10	ug/L	Gen. Eng.
0	BIS(2-CHLOROISOPROPYL) ETHER	LT	10	ug/L	Gen. Eng.
0	BIS(2-CHLOROETHYL) ETHER	LT	10	ug/L	Gen. Eng.
0	BIS(2-ETHYLHEXYL) PHTHALATE	LT	10	ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	1.00	ug/L	Gen. Eng.
0	CHLOROFORM	LT	1	ug/L	Gen. Eng.
0	CHRYSENE	LT	10	ug/L	Gen. Eng.
0	CHLORDANE	LT	0.50	ug/L	Gen. Eng.
0	CHLORDANE	LT	10	ug/L	Gen. Eng.
0	HEXACHLORO BENZENE	LT	10	ug/L	Gen. Eng.
0	HEXACHLORO CYCLOPENTADIENE	LT	10	ug/L	Gen. Eng.
0	HEXACHLOROETHANE	LT	10	ug/L	Gen. Eng.
0	DIBENZ(A,H)ANTHRACENE	LT	10	ug/L	Gen. Eng.
0	DELTA-BENZENEHEXACHLORIDE	LT	0.50	ug/L	Gen. Eng.
0	DELTA-BENZENEHEXACHLORIDE	LT	10	ug/L	Gen. Eng.
0	DIETHYL PHTHALATE	LT	10	ug/L	Gen. Eng.
0	DIELDRIN	LT	0.50	ug/L	Gen. Eng.
0	DIELDRIN	LT	10	ug/L	Gen. Eng.
0	DIMETHYL PHTHALATE	LT	10	ug/L	Gen. Eng.
0	DI-N-BUTYL PHTHALATE	LT	10	ug/L	Gen. Eng.
0	DI-N-OCTYL PHTHALATE	LT	10	ug/L	Gen. Eng.
0	ENDRIN ALDEHYDE	LT	0.50	ug/L	Gen. Eng.
0	ENDRIN ALDEHYDE	LT	10	ug/L	Gen. Eng.
0	ENDRIN	LT	0.50	ug/L	Gen. Eng.
0	ENDRIN	LT	10	ug/L	Gen. Eng.
0	ENDOSULFAN I	LT	0.50	ug/L	Gen. Eng.
0	ENDOSULFAN II	LT	0.50	ug/L	Gen. Eng.
0	ENDOSULFAN SULFATE	LT	0.50	ug/L	Gen. Eng.
0	ENDOSULFAN SULFATE	LT	10	ug/L	Gen. Eng.
0	FLUORANTHENE	LT	10	ug/L	Gen. Eng.
0	FLUORENE	LT	10	ug/L	Gen. Eng.
0	HEXACHLORO BUTADIENE	LT	10	ug/L	Gen. Eng.

CONTINUED

CONTINUED

WELL LRP 2 COLLECTED ON 09/03/89 LABORATORY ANALYSES CONTINUED

0	HEPTACHLOR	LT	0.50 ug/L	Gen. Eng.
0	HEPTACHLOR	LT	10 ug/L	Gen. Eng.
0	HEPTACHLOR EPOXIDE	LT	0.50 ug/L	Gen. Eng.
0	HEPTACHLOR EPOXIDE	LT	10 ug/L	Gen. Eng.
0	INDENO(1,2,3-C,D)PYRENE	LT	10 ug/L	Gen. Eng.
0	ISOPHORONE	LT	10 ug/L	Gen. Eng.
0	LINDANE	LT	0.50 ug/L	Gen. Eng.
0	LINDANE	LT	10 ug/L	Gen. Eng.
0	METHOXYCHLOR	LT	4 ug/L	Gen. Eng.
0	NAPHTHALENE	LT	10 ug/L	Gen. Eng.
0	NITROBENZENE	LT	10 ug/L	Gen. Eng.
0	N-NITROSODIMETHYLAMINE	LT	10 ug/L	Gen. Eng.
0	N-NITROSODI-PROPYLAMINE	LT	10 ug/L	Gen. Eng.
0	N-NITROSODIPHENYLAMINE	LT	10 ug/L	Gen. Eng.
2	LEAD	LT	68 ug/L	Gen. Eng.
0	PCB 1016	LT	150 ug/L	Gen. Eng.
0	PCB 1221	LT	150 ug/L	Gen. Eng.
0	PCB 1232	LT	150 ug/L	Gen. Eng.
0	PCB 1242	LT	150 ug/L	Gen. Eng.
0	PCB 1248	LT	150 ug/L	Gen. Eng.
0	PCB 1254	LT	150 ug/L	Gen. Eng.
0	PCB 1260	LT	150 ug/L	Gen. Eng.
0	PENTACHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	PHENANTHRENE	LT	10 ug/L	Gen. Eng.
0	PHENOLS	LT	10 ug/L	Gen. Eng.
0	2,2-BIS(4-CHLOROPHENYL)-1,1-DCE	LT	0.50 ug/L	Gen. Eng.
0	2,2-BIS(4-CHLOROPHENYL)-1,1-DCE	LT	10 ug/L	Gen. Eng.
0	2,2-BIS(4-CHLOROPHENYL)-1,1-DCE	LT	0.50 ug/L	Gen. Eng.
0	2,2-BIS(4-CHLOROPHENYL)-1,1-DCE	LT	10 ug/L	Gen. Eng.
0	2,2-BIS(4-CHLOROPHENYL)-1,1,1-TCE	LT	0.50 ug/L	Gen. Eng.
0	2,2-BIS(4-CHLOROPHENYL)-1,1,1-TCE	LT	10 ug/L	Gen. Eng.
0	PYRENE	LT	10 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TOXAPHENE	LT	5 ug/L	Gen. Eng.
0	TOXAPHENE	LT	10 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DIPHENYL HYDRAZINE	LT	10 ug/L	Gen. Eng.
0	1,2,4-TRICHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	10 ug/L	Gen. Eng.
0	2-CHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2-CHLORONAPHTHALENE	LT	10 ug/L	Gen. Eng.
0	2-NITROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,4-DICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,4-DIMETHYL PHENOL	LT	10 ug/L	Gen. Eng.
0	2,4-DINITROPHENOL	LT	45 ug/L	Gen. Eng.
0	2,4-DINITROTOLUENE	LT	10 ug/L	Gen. Eng.
0	2,4,6-TRICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,6-DINITROTOLUENE	LT	10 ug/L	Gen. Eng.
0	3,3-DICHLOROBENZIDENE	LT	10 ug/L	Gen. Eng.
0	4-BROMOPHENYLPHENYL ETHER	LT	10 ug/L	Gen. Eng.
0	4-CHLOROPHENYLPHENYL ETHER	LT	10 ug/L	Gen. Eng.
0	PARA-CHLORO-META-CRESOL	LT	10 ug/L	Gen. Eng.
0	4-NITROPHENOL	LT	10 ug/L	Gen. Eng.
0	2-METHYL-4,6-DINITROPHENOL	LT	30 ug/L	Gen. Eng.

WELL LRP 3

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/03/89 Time 950
 Depth to water = 52.94 ft (16.14 m) below the TOC
 Water elevation = 205.26 ft (62.56 m) msl
 pH = 4.9 Alkalinity = 0 mg/L
 Specific conductance = 26 umhos/cm
 Water temperature = 20.8 degrees Celsius
 Water evacuated from the well prior to sampling = 36 gal

LABORATORY ANALYSES

0	ALPHA-BENZENEHEXACHLORIDE	LT	0.50 ug/L	Gen. Eng.
0	ALPHA-BENZENEHEXACHLORIDE	LT	10 ug/L	Gen. Eng.
0	ALPHA-ENDOSULFAM	LT	10 ug/L	Gen. Eng.
0	ALDRIN	LT	0.50 ug/L	Gen. Eng.
0	ALDRIN	LT	10 ug/L	Gen. Eng.
0	ACENAPHTHENE	LT	10 ug/L	Gen. Eng.
0	ACENAPHTHYLENE	LT	10 ug/L	Gen. Eng.
0	ANTHRACENE	LT	10 ug/L	Gen. Eng.
0	BENZO(A)ANTHRACENE	LT	10 ug/L	Gen. Eng.
0	BENZO(A)PYRENE	LT	10 ug/L	Gen. Eng.
0	BENZO(B)FLUORANTHENE	LT	10 ug/L	Gen. Eng.
0	BETA-BENZENEHEXACHLORIDE	LT	0.50 ug/L	Gen. Eng.
0	BETA-BENZENEHEXACHLORIDE	LT	10 ug/L	Gen. Eng.
0	BUTYLBENZYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0	BIS(CHLOROMETHYL)ETHER	LT	10 ug/L	Gen. Eng.
0	BETA-ENDOSULFAM	LT	10 ug/L	Gen. Eng.
0	BENZIDINE	LT	10 ug/L	Gen. Eng.
0	BENZO(G,H,I)PERYLENE	LT	10 ug/L	Gen. Eng.
0	BENZO(K)FLUORANTHENE	LT	10 ug/L	Gen. Eng.
0	BIS(2-CHLOROETHOXY) METHANE	LT	10 ug/L	Gen. Eng.
0	BIS(2-CHLOROISOPROPYL) ETHER	LT	10 ug/L	Gen. Eng.
0	BIS(2-CHLOROETHYL) ETHER	LT	10 ug/L	Gen. Eng.
0	BIS(2-ETHYLHEXYL) PHTHALATE	LT	10 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	CHRYSENE	LT	10 ug/L	Gen. Eng.
0	CHLORDANE	LT	0.50 ug/L	Gen. Eng.
0	CHLORDANE	LT	10 ug/L	Gen. Eng.
0	HEXACHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	HEXACHLOROXYCLOPENTADIENE	LT	10 ug/L	Gen. Eng.
0	HEXACHLOROETHANE	LT	10 ug/L	Gen. Eng.
0	DIBENZ(A,H)ANTHRACENE	LT	10 ug/L	Gen. Eng.
0	DELTA-BENZENEHEXACHLORIDE	LT	0.50 ug/L	Gen. Eng.
0	DELTA-BENZENEHEXACHLORIDE	LT	10 ug/L	Gen. Eng.
0	DIETHYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0	DIELDRIN	LT	0.50 ug/L	Gen. Eng.

CONTINUED

WELL LRP 3 COLLECTED ON 09/03/89 LABORATORY ANALYSES CONTINUED

0	DIELDRIN	LT	10 ug/L	Gen. Eng.
0	DIMETHYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0	DI-N-BUTYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0	DI-N-OCTYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0	ENDRIN ALDEHYDE	LT	0.50 ug/L	Gen. Eng.
0	ENDRIN ALDEHYDE	LT	10 ug/L	Gen. Eng.
0	ENDRIN	LT	0.50 ug/L	Gen. Eng.
0	ENDRIN	LT	10 ug/L	Gen. Eng.
0	ENDOSULFAM I	LT	0.50 ug/L	Gen. Eng.
0	ENDOSULFAM II	LT	0.50 ug/L	Gen. Eng.
0	ENDOSULFAM SULFATE	LT	0.50 ug/L	Gen. Eng.
0	ENDOSULFAM SULFATE	LT	10 ug/L	Gen. Eng.
0	FLUORANTHENE	LT	10 ug/L	Gen. Eng.
0	FLUORENE	LT	10 ug/L	Gen. Eng.
0	HEXACHLOROBUTADIENE	LT	10 ug/L	Gen. Eng.
0	HEPTACHLOR	LT	0.50 ug/L	Gen. Eng.
0	HEPTACHLOR	LT	10 ug/L	Gen. Eng.
0	HEPTACHLOR EPOXIDE	LT	0.50 ug/L	Gen. Eng.
0	HEPTACHLOR EPOXIDE	LT	10 ug/L	Gen. Eng.
0	INDENO(1,2,3-C,D)PYRENE	LT	10 ug/L	Gen. Eng.
0	ISOPHORONE	LT	10 ug/L	Gen. Eng.
0	LINDANE	LT	0.50 ug/L	Gen. Eng.
0	LINDANE	LT	10 ug/L	Gen. Eng.
0	METHOXYCHLOR	LT	4 ug/L	Gen. Eng.
0	NAPHTHALENE	LT	10 ug/L	Gen. Eng.
0	NITROBENZENE	LT	10 ug/L	Gen. Eng.
0	N-NITROSODIMETHYLAMINE	LT	10 ug/L	Gen. Eng.
0	N-NITROSODI-PROPYLAMINE	LT	10 ug/L	Gen. Eng.
0	N-NITROSODIPHENYLAMINE	LT	10 ug/L	Gen. Eng.
0	LEAD	LT	13 ug/L	Gen. Eng.
0	PCB 1016	LT	150 ug/L	Gen. Eng.
0	PCB 1221	LT	150 ug/L	Gen. Eng.
0	PCB 1232	LT	150 ug/L	Gen. Eng.
0	PCB 1242	LT	150 ug/L	Gen. Eng.
0	PCB 1248	LT	150 ug/L	Gen. Eng.
0	PCB 1254	LT	150 ug/L	Gen. Eng.
0	PCB 1260	LT	150 ug/L	Gen. Eng.
0	PENTACHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	PHENANTHRENE	LT	10 ug/L	Gen. Eng.
0	PHENOLS	LT	10 ug/L	Gen. Eng.
0	2,2-BIS(4-CHLOROPHENYL)-1,1-DCE	LT	0.50 ug/L	Gen. Eng.
0	2,2-BIS(4-CHLOROPHENYL)-1,1-DCE	LT	10 ug/L	Gen. Eng.
0	2,2-BIS(4-CHLOROPHENYL)-1,1-DCE	LT	0.50 ug/L	Gen. Eng.
0	2,2-BIS(4-CHLOROPHENYL)-1,1-DCE	LT	10 ug/L	Gen. Eng.
0	2,2-BIS(4-CHLOROPHENYL)-1,1,1-TCE	LT	0.50 ug/L	Gen. Eng.
0	2,2-BIS(4-CHLOROPHENYL)-1,1,1-TCE	LT	10 ug/L	Gen. Eng.
0	PYRENE	LT	10 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TOXAPHENE	LT	5 ug/L	Gen. Eng.
0	TOXAPHENE	LT	10 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DIPHENYL HYDRAZINE	LT	10 ug/L	Gen. Eng.
0	1,2,4-TRICHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	10 ug/L	Gen. Eng.
0	2-CHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2-CHLORONAPHTHALENE	LT	10 ug/L	Gen. Eng.
0	2-NITROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,4-DICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,4-DIMETHYL PHENOL	LT	10 ug/L	Gen. Eng.
0	2,4-DINITROPHENOL	LT	45 ug/L	Gen. Eng.
0	2,4-DINITROTOLUENE	LT	10 ug/L	Gen. Eng.
0	2,4,6-TRICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,6-DINITROTOLUENE	LT	10 ug/L	Gen. Eng.
0	3,3-DICHLOROBENZIDENE	LT	10 ug/L	Gen. Eng.
0	4-BROMOPHENYLPHENYL ETHER	LT	10 ug/L	Gen. Eng.
0	4-CHLOROPHENYLPHENYL ETHER	LT	10 ug/L	Gen. Eng.
0	PARA-CHLORO-META-CRESOL	LT	10 ug/L	Gen. Eng.
0	4-NITROPHENOL	LT	10 ug/L	Gen. Eng.
0	2-METHYL-4,6-DINITROPHENOL	LT	30 ug/L	Gen. Eng.

WELL LRP 4

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/03/89 Time 1020
 Depth to water = 50.92 ft (15.52 m) below the TOC
 Water elevation = 204.68 ft (62.39 m) msl
 pH = 4.8 Alkalinity = 0 mg/L
 Specific conductance = 23 umhos/cm
 Water temperature = 20.6 degrees Celsius
 Water evacuated from the well prior to sampling = 82 gal

LABORATORY ANALYSES

0	ALPHA-BENZENEHEXACHLORIDE	LT	0.50 ug/L	Gen. Eng.
0	ALPHA-BENZENEHEXACHLORIDE	LT	10 ug/L	Gen. Eng.
0	ALPHA-ENDOSULFAM	LT	10 ug/L	Gen. Eng.
0	ALDRIN	LT	0.50 ug/L	Gen. Eng.
0	ALDRIN	LT	10 ug/L	Gen. Eng.
0	ACENAPHTHENE	LT	10 ug/L	Gen. Eng.
0	ACENAPHTHYLENE	LT	10 ug/L	Gen. Eng.
0	ANTHRACENE	LT	10 ug/L	Gen. Eng.
0	BENZO(A)ANTHRACENE	LT	10 ug/L	Gen. Eng.
0	BENZO(A)PYRENE	LT	10 ug/L	Gen. Eng.
0	BENZO(B)FLUORANTHENE	LT	10 ug/L	Gen. Eng.
0	BETA-BENZENEHEXACHLORIDE	LT	0.50 ug/L	Gen. Eng.
0	BETA-BENZENEHEXACHLORIDE	LT	10 ug/L	Gen. Eng.
0	BUTYLBENZYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0	BIS(CHLOROMETHYL)ETHER	LT	10 ug/L	Gen. Eng.
0	BETA-ENDOSULFAM	LT	10 ug/L	Gen. Eng.
0	BENZIDINE	LT	10 ug/L	Gen. Eng.
0	BENZO(G,H,I)PERYLENE	LT	10 ug/L	Gen. Eng.
0	BENZO(K)FLUORANTHENE	LT	10 ug/L	Gen. Eng.
0	BIS(2-CHLOROETHOXY) METHANE	LT	10 ug/L	Gen. Eng.
0	BIS(2-CHLOROISOPROPYL) ETHER	LT	10 ug/L	Gen. Eng.

CONTINUED

WELL LRP 4 COLLECTED ON 09/03/89 LABORATORY ANALYSES CONTINUED

0 BIS(2-CHLOROETHYL) ETHER	LT	10 ug/L	Gen. Eng.
0 BIS(2-ETHYLHEXYL) PHTHALATE	LT	10 ug/L	Gen. Eng.
0 CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0 CHLOROFORM	LT	1 ug/L	Gen. Eng.
0 CHRYSENE	LT	10 ug/L	Gen. Eng.
0 CHLORDANE	LT	0.50 ug/L	Gen. Eng.
0 CHLORDANE	LT	10 ug/L	Gen. Eng.
0 HEXACHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0 HEXACHLOROCYCLOPENTADIENE	LT	10 ug/L	Gen. Eng.
0 HEXACHLOROETHANE	LT	10 ug/L	Gen. Eng.
0 DIBENZ(A,H)ANTHRACENE	LT	10 ug/L	Gen. Eng.
0 DELTA-BENZENEHEXACHLORIDE	LT	0.50 ug/L	Gen. Eng.
0 DELTA-BENZENEHEXACHLORIDE	LT	10 ug/L	Gen. Eng.
0 DIETHYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0 DIELDRIN	LT	0.50 ug/L	Gen. Eng.
0 DIELDRIN	LT	10 ug/L	Gen. Eng.
0 DIMETHYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0 DI-N-BUTYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0 DI-N-OCTYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0 ENDRIAL ALDEHYDE	LT	0.50 ug/L	Gen. Eng.
0 ENDRIAL ALDEHYDE	LT	10 ug/L	Gen. Eng.
0 ENDRIAL	LT	0.50 ug/L	Gen. Eng.
0 ENDRIAL	LT	10 ug/L	Gen. Eng.
0 ENDOSULFAN I	LT	0.50 ug/L	Gen. Eng.
0 ENDOSULFAN II	LT	0.50 ug/L	Gen. Eng.
0 ENDOSULFAN SULFATE	LT	0.50 ug/L	Gen. Eng.
0 ENDOSULFAN SULFATE	LT	10 ug/L	Gen. Eng.
0 FLUORANTHENE	LT	10 ug/L	Gen. Eng.
0 FLUORENE	LT	10 ug/L	Gen. Eng.
0 HEXACHLOROBTADIENE	LT	10 ug/L	Gen. Eng.
0 HEPTACHLOR	LT	0.50 ug/L	Gen. Eng.
0 HEPTACHLOR	LT	10 ug/L	Gen. Eng.
0 HEPTACHLOR EPOXIDE	LT	0.50 ug/L	Gen. Eng.
0 HEPTACHLOR EPOXIDE	LT	10 ug/L	Gen. Eng.
0 INDENO(1,2,3-C,D)PYRENE	LT	10 ug/L	Gen. Eng.
0 ISOPHORONE	LT	10 ug/L	Gen. Eng.
0 LINDANE	LT	0.50 ug/L	Gen. Eng.
0 LINDANE	LT	10 ug/L	Gen. Eng.
0 METHOXYCHLOR	LT	4 ug/L	Gen. Eng.
0 NAPHTHALENE	LT	10 ug/L	Gen. Eng.
0 NITROBENZENE	LT	10 ug/L	Gen. Eng.
0 N-NITROSODIMETHYLAMINE	LT	10 ug/L	Gen. Eng.
0 N-NITROSODI-PROPYLAMINE	LT	10 ug/L	Gen. Eng.
0 N-NITROSODIPHENYLAMINE	LT	10 ug/L	Gen. Eng.
0 LEAD	LT	6 ug/L	Gen. Eng.
0 PCB 1016	LT	150 ug/L	Gen. Eng.
0 PCB 1221	LT	150 ug/L	Gen. Eng.
0 PCB 1232	LT	150 ug/L	Gen. Eng.
0 PCB 1242	LT	150 ug/L	Gen. Eng.
0 PCB 1248	LT	150 ug/L	Gen. Eng.
0 PCB 1254	LT	150 ug/L	Gen. Eng.
0 PCB 1260	LT	150 ug/L	Gen. Eng.
0 PENTACHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0 PHENANTHRENE	LT	10 ug/L	Gen. Eng.
0 PHENOLS	LT	10 ug/L	Gen. Eng.
0 2,2-BIS(4-CHLOROPHENYL)-1,1-DIOLE	LT	0.50 ug/L	Gen. Eng.
0 2,2-BIS(4-CHLOROPHENYL)-1,1-DIOLE	LT	10 ug/L	Gen. Eng.
0 2,2-BIS(4-CHLOROPHENYL)-1,1-DIOLE	LT	0.50 ug/L	Gen. Eng.
0 2,2-BIS(4-CHLOROPHENYL)-1,1-DIOLE	LT	10 ug/L	Gen. Eng.
0 2,2-BIS(4-CHLOROPHENYL)-1,1,1-TCE	LT	0.50 ug/L	Gen. Eng.
0 2,2-BIS(4-CHLOROPHENYL)-1,1,1-TCE	LT	10 ug/L	Gen. Eng.
0 PYRENE	LT	10 ug/L	Gen. Eng.
0 TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0 TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0 TOXAPHENE	LT	5 ug/L	Gen. Eng.
0 TOXAPHENE	LT	10 ug/L	Gen. Eng.
0 1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,2-DIPHENYL HYDRAZINE	LT	10 ug/L	Gen. Eng.
0 1,2,4-TRICHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0 2-CHLOROETHYL VINYL ETHER	LT	10 ug/L	Gen. Eng.
0 2-CHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0 2-CHLORONAPHTHALENE	LT	10 ug/L	Gen. Eng.
0 2-NITROPHENOL	LT	10 ug/L	Gen. Eng.
0 2,4-DICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0 2,4-DIMETHYL PHENOL	LT	10 ug/L	Gen. Eng.
0 2,4-DINITROPHENOL	LT	45 ug/L	Gen. Eng.
0 2,4-DINITROTOLUENE	LT	10 ug/L	Gen. Eng.
0 2,4,6-TRICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0 2,6-DINITROTOLUENE	LT	10 ug/L	Gen. Eng.
0 3,3-DICHLOROBENZIDENE	LT	10 ug/L	Gen. Eng.
0 4-BROMOPHENYLPHENYL ETHER	LT	10 ug/L	Gen. Eng.
0 4-CHLOROPHENYLPHENYL ETHER	LT	10 ug/L	Gen. Eng.
0 PARA-CHLORO-META-CRESOL	LT	10 ug/L	Gen. Eng.
0 4-NITROPHENOL	LT	10 ug/L	Gen. Eng.
0 2-METHYL-4,6-DINITROPHENOL	LT	30 ug/L	Gen. Eng.

WELL LSB 1

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/06/89 Time 1520
 Depth to water = 23.71 ft (7.23 m) below the TOC
 Water elevation = 208.99 ft (63.70 m) msl
 pH = 4.5 Alkalinity = 0 mg/L
 Specific conductance = 22 umhos/cm
 Water temperature = 21.5 degrees Celsius
 Water evacuated from the well prior to sampling = 42 gal

LABORATORY ANALYSES

0 PH		5.73 pH	metaTRACE
0 LEAD		15 ug/L	metaTRACE
0 TOTAL ORGANIC CARBON	LT	1000 ug/L	metaTRACE
0 GROSS ALPHA	LT	3 pCi/L	metaTRACE
0 GROSS ALPHA	LT	1.16+-1.24 pCi/L	HP, 735A
0 NONVOLATILE BETA	LT	4 pCi/L	metaTRACE

CONTINUED

WELL LSB 1 COLLECTED ON 09/06/89 LABORATORY ANALYSES CONTINUED

0 NONVOLATILE BETA		2.28+-1.34 pCi/L	HP, 735A
1 TOTAL ACTIVITY		4250+- 14 pCi/mL	HP, 735A
2 TRITIUM		4000+- 400 pCi/mL	metaTRACE
2 TRITIUM		4252+- 14 pCi/mL	HP, 735A
2 TRITIUM		4094+-13.4 pCi/mL	HP, 735A

WELL LSB 2

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/09/89 Time 1225
 Depth to water = 25.63 ft (7.81 m) below the TOC
 Water elevation = 209.57 ft (63.88 m) msl
 pH = 4.2 Alkalinity = 0 mg/L
 Specific conductance = 29 umhos/cm
 Water temperature = 23.1 degrees Celsius
 Water evacuated from the well prior to sampling = 38 gal

LABORATORY ANALYSES

0 PH		4.61 pH	metaTRACE
0 LEAD		16 ug/L	metaTRACE
0 TOTAL ORGANIC CARBON	LT	1000 ug/L	metaTRACE
0 GROSS ALPHA	LT	2 pCi/L	metaTRACE
0 NONVOLATILE BETA	LT	4 pCi/L	metaTRACE
0 TRITIUM		4.90+-0.50 pCi/mL	metaTRACE

WELL LSB 3

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/09/89 Time 1120
 Depth to water = 22.35 ft (6.81 m) below the TOC
 Water elevation = 214.05 ft (65.24 m) msl
 pH = 4.5 Alkalinity = 0 mg/L
 Specific conductance = 19 umhos/cm
 Water temperature = 22.2 degrees Celsius
 Water evacuated from the well prior to sampling = 45 gal

LABORATORY ANALYSES

0 PH		4.89 pH	metaTRACE
0 LEAD		15 ug/L	metaTRACE
0 TOTAL ORGANIC CARBON	LT	1000 ug/L	metaTRACE
0 GROSS ALPHA	LT	2 pCi/L	metaTRACE
0 NONVOLATILE BETA	LT	4 pCi/L	metaTRACE
1 TRITIUM		13.00+-2.00 pCi/mL	metaTRACE

WELL LSB 4

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/06/89 Time 1610
 Depth to water = 16.65 ft (5.07 m) below the TOC
 Water elevation = 214.85 ft (65.49 m) msl
 pH = 4.2 Alkalinity = 0 mg/L
 Specific conductance = 34 umhos/cm
 Water temperature = 22.5 degrees Celsius
 Water evacuated from the well prior to sampling = 61 gal

LABORATORY ANALYSES

0 PH		4.26 pH	metaTRACE
0 PH		4.26 pH	metaTRACE
2 LEAD		25 ug/L	metaTRACE
0 TOTAL ORGANIC CARBON	LT	1000 ug/L	metaTRACE
0 TOTAL ORGANIC CARBON	LT	1000 ug/L	metaTRACE
0 GROSS ALPHA		2.70+-1.90 pCi/L	metaTRACE
0 GROSS ALPHA		1.17+-1.24 pCi/L	HP, 735A
0 NONVOLATILE BETA	LT	4 pCi/L	metaTRACE
0 NONVOLATILE BETA		1.81+-1.28 pCi/L	HP, 735A
1 TOTAL ACTIVITY		3840+-13.3 pCi/mL	HP, 735A
2 TRITIUM		3600+- 400 pCi/mL	metaTRACE
2 TRITIUM		3600+- 400 pCi/mL	metaTRACE
2 TRITIUM		3836+-13.3 pCi/mL	HP, 735A
2 TRITIUM		3618+-12.6 pCi/mL	HP, 735A

WELL MCB 2

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/20/89 Time 1305
 Depth to water = 109.96 ft (33.52 m) below the TOC
 Water elevation = 218.44 ft (66.58 m) msl
 pH = 5.4 Alkalinity = 3 mg/L
 Specific conductance = 18 umhos/cm
 Water temperature = 21.5 degrees Celsius
 Water evacuated from the well prior to sampling = 7 gal
 The well went dry during purging.

LABORATORY ANALYSES

1 PH		5.64 pH	Gen. Eng.
0 BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
1 TRICHLOROFLUOROMETHANE		2 ug/L	Gen. Eng.
2 CARBON TETRACHLORIDE		4.00 ug/L	Gen. Eng.
0 CHLOROFORM	LT	1 ug/L	Gen. Eng.
1 CHLOROFORM		2 ug/L	Gen. Eng.

CONTINUED

WELL MCB 2 COLLECTED ON 08/20/89 LABORATORY ANALYSES CONTINUED

0	CHLOROFORM	LT	1 ug/L	M-Area, SRS
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	TOLUENE	LT	1 ug/L	Gen. Eng.
0	MANGANESE	LT	4 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
2	TETRACHLOROETHYLENE		8.00 ug/L	Gen. Eng.
2	TETRACHLOROETHYLENE		6.26 ug/L	M-Area, SRS
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE		84.0 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE		88.0 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	M-Area, SRS
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area, SRS
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area, SRS
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.

WELL MCB 2

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/20/89 Time 1220
 Depth to water = 110.33 ft (33.63 m) below the TOC
 Water elevation = 218.07 ft (66.47 m) msl
 pH = 6.1 Alkalinity = 10 mg/L
 Specific conductance = 33 umhos/cm
 Water temperature = 19.5 degrees Celsius
 Water evacuated from the well prior to sampling = 8 gal
 The well went dry during purging.

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE		24.30 UHMC	metaTRACE
0	PH		6.26 pH	metaTRACE
0	SILVER	LT	2 ug/L	metaTRACE
0	ARSENIC	LT	3 ug/L	metaTRACE
0	BARIUM	LT	8 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
0	CALCIUM		4585 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0	CADMIUM	LT	6 ug/L	metaTRACE
0	BROMOFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	5 ug/L	metaTRACE
0	METHYLENE CHLORIDE	LT	5 ug/L	metaTRACE
0	BROMOMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
0	CHLORIDE		1400 ug/L	metaTRACE
0	CHLOROBENZENE	LT	5 ug/L	metaTRACE
1	CHROMIUM		7 ug/L	metaTRACE
0	CHLOROETHANE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0	ENDRIN	LT	0.10 ug/L	metaTRACE
0	ETHYLBENZENE	LT	5 ug/L	metaTRACE
0	FLUORIDE	LT	250 ug/L	metaTRACE
0	IRON		18 ug/L	metaTRACE
0	MERCURY	LT	0.20 ug/L	metaTRACE
0	POTASSIUM	LT	1620 ug/L	metaTRACE
0	LITHIUM	LT	26 ug/L	metaTRACE
0	LINDANE	LT	0.05 ug/L	metaTRACE
0	TOLUENE	LT	5 ug/L	metaTRACE
0	METHOXYCHLOR	LT	0.50 ug/L	metaTRACE
0	MAGNESIUM		272 ug/L	metaTRACE
0	MANGANESE		17 ug/L	metaTRACE
0	SODIUM		1082 ug/L	metaTRACE
0	NITRATE AS NITROGEN	LT	1000 ug/L	metaTRACE
0	LEAD	LT	3 ug/L	metaTRACE
0	PHENOLS	LT	5 ug/L	metaTRACE
0	SELENIUM	LT	2 ug/L	metaTRACE
1	SILICON		3987 ug/L	metaTRACE
0	SILVEX	LT	0.07 ug/L	metaTRACE
0	SULFATE		1100 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS		14000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	metaTRACE
2	TOTAL ORGANIC HALOGENS		53 ug/L	metaTRACE
0	TOTAL PHOSPHATES		219 ug/L	metaTRACE
0	TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TOXAPHENE	LT	1 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0	2,4-DICHLOROPHENOXACETIC ACID	LT	0.46 ug/L	metaTRACE

CONTINUED

WELL MCB 2 COLLECTED ON 09/20/89 LABORATORY ANALYSES CONTINUED

0	GROSS ALPHA	LT	4 pCi/L	metaTRACE
0	NONVOLATILE BETA	LT	5 pCi/L	metaTRACE
0	TOTAL RADIUM		1.00+0.30 pCi/L	metaTRACE
0	TRITIUM	LT	1 pCi/mL	metaTRACE

WELL MCB 4

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/20/89 Time 1350
 Depth to water = 130.15 ft (39.67 m) below the TOC
 Water elevation = 220.25 ft (67.13 m) msl
 pH = 4.9 Alkalinity = 0 mg/L
 Specific conductance = 15 umhos/cm
 Water temperature = 21.7 degrees Celsius
 Water evacuated from the well prior to sampling = 2 gal
 The well went dry during purging.

LABORATORY ANALYSES

0	PH		5.13 pH	Gen. Eng.
0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
2	CARBON TETRACHLORIDE		6.00 ug/L	Gen. Eng.
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	M-Area, SRS
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	TOLUENE	LT	1 ug/L	Gen. Eng.
0	MANGANESE		13 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
2	TETRACHLOROETHYLENE		30.0 ug/L	Gen. Eng.
2	TETRACHLOROETHYLENE		31.5 ug/L	M-Area, SRS
2	TOTAL ORGANIC HALOGENS		58 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE		82.0 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE		83.4 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	M-Area, SRS
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area, SRS
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area, SRS
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.

WELL MCB 4

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/20/89 Time 1005
 Depth to water = 130.33 ft (39.73 m) below the TOC
 Water elevation = 220.07 ft (67.08 m) msl
 pH = 5.0 Alkalinity = 1 mg/L
 Specific conductance = 19 umhos/cm
 Water temperature = 19.5 degrees Celsius
 Water evacuated from the well prior to sampling = 2 gal
 The well went dry during purging.

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE		13.10 UHMC	metaTRACE
0	PH		5.25 pH	metaTRACE
0	SILVER	LT	2 ug/L	metaTRACE
0	ARSENIC	LT	3 ug/L	metaTRACE
0	BARIUM	LT	8 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
0	CALCIUM		854 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0	CADMIUM	LT	6 ug/L	metaTRACE
0	BROMOFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	5 ug/L	metaTRACE
0	METHYLENE CHLORIDE	LT	5 ug/L	metaTRACE
0	BROMOMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
0	CHLORIDE		1300 ug/L	metaTRACE
0	CHLOROBENZENE	LT	5 ug/L	metaTRACE
1	CHROMIUM		7 ug/L	metaTRACE
0	CHLOROETHANE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0	ENDRIN	LT	0.10 ug/L	metaTRACE
0	ETHYLBENZENE	LT	5 ug/L	metaTRACE
0	FLUORIDE	LT	250 ug/L	metaTRACE
0	IRON		35 ug/L	metaTRACE
0	MERCURY	LT	0.20 ug/L	metaTRACE
0	POTASSIUM	LT	1620 ug/L	metaTRACE
0	LITHIUM	LT	26 ug/L	metaTRACE
0	LINDANE	LT	0.05 ug/L	metaTRACE
0	TOLUENE	LT	5 ug/L	metaTRACE
0	METHOXYCHLOR	LT	0.50 ug/L	metaTRACE
0	MAGNESIUM		158 ug/L	metaTRACE

CONTINUED

WELL MCB 4 COLLECTED ON 09/20/89 LABORATORY ANALYSES CONTINUED

0 MANGANESE		10 ug/L	metaTRACE
0 SODIUM		1545 ug/L	metaTRACE
0 NITRATE AS NITROGEN	LT	1000 ug/L	metaTRACE
0 LEAD		4 ug/L	metaTRACE
0 PHENOLS	LT	5 ug/L	metaTRACE
0 SELENIUM	LT	2 ug/L	metaTRACE
1 SILICON		3188 ug/L	metaTRACE
0 SILVEX	LT	0.07 ug/L	metaTRACE
0 SULFATE	LT	1000 ug/L	metaTRACE
0 1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0 TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0 TOTAL DISSOLVED SOLIDS		3000 ug/L	metaTRACE
0 TOTAL ORGANIC CARBON	LT	1000 ug/L	metaTRACE
2 TOTAL ORGANIC HALOGENS		63 ug/L	metaTRACE
0 TOTAL PHOSPHATES	LT	10 ug/L	metaTRACE
0 TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0 TOXAPHENE	LT	1 ug/L	metaTRACE
0 TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0 1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0 1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0 CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0 TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0 2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0 2,4-DICHLOROPHENOXYACETIC ACID	LT	0.46 ug/L	metaTRACE
0 GROSS ALPHA	LT	2 pCi/L	metaTRACE
0 NONVOLATILE BETA	LT	4 pCi/L	metaTRACE
0 TOTAL RADIUM		1.20+-0.40 pCi/L	metaTRACE
0 TRITIUM		1.10+-0.20 pCi/mL	metaTRACE

WELL MCB 5

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/20/89 Time 1330
 Depth to water = 118.96 ft (36.26 m) below the TOC
 Water elevation = 220.64 ft (67.25 m) msl
 pH = 5.8 Alkalinity = 6 mg/L
 Specific conductance = 23 umhos/cm
 Water temperature = 21.9 degrees Celsius
 Water evacuated from the well prior to sampling = 7 gal
 The well went dry during purging.

LABORATORY ANALYSES

0 PH		6.28 pH	Gen. Eng.
0 BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
1 TRICHLOROFLUOROMETHANE		4 ug/L	Gen. Eng.
2 CARBON TETRACHLORIDE		21.0 ug/L	Gen. Eng.
0 BROMOFORM	LT	1 ug/L	Gen. Eng.
1 CHLOROFORM		7 ug/L	Gen. Eng.
0 CHLOROFORM	LT	5 ug/L	W-Area, SRS
1 METHYLENE CHLORIDE		1 ug/L	Gen. Eng.
0 BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0 CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0 CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0 CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 BENZENE	LT	1 ug/L	Gen. Eng.
0 DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0 TOLUENE	LT	1 ug/L	Gen. Eng.
0 MANGANESE		13 ug/L	Gen. Eng.
0 1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
2 TETRACHLOROETHYLENE		102 ug/L	Gen. Eng.
2 TETRACHLOROETHYLENE		88.0 ug/L	W-Area, SRS
2 TOTAL ORGANIC HALOGENS		281 ug/L	Gen. Eng.
2 TRICHLOROETHYLENE		602 ug/L	Gen. Eng.
2 TRICHLOROETHYLENE		674 ug/L	W-Area, SRS
0 TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0 TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	W-Area, SRS
0 1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0 1,1-DICHLOROETHANE	LT	5 ug/L	W-Area, SRS
0 1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,1,1-TRICHLOROETHANE	LT	5 ug/L	W-Area, SRS
0 1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0 CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0 TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0 2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.

WELL MCB 5

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/20/89 Time 1025
 Depth to water = 119.43 ft (36.40 m) below the TOC
 Water elevation = 220.17 ft (67.11 m) msl
 pH = 5.8 Alkalinity = 6 mg/L
 Specific conductance = 25 umhos/cm
 Water temperature = 19.7 degrees Celsius
 Water evacuated from the well prior to sampling = 8 gal
 The well went dry during purging.

LABORATORY ANALYSES

0 SPECIFIC CONDUCTANCE		25.10 uMHC	metaTRACE
0 PH		6.25 pH	metaTRACE
0 SILVER	LT	2 ug/L	metaTRACE
0 ARSENIC	LT	3 ug/L	metaTRACE

CONTINUED

WELL MCB 5 COLLECTED ON 09/20/89 LABORATORY ANALYSES CONTINUED

0 BARIUM	LT	8 ug/L	metaTRACE
0 BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
0 CALCIUM		2805 ug/L	metaTRACE
1 TRICHLOROFLUOROMETHANE		4 ug/L	metaTRACE
0 CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0 CADMIUM	LT	6 ug/L	metaTRACE
0 BROMOFORM	LT	5 ug/L	metaTRACE
1 CHLOROFORM		5 ug/L	metaTRACE
0 METHYLENE CHLORIDE	LT	5 ug/L	metaTRACE
0 BROMOMETHANE	LT	10 ug/L	metaTRACE
0 CHLOROMETHANE	LT	10 ug/L	metaTRACE
0 CHLORIDE		1500 ug/L	metaTRACE
0 CHLOROBENZENE	LT	5 ug/L	metaTRACE
1 CHROMIUM		10 ug/L	metaTRACE
0 CHLOROETHANE	LT	10 ug/L	metaTRACE
0 BENZENE	LT	5 ug/L	metaTRACE
0 DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0 ENDRIIN	LT	0.10 ug/L	metaTRACE
0 ETHYLBENZENE	LT	5 ug/L	metaTRACE
0 FLUORIDE	LT	250 ug/L	metaTRACE
0 IRON		32 ug/L	metaTRACE
0 MERCURY	LT	0.20 ug/L	metaTRACE
0 POTASSIUM	LT	1620 ug/L	metaTRACE
0 LITHIUM	LT	26 ug/L	metaTRACE
0 LINDANE	LT	0.05 ug/L	metaTRACE
0 TOLUENE	LT	5 ug/L	metaTRACE
0 METHOXYCHLOR	LT	0.50 ug/L	metaTRACE
0 MAGNESIUM		178 ug/L	metaTRACE
0 MANGANESE		13 ug/L	metaTRACE
0 SODIUM		985 ug/L	metaTRACE
0 NITRATE AS NITROGEN	LT	1000 ug/L	metaTRACE
0 LEAD	LT	3 ug/L	metaTRACE
0 PHENOLS	LT	5 ug/L	metaTRACE
0 SELENIUM	LT	2 ug/L	metaTRACE
1 SILICON		3900 ug/L	metaTRACE
0 SILVEX	LT	0.07 ug/L	metaTRACE
0 SULFATE	LT	1200 ug/L	metaTRACE
0 1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0 TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0 TOTAL DISSOLVED SOLIDS		12000 ug/L	metaTRACE
0 TOTAL ORGANIC CARBON	LT	1000 ug/L	metaTRACE
2 TOTAL ORGANIC HALOGENS		412 ug/L	metaTRACE
0 TOTAL PHOSPHATES		42 ug/L	metaTRACE
0 TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0 TOXAPHENE	LT	1 ug/L	metaTRACE
0 TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0 1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0 1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0 CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0 TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0 2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0 2,4-DICHLOROPHENOXYACETIC ACID	LT	0.46 ug/L	metaTRACE
0 GROSS ALPHA	LT	5 pCi/L	metaTRACE
0 NONVOLATILE BETA	LT	7 pCi/L	metaTRACE
0 TOTAL RADIUM	LT	1 pCi/L	metaTRACE
0 TRITIUM	LT	1 pCi/mL	metaTRACE

WELL MCB 5C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/20/89 Time 1045
 Depth to water = 142.99 ft (43.58 m) below the TOC
 Water elevation = 196.11 ft (59.78 m) msl
 pH = 12.2 Alkalinity = 540 mg/L
 Specific conductance = 2120 umhos/cm
 Water temperature = 19.5 degrees Celsius
 Water evacuated from the well prior to sampling = 12 gal
 The well went dry during purging.

LABORATORY ANALYSES

1 SPECIFIC CONDUCTANCE		2257 uMHC	metaTRACE
2 PH		11.9 pH	metaTRACE
0 SILVER	LT	2 ug/L	metaTRACE
0 ARSENIC	LT	3 ug/L	metaTRACE
1 BARIUM		254 ug/L	metaTRACE
1 CALCIUM		13010 ug/L	metaTRACE
0 CADMIUM	LT	4 ug/L	metaTRACE
0 CHLORIDE		2900 ug/L	metaTRACE
2 CHROMIUM		27 ug/L	metaTRACE
0 ENDRIIN	LT	0.006 ug/L	metaTRACE
0 FLUORIDE		290 ug/L	metaTRACE
0 IRON		19 ug/L	metaTRACE
0 MERCURY	LT	0.20 ug/L	metaTRACE
1 POTASSIUM		74350 ug/L	metaTRACE
0 LINDANE	LT	0.005 ug/L	metaTRACE
0 METHOXYCHLOR	LT	0.50 ug/L	metaTRACE
0 MAGNESIUM		38 ug/L	metaTRACE
0 MANGANESE		3 ug/L	metaTRACE
1 SODIUM		60660 ug/L	metaTRACE
0 NITRATE AS NITROGEN		720 ug/L	metaTRACE
1 LEAD		22 ug/L	metaTRACE
1 PHENOLS		51 ug/L	metaTRACE
0 SELENIUM	LT	2 ug/L	metaTRACE
1 SILICON		2575 ug/L	metaTRACE
0 SILVEX	LT	0.07 ug/L	metaTRACE
1 SULFATE		10800 ug/L	metaTRACE
0 TOTAL DISSOLVED SOLIDS		624000 ug/L	metaTRACE
0 TOTAL ORGANIC CARBON		3190 ug/L	metaTRACE
2 TOTAL ORGANIC HALOGENS		48 ug/L	metaTRACE
0 TOTAL PHOSPHATES		98 ug/L	metaTRACE
0 TOXAPHENE	LT	0.24 ug/L	metaTRACE

CONTINUED

WELL MCB 5C COLLECTED ON 09/20/89 LABORATORY ANALYSES CONTINUED

0	2,4-DICHLOROPHENOXYACETIC ACID	LT	0.46 ug/L	metaTRACE
0	GROSS ALPHA	LT	8 pCi/L	metaTRACE
2	NONVOLATILE BETA	LT	60.00+-7.00 pCi/L	metaTRACE
1	TOTAL ACTIVITY	LT	1.12+-1.06 pCi/mL	HP, 735A
1	TOTAL RADIUM	LT	2.80+-0.30 pCi/L	metaTRACE
1	TOTAL RADIUM	LT	2.70+-0.30 pCi/L	metaTRACE
0	TRITIUM	LT	1 pCi/mL	metaTRACE
0	TRITIUM	LT	0.47+-0.62 pCi/mL	HP, 735A

WELL MCB 6

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/20/89 Time 1425
 Depth to water = 116.55 ft (35.52 m) below the TOC
 Water elevation = 215.55 ft (65.70 m) msl
 pH = 5.9 Alkalinity = 8 mg/L
 Specific conductance = 34 umhos/cm
 Water temperature = 23.7 degrees Celsius
 Water evacuated from the well prior to sampling = 2 gal
 The well went dry during purging.

LABORATORY ANALYSES

0	PH	LT	6.15 pH	Gen. Eng.
0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	M-Area, SRS
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	TOLUENE	LT	1 ug/L	Gen. Eng.
2	MANGANESE	LT	66 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
1	TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
1	TETRACHLOROETHYLENE	LT	1.06 ug/L	M-Area, SRS
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	Gen. Eng.
1	TRICHLOROETHYLENE	LT	2.00 ug/L	Gen. Eng.
1	TRICHLOROETHYLENE	LT	1.37 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	M-Area, SRS
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area, SRS
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area, SRS
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.

WELL MCB 6

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/20/89 Time 1130
 Depth to water = 116.78 ft (35.59 m) below the TOC
 Water elevation = 215.32 ft (65.63 m) msl
 pH = 5.9 Alkalinity = 8 mg/L
 Specific conductance = 74 umhos/cm
 Water temperature = 22.5 degrees Celsius
 Water evacuated from the well prior to sampling = 2 gal
 The well went dry during purging.

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE	LT	26.30 UMC	metaTRACE
0	PH	LT	6.18 pH	metaTRACE
0	SILVER	LT	2 ug/L	metaTRACE
0	ARSENIC	LT	3 ug/L	metaTRACE
0	BARIUM	LT	8 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
0	CALCIUM	LT	1926 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0	CADMIUM	LT	6 ug/L	metaTRACE
0	BROMOFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	5 ug/L	metaTRACE
0	METHYLENE CHLORIDE	LT	5 ug/L	metaTRACE
0	BROMOMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
0	CHLORIDE	LT	1500 ug/L	metaTRACE
0	CHLOROBENZENE	LT	5 ug/L	metaTRACE
1	CHROMIUM	LT	6 ug/L	metaTRACE
0	CHLOROETHANE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0	ENDRIN	LT	0.10 ug/L	metaTRACE
0	ETHYLBENZENE	LT	5 ug/L	metaTRACE
0	FLUORIDE	LT	250 ug/L	metaTRACE
0	IRON	LT	36 ug/L	metaTRACE
0	MERCURY	LT	0.20 ug/L	metaTRACE
0	POTASSIUM	LT	1620 ug/L	metaTRACE
0	LITHIUM	LT	26 ug/L	metaTRACE

CONTINUED

WELL MCB 6 COLLECTED ON 09/20/89 LABORATORY ANALYSES CONTINUED

0	LINDANE	LT	0.05 ug/L	metaTRACE
0	TOLUENE	LT	5 ug/L	metaTRACE
0	METHOXYCHLOR	LT	0.50 ug/L	metaTRACE
0	MAGNESIUM	LT	215 ug/L	metaTRACE
2	MANGANESE	LT	69 ug/L	metaTRACE
0	SODIUM	LT	2398 ug/L	metaTRACE
0	NITRATE AS NITROGEN	LT	1700 ug/L	metaTRACE
0	LEAD	LT	3 ug/L	metaTRACE
0	PHENOLS	LT	5 ug/L	metaTRACE
0	SELENIUM	LT	2 ug/L	metaTRACE
1	SILICON	LT	3562 ug/L	metaTRACE
0	SILVEX	LT	0.07 ug/L	metaTRACE
0	SULFATE	LT	1300 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS	LT	40000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	metaTRACE
0	TOTAL PHOSPHATES	LT	16 ug/L	metaTRACE
0	TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TOXAPHENE	LT	1 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0	2,4-DICHLOROPHENOXYACETIC ACID	LT	0.46 ug/L	metaTRACE
0	GROSS ALPHA	LT	4 pCi/L	metaTRACE
0	NONVOLATILE BETA	LT	5 pCi/L	metaTRACE
0	TOTAL RADIUM	LT	1.20+-0.40 pCi/L	metaTRACE
0	TRITIUM	LT	1 pCi/mL	metaTRACE

WELL MCB 6C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/20/89 Time 1110
 Depth to water = 137.23 ft (41.83 m) below the TOC
 Water elevation = 194.87 ft (59.40 m) msl
 Inaccessibility or pump failure prevented sample collection.

WELL MCB 6C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/26/89 Time 1015
 Depth to water = 137.35 ft (41.86 m) below the TOC
 Water elevation = 194.75 ft (59.36 m) msl
 pH = 9.6 Alkalinity = 71 mg/L
 Specific conductance = 217 umhos/cm
 Water temperature = 18.5 degrees Celsius
 Water evacuated from the well prior to sampling = 22 gal
 The well went dry during purging.

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	LT	222.0 UMC	metaTRACE
2	PH	LT	9.35 pH	metaTRACE
0	SILVER	LT	2 ug/L	metaTRACE
0	ARSENIC	LT	3 ug/L	metaTRACE
0	BARIUM	LT	25 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
0	CALCIUM	LT	8339 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0	CADMIUM	LT	4 ug/L	metaTRACE
0	BROMOFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	5 ug/L	metaTRACE
1	METHYLENE CHLORIDE	LT	3 ug/L	metaTRACE
0	BROMOMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
0	CHLORIDE	LT	2600 ug/L	metaTRACE
0	CHLOROBENZENE	LT	5 ug/L	metaTRACE
1	CHROMIUM	LT	9 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0	CHLOROETHANE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0	ENDRIN	LT	0.006 ug/L	metaTRACE
0	ETHYLBENZENE	LT	5 ug/L	metaTRACE
0	FLUORIDE	LT	270 ug/L	metaTRACE
0	IRON	LT	31 ug/L	metaTRACE
0	MERCURY	LT	0.20 ug/L	metaTRACE
1	POTASSIUM	LT	18460 ug/L	metaTRACE
0	LINDANE	LT	0.005 ug/L	metaTRACE
0	TOLUENE	LT	5 ug/L	metaTRACE
0	METHOXYCHLOR	LT	0.50 ug/L	metaTRACE
0	MAGNESIUM	LT	176 ug/L	metaTRACE
0	MANGANESE	LT	2 ug/L	metaTRACE
1	SODIUM	LT	27650 ug/L	metaTRACE
0	NITRATE AS NITROGEN	LT	560 ug/L	metaTRACE
0	LEAD	LT	3 ug/L	metaTRACE
0	PHENOLS	LT	5 ug/L	metaTRACE
0	SELENIUM	LT	2 ug/L	metaTRACE
1	SILICON	LT	7746 ug/L	metaTRACE
0	SILVEX	LT	0.07 ug/L	metaTRACE
1	SULFATE	LT	21800 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE

CONTINUED

WELL MCB 6C COLLECTED ON 09/26/89 LABORATORY ANALYSES CONTINUED

0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS		254000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON		4920 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	metaTRACE
1	TOTAL PHOSPHATES		8214 ug/L	metaTRACE
0	TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TOXAPHENE	LT	0.24 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0	2,4-DICHLOROPHENOXYACETIC ACID	LT	0.46 ug/L	metaTRACE
2	GROSS ALPHA		32.00+-8.00 pCi/L	metaTRACE
1	NONVOLATILE BETA		31.00+-5.00 pCi/L	metaTRACE
0	TOTAL ACTIVITY		-7.04+-3.45 pCi/mL	HP, 735A
2	TOTAL RADIUM		9.80+-0.90 pCi/L	metaTRACE
0	TRITIUM		2.42+-2.17 pCi/mL	HP, 735A
0	TRITIUM	LT	1 pCi/mL	metaTRACE

WELL MCB 7C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/19/89 Time 1550
Depth to water = 146.25 ft (44.58 m) below the TOC
Water elevation = 191.45 ft (58.35 m) msl
The well pumped dry before sampling could be done.

WELL MCB 7C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/26/89 Time 1115
Depth to water = 149.96 ft (45.71 m) below the TOC
Water elevation = 187.74 ft (57.22 m) msl
pH = 9.6 Alkalinity = 58 mg/L
Specific conductance = 159 umhos/cm
Water temperature = 18.8 degrees Celsius
Water evacuated from the well prior to sampling = 18 gal
The well went dry during purging.

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE		168.7 UMIC	metaTRACE
2	PH		9.27 pH	metaTRACE
0	SILVER	LT	2 ug/L	metaTRACE
0	ARSENIC	LT	3 ug/L	metaTRACE
0	ARSENIC	LT	3 ug/L	metaTRACE
1	BARIUM		114 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
1	CALCIUM		50000 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0	CADMIUM	LT	4 ug/L	metaTRACE
0	BROMOFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	5 ug/L	metaTRACE
1	METHYLENE CHLORIDE	J	2 ug/L	metaTRACE
0	BROMOMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
0	CHLORIDE		2700 ug/L	metaTRACE
0	CHLORO BENZENE	LT	5 ug/L	metaTRACE
1	CHROMIUM		11 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0	CHLOROETHANE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0	ENDRIN	LT	0.006 ug/L	metaTRACE
0	ETHYLBENZENE	LT	5 ug/L	metaTRACE
0	FLUORIDE		320 ug/L	metaTRACE
0	IRON		8 ug/L	metaTRACE
0	MERCURY		0.23 ug/L	metaTRACE
1	POTASSIUM		12170 ug/L	metaTRACE
0	LINDANE	LT	0.005 ug/L	metaTRACE
0	TOLUENE	LT	5 ug/L	metaTRACE
0	METHOXYCHLOR	LT	0.50 ug/L	metaTRACE
0	MAGNESIUM		96 ug/L	metaTRACE
0	MANGANESE	LT	2 ug/L	metaTRACE
1	SODIUM		30690 ug/L	metaTRACE
0	NITRATE AS NITROGEN		1500 ug/L	metaTRACE
0	LEAD	LT	3 ug/L	metaTRACE
0	PHENOLS	LT	5 ug/L	metaTRACE
0	SELENIUM	LT	2 ug/L	metaTRACE
1	SILICON		3648 ug/L	metaTRACE
1	SILVER	LT	0.07 ug/L	metaTRACE
1	SULFATE		11900 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS		145000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	metaTRACE
1	TOTAL ORGANIC HALOGENS		13 ug/L	metaTRACE
1	TOTAL PHOSPHATES		2043 ug/L	metaTRACE
2	TRICHLOROETHYLENE		10.0 ug/L	metaTRACE
0	TOXAPHENE	LT	0.24 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE

CONTINUED

WELL MCB 7C COLLECTED ON 09/26/89 LABORATORY ANALYSES CONTINUED

0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0	2,4-DICHLOROPHENOXYACETIC ACID	LT	0.46 ug/L	metaTRACE
0	GROSS ALPHA	LT	5 pCi/L	metaTRACE
0	NONVOLATILE BETA		5.90+-3.80 pCi/L	metaTRACE
1	TOTAL ACTIVITY		0.32+-1.61 pCi/mL	HP, 735A
0	TOTAL RADIUM		1.80+-0.40 pCi/L	metaTRACE
0	TRITIUM	LT	1 pCi/mL	metaTRACE
0	TRITIUM		0.72+-0.96 pCi/mL	HP, 735A

WELL MCA 36

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/18/89 Time 945
No water was evacuated from the well prior to sampling.
The well went dry during purging.

WELL MGC 9

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/18/89 Time 1040
Depth to water = 56.10 ft (17.10 m) below the TOC
Water elevation = 228.00 ft (69.50 m) msl
pH = 6.3
Specific conductance = 287 umhos/cm
Water temperature = 22.3 degrees Celsius
No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

0	GROSS ALPHA		4.29+-1.87 pCi/L	HP, 735A
1	NONVOLATILE BETA		12.00+-2.95 pCi/L	HP, 735A
2	TRITIUM		2018+-116 pCi/mL	HP, 735A

WELL MGC 11

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/18/89 Time 1045
Water temperature = 22.3 degrees Celsius
No water was evacuated from the well prior to sampling.
The well went dry during purging.

WELL MGC 19

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/18/89 Time 1030
Depth to water = 55.50 ft (16.92 m) below the TOC
Water elevation = 231.10 ft (70.44 m) msl
pH = 6.2
Specific conductance = 144 umhos/cm
Water temperature = 20.3 degrees Celsius
No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

0	GROSS ALPHA		1.84+-1.07 pCi/L	HP, 735A
0	NONVOLATILE BETA		3.80+-1.25 pCi/L	HP, 735A
2	TRITIUM		34.30+-1.43 pCi/mL	HP, 735A

WELL MGC 23

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/18/89 Time 1015
No water was evacuated from the well prior to sampling.
The well went dry during purging.

WELL MGC 32

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/18/89 Time 1005
 Depth to water = 54.80 ft (16.70 m) below the TOC
 Water elevation = 243.20 ft (74.13 m) msl
 pH = 5.3
 Specific conductance = 58 umhos/cm
 Water temperature = 20.4 degrees Celsius
 No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

1 GROSS ALPHA	5.18+-1.82 pCi/L	HP, 735A
0 NONVOLATILE BETA	6.54+-1.69 pCi/L	HP, 735A
2 TRITIUM	2285+-32.9 pCi/mL	HP, 735A

WELL MGC 36

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/18/89 Time 935
 Depth to water = 63.70 ft (19.42 m) below the TOC
 Water elevation = 232.90 ft (70.99 m) msl
 pH = 8.8
 Specific conductance = 45 umhos/cm
 Water temperature = 21.8 degrees Celsius
 No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

0 GROSS ALPHA	4.70+-1.71 pCi/L	HP, 735A
0 NONVOLATILE BETA	5.05+-1.42 pCi/L	HP, 735A
2 TRITIUM	7577+-18.7 pCi/mL	HP, 735A

WELL MGC 9

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/18/89 Time 1035
 No water was evacuated from the well prior to sampling.
 The well went dry during purging.

WELL MGC 21

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/18/89 Time 1020
 No water was evacuated from the well prior to sampling.
 The well went dry during purging.

WELL MGC 30

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/18/89 Time 955
 Depth to water = 42.00 ft (12.80 m) below the TOC
 Water elevation = 240.20 ft (73.21 m) msl
 pH = 4.6
 Specific conductance = 56 umhos/cm
 Water temperature = 21.5 degrees Celsius
 No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

0 GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
2 GROSS ALPHA	84.00+-	10 pCi/L	metaTRACE
0 GROSS ALPHA	2.04+-1.08	pCi/L	HP, 735A
2 NONVOLATILE BETA	73.80+-2.00	pCi/L	Gen. Eng.
2 NONVOLATILE BETA	58.00+-6.00	pCi/L	metaTRACE
0 NONVOLATILE BETA	2.70+-1.08	pCi/L	HP, 735A
2 TRITIUM	130+-1.22	pCi/mL	Gen. Eng.
2 TRITIUM	97.00+-	10 pCi/mL	metaTRACE
2 TRITIUM	96.00+-	10 pCi/mL	metaTRACE
2 TRITIUM	98.20+-2.22	pCi/mL	HP, 735A

WELL MGC 34

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/18/89 Time 855
 No water was evacuated from the well prior to sampling.
 The well went dry during purging.

WELL MGC 15

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/18/89 Time 925
 No water was evacuated from the well prior to sampling.
 The well went dry during purging.

WELL MGC 19

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/18/89 Time 920
 No water was evacuated from the well prior to sampling.
 The well went dry during purging.

WELL MGC 23

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/18/89 Time 1025
 No water was evacuated from the well prior to sampling.
 The well went dry during purging.

WELL MGC 28

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/18/89 Time 1000
 No water was evacuated from the well prior to sampling.
 The well went dry during purging.

WELL MGC 36

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/18/89 Time 950
 No water was evacuated from the well prior to sampling.
 The well went dry during purging.

WELL MSB 1A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/09/89 Time 1340
 The well was dry.

WELL MSB 2A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/09/89 Time 1605
 pH = 3.9 Alkalinity = 0 mg/L
 Specific conductance = 35 umhos/cm
 Water temperature = 22.9 degrees Celsius
 Water evacuated from the well prior to sampling = 21 gal

LABORATORY ANALYSES

0 SPECIFIC CONDUCTANCE	35.00 UMHG	Gen. Eng.
0 SPECIFIC CONDUCTANCE	35.00 UMHG	Gen. Eng.
0 PH	4.32 pH	Gen. Eng.
0 PH	4.30 pH	Gen. Eng.
0 SILVER	LT	2 ug/L
0 SILVER	LT	2 ug/L
0 ALUMINUM	369 ug/L	Gen. Eng.
1 ALUMINUM	366 ug/L	Gen. Eng.
0 ARSENIC	LT	2 ug/L
0 ARSENIC	LT	2 ug/L
0 BARIUM	8 ug/L	Gen. Eng.
0 BARIUM	8 ug/L	Gen. Eng.
0 BROMODICHLOROMETHANE	LT	10 ug/L
0 BROMODICHLOROMETHANE	LT	10 ug/L
0 TRICHLOROFLUOROMETHANE	LT	10 ug/L
0 TRICHLOROFLUOROMETHANE	LT	10 ug/L
0 CARBON TETRACHLORIDE	LT	10.0 ug/L
0 CARBON TETRACHLORIDE	LT	10.0 ug/L
0 CADMIUM	LT	2 ug/L
0 CADMIUM	LT	2 ug/L
0 BROMOFORM	LT	10 ug/L
0 BROMOFORM	LT	10 ug/L
0 CHLOROFORM	LT	10 ug/L
0 CHLOROFORM	LT	10 ug/L
0 CHLOROFORM	LT	5 ug/L
0 METHYLENE CHLORIDE	LT	10 ug/L
0 METHYLENE CHLORIDE	LT	10 ug/L
0 BROMOMETHANE	LT	10 ug/L
0 BROMOMETHANE	LT	10 ug/L
0 CHLOROMETHANE	LT	10 ug/L
0 CHLOROMETHANE	LT	10 ug/L
0 CHLORIDE	2800 ug/L	Gen. Eng.

CONTINUED

WELL MSB 2A COLLECTED ON 07/09/89 LABORATORY ANALYSES CONTINUED

0	CHLORIDE		2800 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	CHROMIUM	LT	4 ug/L	Gen. Eng.
0	CHROMIUM	LT	4 ug/L	Gen. Eng.
1	COPPER		293 ug/L	Gen. Eng.
1	COPPER		316 ug/L	Gen. Eng.
0	CYANIDE	LT	5 ug/L	Gen. Eng.
0	CYANIDE	LT	5 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	10 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	10 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	10 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	10 ug/L	Gen. Eng.
0	BENZENE	LT	10 ug/L	Gen. Eng.
0	BENZENE	LT	10 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	10 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	10 ug/L	Gen. Eng.
0	ENDRIN	LT	0.10 ug/L	Gen. Eng.
0	ENDRIN	LT	0.10 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	10 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	10 ug/L	Gen. Eng.
0	IRON		80 ug/L	Gen. Eng.
0	IRON		87 ug/L	Gen. Eng.
0	MERCURY	LT	0.20 ug/L	Gen. Eng.
0	MERCURY	LT	0.20 ug/L	Gen. Eng.
0	TOLUENE	LT	10 ug/L	Gen. Eng.
0	TOLUENE	LT	10 ug/L	Gen. Eng.
0	MANGANESE		10 ug/L	Gen. Eng.
0	MANGANESE		11 ug/L	Gen. Eng.
0	SODIUM		2840 ug/L	Gen. Eng.
0	SODIUM		2440 ug/L	Gen. Eng.
0	NICKEL	LT	4 ug/L	Gen. Eng.
0	NICKEL	LT	4 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN		1840 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN		1840 ug/L	Gen. Eng.
2	LEAD		33 ug/L	Gen. Eng.
2	LEAD		34 ug/L	Gen. Eng.
0	PHENOLS	LT	5 ug/L	Gen. Eng.
0	PHENOLS	LT	5 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	Gen. Eng.
0	SULFATE	LT	5000 ug/L	Gen. Eng.
0	SULFATE	LT	5000 ug/L	Gen. Eng.
0	1,1,1,2,2-TETRACHLOROETHANE	LT	10 ug/L	Gen. Eng.
0	1,1,1,2,2-TETRACHLOROETHANE	LT	10 ug/L	Gen. Eng.
2	TETRACHLOROETHYLENE		800 ug/L	Gen. Eng.
2	TETRACHLOROETHYLENE		750 ug/L	Gen. Eng.
2	TETRACHLOROETHYLENE		790 ug/L	M-Area, SRS
0	TOTAL ORGANIC CARBON		1000 ug/L	Gen. Eng.
0	TOTAL ORGANIC CARBON		1000 ug/L	Gen. Eng.
2	TOTAL ORGANIC HALOGENS		19500 ug/L	Gen. Eng.
2	TOTAL ORGANIC HALOGENS		19500 ug/L	Gen. Eng.
1	TOTAL PHOSPHORUS		203 ug/L	Gen. Eng.
1	TOTAL PHOSPHORUS		200 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE		570 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE		530 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE		512 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	10 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	10 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	M-Area, SRS
0	URANIUM	LT	1000 ug/L	Gen. Eng.
0	URANIUM	LT	1000 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	10 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	10 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	M-Area, SRS
0	1,1-DICHLOROETHANE	LT	10 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	LT	10 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	10 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	10 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	M-Area, SRS
0	1,1,1,2-TRICHLOROETHANE	LT	10 ug/L	Gen. Eng.
0	1,1,1,2-TRICHLOROETHANE	LT	10 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	10 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	10 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	10 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	10 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	10 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	10 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	10 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	10 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	20 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	20 ug/L	Gen. Eng.
0	ZINC		36 ug/L	Gen. Eng.
0	ZINC		40 ug/L	Gen. Eng.
1	GROSS ALPHA		6.14+-0.90 pCi/L	Gen. Eng.
1	GROSS ALPHA		6.21+-0.90 pCi/L	Gen. Eng.
0	NONVOLATILE BETA		3.43+-1.00 pCi/L	Gen. Eng.
0	NONVOLATILE BETA		3.34+-1.00 pCi/L	Gen. Eng.
1	TOTAL RADIUM		4.63+-1.50 pCi/L	Gen. Eng.
2	TOTAL RADIUM		5.57+-1.70 pCi/L	Gen. Eng.

WELL MSB 2A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/22/89 Time 1220
pH = 4.2 Alkalinity = 0 mg/L
Specific conductance = 37 umhos/cm
Water temperature = 21.2 degrees Celsius
Water evacuated from the well prior to sampling = 21 gal

LABORATORY ANALYSES

0	HEPTACHLORODIBENZODIOXINS	LT	1 ng/L	metaTRACE
0	HEPTACHLORODIBENZODIOXINS	LT	0.92 ng/L	metaTRACE
0	HEXACHLORODIBENZODIOXINS	LT	0.83 ng/L	metaTRACE
0	HEXACHLORODIBENZODIOXINS	LT	0.78 ng/L	metaTRACE
0	ORTHOCHELORODIBENZODIOXINS	LT	0.90 ng/L	metaTRACE
0	ORTHOCHELORODIBENZODIOXINS	LT	0.67 ng/L	metaTRACE
0	PENTACHLORODIBENZODIOXINS	LT	0.89 ng/L	metaTRACE
0	PENTACHLORODIBENZODIOXINS	LT	0.95 ng/L	metaTRACE
0	TETRACHLORODIBENZODIOXIN	LT	0.87 ng/L	metaTRACE
0	TETRACHLORODIBENZODIOXIN	LT	0.75 ng/L	metaTRACE
0	A, A-DIMETHYLPHENETHYLAMINE	LT	10 ug/L	Gen. Eng.
0	ALPHA-BENZENEHEXACHLORIDE	LT	0.50 ug/L	Gen. Eng.
0	ACETONE	LT	1 ug/L	Gen. Eng.
0	ACETOPHENONE	LT	10 ug/L	Gen. Eng.
0	ACROLEIN	LT	20 ug/L	Gen. Eng.
0	ACRYLONITRILE	LT	20 ug/L	Gen. Eng.
0	SILVER	LT	2 ug/L	Gen. Eng.
0	ALDRIN	LT	0.50 ug/L	Gen. Eng.
0	ACENAPHTHENE	LT	10 ug/L	Gen. Eng.
0	ACENAPHTHYLENE	LT	10 ug/L	Gen. Eng.
0	ANILINE	LT	10 ug/L	Gen. Eng.
0	ANTHRACENE	LT	10 ug/L	Gen. Eng.
0	ARABITE	LT	10 ug/L	Gen. Eng.
0	ARSENIC	LT	2 ug/L	Gen. Eng.
0	ALLYL CHLORIDE	LT	1 ug/L	Gen. Eng.
0	BARIUM	LT	6 ug/L	Gen. Eng.
0	BENZO(A)ANTHRACENE	LT	10 ug/L	Gen. Eng.
0	BENZO(A)PYRENE	LT	10 ug/L	Gen. Eng.
0	BENZO(B)FLUORANTHENE	LT	10 ug/L	Gen. Eng.
0	BETA-BENZENEHEXACHLORIDE	LT	0.50 ug/L	Gen. Eng.
0	BUTYLBENZYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0	BIS(CHLOROMETHYL-ETHYL)ETHER	LT	10 ug/L	Gen. Eng.
0	BERYLLIUM	LT	5 ug/L	Gen. Eng.
0	BENZO(C,H,I)PERYLENE	LT	10 ug/L	Gen. Eng.
0	BENZO(K)FLUORANTHENE	LT	10 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	BENZYL ALCOHOL	LT	20 ug/L	Gen. Eng.
0	BIS(2-CHLOROETHOXY) METHANE	LT	10 ug/L	Gen. Eng.
0	BIS(2-CHLOROETHYL) ETHER	LT	10 ug/L	Gen. Eng.
0	BIS(2-ETHYLHEXYL) PHTHALATE	LT	10 ug/L	Gen. Eng.
0	DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	CADMIUM	LT	2 ug/L	Gen. Eng.
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	5 ug/L	M-Area, SRS
0	CHRYSENE	LT	10 ug/L	Gen. Eng.
0	METHYLENE BROMIDE	LT	1 ug/L	Gen. Eng.
0	METHYLENE BROMIDE	LT	1 ug/L	Gen. Eng.
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	ACETONITRILE (METHYL CYANIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROBENZILATE	LT	10 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHLORDANE	LT	0.50 ug/L	Gen. Eng.
0	CHLOROPRENE	LT	1 ug/L	Gen. Eng.
0	PENTACHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	PENTACHLOROETHANE	LT	10 ug/L	Gen. Eng.
0	PENTACHLORONITROBENZENE	LT	10 ug/L	Gen. Eng.
0	HEXACHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	HEXACHLOROXYCLOPENTADIENE	LT	10 ug/L	Gen. Eng.
0	HEXACHLOROETHANE	LT	10 ug/L	Gen. Eng.
0	COBALT	LT	4 ug/L	Gen. Eng.
0	CHROMIUM	LT	4 ug/L	Gen. Eng.
1	CARBON DISULFIDE		1 ug/L	Gen. Eng.
1	COPPER		330 ug/L	Gen. Eng.
0	CYANIDE	LT	5 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	DIBENZ(A,H)ANTHRACENE	LT	10 ug/L	Gen. Eng.
0	DIBROMOCHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	DELTA-BENZENEHEXACHLORIDE	LT	0.50 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	DIETHYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0	DIALATE	LT	10 ug/L	Gen. Eng.
0	DIBENZOFURAN	LT	10 ug/L	Gen. Eng.
0	DIMETHOATE	LT	10 ug/L	Gen. Eng.
0	DISULFOTON	LT	10 ug/L	Gen. Eng.
0	DIENDRIN	LT	0.50 ug/L	Gen. Eng.
0	DIMETHYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0	DI-N-BUTYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0	DI-N-OCTYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0	DIPHENYLAMINE	LT	10 ug/L	Gen. Eng.
0	ETHYL METHANESULFONATE	LT	10 ug/L	Gen. Eng.
0	ENDRIN ALDEHYDE	LT	0.50 ug/L	Gen. Eng.
0	ENDRIN	LT	0.50 ug/L	Gen. Eng.
0	ENDOSULFAN I	LT	0.50 ug/L	Gen. Eng.
0	ENDOSULFAN II	LT	0.50 ug/L	Gen. Eng.
0	ENDOSULFAN SULFATE	LT	0.50 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	ETHYL METHACRYLATE	LT	10 ug/L	Gen. Eng.
0	FAMPHUR	LT	10 ug/L	Gen. Eng.
0	FLUORANTHENE	LT	10 ug/L	Gen. Eng.
0	FLUORENE	LT	10 ug/L	Gen. Eng.
0	HEXACHLOROBUTADIENE	LT	10 ug/L	Gen. Eng.

CONTINUED

WELL MSD 2A COLLECTED ON 08/22/89 LABORATORY ANALYSES CONTINUED

0	HEXACHLOROPHENE	LT	10 ug/L	Gen. Eng.
0	HEXACHLOROPROPENE	LT	10 ug/L	Gen. Eng.
0	MERCURY	LT	0.20 ug/L	Gen. Eng.
0	HEPTACHLOR	LT	0.5L ug/L	Gen. Eng.
0	HEPTACHLOR EPOXIDE	LY	0.50 ug/L	Gen. Eng.
0	INDENO(1,2,3-c,d)PYRENE	LT	10 ug/L	Gen. Eng.
0	IODOMETHANE	LT	1 ug/L	Gen. Eng.
0	ISOSAFROLE	LT	10 ug/L	Gen. Eng.
0	ISOBUTYL ALCOHOL	LT	1 ug/L	Gen. Eng.
0	ISODRIN	LT	10 ug/L	Gen. Eng.
0	ISOPHORONE	LT	10 ug/L	Gen. Eng.
0	KETONE	LT	10 ug/L	Gen. Eng.
0	LINDANE	LT	0.50 ug/L	Gen. Eng.
0	METHACRYLONITRILE	LT	1 ug/L	Gen. Eng.
0	TOLUENE	LY	1 ug/L	Gen. Eng.
0	METHYLETHYL KETONE	LT	1 ug/L	Gen. Eng.
0	METHYL METHACRYLATE	LT	10 ug/L	Gen. Eng.
0	METHYL METHANE SULFONATE	LT	10 ug/L	Gen. Eng.
0	METHOXYCHLOR	LT	4 ug/L	Gen. Eng.
0	METHYLISOBUTYL KETONE	LT	1 ug/L	Gen. Eng.
0	METHAPYRILENE	LT	10 ug/L	Gen. Eng.
0	NAPHTHALENE	LT	10 ug/L	Gen. Eng.
0	NITROBENZENE	LT	10 ug/L	Gen. Eng.
0	N-NITROSODIMETHYLAMINE	LT	10 ug/L	Gen. Eng.
0	N-NITROSODI-N-BUTYLAMINE	LT	10 ug/L	Gen. Eng.
0	N-NITROSODI-PROPYLAMINE	LT	10 ug/L	Gen. Eng.
0	N-NITROSODIETHYLAMINE	LT	10 ug/L	Gen. Eng.
0	N-NITROETHYLMETHYLAMINE	LT	10 ug/L	Gen. Eng.
0	NICKEL	LT	4 ug/L	Gen. Eng.
0	N-NITROSOMORPHOLINE	LT	10 ug/L	Gen. Eng.
0	N-NITROSODIPHENYLAMINE	LT	10 ug/L	Gen. Eng.
0	N-NITROSOPYRROLIDINE	LT	10 ug/L	Gen. Eng.
0	N-NITROSOPYRROLIDINE	LT	10 ug/L	Gen. Eng.
0	4-NITROQUINOLINE-1-OXIDE	LT	10 ug/L	Gen. Eng.
0	5-NITRO-0-TOLUIDINE	LT	10 ug/L	Gen. Eng.
0	0-TOLUIDINE	LT	10 ug/L	Gen. Eng.
2	LEAD	LT	32 ug/L	Gen. Eng.
0	PCB 1016	LT	0.50 ug/L	Gen. Eng.
0	PCB 1221	LT	0.50 ug/L	Gen. Eng.
0	PCB 1232	LT	0.50 ug/L	Gen. Eng.
0	PCB 1242	LT	0.50 ug/L	Gen. Eng.
0	PCB 1248	LT	0.50 ug/L	Gen. Eng.
0	PCB 1254	LT	0.50 ug/L	Gen. Eng.
0	PCB 1260	LT	0.50 ug/L	Gen. Eng.
0	PCB 1262	LT	0.50 ug/L	Gen. Eng.
0	PENTACHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	P-PHENYLENEDIAMINE	LT	10 ug/L	Gen. Eng.
0	P-DIMETHYLAMINOAZOBENZENE	LT	10 ug/L	Gen. Eng.
0	PHENACETIN	LT	10 ug/L	Gen. Eng.
0	PHENANTHRENE	LT	10 ug/L	Gen. Eng.
0	PHENOLS	LT	10 ug/L	Gen. Eng.
0	PHOSPHATE	LT	0.50 ug/L	Gen. Eng.
0	2,2-BIS(4-CHLOROPHENYL)-1,1-DCE	LT	0.50 ug/L	Gen. Eng.
0	2,2-BIS(4-CHLOROPHENYL)-1,1-DCE	LT	0.50 ug/L	Gen. Eng.
0	2,2-BIS(4-CHLOROPHENYL)-1,1,1-TCE	LT	0.50 ug/L	Gen. Eng.
0	PROXAMIDE	LT	10 ug/L	Gen. Eng.
0	PROPIONITRILE	LT	1 ug/L	Gen. Eng.
0	PARATHION	LT	0.50 ug/L	Gen. Eng.
0	PARATHION METHYL	LT	0.50 ug/L	Gen. Eng.
0	PYRENE	LT	10 ug/L	Gen. Eng.
0	PYRIDINE	LT	10 ug/L	Gen. Eng.
0	SAPROLE	LT	10 ug/L	Gen. Eng.
0	ANTIMONY	LT	3 ug/L	Gen. Eng.
0	2-SEC-BUTYL-4,6-DINITROPHENOL	LT	10 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	Gen. Eng.
0	SILVER	LT	0.50 ug/L	Gen. Eng.
0	TIN	LT	2 ug/L	Gen. Eng.
0	STYRENE	LT	1 ug/L	Gen. Eng.
0	SULFIDE	LT	1000 ug/L	Gen. Eng.
0	1,2,4,5-TETRACHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
2	TETRACHLOROETHYLENE	LT	898 ug/L	Gen. Eng.
2	TETRACHLOROETHYLENE	LT	861 ug/L	M-Area, SRS
0	U.O.O-TRIETHYL PHOSPHOROTHIOATE	LT	10 ug/L	Gen. Eng.
0	THALLIUM	LT	2 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE	LT	414 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE	LT	527 ug/L	M-Area, SRS
0	TOXAPHENE	LT	5 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	M-Area, SRS
0	TRANS-1,4-DICHLORO-2-BUTENE	LT	1 ug/L	Gen. Eng.
0	VANADIUM	LT	20 ug/L	Gen. Eng.
0	VINYL ACETATE	LT	1 ug/L	Gen. Eng.
0	XYLENES	LT	2 ug/L	Gen. Eng.
0	1-NAPHTHYLAMINE	LT	10 ug/L	Gen. Eng.
1	1,1-DICHLOROETHYLENE	LT	4 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	M-Area, SRS
1	1,1-DICHLOROETHANE	LT	2 ug/L	Gen. Eng.
1	1,1,1-TRICHLOROETHANE	LT	11 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	M-Area, SRS
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,3-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	1,2,3-TRICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	1,2,4-TRICHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	1,3-DICHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	1,3-DINITROBENZENE	LT	10 ug/L	Gen. Eng.
0	1,3,5-TRINITROBENZENE	LT	10 ug/L	Gen. Eng.
0	1,4-DICHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	1,4-DIOXANE	LT	10 ug/L	Gen. Eng.
0	1,4-NAPHTHOQUINONE	LT	10 ug/L	Gen. Eng.
0	2-ACETYLAMINOFUORENE	LT	10 ug/L	Gen. Eng.
0	2-CHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2-CHLORONAPHTHALENE	LT	10 ug/L	Gen. Eng.
0	2-HEXANONE	LT	1 ug/L	Gen. Eng.

CONTINUED

WELL MSD 2A COLLECTED ON 08/22/89 LABORATORY ANALYSES CONTINUED

0	2-METHYLNAPHTHALENE	LT	10 ug/L	Gen. Eng.
0	2-METHYL PHENOL	LT	10 ug/L	Gen. Eng.
0	2-NITROANILINE	LT	10 ug/L	Gen. Eng.
0	2-NAPHTHYLAMINE	LT	10 ug/L	Gen. Eng.
0	2-NITROPHENOL	LT	10 ug/L	Gen. Eng.
0	2-PICOLINE	LT	10 ug/L	Gen. Eng.
0	2,3,4,6-TETRACHLOROPHENOL	LY	10 ug/L	Gen. Eng.
0	2,4-DICHLOROPHENOXYACETIC ACID	LT	0.50 ug/L	Gen. Eng.
0	2,4-DICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,4-DIMETHYL PHENOL	LT	10 ug/L	Gen. Eng.
0	2,4-DINITROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,4-DINITROTOLUENE	LT	10 ug/L	Gen. Eng.
0	2,4,5-TRICHLOROPHENOXYACETIC ACID	LT	0.50 ug/L	Gen. Eng.
0	2,4,5-TRICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,4,6-TRICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,6-DICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,6-DINITROTOLUENE	LT	10 ug/L	Gen. Eng.
0	3-METHYLCHOLANTHRENE	LT	10 ug/L	Gen. Eng.
0	3-METHYL PHENOL	LT	10 ug/L	Gen. Eng.
0	3-NITROANILINE	LT	10 ug/L	Gen. Eng.
0	3,3-DICHLOROBENZIDENE	LT	20 ug/L	Gen. Eng.
0	3,3-DIMETHYLBENZIDINE	LT	10 ug/L	Gen. Eng.
0	4-AMINOBIPHENYL	LT	10 ug/L	Gen. Eng.
0	4-BROMOPHENYLPHENYL ETHER	LT	10 ug/L	Gen. Eng.
0	4-CHLOROANILINE	LT	10 ug/L	Gen. Eng.
0	4-CHLOROPHENYLPHENYL ETHER	LT	10 ug/L	Gen. Eng.
0	PARA-CHLORO-META-CRESOL	LT	10 ug/L	Gen. Eng.
0	4-METHYL PHENOL	LT	10 ug/L	Gen. Eng.
0	4-NITROANILINE	LT	10 ug/L	Gen. Eng.
0	4-NITROPHENOL	LT	10 ug/L	Gen. Eng.
0	2-METHYL-4,6-DINITROPHENOL	LT	10 ug/L	Gen. Eng.
0	7,12-DIMETHYLBENZ(A)ANTHRACENE	LT	10 ug/L	Gen. Eng.
0	ZINC	LT	41 ug/L	Gen. Eng.

WELL MSD 2A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/27/89 Time 1400
 pH = 4.2 Alkalinity = 0 mg/L
 Specific conductance = 37 umhos/cm
 Water temperature = 21.1 degrees Celsius
 Water evacuated from the well prior to sampling = 21 gal

LABORATORY ANALYSES

0	HEPTACHLORODIBENZODIOXINS	LT	4 ng/L	metaTRACE
0	HEPTACHLORODIBENZOFURANS	LT	9 ng/L	metaTRACE
0	HEXACHLORODIBENZODIOXINS	LT	9 ng/L	metaTRACE
0	HEXACHLORODIBENZOFURANS	LT	4 ng/L	metaTRACE
0	ORTHOCHELORODIBENZODIOXINS	LT	10 ng/L	metaTRACE
0	ORTHOCHELORODIBENZOFURANS	LT	9 ng/L	metaTRACE
0	PENTACHLORODIBENZODIOXINS	LT	0 ng/L	metaTRACE
0	PENTACHLORODIBENZOFURANS	LT	4 ng/L	metaTRACE
0	TETRACHLORODIBENZODIOXIN	LT	1 ng/L	metaTRACE
0	TETRACHLORODIBENZOFURAN	LT	2 ng/L	metaTRACE
0	A,4-DIMETHYLPHENETHYLAMINE	LT	10 ug/L	metaTRACE
0	ALPHA-BENZENEHEXACHLORIDE	LT	0.05 ug/L	metaTRACE
0	ACETONE	LT	10 ug/L	metaTRACE
0	ACETOPHENONE	LT	10 ug/L	metaTRACE
0	ACROLEIN	LT	100 ug/L	metaTRACE
0	ACRYLONITRILE	LT	2 ug/L	metaTRACE
0	SILVER	LT	2 ug/L	metaTRACE
1	ALUMINUM	LT	289 ug/L	metaTRACE
0	ALDRIN	LT	0.05 ug/L	metaTRACE
0	ACENAPHTHENE	LT	10 ug/L	metaTRACE
0	ACENAPHTHYLENE	LT	10 ug/L	metaTRACE
0	ANTHRACENE	LT	10 ug/L	metaTRACE
0	ARSENIC	LT	3 ug/L	metaTRACE
0	ALLYL CHLORIDE	LT	100 ug/L	metaTRACE
0	AZOBENZENE	LT	10 ug/L	metaTRACE
0	BARIUM	LT	25 ug/L	metaTRACE
0	BENZO(A)ANTHRACENE	LT	10 ug/L	metaTRACE
0	BENZO(A)PYRENE	LT	10 ug/L	metaTRACE
0	BETA-BENZENEHEXACHLORIDE	LT	0.05 ug/L	metaTRACE
0	BUTYLBENZYL PHTHALATE	LT	10 ug/L	metaTRACE
0	BIS(CHLOROMETHYL-ETHYL)ETHER	LT	10 ug/L	metaTRACE
0	BERYLLIUM	LT	1 ug/L	metaTRACE
0	BENZIDINE	LT	50 ug/L	metaTRACE
0	BENZOIC ACID	LT	50 ug/L	metaTRACE
0	BENZO BIFLUOROANTHENE	LT	10 ug/L	metaTRACE
0	BENZO(G,H,I)PERYLENE	LT	10 ug/L	metaTRACE
0	BENZO(K)FLUOROANTHENE	LT	10 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
0	BENZYL ALCOHOL	LT	10 ug/L	metaTRACE
0	BIS(2-CHLOROETHOXY) METHANE	LT	10 ug/L	metaTRACE
0	BIS(2-CHLOROISOPROPYL) ETHER	LT	10 ug/L	metaTRACE
0	BIS(2-CHLOROETHYL) ETHER	LT	10 ug/L	metaTRACE
0	BIS(2-ETHYLHEXYL) PHTHALATE	LT	10 ug/L	metaTRACE
0	DICHLOROETHYLFLUOROMETHANE	LT	5 ug/L	metaTRACE
0	TRICHLOROETHYLFLUOROMETHANE	LT	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0	CADMIUM	LT	4 ug/L	metaTRACE
0	BROMOFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	5 ug/L	metaTRACE
0	CHRYSENE	LT	10 ug/L	metaTRACE
0	METHYLENE BROMIDE	LT	10 ug/L	metaTRACE
1	METHYLENE CHLORIDE	J	4 ug/L	metaTRACE
0	BROMOMETHANE	LT	5 ug/L	metaTRACE
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
0	ACETONITRILE (METHYL CYANIDE)	LT	100 ug/L	metaTRACE
0	CHLOROBENZILATE	LT	10 ug/L	metaTRACE
0	CHLOROBENZENE	LT	5 ug/L	metaTRACE
0	CHLOROBENZENE	LT	1 ug/L	metaTRACE
0	CHLOROPRENE	LT	5 ug/L	metaTRACE
0	PENTACHLOROBENZENE	LT	10 ug/L	metaTRACE

CONTINUED

WELL MSB 2A COLLECTED ON 09/27/89 LABORATORY ANALYSES CONTINUED

0	PENTACHLOROETHANE	LT	5 ug/L	metaTRACE
0	PENTACHLOROETHANE	LT	10 ug/L	metaTRACE
0	PENTACHLORONITROBENZENE	LT	10 ug/L	metaTRACE
0	HEXACHLOROETHANE	LT	10 ug/L	metaTRACE
0	HEXACHLOROCYCLOPENTADIENE	LT	10 ug/L	metaTRACE
0	HEXACHLOROETHANE	LT	10 ug/L	metaTRACE
0	COBALT	LT	7 ug/L	metaTRACE
1	CHROMIUM	LT	6 ug/L	metaTRACE
0	CARBON DISULFIDE	LT	5 ug/L	metaTRACE
1	COPPER	LT	282 ug/L	metaTRACE
0	CYANIDE	LT	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0	CHLOROETHANE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	5 ug/L	metaTRACE
0	DIBENZ(A,H)ANTHRACENE	LT	10 ug/L	metaTRACE
0	DELTA-BENZENEHEXACHLORIDE	LT	0.05 ug/L	metaTRACE
0	BROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0	DITHYL PHTHALATE	LT	10 ug/L	metaTRACE
0	DIALATE	LT	10 ug/L	metaTRACE
0	DIBENZOFURAN	LT	10 ug/L	metaTRACE
0	DIMETHOATE	LT	10 ug/L	metaTRACE
0	DISULFOTON	LT	10 ug/L	metaTRACE
0	DIELDRIN	LT	0.10 ug/L	metaTRACE
0	DIMETHYL PHTHALATE	LT	10 ug/L	metaTRACE
0	DI-N-BUTYL PHTHALATE	LT	10 ug/L	metaTRACE
0	DI-N-OCTYL PHTHALATE	LT	10 ug/L	metaTRACE
0	DIPHENYLAMINE	LT	10 ug/L	metaTRACE
0	ETHYL METHANESULFONATE	LT	10 ug/L	metaTRACE
0	ENDRIN ALDEHYDE	LT	0.20 ug/L	metaTRACE
0	ENDRIN	LT	0.10 ug/L	metaTRACE
0	ENDOSULFAN I	LT	0.05 ug/L	metaTRACE
0	ENDOSULFAN II	LT	0.10 ug/L	metaTRACE
0	ENDOSULFAN SULFATE	LT	0.10 ug/L	metaTRACE
0	ETHYLBENZENE	LT	5 ug/L	metaTRACE
0	ETHYL METHACRYLATE	LT	5 ug/L	metaTRACE
0	ETHYL METHACRYLATE	LT	10 ug/L	metaTRACE
0	FAMPHUR	LT	10 ug/L	metaTRACE
0	FLUORANTHENE	LT	10 ug/L	metaTRACE
0	FLUORENE	LT	10 ug/L	metaTRACE
0	HEXACHLOROBUTADIENE	LT	10 ug/L	metaTRACE
0	HEXACHLOROPROPENE	LT	10 ug/L	metaTRACE
0	MERCURY	LT	0.20 ug/L	metaTRACE
0	HEPTACHLOR	LT	0.05 ug/L	metaTRACE
0	HEPTACHLOR EPOXIDE	LT	0.05 ug/L	metaTRACE
0	INDENO(1,2,3-C,D)PYRENE	LT	10 ug/L	metaTRACE
0	IODOMETHANE	LT	5 ug/L	metaTRACE
0	ISOSAFROLE	LT	10 ug/L	metaTRACE
0	ISODRIN	LT	10 ug/L	metaTRACE
0	ISOPHORONE	LT	10 ug/L	metaTRACE
0	LINDANE	LT	0.05 ug/L	metaTRACE
0	M-CRESOL	LT	10 ug/L	metaTRACE
0	METHACRYLONITRILE	LT	5 ug/L	metaTRACE
0	TOLUENE	LT	5 ug/L	metaTRACE
0	METHYLETHYL KETONE	LT	10 ug/L	metaTRACE
0	METHYL METHACRYLATE	LT	5 ug/L	metaTRACE
0	METHYL METHANE SULFONATE	LT	10 ug/L	metaTRACE
0	METHOXYCHLOR	LT	0.05 ug/L	metaTRACE
0	METHAPRYLENE	LT	10 ug/L	metaTRACE
0	SODIUM	LT	2342 ug/L	metaTRACE
0	NAPHTHALENE	LT	10 ug/L	metaTRACE
0	NITROBENZENE	LT	10 ug/L	metaTRACE
0	N-NITROSODIMETHYLAMINE	LT	10 ug/L	metaTRACE
0	N-NITROSODI-N-BUTYLAMINE	LT	10 ug/L	metaTRACE
0	N-NITROSODI-PROPYLAMINE	LT	10 ug/L	metaTRACE
0	N-NITROSODIETHYLAMINE	LT	10 ug/L	metaTRACE
0	N-NITROSOLETHYLMETHYLAMINE	LT	10 ug/L	metaTRACE
0	NICKEL	LT	5 ug/L	metaTRACE
0	N-NITROSOMORPHOLINE	LT	10 ug/L	metaTRACE
0	N-NITROSODIPHENYLAMINE	LT	10 ug/L	metaTRACE
0	N-NITROSOPIPERIDINE	LT	10 ug/L	metaTRACE
0	N-NITROSOPYRROLIDINE	LT	10 ug/L	metaTRACE
0	4-NITROQUINOLINE-1-OXIDE	LT	10 ug/L	metaTRACE
0	O-TOLUIDINE	LT	10 ug/L	metaTRACE
1	LEAD	LT	24 ug/L	metaTRACE
0	PCB 1016	LT	0.50 ug/L	metaTRACE
0	PCB 1221	LT	0.50 ug/L	metaTRACE
0	PCB 1232	LT	0.50 ug/L	metaTRACE
0	PCB 1242	LT	0.50 ug/L	metaTRACE
0	PCB 1248	LT	0.50 ug/L	metaTRACE
0	PCB 1254	LT	1 ug/L	metaTRACE
0	PCB 1260	LT	1 ug/L	metaTRACE
0	PENTACHLOROPHENOL	LT	50 ug/L	metaTRACE
0	P-PHENYLENEDIAMINE	LT	10 ug/L	metaTRACE
0	P-DIMETHYLAMINOAZOBENZENE	LT	10 ug/L	metaTRACE
0	PHENACETIN	LT	10 ug/L	metaTRACE
0	PHENANTHRENE	LT	10 ug/L	metaTRACE
0	PHENOLS	LT	10 ug/L	metaTRACE
0	PHORATE	LT	10 ug/L	metaTRACE
0	2,2-BIS(4-CHLOROPHENYL)-1,1-DCE	LT	0.10 ug/L	metaTRACE
0	2,2-BIS(4-CHLOROPHENYL)-1,1-DCE	LT	0.10 ug/L	metaTRACE
0	2,2-BIS(4-CHLOROPHENYL)-1,1,1-TCF	LT	0.10 ug/L	metaTRACE
0	PRONAMIDE	LT	10 ug/L	metaTRACE
0	PROPIONITRILE	LT	5 ug/L	metaTRACE
0	PARATHION	LT	10 ug/L	metaTRACE
0	PARATHION METHYL	LT	10 ug/L	metaTRACE
0	PYRENE	LT	10 ug/L	metaTRACE
0	PYRIDINE	LT	10 ug/L	metaTRACE
0	SAFROLE	LT	10 ug/L	metaTRACE
1	ANTIMONY	LT	11 ug/L	metaTRACE
0	2-SEC-BUTYL-4,6-DINITROPHENOL	LT	10 ug/L	metaTRACE
0	SELENIUM	LT	2 ug/L	metaTRACE
0	SILVEX	LT	0.07 ug/L	metaTRACE
1	TIN	LT	237 ug/L	metaTRACE
0	STYRENE	LT	5 ug/L	metaTRACE
0	SULFIDE	LT	1000 ug/L	metaTRACE
0	1,2,4,5-TETRACHLOROBENZENE	LT	10 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
2	TETRACHLOROETHYLENE	LT	630 ug/L	metaTRACE

CONTINUED

WELL MSB 2A COLLECTED ON 09/2 /89 LABORATORY ANALYSES CONTINUED

0	TETRAETHYL DITHIOPHOSPHATE	LT	10 ug/L	metaTRACE
0	O,O,O-TRIETHYL PHOSPHOROTHIOATE	LT	10 ug/L	metaTRACE
0	THIOAZIN	LT	10 ug/L	metaTRACE
0	THALLIUM	LT	10 ug/L	metaTRACE
2	TRICHLOROETHYLENE	LT	420 ug/L	metaTRACE
0	TOXAPHENE	LT	1 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	TRANS-1,4-DICHLORO-2-BUTENE	LT	10 ug/L	metaTRACE
0	VANADIUM	LT	5 ug/L	metaTRACE
0	VINYL ACETATE	LT	5 ug/L	metaTRACE
0	XYLENES	LT	5 ug/L	metaTRACE
0	1-NAPHTHYLAMINE	LT	10 ug/L	metaTRACE
1	1,1-DICHLOROETHYLENE	LT	7 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	18 ug/L	metaTRACE
0	1,1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DIBROMOETHANE	LT	5 ug/L	metaTRACE
0	1,2-DIBROMO-3-CHLOROPROPANE	LT	10 ug/L	metaTRACE
0	1,2-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROBENZENE	LT	10 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	1,2,3-TRICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	1,2,4-TRICHLOROBENZENE	LT	10 ug/L	metaTRACE
0	1,3-DICHLOROBENZENE	LT	10 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	1,4-BENZOQUINONE	LT	10 ug/L	metaTRACE
0	1,4-DICHLOROBENZENE	LT	10 ug/L	metaTRACE
0	1,4-DIOXANE	LT	10 ug/L	metaTRACE
0	1,4-NAPHTHOQUINONE	LT	10 ug/L	metaTRACE
0	2-ACETYLAMINOFUORENE	LT	10 ug/L	metaTRACE
0	2-CHLOROPHENOL	LT	10 ug/L	metaTRACE
0	2-CHLORONAPHTHALENE	LT	10 ug/L	metaTRACE
0	2-HEXANONE	LT	10 ug/L	metaTRACE
0	2-METHYLNAPHTHALENE	LT	10 ug/L	metaTRACE
0	2-NAPHTHYLAMINE	LT	10 ug/L	metaTRACE
0	2-NITROPHENOL	LT	10 ug/L	metaTRACE
0	2-PICOLINE	LT	10 ug/L	metaTRACE
0	2,3,4,6-TETRACHLOROPHENOL	LT	10 ug/L	metaTRACE
0	2,4-DICHLOROPHENOXACETIC ACID	LT	0.46 ug/L	metaTRACE
0	2,4-DICHLOROPHENOL	LT	10 ug/L	metaTRACE
0	2,4-DIMETHYL PHENOL	LT	10 ug/L	metaTRACE
0	2,4-DINITROPHENOL	LT	50 ug/L	metaTRACE
0	2,4-DINITROTOLUENE	LT	10 ug/L	metaTRACE
0	2,4,5-TRICHLOROPHENOXACETIC ACID	LT	0.07 ug/L	metaTRACE
0	2,4,5-TRICHLOROPHENOL	LT	10 ug/L	metaTRACE
0	2,4,6-TRICHLOROPHENOL	LT	10 ug/L	metaTRACE
0	2,6-DICHLOROPHENOL	LT	10 ug/L	metaTRACE
0	2,6-DINITROTOLUENE	LT	10 ug/L	metaTRACE
0	3-METHYLCHOLANTHRENE	LT	10 ug/L	metaTRACE
0	3,3-DICHLOROBENZIDINE	LT	20 ug/L	metaTRACE
0	3,3-DIMETHYLBENZIDINE	LT	10 ug/L	metaTRACE
0	4-AMINOBIOPHENYL	LT	10 ug/L	metaTRACE
0	4-BROMOPHENYLPHENYL ETHER	LT	10 ug/L	metaTRACE
0	4-CHLOROANILINE	LT	10 ug/L	metaTRACE
0	4-CHLOROPHENYLPHENYL ETHER	LT	10 ug/L	metaTRACE
0	4-CHLORO-3-METHYLPHENOL	LT	10 ug/L	metaTRACE
0	4-METHYL-2-PENTANONE	LT	10 ug/L	metaTRACE
0	4-NITROPHENOL	LT	10 ug/L	metaTRACE
0	7,12-DIMETHYLBENZ(A)ANTHRACENE	LT	10 ug/L	metaTRACE
0	ZINC	LT	41 ug/L	metaTRACE

WELL MSB 3A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/09/89 Time 1625
The well was dry.

WELL MSB 4A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/09/89 Time 1650
The well was dry.

WELL MSB 5A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/09/89 Time 1710
pH = 4.8 Alkalinity = 1 mg/L
Specific conductance = 116 umhos/cm
Water temperature = 21.6 degrees Celsius
Water evacuated from the well prior to sampling = 44 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	120.0 UMC	Gen. Eng.
0	PH	5.39 pH	Gen. Eng.
0	SILVER	2 ug/L	Gen. Eng.
0	ALUMINUM	48 ug/L	Gen. Eng.
0	ARSENIC	2 ug/L	Gen. Eng.
0	BARIUM	8 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	1 ug/L	Gen. Eng.
0	TRICHLOROFUOROMETHANE	1 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	1.00 ug/L	Gen. Eng.
0	CADMIUM	2 ug/L	Gen. Eng.

CONTINUED

WELL MSB 5A COLLECTED ON 07/09/89 LABORATORY ANALYSES CONTINUED

0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	W-Area, SRS
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LY	1 ug/L	Gen. Eng.
0	CHLORIDE		3400 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHROMIUM	LT	4 ug/L	Gen. Eng.
1	COPPER		66 ug/L	Gen. Eng.
0	CYANIDE	LT	5 ug/L	Gen. Eng.
0	CYANIDE	LT	5 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	ENDRIN	LT	0.10 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	IRON		80 ug/L	Gen. Eng.
0	MERCURY		0.30 ug/L	Gen. Eng.
1	TOLUENE		2 ug/L	Gen. Eng.
0	MANGANESE		19 ug/L	Gen. Eng.
1	SODIUM		20300 ug/L	Gen. Eng.
0	NICKEL	LT	4 ug/L	Gen. Eng.
2	NITRATE AS NITROGEN		11300 ug/L	Gen. Eng.
0	LEAD	LT	6 ug/L	Gen. Eng.
1	PHENOLS		6 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	Gen. Eng.
0	SULFATE	LT	5000 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
2	TETRACHLOROETHYLENE		14.0 ug/L	Gen. Eng.
2	TETRACHLOROETHYLENE		18.8 ug/L	W-Area, SRS
0	TOTAL ORGANIC CARBON		1000 ug/L	Gen. Eng.
1	TOTAL ORGANIC HALOGENS		17 ug/L	Gen. Eng.
0	TOTAL PHOSPHORUS	LT	50 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE		8.00 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE		6.82 ug/L	W-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	W-Area, SRS
0	URANIUM	LT	1000 ug/L	Gen. Eng.
1	1,1-DICHLOROETHYLENE		4 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	W-Area, SRS
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
1	1,1,1-TRICHLOROETHANE		5 ug/L	Gen. Eng.
1	1,1,1-TRICHLOROETHANE		6 ug/L	W-Area, SRS
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	2 ug/L	Gen. Eng.
0	ZINC		29 ug/L	Gen. Eng.
0	GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
1	NONVOLATILE BETA		13.90+-3.20 pCi/L	Gen. Eng.
0	TOTAL RADIUM		1.25+-0.80 pCi/L	Gen. Eng.

WELL MSB 5A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/22/89 Time 1115
 pH = 5.2 Alkalinity = 2 mg/L
 Specific conductance = 109 umhos/cm
 Water temperature = 20.4 degrees Celsius
 Water evacuated from the well prior to sampling = 44 gal

LABORATORY ANALYSES

0	HEPTACHLORODIBENZODIOXINS	LT	0.96 ng/L	metaTRACE
0	HEPTACHLORODIBENZOFURANS	LT	0.81 ng/L	metaTRACE
0	HEXACHLORODIBENZODIOXINS	LT	0.89 ng/L	metaTRACE
0	HEXACHLORODIBENZOFURANS	LT	0.93 ng/L	metaTRACE
0	ORTHOCHLORODIBENZODIOXINS	LT	0.99 ng/L	metaTRACE
0	ORTHOCHLORODIBENZOFURANS	LT	1 ng/L	metaTRACE
0	PENTACHLORODIBENZODIOXINS	LT	0.75 ng/L	metaTRACE
0	PENTACHLORODIBENZOFURANS	LT	0.57 ng/L	metaTRACE
0	TETRACHLORODIBENZODIOXIN	LT	0.95 ng/L	metaTRACE
0	TETRACHLORODIBENZOFURAN	LT	0.72 ng/L	metaTRACE
0	A, A-DIMETHYLPHENETHYLAMINE	LT	10 ug/L	Gen. Eng.
0	A, A-DIMETHYLPHENETHYLAMINE	LT	10 ug/L	Gen. Eng.
0	ALPHA-BENZENEHEXACHLORIDE	LT	0.50 ug/L	Gen. Eng.
0	ALPHA-BENZENEHEXACHLORIDE	LT	0.50 ug/L	Gen. Eng.
0	ACETONE	LT	1 ug/L	Gen. Eng.
0	ACETONE	LT	1 ug/L	Gen. Eng.
0	ACETOPHENONE	LT	10 ug/L	Gen. Eng.
0	ACETOPHENONE	LT	10 ug/L	Gen. Eng.
0	ACROLEIN	LT	20 ug/L	Gen. Eng.
0	ACROLEIN	LT	200 ug/L	Gen. Eng.
0	ACRYLONITRILE	LT	20 ug/L	Gen. Eng.
0	ACRYLONITRILE	LT	20 ug/L	Gen. Eng.
0	SILVER	LT	2 ug/L	Gen. Eng.
0	SILVER	LT	2 ug/L	Gen. Eng.
0	ALDRIN	LT	0.50 ug/L	Gen. Eng.
0	ALDRIN	LT	0.50 ug/L	Gen. Eng.
0	ACENAPHTHENE	LT	10 ug/L	Gen. Eng.
0	ACENAPHTHENE	LT	10 ug/L	Gen. Eng.
0	ACENAPHTHYLENE	LT	10 ug/L	Gen. Eng.
0	ACENAPHTHYLENE	LT	10 ug/L	Gen. Eng.
0	ANILINE	LT	10 ug/L	Gen. Eng.
0	ANTHRACENE	LT	10 ug/L	Gen. Eng.
0	ANTHRACENE	LT	10 ug/L	Gen. Eng.
0	ARAMITE	LT	10 ug/L	Gen. Eng.
0	ARAMITE	LT	10 ug/L	Gen. Eng.
0	ARSENIC	LT	2 ug/L	Gen. Eng.
0	ARSENIC	LT	2 ug/L	Gen. Eng.

CONTINUED

WELL MSB 5A COLLECTED ON 08/22/89 LABORATORY ANALYSES CONTINUED

0	ALLYL CHLORIDE	LT	1 ug/L	Gen. Eng.
0	ALLYL CHLORIDE	LT	1 ug/L	Gen. Eng.
0	BARLIUM		7 ug/L	Gen. Eng.
0	BARLIUM		6 ug/L	Gen. Eng.
0	BENZO(A)ANTHRACENE	LT	10 ug/L	Gen. Eng.
0	BENZO(A)ANTHRACENE	LT	10 ug/L	Gen. Eng.
0	BENZO(A)PYRENE	LT	10 ug/L	Gen. Eng.
0	BENZO(A)PYRENE	LT	10 ug/L	Gen. Eng.
0	BENZO(B)FLUORANTHENE	LT	10 ug/L	Gen. Eng.
0	BENZO(B)FLUORANTHENE	LT	10 ug/L	Gen. Eng.
0	BETA-BENZENEHEXACHLORIDE	LT	0.50 ug/L	Gen. Eng.
0	BETA-BENZENEHEXACHLORIDE	LT	0.50 ug/L	Gen. Eng.
0	BUTYLBENZYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0	BUTYLBENZYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0	BIS(CHLOROMETHYL-ETHYL)ETHER	LT	10 ug/L	Gen. Eng.
0	BIS(CHLOROMETHYL-ETHYL)ETHER	LT	10 ug/L	Gen. Eng.
0	BERYLLIUM	LT	5 ug/L	Gen. Eng.
0	BERYLLIUM	LT	5 ug/L	Gen. Eng.
0	BENZO(O, H, I)PERYLENE	LT	10 ug/L	Gen. Eng.
0	BENZO(O, H, I)PERYLENE	LT	10 ug/L	Gen. Eng.
0	BENZO(K)FLUORANTHENE	LT	10 ug/L	Gen. Eng.
0	BENZO(K)FLUORANTHENE	LT	10 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	BENZYL ALCOHOL	LT	20 ug/L	Gen. Eng.
0	BENZYL ALCOHOL	LT	20 ug/L	Gen. Eng.
0	BIS(2-CHLOROETHOXY) METHANE	LT	10 ug/L	Gen. Eng.
0	BIS(2-CHLOROETHOXY) METHANE	LT	10 ug/L	Gen. Eng.
0	BIS(2-CHLOROETHYL) ETHER	LT	10 ug/L	Gen. Eng.
0	BIS(2-CHLOROETHYL) ETHER	LT	10 ug/L	Gen. Eng.
0	BIS(2-ETHYLHEXYL) PHTHALATE	LT	10 ug/L	Gen. Eng.
0	BIS(2-ETHYLHEXYL) PHTHALATE	LT	10 ug/L	Gen. Eng.
0	DICHLORODIFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	DICHLORODIFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	TRICHLOROFUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	TRICHLOROFUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	CADMIUM	LT	2 ug/L	Gen. Eng.
0	CADMIUM	LT	2 ug/L	Gen. Eng.
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	W-Area, SRS
0	CHRYSENE	LT	10 ug/L	Gen. Eng.
0	CHRYSENE	LT	10 ug/L	Gen. Eng.
0	METHYLENE BROMIDE	LT	1 ug/L	Gen. Eng.
0	METHYLENE BROMIDE	LT	1 ug/L	Gen. Eng.
0	METHYLENE BROMIDE	LT	1 ug/L	Gen. Eng.
0	METHYLENE BROMIDE	LT	1 ug/L	Gen. Eng.
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	ACETONITRILE (METHYL CYANIDE)	LT	1 ug/L	Gen. Eng.
0	ACETONITRILE (METHYL CYANIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROBENZILATE	LT	10 ug/L	Gen. Eng.
0	CHLOROBENZILATE	LT	10 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHLORDANE	LT	0.50 ug/L	Gen. Eng.
0	CHLORDANE	LT	0.50 ug/L	Gen. Eng.
0	CHLOROPRENE	LT	1 ug/L	Gen. Eng.
0	CHLOROPRENE	LT	1 ug/L	Gen. Eng.
0	PENTACHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	PENTACHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	PENTACHLOROETHANE	LT	10 ug/L	Gen. Eng.
0	PENTACHLOROETHANE	LT	10 ug/L	Gen. Eng.
0	PENTACHLORONITROBENZENE	LT	10 ug/L	Gen. Eng.
0	PENTACHLORONITROBENZENE	LT	10 ug/L	Gen. Eng.
0	HEXACHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	HEXACHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	HEXACHLOROCYCLOPENTADIENE	LT	10 ug/L	Gen. Eng.
0	HEXACHLOROCYCLOPENTADIENE	LT	10 ug/L	Gen. Eng.
0	HEXACHLOROCYCLOPENTADIENE	LT	10 ug/L	Gen. Eng.
0	HEXACHLOROCYCLOPENTADIENE	LT	10 ug/L	Gen. Eng.
0	COBALT	LT	4 ug/L	Gen. Eng.
0	COBALT	LT	4 ug/L	Gen. Eng.
0	CHROMIUM	LT	4 ug/L	Gen. Eng.
0	CHROMIUM	LT	4 ug/L	Gen. Eng.
0	CARBON DISULFIDE	LT	1 ug/L	Gen. Eng.
0	CARBON DISULFIDE	LT	1 ug/L	Gen. Eng.
0	COPPER		16 ug/L	Gen. Eng.
0	COPPER		12 ug/L	Gen. Eng.
0	CYANIDE	LT	5 ug/L	Gen. Eng.
0	CYANIDE	LT	5 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	DIBENZ(A, H)ANTHRACENE	LT	10 ug/L	Gen. Eng.
0	DIBENZ(A, H)ANTHRACENE	LT	10 ug/L	Gen. Eng.
0	DIBROMOCHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	DELTA-BENZENEHEXACHLORIDE	LT	0.50 ug/L	Gen. Eng.
0	DELTA-BENZENEHEXACHLORIDE	LT	0.50 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	DIETHYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0	DIETHYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0	DIALATE	LT	10 ug/L	Gen. Eng.
0	DIALATE	LT	10 ug/L	Gen. Eng.
0	DIBENZOFURAN	LT	10 ug/L	Gen. Eng.
0	DIBENZOFURAN	LT	10 ug/L	Gen. Eng.

CONTINUED

0	DIMETHOATE	LT	10 ug/L	Gen. Eng.
0	DIMETHOATE	LT	10 ug/L	Gen. Eng.
0	DISULFOTON	LT	10 ug/L	Gen. Eng.
0	DISULFOTON	LT	10 ug/L	Gen. Eng.
0	DIELDRIN	LT	0.50 ug/L	Gen. Eng.
0	DIELDRIN	LT	0.50 ug/L	Gen. Eng.
0	DIMETHYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0	DIMETHYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0	DI-N-BUTYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0	DI-N-BUTYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0	DI-N-OCTYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0	DI-N-OCTYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0	DIPHENYLAMINE	LT	10 ug/L	Gen. Eng.
0	DIPHENYLAMINE	LT	10 ug/L	Gen. Eng.
0	ETHYL METHANESULFONATE	LT	10 ug/L	Gen. Eng.
0	ETHYL METHANESULFONATE	LT	10 ug/L	Gen. Eng.
0	ENDRIN ALDEHYDE	LT	0.50 ug/L	Gen. Eng.
0	ENDRIN ALDEHYDE	LT	0.50 ug/L	Gen. Eng.
0	ENDRIN	LT	0.50 ug/L	Gen. Eng.
0	ENDRIN	LT	0.50 ug/L	Gen. Eng.
0	ENDOSULFAM I	LT	0.50 ug/L	Gen. Eng.
0	ENDOSULFAM I	LT	0.50 ug/L	Gen. Eng.
0	ENDOSULFAM II	LT	0.50 ug/L	Gen. Eng.
0	ENDOSULFAM II	LT	0.50 ug/L	Gen. Eng.
0	ENDOSULFAM SULFATE	LT	0.50 ug/L	Gen. Eng.
0	ENDOSULFAM SULFATE	LT	0.50 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	ETHYL METHACRYLATE	LT	10 ug/L	Gen. Eng.
0	ETHYL METHACRYLATE	LT	10 ug/L	Gen. Eng.
0	FAMPHUR	LT	10 ug/L	Gen. Eng.
0	FAMPHUR	LT	10 ug/L	Gen. Eng.
0	FLUORANTHENE	LT	10 ug/L	Gen. Eng.
0	FLUORANTHENE	LT	10 ug/L	Gen. Eng.
0	FLUORENE	LT	10 ug/L	Gen. Eng.
0	FLUORENE	LT	10 ug/L	Gen. Eng.
0	HEXACHLOROBUTADIENE	LT	10 ug/L	Gen. Eng.
0	HEXACHLOROBUTADIENE	LT	10 ug/L	Gen. Eng.
0	HEXACHLOROPHENE	LT	10 ug/L	Gen. Eng.
0	HEXACHLOROPHENE	LT	10 ug/L	Gen. Eng.
0	HEXACHLOROPROPENE	LT	10 ug/L	Gen. Eng.
0	HEXACHLOROPROPENE	LT	10 ug/L	Gen. Eng.
0	MERCURY	LT	0.20 ug/L	Gen. Eng.
0	MERCURY	LT	0.20 ug/L	Gen. Eng.
0	HEPTACHLOR	LT	0.50 ug/L	Gen. Eng.
0	HEPTACHLOR	LT	0.50 ug/L	Gen. Eng.
0	HEPTACHLOR EPOXIDE	LT	0.50 ug/L	Gen. Eng.
0	HEPTACHLOR EPOXIDE	LT	0.50 ug/L	Gen. Eng.
0	INDENO(1,2,3-C,D)PYRENE	LT	10 ug/L	Gen. Eng.
0	INDENO(1,2,3-C,D)PYRENE	LT	10 ug/L	Gen. Eng.
0	INDOMETHANE	LT	1 ug/L	Gen. Eng.
0	INDOMETHANE	LT	1 ug/L	Gen. Eng.
0	ISOSAFROLE	LT	10 ug/L	Gen. Eng.
0	ISOSAFROLE	LT	10 ug/L	Gen. Eng.
0	ISOBUTYL ALCOHOL	LT	1 ug/L	Gen. Eng.
0	ISOBUTYL ALCOHOL	LT	1 ug/L	Gen. Eng.
0	ISODRIN	LT	10 ug/L	Gen. Eng.
0	ISODRIN	LT	10 ug/L	Gen. Eng.
0	ISOPHORONE	LT	10 ug/L	Gen. Eng.
0	ISOPHORONE	LT	10 ug/L	Gen. Eng.
0	KEPONE	LT	10 ug/L	Gen. Eng.
0	KEPONE	LT	10 ug/L	Gen. Eng.
0	LINDANE	LT	0.50 ug/L	Gen. Eng.
0	LINDANE	LT	0.50 ug/L	Gen. Eng.
0	METHACRYLONITRILE	LT	1 ug/L	Gen. Eng.
0	METHACRYLONITRILE	LT	1 ug/L	Gen. Eng.
0	TOLUENE	LT	1 ug/L	Gen. Eng.
0	TOLUENE	LT	1 ug/L	Gen. Eng.
0	METHYLETHYL KETONE	LT	1 ug/L	Gen. Eng.
0	METHYLETHYL KETONE	LT	1 ug/L	Gen. Eng.
0	METHYL METHACRYLATE	LT	10 ug/L	Gen. Eng.
0	METHYL METHACRYLATE	LT	10 ug/L	Gen. Eng.
0	METHYL METHANE SULFONATE	LT	10 ug/L	Gen. Eng.
0	METHYL METHANE SULFONATE	LT	10 ug/L	Gen. Eng.
0	METHOXYCHLOR	LT	4 ug/L	Gen. Eng.
0	METHOXYCHLOR	LT	4 ug/L	Gen. Eng.
0	METHYLISOBUTYL KETONE	LT	1 ug/L	Gen. Eng.
0	METHYLISOBUTYL KETONE	LT	1 ug/L	Gen. Eng.
0	METHAPYRILENE	LT	10 ug/L	Gen. Eng.
0	METHAPYRILENE	LT	10 ug/L	Gen. Eng.
0	NAPHTHALENE	LT	10 ug/L	Gen. Eng.
0	NAPHTHALENE	LT	10 ug/L	Gen. Eng.
0	NITROBENZENE	LT	10 ug/L	Gen. Eng.
0	NITROBENZENE	LT	10 ug/L	Gen. Eng.
0	N-NITROSODIMETHYLAMINE	LT	10 ug/L	Gen. Eng.
0	N-NITROSODIMETHYLAMINE	LT	10 ug/L	Gen. Eng.
0	N-NITROSODI-N-BUTYLAMINE	LT	10 ug/L	Gen. Eng.
0	N-NITROSODI-N-BUTYLAMINE	LT	10 ug/L	Gen. Eng.
0	N-NITROSODI-PROPYLAMINE	LT	10 ug/L	Gen. Eng.
0	N-NITROSODI-PROPYLAMINE	LT	10 ug/L	Gen. Eng.
0	N-NITROSODIETHYLAMINE	LT	10 ug/L	Gen. Eng.
0	N-NITROSODIETHYLAMINE	LT	10 ug/L	Gen. Eng.
0	N-NITROSODIETHYLAMINE	LT	10 ug/L	Gen. Eng.
0	N-NITROSODIETHYLAMINE	LT	10 ug/L	Gen. Eng.
0	NICKEL	LT	4 ug/L	Gen. Eng.
0	NICKEL	LT	4 ug/L	Gen. Eng.
0	N-NITROSOMORPHOLINE	LT	10 ug/L	Gen. Eng.
0	N-NITROSOMORPHOLINE	LT	10 ug/L	Gen. Eng.
0	N-NITROSODIPHENYLAMINE	LT	10 ug/L	Gen. Eng.
0	N-NITROSODIPHENYLAMINE	LT	10 ug/L	Gen. Eng.
0	N-NITROSOPIPERIDINE	LT	10 ug/L	Gen. Eng.
0	N-NITROSOPIPERIDINE	LT	10 ug/L	Gen. Eng.
0	N-NITROSOPYRROLIDINE	LT	10 ug/L	Gen. Eng.
0	N-NITROSOPYRROLIDINE	LT	10 ug/L	Gen. Eng.
0	4-NITROQUINOLINE-1-OXIDE	LT	10 ug/L	Gen. Eng.
0	4-NITROQUINOLINE-1-OXIDE	LT	10 ug/L	Gen. Eng.
0	5-NITRO-O-TOLUIDINE	LT	10 ug/L	Gen. Eng.
0	5-NITRO-O-TOLUIDINE	LT	10 ug/L	Gen. Eng.
0	O-TOLUIDINE	LT	10 ug/L	Gen. Eng.

CONTINUED

0	O-TOLUIDINE	LT	10 ug/L	Gen. Eng.
0	LEAD	LT	6 ug/L	Gen. Eng.
0	LEAD	LT	6 ug/L	Gen. Eng.
0	PCB 1016	LT	0.50 ug/L	Gen. Eng.
0	PCB 1016	LT	0.50 ug/L	Gen. Eng.
0	PCB 1221	LT	0.50 ug/L	Gen. Eng.
0	PCB 1221	LT	0.50 ug/L	Gen. Eng.
0	PCB 1232	LT	0.50 ug/L	Gen. Eng.
0	PCB 1232	LT	0.50 ug/L	Gen. Eng.
0	PCB 1242	LT	0.50 ug/L	Gen. Eng.
0	PCB 1242	LT	0.50 ug/L	Gen. Eng.
0	PCB 1248	LT	0.50 ug/L	Gen. Eng.
0	PCB 1248	LT	0.50 ug/L	Gen. Eng.
0	PCB 1254	LT	0.50 ug/L	Gen. Eng.
0	PCB 1254	LT	0.50 ug/L	Gen. Eng.
0	PCB 1260	LT	0.50 ug/L	Gen. Eng.
0	PCB 1260	LT	0.50 ug/L	Gen. Eng.
0	PCB 1262	LT	0.50 ug/L	Gen. Eng.
0	PCB 1262	LT	0.50 ug/L	Gen. Eng.
0	PENTACHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	PENTACHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	P-PHENYLENEDIAMINE	LT	10 ug/L	Gen. Eng.
0	P-PHENYLENEDIAMINE	LT	10 ug/L	Gen. Eng.
0	P-DIMETHYLAMINOAZOBENZENE	LT	10 ug/L	Gen. Eng.
0	P-DIMETHYLAMINOAZOBENZENE	LT	10 ug/L	Gen. Eng.
0	PHENACETIN	LT	10 ug/L	Gen. Eng.
0	PHENACETIN	LT	10 ug/L	Gen. Eng.
0	PHENANTHRENE	LT	10 ug/L	Gen. Eng.
0	PHENANTHRENE	LT	10 ug/L	Gen. Eng.
0	PHENOLS	LT	10 ug/L	Gen. Eng.
0	PHENOLS	LT	10 ug/L	Gen. Eng.
0	PHORATE	LT	0.50 ug/L	Gen. Eng.
0	PHORATE	LT	0.50 ug/L	Gen. Eng.
0	2,2-BIS(4-CHLOROPHENYL)-1,1-DCE	LT	0.50 ug/L	Gen. Eng.
0	2,2-BIS(4-CHLOROPHENYL)-1,1-DCE	LT	0.50 ug/L	Gen. Eng.
0	2,2-BIS(4-CHLOROPHENYL)-1,1-DCE	LT	0.50 ug/L	Gen. Eng.
0	2,2-BIS(4-CHLOROPHENYL)-1,1-DCE	LT	0.50 ug/L	Gen. Eng.
0	2,2-BIS(4-CHLOROPHENYL)-1,1,1-TCE	LT	0.50 ug/L	Gen. Eng.
0	2,2-BIS(4-CHLOROPHENYL)-1,1,1-TCE	LT	0.50 ug/L	Gen. Eng.
0	PRONAMIDE	LT	10 ug/L	Gen. Eng.
0	PRONAMIDE	LT	10 ug/L	Gen. Eng.
0	PROPIONITRILE	LT	1 ug/L	Gen. Eng.
0	PROPIONITRILE	LT	1 ug/L	Gen. Eng.
0	PARATHION	LT	0.50 ug/L	Gen. Eng.
0	PARATHION	LT	0.50 ug/L	Gen. Eng.
0	PARATHION METHYL	LT	0.50 ug/L	Gen. Eng.
0	PARATHION METHYL	LT	0.50 ug/L	Gen. Eng.
0	PYRENE	LT	10 ug/L	Gen. Eng.
0	PYRENE	LT	10 ug/L	Gen. Eng.
0	PYRIDINE	LT	10 ug/L	Gen. Eng.
0	PYRIDINE	LT	10 ug/L	Gen. Eng.
0	SAFROLE	LT	10 ug/L	Gen. Eng.
0	SAFROLE	LT	10 ug/L	Gen. Eng.
0	ANTIMONY	LT	3 ug/L	Gen. Eng.
0	ANTIMONY	LT	3 ug/L	Gen. Eng.
0	2-SEC-BUTYL-4,6-DINITROPHENOL	LT	10 ug/L	Gen. Eng.
0	2-SEC-BUTYL-4,6-DINITROPHENOL	LT	10 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	Gen. Eng.
0	SILVEX	LT	0.50 ug/L	Gen. Eng.
0	SILVEX	LT	0.50 ug/L	Gen. Eng.
0	TIN	LT	2 ug/L	Gen. Eng.
0	TIN	LT	2 ug/L	Gen. Eng.
0	STYRENE	LT	1 ug/L	Gen. Eng.
0	STYRENE	LT	1 ug/L	Gen. Eng.
0	SULFIDE	LT	1000 ug/L	Gen. Eng.
0	SULFIDE	LT	1000 ug/L	Gen. Eng.
0	1,2,4,5-TETRACHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	1,2,4,5-TETRACHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
2	TETRACHLOROETHYLENE	LT	15.0 ug/L	Gen. Eng.
2	TETRACHLOROETHYLENE	LT	19.0 ug/L	Gen. Eng.
2	TETRACHLOROETHYLENE	LT	20.3 ug/L	W-Area, SRS
0	0,0,0-TRIETHYL PHOSPHOROTHIOATE	LT	10 ug/L	Gen. Eng.
0	0,0,0-TRIETHYL PHOSPHOROTHIOATE	LT	10 ug/L	Gen. Eng.
0	THALLIUM	LT	2 ug/L	Gen. Eng.
0	THALLIUM	LT	2 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE	LT	7.00 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE	LT	9.00 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE	LT	8.71 ug/L	W-Area, SRS
0	TOXAPHENE	LT	5 ug/L	Gen. Eng.
0	TOXAPHENE	LT	5 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	W-Area, SRS
0	TRANS-1,4-DICHLORO-2-BUTENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,4-DICHLORO-2-BUTENE	LT	1 ug/L	Gen. Eng.
0	VANADIUM	LT	20 ug/L	Gen. Eng.
0	VANADIUM	LT	20 ug/L	Gen. Eng.
0	VINYL ACETATE	LT	1 ug/L	Gen. Eng.
0	VINYL ACETATE	LT	1 ug/L	Gen. Eng.
0	XYLENES	LT	2 ug/L	Gen. Eng.
0	XYLENES	LT	2 ug/L	Gen. Eng.
0	1-NAPHTHYLAMINE	LT	10 ug/L	Gen. Eng.
0	1-NAPHTHYLAMINE	LT	10 ug/L	Gen. Eng.
1	1,1-DICHLOROETHYLENE	LT	3 ug/L	Gen. Eng.
1	1,1-DICHLOROETHYLENE	LT	2 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	W-Area, SRS
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
1	1,1,1-TRICHLOROETHANE	LT	5 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
1	1,1,1-TRICHLOROETHANE	LT	7 ug/L	W-Area, SRS
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROBENZENE	LT	10 ug/L	Gen. Eng.

CONTINUED

WELL MSB 5A COLLECTED ON 08/22/89 LABORATORY ANALYSES CONTINUED

0	1,2-DICHLOROETHANE	LT	10 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	1,2,3-TRICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	1,2,3-TRICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	1,2,4-TRICHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	1,2,4-TRICHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	1,3-DICHLOROETHANE	LT	10 ug/L	Gen. Eng.
0	1,3-DICHLOROETHANE	LT	10 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	1,3-DINITROBENZENE	LT	10 ug/L	Gen. Eng.
0	1,3-DINITROBENZENE	LT	10 ug/L	Gen. Eng.
0	1,3,5-TRINITROBENZENE	LT	10 ug/L	Gen. Eng.
0	1,3,5-TRINITROBENZENE	LT	10 ug/L	Gen. Eng.
0	1,4-DICHLOROETHANE	LT	10 ug/L	Gen. Eng.
0	1,4-DICHLOROETHANE	LT	10 ug/L	Gen. Eng.
0	1,4-DIOXANE	LT	10 ug/L	Gen. Eng.
0	1,4-DIOXANE	LT	10 ug/L	Gen. Eng.
0	1,4-NAPHTHOQUINONE	LT	10 ug/L	Gen. Eng.
0	1,4-NAPHTHOQUINONE	LT	10 ug/L	Gen. Eng.
0	2-ACETYLAMINOFLOURENE	LT	10 ug/L	Gen. Eng.
0	2-ACETYLAMINOFLOURENE	LT	10 ug/L	Gen. Eng.
0	2-CHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2-CHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2-CHLORONAPHTHALENE	LT	10 ug/L	Gen. Eng.
0	2-CHLORONAPHTHALENE	LT	10 ug/L	Gen. Eng.
0	2-HEXANONE	LT	1 ug/L	Gen. Eng.
0	2-HEXANONE	LT	1 ug/L	Gen. Eng.
0	2-METHYLNAPHTHALENE	LT	10 ug/L	Gen. Eng.
0	2-METHYLNAPHTHALENE	LT	10 ug/L	Gen. Eng.
0	2-METHYL PHENOL	LT	10 ug/L	Gen. Eng.
0	2-METHYL PHENOL	LT	10 ug/L	Gen. Eng.
0	2-NITROANILINE	LT	10 ug/L	Gen. Eng.
0	2-NITROANILINE	LT	10 ug/L	Gen. Eng.
0	2-NAPHTHYLAMINE	LT	10 ug/L	Gen. Eng.
0	2-NAPHTHYLAMINE	LT	10 ug/L	Gen. Eng.
0	2-NITROPHENOL	LT	10 ug/L	Gen. Eng.
0	2-NITROPHENOL	LT	10 ug/L	Gen. Eng.
0	2-PICOLINE	LT	10 ug/L	Gen. Eng.
0	2-PICOLINE	LT	10 ug/L	Gen. Eng.
0	2,3,4,6-TETRACHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,3,4,6-TETRACHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,4-DICHLOROPHENOXYACETIC ACID	LT	0.50 ug/L	Gen. Eng.
0	2,4-DICHLOROPHENOXYACETIC ACID	LT	0.50 ug/L	Gen. Eng.
0	2,4-DICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,4-DICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,4-DIMETHYL PHENOL	LT	10 ug/L	Gen. Eng.
0	2,4-DIMETHYL PHENOL	LT	10 ug/L	Gen. Eng.
0	2,4-DINITROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,4-DINITROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,4-DINITROTOLUENE	LT	10 ug/L	Gen. Eng.
0	2,4-DINITROTOLUENE	LT	10 ug/L	Gen. Eng.
0	2,4,5-TRICHLOROPHENOXYACETIC ACID	LT	0.50 ug/L	Gen. Eng.
0	2,4,5-TRICHLOROPHENOXYACETIC ACID	LT	0.50 ug/L	Gen. Eng.
0	2,4,5-TRICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,4,5-TRICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,4,6-TRICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,4,6-TRICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,6-DICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,6-DICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,6-DINITROTOLUENE	LT	10 ug/L	Gen. Eng.
0	2,6-DINITROTOLUENE	LT	10 ug/L	Gen. Eng.
0	3-METHYLCHOLANTHRENE	LT	10 ug/L	Gen. Eng.
0	3-METHYLCHOLANTHRENE	LT	10 ug/L	Gen. Eng.
0	3-METHYL PHENOL	LT	10 ug/L	Gen. Eng.
0	3-METHYL PHENOL	LT	10 ug/L	Gen. Eng.
0	3-NITROANILINE	LT	10 ug/L	Gen. Eng.
0	3-NITROANILINE	LT	10 ug/L	Gen. Eng.
0	3,3-DICHLOROBENZIDENE	LT	20 ug/L	Gen. Eng.
0	3,3-DICHLOROBENZIDENE	LT	20 ug/L	Gen. Eng.
0	3,3-DIMETHYLBENZIDINE	LT	10 ug/L	Gen. Eng.
0	3,3-DIMETHYLBENZIDINE	LT	10 ug/L	Gen. Eng.
0	4-AMINOBIIPHENYL	LT	10 ug/L	Gen. Eng.
0	4-AMINOBIIPHENYL	LT	10 ug/L	Gen. Eng.
0	4-BROMOPHENYL PHENYL ETHER	LT	10 ug/L	Gen. Eng.
0	4-BROMOPHENYL PHENYL ETHER	LT	10 ug/L	Gen. Eng.
0	4-CHLOROANILINE	LT	10 ug/L	Gen. Eng.
0	4-CHLOROANILINE	LT	10 ug/L	Gen. Eng.
0	4-CHLOROPHENYL PHENYL ETHER	LT	10 ug/L	Gen. Eng.
0	4-CHLOROPHENYL PHENYL ETHER	LT	10 ug/L	Gen. Eng.
0	PARA-CHLORO-META-CRESOL	LT	10 ug/L	Gen. Eng.
0	PARA-CHLORO-META-CRESOL	LT	10 ug/L	Gen. Eng.
0	4-METHYL PHENOL	LT	10 ug/L	Gen. Eng.
0	4-METHYL PHENOL	LT	10 ug/L	Gen. Eng.
0	4-NITROANILINE	LT	10 ug/L	Gen. Eng.
0	4-NITROANILINE	LT	10 ug/L	Gen. Eng.
0	4-NITROPHENOL	LT	10 ug/L	Gen. Eng.
0	4-NITROPHENOL	LT	10 ug/L	Gen. Eng.
0	2-METHYL-4,6-DINITROPHENOL	LT	10 ug/L	Gen. Eng.
0	2-METHYL-4,6-DINITROPHENOL	LT	10 ug/L	Gen. Eng.
0	7,12-DIMETHYLBENZ(A)ANTHRACENE	LT	10 ug/L	Gen. Eng.
0	7,12-DIMETHYLBENZ(A)ANTHRACENE	LT	10 ug/L	Gen. Eng.
0	ZINC	LT	52 ug/L	Gen. Eng.
0	ZINC	LT	35 ug/L	Gen. Eng.

WELL MSB 5A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/22/89 Time 1115
 pH = 5.2 Alkalinity = 2 mg/L
 Specific conductance = 109 umhos/cm
 Water temperature = 20.4 degrees Celsius
 Water evacuated from the well prior to sampling = 44 gal

LABORATORY ANALYSES

0	HEPTACHLORODIBENZODIOXINS	LT	0.88 ng/L	metaTRACE
0	HEPTACHLORODIBENZOFURANS	LT	0.91 ng/L	metaTRACE
0	HEPTACHLORODIBENZODIOXINS	LT	0.97 ng/L	metaTRACE
0	HEPTACHLORODIBENZODIOXINS	LT	0.83 ng/L	metaTRACE
0	ORTHOCHELORODIBENZODIOXINS	LT	0.94 ng/L	metaTRACE
0	ORTHOCHELORODIBENZODIOXINS	LT	0.74 ng/L	metaTRACE
0	PENTACHLORODIBENZODIOXINS	LT	0.86 ng/L	metaTRACE
0	PENTACHLORODIBENZODIOXINS	LT	0.61 ng/L	metaTRACE
0	TETRACHLORODIBENZODIOXIN	LT	0.70 ng/L	metaTRACE
0	TETRACHLORODIBENZODIOXIN	LT	0.93 ng/L	metaTRACE
0	A, A-DIMETHYLPHENETHYLAMINE	LT	10 ug/L	Gen. Eng.
0	ALPHA-BENZENEHEXACHLORIDE	LT	0.50 ug/L	Gen. Eng.
0	ACETONE	LT	1 ug/L	Gen. Eng.
0	ACETOPHENONE	LT	10 ug/L	Gen. Eng.
0	ACROLEIN	LT	20 ug/L	Gen. Eng.
0	ACRYLONITRILE	LT	20 ug/L	Gen. Eng.
0	SILVER	LT	2 ug/L	Gen. Eng.
0	ALDRIN	LT	0.50 ug/L	Gen. Eng.
0	ACENAPHTHENE	LT	10 ug/L	Gen. Eng.
0	ACENAPHTHYLENE	LT	10 ug/L	Gen. Eng.
0	ANILINE	LT	10 ug/L	Gen. Eng.
0	ANTHRACENE	LT	10 ug/L	Gen. Eng.
0	ARSENITE	LT	2 ug/L	Gen. Eng.
0	ALLYL CHLORIDE	LT	1 ug/L	Gen. Eng.
0	BARIUM	LT	7 ug/L	Gen. Eng.
0	BENZO(A)ANTHRACENE	LT	10 ug/L	Gen. Eng.
0	BENZO(A)PYRENE	LT	10 ug/L	Gen. Eng.
0	BENZO(B)FLUORANTHENE	LT	10 ug/L	Gen. Eng.
0	BETA-BENZENEHEXACHLORIDE	LT	0.50 ug/L	Gen. Eng.
0	BUTYLBENZYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0	BIS(CHLOROMETHYL-ETHYL)ETHER	LT	10 ug/L	Gen. Eng.
0	BERYLLIUM	LT	5 ug/L	Gen. Eng.
0	BENZO(G,H,I)PERYLENE	LT	10 ug/L	Gen. Eng.
0	BENZO(K)FLUORANTHENE	LT	10 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	BENZYL ALCOHOL	LT	20 ug/L	Gen. Eng.
0	BIS(2-CHLOROETHOXY) METHANE	LT	10 ug/L	Gen. Eng.
0	BIS(2-CHLOROETHYL) ETHER	LT	10 ug/L	Gen. Eng.
0	BIS(2-ETHYLHEXYL) PHTHALATE	LT	10 ug/L	Gen. Eng.
0	DICHLORODIFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	TRICHLORODIFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	CADMIUM	LT	2 ug/L	Gen. Eng.
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	CHRYSENE	LT	10 ug/L	Gen. Eng.
0	METHYLENE BROWIDE	LT	1 ug/L	Gen. Eng.
0	METHYLENE BROWIDE	LT	1 ug/L	Gen. Eng.
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	ACETONITRILE (METHYL CYANIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROBENZILATE	LT	10 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHLORDANE	LT	0.50 ug/L	Gen. Eng.
0	CHLOROPRENE	LT	1 ug/L	Gen. Eng.
0	PENTACHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	PENTACHLOROETHANE	LT	10 ug/L	Gen. Eng.
0	PENTACHLORONITROBENZENE	LT	10 ug/L	Gen. Eng.
0	HEXACHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	HEXACHLOROCYCLOPENTADIENE	LT	10 ug/L	Gen. Eng.
0	HEXACHLOROETHANE	LT	10 ug/L	Gen. Eng.
0	COBALT	LT	4 ug/L	Gen. Eng.
0	CHROMIUM	LT	4 ug/L	Gen. Eng.
0	CARBON DISULFIDE	LT	1 ug/L	Gen. Eng.
0	COPPER	LT	16 ug/L	Gen. Eng.
0	CYANIDE	LT	5 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	DIBENZ(A,H)ANTHRACENE	LT	10 ug/L	Gen. Eng.
0	DIBROMOCHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	DELTA-BENZENEHEXACHLORIDE	LT	0.50 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	DIETHYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0	DIALATE	LT	10 ug/L	Gen. Eng.
0	DIBENZOFURAN	LT	10 ug/L	Gen. Eng.
0	DIMETHOATE	LT	10 ug/L	Gen. Eng.
0	DISULFOTON	LT	10 ug/L	Gen. Eng.
0	DIELDRIN	LT	0.50 ug/L	Gen. Eng.
0	DIMETHYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0	DI-N-BUTYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0	DI-N-OCTYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0	DIPHENYLAMINE	LT	10 ug/L	Gen. Eng.
0	ETHYL METHANESULFONATE	LT	10 ug/L	Gen. Eng.
0	ENDRIM ALDEHYDE	LT	0.50 ug/L	Gen. Eng.
0	ENDRIM	LT	0.50 ug/L	Gen. Eng.
0	ENDOSULFAN I	LT	0.50 ug/L	Gen. Eng.
0	ENDOSULFAN II	LT	0.50 ug/L	Gen. Eng.
0	ENDOSULFAN SULFATE	LT	0.50 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	ETHYL METHACRYLATE	LT	10 ug/L	Gen. Eng.
0	PAMPHUR	LT	10 ug/L	Gen. Eng.
0	FLUORANTHENE	LT	10 ug/L	Gen. Eng.
0	FLUORENE	LT	10 ug/L	Gen. Eng.
0	HEXACHLOROBTADIENE	LT	10 ug/L	Gen. Eng.
0	HEXACHLOROPHENE	LT	10 ug/L	Gen. Eng.

CONTINUED

WELL MSB 5A COLLECTED ON 08/22/89 LABORATORY ANALYSES CONTINUED

0	HEXACHLOROPROPENE	LT	10 ug/L	Gen. Eng.
0	MERCURY	LT	0.20 ug/L	Gen. Eng.
0	HEPTACHLOR	LT	0.50 ug/L	Gen. Eng.
0	HEPTACHLOR EPOXIDE	LT	0.50 ug/L	Gen. Eng.
0	INDENO(1,2,3-C,D)PYRENE	LT	10 ug/L	Gen. Eng.
0	1000METHANE	LT	1 ug/L	Gen. Eng.
0	ISOSAFROLE	LT	10 ug/L	Gen. Eng.
0	ISOBUTYL ALCOHOL	LT	1 ug/L	Gen. Eng.
0	ISODRIN	LT	10 ug/L	Gen. Eng.
0	ISOPHORONE	LT	10 ug/L	Gen. Eng.
0	KEPONE	LT	10 ug/L	Gen. Eng.
0	LINDANE	LT	0.50 ug/L	Gen. Eng.
0	METHACRYLONITRILE	LT	1 ug/L	Gen. Eng.
0	TOLUENE	LT	1 ug/L	Gen. Eng.
0	METHYLETHYL KETONE	LT	1 ug/L	Gen. Eng.
0	METHYL METHACRYLATE	LT	10 ug/L	Gen. Eng.
0	METHYL METHANE SULFONATE	LT	10 ug/L	Gen. Eng.
0	METHOXYCHLOR	LT	4 ug/L	Gen. Eng.
0	METHYLISOBUTYL KETONE	LT	1 ug/L	Gen. Eng.
0	METHAPRYLENE	LT	10 ug/L	Gen. Eng.
0	NAPHTHALENE	LT	10 ug/L	Gen. Eng.
0	NITROBENZENE	LT	10 ug/L	Gen. Eng.
0	N-NITROSODIMETHYLAMINE	LT	10 ug/L	Gen. Eng.
0	N-NITROSODI-N-BUTYLAMINE	LT	10 ug/L	Gen. Eng.
0	N-NITROSODI-PROPYLAMINE	LT	10 ug/L	Gen. Eng.
0	N-NITROSODIETHYLAMINE	LT	10 ug/L	Gen. Eng.
0	N-NITROSODIETHYLAMINE	LT	10 ug/L	Gen. Eng.
0	NICKEL	LT	4 ug/L	Gen. Eng.
0	N-NITROSOMORPHOLINE	LT	10 ug/L	Gen. Eng.
0	N-NITROSODIPHENYLAMINE	LT	10 ug/L	Gen. Eng.
0	N-NITROPIPERIDINE	LT	10 ug/L	Gen. Eng.
0	N-NITROPYRROLIDINE	LT	10 ug/L	Gen. Eng.
0	4-NITROQUINOLINE-1-OXIDE	LT	10 ug/L	Gen. Eng.
0	5-NITRO-O-TOLUIDINE	LT	10 ug/L	Gen. Eng.
0	O-TOLUIDINE	LT	10 ug/L	Gen. Eng.
0	LEAD	LT	6 ug/L	Gen. Eng.
0	PCB 1016	LT	0.50 ug/L	Gen. Eng.
0	PCB 1221	LT	0.50 ug/L	Gen. Eng.
0	PCB 1232	LT	0.50 ug/L	Gen. Eng.
0	PCB 1242	LT	0.50 ug/L	Gen. Eng.
0	PCB 1248	LT	0.50 ug/L	Gen. Eng.
0	PCB 1254	LT	0.50 ug/L	Gen. Eng.
0	PCB 1260	LT	0.50 ug/L	Gen. Eng.
0	PCB 1262	LT	0.50 ug/L	Gen. Eng.
0	PENTACHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	P-PHENYLENEDIAMINE	LT	10 ug/L	Gen. Eng.
0	P-DIMETHYLAMINOAZOBENZENE	LT	10 ug/L	Gen. Eng.
0	PHENACETIN	LT	10 ug/L	Gen. Eng.
0	PHENANTHRENE	LT	10 ug/L	Gen. Eng.
0	PHENOLS	LT	10 ug/L	Gen. Eng.
0	PHORATE	LT	0.50 ug/L	Gen. Eng.
0	2,2-BIS(4-CHLOROPHENYL)-1,1-DCE	LT	0.50 ug/L	Gen. Eng.
0	2,2-BIS(4-CHLOROPHENYL)-1,1-DCE	LT	0.50 ug/L	Gen. Eng.
0	2,2-BIS(4-CHLOROPHENYL)-1,1,1-TCE	LT	0.50 ug/L	Gen. Eng.
0	PRONAMIDE	LT	10 ug/L	Gen. Eng.
0	PROPIONITRILE	LT	1 ug/L	Gen. Eng.
0	PARATHION	LT	0.50 ug/L	Gen. Eng.
0	PARATHION METHYL	LT	0.50 ug/L	Gen. Eng.
0	PYRENE	LT	10 ug/L	Gen. Eng.
0	PYRIDINE	LT	10 ug/L	Gen. Eng.
0	SAFROLE	LT	10 ug/L	Gen. Eng.
0	ANTIMONY	LT	3 ug/L	Gen. Eng.
0	2-SEC-BUTYL-4,6-DINITROPHENOL	LT	10 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	Gen. Eng.
0	SILVEX	LT	0.50 ug/L	Gen. Eng.
0	TIN	LT	2 ug/L	Gen. Eng.
0	STYRENE	LT	1 ug/L	Gen. Eng.
0	SULFIDE	LT	1000 ug/L	Gen. Eng.
0	1,2,4,5-TETRACHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
2	TETRACHLOROETHYLENE	LT	17.0 ug/L	Gen. Eng.
0	0,0,0-TRIETHYL PHOSPHOROTHIOATE	LT	10 ug/L	Gen. Eng.
0	THALLIUM	LT	2 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE	LT	7.00 ug/L	Gen. Eng.
0	TOXAPHENE	LT	5 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,4-DICHLORO-2-BUTENE	LT	1 ug/L	Gen. Eng.
0	VANADIUM	LT	20 ug/L	Gen. Eng.
0	VINYL ACETATE	LT	1 ug/L	Gen. Eng.
0	XYLENES	LT	2 ug/L	Gen. Eng.
0	1-NAPHTHYLAMINE	LT	10 ug/L	Gen. Eng.
1	1,1-DICHLOROETHYLENE	LT	4 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
1	1,1,1-TRICHLOROETHANE	LT	6 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	1,2,3-TRICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	1,2,4-TRICHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	1,3-DICHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	1,3-DINITROBENZENE	LT	10 ug/L	Gen. Eng.
0	1,3,5-TRINITROBENZENE	LT	10 ug/L	Gen. Eng.
0	1,4-DICHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	1,4-DIOXANE	LT	10 ug/L	Gen. Eng.
0	1,4-NAPHTHOQUINONE	LT	10 ug/L	Gen. Eng.
0	2-ACETYLAMINOFLUORENE	LT	10 ug/L	Gen. Eng.
0	2-CHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2-CHLORONAPHTHALENE	LT	10 ug/L	Gen. Eng.
0	2-HEXANONE	LT	1 ug/L	Gen. Eng.
0	2-METHYLNAPHTHALENE	LT	10 ug/L	Gen. Eng.
0	2-METHYL PHENOL	LT	10 ug/L	Gen. Eng.
0	2-NITROANILINE	LT	10 ug/L	Gen. Eng.
0	2-NAPHTHYLAMINE	LT	10 ug/L	Gen. Eng.
0	2-NITROPHENOL	LT	10 ug/L	Gen. Eng.
0	2-PICOLINE	LT	10 ug/L	Gen. Eng.

CONTINUED

WELL MSB 5A COLLECTED ON 08/22/89 LABORATORY ANALYSES CONTINUED

0	2,3,4,6-TETRACHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,4-DICHLOROPHENOXACETIC ACID	LT	0.50 ug/L	Gen. Eng.
0	2,4-DICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,4-DIMETHYL PHENOL	LT	10 ug/L	Gen. Eng.
0	2,4-DINITROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,4-DINITROTOLUENE	LT	10 ug/L	Gen. Eng.
0	2,4,5-TRICHLOROPHENOXACETIC ACID	LT	0.50 ug/L	Gen. Eng.
0	2,4,5-TRICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,4,6-TRICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,6-DICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,6-DINITROTOLUENE	LT	10 ug/L	Gen. Eng.
0	3-METHYLCOLANTHRENE	LT	10 ug/L	Gen. Eng.
0	3-METHYL PHENOL	LT	10 ug/L	Gen. Eng.
0	3-NITROANILINE	LT	10 ug/L	Gen. Eng.
0	3,3-DICHLOROBENZIDENE	LT	20 ug/L	Gen. Eng.
0	3,3-DIMETHYLBENZIDINE	LT	10 ug/L	Gen. Eng.
0	4-AMINOBIIPHENYL	LT	10 ug/L	Gen. Eng.
0	4-BROMOPHENYLPHENYL ETHER	LT	10 ug/L	Gen. Eng.
0	4-CHLOROANILINE	LT	10 ug/L	Gen. Eng.
0	4-CHLOROPHENYLPHENYL ETHER	LT	10 ug/L	Gen. Eng.
0	PARA-CHLORO-META-CRESOL	LT	10 ug/L	Gen. Eng.
0	4-METHYL PHENOL	LT	10 ug/L	Gen. Eng.
0	4-NITROANILINE	LT	10 ug/L	Gen. Eng.
0	4-NITROPHENOL	LT	10 ug/L	Gen. Eng.
0	2-METHYL-4,6-DINITROPHENOL	LT	10 ug/L	Gen. Eng.
0	7,12-DIMETHYLBENZ(A)ANTHRACENE	LT	10 ug/L	Gen. Eng.
0	ZINC	LT	55 ug/L	Gen. Eng.

WELL MSB 5A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/27/89 Time 1435
pH = 5.1 Alkalinity = 1 mg/L
Specific conductance = 106 umhos/cm
Water temperature = 20.1 degrees Celsius
Water evacuated from the well prior to sampling = 44 gal

LABORATORY ANALYSES

0	HEPTACHLORODIBENZODIOXINS	LT	5 ng/L	metaTRACE
0	HEPTACHLORODIBENZOFURANS	LT	8 ng/L	metaTRACE
0	HEXACHLORODIBENZODIOXINS	LT	10 ng/L	metaTRACE
0	HEXACHLORODIBENZOFURANS	LT	6 ng/L	metaTRACE
0	ORTHOCOLORODIBENZODIOXINS	LT	10 ng/L	metaTRACE
0	ORTHOCOLORODIBENZOFURANS	LT	10 ng/L	metaTRACE
0	PENTACHLORODIBENZODIOXINS	LT	9 ng/L	metaTRACE
0	PENTACHLORODIBENZOFURANS	LT	7 ng/L	metaTRACE
0	TETRACHLORODIBENZODIOXIN	LT	4 ng/L	metaTRACE
0	TETRACHLORODIBENZOFURAN	LT	2 ng/L	metaTRACE
0	A, A-DIMETHYLPHENETHYLAMINE	LT	10 ug/L	metaTRACE
0	ALPHA-BENZENEHEXACHLORIDE	LT	0.05 ug/L	metaTRACE
0	ACETONE	LT	10 ug/L	metaTRACE
0	ACETOPHENONE	LT	10 ug/L	metaTRACE
0	ACROLEIN	LT	100 ug/L	metaTRACE
0	ACRYLONITRILE	LT	5 ug/L	metaTRACE
0	SILVER	LT	2 ug/L	metaTRACE
0	ALUMINUM	LT	30 ug/L	metaTRACE
0	ALDRIN	LT	0.05 ug/L	metaTRACE
0	ACENAPHTHENE	LT	10 ug/L	metaTRACE
0	ACENAPHTHYLENE	LT	10 ug/L	metaTRACE
0	ANTHRACENE	LT	10 ug/L	metaTRACE
0	ARSENIC	LT	3 ug/L	metaTRACE
0	ALLYL CHLORIDE	LT	100 ug/L	metaTRACE
0	AZOBENZENE	LT	10 ug/L	metaTRACE
0	BARILUM	LT	28 ug/L	metaTRACE
0	BENZO(A)ANTHRACENE	LT	10 ug/L	metaTRACE
0	BENZO(A)PYRENE	LT	10 ug/L	metaTRACE
0	BETA-BENZENEHEXACHLORIDE	LT	0.05 ug/L	metaTRACE
0	BUTYLBENZYL PHTHALATE	LT	10 ug/L	metaTRACE
0	BIS(CHLOROMETHYL-ETHYL)ETHER	LT	10 ug/L	metaTRACE
2	BERYLLIUM	LT	23 ug/L	metaTRACE
0	BENZIDINE	LT	50 ug/L	metaTRACE
0	BENZOIC ACID	LT	50 ug/L	metaTRACE
0	BENZO BIFLUOROANTHENE	LT	10 ug/L	metaTRACE
0	BENZO(G,H,I)PERYLENE	LT	10 ug/L	metaTRACE
0	BENZO(K)FLUORANTHENE	LT	10 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
0	BENZYL ALCOHOL	LT	10 ug/L	metaTRACE
0	BIS(2-CHLOROETHOXY) METHANE	LT	10 ug/L	metaTRACE
0	BIS(2-CHLOROISOPROPYL) ETHER	LT	10 ug/L	metaTRACE
0	BIS(2-CHLOROETHYL) ETHER	LT	10 ug/L	metaTRACE
0	BIS(2-ETHYLHEXYL) PHTHALATE	LT	10 ug/L	metaTRACE
0	DICHLORODIFLUOROMETHANE	LT	5 ug/L	metaTRACE
0	TRICHLOROFUOROMETHANE	LT	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
2	CADMIUM	LT	23 ug/L	metaTRACE
0	BROMOFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	5 ug/L	metaTRACE
0	CHRYSENE	LT	10 ug/L	metaTRACE
0	METHYLENE BROMIDE	LT	10 ug/L	metaTRACE
1	METHYLENE CHLORIDE	J	5 ug/L	metaTRACE
0	BROMOMETHANE	LT	5 ug/L	metaTRACE
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
0	ACETONITRILE (METHYL CYANIDE)	LT	100 ug/L	metaTRACE
0	CHLOROBENZILATE	LT	10 ug/L	metaTRACE
0	CHLOROBENZENE	LT	5 ug/L	metaTRACE
0	CHLORDANE	LT	1 ug/L	metaTRACE
0	CHLOROPRENE	LT	5 ug/L	metaTRACE
0	PENTACHLOROBENZENE	LT	10 ug/L	metaTRACE
0	PENTACHLOROETHANE	LT	5 ug/L	metaTRACE
0	PENTACHLOROETHANE	LT	10 ug/L	metaTRACE
0	PENTACHLORONITROBENZENE	LT	10 ug/L	metaTRACE
0	HEXACHLOROBENZENE	LT	10 ug/L	metaTRACE
0	HEXACHLOROCYCLOPENTADIENE	LT	10 ug/L	metaTRACE
0	HEXACHLOROETHANE	LT	10 ug/L	metaTRACE

CONTINUED

WELL MSB 5A COLLECTED ON 09/27/89 LABORATORY ANALYSES CONTINUED

1	COBALT		23 ug/L	metaTRACE
2	CHROMIUM		27 ug/L	metaTRACE
0	CARBON DISULFIDE	LT	5 ug/L	metaTRACE
1	COPPER		34 ug/L	metaTRACE
0	CYANIDE	LT	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0	CHLOROETHANE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	5 ug/L	metaTRACE
0	DIBENZ(A,H)ANTHRACENE	LT	10 ug/L	metaTRACE
0	DELTA-BENZENEHEXACHLORIDE	LT	0.05 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0	DIETHYL PHTHALATE	LT	10 ug/L	metaTRACE
0	DIALATE	LT	10 ug/L	metaTRACE
0	DIBENZOFURAN	LT	10 ug/L	metaTRACE
0	DIMETHOATE	LT	10 ug/L	metaTRACE
0	DISULFOTON	LT	10 ug/L	metaTRACE
0	DIELDRIN	LT	0.10 ug/L	metaTRACE
0	DIETHYL PHTHALATE	LT	10 ug/L	metaTRACE
0	DI-N-BUTYL PHTHALATE	LT	10 ug/L	metaTRACE
0	DI-N-OCTYL PHTHALATE	LT	10 ug/L	metaTRACE
0	DIPHENYLAMINE	LT	10 ug/L	metaTRACE
0	ETHYL METHANESULFONATE	LT	10 ug/L	metaTRACE
0	ENDRIN ALDEHYDE	LT	0.20 ug/L	metaTRACE
0	ENDRIN	LT	0.10 ug/L	metaTRACE
0	ENDOSULFAM I	LT	0.05 ug/L	metaTRACE
0	ENDOSULFAM II	LT	0.10 ug/L	metaTRACE
0	ENDOSULFAM SULFATE	LT	0.10 ug/L	metaTRACE
0	ETHYLBENZENE	LT	5 ug/L	metaTRACE
0	ETHYL METHACRYLATE	LT	5 ug/L	metaTRACE
0	ETHYL METHACRYLATE	LT	10 ug/L	metaTRACE
0	FAMPHUR	LT	10 ug/L	metaTRACE
0	FLUORANTHENE	LT	10 ug/L	metaTRACE
0	FLUORENE	LT	10 ug/L	metaTRACE
0	HEXACHLOROBUTADIENE	LT	10 ug/L	metaTRACE
0	HEXACHLOROPROPENE	LT	10 ug/L	metaTRACE
0	MERCURY	LT	0.20 ug/L	metaTRACE
0	HEPTACHLOR	LT	0.05 ug/L	metaTRACE
0	HEPTACHLOR EPOXIDE	LT	0.05 ug/L	metaTRACE
0	INDENO(1,2,3-C,D)PYRENE	LT	10 ug/L	metaTRACE
0	IODOMETHANE	LT	5 ug/L	metaTRACE
0	ISOSAFROLE	LT	10 ug/L	metaTRACE
0	ISODRIN	LT	10 ug/L	metaTRACE
0	ISOPHORONE	LT	10 ug/L	metaTRACE
0	LINDANE	LT	0.05 ug/L	metaTRACE
0	M-CRESOL	LT	10 ug/L	metaTRACE
0	METHACRYLONITRILE	LT	5 ug/L	metaTRACE
0	TOLUENE	LT	5 ug/L	metaTRACE
0	METHYLETHYL KETONE	LT	10 ug/L	metaTRACE
0	METHYL METHACRYLATE	LT	5 ug/L	metaTRACE
0	METHYL METHANE SULFONATE	LT	10 ug/L	metaTRACE
0	METHOXYCHLOR	LT	0.05 ug/L	metaTRACE
0	METHAPYRILENE	LT	10 ug/L	metaTRACE
1	SODIUM		18340 ug/L	metaTRACE
0	NAPHTHALENE	LT	10 ug/L	metaTRACE
0	NITROBENZENE	LT	10 ug/L	metaTRACE
0	N-NITROSODIMETHYLAMINE	LT	10 ug/L	metaTRACE
0	N-NITROSODI-N-BUTYLAMINE	LT	10 ug/L	metaTRACE
0	N-NITROSODI-PROPYLAMINE	LT	10 ug/L	metaTRACE
0	N-NITROSODIETHYLAMINE	LT	10 ug/L	metaTRACE
0	N-NITROSODIETHYLAMINE	LT	10 ug/L	metaTRACE
0	NICKEL	LT	5 ug/L	metaTRACE
0	N-NITROSOMORPHOLINE	LT	10 ug/L	metaTRACE
0	N-NITROSODIPHENYLAMINE	LT	10 ug/L	metaTRACE
0	N-NITROSOPIPERIDINE	LT	10 ug/L	metaTRACE
0	N-NITROSOPYRROLIDINE	LT	10 ug/L	metaTRACE
0	4-NITROQUINOLINE-1-OXIDE	LT	10 ug/L	metaTRACE
0	O-TOLUIDINE	LT	10 ug/L	metaTRACE
0	LEAD	LT	5 ug/L	metaTRACE
0	PCB 1016	LT	0.50 ug/L	metaTRACE
0	PCB 1221	LT	0.50 ug/L	metaTRACE
0	PCB 1232	LT	0.50 ug/L	metaTRACE
0	PCB 1242	LT	0.50 ug/L	metaTRACE
0	PCB 1248	LT	0.50 ug/L	metaTRACE
0	PCB 1254	LT	1 ug/L	metaTRACE
0	PCB 1260	LT	1 ug/L	metaTRACE
0	PENTACHLOROPHENOL	LT	50 ug/L	metaTRACE
0	P-PHENYLENEDIAMINE	LT	10 ug/L	metaTRACE
0	P-DIMETHYLAMINOAZOBENZENE	LT	10 ug/L	metaTRACE
0	PHENACETIN	LT	10 ug/L	metaTRACE
0	PHENANTHRENE	LT	10 ug/L	metaTRACE
0	PHENOLS	LT	10 ug/L	metaTRACE
0	PHORATE	LT	10 ug/L	metaTRACE
0	2,2-BIS(4-CHLOROPHENYL)-1,1-DCE	LT	0.10 ug/L	metaTRACE
0	2,2-BIS(4-CHLOROPHENYL)-1,1-DCE	LT	0.10 ug/L	metaTRACE
0	2,2-BIS(4-CHLOROPHENYL)-1,1,1-TCE	LT	0.10 ug/L	metaTRACE
0	PROPANIDE	LT	10 ug/L	metaTRACE
0	PROPIONITRILE	LT	5 ug/L	metaTRACE
0	PARATHION	LT	10 ug/L	metaTRACE
0	PARATHION METHYL	LT	10 ug/L	metaTRACE
0	PYRENE	LT	10 ug/L	metaTRACE
0	PYRIDINE	LT	10 ug/L	metaTRACE
0	SAFROLE	LT	10 ug/L	metaTRACE
1	ANTIMONY		7383 ug/L	metaTRACE
0	2-SEC-BUTYL-4,6-DINITROPHENOL	LT	10 ug/L	metaTRACE
0	SELENIUM	LT	2 ug/L	metaTRACE
0	SILVEX	LT	0.07 ug/L	metaTRACE
1	TIN		186 ug/L	metaTRACE
0	STYRENE	LT	5 ug/L	metaTRACE
0	SULFIDE	LT	1000 ug/L	metaTRACE
0	1,2,4,5-TETRACHLOROBENZENE	LT	10 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
2	TETRACHLOROETHYLENE		14.0 ug/L	metaTRACE
0	TETRAETHYL DITHIOPYRROPHOSPHATE	LT	10 ug/L	metaTRACE
0	O,O,O-TRIETHYL PHOSPHOROTHIOATE	LT	10 ug/L	metaTRACE
0	THIOAZIN	LT	10 ug/L	metaTRACE
0	THALLIUM	LT	10 ug/L	metaTRACE
2	TRICHLOROETHYLENE		6.00 ug/L	metaTRACE
0	TOXAPHENE	LT	1 ug/L	metaTRACE

CONTINUED

WELL MSB 5A COLLECTED ON 09/27/89 LABORATORY ANALYSES CONTINUED

0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	TRANS-1,4-DICHLORO-2-BUTENE	LT	10 ug/L	metaTRACE
1	VANADIUM		22 ug/L	metaTRACE
0	VINYL ACETATE	LT	5 ug/L	metaTRACE
0	XYLENES	LT	5 ug/L	metaTRACE
0	1-NAPHTHYLAMINE	LT	10 ug/L	metaTRACE
1	1,1-DICHLOROETHYLENE	J	4 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	J	5 ug/L	metaTRACE
1	1,1,1-TRICHLOROETHANE	J	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DIBROMOETHANE	LT	5 ug/L	metaTRACE
0	1,2-DIBROMO-3-CHLOROPROPANE	LT	10 ug/L	metaTRACE
0	1,2-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROBENZENE	LT	10 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	1,2,3-TRICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	1,2,4-TRICHLOROBENZENE	LT	10 ug/L	metaTRACE
0	1,3-DICHLOROBENZENE	LT	10 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	1,4-BENZAZOQUINONE	LT	10 ug/L	metaTRACE
0	1,4-DICHLOROBENZENE	LT	10 ug/L	metaTRACE
0	1,4-DIOXANE	LT	10 ug/L	metaTRACE
0	1,4-NAPHTHOQUINONE	LT	10 ug/L	metaTRACE
0	2-ACETYLAMINOFLUORENE	LT	10 ug/L	metaTRACE
0	2-CHLOROPHENOL	LT	10 ug/L	metaTRACE
0	2-CHLORONAPHTHALENE	LT	10 ug/L	metaTRACE
0	2-MEXANONE	LT	10 ug/L	metaTRACE
0	2-METHYLNAPHTHALENE	LT	10 ug/L	metaTRACE
0	2-NAPHTHYLAMINE	LT	10 ug/L	metaTRACE
0	2-NITROPHENOL	LT	10 ug/L	metaTRACE
0	2-PICOLINE	LT	10 ug/L	metaTRACE
0	2,3,4,6-TETRACHLOROPHENOL	LT	10 ug/L	metaTRACE
0	2,4-DICHLOROPHENOXYACETIC ACID	LT	0.46 ug/L	metaTRACE
0	2,4-DICHLOROPHENOL	LT	10 ug/L	metaTRACE
0	2,4-DIMETHYL PHENOL	LT	10 ug/L	metaTRACE
0	2,4-DINITROPHENOL	LT	50 ug/L	metaTRACE
0	2,4-DINITROTOLUENE	LT	10 ug/L	metaTRACE
0	2,4,5-TRICHLOROPHENOXYACETIC ACID	LT	0.07 ug/L	metaTRACE
0	2,4,5-TRICHLOROPHENOL	LT	10 ug/L	metaTRACE
0	2,4,6-TRICHLOROPHENOL	LT	10 ug/L	metaTRACE
0	2,6-DICHLOROPHENOL	LT	10 ug/L	metaTRACE
0	2,6-DINITROTOLUENE	LT	10 ug/L	metaTRACE
0	3-METHYLCHOLANTHRENE	LT	10 ug/L	metaTRACE
0	3,3-DICHLOROBENZIDENE	LT	20 ug/L	metaTRACE
0	3,3-DIMETHYLBENZIDINE	LT	10 ug/L	metaTRACE
0	4-AMINOBIIPHENYL	LT	10 ug/L	metaTRACE
0	4-BROMOPHENYLPHENYL ETHER	LT	10 ug/L	metaTRACE
0	4-CHLORODANILINE	LT	10 ug/L	metaTRACE
0	4-CHLOROPHENYLPHENYL ETHER	LT	10 ug/L	metaTRACE
0	4-CHLORO-3-METHYLPHENOL	LT	10 ug/L	metaTRACE
0	4-METHYL-2-PENTANONE	LT	10 ug/L	metaTRACE
0	4-NITROPHENOL	LT	10 ug/L	metaTRACE
0	7,12-DIMETHYLBENZ(A)ANTHRACENE	LT	10 ug/L	metaTRACE
0	ZINC		111 ug/L	metaTRACE

WELL MSB 5A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/27/89 Time 1435
pH = 5.1 Alkalinity = 1 mg/L
Specific conductance = 106 umhos/cm
Water temperature = 20.1 degrees Celsius
Water evacuated from the well prior to sampling = 44 gal

LABORATORY ANALYSES

0	HEPTACHLORODIBENZODIOXINS	LT	2 ng/L	metaTRACE
0	HEPTACHLORODIBENZOFURANS	LT	4 ng/L	metaTRACE
0	HEXACHLORODIBENZODIOXINS	LT	8 ng/L	metaTRACE
0	HEXACHLORODIBENZOFURANS	LT	3 ng/L	metaTRACE
0	ORTHOCHELORODIBENZODIOXINS	LT	10 ng/L	metaTRACE
0	ORTHOCHELORODIBENZOFURANS	LT	7 ng/L	metaTRACE
0	PENTACHLORODIBENZODIOXINS	LT	5 ng/L	metaTRACE
0	PENTACHLORODIBENZOFURANS	LT	3 ng/L	metaTRACE
0	TETRACHLORODIBENZODIOXIN	LT	3 ng/L	metaTRACE
0	TETRACHLORODIBENZOFURAN	LT	2 ng/L	metaTRACE
0	A,4-DIMETHYLPHENETHYLAMINE	LT	10 ug/L	metaTRACE
0	ALPHA-BENZENEHEXACHLORIDE	LT	0.05 ug/L	metaTRACE
0	ACETONE	LT	10 ug/L	metaTRACE
0	ACETOPHENONE	LT	10 ug/L	metaTRACE
0	ACROLEIN	LT	100 ug/L	metaTRACE
0	ACRYLONITRILE	LT	5 ug/L	metaTRACE
0	SILVER	LT	2 ug/L	metaTRACE
0	ALUMINUM	LT	30 ug/L	metaTRACE
0	ALDRIN	LT	0.05 ug/L	metaTRACE
0	ACENAPHTHENE	LT	10 ug/L	metaTRACE
0	ACENAPHTHYLENE	LT	10 ug/L	metaTRACE
0	ANTHRACENE	LT	10 ug/L	metaTRACE
0	ARSENIC	LT	3 ug/L	metaTRACE
0	ALLYL CHLORIDE	LT	100 ug/L	metaTRACE
0	AZOBENZENE	LT	10 ug/L	metaTRACE
0	BARIUM	LT	25 ug/L	metaTRACE
0	BENZO(A)ANTHRACENE	LT	10 ug/L	metaTRACE
0	BENZO(A)PYRENE	LT	10 ug/L	metaTRACE
0	BETA-BENZENEHEXACHLORIDE	LT	0.05 ug/L	metaTRACE
0	BUTYLBENZYL PHTHALATE	LT	10 ug/L	metaTRACE
0	BIS(CHLOROMETHYL-ETHYL)ETHER	LT	10 ug/L	metaTRACE
0	BERYLLIUM	LT	1 ug/L	metaTRACE
0	BENZIDINE	LT	50 ug/L	metaTRACE
0	BENZIC ACID	LT	50 ug/L	metaTRACE
0	BENZO BIFLUOROANTHRENE	LT	10 ug/L	metaTRACE
0	BENZO(G,H,I)PERYLENE	LT	10 ug/L	metaTRACE
0	BENZO(K)FLUORANTHRENE	LT	10 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE

CONTINUED

WELL MSB 5A COLLECTED ON 09/27/89 LABORATORY ANALYSES CONTINUED

0 BENZYL ALCOHOL	LT	10 ug/L	metaTRACE
0 BIS(2-CHLOROETHOXY) METHANE	LT	10 ug/L	metaTRACE
0 BIS(2-CHLOROISOPROPYL) ETHER	LT	10 ug/L	metaTRACE
0 BIS(2-CHLOROETHYL) ETHER	LT	10 ug/L	metaTRACE
0 BIS(2-ETHYLHEXYL) PHTHALATE	LT	10 ug/L	metaTRACE
0 DICHLORO(1,1-DIFLUORO)ETHANE	LT	5 ug/L	metaTRACE
0 TRICHLORO(1,1,2,2-TETRACHLORO)ETHANE	LT	5 ug/L	metaTRACE
0 CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0 CADMIUM	LT	4 ug/L	metaTRACE
0 BROMOFORM	LT	5 ug/L	metaTRACE
0 CHLOROFORM	LT	5 ug/L	metaTRACE
0 CHRYSENE	LT	10 ug/L	metaTRACE
0 METHYLENE BROMIDE	LT	10 ug/L	metaTRACE
1 METHYLENE CHLORIDE	J	3 ug/L	metaTRACE
0 BROMOMETHANE	LT	5 ug/L	metaTRACE
0 CHLOROMETHANE	LT	10 ug/L	metaTRACE
0 ACETONITRILE (METHYL CYANIDE)	LT	100 ug/L	metaTRACE
0 CHLOROBENZILATE	LT	10 ug/L	metaTRACE
0 CHLOROBENZENE	LT	5 ug/L	metaTRACE
0 CHLORDANE	LT	1 ug/L	metaTRACE
0 CHLOROPRENE	LT	5 ug/L	metaTRACE
0 PENTACHLOROBENZENE	LT	10 ug/L	metaTRACE
0 PENTACHLOROETHANE	LT	5 ug/L	metaTRACE
0 PENTACHLOROETHANE	LT	10 ug/L	metaTRACE
0 PENTACHLORONITROBENZENE	LT	10 ug/L	metaTRACE
0 HEXACHLOROBENZENE	LT	10 ug/L	metaTRACE
0 HEXACHLORO(1,2,4,5-TETRACHLORO)PENTADIENE	LT	10 ug/L	metaTRACE
0 HEXACHLOROETHANE	LT	10 ug/L	metaTRACE
0 COBALT	LT	7 ug/L	metaTRACE
1 CHROMIUM	LT	13 ug/L	metaTRACE
0 CARBON DISULFIDE	LT	5 ug/L	metaTRACE
0 COPPER	LT	13 ug/L	metaTRACE
0 CYANIDE	LT	5 ug/L	metaTRACE
0 CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0 CHLOROETHANE	LT	10 ug/L	metaTRACE
0 BENZENE	LT	5 ug/L	metaTRACE
0 DIBENZ(A,H)ANTHRACENE	LT	10 ug/L	metaTRACE
0 DELTA-BENZENEHEXACHLORIDE	LT	0.05 ug/L	metaTRACE
0 DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0 DIETHYL PHTHALATE	LT	10 ug/L	metaTRACE
0 DIALATE	LT	10 ug/L	metaTRACE
0 DIBENZOFURAN	LT	10 ug/L	metaTRACE
0 DIMETHOATE	LT	10 ug/L	metaTRACE
0 DISULFOTON	LT	10 ug/L	metaTRACE
0 DIELDRIN	LT	0.10 ug/L	metaTRACE
0 DIMETHYL PHTHALATE	LT	10 ug/L	metaTRACE
0 DI-N-BUTYL PHTHALATE	LT	10 ug/L	metaTRACE
0 DI-N-OCTYL PHTHALATE	LT	10 ug/L	metaTRACE
0 DIPHENYLAMINE	LT	10 ug/L	metaTRACE
0 ETHYL METHANESULFONATE	LT	10 ug/L	metaTRACE
0 ENDRIK ALDEHYDE	LT	0.20 ug/L	metaTRACE
0 ENDRIK	LT	0.10 ug/L	metaTRACE
0 ENDOSULFAN I	LT	0.05 ug/L	metaTRACE
0 ENDOSULFAN II	LT	0.10 ug/L	metaTRACE
0 ENDOSULFAN SULFATE	LT	0.10 ug/L	metaTRACE
0 ETHYLBENZENE	LT	5 ug/L	metaTRACE
0 ETHYL METHACRYLATE	LT	5 ug/L	metaTRACE
0 ETHYL METHACRYLATE	LT	10 ug/L	metaTRACE
0 FAMPUR	LT	10 ug/L	metaTRACE
0 FLUORANTHENE	LT	10 ug/L	metaTRACE
0 FLUORENE	LT	10 ug/L	metaTRACE
0 HEXACHLOROBUTADIENE	LT	10 ug/L	metaTRACE
0 HEXACHLOROPROPENE	LT	10 ug/L	metaTRACE
0 MERCURY	LT	0.20 ug/L	metaTRACE
0 HEPTACHLOR	LT	0.05 ug/L	metaTRACE
0 HEPTACHLOR EPOXIDE	LT	0.05 ug/L	metaTRACE
0 INDENO(1,2,3-C,D)PYRENE	LT	10 ug/L	metaTRACE
0 IODOMETHANE	LT	5 ug/L	metaTRACE
0 ISOSAFROLE	LT	10 ug/L	metaTRACE
0 ISODRIN	LT	10 ug/L	metaTRACE
0 ISOPHORONE	LT	10 ug/L	metaTRACE
0 LINDANE	LT	0.05 ug/L	metaTRACE
0 M-CRESOL	LT	10 ug/L	metaTRACE
0 METHACRYLONITRILE	LT	5 ug/L	metaTRACE
0 TOLUENE	LT	5 ug/L	metaTRACE
0 METHYLETHYL KETONE	LT	10 ug/L	metaTRACE
0 METHYL METHACRYLATE	LT	5 ug/L	metaTRACE
0 METHYL METHANE SULFONATE	LT	10 ug/L	metaTRACE
0 METHOXYCHLOR	LT	0.05 ug/L	metaTRACE
0 METHAPYRILENE	LT	10 ug/L	metaTRACE
1 SODIUM	LT	17970 ug/L	metaTRACE
0 NAPHTHALENE	LT	10 ug/L	metaTRACE
0 NITROBENZENE	LT	10 ug/L	metaTRACE
0 N-NITROSODIMETHYLAMINE	LT	10 ug/L	metaTRACE
0 N-NITROSODI-N-BUTYLAMINE	LT	10 ug/L	metaTRACE
0 N-NITROSODI-PROPYLAMINE	LT	10 ug/L	metaTRACE
0 N-NITROSODIETHYLAMINE	LT	10 ug/L	metaTRACE
0 N-NITROETHYLETHYLAMINE	LT	10 ug/L	metaTRACE
0 NICKEL	LT	5 ug/L	metaTRACE
0 N-NITROSOMORPHOLINE	LT	10 ug/L	metaTRACE
0 N-NITROSODIPHENYLAMINE	LT	10 ug/L	metaTRACE
0 N-NITROSOPIPERIDINE	LT	10 ug/L	metaTRACE
0 N-NITROSOPYRROLIDINE	LT	10 ug/L	metaTRACE
0 4-NITROQUINOLINE-1-OXIDE	LT	10 ug/L	metaTRACE
0 O-TOLUIDINE	LT	10 ug/L	metaTRACE
0 LEAD	LT	3 ug/L	metaTRACE
0 PCB 1016	LT	0.50 ug/L	metaTRACE
0 PCB 1221	LT	0.50 ug/L	metaTRACE
0 PCB 1232	LT	0.50 ug/L	metaTRACE
0 PCB 1242	LT	0.50 ug/L	metaTRACE
0 PCB 1248	LT	0.50 ug/L	metaTRACE
0 PCB 1254	LT	1 ug/L	metaTRACE
0 PCB 1260	LT	1 ug/L	metaTRACE
0 PENTACHLOROPHENOL	LT	50 ug/L	metaTRACE
0 P-PHENYLENEDIAMINE	LT	10 ug/L	metaTRACE
0 P-DIMETHYLAMINOAZOBENZENE	LT	10 ug/L	metaTRACE
0 PHENACETIN	LT	10 ug/L	metaTRACE
0 PHENANTHRENE	LT	10 ug/L	metaTRACE
0 PHENOLS	LT	10 ug/L	metaTRACE

CONTINUED

WELL MSB 5A COLLECTED ON 09/27/89 LABORATORY ANALYSES CONTINUED

0 PHORATE	LT	10 ug/L	metaTRACE
0 2,2-BIS(4-CHLOROPHENYL)-1,1-DCE	LT	0.10 ug/L	metaTRACE
0 2,2-BIS(4-CHLOROPHENYL)-1,1-DCE	LT	0.10 ug/L	metaTRACE
0 2,2-BIS(4-CHLOROPHENYL)-1,1,1-TCE	LT	0.10 ug/L	metaTRACE
0 PROMANIDE	LT	10 ug/L	metaTRACE
0 PROPIONITRILE	LT	5 ug/L	metaTRACE
0 PARATHION	LT	10 ug/L	metaTRACE
0 PARATHION METHYL	LT	10 ug/L	metaTRACE
0 PYRENE	LT	10 ug/L	metaTRACE
0 PYRIDINE	LT	10 ug/L	metaTRACE
0 SAFROLE	LT	10 ug/L	metaTRACE
1 ANTIMONY	LT	931 ug/L	metaTRACE
0 2-SEC-BUTYL-4,6-DINITROPHENOL	LT	10 ug/L	metaTRACE
0 SELENIUM	LT	2 ug/L	metaTRACE
0 SILVEX	LT	0.07 ug/L	metaTRACE
1 TIN	LT	148 ug/L	metaTRACE
0 STYRENE	LT	5 ug/L	metaTRACE
0 SULFIDE	LT	1000 ug/L	metaTRACE
0 1,2,4,5-TETRACHLOROBENZENE	LT	10 ug/L	metaTRACE
0 1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,1,1,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
2 TETRACHLOROETHYLENE	LT	14.0 ug/L	metaTRACE
0 TETRAETHYL DITHIOPYRROPHOSPHATE	LT	10 ug/L	metaTRACE
0 D,O,O-TRIETHYL PHOSPHOROTHIOATE	LT	10 ug/L	metaTRACE
0 THIONAZIN	LT	10 ug/L	metaTRACE
0 THALLIUM	LT	10 ug/L	metaTRACE
2 TRICHLOROETHYLENE	LT	6.00 ug/L	metaTRACE
0 TOXAPHENE	LT	1 ug/L	metaTRACE
0 TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0 TRANS-1,4-DICHLORO-2-BUTENE	LT	10 ug/L	metaTRACE
0 VANADIUM	LT	5 ug/L	metaTRACE
0 VINYL ACETATE	LT	5 ug/L	metaTRACE
0 XYLENES	LT	5 ug/L	metaTRACE
0 1-NAPHTHYLAMINE	LT	10 ug/L	metaTRACE
1 1,1-DICHLOROETHYLENE	J	4 ug/L	metaTRACE
0 1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,2-DIBROMOETHANE	LT	5 ug/L	metaTRACE
0 1,2-DIBROMO-3-CHLOROPROPANE	LT	10 ug/L	metaTRACE
0 1,2-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0 1,2-DICHLOROBENZENE	LT	10 ug/L	metaTRACE
0 1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0 1,2,3-TRICHLOROPROPANE	LT	5 ug/L	metaTRACE
0 1,2,4-TRICHLOROBENZENE	LT	10 ug/L	metaTRACE
0 1,3-DICHLOROBENZENE	LT	10 ug/L	metaTRACE
0 CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0 1,4-BENZOQUINONE	LT	10 ug/L	metaTRACE
0 1,4-DICHLOROBENZENE	LT	10 ug/L	metaTRACE
0 1,4-DIOXANE	LT	10 ug/L	metaTRACE
0 1,4-NAPHTHOQUINONE	LT	10 ug/L	metaTRACE
0 2-ACETYLAMINOFUORENE	LT	10 ug/L	metaTRACE
0 2-CHLOROPHENOL	LT	10 ug/L	metaTRACE
0 2-CHLORONAPHTHALENE	LT	10 ug/L	metaTRACE
0 2-HEXANONE	LT	10 ug/L	metaTRACE
0 2-METHYLNAPHTHALENE	LT	10 ug/L	metaTRACE
0 2-NAPHTHYLAMINE	LT	10 ug/L	metaTRACE
0 2-NITROPHENOL	LT	10 ug/L	metaTRACE
0 2-PICOLINE	LT	10 ug/L	metaTRACE
0 2,3,6,6-TETRACHLOROPHENOL	LT	10 ug/L	metaTRACE
0 2,4-DICHLOROPHENOXYACETIC ACID	LT	0.46 ug/L	metaTRACE
0 2,4-DICHLOROPHENOL	LT	10 ug/L	metaTRACE
0 2,4-DIMETHYL PHENOL	LT	10 ug/L	metaTRACE
0 2,4-DINITROPHENOL	LT	50 ug/L	metaTRACE
0 2,4-DINITROTOLUENE	LT	10 ug/L	metaTRACE
0 2,4,5-TRICHLOROPHENOXYACETIC ACID	LT	0.07 ug/L	metaTRACE
0 2,4,5-TRICHLOROPHENOL	LT	10 ug/L	metaTRACE
0 2,4,6-TRICHLOROPHENOL	LT	10 ug/L	metaTRACE
0 2,6-DICHLOROPHENOL	LT	10 ug/L	metaTRACE
0 2,6-DINITROTOLUENE	LT	10 ug/L	metaTRACE
0 3-METHYLCOLANTHRENE	LT	10 ug/L	metaTRACE
0 3,3-DICHLOROBENZIDINE	LT	20 ug/L	metaTRACE
0 3,3-DIMETHYLBENZIDINE	LT	10 ug/L	metaTRACE
0 4-AMINOBIOPHENYL	LT	10 ug/L	metaTRACE
0 4-BROMOPHENYLPHENYL ETHER	LT	10 ug/L	metaTRACE
0 4-CHLORANILINE	LT	10 ug/L	metaTRACE
0 4-CHLOROPHENYLPHENYL ETHER	LT	10 ug/L	metaTRACE
0 4-CHLORO-3-METHYLPHENOL	LT	10 ug/L	metaTRACE
0 4-METHYL-2-PENTANONE	LT	10 ug/L	metaTRACE
0 4-NITROPHENOL	LT	10 ug/L	metaTRACE
0 7,12-DIMETHYLBENZ(A)ANTHRACENE	LT	10 ug/L	metaTRACE
0 ZINC	LT	82 ug/L	metaTRACE

WELL MSB 5A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/09/89 Time 1735
 Depth to water = 117.43 ft (35.79 m) below the TOC
 Water elevation = 226.47 ft (69.03 m) msl
 pH = 4.7 Alkalinity = 1 mg/L
 Specific conductance = 43 umhos/cm
 Water temperature = 21.8 degrees Celsius
 Water evacuated from the well prior to sampling = 38 gal

LABORATORY ANALYSES

0 SPECIFIC CONDUCTANCE	45.00 umho/cm	Gen. Eng.
0 PH	5.34 pH	Gen. Eng.
0 SILVER	2 ug/L	Gen. Eng.
0 ALUMINUM	45 ug/L	Gen. Eng.
0 ARSENIC	2 ug/L	Gen. Eng.
0 BARIUM	4 ug/L	Gen. Eng.
0 BROMODICHLOROMETHANE	1 ug/L	Gen. Eng.
0 TRICHLOROFLUOROMETHANE	1 ug/L	Gen. Eng.

CONTINUED

WELL MSB 6A COLLECTED ON 07/09/89 LABORATORY ANALYSES CONTINUED

0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	CADMIUM	LT	2 ug/L	Gen. Eng.
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	M-Area, SRS
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLORIDE	LT	5400 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHROMIUM	LT	4 ug/L	Gen. Eng.
1	COPPER	LT	31 ug/L	Gen. Eng.
0	CYANIDE	LT	5 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	ENDRIN	LT	0.10 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	IRON	LT	83 ug/L	Gen. Eng.
0	MERCURY	LT	0.20 ug/L	Gen. Eng.
0	TOLUENE	LT	1 ug/L	Gen. Eng.
0	MANGANESE	LT	9 ug/L	Gen. Eng.
1	SODIUM	LT	7390 ug/L	Gen. Eng.
0	NICKEL	LT	4 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN	LT	480 ug/L	Gen. Eng.
0	LEAD	LT	6 ug/L	Gen. Eng.
0	PHENOLS	LT	5 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	Gen. Eng.
0	SULFATE	LT	5000 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0	TOTAL ORGANIC CARBON	LT	2000 ug/L	Gen. Eng.
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	Gen. Eng.
1	TOTAL PHOSPHORUS	LT	50 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	M-Area, SRS
0	URANIUM	LT	1000 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area, SRS
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area, SRS
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYLVINYL ETHER	LT	1 ug/L	Gen. Eng.
0	ZINC	LT	10 ug/L	Gen. Eng.
0	GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
0	NONVOLATILE BETA	LT	2 pCi/L	Gen. Eng.
0	TOTAL RADIUM	LT	1 pCi/L	Gen. Eng.

WELL MSB 6A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/22/89 Time 1025
 Depth to water = 117.69 ft (35.87 m) below the TOC
 Water elevation = 226.21 ft (68.95 m) msl
 pH = 5.2 Alkalinity = 3 mg/L
 Specific conductance = 42 umhos/cm
 Water temperature = 21.7 degrees Celsius
 Water evacuated from the well prior to sampling = 37 gal

LABORATORY ANALYSES

0	HEPTACHLORODIBENZODIOXINS	LT	0.81 ng/L	metaTRACE
0	HEPTACHLORODIBENZOFURANS	LT	0.99 ng/L	metaTRACE
0	HEXACHLORODIBENZODIOXINS	LT	0.76 ng/L	metaTRACE
0	HEXACHLORODIBENZOFURANS	LT	0.93 ng/L	metaTRACE
0	ORTHOCHLORODIBENZODIOXINS	LT	0.98 ng/L	metaTRACE
0	ORTHOCHLORODIBENZOFURANS	LT	0.83 ng/L	metaTRACE
0	PENTACHLORODIBENZODIOXINS	LT	0.89 ng/L	metaTRACE
0	PENTACHLORODIBENZOFURANS	LT	0.69 ng/L	metaTRACE
0	TETRACHLORODIBENZODIOXIN	LT	0.41 ng/L	metaTRACE
0	TETRACHLORODIBENZOFURAN	LT	0.69 ng/L	metaTRACE
0	A, A-DIMETHYLPHENETHYLAMINE	LT	10 ug/L	Gen. Eng.
0	ALPHA-BENZENEHEXACHLORIDE	LT	0.50 ug/L	Gen. Eng.
0	ACETONE	LT	1 ug/L	Gen. Eng.
0	ACETOPHENONE	LT	10 ug/L	Gen. Eng.
0	ACROLEIN	LT	20 ug/L	Gen. Eng.
0	ACRYLONITRILE	LT	20 ug/L	Gen. Eng.
0	SILVER	LT	2 ug/L	Gen. Eng.
0	ALDRIN	LT	0.50 ug/L	Gen. Eng.
0	ACENAPHTHENE	LT	10 ug/L	Gen. Eng.
0	ACENAPHTHYLENE	LT	10 ug/L	Gen. Eng.
0	ANILINE	LT	10 ug/L	Gen. Eng.
0	ANTHRACENE	LT	10 ug/L	Gen. Eng.
0	ARAMITE	LT	10 ug/L	Gen. Eng.
0	ARSENIC	LT	2 ug/L	Gen. Eng.
0	ALLYL CHLORIDE	LT	1 ug/L	Gen. Eng.
0	BARIUM	LT	5 ug/L	Gen. Eng.
0	BENZO(A)ANTHRACENE	LT	10 ug/L	Gen. Eng.
0	BENZO(A)PYRENE	LT	10 ug/L	Gen. Eng.
0	BENZO(B)FLUORANTHENE	LT	10 ug/L	Gen. Eng.
0	BETA-BENZENEHEXACHLORIDE	LT	0.50 ug/L	Gen. Eng.
0	BUTYLBENZYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0	BIS(CHLOROMETHYL-ETHYL)ETHER	LT	10 ug/L	Gen. Eng.
0	BERYLLIUM	LT	5 ug/L	Gen. Eng.
0	BENZO(G, H, I)PERYLENE	LT	10 ug/L	Gen. Eng.
0	BENZO(K)FLUORANTHENE	LT	10 ug/L	Gen. Eng.

CONTINUED

WELL MSB 6A COLLECTED ON 08/22/89 LABORATORY ANALYSES CONTINUED

0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	BENZYL ALCOHOL	LT	20 ug/L	Gen. Eng.
0	BIS(2-CHLOROETHOXY) METHANE	LT	10 ug/L	Gen. Eng.
0	BIS(2-CHLOROETHYL) ETHER	LT	10 ug/L	Gen. Eng.
0	BIS(2-ETHYLHEXYL) PHTHALATE	LT	10 ug/L	Gen. Eng.
0	DICHLORODIFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	TRICHLOROFUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	CADMIUM	LT	2 ug/L	Gen. Eng.
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	M-Area, SRS
0	CHRYSENE	LT	10 ug/L	Gen. Eng.
0	METHYLENE BROMIDE	LT	1 ug/L	Gen. Eng.
0	METHYLENE BROMIDE	LT	1 ug/L	Gen. Eng.
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	ACETONITRILE (METHYL CYANIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROBENZILATE	LT	10 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHLORDANE	LT	0.50 ug/L	Gen. Eng.
0	CHLOROPRENE	LT	1 ug/L	Gen. Eng.
0	PENTACHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	PENTACHLOROETHANE	LT	10 ug/L	Gen. Eng.
0	PENTACHLORONITROBENZENE	LT	10 ug/L	Gen. Eng.
0	HEXACHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	HEXACHLOROCYCLOPENTADIENE	LT	10 ug/L	Gen. Eng.
0	HEXACHLOROETHANE	LT	10 ug/L	Gen. Eng.
0	COBALT	LT	4 ug/L	Gen. Eng.
0	CHROMIUM	LT	4 ug/L	Gen. Eng.
0	CARBON DISULFIDE	LT	1 ug/L	Gen. Eng.
0	COPPER	LT	4 ug/L	Gen. Eng.
0	CYANIDE	LT	5 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	DIBENZ(A, H)ANTHRACENE	LT	10 ug/L	Gen. Eng.
0	DIBROMOCHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	DELTA-BENZENEHEXACHLORIDE	LT	0.50 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	DIETHYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0	DIALATE	LT	10 ug/L	Gen. Eng.
0	DIBENZOFURAN	LT	10 ug/L	Gen. Eng.
0	DIMETHOATE	LT	10 ug/L	Gen. Eng.
0	DISULFOTON	LT	10 ug/L	Gen. Eng.
0	DIELDRIN	LT	0.50 ug/L	Gen. Eng.
0	DIMETHYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0	DI-N-BUTYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0	DI-N-OCTYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0	DIPHENYLAMINE	LT	10 ug/L	Gen. Eng.
0	ETHYL METHANESULFONATE	LT	10 ug/L	Gen. Eng.
0	ENDRIN ALDEHYDE	LT	0.50 ug/L	Gen. Eng.
0	ENDRIN	LT	0.50 ug/L	Gen. Eng.
0	ENDOSULFAN I	LT	0.50 ug/L	Gen. Eng.
0	ENDOSULFAN II	LT	0.50 ug/L	Gen. Eng.
0	ENDOSULFAN SULFATE	LT	0.50 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	ETHYL METHACRYLATE	LT	10 ug/L	Gen. Eng.
0	FAMPHUR	LT	10 ug/L	Gen. Eng.
0	FLUORANTHENE	LT	10 ug/L	Gen. Eng.
0	FLUORENE	LT	10 ug/L	Gen. Eng.
0	HEXACHLOROBUTADIENE	LT	10 ug/L	Gen. Eng.
0	HEXACHLOROPHENE	LT	10 ug/L	Gen. Eng.
0	HEXACHLOROPROPENE	LT	10 ug/L	Gen. Eng.
0	MERCURY	LT	0.20 ug/L	Gen. Eng.
0	HEPTACHLOR	LT	0.50 ug/L	Gen. Eng.
0	HEPTACHLOR EPOXIDE	LT	0.50 ug/L	Gen. Eng.
0	INDENO(1,2,3-C,D)PYRENE	LT	10 ug/L	Gen. Eng.
0	IODOMETHANE	LT	1 ug/L	Gen. Eng.
0	ISOSAFROLE	LT	10 ug/L	Gen. Eng.
0	ISOBUTYL ALCOHOL	LT	1 ug/L	Gen. Eng.
0	ISODRIN	LT	10 ug/L	Gen. Eng.
0	ISOPHORONE	LT	10 ug/L	Gen. Eng.
0	KEPONE	LT	10 ug/L	Gen. Eng.
0	LINDANE	LT	0.50 ug/L	Gen. Eng.
0	1,1-THACHLONITRILE	LT	1 ug/L	Gen. Eng.
0	TOLUENE	LT	1 ug/L	Gen. Eng.
0	METHYLETHYL KETONE	LT	1 ug/L	Gen. Eng.
0	METHYL METHACRYLATE	LT	10 ug/L	Gen. Eng.
0	METHYL METHANE SULFONATE	LT	10 ug/L	Gen. Eng.
0	METHOXYCHLOR	LT	4 ug/L	Gen. Eng.
0	METHYLISOBUTYL KETONE	LT	1 ug/L	Gen. Eng.
0	METHAPYRILENE	LT	10 ug/L	Gen. Eng.
0	NAPHTHALENE	LT	10 ug/L	Gen. Eng.
0	NITROBENZENE	LT	10 ug/L	Gen. Eng.
0	N-NITROSODIMETHYLAMINE	LT	10 ug/L	Gen. Eng.
0	N-NITROSODI-N-BUTYLAMINE	LT	10 ug/L	Gen. Eng.
0	N-NITROSODI-PROPYLAMINE	LT	10 ug/L	Gen. Eng.
0	N-NITROSODIETHYLAMINE	LT	10 ug/L	Gen. Eng.
0	N-NITROSODIETHYLMETHYLAMINE	LT	10 ug/L	Gen. Eng.
0	NICKEL	LT	4 ug/L	Gen. Eng.
0	N-NITROSOMORPHOLINE	LT	10 ug/L	Gen. Eng.
0	N-NITROSODIPHENYLAMINE	LT	10 ug/L	Gen. Eng.
0	N-NITROSOPIPERIDINE	LT	10 ug/L	Gen. Eng.
0	N-NITROSOPYRROLIDINE	LT	10 ug/L	Gen. Eng.
0	4-NITROQUINOLINE-1-OXIDE	LT	10 ug/L	Gen. Eng.
0	5-NITRO-O-TOLUIDINE	LT	10 ug/L	Gen. Eng.
0	O-TOLUIDINE	LT	10 ug/L	Gen. Eng.
0	LEAD	LT	6 ug/L	Gen. Eng.
0	PCB 1016	LT	0.50 ug/L	Gen. Eng.
0	PCB 1221	LT	0.50 ug/L	Gen. Eng.
0	PCB 1232	LT	0.50 ug/L	Gen. Eng.
0	PCB 1242	LT	0.50 ug/L	Gen. Eng.
0	PCB 1248	LT	0.50 ug/L	Gen. Eng.
0	PCB 1254	LT	0.50 ug/L	Gen. Eng.
0	PCB 1260	LT	0.50 ug/L	Gen. Eng.
0	PCB 1262	LT	0.50 ug/L	Gen. Eng.
0	PENTACHLOROPHENOL	LT	10 ug/L	Gen. Eng.

CONTINUED

WELL MSB 6A COLLECTED ON 08/22/89 LABORATORY ANALYSES CONTINUED

0	P-PHENYLENEDIAMINE	LT	10 ug/L	Gen. Eng.
0	P-DIMETHYLAMINOAZOBENZENE	LT	10 ug/L	Gen. Eng.
0	PHENACETIN	LT	10 ug/L	Gen. Eng.
0	PHENANTHRENE	LT	10 ug/L	Gen. Eng.
0	PHENOLS	LT	10 ug/L	Gen. Eng.
0	PHOSPHATE	LT	0.50 ug/L	Gen. Eng.
0	2,2-BIS(4-CHLOROPHENYL)-1,1-DCE	LT	0.50 ug/L	Gen. Eng.
0	2,2-BIS(4-CHLOROPHENYL)-1,1-DCE	LT	0.50 ug/L	Gen. Eng.
0	2,2-BIS(4-CHLOROPHENYL)-1,1,1-TCE	LT	0.50 ug/L	Gen. Eng.
0	PRONAMIDE	LT	10 ug/L	Gen. Eng.
0	PROPIONITRILE	LT	1 ug/L	Gen. Eng.
0	PARATHION	LT	0.50 ug/L	Gen. Eng.
0	PARATHION METHYL	LT	0.50 ug/L	Gen. Eng.
0	PYRENE	LT	10 ug/L	Gen. Eng.
0	PYRIDINE	LT	10 ug/L	Gen. Eng.
0	SAFROLE	LT	10 ug/L	Gen. Eng.
0	ANTIMONY	LT	3 ug/L	Gen. Eng.
0	2-SEC-BUTYL-4,6-DINITROPHENOL	LT	10 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	Gen. Eng.
0	SILVEX	LT	0.50 ug/L	Gen. Eng.
0	TIN	LT	2 ug/L	Gen. Eng.
0	STYRENE	LT	1 ug/L	Gen. Eng.
0	SULFIDE	LT	1000 ug/L	Gen. Eng.
0	1,2,4,5-TETRACHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0	0,0,0-TRIETHYL PHOSPHOROTHIOATE	LT	10 ug/L	Gen. Eng.
0	THALLIUM	LT	2 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0	TOXAPHENE	LT	5 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	M-Area, SRS
0	TRANS-1,4-DICHLORO-2-BUTENE	LT	1 ug/L	Gen. Eng.
0	VANADIUM	LT	20 ug/L	Gen. Eng.
0	VINYL ACETATE	LT	1 ug/L	Gen. Eng.
0	XYLENES	LT	2 ug/L	Gen. Eng.
0	1-NAPHTHYLAMINE	LT	10 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area, SRS
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area, SRS
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	10 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	1,2,3-TRICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	1,2,4-TRICHLOROPROPANE	LT	10 ug/L	Gen. Eng.
0	1,3-DICHLOROETHANE	LT	10 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	1,3-DINITROBENZENE	LT	10 ug/L	Gen. Eng.
0	1,3,5-TRINITROBENZENE	LT	10 ug/L	Gen. Eng.
0	1,4-DICHLOROETHANE	LT	10 ug/L	Gen. Eng.
0	1,4-DIOXANE	LT	10 ug/L	Gen. Eng.
0	1,4-NAPHTHOQUINONE	LT	10 ug/L	Gen. Eng.
0	2-ACETYLAMINOFLOURENE	LT	10 ug/L	Gen. Eng.
0	2-CHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2-CHLORONAPHTHALENE	LT	10 ug/L	Gen. Eng.
0	2-HEXANONE	LT	1 ug/L	Gen. Eng.
0	2-METHYLNAPHTHALENE	LT	10 ug/L	Gen. Eng.
0	2-METHYL PHENOL	LT	10 ug/L	Gen. Eng.
0	2-NITROANILINE	LT	10 ug/L	Gen. Eng.
0	2-NAPHTHYLAMINE	LT	10 ug/L	Gen. Eng.
0	2-NITROPHENOL	LT	10 ug/L	Gen. Eng.
0	2-PICOLINE	LT	10 ug/L	Gen. Eng.
0	2,3,4,6-TETRACHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,4-DICHLOROPHENOXYACETIC ACID	LT	0.50 ug/L	Gen. Eng.
0	2,4-DICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,4-DIMETHYL PHENOL	LT	10 ug/L	Gen. Eng.
0	2,4-DINITROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,4-DINITROTOLUENE	LT	10 ug/L	Gen. Eng.
0	2,4,5-TRICHLOROPHENOXYACETIC ACID	LT	0.50 ug/L	Gen. Eng.
0	2,4,5-TRICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,4,6-TRICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,6-DICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,6-DINITROTOLUENE	LT	10 ug/L	Gen. Eng.
0	3-METHYLCHOLANTHRENE	LT	10 ug/L	Gen. Eng.
0	3-METHYL PHENOL	LT	10 ug/L	Gen. Eng.
0	3-NITROANILINE	LT	10 ug/L	Gen. Eng.
0	3,3-DICHLOROBENZIDENE	LT	20 ug/L	Gen. Eng.
0	3,3-DIMETHYLBENZIDINE	LT	10 ug/L	Gen. Eng.
0	4-AMINOBIIPHENYL	LT	10 ug/L	Gen. Eng.
0	4-BROMOPHENYLPHENYL ETHER	LT	10 ug/L	Gen. Eng.
0	4-CHLOROANILINE	LT	10 ug/L	Gen. Eng.
0	4-CHLOROPHENYL PHENYL ETHER	LT	10 ug/L	Gen. Eng.
0	PARA-CHLORO-META-CRESOL	LT	10 ug/L	Gen. Eng.
0	4-METHYL PHENOL	LT	10 ug/L	Gen. Eng.
0	4-NITROANILINE	LT	10 ug/L	Gen. Eng.
0	4-NITROPHENOL	LT	10 ug/L	Gen. Eng.
0	2-METHYL-4,6-DINITROPHENOL	LT	10 ug/L	Gen. Eng.
0	7,12-DIMETHYLBENZ(A)ANTHRACENE	LT	10 ug/L	Gen. Eng.
0	ZINC	LT	9 ug/L	Gen. Eng.

WELL MSB 6A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/27/89 Time 1515
 Depth to water = 118.01 ft (35.97 m) below the TOC
 Water elevation = 225.89 ft (68.85 m) msl
 pH = 4.9 Alkalinity = 1 mg/L
 Specific conductance = 46 umhos/cm
 Water temperature = 20.3 degrees Celsius
 Water evacuated from the well prior to sampling = 36 gal

LABORATORY ANALYSES

0	HEPTACHLORODIBENZODIOXINS	LT	3 ng/L	metaTRACE
0	HEPTACHLORODIBENZOFURANS	LT	9 ng/L	metaTRACE
0	HEXACHLORODIBENZODIOXINS	LT	10 ng/L	metaTRACE
0	HEXACHLORODIBENZOFURANS	LT	5 ng/L	metaTRACE
0	ORTHOCHELORODIBENZODIOXINS	LT	10 ng/L	metaTRACE
0	ORTHOCHELORODIBENZOFURANS	LT	9 ng/L	metaTRACE
0	PENTACHLORODIBENZODIOXINS	LT	9 ng/L	metaTRACE
0	PENTACHLORODIBENZOFURANS	LT	7 ng/L	metaTRACE
0	TETRACHLORODIBENZODIOXIN	LT	2 ng/L	metaTRACE
0	TETRACHLORODIBENZOFURAN	LT	2 ng/L	metaTRACE
0	A, A-DIMETHYLPHENETHYLAMINE	LT	10 ug/L	metaTRACE
0	ALPHA-BENZENEHEXACHLORIDE	LT	0.05 ug/L	metaTRACE
0	ACETONE	LT	10 ug/L	metaTRACE
0	ACETOPHENONE	LT	10 ug/L	metaTRACE
0	ACROLEIN	LT	100 ug/L	metaTRACE
0	ACRYLONITRILE	LT	5 ug/L	metaTRACE
0	SILVER	LT	2 ug/L	metaTRACE
0	ALUMINUM	LT	30 ug/L	metaTRACE
0	ALDRIN	LT	0.05 ug/L	metaTRACE
0	ACENAPHTHENE	LT	10 ug/L	metaTRACE
0	ACENAPHTHYLENE	LT	10 ug/L	metaTRACE
0	ANTHRACENE	LT	10 ug/L	metaTRACE
0	ARSENIC	LT	3 ug/L	metaTRACE
0	ALLYL CHLORIDE	LT	100 ug/L	metaTRACE
0	AZOBENZENE	LT	10 ug/L	metaTRACE
0	BARIUM	LT	25 ug/L	metaTRACE
0	BENZO(A)ANTHRACENE	LT	10 ug/L	metaTRACE
0	BENZO(A)PYRENE	LT	10 ug/L	metaTRACE
0	BETA-BENZENEHEXACHLORIDE	LT	0.05 ug/L	metaTRACE
0	BUTYLBENZYL PHTHALATE	LT	10 ug/L	metaTRACE
0	BIS(CHLOROMETHYL-ETHYL)ETHER	LT	10 ug/L	metaTRACE
0	BERYLLIUM	LT	1 ug/L	metaTRACE
0	BENZIDINE	LT	50 ug/L	metaTRACE
0	BENZOIC ACID	LT	50 ug/L	metaTRACE
0	BENZO BIFLUOROANTHRENE	LT	10 ug/L	metaTRACE
0	BENZO(C,H,I)PERYLENE	LT	10 ug/L	metaTRACE
0	BENZO(K)FLUOROANTHRENE	LT	10 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
0	BENZYL ALCOHOL	LT	10 ug/L	metaTRACE
0	BIS(2-CHLOROETHOXY) METHANE	LT	10 ug/L	metaTRACE
0	BIS(2-CHLOROISOPROPYL) ETHER	LT	10 ug/L	metaTRACE
0	BIS(2-CHLOROETHYL) ETHER	LT	10 ug/L	metaTRACE
0	BIS(2-ETHYLHEXYL) PHTHALATE	LT	10 ug/L	metaTRACE
0	DICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0	CADMIUM	LT	4 ug/L	metaTRACE
0	BROMOFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	5 ug/L	metaTRACE
0	CHRYSENE	LT	10 ug/L	metaTRACE
0	METHYLENE BROMIDE	LT	10 ug/L	metaTRACE
0	METHYLENE CHLORIDE	J	3 ug/L	metaTRACE
0	BROMOMETHANE	LT	5 ug/L	metaTRACE
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
0	ACETONITRILE (METHYL CYANIDE)	LT	100 ug/L	metaTRACE
0	CHLOROENZILATE	LT	10 ug/L	metaTRACE
0	CHLOROETHANE	LT	5 ug/L	metaTRACE
0	CHLORDANE	LT	1 ug/L	metaTRACE
0	CHLOROPRENE	LT	5 ug/L	metaTRACE
0	PENTACHLOROBENZENE	LT	10 ug/L	metaTRACE
0	PENTACHLOROETHANE	LT	5 ug/L	metaTRACE
0	PENTACHLOROETHANE	LT	10 ug/L	metaTRACE
0	PENTACHLORONITROBENZENE	LT	10 ug/L	metaTRACE
0	HEXACHLOROBENZENE	LT	10 ug/L	metaTRACE
0	HEXACHLOROOCYCLOPENTADIENE	LT	10 ug/L	metaTRACE
0	HEXACHLOROETHANE	LT	10 ug/L	metaTRACE
0	COBALT	LT	7 ug/L	metaTRACE
0	CHROMIUM	LT	5 ug/L	metaTRACE
0	CARBON DISULFIDE	LT	5 ug/L	metaTRACE
0	COPPER	LT	10 ug/L	metaTRACE
0	CYANIDE	LT	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0	CHLOROETHANE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	5 ug/L	metaTRACE
0	DIBENZ(A,H)ANTHRACENE	LT	10 ug/L	metaTRACE
0	DELTA-BENZENEHEXACHLORIDE	LT	0.05 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0	DIETHYL PHTHALATE	LT	10 ug/L	metaTRACE
0	DIALLATE	LT	10 ug/L	metaTRACE
0	DIBENZOFURAN	LT	10 ug/L	metaTRACE
0	DIMETHOATE	LT	10 ug/L	metaTRACE
0	DISULFOTON	LT	10 ug/L	metaTRACE
0	DIELDRIN	LT	0.10 ug/L	metaTRACE
0	DIMETHYL PHTHALATE	LT	10 ug/L	metaTRACE
0	DI-N-BUTYL PHTHALATE	LT	10 ug/L	metaTRACE
0	DI-N-OCTYL PHTHALATE	LT	10 ug/L	metaTRACE
0	DIPHENYLAMINE	LT	10 ug/L	metaTRACE
0	ETHYL METHANESULFONATE	LT	10 ug/L	metaTRACE
0	ENDRIN ALDEHYDE	LT	0.20 ug/L	metaTRACE
0	ENDRIN	LT	0.10 ug/L	metaTRACE
0	ENDOSULFAM I	LT	0.05 ug/L	metaTRACE
0	ENDOSULFAM II	LT	0.10 ug/L	metaTRACE
0	ENDOSULFAM SULFATE	LT	0.10 ug/L	metaTRACE
0	ETHYLBENZENE	LT	5 ug/L	metaTRACE
0	ETHYL METHACRYLATE	LT	5 ug/L	metaTRACE
0	ETHYL METHACRYLATE	LT	10 ug/L	metaTRACE

CONTINUED

WELL MSB 6A COLLECTED ON 09/27/89 LABORATORY ANALYSES CONTINUED

0 FAMPUR	LT	10 ug/L	metaTRACE
0 FLUORANTHENE	LT	10 ug/L	metaTRACE
0 FLUORENE	LT	10 ug/L	metaTRACE
0 HEXACHLOROBUTADIENE	LT	10 ug/L	metaTRACE
0 HEXACHLOROPROPENE	LT	10 ug/L	metaTRACE
0 MERCURY	LT	0.20 ug/L	metaTRACE
0 HEPTACHLOR	LT	0.05 ug/L	metaTRACE
0 HEPTACHLOR EPOXIDE	LT	0.05 ug/L	metaTRACE
0 INDENO(1,2,3-C,D)PYRENE	LT	10 ug/L	metaTRACE
0 IODOMETHANE	LT	5 ug/L	metaTRACE
0 ISOSAFROLE	LT	10 ug/L	metaTRACE
0 ISODRIN	LT	10 ug/L	metaTRACE
0 ISOPHORONE	LT	10 ug/L	metaTRACE
0 LINDANE	LT	0.05 ug/L	metaTRACE
0 M-CRESOL	LT	10 ug/L	metaTRACE
0 METHACRYLONITRILE	LT	5 ug/L	metaTRACE
0 TOLUENE	LT	5 ug/L	metaTRACE
0 METHYLETHYL KETONE	LT	10 ug/L	metaTRACE
0 METHYL METHACRYLATE	LT	5 ug/L	metaTRACE
0 METHYL METHANE SULFONATE	LT	10 ug/L	metaTRACE
0 METHOXYCHLOR	LT	0.05 ug/L	metaTRACE
0 METHAPYRILENE	LT	10 ug/L	metaTRACE
1 SODIUM	LT	8073 ug/L	metaTRACE
0 NAPHTHALENE	LT	10 ug/L	metaTRACE
0 NITROBENZENE	LT	10 ug/L	metaTRACE
0 N-NITROSODIMETHYLAMINE	LT	10 ug/L	metaTRACE
0 N-NITROSODI-N-BUTYLAMINE	LT	10 ug/L	metaTRACE
0 N-NITROSODI-PROPYLAMINE	LT	10 ug/L	metaTRACE
0 N-NITROSODIETHYLAMINE	LT	10 ug/L	metaTRACE
0 N-NITROSODIETHYL METHYLAMINE	LT	10 ug/L	metaTRACE
0 NICKEL	LT	5 ug/L	metaTRACE
0 N-NITROSOMORPHOLINE	LT	10 ug/L	metaTRACE
0 N-NITROSODIPHENYLAMINE	LT	10 ug/L	metaTRACE
0 N-NITROSOPICERIDINE	LT	10 ug/L	metaTRACE
0 N-NITROSOPYRROLIDINE	LT	10 ug/L	metaTRACE
0 4-NITROQUINOLINE-1-OXIDE	LT	10 ug/L	metaTRACE
0 O-TOLUIDINE	LT	10 ug/L	metaTRACE
0 LEAD	LT	3 ug/L	metaTRACE
0 PCB 1016	LT	0.50 ug/L	metaTRACE
0 PCB 1221	LT	0.50 ug/L	metaTRACE
0 PCB 1232	LT	0.50 ug/L	metaTRACE
0 PCB 1242	LT	0.50 ug/L	metaTRACE
0 PCB 1248	LT	0.50 ug/L	metaTRACE
0 PCB 1254	LT	1 ug/L	metaTRACE
0 PCB 1260	LT	1 ug/L	metaTRACE
0 PENTACHLOROPHENOL	LT	50 ug/L	metaTRACE
0 P-PHENYLENEDIAMINE	LT	10 ug/L	metaTRACE
0 P-DIMETHYLAMINOAZOBENZENE	LT	10 ug/L	metaTRACE
0 PHENACETIN	LT	10 ug/L	metaTRACE
0 PHENANTHRENE	LT	10 ug/L	metaTRACE
0 PHENOLS	LT	10 ug/L	metaTRACE
0 PHORATE	LT	10 ug/L	metaTRACE
0 2,2-BIS(4-CHLOROPHENYL)-1,1-DCE	LT	0.10 ug/L	metaTRACE
0 2,2-BIS(4-CHLOROPHENYL)-1,1-DCE	LT	0.10 ug/L	metaTRACE
0 2,2-BIS(4-CHLOROPHENYL)-1,1,1-TCE	LT	0.10 ug/L	metaTRACE
0 PRONAMIDE	LT	10 ug/L	metaTRACE
0 PROPIONITRILE	LT	5 ug/L	metaTRACE
0 PARATHION	LT	10 ug/L	metaTRACE
0 PARATHION METHYL	LT	10 ug/L	metaTRACE
0 PYRENE	LT	10 ug/L	metaTRACE
0 PYRIDINE	LT	10 ug/L	metaTRACE
0 SAFROLE	LT	10 ug/L	metaTRACE
0 ANTIMONY	LT	10 ug/L	metaTRACE
0 2-SEC-BUTYL-4,6-DINITROPHENOL	LT	10 ug/L	metaTRACE
0 SELENIUM	LT	2 ug/L	metaTRACE
0 SILVER	LT	0.07 ug/L	metaTRACE
1 TIN	LT	197 ug/L	metaTRACE
0 STYRENE	LT	5 ug/L	metaTRACE
0 SULFIDE	LT	1000 ug/L	metaTRACE
0 1,2,4,5-TETRACHLOROBENZENE	LT	10 ug/L	metaTRACE
0 1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,1,1,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0 TETRACHLOROETHYLENE	LT	10.0 ug/L	metaTRACE
0 TETRAETHYL DITHIOPROPHOSPHATE	LT	10 ug/L	metaTRACE
0 O,O,O-TRIETHYL PHOSPHOROTHIOATE	LT	10 ug/L	metaTRACE
0 THIOAZIN	LT	10 ug/L	metaTRACE
0 THALLIUM	LT	10 ug/L	metaTRACE
0 TRICHLOROETHYLENE	LT	10.0 ug/L	metaTRACE
0 TOXAPENE	LT	1 ug/L	metaTRACE
0 TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0 TRANS-1,4-DICHLORO-2-BUTENE	LT	10 ug/L	metaTRACE
0 VANADIUM	LT	5 ug/L	metaTRACE
0 VINYL ACETATE	LT	5 ug/L	metaTRACE
0 XYLENES	LT	5 ug/L	metaTRACE
0 1-NAPHTHYLAMINE	LT	10 ug/L	metaTRACE
0 1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0 1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,2-DIBROMOETHANE	LT	5 ug/L	metaTRACE
0 1,2-DIBROMO-3-CHLOROPROPANE	LT	10 ug/L	metaTRACE
0 1,2-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0 1,2-DICHLOROETHANE	LT	10 ug/L	metaTRACE
0 1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0 1,2,3-TRICHLOROPROPANE	LT	5 ug/L	metaTRACE
0 1,2,4-TRICHLOROBENZENE	LT	10 ug/L	metaTRACE
0 1,3-DICHLOROBENZENE	LT	10 ug/L	metaTRACE
0 CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0 1,4-BENZOQUINONE	LT	10 ug/L	metaTRACE
0 1,4-DICHLOROBENZENE	LT	10 ug/L	metaTRACE
0 1,4-DIOXANE	LT	10 ug/L	metaTRACE
0 1,4-NAPHTHOQUINONE	LT	10 ug/L	metaTRACE
0 2-ACETYLAMINOFUORENE	LT	10 ug/L	metaTRACE
0 2-CHLOROPHENOL	LT	10 ug/L	metaTRACE
0 2-CHLORONAPHTHALENE	LT	10 ug/L	metaTRACE
0 2-HEXANONE	LT	10 ug/L	metaTRACE
0 2-METHYLNAPHTHALENE	LT	10 ug/L	metaTRACE
0 2-NAPHTHYLAMINE	LT	10 ug/L	metaTRACE

CONTINUED

WELL MSB 6A COLLECTED ON 09/27/89 LABORATORY ANALYSES CONTINUED

0 2-NITROPHENOL	LT	10 ug/L	metaTRACE
0 2-PICOLINE	LT	10 ug/L	metaTRACE
0 2,3,4,6-TETRACHLOROPHENOL	LT	10 ug/L	metaTRACE
0 2,4-DICHLOROPHENOXYACETIC ACID	LT	0.46 ug/L	metaTRACE
0 2,4-DICHLOROPHENOL	LT	10 ug/L	metaTRACE
0 2,4-DIMETHYL PHENOL	LT	10 ug/L	metaTRACE
0 2,4-DINITROPHENOL	LT	50 ug/L	metaTRACE
0 2,4-DINITROTOLUENE	LT	10 ug/L	metaTRACE
0 2,4,5-TRICHLOROPHENOXYACETIC ACID	LT	0.07 ug/L	metaTRACE
0 2,4,5-TRICHLOROPHENOL	LT	10 ug/L	metaTRACE
0 2,4,6-TRICHLOROPHENOL	LT	10 ug/L	metaTRACE
0 2,6-DICHLOROPHENOL	LT	10 ug/L	metaTRACE
0 2,6-DINITROTOLUENE	LT	10 ug/L	metaTRACE
0 3-METHYLCHOLANTHRENE	LT	10 ug/L	metaTRACE
0 3,3-DICHLOROBENZIDENE	LT	20 ug/L	metaTRACE
0 3,3-DIMETHYLBENZIDINE	LT	10 ug/L	metaTRACE
0 4-AMINOBIOPHENYL	LT	10 ug/L	metaTRACE
0 4-BROMOPHENYLPHENYL ETHER	LT	10 ug/L	metaTRACE
0 4-CHLOROANILINE	LT	10 ug/L	metaTRACE
0 4-CHLOROPHENYLPHENYL ETHER	LT	10 ug/L	metaTRACE
0 4-CHLORO-3-METHYLPHENOL	LT	10 ug/L	metaTRACE
0 4-METHYL-2-PENTANONE	LT	10 ug/L	metaTRACE
0 4-NITROPHENOL	LT	10 ug/L	metaTRACE
0 7,12-DIMETHYLBENZ(A)ANTHRACENE	LT	10 ug/L	metaTRACE
0 ZINC	LT	17 ug/L	metaTRACE

WELL MSB 7A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/09/89 Time 1805
 Depth to water = 116.96 ft (35.65 m) below the TOC
 Water elevation = 227.54 ft (69.36 m) msl
 pH = 4.6 Alkalinity = 1 mg/L
 Specific conductance = 65 umhos/cm
 Water temperature = 21.1 degrees Celsius
 Water evacuated from the well prior to sampling = 40 gal

LABORATORY ANALYSES

0 SPECIFIC CONDUCTANCE		52.00 UMHG	Gen. Eng.
0 PH		5.16 pH	Gen. Eng.
0 SILVER	LT	2 ug/L	Gen. Eng.
0 ALUMINUM		42 ug/L	Gen. Eng.
0 ARSENIC	LT	2 ug/L	Gen. Eng.
0 BARIUM		16 ug/L	Gen. Eng.
0 BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0 CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0 CADMIUM	LT	2 ug/L	Gen. Eng.
0 BROMOFORM	LT	1 ug/L	Gen. Eng.
0 CHLOROFORM	LT	1 ug/L	Gen. Eng.
0 CHLOROFORM	LT	5 ug/L	M-Area, SRS
0 METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0 BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0 CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 CHLORIDE		3000 ug/L	Gen. Eng.
0 CHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0 CHROMIUM	LT	4 ug/L	Gen. Eng.
1 COPPER		46 ug/L	Gen. Eng.
0 CYANIDE	LT	5 ug/L	Gen. Eng.
0 CHLOROETHYLENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0 CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 BENZENE	LT	1 ug/L	Gen. Eng.
0 DIHYDROCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 ENDRIIN	LT	0.10 ug/L	Gen. Eng.
0 ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
1 IRON		295 ug/L	Gen. Eng.
0 MERCURY	LT	0.20 ug/L	Gen. Eng.
0 TOLUENE	LT	1 ug/L	Gen. Eng.
1 MANGANESE		38 ug/L	Gen. Eng.
1 SODIUM		9630 ug/L	Gen. Eng.
0 NICKEL	LT	4 ug/L	Gen. Eng.
1 NITRATE AS NITROGEN		3430 ug/L	Gen. Eng.
0 LEAD	LT	6 ug/L	Gen. Eng.
0 PHENOLS	LT	5 ug/L	Gen. Eng.
0 SELENIUM	LT	2 ug/L	Gen. Eng.
0 SULFATE	LT	5000 ug/L	Gen. Eng.
0 1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
2 TETRACHLOROETHYLENE		13.0 ug/L	Gen. Eng.
2 TETRACHLOROETHYLENE		16.0 ug/L	M-Area, SRS
0 TOTAL ORGANIC CARBON		2000 ug/L	Gen. Eng.
1 TOTAL ORGANIC HALOGENS		18 ug/L	Gen. Eng.
1 TOTAL PHOSPHORUS		230 ug/L	Gen. Eng.
2 TRICHLOROETHYLENE		6.00 ug/L	Gen. Eng.
2 TRICHLOROETHYLENE		9.14 ug/L	M-Area, SRS
0 TRANS-1,2-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0 TRANS-1,2-DICHLOROETHYLENE	LT	5 ug/L	M-Area, SRS
0 URANIUM	LT	1000 ug/L	Gen. Eng.
0 1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0 1,1-DICHLOROETHYLENE	LT	5 ug/L	M-Area, SRS
0 1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,1,1-TRICHLOROETHANE	LT	5 ug/L	M-Area, SRS
0 1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0 1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0 CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0 TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0 2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0 ZINC		16 ug/L	Gen. Eng.
0 GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
0 NONVOLATILE BETA		5.51+-2.40 pCi/L	Gen. Eng.
0 TOTAL RADIUM		2.32+-2.10 pCi/L	Gen. Eng.

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/22/89 Time 935
 Depth to water = 117.27 ft (35.74 m) below the TOC
 Water elevation = 227.23 ft (69.26 m) msl
 pH = 4.9 Alkalinity = 0 mg/L
 Specific conductance = 60 umhos/cm
 Water temperature = 20.0 degrees Celsius
 Water evacuated from the well prior to sampling = 39 gal

LABORATORY ANALYSES

0	HEPTACHLORODIBENZODIOXINS	LT	0.83 ng/L	metaTRACE
0	HEPTACHLORODIBENZOFURANS	LT	0.93 ng/L	metaTRACE
0	HEXACHLORODIBENZODIOXINS	LT	0.99 ng/L	metaTRACE
0	HEXACHLORODIBENZOFURANS	LT	0.71 ng/L	metaTRACE
0	ORTHOCHELORODIBENZODIOXINS	LT	0.88 ng/L	metaTRACE
0	ORTHOCHELORODIBENZOFURANS	LT	0.96 ng/L	metaTRACE
0	PENTACHLORODIBENZODIOXINS	LT	0.99 ng/L	metaTRACE
0	PENTACHLORODIBENZOFURANS	LT	0.91 ng/L	metaTRACE
0	TETRACHLORODIBENZODIOXIN	LT	0.93 ng/L	metaTRACE
0	TETRACHLORODIBENZOFURAN	LT	0.63 ng/L	metaTRACE
0	A, A-DIMETHYLPHENETHYLAMINE	LT	10 ug/L	Gen. Eng.
0	ALPHA-BENZENEHEXACHLORIDE	LT	0.50 ug/L	Gen. Eng.
0	ACETONE	LT	1 ug/L	Gen. Eng.
0	ACETOPHENONE	LT	10 ug/L	Gen. Eng.
0	ACROLEIN	LT	20 ug/L	Gen. Eng.
0	ACRYLONITRILE	LT	20 ug/L	Gen. Eng.
0	SILVER	LT	2 ug/L	Gen. Eng.
0	ALDRIN	LT	0.50 ug/L	Gen. Eng.
0	ACENAPHTHENE	LT	10 ug/L	Gen. Eng.
0	ACENAPHTHYLENE	LT	10 ug/L	Gen. Eng.
0	ANILINE	LT	10 ug/L	Gen. Eng.
0	ANTHRACENE	LT	10 ug/L	Gen. Eng.
0	ARAMITE	LT	10 ug/L	Gen. Eng.
0	ARSENIC	LT	2 ug/L	Gen. Eng.
0	ALLYL CHLORIDE	LT	1 ug/L	Gen. Eng.
0	BARIUM	LT	14 ug/L	Gen. Eng.
0	BENZO(A)ANTHRACENE	LT	10 ug/L	Gen. Eng.
0	BENZO(A)PYRENE	LT	10 ug/L	Gen. Eng.
0	BENZO(B)FLUORANTHENE	LT	10 ug/L	Gen. Eng.
0	BETA-BENZENEHEXACHLORIDE	LT	0.50 ug/L	Gen. Eng.
0	BUTYLBENZYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0	BIS(CHLOROMETHYL-ETHYL)ETHER	LT	10 ug/L	Gen. Eng.
0	BERYLLIUM	LT	5 ug/L	Gen. Eng.
0	BENZO(G,H,I)PERYLENE	LT	10 ug/L	Gen. Eng.
0	BENZO(K)FLUORANTHENE	LT	10 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	BENZYL ALCOHOL	LT	20 ug/L	Gen. Eng.
0	BIS(2-CHLOROETHOXY) METHANE	LT	10 ug/L	Gen. Eng.
0	BIS(2-CHLOROETHYL) ETHER	LT	10 ug/L	Gen. Eng.
0	BIS(2-ETHYLHEXYL) PHTHALATE	LT	10 ug/L	Gen. Eng.
0	DICHLORODIFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	TRICHLOROFUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	CADMIUM	LT	2 ug/L	Gen. Eng.
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	5 ug/L	M-Area, SRS
0	CHRYSENE	LT	10 ug/L	Gen. Eng.
0	METHYLENE BROMIDE	LT	1 ug/L	Gen. Eng.
0	METHYLENE BROMIDE	LT	1 ug/L	Gen. Eng.
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	ACETONITRILE (METHYL CYANIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROBENZILATE	LT	10 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHLORDANE	LT	0.50 ug/L	Gen. Eng.
0	CHLOROPRENE	LT	1 ug/L	Gen. Eng.
0	PENTACHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	PENTACHLOROETHANE	LT	10 ug/L	Gen. Eng.
0	PENTACHLORONITROBENZENE	LT	10 ug/L	Gen. Eng.
0	HEXACHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	HEXACHLOROXYCLOPENTADIENE	LT	10 ug/L	Gen. Eng.
0	HEXACHLOROETHANE	LT	10 ug/L	Gen. Eng.
0	COBALT	LT	4 ug/L	Gen. Eng.
0	CHROMIUM	LT	4 ug/L	Gen. Eng.
0	CARBON DISULFIDE	LT	1 ug/L	Gen. Eng.
0	COPPER	LT	5 ug/L	Gen. Eng.
0	CYANIDE	LT	5 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	DIBENZ(A,H)ANTHRACENE	LT	10 ug/L	Gen. Eng.
0	DIBROMOCHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	DELTA-BENZENEHEXACHLORIDE	LT	0.50 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	DIETHYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0	DIALATE	LT	10 ug/L	Gen. Eng.
0	DIBENZOFURAN	LT	10 ug/L	Gen. Eng.
0	DIMETHOATE	LT	10 ug/L	Gen. Eng.
0	DISULFOTON	LT	10 ug/L	Gen. Eng.
0	DIELDRIIN	LT	0.50 ug/L	Gen. Eng.
0	DIMETHYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0	DI-N-BUTYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0	DI-N-OCYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0	DIPHENYLAMINE	LT	10 ug/L	Gen. Eng.
0	ETHYL METHANESULFONATE	LT	10 ug/L	Gen. Eng.
0	ENDRIIN ALDEHYDE	LT	0.50 ug/L	Gen. Eng.
0	ENDRIIN	LT	0.50 ug/L	Gen. Eng.
0	ENDOSULFAN I	LT	0.50 ug/L	Gen. Eng.
0	ENDOSULFAN II	LT	0.50 ug/L	Gen. Eng.
0	ENDOSULFAN SULFATE	LT	0.50 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	ETHYL METHACRYLATE	LT	10 ug/L	Gen. Eng.
0	FAMPHUR	LT	10 ug/L	Gen. Eng.
0	FLUORANTHENE	LT	10 ug/L	Gen. Eng.

CONTINUED

U	FLUORENE	LT	10 ug/L	Gen. Eng.
0	HEXACHLOROBUTADIENE	LT	10 ug/L	Gen. Eng.
0	HEXACHLOROPHENE	LT	10 ug/L	Gen. Eng.
0	HEXACHLOROPROPENE	LT	10 ug/L	Gen. Eng.
0	MERCURY	LT	0.20 ug/L	Gen. Eng.
0	HEPTACHLOR	LT	0.50 ug/L	Gen. Eng.
0	HEPTACHLOR EPOXIDE	LT	0.50 ug/L	Gen. Eng.
0	INDENO(1,2,3-C,D)PYRENE	LT	10 ug/L	Gen. Eng.
0	IODOMETHANE	LT	1 ug/L	Gen. Eng.
0	ISOSAFROLE	LT	10 ug/L	Gen. Eng.
0	ISOBUTYL ALCOHOL	LT	1 ug/L	Gen. Eng.
0	ISODRIIN	LT	10 ug/L	Gen. Eng.
0	ISOPHORONE	LT	10 ug/L	Gen. Eng.
0	KEPONE	LT	10 ug/L	Gen. Eng.
0	LINDANE	LT	0.50 ug/L	Gen. Eng.
0	METHACRYLONITRILE	LT	1 ug/L	Gen. Eng.
0	TOLUENE	LT	1 ug/L	Gen. Eng.
0	METHYLETHYL KETONE	LT	1 ug/L	Gen. Eng.
0	METHYL METHACRYLATE	LT	10 ug/L	Gen. Eng.
0	METHYL METHANE SULFONATE	LT	10 ug/L	Gen. Eng.
0	METHOXYCHLOR	LT	4 ug/L	Gen. Eng.
0	METHYLISOBUTYL KETONE	LT	1 ug/L	Gen. Eng.
0	METHAPRYLENE	LT	10 ug/L	Gen. Eng.
0	NAPHTHALENE	LT	10 ug/L	Gen. Eng.
0	NITROBENZENE	LT	10 ug/L	Gen. Eng.
0	N-NITROSODIMETHYLAMINE	LT	10 ug/L	Gen. Eng.
0	N-NITROSODI-N-BUTYLAMINE	LT	10 ug/L	Gen. Eng.
0	N-NITROSODI-PROPYLAMINE	LT	10 ug/L	Gen. Eng.
0	N-NITROSODIETHYLAMINE	LT	10 ug/L	Gen. Eng.
0	N-NITROSODIETHYLMETHYLAMINE	LT	10 ug/L	Gen. Eng.
0	NICKEL	LT	4 ug/L	Gen. Eng.
0	N-NITROSOMORPHOLINE	LT	10 ug/L	Gen. Eng.
0	N-NITROSODIPHENYLAMINE	LT	10 ug/L	Gen. Eng.
0	N-NITROSOPIPERIDINE	LT	10 ug/L	Gen. Eng.
0	N-NITROSOPYRROLIDINE	LT	10 ug/L	Gen. Eng.
0	4-NITROQUINOLINE-1-OXIDE	LT	10 ug/L	Gen. Eng.
0	5-NITRO-O-TOLUIDINE	LT	10 ug/L	Gen. Eng.
0	O-TOLUIDINE	LT	10 ug/L	Gen. Eng.
0	LEAD	LT	8 ug/L	Gen. Eng.
0	PCB 1016	LT	0.50 ug/L	Gen. Eng.
0	PCB 1221	LT	0.50 ug/L	Gen. Eng.
0	PCB 1232	LT	0.50 ug/L	Gen. Eng.
0	PCB 1242	LT	0.50 ug/L	Gen. Eng.
0	PCB 1248	LT	0.50 ug/L	Gen. Eng.
0	PCB 1254	LT	0.50 ug/L	Gen. Eng.
0	PCB 1260	LT	0.50 ug/L	Gen. Eng.
0	PCB 1262	LT	0.50 ug/L	Gen. Eng.
0	PENTACHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	P-PHENYLENEDIAMINE	LT	10 ug/L	Gen. Eng.
0	P-DIMETHYLAMINOAZOBENZENE	LT	10 ug/L	Gen. Eng.
0	PHENACETIN	LT	10 ug/L	Gen. Eng.
0	PHENANTHRENE	LT	10 ug/L	Gen. Eng.
0	PHENOLS	LT	10 ug/L	Gen. Eng.
0	PHORATE	LT	0.50 ug/L	Gen. Eng.
0	2,2-BIS(4-CHLOROPHENYL)-1,1-DCE	LT	0.50 ug/L	Gen. Eng.
0	2,2-BIS(4-CHLOROPHENYL)-1,1-DCE	LT	0.50 ug/L	Gen. Eng.
0	2,2-BIS(4-CHLOROPHENYL)-1,1,1-TCE	LT	0.50 ug/L	Gen. Eng.
0	PRONAMIDE	LT	10 ug/L	Gen. Eng.
0	PROPIONITRILE	LT	1 ug/L	Gen. Eng.
0	PARATHION	LT	0.50 ug/L	Gen. Eng.
0	PARATHION METHYL	LT	0.50 ug/L	Gen. Eng.
0	PYRENE	LT	10 ug/L	Gen. Eng.
0	PYRIDINE	LT	10 ug/L	Gen. Eng.
0	SAFROLE	LT	10 ug/L	Gen. Eng.
0	ANTIMONY	LT	3 ug/L	Gen. Eng.
0	2-SEC-BUTYL-4,6-DINITROPHENOL	LT	10 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	Gen. Eng.
0	SILVEX	LT	0.50 ug/L	Gen. Eng.
0	TIN	LT	2 ug/L	Gen. Eng.
0	STYRENE	LT	1 ug/L	Gen. Eng.
0	SULFIDE	LT	1000 ug/L	Gen. Eng.
0	1,2,4,5-TETRACHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	2 TETRACHLOROETHYLENE	LT	19.0 ug/L	Gen. Eng.
0	2 TETRACHLOROETHYLENE	LT	24.9 ug/L	M-Area, SRS
0	0,0,0-TRICHTYL PHOSPHOROTHIOATE	LT	10 ug/L	Gen. Eng.
0	THALLIUM	LT	2 ug/L	Gen. Eng.
0	2 TRICHLOROETHYLENE	LT	8.00 ug/L	Gen. Eng.
0	2 TRICHLOROETHYLENE	LT	11.0 ug/L	M-Area, SRS
0	TOXAPHENE	LT	5 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	M-Area, SRS
0	TRANS-1,4-DICHLORO-2-BUTENE	LT	1 ug/L	Gen. Eng.
0	VANADIUM	LT	20 ug/L	Gen. Eng.
0	VINYL ACETATE	LT	1 ug/L	Gen. Eng.
0	XYLENES	LT	2 ug/L	Gen. Eng.
0	1-MAPHTHYLAMINE	LT	10 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	M-Area, SRS
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	M-Area, SRS
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	1,2,3-TRICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	1,2,4-TRICHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	1,3-DICHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	1,3-DINITROBENZENE	LT	10 ug/L	Gen. Eng.
0	1,3,5-TRINITROBENZENE	LT	10 ug/L	Gen. Eng.
0	1,4-DICHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	1,4-DIOXANE	LT	10 ug/L	Gen. Eng.
0	1,4-NAPHTHOQUINONE	LT	10 ug/L	Gen. Eng.
0	2-ACETYLAMINOFUORENE	LT	10 ug/L	Gen. Eng.
0	2-CHLOROPHENOL	LT	10 ug/L	Gen. Eng.

CONTINUED

WELL MSB 7A COLLECTED ON 08/22/89 LABORATORY ANALYSES CONTINUED

0	2-CHLORONAPHTHALENE	LT	10 ug/L	Gen. Eng.
0	2-MEXANONE	LT	1 ug/L	Gen. Eng.
0	2-METHYLNAPHTHALENE	LT	10 ug/L	Gen. Eng.
0	2-METHYL PHENOL	LT	10 ug/L	Gen. Eng.
0	2-NITROANILINE	LT	10 ug/L	Gen. Eng.
0	2-NAPHTHYLAMINE	LT	10 ug/L	Gen. Eng.
0	2-NITROPHENOL	LT	10 ug/L	Gen. Eng.
0	2-PICOLINE	LT	10 ug/L	Gen. Eng.
0	2,3,4,6-TETRACHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,4-DICHLOROPHENOXYACETIC ACID	LT	0.50 ug/L	Gen. Eng.
0	2,4-DICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,4-DIMETHYL PHENOL	LT	10 ug/L	Gen. Eng.
0	2,4-DINITROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,4-DINITROTOLUENE	LT	10 ug/L	Gen. Eng.
0	2,4,5-TRICHLOROPHENOXYACETIC ACID	LT	0.50 ug/L	Gen. Eng.
0	2,4,5-TRICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,4,6-TRICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,6-DICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,6-DINITROTOLUENE	LT	10 ug/L	Gen. Eng.
0	3-METHYLCHOLANTHRENE	LT	10 ug/L	Gen. Eng.
0	3-METHYL PHENOL	LT	10 ug/L	Gen. Eng.
0	3-NITROANILINE	LT	10 ug/L	Gen. Eng.
0	3,3-DICHLOROBENZIDENE	LT	20 ug/L	Gen. Eng.
0	3,3-DIMETHYLBENZIDINE	LT	10 ug/L	Gen. Eng.
0	4-AMINOBIOPHENYL	LT	10 ug/L	Gen. Eng.
0	4-BROMOPHENYLPHENYL ETHER	LT	10 ug/L	Gen. Eng.
0	4-CHLOROANILINE	LT	10 ug/L	Gen. Eng.
0	4-CHLOROPHENYLPHENYL ETHER	LT	10 ug/L	Gen. Eng.
0	PARA-CHLORO-META-CRESOL	LT	10 ug/L	Gen. Eng.
0	4-METHYL PHENOL	LT	10 ug/L	Gen. Eng.
0	4-NITROANILINE	LT	10 ug/L	Gen. Eng.
0	4-NITROPHENOL	LT	10 ug/L	Gen. Eng.
0	2-METHYL-4,6-DINITROPHENOL	LT	10 ug/L	Gen. Eng.
0	7,12-DIMETHYLBENZ(A)ANTHRACENE	LT	10 ug/L	Gen. Eng.
0	ZINC	LT	14 ug/L	Gen. Eng.

WELL MSB 7A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/27/89 Time 1545
 Depth to water = 117.55 ft (35.83 m) below the TOC
 Water elevation = 226.95 ft (69.18 m) msl
 pH = 4.6 Alkalinity = 0 mg/L
 Specific conductance = 71 umhos/cm
 Water temperature = 19.7 degrees Celsius
 Water evacuated from the well prior to sampling = 39 gal

LABORATORY ANALYSES

0	HEPTACHLORODIBENZODIOXINS	LT	5 ng/L	metaTRACE
0	HEPTACHLORODIBENZOFURANS	LT	10 ng/L	metaTRACE
0	HEXACHLORODIBENZODIOXINS	LT	10 ng/L	metaTRACE
0	HEXACHLORODIBENZOFURANS	LT	10 ng/L	metaTRACE
0	ORTHOCHLORODIBENZODIOXINS	LT	9 ng/L	metaTRACE
0	ORTHOCHLORODIBENZOFURANS	LT	10 ng/L	metaTRACE
0	PENTACHLORODIBENZODIOXINS	LT	10 ng/L	metaTRACE
0	PENTACHLORODIBENZOFURANS	LT	7 ng/L	metaTRACE
0	TETRACHLORODIBENZODIOXIN	LT	4 ng/L	metaTRACE
0	TETRACHLORODIBENZOFURAN	LT	4 ng/L	metaTRACE
0	A,A-DIMETHYLPHENETHYLAMINE	LT	10 ug/L	metaTRACE
0	ALPHA-BENZENEHEXACHLORIDE	LT	0.05 ug/L	metaTRACE
0	ACETONE	LT	10 ug/L	metaTRACE
0	ACETOPHENONE	LT	10 ug/L	metaTRACE
0	ACROLEIN	LT	100 ug/L	metaTRACE
0	ACRYLONITRILE	LT	5 ug/L	metaTRACE
0	SILVER	LT	2 ug/L	metaTRACE
0	ALUMINUM	LT	30 ug/L	metaTRACE
0	ALDRIN	LT	0.05 ug/L	metaTRACE
0	ACENAPHTHENE	LT	10 ug/L	metaTRACE
0	ACENAPHTHYLENE	LT	10 ug/L	metaTRACE
0	ANTHRACENE	LT	10 ug/L	metaTRACE
0	ARSENIC	LT	3 ug/L	metaTRACE
0	ALLYL CHLORIDE	LT	100 ug/L	metaTRACE
0	AZOBEZENE	LT	10 ug/L	metaTRACE
0	BARIUM	LT	25 ug/L	metaTRACE
0	BENZO(A)ANTHRACENE	LT	10 ug/L	metaTRACE
0	BENZO(A)PYRENE	LT	10 ug/L	metaTRACE
0	BETA-BENZENEHEXACHLORIDE	LT	0.05 ug/L	metaTRACE
0	BUTYLBENZYL PHTHALATE	LT	10 ug/L	metaTRACE
0	BIS(CHLOROMETHYL-ETHYL)ETHER	LT	10 ug/L	metaTRACE
1	BERYLLIUM	LT	2 ug/L	metaTRACE
0	BENZIDINE	LT	50 ug/L	metaTRACE
0	BENZOIC ACID	LT	50 ug/L	metaTRACE
0	BENZO BIFLUOROANTHRENE	LT	10 ug/L	metaTRACE
0	BENZO(C,H,I)PERYLENE	LT	10 ug/L	metaTRACE
0	BENZO(K)FLUOROANTHRENE	LT	10 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
0	BENZYL ALCOHOL	LT	10 ug/L	metaTRACE
0	BIS(2-CHLOROETHOXY) METHANE	LT	10 ug/L	metaTRACE
0	BIS(2-CHLOROISOPROPYL) ETHER	LT	10 ug/L	metaTRACE
0	BIS(2-CHLOROETHYL) ETHER	LT	10 ug/L	metaTRACE
0	BIS(2-ETHYLHEXYL) PHTHALATE	LT	10 ug/L	metaTRACE
0	DICHLORODIFLUOROMETHANE	LT	5 ug/L	metaTRACE
0	TRICHLORODIFLUOROMETHANE	LT	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0	CADMIUM	LT	4 ug/L	metaTRACE
0	BROMOFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	5 ug/L	metaTRACE
0	CHRYSENE	LT	10 ug/L	metaTRACE
0	METHYLENE BROMIDE	LT	10 ug/L	metaTRACE
1	METHYLENE CHLORIDE	J	5 ug/L	metaTRACE
0	BROMOMETHANE	LT	5 ug/L	metaTRACE
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
0	ACETONITRILE (METHYL CYANIDE)	LT	100 ug/L	metaTRACE
0	CHLOROBENZILATE	LT	10 ug/L	metaTRACE

CONTINUED

WELL MSB 7A COLLECTED ON 09/27/89 LABORATORY ANALYSES CONTINUED

0	CHLOROBENZENE	LT	5 ug/L	metaTRACE
0	CHLORDANE	LT	1 ug/L	metaTRACE
0	CHLOROPRENE	LT	5 ug/L	metaTRACE
0	PENTACHLOROBENZENE	LT	10 ug/L	metaTRACE
0	PENTACHLOROETHANE	LT	5 ug/L	metaTRACE
0	PENTACHLOROETHANE	LT	10 ug/L	metaTRACE
0	PENTACHLORONITROBENZENE	LT	10 ug/L	metaTRACE
0	HEXACHLOROBENZENE	LT	10 ug/L	metaTRACE
0	HEXACHLOROXYCLOPENTADIENE	LT	10 ug/L	metaTRACE
0	HEXACHLOROETHANE	LT	10 ug/L	metaTRACE
0	COBALT	LT	7 ug/L	metaTRACE
1	CHROMIUM	LT	9 ug/L	metaTRACE
0	CARBON DISULFIDE	LY	5 ug/L	metaTRACE
0	COPPER	LT	10 ug/L	metaTRACE
0	COBALT	LT	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0	CHLOROETHANE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	5 ug/L	metaTRACE
0	DIBENZ(A,H)ANTHRACENE	LT	10 ug/L	metaTRACE
0	DELTA-BENZENEHEXACHLORIDE	LT	0.05 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0	DIETHYL PHTHALATE	LT	10 ug/L	metaTRACE
0	DIALATE	LT	10 ug/L	metaTRACE
0	DIBENZOFURAN	LT	10 ug/L	metaTRACE
0	DIMETHOATE	LT	10 ug/L	metaTRACE
0	DISULFOTON	LT	10 ug/L	metaTRACE
0	DIELDRIN	LT	0.10 ug/L	metaTRACE
0	DIMETHYL PHTHALATE	LT	10 ug/L	metaTRACE
0	DI-N-BUTYL PHTHALATE	LT	10 ug/L	metaTRACE
0	DI-N-OCTYL PHTHALATE	LT	10 ug/L	metaTRACE
0	DIPHENYLAMINE	LT	10 ug/L	metaTRACE
0	ETHYL METHANESULFONATE	LT	10 ug/L	metaTRACE
0	ENDRIN ALDEHYDE	LT	0.20 ug/L	metaTRACE
0	ENDRIN	LT	0.10 ug/L	metaTRACE
0	ENDOSULFAN I	LT	0.05 ug/L	metaTRACE
0	ENDOSULFAN II	LT	0.10 ug/L	metaTRACE
0	ENDOSULFAN SULFATE	LT	0.10 ug/L	metaTRACE
0	ETHYLBENZENE	LT	5 ug/L	metaTRACE
0	ETHYL METHACRYLATE	LT	5 ug/L	metaTRACE
0	ETHYL METHACRYLATE	LT	10 ug/L	metaTRACE
0	FAMPHUR	LT	10 ug/L	metaTRACE
0	FLUORANTHENE	LT	10 ug/L	metaTRACE
0	FLUORENE	LT	10 ug/L	metaTRACE
0	HEXACHLOROBUTADIENE	LT	10 ug/L	metaTRACE
0	HEXACHLOROPROPENE	LT	10 ug/L	metaTRACE
0	MERCURY	LT	0.20 ug/L	metaTRACE
0	HEPTACHLOR	LT	0.05 ug/L	metaTRACE
0	HEPTACHLOR EPOXIDE	LT	0.05 ug/L	metaTRACE
0	INDENO(1,2,3-C,D)PYRENE	LT	10 ug/L	metaTRACE
0	IODOMETHANE	LT	5 ug/L	metaTRACE
0	ISOSAFROLE	LT	10 ug/L	metaTRACE
0	ISODIN	LT	10 ug/L	metaTRACE
0	ISOPHORONE	LT	10 ug/L	metaTRACE
0	LINDANE	LT	0.05 ug/L	metaTRACE
0	M-CRESOL	LT	10 ug/L	metaTRACE
0	METHACRYLONITRILE	LT	5 ug/L	metaTRACE
0	TOLUENE	LT	5 ug/L	metaTRACE
0	METHYLETHYL KETONE	LT	10 ug/L	metaTRACE
0	METHYL METHACRYLATE	LT	5 ug/L	metaTRACE
0	METHYL METHANE SULFONATE	LT	10 ug/L	metaTRACE
0	METHOXYCHLOR	LT	0.05 ug/L	metaTRACE
0	METHAPRYLENE	LT	10 ug/L	metaTRACE
1	SODIUM	LT	7812 ug/L	metaTRACE
0	NAPHTHALENE	LT	10 ug/L	metaTRACE
0	NITROBENZENE	LT	10 ug/L	metaTRACE
0	N-NITROSODIMETHYLAMINE	LT	10 ug/L	metaTRACE
0	N-NITROSODI-N-BUTYLAMINE	LT	10 ug/L	metaTRACE
0	N-NITROSODI-PROPYLAMINE	LT	10 ug/L	metaTRACE
0	N-NITROSODIETHYLAMINE	LT	10 ug/L	metaTRACE
0	N-NITROSODIETHYLAMINE	LT	10 ug/L	metaTRACE
0	NICKEL	LT	5 ug/L	metaTRACE
0	N-NITROSOMORPHOLINE	LT	10 ug/L	metaTRACE
0	N-NITROSODIPHENYLAMINE	LT	10 ug/L	metaTRACE
0	N-NITROSOPYRIDINE	LT	10 ug/L	metaTRACE
0	N-NITROSOPYRROLIDINE	LT	10 ug/L	metaTRACE
0	4-NITROQUINOLINE-1-OXIDE	LT	10 ug/L	metaTRACE
0	O-TOLUIDINE	LT	10 ug/L	metaTRACE
0	LEAD	LT	4 ug/L	metaTRACE
0	PCB 1016	LT	0.50 ug/L	metaTRACE
0	PCB 1221	LT	0.50 ug/L	metaTRACE
0	PCB 1232	LT	0.50 ug/L	metaTRACE
0	PCB 1242	LT	0.50 ug/L	metaTRACE
0	PCB 1248	LT	0.50 ug/L	metaTRACE
0	PCB 1254	LT	1 ug/L	metaTRACE
0	PCB 1260	LT	1 ug/L	metaTRACE
0	PENTACHLOROPHENOL	LT	90 ug/L	metaTRACE
0	P-PHENYLENEDIAMINE	LT	10 ug/L	metaTRACE
0	P-DIMETHYLAMINOAZOBENZENE	LT	10 ug/L	metaTRACE
0	PHENACETIN	LT	10 ug/L	metaTRACE
0	PHENANTHRENE	LT	10 ug/L	metaTRACE
0	PHENOLS	LT	10 ug/L	metaTRACE
0	PHORATE	LT	10 ug/L	metaTRACE
0	2,2-BIS(4-CHLOROPHENYL)-1,1-DCE	LT	0.10 ug/L	metaTRACE
0	2,2-BIS(4-CHLOROPHENYL)-1,1-DCE	LT	0.10 ug/L	metaTRACE
0	2,2-BIS(4-CHLOROPHENYL)-1,1,1-TCE	LT	0.10 ug/L	metaTRACE
0	PRONAMIDE	LT	10 ug/L	metaTRACE
0	PROPIONITRILE	LT	5 ug/L	metaTRACE
0	PARATHION	LT	10 ug/L	metaTRACE
0	PARATHION METHYL	LT	10 ug/L	metaTRACE
0	PYRENE	LT	10 ug/L	metaTRACE
0	PYRIDINE	LT	10 ug/L	metaTRACE
0	SAFROLE	LT	10 ug/L	metaTRACE
1	ANTIMONY	LT	25 ug/L	metaTRACE
0	2-SEC-BUTYL-4,6-DINITROPHENOL	LT	10 ug/L	metaTRACE
0	SELENIUM	LT	2 ug/L	metaTRACE
0	SILVEX	LT	0.07 ug/L	metaTRACE
1	TIN	LT	220 ug/L	metaTRACE
0	STYRENE	LT	5 ug/L	metaTRACE
0	SULFIDE	LT	1000 ug/L	metaTRACE

CONTINUED

WELL MSB 7A COLLECTED ON 06/27/89 LABORATORY ANALYSES CONTINUED

0	1,2,4,5-TETRACHLOROBENZENE	LT	10 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
2	TETRACHLOROETHYLENE	LT	35.0 ug/L	metaTRACE
0	TETRACHLORODITHIOPYROPHOSPHATE	LT	10 ug/L	metaTRACE
0	0,0,0-TRICHLORYL PHOSPHOROTHIOATE	LT	10 ug/L	metaTRACE
0	THIONAZIN	LT	10 ug/L	metaTRACE
0	THALLIUM	LT	10 ug/L	metaTRACE
2	TRICHLOROETHYLENE	LT	13.0 ug/L	metaTRACE
0	TOXAPHENE	LT	1 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	TRANS-1,4-DICHLORO-2-BUTENE	LT	10 ug/L	metaTRACE
0	VANADIUM	LT	5 ug/L	metaTRACE
0	VINYL ACETATE	LT	5 ug/L	metaTRACE
0	XYLENES	LT	5 ug/L	metaTRACE
0	1-NAPHTHYLAMINE	LT	10 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
1	1,1,1-TRICHLOROETHANE	J	1 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DIBROMOETHANE	LT	5 ug/L	metaTRACE
0	1,2-DIBROMO-3-CHLOROPROANE	LT	10 ug/L	metaTRACE
0	1,2-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROBENZENE	LT	10 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROANE	LT	5 ug/L	metaTRACE
0	1,2,3-TRICHLOROPROANE	LT	5 ug/L	metaTRACE
0	1,2,4-TRICHLOROBENZENE	LT	10 ug/L	metaTRACE
U	1,3-DICHLOROBENZENE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	1,4-BENZOQUINONE	LT	10 ug/L	metaTRACE
0	1,4-DICHLOROBENZENE	LT	10 ug/L	metaTRACE
0	1,4-DIOXANE	LT	10 ug/L	metaTRACE
0	1,4-NAPHTHOQUINONE	LT	10 ug/L	metaTRACE
0	2-ACETYLAMINOFLOURENE	LT	10 ug/L	metaTRACE
0	2-CHLOROPHENOL	LT	10 ug/L	metaTRACE
0	2-CHLORONAPHTHALENE	LT	10 ug/L	metaTRACE
0	2-MEXANONE	LT	10 ug/L	metaTRACE
0	2-METHYLNAPHTHALENE	LT	10 ug/L	metaTRACE
0	2-NAPHTHYLAMINE	LT	10 ug/L	metaTRACE
0	2-NITROPHENOL	LT	10 ug/L	metaTRACE
0	2-PICOLINE	LT	10 ug/L	metaTRACE
0	2,3,4,6-TETRACHLOROPHENOL	LT	10 ug/L	metaTRACE
0	2,4-DICHLOROPHOXYACETIC ACID	LT	0.46 ug/L	metaTRACE
0	2,4-DICHLOROPHENOL	LT	10 ug/L	metaTRACE
0	2,4-DIMETHYL PHENOL	LT	10 ug/L	metaTRACE
0	2,4-DINITROPHENOL	LT	50 ug/L	metaTRACE
0	2,4-DINITROTOLUENE	LT	10 ug/L	metaTRACE
0	2,4,5-TRICHLOROPHOXYACETIC ACID	LT	0.07 ug/L	metaTRACE
0	2,4,5-TRICHLOROPHENOL	LT	10 ug/L	metaTRACE
0	2,4,6-TRICHLOROPHENOL	LT	10 ug/L	metaTRACE
0	2,6-DICHLOROPHENOL	LT	10 ug/L	metaTRACE
0	2,6-DINITROTOLUENE	LT	10 ug/L	metaTRACE
0	3-METHYLNAPHTHALENE	LT	10 ug/L	metaTRACE
0	3,3-DIMETHYLBENZIDINE	LT	20 ug/L	metaTRACE
0	3,3-DIMETHYLBENZIDINE	LT	10 ug/L	metaTRACE
0	4-AMINOBIIPHENYL	LT	10 ug/L	metaTRACE
0	4-BROMOPHENYLPHENYL ETHER	LT	10 ug/L	metaTRACE
0	4-CHLORANILINE	LT	10 ug/L	metaTRACE
0	4-CHLOROPHENYLPHENYL ETHER	LT	10 ug/L	metaTRACE
0	4-CHLORO-3-METHYLPHENOL	LT	10 ug/L	metaTRACE
0	4-METHYL-2-PENTANONE	LT	10 ug/L	metaTRACE
0	4-NITROPHENOL	LT	10 ug/L	metaTRACE
0	7,12-DIMETHYLBENZ(A)ANTHRACENE	LT	10 ug/L	metaTRACE
0	ZINC	LT	70 ug/L	metaTRACE

WELL MSB 8A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/25/89 Time 910
Depth to water = 115.49 ft (35.20 m) below the TOC
Water elevation = 228.71 ft (69.71 m) msl
pH = 4.7 Alkalinity = 0 mg/L
Specific conductance = 157 umhos/cm
Water temperature = 19.7 degrees Celsius
Water evacuated from the well prior to sampling = 42 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	155.0 UMH/C	Gen. Eng.
1	SPECIFIC CONDUCTANCE	155.0 UMH/C	Gen. Eng.
1	SPECIFIC CONDUCTANCE	142.1 UMH/C	metaTRACE
0	PH	4.85 pH	Gen. Eng.
0	PH	4.87 pH	Gen. Eng.
0	PH	5.00 pH	metaTRACE
0	SILVER	LT	2 ug/L
0	SILVER	LT	2 ug/L
0	SILVER	LT	5 ug/L
0	ALUMINUM	LT	32 ug/L
0	ALUMINUM	LT	34 ug/L
0	ALUMINUM	LT	50 ug/L
0	ARSENIC	LT	2 ug/L
0	ARSENIC	LT	2 ug/L
0	ARSENIC	LT	3 ug/L
0	BARIUM	LT	13 ug/L
0	BARIUM	LT	13 ug/L
0	BARIUM	LT	25 ug/L
0	BROMODICHLOROMETHANE	LT	1 ug/L
0	BROMODICHLOROMETHANE	LT	1 ug/L
0	BROMODICHLOROMETHANE	LT	5 ug/L
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L
0	CARBON TETRACHLORIDE	LT	1.00 ug/L
0	CARBON TETRACHLORIDE	LT	1.00 ug/L

CONTINUED

WELL MSB 8A COLLECTED ON 07/25/89 LABORATORY ANALYSES CONTINUED

0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0	CADMIUM	LT	2 ug/L	Gen. Eng.
0	CADMIUM	LT	2 ug/L	Gen. Eng.
0	CADMIUM	LT	4 ug/L	metaTRACE
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	BROMOFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	5 ug/L	metaTRACE
0	METHYLENE CHLORIDE	LT	10 ug/L	M-Area, SRS
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	1 ug/L	metaTRACE
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
0	CHLORIDE	LT	2700 ug/L	Gen. Eng.
0	CHLORIDE	LT	2600 ug/L	Gen. Eng.
0	CHLORIDE	LT	2800 ug/L	metaTRACE
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	5 ug/L	metaTRACE
0	CHROMIUM	LT	4 ug/L	Gen. Eng.
0	CHROMIUM	LT	4 ug/L	Gen. Eng.
0	COPPER	LT	5 ug/L	metaTRACE
0	COPPER	LT	4 ug/L	Gen. Eng.
0	COPPER	LT	12 ug/L	metaTRACE
0	CYANIDE	LT	5 ug/L	Gen. Eng.
0	CYANIDE	LT	5 ug/L	Gen. Eng.
0	CYANIDE	LT	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	metaTRACE
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0	ENDRIN	LT	0.10 ug/L	Gen. Eng.
0	ENDRIN	LT	0.10 ug/L	Gen. Eng.
0	ENDRIN	LT	0.008 ug/L	metaTRACE
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	5 ug/L	metaTRACE
0	IRON	LT	49 ug/L	Gen. Eng.
0	IRON	LT	50 ug/L	Gen. Eng.
0	IRON	LT	57 ug/L	metaTRACE
0	MERCURY	LT	0.20 ug/L	Gen. Eng.
0	MERCURY	LT	0.20 ug/L	Gen. Eng.
0	MERCURY	LT	0.20 ug/L	metaTRACE
0	TOLUENE	LT	1 ug/L	Gen. Eng.
0	TOLUENE	LT	1 ug/L	Gen. Eng.
0	TOLUENE	LT	5 ug/L	metaTRACE
1	MANGANESE	LT	32 ug/L	Gen. Eng.
1	MANGANESE	LT	33 ug/L	Gen. Eng.
1	MANGANESE	LT	38 ug/L	metaTRACE
1	SODIUM	LT	23100 ug/L	Gen. Eng.
1	SODIUM	LT	23700 ug/L	Gen. Eng.
1	SODIUM	LT	21980 ug/L	metaTRACE
0	NICKEL	LT	4 ug/L	Gen. Eng.
0	NICKEL	LT	4 ug/L	Gen. Eng.
0	NICKEL	LT	20 ug/L	metaTRACE
2	NITRATE AS NITROGEN	LT	15900 ug/L	Gen. Eng.
2	NITRATE AS NITROGEN	LT	16200 ug/L	Gen. Eng.
2	NITRATE AS NITROGEN	LT	19000 ug/L	metaTRACE
0	LEAD	LT	11 ug/L	Gen. Eng.
0	LEAD	LT	12 ug/L	Gen. Eng.
0	PHENOLS	LT	5 ug/L	Gen. Eng.
0	PHENOLS	LT	5 ug/L	Gen. Eng.
0	PHENOLS	LT	5 ug/L	metaTRACE
0	SELENIUM	LT	2 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	metaTRACE
0	SULFATE	LT	5000 ug/L	Gen. Eng.
0	SULFATE	LT	5000 ug/L	Gen. Eng.
0	SULFATE	LT	1000 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
2	TETRACHLOROETHYLENE	LT	249 ug/L	Gen. Eng.
2	TETRACHLOROETHYLENE	LT	277 ug/L	Gen. Eng.
2	TETRACHLOROETHYLENE	LT	230 ug/L	metaTRACE
2	TETRACHLOROETHYLENE	LT	262 ug/L	M-Area, SRS
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	Gen. Eng.
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	Gen. Eng.
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	metaTRACE
2	TOTAL ORGANIC HALOGENS	LT	199 ug/L	Gen. Eng.
2	TOTAL ORGANIC HALOGENS	LT	209 ug/L	Gen. Eng.
2	TOTAL ORGANIC HALOGENS	LT	219 ug/L	metaTRACE
0	TOTAL PHOSPHORUS	LT	50 ug/L	Gen. Eng.
0	TOTAL PHOSPHORUS	LT	50 ug/L	Gen. Eng.
0	TOTAL PHOSPHATES	LT	17 ug/L	metaTRACE
2	TRICHLOROETHYLENE	LT	88.0 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE	LT	82.0 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE	LT	83.0 ug/L	metaTRACE
2	TRICHLOROETHYLENE	LT	59.0 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	10 ug/L	M-Area, SRS

CONTINUED

WELL MSB BA COLLECTED ON 07/25/89 LABORATORY ANALYSES CONTINUED

0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	URANIUM	LT	1000 ug/L	Gen. Eng.
0	URANIUM	LT	1000 ug/L	Gen. Eng.
0	URANIUM	LT	100 ug/L	metaTRACE
1	1,1-DICHLOROETHYLENE	LT	3 ug/L	Gen. Eng.
1	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	10 ug/L	W-Area, SRS
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
1	1,1,1-TRICHLOROETHANE	LT	2 ug/L	Gen. Eng.
1	1,1,1-TRICHLOROETHANE	LT	2 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	10 ug/L	W-Area, SRS
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0	ZINC	LT	9 ug/L	Gen. Eng.
0	ZINC	LT	7 ug/L	Gen. Eng.
0	ZINC	LT	35 ug/L	metaTRACE
1	GROSS ALPHA	LT	5.98+-3.40 pCi/L	Gen. Eng.
0	GROSS ALPHA	LT	4.98+-1.30 pCi/L	Gen. Eng.
1	GROSS ALPHA	LT	10.00+-4.00 pCi/L	metaTRACE
1	NONVOLATILE BETA	LT	24.60+-6.00 pCi/L	Gen. Eng.
1	NONVOLATILE BETA	LT	24.90+-2.50 pCi/L	Gen. Eng.
1	NONVOLATILE BETA	LT	35.00+-5.00 pCi/L	metaTRACE
2	TOTAL RADIUM	LT	7.24+-1.60 pCi/L	Gen. Eng.
2	TOTAL RADIUM	LT	7.32+-1.70 pCi/L	Gen. Eng.
2	TOTAL RADIUM	LT	8.30+-0.70 pCi/L	metaTRACE

WELL MSB BA

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/25/89 Time 910
 Depth to water = 115.49 ft (35.20 m) below the TOC
 Water elevation = 228.71 ft (69.71 m) msl
 pH = 4.7 Alkalinity = 0 mg/L
 Specific conductance = 157 umhos/cm
 Water temperature = 19.7 degrees Celsius
 Water evacuated from the well prior to sampling = 42 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	LT	155.0 UMMC	Gen. Eng.
1	SPECIFIC CONDUCTANCE	LT	137.5 UMMC	metaTRACE
0	PH	LT	4.94 pH	Gen. Eng.
0	PH	LT	5.02 pH	metaTRACE
1	SILVER	LT	4 ug/L	Gen. Eng.
0	SILVER	LT	5 ug/L	metaTRACE
1	ALUMINUM	LT	168 ug/L	Gen. Eng.
0	ALUMINUM	LT	42 ug/L	metaTRACE
0	ARSENIC	LT	2 ug/L	Gen. Eng.
0	ARSENIC	LT	3 ug/L	metaTRACE
0	BARIUM	LT	25 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0	CADMIUM	LT	2 ug/L	Gen. Eng.
0	CADMIUM	LT	4 ug/L	metaTRACE
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	BROMOFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	5 ug/L	metaTRACE
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0	METHYLENE CHLORIDE	LT	5 ug/L	metaTRACE
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
0	CHLORIDE	LT	2600 ug/L	Gen. Eng.
0	CHLORIDE	LT	2800 ug/L	metaTRACE
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	5 ug/L	metaTRACE
0	CHROMIUM	LT	4 ug/L	Gen. Eng.
0	CHROMIUM	LT	5 ug/L	metaTRACE
1	COPPER	LT	21 ug/L	Gen. Eng.
0	COPPER	LT	10 ug/L	metaTRACE
0	CYANIDE	LT	5 ug/L	Gen. Eng.
0	CYANIDE	LT	5 ug/L	metaTRACE
0	CHLOROTHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROTHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0	CHLOROTHENE	LT	1 ug/L	Gen. Eng.
0	CHLOROTHENE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE

CONTINUED

WELL MSB BA COLLECTED ON 07/25/89 LABORATORY ANALYSES CONTINUED

0	ENDRIN	LT	0.10 ug/L	Gen. Eng.
0	ENDRIN	LT	0.008 ug/L	metaTRACE
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	5 ug/L	metaTRACE
1	IRON	LT	161 ug/L	Gen. Eng.
0	IRON	LT	38 ug/L	metaTRACE
2	MERCURY	LT	2.00 ug/L	Gen. Eng.
0	MERCURY	LT	0.20 ug/L	metaTRACE
0	TOLUENE	LT	1 ug/L	Gen. Eng.
0	TOLUENE	LT	5 ug/L	metaTRACE
1	MANGANESE	LT	36 ug/L	Gen. Eng.
1	MANGANESE	LT	39 ug/L	metaTRACE
1	SODIUM	LT	26400 ug/L	Gen. Eng.
1	SODIUM	LT	23190 ug/L	metaTRACE
0	NICKEL	LT	4 ug/L	Gen. Eng.
0	NICKEL	LT	20 ug/L	metaTRACE
2	NITRATE AS NITROGEN	LT	16000 ug/L	Gen. Eng.
2	NITRATE AS NITROGEN	LT	18000 ug/L	metaTRACE
0	LEAD	LT	12 ug/L	Gen. Eng.
0	PHENOLS	LT	5 ug/L	Gen. Eng.
0	PHENOLS	LT	5 ug/L	metaTRACE
0	PHENOLS	LT	5 ug/L	metaTRACE
0	SELENIUM	LT	2 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	metaTRACE
0	SULFATE	LT	5000 ug/L	Gen. Eng.
0	SULFATE	LT	1000 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0	2-TETRACHLOROETHYLENE	LT	277 ug/L	Gen. Eng.
2	2-TETRACHLOROETHYLENE	LT	230 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	Gen. Eng.
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	metaTRACE
2	TOTAL ORGANIC HALOGENS	LT	213 ug/L	Gen. Eng.
2	TOTAL ORGANIC HALOGENS	LT	268 ug/L	metaTRACE
0	TOTAL PHOSPHORUS	LT	50 ug/L	Gen. Eng.
0	TOTAL PHOSPHATES	LT	10 ug/L	metaTRACE
2	TRICHLOROETHYLENE	LT	81.0 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE	LT	130 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	URANIUM	LT	1000 ug/L	Gen. Eng.
0	URANIUM	LT	100 ug/L	metaTRACE
1	1,1-DICHLOROETHYLENE	LT	2 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
1	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0	ZINC	LT	24 ug/L	Gen. Eng.
0	ZINC	LT	47 ug/L	metaTRACE
1	GROSS ALPHA	LT	6.84+-3.70 pCi/L	Gen. Eng.
1	GROSS ALPHA	LT	13.00+-4.00 pCi/L	metaTRACE
1	NONVOLATILE BETA	LT	32.30+-6.60 pCi/L	Gen. Eng.
1	NONVOLATILE BETA	LT	29.00+-5.00 pCi/L	metaTRACE
2	TOTAL RADIUM	LT	8.22+-1.80 pCi/L	Gen. Eng.
2	TOTAL RADIUM	LT	9.40+-0.80 pCi/L	metaTRACE

WELL MSB BA

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/22/89 Time 1310
 Depth to water = 115.98 ft (35.23 m) below the TOC
 Water elevation = 228.62 ft (69.68 m) msl
 pH = 4.6 Alkalinity = 0 mg/L
 Specific conductance = 153 umhos/cm
 Water temperature = 20.9 degrees Celsius
 Water evacuated from the well prior to sampling = 42 gal

LABORATORY ANALYSES

0	HEPTACHLORODIBENZODIOXINS	LT	0.97 ng/L	metaTRACE
0	HEPTACHLORODIBENZOFURANS	LT	0.91 ng/L	metaTRACE
0	HEXACHLORODIBENZODIOXINS	LT	0.97 ng/L	metaTRACE
0	HEXACHLORODIBENZOFURANS	LT	0.50 ng/L	metaTRACE
0	ORTHOCHLORODIBENZODIOXINS	LT	0.93 ng/L	metaTRACE
0	ORTHOCHLORODIBENZOFURANS	LT	0.85 ng/L	metaTRACE
0	PENTACHLORODIBENZODIOXINS	LT	0.70 ng/L	metaTRACE
0	PENTACHLORODIBENZOFURANS	LT	0.46 ng/L	metaTRACE
0	TETRACHLORODIBENZODIOXIN	LT	0.80 ng/L	metaTRACE
0	TETRACHLORODIBENZOFURAN	LT	0.46 ng/L	metaTRACE
0	A, A-DIMETHYLPHENETHYLAMINE	LT	10 ug/L	Gen. Eng.
0	ALPHA-BENZENEHEXACHLORIDE	LT	0.50 ug/L	Gen. Eng.
0	ACETONE	LT	1 ug/L	Gen. Eng.
0	ACETOPHENONE	LT	10 ug/L	Gen. Eng.
0	ACROLEIN	LT	20 ug/L	Gen. Eng.
0	ACRYLONITRILE	LT	20 ug/L	Gen. Eng.
0	SILVER	LT	2 ug/L	Gen. Eng.
0	ALDRIN	LT	0.50 ug/L	Gen. Eng.
0	ACENAPHTHENE	LT	10 ug/L	Gen. Eng.
0	ACENAPHTHYLENE	LT	10 ug/L	Gen. Eng.
0	ANILINE	LT	10 ug/L	Gen. Eng.
0	ANTHRACENE	LT	10 ug/L	Gen. Eng.
0	ARAMITE	LT	10 ug/L	Gen. Eng.

CONTINUED

WELL MSB 8A COLLECTED ON 08/22/89 LABORATORY ANALYSES CONTINUED

0 ARSENIC	LT	2 ug/L	Gen. Eng.
0 ALLYL CHLORIDE	LT	1 ug/L	Gen. Eng.
0 BARIUM	LT	13 ug/L	Gen. Eng.
0 BENZO(A)ANTHRACENE	LT	10 ug/L	Gen. Eng.
0 BENZO(A)PYRENE	LT	10 ug/L	Gen. Eng.
0 BENZO(B)FLUORANTHENE	LT	10 ug/L	Gen. Eng.
0 BETA-BENZENEHEXACHLORIDE	LT	0.50 ug/L	Gen. Eng.
0 BUTYL BENZYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0 BIS(CHLOROMETHYL-ETHYL)ETHER	LT	10 ug/L	Gen. Eng.
0 BERYLLIUM	LT	5 ug/L	Gen. Eng.
0 BENZO(G,H,I)PERYLENE	LT	10 ug/L	Gen. Eng.
0 BENZO(K)FLUORANTHENE	LT	10 ug/L	Gen. Eng.
0 BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 BENZYL ALCOHOL	LT	20 ug/L	Gen. Eng.
0 BIS(2-CHLOROETHOXY) METHANE	LT	10 ug/L	Gen. Eng.
0 BIS(2-CHLOROETHYL) ETHER	LT	10 ug/L	Gen. Eng.
0 BIS(2-ETHYLHEXYL) PHTHALATE	LT	10 ug/L	Gen. Eng.
0 DICHLORODIFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0 TRICHLORODIFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0 CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0 CALCIUM	LT	2 ug/L	Gen. Eng.
0 BROMOFORM	LT	1 ug/L	Gen. Eng.
0 CHLOROFORM	LT	1 ug/L	Gen. Eng.
0 CHLOROFORM	LT	1 ug/L	W-Area, SRS
0 CHRYSENE	LT	10 ug/L	Gen. Eng.
0 METHYLENE BROMIDE	LT	1 ug/L	Gen. Eng.
0 METHYLENE BROMIDE	LT	1 ug/L	Gen. Eng.
0 METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0 BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0 CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 ACETONITRILE (METHYL CYANIDE)	LT	1 ug/L	Gen. Eng.
0 CHLOROBENZILATE	LT	10 ug/L	Gen. Eng.
0 CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0 CHLORUANE	LT	0.50 ug/L	Gen. Eng.
0 CHLOROPRENE	LT	1 ug/L	Gen. Eng.
0 PENTACHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0 PENTACHLOROETHANE	LT	10 ug/L	Gen. Eng.
0 PENTACHLORONITROBENZENE	LT	10 ug/L	Gen. Eng.
0 HEXACHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0 HEXACHLOROCLOROPENTADIENE	LT	10 ug/L	Gen. Eng.
0 HEXACHLOROETHANE	LT	10 ug/L	Gen. Eng.
0 CUBALT	LT	4 ug/L	Gen. Eng.
0 CHROMIUM	LT	4 ug/L	Gen. Eng.
0 CARBON DISULFIDE	LT	1 ug/L	Gen. Eng.
0 COPPER	LT	13 ug/L	Gen. Eng.
0 CYANIDE	LT	5 ug/L	Gen. Eng.
0 CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0 CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 BENZENE	LT	1 ug/L	Gen. Eng.
0 DIBENZ(A,H)ANTHRACENE	LT	10 ug/L	Gen. Eng.
0 DIBROMOCHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0 DELTA-BENZENEHEXACHLORIDE	LT	0.50 ug/L	Gen. Eng.
0 DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 DIETHYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0 DIALLATE	LT	10 ug/L	Gen. Eng.
0 DIBENZOFURAN	LT	10 ug/L	Gen. Eng.
0 DIMETHOATE	LT	10 ug/L	Gen. Eng.
0 DISULFOTON	LT	10 ug/L	Gen. Eng.
0 DIELDRIN	LT	0.50 ug/L	Gen. Eng.
0 DIMETHYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0 DI-N-BUTYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0 DI-N-OCTYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0 DIPHENYLAMINE	LT	10 ug/L	Gen. Eng.
0 ETHYL METHANESULFONATE	LT	10 ug/L	Gen. Eng.
0 ENORIN ALDEHYDE	LT	0.50 ug/L	Gen. Eng.
0 ENORIN	LT	0.50 ug/L	Gen. Eng.
0 ENDO SULFAN I	LT	0.50 ug/L	Gen. Eng.
0 ENDO SULFAN II	LT	0.50 ug/L	Gen. Eng.
0 ENDO SULFAN SULFATE	LT	0.50 ug/L	Gen. Eng.
0 ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0 ETHYL METHACRYLATE	LT	10 ug/L	Gen. Eng.
0 FAMPUR	LT	10 ug/L	Gen. Eng.
0 FLUORANTHENE	LT	10 ug/L	Gen. Eng.
0 FLUORENE	LT	10 ug/L	Gen. Eng.
0 HEXACHLOROBUTADIENE	LT	10 ug/L	Gen. Eng.
0 HEXACHLOROPHENE	LT	10 ug/L	Gen. Eng.
0 HEXACHLOROPROPENE	LT	10 ug/L	Gen. Eng.
0 MERCURY	LT	0.20 ug/L	Gen. Eng.
0 HEPTACHLOR	LT	0.50 ug/L	Gen. Eng.
0 HEPTACHLOR EPOXIDE	LT	0.50 ug/L	Gen. Eng.
0 INDENO(1,2,3-C,D)PYRENE	LT	10 ug/L	Gen. Eng.
0 IODOMETHANE	LT	1 ug/L	Gen. Eng.
0 ISOSAFROLE	LT	10 ug/L	Gen. Eng.
0 ISOBUTYL ALCOHOL	LT	1 ug/L	Gen. Eng.
0 ISODRIN	LT	10 ug/L	Gen. Eng.
0 ISOPHORONE	LT	10 ug/L	Gen. Eng.
0 KEROSENE	LT	10 ug/L	Gen. Eng.
0 LINDANE	LT	0.50 ug/L	Gen. Eng.
0 METHACRYLONITRILE	LT	1 ug/L	Gen. Eng.
0 TOLUENE	LT	1 ug/L	Gen. Eng.
0 METHYLETHYL KETONE	LT	1 ug/L	Gen. Eng.
0 METHYL METHACRYLATE	LT	10 ug/L	Gen. Eng.
0 METHYL METHANE SULFONATE	LT	10 ug/L	Gen. Eng.
0 METHOXYCHLOR	LT	4 ug/L	Gen. Eng.
0 METHYLISOBUTYL KETONE	LT	1 ug/L	Gen. Eng.
0 METHAPYRILENE	LT	10 ug/L	Gen. Eng.
0 NAPHTHALENE	LT	10 ug/L	Gen. Eng.
0 NITROBENZENE	LT	10 ug/L	Gen. Eng.
0 N-NITROSODIMETHYLAMINE	LT	10 ug/L	Gen. Eng.
0 N-NITROSODI-N-BUTYLAMINE	LT	10 ug/L	Gen. Eng.
0 N-NITROSODI-PROPYLAMINE	LT	10 ug/L	Gen. Eng.
0 N-NITROSODIETHYLAMINE	LT	10 ug/L	Gen. Eng.
0 N-NITROSODIETHYLMETHYLAMINE	LT	10 ug/L	Gen. Eng.
0 NICKEL	LT	4 ug/L	Gen. Eng.
0 N-NITROSOMORPHOLINE	LT	10 ug/L	Gen. Eng.
0 N-NITROSODIPHENYLAMINE	LT	10 ug/L	Gen. Eng.
0 N-NITROSOPIPERIDINE	LT	10 ug/L	Gen. Eng.
0 N-NITROSOPYRROLIDINE	LT	10 ug/L	Gen. Eng.
0 4-NITROQUINOLINE-1-OXIDE	LT	10 ug/L	Gen. Eng.

CONTINUED

WELL MSB 8A COLLECTED ON 08/22/89 LABORATORY ANALYSES CONTINUED

0 5-NITRO-0-TOLUIDINE	LT	10 ug/L	Gen. Eng.
0 0-TOLUIDINE	LT	10 ug/L	Gen. Eng.
0 LEAD	LT	12 ug/L	Gen. Eng.
0 PCB 1018	LT	0.50 ug/L	Gen. Eng.
0 PCB 1221	LT	0.50 ug/L	Gen. Eng.
0 PCB 1232	LT	0.50 ug/L	Gen. Eng.
0 PCB 1242	LT	0.50 ug/L	Gen. Eng.
0 PCB 1248	LT	0.50 ug/L	Gen. Eng.
0 PCB 1254	LT	0.50 ug/L	Gen. Eng.
0 PCB 1260	LT	0.50 ug/L	Gen. Eng.
0 PCB 1262	LT	0.50 ug/L	Gen. Eng.
0 PENTACHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0 P-PHENYLENEDIAMINE	LT	10 ug/L	Gen. Eng.
0 P-DIMETHYLAMINOAZOBENZENE	LT	10 ug/L	Gen. Eng.
0 PHENACETIN	LT	10 ug/L	Gen. Eng.
0 PHENANTHRENE	LT	10 ug/L	Gen. Eng.
0 PHENOLS	LT	10 ug/L	Gen. Eng.
0 PHORATE	LT	0.50 ug/L	Gen. Eng.
0 2,2-BIS(4-CHLOROPHENYL)-1,1-DCE	LT	0.50 ug/L	Gen. Eng.
0 2,3-BIS(4-CHLOROPHENYL)-1,1-DCE	LT	0.50 ug/L	Gen. Eng.
0 2,2-BIS(4-CHLOROPHENYL)-1,1,1-TCE	LT	0.50 ug/L	Gen. Eng.
0 PRONAMIDE	LT	10 ug/L	Gen. Eng.
0 PROPIONITRILE	LT	1 ug/L	Gen. Eng.
0 PARATHION	LT	0.50 ug/L	Gen. Eng.
0 PARATHION METHYL	LT	0.50 ug/L	Gen. Eng.
0 PYRENE	LT	10 ug/L	Gen. Eng.
0 PYRIDINE	LT	10 ug/L	Gen. Eng.
0 SAFROLE	LT	10 ug/L	Gen. Eng.
0 ANTIMONY	LT	3 ug/L	Gen. Eng.
0 2-SEC-BUTYL-4,6-DINITROPHENOL	LT	10 ug/L	Gen. Eng.
0 SELENIUM	LT	2 ug/L	Gen. Eng.
0 SILVEX	LT	0.50 ug/L	Gen. Eng.
0 TIN	LT	2 ug/L	Gen. Eng.
0 STYRENE	LT	1 ug/L	Gen. Eng.
0 SULFIDE	LT	1000 ug/L	Gen. Eng.
0 1,2,4,5-TETRACHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0 1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,1,1,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
2 TETRACHLOROETHYLENE	LT	244 ug/L	Gen. Eng.
2 TETRACHLOROETHYLENE	LT	205 ug/L	W-Area, SRS
0 0,0,0-TRIETHYL PHOSPHOROTHIOATE	LT	10 ug/L	Gen. Eng.
0 THALLIUM	LT	2 ug/L	Gen. Eng.
2 TRICHLOROETHYLENE	LT	73.0 ug/L	Gen. Eng.
2 TRICHLOROETHYLENE	LT	94.0 ug/L	W-Area, SRS
0 TOXAPHENE	LT	5 ug/L	Gen. Eng.
0 TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0 TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	W-Area, SRS
0 TRANS-1,4-DICHLORO-2-BUTENE	LT	1 ug/L	Gen. Eng.
0 VANADIUM	LT	20 ug/L	Gen. Eng.
0 VINYL ACETATE	LT	1 ug/L	Gen. Eng.
0 XYLENES	LT	2 ug/L	Gen. Eng.
0 1-NAPHTHYLAMINE	LT	10 ug/L	Gen. Eng.
0 1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0 1,1-DICHLOROETHYLENE	LT	1 ug/L	W-Area, SRS
0 1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,1,1-TRICHLOROETHANE	LT	1 ug/L	W-Area, SRS
0 1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,2-DICHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0 1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0 1,2,3-TRICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0 1,2,4-TRICHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0 1,3-DICHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0 CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0 TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0 1,3-DINITROBENZENE	LT	10 ug/L	Gen. Eng.
0 1,3,5-TRINITROBENZENE	LT	10 ug/L	Gen. Eng.
0 1,4-DICHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0 1,4-DIOXANE	LT	10 ug/L	Gen. Eng.
0 1,4-NAPHTHOQUINONE	LT	10 ug/L	Gen. Eng.
0 2-ACETYLAMINOFLOURENE	LT	10 ug/L	Gen. Eng.
0 2-CHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0 2-CHLORONAPHTHALENE	LT	10 ug/L	Gen. Eng.
0 2-HEXANONE	LT	1 ug/L	Gen. Eng.
0 2-METHYLNAPHTHALENE	LT	10 ug/L	Gen. Eng.
0 2-METHYL PHENOL	LT	10 ug/L	Gen. Eng.
0 2-NITROANILINE	LT	10 ug/L	Gen. Eng.
0 2-NAPHTHYLAMINE	LT	10 ug/L	Gen. Eng.
0 2-NITROPHENOL	LT	10 ug/L	Gen. Eng.
0 2-PICOLINE	LT	10 ug/L	Gen. Eng.
0 2,3,4,6-TETRACHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0 2,4-DICHLOROPHENOXACETIC ACID	LT	0.50 ug/L	Gen. Eng.
0 2,4-DICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0 2,4-DIMETHYL PHENOL	LT	10 ug/L	Gen. Eng.
0 2,4-DINITROPHENOL	LT	10 ug/L	Gen. Eng.
0 2,4-DINITROTOLUENE	LT	10 ug/L	Gen. Eng.
0 2,4,5-TRICHLOROPHENOXACETIC ACID	LT	0.50 ug/L	Gen. Eng.
0 2,4,5-TRICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0 2,4,6-TRICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0 2,6-DICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0 2,6-DINITROTOLUENE	LT	10 ug/L	Gen. Eng.
0 3-METHYLCHOLANTHRENE	LT	10 ug/L	Gen. Eng.
0 3-METHYL PHENOL	LT	10 ug/L	Gen. Eng.
0 3-NITROANILINE	LT	10 ug/L	Gen. Eng.
0 3,3-DICHLOROBENZIDENE	LT	20 ug/L	Gen. Eng.
0 3,3-DIMETHYLBENZIDINE	LT	10 ug/L	Gen. Eng.
0 4-AMINOBIOPHENYL	LT	10 ug/L	Gen. Eng.
0 4-BROMOPHENYLPHENYL ETHER	LT	10 ug/L	Gen. Eng.
0 4-CHLOROANILINE	LT	10 ug/L	Gen. Eng.
0 4-CHLOROPHENYLPHENYL ETHER	LT	10 ug/L	Gen. Eng.
0 PARA-CHLORO-META-CRESOL	LT	10 ug/L	Gen. Eng.
0 4-METHYL PHENOL	LT	10 ug/L	Gen. Eng.
0 4-NITROANILINE	LT	10 ug/L	Gen. Eng.
0 4-NITROPHENOL	LT	10 ug/L	Gen. Eng.
0 2-METHYL-4,6-DINITROPHENOL	LT	10 ug/L	Gen. Eng.
0 7,12-DIMETHYLBENZ(A)ANTHRACENE	LT	10 ug/L	Gen. Eng.
0 ZINC	LT	9 ug/L	Gen. Eng.

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/27/89 Time 1300
 Depth to water = 115.93 ft (35.34 m) below the TOC
 Water elevation = 228.27 ft (69.58 m) msl
 pH = 4.6 Alkalinity = 0 mg/L
 Specific conductance = 156 umhos/cm
 Water temperature = 20.3 degrees Celsius
 Water evacuated from the well prior to sampling = 41 gal
 There was insufficient water to fill all or some sample bottles.

LABORATORY ANALYSES

0	HEPTACHLORODIBENZODIOXINS	LT	3 ng/L	metaTRACE
0	HEPTACHLORODIBENZOFURANS	LT	7 ng/L	metaTRACE
0	HEXACHLORODIBENZODIOXINS	LT	10 ug/L	metaTRACE
0	HEXACHLORODIBENZOFURANS	LT	4 ng/L	metaTRACE
0	ORTHOCALORODIBENZODIOXINS	LT	10 ng/L	metaTRACE
0	ORTHOCALORODIBENZOFURANS	LT	9 ng/L	metaTRACE
0	PENTACHLORODIBENZODIOXINS	LT	4 ng/L	metaTRACE
0	PENTACHLORODIBENZOFURANS	LT	6 ng/L	metaTRACE
0	TETRACHLORODIBENZODIOXIN	LT	2 ng/L	metaTRACE
0	TETRACHLORODIBENZOFURAN	LT	1 ng/L	metaTRACE
0	A,A-DIMETHYLPHENETHYLAMINE	LT	10 ug/L	metaTRACE
0	ACETONE	LT	10 ug/L	metaTRACE
0	ACETOPHENONE	LT	10 ug/L	metaTRACE
0	ACROLEIN	LT	100 ug/L	metaTRACE
0	ACRYLONITRILE	LT	5 ug/L	metaTRACE
0	SILVER	LT	2 ug/L	metaTRACE
0	ALUMINUM	LT	39 ug/L	metaTRACE
0	ACENAPHTHENE	LT	10 ug/L	metaTRACE
0	ACENAPHTHYLENE	LT	10 ug/L	metaTRACE
0	ANTHRACENE	LT	10 ug/L	metaTRACE
0	ARSENIC	LT	3 ug/L	metaTRACE
0	ALLYL CHLORIDE	LT	100 ug/L	metaTRACE
0	AZOBENZENE	LT	10 ug/L	metaTRACE
0	BARIIUM	LT	25 ug/L	metaTRACE
0	BENZO(A)ANTHRACENE	LT	10 ug/L	metaTRACE
0	BENZO(A)PYRENE	LT	10 ug/L	metaTRACE
0	BUTYL BENZYL PHTHALATE	LT	10 ug/L	metaTRACE
0	BIS(CHLOROMETHYL-ETHYL)ETHER	LT	10 ug/L	metaTRACE
0	BERYLLIUM	LT	1 ug/L	metaTRACE
0	BENZIDINE	LT	50 ug/L	metaTRACE
0	BENZOIC ACID	LT	50 ug/L	metaTRACE
0	BENZO BIFLUOROANTHENE	LT	10 ug/L	metaTRACE
0	BENZO(G,H,I)PERYLENE	LT	10 ug/L	metaTRACE
0	BENZO(K)FLUOROANTHENE	LT	10 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
0	BENZYL ALCOHOL	LT	10 ug/L	metaTRACE
0	BIS(2-CHLOROETHOXY) METHANE	LT	10 ug/L	metaTRACE
0	BIS(2-CHLOROISOPROPYL) ETHER	LT	10 ug/L	metaTRACE
0	BIS(2-CHLOROETHYL) ETHER	LT	10 ug/L	metaTRACE
0	BIS(2-ETHYLHEXYL) PHTHALATE	LT	10 ug/L	metaTRACE
0	DICHLORODIFLUOROMETHANE	LT	5 ug/L	metaTRACE
0	TRICHLOROFUOROMETHANE	LT	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0	CADMIUM	LT	4 ug/L	metaTRACE
0	BROMOFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	5 ug/L	metaTRACE
0	CHRYSENE	LT	10 ug/L	metaTRACE
0	METHYLENE BROMIDE	LT	10 ug/L	metaTRACE
1	METHYLENE CHLORIDE	J	3 ug/L	metaTRACE
0	BROMOMETHANE	LT	5 ug/L	metaTRACE
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
0	ACETONITRILE (METHYL CYANIDE)	LT	100 ug/L	metaTRACE
0	CHLOROBENZILATE	LT	10 ug/L	metaTRACE
0	CHLOROBENZENE	LT	5 ug/L	metaTRACE
0	CHLOROPRENE	LT	5 ug/L	metaTRACE
0	PENTACHLOROBENZENE	LT	10 ug/L	metaTRACE
0	PENTACHLOROETHANE	LT	5 ug/L	metaTRACE
0	PENTACHLOROETHANE	LT	10 ug/L	metaTRACE
0	PENTACHLORONITROBENZENE	LT	10 ug/L	metaTRACE
0	HEXACHLOROBENZENE	LT	10 ug/L	metaTRACE
0	HEXACHLOROXYCLOPENTADIENE	LT	10 ug/L	metaTRACE
0	HEXACHLOROETHANE	LT	10 ug/L	metaTRACE
0	COBALT	LT	7 ug/L	metaTRACE
1	CHROMIUM	LT	6 ug/L	metaTRACE
0	CARBON DISULFIDE	LT	5 ug/L	metaTRACE
0	COPPER	LT	12 ug/L	metaTRACE
0	CYANIDE	LT	5 ug/L	metaTRACE
0	CYANIDE	LT	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0	CHLOROETHANE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	5 ug/L	metaTRACE
0	DIBENZ(A,H)ANTHRACENE	LT	10 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0	DIETHYL PHTHALATE	LT	10 ug/L	metaTRACE
0	DIALATE	LT	10 ug/L	metaTRACE
0	DIBENZOFURAN	LT	10 ug/L	metaTRACE
0	DIMETHOATE	LT	10 ug/L	metaTRACE
0	DISULFOTON	LT	10 ug/L	metaTRACE
0	DIMETHYL PHTHALATE	LT	10 ug/L	metaTRACE
0	DI-N-BUTYL PHTHALATE	LT	10 ug/L	metaTRACE
0	DI-N-OCTYL PHTHALATE	LT	10 ug/L	metaTRACE
0	DIPHENYLAMINE	LT	10 ug/L	metaTRACE
0	ETHYL METHANESULFONATE	LT	10 ug/L	metaTRACE
0	ETHYLBENZENE	LT	5 ug/L	metaTRACE
0	ETHYL METHACRYLATE	LT	5 ug/L	metaTRACE
0	ETHYL METHACRYLATE	LT	10 ug/L	metaTRACE
0	FAMPHUR	LT	10 ug/L	metaTRACE
0	FLUORANTHENE	LT	10 ug/L	metaTRACE
0	FLUORENE	LT	10 ug/L	metaTRACE
0	HEXACHLOROBUTADIENE	LT	10 ug/L	metaTRACE
0	HEXACHLOROPRENE	LT	10 ug/L	metaTRACE
0	MERCURY	LT	0.20 ug/L	metaTRACE
0	INDENO(1,2,3-C,D)PYRENE	LT	10 ug/L	metaTRACE
0	IODOMETHANE	LT	5 ug/L	metaTRACE
0	ISOSAFROLE	LT	10 ug/L	metaTRACE
0	ISODRIN	LT	10 ug/L	metaTRACE

CONTINUED

0	ISOPHORONE	LT	10 ug/L	metaTRACE
0	M-CRESOL	LT	10 ug/L	metaTRACE
0	METHACRYLONITRILE	LT	5 ug/L	metaTRACE
0	TOLUENE	LT	5 ug/L	metaTRACE
0	METHYLETHYL KETONE	LT	10 ug/L	metaTRACE
0	METHYL METHACRYLATE	LT	5 ug/L	metaTRACE
0	METHYL METHANE SULFONATE	LT	10 ug/L	metaTRACE
0	METHAPYRILENE	LT	10 ug/L	metaTRACE
1	SODIUM	21080	ug/L	metaTRACE
0	NAPHTHALENE	LT	10 ug/L	metaTRACE
0	NITROBENZENE	LT	10 ug/L	metaTRACE
0	N-NITROSODIMETHYLAMINE	LT	10 ug/L	metaTRACE
0	N-NITROSODI-N-BUTYLAMINE	LT	10 ug/L	metaTRACE
0	N-NITROSODI-PROPYLAMINE	LT	10 ug/L	metaTRACE
0	N-NITROSODIETHYLAMINE	LT	10 ug/L	metaTRACE
0	N-NITROSOETHYLMETHYLAMINE	LT	10 ug/L	metaTRACE
0	NICKEL	LT	5 ug/L	metaTRACE
0	N-NITROSOMORPHOLINE	LT	10 ug/L	metaTRACE
0	N-NITROSODIPHENYLAMINE	LT	10 ug/L	metaTRACE
0	N-NITROSOPIPERIDINE	LT	10 ug/L	metaTRACE
0	N-NITROSOPYRROLIDINE	LT	10 ug/L	metaTRACE
0	4-NITROQUINOLINE-1-OXIDE	LT	10 ug/L	metaTRACE
0	O-TOLUIDINE	LT	10 ug/L	metaTRACE
0	LEAD	LT	3 ug/L	metaTRACE
0	PENTACHLOROPHENOL	LT	50 ug/L	metaTRACE
0	P-PHENYLENEDIAMINE	LT	10 ug/L	metaTRACE
0	P-DIMETHYLAMINOAZOBENZENE	LT	10 ug/L	metaTRACE
0	PHENACETIN	LT	10 ug/L	metaTRACE
0	PHENANTHRENE	LT	10 ug/L	metaTRACE
0	PHENOLS	LT	10 ug/L	metaTRACE
0	PHORATE	LT	10 ug/L	metaTRACE
0	PROXAMIDE	LT	10 ug/L	metaTRACE
0	PROPIONITRILE	LT	5 ug/L	metaTRACE
0	PARATHION	LT	10 ug/L	metaTRACE
0	PARATHION METHYL	LT	10 ug/L	metaTRACE
0	PYRENE	LT	10 ug/L	metaTRACE
0	PYRIDINE	LT	10 ug/L	metaTRACE
0	SAFROLE	LT	10 ug/L	metaTRACE
0	ANTIOMV	LT	10 ug/L	metaTRACE
0	2-SEC-BUTYL-4,6-DINITROPHENOL	LT	10 ug/L	metaTRACE
0	SELENIUM	LT	2 ug/L	metaTRACE
1	TIN	244	ug/L	metaTRACE
0	STYRENE	LT	5 ug/L	metaTRACE
0	SULFIDE	LT	1000 ug/L	metaTRACE
0	1,2,4,5-TETRACHLOROBENZENE	LT	10 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
2	TETRACHLOROETHYLENE	230	ug/L	metaTRACE
0	TETRAETHYL DITHIOPYROPHOSPHATE	LT	10 ug/L	metaTRACE
0	0,0,0-TRICHTHYL PHOSPHOROTHIOATE	LT	10 ug/L	metaTRACE
0	THIONAZIN	LT	10 ug/L	metaTRACE
0	THALLIUM	LT	10 ug/L	metaTRACE
0	TRICHLOROETHYLENE	LT	10.0 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	TRANS-1,4-DICHLORO-2-BUTENE	LT	10 ug/L	metaTRACE
0	VANADIUM	LT	3 ug/L	metaTRACE
0	VINYL ACETATE	LT	5 ug/L	metaTRACE
0	XYLENES	LT	5 ug/L	metaTRACE
0	1-NAPHTHYLAMINE	LT	10 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DIBROMOETHANE	LT	5 ug/L	metaTRACE
0	1,2-DIBROMO-3-CHLOROPROPANE	LT	10 ug/L	metaTRACE
0	1,2-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROBENZENE	LT	10 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	1,2,3-TRICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	1,2,4-TRICHLOROBENZENE	LT	10 ug/L	metaTRACE
0	1,3-DICHLOROBENZENE	LT	10 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	1,4-BENZQUINONE	LT	10 ug/L	metaTRACE
0	1,4-DICHLOROBENZENE	LT	10 ug/L	metaTRACE
0	1,4-DIOXANE	LT	10 ug/L	metaTRACE
0	1,4-NAPHTHOQUINONE	LT	10 ug/L	metaTRACE
0	2-ACETYLAMINOFLUORENE	LT	10 ug/L	metaTRACE
0	2-CHLOROPHENOL	LT	10 ug/L	metaTRACE
0	2-CHLORONAPHTHALENE	LT	10 ug/L	metaTRACE
0	2-HEXANONE	LT	10 ug/L	metaTRACE
0	2-METHYLNAPHTHALENE	LT	10 ug/L	metaTRACE
0	2-NAPHTHYLAMINE	LT	10 ug/L	metaTRACE
0	2-NITROPHENOL	LT	10 ug/L	metaTRACE
0	2-PICOLINE	LT	10 ug/L	metaTRACE
0	2,3,4,6-TETRACHLOROPHENOL	LT	10 ug/L	metaTRACE
0	2,4-DICHLOROPHENOL	LT	10 ug/L	metaTRACE
0	2,4-DIMETHYL PHENOL	LT	10 ug/L	metaTRACE
0	2,4-DINITROPHENOL	LT	50 ug/L	metaTRACE
0	2,4-DINITROTOLUENE	LT	10 ug/L	metaTRACE
0	2,4,5-TRICHLOROPHENOL	LT	10 ug/L	metaTRACE
0	2,4,6-TRICHLOROPHENOL	LT	10 ug/L	metaTRACE
0	2,6-DICHLOROPHENOL	LT	10 ug/L	metaTRACE
0	2,6-DINITROTOLUENE	LT	10 ug/L	metaTRACE
0	3-METHYLCHOLANTHRENE	LT	10 ug/L	metaTRACE
0	3,3-DICHLOROBENZIDINE	LT	20 ug/L	metaTRACE
0	3,3-DIMETHYLBENZIDINE	LT	10 ug/L	metaTRACE
0	4-AMINOBIOPHENYL	LT	10 ug/L	metaTRACE
0	4-BROMOPHENYLBIPHENYL ETHER	LT	10 ug/L	metaTRACE
0	4-CHLOROANILINE	LT	10 ug/L	metaTRACE
0	4-CHLOROPHENYLBIPHENYL ETHER	LT	10 ug/L	metaTRACE
0	4-CHLORO-3-METHYLPHENOL	LT	10 ug/L	metaTRACE
0	4-METHYL-2-PENTANONE	LT	10 ug/L	metaTRACE
0	4-NITROPHENOL	LT	10 ug/L	metaTRACE
0	7,12-DIMETHYLBENZ(A)ANTHRACENE	LT	10 ug/L	metaTRACE
0	ZINC	23	ug/L	metaTRACE

WELL MSB 9A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/04/89 Time 1330
 Depth to water = 149.65 ft (45.61 m) below the TOC
 Water elevation = 209.75 ft (63.93 m) msl
 pH = 5.5 Alkalinity = 25 mg/L
 Specific conductance = 45 umhos/cm
 Water temperature = 21.2 degrees Celsius
 Water evacuated from the well prior to sampling = 178 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE	42.00 UMAC	Gen. Eng.
0	SPECIFIC CONDUCTANCE	42.00 UMAC	Gen. Eng.
1	PH	6.55 pH	Gen. Eng.
1	PH	6.50 pH	Gen. Eng.
0	SILVER	LT	2 ug/L
0	SILVER	LT	2 ug/L
0	ALUMINUM	LT	45 ug/L
0	ALUMINUM	LT	46 ug/L
0	ARSENIC	LT	2 ug/L
0	ARSENIC	LT	2 ug/L
0	BARIUM	LT	8 ug/L
0	BARIUM	LT	8 ug/L
0	BROMODICHLOROMETHANE	LT	50 ug/L
0	BROMODICHLOROMETHANE	LT	50 ug/L
0	TRICHLOROFLUOROMETHANE	LT	50 ug/L
0	TRICHLOROFLUOROMETHANE	LT	50 ug/L
0	CARBON TETRACHLORIDE	LT	50.0 ug/L
0	CARBON TETRACHLORIDE	LT	50.0 ug/L
0	CADMIUM	LT	2 ug/L
0	CADMIUM	LT	2 ug/L
0	BROMOFORM	LT	50 ug/L
0	BROMOFORM	LT	50 ug/L
0	CHLOROFORM	LT	50 ug/L
0	CHLOROFORM	LT	50 ug/L
0	CHLOROFORM	LT	50 ug/L
0	CHLOROFORM	LT	50 ug/L
0	METHYLENE CHLORIDE	LT	50 ug/L
0	METHYLENE CHLORIDE	LT	50 ug/L
0	BROMOMETHANE	LT	50 ug/L
0	BROMOMETHANE	LT	50 ug/L
0	CHLOROMETHANE	LT	50 ug/L
0	CHLOROMETHANE	LT	50 ug/L
0	CHLORIDE	LT	2200 ug/L
0	CHLORIDE	LT	2100 ug/L
0	CHLOROBENZENE	LT	50 ug/L
0	CHLOROBENZENE	LT	50 ug/L
0	CHROMIUM	LT	4 ug/L
0	CHROMIUM	LT	4 ug/L
0	COPPER	LT	4 ug/L
0	COPPER	LT	4 ug/L
0	CYANIDE	LT	5 ug/L
0	CYANIDE	LT	5 ug/L
0	CHLOROETHENE (VINYL CHLORIDE)	LT	50 ug/L
0	CHLOROETHENE (VINYL CHLORIDE)	LT	50 ug/L
0	CHLOROETHANE	LT	50 ug/L
0	CHLOROETHANE	LT	50 ug/L
0	BENZENE	LT	50 ug/L
0	BENZENE	LT	50 ug/L
0	DIBROMOCHLOROMETHANE	LT	50 ug/L
0	DIBROMOCHLOROMETHANE	LT	50 ug/L
0	ETHYLBENZENE	LT	50 ug/L
0	ETHYLBENZENE	LT	50 ug/L
0	IRON	LT	22 ug/L
0	IRON	LT	24 ug/L
0	MERCURY	LT	0.20 ug/L
0	MERCURY	LT	0.20 ug/L
0	TOLUENE	LT	50 ug/L
0	TOLUENE	LT	50 ug/L
0	MANGANESE	LT	3 ug/L
0	MANGANESE	LT	2 ug/L
0	SODIUM	LT	585 ug/L
0	SODIUM	LT	574 ug/L
0	NICKEL	LT	4 ug/L
0	NICKEL	LT	4 ug/L
0	NITRATE AS NITROGEN	LT	284 ug/L
0	NITRATE AS NITROGEN	LT	276 ug/L
0	LEAD	LT	6 ug/L
0	LEAD	LT	6 ug/L
0	PHENOLS	LT	3 ug/L
0	PHENOLS	LT	3 ug/L
0	SELENIUM	LT	2 ug/L
0	SELENIUM	LT	2 ug/L
0	SULFATE	LT	5000 ug/L
0	SULFATE	LT	5000 ug/L
0	1,1,2,2-TETRACHLOROETHANE	LT	50 ug/L
0	1,1,2,2-TETRACHLOROETHANE	LT	50 ug/L
2	TETRACHLOROETHYLENE	LT	1350 ug/L
2	TETRACHLOROETHYLENE	LT	1670 ug/L
2	TETRACHLOROETHYLENE	LT	2670 ug/L
1	TOTAL PHOSPHORUS	LT	70 ug/L
1	TOTAL PHOSPHORUS	LT	70 ug/L
2	TRICHLOROETHYLENE	LT	1220 ug/L
2	TRICHLOROETHYLENE	LT	1590 ug/L
2	TRICHLOROETHYLENE	LT	2350 ug/L
0	TRANS-1,2-DICHLOROETHENE	LT	50 ug/L
0	TRANS-1,2-DICHLOROETHENE	LT	50 ug/L
0	TRANS-1,2-DICHLOROETHENE	LT	50 ug/L
0	URANIUM	LT	1000 ug/L
0	URANIUM	LT	1000 ug/L
0	1,1-DICHLOROETHYLENE	LT	50 ug/L
0	1,1-DICHLOROETHYLENE	LT	50 ug/L
0	1,1-DICHLOROETHYLENE	LT	2000 ug/L
0	1,1-DICHLOROETHYLENE	LT	50 ug/L
0	1,1-DICHLOROETHYLENE	LT	50 ug/L
0	1,1,1-TRICHLOROETHANE	LT	50 ug/L
0	1,1,1-TRICHLOROETHANE	LT	50 ug/L

CONTINUED

WELL MSB 9A COLLECTED ON 07/04/89 LABORATORY ANALYSES CONTINUED

0	1,1,1-TRICHLOROETHANE	LT	50 ug/L	M-Area, SRS
0	1,1,2-TRICHLOROETHANE	LT	50 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	50 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	50 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	50 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	50 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	50 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	50 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	50 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	50 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	50 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	100 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	100 ug/L	Gen. Eng.
2	ZINC	LT	5330 ug/L	Gen. Eng.
2	ZINC	LT	5130 ug/L	Gen. Eng.
0	GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
0	GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
0	NONVOLATILE BETA	LT	2 pCi/L	Gen. Eng.
0	NONVOLATILE BETA	LT	2 pCi/L	Gen. Eng.
0	TOTAL RADIUM	LT	1.64+-1.20 pCi/L	Gen. Eng.
0	TOTAL RADIUM	LT	1 pCi/L	Gen. Eng.

WELL MSB 9B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/04/89 Time 1705
 Depth to water = 128.26 ft (39.09 m) below the TOC
 Water elevation = 231.34 ft (70.51 m) msl
 pH = 9.1 Alkalinity = 45 mg/L
 Specific conductance = 189 umhos/cm
 Water temperature = 20.5 degrees Celsius
 Water evacuated from the well prior to sampling = 8 gal
 The well went dry during purging.

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	201.0 UMAC	Gen. Eng.
2	PH	9.48 pH	Gen. Eng.
0	SILVER	LT	2 ug/L
0	ALUMINUM	LT	62 ug/L
0	ARSENIC	LT	2 ug/L
0	BARIUM	LT	23 ug/L
0	BROMODICHLOROMETHANE	LT	100 ug/L
0	TRICHLOROFLUOROMETHANE	LT	100 ug/L
0	CARBON TETRACHLORIDE	LT	100 ug/L
0	CADMIUM	LT	2 ug/L
0	BROMOFORM	LT	100 ug/L
0	CHLOROFORM	LT	100 ug/L
0	CHLOROFORM	LT	500 ug/L
0	CHLOROFORM	LT	500 ug/L
0	METHYLENE CHLORIDE	LT	100 ug/L
0	BROMOMETHANE	LT	100 ug/L
0	CHLOROMETHANE	LT	100 ug/L
0	CHLORIDE	LT	4500 ug/L
0	CHLOROBENZENE	LT	100 ug/L
0	CHROMIUM	LT	4 ug/L
0	COPPER	LT	4 ug/L
1	CYANIDE	LT	5 ug/L
0	CHLOROETHENE (VINYL CHLORIDE)	LT	100 ug/L
0	CHLOROETHANE	LT	100 ug/L
0	BENZENE	LT	100 ug/L
0	DIBROMOCHLOROMETHANE	LT	100 ug/L
0	ETHYLBENZENE	LT	100 ug/L
0	IRON	LT	31 ug/L
0	MERCURY	LT	0.20 ug/L
0	TOLUENE	LT	100 ug/L
0	MANGANESE	LT	2 ug/L
1	SODIUM	LT	12600 ug/L
0	NICKEL	LT	4 ug/L
1	NITRATE AS NITROGEN	LT	9780 ug/L
0	LEAD	LT	6 ug/L
0	PHENOLS	LT	5 ug/L
0	SELENIUM	LT	2 ug/L
0	SULFATE	LT	5000 ug/L
0	1,1,2,2-TETRACHLOROETHANE	LT	100 ug/L
2	TETRACHLOROETHYLENE	LT	32000 ug/L
2	TETRACHLOROETHYLENE	LT	23800 ug/L
2	TETRACHLOROETHYLENE	LT	31100 ug/L
1	TOTAL PHOSPHORUS	LT	60 ug/L
2	TRICHLOROETHYLENE	LT	29900 ug/L
2	TRICHLOROETHYLENE	LT	25200 ug/L
2	TRICHLOROETHYLENE	LT	29000 ug/L
1	TRANS-1,2-DICHLOROETHENE	LT	697 ug/L
0	TRANS-1,2-DICHLOROETHENE	LT	500 ug/L
0	TRANS-1,2-DICHLOROETHENE	LT	500 ug/L
0	URANIUM	LT	1000 ug/L
0	1,1-DICHLOROETHYLENE	LT	100 ug/L
0	1,1-DICHLOROETHYLENE	LT	500 ug/L
0	1,1-DICHLOROETHYLENE	LT	500 ug/L
0	1,1-DICHLOROETHYLENE	LT	100 ug/L
0	1,1,1-TRICHLOROETHANE	LT	100 ug/L
0	1,1,1-TRICHLOROETHANE	LT	500 ug/L
0	1,1,1-TRICHLOROETHANE	LT	500 ug/L
0	1,2-DICHLOROETHANE	LT	100 ug/L
0	1,2-DICHLOROPROPANE	LT	100 ug/L
0	CIS-1,3-DICHLOROPROPENE	LT	100 ug/L
0	TRANS-1,3-DICHLOROPROPENE	LT	100 ug/L
0	2-CHLOROETHYL VINYL ETHER	LT	200 ug/L
0	ZINC	LT	25 ug/L
0	GROSS ALPHA	LT	3 pCi/L
0	NONVOLATILE BETA	LT	6.24+-2.80 pCi/L
2	TOTAL RADIUM	LT	8.91+-1.90 pCi/L

WELL MSB 9C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/04/89 Time 1300
 pH = 3.6 Alkalinity = 0 mg/L
 Specific conductance = 290 umhos/cm
 Water temperature = 23.0 degrees Celsius
 Water evacuated from the well prior to sampling = 25 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	295.0 UHMC	Gen. Eng.
0	PH	4.38 pH	Gen. Eng.
0	SILVER	2 ug/L	Gen. Eng.
2	ALUMINUM	4710 ug/L	Gen. Eng.
0	ARSENIC	2 ug/L	Gen. Eng.
1	BARIIUM	66 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	100 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	100 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	100 ug/L	Gen. Eng.
0	CADMIUM	2 ug/L	Gen. Eng.
0	BROMOFORM	100 ug/L	Gen. Eng.
0	CHLOROFORM	100 ug/L	Gen. Eng.
0	CHLOROFORM	2000 ug/L	M-Area, SRS
0	METHYLENE CHLORIDE	100 ug/L	Gen. Eng.
0	BROMOMETHANE	100 ug/L	Gen. Eng.
0	CHLOROMETHANE	100 ug/L	Gen. Eng.
0	CHLORIDE	6200 ug/L	Gen. Eng.
0	CHLOROBENZENE	100 ug/L	Gen. Eng.
0	CHROMIUM	4 ug/L	Gen. Eng.
1	COPPER	35 ug/L	Gen. Eng.
0	CYANIDE	5 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	100 ug/L	Gen. Eng.
0	CHLOROETHANE	100 ug/L	Gen. Eng.
0	BENZENE	100 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	100 ug/L	Gen. Eng.
0	ETHYLBENZENE	100 ug/L	Gen. Eng.
0	IRON	80 ug/L	Gen. Eng.
0	MERCURY	0.20 ug/L	Gen. Eng.
0	TOLUENE	100 ug/L	Gen. Eng.
2	MANGANESE	243 ug/L	Gen. Eng.
1	SODIUM	7870 ug/L	Gen. Eng.
1	NICKEL	31 ug/L	Gen. Eng.
2	NITRATE AS NITROGEN	28900 ug/L	Gen. Eng.
0	LEAD	11 ug/L	Gen. Eng.
0	PHENOLS	5 ug/L	Gen. Eng.
0	SELENIUM	2 ug/L	Gen. Eng.
0	SULFATE	5000 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	100 ug/L	Gen. Eng.
2	TETRACHLOROETHYLENE	196000 ug/L	Gen. Eng.
2	TETRACHLOROETHYLENE	78500 ug/L	M-Area, SRS
1	TOTAL PHOSPHORUS	50 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE	50200 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE	43200 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	100 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	2000 ug/L	M-Area, SRS
0	URANIUM	1000 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	100 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	100 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	100 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	2000 ug/L	M-Area, SRS
0	1,1,2-TRICHLOROETHANE	100 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	100 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	100 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	100 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	100 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	200 ug/L	Gen. Eng.
0	ZINC	74 ug/L	Gen. Eng.
2	GROSS ALPHA	155+-12.2 pCi/L	Gen. Eng.
2	NONVOLATILE BETA	80.40+-7.90 pCi/L	Gen. Eng.
2	TOTAL RADIUM	95.80+-9.40 pCi/L	Gen. Eng.

WELL MSB 10A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/04/89 Time 1425
 Depth to water = 147.05 ft (44.82 m) below the TOC
 Water elevation = 207.95 ft (63.38 m) msl
 pH = 4.5 Alkalinity = 0 mg/L
 Specific conductance = 18 umhos/cm
 Water temperature = 21.5 degrees Celsius
 Water evacuated from the well prior to sampling = 234 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE	20.00 UHMC	Gen. Eng.
0	PH	5.73 pH	Gen. Eng.
0	SILVER	2 ug/L	Gen. Eng.
0	ALUMINUM	56 ug/L	Gen. Eng.
0	ARSENIC	2 ug/L	Gen. Eng.
0	BARIIUM	5 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	1 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	1.00 ug/L	Gen. Eng.
0	CADMIUM	2 ug/L	Gen. Eng.
0	BROMOFORM	1 ug/L	Gen. Eng.
0	CHLOROFORM	1 ug/L	Gen. Eng.
0	CHLOROFORM	1 ug/L	M-Area, SRS
0	METHYLENE CHLORIDE	1 ug/L	Gen. Eng.
0	BROMOMETHANE	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	1 ug/L	Gen. Eng.
0	CHLORIDE	2100 ug/L	Gen. Eng.
0	CHLOROBENZENE	1 ug/L	Gen. Eng.
0	CHROMIUM	4 ug/L	Gen. Eng.
0	COPPER	4 ug/L	Gen. Eng.

CONTINUED

WELL MSB 10A COLLECTED ON 07/04/89 LABORATORY ANALYSES CONTINUED

0	CYANIDE	LT	5 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	IRON	LT	27 ug/L	Gen. Eng.
0	MERCURY	LT	0.20 ug/L	Gen. Eng.
0	TOLUENE	LT	1 ug/L	Gen. Eng.
0	MANGANESE	LT	2 ug/L	Gen. Eng.
0	SODIUM	LT	543 ug/L	Gen. Eng.
0	NICKEL	LT	4 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN	LT	239 ug/L	Gen. Eng.
0	LEAD	LT	6 ug/L	Gen. Eng.
0	PHENOLS	LT	5 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	Gen. Eng.
0	SULFATE	LT	5000 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
1	TETRACHLOROETHYLENE	LT	1.33 ug/L	M-Area, SRS
1	TOTAL PHOSPHORUS	LT	150 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE	LT	9.00 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE	LT	8.69 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
1	TRANS-1,2-DICHLOROETHENE	LT	2 ug/L	M-Area, SRS
0	URANIUM	LT	1000 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area, SRS
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area, SRS
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	2 ug/L	Gen. Eng.
0	ZINC	LT	102 ug/L	Gen. Eng.
0	GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
0	NONVOLATILE BETA	LT	2 pCi/L	Gen. Eng.
0	TOTAL RADIUM	LT	1 pCi/L	Gen. Eng.

WELL MSB 10B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/04/89 Time 1450
 Depth to water = 144.54 ft (44.06 m) below the TOC
 Water elevation = 210.16 ft (64.06 m) msl
 pH = 4.4 Alkalinity = 0 mg/L
 Specific conductance = 34 umhos/cm
 Water temperature = 22.3 degrees Celsius
 Water evacuated from the well prior to sampling = 158 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE		35.00 UHMC	Gen. Eng.
0	PH		5.41 pH	Gen. Eng.
0	SILVER	LT	2 ug/L	Gen. Eng.
0	ALUMINUM		56 ug/L	Gen. Eng.
0	ARSENIC	LT	2 ug/L	Gen. Eng.
0	BARIIUM		11 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE		1.00 ug/L	Gen. Eng.
0	CADMIUM	LT	2 ug/L	Gen. Eng.
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	M-Area, SRS
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLORIDE		2200 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHROMIUM	LT	4 ug/L	Gen. Eng.
0	COPPER	LT	4 ug/L	Gen. Eng.
0	CYANIDE	LT	5 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	IRON		46 ug/L	Gen. Eng.
0	MERCURY	LT	0.20 ug/L	Gen. Eng.
0	TOLUENE		1 ug/L	Gen. Eng.
0	MANGANESE		5 ug/L	Gen. Eng.
0	SODIUM		925 ug/L	Gen. Eng.
0	NICKEL	LT	4 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN	LT	50 ug/L	Gen. Eng.
0	LEAD	LT	6 ug/L	Gen. Eng.
0	PHENOLS	LT	5 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	Gen. Eng.
0	SULFATE		7600 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
1	TOTAL PHOSPHORUS		60 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE		3.00 ug/L	Gen. Eng.
1	TRICHLOROETHYLENE		1.84 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	M-Area, SRS
0	URANIUM		1000 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area, SRS
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.

CONTINUED

WELL MSB 108 COLLECTED ON 07/04/89 LABORATORY ANALYSES CONTINUED

0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area, SRS
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	2 ug/L	Gen. Eng.
0	ZINC	LT	60 ug/L	Gen. Eng.
0	GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
0	NONVOLATILE BETA	LT	2 pCi/L	Gen. Eng.
0	TOTAL RADIUM	LT	1 pCi/L	Gen. Eng.

WELL MSB 10C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/04/89 Time 1515
 Depth to water = 126.96 ft (38.70 m) below the TOC
 Water elevation = 229.04 ft (69.81 m) msl
 pH = 6.4 Alkalinity = 50 mg/L
 Specific conductance = 394 umhos/cm
 Water temperature = 20.2 degrees Celsius
 Water evacuated from the well prior to sampling = 120 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE		412.0 UMMC	Gen. Eng.
1	PH		6.89 pH	Gen. Eng.
0	SILVER	LT	2 ug/L	Gen. Eng.
0	ALUMINUM	LT	73 ug/L	Gen. Eng.
0	ARSENIC	LT	2 ug/L	Gen. Eng.
1	BARIUM	LT	257 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	LT	500 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	500 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	500 ug/L	Gen. Eng.
0	CADMIUM	LT	2 ug/L	Gen. Eng.
0	BROMOFORM	LT	500 ug/L	Gen. Eng.
0	CHLOROFORM	LT	500 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1000 ug/L	M-Area, SRS
0	METHYLENE CHLORIDE	LT	500 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	500 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	500 ug/L	Gen. Eng.
0	CHLORIDE	LT	5400 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	500 ug/L	Gen. Eng.
0	CHROMIUM	LT	4 ug/L	Gen. Eng.
0	COPPER	LT	4 ug/L	Gen. Eng.
0	CYANIDE	LT	5 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	500 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	500 ug/L	Gen. Eng.
0	BENZENE	LT	500 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	500 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	500 ug/L	Gen. Eng.
0	IRON	LT	14 ug/L	Gen. Eng.
0	MERCURY	LT	0.20 ug/L	Gen. Eng.
0	TOLUENE	LT	500 ug/L	Gen. Eng.
0	MANGANESE	LT	64 ug/L	Gen. Eng.
1	SODIUM	LT	7400 ug/L	Gen. Eng.
0	NICKEL	LT	4 ug/L	Gen. Eng.
2	NITRATE AS NITROGEN	LT	35100 ug/L	Gen. Eng.
0	LEAD	LT	6 ug/L	Gen. Eng.
0	PHENOLS	LT	5 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	Gen. Eng.
0	SULFATE	LT	5000 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	500 ug/L	Gen. Eng.
2	TETRACHLOROETHYLENE	LT	46400 ug/L	Gen. Eng.
2	TETRACHLOROETHYLENE	LT	50000 ug/L	M-Area, SRS
1	TOTAL PHOSPHORUS	LT	1740 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE	LT	59400 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE	LT	68500 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	500 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1000 ug/L	M-Area, SRS
0	URANIUM	LT	1000 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	500 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1000 ug/L	M-Area, SRS
0	1,1-DICHLOROETHANE	LT	500 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	500 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1000 ug/L	M-Area, SRS
0	1,1,2-TRICHLOROETHANE	LT	500 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	500 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	500 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	500 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	500 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1000 ug/L	Gen. Eng.
0	ZINC	LT	17 ug/L	Gen. Eng.
2	GROSS ALPHA	LT	27.40+-27.4 pCi/L	Gen. Eng.
2	GROSS ALPHA	LT	24.00+-3.50 pCi/L	Gen. Eng.
1	NONVOLATILE BETA	LT	30.20+-5.50 pCi/L	Gen. Eng.
1	NONVOLATILE BETA	LT	19.30+-1.20 pCi/L	Gen. Eng.
2	TOTAL RADIUM	LT	29.20+-5.70 pCi/L	Gen. Eng.

WELL MSB 11A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/04/89 Time 1615
 Depth to water = 153.05 ft (46.65 m) below the TOC
 Water elevation = 211.85 ft (64.57 m) msl
 pH = 5.3 Alkalinity = 21 mg/L
 Specific conductance = 33 umhos/cm
 Water temperature = 21.0 degrees Celsius
 Water evacuated from the well prior to sampling = 212 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE		34.00 UMMC	Gen. Eng.
0	PH		6.24 pH	Gen. Eng.
0	SILVER	LT	2 ug/L	Gen. Eng.
0	ALUMINUM	LT	48 ug/L	Gen. Eng.
0	ARSENIC	LT	2 ug/L	Gen. Eng.
0	BARIUM	LT	7 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	CADMIUM	LT	2 ug/L	Gen. Eng.
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	M-Area, SRS
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLORIDE	LT	2100 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHROMIUM	LT	4 ug/L	Gen. Eng.
0	COPPER	LT	4 ug/L	Gen. Eng.
0	CYANIDE	LT	5 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	IRON	LT	38 ug/L	Gen. Eng.
0	MERCURY	LT	0.20 ug/L	Gen. Eng.
0	TOLUENE	LT	1 ug/L	Gen. Eng.
0	MANGANESE	LT	2 ug/L	Gen. Eng.
0	SODIUM	LT	540 ug/L	Gen. Eng.
0	NICKEL	LT	4 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN	LT	194 ug/L	Gen. Eng.
0	LEAD	LT	6 ug/L	Gen. Eng.
0	PHENOLS	LT	5 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	Gen. Eng.
0	SULFATE	LT	5000 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
1	TOTAL PHOSPHORUS	LT	160 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE	LT	25.0 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE	LT	28.2 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	M-Area, SRS
0	URANIUM	LT	1000 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area, SRS
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area, SRS
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	2 ug/L	Gen. Eng.
0	ZINC	LT	88 ug/L	Gen. Eng.
2	GROSS ALPHA	LT	59.50+-6.60 pCi/L	Gen. Eng.
1	NONVOLATILE BETA	LT	12.80+-3.80 pCi/L	Gen. Eng.
0	TOTAL RADIUM	LT	1 pCi/L	Gen. Eng.

WELL MSB 11B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/04/89 Time 1555
 Depth to water = 145.24 ft (44.27 m) below the TOC
 Water elevation = 219.56 ft (66.92 m) msl
 pH = 5.3 Alkalinity = 14 mg/L
 Specific conductance = 74 umhos/cm
 Water temperature = 20.8 degrees Celsius
 Water evacuated from the well prior to sampling = 153 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE		81.00 UMMC	Gen. Eng.
0	PH		6.35 pH	Gen. Eng.
0	SILVER	LT	2 ug/L	Gen. Eng.
0	ALUMINUM	LT	42 ug/L	Gen. Eng.
0	ARSENIC	LT	2 ug/L	Gen. Eng.
0	BARIUM	LT	9 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	CADMIUM	LT	2 ug/L	Gen. Eng.
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	2 ug/L	M-Area, SRS
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLORIDE	LT	1900 ug/L	Gen. Eng.

CONTINUED

WELL MSB 11B COLLECTED ON 07/04/89 LABORATORY ANALYSES CONTINUED

0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHROMIUM	LT	4 ug/L	Gen. Eng.
0	COPPER	LT	4 ug/L	Gen. Eng.
0	CYANIDE	LT	5 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	IRON	LT	52 ug/L	Gen. Eng.
2	MERCURY	LT	1.20 ug/L	Gen. Eng.
0	TOLUENE	LT	1 ug/L	Gen. Eng.
0	MANGANESE	LT	4 ug/L	Gen. Eng.
0	SODIUM	LT	530 ug/L	Gen. Eng.
0	NICKEL	LT	4 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN	LT	142 ug/L	Gen. Eng.
0	LEAD	LT	6 ug/L	Gen. Eng.
0	PHENOLS	LT	5 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	Gen. Eng.
0	SULFATE	LT	5000 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
1	TETRACHLOROETHYLENE	LT	3.00 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	2.00 ug/L	W-Area, SRS
1	TOTAL PHOSPHORUS	LT	70 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE	LT	82.0 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE	LT	220 ug/L	W-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	2 ug/L	W-Area, SRS
0	URANIUM	LT	1000 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	2 ug/L	W-Area, SRS
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	2 ug/L	W-Area, SRS
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	2 ug/L	Gen. Eng.
0	ZINC	LT	52 ug/L	Gen. Eng.
0	GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
0	NONVOLATILE BETA	LT	2 pCi/L	Gen. Eng.
0	TOTAL RADIUM	LT	1.30+-2.20 pCi/L	Gen. Eng.

WELL MSB 11C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/25/89 Time 1030
 Depth to water = 147.24 ft (44.88 m) below the TOC
 Water elevation = 217.66 ft (66.34 m) msl
 pH = 4.5 Alkalinity = 0 mg/L
 Specific conductance = 129 umhos/cm
 Water temperature = 20.5 degrees Celsius
 Water evacuated from the well prior to sampling = 105 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	120.0 UMMC	Gen. Eng.
1	SPECIFIC CONDUCTANCE	127.6 UMMC	metaTRACE
0	PH	4.82 pH	Gen. Eng.
0	PH	4.52 pH	metaTRACE
0	SILVER	LT	2 ug/L
0	SILVER	LT	5 ug/L
1	ALUMINUM	144 ug/L	Gen. Eng.
1	ALUMINUM	133 ug/L	metaTRACE
0	ARSENIC	LT	2 ug/L
0	ARSENIC	LT	3 ug/L
0	BARIUM	LT	42 ug/L
0	BARIUM	LT	43 ug/L
0	BROMODICHLOROMETHANE	LT	25 ug/L
0	BROMODICHLOROMETHANE	LT	5 ug/L
0	TRICHLOROFLUOROMETHANE	LT	25 ug/L
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L
0	CARBON TETRACHLORIDE	LT	25.0 ug/L
2	CARBON TETRACHLORIDE	J	3.00 ug/L
0	CADMIUM	LT	2 ug/L
0	CADMIUM	LT	4 ug/L
0	BROMOFORM	LT	25 ug/L
0	BROMOFORM	LT	5 ug/L
0	CHLOROFORM	LT	25 ug/L
0	CHLOROFORM	LT	5 ug/L
0	CHLOROFORM	LT	1000 ug/L
0	METHYLENE CHLORIDE	LT	25 ug/L
1	METHYLENE CHLORIDE	JB	3 ug/L
0	BROMOMETHANE	LT	25 ug/L
0	BROMOMETHANE	LT	10 ug/L
0	CHLOROMETHANE	LT	25 ug/L
0	CHLOROMETHANE	LT	10 ug/L
0	CHLORIDE	LT	2900 ug/L
0	CHLORIDE	LT	3000 ug/L
0	CHLOROBENZENE	LT	25 ug/L
0	CHLOROBENZENE	LT	5 ug/L
0	CHROMIUM	LT	4 ug/L
0	CHROMIUM	LT	5 ug/L
0	COPPER	LT	4 ug/L
0	COPPER	LT	10 ug/L
0	CYANIDE	LT	5 ug/L
0	CYANIDE	LT	5 ug/L
0	CHLOROETHENE (VINYL CHLORIDE)	LT	25 ug/L
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L
0	CHLOROETHANE	LT	25 ug/L
0	CHLOROETHANE	LT	10 ug/L
0	BENZENE	LT	25 ug/L
0	BENZENE	LT	5 ug/L

CONTINUED

WELL MSB 11C COLLECTED ON 07/25/89 LABORATORY ANALYSES CONTINUED

0	DIBROMOCHLOROMETHANE	LT	25 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0	ETHYLBENZENE	LT	25 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	5 ug/L	metaTRACE
0	IRON	LT	17 ug/L	Gen. Eng.
0	IRON	LT	44 ug/L	metaTRACE
1	MERCURY	LT	0.40 ug/L	Gen. Eng.
0	MERCURY	LT	0.30 ug/L	metaTRACE
0	TOLUENE	LT	25 ug/L	Gen. Eng.
0	TOLUENE	LT	5 ug/L	metaTRACE
0	MANGANESE	LT	22 ug/L	Gen. Eng.
1	MANGANESE	LT	25 ug/L	metaTRACE
1	SODIUM	LT	5220 ug/L	Gen. Eng.
0	SODIUM	LT	4526 ug/L	metaTRACE
0	NICKEL	LT	4 ug/L	Gen. Eng.
0	NICKEL	LT	20 ug/L	metaTRACE
2	NITRATE AS NITROGEN	LT	11900 ug/L	Gen. Eng.
0	LEAD	LT	6 ug/L	Gen. Eng.
0	LEAD	LT	9 ug/L	metaTRACE
0	PHENOLS	LT	5 ug/L	Gen. Eng.
0	PHENOLS	LT	5 ug/L	metaTRACE
0	SELENIUM	LT	2 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	metaTRACE
0	SULFATE	LT	5000 ug/L	Gen. Eng.
1	SULFATE	LT	62100 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	25 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
2	TETRACHLOROETHYLENE	LT	31.0 ug/L	Gen. Eng.
2	TETRACHLOROETHYLENE	LT	36.0 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	1000 ug/L	W-Area, SRS
1	TOTAL PHOSPHORUS	LT	60 ug/L	Gen. Eng.
0	TOTAL PHOSPHATES	LT	10 ug/L	metaTRACE
2	TRICHLOROETHYLENE	LT	47500 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE	LT	85000 ug/L	metaTRACE
2	TRICHLOROETHYLENE	LT	102000 ug/L	W-Area, SRS
2	TRICHLOROETHYLENE	LT	25 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	2500 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	1000 ug/L	W-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	Gen. Eng.
0	URANIUM	LT	1000 ug/L	Gen. Eng.
0	URANIUM	LT	100 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	25 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	2500 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	1000 ug/L	W-Area, SRS
0	1,1-DICHLOROETHANE	LT	25 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	25 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	1000 ug/L	W-Area, SRS
0	1,1,2-TRICHLOROETHANE	LT	25 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	25 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	25 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	25 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	25 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	25 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0	ZINC	LT	26 ug/L	Gen. Eng.
0	ZINC	LT	46 ug/L	metaTRACE
0	GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
1	GROSS ALPHA	LT	5.40+-3.90 pCi/L	metaTRACE
0	NONVOLATILE BETA	LT	7.10+-2.90 pCi/L	Gen. Eng.
0	NONVOLATILE BETA	LT	7.30+-3.20 pCi/L	metaTRACE
2	TOTAL RADIUM	LT	7.00+-2.90 pCi/L	Gen. Eng.
2	TOTAL RADIUM	LT	6.00+-0.90 pCi/L	metaTRACE

WELL MSB 11C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/25/89 Time 1030
 Depth to water = 147.24 ft (44.88 m) below the TOC
 Water elevation = 217.66 ft (66.34 m) msl
 pH = 4.5 Alkalinity = 0 mg/L
 Specific conductance = 129 umhos/cm
 Water temperature = 20.5 degrees Celsius
 Water evacuated from the well prior to sampling = 105 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	120.0 UMMC	Gen. Eng.
1	SPECIFIC CONDUCTANCE	128.5 UMMC	metaTRACE
0	PH	4.78 pH	Gen. Eng.
0	PH	4.54 pH	metaTRACE
0	SILVER	LT	2 ug/L
0	SILVER	LT	5 ug/L
1	ALUMINUM	159 ug/L	Gen. Eng.
1	ALUMINUM	127 ug/L	metaTRACE
0	ARSENIC	LT	2 ug/L
0	ARSENIC	LT	3 ug/L
0	BARIUM	LT	44 ug/L
0	BARIUM	LT	40 ug/L
0	BROMODICHLOROMETHANE	LT	25 ug/L
0	BROMODICHLOROMETHANE	LT	5 ug/L
0	TRICHLOROFLUOROMETHANE	LT	25 ug/L
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L
0	CARBON TETRACHLORIDE	LT	25.0 ug/L
2	CARBON TETRACHLORIDE	J	3.00 ug/L
0	CADMIUM	LT	2 ug/L
0	CADMIUM	LT	4 ug/L
0	BROMOFORM	LT	25 ug/L
0	BROMOFORM	LT	5 ug/L
0	CHLOROFORM	LT	25 ug/L
0	CHLOROFORM	LT	5 ug/L

CONTINUED

WELL MSB 11C COLLECTED ON 07/25/89 LABORATORY ANALYSES CONTINUED

1	CHLOROFORM	JB	1 ug/L	metATRACE
0	METHYLENE CHLORIDE	LT	25 ug/L	Gen. Eng.
1	METHYLENE CHLORIDE	B	2 ug/L	metATRACE
0	BROMOMETHANE	LT	25 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	10 ug/L	metATRACE
0	CHLOROMETHANE	LT	25 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	10 ug/L	metATRACE
0	CHLORIDE		2800 ug/L	Gen. Eng.
0	CHLORIDE		3000 ug/L	metATRACE
0	CHLOROBENZENE	LT	25 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	5 ug/L	metATRACE
0	CHROMIUM	LT	4 ug/L	Gen. Eng.
0	CHROMIUM	LT	5 ug/L	metATRACE
0	COPPER	LT	6 ug/L	Gen. Eng.
0	COPPER	LT	10 ug/L	metATRACE
0	CYANIDE	LT	5 ug/L	Gen. Eng.
0	CYANIDE	LT	5 ug/L	metATRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	25 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metATRACE
0	CHLOROETHANE	LT	25 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	10 ug/L	metATRACE
0	BENZENE	LT	25 ug/L	Gen. Eng.
0	BENZENE	LT	5 ug/L	metATRACE
0	DIBROMOCHLOROMETHANE	LT	25 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metATRACE
0	ETHYLBENZENE	LT	25 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	5 ug/L	metATRACE
0	IRON		62 ug/L	Gen. Eng.
0	IRON		23 ug/L	metATRACE
1	MERCURY		0.40 ug/L	Gen. Eng.
0	MERCURY		0.36 ug/L	metATRACE
0	TOLUENE	LT	25 ug/L	Gen. Eng.
0	TOLUENE	LT	5 ug/L	metATRACE
1	MANGANESE		27 ug/L	Gen. Eng.
0	MANGANESE		22 ug/L	metATRACE
1	SODIUM		5180 ug/L	Gen. Eng.
0	SODIUM		4040 ug/L	metATRACE
0	NICKEL	LT	4 ug/L	Gen. Eng.
0	NICKEL	LT	20 ug/L	metATRACE
2	NITRATE AS NITROGEN		12600 ug/L	Gen. Eng.
0	LEAD		6 ug/L	Gen. Eng.
0	LEAD		6 ug/L	metATRACE
0	PHENOLS	LT	5 ug/L	Gen. Eng.
0	PHENOLS	LT	5 ug/L	metATRACE
0	SELENIUM	LT	2 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	metATRACE
0	SULFATE	LT	5000 ug/L	Gen. Eng.
0	SULFATE	LT	1000 ug/L	metATRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	25 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metATRACE
2	TETRACHLOROETHYLENE		36.0 ug/L	Gen. Eng.
2	TETRACHLOROETHYLENE		35.0 ug/L	metATRACE
0	TOTAL PHOSPHORUS	LT	50 ug/L	Gen. Eng.
0	TOTAL PHOSPHATES		11 ug/L	metATRACE
2	TRICHLOROETHYLENE		51400 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE		93000 ug/L	metATRACE
0	TRANS-1,2-DICHLOROETHENE	LT	25 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	2500 ug/L	metATRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metATRACE
0	URANIUM	LT	1000 ug/L	Gen. Eng.
0	URANIUM	LT	100 ug/L	metATRACE
0	1,1-DICHLOROETHYLENE	LT	25 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metATRACE
0	1,1-DICHLOROETHANE	LT	25 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	LT	5 ug/L	metATRACE
0	1,1,1-TRICHLOROETHANE	LT	25 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metATRACE
0	1,1,2-TRICHLOROETHANE	LT	25 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metATRACE
0	1,2-DICHLOROETHANE	LT	25 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	5 ug/L	metATRACE
0	1,2-DICHLOROPROPANE	LT	25 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metATRACE
0	CIS-1,3-DICHLOROPROPENE	LT	25 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metATRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	25 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	25 ug/L	metATRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	Gen. Eng.
0	ZINC		27 ug/L	Gen. Eng.
0	ZINC		31 ug/L	metATRACE
0	GROSS ALPHA		4.55+-2.20 pCi/L	Gen. Eng.
0	GROSS ALPHA		3.60+-2.80 pCi/L	metATRACE
0	NONVOLATILE BETA		5.97+-2.80 pCi/L	Gen. Eng.
0	NONVOLATILE BETA	LT	5 pCi/L	metATRACE
2	TOTAL RADIUM		6.76+-2.90 pCi/L	Gen. Eng.
2	TOTAL RADIUM		7.80+-1.00 pCi/L	metATRACE

WELL MSB 11D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/04/89 Time 1625
 Depth to water = 134.15 ft (40.89 m) below the TOC
 Water elevation = 231.05 ft (70.42 m) msl
 pH = 4.1 Alkalinity = 0 mg/L
 Specific conductance = 35 umhos/cm
 Water temperature = 20.0 degrees Celsius
 Water evacuated from the well prior to sampling = 125 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE		29.00 UHMC	Gen. Eng.
0	PH		5.09 pH	Gen. Eng.
0	SILVER	LT	2 ug/L	Gen. Eng.
1	ALUMINUM		115 ug/L	Gen. Eng.
0	ARSENIC	LT	2 ug/L	Gen. Eng.

CONTINUED

WELL MSB 11D COLLECTED ON 07/04/89 LABORATORY ANALYSES CONTINUED

0	BARIUM		12 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	LT	100 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	100 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	100 ug/L	Gen. Eng.
0	CADMIUM	LT	2 ug/L	Gen. Eng.
0	BROMOFORM	LT	100 ug/L	Gen. Eng.
0	CHLOROFORM	LT	100 ug/L	Gen. Eng.
0	CHLOROFORM	LT	250 ug/L	M-Area, SRS
0	METHYLENE CHLORIDE	LT	100 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	100 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	100 ug/L	Gen. Eng.
0	CHLORIDE		2100 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	100 ug/L	Gen. Eng.
0	CHROMIUM	LT	4 ug/L	Gen. Eng.
0	COPPER	LT	4 ug/L	Gen. Eng.
0	CYANIDE	LT	5 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	100 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	100 ug/L	Gen. Eng.
0	BENZENE	LT	100 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	100 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	100 ug/L	Gen. Eng.
1	IRON		247 ug/L	Gen. Eng.
0	MERCURY	LT	0.20 ug/L	Gen. Eng.
0	TOLUENE	LT	100 ug/L	Gen. Eng.
0	MANGANESE		12 ug/L	Gen. Eng.
0	SODIUM		600 ug/L	Gen. Eng.
0	NICKEL	LT	4 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN		1660 ug/L	Gen. Eng.
0	LEAD	LT	6 ug/L	Gen. Eng.
0	PHENOLS	LT	5 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	Gen. Eng.
0	SULFATE	LT	5000 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	100 ug/L	Gen. Eng.
2	TETRACHLOROETHYLENE		266 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	250 ug/L	M-Area, SRS
1	TOTAL PHOSPHORUS		330 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE		3220 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE		6790 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	100 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	250 ug/L	M-Area, SRS
0	URANIUM	LT	1000 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	100 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	250 ug/L	M-Area, SRS
0	1,1-DICHLOROETHANE	LT	100 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	100 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	250 ug/L	M-Area, SRS
0	1,1,2-TRICHLOROETHANE	LT	100 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	100 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	100 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	100 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	100 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	200 ug/L	Gen. Eng.
0	ZINC		56 ug/L	Gen. Eng.
0	GROSS ALPHA		3.28+-1.70 pCi/L	Gen. Eng.
0	NONVOLATILE BETA		3.05+-2.20 pCi/L	Gen. Eng.
1	TOTAL RADIUM		3.01+-2.30 pCi/L	Gen. Eng.

WELL MSB 11F

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/04/89 Time 1650
 pH = 4.0 Alkalinity = 0 mg/L
 Specific conductance = 21 umhos/cm
 Water temperature = 21.0 degrees Celsius
 Water evacuated from the well prior to sampling = 22 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE		22.00 UHMC	Gen. Eng.
0	PH		4.74 pH	Gen. Eng.
0	SILVER	LT	2 ug/L	Gen. Eng.
1	ALUMINUM		102 ug/L	Gen. Eng.
0	ARSENIC	LT	2 ug/L	Gen. Eng.
0	BARIUM		5 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	LT	100 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	100 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	100 ug/L	Gen. Eng.
0	CADMIUM	LT	2 ug/L	Gen. Eng.
0	BROMOFORM	LT	100 ug/L	Gen. Eng.
0	CHLOROFORM	LT	100 ug/L	Gen. Eng.
0	CHLOROFORM	LT	25 ug/L	M-Area, SRS
0	METHYLENE CHLORIDE	LT	100 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	100 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	100 ug/L	Gen. Eng.
0	CHLORIDE		3200 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	100 ug/L	Gen. Eng.
0	CHROMIUM	LT	4 ug/L	Gen. Eng.
1	COPPER		48 ug/L	Gen. Eng.
0	CYANIDE	LT	5 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	100 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	100 ug/L	Gen. Eng.
0	BENZENE	LT	100 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	100 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	100 ug/L	Gen. Eng.
0	IRON		31 ug/L	Gen. Eng.
0	MERCURY	LT	0.20 ug/L	Gen. Eng.
0	TOLUENE	LT	100 ug/L	Gen. Eng.
0	MANGANESE		3 ug/L	Gen. Eng.
0	SODIUM		885 ug/L	Gen. Eng.
0	NICKEL	LT	4 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN		344 ug/L	Gen. Eng.
0	LEAD	LT	6 ug/L	Gen. Eng.
0	PHENOLS	LT	5 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	Gen. Eng.
0	SULFATE	LT	5000 ug/L	Gen. Eng.

CONTINUED

WELL MSB 117 COLLECTED ON 07/04/89 LABORATORY ANALYSES CONTINUED

0	1,1,2,2-TETRACHLOROETHANE	LT	100 ug/L	Gen. Eng.
2	TETRACHLOROETHYLENE		687 ug/L	Gen. Eng.
2	TETRACHLOROETHYLENE		669 ug/L	M-Area, SRS
1	TOTAL PHOSPHORUS		240 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE		2300 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE		1780 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	100 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	25 ug/L	M-Area, SRS
0	URANIUM	LT	1000 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	100 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	25 ug/L	M-Area, SRS
0	1,1-DICHLOROETHANE	LT	100 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	100 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	25 ug/L	M-Area, SRS
0	1,1,2-TRICHLOROETHANE	LT	100 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	100 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	100 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	100 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	100 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	200 ug/L	Gen. Eng.
0	ZINC		24 ug/L	Gen. Eng.
0	GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
0	NONVOLATILE BETA	LT	2 pCi/L	Gen. Eng.
0	TOTAL RADIUM		1.21+-1.90 pCi/L	Gen. Eng.

WELL MSB 12A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/12/89 Time 1340
Depth to water = 136.75 ft (41.68 m) below the TOC
Water elevation = 211.05 ft (64.33 m) msf
pH = 3.9 Alkalinity = 0 mg/L
Specific conductance = 19 umhos/cm
Water temperature = 21.5 degrees Celsius
Water evacuated from the well prior to sampling = 247 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE		20.00 UMHC	Gen. Eng.
0	PH		5.25 pH	Gen. Eng.
0	SILVER	LT	2 ug/L	Gen. Eng.
1	ALUMINUM		138 ug/L	Gen. Eng.
0	ARSENIC	LT	2 ug/L	Gen. Eng.
0	BARIUM		6 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	LT	2 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	2 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	2.00 ug/L	Gen. Eng.
0	CADMIUM	LT	2 ug/L	Gen. Eng.
0	BROMOFORM	LT	2 ug/L	Gen. Eng.
0	CHLOROFORM	LT	2 ug/L	Gen. Eng.
0	CHLOROFORM	LT	10 ug/L	M-Area, SRS
0	METHYLENE CHLORIDE	LT	2 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	2 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	2 ug/L	Gen. Eng.
0	CHLORIDE		1900 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	2 ug/L	Gen. Eng.
1	CHROMIUM		5 ug/L	Gen. Eng.
0	COPPER		12 ug/L	Gen. Eng.
0	CYANIDE	LT	5 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	2 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	2 ug/L	Gen. Eng.
0	BENZENE	LT	2 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	2 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	2 ug/L	Gen. Eng.
0	IRON		71 ug/L	Gen. Eng.
0	MERCURY	LT	0.20 ug/L	Gen. Eng.
0	TOLUENE	LT	2 ug/L	Gen. Eng.
0	MANGANESE		4 ug/L	Gen. Eng.
0	SODIUM		1900 ug/L	Gen. Eng.
0	NICKEL		5 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN		260 ug/L	Gen. Eng.
0	LEAD	LT	6 ug/L	Gen. Eng.
0	PHENOLS	LT	5 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	Gen. Eng.
0	SULFATE	LT	5000 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	2 ug/L	Gen. Eng.
2	TETRACHLOROETHYLENE		30.0 ug/L	Gen. Eng.
2	TETRACHLOROETHYLENE	LT	10.0 ug/L	M-Area, SRS
0	TOTAL PHOSPHORUS	LT	50 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE		290 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE		618 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	2 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	10 ug/L	M-Area, SRS
0	URANIUM	LT	1000 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	2 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	2 ug/L	M-Area, SRS
0	1,1-DICHLOROETHANE	LT	10 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	2 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	10 ug/L	M-Area, SRS
0	1,1,2-TRICHLOROETHANE	LT	2 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	2 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	2 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	2 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	2 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	4 ug/L	Gen. Eng.
0	ZINC		81 ug/L	Gen. Eng.
0	GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
0	NONVOLATILE BETA	LT	2 pCi/L	Gen. Eng.
0	TOTAL RADIUM	LT	1 pCi/L	Gen. Eng.

WELL MSB 12B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/12/89 Time 1430
Depth to water = 130.36 ft (39.73 m) below the TOC
Water elevation = 218.04 ft (66.46 m) msf
pH = 4.1 Alkalinity = 0 mg/L
Specific conductance = 137 umhos/cm
Water temperature = 21.9 degrees Celsius
Water evacuated from the well prior to sampling = 161 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE		120.0 UMHC	Gen. Eng.
0	PH		4.84 pH	Gen. Eng.
0	SILVER	LT	2 ug/L	Gen. Eng.
1	ALUMINUM		177 ug/L	Gen. Eng.
0	ARSENIC	LT	2 ug/L	Gen. Eng.
0	BARIUM		18 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	LT	50 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	50 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	50.0 ug/L	Gen. Eng.
0	CADMIUM	LT	2 ug/L	Gen. Eng.
0	BROMOFORM	LT	50 ug/L	Gen. Eng.
0	CHLOROFORM	LT	50 ug/L	Gen. Eng.
0	CHLOROFORM	LT	100 ug/L	M-Area, SRS
0	METHYLENE CHLORIDE	LT	50 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	50 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	50 ug/L	Gen. Eng.
0	CHLORIDE		3800 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	50 ug/L	Gen. Eng.
0	CHROMIUM	LT	4 ug/L	Gen. Eng.
1	COPPER		36 ug/L	Gen. Eng.
0	CYANIDE	LT	5 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	50 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	50 ug/L	Gen. Eng.
0	BENZENE	LT	50 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	50 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	50 ug/L	Gen. Eng.
0	IRON		27 ug/L	Gen. Eng.
1	MERCURY		0.70 ug/L	Gen. Eng.
0	TOLUENE	LT	50 ug/L	Gen. Eng.
0	MANGANESE		10 ug/L	Gen. Eng.
1	SODIUM		13100 ug/L	Gen. Eng.
0	NICKEL		5 ug/L	Gen. Eng.
2	NITRATE AS NITROGEN		13300 ug/L	Gen. Eng.
0	LEAD	LT	6 ug/L	Gen. Eng.
0	PHENOLS	LT	5 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	Gen. Eng.
0	SULFATE	LT	5000 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	50 ug/L	Gen. Eng.
2	TETRACHLOROETHYLENE		1600 ug/L	Gen. Eng.
2	TETRACHLOROETHYLENE		2830 ug/L	M-Area, SRS
1	TOTAL PHOSPHORUS		110 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE		4500 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE		9990 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	50 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	100 ug/L	M-Area, SRS
0	URANIUM	LT	1000 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	50 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	100 ug/L	M-Area, SRS
0	1,1-DICHLOROETHANE	LT	50 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	50 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	100 ug/L	M-Area, SRS
0	1,1,2-TRICHLOROETHANE	LT	50 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	50 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	50 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	50 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	50 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	100 ug/L	Gen. Eng.
0	ZINC		38 ug/L	Gen. Eng.
0	GROSS ALPHA		3.74+-1.90 pCi/L	Gen. Eng.
0	NONVOLATILE BETA		7.39+-2.90 pCi/L	Gen. Eng.
2	TOTAL RADIUM		5.18+-2.60 pCi/L	Gen. Eng.

WELL MSB 12C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/12/89 Time 1400
Depth to water = 124.36 ft (37.91 m) below the TOC
Water elevation = 223.94 ft (68.14 m) msf
pH = 4.5 Alkalinity = 0 mg/L
Specific conductance = 145 umhos/cm
Water temperature = 21.0 degrees Celsius
Water evacuated from the well prior to sampling = 119 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE		140.0 UMHC	Gen. Eng.
0	PH		5.29 pH	Gen. Eng.
0	SILVER	LT	2 ug/L	Gen. Eng.
1	ALUMINUM		143 ug/L	Gen. Eng.
0	ARSENIC	LT	2 ug/L	Gen. Eng.
0	BARIUM		30 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	LT	20 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	20 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	20.0 ug/L	Gen. Eng.
0	CADMIUM	LT	2 ug/L	Gen. Eng.
0	BROMOFORM	LT	20 ug/L	Gen. Eng.
0	CHLOROFORM	LT	20 ug/L	Gen. Eng.
0	CHLOROFORM	LT	100 ug/L	M-Area, SRS
0	METHYLENE CHLORIDE	LT	20 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	20 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	20 ug/L	Gen. Eng.
0	CHLORIDE		4000 ug/L	Gen. Eng.

CONTINUED

WELL MSB 12C COLLECTED ON 07/12/89 LABORATORY ANALYSES CONTINUED

0	CHLOROBENZENE	LT	20 ug/L	Gen. Eng.
0	CHROMIUM	LT	4 ug/L	Gen. Eng.
0	COPPER	LT	19 ug/L	Gen. Eng.
0	CYANIDE	LT	5 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	20 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	20 ug/L	Gen. Eng.
0	BENZENE	LT	20 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	20 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	20 ug/L	Gen. Eng.
0	IRON	LT	14 ug/L	Gen. Eng.
1	MERCURY	LT	0.40 ug/L	Gen. Eng.
0	TOLUENE	LT	20 ug/L	Gen. Eng.
0	MANGANESE	LT	16 ug/L	Gen. Eng.
1	SODIUM	LT	15600 ug/L	Gen. Eng.
0	NICKEL	LT	4 ug/L	Gen. Eng.
2	NITRATE AS NITROGEN	LT	15300 ug/L	Gen. Eng.
0	LEAD	LT	7 ug/L	Gen. Eng.
0	PHENOLS	LT	5 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	Gen. Eng.
0	SULFATE	LT	5000 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	20 ug/L	Gen. Eng.
2	TETRACHLOROETHYLENE	LT	1100 ug/L	Gen. Eng.
2	TETRACHLOROETHYLENE	LT	1620 ug/L	M-Area, SRS
0	TOTAL PHOSPHORUS	LT	50 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE	LT	2100 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE	LT	4000 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	20 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	100 ug/L	M-Area, SRS
0	URANIUM	LT	1000 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	20 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	100 ug/L	M-Area, SRS
0	1,1-DICHLOROETHANE	LT	20 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	20 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	100 ug/L	M-Area, SRS
0	1,1,2-TRICHLOROETHANE	LT	20 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	20 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	20 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	20 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	20 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	40 ug/L	Gen. Eng.
1	ZINC	LT	336 ug/L	Gen. Eng.
2	GROSS ALPHA	LT	38.60+-5.70 pCi/L	Gen. Eng.
1	NONVOLATILE BETA	LT	22.90+-4.50 pCi/L	Gen. Eng.
2	TOTAL RADIUM	LT	19.50+-6.00 pCi/L	Gen. Eng.
2	TOTAL RADIUM	LT	7.32+-1.70 pCi/L	Gen. Eng.

WELL MSB 12D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/12/89 Time 1530
The well was dry.

WELL MSB 12TA

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/12/89 Time 1515
Depth to water = 157.25 ft (47.93 m) below the TOC
Water elevation = 191.25 ft (58.29 m) msl
pH = 5.2 Alkalinity = 12 mg/L
Specific conductance = 37 umhos/cm
Water temperature = 21.0 degrees Celsius
Water evacuated from the well prior to sampling = 793 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE	LT	30.00 UMC	Gen. Eng.
0	PH	LT	6.12 pH	Gen. Eng.
0	SILVER	LT	2 ug/L	Gen. Eng.
1	ALUMINUM	LT	135 ug/L	Gen. Eng.
0	ARSENIC	LT	2 ug/L	Gen. Eng.
0	BARIUM	LT	6 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	CADMIUM	LT	2 ug/L	Gen. Eng.
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	M-Area, SRS
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLORIDE	LT	1800 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHROMIUM	LT	4 ug/L	Gen. Eng.
0	COPPER	LT	9 ug/L	Gen. Eng.
0	CYANIDE	LT	5 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	IRON	LT	39 ug/L	Gen. Eng.
0	MERCURY	LT	0.20 ug/L	Gen. Eng.
0	TOLUENE	LT	1 ug/L	Gen. Eng.
0	MANGANESE	LT	2 ug/L	Gen. Eng.
0	SODIUM	LT	1720 ug/L	Gen. Eng.
0	NICKEL	LT	4 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN	LT	50 ug/L	Gen. Eng.
0	LEAD	LT	10 ug/L	Gen. Eng.
0	PHENOLS	LT	5 ug/L	Gen. Eng.

CONTINUED

WELL MSB 12TA COLLECTED ON 07/12/89 LABORATORY ANALYSES CONTINUED

0	SELENIUM	LT	2 ug/L	Gen. Eng.
0	SULFATE	LT	5000 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
1	TETRACHLOROETHYLENE	LT	1.14 ug/L	M-Area, SRS
0	TOTAL PHOSPHORUS	LT	50 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	M-Area, SRS
0	URANIUM	LT	1000 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area, SRS
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area, SRS
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	2 ug/L	Gen. Eng.
0	ZINC	LT	18 ug/L	Gen. Eng.
0	GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
0	NONVOLATILE BETA	LT	2 pCi/L	Gen. Eng.
0	TOTAL RADIUM	LT	1 pCi/L	Gen. Eng.

WELL MSB 12TB

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/12/89 Time 1550
Depth to water = 157.84 ft (48.11 m) below the TOC
Water elevation = 191.06 ft (58.24 m) msl
pH = 4.5 Alkalinity = 2 mg/L
Specific conductance = 24 umhos/cm
Water temperature = 21.1 degrees Celsius
Water evacuated from the well prior to sampling = 513 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE	LT	22.00 UMC	Gen. Eng.
0	PH	LT	5.59 pH	Gen. Eng.
0	SILVER	LT	2 ug/L	Gen. Eng.
1	ALUMINUM	LT	104 ug/L	Gen. Eng.
0	ARSENIC	LT	2 ug/L	Gen. Eng.
0	BARIUM	LT	15 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	CADMIUM	LT	2 ug/L	Gen. Eng.
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	M-Area, SRS
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLORIDE	LT	2200 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHROMIUM	LT	4 ug/L	Gen. Eng.
0	COPPER	LT	17 ug/L	Gen. Eng.
0	CYANIDE	LT	5 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
2	IRON	LT	329 ug/L	Gen. Eng.
0	MERCURY	LT	0.30 ug/L	Gen. Eng.
0	TOLUENE	LT	1 ug/L	Gen. Eng.
0	MANGANESE	LT	14 ug/L	Gen. Eng.
0	SODIUM	LT	1990 ug/L	Gen. Eng.
0	NICKEL	LT	4 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN	LT	50 ug/L	Gen. Eng.
0	LEAD	LT	10 ug/L	Gen. Eng.
0	PHENOLS	LT	5 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	Gen. Eng.
0	SULFATE	LT	5000 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0	TOTAL PHOSPHORUS	LT	50 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	M-Area, SRS
0	URANIUM	LT	1000 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area, SRS
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area, SRS
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	2 ug/L	Gen. Eng.
0	ZINC	LT	40 ug/L	Gen. Eng.
0	GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
0	NONVOLATILE BETA	LT	2 pCi/L	Gen. Eng.
0	TOTAL RADIUM	LT	1 pCi/L	Gen. Eng.

WELL MSB 13A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/12/89 Time 1230
 Depth to water = 134.65 ft (41.04 m) below the TOC
 Water elevation = 210.55 ft (64.18 m) msl
 pH = 4.2 Alkalinity = 0 mg/L
 Specific conductance = 21 umhos/cm
 Water temperature = 21.6 degrees Celsius
 Water evacuated from the well prior to sampling = 209 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE	20.00 UMC	Gen. Eng.
0	PH	5.40 pH	Gen. Eng.
0	SILVER	2 ug/L	Gen. Eng.
0	ALUMINUM	44 ug/L	Gen. Eng.
0	ARSENIC	2 ug/L	Gen. Eng.
0	BARIUM	6 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	1 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	1.00 ug/L	Gen. Eng.
0	CADMIUM	2 ug/L	Gen. Eng.
0	BROMOFORM	1 ug/L	Gen. Eng.
0	CHLOROFORM	1 ug/L	Gen. Eng.
0	CHLOROFORM	1 ug/L	W-Area, SRS
0	METHYLENE CHLORIDE	1 ug/L	Gen. Eng.
0	BROMOMETHANE	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	1 ug/L	Gen. Eng.
0	CHLORIDE	2100 ug/L	Gen. Eng.
0	CHLOROBENZENE	1 ug/L	Gen. Eng.
0	CHROMIUM	4 ug/L	Gen. Eng.
0	COPPER	7 ug/L	Gen. Eng.
0	CYANIDE	5 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	1 ug/L	Gen. Eng.
0	CHLOROETHANE	1 ug/L	Gen. Eng.
0	BENZENE	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	1 ug/L	Gen. Eng.
0	ENDRIN	0.10 ug/L	Gen. Eng.
0	ETHYLBENZENE	1 ug/L	Gen. Eng.
0	IRON	78 ug/L	Gen. Eng.
0	MERCURY	0.20 ug/L	Gen. Eng.
0	TOLUENE	1 ug/L	Gen. Eng.
0	MANGANESE	6 ug/L	Gen. Eng.
0	SODIUM	2695 ug/L	Gen. Eng.
0	NICKEL	4 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN	230 ug/L	Gen. Eng.
0	LEAD	6 ug/L	Gen. Eng.
0	PHENOLS	5 ug/L	Gen. Eng.
0	SELENIUM	2 ug/L	Gen. Eng.
0	SULFATE	5000 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	1 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	1.00 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	1.00 ug/L	W-Area, SRS
0	TOTAL ORGANIC CARBON	1000 ug/L	Gen. Eng.
2	TOTAL ORGANIC HALOGENS	58 ug/L	Gen. Eng.
0	TOTAL PHOSPHORUS	50 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE	26.0 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE	27.5 ug/L	W-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	1 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	1 ug/L	W-Area, SRS
0	URANIUM	1000 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	1 ug/L	W-Area, SRS
0	1,1-DICHLOROETHANE	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	1 ug/L	W-Area, SRS
0	1,1,2-TRICHLOROETHANE	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	2 ug/L	Gen. Eng.
0	ZINC	59 ug/L	Gen. Eng.
0	GROSS ALPHA	3 pCi/L	Gen. Eng.
0	NONVOLATILE BETA	2 pCi/L	Gen. Eng.
0	TOTAL RADIUM	1 pCi/L	Gen. Eng.

WELL MSB 13A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/19/89 Time 1610
 Depth to water = 138.75 ft (42.29 m) below the TOC
 Water elevation = 206.45 ft (62.93 m) msl
 pH = 5.1 Alkalinity = 1 mg/L
 Specific conductance = 29 umhos/cm
 Water temperature = 21.0 degrees Celsius
 Water evacuated from the well prior to sampling = 199 gal

LABORATORY ANALYSES

0	HEPTACHLORODIBENZODIOXINS	LT	0.82 ng/L	metaTRACE
0	HEPTACHLORODIBENZOFURANS	LT	0.75 ng/L	metaTRACE
0	HEXACHLORODIBENZODIOXINS	LT	0.92 ng/L	metaTRACE
0	HEXACHLORODIBENZOFURANS	LT	1 ng/L	metaTRACE
0	ORTHOCHELORODIBENZODIOXINS	LT	0.87 ng/L	metaTRACE
0	ORTHOCHELORODIBENZOFURANS	LT	0.94 ng/L	metaTRACE
0	PENTACHLORODIBENZODIOXINS	LT	0.99 ng/L	metaTRACE
0	PENTACHLORODIBENZOFURANS	LT	0.98 ng/L	metaTRACE
0	TETRACHLORODIBENZODIOXIN	LT	0.99 ng/L	metaTRACE
0	TETRACHLORODIBENZOFURAN	LT	0.92 ng/L	metaTRACE
0	A, A-DIMETHYLPHENETHYLAMINE	LT	10 ug/L	Gen. Eng.
0	ALPHA-BENZENEHEXACHLORIDE	LT	0.50 ug/L	Gen. Eng.
0	ACETONE	LT	1 ug/L	Gen. Eng.
0	ACETOPHENONE	LT	10 ug/L	Gen. Eng.

CONTINUED

WELL MSB 13A COLLECTED ON 08/19/89 LABORATORY ANALYSES CONTINUED

0	ACROLEIN	LT	20 ug/L	Gen. Eng.
0	ACRYLONITRILE	LT	20 ug/L	Gen. Eng.
0	SILVER	LT	2 ug/L	Gen. Eng.
0	ALDRIN	LT	0.50 ug/L	Gen. Eng.
0	ACENAPHTHENE	LT	10 ug/L	Gen. Eng.
0	ACENAPHTHYLENE	LT	10 ug/L	Gen. Eng.
0	ANILINE	LT	10 ug/L	Gen. Eng.
0	ANTHRACENE	LT	10 ug/L	Gen. Eng.
0	ARAHITE	LT	10 ug/L	Gen. Eng.
0	ARSENIC	LT	2 ug/L	Gen. Eng.
0	ALLYL CHLORIDE	LT	1 ug/L	Gen. Eng.
0	BARIUM	LT	5 ug/L	Gen. Eng.
0	BENZO(A)ANTHRACENE	LT	10 ug/L	Gen. Eng.
0	BENZO(A)PYRENE	LT	10 ug/L	Gen. Eng.
0	BENZO(B)FLUORANTHENE	LT	10 ug/L	Gen. Eng.
0	BETA-BENZENEHEXACHLORIDE	LT	0.50 ug/L	Gen. Eng.
0	BUTYL-BENZYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0	BIS(CHLOROMETHYL-ETHYL)ETHER	LT	1 ug/L	Gen. Eng.
0	BERYLLIUM	LT	5 ug/L	Gen. Eng.
0	BENZO(G,H,I)PERYLENE	LT	10 ug/L	Gen. Eng.
0	BENZO(K)FLUORANTHENE	LT	10 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	BENZYL ALCOHOL	LT	20 ug/L	Gen. Eng.
0	BIS(2-CHLOROETHOXY) METHANE	LT	10 ug/L	Gen. Eng.
0	BIS(2-CHLOROETHYL) ETHER	LT	10 ug/L	Gen. Eng.
0	BIS(2-ETHYLHEXYL) PHTHALATE	LT	10 ug/L	Gen. Eng.
0	DICHLORODIFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	CADMIUM	LT	2 ug/L	Gen. Eng.
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	W-Area, SRS
0	CHRYSENE	LT	10 ug/L	Gen. Eng.
0	METHYLENE BROMIDE	LT	1 ug/L	Gen. Eng.
0	METHYLENE BROMIDE	LT	1 ug/L	Gen. Eng.
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	ACETONITRILE (METHYL CYANIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROBENZILATE	LT	10 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHLORDANE	LT	0.50 ug/L	Gen. Eng.
0	CHLOROPRENE	LT	1 ug/L	Gen. Eng.
0	PENTACHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	PENTACHLOROETHANE	LT	10 ug/L	Gen. Eng.
0	PENTACHLORONITROBENZENE	LT	10 ug/L	Gen. Eng.
0	HEXACHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	HEXACHLOROCYCLOPENTADIENE	LT	10 ug/L	Gen. Eng.
0	HEXACHLOROETHANE	LT	10 ug/L	Gen. Eng.
0	COBALT	LT	4 ug/L	Gen. Eng.
0	CHROMIUM	LT	4 ug/L	Gen. Eng.
0	CARBON DISULFIDE	LT	1 ug/L	Gen. Eng.
0	COPPER	LT	4 ug/L	Gen. Eng.
0	CYANIDE	LT	5 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	DIBENZ(A,H)ANTHRACENE	LT	10 ug/L	Gen. Eng.
0	DIBROMOCHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	DELTA-BENZENEHEXACHLORIDE	LT	0.50 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	DIETHYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0	DIALATE	LT	10 ug/L	Gen. Eng.
0	DIBENZOFURAN	LT	10 ug/L	Gen. Eng.
0	DIMETHOATE	LT	10 ug/L	Gen. Eng.
0	DISULFOTON	LT	10 ug/L	Gen. Eng.
0	DIENDRIN	LT	0.50 ug/L	Gen. Eng.
0	DIMETHYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0	DI-N-BUTYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0	DI-N-OCTYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0	DIPHENYLAMINE	LT	10 ug/L	Gen. Eng.
0	ETHYL METHANESULFONATE	LT	10 ug/L	Gen. Eng.
0	ENDRIN ALDEHYDE	LT	0.50 ug/L	Gen. Eng.
0	ENDRIN	LT	0.50 ug/L	Gen. Eng.
0	ENDOSULFAN I	LT	0.50 ug/L	Gen. Eng.
0	ENDOSULFAN II	LT	0.50 ug/L	Gen. Eng.
0	ENDOSULFAN SULFATE	LT	0.50 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	ETHYL METHACRYLATE	LT	10 ug/L	Gen. Eng.
0	FAMPHUR	LT	10 ug/L	Gen. Eng.
0	FLUORANTHENE	LT	10 ug/L	Gen. Eng.
0	FLUORENE	LT	10 ug/L	Gen. Eng.
0	HEXACHLOROBUTADIENE	LT	10 ug/L	Gen. Eng.
0	HEXACHLOROPHENE	LT	10 ug/L	Gen. Eng.
0	HEXACHLOROPROPENE	LT	10 ug/L	Gen. Eng.
0	MERCURY	LT	0.20 ug/L	Gen. Eng.
0	HEPTACHLOR	LT	0.50 ug/L	Gen. Eng.
0	HEPTACHLOR EPOXIDE	LT	0.50 ug/L	Gen. Eng.
0	INDENO(1,2,3-C,D)PYRENE	LT	10 ug/L	Gen. Eng.
0	IODOMETHANE	LT	1 ug/L	Gen. Eng.
0	ISOSAFROLE	LT	10 ug/L	Gen. Eng.
0	ISOBUTYL ALCOHOL	LT	1 ug/L	Gen. Eng.
0	ISODRIN	LT	10 ug/L	Gen. Eng.
0	ISOPHORONE	LT	10 ug/L	Gen. Eng.
0	KEPONE	LT	10 ug/L	Gen. Eng.
0	LINDANE	LT	0.50 ug/L	Gen. Eng.
0	METHACRYLONITRILE	LT	1 ug/L	Gen. Eng.
0	TOLUENE	LT	1 ug/L	Gen. Eng.
0	METHYLETHYL KETONE	LT	1 ug/L	Gen. Eng.
0	METHYL METHACRYLATE	LT	10 ug/L	Gen. Eng.
0	METHYL METHANE SULFONATE	LT	10 ug/L	Gen. Eng.
0	METHOXYCHLOR	LT	4 ug/L	Gen. Eng.
0	METHYLISOBUTYL KETONE	LT	1 ug/L	Gen. Eng.
0	METHAPYRILENE	LT	10 ug/L	Gen. Eng.
0	NAPHTHALENE	LT	10 ug/L	Gen. Eng.
0	NITROBENZENE	LT	10 ug/L	Gen. Eng.
0	N-NITROSODIMETHYLAMINE	LT	10 ug/L	Gen. Eng.
0	N-NITROSODI-N-BUTYLAMINE	LT	10 ug/L	Gen. Eng.

CONTINUED

WELL MSB 13A COLLECTED ON 08/19/89 LABORATORY ANALYSES CONTINUED

0	N-NITROSODI-PROPYLAMINE	LT	10 ug/L	Gen. Eng.
0	N-NITROSODIETHYLAMINE	LT	10 ug/L	Gen. Eng.
0	N-NITROSODIETHYL METHYLAMINE	LT	10 ug/L	Gen. Eng.
0	NICKEL	LT	4 ug/L	Gen. Eng.
0	N-NITROSOMORPHOLINE	LT	10 ug/L	Gen. Eng.
0	N-NITROSODIPHENYLAMINE	LT	10 ug/L	Gen. Eng.
0	N-NITROSOPIPERIDINE	LT	10 ug/L	Gen. Eng.
0	N-NITROSOPYRROLIDINE	LT	10 ug/L	Gen. Eng.
0	4-NITROQUINOLINE-1-OXIDE	LT	10 ug/L	Gen. Eng.
0	5-NITRO-0-TOLUIDINE	LT	10 ug/L	Gen. Eng.
0	0-TOLUIDINE	LT	10 ug/L	Gen. Eng.
0	LEAD	LT	6 ug/L	Gen. Eng.
0	PCD 1016	LT	0.50 ug/L	Gen. Eng.
0	PCB 1221	LT	0.50 ug/L	Gen. Eng.
0	PCB 1232	LT	0.50 ug/L	Gen. Eng.
0	PCB 1242	LT	0.50 ug/L	Gen. Eng.
0	PCB 1248	LT	0.50 ug/L	Gen. Eng.
0	PCB 1254	LT	0.50 ug/L	Gen. Eng.
0	PCB 1260	LT	0.50 ug/L	Gen. Eng.
0	PCB 1262	LT	0.50 ug/L	Gen. Eng.
0	PENTACHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	P-PHENYLENEDIAMINE	LT	10 ug/L	Gen. Eng.
0	P-DIMETHYLAMINOAZOBENZENE	LT	10 ug/L	Gen. Eng.
0	PHENACETIN	LT	10 ug/L	Gen. Eng.
0	PHENANTHRENE	LT	10 ug/L	Gen. Eng.
0	PHENOLS	LT	10 ug/L	Gen. Eng.
0	PHORATE	LT	0.50 ug/L	Gen. Eng.
0	2,2-BIS(4-CHLOROPHENYL)-1,1-DCE	LT	0.50 ug/L	Gen. Eng.
0	2,2-BIS(4-CHLOROPHENYL)-1,1-DCE	LT	0.50 ug/L	Gen. Eng.
0	2,2-BIS(4-CHLOROPHENYL)-1,1,1-TCE	LT	0.50 ug/L	Gen. Eng.
0	PRONAMIDE	LT	10 ug/L	Gen. Eng.
0	PROPIONITRILE	LT	1 ug/L	Gen. Eng.
0	PARATHION	LT	0.50 ug/L	Gen. Eng.
0	PARATHION METHYL	LT	0.50 ug/L	Gen. Eng.
0	PYRENE	LT	10 ug/L	Gen. Eng.
0	PYRIDINE	LT	10 ug/L	Gen. Eng.
0	SAFROLE	LT	10 ug/L	Gen. Eng.
0	ANTIMONY	LT	3 ug/L	Gen. Eng.
0	2-SEC-BUTYL-4,6-DINITROPHENOL	LT	10 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	Gen. Eng.
0	SILVEX	LT	0.50 ug/L	Gen. Eng.
0	TIN	LT	2 ug/L	Gen. Eng.
0	STYRENE	LT	1 ug/L	Gen. Eng.
0	SULFIDE	LT	1000 ug/L	Gen. Eng.
0	1,2,4,5-TETRACHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
1	TETRACHLOROETHYLENE	LT	4.00 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0	0,0,0-TRIETHYL PHOSPHOROTHIOATE	LT	10 ug/L	Gen. Eng.
0	THALLIUM	LT	2 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE	LT	38.0 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE	LT	42.7 ug/L	M-Area, SRS
0	TOXAPHENE	LT	5 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	M-Area, SRS
0	TRANS-1,4-DICHLORO-2-BUTENE	LT	1 ug/L	Gen. Eng.
0	VANADIUM	LT	20 ug/L	Gen. Eng.
0	VINYL ACETATE	LT	1 ug/L	Gen. Eng.
0	XYLENES	LT	2 ug/L	Gen. Eng.
0	1-NAPHTHYLAMINE	LT	10 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area, SRS
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area, SRS
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	1,2,3-TRICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	1,2,4-TRICHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	1,3-DICHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	1,3-DINITROBENZENE	LT	10 ug/L	Gen. Eng.
0	1,3,5-TRINITROBENZENE	LT	10 ug/L	Gen. Eng.
0	1,4-DICHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	1,4-DIOXANE	LT	10 ug/L	Gen. Eng.
0	1,4-NAPHTHOQUINONE	LT	10 ug/L	Gen. Eng.
0	2-CHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2-CHLORONAPHTHALENE	LT	10 ug/L	Gen. Eng.
0	2-MEXANONE	LT	1 ug/L	Gen. Eng.
0	2-METHYLNAPHTHALENE	LT	10 ug/L	Gen. Eng.
0	2-METHYL PHENOL	LT	10 ug/L	Gen. Eng.
0	2-NITROANILINE	LT	10 ug/L	Gen. Eng.
0	2-NAPHTHYLAMINE	LT	10 ug/L	Gen. Eng.
0	2-NITROPHENOL	LT	10 ug/L	Gen. Eng.
0	2-PICOLINE	LT	10 ug/L	Gen. Eng.
0	2,3,4,6-TETRACHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,4-DICHLOROPHENOXACETIC ACID	LT	0.50 ug/L	Gen. Eng.
0	2,4-DICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,4-DIMETHYL PHENOL	LT	10 ug/L	Gen. Eng.
0	2,4-DINITROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,4-DINITROTOLUENE	LT	10 ug/L	Gen. Eng.
0	2,4,5-TRICHLOROPHENOXACETIC ACID	LT	0.50 ug/L	Gen. Eng.
0	2,4,5-TRICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,4,6-TRICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,6-DICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,6-DINITROTOLUENE	LT	10 ug/L	Gen. Eng.
0	3-METHYLCOLANTHRENE	LT	10 ug/L	Gen. Eng.
0	3-METHYL PHENOL	LT	10 ug/L	Gen. Eng.
0	3-NITROANILINE	LT	10 ug/L	Gen. Eng.
0	3,3-DICHLOROBENZIDENE	LT	20 ug/L	Gen. Eng.
0	4-NITROBIPHENYL	LT	10 ug/L	Gen. Eng.
0	4-BROMOPHENYL PHENYL ETHER	LT	10 ug/L	Gen. Eng.
0	4-CHLORANILINE	LT	10 ug/L	Gen. Eng.
0	4-CHLOROPHENYL PHENYL ETHER	LT	10 ug/L	Gen. Eng.
0	PARA-CHLORO-META-CRESOL	LT	10 ug/L	Gen. Eng.

CONTINUED

WELL MSB 13A COLLECTED ON 08/19/89 LABORATORY ANALYSES CONTINUED

0	4-METHYL PHENOL	LT	10 ug/L	Gen. Eng.
0	4-NITROANILINE	LT	10 ug/L	Gen. Eng.
0	4-NITROPHENOL	LT	10 ug/L	Gen. Eng.
0	2-METHYL-4,6-DINITROPHENOL	LT	10 ug/L	Gen. Eng.
0	7,12-DIMETHYLBENZ(A)ANTHRACENE	LT	10 ug/L	Gen. Eng.
0	ZINC	LT	63 ug/L	Gen. Eng.

WELL MSB 13B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/12/89 Time 1155
 Depth to water = 147.75 ft (45.03 m) below the TOC
 Water elevation = 197.85 ft (60.31 m) msl
 Water evacuated from the well prior to sampling = 2 gal
 The well went dry during purging.

WELL MSB 13B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/19/89 Time 1550
 Depth to water = 147.64 ft (45.00 m) below the TOC
 Water elevation = 197.96 ft (60.34 m) msl
 pH = 12.1 Alkalinity = 631 mg/L
 Specific conductance = 2400 umhos/cm
 Water temperature = 22.6 degrees Celsius
 Water evacuated from the well prior to sampling = 2 gal
 The well went dry during purging.

LABORATORY ANALYSES

0	HEPTACHLORODIBENZODIOXINS	LT	0.96 ng/L	metaTRACE
0	HEPTACHLORODIBENZOFURANS	LT	0.95 ng/L	metaTRACE
0	HEXACHLORODIBENZODIOXINS	LT	0.75 ng/L	metaTRACE
0	HEXACHLORODIBENZOFURANS	LT	0.65 ng/L	metaTRACE
0	ORTHOCHELORODIBENZODIOXINS	LT	0.88 ng/L	metaTRACE
0	ORTHOCHELORODIBENZOFURANS	LT	0.96 ng/L	metaTRACE
0	PENTACHLORODIBENZODIOXINS	LT	0.82 ng/L	metaTRACE
0	PENTACHLORODIBENZOFURANS	LT	0.60 ng/L	metaTRACE
0	TETRACHLORODIBENZODIOXIN	LT	0.70 ng/L	metaTRACE
0	TETRACHLORODIBENZOFURAN	LT	0.49 ng/L	metaTRACE
0	A, A-DIMETHYLPHENETHYLAMINE	LT	10 ug/L	Gen. Eng.
0	ACETONE	LT	1 ug/L	Gen. Eng.
0	ACETOPHENONE	LT	10 ug/L	Gen. Eng.
0	ACROLEIN	LT	20 ug/L	Gen. Eng.
0	ACRYLONITRILE	LT	20 ug/L	Gen. Eng.
0	SILVER	LT	2 ug/L	Gen. Eng.
0	ACENAPHTHENE	LT	10 ug/L	Gen. Eng.
0	ACENAPHTHYLENE	LT	10 ug/L	Gen. Eng.
0	ANILINE	LT	10 ug/L	Gen. Eng.
0	ANTHRACENE	LT	10 ug/L	Gen. Eng.
0	ARAMITE	LT	10 ug/L	Gen. Eng.
0	ARSENIC	LT	2 ug/L	Gen. Eng.
0	ALLYL CHLORIDE	LT	1 ug/L	Gen. Eng.
1	BARIUM	LT	469 ug/L	Gen. Eng.
0	BENZO(A)ANTHRACENE	LT	10 ug/L	Gen. Eng.
0	BENZO(A)PYRENE	LT	10 ug/L	Gen. Eng.
0	BENZO(B)FLUORANTHENE	LT	10 ug/L	Gen. Eng.
0	BUTYLBENZYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0	BIS(CHLOROMETHYL-ETHYL)ETHER	LT	1 ug/L	Gen. Eng.
0	BERYLLIUM	LT	3 ug/L	Gen. Eng.
0	BENZO(G,H,I)PERYLENE	LT	10 ug/L	Gen. Eng.
0	BENZO(K)FLUORANTHENE	LT	10 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	BENZYL ALCOHOL	LT	20 ug/L	Gen. Eng.
0	BIS(2-CHLOROETHOXY) METHANE	LT	10 ug/L	Gen. Eng.
0	BIS(2-CHLOROETHYL) ETHER	LT	10 ug/L	Gen. Eng.
0	BIS(2-ETHYLMETHYL) PHTHALATE	LT	10 ug/L	Gen. Eng.
0	DICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	CADMIUM	LT	2 ug/L	Gen. Eng.
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	2 ug/L	M-Area, SRS
0	CHRYSENE	LT	10 ug/L	Gen. Eng.
0	METHYLENE BROMIDE	LT	1 ug/L	Gen. Eng.
0	METHYLENE BROMIDE	LT	1 ug/L	Gen. Eng.
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	ACETONITRILE (METHYL CYANIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROBENZILATE	LT	10 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHLOROPRENE	LT	1 ug/L	Gen. Eng.
0	PENTACHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	PENTACHLOROETHANE	LT	10 ug/L	Gen. Eng.
0	PENTACHLORONITROBENZENE	LT	10 ug/L	Gen. Eng.
0	HEXACHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	HEXACHLOROCYCLOPENTADIENE	LT	10 ug/L	Gen. Eng.
0	HEXACHLOROETHANE	LT	10 ug/L	Gen. Eng.
0	COBALT	LT	4 ug/L	Gen. Eng.
2	CHROMIUM	LT	65 ug/L	Gen. Eng.
0	CARBON DISULFIDE	LT	1 ug/L	Gen. Eng.
0	COPPER	LT	15 ug/L	Gen. Eng.
1	CYANIDE	LT	9 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	DIBENZ(A,H)ANTHRACENE	LT	10 ug/L	Gen. Eng.
0	DIBROMOCHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	DIETHYL PHTHALATE	LT	10 ug/L	Gen. Eng.

CONTINUED

WELL MSB 13B COLLECTED ON 08/19/89 LABORATORY ANALYSES CONTINUED

0	DIALATE	LT	10 ug/L	Gen. Eng.
0	DIBENZOFURAN	LT	10 ug/L	Gen. Eng.
0	DIMETHOATE	LT	10 ug/L	Gen. Eng.
0	DISULFOTON	LT	10 ug/L	Gen. Eng.
0	DIMETHYL PHthalate	LT	10 ug/L	Gen. Eng.
0	DI-N-BUTYL PHthalate	LT	10 ug/L	Gen. Eng.
0	DI-N-OCTYL PHthalate	LT	10 ug/L	Gen. Eng.
0	DIPHENYLAMINE	LT	10 ug/L	Gen. Eng.
0	ETHYL METHANESULFONATE	LT	10 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	ETHYL METHACRYLATE	LT	10 ug/L	Gen. Eng.
0	FAMPHUR	LT	10 ug/L	Gen. Eng.
0	FLUORANTHENE	LT	10 ug/L	Gen. Eng.
0	FLUORENE	LT	10 ug/L	Gen. Eng.
0	HEXACHLOROBUTADIENE	LT	10 ug/L	Gen. Eng.
0	HEXACHLOROPHENE	LT	10 ug/L	Gen. Eng.
0	HEXACHLOROPROPENE	LT	10 ug/L	Gen. Eng.
0	MERCURY	LT	0.20 ug/L	Gen. Eng.
0	INDENO(1,2,3-c,d)PYRENE	LT	10 ug/L	Gen. Eng.
0	IODOMETHANE	LT	1 ug/L	Gen. Eng.
0	ISOSAFROLE	LT	10 ug/L	Gen. Eng.
0	ISOBUTYL ALCOHOL	LT	1 ug/L	Gen. Eng.
0	ISODRIN	LT	10 ug/L	Gen. Eng.
0	ISOPHORONE	LT	10 ug/L	Gen. Eng.
0	KEPONE	LT	10 ug/L	Gen. Eng.
0	METHACRYLONITRILE	LT	1 ug/L	Gen. Eng.
1	TOLUENE	LT	3 ug/L	Gen. Eng.
0	METHYLETHYL KETONE	LT	1 ug/L	Gen. Eng.
0	METHYL METHACRYLATE	LT	10 ug/L	Gen. Eng.
0	METHYL METHANE SULFONATE	LT	10 ug/L	Gen. Eng.
0	METHYLISOBUTYL KETONE	LT	1 ug/L	Gen. Eng.
0	METHAPYRILENE	LT	10 ug/L	Gen. Eng.
0	NAPHTHALENE	LT	10 ug/L	Gen. Eng.
0	NITROBENZENE	LT	10 ug/L	Gen. Eng.
0	N-NITROSODIMETHYLAMINE	LT	10 ug/L	Gen. Eng.
0	N-NITROSODI-N-BUTYLAMINE	LT	10 ug/L	Gen. Eng.
0	N-NITROSODI-PROPYLAMINE	LT	10 ug/L	Gen. Eng.
0	N-NITROSODIETHYLAMINE	LT	10 ug/L	Gen. Eng.
0	N-NITROETHYLMETHYLAMINE	LT	10 ug/L	Gen. Eng.
0	NICKEL	LT	4 ug/L	Gen. Eng.
0	N-NITROSOMORPHOLINE	LT	10 ug/L	Gen. Eng.
0	N-NITROSODIPHENYLAMINE	LT	10 ug/L	Gen. Eng.
0	N-NITROSOPIPERIDINE	LT	10 ug/L	Gen. Eng.
0	N-NITROSOPYRROLIDINE	LT	10 ug/L	Gen. Eng.
0	4-NITROQUINOLINE-1-OXIDE	LT	10 ug/L	Gen. Eng.
0	5-NITRO-O-TOLUIDINE	LT	10 ug/L	Gen. Eng.
0	O-TOLUIDINE	LT	10 ug/L	Gen. Eng.
2	LEAD	LT	99 ug/L	Gen. Eng.
0	PENTACHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	P-PHENYLENEDIAMINE	LT	10 ug/L	Gen. Eng.
0	P-DIMETHYLAMINOAZOBENZENE	LT	10 ug/L	Gen. Eng.
0	PHENACETIN	LT	10 ug/L	Gen. Eng.
0	PHENANTHRENE	LT	10 ug/L	Gen. Eng.
0	PHENOLS	LT	10 ug/L	Gen. Eng.
0	PROPIONITRILE	LT	10 ug/L	Gen. Eng.
0	PYRENE	LT	10 ug/L	Gen. Eng.
0	PYRIDINE	LT	10 ug/L	Gen. Eng.
0	SAPROLE	LT	10 ug/L	Gen. Eng.
0	ANTHRAVY	LT	3 ug/L	Gen. Eng.
0	2-SEC-BUTYL-4,6-DINITROPHENOL	LT	10 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	Gen. Eng.
0	SILVEX	LT	0.50 ug/L	Gen. Eng.
0	TIN	LT	2 ug/L	Gen. Eng.
0	STYRENE	LT	1 ug/L	Gen. Eng.
0	SULFIDE	LT	1000 ug/L	Gen. Eng.
0	1,2,4,5-TETRACHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
2	TETRACHLOROETHYLENE	LT	36.0 ug/L	Gen. Eng.
2	TETRACHLOROETHYLENE	LT	49.3 ug/L	M-Area, SRS
0	0,0,0-TRIETHYL PHOSPHOROTHIOATE	LT	10 ug/L	Gen. Eng.
0	THALLIUM	LT	2 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE	LT	28.0 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE	LT	27.9 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	2 ug/L	M-Area, SRS
0	TRANS-1,4-DICHLORO-2-BUTENE	LT	1 ug/L	Gen. Eng.
0	VANADIUM	LT	20 ug/L	Gen. Eng.
0	VINYL ACETATE	LT	1 ug/L	Gen. Eng.
0	XYLENES	LT	2 ug/L	Gen. Eng.
0	1-NAPHTHYLAMINE	LT	10 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	2 ug/L	M-Area, SRS
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
1	1,1,1-TRICHLOROETHANE	LT	3 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	2 ug/L	M-Area, SRS
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	10 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	2,3-TRICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	2,4-TRICHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	3-DICHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	1,3-DINITROBENZENE	LT	10 ug/L	Gen. Eng.
0	1,3,5-TRINITROBENZENE	LT	10 ug/L	Gen. Eng.
0	1,4-DICHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	1,4-DIOXANE	LT	10 ug/L	Gen. Eng.
0	1,4-NAPHTHOQUINONE	LT	10 ug/L	Gen. Eng.
0	2-CHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2-CHLORONAPHTHALENE	LT	10 ug/L	Gen. Eng.
0	2-HEXANONE	LT	1 ug/L	Gen. Eng.
0	2-METHYLNAPHTHALENE	LT	10 ug/L	Gen. Eng.
0	2-METHYL PHENOL	LT	10 ug/L	Gen. Eng.
0	2-NITROANILINE	LT	10 ug/L	Gen. Eng.
0	2-NAPHTHYLAMINE	LT	10 ug/L	Gen. Eng.
0	2-NITROPHENOL	LT	10 ug/L	Gen. Eng.

CONTINUED

WELL MSB 13B COLLECTED ON 08/19/89 LABORATORY ANALYSES CONTINUED

0	2-PICOLINE	LT	10 ug/L	Gen. Eng.
0	2,3,4,6-TETRACHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,4-DICHLOROPHENOXYACETIC ACID	LT	0.50 ug/L	Gen. Eng.
0	2,4-DICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,4-DIMETHYL PHENOL	LT	10 ug/L	Gen. Eng.
0	2,4-DINITROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,4-DINITROTOLUENE	LT	10 ug/L	Gen. Eng.
0	2,4,5-TRICHLOROPHENOXYACETIC ACID	LT	0.50 ug/L	Gen. Eng.
0	2,4,5-TRICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,4,6-TRICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,6-DICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,6-DINITROTOLUENE	LT	10 ug/L	Gen. Eng.
0	3-METHYLCHOLANTHRENE	LT	10 ug/L	Gen. Eng.
0	3-METHYL PHENOL	LT	10 ug/L	Gen. Eng.
0	3-NITROANILINE	LT	10 ug/L	Gen. Eng.
0	3,3-DICHLOROBENZIDENE	LT	20 ug/L	Gen. Eng.
0	4-AMINOBIOPHENYL	LT	10 ug/L	Gen. Eng.
0	4-BROMOPHENYLPHENYL ETHER	LT	10 ug/L	Gen. Eng.
0	4-CHLOROANILINE	LT	10 ug/L	Gen. Eng.
0	4-CHLOROPHENYLPHENYL ETHER	LT	10 ug/L	Gen. Eng.
0	PARA-CHLORO-META-CRESOL	LT	10 ug/L	Gen. Eng.
0	4-METHYL PHENOL	LT	10 ug/L	Gen. Eng.
0	4-NITROANILINE	LT	10 ug/L	Gen. Eng.
0	4-NITROPHENOL	LT	10 ug/L	Gen. Eng.
0	2-METHYL-4,6-DINITROPHENOL	LT	10 ug/L	Gen. Eng.
0	7,12-DIMETHYLBENZ(A)ANTHRACENE	LT	10 ug/L	Gen. Eng.
0	ZINC	LT	68 ug/L	Gen. Eng.

WELL MSB 13C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/16/89 Time 1530
 Depth to water = 118.75 ft (36.20 m) below the TOC
 Water elevation = 226.95 ft (69.18 m) msl
 pH = 4.8 Alkalinity = 14 mg/L
 Specific conductance = 645 umhos/cm
 Water temperature = 20.7 degrees Celsius
 Water evacuated from the well prior to sampling = 1 gal
 The well went dry during purging.

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	700.0 uMHC	Gen. Eng.
0	PH	5.39 pH	Gen. Eng.
0	SILVER	2 ug/L	Gen. Eng.
1	ALUMINUM	112 ug/L	Gen. Eng.
0	ARSENIC	2 ug/L	Gen. Eng.
0	BARIUM	23 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	1 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	1.00 ug/L	Gen. Eng.
0	CADMIUM	2 ug/L	Gen. Eng.
0	BROMOFORM	1 ug/L	Gen. Eng.
0	CHLOROFORM	1 ug/L	Gen. Eng.
0	CHLOROFORM	1 ug/L	M-Area, SRS
0	CHLOROFORM	1 ug/L	M-Area, SRS
0	METHYLENE CHLORIDE	1 ug/L	Gen. Eng.
0	BROMOMETHANE	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	1 ug/L	Gen. Eng.
0	CHLORIDE	4900 ug/L	Gen. Eng.
0	CHLOROBENZENE	1 ug/L	Gen. Eng.
0	CHROMIUM	4 ug/L	Gen. Eng.
0	COPPER	7 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	1 ug/L	Gen. Eng.
0	CHLOROETHANE	1 ug/L	Gen. Eng.
0	BENZENE	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	1 ug/L	Gen. Eng.
2	IRON	342 ug/L	Gen. Eng.
0	MERCURY	0.20 ug/L	Gen. Eng.
0	TOLUENE	1 ug/L	Gen. Eng.
2	MANGANESE	140 ug/L	Gen. Eng.
1	SODIUM	131000 ug/L	Gen. Eng.
1	NICKEL	14 ug/L	Gen. Eng.
2	NITRATE AS NITROGEN	84600 ug/L	Gen. Eng.
0	LEAD	6 ug/L	Gen. Eng.
1	PHENOLS	5 ug/L	Gen. Eng.
0	SELENIUM	2 ug/L	Gen. Eng.
0	SULFATE	5000 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	1 ug/L	Gen. Eng.
2	TETRACHLOROETHYLENE	39.0 ug/L	Gen. Eng.
2	TETRACHLOROETHYLENE	40.4 ug/L	M-Area, SRS
2	TETRACHLOROETHYLENE	41.5 ug/L	M-Area, SRS
0	TOTAL ORGANIC CARBON	4000 ug/L	Gen. Eng.
2	TOTAL ORGANIC HALOGENS	92 ug/L	Gen. Eng.
1	TOTAL PHOSPHORUS	10400 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE	27.0 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE	27.3 ug/L	M-Area, SRS
2	TRICHLOROETHYLENE	27.9 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	1 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	1 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	1 ug/L	M-Area, SRS
0	URANIUM	1000 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	8 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	1 ug/L	M-Area, SRS
0	1,1-DICHLOROETHYLENE	1 ug/L	M-Area, SRS
0	1,1-DICHLOROETHANE	1 ug/L	Gen. Eng.
1	1,1,1-TRICHLOROETHANE	16 ug/L	Gen. Eng.
1	1,1,1-TRICHLOROETHANE	18 ug/L	M-Area, SRS
1	1,1,1-TRICHLOROETHANE	19 ug/L	M-Area, SRS
0	1,1,2-TRICHLOROETHANE	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	2 ug/L	Gen. Eng.
1	ZINC	872 ug/L	Gen. Eng.

WELL MSB 13C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/20/89 Time 1545
 Depth to water = 118.80 ft (36.21 m) below the TOC
 Water elevation = 226.90 ft (69.16 m) msl
 pH = 4.9 Alkalinity = 0 mg/L
 Specific conductance = 675 umhos/cm
 Water temperature = 25.3 degrees Celsius
 Water evacuated from the well prior to sampling = 1 gal
 The well went dry during purging.

LABORATORY ANALYSES

0	HEPTACHLORODIBENZODIOXINS	LT	0.87 ng/L	metatrace
0	HEPTACHLORODIBENZOFURANS	LT	0.81 ng/L	metatrace
0	HEXACHLORODIBENZODIOXINS	LT	0.84 ng/L	metatrace
0	HEXACHLORODIBENZOFURANS	LT	0.75 ng/L	metatrace
0	ORTHOCHLORODIBENZODIOXINS	LT	0.90 ng/L	metatrace
0	ORTHOCHLORODIBENZOFURANS	LT	0.95 ng/L	metatrace
0	PENTACHLORODIBENZODIOXINS	LT	0.86 ng/L	metatrace
0	PENTACHLORODIBENZOFURANS	LT	0.45 ng/L	metatrace
0	TETRACHLORODIBENZODIOXIN	LT	0.96 ng/L	metatrace
0	TETRACHLORODIBENZOFURAN	LT	0.64 ng/L	metatrace
0	ACETONE	LT	1 ug/L	Gen. Eng.
0	ACROLEIN	LT	1 ug/L	Gen. Eng.
0	ACRYLONITRILE	LT	1 ug/L	Gen. Eng.
0	ALLYL CHLORIDE	LT	1 ug/L	Gen. Eng.
0	BIS(CHLOROMETHYL-ETHYL)ETHER	LT	1 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	DICHLORODIFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	M-Area, SRS
0	METHYLENE BROMIDE	LT	1 ug/L	Gen. Eng.
0	METHYLENE BROMIDE	LT	1 ug/L	Gen. Eng.
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	ACETONITRILE (METHYL CYANIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHLOROPRENE	LT	1 ug/L	Gen. Eng.
0	CARBON DISULFIDE	LT	1 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	IODOETHANE	LT	1 ug/L	Gen. Eng.
0	ISOBUTYL ALCOHOL	LT	1 ug/L	Gen. Eng.
0	METHACRYLONITRILE	LT	1 ug/L	Gen. Eng.
0	TOLUENE	LT	1 ug/L	Gen. Eng.
0	METHYLETHYL KETONE	LT	1 ug/L	Gen. Eng.
0	METHYLISOBUTYL KETONE	LT	1 ug/L	Gen. Eng.
0	PROPIONITRILE	LT	1 ug/L	Gen. Eng.
0	STYRENE	LT	1 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
2	TETRACHLOROETHYLENE	LT	58.0 ug/L	Gen. Eng.
2	TETRACHLOROETHYLENE	LT	49.0 ug/L	M-Area, SRS
2	TRICHLOROETHYLENE	LT	33.0 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE	LT	32.8 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	M-Area, SRS
0	TRANS-1,4-DICHLORO-2-BUTENE	LT	1 ug/L	Gen. Eng.
0	VINYL ACETATE	LT	1 ug/L	Gen. Eng.
0	XYLENES	LT	2 ug/L	Gen. Eng.
1	1,1-DICHLOROETHYLENE	LT	6 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area, SRS
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
1	1,1,1-TRICHLOROETHANE	LT	17 ug/L	Gen. Eng.
1	1,1,1-TRICHLOROETHANE	LT	18 ug/L	M-Area, SRS
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	1,2,3-TRICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-HEXANONE	LT	1 ug/L	Gen. Eng.

WELL MSB 14A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/09/89 Time 1440
 Depth to water = 131.45 ft (40.07 m) below the TOC
 Water elevation = 216.85 ft (66.10 m) msl
 pH = 4.2 Alkalinity = 0 mg/L
 Specific conductance = 164 umhos/cm
 Water temperature = 21.2 degrees Celsius
 Water evacuated from the well prior to sampling = 203 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE		152.0 UMC	Gen. Eng.
0	PH		4.68 pH	Gen. Eng.
0	SILVER	LT	2 ug/L	Gen. Eng.
0	ALUMINUM	LT	78 ug/L	Gen. Eng.
0	ARSENIC	LT	2 ug/L	Gen. Eng.
1	BARIUM	LT	59 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	LT	10 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	10 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	10.0 ug/L	Gen. Eng.
0	CADMIUM	LT	2 ug/L	Gen. Eng.

CONTINUED

WELL MSB 14A COLLECTED ON 07/09/89 LABORATORY ANALYSES CONTINUED

0	BROMOFORM	LT	10 ug/L	Gen. Eng.
0	CHLOROFORM	LT	10 ug/L	Gen. Eng.
0	CHLOROFORM	LT	20 ug/L	M-Area, SRS
0	METHYLENE CHLORIDE	LT	10 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	10 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	10 ug/L	Gen. Eng.
0	CHLORIDE	LT	4000 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	10 ug/L	Gen. Eng.
1	CHROMIUM	LT	8 ug/L	Gen. Eng.
0	COPPER	LT	5 ug/L	Gen. Eng.
0	CYANIDE	LT	5 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	10 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	10 ug/L	Gen. Eng.
0	BENZENE	LT	10 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	10 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	IRON	LT	88 ug/L	Gen. Eng.
2	MERCURY	LT	1.20 ug/L	Gen. Eng.
0	TOLUENE	LT	10 ug/L	Gen. Eng.
0	MANGANESE	LT	18 ug/L	Gen. Eng.
1	SODIUM	LT	8570 ug/L	Gen. Eng.
0	NICKEL	LT	5 ug/L	Gen. Eng.
2	NITRATE AS NITROGEN	LT	16200 ug/L	Gen. Eng.
0	LEAD	LT	6 ug/L	Gen. Eng.
0	PHENOLS	LT	5 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	Gen. Eng.
0	SULFATE	LT	5000 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	10 ug/L	Gen. Eng.
2	TETRACHLOROETHYLENE	LT	890 ug/L	Gen. Eng.
2	TETRACHLOROETHYLENE	LT	1060 ug/L	M-Area, SRS
1	TOTAL PHOSPHORUS	LT	370 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE	LT	970 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE	LT	1060 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	10 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	20 ug/L	M-Area, SRS
0	URANIUM	LT	1000 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	10 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	20 ug/L	M-Area, SRS
0	1,1-DICHLOROETHANE	LT	10 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	10 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	20 ug/L	M-Area, SRS
0	1,1,2-TRICHLOROETHANE	LT	10 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	10 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	10 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	10 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	10 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	20 ug/L	Gen. Eng.
0	ZINC	LT	28 ug/L	Gen. Eng.
1	GROSS ALPHA		6.99+2.80 pCi/L	Gen. Eng.
0	NONVOLATILE BETA		8.33+3.00 pCi/L	Gen. Eng.
1	TOTAL RADIUM		4.45+1.00 pCi/L	Gen. Eng.

WELL MSB 14B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/09/89 Time 1510
 Depth to water = 130.16 ft (39.67 m) below the TOC
 Water elevation = 218.54 ft (66.61 m) msl
 pH = 4.4 Alkalinity = 0 mg/L
 Specific conductance = 171 umhos/cm
 Water temperature = 21.8 degrees Celsius
 Water evacuated from the well prior to sampling = 164 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE		170.0 UMC	Gen. Eng.
0	PH		5.03 pH	Gen. Eng.
0	SILVER	LT	2 ug/L	Gen. Eng.
1	ALUMINUM	LT	126 ug/L	Gen. Eng.
0	ARSENIC	LT	2 ug/L	Gen. Eng.
1	BARIUM	LT	51 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	CADMIUM	LT	2 ug/L	Gen. Eng.
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	10 ug/L	M-Area, SRS
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLORIDE	LT	4000 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHROMIUM	LT	4 ug/L	Gen. Eng.
0	COPPER	LT	4 ug/L	Gen. Eng.
0	CYANIDE	LT	5 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	IRON	LT	42 ug/L	Gen. Eng.
0	MERCURY	LT	0.20 ug/L	Gen. Eng.
0	TOLUENE	LT	1 ug/L	Gen. Eng.
0	MANGANESE	LT	18 ug/L	Gen. Eng.
1	SODIUM	LT	17100 ug/L	Gen. Eng.
0	NICKEL	LT	4 ug/L	Gen. Eng.
2	NITRATE AS NITROGEN	LT	18500 ug/L	Gen. Eng.
0	LEAD	LT	6 ug/L	Gen. Eng.
0	PHENOLS	LT	5 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	Gen. Eng.
0	SULFATE	LT	5000 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
2	TETRACHLOROETHYLENE	LT	160 ug/L	Gen. Eng.
2	TETRACHLOROETHYLENE	LT	112 ug/L	M-Area, SRS

CONTINUED

WELL MSB 14B COLLECTED ON 07/09/89 LABORATORY ANALYSES CONTINUED

0	TOTAL PHOSPHORUS	LT	50 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE		120 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE		89.7 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE		10 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	10 ug/L	M-Area, SRS
0	URANIUM	LT	1000 ug/L	Gen. Eng.
1	1,1-DICHLOROETHYLENE		9 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	10 ug/L	M-Area, SRS
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
1	1,1,1-TRICHLOROETHANE		11 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	10 ug/L	M-Area, SRS
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	2 ug/L	Gen. Eng.
0	ZINC		34 ug/L	Gen. Eng.
1	GROSS ALPHA		5.96+-2.50 pCi/L	Gen. Eng.
1	NONVOLATILE BETA		5.66+-2.70 pCi/L	Gen. Eng.
2	TOTAL RADIUM		9.30+-1.40 pCi/L	Gen. Eng.

WELL MSB 14C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/09/89 Time 1530
 pH = 8.3 Alkalinity = 25 mg/L
 Specific conductance = 107 umhos/cm
 Water temperature = 25.5 degrees Celsius
 Water evacuated from the well prior to sampling = 21 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE		100.0 UMIC	Gen. Eng.
2	PH		9.17 pH	Gen. Eng.
0	SILVER	LT	2 ug/L	Gen. Eng.
1	ALUMINUM		135 ug/L	Gen. Eng.
1	ARSENIC		2 ug/L	Gen. Eng.
0	BARIUM		8 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	CADMIUM	LT	2 ug/L	Gen. Eng.
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	M-Area, SRS
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLORIDE		2300 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHROMIUM	LT	4 ug/L	Gen. Eng.
0	COPPER		6 ug/L	Gen. Eng.
0	CYANIDE	LT	5 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	IRON		79 ug/L	Gen. Eng.
0	MERCURY	LT	0.20 ug/L	Gen. Eng.
0	TOLUENE	LT	1 ug/L	Gen. Eng.
0	MANGANESE	LT	2 ug/L	Gen. Eng.
0	SODIUM		3320 ug/L	Gen. Eng.
0	NICKEL	LT	4 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN		2270 ug/L	Gen. Eng.
1	LEAD		22 ug/L	Gen. Eng.
1	PHENOLS		6 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	Gen. Eng.
0	SULFATE	LT	5000 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
1	TETRACHLOROETHYLENE		1.77 ug/L	M-Area, SRS
1	TOTAL PHOSPHORUS		130 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE		6.00 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE		5.79 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	M-Area, SRS
0	URANIUM	LT	1000 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area, SRS
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area, SRS
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	2 ug/L	Gen. Eng.
0	ZINC		75 ug/L	Gen. Eng.
0	GROSS ALPHA		3.34+-1.80 pCi/L	Gen. Eng.
0	NONVOLATILE BETA	LT	2 pCi/L	Gen. Eng.
2	TOTAL RADIUM		5.47+-2.90 pCi/L	Gen. Eng.

WELL MSB 15A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/15/89 Time 1130
 Depth to water = 143.15 ft (43.63 m) below the TOC
 Water elevation = 224.05 ft (68.29 m) msl
 pH = 5.4 Alkalinity = 11 mg/L
 Specific conductance = 41 umhos/cm
 Water temperature = 20.1 degrees Celsius
 Water evacuated from the well prior to sampling = 161 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE		45.00 UMIC	Gen. Eng.
0	SPECIFIC CONDUCTANCE		45.00 UMIC	Gen. Eng.
0	PH		6.09 pH	Gen. Eng.
0	PH		8.12 pH	Gen. Eng.
0	SILVER	LT	2 ug/L	Gen. Eng.
0	SILVER	LT	2 ug/L	Gen. Eng.
0	ALUMINUM		41 ug/L	Gen. Eng.
0	ALUMINUM		36 ug/L	Gen. Eng.
0	ARSENIC	LT	2 ug/L	Gen. Eng.
0	ARSENIC	LT	2 ug/L	Gen. Eng.
0	BARIUM		32 ug/L	Gen. Eng.
0	BARIUM		34 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	LT	10 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	LT	10 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	10 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	10 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	10.0 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	10.0 ug/L	Gen. Eng.
0	CADMIUM	LT	2 ug/L	Gen. Eng.
0	CADMIUM	LT	2 ug/L	Gen. Eng.
0	BROMOFORM	LT	10 ug/L	Gen. Eng.
0	BROMOFORM	LT	10 ug/L	Gen. Eng.
0	CHLOROFORM	LT	10 ug/L	Gen. Eng.
0	CHLOROFORM	LT	10 ug/L	Gen. Eng.
0	CHLOROFORM	LT	50 ug/L	M-Area, SRS
0	METHYLENE CHLORIDE	LT	10 ug/L	Gen. Eng.
0	METHYLENE CHLORIDE	LT	10 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	10 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	10 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	10 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	10 ug/L	Gen. Eng.
0	CHLORIDE		2400 ug/L	Gen. Eng.
0	CHLORIDE		2300 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	10 ug/L	Gen. Eng.
1	CHROMIUM		15 ug/L	Gen. Eng.
1	CHROMIUM		16 ug/L	Gen. Eng.
0	COPPER	LT	4 ug/L	Gen. Eng.
0	COPPER	LT	4 ug/L	Gen. Eng.
0	CYANIDE	LT	5 ug/L	Gen. Eng.
0	CYANIDE	LT	5 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	10 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	10 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	10 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	10 ug/L	Gen. Eng.
0	BENZENE	LT	10 ug/L	Gen. Eng.
0	BENZENE	LT	10 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	10 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	10 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	10 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	10 ug/L	Gen. Eng.
0	IRON		30 ug/L	Gen. Eng.
0	IRON		26 ug/L	Gen. Eng.
0	MERCURY	LT	0.20 ug/L	Gen. Eng.
0	MERCURY	LT	0.20 ug/L	Gen. Eng.
0	TOLUENE	LT	10 ug/L	Gen. Eng.
0	TOLUENE	LT	10 ug/L	Gen. Eng.
0	MANGANESE	LT	2 ug/L	Gen. Eng.
0	MANGANESE	LT	2 ug/L	Gen. Eng.
0	SODIUM		1960 ug/L	Gen. Eng.
0	SODIUM		1620 ug/L	Gen. Eng.
0	NICKEL	LT	4 ug/L	Gen. Eng.
0	NICKEL	LT	4 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN		1100 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN		1300 ug/L	Gen. Eng.
0	LEAD	LT	6 ug/L	Gen. Eng.
0	LEAD	LT	8 ug/L	Gen. Eng.
0	PHENOLS	LT	5 ug/L	Gen. Eng.
0	PHENOLS	LT	5 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	Gen. Eng.
0	SULFATE	LT	5000 ug/L	Gen. Eng.
0	SULFATE	LT	5000 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	10 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	10 ug/L	Gen. Eng.
2	TETRACHLOROETHYLENE		79.0 ug/L	Gen. Eng.
2	TETRACHLOROETHYLENE		79.0 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	50.0 ug/L	M-Area, SRS
1	TOTAL PHOSPHORUS		70 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE		1300 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE		1900 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE		1380 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	10 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	10 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	30 ug/L	M-Area, SRS
0	URANIUM	LT	1000 ug/L	Gen. Eng.
0	URANIUM	LT	1000 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	10 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	10 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	50 ug/L	M-Area, SRS
0	1,1-DICHLOROETHANE	LT	10 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	LT	10 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	10 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	10 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	50 ug/L	M-Area, SRS

CONTINUED

WELL MSB 15A COLLECTED ON 07/15/89 LABORATORY ANALYSES CONTINUED

0	1,1,2-TRICHLOROETHANE	LT	10 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	10 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	10 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	10 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	10 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	10 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	10 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	10 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	10 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	10 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	20 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	20 ug/L	Gen. Eng.
0	ZINC	LT	14 ug/L	Gen. Eng.
0	ZINC	LT	17 ug/L	Gen. Eng.
0	GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
0	GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
0	NONVOLATILE BETA	LT	2 pCi/L	Gen. Eng.
0	NONVOLATILE BETA	LT	2 pCi/L	Gen. Eng.
0	TOTAL RADIUM	LT	1 pCi/L	Gen. Eng.
0	TOTAL RADIUM	LT	1 pCi/L	Gen. Eng.

WELL MSB 15AA

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/15/89 Time 1145
Depth to water = 151.14 ft (46.07 m) below the TOC
Water elevation = 218.36 ft (66.56 m) msl
pH = 5.8 Alkalinity = 30 mg/L
Specific conductance = 51 umhos/cm
Water temperature = 20.2 degrees Celsius
Water evacuated from the well prior to sampling = 198 gal

LABORATORY ANALYSES

0	CHLOROFORM	LT	1 ug/L	M-Area, SRS
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
2	TRICHLOROETHYLENE	LT	63.1 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	M-Area, SRS
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area, SRS
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area, SRS

WELL MSB 15D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/16/89 Time 1020
Depth to water = 135.85 ft (41.41 m) below the TOC
Water elevation = 232.95 ft (71.00 m) msl
pH = 4.8 Alkalinity = 4 mg/L
Specific conductance = 30 umhos/cm
Water temperature = 23.4 degrees Celsius
Water evacuated from the well prior to sampling = 2 gal
The well went dry during purging.

LABORATORY ANALYSES

0	CHLOROFORM	LT	200 ug/L	M-Area, SRS
2	TETRACHLOROETHYLENE	LT	2000 ug/L	M-Area, SRS
2	TRICHLOROETHYLENE	LT	20300 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	200 ug/L	M-Area, SRS
0	1,1-DICHLOROETHYLENE	LT	200 ug/L	M-Area, SRS
0	1,1,1-TRICHLOROETHANE	LT	200 ug/L	M-Area, SRS

WELL MSB 16A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/16/89 Time 1335
Depth to water = 145.85 ft (44.46 m) below the TOC
Water elevation = 220.85 ft (67.32 m) msl
pH = 4.8 Alkalinity = 2 mg/L
Specific conductance = 30 umhos/cm
Water temperature = 21.8 degrees Celsius
Water evacuated from the well prior to sampling = 155 gal

LABORATORY ANALYSES

0	CHLOROFORM	LT	100 ug/L	M-Area, SRS
0	TETRACHLOROETHYLENE	LT	100 ug/L	M-Area, SRS
2	TRICHLOROETHYLENE	LT	8220 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	100 ug/L	M-Area, SRS
0	1,1-DICHLOROETHYLENE	LT	100 ug/L	M-Area, SRS
0	1,1,1-TRICHLOROETHANE	LT	100 ug/L	M-Area, SRS

WELL MSB 16C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/16/89 Time 1255
pH = 6.8 Alkalinity = 72 mg/L
Specific conductance = 257 umhos/cm
Water temperature = 25.2 degrees Celsius
Water evacuated from the well prior to sampling = 1 gal
The well went dry during purging.

LABORATORY ANALYSES

0	CHLOROFORM	LT	50 ug/L	M-Area, SRS
2	TETRACHLOROETHYLENE	LT	300 ug/L	M-Area, SRS
2	TRICHLOROETHYLENE	LT	800 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	50 ug/L	M-Area, SRS
0	1,1-DICHLOROETHYLENE	LT	50 ug/L	M-Area, SRS
0	1,1,1-TRICHLOROETHANE	LT	50 ug/L	M-Area, SRS

WELL MSB 17A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/15/89 Time 1025
Depth to water = 141.84 ft (43.17 m) below the TOC
Water elevation = 218.36 ft (66.56 m) msl
pH = 4.2 Alkalinity = 0 mg/L
Specific conductance = 184 umhos/cm
Water temperature = 20.5 degrees Celsius
Water evacuated from the well prior to sampling = 161 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE		180.0 UMC	Gen. Eng.
0	PH		4.85 pH	Gen. Eng.
0	SILVER	LT	2 ug/L	Gen. Eng.
1	ALUMINUM		167 ug/L	Gen. Eng.
0	ARSENIC	LT	2 ug/L	Gen. Eng.
0	BARIUM		37 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	LT	2 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	2 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	2.00 ug/L	Gen. Eng.
0	CADMIUM	LT	2 ug/L	Gen. Eng.
0	BROMOFORM	LT	2 ug/L	Gen. Eng.
0	CHLOROFORM	LT	2 ug/L	Gen. Eng.
0	CHLOROFORM	LT	10 ug/L	M-Area, SRS
0	METHYLENE CHLORIDE	LT	2 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	2 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	2 ug/L	Gen. Eng.
0	CHLORIDE		4400 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	2 ug/L	Gen. Eng.
1	CHROMIUM		8 ug/L	Gen. Eng.
0	COPPER		16 ug/L	Gen. Eng.
0	CYANIDE	LT	5 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	2 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	2 ug/L	Gen. Eng.
0	BENZENE	LT	2 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	2 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	2 ug/L	Gen. Eng.
2	IRON		402 ug/L	Gen. Eng.
2	MERCURY		9.30 ug/L	Gen. Eng.
0	TOLUENE	LT	2 ug/L	Gen. Eng.
1	WANGMENSE		31 ug/L	Gen. Eng.
1	SODIUM		10800 ug/L	Gen. Eng.
1	NICKEL		8 ug/L	Gen. Eng.
2	NITRATE AS NITROGEN		18300 ug/L	Gen. Eng.
0	LEAD		10 ug/L	Gen. Eng.
0	PHENOLS	LT	5 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	Gen. Eng.
0	SULFATE	LT	5000 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	2 ug/L	Gen. Eng.
2	TETRACHLOROETHYLENE		310 ug/L	Gen. Eng.
2	TETRACHLOROETHYLENE		318 ug/L	M-Area, SRS
1	TOTAL PHOSPHORUS		50 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE		52.0 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE		24.5 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	2 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	10 ug/L	M-Area, SRS
0	URANIUM	LT	1000 ug/L	Gen. Eng.
1	1,1-DICHLOROETHYLENE		19 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	10 ug/L	M-Area, SRS
0	1,1-DICHLOROETHANE	LT	2 ug/L	Gen. Eng.
1	1,1,1-TRICHLOROETHANE		23 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	10 ug/L	M-Area, SRS
0	1,1,2-TRICHLOROETHANE	LT	2 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	2 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	2 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	2 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	2 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	4 ug/L	Gen. Eng.
0	ZINC		75 ug/L	Gen. Eng.
0	GROSS ALPHA		3.48+-2.00 pCi/L	Gen. Eng.
1	NONVOLATILE BETA		10.80+-3.20 pCi/L	Gen. Eng.
2	TOTAL RADIUM		7.44+-1.70 pCi/L	Gen. Eng.

WELL MSB 17B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/15/89 Time 1010
 Depth to water = 132.55 ft (40.40 m) below the TOC
 Water elevation = 225.35 ft (68.69 m) msl
 pH = 4.1 Alkalinity = 0 mg/L
 Specific conductance = 186 umhos/cm
 Water temperature = 20.5 degrees Celsius
 Water evacuated from the well prior to sampling = 105 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	165.0 UMIC	Gen. Eng.
0	PH	4.74 pH	Gen. Eng.
0	SILVER	2 ug/L	Gen. Eng.
1	ALUMINUM	180 ug/L	Gen. Eng.
0	ARSENIC	2 ug/L	Gen. Eng.
0	BARIUM	19 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	2 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	2 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	2.00 ug/L	Gen. Eng.
0	CADMIUM	2 ug/L	Gen. Eng.
0	BROMOFORM	2 ug/L	Gen. Eng.
0	CHLOROFORM	2 ug/L	Gen. Eng.
0	CHLOROFORM	2 ug/L	W-Area, SRS
0	METHYLENE CHLORIDE	2 ug/L	Gen. Eng.
0	BROMOMETHANE	2 ug/L	Gen. Eng.
0	CHLOROMETHANE	2 ug/L	Gen. Eng.
0	CHLORIDE	4600 ug/L	Gen. Eng.
0	CHLOROBENZENE	2 ug/L	Gen. Eng.
0	CHROMIUM	4 ug/L	Gen. Eng.
0	COPPER	4 ug/L	Gen. Eng.
0	CYANIDE	5 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	2 ug/L	Gen. Eng.
0	CHLOROETHANE	2 ug/L	Gen. Eng.
0	BENZENE	2 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	2 ug/L	Gen. Eng.
0	ETHYLBENZENE	2 ug/L	Gen. Eng.
0	IRON	51 ug/L	Gen. Eng.
1	MERCURY	0.40 ug/L	Gen. Eng.
0	TOLUENE	2 ug/L	Gen. Eng.
0	MANGANESE	16 ug/L	Gen. Eng.
1	SODIUM	22500 ug/L	Gen. Eng.
0	NICKEL	4 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN	740 ug/L	Gen. Eng.
0	LEAD	8 ug/L	Gen. Eng.
0	PHENOLS	5 ug/L	Gen. Eng.
0	SELENIUM	2 ug/L	Gen. Eng.
0	SULFATE	5000 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	2 ug/L	Gen. Eng.
2	TETRACHLOROETHYLENE	310 ug/L	Gen. Eng.
2	TETRACHLOROETHYLENE	327 ug/L	W-Area, SRS
1	TOTAL PHOSPHORUS	60 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE	120 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE	135 ug/L	W-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	2 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	5 ug/L	W-Area, SRS
0	URANIUM	1000 ug/L	Gen. Eng.
1	1,1-DICHLOROETHYLENE	44 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	5 ug/L	W-Area, SRS
0	1,1-DICHLOROETHANE	2 ug/L	Gen. Eng.
1	1,1,1-TRICHLOROETHANE	60 ug/L	Gen. Eng.
1	1,1,1-TRICHLOROETHANE	68 ug/L	W-Area, SRS
0	1,1,2-TRICHLOROETHANE	2 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	2 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	2 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	2 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	2 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	4 ug/L	Gen. Eng.
0	ZINC	25 ug/L	Gen. Eng.
0	GROSS ALPHA	3.66+-1.00 pCi/L	Gen. Eng.
0	NONVOLATILE BETA	5.89+-2.80 pCi/L	Gen. Eng.
2	TOTAL RADIUM	6.28+-2.80 pCi/L	Gen. Eng.

WELL MSB 17BB

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/15/89 Time 1050
 Depth to water = 145.04 ft (44.21 m) below the TOC
 Water elevation = 214.26 ft (65.31 m) msl
 pH = 4.9 Alkalinity = 3 mg/L
 Specific conductance = 95 umhos/cm
 Water temperature = 20.0 degrees Celsius
 Water evacuated from the well prior to sampling = 234 gal

LABORATORY ANALYSES

0	CHLOROFORM	10 ug/L	W-Area, SRS
2	TETRACHLOROETHYLENE	275 ug/L	W-Area, SRS
2	TRICHLOROETHYLENE	838 ug/L	W-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	10 ug/L	W-Area, SRS
0	1,1-DICHLOROETHYLENE	10 ug/L	W-Area, SRS
0	1,1,1-TRICHLOROETHANE	10 ug/L	W-Area, SRS

WELL MSB 17C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/15/89 Time 945
 The well was dry.

WELL MSB 17D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/15/89 Time 1040
 Depth to water = 132.15 ft (40.28 m) below the TOC
 Water elevation = 228.05 ft (69.51 m) msl
 pH = 4.7 Alkalinity = 1 mg/L
 Specific conductance = 28 umhos/cm
 Water temperature = 20.0 degrees Celsius
 Water evacuated from the well prior to sampling = 48 gal

WELL MSB 18A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/11/89 Time 1550
 Depth to water = 130.76 ft (39.86 m) below the TOC
 Water elevation = 209.44 ft (63.84 m) msl
 pH = 4.2 Alkalinity = 0 mg/L
 Specific conductance = 31 umhos/cm
 Water temperature = 21.3 degrees Celsius
 Water evacuated from the well prior to sampling = 136 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE	30.00 UMIC	Gen. Eng.
0	SPECIFIC CONDUCTANCE	30.00 UMIC	Gen. Eng.
0	PH	4.80 pH	Gen. Eng.
0	PH	4.95 pH	Gen. Eng.
0	SILVER	2 ug/L	Gen. Eng.
0	SILVER	2 ug/L	Gen. Eng.
0	ALUMINUM	58 ug/L	Gen. Eng.
0	ALUMINUM	43 ug/L	Gen. Eng.
0	ARSENIC	2 ug/L	Gen. Eng.
0	ARSENIC	2 ug/L	Gen. Eng.
0	BARIUM	10 ug/L	Gen. Eng.
0	BARIUM	10 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	1 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	1 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	1.00 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	1.00 ug/L	Gen. Eng.
0	CADMIUM	2 ug/L	Gen. Eng.
0	CADMIUM	2 ug/L	Gen. Eng.
0	BROMOFORM	1 ug/L	Gen. Eng.
0	BROMOFORM	1 ug/L	Gen. Eng.
0	CHLOROFORM	1 ug/L	Gen. Eng.
0	CHLOROFORM	1 ug/L	Gen. Eng.
0	CHLOROFORM	2 ug/L	W-Area, SRS
0	METHYLENE CHLORIDE	1 ug/L	Gen. Eng.
0	METHYLENE CHLORIDE	1 ug/L	Gen. Eng.
0	BROMOMETHANE	1 ug/L	Gen. Eng.
0	BROMOMETHANE	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	1 ug/L	Gen. Eng.
0	CHLORIDE	2500 ug/L	Gen. Eng.
0	CHLORIDE	2500 ug/L	Gen. Eng.
0	CHLOROBENZENE	1 ug/L	Gen. Eng.
0	CHLOROBENZENE	1 ug/L	Gen. Eng.
0	CHROMIUM	4 ug/L	Gen. Eng.
0	CHROMIUM	4 ug/L	Gen. Eng.
1	COPPER	32 ug/L	Gen. Eng.
1	COPPER	29 ug/L	Gen. Eng.
0	CYANIDE	5 ug/L	Gen. Eng.
0	CYANIDE	5 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	1 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	1 ug/L	Gen. Eng.
0	CHLOROETHANE	1 ug/L	Gen. Eng.
0	CHLOROETHANE	1 ug/L	Gen. Eng.
0	BENZENE	1 ug/L	Gen. Eng.
0	BENZENE	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	1 ug/L	Gen. Eng.
1	IRON	159 ug/L	Gen. Eng.
1	IRON	158 ug/L	Gen. Eng.
0	MERCURY	0.20 ug/L	Gen. Eng.
0	MERCURY	0.20 ug/L	Gen. Eng.
0	TOLUENE	1 ug/L	Gen. Eng.
0	TOLUENE	1 ug/L	Gen. Eng.
0	MANGANESE	12 ug/L	Gen. Eng.
0	MANGANESE	13 ug/L	Gen. Eng.
0	SODIUM	2560 ug/L	Gen. Eng.
0	SODIUM	2770 ug/L	Gen. Eng.
0	NICKEL	5 ug/L	Gen. Eng.
0	NICKEL	4 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN	2800 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN	2300 ug/L	Gen. Eng.
0	LEAD	7 ug/L	Gen. Eng.
0	LEAD	11 ug/L	Gen. Eng.
0	PHENOLS	5 ug/L	Gen. Eng.
0	PHENOLS	5 ug/L	Gen. Eng.

CONTINUED

WELL MSB 18A COLLECTED ON 07/11/89 LABORATORY ANALYSES CONTINUED

0	SELENIUM	LT	2 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	Gen. Eng.
0	SULFATE	LT	5000 ug/L	Gen. Eng.
0	SULFATE	LT	5000 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
2	TETRACHLOROETHYLENE	LT	6.00 ug/L	Gen. Eng.
2	TETRACHLOROETHYLENE	LT	8.00 ug/L	Gen. Eng.
2	TETRACHLOROETHYLENE	LT	7.96 ug/L	M-Area, SRS
1	TOTAL PHOSPHORUS	LT	110 ug/L	Gen. Eng.
1	TOTAL PHOSPHORUS	LT	100 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE	LT	13.0 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE	LT	9.00 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE	LT	12.8 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
1	TRANS-1,2-DICHLOROETHENE	LT	2 ug/L	M-Area, SRS
0	URANIUM	LT	1000 ug/L	Gen. Eng.
0	URANIUM	LT	1000 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	2 ug/L	M-Area, SRS
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	2 ug/L	M-Area, SRS
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	2 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	2 ug/L	Gen. Eng.
0	ZINC	LT	20 ug/L	Gen. Eng.
0	ZINC	LT	19 ug/L	Gen. Eng.
0	GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
0	GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
0	NONVOLATILE BETA	LT	2.00+-1.10 pCi/L	Gen. Eng.
0	NONVOLATILE BETA	LT	2 pCi/L	Gen. Eng.
0	TOTAL RADIUM	LT	1 pCi/L	Gen. Eng.
0	TOTAL RADIUM	LT	1 pCi/L	Gen. Eng.

WELL MSB 18B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/11/89 Time 1615
 Depth to water = 121.77 ft (37.12 m) below the TOC
 Water elevation = 218.53 ft (66.61 m) msl
 pH = 4.9 Alkalinity = 4 mg/L
 Specific conductance = 83 umhos/cm
 Water temperature = 21.5 degrees Celsius
 Water evacuated from the well prior to sampling = 69 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	LT	108.0 UMHC	Gen. Eng.
0	PH	LT	5.46 pH	Gen. Eng.
0	SILVER	LT	2 ug/L	Gen. Eng.
1	ALUMINUM	LT	119 ug/L	Gen. Eng.
0	ARSENIC	LT	2 ug/L	Gen. Eng.
0	BARIIUM	LT	18 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	CADMIUM	LT	2 ug/L	Gen. Eng.
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	2 ug/L	M-Area, SRS
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLORIDE	LT	4600 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHROMIUM	LT	4 ug/L	Gen. Eng.
0	COPPER	LT	7 ug/L	Gen. Eng.
0	CYANIDE	LT	5 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	IRON	LT	147 ug/L	Gen. Eng.
0	MERCURY	LT	0.20 ug/L	Gen. Eng.
0	TOLUENE	LT	1 ug/L	Gen. Eng.
0	MANGANESE	LT	20 ug/L	Gen. Eng.
1	SODIUM	LT	14800 ug/L	Gen. Eng.
0	NICKEL	LT	4 ug/L	Gen. Eng.
1	NITRATE AS NITROGEN	LT	7500 ug/L	Gen. Eng.
0	LEAD	LT	6 ug/L	Gen. Eng.
0	PHENOLS	LT	5 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	Gen. Eng.
0	SULFATE	LT	5000 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
2	TETRACHLOROETHYLENE	LT	17.0 ug/L	Gen. Eng.
2	TETRACHLOROETHYLENE	LT	21.7 ug/L	M-Area, SRS
0	TOTAL PHOSPHORUS	LT	50 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE	LT	8.00 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE	LT	7.11 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.

CONTINUED

WELL MSB 18B COLLECTED ON 07/11/89 LABORATORY ANALYSES CONTINUED

0	TRANS-1,2-DICHLOROETHENE	LT	2 ug/L	M-Area, SRS
0	URANIUM	LT	1000 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	2 ug/L	M-Area, SRS
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
1	1,1,1-TRICHLOROETHANE	LT	4 ug/L	M-Area, SRS
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	2 ug/L	Gen. Eng.
0	ZINC	LT	86 ug/L	Gen. Eng.
0	GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
0	NONVOLATILE BETA	LT	4.68+-2.60 pCi/L	Gen. Eng.
0	TOTAL RADIUM	LT	1.28+-1.20 pCi/L	Gen. Eng.

WELL MSB 18C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/11/89 Time 1710
 Depth to water = 116.55 ft (35.52 m) below the TOC
 Water elevation = 224.05 ft (68.29 m) msl
 pH = 4.5 Alkalinity = 0 mg/L
 Specific conductance = 29 umhos/cm
 Water temperature = 23.7 degrees Celsius
 Water evacuated from the well prior to sampling = 44 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE	LT	30.00 UMHC	Gen. Eng.
0	PH	LT	5.12 pH	Gen. Eng.
0	SILVER	LT	2 ug/L	Gen. Eng.
1	ALUMINUM	LT	85 ug/L	Gen. Eng.
0	ARSENIC	LT	2 ug/L	Gen. Eng.
0	BARIIUM	LT	10 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	CADMIUM	LT	2 ug/L	Gen. Eng.
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	M-Area, SRS
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLORIDE	LT	2600 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHROMIUM	LT	4 ug/L	Gen. Eng.
0	COPPER	LT	16 ug/L	Gen. Eng.
0	CYANIDE	LT	5 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	IRON	LT	123 ug/L	Gen. Eng.
1	MERCURY	LT	0.40 ug/L	Gen. Eng.
0	TOLUENE	LT	1 ug/L	Gen. Eng.
0	MANGANESE	LT	19 ug/L	Gen. Eng.
0	SODIUM	LT	3110 ug/L	Gen. Eng.
0	NICKEL	LT	4 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN	LT	1100 ug/L	Gen. Eng.
0	LEAD	LT	13 ug/L	Gen. Eng.
0	PHENOLS	LT	5 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	Gen. Eng.
0	SULFATE	LT	5000 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
1	1,1-DICHLOROETHYLENE	LT	4.30 ug/L	M-Area, SRS
0	TOTAL PHOSPHORUS	LT	50 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
1	TRICHLOROETHYLENE	LT	1.58 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	M-Area, SRS
0	URANIUM	LT	1000 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area, SRS
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area, SRS
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	2 ug/L	Gen. Eng.
0	ZINC	LT	90 ug/L	Gen. Eng.
0	GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
0	NONVOLATILE BETA	LT	2 pCi/L	Gen. Eng.
0	TOTAL RADIUM	LT	1 pCi/L	Gen. Eng.

WELL MSB 19A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/12/89 Time 1110
 Depth to water = 86.06 ft (26.23 m) below the TOC
 Water elevation = 213.44 ft (65.06 m) msl
 pH = 4.0 Alkalinity = 0 mg/L
 Specific conductance = 23 umhos/cm
 Water temperature = 21.4 degrees Celsius
 Water evacuated from the well prior to sampling = 277 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE	20.00 UMHG	Gen. Eng.
0	PH	5.28 pH	Gen. Eng.
0	SILVER	LT	2 ug/L Gen. Eng.
1	ALUMINUM	119 ug/L	Gen. Eng.
0	ARSENIC	LT	2 ug/L Gen. Eng.
0	BARIUM	5 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	LT	1 ug/L Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L Gen. Eng.
0	CARBON TETRACHLORIDE	LT	1.00 ug/L Gen. Eng.
0	CADMIUM	LT	2 ug/L Gen. Eng.
0	BROMOFORM	LT	1 ug/L Gen. Eng.
0	CHLOROFORM	LT	1 ug/L Gen. Eng.
0	CHLOROFORM	LT	10 ug/L M-Area, SRS
0	METHYLENE CHLORIDE	LT	1 ug/L Gen. Eng.
0	BROMOMETHANE	LT	1 ug/L Gen. Eng.
0	CHLOROMETHANE	LT	1 ug/L Gen. Eng.
0	CHLORIDE	1500 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	1 ug/L Gen. Eng.
0	CHROMIUM	LT	4 ug/L Gen. Eng.
0	COPPER	LT	9 ug/L Gen. Eng.
0	CYANIDE	LT	5 ug/L Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L Gen. Eng.
0	BENZENE	LT	1 ug/L Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L Gen. Eng.
0	IRON	39 ug/L	Gen. Eng.
0	MERCURY	LT	0.20 ug/L Gen. Eng.
0	TOLUENE	LT	1 ug/L Gen. Eng.
0	MANGANESE	5 ug/L	Gen. Eng.
0	SODIUM	2060 ug/L	Gen. Eng.
0	NICKEL	6 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN	1180 ug/L	Gen. Eng.
0	LEAD	8 ug/L	Gen. Eng.
0	PHENOLS	LT	5 ug/L Gen. Eng.
0	SELENIUM	LT	2 ug/L Gen. Eng.
0	SULFATE	5000 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L Gen. Eng.
2	TETRACHLOROETHYLENE	40.0 ug/L	Gen. Eng.
2	TETRACHLOROETHYLENE	67.6 ug/L	M-Area, SRS
0	TOTAL PHOSPHORUS	LT	50 ug/L Gen. Eng.
2	TRICHLOROETHYLENE	160 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE	265 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	10 ug/L M-Area, SRS
0	URANIUM	LT	1000 ug/L Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	10 ug/L M-Area, SRS
0	1,1-DICHLOROETHANE	LT	1 ug/L Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	10 ug/L M-Area, SRS
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	2 ug/L Gen. Eng.
0	ZINC	48 ug/L	Gen. Eng.
0	GROSS ALPHA	LT	3 pCi/L Gen. Eng.
0	NONVOLATILE BETA	LT	2 pCi/L Gen. Eng.
0	TOTAL RADIUM	LT	1 pCi/L Gen. Eng.

WELL MSB 19B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/12/89 Time 1055
 Depth to water = 83.07 ft (25.32 m) below the TOC
 Water elevation = 216.83 ft (66.09 m) msl
 pH = 4.2 Alkalinity = 0 mg/L
 Specific conductance = 19 umhos/cm
 Water temperature = 21.0 degrees Celsius
 Water evacuated from the well prior to sampling = 194 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE	20.00 UMHG	Gen. Eng.
0	PH	5.37 pH	Gen. Eng.
0	SILVER	LT	2 ug/L Gen. Eng.
1	ALUMINUM	125 ug/L	Gen. Eng.
0	ARSENIC	LT	2 ug/L Gen. Eng.
0	BARIUM	5 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	LT	1 ug/L Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L Gen. Eng.
0	CARBON TETRACHLORIDE	LT	1.00 ug/L Gen. Eng.
0	CADMIUM	LT	2 ug/L Gen. Eng.
0	BROMOFORM	LT	1 ug/L Gen. Eng.
0	CHLOROFORM	LT	1 ug/L Gen. Eng.
0	CHLOROFORM	LT	1 ug/L M-Area, SRS
0	METHYLENE CHLORIDE	LT	1 ug/L Gen. Eng.
0	BROMOMETHANE	LT	1 ug/L Gen. Eng.
0	CHLOROMETHANE	LT	1 ug/L Gen. Eng.
0	CHLORIDE	1400 ug/L	Gen. Eng.

CONTINUED

WELL MSB 19B COLLECTED ON 07/12/89 LABORATORY ANALYSES CONTINUED

0	CHLOROBENZENE	LT	1 ug/L Gen. Eng.
0	CHROMIUM	LT	4 ug/L Gen. Eng.
1	COPPER	LT	27 ug/L Gen. Eng.
0	CYANIDE	LT	5 ug/L Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L Gen. Eng.
0	BENZENE	LT	1 ug/L Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L Gen. Eng.
0	IRON	42 ug/L	Gen. Eng.
0	MERCURY	LT	0.20 ug/L Gen. Eng.
0	TOLUENE	LT	1 ug/L Gen. Eng.
0	MANGANESE	4 ug/L	Gen. Eng.
0	SODIUM	1780 ug/L	Gen. Eng.
0	NICKEL	LT	4 ug/L Gen. Eng.
0	NITRATE AS NITROGEN	860 ug/L	Gen. Eng.
0	LEAD	10 ug/L	Gen. Eng.
0	PHENOLS	LT	5 ug/L Gen. Eng.
0	SELENIUM	LT	2 ug/L Gen. Eng.
0	SULFATE	LT	5000 ug/L Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L Gen. Eng.
0	TETRACHLOROETHYLENE	LT	1.00 ug/L Gen. Eng.
1	TETRACHLOROETHYLENE	LT	1.83 ug/L M-Area, SRS
0	TOTAL PHOSPHORUS	LT	30 ug/L Gen. Eng.
2	TRICHLOROETHYLENE	LT	6.00 ug/L Gen. Eng.
2	TRICHLOROETHYLENE	LT	6.28 ug/L M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L M-Area, SRS
0	URANIUM	LT	1000 ug/L Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L M-Area, SRS
0	1,1-DICHLOROETHANE	LT	1 ug/L Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L M-Area, SRS
0	1,2-DICHLOROETHANE	LT	1 ug/L Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	2 ug/L Gen. Eng.
0	ZINC	29 ug/L	Gen. Eng.
0	GROSS ALPHA	LT	3 pCi/L Gen. Eng.
0	NONVOLATILE BETA	LT	2 pCi/L Gen. Eng.
0	TOTAL RADIUM	LT	1 pCi/L Gen. Eng.

WELL MSB 19C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/12/89 Time 1125
 Depth to water = 63.88 ft (19.47 m) below the TOC
 Water elevation = 236.32 ft (72.03 m) msl
 pH = 5.0 Alkalinity = 12 mg/L
 Specific conductance = 347 umhos/cm
 Water temperature = 21.7 degrees Celsius
 Water evacuated from the well prior to sampling = 101 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	330.0 UMHG	Gen. Eng.
1	SPECIFIC CONDUCTANCE	330.0 UMHG	Gen. Eng.
0	PH	5.64 pH	Gen. Eng.
0	PH	5.66 pH	Gen. Eng.
0	SILVER	LT	2 ug/L Gen. Eng.
0	SILVER	LT	2 ug/L Gen. Eng.
0	ALUMINUM	35 ug/L	Gen. Eng.
0	ALUMINUM	34 ug/L	Gen. Eng.
0	ARSENIC	LT	2 ug/L Gen. Eng.
0	ARSENIC	LT	2 ug/L Gen. Eng.
0	BARIUM	32 ug/L	Gen. Eng.
0	BARIUM	33 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	LT	1 ug/L Gen. Eng.
0	BROMODICHLOROMETHANE	LT	1 ug/L Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L Gen. Eng.
0	CARBON TETRACHLORIDE	LT	1.00 ug/L Gen. Eng.
0	CARBON TETRACHLORIDE	LT	1.00 ug/L Gen. Eng.
0	CADMIUM	LT	2 ug/L Gen. Eng.
0	CADMIUM	LT	2 ug/L Gen. Eng.
0	BROMOFORM	LT	1 ug/L Gen. Eng.
0	BROMOFORM	LT	1 ug/L Gen. Eng.
0	CHLOROFORM	LT	1 ug/L Gen. Eng.
0	CHLOROFORM	LT	1 ug/L Gen. Eng.
0	CHLOROFORM	LT	2 ug/L M-Area, SRS
0	CHLOROFORM	LT	2 ug/L M-Area, SRS
0	METHYLENE CHLORIDE	LT	1 ug/L Gen. Eng.
0	METHYLENE CHLORIDE	LT	1 ug/L Gen. Eng.
0	BROMOMETHANE	LT	1 ug/L Gen. Eng.
0	CHLOROMETHANE	LT	1 ug/L Gen. Eng.
0	CHLOROMETHANE	LT	1 ug/L Gen. Eng.
0	CHLORIDE	5100 ug/L	Gen. Eng.
0	CHLORIDE	5300 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	1 ug/L Gen. Eng.
0	CHLOROBENZENE	LT	1 ug/L Gen. Eng.
0	CHROMIUM	LT	4 ug/L Gen. Eng.
0	CHROMIUM	LT	4 ug/L Gen. Eng.
0	COPPER	LT	4 ug/L Gen. Eng.
0	COPPER	LT	5 ug/L Gen. Eng.
0	CYANIDE	LT	5 ug/L Gen. Eng.
0	CYANIDE	LT	5 ug/L Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L Gen. Eng.
0	BENZENE	LT	1 ug/L Gen. Eng.

CONTINUED

WELL MSB 19C COLLECTED ON 07/12/89 LABORATORY ANALYSES CONTINUED

0 BENZENE	LT	1 ug/L	Gen. Eng.
0 DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 ETHYL BENZENE	LT	1 ug/L	Gen. Eng.
0 ETHYL BENZENE	LT	1 ug/L	Gen. Eng.
2 IRON		835 ug/L	Gen. Eng.
2 IRON		862 ug/L	Gen. Eng.
0 MERCURY	LT	0.20 ug/L	Gen. Eng.
0 MERCURY	LT	0.20 ug/L	Gen. Eng.
0 TOLUENE	LT	1 ug/L	Gen. Eng.
0 TOLUENE	LT	1 ug/L	Gen. Eng.
0 MANGANESE		9 ug/L	Gen. Eng.
0 MANGANESE		9 ug/L	Gen. Eng.
1 SODIUM		26600 ug/L	Gen. Eng.
1 SODIUM		27000 ug/L	Gen. Eng.
0 NICKEL	LT	4 ug/L	Gen. Eng.
0 NICKEL	LT	4 ug/L	Gen. Eng.
1 NITRATE AS NITROGEN		3880 ug/L	Gen. Eng.
1 NITRATE AS NITROGEN		3800 ug/L	Gen. Eng.
0 LEAD		13 ug/L	Gen. Eng.
0 LEAD		9 ug/L	Gen. Eng.
0 PHENOLS	LT	5 ug/L	Gen. Eng.
0 PHENOLS	LT	5 ug/L	Gen. Eng.
2 SELENIUM		5 ug/L	Gen. Eng.
2 SELENIUM		6 ug/L	Gen. Eng.
1 SULFATE		120000 ug/L	Gen. Eng.
1 SULFATE		119000 ug/L	Gen. Eng.
0 1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
2 TETRACHLOROETHYLENE		110 ug/L	Gen. Eng.
2 TETRACHLOROETHYLENE		110 ug/L	Gen. Eng.
2 TETRACHLOROETHYLENE		104 ug/L	M-Area, SRS
2 TETRACHLOROETHYLENE		112 ug/L	M-Area, SRS
0 TOTAL PHOSPHORUS	LT	50 ug/L	Gen. Eng.
0 TOTAL PHOSPHORUS	LT	50 ug/L	Gen. Eng.
2 TRICHLOROETHYLENE		190 ug/L	Gen. Eng.
2 TRICHLOROETHYLENE		130 ug/L	Gen. Eng.
2 TRICHLOROETHYLENE		181 ug/L	M-Area, SRS
2 TRICHLOROETHYLENE		183 ug/L	M-Area, SRS
1 TRANS-1,2-DICHLOROETHENE		11 ug/L	Gen. Eng.
1 TRANS-1,2-DICHLOROETHENE		9 ug/L	Gen. Eng.
1 TRANS-1,2-DICHLOROETHENE		11 ug/L	M-Area, SRS
1 TRANS-1,2-DICHLOROETHENE		11 ug/L	M-Area, SRS
0 URANIUM	LT	1000 ug/L	Gen. Eng.
0 URANIUM	LT	1000 ug/L	Gen. Eng.
0 1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0 1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0 1,1-DICHLOROETHYLENE	LT	2 ug/L	M-Area, SRS
0 1,1-DICHLOROETHYLENE	LT	2 ug/L	M-Area, SRS
0 1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,1,1-TRICHLOROETHANE	LT	2 ug/L	M-Area, SRS
0 1,1,1-TRICHLOROETHANE	LT	2 ug/L	M-Area, SRS
0 1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0 1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0 CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0 CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0 TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0 TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0 2-CHLOROETHYL VINYL ETHER	LT	2 ug/L	Gen. Eng.
0 2-CHLOROETHYL VINYL ETHER	LT	2 ug/L	Gen. Eng.
1 ZINC		754 ug/L	Gen. Eng.
1 ZINC		733 ug/L	Gen. Eng.
0 GROSS ALPHA		3.91+-0.80 pCi/L	Gen. Eng.
0 GROSS ALPHA		3.40+-0.80 pCi/L	Gen. Eng.
0 NONVOLATILE BETA		9.49+-1.30 pCi/L	Gen. Eng.
0 NONVOLATILE BETA		9.36+-1.30 pCi/L	Gen. Eng.
2 TOTAL RADIUM		10.40+-2.60 pCi/L	Gen. Eng.
2 TOTAL RADIUM		10.00+-1.90 pCi/L	Gen. Eng.

WELL MSB 20A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/25/89 Time 1220
 Depth to water = 137.27 ft (41.84 m) below the TOC
 Water elevation = 216.73 ft (66.06 m) msl
 pH = 5.3 Alkalinity = 1 mg/L
 Specific conductance = 24 umhos/cm
 Water temperature = 20.8 degrees Celsius
 Water evacuated from the well prior to sampling = 157 gal

LABORATORY ANALYSES

0 SPECIFIC CONDUCTANCE		22.00 uMHC	Gen. Eng.
0 SPECIFIC CONDUCTANCE		24.30 uMHC	metaTRACE
0 PH		5.68 pH	Gen. Eng.
0 PH		5.27 pH	metaTRACE
0 SILVER	LT	2 ug/L	Gen. Eng.
0 SILVER	LT	5 ug/L	metaTRACE
0 ALUMINUM		62 ug/L	Gen. Eng.
0 ALUMINUM	LT	30 ug/L	metaTRACE
0 ARSENIC	LT	3 ug/L	Gen. Eng.
0 ARSENIC	LT	3 ug/L	metaTRACE
0 BARIUM		14 ug/L	Gen. Eng.
0 BARIUM	LT	25 ug/L	metaTRACE
0 BROMODICHLOROMETHANE	LT	25 ug/L	Gen. Eng.
0 BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
0 TRICHLOROFLUOROMETHANE	LT	25 ug/L	Gen. Eng.
0 TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE

CONTINUED

WELL MSB 20A COLLECTED ON 07/25/89 LABORATORY ANALYSES CONTINUED

0 CARBON TETRACHLORIDE	LT	23.0 ug/L	Gen. Eng.
0 CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0 CADMIUM	LT	2 ug/L	Gen. Eng.
0 CADMIUM	LT	4 ug/L	metaTRACE
0 BROMOFORM	LT	25 ug/L	Gen. Eng.
0 BROMOFORM	LT	5 ug/L	metaTRACE
0 CHLOROFORM	LT	25 ug/L	Gen. Eng.
0 CHLOROFORM	LT	5 ug/L	metaTRACE
0 CHLOROFORM	LT	20 ug/L	M-Area, SRS
0 METHYLENE CHLORIDE	LT	25 ug/L	Gen. Eng.
0 METHYLENE CHLORIDE	LT	5 ug/L	metaTRACE
0 BROMOMETHANE	LT	25 ug/L	Gen. Eng.
0 BROMOMETHANE	LT	10 ug/L	metaTRACE
0 CHLOROMETHANE	LT	25 ug/L	Gen. Eng.
0 CHLOROMETHANE	LT	10 ug/L	metaTRACE
0 CHLORIDE		1400 ug/L	Gen. Eng.
0 CHLORIDE		1500 ug/L	metaTRACE
0 CHLOROBENZENE	LT	25 ug/L	Gen. Eng.
0 CHLOROBENZENE	LT	5 ug/L	metaTRACE
0 CHROMIUM	LT	4 ug/L	Gen. Eng.
0 CHROMIUM	LT	5 ug/L	metaTRACE
0 COPPER	LT	4 ug/L	Gen. Eng.
0 COPPER	LT	10 ug/L	metaTRACE
0 CYANIDE	LT	5 ug/L	Gen. Eng.
0 CYANIDE	LT	5 ug/L	metaTRACE
0 CHLOROETHENE (VINYL CHLORIDE)	LT	25 ug/L	Gen. Eng.
0 CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0 CHLOROETHANE	LT	25 ug/L	Gen. Eng.
0 CHLOROETHANE	LT	10 ug/L	metaTRACE
0 BENZENE	LT	25 ug/L	Gen. Eng.
0 BENZENE	LT	5 ug/L	metaTRACE
0 DIBROMOCHLOROMETHANE	LT	25 ug/L	Gen. Eng.
0 DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0 ETHYL BENZENE	LT	25 ug/L	Gen. Eng.
0 ETHYL BENZENE	LT	5 ug/L	metaTRACE
0 IRON		73 ug/L	Gen. Eng.
0 IRON		48 ug/L	metaTRACE
0 MERCURY	LT	0.20 ug/L	Gen. Eng.
0 MERCURY	LT	0.20 ug/L	metaTRACE
0 TOLUENE	LT	25 ug/L	Gen. Eng.
0 TOLUENE	LT	5 ug/L	metaTRACE
0 MANGANESE		5 ug/L	Gen. Eng.
0 MANGANESE		3 ug/L	metaTRACE
0 SODIUM		1720 ug/L	Gen. Eng.
0 SODIUM		1198 ug/L	metaTRACE
0 NICKEL	LT	4 ug/L	Gen. Eng.
0 NICKEL	LT	20 ug/L	metaTRACE
0 NITRATE AS NITROGEN		1300 ug/L	Gen. Eng.
0 LEAD	LT	6 ug/L	Gen. Eng.
0 LEAD	LT	1 ug/L	metaTRACE
0 PHENOLS	LT	5 ug/L	Gen. Eng.
0 PHENOLS	LT	5 ug/L	metaTRACE
0 SELENIUM	LT	2 ug/L	Gen. Eng.
0 SELENIUM	LT	2 ug/L	metaTRACE
0 SULFATE	LT	5000 ug/L	Gen. Eng.
0 SULFATE	LT	1000 ug/L	metaTRACE
0 1,1,2,2-TETRACHLOROETHANE	LT	25 ug/L	Gen. Eng.
0 1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0 TETRACHLOROETHYLENE	LT	25 ug/L	Gen. Eng.
0 TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0 TETRACHLOROETHYLENE	LT	20.0 ug/L	M-Area, SRS
0 TOTAL PHOSPHORUS	LT	50 ug/L	Gen. Eng.
0 TOTAL PHOSPHATES	LT	13 ug/L	metaTRACE
2 TRICHLOROETHYLENE		1010 ug/L	Gen. Eng.
2 TRICHLOROETHYLENE		2700 ug/L	metaTRACE
2 TRICHLOROETHYLENE		1090 ug/L	M-Area, SRS
0 TRANS-1,2-DICHLOROETHENE	LT	25 ug/L	Gen. Eng.
1 TRANS-1,2-DICHLOROETHENE		11 ug/L	metaTRACE
0 TRANS-1,2-DICHLOROETHENE	LT	20 ug/L	M-Area, SRS
0 TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0 URANIUM	LT	1000 ug/L	Gen. Eng.
0 URANIUM	LT	100 ug/L	metaTRACE
0 1,1-DICHLOROETHYLENE	LT	25 ug/L	Gen. Eng.
0 1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0 1,1-DICHLOROETHYLENE	LT	20 ug/L	M-Area, SRS
0 1,1-DICHLOROETHANE	LT	25 ug/L	Gen. Eng.
0 1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,1,1-TRICHLOROETHANE	LT	25 ug/L	Gen. Eng.
0 1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,1,1-TRICHLOROETHANE	LT	20 ug/L	M-Area, SRS
0 1,1,2-TRICHLOROETHANE	LT	25 ug/L	Gen. Eng.
0 1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,2-DICHLOROETHANE	LT	25 ug/L	Gen. Eng.
0 1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,2-DICHLOROPROPANE	LT	25 ug/L	Gen. Eng.
0 1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0 CIS-1,3-DICHLOROPROPENE	LT	25 ug/L	Gen. Eng.
0 CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0 TRANS-1,3-DICHLOROPROPENE	LT	25 ug/L	Gen. Eng.
0 TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0 2-CHLOROETHYL VINYL ETHER	LT	25 ug/L	Gen. Eng.
0 2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0 ZINC		30 ug/L	Gen. Eng.
0 ZINC		30 ug/L	metaTRACE
0 GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
0 GROSS ALPHA	LT	4 pCi/L	metaTRACE
0 NONVOLATILE BETA	LT	2 pCi/L	Gen. Eng.
0 NONVOLATILE BETA	LT	4 pCi/L	metaTRACE
0 TOTAL RADIUM	LT	1 pCi/L	Gen. Eng.
0 TOTAL RADIUM		1.10+-0.40 pCi/L	metaTRACE

WELL MSB 20A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/25/89 Time 1220
 Depth to water = 137.27 ft (41.84 m) below the TOC
 Water elevation = 216.73 ft (66.06 m) msl
 pH = 5.3 Alkalinity = 1 mg/L
 Specific conductance = 24 umhos/cm
 Water temperature = 20.8 degrees Celsius
 Water evacuated from the well prior to sampling = 157 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE	22.00	UMHC	Gen. Eng.
0	SPECIFIC CONDUCTANCE	23.30	UMHC	metaTRACE
0	PH	5.70	pH	Gen. Eng.
0	PH	5.29	pH	metaTRACE
0	SILVER	LT	2 ug/L	Gen. Eng.
0	SILVER	LT	5 ug/L	metaTRACE
0	ALUMINUM	LT	35 ug/L	Gen. Eng.
0	ALUMINUM	LT	30 ug/L	metaTRACE
0	ARSENIC	LT	2 ug/L	Gen. Eng.
0	ARSENIC	LT	3 ug/L	metaTRACE
0	BARIUM	LT	10 ug/L	Gen. Eng.
0	BARIUM	LT	25 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0	CADMIUM	LT	2 ug/L	Gen. Eng.
0	CADMIUM	LT	4 ug/L	metaTRACE
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	BROMOFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	5 ug/L	metaTRACE
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0	METHYLENE CHLORIDE	LT	5 ug/L	metaTRACE
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
0	CHLORIDE	LT	1300 ug/L	Gen. Eng.
0	CHLORIDE	LT	1500 ug/L	metaTRACE
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	5 ug/L	metaTRACE
0	CHROMIUM	LT	4 ug/L	Gen. Eng.
0	CHROMIUM	LT	5 ug/L	metaTRACE
0	COPPER	LT	4 ug/L	Gen. Eng.
0	COPPER	LT	10 ug/L	metaTRACE
0	CYANIDE	LT	5 ug/L	Gen. Eng.
0	CYANIDE	LT	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	5 ug/L	metaTRACE
0	IRON	LT	73 ug/L	Gen. Eng.
0	IRON	LT	21 ug/L	metaTRACE
0	MERCURY	LT	0.20 ug/L	Gen. Eng.
0	MERCURY	LT	0.20 ug/L	metaTRACE
0	TOLUENE	LT	1 ug/L	Gen. Eng.
0	TOLUENE	LT	5 ug/L	metaTRACE
0	MANGANESE	LT	9 ug/L	Gen. Eng.
0	MANGANESE	LT	5 ug/L	metaTRACE
0	SODIUM	LT	1790 ug/L	Gen. Eng.
0	SODIUM	LT	1344 ug/L	metaTRACE
0	NICKEL	LT	4 ug/L	Gen. Eng.
0	NICKEL	LT	20 ug/L	metaTRACE
0	NITRATE AS NITROGEN	LT	1300 ug/L	Gen. Eng.
0	LEAD	LT	6 ug/L	Gen. Eng.
0	LEAD	LT	5 ug/L	metaTRACE
0	PHENOLS	LT	5 ug/L	Gen. Eng.
0	PHENOLS	LT	5 ug/L	metaTRACE
0	SELENIUM	LT	2 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	metaTRACE
0	SULFATE	LT	5000 ug/L	Gen. Eng.
0	SULFATE	LT	1000 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
1	TOTAL PHOSPHORUS	LT	180 ug/L	Gen. Eng.
0	TOTAL PHOSPHATES	LT	39 ug/L	metaTRACE
2	TRICHLOROETHYLENE	LT	877 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE	LT	1900 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
1	TRANS-1,2-DICHLOROETHENE	LT	10 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	URANIUM	LT	1000 ug/L	Gen. Eng.
0	URANIUM	LT	100 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE

CONTINUED

WELL MSB 20A COLLECTED ON 07/25/89 LABORATORY ANALYSES CONTINUED

0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0	ZINC	LT	22 ug/L	Gen. Eng.
0	ZINC	LT	53 ug/L	metaTRACE
0	GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
0	GROSS ALPHA	LT	3 pCi/L	metaTRACE
0	NONVOLATILE BETA	LT	2 pCi/L	Gen. Eng.
0	NONVOLATILE BETA	LT	4 pCi/L	metaTRACE
0	TOTAL RADIUM	LT	1 pCi/L	Gen. Eng.
0	TOTAL RADIUM	LT	1 pCi/L	metaTRACE

WELL MSB 20C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/16/89 Time 1155
 Depth to water = 125.96 ft (38.39 m) below the TOC
 Water elevation = 227.34 ft (69.29 m) msl
 pH = 10.7 Alkalinity = 86 mg/L
 Specific conductance = 300 umhos/cm
 Water temperature = 21.8 degrees Celsius
 Water evacuated from the well prior to sampling = 11 gal
 The well went dry during purging.

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	273.0	UMHC	Gen. Eng.
2	PH	10.9	pH	Gen. Eng.
0	SILVER	LT	2 ug/L	Gen. Eng.
1	ALUMINUM	LT	385 ug/L	Gen. Eng.
0	ARSENIC	LT	2 ug/L	Gen. Eng.
0	BARIUM	LT	7 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	CADMIUM	LT	2 ug/L	Gen. Eng.
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	W-Area, SRS
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLORIDE	LT	2100 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHROMIUM	LT	4 ug/L	Gen. Eng.
0	COPPER	LT	4 ug/L	Gen. Eng.
0	CYANIDE	LT	5 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
2	IRON	LT	349 ug/L	Gen. Eng.
1	MERCURY	LT	0.40 ug/L	Gen. Eng.
0	TOLUENE	LT	1 ug/L	Gen. Eng.
0	MANGANESE	LT	2 ug/L	Gen. Eng.
0	SODIUM	LT	4090 ug/L	Gen. Eng.
0	NICKEL	LT	4 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN	LT	2330 ug/L	Gen. Eng.
0	LEAD	LT	6 ug/L	Gen. Eng.
0	PHENOLS	LT	5 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	Gen. Eng.
0	SULFATE	LT	5400 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	W-Area, SRS
1	TOTAL PHOSPHORUS	LT	180 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
1	TRICHLOROETHYLENE	LT	2.26 ug/L	W-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	W-Area, SRS
0	URANIUM	LT	1000 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	W-Area, SRS
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	W-Area, SRS
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	2 ug/L	Gen. Eng.
0	ZINC	LT	9 ug/L	Gen. Eng.
0	GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
0	NONVOLATILE BETA	LT	2 pCi/L	Gen. Eng.
0	TOTAL RADIUM	LT	1 pCi/L	Gen. Eng.

WELL MSB 21A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/15/89 Time 1300
 Depth to water = 132.95 ft (40.52 m) below the TOC
 Water elevation = 220.45 ft (67.19 m) msl
 pH = 4.4 Alkalinity = 0 mg/L
 Specific conductance = 20 umhos/cm
 Water temperature = 21.4 degrees Celsius
 Water evacuated from the well prior to sampling = 178 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE	20.00 UMH/C	Gen. Eng.
0	PH	5.74 pH	Gen. Eng.
0	SILVER	2 ug/L	Gen. Eng.
0	ALUMINUM	48 ug/L	Gen. Eng.
0	ARSENIC	2 ug/L	Gen. Eng.
0	BARIUM	9 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	1 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	1.00 ug/L	Gen. Eng.
0	CADMIUM	2 ug/L	Gen. Eng.
0	BROMOFORM	1 ug/L	Gen. Eng.
0	CHLOROFORM	1 ug/L	Gen. Eng.
0	METHYLENE CHLORIDE	1 ug/L	M-Area, SRS
0	BROMOMETHANE	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	1 ug/L	Gen. Eng.
0	CHLORIDE	1800 ug/L	Gen. Eng.
0	CHLOROBENZENE	1 ug/L	Gen. Eng.
0	CHROMIUM	4 ug/L	Gen. Eng.
0	COPPER	5 ug/L	Gen. Eng.
0	CYANIDE	5 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	1 ug/L	Gen. Eng.
0	CHLOROETHANE	1 ug/L	Gen. Eng.
0	BENZENE	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	1 ug/L	Gen. Eng.
2	IRON	303 ug/L	Gen. Eng.
0	MERCURY	0.20 ug/L	Gen. Eng.
0	TOLUENE	1 ug/L	Gen. Eng.
0	MANGANESE	9 ug/L	Gen. Eng.
0	SODIUM	1980 ug/L	Gen. Eng.
0	NICKEL	4 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN	840 ug/L	Gen. Eng.
0	LEAD	9 ug/L	Gen. Eng.
0	PHENOLS	3 ug/L	Gen. Eng.
0	SELENIUM	2 ug/L	Gen. Eng.
0	SULFATE	5000 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	1 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	1.00 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	1.00 ug/L	M-Area, SRS
1	TOTAL PHOSPHORUS	110 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	1.00 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE	3.38 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	1 ug/L	Gen. Eng.
1	TRANS-1,2-DICHLOROETHENE	2 ug/L	M-Area, SRS
0	URANIUM	1000 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	1 ug/L	M-Area, SRS
0	1,1-DICHLOROETHANE	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	1 ug/L	M-Area, SRS
0	1,1,2-TRICHLOROETHANE	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	2 ug/L	Gen. Eng.
0	ZINC	68 ug/L	Gen. Eng.
0	GROSS ALPHA	3 pCi/L	Gen. Eng.
0	NONVOLATILE BETA	2 pCi/L	Gen. Eng.
0	TOTAL RADIUM	1 pCi/L	Gen. Eng.

WELL MSB 21B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/15/89 Time 1335
 Depth to water = 132.76 ft (40.47 m) below the TOC
 Water elevation = 222.54 ft (67.83 m) msl
 pH = 5.3 Alkalinity = 8 mg/L
 Specific conductance = 29 umhos/cm
 Water temperature = 20.7 degrees Celsius
 Water evacuated from the well prior to sampling = 209 gal

WELL MSB 21C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/15/89 Time 1350
 Depth to water = 124.66 ft (38.00 m) below the TOC
 Water elevation = 228.74 ft (69.72 m) msl
 pH = 4.5 Alkalinity = 0 mg/L
 Specific conductance = 20 umhos/cm
 Water temperature = 20.5 degrees Celsius
 Water evacuated from the well prior to sampling = 44 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE	20.00 UMH/C	Gen. Eng.
0	PH	5.34 pH	Gen. Eng.
0	SILVER	2 ug/L	Gen. Eng.
0	ALUMINUM	55 ug/L	Gen. Eng.
0	ARSENIC	2 ug/L	Gen. Eng.
0	BARIUM	9 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	1 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	1.00 ug/L	Gen. Eng.
0	CADMIUM	2 ug/L	Gen. Eng.
0	BROMOFORM	1 ug/L	Gen. Eng.
0	CHLOROFORM	1 ug/L	Gen. Eng.
0	METHYLENE CHLORIDE	1 ug/L	Gen. Eng.
0	BROMOMETHANE	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	1 ug/L	Gen. Eng.
0	CHLORIDE	2300 ug/L	Gen. Eng.
0	CHLOROBENZENE	1 ug/L	Gen. Eng.
0	CHROMIUM	4 ug/L	Gen. Eng.
0	COPPER	5 ug/L	Gen. Eng.
0	CYANIDE	5 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	1 ug/L	Gen. Eng.
0	CHLOROETHANE	1 ug/L	Gen. Eng.
0	BENZENE	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	1 ug/L	Gen. Eng.
0	IRON	54 ug/L	Gen. Eng.
0	MERCURY	0.20 ug/L	Gen. Eng.
0	TOLUENE	1 ug/L	Gen. Eng.
0	MANGANESE	8 ug/L	Gen. Eng.
0	SODIUM	3260 ug/L	Gen. Eng.
0	NICKEL	4 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN	700 ug/L	Gen. Eng.
0	LEAD	6 ug/L	Gen. Eng.
0	PHENOLS	5 ug/L	Gen. Eng.
0	SELENIUM	2 ug/L	Gen. Eng.
0	SULFATE	5000 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	1 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	1.00 ug/L	Gen. Eng.
1	TOTAL PHOSPHORUS	110 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	1.00 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	1 ug/L	Gen. Eng.
0	URANIUM	1000 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	2 ug/L	Gen. Eng.
0	ZINC	27 ug/L	Gen. Eng.
0	GROSS ALPHA	3 pCi/L	Gen. Eng.
0	NONVOLATILE BETA	2.78-2.40 pCi/L	Gen. Eng.
0	TOTAL RADIUM	1 pCi/L	Gen. Eng.

WELL MSB 21A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/15/89 Time 1405
 Depth to water = 161.94 ft (49.36 m) below the TOC
 Water elevation = 192.76 ft (58.75 m) msl
 pH = 5.4 Alkalinity = 12 mg/L
 Specific conductance = 56 umhos/cm
 Water temperature = 21.5 degrees Celsius
 Water evacuated from the well prior to sampling = 453 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE	60.00 UMH/C	Gen. Eng.
0	PH	6.01 pH	Gen. Eng.
0	SILVER	2 ug/L	Gen. Eng.
1	ALUMINUM	129 ug/L	Gen. Eng.
0	ARSENIC	2 ug/L	Gen. Eng.
0	BARIUM	15 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	1 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	1.00 ug/L	Gen. Eng.
0	CADMIUM	2 ug/L	Gen. Eng.
0	BROMOFORM	1 ug/L	Gen. Eng.
0	CHLOROFORM	1 ug/L	Gen. Eng.
0	METHYLENE CHLORIDE	1 ug/L	Gen. Eng.
0	BROMOMETHANE	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	1 ug/L	Gen. Eng.
0	CHLORIDE	2000 ug/L	Gen. Eng.
0	CHLOROBENZENE	1 ug/L	Gen. Eng.
0	CHROMIUM	4 ug/L	Gen. Eng.
0	COPPER	4 ug/L	Gen. Eng.
0	CYANIDE	5 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	1 ug/L	Gen. Eng.
0	CHLOROETHANE	1 ug/L	Gen. Eng.
0	BENZENE	1 ug/L	Gen. Eng.

CONTINUED

WELL MSB 21TA COLLECTED ON 07/15/89 LABORATORY ANALYSES CONTINUED

0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	IRON		122 ug/L	Gen. Eng.
0	MERCURY	LT	0.20 ug/L	Gen. Eng.
0	TOLUENE	LT	1 ug/L	Gen. Eng.
0	MANGANESE		23 ug/L	Gen. Eng.
0	SODIUM		2960 ug/L	Gen. Eng.
0	NICKEL		6 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN	LT	50 ug/L	Gen. Eng.
0	LEAD	LT	6 ug/L	Gen. Eng.
0	PHENOLS	LT	5 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	Gen. Eng.
0	SULFATE		9800 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
1	TOTAL PHOSPHORUS		110 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	URANIUM	LT	1000 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	2 ug/L	Gen. Eng.
0	ZINC		16 ug/L	Gen. Eng.
0	GROSS ALPHA		3.45+-1.90 pCi/L	Gen. Eng.
0	NONVOLATILE BETA		6.28+-2.80 pCi/L	Gen. Eng.
0	TOTAL RADIUM		2.25+-2.00 pCi/L	Gen. Eng.

WELL MSB 22

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/16/89 Time 1110
 pH = 8.2 Alkalinity = 26 mg/L
 Specific conductance = 171 umhos/cm
 Water temperature = 22.9 degrees Celsius
 Water evacuated from the well prior to sampling = 1 gal
 The well went dry during purging.

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE		170.0 UMC	Gen. Eng.
1	PH		6.74 pH	Gen. Eng.
0	SILVER	LT	2 ug/L	Gen. Eng.
0	ALUMINUM		78 ug/L	Gen. Eng.
0	ARSENIC	LT	2 ug/L	Gen. Eng.
0	BARIUM		20 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	LT	1000 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	1000 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	1000 ug/L	Gen. Eng.
0	CADMIUM	LT	2 ug/L	Gen. Eng.
0	BROMOFORM	LT	1000 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1000 ug/L	Gen. Eng.
0	CHLOROFORM	LT	2000 ug/L	M-Area, SRS
0	METHYLENE CHLORIDE	LT	1000 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	1000 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	1000 ug/L	Gen. Eng.
0	CHLORIDE	LT	2800 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	1000 ug/L	Gen. Eng.
0	CHROMIUM	LT	4 ug/L	Gen. Eng.
0	COPPER	LT	4 ug/L	Gen. Eng.
0	CYANIDE	LT	5 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1000 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	1000 ug/L	Gen. Eng.
0	BENZENE	LT	1000 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1000 ug/L	Gen. Eng.
0	ENDRIN	LT	0.10 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1000 ug/L	Gen. Eng.
0	IRON		60 ug/L	Gen. Eng.
0	MERCURY	LT	0.20 ug/L	Gen. Eng.
0	TOLUENE	LT	1000 ug/L	Gen. Eng.
0	MANGANESE		18 ug/L	Gen. Eng.
1	SODIUM		5150 ug/L	Gen. Eng.
0	NICKEL		6 ug/L	Gen. Eng.
2	NITRATE AS NITROGEN		11300 ug/L	Gen. Eng.
0	LEAD	LT	6 ug/L	Gen. Eng.
0	PHENOLS	LT	5 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	Gen. Eng.
0	SULFATE		6100 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1000 ug/L	Gen. Eng.
2	TETRACHLOROETHYLENE		82000 ug/L	Gen. Eng.
2	TETRACHLOROETHYLENE		98700 ug/L	M-Area, SRS
1	TOTAL ORGANIC CARBON		6000 ug/L	Gen. Eng.
2	TOTAL ORGANIC HALOGENS		41500 ug/L	Gen. Eng.
1	TOTAL PHOSPHORUS		100 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE		34000 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE		42000 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	1000 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	2000 ug/L	M-Area, SRS
0	URANIUM	LT	1000 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1000 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	2000 ug/L	M-Area, SRS
0	1,1-DICHLOROETHANE	LT	1000 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1000 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	2000 ug/L	M-Area, SRS
0	1,1,2-TRICHLOROETHANE	LT	1000 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1000 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1000 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1000 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1000 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	2000 ug/L	Gen. Eng.
0	ZINC		221 ug/L	Gen. Eng.

CONTINUED

WELL MSB 22 COLLECTED ON 07/16/89 LABORATORY ANALYSES CONTINUED

2	GROSS ALPHA		34.60+-5.50 pCi/L	Gen. Eng.
1	NONVOLATILE BETA		10.10+-3.50 pCi/L	Gen. Eng.
0	TOTAL RADIUM		2.27+-2.10 pCi/L	Gen. Eng.

WELL MSB 22

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/20/89 Time 1450
 pH = 6.6 Alkalinity = 17 mg/L
 Specific conductance = 182 umhos/cm
 Water temperature = 24.1 degrees Celsius
 Water evacuated from the well prior to sampling = 1 gal
 The well went dry during purging.

LABORATORY ANALYSES

0	HEPTACHLORODIBENZODIOXINS	LT	0.86 ng/L	metaTRACE
0	HEPTACHLORODIBENZOFURANS	LT	0.98 ng/L	metaTRACE
0	HEXACHLORODIBENZODIOXINS	LT	0.86 ng/L	metaTRACE
0	HEXACHLORODIBENZOFURANS	LT	0.75 ng/L	metaTRACE
0	ORTHCHLORODIBENZODIOXINS	LT	0.91 ng/L	metaTRACE
0	ORTHOCHLORODIBENZOFURANS	LT	0.97 ng/L	metaTRACE
0	PENTACHLORODIBENZODIOXINS	LT	0.85 ng/L	metaTRACE
0	PENTACHLORODIBENZOFURANS	LT	0.55 ng/L	metaTRACE
0	TETRACHLORODIBENZODIOXIN	LT	0.98 ng/L	metaTRACE
0	TETRACHLORODIBENZOFURAN	LT	0.49 ng/L	metaTRACE
0	A,A-DIMETHYLPHENETHYLAMINE	LT	10 ug/L	Gen. Eng.
0	A,A-DIMETHYLPHENETHYLAMINE	LT	10 ug/L	Gen. Eng.
0	ALPHA-BENZENEHEXACHLORIDE	LT	1 ug/L	Gen. Eng.
0	ALPHA-BENZENEHEXACHLORIDE	LT	1 ug/L	Gen. Eng.
0	ACETONE	LT	1000 ug/L	Gen. Eng.
0	ACETONE	LT	1000 ug/L	Gen. Eng.
0	ACETOPHENONE	LT	10 ug/L	Gen. Eng.
0	ACETOPHENONE	LT	10 ug/L	Gen. Eng.
0	ACROLEIN	LT	1000 ug/L	Gen. Eng.
0	ACROLEIN	LT	1000 ug/L	Gen. Eng.
0	ACRYLONITRILE	LT	1000 ug/L	Gen. Eng.
0	ACRYLONITRILE	LT	1000 ug/L	Gen. Eng.
0	SILVER	LT	2 ug/L	Gen. Eng.
0	SILVER	LT	2 ug/L	Gen. Eng.
0	ALDRIN	LT	1 ug/L	Gen. Eng.
0	ALDRIN	LT	1 ug/L	Gen. Eng.
0	ACENAPHTHENE	LT	10 ug/L	Gen. Eng.
0	ACENAPHTHENE	LT	10 ug/L	Gen. Eng.
0	ACENAPHTHYLENE	LT	10 ug/L	Gen. Eng.
0	ACENAPHTHYLENE	LT	10 ug/L	Gen. Eng.
0	ANILINE	LT	10 ug/L	Gen. Eng.
0	ANILINE	LT	10 ug/L	Gen. Eng.
0	ANTHRACENE	LT	10 ug/L	Gen. Eng.
0	ANTHRACENE	LT	10 ug/L	Gen. Eng.
0	ARAMITE	LT	10 ug/L	Gen. Eng.
0	ARAMITE	LT	10 ug/L	Gen. Eng.
0	ARSENIC	LT	2 ug/L	Gen. Eng.
0	ARSENIC	LT	2 ug/L	Gen. Eng.
0	ALLYL CHLORIDE	LT	1000 ug/L	Gen. Eng.
0	ALLYL CHLORIDE	LT	1000 ug/L	Gen. Eng.
0	BARIUM		12 ug/L	Gen. Eng.
0	BARIUM		12 ug/L	Gen. Eng.
0	BENZO(A)ANTHRACENE	LT	10 ug/L	Gen. Eng.
0	BENZO(A)ANTHRACENE	LT	10 ug/L	Gen. Eng.
0	BENZO(A)PYRENE	LT	10 ug/L	Gen. Eng.
0	BENZO(A)PYRENE	LT	10 ug/L	Gen. Eng.
0	BENZO(B)FLUORANTHENE	LT	10 ug/L	Gen. Eng.
0	BENZO(B)FLUORANTHENE	LT	10 ug/L	Gen. Eng.
0	BETA-BENZENEHEXACHLORIDE	LT	1 ug/L	Gen. Eng.
0	BETA-BENZENEHEXACHLORIDE	LT	1 ug/L	Gen. Eng.
0	BUTYLBENZYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0	BUTYLBENZYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0	BIS(CHLOROMETHYL-ETHYL)ETHER	LT	1000 ug/L	Gen. Eng.
0	BIS(CHLOROMETHYL-ETHYL)ETHER	LT	1000 ug/L	Gen. Eng.
0	BERYLLIUM	LT	5 ug/L	Gen. Eng.
0	BERYLLIUM	LT	5 ug/L	Gen. Eng.
0	BENZO(G,H,I)PERYLENE	LT	10 ug/L	Gen. Eng.
0	BENZO(G,H,I)PERYLENE	LT	10 ug/L	Gen. Eng.
0	BENZO(K)FLUORANTHENE	LT	10 ug/L	Gen. Eng.
0	BENZO(K)FLUORANTHENE	LT	10 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	LT	1000 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	LT	1000 ug/L	Gen. Eng.
0	BENZYL ALCOHOL	LT	20 ug/L	Gen. Eng.
0	BENZYL ALCOHOL	LT	20 ug/L	Gen. Eng.
0	BIS(2-CHLOROETHOXY) METHANE	LT	10 ug/L	Gen. Eng.
0	BIS(2-CHLOROETHOXY) METHANE	LT	10 ug/L	Gen. Eng.
0	BIS(2-CHLOROETHYL) ETHER	LT	10 ug/L	Gen. Eng.
0	BIS(2-CHLOROETHYL) ETHER	LT	10 ug/L	Gen. Eng.
1	BIS(2-ETHYLHEXYL) PHTHALATE		240 ug/L	Gen. Eng.
1	BIS(2-ETHYLHEXYL) PHTHALATE		206 ug/L	Gen. Eng.
0	DICHLORODIFLUOROMETHANE	LT	1000 ug/L	Gen. Eng.
0	DICHLORODIFLUOROMETHANE	LT	1000 ug/L	Gen. Eng.
0	TRICHLOROFUOROMETHANE	LT	1000 ug/L	Gen. Eng.
0	TRICHLOROFUOROMETHANE	LT	1000 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	1000 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	1000 ug/L	Gen. Eng.
0	CADMIUM	LT	2 ug/L	Gen. Eng.
0	CADMIUM	LT	2 ug/L	Gen. Eng.
0	BROMOFORM	LT	1000 ug/L	Gen. Eng.
0	BROMOFORM	LT	1000 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1000 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1000 ug/L	Gen. Eng.
0	CHLOROFORM	LT	2000 ug/L	M-Area, SRS
0	CHRYSENE	LT	10 ug/L	Gen. Eng.
0	CHRYSENE	LT	10 ug/L	Gen. Eng.
0	METHYLENE BROMIDE	LT	1000 ug/L	Gen. Eng.
0	METHYLENE BROMIDE	LT	1000 ug/L	Gen. Eng.
0	METHYLENE BROMIDE	LT	1000 ug/L	Gen. Eng.
0	METHYLENE BROMIDE	LT	1000 ug/L	Gen. Eng.
0	METHYLENE BROMIDE	LT	1000 ug/L	Gen. Eng.
0	METHYLENE CHLORIDE	LT	1000 ug/L	Gen. Eng.

CONTINUED

WELL MSB 22 COLLECTED ON 08/20/89 LABORATORY ANALYSES CONTINUED

0 METHYLENE CHLORIDE	LT	1000 ug/L	Gen. Eng.
0 BROMOMETHANE	LT	1000 ug/L	Gen. Eng.
0 BROMOMETHANE	LT	1000 ug/L	Gen. Eng.
0 CHLOROMETHANE	LT	1000 ug/L	Gen. Eng.
0 CHLOROMETHANE	LT	1000 ug/L	Gen. Eng.
0 ACETONITRILE (METHYL CYANIDE)	LT	1000 ug/L	Gen. Eng.
0 ACETONITRILE (METHYL CYANIDE)	LT	1000 ug/L	Gen. Eng.
0 CHLOROBENZILATE	LT	10 ug/L	Gen. Eng.
0 CHLOROBENZILATE	LT	10 ug/L	Gen. Eng.
0 CHLOROBENZENE	LT	1000 ug/L	Gen. Eng.
0 CHLOROBENZENE	LT	1000 ug/L	Gen. Eng.
0 CHLORDANE	LT	1 ug/L	Gen. Eng.
0 CHLORDANE	LT	1 ug/L	Gen. Eng.
0 CHLOROPRENE	LT	1000 ug/L	Gen. Eng.
0 CHLOROPRENE	LT	1000 ug/L	Gen. Eng.
0 PENTACHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0 PENTACHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0 PENTACHLOROETHANE	LT	10 ug/L	Gen. Eng.
0 PENTACHLORONITROBENZENE	LT	10 ug/L	Gen. Eng.
0 PENTACHLORONITROBENZENE	LT	10 ug/L	Gen. Eng.
0 HEXACHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0 HEXACHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0 HEXACHLOROCYCLOPENTADIENE	LT	10 ug/L	Gen. Eng.
0 HEXACHLOROCYCLOPENTADIENE	LT	10 ug/L	Gen. Eng.
0 HEXACHLOROETHANE	LT	10 ug/L	Gen. Eng.
0 HEXACHLOROETHANE	LT	10 ug/L	Gen. Eng.
0 COBALT	LT	4 ug/L	Gen. Eng.
0 COBALT	LT	4 ug/L	Gen. Eng.
0 CHROMIUM	LT	4 ug/L	Gen. Eng.
0 CHROMIUM	LT	4 ug/L	Gen. Eng.
0 CARBON DISULFIDE	LT	1000 ug/L	Gen. Eng.
0 CARBON DISULFIDE	LT	1000 ug/L	Gen. Eng.
0 COPPER	LT	4 ug/L	Gen. Eng.
0 COPPER	LT	4 ug/L	Gen. Eng.
0 CYANIDE	LT	5 ug/L	Gen. Eng.
0 CYANIDE	LT	5 ug/L	Gen. Eng.
0 CHLOROETHENE (VINYL CHLORIDE)	LT	1000 ug/L	Gen. Eng.
0 CHLOROETHENE (VINYL CHLORIDE)	LT	1000 ug/L	Gen. Eng.
0 CHLOROETHANE	LT	1000 ug/L	Gen. Eng.
0 CHLOROETHANE	LT	1000 ug/L	Gen. Eng.
0 BENZENE	LT	1000 ug/L	Gen. Eng.
0 BENZENE	LT	1000 ug/L	Gen. Eng.
0 DIBENZ(A,H)ANTHRACENE	LT	10 ug/L	Gen. Eng.
0 DIBENZ(A,H)ANTHRACENE	LT	10 ug/L	Gen. Eng.
0 DIBROMOCHLOROPROPANE	LT	1000 ug/L	Gen. Eng.
0 DIBROMOCHLOROPROPANE	LT	1000 ug/L	Gen. Eng.
0 DELTA-BENZENEHEXACHLORIDE	LT	1 ug/L	Gen. Eng.
0 DELTA-BENZENEHEXACHLORIDE	LT	1 ug/L	Gen. Eng.
0 DIBROMOCHLOROMETHANE	LT	1000 ug/L	Gen. Eng.
0 DIBROMOCHLOROMETHANE	LT	1000 ug/L	Gen. Eng.
0 DIETHYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0 DIETHYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0 DIALATE	LT	10 ug/L	Gen. Eng.
0 DIALATE	LT	10 ug/L	Gen. Eng.
0 DIBENZOFURAN	LT	10 ug/L	Gen. Eng.
0 DIBENZOFURAN	LT	10 ug/L	Gen. Eng.
0 DIMETHOATE	LT	10 ug/L	Gen. Eng.
0 DIMETHOATE	LT	10 ug/L	Gen. Eng.
0 DISULFOTON	LT	10 ug/L	Gen. Eng.
0 DISULFOTON	LT	10 ug/L	Gen. Eng.
0 DIELDRIN	LT	1 ug/L	Gen. Eng.
0 DIELDRIN	LT	1 ug/L	Gen. Eng.
0 DIMETHYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0 DIMETHYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0 DI-N-BUTYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0 DI-N-BUTYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0 DI-N-OCTYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0 DI-N-OCTYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0 DIPHENYLAMINE	LT	10 ug/L	Gen. Eng.
0 DIPHENYLAMINE	LT	10 ug/L	Gen. Eng.
0 ETHYL METHANESULFONATE	LT	10 ug/L	Gen. Eng.
0 ETHYL METHANESULFONATE	LT	10 ug/L	Gen. Eng.
0 ENDRIN ALDEHYDE	LT	1 ug/L	Gen. Eng.
0 ENDRIN ALDEHYDE	LT	1 ug/L	Gen. Eng.
0 ENDRIN	LT	1 ug/L	Gen. Eng.
0 ENDRIN	LT	1 ug/L	Gen. Eng.
0 ENDOSULFAN I	LT	1 ug/L	Gen. Eng.
0 ENDOSULFAN I	LT	1 ug/L	Gen. Eng.
0 ENDOSULFAN II	LT	1 ug/L	Gen. Eng.
0 ENDOSULFAN II	LT	1 ug/L	Gen. Eng.
0 ENDOSULFAN SULFATE	LT	1 ug/L	Gen. Eng.
0 ENDOSULFAN SULFATE	LT	1 ug/L	Gen. Eng.
0 ETHYLBENZENE	LT	1000 ug/L	Gen. Eng.
0 ETHYLBENZENE	LT	1000 ug/L	Gen. Eng.
0 ETHYL METHACRYLATE	LT	10 ug/L	Gen. Eng.
0 ETHYL METHACRYLATE	LT	10 ug/L	Gen. Eng.
0 FAMPUR	LT	10 ug/L	Gen. Eng.
0 FAMPUR	LT	10 ug/L	Gen. Eng.
0 FLUORANTHENE	LT	10 ug/L	Gen. Eng.
0 FLUORANTHENE	LT	10 ug/L	Gen. Eng.
0 FLUORENE	LT	10 ug/L	Gen. Eng.
0 FLUORENE	LT	10 ug/L	Gen. Eng.
0 HEXACHLOROBUTADIENE	LT	10 ug/L	Gen. Eng.
0 HEXACHLOROBUTADIENE	LT	10 ug/L	Gen. Eng.
0 HEXACHLOROPHENE	LT	10 ug/L	Gen. Eng.
0 HEXACHLOROPHENE	LT	10 ug/L	Gen. Eng.
0 HEXACHLOROPROPENE	LT	10 ug/L	Gen. Eng.
0 HEXACHLOROPROPENE	LT	10 ug/L	Gen. Eng.
0 MERCURY	LT	0.20 ug/L	Gen. Eng.
0 MERCURY	LT	0.20 ug/L	Gen. Eng.
0 HEPTACHLOR	LT	1 ug/L	Gen. Eng.
0 HEPTACHLOR	LT	1 ug/L	Gen. Eng.
0 HEPTACHLOR EPOXIDE	LT	1 ug/L	Gen. Eng.
0 HEPTACHLOR EPOXIDE	LT	1 ug/L	Gen. Eng.
0 INDENO(1,2,3-C,D)PYRENE	LT	10 ug/L	Gen. Eng.
0 INDENO(1,2,3-C,D)PYRENE	LT	10 ug/L	Gen. Eng.
0 IODOMETHANE	LT	1000 ug/L	Gen. Eng.

CONTINUED

WELL MSB 22 COLLECTED ON 08/20/89 LABORATORY ANALYSES CONTINUED

0 IODOMETHANE	LT	1000 ug/L	Gen. Eng.
0 ISOSAFROLE	LT	10 ug/L	Gen. Eng.
0 ISOSAFROLE	LT	10 ug/L	Gen. Eng.
0 ISOBUTYL ALCOHOL	LT	1000 ug/L	Gen. Eng.
0 ISOBUTYL ALCOHOL	LT	1000 ug/L	Gen. Eng.
0 ISODRIN	LT	10 ug/L	Gen. Eng.
0 ISODRIN	LT	10 ug/L	Gen. Eng.
0 ISOPHORONE	LT	10 ug/L	Gen. Eng.
0 ISOPHORONE	LT	10 ug/L	Gen. Eng.
0 KEPONE	LT	10 ug/L	Gen. Eng.
0 KEPONE	LT	10 ug/L	Gen. Eng.
0 LINDANE	LT	1 ug/L	Gen. Eng.
0 LINDANE	LT	1 ug/L	Gen. Eng.
0 METHACRYLONITRILE	LT	1000 ug/L	Gen. Eng.
0 METHACRYLONITRILE	LT	1000 ug/L	Gen. Eng.
0 TOLUENE	LT	1000 ug/L	Gen. Eng.
0 TOLUENE	LT	1000 ug/L	Gen. Eng.
0 METHYLETHYL KETONE	LT	1000 ug/L	Gen. Eng.
0 METHYLETHYL KETONE	LT	1000 ug/L	Gen. Eng.
0 METHYL METHACRYLATE	LT	10 ug/L	Gen. Eng.
0 METHYL METHACRYLATE	LT	10 ug/L	Gen. Eng.
0 METHYL METHANE SULFONATE	LT	10 ug/L	Gen. Eng.
0 METHYL METHANE SULFONATE	LT	10 ug/L	Gen. Eng.
0 METHOXYCHLOR	LT	1 ug/L	Gen. Eng.
0 METHOXYCHLOR	LT	1 ug/L	Gen. Eng.
0 METHYLISOBUTYL KETONE	LT	1000 ug/L	Gen. Eng.
0 METHYLISOBUTYL KETONE	LT	1000 ug/L	Gen. Eng.
0 METHAPYRILENE	LT	10 ug/L	Gen. Eng.
0 METHAPYRILENE	LT	10 ug/L	Gen. Eng.
0 NAPHTHALENE	LT	10 ug/L	Gen. Eng.
0 NAPHTHALENE	LT	10 ug/L	Gen. Eng.
0 NITROBENZENE	LT	10 ug/L	Gen. Eng.
0 NITROBENZENE	LT	10 ug/L	Gen. Eng.
0 N-NITROSODIMETHYLAMINE	LT	10 ug/L	Gen. Eng.
0 N-NITROSODIMETHYLAMINE	LT	10 ug/L	Gen. Eng.
0 N-NITROSODI-N-BUTYLAMINE	LT	10 ug/L	Gen. Eng.
0 N-NITROSODI-N-BUTYLAMINE	LT	10 ug/L	Gen. Eng.
0 N-NITROSODI-PROPYLAMINE	LT	10 ug/L	Gen. Eng.
0 N-NITROSODI-PROPYLAMINE	LT	10 ug/L	Gen. Eng.
0 N-NITROSODIETHYLAMINE	LT	10 ug/L	Gen. Eng.
0 N-NITROSODIETHYLAMINE	LT	10 ug/L	Gen. Eng.
0 N-NITROSODIETHYL METHYLAMINE	LT	10 ug/L	Gen. Eng.
0 N-NITROSODIETHYL METHYLAMINE	LT	10 ug/L	Gen. Eng.
0 NICKEL	LT	4 ug/L	Gen. Eng.
0 NICKEL	LT	4 ug/L	Gen. Eng.
0 N-NITROSOMORPHOLINE	LT	10 ug/L	Gen. Eng.
0 N-NITROSOMORPHOLINE	LT	10 ug/L	Gen. Eng.
0 N-NITROSODIPHENYLAMINE	LT	10 ug/L	Gen. Eng.
0 N-NITROSODIPHENYLAMINE	LT	10 ug/L	Gen. Eng.
0 N-NITROSODIPERIDINE	LT	10 ug/L	Gen. Eng.
0 N-NITROSODIPERIDINE	LT	10 ug/L	Gen. Eng.
0 N-NITROSOPYRROLIDINE	LT	10 ug/L	Gen. Eng.
0 N-NITROSOPYRROLIDINE	LT	10 ug/L	Gen. Eng.
0 4-NITROQUINOLINE-1-OXIDE	LT	10 ug/L	Gen. Eng.
0 4-NITROQUINOLINE-1-OXIDE	LT	10 ug/L	Gen. Eng.
0 5-NITRO-0-TOLUIDINE	LT	10 ug/L	Gen. Eng.
0 5-NITRO-0-TOLUIDINE	LT	10 ug/L	Gen. Eng.
0 0-TOLUIDINE	LT	10 ug/L	Gen. Eng.
0 0-TOLUIDINE	LT	10 ug/L	Gen. Eng.
0 LEAD	LT	6 ug/L	Gen. Eng.
0 LEAD	LT	6 ug/L	Gen. Eng.
0 PCB 1016	LT	10 ug/L	Gen. Eng.
0 PCB 1016	LT	10 ug/L	Gen. Eng.
0 PCB 1221	LT	10 ug/L	Gen. Eng.
0 PCB 1221	LT	10 ug/L	Gen. Eng.
0 PCB 1232	LT	10 ug/L	Gen. Eng.
0 PCB 1232	LT	10 ug/L	Gen. Eng.
0 PCB 1242	LT	10 ug/L	Gen. Eng.
0 PCB 1242	LT	10 ug/L	Gen. Eng.
0 PCB 1248	LT	10 ug/L	Gen. Eng.
0 PCB 1248	LT	10 ug/L	Gen. Eng.
0 PCB 1254	LT	10 ug/L	Gen. Eng.
0 PCB 1254	LT	10 ug/L	Gen. Eng.
0 PCB 1260	LT	10 ug/L	Gen. Eng.
0 PCB 1260	LT	10 ug/L	Gen. Eng.
0 PCB 1262	LT	10 ug/L	Gen. Eng.
0 PCB 1262	LT	10 ug/L	Gen. Eng.
0 PENTACHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0 PENTACHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0 P-PHENYLENEDIAMINE	LT	10 ug/L	Gen. Eng.
0 P-PHENYLENEDIAMINE	LT	10 ug/L	Gen. Eng.
0 P-DIMETHYLAMINOAZOBENZENE	LT	10 ug/L	Gen. Eng.
0 P-DIMETHYLAMINOAZOBENZENE	LT	10 ug/L	Gen. Eng.
0 PHENACETIN	LT	10 ug/L	Gen. Eng.
0 PHENACETIN	LT	10 ug/L	Gen. Eng.
0 PHENANTHRENE	LT	10 ug/L	Gen. Eng.
0 PHENANTHRENE	LT	10 ug/L	Gen. Eng.
0 PHENOLS	LT	10 ug/L	Gen. Eng.
0 PHENOLS	LT	10 ug/L	Gen. Eng.
0 PHORATE	LT	1 ug/L	Gen. Eng.
0 PHORATE	LT	1 ug/L	Gen. Eng.
0 2,2-BIS(4-CHLOROPHENYL)-1,1-DCE	LT	1 ug/L	Gen. Eng.
0 2,2-BIS(4-CHLOROPHENYL)-1,1-DCE	LT	1 ug/L	Gen. Eng.
0 2,2-BIS(4-CHLOROPHENYL)-1,1-DCE	LT	1 ug/L	Gen. Eng.
0 2,2-BIS(4-CHLOROPHENYL)-1,1-DCE	LT	1 ug/L	Gen. Eng.
0 2,2-BIS(4-CHLOROPHENYL)-1,1,1-TCE	LT	1 ug/L	Gen. Eng.
0 2,2-BIS(4-CHLOROPHENYL)-1,1,1-TCE	LT	1 ug/L	Gen. Eng.
0 PRONAMIDE	LT	10 ug/L	Gen. Eng.
0 PRONAMIDE	LT	10 ug/L	Gen. Eng.
0 PROPIONITRILE	LT	1000 ug/L	Gen. Eng.
0 PROPIONITRILE	LT	1000 ug/L	Gen. Eng.
0 PARATHION	LT	1 ug/L	Gen. Eng.
0 PARATHION	LT	1 ug/L	Gen. Eng.
0 PARATHION METHYL	LT	1 ug/L	Gen. Eng.
0 PARATHION METHYL	LT	1 ug/L	Gen. Eng.
0 PYRENE	LT	10 ug/L	Gen. Eng.
0 PYRENE	LT	10 ug/L	Gen. Eng.
0 PYRIDINE	LT	10 ug/L	Gen. Eng.
0 PYRIDINE	LT	10 ug/L	Gen. Eng.

CONTINUED

WELL MSB 22 COLLECTED ON 08/20/89 LABORATORY ANALYSES CONTINUED

0	SAFROLE	LT	10 ug/L	Gen. Eng.
0	SAFROLE	LT	10 ug/L	Gen. Eng.
0	ANTIMONY	LT	3 ug/L	Gen. Eng.
0	ANTIMONY	LT	3 ug/L	Gen. Eng.
0	2-SEC-BUTYL-4,6-DINITROPHENOL	LT	10 ug/L	Gen. Eng.
0	2-SEC-BUTYL-4,6-DINITROPHENOL	LT	10 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	Gen. Eng.
0	SILVEX	LT	0.50 ug/L	Gen. Eng.
0	SILVEX	LT	0.50 ug/L	Gen. Eng.
0	TIN	LT	2 ug/L	Gen. Eng.
0	TIN	LT	2 ug/L	Gen. Eng.
0	STYRENE	LT	1000 ug/L	Gen. Eng.
0	STYRENE	LT	1000 ug/L	Gen. Eng.
0	SULFIDE	LT	1000 ug/L	Gen. Eng.
0	SULFIDE	LT	1000 ug/L	Gen. Eng.
0	1,2,4,5-TETRACHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	1,2,4,5-TETRACHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1000 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1000 ug/L	Gen. Eng.
0	1,1,1,2-TETRACHLOROETHANE	LT	1000 ug/L	Gen. Eng.
0	1,1,1,2-TETRACHLOROETHANE	LT	1000 ug/L	Gen. Eng.
2	TETRACHLOROETHYLENE	LT	10400 ug/L	Gen. Eng.
2	TETRACHLOROETHYLENE	LT	10800 ug/L	Gen. Eng.
2	TETRACHLOROETHYLENE	LT	117000 ug/L	M-Area, SRS
0	0,0,0-TRIETHYL PHOSPHOROTHIOATE	LT	10 ug/L	Gen. Eng.
0	0,0,0-TRIETHYL PHOSPHOROTHIOATE	LT	10 ug/L	Gen. Eng.
0	THALLIUM	LT	2 ug/L	Gen. Eng.
0	THALLIUM	LT	2 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE	LT	4300 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE	LT	5000 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE	LT	41700 ug/L	M-Area, SRS
0	TOXAPHENE	LT	100 ug/L	Gen. Eng.
0	TOXAPHENE	LT	100 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1000 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1000 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	2000 ug/L	M-Area, SRS
0	TRANS-1,4-DICHLORO-2-BUTENE	LT	1000 ug/L	Gen. Eng.
0	TRANS-1,4-DICHLORO-2-BUTENE	LT	1000 ug/L	Gen. Eng.
0	VANADIUM	LT	20 ug/L	Gen. Eng.
0	VANADIUM	LT	20 ug/L	Gen. Eng.
0	VINYL ACETATE	LT	1000 ug/L	Gen. Eng.
0	VINYL ACETATE	LT	1000 ug/L	Gen. Eng.
0	XYLENES	LT	2000 ug/L	Gen. Eng.
0	XYLENES	LT	2000 ug/L	Gen. Eng.
0	1-NAPHTHYLAMINE	LT	10 ug/L	Gen. Eng.
0	1-NAPHTHYLAMINE	LT	10 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1000 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1000 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	2000 ug/L	M-Area, SRS
0	1,1-DICHLOROETHANE	LT	1000 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	LT	1000 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1000 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1000 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	2000 ug/L	M-Area, SRS
0	1,1,2-TRICHLOROETHANE	LT	1000 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	1000 ug/L	Gen. Eng.
0	1,2-DICHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	1,2-DICHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1000 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1000 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1000 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1000 ug/L	Gen. Eng.
0	1,2,3-TRICHLOROPROPANE	LT	1000 ug/L	Gen. Eng.
0	1,2,3-TRICHLOROPROPANE	LT	1000 ug/L	Gen. Eng.
0	1,2,4-TRICHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	1,2,4-TRICHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	1,3-DICHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	1,3-DICHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1000 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1000 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1000 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1000 ug/L	Gen. Eng.
0	1,3-DINITROBENZENE	LT	10 ug/L	Gen. Eng.
0	1,3-DINITROBENZENE	LT	10 ug/L	Gen. Eng.
0	1,3,5-TRINITROBENZENE	LT	10 ug/L	Gen. Eng.
0	1,3,5-TRINITROBENZENE	LT	10 ug/L	Gen. Eng.
0	1,4-DICHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	1,4-DICHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	1,4-DIOXANE	LT	10 ug/L	Gen. Eng.
0	1,4-DIOXANE	LT	10 ug/L	Gen. Eng.
0	1,4-NAPHTHOQUINONE	LT	10 ug/L	Gen. Eng.
0	1,4-NAPHTHOQUINONE	LT	10 ug/L	Gen. Eng.
0	2-CHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2-CHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2-CHLORONAPHTHALENE	LT	10 ug/L	Gen. Eng.
0	2-CHLORONAPHTHALENE	LT	10 ug/L	Gen. Eng.
0	2-HEXANONE	LT	1000 ug/L	Gen. Eng.
0	2-HEXANONE	LT	1000 ug/L	Gen. Eng.
0	3-METHYLNAPHTHALENE	LT	10 ug/L	Gen. Eng.
0	3-METHYLNAPHTHALENE	LT	10 ug/L	Gen. Eng.
0	2-METHYL PHENOL	LT	10 ug/L	Gen. Eng.
0	2-METHYL PHENOL	LT	10 ug/L	Gen. Eng.
0	2-NITROANILINE	LT	10 ug/L	Gen. Eng.
0	2-NITROANILINE	LT	10 ug/L	Gen. Eng.
0	2-NAPHTHYLAMINE	LT	10 ug/L	Gen. Eng.
0	2-NAPHTHYLAMINE	LT	10 ug/L	Gen. Eng.
0	2-NITROPHENOL	LT	10 ug/L	Gen. Eng.
0	2-NITROPHENOL	LT	10 ug/L	Gen. Eng.
0	2-PICOLINE	LT	10 ug/L	Gen. Eng.
0	2-PICOLINE	LT	10 ug/L	Gen. Eng.
0	2,3,4,6-TETRACHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,3,4,6-TETRACHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,4-DICHLOROPHENOXYACETIC ACID	LT	0.50 ug/L	Gen. Eng.
0	2,4-DICHLOROPHENOXYACETIC ACID	LT	0.50 ug/L	Gen. Eng.
0	2,4-DICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,4-DIMETHYL PHENOL	LT	10 ug/L	Gen. Eng.
0	2,4-DIMETHYL PHENOL	LT	10 ug/L	Gen. Eng.

CONTINUED

WELL MSB 22 COLLECTED ON 08/20/89 LABORATORY ANALYSES CONTINUED

0	2,4-DINITROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,4-DINITROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,4-DINITROTOLUENE	LT	10 ug/L	Gen. Eng.
0	2,4-DINITROTOLUENE	LT	10 ug/L	Gen. Eng.
0	2,4,5-TRICHLOROPHENOXYACETIC ACID	LT	0.50 ug/L	Gen. Eng.
0	2,4,5-TRICHLOROPHENOXYACETIC ACID	LT	0.50 ug/L	Gen. Eng.
0	2,4,5-TRICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,4,5-TRICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,4,6-TRICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,4,6-TRICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,6-DICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,6-DICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,6-DINITROTOLUENE	LT	10 ug/L	Gen. Eng.
0	2,6-DINITROTOLUENE	LT	10 ug/L	Gen. Eng.
0	3-METHYLCHOLANTHRENE	LT	10 ug/L	Gen. Eng.
0	3-METHYLCHOLANTHRENE	LT	10 ug/L	Gen. Eng.
0	3-METHYL PHENOL	LT	10 ug/L	Gen. Eng.
0	3-METHYL PHENOL	LT	10 ug/L	Gen. Eng.
0	3-NITROANILINE	LT	10 ug/L	Gen. Eng.
0	3-NITROANILINE	LT	10 ug/L	Gen. Eng.
0	3,3-DICHLOROBENZIDENE	LT	20 ug/L	Gen. Eng.
0	3,3-DICHLOROBENZIDENE	LT	20 ug/L	Gen. Eng.
0	4-AMINOBIOPHENYL	LT	10 ug/L	Gen. Eng.
0	4-AMINOBIOPHENYL	LT	10 ug/L	Gen. Eng.
0	4-BROMOPHENYLPHENYL ETHER	LT	10 ug/L	Gen. Eng.
0	4-BROMOPHENYLPHENYL ETHER	LT	10 ug/L	Gen. Eng.
0	4-CHLOROANILINE	LT	10 ug/L	Gen. Eng.
0	4-CHLOROANILINE	LT	10 ug/L	Gen. Eng.
0	4-CHLOROPHENYLPHENYL ETHER	LT	10 ug/L	Gen. Eng.
0	4-CHLOROPHENYLPHENYL ETHER	LT	10 ug/L	Gen. Eng.
0	PARA-CHLORO-META-CRESOL	LT	10 ug/L	Gen. Eng.
0	PARA-CHLORO-META-CRESOL	LT	10 ug/L	Gen. Eng.
0	4-METHYL PHENOL	LT	10 ug/L	Gen. Eng.
0	4-METHYL PHENOL	LT	10 ug/L	Gen. Eng.
0	4-NITROANILINE	LT	10 ug/L	Gen. Eng.
0	4-NITROANILINE	LT	10 ug/L	Gen. Eng.
0	4-NITROPHENOL	LT	10 ug/L	Gen. Eng.
0	4-NITROPHENOL	LT	10 ug/L	Gen. Eng.
0	2-METHYL-4,6-DINITROPHENOL	LT	10 ug/L	Gen. Eng.
0	2-METHYL-4,6-DINITROPHENOL	LT	10 ug/L	Gen. Eng.
0	7,12-DIMETHYLBENZ(A)ANTHRACENE	LT	10 ug/L	Gen. Eng.
0	7,12-DIMETHYLBENZ(A)ANTHRACENE	LT	10 ug/L	Gen. Eng.
0	ZINC	LT	65 ug/L	Gen. Eng.
0	ZINC	LT	63 ug/L	Gen. Eng.

WELL MSB 23

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/26/89 Time 935
The well was dry.

WELL MSB 23B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/26/89 Time 945
Depth to water = 146.75 ft (44.73 m) below the TOC
Water elevation = 224.05 ft (68.54 m) msl
pH = 5.2 Alkalinity = 1 mg/L
Specific conductance = 28 umhos/cm
Water temperature = 21.9 degrees Celsius
Water evacuated from the well prior to sampling = 140 gal

LABORATORY ANALYSES

0	CHLOROFORM	LT	50 ug/L	M-Area, SRS
0	TETRACHLOROETHYLENE	LT	50.0 ug/L	M-Area, SRS
2	TRICHLOROETHYLENE	LT	1080 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	50 ug/L	M-Area, SRS
0	1,1-DICHLOROETHYLENE	LT	50 ug/L	M-Area, SRS
0	1,1,1-TRICHLOROETHANE	LT	50 ug/L	M-Area, SRS

WELL MSB 23TA

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/26/89 Time 920
Depth to water = 172.84 ft (52.68 m) below the TOC
Water elevation = 200.06 ft (60.98 m) msl
pH = 4.8 Alkalinity = 0 mg/L
Specific conductance = 26 umhos/cm
Water temperature = 21.7 degrees Celsius
No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

0	CHLOROFORM	LT	1 ug/L	M-Area, SRS
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
2	TRICHLOROETHYLENE	LT	2.88 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	M-Area, SRS
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area, SRS
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area, SRS

WELL MSB 23TA

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/26/89 Time 950
 Depth to water = 172.84 ft (52.68 m) below the TOC
 Water elevation = 200.06 ft (60.98 m) msl
 pH = 5.4 Alkalinity = 4 mg/L
 Specific conductance = 33 umhos/cm
 Water temperature = 20.9 degrees Celsius
 Water evacuated from the well prior to sampling = 91 gal

LABORATORY ANALYSES

THESE ANALYSES ARE FROM UNFILTERED SAMPLES

0 CHLOROFORM	LT	5 ug/L	M-Area, SRS
0 TETRACHLOROETHYLENE	LT	5.00 ug/L	M-Area, SRS
2 TRICHLOROETHYLENE	LT	40.6 ug/L	M-Area, SRS
0 TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	M-Area, SRS
0 1,1-DICHLOROETHYLENE	LT	5 ug/L	M-Area, SRS
0 1,1,1-TRICHLOROETHANE	LT	5 ug/L	M-Area, SRS

WELL MSB 23TA

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/26/89 Time 1020
 Depth to water = 172.84 ft (52.68 m) below the TOC
 Water elevation = 200.06 ft (60.98 m) msl
 pH = 4.8 Alkalinity = 0 mg/L
 Specific conductance = 25 umhos/cm
 Water temperature = 21.5 degrees Celsius
 Water evacuated from the well prior to sampling = 182 gal

LABORATORY ANALYSES

0 CHLOROFORM	LT	1 ug/L	M-Area, SRS
0 TETRACHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
2 TRICHLOROETHYLENE	LT	3.26 ug/L	M-Area, SRS
0 TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	M-Area, SRS
0 1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area, SRS
0 1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area, SRS

WELL MSB 23TA

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/26/89 Time 1050
 Depth to water = 172.84 ft (52.68 m) below the TOC
 Water elevation = 200.06 ft (60.98 m) msl
 pH = 4.7 Alkalinity = 0 mg/L
 Specific conductance = 24 umhos/cm
 Water temperature = 21.0 degrees Celsius
 Water evacuated from the well prior to sampling = 273 gal

LABORATORY ANALYSES

THESE ANALYSES ARE FROM UNFILTERED SAMPLES

0 CHLOROFORM	LT	1 ug/L	M-Area, SRS
0 TETRACHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0 TRICHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0 TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	M-Area, SRS
0 1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area, SRS
0 1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area, SRS

WELL MSB 23TA

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/26/89 Time 1120
 Depth to water = 172.84 ft (52.68 m) below the TOC
 Water elevation = 200.06 ft (60.98 m) msl
 pH = 4.7 Alkalinity = 0 mg/L
 Specific conductance = 25 umhos/cm
 Water temperature = 21.3 degrees Celsius
 Water evacuated from the well prior to sampling = 364 gal

LABORATORY ANALYSES

0 CHLOROFORM	LT	1 ug/L	M-Area, SRS
0 TETRACHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0 TRICHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0 TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	M-Area, SRS
0 1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area, SRS
0 1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area, SRS

WELL MSB 23TA

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/30/89 Time 955
 Depth to water = 175.01 ft (53.34 m) below the TOC
 Water elevation = 197.89 ft (60.32 m) msl
 pH = 4.8 Alkalinity = 0 mg/L
 Specific conductance = 43 umhos/cm
 Water temperature = 21.6 degrees Celsius
 No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

0 BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
0 TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE
0 CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0 BROMOFORM	LT	5 ug/L	metaTRACE
0 CHLOROFORM	LT	5 ug/L	metaTRACE
1 METHYLENE CHLORIDE	J	3 ug/L	metaTRACE
0 BROMOMETHANE	LT	10 ug/L	metaTRACE
0 CHLOROMETHANE	LT	10 ug/L	metaTRACE
0 CHLOROBENZENE	LT	5 ug/L	metaTRACE
0 CHLOROETHANE	LT	10 ug/L	metaTRACE
0 BENZENE	LT	5 ug/L	metaTRACE
0 DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0 ETHYLBENZENE	LT	5 ug/L	metaTRACE
0 TOLUENE	LT	5 ug/L	metaTRACE
0 1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0 TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0 TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0 TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0 TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0 1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0 1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0 CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0 2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE

WELL MSB 23TA

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/30/89 Time 1025
 Depth to water = 175.01 ft (53.34 m) below the TOC
 Water elevation = 197.89 ft (60.32 m) msl
 pH = 5.3 Alkalinity = 1 mg/L
 Specific conductance = 37 umhos/cm
 Water temperature = 21.2 degrees Celsius
 Water evacuated from the well prior to sampling = 89 gal

LABORATORY ANALYSES

THESE ANALYSES ARE FROM UNFILTERED SAMPLES

0 BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
0 TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE
0 CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0 BROMOFORM	LT	5 ug/L	metaTRACE
0 CHLOROFORM	LT	5 ug/L	metaTRACE
1 METHYLENE CHLORIDE	J	3 ug/L	metaTRACE
0 BROMOMETHANE	LT	10 ug/L	metaTRACE
0 CHLOROMETHANE	LT	10 ug/L	metaTRACE
0 CHLOROBENZENE	LT	5 ug/L	metaTRACE
0 CHLOROETHANE	LT	10 ug/L	metaTRACE
0 BENZENE	LT	5 ug/L	metaTRACE
0 DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0 ETHYLBENZENE	LT	5 ug/L	metaTRACE
0 TOLUENE	LT	5 ug/L	metaTRACE
0 1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0 TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
2 TRICHLOROETHYLENE	LT	42.0 ug/L	metaTRACE
0 TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0 TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0 1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0 1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0 CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0 2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE

WELL MSB 23TA

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/30/89 Time 1100
 Depth to water = 175.01 ft (53.34 m) below the TOC
 Water elevation = 197.89 ft (60.32 m) msl
 pH = 4.8 Alkalinity = 0 mg/L
 Specific conductance = 26 umhos/cm
 Water temperature = 21.4 degrees Celsius
 Water evacuated from the well prior to sampling = 178 gal

LABORATORY ANALYSES

0 BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
0 TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE
0 CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0 BROMOFORM	LT	5 ug/L	metaTRACE
0 CHLOROFORM	LT	5 ug/L	metaTRACE

CONTINUED

WELL MSB 23TA COLLECTED ON 08/30/89 LABORATORY ANALYSES CONTINUED

0 METHYLENE CHLORIDE	LT	5 ug/L	metaTRACE
0 BROMOMETHANE	LT	10 ug/L	metaTRACE
0 CHLOROMETHANE	LT	10 ug/L	metaTRACE
0 CHLOROBENZENE	LT	5 ug/L	metaTRACE
0 CHLOROETHANE	LT	10 ug/L	metaTRACE
0 BENZENE	LT	5 ug/L	metaTRACE
0 DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0 ETHYLBENZENE	LT	5 ug/L	metaTRACE
0 TOLUENE	LT	5 ug/L	metaTRACE
0 1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0 TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0 TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0 TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0 TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0 1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0 1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0 CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0 2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE

WELL MSB 23TA

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/30/89 Time 1130
 Depth to water = 175.01 ft (53.34 m) below the TOC
 Water elevation = 197.89 ft (60.32 m) msl
 pH = 4.9 Alkalinity = 0 mg/L
 Specific conductance = 27 umhos/cm
 Water temperature = 21.6 degrees Celsius
 Water evacuated from the well prior to sampling = 267 gal

LABORATORY ANALYSES

THESE ANALYSES ARE FROM UNFILTERED SAMPLES

0 BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
0 TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE
0 CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0 BROMOFORM	LT	5 ug/L	metaTRACE
0 CHLOROFORM	LT	5 ug/L	metaTRACE
1 METHYLENE CHLORIDE	J	3 ug/L	metaTRACE
0 BROMOMETHANE	LT	10 ug/L	metaTRACE
0 CHLOROMETHANE	LT	10 ug/L	metaTRACE
0 CHLOROBENZENE	LT	5 ug/L	metaTRACE
0 CHLOROETHANE	LT	10 ug/L	metaTRACE
0 BENZENE	LT	5 ug/L	metaTRACE
0 DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0 ETHYLBENZENE	LT	5 ug/L	metaTRACE
0 TOLUENE	LT	5 ug/L	metaTRACE
0 1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0 TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0 TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0 TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0 TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0 1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0 1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0 CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0 2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE

WELL MSB 23TA

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/30/89 Time 1200
 Depth to water = 175.01 ft (53.34 m) below the TOC
 Water elevation = 197.89 ft (60.32 m) msl
 pH = 4.7 Alkalinity = 0 mg/L
 Specific conductance = 25 umhos/cm
 Water temperature = 21.6 degrees Celsius
 Water evacuated from the well prior to sampling = 356 gal

LABORATORY ANALYSES

0 BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
0 TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE
0 CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0 BROMOFORM	LT	5 ug/L	metaTRACE
0 CHLOROFORM	LT	5 ug/L	metaTRACE
0 METHYLENE CHLORIDE	LT	5 ug/L	metaTRACE
0 BROMOMETHANE	LT	10 ug/L	metaTRACE
0 CHLOROMETHANE	LT	10 ug/L	metaTRACE
0 CHLOROBENZENE	LT	5 ug/L	metaTRACE
0 CHLOROETHANE	LT	10 ug/L	metaTRACE
0 BENZENE	LT	5 ug/L	metaTRACE
0 DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0 ETHYLBENZENE	LT	5 ug/L	metaTRACE
0 TOLUENE	LT	5 ug/L	metaTRACE
0 1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0 TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0 TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0 TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0 TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0 1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0 1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE

CONTINUED

WELL MSB 23TA COLLECTED ON 08/30/89 LABORATORY ANALYSES CONTINUED

0 1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0 CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0 2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE

WELL MSB 23TA

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/29/89 Time 1120
 Depth to water = 173.44 ft (52.87 m) below the TOC
 Water elevation = 199.46 ft (60.80 m) msl
 pH = 5.1 Alkalinity = 1 mg/L
 Specific conductance = 32 umhos/cm
 Water temperature = 21.3 degrees Celsius
 No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

0 CHLOROFORM	LT	1 ug/L	M-Area, SRS
0 TETRACHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
1 TRICHLOROETHYLENE	LT	1.95 ug/L	M-Area, SRS
0 TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	M-Area, SRS
0 1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area, SRS
0 1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area, SRS

WELL MSB 23TA

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/29/89 Time 1150
 Depth to water = 173.44 ft (52.87 m) below the TOC
 Water elevation = 199.46 ft (60.80 m) msl
 pH = 5.6 Alkalinity = 5 mg/L
 Specific conductance = 37 umhos/cm
 Water temperature = 21.5 degrees Celsius
 Water evacuated from the well prior to sampling = 90 gal

LABORATORY ANALYSES

THESE ANALYSES ARE FROM UNFILTERED SAMPLES

0 CHLOROFORM	LT	5 ug/L	M-Area, SRS
0 TETRACHLOROETHYLENE	LT	5.00 ug/L	M-Area, SRS
2 TRICHLOROETHYLENE	LT	46.8 ug/L	M-Area, SRS
0 TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	M-Area, SRS
0 1,1-DICHLOROETHYLENE	LT	5 ug/L	M-Area, SRS
0 1,1,1-TRICHLOROETHANE	LT	5 ug/L	M-Area, SRS

WELL MSB 23TA

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/29/89 Time 1220
 Depth to water = 173.44 ft (52.87 m) below the TOC
 Water elevation = 199.46 ft (60.80 m) msl
 pH = 5.0 Alkalinity = 0 mg/L
 Specific conductance = 28 umhos/cm
 Water temperature = 22.0 degrees Celsius
 Water evacuated from the well prior to sampling = 181 gal

LABORATORY ANALYSES

0 CHLOROFORM	LT	1 ug/L	M-Area, SRS
0 TETRACHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
2 TRICHLOROETHYLENE	LT	7.23 ug/L	M-Area, SRS
0 TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	M-Area, SRS
0 1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area, SRS
0 1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area, SRS

WELL MSB 23TA

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/29/89 Time 1250
 Depth to water = 173.44 ft (52.87 m) below the TOC
 Water elevation = 199.46 ft (60.80 m) msl
 pH = 4.9 Alkalinity = 0 mg/L
 Specific conductance = 28 umhos/cm
 Water temperature = 21.8 degrees Celsius
 Water evacuated from the well prior to sampling = 271 gal

LABORATORY ANALYSES

THESE ANALYSES ARE FROM UNFILTERED SAMPLES

0 CHLOROFORM	LT	1 ug/L	M-Area, SRS
0 TETRACHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
2 TRICHLOROETHYLENE	LT	3.19 ug/L	M-Area, SRS
0 TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	M-Area, SRS
0 1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area, SRS
0 1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area, SRS

WELL MSB 23TA

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/29/89 Time 1320
 Depth to water = 173.44 ft (52.87 m) below the TOC
 Water elevation = 199.46 ft (60.80 m) msl
 pH = 4.8 Alkalinity = 0 mg/L
 Specific conductance = 26 umhos/cm
 Water temperature = 21.1 degrees Celsius
 Water evacuated from the well prior to sampling = 362 gal

LABORATORY ANALYSES

0 CHLOROFORM	LT	1 ug/L	W-Area, SRS
0 TETRACHLOROETHYLENE	LT	1.00 ug/L	W-Area, SRS
1 TRICHLOROETHYLENE		1.20 ug/L	W-Area, SRS
0 TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	W-Area, SRS
0 1,1-DICHLOROETHYLENE	LT	1 ug/L	W-Area, SRS
0 1,1,1-TRICHLOROETHANE	LT	1 ug/L	W-Area, SRS

WELL MSB 24

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/26/89 Time 1330
 Depth to water = 143.25 ft (43.66 m) below the TOC
 Water elevation = 236.95 ft (72.22 m) msl
 pH = 10.2 Alkalinity = 35 mg/L
 Specific conductance = 131 umhos/cm
 Water temperature = 23.5 degrees Celsius
 Water evacuated from the well prior to sampling = 7 gal
 The well went dry during purging.

WELL MSB 24A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/26/89 Time 810
 Depth to water = 154.55 ft (47.11 m) below the TOC
 Water elevation = 227.05 ft (69.21 m) msl
 pH = 4.6 Alkalinity = 0 mg/L
 Specific conductance = 46 umhos/cm
 Water temperature = 20.8 degrees Celsius
 Water evacuated from the well prior to sampling = 151 gal

WELL MSB 25

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/12/89 Time 810
 The well was dry.

WELL MSB 25A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/12/89 Time 835
 Depth to water = 146.45 ft (44.64 m) below the TOC
 Water elevation = 219.95 ft (67.04 m) msl
 pH = 4.1 Alkalinity = 0 mg/L
 Specific conductance = 34 umhos/cm
 Water temperature = 21.1 degrees Celsius
 Water evacuated from the well prior to sampling = 157 gal

LABORATORY ANALYSES

0 CHLOROFORM	LT	50 ug/L	W-Area, SRS
2 TETRACHLOROETHYLENE		254 ug/L	W-Area, SRS
2 TRICHLOROETHYLENE		2610 ug/L	W-Area, SRS
0 TRANS-1,2-DICHLOROETHENE	LT	50 ug/L	W-Area, SRS
0 1,1-DICHLOROETHYLENE	LT	50 ug/L	W-Area, SRS
0 1,1,1-TRICHLOROETHANE	LT	50 ug/L	W-Area, SRS

WELL MSB 26

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/25/89 Time 1130
 pH = 5.0 Alkalinity = 1 mg/L
 Specific conductance = 28 umhos/cm
 Water temperature = 22.3 degrees Celsius
 Water evacuated from the well prior to sampling = 26 gal

LABORATORY ANALYSES

0 BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
0 TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE
0 CARBON TETRACHLORIDE	LT	100 ug/L	Gen. Eng.
0 CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0 BROMOFORM	LT	7 ug/L	metaTRACE
0 CHLOROFORM	LT	100 ug/L	Gen. Eng.
0 CHLOROFORM	LT	5 ug/L	metaTRACE

CONTINUED

WELL MSB 26 COLLECTED ON 07/25/89 LABORATORY ANALYSES CONTINUED

0 CHLOROFORM	LT	50 ug/L	W-Area, SRS
1 METHYLENE CHLORIDE	B	340 ug/L	metaTRACE
0 BROMOMETHANE	LT	10 ug/L	metaTRACE
0 CHLOROMETHANE	LT	10 ug/L	metaTRACE
0 CHLOROBENZENE	LT	5 ug/L	metaTRACE
0 CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0 CHLOROETHANE	LT	10 ug/L	metaTRACE
0 BENZENE	LT	5 ug/L	metaTRACE
0 DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0 ETHYLBENZENE	LT	5 ug/L	metaTRACE
0 TOLUENE	LT	5 ug/L	metaTRACE
0 1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
2 TETRACHLOROETHYLENE		2270 ug/L	Gen. Eng.
2 TETRACHLOROETHYLENE		2400 ug/L	metaTRACE
2 TETRACHLOROETHYLENE		2740 ug/L	W-Area, SRS
2 TRICHLOROETHYLENE		9140 ug/L	Gen. Eng.
2 TRICHLOROETHYLENE		9200 ug/L	metaTRACE
2 TRICHLOROETHYLENE		9910 ug/L	W-Area, SRS
0 TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0 TRANS-1,2-DICHLOROETHENE	LT	50 ug/L	W-Area, SRS
0 TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0 1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0 1,1-DICHLOROETHYLENE	LT	50 ug/L	W-Area, SRS
0 1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,1,1-TRICHLOROETHANE	LT	100 ug/L	Gen. Eng.
0 1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,1,1-TRICHLOROETHANE	LT	50 ug/L	W-Area, SRS
0 1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0 CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0 2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE

WELL MSB 26

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/25/89 Time 1130
 pH = 5.0 Alkalinity = 1 mg/L
 Specific conductance = 28 umhos/cm
 Water temperature = 22.3 degrees Celsius
 Water evacuated from the well prior to sampling = 26 gal

LABORATORY ANALYSES

0 CHLOROFORM	LT	100 ug/L	W-Area, SRS
2 TETRACHLOROETHYLENE		2900 ug/L	W-Area, SRS
2 TRICHLOROETHYLENE		11100 ug/L	W-Area, SRS
0 TRANS-1,2-DICHLOROETHENE	LT	100 ug/L	W-Area, SRS
0 1,1-DICHLOROETHYLENE	LT	100 ug/L	W-Area, SRS
0 1,1,1-TRICHLOROETHANE	LT	100 ug/L	W-Area, SRS

WELL MSB 26A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/13/89 Time 1615
 Depth to water = 134.97 ft (41.14 m) below the TOC
 Water elevation = 225.93 ft (68.86 m) msl
 pH = 4.2 Alkalinity = 0 mg/L
 Specific conductance = 27 umhos/cm
 Water temperature = 21.8 degrees Celsius
 Water evacuated from the well prior to sampling = 151 gal

WELL MSB 26B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/13/89 Time 1625
 Depth to water = 141.97 ft (43.27 m) below the TOC
 Water elevation = 221.23 ft (67.43 m) msl
 pH = 5.7 Alkalinity = 20 mg/L
 Specific conductance = 53 umhos/cm
 Water temperature = 21.2 degrees Celsius
 Water evacuated from the well prior to sampling = 232 gal

LABORATORY ANALYSES

0 CHLOROFORM	LT	5 ug/L	W-Area, SRS
0 TETRACHLOROETHYLENE	LT	3.00 ug/L	W-Area, SRS
2 TRICHLOROETHYLENE		258 ug/L	W-Area, SRS
0 TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	W-Area, SRS
0 1,1-DICHLOROETHYLENE	LT	5 ug/L	W-Area, SRS
0 1,1,1-TRICHLOROETHANE	LT	5 ug/L	W-Area, SRS

WELL MSB 27

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/26/89 Time 1255
 Depth to water = 135.75 ft (41.38 m) below the TOC
 Water elevation = 239.75 ft (73.08 m) msl
 pH = 4.7 Alkalinity = 0 mg/L
 Specific conductance = 48 umhos/cm
 Water temperature = 20.8 degrees Celsius
 Water evacuated from the well prior to sampling = 15 gal

LABORATORY ANALYSES

0 CHLOROFORM	LT	1 ug/L	M-Area, SRS
0 TETRACHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
2 TRICHLOROETHYLENE		2.75 ug/L	M-Area, SRS
0 TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	M-Area, SRS
0 1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area, SRS
0 1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area, SRS

WELL MSB 27A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/26/89 Time 1305
 pH = 4.8 Alkalinity = 0 mg/L
 Specific conductance = 35 umhos/cm
 Water temperature = 21.0 degrees Celsius
 Water evacuated from the well prior to sampling = 61 gal

WELL MSB 27B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/26/89 Time 1210
 Depth to water = 150.24 ft (45.79 m) below the TOC
 Water elevation = 226.56 ft (69.06 m) msl
 pH = 5.1 Alkalinity = 1 mg/L
 Specific conductance = 27 umhos/cm
 Water temperature = 21.2 degrees Celsius
 Water evacuated from the well prior to sampling = 102 gal

LABORATORY ANALYSES

0 CHLOROFORM	LT	2 ug/L	M-Area, SRS
0 TETRACHLOROETHYLENE	LT	2.00 ug/L	M-Area, SRS
2 TRICHLOROETHYLENE		51.0 ug/L	M-Area, SRS
1 TRANS-1,2-DICHLOROETHENE		4 ug/L	M-Area, SRS
0 1,1-DICHLOROETHYLENE	LT	2 ug/L	M-Area, SRS
0 1,1,1-TRICHLOROETHANE	LT	2 ug/L	M-Area, SRS

WELL MSB 27TA

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/26/89 Time 1245
 Depth to water = 177.44 ft (54.08 m) below the TOC
 Water elevation = 199.16 ft (60.70 m) msl
 pH = 4.8 Alkalinity = 0 mg/L
 Specific conductance = 24 umhos/cm
 Water temperature = 20.6 degrees Celsius
 Water evacuated from the well prior to sampling = 386 gal

LABORATORY ANALYSES

0 CHLOROFORM	LT	1 ug/L	M-Area, SRS
0 TETRACHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0 TRICHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0 TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	M-Area, SRS
0 1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area, SRS
0 1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area, SRS

WELL MSB 28

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/13/89 Time 1850
 Depth to water = 123.82 ft (37.74 m) below the TOC
 Water elevation = 230.58 ft (70.28 m) msl
 pH = 6.2 Alkalinity = 27 mg/L
 Specific conductance = 67 umhos/cm
 Water temperature = 19.8 degrees Celsius
 Water evacuated from the well prior to sampling = 52 gal

LABORATORY ANALYSES

0 CHLOROFORM	LT	1 ug/L	M-Area, SRS
0 TETRACHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0 TRICHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0 TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	M-Area, SRS
0 1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area, SRS
0 1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area, SRS

WELL MSB 28A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/13/89 Time 1710
 Depth to water = 129.49 ft (39.47 m) below the TOC
 Water elevation = 224.71 ft (68.49 m) msl
 pH = 4.2 Alkalinity = 0 mg/L
 Specific conductance = 23 umhos/cm
 Water temperature = 20.9 degrees Celsius
 Water evacuated from the well prior to sampling = 187 gal

LABORATORY ANALYSES

0 CHLOROFORM	LT	100 ug/L	M-Area, SRS
0 TETRACHLOROETHYLENE	LT	100 ug/L	M-Area, SRS
2 TRICHLOROETHYLENE		4930 ug/L	M-Area, SRS
0 TRANS-1,2-DICHLOROETHENE	LT	100 ug/L	M-Area, SRS
0 1,1-DICHLOROETHYLENE	LT	100 ug/L	M-Area, SRS
0 1,1,1-TRICHLOROETHANE	LT	100 ug/L	M-Area, SRS

WELL MSB 29A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/30/89 Time 1250
 Depth to water = 144.15 ft (43.94 m) below the TOC
 Water elevation = 221.25 ft (67.44 m) msl
 pH = 6.6 Alkalinity = 20 mg/L
 Specific conductance = 82 umhos/cm
 Water temperature = 22.4 degrees Celsius
 Water evacuated from the well prior to sampling = 266 gal

LABORATORY ANALYSES

0 CHLOROFORM	LT	1 ug/L	M-Area, SRS
0 TETRACHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0 TRICHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0 TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	M-Area, SRS
0 1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area, SRS
0 1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area, SRS

WELL MSB 29B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/30/89 Time 1210
 Depth to water = 139.94 ft (42.65 m) below the TOC
 Water elevation = 225.26 ft (68.66 m) msl
 pH = 4.4 Alkalinity = 0 mg/L
 Specific conductance = 25 umhos/cm
 Water temperature = 21.2 degrees Celsius
 Water evacuated from the well prior to sampling = 202 gal

LABORATORY ANALYSES

0 SPECIFIC CONDUCTANCE		27.00 UMH/C	Gen. Eng.
0 SPECIFIC CONDUCTANCE		27.00 UMH/C	Gen. Eng.
0 PH		4.75 pH	Gen. Eng.
0 PH		4.72 pH	Gen. Eng.
0 SILVER	LT	2 ug/L	Gen. Eng.
0 SILVER	LT	2 ug/L	Gen. Eng.
1 ALUMINUM		92 ug/L	Gen. Eng.
1 ALUMINUM		82 ug/L	Gen. Eng.
0 ARSENIC	LT	2 ug/L	Gen. Eng.
0 ARSENIC	LT	2 ug/L	Gen. Eng.
1 BARIUM		80 ug/L	Gen. Eng.
1 BARIUM		82 ug/L	Gen. Eng.
0 BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 TRICHLOROFUOROMETHANE	LT	1 ug/L	Gen. Eng.
0 TRICHLOROFUOROMETHANE	LT	1 ug/L	Gen. Eng.
0 CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0 CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0 CADMIUM	LT	2 ug/L	Gen. Eng.
0 CADMIUM	LT	2 ug/L	Gen. Eng.
0 BROMOFORM	LT	1 ug/L	Gen. Eng.
0 BROMOFORM	LT	1 ug/L	Gen. Eng.
0 CHLOROFORM	LT	1 ug/L	Gen. Eng.
0 CHLOROFORM	LT	1 ug/L	Gen. Eng.
0 CHLOROFORM	LT	1 ug/L	M-Area, SRS
0 CHLOROFORM	LT	1 ug/L	M-Area, SRS
0 METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0 METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0 BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0 BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0 CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 CHLORIDE		1900 ug/L	Gen. Eng.
0 CHLORIDE		1900 ug/L	Gen. Eng.
0 CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0 CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0 COBALT	LT	4 ug/L	Gen. Eng.
0 COBALT	LT	4 ug/L	Gen. Eng.
0 CHROMIUM	LT	4 ug/L	Gen. Eng.
0 CHROMIUM	LT	4 ug/L	Gen. Eng.
0 COPPER		7 ug/L	Gen. Eng.
0 COPPER		5 ug/L	Gen. Eng.
0 COPPER	LT	5 ug/L	Gen. Eng.
0 CYANIDE	LT	5 ug/L	Gen. Eng.
0 CYANIDE	LT	5 ug/L	Gen. Eng.
0 CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0 CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0 CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 CHLOROETHANE	LT	1 ug/L	Gen. Eng.

CONTINUED

WELL MSB 298 COLLECTED ON 07/30/89 LABORATORY ANALYSES CONTINUED

0	BENZENE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	MERCURY	LT	0.20 ug/L	Gen. Eng.
0	MERCURY	LT	0.20 ug/L	Gen. Eng.
0	TOLUENE	LT	1 ug/L	Gen. Eng.
0	TOLUENE	LT	1 ug/L	Gen. Eng.
0	MANGANESE	LT	2 ug/L	Gen. Eng.
0	MANGANESE	LT	2 ug/L	Gen. Eng.
0	SODIUM	LT	2340 ug/L	Gen. Eng.
0	SODIUM	LT	2230 ug/L	Gen. Eng.
0	NICKEL	LT	4 ug/L	Gen. Eng.
0	NICKEL	LT	4 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN	LT	1380 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN	LT	1370 ug/L	Gen. Eng.
0	LEAD	LT	6 ug/L	Gen. Eng.
0	LEAD	LT	6 ug/L	Gen. Eng.
0	PHENOLS	LT	5 ug/L	Gen. Eng.
0	PHENOLS	LT	5 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	Gen. Eng.
0	SULFATE	LT	3000 ug/L	Gen. Eng.
0	SULFATE	LT	3000 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	W-Area, SRS
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	W-Area, SRS
0	TOTAL PHOSPHORUS	LT	30 ug/L	Gen. Eng.
0	TOTAL PHOSPHORUS	LT	30 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	LT	1.00 ug/L	W-Area, SRS
0	TRICHLOROETHYLENE	LT	1.00 ug/L	W-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	W-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	W-Area, SRS
0	URANIUM	LT	1000 ug/L	Gen. Eng.
0	URANIUM	LT	1000 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	W-Area, SRS
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	W-Area, SRS
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	W-Area, SRS
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	W-Area, SRS
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	W-Area, SRS
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	W-Area, SRS
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	W-Area, SRS
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0	ZINC	LT	44 ug/L	Gen. Eng.
0	ZINC	LT	40 ug/L	Gen. Eng.
0	GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
0	GROSS ALPHA	LT	1 pCi/L	Gen. Eng.
1	TOTAL RADIUM	LT	2.76+-1.30 pCi/L	Gen. Eng.
0	TOTAL RADIUM	LT	1.35+-1.20 pCi/L	Gen. Eng.

WELL MSB 29C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/30/89 Time 1235
 Depth to water = 133.55 ft (40.71 m) below the TOC
 Water elevation = 231.65 ft (70.61 m) wsl
 pH = 4.6 Alkalinity = 0 mg/L
 Specific conductance = 23 umhos/cm
 Water temperature = 21.0 degrees Celsius
 Water evacuated from the well prior to sampling = 143 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE	25.00 uMHC	Gen. Eng.
0	PH	4.95 pH	Gen. Eng.
0	SILVER	LT	2 ug/L
0	ALUMINUM	LT	32 ug/L
0	ARSENIC	LT	2 ug/L
0	BARIUM	LT	6 ug/L
0	BROMODICHLOROMETHANE	LT	1 ug/L
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L
0	CARBON TETRACHLORIDE	LT	1.00 ug/L
0	CADMIUM	LT	2 ug/L
0	BROMOFORM	LT	1 ug/L
0	CHLOROFORM	LT	1 ug/L
0	CHLOROFORM	LT	1 ug/L
0	METHYLENE CHLORIDE	LT	1 ug/L
0	BROMOMETHANE	LT	1 ug/L
0	CHLOROMETHANE	LT	1 ug/L
0	CHLORIDE	LT	1500 ug/L
0	CHLOROBENZENE	LT	1 ug/L
0	COBALT	LT	4 ug/L

CONTINUED

WELL MSB 29C COLLECTED ON 07/30/89 LABORATORY ANALYSES CONTINUED

0	CHROMIUM	LT	4 ug/L	Gen. Eng.
0	COPPER	LT	4 ug/L	Gen. Eng.
0	CYANIDE	LT	5 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	MERCURY	LT	0.20 ug/L	Gen. Eng.
0	TOLUENE	LT	1 ug/L	Gen. Eng.
0	MANGANESE	LT	4 ug/L	Gen. Eng.
0	SODIUM	LT	2070 ug/L	Gen. Eng.
0	NICKEL	LT	4 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN	LT	1410 ug/L	Gen. Eng.
0	LEAD	LT	8 ug/L	Gen. Eng.
0	PHENOLS	LT	5 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	Gen. Eng.
0	SULFATE	LT	5000 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	W-Area, SRS
0	TOTAL PHOSPHORUS	LT	30 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	LT	1.00 ug/L	W-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	W-Area, SRS
0	URANIUM	LT	1000 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	W-Area, SRS
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	W-Area, SRS
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0	ZINC	LT	9 ug/L	Gen. Eng.
0	GROSS ALPHA	LT	2 pCi/L	Gen. Eng.
0	TOTAL RADIUM	LT	2.20+-1.30 pCi/L	Gen. Eng.

WELL MSB 29D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/30/89 Time 1135
 Depth to water = 131.64 ft (40.12 m) below the TOC
 Water elevation = 233.46 ft (71.16 m) wsl
 pH = 4.3 Alkalinity = 0 mg/L
 Specific conductance = 29 umhos/cm
 Water temperature = 21.3 degrees Celsius
 Water evacuated from the well prior to sampling = 64 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE	32.00 uMHC	Gen. Eng.
0	PH	4.59 pH	Gen. Eng.
0	SILVER	LT	2 ug/L
0	ALUMINUM	LT	105 ug/L
0	ARSENIC	LT	2 ug/L
0	BARIUM	LT	11 ug/L
0	BROMODICHLOROMETHANE	LT	1 ug/L
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L
0	CARBON TETRACHLORIDE	LT	1.00 ug/L
0	CADMIUM	LT	2 ug/L
0	BROMOFORM	LT	1 ug/L
0	CHLOROFORM	LT	1 ug/L
0	CHLOROFORM	LT	1 ug/L
0	CHLOROFORM	LT	1 ug/L
0	METHYLENE CHLORIDE	LT	1 ug/L
0	BROMOMETHANE	LT	1 ug/L
0	CHLOROMETHANE	LT	1 ug/L
0	CHLORIDE	LT	2000 ug/L
0	CHLOROBENZENE	LT	1 ug/L
0	COBALT	LT	4 ug/L
0	CHROMIUM	LT	4 ug/L
0	COPPER	LT	5 ug/L
0	CYANIDE	LT	5 ug/L
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L
0	CHLOROETHANE	LT	1 ug/L
0	BENZENE	LT	1 ug/L
0	DIBROMOCHLOROMETHANE	LT	1 ug/L
0	ETHYLBENZENE	LT	1 ug/L
0	MERCURY	LT	0.20 ug/L
0	TOLUENE	LT	1 ug/L
0	MANGANESE	LT	3 ug/L
0	SODIUM	LT	2940 ug/L
0	NICKEL	LT	4 ug/L
0	NITRATE AS NITROGEN	LT	1770 ug/L
0	LEAD	LT	8 ug/L
0	PHENOLS	LT	5 ug/L
0	SELENIUM	LT	2 ug/L
0	SULFATE	LT	5000 ug/L
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L
0	TETRACHLOROETHYLENE	LT	1.00 ug/L
0	TETRACHLOROETHYLENE	LT	1.00 ug/L
0	TETRACHLOROETHYLENE	LT	1.00 ug/L
0	TOTAL PHOSPHORUS	LT	30 ug/L
0	TRICHLOROETHYLENE	LT	1.00 ug/L
0	TRICHLOROETHYLENE	LT	1.00 ug/L
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L
0	URANIUM	LT	1000 ug/L

CONTINUED

WELL MSB 290 COLLECTED 07/30/89 LABORATORY ANALYSES CONTINUED

0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area, SRS
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area, SRS
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area, SRS
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area, SRS
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0	ZINC		29 ug/L	Gen. Eng.
1	GROSS ALPHA		8.85+-2.80 pCi/L	Gen. Eng.
2	TOTAL RADIUM		10.40+-3.30 pCi/L	Gen. Eng.

WELL MSB 297A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/30/89 Time 1120
Depth to water = 134.04 ft (46.95 m) below the TOC
Water elevation = 211.16 ft (64.38 m) msl
pH = 4.5 Alkalinity = 0 mg/L
Specific conductance = 18 umhos/cm
Water temperature = 21.1 degrees Celsius
Water evacuated from the well prior to sampling = 424 gal

LABORATORY ANALYSES

0	CHLOROFORM	LT	1 ug/L	M-Area, SRS
0	CHLOROFORM	LT	1 ug/L	M-Area, SRS
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
1	TRICHLOROETHYLENE		1.97 ug/L	M-Area, SRS
1	TRICHLOROETHYLENE		1.97 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	M-Area, SRS
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area, SRS
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area, SRS
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area, SRS
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area, SRS

WELL MSB 30A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/15/89 Time 1800
Depth to water = 157.94 ft (48.14 m) below the TOC
Water elevation = 196.66 ft (59.84 m) msl
pH = 5.6 Alkalinity = 18 mg/L
Specific conductance = 54 umhos/cm
Water temperature = 21.0 degrees Celsius
Water evacuated from the well prior to sampling = 442 gal

LABORATORY ANALYSES

0	CHLOROFORM	LT	1 ug/L	M-Area, SRS
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0	TRICHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	M-Area, SRS
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area, SRS
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area, SRS

WELL MSB 30AA

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/16/89 Time 1225
Depth to water = 128.25 ft (39.09 m) below the TOC
Water elevation = 224.35 ft (68.38 m) msl
pH = 5.4 Alkalinity = 14 mg/L
Specific conductance = 77 umhos/cm
Water temperature = 20.5 degrees Celsius
Water evacuated from the well prior to sampling = 77 gal
The well went dry during purging.

LABORATORY ANALYSES

0	CHLOROFORM	LT	1 ug/L	M-Area, SRS
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0	TRICHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	M-Area, SRS
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area, SRS
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area, SRS

WELL MSB 30B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/15/89 Time 1545
Depth to water = 127.38 ft (38.82 m) below the TOC
Water elevation = 225.74 ft (68.81 m) msl
pH = 3.7 Alkalinity = 0 mg/L
Specific conductance = 28 umhos/cm
Water temperature = 21.6 degrees Celsius
Water evacuated from the well prior to sampling = 264 gal

LABORATORY ANALYSES

0	CHLOROFORM	LT	1 ug/L	M-Area, SRS
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0	TRICHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	M-Area, SRS
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area, SRS
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area, SRS

WELL MSB 30C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/15/89 Time 1510
Depth to water = 123.06 ft (37.51 m) below the TOC
Water elevation = 231.84 ft (70.87 m) msl
pH = 4.3 Alkalinity = 0 mg/L
Specific conductance = 17 umhos/cm
Water temperature = 19.6 degrees Celsius
Water evacuated from the well prior to sampling = 31 gal

LABORATORY ANALYSES

0	CHLOROFORM	LT	1 ug/L	M-Area, SRS
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0	TRICHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	M-Area, SRS
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area, SRS
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area, SRS

WELL MSB 30CC

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/15/89 Time 1500
Depth to water = 127.76 ft (38.94 m) below the TOC
Water elevation = 225.94 ft (68.87 m) msl
pH = 4.2 Alkalinity = 0 mg/L
Specific conductance = 19 umhos/cm
Water temperature = 21.6 degrees Celsius
Water evacuated from the well prior to sampling = 172 gal

LABORATORY ANALYSES

0	CHLOROFORM	LT	1 ug/L	M-Area, SRS
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
1	TRICHLOROETHYLENE		1.88 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	M-Area, SRS
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area, SRS
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area, SRS

WELL MSB 31A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/19/89 Time 1140
Depth to water = 150.65 ft (45.92 m) below the TOC
Water elevation = 196.55 ft (59.91 m) msl
pH = 4.1 Alkalinity = 0 mg/L
Specific conductance = 18 umhos/cm
Water temperature = 20.8 degrees Celsius
Water evacuated from the well prior to sampling = 480 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE		16.00 UMC	Gen. Eng.
0	SPECIFIC CONDUCTANCE		16.00 UMC	Gen. Eng.
0	PH		4.94 pH	Gen. Eng.
0	PH		5.03 pH	Gen. Eng.
0	SILVER	LT	2 ug/L	Gen. Eng.
0	SILVER	LT	2 ug/L	Gen. Eng.
0	ALUMINUM		33 ug/L	Gen. Eng.
0	ALUMINUM		29 ug/L	Gen. Eng.
0	ARSENIC	LT	2 ug/L	Gen. Eng.
0	ARSENIC	LT	2 ug/L	Gen. Eng.
0	BARIUM	LT	4 ug/L	Gen. Eng.
0	BARIUM	LT	4 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	CADMIUM	LT	2 ug/L	Gen. Eng.
0	CADMIUM	LT	2 ug/L	Gen. Eng.
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.

CONTINUED

WELL MSB 31A COLLECTED ON 07/19/89 LABORATORY ANALYSES CONTINUED

0	CHLOROFORM	LT	1 ug/L	M-Area, SRS
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLORIDE	LT	1800 ug/L	Gen. Eng.
0	CHLORIDE	LT	1800 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHROMIUM	LT	4 ug/L	Gen. Eng.
0	CHROMIUM	LT	4 ug/L	Gen. Eng.
0	COPPER	LT	13 ug/L	Gen. Eng.
0	COPPER	LT	12 ug/L	Gen. Eng.
0	CYANIDE	LT	5 ug/L	Gen. Eng.
0	CYANIDE	LT	5 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	IRON	LT	32 ug/L	Gen. Eng.
0	IRON	LT	30 ug/L	Gen. Eng.
0	MERCURY	LT	0.20 ug/L	Gen. Eng.
0	MERCURY	LT	0.20 ug/L	Gen. Eng.
0	TOLUENE	LT	1 ug/L	Gen. Eng.
0	TOLUENE	LT	1 ug/L	Gen. Eng.
0	MANGANESE	LT	4 ug/L	Gen. Eng.
0	MANGANESE	LT	4 ug/L	Gen. Eng.
0	SODIUM	LT	1570 ug/L	Gen. Eng.
0	SODIUM	LT	1630 ug/L	Gen. Eng.
0	NICKEL	LT	4 ug/L	Gen. Eng.
0	NICKEL	LT	4 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN	LT	360 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN	LT	360 ug/L	Gen. Eng.
0	LEAD	LT	6 ug/L	Gen. Eng.
0	LEAD	LT	6 ug/L	Gen. Eng.
0	PHENOLS	LT	5 ug/L	Gen. Eng.
0	PHENOLS	LT	5 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	Gen. Eng.
0	SULFATE	LT	5000 ug/L	Gen. Eng.
0	SULFATE	LT	5000 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0	TOTAL PHOSPHORUS	LT	50 ug/L	Gen. Eng.
0	TOTAL PHOSPHORUS	LT	50 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	M-Area, SRS
0	URANIUM	LT	1000 ug/L	Gen. Eng.
0	URANIUM	LT	1000 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area, SRS
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area, SRS
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	2 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	2 ug/L	Gen. Eng.
0	ZINC	LT	28 ug/L	Gen. Eng.
0	ZINC	LT	28 ug/L	Gen. Eng.
0	GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
0	GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
0	NONVOLATILE BETA	LT	2 pCi/L	Gen. Eng.
0	NONVOLATILE BETA	LT	2 pCi/L	Gen. Eng.
0	TOTAL RADIUM	LT	1 pCi/L	Gen. Eng.
0	TOTAL RADIUM	LT	1 pCi/L	Gen. Eng.

WELL MSB 31B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/19/89 Time 1205
 Depth to water = 134.55 ft (41.01 m) below the TOC
 Water elevation = 212.95 ft (64.91 m) msl
 pH = 4.0 Alkalinity = 0 mg/L
 Specific conductance = 21 umhos/cm
 Water temperature = 21.0 degrees Celsius
 Water evacuated from the well prior to sampling = 169 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE		20.00 uMHC	Gen. Eng.
0	PH		5.02 pH	Gen. Eng.
0	SILVER	LT	2 ug/L	Gen. Eng.
0	ALUMINUM		36 ug/L	Gen. Eng.
0	ARSENIC	LT	2 ug/L	Gen. Eng.
0	BARIUM		5 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	LT	5 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	Gen. Eng.
0	CADMIUM	LT	2 ug/L	Gen. Eng.
0	BROMOFORM	LT	5 ug/L	Gen. Eng.
0	CHLOROFORM	LT	5 ug/L	Gen. Eng.
0	CHLOROFORM	LT	5 ug/L	M-Area, SRS
0	METHYLENE CHLORIDE	LT	5 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	5 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	5 ug/L	Gen. Eng.
0	CHLORIDE		2200 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	5 ug/L	Gen. Eng.
0	CHROMIUM	LT	4 ug/L	Gen. Eng.
0	COPPER	LT	4 ug/L	Gen. Eng.
0	CYANIDE	LT	5 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	5 ug/L	Gen. Eng.
0	BENZENE	LT	5 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	5 ug/L	Gen. Eng.
0	IRON		70 ug/L	Gen. Eng.
0	MERCURY	LT	0.20 ug/L	Gen. Eng.
0	TOLUENE	LT	5 ug/L	Gen. Eng.
0	MANGANESE		3 ug/L	Gen. Eng.
0	SODIUM		2070 ug/L	Gen. Eng.
0	NICKEL	LT	4 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN		970 ug/L	Gen. Eng.
0	LEAD	LT	6 ug/L	Gen. Eng.
0	PHENOLS		7 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	Gen. Eng.
0	SULFATE	LT	5000 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	Gen. Eng.
0	2 TETRACHLOROETHYLENE		100 ug/L	Gen. Eng.
0	2 TETRACHLOROETHYLENE		105 ug/L	M-Area, SRS
0	TOTAL PHOSPHORUS	LT	50 ug/L	Gen. Eng.
0	2 TRICHLOROETHYLENE		450 ug/L	Gen. Eng.
0	2 TRICHLOROETHYLENE		466 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	M-Area, SRS
0	URANIUM	LT	1000 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	M-Area, SRS
0	1,1-DICHLOROETHANE	LT	5 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	M-Area, SRS
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	5 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	5 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	10 ug/L	Gen. Eng.
0	ZINC		27 ug/L	Gen. Eng.
0	GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
0	NONVOLATILE BETA		2.54+-3.80 pCi/L	Gen. Eng.
0	TOTAL RADIUM		1.27+-1.20 pCi/L	Gen. Eng.

WELL MSB 31C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/19/89 Time 1120
 Depth to water = 113.46 ft (34.58 m) below the TOC
 Water elevation = 233.84 ft (71.28 m) msl
 pH = 4.6 Alkalinity = 0 mg/L
 Specific conductance = 91 umhos/cm
 Water temperature = 21.1 degrees Celsius
 Water evacuated from the well prior to sampling = 46 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE		93.00 uMHC	Gen. Eng.
0	PH		5.35 pH	Gen. Eng.
0	SILVER	LT	2 ug/L	Gen. Eng.
0	ALUMINUM		68 ug/L	Gen. Eng.
0	ARSENIC	LT	2 ug/L	Gen. Eng.
0	BARIUM		28 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	LT	1000 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	1000 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	1000 ug/L	Gen. Eng.
0	CADMIUM	LT	2 ug/L	Gen. Eng.
0	BROMOFORM	LT	1000 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1000 ug/L	Gen. Eng.
0	CHLOROFORM	LT	2000 ug/L	M-Area, SRS
0	METHYLENE CHLORIDE	LT	1000 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	1000 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	1000 ug/L	Gen. Eng.
0	CHLORIDE		6000 ug/L	Gen. Eng.

CONTINUED

WELL MSB 31C COLLECTED ON 07/19/89 LABORATORY ANALYSES CONTINUED

0	CHLOROBENZENE	LT	1000 ug/L	Gen. Eng.
0	CHROMIUM	LT	4 ug/L	Gen. Eng.
0	COPPER	LT	4 ug/L	Gen. Eng.
0	CYANIDE	LT	5 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1000 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	1000 ug/L	Gen. Eng.
0	BENZENE	LT	1000 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1000 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1000 ug/L	Gen. Eng.
0	IRON	LT	18 ug/L	Gen. Eng.
0	MERCURY	LT	0.20 ug/L	Gen. Eng.
0	TOLUENE	LT	1000 ug/L	Gen. Eng.
0	MANGANESE	LT	15 ug/L	Gen. Eng.
1	SODIUM	LT	10500 ug/L	Gen. Eng.
0	NICKEL	LT	4 ug/L	Gen. Eng.
1	NITRATE AS NITROGEN	LT	7040 ug/L	Gen. Eng.
0	LEAD	LT	6 ug/L	Gen. Eng.
0	PHENOLS	LT	5 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	Gen. Eng.
0	SULFATE	LT	5000 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1000 ug/L	Gen. Eng.
2	TETRACHLOROETHYLENE	LT	100000 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE	LT	90900 ug/L	M-Area, SRS
1	TOTAL PHOSPHORUS	LT	100 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE	LT	82000 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE	LT	68800 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	1000 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	2000 ug/L	M-Area, SRS
0	URANIUM	LT	1000 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1000 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	2000 ug/L	M-Area, SRS
0	1,1-DICHLOROETHANE	LT	1000 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1000 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	2000 ug/L	M-Area, SRS
0	1,1,2-TRICHLOROETHANE	LT	1000 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1000 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1000 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1000 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1000 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	2000 ug/L	Gen. Eng.
0	ZINC	LT	41 ug/L	Gen. Eng.
0	GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
1	NONVOLATILE BETA	LT	15.00+-3.60 pCi/L	Gen. Eng.
1	TOTAL RADIUM	LT	4.14+-2.50 pCi/L	Gen. Eng.

WELL MSB 31CC

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/19/89 Time 1105
Depth to water = 134.33 ft (40.94 m) below the TOC
Water elevation = 214.47 ft (65.37 m) msl
pH = 5.8 Alkalinity = 19 mg/L
Specific conductance = 85 umhos/cm
Water temperature = 21.9 degrees Celsius
Water evacuated from the well prior to sampling = 98 gal

LABORATORY ANALYSES

0	CHLOROFORM	LT	5 ug/L	M-Area, SRS
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	M-Area, SRS
2	TRICHLOROETHYLENE	LT	203 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	M-Area, SRS
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	M-Area, SRS
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	M-Area, SRS

WELL MSB 32

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/06/89 Time 955
Depth to water = 30.46 ft (9.28 m) below the TOC
Water elevation = 224.84 ft (68.53 m) msl
pH = 4.3 Alkalinity = 0 mg/L
Specific conductance = 29 umhos/cm
Water temperature = 20.1 degrees Celsius
Water evacuated from the well prior to sampling = 71 gal

LABORATORY ANALYSES

0	CHLOROFORM	LT	1 ug/L	M-Area, SRS
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0	TRICHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	M-Area, SRS
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area, SRS
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area, SRS

WELL MSB 33

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/05/89 Time 1510
Depth to water = 37.59 ft (11.46 m) below the TOC
Water elevation = 219.01 ft (66.76 m) msl
pH = 4.3 Alkalinity = 0 mg/L
Specific conductance = 39 umhos/cm
Water temperature = 19.7 degrees Celsius
Water evacuated from the well prior to sampling = 25 gal

WELL MSB 33A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/05/89 Time 1450
Depth to water = 52.18 ft (15.90 m) below the TOC
Water elevation = 203.22 ft (61.94 m) msl
pH = 4.1 Alkalinity = 0 mg/L
Specific conductance = 21 umhos/cm
Water temperature = 21.7 degrees Celsius
Water evacuated from the well prior to sampling = 390 gal

LABORATORY ANALYSES

0	CHLOROFORM	LT	1 ug/L	M-Area, SRS
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
2	TRICHLOROETHYLENE	LT	10.5 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	M-Area, SRS
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area, SRS
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area, SRS

WELL MSB 33B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/05/89 Time 1600
Depth to water = 37.79 ft (11.52 m) below the TOC
Water elevation = 217.41 ft (66.27 m) msl
pH = 4.4 Alkalinity = 0 mg/L
Specific conductance = 31 umhos/cm
Water temperature = 20.2 degrees Celsius
Water evacuated from the well prior to sampling = 247 gal

LABORATORY ANALYSES

0	CHLOROFORM	LT	1 ug/L	M-Area, SRS
2	TETRACHLOROETHYLENE	LT	31.9 ug/L	M-Area, SRS
2	TRICHLOROETHYLENE	LT	17.4 ug/L	M-Area, SRS
1	TRANS-1,2-DICHLOROETHENE	LT	9 ug/L	M-Area, SRS
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area, SRS
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area, SRS

WELL MSB 33C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/05/89 Time 1530
Depth to water = 45.17 ft (13.77 m) below the TOC
Water elevation = 210.13 ft (64.05 m) msl
pH = 4.3 Alkalinity = 0 mg/L
Specific conductance = 48 umhos/cm
Water temperature = 20.6 degrees Celsius
Water evacuated from the well prior to sampling = 129 gal

WELL MSB 33TA

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/05/89 Time 1550
Depth to water = 62.38 ft (19.01 m) below the TOC
Water elevation = 193.12 ft (58.86 m) msl
pH = 4.2 Alkalinity = 0 mg/L
Specific conductance = 27 umhos/cm
Water temperature = 20.7 degrees Celsius
Water evacuated from the well prior to sampling = 451 gal

LABORATORY ANALYSES

0	CHLOROFORM	LT	1 ug/L	M-Area, SRS
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0	TRICHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	M-Area, SRS
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area, SRS
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area, SRS

WELL MSB 34A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/02/89 Time 1510
 Depth to water = 163.64 ft (49.88 m) below the TOC
 Water elevation = 219.56 ft (66.92 m) msl
 pH = 4.8 Alkalinity = 0 mg/L
 Specific conductance = 23 umhos/cm
 Water temperature = 21.4 degrees Celsius
 Water evacuated from the well prior to sampling = 276 gal

LABORATORY ANALYSES

0	CHLOROFORM	LT	20 ug/L	M-Area, SRS
2	TETRACHLOROETHYLENE		145 ug/L	M-Area, SRS
2	TRICHLOROETHYLENE		1890 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	20 ug/L	M-Area, SRS
0	1,1-DICHLOROETHYLENE	LT	20 ug/L	M-Area, SRS
0	1,1,1-TRICHLOROETHANE	LT	20 ug/L	M-Area, SRS

WELL MSB 34B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/02/89 Time 1420
 Depth to water = 153.55 ft (46.80 m) below the TOC
 Water elevation = 229.55 ft (69.97 m) msl
 pH = 4.8 Alkalinity = 0 mg/L
 Specific conductance = 34 umhos/cm
 Water temperature = 21.0 degrees Celsius
 Water evacuated from the well prior to sampling = 124 gal

WELL MSB 34C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/02/89 Time 1400
 Depth to water = 150.64 ft (45.92 m) below the TOC
 Water elevation = 232.56 ft (70.89 m) msl
 pH = 4.5 Alkalinity = 0 mg/L
 Specific conductance = 32 umhos/cm
 Water temperature = 22.0 degrees Celsius
 Water evacuated from the well prior to sampling = 31 gal

LABORATORY ANALYSES

0	CHLOROFORM	LT	10 ug/L	M-Area, SRS
2	TETRACHLOROETHYLENE		43.6 ug/L	M-Area, SRS
2	TRICHLOROETHYLENE		205 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	10 ug/L	M-Area, SRS
0	1,1-DICHLOROETHYLENE	LT	10 ug/L	M-Area, SRS
0	1,1,1-TRICHLOROETHANE	LT	10 ug/L	M-Area, SRS

WELL MSB 34TA

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/02/89 Time 1500
 Depth to water = 180.53 ft (55.03 m) below the TOC
 Water elevation = 201.97 ft (61.56 m) msl
 pH = 5.6 Alkalinity = 5 mg/L
 Specific conductance = 27 umhos/cm
 Water temperature = 21.3 degrees Celsius
 Water evacuated from the well prior to sampling = 812 gal

LABORATORY ANALYSES

0	CHLOROFORM	LT	1 ug/L	M-Area, SRS
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0	TRICHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	M-Area, SRS
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area, SRS
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area, SRS

WELL MSB 34TB

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/02/89 Time 1340
 Depth to water = 180.04 ft (54.88 m) below the TOC
 Water elevation = 202.76 ft (61.80 m) msl
 pH = 5.1 Alkalinity = 2 mg/L
 Specific conductance = 33 umhos/cm
 Water temperature = 21.5 degrees Celsius
 Water evacuated from the well prior to sampling = 356 gal

LABORATORY ANALYSES

0	CHLOROFORM	LT	1 ug/L	M-Area, SRS
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0	TRICHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	M-Area, SRS
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area, SRS
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area, SRS

WELL MSB 35A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/31/89 Time 810
 Depth to water = 134.75 ft (41.07 m) below the TOC
 Water elevation = 216.35 ft (65.94 m) msl
 pH = 4.9 Alkalinity = 0 mg/L
 Specific conductance = 26 umhos/cm
 Water temperature = 19.8 degrees Celsius
 Water evacuated from the well prior to sampling = 264 gal

LABORATORY ANALYSES

0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	BROMOFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	1 ug/L	M-Area, SRS
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
1	METHYLENE CHLORIDE	J	3 ug/L	metaTRACE
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	5 ug/L	metaTRACE
0	TOLUENE	LT	1 ug/L	Gen. Eng.
0	TOLUENE	LT	5 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
2	TRICHLOROETHYLENE		3.00 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
1	TRICHLOROETHYLENE		2.22 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	M-Area, SRS
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area, SRS
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area, SRS
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE

WELL MSB 35A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/31/89 Time 810
 Depth to water = 134.75 ft (41.07 m) below the TOC
 Water elevation = 216.35 ft (65.94 m) msl
 pH = 4.9 Alkalinity = 0 mg/L
 Specific conductance = 26 umhos/cm
 Water temperature = 19.8 degrees Celsius
 Water evacuated from the well prior to sampling = 264 gal

WELL MSB 358

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/31/89 Time 725
 Depth to water = 131.86 ft (40.19 m) below the TOC
 Water elevation = 219.94 ft (67.04 m) msl
 pH = 5.6 Alkalinity = 5 mg/L
 Specific conductance = 36 umhos/cm
 Water temperature = 20.6 degrees Celsius
 Water evacuated from the well prior to sampling = 164 gal

LABORATORY ANALYSES

0 CHLOROFORM	LT	1 ug/L	M-Area, SRS
0 TETRACHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0 TRICHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0 TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	M-Area, SRS
0 1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area, SRS
0 1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area, SRS

WELL MSB 350

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/31/89 Time 700
 The well was dry.

WELL MSB 357A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/31/89 Time 805
 Depth to water = 152.74 ft (46.56 m) below the TOC
 Water elevation = 197.66 ft (60.25 m) msl
 pH = 5.0 Alkalinity = 0 mg/L
 Specific conductance = 18 umhos/cm
 Water temperature = 20.5 degrees Celsius
 Water evacuated from the well prior to sampling = 448 gal

LABORATORY ANALYSES

0 CHLOROFORM	LT	1 ug/L	M-Area, SRS
0 TETRACHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0 TRICHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0 TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	M-Area, SRS
0 1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area, SRS
0 1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area, SRS

WELL MSB 36A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/18/89 Time 1245
 Depth to water = 130.75 ft (39.85 m) below the TOC
 Water elevation = 209.85 ft (63.96 m) msl
 pH = 3.7 Alkalinity = 0 mg/L
 Specific conductance = 30 umhos/cm
 Water temperature = 22.0 degrees Celsius
 Water evacuated from the well prior to sampling = 307 gal

LABORATORY ANALYSES

0 SPECIFIC CONDUCTANCE		29.00 UMHC	Gen. Eng.
0 PH		4.73 pH	Gen. Eng.
0 SILVER	LT	2 ug/L	Gen. Eng.
1 ALUMINUM		81 ug/L	Gen. Eng.
0 ARSENIC	LT	2 ug/L	Gen. Eng.
0 BARIUM		41 ug/L	Gen. Eng.
0 BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0 CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0 CADMIUM	LT	2 ug/L	Gen. Eng.
0 BROMOFORM	LT	1 ug/L	Gen. Eng.
0 CHLOROFORM	LT	1 ug/L	Gen. Eng.
0 CHLOROFORM	LT	1 ug/L	M-Area, SRS
0 METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0 BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0 CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 CHLORIDE		2000 ug/L	Gen. Eng.
0 CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
1 CHROMIUM		9 ug/L	Gen. Eng.
0 COPPER	LT	4 ug/L	Gen. Eng.
0 CYANIDE	LT	5 ug/L	Gen. Eng.
0 CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0 CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 BENZENE	LT	1 ug/L	Gen. Eng.
0 DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0 IRON		50 ug/L	Gen. Eng.
0 MERCURY	LT	0.20 ug/L	Gen. Eng.
0 TOLUENE	LT	1 ug/L	Gen. Eng.
1 MANGANESE		47 ug/L	Gen. Eng.
0 SODIUM		2030 ug/L	Gen. Eng.
0 NICKEL	LT	4 ug/L	Gen. Eng.
0 NITRATE AS NITROGEN		110 ug/L	Gen. Eng.
0 LEAD	LT	6 ug/L	Gen. Eng.
0 PHENOLS	LT	5 ug/L	Gen. Eng.
0 SELENIUM	LT	2 ug/L	Gen. Eng.
0 SULFATE		6000 ug/L	Gen. Eng.

CONTINUED

WELL MSB 36A COLLECTED ON 07/18/89 LABORATORY ANALYSES CONTINUED

0 1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0 TETRACHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
1 TOTAL PHOSPHORUS		170 ug/L	Gen. Eng.
0 TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0 TRICHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0 TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0 TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	M-Area, SRS
0 URANIUM	LT	1000 ug/L	Gen. Eng.
0 1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0 1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area, SRS
0 1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area, SRS
0 1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0 CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0 TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0 2-CHLOROETHYL VINYL ETHER	LT	2 ug/L	Gen. Eng.
0 ZINC		18 ug/L	Gen. Eng.
0 GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
0 NONVOLATILE BETA		3.63+-2.50 pCi/L	Gen. Eng.
0 TOTAL RADIUM	LT	1 pCi/L	Gen. Eng.

WELL MSB 36B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/18/89 Time 1010
 Depth to water = 126.86 ft (38.67 m) below the TOC
 Water elevation = 213.84 ft (65.18 m) msl
 pH = 4.3 Alkalinity = 0 mg/L
 Specific conductance = 172 umhos/cm
 Water temperature = 20.3 degrees Celsius
 Water evacuated from the well prior to sampling = 164 gal

LABORATORY ANALYSES

1 SPECIFIC CONDUCTANCE		170.0 UMHC	Gen. Eng.
0 PH		5.04 pH	Gen. Eng.
0 SILVER	LT	2 ug/L	Gen. Eng.
1 ALUMINUM		121 ug/L	Gen. Eng.
0 ARSENIC	LT	2 ug/L	Gen. Eng.
0 BARIUM		47 ug/L	Gen. Eng.
0 BROMODICHLOROMETHANE	LT	25 ug/L	Gen. Eng.
0 TRICHLOROFLUOROMETHANE	LT	25 ug/L	Gen. Eng.
0 CARBON TETRACHLORIDE	LT	25.0 ug/L	Gen. Eng.
0 CADMIUM	LT	2 ug/L	Gen. Eng.
0 BROMOFORM	LT	25 ug/L	Gen. Eng.
0 CHLOROFORM	LT	25 ug/L	M-Area, SRS
0 CHLOROFORM	LT	50 ug/L	Gen. Eng.
0 METHYLENE CHLORIDE	LT	25 ug/L	Gen. Eng.
0 BROMOMETHANE	LT	25 ug/L	Gen. Eng.
0 CHLOROMETHANE	LT	25 ug/L	Gen. Eng.
0 CHLORIDE		2700 ug/L	Gen. Eng.
0 CHLOROBENZENE	LT	25 ug/L	Gen. Eng.
1 CHROMIUM		10 ug/L	Gen. Eng.
0 COPPER	LT	4 ug/L	Gen. Eng.
0 CYANIDE	LT	5 ug/L	Gen. Eng.
0 CHLOROETHENE (VINYL CHLORIDE)	LT	25 ug/L	Gen. Eng.
0 CHLOROETHANE	LT	25 ug/L	Gen. Eng.
0 BENZENE	LT	25 ug/L	Gen. Eng.
0 DIBROMOCHLOROMETHANE	LT	25 ug/L	Gen. Eng.
0 ETHYLBENZENE	LT	25 ug/L	Gen. Eng.
0 IRON		103 ug/L	Gen. Eng.
0 MERCURY	LT	0.20 ug/L	Gen. Eng.
0 TOLUENE	LT	25 ug/L	Gen. Eng.
1 MANGANESE		43 ug/L	Gen. Eng.
1 SODIUM		15000 ug/L	Gen. Eng.
1 NICKEL		12 ug/L	Gen. Eng.
2 NITRATE AS NITROGEN		17105 ug/L	Gen. Eng.
0 LEAD	LT	6 ug/L	Gen. Eng.
0 PHENOLS	LT	5 ug/L	Gen. Eng.
0 SELENIUM	LT	2 ug/L	Gen. Eng.
0 SULFATE	LT	5000 ug/L	Gen. Eng.
0 1,1,2,2-TETRACHLOROETHANE	LT	25 ug/L	Gen. Eng.
0 TETRACHLOROETHYLENE	LT	25.0 ug/L	Gen. Eng.
0 TETRACHLOROETHYLENE	LT	50.0 ug/L	M-Area, SRS
1 TOTAL PHOSPHORUS		50 ug/L	Gen. Eng.
2 TRICHLOROETHYLENE		2600 ug/L	Gen. Eng.
2 TRICHLOROETHYLENE		2510 ug/L	M-Area, SRS
0 TRANS-1,2-DICHLOROETHENE	LT	25 ug/L	Gen. Eng.
0 TRANS-1,2-DICHLOROETHENE	LT	50 ug/L	M-Area, SRS
0 URANIUM	LT	1000 ug/L	Gen. Eng.
0 1,1-DICHLOROETHYLENE	LT	25 ug/L	Gen. Eng.
0 1,1-DICHLOROETHYLENE	LT	50 ug/L	M-Area, SRS
0 1,1-DICHLOROETHANE	LT	25 ug/L	Gen. Eng.
0 1,1,1-TRICHLOROETHANE	LT	25 ug/L	Gen. Eng.
0 1,1,1-TRICHLOROETHANE	LT	50 ug/L	M-Area, SRS
0 1,1,2-TRICHLOROETHANE	LT	25 ug/L	Gen. Eng.
0 1,2-DICHLOROETHANE	LT	25 ug/L	Gen. Eng.
0 1,2-DICHLOROPROPANE	LT	25 ug/L	Gen. Eng.
0 CIS-1,3-DICHLOROPROPENE	LT	25 ug/L	Gen. Eng.
0 TRANS-1,3-DICHLOROPROPENE	LT	25 ug/L	Gen. Eng.
0 2-CHLOROETHYL VINYL ETHER	LT	50 ug/L	Gen. Eng.
0 ZINC		24 ug/L	Gen. Eng.
1 GROSS ALPHA		5.32+-2.30 pCi/L	Gen. Eng.
1 NONVOLATILE BETA		8.44+-3.00 pCi/L	Gen. Eng.
2 TOTAL RADIUM		7.68+-3.10 pCi/L	Gen. Eng.

WELL MSB 36C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/18/89 Time 1035
 Depth to water = 126.86 ft (38.67 m) below the TOC
 Water elevation = 213.94 ft (65.21 m) msl
 pH = 4.1 Alkalinity = 0 mg/L
 Specific conductance = 24 umhos/cm
 Water temperature = 19.6 degrees Celsius
 Water evacuated from the well prior to sampling = 84 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE	22.00 UMC	Gen. Eng.
0	PH	5.12 pH	Gen. Eng.
0	SILVER	2 ug/L	Gen. Eng.
0	ALUMINUM	60 ug/L	Gen. Eng.
0	ARSENIC	2 ug/L	Gen. Eng.
0	BARIUM	7 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	1 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	1.00 ug/L	Gen. Eng.
0	CADMIUM	2 ug/L	Gen. Eng.
0	BROMOFORM	1 ug/L	Gen. Eng.
0	CHLOROFORM	1 ug/L	Gen. Eng.
0	CHLOROFORM	10 ug/L	M-Area, SRS
0	METHYLENE CHLORIDE	1 ug/L	Gen. Eng.
0	BROMOMETHANE	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	1 ug/L	Gen. Eng.
0	CHLORIDE	1700 ug/L	Gen. Eng.
0	CHLOROBENZENE	1 ug/L	Gen. Eng.
0	CHROMIUM	4 ug/L	Gen. Eng.
0	COPPER	4 ug/L	Gen. Eng.
0	CYANIDE	5 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	1 ug/L	Gen. Eng.
0	CHLOROETHANE	1 ug/L	Gen. Eng.
0	BENZENE	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	1 ug/L	Gen. Eng.
0	IRON	28 ug/L	Gen. Eng.
0	MERCURY	0.20 ug/L	Gen. Eng.
0	TOLUENE	1 ug/L	Gen. Eng.
0	MANGANESE	5 ug/L	Gen. Eng.
0	SODIUM	2330 ug/L	Gen. Eng.
0	NICKEL	4 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN	1500 ug/L	Gen. Eng.
0	LEAD	6 ug/L	Gen. Eng.
0	PHENOLS	5 ug/L	Gen. Eng.
0	SELENIUM	2 ug/L	Gen. Eng.
0	SULFATE	5000 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	1 ug/L	Gen. Eng.
2	TETRACHLOROETHYLENE	10.0 ug/L	Gen. Eng.
2	TETRACHLOROETHYLENE	10.0 ug/L	M-Area, SRS
1	TOTAL PHOSPHORUS	210 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE	130 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE	118 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	1 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	10 ug/L	M-Area, SRS
0	URANIUM	1000 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	10 ug/L	M-Area, SRS
0	1,1-DICHLOROETHANE	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	10 ug/L	M-Area, SRS
0	1,1,2-TRICHLOROETHANE	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	2 ug/L	Gen. Eng.
0	ZINC	33 ug/L	Gen. Eng.
0	GROSS ALPHA	2 pCi/L	Gen. Eng.
0	NONVOLATILE BETA	2 pCi/L	Gen. Eng.
0	TOTAL RADIUM	1 pCi/L	Gen. Eng.

WELL MSB 36D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/19/89 Time 950
 pH = 4.6 Alkalinity = 4 mg/L
 Specific conductance = 98 umhos/cm
 Water temperature = 21.5 degrees Celsius
 Water evacuated from the well prior to sampling = 1 gal
 The well went dry during purging.

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE	83.00 UMC	Gen. Eng.
0	PH	5.61 pH	Gen. Eng.
0	SILVER	2 ug/L	Gen. Eng.
0	ALUMINUM	24 ug/L	Gen. Eng.
0	ARSENIC	2 ug/L	Gen. Eng.
0	BARIUM	6 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	1 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	1.00 ug/L	Gen. Eng.
0	CADMIUM	2 ug/L	Gen. Eng.
0	BROMOFORM	1 ug/L	Gen. Eng.
0	CHLOROFORM	1 ug/L	Gen. Eng.
0	CHLOROFORM	1 ug/L	M-Area, SRS
0	METHYLENE CHLORIDE	1 ug/L	Gen. Eng.
0	BROMOMETHANE	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	1 ug/L	Gen. Eng.
1	CHLORIDE	12000 ug/L	Gen. Eng.
0	CHLOROBENZENE	1 ug/L	Gen. Eng.
0	CHROMIUM	4 ug/L	Gen. Eng.

CONTINUED

WELL MSB 36D COLLECTED ON 07/19/89 LABORATORY ANALYSES CONTINUED

0	COPPER	4 ug/L	Gen. Eng.
0	CYANIDE	5 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	1 ug/L	Gen. Eng.
0	CHLOROETHANE	1 ug/L	Gen. Eng.
0	BENZENE	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	1 ug/L	Gen. Eng.
2	IRON	936 ug/L	Gen. Eng.
0	MERCURY	0.20 ug/L	Gen. Eng.
0	TOLUENE	1 ug/L	Gen. Eng.
2	MANGANESE	68 ug/L	Gen. Eng.
0	SODIUM	1700 ug/L	Gen. Eng.
0	NICKEL	4 ug/L	Gen. Eng.
1	NITRATE AS NITROGEN	3710 ug/L	Gen. Eng.
0	LEAD	13 ug/L	Gen. Eng.
0	PHENOLS	5 ug/L	Gen. Eng.
0	SELENIUM	2 ug/L	Gen. Eng.
0	SULFATE	5000 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	1 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	1.00 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	1.00 ug/L	M-Area, SRS
1	TOTAL PHOSPHORUS	210 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	1.00 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	1.00 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	1 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	1 ug/L	M-Area, SRS
0	URANIUM	1000 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	1 ug/L	M-Area, SRS
0	1,1-DICHLOROETHANE	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	1 ug/L	M-Area, SRS
0	1,1,2-TRICHLOROETHANE	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	2 ug/L	Gen. Eng.
0	ZINC	8 ug/L	Gen. Eng.
0	GROSS ALPHA	3 pCi/L	Gen. Eng.
0	NONVOLATILE BETA	3.61+-2.50 pCi/L	Gen. Eng.
0	TOTAL RADIUM	1 pCi/L	Gen. Eng.

WELL MSB 36TA

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/18/89 Time 1210
 Depth to water = 147.65 ft (45.00 m) below the TOC
 Water elevation = 192.95 ft (58.81 m) msl
 pH = 4.2 Alkalinity = 0 mg/L
 Specific conductance = 32 umhos/cm
 Water temperature = 21.0 degrees Celsius
 Water evacuated from the well prior to sampling = 428 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE	19.00 UMC	Gen. Eng.
0	PH	5.33 pH	Gen. Eng.
0	SILVER	2 ug/L	Gen. Eng.
0	ALUMINUM	39 ug/L	Gen. Eng.
0	ARSENIC	2 ug/L	Gen. Eng.
0	BARIUM	10 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	1 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	1.00 ug/L	Gen. Eng.
0	CADMIUM	2 ug/L	Gen. Eng.
0	BROMOFORM	1 ug/L	Gen. Eng.
0	CHLOROFORM	1 ug/L	Gen. Eng.
0	CHLOROFORM	1 ug/L	M-Area, SRS
0	METHYLENE CHLORIDE	1 ug/L	Gen. Eng.
0	BROMOMETHANE	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	1 ug/L	Gen. Eng.
0	CHLORIDE	2200 ug/L	Gen. Eng.
0	CHLOROBENZENE	1 ug/L	Gen. Eng.
0	CHROMIUM	4 ug/L	Gen. Eng.
1	COPPER	34 ug/L	Gen. Eng.
0	CYANIDE	5 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	1 ug/L	Gen. Eng.
0	CHLOROETHANE	1 ug/L	Gen. Eng.
0	BENZENE	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	1 ug/L	Gen. Eng.
0	IRON	15 ug/L	Gen. Eng.
0	MERCURY	0.20 ug/L	Gen. Eng.
0	TOLUENE	1 ug/L	Gen. Eng.
2	MANGANESE	119 ug/L	Gen. Eng.
1	SODIUM	11700 ug/L	Gen. Eng.
0	NICKEL	6 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN	90 ug/L	Gen. Eng.
2	LEAD	33 ug/L	Gen. Eng.
0	PHENOLS	5 ug/L	Gen. Eng.
0	SELENIUM	2 ug/L	Gen. Eng.
0	SULFATE	5000 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	1 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	1.00 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	1.00 ug/L	M-Area, SRS
0	TOTAL PHOSPHORUS	50 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	1.00 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	1.00 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	1 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	1 ug/L	M-Area, SRS
0	URANIUM	1000 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	1 ug/L	M-Area, SRS
0	1,1-DICHLOROETHANE	1 ug/L	Gen. Eng.

CONTINUED

WELL MSB 367A COLLECTED ON 07/18/89 LABORATORY ANALYSES CONTINUED

0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area, SRS
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	2 ug/L	Gen. Eng.
0	ZINC		28 ug/L	Gen. Eng.
0	CROSS ALPHA	LT	3 pCi/L	Gen. Eng.
0	NONVOLATILE BETA	LT	2 pCi/L	Gen. Eng.
0	TOTAL RADIUM	LT	1 pCi/L	Gen. Eng.

WELL MSB 37A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/19/89 Time 1230
Depth to water = 175.84 ft (53.60 m) below the TOC
Water elevation = 207.26 ft (63.17 m) msl
pH = 10.1 Alkalinity = 38 mg/L
Specific conductance = 131 umhos/cm
Water temperature = 21.7 degrees Celsius
Water evacuated from the well prior to sampling = 81 gal
The well went dry during purging.

LABORATORY ANALYSES

0	CHLOROFORM	LT	10 ug/L	M-Area, SRS
1	TETRACHLOROETHYLENE		1.85 ug/L	M-Area, SRS
2	TRICHLOROETHYLENE		29.3 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	10 ug/L	M-Area, SRS
0	1,1-DICHLOROETHYLENE	LT	10 ug/L	M-Area, SRS
0	1,1,1-TRICHLOROETHANE	LT	10 ug/L	M-Area, SRS

WELL MSB 37B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/18/89 Time 1540
Depth to water = 162.64 ft (49.57 m) below the TOC
Water elevation = 220.16 ft (67.11 m) msl
pH = 4.6 Alkalinity = 1 mg/L
Specific conductance = 24 umhos/cm
Water temperature = 21.4 degrees Celsius
Water evacuated from the well prior to sampling = 235 gal

LABORATORY ANALYSES

0	CHLOROFORM	LT	2 ug/L	M-Area, SRS
1	TETRACHLOROETHYLENE		2.95 ug/L	M-Area, SRS
2	TRICHLOROETHYLENE		282 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	2 ug/L	M-Area, SRS
0	1,1-DICHLOROETHYLENE	LT	2 ug/L	M-Area, SRS
0	1,1,1-TRICHLOROETHANE	LT	2 ug/L	M-Area, SRS

WELL MSB 37C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/18/89 Time 1610
Depth to water = 153.35 ft (46.74 m) below the TOC
Water elevation = 229.75 ft (70.03 m) msl
pH = 4.8 Alkalinity = 2 mg/L
Specific conductance = 24 umhos/cm
Water temperature = 21.1 degrees Celsius
Water evacuated from the well prior to sampling = 160 gal

WELL MSB 37D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/19/89 Time 1220
pH = 4.5 Alkalinity = 0 mg/L
Specific conductance = 31 umhos/cm
Water temperature = 25.1 degrees Celsius
Water evacuated from the well prior to sampling = 1 gal
The well went dry during purging.

WELL MSB 377A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/18/89 Time 1640
Depth to water = 175.23 ft (53.41 m) below the TOC
Water elevation = 207.17 ft (63.15 m) msl
pH = 4.3 Alkalinity = 0 mg/L
Specific conductance = 22 umhos/cm
Water temperature = 20.7 degrees Celsius
Water evacuated from the well prior to sampling = 480 gal

LABORATORY ANALYSES

0	CHLOROFORM	LT	10 ug/L	M-Area, SRS
2	TETRACHLOROETHYLENE		67.5 ug/L	M-Area, SRS
2	TRICHLOROETHYLENE		1620 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	10 ug/L	M-Area, SRS
0	1,1-DICHLOROETHYLENE	LT	10 ug/L	M-Area, SRS
0	1,1,1-TRICHLOROETHANE	LT	10 ug/L	M-Area, SRS

WELL MSB 38B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/06/89 Time 1315
Depth to water = 141.83 ft (43.24 m) below the TOC
Water elevation = 214.75 ft (65.46 m) msl
pH = 5.8 Alkalinity = 16 mg/L
Specific conductance = 59 umhos/cm
Water temperature = 20.6 degrees Celsius
Water evacuated from the well prior to sampling = 197 gal

LABORATORY ANALYSES

0	CHLOROFORM	LT	5 ug/L	M-Area, SRS
2	TETRACHLOROETHYLENE		329 ug/L	M-Area, SRS
2	TRICHLOROETHYLENE		697 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	M-Area, SRS
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	M-Area, SRS
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	M-Area, SRS

WELL MSB 38C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/06/89 Time 1355
Depth to water = 138.25 ft (42.14 m) below the TOC
Water elevation = 218.05 ft (66.46 m) msl
pH = 5.6 Alkalinity = 14 mg/L
Specific conductance = 89 umhos/cm
Water temperature = 21.4 degrees Celsius
Water evacuated from the well prior to sampling = 148 gal

LABORATORY ANALYSES

0	CHLOROFORM	LT	5 ug/L	M-Area, SRS
2	TETRACHLOROETHYLENE		73.8 ug/L	M-Area, SRS
2	TRICHLOROETHYLENE		463 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	M-Area, SRS
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	M-Area, SRS
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	M-Area, SRS

WELL MSB 38D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/06/89 Time 1400
The well was dry.

WELL MSB 38TA

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/06/89 Time 1410
Depth to water = 162.74 ft (49.60 m) below the TOC
Water elevation = 193.96 ft (59.12 m) msl
pH = 4.4 Alkalinity = 0 mg/L
Specific conductance = 17 umhos/cm
Water temperature = 21.2 degrees Celsius
Water evacuated from the well prior to sampling = 474 gal

LABORATORY ANALYSES

0	CHLOROFORM	LT	1 ug/L	M-Area, SRS
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0	TRICHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	M-Area, SRS
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area, SRS
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area, SRS

WELL MSB 39A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/04/89 Time 1730
 Depth to water = 133.05 ft (40.55 m) below the TOC
 Water elevation = 208.55 ft (63.57 m) msl
 pH = 5.7 Alkalinity = 21 mg/L
 Specific conductance = 78 umhos/cm
 Water temperature = 21.0 degrees Celsius
 Water evacuated from the well prior to sampling = 71 gal
 The well went dry during purging.

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE	39.00 UHMC	Gen. Eng.
0	SPECIFIC CONDUCTANCE	38.00 UHMC	Gen. Eng.
0	PH	5.85 pH	Gen. Eng.
0	PH	5.88 pH	Gen. Eng.
0	SILVER	LT	2 ug/L
0	SILVER	LT	2 ug/L
0	ALUMINUM	LT	33 ug/L
0	ALUMINUM	LT	34 ug/L
0	ARSENIC	LT	2 ug/L
0	ARSENIC	LT	2 ug/L
0	BARIUM	LT	14 ug/L
0	BARIUM	LT	14 ug/L
0	BROMODICHLOROMETHANE	LT	1 ug/L
0	BROMODICHLOROMETHANE	LT	1 ug/L
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L
0	CARBON TETRACHLORIDE	LT	1.00 ug/L
0	CARBON TETRACHLORIDE	LT	1.00 ug/L
2	CADMIUM	LT	16 ug/L
2	CADMIUM	LT	16 ug/L
0	BROMOFORM	LT	1 ug/L
0	BROMOFORM	LT	1 ug/L
0	CHLOROFORM	LT	1 ug/L
0	CHLOROFORM	LT	1 ug/L
0	CHLOROFORM	LT	1 ug/L
0	CHLOROFORM	LT	1 ug/L
0	METHYLENE CHLORIDE	LT	1 ug/L
0	METHYLENE CHLORIDE	LT	1 ug/L
0	BROMOMETHANE	LT	1 ug/L
0	BROMOMETHANE	LT	1 ug/L
0	CHLOROMETHANE	LT	1 ug/L
0	CHLOROMETHANE	LT	1 ug/L
0	CHLORIDE	LT	2200 ug/L
0	CHLORIDE	LT	2200 ug/L
0	CHLOROBENZENE	LT	1 ug/L
0	CHLOROBENZENE	LT	1 ug/L
0	CHROMIUM	LT	4 ug/L
0	CHROMIUM	LT	4 ug/L
0	COPPER	LT	4 ug/L
0	COPPER	LT	4 ug/L
0	CYANIDE	LT	5 ug/L
0	CYANIDE	LT	5 ug/L
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L
0	CHLOROETHANE	LT	1 ug/L
0	CHLOROETHANE	LT	1 ug/L
0	BENZENE	LT	1 ug/L
0	BENZENE	LT	1 ug/L
0	DIBROMOCHLOROMETHANE	LT	1 ug/L
0	DIBROMOCHLOROMETHANE	LT	1 ug/L
0	ETHYLBENZENE	LT	1 ug/L
0	ETHYLBENZENE	LT	1 ug/L
0	IRON	LT	16 ug/L
0	IRON	LT	23 ug/L
0	MERCURY	LT	0.20 ug/L
0	MERCURY	LT	0.20 ug/L
0	TOLUENE	LT	1 ug/L
0	TOLUENE	LT	1 ug/L
1	MANGANESE	LT	34 ug/L
1	MANGANESE	LT	35 ug/L
0	SODIUM	LT	675 ug/L
0	SODIUM	LT	675 ug/L
0	NICKEL	LT	7 ug/L
0	NICKEL	LT	6 ug/L
0	NITRATE AS NITROGEN	LT	75 ug/L
0	NITRATE AS NITROGEN	LT	75 ug/L
0	LEAD	LT	6 ug/L
0	LEAD	LT	6 ug/L
0	PHENOLS	LT	3 ug/L
0	PHENOLS	LT	3 ug/L
0	SELENIUM	LT	2 ug/L
0	SELENIUM	LT	2 ug/L
0	SULFATE	LT	4900 ug/L
0	SULFATE	LT	5000 ug/L
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L
0	TETRACHLOROETHYLENE	LT	1.00 ug/L
0	TETRACHLOROETHYLENE	LT	1.00 ug/L
0	TETRACHLOROETHYLENE	LT	1.00 ug/L
1	TOTAL PHOSPHORUS	LT	60 ug/L
1	TOTAL PHOSPHORUS	LT	60 ug/L
1	TRICHLOROETHYLENE	LT	2.00 ug/L
1	TRICHLOROETHYLENE	LT	2.00 ug/L
1	TRICHLOROETHYLENE	LT	1.83 ug/L
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L
0	URANIUM	LT	1000 ug/L
0	URANIUM	LT	1000 ug/L
0	1,1-DICHLOROETHYLENE	LT	1 ug/L
0	1,1-DICHLOROETHYLENE	LT	1 ug/L
0	1,1-DICHLOROETHYLENE	LT	1 ug/L
0	1,1-DICHLOROETHYLENE	LT	1 ug/L
0	1,1-DICHLOROETHANE	LT	1 ug/L
0	1,1-DICHLOROETHANE	LT	1 ug/L
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L

CONTINUED

WELL MSB 39A COLLECTED ON 07/04/89 LABORATORY ANALYSES CONTINUED

0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	2 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	2 ug/L	Gen. Eng.
0	ZINC	LT	192 ug/L	Gen. Eng.
0	ZINC	LT	205 ug/L	Gen. Eng.
0	GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
0	GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
0	NONVOLATILE BETA	LT	2 pCi/L	Gen. Eng.
0	NONVOLATILE BETA	LT	2 pCi/L	Gen. Eng.
1	TOTAL RADIUM	LT	4.53+-2.20 pCi/L	Gen. Eng.
0	TOTAL RADIUM	LT	1 pCi/L	Gen. Eng.

WELL MSB 39B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/04/89 Time 1110
 Depth to water = 130.45 ft (39.76 m) below the TOC
 Water elevation = 211.35 ft (64.42 m) msl
 pH = 4.1 Alkalinity = 0 mg/L
 Specific conductance = 171 umhos/cm
 Water temperature = 21.6 degrees Celsius
 Water evacuated from the well prior to sampling = 214 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	175.0 UHMC	Gen. Eng.
0	PH	4.76 pH	Gen. Eng.
0	SILVER	LT	2 ug/L
1	ALUMINUM	LT	217 ug/L
0	ARSENIC	LT	2 ug/L
0	BARIUM	LT	40 ug/L
0	BROMODICHLOROMETHANE	LT	5 ug/L
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L
0	CARBON TETRACHLORIDE	LT	5.00 ug/L
0	CADMIUM	LT	2 ug/L
0	BROMOFORM	LT	5 ug/L
0	CHLOROFORM	LT	5 ug/L
0	CHLOROFORM	LT	10 ug/L
0	METHYLENE CHLORIDE	LT	5 ug/L
0	BROMOMETHANE	LT	5 ug/L
0	CHLOROMETHANE	LT	5 ug/L
0	CHLORIDE	LT	4500 ug/L
0	CHLOROBENZENE	LT	5 ug/L
0	CHROMIUM	LT	4 ug/L
0	COPPER	LT	14 ug/L
0	CYANIDE	LT	5 ug/L
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L
0	CHLOROETHANE	LT	5 ug/L
0	BENZENE	LT	5 ug/L
0	DIBROMOCHLOROMETHANE	LT	5 ug/L
0	ETHYLBENZENE	LT	5 ug/L
0	IRON	LT	69 ug/L
0	MERCURY	LT	0.30 ug/L
0	TOLUENE	LT	5 ug/L
0	MANGANESE	LT	15 ug/L
1	SODIUM	LT	19900 ug/L
0	NICKEL	LT	4 ug/L
2	NITRATE AS NITROGEN	LT	17800 ug/L
0	LEAD	LT	6 ug/L
0	PHENOLS	LT	5 ug/L
0	SELENIUM	LT	2 ug/L
0	SULFATE	LT	5000 ug/L
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L
2	TETRACHLOROETHYLENE	LT	450 ug/L
2	TETRACHLOROETHYLENE	LT	196 ug/L
0	TOTAL PHOSPHORUS	LT	50 ug/L
2	TRICHLOROETHYLENE	LT	260 ug/L
2	TRICHLOROETHYLENE	LT	245 ug/L
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L
0	TRANS-1,2-DICHLOROETHENE	LT	10 ug/L
0	URANIUM	LT	1000 ug/L
1	1,1-DICHLOROETHYLENE	LT	15 ug/L
0	1,1-DICHLOROETHYLENE	LT	10 ug/L
0	1,1-DICHLOROETHANE	LT	5 ug/L
0	1,1,1-TRICHLOROETHANE	LT	18 ug/L
0	1,1,1-TRICHLOROETHANE	LT	10 ug/L
0	1,2-DICHLOROETHANE	LT	5 ug/L
0	1,2-DICHLOROPROPANE	LT	5 ug/L
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L
0	2-CHLOROETHYL VINYL ETHER	LT	10 ug/L
0	ZINC	LT	26 ug/L
1	GROSS ALPHA	LT	5.62+-2.50 pCi/L
0	NONVOLATILE BETA	LT	9.59+-3.10 pCi/L
1	TOTAL RADIUM	LT	4.86+-1.50 pCi/L

WELL MSB 39C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/04/89 Time 1145
 Depth to water = 126.36 ft (38.51 m) below the TOC
 Water elevation = 215.14 ft (65.58 m) msl
 pH = 3.9 Alkalinity = 0 mg/L
 Specific conductance = 52 umhos/cm
 Water temperature = 20.9 degrees Celsius
 Water evacuated from the well prior to sampling = 81 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE	52.00 UMMC	Gen. Eng.
0	PH	4.64 pH	Gen. Eng.
0	SILVER	LT	2 ug/L Gen. Eng.
1	ALUMINUM	129 ug/L	Gen. Eng.
0	ARSENIC	LT	2 ug/L Gen. Eng.
0	BARIUM	12 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	LT	1 ug/L Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L Gen. Eng.
0	CARBON TETRACHLORIDE	LT	1.00 ug/L Gen. Eng.
0	CADMIUM	LT	2 ug/L Gen. Eng.
0	BROMOFORM	LT	1 ug/L Gen. Eng.
0	CHLOROFORM	LT	1 ug/L Gen. Eng.
0	CHLOROFORM	LT	1 ug/L Gen. Eng.
0	METHYLENE CHLORIDE	LT	1 ug/L Gen. Eng.
0	BROMOMETHANE	LT	1 ug/L Gen. Eng.
0	CHLOROMETHANE	LT	1 ug/L Gen. Eng.
0	CHLORIDE	2200 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	1 ug/L Gen. Eng.
0	CHROMIUM	LT	4 ug/L Gen. Eng.
0	COPPER	LT	4 ug/L Gen. Eng.
0	CYANIDE	LT	5 ug/L Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L Gen. Eng.
0	BENZENE	LT	1 ug/L Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L Gen. Eng.
0	IRON	27 ug/L	Gen. Eng.
0	MERCURY	LT	0.20 ug/L Gen. Eng.
0	TOLUENE	LT	1 ug/L Gen. Eng.
0	MANGANESE	8 ug/L	Gen. Eng.
0	SODIUM	1380 ug/L	Gen. Eng.
0	NICKEL	LT	4 ug/L Gen. Eng.
1	NITRATE AS NITROGEN	4030 ug/L	Gen. Eng.
0	LEAD	LT	6 ug/L Gen. Eng.
0	PHENOLS	LT	5 ug/L Gen. Eng.
0	SELENIUM	LT	2 ug/L Gen. Eng.
0	SULFATE	LT	5000 ug/L Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L Gen. Eng.
2	TETRACHLOROETHYLENE	13.0 ug/L	Gen. Eng.
2	TETRACHLOROETHYLENE	14.0 ug/L	M-Area, SRS
1	TOTAL PHOSPHORUS	70 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE	69.0 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE	70.7 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L M-Area, SRS
0	URANIUM	LT	1000 ug/L Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L M-Area, SRS
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L M-Area, SRS
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L Gen. Eng.
0	ZINC	10 ug/L	Gen. Eng.
0	GROSS ALPHA	LT	3 pCi/L Gen. Eng.
0	NONVOLATILE BETA	2.92+-2.10 pCi/L	Gen. Eng.
0	TOTAL RADIUM	2.32+-3.20 pCi/L	Gen. Eng.

WELL MSB 39D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/04/89 Time 1205
 Depth to water = 109.76 ft (33.46 m) below the TOC
 Water elevation = 231.94 ft (70.70 m) msl
 pH = 4.5 Alkalinity = 0 mg/L
 Specific conductance = 32 umhos/cm
 Water temperature = 20.9 degrees Celsius
 Water evacuated from the well prior to sampling = 48 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE	31.00 UMMC	Gen. Eng.
0	PH	5.37 pH	Gen. Eng.
0	SILVER	LT	2 ug/L Gen. Eng.
1	ALUMINUM	134 ug/L	Gen. Eng.
0	ARSENIC	LT	2 ug/L Gen. Eng.
0	BARIUM	9 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	LT	1 ug/L Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L Gen. Eng.
0	CARBON TETRACHLORIDE	LT	1.00 ug/L Gen. Eng.
0	CADMIUM	LT	2 ug/L Gen. Eng.
0	BROMOFORM	LT	1 ug/L Gen. Eng.
0	CHLOROFORM	LT	1 ug/L Gen. Eng.
0	CHLOROFORM	LT	1 ug/L Gen. Eng.
0	METHYLENE CHLORIDE	LT	1 ug/L M-Area, SRS
0	BROMOMETHANE	LT	1 ug/L Gen. Eng.
0	CHLOROMETHANE	LT	1 ug/L Gen. Eng.
0	CHLORIDE	2200 ug/L	Gen. Eng.

CONTINUED

WELL MSB 39D COLLECTED ON 07/04/89 LABORATORY ANALYSES CONTINUED

0	CHLOROBENZENE	LT	1 ug/L Gen. Eng.
0	CHROMIUM	LT	4 ug/L Gen. Eng.
1	COPPER	47 ug/L	Gen. Eng.
0	CYANIDE	LT	5 ug/L Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L Gen. Eng.
0	BENZENE	LT	1 ug/L Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L Gen. Eng.
0	IRON	128 ug/L	Gen. Eng.
0	MERCURY	LT	0.20 ug/L Gen. Eng.
0	TOLUENE	LT	1 ug/L Gen. Eng.
0	MANGANESE	10 ug/L	Gen. Eng.
0	SODIUM	805 ug/L	Gen. Eng.
0	NICKEL	LT	4 ug/L Gen. Eng.
0	NITRATE AS NITROGEN	1830 ug/L	Gen. Eng.
0	LEAD	11 ug/L	Gen. Eng.
0	PHENOLS	LT	5 ug/L Gen. Eng.
0	SELENIUM	LT	2 ug/L Gen. Eng.
0	SULFATE	LT	5000 ug/L Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L Gen. Eng.
0	TETRACHLOROETHYLENE	LT	1.00 ug/L Gen. Eng.
0	TETRACHLOROETHYLENE	LT	1.00 ug/L M-Area, SRS
1	TOTAL PHOSPHORUS	50 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	LT	1.00 ug/L Gen. Eng.
1	TRICHLOROETHYLENE	1.33 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L M-Area, SRS
0	URANIUM	LT	1000 ug/L Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L M-Area, SRS
0	1,1-DICHLOROETHANE	LT	1 ug/L Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L M-Area, SRS
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L Gen. Eng.
0	ZINC	22 ug/L	Gen. Eng.
0	GROSS ALPHA	LT	3 pCi/L Gen. Eng.
0	NONVOLATILE BETA	LT	2 pCi/L Gen. Eng.
0	TOTAL RADIUM	LT	1 pCi/L Gen. Eng.

WELL MSB 39TA

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/04/89 Time 1135
 Depth to water = 150.54 ft (45.89 m) below the TOC
 Water elevation = 191.26 ft (58.30 m) msl
 pH = 4.3 Alkalinity = 0 mg/L
 Specific conductance = 21 umhos/cm
 Water temperature = 21.4 degrees Celsius
 Water evacuated from the well prior to sampling = 402 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE	19.00 UMMC	Gen. Eng.
0	PH	5.26 pH	Gen. Eng.
0	SILVER	LT	2 ug/L Gen. Eng.
1	ALUMINUM	143 ug/L	Gen. Eng.
0	ARSENIC	LT	2 ug/L Gen. Eng.
0	BARIUM	5 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	LT	1 ug/L Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L Gen. Eng.
0	CARBON TETRACHLORIDE	LT	1.00 ug/L Gen. Eng.
0	CADMIUM	LT	2 ug/L Gen. Eng.
0	BROMOFORM	LT	1 ug/L Gen. Eng.
0	CHLOROFORM	LT	1 ug/L Gen. Eng.
0	CHLOROFORM	LT	1 ug/L M-Area, SRS
0	METHYLENE CHLORIDE	LT	1 ug/L Gen. Eng.
0	BROMOMETHANE	LT	1 ug/L Gen. Eng.
0	CHLOROMETHANE	LT	1 ug/L Gen. Eng.
0	CHLORIDE	2300 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	1 ug/L Gen. Eng.
0	CHROMIUM	LT	4 ug/L Gen. Eng.
0	COPPER	14 ug/L	Gen. Eng.
0	CYANIDE	LT	5 ug/L Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L Gen. Eng.
0	BENZENE	LT	1 ug/L Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L Gen. Eng.
2	IRON	365 ug/L	Gen. Eng.
0	MERCURY	LT	0.20 ug/L Gen. Eng.
0	TOLUENE	LT	1 ug/L Gen. Eng.
0	MANGANESE	18 ug/L	Gen. Eng.
0	SODIUM	580 ug/L	Gen. Eng.
0	NICKEL	LT	4 ug/L Gen. Eng.
0	NITRATE AS NITROGEN	50 ug/L	Gen. Eng.
0	LEAD	7 ug/L	Gen. Eng.
0	PHENOLS	LT	5 ug/L Gen. Eng.
0	SELENIUM	LT	2 ug/L Gen. Eng.
0	SULFATE	LT	5000 ug/L Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L Gen. Eng.
0	TETRACHLOROETHYLENE	LT	1.00 ug/L Gen. Eng.
0	TETRACHLOROETHYLENE	LT	1.00 ug/L M-Area, SRS
0	TOTAL PHOSPHORUS	50 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	LT	1.00 ug/L Gen. Eng.
0	TRICHLOROETHYLENE	LT	1.00 ug/L M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L M-Area, SRS
0	URANIUM	LT	1000 ug/L Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L Gen. Eng.

CONTINUED

WELL MSB 39TA COLLECTED ON 07/04/89 LABORATORY ANALYSES CONTINUED

0	1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area, SRS
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area, SRS
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	2 ug/L	Gen. Eng.
0	ZINC		23 ug/L	Gen. Eng.
0	GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
0	NONVOLATILE BETA	LT	2 pCi/L	Gen. Eng.
0	TOTAL RADIUM		1.03+-1.80 pCi/L	Gen. Eng.

WELL MSB 40A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/02/89 Time 1040
 Depth to water = 119.25 ft (36.35 m) below the TOC
 Water elevation = 201.95 ft (61.56 m) msl
 pH = 4.6 Alkalinity = 0 mg/L
 Specific conductance = 47 umhos/cm
 Water temperature = 21.6 degrees Celsius
 Water evacuated from the well prior to sampling = 257 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE		46.00 UMC	Gen. Eng.
0	PH		5.01 pH	Gen. Eng.
0	SILVER	LT	2 ug/L	Gen. Eng.
0	ALUMINUM		58 ug/L	Gen. Eng.
0	ARSENIC	LT	2 ug/L	Gen. Eng.
0	BARIUM		19 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	CADMIUM	LT	2 ug/L	Gen. Eng.
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	M-Area, SRS
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLORIDE		2100 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHROMIUM	LT	4 ug/L	Gen. Eng.
0	COPPER		9 ug/L	Gen. Eng.
0	CYANIDE	LT	5 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
2	IRON		1470 ug/L	Gen. Eng.
0	MERCURY	LT	0.20 ug/L	Gen. Eng.
0	TOLUENE	LT	1 ug/L	Gen. Eng.
1	MANGANESE		44 ug/L	Gen. Eng.
0	SODIUM		2070 ug/L	Gen. Eng.
0	NICKEL	LT	4 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN	LT	50 ug/L	Gen. Eng.
0	LEAD	LT	6 ug/L	Gen. Eng.
0	PHENOLS	LT	5 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	Gen. Eng.
1	SULFATE		13000 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
1	TOTAL PHOSPHORUS		320 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	M-Area, SRS
0	URANIUM	LT	1000 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area, SRS
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area, SRS
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0	ZINC		28 ug/L	Gen. Eng.
0	GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
0	NONVOLATILE BETA		2.36+-2.40 pCi/L	Gen. Eng.
0	TOTAL RADIUM	LT	1 pCi/L	Gen. Eng.

WELL MSB 40B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/02/89 Time 1125
 Depth to water = 118.26 ft (36.05 m) below the TOC
 Water elevation = 203.44 ft (62.01 m) msl
 pH = 4.9 Alkalinity = 1 mg/L
 Specific conductance = 25 umhos/cm
 Water temperature = 20.9 degrees Celsius
 Water evacuated from the well prior to sampling = 168 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE		25.00 UMC	Gen. Eng.
0	PH		5.46 pH	Gen. Eng.
0	SILVER	LT	2 ug/L	Gen. Eng.
0	ALUMINUM		22 ug/L	Gen. Eng.
0	ARSENIC	LT	2 ug/L	Gen. Eng.
0	BARIUM		6 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	CADMIUM	LT	2 ug/L	Gen. Eng.
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	20 ug/L	M-Area, SRS
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLORIDE		1700 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHROMIUM	LT	4 ug/L	Gen. Eng.
1	COPPER		27 ug/L	Gen. Eng.
0	CYANIDE	LT	5 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	IRON		17 ug/L	Gen. Eng.
0	MERCURY	LT	0.20 ug/L	Gen. Eng.
0	TOLUENE	LT	1 ug/L	Gen. Eng.
0	MANGANESE		22 ug/L	Gen. Eng.
0	SODIUM		1800 ug/L	Gen. Eng.
0	NICKEL	LT	4 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN		880 ug/L	Gen. Eng.
0	LEAD	LT	6 ug/L	Gen. Eng.
0	PHENOLS	LT	5 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	Gen. Eng.
0	SULFATE	LT	5000 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	20.0 ug/L	M-Area, SRS
1	TOTAL PHOSPHORUS		80 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE		409 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE		712 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	20 ug/L	M-Area, SRS
0	URANIUM	LT	1000 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	20 ug/L	M-Area, SRS
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	20 ug/L	M-Area, SRS
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0	ZINC		28 ug/L	Gen. Eng.
0	GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
0	NONVOLATILE BETA		2.55+-2.40 pCi/L	Gen. Eng.
0	TOTAL RADIUM	LT	1 pCi/L	Gen. Eng.

WELL MSB 40C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/02/89 Time 1140
 pH = 5.3 Alkalinity = 4 mg/L
 Specific conductance = 82 umhos/cm
 Water temperature = 21.3 degrees Celsius
 Water evacuated from the well prior to sampling = 46 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE		49.00 UMC	Gen. Eng.
0	PH		5.74 pH	Gen. Eng.
0	SILVER	LT	2 ug/L	Gen. Eng.
1	ALUMINUM		118 ug/L	Gen. Eng.
0	ARSENIC	LT	2 ug/L	Gen. Eng.
0	BARIUM		12 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	CADMIUM	LT	2 ug/L	Gen. Eng.
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	M-Area, SRS
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLORIDE		1700 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHROMIUM	LT	4 ug/L	Gen. Eng.

CONTINUED

WELL MSB 40C COLLECTED ON 08/02/89 LABORATORY ANALYSES CONTINUED

0	COPPER		6 ug/L	Gen. Eng.
0	CYANIDE	LT	5 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
2	IRON		410 ug/L	Gen. Eng.
0	MERCURY	LT	0.20 ug/L	Gen. Eng.
0	TOLUENE	LT	1 ug/L	Gen. Eng.
2	MANGANESE		99 ug/L	Gen. Eng.
0	SODIUM		2160 ug/L	Gen. Eng.
0	NICKEL	LT	4 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN		370 ug/L	Gen. Eng.
0	LEAD	LT	6 ug/L	Gen. Eng.
0	PHENOLS	LT	5 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	Gen. Eng.
0	SULFATE		9300 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
1	TOTAL PHOSPHORUS		790 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	M-Area, SRS
0	URANIUM	LT	1000 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area, SRS
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area, SRS
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0	ZINC		20 ug/L	Gen. Eng.
0	GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
0	NONVOLATILE BETA	LT	2 pCi/L	Gen. Eng.
0	TOTAL RADIUM	LT	1 pCi/L	Gen. Eng.

WELL MSB 40D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/02/89 Time 1200
 pH = 4.9 Alkalinity = 1 mg/L
 Specific conductance = 30 umhos/cm
 Water temperature = 23.5 degrees Celsius
 Water evacuated from the well prior to sampling = 2 gal
 The well went dry during purging.

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE		25.00 UMC	Gen. Eng.
0	PH		5.34 pH	Gen. Eng.
0	SILVER	LT	2 ug/L	Gen. Eng.
0	ALUMINUM		52 ug/L	Gen. Eng.
0	ARSENIC	LT	2 ug/L	Gen. Eng.
0	BARIUM		6 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	CADMIUM	LT	2 ug/L	Gen. Eng.
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	M-Area, SRS
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLORIDE		1500 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHROMIUM	LT	4 ug/L	Gen. Eng.
1	COPPER		128 ug/L	Gen. Eng.
0	CYANIDE	LT	5 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	IRON		14 ug/L	Gen. Eng.
0	MERCURY	LT	0.20 ug/L	Gen. Eng.
0	TOLUENE	LT	1 ug/L	Gen. Eng.
1	MANGANESE		40 ug/L	Gen. Eng.
0	SODIUM		1570 ug/L	Gen. Eng.
1	NICKEL		11 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN		890 ug/L	Gen. Eng.
0	LEAD		20 ug/L	Gen. Eng.
0	PHENOLS	LT	5 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	Gen. Eng.
0	SULFATE	LT	5000 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
1	TOTAL PHOSPHORUS		350 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	M-Area, SRS
0	URANIUM	LT	1000 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area, SRS
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area, SRS

CONTINUED

WELL MSB 40D COLLECTED ON 08/02/89 LABORATORY ANALYSES CONTINUED

0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
1	ZINC		261 ug/L	Gen. Eng.
0	GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
0	NONVOLATILE BETA	LT	2 pCi/L	Gen. Eng.
0	TOTAL RADIUM	LT	1 pCi/L	Gen. Eng.

WELL MSB 40TA

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/02/89 Time 1055
 Depth to water = 132.65 ft (40.43 m) below the TOC
 Water elevation = 188.15 ft (57.35 m) msl
 pH = 5.4 Alkalinity = 8 mg/L
 Specific conductance = 28 umhos/cm
 Water temperature = 21.3 degrees Celsius
 Water evacuated from the well prior to sampling = 459 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE		28.00 UMC	Gen. Eng.
0	PH		5.82 pH	Gen. Eng.
0	SILVER	LT	2 ug/L	Gen. Eng.
0	ALUMINUM	LT	20 ug/L	Gen. Eng.
0	ARSENIC	LT	2 ug/L	Gen. Eng.
0	BARIUM		6 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	CADMIUM	LT	2 ug/L	Gen. Eng.
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	M-Area, SRS
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLORIDE		2000 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHROMIUM	LT	4 ug/L	Gen. Eng.
0	COPPER	LT	4 ug/L	Gen. Eng.
0	CYANIDE	LT	5 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
2	IRON		512 ug/L	Gen. Eng.
0	MERCURY	LT	0.20 ug/L	Gen. Eng.
0	TOLUENE	LT	1 ug/L	Gen. Eng.
2	MANGANESE		75 ug/L	Gen. Eng.
0	SODIUM		1580 ug/L	Gen. Eng.
0	NICKEL	LT	4 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN	LT	50 ug/L	Gen. Eng.
0	LEAD		6 ug/L	Gen. Eng.
0	PHENOLS	LT	5 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	Gen. Eng.
0	SULFATE	LT	5000 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
1	TOTAL PHOSPHORUS		80 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	M-Area, SRS
0	URANIUM	LT	1000 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area, SRS
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area, SRS
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0	ZINC		8 ug/L	Gen. Eng.
0	GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
0	NONVOLATILE BETA	LT	2 pCi/L	Gen. Eng.
0	TOTAL RADIUM	LT	1 pCi/L	Gen. Eng.

WELL MSB 41A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/06/89 Time 1105
 Depth to water = 107.66 ft (32.82 m) below the TOC
 Water elevation = 216.14 ft (65.88 m) msl
 pH = 5.2 Alkalinity = 8 mg/L
 Specific conductance = 34 umhos/cm
 Water temperature = 20.9 degrees Celsius
 Water evacuated from the well prior to sampling = 362 gal

LABORATORY ANALYSES

0 CHLOROFORM	LT	1 ug/L	M-Area, SRS
1 TETRACHLOROETHYLENE	LT	1.27 ug/L	M-Area, SRS
0 TRICHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0 TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	M-Area, SRS
0 1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area, SRS
0 1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area, SRS

WELL MSB 41B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/06/89 Time 1150
 Depth to water = 107.85 ft (32.87 m) below the TOC
 Water elevation = 216.15 ft (65.88 m) msl
 pH = 4.4 Alkalinity = 0 mg/L
 Specific conductance = 19 umhos/cm
 Water temperature = 20.8 degrees Celsius
 Water evacuated from the well prior to sampling = 331 gal

LABORATORY ANALYSES

0 CHLOROFORM	LT	1 ug/L	M-Area, SRS
2 TETRACHLOROETHYLENE		7.48 ug/L	M-Area, SRS
1 TRICHLOROETHYLENE		1.79 ug/L	M-Area, SRS
0 TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	M-Area, SRS
0 1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area, SRS
0 1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area, SRS

WELL MSB 41C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/06/89 Time 1225
 Depth to water = 107.77 ft (32.85 m) below the TOC
 Water elevation = 216.83 ft (66.09 m) msl
 pH = 4.2 Alkalinity = 0 mg/L
 Specific conductance = 16 umhos/cm
 Water temperature = 20.6 degrees Celsius
 Water evacuated from the well prior to sampling = 190 gal

LABORATORY ANALYSES

0 CHLOROFORM	LT	1 ug/L	M-Area, SRS
1 TETRACHLOROETHYLENE		1.17 ug/L	M-Area, SRS
1 TRICHLOROETHYLENE		1.01 ug/L	M-Area, SRS
0 TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	M-Area, SRS
0 1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area, SRS
0 1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area, SRS

WELL MSB 41D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/06/89 Time 1215
 The well was dry.

WELL MSB 41TA

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/06/89 Time 1210
 Depth to water = 118.76 ft (36.20 m) below the TOC
 Water elevation = 204.94 ft (62.47 m) msl
 pH = 4.4 Alkalinity = 0 mg/L
 Specific conductance = 18 umhos/cm
 Water temperature = 20.8 degrees Celsius
 Water evacuated from the well prior to sampling = 497 gal

LABORATORY ANALYSES

0 CHLOROFORM	LT	1 ug/L	M-Area, SRS
0 TETRACHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0 TRICHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0 TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	M-Area, SRS
0 1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area, SRS
0 1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area, SRS

WELL MSB 42A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/18/89 Time 1350
 Depth to water = 156.85 ft (47.81 m) below the TOC
 Water elevation = 219.75 ft (66.98 m) msl
 pH = 4.1 Alkalinity = 0 mg/L
 Specific conductance = 21 umhos/cm
 Water temperature = 21.8 degrees Celsius
 Water evacuated from the well prior to sampling = 268 gal

LABORATORY ANALYSES

0 CHLOROFORM	LT	10 ug/L	M-Area, SRS
2 TETRACHLOROETHYLENE		130 ug/L	M-Area, SRS
2 TRICHLOROETHYLENE		1080 ug/L	M-Area, SRS
0 TRANS-1,2-DICHLOROETHENE	LT	10 ug/L	M-Area, SRS
0 1,1-DICHLOROETHYLENE	LT	10 ug/L	M-Area, SRS
0 1,1,1-TRICHLOROETHANE	LT	10 ug/L	M-Area, SRS

WELL MSB 42B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/18/89 Time 1425
 Depth to water = 149.55 ft (45.58 m) below the TOC
 Water elevation = 226.95 ft (69.18 m) msl
 pH = 4.0 Alkalinity = 0 mg/L
 Specific conductance = 26 umhos/cm
 Water temperature = 21.5 degrees Celsius
 Water evacuated from the well prior to sampling = 191 gal

LABORATORY ANALYSES

0 CHLOROFORM	LT	5 ug/L	M-Area, SRS
0 TETRACHLOROETHYLENE	LT	5.00 ug/L	M-Area, SRS
2 TRICHLOROETHYLENE		254 ug/L	M-Area, SRS
0 TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	M-Area, SRS
0 1,1-DICHLOROETHYLENE	LT	5 ug/L	M-Area, SRS
0 1,1,1-TRICHLOROETHANE	LT	5 ug/L	M-Area, SRS

WELL MSB 42C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/18/89 Time 1445
 Depth to water = 144.15 ft (43.94 m) below the TOC
 Water elevation = 232.35 ft (70.82 m) msl
 pH = 4.5 Alkalinity = 0 mg/L
 Specific conductance = 22 umhos/cm
 Water temperature = 21.3 degrees Celsius
 Water evacuated from the well prior to sampling = 97 gal

LABORATORY ANALYSES

0 CHLOROFORM	LT	5 ug/L	M-Area, SRS
1 TETRACHLOROETHYLENE		1.76 ug/L	M-Area, SRS
2 TRICHLOROETHYLENE		23.7 ug/L	M-Area, SRS
0 TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	M-Area, SRS
0 1,1-DICHLOROETHYLENE	LT	5 ug/L	M-Area, SRS
0 1,1,1-TRICHLOROETHANE	LT	5 ug/L	M-Area, SRS

WELL MSB 42D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/18/89 Time 1450
 The well was dry.

WELL MSB 42TA

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/18/89 Time 1440
 Depth to water = 171.24 ft (52.19 m) below the TOC
 Water elevation = 205.46 ft (62.62 m) msl
 pH = 4.3 Alkalinity = 0 mg/L
 Specific conductance = 16 umhos/cm
 Water temperature = 21.3 degrees Celsius
 Water evacuated from the well prior to sampling = 452 gal

LABORATORY ANALYSES

0 CHLOROFORM	LT	1 ug/L	M-Area, SRS
1 TETRACHLOROETHYLENE		2.83 ug/L	M-Area, SRS
2 TRICHLOROETHYLENE		3.94 ug/L	M-Area, SRS
0 TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	M-Area, SRS
0 1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area, SRS
0 1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area, SRS

WELL MSB 43A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/30/89 Time 950
 Depth to water = 128.46 ft (39.16 m) below the TOC
 Water elevation = 229.44 ft (69.93 m) msl
 pH = 4.9 Alkalinity = 1 mg/L
 Specific conductance = 18 umhos/cm
 Water temperature = 20.5 degrees Celsius
 Water evacuated from the well prior to sampling = 242 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE	17.00 UMHG	Gen. Eng.
0	PH	5.26 pH	Gen. Eng.
0	SILVER	2 ug/L	Gen. Eng.
0	ALUMINUM	46 ug/L	Gen. Eng.
0	ARSENIC	2 ug/L	Gen. Eng.
0	BARIUM	7 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	1 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	1.00 ug/L	Gen. Eng.
0	CADMIUM	2 ug/L	Gen. Eng.
0	BROMOFORM	1 ug/L	Gen. Eng.
0	CHLOROFORM	1 ug/L	Gen. Eng.
0	CHLOROFORM	1 ug/L	M-Area, SRS
0	CHLOROFORM	1 ug/L	M-Area, SRS
0	METHYLENE CHLORIDE	1 ug/L	Gen. Eng.
0	BROMOMETHANE	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	1 ug/L	Gen. Eng.
0	CHLORIDE	1000 ug/L	Gen. Eng.
0	CHLOROBENZENE	1 ug/L	Gen. Eng.
0	COBALT	4 ug/L	Gen. Eng.
0	CHROMIUM	4 ug/L	Gen. Eng.
0	COPPER	7 ug/L	Gen. Eng.
0	CYANIDE	5 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	1 ug/L	Gen. Eng.
0	CHLOROETHANE	1 ug/L	Gen. Eng.
0	BENZENE	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	1 ug/L	Gen. Eng.
2	MERCURY	8.50 ug/L	Gen. Eng.
0	TOLUENE	1 ug/L	Gen. Eng.
0	MANGANESE	8 ug/L	Gen. Eng.
0	SODIUM	2080 ug/L	Gen. Eng.
0	NICKEL	4 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN	1040 ug/L	Gen. Eng.
0	LEAD	6 ug/L	Gen. Eng.
0	PHENOLS	5 ug/L	Gen. Eng.
0	SELENIUM	2 ug/L	Gen. Eng.
0	SULFATE	5000 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	1 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	1.00 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	1.00 ug/L	M-Area, SRS
0	TETRACHLOROETHYLENE	1.00 ug/L	M-Area, SRS
0	TOTAL PHOSPHORUS	50 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	1.00 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	1.00 ug/L	M-Area, SRS
0	TRICHLOROETHYLENE	1.00 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	1 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	1 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	1 ug/L	M-Area, SRS
0	URANIUM	1000 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	1 ug/L	M-Area, SRS
0	1,1-DICHLOROETHYLENE	1 ug/L	M-Area, SRS
0	1,1-DICHLOROETHANE	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	1 ug/L	M-Area, SRS
0	1,1,1-TRICHLOROETHANE	1 ug/L	M-Area, SRS
0	1,1,2-TRICHLOROETHANE	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	1 ug/L	Gen. Eng.
0	ZINC	12 ug/L	Gen. Eng.
0	GROSS ALPHA	3 pCi/L	Gen. Eng.
0	TOTAL RADIUM	1 pCi/L	Gen. Eng.

WELL MSB 43B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/30/89 Time 840
 Depth to water = 127.76 ft (38.94 m) below the TOC
 Water elevation = 230.24 ft (70.18 m) msl
 pH = 4.8 Alkalinity = 1 mg/L
 Specific conductance = 20 umhos/cm
 Water temperature = 20.8 degrees Celsius
 Water evacuated from the well prior to sampling = 154 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE	20.00 UMHG	Gen. Eng.
0	PH	5.16 pH	Gen. Eng.
0	SILVER	2 ug/L	Gen. Eng.
0	ALUMINUM	47 ug/L	Gen. Eng.
0	ARSENIC	2 ug/L	Gen. Eng.
0	BARIUM	4 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	1 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	1.00 ug/L	Gen. Eng.
0	CADMIUM	2 ug/L	Gen. Eng.
0	BROMOFORM	1 ug/L	Gen. Eng.
0	CHLOROFORM	1 ug/L	Gen. Eng.

CONTINUED

WELL MSB 43B COLLECTED ON 07/30/89 LABORATORY ANALYSES CONTINUED

0	CHLOROFORM	LT	1 ug/L	M-Area, SRS
0	CHLOROFORM	LT	1 ug/L	M-Area, SRS
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLORIDE	LT	1200 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	COBALT	LT	4 ug/L	Gen. Eng.
0	CHROMIUM	LT	4 ug/L	Gen. Eng.
0	COPPER	LT	4 ug/L	Gen. Eng.
0	CYANIDE	LT	5 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	MERCURY	LT	0.20 ug/L	Gen. Eng.
0	TOLUENE	LT	1 ug/L	Gen. Eng.
0	MANGANESE	LT	8 ug/L	Gen. Eng.
0	SODIUM	LT	2230 ug/L	Gen. Eng.
0	NICKEL	LT	4 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN	LT	1260 ug/L	Gen. Eng.
0	LEAD	LT	6 ug/L	Gen. Eng.
0	PHENOLS	LT	5 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	Gen. Eng.
0	SULFATE	LT	5000 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0	TOTAL PHOSPHORUS	LT	50 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0	TRICHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	M-Area, SRS
0	URANIUM	LT	1000 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area, SRS
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area, SRS
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area, SRS
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area, SRS
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area, SRS
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0	ZINC	LT	19 ug/L	Gen. Eng.
0	GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
0	TOTAL RADIUM	LT	1 pCi/L	Gen. Eng.

WELL MSB 43D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/30/89 Time 900
 Depth to water = 125.35 ft (38.21 m) below the TOC
 Water elevation = 232.15 ft (70.76 m) msl
 pH = 4.6 Alkalinity = 0 mg/L
 Specific conductance = 22 umhos/cm
 Water temperature = 20.5 degrees Celsius
 Water evacuated from the well prior to sampling = 81 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE		22.00 UMHG	Gen. Eng.
0	SPECIFIC CONDUCTANCE		31.60 UMHG	metaTRACE
0	PH		4.93 pH	Gen. Eng.
0	PH		5.67 pH	metaTRACE
0	SILVER	LT	2 ug/L	Gen. Eng.
0	SILVER	LT	2 ug/L	metaTRACE
0	ALUMINUM		75 ug/L	Gen. Eng.
0	ALUMINUM		67 ug/L	metaTRACE
0	ARSENIC	LT	2 ug/L	Gen. Eng.
0	ARSENIC	LT	3 ug/L	metaTRACE
0	BARIUM		5 ug/L	Gen. Eng.
0	BARIUM	LT	25 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE		1.00 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0	CADMIUM		2 ug/L	Gen. Eng.
0	CADMIUM	LT	4 ug/L	metaTRACE
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	BROMOFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	1 ug/L	M-Area, SRS
0	CHLOROFORM	LT	1 ug/L	M-Area, SRS
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0	METHYLENE CHLORIDE	LT	5 ug/L	metaTRACE
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
0	CHLORIDE		1700 ug/L	Gen. Eng.
0	CHLORIDE		1800 ug/L	metaTRACE
0	CHLORIDE		1800 ug/L	metaTRACE
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	5 ug/L	metaTRACE
CONTINUE				

CONTINUED

WELL MSB 430 COLLECTED ON 07/30/89 LABORATORY ANALYSES CONTINUED

0	COBALT	LT	4 ug/L	Gen. Eng.
0	COBALT	LT	10 ug/L	metaTRACE
0	CHROMIUM	LT	4 ug/L	Gen. Eng.
0	CHROMIUM	LT	5 ug/L	metaTRACE
0	COPPER	LT	4 ug/L	Gen. Eng.
0	COPPER	LT	10 ug/L	metaTRACE
0	CYANIDE	LT	5 ug/L	Gen. Eng.
0	CYANIDE	LT	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	5 ug/L	metaTRACE
0	FLUORIDE	LT	250 ug/L	metaTRACE
0	MERCURY	LT	0.20 ug/L	Gen. Eng.
0	MERCURY	LT	0.20 ug/L	metaTRACE
0	TOLUENE	LT	1 ug/L	Gen. Eng.
0	TOLUENE	LT	5 ug/L	metaTRACE
0	MANGANESE	LT	15 ug/L	Gen. Eng.
0	MANGANESE	LT	17 ug/L	metaTRACE
0	SODIUM	LT	1710 ug/L	Gen. Eng.
0	SODIUM	LT	1413 ug/L	metaTRACE
0	NICKEL	LT	4 ug/L	Gen. Eng.
0	NICKEL	LT	5 ug/L	metaTRACE
0	NITRATE AS NITROGEN	LT	940 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN	LT	1100 ug/L	metaTRACE
0	NITRATE AS NITROGEN	LT	1100 ug/L	metaTRACE
0	LEAD	LT	10 ug/L	Gen. Eng.
0	LEAD	LT	6 ug/L	metaTRACE
0	PHENOLS	LT	5 ug/L	Gen. Eng.
0	PHENOLS	LT	5 ug/L	metaTRACE
0	SELENIUM	LT	2 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	metaTRACE
0	SULFATE	LT	5000 ug/L	Gen. Eng.
0	SULFATE	LT	1000 ug/L	metaTRACE
0	SULFATE	LT	1000 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0	TOTAL PHOSPHORUS	LT	50 ug/L	Gen. Eng.
0	TOTAL PHOSPHATES	LT	10 ug/L	metaTRACE
0	TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TRICHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0	TRICHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	M-Area, SRS
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	URANIUM	LT	1000 ug/L	Gen. Eng.
0	URANIUM	LT	100 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area, SRS
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area, SRS
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area, SRS
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area, SRS
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0	ZINC	LT	10 ug/L	Gen. Eng.
0	ZINC	LT	31 ug/L	metaTRACE
0	GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
0	GROSS ALPHA	LT	3 pCi/L	metaTRACE
0	NONVOLATILE BETA	LT	4 pCi/L	metaTRACE
0	TOTAL RADIUM	LT	1.86+-2.00 pCi/L	Gen. Eng.
0	TOTAL RADIUM	LT	1 pCi/L	metaTRACE

WELL MSB 430

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/30/89 Time 900
 Depth to water = 125.35 ft (38.21 m) below the TOC
 Water elevation = 232.15 ft (70.76 m) msl
 pH = 4.6 Alkalinity = 0 mg/L
 Specific conductance = 22 umhos/cm
 Water temperature = 20.5 degrees Celsius
 Water evacuated from the well prior to sampling = 81 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE		22.00 UMHC	Gen. Eng.
0	SPECIFIC CONDUCTANCE		35.10 UMHC	metaTRACE
0	PH		4.90 pH	Gen. Eng.
0	PH		5.99 pH	metaTRACE
0	SILVER	LT	2 ug/L	Gen. Eng.
0	SILVER	LT	2 ug/L	metaTRACE
1	ALUMINUM		98 ug/L	Gen. Eng.
0	ALUMINUM		74 ug/L	metaTRACE
0	ARSENIC	LT	2 ug/L	Gen. Eng.
0	ARSENIC	LT	3 ug/L	metaTRACE
0	BARIUM		5 ug/L	Gen. Eng.
0	BARIUM	LT	25 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0	CADMIUM	LT	2 ug/L	Gen. Eng.
0	CADMIUM	LT	4 ug/L	metaTRACE
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	BROMOFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	5 ug/L	metaTRACE
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0	METHYLENE CHLORIDE	LT	5 ug/L	metaTRACE
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
0	CHLORIDE		1700 ug/L	Gen. Eng.
0	CHLORIDE		1900 ug/L	metaTRACE
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	5 ug/L	metaTRACE
0	COBALT	LT	4 ug/L	Gen. Eng.
0	COBALT	LT	7 ug/L	metaTRACE
0	CHROMIUM	LT	4 ug/L	Gen. Eng.
0	CHROMIUM	LT	5 ug/L	metaTRACE
0	COPPER	LT	4 ug/L	Gen. Eng.
0	COPPER	LT	10 ug/L	metaTRACE
0	CYANIDE	LT	5 ug/L	Gen. Eng.
0	CYANIDE	LT	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	5 ug/L	metaTRACE
0	MERCURY	LT	0.20 ug/L	Gen. Eng.
0	MERCURY	LT	0.20 ug/L	metaTRACE
0	TOLUENE	LT	1 ug/L	Gen. Eng.
0	TOLUENE	LT	5 ug/L	metaTRACE
0	MANGANESE	LT	17 ug/L	Gen. Eng.
0	MANGANESE	LT	18 ug/L	metaTRACE
0	SODIUM	LT	1910 ug/L	Gen. Eng.
0	SODIUM	LT	1463 ug/L	metaTRACE
0	NICKEL	LT	4 ug/L	Gen. Eng.
0	NICKEL	LT	5 ug/L	metaTRACE
0	NITRATE AS NITROGEN	LT	950 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN	LT	1500 ug/L	metaTRACE
0	LEAD	LT	8 ug/L	Gen. Eng.
0	LEAD	LT	8 ug/L	metaTRACE
0	PHENOLS	LT	5 ug/L	Gen. Eng.
0	PHENOLS	LT	5 ug/L	metaTRACE
0	SELENIUM	LT	2 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	metaTRACE
0	SULFATE	LT	5000 ug/L	Gen. Eng.
0	SULFATE	LT	1000 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0	TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
1	TOTAL PHOSPHORUS		60 ug/L	Gen. Eng.
0	TOTAL PHOSPHATES	LT	10 ug/L	metaTRACE
0	TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	URANIUM	LT	1000 ug/L	Gen. Eng.
0	URANIUM	LT	100 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.

CONTINUED

WELL MSB 43D COLLECTED ON 07/30/89 LABORATORY ANALYSES CONTINUED

0 1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0 CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0 CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0 TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0 2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0 2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0 ZINC		11 ug/L	Gen. Eng.
0 ZINC		34 ug/L	metaTRACE
0 GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
0 GROSS ALPHA	LT	3 pCi/L	metaTRACE
0 NONVOLATILE BETA	LT	4 pCi/L	metaTRACE
0 TOTAL RADIUM		1.32+-1.80 pCi/L	Gen. Eng.
0 TOTAL RADIUM	LT	1 pCi/L	metaTRACE

WELL MSB 43TA

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/30/89 Time 935
 Depth to water = 156.05 ft (47.56 m) below the TOC
 Water elevation = 201.55 ft (61.43 m) msl
 pH = 4.7 Alkalinity = 0 mg/L
 Specific conductance = 18 umhos/cm
 Water temperature = 20.7 degrees Celsius
 Water evacuated from the well prior to sampling = 447 gal

LABORATORY ANALYSES

0 CHLOROFORM	LT	1 ug/L	M-Area, SRS
0 CHLOROFORM	LT	1 ug/L	M-Area, SRS
0 TETRACHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0 TETRACHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0 TRICHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0 TRICHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0 TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	M-Area, SRS
0 TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	M-Area, SRS
0 1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area, SRS
0 1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area, SRS
0 1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area, SRS
0 1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area, SRS

WELL MSB 44A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/30/89 Time 1520
 Depth to water = 158.94 ft (48.45 m) below the TOC
 Water elevation = 217.96 ft (66.44 m) msl
 pH = 5.0 Alkalinity = 1 mg/L
 Specific conductance = 20 umhos/cm
 Water temperature = 22.0 degrees Celsius
 Water evacuated from the well prior to sampling = 255 gal

LABORATORY ANALYSES

0 CHLOROFORM	LT	1 ug/L	M-Area, SRS
0 TETRACHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
2 TRICHLOROETHYLENE		6.42 ug/L	M-Area, SRS
0 TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	M-Area, SRS
0 1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area, SRS
0 1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area, SRS

WELL MSB 44B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/30/89 Time 1500
 Depth to water = 151.25 ft (46.10 m) below the TOC
 Water elevation = 225.85 ft (68.84 m) msl
 pH = 5.1 Alkalinity = 1 mg/L
 Specific conductance = 31 umhos/cm
 Water temperature = 21.4 degrees Celsius
 Water evacuated from the well prior to sampling = 157 gal

LABORATORY ANALYSES

0 CHLOROFORM	LT	1 ug/L	M-Area, SRS
0 TETRACHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0 TRICHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0 TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	M-Area, SRS
0 1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area, SRS
0 1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area, SRS

WELL MSB 44C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/30/89 Time 1440
 Depth to water = 136.33 ft (41.55 m) below the TOC
 Water elevation = 241.57 ft (73.63 m) msl
 pH = 6.5 Alkalinity = 85 mg/L
 Specific conductance = 235 umhos/cm
 Water temperature = 25.8 degrees Celsius
 Water evacuated from the well prior to sampling = 1 gal

LABORATORY ANALYSES

0 CHLOROFORM	LT	1 ug/L	M-Area, SRS
0 TETRACHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0 TRICHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0 TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	M-Area, SRS
0 1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area, SRS
0 1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area, SRS

WELL MSB 45A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/30/89 Time 1350
 Depth to water = 163.74 ft (49.91 m) below the TOC
 Water elevation = 217.36 ft (66.25 m) msl
 pH = 5.3 Alkalinity = 6 mg/L
 Specific conductance = 35 umhos/cm
 Water temperature = 21.7 degrees Celsius
 Water evacuated from the well prior to sampling = 276 gal

LABORATORY ANALYSES

0 CHLOROFORM	LT	100 ug/L	M-Area, SRS
2 TETRACHLOROETHYLENE		184 ug/L	M-Area, SRS
2 TRICHLOROETHYLENE		943 ug/L	M-Area, SRS
0 TRANS-1,2-DICHLOROETHENE	LT	100 ug/L	M-Area, SRS
0 1,1-DICHLOROETHYLENE	LT	100 ug/L	M-Area, SRS
0 1,1,1-TRICHLOROETHANE	LT	100 ug/L	M-Area, SRS

WELL MSB 45B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/30/89 Time 1335
 Depth to water = 153.75 ft (46.86 m) below the TOC
 Water elevation = 227.35 ft (69.30 m) msl
 pH = 4.9 Alkalinity = 0 mg/L
 Specific conductance = 36 umhos/cm
 Water temperature = 21.0 degrees Celsius
 Water evacuated from the well prior to sampling = 181 gal

LABORATORY ANALYSES

0 CHLOROFORM	LT	1 ug/L	M-Area, SRS
0 TETRACHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0 TRICHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0 TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	M-Area, SRS
0 1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area, SRS
0 1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area, SRS

WELL MSB 45C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/30/89 Time 1305
 The well was dry.

WELL MSB 46A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/30/89 Time 1405
 Depth to water = 155.74 ft (47.47 m) below the TOC
 Water elevation = 218.96 ft (66.13 m) msl
 pH = 10.0 Alkalinity = 45 mg/L
 Specific conductance = 139 umhos/cm
 Water temperature = 23.1 degrees Celsius
 Water evacuated from the well prior to sampling = 52 gal
 The well went dry during purging.

LABORATORY ANALYSES

0 CHLOROFORM	LT	1 ug/L	M-Area, SRS
0 TETRACHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0 TRICHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0 TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	M-Area, SRS
0 1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area, SRS
0 1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area, SRS

WELL MSB 46B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/29/89 Time 1540
 pH = 5.2 Alkalinity = 5 mg/L
 Specific conductance = 41 umhos/cm
 Water temperature = 21.5 degrees Celsius
 Water evacuated from the well prior to sampling = 130 gal

LABORATORY ANALYSES

0	CHLOROFORM	LT	1 ug/L	M-Area, SRS
0	CHLOROFORM	LT	1 ug/L	M-Area, SRS
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0	TRICHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0	TRICHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	M-Area, SRS
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area, SRS
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area, SRS
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area, SRS
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area, SRS

WELL MSB 46C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/29/89 Time 1510
 The well was dry.

WELL MSB 47B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/03/89 Time 800
 Depth to water = 140.85 ft (42.93 m) below the TOC
 Water elevation = 228.15 ft (69.54 m) msl
 pH = 6.4 Alkalinity = 33 mg/L
 Specific conductance = 109 umhos/cm
 Water temperature = 19.5 degrees Celsius
 Water evacuated from the well prior to sampling = 177 gal

LABORATORY ANALYSES

0	CHLOROFORM	LT	25 ug/L	M-Area, SRS
0	TETRACHLOROETHYLENE	LT	25.0 ug/L	M-Area, SRS
2	TRICHLOROETHYLENE	LT	2370 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	25 ug/L	M-Area, SRS
0	1,1-DICHLOROETHYLENE	LT	25 ug/L	M-Area, SRS
0	1,1,1-TRICHLOROETHANE	LT	25 ug/L	M-Area, SRS

WELL MSB 47C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/03/89 Time 725
 Depth to water = 135.76 ft (41.38 m) below the TOC
 Water elevation = 233.54 ft (71.18 m) msl
 pH = 5.4 Alkalinity = 3 mg/L
 Specific conductance = 44 umhos/cm
 Water temperature = 19.8 degrees Celsius
 Water evacuated from the well prior to sampling = 178 gal

LABORATORY ANALYSES

0	CHLOROFORM	LT	200 ug/L	M-Area, SRS
0	TETRACHLOROETHYLENE	LT	200 ug/L	M-Area, SRS
2	TRICHLOROETHYLENE	LT	12300 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	200 ug/L	M-Area, SRS
0	1,1-DICHLOROETHYLENE	LT	200 ug/L	M-Area, SRS
0	1,1,1-TRICHLOROETHANE	LT	200 ug/L	M-Area, SRS

WELL MSB 47D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/03/89 Time 650
 Depth to water = 135.65 ft (41.35 m) below the TOC
 Water elevation = 233.55 ft (71.19 m) msl
 pH = 4.9 Alkalinity = 0 mg/L
 Specific conductance = 76 umhos/cm
 Water temperature = 20.4 degrees Celsius
 Water evacuated from the well prior to sampling = 32 gal

LABORATORY ANALYSES

0	CHLOROFORM	LT	1 ug/L	M-Area, SRS
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
1	TRICHLOROETHYLENE	LT	1.15 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	M-Area, SRS
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area, SRS
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area, SRS

WELL MSB 477A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/03/89 Time 830
 Depth to water = 151.94 ft (46.31 m) below the TOC
 Water elevation = 217.06 ft (66.16 m) msl
 pH = 5.3 Alkalinity = 1 mg/L
 Specific conductance = 23 umhos/cm
 Water temperature = 19.8 degrees Celsius
 Water evacuated from the well prior to sampling = 447 gal

LABORATORY ANALYSES

0	CHLOROFORM	LT	10 ug/L	M-Area, SRS
0	TETRACHLOROETHYLENE	LT	10.0 ug/L	M-Area, SRS
2	TRICHLOROETHYLENE	LT	700 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	10 ug/L	M-Area, SRS
0	1,1-DICHLOROETHYLENE	LT	10 ug/L	M-Area, SRS
0	1,1,1-TRICHLOROETHANE	LT	10 ug/L	M-Area, SRS

WELL MSB 48C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/29/89 Time 1335
 Depth to water = 138.34 ft (42.17 m) below the TOC
 Water elevation = 224.56 ft (68.45 m) msl
 pH = 6.8 Alkalinity = 26 mg/L
 Specific conductance = 79 umhos/cm
 Water temperature = 21.5 degrees Celsius
 Water evacuated from the well prior to sampling = 128 gal

LABORATORY ANALYSES

0	CHLOROFORM	LT	20 ug/L	M-Area, SRS
0	CHLOROFORM	LT	200 ug/L	M-Area, SRS
0	TETRACHLOROETHYLENE	LT	20.0 ug/L	M-Area, SRS
0	TETRACHLOROETHYLENE	LT	200 ug/L	M-Area, SRS
2	TRICHLOROETHYLENE	LT	209 ug/L	M-Area, SRS
2	TRICHLOROETHYLENE	LT	209 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	20 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	200 ug/L	M-Area, SRS
0	1,1-DICHLOROETHYLENE	LT	20 ug/L	M-Area, SRS
0	1,1-DICHLOROETHYLENE	LT	200 ug/L	M-Area, SRS
0	1,1,1-TRICHLOROETHANE	LT	20 ug/L	M-Area, SRS
0	1,1,1-TRICHLOROETHANE	LT	200 ug/L	M-Area, SRS

WELL MSB 48D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/29/89 Time 1325
 Depth to water = 131.55 ft (40.10 m) below the TOC
 Water elevation = 231.65 ft (70.61 m) msl
 The well pumped dry before sampling could be done.

WELL MSB 49A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/25/89 Time 1430
 Depth to water = 139.23 ft (42.44 m) below the TOC
 Water elevation = 196.17 ft (59.79 m) msl
 pH = 5.2 Alkalinity = 3 mg/L
 Specific conductance = 31 umhos/cm
 Water temperature = 21.2 degrees Celsius
 Water evacuated from the well prior to sampling = 322 gal

LABORATORY ANALYSES

0	CHLOROFORM	LT	1 ug/L	M-Area, SRS
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0	TRICHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	M-Area, SRS
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area, SRS
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area, SRS

WELL MSB 49B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/25/89 Time 1345
 Depth to water = 133.09 ft (40.57 m) below the TOC
 Water elevation = 201.71 ft (61.48 m) msl
 pH = 7.1 Alkalinity = 29 mg/L
 Specific conductance = 89 umhos/cm
 Water temperature = 20.8 degrees Celsius
 Water evacuated from the well prior to sampling = 251 gal

LABORATORY ANALYSES

0	CHLOROFORM	LT	2 ug/L	M-Area, SRS
0	TETRACHLOROETHYLENE	LT	2.00 ug/L	M-Area, SRS
2	TRICHLOROETHYLENE	LT	85.6 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	2 ug/L	M-Area, SRS
0	1,1-DICHLOROETHYLENE	LT	2 ug/L	M-Area, SRS
0	1,1,1-TRICHLOROETHANE	LT	2 ug/L	M-Area, SRS

WELL MSB 490

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/26/89 Time 705
 Depth to water = 108.94 ft (33.21 m) below the TOC
 Water elevation = 225.26 ft (68.66 m) msl
 pH = 5.7 Alkalinity = 9 mg/L
 Specific conductance = 38 umhos/cm
 Water temperature = 19.2 degrees Celsius
 Water evacuated from the well prior to sampling = 12 gal
 The well went dry during purging.

LABORATORY ANALYSES

0 CHLOROFORM	LT	1 ug/L	M-Area, SRS
0 TETRACHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0 TRICHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0 TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	M-Area, SRS
0 1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area, SRS
0 1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area, SRS

WELL MSB 508

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/17/89 Time 1435
 Depth to water = 22.14 ft (6.75 m) below the TOC
 Water elevation = 201.86 ft (61.53 m) msl
 pH = 5.3 Alkalinity = 3 mg/L
 Specific conductance = 29 umhos/cm
 Water temperature = 19.6 degrees Celsius
 Water evacuated from the well prior to sampling = 149 gal

LABORATORY ANALYSES

0 CHLOROFORM	LT	5 ug/L	M-Area, SRS
2 TETRACHLOROETHYLENE	LT	7.53 ug/L	M-Area, SRS
2 TRICHLOROETHYLENE	LT	11.2 ug/L	M-Area, SRS
0 TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	M-Area, SRS
0 1,1-DICHLOROETHYLENE	LT	5 ug/L	M-Area, SRS
0 1,1,1-TRICHLOROETHANE	LT	5 ug/L	M-Area, SRS

WELL MSB 500

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/17/89 Time 1420
 Depth to water = 21.36 ft (6.51 m) below the TOC
 Water elevation = 202.14 ft (61.61 m) msl
 pH = 4.8 Alkalinity = 1 mg/L
 Specific conductance = 69 umhos/cm
 Water temperature = 20.2 degrees Celsius
 Water evacuated from the well prior to sampling = 42 gal

LABORATORY ANALYSES

0 CHLOROFORM	LT	1 ug/L	M-Area, SRS
0 TETRACHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0 TRICHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0 TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	M-Area, SRS
0 1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area, SRS
0 1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area, SRS

WELL MSB 518

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/17/89 Time 1525
 Depth to water = 59.86 ft (18.25 m) below the TOC
 Water elevation = 203.64 ft (62.07 m) msl
 pH = 5.5 Alkalinity = 11 mg/L
 Specific conductance = 39 umhos/cm
 Water temperature = 19.4 degrees Celsius
 Water evacuated from the well prior to sampling = 142 gal

LABORATORY ANALYSES

0 CHLOROFORM	LT	1 ug/L	M-Area, SRS
0 TETRACHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0 TRICHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0 TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	M-Area, SRS
0 1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area, SRS
0 1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area, SRS

WELL MSB 510

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/18/89 Time 845
 Depth to water = 53.41 ft (16.28 m) below the TOC
 Water elevation = 209.09 ft (63.73 m) msl
 pH = 4.5 Alkalinity = 0 mg/L
 Specific conductance = 15 umhos/cm
 Water temperature = 19.7 degrees Celsius
 Water evacuated from the well prior to sampling = 8 gal
 The well went dry during purging.

LABORATORY ANALYSES

0 CHLOROFORM	LT	1 ug/L	M-Area, SRS
0 TETRACHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0 TRICHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0 TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	M-Area, SRS
0 1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area, SRS
0 1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area, SRS

WELL MSB 528

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/02/89 Time 745
 Depth to water = 104.13 ft (31.74 m) below the TOC
 Water elevation = 217.77 ft (66.38 m) msl
 pH = 9.5 Alkalinity = 29 mg/L
 Specific conductance = 80 umhos/cm
 Water temperature = 18.8 degrees Celsius
 Water evacuated from the well prior to sampling = 223 gal

LABORATORY ANALYSES

0 CHLOROFORM	LT	1 ug/L	M-Area, SRS
1 TETRACHLOROETHYLENE	LT	2.14 ug/L	M-Area, SRS
0 TRICHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0 TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	M-Area, SRS
0 1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area, SRS
0 1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area, SRS

WELL MSB 520

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/02/89 Time 1800
 Depth to water = 95.26 ft (29.04 m) below the TOC
 Water elevation = 226.54 ft (69.05 m) msl
 pH = 5.3 Alkalinity = 3 mg/L
 Specific conductance = 24 umhos/cm
 Water temperature = 22.2 degrees Celsius
 Water evacuated from the well prior to sampling = 1 gal
 The well went dry during purging.

LABORATORY ANALYSES

0 CHLOROFORM	LT	1 ug/L	M-Area, SRS
0 TETRACHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0 TRICHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0 TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	M-Area, SRS
0 1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area, SRS
0 1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area, SRS

WELL MSB 538

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/05/89 Time 1435
 Depth to water = 122.86 ft (37.45 m) below the TOC
 Water elevation = 221.74 ft (67.59 m) msl
 pH = 5.5 Alkalinity = 4 mg/L
 Specific conductance = 21 umhos/cm
 Water temperature = 19.3 degrees Celsius
 Water evacuated from the well prior to sampling = 193 gal

LABORATORY ANALYSES

0 CHLOROFORM	LT	1 ug/L	M-Area, SRS
0 TETRACHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0 TRICHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0 TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	M-Area, SRS
0 1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area, SRS
0 1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area, SRS

WELL MSB 53C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/05/89 Time 1430
 Depth to water = 122.75 ft (37.41 m) below the TOC
 Water elevation = 222.75 ft (67.90 m) msl
 pH = 5.2 Alkalinity = 2 mg/L
 Specific conductance = 25 umhos/cm
 Water temperature = 21.9 degrees Celsius
 Water evacuated from the well prior to sampling = 104 gal

LABORATORY ANALYSES

0 CHLOROFORM	LT	1 ug/L	M-Area, SRS
1 TETRACHLOROETHYLENE		1.40 ug/L	M-Area, SRS
1 TRICHLOROETHYLENE		2.21 ug/L	M-Area, SRS
0 TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	M-Area, SRS
0 1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area, SRS
0 1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area, SRS

WELL MSB 53D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/05/89 Time 1445
 Depth to water = 111.86 ft (34.10 m) below the TOC
 Water elevation = 233.24 ft (71.09 m) msl
 pH = 4.8 Alkalinity = 0 mg/L
 Specific conductance = 22 umhos/cm
 Water temperature = 20.6 degrees Celsius
 Water evacuated from the well prior to sampling = 23 gal

LABORATORY ANALYSES

0 CHLOROFORM	LT	1 ug/L	M-Area, SRS
0 TETRACHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
1 TRICHLOROETHYLENE		1.93 ug/L	M-Area, SRS
0 TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	M-Area, SRS
0 1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area, SRS
0 1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area, SRS

WELL MSB 54B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/29/89 Time 1145
 Depth to water = 151.44 ft (46.16 m) below the TOC
 Water elevation = 222.26 ft (67.75 m) msl
 pH = 5.7 Alkalinity = 8 mg/L
 Specific conductance = 32 umhos/cm
 Water temperature = 21.4 degrees Celsius
 Water evacuated from the well prior to sampling = 251 gal

LABORATORY ANALYSES

0 CHLOROFORM	LT	1 ug/L	M-Area, SRS
0 TETRACHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0 TRICHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0 TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	M-Area, SRS
0 1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area, SRS
0 1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area, SRS

WELL MSB 54C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/29/89 Time 1105
 Depth to water = 146.45 ft (44.64 m) below the TOC
 Water elevation = 227.25 ft (69.27 m) msl
 pH = 9.8 Alkalinity = 35 mg/L
 Specific conductance = 97 umhos/cm
 Water temperature = 20.4 degrees Celsius
 Water evacuated from the well prior to sampling = 386 gal

LABORATORY ANALYSES

0 CHLOROFORM	LT	1 ug/L	M-Area, SRS
0 TETRACHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0 TRICHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0 TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	M-Area, SRS
0 1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area, SRS
0 1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area, SRS

WELL MSB 54D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/29/89 Time 1155
 Depth to water = 137.66 ft (41.96 m) below the TOC
 Water elevation = 236.34 ft (72.04 m) msl
 pH = 4.5 Alkalinity = 0 mg/L
 Specific conductance = 24 umhos/cm
 Water temperature = 21.4 degrees Celsius
 Water evacuated from the well prior to sampling = 31 gal

LABORATORY ANALYSES

0 CHLOROFORM	LT	1 ug/L	M-Area, SRS
0 TETRACHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0 TRICHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0 TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	M-Area, SRS
0 1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area, SRS
0 1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area, SRS

WELL MSB 54TA

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/29/89 Time 1205
 Depth to water = 154.24 ft (47.01 m) below the TOC
 Water elevation = 219.56 ft (66.92 m) msl
 pH = 7.7 Alkalinity = 21 mg/L
 Specific conductance = 54 umhos/cm
 Water temperature = 21.0 degrees Celsius
 Water evacuated from the well prior to sampling = 439 gal

LABORATORY ANALYSES

0 CHLOROFORM	LT	1 ug/L	M-Area, SRS
0 CHLOROFORM	LT	1 ug/L	M-Area, SRS
0 TETRACHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0 TETRACHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0 TRICHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0 TRICHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0 TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	M-Area, SRS
0 TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	M-Area, SRS
0 1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area, SRS
0 1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area, SRS
0 1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area, SRS
0 1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area, SRS

WELL MSB 55C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/29/89 Time 925
 Depth to water = 139.75 ft (42.60 m) below the TOC
 Water elevation = 229.75 ft (70.03 m) msl
 pH = 5.4 Alkalinity = 5 mg/L
 Specific conductance = 34 umhos/cm
 Water temperature = 19.5 degrees Celsius
 Water evacuated from the well prior to sampling = 120 gal

LABORATORY ANALYSES

0 CHLOROFORM	LT	1 ug/L	M-Area, SRS
0 TETRACHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0 TRICHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0 TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	M-Area, SRS
0 1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area, SRS
0 1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area, SRS

WELL MSB 55D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/29/89 Time 910
 pH = 5.0 Alkalinity = 2 mg/L
 Specific conductance = 30 umhos/cm
 Water temperature = 20.0 degrees Celsius
 Water evacuated from the well prior to sampling = 25 gal

LABORATORY ANALYSES

0 CHLOROFORM	LT	1 ug/L	M-Area, SRS
0 TETRACHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0 TRICHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0 TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	M-Area, SRS
0 1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area, SRS
0 1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area, SRS

WELL MSB 560

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/29/89 Time 845
 Depth to water = 59.48 ft (18.13 m) below the TOC
 Water elevation = 220.32 ft (67.15 m) msl
 pH = 4.5 Alkalinity = 0 mg/L
 Specific conductance = 16 umhos/cm
 Water temperature = 19.5 degrees Celsius
 Water evacuated from the well prior to sampling = 22 gal

LABORATORY ANALYSES

0 CHLOROFORM	LT	1 ug/L	M-Area, SRS
0 TETRACHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0 TRICHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0 TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	M-Area, SRS
0 1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area, SRS
0 1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area, SRS

WELL MSB 61C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/05/89 Time 1330
 Depth to water = 95.47 ft (29.10 m) below the TOC
 Water elevation = 222.13 ft (67.71 m) msl
 pH = 5.0 Alkalinity = 1 mg/L
 Specific conductance = 28 umhos/cm
 Water temperature = 21.5 degrees Celsius
 Water evacuated from the well prior to sampling = 142 gal

LABORATORY ANALYSES

0 CHLOROFORM	LT	1 ug/L	M-Area, SRS
0 TETRACHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0 TRICHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0 TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	M-Area, SRS
0 1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area, SRS
0 1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area, SRS

WELL MSB 61D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/05/89 Time 1600
 Depth to water = 94.06 ft (28.67 m) below the TOC
 Water elevation = 224.04 ft (68.29 m) msl
 pH = 4.9 Alkalinity = 0 mg/L
 Specific conductance = 22 umhos/cm
 Water temperature = 20.2 degrees Celsius
 Water evacuated from the well prior to sampling = 6 gal
 The well went dry during purging.

LABORATORY ANALYSES

0 CHLOROFORM	LT	1 ug/L	M-Area, SRS
0 TETRACHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0 TRICHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0 TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	M-Area, SRS
0 1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area, SRS
0 1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area, SRS

WELL MSB 65D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/29/89 Time 810
 Depth to water = 113.16 ft (34.49 m) below the TOC
 Water elevation = 236.34 ft (72.04 m) msl
 pH = 4.7 Alkalinity = 0 mg/L
 Specific conductance = 27 umhos/cm
 Water temperature = 21.0 degrees Celsius
 Water evacuated from the well prior to sampling = 31 gal

LABORATORY ANALYSES

0 CHLOROFORM	LT	1 ug/L	M-Area, SRS
0 TETRACHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0 TRICHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0 TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	M-Area, SRS
0 1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area, SRS
0 1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area, SRS

WELL MSB 66B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/05/89 Time 935
 Depth to water = 162.74 ft (49.60 m) below the TOC
 Water elevation = 220.76 ft (67.29 m) msl
 pH = 10.6 Alkalinity = 59 mg/L
 Specific conductance = 151 umhos/cm
 Water temperature = 21.0 degrees Celsius
 Water evacuated from the well prior to sampling = 373 gal

LABORATORY ANALYSES

0 CHLOROFORM	LT	5 ug/L	M-Area, SRS
2 TETRACHLOROETHYLENE	LT	14.9 ug/L	M-Area, SRS
2 TRICHLOROETHYLENE	LT	20.3 ug/L	M-Area, SRS
0 TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	M-Area, SRS
0 1,1-DICHLOROETHYLENE	LT	5 ug/L	M-Area, SRS
0 1,1,1-TRICHLOROETHANE	LT	5 ug/L	M-Area, SRS

WELL MSB 66C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/05/89 Time 1030
 Depth to water = 152.55 ft (46.50 m) below the TOC
 Water elevation = 230.95 ft (70.39 m) msl
 pH = 5.9 Alkalinity = 6 mg/L
 Specific conductance = 40 umhos/cm
 Water temperature = 21.2 degrees Celsius
 Water evacuated from the well prior to sampling = 254 gal

LABORATORY ANALYSES

0 CHLOROFORM	LT	1 ug/L	M-Area, SRS
2 TETRACHLOROETHYLENE	LT	17.5 ug/L	M-Area, SRS
2 TRICHLOROETHYLENE	LT	70.2 ug/L	M-Area, SRS
0 TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	M-Area, SRS
0 1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area, SRS
0 1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area, SRS

WELL MSB 66D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/05/89 Time 825
 Depth to water = 149.75 ft (45.64 m) below the TOC
 Water elevation = 233.55 ft (71.19 m) msl
 Inaccessibility or pump failure prevented sample collection.

WELL MSB 66TA

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/05/89 Time 1005
 Depth to water = 175.24 ft (53.41 m) below the TOC
 Water elevation = 207.56 ft (63.27 m) msl
 pH = 5.9 Alkalinity = 7 mg/L
 Specific conductance = 33 umhos/cm
 Water temperature = 21.0 degrees Celsius
 Water evacuated from the well prior to sampling = 460 gal

LABORATORY ANALYSES

0 CHLOROFORM	LT	1 ug/L	M-Area, SRS
0 TETRACHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
1 TRICHLOROETHYLENE	LT	1.21 ug/L	M-Area, SRS
0 TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	M-Area, SRS
0 1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area, SRS
0 1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area, SRS

WELL MSB 67B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/05/89 Time 1200
 Depth to water = 146.94 ft (44.79 m) below the TOC
 Water elevation = 218.16 ft (66.50 m) msl
 pH = 7.1 Alkalinity = 20 mg/L
 Specific conductance = 62 umhos/cm
 Water temperature = 20.6 degrees Celsius
 Water evacuated from the well prior to sampling = 412 gal

LABORATORY ANALYSES

0 BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
0 TRICHLOROFUOROMETHANE	LT	5 ug/L	metaTRACE
0 CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0 CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0 BROMOFORM	LT	5 ug/L	metaTRACE
0 CHLOROFORM	LT	1 ug/L	Gen. Eng.
0 CHLOROFORM	LT	5 ug/L	metaTRACE
0 CHLOROFORM	LT	1 ug/L	M-Area, SRS
1 METHYLENE CHLORIDE	JB	3 ug/L	metaTRACE
0 BROMOMETHANE	LT	10 ug/L	metaTRACE
0 CHLOROMETHANE	LT	10 ug/L	metaTRACE

CONTINUED

WELL MSB 67B COLLECTED ON 08/05/89 LABORATORY ANALYSES CONTINUED

0	CHLOROBENZENE	LT	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0	CHLOROETHANE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0	ETHYLBENZENE	LT	5 ug/L	metaTRACE
0	TOLUENE	LT	5 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
1	TETRACHLOROETHYLENE		2.00 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
2	TRICHLOROETHYLENE		19.0 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE		27.0 ug/L	metaTRACE
2	TRICHLOROETHYLENE		28.1 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	10 ug/L	M-Area, SRS
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area, SRS
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area, SRS
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE

WELL MSB 67B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/05/89 Time 1200
Depth to water = 146.94 ft (44.79 m) below the TOC
Water elevation = 218.16 ft (66.50 m) msl
pH = 7.1 Alkalinity = 20 mg/L
Specific conductance = 62 umhos/cm
Water temperature = 20.6 degrees Celsius
Water evacuated from the well prior to sampling = 412 gal

LABORATORY ANALYSES

0	CHLOROFORM	LT	1 ug/L	M-Area, SRS
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
2	TRICHLOROETHYLENE		23.9 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	M-Area, SRS
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area, SRS
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area, SRS

WELL MSB 67C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/05/89 Time 1230
Depth to water = 135.95 ft (41.44 m) below the TOC
Water elevation = 228.85 ft (69.75 m) msl
pH = 6.6 Alkalinity = 27 mg/L
Specific conductance = 81 umhos/cm
Water temperature = 21.7 degrees Celsius
Water evacuated from the well prior to sampling = 182 gal

LABORATORY ANALYSES

0	CHLOROFORM	LT	1 ug/L	M-Area, SRS
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
2	TRICHLOROETHYLENE		151 ug/L	M-Area, SRS
1	TRANS-1,2-DICHLOROETHENE		16 ug/L	M-Area, SRS
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area, SRS
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area, SRS

WELL MSB 67D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/05/89 Time 1150
Depth to water = 131.15 ft (39.98 m) below the TOC
Water elevation = 233.85 ft (71.28 m) msl
pH = 6.3 Alkalinity = 39 mg/L
Specific conductance = 139 umhos/cm
Water temperature = 22.7 degrees Celsius
Water evacuated from the well prior to sampling = 33 gal

LABORATORY ANALYSES

0	CHLOROFORM	LT	20 ug/L	M-Area, SRS
0	TETRACHLOROETHYLENE	LT	20.0 ug/L	M-Area, SRS
2	TRICHLOROETHYLENE		2190 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	200 ug/L	M-Area, SRS
0	1,1-DICHLOROETHYLENE	LT	20 ug/L	M-Area, SRS
0	1,1,1-TRICHLOROETHANE	LT	20 ug/L	M-Area, SRS

WELL MSB 68B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/05/89 Time 1115
Depth to water = 137.34 ft (41.86 m) below the TOC
Water elevation = 219.56 ft (66.92 m) msl
pH = 5.3 Alkalinity = 2 mg/L
Specific conductance = 23 umhos/cm
Water temperature = 21.3 degrees Celsius
Water evacuated from the well prior to sampling = 239 gal

LABORATORY ANALYSES

0	CHLOROFORM	LT	1 ug/L	M-Area, SRS
2	TETRACHLOROETHYLENE		30.1 ug/L	M-Area, SRS
2	TRICHLOROETHYLENE		109 ug/L	M-Area, SRS
1	TRANS-1,2-DICHLOROETHENE		7 ug/L	M-Area, SRS
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area, SRS
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area, SRS

WELL MSB 68C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/05/89 Time 1100
Depth to water = 129.15 ft (39.37 m) below the TOC
Water elevation = 227.55 ft (69.36 m) msl
pH = 5.2 Alkalinity = 1 mg/L
Specific conductance = 28 umhos/cm
Water temperature = 21.7 degrees Celsius
Water evacuated from the well prior to sampling = 173 gal

LABORATORY ANALYSES

0	CHLOROFORM	LT	10 ug/L	M-Area, SRS
0	TETRACHLOROETHYLENE	LT	10.0 ug/L	M-Area, SRS
2	TRICHLOROETHYLENE		694 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	10 ug/L	M-Area, SRS
0	1,1-DICHLOROETHYLENE	LT	10 ug/L	M-Area, SRS
0	1,1,1-TRICHLOROETHANE	LT	10 ug/L	M-Area, SRS

WELL MSB 68D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/05/89 Time 1045
Depth to water = 122.76 ft (37.42 m) below the TOC
Water elevation = 234.24 ft (71.40 m) msl
pH = 5.3 Alkalinity = 6 mg/L
Specific conductance = 50 umhos/cm
Water temperature = 21.6 degrees Celsius
Water evacuated from the well prior to sampling = 37 gal

LABORATORY ANALYSES

0	CHLOROFORM	LT	100 ug/L	M-Area, SRS
0	CHLOROFORM	LT	100 ug/L	M-Area, SRS
0	TETRACHLOROETHYLENE	LT	100 ug/L	M-Area, SRS
0	TETRACHLOROETHYLENE	LT	100 ug/L	M-Area, SRS
2	TRICHLOROETHYLENE		7950 ug/L	M-Area, SRS
2	TRICHLOROETHYLENE		8000 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	100 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	100 ug/L	M-Area, SRS
0	1,1-DICHLOROETHYLENE	LT	100 ug/L	M-Area, SRS
0	1,1-DICHLOROETHYLENE	LT	100 ug/L	M-Area, SRS
0	1,1,1-TRICHLOROETHANE	LT	100 ug/L	M-Area, SRS
0	1,1,1-TRICHLOROETHANE	LT	100 ug/L	M-Area, SRS

WELL MSB 69B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/29/89 Time 1430
Depth to water = 160.64 ft (48.96 m) below the TOC
Water elevation = 221.06 ft (67.38 m) msl
pH = 6.1 Alkalinity = 12 mg/L
Specific conductance = 40 umhos/cm
Water temperature = 21.0 degrees Celsius
Water evacuated from the well prior to sampling = 212 gal

LABORATORY ANALYSES

0	CHLOROFORM	LT	1 ug/L	M-Area, SRS
0	CHLOROFORM	LT	1 ug/L	M-Area, SRS
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0	TRICHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0	TRICHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	M-Area, SRS
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area, SRS
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area, SRS
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area, SRS
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area, SRS

WELL MSB 69C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/30/89 Time 730
 Depth to water = 152.95 ft (46.62 m) below the TOC
 Water elevation = 228.85 ft (69.75 m) msl
 pH = 9.2 Alkalinity = 37 mg/L
 Specific conductance = 107 umhos/cm
 Water temperature = 19.6 degrees Celsius
 Water evacuated from the well prior to sampling = 34 gal
 The well went dry during purging.

LABORATORY ANALYSES

0 CHLOROFORM	LT	50 ug/L	M-Area, SRS
0 TETRACHLOROETHYLENE	LT	50.0 ug/L	M-Area, SRS
2 TRICHLOROETHYLENE		233 ug/L	M-Area, SRS
0 TRANS-1,2-DICHLOROETHENE	LT	50 ug/L	M-Area, SRS
0 1,1-DICHLOROETHYLENE	LT	50 ug/L	M-Area, SRS
0 1,1,1-TRICHLOROETHANE	LT	50 ug/L	M-Area, SRS

WELL MSB 69D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/29/89 Time 1405
 Depth to water = 147.85 ft (45.07 m) below the TOC
 Water elevation = 234.35 ft (71.43 m) msl
 pH = 4.9 Alkalinity = 1 mg/L
 Specific conductance = 26 umhos/cm
 Water temperature = 20.6 degrees Celsius
 Water evacuated from the well prior to sampling = 42 gal

LABORATORY ANALYSES

0 CHLOROFORM	LT	1 ug/L	M-Area, SRS
0 CHLOROFORM	LT	1 ug/L	M-Area, SRS
0 TETRACHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0 TETRACHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0 TRICHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0 TRICHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0 TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	M-Area, SRS
0 TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	M-Area, SRS
0 1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area, SRS
0 1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area, SRS
0 1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area, SRS
0 1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area, SRS

WELL MSB 69TA

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/29/89 Time 1355
 Inaccessibility or pump failure prevented sample collection.

WELL MSB 69TA

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/05/89 Time 1630
 Depth to water = 167.57 ft (51.08 m) below the TOC
 Water elevation = 213.93 ft (65.21 m) msl
 pH = 8.3 Alkalinity = 23 mg/L
 Specific conductance = 66 umhos/cm
 Water temperature = 20.2 degrees Celsius
 Water evacuated from the well prior to sampling = 570 gal

LABORATORY ANALYSES

0 CHLOROFORM	LT	1 ug/L	M-Area, SRS
0 TETRACHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0 TRICHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0 TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	M-Area, SRS
0 1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area, SRS
0 1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area, SRS

WELL MSB 70C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/06/89 Time 1525
 Depth to water = 144.05 ft (43.91 m) below the TOC
 Water elevation = 218.15 ft (66.49 m) msl
 pH = 5.4 Alkalinity = 16 mg/L
 Specific conductance = 168 umhos/cm
 Water temperature = 21.6 degrees Celsius
 Water evacuated from the well prior to sampling = 115 gal

LABORATORY ANALYSES

0 CHLOROFORM	LT	5 ug/L	M-Area, SRS
2 TETRACHLOROETHYLENE		418 ug/L	M-Area, SRS
2 TRICHLOROETHYLENE		34.3 ug/L	M-Area, SRS
0 TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	M-Area, SRS
0 1,1-DICHLOROETHYLENE	LT	5 ug/L	M-Area, SRS
1 1,1,1-TRICHLOROETHANE		15 ug/L	M-Area, SRS

WELL MSB 71B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/16/89 Time 1500
 Depth to water = 127.46 ft (38.85 m) below the TOC
 Water elevation = 217.64 ft (66.34 m) msl
 pH = 9.7 Alkalinity = 94 mg/L
 Specific conductance = 276 umhos/cm
 Water temperature = 21.0 degrees Celsius
 Water evacuated from the well prior to sampling = 50 gal
 The well went dry during purging.

LABORATORY ANALYSES

0 CHLOROFORM	LT	1 ug/L	M-Area, SRS
0 TETRACHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0 TRICHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0 TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	M-Area, SRS
0 1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area, SRS
0 1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area, SRS

WELL MSB 72B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/01/89 Time 740
 Depth to water = 130.37 ft (39.74 m) below the TOC
 Water elevation = 197.83 ft (60.30 m) msl
 pH = 5.6 Alkalinity = 5 mg/L
 Specific conductance = 25 umhos/cm
 Water temperature = 19.3 degrees Celsius
 Water evacuated from the well prior to sampling = 152 gal

LABORATORY ANALYSES

0 CHLOROFORM	LT	1 ug/L	M-Area, SRS
0 TETRACHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0 TRICHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0 TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	M-Area, SRS
0 1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area, SRS
0 1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area, SRS

WELL MSB 73B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/06/89 Time 1620
 Depth to water = 138.95 ft (42.35 m) below the TOC
 Water elevation = 201.45 ft (61.40 m) msl
 pH = 4.1 Alkalinity = 0 mg/L
 Specific conductance = 36 umhos/cm
 Water temperature = 21.3 degrees Celsius
 Water evacuated from the well prior to sampling = 183 gal

LABORATORY ANALYSES

0 CHLOROFORM	LT	1 ug/L	M-Area, SRS
0 TETRACHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
2 TRICHLOROETHYLENE		4.06 ug/L	M-Area, SRS
0 TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	M-Area, SRS
0 1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area, SRS
0 1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area, SRS

WELL MSB 82C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/29/89 Time 1455
 Depth to water = 144.45 ft (44.03 m) below the TOC
 Water elevation = 229.55 ft (69.97 m) msl
 pH = 6.5 Alkalinity = 14 mg/L
 Specific conductance = 61 umhos/cm
 Water temperature = 20.7 degrees Celsius
 Water evacuated from the well prior to sampling = 148 gal

LABORATORY ANALYSES

0 CHLOROFORM	LT	1 ug/L	M-Area, SRS
0 CHLOROFORM	LT	1 ug/L	M-Area, SRS
0 TETRACHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0 TETRACHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0 TRICHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0 TRICHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0 TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	M-Area, SRS
0 TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	M-Area, SRS
0 1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area, SRS
0 1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area, SRS
0 1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area, SRS
0 1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area, SRS

WELL MSB 83C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/29/89 Time 1245
 Depth to water = 143.45 ft (43.72 m) below the TOC
 Water elevation = 228.65 ft (69.69 m) msl
 pH = 9.8 Alkalinity = 34 mg/L
 Specific conductance = 93 umhos/cm
 Water temperature = 20.5 degrees Celsius
 Water evacuated from the well prior to sampling = 241 gal

LABORATORY ANALYSES

0	CHLOROFORM	LT	1 ug/L	M-Area.SRS
0	CHLOROFORM	LT	1 ug/L	M-Area.SRS
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	M-Area.SRS
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	M-Area.SRS
0	TRICHLOROETHYLENE	LT	1.00 ug/L	M-Area.SRS
0	TRICHLOROETHYLENE	LT	1.00 ug/L	M-Area.SRS
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	M-Area.SRS
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	M-Area.SRS
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area.SRS
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area.SRS
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area.SRS
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area.SRS

WELL MSB 84C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/29/89 Time 1000
 Depth to water = 132.24 ft (40.31 m) below the TOC
 Water elevation = 229.76 ft (70.03 m) msl
 pH = 6.6 Alkalinity = 17 mg/L
 Specific conductance = 55 umhos/cm
 Water temperature = 19.4 degrees Celsius
 Water evacuated from the well prior to sampling = 208 gal

LABORATORY ANALYSES

0	CHLOROFORM	LT	1 ug/L	M-Area.SRS
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	M-Area.SRS
0	TRICHLOROETHYLENE	LT	1.00 ug/L	M-Area.SRS
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	M-Area.SRS
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area.SRS
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area.SRS

WELL MSB 85C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/30/89 Time 715
 Depth to water = 156.04 ft (47.56 m) below the TOC
 Water elevation = 225.36 ft (68.69 m) msl
 pH = 6.1 Alkalinity = 17 mg/L
 Specific conductance = 80 umhos/cm
 Water temperature = 20.2 degrees Celsius
 Water evacuated from the well prior to sampling = 30 gal
 The well went dry during purging.

LABORATORY ANALYSES

0	CHLOROFORM	LT	1 ug/L	M-Area.SRS
0	CHLOROFORM	LT	1 ug/L	M-Area.SRS
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	M-Area.SRS
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	M-Area.SRS
2	TRICHLOROETHYLENE	LT	13.3 ug/L	M-Area.SRS
2	TRICHLOROETHYLENE	LT	13.3 ug/L	M-Area.SRS
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	M-Area.SRS
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	M-Area.SRS
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area.SRS
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area.SRS
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area.SRS
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area.SRS

WELL MBG 1

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/27/89 Time 1100
 Depth to water = 87.99 ft (26.82 m) below the TOC
 Water elevation = 223.51 ft (68.13 m) msl
 pH = 5.2 Alkalinity = 4 mg/L
 Specific conductance = 99 umhos/cm
 Water temperature = 22.5 degrees Celsius
 Water evacuated from the well prior to sampling = 11 gal
 The well went dry during purging.

LABORATORY ANALYSES

0	BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0	BROMOFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	5 ug/L	metaTRACE
1	METHYLENE CHLORIDE	J	1 ug/L	metaTRACE
0	BROMOMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROBENZENE	LT	5 ug/L	metaTRACE
0	CHLOROBENZENE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE

CONTINUED

WELL MBG 1 COLLECTED ON 08/27/89 LABORATORY ANALYSES CONTINUED

0	ETHYLBENZENE	LT	5 ug/L	metaTRACE
0	TOLUENE	LT	5 ug/L	metaTRACE
0	MANGANESE		15 ug/L	metaTRACE
2	NITRATE AS NITROGEN		11000 ug/L	metaTRACE
2	LEAD		26 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
1	TETRACHLOROETHYLENE	J	4.00 ug/L	metaTRACE
2	TOTAL ORGANIC HALOGENS		69 ug/L	metaTRACE
2	TRICHLOROETHYLENE		50.0 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
1	TOTAL ACTIVITY		375+-5.83 pCi/mL	HP, 735A
2	TRITIUM		340+- 40 pCi/mL	metaTRACE
2	TRITIUM		362+-4.06 pCi/mL	HP, 735A

WELL MBG 2

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/27/89 Time 1030
 Depth to water = 88.76 ft (27.05 m) below the TOC
 Water elevation = 223.94 ft (68.26 m) msl
 pH = 5.1 Alkalinity = 1 mg/L
 Specific conductance = 701 umhos/cm
 Water temperature = 22.5 degrees Celsius
 Water evacuated from the well prior to sampling = 15 gal
 The well went dry during purging.

LABORATORY ANALYSES

0	BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	10.0 ug/L	metaTRACE
0	BROMOFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	5 ug/L	metaTRACE
0	METHYLENE CHLORIDE	LT	5 ug/L	metaTRACE
0	BROMOMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROBENZENE	LT	5 ug/L	metaTRACE
0	CHLOROBENZENE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0	ETHYLBENZENE	LT	5 ug/L	metaTRACE
0	TOLUENE	LT	5 ug/L	metaTRACE
2	MANGANESE		59 ug/L	metaTRACE
2	NITRATE AS NITROGEN		94000 ug/L	metaTRACE
1	LEAD		25 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
1	TETRACHLOROETHYLENE	J	3.00 ug/L	metaTRACE
2	TOTAL ORGANIC HALOGENS		50 ug/L	metaTRACE
2	TOTAL ORGANIC HALOGENS		52 ug/L	metaTRACE
2	TRICHLOROETHYLENE		88.0 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
1	TOTAL ACTIVITY		2070+-43.8 pCi/mL	HP, 735A
2	TRITIUM		1800+- 200 pCi/mL	metaTRACE
2	TRITIUM		1800+- 200 pCi/mL	metaTRACE
2	TRITIUM		1960+-30.2 pCi/mL	HP, 735A

WELL MBG 3

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/27/89 Time 1155
 Depth to water = 96.93 ft (29.54 m) below the TOC
 Water elevation = 215.47 ft (65.68 m) msl
 pH = 6.4 Alkalinity = 31 mg/L
 Specific conductance = 111 umhos/cm
 Water temperature = 22.9 degrees Celsius
 Water evacuated from the well prior to sampling = 7 gal
 The well went dry during purging.

LABORATORY ANALYSES

0	BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0	BROMOFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	5 ug/L	metaTRACE
0	METHYLENE CHLORIDE	LT	5 ug/L	metaTRACE
0	BROMOMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROBENZENE	LT	5 ug/L	metaTRACE
0	CHLOROBENZENE (MAYYL CHLORIDE)	LT	5 ug/L	metaTRACE
0	CHLOROBENZENE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0	ETHYLBENZENE	LT	5 ug/L	metaTRACE
0	TOLUENE	LT	5 ug/L	metaTRACE

CONTINUED

WELL NRG 3 COLLECTED ON 08/27/89 LABORATORY ANALYSES CONTINUED

0	MANGANESE	LT	2 ug/L	metaTRACE
0	NITRATE AS NITROGEN		1800 ug/L	metaTRACE
0	LEAD		6 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
1	TETRACHLOROETHYLENE	J	2.00 ug/L	metaTRACE
1	TOTAL ORGANIC HALOGENS		14 ug/L	metaTRACE
2	TRICHLOROETHYLENE		16.0 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
1	TRITIUM		12.00+-2.00 pCi/mL	metaTRACE

WELL NRG 4

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/27/89 Time 1140
Depth to water = 91.45 ft (27.87 m) below the TOC
Water elevation = 215.05 ft (65.55 m) msl
pH = 5.4 Alkalinity = 4 mg/L
Specific conductance = 28 umhos/cm
Water temperature = 21.7 degrees Celsius
Water evacuated from the well prior to sampling = 8 gal
The well went dry during purging.

LABORATORY ANALYSES

0	BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0	BROMOFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	5 ug/L	metaTRACE
0	METHYLENE CHLORIDE	LT	5 ug/L	metaTRACE
0	BROMOMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROBENZENE	LT	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0	CHLOROETHANE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0	ETHYLBENZENE	LT	5 ug/L	metaTRACE
0	TOLUENE	LT	5 ug/L	metaTRACE
0	MANGANESE		4 ug/L	metaTRACE
0	NITRATE AS NITROGEN		1400 ug/L	metaTRACE
0	LEAD		10 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	metaTRACE
2	TRICHLOROETHYLENE	J	5.00 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0	TRITIUM		6.80+-0.70 pCi/mL	metaTRACE

WELL NRG 5

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/27/89 Time 1120
Depth to water = 87.86 ft (26.78 m) below the TOC
Water elevation = 215.84 ft (65.73 m) msl
pH = 5.6 Alkalinity = 6 mg/L
Specific conductance = 41 umhos/cm
Water temperature = 22.5 degrees Celsius
Water evacuated from the well prior to sampling = 14 gal
The well went dry during purging.

LABORATORY ANALYSES

0	BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
1	TRICHLOROFLUOROMETHANE		5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0	BROMOFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	5 ug/L	metaTRACE
0	METHYLENE CHLORIDE	LT	5 ug/L	metaTRACE
0	BROMOMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROBENZENE	LT	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0	CHLOROETHANE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0	ETHYLBENZENE	LT	5 ug/L	metaTRACE
0	TOLUENE	LT	5 ug/L	metaTRACE
0	MANGANESE		3 ug/L	metaTRACE
0	NITRATE AS NITROGEN		1100 ug/L	metaTRACE
0	LEAD		13 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE

CONTINUED

WELL NRG 5 COLLECTED ON 08/27/89 LABORATORY ANALYSES CONTINUED

1	TOTAL ORGANIC HALOGENS		13 ug/L	metaTRACE
0	TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0	TRITIUM		9.70+-1.00 pCi/mL	metaTRACE

WELL PAC 1

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/02/89 Time 1700
Depth to water = 12.08 ft (3.68 m) below the TOC
Water elevation = 283.82 ft (86.51 m) msl
pH = 5.2 Alkalinity = 3 mg/L
Specific conductance = 39 umhos/cm
Water temperature = 19.4 degrees Celsius
Water evacuated from the well prior to sampling = 78 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE		36.00 UMH/C	Gen. Eng.
0	SPECIFIC CONDUCTANCE		36.00 UMH/C	Gen. Eng.
0	PH		5.40 pH	Gen. Eng.
0	PH		5.42 pH	Gen. Eng.
0	TURBIDITY		9 NTU	Gen. Eng.
0	TURBIDITY		8 NTU	Gen. Eng.
0	SILVER	LT	2 ug/L	Gen. Eng.
0	SILVER	LT	2 ug/L	Gen. Eng.
0	ARSENIC	LT	2 ug/L	Gen. Eng.
0	ARSENIC	LT	2 ug/L	Gen. Eng.
0	BARIUM		24 ug/L	Gen. Eng.
0	BARIUM		26 ug/L	Gen. Eng.
0	CALCIUM		681 ug/L	Gen. Eng.
0	CALCIUM		695 ug/L	Gen. Eng.
0	CADMIUM	LT	2 ug/L	Gen. Eng.
0	CADMIUM	LT	2 ug/L	Gen. Eng.
0	CHLORIDE		3800 ug/L	Gen. Eng.
0	CHLORIDE		3700 ug/L	Gen. Eng.
0	CHROMIUM	LT	4 ug/L	Gen. Eng.
0	CHROMIUM	LT	4 ug/L	Gen. Eng.
0	ENDRIN	LT	0.10 ug/L	Gen. Eng.
0	ENDRIN	LT	0.10 ug/L	Gen. Eng.
0	FLUORIDE	LT	100 ug/L	Gen. Eng.
0	FLUORIDE	LT	100 ug/L	Gen. Eng.
0	IRON		76 ug/L	Gen. Eng.
0	IRON		75 ug/L	Gen. Eng.
0	MERCURY	LT	0.20 ug/L	Gen. Eng.
0	MERCURY	LT	0.20 ug/L	Gen. Eng.
0	POTASSIUM		500 ug/L	Gen. Eng.
0	POTASSIUM		516 ug/L	Gen. Eng.
0	LINDANE	LT	0.05 ug/L	Gen. Eng.
0	LINDANE	LT	0.05 ug/L	Gen. Eng.
0	METHOXYCHLOR	LT	0.50 ug/L	Gen. Eng.
0	METHOXYCHLOR	LT	0.50 ug/L	Gen. Eng.
0	MAGNESIUM		322 ug/L	Gen. Eng.
0	MAGNESIUM		350 ug/L	Gen. Eng.
0	MANGANESE		5 ug/L	Gen. Eng.
0	MANGANESE		4 ug/L	Gen. Eng.
0	SODIUM		4880 ug/L	Gen. Eng.
1	SODIUM		5170 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN		840 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN		820 ug/L	Gen. Eng.
0	LEAD		13 ug/L	Gen. Eng.
0	LEAD		11 ug/L	Gen. Eng.
0	PHENOLS	LT	5 ug/L	Gen. Eng.
0	PHENOLS	LT	5 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	Gen. Eng.
1	SILICA		5040 ug/L	Gen. Eng.
1	SILICA		5550 ug/L	Gen. Eng.
0	SULFATE	LT	5000 ug/L	Gen. Eng.
0	SULFATE	LT	5000 ug/L	Gen. Eng.
0	TOTAL DISSOLVED SOLIDS		21000 ug/L	Gen. Eng.
0	TOTAL DISSOLVED SOLIDS		26000 ug/L	Gen. Eng.
0	TOTAL ORGANIC CARBON		2000 ug/L	Gen. Eng.
0	TOTAL ORGANIC CARBON		2000 ug/L	Gen. Eng.
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	Gen. Eng.
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	Gen. Eng.
0	TOTAL PHOSPHATES		60 ug/L	Gen. Eng.
0	TOTAL PHOSPHATES		60 ug/L	Gen. Eng.
0	TOXAPHENE	LT	1 ug/L	Gen. Eng.
0	TOXAPHENE	LT	1 ug/L	Gen. Eng.
0	2,4-DICHLOROPHENOXYACETIC ACID	LT	0.30 ug/L	Gen. Eng.
0	2,4-DICHLOROPHENOXYACETIC ACID	LT	0.30 ug/L	Gen. Eng.
0	2,4,5-TRICHLOROPHENOXYACETIC ACID	LT	0.09 ug/L	Gen. Eng.
0	2,4,5-TRICHLOROPHENOXYACETIC ACID	LT	0.09 ug/L	Gen. Eng.
0	GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
0	GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
0	NONVOLATILE BETA	LT	2 pCi/L	Gen. Eng.
0	NONVOLATILE BETA	LT	2 pCi/L	Gen. Eng.
0	TOTAL RADIUM	LT	1 pCi/L	Gen. Eng.
0	TOTAL RADIUM	LT	1 pCi/L	Gen. Eng.
1	TRITIUM		13.50+-0.50 pCi/mL	Gen. Eng.
1	TRITIUM		13.30+-0.50 pCi/mL	Gen. Eng.

WELL PAC 2

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/02/89 Time 1515
 Depth to water = 16.16 ft (4.93 m) below the TOC
 Water elevation = 268.64 ft (81.86 m) msl
 pH = 6.0 Alkalinity = 15 mg/L
 Specific conductance = 71 umhos/cm
 Water temperature = 21.2 degrees Celsius
 Water evacuated from the well prior to sampling = 56 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE	65.00 UMH/C	Gen. Eng.
0	PH	6.08 pH	Gen. Eng.
0	TURBIDITY	38 NTU	Gen. Eng.
0	SILVER	2 ug/L	Gen. Eng.
0	ARSENIC	2 ug/L	Gen. Eng.
0	BARIUM	41 ug/L	Gen. Eng.
0	CALCIUM	3720 ug/L	Gen. Eng.
0	CADMIUM	2 ug/L	Gen. Eng.
0	CHLORIDE	4800 ug/L	Gen. Eng.
0	CHROMIUM	4 ug/L	Gen. Eng.
0	ENDRIN	0.10 ug/L	Gen. Eng.
0	FLUORIDE	100 ug/L	Gen. Eng.
2	IRON	3100 ug/L	Gen. Eng.
0	MERCURY	0.20 ug/L	Gen. Eng.
0	POTASSIUM	500 ug/L	Gen. Eng.
0	LINDANE	0.05 ug/L	Gen. Eng.
0	METHOXYCHLOR	0.50 ug/L	Gen. Eng.
0	MAGNESIUM	861 ug/L	Gen. Eng.
2	MANGANESE	92 ug/L	Gen. Eng.
0	SODIUM	4920 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN	50 ug/L	Gen. Eng.
0	LEAD	6 ug/L	Gen. Eng.
0	PHENOLS	5 ug/L	Gen. Eng.
0	SELENIUM	2 ug/L	Gen. Eng.
1	SILICA	8600 ug/L	Gen. Eng.
0	SULFATE	8500 ug/L	Gen. Eng.
0	TOTAL DISSOLVED SOLIDS	31000 ug/L	Gen. Eng.
0	TOTAL ORGANIC CARBON	4000 ug/L	Gen. Eng.
0	TOTAL ORGANIC HALOGENS	5 ug/L	Gen. Eng.
1	TOTAL PHOSPHORUS	50 ug/L	Gen. Eng.
0	TOXAPHENE	1 ug/L	Gen. Eng.
0	2,4-DICHLOROPHENOXYACETIC ACID	0.30 ug/L	Gen. Eng.
0	2,4,5-TRICHLOROPHENOXYACETIC ACID	0.09 ug/L	Gen. Eng.
0	GROSS ALPHA	3 pCi/L	Gen. Eng.
0	NONVOLATILE BETA	2.21+-3.70 pCi/L	Gen. Eng.
0	TOTAL RADIUM	1 pCi/L	Gen. Eng.
0	TRITIUM	0.70 pCi/mL	Gen. Eng.

WELL PAC 3

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/02/89 Time 1545
 Depth to water = 21.32 ft (6.50 m) below the TOC
 Water elevation = 268.58 ft (81.86 m) msl
 pH = 6.0 Alkalinity = 42 mg/L
 Specific conductance = 455 umhos/cm
 Water temperature = 18.5 degrees Celsius
 Water evacuated from the well prior to sampling = 47 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	430.0 UMH/C	Gen. Eng.
0	PH	6.09 pH	Gen. Eng.
0	TURBIDITY	107 NTU	Gen. Eng.
0	SILVER	2 ug/L	Gen. Eng.
0	ARSENIC	2 ug/L	Gen. Eng.
1	BARIUM	61 ug/L	Gen. Eng.
1	CALCIUM	23200 ug/L	Gen. Eng.
0	CADMIUM	2 ug/L	Gen. Eng.
1	CHLORIDE	17000 ug/L	Gen. Eng.
0	CHROMIUM	4 ug/L	Gen. Eng.
0	ENDRIN	0.10 ug/L	Gen. Eng.
0	FLUORIDE	170 ug/L	Gen. Eng.
2	IRON	537 ug/L	Gen. Eng.
0	MERCURY	0.20 ug/L	Gen. Eng.
0	POTASSIUM	1770 ug/L	Gen. Eng.
0	LINDANE	0.05 ug/L	Gen. Eng.
0	METHOXYCHLOR	0.50 ug/L	Gen. Eng.
1	MAGNESIUM	6580 ug/L	Gen. Eng.
1	MANGANESE	37 ug/L	Gen. Eng.
1	SODIUM	52700 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN	50 ug/L	Gen. Eng.
0	LEAD	6 ug/L	Gen. Eng.
0	PHENOLS	5 ug/L	Gen. Eng.
0	SELENIUM	2 ug/L	Gen. Eng.
1	SILICA	12400 ug/L	Gen. Eng.
2	SULFATE	137000 ug/L	Gen. Eng.
0	TOTAL DISSOLVED SOLIDS	247000 ug/L	Gen. Eng.
1	TOTAL ORGANIC CARBON	6000 ug/L	Gen. Eng.
1	TOTAL ORGANIC HALOGENS	20 ug/L	Gen. Eng.
1	TOTAL PHOSPHORUS	60 ug/L	Gen. Eng.
0	TOXAPHENE	1 ug/L	Gen. Eng.
0	2,4-DICHLOROPHENOXYACETIC ACID	0.30 ug/L	Gen. Eng.
0	2,4,5-TRICHLOROPHENOXYACETIC ACID	0.09 ug/L	Gen. Eng.
0	GROSS ALPHA	3 pCi/L	Gen. Eng.
0	NONVOLATILE BETA	3.01+-2.20 pCi/L	Gen. Eng.
0	TOTAL RADIUM	1 pCi/L	Gen. Eng.
1	TRITIUM	19.90+-0.54 pCi/mL	Gen. Eng.

WELL PAC 4

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/02/89 Time 1620
 Depth to water = 7.86 ft (2.40 m) below the TOC
 Water elevation = 283.74 ft (86.49 m) msl
 pH = 5.5 Alkalinity = 8 mg/L
 Specific conductance = 215 umhos/cm
 Water temperature = 21.0 degrees Celsius
 Water evacuated from the well prior to sampling = 93 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	200.0 UMH/C	Gen. Eng.
1	SPECIFIC CONDUCTANCE	212.9 UMH/C	metaTRACE
0	PH	5.77 pH	Gen. Eng.
0	PH	5.79 pH	metaTRACE
0	TURBIDITY	27 NTU	Gen. Eng.
0	TURBIDITY	23 NTU	metaTRACE
0	SILVER	2 ug/L	Gen. Eng.
0	SILVER	2 ug/L	metaTRACE
0	ARSENIC	2 ug/L	Gen. Eng.
0	ARSENIC	3 ug/L	metaTRACE
0	BARIUM	19 ug/L	Gen. Eng.
0	BARIUM	25 ug/L	metaTRACE
0	CALCIUM	446 ug/L	Gen. Eng.
0	CALCIUM	5266 ug/L	metaTRACE
0	CADMIUM	2 ug/L	Gen. Eng.
0	CADMIUM	4 ug/L	metaTRACE
0	CHLORIDE	7000 ug/L	Gen. Eng.
0	CHLORIDE	7700 ug/L	metaTRACE
0	CHROMIUM	4 ug/L	Gen. Eng.
1	CHROMIUM	17 ug/L	metaTRACE
0	ENDRIN	0.10 ug/L	Gen. Eng.
0	ENDRIN	0.006 ug/L	metaTRACE
0	FLUORIDE	100 ug/L	Gen. Eng.
0	FLUORIDE	250 ug/L	metaTRACE
1	IRON	172 ug/L	Gen. Eng.
0	IRON	143 ug/L	metaTRACE
0	MERCURY	0.20 ug/L	Gen. Eng.
0	MERCURY	0.20 ug/L	metaTRACE
0	POTASSIUM	807 ug/L	Gen. Eng.
0	POTASSIUM	2000 ug/L	metaTRACE
0	LINDANE	0.05 ug/L	Gen. Eng.
0	LINDANE	0.005 ug/L	metaTRACE
0	METHOXYCHLOR	0.50 ug/L	Gen. Eng.
0	METHOXYCHLOR	0.50 ug/L	metaTRACE
0	MAGNESIUM	321 ug/L	Gen. Eng.
0	MAGNESIUM	378 ug/L	metaTRACE
0	MANGANESE	5 ug/L	Gen. Eng.
0	MANGANESE	9 ug/L	metaTRACE
1	SODIUM	36800 ug/L	Gen. Eng.
1	SODIUM	34040 ug/L	metaTRACE
0	NITRATE AS NITROGEN	980 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN	1200 ug/L	metaTRACE
0	LEAD	19 ug/L	Gen. Eng.
0	LEAD	17 ug/L	metaTRACE
0	PHENOLS	5 ug/L	Gen. Eng.
0	PHENOLS	5 ug/L	metaTRACE
0	PHENOLS	5 ug/L	metaTRACE
0	SELENIUM	2 ug/L	Gen. Eng.
1	SELENIUM	4 ug/L	metaTRACE
1	SILICON	2589 ug/L	metaTRACE
1	SILICA	6450 ug/L	Gen. Eng.
0	SILVEX	0.07 ug/L	metaTRACE
1	SULFATE	77000 ug/L	Gen. Eng.
1	SULFATE	59300 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS	124000 ug/L	Gen. Eng.
0	TOTAL DISSOLVED SOLIDS	136000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	2000 ug/L	Gen. Eng.
0	TOTAL ORGANIC CARBON	1000 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	5 ug/L	Gen. Eng.
0	TOTAL ORGANIC HALOGENS	7 ug/L	metaTRACE
1	TOTAL PHOSPHORUS	130 ug/L	Gen. Eng.
0	TOTAL PHOSPHATES	21 ug/L	metaTRACE
0	TOXAPHENE	1 ug/L	Gen. Eng.
0	TOXAPHENE	0.24 ug/L	metaTRACE
0	2,4-DICHLOROPHENOXYACETIC ACID	0.30 ug/L	Gen. Eng.
0	2,4-DICHLOROPHENOXYACETIC ACID	0.46 ug/L	metaTRACE
0	2,4,5-TRICHLOROPHENOXYACETIC ACID	0.09 ug/L	Gen. Eng.
0	GROSS ALPHA	3 pCi/L	Gen. Eng.
0	GROSS ALPHA	3 pCi/L	metaTRACE
0	NONVOLATILE BETA	2.79+-2.30 pCi/L	Gen. Eng.
0	NONVOLATILE BETA	5 pCi/L	metaTRACE
0	TOTAL RADIUM	1 pCi/L	Gen. Eng.
0	TOTAL RADIUM	1 pCi/L	metaTRACE
1	TRITIUM	11.60+-0.48 pCi/mL	Gen. Eng.
0	TRITIUM	9.00+-0.90 pCi/mL	metaTRACE

WELL PAC 4

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/02/89 Time 1620
 Depth to water = 7.86 ft (2.40 m) below the TOC
 Water elevation = 283.74 ft (86.49 m) msf
 pH = 5.5 Alkalinity = 8 mg/L
 Specific conductance = 215 umhos/cm
 Water temperature = 21.0 degrees Celsius
 Water evacuated from the well prior to sampling = 93 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	200.0 UMHG	Gen. Eng.
1	SPECIFIC CONDUCTANCE	238.7 UMHG	metaTRACE
1	SPECIFIC CONDUCTANCE	238.7 UMHG	metaTRACE
0	PH	5.63 pH	Gen. Eng.
0	PH	5.77 pH	metaTRACE
0	PH	5.77 pH	metaTRACE
0	TURBIDITY	27 NTU	Gen. Eng.
0	TURBIDITY	12 NTU	metaTRACE
0	TURBIDITY	12 NTU	metaTRACE
0	SILVER	2 ug/L	Gen. Eng.
0	SILVER	5 ug/L	metaTRACE
0	ARSENIC	2 ug/L	Gen. Eng.
0	ARSENIC	3 ug/L	metaTRACE
0	BARIUM	19 ug/L	Gen. Eng.
0	BARIUM	25 ug/L	metaTRACE
0	CALCIUM	380 ug/L	Gen. Eng.
0	CALCIUM	789 ug/L	metaTRACE
0	CADMIUM	2 ug/L	Gen. Eng.
0	CADMIUM	4 ug/L	metaTRACE
0	CHLORIDE	7000 ug/L	Gen. Eng.
0	CHLORIDE	7700 ug/L	metaTRACE
0	CHROMIUM	4 ug/L	Gen. Eng.
0	CHROMIUM	9 ug/L	metaTRACE
0	ENDRIN	0.10 ug/L	Gen. Eng.
0	ENDRIN	0.006 ug/L	metaTRACE
0	FLUORIDE	100 ug/L	Gen. Eng.
0	FLUORIDE	250 ug/L	metaTRACE
1	IRON	159 ug/L	Gen. Eng.
1	IRON	197 ug/L	metaTRACE
0	MERCURY	0.30 ug/L	Gen. Eng.
0	MERCURY	0.20 ug/L	metaTRACE
0	POTASSIUM	612 ug/L	Gen. Eng.
0	POTASSIUM	2000 ug/L	metaTRACE
0	LINDANE	0.05 ug/L	Gen. Eng.
0	LINDANE	0.005 ug/L	metaTRACE
0	METHOXYCHLOR	0.50 ug/L	Gen. Eng.
0	METHOXYCHLOR	0.50 ug/L	metaTRACE
0	MAGNESIUM	325 ug/L	Gen. Eng.
0	MAGNESIUM	292 ug/L	metaTRACE
0	MANGANESE	6 ug/L	Gen. Eng.
0	MANGANESE	6 ug/L	metaTRACE
1	SODIUM	37300 ug/L	Gen. Eng.
1	SODIUM	30300 ug/L	metaTRACE
0	NITRATE AS NITROGEN	980 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN	1200 ug/L	metaTRACE
0	LEAD	6 ug/L	Gen. Eng.
0	LEAD	3 ug/L	metaTRACE
0	PHENOLS	5 ug/L	Gen. Eng.
0	PHENOLS	5 ug/L	metaTRACE
0	SELENIUM	2 ug/L	Gen. Eng.
1	SELENIUM	4 ug/L	metaTRACE
1	SILICON	2937 ug/L	Gen. Eng.
1	SILICA	6560 ug/L	Gen. Eng.
0	SILVER	0.07 ug/L	metaTRACE
1	SULFATE	67000 ug/L	Gen. Eng.
1	SULFATE	58800 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS	122000 ug/L	Gen. Eng.
0	TOTAL DISSOLVED SOLIDS	127000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	1000 ug/L	Gen. Eng.
0	TOTAL ORGANIC CARBON	1300 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	5 ug/L	Gen. Eng.
0	TOTAL ORGANIC HALOGENS	9 ug/L	metaTRACE
0	TOTAL PHOSPHORUS	160 ug/L	Gen. Eng.
0	TOTAL PHOSPHATES	10 ug/L	metaTRACE
0	TOXAPHENE	1 ug/L	Gen. Eng.
0	TOXAPHENE	0.24 ug/L	metaTRACE
0	2,4-DICHLOROPHENOXYACETIC ACID	0.30 ug/L	Gen. Eng.
0	2,4-DICHLOROPHENOXYACETIC ACID	0.46 ug/L	metaTRACE
0	2,4,5-TRICHLOROPHENOXYACETIC ACID	0.09 ug/L	Gen. Eng.
0	GROSS ALPHA	3 pCi/L	Gen. Eng.
0	GROSS ALPHA	4 pCi/L	metaTRACE
0	NONVOLATILE BETA	2 pCi/L	Gen. Eng.
0	NONVOLATILE BETA	5 pCi/L	metaTRACE
0	TOTAL RADIUM	1 pCi/L	Gen. Eng.
0	TOTAL RADIUM	1 pCi/L	metaTRACE
1	TRITIUM	12.10+-0.50 pCi/mL	Gen. Eng.
0	TRITIUM	8.70+-0.90 pCi/mL	metaTRACE

WELL PAC 5

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/02/89 Time 910
 Depth to water = 16.58 ft (5.05 m) below the TOC
 Water elevation = 272.72 ft (83.13 m) msf
 pH = 7.4 Alkalinity = 284 mg/L
 Specific conductance = 798 umhos/cm
 Water temperature = 21.8 degrees Celsius
 Water evacuated from the well prior to sampling = 11 gal
 The well went dry during purging.

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	790.0 UMHG	Gen. Eng.
1	PH	7.55 pH	Gen. Eng.
0	TURBIDITY	16 NTU	Gen. Eng.
0	SILVER	2 ug/L	Gen. Eng.
0	ARSENIC	2 ug/L	Gen. Eng.
1	BARIUM	74 ug/L	Gen. Eng.
1	CALCIUM	83400 ug/L	Gen. Eng.
0	CADMIUM	2 ug/L	Gen. Eng.
0	CHLORIDE	9300 ug/L	Gen. Eng.
0	CHROMIUM	4 ug/L	Gen. Eng.
0	ENDRIN	0.10 ug/L	Gen. Eng.
0	FLUORIDE	100 ug/L	Gen. Eng.
2	IRON	328 ug/L	Gen. Eng.
0	MERCURY	0.20 ug/L	Gen. Eng.
0	POTASSIUM	2960 ug/L	Gen. Eng.
0	LINDANE	0.05 ug/L	Gen. Eng.
0	METHOXYCHLOR	0.50 ug/L	Gen. Eng.
1	MAGNESIUM	25200 ug/L	Gen. Eng.
2	MANGANESE	130 ug/L	Gen. Eng.
1	SODIUM	54500 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN	50 ug/L	Gen. Eng.
0	LEAD	6 ug/L	Gen. Eng.
0	PHENOLS	5 ug/L	Gen. Eng.
0	SELENIUM	2 ug/L	Gen. Eng.
1	SILICA	18900 ug/L	Gen. Eng.
2	SULFATE	145000 ug/L	Gen. Eng.
0	TOTAL DISSOLVED SOLIDS	475000 ug/L	Gen. Eng.
1	TOTAL ORGANIC CARBON	7000 ug/L	Gen. Eng.
0	TOTAL ORGANIC HALOGENS	5 ug/L	Gen. Eng.
1	TOTAL PHOSPHORUS	80 ug/L	Gen. Eng.
0	TOXAPHENE	1 ug/L	Gen. Eng.
0	2,4-DICHLOROPHENOXYACETIC ACID	0.30 ug/L	Gen. Eng.
0	2,4,5-TRICHLOROPHENOXYACETIC ACID	0.09 ug/L	Gen. Eng.
0	GROSS ALPHA	3 pCi/L	Gen. Eng.
0	NONVOLATILE BETA	7.53+-2.50 pCi/L	Gen. Eng.
0	TOTAL RADIUM	1.05+-1.80 pCi/L	Gen. Eng.
2	TRITIUM	21.50+-0.59 pCi/mL	Gen. Eng.

WELL PAC 6

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/02/89 Time 935
 Depth to water = 17.61 ft (5.37 m) below the TOC
 Water elevation = 271.79 ft (82.84 m) msf
 pH = 7.1 Alkalinity = 118 mg/L
 Specific conductance = 365 umhos/cm
 Water temperature = 19.8 degrees Celsius
 Water evacuated from the well prior to sampling = 11 gal
 The well went dry during purging.

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	340.0 UMHG	Gen. Eng.
1	PH	7.14 pH	Gen. Eng.
0	TURBIDITY	38 NTU	Gen. Eng.
0	SILVER	2 ug/L	Gen. Eng.
0	ARSENIC	2 ug/L	Gen. Eng.
0	BARIUM	39 ug/L	Gen. Eng.
1	CALCIUM	33700 ug/L	Gen. Eng.
0	CADMIUM	2 ug/L	Gen. Eng.
0	CHLORIDE	7200 ug/L	Gen. Eng.
0	CHROMIUM	4 ug/L	Gen. Eng.
0	ENDRIN	0.10 ug/L	Gen. Eng.
0	FLUORIDE	100 ug/L	Gen. Eng.
2	IRON	1270 ug/L	Gen. Eng.
0	MERCURY	0.20 ug/L	Gen. Eng.
0	POTASSIUM	1320 ug/L	Gen. Eng.
0	LINDANE	0.05 ug/L	Gen. Eng.
0	METHOXYCHLOR	0.50 ug/L	Gen. Eng.
1	MAGNESIUM	6780 ug/L	Gen. Eng.
2	MANGANESE	287 ug/L	Gen. Eng.
1	SODIUM	40000 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN	50 ug/L	Gen. Eng.
0	LEAD	6 ug/L	Gen. Eng.
0	PHENOLS	5 ug/L	Gen. Eng.
0	SELENIUM	2 ug/L	Gen. Eng.
1	SILICA	30200 ug/L	Gen. Eng.
1	SULFATE	36000 ug/L	Gen. Eng.
0	TOTAL DISSOLVED SOLIDS	211000 ug/L	Gen. Eng.
1	TOTAL ORGANIC CARBON	8000 ug/L	Gen. Eng.
0	TOTAL ORGANIC HALOGENS	5 ug/L	Gen. Eng.
1	TOTAL PHOSPHORUS	110 ug/L	Gen. Eng.
0	TOXAPHENE	1 ug/L	Gen. Eng.
0	2,4-DICHLOROPHENOXYACETIC ACID	0.30 ug/L	Gen. Eng.
0	2,4,5-TRICHLOROPHENOXYACETIC ACID	0.09 ug/L	Gen. Eng.
0	GROSS ALPHA	3 pCi/L	Gen. Eng.
0	NONVOLATILE BETA	4.21+-2.40 pCi/L	Gen. Eng.
0	TOTAL RADIUM	2.16+-2.30 pCi/L	Gen. Eng.
0	TRITIUM	7.58+-0.44 pCi/mL	Gen. Eng.

WELL PCB 1A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/03/89 Time 1650
 Depth to water = 28.26 ft (8.61 m) below the TOC
 Water elevation = 277.24 ft (84.30 m) msl
 pH = 3.7 Alkalinity = 0 mg/L
 Specific conductance = 670 umhos/cm
 Water temperature = 22.1 degrees Celsius
 Water evacuated from the well prior to sampling = 36 gal

LABORATORY ANALYSES

0 CADMIUM	LT	2 ug/L	Gen. Eng.
0 CHROMIUM	LT	4 ug/L	Gen. Eng.
0 COPPER		14 ug/L	Gen. Eng.
2 IRON		396 ug/L	Gen. Eng.
2 MANGANESE		2470 ug/L	Gen. Eng.
1 NICKEL		125 ug/L	Gen. Eng.
1 LEAD		24 ug/L	Gen. Eng.
0 SELENIUM	LT	2 ug/L	Gen. Eng.
2 SULFATE		1660000 ug/L	Gen. Eng.
0 TOTAL ORGANIC CARBON		3000 ug/L	Gen. Eng.
2 TOTAL ORGANIC HALOGENS		44 ug/L	Gen. Eng.
1 ZINC		475 ug/L	Gen. Eng.
0 TRITIUM		9.84+-0.45 pCi/mL	Gen. Eng.

WELL PCB 2A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/03/89 Time 1630
 Depth to water = 28.90 ft (8.81 m) below the TOC
 Water elevation = 276.00 ft (84.13 m) msl
 pH = 4.8 Alkalinity = 0 mg/L
 Specific conductance = 48 umhos/cm
 Water temperature = 20.3 degrees Celsius
 Water evacuated from the well prior to sampling = 47 gal

LABORATORY ANALYSES

0 CADMIUM	LT	2 ug/L	Gen. Eng.
0 CHROMIUM	LT	4 ug/L	Gen. Eng.
0 COPPER		5 ug/L	Gen. Eng.
0 IRON		24 ug/L	Gen. Eng.
0 MANGANESE		11 ug/L	Gen. Eng.
0 NICKEL	LT	4 ug/L	Gen. Eng.
0 LEAD		7 ug/L	Gen. Eng.
0 SELENIUM	LT	2 ug/L	Gen. Eng.
1 SULFATE		10800 ug/L	Gen. Eng.
0 TOTAL ORGANIC CARBON		1000 ug/L	Gen. Eng.
2 TOTAL ORGANIC HALOGENS		70 ug/L	Gen. Eng.
0 ZINC		84 ug/L	Gen. Eng.
1 TRITIUM		11.30+-0.48 pCi/mL	Gen. Eng.

WELL PCB 3A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/03/89 Time 1550
 Depth to water = 24.18 ft (7.37 m) below the TOC
 Water elevation = 280.42 ft (85.47 m) msl
 pH = 3.2 Alkalinity = 0 mg/L
 Specific conductance = 1511 umhos/cm
 Water temperature = 26.8 degrees Celsius
 Water evacuated from the well prior to sampling = 44 gal

LABORATORY ANALYSES

0 CADMIUM	LT	2 ug/L	Gen. Eng.
2 CHROMIUM		65 ug/L	Gen. Eng.
2 COPPER		546 ug/L	Gen. Eng.
2 IRON		19200 ug/L	Gen. Eng.
2 MANGANESE		1900 ug/L	Gen. Eng.
2 NICKEL		371 ug/L	Gen. Eng.
2 LEAD		67 ug/L	Gen. Eng.
2 SELENIUM		16 ug/L	Gen. Eng.
2 SULFATE		12600000 ug/L	Gen. Eng.
0 TOTAL ORGANIC CARBON		2000 ug/L	Gen. Eng.
1 TOTAL ORGANIC HALOGENS		17 ug/L	Gen. Eng.
1 ZINC		1130 ug/L	Gen. Eng.
0 TRITIUM		3.47+-0.53 pCi/mL	Gen. Eng.

WELL PCB 4A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/03/89 Time 1610
 Depth to water = 33.63 ft (10.25 m) below the TOC
 Water elevation = 275.97 ft (84.12 m) msl
 pH = 4.2 Alkalinity = 0 mg/L
 Specific conductance = 77 umhos/cm
 Water temperature = 22.0 degrees Celsius
 Water evacuated from the well prior to sampling = 34 gal

LABORATORY ANALYSES

0 CADMIUM	LT	2 ug/L	Gen. Eng.
0 CHROMIUM	LT	4 ug/L	Gen. Eng.
1 COPPER		87 ug/L	Gen. Eng.
0 IRON		38 ug/L	Gen. Eng.
1 MANGANESE		40 ug/L	Gen. Eng.
0 NICKEL	LT	4 ug/L	Gen. Eng.
0 LEAD		15 ug/L	Gen. Eng.
0 SELENIUM	LT	2 ug/L	Gen. Eng.
1 SULFATE		32000 ug/L	Gen. Eng.
0 TOTAL ORGANIC CARBON		2000 ug/L	Gen. Eng.
2 TOTAL ORGANIC HALOGENS		88 ug/L	Gen. Eng.
0 ZINC		25 ug/L	Gen. Eng.
1 TRITIUM		17.60+-0.55 pCi/mL	Gen. Eng.

WELL PDB 2

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/15/89 Time 1535
 Depth to water = 45.33 ft (13.82 m) below the TOC
 Water elevation = 274.17 ft (83.57 m) msl
 pH = 5.0 Alkalinity = 1 mg/L
 Specific conductance = 74 umhos/cm
 Water temperature = 24.1 degrees Celsius
 Water evacuated from the well prior to sampling = 69 gal

LABORATORY ANALYSES

2 LEAD		51 ug/L	metaTRACE
1 TOTAL ACTIVITY		374+-6.69 pCi/mL	HP, 735A
2 TRITIUM		330+-40 pCi/mL	metaTRACE
2 TRITIUM		330+-40 pCi/mL	metaTRACE
2 TRITIUM		375+-4.57 pCi/mL	HP, 735A

WELL PDB 3

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/15/89 Time 1:00
 Depth to water = 45.04 ft (13.73 m) below the TOC
 Water elevation = 274.66 ft (83.66 m) msl
 pH = 5.0 Alkalinity = 2 mg/L
 Specific conductance = 62 umhos/cm
 Water temperature = 24.8 degrees Celsius
 Water evacuated from the well prior to sampling = 69 gal

LABORATORY ANALYSES

2 LEAD		48 ug/L	metaTRACE
1 TOTAL ACTIVITY		90.20+-3.80 pCi/mL	HP, 735A
2 TRITIUM		77.00+-8.00 pCi/mL	metaTRACE
2 TRITIUM		80.00+-8.00 pCi/mL	metaTRACE
2 TRITIUM		90.30+-2.39 pCi/mL	HP, 735A

WELL PRP 1A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/04/89 Time 1215
 Depth to water = 37.74 ft (11.50 m) below the TOC
 Water elevation = 248.86 ft (75.24 m) msl
 pH = 4.5 Alkalinity = 0 mg/L
 Specific conductance = 65 umhos/cm
 Water temperature = 24.6 degrees Celsius
 Water evacuated from the well prior to sampling = 36 gal

LABORATORY ANALYSES

0 BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0 TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0 CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0 CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0 BROMOFORM	LT	1 ug/L	Gen. Eng.
0 BROMOFORM	LT	1 ug/L	Gen. Eng.
0 CHLOROFORM	LT	1 ug/L	Gen. Eng.
0 CHLOROFORM	LT	1 ug/L	Gen. Eng.
0 METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0 METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0 BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0 BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0 CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0 CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0 CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.

CONTINUED

WELL PRP 1A COLLECTED ON 09/04/89 LABORATORY ANALYSES CONTINUED

0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	IRON		116 ug/L	Gen. Eng.
0	IRON		119 ug/L	Gen. Eng.
0	TOLUENE	LT	1 ug/L	Gen. Eng.
0	TOLUENE	LT	1 ug/L	Gen. Eng.
0	MANGANESE		6 ug/L	Gen. Eng.
0	MANGANESE		7 ug/L	Gen. Eng.
2	LEAD		43 ug/L	Gen. Eng.
2	LEAD		39 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
1	TETRACHLOROETHYLENE		4.00 ug/L	Gen. Eng.
1	TETRACHLOROETHYLENE		4.00 ug/L	Gen. Eng.
2	TOTAL ORGANIC HALOGENS		54 ug/L	Gen. Eng.
2	TOTAL ORGANIC HALOGENS		60 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE		4.00 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE		4.00 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
2	TRITIUM		116+-1.17 pCi/mL	Gen. Eng.
2	TRITIUM		117+-1.17 pCi/mL	Gen. Eng.

WELL PRP 2

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/04/89 Time 1255
 Depth to water = 35.51 ft (10.82 m) below the TOC
 Water elevation = 250.89 ft (76.47 m) msl
 pH = 4.6 Alkalinity = 0 mg/L
 Specific conductance = 24 umhos/cm
 Water temperature = 21.9 degrees Celsius
 Water evacuated from the well prior to sampling = 44 gal

LABORATORY ANALYSES

0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	IRON		78 ug/L	Gen. Eng.
0	TOLUENE	LT	1 ug/L	Gen. Eng.
0	MANGANESE		7 ug/L	Gen. Eng.
0	LEAD		13 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
2	TOTAL ORGANIC HALOGENS		34 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0	TRITIUM		8.81+-0.46 pCi/mL	Gen. Eng.

WELL PRP 3

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/04/89 Time 1345
 Depth to water = 29.12 ft (8.88 m) below the TOC
 Water elevation = 251.58 ft (76.68 m) msl
 pH = 4.6 Alkalinity = 0 mg/L
 Specific conductance = 94 umhos/cm
 Water temperature = 22.6 degrees Celsius
 Water evacuated from the well prior to sampling = 60 gal

LABORATORY ANALYSES

0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
2	IRON		463 ug/L	Gen. Eng.
0	TOLUENE	LT	1 ug/L	Gen. Eng.
2	MANGANESE		95 ug/L	Gen. Eng.
2	LEAD		42 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
2	TETRACHLOROETHYLENE		56.0 ug/L	Gen. Eng.
2	TOTAL ORGANIC HALOGENS		571 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE		56.0 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
1	1,1-DICHLOROETHYLENE		185 ug/L	Gen. Eng.
1	1,1-DICHLOROETHANE		214 ug/L	Gen. Eng.
2	1,1,1-TRICHLOROETHANE		389 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
1	TRITIUM		19.30+-0.56 pCi/mL	Gen. Eng.

WELL PRP 4

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/04/89 Time 1315
 Depth to water = 30.36 ft (9.25 m) below the TOC
 Water elevation = 254.34 ft (77.52 m) msl
 pH = 4.5 Alkalinity = 0 mg/L
 Specific conductance = 31 umhos/cm
 Water temperature = 21.0 degrees Celsius
 Water evacuated from the well prior to sampling = 56 gal

LABORATORY ANALYSES

0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	IRON		15 ug/L	Gen. Eng.
0	TOLUENE	LT	1 ug/L	Gen. Eng.
0	MANGANESE		2 ug/L	Gen. Eng.
0	LEAD		9 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
2	TOTAL ORGANIC HALOGENS		26 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0	TRITIUM		8.25+-0.44 pCi/mL	Gen. Eng.

WELL PSB 1A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/22/89 Time 1250
 Depth to water = 56.87 ft (17.33 m) below the TOC
 Water elevation = 272.23 ft (82.98 m) msl
 pH = 6.5 Alkalinity = 9 mg/L
 Specific conductance = 48 umhos/cm
 Water temperature = 23.1 degrees Celsius
 Water evacuated from the well prior to sampling = 39 gal

LABORATORY ANALYSES

1	PH	6.57	pH	metaTRACE
1	COPPER	50	ug/L	metaTRACE
0	IRON	16	ug/L	metaTRACE
0	MANGANESE	4	ug/L	metaTRACE
1	NITRATE AS NITROGEN	3500	ug/L	metaTRACE
1	NITRATE AS NITROGEN	3600	ug/L	metaTRACE
0	LEAD	7	ug/L	metaTRACE
0	GROSS ALPHA	0.91+-0.62	pCi/L	HP, 735A
0	NONVOLATILE BETA	5.07+-1.49	pCi/L	HP, 735A
1	TOTAL ACTIVITY	212000+-3100	pCi/mL	HP, 735A
2	TRITIUM	190000+-20E3	pCi/mL	metaTRACE
2	TRITIUM	206825+-2164	pCi/mL	HP, 735A

WELL PSB 2A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/22/89 Time 1155
 Depth to water = 52.10 ft (15.88 m) below the TOC
 Water elevation = 271.60 ft (82.78 m) msl
 pH = 4.8 Alkalinity = 0 mg/L
 Specific conductance = 232 umhos/cm
 Water temperature = 22.6 degrees Celsius
 Water evacuated from the well prior to sampling = 46 gal

LABORATORY ANALYSES

1	PH	3.12	pH	metaTRACE
1	COPPER	138	ug/L	metaTRACE
0	IRON	60	ug/L	metaTRACE
1	MANGANESE	31	ug/L	metaTRACE
2	NITRATE AS NITROGEN	29000	ug/L	metaTRACE
0	LEAD	14	ug/L	metaTRACE
0	GROSS ALPHA	0.63+-0.64	pCi/L	HP, 735A
0	NONVOLATILE BETA	2.07+-1.90	pCi/L	HP, 735A
1	TOTAL ACTIVITY	122000+-1490	pCi/mL	HP, 735A
2	TRITIUM	110000+-20E3	pCi/mL	metaTRACE
2	TRITIUM	119826+-1047	pCi/mL	HP, 735A

WELL PSB 3A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/22/89 Time 1110
 Depth to water = 48.39 ft (14.75 m) below the TOC
 Water elevation = 270.21 ft (82.36 m) msl
 pH = 5.2 Alkalinity = 1 mg/L
 Specific conductance = 40 umhos/cm
 Water temperature = 20.7 degrees Celsius
 Water evacuated from the well prior to sampling = 36 gal

LABORATORY ANALYSES

1	PH	3.61	pH	metaTRACE
2	COPPER	575	ug/L	metaTRACE
0	IRON	21	ug/L	metaTRACE
0	MANGANESE	23	ug/L	metaTRACE
1	NITRATE AS NITROGEN	4300	ug/L	metaTRACE
2	LEAD	47	ug/L	metaTRACE
0	GROSS ALPHA	1.31+-0.71	pCi/L	HP, 735A
0	NONVOLATILE BETA	2.60+-1.16	pCi/L	HP, 735A
1	TOTAL ACTIVITY	48600+-654	pCi/mL	HP, 735A
2	TRITIUM	38000+-4000	pCi/mL	metaTRACE
2	TRITIUM	47646+-458	pCi/mL	HP, 735A

WELL PSB 4A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/22/89 Time 1035
 Depth to water = 43.77 ft (13.34 m) below the TOC
 Water elevation = 268.73 ft (81.91 m) msl
 pH = 5.1 Alkalinity = 3 mg/L
 Specific conductance = 39 umhos/cm
 Water temperature = 22.9 degrees Celsius
 Water evacuated from the well prior to sampling = 34 gal

LABORATORY ANALYSES

1	PH	3.25	pH	metaTRACE
2	COPPER	734	ug/L	metaTRACE
0	IRON	106	ug/L	metaTRACE
0	MANGANESE	8	ug/L	metaTRACE
1	NITRATE AS NITROGEN	4500	ug/L	metaTRACE
2	LEAD	96	ug/L	metaTRACE
0	GROSS ALPHA	0.91+-0.60	pCi/L	HP, 735A
0	NONVOLATILE BETA	1.54+-1.01	pCi/L	HP, 735A

CONTINUED

WELL PSB 4A COLLECTED ON 08/22/89 LABORATORY ANALYSES CONTINUED

1	TOTAL ACTIVITY	31800+-169	pCi/mL	HP, 735A
2	TRITIUM	29000+-3000	pCi/mL	metaTRACE
2	TRITIUM	31767+-119	pCi/mL	HP, 735A

WELL PSB 5A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/22/89 Time 1415
 Depth to water = 48.78 ft (14.87 m) below the TOC
 Water elevation = 270.52 ft (82.46 m) msl
 pH = 5.6 Alkalinity = 2 mg/L
 Specific conductance = 37 umhos/cm
 Water temperature = 21.4 degrees Celsius
 Water evacuated from the well prior to sampling = 8 gal
 The well went dry during purging.

LABORATORY ANALYSES

0	PH	5.16	pH	metaTRACE
2	COPPER	1370	ug/L	metaTRACE
0	IRON	122	ug/L	metaTRACE
0	MANGANESE	5	ug/L	metaTRACE
1	NITRATE AS NITROGEN	4200	ug/L	metaTRACE
2	LEAD	63	ug/L	metaTRACE
0	GROSS ALPHA	0.99+-0.73	pCi/L	HP, 735A
0	NONVOLATILE BETA	1.56+-0.99	pCi/L	HP, 735A
1	TOTAL ACTIVITY	40.90+-2.11	pCi/mL	HP, 735A
2	TRITIUM	27.00+-3.00	pCi/mL	metaTRACE
2	TRITIUM	29.60+-1.32	pCi/mL	HP, 735A

WELL PSB 6A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/22/89 Time 1350
 Depth to water = 51.95 ft (15.83 m) below the TOC
 Water elevation = 272.25 ft (82.98 m) msl
 pH = 5.0 Alkalinity = 2 mg/L
 Specific conductance = 44 umhos/cm
 Water temperature = 22.2 degrees Celsius
 Water evacuated from the well prior to sampling = 29 gal

LABORATORY ANALYSES

1	PH	3.86	pH	metaTRACE
1	COPPER	88	ug/L	metaTRACE
0	IRON	60	ug/L	metaTRACE
0	MANGANESE	3	ug/L	metaTRACE
1	NITRATE AS NITROGEN	4100	ug/L	metaTRACE
0	LEAD	9	ug/L	metaTRACE
0	GROSS ALPHA	0.19+-0.34	pCi/L	HP, 735A
0	NONVOLATILE BETA	1.02+-0.93	pCi/L	HP, 735A
1	TOTAL ACTIVITY	64800+-1760	pCi/mL	HP, 735A
2	TRITIUM	55000+-6000	pCi/mL	metaTRACE
2	TRITIUM	59373+-1194	pCi/mL	HP, 735A

WELL PSB 7A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/22/89 Time 1315
 Depth to water = 58.17 ft (17.73 m) below the TOC
 Water elevation = 272.53 ft (83.07 m) msl
 pH = 6.1 Alkalinity = 16 mg/L
 Specific conductance = 77 umhos/cm
 Water temperature = 21.5 degrees Celsius
 Water evacuated from the well prior to sampling = 24 gal

LABORATORY ANALYSES

0	PH	5.75	pH	metaTRACE
1	COPPER	201	ug/L	metaTRACE
0	IRON	52	ug/L	metaTRACE
0	MANGANESE	5	ug/L	metaTRACE
1	NITRATE AS NITROGEN	4700	ug/L	metaTRACE
0	LEAD	10	ug/L	metaTRACE
0	GROSS ALPHA	1.39+-0.76	pCi/L	HP, 735A
0	NONVOLATILE BETA	1.92+-1.08	pCi/L	HP, 735A
1	TOTAL ACTIVITY	13900+-363	pCi/mL	HP, 735A
2	TRITIUM	12000+-2000	pCi/mL	metaTRACE
2	TRITIUM	12747+-247	pCi/mL	HP, 735A

WELL PSS 1D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/04/89 Time 1430
 Depth to water = 21.07 ft (6.42 m) below the TOC
 Water elevation = 198.53 ft (60.51 m) msl
 pH = 5.0 Alkalinity = 1 mg/L
 Specific conductance = 14 umhos/cm
 Water temperature = 20.3 degrees Celsius
 Water evacuated from the well prior to sampling = 15 gal
 The well went dry during purging.

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE	13.00 UMHG	Gen. Eng.
0	PH	5.43 pH	Gen. Eng.
0	SILVER	LT 2 ug/L	Gen. Eng.
0	ARSENIC	LT 2 ug/L	Gen. Eng.
0	BARIIUM	LT 6 ug/L	Gen. Eng.
0	CALCIUM	2510 ug/L	Gen. Eng.
0	CADMIUM	LT 2 ug/L	Gen. Eng.
0	CHLORIDE	1700 ug/L	Gen. Eng.
0	CHROMIUM	LT 4 ug/L	Gen. Eng.
0	FLUORIDE	LT 100 ug/L	Gen. Eng.
0	IRON	100 ug/L	Gen. Eng.
0	MERCURY	LT 0.20 ug/L	Gen. Eng.
0	POTASSIUM	LT 500 ug/L	Gen. Eng.
0	MAGNESIUM	425 ug/L	Gen. Eng.
0	MANGANESE	11 ug/L	Gen. Eng.
0	SODIUM	619 ug/L	Gen. Eng.
0	NITRITE AS NITROGEN	LT 10 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN	400 ug/L	Gen. Eng.
0	LEAD	LT 6 ug/L	Gen. Eng.
0	PHENOLS	LT 5 ug/L	Gen. Eng.
0	SELENIUM	LT 2 ug/L	Gen. Eng.
1	SILICA	4590 ug/L	Gen. Eng.
0	SULFATE	LT 5000 ug/L	Gen. Eng.
0	TOTAL DISSOLVED SOLIDS	20000 ug/L	Gen. Eng.
0	TOTAL ORGANIC CARBON	LT 1000 ug/L	Gen. Eng.
0	TOTAL ORGANIC HALOGENS	6 ug/L	Gen. Eng.
0	TOTAL PHOSPHATES	LT 50 ug/L	Gen. Eng.
0	GROSS ALPHA	LT 3 pCi/L	Gen. Eng.
0	NONVOLATILE BETA	3.50+-2.80 pCi/L	Gen. Eng.
0	TOTAL RADIUM	LT 1 pCi/L	Gen. Eng.
0	TRITIUM	1.52+-0.23 pCi/mL	Gen. Eng.

WELL PSS 2D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/03/89 Time 1430
 Depth to water = 34.69 ft (10.57 m) below the TOC
 Water elevation = 194.01 ft (59.13 m) msl
 pH = 4.7 Alkalinity = 0 mg/L
 Specific conductance = 13 umhos/cm
 Water temperature = 20.5 degrees Celsius
 Water evacuated from the well prior to sampling = 53 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE	12.00 UMHG	Gen. Eng.
0	SPECIFIC CONDUCTANCE	19.41 UMHG	metaTRACE
0	PH	4.98 pH	Gen. Eng.
1	PH	3.96 pH	metaTRACE
0	SILVER	LT 2 ug/L	Gen. Eng.
0	SILVER	LT 2 ug/L	metaTRACE
0	ARSENIC	LT 2 ug/L	Gen. Eng.
0	ARSENIC	LT 3 ug/L	metaTRACE
0	BARIIUM	5 ug/L	Gen. Eng.
0	BARIIUM	LT 25 ug/L	metaTRACE
0	CALCIUM	479 ug/L	Gen. Eng.
0	CALCIUM	1200 ug/L	metaTRACE
0	CADMIUM	LT 2 ug/L	Gen. Eng.
0	CADMIUM	LT 4 ug/L	metaTRACE
0	CHLORIDE	1400 ug/L	Gen. Eng.
0	CHLORIDE	1200 ug/L	metaTRACE
0	CHROMIUM	LT 4 ug/L	Gen. Eng.
0	CHROMIUM	LT 5 ug/L	metaTRACE
0	FLUORIDE	LT 100 ug/L	Gen. Eng.
0	FLUORIDE	LT 250 ug/L	metaTRACE
0	IRON	82 ug/L	Gen. Eng.
0	IRON	41 ug/L	metaTRACE
0	MERCURY	LT 0.20 ug/L	Gen. Eng.
0	MERCURY	0.26 ug/L	metaTRACE
0	POTASSIUM	LT 500 ug/L	Gen. Eng.
0	POTASSIUM	LT 2000 ug/L	metaTRACE
0	MAGNESIUM	263 ug/L	Gen. Eng.
0	MAGNESIUM	297 ug/L	metaTRACE
0	MANGANESE	9 ug/L	Gen. Eng.
0	MANGANESE	7 ug/L	metaTRACE
0	SODIUM	864 ug/L	Gen. Eng.
0	SODIUM	799 ug/L	metaTRACE
0	NITRITE AS NITROGEN	LT 10 ug/L	Gen. Eng.
0	NITRITE AS NITROGEN	LT 2500 ug/L	metaTRACE
0	NITRATE AS NITROGEN	380 ug/L	Gen. Eng.
1	NITRATE AS NITROGEN	7600 ug/L	metaTRACE
0	LEAD	LT 6 ug/L	Gen. Eng.
0	LEAD	3 ug/L	metaTRACE
0	PHENOLS	LT 5 ug/L	Gen. Eng.
0	PHENOLS	LT 5 ug/L	metaTRACE
0	PHENOLS	LT 5 ug/L	metaTRACE
0	SELENIUM	LT 2 ug/L	Gen. Eng.
0	SELENIUM	LT 2 ug/L	metaTRACE
1	SILICON	2584 ug/L	metaTRACE
1	SILICA	6210 ug/L	Gen. Eng.
0	SULFATE	LT 5000 ug/L	Gen. Eng.
0	SULFATE	LT 1000 ug/L	metaTRACE

CONTINUED

WELL PSS 2D COLLECTED ON 09/03/89 LABORATORY ANALYSES CONTINUED

0	TOTAL DISSOLVED SOLIDS	20000 ug/L	Gen. Eng.
0	TOTAL DISSOLVED SOLIDS	20000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	1000 ug/L	Gen. Eng.
0	TOTAL ORGANIC CARBON	LT 1000 ug/L	metaTRACE
1	TOTAL ORGANIC HALOGENS	17 ug/L	Gen. Eng.
0	TOTAL ORGANIC HALOGENS	LT 5 ug/L	metaTRACE
0	TOTAL PHOSPHATES	LT 50 ug/L	Gen. Eng.
0	TOTAL PHOSPHATES	69 ug/L	metaTRACE
0	GROSS ALPHA	LT 3 pCi/L	Gen. Eng.
0	GROSS ALPHA	LT 4 pCi/L	metaTRACE
0	NONVOLATILE BETA	LT 2 pCi/L	Gen. Eng.
0	NONVOLATILE BETA	LT 5 pCi/L	metaTRACE
0	TOTAL RADIUM	LT 1 pCi/L	Gen. Eng.
0	TOTAL RADIUM	LT 1 pCi/L	metaTRACE
0	TRITIUM	1.51+-0.35 pCi/mL	Gen. Eng.
0	TRITIUM	1.60+-0.20 pCi/mL	metaTRACE

WELL PSS 2D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/03/89 Time 1430
 Depth to water = 34.69 ft (10.57 m) below the TOC
 Water elevation = 194.01 ft (59.13 m) msl
 pH = 4.7 Alkalinity = 0 mg/L
 Specific conductance = 13 umhos/cm
 Water temperature = 20.5 degrees Celsius
 Water evacuated from the well prior to sampling = 53 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE	12.00 UMHG	Gen. Eng.
0	SPECIFIC CONDUCTANCE	28.20 UMHG	metaTRACE
0	PH	5.10 pH	Gen. Eng.
1	PH	3.41 pH	metaTRACE
0	SILVER	LT 2 ug/L	Gen. Eng.
0	SILVER	LT 2 ug/L	metaTRACE
0	ARSENIC	LT 2 ug/L	Gen. Eng.
0	ARSENIC	LT 3 ug/L	metaTRACE
0	BARIIUM	LT 4 ug/L	Gen. Eng.
0	BARIIUM	LT 25 ug/L	metaTRACE
0	CALCIUM	403 ug/L	Gen. Eng.
0	CALCIUM	684 ug/L	metaTRACE
0	CADMIUM	LT 2 ug/L	Gen. Eng.
0	CADMIUM	LT 4 ug/L	metaTRACE
0	CHLORIDE	1300 ug/L	Gen. Eng.
0	CHLORIDE	1200 ug/L	metaTRACE
0	CHROMIUM	LT 4 ug/L	Gen. Eng.
0	CHROMIUM	LT 5 ug/L	metaTRACE
0	FLUORIDE	LT 100 ug/L	Gen. Eng.
3	FLUORIDE	LT 250 ug/L	metaTRACE
0	IRON	8 ug/L	Gen. Eng.
0	IRON	29 ug/L	metaTRACE
0	MERCURY	LT 0.20 ug/L	Gen. Eng.
0	MERCURY	LT 0.20 ug/L	metaTRACE
0	POTASSIUM	LT 500 ug/L	Gen. Eng.
0	POTASSIUM	LT 2000 ug/L	metaTRACE
0	MAGNESIUM	226 ug/L	Gen. Eng.
0	MAGNESIUM	301 ug/L	metaTRACE
0	MANGANESE	4 ug/L	Gen. Eng.
0	MANGANESE	8 ug/L	metaTRACE
0	SODIUM	758 ug/L	Gen. Eng.
0	SODIUM	845 ug/L	metaTRACE
0	NITRITE AS NITROGEN	LT 10 ug/L	Gen. Eng.
0	NITRITE AS NITROGEN	LT 2500 ug/L	metaTRACE
0	NITRATE AS NITROGEN	360 ug/L	Gen. Eng.
1	NITRATE AS NITROGEN	7000 ug/L	metaTRACE
0	LEAD	LT 6 ug/L	Gen. Eng.
0	LEAD	3 ug/L	metaTRACE
0	PHENOLS	LT 5 ug/L	Gen. Eng.
0	PHENOLS	LT 5 ug/L	metaTRACE
0	SELENIUM	LT 2 ug/L	Gen. Eng.
0	SELENIUM	LT 2 ug/L	metaTRACE
1	SILICON	2596 ug/L	metaTRACE
1	SILICA	4970 ug/L	Gen. Eng.
0	SULFATE	LT 5000 ug/L	Gen. Eng.
0	SULFATE	LT 1000 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS	18000 ug/L	Gen. Eng.
0	TOTAL DISSOLVED SOLIDS	21000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	LT 1000 ug/L	Gen. Eng.
0	TOTAL ORGANIC CARBON	LT 1000 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	LT 5 ug/L	Gen. Eng.
0	TOTAL ORGANIC HALOGENS	LT 5 ug/L	metaTRACE
0	TOTAL PHOSPHATES	LT 50 ug/L	Gen. Eng.
0	TOTAL PHOSPHATES	111 ug/L	metaTRACE
0	GROSS ALPHA	LT 3 pCi/L	Gen. Eng.
0	GROSS ALPHA	LT 2 pCi/L	metaTRACE
0	NONVOLATILE BETA	LT 2 pCi/L	Gen. Eng.
0	NONVOLATILE BETA	LT 4 pCi/L	metaTRACE
0	TOTAL RADIUM	LT 1 pCi/L	Gen. Eng.
0	TOTAL RADIUM	LT 1 pCi/L	metaTRACE
0	TRITIUM	1.64+-0.35 pCi/mL	Gen. Eng.
0	TRITIUM	1.60+-0.20 pCi/mL	metaTRACE

WELL PSS 30

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/04/89 Time 1410
 pH = 5.7 Alkalinity = 4 mg/L
 Specific conductance = 19 umhos/cm
 Water temperature = 22.7 degrees Celsius
 Water evacuated from the well prior to sampling = 6 gal
 The well went dry during purging.

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE	15.00	UMHC	Gen. Eng.
1	PH	6.78	pH	Gen. Eng.
0	SILVER	2	ug/L	Gen. Eng.
0	ARSENIC	2	ug/L	Gen. Eng.
0	BARIUM	6	ug/L	Gen. Eng.
0	CALCIUM	1360	ug/L	Gen. Eng.
0	CADMIUM	2	ug/L	Gen. Eng.
0	CHLORIDE	1600	ug/L	Gen. Eng.
0	CHROMIUM	4	ug/L	Gen. Eng.
0	FLUORIDE	100	ug/L	Gen. Eng.
0	IRON	27	ug/L	Gen. Eng.
0	MERCURY	0.20	ug/L	Gen. Eng.
0	POTASSIUM	500	ug/L	Gen. Eng.
0	MAGNESIUM	167	ug/L	Gen. Eng.
1	MANGANESE	45	ug/L	Gen. Eng.
0	SODIUM	1040	ug/L	Gen. Eng.
0	NITRITE AS NITROGEN	10	ug/L	Gen. Eng.
0	NITRATE AS NITROGEN	90	ug/L	Gen. Eng.
0	LEAD	15	ug/L	Gen. Eng.
0	PHENOLS	5	ug/L	Gen. Eng.
0	SELENIUM	2	ug/L	Gen. Eng.
1	SILICA	5300	ug/L	Gen. Eng.
0	SULFATE	3000	ug/L	Gen. Eng.
0	TOTAL DISSOLVED SOLIDS	18000	ug/L	Gen. Eng.
0	TOTAL ORGANIC CARBON	1000	ug/L	Gen. Eng.
0	TOTAL ORGANIC HALOGENS	6	ug/L	Gen. Eng.
0	TOTAL PHOSPHATES	50	ug/L	Gen. Eng.
0	GROSS ALPHA	3	pCi/L	Gen. Eng.
0	NONVOLATILE BETA	2	pCi/L	Gen. Eng.
0	TOTAL RADIUM	1	pCi/L	Gen. Eng.
0	TRITIUM	1.12+-0.34	pCi/mL	Gen. Eng.

WELL RAC 1

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/12/89 Time 1430
 Depth to water = 11.96 ft (3.65 m) below the TOC
 Water elevation = 271.64 ft (82.80 m) msl
 pH = 4.4 Alkalinity = 0 mg/L
 Specific conductance = 104 umhos/cm
 Water temperature = 20.8 degrees Celsius
 Water evacuated from the well prior to sampling = 63 gal

LABORATORY ANALYSES

0	LEAD	13	ug/L	Gen. Eng.
---	------	----	------	-----------

WELL RAC 2

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/12/89 Time 1455
 Depth to water = 9.32 ft (2.84 m) below the TOC
 Water elevation = 271.08 ft (82.63 m) msl
 pH = 4.5 Alkalinity = 0 mg/L
 Specific conductance = 48 umhos/cm
 Water temperature = 21.6 degrees Celsius
 Water evacuated from the well prior to sampling = 72 gal

LABORATORY ANALYSES

2	LEAD	53	ug/L	Gen. Eng.
---	------	----	------	-----------

WELL RAC 3

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/12/89 Time 1400
 Depth to water = 8.09 ft (2.47 m) below the TOC
 Water elevation = 271.21 ft (82.67 m) msl
 pH = 4.7 Alkalinity = 0 mg/L
 Specific conductance = 47 umhos/cm
 Water temperature = 21.0 degrees Celsius
 Water evacuated from the well prior to sampling = 79 gal

LABORATORY ANALYSES

0	LEAD	6	ug/L	Gen. Eng.
---	------	---	------	-----------

WELL RAC 4

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/12/89 Time 1515
 Depth to water = 9.94 ft (3.03 m) below the TOC
 Water elevation = 269.06 ft (82.01 m) msl
 pH = 4.6 Alkalinity = 0 mg/L
 Specific conductance = 45 umhos/cm
 Water temperature = 19.4 degrees Celsius
 Water evacuated from the well prior to sampling = 80 gal

LABORATORY ANALYSES

0	LEAD	6	ug/L	Gen. Eng.
---	------	---	------	-----------

WELL RRP 1

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/13/89 Time 925
 Depth to water = 21.64 ft (6.60 m) below the TOC
 Water elevation = 262.76 ft (80.09 m) msl
 pH = 4.8 Alkalinity = 0 mg/L
 Specific conductance = 23 umhos/cm
 Water temperature = 19.7 degrees Celsius
 Water evacuated from the well prior to sampling = 53 gal

LABORATORY ANALYSES

0	BROMODICHLOROMETHANE	1	ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	1	ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	1.00	ug/L	Gen. Eng.
0	BROMOFORM	1	ug/L	Gen. Eng.
0	CHLOROFORM	1	ug/L	Gen. Eng.
0	METHYLENE CHLORIDE	1	ug/L	Gen. Eng.
0	BROMOMETHANE	1	ug/L	Gen. Eng.
0	CHLOROMETHANE	1	ug/L	Gen. Eng.
0	CHLOROBENZENE	1	ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	Gen. Eng.
0	CHLOROETHANE	1	ug/L	Gen. Eng.
0	BENZENE	1	ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	1	ug/L	Gen. Eng.
0	ETHYLBENZENE	1	ug/L	Gen. Eng.
0	TOLUENE	1	ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	1	ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	1.00	ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	1.00	ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	1	ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	1	ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	1	ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	1	ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	1	ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	1	ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	1	ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	1	ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	1	ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	1	ug/L	Gen. Eng.

WELL RRP 2

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/13/89 Time 1030
 Depth to water = 22.94 ft (6.99 m) below the TOC
 Water elevation = 261.56 ft (79.72 m) msl
 pH = 4.4 Alkalinity = 0 mg/L
 Specific conductance = 40 umhos/cm
 Water temperature = 20.7 degrees Celsius
 Water evacuated from the well prior to sampling = 51 gal

LABORATORY ANALYSES

0	BROMODICHLOROMETHANE	1	ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	1	ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	1.00	ug/L	Gen. Eng.
0	BROMOFORM	1	ug/L	Gen. Eng.
0	CHLOROFORM	1	ug/L	Gen. Eng.
0	METHYLENE CHLORIDE	1	ug/L	Gen. Eng.
0	BROMOMETHANE	1	ug/L	Gen. Eng.
0	CHLOROMETHANE	1	ug/L	Gen. Eng.
0	CHLOROBENZENE	1	ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	1	ug/L	Gen. Eng.
0	CHLOROETHANE	1	ug/L	Gen. Eng.
0	BENZENE	1	ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	1	ug/L	Gen. Eng.
0	ETHYLBENZENE	1	ug/L	Gen. Eng.
0	TOLUENE	1	ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	1	ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	1.00	ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	1.00	ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	1	ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	1	ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	1	ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	1	ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	1	ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	1	ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	1	ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	1	ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	1	ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	1	ug/L	Gen. Eng.

WELL RRP 3

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/13/89 Time 945
 Depth to water = 19.52 ft (5.95 m) below the TOC
 Water elevation = 260.58 ft (79.43 m) msl
 pH = 5.2 Alkalinity = 0 mg/L
 Specific conductance = 9 umhos/cm
 Water temperature = 19.9 degrees Celsius
 Water evacuated from the well prior to sampling = 73 gal

LABORATORY ANALYSES

0 BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0 CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0 BROMOFORM	LT	1 ug/L	Gen. Eng.
0 CHLOROFORM	LT	1 ug/L	Gen. Eng.
0 METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0 BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0 CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0 CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0 CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 BENZENE	LT	1 ug/L	Gen. Eng.
0 DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0 TOLUENE	LT	1 ug/L	Gen. Eng.
0 1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0 TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0 TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0 1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0 1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0 CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0 TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0 2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.

WELL RRP 4

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/13/89 Time 1010
 Depth to water = 19.63 ft (5.98 m) below the TOC
 Water elevation = 260.57 ft (79.42 m) msl
 pH = 4.7 Alkalinity = 0 mg/L
 Specific conductance = 16 umhos/cm
 Water temperature = 19.2 degrees Celsius
 Water evacuated from the well prior to sampling = 58 gal

LABORATORY ANALYSES

0 BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0 CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0 BROMOFORM	LT	1 ug/L	Gen. Eng.
0 CHLOROFORM	LT	1 ug/L	Gen. Eng.
0 METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0 BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0 CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0 CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0 CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 BENZENE	LT	1 ug/L	Gen. Eng.
0 DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0 TOLUENE	LT	1 ug/L	Gen. Eng.
0 1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0 TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0 TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0 1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0 1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0 CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0 TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0 2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.

WELL RSA 7

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/26/89 Time 1130
 Depth to water = 30.00 ft (9.14 m) below the TOC
 pH = 5.3
 Specific conductance = 28 umhos/cm
 Water temperature = 20.0 degrees Celsius
 No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

0 GROSS ALPHA	1.17+-0.80 pCi/L	HP, 735A
0 NONVOLATILE BETA	4.17+-1.41 pCi/L	HP, 735A
0 TRITIUM	2.10+-0.70 pCi/mL	HP, 735A

WELL RSA 8

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/26/89 Time 1125
 Depth to water = 32.20 ft (9.81 m) below the TOC
 pH = 5.4
 Specific conductance = 36 umhos/cm
 Water temperature = 19.7 degrees Celsius
 No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

0 GROSS ALPHA	0.95+-0.73 pCi/L	HP, 735A
0 NONVOLATILE BETA	3.14+-1.27 pCi/L	HP, 735A
0 TRITIUM	2.52+-0.71 pCi/mL	HP, 735A

WELL RSA 9

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/26/89 Time 1135
 Depth to water = 32.80 ft (10.00 m) below the TOC
 pH = 5.1
 Specific conductance = 32 umhos/cm
 Water temperature = 19.5 degrees Celsius
 No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

0 GROSS ALPHA	2.28+-1.09 pCi/L	HP, 735A
0 NONVOLATILE BETA	2.20+-1.13 pCi/L	HP, 735A
0 TRITIUM	2.75+-0.72 pCi/mL	HP, 735A

WELL RSA 10

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/26/89 Time 1130
 Depth to water = 34.00 ft (10.36 m) below the TOC
 pH = 5.0
 Specific conductance = 29 umhos/cm
 Water temperature = 19.4 degrees Celsius
 No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

0 GROSS ALPHA	1.14+-0.77 pCi/L	HP, 735A
0 NONVOLATILE BETA	1.99+-1.09 pCi/L	HP, 735A
0 TRITIUM	2.75+-0.72 pCi/mL	HP, 735A

WELL RSB 7

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/26/89 Time 945
 Depth to water = 25.10 ft (7.65 m) below the TOC
 pH = 5.4
 Specific conductance = 29 umhos/cm
 Water temperature = 20.7 degrees Celsius
 No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

0 GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
2 GROSS ALPHA	74.00+-	32 pCi/L	metaTRACE
0 GROSS ALPHA	1.04+-0.74	pCi/L	HP, 735A
0 NONVOLATILE BETA	2.10+-3.20	pCi/L	Gen. Eng.
1 NONVOLATILE BETA	42.00+-	12 pCi/L	metaTRACE
0 NONVOLATILE BETA	1.29+-0.98	pCi/L	HP, 735A
0 TRITIUM	LT	0.70 pCi/mL	Gen. Eng.
0 TRITIUM	2.70+-0.30	pCi/mL	metaTRACE
0 TRITIUM	2.60+-0.30	pCi/mL	metaTRACE
0 TRITIUM	2.30+-0.70	pCi/mL	HP, 735A

WELL RSB 8

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/22/89 Time 1000
 Depth to water = 20.00 ft (6.10 m) below the TOC
 Water elevation = 285.80 ft (87.11 m) msl
 pH = 6.3
 Specific conductance = 37 umhos/cm
 Water temperature = 21.2 degrees Celsius
 No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

0 GROSS ALPHA	1.80+-0.94 pCi/L	HP, 735A
0 NONVOLATILE BETA	3.58+-1.32 pCi/L	HP, 735A
0 TRITIUM	2.86+-0.72 pCi/mL	HP, 735A

WELL RSB 9

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/22/89 Time 950
 Depth to water = 19.00 ft (5.79 m) below the TOC
 Water elevation = 286.60 ft (87.36 m) msl
 pH = 6.4
 Specific conductance = 41 umhos/cm
 Water temperature = 21.0 degrees Celsius
 No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

0 GROSS ALPHA	0.42+-0.49 pCi/L	HP, 735A
0 NONVOLATILE BETA	0.63+-0.86 pCi/L	HP, 735A
0 TRITIUM	2.24+-0.70 pCi/mL	HP, 735A

WELL RSC 2

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/22/89 Time 1415
 Depth to water = 25.40 ft (7.74 m) below the TOC
 Water elevation = 276.60 ft (84.31 m) msl
 pH = 5.8
 Specific conductance = 24 umhos/cm
 Water temperature = 19.0 degrees Celsius
 No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

0 GROSS ALPHA	0.95+-0.73 pCi/L	HP, 735A
0 NONVOLATILE BETA	1.76+-1.07 pCi/L	HP, 735A
0 TRITIUM	4.09+-0.81 pCi/mL	HP, 735A

WELL RSC 3

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/21/89 Time 1045
 Depth to water = 26.10 ft (7.96 m) below the TOC
 Water elevation = 275.20 ft (83.88 m) msl
 pH = 5.8
 Specific conductance = 30 umhos/cm
 Water temperature = 19.1 degrees Celsius
 No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

0 GROSS ALPHA	0.98+-0.70 pCi/L	HP, 735A
0 NONVOLATILE BETA	1.52+-1.01 pCi/L	HP, 735A
0 TRITIUM	2.59+-0.72 pCi/mL	HP, 735A

WELL RSC 4

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/26/89 Time 910
 Depth to water = 21.70 ft (6.61 m) below the TOC
 Water elevation = 278.60 ft (84.92 m) msl
 pH = 6.6
 Specific conductance = 44 umhos/cm
 Water temperature = 18.4 degrees Celsius
 No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

0 GROSS ALPHA	0.98+-0.69 pCi/L	HP, 735A
0 NONVOLATILE BETA	0.63+-0.86 pCi/L	HP, 735A
0 TRITIUM	2.74+-0.72 pCi/mL	HP, 735A

WELL RSC 5

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/26/89 Time 900
 Depth to water = 32.30 ft (9.85 m) below the TOC
 Water elevation = 272.60 ft (83.09 m) msl
 pH = 6.5
 Specific conductance = 522 umhos/cm
 Water temperature = 20.7 degrees Celsius
 No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

0 GROSS ALPHA	1.69+-3.15 pCi/L	HP, 735A
0 NONVOLATILE BETA	3.07+-6.65 pCi/L	HP, 735A
0 TRITIUM	2.23+-0.70 pCi/mL	HP, 735A

WELL RSC 6

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/26/89 Time 1100
 Depth to water = 16.00 ft (4.88 m) below the TOC
 Water elevation = 288.10 ft (87.81 m) msl
 pH = 5.3
 Specific conductance = 55 umhos/cm
 Water temperature = 20.0 degrees Celsius
 No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

0 GROSS ALPHA	1.39+-0.89 pCi/L	HP, 735A
0 NONVOLATILE BETA	3.11+-1.28 pCi/L	HP, 735A
0 TRITIUM	2.00+-0.70 pCi/mL	HP, 735A

WELL RSC 7

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/26/89 Time 1110
 Depth to water = 30.00 ft (9.14 m) below the TOC
 Water elevation = 277.80 ft (84.67 m) msl
 pH = 5.0
 Specific conductance = 34 umhos/cm
 Water temperature = 18.7 degrees Celsius
 No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

0 GROSS ALPHA	2.51+-1.09 pCi/L	HP, 735A
0 NONVOLATILE BETA	1.25+-0.96 pCi/L	HP, 735A
0 TRITIUM	2.57+-0.71 pCi/mL	HP, 735A

WELL RSC 8

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/26/89 Time 1120
 Depth to water = 18.80 ft (5.73 m) below the TOC
 Water elevation = 290.00 ft (88.39 m) msl
 pH = 5.7
 Specific conductance = 28 umhos/cm
 Water temperature = 19.3 degrees Celsius
 No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

0 GROSS ALPHA	0.31+-0.43 pCi/L	HP, 735A
0 NONVOLATILE BETA	1.01+-0.92 pCi/L	HP, 735A
0 TRITIUM	2.17+-0.70 pCi/mL	HP, 735A

WELL RSC 9

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/26/89 Time 1400
 Depth to water = 31.80 ft (9.69 m) below the TOC
 pH = 6.0
 Specific conductance = 54 umhos/cm
 Water temperature = 19.5 degrees Celsius
 No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

0 GROSS ALPHA	1.52+-0.97 pCi/L	HP, 735A
0 NONVOLATILE BETA	3.05+-1.29 pCi/L	HP, 735A
0 TRITIUM	3.18+-0.74 pCi/mL	HP, 735A

WELL RSC 10

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/26/89 Time 920
 Depth to water = 26.30 ft (8.02 m) below the TOC
 Water elevation = 271.10 ft (82.63 m) msl
 pH = 6.3
 Specific conductance = 37 umhos/cm
 Water temperature = 18.1 degrees Celsius
 No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

0 GROSS ALPHA	0.79+-0.66 pCi/L	HP, 735A
0 NONVOLATILE BETA	2.32+-1.14 pCi/L	HP, 735A
0 TRITIUM	2.87+-0.72 pCi/mL	HP, 735A

WELL RSD 1

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/22/89 Time 1120
 Depth to water = 13.80 ft (4.21 m) below the TOC
 Water elevation = 287.20 ft (87.54 m) msl
 pH = 5.3
 Specific conductance = 48 umhos/cm
 Water temperature = 22.2 degrees Celsius
 No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

0 GROSS ALPHA	0.81+-0.72 pCi/L	HP, 735A
1 NONVOLATILE BETA	49.25+-6.98 pCi/L	HP, 735A
0 TRITIUM	1.58+-0.68 pCi/mL	HP, 735A

WELL RSD 2A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/22/89 Time 1135
 Depth to water = 14.50 ft (4.42 m) below the TOC
 Water elevation = 286.70 ft (87.39 m) msl
 pH = 5.5
 Specific conductance = 25 umhos/cm
 Water temperature = 23.1 degrees Celsius
 No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

0 GROSS ALPHA	-0.39+-0.47 pCi/L	HP, 735A
2 NONVOLATILE BETA	196+-24.5 pCi/L	HP, 735A
0 TRITIUM	3.71+-0.75 pCi/mL	HP, 735A

WELL RSD 2B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/22/89 Time 1140
 The well was dry.

WELL RSD 2C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/22/89 Time 1145
 Depth to water = 15.50 ft (4.72 m) below the TOC
 Water elevation = 286.20 ft (87.23 m) msl
 pH = 5.1
 Specific conductance = 63 umhos/cm
 Water temperature = 23.5 degrees Celsius
 No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

0 GROSS ALPHA	-7.95+-2.16 pCi/L	HP, 735A
2 NONVOLATILE BETA	3192+-212 pCi/L	HP, 735A
0 TRITIUM	3.13+-0.73 pCi/mL	HP, 735A

WELL RSD 3

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/22/89 Time 1150
 Depth to water = 13.70 ft (4.18 m) below the TOC
 pH = 5.4
 Specific conductance = 40 umhos/cm
 Water temperature = 22.8 degrees Celsius
 No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

0 GROSS ALPHA	1.23+-0.80 pCi/L	HP, 735A
0 NONVOLATILE BETA	4.89+-1.50 pCi/L	HP, 735A
0 TRITIUM	1.87+-0.69 pCi/mL	HP, 735A

WELL RSD 4

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/22/89 Time 1015
 Depth to water = 11.50 ft (3.51 m) below the TOC
 Water elevation = 290.10 ft (88.42 m) msl
 pH = 5.2
 Specific conductance = 22 umhos/cm
 Water temperature = 22.4 degrees Celsius
 No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

0 GROSS ALPHA	1.13+-0.81 pCi/L	HP, 735A
2 NONVOLATILE BETA	63.99+-8.73 pCi/L	HP, 735A
0 TRITIUM	3.32+-0.73 pCi/mL	HP, 735A

WELL RSD 5

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/22/89 Time 1025
 Depth to water = 15.00 ft (4.57 m) below the TOC
 Water elevation = 286.70 ft (87.39 m) msl
 pH = 5.2
 Specific conductance = 33 umhos/cm
 Water temperature = 21.7 degrees Celsius
 No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

0 GROSS ALPHA	0.47+-0.98 pCi/L	HP, 735A
2 NONVOLATILE BETA	410+-50.3 pCi/L	HP, 735A
0 TRITIUM	2.49+-0.71 pCi/mL	HP, 735A

WELL RSD 6

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/22/89 Time 1035
 Depth to water = 15.60 ft (4.75 m) below the TOC
 Water elevation = 286.50 ft (87.33 m) msl
 pH = 5.3
 Specific conductance = 37 umhos/cm
 Water temperature = 21.0 degrees Celsius
 No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

0 GROSS ALPHA	0.41+-0.65 pCi/L	HP, 735A
2 NONVOLATILE BETA	109+-14.1 pCi/L	HP, 735A
0 TRITIUM	3.05+-0.73 pCi/mL	HP, 735A

WELL RSD 7

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/22/89 Time 1045
 Depth to water = 6.00 ft (1.83 m) below the TOC
 Water elevation = 287.40 ft (87.60 m) msl
 pH = 5.6
 Specific conductance = 36 umhos/cm
 Water temperature = 23.6 degrees Celsius
 No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

0 GROSS ALPHA	0.92+-0.85 pCi/L	HP, 735A
2 NONVOLATILE BETA	130+-16.7 pCi/L	HP, 735A
0 TRITIUM	1.92+-0.70 pCi/mL	HP, 735A

WELL RSD 8

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/22/89 Time 1055
 Depth to water = 5.10 ft (1.55 m) below the TOC
 Water elevation = 287.90 ft (87.75 m) msl
 pH = 5.7
 Specific conductance = 66 umhos/cm
 Water temperature = 24.6 degrees Celsius
 No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

0 GROSS ALPHA	0.23+-1.09 pCi/L	HP, 735A
2 NONVOLATILE BETA	264+-19 pCi/L	HP, 735A
0 TRITIUM	2.47+-0.71 pCi/mL	HP, 735A

WELL RSD 9

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/22/89 Time 940
 Depth to water = 7.00 ft (2.13 m) below the TOC
 Water elevation = 289.60 ft (87.05 m) msl
 pH = 5.2
 Specific conductance = 30 umhos/cm
 Water temperature = 24.5 degrees Celsius
 No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

0 GROSS ALPHA	0.83+-0.64 pCi/L	HP, 735A
0 NONVOLATILE BETA	3.91+-1.35 pCi/L	HP, 735A
0 TRITIUM	2.58+-0.71 pCi/mL	HP, 735A

WELL RSD 10

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/22/89 Time 935
 Depth to water = 7.00 ft (2.13 m) below the TOC
 Water elevation = 289.50 ft (87.02 m) msl
 pH = 5.4
 Specific conductance = 27 umhos/cm
 Water temperature = 24.3 degrees Celsius
 No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

0 GROSS ALPHA	0.52+-0.60 pCi/L	HP, 735A
2 NONVOLATILE BETA	53.99+-7.53 pCi/L	HP, 735A
0 TRITIUM	1.66+-0.68 pCi/mL	HP, 735A

WELL RSD 11

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/22/89 Time 930
 Depth to water = 6.50 ft (1.98 m) below the TOC
 Water elevation = 289.80 ft (87.11 m) msl
 pH = 5.8
 Specific conductance = 43 umhos/cm
 Water temperature = 24.7 degrees Celsius
 No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

0 GROSS ALPHA	1.25+-0.80 pCi/L	HP, 735A
1 NONVOLATILE BETA	18.42+-3.22 pCi/L	HP, 735A
0 TRITIUM	1.96+-0.70 pCi/mL	HP, 735A

WELL RSE 1A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/22/89 Time 1315
 Depth to water = 15.70 ft (4.79 m) below the TOC
 Water elevation = 288.70 ft (88.00 m) msl
 pH = 4.8
 Specific conductance = 44 umhos/cm
 Water temperature = 24.8 degrees Celsius
 No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

0 GROSS ALPHA	1.13+-0.77 pCi/L	HP, 735A
1 NONVOLATILE BETA	20.01+-3.42 pCi/L	HP, 735A
0 TRITIUM	2.60+-0.77 pCi/mL	HP, 735A

WELL RSE 1B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/22/89 Time 1320
 Depth to water = 15.00 ft (4.57 m) below the TOC
 Water elevation = 288.70 ft (88.00 m) msl
 pH = 4.8
 Specific conductance = 33 umhos/cm
 Water temperature = 24.4 degrees Celsius
 No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

0 GROSS ALPHA	0.51+-0.52 pCi/L	HP, 735A
0 NONVOLATILE BETA	5.12+-1.52 pCi/L	HP, 735A
0 TRITIUM	2.61+-0.77 pCi/mL	HP, 735A

WELL RSE 1C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/22/89 Time 1330
 Depth to water = 14.70 ft (4.48 m) below the TOC
 Water elevation = 288.90 ft (88.06 m) msl
 pH = 5.1
 Specific conductance = 23 umhos/cm
 Water temperature = 24.7 degrees Celsius
 No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

0 GROSS ALPHA	1.00+-0.71 pCi/L	HP, 735A
0 NONVOLATILE BETA	1.79+-1.05 pCi/L	HP, 735A
0 TRITIUM	2.09+-0.75 pCi/mL	HP, 735A

WELL RSE 2

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/22/89 Time 1200
 Depth to water = 15.50 ft (4.72 m) below the TOC
 Water elevation = 287.30 ft (87.57 m) msl
 pH = 5.0
 Specific conductance = 27 umhos/cm
 Water temperature = 24.6 degrees Celsius
 No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

0 GROSS ALPHA	2.39+-1.07 pCi/L	HP, 735A
0 NONVOLATILE BETA	5.31+-1.55 pCi/L	HP, 735A
0 TRITIUM	2.12+-0.75 pCi/mL	HP, 735A

WELL RSE 3A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/22/89 Time 1125
 Depth to water = 14.90 ft (4.54 m) below the TOC
 Water elevation = 286.10 ft (87.20 m) msl
 pH = 5.4
 Specific conductance = 58 umhos/cm
 Water temperature = 22.8 degrees Celsius
 No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

0 GROSS ALPHA	1.09+-0.78 pCi/L	HP, 735A
1 NONVOLATILE BETA	18.10+-3.20 pCi/L	HP, 735A
0 TRITIUM	2.95+-0.77 pCi/mL	HP, 735A

WELL RSE 4A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/22/89 Time 1110
 Depth to water = 20.00 ft (6.10 m) below the TOC
 Water elevation = 284.60 ft (86.75 m) msl
 pH = 5.3
 Specific conductance = 37 umhos/cm
 Water temperature = 22.8 degrees Celsius
 No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

0 GROSS ALPHA	1.09+-0.77 pCi/L	HP, 735A
1 NONVOLATILE BETA	48.52+-6.87 pCi/L	HP, 735A
0 TRITIUM	3.66+-0.80 pCi/mL	HP, 735A

WELL RSE 4B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/22/89 Time 1100
 The well was dry.

WELL RSE 4C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/22/89 Time 1115
 Depth to water = 20.00 ft (6.10 m) below the TOC
 Water elevation = 284.70 ft (86.78 m) msl
 pH = 5.2
 Specific conductance = 33 umhos/cm
 Water temperature = 22.3 degrees Celsius
 No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

0 GROSS ALPHA	0.97+-0.79 pCi/L	HP, 735A
2 NONVOLATILE BETA	99.51+- 13 pCi/L	HP, 735A
0 TRITIUM	3.01+-0.78 pCi/mL	HP, 735A

WELL RSE 5

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/26/89 Time 935
 Depth to water = 22.10 ft (6.74 m) below the TOC
 Water elevation = 283.90 ft (86.53 m) msl
 pH = 5.5
 Specific conductance = 41 umhos/cm
 Water temperature = 20.7 degrees Celsius
 No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

0 GROSS ALPHA	1.44+-0.86 pCi/L	HP, 735A
1 NONVOLATILE BETA	24.75+-4.00 pCi/L	HP, 735A
0 TRITIUM	9.14+-0.95 pCi/mL	HP, 735A

WELL RSE 6

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/26/89 Time 1145
 The well was dry.

WELL RSE 7

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/26/89 Time 1015
 Depth to water = 25.00 ft (7.62 m) below the TOC
 Water elevation = 278.00 ft (84.74 m) msl
 pH = 5.2
 Specific conductance = 39 umhos/cm
 Water temperature = 20.4 degrees Celsius
 No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

0 GROSS ALPHA	1.33+-0.81 pCi/L	HP, 735A
0 NONVOLATILE BETA	3.45+-1.30 pCi/L	HP, 735A
0 TRITIUM	3.69+-0.95 pCi/mL	HP, 735A

WELL RSE 8

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/26/89 Time 1025
 Depth to water = 23.00 ft (7.01 m) below the TOC
 Water elevation = 279.10 ft (85.07 m) msl
 pH = 5.2
 Specific conductance = 56 umhos/cm
 Water temperature = 20.6 degrees Celsius
 No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

0 GROSS ALPHA	1.85+-0.97 pCi/L	HP, 735A
0 NONVOLATILE BETA	4.20+-1.41 pCi/L	HP, 735A
0 TRITIUM	3.87+-0.99 pCi/mL	HP, 735A

WELL RSE 9

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/26/89 Time 1035
 Depth to water = 28.20 ft (8.60 m) below the TOC
 Water elevation = 279.60 ft (85.22 m) msl
 pH = 4.7
 Specific conductance = 42 umhos/cm
 Water temperature = 21.7 degrees Celsius
 No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

0 GROSS ALPHA	1.18+-0.75 pCi/L	HP, 735A
0 NONVOLATILE BETA	1.76+-1.04 pCi/L	HP, 735A
0 TRITIUM	3.25+-0.78 pCi/mL	HP, 735A

WELL RSE 10

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/26/89 Time 1010
 Depth to water = 26.90 ft (8.20 m) below the TOC
 Water elevation = 280.90 ft (85.62 m) msl
 pH = 4.9
 Specific conductance = 36 umhos/cm
 Water temperature = 21.1 degrees Celsius
 No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

0 GROSS ALPHA	0.86+-0.66 pCi/L	HP, 735A
0 NONVOLATILE BETA	4.07+-1.38 pCi/L	HP, 735A
2 TRITIUM	474+-4.92 pCi/mL	HP, 735A

WELL RSE 11

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/26/89 Time 1000
 Depth to water = 25.30 ft (7.71 m) below the TOC
 Water elevation = 278.50 ft (84.89 m) msl
 pH = 5.1
 Specific conductance = 46 umhos/cm
 Water temperature = 19.5 degrees Celsius
 No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

0 GROSS ALPHA	1.47+-1.13 pCi/L	HP, 735A
2 NONVOLATILE BETA	315+-38.8 pCi/L	HP, 735A
0 TRITIUM	2.38+-0.75 pCi/mL	HP, 735A

WELL RSE 12

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/22/89 Time 1400
 Depth to water = 27.50 ft (8.38 m) below the TOC
 Water elevation = 278.30 ft (84.83 m) msl
 pH = 5.3
 Specific conductance = 39 umhos/cm
 Water temperature = 24.0 degrees Celsius
 No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

0 GROSS ALPHA	0.27+-0.67 pCi/L	HP, 735A
2 NONVOLATILE BETA	168+-21.2 pCi/L	HP, 735A
0 TRITIUM	2.66+-0.77 pCi/mL	HP, 735A

WELL RSE 13

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/22/89 Time 1010
 Depth to water = 15.00 ft (4.57 m) below the TOC
 Water elevation = 286.20 ft (87.23 m) msl
 pH = 5.5
 Specific conductance = 35 umhos/cm
 Water temperature = 22.1 degrees Celsius
 No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

0 GROSS ALPHA	0.78+-0.80 pCi/L	HP, 735A
2 NONVOLATILE BETA	151+-19.1 pCi/L	HP, 735A
0 TRITIUM	3.16+-0.78 pCi/mL	HP, 735A

WELL RSE 18

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/22/89 Time 1345
 Depth to water = 29.50 ft (8.99 m) below the TOC
 Water elevation = 277.60 ft (84.61 m) msl
 pH = 5.7
 Specific conductance = 64 umhos/cm
 Water temperature = 23.6 degrees Celsius
 No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

0 GROSS ALPHA	0.54+-0.55 pCi/L	HP, 735A
0 NONVOLATILE BETA	1.98+-1.08 pCi/L	HP, 735A
1 TRITIUM	13.80+-1.07 pCi/mL	HP, 735A

WELL RSE 19

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/26/89 Time 950
 Depth to water = 26.30 ft (8.02 m) below the TOC
 Water elevation = 278.50 ft (84.89 m) msl
 pH = 5.4
 Specific conductance = 70 umhos/cm
 Water temperature = 19.5 degrees Celsius
 No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

0 GROSS ALPHA	3.13+-1.28 pCi/L	HP, 735A
0 NONVOLATILE BETA	48.40+-6.88 pCi/L	HP, 735A
0 TRITIUM	3.94+-0.81 pCi/mL	HP, 735A

WELL RSE 24

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/12/89 Time 1310
 Depth to water = 16.86 ft (5.14 m) below the TOC
 Water elevation = 277.24 ft (84.50 m) msl
 pH = 5.0 Alkalinity = 1 mg/L
 Specific conductance = 34 umhos/cm
 Water temperature = 21.3 degrees Celsius
 Water evacuated from the well prior to sampling = 103 gal

LABORATORY ANALYSES

0 IRON	18 ug/L	metaTRACE
0 NITRATE AS NITROGEN	2700 ug/L	metaTRACE

WELL RSE 25

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/12/89 Time 1205
 Depth to water = 21.77 ft (6.64 m) below the TOC
 Water elevation = 272.13 ft (82.95 m) msl
 pH = 5.2 Alkalinity = 8 mg/L
 Specific conductance = 70 umhos/cm
 Water temperature = 24.2 degrees Celsius
 Water evacuated from the well prior to sampling = 90 gal

LABORATORY ANALYSES

0 IRON	20 ug/L	metaTRACE
0 NITRATE AS NITROGEN	3800 ug/L	metaTRACE

WELL RSF 1

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/12/89 Time 945
 Depth to water = 27.41 ft (8.35 m) below the TOC
 Water elevation = 275.69 ft (84.03 m) msl
 pH = 10.1 Alkalinity = 36 mg/L
 Specific conductance = 110 umhos/cm
 Water temperature = 22.0 degrees Celsius
 Water evacuated from the well prior to sampling = 122 gal

LABORATORY ANALYSES

2 PH	10.1 pH	metaTRACE
------	---------	-----------

WELL RSF 2

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/12/89 Time 1015
 Depth to water = 26.07 ft (8.22 m) below the TOC
 Water elevation = 275.83 ft (84.07 m) msl
 pH = 5.1 Alkalinity = 2 mg/L
 Specific conductance = 48 umhos/cm
 Water temperature = 20.6 degrees Celsius
 Water evacuated from the well prior to sampling = 133 gal

LABORATORY ANALYSES

0 PH	5.52 pH	metaTRACE
0 PH	5.05 pH	metaTRACE

WELL RSF 3

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/06/89 Time 1615
 Depth to water = 29.28 ft (8.92 m) below the TOC
 Water elevation = 277.82 ft (84.68 m) msl
 pH = 8.0 Alkalinity = 12 mg/L
 Specific conductance = 41 umhos/cm
 Water temperature = 23.6 degrees Celsius
 Water evacuated from the well prior to sampling = 125 gal

LABORATORY ANALYSES

0 PH	6.16 pH	metaTRACE
------	---------	-----------

WELL RNM 1

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/16/89 Time 1345
 Depth to water = 178.64 ft (53.84 m) below the TOC
 Water elevation = 188.86 ft (57.57 m) msl
 pH = 3.9 Alkalinity = 0 mg/L
 Specific conductance = 217 umhos/cm
 Water temperature = 21.6 degrees Celsius
 The well was continuously pumping.

LABORATORY ANALYSES

0 CHLOROFORM	LT	500 ug/L	M-Area, SRS
2 TETRACHLOROETHYLENE		16400 ug/L	M-Area, SRS
2 TRICHLOROETHYLENE		69200 ug/L	M-Area, SRS
0 TRANS-1,2-DICHLOROETHENE	LT	500 ug/L	M-Area, SRS
0 1,1-DICHLOROETHYLENE	LT	500 ug/L	M-Area, SRS
0 1,1,1-TRICHLOROETHANE	LT	500 ug/L	M-Area, SRS

WELL RNM 1

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/14/89 Time 835
 Depth to water = 178.13 ft (54.29 m) below the TOC
 Water elevation = 187.37 ft (57.11 m) msl
 pH = 4.3 Alkalinity = 0 mg/L
 Specific conductance = 175 umhos/cm
 Water temperature = 19.7 degrees Celsius
 The well was continuously pumping.

LABORATORY ANALYSES

1 SPECIFIC CONDUCTANCE		170.0 UMH	Gen. Eng.
0 PH		4.42 pH	Gen. Eng.
0 SILVER	LT	2 ug/L	Gen. Eng.
1 ALUMINUM		318 ug/L	Gen. Eng.
0 ARSENIC	LT	2 ug/L	Gen. Eng.
1 BARIUM		79 ug/L	Gen. Eng.
0 BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
1 CARBON TETRACHLORIDE		2.00 ug/L	Gen. Eng.
0 CADMIUM	LT	2 ug/L	Gen. Eng.
0 BROMOFORM	LT	1 ug/L	Gen. Eng.
0 CHLOROFORM	LT	1 ug/L	Gen. Eng.
1 METHYLENE CHLORIDE		2 ug/L	Gen. Eng.
0 BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0 CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 CHLORIDE		2800 ug/L	Gen. Eng.
0 CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0 CHROMIUM	LT	4 ug/L	Gen. Eng.
1 COPPER		43 ug/L	Gen. Eng.
0 CYANIDE	LT	5 ug/L	Gen. Eng.
0 CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0 CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 BENZENE	LT	1 ug/L	Gen. Eng.
0 DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0 IRON		12 ug/L	Gen. Eng.
1 MERCURY		0.70 ug/L	Gen. Eng.
1 TOLUENE		2 ug/L	Gen. Eng.
1 MANGANESE		47 ug/L	Gen. Eng.
1 SODIUM		6500 ug/L	Gen. Eng.
0 NICKEL	LT	4 ug/L	Gen. Eng.
2 NITRATE AS NITROGEN		20000 ug/L	Gen. Eng.
0 LEAD		19 ug/L	Gen. Eng.

CONTINUED

WELL RWM 1 COLLECTED ON 08/14/89 LABORATORY ANALYSES CONTINUED

1	PHENOLS		8 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	Gen. Eng.
0	SULFATE	LT	5000 ug/L	Gen. Eng.
1	1,1,2,2-TETRACHLOROETHANE		4 ug/L	Gen. Eng.
2	TETRACHLOROETHYLENE		8030 ug/L	Gen. Eng.
0	TOTAL PHOSPHORUS	LT	50 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE		26800 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	URANIUM	LT	1000 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE		1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0	ZINC		14 ug/L	Gen. Eng.
0	GROSS ALPHA		3.11+-1.80 pCi/L	Gen. Eng.
0	NONVOLATILE BETA		8.70+-2.60 pCi/L	Gen. Eng.
2	TOTAL RADIUM		12.40+-3.80 pCi/L	Gen. Eng.

WELL RWM 1

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/12/89 Time 850
Depth to water = 177.73 ft (54.17 m) below the TOC
Water elevation = 187.77 ft (57.23 m) msl
pH = 4.3 Alkalinity = 0 mg/L
Specific conductance = 161 umhos/cm
Water temperature = 20.4 degrees Celsius
The well was continuously pumping.

LABORATORY ANALYSES

0	CHLOROFORM	LT	500 ug/L	M-Area, SRS
2	TETRACHLOROETHYLENE		19800 ug/L	M-Area, SRS
2	TRICHLOROETHYLENE		51900 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	500 ug/L	M-Area, SRS
0	1,1-DICHLOROETHYLENE	LT	500 ug/L	M-Area, SRS
0	1,1,1-TRICHLOROETHANE	LT	500 ug/L	M-Area, SRS

WELL RWM 2

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/16/89 Time 955
Depth to water = 207.63 ft (63.29 m) below the TOC
Water elevation = 183.67 ft (49.89 m) msl
pH = 4.1 Alkalinity = 0 mg/L
Specific conductance = 46 umhos/cm
Water temperature = 21.9 degrees Celsius
The well was continuously pumping.

LABORATORY ANALYSES

0	CHLOROFORM	LT	500 ug/L	M-Area, SRS
2	TETRACHLOROETHYLENE		7090 ug/L	M-Area, SRS
2	TRICHLOROETHYLENE		26000 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	500 ug/L	M-Area, SRS
0	1,1-DICHLOROETHYLENE	LT	500 ug/L	M-Area, SRS
0	1,1,1-TRICHLOROETHANE	LT	500 ug/L	M-Area, SRS

WELL RWM 2

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/14/89 Time 1405
Depth to water = 207.63 ft (63.29 m) below the TOC
Water elevation = 183.67 ft (49.89 m) msl
pH = 4.6 Alkalinity = 0 mg/L
Specific conductance = 52 umhos/cm
Water temperature = 21.5 degrees Celsius
The well was continuously pumping.

LABORATORY ANALYSES

0	CHLOROFORM	LT	500 ug/L	M-Area, SRS
2	TETRACHLOROETHYLENE		9070 ug/L	M-Area, SRS
2	TRICHLOROETHYLENE		28900 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	500 ug/L	M-Area, SRS
0	1,1-DICHLOROETHYLENE	LT	500 ug/L	M-Area, SRS
0	1,1,1-TRICHLOROETHANE	LT	500 ug/L	M-Area, SRS

WELL RWM 2

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/12/89 Time 950
Depth to water = 202.32 ft (61.67 m) below the TOC
Water elevation = 188.98 ft (57.51 m) msl
pH = 4.8 Alkalinity = 0 mg/L
Specific conductance = 50 umhos/cm
Water temperature = 21.2 degrees Celsius
The well was continuously pumping.

LABORATORY ANALYSES

0	CHLOROFORM	LT	500 ug/L	M-Area, SRS
2	TETRACHLOROETHYLENE		8970 ug/L	M-Area, SRS
2	TRICHLOROETHYLENE		26800 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	500 ug/L	M-Area, SRS
0	1,1-DICHLOROETHYLENE	LT	500 ug/L	M-Area, SRS
0	1,1,1-TRICHLOROETHANE	LT	500 ug/L	M-Area, SRS

WELL RWM 3

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/16/89 Time 1005
pH = 3.9 Alkalinity = 0 mg/L
Specific conductance = 88 umhos/cm
Water temperature = 21.8 degrees Celsius
The well was continuously pumping.

LABORATORY ANALYSES

0	CHLOROFORM	LT	500 ug/L	M-Area, SRS
2	TETRACHLOROETHYLENE		5250 ug/L	M-Area, SRS
2	TRICHLOROETHYLENE		20700 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	500 ug/L	M-Area, SRS
0	1,1-DICHLOROETHYLENE	LT	500 ug/L	M-Area, SRS
0	1,1,1-TRICHLOROETHANE	LT	500 ug/L	M-Area, SRS

WELL RWM 3

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/14/89 Time 1355
Depth to water = 167.64 ft (51.10 m) below the TOC
Water elevation = 209.36 ft (63.81 m) msl
pH = 4.3 Alkalinity = 0 mg/L
Specific conductance = 87 umhos/cm
Water temperature = 21.5 degrees Celsius
The well was continuously pumping.

LABORATORY ANALYSES

0	CHLOROFORM	LT	500 ug/L	M-Area, SRS
2	TETRACHLOROETHYLENE		7010 ug/L	M-Area, SRS
2	TRICHLOROETHYLENE		27000 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	500 ug/L	M-Area, SRS
0	1,1-DICHLOROETHYLENE	LT	500 ug/L	M-Area, SRS
0	1,1,1-TRICHLOROETHANE	LT	500 ug/L	M-Area, SRS

WELL RWM 3

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/12/89 Time 940
Depth to water = 164.73 ft (50.21 m) below the TOC
Water elevation = 212.27 ft (64.70 m) msl
pH = 4.4 Alkalinity = 0 mg/L
Specific conductance = 84 umhos/cm
Water temperature = 21.0 degrees Celsius
The well was continuously pumping.

LABORATORY ANALYSES

0	CHLOROFORM	LT	500 ug/L	M-Area, SRS
2	TETRACHLOROETHYLENE		5310 ug/L	M-Area, SRS
2	TRICHLOROETHYLENE		24300 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	500 ug/L	M-Area, SRS
0	1,1-DICHLOROETHYLENE	LT	500 ug/L	M-Area, SRS
0	1,1,1-TRICHLOROETHANE	LT	500 ug/L	M-Area, SRS

WELL RNM 4

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/16/89 Time 1240
 Depth to water = 154.34 ft (47.04 m) below the TOC
 Water elevation = 212.16 ft (64.67 m) msl
 pH = 4.2 Alkalinity = 0 mg/L
 Specific conductance = 23 umhos/cm
 Water temperature = 21.0 degrees Celsius
 The well was continuously pumping.

LABORATORY ANALYSES

0	CHLOROFORM	LT	100 ug/L	M-Area, SRS
2	TETRACHLOROETHYLENE		592 ug/L	M-Area, SRS
2	TRICHLOROETHYLENE		8630 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	100 ug/L	M-Area, SRS
0	1,1-DICHLOROETHYLENE	LT	100 ug/L	M-Area, SRS
0	1,1,1-TRICHLOROETHANE	LT	100 ug/L	M-Area, SRS

WELL RNM 4

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/14/89 Time 820
 Depth to water = 154.65 ft (47.14 m) below the TOC
 Water elevation = 211.85 ft (64.57 m) msal
 pH = 4.8 Alkalinity = 0 mg/L
 Specific conductance = 22 umhos/cm
 Water temperature = 20.1 degrees Celsius
 The well was continuously pumping.

LABORATORY ANALYSES

0	CHLOROFORM	LT	100 ug/L	M-Area, SRS
2	TETRACHLOROETHYLENE		442 ug/L	M-Area, SRS
2	TRICHLOROETHYLENE		7570 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	100 ug/L	M-Area, SRS
0	1,1-DICHLOROETHYLENE	LT	100 ug/L	M-Area, SRS
0	1,1,1-TRICHLOROETHANE	LT	100 ug/L	M-Area, SRS

WELL RNM 4

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/12/89 Time 905
 Depth to water = 153.85 ft (46.89 m) below the TOC
 Water elevation = 212.65 ft (64.82 m) msal
 pH = 4.8 Alkalinity = 0 mg/L
 Specific conductance = 21 umhos/cm
 Water temperature = 20.5 degrees Celsius
 The well was continuously pumping.

LABORATORY ANALYSES

0	CHLOROFORM	LT	100 ug/L	M-Area, SRS
2	TETRACHLOROETHYLENE		303 ug/L	M-Area, SRS
2	TRICHLOROETHYLENE		7340 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	100 ug/L	M-Area, SRS
0	1,1-DICHLOROETHYLENE	LT	100 ug/L	M-Area, SRS
0	1,1,1-TRICHLOROETHANE	LT	100 ug/L	M-Area, SRS

WELL RNM 5

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/16/89 Time 945
 Depth to water = 145.64 ft (44.39 m) below the TOC
 Water elevation = 221.26 ft (67.44 m) msal
 pH = 4.1 Alkalinity = 0 mg/L
 Specific conductance = 30 umhos/cm
 Water temperature = 21.0 degrees Celsius
 The well was continuously pumping.

LABORATORY ANALYSES

0	CHLOROFORM	LT	20 ug/L	M-Area, SRS
2	TETRACHLOROETHYLENE		899 ug/L	M-Area, SRS
2	TRICHLOROETHYLENE		1340 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	20 ug/L	M-Area, SRS
0	1,1-DICHLOROETHYLENE	LT	20 ug/L	M-Area, SRS
0	1,1,1-TRICHLOROETHANE	LT	20 ug/L	M-Area, SRS

WELL RNM 5

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/14/89 Time 1415
 Depth to water = 145.95 ft (44.49 m) below the TOC
 Water elevation = 220.95 ft (67.35 m) msal
 pH = 4.8 Alkalinity = 0 mg/L
 Specific conductance = 32 umhos/cm
 Water temperature = 21.4 degrees Celsius
 The well was continuously pumping.

LABORATORY ANALYSES

0	CHLOROFORM	LT	20 ug/L	M-Area, SRS
0	CHLOROFORM	LT	20 ug/L	M-Area, SRS
2	TETRACHLOROETHYLENE		1190 ug/L	M-Area, SRS
2	TETRACHLOROETHYLENE		1310 ug/L	M-Area, SRS
2	TRICHLOROETHYLENE		1630 ug/L	M-Area, SRS
2	TRICHLOROETHYLENE		1720 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	20 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	20 ug/L	M-Area, SRS
0	1,1-DICHLOROETHYLENE	LT	20 ug/L	M-Area, SRS
0	1,1-DICHLOROETHYLENE	LT	20 ug/L	M-Area, SRS
0	1,1,1-TRICHLOROETHANE	LT	20 ug/L	M-Area, SRS
0	1,1,1-TRICHLOROETHANE	LT	20 ug/L	M-Area, SRS

WELL RNM 5

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/13/89 Time 1015
 Depth to water = 145.65 ft (44.39 m) below the TOC
 Water elevation = 221.25 ft (67.44 m) msal
 pH = 4.8 Alkalinity = 0 mg/L
 Specific conductance = 31 umhos/cm
 Water temperature = 21.8 degrees Celsius
 The well was continuously pumping.

LABORATORY ANALYSES

0	CHLOROFORM	LT	20 ug/L	M-Area, SRS
2	TETRACHLOROETHYLENE		1360 ug/L	M-Area, SRS
2	TRICHLOROETHYLENE		1570 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	20 ug/L	M-Area, SRS
0	1,1-DICHLOROETHYLENE	LT	20 ug/L	M-Area, SRS
0	1,1,1-TRICHLOROETHANE	LT	20 ug/L	M-Area, SRS

WELL RNM 6

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/16/89 Time 1400
 Depth to water = 175.06 ft (53.36 m) below the TOC
 Water elevation = 174.04 ft (53.05 m) msal
 pH = 4.3 Alkalinity = 0 mg/L
 Specific conductance = 40 umhos/cm
 Water temperature = 21.5 degrees Celsius
 The well was continuously pumping.

LABORATORY ANALYSES

0	CHLOROFORM	LT	500 ug/L	M-Area, SRS
2	TETRACHLOROETHYLENE		13000 ug/L	M-Area, SRS
2	TRICHLOROETHYLENE		13400 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	500 ug/L	M-Area, SRS
0	1,1-DICHLOROETHYLENE	LT	500 ug/L	M-Area, SRS
0	1,1,1-TRICHLOROETHANE	LT	500 ug/L	M-Area, SRS

WELL RNM 6

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/14/89 Time 745
 Depth to water = 166.73 ft (50.82 m) below the TOC
 Water elevation = 182.37 ft (55.59 m) msal
 pH = 4.8 Alkalinity = 0 mg/L
 Specific conductance = 33 umhos/cm
 Water temperature = 20.3 degrees Celsius
 The well was continuously pumping.

LABORATORY ANALYSES

0	CHLOROFORM	LT	500 ug/L	M-Area, SRS
2	TETRACHLOROETHYLENE		9860 ug/L	M-Area, SRS
2	TRICHLOROETHYLENE		11500 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	500 ug/L	M-Area, SRS
0	1,1-DICHLOROETHYLENE	LT	500 ug/L	M-Area, SRS
0	1,1,1-TRICHLOROETHANE	LT	500 ug/L	M-Area, SRS

WELL RHM 6

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/12/89 Time 840
 Depth to water = 187.44 ft (51.04 m) below the TOC
 Water elevation = 181.86 ft (55.37 m) msl
 pH = 4.8 Alkalinity = 0 mg/L
 Specific conductance = 32 umhos/cm
 Water temperature = 20.5 degrees Celsius
 The well was continuously pumping.

LABORATORY ANALYSES

0	CHLOROFORM	LT	500 ug/L	M-Area, SRS
2	TETRACHLOROETHYLENE		7020 ug/L	M-Area, SRS
2	TRICHLOROETHYLENE		0880 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	500 ug/L	M-Area, SRS
0	1,1-DICHLOROETHYLENE	LT	500 ug/L	M-Area, SRS
0	1,1,1-TRICHLOROETHANE	LT	500 ug/L	M-Area, SRS

WELL RHM 7

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/16/89 Time 1410
 Depth to water = 145.55 ft (44.36 m) below the TOC
 Water elevation = 203.45 ft (62.01 m) msl
 pH = 4.1 Alkalinity = 0 mg/L
 Specific conductance = 68 umhos/cm
 Water temperature = 21.6 degrees Celsius
 The well was continuously pumping.

LABORATORY ANALYSES

0	CHLOROFORM	LT	50 ug/L	M-Area, SRS
2	TETRACHLOROETHYLENE		4440 ug/L	M-Area, SRS
2	TRICHLOROETHYLENE		2780 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	50 ug/L	M-Area, SRS
0	1,1-DICHLOROETHYLENE	LT	50 ug/L	M-Area, SRS
0	1,1,1-TRICHLOROETHANE	LT	50 ug/L	M-Area, SRS

WELL RHM 7

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/14/89 Time 730
 Depth to water = 144.04 ft (43.90 m) below the TOC
 Water elevation = 204.96 ft (62.47 m) msl
 pH = 4.6 Alkalinity = 0 mg/L
 Specific conductance = 73 umhos/cm
 Water temperature = 19.7 degrees Celsius
 The well was continuously pumping.

LABORATORY ANALYSES

0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE
1	CARBON TETRACHLORIDE		1.00 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	BROMOFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	50 ug/L	M-Area, SRS
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
1	METHYLENE CHLORIDE	B	52 ug/L	metaTRACE
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	5 ug/L	metaTRACE
0	TOLUENE	LT	1 ug/L	Gen. Eng.
0	TOLUENE	LT	5 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
2	TETRACHLOROETHYLENE		1740 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
2	TETRACHLOROETHYLENE		4210 ug/L	M-Area, SRS
2	TRICHLOROETHYLENE		1230 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
2	TRICHLOROETHYLENE		2930 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	50 ug/L	M-Area, SRS
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	50 ug/L	M-Area, SRS
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE

CONTINUED

WELL RHM 7 COLLECTED ON 08/14/89 LABORATORY ANALYSES CONTINUED

0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	50 ug/L	M-Area, SRS
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE

WELL RHM 7

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/14/89 Time 730
 Depth to water = 144.04 ft (43.90 m) below the TOC
 Water elevation = 204.96 ft (62.47 m) msl
 pH = 4.6 Alkalinity = 0 mg/L
 Specific conductance = 73 umhos/cm
 Water temperature = 19.7 degrees Celsius
 The well was continuously pumping.

LABORATORY ANALYSES

0	CHLOROFORM	LT	250 ug/L	M-Area, SRS
2	TETRACHLOROETHYLENE		4140 ug/L	M-Area, SRS
2	TRICHLOROETHYLENE		3280 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	250 ug/L	M-Area, SRS
0	1,1-DICHLOROETHYLENE	LT	250 ug/L	M-Area, SRS
0	1,1,1-TRICHLOROETHANE	LT	250 ug/L	M-Area, SRS

WELL RHM 7

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/12/89 Time 830
 Depth to water = 143.78 ft (43.82 m) below the TOC
 Water elevation = 205.24 ft (62.56 m) msl
 pH = 4.6 Alkalinity = 0 mg/L
 Specific conductance = 71 umhos/cm
 Water temperature = 20.5 degrees Celsius
 The well was continuously pumping.

LABORATORY ANALYSES

0	CHLOROFORM	LT	50 ug/L	M-Area, SRS
2	TETRACHLOROETHYLENE		3760 ug/L	M-Area, SRS
2	TRICHLOROETHYLENE		2840 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	50 ug/L	M-Area, SRS
0	1,1-DICHLOROETHYLENE	LT	50 ug/L	M-Area, SRS
0	1,1,1-TRICHLOROETHANE	LT	50 ug/L	M-Area, SRS

WELL RHM 8

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/16/89 Time 1055
 Depth to water = 141.45 ft (43.11 m) below the TOC
 Water elevation = 206.85 ft (63.05 m) msl
 pH = 4.5 Alkalinity = 0 mg/L
 Specific conductance = 283 umhos/cm
 Water temperature = 21.6 degrees Celsius
 The well was continuously pumping.

LABORATORY ANALYSES

0	CHLOROFORM	LT	2 ug/L	M-Area, SRS
2	TETRACHLOROETHYLENE		141 ug/L	M-Area, SRS
2	TRICHLOROETHYLENE		186 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	2 ug/L	M-Area, SRS
0	1,1-DICHLOROETHYLENE	LT	2 ug/L	M-Area, SRS
1	1,1,1-TRICHLOROETHANE		27 ug/L	M-Area, SRS

WELL RHM 8

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/14/89 Time 755
 Depth to water = 143.65 ft (43.79 m) below the TOC
 Water elevation = 204.65 ft (62.38 m) msl
 pH = 4.8 Alkalinity = 0 mg/L
 Specific conductance = 150 umhos/cm
 Water temperature = 20.4 degrees Celsius
 The well was continuously pumping.

LABORATORY ANALYSES

0	CHLOROFORM	LT	2 ug/L	M-Area, SRS
2	TETRACHLOROETHYLENE		103 ug/L	M-Area, SRS
2	TRICHLOROETHYLENE		151 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	2 ug/L	M-Area, SRS
0	1,1-DICHLOROETHYLENE	LT	2 ug/L	M-Area, SRS
1	1,1,1-TRICHLOROETHANE		16 ug/L	M-Area, SRS

WELL RYM 8

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/12/89 Time 915
 Depth to water = 142.95 ft (43.57 m) below the TOC
 Water elevation = 205.35 ft (62.59 m) msl
 pH = 4.8 Alkalinity = 0 mg/L
 Specific conductance = 152 umhos/cm
 Water temperature = 20.7 degrees Celsius
 The well was continuously pumping.

LABORATORY ANALYSES

0	CHLOROFORM	LT	2 ug/L	M-Area, SRS
2	TETRACHLOROETHYLENE		85.5 ug/L	M-Area, SRS
2	TRICHLOROETHYLENE		133 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	2 ug/L	M-Area, SRS
0	1,1-DICHLOROETHYLENE	LT	2 ug/L	M-Area, SRS
1	1,1,1-TRICHLOROETHANE		11 ug/L	M-Area, SRS

WELL RYM 9

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/16/89 Time 1430
 Depth to water = 152.54 ft (46.49 m) below the TOC
 Water elevation = 228.06 ft (69.51 m) msl
 pH = 4.3 Alkalinity = 0 mg/L
 Specific conductance = 39 umhos/cm
 Water temperature = 21.8 degrees Celsius
 The well was continuously pumping.

LABORATORY ANALYSES

0	CHLOROFORM	LT	10 ug/L	M-Area, SRS
2	TETRACHLOROETHYLENE		30.8 ug/L	M-Area, SRS
2	TRICHLOROETHYLENE		243 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	10 ug/L	M-Area, SRS
0	1,1-DICHLOROETHYLENE	LT	10 ug/L	M-Area, SRS
0	1,1,1-TRICHLOROETHANE	LT	10 ug/L	M-Area, SRS

WELL RYM 9

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/14/89 Time 720
 Depth to water = 153.75 ft (46.86 m) below the TOC
 Water elevation = 226.85 ft (69.14 m) msl
 pH = 4.8 Alkalinity = 0 mg/L
 Specific conductance = 38 umhos/cm
 Water temperature = 20.6 degrees Celsius
 The well was continuously pumping.

LABORATORY ANALYSES

0	CHLOROFORM	LT	10 ug/L	M-Area, SRS
0	TETRACHLOROETHYLENE	LT	10.0 ug/L	M-Area, SRS
2	TRICHLOROETHYLENE		244 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	10 ug/L	M-Area, SRS
0	1,1-DICHLOROETHYLENE	LT	10 ug/L	M-Area, SRS
0	1,1,1-TRICHLOROETHANE	LT	10 ug/L	M-Area, SRS

WELL RYM 9

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/12/89 Time 820
 Depth to water = 153.55 ft (46.80 m) below the TOC
 Water elevation = 227.05 ft (69.21 m) msl
 pH = 4.9 Alkalinity = 0 mg/L
 Specific conductance = 36 umhos/cm
 Water temperature = 20.3 degrees Celsius
 The well was continuously pumping.

LABORATORY ANALYSES

0	CHLOROFORM	LT	10 ug/L	M-Area, SRS
0	TETRACHLOROETHYLENE	LT	10.0 ug/L	M-Area, SRS
2	TRICHLOROETHYLENE		139 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	10 ug/L	M-Area, SRS
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area, SRS
0	1,1,1-TRICHLOROETHANE	LT	10 ug/L	M-Area, SRS

WELL RYM 10

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/16/89 Time 1445
 Depth to water = 180.64 ft (48.98 m) below the TOC
 Water elevation = 194.86 ft (59.39 m) msl
 pH = 4.3 Alkalinity = 0 mg/L
 Specific conductance = 171 umhos/cm
 Water temperature = 21.3 degrees Celsius
 The well was continuously pumping.

LABORATORY ANALYSES

0	CHLOROFORM	LT	250 ug/L	M-Area, SRS
2	TETRACHLOROETHYLENE		13500 ug/L	M-Area, SRS
2	TRICHLOROETHYLENE		7120 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	250 ug/L	M-Area, SRS
0	1,1-DICHLOROETHYLENE	LT	250 ug/L	M-Area, SRS
0	1,1,1-TRICHLOROETHANE	LT	250 ug/L	M-Area, SRS

WELL RYM 10

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/14/89 Time 810
 Depth to water = 183.14 ft (49.73 m) below the TOC
 Water elevation = 192.36 ft (58.63 m) msl
 pH = 4.7 Alkalinity = 0 mg/L
 Specific conductance = 122 umhos/cm
 Water temperature = 20.2 degrees Celsius
 The well was continuously pumping.

LABORATORY ANALYSES

0	CHLOROFORM	LT	250 ug/L	M-Area, SRS
2	TETRACHLOROETHYLENE		6850 ug/L	M-Area, SRS
2	TRICHLOROETHYLENE		4180 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	250 ug/L	M-Area, SRS
0	1,1-DICHLOROETHYLENE	LT	250 ug/L	M-Area, SRS
0	1,1,1-TRICHLOROETHANE	LT	250 ug/L	M-Area, SRS

WELL RYM 10

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/12/89 Time 925
 Depth to water = 159.74 ft (48.89 m) below the TOC
 Water elevation = 195.76 ft (59.67 m) msl
 pH = 4.7 Alkalinity = 0 mg/L
 Specific conductance = 128 umhos/cm
 Water temperature = 20.4 degrees Celsius
 The well was continuously pumping.

LABORATORY ANALYSES

0	CHLOROFORM	LT	250 ug/L	M-Area, SRS
2	TETRACHLOROETHYLENE		8180 ug/L	M-Area, SRS
2	TRICHLOROETHYLENE		3900 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	250 ug/L	M-Area, SRS
0	1,1-DICHLOROETHYLENE	LT	250 ug/L	M-Area, SRS
0	1,1,1-TRICHLOROETHANE	LT	250 ug/L	M-Area, SRS

WELL RYM 11

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/16/89 Time 1420
 Depth to water = 186.34 ft (50.70 m) below the TOC
 Water elevation = 216.96 ft (66.13 m) msl
 pH = 3.8 Alkalinity = 0 mg/L
 Specific conductance = 52 umhos/cm
 Water temperature = 21.2 degrees Celsius
 The well was continuously pumping.

LABORATORY ANALYSES

0	CHLOROFORM	LT	100 ug/L	M-Area, SRS
2	TETRACHLOROETHYLENE		843 ug/L	M-Area, SRS
2	TRICHLOROETHYLENE		5340 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	100 ug/L	M-Area, SRS
0	1,1-DICHLOROETHYLENE	LT	100 ug/L	M-Area, SRS
0	1,1,1-TRICHLOROETHANE	LT	100 ug/L	M-Area, SRS

WELL RWM 11

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/14/89 Time 710
 Depth to water = 188.04 ft (31.22 m) below the TOC
 Water elevation = 215.26 ft (65.61 m) msl
 pH = 4.2 Alkalinity = 0 mg/L
 Specific conductance = 51 umhos/cm
 Water temperature = 21.3 degrees Celsius
 The well was continuously pumping.

LABORATORY ANALYSES

0	CHLOROFORM	LT	100 ug/L	M-Area, SRS
2	TETRACHLOROETHYLENE		757 ug/L	M-Area, SRS
2	TRICHLOROETHYLENE		5500 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	100 ug/L	M-Area, SRS
0	1,1-DICHLOROETHYLENE	LT	100 ug/L	M-Area, SRS
0	1,1,1-TRICHLOROETHANE	LT	100 ug/L	M-Area, SRS

WELL RWM 11

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/12/89 Time 810
 Depth to water = 168.24 ft (51.28 m) below the TOC
 Water elevation = 215.06 ft (65.55 m) msl
 pH = 4.3 Alkalinity = 0 mg/L
 Specific conductance = 49 umhos/cm
 Water temperature = 20.9 degrees Celsius
 The well was continuously pumping.

LABORATORY ANALYSES

0	CHLOROFORM	LT	100 ug/L	M-Area, SRS
2	TETRACHLOROETHYLENE		430 ug/L	M-Area, SRS
2	TRICHLOROETHYLENE		4530 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	100 ug/L	M-Area, SRS
0	1,1-DICHLOROETHYLENE	LT	100 ug/L	M-Area, SRS
0	1,1,1-TRICHLOROETHANE	LT	100 ug/L	M-Area, SRS

WELL SBG 1

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/12/89 Time 1430
 Depth to water = 25.71 ft (7.84 m) below the TOC
 Water elevation = 236.69 ft (72.14 m) msl
 pH = 4.6 Alkalinity = 0 mg/L
 Specific conductance = 38 umhos/cm
 Water temperature = 20.8 degrees Celsius
 Water evacuated from the well prior to sampling = 119 gal

LABORATORY ANALYSES

0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	TOLUENE	LT	1 ug/L	Gen. Eng.
0	LEAD	LT	6 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TOTAL ORGANIC CARBON		1000 ug/L	Gen. Eng.
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0	CROSS ALPHA		0.89+-0.72 pCi/L	HP, 735A
0	NONVOLATILE BETA		0.59+-0.84 pCi/L	HP, 735A
2	TRITIUM		22.80+-0.98 pCi/mL	Gen. Eng.
2	TRITIUM		23.10+-1.24 pCi/mL	HP, 735A

WELL SBG 2

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/12/89 Time 950
 Depth to water = 54.36 ft (16.57 m) below the TOC
 Water elevation = 235.64 ft (71.82 m) msl
 pH = 4.9 Alkalinity = 0 mg/L
 Specific conductance = 20 umhos/cm
 Water temperature = 19.6 degrees Celsius
 Water evacuated from the well prior to sampling = 77 gal

LABORATORY ANALYSES

0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	TOLUENE	LT	1 ug/L	Gen. Eng.
2	LEAD		34 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TOTAL ORGANIC CARBON		1000 ug/L	Gen. Eng.
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0	CROSS ALPHA		2.47+-1.18 pCi/L	HP, 735A
0	NONVOLATILE BETA		1.52+-0.98 pCi/L	HP, 735A
1	TRITIUM		14.90+-0.50 pCi/mL	Gen. Eng.
1	TRITIUM		12.90+-1.00 pCi/mL	HP, 735A

WELL SBG 3

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/12/89 Time 1025
 Depth to water = 50.55 ft (15.41 m) below the TOC
 Water elevation = 236.05 ft (71.95 m) msl
 pH = 4.8 Alkalinity = 0 mg/L
 Specific conductance = 18 umhos/cm
 Water temperature = 19.7 degrees Celsius
 Water evacuated from the well prior to sampling = 77 gal

LABORATORY ANALYSES

0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
1	METHYLENE CHLORIDE	LT	7 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	TOLUENE	LT	1 ug/L	Gen. Eng.
0	TOLUENE	LT	1 ug/L	Gen. Eng.
1	LEAD		23 ug/L	Gen. Eng.
1	LEAD		21 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	Gen. Eng.
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	Gen. Eng.
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	Gen. Eng.
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.

CONTINUED

WELL SBC 3 COLLECTED ON 08/12/89 LABORATORY ANALYSES CONTINUED

0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0	GROSS ALPHA		2.73+-1.25 pCi/L	HP, 735A
0	NONVOLATILE BETA		5.09+-1.46 pCi/L	HP, 735A
1	TRITIUM		15.30+-0.51 pCi/mL	Gen. Eng.
1	TRITIUM		15.70+-0.52 pCi/mL	Gen. Eng.
1	TRITIUM		14.70+-1.06 pCi/mL	HP, 735A

WELL SBC 4

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/12/89 Time 1220
Depth to water = 33.29 ft (10.15 m) below the TOC
Water elevation = 239.81 ft (73.09 m) msl
pH = 4.8 Alkalinity = 0 mg/L
Specific conductance = 30 umhos/cm
Water temperature = 21.0 degrees Celsius
Water evacuated from the well prior to sampling = 147 gal

LABORATORY ANALYSES

0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
1	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	TOLUENE	LT	1 ug/L	Gen. Eng.
3	LEAD		17 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
2	TETRACHLOROETHYLENE		6.00 ug/L	Gen. Eng.
0	TOTAL ORGANIC CARBON		1000 ug/L	Gen. Eng.
2	TOTAL ORGANIC HALOGENS		43 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE		65.0 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0	GROSS ALPHA		1.64+-0.98 pCi/L	HP, 735A
0	NONVOLATILE BETA		1.14+-0.93 pCi/L	HP, 735A
1	TRITIUM		15.20+-0.51 pCi/mL	Gen. Eng.
1	TRITIUM		12.90+-1.01 pCi/mL	HP, 735A

WELL SBC 5

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/12/89 Time 1325
Depth to water = 36.35 ft (11.08 m) below the TOC
Water elevation = 248.15 ft (75.64 m) msl
pH = 6.0 Alkalinity = 12 mg/L
Specific conductance = 46 umhos/cm
Water temperature = 21.5 degrees Celsius
Water evacuated from the well prior to sampling = 127 gal

LABORATORY ANALYSES

0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
1	CHLOROMETHANE	LT	2 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.

CONTINUED

WELL SBC 5 COLLECTED ON 08/12/89 LABORATORY ANALYSES CONTINUED

0	TOLUENE	LT	1 ug/L	Gen. Eng.
0	LEAD	LT	6 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
1	YETRACHLOROETHYLENE		2.00 ug/L	Gen. Eng.
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	Gen. Eng.
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE		4.00 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0	TRITIUM		5.16+-0.39 pCi/mL	Gen. Eng.
0	TRITIUM		4.77+-0.80 pCi/mL	HP, 735A

WELL SBC 6

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/12/89 Time 1350
Depth to water = 38.93 ft (11.87 m) below the TOC
Water elevation = 242.77 ft (74.00 m) msl
pH = 4.8 Alkalinity = 1 mg/L
Specific conductance = 31 umhos/cm
Water temperature = 22.2 degrees Celsius
Water evacuated from the well prior to sampling = 90 gal

LABORATORY ANALYSES

0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
1	CHLOROFORM		3 ug/L	Gen. Eng.
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	TOLUENE	LT	1 ug/L	Gen. Eng.
2	LEAD		29 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	Gen. Eng.
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0	GROSS ALPHA		2.16+-1.11 pCi/L	HP, 735A
0	NONVOLATILE BETA		2.67+-1.14 pCi/L	HP, 735A
1	TRITIUM		10.90+-0.46 pCi/mL	Gen. Eng.
1	TRITIUM		10.90+-0.97 pCi/mL	HP, 735A

WELL SLP 1

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/12/89 Time 1135
Depth to water = 41.36 ft (12.61 m) below the TOC
Water elevation = 243.44 ft (74.20 m) msl
pH = 5.5 Alkalinity = 3 mg/L
Specific conductance = 29 umhos/cm
Water temperature = 24.6 degrees Celsius
Water evacuated from the well prior to sampling = 4 gal
The well went dry during purging.

LABORATORY ANALYSES

0	PH		5.37 pH	Gen. Eng.
2	MANGANESE		51 ug/L	Gen. Eng.
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	Gen. Eng.

WELL SLP 2

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/12/89 Time 1120
 Depth to water = 40.55 ft (12.36 m) below the TOC
 Water elevation = 243.25 ft (74.14 m) msl
 pH = 6.3 Alkalinity = 12 mg/L
 Specific conductance = 45 umhos/cm
 Water temperature = 20.6 degrees Celsius
 Water evacuated from the well prior to sampling = 81 gal

LABORATORY ANALYSES

0 PH		6.27 pH	Gen. Eng.
0 MANGANESE		9 ug/L	Gen. Eng.
0 TOTAL ORGANIC HALOGENS	LT	5 ug/L	Gen. Eng.

WELL SRW 1

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/13/89 Time 1315
 The well was dry.

WELL SRW

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/13/89 Time 1240
 Depth to water = 108.47 ft (33.06 m) below the TOC
 Water elevation = 212.13 ft (64.66 m) msl
 pH = 4.4 Alkalinity = 0 mg/L
 Specific conductance = 46 umhos/cm
 Water temperature = 20.5 degrees Celsius
 Water evacuated from the well prior to sampling = 35 gal

LABORATORY ANALYSES

0 BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
1 CARBON TETRACHLORIDE		2.00 ug/L	Gen. Eng.
0 BROMOFORM	LT	1 ug/L	Gen. Eng.
1 CHLOROFORM		17 ug/L	Gen. Eng.
0 METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0 BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0 CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0 CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0 CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 BENZENE	LT	1 ug/L	Gen. Eng.
0 DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0 IRON		54 ug/L	Gen. Eng.
0 TOLUENE	LT	1 ug/L	Gen. Eng.
0 MANGANESE		6 ug/L	Gen. Eng.
0 LEAD		16 ug/L	Gen. Eng.
0 1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0 TOTAL ORGANIC CARBON	LT	1000 ug/L	Gen. Eng.
0 TOTAL ORGANIC HALOGENS		8 ug/L	Gen. Eng.
1 TRICHLOROETHYLENE		2.00 ug/L	Gen. Eng.
0 TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0 1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0 1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0 CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0 TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0 2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0 TOTAL RADIUM	LT	1 pCi/L	Gen. Eng.

WELL SRW 2A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/13/89 Time 1255
 Depth to water = 115.61 ft (35.24 m) below the TOC
 Water elevation = 204.99 ft (62.48 m) msl
 pH = 4.6 Alkalinity = 0 mg/L
 Specific conductance = 19 umhos/cm
 Water temperature = 20.4 degrees Celsius
 Water evacuated from the well prior to sampling = 303 gal

LABORATORY ANALYSES

0 BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0 CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0 BROMOFORM	LT	1 ug/L	Gen. Eng.
0 CHLOROFORM	LT	1 ug/L	Gen. Eng.
0 METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0 BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0 CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0 CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0 CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 BENZENE	LT	1 ug/L	Gen. Eng.

CONTINUED

WELL SRW 2A COLLECTED ON 08/13/89 LABORATORY ANALYSES CONTINUED

0 DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0 IRON		57 ug/L	Gen. Eng.
0 TOLUENE	LT	1 ug/L	Gen. Eng.
0 MANGANESE		4 ug/L	Gen. Eng.
0 LEAD		8 ug/L	Gen. Eng.
0 1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0 TOTAL ORGANIC CARBON	LT	1000 ug/L	Gen. Eng.
0 TOTAL ORGANIC HALOGENS	LT	5 ug/L	Gen. Eng.
0 TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0 TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0 1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0 1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0 CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0 TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0 2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0 TOTAL RADIUM	LT	1 pCi/L	Gen. Eng.

WELL SRW 2B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/13/89 Time 1230
 Depth to water = 114.26 ft (34.83 m) below the TOC
 Water elevation = 206.34 ft (62.89 m) msl
 pH = 4.9 Alkalinity = 0 mg/L
 Specific conductance = 18 umhos/cm
 Water temperature = 20.4 degrees Celsius
 Water evacuated from the well prior to sampling = 139 gal

LABORATORY ANALYSES

0 BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0 CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0 BROMOFORM	LT	1 ug/L	Gen. Eng.
0 CHLOROFORM	LT	1 ug/L	Gen. Eng.
0 METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0 BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0 CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0 CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0 CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 BENZENE	LT	1 ug/L	Gen. Eng.
0 DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0 IRON		27 ug/L	Gen. Eng.
0 TOLUENE	LT	1 ug/L	Gen. Eng.
0 MANGANESE		8 ug/L	Gen. Eng.
0 LEAD		10 ug/L	Gen. Eng.
0 1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0 TOTAL ORGANIC CARBON	LT	1000 ug/L	Gen. Eng.
0 TOTAL ORGANIC HALOGENS	LT	5 ug/L	Gen. Eng.
0 TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0 TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0 1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0 1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0 CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0 TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0 2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0 TOTAL RADIUM	LT	1 pCi/L	Gen. Eng.

WELL SRW 3A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/13/89 Time 1150
 Depth to water = 120.55 ft (36.74 m) below the TOC
 Water elevation = 211.95 ft (64.48 m) msl
 pH = 4.8 Alkalinity = 20 mg/L
 Specific conductance = 18 umhos/cm
 Water temperature = 20.3 degrees Celsius
 Water evacuated from the well prior to sampling = 126 gal

LABORATORY ANALYSES

0 BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0 CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0 BROMOFORM	LT	1 ug/L	Gen. Eng.
0 CHLOROFORM	LT	1 ug/L	Gen. Eng.
0 METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0 BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0 CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0 CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0 CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 BENZENE	LT	1 ug/L	Gen. Eng.
0 DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0 IRON		3 ug/L	Gen. Eng.
0 TOLUENE	LT	1 ug/L	Gen. Eng.
0 MANGANESE		6 ug/L	Gen. Eng.

CONTINUED

WELL SRW 3A COLLECTED ON 08/13/89 LABORATORY ANALYSES CONTINUED

0	LEAD	LT	6 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	Gen. Eng.
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0	TOTAL RADIUM	LT	1 pCi/L	Gen. Eng.

WELL SRW 4

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/13/89 Time 1530
The well was dry.

WELL SRW 5

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/13/89 Time 1515
Depth to water = 99.88 ft (30.44 m) below the TOC
Water elevation = 209.52 ft (63.86 m) msl
pH = 5.0 Alkalinity = 0 mg/L
Specific conductance = 34 umhos/cm
Water temperature = 21.4 degrees Celsius
Water evacuated from the well prior to sampling = 39 gal

LABORATORY ANALYSES

0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
1	CARBON TETRACHLORIDE	LT	2.00 ug/L	Gen. Eng.
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
1	CHLOROFORM	LT	8 ug/L	Gen. Eng.
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	IRON	LT	20 ug/L	Gen. Eng.
0	TOLUENE	LT	1 ug/L	Gen. Eng.
0	MANGANESE	LT	7 ug/L	Gen. Eng.
2	LEAD	LT	26 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	Gen. Eng.
1	TOTAL ORGANIC HALOGENS	LT	18 ug/L	Gen. Eng.
1	TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0	TOTAL RADIUM	LT	1 pCi/L	Gen. Eng.

WELL SRW 6

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/13/89 Time 1450
Depth to water = 97.44 ft (29.70 m) below the TOC
Water elevation = 210.26 ft (64.09 m) msl
pH = 5.1 Alkalinity = 1 mg/L
Specific conductance = 34 umhos/cm
Water temperature = 21.4 degrees Celsius
Water evacuated from the well prior to sampling = 51 gal

LABORATORY ANALYSES

0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
2	CARBON TETRACHLORIDE	LT	6.00 ug/L	Gen. Eng.
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
1	CHLOROFORM	LT	32 ug/L	Gen. Eng.
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.

CONTINUED

WELL SRW 6 COLLECTED ON 08/13/89 LABORATORY ANALYSES CONTINUED

0	BENZENE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	IRON	LT	6 ug/L	Gen. Eng.
0	TOLUENE	LT	1 ug/L	Gen. Eng.
0	MANGANESE	LT	5 ug/L	Gen. Eng.
0	LEAD	LT	9 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
1	TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	Gen. Eng.
2	TOTAL ORGANIC HALOGENS	LT	27 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE	LT	3.00 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0	TOTAL RADIUM	LT	1 pCi/L	Gen. Eng.

WELL SRW 7

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/13/89 Time 1555
Depth to water = 89.88 ft (27.40 m) below the TOC
Water elevation = 209.22 ft (63.77 m) msl
pH = 5.1 Alkalinity = 1 mg/L
Specific conductance = 30 umhos/cm
Water temperature = 22.0 degrees Celsius
Water evacuated from the well prior to sampling = 3 gal
The well went dry during purging.

LABORATORY ANALYSES

0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
2	CARBON TETRACHLORIDE	LT	12.0 ug/L	Gen. Eng.
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
1	CHLOROFORM	LT	14 ug/L	Gen. Eng.
1	METHYLENE CHLORIDE	LT	6 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	IRON	LT	17 ug/L	Gen. Eng.
0	TOLUENE	LT	1 ug/L	Gen. Eng.
0	MANGANESE	LT	4 ug/L	Gen. Eng.
2	LEAD	LT	96 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
1	TETRACHLOROETHYLENE	LT	4.00 ug/L	Gen. Eng.
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	Gen. Eng.
2	TOTAL ORGANIC HALOGENS	LT	43 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE	LT	9.00 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
1	1,2-DICHLOROETHANE	LT	30 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0	TOTAL RADIUM	LT	1.10+-2.00 pCi/L	Gen. Eng.

WELL SRW 8

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/16/89 Time 1110
Depth to water = 81.52 ft (24.85 m) below the TOC
Water elevation = 206.58 ft (62.97 m) msl
pH = 5.2 Alkalinity = 2 mg/L
Specific conductance = 24 umhos/cm
Water temperature = 20.2 degrees Celsius
Water evacuated from the well prior to sampling = 28 gal

LABORATORY ANALYSES

0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
1	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
1	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
1	CHLOROFORM	LT	2 ug/L	Gen. Eng.
1	CHLOROFORM	LT	2 ug/L	Gen. Eng.
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.

CONTINUED

WELL SRW 8 COLLECTED ON 08/16/89 LABORATORY ANALYSES CONTINUED

0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	IRON		8 ug/L	Gen. Eng.
0	IRON		8 ug/L	Gen. Eng.
0	TOLUENE	LT	1 ug/L	Gen. Eng.
0	TOLUENE	LT	1 ug/L	Gen. Eng.
0	MANGANESE		3 ug/L	Gen. Eng.
0	MANGANESE		3 ug/L	Gen. Eng.
0	LEAD		10 ug/L	Gen. Eng.
0	LEAD		10 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	Gen. Eng.
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	Gen. Eng.
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	Gen. Eng.
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	Gen. Eng.
1	TRICHLOROETHYLENE		1.00 ug/L	Gen. Eng.
1	TRICHLOROETHYLENE		1.00 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0	TOTAL RADIUM		1.20+-1.10 pCi/L	Gen. Eng.
0	TOTAL RADIUM		2.40+-1.30 pCi/L	Gen. Eng.

WELL SRW 9

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/16/89 Time 1315
 Depth to water = 56.73 ft (17.29 m) below the TOC
 Water elevation = 196.67 ft (59.95 m) msl
 pH = 5.0 Alkalinity = 1 mg/L
 Specific conductance = 16 umhos/cm
 Water temperature = 20.3 degrees Celsius
 Water evacuated from the well prior to sampling = 94 gal

LABORATORY ANALYSES

0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
1	CHLOROFORM	LT	2 ug/L	Gen. Eng.
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	IRON		90 ug/L	Gen. Eng.
0	TOLUENE	LT	1 ug/L	Gen. Eng.
0	MANGANESE		20 ug/L	Gen. Eng.
0	LEAD		8 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	Gen. Eng.
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE		4.00 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0	TOTAL RADIUM		1 pCi/L	Gen. Eng.

WELL SRW 9A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/16/89 Time 1325
 Depth to water = 56.06 ft (17.09 m) below the TOC
 Water elevation = 197.24 ft (60.12 m) msl
 pH = 4.9 Alkalinity = 0 mg/L
 Specific conductance = 17 umhos/cm
 Water temperature = 20.0 degrees Celsius
 Water evacuated from the well prior to sampling = 240 gal

LABORATORY ANALYSES

0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	M-Area, SRS
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	IRON		14 ug/L	Gen. Eng.
0	TOLUENE	LT	1 ug/L	Gen. Eng.
0	MANGANESE		2 ug/L	Gen. Eng.
0	LEAD		9 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	Gen. Eng.
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	M-Area, SRS
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area, SRS
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area, SRS
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0	TOTAL RADIUM		1 pCi/L	Gen. Eng.

WELL SRW 9B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/16/89 Time 1305
 Depth to water = 55.45 ft (16.90 m) below the TOC
 Water elevation = 197.95 ft (60.34 m) msl
 pH = 4.9 Alkalinity = 0 mg/L
 Specific conductance = 17 umhos/cm
 Water temperature = 20.0 degrees Celsius
 Water evacuated from the well prior to sampling = 118 gal

LABORATORY ANALYSES

0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	M-Area, SRS
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	IRON		12 ug/L	Gen. Eng.
0	TOLUENE	LT	1 ug/L	Gen. Eng.
0	MANGANESE		5 ug/L	Gen. Eng.
0	LEAD	LT	6 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	Gen. Eng.
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	M-Area, SRS
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area, SRS
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area, SRS
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.

CONTINUED

WELL SRW 9B COLLECTED ON 08/16/89 LABORATORY ANALYSES CONTINUED

0 2-CHLOROETHYL VINYL ETHER LT 1 ug/L Gen. Eng.
1 TOTAL RADIUM 2 60+-2.00 pCi/L Gen. Eng.

WELL SRW 10

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/13/89 Time 1425
pH = 5.0 Alkalinity = 1 mg/L
Specific conductance = 25 umhos/cm
Water temperature = 21.2 degrees Celsius
Water evacuated from the well prior to sampling = 29 gal

LABORATORY ANALYSES

0 BROMODICHLOROMETHANE LT 1 ug/L Gen. Eng.
0 BROMODICHLOROMETHANE LT 1 ug/L Gen. Eng.
0 TRICHLOROFLUOROMETHANE LT 1 ug/L Gen. Eng.
0 TRICHLOROFLUOROMETHANE LT 1 ug/L Gen. Eng.
1 CARBON TETRACHLORIDE 2.00 ug/L Gen. Eng.
1 CARBON TETRACHLORIDE 2.00 ug/L Gen. Eng.
0 BROMOFORM LT 1 ug/L Gen. Eng.
0 BROMOFORM LT 1 ug/L Gen. Eng.
1 CHLOROFORM LT 3 ug/L Gen. Eng.
1 CHLOROFORM LT 3 ug/L Gen. Eng.
0 METHYLENE CHLORIDE LT 1 ug/L Gen. Eng.
0 METHYLENE CHLORIDE LT 2 ug/L Gen. Eng.
0 BROMOMETHANE LT 1 ug/L Gen. Eng.
0 BROMOMETHANE LT 1 ug/L Gen. Eng.
0 CHLOROMETHANE LT 1 ug/L Gen. Eng.
0 CHLOROMETHANE LT 1 ug/L Gen. Eng.
0 CHLOROBENZENE LT 1 ug/L Gen. Eng.
0 CHLOROBENZENE LT 1 ug/L Gen. Eng.
0 CHLOROETHENE (VINYL CHLORIDE) LT 1 ug/L Gen. Eng.
0 CHLOROETHENE (VINYL CHLORIDE) LT 1 ug/L Gen. Eng.
0 CHLOROETHANE LT 1 ug/L Gen. Eng.
0 CHLOROETHANE LT 1 ug/L Gen. Eng.
0 BENZENE LT 1 ug/L Gen. Eng.
0 BENZENE LT 1 ug/L Gen. Eng.
0 DIBROMOCHLOROMETHANE LT 1 ug/L Gen. Eng.
0 DIBROMOCHLOROMETHANE LT 1 ug/L Gen. Eng.
0 ETHYLBENZENE LT 1 ug/L Gen. Eng.
0 ETHYLBENZENE LT 1 ug/L Gen. Eng.
0 IRON 8 ug/L Gen. Eng.
0 IRON 9 ug/L Gen. Eng.
1 TOLUENE 1 ug/L Gen. Eng.
1 TOLUENE LT 1 ug/L Gen. Eng.
0 MANGANESE 2 ug/L Gen. Eng.
0 MANGANESE 3 ug/L Gen. Eng.
0 LEAD 15 ug/L Gen. Eng.
0 LEAD 15 ug/L Gen. Eng.
0 1,1,2,2-TETRACHLOROETHANE LT 1 ug/L Gen. Eng.
0 1,1,2,2-TETRACHLOROETHANE LT 1 ug/L Gen. Eng.
0 TETRACHLOROETHYLENE LT 1.00 ug/L Gen. Eng.
0 TETRACHLOROETHYLENE LT 1.00 ug/L Gen. Eng.
0 TOTAL ORGANIC CARBON LT 1000 ug/L Gen. Eng.
0 TOTAL ORGANIC CARBON LT 1000 ug/L Gen. Eng.
0 TOTAL ORGANIC HALOGENS LT 5 ug/L Gen. Eng.
0 TOTAL ORGANIC HALOGENS LT 5 ug/L Gen. Eng.
1 TRICHLOROETHYLENE 1.00 ug/L Gen. Eng.
1 TRICHLOROETHYLENE 1.00 ug/L Gen. Eng.
0 TRANS-1,2-DICHLOROETHENE LT 1 ug/L Gen. Eng.
0 TRANS-1,2-DICHLOROETHENE LT 1 ug/L Gen. Eng.
0 1,1-DICHLOROETHYLENE LT 1 ug/L Gen. Eng.
0 1,1-DICHLOROETHYLENE LT 1 ug/L Gen. Eng.
0 1,1-DICHLOROETHANE LT 1 ug/L Gen. Eng.
0 1,1-DICHLOROETHANE LT 1 ug/L Gen. Eng.
0 1,1,1-TRICHLOROETHANE LT 1 ug/L Gen. Eng.
0 1,1,1-TRICHLOROETHANE LT 1 ug/L Gen. Eng.
0 1,1,2-TRICHLOROETHANE LT 1 ug/L Gen. Eng.
0 1,1,2-TRICHLOROETHANE LT 1 ug/L Gen. Eng.
0 1,2-DICHLOROETHANE LT 1 ug/L Gen. Eng.
0 1,2-DICHLOROETHANE LT 1 ug/L Gen. Eng.
0 1,2-DICHLOROPROPANE LT 1 ug/L Gen. Eng.
0 1,2-DICHLOROPROPANE LT 1 ug/L Gen. Eng.
0 CIS-1,3-DICHLOROPROPENE LT 1 ug/L Gen. Eng.
0 CIS-1,3-DICHLOROPROPENE LT 1 ug/L Gen. Eng.
0 TRANS-1,3-DICHLOROPROPENE LT 1 ug/L Gen. Eng.
0 TRANS-1,3-DICHLOROPROPENE LT 1 ug/L Gen. Eng.
0 2-CHLOROETHYL VINYL ETHER LT 1 ug/L Gen. Eng.
0 2-CHLOROETHYL VINYL ETHER LT 1 ug/L Gen. Eng.
0 TOTAL RADIUM LT 1 pCi/L Gen. Eng.
0 TOTAL RADIUM LT 1 pCi/L Gen. Eng.

WELL SRW 11

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/13/89 Time 1350
Depth to water = 87.32 ft (26.62 m) below the TOC
Water elevation = 208.48 ft (63.55 m) msl
pH = 4.7 Alkalinity = 0 mg/L
Specific conductance = 22 umhos/cm
Water temperature = 21.2 degrees Celsius
Water evacuated from the well prior to sampling = 46 gal

LABORATORY ANALYSES

0 BROMODICHLOROMETHANE LT 1 ug/L Gen. Eng.
0 TRICHLOROFLUOROMETHANE LT 1 ug/L Gen. Eng.
2 CARBON TETRACHLORIDE 11.0 ug/L Gen. Eng.
0 BROMOFORM LT 1 ug/L Gen. Eng.
1 CHLOROFORM 8 ug/L Gen. Eng.

CONTINUED

WELL SRW 11 COLLECTED ON 08/13/89 LABORATORY ANALYSES CONTINUED

0 METHYLENE CHLORIDE LT 1 ug/L Gen. Eng.
0 BROMOMETHANE LT 1 ug/L Gen. Eng.
0 CHLOROMETHANE LT 1 ug/L Gen. Eng.
0 CHLOROBENZENE LT 1 ug/L Gen. Eng.
0 CHLOROETHENE (VINYL CHLORIDE) LT 1 ug/L Gen. Eng.
0 CHLOROETHANE LT 1 ug/L Gen. Eng.
0 BENZENE LT 1 ug/L Gen. Eng.
0 DIBROMOCHLOROMETHANE LT 1 ug/L Gen. Eng.
0 ETHYLBENZENE LT 1 ug/L Gen. Eng.
0 IRON 4 ug/L Gen. Eng.
0 TOLUENE LT 1 ug/L Gen. Eng.
0 MANGANESE 3 ug/L Gen. Eng.
0 LEAD 19 ug/L Gen. Eng.
0 1,1,2,2-TETRACHLOROETHANE LT 1 ug/L Gen. Eng.
2 TETRACHLOROETHYLENE 5.00 ug/L Gen. Eng.
0 TOTAL ORGANIC CARBON LT 1000 ug/L Gen. Eng.
1 TOTAL ORGANIC HALOGENS 10 ug/L Gen. Eng.
2 TRICHLOROETHYLENE 6.00 ug/L Gen. Eng.
0 TRANS-1,2-DICHLOROETHENE LT 1 ug/L Gen. Eng.
0 1,1-DICHLOROETHYLENE LT 1 ug/L Gen. Eng.
0 1,1-DICHLOROETHANE LT 1 ug/L Gen. Eng.
0 1,1,1-TRICHLOROETHANE LT 1 ug/L Gen. Eng.
0 1,1,2-TRICHLOROETHANE LT 1 ug/L Gen. Eng.
0 1,2-DICHLOROETHANE LT 1 ug/L Gen. Eng.
0 1,2-DICHLOROPROPANE LT 1 ug/L Gen. Eng.
0 CIS-1,3-DICHLOROPROPENE LT 1 ug/L Gen. Eng.
0 TRANS-1,3-DICHLOROPROPENE LT 1 ug/L Gen. Eng.
0 2-CHLOROETHYL VINYL ETHER LT 1 ug/L Gen. Eng.
0 TOTAL RADIUM LT 1 pCi/L Gen. Eng.

WELL SRW 12A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/16/89 Time 1155
Depth to water = 43.32 ft (13.20 m) below the TOC
Water elevation = 192.98 ft (58.82 m) msl
pH = 4.6 Alkalinity = 0 mg/L
Specific conductance = 19 umhos/cm
Water temperature = 20.0 degrees Celsius
Water evacuated from the well prior to sampling = 242 gal

LABORATORY ANALYSES

0 BROMODICHLOROMETHANE LT 1 ug/L Gen. Eng.
0 BROMODICHLOROMETHANE LT 5 ug/L metaTRACE
0 TRICHLOROFLUOROMETHANE LT 1 ug/L Gen. Eng.
0 TRICHLOROFLUOROMETHANE LT 5 ug/L metaTRACE
0 CARBON TETRACHLORIDE LT 1.00 ug/L Gen. Eng.
0 CARBON TETRACHLORIDE LT 1.00 ug/L Gen. Eng.
0 CARBON TETRACHLORIDE LT 5.00 ug/L metaTRACE
0 BROMOFORM LT 1 ug/L Gen. Eng.
0 BROMOFORM LT 5 ug/L metaTRACE
0 CHLOROFORM LT 1 ug/L Gen. Eng.
0 CHLOROFORM LT 1 ug/L Gen. Eng.
0 CHLOROFORM LT 5 ug/L metaTRACE
0 CHLOROFORM LT 1 ug/L M-Area, SRS
0 METHYLENE CHLORIDE LT 1 ug/L Gen. Eng.
1 METHYLENE CHLORIDE 9 ug/L metaTRACE
0 BROMOMETHANE LT 1 ug/L Gen. Eng.
0 BROMOMETHANE LT 10 ug/L metaTRACE
0 CHLOROMETHANE LT 1 ug/L Gen. Eng.
0 CHLOROMETHANE LT 10 ug/L metaTRACE
0 CHLOROBENZENE LT 1 ug/L Gen. Eng.
0 CHLOROBENZENE LT 5 ug/L metaTRACE
0 CHLOROETHENE (VINYL CHLORIDE) LT 1 ug/L Gen. Eng.
0 CHLOROETHENE (VINYL CHLORIDE) LT 5 ug/L metaTRACE
0 CHLOROETHANE LT 1 ug/L Gen. Eng.
0 CHLOROETHANE LT 10 ug/L metaTRACE
0 BENZENE LT 1 ug/L Gen. Eng.
0 BENZENE LT 5 ug/L metaTRACE
0 DIBROMOCHLOROMETHANE LT 1 ug/L Gen. Eng.
0 DIBROMOCHLOROMETHANE LT 5 ug/L metaTRACE
0 ETHYLBENZENE LT 1 ug/L Gen. Eng.
0 ETHYLBENZENE LT 5 ug/L metaTRACE
0 IRON 7 ug/L Gen. Eng.
0 TOLUENE LT 1 ug/L Gen. Eng.
0 TOLUENE LT 5 ug/L metaTRACE
0 MANGANESE 3 ug/L Gen. Eng.
0 LEAD 11 ug/L Gen. Eng.
0 1,1,2,2-TETRACHLOROETHANE LT 1 ug/L Gen. Eng.
0 1,1,2,2-TETRACHLOROETHANE LT 5 ug/L metaTRACE
0 TETRACHLOROETHYLENE LT 1.00 ug/L Gen. Eng.
0 TETRACHLOROETHYLENE LT 1.00 ug/L Gen. Eng.
0 TETRACHLOROETHYLENE LT 5.00 ug/L metaTRACE
0 TETRACHLOROETHYLENE LT 1.00 ug/L M-Area, SRS
0 TOTAL ORGANIC CARBON LT 1000 ug/L Gen. Eng.
0 TOTAL ORGANIC HALOGENS LT 5 ug/L Gen. Eng.
0 TRICHLOROETHYLENE LT 1.00 ug/L Gen. Eng.
0 TRICHLOROETHYLENE LT 1.00 ug/L Gen. Eng.
0 TRICHLOROETHYLENE LT 5.00 ug/L metaTRACE
0 TRICHLOROETHYLENE LT 1.00 ug/L M-Area, SRS
0 TRANS-1,2-DICHLOROETHENE LT 1 ug/L Gen. Eng.
0 TRANS-1,2-DICHLOROETHENE LT 5 ug/L metaTRACE
0 TRANS-1,2-DICHLOROETHENE LT 1 ug/L M-Area, SRS
0 TRANS-1,3-DICHLOROPROPENE LT 5 ug/L metaTRACE
0 1,1-DICHLOROETHYLENE LT 1 ug/L Gen. Eng.
0 1,1-DICHLOROETHYLENE LT 5 ug/L metaTRACE
0 1,1-DICHLOROETHANE LT 1 ug/L M-Area, SRS
0 1,1-DICHLOROETHANE LT 1 ug/L Gen. Eng.
0 1,1-DICHLOROETHANE LT 5 ug/L metaTRACE
0 1,1,1-TRICHLOROETHANE LT 1 ug/L Gen. Eng.
0 1,1,1-TRICHLOROETHANE LT 1 ug/L Gen. Eng.
0 1,1,1-TRICHLOROETHANE LT 5 ug/L metaTRACE
0 1,1,1-TRICHLOROETHANE LT 1 ug/L M-Area, SRS
0 1,1,2-TRICHLOROETHANE LT 1 ug/L Gen. Eng.

CONTINUED

WELL SRW 12A COLLECTED ON 08/16/89 LABORATORY ANALYSES CONTINUED

0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0	TOTAL RADIUM		1.50+-1.80 pCi/L	Gen. Eng.

WELL SRW 12A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/16/89 Time 1155
 Depth to water = 43.32 ft (13.20 m) below the TOC
 Water elevation = 192.98 ft (58.82 m) msl
 pH = 4.6 Alkalinity = 0 mg/L
 Specific conductance = 19 umhos/cm
 Water temperature = 20.0 degrees Celsius
 Water evacuated from the well prior to sampling = 242 gal

LABORATORY ANALYSES

0	CHLOROFORM	LT	1 ug/L	M-Area, SRS
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0	TRICHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	M-Area, SRS
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area, SRS
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area, SRS

WELL SRW 12B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/16/89 Time 1145
 Depth to water = 48.65 ft (14.83 m) below the TOC
 Water elevation = 187.65 ft (57.20 m) msl
 pH = 5.2 Alkalinity = 1 mg/L
 Specific conductance = 12 umhos/cm
 Water temperature = 19.5 degrees Celsius
 Water evacuated from the well prior to sampling = 108 gal

LABORATORY ANALYSES

0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
1	CHLOROFORM		2 ug/L	Gen. Eng.
1	CHLOROFORM		1 ug/L	M-Area, SRS
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	IRON		37 ug/L	Gen. Eng.
0	TOLUENE	LT	1 ug/L	Gen. Eng.
0	MANGANESE		3 ug/L	Gen. Eng.
0	LEAD		7 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	Gen. Eng.
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	M-Area, SRS
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area, SRS
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area, SRS
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0	TOTAL RADIUM	LT	1 pCi/L	Gen. Eng.

WELL SRW 12C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/16/89 Time 1215
 Depth to water = 43.00 ft (13.11 m) below the TOC
 Water elevation = 193.30 ft (58.92 m) msl
 pH = 5.1 Alkalinity = 1 mg/L
 Specific conductance = 13 umhos/cm
 Water temperature = 20.4 degrees Celsius
 Water evacuated from the well prior to sampling = 37 gal

LABORATORY ANALYSES

0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
1	CHLOROFORM		2 ug/L	Gen. Eng.
1	CHLOROFORM		2 ug/L	M-Area, SRS
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	IRON		72 ug/L	Gen. Eng.
0	TOLUENE	LT	1 ug/L	Gen. Eng.
0	MANGANESE		4 ug/L	Gen. Eng.
0	LEAD		12 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	Gen. Eng.
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	Gen. Eng.
1	TRICHLOROETHYLENE		1.00 ug/L	Gen. Eng.
1	TRICHLOROETHYLENE		1.37 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	M-Area, SRS
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area, SRS
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area, SRS
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0	TOTAL RADIUM	LT	1 pCi/L	Gen. Eng.

WELL SRW 13A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/16/89 Time 1045
 Depth to water = 97.96 ft (29.86 m) below the TOC
 Water elevation = 199.74 ft (60.88 m) msl
 pH = 4.8 Alkalinity = 0 mg/L
 Specific conductance = 19 umhos/cm
 Water temperature = 20.3 degrees Celsius
 Water evacuated from the well prior to sampling = 285 gal

LABORATORY ANALYSES

0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	M-Area, SRS
1	METHYLENE CHLORIDE		2 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	IRON		4 ug/L	Gen. Eng.
0	TOLUENE	LT	1 ug/L	Gen. Eng.
0	MANGANESE		3 ug/L	Gen. Eng.
0	LEAD		8 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	Gen. Eng.
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	M-Area, SRS
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area, SRS
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area, SRS
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.

CONTINUED

WELL SRW 13A COLLECTED ON 08/16/89 LABORATORY ANALYSES CONTINUED

0 2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0 TOTAL RADIUM	LT	1 pCi/L	Gen. Eng.

WELL SRW 13B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/16/89 Time 1020
 Depth to water = 95.91 ft (29.23 m) below the TOC
 Water elevation = 201.79 ft (61.51 m) msll
 pH = 4.8 Alkalinity = 0 mg/L
 Specific conductance = 18 umhos/cm
 Water temperature = 20.4 degrees Celsius
 Water evacuated from the well prior to sampling = 125 gal

LABORATORY ANALYSES

0 BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0 CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0 BROMOFORM	LT	1 ug/L	Gen. Eng.
0 CHLOROFORM	LT	1 ug/L	Gen. Eng.
0 CHLOROFORM	LT	1 ug/L	M-Area, SRS
0 METHYLENE CHLORIDE	LT	4 ug/L	Gen. Eng.
0 BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0 CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0 CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0 CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 BENZENE	LT	1 ug/L	Gen. Eng.
0 DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0 IRON	LT	4 ug/L	Gen. Eng.
0 TOLUENE	LT	1 ug/L	Gen. Eng.
0 MANGANESE	LT	8 ug/L	Gen. Eng.
0 LEAD	LT	19 ug/L	Gen. Eng.
0 1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0 TETRACHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0 TOTAL ORGANIC CARBON	LT	1000 ug/L	Gen. Eng.
0 TOTAL ORGANIC HALOGENS	LT	5 ug/L	Gen. Eng.
0 TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0 TRICHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0 TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0 TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	M-Area, SRS
0 1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0 1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area, SRS
0 1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area, SRS
0 1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0 CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0 TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0 2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0 TOTAL RADIUM	LT	1 pCi/L	Gen. Eng.

WELL SRW 13C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/16/89 Time 1035
 Depth to water = 90.25 ft (27.51 m) below the TOC
 Water elevation = 207.45 ft (63.23 m) msll
 pH = 5.1 Alkalinity = 2 mg/L
 Specific conductance = 23 umhos/cm
 Water temperature = 19.6 degrees Celsius
 Water evacuated from the well prior to sampling = 30 gal

LABORATORY ANALYSES

0 BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0 CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0 BROMOFORM	LT	1 ug/L	Gen. Eng.
0 CHLOROFORM	LT	1 ug/L	Gen. Eng.
0 CHLOROFORM	LT	1 ug/L	M-Area, SRS
0 METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0 BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0 CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0 CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0 CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 BENZENE	LT	1 ug/L	Gen. Eng.
0 DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0 IRON	LT	50 ug/L	Gen. Eng.
0 TOLUENE	LT	1 ug/L	Gen. Eng.
0 MANGANESE	LT	20 ug/L	Gen. Eng.
0 LEAD	LT	14 ug/L	Gen. Eng.
0 1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0 TETRACHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0 TOTAL ORGANIC CARBON	LT	1000 ug/L	Gen. Eng.
0 TOTAL ORGANIC HALOGENS	LT	5 ug/L	Gen. Eng.
0 TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0 TRICHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0 TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0 TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	M-Area, SRS
0 1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0 1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area, SRS
0 1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.

CONTINUED

WELL SRW 13C COLLECTED ON 08/16/89 LABORATORY ANALYSES CONTINUED

0 1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area, SRS
0 1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0 CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0 TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0 2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0 TOTAL RADIUM	LT	1 pCi/L	Gen. Eng.

WELL SRW 14A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/16/89 Time 930
 Depth to water = 124.75 ft (38.02 m) below the TOC
 Water elevation = 202.25 ft (61.65 m) msll
 pH = 5.1 Alkalinity = 1 mg/L
 Specific conductance = 23 umhos/cm
 Water temperature = 19.8 degrees Celsius
 Water evacuated from the well prior to sampling = 230 gal

LABORATORY ANALYSES

0 BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0 CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0 BROMOFORM	LT	1 ug/L	Gen. Eng.
0 CHLOROFORM	LT	1 ug/L	Gen. Eng.
0 CHLOROFORM	LT	1 ug/L	M-Area, SRS
0 METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0 BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0 CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0 CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0 CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 BENZENE	LT	1 ug/L	Gen. Eng.
0 DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0 IRON	LT	6 ug/L	Gen. Eng.
0 TOLUENE	LT	1 ug/L	Gen. Eng.
0 MANGANESE	LT	5 ug/L	Gen. Eng.
0 LEAD	LT	12 ug/L	Gen. Eng.
0 1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0 TETRACHLOROETHYLENE	LT	1.00 ug/L	M-Area, SRS
0 TOTAL ORGANIC CARBON	LT	1000 ug/L	Gen. Eng.
0 TOTAL ORGANIC HALOGENS	LT	5 ug/L	Gen. Eng.
0 TRICHLOROETHYLENE	LT	11.0 ug/L	Gen. Eng.
0 TRICHLOROETHYLENE	LT	10.7 ug/L	M-Area, SRS
0 TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0 TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	M-Area, SRS
0 1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0 1,1-DICHLOROETHYLENE	LT	1 ug/L	M-Area, SRS
0 1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,1,1-TRICHLOROETHANE	LT	1 ug/L	M-Area, SRS
0 1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0 CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0 TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0 2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0 TOTAL RADIUM	LT	1 pCi/L	Gen. Eng.

WELL SRW 14B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/16/89 Time 940
 Depth to water = 123.16 ft (37.54 m) below the TOC
 Water elevation = 203.74 ft (62.10 m) msll
 pH = 5.2 Alkalinity = 1 mg/L
 Specific conductance = 22 umhos/cm
 Water temperature = 20.4 degrees Celsius
 Water evacuated from the well prior to sampling = 135 gal

LABORATORY ANALYSES

0 BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0 TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0 CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0 CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0 BROMOFORM	LT	1 ug/L	Gen. Eng.
0 CHLOROFORM	LT	1 ug/L	Gen. Eng.
0 CHLOROFORM	LT	1 ug/L	M-Area, SRS
0 METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0 METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0 BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0 BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0 CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0 CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0 CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0 CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0 CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 BENZENE	LT	1 ug/L	Gen. Eng.

CONTINUED

WELL SRW 14B COLLECTED ON 08/16/89 LABORATORY ANALYSES CONTINUED

0	BENZENE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	IRON	LT	6 ug/L	Gen. Eng.
0	IRON	LT	8 ug/L	Gen. Eng.
0	TOLUENE	LT	1 ug/L	Gen. Eng.
0	TOLUENE	LT	1 ug/L	Gen. Eng.
0	MANGANESE	LT	10 ug/L	Gen. Eng.
0	MANGANESE	LT	11 ug/L	Gen. Eng.
0	LEAD	LT	17 ug/L	Gen. Eng.
0	LEAD	LT	15 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	Gen. Eng.
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	Gen. Eng.
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	Gen. Eng.
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	Gen. Eng.
1	TRICHLOROETHYLENE	LT	2.00 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE	LT	3.00 ug/L	Gen. Eng.
1	TRICHLOROETHYLENE	LT	2.04 ug/L	W-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	W-Area, SRS
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	W-Area, SRS
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	W-Area, SRS
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0	TOTAL RADIUM	LT	1 pCi/L	Gen. Eng.
0	TOTAL RADIUM	LT	1 pCi/L	Gen. Eng.

WELL SRW 14C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/16/89 Time 910
 pH = 4.9 Alkalinity = 1 mg/L
 Specific conductance = 16 umhos/cm
 Water temperature = 20.0 degrees Celsius
 Water evacuated from the well prior to sampling = 75 gal

LABORATORY ANALYSES

0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	W-Area, SRS
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	IRON	LT	23 ug/L	Gen. Eng.
0	TOLUENE	LT	1 ug/L	Gen. Eng.
0	MANGANESE	LT	16 ug/L	Gen. Eng.
0	LEAD	LT	13 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	W-Area, SRS
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	Gen. Eng.
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	LT	1.00 ug/L	W-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	W-Area, SRS
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	W-Area, SRS
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	W-Area, SRS
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0	TOTAL RADIUM	LT	1 pCi/L	Gen. Eng.

WELL SRW 15A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/19/89 Time 1440
 Depth to water = 111.29 ft (33.82 m) below the TOC
 Water elevation = 207.81 ft (63.34 m) msf
 pH = 6.4 Alkalinity = 12 mg/L
 Specific conductance = 40 umhos/cm
 Water temperature = 20.8 degrees Celsius
 Water evacuated from the well prior to sampling = 286 gal

LABORATORY ANALYSES

0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	IRON	LT	11 ug/L	Gen. Eng.
0	TOLUENE	LT	1 ug/L	Gen. Eng.
0	MANGANESE	LT	9 ug/L	Gen. Eng.
0	LEAD	LT	6 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	Gen. Eng.
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0	TOTAL RADIUM	LT	1 pCi/L	Gen. Eng.

WELL SRW 15B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/19/89 Time 1415
 Depth to water = 111.04 ft (33.85 m) below the TOC
 Water elevation = 208.06 ft (63.42 m) msf
 pH = 5.1 Alkalinity = 1 mg/L
 Specific conductance = 17 umhos/cm
 Water temperature = 20.5 degrees Celsius
 Water evacuated from the well prior to sampling = 146 gal

LABORATORY ANALYSES

0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	IRON	LT	41 ug/L	Gen. Eng.
0	TOLUENE	LT	1 ug/L	Gen. Eng.
0	MANGANESE	LT	6 ug/L	Gen. Eng.
0	LEAD	LT	6 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	Gen. Eng.
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0	TOTAL RADIUM	LT	1.40-1.80 pCi/L	Gen. Eng.

WELL SRW 15C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/19/89 Time 1430
 Depth to water = 108.18 ft (32.97 m) below the TOC
 Water elevation = 210.92 ft (64.29 m) msl
 pH = 5.0 Alkalinity = 0 mg/L
 Specific conductance = 16 umhos/cm
 Water temperature = 20.5 degrees Celsius
 Water evacuated from the well prior to sampling = 60 gal

LABORATORY ANALYSES

0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	IRON	LT	15 ug/L	Gen. Eng.
0	TOLUENE	LT	1 ug/L	Gen. Eng.
0	MANGANESE	LT	6 ug/L	Gen. Eng.
0	LEAD	LT	6 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	Gen. Eng.
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0	TOTAL RADIUM	LT	1 pCi/L	Gen. Eng.

WELL SRW 16A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/19/89 Time 1505
 Depth to water = 134.33 ft (40.94 m) below the TOC
 Water elevation = 212.47 ft (64.76 m) msl
 pH = 6.7 Alkalinity = 44 mg/L
 Specific conductance = 100 umhos/cm
 Water temperature = 20.0 degrees Celsius
 Water evacuated from the well prior to sampling = 25 gal
 The well went dry during purging.

LABORATORY ANALYSES

0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	W-Area, SRS
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
2	IRON	LT	644 ug/L	Gen. Eng.
1	TOLUENE	LT	1 ug/L	Gen. Eng.
1	MANGANESE	LT	30 ug/L	Gen. Eng.
0	LEAD	LT	6 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	W-Area, SRS
0	TOTAL ORGANIC CARBON	LT	2000 ug/L	Gen. Eng.
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	LT	1.00 ug/L	W-Area, SRS
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	W-Area, SRS
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	W-Area, SRS
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
1	1,1,1-TRICHLOROETHANE	LT	8 ug/L	Gen. Eng.
1	1,1,1-TRICHLOROETHANE	LT	7 ug/L	W-Area, SRS
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0	TOTAL RADIUM	LT	1 pCi/L	Gen. Eng.

WELL SRW 16B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/19/89 Time 1325
 Depth to water = 133.58 ft (40.72 m) below the TOC
 Water elevation = 213.22 ft (64.99 m) msl
 pH = 5.1 Alkalinity = 0 mg/L
 Specific conductance = 17 umhos/cm
 Water temperature = 19.7 degrees Celsius
 Water evacuated from the well prior to sampling = 138 gal

LABORATORY ANALYSES

0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	IRON	LT	8 ug/L	Gen. Eng.
0	IRON	LT	8 ug/L	Gen. Eng.
0	TOLUENE	LT	1 ug/L	Gen. Eng.
0	TOLUENE	LT	1 ug/L	Gen. Eng.
0	MANGANESE	LT	13 ug/L	Gen. Eng.
0	MANGANESE	LT	14 ug/L	Gen. Eng.
0	LEAD	LT	11 ug/L	Gen. Eng.
0	LEAD	LT	11 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	Gen. Eng.
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	Gen. Eng.
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	Gen. Eng.
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0	TOTAL RADIUM	LT	1.60+-1.20 pCi/L	Gen. Eng.
0	TOTAL RADIUM	LT	1.80+-1.20 pCi/L	Gen. Eng.

WELL SRW 16C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/19/89 Time 1310
 Depth to water = 132.81 ft (40.48 m) below the TOC
 Water elevation = 213.79 ft (65.16 m) msl
 pH = 5.2 Alkalinity = 0 mg/L
 Specific conductance = 24 umhos/cm
 Water temperature = 20.0 degrees Celsius
 Water evacuated from the well prior to sampling = 21 gal

LABORATORY ANALYSES

0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.

CONTINUED

WELL SPW 16C COLLECTED ON 08/19/89 LABORATORY ANALYSES CONTINUED

0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	IRON		13 ug/L	Gen. Eng.
0	TOLUENE	LT	1 ug/L	Gen. Eng.
0	MANGANESE		18 ug/L	Gen. Eng.
0	LEAD		18 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	Gen. Eng.
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0	TOTAL RADIUM		1.30+-1.20 pCi/L	Gen. Eng.

WELL SSS 1

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/12/89 Time 1215
Depth to water = 37.71 ft (11.49 m) below the TOC
Water elevation = 157.19 ft (47.91 m) msl
pH = 5.4 Alkalinity = 2 mg/L
Specific conductance = 28 umhos/cm
Water temperature = 18.8 degrees Celsius
Water evacuated from the well prior to sampling = 2 gal

WELL SSS 2

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/12/89 Time 1325
Depth to water = 12.89 ft (3.93 m) below the TOC
Water elevation = 152.21 ft (46.39 m) msl
pH = 4.8 Alkalinity = 0 mg/L
Specific conductance = 28 umhos/cm
Water temperature = 20.2 degrees Celsius
Water evacuated from the well prior to sampling = 8 gal

WELL SSS 3

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/12/89 Time 1250
Depth to water = 8.56 ft (2.61 m) below the TOC
Water elevation = 155.04 ft (47.26 m) msl
pH = 4.8 Alkalinity = 0 mg/L
Specific conductance = 21 umhos/cm
Water temperature = 23.1 degrees Celsius
Water evacuated from the well prior to sampling = 8 gal

WELL SSS 4

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/12/89 Time 920
The well was dry.

WELL SSS 5

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/13/89 Time 810
Depth to water = 53.34 ft (16.26 m) below the TOC
Water elevation = 186.66 ft (56.89 m) msl
pH = 4.8 Alkalinity = 1 mg/L
Specific conductance = 28 umhos/cm
Water temperature = 19.1 degrees Celsius
Water evacuated from the well prior to sampling = 1 gal
The well went dry during purging.

WELL SSS 6

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/12/89 Time 855
The well was dry.

WELL SSS 7

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/13/89 Time 830
Depth to water = 85.85 ft (26.01 m) below the TOC
Water elevation = 160.95 ft (49.08 m) msl
pH = 4.6 Alkalinity = 0 mg/L
Specific conductance = 41 umhos/cm
Water temperature = 19.2 degrees Celsius
Water evacuated from the well prior to sampling = 1 gal
The well went dry during purging.

WELL SSS 8

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/12/89 Time 1055
Depth to water = 48.90 ft (14.90 m) below the TOC
Water elevation = 152.30 ft (46.42 m) msl
pH = 4.9 Alkalinity = 0 mg/L
Specific conductance = 22 umhos/cm
Water temperature = 18.8 degrees Celsius
Water evacuated from the well prior to sampling = 2 gal

WELL SSS 9

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/12/89 Time 1135
Depth to water = 49.03 ft (14.94 m) below the TOC
Water elevation = 154.27 ft (47.02 m) msl
pH = 4.9 Alkalinity = 1 mg/L
Specific conductance = 27 umhos/cm
Water temperature = 19.9 degrees Celsius
Water evacuated from the well prior to sampling = 2 gal

WELL SSS 10

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/13/89 Time 905
Depth to water = 75.60 ft (23.04 m) below the TOC
Water elevation = 236.00 ft (71.93 m) msl
pH = 4.7 Alkalinity = 1 mg/L
Specific conductance = 48 umhos/cm
Water temperature = 18.6 degrees Celsius
Water evacuated from the well prior to sampling = 3 gal

WELL SSS 11

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/13/89 Time 915
The well was dry.

WELL SSS 12

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/13/89 Time 925
The well was dry.

WELL SSS 17

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/12/89 Time 1550
 Depth to water = 25.40 ft (7.74 m) below the TOC
 Water elevation = 197.30 ft (60.14 m) msl
 pH = 4.5 Alkalinity = 0 mg/L
 Specific conductance = 21 umhos/cm
 Water temperature = 19.9 degrees Celsius
 Water evacuated from the well prior to sampling = 7 gal

WELL SSS 19

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/12/89 Time 935
 The well was dry.

WELL SSS 20

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/13/89 Time 755
 Depth to water = 75.13 ft (22.90 m) below the TOC
 Water elevation = 177.87 ft (54.22 m) msl
 pH = 4.9 Alkalinity = 0 mg/L
 Specific conductance = 31 umhos/cm
 Water temperature = 19.4 degrees Celsius
 Water evacuated from the well prior to sampling = 1 gal
 The well went dry during purging.

WELL SSS 21

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/12/89 Time 1010
 The well was dry.

WELL SSS 22

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/13/89 Time 1055
 Depth to water = 52.81 ft (16.10 m) below the TOC
 Water elevation = 238.09 ft (72.57 m) msl
 pH = 4.7 Alkalinity = 0 mg/L
 Specific conductance = 28 umhos/cm
 Water temperature = 19.5 degrees Celsius
 Water evacuated from the well prior to sampling = 8 gal

WELL SSS 23

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/13/89 Time 1020
 Depth to water = 54.27 ft (16.54 m) below the TOC
 Water elevation = 246.73 ft (75.20 m) msl
 pH = 5.0 Alkalinity = 2 mg/L
 Specific conductance = 22 umhos/cm
 Water temperature = 19.1 degrees Celsius
 Water evacuated from the well prior to sampling = 7 gal

WELL SSS 24

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/13/89 Time 950
 The well was dry.

WELL SSS 25

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/12/89 Time 1650
 Depth to water = 7.10 ft (2.16 m) below the TOC
 Water elevation = 198.10 ft (59.77 m) msl
 pH = 6.3 Alkalinity = 30 mg/L
 Specific conductance = 102 umhos/cm
 Water temperature = 21.2 degrees Celsius
 Water evacuated from the well prior to sampling = 17 gal

WELL SSS 26

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/12/89 Time 1825
 Depth to water = 21.28 ft (6.48 m) below the TOC
 Water elevation = 197.34 ft (59.93 m) msl
 pH = 4.8 Alkalinity = 0 mg/L
 Specific conductance = 46 umhos/cm
 Water temperature = 20.4 degrees Celsius
 Water evacuated from the well prior to sampling = 10 gal

WELL SSS 27

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/12/89 Time 1725
 Depth to water = 40.78 ft (12.43 m) below the TOC
 Water elevation = 173.02 ft (52.74 m) msl
 pH = 4.5 Alkalinity = 0 mg/L
 Specific conductance = 27 umhos/cm
 Water temperature = 20.4 degrees Celsius
 Water evacuated from the well prior to sampling = 8 gal

WELL TBC 1

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/09/89 Time 1315
 Depth to water = 52.91 ft (16.13 m) below the TOC
 pH = 5.4 Alkalinity = 0 mg/L
 Specific conductance = 98 umhos/cm
 Water temperature = 22.7 degrees Celsius
 Water evacuated from the well prior to sampling = 31 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE	91.11 UMH/C	metaTRACE
0	PH	5.43 pH	metaTRACE
0	SILVER	2 ug/L	metaTRACE
0	ARSENIC	3 ug/L	metaTRACE
1	BARIUM	78 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	5 ug/L	metaTRACE
0	CALCIUM	3782 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	5 ug/L	metaTRACE
2	CARBON TETRACHLORIDE	6.00 ug/L	metaTRACE
0	CADMIUM	4 ug/L	metaTRACE
0	BROMOFORM	5 ug/L	metaTRACE
0	CHLOROFORM	5 ug/L	metaTRACE
0	METHYLENE CHLORIDE	5 ug/L	metaTRACE
0	BROMOMETHANE	10 ug/L	metaTRACE
0	CHLOROMETHANE	10 ug/L	metaTRACE
0	CHLORIDE	4600 ug/L	metaTRACE
0	CHLOROBENZENE	5 ug/L	metaTRACE
0	CHROMIUM	5 ug/L	metaTRACE
0	CYANIDE	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	5 ug/L	metaTRACE
0	CHLOROETHANE	10 ug/L	metaTRACE
0	BENZENE	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	5 ug/L	metaTRACE
0	ETHYLBENZENE	5 ug/L	metaTRACE
0	FLUORIDE	250 ug/L	metaTRACE
0	IRON	14 ug/L	metaTRACE
0	MERCURY	0.20 ug/L	metaTRACE
0	POTASSIUM	2824 ug/L	metaTRACE
0	TOLUENE	5 ug/L	metaTRACE
0	MAGNESIUM	1609 ug/L	metaTRACE
2	MANGANESE	191 ug/L	metaTRACE
1	SODIUM	8968 ug/L	metaTRACE
1	NITRATE AS NITROGEN	6900 ug/L	metaTRACE
0	LEAD	5 ug/L	metaTRACE
0	PHENOLS	5 ug/L	metaTRACE
0	SELENIUM	2 ug/L	metaTRACE
1	SILICON	5666 ug/L	metaTRACE
0	SULFATE	2500 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	5.00 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS	94000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	1000 ug/L	metaTRACE
0	TOTAL PHOSPHATES	10 ug/L	metaTRACE
2	TRICHLOROETHYLENE	550 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	5 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	5 ug/L	metaTRACE

CONTINUED

WELL TBG 1 COLLECTED ON 09/09/89 LABORATORY ANALYSES CONTINUED

0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0	GROSS ALPHA	LT	3.50+-2.50 pCi/L	metaTRACE
1	AMERICIUM-241	LT	0.18+-0.12 pCi/L	Teledyne
0	AMERICIUM-243	LT	0.20 pCi/L	Teledyne
0	BARIUM-140	LT	20 pCi/L	Teledyne
0	NONVOLATILE BETA	LT	8.20+-3.00 pCi/L	metaTRACE
0	BERYLLIUM-7	LT	50 pCi/L	Teledyne
0	CERIUM-141	LT	10 pCi/L	Teledyne
0	CERIUM-144	LT	40 pCi/L	Teledyne
1	CURIUM-242	LT	0.12+-0.09 pCi/L	Teledyne
1	CURIUM-246	LT	0.31+-0.15 pCi/L	Teledyne
1	CURIUM-243/244	LT	0.40+-0.17 pCi/L	Teledyne
0	COBALT-58	LT	4 pCi/L	Teledyne
0	COBALT-60	LT	5 pCi/L	Teledyne
0	CESIUM-134	LT	4 pCi/L	Teledyne
0	CESIUM-137	LT	4 pCi/L	Teledyne
0	IRON-59	LT	10 pCi/L	Teledyne
0	IODINE-131	LT	30 pCi/L	Teledyne
0	POTASSIUM-40	LT	90 pCi/L	Teledyne
0	MANGANESE-54	LT	4 pCi/L	Teledyne
0	PLUTONIUM-238	LT	0.40 pCi/L	Teledyne
0	PLUTONIUM-242	LT	0.30 pCi/L	Teledyne
0	PLUTONIUM-239/240	LT	0.20 pCi/L	Teledyne
0	RADIUM-226	LT	100 pCi/L	Teledyne
1	RADIUM-228	LT	3.00+-0.60 pCi/L	Teledyne
1	RADIUM-228	LT	2.50+-0.70 pCi/L	Teledyne
0	RUTHENIUM-103	LT	6 pCi/L	Teledyne
0	RUTHENIUM-106	LT	40 pCi/L	Teledyne
0	STRONTIUM-89	LT	4 pCi/L	Teledyne
0	STRONTIUM-90	LT	0.90 pCi/L	Teledyne
0	THORIUM-228	LT	7 pCi/L	Teledyne
0	THORIUM-228	LT	0.10 pCi/L	Teledyne
0	THORIUM-230	LT	0.10 pCi/L	Teledyne
0	THORIUM-232	LT	0.70 pCi/L	Teledyne
1	TOTAL RADIUM	LT	3.00+-0.50 pCi/L	metaTRACE
0	TRITIUM	LT	3.40+-0.40 pCi/mL	metaTRACE
0	URANIUM-235	LT	0.60 pCi/L	Teledyne
0	URANIUM-238	LT	0.90 pCi/L	Teledyne
0	URANIUM-233/234	LT	0.50 pCi/L	Teledyne
0	ZINC-65	LT	9 pCi/L	Teledyne
0	ZIRCONIUM-95	LT	5 pCi/L	Teledyne

WELL TBG 3

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/10/89 Time 920
Depth to water = 50.66 ft (15.44 m) below the TOC
pH = 4.2 Alkalinity = 0 mg/L
Specific conductance = 276 umhos/cm
Water temperature = 22.7 degrees Celsius
Water evacuated from the well prior to sampling = 7 gal
The well went dry during purging.

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	270.0 UMH/C	metaTRACE
0	PH	4.20 pH	metaTRACE
0	SILVER	LT	2 ug/L
0	ARSENIC	LT	3 ug/L
1	BARIUM	293 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	LT	5 ug/L
0	CALCIUM	8472 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L
0	CARBON TETRACHLORIDE	LT	50.0 ug/L
0	CADMIUM	LT	4 ug/L
0	BROMOFORM	LT	5 ug/L
0	CHLOROFORM	LT	4 ug/L
0	METHYLENE CHLORIDE	LT	5 ug/L
0	BROMOMETHANE	LT	10 ug/L
0	CHLOROMETHANE	LT	10 ug/L
0	CHLORIDE	3600 ug/L	metaTRACE
0	CHLOROBENZENE	LT	5 ug/L
1	CHROMIUM	7 ug/L	metaTRACE
0	CYANIDE	LT	5 ug/L
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L
0	CHLOROETHANE	LT	10 ug/L
0	BENZENE	LT	5 ug/L
0	DIBROMOCHLOROMETHANE	LT	5 ug/L
0	ETHYLBENZENE	LT	5 ug/L
0	FLUORIDE	260 ug/L	metaTRACE
0	IRON	137 ug/L	metaTRACE
1	MERCURY	0.42 ug/L	metaTRACE
0	POTASSIUM	2884 ug/L	metaTRACE
1	TOLUENE	2 ug/L	metaTRACE
1	MAGNESIUM	5008 ug/L	metaTRACE
2	MANGANESE	996 ug/L	metaTRACE
1	SODIUM	23550 ug/L	metaTRACE
2	NITRATE AS NITROGEN	33000 ug/L	metaTRACE
0	LEAD	3 ug/L	metaTRACE
0	PHENOLS	LT	5 ug/L
0	SELENIUM	LT	2 ug/L
1	SILICON	6199 ug/L	metaTRACE
0	SULFATE	LT	1000 ug/L
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L
2	TETRACHLOROETHYLENE	12.0 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS	234000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	LT	1000 ug/L
2	TOTAL ORGANIC HALOGENS	308 ug/L	metaTRACE
0	TOTAL PHOSPHATES	56 ug/L	metaTRACE
2	TRICHLOROETHYLENE	170 ug/L	metaTRACE

CONTINUED

WELL TBG 3 COLLECTED ON 09/10/89 LABORATORY ANALYSES CONTINUED

0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	3 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
2	GROSS ALPHA	LT	83.00+-10 pCi/L	metaTRACE
0	AMERICIUM-241	LT	0.10 pCi/L	Teledyne
1	AMERICIUM-243	LT	2.40+-0.40 pCi/L	Teledyne
0	BARIUM-140	LT	10 pCi/L	Teledyne
0	NONVOLATILE BETA	LT	30.00+-5.00 pCi/L	metaTRACE
0	BERYLLIUM-7	LT	40 pCi/L	Teledyne
0	CERIUM-141	LT	10 pCi/L	Teledyne
0	CERIUM-144	LT	30 pCi/L	Teledyne
0	CURIUM-242	LT	0.10 pCi/L	Teledyne
1	CURIUM-246	LT	0.10+-0.06 pCi/L	Teledyne
0	CURIUM-243/244	LT	0.30 pCi/L	Teledyne
0	COBALT-58	LT	4 pCi/L	Teledyne
0	COBALT-60	LT	4 pCi/L	Teledyne
0	CESIUM-134	LT	4 pCi/L	Teledyne
0	CESIUM-137	LT	4 pCi/L	Teledyne
0	IRON-59	LT	8 pCi/L	Teledyne
0	IODINE-131	LT	20 pCi/L	Teledyne
0	POTASSIUM-40	LT	60 pCi/L	Teledyne
0	MANGANESE-54	LT	4 pCi/L	Teledyne
0	PLUTONIUM-238	LT	0.50 pCi/L	Teledyne
0	PLUTONIUM-242	LT	0.30 pCi/L	Teledyne
0	PLUTONIUM-239/240	LT	0.20 pCi/L	Teledyne
0	RADIUM-226	LT	90 pCi/L	Teledyne
1	RADIUM-228	LT	18.00+-1.00 pCi/L	Teledyne
1	RADIUM-228	LT	18.00+-1.00 pCi/L	Teledyne
0	RUTHENIUM-103	LT	5 pCi/L	Teledyne
0	RUTHENIUM-106	LT	30 pCi/L	Teledyne
0	STRONTIUM-89	LT	2 pCi/L	Teledyne
1	STRONTIUM-90	LT	23.00+-2.00 pCi/L	Teledyne
0	THORIUM-228	LT	7 pCi/L	Teledyne
0	THORIUM-228	LT	1 pCi/L	Teledyne
0	THORIUM-230	LT	0.90 pCi/L	Teledyne
0	THORIUM-232	LT	0.40 pCi/L	Teledyne
2	TOTAL RADIUM	LT	27.00+-3.00 pCi/L	metaTRACE
0	TRITIUM	LT	2.90+-0.30 pCi/mL	metaTRACE
0	URANIUM-235	LT	0.02 pCi/L	Teledyne
1	URANIUM-238	LT	0.46+-0.22 pCi/L	Teledyne
1	URANIUM-233/234	LT	0.28+-0.17 pCi/L	Teledyne
0	ZINC-65	LT	8 pCi/L	Teledyne
0	ZIRCONIUM-95	LT	4 pCi/L	Teledyne

WELL TBG 4

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/09/89 Time 1345
Depth to water = 50.79 ft (15.48 m) below the TOC
pH = 3.9 Alkalinity = 0 mg/L
Specific conductance = 445 umhos/cm
Water temperature = 23.2 degrees Celsius
Water evacuated from the well prior to sampling = 30 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	403.0 UMH/C	metaTRACE
0	PH	4.02 pH	metaTRACE
0	SILVER	LT	2 ug/L
0	ARSENIC	LT	3 ug/L
1	BARIUM	413 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	LT	5 ug/L
0	CALCIUM	9858 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L
0	CARBON TETRACHLORIDE	LT	100 ug/L
0	CADMIUM	LT	4 ug/L
0	BROMOFORM	LT	5 ug/L
1	CHLOROFORM	LT	6 ug/L
0	METHYLENE CHLORIDE	LT	5 ug/L
0	BROMOMETHANE	LT	10 ug/L
0	CHLOROMETHANE	LT	10 ug/L
0	CHLORIDE	4100 ug/L	metaTRACE
0	CHLOROBENZENE	LT	5 ug/L
0	CHROMIUM	LT	5 ug/L
0	CYANIDE	LT	5 ug/L
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L
0	CHLOROETHANE	LT	10 ug/L
0	BENZENE	LT	5 ug/L
0	DIBROMOCHLOROMETHANE	LT	5 ug/L
0	ETHYLBENZENE	LT	5 ug/L
0	FLUORIDE	300 ug/L	metaTRACE
0	IRON	17 ug/L	metaTRACE
2	MERCURY	4.39 ug/L	metaTRACE
0	POTASSIUM	2291 ug/L	metaTRACE
0	TOLUENE	LT	5 ug/L
1	MAGNESIUM	7252 ug/L	metaTRACE
2	MANGANESE	641 ug/L	metaTRACE
1	SODIUM	41250 ug/L	metaTRACE
2	NITRATE AS NITROGEN	54000 ug/L	metaTRACE
0	LEAD	5 ug/L	metaTRACE
0	PHENOLS	LT	5 ug/L
0	SELENIUM	LT	2 ug/L
1	SILICON	5597 ug/L	metaTRACE
0	SULFATE	LT	1000 ug/L
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L
2	TETRACHLOROETHYLENE	38.0 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS	328000 ug/L	metaTRACE

CONTINUED

WELL TBG 4 COLLECTED ON 09/09/89 LABORATORY ANALYSES CONTINUED

0	TOTAL ORGANIC CARBON	2230 ug/L	metaTRACE
2	TOTAL ORGANIC HALOGENS	849 ug/L	metaTRACE
0	TOTAL PHOSPHATES	22 ug/L	metaTRACE
2	TRICHLOROETHYLENE	840 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L
0	1,1-DICHLOROETHYLENE	LT	5 ug/L
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L
0	1,2-DICHLOROETHANE	LT	5 ug/L
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L
2	GROSS ALPHA	31.00+-0.00 pCi/L	metaTRACE
0	AMERICIUM-241	LT	0.10 pCi/L
1	AMERICIUM-243	2.20+-0.40 pCi/L	Teledyne
0	BARIUM-140	LT	10 pCi/L
1	NONVOLATILE BETA	37.00+-5.00 pCi/L	metaTRACE
0	BERYLLIUM-7	LT	40 pCi/L
0	CERIUM-141	LT	10 pCi/L
0	CERIUM-144	LT	30 pCi/L
0	CURIUM-242	LT	0.10 pCi/L
1	CURIUM-246	0.37+-0.10 pCi/L	Teledyne
0	CURIUM-243/244	LT	0.30 pCi/L
0	COBALT-58	LT	4 pCi/L
0	COBALT-60	LT	4 pCi/L
0	CESIUM-134	LT	4 pCi/L
0	CESIUM-137	LT	4 pCi/L
0	IRON-59	LT	8 pCi/L
0	IODINE-131	LT	30 pCi/L
0	POTASSIUM-40	LT	60 pCi/L
0	MANGANESE-54	LT	3 pCi/L
0	PLUTONIUM-238	LT	0.30 pCi/L
0	PLUTONIUM-242	LT	0.10 pCi/L
0	PLUTONIUM-239/240	LT	0.10 pCi/L
0	RADIUM-226	LT	90 pCi/L
1	RADIUM-226	30.00+-2.00 pCi/L	Teledyne
1	RADIUM-228	27.00+-2.00 pCi/L	Teledyne
0	RUTHENIUM-103	LT	5 pCi/L
0	RUTHENIUM-106	LT	30 pCi/L
0	STRONTIUM-89	LT	4 pCi/L
0	STRONTIUM-90	LT	1 pCi/L
0	THORIUM-228	LT	7 pCi/L
1	THORIUM-232	4.30+-1.10 pCi/L	Teledyne
0	THORIUM-230	LT	0.20 pCi/L
0	THORIUM-232	LT	0.20 pCi/L
2	TOTAL RADIUM	39.00+-4.00 pCi/L	metaTRACE
0	TRITIUM	2.80+-0.30 pCi/mL	metaTRACE
0	URANIUM-235	LT	0.02 pCi/L
1	URANIUM-238	0.59+-0.25 pCi/L	Teledyne
1	URANIUM-233/234	0.56+-0.24 pCi/L	Teledyne
0	ZINC-65	LT	7 pCi/L
0	ZIRCONIUM-95	LT	4 pCi/L

WELL TBG 5

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/10/89 Time 945
 Depth to water = 49.28 ft (15.02 m) below the TOC
 pH = 5.2 Alkalinity = 2 mg/L
 Specific conductance = 105 umhos/cm
 Water temperature = 23.2 degrees Celsius
 Water evacuated from the well prior to sampling = 8 gal
 The well went dry during purging.

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE	99.90 uMHC	metaTRACE
0	PH	5.36 pH	metaTRACE
0	SILVER	LT	2 ug/L
0	ARSENIC	LT	3 ug/L
0	BARIUM	LT	27 ug/L
0	BROMODICHLOROMETHANE	LT	5 ug/L
0	CALCIUM	LT	9384 ug/L
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L
0	CARBON TETRACHLORIDE	LT	5.00 ug/L
0	CADMIUM	LT	4 ug/L
0	BROMOFORM	LT	5 ug/L
0	CHLOROFORM	LT	5 ug/L
1	METHYLENE CHLORIDE	J	1 ug/L
0	BROMOMETHANE	LT	10 ug/L
0	CHLOROMETHANE	LT	10 ug/L
0	CHLORIDE	LT	3800 ug/L
0	CHLOROBENZENE	LT	5 ug/L
1	CHROMIUM	LT	6 ug/L
0	CYANIDE	LT	5 ug/L
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L
0	CHLOROETHANE	LT	10 ug/L
0	BENZENE	LT	5 ug/L
0	DIBROMOCHLOROMETHANE	LT	5 ug/L
0	ETHYL BENZENE	LT	5 ug/L
0	FLUORIDE	LT	390 ug/L
0	IRON	LT	84 ug/L
0	MERCURY	LT	0.20 ug/L
0	POTASSIUM	LT	2000 ug/L
0	TOLUENE	LT	5 ug/L
0	MAGNESIUM	LT	1558 ug/L
2	MANGANESE	LT	165 ug/L
0	SODIUM	LT	4755 ug/L
1	NITRATE AS NITROGEN	LT	6200 ug/L
0	LEAD	LT	4 ug/L
0	PHENOLS	LT	5 ug/L
0	SELENIUM	LT	2 ug/L
1	SILICON	LT	5365 ug/L

CONTINUED

WELL TBG 5 COLLECTED ON 09/10/89 LABORATORY ANALYSES CONTINUED

1	SULFATE	10700 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L
0	TETRACHLOROETHYLENE	LT	5 ug/L
0	TOTAL DISSOLVED SOLIDS	LT	95000 ug/L
0	TOTAL ORGANIC CARBON	LT	1000 ug/L
2	TOTAL ORGANIC HALOGENS	LT	1890 ug/L
1	TOTAL PHOSPHATES	LT	978 ug/L
2	TRICHLOROETHYLENE	LT	4000 ug/L
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L
0	1,1-DICHLOROETHYLENE	LT	5 ug/L
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L
0	1,2-DICHLOROETHANE	LT	5 ug/L
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L
0	GROSS ALPHA	LT	4 pCi/L
0	AMERICIUM-241	LT	0.02 pCi/L
0	AMERICIUM-243	LT	0.20 pCi/L
0	BARIUM-140	LT	20 pCi/L
0	NONVOLATILE BETA	LT	6.00+-2.90 pCi/L
0	BERYLLIUM-7	LT	90 pCi/L
0	CERIUM-141	LT	10 pCi/L
0	CERIUM-144	LT	40 pCi/L
0	CURIUM-242	LT	0.05 pCi/L
1	CURIUM-246	0.43+-0.10 pCi/L	Teledyne
1	CURIUM-243/244	0.29+-0.14 pCi/L	Teledyne
0	COBALT-58	LT	5 pCi/L
0	COBALT-60	LT	5 pCi/L
0	CESIUM-134	LT	5 pCi/L
0	CESIUM-137	LT	5 pCi/L
0	IRON-59	LT	10 pCi/L
0	IODINE-131	LT	30 pCi/L
0	POTASSIUM-40	LT	100 pCi/L
0	MANGANESE-54	LT	5 pCi/L
0	PLUTONIUM-238	LT	0.05 pCi/L
0	PLUTONIUM-242	LT	0.09 pCi/L
0	PLUTONIUM-239/240	LT	0.09 pCi/L
0	RADIUM-226	LT	90 pCi/L
0	RADIUM-228	LT	1 pCi/L
1	RADIUM-228	1.30+-0.40 pCi/L	Teledyne
0	RUTHENIUM-103	LT	6 pCi/L
0	RUTHENIUM-106	LT	40 pCi/L
0	STRONTIUM-89	LT	3 pCi/L
0	STRONTIUM-90	LT	0.60 pCi/L
0	THORIUM-228	LT	8 pCi/L
0	THORIUM-228	LT	0.20 pCi/L
0	THORIUM-230	LT	0.20 pCi/L
0	THORIUM-232	LT	0.09 pCi/L
0	TOTAL RADIUM	1.90+-0.40 pCi/L	metaTRACE
0	TRITIUM	4.70+-0.50 pCi/mL	metaTRACE
0	URANIUM-235	LT	0.03 pCi/L
0	URANIUM-238	LT	0.03 pCi/L
0	URANIUM-233/234	LT	0.05 pCi/L
0	ZINC-65	LT	10 pCi/L
0	ZIRCONIUM-95	LT	6 pCi/L

WELL TBG 6

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/10/89 Time 1015
 Depth to water = 47.25 ft (14.40 m) below the TOC
 pH = 4.9 Alkalinity = 0 mg/L
 Specific conductance = 199 umhos/cm
 Water temperature = 22.2 degrees Celsius
 Water evacuated from the well prior to sampling = 8 gal
 The well went dry during purging.

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	181.1 uMHC	metaTRACE
0	PH	5.04 pH	metaTRACE
0	SILVER	LT	2 ug/L
0	ARSENIC	LT	3 ug/L
1	BARIUM	LT	61 ug/L
0	BROMODICHLOROMETHANE	LT	5 ug/L
1	CALCIUM	J	11320 ug/L
1	TRICHLOROFLUOROMETHANE	J	1 ug/L
2	CARBON TETRACHLORIDE	LT	49.0 ug/L
0	CADMIUM	LT	4 ug/L
0	BROMOFORM	LT	5 ug/L
0	CHLOROFORM	LT	5 ug/L
0	METHYLENE CHLORIDE	LT	5 ug/L
0	BROMOMETHANE	LT	10 ug/L
0	CHLOROMETHANE	LT	10 ug/L
0	CHLORIDE	LT	6000 ug/L
0	CHLOROBENZENE	LT	5 ug/L
1	CHROMIUM	LT	5 ug/L
0	CYANIDE	LT	5 ug/L
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L
0	CHLOROETHANE	LT	10 ug/L
0	BENZENE	LT	5 ug/L
0	DIBROMOCHLOROMETHANE	LT	5 ug/L
0	ETHYL BENZENE	LT	5 ug/L
0	FLUORIDE	LT	250 ug/L
0	IRON	LT	91 ug/L
0	MERCURY	LT	0.22 ug/L
0	POTASSIUM	LT	2000 ug/L
0	TOLUENE	LT	5 ug/L
0	MAGNESIUM	LT	2401 ug/L
2	MANGANESE	LT	85 ug/L
1	SODIUM	LT	16580 ug/L
2	NITRATE AS NITROGEN	LT	19000 ug/L

CONTINUED

WELL TBG 6 COLLECTED ON 09/10/89 LABORATORY ANALYSES CONTINUED

0	LEAD	LT	3 ug/L	metaTRACE
0	PHENOLS	LT	5 ug/L	metaTRACE
0	SELENIUM	LT	2 ug/L	metaTRACE
1	SILICON		6165 ug/L	metaTRACE
0	SULFATE		1900 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS		183000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	metaTRACE
2	TOTAL ORGANIC HALOGENS		105 ug/L	metaTRACE
1	TOTAL PHOSPHATES		730 ug/L	metaTRACE
2	TRICHLOROETHYLENE		130 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
1	GROSS ALPHA		9.10+-3.70 pCi/L	metaTRACE
0	AMERICIUM-241	LT	0.06 pCi/L	Teledyne
1	AMERICIUM-243		0.38+-0.22 pCi/L	Teledyne
0	BARIUM-140	LT	10 pCi/L	Teledyne
0	NONVOLATILE BETA	LT	5 pCi/L	metaTRACE
0	BERYLLIUM-7	LT	40 pCi/L	Teledyne
0	CERIUM-141	LT	10 pCi/L	Teledyne
0	CERIUM-144	LT	30 pCi/L	Teledyne
0	CURIUM-242	LT	0.10 pCi/L	Teledyne
1	CURIUM-246		0.55+-0.11 pCi/L	Teledyne
0	CURIUM-243/244	LT	0.20 pCi/L	Teledyne
0	COBALT-58	LT	3 pCi/L	Teledyne
0	COBALT-60	LT	4 pCi/L	Teledyne
0	CESIUM-134	LT	3 pCi/L	Teledyne
0	CESIUM-137	LT	3 pCi/L	Teledyne
0	IRON-59	LT	9 pCi/L	Teledyne
0	IODINE-131	LT	20 pCi/L	Teledyne
0	POTASSIUM-40	LT	60 pCi/L	Teledyne
0	MANGANESE-54	LT	3 pCi/L	Teledyne
0	PLUTONIUM-238	LT	0.20 pCi/L	Teledyne
0	PLUTONIUM-242	LT	0.05 pCi/L	Teledyne
0	PLUTONIUM-239/240	LT	0.07 pCi/L	Teledyne
0	RADIUM-226	LT	80 pCi/L	Teledyne
1	RADIUM-228		5.00+-1.10 pCi/L	Teledyne
1	RADIUM-228		4.80+-0.90 pCi/L	Teledyne
0	RUTHENIUM-103	LT	4 pCi/L	Teledyne
0	RUTHENIUM-106	LT	30 pCi/L	Teledyne
0	STRONTIUM-89	LT	4 pCi/L	Teledyne
0	STRONTIUM-90	LT	0.90 pCi/L	Teledyne
0	THORIUM-228	LT	8 pCi/L	Teledyne
0	THORIUM-228	LT	0.10 pCi/L	Teledyne
0	THORIUM-230	LT	0.06 pCi/L	Teledyne
1	THORIUM-232		0.37+-0.28 pCi/L	Teledyne
2	TOTAL RADIUM		6.30+-0.80 pCi/L	metaTRACE
0	TRITIUM		4.70+-0.30 pCi/mL	metaTRACE
0	URANIUM-235	LT	0.02 pCi/L	Teledyne
0	URANIUM-238	LT	0.02 pCi/L	Teledyne
0	URANIUM-233/234	LT	0.02 pCi/L	Teledyne
0	ZINC-65	LT	7 pCi/L	Teledyne
0	ZIRCONIUM-95	LT	4 pCi/L	Teledyne

WELL TBG 7

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/09/89 Time 1120
Depth to water = 44.09 ft (13.44 m) below the TOC
pH = 8.0 Alkalinity = 11 mg/L
Specific conductance = 59 umhos/cm
Water temperature = 22.0 degrees Celsius
Water evacuated from the well prior to sampling = 50 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE		55.30 uMHC	metaTRACE
0	PH		6.03 pH	metaTRACE
0	SILVER	LT	2 ug/L	metaTRACE
0	ARSENIC	LT	3 ug/L	metaTRACE
0	BARIUM	LT	25 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
0	CALCIUM		6819 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0	CADMIUM	LT	4 ug/L	metaTRACE
0	BROMOFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	5 ug/L	metaTRACE
0	METHYLENE CHLORIDE	LT	5 ug/L	metaTRACE
0	BROMOMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
0	CHLORIDE		2200 ug/L	metaTRACE
0	CHLOROBENZENE	LT	5 ug/L	metaTRACE
0	CHROMIUM	LT	5 ug/L	metaTRACE
0	CYANIDE	LT	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0	CHLOROETHANE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0	ETHYL BENZENE	LT	5 ug/L	metaTRACE
0	FLUORIDE	LT	250 ug/L	metaTRACE
0	IRON		16 ug/L	metaTRACE
0	MERCURY	LT	0.20 ug/L	metaTRACE
0	MERCURY	LT	0.20 ug/L	metaTRACE
0	POTASSIUM	LT	2000 ug/L	metaTRACE

CONTINUED

WELL TBG 7 COLLECTED ON 09/09/89 LABORATORY ANALYSES CONTINUED

0	TOLUENE	LT	5 ug/L	metaTRACE
0	MAGNESIUM		578 ug/L	metaTRACE
0	MANGANESE		6 ug/L	metaTRACE
0	SODIUM		2846 ug/L	metaTRACE
0	NITRATE AS NITROGEN		1200 ug/L	metaTRACE
0	LEAD	LT	3 ug/L	metaTRACE
0	PHENOLS	LT	5 ug/L	metaTRACE
0	SELENIUM	LT	2 ug/L	metaTRACE
1	SILICON		3882 ug/L	metaTRACE
0	SULFATE	LT	1000 ug/L	metaTRACE
0	SULFATE		3200 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS		54000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	metaTRACE
1	TOTAL ORGANIC HALOGENS		12 ug/L	metaTRACE
0	TOTAL PHOSPHATES	LT	10 ug/L	metaTRACE
0	TRICHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0	GROSS ALPHA		2.60+-1.80 pCi/L	metaTRACE
0	AMERICIUM-241	LT	0.10 pCi/L	Teledyne
0	AMERICIUM-243	LT	0.09 pCi/L	Teledyne
0	BARIUM-140	LT	20 pCi/L	Teledyne
0	NONVOLATILE BETA	LT	4 pCi/L	metaTRACE
0	BERYLLIUM-7	LT	40 pCi/L	Teledyne
0	CERIUM-141	LT	10 pCi/L	Teledyne
0	CERIUM-144	LT	30 pCi/L	Teledyne
0	CURIUM-242	LT	0.10 pCi/L	Teledyne
1	CURIUM-246		0.62+-0.12 pCi/L	Teledyne
0	CURIUM-243/244	LT	0.20 pCi/L	Teledyne
0	COBALT-58	LT	4 pCi/L	Teledyne
0	COBALT-60	LT	4 pCi/L	Teledyne
0	CESIUM-134	LT	4 pCi/L	Teledyne
0	CESIUM-137	LT	4 pCi/L	Teledyne
0	IRON-59	LT	10 pCi/L	Teledyne
0	IODINE-131	LT	30 pCi/L	Teledyne
0	POTASSIUM-40	LT	60 pCi/L	Teledyne
0	MANGANESE-54	LT	3 pCi/L	Teledyne
0	PLUTONIUM-238	LT	0.40 pCi/L	Teledyne
0	PLUTONIUM-242	LT	0.20 pCi/L	Teledyne
0	PLUTONIUM-239/240	LT	0.10 pCi/L	Teledyne
0	RADIUM-226	LT	90 pCi/L	Teledyne
0	RADIUM-228	LT	1 pCi/L	Teledyne
0	RADIUM-228	LT	0.80 pCi/L	Teledyne
0	RUTHENIUM-103	LT	5 pCi/L	Teledyne
0	RUTHENIUM-106	LT	30 pCi/L	Teledyne
0	STRONTIUM-89	LT	3 pCi/L	Teledyne
0	STRONTIUM-90	LT	0.90 pCi/L	Teledyne
0	THORIUM-228	LT	7 pCi/L	Teledyne
0	THORIUM-228	LT	0.20 pCi/L	Teledyne
0	THORIUM-230	LT	0.06 pCi/L	Teledyne
0	THORIUM-232	LT	0.10 pCi/L	Teledyne
0	TOTAL RADIUM	LT	1 pCi/L	metaTRACE
0	TRITIUM		3.00+-0.30 pCi/mL	metaTRACE
0	TRITIUM		3.00+-0.30 pCi/mL	metaTRACE
0	URANIUM-235	LT	0.03 pCi/L	Teledyne
0	URANIUM-238	LT	0.05 pCi/L	Teledyne
0	URANIUM-233/234	LT	0.07 pCi/L	Teledyne
0	ZINC-65	LT	8 pCi/L	Teledyne
0	ZIRCONIUM-95	LT	4 pCi/L	Teledyne

WELL XSB 10

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/09/89 Time 1245
Depth to water = 58.97 ft (17.97 m) below the TOC
Water elevation = 97.03 ft (29.58 m) sea
pH = 4.9 Alkalinity = 1 mg/L
Specific conductance = 76 umhos/cm
Water temperature = 23.0 degrees Celsius
Water evacuated from the well prior to sampling = 252 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE		64.40 uMHC	metaTRACE
0	PH		4.96 pH	metaTRACE
0	SILVER	LT	2 ug/L	metaTRACE
0	ARSENIC	LT	3 ug/L	metaTRACE
0	BARIUM		34 ug/L	metaTRACE
0	BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
0	CALCIUM		2601 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE
2	CARBON TETRACHLORIDE		49.0 ug/L	metaTRACE
0	CADMIUM	LT	4 ug/L	metaTRACE
0	BROMOFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	5 ug/L	metaTRACE
0	METHYLENE CHLORIDE	LT	5 ug/L	metaTRACE
0	BROMOMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
0	CHLORIDE		3700 ug/L	metaTRACE
0	CHLOROBENZENE	LT	5 ug/L	metaTRACE
1	CHROMIUM		5 ug/L	metaTRACE
0	CYANIDE	LT	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0	CHLOROETHANE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	5 ug/L	metaTRACE

WELL XSB 10 COLLECTED ON 09/09/89 LABORATORY ANALYSES CONTINUED

0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0	ETHYLBENZENE	LT	5 ug/L	metaTRACE
0	FLUORIDE	LT	250 ug/L	metaTRACE
0	IRON		8 ug/L	metaTRACE
0	MERCURY		0.23 ug/L	metaTRACE
0	POTASSIUM	LT	2000 ug/L	metaTRACE
0	TOLUENE	LT	5 ug/L	metaTRACE
0	MAGNESIUM		945 ug/L	metaTRACE
1	MANGANESE		29 ug/L	metaTRACE
1	SODIUM		6862 ug/L	metaTRACE
1	NITRATE AS NITROGEN		3200 ug/L	metaTRACE
0	LEAD	LT	3 ug/L	metaTRACE
0	PHENOLS	LT	5 ug/L	metaTRACE
0	SELENIUM	LT	2 ug/L	metaTRACE
1	SILICON		4878 ug/L	metaTRACE
0	SULFATE		1100 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS		70000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	metaTRACE
2	TOTAL ORGANIC HALOGENS		579 ug/L	metaTRACE
0	TOTAL PHOSPHATES	LT	10 ug/L	metaTRACE
2	TRICHLOROETHYLENE		730 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0	GROSS ALPHA		2.40+-1.90 pCi/L	Teledyne
0	AMERICIUM-241	LT	0.09 pCi/L	Teledyne
1	AMERICIUM-243		0.32+-0.12 pCi/L	Teledyne
0	BARIUM-140	LT	10 pCi/L	Teledyne
0	NONVOLATILE BETA	LT	6 pCi/L	metaTRACE
0	BERYLLIUM-7	LT	40 pCi/L	Teledyne
0	CERIUM-141	LT	9 pCi/L	Teledyne
0	CERIUM-144	LT	30 pCi/L	Teledyne
0	CURIUM-242	LT	0.20 pCi/L	Teledyne
1	CURIUM-246		0.38+-0.25 pCi/L	Teledyne
0	CURIUM-243/244	LT	0.50 pCi/L	Teledyne
0	COBALT-58	LT	4 pCi/L	Teledyne
0	COBALT-60	LT	4 pCi/L	Teledyne
0	CESIUM-134	LT	4 pCi/L	Teledyne
0	CESIUM-137	LT	4 pCi/L	Teledyne
0	IRON-59	LT	9 pCi/L	Teledyne
0	IODINE-131	LT	20 pCi/L	Teledyne
0	POTASSIUM-40	LT	60 pCi/L	Teledyne
0	MANGANESE-54	LT	3 pCi/L	Teledyne
1	PLUTONIUM-238		4.60+-1.60 pCi/L	Teledyne
0	PLUTONIUM-242	LT	0.40 pCi/L	Teledyne
0	PLUTONIUM-239/240	LT	0.60 pCi/L	Teledyne
0	RADIUM-226	LT	70 pCi/L	Teledyne
1	RADIUM-228		1.60+-0.50 pCi/L	Teledyne
0	RADIUM-228	LT	0.90 pCi/L	Teledyne
0	RUTHENIUM-103	LT	5 pCi/L	Teledyne
0	RUTHENIUM-106	LT	30 pCi/L	Teledyne
0	STRONTIUM-89	LT	4 pCi/L	Teledyne
0	STRONTIUM-90	LT	0.70 pCi/L	Teledyne
0	THORIUM-228	LT	6 pCi/L	Teledyne
0	THORIUM-228	LT	0.70 pCi/L	Teledyne
0	THORIUM-230	LT	0.30 pCi/L	Teledyne
0	THORIUM-232	LT	0.30 pCi/L	Teledyne
0	TOTAL RADIUM	LT	0.20 pCi/L	Teledyne
0	TRITIUM		1.50+-0.40 pCi/L	metaTRACE
0	TRITIUM		4.10+-0.50 pCi/mL	metaTRACE
0	TRITIUM		4.20+-0.50 pCi/mL	metaTRACE
0	URANIUM-235	LT	0.03 pCi/L	Teledyne
1	URANIUM-238		0.21+-0.09 pCi/L	Teledyne
1	URANIUM-233/234		0.20+-0.09 pCi/L	Teledyne
0	ZINC-65	LT	8 pCi/L	Teledyne
0	ZIRCONIUM-95	LT	4 pCi/L	Teledyne

WELL XSB 20

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/10/89 Time 1040
 Depth to water = 58.73 ft (17.69 m) below the TOC
 Water elevation = 96.77 ft (29.50 m) msl
 pH = 9.0 Alkalinity = 33 mg/L
 Specific conductance = 130 umhos/cm
 Water temperature = 22.5 degrees Celsius
 Water evacuated from the well prior to sampling = 6 gal
 The well went dry during purging.

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE		119.7 UMMC	metaTRACE
2	PH		9.12	metaTRACE
0	SILVER	LT	2 ug/L	metaTRACE
0	ARSENIC	LT	3 ug/L	metaTRACE
1	BARIUM		58 ug/L	metaTRACE
0	BROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
1	CALCIUM		12250 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE
2	CARBON TETRACHLORIDE		15.0 ug/L	metaTRACE
0	CADMIUM	LT	4 ug/L	metaTRACE
0	BROMOFORM	LT	5 ug/L	metaTRACE
1	CHLOROFORM	J	2 ug/L	metaTRACE
0	METHYLENE CHLORIDE	LT	5 ug/L	metaTRACE
0	BROMOMETHANE	LT	10 ug/L	metaTRACE
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
0	CHLORIDE		3200 ug/L	metaTRACE
0	CHLORIDE		3200 ug/L	metaTRACE

CONTINUED

WELL XSB 20 COLLECTED ON 09/10/89 LABORATORY ANALYSES CONTINUED

0	CHLOROBENZENE	LT	5 ug/L	metaTRACE
0	CHROMIUM	LT	5 ug/L	metaTRACE
0	CYANIDE	LT	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0	CHLOROETHANE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0	ETHYLBENZENE	LT	5 ug/L	metaTRACE
0	FLUORIDE	LT	250 ug/L	metaTRACE
0	FLUORIDE	LT	250 ug/L	metaTRACE
0	IRON		9 ug/L	metaTRACE
0	MERCURY	LT	0.20 ug/L	metaTRACE
0	POTASSIUM		2311 ug/L	metaTRACE
0	TOLUENE	LT	5 ug/L	metaTRACE
0	MAGNESIUM		341 ug/L	metaTRACE
0	MANGANESE		0 ug/L	metaTRACE
1	SODIUM		12390 ug/L	metaTRACE
1	NITRATE AS NITROGEN		5000 ug/L	metaTRACE
1	NITRATE AS NITROGEN		4700 ug/L	metaTRACE
0	LEAD	LT	3 ug/L	metaTRACE
0	PHENOLS	LT	5 ug/L	metaTRACE
0	SELENIUM	LT	2 ug/L	metaTRACE
1	SILICON		3720 ug/L	metaTRACE
0	SULFATE		3300 ug/L	metaTRACE
0	SULFATE		3300 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS		108000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	metaTRACE
2	TOTAL ORGANIC HALOGENS		199 ug/L	metaTRACE
0	TOTAL PHOSPHATES	LT	10 ug/L	metaTRACE
2	TRICHLOROETHYLENE		180 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0	GROSS ALPHA	LT	9 pCi/L	metaTRACE
0	GROSS ALPHA	LT	3 pCi/L	metaTRACE
1	AMERICIUM-241		0.25+-0.19 pCi/L	Teledyne
1	AMERICIUM-243		0.50+-0.14 pCi/L	Teledyne
0	BARIUM-140	LT	10 pCi/L	Teledyne
0	NONVOLATILE BETA	LT	5 pCi/L	metaTRACE
0	BERYLLIUM-7	LT	40 pCi/L	Teledyne
0	CERIUM-141	LT	10 pCi/L	Teledyne
0	CERIUM-144	LT	30 pCi/L	Teledyne
0	CURIUM-242	LT	0.09 pCi/L	Teledyne
1	CURIUM-246		1.30+-0.40 pCi/L	Teledyne
0	CURIUM-243/244	LT	0.20 pCi/L	Teledyne
0	COBALT-58	LT	4 pCi/L	Teledyne
0	COBALT-60	LT	4 pCi/L	Teledyne
0	CESIUM-134	LT	3 pCi/L	Teledyne
0	CESIUM-137	LT	4 pCi/L	Teledyne
0	IRON-59	LT	8 pCi/L	Teledyne
0	IODINE-131	LT	20 pCi/L	Teledyne
0	POTASSIUM-40	LT	60 pCi/L	Teledyne
0	MANGANESE-54	LT	4 pCi/L	Teledyne
0	PLUTONIUM-238	LT	0.20 pCi/L	Teledyne
0	PLUTONIUM-242	LT	0.10 pCi/L	Teledyne
0	PLUTONIUM-239/240	LT	0.09 pCi/L	Teledyne
0	RADIUM-226	LT	90 pCi/L	Teledyne
1	RADIUM-228		1.30+-0.80 pCi/L	Teledyne
0	RADIUM-228	LT	0.90 pCi/L	Teledyne
0	RUTHENIUM-103	LT	5 pCi/L	Teledyne
0	RUTHENIUM-106	LT	30 pCi/L	Teledyne
0	STRONTIUM-89	LT	3 pCi/L	Teledyne
1	STRONTIUM-90		49.00+-3.00 pCi/L	Teledyne
0	THORIUM-228	LT	6 pCi/L	Teledyne
0	THORIUM-228	LT	0.50 pCi/L	Teledyne
0	THORIUM-230	LT	0.30 pCi/L	Teledyne
0	THORIUM-232	LT	0.30 pCi/L	Teledyne
0	TOTAL RADIUM	LT	1.40+-0.40 pCi/L	metaTRACE
0	TRITIUM		3.90+-0.40 pCi/mL	metaTRACE
0	URANIUM-235	LT	0.02 pCi/L	Teledyne
1	URANIUM-238		0.11+-0.05 pCi/L	Teledyne
1	URANIUM-233/234		0.15+-0.06 pCi/L	Teledyne
0	ZINC-65	LT	8 pCi/L	Teledyne
0	ZIRCONIUM-95	LT	4 pCi/L	Teledyne

WELL XSB 3A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/09/89 Time 1200
 pH = 5.2 Alkalinity = 4 mg/L
 Specific conductance = 129 umhos/cm
 Water temperature = 22.0 degrees Celsius
 Water evacuated from the well prior to sampling = 100 gal

LABORATORY ANALYSES

0	PH		5.50 pH	metaTRACE
0	PH		5.50 pH	metaTRACE
0	SILVER	LT	2 ug/L	metaTRACE
0	ARSENIC	LT	3 ug/L	metaTRACE
0	BARIUM	LT	25 ug/L	metaTRACE
0	BROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0	CALCIUM		5654 ug/L	metaTRACE
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0	CADMIUM	LT	4 ug/L	metaTRACE

CONTINUED

WELL XSB 3A COLLECTED ON 09/09/89 LABORATORY ANALYSES CONTINUED

0 BROMOFORM	LT	5 ug/L	metaTRACE
0 CHLOROFORM	LT	5 ug/L	metaTRACE
0 METHYLENE CHLORIDE	LT	5 ug/L	metaTRACE
0 BROMOMETHANE	LT	10 ug/L	metaTRACE
0 CHLOROMETHANE	LT	10 ug/L	metaTRACE
0 CHLORIDE	LT	5100 ug/L	metaTRACE
0 CHLOROBENZENE	LT	5 ug/L	metaTRACE
0 CHROMIUM	LT	5 ug/L	metaTRACE
0 CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0 CHLOROETHANE	LT	10 ug/L	metaTRACE
0 BENZENE	LT	5 ug/L	metaTRACE
0 DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0 ETHYLBENZENE	LT	5 ug/L	metaTRACE
0 FLUORIDE	LT	250 ug/L	metaTRACE
0 MERCURY	LT	0.20 ug/L	metaTRACE
0 POTASSIUM	LT	2000 ug/L	metaTRACE
0 TOLUENE	LT	5 ug/L	metaTRACE
0 MAGNESIUM	LT	1177 ug/L	metaTRACE
0 MANGANESE	LT	13 ug/L	metaTRACE
1 SODIUM	LT	13200 ug/L	metaTRACE
1 NITRATE AS NITROGEN	LT	9600 ug/L	metaTRACE
0 LEAD	LT	6 ug/L	metaTRACE
0 PHENOLS	LT	5 ug/L	metaTRACE
0 SELENIUM	LT	2 ug/L	metaTRACE
1 SILICON	LT	4067 ug/L	metaTRACE
0 SULFATE	LT	3600 ug/L	metaTRACE
0 1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0 TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0 TOTAL ORGANIC CARBON	LT	1000 ug/L	metaTRACE
2 TOTAL ORGANIC HALOGENS	LT	35 ug/L	metaTRACE
2 TRICHLOROETHYLENE	LT	16.0 ug/L	metaTRACE
0 TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0 TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0 1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0 1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0 CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0 2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0 GROSS ALPHA	LT	8 pCi/L	metaTRACE
0 AMERICIUM-241	LT	0.08 pCi/L	Teledyne
1 AMERICIUM-243	LT	0.17+-0.10 pCi/L	Teledyne
0 BARIUM-140	LT	20 pCi/L	Teledyne
0 NONVOLATILE BETA	LT	5 pCi/L	metaTRACE
0 BERYLLIUM-7	LT	50 pCi/L	Teledyne
0 CERIUM-141	LT	10 pCi/L	Teledyne
0 CERIUM-144	LT	50 pCi/L	Teledyne
0 CURIUM-242	LT	0.10 pCi/L	Teledyne
1 CURIUM-246	LT	1.20+-0.30 pCi/L	Teledyne
0 CURIUM-243/244	LT	0.40 pCi/L	Teledyne
0 COBALT-58	LT	5 pCi/L	Teledyne
0 COBALT-60	LT	5 pCi/L	Teledyne
0 CESIUM-134	LT	5 pCi/L	Teledyne
0 CESIUM-137	LT	5 pCi/L	Teledyne
0 IRON-59	LT	10 pCi/L	Teledyne
0 IODINE-131	LT	30 pCi/L	Teledyne
0 POTASSIUM-40	LT	90 pCi/L	Teledyne
0 MANGANESE-54	LT	4 pCi/L	Teledyne
0 PLUTONIUM-238	LT	0.20 pCi/L	Teledyne
0 PLUTONIUM-242	LT	0.10 pCi/L	Teledyne
0 PLUTONIUM-239/240	LT	0.10 pCi/L	Teledyne
0 RADIUM-226	LT	100 pCi/L	Teledyne
1 RADIUM-226	LT	1.70+-0.60 pCi/L	Teledyne
0 RADIUM-228	LT	0.80 pCi/L	Teledyne
0 RUTHENIUM-103	LT	7 pCi/L	Teledyne
0 RUTHENIUM-106	LT	40 pCi/L	Teledyne
0 STRONTIUM-89	LT	4 pCi/L	Teledyne
0 STRONTIUM-90	LT	0.90 pCi/L	Teledyne
0 THORIUM-228	LT	10 pCi/L	Teledyne
0 THORIUM-228	LT	0.60 pCi/L	Teledyne
0 THORIUM-230	LT	0.30 pCi/L	Teledyne
0 THORIUM-232	LT	0.20 pCi/L	Teledyne
0 TOTAL RADIUM	LT	1.90+-0.40 pCi/L	metaTRACE
0 TOTAL RADIUM	LT	1.50+-0.40 pCi/L	metaTRACE
0 URANIUM-235	LT	0.02 pCi/L	Teledyne
1 URANIUM-238	LT	0.38+-0.10 pCi/L	Teledyne
1 URANIUM-233/234	LT	0.32+-0.09 pCi/L	Teledyne
0 ZINC-65	LT	10 pCi/L	Teledyne
0 ZIRCONIUM-95	LT	5 pCi/L	Teledyne

WELL XSB 4D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/09/89 Time 1500
 Depth to water = 58.22 ft (17.75 m) below the TOC
 Water elevation = 96.68 ft (29.47 m) msl
 pH = 5.0 Alkalinity = 2 mg/L
 Specific conductance = 175 umhos/cm
 Water temperature = 22.5 degrees Celsius
 Water evacuated from the well prior to sampling = 251 gal

LABORATORY ANALYSES

1 SPECIFIC CONDUCTANCE	140.0 UMHG	Gen. Eng.
1 SPECIFIC CONDUCTANCE	173.0 UMHG	metaTRACE
0 PH	5.18 pH	Gen. Eng.
0 PH	5.05 pH	metaTRACE
0 SILVER	LT	2 ug/L
0 SILVER	LT	2 ug/L
0 ARSENIC	LT	2 ug/L
0 ARSENIC	LT	3 ug/L
1 BARIUM	LT	55 ug/L
1 BARIUM	LT	60 ug/L

CONTINUED

WELL XSB 4D COLLECTED ON 09/09/89 LABORATORY ANALYSES CONTINUED

0 BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 BROMODICHLOROMETHANE	LT	5 ug/L	metaTRACE
0 CALCIUM	LT	6720 ug/L	Gen. Eng.
0 CALCIUM	LT	8194 ug/L	metaTRACE
0 TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0 TRICHLOROFLUOROMETHANE	LT	5 ug/L	metaTRACE
0 CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0 CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0 CADMIUM	LT	2 ug/L	Gen. Eng.
0 CADMIUM	LT	4 ug/L	metaTRACE
0 BROMOFORM	LT	1 ug/L	Gen. Eng.
0 BROMOFORM	LT	5 ug/L	metaTRACE
0 CHLOROFORM	LT	1 ug/L	Gen. Eng.
0 CHLOROFORM	LT	5 ug/L	metaTRACE
0 METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0 METHYLENE CHLORIDE	LT	5 ug/L	metaTRACE
0 BROMOMETHANE	LT	10 ug/L	Gen. Eng.
0 BROMOMETHANE	LT	1 ug/L	metaTRACE
0 CHLOROMETHANE	LT	10 ug/L	Gen. Eng.
0 CHLORIDE	LT	5100 ug/L	metaTRACE
0 CHLORIDE	LT	5900 ug/L	Gen. Eng.
0 CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0 CHLOROBENZENE	LT	5 ug/L	metaTRACE
0 CHROMIUM	LT	4 ug/L	Gen. Eng.
1 CHROMIUM	LT	6 ug/L	metaTRACE
0 CYANIDE	LT	5 ug/L	metaTRACE
0 CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0 CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0 CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 CHLOROETHANE	LT	10 ug/L	metaTRACE
0 BENZENE	LT	1 ug/L	Gen. Eng.
0 BENZENE	LT	5 ug/L	metaTRACE
0 DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0 ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0 ETHYLBENZENE	LT	5 ug/L	metaTRACE
0 FLUORIDE	LT	100 ug/L	Gen. Eng.
0 FLUORIDE	LT	250 ug/L	metaTRACE
0 IRON	LT	31 ug/L	Gen. Eng.
0 IRON	LT	26 ug/L	metaTRACE
0 MERCURY	LT	0.20 ug/L	Gen. Eng.
0 MERCURY	LT	0.31 ug/L	metaTRACE
0 POTASSIUM	LT	1610 ug/L	Gen. Eng.
0 POTASSIUM	LT	2000 ug/L	metaTRACE
0 TOLUENE	LT	1 ug/L	Gen. Eng.
0 TOLUENE	LT	5 ug/L	metaTRACE
0 MAGNESIUM	LT	1700 ug/L	Gen. Eng.
0 MAGNESIUM	LT	1823 ug/L	metaTRACE
2 MANGANESE	LT	60 ug/L	Gen. Eng.
2 MANGANESE	LT	74 ug/L	metaTRACE
1 SODIUM	LT	21600 ug/L	Gen. Eng.
1 SODIUM	LT	19910 ug/L	metaTRACE
2 NITRATE AS NITROGEN	LT	16400 ug/L	Gen. Eng.
2 NITRATE AS NITROGEN	LT	18000 ug/L	metaTRACE
0 LEAD	LT	6 ug/L	Gen. Eng.
0 LEAD	LT	3 ug/L	metaTRACE
0 PHENOLS	LT	5 ug/L	Gen. Eng.
0 PHENOLS	LT	5 ug/L	metaTRACE
0 SELENIUM	LT	2 ug/L	Gen. Eng.
0 SELENIUM	LT	2 ug/L	metaTRACE
1 SILICON	LT	4589 ug/L	Gen. Eng.
1 SILICA	LT	10300 ug/L	Gen. Eng.
0 SULFATE	LT	5100 ug/L	Gen. Eng.
0 SULFATE	LT	3200 ug/L	metaTRACE
0 1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0 TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0 TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0 TOTAL DISSOLVED SOLIDS	LT	159000 ug/L	Gen. Eng.
0 TOTAL DISSOLVED SOLIDS	LT	146000 ug/L	metaTRACE
0 TOTAL ORGANIC CARBON	LT	1000 ug/L	Gen. Eng.
0 TOTAL ORGANIC CARBON	LT	1000 ug/L	metaTRACE
2 TOTAL ORGANIC HALOGENS	LT	82 ug/L	Gen. Eng.
2 TOTAL ORGANIC HALOGENS	LT	36 ug/L	metaTRACE
0 TOTAL PHOSPHATES	LT	50 ug/L	Gen. Eng.
0 TOTAL PHOSPHATES	LT	10 ug/L	metaTRACE
2 TRICHLOROETHYLENE	LT	30.0 ug/L	Gen. Eng.
2 TRICHLOROETHYLENE	LT	25.0 ug/L	metaTRACE
0 TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0 TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0 TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0 1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0 1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0 1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0 1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0 CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0 CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0 TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0 TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	metaTRACE
0 2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0 2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0 GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
0 GROSS ALPHA	LT	3 pCi/L	metaTRACE
0 AMERICIUM-241	LT	0.04 pCi/L	Teledyne
1 AMERICIUM-243	LT	0.20+-0.09 pCi/L	Teledyne
0 BARIUM-140	LT	10 pCi/L	Teledyne
0 NONVOLATILE BETA	LT	2.70+-1.00 pCi/L	Gen. Eng.
0 NONVOLATILE BETA	LT	5 pCi/L	metaTRACE
0 BERYLLIUM-7	LT	40 pCi/L	Teledyne
0 CERIUM-141	LT	10 pCi/L	Teledyne
0 CERIUM-144	LT	40 pCi/L	Teledyne

CONTINUED

WELL XSB 40 COLLECTED ON 09/09/89 LABORATORY ANALYSES CONTINUED

0	CURIUM-242	LT	0.08 pCi/L	Teledyne
1	CURIUM-246	LT	0.32+-0.09 pCi/L	Teledyne
0	CURIUM-243/244	LT	0.10 pCi/L	Teledyne
0	COBALT-58	LT	5 pCi/L	Teledyne
0	COBALT-60	LT	5 pCi/L	Teledyne
0	CESIUM-134	LT	5 pCi/L	Teledyne
0	CESIUM-137	LT	4 pCi/L	Teledyne
0	IRON-59	LT	10 pCi/L	Teledyne
0	IODINE-131	LT	30 pCi/L	Teledyne
0	POTASSIUM-40	LT	90 pCi/L	Teledyne
0	MANGANESE-54	LT	4 pCi/L	Teledyne
0	PLUTONIUM-238	LT	0.30 pCi/L	Teledyne
0	PLUTONIUM-242	LT	0.40 pCi/L	Teledyne
0	PLUTONIUM-239/240	LT	0.30 pCi/L	Teledyne
0	RADIUM-226	LT	100 pCi/L	Teledyne
1	RADIUM-226	LT	1.20+-0.90 pCi/L	Teledyne
1	RADIUM-228	LT	25.00+-2.00 pCi/L	Teledyne
0	RUTHERIUM-103	LT	6 pCi/L	Teledyne
0	RUTHERIUM-106	LT	40 pCi/L	Teledyne
0	STRONTIUM-89	LT	4 pCi/L	Teledyne
0	STRONTIUM-90	LT	1 pCi/L	Teledyne
0	THORIUM-228	LT	7 pCi/L	Teledyne
0	THORIUM-228	LT	0.60 pCi/L	Teledyne
0	THORIUM-230	LT	0.20 pCi/L	Teledyne
0	THORIUM-232	LT	0.20 pCi/L	Teledyne
0	TOTAL RADIUM	LT	2.30+-1.20 pCi/L	Gen. Eng.
0	TOTAL RADIUM	LT	2.40+-0.50 pCi/L	metaTRACE
0	TRITIUM	LT	4.29+-0.39 pCi/mL	Gen. Eng.
0	TRITIUM	LT	3.40+-0.40 pCi/mL	metaTRACE
0	URANIUM-235	LT	0.02 pCi/L	Teledyne
1	URANIUM-238	LT	0.38+-0.10 pCi/L	Teledyne
1	URANIUM-233/234	LT	0.39+-0.10 pCi/L	Teledyne
0	ZINC-65	LT	9 pCi/L	Teledyne
0	ZIRCONIUM-95	LT	4 pCi/L	Teledyne

WELL XSB 40

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/09/89 Time 1500
 Depth to water = 58.22 ft (17.75 m) below the TOC
 Water elevation = 96.68 ft (29.47 m) msl
 pH = 5.0 Alkalinity = 2 mg/L
 Specific conductance = 175 umhos/cm
 Water temperature = 22.5 degrees Celsius
 Water evacuated from the well prior to sampling = 251 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	150.0 UMH/C	Gen. Eng.
1	SPECIFIC CONDUCTANCE	150.0 UMH/C	Gen. Eng.
1	SPECIFIC CONDUCTANCE	109.3 UMH/C	metaTRACE
0	PH	5.24 pH	Gen. Eng.
0	PH	5.25 pH	Gen. Eng.
0	PH	5.07 pH	metaTRACE
0	SILVER	LT	2 ug/L
0	SILVER	LT	2 ug/L
0	SILVER	LT	2 ug/L
0	ARSENIC	LT	2 ug/L
0	ARSENIC	LT	2 ug/L
0	ARSENIC	LT	2 ug/L
1	BARIUM	LT	3 ug/L
1	BARIUM	LT	60 ug/L
1	BARIUM	LT	63 ug/L
1	BARIUM	LT	62 ug/L
0	BROMODICHLOROMETHANE	LT	1 ug/L
0	BROMODICHLOROMETHANE	LT	1 ug/L
0	BROMODICHLOROMETHANE	LT	5 ug/L
0	CALCIUM	LT	6870 ug/L
0	CALCIUM	LT	6540 ug/L
0	CALCIUM	LT	6809 ug/L
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L
0	CARBON TETRACHLORIDE	LT	1.00 ug/L
0	CARBON TETRACHLORIDE	LT	1.00 ug/L
0	CARBON TETRACHLORIDE	LT	5.00 ug/L
0	CADMIUM	LT	2 ug/L
0	CADMIUM	LT	2 ug/L
0	CADMIUM	LT	4 ug/L
0	BROMOFORM	LT	1 ug/L
0	BROMOFORM	LT	1 ug/L
0	BROMOFORM	LT	5 ug/L
0	CHLOROFORM	LT	1 ug/L
0	CHLOROFORM	LT	1 ug/L
0	CHLOROFORM	LT	5 ug/L
0	METHYLENE CHLORIDE	LT	1 ug/L
0	METHYLENE CHLORIDE	LT	1 ug/L
0	METHYLENE CHLORIDE	LT	5 ug/L
0	BROMOMETHANE	LT	1 ug/L
0	BROMOMETHANE	LT	1 ug/L
0	BROMOMETHANE	LT	10 ug/L
0	CHLOROMETHANE	LT	1 ug/L
0	CHLOROMETHANE	LT	1 ug/L
0	CHLOROMETHANE	LT	10 ug/L
0	CHLORIDE	LT	8600 ug/L
0	CHLORIDE	LT	8600 ug/L
0	CHLORIDE	LT	5900 ug/L
0	CHLOROBENZENE	LT	1 ug/L
0	CHLOROBENZENE	LT	1 ug/L
0	CHLOROBENZENE	LT	5 ug/L
0	CHROMIUM	LT	4 ug/L
0	CHROMIUM	LT	4 ug/L
0	CHROMIUM	LT	5 ug/L
0	CYANIDE	LT	5 ug/L
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L

CONTINUED

WELL XSB 40 COLLECTED ON 09/09/89 LABORATORY ANALYSES CONTINUED

0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	5 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	5 ug/L	metaTRACE
0	FLUORIDE	LT	100 ug/L	Gen. Eng.
0	FLUORIDE	LT	100 ug/L	Gen. Eng.
0	FLUORIDE	LT	250 ug/L	metaTRACE
0	IRON	LT	23 ug/L	Gen. Eng.
0	IRON	LT	23 ug/L	Gen. Eng.
0	IRON	LT	31 ug/L	metaTRACE
0	MERCURY	LT	0.20 ug/L	Gen. Eng.
0	MERCURY	LT	0.20 ug/L	Gen. Eng.
0	MERCURY	LT	0.30 ug/L	metaTRACE
0	POTASSIUM	LT	1610 ug/L	Gen. Eng.
0	POTASSIUM	LT	1600 ug/L	Gen. Eng.
0	POTASSIUM	LT	2000 ug/L	metaTRACE
0	TOLUENE	LT	1 ug/L	Gen. Eng.
0	TOLUENE	LT	1 ug/L	Gen. Eng.
0	TOLUENE	LT	5 ug/L	metaTRACE
0	MAGNESIUM	LT	1850 ug/L	Gen. Eng.
0	MAGNESIUM	LT	1910 ug/L	Gen. Eng.
0	MAGNESIUM	LT	1870 ug/L	metaTRACE
2	MANGANESE	LT	66 ug/L	Gen. Eng.
2	MANGANESE	LT	69 ug/L	Gen. Eng.
2	MANGANESE	LT	75 ug/L	metaTRACE
1	SODIUM	LT	22300 ug/L	Gen. Eng.
1	SODIUM	LT	21300 ug/L	Gen. Eng.
1	SODIUM	LT	20640 ug/L	metaTRACE
2	NITRATE AS NITROGEN	LT	16800 ug/L	Gen. Eng.
2	NITRATE AS NITROGEN	LT	16400 ug/L	Gen. Eng.
2	NITRATE AS NITROGEN	LT	18000 ug/L	metaTRACE
0	LEAD	LT	6 ug/L	Gen. Eng.
0	LEAD	LT	6 ug/L	Gen. Eng.
0	LEAD	LT	12 ug/L	metaTRACE
0	PHENOLS	LT	5 ug/L	Gen. Eng.
0	PHENOLS	LT	5 ug/L	Gen. Eng.
0	PHENOLS	LT	5 ug/L	metaTRACE
0	SELENIUM	LT	2 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	metaTRACE
1	SILICON	LT	4635 ug/L	metaTRACE
1	SILICA	LT	10200 ug/L	Gen. Eng.
1	SILICA	LT	10300 ug/L	Gen. Eng.
0	SULFATE	LT	9500 ug/L	Gen. Eng.
0	SULFATE	LT	5400 ug/L	Gen. Eng.
0	SULFATE	LT	3200 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	5.00 ug/L	metaTRACE
0	TOTAL DISSOLVED SOLIDS	LT	112000 ug/L	Gen. Eng.
0	TOTAL DISSOLVED SOLIDS	LT	107000 ug/L	Gen. Eng.
0	TOTAL DISSOLVED SOLIDS	LT	158000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	Gen. Eng.
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	Gen. Eng.
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	metaTRACE
2	TOTAL ORGANIC HALOGENS	LT	66 ug/L	Gen. Eng.
2	TOTAL ORGANIC HALOGENS	LT	81 ug/L	Gen. Eng.
2	TOTAL ORGANIC HALOGENS	LT	42 ug/L	metaTRACE
0	TOTAL PHOSPHATES	LT	50 ug/L	Gen. Eng.
0	TOTAL PHOSPHATES	LT	50 ug/L	Gen. Eng.
0	TOTAL PHOSPHATES	LT	10 ug/L	metaTRACE
2	TRICHLOROETHYLENE	LT	24.0 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE	LT	29.0 ug/L	Gen. Eng.
2	TRICHLOROETHYLENE	LT	24.0 ug/L	metaTRACE
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L	metaTRACE
0	GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
0	GROSS ALPHA	LT	3 pCi/L	Gen. Eng.

CONTINUED

WELL XSB 4D COLLECTED ON 09/09/89 LABORATORY ANALYSES CONTINUED

0	GROSS ALPHA	3.60+-2.50 pCi/L	metaTRACE
0	AMERICIUM-241	LT	0.08 pCi/L
1	AMERICIUM-243	0.67+-0.22 pCi/L	Teledyne
0	BARIUM-140	LT	10 pCi/L
0	NONVOLATILE BETA	3.70+-1.10 pCi/L	Gen. Eng.
0	NONVOLATILE BETA	2.60+-1.00 pCi/L	Gen. Eng.
0	NONVOLATILE BETA	5.50+-2.90 pCi/L	metaTRACE
0	BERYLLIUM-7	LT	30 pCi/L
0	CERIUM-141	LT	10 pCi/L
0	CERIUM-144	LT	30 pCi/L
0	CURIUM-242	LT	0.10 pCi/L
0	CURIUM-246	LT	0.09 pCi/L
0	CURIUM-243/244	LT	0.40 pCi/L
0	COBALT-58	LT	4 pCi/L
0	COBALT-60	LT	3 pCi/L
0	CESIUM-134	LT	3 pCi/L
0	CESIUM-137	LT	3 pCi/L
0	IRON-59	LT	9 pCi/L
0	IODINE-131	LT	20 pCi/L
0	POTASSIUM-40	LT	60 pCi/L
0	MANGANESE-54	LT	3 pCi/L
0	PLUTONIUM-238	LT	0.20 pCi/L
0	PLUTONIUM-242	LT	0.20 pCi/L
0	PLUTONIUM-239/240	LT	0.20 pCi/L
0	RADIUM-226	LT	80 pCi/L
1	RADIUM-226	1.10+-0.50 pCi/L	Teledyne
1	RADIUM-228	1.30+-0.60 pCi/L	Teledyne
0	RUTHENIUM-103	LT	5 pCi/L
0	RUTHENIUM-106	LT	30 pCi/L
0	STRONTIUM-89	LT	3 pCi/L
0	STRONTIUM-90	LT	0.70 pCi/L
0	THORIUM-228	LT	6 pCi/L
0	THORIUM-228	LT	0.50 pCi/L
0	THORIUM-230	LT	0.30 pCi/L
0	THORIUM-232	LT	0.40 pCi/L
0	TOTAL RADIUM	2.40+-1.20 pCi/L	Gen. Eng.
1	TOTAL RADIUM	2.90+-1.30 pCi/L	Gen. Eng.
0	TOTAL RADIUM	2.20+-0.50 pCi/L	metaTRACE
0	TRITIUM	4.11+-0.39 pCi/mL	Gen. Eng.
0	TRITIUM	4.30+-0.40 pCi/mL	Gen. Eng.
0	TRITIUM	3.30+-0.40 pCi/mL	metaTRACE
0	URANIUM-235	LT	0.20 pCi/L
1	URANIUM-238	0.33+-0.19 pCi/L	Teledyne
1	URANIUM-233/234	0.31+-0.19 pCi/L	Teledyne
0	ZINC-65	LT	6 pCi/L
0	ZIRCONIUM-95	LT	3 pCi/L

WELL XSB 5A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/10/89 Time 1525
 Depth to water = 16.08 ft (4.90 m) below the TOC
 Water elevation = 95.92 ft (29.24 m) msl
 pH = 4.3 Alkalinity = 0 mg/L
 Specific conductance = 209 umhos/cm
 Water temperature = 22.5 degrees Celsius
 Water evacuated from the well prior to sampling = 47 gal

LABORATORY ANALYSES

0	PH	4.62 pH	metaTRACE
0	SILVER	LT	2 ug/L
0	ARSENIC	LT	3 ug/L
0	BARIUM	LT	31 ug/L
0	BROMODICHLOROMETHANE	LT	5 ug/L
0	CALCIUM	LT	7096 ug/L
0	TRICHLOROFLUOROMETHANE	LT	5 ug/L
2	CARBON TETRACHLORIDE	LT	14.0 ug/L
0	CADMIUM	LT	4 ug/L
0	BROMOFORM	LT	5 ug/L
0	CHLOROFORM	LT	5 ug/L
0	METHYLENE CHLORIDE	LT	5 ug/L
0	BROMOMETHANE	LT	10 ug/L
0	CHLOROMETHANE	LT	10 ug/L
0	CHLORIDE	LT	5400 ug/L
0	CHLOROBENZENE	LT	5 ug/L
1	CHROMIUM	LT	6 ug/L
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L
0	CHLOROETHANE	LT	10 ug/L
0	BENZENE	LT	5 ug/L
0	DIBROMOCHLOROMETHANE	LT	5 ug/L
0	ETHYLBENZENE	LT	5 ug/L
0	FLUORIDE	LT	250 ug/L
0	IRON	LT	22 ug/L
1	MERCURY	0.49 ug/L	metaTRACE
0	POTASSIUM	2094 ug/L	metaTRACE
0	TOLUENE	LT	5 ug/L
0	MAGNESIUM	863 ug/L	metaTRACE
0	MANGANESE	19 ug/L	metaTRACE
1	SODIUM	26700 ug/L	metaTRACE
2	NITRATE AS NITROGEN	20000 ug/L	metaTRACE
0	LEAD	20 ug/L	metaTRACE
0	PHENOLS	LT	5 ug/L
0	SELENIUM	LT	2 ug/L
1	SILICON	3754 ug/L	metaTRACE
0	SULFATE	2900 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L
2	TETRACHLOROETHYLENE	LT	7.00 ug/L
0	TOTAL ORGANIC CARBON	LT	1000 ug/L
2	TOTAL ORGANIC HALOGENS	LT	46 ug/L
2	TRICHLOROETHYLENE	LT	43.0 ug/L
0	TRANS-1,2-DICHLOROETHENE	LT	5 ug/L
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L
0	1,1-DICHLOROETHYLENE	LT	5 ug/L
0	1,1-DICHLOROETHANE	LT	5 ug/L

CONTINUED

WELL XSB 5A COLLECTED ON 09/10/89 LABORATORY ANALYSES CONTINUED

0	1,1,1-TRICHLOROETHANE	LT	5 ug/L
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L
0	1,2-DICHLOROETHANE	LT	5 ug/L
0	1,2-DICHLOROPROPANE	LT	5 ug/L
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L
0	2-CHLOROETHYL VINYL ETHER	LT	5 ug/L
2	GROSS ALPHA	16.00+-4.00 pCi/L	metaTRACE
0	AMERICIUM-241	LT	0.10 pCi/L
0	AMERICIUM-243	LT	0.20 pCi/L
0	BARIUM-140	LT	20 pCi/L
0	NONVOLATILE BETA	LT	6 pCi/L
0	BERYLLIUM-7	LT	6 pCi/L
0	CERIUM-141	LT	20 pCi/L
0	CERIUM-144	LT	50 pCi/L
0	CURIUM-242	LT	0.10 pCi/L
1	CURIUM-246	1.00+-0.20 pCi/L	Teledyne
0	CURIUM-243/244	LT	0.20 pCi/L
0	COBALT-58	LT	6 pCi/L
0	COBALT-60	LT	6 pCi/L
0	CESIUM-134	LT	6 pCi/L
0	CESIUM-137	LT	5 pCi/L
0	IRON-59	LT	10 pCi/L
0	IODINE-131	LT	40 pCi/L
0	POTASSIUM-40	LT	90 pCi/L
0	MANGANESE-54	LT	5 pCi/L
0	PLUTONIUM-238	LT	0.50 pCi/L
0	PLUTONIUM-242	LT	0.08 pCi/L
0	PLUTONIUM-239/240	LT	0.08 pCi/L
0	RADIUM-226	LT	100 pCi/L
1	RADIUM-226	2.80+-0.60 pCi/L	Teledyne
1	RADIUM-228	2.80+-0.70 pCi/L	Teledyne
0	RUTHENIUM-103	LT	7 pCi/L
0	RUTHENIUM-106	LT	50 pCi/L
0	STRONTIUM-89	LT	3 pCi/L
0	STRONTIUM-90	LT	0.80 pCi/L
0	THORIUM-228	LT	10 pCi/L
0	THORIUM-228	LT	0.09 pCi/L
0	THORIUM-230	LT	0.80 pCi/L
1	THORIUM-232	0.32+-0.28 pCi/L	Teledyne
1	TOTAL RADIUM	3.70+-0.60 pCi/L	metaTRACE
1	URANIUM-235	0.35+-0.27 pCi/L	Teledyne
1	URANIUM-238	2.80+-0.80 pCi/L	Teledyne
1	URANIUM-233/234	3.60+-0.90 pCi/L	Teledyne
0	ZINC-65	LT	10 pCi/L
0	ZIRCONIUM-95	LT	6 pCi/L

WELL XSB 1A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/04/89 Time 1300
 Depth to water = 28.05 ft (8.55 m) below the TOC
 Water elevation = 117.45 ft (35.80 m) msl
 pH = 9.6 Alkalinity = 5 mg/L
 Specific conductance = 35 umhos/cm
 Water temperature = 23.0 degrees Celsius
 Water evacuated from the well prior to sampling = 50 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	3891 umho	metaTRACE
0	HEPTACHLORODIBENZODIOXINS	LT	1 ng/L
0	HEPTACHLORODIBENZOFURANS	LT	5 ng/L
0	HEXACHLORODIBENZODIOXINS	LT	1 ng/L
0	HEXACHLORODIBENZOFURANS	LT	2 ng/L
0	ORTHOCHLORODIBENZODIOXINS	LT	2 ng/L
1	ORTHOCHLORODIBENZOFURANS	LT	10 ng/L
0	PENTACHLORODIBENZODIOXINS	LT	4 ng/L
0	PENTACHLORODIBENZOFURANS	LT	2 ng/L
2	PH	2.22 pH	metaTRACE
2	PH	2.22 pH	metaTRACE
0	TETRACHLORODIBENZODIOXIN	LT	1 ng/L
0	TETRACHLORODIBENZOFURAN	LT	1 ng/L
0	A, A-DIMETHYLPHENETHYLAMINE	LT	10 ug/L
1	ALPHA-BENZENEHEXACHLORIDE	LT	0.05 ug/L
1	ACETONE	LT	21 ug/L
0	ACETOPHENONE	LT	10 ug/L
0	ACROLEIN	LT	100 ug/L
0	ACRYLONITRILE	LT	5 ug/L
0	SILVER	LT	2 ug/L
0	ALUMINUM	LT	30 ug/L
0	ALDRIN	LT	0.05 ug/L
0	ACENAPHTHENE	LT	10 ug/L
0	ACENAPHTHYLENE	LT	10 ug/L
0	ANTHRACENE	LT	10 ug/L
0	ARSENIC	LT	3 ug/L
0	ALLYL CHLORIDE	LT	100 ug/L
0	AZOBEZENE	LT	10 ug/L
0	BARIUM	LT	25 ug/L
0	BENZO(A)ANTHRACENE	LT	10 ug/L
0	BENZO(A)PYRENE	LT	10 ug/L
0	BETA-BENZENEHEXACHLORIDE	LT	0.05 ug/L
0	BUTYLBENZYL PHTHALATE	LT	10 ug/L
0	BIS(CHLOROMETHYL-ETHYL)ETHER	LT	10 ug/L
0	BERYLLIUM	LT	1 ug/L
0	BENZIDINE	LT	50 ug/L
0	BENZOIC ACID	LT	50 ug/L
0	BENZO BIFLUOROANTHENE	LT	10 ug/L
0	BENZO(C,H,I)PERYLENE	LT	10 ug/L
0	BENZO(K)FLUORANTHENE	LT	10 ug/L
0	BROMODICHLOROMETHANE	LT	5 ug/L
0	BENZYL ALCOHOL	LT	10 ug/L
0	BIS(2-CHLOROETHOXY) METHANE	LT	10 ug/L
0	BIS(2-CHLOROISOPROPYL) ETHER	LT	10 ug/L
0	BIS(2-CHLOROETHYL) ETHER	LT	10 ug/L
0	BIS(2-ETHYLHEXYL) PHTHALATE	LT	10 ug/L

CONTINUED

WELL VSB 1A COLLECTED ON 09/04/89 LABORATORY ANALYSES CONTINUED

0	CALCIUM		2442 ug/L	metaTRACE
0	DICHLORODIFLUOROMETHANE	LT	5 ug/L	metaTRACE
0	TRICHLORODIFLUOROMETHANE	LT	5 ug/L	metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0	CADMIUM	LT	4 ug/L	metaTRACE
0	BROMOFORM	LT	5 ug/L	metaTRACE
0	CHLOROFORM	LT	5 ug/L	metaTRACE
0	CHRYSENE	LT	10 ug/L	metaTRACE
0	METHYLENE BROMIDE	LT	10 ug/L	metaTRACE
0	METHYLENE CHLORIDE	LT	5 ug/L	metaTRACE
0	BROMOMETHANE	LT	5 ug/L	metaTRACE
0	CHLOROMETHANE	LT	10 ug/L	metaTRACE
0	ACETONITRILE (METHYL CYANIDE)	LT	100 ug/L	metaTRACE
0	CHLORIDE	LT	3400 ug/L	metaTRACE
0	CHLOROBENZILATE	LT	10 ug/L	metaTRACE
0	CHLOROBENZENE	LT	5 ug/L	metaTRACE
0	CHLORDANE	LT	1 ug/L	metaTRACE
0	CHLOROPRENE	LT	5 ug/L	metaTRACE
0	PENTACHLOROBENZENE	LT	10 ug/L	metaTRACE
0	PENTACHLOROETHANE	LT	5 ug/L	metaTRACE
0	PENTACHLOROETHANE	LT	10 ug/L	metaTRACE
0	PENTACHLORONITROBENZENE	LT	10 ug/L	metaTRACE
0	HEXACHLOROBENZENE	LT	10 ug/L	metaTRACE
0	HEXACHLOROXYCLOPENTADIENE	LT	10 ug/L	metaTRACE
0	HEXACHLOROETHANE	LT	10 ug/L	metaTRACE
0	COBALT	LT	7 ug/L	metaTRACE
0	CHROMIUM	LT	5 ug/L	metaTRACE
0	CARBON DISULFIDE	LT	5 ug/L	metaTRACE
0	COPPER	LT	10 ug/L	metaTRACE
0	CYANIDE	LT	5 ug/L	metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0	CHLOROETHANE	LT	10 ug/L	metaTRACE
0	BENZENE	LT	5 ug/L	metaTRACE
0	DIBENZ(A,H)ANTHRACENE	LT	10 ug/L	metaTRACE
0	DELTA-BENZENEHEXACHLORIDE	LT	0.05 ug/L	metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0	DIETHYL PHTHALATE	LT	10 ug/L	metaTRACE
0	DIALATE	LT	10 ug/L	metaTRACE
0	DIBENZOFURAN	LT	10 ug/L	metaTRACE
0	DIMETHOATE	LT	10 ug/L	metaTRACE
0	DISULFOTON	LT	10 ug/L	metaTRACE
0	DIELDRIN	LT	0.10 ug/L	metaTRACE
0	DIMETHYL PHTHALATE	LT	10 ug/L	metaTRACE
0	DI-N-BUTYL PHTHALATE	LT	10 ug/L	metaTRACE
0	DI-N-OCTYL PHTHALATE	LT	10 ug/L	metaTRACE
0	DIPHENYLAMINE	LT	10 ug/L	metaTRACE
0	ETHYL METHANESULFONATE	LT	10 ug/L	metaTRACE
0	ENDRIN ALDEHYDE	LT	0.20 ug/L	metaTRACE
0	ENDRIN	LT	0.10 ug/L	metaTRACE
0	ENDOSULFAN I	LT	0.05 ug/L	metaTRACE
0	ENDOSULFAN II	LT	0.10 ug/L	metaTRACE
0	ENDOSULFAN SULFATE	LT	0.10 ug/L	metaTRACE
0	ETHYLBENZENE	LT	5 ug/L	metaTRACE
0	ETHYL METHACRYLATE	LT	5 ug/L	metaTRACE
0	ETHYL METHACRYLATE	LT	10 ug/L	metaTRACE
0	FLUORIDE	LT	250 ug/L	metaTRACE
0	FAMPHUR	LT	10 ug/L	metaTRACE
0	FLUORANTHENE	LT	10 ug/L	metaTRACE
0	IRON	LT	22 ug/L	metaTRACE
0	FLUORENE	LT	10 ug/L	metaTRACE
0	HEXACHLOROBTADIENE	LT	10 ug/L	metaTRACE
0	HEXACHLOROPROPENE	LT	10 ug/L	metaTRACE
0	MERCURY	LT	0.20 ug/L	metaTRACE
0	HEPTACHLOR	LT	0.05 ug/L	metaTRACE
0	HEPTACHLOR EPOXIDE	LT	0.05 ug/L	metaTRACE
0	INDENO(1,2,3-C,D)PYRENE	LT	10 ug/L	metaTRACE
0	IODOMETHANE	LT	5 ug/L	metaTRACE
0	ISOSAFROLE	LT	10 ug/L	metaTRACE
0	ISODRIN	LT	10 ug/L	metaTRACE
0	ISOPHORONE	LT	10 ug/L	metaTRACE
0	POTASSIUM	LT	2000 ug/L	metaTRACE
0	LINDANE	LT	0.05 ug/L	metaTRACE
0	M-CRESOL	LT	10 ug/L	metaTRACE
0	METHACRYLONITRILE	LT	5 ug/L	metaTRACE
0	TOLENE	LT	5 ug/L	metaTRACE
0	METHYLETHYL KETONE	LT	10 ug/L	metaTRACE
0	METHYL METHACRYLATE	LT	5 ug/L	metaTRACE
0	METHYL METHANE SULFONATE	LT	10 ug/L	metaTRACE
0	METHOXYCHLOR	LT	0.05 ug/L	metaTRACE
0	MAGNESIUM	LT	345 ug/L	metaTRACE
0	MANGANESE	LT	3 ug/L	metaTRACE
0	METHAPYRILENE	LT	10 ug/L	metaTRACE
0	SODIUM	LT	2827 ug/L	metaTRACE
0	NAPHTHALENE	LT	10 ug/L	metaTRACE
0	NITROBENZENE	LT	10 ug/L	metaTRACE
0	N-NITROSODIMETHYLAMINE	LT	10 ug/L	metaTRACE
0	N-NITROSODI-N-BUTYLAMINE	LT	10 ug/L	metaTRACE
0	N-NITROSODI-PROPYLAMINE	LT	10 ug/L	metaTRACE
0	N-NITROSODIETHYLAMINE	LT	10 ug/L	metaTRACE
0	N-NITROSODIETHYLMETHYLAMINE	LT	10 ug/L	metaTRACE
0	NICKEL	LT	5 ug/L	metaTRACE
0	N-NITROSOMORPHOLINE	LT	10 ug/L	metaTRACE
0	N-NITROSODIPHENYLAMINE	LT	10 ug/L	metaTRACE
0	N-NITROSOPYRROLIDINE	LT	10 ug/L	metaTRACE
0	N-NITROSOPYRROLIDINE	LT	10 ug/L	metaTRACE
1	NITRATE AS NITROGEN	LT	4300 ug/L	metaTRACE
0	4-NITROQUINOLINE-1-OXIDE	LT	10 ug/L	metaTRACE
0	O-TOLUIDINE	LT	10 ug/L	metaTRACE
0	LEAD	LT	3 ug/L	metaTRACE
0	PCB 1018	LT	0.50 ug/L	metaTRACE
0	PCB 1221	LT	0.50 ug/L	metaTRACE
0	PCB 1232	LT	0.50 ug/L	metaTRACE
0	PCB 1242	LT	0.50 ug/L	metaTRACE
0	PCB 1248	LT	0.50 ug/L	metaTRACE
0	PCB 1254	LT	1 ug/L	metaTRACE
0	PCB 1260	LT	1 ug/L	metaTRACE
0	PENTACHLOROPHENOL	LT	50 ug/L	metaTRACE
0	P-PHENYLENEDIAMINE	LT	10 ug/L	metaTRACE
0	P-DIMETHYLAMINOAZOBENZENE	LT	10 ug/L	metaTRACE

CONTINUED

WELL VSB 1A COLLECTED ON 09/04/89 LABORATORY ANALYSES CONTINUED

0	PHENACETIN	LT	10 ug/L	metaTRACE
0	PHENANTHRENE	LT	10 ug/L	metaTRACE
0	PHENOLS	LT	5 ug/L	metaTRACE
0	PHENOLS	LT	10 ug/L	metaTRACE
0	PHORATE	LT	10 ug/L	metaTRACE
0	2,2-BIS(4-CHLOROPHENYL)-1,1-DCE	LT	0.10 ug/L	metaTRACE
0	2,2-BIS(4-CHLOROPHENYL)-1,1-DCE	LT	0.10 ug/L	metaTRACE
0	2,2-BIS(4-CHLOROPHENYL)-1,1,1-TCE	LT	0.10 ug/L	metaTRACE
0	PRONAMIDE	LT	10 ug/L	metaTRACE
0	PROPIONITRILE	LT	5 ug/L	metaTRACE
0	PARATHION	LT	10 ug/L	metaTRACE
0	PARATHION METHYL	LT	10 ug/L	metaTRACE
0	PYRENE	LT	10 ug/L	metaTRACE
0	PYRIDINE	LT	10 ug/L	metaTRACE
0	SAFROLE	LT	10 ug/L	metaTRACE
0	ANTIMONY	LT	10 ug/L	metaTRACE
0	2-SEC-BUTYL-4,6-DINITROPHENOL	LT	10 ug/L	metaTRACE
0	SELENIUM	LT	2 ug/L	metaTRACE
1	SILICON	LT	4276 ug/L	metaTRACE
0	SILVEX	LT	0.07 ug/L	metaTRACE
0	TIN	LT	100 ug/L	metaTRACE
0	SULFATE	LT	1000 ug/L	metaTRACE
0	STYRENE	LT	5 ug/L	metaTRACE
0	SULFIDE	LT	1000 ug/L	metaTRACE
0	1,2,4,5-TETRACHLOROBENZENE	LT	10 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	10.0 ug/L	metaTRACE
0	TETRAETHYL DITHIOPYRROPHOSPHATE	LT	10 ug/L	metaTRACE
0	0,0,0-TRIETHYL PHOSPHOROTHIOATE	LT	10 ug/L	metaTRACE
0	THIOAZIN	LT	10 ug/L	metaTRACE
0	THALLIUM	LT	10 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	metaTRACE
0	TOTAL PHOSPHATES	LT	20 ug/L	metaTRACE
0	TRICHLOROETHYLENE	LT	10.0 ug/L	metaTRACE
0	TOXAPHENE	LT	1 ug/L	metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	TRANS-1,4-DICHLORO-2-BUTENE	LT	10 ug/L	metaTRACE
0	VANADIUM	LT	5 ug/L	metaTRACE
0	VINYL ACETATE	LT	5 ug/L	metaTRACE
0	XYLENES	LT	5 ug/L	metaTRACE
0	1-NAPHTHYLAMINE	LT	10 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DIBROMOETHANE	LT	5 ug/L	metaTRACE
0	1,2-DIBROMO-3-CHLOROPROPANE	LT	10 ug/L	metaTRACE
0	1,2-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROBENZENE	LT	10 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	1,2,3-TRICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	1,2,4-TRICHLOROBENZENE	LT	10 ug/L	metaTRACE
0	1,3-DICHLOROBENZENE	LT	10 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	1,4-BENZOQUINONE	LT	10 ug/L	metaTRACE
0	1,4-DICHLOROBENZENE	LT	10 ug/L	metaTRACE
0	1,4-DIOXANE	LT	10 ug/L	metaTRACE
0	1,4-NAPHTHOQUINONE	LT	10 ug/L	metaTRACE
0	2-ACETYLAMINOFLUORENE	LT	10 ug/L	metaTRACE
0	2-CHLOROPHENOL	LT	10 ug/L	metaTRACE
0	2-CHLORONAPHTHALENE	LT	10 ug/L	metaTRACE
0	2-MEXANONE	LT	10 ug/L	metaTRACE
0	2-METHYLNAPHTHALENE	LT	10 ug/L	metaTRACE
0	2-NAPHTHYLAMINE	LT	10 ug/L	metaTRACE
0	2-NITROPHENOL	LT	10 ug/L	metaTRACE
0	2-PICOLINE	LT	10 ug/L	metaTRACE
0	2,3,4,6-TETRACHLOROPHENOL	LT	10 ug/L	metaTRACE
0	2,4-DICHLOROPHENOXYACETIC ACID	LT	12 ug/L	metaTRACE
0	2,4-DICHLOROPHENOXYACETIC ACID	LT	0.46 ug/L	metaTRACE
0	2,4-DICHLOROPHENOL	LT	10 ug/L	metaTRACE
0	2,4-DIMETHYL PHENOL	LT	10 ug/L	metaTRACE
0	2,4-DINITROPHENOL	LT	30 ug/L	metaTRACE
0	2,4-DINITROTOLUENE	LT	10 ug/L	metaTRACE
0	2,4,5-TRICHLOROPHENOXYACETIC ACID	LT	0.07 ug/L	metaTRACE
0	2,4,5-TRICHLOROPHENOL	LT	10 ug/L	metaTRACE
0	2,4,6-TRICHLOROPHENOL	LT	10 ug/L	metaTRACE
0	2,6-DICHLOROPHENOL	LT	10 ug/L	metaTRACE
0	2,6-DINITROTOLUENE	LT	10 ug/L	metaTRACE
0	3-METHYLCHOLANTHRENE	LT	10 ug/L	metaTRACE
0	3,3-DICHLOROBENZIDINE	LT	20 ug/L	metaTRACE
0	3,3-DIMETHYLBENZIDINE	LT	10 ug/L	metaTRACE
0	4-AMINOBIOPHENYL	LT	10 ug/L	metaTRACE
0	4-BROMOPHENYLPHENYL ETHER	LT	10 ug/L	metaTRACE
0	4-CHLORANILINE	LT	10 ug/L	metaTRACE
0	4-CHLOROPHENYLPHENYL ETHER	LT	10 ug/L	metaTRACE
0	4-CHLORO-3-METHYLPHENOL	LT	10 ug/L	metaTRACE
0	4-METHYL-2-PENTAMONE	LT	10 ug/L	metaTRACE
0	4-NITROPHENOL	LT	10 ug/L	metaTRACE
0	7,12-DIMETHYLBENZ(A)ANTHRACENE	LT	10 ug/L	metaTRACE
0	ZINC	LT	20 ug/L	metaTRACE
0	GROSS ALPHA	LT	3 pCi/L	metaTRACE
0	NONVOLATILE BETA	LT	4 pCi/L	metaTRACE
0	TOTAL RADIUM	LT	1 pCi/L	metaTRACE
0	TOTAL RADIUM	LT	1 pCi/L	metaTRACE
0	TRITIUM	LT	3.40-0.40 pCi/mL	metaTRACE
0	TRITIUM	LT	3.30-0.40 pCi/mL	metaTRACE

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/10/89 Time 1130
 Depth to water = 26.60 ft (8.11 m) below the TOC
 Water elevation = 118.10 ft (36.00 m) msl
 pH = 5.3 Alkalinity = 7 mg/L
 Specific conductance = 49 umhos/cm
 Water temperature = 22.6 degrees Celsius
 Water evacuated from the well prior to sampling = 75 gal

LABORATORY ANALYSES

0	SPECIFIC CONDUCTANCE	41.00 UMHG	Gen. Eng.
0	HEPTACHLORODIBENZODIOXINS	LT	10 ng/L metaTRACE
0	HEPTACHLORODIBENZOFURANS	LT	9 ng/L metaTRACE
0	HEXACHLORODIBENZODIOXINS	LT	10 ng/L metaTRACE
0	HEXACHLORODIBENZOFURANS	LT	6 ng/L metaTRACE
0	ORTHOCHELORODIBENZODIOXINS	LT	6 ng/L metaTRACE
0	ORTHOCHELORODIBENZOFURANS	LT	10 ng/L metaTRACE
0	PENTACHLORODIBENZODIOXINS	LT	8 ng/L metaTRACE
0	PENTACHLORODIBENZOFURANS	LT	7 ng/L metaTRACE
0	PH	5.16 pH	metaTRACE
0	PH	5.60 pH	Gen. Eng.
0	TETRACHLORODIBENZODIOXIN	LT	8 ng/L metaTRACE
0	TETRACHLORODIBENZOFURAN	LT	6 ng/L metaTRACE
0	A, A-DIMETHYLPHENETHYLAMINE	LT	10 ug/L metaTRACE
0	A, A-DIMETHYLPHENETHYLAMINE	LT	10 ug/L Gen. Eng.
0	ALPHA-BENZENECHLORIDE	LT	0.05 ug/L metaTRACE
0	ALPHA-BENZENECHLORIDE	LT	0.30 ug/L Gen. Eng.
0	ACETONE	LT	10 ug/L metaTRACE
0	ACETONE	LT	1 ug/L Gen. Eng.
0	ACETOPHENONE	LT	10 ug/L metaTRACE
0	ACETOPHENONE	LT	10 ug/L Gen. Eng.
0	ACROLEIN	LT	100 ug/L metaTRACE
0	ACROLEIN	LT	20 ug/L Gen. Eng.
0	ACRYLONITRILE	LT	5 ug/L metaTRACE
0	ACRYLONITRILE	LT	20 ug/L Gen. Eng.
0	SILVER	LT	2 ug/L metaTRACE
0	SILVER	LT	2 ug/L Gen. Eng.
0	ALUMINUM	LT	30 ug/L metaTRACE
0	ALDRIN	LT	0.05 ug/L metaTRACE
0	ALDRIN	LT	0.50 ug/L Gen. Eng.
0	ACENAPHTHENE	LT	10 ug/L metaTRACE
0	ACENAPHTHENE	LT	10 ug/L Gen. Eng.
0	ACENAPHTHYLENE	LT	10 ug/L metaTRACE
0	ACENAPHTHYLENE	LT	10 ug/L Gen. Eng.
0	ANILINE	LT	10 ug/L metaTRACE
0	ANILINE	LT	10 ug/L Gen. Eng.
0	ANTHRACENE	LT	10 ug/L metaTRACE
0	ANTHRACENE	LT	10 ug/L Gen. Eng.
0	ARAMITE	LT	10 ug/L Gen. Eng.
0	ARSENIC	LT	3 ug/L metaTRACE
0	ARSENIC	LT	2 ug/L Gen. Eng.
0	ALLYL CHLORIDE	LT	100 ug/L metaTRACE
0	ALLYL CHLORIDE	LT	1 ug/L Gen. Eng.
0	AZOBENZENE	LT	10 ug/L metaTRACE
0	BARIUM	LT	25 ug/L metaTRACE
0	BARIUM	LT	12 ug/L Gen. Eng.
0	BENZO(A)ANTHRACENE	LT	10 ug/L metaTRACE
0	BENZO(A)ANTHRACENE	LT	10 ug/L Gen. Eng.
0	BENZO(A)PYRENE	LT	10 ug/L metaTRACE
0	BENZO(A)PYRENE	LT	10 ug/L Gen. Eng.
0	BENZO(B)FLUORANTHENE	LT	10 ug/L metaTRACE
0	BETA-BENZENECHLORIDE	LT	0.05 ug/L metaTRACE
0	BETA-BENZENECHLORIDE	LT	0.50 ug/L Gen. Eng.
0	BUTYLBENZYL PHTHALATE	LT	10 ug/L metaTRACE
0	BUTYLBENZYL PHTHALATE	LT	10 ug/L Gen. Eng.
0	BIS(CHLOROMETHYL-ETHYL)ETHER	LT	10 ug/L metaTRACE
0	BIS(CHLOROMETHYL-ETHYL)ETHER	LT	10 ug/L Gen. Eng.
0	BERYLLIUM	LT	1 ug/L metaTRACE
0	BERYLLIUM	LT	5 ug/L Gen. Eng.
0	BENZIDINE	LT	50 ug/L metaTRACE
0	BENZOIC ACID	LT	50 ug/L metaTRACE
0	BENZO BIFLUOROANTHENE	LT	10 ug/L metaTRACE
0	BENZO(G,H,I)PERYLENE	LT	10 ug/L metaTRACE
0	BENZO(G,H,I)PERYLENE	LT	10 ug/L Gen. Eng.
0	BENZO(K)FLUORANTHENE	LT	10 ug/L metaTRACE
0	BENZO(K)FLUORANTHENE	LT	10 ug/L Gen. Eng.
0	BROMODICHLOROMETHANE	LT	5 ug/L metaTRACE
0	BROMODICHLOROMETHANE	LT	1 ug/L Gen. Eng.
0	BENZYL ALCOHOL	LT	10 ug/L metaTRACE
0	BENZYL ALCOHOL	LT	20 ug/L Gen. Eng.
0	BIS(2-CHLOROETHOXY) METHANE	LT	10 ug/L metaTRACE
0	BIS(2-CHLOROETHOXY) METHANE	LT	10 ug/L Gen. Eng.
0	BIS(2-CHLOROISOPROPYL) ETHER	LT	10 ug/L metaTRACE
0	BIS(2-CHLOROETHYL) ETHER	LT	10 ug/L metaTRACE
0	BIS(2-CHLOROETHYL) ETHER	LT	10 ug/L Gen. Eng.
0	BIS(2-ETHYLHEXYL) PHTHALATE	LT	10 ug/L metaTRACE
0	BIS(2-ETHYLHEXYL) PHTHALATE	LT	10 ug/L Gen. Eng.
0	CALCIUM	2983 ug/L	metaTRACE
0	CALCIUM	2630 ug/L	Gen. Eng.
0	DICHLORODIFLUOROMETHANE	LT	5 ug/L metaTRACE
0	DICHLORODIFLUOROMETHANE	LT	1 ug/L Gen. Eng.
0	TRICHLOROFUOROMETHANE	LT	5 ug/L metaTRACE
0	TRICHLOROFUOROMETHANE	LT	1 ug/L Gen. Eng.
0	CARBON TETRACHLORIDE	LT	5.00 ug/L metaTRACE
0	CARBON TETRACHLORIDE	LT	1.00 ug/L Gen. Eng.
0	CADMIUM	LT	4 ug/L metaTRACE
0	CADMIUM	LT	2 ug/L Gen. Eng.
0	BROMOFORM	LT	5 ug/L metaTRACE
0	BROMOFORM	LT	1 ug/L Gen. Eng.
0	CHLOROFORM	LT	5 ug/L metaTRACE
0	CHLOROFORM	LT	1 ug/L Gen. Eng.
0	CHRYSENE	LT	10 ug/L metaTRACE
0	CHRYSENE	LT	10 ug/L Gen. Eng.
0	METHYLENE BROMIDE	LT	10 ug/L metaTRACE
0	METHYLENE BROMIDE	LT	1 ug/L Gen. Eng.
0	METHYLENE BROMIDE	LT	1 ug/L Gen. Eng.
0	METHYLENE CHLORIDE	LT	5 ug/L metaTRACE

CONTINUED

0	METHYLENE CHLORIDE	LT	1 ug/L Gen. Eng.
0	BROMOMETHANE	LT	5 ug/L metaTRACE
0	BROMOMETHANE	LT	1 ug/L Gen. Eng.
0	CHLOROMETHANE	LT	10 ug/L metaTRACE
0	CHLOROMETHANE	LT	1 ug/L Gen. Eng.
0	ACETONITRILE (METHYL CYANIDE)	LT	100 ug/L metaTRACE
0	ACETONITRILE (METHYL CYANIDE)	LT	1 ug/L Gen. Eng.
0	CHLORIDE	4600 ug/L	metaTRACE
0	CHLORIDE	4500 ug/L	Gen. Eng.
0	CHLOROBENZILATE	LT	10 ug/L metaTRACE
0	CHLOROBENZILATE	LT	10 ug/L Gen. Eng.
0	CHLOROBENZENE	LT	5 ug/L metaTRACE
0	CHLOROBENZENE	LT	1 ug/L Gen. Eng.
0	CHLORDANE	LT	1 ug/L metaTRACE
0	CHLORDANE	LT	0.50 ug/L Gen. Eng.
0	CHLOROPRENE	LT	5 ug/L metaTRACE
0	CHLOROPRENE	LT	1 ug/L Gen. Eng.
0	PENTACHLOROBENZENE	LT	10 ug/L metaTRACE
0	PENTACHLOROBENZENE	LT	10 ug/L Gen. Eng.
0	PENTACHLOROETHANE	LT	5 ug/L metaTRACE
0	PENTACHLOROETHANE	LT	10 ug/L metaTRACE
0	PENTACHLOROETHANE	LT	10 ug/L Gen. Eng.
0	PENTACHLORONITROBENZENE	LT	10 ug/L metaTRACE
0	PENTACHLORONITROBENZENE	LT	10 ug/L Gen. Eng.
0	HEXACHLOROBENZENE	LT	10 ug/L metaTRACE
0	HEXACHLOROCYCLOPENTADIENE	LT	10 ug/L Gen. Eng.
0	HEXACHLOROCYCLOPENTADIENE	LT	10 ug/L metaTRACE
0	HEXACHLOROETHANE	LT	10 ug/L Gen. Eng.
0	HEXACHLOROETHANE	LT	10 ug/L metaTRACE
0	COBALT	LT	7 ug/L Gen. Eng.
0	COBALT	LT	4 ug/L Gen. Eng.
0	CHROMIUM	LT	5 ug/L metaTRACE
0	CHROMIUM	LT	4 ug/L Gen. Eng.
0	CARBON DISULFIDE	LT	5 ug/L metaTRACE
0	CARBON DISULFIDE	LT	1 ug/L Gen. Eng.
0	COPPER	LT	10 ug/L metaTRACE
0	COPPER	LT	4 ug/L Gen. Eng.
0	CYANIDE	LT	5 ug/L metaTRACE
0	CYANIDE	LT	5 ug/L Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L Gen. Eng.
0	CHLOROETHANE	LT	10 ug/L metaTRACE
0	CHLOROETHANE	LT	1 ug/L Gen. Eng.
0	BENZENE	LT	5 ug/L metaTRACE
0	BENZENE	LT	1 ug/L Gen. Eng.
0	DIBENZ(A,H)ANTHRACENE	LT	10 ug/L metaTRACE
0	DIBENZ(A,H)ANTHRACENE	LT	10 ug/L Gen. Eng.
0	DIBROMOCHLOROPROPANE	LT	1 ug/L Gen. Eng.
0	DELTA-BENZENECHLORIDE	LT	0.05 ug/L metaTRACE
0	DELTA-BENZENECHLORIDE	LT	0.50 ug/L Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	5 ug/L metaTRACE
0	DIBROMOCHLOROMETHANE	LT	1 ug/L Gen. Eng.
0	DIETHYL PHTHALATE	LT	10 ug/L metaTRACE
0	DIETHYL PHTHALATE	LT	10 ug/L Gen. Eng.
0	DIALATE	LT	10 ug/L metaTRACE
0	DIALATE	LT	10 ug/L Gen. Eng.
0	DIBENZOFURAN	LT	10 ug/L metaTRACE
0	DIBENZOFURAN	LT	10 ug/L Gen. Eng.
0	DIMETHOATE	LT	10 ug/L metaTRACE
0	DIMETHOATE	LT	10 ug/L Gen. Eng.
0	DISULFOTON	LT	10 ug/L metaTRACE
0	DISULFOTON	LT	10 ug/L Gen. Eng.
0	DIELDRIN	LT	0.10 ug/L metaTRACE
0	DIELDRIN	LT	0.50 ug/L Gen. Eng.
0	DIETHYL PHTHALATE	LT	10 ug/L metaTRACE
0	DIETHYL PHTHALATE	LT	10 ug/L Gen. Eng.
0	DI-N-BUTYL PHTHALATE	LT	10 ug/L metaTRACE
0	DI-N-BUTYL PHTHALATE	LT	10 ug/L Gen. Eng.
0	DI-N-OCTYL PHTHALATE	LT	10 ug/L metaTRACE
0	DI-N-OCTYL PHTHALATE	LT	10 ug/L Gen. Eng.
0	DIPHENYLAMINE	LT	10 ug/L metaTRACE
0	DIPHENYLAMINE	LT	10 ug/L Gen. Eng.
0	ETHYL METHANESULFONATE	LT	10 ug/L metaTRACE
0	ETHYL METHANESULFONATE	LT	10 ug/L Gen. Eng.
0	ENDORIN ALDEHYDE	LT	0.20 ug/L metaTRACE
0	ENDORIN ALDEHYDE	LT	0.50 ug/L Gen. Eng.
0	ENDORIN	LT	0.10 ug/L metaTRACE
0	ENDORIN	LT	0.50 ug/L Gen. Eng.
0	ENDOSULFAN I	LT	0.05 ug/L metaTRACE
0	ENDOSULFAN I	LT	0.50 ug/L Gen. Eng.
0	ENDOSULFAN II	LT	0.10 ug/L metaTRACE
0	ENDOSULFAN II	LT	0.50 ug/L Gen. Eng.
0	ENDOSULFAN SULFATE	LT	0.10 ug/L metaTRACE
0	ENDOSULFAN SULFATE	LT	0.50 ug/L Gen. Eng.
0	ETHYLBENZENE	LT	5 ug/L metaTRACE
0	ETHYLBENZENE	LT	1 ug/L Gen. Eng.
0	ETHYL METHACRYLATE	LT	5 ug/L metaTRACE
0	ETHYL METHACRYLATE	LT	10 ug/L Gen. Eng.
0	ETHYL METHACRYLATE	LT	10 ug/L Gen. Eng.
0	FLUORIDE	LT	250 ug/L metaTRACE
0	FLUORIDE	LT	100 ug/L Gen. Eng.
0	FAMPHUR	LT	10 ug/L metaTRACE
0	FAMPHUR	LT	10 ug/L Gen. Eng.
0	FLUORANTHENE	LT	10 ug/L metaTRACE
0	FLUORANTHENE	LT	10 ug/L Gen. Eng.
0	IRON	96 ug/L	metaTRACE
2	IRON	429 ug/L	Gen. Eng.
0	FLUORENE	LT	10 ug/L metaTRACE
0	FLUORENE	LT	10 ug/L Gen. Eng.
0	HEXACHLOROBUTADIENE	LT	10 ug/L metaTRACE
0	HEXACHLOROBUTADIENE	LT	10 ug/L Gen. Eng.
0	HEXACHLOROPHENE	LT	10 ug/L metaTRACE
0	HEXACHLOROPHENE	LT	10 ug/L Gen. Eng.
0	MERCURY	LT	0.20 ug/L metaTRACE
0	MERCURY	LT	0.20 ug/L Gen. Eng.
0	HEPTACHLOR	LT	0.05 ug/L metaTRACE
0	HEPTACHLOR	LT	0.50 ug/L Gen. Eng.

CONTINUED

WELL VSB 2A COLLECTED ON 09/10/89 LABORATORY ANALYSES CONTINUED

0	HEPTACHLOR EPOXIDE	LT	0.05 ug/L	metaTRACE
0	HEPTACHLOR EPOXIDE	LT	0.50 ug/L	Gen. Eng.
0	INDENO(1,2,3-C,D)PYRENE	LT	10 ug/L	metaTRACE
0	INDENO(1,2,3-C,D)PYRENE	LT	10 ug/L	Gen. Eng.
0	10DOMEthane	LT	5 ug/L	metaTRACE
0	10DOMEthane	LT	1 ug/L	Gen. Eng.
0	ISOSAFROLE	LT	10 ug/L	metaTRACE
0	ISOSAFROLE	LT	10 ug/L	Gen. Eng.
0	ISOBUTYL ALCOHOL	LT	1 ug/L	Gen. Eng.
0	ISODRIM	LT	10 ug/L	metaTRACE
0	ISODRIM	LT	10 ug/L	Gen. Eng.
0	ISOPHORENE	LT	10 ug/L	metaTRACE
0	ISOPHORENE	LT	10 ug/L	Gen. Eng.
0	POTASSIUM	LT	2000 ug/L	metaTRACE
0	POTASSIUM	LT	844 ug/L	Gen. Eng.
0	KEPONE	LT	10 ug/L	Gen. Eng.
0	LINDANE	LT	0.05 ug/L	metaTRACE
0	LINDANE	LT	0.50 ug/L	Gen. Eng.
0	M-CRESOL	LT	10 ug/L	metaTRACE
0	METHACRYLONITRILE	LT	5 ug/L	metaTRACE
0	METHACRYLONITRILE	LT	1 ug/L	Gen. Eng.
0	TOLUENE	LT	5 ug/L	metaTRACE
0	TOLUENE	LT	1 ug/L	Gen. Eng.
0	METHYLETHYL KETONE	LT	10 ug/L	metaTRACE
0	METHYLETHYL KETONE	LT	1 ug/L	Gen. Eng.
0	METHYL METHACRYLATE	LT	5 ug/L	metaTRACE
0	METHYL METHACRYLATE	LT	10 ug/L	Gen. Eng.
0	METHYL METHANE SULFONATE	LT	10 ug/L	metaTRACE
0	METHYL METHANE SULFONATE	LT	10 ug/L	Gen. Eng.
0	METHOXYCHLOR	LT	0.05 ug/L	metaTRACE
0	METHOXYCHLOR	LT	4 ug/L	Gen. Eng.
0	MAGNESIUM	LT	494 ug/L	metaTRACE
0	MAGNESIUM	LT	523 ug/L	Gen. Eng.
0	METHYLISOBUTYL KETONE	LT	1 ug/L	Gen. Eng.
0	MANGANESE	LT	3 ug/L	metaTRACE
0	MANGANESE	LT	2 ug/L	Gen. Eng.
0	METHAPYRILENE	LT	10 ug/L	metaTRACE
0	METHAPYRILENE	LT	10 ug/L	Gen. Eng.
0	SODIUM	LT	4386 ug/L	metaTRACE
0	SODIUM	LT	5220 ug/L	Gen. Eng.
0	NAPHTHALENE	LT	10 ug/L	metaTRACE
0	NAPHTHALENE	LT	10 ug/L	Gen. Eng.
0	NITROBENZENE	LT	10 ug/L	metaTRACE
0	NITROBENZENE	LT	10 ug/L	Gen. Eng.
0	N-NITROSODIMETHYLAMINE	LT	10 ug/L	metaTRACE
0	N-NITROSODIMETHYLAMINE	LT	10 ug/L	Gen. Eng.
0	N-NITROSODI-N-BUTYLAMINE	LT	10 ug/L	metaTRACE
0	N-NITROSODI-N-BUTYLAMINE	LT	10 ug/L	Gen. Eng.
0	N-NITROSODI-PROPYLAMINE	LT	10 ug/L	metaTRACE
0	N-NITROSODI-PROPYLAMINE	LT	10 ug/L	Gen. Eng.
0	N-NITROSODIETHYLAMINE	LT	10 ug/L	metaTRACE
0	N-NITROSODIETHYLAMINE	LT	10 ug/L	Gen. Eng.
0	N-NITROSODIETHYLAMINE	LT	10 ug/L	metaTRACE
0	N-NITROSODIETHYLAMINE	LT	10 ug/L	Gen. Eng.
0	N-NITROSODIETHYLAMINE	LT	10 ug/L	metaTRACE
0	N-NITROSODIETHYLAMINE	LT	10 ug/L	Gen. Eng.
0	NICKEL	LT	5 ug/L	metaTRACE
0	NICKEL	LT	4 ug/L	Gen. Eng.
0	N-NITROSOMORPHOLINE	LT	10 ug/L	metaTRACE
0	N-NITROSOMORPHOLINE	LT	10 ug/L	Gen. Eng.
0	N-NITROSODIPHENYLAMINE	LT	10 ug/L	metaTRACE
0	N-NITROSODIPHENYLAMINE	LT	10 ug/L	Gen. Eng.
0	N-NITROSODIPHENYLAMINE	LT	10 ug/L	metaTRACE
0	N-NITROSODIPHENYLAMINE	LT	10 ug/L	Gen. Eng.
0	N-NITROSOPYRROLIDINE	LT	10 ug/L	metaTRACE
0	N-NITROSOPYRROLIDINE	LT	10 ug/L	Gen. Eng.
0	N-NITROSOPYRROLIDINE	LT	10 ug/L	metaTRACE
0	NITRATE AS NITROGEN	LT	1200 ug/L	metaTRACE
0	NITRATE AS NITROGEN	LT	800 ug/L	Gen. Eng.
0	4-NITROQUINOLINE-1-OXIDE	LT	10 ug/L	metaTRACE
0	4-NITROQUINOLINE-1-OXIDE	LT	10 ug/L	Gen. Eng.
0	5-NITRO-O-TOLUIDINE	LT	10 ug/L	metaTRACE
0	5-NITRO-O-TOLUIDINE	LT	10 ug/L	Gen. Eng.
0	O-TOLUIDINE	LT	10 ug/L	metaTRACE
0	O-TOLUIDINE	LT	10 ug/L	Gen. Eng.
0	LEAD	LT	3 ug/L	metaTRACE
0	LEAD	LT	7 ug/L	Gen. Eng.
0	PCB 1016	LT	0.50 ug/L	metaTRACE
0	PCB 1016	LT	0.50 ug/L	Gen. Eng.
0	PCB 1221	LT	0.50 ug/L	metaTRACE
0	PCB 1221	LT	0.50 ug/L	Gen. Eng.
0	PCB 1232	LT	0.50 ug/L	metaTRACE
0	PCB 1232	LT	0.50 ug/L	Gen. Eng.
0	PCB 1242	LT	0.50 ug/L	metaTRACE
0	PCB 1242	LT	0.50 ug/L	Gen. Eng.
0	PCB 1248	LT	0.50 ug/L	metaTRACE
0	PCB 1248	LT	0.50 ug/L	Gen. Eng.
0	PCB 1254	LT	1 ug/L	metaTRACE
0	PCB 1254	LT	0.50 ug/L	Gen. Eng.
0	PCB 1260	LT	1 ug/L	metaTRACE
0	PCB 1260	LT	0.50 ug/L	Gen. Eng.
0	PCB 1262	LT	0.50 ug/L	metaTRACE
0	PENTACHLOROPHENOL	LT	50 ug/L	metaTRACE
0	PENTACHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	P-PHENYLENEDIAMINE	LT	10 ug/L	metaTRACE
0	P-PHENYLENEDIAMINE	LT	10 ug/L	Gen. Eng.
0	P-DIMETHYLAMINOAZOBENZENE	LT	10 ug/L	metaTRACE
0	P-DIMETHYLAMINOAZOBENZENE	LT	10 ug/L	Gen. Eng.
0	PHENACETIN	LT	10 ug/L	metaTRACE
0	PHENACETIN	LT	10 ug/L	Gen. Eng.
0	PHENANTHRENE	LT	10 ug/L	metaTRACE
0	PHENANTHRENE	LT	10 ug/L	Gen. Eng.
0	PHENOLS	LT	5 ug/L	metaTRACE
0	PHENOLS	LT	10 ug/L	Gen. Eng.
0	PHORATE	LT	10 ug/L	metaTRACE
0	PHORATE	LT	0.50 ug/L	Gen. Eng.
0	2,2-BIS(4-CHLOROPHENYL)-1,1-DCE	LT	0.10 ug/L	metaTRACE
0	2,2-BIS(4-CHLOROPHENYL)-1,1-DCE	LT	0.50 ug/L	Gen. Eng.
0	2,2-BIS(4-CHLOROPHENYL)-1,1-DCE	LT	0.10 ug/L	metaTRACE
0	2,2-BIS(4-CHLOROPHENYL)-1,1-DCE	LT	0.50 ug/L	Gen. Eng.
0	2,2-BIS(4-CHLOROPHENYL)-1,1,1-TCE	LT	0.10 ug/L	metaTRACE
0	2,2-BIS(4-CHLOROPHENYL)-1,1,1-TCE	LT	0.50 ug/L	Gen. Eng.
0	PRONAMIDE	LT	10 ug/L	metaTRACE

CONTINUED

WELL VSB 2A COLLECTED ON 09/10/89 LABORATORY ANALYSES CONTINUED

0	PRONAMIDE	LT	10 ug/L	Gen. Eng.
0	PROPIONITRILE	LT	5 ug/L	metaTRACE
0	PROPIONITRILE	LT	1 ug/L	Gen. Eng.
0	PARATHION	LT	10 ug/L	metaTRACE
0	PARATHION	LT	0.50 ug/L	Gen. Eng.
0	PARATHION METHYL	LT	10 ug/L	metaTRACE
0	PARATHION METHYL	LT	0.50 ug/L	Gen. Eng.
0	PYRENE	LT	10 ug/L	metaTRACE
0	PYRENE	LT	10 ug/L	Gen. Eng.
0	PYRIDINE	LT	10 ug/L	metaTRACE
0	PYRIDINE	LT	10 ug/L	Gen. Eng.
0	SAFROLE	LT	10 ug/L	metaTRACE
0	SAFROLE	LT	10 ug/L	Gen. Eng.
0	ANTIMONY	LT	10 ug/L	metaTRACE
0	ANTIMONY	LT	3 ug/L	Gen. Eng.
0	2-SEC-BUTYL-4,6-DINITROPHENOL	LT	10 ug/L	metaTRACE
0	2-SEC-BUTYL-4,6-DINITROPHENOL	LT	10 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	metaTRACE
0	SELENIUM	LT	2 ug/L	Gen. Eng.
0	SILICON	LT	3754 ug/L	metaTRACE
0	SILICA	LT	9460 ug/L	Gen. Eng.
0	SILVEX	LT	0.07 ug/L	metaTRACE
0	SILVEX	LT	0.50 ug/L	Gen. Eng.
0	TIN	LT	100 ug/L	metaTRACE
0	TIN	LT	2 ug/L	Gen. Eng.
0	SULFATE	LT	2300 ug/L	metaTRACE
0	SULFATE	LT	5000 ug/L	Gen. Eng.
0	STYRENE	LT	5 ug/L	metaTRACE
0	STYRENE	LT	1 ug/L	Gen. Eng.
0	SULFIDE	LT	1000 ug/L	metaTRACE
0	SULFIDE	LT	1000 ug/L	Gen. Eng.
0	1,2,4,5-TETRACHLOROBENZENE	LT	10 ug/L	metaTRACE
0	1,2,4,5-TETRACHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	10.0 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TETRAETHYL DITHIOPYRROPHOSPHATE	LT	10 ug/L	metaTRACE
0	0,0,0-TRIETHYL PHOSPHOROTHIOATE	LT	10 ug/L	Gen. Eng.
0	0,0,0-TRIETHYL PHOSPHOROTHIOATE	LT	10 ug/L	Gen. Eng.
0	THIONAZIN	LT	10 ug/L	metaTRACE
0	THALLIUM	LT	10 ug/L	metaTRACE
0	THALLIUM	LT	2 ug/L	Gen. Eng.
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	Gen. Eng.
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	metaTRACE
0	TOTAL ORGANIC HALOGENS	LT	61 ug/L	Gen. Eng.
0	TOTAL PHOSPHATES	LT	10 ug/L	metaTRACE
0	TOTAL PHOSPHATES	LT	30 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	LT	10.0 ug/L	metaTRACE
0	TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TOXAPHENE	LT	1 ug/L	metaTRACE
0	TOXAPHENE	LT	5 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	TRANS-1,4-DICHLORO-2-BUTENE	LT	10 ug/L	metaTRACE
0	TRANS-1,4-DICHLORO-2-BUTENE	LT	1 ug/L	Gen. Eng.
0	VARADILUM	LT	5 ug/L	metaTRACE
0	VARADILUM	LT	20 ug/L	Gen. Eng.
0	VINYL ACETATE	LT	5 ug/L	metaTRACE
0	VINYL ACETATE	LT	1 ug/L	Gen. Eng.
0	XYLENES	LT	5 ug/L	metaTRACE
0	XYLENES	LT	2 ug/L	Gen. Eng.
0	1-NAPHTHYLAMINE	LT	10 ug/L	metaTRACE
0	1-NAPHTHYLAMINE	LT	10 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DIBROMOETHANE	LT	5 ug/L	metaTRACE
0	1,2-DIBROMO-3-CHLOROPROPANE	LT	10 ug/L	metaTRACE
0	1,2-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHYLENE	LT	10 ug/L	Gen. Eng.
0	1,2-DICHLOROBENZENE	LT	10 ug/L	metaTRACE
0	1,2-DICHLOROBENZENE	LT	5 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	1,2,3-TRICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	1,2,3-TRICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	1,2,4-TRICHLOROBENZENE	LT	10 ug/L	metaTRACE
0	1,2,4-TRICHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	1,3-DICHLOROBENZENE	LT	10 ug/L	metaTRACE
0	1,3-DICHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	1,3-DINITROBENZENE	LT	10 ug/L	Gen. Eng.
0	1,3,5-TRINITROBENZENE	LT	10 ug/L	Gen. Eng.
0	1,4-BENZOQUINONE	LT	10 ug/L	metaTRACE
0	1,4-DICHLOROBENZENE	LT	10 ug/L	metaTRACE
0	1,4-DICHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	1,4-DIOXANE	LT	10 ug/L	metaTRACE
0	1,4-DIOXANE	LT	10 ug/L	Gen. Eng.
0	1,4-NAPHTHOQUINONE	LT	10 ug/L	metaTRACE
0	1,4-NAPHTHOQUINONE	LT	10 ug/L	Gen. Eng.
0	2-ACETYLAMINOFLOURENE	LT	10 ug/L	metaTRACE
0	2-ACETYLAMINOFLOURENE	LT	10 ug/L	Gen. Eng.
0	2-CHLOROPHENOL	LT	10 ug/L	metaTRACE
0	2-CHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2-CHLORONAPHTHALENE	LT	10 ug/L	metaTRACE
0	2-CHLORONAPHTHALENE	LT	10 ug/L	Gen. Eng.
0	2-MEXANONE	LT	10 ug/L	metaTRACE

CONTINUED

WELL Y5B 2A COLLECTED ON 09/10/89 LABORATORY ANALYSES CONTINUED

0 2-HEXANONE	LT	1 ug/L	Gen. Eng.
0 2-METHYLNAPHTHALENE	LT	10 ug/L	metaTRACE
0 2-METHYLNAPHTHALENE	LT	10 ug/L	Gen. Eng.
0 2-METHYL PHENOL	LT	10 ug/L	Gen. Eng.
0 2-NITROANILINE	LT	10 ug/L	Gen. Eng.
0 2-NAPHTHYLAMINE	LT	10 ug/L	metaTRACE
0 2-NAPHTHYLAMINE	LT	10 ug/L	Gen. Eng.
0 2-NITROPHENOL	LT	10 ug/L	metaTRACE
0 2-NITROPHENOL	LT	10 ug/L	Gen. Eng.
0 2-PICOLINE	LT	10 ug/L	metaTRACE
0 2-PICOLINE	LT	10 ug/L	Gen. Eng.
0 2,3,4,6-TETRACHLOROPHENOL	LT	10 ug/L	metaTRACE
0 2,3,4,6-TETRACHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0 2,4-DICHLOROPHENOXYACETIC ACID	LT	0.46 ug/L	metaTRACE
0 2,4-DICHLOROPHENOXYACETIC ACID	LT	0.50 ug/L	Gen. Eng.
0 2,4-DICHLOROPHENOL	LT	10 ug/L	metaTRACE
0 2,4-DICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0 2,4-DIMETHYL PHENOL	LT	10 ug/L	metaTRACE
0 2,4-DIMETHYL PHENOL	LT	10 ug/L	Gen. Eng.
0 2,4-DINITROPHENOL	LT	50 ug/L	metaTRACE
0 2,4-DINITROPHENOL	LT	10 ug/L	Gen. Eng.
0 2,4-DINITROTOLUENE	LT	10 ug/L	metaTRACE
0 2,4-DINITROTOLUENE	LT	10 ug/L	Gen. Eng.
0 2,4,5-TRICHLOROPHENOXYACETIC ACID	LT	0.07 ug/L	metaTRACE
0 2,4,5-TRICHLOROPHENOXYACETIC ACID	LT	0.50 ug/L	Gen. Eng.
0 2,4,5-TRICHLOROPHENOL	LT	10 ug/L	metaTRACE
0 2,4,5-TRICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0 2,4,6-TRICHLOROPHENOL	LT	10 ug/L	metaTRACE
0 2,4,6-TRICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0 2,6-DICHLOROPHENOL	LT	10 ug/L	metaTRACE
0 2,6-DICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0 2,6-DINITROTOLUENE	LT	10 ug/L	metaTRACE
0 2,6-DINITROTOLUENE	LT	10 ug/L	Gen. Eng.
0 3-METHYLCHOLANTHRENE	LT	10 ug/L	metaTRACE
0 3-METHYLCHOLANTHRENE	LT	10 ug/L	Gen. Eng.
0 3-NITROANILINE	LT	10 ug/L	Gen. Eng.
0 3,3-DICHLOROBENZIDENE	LT	20 ug/L	metaTRACE
0 3,3-DICHLOROBENZIDENE	LT	20 ug/L	Gen. Eng.
0 3,3-DIMETHYLBENZIDINE	LT	10 ug/L	metaTRACE
0 3,3-DIMETHYLBENZIDINE	LT	10 ug/L	Gen. Eng.
0 4-AMINOBIOPHENYL	LT	10 ug/L	metaTRACE
0 4-AMINOBIOPHENYL	LT	10 ug/L	Gen. Eng.
0 4-BROMOPHENYLPHENYL ETHER	LT	10 ug/L	metaTRACE
0 4-BROMOPHENYLPHENYL ETHER	LT	10 ug/L	Gen. Eng.
0 4-CHLOROANILINE	LT	10 ug/L	metaTRACE
0 4-CHLOROANILINE	LT	10 ug/L	Gen. Eng.
0 4-CHLOROPHENYLPHENYL ETHER	LT	10 ug/L	metaTRACE
0 4-CHLOROPHENYLPHENYL ETHER	LT	10 ug/L	Gen. Eng.
0 4-CHLORO-3-METHYLPHENOL	LT	10 ug/L	metaTRACE
0 PARA-CHLORO-META-CRESOL	LT	10 ug/L	Gen. Eng.
0 4-METHYL-2-PENTANONE	LT	10 ug/L	metaTRACE
0 4-METHYL PHENOL	LT	10 ug/L	Gen. Eng.
0 4-NITROANILINE	LT	10 ug/L	metaTRACE
0 4-NITROPHENOL	LT	10 ug/L	Gen. Eng.
0 4-NITROPHENOL	LT	10 ug/L	metaTRACE
0 2-METHYL-4,6-DINITROPHENOL	LT	10 ug/L	Gen. Eng.
0 7,12-DIMETHYLBENZ(A)ANTHRACENE	LT	10 ug/L	metaTRACE
0 7,12-DIMETHYLBENZ(A)ANTHRACENE	LT	10 ug/L	Gen. Eng.
0 ZINC	LT	34 ug/L	metaTRACE
0 ZINC	LT	7 ug/L	Gen. Eng.
0 CROSS ALPHA	LT	1 pCi/L	metaTRACE
0 CROSS ALPHA	LT	1 pCi/L	Gen. Eng.
0 CROSS ALPHA	LT	3 pCi/L	metaTRACE
0 NONVOLATILE BETA	LT	4 pCi/L	Gen. Eng.
0 NONVOLATILE BETA	LT	4 pCi/L	metaTRACE
0 NONVOLATILE BETA	LT	2 pCi/L	Gen. Eng.
0 TOTAL RADIUM	LT	1 pCi/L	metaTRACE
0 TOTAL RADIUM	LT	1 pCi/L	Gen. Eng.
0 TRITIUM	LT	4.50+-0.30 pCi/mL	metaTRACE
0 TRITIUM	LT	4.60+-0.30 pCi/mL	Gen. Eng.
0 TRITIUM	LT	5.04+-0.40 pCi/mL	metaTRACE

WELL Y5B 2A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/10/89 Time 1130
 Depth to water = 26.60 ft (8.11 m) below the TOC
 Water elevation = 118.10 ft (36.00 m) msf
 pH = 5.3 Alkalinity = 7 mg/L
 Specific conductance = 49 umhos/cm
 Water temperature = 22.6 degrees Celsius
 Water evacuated from the well prior to sampling = 75 gal

LABORATORY ANALYSES

0 SPECIFIC CONDUCTANCE	LT	42.00 uMHC	Gen. Eng.
0 HEPTACHLORODIBENZODIOXINS	LT	5 ng/L	metaTRACE
0 HEPTACHLORODIBENZODIOXINS	LT	5 ng/L	Gen. Eng.
0 HEXACHLORODIBENZODIOXINS	LT	6 ng/L	metaTRACE
0 HEXACHLORODIBENZODIOXINS	LT	5 ng/L	Gen. Eng.
0 ORTHOCHLORODIBENZODIOXINS	LT	8 ng/L	metaTRACE
0 ORTHOCHLORODIBENZODIOXINS	LT	9 ng/L	Gen. Eng.
0 PENTACHLORODIBENZODIOXINS	LT	3 ng/L	metaTRACE
0 PENTACHLORODIBENZODIOXINS	LT	5 ng/L	Gen. Eng.
0 PH	LT	5.46 pH	metaTRACE
0 PH	LT	5.60 pH	Gen. Eng.
0 TETRACHLORODIBENZODIOXIN	LT	6 ng/L	metaTRACE
0 TETRACHLORODIBENZODIOXIN	LT	4 ng/L	Gen. Eng.
0 A, A-DIMETHYLPHENETHYLAMINE	LT	10 ug/L	metaTRACE
0 A, A-DIMETHYLPHENETHYLAMINE	LT	10 ug/L	Gen. Eng.
0 ALPHA-BENZENEHEXACHLORIDE	LT	0.05 ug/L	metaTRACE
0 ALPHA-BENZENEHEXACHLORIDE	LT	0.50 ug/L	Gen. Eng.
0 ACETONE	LT	10 ug/L	metaTRACE
0 ACETONE	LT	1 ug/L	Gen. Eng.

CONTINUED

WELL Y5B 2A COLLECTED ON 09/10/89 LABORATORY ANALYSES CONTINUED

0 ACETOPHENONE	LT	10 ug/L	metaTRACE
0 ACETOPHENONE	LT	10 ug/L	Gen. Eng.
0 ACROLEIN	LT	100 ug/L	metaTRACE
0 ACROLEIN	LT	20 ug/L	Gen. Eng.
0 ACRYLONITRILE	LT	5 ug/L	metaTRACE
0 ACRYLONITRILE	LT	20 ug/L	Gen. Eng.
0 SILVER	LT	2 ug/L	metaTRACE
0 SILVER	LT	2 ug/L	Gen. Eng.
0 ALUMINUM	LT	30 ug/L	metaTRACE
0 ALDRIN	LT	0.05 ug/L	metaTRACE
0 ALDRIN	LT	0.50 ug/L	Gen. Eng.
0 ACENAPHTHENE	LT	10 ug/L	metaTRACE
0 ACENAPHTHENE	LT	10 ug/L	Gen. Eng.
0 ACENAPHTHYLENE	LT	10 ug/L	metaTRACE
0 ACENAPHTHYLENE	LT	10 ug/L	Gen. Eng.
0 ANILINE	LT	10 ug/L	metaTRACE
0 ANTHRACENE	LT	10 ug/L	Gen. Eng.
0 ANTHRACENE	LT	10 ug/L	metaTRACE
0 ARAMITE	LT	10 ug/L	Gen. Eng.
0 ARSENIC	LT	3 ug/L	metaTRACE
0 ARSENIC	LT	2 ug/L	Gen. Eng.
0 ALLYL CHLORIDE	LT	100 ug/L	metaTRACE
0 ALLYL CHLORIDE	LT	1 ug/L	Gen. Eng.
0 AZOBENZENE	LT	10 ug/L	metaTRACE
0 BARIUM	LT	25 ug/L	Gen. Eng.
0 BARIUM	LT	12 ug/L	metaTRACE
0 BENZO(A)ANTHRACENE	LT	10 ug/L	Gen. Eng.
0 BENZO(A)ANTHRACENE	LT	10 ug/L	metaTRACE
0 BENZO(A)PYRENE	LT	10 ug/L	Gen. Eng.
0 BENZO(A)PYRENE	LT	10 ug/L	metaTRACE
0 BENZO(B)FLUORANTHENE	LT	10 ug/L	Gen. Eng.
0 BETA-BENZENEHEXACHLORIDE	LT	0.05 ug/L	metaTRACE
0 BETA-BENZENEHEXACHLORIDE	LT	0.50 ug/L	Gen. Eng.
0 BUTYLBENZYL PHTHALATE	LT	10 ug/L	metaTRACE
0 BUTYLBENZYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0 BIS(CHLOROMETHYL-ETHYL)ETHER	LT	10 ug/L	metaTRACE
0 BIS(CHLOROMETHYL-ETHYL)ETHER	LT	10 ug/L	Gen. Eng.
0 BERYLLIUM	LT	1 ug/L	metaTRACE
0 BERYLLIUM	LT	5 ug/L	Gen. Eng.
0 BENZIDINE	LT	50 ug/L	metaTRACE
0 BENZOIC ACID	LT	50 ug/L	Gen. Eng.
0 BENZO BIFLUOROANTHENE	LT	10 ug/L	metaTRACE
0 BENZO(G,H,I)PERYLENE	LT	10 ug/L	Gen. Eng.
0 BENZO(G,H,I)PERYLENE	LT	10 ug/L	metaTRACE
0 BENZO(K)FLUORANTHENE	LT	10 ug/L	Gen. Eng.
0 BENZO(K)FLUORANTHENE	LT	10 ug/L	metaTRACE
0 BROMODICHLOROMETHANE	LT	5 ug/L	Gen. Eng.
0 BROMODICHLOROMETHANE	LT	1 ug/L	metaTRACE
0 BENZYL ALCOHOL	LT	20 ug/L	Gen. Eng.
0 BENZYL ALCOHOL	LT	10 ug/L	metaTRACE
0 BIS(2-CHLOROETHOXY) METHANE	LT	10 ug/L	Gen. Eng.
0 BIS(2-CHLOROETHOXY) METHANE	LT	10 ug/L	metaTRACE
0 BIS(2-CHLOROISOPROPYL) ETHER	LT	10 ug/L	Gen. Eng.
0 BIS(2-CHLOROETHYL) ETHER	LT	10 ug/L	metaTRACE
0 BIS(2-CHLOROETHYL) ETHER	LT	10 ug/L	Gen. Eng.
0 BIS(2-ETHYLHEXYL) PHTHALATE	LT	10 ug/L	metaTRACE
0 BIS(2-ETHYLHEXYL) PHTHALATE	LT	10 ug/L	Gen. Eng.
0 CALCIUM	LT	2992 ug/L	metaTRACE
0 CALCIUM	LT	2460 ug/L	Gen. Eng.
0 DICHLORODIFLUOROMETHANE	LT	5 ug/L	metaTRACE
0 DICHLORODIFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0 TRICHLOROFUOROMETHANE	LT	5 ug/L	metaTRACE
0 TRICHLOROFUOROMETHANE	LT	1 ug/L	Gen. Eng.
0 CARBON TETRACHLORIDE	LT	5.00 ug/L	metaTRACE
0 CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0 CADMIUM	LT	4 ug/L	metaTRACE
0 CADMIUM	LT	2 ug/L	Gen. Eng.
0 BROMOFORM	LT	5 ug/L	metaTRACE
0 BROMOFORM	LT	1 ug/L	Gen. Eng.
0 CHLOROFORM	LT	5 ug/L	metaTRACE
0 CHLOROFORM	LT	1 ug/L	Gen. Eng.
0 CHRYSENE	LT	10 ug/L	metaTRACE
0 CHRYSENE	LT	10 ug/L	Gen. Eng.
0 METHYLENE BROMIDE	LT	10 ug/L	metaTRACE
0 METHYLENE BROMIDE	LT	1 ug/L	Gen. Eng.
0 METHYLENE BROMIDE	LT	1 ug/L	metaTRACE
0 METHYLENE CHLORIDE	LT	5 ug/L	Gen. Eng.
0 METHYLENE CHLORIDE	LT	1 ug/L	metaTRACE
0 BROMOMETHANE	LT	5 ug/L	Gen. Eng.
0 BROMOMETHANE	LT	1 ug/L	metaTRACE
0 CHLOROMETHANE	LT	10 ug/L	Gen. Eng.
0 CHLOROMETHANE	LT	1 ug/L	metaTRACE
0 ACETONITRILE (METHYL CYANIDE)	LT	100 ug/L	Gen. Eng.
0 ACETONITRILE (METHYL CYANIDE)	LT	1 ug/L	metaTRACE
0 CHLORIDE	LT	4500 ug/L	Gen. Eng.
0 CHLORIDE	LT	4700 ug/L	metaTRACE
0 CHLOROBENZILATE	LT	10 ug/L	Gen. Eng.
0 CHLOROBENZILATE	LT	5 ug/L	metaTRACE
0 CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0 CHLOROBENZENE	LT	1 ug/L	metaTRACE
0 CHLORDANE	LT	0.50 ug/L	Gen. Eng.
0 CHLOROPRENE	LT	5 ug/L	metaTRACE
0 CHLOROPRENE	LT	1 ug/L	Gen. Eng.
0 PENTACHLOROBENZENE	LT	10 ug/L	metaTRACE
0 PENTACHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0 PENTACHLOROETHANE	LT	5 ug/L	metaTRACE
0 PENTACHLOROETHANE	LT	10 ug/L	Gen. Eng.
0 PENTACHLOROETHANE	LT	10 ug/L	metaTRACE
0 PENTACHLOROETHANE	LT	10 ug/L	Gen. Eng.
0 PENTACHLORONITROBENZENE	LT	10 ug/L	metaTRACE
0 PENTACHLORONITROBENZENE	LT	10 ug/L	Gen. Eng.
0 HEXACHLOROBENZENE	LT	10 ug/L	metaTRACE
0 HEXACHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0 HEXACHLOROCYCLOPENTADIENE	LT	10 ug/L	metaTRACE
0 HEXACHLOROCYCLOPENTADIENE	LT	10 ug/L	Gen. Eng.
0 HEXACHLOROETHANE	LT	10 ug/L	metaTRACE
0 HEXACHLOROETHANE	LT	10 ug/L	Gen. Eng.
0 COBALT	LT	7 ug/L	metaTRACE
0 COBALT	LT	4 ug/L	Gen. Eng.

CONTINUED

WELL V58 2A COLLECTED ON 09/10/89 LABORATORY ANALYSES CONTINUED

U CHROMIUM	LT	5 ug/L	metaTRACE
0 CHROMIUM	LT	4 ug/L	Gen. Eng.
0 CARBON DISULFIDE	LT	5 ug/L	metaTRACE
0 CARBON DISULFIDE	LT	1 ug/L	Gen. Eng.
0 COPPER	LT	10 ug/L	metaTRACE
0 COPPER	LT	4 ug/L	Gen. Eng.
0 CYANIDE	LT	5 ug/L	metaTRACE
0 CYANIDE	LT	5 ug/L	Gen. Eng.
0 CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0 CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0 CHLOROETHANE	LT	10 ug/L	metaTRACE
0 CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0 BENZENE	LT	5 ug/L	metaTRACE
0 BENZENE	LT	1 ug/L	Gen. Eng.
0 DIBENZ(A,H)ANTHRACENE	LT	10 ug/L	metaTRACE
0 DIBENZ(A,H)ANTHRACENE	LT	10 ug/L	Gen. Eng.
0 DIBROMOCHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0 DELTA-BENZENECHLORIDE	LT	0.05 ug/L	Gen. Eng.
0 DELTA-BENZENECHLORIDE	LT	0.50 ug/L	Gen. Eng.
0 DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0 DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0 DIETHYL PHTHALATE	LT	10 ug/L	metaTRACE
0 DIETHYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0 DIALATE	LT	10 ug/L	metaTRACE
0 DIALATE	LT	10 ug/L	Gen. Eng.
0 DIBENZOFURAN	LT	10 ug/L	metaTRACE
0 DIBENZOFURAN	LT	10 ug/L	Gen. Eng.
0 DIMETHOATE	LT	10 ug/L	metaTRACE
0 DIMETHOATE	LT	10 ug/L	Gen. Eng.
0 DISULFOTON	LT	10 ug/L	metaTRACE
0 DISULFOTON	LT	10 ug/L	Gen. Eng.
0 DIELDRIN	LT	0.10 ug/L	metaTRACE
0 DIELDRIN	LT	0.50 ug/L	Gen. Eng.
0 DIMETHYL PHTHALATE	LT	10 ug/L	metaTRACE
0 DIMETHYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0 DI-N-BUTYL PHTHALATE	LT	10 ug/L	metaTRACE
0 DI-N-BUTYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0 DI-N-OCTYL PHTHALATE	LT	10 ug/L	metaTRACE
0 DI-N-OCTYL PHTHALATE	LT	10 ug/L	Gen. Eng.
0 DIPHENYLAMINE	LT	10 ug/L	metaTRACE
0 DIPHENYLAMINE	LT	10 ug/L	Gen. Eng.
0 ETHYL METHANESULFONATE	LT	10 ug/L	metaTRACE
0 ETHYL METHANESULFONATE	LT	10 ug/L	Gen. Eng.
0 ENDORIN ALDEHYDE	LT	0.20 ug/L	metaTRACE
0 ENDORIN ALDEHYDE	LT	0.50 ug/L	Gen. Eng.
0 ENDORIN	LT	0.10 ug/L	metaTRACE
0 ENDORIN	LT	0.50 ug/L	Gen. Eng.
0 ENDOSULFAM I	LT	0.05 ug/L	metaTRACE
0 ENDOSULFAM I	LT	0.50 ug/L	Gen. Eng.
0 ENDOSULFAM II	LT	0.10 ug/L	metaTRACE
0 ENDOSULFAM II	LT	0.50 ug/L	Gen. Eng.
0 ENDOSULFAM SULFATE	LT	0.10 ug/L	metaTRACE
0 ENDOSULFAM SULFATE	LT	0.50 ug/L	Gen. Eng.
0 ETHYLBENZENE	LT	5 ug/L	metaTRACE
0 ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0 ETHYL METHACRYLATE	LT	5 ug/L	metaTRACE
0 ETHYL METHACRYLATE	LT	10 ug/L	Gen. Eng.
0 ETHYL METHACRYLATE	LT	10 ug/L	Gen. Eng.
0 ETHYL METHACRYLATE	LT	10 ug/L	Gen. Eng.
0 FLUORIDE	LT	250 ug/L	metaTRACE
0 FLUORIDE	LT	100 ug/L	Gen. Eng.
0 FAMPUR	LT	10 ug/L	metaTRACE
0 FAMPUR	LT	10 ug/L	Gen. Eng.
0 FLUORANTHENE	LT	10 ug/L	metaTRACE
0 FLUORANTHENE	LT	10 ug/L	Gen. Eng.
0 IRON	LT	58 ug/L	metaTRACE
0 IRON	LT	79 ug/L	Gen. Eng.
0 FLUORENE	LT	10 ug/L	metaTRACE
0 FLUORENE	LT	10 ug/L	Gen. Eng.
0 HEXACHLOROBUTADIENE	LT	10 ug/L	metaTRACE
0 HEXACHLOROBUTADIENE	LT	10 ug/L	Gen. Eng.
0 HEXACHLOROPHENE	LT	10 ug/L	metaTRACE
0 HEXACHLOROPHENE	LT	10 ug/L	Gen. Eng.
0 HEXACHLOROPROPENE	LT	10 ug/L	metaTRACE
0 HEXACHLOROPROPENE	LT	0.20 ug/L	Gen. Eng.
0 MERCURY	LT	0.20 ug/L	metaTRACE
0 MERCURY	LT	0.20 ug/L	Gen. Eng.
0 HEPTACHLOR	LT	0.05 ug/L	metaTRACE
0 HEPTACHLOR	LT	0.50 ug/L	Gen. Eng.
0 HEPTACHLOR EPOXIDE	LT	0.05 ug/L	metaTRACE
0 HEPTACHLOR EPOXIDE	LT	0.50 ug/L	Gen. Eng.
0 INDENO(1,2,3-C,D)PYRENE	LT	10 ug/L	metaTRACE
0 INDENO(1,2,3-C,D)PYRENE	LT	10 ug/L	Gen. Eng.
0 IODOMETHANE	LT	5 ug/L	metaTRACE
0 IODOMETHANE	LT	1 ug/L	Gen. Eng.
0 ISOSAFROLE	LT	10 ug/L	metaTRACE
0 ISOSAFROLE	LT	10 ug/L	Gen. Eng.
0 ISOBUTYL ALCOHOL	LT	1 ug/L	metaTRACE
0 ISODRIN	LT	10 ug/L	metaTRACE
0 ISODRIN	LT	10 ug/L	Gen. Eng.
0 ISOPHORONE	LT	10 ug/L	metaTRACE
0 ISOPHORONE	LT	10 ug/L	Gen. Eng.
0 POTASSIUM	LT	2000 ug/L	metaTRACE
0 POTASSIUM	LT	841 ug/L	Gen. Eng.
0 KEPONE	LT	10 ug/L	metaTRACE
0 LINDANE	LT	0.05 ug/L	metaTRACE
0 LINDANE	LT	0.50 ug/L	Gen. Eng.
0 M-CRESOL	LT	10 ug/L	metaTRACE
0 METHACRYLONITRILE	LT	5 ug/L	metaTRACE
0 METHACRYLONITRILE	LT	1 ug/L	Gen. Eng.
0 TOLUENE	LT	5 ug/L	metaTRACE
0 TOLUENE	LT	1 ug/L	Gen. Eng.
0 METHYLETHYL KETONE	LT	10 ug/L	metaTRACE
0 METHYLETHYL KETONE	LT	1 ug/L	Gen. Eng.
0 METHYL METHACRYLATE	LT	5 ug/L	metaTRACE
0 METHYL METHACRYLATE	LT	10 ug/L	Gen. Eng.
0 METHYL METHANE SULFONATE	LT	10 ug/L	metaTRACE
0 METHYL METHANE SULFONATE	LT	10 ug/L	Gen. Eng.
0 METHOXYCHLOR	LT	0.05 ug/L	metaTRACE
0 METHOXYCHLOR	LT	4 ug/L	Gen. Eng.
0 MAGNESIUM	LT	475 ug/L	metaTRACE

CONTINUED

WELL V58 2A COLLECTED ON 09/10/89 LABORATORY ANALYSES CONTINUED

0 MAGNESIUM	LT	499 ug/L	Gen. Eng.
0 METHYLISOBUTYL KETONE	LT	1 ug/L	Gen. Eng.
0 MANGANESE	LT	3 ug/L	metaTRACE
0 MANGANESE	LT	2 ug/L	Gen. Eng.
0 METHAPYRILENE	LT	10 ug/L	metaTRACE
0 METHAPYRILENE	LT	10 ug/L	Gen. Eng.
0 SODIUM	LT	4299 ug/L	metaTRACE
0 SODIUM	LT	4760 ug/L	Gen. Eng.
0 NAPHTHALENE	LT	10 ug/L	metaTRACE
0 NAPHTHALENE	LT	10 ug/L	Gen. Eng.
0 NITROBENZENE	LT	10 ug/L	metaTRACE
0 NITROBENZENE	LT	10 ug/L	Gen. Eng.
0 N-NITROSODIMETHYLAMINE	LT	10 ug/L	metaTRACE
0 N-NITROSODIMETHYLAMINE	LT	10 ug/L	Gen. Eng.
0 N-NITROSODI-N-BUTYLAMINE	LT	10 ug/L	metaTRACE
0 N-NITROSODI-N-BUTYLAMINE	LT	10 ug/L	Gen. Eng.
0 N-NITROSODI-PROPYLAMINE	LT	10 ug/L	metaTRACE
0 N-NITROSODI-PROPYLAMINE	LT	10 ug/L	Gen. Eng.
0 N-NITROSODIETHYLAMINE	LT	10 ug/L	metaTRACE
0 N-NITROSODIETHYLAMINE	LT	10 ug/L	Gen. Eng.
0 N-NITROETHYLMETHYLAMINE	LT	10 ug/L	metaTRACE
0 N-NITROETHYLMETHYLAMINE	LT	10 ug/L	Gen. Eng.
0 NICKEL	LT	5 ug/L	metaTRACE
0 NICKEL	LT	4 ug/L	Gen. Eng.
0 N-NITROSOMORPHOLINE	LT	10 ug/L	metaTRACE
0 N-NITROSOMORPHOLINE	LT	10 ug/L	Gen. Eng.
0 N-NITROSODIPHENYLAMINE	LT	10 ug/L	metaTRACE
0 N-NITROSODIPHENYLAMINE	LT	10 ug/L	Gen. Eng.
0 N-NITROSOPYRIDINE	LT	10 ug/L	metaTRACE
0 N-NITROSOPYRIDINE	LT	10 ug/L	Gen. Eng.
0 N-NITROSOPYRROLIDINE	LT	10 ug/L	metaTRACE
0 N-NITROSOPYRROLIDINE	LT	10 ug/L	Gen. Eng.
0 NITRATE AS NITROGEN	LT	1100 ug/L	metaTRACE
0 NITRATE AS NITROGEN	LT	820 ug/L	Gen. Eng.
0 4-NITROQUINOLINE-1-OXIDE	LT	10 ug/L	metaTRACE
0 4-NITROQUINOLINE-1-OXIDE	LT	10 ug/L	Gen. Eng.
0 5-NITRO-0-TOLUIDINE	LT	10 ug/L	metaTRACE
0 5-NITRO-0-TOLUIDINE	LT	10 ug/L	Gen. Eng.
0 0-TOLUIDINE	LT	10 ug/L	metaTRACE
0 0-TOLUIDINE	LT	10 ug/L	Gen. Eng.
0 LEAD	LT	4 ug/L	metaTRACE
0 LEAD	LT	6 ug/L	Gen. Eng.
0 PCB 1016	LT	0.50 ug/L	metaTRACE
0 PCB 1016	LT	0.50 ug/L	Gen. Eng.
0 PCB 1221	LT	0.50 ug/L	metaTRACE
0 PCB 1221	LT	0.50 ug/L	Gen. Eng.
0 PCB 1232	LT	0.50 ug/L	metaTRACE
0 PCB 1232	LT	0.50 ug/L	Gen. Eng.
0 PCB 1242	LT	0.50 ug/L	metaTRACE
0 PCB 1242	LT	0.50 ug/L	Gen. Eng.
0 PCB 1248	LT	0.50 ug/L	metaTRACE
0 PCB 1248	LT	0.50 ug/L	Gen. Eng.
0 PCB 1254	LT	1 ug/L	metaTRACE
0 PCB 1254	LT	0.50 ug/L	Gen. Eng.
0 PCB 1260	LT	1 ug/L	metaTRACE
0 PCB 1260	LT	0.50 ug/L	Gen. Eng.
0 PCB 1262	LT	0.50 ug/L	metaTRACE
0 PENTACHLOROPHENOL	LT	50 ug/L	metaTRACE
0 PENTACHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0 P-PHENYLENEDIAMINE	LT	10 ug/L	metaTRACE
0 P-PHENYLENEDIAMINE	LT	10 ug/L	Gen. Eng.
0 P-DIMETHYLAMINOAZOBENZENE	LT	10 ug/L	metaTRACE
0 P-DIMETHYLAMINOAZOBENZENE	LT	10 ug/L	Gen. Eng.
0 PHENACETIN	LT	10 ug/L	metaTRACE
0 PHENACETIN	LT	10 ug/L	Gen. Eng.
0 PHENANTHRENE	LT	10 ug/L	metaTRACE
0 PHENANTHRENE	LT	10 ug/L	Gen. Eng.
0 PHENOLS	LT	5 ug/L	metaTRACE
0 PHENOLS	LT	10 ug/L	Gen. Eng.
0 PHORATE	LT	10 ug/L	metaTRACE
0 PHORATE	LT	0.50 ug/L	Gen. Eng.
0 2,2-BIS(4-CHLOROPHENYL)-1,1-DCE	LT	0.10 ug/L	metaTRACE
0 2,2-BIS(4-CHLOROPHENYL)-1,1-DCE	LT	0.50 ug/L	Gen. Eng.
0 2,2-BIS(4-CHLOROPHENYL)-1,1-DCE	LT	0.10 ug/L	metaTRACE
0 2,2-BIS(4-CHLOROPHENYL)-1,1-DCE	LT	0.50 ug/L	Gen. Eng.
0 2,2-BIS(4-CHLOROPHENYL)-1,1,1-TCE	LT	0.10 ug/L	metaTRACE
0 2,2-BIS(4-CHLOROPHENYL)-1,1,1-TCE	LT	0.50 ug/L	Gen. Eng.
0 PRONAMIDE	LT	10 ug/L	metaTRACE
0 PRONAMIDE	LT	10 ug/L	Gen. Eng.
0 PROPIONITRILE	LT	5 ug/L	metaTRACE
0 PROPIONITRILE	LT	1 ug/L	Gen. Eng.
0 PARATHION	LT	10 ug/L	metaTRACE
0 PARATHION METHYL	LT	0.50 ug/L	Gen. Eng.
0 PARATHION METHYL	LT	0.50 ug/L	Gen. Eng.
0 PYRENE	LT	10 ug/L	metaTRACE
0 PYRENE	LT	10 ug/L	Gen. Eng.
0 PYRIDINE	LT	10 ug/L	metaTRACE
0 PYRIDINE	LT	10 ug/L	Gen. Eng.
0 SAFROLE	LT	10 ug/L	metaTRACE
0 SAFROLE	LT	10 ug/L	Gen. Eng.
0 ANTIMONY	LT	10 ug/L	metaTRACE
0 ANTIMONY	LT	3 ug/L	Gen. Eng.
0 2-SEC-BUTYL-4,6-DINITROPHENOL	LT	10 ug/L	metaTRACE
0 2-SEC-BUTYL-4,6-DINITROPHENOL	LT	10 ug/L	Gen. Eng.
0 SELENIUM	LT	2 ug/L	metaTRACE
0 SELENIUM	LT	2 ug/L	Gen. Eng.
1 SILICON	LT	3743 ug/L	metaTRACE
1 SILICA	LT	8880 ug/L	Gen. Eng.
0 SILVEX	LT	0.07 ug/L	metaTRACE
0 SILVEX	LT	0.50 ug/L	Gen. Eng.
0 TIN	LT	100 ug/L	metaTRACE
0 TIN	LT	2 ug/L	Gen. Eng.
0 SULFATE	LT	2300 ug/L	metaTRACE
0 SULFATE	LT	5000 ug/L	Gen. Eng.
0 STYRENE	LT	5 ug/L	metaTRACE
0 STYRENE	LT	1 ug/L	Gen. Eng.
0 SULFIDE	LT	1000 ug/L	metaTRACE
0 SULFIDE	LT	1000 ug/L	Gen. Eng.
0 1,2,4,5-TETRACHLOROBENZENE	LT	10 ug/L	metaTRACE

CONTINUED

WELL Y5B 2A COLLECTED ON 09/10/89 LABORATORY ANALYSES CONTINUED

0	1,2,4,5-TETRACHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	10.0 ug/L	metaTRACE
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TETRAETHYL DITHIOPYRPHOSPHATE	LT	10 ug/L	metaTRACE
0	0,0,0-TRIETHYL PHOSPHOROTHIOATE	LT	10 ug/L	metaTRACE
0	0,0,0-TRIETHYL PHOSPHOROTHIOATE	LT	10 ug/L	Gen. Eng.
0	THIONAZIN	LT	10 ug/L	metaTRACE
0	THALLIUM	LT	10 ug/L	metaTRACE
0	THALLIUM	LT	2 ug/L	Gen. Eng.
0	TOTAL ORGANIC CARBON	LT	1200 ug/L	metaTRACE
0	TOTAL ORGANIC CARBON	LT	1000 ug/L	Gen. Eng.
0	TOTAL ORGANIC HALOGENS	LT	5 ug/L	metaTRACE
2	TOTAL ORGANIC HALOGENS	LT	93 ug/L	Gen. Eng.
0	TOTAL PHOSPHATES	LT	10 ug/L	metaTRACE
0	TOTAL PHOSPHATES	LT	50 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	LT	10.0 ug/L	metaTRACE
0	TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TOXAPHENE	LT	1 ug/L	metaTRACE
0	TOXAPHENE	LT	5 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	TRANS-1,4-DICHLORO-2-BUTENE	LT	10 ug/L	metaTRACE
0	TRANS-1,4-DICHLORO-2-BUTENE	LT	1 ug/L	Gen. Eng.
0	VANADIUM	LT	5 ug/L	metaTRACE
0	VANADIUM	LT	20 ug/L	Gen. Eng.
0	VINYL ACETATE	LT	5 ug/L	metaTRACE
0	VINYL ACETATE	LT	1 ug/L	Gen. Eng.
0	XYLENES	LT	5 ug/L	metaTRACE
0	XYLENES	LT	2 ug/L	Gen. Eng.
0	1-NAPHTHYLAMINE	LT	10 ug/L	metaTRACE
0	1-NAPHTHYLAMINE	LT	10 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DIBROMOETHANE	LT	5 ug/L	metaTRACE
0	1,2-DIBROMO-3-CHLOROPROPANE	LT	10 ug/L	metaTRACE
0	1,2-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROBENZENE	LT	10 ug/L	metaTRACE
0	1,2-DICHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	1,2,3-TRICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	1,2,3-TRICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	1,2,4-TRICHLOROBENZENE	LT	10 ug/L	metaTRACE
0	1,2,4-TRICHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	1,3-DICHLOROBENZENE	LT	10 ug/L	metaTRACE
0	1,3-DICHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	1,3-DINITROBENZENE	LT	10 ug/L	Gen. Eng.
0	1,3,5-TRINITROBENZENE	LT	10 ug/L	Gen. Eng.
0	1,4-BENZQUINONE	LT	10 ug/L	metaTRACE
0	1,4-DICHLOROBENZENE	LT	10 ug/L	metaTRACE
0	1,4-DICHLOROBENZENE	LT	10 ug/L	Gen. Eng.
0	1,4-DIOXANE	LT	10 ug/L	metaTRACE
0	1,4-DIOXANE	LT	10 ug/L	Gen. Eng.
0	1,4-NAPHTHOQUINONE	LT	10 ug/L	metaTRACE
0	1,4-NAPHTHOQUINONE	LT	10 ug/L	Gen. Eng.
0	2-ACETYLAMINOFLOURENE	LT	10 ug/L	metaTRACE
0	2-ACETYLAMINOFLOURENE	LT	10 ug/L	Gen. Eng.
0	2-CHLOROPHENOL	LT	10 ug/L	metaTRACE
0	2-CHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2-CHLORONAPHTHALENE	LT	10 ug/L	metaTRACE
0	2-CHLORONAPHTHALENE	LT	10 ug/L	Gen. Eng.
0	2-HEXANONE	LT	10 ug/L	metaTRACE
0	2-HEXANONE	LT	1 ug/L	Gen. Eng.
0	2-METHYLNAPHTHALENE	LT	10 ug/L	metaTRACE
0	2-METHYLNAPHTHALENE	LT	10 ug/L	Gen. Eng.
0	2-METHYL PHENOL	LT	10 ug/L	Gen. Eng.
0	2-NITROANILINE	LT	10 ug/L	Gen. Eng.
0	2-NAPHTHYLAMINE	LT	10 ug/L	metaTRACE
0	2-NAPHTHYLAMINE	LT	10 ug/L	Gen. Eng.
0	2-NITROPHENOL	LT	10 ug/L	metaTRACE
0	2-NITROPHENOL	LT	10 ug/L	Gen. Eng.
0	2-PICOLINE	LT	10 ug/L	metaTRACE
0	2-PICOLINE	LT	10 ug/L	Gen. Eng.
0	2,3,4,6-TETRACHLOROPHENOL	LT	10 ug/L	metaTRACE
0	2,3,4,6-TETRACHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,4-DICHLOROPHENOXYACETIC ACID	LT	0.46 ug/L	metaTRACE
0	2,4-DICHLOROPHENOXYACETIC ACID	LT	0.50 ug/L	Gen. Eng.
0	2,4-DICHLOROPHENOL	LT	10 ug/L	metaTRACE
0	2,4-DICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,4-DIMETHYL PHENOL	LT	10 ug/L	metaTRACE
0	2,4-DIMETHYL PHENOL	LT	10 ug/L	Gen. Eng.
0	2,4-DINITROPHENOL	LT	50 ug/L	metaTRACE
0	2,4-DINITROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,4-DINITROTOLUENE	LT	10 ug/L	metaTRACE
0	2,4-DINITROTOLUENE	LT	10 ug/L	Gen. Eng.
0	2,4,5-TRICHLOROPHENOXYACETIC ACID	LT	0.07 ug/L	metaTRACE
0	2,4,5-TRICHLOROPHENOXYACETIC ACID	LT	0.50 ug/L	Gen. Eng.
0	2,4,5-TRICHLOROPHENOL	LT	10 ug/L	metaTRACE
0	2,4,5-TRICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,4,6-TRICHLOROPHENOL	LT	10 ug/L	metaTRACE
0	2,4,6-TRICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,6-DICHLOROPHENOL	LT	10 ug/L	metaTRACE
0	2,6-DICHLOROPHENOL	LT	10 ug/L	Gen. Eng.
0	2,6-DINITROTOLUENE	LT	10 ug/L	metaTRACE

CONTINUED

WELL Y5B 2A COLLECTED ON 09/10/89 LABORATORY ANALYSES CONTINUED

0	2,6-DINITROTOLUENE	LT	10 ug/L	Gen. Eng.
0	3-METHYLCHOLANTHRENE	LT	10 ug/L	metaTRACE
0	3-METHYLCHOLANTHRENE	LT	10 ug/L	Gen. Eng.
0	3-METHYL PHENOL	LT	10 ug/L	Gen. Eng.
0	3-NITROANILINE	LT	10 ug/L	Gen. Eng.
0	3,3-DICHLOROBENZIDENE	LT	20 ug/L	metaTRACE
0	3,3-DICHLOROBENZIDENE	LT	20 ug/L	Gen. Eng.
0	3,3-DIMETHYLBENZIDINE	LT	10 ug/L	metaTRACE
0	3,3-DIMETHYLBENZIDINE	LT	10 ug/L	Gen. Eng.
0	4-AMINOBIPHENYL	LT	10 ug/L	metaTRACE
0	4-AMINOBIPHENYL	LT	10 ug/L	Gen. Eng.
0	4-BROMOPHENYLPHENYL ETHER	LT	10 ug/L	metaTRACE
0	4-BROMOPHENYLPHENYL ETHER	LT	10 ug/L	Gen. Eng.
0	4-CHLOROBENZYL	LT	10 ug/L	metaTRACE
0	4-CHLOROBENZYL	LT	10 ug/L	Gen. Eng.
0	4-CHLOROPHENYLPHENYL ETHER	LT	10 ug/L	metaTRACE
0	4-CHLOROPHENYLPHENYL ETHER	LT	10 ug/L	Gen. Eng.
0	4-CHLORO-3-METHYLPHENOL	LT	10 ug/L	metaTRACE
0	4-CHLORO-3-METHYLPHENOL	LT	10 ug/L	Gen. Eng.
0	4-METHYL-2-PENTANONE	LT	10 ug/L	metaTRACE
0	4-METHYL PHENOL	LT	10 ug/L	Gen. Eng.
0	4-NITROANILINE	LT	10 ug/L	Gen. Eng.
0	4-NITROPHENOL	LT	10 ug/L	metaTRACE
0	4-NITROPHENOL	LT	10 ug/L	Gen. Eng.
0	2-METHYL-4,6-DINITROPHENOL	LT	10 ug/L	Gen. Eng.
0	7,12-DIMETHYLBENZ(A)ANTHRACENE	LT	10 ug/L	metaTRACE
0	7,12-DIMETHYLBENZ(A)ANTHRACENE	LT	10 ug/L	Gen. Eng.
0	ZINC	LT	39 ug/L	metaTRACE
0	ZINC	LT	8 ug/L	Gen. Eng.
0	GROSS ALPHA	LT	7 pCi/L	metaTRACE
0	GROSS ALPHA	LT	7 pCi/L	Gen. Eng.
0	NONVOLATILE BETA	LT	4 pCi/L	metaTRACE
0	NONVOLATILE BETA	LT	2.50-2.20 pCi/L	Gen. Eng.
0	TOTAL RADIUM	LT	1 pCi/L	metaTRACE
0	TOTAL RADIUM	LT	1 pCi/L	Gen. Eng.
0	TRITIUM	LT	4.40-0.50 pCi/mL	metaTRACE
0	TRITIUM	LT	4.99-0.39 pCi/mL	Gen. Eng.

WELL Y5B 3A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/04/89 Time 1335
 Depth to water = 26.12 ft (7.96 m) below the TOC
 Water elevation = 117.78 ft (35.90 m) msl
 pH = 8.3 Alkalinity = 98 mg/L
 Specific conductance = 416 umhos/cm
 Water temperature = 23.7 degrees Celsius
 Water evacuated from the well prior to sampling = 55 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	661.0 UMHG	metaTRACE
1	SPECIFIC CONDUCTANCE	661.0 UMHG	metaTRACE
0	HEPTACHLORODIBENZODIOXINS	LT	1 ng/L
0	HEPTACHLORODIBENZODIOXINS	LT	1 ng/L
0	HEPTACHLORODIBENZODIOXINS	LT	0.80 ng/L
0	HEPTACHLORODIBENZODIOXINS	LT	0.90 ng/L
0	ORTHOCHELORODIBENZODIOXINS	LT	0.90 ng/L
0	ORTHOCHELORODIBENZODIOXINS	LT	1 ng/L
0	PENTACHLORODIBENZODIOXINS	LT	0.90 ng/L
0	PENTACHLORODIBENZODIOXINS	LT	1 ng/L
0	PH	6.41 pH	metaTRACE
0	TETRACHLORODIBENZODIOXIN	LT	1 ng/L
0	TETRACHLORODIBENZODIOXIN	LT	0.90 ng/L
0	A,4-DIMETHYLPHENETHYLAMINE	LT	10 ug/L
0	ALPHA-BENZENEHEXACHLORIDE	LT	0.05 ug/L
0	ACETONE	LT	10 ug/L
0	ACETOPHENONE	LT	10 ug/L
0	ACROLEIN	LT	100 ug/L
0	ACRYLONITRILE	LT	5 ug/L
0	SILVER	LT	2 ug/L
0	ALUMINUM	LT	67 ug/L
0	ALDRIN	LT	0.05 ug/L
0	ACENAPHTHENE	LT	10 ug/L
0	ACENAPHTHYLENE	LT	10 ug/L
0	ANTHRACENE	LT	10 ug/L
0	ARSENIC	LT	3 ug/L
0	ALLYL CHLORIDE	LT	100 ug/L
0	AZOBENZENE	LT	10 ug/L
0	BARIIUM	LT	25 ug/L
0	BENZO(A)ANTHRACENE	LT	10 ug/L
0	BENZO(A)PYRENE	LT	10 ug/L
0	BETA-BENZENEHEXACHLORIDE	LT	0.05 ug/L
0	BUTYL BENZYL PHTHALATE	LT	10 ug/L
0	BIS(CHLOROMETHYL-ETHYL)ETHER	LT	10 ug/L
0	BERYLLIUM	LT	1 ug/L
0	BENZIDINE	LT	50 ug/L
0	BENZOIC ACID	LT	50 ug/L
0	BENZO BIFLUOROANTHRENE	LT	10 ug/L
0	BENZO(G,H,I)PERYLENE	LT	10 ug/L
0	BENZO(K)FLUOROANTHRENE	LT	10 ug/L
0	BROMODICHLOROMETHANE	LT	5 ug/L
0	BENZYL ALCOHOL	LT	10 ug/L
0	BIS(2-CHLOROETHOXY) METHANE	LT	10 ug/L
0	BIS(2-CHLOROISOPROPYL) ETHER	LT	10 ug/L
0	BIS(2-CHLOROETHYL) ETHER	LT	10 ug/L
1	BIS(2-ETHYLHEXYL) PHTHALATE	5 ug/L	metaTRACE
0	CALCIUM	5336 ug/L	metaTRACE
0	DICHLORODIFLUOROMETHANE	LT	5 ug/L
0	TRICHLORODIFLUOROMETHANE	LT	5 ug/L
0	CARBON TETRACHLORIDE	LT	5.00 ug/L
0	CADMIUM	LT	4 ug/L
0	BROMOFORM	LT	5 ug/L
0	CHLOROFORM	LT	5 ug/L
0	CHRYSENE	LT	10 ug/L

CONTINUED

WELL Y5B 3A COLLECTED ON 09/04/89 LABORATORY ANALYSES CONTINUED

0 METHYLENE BROMIDE	LT	10 ug/L	metaTRACE
0 METHYLENE CHLORIDE	LT	5 ug/L	metaTRACE
0 BROMOMETHANE	LT	5 ug/L	metaTRACE
0 CHLOROMETHANE	LT	10 ug/L	metaTRACE
0 ACETONITRILE (METHYL CYANIDE)	LT	100 ug/L	metaTRACE
1 CHLORIDE		18800 ug/L	metaTRACE
0 CHLOROBENZILATE	LT	10 ug/L	metaTRACE
0 CHLOROBENZENE	LT	5 ug/L	metaTRACE
0 CHLORDANE	LT	1 ug/L	metaTRACE
0 CHLOROPRENE	LT	5 ug/L	metaTRACE
0 PENTACHLOROBENZENE	LT	10 ug/L	metaTRACE
0 PENTACHLOROETHANE	LT	5 ug/L	metaTRACE
0 PENTACHLOROETHANE	LT	10 ug/L	metaTRACE
0 PENTACHLORONITROBENZENE	LT	10 ug/L	metaTRACE
0 HEXACHLOROBENZENE	LT	10 ug/L	metaTRACE
0 HEXACHLOROCYCLOPENTADIENE	LT	10 ug/L	metaTRACE
0 HEXACHLOROETHANE	LT	10 ug/L	metaTRACE
0 COBALT	LT	7 ug/L	metaTRACE
0 CHROMIUM	LT	5 ug/L	metaTRACE
0 CARBON DISULFIDE	LT	5 ug/L	metaTRACE
0 COPPER	LT	10 ug/L	metaTRACE
0 CYANIDE	LT	5 ug/L	metaTRACE
0 CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L	metaTRACE
0 CHLOROETHANE	LT	10 ug/L	metaTRACE
0 BENZENE	LT	5 ug/L	metaTRACE
0 DIBENZ(A,H)ANTHRACENE	LT	10 ug/L	metaTRACE
0 DELTA-BENZENEHEXACHLORIDE	LT	0.05 ug/L	metaTRACE
0 DIBROMOCHLOROMETHANE	LT	5 ug/L	metaTRACE
0 DIETHYL PHTHALATE	LT	10 ug/L	metaTRACE
0 DILLATE	LT	10 ug/L	metaTRACE
0 DIBENZOFURAN	LT	10 ug/L	metaTRACE
0 DIMETHOATE	LT	10 ug/L	metaTRACE
0 DISULFOTON	LT	10 ug/L	metaTRACE
0 DICLDRIN	LT	0.10 ug/L	metaTRACE
0 DIMETHYL PHTHALATE	LT	10 ug/L	metaTRACE
0 DI-N-BUTYL PHTHALATE	LT	10 ug/L	metaTRACE
1 DI-N-OCTYL PHTHALATE		1 ug/L	metaTRACE
0 DIPHENYLAMINE	LT	10 ug/L	metaTRACE
0 ETHYL METHANESULFONATE	LT	10 ug/L	metaTRACE
0 ENDORIN ALDEHYDE	LT	0.20 ug/L	metaTRACE
0 ENDORIN	LT	0.10 ug/L	metaTRACE
0 ENDOSULFAM I	LT	0.05 ug/L	metaTRACE
0 ENDOSULFAM II	LT	0.10 ug/L	metaTRACE
0 ENDOSULFAM SULFATE	LT	0.10 ug/L	metaTRACE
0 ETHYLBENZENE	LT	5 ug/L	metaTRACE
0 ETHYL METHACRYLATE	LT	5 ug/L	metaTRACE
0 ETHYL METHACRYLATE	LT	10 ug/L	metaTRACE
0 FLUORIDE	LT	250 ug/L	metaTRACE
0 FAMPUR	LT	10 ug/L	metaTRACE
0 FLUORANTHENE	LT	10 ug/L	metaTRACE
0 IRON	LT	37 ug/L	metaTRACE
0 FLUORENE	LT	10 ug/L	metaTRACE
0 HEXACHLOROBUTADIENE	LT	10 ug/L	metaTRACE
0 HEXACHLOROPROPENE	LT	10 ug/L	metaTRACE
0 MERCURY	LT	0.20 ug/L	metaTRACE
0 HEPTACHLOR	LT	0.05 ug/L	metaTRACE
0 HEPTACHLOR EPOXIDE	LT	0.05 ug/L	metaTRACE
0 INDENO(1,2,3-C,D)PYRENE	LT	10 ug/L	metaTRACE
0 IODOMETHANE	LT	5 ug/L	metaTRACE
0 ISOSAFROLE	LT	10 ug/L	metaTRACE
0 ISODRIN	LT	10 ug/L	metaTRACE
0 ISOPHORONE	LT	10 ug/L	metaTRACE
0 POTASSIUM	LT	2000 ug/L	metaTRACE
0 LINDANE	LT	0.05 ug/L	metaTRACE
0 M-CRESOL	LT	10 ug/L	metaTRACE
0 METHACRYLONITRILE	LT	5 ug/L	metaTRACE
0 TOLUENE	LT	5 ug/L	metaTRACE
0 METHYLETHYL KETONE	LT	10 ug/L	metaTRACE
0 METHYL METHACRYLATE	LT	5 ug/L	metaTRACE
0 METHYL METHANE SULFONATE	LT	10 ug/L	metaTRACE
0 METHOXYCHLOR	LT	0.05 ug/L	metaTRACE
0 MAGNESIUM	LT	353 ug/L	metaTRACE
0 MANGANESE	LT	3 ug/L	metaTRACE
0 METHAPYRILENE	LT	10 ug/L	metaTRACE
1 SODIUM		78900 ug/L	metaTRACE
0 NAPHTHALENE	LT	10 ug/L	metaTRACE
0 NITROBENZENE	LT	10 ug/L	metaTRACE
0 N-NITROSODIMETHYLAMINE	LT	10 ug/L	metaTRACE
0 N-NITROSODI-N-BUTYLAMINE	LT	10 ug/L	metaTRACE
0 N-NITROSODI-PROPYLAMINE	LT	10 ug/L	metaTRACE
0 N-NITROSODIETHYLAMINE	LT	10 ug/L	metaTRACE
0 N-NITROSODIETHYLAMINE	LT	10 ug/L	metaTRACE
1 NICKEL		13 ug/L	metaTRACE
0 N-NITROSOMORPHOLINE	LT	10 ug/L	metaTRACE
0 N-NITROSODIPHENYLAMINE	LT	10 ug/L	metaTRACE
0 N-NITROSOPIPERIDINE	LT	10 ug/L	metaTRACE
0 N-NITROSOPYRROLIDINE	LT	10 ug/L	metaTRACE
1 NITRATE AS NITROGEN		6700 ug/L	metaTRACE
0 4-NITROQUINOLINE-1-OXIDE	LT	10 ug/L	metaTRACE
0 O-TOLUIDINE	LT	10 ug/L	metaTRACE
0 LEAD	LT	3 ug/L	metaTRACE
0 PCB 1016	LT	0.50 ug/L	metaTRACE
0 PCB 1221	LT	0.50 ug/L	metaTRACE
0 PCB 1232	LT	0.50 ug/L	metaTRACE
0 PCB 1242	LT	0.50 ug/L	metaTRACE
0 PCB 1248	LT	0.50 ug/L	metaTRACE
0 PCB 1254	LT	1 ug/L	metaTRACE
0 PCB 1260	LT	1 ug/L	metaTRACE
0 PENTACHLOROPHENOL	LT	50 ug/L	metaTRACE
0 P-PHENYLENEDIAMINE	LT	10 ug/L	metaTRACE
0 P-DIMETHYLAMINOAZOBENZENE	LT	10 ug/L	metaTRACE
0 PHENACETIN	LT	10 ug/L	metaTRACE
0 PHENANTHRENE	LT	10 ug/L	metaTRACE
0 PHENOLS	LT	5 ug/L	metaTRACE
0 PHENOLS	LT	10 ug/L	metaTRACE
0 PHOSPHATE	LT	10 ug/L	metaTRACE
0 2,2-BIS(4-CHLOROPHENYL)-1,1-DCE	LT	0.10 ug/L	metaTRACE
0 2,2-BIS(4-CHLOROPHENYL)-1,1-DCE	LT	0.10 ug/L	metaTRACE
0 2,2-BIS(4-CHLOROPHENYL)-1,1,1-TCE	LT	0.10 ug/L	metaTRACE

CONTINUED

WELL Y5B 3A COLLECTED ON 09/04/89 LABORATORY ANALYSES CONTINUED

0 PRONAMIDE	LT	10 ug/L	metaTRACE
0 PROPIONITRILE	LT	5 ug/L	metaTRACE
0 PARATHION	LT	10 ug/L	metaTRACE
0 PARATHION METHYL	LT	10 ug/L	metaTRACE
0 PYRENE	LT	10 ug/L	metaTRACE
0 PYRITINE	LT	10 ug/L	metaTRACE
0 SAFROLE	LT	10 ug/L	metaTRACE
0 ANTIMONY	LT	10 ug/L	metaTRACE
0 2-SEC-BUTYL-4,6-DINITROPHENOL	LT	10 ug/L	metaTRACE
0 SELENIUM	LT	2 ug/L	metaTRACE
1 SILICON		2503 ug/L	metaTRACE
0 SILVER	LT	0.07 ug/L	metaTRACE
0 TIN	LT	100 ug/L	metaTRACE
1 SULFATE		16300 ug/L	metaTRACE
0 STYRENE	LT	5 ug/L	metaTRACE
0 SULFIDE	LT	1000 ug/L	metaTRACE
0 1,2,4,5-TETRACHLOROBENZENE	LT	10 ug/L	metaTRACE
0 1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,1,1,2-TETRACHLOROETHANE	LT	5 ug/L	metaTRACE
0 TETRACHLOROETHYLENE	LT	10.0 ug/L	metaTRACE
0 TETRAETHYL DITHIOPYRPHOSPHATE	LT	10 ug/L	metaTRACE
0 0,0,0-TRIETHYL PHOSPHOROTHIOATE	LT	10 ug/L	metaTRACE
0 THIONAZIN	LT	10 ug/L	metaTRACE
0 THALLIUM	LT	10 ug/L	metaTRACE
0 TOTAL ORGANIC CARBON	LT	1000 ug/L	metaTRACE
1 TOTAL ORGANIC HALOGENS		20 ug/L	metaTRACE
0 TOTAL PHOSPHATES	LT	109 ug/L	metaTRACE
0 TRICHLOROETHYLENE	LT	10.0 ug/L	metaTRACE
0 TOXAPHENE	LT	1 ug/L	metaTRACE
0 TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0 TRANS-1,4-DICHLORO-2-BUTENE	LT	10 ug/L	metaTRACE
0 VANADIUM	LT	5 ug/L	metaTRACE
0 VINYL ACETATE	LT	5 ug/L	metaTRACE
0 XYLENES	LT	5 ug/L	metaTRACE
0 1-NAPHTHYLAMINE	LT	10 ug/L	metaTRACE
0 1,1-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0 1,1-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,1,1-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,1,2-TRICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,2-DIBROMOETHANE	LT	5 ug/L	metaTRACE
0 1,2-DIBROMO-3-CHLOROPROPANE	LT	10 ug/L	metaTRACE
0 1,2-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0 1,2-DICHLOROBENZENE	LT	10 ug/L	metaTRACE
0 1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0 1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0 1,2,3-TRICHLOROPROPANE	LT	5 ug/L	metaTRACE
0 1,2,4-TRICHLOROBENZENE	LT	10 ug/L	metaTRACE
0 1,3-DICHLOROBENZENE	LT	10 ug/L	metaTRACE
0 CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
0 1,4-BENZOQUINONE	LT	10 ug/L	metaTRACE
0 1,4-DICHLOROBENZENE	LT	10 ug/L	metaTRACE
0 1,4-DIOXANE	LT	10 ug/L	metaTRACE
0 1,4-NAPHTHOQUINONE	LT	10 ug/L	metaTRACE
0 2-ACETYLAMINOFLUORENE	LT	10 ug/L	metaTRACE
0 2-CHLOROPHENOL	LT	10 ug/L	metaTRACE
0 2-CHLORONAPHTHALENE	LT	10 ug/L	metaTRACE
0 2-HEXANONE	LT	10 ug/L	metaTRACE
0 2-METHYLNAPHTHALENE	LT	10 ug/L	metaTRACE
0 2-NAPHTHYLAMINE	LT	10 ug/L	metaTRACE
0 2-NITROPHENOL	LT	10 ug/L	metaTRACE
0 2-PICOLINE	LT	10 ug/L	metaTRACE
0 2,3,4,6-TETRACHLOROPHENOL	LT	10 ug/L	metaTRACE
0 2,4-DICHLOROPHENOXACETIC ACID	LT	12 ug/L	metaTRACE
0 2,4-DICHLOROPHENOXACETIC ACID	LT	0.46 ug/L	metaTRACE
0 2,4-DICHLOROPHENOL	LT	10 ug/L	metaTRACE
0 2,4-DIMETHYL PHENOL	LT	10 ug/L	metaTRACE
0 2,4-DINITROPHENOL	LT	50 ug/L	metaTRACE
0 2,4-DINITROPHENOL	LT	10 ug/L	metaTRACE
0 2,4,5-TRICHLOROPHENOXACETIC ACID	LT	0.07 ug/L	metaTRACE
0 2,4,5-TRICHLOROPHENOL	LT	10 ug/L	metaTRACE
0 2,4,6-TRICHLOROPHENOL	LT	10 ug/L	metaTRACE
0 2,6-DICHLOROPHENOL	LT	10 ug/L	metaTRACE
0 2,6-DINITROTOLUENE	LT	10 ug/L	metaTRACE
0 3-METHYLNOLANTHRENE	LT	10 ug/L	metaTRACE
0 3,3-DICHLOROBENZIDINE	LT	20 ug/L	metaTRACE
0 3,3-DIMETHYLBENZIDINE	LT	10 ug/L	metaTRACE
0 4-AMINOPHENYL	LT	10 ug/L	metaTRACE
0 4-BROMOPHENYLPHENYL ETHER	LT	10 ug/L	metaTRACE
0 4-CHLOROPHENYLPHENYL ETHER	LT	10 ug/L	metaTRACE
0 4-CHLORO-3-METHYLPHENOL	LT	10 ug/L	metaTRACE
0 4-METHYL-2-PENTANONE	LT	10 ug/L	metaTRACE
0 4-NITROPHENOL	LT	10 ug/L	metaTRACE
0 7,12-DIMETHYLBENZ(A)ANTHRACENE	LT	10 ug/L	metaTRACE
0 ZINC	LT	17 ug/L	metaTRACE
0 CROSS ALPHA	LT	4 pCi/L	metaTRACE
0 NONVOLATILE BETA	LT	7 pCi/L	metaTRACE
0 TOTAL RADIUM	LT	1 pCi/L	metaTRACE
0 TRITIUM		3.20+-0.40 pCi/mL	metaTRACE

WELL YSB 4A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/04/89 Time 1415
 Depth to water = 27.43 ft (8.36 m) below the TOC
 Water elevation = 117.17 ft (35.71 m) msl
 pH = 5.4 Alkalinity = 15 mg/L
 Specific conductance = 112 umhos/cm
 Water temperature = 21.9 degrees Celsius
 Water evacuated from the well prior to sampling = 51 gal

LABORATORY ANALYSES

1	SPECIFIC CONDUCTANCE	105.5 UMMC	metaTRACE
1	SPECIFIC CONDUCTANCE	105.5 UMMC	metaTRACE
0	HEPTACHLORODIBENZODIOXINS	LT	0.70 ng/L metaTRACE
0	HEPTACHLORODIBENZOFURANS	LT	0.90 ng/L metaTRACE
0	HEXACHLORODIBENZODIOXINS	LT	0.90 ng/L metaTRACE
0	HEXACHLORODIBENZOFURANS	LT	0.80 ng/L metaTRACE
0	ORTHOCHELORODIBENZODIOXINS	LT	1 ng/L metaTRACE
0	ORTHOCHELORODIBENZOFURANS	LT	0.80 ng/L metaTRACE
0	PENTACHLORODIBENZODIOXINS	LT	0.80 ng/L metaTRACE
0	PENTACHLORODIBENZOFURANS	LT	1 ng/L metaTRACE
0	PH	5.47 pH	metaTRACE
0	TETRACHLORODIBENZODIOXIN	LT	0.90 ng/L metaTRACE
0	TETRACHLORODIBENZOFURAN	LT	1 ng/L metaTRACE
0	A,A-DIMETHYLPHENETHYLAMINE	LT	10 ug/L metaTRACE
0	ALPHA-BENZENEHEXACHLORIDE	LT	0.05 ug/L metaTRACE
0	ACETONE	LT	10 ug/L metaTRACE
0	ACETOPHENONE	LT	10 ug/L metaTRACE
0	ACROLEIN	LT	100 ug/L metaTRACE
0	ACRYLONITRILE	LT	5 ug/L metaTRACE
0	SILVER	LT	2 ug/L metaTRACE
0	ALUMINUM	LT	37 ug/L metaTRACE
0	ALDRIN	LT	0.05 ug/L metaTRACE
0	ACENAPHTHENE	LT	10 ug/L metaTRACE
0	ACENAPHTHYLENE	LT	10 ug/L metaTRACE
0	ANTHRACENE	LT	10 ug/L metaTRACE
0	ARSENIC	LT	3 ug/L metaTRACE
0	ALLYL CHLORIDE	LT	100 ug/L metaTRACE
0	AZOBENZENE	LT	10 ug/L metaTRACE
0	BARIUM	LT	25 ug/L metaTRACE
0	BENZO(A)ANTHRACENE	LT	10 ug/L metaTRACE
0	BENZO(A)PYRENE	LT	10 ug/L metaTRACE
0	BETA-BENZENEHEXACHLORIDE	LT	0.05 ug/L metaTRACE
0	BUTYLBENZYL PHTHALATE	LT	10 ug/L metaTRACE
0	BIS(CHLOROMETHYL-ETHYL)ETHER	LT	10 ug/L metaTRACE
0	BERYLLIUM	LT	1 ug/L metaTRACE
0	BENZIDINE	LT	50 ug/L metaTRACE
0	BENZOIC ACID	LT	50 ug/L metaTRACE
0	BENZO BIFLUOROANTHENE	LT	10 ug/L metaTRACE
0	BENZO(G,H,I)PERYLENE	LT	10 ug/L metaTRACE
0	BENZO(K)FLUOROANTHENE	LT	10 ug/L metaTRACE
0	BROMODICHLOROMETHANE	LT	5 ug/L metaTRACE
0	BENZYL ALCOHOL	LT	10 ug/L metaTRACE
0	BIS(2-CHLOROETHOXY) METHANE	LT	10 ug/L metaTRACE
0	BIS(2-CHLOROISOPROPYL) ETHER	LT	10 ug/L metaTRACE
0	BIS(2-CHLOROETHYL) ETHER	LT	10 ug/L metaTRACE
1	BIS(2-ETHYLHEXYL) PHTHALATE	LT	5 ug/L metaTRACE
0	CALCIUM	3791 ug/L	metaTRACE
0	DICHLORODIFLUOROMETHANE	LT	5 ug/L metaTRACE
0	TRICHLOROFUOROMETHANE	LT	5 ug/L metaTRACE
0	CARBON TETRACHLORIDE	LT	5.00 ug/L metaTRACE
0	CADMIUM	LT	4 ug/L metaTRACE
0	BROMOFORM	LT	5 ug/L metaTRACE
0	CHLOROFORM	LT	5 ug/L metaTRACE
0	CHRYSENE	LT	10 ug/L metaTRACE
0	METHYLENE BROMIDE	LT	10 ug/L metaTRACE
0	METHYLENE CHLORIDE	LT	5 ug/L metaTRACE
0	BROMOMETHANE	LT	5 ug/L metaTRACE
0	CHLOROMETHANE	LT	10 ug/L metaTRACE
0	ACETONITRILE (METHYL CYANIDE)	LT	100 ug/L metaTRACE
1	CHLORIDE	10300 ug/L	metaTRACE
0	CHLOROBENZILATE	LT	10 ug/L metaTRACE
0	CHLOROBENZENE	LT	5 ug/L metaTRACE
0	CHLORDANE	LT	1 ug/L metaTRACE
0	CHLOROPRENE	LT	5 ug/L metaTRACE
0	PENTACHLOROBENZENE	LT	10 ug/L metaTRACE
0	PENTACHLOROETHANE	LT	5 ug/L metaTRACE
0	PENTACHLOROETHANE	LT	10 ug/L metaTRACE
0	PENTACHLOR-NITROBENZENE	LT	10 ug/L metaTRACE
0	HEXACHLOROBENZENE	LT	10 ug/L metaTRACE
0	HEXACHLORO-CYCLOPENTADIENE	LT	10 ug/L metaTRACE
0	HEXACHLOROETHANE	LT	10 ug/L metaTRACE
0	COBALT	LT	7 ug/L metaTRACE
0	CHROMIUM	LT	5 ug/L metaTRACE
0	CARBON DISULFIDE	LT	5 ug/L metaTRACE
0	COPPER	LT	10 ug/L metaTRACE
0	CYANIDE	LT	5 ug/L metaTRACE
0	CHLOROETHENE (VINYL CHLORIDE)	LT	5 ug/L metaTRACE
0	CHLOROETHANE	LT	10 ug/L metaTRACE
0	BENZENE	LT	5 ug/L metaTRACE
0	DIBENZ(A,H)ANTHRACENE	LT	10 ug/L metaTRACE
0	DELTA-BENZENEHEXACHLORIDE	LT	0.05 ug/L metaTRACE
0	DIBROMOCHLOROMETHANE	LT	5 ug/L metaTRACE
0	DICHTYL PHTHALATE	LT	10 ug/L metaTRACE
0	DIALATE	LT	10 ug/L metaTRACE
0	DIBENZOFURAN	LT	10 ug/L metaTRACE
0	DIMETHOATE	LT	10 ug/L metaTRACE
0	DISULFOTON	LT	10 ug/L metaTRACE
0	DICLORIN	LT	0.10 ug/L metaTRACE
0	DIMETHYL PHTHALATE	LT	10 ug/L metaTRACE
0	DI-N-BUTYL PHTHALATE	LT	10 ug/L metaTRACE
0	DI-N-OCTYL PHTHALATE	LT	10 ug/L metaTRACE
0	DIPHENYLAMINE	LT	10 ug/L metaTRACE
0	ETHYL METHANESULFONATE	LT	10 ug/L metaTRACE
0	ENDRIN ALDEHYDE	LT	0.20 ug/L metaTRACE
0	ENDRIN	LT	0.10 ug/L metaTRACE
0	ENDOSULFAN I	LT	0.05 ug/L metaTRACE

CONTINUED

WELL YSB 4A COLLECTED ON 09/04/89 LABORATORY ANALYSES CONTINUED

0	ENDOSULFAN II	LT	0.10 ug/L metaTRACE
0	ENDOSULFAN SULFATE	LT	0.10 ug/L metaTRACE
0	ETHYLBENZENE	LT	5 ug/L metaTRACE
0	ETHYL METHACRYLATE	LT	5 ug/L metaTRACE
0	ETHYL METHACRYLATE	LT	10 ug/L metaTRACE
0	FLUORIDE	LT	250 ug/L metaTRACE
0	FAMPHUR	LT	10 ug/L metaTRACE
0	FLUORANTHENE	LT	10 ug/L metaTRACE
0	IRON	LT	79 ug/L metaTRACE
0	FLUORENE	LT	10 ug/L metaTRACE
0	HEXACHLOROBUTADIENE	LT	10 ug/L metaTRACE
0	HEXACHLOROPROPENE	LT	10 ug/L metaTRACE
0	MERCURY	LT	0.23 ug/L metaTRACE
0	HEPTACHLOR	LT	0.05 ug/L metaTRACE
0	HEPTACHLOR EPOXIDE	LT	0.05 ug/L metaTRACE
0	INDENO(1,2,3-C,D)PYRENE	LT	10 ug/L metaTRACE
0	ISODMETHANE	LT	5 ug/L metaTRACE
0	ISOSAFROLE	LT	10 ug/L metaTRACE
0	ISODRIN	LT	10 ug/L metaTRACE
0	ISOPHORENE	LT	10 ug/L metaTRACE
0	POTASSIUM	LT	2000 ug/L metaTRACE
0	LINDANE	LT	0.05 ug/L metaTRACE
0	M-CRESOL	LT	10 ug/L metaTRACE
0	METHACRYLONITRILE	LT	5 ug/L metaTRACE
0	TOLUENE	LT	5 ug/L metaTRACE
0	METHYLETHYL KETONE	LT	10 ug/L metaTRACE
0	METHYL METHACRYLATE	LT	5 ug/L metaTRACE
0	METHYL METHANE SULFONATE	LT	10 ug/L metaTRACE
0	METHOXYCHLOR	LT	0.05 ug/L metaTRACE
0	MAGNESIUM	LT	829 ug/L metaTRACE
0	MANGANESE	LT	13 ug/L metaTRACE
0	METHAPYRILENE	LT	10 ug/L metaTRACE
1	SODIUM	13610 ug/L	metaTRACE
0	NAPHTHALENE	LT	10 ug/L metaTRACE
0	NITROBENZENE	LT	10 ug/L metaTRACE
0	N-NITROSODIMETHYLAMINE	LT	10 ug/L metaTRACE
0	N-NITROSODI-N-BUTYLAMINE	LT	10 ug/L metaTRACE
0	N-NITROSODI-PROPYLAMINE	LT	10 ug/L metaTRACE
0	N-NITROSODIETHYLAMINE	LT	10 ug/L metaTRACE
0	N-NITROETHYLETHYLAMINE	LT	10 ug/L metaTRACE
1	NICKEL	18 ug/L	metaTRACE
0	N-NITROSOMORPHOLINE	LT	10 ug/L metaTRACE
1	N-NITROSODIPHENYLAMINE	J	1 ug/L metaTRACE
0	N-NITROSOPIPERIDINE	LT	10 ug/L metaTRACE
0	N-NITROSOPYRROLIDINE	LT	10 ug/L metaTRACE
1	NITRATE AS NITROGEN	6500 ug/L	metaTRACE
0	4-NITROQUINOLINE-1-OXIDE	LT	10 ug/L metaTRACE
0	O-TOLUIDINE	LT	10 ug/L metaTRACE
0	LEAD	LT	3 ug/L metaTRACE
0	PCB 1016	LT	0.50 ug/L metaTRACE
0	PCB 1221	LT	0.50 ug/L metaTRACE
0	PCB 1232	LT	0.50 ug/L metaTRACE
0	PCB 1242	LT	0.50 ug/L metaTRACE
0	PCB 1248	LT	0.50 ug/L metaTRACE
0	PCB 1254	LT	1 ug/L metaTRACE
0	PCB 1260	LT	1 ug/L metaTRACE
0	PENTACHLOROPHENOL	LT	50 ug/L metaTRACE
0	P-PHENYLENEDIAMINE	LT	10 ug/L metaTRACE
0	P-DIMETHYLAMINOAZOBENZENE	LT	10 ug/L metaTRACE
0	PHENACETIN	LT	10 ug/L metaTRACE
0	PHENANTHRENE	LT	5 ug/L metaTRACE
0	PHENOLS	LT	10 ug/L metaTRACE
0	PHENOLS	LT	10 ug/L metaTRACE
0	PHORATE	LT	10 ug/L metaTRACE
0	2,2-BIS(4-CHLOROPHENYL)-1,1-DCE	LT	0.10 ug/L metaTRACE
0	2,2-BIS(4-CHLOROPHENYL)-1,1-DCE	LT	0.10 ug/L metaTRACE
0	2,2-BIS(4-CHLOROPHENYL)-1,1,1-TCE	LT	0.10 ug/L metaTRACE
0	PROXAMIDE	LT	10 ug/L metaTRACE
0	PROPIONITRILE	LT	5 ug/L metaTRACE
0	PARATHION	LT	10 ug/L metaTRACE
0	PARATHION METHYL	LT	10 ug/L metaTRACE
0	PYRENE	LT	10 ug/L metaTRACE
0	PYRIDINE	LT	10 ug/L metaTRACE
0	SAPROLE	LT	10 ug/L metaTRACE
0	ANTIMONY	LT	10 ug/L metaTRACE
0	2-SEC-BUTYL-4,6-DINITROPHENOL	LT	10 ug/L metaTRACE
0	SELENIUM	LT	2 ug/L metaTRACE
1	SILICON	4125 ug/L	metaTRACE
0	SILVEX	LT	0.07 ug/L metaTRACE
0	TIN	LT	100 ug/L metaTRACE
0	SULFATE	LT	3100 ug/L metaTRACE
0	STYRENE	LT	5 ug/L metaTRACE
0	SULFIDE	LT	1000 ug/L metaTRACE
0	SULFIDE	LT	1000 ug/L metaTRACE
0	1,2,4,5-TETRACHLOROBENZENE	LT	10 ug/L metaTRACE
0	1,1,2,2-TETRACHLOROETHANE	LT	5 ug/L metaTRACE
0	1,1,1,2-TETRACHLOROETHANE	LT	5 ug/L metaTRACE
0	TETRACHLOROETHYLENE	LT	10.0 ug/L metaTRACE
U	TETRAETHYL DITHIOPYRPHOSPHATE	LT	10 ug/L metaTRACE
U	O,O,O-TRIETHYL PHOSPHOROTHIOATE	LT	10 ug/L metaTRACE
0	THIOAZIN	LT	10 ug/L metaTRACE
0	THALLIUM	LT	10 ug/L metaTRACE
0	TOTAL ORGANIC CARBON	LT	1000 ug/L metaTRACE
1	TOTAL ORGANIC HALOGENS	13 ug/L	metaTRACE
0	TOTAL PHOSPHATES	LT	210 ug/L metaTRACE
0	TRICHLOROETHYLENE	LT	10.0 ug/L metaTRACE
0	TOLAPHENE	LT	1 ug/L metaTRACE
0	TRANS-1,3-DICHLOROPROPENE	LT	5 ug/L metaTRACE
0	TRANS-1,4-DICHLORO-2-BUTENE	LT	10 ug/L metaTRACE
0	VANADIUM	LT	5 ug/L metaTRACE
0	VINYL ACETATE	LT	5 ug/L metaTRACE
0	XYLENES	LT	5 ug/L metaTRACE
0	1-NAPHTHYLAMINE	LT	10 ug/L metaTRACE
0	1,1-DICHLOROETHYLENE	LT	5 ug/L metaTRACE
0	1,1-DICHLOROETHANE	LT	5 ug/L metaTRACE
0	1,1,1-TRICHLOROETHANE	LT	5 ug/L metaTRACE
0	1,1,2-TRICHLOROETHANE	LT	5 ug/L metaTRACE
0	1,2-DIBROMOETHANE	LT	10 ug/L metaTRACE

CONTINUED

WELL Y5B 4A COLLECTED ON 09/04/89 LABORATORY ANALYSES CONTINUED

0	1,2-DICHLOROETHYLENE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROBENZENE	LT	10 ug/L	metaTRACE
0	1,2-DICHLOROETHANE	LT	5 ug/L	metaTRACE
0	1,2-DICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	1,2,3-TRICHLOROPROPANE	LT	5 ug/L	metaTRACE
0	1,2,4-TRICHLOROBENZENE	LT	10 ug/L	metaTRACE
0	1,3-DICHLOROBENZENE	LT	10 ug/L	metaTRACE
0	CIS-1,3-DICHLOROPROPENE	LT	5 ug/L	metaTRACE
7	1,4-BENZOQUINONE	LT	10 ug/L	metaTRACE
0	1,4-DICHLOROBENZENE	LT	10 ug/L	metaTRACE
0	1,4-DIOXANE	LT	10 ug/L	metaTRACE
0	1,4-NAPHTHOQUINONE	LT	10 ug/L	metaTRACE
0	2-ACETYLAMINOFLOURENE	LT	10 ug/L	metaTRACE
0	2-CHLOROPHENOL	LT	10 ug/L	metaTRACE
0	2-CHLORONAPHTHALENE	LT	10 ug/L	metaTRACE
0	2-HEXANONE	LT	10 ug/L	metaTRACE
0	2-METHYLNAPHTHALENE	LT	10 ug/L	metaTRACE
0	2-NAPHTHYLAMINE	LT	10 ug/L	metaTRACE
0	2-NITROPHENOL	LT	10 ug/L	metaTRACE
0	2-PICOLINE	LT	10 ug/L	metaTRACE
0	2,3,4,6-TETRACHLOROPHENOL	LT	10 ug/L	metaTRACE
0	2,4-DICHLOROPHENOXYACETIC ACID	LT	12 ug/L	metaTRACE
0	2,4-DICHLOROPHENOXYACETIC ACID	LT	0.46 ug/L	metaTRACE
0	2,4-DICHLOROPHENOL	LT	10 ug/L	metaTRACE
0	2,4-DIMETHYLPHENOL	LT	10 ug/L	metaTRACE
0	2,4-DINITROPHENOL	LT	50 ug/L	metaTRACE
0	2,4-DINITROTOLUENE	LT	10 ug/L	metaTRACE
0	2,4,5-TRICHLOROPHENOXYACETIC ACID	LT	0.07 ug/L	metaTRACE
0	2,4,5-TRICHLOROPHENOL	LT	10 ug/L	metaTRACE
0	2,4,6-TRICHLOROPHENOL	LT	10 ug/L	metaTRACE
0	2,6-DICHLOROPHENOL	LT	10 ug/L	metaTRACE
0	2,6-DINITROTOLUENE	LT	10 ug/L	metaTRACE
0	3-METHYLCYCLOANTHRENE	LT	10 ug/L	metaTRACE
0	3,3-DICHLOROBENZIDINE	LT	20 ug/L	metaTRACE
0	3,3-DIMETHYLBENZIDINE	LT	10 ug/L	metaTRACE
0	4-AMINOBIOPHENYL	LT	10 ug/L	metaTRACE
0	4-BROMOPHENYLPHENYL ETHER	LT	10 ug/L	metaTRACE
0	4-CHLOROANILINE	LT	10 ug/L	metaTRACE
0	4-CHLOROPHENYLPHENYL ETHER	LT	10 ug/L	metaTRACE
0	4-CHLORO-3-METHYLPHENOL	LT	10 ug/L	metaTRACE
0	4-METHYL-2-PENTANONE	LT	10 ug/L	metaTRACE
0	4-NITROPHENOL	LT	10 ug/L	metaTRACE
0	7,12-DIMETHYLBENZ(A)ANTHRACENE	LT	10 ug/L	metaTRACE
0	ZINC	LT	35 ug/L	metaTRACE
0	GROSS ALPHA	LT	4 pCi/L	metaTRACE
0	NONVOLATILE BETA	LT	5 pCi/L	metaTRACE
0	TOTAL RADIUM	LT	1 pCi/L	metaTRACE
0	TRITIUM	LT	3.30+-0.40 pCi/mL	metaTRACE

WELL Z 8

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/19/89 Time 1215
 Depth to water = 63.70 ft (19.42 m) below the TOC
 Water elevation = 216.30 ft (65.93 m) msl
 pH = 5.9
 Specific conductance = 118 umhos/cm
 Water temperature = 20.8 degrees Celsius
 No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

0	GROSS ALPHA	4.41+-1.40 pCi/L	HP, 735A
0	NONVOLATILE BETA	5.15+-1.52 pCi/L	HP, 735A
1	TRITIUM	14.50+-1.09 pCi/mL	HP, 735A

WELL Z 9

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/19/89 Time 1140
 Depth to water = 66.30 ft (20.21 m) below the TOC
 Water elevation = 213.20 ft (64.98 m) msl
 pH = 5.3
 Specific conductance = 37 umhos/cm
 Water temperature = 20.8 degrees Celsius
 No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

0	GROSS ALPHA	2.70+-0.91 pCi/L	HP, 735A
0	NONVOLATILE BETA	1.85+-0.85 pCi/L	HP, 735A
1	TRITIUM	10.00+-0.99 pCi/mL	HP, 735A

WELL Z80 1

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/16/89 Time 1425
 Depth to water = 58.85 ft (17.94 m) below the TOC
 Water elevation = 232.24 ft (70.79 m) msl
 pH = 5.4 Alkalinity = 2 mg/L
 Specific conductance = 28 umhos/cm
 Water temperature = 20.6 degrees Celsius
 Water evacuated from the well prior to sampling = 34 gal

LABORATORY ANALYSES

0	SILVER	LT	2 ug/L	Gen. Eng.
0	ALUMINUM		42 ug/L	Gen. Eng.
0	ARSENIC	LT	2 ug/L	Gen. Eng.
0	BARIUM		16 ug/L	Gen. Eng.
0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	TRICHLOROFLUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	CADMIUM	LT	2 ug/L	Gen. Eng.
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
1	METHYLENE CHLORIDE		3 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHROMIUM	LT	4 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	MERCURY	LT	0.20 ug/L	Gen. Eng.
0	TOLUENE	LT	1 ug/L	Gen. Eng.
0	NITRITE AS NITROGEN	LT	10 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN		1450 ug/L	Gen. Eng.
0	LEAD		16 ug/L	Gen. Eng.
0	ANTIMONY	LT	3 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0	GROSS ALPHA		3 pCi/L	Gen. Eng.
0	BARIUM-140		20 pCi/L	Teledyne
0	NONVOLATILE BETA	LT	2 pCi/L	Gen. Eng.
0	BERYLLIUM-7	LT	40 pCi/L	Teledyne
0	CERIUM-141	LT	10 pCi/L	Teledyne
0	CERIUM-144	LT	30 pCi/L	Teledyne
0	COBALT-58	LT	4 pCi/L	Teledyne
0	COBALT-60	LT	4 pCi/L	Teledyne
0	CESIUM-134	LT	4 pCi/L	Teledyne
0	CESIUM-137	LT	4 pCi/L	Teledyne
0	IRON-59	LT	10 pCi/L	Teledyne
0	IODINE-131	LT	60 pCi/L	Teledyne
0	POTASSIUM-40	LT	50 pCi/L	Teledyne
0	MANGANESE-54	LT	4 pCi/L	Teledyne
0	RADIUM-226	LT	80 pCi/L	Teledyne
0	RUTHENIUM-103	LT	6 pCi/L	Teledyne
0	RUTHENIUM-106	LT	30 pCi/L	Teledyne
0	TECHNETIUM-99	LT	3 pCi/L	Teledyne
0	THORIUM-228	LT	7 pCi/L	Teledyne
0	TOTAL RADIUM		1 pCi/L	Gen. Eng.
1	TRITIUM		16.30+-0.51 pCi/mL	Gen. Eng.
0	ZINC-65	LT	8 pCi/L	Teledyne
0	ZIRCONIUM-95	LT	5 pCi/L	Teledyne

WELL Z80 1A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/16/89 Time 1435
 The well was dry.

WELL Z80 2

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/16/89 Time 1340
 Depth to water = 59.35 ft (18.09 m) below the TOC
 Water elevation = 218.85 ft (66.85 m) msl
 pH = 5.3 Alkalinity = 1 mg/L
 Specific conductance = 19 umhos/cm
 Water temperature = 21.0 degrees Celsius
 Water evacuated from the well prior to sampling = 20 gal

LABORATORY ANALYSES

0	SILVER	LT	2 ug/L	Gen. Eng.
0	ALUMINUM	LT	63 ug/L	Gen. Eng.
0	ARSENIC	LT	2 ug/L	Gen. Eng.
0	BARIUM	LT	7 ug/L	Gen. Eng.

CONTINUED

WELL ZUG 2 COLLECTED ON 08/16/89 LABORATORY ANALYSES CONTINUED

0	BROMODICHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	TRICHLOROFUOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CARBON TETRACHLORIDE	LT	1.00 ug/L	Gen. Eng.
0	CADMIUM	LT	2 ug/L	Gen. Eng.
0	BROMOFORM	LT	1 ug/L	Gen. Eng.
0	CHLOROFORM	LT	1 ug/L	Gen. Eng.
0	METHYLENE CHLORIDE	LT	1 ug/L	Gen. Eng.
0	BROMOMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	CHLOROBENZENE	LT	1 ug/L	Gen. Eng.
0	CHROMIUM	LT	4 ug/L	Gen. Eng.
0	CHLOROETHENE (VINYL CHLORIDE)	LT	1 ug/L	Gen. Eng.
0	CHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	BENZENE	LT	1 ug/L	Gen. Eng.
0	DIBROMOCHLOROMETHANE	LT	1 ug/L	Gen. Eng.
0	ETHYLBENZENE	LT	1 ug/L	Gen. Eng.
0	MERCURY	LT	0.20 ug/L	Gen. Eng.
0	TOLUENE	LT	1 ug/L	Gen. Eng.
0	NITRITE AS NITROGEN	LT	10 ug/L	Gen. Eng.
0	NITRATE AS NITROGEN	LT	820 ug/L	Gen. Eng.
0	LEAD	LT	6 ug/L	Gen. Eng.
0	ANTIMONY	LT	3 ug/L	Gen. Eng.
0	SELENIUM	LT	2 ug/L	Gen. Eng.
0	1,1,2,2-TETRACHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	TETRACHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TRICHLOROETHYLENE	LT	1.00 ug/L	Gen. Eng.
0	TRANS-1,2-DICHLOROETHENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHYLENE	LT	1 ug/L	Gen. Eng.
0	1,1-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,1-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,1,2-TRICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROETHANE	LT	1 ug/L	Gen. Eng.
0	1,2-DICHLOROPROPANE	LT	1 ug/L	Gen. Eng.
0	CIS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	TRANS-1,3-DICHLOROPROPENE	LT	1 ug/L	Gen. Eng.
0	2-CHLOROETHYL VINYL ETHER	LT	1 ug/L	Gen. Eng.
0	GROSS ALPHA	LT	3 pCi/L	Gen. Eng.
0	BARIUM-140	LT	20 pCi/L	Teledyne
0	NONVOLATILE BETA	LT	2 pCi/L	Gen. Eng.
0	BERYLLIUM-7	LT	40 pCi/L	Teledyne
0	CERIUM-141	LT	10 pCi/L	Teledyne
0	CERIUM-144	LT	30 pCi/L	Teledyne
0	COBALT-58	LT	3 pCi/L	Teledyne
0	COBALT-60	LT	4 pCi/L	Teledyne
0	CESIUM-134	LT	3 pCi/L	Teledyne
0	CESIUM-137	LT	4 pCi/L	Teledyne
0	IRON-59	LT	10 pCi/L	Teledyne
0	IODINE-131	LT	50 pCi/L	Teledyne
0	POTASSIUM-40	LT	60 pCi/L	Teledyne
0	MANGANESE-54	LT	3 pCi/L	Teledyne
0	RADIUM-226	LT	80 pCi/L	Teledyne
0	RUTHENIUM-103	LT	5 pCi/L	Teledyne
0	RUTHENIUM-106	LT	30 pCi/L	Teledyne
0	TECHNETIUM-99	LT	3 pCi/L	Teledyne
0	THORIUM-232	LT	6 pCi/L	Teledyne
0	TOTAL RADIUM	LT	1.60+-1.90 pCi/L	Gen. Eng.
1	TRITIUM	LT	14.90+-0.52 pCi/mL	Gen. Eng.
0	ZINC-65	LT	8 pCi/L	Teledyne
0	ZIRCONIUM-95	LT	4 pCi/L	Teledyne

WELL ZDT 1

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/09/89 Time 1405
 Depth to water = 29.38 ft (7.74 m) below the TOC
 Water elevation = 239.72 ft (73.07 m) msl
 pH = 5.3 Alkalinity = 2 mg/L
 Specific conductance = 46 umhos/cm
 Water temperature = 19.5 degrees Celsius
 Water evacuated from the well prior to sampling = 60 gal

LABORATORY ANALYSES

0	TOTAL ORGANIC HALOGENS	5 ug/L	Gen. Eng.
2	TRITIUM	29.50+-0.65 pCi/mL	Gen. Eng.

WELL ZDT 2

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/09/89 Time 1335
 Depth to water = 23.77 ft (7.25 m) below the TOC
 Water elevation = 241.23 ft (73.53 m) msl
 pH = 5.3 Alkalinity = 15 mg/L
 Specific conductance = 48 umhos/cm
 Water temperature = 19.1 degrees Celsius
 Water evacuated from the well prior to sampling = 57 gal

LABORATORY ANALYSES

0	TOTAL ORGANIC HALOGENS	9 ug/L	Gen. Eng.
2	TRITIUM	30.90+-0.66 pCi/mL	Gen. Eng.

WELL ZW 5

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/19/89 Time 1315
 Depth to water = 82.50 ft (16.00 m) below the TOC
 Water elevation = 225.30 ft (68.67 m) msl
 pH = 8.3
 Specific conductance = 213 umhos/cm
 Water temperature = 19.9 degrees Celsius
 No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

0	GROSS ALPHA	2.16+-1.29 pCi/L	HP, 735A
0	NONVOLATILE BETA	8.20+-1.80 pCi/L	Gen. Eng.
0	NONVOLATILE BETA	3.47+-1.92 pCi/L	HP, 735A
0	NONVOLATILE BETA	220+- 80 pCi/L	metaTRACE
2	TRITIUM	82.90+-1.02 pCi/mL	Gen. Eng.
2	TRITIUM	73.00+-2.07 pCi/mL	HP, 735A
2	TRITIUM	82 pCi/mL	metaTRACE

WELL ZW 10

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/20/89 Time 1300
 Depth to water = 51.20 ft (15.61 m) below the TOC
 Water elevation = 249.20 ft (75.96 m) msl
 pH = 8.0
 Specific conductance = 113 umhos/cm
 Water temperature = 22.0 degrees Celsius
 No water was evacuated from the well prior to sampling.

LABORATORY ANALYSES

1	GROSS ALPHA	6.00+-1.65 pCi/L	HP, 735A
1	NONVOLATILE BETA	11.95+-2.42 pCi/L	HP, 735A
2	TRITIUM	90.20+-2.26 pCi/mL	HP, 735A

WATER-LEVEL DATA

This section presents water-level measurements taken in the third quarter of 1989. These data were collected by Jeff Bullard, Bonnie Bullard, and Jack Bullard of Ge-Hy Sampling of New Ellenton, South Carolina. The data were collected at the request of site custodians to assist in hydrogeologic interpretations. Only water levels were measured. No field measurements of water quality were done. Some wells that are not routinely monitored for the EHP Groundwater Monitoring Program are included in these data.

WELL ABP 1A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/29/89 Time 956
Depth to water = 141.00 ft (42.98 m) below the TOC
Water elevation = 218.90 ft (66.72 m) msl

WELL ABP 100

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/29/89 Time 956
Depth to water = 140.90 ft (42.82 m) below the TOC
Water elevation = 219.60 ft (66.93 m) msl

WELL ABP 2A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/29/89 Time 1010
Depth to water = 134.27 ft (47.02 m) below the TOC
Water elevation = 217.63 ft (66.33 m) msl

WELL ABP 200

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/29/89 Time 1010
Depth to water = 153.23 ft (46.71 m) below the TOC
Water elevation = 217.37 ft (66.26 m) msl

WELL ABP 3

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/29/89 Time 1024
Depth to water = 133.95 ft (40.83 m) below the TOC
Water elevation = 219.75 ft (66.98 m) msl

WELL ABP 3C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/29/89 Time 1025
Depth to water = 149.06 ft (45.43 m) below the TOC
Water elevation = 205.44 ft (62.62 m) msl

WELL ABP 4

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/29/89 Time 1001
Depth to water = 147.64 ft (45.00 m) below the TOC
Water elevation = 216.66 ft (66.04 m) msl

WELL ABP 400

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/29/89 Time 1001
Depth to water = 147.06 ft (44.82 m) below the TOC
Water elevation = 215.64 ft (65.73 m) msl

WELL ABP 60

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/29/89 Time 1013
Depth to water = 147.62 ft (45.00 m) below the TOC
Water elevation = 217.68 ft (66.35 m) msl

WELL ABP 70

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/29/89 Time 1004
Depth to water = 146.16 ft (44.55 m) below the TOC
Water elevation = 218.04 ft (66.46 m) msl

WELL ABP 8C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/29/89 Time 1017
Depth to water = 177.16 ft (54.00 m) below the TOC
Water elevation = 194.94 ft (59.42 m) msl

WELL ABP 80

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/29/89 Time 1015
Depth to water = 153.84 ft (46.89 m) below the TOC
Water elevation = 217.05 ft (66.16 m) msl

WELL ABW 1

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/31/89 Time 1520
Depth to water = 101.54 ft (30.95 m) below the TOC
Water elevation = 223.26 ft (68.05 m) msl

WELL AC 1A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/30/89 Time 846
Depth to water = 55.34 ft (16.87 m) below the TOC
Water elevation = 206.76 ft (63.02 m) msl

WELL AC 1B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/30/89 Time

WELL AC 2A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/30/89 Time 1553
Depth to water = 124.54 ft (37.96 m) below the TOC
Water elevation = 220.16 ft (67.11 m) msl

WELL AC 2B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/30/89 Time 1553
Depth to water = 117.72 ft (35.88 m) below the TOC
Water elevation = 227.08 ft (69.21 m) msl

WELL AC 3A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/30/89 Time 831
Depth to water = 94.24 ft (28.72 m) below the TOC
Water elevation = 208.06 ft (63.42 m) msl

WELL AC 3B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/30/89 Time 834
Depth to water = 92.46 ft (28.18 m) below the TOC
Water elevation = 210.04 ft (64.02 m) msl

WELL ACB 1A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/31/89 Time 1622
Depth to water = 123.45 ft (37.63 m) below the TOC
Water elevation = 236.15 ft (71.98 m) msl

WELL ACB 2A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/31/89 Time 1626
Depth to water = 112.75 ft (34.37 m) below the TOC
Water elevation = 237.05 ft (72.25 m) msl

WELL ACB 3A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/31/89 Time 1649
Depth to water = 111.27 ft (33.92 m) below the TOC
Water elevation = 237.03 ft (72.25 m) msl

WELL ACB 4A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/31/89 Time 1653
Depth to water = 121.44 ft (37.02 m) below the TOC
Water elevation = 237.66 ft (72.44 m) msl

WELL AMB 4

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/31/89 Time 1614
Depth to water = 147.10 ft (44.84 m) below the TOC
Water elevation = 233.30 ft (71.11 m) msl

WELL AMB 5

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/31/89 Time 1616
Depth to water = 146.34 ft (44.60 m) below the TOC
Water elevation = 233.26 ft (71.10 m) msl

WELL AMB 6

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/31/89 Time 1614
Depth to water = 144.13 ft (43.93 m) below the TOC
Water elevation = 233.07 ft (71.04 m) msl

WELL AMB 7

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/31/89 Time 1610
Depth to water = 136.39 ft (41.57 m) below the TOC
Water elevation = 233.51 ft (71.17 m) msl

WELL AOB 1

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/31/89 Time 1403
Depth to water = 105.91 ft (32.28 m) below the TOC
Water elevation = 235.19 ft (71.69 m) msl

WELL AOB 2

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/31/89 Time 1406
Depth to water = 109.47 ft (33.37 m) below the TOC
Water elevation = 235.93 ft (71.91 m) msl

WELL ARP 1A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/29/89 Time

WELL ARP 2

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/29/89 Time 941
Depth to water = 122.22 ft (37.25 m) below the TOC
Water elevation = 215.08 ft (65.56 m) msl

WELL ARP 3

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/29/89 Time 945
Depth to water = 122.90 ft (37.46 m) below the TOC
Water elevation = 216.90 ft (66.11 m) msl

WELL ARP 4

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/29/89 Time 937
Depth to water = 133.96 ft (40.83 m) below the TOC
Water elevation = 214.44 ft (65.36 m) msl

WELL ASB 1A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/29/89 Time

WELL ASB 2A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/29/89 Time 1451
Depth to water = 111.89 ft (34.10 m) below the TOC
Water elevation = 237.11 ft (72.27 m) msl

WELL ASB 3A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/29/89 Time 1447
Depth to water = 107.44 ft (32.75 m) below the TOC
Water elevation = 237.56 ft (72.41 m) msl

WELL ASB 4

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/31/89 Time 1529
Depth to water = 99.13 ft (30.22 m) below the TOC
Water elevation = 236.47 ft (72.08 m) msl

WELL ASB 5A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/29/89 Time 1458
Depth to water = 108.89 ft (33.19 m) below the TOC
Water elevation = 236.11 ft (71.97 m) msl

WELL ASB 6A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/29/89 Time 1455
Depth to water = 114.97 ft (35.04 m) below the TOC
Water elevation = 235.23 ft (71.70 m) msl

WELL ASB 6AA

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/29/89 Time 1458
Depth to water = 138.72 ft (42.28 m) below the TOC
Water elevation = 215.48 ft (65.68 m) msl

WELL ASB 7

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/29/89 Time 1456
Depth to water = 119.49 ft (36.42 m) below the TOC
Water elevation = 233.91 ft (71.30 m) msl

WELL ASB 8

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/29/89 Time 1438
Depth to water = 116.51 ft (35.51 m) below the TOC
Water elevation = 232.49 ft (70.86 m) msl

WELL ASB 8A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/29/89 Time 1436
Depth to water = 132.81 ft (40.48 m) below the TOC
Water elevation = 216.49 ft (65.99 m) msl

WELL ASB 8B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/29/89 Time 1434
Depth to water = 131.79 ft (40.17 m) below the TOC
Water elevation = 218.01 ft (66.45 m) msl

WELL ASB 8C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/29/89 Time 1434
Depth to water = 127.93 ft (38.99 m) below the TOC
Water elevation = 221.77 ft (67.60 m) msl

WELL ASB 8TA

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/29/89 Time 1437
Depth to water = 137.35 ft (41.86 m) below the TOC
Water elevation = 212.25 ft (64.69 m) msl

WELL ASB 9

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/31/89 Time 1543
Depth to water = 69.84 ft (21.29 m) below the TOC
Water elevation = 239.16 ft (72.90 m) msl

WELL ASB 9B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/31/89 Time 1541
Depth to water = 90.69 ft (27.64 m) below the TOC
Water elevation = 218.31 ft (66.54 m) msl

WELL ASB 9C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/31/89 Time 1541
Depth to water = 91.33 ft (27.84 m) below the TOC
Water elevation = 218.57 ft (66.62 m) msl

WELL KAC 1

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/30/89 Time 1558
Depth to water = 49.00 ft (14.94 m) below the TOC
Water elevation = 217.00 ft (66.14 m) msl

WELL KAC 1

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/31/89 Time 932
Depth to water = 47.94 ft (14.61 m) below the TOC
Water elevation = 218.06 ft (66.47 m) msl

WELL KAC 1

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/28/89 Time 901
Depth to water = 47.98 ft (14.62 m) below the TOC
Water elevation = 218.02 ft (66.45 m) msl

WELL KAC 2

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/30/89 Time 1547
Depth to water = 36.14 ft (11.02 m) below the TOC
Water elevation = 221.36 ft (67.47 m) msl

WELL KAC 2

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/31/89 Time 933
Depth to water = 36.13 ft (11.01 m) below the TOC
Water elevation = 221.37 ft (67.47 m) msl

WELL KAC 2

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/28/89 Time 908
Depth to water = 36.18 ft (11.03 m) below the TOC
Water elevation = 221.32 ft (67.46 m) msl

WELL KAC 3

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/30/89 Time 1549
Depth to water = 36.07 ft (10.99 m) below the TOC
Water elevation = 221.73 ft (67.58 m) msl

WELL KAC 3

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/31/89 Time 935
Depth to water = 35.74 ft (10.89 m) below the TOC
Water elevation = 222.06 ft (67.68 m) msl

WELL KAC 3

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/28/89 Time 923
Depth to water = 35.88 ft (10.94 m) below the TOC
Water elevation = 221.92 ft (67.64 m) msl

WELL KAC 4

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/30/89 Time 1555
Depth to water = 44.07 ft (13.43 m) below the TOC
Water elevation = 215.93 ft (65.82 m) msl

WELL KAC 4

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/31/89 Time 937
Depth to water = 43.16 ft (13.16 m) below the TOC
Water elevation = 216.84 ft (66.09 m) msl

WELL KAC 4

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/28/89 Time 913
Depth to water = 43.10 ft (13.14 m) below the TOC
Water elevation = 216.90 ft (66.11 m) msl

WELL KAC 5

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/30/89 Time 1551
Depth to water = 37.49 ft (11.41 m) below the TOC
Water elevation = 221.31 ft (67.52 m) msl

WELL KAC 5

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/31/89 Time 937
Depth to water = 37.12 ft (11.31 m) below the TOC
Water elevation = 221.88 ft (67.63 m) msl

WELL KAC 5

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/28/89 Time 919
Depth to water = 37.21 ft (11.34 m) below the TOC
Water elevation = 221.79 ft (67.60 m) msl

WELL KAC 6

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/30/89 Time 1553
Depth to water = 37.87 ft (11.54 m) below the TOC
Water elevation = 221.13 ft (67.40 m) msl

WELL KAC 6

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/31/89 Time 934
Depth to water = 37.19 ft (11.34 m) below the TOC
Water elevation = 221.81 ft (67.61 m) msl

WELL KAC 6

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/28/89 Time 916
Depth to water = 37.36 ft (11.39 m) below the TOC
Water elevation = 221.64 ft (67.56 m) msl

WELL KAC 7

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 07/30/89 Time 1545
Depth to water = 48.12 ft (14.67 m) below the TOC
Water elevation = 216.98 ft (66.14 m) msl

WELL KAC 7

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/31/89 Time 931
Depth to water = 47.22 ft (14.39 m) below the TOC
Water elevation = 217.88 ft (66.41 m) msl

WELL KAC 7

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/28/89 Time 904
Depth to water = 47.10 ft (14.36 m) below the TOC
Water elevation = 218.00 ft (66.45 m) msl

WELL MCB 2

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/29/89 Time 1122
Depth to water = 110.44 ft (33.66 m) below the TOC
Water elevation = 217.96 ft (66.44 m) msl

WELL MCB 4

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/29/89 Time 1055
Depth to water = 130.64 ft (39.82 m) below the TOC
Water elevation = 219.76 ft (66.98 m) msl

WELL MCB 5

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/29/89 Time 1105
Depth to water = 119.57 ft (36.45 m) below the TOC
Water elevation = 220.03 ft (67.07 m) msl

WELL MCB 5C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/29/89 Time 1105
Depth to water = 139.38 ft (42.48 m) below the TOC
Water elevation = 199.72 ft (60.88 m) msl

WELL MCB 6

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/29/89 Time 1118
Depth to water = 116.90 ft (35.63 m) below the TOC
Water elevation = 215.20 ft (65.59 m) msl

WELL MCB 6C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/29/89 Time 1118
Depth to water = 137.76 ft (41.99 m) below the TOC
Water elevation = 194.34 ft (59.24 m) msl

WELL MCB 7C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/29/89 Time 1102
Depth to water = 146.51 ft (44.66 m) below the TOC
Water elevation = 191.19 ft (58.28 m) msl

WELL MCB 8D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/29/89 Time 1102
Depth to water = 120.58 ft (36.75 m) below the TOC
Water elevation = 220.12 ft (67.09 m) msl

WELL MCB 9D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/29/89 Time 1113
Depth to water = 124.65 ft (37.99 m) below the TOC
Water elevation = 218.25 ft (66.52 m) msl

WELL MSB 1A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/01/89 Time

WELL MSB 2A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/01/89 Time

WELL MSB 3A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/01/89 Time

WELL MSB 4A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/01/89 Time

WELL MSB 5A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/01/89 Time

WELL MSB 6A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/30/89 Time 1425
Depth to water = 117.57 ft (35.84 m) below the TOC
Water elevation = 226.33 ft (68.99 m) msl

WELL MSB 7A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/30/89 Time 1421
Depth to water = 117.17 ft (35.71 m) below the TOC
Water elevation = 227.33 ft (69.29 m) msl

WELL MSB 8A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/01/89 Time 802
Depth to water = 115.52 ft (35.21 m) below the TOC
Water elevation = 228.68 ft (69.70 m) msl

WELL MSB 9A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/01/89 Time 948
Depth to water = 149.13 ft (45.46 m) below the TOC
Water elevation = 210.27 ft (64.09 m) msl

WELL MSB 9B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/01/89 Time 948
Depth to water = 129.37 ft (39.43 m) below the TOC
Water elevation = 230.23 ft (70.17 m) msl

WELL MSB 9C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/01/89 Time

WELL MSB 10A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/01/89 Time 908
Depth to water = 146.70 ft (44.71 m) below the TOC
Water elevation = 208.30 ft (63.49 m) msl

WELL MSB 10B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/01/89 Time 907
Depth to water = 144.19 ft (43.95 m) below the TOC
Water elevation = 210.51 ft (64.16 m) msl

WELL MSB 10C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/01/89 Time 910
Depth to water = 127.71 ft (38.93 m) below the TOC
Water elevation = 228.29 ft (69.58 m) msl

WELL MSB 11A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/01/89 Time 828
Depth to water = 152.72 ft (46.55 m) below the TOC
Water elevation = 212.18 ft (64.67 m) msl

WELL MSB 11B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/01/89 Time 830
Depth to water = 147.98 ft (45.10 m) below the TOC
Water elevation = 216.82 ft (66.09 m) msl

WELL MSB 11C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/01/89 Time 828
Depth to water = 146.74 ft (44.73 m) below the TOC
Water elevation = 218.16 ft (66.50 m) msl

WELL MSB 11D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/01/89 Time 826
Depth to water = 136.11 ft (41.49 m) below the TOC
Water elevation = 229.09 ft (69.83 m) msl

WELL MSB 11F

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/01/89 Time

WELL MSB 12A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/01/89 Time 918
Depth to water = 141.06 ft (43.00 m) below the TOC
Water elevation = 206.74 ft (63.02 m) msl

WELL MSB 12B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/01/89 Time 918
Depth to water = 132.00 ft (40.23 m) below the TOC
Water elevation = 216.40 ft (65.96 m) msl

WELL MSB 12C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/01/89 Time 921
Depth to water = 126.44 ft (38.54 m) below the TOC
Water elevation = 221.46 ft (67.50 m) msl

WELL MSB 12D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/01/89 Time

WELL MSB 12TA

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/01/89 Time 924
Depth to water = 158.32 ft (48.26 m) below the TOC
Water elevation = 190.18 ft (57.97 m) msl

WELL MSB 12TB

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/01/89 Time 920
Depth to water = 158.06 ft (48.18 m) below the TOC
Water elevation = 190.84 ft (58.17 m) msl

WELL MSB 13A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/01/89 Time 933
Depth to water = 139.53 ft (42.53 m) below the TOC
Water elevation = 205.67 ft (62.69 m) msl

WELL MSB 13B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/01/89 Time 934
Depth to water = 151.57 ft (46.20 m) below the TOC
Water elevation = 194.03 ft (59.14 m) msl

WELL MSB 13C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/01/89 Time 932
Depth to water = 118.74 ft (36.19 m) below the TOC
Water elevation = 226.96 ft (69.18 m) msl

WELL MSB 14A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/01/89 Time 809
Depth to water = 133.06 ft (40.56 m) below the TOC
Water elevation = 215.24 ft (65.61 m) msl

WELL MSB 14B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/01/89 Time 808
Depth to water = 131.67 ft (40.13 m) below the TOC
Water elevation = 217.03 ft (66.15 m) msl

WELL MSB 14C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/01/89 Time

WELL MSB 15A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/01/89 Time 838
Depth to water = 147.13 ft (44.85 m) below the TOC
Water elevation = 220.07 ft (67.08 m) msl

WELL MSB 15AA

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/01/89 Time 836
Depth to water = 154.71 ft (47.16 m) below the TOC
Water elevation = 214.79 ft (65.47 m) msl

WELL MSB 15D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/01/89 Time 836
Depth to water = 137.68 ft (41.97 m) below the TOC
Water elevation = 231.12 ft (70.43 m) msl

WELL MSB 16A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/01/89 Time 855
Depth to water = 146.80 ft (44.75 m) below the TOC
Water elevation = 219.90 ft (67.03 m) msl

WELL MSB 16C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/01/89 Time

WELL MSB 17A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/30/89 Time 1445
Depth to water = 143.57 ft (43.76 m) below the TOC
Water elevation = 214.43 ft (65.36 m) msl

WELL MSB 17B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/30/89 Time 1446
Depth to water = 133.92 ft (40.82 m) below the TOC
Water elevation = 223.98 ft (68.27 m) msl

WELL MSB 17BB

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/30/89 Time 1443
Depth to water = 147.80 ft (45.05 m) below the TOC
Water elevation = 211.50 ft (64.47 m) msl

WELL MSB 17C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/30/89 Time
The well was dry.

WELL MSB 17D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/30/89 Time 1443
Depth to water = 133.32 ft (40.64 m) below the TOC
Water elevation = 226.88 ft (69.15 m) msl

WELL MSB 18A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/30/89 Time 1430
Depth to water = 131.26 ft (40.01 m) below the TOC
Water elevation = 208.94 ft (63.69 m) msl

WELL MSB 18B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/30/89 Time 1432
Depth to water = 121.97 ft (37.18 m) below the TOC
Water elevation = 218.33 ft (66.55 m) msl

WELL MSB 18C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/30/89 Time 1430
Depth to water = 116.75 ft (35.59 m) below the TOC
Water elevation = 223.85 ft (68.23 m) msl

WELL MSB 19A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/31/89 Time 1634
Depth to water = 87.61 ft (26.70 m) below the TOC
Water elevation = 211.89 ft (64.58 m) msl

WELL MSB 19B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/31/89 Time 1632
Depth to water = 85.05 ft (25.92 m) below the TOC
Water elevation = 214.85 ft (65.49 m) msl

WELL MSB 19C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/31/89 Time 1632
Depth to water = 64.27 ft (19.59 m) below the TOC
Water elevation = 235.93 ft (71.91 m) msl

WELL MSB 20A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/30/89 Time 1513
Depth to water = 137.43 ft (41.89 m) below the TOC
Water elevation = 216.57 ft (66.01 m) msl

WELL MSB 20C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/30/89 Time 1513
Depth to water = 127.58 ft (38.89 m) below the TOC
Water elevation = 225.72 ft (68.80 m) msl

WELL MSB 21A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/30/89 Time 1522
Depth to water = 134.51 ft (41.00 m) below the TOC
Water elevation = 218.89 ft (66.72 m) msl

WELL MSB 21B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/30/89 Time 1519
Depth to water = 135.35 ft (41.26 m) below the TOC
Water elevation = 219.83 ft (67.04 m) msl

WELL MSB 21C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/30/89 Time 1519
Depth to water = 125.36 ft (38.21 m) below the TOC
Water elevation = 228.04 ft (69.51 m) msl

WELL MSB 217A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/30/89 Time 1522
Depth to water = 183.26 ft (49.76 m) below the TOC
Water elevation = 191.44 ft (58.35 m) msl

WELL MSB 22

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/01/89 Time

WELL MSB 23

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/30/89 Time

WELL MSB 23B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/30/89 Time 1030
Depth to water = 148.91 ft (45.39 m) below the TOC
Water elevation = 222.69 ft (67.88 m) msl

WELL MSB 237A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/30/89 Time 950
Depth to water = 175.01 ft (53.34 m) below the TOC
Water elevation = 197.89 ft (60.32 m) msl

WELL MSB 24

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/29/89 Time 1208
Depth to water = 145.13 ft (44.24 m) below the TOC
Water elevation = 235.07 ft (71.65 m) msl

WELL MSB 24A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/29/89 Time 1208
Depth to water = 156.06 ft (47.57 m) below the TOC
Water elevation = 225.54 ft (68.75 m) msl

WELL MSB 25

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/29/89 Time

WELL MSB 25A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/29/89 Time 1153
Depth to water = 148.38 ft (45.23 m) below the TOC
Water elevation = 218.02 ft (66.45 m) msl

WELL MSB 26

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/01/89 Time

WELL MSB 26A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/01/89 Time 900
Depth to water = 138.00 ft (42.06 m) below the TOC
Water elevation = 222.90 ft (67.94 m) msl

WELL MSB 26B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/01/89 Time 900
Depth to water = 144.02 ft (43.90 m) below the TOC
Water elevation = 219.18 ft (66.81 m) msl

WELL MSB 27

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/29/89 Time 1159
Depth to water = 137.77 ft (41.99 m) below the TOC
Water elevation = 237.73 ft (72.46 m) msl

WELL MSB 27A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/29/89 Time

WELL MSB 27B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/29/89 Time 1159
Depth to water = 151.09 ft (46.05 m) below the TOC
Water elevation = 225.71 ft (68.80 m) msl

WELL MSB 277A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/29/89 Time 1201
Depth to water = 181.29 ft (55.26 m) below the TOC
Water elevation = 195.31 ft (59.53 m) msl

WELL MSB 28

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/30/89 Time 1531
Depth to water = 124.22 ft (37.86 m) below the TOC
Water elevation = 230.18 ft (70.16 m) msl

WELL MSB 28A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/30/89 Time 1531
Depth to water = 131.53 ft (40.09 m) below the TOC
Water elevation = 222.67 ft (67.87 m) msl

WELL MSB 29A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/29/89 Time 1256
Depth to water = 147.55 ft (44.97 m) below the TOC
Water elevation = 217.85 ft (66.40 m) msl

WELL MSB 29B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/29/89 Time 1258
Depth to water = 141.88 ft (43.25 m) below the TOC
Water elevation = 223.32 ft (68.07 m) msl

WELL MSB 29C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/29/89 Time 1255
Depth to water = 135.10 ft (41.18 m) below the TOC
Water elevation = 230.10 ft (70.14 m) msl

WELL MSB 29D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/29/89 Time 1258
Depth to water = 133.11 ft (40.57 m) below the TOC
Water elevation = 231.99 ft (70.71 m) msl

WELL MSB 2900

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/29/89 Time 1253
Depth to water = 132.21 ft (40.30 m) below the TOC
Water elevation = 232.39 ft (70.83 m) msl

WELL MSB 29TA

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/29/89 Time 1253
Depth to water = 156.48 ft (47.70 m) below the TOC
Water elevation = 208.72 ft (63.62 m) msl

WELL MSB 30A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/30/89 Time 1540
Depth to water = 159.56 ft (48.63 m) below the TOC
Water elevation = 195.04 ft (59.45 m) msl

WELL MSB 30AA

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/30/89 Time 1544
Depth to water = 129.70 ft (39.53 m) below the TOC
Water elevation = 222.90 ft (67.94 m) msl

WELL MSB 30B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/30/89 Time 1542
Depth to water = 128.58 ft (39.19 m) below the TOC
Water elevation = 224.52 ft (68.43 m) msl

WELL MSB 30C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/30/89 Time 1543
Depth to water = 123.88 ft (37.76 m) below the TOC
Water elevation = 231.02 ft (70.42 m) msl

WELL MSB 30CC

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/30/89 Time 1545
Depth to water = 129.03 ft (39.33 m) below the TOC
Water elevation = 224.67 ft (68.48 m) msl

WELL MSB 31A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/31/89 Time 1354
Depth to water = 152.29 ft (46.42 m) below the TOC
Water elevation = 194.91 ft (59.41 m) msl

WELL MSB 31B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/31/89 Time 1357
Depth to water = 134.92 ft (41.12 m) below the TOC
Water elevation = 212.58 ft (64.80 m) msl

WELL MSB 31CC

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/31/89 Time 1354
Depth to water = 135.21 ft (41.21 m) below the TOC
Water elevation = 213.59 ft (65.10 m) msl

WELL MSB 32

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/31/89 Time 1643
Depth to water = 29.96 ft (9.13 m) below the TOC
Water elevation = 225.34 ft (68.68 m) msl

WELL MSB 33

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/01/89 Time 1122
Depth to water = 38.32 ft (11.68 m) below the TOC
Water elevation = 218.28 ft (66.53 m) msl

WELL MSB 33A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/01/89 Time 1128
Depth to water = 52.22 ft (15.92 m) below the TOC
Water elevation = 203.18 ft (61.93 m) msl

WELL MSB 33B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/01/89 Time 1124
Depth to water = 47.75 ft (14.55 m) below the TOC
Water elevation = 207.43 ft (63.23 m) msl

WELL MSB 33C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/01/89 Time 1122
Depth to water = 45.18 ft (13.77 m) below the TOC
Water elevation = 210.12 ft (64.05 m) msl

WELL MSB 33TA

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/01/89 Time 1124
Depth to water = 63.14 ft (19.25 m) below the TOC
Water elevation = 192.36 ft (58.63 m) msl

WELL MSB 34A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/29/89 Time 1530
Depth to water = 166.76 ft (50.83 m) below the TOC
Water elevation = 216.44 ft (65.97 m) msl

WELL MSB 34B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/29/89 Time 1532
Depth to water = 156.93 ft (47.83 m) below the TOC
Water elevation = 226.17 ft (68.94 m) msl

WELL MSB 34C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/29/89 Time

WELL MSB 34TA

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/29/89 Time 1533
Depth to water = 196.17 ft (59.79 m) below the TOC
Water elevation = 186.33 ft (56.79 m) msl

WELL MSB 34TB

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/29/89 Time 1530
Depth to water = 189.36 ft (57.72 m) below the TOC
Water elevation = 193.44 ft (58.96 m) msl

WELL MSB 35A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/31/89 Time 1409
Depth to water = 135.54 ft (41.31 m) below the TOC
Water elevation = 215.56 ft (65.70 m) msl

WELL MSB 358

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/31/89 Time 1412
Depth to water = 133.02 ft (40.54 m) below the TOC
Water elevation = 218.78 ft (66.68 m) msl

WELL MSB 35D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/31/89 Time

WELL MSB 35TA

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/31/89 Time 1409
Depth to water = 152.58 ft (46.51 m) below the TOC
Water elevation = 197.82 ft (60.30 m) msl

WELL MSB 36A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/01/89 Time 1140
Depth to water = 131.67 ft (40.13 m) below the TOC
Water elevation = 208.93 ft (63.68 m) msl

WELL MSB 36B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/01/89 Time 1140
Depth to water = 127.13 ft (38.75 m) below the TOC
Water elevation = 213.57 ft (65.10 m) msl

WELL MSB 36C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/01/89 Time 1137
Depth to water = 127.18 ft (38.76 m) below the TOC
Water elevation = 213.62 ft (65.11 m) msl

WELL MSB 36D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/01/89 Time

WELL MSB 36TA

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/01/89 Time 1137
Depth to water = 147.76 ft (45.04 m) below the TOC
Water elevation = 192.84 ft (58.78 m) msl

WELL MSB 37A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/31/89 Time 1259
Depth to water = 177.57 ft (54.12 m) below the TOC
Water elevation = 205.53 ft (62.65 m) msl

WELL MSB 37B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/31/89 Time 1302
Depth to water = 164.24 ft (50.06 m) below the TOC
Water elevation = 218.56 ft (66.62 m) msl

WELL MSB 37C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/31/89 Time 1302
Depth to water = 155.14 ft (47.29 m) below the TOC
Water elevation = 227.96 ft (69.48 m) msl

WELL MSB 37D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/31/89 Time

WELL MSB 37TA

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/31/89 Time 1259
Depth to water = 176.76 ft (53.88 m) below the TOC
Water elevation = 205.64 ft (62.68 m) msl

WELL MSB 38B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/31/89 Time 1342
Depth to water = 143.83 ft (43.84 m) below the TOC
Water elevation = 212.77 ft (64.85 m) msl

WELL MSB 38C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/31/89 Time 1344
Depth to water = 140.93 ft (42.96 m) below the TOC
Water elevation = 215.37 ft (65.65 m) msl

WELL MSB 38D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/31/89 Time

WELL MSB 38TA

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/31/89 Time 1342
Depth to water = 163.34 ft (49.79 m) below the TOC
Water elevation = 193.36 ft (58.94 m) msl

WELL MSB 39A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/01/89 Time 1048
Depth to water = 133.70 ft (40.75 m) below the TOC
Water elevation = 207.90 ft (63.37 m) msl

WELL MSB 39B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/01/89 Time 1051
Depth to water = 130.94 ft (39.91 m) below the TOC
Water elevation = 210.86 ft (64.27 m) msl

WELL MSB 39C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/01/89 Time 1049
Depth to water = 126.87 ft (38.67 m) below the TOC
Water elevation = 214.63 ft (65.42 m) msl

WELL MSB 39D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/01/89 Time 1046
Depth to water = 110.04 ft (33.54 m) below the TOC
Water elevation = 231.66 ft (70.61 m) msl

WELL MSB 39TA

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/01/89 Time 1046
Depth to water = 151.06 ft (46.04 m) below the TOC
Water elevation = 190.74 ft (58.14 m) msl

WELL MSB 40A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/01/89 Time 1103
Depth to water = 119.74 ft (36.50 m) below the TOC
Water elevation = 201.46 ft (61.41 m) msl

WELL MSB 40B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/01/89 Time 1100
Depth to water = 119.12 ft (36.31 m) below the TOC
Water elevation = 202.58 ft (61.75 m) msl

WELL MSB 40C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/01/89 Time

WELL MSB 40D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/01/89 Time

WELL MSB 40TA

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/01/89 Time 1100
Depth to water = 133.31 ft (40.63 m) below the TOC
Water elevation = 187.49 ft (57.15 m) msl

WELL MSB 41A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/31/89 Time 1554
Depth to water = 108.24 ft (32.99 m) below the TOC
Water elevation = 215.56 ft (65.70 m) msl

WELL MSB 41B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/31/89 Time 1554
Depth to water = 108.44 ft (33.05 m) below the TOC
Water elevation = 215.56 ft (65.70 m) msl

WELL MSB 41C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/31/89 Time 1552
Depth to water = 108.56 ft (33.09 m) below the TOC
Water elevation = 216.04 ft (65.85 m) msl

WELL MSB 41D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/31/89 Time

WELL MSB 41TA

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/31/89 Time 1552
Depth to water = 119.25 ft (36.35 m) below the TOC
Water elevation = 204.45 ft (62.32 m) msl

WELL MSB 42A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/31/89 Time 1310
Depth to water = 158.75 ft (48.39 m) below the TOC
Water elevation = 217.85 ft (66.40 m) msl

WELL MSB 42B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/31/89 Time 1312
Depth to water = 151.19 ft (46.08 m) below the TOC
Water elevation = 225.31 ft (68.68 m) msl

WELL MSB 42C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/31/89 Time 1313
Depth to water = 145.29 ft (44.28 m) below the TOC
Water elevation = 231.21 ft (70.47 m) msl

WELL MSB 42D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/31/89 Time

WELL MSB 42TA

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/31/89 Time 1310
Depth to water = 172.48 ft (52.57 m) below the TOC
Water elevation = 204.22 ft (62.25 m) msl

WELL MSB 43A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/29/89 Time 1243
Depth to water = 129.05 ft (39.33 m) below the TOC
Water elevation = 228.85 ft (69.75 m) msl

WELL MSB 43B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/29/89 Time 1245
Depth to water = 129.10 ft (39.35 m) below the TOC
Water elevation = 228.90 ft (69.77 m) msl

WELL MSB 43D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/29/89 Time 1243
Depth to water = 126.95 ft (38.69 m) below the TOC
Water elevation = 230.55 ft (70.27 m) msl

WELL MSB 43DD

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/29/89 Time 1241
Depth to water = 126.68 ft (38.61 m) below the TOC
Water elevation = 231.42 ft (70.54 m) msl

WELL MSB 43TA

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/29/89 Time 1241
Depth to water = 158.73 ft (48.38 m) below the TOC
Water elevation = 198.87 ft (60.62 m) msl

WELL MSB 44A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/31/89 Time 1320
Depth to water = 159.96 ft (48.76 m) below the TOC
Water elevation = 216.94 ft (66.12 m) msl

WELL MSB 44B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/31/89 Time 1320
Depth to water = 153.02 ft (46.64 m) below the TOC
Water elevation = 224.08 ft (68.30 m) msl

WELL MSB 44C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/31/89 Time 1323
Depth to water = 142.61 ft (43.47 m) below the TOC
Water elevation = 235.29 ft (71.72 m) msl

WELL MSB 45A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/29/89 Time 1543
Depth to water = 166.00 ft (50.60 m) below the TOC
Water elevation = 219.10 ft (66.56 m) msl

WELL MSB 45B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/29/89 Time 1543
Depth to water = 155.24 ft (47.32 m) below the TOC
Water elevation = 225.86 ft (68.84 m) msl

WELL MSB 45C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/29/89 Time
The well was dry.

WELL MSB 46A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/31/89 Time 1337
Depth to water = 158.03 ft (48.17 m) below the TOC
Water elevation = 214.67 ft (65.43 m) msl

WELL MSB 46B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/31/89 Time

WELL MSB 48C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/31/89 Time
The well was dry.

WELL MSB 47B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/29/89 Time 1509
Depth to water = 142.47 ft (43.43 m) below the TOC
Water elevation = 226.33 ft (69.05 m) msl

WELL MSB 47C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/29/89 Time 1509
Depth to water = 136.97 ft (41.75 m) below the TOC
Water elevation = 232.33 ft (70.82 m) msl

WELL MSB 47D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/29/89 Time 1506
Depth to water = 135.94 ft (41.44 m) below the TOC
Water elevation = 233.26 ft (71.10 m) msl

WELL MSB 47TA

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/29/89 Time 1507
Depth to water = 155.09 ft (47.27 m) below the TOC
Water elevation = 213.91 ft (65.20 m) msl

WELL MSB 48C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/29/89 Time 1403
Depth to water = 140.23 ft (42.74 m) below the TOC
Water elevation = 222.67 ft (67.87 m) msl

WELL MSB 48D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/29/89 Time 1403
Depth to water = 131.70 ft (40.14 m) below the TOC
Water elevation = 231.50 ft (70.56 m) msl

WELL MSB 49A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/29/89 Time 928
Depth to water = 130.94 ft (42.85 m) below the TOC
Water elevation = 195.46 ft (59.58 m) msl

WELL MSB 49B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/29/89 Time 926
Depth to water = 133.48 ft (40.69 m) below the TOC
Water elevation = 201.32 ft (61.36 m) msl

WELL MSB 49D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/29/89 Time 926
Depth to water = 109.34 ft (33.33 m) below the TOC
Water elevation = 224.86 ft (68.54 m) msl

WELL MSB 50B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/31/89 Time 822
Depth to water = 22.31 ft (6.80 m) below the TOC
Water elevation = 201.69 ft (61.48 m) msl

WELL MSB 50D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/31/89 Time 822
Depth to water = 21.55 ft (6.57 m) below the TOC
Water elevation = 201.95 ft (61.56 m) msl

WELL MSB 51B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/31/89 Time 805
Depth to water = 59.96 ft (18.28 m) below the TOC
Water elevation = 203.94 ft (62.04 m) msl

WELL MSB 51D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/31/89 Time 805
Depth to water = 53.27 ft (16.24 m) below the TOC
Water elevation = 209.23 ft (63.77 m) msl

WELL MSB 53B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/31/89 Time 1427
Depth to water = 124.08 ft (37.82 m) below the TOC
Water elevation = 220.52 ft (67.22 m) msl

WELL WSB 53C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/31/89 Time 1427
Depth to water = 123.94 ft (37.78 m) below the TOC
Water elevation = 221.56 ft (67.53 m) msl

WELL WSB 53D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/31/89 Time 1429
Depth to water = 113.59 ft (34.62 m) below the TOC
Water elevation = 231.51 ft (70.57 m) msl

WELL WSB 54B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/29/89 Time 1337
Depth to water = 153.47 ft (46.78 m) below the TOC
Water elevation = 220.23 ft (67.13 m) msl

WELL WSB 54C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/29/89 Time 1335
Depth to water = 148.39 ft (45.23 m) below the TOC
Water elevation = 225.31 ft (68.68 m) msl

WELL WSB 54D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/29/89 Time 1335
Depth to water = 141.90 ft (43.25 m) below the TOC
Water elevation = 232.10 ft (70.74 m) msl

WELL WSB 54TA

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/29/89 Time 1337
Depth to water = 156.83 ft (47.74 m) below the TOC
Water elevation = 217.17 ft (66.19 m) msl

WELL WSB 55C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/29/89 Time 1348
Depth to water = 141.16 ft (43.03 m) below the TOC
Water elevation = 228.34 ft (69.60 m) msl

WELL WSB 55D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/29/89 Time

WELL WSB 56D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/29/89 Time 1225
Depth to water = 59.27 ft (18.07 m) below the TOC
Water elevation = 220.53 ft (67.22 m) msl

WELL WSB 61C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/31/89 Time 1518
Depth to water = 96.17 ft (29.31 m) below the TOC
Water elevation = 221.43 ft (67.49 m) msl

WELL WSB 61D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/31/89 Time 1518
Depth to water = 94.79 ft (28.89 m) below the TOC
Water elevation = 223.31 ft (68.07 m) msl

WELL WSB 65D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/31/89 Time 1350
Depth to water = 116.41 ft (35.48 m) below the TOC
Water elevation = 233.09 ft (71.05 m) msl

WELL WSB 66B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/29/89 Time 1520
Depth to water = 186.15 ft (56.84 m) below the TOC
Water elevation = 217.35 ft (66.25 m) msl

WELL WSB 66C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/29/89 Time 1520
Depth to water = 154.92 ft (47.22 m) below the TOC
Water elevation = 228.58 ft (69.67 m) msl

WELL WSB 66D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/29/89 Time 1517
Depth to water = 151.78 ft (46.26 m) below the TOC
Water elevation = 231.52 ft (70.57 m) msl

WELL WSB 66TA

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/29/89 Time 1518
Depth to water = 182.89 ft (55.75 m) below the TOC
Water elevation = 199.91 ft (60.93 m) msl

WELL WSB 67B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/01/89 Time 1221
Depth to water = 147.38 ft (44.92 m) below the TOC
Water elevation = 217.72 ft (66.36 m) msl

WELL WSB 67C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/01/89 Time 1224
Depth to water = 137.38 ft (41.87 m) below the TOC
Water elevation = 227.42 ft (69.32 m) msl

WELL WSB 67D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/01/89 Time 1221
Depth to water = 132.50 ft (40.41 m) below the TOC
Water elevation = 232.42 ft (70.84 m) msl

WELL WSB 68B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/01/89 Time 1214
Depth to water = 138.66 ft (42.26 m) below the TOC
Water elevation = 218.24 ft (66.52 m) msl

WELL WSB 68C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/01/89 Time 1214
Depth to water = 130.42 ft (39.75 m) below the TOC
Water elevation = 226.20 ft (68.97 m) msl

WELL WSB 68D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/01/89 Time 1216
Depth to water = 123.86 ft (37.75 m) below the TOC
Water elevation = 233.14 ft (71.06 m) msl

WELL MSB 898

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/29/89 Time 1314
Depth to water = 182.98 ft (49.68 m) below the TOC
Water elevation = 218.72 ft (66.67 m) msl

WELL MSB 89C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/29/89 Time 1313
Depth to water = 154.89 ft (47.21 m) below the TOC
Water elevation = 226.91 ft (69.16 m) msl

WELL MSB 89D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/29/89 Time 1311
Depth to water = 149.62 ft (45.60 m) below the TOC
Water elevation = 232.58 ft (70.89 m) msl

WELL MSB 89YA

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/29/89 Time 1312
Depth to water = 169.29 ft (51.60 m) below the TOC
Water elevation = 212.21 ft (64.68 m) msl

WELL MSB 70C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/30/89 Time 1438
Depth to water = 145.12 ft (44.23 m) below the TOC
Water elevation = 217.08 ft (66.17 m) msl

WELL MSB 71B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/30/89 Time 1456
Depth to water = 128.38 ft (39.13 m) below the TOC
Water elevation = 216.72 ft (66.06 m) msl

WELL MSB 72B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 09/01/89 Time 1109
Depth to water = 130.03 ft (39.63 m) below the TOC
Water elevation = 198.17 ft (60.40 m) msl

WELL MSB 73B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/29/89 Time 933
Depth to water = 140.44 ft (42.81 m) below the TOC
Water elevation = 199.96 ft (60.95 m) msl

WELL MSB 82C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/29/89 Time 1307
Depth to water = 146.14 ft (44.54 m) below the TOC
Water elevation = 227.86 ft (69.45 m) msl

WELL MSB 83C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/29/89 Time 1343
Depth to water = 144.95 ft (44.18 m) below the TOC
Water elevation = 227.15 ft (69.24 m) msl

WELL MSB 84C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/29/89 Time 1352
Depth to water = 133.43 ft (40.67 m) below the TOC
Water elevation = 228.57 ft (69.67 m) msl

WELL MSB 85C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/29/89 Time 1357
Depth to water = 197.98 ft (48.15 m) below the TOC
Water elevation = 223.42 ft (68.10 m) msl

WELL SLW 1

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/31/89 Time 1002
Depth to water = 135.41 ft (41.27 m) below the TOC
Water elevation = 188.69 ft (51.42 m) msl

WELL SLW 2

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/31/89 Time 1045
Depth to water = 124.18 ft (37.84 m) below the TOC
Water elevation = 180.12 ft (54.90 m) msl

WELL SLW 3

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/31/89 Time 1038
Depth to water = 94.70 ft (28.86 m) below the TOC
Water elevation = 184.00 ft (56.08 m) msl

WELL SLW 4

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/31/89 Time 1007
Depth to water = 108.52 ft (33.08 m) below the TOC
Water elevation = 192.18 ft (58.58 m) msl

WELL SLW 5

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/31/89 Time 1017
Depth to water = 50.85 ft (15.50 m) below the TOC
Water elevation = 191.15 ft (58.26 m) msl

WELL SLW 6

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/31/89 Time 1013
Depth to water = 54.82 ft (16.71 m) below the TOC
Water elevation = 196.68 ft (59.95 m) msl

WELL SLW 7

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/31/89 Time 1026
Depth to water = 62.24 ft (18.97 m) below the TOC
Water elevation = 188.86 ft (51.47 m) msl

WELL SLW 8

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/31/89 Time 1031
Depth to water = 64.77 ft (19.74 m) below the TOC
Water elevation = 192.73 ft (58.74 m) msl

WELL SRW 1

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/30/89 Time

WELL SRW 2

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/30/89 Time 1000
Depth to water = 108.26 ft (33.00 m) below the TOC
Water elevation = 212.34 ft (64.72 m) msl

WELL SRW 2A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/30/89 Time 1004
Depth to water = 115.49 ft (35.20 m) below the TOC
Water elevation = 205.11 ft (62.52 m) msl

WELL SRW 2B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/30/89 Time 1007
Depth to water = 114.35 ft (34.85 m) below the TOC
Water elevation = 206.25 ft (62.87 m) msl

WELL SRW 3A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/30/89 Time 1011
Depth to water = 120.23 ft (36.65 m) below the TOC
Water elevation = 211.87 ft (64.58 m) msl

WELL SRW 4

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/30/89 Time

WELL SRW 5

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/30/89 Time 938
Depth to water = 99.95 ft (30.47 m) below the TOC
Water elevation = 209.45 ft (63.84 m) msl

WELL SRW 6

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/30/89 Time 955
Depth to water = 97.51 ft (29.72 m) below the TOC
Water elevation = 210.19 ft (64.07 m) msl

WELL SRW 7

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/30/89 Time 946
Depth to water = 90.35 ft (27.54 m) below the TOC
Water elevation = 208.75 ft (63.63 m) msl

WELL SRW 8

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/30/89 Time 1044
Depth to water = 81.60 ft (24.87 m) below the TOC
Water elevation = 206.50 ft (62.94 m) msl

WELL SRW 9

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/30/89 Time 1052
Depth to water = 56.80 ft (17.31 m) below the TOC
Water elevation = 196.60 ft (59.92 m) msl

WELL SRW 9A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/30/89 Time 1054
Depth to water = 56.23 ft (17.14 m) below the TOC
Water elevation = 197.07 ft (60.07 m) msl

WELL SRW 9B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/30/89 Time 1056
Depth to water = 55.65 ft (16.96 m) below the TOC
Water elevation = 197.75 ft (60.27 m) msl

WELL SRW 10

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/30/89 Time

WELL SRW 11

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/30/89 Time 950
Depth to water = 87.41 ft (26.64 m) below the TOC
Water elevation = 208.39 ft (63.52 m) msl

WELL SRW 12A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/30/89 Time 1104
Depth to water = 43.71 ft (13.32 m) below the TOC
Water elevation = 192.59 ft (58.70 m) msl

WELL SRW 12B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/30/89 Time 1106
Depth to water = 48.65 ft (14.83 m) below the TOC
Water elevation = 187.65 ft (57.20 m) msl

WELL SRW 12C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/30/89 Time 1108
Depth to water = 42.75 ft (13.03 m) below the TOC
Water elevation = 193.55 ft (58.99 m) msl

WELL SRW 13A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/30/89 Time 1032
Depth to water = 97.93 ft (29.85 m) below the TOC
Water elevation = 199.77 ft (60.89 m) msl

WELL SRW 13B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/30/89 Time 1034
Depth to water = 96.08 ft (29.29 m) below the TOC
Water elevation = 201.62 ft (61.45 m) msl

WELL SRW 13C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/30/89 Time 1036
Depth to water = 90.19 ft (27.49 m) below the TOC
Water elevation = 207.51 ft (63.25 m) msl

WELL SRW 14A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/30/89 Time 1022
Depth to water = 124.88 ft (38.06 m) below the TOC
Water elevation = 202.12 ft (61.61 m) msl

WELL SRW 14B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/30/89 Time 1024
Depth to water = 123.00 ft (37.49 m) below the TOC
Water elevation = 203.90 ft (62.15 m) msl

WELL SRW 14C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/30/89 Time

WELL SRW 15A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/30/89 Time 917
Depth to water = 111.25 ft (33.91 m) below the TOC
Water elevation = 207.85 ft (63.35 m) msl

WELL SRW 15B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/30/89 Time 920
Depth to water = 111.03 ft (33.84 m) below the TOC
Water elevation = 208.07 ft (63.42 m) msl

WELL SRW 15C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/30/89 Time 923
Depth to water = 108.20 ft (32.98 m) below the TOC
Water elevation = 210.90 ft (64.28 m) msl

WELL SRW 16A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/30/89 Time 901
Depth to water = 134.27 ft (40.93 m) below the TOC
Water elevation = 212.53 ft (64.78 m) msl

WELL SRW 16B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/30/89 Time 904
Depth to water = 133.49 ft (40.69 m) below the TOC
Water elevation = 213.31 ft (65.02 m) msl

WELL SRW 16C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date 08/30/89 Time 907
Depth to water = 132.74 ft (40.46 m) below the TOC
Water elevation = 213.86 ft (65.19 m) msl

LOCATION INDEX BY AREA

<u>Location</u>	<u>Well Series</u>
100 AREAS	
<u>C Area</u>	
C-Area Burning/Rubble Pit	CRP Well Series
C-Area Coal Pile Runoff Containment Basin	CCB Well Series
C-Area Disassembly Basin	CDB Well Series
C-Area Reactor Seepage Basins	CSB Well Series
<u>K Area</u>	
K-Area Acid/Caustic Basin	KAC Well Series
K-Area Ash Basin	KAB Well Series
K-Area Burning/Rubble Pit	KRP Well Series
K-Area Coal Pile Runoff Containment Basin	KCB Well Series
K-Area Disassembly Basin	KDB Well Series
K-Area Reactor Seepage Basin	KSB Well Series
K-Area Retention Basin	KRB Well Series
K-Area Sludge Land Application Site	KSS Well Series
<u>L Area</u>	
L-Area Acid/Caustic Basin	LAC Well Series
L-Area Burning/Rubble Pit	LRP Well Series
L-Area Disassembly Basin	LDB Well Series
L-Area Oil and Chemical Basin	LCO Well Series
L-Area Reactor Seepage Basin	LSB Well Series
<u>P Area</u>	
P-Area Acid/Caustic Basin	PAC Well Series
P-Area Burning/Rubble Pit	PRP Well Series
P-Area Coal Pile Runoff Containment Basin	PCB Well Series
P-Area Disassembly Basin	PDB Well Series
P-Area Reactor Seepage Basins	PSB Well Series
<u>R Area</u>	
R-Area Acid/Caustic Basin	RAC Well Series
R-Area Burning/Rubble Pits	RRP Well Series
Series A, R-Area Reactor Seepage Basins	RSA Well Series

LOCATION INDEX BY AREA

<u>Location</u>	<u>Well Series</u>
100 AREAS (cont.)	
<u>R Area</u> (cont.)	
Series B, R-Area Reactor Seepage Basins	RSB Well Series
Series C, R-Area Reactor Seepage Basins	RSC Well Series
Series D, between R-Area Reactor Seepage Basin (904-103G) and R-Area Reactor Building	RSD Well Series
Series E, R-Area Reactor Seepage Basins	RSE Well Series
Series F, R-Area Reactor Seepage Basins	RSF Well Series
200 AREAS	
<u>F Area</u>	
F-Area Acid/Caustic Basin	FAC Well Series
F-Area A Line	FAL Well Series
F-Area Burning/Rubble Pits	FBP Well Series
F-Area Canyon Building	FCA Well Series
F-Area Coal Pile Runoff Containment Basin	FCB Well Series
F-Area Effluent Treatment Facility	FET Well Series
F-Area Hydrology Cluster	FC Well Series
F-Area Seepage Basins	F Well Series
.....	FSB Well Series
F-Area Seepage Basins Vertical Radionuclide Distribution Wells	FMC Well Series
F-Area Sludge Land Application Site	FSS Well Series
F-Area Tank Farm	FTF Well Series
Naval Fuels Background Wells	NBG Well Series
Old F-Area Seepage Basin	FNB Well Series
<u>General</u>	
F Area and H Area	Z Well Series
F Area and H Area	ZW Well Series
<u>H Area</u>	
Aquifer Characterization Test Wells in H Area between the Burial Grounds and Road 4	HPT Well Series
H-Area Acid/Caustic Basin	HAC Well Series
H-Area Auxiliary Pump Pit	HAP Well Series
H-Area Canyon Building	HCA Well Series
.....	HCC Well Series
H-Area Coal Pile Runoff Containment Basin	HCB Well Series
H-Area Effluent Treatment Facility	HET Well Series
H-Area Retention Basin	HRB Well Series
H-Area Seepage Basins	H Well Series
.....	HSB Well Series
H-Area Sludge Land Application Site	HSS Well Series
H-Area Tank Farm	HTF Well Series

LOCATION INDEX BY AREA

Location

Well Series

200 AREAS (cont.)

H Area (cont.)

H-Area Tank Farm, between Tanks 9 and 11	241-H Well Series
Old H-Area Retention Basin	HR3 Well Series

S Area

S-Area Background Wells	SBG Well Series
S-Area Canyon Building	SCA Well Series
S-Area Defense Waste Processing Facility (DWPF)	RSS Well Series
S-Area Low Point Pump Pit	SLP Well Series

Z Area

Z-Area Background Wells	ZBG Well Series
Z-Area Drain Tank	ZDT Well Series

300/700 AREAS

A-Area Background Well near Firing Range	ABW Well Series
A-Area Burning/Rubble Pits	ARP Well Series
A-Area Cluster Perimeter Wells	AC Well Series
A-Area Coal Pile Runoff Containment Basin	ACB Well Series
A-Area Metals Burning Pit	ABP Well Series
M-Area Hazardous Waste Management Facility (HWMF)	MSB Well Series
M-Area Recovery Wells (also used for plume definition)	RWM Well Series
M-Area Settling Basin (also used for plume definition)	MSB Well Series
Metallurgical Laboratory Seepage Basin	AMB Well Series
Miscellaneous Chemical Basin	MCB Well Series
Motor Shop Oil Basin	AOB Well Series
Plume Definition Wells	MSB Well Series
.....	AC Well Series
Savannah River Laboratory Seepage Basins	ASB Well Series
Silverton Road Waste Site	SRW Well Series

400 AREA

D-Area Burning/Rubble Pits	DBP Well Series
D-Area Coal Pile Runoff Containment Basin	DCB Well Series
D-Area Oil Disposal Basin	DOB Well Series

600 AREAS

Burial Grounds

Bentonite Test Pit Wells, across from the entrance- to the Burial Grounds on Road E	BTP Well Series
Burial Grounds	BG Well Series

LOCATION INDEX BY AREA

Location

Well Series

600 AREAS (cont.)

Burial Grounds (cont.)

Burial Grounds Expansion Wells	WW Well Series
Burial Grounds Grid Wells	BG Well Series
Burial Grounds Perimeter Wells	BGO Well Series
Deep Rock Borings	DRB Well Series
Just north of the Burial Grounds	BG Well Series
Just outside the fence surrounding the Burial Grounds	BG Well Series
Series A, Monitoring Grid Wells for Burial Grounds	MGA Well Series
Series C, Monitoring Grid Wells for Burial Grounds	MGC Well Series
Series E, Monitoring Grid Wells for Burial Grounds	MGE Well Series
Series G, Monitoring Grid Wells for Burial Grounds	MGG Well Series
Series I, Monitoring Grid Wells for Burial Grounds	MGI Well Series
Special Burial Wells in the Burial Grounds	SB Well Series

Central Shops

Central Shops Burning/Rubble Pits	CSR Well Series
Central Shops Hydrofluoric Acid Spill Area	CSA Well Series
Fire Department Training Facility (Central Shops Burnable Oil Basin)	CSO Well Series
Ford Building Seepage Basin (Heat Exchanger Repair Facility Basin)	HXB Well Series
Hazardous Waste Storage Facility at Central Shops	HWS Well Series

General

Background Well near Hawthorne Fire Tower	GBW Well Series
Chemicals, Metals, Pesticides Pits	CMP Well Series
Hazardous Waste/Mixed Waste Disposal Facility	MWD Well Series
Intermediate Depth Burial Well	IDB Well
New Sanitary Landfill Piezometer Wells	SLW Well Series
Par Pond Sludge Land Application Site	PSS Well Series
Road A Chemical Basin (Baxley Road)	BRD Well Series
Sanitary Landfill	LFW Well Series
Sewage Sludge Application Sites Wells	SSS Well Series

TNX

New TNX Seepage Basin	YSB Well Series
Old TNX Seepage Basin	XSB Well Series
TNX Burying Grounds	TBG Well Series

LOCATION INDEX BY WELL SERIES

<u>Well Series</u>	<u>Location</u>
ABP Well Series	A-Area Metals Burning Pit
ABW Well Series	A-Area Background Well near Firing Range
AC Well Series	A-Area Cluster Perimeter Wells
	Plume Definition Wells
ACB Well Series	A-Area Coal Pile Runoff Containment Basin
AMB Well Series	Metallurgical Laboratory Seepage Basin
AOB Well Series	Motor Shop Oil Basin
ARP Well Series	A-Area Burning/Rubble Pits
ASB Well Series	Savannah River Laboratory Seepage Basins
BG Well Series	Burial Grounds
	Burial Grounds Grid Wells
	Just north of the Burial Grounds
	Just outside the fence surrounding the Burial Grounds
BGO Well Series	Burial Grounds Perimeter Wells
BRD Well Series	Road A Chemical Basin (Baxley Road)
BTP Well Series	Bentonite Test Pit Wells across from the Burial Grounds on Road E
CCB Well Series	C-Area Coal Pile Runoff Containment Basin
CDB Well Series	C-Area Disassembly Basin
CMP Well Series	Chemicals, Metals, Pesticides Pits
CRP Well Series	C-Area Burning/Rubble Pit
CSA Well Series	Central Shops Hydrofluoric Acid Spill Area
CSB Well Series	C-Area Reactor Seepage Basins
CSO Well Series	Fire Department Training Facility (Central Shops Burnable Oil Basin)
CSR Well Series	Central Shops Burning/Rubble Pits
DBP Well Series	D-Area Burning/Rubble Pits
DCB Well Series	D-Area Coal Pile Runoff Containment Basin
DOB Well Series	D-Area Oil Disposal Basin
DRB Well Series	Deep Rock Borings
F Well Series	F-Area Seepage Basins
FAC Well Series	F-Area Acid/Caustic Basin
FAL Well Series	F-Area A Line
FBP Well Series	F-Area Burning/Rubble Pits
FC Well Series	F-Area Hydrology Cluster
FCA Well Series	F-Area Canyon Building
FCB Well Series	F-Area Coal Pile Runoff Containment Basin

LOCATION INDEX BY WELL SERIES

<u>Well Series</u>	<u>Location</u>
FET Well Series	F-Area Effluent Treatment Facility
FMC Well Series	F-Area Seepage Basins Vertical Radionuclide Distribution Wells
FNB Well Series	Old F-Area Seepage Basin
FSB Well Series	F-Area Seepage Basins
FSS Well Series	F-Area Sludge Land Application Site
FTF Well Series	F-Area Tank Farm
GBW Well Series	Background Well near Hawthorne Fire Tower
H Well Series	H-Area Seepage Basins
HAC Well Series	H-Area Acid/Caustic Basin
HAP Well Series	H-Area Auxiliary Pump Pit
HCA Well Series	H-Area Canyon Building
NCB Well Series	H-Area Coal Pile Runoff Containment Basin
HCC Well Series	H-Area Canyon Building
HET Well Series	H-Area Effluent Treatment Facility
HPT Well Series	Aquifer Characterization Test Wells in H Area between the Burial Grounds and Road 4
HR3 Well Series	Old H-Area Retention Basin
HR8 Well Series	H-Area Retention Basin
HSB Well Series	H-Area Seepage Basins
HSS Well Series	H-Area Sludge Land Application Site
HTF Well Series	H-Area Tank Farm
HWS Well Series	Hazardous Waste Storage Facility at Central Shops
HXB Well Series	Ford Building Seepage Basin (Heat Exchanger Repair Facility Basin)
IDB Well	Intermediate Depth Burial Well
KAB Well Series	K-Area Ash Basin
KAC Well Series	K-Area Acid/Caustic Basin
KCB Well Series	K-Area Coal Pile Runoff Containment Basin
KDB Well Series	K-Area Disassembly Basin
KRB Well Series	K-Area Retention Basin
KRP Well Series	K-Area Burning/Rubble Pit
KSB Well Series	K-Area Reactor Seepage Basin
KSS Well Series	K-Area Sludge Land Application Site
LAC Well Series	L-Area Acid/Caustic Basin
LCO Well Series	L-Area Oil and Chemical Basin
LDB Well Series	L-Area Disassembly Basin
LFW Well Series	Sanitary Landfill
LRP Well Series	L-Area Burning/Rubble Pit
LSB Well Series	L-Area Reactor Seepage Basin
MCB Well Series	Miscellaneous Chemical Basin
MGA Well Series	Series A, Monitoring Grid Wells for Burial Grounds
MGC Well Series	Series C, Monitoring Grid Wells for Burial Grounds
MGE Well Series	Series E, Monitoring Grid Wells for Burial Grounds

LOCATION INDEX BY WELL SERIES

<u>Well Series</u>	<u>Location</u>
MGG Well Series	Series G, Monitoring Grid Wells for Burial Grounds
MGI Well Series	Series I, Monitoring Grid Wells for Burial Grounds
MSB Well Series	M-Area Hazardous Waste Management Facility Plume Definition Wells M-Area Settling Basin (also used for plume definition)
MWD Well Series	Hazardous Waste/Mixed Waste Disposal Facility
NBG Well Series	Naval Fuels Background Wells
PAC Well Series	P-Area Acid/Caustic Basin
PCB Well Series	P-Area Coal Pile Runoff Containment Basin
PDB Well Series	P-Area Disassembly Basin
PRP Well Series	P-Area Burning/Rubble Pit
PSB Well Series	P-Area Reactor Seepage Basins
PSS Well Series	Par Pond Sludge Land Application Site
RAC Well Series	R-Area Acid/Caustic Basin
RRP Well Series	R-Area Burning/Rubble Pits
RSA Well Series	Series A, R-Area Reactor Seepage Basins
RSB Well Series	Series B, R-Area Reactor Seepage Basins
RSC Well Series	Series C, R-Area Reactor Seepage Basins
RSD Well Series	Series D, between R-Area Reactor Seepage Basin (904-103G) and R-Area Reactor Building
RSE Well Series	Series E, R-Area Reactor Seepage Basins
RSF Well Series	Series F, R-Area Reactor Seepage Basins
RSS Well Series	S-Area Defense Waste Processing Facility (DWPF)
RWM Well Series	M-Area Recovery Wells (also used for plume definition)
SB Well Series	Special Burial Wells in the Burial Grounds
SBG Well Series	S-Area Background Wells
SCA Well Series	S-Area Canyon Building
SLP Well Series	S-Area Low Point Pump Pit
SLW Well Series	New Sanitary Landfill Piezometer Wells
SRW Well Series	Silverton Road Waste Site
SSS Well Series	Sewage Sludge Application Sites Wells
TBG Well Series	TNX Burying Grounds
WW Well Series	Burial Grounds Expansion Wells
XSB Well Series	Old TNX Seepage Basin
YSB Well Series	New TNX Seepage Basin
Z Well Series	F Area and H Area
ZBG Well Series	Z-Area Background Wells
ZDT Well Series	Z-Area Drain Tank
ZW Well Series	F Area and H Area
241-H Well Series	H-Area Tank Farm, between Tanks 9 and 11

REFERENCES

- E. I. du Pont de Nemours & Company. (1987). *Hydrogeologic Data Collection*, DPSOP 254. Aiken, SC.
- Environmental Monitoring (Health Protection Department) and Exploration Software. (1987). *The Savannah River Plant's Groundwater Monitoring Program Conducted by the Health Protection Department for the Second Quarter 1987*, HPR-87-286. Aiken, SC: E. I. du Pont de Nemours & Company, Savannah River Plant.
- Environmental Monitoring (Health Protection Department) and Exploration Software. (1987). *The Savannah River Plant's Groundwater Monitoring Program Conducted by the Health Protection Department for the Third Quarter 1987*, HPR-87-339. Aiken, SC: E. I. du Pont de Nemours & Company, Savannah River Plant.
- Environmental Monitoring (Health Protection Department) and Exploration Software. (1988). *The Savannah River Plant's Groundwater Monitoring Program Conducted by the Health Protection Department for the Fourth Quarter 1987*, HPR-88-098. Aiken, SC: E. I. du Pont de Nemours & Company, Savannah River Plant.
- Environmental Monitoring (Health Protection Department) and Exploration Software. (1988). *The Savannah River Plant's Groundwater Monitoring Program Conducted by the Health Protection Department for the First Quarter 1988*, HPR-88-238. Aiken, SC: E. I. du Pont de Nemours & Company, Savannah River Plant.
- Environmental Monitoring (Health Protection Department) and Exploration Software. (1988). *The Savannah River Plant's Groundwater Monitoring Program Conducted by the Health Protection Department for the Second Quarter 1988*, HPR-88-300. Aiken, SC: E. I. du Pont de Nemours & Company, Savannah River Plant.
- Environmental Monitoring (Health Protection Department) and Exploration Software. (1988). *The Savannah River Plant's Groundwater Monitoring Program Conducted by the Health Protection Department for the Third Quarter 1988*, HPR-88-489. Aiken, SC: E. I. du Pont de Nemours & Company, Savannah River Plant.
- Environmental Monitoring (Health Protection Department) and Exploration Software. (1989). *The Savannah River Site's Groundwater Monitoring Program Conducted by the Health Protection Department for the Fourth Quarter 1988*, HPR-89-193. Aiken, SC: Westinghouse Savannah River Company, Savannah River Site.

REFERENCES

- Environmental Monitoring (Environmental and Health Protection Department) and Exploration Resources. (1989). *The Savannah River Site's Groundwater Monitoring Program Conducted by the Environmental and Health Protection Department for the First Quarter 1989*, ESH-EMS-890043. Aiken, SC: Westinghouse Savannah River Company, Savannah River Site.
- Environmental Monitoring (Environmental and Health Protection Department) and Exploration Resources. (1989). *The Savannah River Site's Groundwater Monitoring Program Conducted by the Environmental and Health Protection Department for the Second Quarter 1989*, ESH-EMS-890044. Aiken, SC: Westinghouse Savannah River Company, Savannah River Site.
- Heath, E. M., L. B. Taus, C. M. Olson, and Exploration Software. (1986). *The Savannah River Plant's Waste-Site Groundwater Monitoring Program Conducted by the Health Protection Department for the Third Quarter 1986*, HPR-87-002. Aiken, SC: E. I. du Pont de Nemours & Company, Savannah River Plant.
- Heath, E. M., L. B. Taus, C. M. Olson, and Exploration Software. (1987). *The Savannah River Plant's Groundwater Monitoring Program Conducted by the Health Protection Department for the Fourth Quarter 1986*, HPR-87-072. Aiken, SC: E. I. du Pont de Nemours & Company, Savannah River Plant.
- Heath, E. M., L. B. Taus, C. M. Olson, and Exploration Software. (1987). *The Savannah River Plant's Groundwater Monitoring Program Conducted by the Health Protection Department for the First Quarter 1987*, HPR-87-158. Aiken, SC: E. I. du Pont de Nemours & Company, Savannah River Plant.
- Janssen, J. and Exploration Software. (1988). *Health Protection Well Inventory, Includes Current and Past Monitoring (as of September 30, 1988)*, HPR-89-033. Aiken, SC: E. I. du Pont de Nemours & Company, Savannah River Plant.
- Janssen, J. and Exploration Resources. (1989). *Environmental and Health Protection Well Inventory, Includes Current and Past Monitoring (as of April 26, 1989)*, ESH-EMS-890070. Aiken, SC: Westinghouse Savannah River Company, Savannah River Site.
- Olson, C. M. and Exploration Software. (1986). *The Savannah River Plant's Waste-Site Groundwater Monitoring Program Conducted by the Health Protection Department for the First Quarter 1986*, HPR-86-158 Revised. Aiken, SC: E. I. du Pont de Nemours & Company, Savannah River Plant.
- Olson, C. M. and Exploration Software. (1986). *The Savannah River Plant's Waste-Site Groundwater Monitoring Program Conducted by the Health Protection Department for the Second Quarter 1986*, HPR-86-226. Aiken, SC: E. I. du Pont de Nemours & Company, Savannah River Plant.
- South Carolina Department of Health and Environmental Control. (1986). *Construction Permit No. 12,683 [Z-Area Saltstone Manufacturing Facility]*, granted to U.S. Department of Energy, Savannah River Operations Office, Aiken, SC.

REFERENCES

- South Carolina Department of Health and Environmental Control. (1986). *Industrial Waste Permit No. IWP-217 (for the operation of an industrial solid waste disposal facility located in Z Area at the Savannah River Plant, Aiken County)*, Office of Environmental Quality Control, Bureau of Solid & Hazardous Waste Management. Columbia, SC.
- South Carolina Department of Health and Environmental Control. (1989). *South Carolina Hazardous Waste Management Regulations, Amended June 23, 1989*, Promulgated Pursuant to Sections 44-56-10 through 44-56-140 of the 1976 South Carolina Code of Laws.
- South Carolina Hazardous Waste Management Regulations, General Program Requirements. (1986). South Carolina Code of Regulations, R.61-79.124-270, Subpart A. Columbia, SC.
- Steel, R. G. D., and Torrie, J. H. (1980). *Principles and Procedures of Statistics*, 2nd edition. New York: McGraw-Hill Book Company.
- U.S. Department of Energy. (1984). *Final Environmental Impact Statement: L-Reactor Operation, Savannah River Plant*, Volume 1, DOE-EIS-0108. Aiken, SC.
- U.S. Environmental Protection Agency. (1976). "National Primary Drinking Water Regulations," Title 40, *Code of Federal Regulations*, Part 141. Washington, DC.
- U.S. Environmental Protection Agency. (1977). *National Interim Primary Drinking Water Regulations*, EPA-570/9-76-003. Washington, DC.
- U.S. Environmental Protection Agency. (1979). *Methods for Chemical Analysis of Water and Wastes*, EPA-600/4-79-020. Office of Research and Development, Cincinnati, OH.
- U.S. Environmental Protection Agency. (1979). "National Interim Primary Drinking Water Regulations," *Federal Register*, Volume 44, Number 231, Appendix, Part I, November 29, 1979. Washington, DC.
- U.S. Environmental Protection Agency. (1986). "National Primary Drinking Water Regulations," Title 40, *Code of Federal Regulations*, Part 143. Washington, DC.
- U.S. Environmental Protection Agency. (1986). *Test Methods for Evaluating Solid Waste, Volume 1A: Laboratory Manual, Physical/Chemical Methods*, SW-846. Washington, DC.
- U.S. Environmental Protection Agency. (1987). "National Primary Drinking Water Regulations," Title 40, *Code of Federal Regulations*, Part 141. Washington, DC.
- U.S. Environmental Protection Agency. (1987). "National Primary Drinking Water Regulations; Volatile Synthetic Organic Chemicals," *Federal Register*, July 8, 1987. Washington, DC.

RELATED DOCUMENTS

The following is a brief description of documents pertaining to the groundwater monitoring program.

Quarterly Reports

The Environmental and Health Protection Department's Environmental Monitoring Section has published a description of its Groundwater Monitoring Program, with analytical and field data, for each quarter since the beginning of 1986. These quarterly reports are listed below.

HPR-86-158, First Quarter 1986 (revised)
HPR-86-226, Second Quarter 1986
HPR-87-002, Third Quarter 1986
HPR-87-072, Fourth Quarter 1986
HPR-87-158, First Quarter 1987
HPR-87-286, Second Quarter 1987
HPR-87-339, Third Quarter 1987
HPR-88-098, Fourth Quarter 1987
HPR-88-238, First Quarter 1988
HPR-88-300, Second Quarter 1988
HPR-88-489, Third Quarter 1988
HPR-89-193, Fourth Quarter 1988
ESH-EMS-890043, First Quarter 1989
ESH-EMS-890044, Second Quarter 1989

Annual Reports

The U.S. Department of Energy Savannah River Site Environmental Report, which includes groundwater data, is issued annually. Recent reports are listed below.

DPSPU-86-30-1 (Vols. 1 and 2), 1985
DPSPU-87-30-1 (Vols. 1 and 2), 1986
DPSPU-88-30-1 (Vols. 1 and 2), 1987
WSRC-RP-89-59-1 (Vols. 1 and 2), 1988

Time Plots

Time Versus Concentration Plots of Select Parameters from the Groundwater Monitoring Program provides graphical representations of groundwater data from each monitoring well series. The latest version is listed below.

HPR-88-058, July 1984-June 1987

RELATED DOCUMENTS

Map Book

Area Maps of Wells Monitored by the Health Protection Department contains 11 in. by 17 in. maps of major areas of SRS. The latest version is listed below.

HPR-87-189, March 31, 1987

Inventory

Environmental and Health Protection Well Inventory is a listing of all wells, giving their location, elevation, casing type, and dates of installation and abandonment (if applicable). The latest version is listed below.

ESH-EMS-890070, April 26, 1989

Other Data Reports

Christensen, E. J. and Gordon, D. E., eds. (1983). *Technical Summary of Groundwater Quality Protection Program at Savannah River Plant, Volume I - Site Geohydrology, and Solid and Hazardous Wastes*. DPST-83-829. This document describes SRS waste disposal sites and analytical monitoring data as of December 1983.

NUS Corporation. (1988). *Geohydrology Program Report*. Environmental Division, Savannah River Operations Office, U.S. Department of Energy. This document describes projects relating to the Geohydrology Program at SRS and their current status and administration.

Stone, J. A. and Christensen, E. J., eds. (1983). *Technical Summary of Groundwater Quality Protection Program at Savannah River Plant, Volume II - Radioactive Waste*. DPST-83-829. This document presents representative monitoring data for radioactivity in groundwater at SRS as of December 1983.

END

**DATE
FILMED**

6 / 9 / 92