g
Receiv: OST
JUL 17 1989

DOE/ER/13970--1

DE92 009531

CARBANK--A STRUCTURAL AND BIBLIOGRAPHIC DATA BASE

PROGRESS REPORT

Dr. Peter Albersheim

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

**Complex Carbohydrate Research Center
University of Georgia
Athens, GA 30613**

May 1989

MASTER

**PREPARED FOR THE
U. S. DEPARTMENT OF ENERGY
UNDER GRANT DE-FG09-88ER13970**

22
DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED

Abstract

An IBM PC-compatible computerized database (*CCSD*, *Complex Carbohydrate Structure Database*) and database management system (*CarbBank*) for complex carbohydrates were created to provide a structure and citation information system to meet the needs of persons interested in carbohydrate science. The *CarbBank* staff will enter new structures into the database and correct present entries, under the guidance of approximately forty *CarbBank* curators. The *CCSD* has approximately 1400 records and is being verified by the curators at the present time, May 1989. We plan to have the database commercially available in September 1989, and we foresee a database containing about 10,000 records within three years. The *CCSD* exists as a flat file database. We propose to change to a relational database format over the next two years to accommodate the large number of entries expected, to facilitate database maintenance, and to support a functional integration of data types, such as three-dimensional information, not presently included in the *CCSD*. We propose to develop *CarbBank* for other computer platforms and to enhance the features available in *CarbBank*.

I. CCSD (Complex Carbohydrate Structure Database)

Researchers at the Complex Carbohydrate Research Center (CCRC) devised a computerized database and database management system for complex carbohydrates. The *CCSD* (*Complex Carbohydrate Structure Database*) integrates information about complex carbohydrates (structures, published citations, and supplementary text information such as key words, biological activity, etc.) into a computer readable format. The *CCSD* database manager, *CarbBank*, allows researchers interested in carbohydrate science to manage database files and to display, edit, and quickly search for text and structural information.

All citations that describe carbohydrate structures, including multiple but unique citations of identical carbohydrate structures, should eventually be incorporated into the *CCSD*. To accomplish this task, it is anticipated that over 10,000 records will be entered into the *CCSD* within the next two to five years.

The *CCSD* already contains 1400 citations and structures, but only 900 unique structures. In other words, about one out of three structures published as a novel structure were published previously. The *CCSD* will help to prevent such incorrect claims. Each unique literature citation in the *CCSD* has an average of three different structures per

citation, although one citation describes 36 structures. Each unique structure is cited, on average, three times, although some structures are cited up to ten times. After analyzing the database records, we have determined that a switch from a flat file to a relational database format would be highly advantageous. We propose such a change later in this application.

II. Technical Details of the CCSD File Format

The CCSD is accessible to *CarbBank* and to future database management systems. The file contains only ASCII characters in a flat file format. Database applications, like *CarbBank*, "read" the CCSD file and create new, processed database files for their own needs. We have included documentation for the CCSD file structure in the *CarbBank* Manual (see Appendix VII) to aid development of other database applications, and we plan to offer a flat file format version of the database, even after the relational database format becomes available.

The database text fields were chosen to accommodate the information required by carbohydrate researchers. The structure display, similar to that used by the journal *Carbohydrate Research*, was chosen to show branching patterns, linkages, glycosyl and non-glycosyl composition, and attributes of each residue (i.e., absolute configuration, anomeric configuration, ring size, and reducing status).

The contents of a *CCSD* record are listed below.

Database = CCSDBETA
Record # = 493

(example) structure:

Field code:	Definition of Text Field:	Example:
C#	<i>CarbBank</i> accession number	CC.05027E6A-1
CU	name of the curator	van Halbeek H
DA	entry date and revision date	22-4-89
CB	other <i>CCSD</i> records, cross-reference	-
CA	Chemical Abstracts, cross-reference	CA102(13):113907u
PA	Patent literature, cross-reference	-
PR	protein databases, cross-reference	-
SD	spectroscopic database, cross-reference	-
OT	other databases, cross-reference	-
AU	author(s) of the citation	Michalski JC; Peter-Katalinic J; Egge H; Paz-Parente J; Montreuil J; Strecker G
TI	title of the citation	Behavior of the 2-acetamido-2-deoxy- α -D-glucopyranosyl residue during sequential hydrazinolysis, N-reacetylation, reduction, and methylation of glycoasparagines
JL	citation, journal or book	Carbohydr. Res. (1984) 134: 177-189
NT	notes relevant to citation	Pentasaccharide-Asn was the starting material of hydrazinolysis mechanism of hydrazinolysis; structural changes on sugar attachment site
SP	spectroscopic methods used in structure determination	GC-MS; FAB-MS; EI-MS
BA	biological source, activity	Human urine (patients with aspartylglucosaminuria or fucosidosis)
KW	key words for record	Glycoprotein N-Linked
GC	glycoconjugate information	asparagine
BI	information about binding studies	-
(end of one record)		

III. CCSD Verification and Distribution

The *CCSD* has about 40 curators, experts in a variety of carbohydrate fields, who are responsible for the contents of the database. The curators send original citation information (or corrections) by hard copy to the CCRC, where the database staff assigns accession numbers and enters the new (or revised) citations into the *CCSD*.

Submission to the *CCSD* directly by journals is planned.

The *CCSD*, *CarbBank*, and a Manual and Tutorial were distributed in early May 1989 to about 50 *CarbBank* curators and "friends" for verification and augmentation of the records presently in the database, as well as for addition of new structures and associated text information. Copies of the letters sent to curators, the Manual and Tutorial, *CarbBank* and the *CCSD* accompany this renewal application.

We plan to have the database commercially available in September 1989. The *CCSD* will be updated and released to subscribers at least two times per annum.

IV. *CarbBank*, a Computer Program that uses the *CCSD*

Although, the *CCSD* has an open format, a suitable computer program must be used to retrieve the information in the *CCSD*. In a situation that is parallel to the early releases of the genetic sequence databases, a commercial word processor is the easiest way to access the information in the *CCSD*. Some researchers may find that this is entirely adequate for their needs, if they only need to search for text information.

Searches for carbohydrate substructures exceed the capability of word processors and commercially available database management systems because of the structure of complex oligosaccharides, i.e., the presence of branches, a large variety of glycosyl residues and non-glycosyl components, subtle but important variations in the points of linkage, anomeric configurations, and ring form of glycosyl residues. We created a computer program called *CarbBank* to quickly search for whole structures or substructures in a way that accommodates the great diversity of carbohydrate structures in the literature. Typical searches of the 1400 records take about one second for text information and less than three seconds for structures. *CarbBank* is able to search rapidly because it contains a sophisticated module that pre-analyzes every record in the database, creates a sorted Index of items in the database, stores the Index on disk, and uses the Index as the basis of searches.

***CarbBank* technical details:**

computer type:	IBM PC XT/AT and IBM/MS DOS compatibles
disk storage:	fixed disk required, 2-4 Mbytes of space necessary for program and database files
file type:	databases are variable record length files
number of records:	4000 records per database file; maximum of 8000 allowable with some reprogramming
record type:	flat file (each record = structure + text)
data interchange:	CCSD text files <---> <i>CarbBank</i> flat file databases
indexing:	fields to be included in the Index are selectable by user
searching:	only indexed fields are searched

V. *CarbBank* Staff

The *CarbBank* staff will handle all communications with the users and curators. We have had inquiries from an additional 100 potential users, 80% of whom are associated with academic or government laboratories and 20% from industry. We presently have about forty curators. The staff will establish and refine procedures for acquiring new records (or corrections) from the curators, will distribute the database and applications to the users, and will answer user inquiries.

We have established and are refining several databases and applications, using MicroRim's RBase for DOS, to provide a complete accounting system for the CCSD and *CarbBank*. We will use them to keep track of all communications with subscribers and curators and to provide reports to interested parties.

The *CarbBank* staff will continue these efforts through September 14, 1991, provided funds remain available. After September 1991, *CarbBank* should move from the CCRC to government or commercial agents skilled in maintaining biotechnology databases.

VI. Present Implementation of *CarbBank*

The present version of *CarbBank* is a flat file database management system for the CCSD that includes an Editor, Searcher, and Database Management routines. It is the result of several years of programming, several iterations of refinement, and many hours of discussion within the international carbohydrate community.

We expect to spend some time within the next year in fixing "bugs" in the present implementation. Although we would like to avoid large scale changes to *CarbBank*, we anticipate that minor enhancements will be added during the next year. One recent addition

to an unreleased version allows *CarbBank* to export a compositional table for any structure in the database. The NMR and mass spectroscopists at the CCRC found this to be a useful addition.

VII. Future Implementations of *CarbBank*

A. Relational Format

The anticipated growth in the size of the *CCSD* beyond the original estimate of 4000-6000 records will require that the *CCSD* and *CarbBank* (or a variant of *CarbBank*) be converted from a flat file to a relational format by the end of 1990. The *CCSD* already has a many-to-many (structure-to-text) relationship among about 30% of the records, and, even if this frequency is maintained with additional entries, a switch to a relational format will reduce the amount of effort necessary to maintain, edit, or expand the database contents and will reduce the amount of required disk storage space per "record."

Conversion to a relational format would begin by creating a scaled-down version of *CarbBank*, called *CCSD-RSearch*. *CCSD-RSearch* would not edit or manage databases; it would only search a special version of the *CCSD*. Nevertheless, we believe *CCSD-RSearch* would find wide acceptance in the carbohydrate science community.

B. Enhanced *CCSD*

We would like to use the change to a relational format as a mechanism for "including" information not presently contained in the *CCSD*. We propose to incorporate three-dimensional data (atomic coordinates), either calculated or derived from X-ray analysis, for all structures for which the coordinates are available. The relational database format will enable this data to be functionally integrated with the data already in the *CCSD*. This information would not be used directly by *CarbBank*, rather it would be exported for use by commercial molecular graphics programs. We also intend to work closely with our collaborators in the CCRC and in Europe to incorporate NMR spectroscopic data for complex carbohydrates into the *CCSD*.

C. Additional Features for *CarbBank*

We propose to incorporate features that would make *CarbBank* an even more valuable resource for scientists. We would like to enhance the search aspects of *CarbBank*,

by allowing stacked or multiple criteria per search (only one criterion is allowed per search

now) and by improving the search for homologous sequences. We would also like to implement a graphics interface to display large structures on the screen in their entirety.

A link between the *CCSD* and a molecular graphics program would provide researchers interested in three-dimensional structure and molecular interactions with a valuable resource. We propose to create a module in *CarbBank* that will export existing carbohydrate sequence information in a format that is suitable for molecular mechanics programs, such as GESA (GEometry of SACcharides, written by Bernd Meyer of the CCRC). Commercially available molecular graphics programs can use the "output information" from the molecular mechanics programs and display the results on a variety of computers.

D. Computer Platforms for *CarbBank*

We are committed to maintaining a product that is accessible by IBM PC XT or AT compatible computers, but the computer world is advancing rapidly. Computer hardware, that was available only on expensive mainframe and minicomputers when *CarbBank* was started, is now available on reasonably priced workstations. Operating systems and programming environments, such as Hypermedia interfaces and Object Oriented Programming languages, have also advanced rapidly in the past three years. Some of the enhancements to *CarbBank* mentioned above could more easily be implemented within more capable environments than those presently available within DOS for IBM PCs. We wish to proceed toward the development of *CarbBank* for new computer platforms. We would like to investigate porting *CarbBank* (or a derivative) to graphics interfaces like the Presentation Manager (IBM MS OS/2), DEC Windows, etc. We also see a great advantage in providing a version that is compatible with the new generation of DEC or SUN workstations, where *CarbBank* could become the central core to a "carbohydrate information resource" for NMR and mass spectroscopists.

Implementation of all of these goals will require more programmers than can be supported by the available funds. Therefore, code for the enhancements will be written as funding (time) permits.

END

**DATE
FILMED**

4 / 17 / 92