APR 29 1998

ENGINEERING DATA TRANSMITTAL

Page 1 of 1
1. EDT 623151

2. To: (Receiving Organization) Distribution		3. From: (Originating Organization) 222-S Laboratory Complex		4. Related EDT No.: N/A	
5. Proj./Prog./Dept./Div.: 222-S Laboratory/Waste Management/PPC/AS		6. Design Authority/ Design Agent/Cog. Engr.: Cary M. Seidel		7. Purchase Order No.: N/A	
8. Originator Remarks: This document is being released into the supporting document system for retrievability purposes.				9. Equip./Component No.: N/A	
				10. System/Bldg./Facility: 222-S Laboratory	
11. Receiver Remarks: For release. 11A. Design Baseline Document? ☐ Yes ☒ No				12. Major Assm. Dwg. No.: N/A	
				13. Permit/Permit Application No.: N/A	
				14. Required Response Date: 04/22/98	

15. DATA TRANSMITTED					(F)	(G)	(H)	(I)
(A) Item No.	(B) Document/Drawing No.	(C) Sheet No.	(D) Rev. No.	(E) Title or Description of Data Transmitted	Approval Designator	Reason for Transmittal	Originator Disposition	Receiver Disposition
1	HNF-1641	N/A	0	Development of an Inventory/Archive Program for the Retention, Management, and Disposition of Tank Characterization Samples at the 222-S Laboratory	N/A	2	1	1

16. KEY					
Approval Designator (F)		Reason for Transmittal (G)		Disposition (H) & (I)	
E, S, Q, D or N/A (see WHC-CM-3-5, Sec.12.7)		1. Approval	4. Review	1. Approved	4. Reviewed no/comment
		2. Release	5. Post-Review	2. Approved w/comment	5. Reviewed w/comment
		3. Information	6. Dist. (Receipt Acknow. Required)	3. Disapproved w/comment	6. Receipt acknowledged

17. SIGNATURE/DISTRIBUTION (See Approval Designator for required signatures)											
(G) Reason	(H) Disp.	(J) Name	(K) Signature	(L) Date	(M) MSIN	(G) Reason	(H) Disp.	(J) Name	(K) Signature	(L) Date	(M) MSIN
		Design Authority									
		Design Agent									
2	1	Cog. Eng. C. M. Seidel	<i>[Signature]</i>	4/23/98							
2	1	Cog. Mgr. J. E. Hyatt	<i>[Signature]</i>	4/23/98							
		QA									
		Safety									
		Env.									

18. M. T. Ellsworth <i>[Signature]</i> 4/23/98 Signature of EDT Originator		19. N/A Authorized Representative Date for Receiving Organization		20. J. E. Hyatt <i>[Signature]</i> 4/23/98 Design Authority/ Design Manager		21. DOE APPROVAL (if required) Ctrl. No. ☐ Approved ☐ Approved w/comments ☐ Disapproved w/comments	

Development of an Inventory/Archive Program for the Retention, Management, and Disposition of Tank Characterization Samples at the 222-S Laboratory

Cary M. Seidel
Waste Management of Hanford, Inc., Richland, WA 99352
U.S. Department of Energy Contract DE-AC06-96RL13200

Clifford T. Narquis
Badger Mountain Technical Associates, West Richland, WA 99353

EDT/ECN: EDT-623151 UC: 2070
Org Code: 31120 Charge Code: N4K1E
B&R Code: EW 3120074 Total Pages: 179

Key Words: Development, Inventory/Archive, Inventory, Archive, Program, Retention, Management, Disposition, Tank Characterization, Samples, 222-S Laboratory

Abstract: N/A

TRADEMARK DISCLAIMER. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof or its contractors or subcontractors.

Printed in the United States of America. To obtain copies of this document, contact: Document Control Services, P.O. Box 950, Mailstop H6-08, Richland WA 99352, Phone (509) 372-2420; Fax (509) 376-4989.

Release Approval
4/29/98
Date

DATE:		ID:
STA: 4		2.
APR 29 1998		
Release Stamp		

Approved for Public Release

FINAL REPORT

Development of an Inventory/Archive Program for the Retention, Management, and Disposition of Tank Characterization Samples at the 222-S Laboratory

Presented to:

Daniel S. Mantooth and Cary M. Seidel
Waste Management Federal Services of Hanford, Inc.

Prepared by:

Clifford T. Narquis
Badger Mountain Technical Associates

April 20, 1998

TABLE OF CONTENTS

Executive Summary	1
Introduction	3
Proposed Archival Program	5
Physical Inventory	10
Containers	16
Storage Needs and Current Readiness	18
Maintenance of Archived Samples	30
Consolidation of Existing Database	34
Disposition	35
Regulatory Considerations	37
Implementation	39
References	40
Appendix I (222-S Archived Database Sorted by Tank:Core:Matrix)	42
Appendix II (Inventory Database Reports and Queries used to Support Sample and Cost Projections)	157

This package consists of pages 1 through 176.

TRADEMARKS:

Hastelloy is a Trademark of Stellite Rod Division Stoodly DeLoro Stellite Inc.

Teflon is a Trademark of E.I. du Pont de Nemours & Co.

Kynar is a Registered Trademark of Elf Atochem of North America Inc.

Paradox is a Trademark of Borland International Inc.

Access is a Trademark of Microsoft

Executive Summary

The Hanford Tank Waste Remediation Systems (TWRS) Characterization Program is responsible for coordinating the sampling and analysis of the 177 large underground storage tanks at the Hanford site. The 222-S laboratory has been the primary laboratory for chemical analysis of this highly-radioactive material and has been accumulating these samples for many years. As part of the Fiscal Year 1998 laboratory work scope, the 222-S laboratory has performed a formal physical inventory of all tank characterization samples which are currently being stored. In addition, an updated inventory/archive program has been designed. This program defines sample storage, retention, consolidation, maintenance, and disposition activities which will ensure that the sample integrity is preserved to the greatest practical extent. In addition, the new program provides for continued availability of waste material in a form which will be useful for future bench-scale studies. Finally, when the samples have exceeded their useful lifetime, the program provides for sample disposition from the laboratory in a controlled, safe and environmentally compliant manner.

The 222-S laboratory maintains custody over samples of tank waste material which have been shipped to the laboratory for chemical analysis. The storage of these samples currently requires an entire hotcell, fully dedicated to sample archive storage, and is rapidly encroaching on additional hotcell space. As additional samples are received, they are beginning to limit the 222-S laboratory 11A hotcell utility for other activities such as sample extrusion and subsampling. The 222-S laboratory tracks the number of sample containers and the mass of each sample through an internal database which has recently been verified and updated via a physical inventory.

The archive sample inventory, as of February 1998, includes 203.7Kg of material in 2883 jars from 113 tanks. Of these samples 38% are sludge samples, 33% are salt cake samples, 18% are drainable liquid (supernate) samples, and the remaining 11% are grab samples, liner liquid, field blank, and miscellaneous samples. This inventory includes larger samples, most of which are being stored in the 222-S laboratory 11A Hotcells. It does not include the small subsamples generated for laboratory analysis and stored in the 222-S laboratory Room 2B.

The inventory/archive program described in this document is substantially an implementation of the guidance described in HNF-SD-WM-TRD-006, *Technical Basis for Disposition of Tank Waste Samples in Archive* (Adams, M.R., et al), March 1997. The program calls for generation of "parent" subsamples and "laboratory" subsamples at the time of segment or auger extrusion (or grab sample breakdown). The parent subsamples are normally retained in the 11A hotcells but some are retained in the 2B laboratory storage area. The "laboratory" samples are delivered to the rest of the 222-S laboratory for further

samples), as well as all of the small samples, digests and washes (altered samples) which are derived from them will be retained for 90-days past the publication date of the final analytical report. At that time they will be returned to Tank Farms. Any parent subsamples containing less than 5g of material will also be dispositioned after 90 days as will samples from tanks which are actively receiving or transferring waste (non-static tanks).

During the first year after publication of the laboratory report, the TWRS Characterization Program, through its Sample Archive Disposal Team (SADT) will canvass the site programs, looking for interest in any of the specific parent samples in storage at the 222-S laboratory. If, after one year, no interest is identified, the SADT will consider the samples no-longer necessary. The laboratory will retain all samples for which a programmatic need has been identified. In addition, the laboratory may consolidate the SADT-disposable samples into core and matrix composites if a generic program need is identified. This consolidation serves two purposes. The first purpose is to increase the volume to minimize moisture-loss and the second is to reduce the overall number of containers to reduce maintenance costs. This consolidation also provides a ready source of the large volume samples which will be attractive to future bench-scale testing.

These consolidated samples will be repackaged for long-term storage and will be retained until the sample is shipped to an external user, the samples deteriorate to a non-useful state, there is a need to reduce laboratory inventory for space or safety-basis reasons, or the programmatic need lapses.

Inventory projections were made based upon the TWRS Sampling Schedule Rev 5.3 (3/11/98). Maximum number of jars in inventory runs from approximately 3500 to over 6000 for the three scenarios. In addition, since the TWRS programs have indicated the need to save more than just 60-100g of each segment, the small archive jars will be replaced by 125mL and 250mL jars as time goes on. The current 11A hotcells storage arrangement would not be able to accommodate all 6000 samples in the worst-case projection. If the cell storage space were re-designed to accommodate the larger sample, the 11A space should be sufficient. Overflow capacity is available in the other 222-S laboratory hotcells.

Maintenance of the existing inventory includes repackaging after two years in the glass containers. This is necessary due to the chemical- and radiation-induced deterioration of the package materials. Maintenance costs are estimated at \$170,000 in 1998, decreasing to \$2,000 in 2010 (1998 dollars) as sampling rates decrease. There is a wide variation in projected repackaging costs for the first four years. These costs could be managed in a way which reduces first-year costs to approximately \$120,000.

Introduction

The Hanford site stores residual processing waste in 177 underground storage tanks. The material being stored in these tanks has been sampled over the years for characterization to address current safety issues and future retrieval and processing activities. Due to the high radioactivity of the tank waste samples, all chemical analysis has been conducted at the Hanford high-level laboratories (222-S and 325). The 325 laboratory tank waste characterization program was phased out in 1996 and since then all waste tank characterization has been performed at the 222-S laboratory. Tank characterization activities are expected to continue for many years as the waste in the tanks is stored, retrieved and, ultimately, processed for disposition from 222-S laboratory.

Recovering samples from these massive storage tanks is a complicated and costly activity. It involves physical, chemical, and radiological hazards to workers. For these reasons the Tank Waste Remediation System (TWRS) organization is under great pressure to retain all samples for potential future use. It is the hope that the availability of this material will obviate the need to re-sample tanks in some cases.

The definition of the sample long-term storage needs have been the subject of many studies in recent years (CBM-94-002 (McVey, 1994); WHC-SD-W079-ES-001 (McVey, 1994); Letter From D. R. Bratzel to S. M. Joyce, June 23, 1994). The nature of sample packaging, storage location, inventory program, retention time and disposition approaches have been studied, but not conclusively determined. This is due, in part, to changes in sampling rate, budgets, and the availability of a large volume of hot-cell space at the 222-S laboratory. However, within the last year, archive samples have exceeded the storage bin capacity allocated and are currently being stored on cell floors, makeshift baskets and are encroaching on active areas of the 222-S laboratory 11A hotcells.

Archive requirements were described in detail in a Characterization Program letter 7E720-94-125, D. R. Bratzel to S. M. Joyce, dated June 23, 1994. The letter recommends a six-month waiting period from the date of a TCR being published. After six months, the core composite would be kept if it contains greater than 60g of material and all of the samples from the core would be offered to potentially interested programs. If no interest is expressed, all but the composite would be dispositioned. The most likely disposition is a return of the material to Tank Farms through the 219-S Waste Handling Facility. If there was insufficient material in the composite sample, the laboratory would prepare a composite from the archived segments and store in a 100mL jar. The composites were then to be archived for 5 years. Grab and auger samples would be kept for six months after the TCR was published. If there is no interest in these samples they will be dispositioned. No grab or auger samples were to be kept for long-term archive.

processing and chemical This guidance has been recently superceded by Adams, et al (HNF-SD-WM-TRD-006). The idea of compositing was abandoned and all sample material will be retained, not just a 60 gm composite. The waiting times and ultimate storage times were also modified.

As part of the Waste Characterization FY 1998 Multi-Year Work Plan, through WBS 1.1.1.02.11, the 222-S laboratory is to undertake several activities associated with sample storage and disposition, given the updated guidance. The storage and disposition activities include:

- performing a physical inventory of all samples at the 222-S laboratory
- maintenance and surveillance of samples currently stored at the 222-S laboratory,
- evaluation of potential sample storage areas,
- Making ready sample storage areas,
- Packaging and shipping samples for storage or disposition,
- Providing continuing storage and/or disposition of samples, and
- Providing for ultimate sample disposition and cleanout of storage areas.

This document describes the results of the physical inventory, evaluation of storage and maintenance requirements and development of an inventory program for accomplishing all of the above-mentioned items.

Proposed Archival Program

Process Description

The proposed inventory program is based substantially upon guidance published in HNF-SD-WM-TRD-006 *Technical Basis for Disposition of Tank Waste Samples in Archive* (Adams, M.R., *et al*), March 1997. The major components can be summarized as follows:

- Tank segments are broken down and analyzed as per a Tank Sampling and Analysis Plan (TSAP),
- A 90-day clock begins upon completion of the laboratory analytical report.
- During the 90 days, all subsamples must be available for re-analysis or additional characterization.
- After the 90-day period, small samples (<5g), daughter samples, altered samples (digestates) and non-static tank (a tank which has had material added or removed since the sampling event) sample material can be dispositioned.
- Up to 1 year from the publication of the laboratory report, the Sample Archive Disposal Team (SADT) will canvass the Hanford Site programs, looking for indication of interest in retention of specific samples.
- If such interest is provided, the requested samples will be retained up to 5 years.
- Any other samples will be dispositioned after the 1-year period.

Figure 1 shows the process as a diagram.

The program proposed in this document takes the main elements of the guidance from HNF-SD-WM-TRD-006 and introduces the concept of consolidating like samples at the one-year period (instead of immediate return to Tank Farms), and indefinite storage of these larger composites. Instead of triggering the disposition sequence at the 1-year mark, the recommended program would retain large-volume composite samples for projected beneficial use in bench-scale studies. Decisions to disposition this material may come at any time after the characterization program has indicated no further interest. This concept can only 173-303-071(3)(l)), allow sample archiving *only where*

Figure 1

General Process for Archiving New Samples According to HNF-SD-WM-TRD-006, Rev. 0

there is a specific purpose for retention identified. Treatability study treated material may be archived for future evaluation for up to 5 years from initial receipt of the treatability sample at the lab (WAC 173-303-071-(3)(s)).

Figure 2 depicts the new recommended program.

Program detail description

The first modification of current practice is to end the practice of generating a separate "archive" sample. The "parent" jar will also be an archive jar. This will enhance sample integrity by increasing individual sample volume and simplify storage and maintenance by decreasing the overall number of containers in storage. There should also be a component of the inventory program to repackage the parent jar into the smallest jar which will contain the remaining material.

It is possible that repeated subsampling from a parent jar may increase the likelihood of cross-contamination or sample degradation which could be avoided if two jars are created. This potential must be weighed against the benefit of storing the samples in fewer, larger-volume containers. Given that repeated subsampling is, in fact, very limited and that every sample will benefit from larger volume storage, it seems that the benefits favor retaining only one parent jar.

Upon publication of the formal laboratory report on the analysis of a sample, a 90-day waiting period will commence. During this period the laboratory must maintain the ability to quickly return to a specific subsample in order to confirm anomalous results or answer additional characterization questions. Although Memoranda of Understanding (MOU) between TWRS Characterization and 222-S Laboratory (e.g. HNF-SD-WM-SD-023, *Fiscal Year 1997 Memorandum of Understanding for the TWRS Characterization Project*), have traditionally stated that laboratory subsamples could be dispositioned immediately upon publication of the laboratory report, the 90-day waiting period identified in HNF-SD-WM-TRD-006 seems prudent. If laboratory space is insufficient to maintain samples for the entire 90-day period, special permission to disposition specific samples may be requested from the Characterization Program.

At the 90-day mark, any subsamples, digestates, liner liquid, and subsamples containing <5g will be identified as "dispositionable." These will then be dispositioned in a controlled manner, consistent with appropriate RCRA regulations, ALARA, and laboratory operational conditions. Non-static tanks, where identified, will generally be retained for consolidation unless there is clearly no future use (i.e. the matrix or contents are too unique and no longer exist so that there would be no use even as "example" waste).

Figure 2
Revised Process for Archiving New Samples

Between the issuance of the laboratory report and one-year afterward, the SADT will conduct the administrative process for identifying programmatic interest in individual samples as described in HNF-SD-WM-TRD-006.

At the one-year mark, samples of specific programmatic interest will be identified for archive. The rest of the samples may be consolidated into a limited number of core composites if a programmatic need is identified and documented. Laboratory chemists will work with Characterization Program technical counterparts and develop a tank-specific consolidation scheme. It is anticipated that, in most cases, the scheme will be to combine samples from the same core, same matrix into core:matrix composites. In some cases, all samples from a core will be combined. Other compositing/consolidation schemes may be identified as most appropriate for that tank material. If a tank has only small amounts of material with limited potential future use, or if it contains an excess of a very common material, full or partial disposition may be the appropriate action.

Between year-one and year-two, the consolidation scheme will be accomplished. One year is allocated to the task of designing and accomplishing the consolidation/disposition plan. This is to give consideration to ongoing activities in the laboratory, workload of the project coordinators and Characterization Program counterparts, and operational schedule and status of the facility and, in particular, the 219-S Waste Handling Facility and cross-site waste liquid transfer line.

The resulting composites will be packaged in stainless steel, Hastelloy, or borosilicate glass containers for long-term archiving. Consolidated samples will remain in long-term storage until they are used at the 222-S laboratory, shipped to an off-site user or dispositioned by the facility.

There is currently a substantial backlog of samples in the 222-S laboratory inventory. Implementation of the archive/disposition plan will involve an initial set of activities in 1998 to consolidate the backlog and set-up the program. These initial implementation activities are described later in this report.

Physical Inventory

The storage of tank samples currently requires an entire hotcell, fully dedicated to sample archive storage. As additional samples are received, they are beginning to limit the 222-S laboratory 11A hotcell utility for other activities such as sample extrusion and subsampling. The 222-S laboratory tracks the number of sample containers and the mass of each sample through an internal database. However, precise reconciliation against a physical inventory has not happened until this activity.

A full physical inventory of all samples currently stored in the 222-S laboratory 11A hot cells was completed in March 1998. The inventory process was the most involved, and provided the most accurate data on sample inventory since the lab began receiving tank-waste samples nearly 10 years ago. Each sample jar was removed from its storage compartment, individually weighed, and its matrix verified against extrusion logs. New database fields were added for net weight of sample and matrix of sample. This enabled the database to now contain actual rather than estimated sample net weights and an indication of the sample matrix (sludge, saltcake, supernate, liner liquid, etc).

The 222-S laboratory archive sample inventory, as of March 1998, includes 203.7Kg of material in 2883 jars from 113 tanks. Of these samples 38% are sludge samples, 33% are salt cake samples, 18% are drainable liquid (supernate) samples, and the remaining 11% are grab samples, liner liquid, field blank, and other miscellaneous samples. Tables 1-3 and Figure 3 show various summaries of the inventory.

The inventory revealed 40 samples (1% of the total) which existed but were not in the database, and 120 samples (4% of the total) for which the database indicated some remaining material, but which had actually been depleted. Approximately 20 jars (0.7%) were broken during the inventory process and had to be repackaged.

Appendix I is a printout of the 222-S laboratory archive database as validated by the March 1998 physical inventory. This is the portion of the sample inventory which exists in the 11A hotcells. Additional tank samples are stored in room 2E and 2B. There are currently 26 grab liquid samples being stored in Room 2B and 53 miscellaneous samples from 15 tanks in 2E. Table 4 details these samples.

Table 1:
222-S Physical Inventory - 1998
Archive Sample Mass per Tank

Tank	mass(g)		Tank	mass(g)		Tank	mass(g)
A-101	7655		BY-101	255		SY-102	1452
AN-101	409		BY-102	943		SY-103	2051
AN-102	550		BY-103	109		T-104	134
AN-103	9283		BY-104	2157		T-105	742
AN-104	10555		BY-105	754		T-106	42
AN-105	5025		BY-106	5418		T-107	9
AN-106	375		BY-107	2562		T-108	46
AN-107	760		BY-108	2261		T-109	214
AP-101	470		BY-109	2859		T-110	3856
AP-104	141		BY-110	5105		T-112	904
AP-105	2432		BY-111	1506		T-201	1364
AP-106	138		BY-112	1604		T-202	1076
AP-108	96		C-101	230		T-203	2345
AW-101	5762		C-102	26		T-204	2723
AW-102	375		C-103	1214		TX-107	14
AW-103	4254		C-104	1873		TX-244	278
AW-104	3656		C-105	285		TY-104	93
AW-105	4039		C-107	1390		TY-106	106
AW-106	773		C-108	293		U-101	327
AX-101	4824		C-111	217		U-102	3265
AX-102	149		C-201	34		U-103	4361
AX-103	692		C-202	75		U-105	3018
AX-104	238		C-203	802		U-106	2282
AY-101	975		C-204	157		U-107	2113
AY-102	364		S-101	6031		U-108	7380
B-101	676		S-102	3283		U-109	4250
B-102	3		S-104	150		U-112	338
B-104	3531		S-106	3406		U-201	1203
B-106	859		S-107	4850		U-202	1202
B-107	837		S-109	1612		U-203	257
B-108	482		S-110	1484		U-204	458
B-109	643		S-111	4645			
B-203	3838		S-151	139		Special	695
B-204	6126		SX-101	4501		219-S	40
BX-101	79		SX-103	274		972-SLY	14
BX-103	670		SX-104	456		Tk-101	452
BX-105	88		SX-106	4725			
BX-106	193		SX-108	67			
BX-109	2134		SX-113	121			
BX-110	1583						
BX-111	667						
BX-112	305					total	203681

Table 2:
222-S Physical Inventory - 1998
Archive Sample Mass per Tank
Rank Ordered

Tank	mass(g)		Tank	mass(g)		Tank	mass(g)
AN-104	10555		S-109	1612		U-101	327
AN-103	9283		BY-112	1604		BX-112	305
A-101	7655		BX-110	1583		C-108	293
U-108	7380		BY-111	1506		C-105	285
B-204	6126		S-110	1484		TX-244	278
S-101	6031		SY-102	1452		SX-103	274
AW-101	5762		C-107	1390		U-203	257
BY-106	5418		T-201	1364		BY-101	255
BY-110	5105		C-103	1214		AX-104	238
AN-105	5025		U-201	1203		C-101	230
S-107	4850		U-202	1202		C-111	217
AX-101	4824		T-202	1076		T-109	214
SX-106	4725		AY-101	975		BX-106	193
S-111	4645		BY-102	943		C-204	157
SX-101	4501		T-112	904		S-104	150
U-103	4361		B-106	859		AX-102	149
AW-103	4254		B-107	837		AP-104	141
U-109	4250		C-203	802		S-151	139
AW-105	4039		AW-106	773		AP-106	138
T-110	3856		AN-107	760		T-104	134
B-203	3838		BY-105	754		SX-113	121
AW-104	3656		T-105	742		BY-103	109
B-104	3531		Special	695		TY-106	106
S-106	3406		AX-103	692		AP-108	96
S-102	3283		B-101	676		TY-104	93
U-102	3265		BX-103	670		BX-105	88
U-105	3018		BX-111	667		BX-101	79
BY-109	2859		B-109	643		C-202	75
T-204	2723		AN-102	550		SX-108	67
BY-107	2562		B-108	482		T-108	46
AP-105	2432		AP-101	470		T-106	42
T-203	2345		U-204	458		219-S	40
U-106	2282		SX-104	456		C-201	34
BY-108	2261		Tk-101	452		C-102	26
BY-104	2157		AN-101	409		972-SLY	14
BX-109	2134		AN-106	375		TX-107	14
U-107	2113		AW-102	375		T-107	9
SY-103	2051		AY-102	364		B-102	3
C-104	1873		U-112	338			

Table 3:
222-S Physical Inventory - 1998
Summary by Matrix

Matrix	# of jars	total wt (g)
Sludge	1094	71131
Salt Cake	962	63628
Drainable liquid	514	46697
Grab liquid	171	11694
Field Blank	86	7545
Liner Liquid	50	2613
unknown	2	227
Grab solid	2	77
cord	1	64
Organic (BY-108)	1	8
Total	2883	203684

Figure 3:
222-S Physical Inventory - 1998
Summary by Matrix

Table 4:**HNF-1641 REV. 0****Miscellaneous Tank Characterization Samples Currently
Stored in 222-S, Rooms 2B and 2E**

Tank	Samples	Matrix
Room 2B		
AP-104	8	grab liquid
AP-106	3	grab liquid
AP-107	3	grab liquid
AP-108	5	grab liquid
AY-102	4	grab liquid
C-106	3	grab liquid
Room 2E		
AN-102	2	???
AN-106	2	???
AN-107	3	???
AP-106	1	???
AY-102	5	???
B-202	13	???
BY-105	4	???
BY-110	1	???
S-101	1	???
SY-102	3	???
T-103	2	???
T-104	10	???
T-105	1	???
T-107	4	???
TX-104	1	???

Containers

The current tank waste package is a borosilicate jar (various volumes from 40mL to 250mL) with a phenolic screw-cap and Teflon liner. This package represents a balance of cost, availability, inertness, and operational ease.

In 1993, the Analytical Evaluation and Reporting organization generated WHC-SD-WM-TI-569 *Tank Core Sample Archiving Container Fabrication Material*. This report acknowledged the current use of borosilicate glass but gathered scientists, engineers and materials specialists to discuss the potential for sample contamination and investigate other potential packaging materials. Their consensus was that the borosilicate glass may leach boron or silicon into the waste samples and that the high pH of the waste may etch or degrade the glass over time.

In addition to borosilicate glass, the group evaluated Hastelloy, Stainless Steel, Polypropylene, Kynar, and Teflon. The group recommended Hastelloy as the most inert packaging material and suggested that Hastelloy containers could be acquired at a cost of \$30/container.

In the intervening years, significant operating experience has been gained in the use of the borosilicate glass container. It is cheap (roughly \$3/container), available off-the-shelf in prewashed condition, is the USEPA container of choice for most solid samples, is initially transparent, and available in wide-mouth geometries enabling greater operational ease in filling.

On the down-side, there may be some trace-level boron and silicon introduced into a high-pH sample, but the boron and silicon content of the samples is not of very high importance and the jars are cheap, readily available, and disposable. The radioactivity of the samples deteriorates the polymer cap and liner materials over time. This results in brittleness and potential cap failure due to cracking. It also complicates retrieval activities in that manipulation of the cap generally involves cap breakage. Sometimes the cap or liner fragments wind up in the sample jar, requiring difficult removal activities which challenge remote manipulator operators.

Practical experience suggests that 2-3 years is the maximum lifetime for the phenolic caps and the borosilicate glass, (R. Akita personal comm.). Therefore the samples must be either repackaged or dispositioned of within the first 3 years from extrusion.

Another proposed option was to use the same borosilicate glass container, in which a stainless steel or Hastelloy liner or beaker is inserted. However, unless the liner is machined to fit snugly into the jar, the increase in headspace would be

a detriment to the package, allowing greater moisture loss. In addition, the addition of the liner would not appreciably reduce the radiolytic effect on the glass package.

The new inventory program calls for movement of samples from short-term to long-term storage at 1-3 years from the data of the laboratory analytical report on the samples. Using borosilicate glass containers for this first 1-3 years and then shifting to either a new borosilicate package for another 2-3 years, or stainless steel/hastelloy for long-term storage (indefinite length of time) represents a reasonable trade-off between sample integrity, cost, and ease-of-operation.

As of the preparation of this document, no source of Hastelloy containers has been identified. Stainless steel containers are available through Cole-Parmer Instrument Co. The smallest available size listed is 1L at a cost of \$660/container. This may be useful for future large-volume storage, and some long-term storage samples may be that large, when consolidated. However, smaller containers are still needed. In addition, the compression seal for the stainless steel container may not be easy to close using manipulators, and the soft-polymer washer may be prone to radiolysis. There will be a need to retain some large-volume samples. This stainless-steel package should be evaluated and modified for hot-cell use.

Storage Needs and Current Readiness

Two engineering studies of the 222-S laboratory archive storage space needs at the 222-S laboratory have been conducted (CBM-94-002, WHC-SD-W079-ES-001).

The CBM-94-002 document suggested the 2E room as a potential location for up to 40% of the storage containers. The attractiveness of this as an option has decreased in the last few years because of changes in the storage needs, (larger volumes now being archived), and also the impact to 222-S laboratory operations.

Room 2E is a small sample storage area which is currently posted as a Radiological Contamination Area (RCA). Utilization of 2E as a archive storage area for tank samples would increase the likelihood of the status being changed to a High Radiation Area (HRA) on a frequent, if not continuous, basis. This status change would increase security and surveillance requirements for 2E. Also, the assumptions of sample size (40mL) have changed and are now 100-250mL or more for long-term storage. This would limit the number of samples which could potentially be archived within 2E without generating unacceptably high radiation fields. It would also require additional care in shielding and sample physical arrangement within the room. Even if the shielding, sample arrangement, and operational activities could be performed, 2E would still require more additional operational attention than archival in the hotcells.

CBM-94-002 also recommended the purchase of portable buildings for storage of sample material (\$100,000est.). McVey acknowledged that a safety review would be required, also regulatory permitting and that this would only provide temporary storage until a permanent building (\$720,000) would be constructed. He justified the recommendation by including considerations of off-site sample return, 2800 core segment samples and up to 95 core-segment-casks. Severe revision of these estimates, budget constraints and increased scrutiny on safety and regulatory compliance have made this recommendation moot.

WHC-SD-W079-ES-001 describes an engineering study which concludes that the 222-S laboratory has enough archive space to store approximately 3600 40mL jars and 1080 100mL jars. This was determined to be sufficient for the sample projections current in 1994. Archive facility options considered included:

- do nothing,
- build a new permanent facility,
- modify existing 222-S and 324/325 facilities,
- use closed facilities such as 202-S (REDOX), FMEF, or WESF,
- add-on to existing facilities and
- re-sampling vs archiving.

The preferred alternative was to modify existing facilities by purchase of storage racks and identify all potential storage locations. There was a concern that this option would prevent the hotcells from being available for other scopes. Nevertheless it was, by far, the least-cost alternative. The most recent evaluation of potential storage identified a cost of over \$1.5 million to store samples at the Central Waste Complex (Hall 1996)

On the basis of this recommendation, and the immediate need for additional sample storage, the 222-S laboratory designed and fabricated additional storage trays for installation in the 11A2 Cell. Each of these new trays can hold up to 12 60mL jars or five larger (125 or 250mL)jars. The storage system in 11A2 requires installation of wall racks which will hold eight trays each. It is unknown how many racks will be able to be installed, but estimates range from 5 to 7.

There are also 32 floor bins (baskets) available. Each of these baskets will hold up to 19 250mL jars or 28 125mL jars. These baskets are stackable and moveable. The total available storage in 11A is shown in Table 5.

Table 5: Current Sample Storage in the 11A Cells

Location	Capacity available (theo.)*	Capacity used	Capacity remaining (theo.)	Capacity remaining (act.)**
11A1 wall bins	2250 40/60mL	2050 40/60	200 40/60mL	none
11A1 floor baskets	896 125 mL or 608 250mL	164 125mL & 425 250 mL	69 250mL	none
11A1 floor tubs	45 125 mL	45 125 mL	none	none
11A1 floor		199 250 mL		none
11A2 anticipated	200-280 125/250mL	none	200-280 125/250mL	100%
TOTAL	3103-3471 jars	2883 jars	270-549 jars	10-20%

* theoretical ultimate capacity, assuming optimal packing density.

** actual remaining capacity as observed.

Sample Projections

The TWRS Sample Schedule Rev 5.3 (3/11/98) was used to project the number and size of sample jars from now through 2010. Tables 6, 7, and 8 are year-by-year current projections of grab, push, and rotary samples to be generated. Figure 5 shows the resulting 222-S laboratory inventories under three different retention scenarios.

Scenario one - Complete retention

The first scenario is that no sample jars are dispositioned, all jars currently in the inventory stay forever. Future jars are generated at an average rate of one 125-mL jar per grab sample and three-250mL jars per push or rotary segment. These jars remain in the 222-S laboratory inventory indefinitely. The result is a rapid increase to approximately 6000 jars in 2003 and only slowly increasing thereafter.

Scenario two - Keep all samples for 5 years

The second scenario assumes the generation rate as in scenario one. In addition, an assumption is made that all samples will be dispositioned via the 219-S Waste Handling Facility after five years from extrusion. This scenario shows a maximum inventory of roughly 4800 jars in 1999, with a decrease thereafter.

Scenario three - Implementation of all initiatives

The third scenario assumes the completion of a comprehensive inventory repackaging effort in 1998. In addition the SADT is active in identification of programmatic need for each sample between year one and two after the laboratory report. Finally, remaining samples are dispositioned after reaching an age of five years.

The repackaging assumption includes:

- disposition of unneeded samples: Field blanks and liner liquid samples greater than one year old, samples <5g.
- elimination of much of the smaller jars by eliminating the need for both archive and parent jars
- repackaging 125 mL and 250mL jar contents into smaller jars where the mass is low enough.

Table 6:
TWRS Characterization Grab Sample Projections 1998 - 2008

ACTIVITY	TITLE	START	FINISH	FARM	TANK	#RISERS	#LEVELS
GSHT-4	AP-104 Grab Sample (Caustic Addn) Blaak	01-Oct-97	03-Oct-97	AP	104	1	3
GSRU-4	AP-108 Grab Sample (Compatability) Blaak	08-Oct-97	10-Oct-97	AP	108	1	3
GSDA-4	C-201 Grab Sample - Meacham	15-Oct-97	17-Oct-97	C	201	1	2
GSXZ-4	C-202 Grab Sample	03-Dec-97	05-Dec-97	C	202	1	3
GSGU-4	TX-302-C Grab Sample Compatability - Doeler	10-Dec-97	12-Dec-97	TX	302	1	3
GSHV-4	U-301-B Grab Sample Compatability - Sutey	17-Dec-97	19-Dec-97	U	301	1	3
GSDF-4	AW-106 Grab Sample (After 97-2) -Blaak	05-Jan-98	07-Jan-98	AW	106	1	3
GSVI-4	AW-102 Grab Sample (After 97-2) - Blaak	14-Jan-98	16-Jan-98	AW	102	1	3
GSNH-4	AY-102 Grab Sample Blaak	21-Jan-98	23-Jan-98	AY	102	1	3
GSNW-4	S-302 Grab Sample Compatability - Sutey	28-Jan-98	30-Jan-98	S	302	1	5
GSFB-4	AN-102 Grab Sample 2 Privatization - Wiemers	04-Feb-98	10-Feb-98	AN	102	1	5
GSDD-4	AX-102 Grab Sample (Meacham)	13-Feb-98	17-Feb-98	AX	102	1	3
GSHZ-4	AY-102 Grab Sample Compatability - Doeler	20-Feb-98	25-Feb-98	SY	102	1	3
GSXD-4	AP-103 Grab Sample - Blaak-Caustic Verification	02-Mar-98	04-Mar-98	AP	103	1	3
GSIN-4	SX-115 Grab Sample	09-Mar-98	11-Mar-98	SK	115	2	1
GSDO-4	AW-101 Grab Sample 2 - Privatization	16-Mar-98	20-Mar-98	AW	101	1	5
GSAN-4	AN-107 Grab Sample 2 Privatization	27-Mar-98	02-Apr-98	AN	107	1	5
GSFF-4	AW-102 Campaign 98-1 Grab Sample - Le	07-Apr-98	07-Apr-98	AW	102	2	5
GSFM-4	AP-106 Grab Sample - Compatability - Blaak	22-Jun-98	24-Jun-98	AP	106	1	3
GS72-4	AP-104 Grab Sample - Blaak -Caustic Verification	29-Jun-98	01-Jul-98	AP	104	1	3
GSJ3-4	AZ-101 Grab Sample	22-Jul-98	22-Jul-98	AZ	101	1	10
GSJT-4	AZ-101 Grab Sample	04-Aug-98	06-Aug-98	AZ	101	1	5
GS36-4	AZ-101 Grab Sample 4	07-Aug-98	13-Aug-98	AZ	101	1	5
GS28-4	AY-102 Grab Sample C-106 Retrieval (NCF)	14-Aug-98	14-Aug-98	AY	102	1	3
GS38-4	AY-102 Grab Sample C-106 Retrieval (NCF)	15-Aug-98	15-Aug-98	AY	102	1	3
GSDI-4	AY-102 Grab Sample C-106 Retrieval (NCF)	22-Aug-98	22-Aug-98	AY	102	1	3
GSXG-4	AP-107 Grab Sample - Blaak- Caustic Verification	20-Aug-98	24-Aug-98	AP	107	1	3
GSYV-4	AY-102 Grab Sample C-106 Retrieval (NCF)	29-Aug-98	29-Aug-98	AY	102	1	3
GSXI-4	AY-102 Grab Sample C-106 Retrieval (NCF)	02-Sep-98	02-Sep-98	AY	102	1	3
GSFJ-4	AY-102 Grab Sample C-106 Retrieval (NCF)	08-Sep-98	08-Sep-98	AY	102	1	3
GSXC-4	AY-102 Grab Sample C-106 Retrieval (NCF)	24-Sep-98	24-Sep-98	AY	102	1	3
GSFD-4	AY-102 Grab Sample C-106 Retrieval (NCF)	29-Sep-98	29-Sep-98	AY	102	1	3
GSGB-4	SY-102 Grab Sample - (99-1 Compatibilty) Blaak	01-Oct-98	05-Oct-98	SY	102	1	3
GSDK-4	AY-102 Grab Sample C-106 Retrieval (NCF)	06-Oct-98	06-Oct-98	AY	102	1	3
GSFH-4	AY-102 Grab Sample C-106 Retrieval (NCF)	11-Oct-98	11-Oct-98	AY	102	1	3
GSX3-4	TBD Grab Sample - (99-1 Compatibilty) Blaak	20-Oct-98	22-Oct-98	TBD	1	3	3
GS73-4	AY-102 Grab Sample C-106 Retrieval (NCF)	27-Oct-98	27-Oct-98	AY	102	1	3
GSHF-4	AY-102 Grab Sample C-106 Retrieval (NCF)	01-Nov-98	01-Nov-98	AY	102	1	3
GSHX-4	Z-361 Grab Sample Bogen (NCF)	02-Nov-98	04-Nov-98	Z	361	1	3
GSBU-4	AY-102 Grab Sample C-106 Retrieval (NCF)	08-Nov-98	08-Nov-98	AY	102	1	3
GSBU-4	AY-102 Grab Sample C-106 Retrieval (NCF)	13-Nov-98	13-Nov-98	AY	102	1	3
GSIN-4	AY-102 Grab Sample C-106 Retrieval (NCF)	18-Nov-98	18-Nov-98	AY	102	1	3
GSBU-4	AY-102 Grab Sample C-106 Retrieval (NCF)	05-Dec-98	05-Dec-98	AY	102	1	3
1998 Total Grabs							151
GSXC-4	TBD Grab Sample (99-1 Campaign) - Le	05-Jan-99	07-Jan-99		TBD	1	3
GSAX-4	AN-106 Grab Sample Privatization	01-Feb-99	03-Feb-99	AN	106	1	5
GSX4-4	TBD Grab Sample (99-2 Compatability) - Blaak	01-Feb-99	03-Feb-99	TBD	1	3	3
GSXD-4	SY-102 Grab Sample (99-2 Compatability) - Blaak	15-Feb-99	17-Feb-99	SY	102	2	3
GSX7-4	TBD Grab Sample (99-2 Campaign) - Le	01-Apr-99	05-Apr-99	TBD	2	3	3
GSYF-4	AZ-101 Grab Sample Carta	20-Jul-99	22-Jul-99	AZ	101	1	3
GSGL-4	SY-102 Grab Sample (00-1 Compatibilty) - Blaak	01-Sep-99	03-Sep-99	SY	102	1	3
GSXF-4	TBD Grab Sample (00-1 Compatibilty) - Blaak	16-Sep-99	20-Sep-99	TBD	1	3	3
GSAY-4	AP-101 Grab Sample Privatization	01-Nov-99	03-Nov-99	AP	101	1	5
GSBC-4	AW-104 Grab Sample Privatization	01-Nov-99	03-Nov-99	AW	104	1	5
1999 Total Grabs							42
GSXG-4	TBD Grab Sample - (00-1 Campaign) - Le	04-Jan-00	06-Jan-00		TBD	1	3
GSGB-4	SY-102 Grab Sample - (00-2 Compatibilty) Blaak	01-Feb-00	03-Feb-00	SY	102	1	3
GSGB-4	TBD Grab Sample (00-2 Compatability) - Blaak	15-Feb-00	17-Feb-00	TBD	2	3	3
GSGR-4	TBD Grab Sample (00-2 Campaign) - Le	03-Apr-00	05-Apr-00	TBD	2	3	3
GSIN-4	SY-102 Grab Sample - (01-1 Compatibilty) Blaak	01-Sep-00	06-Sep-00	SY	102	1	3
GSQO-4	TBD Grab Sample (01-1 Compatability) - Blaak	18-Sep-00	20-Sep-00	TBD	2	3	3
GSXV-4	AZ-101 Grab Sample (NCF)	21-Nov-00	23-Nov-00	AZ	101	1	5
2000 Total Grabs							32
GSFG-4	TBD Grab Sample (01-1 Campaign) - Le	02-Jan-01	04-Jan-01		TBD	1	0
GSSE-4	AZ-101 Grab Sample (NCF)	27-Jan-01	29-Jan-01	AZ	101	1	5
GSVE-4	AZ-101 Grab Sample (NCF)	02-Apr-01	04-Apr-01	AZ	101	1	5

**Table 6 (cont'd):
TWRS Characterization Grab Sample Projections 1998 - 2008**

GSEY-4	AZ-101	Grab Sample	Vendor Qualify (NCF)	04-Jun-01	08-Jun-01	AZ	101	1	5
GSEZ-4	AM-105	Grab Sample	(NCF)	07-Jul-01	09-Jul-01	AM	105	1	5
GSAZ-4	AP-102	Grab Sample	Process Control (5AN) (NCF)	22-Aug-01	24-Aug-01	AP	102	1	5
GSCK-4	AP-104	Grab Sample	Process Control (5AN) (NCF)	30-Aug-01	01-Sep-01	AP	104	1	5
GSBD-4	AP-102	Grab Sample	Feed Qualification (5AN) (NCF)	19-Sep-01	25-Sep-01	AP	102	1	5
GSQM-4	AP-104	Grab Sample	Feed Qualification (5AN) (NCF)	27-Sep-01	03-Oct-01	AP	104	1	5
2001 Total Grabs									40
GSFN-4	AY-101	Grab Sample	(NCF)	02-Jan-02	04-Jan-02	AY	101	1	5
GSEP-4	AN-104	Grab Sample	(NCF)	16-Jan-02	18-Jan-02	AN	104	1	5
GSNM-4	AP-102	Grab Sample	Process Control (4AN) (NCF)	03-Mar-02	05-Mar-02	AP	102	1	5
GSEQ-4	AP-104	Grab Sample	Process Control (4AN) (NCF)	11-Mar-02	13-Mar-02	AP	104	1	3
GSBH-4	AP-102	Grab Sample	Feed Qualification (4AN) (NCF)	02-Apr-02	08-Apr-02	AP	102	1	5
GSCQ-4	AP-104	Grab Sample	Feed Qualification (4AN) (NCF)	09-Apr-02	15-Apr-02	AP	104	1	5
GSFF-4	AZ-102	Grab Sample	(NCF)	12-May-02	14-May-02	AZ	102	1	5
GSFQ-4	AZ-102	Grab Sample	(NCF)	18-Jul-02	20-Jul-02	AZ	102	1	5
GSFR-4	AZ-102	Grab Sample	(NCF)	21-Sep-02	23-Sep-02	AZ	102	1	5
GSFS-4	AZ-102	Grab Sample	Vendor Qualification (NCF)	22-Nov-02	02-Dec-02	AZ	102	1	5
2002 Total Grabs									46
GSER-4	AW-101	Grab Sample	(NCF)	23-Mar-03	25-Mar-03	AW	101	1	3
GSBJ-4	AP-102	Grab Sample	Process Control (1AW) (NCF)	02-May-03	04-May-03	AP	102	1	5
GSCR-4	AP-104	Grab Sample	Process Control (1AW) (NCF)	12-May-03	14-May-03	AP	104	1	5
GSBL-4	AP-102	Grab Sample	Feed Qualification (1AW) (NCF)	03-Jun-03	09-Jun-03	AP	102	1	5
GSCT-4	AP-104	Grab Sample	Feed Qualification (1AW) (NCF)	25-Jun-03	01-Jul-03	AP	104	1	5
GSFU-4	AY-102	Grab Sample	(NCF)	04-Aug-03	06-Aug-03	AY	102	1	5
GSFV-4	AY-102	Grab Sample	(NCF)	10-Oct-03	12-Oct-03	AY	102	1	5
GSFT-4	AW-103	Grab Sample	(NCF)	23-Oct-03	25-Oct-03	AW	103	1	5
GSBN-4	AP-102	Grab Sample	Process Control (3AN) (NCF)	02-Dec-03	04-Dec-03	AP	102	1	5
GSCU-4	AP-104	Grab Sample	Process Control (3AN) (NCF)	12-Dec-03	14-Dec-03	AP	104	1	5
GSFY-4	AY-102	Grab Sample	(NCF)	15-Dec-03	19-Dec-03	AY	102	1	5
GSBP-4	AP-102	Grab Sample	Feed Qualification (3AN) (NCF)	30-Dec-03	05-Jan-04	AP	102	1	5
2003 Total Grabs									58
GSCH-4	AP-104	Grab Sample	Feed Qualification (3AN) (NCF)	14-Jan-04	20-Jan-04	AP	104	1	5
GSFW-4	AY-102	Grab Sample	Vendor Qualification (NCF)	17-Feb-04	24-Feb-04	AY	102	1	5
GSBO-4	AP-102	Grab Sample	Process Control (1AP/4AW) (NC)	17-Jun-04	19-Jun-04	AP	102	1	5
GSCK-4	AP-104	Grab Sample	Process Control (1AP/4AW) (NC)	17-Jun-04	19-Jun-04	AP	104	1	5
GSBR-4	AP-102	Grab Sample	Feed Qualification (1AP/4AW)	05-Aug-04	11-Aug-04	AP	102	1	5
GSCE-4	AP-104	Grab Sample	Feed Qualification (1AP/4AW)	10-Aug-04	16-Aug-04	AP	104	1	5
2004 Total Grabs									30
GSBS-4	AP-104	Grab Sample	Process Control (1AY) (NC)	09-Apr-05	11-Apr-05	AP	104	1	5
GSBN-4	AP-102	Grab Sample	Process Control (1AY) (NC)	09-Apr-05	11-Apr-05	AP	102	1	5
GSFY-4	AN-107	Grab Sample	Process Control (NCF)	05-May-05	11-May-05	AN	107	1	5
GSBT-4	AP-102	Grab Sample	Feed Qualification (1AY) (NCF)	17-May-05	23-May-05	AP	102	1	5
GSDB-4	AP-104	Grab Sample	Feed Qualification (1AY) (NC)	23-May-05	27-May-05	AP	104	1	5
GSDZ-4	AN-107	Grab Sample	Feed Qualification (NCF)	16-Jun-05	18-Jun-05	AN	107	1	5
GSEW-4	C-104	Grab Sample	(NCF)	01-Sep-05	03-Sep-05	C	104	1	5
GSCJ-4	SY-102	Grab Sample	(NCF)	01-Oct-05	03-Oct-05	SY	102	1	5
GSEB-4	AW-105	Grab Sample	(NCF)	01-Oct-05	03-Oct-05	AW	105	1	5
GSBK-4	C-104	Grab Sample	(NCF)	07-Nov-05	08-Nov-05	C	104	1	5
2005 Total Grabs									50
GSBN-4	C-104	Grab Sample	(NCF)	11-Jan-06	12-Jan-06	C	104	1	5
GSBP-4	SY-101	Grab Sample	Privatization (NCF)	12-Mar-06	14-Mar-06	SY	101	1	5
GSBU-4	C-104	Grab Sample	Vendor Qualification (NCF)	14-Mar-06	15-Mar-06	C	104	1	5
GSBN-4	AP-102	Grab Sample	Process Control (2AN) (NCF)	15-Apr-06	17-Apr-06	AP	102	1	5
GSBV-4	AP-102	Grab Sample	Feed Qualification (2AN) (NCF)	15-May-06	19-May-06	AP	102	1	5
GSDZ-4	AP-104	Grab Sample	Process Control (2AN) (NCF)	21-Jun-06	23-Jun-06	AP	104	1	5
GSDN-4	AP-104	Grab Sample	Feed Qualification (2AN) (NCF)	20-Jul-06	26-Jul-06	AP	104	1	5
GSCL-4	AP-102	Grab Sample	Process Control (6AN) (NCF)	09-Sep-06	11-Sep-06	AP	102	1	5
GSBY-4	AP-102	Grab Sample	Feed Qualification (6AN) (NCF)	11-Oct-06	17-Oct-06	AP	102	1	5
GSDP-4	AP-104	Grab Sample	Process Control (6AN) (NCF)	12-Nov-06	14-Nov-06	AP	104	1	5
GSDS-4	AP-104	Grab Sample	Feed Qualification (6AN) (NCF)	21-Dec-06	27-Dec-06	AP	104	1	5
2006 Total Grabs									55

**Table 6 (cont'd):
TWRS Characterization Grab Sample Projections 1998 - 2008**

GSBG-4	SY-103	Grab Sample	Privatization (NCF)	09-Mar-07	11-Mar-07	SY	103	1	5
GSCE-4	AP-102	Grab Sample	Process Control (1SY) (NCF)	06-May-07	08-May-07	AP	102	1	5
GSCE-4	AP-102	Grab Sample	Feed Qualification (1SY) (NCF)	12-Jun-07	18-Jun-07	AP	102	1	5
GSDU-4	AP-104	Grab Sample	Process Control (1SY) (NCF)	11-Aug-07	13-Aug-07	AP	104	1	5
GSDW-4	AP-104	Grab Sample	Feed Qualification (1SY) (NCF)	14-Aug-07	20-Aug-07	AP	104	1	5
GSCG-4	AP-102	Grab Sample	Process Control (3SY) (NCF)	30-Nov-07	02-Dec-07	AP	102	1	5
2007 Total Grabs									30
GSBZ-4	AP-102	Grab Sample	Feed Qualification (3SY) (NCF)	07-Jan-08	11-Jan-08	AP	102	1	5
GSDX-4	AP-104	Grab Sample	Process Control (3SY) (NCF)	02-Feb-08	04-Feb-08	AP	104	1	5
GSDT-4	AP-104	Grab Sample	Feed Qualification (3SY) (NCF)	11-Mar-08	17-Mar-08	AP	104	1	5
2008 Total Grabs									15

Table 7:
TWRS Characterization Push Sample Projections 1998-2001

ACTIVITY	TITLE	START	FINISH	FARM	TANK	#RISERS	#SEGMENTS
PS28-4	SX-106 Push Samples 1 Segments 1	20-Oct-97	31-Oct-97	SX	106	1	11
PS53-4	SX-106 Push Sample 1 Segments 1	13-Nov-97	26-Nov-97	SX	106	1	11
PS04-4	AX-101 Push Samples 2 Segments 1	03-Dec-97	09-Jan-98	AX	101	2	15
PS10-4	S-102 Push Samples 1 Seg 11	28-Jan-98	10-Feb-98	S	102	1	11
PS51-4	S-111 Push Sample 1 Seg 11	19-Mar-98	01-Apr-98	S	111	1	11
PS52-4	U-109 Push Sample 1 Seg 10	23-Apr-98	06-May-98	U	109	1	10
PS35-4	A-103 Push Samples 2 Segments 8	08-Oct-98	04-Nov-98	A	103	2	8
	1998 Total Push						100
PS29-4	S-103 Push Samples 2 Segments 6	07-Dec-98	13-Jan-99	S	103	2	6
PS23-4	SY-103 Push Samples 2 Segments 1	01-Mar-99	26-Mar-99	SY	103	2	15
PS43-4	AY-102 Push Sample 2 Segments 1	08-Oct-99	04-Nov-99	AY	102	2	18
	1999 Total Push						78
PS36-4	S-112 Push Samples 2 Segments 1	07-Dec-99	13-Jan-00	S	112	2	11
PS37-4	U-111 Push Samples 2 Segments 7	11-Feb-00	10-Mar-00	U	111	2	7
PS45-4	T-109 Push Sample 2 Segments 2	23-Oct-00	17-Nov-00	T	109	2	2
	2000 Total Push						40
PS46-4	T-103 Push Sample 2 Segments 1	20-Dec-00	24-Jan-01	T	103	2	1
	2001 Total Push						2

Table 8:
TWRS Characterization Rotary Sample Projections 1998 - 2003

ACTIVITY	TITLE	START	FINISH	FARM TANK	#RISERS	#SEGMENTS
RS96-4	C-202 Rotary Sample 1 Segments 1	15-Oct-97	21-Oct-97	C 202	1	1
RS45-4	SX-101 Rotary Sample 1 Seg 9 High Priority	01-Dec-97	16-Dec-97	SX 101	1	9
RS2V-4	SX-101 Rotary Sample 1 Segs 9 High Priority	06-Jan-98	21-Jan-98	SX 101	1	9
RS67-4	TX-104 Rotary Samples 2 Segments 2	09-Feb-98	13-Mar-98	TX 104	2	2
RS42-4	SX-105 Rotary Samples 2 Segments 13	12-Feb-98	18-Mar-98	SX 105	2	13
RS44-4	SX-103 Rotary Samples 2 Seg 13 High Priority	27-Feb-98	01-Apr-98	SX 103	2	13
RS24-4	TX-118 Rotary Samples 2 Segment 6 High Priority	23-Mar-98	23-Mar-98	TX 118	2	6
RS91-4	S-110 Rotary Sample 2 Segments 8 High Priority	07-May-98	10-Jun-98	S 110	2	8
RS4K-4	AZ-102 Rotary Sample 2 Segments 17	13-May-98	16-Jun-98	AZ 102	2	17
RS36-4	U-107 Rotary Samples 2 Segments 9 High Priority	16-Jun-98	21-Jul-98	U 107	2	9
RS41-4	BY-105 Rotary Samples 2 Segments 9 High Priority	17-Jul-98	19-Aug-98	BY 105	2	9
RS29-4	BY-103 Rotary Samples 2 Segments 9 High Priority	28-Aug-98	01-Oct-98	BY 103	2	9
RS11-4	SX-104 Rotary Samples 2 Segment 12 High Priority	16-Sep-98	19-Oct-98	SX 104	2	12
RS38-4	SY-101 Rotary Sample 1 Segment 22	01-Dec-98	16-Dec-98	SY 101	1	22
1998 Total Rotary						275
RS95-4	C-104 Rotary Sample 2 Segment 5	20-Nov-98	06-Jan-99	C 104	2	5
RS75-4	TX-113 Rotary Samples 2 Segments 11	21-Jan-99	24-Feb-99	TX 113	2	11
RS4V-4	Z-361 Rotary Sample 2 Segments 6 Bogen (NCF)	01-Feb-99	05-Mar-99	Z 361	2	6
RS73-4	TX-111 Rotary Samples 2 Segments 8 High Priority	02-Feb-99	08-Mar-99	TX 111	2	8
RS33-4	SY-102 Rotary Samples 2 Segments 11	13-Apr-99	14-May-99	SX 102	2	11
RS71-4	TX-110 Rotary Samples 2 Segments 10	03-Jun-99	04-Jun-99	TX 110	2	10
RS32-4	TX-105 Rotary Samples 2 Segments 12	06-Jul-99	06-Aug-99	TX 105	2	12
RS12-4	SX-109 Rotary Sample 2 Segment 5	01-Sep-99	05-Oct-99	SX 109	2	5
RS16-4	SX-114 Rotary Samples 2 Segments 4	26-Oct-99	30-Nov-99	SX 114	2	4
1999 Total Rotary						144
RS4J-4	U-102 Rotary Sample 2 Segments 8 (6-8 only)	19-Nov-99	05-Jan-00	U 102	2	3
RS78-4	TX-116 Rotary Samples 2 Segments 12	27-Jan-00	01-Mar-00	TX 116	2	12
RS53-4	A-106 Rotary Sample 2 Segments 2	08-Mar-00	10-Apr-00	A 106	2	2
RS77-4	TX-115 Rotary Samples 2 Segments 11	23-Mar-00	25-Apr-00	TX 115	2	11
RS87-4	C-102 Rotary Samples 2 Segments 8	23-May-00	26-Jun-00	C 102	2	8
RS68-4	TX-106 Rotary Samples 2 Segments 8	20-Jul-00	22-Aug-00	TX 106	2	8
RS13-4	SX-110 Rotary Samples 2 Segments 2	20-Sep-00	23-Oct-00	SX 110	2	2
RS66-4	TX-102 Rotary Samples 2 Segments 3	21-Sep-00	24-Oct-00	TX 102	1	3
2000 Total Rotary						95
RS10-4	SX-107 Rotary Samples 2 Segments 2	07-Dec-00	17-Jan-01	SX 107	2	2
RS94-4	TY-105 Rotary Samples 2 Segments 5	12-Feb-01	16-Mar-01	TY 105	2	5
RS76-4	TX-114 Rotary Samples 2 Segments 11	30-Apr-01	01-Jun-01	TX 114	2	11
RS14-4	SX-111 Rotary Samples 2 Segments 3	03-May-01	06-Jun-01	SX 111	2	3
RS15-4	SX-112 Rotary Samples 2 Segments 2	20-Jul-01	22-Aug-01	SX 112	2	2
RS84-4	TX-103 Rotary Samples 2 Segments 3	21-Aug-01	24-Sep-01	TX 103	2	3
RS83-4	TX-101 Rotary Samples 2 Segments 3	16-Oct-01	16-Nov-01	TX 101	2	3
RS46-4	SX-108 Rotary Samples 2 Segments 2	22-Oct-01	26-Nov-01	SX 108	2	2
2001 Total Rotary						62
RS17-4	T-101 Rotary Samples 2 Segments 3	12-Dec-01	23-Jan-02	T 101	2	2
RS8E-4	BY-101 Rotary Sample 2 Segment 8	17-Jan-02	20-Feb-02	BY 101	2	8
RS69-4	TX-108 Rotary Samples 2 Segments 3	25-Feb-02	28-Mar-02	TX 108	2	3
RSQ2-4	C-106 Rotary Samples 2 Segments 5	21-Mar-02	23-Apr-02	C 106	2	5
RS74-4	TX-112 Rotary Samples 2 Segments 13	12-Apr-02	15-May-02	TX 112	2	13
RS79-4	TX-117 Rotary Samples 2 Segments 10	30-May-02	03-Jul-02	TX 117	2	10
RS4H-4	BX-111 Rotary Samples 2 Segments 4	08-Jul-02	08-Aug-02	BX 111	2	4
RS21-4	TY-103 Rotary Samples 2 Segments 4	29-Jul-02	29-Aug-02	TY 103	2	4
RSQ9-4	EX-102 Rotary Sample 2 Segment 2	09-Sep-02	10-Oct-02	EX 102	2	2
RS55-4	B-105 Rotary Samples 2 Segments 3	11-Oct-02	13-Nov-02	B 105	2	3
RS72-4	TY-102 Rotary Samples 2 Segments 2	14-Oct-02	14-Nov-02	TY 102	2	2
2002 Total Rotary						112
RS70-4	TX-109 Rotary Samples 2 Segments 8	03-Dec-02	14-Jan-03	TX 109	2	8
RS85-4	U-104 Rotary Samples 2 Segments 2	29-Jan-03	04-Mar-03	U 104	2	2
RS4F-4	C-204 Rotary Sample 2 Sample 1	29-Jan-03	04-Mar-03	C 204	2	1
RS6G-4	C-101 Rotary Sample 2 Segments 2	19-Mar-03	21-Apr-03	C 101	2	2
RS60-4	S-105 Rotary Samples 2 Segments 9	11-Apr-03	14-May-03	S 105	2	9
RS97-4	A-104 Rotary Samples 2 Segments 1	11-Jun-03	16-Jul-03	A 104	2	1
RS63-4	S-108 Rotary Samples 2 Segments 9	22-Jul-03	22-Aug-03	S 108	2	9
RS98-4	A-105 Rotary Sample 2 Segments 1	16-Sep-03	17-Oct-03	A 105	2	1
RS22-4	TY-101 Rotary Samples 2 Segments 3	23-Sep-03	24-Oct-03	TY 101	2	3
RS92-4	U-101 Rotary Sample 2 Segments 1	27-Oct-03	01-Dec-03	U 101	2	1
2003 Total Rotary						74

Figure 5:
Comparison of the Cumulative Archive Jar Inventory Under Various Scenarios

- combination of archive and parent jars into only one jar.

Appendix II includes tables from the current inventory database which quantify the sample jars potentially affected by each of the repackaging activities

The SADT assumption includes:

- elimination of approximately 50% of the jars due to SADT activities/recommendations in 1988
- elimination of 25% of each previous year's samples from 1999 on.

Figure 6 shows the potential effect of repackaging and 1998 SADT activities. This scenario results in the lowest jar projections of the three, with a maximum of 3450 jars in 2000.

All scenarios show a gradual transition from small jars (40 and 60mL) to larger jars (125mL and 250mL) over time. This is due to the general increase in sample recoveries over the past years. It is also the result of not splitting the samples into parent and archive jars at extrusion.

The majority of the 222-S laboratory sample storage trays and bins are designed for optimum packing using 60mL vials. Until recently all TWRS guidance was to save a 20-40mL vial of material. The laboratory has increased the volume of the archive sample to 60mL because the material is easier to retrieve, homogenize and subsample in the larger vials. It is now acknowledged that, even if more than 75 grams is recovered, it is all expected to be retained. This will inevitably result in increasing numbers of 125 and 250mL jars and decreasing numbers of 60mL jars.

The 222-S laboratory must engineer new trays and containers which are more compatible with the larger jars which will comprise the inventory in coming years. Currently, the "baskets" represent the most efficient way to store the larger jars. To implement scenario 3, using only these baskets, would require 213 baskets; scenario 2 would require 136 baskets; scenario 1 would require 121 baskets. 222-S currently has only 32 baskets. However, in scenario 2 and three, the maximum storage requirements come in the year 2002, some years away. In addition, the wall shelf space now devoted to small 40/60mL jars would become available at the same time, reducing the need for baskets.

If the laboratory manages the inventory more like the scenario 3 and less like scenario 1, then the 11A cells should provide enough inventory space. If additional space is necessary, the 1F hotcell could provide additional space. However, if used, 1F would require samples to be loaded out of 11A. This

Figure 6:

MNF-1641 REV. 0

	40/60mL	125mL	250mL	500mL	TOTAL
1998 current	2050	209	612	11	2882
1998 after SADT	1025	105	306	6	1442
1998 after repack	1210	146	80	6	1442
1998 eliminate archive	793	146	80	6	1025

activity would provide radiological dose to 222-S laboratory employees and some risk of facility contamination during the transfer.

Additionally, 1F, if used at all for sample storage, should only receive older samples, after their 2-3-year repackaging. This would ensure that 1F samples represent those samples least likely to require any significant operational attention until a decision is made to disposition.

The 222-S laboratory hotcell locations are posted and maintained as HRA (high-level radioactivity areas) and are ventilation-controlled. Therefore, there would be no maintenance or surveillance in addition to that already in place for the management of the hotcells themselves and the activities described above. In addition, load-out procedures for transfer of materials between the 11A and 1F hotcells exist and could be implemented if necessary.

Maintenance of Archived Samples

While in the custody of the 222-S laboratory, the tank waste material must be packaged and stored under conditions which will minimize the deterioration of the samples. In addition to the specific packaging, some maintenance of the archive samples is required to ensure that samples are retrievable and that the laboratory is continuously aware of the number of sample containers and amount of waste in each container.

The results of the physical inventory conducted in March of 1998 shows that the lack of a physical inventory for four years did not affect the sample mass estimates critically. More than 80% of the samples were actually measured to be within +/-20% of their estimated mass. The process revealed 40 samples (1% of the total) which existed but were not in the database, and 120 samples (4% of the total) for which the database indicated some remaining material, but which had actually been depleted. Approximately 20 jars (0.7%) were broken during the inventory process and had to be repackaged. Physical inventories, involving approximately 2 man-months of effort, are absolutely necessary to reconcile actual inventory with the database periodically, but perhaps not on an annual basis. A biennial physical inventory would represent a reasonable balance between the minimization of physical handling of the samples and reconciliation of the database.

More frequent visual surveillance of the sample storage areas would have to be initiated to check for package deterioration and leakage. This surveillance should be done on a time-scale which would enable prompt repackaging of broken or cracked jars to limit sample loss or degradation. A balance must be struck between unnecessary physical handling of the samples and immediate identification of a problem. Daily inspection of the storage area for leaks and monthly visual inspection of the storage bins for sample package deterioration provides a reasonable balance.

There is a considerable backlog of sample jars which are older than 2 years and the first SADT query is yet to be completed. This will undoubtedly result in a significant repackaging effort in the short-term. Table 9 and figure 7 show the projected repackaging costs from 1998 through 2010. These projections assume the following:

- the SADT will request retention of 60% of the samples currently in-house
- additional samples are generated per TWRS Sample Schedule Rev 5.3 (3/11/1998)
- samples will be repackaged during the year after they turn 3 years old
- repackaging costs are \$135/jar (per Narquis, 1997)

- samples will only be repackaged once
- all costs are in 1998 dollars (no inflation/discount rates applied)

Table 9 and figure 7 also show that the repackaging costs vary wildly during the first four years. Active management could smooth these expenditures by extending some of the jar lives for an additional 6 months, and repackaging others somewhat sooner than three years. One smoothed cost projection is shown table 9 and figure 7. This approach simply averaged year 1&2, 3&4, 5&6, etc.

Table 9:
Cost Projections for Repackaging Activities
1998-2010

year	jars to repack**	cost**	managed costs***
1998	1267	\$ 171,045	\$ 112,793
1999	404	\$ 54,540	\$ 112,793
2000	806	\$ 108,810	\$ 83,093
2001	425	\$ 57,375	\$ 83,093
2002	262	\$ 35,370	\$ 27,068
2003	139	\$ 18,765	\$ 27,068
2004	229	\$ 30,915	\$ 26,798
2005	168	\$ 22,680	\$ 26,798
2006	18	\$ 2,430	\$ 3,240
2007	30	\$ 4,050	\$ 3,240
2008	33	\$ 4,455	\$ 3,443
2009	18	\$ 2,430	\$ 3,443
2010	9	\$ 1,215	\$ 2,916

*assumes 60% retention by SADT

**assumes \$135/jar

*** average 1998,1999 costs; 2000, 2001costs; etc.

Figure 7:
Cost Projections for Repackaging Activities
1998-2010

Consolidation of Existing Databases

Sample jars are managed at the 222-S laboratory through the use of two databases, both using the Borland PARADOX software. The main database used by the hotcell operators contains details of all of the samples generated through the extrusion and subsampling activities conducted in the 11-A hotcells.

The other database is maintained by the 222-S laboratory sample custodians and contains details of samples which are received into the laboratory directly without having to be extruded in 11A. This database also covers samples which are stored in 2B and 2E storage areas.

There are very few TWRS Characterization archive samples which are stored in 2B and, therefore, are not included in the hotcell database. These tend to be grab samples in 125 mL jars. Nevertheless, it would be an improvement to combine the databases and enable a single query to access all archive samples.

Another benefit of a single database would be to enable the sample inventory databases to continuously and accurately accomplish the radioisotope inventory calculations needed to satisfy the laboratory's only safety operating limit. The 222-S laboratory is obliged to maintain records which record the radioisotopic inventory in the facility at any point in time. This is the single operating limit in the facility safety basis (ref for ISB). The inventory accounts for tank waste samples in a conservative way by assuming that each core segment is fully recovered. This may be modified by reducing the inventory by the appropriate factor once the extrusion is performed and the percent recovery is known. There is currently no mechanism to account for material which is used-up during the chemical analysis process or material which is dispositioned down the 219-S liquid waste system.

Since the facility isotopic inventory represents a safety operating limit, the associated databases must be QA validated and maintained in accordance with site and facility software QA requirements. The current inventory/archive database is not so validated and maintained.

Activities are underway to accomplish this transition. The new database will be based on Microsoft ACCESS, and will be more formally maintained, fully consistent with site software QA and maintenance requirements.

Disposition

Both the TWRS Characterization organization and the Analytical Services Organization have studied various disposition options over the past five years. These options range from dissolving/slurrying the samples and pouring them into the 222-S laboratory liquid waste system to building a new building at the Central Waste Complex for retrievable long-term storage.

Three potential disposition scenarios were considered:

- Return of the material to a TWRS tank via the 219-S Waste Handling Facility and cross-site transfer line
- Liquids removal and packaging the waste for storage at the Central Waste Complex (CWC)
- Packaging the waste and transporting the material to TWRS to be returned to the parent tank.

Use of the 222-S laboratory liquid-waste handling system through the 219-S Waste Handling Facility represents the option which minimizes personnel dose and results in the least long-term concerns with the material. Waste repackaging involves loading-out materials from the hot cells, packaging, physical transportation, storage and management and still leaves ultimate disposal unresolved. Returning the material to the parent tank also involves unreasonable personnel exposures as well as costly planning and tank-access activities. Finally, CWC is not currently permitted to store high-activity waste and significant additional cost would be incurred to establish this capability.

Effectively transferring the sample material to the 219-S Waste Handling Facility involves dumping liquid and slurry samples directly down the hotcell drains, while simultaneously flowing water. Solid samples would, ideally, be dissolved in water or weak acid. However, it is known from historical experience that some solids will remain. These must be effectively flushed down the 222-S laboratory drainlines using clean rinsewater.

Procedures are in place, and are being updated, to properly transfer the waste materials to the 219-S Waste Handling Facility. These procedures must address material hold-up in the drain lines, local low-spots in the drainlines, potential increase in 222-S laboratory tunnel general doserates in the vicinity of the hotcell drain lines, and adherence to the waste acceptance criteria for eventual transfer of the liquid waste to the tank farms via the cross-site transfer line.

Much of the solid material in the Tank samples is crystalline and solid simply due to supersaturation. These salts would be expected to remain in solution once introduced into the 219-S Waste Handling Facility. However, some solids would be expected to re-crystallize within the 219-S tanks when the pH is raised in preparation for transfer. The resulting solids must be accounted for prior to introduction of the material into the 219-S system.

Regulatory Considerations

The TWRS samples are archived at the 222-S laboratory in accordance with the *sample exclusion* provision of the Washington Dangerous Waste Regulations (WAC 173-303-071(3)(l)). This states that as long as the sample material is retained for a *specific purpose*, the samples are not managed as a dangerous waste. This exclusion is not indefinite and extends only as long as the integrity of the sample remains sufficient to perform legitimate characterization testing.

A second exclusion, WAC 173-303-071(3)(s), applies only to treated material from treatability studies. This treated material may be archived for a period of 5 years from receipt of the original treatability sample at the laboratory/testing facility.

Legitimate retention

One reason for returning to a sample for characterization is to recheck previously-performed chemical analyses. Given environmental regulatory holding times and the inevitable moisture loss during storage, the integrity of the sample for sample recheck is limited to a year or so for many constituents. Some, including total metals and radionuclide elemental analysis, could be performed years after the original testing.

Another reason for retaining a sample for characterization is to enable some limited testing on retained samples to answer new questions. It is conceivable that some chemical analysis, or physical testing, even on compromised samples, would provide useful information. The window of usefulness for this purpose may extend past a year or two.

A third reason for sample retention is to characterize the material by performing some bench processing experiments (*treatability studies*). These could be compatibility of two or more waste streams, interaction with water or salt solutions, or pretreatment-treatment simulations. These characterization would require relatively larger samples. In addition, the viability of the samples may extend to five years or even greater, depending upon the nature of the experiments.

A key concept is that a documented, legitimate use is necessary to retain the sample exclusion for the archive material. Within the program, samples will be retained as is, or may be combined into various composites. Individual samples will be retained for a year as a matter of course, to enable rechecking of laboratory tests and to allow time to canvass the Hanford programs for interest in retention. The SADT mechanism described in HNF-SD-WM-TRD-006 will be used to identify interest in specific-sample retention.

The laboratory will, in conjunction with TWRS Characterization SADT and the programs which wish to retain the sample, propose sample consolidation schemes which will increase sample size and decrease sample number. This serves to maximize the ability of the lab to maintain good sample integrity, and keep the sample deterioration to a minimum. However, this consolidation will only be accomplished to the extent that the resulting sample composites are useful to the requesting programs.

In addition to specific requests from the programs, 222-S laboratory will identify generic program requests. These would be expected mostly from the privatization programs which may continue to need tank waste material for the duration of their programs.

Treatability Test Sample Status

If the sample material is to be used for treatability testing, the documentation and management activities required by WAC 173-303-071 are applicable. This includes documentation of the identification and mass of sample, treatment details, and nature of residuals. These activities are in place at the 222-S laboratory.

Regulatory Status of Sample Disposition from the 222-S laboratory

In order to effectively transfer waste samples from the hotcell locations into the 219-S Waste Handling Facility, certain activities will be required. These activities include dissolution in water or dilute acid, which may be interpreted as "waste treatment." WMH and FDH believes that this activity is legitimate "treatment-by-generator" (WAC 173-303-802). It also represents the disposition approach which is most protective of human health and the environment both during the disposition process and upon ultimate disposition.

The dissolution process will take place within the physically- and atmospherically-contained hotcells. Procedures to be used for this disposition process exist (ref). There is currently a work team of Numatec and Waste Management scientists revising the procedures to ensure compliance with new waste acceptance criteria for the 219-S Waste Handling Facility. Within these procedures any dissolution is necessary only to effect the transfer of the relatively small amounts of waste from the sample jars in the hot cells to the 219-S Waste Handling Facility, through the gravity-feed drainlines. This approach can be accomplished totally remotely, and separates the waste itself from the rinsed jars, which are loaded-out and packaged as high-level mixed solid waste.

Implementation

The following activities will be required to implement the sample archive/inventory program:

- Build a sample-by-sample management plan for existing inventory after receiving first SADT letter
- Install new storage trays and racks in the 11A2 cell
- Evaluate and purchase necessary Hastelloy or Stainless steel containers for long-term storage
- Negotiate and document a generic defensible programmatic need for generic retention of samples or composites after the SADT indication that there is no longer a specific need
- Write a plan for accomplishing the repackaging and/or disposition of existing samples
- Write repackaging procedures
- Revision disposition procedures as necessary
- Write implementing procedures for the new archive program
- Train affected personnel in the new system
- Develop a new archive database which can interface with the CES system which monitors laboratory isotope inventory to manage against the 222-S laboratory safety basis

References

Operating Procedure, LO-100-171, Rev F-1, *Waste Disposal at Hood 16 in Room 2B*, Weaver, L. L., March 5, 1998

Operating Procedure, LO-100-107, Rev C-0, *Cubicle Housekeeping, Waste Disposal, and Management*, Griffin, B., II, June 3, 1997

Operating Procedure, LO-100-151, Rev D-0, *Segregate and Manage Solid Laboratory Wastes*, Warwick, G. J., August 20, 1997

WHC-SD-WM-ER-334, 222-S Laboratory Storage, Engineering Report, McVey, C., June 10, 1994

Engineering Evaluation, *Evaluation of Sample Disposal of Non-Archive Sample Material at 222-S*, McVey, C., March 1996, transmitted by Internal Memo, S. L. Brey to G. B. Griffin, April 8, 1996

WHC-SD-W079-ES-001, Rev 3, Hot Sample Archiving, McVey, C. B., May 26, 1995

Archive & Excess Sample Storage/Disposition Cost Estimate, Hall, V. W., Internal Memo 75720-96-010, V. W. Hall to T. J. Kelley, September 24, 1996

Archived 222-S 11A Hot Cell Samples, Reasons for Retention, Path for Disposal, Beck, M., Internal Memo 8C510-97-037, Mark Beck to D. S. Mantooth, December 17, 1977

Archiving Requirements, Valenzuela, B. D., Internal Memo 7E720-94-125 from D. R. Bratzel to S. M. Joyce, June 23, 1994

CBM-94-002, *Engineering Report for 222-S Laboratory Storage*, McVey, C. B., April 1994.

White Paper - Storage of Excess TWRS Characterization Samples, Narquis, C. T., Internal Memo C. T. Narquis to L. F. Perkins [Date and Memo #]

HNF-SD-WM-SD-023, Rev 0., *Fiscal Year 1997 Memorandum of Understanding for the TWRS Characterization Project*, Schreiber, Ruth D., February 5, 1997

Sample Disposal via 219-S Facility, Beck, Mark A., Internal Memo 8C510-97-009, Mark A. Beck to K. S. Tollefson, May 14, 1997

WHC-SD-WM-TI-569, Rev 0, *Tank Core Sample Archiving Container Fabrication Material*, Strong, K. C., April 29, 1993

WAC 173-303, *Dangerous Waste Regulations*, Washington State Department of Ecology, as amended.

HNF-SD-WM-TRD-006, *Technical Basis for Disposition of Tank Waste Samples in Archive* (Adams, M.R., et al), March 1997

HNF-1641 REV. 0

APPENDIX I

222-S Archive Database sorted by
Tank:Core:Matrix

Vials in 11A1 and 11A2

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
					11919	250	215	
					7188	40	11.8	
						Total Weight	226.8	
	Grab	GL	10		PH-10	125	150.1	
	Grab	GL	11		PH-11	125	124.7	
	Grab	GL	C-1		PH-11C1	125	163.4	
	Grab	GL	H1		ENV-H1	125	29.3	
						Total Weight	467.5	

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
219-S	Grab	GL		1/21/98	13876	40	40.1	S98M000021
						Total Weight	40.1	

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
972-SLY		GL		10/2/97	13500	60	13.8	S97A000065
						Total Weight	13.8	

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
A-101	154	DL	11	8/1/96	10756	40	32	S96T004109
A-101	154	DL	13	7/24/96	10571	250	231.8	S96T004060
A-101	154	DL	13	8/1/96	10760	40	50.5	S96T004111
A-101	154	DL	14	7/24/96	10567	250	180.2	S96T004061
A-101	154	DL	14	8/1/96	10759	40	58.1	S96T004112
A-101	154	DL	15	8/2/96	9936	40	57.8	S96T004113
A-101	154	DL	16	8/2/96	10858	40	53.3	S96T004114
A-101	154	DL	17	8/21/96	11071	250	208.8	S96T004520
A-101	154	DL	17	9/16/96	11253	60	48.6	S96T004675
A-101	154	DL	18	8/26/96	11168	250	210.8	S96T004655
A-101	154	DL	18	9/6/96	11254	60	91.1	S96T004673
A-101	154	DL	19	9/6/96	11256	60	34.9	S96T004676
						Total Weight	1257.9	

17-Mar-98

Page 1 of 114

HMF-1641 REV. 0

Vials in 11A1 and 11A2

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
A-101	154	FB	Fblk	8/26/96	11067	250	182.5	S96T004654
A-101	154	FB	Fblk	8/21/98	11102	40	36.9	S96T004674
						Total Weight	219.4	
A-101	154	Salt	1	9/3/96	10966	60	8.6	S96T004677
A-101	154	Salt	1	9/3/96	11136	60	78.5	S96T004678
A-101	154	Salt	10	7/31/96	10837	60	84.5	S96T004081
A-101	154	Salt	10	8/1/96	10838	60	24.7	S96T004080
A-101	154	Salt	13	8/1/96	10839	60	30.2	S96T004082
A-101	154	Salt	14	7/24/96	10681	60	30.4	S96T004083
A-101	154	Salt	15	8/2/96	10841	60	87.2	S96T004084
A-101	154	Salt	16	8/2/96	10842	60	80.2	S96T004085
A-101	154	Salt	18	9/6/96	11255	60	60.4	S96T004704
A-101	154	Salt	19	9/6/96	11257	60	28.1	S96T004703
A-101	154	Salt	2	9/3/96	11137	60	99.3	S96T004679
A-101	154	Salt	2	9/4/96	11138	60	100.9	S96T004680
A-101	154	Salt	3	9/4/96	11242	60	97.5	S96T004682
A-101	154	Salt	3	9/4/96	11243	60	99.1	S96T004681
A-101	154	Salt	4	9/5/96	11246	60	89.7	S96T004684
A-101	154	Salt	4	9/5/96	11247	60	104.3	S96T004683
A-101	154	Salt	6	9/5/96	11248	60	94.6	S96T004686
A-101	154	Salt	6	9/5/96	11249	60	30.6	S96T004685
A-101	154	Salt	7	7/31/96	10835	60	94.1	S96T004079
A-101	154	Salt	7	7/31/96	10836	60	91.7	S96T004068
A-101	154	Salt	9	8/26/96	11166	250	69.1	S96T004668
A-101	154	Salt	9	9/5/96	11250	60	94.3	S96T004688
A-101	154	Salt	9	9/5/96	11251	60	70.3	S96T004687
A-101	154	Salt	Comp	10/2/96	11562	250	35.2	S96T005242
A-101	154	Salt	Comp	11/20/96	11798	60	82.5	S96T005244
						Total Weight	1766	
A-101	156	DL	10	8/21/96	11080	250	90.7	S96T004530
A-101	156	DL	10	8/27/96	11341	60	71.9	S96T004588
A-101	156	DL	11	8/14/96	10633	250	209.2	S96T004466
A-101	156	DL	11	8/27/96	11353	60	93.9	S96T004589

HNF-1641 REV. 0

Vials in 11A1 and 11A2

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
A-101	156	DL	12	8/14/96	10608	250	200	S96T004467
A-101	156	DL	12	9/11/96	11264	60	93	S96T004590
A-101	156	DL	13	8/8/96	10616	250	259.8	S96T004275
A-101	156	DL	13	8/8/96	10869	40	55.8	S96T004291
A-101	156	DL	14	8/21/96	11075	250	244.1	S96T004531
A-101	156	DL	14	9/13/96	11342	60	94.5	S96T004591
A-101	156	DL	15	8/14/96	10563	250	182.2	S96T004468
A-101	156	DL	15	9/11/96	11343	60	97.5	S96T004592
A-101	156	DL	17	8/16/96	10614	250	217.9	S96T004469
A-101	156	DL	17	9/11/96	11344	60	96.5	S96T004593
A-101	156	DL	18	8/8/96	10622	250	208.2	S96T004276
A-101	156	DL	18	8/8/96	10871	40	55.4	S96T004292
Total Weight							2270.6	
A-101	156	Salt	10	8/21/96	11126	60	7.2	S96T004576
A-101	156	Salt	10	8/27/96	11349	60	92.2	S96T004575
A-101	156	Salt	11	8/27/96	11263	60	76.3	S96T004577
A-101	156	Salt	12	9/14/96	11346	60	61.7	S96T004578
A-101	156	Salt	13	8/8/96	10852	60	30.8	S96T004281
A-101	156	Salt	14	9/13/96	11348	60	43.7	S96T004579
A-101	156	Salt	15	9/13/96	11345	60	41.7	S96T004580
A-101	156	Salt	17	8/16/96	10964	60	31.7	S96T004465
A-101	156	Salt	18	8/8/96	10853	60	72.2	S96T004282
A-101	156	Salt	3	8/30/96	11129	60	96.3	S96T004563
A-101	156	Salt	3	8/30/96	11130	60	103.1	S96T004564
A-101	156	Salt	4	8/30/96	11131	60	91.9	S96T004566
A-101	156	Salt	4	8/30/96	11132	60	101.1	S96T004565
A-101	156	Salt	5	8/30/96	11133	60	101.5	S96T004568
A-101	156	Salt	5	8/30/96	11134	60	98.1	S96T004567
A-101	156	Salt	6	8/30/96	10884	60	94.9	S96T004569
A-101	156	Salt	6	8/30/96	11135	60	100.3	S96T004570
A-101	156	Salt	7	8/27/96	11259	60	84.5	S96T004572
A-101	156	Salt	7	8/27/96	11261	60	95.9	S96T004460
A-101	156	Salt	8	8/27/96	11260	60	88.3	S96T004573
A-101	156	Salt	8	8/27/96	11262	60	101.6	S96T004571

HNF-1641 REV. 0

45

Vials in 11A1 and 11A2

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
A-101	156	Sludge	16Rgs		A101-16	Total Weight	1615	
						500	336.3	
						Total Weight	336.3	
A-101	Grab	GL	96-1	4/18/96	9767	40	51.5	S96T002018
A-101	Grab	GL	96-2	4/18/96	9768	40	58.5	S96T002019
A-101	Grab	GL	96-3	4/18/96	9710	60	79.8	S96T002020
Total Weight							189.8	

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
AN-101	Grab	GL		1/4/96	8915	60	60.6	S95T003904
AN-101	Grab	GL		1/4/96	8916	60	63.4	S95T003907
AN-101	Grab	GL		1/4/96	8918	60	61.8	S95T003908
AN-101	Grab	GL		2/2/96	9221	60	74	S96T000339
AN-101	Grab	GL		2/2/96	9223	60	73.3	S96T000340
AN-101	Grab	GL		2/2/96	9224	60	75.8	S96T000341
Total Weight							408.9	

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
AN-102	153	FB	Fblk	7/27/96	10747	40	12.7	S96T003993
						Total Weight	12.7	
AN-102	Grab	GL		1/5/96	8919	60	54.3	S95T003918
AN-102	Grab	GL		1/5/96	8920	60	62.1	S95T003919
AN-102	Grab	GL		1/11/96	8967	60	72.2	S95T004136
AN-102	Grab	GL		1/11/96	8968	60	51.6	S95T004132
AN-102	Grab	GL		1/11/96	8969	60	58.2	S95T004138
AN-102	Grab	GL		1/11/96	8970	60	58.8	S95T004134
AN-102	Grab	GL		2/5/98	12958	250	180.1	
Total Weight							537.3	

HNF-1641 REV. 0

Vials in 11A1 and 11A2

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
AN-103	166	DL	10	10/21/96	11528	250	225.9	S96T005562
AN-103	166	DL	10	10/23/96	11418	40	57.5	S96T005567
AN-103	166	DL	11	10/23/96	11539	250	220.4	S96T005606
AN-103	166	DL	11	11/9/96	11423	40	57.9	S96T005603
AN-103	166	DL	12	10/23/96	11558	250	208.9	S96T005607
AN-103	166	DL	12	11/9/96	11424	40	59.2	S96T005604
AN-103	166	DL	3	10/20/96	11413	40	56	S96T005536
AN-103	166	DL	3	10/21/96	11524	250	225.7	S96T005531
AN-103	166	DL	3	10/22/96	11414	40	56	S96T005537
AN-103	166	DL	4	10/21/96	11529	250	221.8	S96T005532
AN-103	166	DL	6	10/23/96	11537	250	225.9	S96T005605
AN-103	166	DL	6	11/8/96	11422	40	57.8	S96T005602
AN-103	166	DL	7	10/31/96	11543	250	236.6	S96T005814
AN-103	166	DL	7	11/10/96	11425	40	57.9	S96T005818
AN-103	166	DL	8	10/31/96	11542	250	251.2	S96T005815
AN-103	166	DL	8	11/10/96	11426	40	57.7	S96T005819
AN-103	166	DL	9	10/21/96	11519	250	227.6	S96T005533
AN-103	166	DL	9	10/22/96	11415	40	56.2	S96T005538
AN-103	166	DL	Comp	12/11/96	11896	60	34.7	S96T005994
						Total Weight	2594.9	
AN-103	166	FB	Fblk	10/7/96	11400	250	165.5	S96T005368
AN-103	166	FB	Fblk	10/20/96	11411	40	37	S96T005407
						Total Weight	202.5	
AN-103	166	Salt	1	11/8/96	11775	60	21.7	S96T005590
AN-103	166	Salt	10	10/21/96	11618	60	35.3	S96T005565
AN-103	166	Salt	11	10/23/96	11624	60	21.3	S96T005580
AN-103	166	Salt	12	11/9/96	11776	60	18	S96T005593
AN-103	166	Salt	13	10/24/96	11515	250	105	S96T005629
AN-103	166	Salt	13	10/24/96	11555	250	79.7	S96T005632
AN-103	166	Salt	13	10/25/96	11631	60	89.5	S96T005640
AN-103	166	Salt	13	10/25/96	11634	60	92.1	S96T005641
AN-103	166	Salt	15	10/7/96	11396	250	92.7	S96T005371
AN-103	166	Salt	15	10/7/96	11402	250	93.3	S96T005369

HN-1641 REV. 0

Vials in 11A1 and 11A2

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
AN-103	166	Salt	15	10/20/96	11508	60	94.6	S96T005402
AN-103	166	Salt	15	10/20/96	11509	60	104.3	S96T005403
AN-103	166	Salt	16	10/23/96	11531	250	70.8	S96T005588
AN-103	166	Salt	16	10/23/96	11533	250	81.9	S96T005589
AN-103	166	Salt	16	11/9/96	11777	60	108.1	S96T005594
AN-103	166	Salt	16	11/9/96	11778	60	101.3	S96T005595
AN-103	166	Salt	17	10/7/96	11194	250	65.2	S96T005372
AN-103	166	Salt	17	10/7/96	11570	250	85.9	S96T005370
AN-103	166	Salt	17	10/20/96	11510	60	81.1	S96T005404
AN-103	166	Salt	17	10/20/96	11511	60	91.7	S96T005405
AN-103	166	Salt	18	10/24/96	11538	250	73	S96T005631
AN-103	166	Salt	18	10/24/96	11553	250	66.2	S96T005634
AN-103	166	Salt	18	10/25/96	11635	60	108.2	S96T005642
AN-103	166	Salt	18	10/25/96	11636	60	98.1	S96T005643
AN-103	166	Salt	19	10/31/96	11541	250	83.3	S96T005812
AN-103	166	Salt	19	10/31/96	11545	250	71.1	S96T005813
AN-103	166	Salt	19	11/10/96	11781	60	93.2	S96T005826
AN-103	166	Salt	19	11/10/96	11782	60	77.3	S96T005827
AN-103	166	Salt	4	10/21/96	11616	60	41.8	S96T005544
AN-103	166	Salt	6	10/23/96	11623	60	36.5	S96T005585
AN-103	166	Salt	7	11/10/96	11779	60	27.1	S96T005824
AN-103	166	Salt	8	11/10/96	11780	60	12.1	S96T005825
AN-103	166	Salt	9	10/21/96	11617	60	35.5	S96T005545
AN-103	166	Salt	Comp		11940	250	88.3	S96T005983
AN-103	166	Salt	Comp	12/14/96	11813	60	94.8	S96T005935
Total Weight							2540	
AN-103	167	DL	11	11/13/96	11957	40	24.5	S96T005652
AN-103	167	DL	2	10/31/96	11546	250	183.1	S96T005849
AN-103	167	DL	2	11/11/96	11427	40	56	S96T005863
AN-103	167	DL	3	10/28/96	11556	250	298.5	S96T005664
AN-103	167	DL	3	11/13/96	11954	40	55.8	S96T005674
AN-103	167	DL	5	10/7/96	11569	250	274.5	S96T005373
AN-103	167	DL	5	10/21/96	11417	40	48.5	S96T005422
AN-103	167	DL	6	10/7/96	11525	250	287.1	S96T005380

17-Mar-98

Page 6 of 114

HNMF-1641 REV. 0

48

Vials in 11A1 and 11A2

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
AN-103	167	DL	6	10/21/96	11416	40	31.9	S96T005423
AN-103	167	DL	7	11/15/96	11956	40	35.8	S96T005682
AN-103	167	DL	8	10/29/96	11534	250	228.5	S96T005731
AN-103	167	DL	9	10/31/96	11560	250	294.4	S96T005850
AN-103	167	DL	9	11/11/96	11942	40	57	S96T005864
Total Weight							1875.6	
AN-103	167	Salt	1	10/28/96	11536	250	42.2	S96T005661
AN-103	167	Salt	1	11/13/96	11785	60	93.9	S96T001178
AN-103	167	Salt	1	11/13/96	11786	60	108.3	S96T005671
AN-103	167	Salt	11	10/24/96	11554	250	91	S96T005644
AN-103	167	Salt	11	10/24/96	11557	250	41.4	S96T005377
AN-103	167	Salt	11	11/13/96	11788	60	104.1	S96T005648
AN-103	167	Salt	11	11/13/96	11789	60	104.9	S96T005649
AN-103	167	Salt	12		11503	60	114.9	S96T005434
AN-103	167	Salt	12	10/2/96	11393	250	118.3	S96T005378
AN-103	167	Salt	12	10/22/96	11502	60	113	S96T005430
AN-103	167	Salt	14	10/23/96	11504	60	110.9	S96T005435
AN-103	167	Salt	14	10/23/96	11512	60	126	S96T005431
AN-103	167	Salt	15	10/11/96	11518	250	64	S96T005653
AN-103	167	Salt	15	10/11/96	11527	250	49.4	S96T005654
AN-103	167	Salt	15	11/18/96	11790	60	131	S96T005657
AN-103	167	Salt	15	11/18/96	11791	60	123.4	S96T005658
AN-103	167	Salt	17	10/23/96	11622	60	117.5	S96T005494
AN-103	167	Salt	17	10/24/96	11621	60	97.2	S96T005495
AN-103	167	Salt	2	11/11/96	11783	60	76.8	S96T005853
AN-103	167	Salt	3	10/28/96	11630	60	20.2	S96T005672
AN-103	167	Salt	4	10/28/96	11632	60	19.6	S96T005676
AN-103	167	Salt	5	10/22/96	11500	60	50.9	S96T005428
AN-103	167	Salt	6	10/22/96	11485	60	40.3	S96T005429
AN-103	167	Salt	7	10/28/96	11638	60	32	S96T005684
AN-103	167	Salt	8	10/29/96	11759	60	34.3	S96T005730
AN-103	167	Salt	9	11/11/96	11784	60	43.1	S96T005854
Total Weight							2068.6	

HNF-1641 REV. 0

Vials in 11A1 and 11A2

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
AN-104	163	DL	10	11/5/96	11420	40	53.7	S96T005530
AN-104	163	DL	11	10/25/96	11551	250	172.3	S96T005726
AN-104	163	DL	11	11/5/96	11421	40	57.3	S96T005740
AN-104	163	DL	12	10/30/96	11547	250	180.8	S96T005765
AN-104	163	DL	12	11/8/96	11768	60	95	S96T005767
AN-104	163	DL	14	10/25/96	11628	60	33.2	S96T005727
AN-104	163	DL	2	9/25/96	11188	250	187.7	S96T005224
AN-104	163	DL	2	10/12/96	11404	40	51.8	S96T005266
AN-104	163	DL	21	10/21/96	11526	250	162.6	S96T005526
AN-104	163	DL	3Rgs		AN104-3	500	29.2	
AN-104	163	DL	4	9/25/96	11189	250	141.3	S96T005229
AN-104	163	DL	4	10/12/96	11405	40	51	S96T005261
AN-104	163	DL	5	10/21/96	11523	250	179.5	S96T005525
AN-104	163	DL	5	11/5/96	11762	60	98.5	S96T005529
AN-104	163	DL	6	10/10/96	11522	250	173	S96T005547
AN-104	163	DL	6	11/5/96	11412	40	52.4	S96T005555
AN-104	163	DL	7	9/25/96	11192	250	210.8	S96T005230
AN-104	163	DL	7	10/12/96	11406	40	54	S96T005262
AN-104	163	DL	8	9/26/96	11195	250	124	S96T005231
AN-104	163	DL	8	10/12/96	11407	40	55.7	S96T005263
AN-104	163	DL	9	9/26/96	11196	250	112.9	S96T005232
AN-104	163	DL	9	10/13/96	11408	40	55.8	S96T005265
Total Weight							2332.5	
AN-104	163	Salt	1	9/25/96	11373	60	12.3	S96T005228
AN-104	163	Salt	12	11/7/96	11769	60	56.5	S96T005774
AN-104	163	Salt	14	10/25/96	11514	250	48.5	S96T005728
AN-104	163	Salt	14	10/25/96	11559	250	53.2	S96T005729
AN-104	163	Salt	14	11/5/96	11765	60	97.1	S96T005746
AN-104	163	Salt	14	11/6/96	11764	60	95.6	S96T005745
AN-104	163	Salt	16	9/26/96	11197	250	76.6	S96T005227
AN-104	163	Salt	16	9/26/96	11198	250	106.1	S96T005226
AN-104	163	Salt	16	10/14/96	11494	60	87.8	S96T005276
AN-104	163	Salt	16	10/14/96	11495	60	82.2	S96T005275
AN-104	163	Salt	18	10/30/96	11544	250	99.6	S96T005769

17-Mar-98

Page 8 of 114

HNF-1641 REV. 0

50

Vials in 11A1 and 11A2

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
AN-104	163	Salt	18	10/30/96	11549	250	70.5	S96T005770
AN-104	163	Salt	18	11/8/96	11770	60	91.7	S96T005775
AN-104	163	Salt	18	11/8/96	11771	60	97.3	S96T005776
AN-104	163	Salt	2	9/25/96	11374	60	18.3	S96T005225
AN-104	163	Salt	20	10/2/96	11397	250	84.1	S96T005553
AN-104	163	Salt	20	10/2/96	11398	250	65	S96T005552
AN-104	163	Salt	20	11/6/96	11766	60	99	S96T005551
AN-104	163	Salt	20	11/6/96	11767	60	102	S96T005550
Total Weight							1443.4	
AN-104	163	Sludge	13-Rgs		AN104-13	500	15.3	
AN-104	163	Sludge	15-RGS		AN104-15	500	11.9	
AN-104	163	Sludge	17Rgs		AN104-17	500	119.6	
AN-104	163	Sludge	18-Rgs		AN104-18	500	7	
AN-104	163	Sludge	19Rgs		AN104-19	500	37.9	
AN-104	163	Sludge	Commp	1/26/98	14064	500	701.1	S97M000285
AN-104	163	Sludge	Comp	1/26/98	12951	250	113.5	
AN-104	163	Sludge	Comp	1/26/98	14066	500	632.1	S97M000284
Total Weight							1638.4	
AN-104	164	DL	1	8/28/96	11164	250	186.6	S96T004762
AN-104	164	DL	1	9/14/96	11103	40	54.7	S96T004775
AN-104	164	DL	10	9/11/96	11185	250	256.5	S96T004964
AN-104	164	DL	10	9/16/96	11115	40	53.2	S96T004980
AN-104	164	DL	11	8/29/96	11094	250	322.3	N/A
AN-104	164	DL	11	9/14/96	11108	40	51.8	S96T004789
AN-104	164	DL	12	8/29/96	11095	250	299.6	N/A
AN-104	164	DL	12	9/3/96	11109	40	55.9	S96T004790
AN-104	164	DL	13	8/29/96	11097	250	225.1	S96T004770
AN-104	164	DL	13	9/3/96	11110	40	53.4	S96T004791
AN-104	164	DL	2	8/28/96	11081	250	288.8	S96T004764
AN-104	164	DL	2	9/14/96	11104	40	51.6	S96T004785
AN-104	164	DL	3	8/28/96	11091	250	293.2	S96T004765
AN-104	164	DL	3	9/14/96	11105	40	52.1	S96T004779
AN-104	164	DL	4	9/14/96	11106	40	51.5	S96T004787

HNF-1641 REV. 0

Vials in 11A1 and 11A2

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
AN-104	164	DL	4	12/6/96	11717	125	132.6	S96T004766
AN-104	164	DL	5	9/9/96	10977	125	27.8	S96T004961
AN-104	164	DL	5	9/9/96	11083	250	337.6	N/A
AN-104	164	DL	5	9/16/96	11112	40	52.7	S96T004983
AN-104	164	DL	7	8/29/96	11092	250	347	N/A
AN-104	164	DL	7	9/14/96	11107	40	51.7	S96T004788
AN-104	164	DL	8	9/9/96	11175	250	318.3	N/A
AN-104	164	DL	8	9/16/96	11113	40	51.3	S96T004982
AN-104	164	DL	9	9/16/96	11114	40	38.5	S96T004981
AN-104	164	DL	Comp	12/4/96	11561	250	77.2	S96T005971
AN-104	164	DL	Comp	12/8/96	11811	60	41.1	S96T005982
						Total Weight	3772.1	
AN-104	164	FB	Fblk	9/24/96	11180	250	125.8	S96T005221
AN-104	164	FB	Fblk	10/14/96	11409	40	31.1	S96T005254
						Total Weight	156.9	
AN-104	164	Salt	1	8/28/96	10965	60	25.7	S96T004763
AN-104	164	Salt	13	9/3/96	11347	60	30.4	S96T004777
AN-104	164	Salt	14	9/18/96	11368	60	105.9	S96T004994
AN-104	164	Salt	14	9/18/96	11369	60	71	S96T004995
AN-104	164	Salt	15	9/20/96	11370	60	75.9	S96T004996
AN-104	164	Salt	15	9/20/96	11376	60	81.9	S96T004997
AN-104	164	Salt	16	9/20/96	11377	60	86.8	S96T004998
AN-104	164	Salt	16	9/21/96	11378	60	81.3	S96T004999
AN-104	164	Salt	17	9/21/96	11379	60	68.2	S96T005000
AN-104	164	Salt	17	9/21/96	11380	60	87.8	S96T005001
AN-104	164	Salt	19	9/21/96	11381	60	85.2	S96T005002
AN-104	164	Salt	19	9/21/96	11382	60	100	S96T005003
AN-104	164	Salt	20	9/25/96	11190	250	81.6	S96T005222
AN-104	164	Salt	20	10/14/96	11497	60	69.2	S96T005251
AN-104	164	Salt	20	10/14/96	11499	60	86.7	S96T005252
AN-104	164	Salt	Comp	12/8/96	11812	60	74.4	S96T005973
						Total Weight	1212	

HNF-1641 REV. 0

Vials in 11A1 and 11A2

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
AN-105		Sludge	18Rgs		AN105-18	125	131.5	
AN-105		Sludge	20Rgs		AN105-20	500	311.3	
AN-105		Sludge	21Rgs		AN105-21	125	156.1	
Total Weight							598.9	
AN-105	152	DL	1	6/17/96	10244	250	150.3	S96T003715
AN-105	152	DL	1	7/26/96	9937	40	54.4	S96T003736
AN-105	152	DL	10	7/26/96	10728	40	55.1	S96T003787
AN-105	152	DL	11	6/27/96	10332	60	17.3	S96T003725
AN-105	152	DL	11	7/28/96	9931	40	39.3	S96T003788
AN-105	152	DL	12	7/26/96	10745A	40	57.3	S96T003789
AN-105	152	DL	13	7/28/96	10749	40	55.8	S96T003790
AN-105	152	DL	14	7/1/96	10345	250	42.8	S96T003728
AN-105	152	DL	14	7/28/96	10746	40	58	S96T003791
AN-105	152	DL	2	6/17/96	10080	125	24.5	S96T003716
AN-105	152	DL	2	7/26/96	9939	40	52.2	S96T003779
AN-105	152	DL	3	7/26/96	9940	40	47.7	S96T003780
AN-105	152	DL	4	7/26/96	9941	40	57.2	S96T003781
AN-105	152	DL	5	7/26/96	10700	40	61	S96T003782
AN-105	152	DL	6	7/26/96	10699	40	48	S96T003783
AN-105	152	DL	7	6/27/96	10402	125	20.6	S96T003721
AN-105	152	DL	7	7/26/96	9942	40	47.7	S96T003784
AN-105	152	DL	8	6/27/96	10391	125	35.6	S96T003722
AN-105	152	DL	8	7/26/96	10698	40	52.2	S96T003785
AN-105	152	DL	9	7/26/96	10697	40	46.9	S96T003786
AN-105	152	DL	Comp	7/24/96	10634	250	154.4	S96T004034
AN-105	152	DL	Comp	9/5/96	10757	40	41.9	S96T004203
Total Weight							1220.2	
AN-105	152	Salt	1	6/17/96	10343	60	29	S96T003714
AN-105	152	Salt	14	7/26/96	10682	60	59.3	S96T003738
AN-105	152	Salt	14	7/26/96	10766	60	59.6	
AN-105	152	Salt	14	7/28/96	10685	60	7.4	S96T003799
AN-105	152	Salt	16	7/26/96	10768	60	75.3	
AN-105	152	Salt	16	7/27/96	10686	60	80.7	S96T003803

HNF-1641 REV. 0

Vials in 11A1 and 11A2

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
AN-105	152	Salt	16	7/27/96	10687	60	77.8	S96T003810
AN-105	152	Salt	18		10688	60	26.6	S96T003804
AN-105	152	Salt	18		10690	60	61.2	S96T003811
AN-105	152	Salt	20		10691	60	59	S96T003805
AN-105	152	Salt	20		10692	60	42.6	S96T003812
AN-105	152	Salt	20	7/27/96	10770	60	72.7	
AN-105	152	Salt	22	7/27/96	10769	60	75.3	
AN-105	152	Salt	22	8/17/96	10694	60	13.8	S96T003806
AN-105	152	Salt	22	8/17/96	11121	60	66.8	S96T004260
AN-105	152	Salt	Comp	8/17/96	10775	60	41.1	
AN-105	152	Salt	Comp	8/17/96	11120	60	84.8	S96T004255
Total Weight							933	
AN-105	153	DL	1	8/14/96	10609	250	176.3	S96T004425
AN-105	153	DL	1	8/19/96	11100	40	53.4	S96T004431
AN-105	153	DL	10	8/5/96	10795	125	42.8	S96T004309
AN-105	153	DL	10	8/9/96	10874	40	54.8	S96T004307
AN-105	153	DL	11	7/28/96	10751	40	44.1	S96T003996
AN-105	153	DL	12	7/28/96	10752	40	40.6	S96T003997
AN-105	153	DL	13	7/28/96	10753	40	45.7	S96T003998
AN-105	153	DL	14	8/7/96	10794	125	60.7	S96T004331
AN-105	153	DL	14	8/16/96	11098	40	56.2	S96T004332
AN-105	153	DL	2	8/9/96	10793	125	31.9	S96T004305
AN-105	153	DL	2	8/9/96	10872	40	53.7	S96T004306
AN-105	153	DL	21	7/9/96	10523	125	110.9	S96T003970
AN-105	153	DL	21	7/28/96	10754	40	48.5	S96T003999
AN-105	153	DL	3	8/19/96	11101	40	51.1	S96T004432
AN-105	153	DL	5	8/12/96	10790	125	66.5	S96T004413
AN-105	153	DL	5	8/16/96	10875	40	55.1	S96T004416
AN-105	153	DL	6	8/12/96	10785	125	67.8	S96T004414
AN-105	153	DL	6	8/16/96	10876	40	54.2	S96T004417
AN-105	153	DL	7	8/12/96	10789	125	25.7	S96T004415
AN-105	153	DL	7	8/16/96	10877	40	49	S96T004418
AN-105	153	DL	8	7/28/96	10748	40	53.6	S96T003994
AN-105	153	DL	9	7/8/96	10400	125	24.3	S96T003966

17-Mar-98

Page 12 of 114

HNF-1641 REV. 0

54

Vials in 11A1 and 11A2

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
AN-105	153	DL	9	7/28/96	10750	40	53.1	S96T003995
						Total Weight	1320	
AN-105	153	FB	Fblk	7/9/96	10522	250	107.5	S96T003964
						Total Weight	107.5	
AN-105	153	Salt	14	8/16/96	10967	60	81.9	S96T004336
AN-105	153	Salt	15	8/5/96	10602	250	66.9	S96T004303
AN-105	153	Salt	15	8/9/96	10857	60	100.1	S96T004313
AN-105	153	Salt	17	8/19/96	11122	60	79.5	S96T004439
AN-105	153	Salt	17	8/19/96	11123	60	83.2	S96T004438
AN-105	153	Salt	19	8/19/96	11124	60	89.6	S96T004440
AN-105	153	Salt	21	7/28/96	10761	60	87.7	S96T004000
AN-105	153	Salt	22	7/28/96	10762	60	73	S96T004001
AN-105	153	Salt	22	7/28/96	10763	60	87.7	S96T004002
						Total Weight	749.6	
AN-105	153	Sludge	15	8/9/96	10854	60	94.5	S96T004312
						Total Weight	94.5	

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
AN-106	Grab	GL	2	8/27/97	13224	40	46.1	S96T000132
AN-106	Grab	GL	3	8/27/97	13225	40	46.3	S96T000133
AN-106	Grab	GL	1	8/27/97	13226	40	45.9	n/a
AN-106	Grab	GL	1	8/27/97	13286	40	46.7	S97T000131
AN-106	Grab	GL	2	8/27/97	13227	40	45.9	n/a
AN-106	Grab	GL	5	8/27/97	13287	40	47.1	S97T000149
AN-106	Grab	GL	6	8/28/97	13229	40	48.1	S96T000150
AN-106	Grab	GL	7	8/28/97	13228	40	48.5	S96T000151
						Total Weight	374.6	

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
AN-107	Grab	GL	95-1	2/29/96	9281	60	76.3	S96T000727
AN-107	Grab	GL	95-10	3/12/96	9534	60	58.4	S96T000706

17-Mar-98

Page 13 of 114

HNF-1841 REV. 0

55

Vials in 11A1 and 11A2

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
AN-107	Grab	GL	95-2	3/12/96	9279	60	57.3	S96T000728
AN-107	Grab	GL	95-4	3/1/96	9349	60	67.3	S96T000740
AN-107	Grab	GL	95-4	3/1/96	9350	60	29.7	S96T000742
AN-107	Grab	GL	95-4	3/12/96	8445	40	7	S96T001320
AN-107	Grab	GL	95-4	3/12/96	9280	60	69.3	S96T000729
AN-107	Grab	GL	95-5	3/12/96	8446	40	15.1	S96T001321
AN-107	Grab	GL	95-6	2/29/96	9282	60	81	S96T000702
AN-107	Grab	GL	95-7	2/29/96	9335	60	80.3	S96T000703
AN-107	Grab	GL	95-8	2/29/96	9336	60	80.4	S96T000699
AN-107	Grab	GL	95-9	3/12/96	9522	60	66.8	S96T000715
AN-107	Grab	GL	95-9	3/12/96	9523	60	44.8	S96T000705

Total Weight   733.7

AN-107	Grab	Sludge	95-10	3/12/96	9533	60	25.7	S96T000716

Total Weight   25.7

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
AP-101	Grab	GI	95-1	3/1/96	9340	60	80.6	S96T000731
AP-101	Grab	GI	95-2	3/1/96	9341	60	76.2	S96T000883
AP-101	Grab	GI	95-3	3/1/96	9342	60	77.4	S96T000884
AP-101	Grab	GI	95-4	3/1/96	9343	60	81.3	S96T000735
AP-101	Grab	GI	95-5	3/1/96	9344	60	79.6	S96T000736
AP-101	Grab	GI	95-6	3/1/96	9345	60	74.7	S96T000737

Total Weight   469.8

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
AP-104	Grab	GL	96-3B		4AP963B	125	70	
AP-104	Grab	GL	97-1B		4AP971B	125	70.7	

Total Weight   140.7

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
AP-105	208	DL	1	7/8/97	12901	250	268.6	S97T001719

17-Mar-98

Page 14 of 114

HNF-1641 REV. 0

Vials in 11A1 and 11A2

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
AP-105	208	DL	1	7/11/97	12254	40	50.8	S97T001720
AP-105	208	DL	2	7/8/97	13051	60	67.8	S97T001722
Total Weight							387.2	
AP-105	208	Salt	2	7/8/97	11907	125	44.1	S97T001729
AP-105	208	Salt	2	7/11/97	13053	60	107.1	S97T001731
AP-105	208	Salt	2	7/11/97	13059	60	87.5	S97T001725
Total Weight							238.7	
AP-105	209	DL	1	7/15/97	12597	250	148.1	S97T001759
AP-105	209	DL	1	7/22/97	13288	40	53.4	S97T001763
Total Weight							201.5	
AP-105	209	Salt	2	7/15/97	12598	250	149.7	S97T001767
AP-105	209	Salt	2	7/21/97	13060	60	88.3	S97T001773
AP-105	209	Salt	2	7/21/97	13062	60	103.5	S97T001772
AP-105	209	Salt	3	7/16/97	12716	250	137	S07T001769
AP-105	209	Salt	3	7/16/97	12896	250	43.5	S97T001768
AP-105	209	Salt	3	7/22/97	13063	60	104.8	S97T001775
AP-105	209	Salt	3	7/22/97	13069	60	106.3	S97T001774
Total Weight							733.1	
AP-105	210	DL	2	7/16/97	12600	250	52.8	S97T001760
AP-105	210	DL	2	7/23/97	12253	40	56.7	S97T001764
Total Weight							109.5	
AP-105	210	Salt	1	7/16/97	12706	250	191.3	S97T001770
AP-105	210	Salt	1	7/23/97	13070	60	93	S97T001776
AP-105	210	Salt	2	7/16/97	12898	250	122.3	S97T001771
AP-105	210	Salt	2	7/23/97	13071	60	97.1	S97T001777
Total Weight							503.7	
AP-105	Grab	GL	96-1D		5AP961D	125	71.8	
AP-105	Grab	GL	96-2D		5AP962D	125	94.7	
AP-105	Grab	GL	96-3D		5AP963D	125	90.2	
Total Weight							256.7	

NMF-1641 REV. 0

Vials in 11A1 and 11A2

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
AP-106	Grab	GL	1	9/5/95	13256	40	42.4	S96T005178
AP-106	Grab	GL	2	9/5/97	13258	40	43.9	S96T005180
AP-106	Grab	GL	3	9/5/97	13257	40	51.2	NA
Total Weight							137.5	

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
AP-108	Grab	GL	1	4/19/96	9721	60	64.3	S96T000094
AP-108	Grab	GL	2	4/19/96	9720	60	31.3	S96T000099
Total Weight							95.6	

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
AW-015	196	Sludge	8	5/27/97	12557	250	62.5	S97T001139
Total Weight							62.5	

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
AW-101	132	DL	2	3/5/96	8435	40	34	S96T000804
AW-101	132	DL	3	3/5/96	9527	60	82.1	S96T000819
AW-101	132	DL	4	3/5/96	8437	40	60.5	S96T000828
AW-101	132	DL	5	3/5/96	8439	40	54.5	S96T000842
AW-101	132	DL	9	4/2/96	8631	125	34.3	S96T001745
Total Weight							265.4	
AW-101	132	FB	Fblk	4/2/96	9474	250	152.8	S96T001703
AW-101	132	FB	Fblk	4/26/96	9770	40	40.5	S96T001704
Total Weight							193.3	
AW-101	132	LL	7	4/2/96	8650	125	90.6	S96T001710
AW-101	132	LL	7	4/26/96	8453	40	56.5	S96T001713
Total Weight							147.1	
AW-101	132	Salt	10	4/2/96	9432	125	16.5	S96T001753
AW-101	132	Salt	11	4/2/96	8618	125	21.9	S96T001769
AW-101	132	Salt	12	9/24/97	13443	60	10.2	S96T001924

17-Mar-98

Page 16 of 114

HNF-1041 REV. 0

Vials in 11A1 and 11A2

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
AW-101	132	Salt	13	4/29/96	9445	125	14.9	S96T002029
AW-101	132	Salt	14	4/9/96	9430	125	31.9	S96T001927
AW-101	132	Salt	15	4/29/96	9438	125	22.5	S96T001929
AW-101	132	Salt	16	4/9/96	9446	125	24.1	S96T001932
AW-101	132	Salt	3	3/5/96	8436	40	21.9	S96T000823
AW-101	132	Salt	4	3/5/96	8438	40	20	S96T000832
AW-101	132	Salt	5	3/5/96	8440	40	20	S96T000847
AW-101	132	Salt	7	4/26/96	9814	60	94.6	S96T001718
AW-101	132	Salt	7	9/29/97	13490	60	12.1	S96T002150
AW-101	132	Salt	9	9/29/97	13487	60	14.3	na
AW-101	132	Salt	Comp	5/13/96	10251	250	46.7	S96T002729
AW-101	132	Salt	Comp	6/26/96	10471	60	33.1	S96T002745
AW-101	132	Salt	Comp	6/27/96	10473	60	47.4	S96T002763
AW-101	132	Salt	Comp	6/27/96	10474	60	79.7	S96T002746
						Total Weight	531.8	
AW-101	132	Sludge	1	2/22/96	9194	250	75.7	S96T000798
AW-101	132	Sludge	1	2/22/96	9270	60	31.5	S96T000793
AW-101	132	Sludge	1	3/5/96	9526	60	85.9	S96T000799
AW-101	132	Sludge	18	4/9/96	9487	250	168.5	S96T001934
AW-101	132	Sludge	18	4/9/96	9499	250	173.2	S96T001933
AW-101	132	Sludge	2	2/23/96	9397	250	52.2	S96T000813
AW-101	132	Sludge	2	3/5/96	9528	60	80.5	S96T000814
AW-101	132	Sludge	2	3/5/96	9529	60	32.3	S96T000808
AW-101	132	Sludge	20	4/9/96	9442	125	108.7	S96T001935
AW-101	132	Sludge	20	4/9/96	9490	250	160	S96T001937
AW-101	132	Sludge	22	4/8/96	9498	250	154.8	S96T001938
AW-101	132	Sludge	22	4/9/96	9443	125	84.5	S96T001940
AW-101	132	Sludge	Comp	6/26/96	10403	125	60.8	S96T002747
AW-101	132	Sludge	Comp	6/26/96	10472	60	25.1	S96T002748
						Total Weight	1293.7	
AW-101	139	DL	11	5/8/96	10036	250	160.3	S96T002677
AW-101	139	DL	11	6/27/96	9926	40	59	S96T003216
AW-101	139	DL	12	5/8/96	10037	250	165.5	S96T002685

HNF-1041 REV. 0

Vials in 11A1 and 11A2

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
AW-101	139	DL	12	6/27/96	9927	40	60.9	S96T003218
AW-101	139	DL	13	5/8/96	10038	250	160.1	S96T002693
AW-101	139	DL	13	6/27/96	9928	40	60.5	S96T003220
AW-101	139	DL	14	5/8/96	10040	250	189.4	S96T002702
AW-101	139	DL	14	6/27/96	9929	40	60	S96T003222
AW-101	139	DL	15	5/8/96	10041	250	166.4	S96T002710
AW-101	139	DL	15	6/27/96	9930	40	61.9	S96T003224
AW-101	139	DL	17R	5/29/96	10071	125	137.2	S96T003543
AW-101	139	DL	2	5/3/96	9998	250	98.2	S96T002525
Total Weight							1379.4	
AW-101	139	LL	17	5/29/96	10075	125	92.1	
Total Weight							92.1	
AW-101	139	Salt	10	7/10/96	9883	60	16.8	S96T002463
AW-101	139	Salt	11	5/8/96	10031	125	16	S96T002680
AW-101	139	Salt	12	5/8/96	10034	125	11.9	S96T002688
AW-101	139	Salt	13	5/8/96	9914	60	14.5	S96T002696
AW-101	139	Salt	14	5/8/96	9915	60	27.2	S96T002705
AW-101	139	Salt	15	5/8/96	9916	60	25.5	S95T002713
AW-101	139	Salt	16	5/28/96	10207	60	5.6	S96T003518
AW-101	139	Salt	16	7/9/96	10208	60	8.6	S96T003237
AW-101	139	Salt	16R	7/9/96	10195	250	325.9	S96T003233
AW-101	139	Salt	16R	7/9/96	10529	60	25.4	S96T003234
AW-101	139	Salt	16R2	5/28/96	10210	60	24.9	S96T003533
AW-101	139	Salt	17R	7/12/96	10530	60	29.8	S96T003547
AW-101	139	Salt	17R	7/12/96	10532	60	28	S96T003554
AW-101	139	Salt	19	5/29/96	10218	250	30.6	S96T003568
AW-101	139	Salt	19	7/12/96	10534	60	32.5	S96T003570
AW-101	139	Salt	19	7/15/96	10536	60	28.6	S96T003563
AW-101	139	Salt	2	5/3/96	9885	60	23.8	S96T002528
AW-101	139	Salt	2	5/3/96	9887	60	29.2	S95T002532
AW-101	139	Salt	21	7/15/96	10540	60	34.3	S96T003577
AW-101	139	Salt	3	5/3/96	9886	60	13.3	S96T002559
AW-101	139	Salt	4	5/3/96	9888	60	18.1	S96T002576

HNF-1641 REV. 0

Vials in 11A1 and 11A2

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
AW-101	139	Salt	5	5/3/96	9889	60	19.5	S96T002594
AW-101	139	Salt	6	7/16/96	10106	60	14.8	S96T002495
AW-101	139	Salt	7	5/1/96	9881	60	12.8	S96T002431
AW-101	139	Salt	8	5/1/96	9884	60	17.9	S96T002440
AW-101	139	Salt	9	5/1/96	9882	60	25	S96T002455
						Total Weight	860.5	
AW-101	139	Sludge	1	4/22/96	9455	125	43.4	S96T002415
						Total Weight	43.4	
AW-101	226	Salt	2	1/23/98	13507	60	93.8	S98T000103
						Total Weight	93.8	
AW-101	Grab	GL		9/26/97	#21	125	201.1	S96D000046
AW-101	Grab	GL		9/26/97	#22	125	191.4	S96D000046
AW-101	Grab	GL		9/26/97	#23	125	189.8	S96D000046
AW-101	Grab	GL		9/26/97	#24	125	196.5	S96D000046
						Total Weight	778.8	
AW-101	R12A	DL		2/7/95	6427	40	4.3	
						Total Weight	4.3	
AW-101	R12A	Sludge	Aug-4	2/7/95	6428	40	10.01	S95T000120
						Total Weight	10.01	
AW-101	R13A	Sludge	Auger	2/7/95	6399	40	34.2	S95T000118
AW-101	R13A	Sludge	Auger	2/7/95	6401	40	17.41	
						Total Weight	51.61	
AW-101	R24B	Sludge	Aug-5	2/8/95	6405	40	16.88	S95T000119
						Total Weight	16.88	
Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
AW-102		GL	2	11/15/95	8753	125	105.4	S95T002156
						Total Weight	105.4	
AW-102	Grab	GL		9/10/96	11275	20	2.7	S96T004909
AW-102	Grab	GL	95-2	9/14/95	8149	70	56	S95T002306

17-Mar-98

Page 19 of 114

HNF-1641 REV. 0

61

Vials in 11A1 and 11A2

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
AW-102	Grab	GL	95-3	9/14/95	8150	70	62.7	S95T002307
AW-102	Grab	GL	97-1		2AW97-1	125	79.6	
AW-102	Grab	GL	97-2		2AW97-2	125	69	
Total Weight							270	

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
AW-103	193	DL	4	5/9/97	12612	250	123	S97T000874
AW-103	193	DL	4	6/5/97	12241	40	43.4	S97T000886
Total Weight							166.4	
AW-103	193	FB	Fblk	5/8/97	12604	250	135.1	S97T000877
AW-103	193	FB	Fblk	6/5/97	12240	40	41.3	S97T000887
Total Weight							176.4	
AW-103	193	Sludge		5/13/97	12602	250	12.7	S97T000973
AW-103	193	Sludge	10	5/28/97	12347	60	45	S97T000993
AW-103	193	Sludge	4	6/5/97	12357	40	43.4	S97T000886
AW-103	193	Sludge	4	6/5/97	12688	60	41.3	S97T000883
AW-103	193	Sludge	5	5/9/97	12613	250	58.1	S97T000875
AW-103	193	Sludge	5	5/9/97	12616	250	49	S97T000876
AW-103	193	Sludge	5	6/5/97	12689	60	95.9	S97T000884
AW-103	193	Sludge	5	6/5/97	12692	60	74.1	S97T000885
AW-103	193	Sludge	6	5/13/97	12609	250	79.8	S97T000967
AW-103	193	Sludge	6	5/13/97	12611	250	78.8	S97T000971
AW-103	193	Sludge	6	5/28/97	12643	60	84.6	S97T000985
AW-103	193	Sludge	6	5/28/97	12644	60	85.2	S97T000989
AW-103	193	Sludge	7	5/13/97	12293	250	93.3	S97T000968
AW-103	193	Sludge	7	5/19/97	12282	250	31.1	S97T000972
AW-103	193	Sludge	7	5/28/97	12342	60	86.5	S97T000968
AW-103	193	Sludge	7	5/28/97	12343	60	93.4	S97T000990
AW-103	193	Sludge	8	5/13/97	12290	250	99.7	S97T000969
AW-103	193	Sludge	8	5/28/97	12344	60	98.6	S97T000987
AW-103	193	Sludge	8	5/28/97	12345	60	101.6	S97T000991
AW-103	193	Sludge	9	5/14/97	12286	250	56.1	S97T000970

HNF-1041 REV. 0

62

Vials in 11A1 and 11A2

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
AW-103	193	Sludge	9	5/14/97	12292	250	46.5	S97T000974
AW-103	193	Sludge	9	5/28/97	12346	60	114.5	S97T000992
AW-103	193	Sludge	9	5/28/97	12627	60	95.6	S97T000988
						Total Weight	1664.8	
AW-103	194	DL	4	5/14/97	12287	250	174.1	S97T001078
AW-103	194	DL	4	5/28/97	12231	40	43.7	S97T001080
						Total Weight	217.8	
AW-103	194	Sludge	10	5/20/97	12298	250	166.4	S97T001029
AW-103	194	Sludge	10	5/30/97	12690	60	84.1	S97T001053
AW-103	194	Sludge	4	5/14/97	12640	60	10.5	S97T001018
AW-103	194	Sludge	5	5/19/97	12283	250	41.3	S97T001024
AW-103	194	Sludge	5	5/19/97	12284	250	71.1	S97T001019
AW-103	194	Sludge	5	5/29/97	12651	60	92.7	S97T001042
AW-103	194	Sludge	5	5/29/97	12652	60	91	S97T001048
AW-103	194	Sludge	6	5/19/97	12285	250	73.4	S97T001020
AW-103	194	Sludge	6	5/19/97	12288	250	53.4	S97T001025
AW-103	194	Sludge	6	5/29/97	12653	60	84.9	S97T001043
AW-103	194	Sludge	6	5/29/97	12654	60	90.8	S97T001049
AW-103	194	Sludge	7	5/19/97	12291	250	75.6	S97T001021
AW-103	194	Sludge	7	5/29/97	12658	60	96.2	S97T001044
AW-103	194	Sludge	7	5/29/97	12659	60	88.9	S97T001050
AW-103	194	Sludge	8	5/19/97	12294	250	70.5	S97T001027
AW-103	194	Sludge	8	5/19/97	12295	250	103.2	S97T001022
AW-103	194	Sludge	8	5/30/97	12655	60	90.5	S97T001045
AW-103	194	Sludge	8	5/30/97	12656	60	104.1	S97T001051
AW-103	194	Sludge	9	5/19/97	12296	250	99.7	S97T001028
AW-103	194	Sludge	9	5/19/97	12297	250	211	S97T001023
AW-103	194	Sludge	9	5/30/97	12645	60	114.1	S97T001046
AW-103	194	Sludge	9	5/30/97	12663	60	116	S97T001052
						Total Weight	2029.4	

HNF-1641 REV. 0

Vials in 11A1 and 11A2

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
AW-104	204	DL	15	6/24/97	12586	250	199	S97T001507
AW-104	204	DL	15	7/1/97	13216	40	39.9	S97T001516
AW-104	204	DL	16	6/24/97	12702	250	176.7	S97T001508
AW-104	204	DL	16	7/1/97	13215	40	44.4	S97T001517
AW-104	204	DL	17	6/24/97	12703	250	196.8	S97T001509
AW-104	204	DL	17	7/1/97	13214	40	41.9	S97T001518
AW-104	204	DL	18	6/24/97	12707	250	98.8	S97T001510
AW-104	204	DL	18	7/1/97	13213	40	44.3	S97T001519
AW-104	204	DL	19R	7/8/97	13217	40	53.7	S97T001569
AW-104	204	DL	20	7/8/97	13218	40	55.8	S97T001589
AW-104	204	DL	22	7/8/97	13219	40	37.3	S97T001590
Total Weight							988.6	
AW-104	204	Sludge	18	6/24/97	12705	250	21.8	S97T001520
AW-104	204	Sludge	18	7/1/97	13023	60	81.2	S97T001522
AW-104	204	Sludge	19R	7/8/97	13047	60	69.4	S97T001568
AW-104	204	Sludge	21	6/30/97	12704	250	144.7	S97T001584
AW-104	204	Sludge	21	7/8/97	13048	60	112.6	S97T001594
AW-104	204	Sludge	21	7/8/97	13049	60	38	S97T001595
AW-104	204	Sludge	22	6/30/97	12713	250	66.9	S97T001586
AW-104	204	Sludge	22	7/8/97	13050	60	103	S97T001596
Total Weight							637.6	
AW-104	206	DL	15	6/30/97	12709	250	129.2	S97T001603
AW-104	206	DL	15	7/9/97	13281	40	42.5	S97T001611
AW-104	206	DL	16	6/30/97	12710	250	123.7	S97T001604
AW-104	206	DL	16	7/9/97	13285	40	41.4	S97T001612
AW-104	206	DL	17	6/30/97	12718	250	159.4	S97T001605
AW-104	206	DL	17	7/9/97	13282	40	46.1	S97T001613
AW-104	206	DL	18	6/30/97	12717	250	96.5	S97T001606
AW-104	206	DL	18	7/9/97	13284	40	46.5	S97T001614
AW-104	206	DL	19	7/2/97	12899	250	38.9	S97T001629
AW-104	206	DL	19	7/10/97	13290	40	49.2	S97T001642
AW-104	206	DL	20	7/2/97	12900	250	113.4	S97T001630
AW-104	206	DL	20	7/10/97	13280	40	55	S97T001643

HNF-1641 REV. 0

Vials in 11A1 and 11A2

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
AW-104	206	DL	21	7/2/97	13036	60	26	S97T001644
						Total Weight	967.8	
AW-104	206	Sludge	18	6/30/97	11913	125	47.1	S97T001619
AW-104	206	Sludge	18	6/30/97	11916	125	23.1	S97T001620
AW-104	206	Sludge	19	7/2/97	12370	125	21.9	S97T001632
AW-104	206	Sludge	19	7/10/97	13024	60	89.6	S97T001652
AW-104	206	Sludge	19	7/10/97	13025	60	74.4	S97T001655
AW-104	206	Sludge	20	7/2/97	11908	125	75.5	S97T001636
AW-104	206	Sludge	20	7/10/97	13026	60	50.5	S97T001656
AW-104	206	Sludge	21	7/2/97	12905	250	165.5	S97T001633
AW-104	206	Sludge	21	7/10/97	13027	60	103.3	S97T001653
AW-104	206	Sludge	21	7/10/97	13028	60	68.6	S97T001657
AW-104	206	Sludge	22	7/2/97	12595	250	176.2	S97T001634
AW-104	206	Sludge	22	7/2/97	13037	60	58.1	S97T001658
AW-104	206	Sludge	22	7/11/97	13052	60	106.7	S97T001654
						Total Weight	1060.5	

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
AW-105	195	DL	4	5/20/97	12299	250	66.6	S97T001100
AW-105	195	DL	4	6/2/97	12239	40	43.4	S97T001124
						Total Weight	110	
AW-105	195	FB	Fblk	5/27/97	12569	250	52.4	S97T001166
						Total Weight	52.4	
AW-105	195	Sludge	4	6/2/97	12348	60	55.3	S97T001118
AW-105	195	Sludge	5	5/21/97	12301	250	54	S95T001089
AW-105	195	Sludge	5	5/21/97	12302	250	54	S97T001095
AW-105	195	Sludge	5	6/4/97	12349	60	88.4	S97T001113
AW-105	195	Sludge	5	6/4/97	12350	60	83.4	S97T001119
AW-105	195	Sludge	6	5/21/97	12582	250	92.4	S97T001096
AW-105	195	Sludge	6	6/3/97	12624	60	86.1	S97T001114
AW-105	195	Sludge	6	6/3/97	12626	60	89.2	S97T001120
AW-105	195	Sludge	7	5/21/97	12300	250	98.5	S97T001091

17-Mar-98

Page 23 of 114

HNF-1641 REV. 0

Vials in 11A1 and 11A2

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
AW-105	195	Sludge	7	5/21/97	12578	250	67.4	S97T001097
AW-105	195	Sludge	7	6/3/97	12657	60	71.6	S97T001115
AW-105	195	Sludge	7	6/3/97	12660	60	69.9	S97T001121
AW-105	195	Sludge	8	5/22/97	12579	250	81.9	S97T001098
AW-105	195	Sludge	8	5/22/97	12583	250	88.1	S97T001092
AW-105	195	Sludge	8	6/3/97	12661	60	94.6	S97T001116
AW-105	195	Sludge	8	6/3/97	12662	60	87.3	S97T001122
AW-105	195	Sludge	9	5/22/97	12584	250	116.8	S97T001093
Total Weight							1378.9	
AW-105	196	DL	4	6/13/97	12243	40	28.1	S97T001165
Total Weight							28.1	
AW-105	196	Sludge	4	6/13/97	12742	60	84.7	S97T001159
AW-105	196	Sludge	5	5/27/97	12558	250	80.9	S97T001130
AW-105	196	Sludge	5	5/27/97	12564	250	67.2	S97T001136
AW-105	196	Sludge	5	6/12/97	12737	60	83	S97T001154
AW-105	196	Sludge	5	6/13/97	12738	60	62.8	S97T001160
AW-105	196	Sludge	6	5/27/97	12559	250	86.2	S97T001131
AW-105	196	Sludge	6	5/27/97	12607	250	85.2	S97T001137
AW-105	196	Sludge	6	6/13/97	12735	60	78.8	S97T001155
AW-105	196	Sludge	6	6/13/97	12736	60	42.1	S97T001161
AW-105	196	Sludge	7	5/27/97	12554	250	62.3	S97T001132
AW-105	196	Sludge	7	5/27/97	12555	250	66.1	S97T001138
AW-105	196	Sludge	7	6/13/97	12691	60	63.8	S97T001156
AW-105	196	Sludge	7	6/13/97	12698	60	73.9	S97T001162
AW-105	196	Sludge	8	5/27/97	12556	250	89.4	S97T001133
AW-105	196	Sludge	8	6/13/97	12699	60	74.2	S97T001157
AW-105	196	Sludge	8	6/13/97	12700	60	94.7	S97T001163
AW-105	196	Sludge	9	5/27/97	12562	250	24.4	S97T001140
AW-105	196	Sludge	9	5/27/97	12567	250	39.8	S97T001134
AW-105	196	Sludge	9	6/13/97	12701	60	81.1	S97T001158
AW-105	196	Sludge	9	6/13/97	12721	60	66.9	S97T001164
Total Weight							1407.5	
AW-105	Grab	GL			2184	125	82.4	S95T002184

17-Mar-98

Page 24 of 114

HNF-1641 REV. 0

Vials in 11A1 and 11A2

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
AW-105	Grab	GL			2185	125	82.3	S95T002185
AW-105	Grab	GL	1	9/5/97	13247	40	42.4	NA
AW-105	Grab	GL	10	9/5/97	13252	40	42.9	NA
AW-105	Grab	GL	11	9/5/97	13253	40	41.5	NA
AW-105	Grab	GL	2	9/5/97	13249	40	41.9	NA
AW-105	Grab	GL	4	9/5/97	13250	40	41.9	NA
AW-105	Grab	GL	5	9/5/97	13251	40	44.4	NA
AW-105	Grab	GL	96-15	10/1/96	11389	60	50.4	S96T005058
AW-105	Grab	GL	96-17	10/1/96	11469	60	75.1	S96T005059
AW-105	Grab	GL	96-17	10/1/96	11470	60	14	S96T005296
AW-105	Grab	GL	96-20	10/2/96	11472	60	72.1	S96T005060
AW-105	Grab	GL	96-7	9/27/96	11384	60	9	S96T005187
AW-105	Grab	GL	96-7	9/27/96	11385	60	74.8	S96T005017
AW-105	Grab	GL	96-9	9/30/96	11387	60	61.1	S96T005018

Total Weight   776.2

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
AW-106		GL	Comp.	5/16/96	9717	60	7.6	S96V000028
						Total Weight	7.6	
AW-106	Grab	GL			2186	125	83.4	S95T002186
AW-106	Grab	GL		10/23/95	7933	40	17.6	S95T002038
AW-106	Grab	GL		1/30/96	9218	60	87.5	S95T002015
AW-106	Grab	GL	2	10/23/95	7856	70	88.3	S95T002019
AW-106	Grab	GL	3	10/23/95	7858	70	65.1	S95T002035
AW-106	Grab	GL	97-1		6AW971	125	143.4	
AW-106	Grab	GL	97-2		6AW972	125	139.3	
AW-106	Grab	GL	97-3		6AW973	125	140.6	

Total Weight   765.2

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
AW105	195	FB	Folk	6/10/97	12242	40	40.7	S97T001168

17-Mar-98

Page 25 of 114

HNF-1041 REV. 0

67

Vials in 11A1 and 11A2

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
						Total Weight	40.7	
AW105	195	Sludge	9	6/4/97	12687	60	86	S97T001123
AW105	195	Sludge	9	6/5/97	12664	60	95.5	S97T001117
						Total Weight	181.5	

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
AX-101	226	DL	11R	1/21/98	12672	125	74.9	S98T000294
AX-101	226	DL	11R	1/23/98	13883	40	25.3	S98T000296
AX-101	226	DL	12	1/21/98	12948	250	99.4	S98T000297
AX-101	226	DL	13	1/21/98	12956	250	173.8	S98T000298
AX-101	226	DL	13	1/23/98	13879	40	59.7	S98T000306
AX-101	226	DL	13	1/26/98	13880	40	60.9	S98T000307
AX-101	226	DL	14	1/21/98	12952	250	55.9	S98T000299
AX-101	226	DL	14	1/26/98	13881	40	60.4	S98T000308
AX-101	226	DL	15	2/19/98	14027	60	38.3	
						Total Weight	648.6	
AX-101	226	LL	9	1/20/98	13664	60	22.4	
						Total Weight	22.4	
AX-101	226	Salt	1	1/23/98	13663	60	44.4	S98T000086
AX-101	226	Salt	10	1/20/98	12954	250	90.7	S98T000236
AX-101	226	Salt	10	1/20/98	12955	250	97.4	S98T000232
AX-101	226	Salt	10	1/23/98	13686	60	100.5	S98T000256
AX-101	226	Salt	10	1/26/98	13685	60	106.5	S98T000255
AX-101	226	Salt	11R	1/23/98	13682	60	44.5	S98T000258
AX-101	226	Salt	11R	1/23/98	13687	60	60.9	S98T000257
AX-101	226	Salt	12	1/23/98	13683	60	77.6	S98T000259
AX-101	226	Salt	12	1/23/98	13684	60	50.3	S98T000260
AX-101	226	Salt	13	1/26/98	13510	60	88.2	S98T000261
AX-101	226	Salt	14	1/26/98	13689	60	97.9	S98T000263
AX-101	226	Salt	15	2/19/98	14028	60	29	
AX-101	226	Salt	2	1/12/98	12936	250	89.1	S98T000091
AX-101	226	Salt	2	1/12/98	12937	250	68	S98T000092

17-Mar-98

Page 26 of 114

HNF-1041 REV. 0

66

Vials in 11A1 and 11A2

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
AX-101	226	Salt	2	1/23/98	13665	60	95.7	S98T000102
AX-101	226	Salt	3	1/12/98	12933	250	90.4	S98T000104
AX-101	226	Salt	3	1/12/98	12939	250	76.2	S98T000101
AX-101	226	Salt	3	1/23/98	13509	60	103.6	S98T000116
AX-101	226	Salt	3	1/23/98	14022	60	100.8	S98T000115
AX-101	226	Salt	4	1/14/98	12941	250	101.2	S98T000117
AX-101	226	Salt	4	1/14/98	12944	250	96.3	S98T000112
AX-101	226	Salt	4	1/23/98	13671	60	99.5	S98T000117
AX-101	226	Salt	4	1/23/98	13672	60	89.5	S98T000118
AX-101	226	Salt	5	1/14/98	12934	250	94.4	S98T000113
AX-101	226	Salt	5	1/14/98	12942	250	94	S98T000114
AX-101	226	Salt	5	1/23/98	13674	60	105.5	S98T000119
AX-101	226	Salt	5	1/23/98	13675	60	95.5	S98T000120
AX-101	226	Salt	6	1/15/98	12938	250	95.7	S98T000144
AX-101	226	Salt	6	1/15/98	12943	250	116.3	S98T000143
AX-101	226	Salt	6	1/23/98	13676	60	95.5	S98T000151
AX-101	226	Salt	6	1/23/98	13677	60	97.5	S98T000152
AX-101	226	Salt	7	1/15/98	12935	250	95.6	S98T000145
AX-101	226	Salt	7	1/15/98	12940	250	79.6	S98T000146
AX-101	226	Salt	7	1/23/98	13678	60	106.1	S98T000153
AX-101	226	Salt	7	1/23/98	13679	60	97	S98T000154
AX-101	226	Salt	9	1/20/98	12947	250	106.4	S98T000226
AX-101	226	Salt	9	1/20/98	12949	250	88.9	S98T000225
AX-101	226	Salt	9	1/26/98	13680	60	96.2	S98T000231
AX-101	226	Salt	9	1/26/98	13681	60	106.9	S98T000241
Total Weight							3469.3	
AX-101	228	LL	1	2/19/98	14031	60	23.6	
Total Weight							23.6	
AX-101	228	Salt	2		12968	250	186.9	
AX-101	228	Salt	2	2/20/98	12962	250	173.1	
Total Weight							360	
AX-101	266	Salt	14	1/26/98	13688	60	61.4	S98T000262

HNF-1041 REV. 0

Vials in 11A1 and 11A2

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
						Total Weight	61.4	
AX-101	Grab	GL	1	9/4/97	13246	40	59.2	S97T001905
AX-101	Grab	GL	2	9/4/97	13248	40	59.3	S97T001906
AX-101	Grab	GL	3	9/4/97	13244	40	60.1	S97T001907
AX-101	Grab	GL	4	9/4/97	13245	40	60.6	na
						Total Weight	239.2	

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
AX-102		GL	Grab	2/20/98	14038	60	36	S98T000480
						Total Weight	36	
AX-102	Grab	Sludge	Comp	2/13/98	14114	500	110.5	S98T000481
						Total Weight	110.5	
AX-102	R9E	DL		3/1/95	6407	40	1.92	
						Total Weight	1.92	

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
AX-103	212	Salt	2	8/5/97	12817	250	27.9	S97T001886
AX-103	212	Salt	2	8/13/97	13087	60	109	S97T001890
						Total Weight	136.9	
AX-103	214	Salt	1	8/13/97	11918	125	54.9	S97T001941
AX-103	214	Salt	1	8/13/97	13088	60	98.9	S97T001949
AX-103	214	Salt	1	8/13/97	13089	60	86.1	S97T001950
AX-103	214	Salt	2		12819	250	53.4	S97T001943
AX-103	214	Salt	2	8/13/97	12818	250	66.9	S97T001944
AX-103	214	Salt	2	8/13/97	13090	60	96.2	S97T001951
AX-103	214	Salt	2	8/13/97	13091	60	98.4	S97T001952
						Total Weight	554.8	

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
AX-104		Sludge	Aug-1	11/17/97	11848	125	92.2	S97T002280

17-Mar-98

Page 28 of 114

HNF-1641 REV. 0

Vials in 11A1 and 11A2

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
AX-104		Sludge	Aug-2	1/8/98	14068	60	36	S97T002281
AX-104		Sludge	Aug-3	12/1/97	11846	125	76.3	S97T002282
AX-104		Sludge	Aug-4		11844	125	33.5	S97T002283
Total Weight							238	

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
AY-101	Grab	GL	96-1	3/18/96	9563	60	55.5	S96T001267
AY-101	Grab	GL	96-10	3/29/96	9685	60	52.1	S96T001374
AY-101	Grab	GL	96-2	3/18/96	9559	60	64.3	S96T001268
AY-101	Grab	GL	96-3	3/18/96	9560	60	62.6	S96T001269
AY-101	Grab	GL	96-4	3/14/96	9542	60	26.2	S96T001315
AY-101	Grab	GL	96-5	3/18/96	8450	40	12.9	S96T001316
AY-101	Grab	GL	96-5	7/16/96	9565	60	18.8	S96T001274
AY-101	Grab	GL	96-6	3/18/96	9667	60	60.2	S96T001362
AY-101	Grab	GL	96-7	3/18/96	9668	60	56.8	S96T001363
AY-101	Grab	GL	96-8	3/18/96	9669	60	64.3	S96T001364
AY-101	Grab	GL	96-9	3/29/96	9684	60	38.8	S96T001373
AY-101	Grab	GL	97-1			125	120.5	S97V000001
AY-101	Grab	GL	97-2C			125	100.4	S97V000004
AY-101	Grab	GL	97-2E			125	51.2	
AY-101	Grab	GL	97-4C		1AY974C	125	96.4	S97V000020
AY-101	Grab	GL	97-4E	5/19/97	12641	60	17.2	S97V000034
Total Weight							898.2	
AY-101	Grab	GS	4	3/13/96	9550	60	27.7	S96T001377
AY-101	Grab	GS	96-4	3/14/96	9543	60	49.7	S96T001273
Total Weight							77.4	

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
AY-102		GL		11/9/95	8632	125	62.3	S95T002913
Total Weight							62.3	
AY-102	Grab	GL	11	8/29/97	13232	40	41.5	S96T004267

17-Mar-98

Page 29 of 114

HNF-1641 REV. 0

71

Vials in 11A1 and 11A2

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
AY-102	Grab	GL	12	8/29/97	13233	40	41.2	S96T004268
AY-102	Grab	GL	13	8/29/97	13235	40	40.9	na
AY-102	Grab	GL	14	8/29/97	13234	40	42.7	S96T004240
AY-102	Grab	GL	97-5		2AY97-5	125	82.4	
AY-102	Grab	GL	97-5	1/21/98	13658	60	53.3	S98T000179
Total Weight							302	

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
B-101	90	DL	2	7/6/95	7403	40	43.7	S95T001225
Total Weight							43.7	
B-101	90	Salt	2 L/H	12/8/97	13449	60	8.7	S95T001554
Total Weight							8.7	
B-101	90	Sludge	1	7/7/95	7405	40	42.6	S95T001216
B-101	90	Sludge	1	7/7/95	7406	40	37.9	S95T001219
B-101	90	Sludge	1	7/7/95	7407	40	34.4	S95T001222
B-101	90	Sludge	1	9/9/97	13527	60	49.8	S95T001198
B-101	90	Sludge	1	9/12/97	13469	60	35.4	S95T001198
Total Weight							200.1	
B-101	91	DL	2	7/7/95	7408	40	22.9	S95T001249
Total Weight							22.9	
B-101	91	FB	Fblk	6/28/95	7257	250	180.9	
B-101	91	FB	Fblk	7/6/95	7402	40	40.2	S95T001234
Total Weight							221.1	
B-101	91	Sludge	1	2/9/98	14024	60	18.6	S95T001240
B-101	91	Sludge	1 U/H	9/15/97	13159	60	81.2	S95T001208
B-101	91	Sludge	2	7/7/95	7410	40	34	S95T001246
B-101	91	Sludge	2	9/29/97	13491	60	45.3	S95T001213
Total Weight							179.1	

HNF-1041 REV. 0

Vials in 11A1 and 11A2

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
B-102	R1	Sludge	Auger	10/19/94	7020	40	3.2	S95T000195
						Total Weight	3.2	
Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
B-104	88	DL	1	1/24/96	8429	40	57	S95T001007
						Total Weight	57	
B-104	88	FB	Fblk	6/7/95	7142	250	82.5	S95T001010
B-104	88	FB	Fblk	6/14/95	7212	40	42.3	
						Total Weight	124.8	
B-104	88	Salt	2	6/7/95	8026	40	35.4	
B-104	88	Salt	Comp	9/9/97	13534	60	109.3	
						Total Weight	144.7	
B-104	88	Sludge	1	6/7/95	7197	40	57.9	
B-104	88	Sludge	2	6/7/95	7190	40	61.9	
B-104	88	Sludge	2	1/24/96	8427	40	46.2	S95T001052
B-104	88	Sludge	2	1/24/96	8428	40	49.5	S95T001053
B-104	88	Sludge	3	6/8/95	7200	40	62.3	
B-104	88	Sludge	3	6/8/95	7201	40	62.6	
B-104	88	Sludge	3	1/21/96	8421	40	64.1	
B-104	88	Sludge	4	1/21/95	8423	40	61	
B-104	88	Sludge	4	6/12/95	7205	40	59	
B-104	88	Sludge	4	6/12/95	7206	40	57.3	
B-104	88	Sludge	5	6/12/95	7207	40	57.1	
B-104	88	Sludge	5	6/12/95	7208	40	57.4	
B-104	88	Sludge	5	1/21/96	8425	40	60.2	
B-104	88	Sludge	5	7/10/96	10113	60	102.4	S95T001074
B-104	88	Sludge	6	6/14/95	7209	40	59.3	
B-104	88	Sludge	6	6/14/95	7211	40	60.3	
B-104	88	Sludge	6	5/17/96	10112	60	56.8	
B-104	88	Sludge	6	5/17/96	10114	60	83.5	
B-104	88	Sludge	7	6/14/95	7216	40	59	
B-104	88	Sludge	7	6/14/95	7217	40	59.5	

17-Mar-98

Page 31 of 114

HNF-1041 REV. 0

73

Vials in 11A1 and 11A2

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
B-104	88	Sludge	7	9/9/97	13464	60	45.2	S95T001097
B-104	88	Sludge	7	9/9/97	13536	60	30.7	S95T001098
						Total Weight	1313.2	
B-104	89	DL	1	6/22/95	7218	40	54	
						Total Weight	54	
B-104	89	Sludge	1	6/14/95	7243	250	42.9	S95T001106
B-104	89	Sludge	1	6/22/95	7219	40	58.3	
B-104	89	Sludge	1	6/22/95	7220	40	58.5	
B-104	89	Sludge	1	9/15/97	11843	125	173.3	na
B-104	89	Sludge	2	6/22/95	7221	40	60.6	S95T001158
B-104	89	Sludge	2	6/22/95	7222	40	52.8	S95T001159
B-104	89	Sludge	2	1/17/96	8416	40	40.5	S95T001111
B-104	89	Sludge	2	1/17/96	8417	40	40.8	S95T001112
B-104	89	Sludge	3	6/22/95	7223	40	61.1	S95T001160
B-104	89	Sludge	3	6/22/95	7224	40	59.4	S95T001161
B-104	89	Sludge	3	9/16/97	13166	60	29.7	S95T001128
B-104	89	Sludge	3	9/24/97	13451	60	21.3	S95T001129
B-104	89	Sludge	4	6/22/95	7225	40	60.4	S95T001162
B-104	89	Sludge	4	6/22/95	7226	40	59.9	S95T001163
B-104	89	Sludge	4	9/12/97	13470	60	50.2	S95T001134
B-104	89	Sludge	4	9/15/97	13484	60	55	S95T001135
B-104	89	Sludge	5	6/20/95	7252	250	104.7	S95T001141
B-104	89	Sludge	5	6/26/95	7227	40	60.9	S95T001164
B-104	89	Sludge	5	6/26/95	7228	40	60	S95T001165
B-104	89	Sludge	5	9/15/97	13164	60	77.9	S95T001140
B-104	89	Sludge	6	6/26/95	7229	40	59.8	S95T001166
B-104	89	Sludge	6	6/26/95	7231	40	58.6	S95T001167
B-104	89	Sludge	6	1/17/96	8418	40	62.1	S95T001146
B-104	89	Sludge	6	1/17/96	8419	40	60.2	S95T001147
B-104	89	Sludge	7	6/26/95	7232	40	60.5	S95T001168
B-104	89	Sludge	7	6/26/95	7233	40	61	S95T001169
B-104	89	Sludge	7	1/16/96	9018	60	81.1	S95T001153
B-104	89	Sludge	7	1/16/96	9028	60	81.7	S95T001152

17-Mar-98

Page 32 of 114

HNF-1041 REV. 0

74

Vials in 11A1 and 11A2

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
B-104	89	Sludge	Comp	9/26/97	13442	60	83.5	
						Total Weight	1836.7	
Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
B-106		Sludge	Comp	9/26/97	13447	60	87.4	S96T001861
						Total Weight	87.4	
B-106	93	DL	1	7/18/95	7366	125	13.5	S95T001270
B-106	93	DL	1	7/20/95	7419	40	51.4	S95T001291
						Total Weight	64.9	
B-106	93	FB	Fblk	7/18/95	7354	250	144.6	
						Total Weight	144.6	
B-106	93	Sludge	1	7/20/95	7420	40	56	S95T001287
B-106	93	Sludge	1	7/20/95	7421	40	6.7	S95T001288
B-106	93	Sludge	2	7/18/95	7357	250	24	S95T001283
B-106	93	Sludge	2	7/24/95	7416	40	33	S95T001289
B-106	93	Sludge	2	7/24/95	7417	40	51.1	S95T001290
B-106	93	Sludge	Comp	7/20/95	7477	250	97.1	S95T001292
						Total Weight	267.9	
B-106	94	LL	2	7/20/95	7230	40	11.2	
						Total Weight	11.2	
B-106	94	Sludge	1	7/24/95	7423	40	50.1	S95T001304
B-106	94	Sludge	1	3/29/96	8454	40	25.8	S96T001300
B-106	94	Sludge	1	3/29/96	9687	60	55	S95T001301
B-106	94	Sludge	2	7/24/95	7424	40	46.9	S95T001308
B-106	94	Sludge	2	7/24/95	7425	40	54.2	S95T001313
B-106	94	Sludge	2	3/29/96	9688	60	6.9	S95T001309
B-106	94	Sludge	Comp	9/9/97	13526	60	44.5	S95T001314
						Total Weight	283.4	

HNF-1041 REV. 0

Vials in 11A1 and 11A2

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
B-107	217	DL	3	9/17/97	13168	60	7.4	S97T002068
						Total Weight	7.4	
B-107	217	LL	3	9/17/97	13478	60	16.4	S97T002294
						Total Weight	16.4	
B-107	217	Salt	1	9/18/97	13175	60	95	S97T002070
B-107	217	Salt	1	9/18/97	13177	60	65.5	S97T002072
						Total Weight	160.5	
B-107	217	Sludge	2	9/18/97	13174	60	115.4	S97T002076
B-107	217	Sludge	2	9/18/97	13176	60	109	S97T002074
B-107	217	Sludge	3	9/17/97	12893	250	52.1	S97T002067
B-107	217	Sludge	3	9/18/97	13178	60	111.1	S97T002083
B-107	217	Sludge	3	9/18/97	13179	60	60.3	S97T002081
						Total Weight	447.9	
B-107	218	DL	4	9/17/97	13171	60	42.2	S97T002116
						Total Weight	42.2	
B-107	218	LL	4	9/17/97	12367	125	80.6	S97T002296
						Total Weight	80.6	
B-107	218	Salt	1	9/17/97	13169	60	2.9	S97T002105
B-107	218	Salt	4	9/17/97	13172	60	7	S97T002113
						Total Weight	9.9	
B-107	218	Sludge	2	9/17/97	13170	60	71.9	S97T002111
						Total Weight	71.9	
Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
B-108	172	DL	1	10/16/96	11410	40	6.4	S96T005522
						Total Weight	6.4	
B-108	172	FB	Fblk	10/16/96	11516	250	119.2	S96T005462
B-108	172	FB	Fblk	10/18/96	11501	60	65.7	S96T005464
						Total Weight	184.9	

HNF-1641 REV. 0

Vials in 11A1 and 11A2

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
B-108	172	Salt	1	10/21/96	11639	60	76.1	S96T005509
B-108	172	Salt	1	10/30/96	11761	60	38.4	S96T005508
B-108	172	Salt	2	10/21/96	11478	60	17.7	S96T005504
Total Weight							132.2	
B-108	173	Salt	2	10/19/96	11484	60	64.7	S96T005476
Total Weight							64.7	
B-108	173	Sludge	1	10/18/96	11505	60	12.4	S96T005475
B-108	173	Sludge	1	10/18/96	11506	60	58.7	S96T005467
B-108	173	Sludge	Comp	10/17/96	11507	60	22.8	S96T005483
Total Weight							93.9	

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
B-109	169	Salt	2	10/7/96	11486	60	98.8	S96T005105
Total Weight							98.8	
B-109	170	FB	Fblk	9/16/96	11187	250	130	S96T005115
B-109	170	FB	Fblk	10/7/96	11487	60	65.6	S96T005117
Total Weight							195.6	
B-109	170	Salt	1	10/7/96	11488	60	28.5	S96T005120
B-109	170	Salt	2	9/16/96	11181	250	144.7	S96T005128
B-109	170	Salt	2	9/16/96	11360	60	17.7	S96T005130
B-109	170	Salt	2	9/16/96	11363	60	36.9	S96T005129
B-109	170	Salt	2	9/16/96	11364	60	9.7	S96T005127
B-109	170	Salt	2	10/8/96	11390	60	110	S96T005134
Total Weight							347.5	

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
B-203	115	Sludge	1	12/13/95	8814	60	36.9	S95T003847
B-203	115	Sludge	1	12/13/95	8815	60	69.4	S95T003846
B-203	115	Sludge	10	1/18/96	9089	60	77.7	S95T003941
B-203	115	Sludge	10	1/18/96	9090	60	75	S95T003946
B-203	115	Sludge	4	11/29/95	8489	250	225.8	S95T003845

17-Mar-98

Page 35 of 114

HMF-1041 REV. 0

Vials in 11A1 and 11A2

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
B-203	115	Sludge	4	12/13/95	8816	60	64.4	S95T003849
B-203	115	Sludge	5	1/17/96	9081	60	59	S95T003922
B-203	115	Sludge	5	1/17/96	9082	60	60.9	S95T003923
B-203	115	Sludge	6	1/17/96	9020	60	76.3	S95T003942
B-203	115	Sludge	6	1/17/96	9021	60	72	S95T003937
B-203	115	Sludge	7	1/17/96	9083	60	48.7	S95T003938
B-203	115	Sludge	7	1/17/96	9084	60	78.8	S95T003943
B-203	115	Sludge	8	1/17/96	9085	60	75.4	S95T003944
B-203	115	Sludge	8	1/17/96	9086	60	81.8	S95T003939
B-203	115	Sludge	9	1/17/96	9087	60	76.1	S95T003945
B-203	115	Sludge	9	1/17/96	9088	60	79.2	S95T003940
Total Weight							1257.4	
B-203	120	Sludge	10	1/2/96	8909	60	53.6	S95T004120
B-203	120	Sludge	10	1/2/96	8910	60	60.6	S95T004129
B-203	120	Sludge	13	1/2/96	8911	60	39.1	S95T004121
B-203	120	Sludge	13	1/2/96	8912	60	65.6	S95T004130
B-203	120	Sludge	14	1/2/96	8913	60	74.8	S95T004122
B-203	120	Sludge	14	1/2/96	8914	60	70.5	S95T004131
B-203	120	Sludge	4	12/16/95	8508	250	162.3	S95T003965
B-203	120	Sludge	4	1/2/96	8819	60	23.3	S95T004114
B-203	120	Sludge	4	1/2/96	8897	60	62.6	S95T004123
B-203	120	Sludge	5	1/2/96	8898	60	22.8	S95T004115
B-203	120	Sludge	5	1/2/96	8899	60	8	S95T004124
B-203	120	Sludge	6	1/2/96	8900	60	57	S95T004125
B-203	120	Sludge	6	1/2/96	8901	60	29	S95T004116
B-203	120	Sludge	7	1/2/96	8902	60	62.1	S95T004117
B-203	120	Sludge	7	1/3/96	8903	60	49.7	S95T04126
B-203	120	Sludge	8	1/2/96	8904	60	9.9	S95T004118
B-203	120	Sludge	8	1/2/96	8905	60	73.9	S95T004127
B-203	120	Sludge	9	1/2/96	8906	60	60.7	S95T004119
B-203	120	Sludge	9	1/2/96	8908	60	50.6	S95T004128
Total Weight							1036.1	
B-203	122	DL	1	1/8/96	8958	60	51.3	S95T004005

HNF-1041 REV. 0

Vials in 11A1 and 11A2

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
B-203	122	DL	3	1/8/96	8413	40	10.3	S95T004004
						Total Weight	61.6	
B-203	122	Sludge	10	1/11/96	9008	60	42.4	S96T000045
B-203	122	Sludge	10	1/11/96	9009	60	56.1	S96T000051
B-203	122	Sludge	11	1/11/96	9010	60	51.5	S96T000046
B-203	122	Sludge	11	1/11/96	9011	60	31.9	S96T000052
B-203	122	Sludge	12	1/12/96	9012	60	66.3	S96T000053
B-203	122	Sludge	12	1/12/96	9013	60	61.1	S96T000047
B-203	122	Sludge	13	1/12/96	9014	60	43.9	S96T000048
B-203	122	Sludge	13	1/12/96	9015	60	37.6	S96T000054
B-203	122	Sludge	14	1/12/96	9016	60	62.2	S96T000049
B-203	122	Sludge	14	1/12/96	9017	60	62.7	S96T000055
B-203	122	Sludge	3	1/8/96	8959	60	61.1	S95T004018
B-203	122	Sludge	4	1/9/96	8960	60	36.3	S95T004016
B-203	122	Sludge	4	1/9/96	8961	60	59.2	S95T004019
B-203	122	Sludge	5	1/9/96	8962	60	75.6	S95T008962
B-203	122	Sludge	5	1/9/96	8963	60	77.7	S95T004020
B-203	122	Sludge	6	1/9/96	8966	60	70.7	S95T004224
B-203	122	Sludge	6	1/9/96	8971	60	70.7	S95T004230
B-203	122	Sludge	7	1/9/96	8972	60	46	S95T004225
B-203	122	Sludge	7	1/9/96	8973	60	70.4	S95T004231
B-203	122	Sludge	8	1/9/96	8974	60	52.4	S95T004226
B-203	122	Sludge	8	1/9/96	8975	60	74.8	S95T004232
B-203	122	Sludge	9	1/11/96	8978	60	59.1	S96T000050
B-203	122	Sludge	9	1/11/96	8979	60	54.2	S96T000044
B-203	122	Sludge	Comp	12/18/95	8534	250	159.3	S95T004000
						Total Weight	1483.2	

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
B-204	112	DL	1	10/27/95	8027	40	43.7	S95T002974
B-204	112	DL	2	10/31/95	8029	40	43.4	S95T002983
B-204	112	DL	2	10/31/95	8030	40	41.8	S95T002983
B-204	112	DL	2	10/31/95	8031	40	22.2	S95T002983

Vials in 11A1 and 11A2

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
						Total Weight	151.1	
B-204	112	LL	2	10/31/95	8032	40	40.5	S95T003375
B-204	112	LL	2	10/31/95	8033	40	39.5	S95T003375
B-204	112	LL	2	10/31/95	8388	40	30.7	S95T003375
B-204	112	LL	8	10/18/95	7681	40	7.4	
						Total Weight	118.1	
B-204	112	Sludge	10	10/18/95	8226	250	73.5	S95T003003
B-204	112	Sludge	10	10/18/95	8229	250	31	S95T003004
B-204	112	Sludge	10	11/9/95	8556	60	74.7	S95T003027
B-204	112	Sludge	10	11/9/95	8557	60	68.7	S95T003028
B-204	112	Sludge	11	10/19/95	8232	250	30.9	S95T003006
B-204	112	Sludge	11	10/19/95	8233	250	60.5	S95T003005
B-204	112	Sludge	11	11/9/95	8202	60	73.1	S95T003029
B-204	112	Sludge	11	11/9/95	8203	60	61.5	S95T003030
B-204	112	Sludge	12	10/19/95	8234	250	47.6	S95T003008
B-204	112	Sludge	12	10/19/95	8235	250	74.9	S95T003007
B-204	112	Sludge	12	11/9/95	8204	60	67.7	S95T003031
B-204	112	Sludge	12	11/9/95	8205	60	65.5	S95T003032
B-204	112	Sludge	13	10/19/95	8237	250	54.7	S95T003010
B-204	112	Sludge	13	10/19/95	8239	250	62.8	S95T002943
B-204	112	Sludge	13	11/9/95	8206	60	54.3	S95T003033
B-204	112	Sludge	13	11/9/95	8207	60	73.3	S95T003034
B-204	112	Sludge	14	10/18/95	8230	250	40.5	S95T003012
B-204	112	Sludge	14	10/18/95	8231	250	67.5	S95T003011
B-204	112	Sludge	14	11/9/95	8200	60	19.1	S95T003035
B-204	112	Sludge	14	11/9/95	8201	60	69.7	S95T003036
B-204	112	Sludge	2	10/30/95	8028	40	15.7	S95T002978
B-204	112	Sludge	3	10/16/95	8159	250	22.3	S95T002988
B-204	112	Sludge	3	10/16/95	8164	250	51.2	S95T002989
B-204	112	Sludge	3	11/1/95	8560	60	68.7	S95T003013
B-204	112	Sludge	3	11/1/95	8561	60	65.2	S95T003014
B-204	112	Sludge	4	10/16/95	8165	250	42.3	S95T002992
B-204	112	Sludge	4	10/16/95	8166	250	28.4	S95T002991

Vials in 11A1 and 11A2

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
B-204	112	Sludge	4	11/1/95	8554	60	82.9	S95T003015
B-204	112	Sludge	4	11/1/95	8555	60	80.5	S95T003016
B-204	112	Sludge	5	10/16/95	8167	250	58.7	S95T002994
B-204	112	Sludge	5	10/16/95	8168	250	93.5	S95T002993
B-204	112	Sludge	5	11/1/95	8562	60	74.8	S95T003018
B-204	112	Sludge	5	11/1/95	8563	60	52.6	S95T003017
B-204	112	Sludge	6	10/16/95	8169	250	57.2	S95T002996
B-204	112	Sludge	6	10/16/95	8170	250	77.5	S95T002995
B-204	112	Sludge	6	11/1/95	8564	60	71	S95T003019
B-204	112	Sludge	6	11/1/95	8565	60	69.4	S95T003020
B-204	112	Sludge	7	10/18/95	8172	250	51.7	S95T002997
B-204	112	Sludge	7	10/18/95	8175	250	55.1	S95T002998
B-204	112	Sludge	7	11/1/95	8566	60	63.1	S95T003021
B-204	112	Sludge	7	11/6/95	8567	60	66.5	S95T003022
B-204	112	Sludge	8	10/18/95	8227	250	73.5	S95T002999
B-204	112	Sludge	8	10/18/95	8228	250	71.3	S95T003000
B-204	112	Sludge	8	11/6/95	8568	60	68.1	S95T003023
B-204	112	Sludge	8	11/6/95	8569	60	68.4	S95T003024
B-204	112	Sludge	9	10/18/95	8224	250	77.1	S95T003001
B-204	112	Sludge	9	10/18/95	8225	250	21.8	S95T003002
B-204	112	Sludge	9	11/7/95	8570	60	61.3	S95T003025
B-204	112	Sludge	9	11/7/95	8571	60	65.8	S95T003026
Total Weight							2927.1	
B-204	114	DL	1	11/1/95	8392	40	40.9	S95T003228
B-204	114	DL	1	11/1/95	8393	40	40.2	S95T008393
Total Weight							81.1	
B-204	114	FB	Fblk	11/1/95	8389	40	38.8	S95T003348
B-204	114	FB	Fblk	11/1/95	8390	40	16.6	S95T003348
B-204	114	FB	Fblk	11/1/95	8391	40	38	S95T003348
Total Weight							93.4	
B-204	114	Sludge	10	10/25/95	8384	250	33	S95T003218
B-204	114	Sludge	10	10/25/95	8462	250	55.5	S95T003219
B-204	114	Sludge	10	11/17/95	8644	60	80.1	S95T003245

HMF-1641 REV. 0

Vials in 11A1 and 11A2

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
B-204	114	Sludge	10	11/17/95	8645	60	70.9	S95T003246
B-204	114	Sludge	11	10/25/95	8465	250	37.3	S95T003220
B-204	114	Sludge	11	10/25/95	8466	250	32.4	S95T003221
B-204	114	Sludge	11	11/17/95	8646	60	68.7	S95T003247
B-204	114	Sludge	11	11/17/95	8647	60	79.3	S95T003248
B-204	114	Sludge	12	10/25/95	8461	250	70.6	S95T003223
B-204	114	Sludge	12	10/25/95	8463	250	25.4	S95T003222
B-204	114	Sludge	12	11/20/95	8648	60	73.2	S95T003250
B-204	114	Sludge	12	11/20/95	8663	60	74.7	S95T003249
B-204	114	Sludge	13	10/26/95	8467	250	75.2	S95T003225
B-204	114	Sludge	13	10/26/95	8484	250	42.9	S95T003224
B-204	114	Sludge	13	11/22/95	8674	60	67.4	S95T003251
B-204	114	Sludge	13	11/22/95	8675	60	65.8	S95T003252
B-204	114	Sludge	13	11/22/95	8678	60	69.9	S95T003254
B-204	114	Sludge	14	10/26/95	8468	250	57	S95T003226
B-204	114	Sludge	14	10/26/95	8470	250	38.8	S95T003227
B-204	114	Sludge	14	11/22/95	8677	60	71.9	S95T003253
B-204	114	Sludge	2	10/19/95	8247	250	37.9	S95T003202
B-204	114	Sludge	2	11/9/95	8558	60	56.1	S95T003229
B-204	114	Sludge	2	11/9/95	8559	60	62.4	S95T003230
B-204	114	Sludge	3	10/23/95	8380	250	21.8	S95T003204
B-204	114	Sludge	3	11/9/95	8572	60	65.7	S95T003232
B-204	114	Sludge	3	11/9/95	8573	60	70.7	S95T003231
B-204	114	Sludge	4	10/23/95	8382	250	41.8	S95T003206
B-204	114	Sludge	4	10/23/95	8383	250	36.5	S95T003207
B-204	114	Sludge	4	11/9/95	8633	60	48.4	S95T003234
B-204	114	Sludge	4	11/9/95	8634	60	26.3	S95T003233
B-204	114	Sludge	5	10/23/95	8244	250	57.8	S95T003208
B-204	114	Sludge	5	10/23/95	8245	250	43.5	S95T003209
B-204	114	Sludge	5	11/14/95	8635	60	60	S95T003235
B-204	114	Sludge	5	11/14/95	8636	60	63.8	S95T003236
B-204	114	Sludge	6	10/23/95	8242	250	70.2	S95T003211
B-204	114	Sludge	6	10/23/95	8243	250	55.4	S95T003210
B-204	114	Sludge	6	11/13/95	8637	60	60.1	S95T003238

HNF-1641 REV.0

Vials in 11A1 and 11A2

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
B-204	114	Sludge	6	11/13/95	8638	60	59.8	S95T003237
B-204	114	Sludge	7	10/24/95	8457	250	28.3	S95T003212
B-204	114	Sludge	7	10/24/95	8458	250	35.2	S95T003213
B-204	114	Sludge	7	11/13/95	8639	60	70.7	S95T003239
B-204	114	Sludge	7	11/13/95	8640	60	71.7	S95T003240
B-204	114	Sludge	8	10/24/95	8379	250	61.1	S95T003215
B-204	114	Sludge	8	11/9/95	8574	60	67.7	S95T003241
B-204	114	Sludge	8	11/9/95	8575	60	59.1	S95T003242
B-204	114	Sludge	9	10/24/95	8459	250	48	S95T003216
B-204	114	Sludge	9	10/24/95	8460	250	55.6	S95T003217
B-204	114	Sludge	9	11/10/95	8580	60	63.2	S95T003244
B-204	114	Sludge	9	11/10/95	8581	60	67.5	S95T003243
Total Weight							2756.3	

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
BX-101	R1	Sludge	Auger	6/23/94	6045	125	12.8	
BX-101	R1	Sludge	Auger	6/23/94	6046	125	47.9	
Total Weight							60.7	
BX-101	R7	Sludge	Auger	6/27/94	6058	125	11.1	
BX-101	R7	Sludge	Auger	6/27/94	6059	125	6.8	
Total Weight							17.9	

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
BX-103	86	DL	1	6/5/95	7183	40	36.7	S95T001030
BX-103	86	DL	1	1/24/96	8426	40	47.6	
Total Weight							84.3	
BX-103	86	Sludge	1	6/5/95	7181	40	10.9	S95T001027
BX-103	86	Sludge	2	6/5/95	7182	40	56	S95T001029
BX-103	86	Sludge	2	6/5/95	7185	40	49.3	S95T001028
BX-103	86	Sludge	2	9/15/97	13157	60	33.2	S95T001693
Total Weight							149.4	

Vials in 11A1 and 11A2

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
BX-103	87	DL	1	6/5/95	7140	250	133.8	
BX-103	87	DL	1	6/7/95	7193	40	41	S95T001530
						Total Weight	174.8	
BX-103	87	FB	Fblk	8/3/95	7431	40	39.4	
BX-103	87	FB	Fblk	8/3/95	7432	40	41.6	
						Total Weight	81	
BX-103	87	LL	2	6/5/95	7186	40	8.5	
						Total Weight	8.5	
BX-103	87	Sludge	1	6/7/95	7195	40	44.4	S95T001532
BX-103	87	Sludge	2	6/7/95	7194	40	56.2	S95T001533
BX-103	87	Sludge	2	9/16/97	13163	60	71.8	S95T001613
						Total Weight	172.4	

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
BX-105	R6	Sludge	Auger	9/3/97	13513	60	62.2	
BX-105	R6	Sludge	Comp	9/22/97	13273	40	25.9	
						Total Weight	88.1	

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
BX-106		cord	Aug-50		8835	250	64	
						Total Weight	64	
BX-106		Sludge	Aug-49	1/9/96	8976	60	10.8	S96T000111
BX-106		Sludge	Aug-50	1/9/96	8977	60	9.6	S96T000115
						Total Weight	20.4	
BX-106	Grab	GL	1	8/28/97	13230	40	55.1	na
BX-106	Grab	GL	2	8/28/97	13231	40	54.1	na
						Total Weight	109.2	

HNF-1641 REV. 0

Vials in 11A1 and 11A2

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
BX-109	84	Sludge	1	4/20/95	6934	40	53.8	S95T000761
BX-109	84	Sludge	1	9/3/97	13517	60	44.2	
BX-109	84	Sludge	2	4/10/95	6718	250	59.2	
BX-109	84	Sludge	2	4/20/95	6907	40	50.2	S95T000767
BX-109	84	Sludge	2	4/20/95	6935	40	49.2	S95T000764
BX-109	84	Sludge	2	9/3/97	13515	60	74.8	
BX-109	84	Sludge	3	4/19/95	6930	40	55.5	S95T000770
BX-109	84	Sludge	3	4/19/95	6931	40	52.8	S95T000773
BX-109	84	Sludge	3	9/3/97	13092	60	75.5	
BX-109	84	Sludge	3	9/9/97	11838	125	55.9	na
BX-109	84	Sludge	4	4/20/95	6932	40	51.4	S95T000776
BX-109	84	Sludge	4	4/20/95	6933	40	52.4	S95T000779
BX-109	84	Sludge	4	9/4/97	13523	60	49.5	
BX-109	84	Sludge	4	9/11/97	11840	125	57.3	
BX-109	84	Sludge	Comp	8/3/95	7378	125	140.3	S95T001327
						Total Weight	922	
BX-109	85	DL	1	4/11/95	6892	40	10.8	S95T000785
BX-109	85	DL	4	4/21/95	7156	40	32.3	S95T000855
						Total Weight	43.1	
BX-109	85	FB	Fblk	4/17/95	6938	250	198.8	
BX-109	85	FB	Fblk	4/21/95	7152	40	36.8	S95T000858
						Total Weight	235.6	
BX-109	85	Sludge	1	4/18/95	6921	40	54.8	S95T000782
BX-109	85	Sludge	1	9/3/97	13516	60	26.2	
BX-109	85	Sludge	1	9/12/97	13473	60	52.1	S95T001472
BX-109	85	Sludge	2	4/11/95	6779	250	91.3	
BX-109	85	Sludge	2	4/18/95	6922	40	56.9	S95T000788
BX-109	85	Sludge	2	4/18/95	6927	40	50.9	S95T000791
BX-109	85	Sludge	2R2	5/17/96	10116	60	71.6	
BX-109	85	Sludge	3	4/21/95	7153	40	58.3	S95T000838
BX-109	85	Sludge	3	4/21/95	7154	40	55.1	S95T000841
BX-109	85	Sludge	3	3/1/96	9334	60	85.9	S95T000835
BX-109	85	Sludge	3	3/1/96	9346	60	67.4	S95T000834

HNF-1641 REV. 0

Vials in 11A1 and 11A2

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
BX-109	85	Sludge	4	4/21/95	7157	40	56.3	S95T000849
BX-109	85	Sludge	4	4/21/95	7158	40	53.4	S95T000852
BX-109	85	Sludge	4	9/4/97	13522	60	51.5	
BX-109	85	Sludge	4	9/11/97	11841	125	14.1	
BX-109	85	Sludge	Comp	9/26/97	13445	60	87.4	S95T001473
Total Weight							933.2	

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
BX-110		Sludge	Aug-46	10/23/95	8476	60	64.9	S95T002947
BX-110		Sludge	Aug-46	1/30/96	9212	60	27.8	
Total Weight							92.7	
BX-110	197	DL	1	6/16/97	12244	40	47	S97T001274
BX-110	197	DL	2	6/16/97	12246	40	26.5	S97T001275
BX-110	197	DL	2A	6/3/97	12565	250	138.2	S97T001273
BX-110	197	DL	2A	6/16/97	12245	40	56.4	S97T001276
Total Weight							268.1	
BX-110	197	Salt	1	6/3/97	11882	125	70.4	S97T001260
BX-110	197	Salt	1	6/17/97	12694	60	88.2	S97T001261
BX-110	197	Salt	2	6/17/97	12744	60	100	S97T001267
BX-110	197	Salt	2A	6/17/97	12741	60	19.4	S97T001268
Total Weight							278	
BX-110	198	DL	1	6/23/97	12248	40	56.3	S97T001318
BX-110	198	DL	2	6/23/97	12249	40	16.2	S97T001319
Total Weight							72.5	
BX-110	198	FB	Fblk	6/5/97	12568	250	161.5	S97T001313
BX-110	198	FB	Fblk	6/23/97	12247	40	40.8	S97T001317
Total Weight							202.3	
BX-110	198	Salt	2	6/23/97	12731	60	124.3	S97T001301
BX-110	198	Salt	2	6/23/97	12732	60	68.2	S97T001302
BX-110	198	Salt	2	12/9/97	13867	40	15	S97T001298
BX-110	198	Salt	3	6/23/97	12733	60	119	S97T001303

17-Mar-98

Page 44 of 114

HNF-1641 REV. 0

Vials in 11A1 and 11A2

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
BX-110	198	Salt	3	12/8/97	13634	60	90.4	S97T001300
						Total Weight	416.9	
BX-110	198	Sludge	4	6/5/97	12570	250	123.9	S97T001325
BX-110	198	Sludge	4	6/23/97	12734	60	62.8	S97T001327
						Total Weight	186.7	
BX-110	R6	Sludge	Aug-45	10/23/95	8475	60	65.4	S95T002947
						Total Weight	65.4	

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
BX-111	200	DL	2A	6/9/97	12649	60	17.8	S97T001375
						Total Weight	17.8	
BX-111	200	FB	Fblk	6/10/97	12571	250	196.5	S97T001376
BX-111	200	FB	Fblk	7/1/97	13212	40	38.5	S97T001386
						Total Weight	235	
BX-111	200	Salt	1	7/1/97	13021	60	67.1	S97T001383
BX-111	200	Salt	2	7/1/97	12647	60	78.1	S97T001384
BX-111	200	Salt	2A	7/1/97	13022	60	94	S97T001385
						Total Weight	239.2	
BX-111	202	Salt	1	6/25/97	13031	60	59.3	S97T001393
BX-111	202	Salt	2	6/27/97	13032	60	74.4	S97T001394
BX-111	202	Salt	3	6/26/97	13033	60	41.3	S97T001395
						Total Weight	175	

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
BX-112	118	Sludge	1	1/22/96	9151	60	62.5	S96T000295
BX-112	118	Sludge	1	1/22/96	9152	60	72.5	S96T000297
						Total Weight	135	
BX-112	R2	Sludge	Aug-48	11/21/95	8676	60	41.3	S95T003756
						Total Weight	41.3	

HNF-1641 REV. 0

Vials in 11A1 and 11A2

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
BX-112	R3	Sludge	Aug-47	11/21/95	8195	125	43.9	S95T003749
BX-112	R3	Sludge	Aug-47	11/21/95	8672	60	77	S95T003752
BX-112	R3	Sludge	Aug-47	11/21/95	8673	60	7.8	S95T003748
Total Weight							128.7	

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
BY-101	189	Salt	2	6/6/97	12695	60	31.2	S97T001356
Total Weight							31.2	
BY-101	199	FB	Fblk	6/10/97	12573	250	170.1	S97T001367
BY-101	199	FB	Fblk	7/17/97	13289	40	40.4	S97T001366
Total Weight							210.5	
BY-101	199	Salt	1	6/6/97	12696	60	12.9	S97T001361
Total Weight							12.9	

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
BY-102	157	DL	7	7/29/96	10777	60	50.5	S96T004132
BY-102	157	DL	8	7/21/96	9938	40	55.9	S96T003658
Total Weight							106.4	
BY-102	157	Salt	1	8/8/96	10851	60	27.8	S96T004297
BY-102	157	Salt	2	7/21/96	10668	60	85.3	S96T003634
BY-102	157	Salt	3	7/21/96	10669	60	58.2	S96T003647
BY-102	157	Salt	4	7/29/96	10764	60	10.5	S96T004124
BY-102	157	Salt	4	7/29/96	10765	60	8	S96T004125
BY-102	157	Salt	4	8/6/96	10845	60	63.7	S96T004157
BY-102	157	Salt	5	8/13/96	10961	60	60.6	S96T004342
BY-102	157	Salt	5A	7/29/96	10776	60	15	S96T004126
BY-102	157	Salt	5A	8/6/96	10846	60	35.9	S96T004158
BY-102	157	Salt	6	7/21/96	10670	60	86.6	S96T003648
BY-102	157	Salt	6	7/21/96	10671	60	39.1	S96T003649
BY-102	157	Salt	7	7/29/96	10780	60	37.8	S96T004128
BY-102	157	Salt	7	7/29/96	10781	60	48.2	S96T004129

Vials in 11A1 and 11A2

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
BY-102	157	Salt	7	7/29/96	10782	60	20.7	S96T004130
BY-102	157	Salt	7	8/6/96	10847	60	73.6	S96T004159
						Total Weight	671	
BY-102	159	FB	Fblk	8/8/96	10569	250	133.3	S96T004299
BY-102	159	FB	Fblk	8/8/96	10868	40	32.9	S96T004301
						Total Weight	166.2	

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
BY-103	Grab	GL	1	9/2/97	13239	40	31.3	S95T000493
BY-103	Grab	GL	2	9/3/97	13238	40	30.7	S95T000495
						Total Weight	62	
BY-103	R10B	Sludge	Aug-12	3/30/95	6756	40	21.9	S95T000509
						Total Weight	21.9	
BY-103	R12A	Sludge	Aug-13	3/30/95	6877	40	24.6	S95T000513
						Total Weight	24.6	

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
BY-104	116	FB	Fblk	11/14/95	8397	40	5.4	S95T003714
						Total Weight	5.4	
BY-104	116	Salt	2	11/29/95	8410	60	20.6	S95T003526
BY-104	116	Salt	2	11/30/95	8411	40	69.7	S95T003527
BY-104	116	Salt	3	11/7/95	8471	250	46.6	S95T003611
BY-104	116	Salt	3	11/28/95	8757	60	29.4	S95T003631
BY-104	116	Salt	3	11/29/95	8758	60	70.1	S95T003630
BY-104	116	Salt	4	11/29/95	8759	60	50.3	S95T003613
BY-104	116	Salt	4	11/29/95	8760	60	41.3	S95T003614
BY-104	116	Salt	4	11/29/95	8761	60	46.1	S95T003615
BY-104	116	Salt	5	12/1/95	8762	60	82.5	S95T003616
BY-104	116	Salt	5	12/1/95	8763	60	66.8	S95T003617
BY-104	116	Salt	5	12/4/95	8764	60	83.1	S95T003618
BY-104	116	Salt	5	12/5/95	8765	60	65.6	S95T003619

17-Mar-98

Page 47 of 114

HNF-1641 REV. 0

Vials in 11A1 and 11A2

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
BY-104	116	Salt	6	11/10/95	8779	60	84.1	S95T003622
BY-104	116	Salt	6	12/5/95	8777	60	67.5	S95T003620
BY-104	116	Salt	6	12/5/95	8780	60	78.3	S95T003604
BY-104	116	Salt	6	12/5/96	8778	60	62.7	S95T003621
BY-104	116	Salt	7	11/10/95	8769	60	85.7	S95T003624
BY-104	116	Salt	7	11/10/95	8771	60	85	S95T003626
BY-104	116	Salt	7	11/10/95	8772	60	77.9	S95T003627
BY-104	116	Salt	7	12/5/96	8770	60	68.6	S95T003625
Total Weight							1283.9	
BY-104	116	Sludge	8	11/10/95	8782	60	77.6	S95T003628
BY-104	116	Sludge	8	12/5/95	8784	60	86.3	S95T003629
Total Weight							163.9	
BY-104	117	DL	1	11/21/95	8473	250	80.7	S95T003760
BY-104	117	DL	1	12/13/95	8412	40	60.9	S95T003762
BY-104	117	DL	2	12/14/95	8805	60	63.7	S95T003808
Total Weight							205.3	
BY-104	117	Salt	1	12/13/95	8791	60	7.8	S95T003766
BY-104	117	Salt	3	12/15/95	8802	60	62.2	S95T003804
BY-104	117	Salt	3	12/15/95	8806	60	127.6	S95T003803
BY-104	117	Salt	4	12/13/95	8807	60	128	S95T003805
Total Weight							325.6	
BY-104	117	Sludge	2	12/14/95	8803	60	14	S95T003801
BY-104	117	Sludge	2	12/14/95	8804	60	113.4	S95T003802
BY-104	117	Sludge	5	12/15/95	8808	60	24.3	S95T003806
BY-104	117	Sludge	5	12/15/95	8810	60	20.8	S95T003807
Total Weight							172.5	
Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
BY-105	108	DL	1	11/10/95	8394	40	26.5	S95T003387
BY-105	108	DL	1	11/10/95	8395	40	42.5	S95T003387
BY-105	108	DL	1AR	11/13/95	8398	40	50.8	S95T003413
BY-105	108	DL	1AR	11/13/95	8399	40	25.5	S95T003413

NNF-1041 REV. 0

Vials in 11A1 and 11A2

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
BY-105	108	DL	2AR	11/16/95	8403	40	59.9	S95T003416
BY-105	108	DL	2AR	11/16/95	8404	40	59.8	S95T003416
BY-105	108	DL	2AR	11/16/95	8405	40	59.9	S95T003416
Total Weight							324.9	
BY-105	108	Salt	1	11/10/95	8576	60	32.4	S95T003386
BY-105	108	Salt	1A	11/10/95	8577	60	27	S95T003388
BY-105	108	Salt	1B	11/13/95	8579	60	41.3	S95T003390
BY-105	108	Salt	1R	10/12/95	8158	250	96.2	S95T003405
BY-105	108	Salt	1R	11/13/95	8578	60	88.2	S95T003411
BY-105	108	Salt	2AR	11/16/95	8643	60	80.1	S95T003415
BY-105	108	Salt	2R	11/13/95	8641	60	63.4	S95T003414
Total Weight							428.6	

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
BY-106	121	DL	10B	1/16/96	8858	250	161.9	S96T000257
BY-106	121	DL	10B	1/21/96	8422	40	56.7	S96T000274
Total Weight							218.6	
BY-106	121	FB	Fblk	1/16/96	8857	250	149.9	S95T000278
Total Weight							149.9	
BY-106	121	Salt	10	1/19/96	9148	60	73.6	S96T000103
BY-106	121	Salt	10B	1/21/96	9149	60	84.2	S96T000247
BY-106	121	Salt	10B	1/21/96	9150	60	19.5	S96T000246
BY-106	121	Salt	2	1/12/96	8980	60	19.6	S95T004156
BY-106	121	Salt	3	1/12/96	9003	60	96.4	S95T004157
BY-106	121	Salt	3	1/14/96	11820	60	17.2	S95T004158
BY-106	121	Salt	4	1/12/96	9004	60	94.9	S95T004159
BY-106	121	Salt	4	1/12/96	9005	60	81.8	S95T004160
BY-106	121	Salt	5	1/12/96	9006	60	97.4	S95T004161
BY-106	121	Salt	6	1/12/96	9007	60	92.6	S95T004162
BY-106	121	Salt	7	1/14/96	9022	60	90.5	S95T004163
BY-106	121	Salt	8	1/14/96	9023	60	66.2	S95T004164
BY-106	121	Salt	8	1/14/96	9024	60	51.2	S95T004165

HNF-1041 REV. 0

Vials in 11A1 and 11A2

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
BY-106	121	Salt	9	1/14/96	8414	40	7.5	S95T004166
BY-106	121	Salt	Comp	2/6/96	8604	125	143.2	S96T000376
						Total Weight	1035.8	
BY-106	64	DL	10	12/22/94	6136	250	188.1	
BY-106	64	DL	10	12/22/94	7045	40	36.2	
BY-106	64	DL	3	12/1/94	6134	250	42.3	
BY-106	64	DL	3	12/6/94	7032	40	45.3	
						Total Weight	311.9	
BY-106	64	FB	Fblk	12/27/94	6137	250	138.4	
						Total Weight	138.4	
BY-106	64	Salt	10	12/22/94	7046	40	15.6	
BY-106	64	Salt	10	12/22/94	7047	40	38.3	
BY-106	64	Salt	11	12/27/94	7042	40	34.88	
BY-106	64	Salt	13	12/28/94	7048	40	5.01	
BY-106	64	Salt	4	12/2/94	6160	125	73.6	
BY-106	64	Salt	4	12/2/94	6161	125	146.1	
BY-106	64	Salt	4	12/6/94	7030	40	41.8	
BY-106	64	Salt	4	12/6/94	7031	40	33.5	
BY-106	64	Salt	8	12/8/94	6352	125	59.2	
BY-106	64	Salt	8	12/8/94	6353	125	55.1	
BY-106	64	Salt	8	12/8/94	6354	125	104.1	
BY-106	64	Salt	8	12/8/94	7027	40	41.9	
BY-106	64	Salt	8	12/8/94	7040	40	48	
BY-106	64	Salt	8	12/8/94	7043	40	43.2	
BY-106	64	Salt	9	12/19/94	7041	40	52.1	
BY-106	64	Salt	Comp	9/22/97	13457	60	82.3	
						Total Weight	874.69	
BY-106	64	Sludge	12	12/28/94	6381	40	65.7	
BY-106	64	Sludge	2	11/30/94	6350	125	80.5	
BY-106	64	Sludge	2	12/6/94	7033	40	32.5	
BY-106	64	Sludge	3	12/1/94	7026	40	24.4	
						Total Weight	203.1	

HNF-1641 REV. 0

Vials in 11A1 and 11A2

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
BY-106	65	DL	1	1/27/95	6469	125	175.4	
BY-106	65	DL	10	3/21/95	6448	40	44.8	
BY-106	65	DL	11	2/6/95	6536	250	33.5	
BY-106	65	DL	11	3/9/95	6423	40	39.62	S95T000336
BY-106	65	DL	12	2/7/95	6398	40	32.71	S95T000337
BY-106	65	DL	2	1/27/95	6470	125	160.1	
BY-106	65	DL	2	5/28/97	12650	60	42.2	S97M000053
BY-106	65	DL	3	1/30/95	6474	125	179.1	
BY-106	65	DL	3	3/21/95	6442	40	44.71	
BY-106	65	DL	4	1/25/95	6368	125	137.8	
BY-106	65	DL	4	3/21/95	6443	40	44.2	
BY-106	65	DL	4	5/1/95	6788	125	167.5	
BY-106	65	DL	5	1/26/95	6369	125	173.5	
BY-106	65	DL	5	3/21/95	6444	40	44.4	
BY-106	65	DL	6	1/26/95	6467	125	158.9	
BY-106	65	DL	6	3/21/95	6445	40	44.2	
BY-106	65	DL	7	1/27/95	6468	125	163.8	
BY-106	65	DL	7	3/21/95	6446	40	44.2	
BY-106	65	DL	8	1/26/95	6465	125	159.1	
BY-106	65	DL	8	3/21/95	6447	40	44.3	
BY-106	65	DL	Comp	2/6/95	6473	125	161.9	
						Total Weight	2095.94	
BY-106	65	Salt	1	1/27/95	6388	40	11.6	S95T000190
BY-106	65	Salt	1	5/28/97	12646	60	41.6	S97M000052
BY-106	65	Salt	10	5/2/95	7165	40	69.4	S95T000199
BY-106	65	Salt	10	9/22/97	13272	40	9.3	
BY-106	65	Salt	13	9/22/97	13454	60	16.9	
BY-106	65	Salt	2	1/27/95	6390	40	19.5	S95T000191
BY-106	65	Salt	3	1/30/95	6400	40	21.4	
BY-106	65	Salt	4	5/2/95	7162	40	34.8	S95T000193
BY-106	65	Salt	5	5/2/95	7163	40	29.1	S95T000194
BY-106	65	Salt	6	1/26/95	6385	40	29.3	S95T000195
BY-106	65	Salt	7	1/27/95	6386	40	26.7	S95T000196
BY-106	65	Salt	8	5/2/95	7164	40	36.4	S95T000197

17-Mar-98

Page 51 of 114

HNF-1641 REV. 0

Vials in 11A1 and 11A2

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
BY-106	65	Salt	9	2/7/95	6404	40	9.3	S95T000198
						Total Weight	355.3	
BY-106	65	Sludge	13	2/7/95	6403	40	35.93	S95T000339
						Total Weight	35.93	
Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
BY-107	151	DL	1	6/19/96	10247	250	254.7	S96T003846
BY-107	151	DL	1	8/6/96	10862	40	54.9	S96T003848
BY-107	151	DL	1A	6/19/96	10248	250	88.1	S96T003869
BY-107	151	DL	1A	8/6/96	10863	40	53.9	S96T003873
BY-107	151	DL	2	8/6/96	10083	125	73	S96T003870
BY-107	151	DL	2	8/6/96	10864	40	54.8	S96T003874
						Total Weight	579.4	
BY-107	151	Salt	1	7/12/96	10330	60	14.3	S96T003508
BY-107	151	Salt	2	7/18/96	10314	60	57.2	S96T003540
BY-107	151	Salt	2	7/18/96	10315	60	46.8	S96T003529
BY-107	151	Salt	3	6/20/96	10084	125	28.4	S96T003515
BY-107	151	Salt	3	6/20/96	10085	125	103.6	S96T003524
BY-107	151	Salt	3	7/18/96	10542	60	49.8	S96T003542
BY-107	151	Salt	3	7/18/96	10543	60	68.1	S96T003530
BY-107	151	Salt	4	6/20/96	10250	250	75.9	S96T003525
BY-107	151	Salt	4	6/20/96	10252	250	49.2	S96T003516
BY-107	151	Salt	4	7/15/96	10544	60	51.8	S96T003542
BY-107	151	Salt	4	7/15/96	10545	60	109.8	S96T003531
BY-107	151	Salt	Comp	8/20/96	10627	250	81	S96T004475
BY-107	151	Salt	Comp	8/24/96	11128	60	78.1	S96T004477
						Total Weight	814	
BY-107	161	DL	1	8/8/95	10865	40	56.4	S96T004233
BY-107	161	DL	1	8/8/96	10601	250	125.5	S96T004227
BY-107	161	DL	2	7/31/96	10788	125	88.8	S96T004228
BY-107	161	DL	2	8/7/96	10866	40	53.7	S96T004234
BY-107	161	DL	2A	7/31/96	10619	250	111.7	S96T004229

17-Mar-98

Page 52 of 114

MNF-1641 REV. 0

Vials in 11A1 and 11A2

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
BY-107	161	DL	2A	8/8/96	10867	40	50.2	S96T004235
BY-107	161	DL	3	8/12/96	10954	60	50.2	S96T004407
BY-107	161	DL	3A	8/13/96	10958	60	90.5	S96T004347
BY-107	161	DL	3A	8/13/96	10959	60	35.4	S96T004350
BY-107	161	DL	4	8/12/96	10956	60	48.3	S96T004408
Total Weight							710.7	
BY-107	161	Salt	1	8/8/96	10848	60	30.8	S96T004224
BY-107	161	Salt	2	7/31/96	10771	60	10.6	S96T004214
BY-107	161	Salt	2	7/31/96	10772	60	21.1	S96T004215
BY-107	161	Salt	2	7/31/96	10773	60	12.4	S96T004213
BY-107	161	Salt	2A		10850	60	27	S96T004226
BY-107	161	Salt	3	8/12/96	10955	60	52.8	S96T004391
BY-107	161	Salt	4	8/12/96	10957	60	42.2	S96T004392
BY-107	161	Salt	Comp	8/23/96	11127	60	55.7	S96T004482
Total Weight							252.6	
BY-107	161	Sludge	4	8/12/96	10599	250	104.8	S96T004393
BY-107	161	Sludge	4	8/14/96	10962	60	99.9	S96T004394
Total Weight							204.7	

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
BY-108		Salt	Aug-17	9/24/97	13460	60	23.7	
Total Weight							23.7	
BY-108	104	Salt	1	8/23/95	7496	250	69.8	S95T001920
BY-108	104	Salt	1	8/29/95	7656	40	35.1	S95T001926
BY-108	104	Salt	2	8/23/95	7497	250	43	S95T001934
BY-108	104	Salt	2	8/23/95	7521	125	45.3	S95T001935
BY-108	104	Salt	2	9/18/95	7679	40	60.3	S95T001984
BY-108	104	Salt	2	9/18/95	7686	40	49.6	S95T001985
BY-108	104	Salt	3	9/18/95	7687	40	58.9	S95T001986
BY-108	104	Salt	3	9/18/95	7688	40	72.7	S95T001987
BY-108	104	Salt	3	9/18/95	7689	40	45.9	S95T001988
BY-108	104	Salt	4	9/19/95	7691	40	67.2	S95T001990

17-Mar-98

Page 53 of 114

HNF-1641 REV. 0

Vials in 11A1 and 11A2

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
BY-108	104	Salt	4	9/19/95	7692	40	67.2	S95T001991
BY-108	104	Salt	4	9/9/97	13525	60	27.8	S95T001940
						Total Weight	642.8	
BY-108	104	Sludge	2	9/18/95	7678	40	71.5	S95T001983
BY-108	104	Sludge	5	9/19/95	7693	40	42.2	S95T001992
BY-108	104	Sludge	5	9/19/95	7695	40	39.8	S95T001994
BY-108	104	Sludge	5	9/19/95	7696	40	28.1	S95T001995
BY-108	104	Sludge	5	9/15/97	13160	60	76.2	S95T001945
						Total Weight	257.8	
BY-108	140	Sludge	2	9/12/97	13466	60	17.1	S95T001933
						Total Weight	17.1	
BY-108	97	FB	Fblk	8/3/95	7433	40	39.2	
BY-108	97	FB	Fblk	8/3/95	7434	40	40.1	
						Total Weight	79.3	
BY-108	97	Sludge	1	7/28/95	7381	125	17.4	
						Total Weight	17.4	
BY-108	98	DL	1	8/1/95	7389	250	133.9	S95T001372
BY-108	98	DL	1	8/7/95	7436	40	58.7	S95T001374
BY-108	98	DL	2	8/2/95	7392	250	53.2	S95T001368
BY-108	98	DL	2	8/10/95	7440	40	57.2	S95T001428
BY-108	98	DL	3	8/10/95	7449	40	58.5	S95T001429
						Total Weight	361.5	
BY-108	98	Organic	2	9/12/95	7890	20	7.5	S95T002290
						Total Weight	7.5	
BY-108	98	Salt	1	8/1/95	7383	125	33.2	S95T001375
BY-108	98	Salt	1	8/7/95	7435	40	73.6	S95T001392
BY-108	98	Salt	2	8/8/95	7438	40	130.4	S95T001401
BY-108	98	Salt	2	8/9/95	7439	40	64.6	S95T001406
BY-108	98	Salt	3	8/11/95	7446	40	51.4	S95T001434
BY-108	98	Salt	3	8/11/95	7447	40	64.4	S95T001435
BY-108	98	Salt	3	9/9/97	13521	60	68.2	S95T001377

17-Mar-98

Page 54 of 114

NMF-1641 REV. 0

Vials in 11A1 and 11A2

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
BY-108	98	Salt	4	8/10/95	7441	40	44.6	S95T001415
BY-108	98	Salt	4	8/10/95	7444	40	58.2	S95T001417
BY-108	98	Salt	4	8/10/95	7445	40	40.2	S95T001418
						Total Weight	628.8	
BY-108	98	Sludge	2	8/7/95	7437	40	60	S95T001397
						Total Weight	60	
BY-108	99	Salt	4	8/22/95	7454	40	31.5	S95T001460
BY-108	99	Salt	4	8/22/95	7455	40	28.9	S95T001463
BY-108	99	Salt	4	8/22/95	7456	40	37.2	S95T001465
BY-108	99	Salt	4	8/22/95	7457	40	28.4	S95T001467
BY-108	99	Salt	4	9/9/97	13529	60	39.3	S95T001413
						Total Weight	165.3	
BY-108	R1	Salt	Auger	1/5/95	6361	125	15.8	
						Total Weight	15.8	
Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
BY-109	201	DL	5	6/20/97	12363	125	72.1	S97T001458
BY-109	201	DL	5	7/1/97	12250	40	28.1	S97T001474
						Total Weight	100.2	
BY-109	201	LL	3R1	6/20/97	12371	125	134.2	S97T001457
						Total Weight	134.2	
BY-109	201	Salt	5		12725	60	15	S97T001462
BY-109	201	Salt	5		12726	60	79	S97T001446
						Total Weight	94	
BY-109	201	Sludge	1 Rgs	7/21/97	13068	60	18.9	S97T001537
BY-109	201	Sludge	2	6/10/97	12576	250	64.9	S97T001343
BY-109	201	Sludge	2	7/1/97	13029	60	88.1	S97T001345
BY-109	201	Sludge	2	7/1/97	13030	60	96	S97T001347
BY-109	201	Sludge	3R1	6/20/97	12588	250	57	S97T001445
BY-109	201	Sludge	3R1	7/1/97	13034	60	88	S97T001461
BY-109	201	Sludge	3R1	7/1/97	13035	60	94.3	S97T001465

HN-1641 REV. 0

Vials in 11A1 and 11A2

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
BY-109	201	Sludge	4 Rgs	7/21/97	12203	250	207.1	S97T001735
						Total Weight	714.3	
BY-109	203	Salt	1	7/1/97	13038	60	33.2	S97T001489
BY-109	203	Salt	3	6/20/97	12590	250	76.8	S97T001476
BY-109	203	Salt	3	6/20/97	12591	250	111	S97T001479
BY-109	203	Salt	3	7/1/97	13040	60	99.9	S97T001490
BY-109	203	Salt	4	6/20/97	12592	250	109.5	S97T001477
BY-109	203	Salt	4	6/20/97	12593	250	102.1	S97T001480
BY-109	203	Salt	4	7/1/97	13041	60	88.3	S97T001491
BY-109	203	Salt	4	7/1/97	13042	60	89.4	S97T001494
						Total Weight	710.2	
BY-109	203	Sludge	2 Rgs	7/21/97	13066	60	93.5	S97T001743
BY-109	203	Sludge	5 Rgs	7/21/97	12205	250	266.7	S97T001785
BY-109	203	Sludge	5 Rgs	7/21/97	13064	60	78.7	S97T001795
BY-109	203	Sludge	6 Rgs	7/21/97	12206	250	165.5	S97T001790
BY-109	203	Sludge	6 Rgs	7/21/97	13065	60	98.3	S97T001796
BY-109	203	Sludge	7	6/20/97	12589	250	54.2	S97T001481
BY-109	203	Sludge	7	6/20/97	12594	250	160.6	S97T001478
BY-109	203	Sludge	7	7/1/97	13043	60	87.9	S97T001492
BY-109	203	Sludge	7	7/1/97	13044	60	101.6	S97T001495
						Total Weight	1107	
Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
BY-110	101	DL	4	8/17/95	7427	40	9.5	S95T001679
						Total Weight	9.5	
BY-110	101	Salt	3	8/31/95	7652	40	15.9	S95T001748
						Total Weight	15.9	
BY-110	101	Sludge	5	8/17/95	7510	125	63.2	S95T001681
BY-110	101	Sludge	5	9/5/95	7654	40	26.6	S95T001764
BY-110	101	Sludge	6A	9/21/95	7711	40	53.4	S95T002154
BY-110	101	Sludge	7	9/20/95	7706	40	46	S95T002257
BY-110	101	Sludge	7	9/20/95	7707	40	30.6	S95T002330

17-Mar-98

Page 56 of 114

HNF-1641 REV. 0

98

Vials in 11A1 and 11A2

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
BY-110	101	Sludge	7	9/20/95	7708	40	41.1	S95T002259
BY-110	101	Sludge	7	9/20/95	7709	40	23.6	S95T002260
BY-110	101	Sludge	7	9/20/95	7710	40	71.9	S95T002261
BY-110	101	Sludge	8	9/26/95	7965	40	62.2	S95T002262
BY-110	101	Sludge	8	9/26/95	7966	40	30.1	S95T002265
BY-110	101	Sludge	8	9/26/95	7967	40	47.9	S95T002264
BY-110	101	Sludge	8	9/26/95	7968	40	41.7	S95T002263
BY-110	101	Sludge	9	9/26/95	7964	40	69.4	S95T002266
BY-110	101	Sludge	9	9/27/95	7969	40	58.9	S95T002267
BY-110	101	Sludge	9	9/27/95	7970	40	46.9	S95T002268
BY-110	101	Sludge	9	9/27/95	7971	40	68.1	S95T002269
BY-110	101	Sludge	Comp	1/20/96	9206	60	15.9	S96T000402
Total Weight							797.5	
BY-110	102	Sludge	1	9/23/97	13458	60	55.8	
Total Weight							55.8	
BY-110	103	DL	7	8/23/95	7513	125	70.8	S95T001602
BY-110	103	DL	7	8/25/95	7472	40	64	S95T001709
Total Weight							134.8	
BY-110	103	Salt	1	8/21/95	7511	40	11.6	S95T001570
BY-110	103	Salt	1	8/25/95	7459	40	14.8	S95T001652
BY-110	103	Salt	1	8/25/95	7460	40	12.1	S95T001623
BY-110	103	Salt	1	9/12/97	13472	60	53.8	S95T001571
BY-110	103	Salt	1	9/12/97	7485A	40	8.5	
BY-110	103	Salt	2	8/25/95	7461	40	34	S95T001653
BY-110	103	Salt	3	8/25/95	7463	40	29.1	S95T001654
BY-110	103	Salt	4	8/25/95	7464	40	27.9	S95T001655
BY-110	103	Salt	4	1/29/96	9168	60	11.3	S95T001656
BY-110	103	Salt	Comp	1/20/96	9207	60	10.5	S96T000403
Total Weight							213.6	
BY-110	103	Sludge	3	9/15/97	13474	60	36.8	S95T001581
BY-110	103	Sludge	5	8/25/95	7466	40	30.2	S95T001657
BY-110	103	Sludge	6	8/25/95	7468	40	65.9	S95T001658

Vials in 11A1 and 11A2

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
BY-110	103	Sludge	6	8/25/95	7469	40	59.4	S95T001706
BY-110	103	Sludge	6	9/9/97	13519	60	61.7	S95T001585
BY-110	103	Sludge	7	8/25/95	7470	40	45.3	S95T001707
BY-110	103	Sludge	7	8/25/95	7471	40	60.7	S95T001708
BY-110	103	Sludge	8	8/25/95	7645	40	68.1	S95T001710
BY-110	103	Sludge	8	8/25/95	7646	40	60.5	S95T001711
BY-110	103	Sludge	8	9/9/97	13535	60	40.8	S95T001603
BY-110	103	Sludge	8	9/26/97	13461	60	19.8	na
BY-110	103	Sludge	9	8/25/95	7649	40	29.1	S95T001714
BY-110	103	Sludge	9	8/25/95	7650	40	47.5	S95T001715
BY-110	103	Sludge	Comp	2/2/96	9208	60	11.5	S96T000406
Total Weight							637.3	
BY-110	106	Salt	1	8/29/95	7655	40	39.5	S95T001837
BY-110	106	Salt	2	9/6/95	7426A	40	10.6	S95T001946
Total Weight							50.1	
BY-110	107	DL	2A	9/18/97	13477	60	84.4	
Total Weight							84.4	
BY-110	107	Salt	2	9/7/95	7661	40	23.3	S95T001960
BY-110	107	Salt	2A	9/7/95	7662	40	21.2	S95T001981
BY-110	107	Salt	3	8/31/95	7624	250	45	S95T002023
BY-110	107	Salt	3	9/13/95	7676	40	32.8	S95T002078
BY-110	107	Salt	4	9/14/95	7677	40	36.2	S95T002079
BY-110	107	Salt	4	9/15/97	13158	60	33.5	S95T002023
BY-110	107	Salt	5	9/19/95	7699	40	41.6	S95T002080
BY-110	107	Salt	5	9/19/95	7700	40	63.7	S95T002128
BY-110	107	Salt	6	9/19/95	7697	40	75.7	S95T002081
BY-110	107	Salt	6	9/19/95	7698	40	67.6	S95T002082
BY-110	107	Salt	6	9/9/97	13528	60	98.6	S95T002033
BY-110	107	Salt	8	9/20/95	7704	40	73.3	S95T002132
BY-110	107	Salt	8	9/20/95	7705	40	9.7	S95T002133
BY-110	107	Salt	Comp	2/2/96	9209	60	16.2	S96T000407
Total Weight							638.4	

HNF-1641 REV. 0

Vials in 11A1 and 11A2

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
BY-110	107	Sludge	7	9/19/95	7701	40	70.7	S95T002129
BY-110	107	Sludge	7	9/19/95	7702	40	25.1	S95T002130
BY-110	107	Sludge	7	9/19/95	7703	40	70.3	S95T002131
BY-110	107	Sludge	7	9/29/97	13489	60	34	S95T002043
BY-110	107	Sludge	9	9/25/95	7712	40	27.6	S95T002134
BY-110	107	Sludge	9	9/25/95	7713	40	54.4	S95T002135
BY-110	107	Sludge	9	9/25/95	7714	40	54.4	S95T002136
BY-110	107	Sludge	9	9/25/95	7715	40	64.7	S95T002137
Total Weight							401.2	
BY-110	109	DL	3	9/29/95	7973	40	20.3	S95T002428
Total Weight							20.3	
BY-110	109	Salt	1	9/27/95	7972	40	41.5	S95T002421
BY-110	109	Salt	3	9/29/95	7974	40	18.8	S95T002434
Total Weight							60.3	
BY-110	113	FB	Fblk	11/14/95	8401	40	35.1	S95T003589
BY-110	113	FB	Fblk	12/5/95	8400	40	18.4	S95T003589
Total Weight							53.5	
BY-110	113	Salt	3	11/17/95	8657	60	61.5	S95T003363
BY-110	113	Salt	4	11/17/95	8660	60	9.2	S95T003371
BY-110	113	Salt	4A	11/17/95	8662	60	36	S95T003546
BY-110	113	Salt	5	11/28/95	8666	60	78	S95T003570
BY-110	113	Salt	6	11/28/95	8668	60	65.8	S95T003443
BY-110	113	Salt	6	11/28/95	8669	60	24.6	S95T003452
BY-110	113	Salt	6	11/28/95	8670	60	60.1	S95T003460
BY-110	113	Salt	6	11/28/95	8671	60	20.7	S95T003468
BY-110	113	Salt	7	12/1/95	8679	60	32.4	S95T003492
BY-110	113	Salt	7	12/1/95	8680	60	37.9	S95T003499
BY-110	113	Salt	7	12/1/95	8754	60	55.4	S95T003476
BY-110	113	Salt	7	12/1/95	8755	60	58	S95T003484
BY-110	113	Salt	Comp	2/6/96	9211	60	45.1	S96T000495
Total Weight							584.7	
BY-110	113	Sludge	5	11/28/95	8665	60	24.9	S95T003562

17-Mar-98

Page 59 of 114

HNF-1041 REV. 0

101

Vials in 11A1 and 11A2

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
BY-110	113	Sludge	5A	11/27/95	8667	60	101.4	S95T003436
BY-110	113	Sludge	8	10/26/95	8485	60	46.2	S95T003180
BY-110	113	Sludge	8	10/26/95	8486	60	70	S95T003189
BY-110	113	Sludge	8	10/26/95	8487	60	58.4	S95T003192
BY-110	113	Sludge	8	10/26/95	8488	60	26.4	S95T003195
BY-110	113	Sludge	Comp	2/5/96	9210	60	9.5	S96T000408
Total Weight							336.8	
BY-110	92	DL	6	7/17/95	7090	125	54.14	S95T001349
BY-110	92	DL	6	9/7/95	7664	40	33.3	S95T001810
BY-110	92	DL	7	7/17/95	7353	250	243.5	S95T001352
BY-110	92	DL	7	9/8/95	7667	40	60.7	S95T001811
Total Weight							391.64	
BY-110	92	Salt	5	9/7/95	7663	40	19	S95T001805
BY-110	92	Salt	6	9/8/95	7666	40	81.7	S95T001807
BY-110	92	Salt	6	9/8/95	7720	125	32.7	S95T001351
BY-110	92	Salt	Comp	1/22/96	9204	60	7.2	S96T000399
Total Weight							140.6	
BY-110	92	Sludge	7	7/17/95	7092	125	34.6	S95T001353
Total Weight							34.6	
BY-110	95	Salt	4	9/8/95	7669	40	18	S95T001778
BY-110	95	Salt	5	9/11/95	7673	40	38.1	S95T001779
BY-110	95	Salt	5	9/11/95	7675	40	39.4	S95T001780
BY-110	95	Salt	6	9/8/95	7670	40	29.4	S95T001781
BY-110	95	Salt	Comp	1/20/96	9205	60	13.1	S96T000400
Total Weight							138	
BY-110	96	Salt	1	10/18/95	8375	60	50	S95T002876
BY-110	96	Salt	2	10/18/95	8376	60	90.8	S95T002884
BY-110	96	Salt	2	9/9/97	13533	60	52.2	S95T002886
BY-110	96	Salt	3	10/19/95	8377	60	68.9	S95T002891
BY-110	96	Salt	3	10/19/95	8378	60	43.7	S95T002898
Total Weight							305.6	

HNF-1641 REV. 0

Vials in 11A1 and 11A2

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
BY-111	168	DL	6	10/11/96	11491	60	59.4	S96T005315
						Total Weight	59.4	
BY-111	168	FB	Fblk	9/25/96	11193	250	166.4	S96T005297
BY-111	168	FB	Fblk	10/2/96	11391	60	55.3	S96T005299
						Total Weight	221.7	
BY-111	168	LL	6	9/30/96	11116	40	35.7	S96T005317
BY-111	168	LL	6A	10/12/96	11117	40	37.5	S96T005154
						Total Weight	73.2	
BY-111	168	Salt	1	9/18/96	11371	60	17.8	S96T005164
BY-111	168	Salt	1	10/10/96	11493	60	37.2	S96T005392
BY-111	168	Salt	2	10/11/96	11492	60	51.9	S96T005149
BY-111	168	Salt	3	9/18/96	10983	125	11.6	S96T005155
BY-111	168	Salt	3	10/9/96	11490	60	59.5	S96T005159
BY-111	168	Salt	4	10/2/96	11489	60	85.2	S96T005302
BY-111	168	Salt	5A	9/30/96	11375	60	61.1	S96T005309
						Total Weight	324.3	
BY-111	171	DL	5	10/2/96	11475	60	72.5	S96T005345
BY-111	171	DL	6	10/16/96	11481	60	102.9	S96T005358
						Total Weight	175.4	
BY-111	171	Salt	1	10/13/96	11498	60	46.9	S96T005322
BY-111	171	Salt	4	10/2/96	11474	60	59	S96T005334
BY-111	171	Salt	5	10/2/96	11476	60	83.9	S96T005341
BY-111	171	Salt	6	10/2/96	11477	60	65	S96T005348
BY-111	171	Salt	6	10/16/96	11479	60	92.5	S96T005351
BY-111	171	Salt	7	10/10/96	11530	250	87.1	S96T005382
BY-111	171	Salt	7	10/17/96	11482	60	108.5	S96T005386
BY-111	171	Salt	7	10/17/96	11483	60	109.8	S96T005385
						Total Weight	652.7	

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
BY-112	174	DL	5	11/21/96	12003	40	55.1	S96T005906

17-Mar-98

Page 61 of 114

HNF-1641 REV. 0

103

Vials in 11A1 and 11A2

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
Total Weight							55.1	
BY-112	174	Salt	1	11/20/96	11799	60	32.1	S96T005881
BY-112	174	Salt	2	11/4/96	11704	125	30.2	S96T005866
BY-112	174	Salt	2	11/20/96	11800	60	57.6	S96T005882
BY-112	174	Salt	3	11/20/96	11801	60	58.2	S96T005883
BY-112	174	Salt	4	11/20/96	11802	60	98.6	S96T005884
BY-112	174	Salt	5	11/21/96	11807	60	76.7	S96T005886
BY-112	174	Salt	5	11/21/96	11808	60	78.3	S96T005885
BY-112	174	Salt	6	11/4/96	11565	250	102.8	S96T005872
BY-112	174	Salt	6	11/21/96	11809	60	84	S96T005888
BY-112	174	Salt	6	11/21/96	11810	60	84.7	S96T005887
Total Weight							703.2	
BY-112	177	DL	5	11/21/96	11805	60	114.9	S96T005945
BY-112	177	DL	5	11/21/96	11991	40	20.2	S96T005946
Total Weight							135.1	
BY-112	177	FB	Fblk	10/25/96	11552	250	161.2	S96T005908
BY-112	177	FB	Fblk	11/19/96	11792	60	63.5	S96T005910
Total Weight							224.7	
BY-112	177	Salt	1	11/19/96	11793	60	21.2	S96T005923
BY-112	177	Salt	2	11/20/96	11787	60	41.9	S96T005924
BY-112	177	Salt	3	11/20/96	11794	60	55.4	S96T005925
BY-112	177	Salt	4	11/6/96	11763	60	27	S96T005914
BY-112	177	Salt	4	11/21/96	11803	60	125.3	S96T005926
BY-112	177	Salt	5	11/21/96	11806	60	124.9	S96T005947
BY-112	177	Salt	6	11/21/96	11804	60	89.8	S96T005927
Total Weight							485.5	
Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
C-101		Sludge	Aug-19	3/1/96	9347	60	74.1	S95T000826
C-101		Sludge	Aug-19	3/1/96	9348	60	13.7	S95T000830
Total Weight							87.8	

17-Mar-98

Page 62 of 114

HNF-1641 REV. 0

104

Vials in 11A1 and 11A2

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
C-101	R8	DL	Aug-19	4/14/95	6893	40	15.9	S95T000821
						Total Weight	15.9	
C-101	R8	Sludge	Aug-19	4/14/95	6908	40	57.8	S95T000833
C-101	R8	Sludge	Aug-19	4/14/95	6909	40	60	S95T000829
C-101	R8	Sludge	Aug-19	4/14/95	7151	40	8.3	S95T000825
						Total Weight	126.1	
Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
C-102	R3	Sludge	Auger	1/16/95	6364	125	26.2	
						Total Weight	26.2	
Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
C-103	63	DL	1	11/4/94	6236	250	140.9	S94T000204
C-103	63	DL	1	11/10/94	7024	40	13.2	S94T000203
C-103	63	DL	2	1/24/95	6371	250	70.8	
C-103	63	DL	2	1/25/95	6452	40	22.1	S95T000070
C-103	63	DL	4	2/3/95	6396	40	26.95	S95T000076
C-103	63	DL	4	9/3/97	13512	60	5.5	
						Total Weight	279.45	
C-103	63	Sludge	3	1/26/95	6454	40	40.9	S95T000073
C-103	63	Sludge	3	1/27/95	6394	40	18.6	S95T000074
C-103	63	Sludge	3	9/3/97	13514	60	12.1	S95T000065
C-103	63	Sludge	3	9/8/97	13261	40	12.6	S95T000064
C-103	63	Sludge	4	1/27/95	6395	40	56.7	S95T000075
C-103	63	Sludge	4	9/8/97	13260	40	17.1	S95T000069
C-103	63	Sludge	Comp	3/15/95	6572	125	42.8	
						Total Weight	200.8	
C-103	66	DL	2	2/27/95	6541	250	156.3	
C-103	66	DL	2	2/27/95	6557	125	63.4	
C-103	66	DL	2	3/3/95	6414	40	32.6	S95T000404
C-103	66	DL	3	2/27/95	6543	250	163.1	

HNF-1641 REV. 0

Vials in 11A1 and 11A2

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
C-103	66	DL	3	2/27/95	6563	125	8.7	
C-103	66	DL	3	3/3/95	6408	40	5.6	S95T000405
C-103	66	DL	3	8/19/97	13085	60	26.6	S97M000054
C-103	66	DL	4	2/27/95	6546	250	10.2	
C-103	66	DL	4	3/3/95	6412	40	10.8	S95T000406
Total Weight							477.3	
C-103	66	FB	Fblk	2/24/95	6540	250	123.7	
C-103	66	FB	Fblk	2/24/95	6562	125	79.7	
Total Weight							203.4	
C-103	66	Sludge	3	3/28/95	6746	40	16.3	S95T000408
C-103	66	Sludge	4	2/27/95	6558	125	3.9	
C-103	66	Sludge	4	3/6/95	6440	40	33.5	S95T000409
Total Weight							53.7	

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
C-104	162	DL	3	8/17/96	11099	40	14.6	S96T004364
C-104	162	DL	Fblk	9/15/96	11111	40	33	S96T004829
Total Weight							47.6	
C-104	162	FB	Fblk	9/3/96	11082	250	140.1	S96T004825
Total Weight							140.1	
C-104	162	Sludge	1	9/3/96	11087	250	40.5	S96T004835
C-104	162	Sludge	1	9/3/96	11088	250	68.1	S96T004832
C-104	162	Sludge	1	9/15/96	11350	60	45.5	S96T004844
C-104	162	Sludge	1	9/15/96	11351	60	43.2	S96T004845
C-104	162	Sludge	2	9/3/96	11089	250	72.3	S96T004836
C-104	162	Sludge	2	9/15/96	11352	60	79.6	S96T004846
C-104	162	Sludge	2	9/15/96	11354	60	72.8	S96T004847
C-104	162	Sludge	2	9/25/97	13459	60	28.9	S96T004833
C-104	162	Sludge	3	8/8/96	10618	250	65	S96T004365
C-104	162	Sludge	3	8/17/96	11118	60	61.3	S96T004359
C-104	162	Sludge	3	8/17/96	11119	60	78.4	S96T004367
C-104	162	Sludge	4	9/3/96	11179	250	75.9	S96T004834

17-Mar-98

Page 64 of 114

MNF-1641 REV. 0

106

Vials in 11A1 and 11A2

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
C-104	162	Sludge	4	9/15/96	11355	60	90.5	S96T004848
C-104	162	Sludge	4	9/15/96	11356	60	54.1	S96T004849
C-104	162	Sludge	Comp	10/4/96	11392	250	40.8	S96T004946
C-104	162	Sludge	Comp	10/4/96	11480	60	102	S96T004948
						Total Weight	1018.9	
C-104	165	Sludge	2	8/16/96	10968	60	42.5	S96T004372
C-104	165	Sludge	2	8/17/96	10969	60	92.8	S96T004377
C-104	165	Sludge	2	8/7/97	10605	250	78.2	S96T004370
C-104	165	Sludge	3	9/4/96	11085	250	45.8	S96T004867
C-104	165	Sludge	3	9/16/96	11357	60	51.3	S96T004882
C-104	165	Sludge	3	9/16/96	11358	60	60.3	S96T004883
C-104	165	Sludge	3	9/16/96	11359	60	97.8	S96T004884
C-104	165	Sludge	6	9/4/96	11140	125	17.5	S96T004871
C-104	165	Sludge	6	9/4/96	11244	60	22.5	S96T004870
C-104	165	Sludge	6	9/16/96	11245	60	6.9	S96T004865
C-104	165	Sludge	6	9/16/96	11366	60	65.9	S96T004887
C-104	165	Sludge	6	9/17/96	11367	60	75.9	S96T004888
C-104	165	Sludge	Comp	10/23/96	11513	60	8.8	S96T004955
						Total Weight	666.2	

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
C-105		Sludge	Comp	9/26/97	13446	60	16	S95T001213
						Total Weight	16	
C-105	72	DL	1	3/23/95	6731	40	9.1	S95T000671
C-105	72	DL	2	4/10/95	6890	40	35.9	S95T000679
						Total Weight	45	
C-105	72	Sludge	1	4/10/95	6888	40	30.4	S95T000675
C-105	72	Sludge	2	10/13/95	8274	20	2.8	S95T002854
C-105	72	Sludge	3	4/10/95	6895	40	45.2	S95T000697
C-105	72	Sludge	3	4/10/95	6896	40	58.6	S95T000703
						Total Weight	137	
C-105	76	DL	2	3/29/95	6700	250	17	S95T000640

17-Mar-98

Page 65 of 114

HNF-1041 REV. 0

107

108

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
C-107	68	Sludge	1	3/22/95	6449	40	40.3	S95T000257
C-107	68	Sludge	1	3/22/95	6450	40	39.8	S95T000488
C-107	68	Sludge	2	3/22/95	6725	40	40.2	S95T000484
C-107	68	Sludge	2	3/22/95	6726	40	40.6	S95T000489
C-107	68	Sludge	3	3/22/95	6727	40	56.4	S95T000485
C-107	68	Sludge	3	3/22/95	6728	40	45.4	S95T000490
C-107	68	Sludge	4	3/22/95	6729	40	46.7	S95T000486
C-107	68	Sludge	4	3/22/95	6730	40	44.7	S95T000491
C-107	68	Sludge	5	3/22/95	6460	40	44.8	S95T000487
C-107	68	Sludge	5	3/22/95	6461	40	45.2	S95T000492
C-107	68	Sludge	Comp	4/19/95	6929	40	57.1	
C-107	68	Sludge	Comp	9/3/97	13086	60	98.4	
						Total Weight	599.6	
C-107	69	DL	3	3/21/95	6456	40	25	
						Total Weight	25	
C-107	69	FB	Fblk	3/20/95	6569	125	57.7	
C-107	69	FB	Fblk	3/20/95	6594	250	155.3	
						Total Weight	213	
C-107	69	LL	5	3/25/95	6745	40	43.1	S95T000459
						Total Weight	43.1	
C-107	69	Sludge	1	3/25/95	6736	40	29.1	S95T000455
C-107	69	Sludge	2	3/25/95	6737	40	39.5	S95T000461
C-107	69	Sludge	2	3/25/95	6738	40	37	S95T000456
C-107	69	Sludge	3	3/25/95	6739	40	53.8	S95T000462
C-107	69	Sludge	3	3/25/95	6740	40	47.2	S95T000457
C-107	69	Sludge	4	3/25/95	6741	40	42	S95T000463
C-107	69	Sludge	4	3/25/95	6742	40	49.2	S95T000458

HNF-1641 REV. 0

Vials in 11A1 and 11A2

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
C-107	69	Sludge	5	3/25/95	6743	40	46.5	S9ST000464
C-107	69	Sludge	Comp	4/14/95	6773	250	108.3	
C-107	69	Sludge	Comp	4/19/95	6928	40	56.8	
Total Weight							509.4	

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
C-108		Sludge	Aug-12	9/22/97	13266	40	7.3	
Total Weight							7.3	
C-108	R4	Sludge	Auger	12/15/94	6162	125	15.6	
C-108	R4	Sludge	Auger	12/15/94	6360	125	29.3	
C-108	R4	Sludge	Auger	12/15/94	6377	40	13.9	
C-108	R4	Sludge	Auger	12/15/94	6378	40	92.1	
C-108	R4	Sludge	Auger	12/15/94	6379	40	14.6	
C-108	R4	Sludge	Auger	12/15/94	6380	40	19.9	
C-108	R4	Sludge	Comp	9/22/97	13441	60	47	
Total Weight							232.4	
C-108	R7	Sludge	Auger	12/7/94	7034	40	12.6	
C-108	R7	Sludge	Auger	12/7/94	7037	40	9.5	
C-108	R7	Sludge	Auger	12/7/94	7038	40	13.6	
C-108	R7	Sludge	Auger	12/18/94	7039	40	18.1	
Total Weight							53.8	

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
C-111		Sludge	5-AUG-01	9/18/97	13481	60	45.1	
C-111		Sludge	5-AUG-01	9/18/97	13482	60	74.8	
C-111		Sludge	Aug-16	9/17/97	13485	60	46.7	na
C-111		Sludge	Aug-17	9/16/97	13479	60	40.7	na
Total Weight							207.3	
C-111	60	Salt	2	9/4/97	13524	60	9.8	
Total Weight							9.8	

Vials in 11A1 and 11A2

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
C-201	221	Sludge	Comp	11/7/97	13620	60	33.8	S97T002250
						Total Weight	33.8	

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
C-202	222	Sludge	Comp	1/15/98	12950	250	61.9	S98T000035
C-202	222	Sludge	Comp	1/15/98	13673	60	13.5	S98T000038
						Total Weight	75.4	

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
C-203		Sludge	5-AUG-02	9/9/97	13531	60	108.3	S95T000798
C-203		Sludge	Aug-20	7/19/95	7412	40	31.3	
C-203		Sludge	Aug-21	9/12/97	13468	60	109.6	S95T000802
						Total Weight	249.2	
C-203	"R7"	Sludge	Aug-20	7/19/95	7411	40	24.7	S95T000809
						Total Weight	24.7	
C-203	203	Sludge	5-AUG-02	9/9/97	11836	125	130.2	
C-203	203	Sludge	5-AUG-02	9/9/97	11837	125	139.1	
						Total Weight	269.3	
C-203	R7	Sludge	Aug-21	4/13/95	7160	40	61.5	S95T000805
C-203	R7	Sludge	Aug-21	4/13/95	7161	40	68.5	S95T000801
C-203	R7	Sludge	Aug-21	5/20/96	10120	60	129.4	
						Total Weight	259.4	

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
C-204		Sludge	Aug-23	5/17/96	10115	60	65.1	
						Total Weight	65.1	
C-204	R-7	Sludge	Aug-022	5/20/96	10119	60	92	
						Total Weight	92	

Vials in 11A1 and 11A2

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
S-101	137	Sludge	7	3/26/96	9413	250	203.1	S96T002979
S-101	137	Sludge	7	3/26/96	9414	250	186.1	S96T002978
S-101	137	Sludge	8	3/26/96	9418	250	49.3	S96T002980
S-101	137	Sludge	8	5/10/96	10006	60	52.7	S96T002512
S-101	137	Sludge	9	3/26/96	9415	250	174.6	S96T002981
S-101	137	Sludge	9	3/26/96	9420	250	85.6	S96T002982
S-101	137	Sludge	9	7/10/96	10007	60	48	S96T002513
Total Weight							799.4	
S-101	138	DL	1R	4/1/96	9473	250	261.8	S96T001885
S-101	138	DL	1R	4/18/96	9796	40	57.9	S96T001887
S-101	138	DL	2R1	4/8/96	9483	250	282.6	S96T001908
S-101	138	DL	2R1	4/18/96	9795	40	57.8	S96T001910
S-101	138	DL	3R	4/19/96	9493	250	34.4	S96T002041
S-101	138	DL	3R	4/25/96	9769	40	9.6	S96T002044
Total Weight							704.1	
S-101	138	FB	Fblk	4/23/96	9842	250	57.5	S96T002180
S-101	138	FB	Fblk	5/5/96	9771	40	35.5	S96T002184
Total Weight							93	
S-101	138	LL	9	5/5/96	9772	40	45.9	S96T002185
Total Weight							45.9	
S-101	138	Sludge	2R1	4/18/96	9716	60	19.7	S96T001901
S-101	138	Sludge	5	4/3/96	9476	250	56.2	S96T001888
S-101	138	Sludge	5	4/3/96	9482	250	86.1	S96T001896
S-101	138	Sludge	5	4/16/96	9714	60	88.5	S96T001890
S-101	138	Sludge	5	4/16/96	9715	60	100	S96T001900
S-101	138	Sludge	6		9497	250	64.3	S96T001953
S-101	138	Sludge	6	4/19/96	9489	250	72.8	S96T001959
S-101	138	Sludge	6	4/19/96	9718	60	100.8	S96T001957
S-101	138	Sludge	6	4/19/96	9719	60	99.9	S96T001956
S-101	138	Sludge	7	4/23/96	9505	250	129.4	S96T002165
S-101	138	Sludge	7	4/23/96	9517	250	75.7	S96T002164
S-101	138	Sludge	7	5/5/96	9899	60	80.8	S96T002169

HNF-1641 REV. 0

Vials in 11A1 and 11A2

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
S-101	138	Sludge	7	7/10/96	9898	60	88.5	S96T002168
S-101	138	Sludge	8	4/16/96	9495	250	35.9	S96T002002
S-101	138	Sludge	8	4/16/96	9496	250	40	S96T002003
S-101	138	Sludge	8	4/25/96	9815	60	84.4	S96T002007
S-101	138	Sludge	8 UH	4/25/96	9564	60	95.8	S96T002006
S-101	138	Sludge	9	4/23/96	9504	250	68.2	S96T002174
S-101	138	Sludge	9	5/5/96	9900	60	85.6	S96T002179
S-101	138	Sludge	9	5/5/96	9901	60	77.4	S96T002178
S-101	138	Sludge	Comp	6/1/96	10259	60	41.9	S96T002799
						Total Weight	1591.9	
S-101	142	Sludge	1		9494	250	212.2	S96T002057
S-101	142	Sludge	1	4/26/96	9816	60	70.5	S96T002079
S-101	142	Sludge	2	4/29/96	9515	250	70.5	S96T002208
S-101	142	Sludge	2	4/29/96	9835	250	69.9	S96T002299
S-101	142	Sludge	2	5/8/96	9910	60	92.3	S96T002306
S-101	142	Sludge	2	5/8/96	9911	60	90.8	S96T002307
S-101	142	Sludge	3		9850	125	59.4	S96T002301
S-101	142	Sludge	3	4/29/96	9466	125	67.5	S96T002300
S-101	142	Sludge	3	5/8/96	9912	60	89	S96T002308
S-101	142	Sludge	3	5/8/96	9913	60	92.6	S96T002309
S-101	142	Sludge	4	4/19/96	9508	250	110.7	S96T002058
S-101	142	Sludge	4	4/26/96	9503	250	87.5	S96T002058
S-101	142	Sludge	4	4/26/96	9817	60	75.8	S96T002080
S-101	142	Sludge	4	4/26/96	9818	60	71	S96T002081
S-101	142	Sludge	5	4/19/96	9502	250	120	S96T002060
S-101	142	Sludge	5	4/19/96	9511	250	100.8	S96T002061
S-101	142	Sludge	5	4/26/96	9819	60	72.9	S96T002082
S-101	142	Sludge	5	4/26/96	9874	60	71	S96T002083
S-101	142	Sludge	6	4/19/96	9512	250	128.3	S96T002062
S-101	142	Sludge	6	4/19/96	9513	250	97	S96T002063
S-101	142	Sludge	6	4/26/96	9875	60	84.5	S96T002084
S-101	142	Sludge	6	4/26/96	9876	60	61.2	S96T002085
S-101	142	Sludge	7	4/19/96	9507	250	127.4	S96T002064
S-101	142	Sludge	7	4/19/96	9509	250	142.7	S96T002065

HNF-1041 REV. 0

Vials in 11A1 and 11A2

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
S-101	142	Sludge	7	4/26/96	9877	60	84.7	S96T002086
S-101	142	Sludge	7	4/26/96	9878	60	82.9	S96T002087
S-101	142	Sludge	8	4/19/96	9471	125	27.9	S96T002067
S-101	142	Sludge	8	4/19/96	9501	250	129.2	S96T002066
S-101	142	Sludge	8	4/26/96	9879	60	60.5	S96T002088
S-101	142	Sludge	8	4/26/96	9880	60	75.2	S96T002089
S-101	142	Sludge	Comp	6/1/96	10260	60	71.1	S96T002730
Total Weight							2797	

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
S-102	125	DL	7	2/27/97	8433	40	47.9	S96T000773
Total Weight							47.9	
S-102	125	FB	Fblk	2/27/96	8434	40	41.5	S96T000841
Total Weight							41.5	
S-102	125	Salt	11	1/24/96	8868	250	149.6	S96T000592
S-102	125	Salt	11	2/28/96	9277	60	92	S96T000632
S-102	125	Salt	2	2/28/96	9327	60	62.9	S96T000751
S-102	125	Salt	3	2/28/96	9328	60	94.4	S96T000752
S-102	125	Salt	4	2/28/96	9329	60	61.8	S96T000753
S-102	125	Salt	4	2/28/96	9330	60	13.9	S96T000754
S-102	125	Salt	5	2/28/96	9331	60	70.3	S96T000619
S-102	125	Salt	5	2/28/96	9332	60	22	S96T000620
S-102	125	Salt	6	1/23/96	8877	250	41.6	S96T000581
S-102	125	Salt	6	2/26/96	9271	60	19.5	S96T000621
S-102	125	Salt	6	2/26/96	9283	60	23.9	S96T000622
S-102	125	Salt	6	2/26/96	9284	60	15.2	S96T000763
S-102	125	Salt	7	2/27/96	9286	60	68.6	S96T000624
S-102	125	Salt	7	2/27/96	9287	60	13	S96T000625
S-102	125	Salt	8	2/27/96	9169	60	57.1	S96T000627
S-102	125	Salt	8	2/27/96	9260	60	80.4	S96T000626
S-102	125	Salt	Comp	3/1/96	9333	60	79.7	S96T000786
Total Weight							965.9	

Vials in 11A1 and 11A2

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
S-102	125	Sludge	10	2/28/96	9274	60	94.2	S96T000630
S-102	125	Sludge	9	2/27/96	9288	60	103.2	S96T000628
S-102	125	Sludge	Comp	2/28/96	9276	60	31.8	S96T000787
Total Weight							229.2	
S-102	130	DL	10	3/18/96	9524	60	5.2	S96T001436
S-102	130	DL	10	3/23/96	9699	60	28.5	S96T001438
S-102	130	DL	5	2/16/96	8431	40	5.9	S96T001122
S-102	130	DL	5	3/12/96	8444	40	26.5	S96T001123
S-102	130	DL	6A	3/19/96	9670	60	44.9	S96T001384
Total Weight							111	
S-102	130	LL	6A	3/14/96	8612	125	25.1	S96T001381
S-102	130	LL	6A	3/19/96	9566	60	87.1	S96T001385
Total Weight							112.2	
S-102	130	Salt	2	3/7/96	9531	60	56.9	S96T001126
S-102	130	Salt	3	3/8/96	9202	250	84.4	S96T001112
S-102	130	Salt	3	3/8/96	9532	60	77.2	S96T001133
S-102	130	Salt	4	2/20/96	9203	250	127.6	S96T001113
S-102	130	Salt	4	3/8/96	9537	60	66.1	S96T001134
S-102	130	Salt	5	2/16/96	9261	60	38.2	S96T001114
S-102	130	Salt	5B	3/12/96	9538	60	86.2	S96T001136
S-102	130	Salt	5C	3/12/96	9539	60	67.9	S96T001137
S-102	130	Salt	6	2/16/96	9262	60	48.4	S96T001117
S-102	130	Salt	6	2/16/96	9263	60	18	S96T001118
S-102	130	Salt	6A	3/19/96	9671	60	81.2	S96T001388
S-102	130	Salt	6B	3/14/96	9198	250	102.6	S96T001393
S-102	130	Salt	6B	3/14/96	9405	250	81.1	S96T001394
S-102	130	Salt	6B	3/19/96	9672	60	113.2	S96T001404
S-102	130	Salt	7	3/19/96	9674	60	43.1	S96T001392
S-102	130	Salt	8	3/19/96	9693	60	74.1	S96T001410
S-102	130	Salt	8A	3/21/96	9694	60	30.2	S96T001423
S-102	130	Salt	8A	3/21/96	9695	60	31.1	S96T001424
S-102	130	Salt	8A	3/21/96	9696	60	53	S96T001425

HNF-1641 REV. 0

Vials in 11A1 and 11A2

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
Total Weight							1280.5	
S-102	130	Sludge	10	3/18/96	9407	250	62.9	S96T001419
S-102	130	Sludge	10	3/18/96	9409	250	53.2	S96T001420
S-102	130	Sludge	11	3/18/96	9536	60	16	S96T001421
S-102	130	Sludge	9	3/18/96	9410	250	105.9	S96T001439
S-102	130	Sludge	9	3/18/96	9412	250	106.9	S96T001440
S-102	130	Sludge	Comp	4/9/96	9705	60	73	S96T001580
S-102	130	Sludge	Comp	4/10/96	9706	60	56.8	S96T001575
S-102	130	Sludge	Comp	3/18/97	12116	60	19.3	S97T000314
Total Weight							494	

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
S-104		Sludge	Comp	9/8/97	12825	250	149.6	
Total Weight							149.6	

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
S-106	183	DL	1	2/27/97	12173	250	316.2	N/A
S-106	183	DL	1	3/4/97	12220	40	46.3	S97T000278
S-106	183	DL	3	2/27/97	11821	125	33.4	S97T000279
S-106	183	DL	3	2/27/97	12174	250	304.2	N/A
S-106	183	DL	3	3/5/97	12217	40	56.8	S97T000291
S-106	183	DL	4	2/28/97	12175	250	212.1	S97T000280
S-106	183	DL	4	3/4/97	12216	40	55.9	S97T000292
S-106	183	DL	5	2/28/97	12176	250	221.6	S97T000281
S-106	183	DL	5	3/5/97	12219	40	57.5	S97T000293
S-106	183	DL	7	2/28/97	12177	250	177.5	S97T000282
S-106	183	DL	7	3/4/97	12218	40	52.7	S97T000294
Total Weight							1534.2	
S-106	183	Salt	4	2/27/97	12098	60	9.5	S97T000301
S-106	183	Salt	5	3/5/97	12099	60	18.2	S97T000302
S-106	183	Salt	7	2/28/97	12104	60	30.9	S97T000303

Vials in 11A1 and 11A2

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
S-106	183	Salt	8	3/11/97	12110	60	64.5	S97T000317
S-106	183	Salt	8	3/11/97	12112	60	23.8	S97T000327
S-106	183	Salt	9	3/11/97	12111	60	39.8	S97T000329
						Total Weight	186.7	
S-106	183	Sludge	9	3/11/97	12108	60	49	S97T000328
						Total Weight	49	
S-106	184	DL	1	3/6/97	12178	250	182.9	S97T000339
S-106	184	DL	1	3/12/97	12214	40	58.4	S97T000342
S-106	184	DL	2	3/6/97	12179	250	170.4	S97T000349
S-106	184	DL	2	3/12/97	12224	40	57.8	S97T000352
S-106	184	DL	6	4/4/97	12192	250	93.7	S97T000419
S-106	184	DL	6	4/4/97	12225	40	58.5	S97T000422
						Total Weight	621.7	
S-106	184	FB	Fblk	3/20/97	12184	250	113	S97T000403
S-106	184	FB	Fblk	4/4/97	12233	40	38.3	S97T000406
						Total Weight	151.3	
S-106	184	LL	6R	3/20/97	11877	125	112.6	
S-106	184	LL	6R	3/20/97	11879	125	16.4	S97T000431
S-106	184	LL	6RA	3/24/97	12196	250	128.7	S97T000446
S-106	184	LL	6RA	4/2/97	12234	40	42.7	S97T000448
						Total Weight	300.4	
S-106	184	Salt	2	3/12/97	12109	60	60.3	S97T000345
S-106	184	Salt	4	3/7/97	11832	125	139.5	GBR
S-106	184	Salt	4	3/12/97	12113	60	58.3	S97T000355
S-106	184	Salt	4	3/12/97	12115	60	40.3	S97T000361
S-106	184	Salt	6	3/20/97	12107	60	88.4	S97T000415
S-106	184	Salt	6	3/20/97	12303	60	42.9	S97T000409
S-106	184	Salt	6R	4/4/97	12134	60	87.8	S97T000427
S-106	184	Salt	6RA	3/24/97	12117	60	9.6	S97T000440
						Total Weight	527.1	
S-106	187	LL	1R	3/26/97	11874	125	21.8	S97T001423

17-Mar-98

Page 74 of 114

HNF-1641 REV. 0

116

Vials in 11A1 and 11A2

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
Total Weight							21.8	
S-106	187	Salt	3	3/27/97	12136	60	14.2	S97T001424
Total Weight							14.2	
Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
S-107	105	DL	1	10/2/95	7979	40	39.5	S95T002476
S-107	105	DL	2	9/20/95	7936	250	65.7	S95T002451
S-107	105	DL	2	10/4/95	7982	40	49.4	S95T002477
Total Weight							154.6	
S-107	105	Sludge	2	10/4/95	7980	40	41.2	S95T002479
S-107	105	Sludge	2	10/4/95	7981	40	29	S95T002478
S-107	105	Sludge	3	10/5/95	7983	40	65.5	S95T002537
S-107	105	Sludge	3	10/5/95	7984	40	53.2	S95T002538
S-107	105	Sludge	3	9/15/97	13156	60	15.4	S95T002506
S-107	105	Sludge	4	10/5/95	7985	40	64.5	S95T002540
S-107	105	Sludge	4	10/5/95	7986	40	65.8	S95T002539
S-107	105	Sludge	4	9/11/97	11839	125	107.1	S95T002508
S-107	105	Sludge	4	9/16/97	13162	60	76	S95T002507
S-107	105	Sludge	5		7835A	60	44.2	S95T002509
S-107	105	Sludge	5	9/22/95	7836	250	76	S95T002510
S-107	105	Sludge	5	10/5/95	7987	40	61.2	S95T002541
S-107	105	Sludge	5	10/5/95	7988	40	61.9	S95T002542
S-107	105	Sludge	6	10/5/95	7989	40	57.3	S95T002543
S-107	105	Sludge	6	10/5/95	7990	40	82.2	S95T002544
S-107	105	Sludge	7	10/5/95	7991	40	64	S95T002546
S-107	105	Sludge	7	10/5/95	7992	40	41	S95T002545
S-107	105	Sludge	8	10/5/95	7993	40	8.9	S95T002547
S-107	105	Sludge	8	10/5/95	7995	40	38.6	S95T002548
Total Weight							1053	
S-107	110	DL	1	4/12/96	9792	40	9.5	S96T002614
S-107	110	DL	2	10/6/95	7999	40	44.3	S95T002615
Total Weight							53.8	

17-Mar-98

Page 75 of 114

HNF-1641 REV. 0

117

Vials in 11A1 and 11A2

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
S-107	110	FB	Fblk	10/5/95	7997	40	39.7	S95T002627
						Total Weight	39.7	
S-107	110	Sludge	2	10/6/95	7998	40	59.4	S95T002616
S-107	110	Sludge	2	9/9/97	13530	60	74.3	S95T002586
S-107	110	Sludge	3	4/12/96	8456	40	25.9	S96T002619
S-107	110	Sludge	3	4/15/96	8452	40	39.2	S96T002620
S-107	110	Sludge	3	9/9/97	13463	60	87.6	S95T002588
S-107	110	Sludge	3	9/12/97	13471	60	102.4	S95T002590
S-107	110	Sludge	3	9/15/97	13161	60	78	S95T002587
S-107	110	Sludge	3	9/15/97	13165	60	61.7	S95T002589
S-107	110	Sludge	3A	10/6/95	8001	40	53.9	S95T002618
S-107	110	Sludge	3A	10/6/95	8002	40	50	S95T002617
S-107	110	Sludge	4	9/26/95	7947	250	48	S95T002592
S-107	110	Sludge	4	10/9/95	8006	40	66.9	S95T002621
S-107	110	Sludge	4	10/9/95	8007	40	51.8	S95T002622
S-107	110	Sludge	4	9/9/97	13520	60	104.1	S95T002591
S-107	110	Sludge	5	10/9/95	8008	40	62.6	S95T002623
S-107	110	Sludge	5	10/9/95	8011	40	72.1	S95T002624
S-107	110	Sludge	5	9/12/97	11842	125	82	S95T002613
S-107	110	Sludge	5	9/16/97	13167	60	101.2	S95T002612
S-107	110	Sludge	6	10/9/95	8009	40	60.5	S95T002691
S-107	110	Sludge	6	10/9/95	8010	40	76.7	S95T002692
S-107	110	Sludge	6	9/29/97	13450	60	107.8	S95T002679
S-107	110	Sludge	7	10/9/95	8012	40	56.4	S95T002693
S-107	110	Sludge	7	4/15/96	9793	60	132.9	S96T002694
S-107	110	Sludge	8	10/10/95	8017	40	50.4	S95T002695
S-107	110	Sludge	8	10/10/95	8018	40	58.6	S95T002696
S-107	110	Sludge	Comp	11/1/95	8509	250	65.1	S95T002917
						Total Weight	1829.5	
S-107	111	DL	1	9/29/95	7957	250	135	S95T002628
S-107	111	DL	1	10/10/95	8014	40	38.9	S95T002630
S-107	111	DL	2	10/10/95	8015	40	47.7	S95T002633
						Total Weight	221.6	

PNF-1041 REV. 0

Vials in 11A1 and 11A2

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
S-107	111	Salt	3	9/29/95	7743	125	53	S95T002641
S-107	111	Salt	3	10/10/95	8021	40	58.4	S95T002666
S-107	111	Salt	3	10/10/95	8022	40	59.2	S95T002667
S-107	111	Salt	3	7/9/96	10309	60	34.3	S96T002640
S-107	111	Salt	4	10/11/95	8019	40	72.6	S95T002668
S-107	111	Salt	4	10/11/95	8020	40	73.5	S95T002669
Total Weight							351	
S-107	111	Sludge	2	10/10/95	8016	40	65.7	S95T002636
S-107	111	Sludge	2	7/9/96	10308	60	91.4	S96T002634
S-107	111	Sludge	4	9/26/97	13439	60	82.5	S95T002642
S-107	111	Sludge	5	10/11/95	8368	60	85	S95T002670
S-107	111	Sludge	5	10/11/95	8369	60	114.5	S95T002671
S-107	111	Sludge	5	9/12/97	13465	60	77.6	S95T002645
S-107	111	Sludge	5	9/12/97	13467	60	32.6	S95T002644
S-107	111	Sludge	6	10/11/95	8366	60	106.8	S95T002672
S-107	111	Sludge	6	10/11/95	8367	60	110.4	S95T002673
S-107	111	Sludge	7	10/11/95	8370	60	123.3	S95T002674
S-107	111	Sludge	7	10/11/95	8371	60	123.7	S95T002675
S-107	111	Sludge	8	10/12/95	8374	60	33.3	S95T002676
S-107	111	Sludge	Comp	11/1/95	8505	250	98.1	S95T002918
Total Weight							1144.9	

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
S-109	158	LL	2	7/16/96	10510	60	473.7	S96T003754
S-109	158	LL	3	7/19/96	10418	125	34.3	S96T003932
S-109	158	LL	3	7/23/96	10680	60	60	S96T003934
Total Weight							568	
S-109	158	Salt	1	7/23/96	10678	60	89.6	S96T003928
S-109	158	Salt	1	7/23/96	10679	60	34.7	S96T003929
S-109	158	Salt	2	7/16/96	10514	60	156.4	S96T003733
S-109	158	Salt	2A LH	7/24/96	10674	60	12.9	S96T004016
S-109	158	Salt	2B	7/16/96	10507	60	19.4	S96T003757

HNF-1641 REV. 0

Vials in 11A1 and 11A2

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
S-109	158	Salt	2B	7/16/96	10509	60	11.3	S96T003758
S-109	158	Salt	3	7/19/96	10639	60	47.4	S96T003918
S-109	158	Salt	3	7/19/96	10640	60	26.3	S96T003919
S-109	158	Salt	3A	7/23/96	10683	60	76.5	S96T003930
S-109	158	Salt	4	7/23/96	10684	60	59.8	S96T003931
Total Weight							534.3	
S-109	160	DL	2C	7/22/96	10677	60	40.6	S96T004031
S-109	160	DL	2C	7/30/96	10778	60	18.3	S96T004032
Total Weight							58.9	
S-109	160	FB	Fblk	7/30/96	10517	250	161.1	S96T004022
S-109	160	FB	Fblk	7/30/96	10779	60	54.8	S96T004024
Total Weight							215.9	
S-109	160	LL	2A	7/16/96	9925	40	9.1	S96T003824
S-109	160	LL	2B	7/28/96	10784	60	58.5	S96T004027
S-109	160	LL	2B	7/30/96	10416	125	50.9	S96T004025
Total Weight							118.5	
S-109	160	Salt	1	7/20/96	10337	60	36.2	S96T003809
S-109	160	Salt	2	7/20/96	10641	60	49.1	S96T003813
S-109	160	Salt	2B	7/30/96	10675	60	20	S96T004029
S-109	160	Salt	2B	7/30/96	10676	60	10.6	S96T004028
Total Weight							115.9	

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
S-110	140	LL	4	4/22/96	9457	125	40.6	S96T002352
S-110	140	LL	4	7/16/96	9773	40	40.3	S96T002372
S-110	140	LL	4A	7/16/96	9774A		36.2	S96T002374
S-110	140	LL	4A		9774	40	39.2	S96T002374
Total Weight						156.3		
S-110	140	Salt	1	5/6/96	9902	60	60.9	S96T002363
S-110	140	Salt	1	5/6/96	9903	60	114.9	S96T002364
S-110	140	Salt	2	4/23/96	9516	250	110.6	S96T002210

Vials in 11A1 and 11A2

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
S-110	140	Salt	2	5/6/96	9904	60	107.6	S96T002365
S-110	140	Salt	2	5/6/96	9905	60	115.2	S96T002366
S-110	140	Salt	3	4/22/96	9506	250	104	S96T002211
S-110	140	Salt	3	4/22/96	9514	250	101.5	S96T002212
S-110	140	Salt	3	5/6/96	9906	60	115.2	S96T002367
S-110	140	Salt	3	5/6/96	9907	60	115.5	S96T002368
S-110	140	Salt	4	5/7/96	9908	60	27.3	S96T002369
S-110	140	Salt	4A	5/7/96	9909	60	46	S96T002370
S-110	140	Salt	4B	4/24/96	9809	60	64.1	S96T002371
S-110	140	Salt	4C	5/21/96	10202	60	23.2	S96T003100
S-110	140	Salt	4C	7/15/96	9776	40	45.9	S96T003108
S-110	140	Salt	4C	7/15/96	9777	40	56.8	S96T003111
Total Weight							1208.7	
S-110	Grab	GL	1	8/29/97	13236	40	59	na
S-110	Grab	GL	2	8/29/97	13237	40	60.3	na
Total Weight							119.3	

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
S-111	149	DL	1	5/28/96	10216	250	257.5	S96T003310
S-111	149	DL	1	7/15/96	9932	40	31.8	S96T003364
S-111	149	DL	2	4/28/96	10198	250	349.3	
S-111	149	DL	2	7/15/96	9933	40	17.7	S96T003366
S-111	149	DL	3	5/28/96	10214	250	339.7	
S-111	149	DL	3	7/15/96	9934	40	42.3	S96T003367
Total Weight							1038.3	
S-111	149	FB	Fblk	6/5/96	10226	250	190.8	S96T003342
S-111	149	FB	Fblk	7/15/96	9923	40	40.2	S96T003368
Total Weight							231	
S-111	149	Salt	10	6/17/96	10240	250	186.9	S96T003613
S-111	149	Salt	10	7/18/96	10636	60	89.2	S96T003618
S-111	149	Salt	11		10241	250	70.3	S96T003345
S-111	149	Salt	11	7/18/96	10637	60	85	S96T003382

Vials in 11A1 and 11A2

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
S-111	149	Salt	5	6/3/96	10220	250	38.7	S96T003322
S-111	149	Salt	5	7/19/96	10333	60	118.6	S96T003372
S-111	149	Salt	5	7/19/96	10638	60	118.5	S96T003373
S-111	149	Salt	5	5/28/97	12648	60	23.1	S97M000056
S-111	149	Salt	6	5/29/96	10217	250	104	S96T003319
S-111	149	Salt	6	5/29/96	10222	250	112.5	S96T003323
S-111	149	Salt	6	7/15/96	10546	60	106.6	S96T003374
S-111	149	Salt	6	7/15/96	10547	60	93.9	S96T003375
S-111	149	Salt	7	5/3/96	10224	250	96.8	S96T003320
S-111	149	Salt	7	6/3/96	10227	250	111.7	S96T003324
S-111	149	Salt	7	7/15/96	10548	60	87.1	S96T003376
S-111	149	Salt	7	7/15/96	10549	60	91.3	S96T003377
S-111	149	Salt	8	5/3/96	10223	250	95	S96T003321
S-111	149	Salt	8	6/3/96	10228	250	78.9	S96T003325
S-111	149	Salt	8	7/17/96	10550	60	85.6	S96T003378
S-111	149	Salt	8	7/17/96	10551	60	85.4	S96T003379
S-111	149	Salt	9		10552	60	16.8	S96T003381
S-111	149	Salt	9	6/5/96	10239	250	174.4	S96T003343
S-111	149	Salt	9	7/18/96	10635	60	107.2	S96T003380
S-111	149	Salt	Comp	9/23/96	11148	125	28.6	S96T004755
S-111	149	Salt	Comp	9/25/96	11383	60	88.7	S96T004756
						Total Weight	2294.8	
S-111	149	Sludge	4	5/29/96	10192	250	25.9	S96T003316
S-111	149	Sludge	4	7/15/96	10477	60	106.1	S96T003370
S-111	149	Sludge	4	7/15/96	10506	60	110.3	S96T003371
S-111	149	Sludge	4	5/29/97	12642	60	42	S97M000055
						Total Weight	284.3	
S-111	150	DL	1	7/18/96	9935	40	25.9	S96T004182
S-111	150	DL	3	7/18/96	10513	60	75.13	S96T004183
S-111	150	DL	3B	7/16/96	10562	20	3.4	S96T004187
						Total Weight	104.43	
S-111	150	LL	3B	8/5/96	10873	40	37.1	S96T004186

HNF-1641 REV. 0

Vials in 11A1 and 11A2

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
Total Weight							37.1	
S-111	150	Salt	1	7/18/96	10512	60	18.1	S96T004189
S-111	150	Salt	2	7/18/96	10422	125	98.3	S96T004195
S-111	150	Salt	2	7/18/96	10525	250	81.2	S96T004196
S-111	150	Salt	2	8/5/96	10843	60	86.8	S96T004190
S-111	150	Salt	2	8/5/96	10844	60	95.5	S96T004191
S-111	150	Salt	3	7/18/96	10642	60	114.4	S96T004192
S-111	150	Salt	3A	8/5/96	10859	40	34.8	S96T004185
S-111	150	Salt	3A	8/5/96	10860	40	60.4	S96T004184
S-111	150	Salt	3B	7/16/96	10586	20	7.4	S96T004193
S-111	150	Salt	3C	7/16/96	10511	60	23.8	S96T004194
S-111	150	Salt	3C	8/5/96	10861	40	35.4	S96T004188
Total Weight							656.1	

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
S-151	Grab	GL		1/30/96	9215	60	40.7	S95T003121
S-151	Grab	GL		1/30/96	9216	60	40.8	S95T003122
S-151	Grab	GL		1/30/96	9217	60	57.8	S95T003200
Total Weight							139.3	

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
SX-101	225	DL	1	12/16/97	12920	250	153.9	S97T002409
SX-101	225	DL	2	12/16/97	12921	250	96.6	S97T002419
SX-101	225	DL	2	12/22/97	13875	40	61.2	S97T002425
SX-101	225	DL	3	12/16/97	11852	125	35.8	S97T002418
SX-101	225	DL	3	12/16/97	12926	250	359.7	
SX-101	225	DL	3	12/19/97	13651	60	37.9	S97T002424
SX-101	225	DL	3A	12/18/97	12925	250	131.6	S97T002442
SX-101	225	DL	3A	12/22/97	13877	40	60.2	S97T002445
SX-101	225	DL	5	12/18/97	12927	250	210.1	S97T002471
SX-101	225	DL	5	12/22/97	13874	40	62.1	S97T002479
SX-101	225	DL	5R	12/11/97	12923	250	214.4	S97T002470

HNF-1641 REV. 0

Vials in 11A1 and 11A2

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
SX-101	225	DL	5R	12/22/97	13878	40	61.8	S97T002478
SX-101	225	DL	7A	12/30/97	12932	250	255.2	S98T000003
SX-101	225	DL	7A	2/5/98	13690	60	94.2	S98T000006
SX-101	225	DL	8	1/2/98	13654	60	47	S98T000010
Total Weight							1881.7	
SX-101	225	LL	8	12/30/97	13668	60	5.6	S98T000011
Total Weight							5.6	
SX-101	225	Salt	1	12/16/97	13640	60	28.1	S97T002404
SX-101	225	Salt	4	12/22/97	13652	60	40.4	S97T002454
SX-101	225	Salt	6	12/22/97	13662	60	75.8	S97T002482
SX-101	225	Salt	6	12/22/97	14067	125	116.1	S97T002455
SX-101	225	Salt	7	12/30/97	12924	250	20.6	S97T002493
SX-101	225	Salt	7	1/2/98	13656	60	69.3	S97T002501
SX-101	225	Salt	7B	12/29/97	13653	60	78.6	S97T002503
SX-101	225	Salt	7B	12/30/97	12930	250	7	S97T002495
SX-101	225	Salt	8	12/30/97	13669	60	15.7	S97T002496
Total Weight							451.6	
SX-101	225	Sludge	2	12/16/97	11845	125	59.1	S97T002413
SX-101	225	Sludge	2	12/19/97	13650	60	109.3	S97T002415
SX-101	225	Sludge	3A	12/18/97	13506	60	46.8	S97T002436
SX-101	225	Sludge	5	12/18/97	13667	60	72.5	S97T002449
SX-101	225	Sludge	5R	12/23/97	13655	60	51.7	S97T002448
SX-101	225	Sludge	7A	12/30/97	12931	250	47.5	S97T002494
SX-101	225	Sludge	7A	1/2/98	13657	60	89.3	S97T002502
SX-101	225	Sludge	Comp	2/9/98	13998	60	92.1	S98T000407
Total Weight							568.3	
SX-101	227	DL	5	2/2/98	14026	60	26.2	S98T000375
SX-101	227	DL	7	2/11/98	13916	40	15.5	S98T000451
Total Weight							41.7	
SX-101	227	LL	7BR	2/24/98	13888	40	41.6	S98T000560
Total Weight							41.6	
SX-101	227	Salt	5	2/2/98	12963	250	156.2	S98T000332

17-Mar-98

Page 82 of 114

HNZ-1041 REV. 0

124

Vials in 11A1 and 11A2

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
SX-101	227	Salt	5	2/6/98	14001	60	124.2	S98T000354
SX-101	227	Salt	5A	2/2/98	12957	250	82.1	S98T000333
SX-101	227	Salt	5A	2/2/98	12973	250	73.5	S98T000334
SX-101	227	Salt	5A	2/12/98	13999	60	53.1	S98T000452
SX-101	227	Salt	5A	2/12/98	14000	60	48.8	S98T000458
SX-101	227	Salt	5A	2/12/98	14006	60	80	S98T000355
SX-101	227	Salt	5A	2/12/98	14007	60	86.5	S98T000356
SX-101	227	Salt	6	2/5/98	12965	250	126.2	S98T000431
SX-101	227	Salt	6	2/5/98	12966	250	40.5	S98T000430
SX-101	227	Salt	6	2/11/98	14002	60	50.1	S98T000459
SX-101	227	Salt	6	2/11/98	14003	60	34.8	S98T000460
SX-101	227	Salt	6	2/11/98	14005	60	79.9	S98T000436
SX-101	227	Salt	6	2/11/98	14008	60	93.8	S98T000437
SX-101	227	Salt	7	2/11/98	14009	60	53	S98T000438
SX-101	227	Salt	7	2/12/98	14004	60	11	S98T000461
SX-101	227	Salt	7A	2/19/98	14030	60	37.7	S98T000557
Total Weight							1231.4	
SX-101	227	Sludge	1	2/2/98	13636	60	77.9	S98T000336
SX-101	227	Sludge	1	2/2/98	13641	60	83.6	S98T000339
SX-101	227	Sludge	2	2/2/98	13635	60	69.5	S98T000352
SX-101	227	Sludge	4	2/2/98	14023	60	47	S98T000353
Total Weight							278	

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
SX-103	Grab	GL	97-1	6/17/97	12727	60	73.9	S97T001405
SX-103	Grab	GL	97-2	6/19/97	12723	60	56.9	S97T001406
SX-103	Grab	GL	97-2	6/19/97	12724	60	40.8	S97T001407
SX-103	Grab	GL	97-3	6/18/97	12728	60	6	S97T001416
SX-103	Grab	GL	97-3	6/18/97	12729	60	96.4	S97T001410
Total Weight							274	

HNF-1641 REV. 0

Vials in 11A1 and 11A2

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
SX-104	grab	GL	97-1		4SX971	125	181.9	
SX-104	grab	GL	97-1	2/11/98	14010	60	4.8	S98T000428
SX-104	grab	GL	97-1	2/12/98	13562	125	109	S98T000429
SX-104	grab	GL	97-2	5/15/97	11833	125	136.5	S97T000867
SX-104	grab	GL	97-2	5/15/97	12335	60	23.6	S97T000866
Total Weight							455.8	

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
SX-106	223	DL	1	10/20/97	12909	250	239.5	S97T002180
SX-106	223	DL	1	10/22/97	13865	40	48.5	S97T002181
SX-106	223	DL	2	10/20/97	12996	250	134.7	S97T002187
SX-106	223	DL	2	10/22/97	11858	125	149	S97T002189
SX-106	223	DL	3	10/20/97	12910	250	221.3	S97T002197
SX-106	223	DL	3	10/22/97	13866	40	59.3	S97T002201
SX-106	223	DL	4	10/21/97	13537	250	265.6	S97T002198
SX-106	223	DL	4	10/22/97	13270	40	58.4	S97T002202
SX-106	223	DL	5	10/30/97	12894	250	184.2	S97T002214
SX-106	223	DL	5	10/31/97	13502	60	87	S97T002216
Total Weight							1447.5	
SX-106	223	Salt	1	10/20/97	13498	60	25.1	S97T002175
SX-106	223	Salt	10	11/10/97	13541	250	98.9	S97T002260
SX-106	223	Salt	2	10/20/97	11864	125	42.7	S97T002182
SX-106	223	Salt	3	10/20/97	11867	125	41.1	S97T002190
SX-106	223	Salt	4	10/21/97	13494	60	21.3	S97T002203
SX-106	223	Salt	5	10/30/97	13497	60	26.2	S97T002217
SX-106	223	Salt	8	10/30/97	11863	125	84.9	S97T002222
SX-106	223	Salt	8	10/30/97	12908	250	98	S97T002228
SX-106	223	Salt	8	10/31/97	13503	60	110.3	S97T002230
Total Weight							548.5	
SX-106	223	Sludge	10	11/12/97	13622	60	122	S97T002261
SX-106	223	Sludge	7	10/21/97	13505	60	93.8	S97T002221
SX-106	223	Sludge	7	10/30/97	12895	250	105.8	S97T002219

HNF-1641 REV. 0

Vials in 11A1 and 11A2

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
SX-106	223	Sludge	7	10/30/97	12907	250	51.7	S97T002225
SX-106	223	Sludge	7	10/31/97	13504	60	97.6	S97T002227
Total Weight							470.9	
SX-106	224	DL	1	12/5/97	12915	250	263.7	S97T002322
SX-106	224	DL	1	12/11/97	13869	40	53.4	S97T002324
SX-106	224	DL	3	12/11/97	12913	250	289.6	S97T002365
SX-106	224	DL	3	12/16/97	13870	40	54.9	S97T002365
SX-106	224	DL	5	12/11/97	12914	250	63.1	S97T002366
SX-106	224	DL	5	12/16/97	13871	40	55.1	S97T002369
Total Weight							779.8	
SX-106	224	Salt	1	12/11/97	13868	40	24.9	S97T002319
SX-106	224	Salt	11	12/17/97	13648	60	94.9	S97T002396
SX-106	224	Salt	11	12/18/97	13649	60	100.9	S97T002401
SX-106	224	Salt	11 U/H	12/16/97	12918	250	192.6	S97T002399
SX-106	224	Salt	3	12/11/97	13637	60	21.3	S97T002331
SX-106	224	Salt	5	12/11/97	12916	250	155.9	S97T002336
SX-106	224	Salt	5	12/16/97	13639	60	86.6	S97T002342
SX-106	224	Salt	6	12/11/97	12912	250	36.9	S97T002338
SX-106	224	Salt	6	12/11/97	12919	250	33.6	S97T002339
SX-106	224	Salt	6	12/17/97	13642	60	104.6	S97T002343
SX-106	224	Salt	6	12/17/97	13643	60	113.9	S97T002344
SX-106	224	Salt	8	12/11/97	12922	250	112.6	S97T002340
SX-106	224	Salt	8	12/17/97	13644	60	100.5	S97T002345
SX-106	224	Salt	8	12/17/97	13645	60	49.8	S97T002346
SX-106	224	Salt	9	12/16/97	13539	250	43.6	S97T002384
SX-106	224	Salt	9	12/17/97	13646	60	95.2	S97T002386
SX-106	224	Salt	9	12/17/97	13647	60	109.4	S97T002391
Total Weight							1477.2	

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
SX-108	R16	Sludge	Aug-43	10/2/95	7978	40	55.4	S95T002575
SX-108	R16	Sludge	Aug-43	10/2/95	8115	20	3.5	S95T002577

17-Mar-98

Page 85 of 114

HNF-1641 REV. 0

127

Vials in 11A1 and 11A2

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
SX-108	R16	Sludge	Aug-43	10/2/95	8116	20	7.6	S95T002567
						Total Weight	66.5	

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
SX-113	R6	Sludge	Aug-29	5/12/95	6791	125	8.3	
SX-113	R6	Sludge	Aug-29	5/12/95	7177	40	21.6	
SX-113	R6	Sludge	Aug-29	5/12/95	7178	40	31.7	
						Total Weight	61.6	
SX-113	R7	Sludge	Aug-28	5/12/95	7174	40	33	
SX-113	R7	Sludge	Aug-28	5/12/95	7176	40	25.5	
						Total Weight	58.5	

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
SY-102	211	DL	11	8/14/97	12821	250	165.3	S97T001971
SY-102	211	DL	11	8/15/97	13222	40	45	S97T001974
SY-102	211	DL	11R	8/4/97	12720	250	94.5	S97T001916
SY-102	211	DL	11R	8/11/97	13221	40	38.6	S97T001920
						Total Weight	343.4	
SY-102	211	LL	11	8/14/97	13073	60	15.6	
						Total Weight	15.6	
SY-102	211	Sludge	11R	8/11/97	13081	60	28.5	S97T001914
SY-102	211	Sludge	11R	8/11/97	13082	60	65.6	S97T001915
SY-102	211	Sludge	12	8/4/97	11911	125	41.2	S97T001927
SY-102	211	Sludge	12	8/11/97	13083	60	95.8	S97T001926
SY-102	211	Sludge	12	8/11/97	13084	60	104	S97T001931
						Total Weight	335.1	
SY-102	213	DL	12R	8/14/97	12822	250	184	S97T001976
SY-102	213	DL	12R	8/15/97	13223	40	46.1	S97T001980
						Total Weight	230.1	
SY-102	213	LL	13	8/14/97	13074	60	35.7	

HMF-1641 REV. 0

Vials in 11A1 and 11A2

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
						Total Weight	35.7	
SY-102	213	Sludge	13	8/14/97	12823	250	20.6	S97T001981
SY-102	213	Sludge	13	8/14/97	12906	250	45.4	S97T001982
SY-102	213	Sludge	13	8/14/97	13079	60	93.4	S97T001986
SY-102	213	Sludge	13	8/14/97	13080	60	109.6	S97T001984
						Total Weight	269	
SY-102	Grab	GL		1/30/96	9213	60	44.2	S95T003132
SY-102	Grab	GL		1/30/96	9214	60	53.8	S95T003133
SY-102	Grab	GL	1	9/5/97	13254	40	46.3	S96T000012
SY-102	Grab	GL	2	9/5/97	13255	40	46.2	S95T000011
SY-102	Grab	GL	96-3		2SY96-3	40	32.8	
						Total Weight	223.3	

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
SY-103	62	DL	15	9/26/94	6120	250	141.8	S94T000103
SY-103	62	DL	2	8/24/94	6013	250	131.3	S94T000014
SY-103	62	DL	3	8/26/94	6039	250	181.3	S94T000024
SY-103	62	DL	4	8/26/94	6020	250	143.2	S94T000031
SY-103	62	DL	5	9/12/94	6040	250	191.8	S94T000039
SY-103	62	DL	6	9/16/94	6042	250	121.8	S94T000080
SY-103	62	DL	7	9/16/94	6111	250	182.6	S94T000081
SY-103	62	DL	8	9/19/94	6112	250	351.5	S94T000082
						Total Weight	1445.3	
SY-103	62	Salt	11	9/21/94	6049	40	19.4	S94T000129
SY-103	62	Salt	12	9/22/94	6074	40	29.3	S94T000130
SY-103	62	Salt	13	9/23/94	6072	40	26	S94T000136
SY-103	62	Salt	5	11/11/94	7029	40	7.6	
SY-103	62	Salt	6	11/11/94	7035	40	3.5	
SY-103	62	Salt	Comp	2/9/96	8415	40	10.6	S96T000595
SY-103	62	Salt	Comp	2/9/96	8424	40	15.1	S96T000596
						Total Weight	111.5	
SY-103	62	Sludge	10	9/20/94	6047	40	22.8	S94T000133

17-Mar-98

Page 87 of 114

HNF-1641 REV.0

Vials in 11A1 and 11A2

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
SY-103	62	Sludge	10	9/20/94	6050	40	23.6	S94T000128
SY-103	62	Sludge	11	9/21/94	6048	40	20.4	S94T000134
SY-103	62	Sludge	12	9/22/94	6073	40	17.9	S94T000135
SY-103	62	Sludge	13	9/23/94	6075	40	24.6	S94T000131
SY-103	62	Sludge	14	9/23/94	6076	40	24.3	S94T000132
SY-103	62	Sludge	14	9/23/94	6077	40	18.7	S94T000137
SY-103	62	Sludge	15	9/26/94	6169	40	4.6	S94T000102
SY-103	62	Sludge	9	9/8/97	12824	250	310.9	S94T000077
SY-103	62	Sludge	Comp	9/26/97	13456	60	25.9	S94T000271
Total Weight							493.7	

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
T-104	45	Sludge	5	1/9/95	K130	40	21.7	
T-104	45	Sludge	7	1/9/95	K132	40	18.2	
T-104	45	Sludge	8	1/9/95	K133	40	10.6	
T-104	45	Sludge	9	1/9/95	K134	40	15.2	
T-104	45	Sludge	Comp	9/3/97	13518	60	68	
Total Weight							133.7	

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
T-105	205	DL	1	7/2/97	12897	250	177.9	S97T001674
T-105	205	DL	1	7/11/97	12251	40	47.6	S97T001677
Total Weight							225.5	
T-105	205	LL	2	7/14/97	12252	40	30.6	S97T001683
Total Weight							30.6	
T-105	205	Sludge	2	7/2/97	13046	60	27	S97T001684
T-105	205	Sludge	2	7/2/97	13057	60	22.3	S97T001714
Total Weight							49.3	
T-105	207	DL	1	7/8/97	12902	250	79.7	S97T001690
T-105	207	DL	1	7/11/97	13220	40	47	S97T001693
Total Weight							126.7	

Vials in 11A1 and 11A2

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
T-105	207	Sludge	1	7/11/97	13054	60	42.8	S97T001701
T-105	207	Sludge	2	7/8/97	12599	250	33.1	S97T001708
T-105	207	Sludge	2	7/8/97	12903	250	34.2	S97T001702
T-105	207	Sludge	2	7/14/97	13055	60	92.8	S97T001707
T-105	207	Sludge	2	7/14/97	13056	60	106	S97T001710
Total Weight							308.9	

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
T-106		Sludge	Aug-39	8/1/95	7453	40	12.9	S95T001462
Total Weight							12.9	
T-106	R5	Sludge	Aug-38	8/1/95	7430	40	29	S95T001345
Total Weight							29	

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
T-107		Sludge	Comp	9/22/97	13276	40	9.2	
Total Weight							9.2	

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
T-108	R2	Salt	Aug-37	7/27/95	7429	40	18.6	S95T001334
Total Weight							18.6	
T-108	R5	Salt	Aug-35	8/1/95	7428	40	27.4	S95T001335
Total Weight							27.4	

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
T-109		Salt	Aug-40	9/7/95	7659	40	18.8	S95T001604
T-109		Salt	Aug-40	9/26/97	13452	60	19.9	S95T001599
T-109		Salt	Aug-41	8/25/95	7467	40	34.7	S95T001625
Total Weight							73.4	
T-109		Sludge	Aug-41	9/7/95	7660	40	21	

Vials in 11A1 and 11A2

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
T-109		Sludge	Aug-41	9/26/97	11868	125	79.7	S95T001793
						Total Weight	100.7	
T-109	103	Salt	Aug-41	8/25/95	7462	40	39.6	S95T001622
						Total Weight	39.6	

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
T-110	180	Sludge	1	2/18/97	12159	250	46.1	S97T000206
T-110	180	Sludge	1	2/18/97	12160	250	63.5	S97T000216
T-110	180	Sludge	1	2/26/97	12096	60	53.7	S97T000223
T-110	180	Sludge	1	2/26/97	12097	60	64.8	S97T000215
T-110	180	Sludge	2	2/26/97	12169	250	38.5	S97T000249
T-110	180	Sludge	2	2/26/97	12170	250	60.9	S97T000250
T-110	180	Sludge	2	3/5/97	11723	60	64.2	S97T000255
T-110	180	Sludge	2	3/5/97	12617	60	66.8	S97T000256
T-110	180	Sludge	3	2/18/97	12161	250	61.9	S97T000208
T-110	180	Sludge	3	2/18/97	12162	250	67.3	S97T000209
T-110	180	Sludge	3	2/27/97	11722	60	65.4	S97T000225
T-110	180	Sludge	3	2/27/97	12100	60	59.1	S97T000224
T-110	180	Sludge	4	2/18/97	12163	250	220	S97T000210
T-110	180	Sludge	4	2/18/97	12164	250	38.8	S97T000211
T-110	180	Sludge	4	2/27/97	11724	60	62.5	S97T000227
T-110	180	Sludge	4	2/27/97	11725	60	62.3	S97T000226
T-110	180	Sludge	6	2/18/97	12165	250	56.1	S97T000212
T-110	180	Sludge	6	2/18/97	12166	250	91.4	S97T000213
T-110	180	Sludge	6	2/26/97	11726	60	50.7	S97T000229
T-110	180	Sludge	6	2/26/97	11727	60	51.6	S97T000228
T-110	180	Sludge	7	2/26/97	12168	250	72.8	S97T000252
T-110	180	Sludge	7	3/6/97	12618	60	58.6	S97T000257
T-110	180	Sludge	7	3/6/97	12619	60	65.2	S97T000258
T-110	180	Sludge	8	2/27/97	12172	250	108.7	S97T000254
T-110	180	Sludge	8	3/6/97	12620	60	57.7	S97T000259
T-110	180	Sludge	8	3/6/97	12621	60	69.7	S97T000260

Vials in 11A1 and 11A2

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
						Total Weight	1778.3	
T-110	181	FB	Fblk	2/7/97	12151	250	166.4	S97T000116
T-110	181	FB	Fblk	2/11/97	12211	40	38.2	S97T000122
						Total Weight	204.6	
T-110	181	Sludge	1	2/7/97	11930	250	60.5	S97T000127
T-110	181	Sludge	1	2/11/97	12079	60	72.5	S97T000126
T-110	181	Sludge	1	2/11/97	12081	60	67.8	S97T000134
T-110	181	Sludge	2	2/6/97	11929	250	18.6	S97T000128
T-110	181	Sludge	2	2/6/97	11939	250	23	S97T000129
T-110	181	Sludge	2	2/11/97	12077	60	48.3	S97T000136
T-110	181	Sludge	2	2/11/97	12083	60	72.1	S97T000135
T-110	181	Sludge	3	2/7/97	12149	250	209	S97T000130
T-110	181	Sludge	3	2/7/97	12150	250	60.4	S97T000131
T-110	181	Sludge	3	2/13/97	12089	60	62.4	S97T000137
T-110	181	Sludge	3	2/13/97	12090	60	71.3	S97T000138
T-110	181	Sludge	4	2/6/97	11941	250	60.5	S97T000133
T-110	181	Sludge	4	2/13/97	12091	60	43.8	S97T000139
T-110	181	Sludge	4	2/13/97	12092	60	30.6	S97T000140
T-110	181	Sludge	5	2/13/97	12153	250	43	S97T000165
T-110	181	Sludge	5	2/13/97	12154	250	70.9	S97T000166
T-110	181	Sludge	5	3/7/97	12105	60	57.6	S97T000171
T-110	181	Sludge	5	3/7/97	12106	60	51.8	S97T000167
T-110	181	Sludge	6	2/13/97	12155	250	44.8	S97T000172
T-110	181	Sludge	6	2/13/97	12156	250	78.1	S97T000173
T-110	181	Sludge	6	3/7/97	11815	60	72.7	S97T000177
T-110	181	Sludge	6	3/7/97	11816	60	48.3	S97T000176
T-110	181	Sludge	7	2/11/97	11933	250	61.9	S97T000157
T-110	181	Sludge	7	2/13/97	12088	60	66.7	S97T000160
T-110	181	Sludge	7	2/13/97	12093	60	73.1	S97T000161
T-110	181	Sludge	7	2/13/97	12152	250	23.5	S97T000156
T-110	181	Sludge	8	2/18/97	12157	250	79.9	S97T000190
T-110	181	Sludge	8	2/18/97	12158	250	84.5	S97T000191
T-110	181	Sludge	8	2/27/97	12094	60	57.8	S97T000194

Vials in 11A1 and 11A2

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
T-110	181	Sludge	8	2/27/97	12095	60	57.4	S97T000195
						Total Weight	1872.8	

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
T-112	185	DL	1	3/11/97	12193	250	253.6	
T-112	185	DL	1	3/12/97	12215	40	46.1	S97T000375
T-112	185	DL	2	3/11/97	11872	125	19.7	S97T000366
T-112	185	DL	2	3/12/97	12221	40	44.3	S97T000378
						Total Weight	363.7	
T-112	185	FB	Fblk	3/12/97	12180	250	159.2	S97T000367
T-112	185	FB	Fblk	3/12/97	12222	40	41	S97T000379
						Total Weight	200.2	
T-112	185	Sludge	2	3/11/97	11873	125	12.3	S97T000372
T-112	185	Sludge	2	3/12/97	12114	60	54.1	S97T000373
T-112	185	Sludge	2	3/12/97	12119	60	74.4	S97T000372
						Total Weight	140.8	
T-112	186	Sludge	2	3/31/97	12182	250	26.2	S97T000433
T-112	186	Sludge	2	3/31/97	12183	250	38	S97T000434
T-112	186	Sludge	2	4/4/97	12304	60	58	S97T000449
T-112	186	Sludge	2	4/4/97	12625	60	77.2	S97T000450
						Total Weight	199.4	

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
T-201	192	DL	1	5/6/97	12278	250	163.5	S97T000825
T-201	192	DL	1	5/20/97	12232	40	42.7	S97T000838
T-201	192	DL	2	5/20/97	12235	40	42.1	S97T000839
T-201	192	DL	3	5/20/97	12236	40	45.6	S97T000840
T-201	192	DL	4	5/20/97	12237	40	43.2	S97T000841
T-201	192	DL	5	5/20/97	12238	40	40.7	S97T000842
T-201	192	DL	Comp	6/24/97	12740	60	36.5	S97T001254
						Total Weight	414.3	

Vials in 11A1 and 11A2

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
T-201	192	FB	Fblk	5/6/97	12273	250	153.2	S97T000822
T-201	192	FB	Fblk	5/20/97	12223	40	42.2	S97T000824
						Total Weight	195.4	
T-201	192	Sludge	6	5/8/97	12603	250	45	S97T000894
T-201	192	Sludge	6	5/8/97	12605	250	38.2	S97T000897
T-201	192	Sludge	6	5/20/97	12336	60	72.6	S97T000898
T-201	192	Sludge	6	5/20/97	12337	60	72.9	S97T000904
T-201	192	Sludge	7	5/8/97	12608	250	58.5	S97T000902
T-201	192	Sludge	7	5/8/97	12615	250	28.8	S97T000895
T-201	192	Sludge	7	5/20/97	12339	60	89.6	S97T000906
T-201	192	Sludge	7	5/21/97	12338	60	65	S97T000905
T-201	192	Sludge	8	5/8/97	12601	250	16.6	S97T000896
T-201	192	Sludge	8	5/8/97	12606	250	67.1	S97T000903
T-201	192	Sludge	8	5/21/97	12340	60	78.4	S97T000907
T-201	192	Sludge	8	5/21/97	12341	60	83.7	S97T000908
T-201	192	Sludge	Comp	6/23/97	12665	125	9.2	S97T001245
T-201	192	Sludge	Comp	6/23/97	12739	60	29.7	S97T001247
						Total Weight	755.3	

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
T-202	191	FB	Fblk	5/1/97	12274	250	120.3	S97T000785
T-202	191	FB	Fblk	5/12/97	12230	40	40.3	S97T000801
						Total Weight	160.6	
T-202	191	Sludge	1	5/1/97	12276	250	10.7	S97T000786
T-202	191	Sludge	1	5/12/97	12331	60	78.9	S97T000812
T-202	191	Sludge	1	6/11/97	12332	60	65.9	S97T000813
T-202	191	Sludge	2	5/2/97	12359	125	32.8	S97T000792
T-202	191	Sludge	2	5/12/97	12333	60	76.8	S97T000814
T-202	191	Sludge	2	5/12/97	12334	60	73.7	S97T000815
T-202	191	Sludge	3	5/1/97	12275	250	9.6	S97T000788
T-202	191	Sludge	3	5/12/97	12635	60	82.9	S97T000816
T-202	191	Sludge	3	5/12/97	12636	60	8.3	S97T000817

HNF-1641 REV. 0

Vials in 11A1 and 11A2

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
T-202	191	Sludge	4	5/2/97	12270	250	21.6	S97T000789
T-202	191	Sludge	4	5/2/97	12277	250	10.9	S97T000794
T-202	191	Sludge	4	5/13/97	12637	60	76.5	S97T000818
T-202	191	Sludge	4	5/13/97	12638	60	77.9	S97T000819
T-202	191	Sludge	5	5/2/97	12271	250	105	S97T000790
T-202	191	Sludge	5	5/13/97	12634	60	80.1	S97T000820
T-202	191	Sludge	5	5/13/97	12639	60	46.8	S97T000821
T-202	191	Sludge	Comp	6/19/97	12743	60	56.6	S97T001126
Total Weight							915	

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
T-203	190	DL	1R	4/28/97	12623	60	1.2	S97T000730
T-203	190	DL	1R	5/5/97	12229	40	18.7	S97T000734
Total Weight							19.9	
T-203	190	FB	Fblk	4/23/97	12550	250	57.7	S97T000729
T-203	190	FB	Fblk	5/8/97	11955	40	38.9	S97T000732
Total Weight							96.6	
T-203	190	Sludge	1	4/23/97	12207	250	32	S97T000657
T-203	190	Sludge	1	4/23/97	12208	250	56	S97T000656
T-203	190	Sludge	1	4/30/97	12316	60	83	S97T000672
T-203	190	Sludge	1	4/30/97	12317	60	75.7	S97T000673
T-203	190	Sludge	1R	4/28/97	12265	250	21	S97T000699
T-203	190	Sludge	1R	4/28/97	12352	125	7.2	S97T000693
T-203	190	Sludge	1R	5/6/97	12325	60	70.1	S97T000717
T-203	190	Sludge	1R	5/6/97	12326	60	62.2	S97T000723
T-203	190	Sludge	2	4/23/97	12255	250	47.4	S97T000661
T-203	190	Sludge	2	4/23/97	12548	250	24.7	S97T000658
T-203	190	Sludge	2	4/30/97	12318	60	73.3	S97T000674
T-203	190	Sludge	2	4/30/97	12319	60	78.3	S97T000677
T-203	190	Sludge	3	4/28/97	12257	250	19.5	S97T000694
T-203	190	Sludge	3	5/7/97	12628	60	57.4	S97T000724
T-203	190	Sludge	3	5/7/97	12629	60	75.7	S97T000718

Vials in 11A1 and 11A2

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
T-203	190	Sludge	4	4/23/97	12256	250	65.6	S97T000659
T-203	190	Sludge	4	4/30/97	12320	60	79.6	S97T000675
T-203	190	Sludge	4	4/30/97	12321	60	77.2	S97T000678
T-203	190	Sludge	5	4/23/97	12269	250	36.5	S97T000663
T-203	190	Sludge	5	5/7/97	12322	60	80.8	S97T000676
T-203	190	Sludge	5	5/7/97	12323	60	70.8	S97T000679
T-203	190	Sludge	6	4/28/97	12264	250	69.2	S97T000695
T-203	190	Sludge	6	5/7/97	11889	125	32.9	S97T000701
T-203	190	Sludge	6	5/7/97	12630	60	64.7	S97T000719
T-203	190	Sludge	6	5/7/97	12631	60	63.8	S97T000725
T-203	190	Sludge	7	4/29/97	12260	250	75.2	S97T000696
T-203	190	Sludge	7	4/29/97	12261	250	21.3	S97T000702
T-203	190	Sludge	7	5/8/97	12327	60	72	S97T000720
T-203	190	Sludge	7	5/8/97	12330	60	72.8	S97T000726
T-203	190	Sludge	8	4/29/97	12259	250	50.3	S97T000703
T-203	190	Sludge	8	4/29/97	12262	250	53.9	S97T000697
T-203	190	Sludge	8	5/9/97	12632	60	78.6	S97T000727
T-203	190	Sludge	8	5/9/97	12633	60	83.4	S97T000721
T-203	190	Sludge	9	4/29/97	12258	250	54.2	S97T000698
T-203	190	Sludge	9	4/30/97	12263	250	28.6	S97T000704
T-203	190	Sludge	9	5/8/97	12328	60	71.6	S97T000722
T-203	190	Sludge	9	5/8/97	12329	60	78.3	S97T000728
T-203	190	Sludge	Comp	6/17/97	12377	125	13.9	S97T001012
T-203	190	Sludge	Comp	6/17/97	12722	60	48.8	S97T001014
Total Weight							2227.5	

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
T-204	0	Sludge	4	4/22/97	12121	60	79.1	S97T000581
Total Weight							79.1	
T-204	188	FB	Fblk	4/21/97	12546	250	189.2	S97T000645
T-204	188	FB	Fblk	4/24/97	12228	40	41.8	S97T000646
Total Weight							231	

HNF-1641 REV. 0

Vials in 11A1 and 11A2

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
T-204	188	Sludge	1	4/9/97	12189	250	47.4	S97T000495
T-204	188	Sludge	1	4/9/97	12197	250	23.1	S97T000494
T-204	188	Sludge	1	4/21/97	12145	60	81.6	S97T000497
T-204	188	Sludge	1	4/21/97	12148	60	80.4	S97T000496
T-204	188	Sludge	10	4/21/97	12549	250	91	S97T000632
T-204	188	Sludge	10	4/21/97	12551	250	30.5	S97T000614
T-204	188	Sludge	10	4/29/97	12314	60	55.2	S97T000620
T-204	188	Sludge	10	4/29/97	12315	60	73.1	S97T000644
T-204	188	Sludge	2	4/22/97	12118	60	41.2	S97T000577
T-204	188	Sludge	3	4/16/97	12535	250	76.1	S97T000571
T-204	188	Sludge	3	4/22/97	12120	60	84.1	S97T000578
T-204	188	Sludge	4	4/16/97	12532	250	213.3	S97T000572
T-204	188	Sludge	4	4/16/97	12537	250	63.8	S97T000573
T-204	188	Sludge	4	4/22/97	12122	60	75.1	S97T000579
T-204	188	Sludge	5	4/18/97	12533	250	67.3	S97T000627
T-204	188	Sludge	5	4/18/97	12536	250	52.1	S97T000609
T-204	188	Sludge	5	4/24/97	12123	60	78.4	S97T000615
T-204	188	Sludge	5	4/24/97	12124	60	76.2	S97T000639
T-204	188	Sludge	6	4/18/97	12538	250	46.7	S97T000610
T-204	188	Sludge	6	4/18/97	12539	250	70.1	S97T000628
T-204	188	Sludge	6	4/24/97	12306	60	70.3	S97T000616
T-204	188	Sludge	6	4/24/97	12307	60	84.9	S97T000640
T-204	188	Sludge	7	4/18/97	12540	250	47.6	S97T000611
T-204	188	Sludge	7	4/18/97	12544	250	73.9	S97T000629
T-204	188	Sludge	7	4/28/97	12308	60	76.7	S97T000617
T-204	188	Sludge	7	4/28/97	12309	60	74.3	S97T000641
T-204	188	Sludge	8	4/18/97	12542	250	48.8	S97T000612
T-204	188	Sludge	8	4/18/97	12543	250	48.4	S97T000630
T-204	188	Sludge	8	4/29/97	12310	60	78.2	S97T000642
T-204	188	Sludge	8	4/29/97	12311	60	78.7	S97T000618
T-204	188	Sludge	9	4/21/97	12541	250	45.1	S97T000613
T-204	188	Sludge	9	4/21/97	12545	250	76	S97T000631
T-204	188	Sludge	9	4/29/97	12312	60	54.3	S97T000619
T-204	188	Sludge	9	4/29/97	12313	60	58.9	S97T000643

Vials in 11A1 and 11A2

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
T-204	188	Sludge	Comp	6/12/97	11835	125	28.1	S97T001191
T-204	188	Sludge	Comp	6/12/97	12693	60	42.5	S97T001201
Total Weight							2413.4	

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
Tk-101		DL	Comp	12/31/97	12945	250	228.1	S97S000234
Tk-101		DL	Comp	12/31/97	12946	250	223.9	S97S000234
Total Weight							452	

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
TX-107	R9A	Sludge	Aug-1	1/24/96	9166	60	13.9	S96T000395
Total Weight							13.9	

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
TX-244	Grab	GL		1/30/96	9219	60	55.7	S96T000275
TX-244	Grab	GL		1/30/96	9220	60	73.9	S96T000275
TX-244	Grab	GL		2/2/96	9351	20	14.8	S95T003767
TX-244	Grab	GL	97-1	9/11/97	13262	40	44.6	S97T001211
TX-244	Grab	GL	97-2	9/11/97	13263	40	44.7	S97T001212
TX-244	Grab	GL	97-3	9/11/97	13264	40	44.7	S97T001213
Total Weight							278.4	

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
TY-104	R	Sludge	Aug-9	4/28/95	7159	40	19.1	S95T000317
Total Weight							19.1	
TY-104	R15	Sludge	Aug-9	3/15/95	6424	40	18.7	S95T000234
TY-104	R15	Sludge	Aug-9	3/3/95	6479	125	42	
TY-104	R15	Sludge	Aug-9	3/3/95	6560	125	13.4	
Total Weight							74.1	

HMF-1641 REV.0

Vials in 11A1 and 11A2

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
TY-106	R6	Sludge	Aug-11	3/20/95	6430	40	40.33	S95T000297
TY-106	R6	Sludge	Auger	3/8/95	6480	125	14.1	
						Total Weight	54.43	
TY-106	R7	Sludge	Aug-10	3/20/95	6429	40	51.61	
						Total Weight	51.61	

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
U-101	Grab	GL	1	9/2/97	13241	40	47.2	S96T003477
U-101	Grab	GL	2		U101-2	125	137	
U-101	Grab	GL	2	9/2/97	13240	40	47.6	S96T003478
U-101	Grab	GL	3	9/2/97	13242	40	47.6	S96T003479
U-101	Grab	GL	4	9/2/97	13243	40	47.1	S96T003480
						Total Weight	326.5	

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
U-102	143	DL	1	5/4/96	8455	40	32.7	S96T002324
						Total Weight	32.7	
U-102	143	LL	5	4/29/96	9851	125	109.4	
						Total Weight	109.4	
U-102	143	Salt	5	5/28/96	10209	60	46	S96T002502
U-102	143	Salt	5	9/17/97	13476	60	35.4	S96T002664
U-102	143	Salt	5A	5/28/96	10206	60	118.1	S96T002503
U-102	143	Salt	5B	5/28/96	10204	60	83	S96T002669
U-102	143	Salt	5B	5/28/96	10205	60	97.4	S96T002670
U-102	143	Salt	6	5/13/96	10043	250	107.2	S96T002754
U-102	143	Salt	6	5/29/96	10230	60	114.6	S96T002756
U-102	143	Salt	Comp	7/22/96	10672	60	52.3	S96T003679
						Total Weight	654	
U-102	143	Sludge	1	4/24/96	9843	250	55	S96T002325
U-102	143	Sludge	1	5/4/96	9890	60	77	S96T002327
U-102	143	Sludge	1	5/4/96	9891	60	13.6	S96T002329

17-Mar-98

Page 98 of 114

MNF-1041 REV. 0

Vials in 11A1 and 11A2

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
U-102	143	Sludge	2	5/4/96	9892	60	49.8	S96T002333
U-102	143	Sludge	3	5/4/96	9894	60	74.1	S96T002339
U-102	143	Sludge	3	5/4/96	9895	60	78.8	S96T002342
U-102	143	Sludge	4	4/24/96	9840	250	98.3	S96T002343
U-102	143	Sludge	4	4/24/96	9841	250	84	S96T002346
U-102	143	Sludge	4	5/4/96	9896	60	68	S96T002345
U-102	143	Sludge	4	7/10/96	9897	60	79.9	S96T002348
Total Weight							678.5	
U-102	144	DL	1	5/6/96	10013	250	216.7	S96T002548
U-102	144	DL	1	5/30/96	10231	60	41.1	S96T002550
Total Weight							257.8	
U-102	144	FB	Fblk	5/13/96	10050	250	115.2	S96T002760
U-102	144	FB	Fblk	5/30/96	9918	40	40.4	S96T002761
Total Weight							155.6	
U-102	144	Salt	1	5/30/96	10232	60	39	S96T002637
U-102	144	Salt	2	5/6/96	10024	125	47	S96T002552
U-102	144	Salt	2	5/30/96	10233	60	100.1	S96T002638
U-102	144	Salt	2	5/30/96	10235	60	109.7	S96T002639
U-102	144	Salt	3	5/30/96	10236	60	104.9	S96T002640
U-102	144	Salt	3	5/30/96	10238	60	84.6	S96T002641
U-102	144	Salt	4	5/13/96	10035	250	74.3	S96T002782
U-102	144	Salt	4	5/13/96	10039	250	86.2	S96T002781
U-102	144	Salt	4	5/30/96	10253	60	99.8	S96T002787
U-102	144	Salt	4	5/30/96	10254	60	99.1	S96T002788
U-102	144	Salt	5	5/13/96	10089	250	79.8	S96T002784
U-102	144	Salt	5	5/30/96	10255	60	100	S96T002789
U-102	144	Salt	5	5/30/96	10256	60	98.7	S96T002790
U-102	144	Salt	6	5/30/96	10257	60	61.1	S96T002791
U-102	144	Salt	6	5/30/96	10258	60	102.7	S96T002792
U-102	144	Salt	6A	5/14/96	9917	60	15.8	S96T002845
U-102	144	Salt	Comp	7/23/96	10673	60	73.4	S96T003674
Total Weight							1376.2	

HNF-1641 REV. 0

Vials in 11A1 and 11A2

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
U-103	175	DL	1	11/8/96	11772	60	84.3	S96T005799
						Total Weight	84.3	
U-103	175	LL	2	10/30/96	11627	60	56.9	S97T005804
U-103	175	LL	2A	11/8/96	11773	60	63.1	S96T005805
U-103	175	LL	2B	11/8/96	11774	60	48.5	S96T005806
						Total Weight	168.5	
U-103	175	Salt	1	10/29/96	11699	125	60.4	S96T005794
U-103	175	Salt	2	10/30/96	11540	250	176	S96T005795
U-103	175	Salt	2A	10/30/96	11633	60	32.1	S96T005796
U-103	175	Salt	2R	1/29/97	11637	60	76.8	S97T000082
						Total Weight	345.3	
U-103	176	DL	1	1/29/97	11935	250	141.1	S97T000049
U-103	176	DL	1	1/31/97	12080	60	96.3	S97T000078
U-103	176	DL	3	1/31/97	12082	60	96.4	S97T000079
						Total Weight	333.8	
U-103	176	FB	Fblk	1/29/97	11932	250	162.2	S97T000048
U-103	176	FB	Fblk	1/31/97	12078	60	60.5	S97T000080
						Total Weight	222.7	
U-103	176	Salt	1	1/29/97	11814	60	36.7	S97T000072
U-103	176	Salt	3	1/29/97	12103	60	34.5	S97T000073
U-103	176	Salt	4	1/29/97	11898	125	46.3	S97T000053
U-103	176	Salt	4	1/31/97	12084	60	99.9	S97T000074
U-103	176	Salt	4	1/31/97	12085	60	108.3	S97T000075
						Total Weight	325.7	
U-103	176	Sludge	5 Rgs	2/10/97	11819	60	121.9	S97T000115
U-103	176	Sludge	6	1/29/97	11938	250	57.6	S97T000055
U-103	176	Sludge	6	1/31/97	12086	60	109.4	S97T000076
U-103	176	Sludge	6	1/31/97	12087	60	106.3	S97T000077
U-103	176	Sludge	7 Rgs	2/25/97	12213	40	62.1	S97T000238
U-103	176	Sludge	8 Rgs	2/25/97	12212	40	65	S97T000239
U-103	176	Sludge	9	11/5/97	13501	60	47	S97T000041

HNF-1641 REV. 0

Vials in 11A1 and 11A2

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
Total Weight							569.3	
U-103	182	DL	8	4/16/97	12188	250	256.9	S97T000539
U-103	182	DL	8	4/16/97	12227	40	57.6	S97T000541
U-103	182	DL	9	4/14/97	12187	250	99.7	S97T000540
U-103	182	DL	9	4/16/97	12226	40	57.7	S97T000542
Total Weight							471.9	
U-103	182	Salt	10	4/16/97	12146	60	105.5	S97T000544
U-103	182	Salt	10	4/16/97	12147	60	95.6	S97T000554
U-103	182	Salt	2	4/8/97	11884	125	34.3	S97T000479
U-103	182	Salt	2	4/8/97	11885	125	50.8	S97T000476
U-103	182	Salt	3	4/8/97	12194	250	57.7	S97T000467
U-103	182	Salt	3	4/14/97	12140	60	108.2	S97T000477
U-103	182	Salt	3	4/15/97	12144	60	54.4	S97T000480
U-103	182	Salt	5	4/15/97	12137	60	77.7	S97T000513
U-103	182	Salt	5	4/15/97	12305	60	107.4	S97T000510
U-103	182	Salt	6	4/15/97	12138	60	75.4	S97T000511
U-103	182	Salt	6	4/15/97	12139	60	107.4	S97T000514
U-103	182	Salt	7	4/9/97	12191	250	52.7	S97T000502
U-103	182	Salt	7	4/9/97	12201	250	44.9	S97T000501
U-103	182	Salt	7	4/16/97	12141	60	105.1	S97T000512
U-103	182	Salt	7	4/16/97	12142	60	91.9	S97T000515
U-103	182	Salt	9	4/14/97	12190	250	88.4	S97T000547
U-103	182	Salt	9	4/16/97	12143	60	107.4	S97T000553
Total Weight							1364.8	
U-103	182	Sludge	1	4/8/97	11876	125	27.4	S97T000465
U-103	182	Sludge	1	4/8/97	11878	125	54.2	S97T000475
U-103	182	Sludge	4 Rgs		12719	250	77.6	S97T000493
U-103	182	Sludge	4 Rgs	7/11/97	13058	60	24.4	S97T001716
Total Weight							183.6	
U-103	Grab	GL	1	6/2/95	7267	125	111.2	S95T000969
U-103	Grab	GL	3	6/2/95	7260	125	179.2	S95T000967
Total Weight							290.4	

HNF-1641 REV. 0

Vials in 11A1 and 11A2

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
U-105	131	FB	Fblk	2/20/96	9191	250	220.8	
U-105	131	FB	Fblk	3/14/96	8449	40	35.2	S96T001019
						Total Weight	256	
U-105	131	Salt	2	3/14/96	9541	60	4.6	S96T000936
U-105	131	Salt	3	3/14/96	9554	60	31.8	S96T000943
U-105	131	Salt	4	2/20/96	9192	250	70.3	S96T000945
U-105	131	Salt	4	2/20/96	9264	60	16.7	S96T000957
U-105	131	Salt	4	3/14/96	9555	60	67.3	S96T000950
U-105	131	Salt	5	3/14/96	9556	60	52.7	S96T000964
U-105	131	Salt	6	3/14/96	9553	60	87.8	S96T000971
U-105	131	Salt	7	2/22/96	9197	250	61.9	S96T000980
U-105	131	Salt	7	3/15/96	9561	60	75.9	S96T000978
U-105	131	Salt	7	3/15/96	9562	60	84.3	S96T000987
						Total Weight	553.3	
U-105	131	Sludge	8	2/22/96	9268	60	10.9	S96T001001
U-105	131	Sludge	8	3/15/96	9558	60	56.2	S96T000994
U-105	131	Sludge	Comp	4/23/96	9806	60	99.7	S96T001835
						Total Weight	166.8	
U-105	133	LL	1	3/1/96	9339	60	4.1	S96T001235
						Total Weight	4.1	
U-105	133	Salt	4	3/21/96	9675	60	62	S96T001301
U-105	133	Salt	6	3/22/96	9676	60	44.3	S96T001308
						Total Weight	106.3	
U-105	133	Sludge	8	3/15/96	9406	250	113.1	S96T001447
U-105	133	Sludge	8	3/22/96	9677	60	96.4	S96T001455
U-105	133	Sludge	9	3/23/96	9679	60	100.3	S96T001457
U-105	133	Sludge	9	3/23/96	9680	60	18.6	S96T001458
U-105	133	Sludge	Comp	6/10/96	9807	60	59.2	S96T001845
						Total Weight	387.6	
U-105	136	Sludge	3	4/2/96	9683	60	28.9	S96T001637
U-105	136	Sludge	4	3/28/96	9416	250	60.1	S96T001626
U-105	136	Sludge	4	4/3/96	9686	60	94.1	S96T001638

HNF-1641 REV. 0

144

Vials in 11A1 and 11A2

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
U-105	136	Sludge	4	4/3/96	9689	60	96	S96T001639
U-105	136	Sludge	4	9/23/97	13455	60	26	
U-105	136	Sludge	5	3/28/96	9422	250	74.6	S96T001628
U-105	136	Sludge	5	4/3/96	9690	60	86.7	S96T001640
U-105	136	Sludge	5	4/3/96	9691	60	89.5	S96T001641
U-105	136	Sludge	6	4/4/96	9703	60	15.8	S96T001642
U-105	136	Sludge	7	4/3/96	9477	250	88.2	S96T001706
U-105	136	Sludge	7	4/3/96	9481	250	89.5	S96T001707
U-105	136	Sludge	7	4/4/96	9692	60	59.4	S96T001711
U-105	136	Sludge	7	4/4/96	9704	60	82.4	S96T001712
U-105	136	Sludge	9	4/3/96	9475	250	183.5	S96T001736
U-105	136	Sludge	9	4/5/96	9712	60	73.2	S96T001740
U-105	136	Sludge	9A	4/3/96	9480	250	183.2	S96T001761
U-105	136	Sludge	9A	4/3/96	9702	60	12.1	S96T001737
U-105	136	Sludge	9A	4/5/96	9711	60	79.9	S96T001765
U-105	136	Sludge	Comp	4/8/96	9808	60	120.9	S96T001853
Total Weight							1544	

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
U-106	147	DL	1	5/21/96	10090	250	210.3	S96T002983
U-106	147	DL	1	6/20/96	10312	60	89.7	S96T003061
U-106	147	DL	2	5/21/96	10061	125	34.7	S96T002988
U-106	147	DL	2	6/20/96	10456	60	50.4	S96T003062
Total Weight							385.1	
U-106	147	Salt	5	6/21/96	10462	60	5.7	S96T003078
Total Weight							5.7	
U-106	147	Sludge	2	5/21/96	10201	250	103.4	S96T002984
U-106	147	Sludge	2	6/20/96	10313	60	18.5	S96T003072
U-106	147	Sludge	3	5/20/96	10190	250	74.2	S96T003073
U-106	147	Sludge	3	5/20/96	10191	250	98.2	S96T002949
U-106	147	Sludge	3	6/20/96	10457	60	40.4	S96T003073
U-106	147	Sludge	3	6/21/96	10458	60	73.5	S96T003074

17-Mar-98

Page 103 of 114

HNF-1641 REV. 0

145

Vials in 11A1 and 11A2

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
U-106	147	Sludge	4	5/21/96	10194	250	103.1	S96T002986
U-106	147	Sludge	4	5/21/96	10199	250	72.3	S96T002987
U-106	147	Sludge	4	6/21/96	10459	60	82	S96T003076
U-106	147	Sludge	4	6/21/96	10460	60	73.8	S96T003075
U-106	147	Sludge	5	5/20/96	10184	250	78.2	S96T002969
U-106	147	Sludge	5	6/21/96	10461	60	74.8	S96T003077
U-106	147	Sludge	Comp	7/29/96	10783	60	92.4	S96T003877
Total Weight							984.8	
U-106	148	DL	1	6/22/96	9922	40	52.4	S96T002861
Total Weight							52.4	
U-106	148	Salt	5	6/23/96	10470	60	57.8	S96T003025
Total Weight							57.8	
U-106	148	Sludge	4	5/20/96	10187	250	125.7	S96T002975
U-106	148	Sludge	4	6/23/96	10467	60	70.5	S96T003022
U-106	148	Sludge	5	6/23/96	10469	60	86.5	S96T003024
U-106	148	Sludge	Comp	7/31/96	10834	60	88.5	S96T003883
Total Weight							371.2	
U-106	Grab	GL	3		U106-3	125	61.4	
U-106	Grab	GL	4		U106-4	125	153.5	
U-106	Grab	GL	5		U106-5	125	50.1	
U-106	Grab	GL	6		U106-6	125	160.3	
Total Weight							425.3	

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
U-107	129	DL	1	2/13/96	8895	250	141.8	S96T000664
U-107	129	DL	1	2/15/96	8430	40	59.4	S96T000636
U-107	129	DL	2	2/21/96	9266	60	78.1	S96T000640
Total Weight							279.3	
U-107	129	Salt	2	2/13/96	9167	60	11.9	S96T000646
U-107	129	Salt	2	2/13/96	9285	60	34.5	S96T000643
U-107	129	Salt	3	2/13/96	8598	125	25.5	S96T000648

Vials in 11A1 and 11A2

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
U-107	129	Salt	3	2/13/96	9267	60	105.2	S96T000649
U-107	129	Salt	3	2/21/96	9265	60	110.6	S96T000652
U-107	129	Salt	3R	3/4/96	9530	60	76.2	S96T001142
U-107	129	Salt	Comp	3/18/96	9540	60	40	S96T001172
Total Weight							403.9	
U-107	134	DL	5B	3/12/96	8442	40	56.6	S96T001103
U-107	134	DL	6A	3/13/96	8443	40	40.1	S96T001105
Total Weight							96.7	
U-107	134	LL	5A	3/13/96	8448	40	9.5	S96T001102
U-107	134	LL	6A	3/13/96	8447	40	7.9	S96T001104
Total Weight							17.4	
U-107	134	Salt	2	2/23/96	9392	250	56.2	S96T001043
U-107	134	Salt	2	3/7/96	9535	60	87.9	S96T001048
U-107	134	Salt	3	3/8/96	9544	60	69.1	S96T001049
U-107	134	Salt	4	3/8/96	9546	60	43.1	S96T001051
U-107	134	Salt	4	3/12/96	9547	60	41.5	S96T001050
U-107	134	Salt	5	3/12/96	9548	60	2.1	S96T001052
U-107	134	Salt	5	3/12/96	9549	60	8.7	S96T001053
U-107	134	Salt	6A	3/1/96	9338	60	1.9	S96T001069
Total Weight							310.5	
U-107	134	Sludge	4	3/8/96	9545	60	98.5	S96T001063
U-107	134	Sludge	Comp	3/13/96	9551	60	26.7	S96T001127
Total Weight							125.2	
U-107	135	DL	1	4/26/96	9810	60	72	S96T002145
U-107	135	DL	1R	4/16/96	9472	250	226.3	S96T002138
U-107	135	DL	1R	4/26/96	9812	60	88.1	S96T002147
U-107	135	DL	2A	4/26/96	9811	60	24.8	S96T002148
Total Weight							411.2	
U-107	135	LL	2	4/17/96	9766	40	25.6	S96T001864
Total Weight							25.6	
U-107	135	Salt	2A	4/26/96	9813	60	32.4	S96T002149

HNF-1641 REV. 0

Vials in 11A1 and 11A2

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
U-107	135	Salt	2R	4/17/96	9708	60	75.2	S96T001871
U-107	135	Salt	2R	4/17/96	9709	60	49.5	S96T001872
						Total Weight	157.1	
U-107	Grab	GL		8/13/96	10960	60	90.7	S96T004390
U-107	Grab	GL	1		U107-1	125	140.6	
U-107	Grab	GL	3	6/2/95	7262	125	54.8	S95T000794
						Total Weight	286.1	

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
U-108	141	DL	1	4/23/96	9453	125	81.8	S96T002280
U-108	141	DL	1	7/18/96	9775	40	54	S96T002283
						Total Weight	135.8	
U-108	141	Salt	2	7/17/96	10099	60	91	S96T002250
U-108	141	Salt	2	9/23/97	13448	60	37	
U-108	141	Salt	3	7/17/96	10100	60	71.3	S96T002251
U-108	141	Salt	3A	7/17/96	10101	60	53.7	S96T002252
U-108	141	Salt	4	4/23/96	9510	250	86	S96T002235
U-108	141	Salt	4	7/17/96	10102	60	45.1	S96T002253
U-108	141	Salt	4	7/17/96	10103	60	90.3	S96T002254
U-108	141	Salt	5	4/29/96	9837	250	68.9	S96T002562
U-108	141	Salt	5	5/14/96	10107	60	126.2	S96T002599
U-108	141	Salt	5	7/14/96	10108	60	79.2	S96T002600
U-108	141	Salt	6	4/29/96	9838	250	61.9	S96T002564
U-108	141	Salt	6	5/16/96	10109	60	105.4	S96T002601
U-108	141	Salt	7	5/3/96	10015	250	63.7	S96T002567
U-108	141	Salt	7	5/3/96	9996	250	84.7	S96T002566
U-108	141	Salt	7	5/20/96	10117	60	131.1	
U-108	141	Salt	7	5/20/96	10118	60	76.5	S96T002604
U-108	141	Salt	8	5/3/96	10016	250	80.2	S96T002568
U-108	141	Salt	8	5/3/96	10017	250	49.5	S96T002569
U-108	141	Salt	8	5/27/96	10121	60	91	S96T002605
U-108	141	Salt	8	5/27/96	10122	60	90.6	S96T002606

HNF-1041 REV. 0

148

Vials in 11A1 and 11A2

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
U-108	141	Salt	9	5/27/96	10203	60	57.5	S96T002607
						Total Weight	1640.8	
U-108	141	Sludge	1	7/17/96	10098	60	43.7	S96T002249
U-108	141	Sludge	4A	4/24/96	9836	250	66.5	S96T002237
U-108	141	Sludge	4A	7/17/96	10104	60	26.7	S96T002255
U-108	141	Sludge	4A	7/18/96	10105	60	95.6	S96T002256
U-108	141	Sludge	6	5/16/96	10111	60	95.2	S96T002602
U-108	141	Sludge	Comp.	5/7/96	10396	125	147.3	S96T003448
						Total Weight	475	
U-108	145	DL	1	5/6/96	10000	250	85	S96T002939
U-108	145	DL	1	6/10/96	9921	40	55.1	S96T002941
						Total Weight	140.1	
U-108	145	Salt	2	5/7/96	10030	125	47.1	S96T002864
U-108	145	Salt	2	6/10/96	10261	60	104.8	S96T002894
U-108	145	Salt	3	5/14/96	10033	125	30.8	S96T002866
U-108	145	Salt	3	5/14/96	10052	125	36.1	S96T002865
U-108	145	Salt	3	6/10/96	10262	60	106.8	S96T002896
U-108	145	Salt	3	6/10/96	10307	60	117	S96T002895
U-108	145	Salt	4	5/14/96	10045	250	68.5	S96T002867
U-108	145	Salt	4	5/14/96	10048	250	48.2	S96T002868
U-108	145	Salt	4	6/17/96	10263	60	110.6	S96T002897
U-108	145	Salt	4	6/17/96	10265	60	107.7	S96T002898
U-108	145	Salt	5	5/14/96	10047	250	91.7	S96T002869
U-108	145	Salt	5	5/14/96	10087	250	67.6	S96T002870
U-108	145	Salt	5	6/17/96	10266	60	110.1	S96T002899
U-108	145	Salt	5	6/17/96	10340	60	112	S96T002900
U-108	145	Salt	6	5/7/96	10012	250	91.4	S66T002872
U-108	145	Salt	6	5/7/96	9993	250	97.2	S96T002871
U-108	145	Salt	6	6/17/96	10341	60	96.8	S96T002901
U-108	145	Salt	6	6/17/96	10342	60	88.2	S96T002902
U-108	145	Salt	7	5/14/96	10049	250	67.4	S96T002874
U-108	145	Salt	7	6/17/96	10306	60	92.6	S96T002903
U-108	145	Salt	7	6/18/96	10339	60	107.5	S96T002904

HNF-1041 REV. 0

Vials in 11A1 and 11A2

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
U-108	145	Salt	8	5/8/96	10011	250	75.7	S96T002876
U-108	145	Salt	8	6/18/96	10310	60	106.2	S96T002906
U-108	145	Salt	8	6/18/96	10338	60	106.4	S96T002905
U-108	145	Salt	9	5/15/96	10110	60	21.1	S96T002908
U-108	145	Salt	Comp	7/11/96	10359	250	152.3	S95T003454
Total Weight							2261.8	
U-108	145	Sludge	9	5/15/96	10183	250	39.9	S96T002877
U-108	145	Sludge	9	6/18/96	10311	60	86.1	S96T002907
Total Weight							126	
U-108	146	FB	Fblk	5/7/96	10022	250	171.1	S96T003160
Total Weight							171.1	
U-108	146	Salt	1	6/10/96	10292	60	98.2	S96T003135
U-108	146	Salt	1	6/10/96	9920	40	59.9	S96T003164
U-108	146	Salt	2	6/11/96	10293	60	72.6	S96T003136
U-108	146	Salt	2	6/11/96	10294	60	84.3	S96T003137
U-108	146	Salt	3	6/11/96	10295	60	48.4	S96T003138
U-108	146	Salt	3	6/11/96	10296	60	88.7	S96T003139
U-108	146	Salt	3A	5/7/96	10021	250	96.6	S96T002950
U-108	146	Salt	3A	6/11/96	10297	60	116	S96T002992
U-108	146	Salt	4	6/11/96	10298	60	90	S96T002993
U-108	146	Salt	4	6/11/96	10299	60	92.9	S96T002994
U-108	146	Salt	5	5/7/96	10020	250	2.6	S96T002954
U-108	146	Salt	5	6/11/96	10300	60	117.1	S96T002995
U-108	146	Salt	5	6/11/96	10301	60	101.9	S96T002996
U-108	146	Salt	6	6/11/96	10302	60	86.3	S96T002997
U-108	146	Salt	6	6/11/96	10303	60	92.8	S96T002998
U-108	146	Salt	7	6/11/96	10181	250	94.6	S96T002957
U-108	146	Salt	7	6/11/96	10304	60	95.3	S96T002999
U-108	146	Salt	7	6/11/96	10305	60	93.5	S96T003000
U-108	146	Salt	8	5/22/96	10200	250	87.6	S96T003114
U-108	146	Salt	8	6/11/96	10334	60	85.8	S96T003140
U-108	146	Salt	8	6/11/96	10335	60	83.3	S96T003141
U-108	146	Salt	9	8/1/96	10840	60	51.8	S96T004179

Vials in 11A1 and 11A2

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
U-108	146	Salt	Comp	8/1/96	10570	250	192.2	S96T004197
						Total Weight	2032.4	
U-108	146	Sludge	9	6/12/96	10336	60	54	S96T003142
						Total Weight	54	
U-108	Grab	GL		6/2/95	7266	125	132.3	S95T001003
U-108	Grab	GL	2	6/2/95	7263	125	29.2	S95T000979
U-108	Grab	GL	3		U108-3	125	181.9	
						Total Weight	343.4	

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
U-109	123	Salt	1	1/15/96	9025	60	14.8	S96T000192
U-109	123	Salt	2	1/15/96	9026	60	82.1	S96T000193
U-109	123	Salt	3	1/15/96	9027	60	62.7	S96T000194
U-109	123	Salt	3A	1/16/96	9069	60	57.1	S96T000195
U-109	123	Salt	4	1/16/96	9070	60	84.6	S96T000196
U-109	123	Salt	5	1/16/96	9071	60	68.1	S96T000197
U-109	123	Salt	6	1/16/96	9072	60	109.6	S96T000199
U-109	123	Salt	6	1/16/96	9073	60	90.3	S96T000198
U-109	123	Salt	7	1/16/96	9074	60	52.2	S96T000201
U-109	123	Salt	7	1/16/96	9075	60	103.5	S96T000200
U-109	123	Salt	8	1/17/96	9079	60	100	S96T000202
U-109	123	Salt	8	1/17/96	9080	60	97.3	S96T000203
U-109	123	Salt	9	1/9/96	8852	250	58.7	S96T000175
U-109	123	Salt	9	1/16/96	9076	60	71.4	S96T000204
U-109	123	Salt	9	1/17/96	9077	60	71.3	S96T000205
U-109	123	Salt	9	1/17/96	9078	60	64.4	S96T000206
U-109	123	Salt	Comp	3/14/96	9431	125	76.8	S96T001379
						Total Weight	1264.9	
U-109	124	DL	3	1/23/96	9153	60	56.9	S96T000324
						Total Weight	56.9	
U-109	124	FB	Fblk	1/14/96	8836	250	115	S96T000118

Vials in 11A1 and 11A2

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
						Total Weight	115	
U-109	124	Salt	2	1/14/96	9019	60	6.4	S96T000281
U-109	124	Salt	3	1/23/96	9154	60	110.7	S96T000312
U-109	124	Salt	4	1/23/96	9155	60	101	S96T000313
U-109	124	Salt	5	1/23/96	9156	60	94.2	S96T000315
U-109	124	Salt	5	1/23/96	9157	60	113.9	S96T000314
U-109	124	Salt	6	1/23/96	9158	60	103	S96T000316
U-109	124	Salt	6	1/24/96	9159	60	104.3	S96T000317
U-109	124	Salt	7	1/16/96	8849	250	56.9	S96T000289
U-109	124	Salt	7	1/25/96	9160	60	109.9	S96T000319
U-109	124	Salt	7	1/25/96	9161	60	104.3	S96T000318
U-109	124	Salt	8	1/25/96	9162	60	111	S96T000321
U-109	124	Salt	8	1/25/96	9163	60	95.1	S96T000320
U-109	124	Salt	9	1/25/96	9164	60	45.7	S96T000323
U-109	124	Salt	9	1/25/96	9165	60	74.9	S96T000322
U-109	124	Salt	Comp	3/28/96	9492	250	75.9	S96T001656
						Total Weight	1307.2	
U-109	128	Salt	1	1/31/96	9226	60	27	S96T000437
U-109	128	Salt	2	1/31/96	9228	60	72.9	S96T000438
U-109	128	Salt	3	1/31/96	9227	60	104.6	S96T000439
U-109	128	Salt	4		9230	60	98	S96T000440
U-109	128	Salt	4	1/31/96	9229	60	88	S96T000441
U-109	128	Salt	5	1/31/96	9231	60	91.6	S96T000442
U-109	128	Salt	6	1/31/96	9253	60	87.2	S96T000444
U-109	128	Salt	6	1/31/96	9254	60	97.3	S96T000443
U-109	128	Salt	7	1/31/96	9255	60	90.2	S96T000446
U-109	128	Salt	7	1/31/96	9256	60	92.4	S96T000445
U-109	128	Salt	8	1/31/96	9257	60	98.7	S96T000448
U-109	128	Salt	8	1/31/96	9258	60	101.4	S96T000447
U-109	128	Salt	9	1/31/96	9259	60	100.9	S96T000449
U-109	128	Salt	Comp	4/2/96	9437	125	101.6	S96T001697
						Total Weight	1251.8	
U-109	Grab	GL	1	6/12/95	7320	125	112.9	S95T001078

17-Mar-98

Page 110 of 114

HNF-1041 REV. 0

152

Vials in 11A1 and 11A2

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
U-109	Grab	GL	2		U109-2	125	90.3	
U-109	Grab	GL	5	9/5/97	13259	40	50.8	S96T000013
						Total Weight	254	

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
U-112	219	LL	1	9/16/97	11915	125	27.7	
						Total Weight	27.7	
U-112	219	Salt	1	9/16/97	11919	125	151.1	S97T002058
						Total Weight	151.1	
U-112	220	Salt	1	9/25/97	13444	60	64.1	S97T002134
U-112	220	Salt	1	9/25/97	13453	60	94.7	S97T002135
						Total Weight	158.8	

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
U-201	70	DL	1	3/2/95	6757	40	25.5	S95T000533
U-201	70	DL	2	4/6/95	6880	40	48.4	S95T000627
						Total Weight	73.9	
U-201	70	Salt	1	3/2/95	6758	40	56	S95T000538
U-201	70	Salt	1	3/30/95	6759	40	69.4	S95T000542
U-201	70	Salt	2	3/28/95	6609	125	77.9	
U-201	70	Salt	2	4/6/95	6881	40	56.7	S95T000616
						Total Weight	260	
U-201	70	Sludge	2	4/6/95	6882	40	69.4	S95T000623
						Total Weight	69.4	
U-201	73	DL	1	3/30/95	6703	250	73.8	
U-201	73	DL	1	4/3/95	6763	40	46.3	S95T000546
U-201	73	DL	2	3/30/95	6704	250	64.1	
U-201	73	DL	2	4/3/95	6762	40	45.2	S95T000558
						Total Weight	229.4	
U-201	73	Salt	1	4/3/95	6760	40	6.8	S95T000550

17-Mar-98

Page 111 of 114

HNF-1041 REV. 0

Vials in 11A1 and 11A2

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
U-201	73	Salt	2	4/3/95	6554	70	40.5	S95T000554
U-201	73	Salt	2	4/3/95	6761	40	66.8	
Total Weight							114.1	
U-201	74	DL	1	3/30/95	6706	250	151.4	
U-201	74	DL	2	3/30/95	6707	250	79.3	
Total Weight							230.7	
U-201	74	Salt	2	3/30/95	6677	125	100	na
U-201	74	Salt	2	9/29/97	13488	60	52.3	
Total Weight							152.3	
U-201	74	Sludge	1	9/26/97	13462	60	74.3	na
Total Weight							74.3	

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
U-202	75	DL	1	4/3/95	6708	250	91.1	S95T000594
U-202	75	DL	1	4/3/95	6755	40	17.4	
U-202	75	DL	1	4/6/95	6903	40	48.8	
U-202	75	DL	2	4/3/95	6709	250	74.5	
U-202	75	DL	2	4/6/95	6905	40	48.2	
Total Weight							280	
U-202	75	salt	1	4/3/95	6684	125	26.3	S95T000583
U-202	75	salt	1	4/3/95	6687	125	24.8	
U-202	75	salt	1	4/3/95	6710	250	50.7	S95T000601
U-202	75	salt	1	4/6/95	6904	40	72	
U-202	75	salt	1	4/6/95	6912	40	72.5	
U-202	75	salt	1	4/6/95	6913	40	76.2	
U-202	75	salt	2	4/6/95	6906	40	37.9	
U-202	75	salt	2	4/6/95	6910	40	26.6	S95T000604
Total Weight							387	
U-202	77	Salt	2	4/6/95	6914	40	15.7	S95T000608
Total Weight							15.7	
U-202	77	Sludge	2	4/6/95	6915	40	52.7	S95T000610

17-Mar-98

Page 112 of 114

HNF-1641 REV.0

154

Vials in 11A1 and 11A2

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
						Total Weight	52.7	
U-202	78	DL	1	4/4/95	6764	40	33.8	
U-202	78	DL	2	4/4/95	6765	40	11	
						Total Weight	44.8	
U-202	78	FB	Fblk	10/9/95	8025	40	37	
						Total Weight	37	
U-202	78	Salt	2	4/6/95	6917	40	63	
						Total Weight	63	
U-202	78	Sludge	1	4/4/95	6692	125	65.7	
U-202	78	Sludge	1	4/6/95	6911	40	75.1	
U-202	78	Sludge	1	4/6/95	6916	40	75.2	
U-202	78	Sludge	1	9/17/97	13486	60	31.8	na
U-202	78	Sludge	2	4/6/95	6918	40	73.5	
						Total Weight	321.3	

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
U-203	79	DL	1	4/5/95	6766	40	23.5	S95T000657
						Total Weight	23.5	
U-203	79	Salt	1	4/5/95	6769	40	57.2	S95T000683
U-203	79	Salt	1	9/18/97	13483	60	24.2	
						Total Weight	81.4	
U-203	80	Salt	1	4/6/95	6878	40	74.3	S95T000691
						Total Weight	74.3	
U-203	80	Sludge	1	4/6/95	6879	40	78.3	S95T000687
						Total Weight	78.3	

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
U-204	81	DL	1	4/7/95	6713	250	119.7	
U-204	81	DL	1	4/7/95	6884	40	21.2	S95T000730

17-Mar-98

Page 113 of 114

HNF-1641 REV. 0

155

Vials in 11A1 and 11A2

Tank #	Core #	Matrix	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
U-204	81	Sludge	1	4/7/95	6883	Total Weight	140.9	
U-204	81	Sludge	1	9/8/97	13072	40	56.6	S95T000727
						60	65	
						Total Weight	121.6	
U-204	82	DL	1	4/7/95	6783	125	40.1	
U-204	82	DL	1	4/12/95	6923	40	43.3	S95T000731
						Total Weight	83.4	
U-204	82	FB	Fblk	10/9/95	8023	40	41	
						Total Weight	41	
U-204	82	Sludge	1	4/7/95	6784	125	34.5	
U-204	82	Sludge	1	10/31/95	8529	60	36.6	S95T000729
						Total Weight	71.1	

156

HNF-1641 REV. 0

HNF-1641 REV. 0

Appendix II

Inventory Database Reports and Queries Used
to Support Sample and Cost Projections

1994 Samples sorted by Vial Size

Vial Size (mLs)   125

Matrix   **Salt**

Summary for 'Matrix' = Salt (5 detail records)

Sum	438.10	Average	87.62

Matrix   **Sludge**

Summary for 'Matrix' = Sludge (7 detail records)

Sum	204.00	Average	29.14

Summary for 'Vial Size (mLs)' = 125 (12 detail records)

Sum	642.10

Vial Size (mLs)   250

Matrix   **DL**

Summary for 'Matrix' = DL (12 detail records)

Sum	1816.60	Average	165.15

Matrix   **FB**

Summary for 'Matrix' = FB (1 detail record)

Sum	138.40	Average	138.40

Summary for 'Vial Size (mLs)' = 250 (13 detail records)

Sum	1955.00

Vial Size (mLs)   40

Matrix   **DL**

Summary for 'Matrix' = DL (3 detail records)

Sum	94.70	Average	31.57

Matrix   **Salt**

Summary for 'Matrix' = Salt (15 detail records)

Sum	440.09	Average	29.34

Matrix   **Sludge**

Summary for 'Matrix' = Sludge (20 detail records)

Sum	477.00	Average	23.85

Summary for 'Vial Size (mLs)' = 40 (38 detail records)
Sum 1011.79

1994 Total Sample Amount (gms)

3608.89

1995 Samples sorted by Vial Size

Vial Size (mLs)   125

Matrix   **DL**

Summary for 'Matrix' = DL (16 detail records)

Sum	1887.74	Average	117.98

Matrix   **FB**

Summary for 'Matrix' = FB (2 detail records)

Sum	137.40	Average	68.70

Matrix   **GL**

Summary for 'Matrix' = GL (8 detail records)

Sum	787.30	Average	98.41

Matrix   **Salt**

Summary for 'Matrix' = Salt (9 detail records)

Sum	409.00	Average	45.44

Matrix   **Sludge**

Summary for 'Matrix' = Sludge (14 detail records)

Sum	550.30	Average	39.31

Summary for 'Vial Size (mLs)' = 125 (49 detail records)

Sum	3771.74

Vial Size (mLs)   20

Matrix   **Organic**

Summary for 'Matrix' = Organic (1 detail record)

Sum	7.50	Average	7.50

Matrix   **Sludge**

Summary for 'Matrix' = Sludge (3 detail records)

Sum	13.90	Average	4.63

Summary for 'Vial Size (mLs)' = 20 (4 detail records)

Sum	21.40

Vial Size (mLs)   250

Matrix   **DL**

Summary for 'Matrix' = DL (20 detail records)			
Sum	1950.60	Average	97.53

Matrix	FB

Summary for 'Matrix' = FB (6 detail records)			
Sum	885.80	Average	147.63

Matrix	Salt

Summary for 'Matrix' = Salt (6 detail records)			
Sum	351.30	Average	58.55

Matrix	Sludge

Summary for 'Matrix' = Sludge (61 detail records)			
Sum	3748.80	Average	61.46

Summary for 'Vial Size (mLs)' = 250 (93 detail records)			
Sum	6936.50		

Vial Size (mLs)	40

Matrix	DL

Summary for 'Matrix' = DL (70 detail records)			
Sum	2605.21	Average	37.22

Matrix	FB

Summary for 'Matrix' = FB (16 detail records)			
Sum	549.60	Average	34.35

Matrix	GL

Summary for 'Matrix' = GL (2 detail records)			
Sum	60.00	Average	30.00

Matrix	LL

Summary for 'Matrix' = LL (7 detail records)			
Sum	180.90	Average	25.84

Matrix	Salt

Summary for 'Matrix' = Salt (82 detail records)			
Sum	3583.30	Average	43.70

Matrix	Sludge

Summary for 'Matrix' = Sludge (186 detail records)			
Sum	8931.87	Average	48.02

Summary for 'Vial Size (mLs)' = 40 (363 detail records)			
Sum	15910.88		

Vial Size (mLs)		60	
Matrix	DL		
Summary for 'Matrix' = DL (1 detail record)			
Sum	63.70	Average	63.70
Matrix	Salt		
Summary for 'Matrix' = Salt (42 detail records)			
Sum	2487.30	Average	59.22
Matrix	Sludge		
Summary for 'Matrix' = Sludge (78 detail records)			
Sum	5105.40	Average	65.45
Summary for 'Vial Size (mLs)' = 60 (121 detail records)			
Sum	7656.40		

<i>Vial Size (mLs)</i>		70	
Matrix	GL		
Summary for 'Matrix' = GL (4 detail records)			
Sum	272.10	Average	68.02
Matrix	Salt		
Summary for 'Matrix' = Salt (1 detail record)			
Sum	40.50	Average	40.50
Summary for 'Vial Size (mLs)' = 70 (5 detail records)			
Sum	312.60		

1995 Total Sample Amount (gms) 34609.52

1996 Samples sorted by Vial Size

Vial Size (mLs)   125

Matrix   **DL**

Summary for 'Matrix' = DL (19 detail records)

Sum	1121.50	Average	59.03

Matrix   **LL**

Summary for 'Matrix' = LL (7 detail records)

Sum	443.00	Average	63.29

Matrix   **Salt**

Summary for 'Matrix' = Salt (23 detail records)

Sum	1028.90	Average	44.73

Matrix   **Sludge**

Summary for 'Matrix' = Sludge (8 detail records)

Sum	557.60	Average	69.70

Summary for 'Vial Size (mLs)' = 125 (57 detail records)

Sum	3151.00

Vial Size (mLs)   20

Matrix   **DL**

Summary for 'Matrix' = DL (1 detail record)

Sum	3.40	Average	3.40

Matrix   **GL**

Summary for 'Matrix' = GL (2 detail records)

Sum	17.50	Average	8.75

Matrix   **Salt**

Summary for 'Matrix' = Salt (1 detail record)

Sum	7.40	Average	7.40

Summary for 'Vial Size (mLs)' = 20 (4 detail records)

Sum	28.30

Vial Size (mLs)   250

Matrix   **DL**

Summary for 'Matrix' = DL (74 detail records)

Sum	15261.90	Average	206.24

Matrix **FB**

Summary for 'Matrix' = FB (19 detail records)

Sum	2765.70	Average	145.56

Matrix **Salt**

Summary for 'Matrix' = Salt (90 detail records)

Sum	7789.70	Average	86.55

Matrix **Sludge**

Summary for 'Matrix' = Sludge (62 detail records)

Sum	5890.40	Average	95.01

Summary for 'Vial Size (mLs)' = 250 (245 detail records)

Sum	31707.70

<i>Vial Size (mLs)</i>	40

Matrix **DL**

Summary for 'Matrix' = DL (112 detail records)

Sum	5437.30	Average	48.55

Matrix **FB**

Summary for 'Matrix' = FB (10 detail records)

Sum	347.00	Average	34.70

Matrix **GL**

Summary for 'Matrix' = GL (5 detail records)

Sum	145.00	Average	29.00

Matrix **LL**

Summary for 'Matrix' = LL (11 detail records)

Sum	344.30	Average	31.30

Matrix **Salt**

Summary for 'Matrix' = Salt (12 detail records)

Sum	388.30	Average	32.36

Matrix **Sludge**

Summary for 'Matrix' = Sludge (11 detail records)

Sum	514.50	Average	46.77

Summary for 'Vial Size (mLs)' = 40 (161 detail records)

Sum	7176.40

<i>Vial Size (mLs)</i>	60

Matrix **DL**

HNF-1641 REV. 0

Summary for 'Matrix' = DL (41 detail records)			
Sum	2597.73	Average	63.36

Matrix FB

Summary for 'Matrix' = FB (5 detail records)			
Sum	304.90	Average	60.98

Matrix GL

Summary for 'Matrix' = GL (59 detail records)			
Sum	3531.70	Average	59.86

Matrix GS

Summary for 'Matrix' = GS (2 detail records)			
Sum	77.40	Average	38.70

Matrix LL

Summary for 'Matrix' = LL (8 detail records)			
Sum	851.90	Average	106.49

Matrix Salt

Summary for 'Matrix' = Salt (451 detail records)			
Sum	30354.20	Average	67.30

Matrix Sludge

Summary for 'Matrix' = Sludge (191 detail records)			
Sum	12155.10	Average	63.64

Summary for 'Vial Size (mLs)' = 60 (757 detail records)			
Sum	49872.93		

1996 Total Sample Amount (gms)	91936.33

1997 Samples sorted by Vial Size

Vial Size (mLs)   125

Matrix   **DL**

Summary for 'Matrix' = DL (5 detail records)

Sum	310.00	Average	62.00

Matrix   **GL**

Summary for 'Matrix' = GL (5 detail records)

Sum	915.30	Average	183.06

Matrix   **LL**

Summary for 'Matrix' = LL (6 detail records)

Sum	393.30	Average	65.55

Matrix   **Salt**

Summary for 'Matrix' = Salt (12 detail records)

Sum	876.20	Average	73.02

Matrix   **Sludge**

Summary for 'Matrix' = Sludge (26 detail records)

Sum	1493.10	Average	57.43

Summary for 'Vial Size (mLs)' = 125 (54 detail records)

Sum	3987.90

Vial Size (mLs)   250

Matrix   **DL**

Summary for 'Matrix' = DL (52 detail records)

Sum	9133.80	Average	175.65

Matrix   **FB**

Summary for 'Matrix' = FB (13 detail records)

Sum	1836.80	Average	141.29

Matrix   **LL**

Summary for 'Matrix' = LL (1 detail record)

Sum	128.70	Average	128.70

Matrix   **Salt**

Summary for 'Matrix' = Salt (25 detail records)

Sum	2181.40	Average	87.26

Matrix   **Sludge**

Summary for 'Matrix' = Sludge (134 detail records)

Sum	9646.90	Average	71.99

Summary for 'Vial Size (mLs)' = 250 (225 detail records)

Sum	22927.60

Vial Size (mLs)	40

Matrix	DL

Summary for 'Matrix' = DL (60 detail records)

Sum	2877.70	Average	47.96

Matrix	FB

Summary for 'Matrix' = FB (12 detail records)

Sum	482.40	Average	40.20

Matrix	GL

Summary for 'Matrix' = GL (40 detail records)

Sum	1887.50	Average	47.19

Matrix	LL

Summary for 'Matrix' = LL (2 detail records)

Sum	73.30	Average	36.65

Matrix	Salt

Summary for 'Matrix' = Salt (4 detail records)

Sum	57.70	Average	14.43

Matrix	Sludge

Summary for 'Matrix' = Sludge (8 detail records)

Sum	242.60	Average	30.32

Summary for 'Vial Size (mLs)' = 40 (126 detail records)

Sum	5621.20

Vial Size (mLs)	60

Matrix	DL

Summary for 'Matrix' = DL (15 detail records)

Sum	675.20	Average	45.01

Matrix	FB

Summary for 'Matrix' = FB (1 detail record)

Sum	60.50	Average	60.50

Matrix	GL

Summary for 'Matrix' = GL (8 detail records)

Sum	328.60	Average	41.08

Matrix   LL

Summary for 'Matrix' = LL (4 detail records)

Sum	73.30	Average	18.32

Matrix   Salt

Summary for 'Matrix' = Salt (110 detail records)

Sum	7157.50	Average	65.07

Matrix   Sludge

Summary for 'Matrix' = Sludge (256 detail records)

Sum	17834.50	Average	69.67

Summary for 'Vial Size (mLs)' = 60 (394 detail records)

Sum	26129.60

1997 Total Sample Amount (gms)

58666.30

1998 Samples sorted by Vial Size

Vial Size (mLs)   125

Matrix   **DL**

Summary for 'Matrix' = DL (1 detail record)

Sum	74.90	Average	74.90

Matrix   **GL**

Summary for 'Matrix' = GL (1 detail record)

Sum	109.00	Average	109.00

Summary for 'Vial Size (mLs)' = 125 (2 detail records)

Sum	183.90

Vial Size (mLs)   250

Matrix   **DL**

Summary for 'Matrix' = DL (3 detail records)

Sum	329.10	Average	109.70

Matrix   **GL**

Summary for 'Matrix' = GL (1 detail record)

Sum	180.10	Average	180.10

Matrix   **Salt**

Summary for 'Matrix' = Salt (22 detail records)

Sum	2131.80	Average	96.90

Matrix   **Sludge**

Summary for 'Matrix' = Sludge (2 detail records)

Sum	175.40	Average	87.70

Summary for 'Vial Size (mLs)' = 250 (28 detail records)

Sum	2816.40

Vial Size (mLs)   40

Matrix   **DL**

Summary for 'Matrix' = DL (5 detail records)

Sum	221.80	Average	44.36

Matrix   **FB**

Summary for 'Matrix' = FB (1 detail record)

Sum	36.90	Average	36.90

Matrix	GL		
Summary for 'Matrix' = GL (1 detail record)			
Sum	40.10	Average	40.10

Matrix	LL		
Summary for 'Matrix' = LL (1 detail record)			
Sum	41.60	Average	41.60

Summary for 'Vial Size (mLs)' = 40 (8 detail records)
 Sum 340.40

Vial Size (mLs) 500

Matrix	Sludge		
Summary for 'Matrix' = Sludge (3 detail records)			
Sum	1443.70	Average	481.23

Summary for 'Vial Size (mLs)' = 500 (3 detail records)
 Sum 1443.70

Vial Size (mLs) 60

Matrix	DL		
Summary for 'Matrix' = DL (4 detail records)			
Sum	205.70	Average	51.42

Matrix	GL		
Summary for 'Matrix' = GL (3 detail records)			
Sum	94.10	Average	31.37

Matrix	LL		
Summary for 'Matrix' = LL (2 detail records)			
Sum	46.00	Average	23.00

Matrix	Salt		
Summary for 'Matrix' = Salt (38 detail records)			
Sum	2966.50	Average	78.07

Matrix	Sludge		
Summary for 'Matrix' = Sludge (9 detail records)			
Sum	527.50	Average	58.61

Summary for 'Vial Size (mLs)' = 60 (56 detail records)
 Sum 3839.80

1998 Total Sample Amount (gms)

8624.20

Vials in 11A1 and 11A2 with less than 5 grams of material

26-Feb-98

Tank #	Matrix	Core #	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
AW-101	DL	R12A		2/7/95	6427	40	4.3	

Tank #	Matrix	Core #	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
AW-102	GL	Grab		9/10/96	11275	20	2.7	S96T004909

Tank #	Matrix	Core #	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
AX-102	DL	R9E		3/1/95	6407	40	1.92	

Tank #	Matrix	Core #	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
B-102	Sludge	R1	Auger	10/19/94	7020	40	3.2	S95T000195

Tank #	Matrix	Core #	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
B-107	Salt	218	1	9/17/97	13169	60	2.9	S97T002105

Tank #	Matrix	Core #	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
C-103	Sludge	66	4	2/27/95	6558	125	3.9	

Tank #	Matrix	Core #	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
C-105	Sludge	72	2	10/13/95	8274	20	2.8	S95T002854

HNF-1041 REV. 0

Vials in 11A1 and 11A2 with less than 5 grams of material

26-Feb-98

Tank #	Matrix	Core #	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
S-111	DL	150	3B	7/16/96	10562	20	3.4	S96T004187

Tank #	Matrix	Core #	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
SX-104	GL	Grab	97-1	2/11/98	14010	60	4.8	S98T000428

Tank #	Matrix	Core #	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
SX-108	Sludge	R16	Aug-43	10/2/95	8115	20	3.5	S95T002577

Tank #	Matrix	Core #	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
SY-103	Salt	62	6	11/11/94	7035	40	3.5	
SY-103	Sludge	62	15	9/26/94	6169	40	4.6	S94T000102

Tank #	Matrix	Core #	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
T-203	DL	190	1R	4/28/97	12623	60	1.2	S97T000730

Tank #	Matrix	Core #	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
U-105	LL	133	1	3/1/96	9339	60	4.1	S96T001235
U-105	Salt	131	2	3/14/96	9541	60	4.6	S96T000936

172

NMF-1641 REV. 0

Vials in 11A1 and 11A2 with less than 5 grams of material

26-Feb-98

Tank #	Matrix	Core #	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
U-107	Salt	134	5	3/12/96	9548	60	2.1	S96T001052
U-107	Salt	134	6A	3/1/96	9338	60	1.9	S96T001069

Tank #	Matrix	Core #	Segment #	Date	Jar/Vial #	Vial Size (mLs)	Net Wt# Found (gms)	Laboratory #
U-108	Salt	146	5	5/7/96	10020	250	2.6	S96T002954

---

125 and 250 mL vials which can be repacked into 60 mL vials

<i>Vial Size (mLs)</i>	125

Matrix DL

Summary for 'Matrix' = DL (25 detail records)

Sum	1056.74	Average	42.27

Matrix FB

Summary for 'Matrix' = FB (1 detail record)

Sum	57.70	Average	57.70

Matrix GL

Summary for 'Matrix' = GL (11 detail records)

Sum	619.80	Average	56.35

Matrix LL

Summary for 'Matrix' = LL (7 detail records)

Sum	216.80	Average	30.97

Matrix Salt

Summary for 'Matrix' = Salt (36 detail records)

Sum	1309.00	Average	36.36

Matrix Sludge

Summary for 'Matrix' = Sludge (43 detail records)

Sum	1381.20	Average	32.12

Summary for 'Vial Size (mLs)' = 125 (123 detail records)

Sum	4641.24

<i>Vial Size (mLs)</i>	250

Matrix cord

Summary for 'Matrix' = cord (1 detail record)

Sum	64.00	Average	64.00

Matrix DL

Summary for 'Matrix' = DL (18 detail records)

Sum	859.60	Average	47.76

Matrix FB

Summary for 'Matrix' = FB (3 detail records)

Sum	167.60	Average	55.87

Matrix	Salt
Summary for 'Matrix' = Salt (58 detail records)	
Sum	3031.20
Average	52.26

Matrix	Sludge
Summary for 'Matrix' = Sludge (166 detail records)	
Sum	8118.00
Average	48.90

Summary for 'Vial Size (mLs)' = 250 (246 detail records)
Sum

12240.40

Total Sample Amount (gms)	16881.64

250 mL vials which can be repacked into 125 mL vials

Vial Size (mLs) 250			
Matrix	DL		
Summary for 'Matrix' = DL (40 detail records)			
Sum	4590.80	Average	114.77
Matrix	FB		
Summary for 'Matrix' = FB (16 detail records)			
Sum	1993.60	Average	124.60
Matrix	LL		
Summary for 'Matrix' = LL (1 detail record)			
Sum	128.70	Average	128.70
Matrix	Salt		
Summary for 'Matrix' = Salt (78 detail records)			
Sum	7558.20	Average	96.90
Matrix	Sludge		
Summary for 'Matrix' = Sludge (71 detail records)			
Sum	6878.80	Average	96.88
Summary for 'Vial Size (mLs)' = 250 (206 detail records)			
Sum	21150.10		

Total Sample Amount (gms)	21150.10

DISTRIBUTION SHEET

To	From	Page 1 of 1
Distribution	Production Planning & Control	Date April 21, 1998
Project Title/Work Order		EDT No. EDT-623151
HNF-1641, Rev. 0 "Development of an Inventory/Archive Program for the Retention, Management, and Disposition of Tank Characterization Samples at the 222-S Laboratory"		ECN No. N/A

Name	MSIN	Text With All Attach.	Text Only	Attach./ Appendix Only	EDT/ECN Only

Fluor Daniel Hanford, Inc.

A. G. Mishko	H6-23	X			

Lockheed Martin Hanford Corp.

M. R. Adams	R2-12	X			
J. G. Burton	S7-21	X			
K. M. Hall	R2-12	X			
J. G. Kristofzski	R2-12	X			
W. E. Ross	S7-84	X			

Numatec Hanford Corp.

J. Bourges	T6-07	X			

Waste Management Federal Services of Hanford, Inc.

R. Akita	T6-20	X			
S. L. Brey	T6-04	X			
J. E. Hyatt	T6-14	X			
J. B. Buckley	T3-04	X			
D. S. Mantooth	T6-03	X			
M. F. Marcus	S3-28	X			
G. B. Svancara	T6-03	X			
K. S. Tollefson	T6-12	X			
S. J. Turner	T6-12	X			
J. L. Westcott	T3-04	X			
J. A. Winterhalder	H6-21	X			