AIM

Association for Information and Image Management

1100 Wayne Avenue, Suite 1100
Silver Spring, Maryland 20910
301/587-8202

Centimeter

Inches

MANUFACTURED TO AIM STANDARDS
BY APPLIED IMAGE, INC.

(CLASSIFICATION)

DOCUMENT NO

BNWL-CC-333

PROJECT

DATE

11/1/65

SERIAL NO COPY NO

Hanford Code C-44

BATTELLE-NORTHWEST

RICHLAND, WASHINGTON

DECLASSIFIED

ISSUING FILE

TITLE AND AUTHOR

Estimated Costs for Classified Project

W. J. Van Slyke
Chemical Development Section
Chemistry Department

THIS DOCUMENT CONTAINS UNCLASSIFIED DATA CONTAINED
IN THE ECONOMIC ENERGY ACT OF 1954. TRANSMITTAL
OF THIS DISCLOSURE OF ITS CONTENTS IN ANY MANNER
TO AN UNAUTHORIZED PERSON IS PROHIBITED.

☐ OTHER OFFICIAL CLASSIFIED INFORMATION

THIS MATERIAL CONTAINS INFORMATION AFFECTING THE
NATIONAL DEFENSE OF THE UNITED STATES WITHIN THE
MEANING OF THE ESPIONAGE LAWS, TITLE 18, U.S.C., SECS
793 AND 794, THE TRANSMISSION OR REVELATION OF
WHICH IN ANY MANNER TO AN UNAUTHORIZED PERSON IS
PROHIBITED BY LAW.

THIS DOCUMENT MUST BE LEFT UNCLASSIFIED OR UNCLASSIFIED
UNAUTHORIZED PERSONS MAY HAVE ACCESS TO IT. WHEN NOT IN
USE, IT MUST BE KEPT IN AN APPROVED LOCKED CONTAINER
WITHIN AN APPROVED GUARDED AREA. WHILE IN YOUR
POSSESSION, UNTIL YOU RETURN IT TO YOUR
CLASSIFIED DOCUMENT RESPONSIBILITY STATION, IT IS YOUR
RESPONSIBILITY TO KEEP IT AND ITS CONTENTS WITHIN THE
LIMITS OF THIS PROJECT FROM ANY UNAUTHORIZED PERSON.
ITS TRANSMITTAL TO AND STORAGE IN YOUR PLACE OF
RESIDENCE IS PROHIBITED. IT WILL BE DUPLICATED ONLY IN
ACCORDANCE WITH EXISTING SECURITY REGULATIONS. ALL
PERSONS READING THIS DOCUMENT ARE REQUESTED TO SIGN
THE SPACE BELOW.

ROUTE TO:

PAYROLL NO.

LOCATION

FILES ROUTE
DATE

SIGNATURE AND DATE

W. J. Van Slyke

30829

324

11-2-65

J. J. Kabala

33723

PSL

NOV 18 1975

DECLASSIFIED

BNWL-CC-333

Hanford Code C-44

This document consists
of 4 pages. Copy No.
of copies. Series

Classification Cancelled and Changed To

DECLASSIFIED

By Authority of CG PR-2,
DS Lewis, 2-11-94.

By Jerri Mally, 2-15-94.
Verified By J. E. Saulty, 2-22-94

ESTIMATED COSTS FOR CLASSIFIED PROJECT

by **DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED**

W. J. Van Slyke
Chemical Development Section
Chemistry Department

MASTER

Classified by: A. M. Platt

INFORMATION CONCERNING USE OF THIS REPORT

PRELIMINARY REPORT

This report contains information of a preliminary nature prepared in the course of work under Atomic Energy Commission Contract AT(45-1)-1830. This information is subject to correction or modification upon the collection and evaluation of additional data.

LEGAL NOTICE

This report was prepared as an account of Government sponsored work. Neither the United States, nor the Commission, nor any person acting on behalf of the Commission:

A. Makes any warranty or representation, expressed or implied, with respect to the accuracy, completeness, or usefulness of the information contained in this report, or that the use of any information, apparatus, method, or process disclosed in this report may not infringe privately owned rights; or

B. Assumes any liabilities with respect to the use of, or for damages resulting from the use of any information, apparatus, method, or process disclosed in this report.

As used in the above, "person acting on behalf of the Commission" includes any employee or contractor of the Commission, or employee of such contractor, to the extent that such employee or contractor of the Commission, or employee of such contractor prepares, disseminates, or provides access to, any information pursuant to his employment or contract with the Commission, or his employment with such contractor.

DECLASSIFIED

PACIFIC NORTHWEST LABORATORY

RICHLAND, WASHINGTON

operated by

BATTELLE MEMORIAL INSTITUTE

for the

UNITED STATES ATOMIC ENERGY COMMISSION UNDER CONTRACT AT(45-1)-1830

DECLASSIFIED

BNWL-CC-333

ONSITE DISTRIBUTION

Copy Number

Pacific Northwest Laboratory

1	A. G. Blasewitz
2	W. H. Swift
3	W. J. Van Slyke
4-7	Technical Information Files

General Electric Company, Richland

8	M. Lewis
9	M. C. Leverett
10	T. W. Evans

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

DECLASSIFIED

BNWL-CC-333

November 1, 1965

TO: Distribution

FROM: W. J. Van Slyke

A cost analysis has been made for non-radioactive demonstration tests for the process dissolution of lithium-aluminate (or similar) ceramic in sodium tetraborate molten glass. The tests would demonstrate the more important aspects of tritium production by molten glass dissolution of a high melting temperature lithium-bearing irradiated ceramic.

We would conduct the tests in a modified 3-1/2 foot diameter by 4-foot long vacuum test chamber to be located in 324 Building (CAMEL), 300 Area. The test chamber will easily accommodate a 2-foot diameter by 2-foot high pot which would be heated to 750-900 C by heat transfer from an inductively heated susceptor. Pressure (vacuum level) and temperatures at several locations can be monitored and recorded.

We expect that testing could begin about six weeks after receipt of funds. We would expect each test to be 1 to 1-1/2 weeks in duration including preparation and post-run maintenance with little, if any, delay necessary between tests.

Specific test objectives which can be investigated are:

1. Total time cycle per dissolution run for a specific set of test conditions including such variables as system pressure in the range 10 mm Hg to 0.1 mm Hg or lower, manner in which the glass and simulated target ceramic are charged to the dissolution pot,

DECLASSIFIED

-2-

pot internal geometry such as baffles or baskets to support the lithium ceramics, and dissolution temperature.

2. Confirm and evaluate the suitability of melting pot material choice.
3. Evaluation of system plugging by evaporating borate glass. Development of geometries to alleviate any problems discovered.
4. Possibility of using inert gas sparging to improve the molten glass circulation rates and thus accelerate the dissolution process. Sparging may also be employed to simulate the effects of helium and tritium evolution on system plugging (objective 3 above).

Simulation and measurement of the rates and percentage completion of tritium and helium evolution will probably not be possible, but this possibility may be investigated if desired.

Our estimated cost to modify equipment and prepare for the tests is \$9,500. Cost per test run is estimated at \$1,800 including all reporting of results, post-run pot examinations, and photography of equipment and results, but not including the cost of the aluminum canned ceramics. We expect that these quoted costs would be higher than the actual costs incurred.

DATE

FILMED

8/2/94

END