Do

-19

DOE/OR/21555--T9

DE92 011931

Received by OSTI
APR 20 1992

**FINAL REPORT
AND APPENDICES
December 17, 1985**

**AN ECONOMIC ANALYSIS
OF A MONITORED RETRIEVABLE STORAGE SITE FOR TENNESSEE**

FG05-85OR21555

Center for Business and Economic Research, College of Business Administration, The University of Tennessee, Knoxville

DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED

**AN ECONOMIC ANALYSIS
OF A MONITORED RETRIEVABLE STORAGE SITE
FOR TENNESSEE**

**FINAL REPORT
and
APPENDICES**

December 17, 1985

**William F. Fox, Project Director
Associate Director and
Research Associate Professor,
CBER,
and Associate Professor of Economics**

**John W. Mayo
Research Assistant Professor, CBER, and
Assistant Professor of Economics**

**LeRoy T. Hansen
Visiting Research
Assistant Professor, CBER**

**Kenneth E. Quindry
Research Professor Emeritus, CBER**

Other CBER Contributors

**Maxwell J. Cornelius, Manager, Computer Resources Group
Julia C. Elkins, Word Processing Specialist
Patricia D. Flynn, Word Processing Specialist
Patricia A. Hunley, Word Processing Group Supervisor
Mark A. Ingebretson, Assistant Managing Editor
Rebecca Kelly, Editorial Assistant
Lisa Llewellyn, Research Assistant
Lillian H. Mason, Research Assistant
Jeanne P. McDonald, Managing Editor, Publications
Patricia A. Price, Sr. Research Associate
Joan M. Strong, Proofreader
Betty B. Vickers, Research Associate**

**Byron C. Goins, Graduate Research Assistant
Yorgos Moshovis, Student Assistant
Melissa A. Wood, Graduate Research Assistant**

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

Center for Business and Economic Research/College of Business Administration/The University of Tennessee, Knoxville

RECEIVED

DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED

**AN ECONOMIC ANALYSIS OF
A MONITORED RETRIEVABLE STORAGE FACILITY
FOR TENNESSEE**

List of Appendices

Appendix

- A Participants in the Mini-Conference on the Issues in Evaluating an MRS.** William F. Fox, Project Director, Associate Director and Research Associate Professor, Center for Business and Economic Research and Associate Professor, Department of Economics, College of Business Administration, The University of Tennessee, Knoxville.

- B Method of Forecasting Baseline Construction Activity, Employment, and Personal Income for the State of Tennessee, 1985 – 2025.** Charles F. Fisher, Faculty Associate, Construction Resources Analysis, College of Business Administration; Soon Paik, Assistant Research Director, Construction Resources Analysis, College of Business Administration; William R. Schriver, Research Director, Construction Resources Analysis, College of Business Administration.

- C Monitored Retrievable Storage: Possible Evolving Roles and Their Local Impacts.** Jack N. Barkenbus, Research Scientist, Oak Ridge Associated Universities/Institute for Energy Analysis.

- D MRS Tax Potential.** Kenneth E. Quindry, Research Professor Emeritus, Center for Business and Economic Research, The University of Tennessee, Knoxville.

- E MRS Impact on State and Local Public Sector.** Kenneth E. Quindry.

- F Transportation Impacts Associated with a Proposed Monitored Retrievable Storage Facility to be Located in Tennessee.** Arun Chatterjee, Professor, Department of Civil Engineering, The University of Tennessee, Knoxville; Nicholas Fortney, Graduate Research Assistant, Department of Civil Engineering, The University of Tennessee, Knoxville.

- G The Risk of a Boom-Bust in the Local Economy.** LeRoy T. Hansen, Visiting Research Assistant Professor, Center for Business and Economic Research, The University of Tennessee, Knoxville.

- H MRS and Land Values.** John W. Mayo, Research Assistant Professor, Center for Business and Economic Research, and Assistant Professor of Economics, College of Business Administration, The University of Tennessee, Knoxville.

- I Effects of the MRS on Business Location.** John W. Mayo.

- J The Effects of the MRS on Tourism.** John W. Mayo.

- K The Monitored Retrievable Storage Facility and Impacts of Real Risk.** LeRoy T. Hansen.

- L Bibliography.** Byron R. Goins, Graduate Research Assistant, Center for Business and Economic Research, The University of Tennessee, Knoxville.

TABLE OF CONTENTS

	Page
Introduction	1
Purpose of Study	5
Three MRS Scenarios	5
Direct and Indirect Economic Effects	9
Direct Jobs	9
Indirect Jobs	10
Induced Jobs	13
Agglomeration Jobs	13
Direct and Indirect Fiscal Effects	16
Direct MRS Tax Effects	16
Indirect Payment of Taxes	20
Expenditures	20
Economic Impacts of Transporting Nuclear Fuels	22
Potential Costs of an MRS Facility	24
Cost of Foregone Options	24
Risks of a Boom/Bust Scenario	25
Costs of Perceptions	27
Land Price Effects	29
Effects of Perceptions About the MRS on Business Location	31
Effects of Perceptions about the MRS on Tourism	36
Implications	40
Appendices	45

LIST OF TABLES

Table	Page
1 Employment and Wage and Salary Effects	11
2 Selected Tax Effects of the MRS Facility	18

LIST OF FIGURES

Figure	Page
1 Proposed Oak Ridge—Clinch River Site	2
2 Proposed Hartsville Site	3
3 Consider Locating in an MRS County	34
4 Tourists Who Would Alter Travel Plan	37
5 Would you Take a Tour of an MRS	39

AN ECONOMIC ANALYSIS OF A MONITORED RETRIEVABLE STORAGE FACILITY FOR TENNESSEE

1. INTRODUCTION

The United States Department of Energy (DOE) is charged with the task of identifying potential sites for a Monitored Retrievable Storage (MRS) Facility and reporting the results of its analysis to Congress by January 1986. DOE chose three finalist sites from 11 sites DOE analysts evaluated earlier. All three are in Tennessee, including two in Oak Ridge and one in Trousdale/Smith Counties (see Figures 1 and 2). DOE has indicated that its preferred location is the former Clinch River Breeder Reactor site in Oak Ridge.

In the summer of 1985, DOE extended the opportunity to the state of Tennessee to analyze for itself the potential consequences for Tennesseans should the MRS be located at one of these sites. This paper is a summary of research undertaken on the economic effects of establishing the MRS facility in Tennessee. All three locations were considered in the analysis, but on some occasions attention is focused on the site preferred by DOE. The research was undertaken by the Center for Business and Economic Research (CBER), College of Business Administration, The University of Tennessee, Knoxville, under contract with the Tennessee Department of Economic and Community Development.

Selection of Issues. The first challenge was to identify what issues, within the broad range of possibilities, should be chosen for consideration in the economic analysis. A miniconference was held on the University campus July 16 and 17, 1985, for the purpose of selecting the issues for research. The participants came from such diverse disciplines

FIGURE 1
PROPOSED OAK RIDGE-CLINCH RIVER SITE

Primary Impact Area

0 10 20 30 40 50
Miles

FIGURE 2
PROPOSED HARTSVILLE SITE

Primary Impact Area

0 10 20 30 40 50
Miles

as economics, philosophy, religious studies, sociology, physics, law, and engineering. A listing of the participants, all of whom are nationally regarded in their fields, is contained in Appendix A.

A standard economic analysis of the income and employment effects was deemed necessary for the analysis. Six other topics were recommended for detailed consideration, including:

1. The possibility of, and consequences associated with, a scenario in which the MRS project is initially approved and then cancelled, causing a boom in the local economy and later a bust
2. The impact that perceptions about the MRS would have on future industrial development, tourism, and property values
3. The impact of evolutionary changes in the nature of the MRS should other activities, such as reprocessing spent fuel, potentially locate in the area after the MRS is present
4. The economic influence that transportation of nuclear wastes has on transportation corridors and on the state of Tennessee
5. The economic impact of real risks and potential accidents
6. The additional compensation which should be provided to the state and community if the MRS is allowed to locate in Tennessee

Each of these topics was considered in the development of this paper. Number 6, development of a compensation scheme, is not given as much attention in this document, partly because this topic was the focus of the Clinch River Socioeconomic Study Group and also because an adequate economic development of compensation schemes was not possible in the allotted time frame. Appropriate compensation schemes for the state need

further study. Analyses of other topics, such as the potential fiscal effects of the MRS, are also reported here.

Purpose of Study

This study is designed to determine the economic effects of the MRS on Tennessee and is not an analysis of whether MRS facilities are necessary or appropriate ingredients to the disposal of high-level nuclear wastes. The MRS could be part of the desired national solution and still be harmful to the state's economy, or vice versa. Further, the paper is focused on the effects for the entire state, and not on any specific area.

It should be noted that the analysis in a study such as this one fails to offer a simple decision as to whether the MRS is positive or negative for the state's economy. Subjective weighing of the various aspects of the study is necessary to assess the results, because there are both positive and negative effects, and all effects cannot be precisely quantified.

The approach to the report is to provide in this summary the highlights of the study's components and the narrative framework which ties them together. In-depth analysis of the component parts of the overall economic analysis of MRS is contained in a set of appendices. The interested reader is encouraged to read the appropriate appendix for further discussion of any particular issue.

Three MRS Scenarios

Three scenarios appear to contain the most probable outcomes if the MRS is initially approved as part of the overall plan for disposing of nuclear wastes. Though there could be some small variations in these scenarios, the effects will still be much as described.

The first scenario is that the MRS would be constructed and the final repository for nuclear wastes built (at least nearly on time), resulting in the economic effects which would occur based on the MRS as current DOE documents describe it. Most of this report is based on this scenario.

The second scenario is that the MRS will be constructed, but the potential to store wastes on the MRS site will reduce the pressure to site and develop the final repository to such an extent that the repository will not be approved. This, and other reasons for delay in development of a final repository, would mean that by default the MRS would become the site for longer term storage of nuclear wastes than implied in current DOE documents. Further, the size of the authorized storage could be increased, and the resulting level of storage could greatly exceed current plans. In this regard, it is interesting to note that the military waste storage area in Savannah River, South Carolina, was created thirty years ago with the expectation that it would be temporary, yet no permanent repository has been built to date (Appendix C, p. 10). The U.S. Office of Technology Assessment (OTA) has also raised this issue as they note a "...concern that the availability of Federal storage capacity would lead to deferral of the politically and financially costly steps involved in siting a geologic repository."¹

The Clinch River Socioeconomic Study Group has recommended against the siting of the MRS in Oak Ridge until a permanent repository has been

1. U.S. Congress, House Committee on Energy and Commerce, a staff paper prepared for the Subcommittee on Energy Conservation and Power, August 30, 1985, pages 3 and 19.

authorized by Congress² and OTA made similar recommendations. A guarantee that the MRS would not become operable unless the repository were being developed may reduce the probability that the MRS becomes a long-term storage site. However, such a guarantee would fail to insure that the state will bear no negative repercussions of an MRS being built but not becoming operative. Economic effects arising from negative perceptions about the MRS (discussed below) may begin with approval of the MRS site and not just after the spent fuel begins to arrive. The Clinch River Socioeconomic Study Group recommended mitigation payments for Oak Ridge and Roane County in order to offset these effects, but that will not help other parts of the state.

A third scenario is that the MRS and the final repository would be constructed and begin operation as planned. However, in this case the Eastern (Tennessee) site for the MRS would be closed down well before DOE documents currently specify. This may occur simply because the waste management system is redesigned. Beyond this, many of the activities of the MPS may need to be performed, but it does not appear that these activities must be transacted at an Eastern MRS. OTA indicated that most of the MRS functions could be performed at the geologic repository (House Committee on Energy and Commerce, p. 6). Further, a Western MRS, potentially at the repository site, must be developed anyway to prepare the Western spent fuel and defense fuels for the geologic repository. This third scenario suggests that two MRS facilities would be built; and, to the extent that economies of scale exist, one MRS site may be redundant.

2. MRS Task Force, Report of the Socioeconomic Study Group to the Full Clinch River MRS Task Force, September 22, 1985 (draft), p. 1.

The extent of any redundancy will depend upon later planning about the functions of each MRS facility.

OTA listed two reasons for agreeing with DOE on the MRS (House Committee on Energy and Commerce, p. 2). The first is that it would add substantial flexibility to the waste management system and the other is that it would increase confidence that nuclear wastes would be removed from the reactor sites. However, once the final repository is built, it no longer appears necessary to use an Eastern MRS to add flexibility and confidence to the waste management system. OTA noted that much of the uncertainty would be resolved when the Nuclear Regulatory Commission (NRC) authorizes a repository, though some change might occur during the construction phase (House Committee on Energy and Commerce, pp. 6-7). DOE has determined that the MRS facility increases the overall cost of nuclear waste disposal by \$1.6-\$2.0 billion over the life of the facility.³ It would appear that this additional cost could be reduced if the MRS is closed at a later date.

A variation on this third scenario is that the MRS will be approved but the project will be cancelled before construction is complete. This concern is expressed in Barkenbus' summary comment: "The landscape is littered with nuclear projects that have not come to fruition...." (Appendix C, p. 24). Again, in this case the costs of any negative perceptions may be borne by the state, but once again the benefits will not be fully realized.

3. U.S. Department of Energy, Monitored Retrievable Storage Submission to Congress, Vol. 2, Environmental Assessment for A Monitored Retrievable Storage Facility, November 4, 1985 (preliminary), p. 1.2.28.

The last two scenarios appear at least as likely as the first, if the MRS does receive initial approval. The second scenario would likely have greater negative effects because use of the MRS site as a repository for longer-term storage would exacerbate any negative perceptions. The third scenario has fewer positive economic effects because the MRS would operate in Tennessee for a shorter time period than planned. Further, the last scenario creates the prospect of an economic boom and then a bust when the MRS is closed. Since the focus here is on the DOE case, that is, the first scenario, the economic effects described below generally pertain to the most positive case for the local economies.

2. DIRECT AND INDIRECT ECONOMIC EFFECTS

New employment of four types can potentially be created by location of the MRS and each of these will produce a related flow of income. The first type is direct jobs at the MRS site. Such jobs would arise during both the construction and operation phases. The second is the indirect jobs which arise as local firms provide the MRS with the inputs necessary for operation. Third is the agglomeration jobs which are created when firms engaged in related production locate near the MRS in order to take advantage of a trained labor force or other benefits of production in close proximity. Finally, there are induced jobs which are created as workers in each of these groups spend their income, creating a "multiplier" effect. These four new employment types will be considered here in succession. The interested reader can find a detailed analysis of employment and income effects in Appendix B.

Direct jobs. The direct jobs at the site include those associated with construction of the facility prior to 1998 and its operation there-

after. Construction activity is expected to last from 1992 to 1996, and construction employment is estimated to exceed 1000 from 1994 to 1996, with the peak at 2685 workers in 1994.

During the operation phase the facility is expected to employ 718 workers per year until sufficient casks are built for storage at the MRS site. Another 26 workers will be employed in supervising MRS activities. These workers are expected to have a total annual labor cost of about \$27.9 million in 1985 terms, and wages and salaries of \$21.5 million (see Table 1). After about five years, sufficient casks should be prepared for on-site storage; and the direct MRS employment is expected to fall to 672 plus the 26, with a total annual labor cost of about \$26.2 million.

Jobs arising from the MRS are likely to be very stable across business cycles (recessions and expansions). The inflow of nuclear fuel which has already been spent could continue at a steady rate for many years, so there would be no need for layoffs or cutbacks because of a temporary slowdown in national business activity. Even a lengthy decrease in the demand for nuclear power should not affect operations at the MRS. On the other hand, jobs at the MRS would clearly be tied to federal decisions about how to manage the nuclear waste system. Shifts in views about the appropriate solution to disposal of nuclear wastes could eliminate these jobs. In this regard, the MRS runs counter to the desire in the Oak Ridge area to diversify the economy so that it would become less dependent upon Federal-government-related activity (see Report of the Socioeconomic Study Group).

Indirect jobs. Indirect jobs are those positions which become available at suppliers when inputs are purchased to construct or operate the

TABLE 1

EMPLOYMENT AND WAGE AND SALARY EFFECTS
(Wages and Salaries in Millions of 1985 Dollars)

	<u>Peak Construction</u>		<u>First 5 Years of Operation</u>		<u>Remaining Years of Operation</u>	
	<u>Work- years</u>	<u>Wages and Salaries</u>	<u>Work- years</u>	<u>Wages and Salaries</u>	<u>Work- years</u>	<u>Wages and Salaries</u>
Direct	2,685	67.4*	744	21.5*	698	20.2*
Indirect and Induced						
Oak Ridge	1,627	47.7	589	17.3	563	16.7
Hartsville	2,088	47.7	756	17.3	723	16.7

*During the construction phase fringe benefits are assumed to be 35 percent of wages and salaries for manual workers and 30 percent of wages and salaries for non-manual workers.

During the operation phase fringe benefits are assumed to be 30 percent of wages and salaries.

Source: Appendix B

MRS. The estimate is that \$375 million of equipment and materials will be purchased during construction of the MRS site.

The MRS is not a fabrication plant, so the value of inputs purchased during the operation phase may not be as large as for some plants, but inputs would be needed for such things as cask construction, conditioning of the wastes (if that occurs at the MRS site), and treatment of low-level wastes arising from operation of the MRS, though opposition to the treatment of these low-level wastes in Oak Ridge was expressed in the final report of the Clinch River MRS Task Force.⁴

The estimate is that \$22 million in 1985 dollars would be spent annually on purchasing materials, equipment, and utilities during the five years when the first complement of casks is being prepared. After the five years, about \$16 million would be spent annually. The number of positions which are created in the state's economy because of these expenditures for inputs depends on where the goods are produced and where the purchases are made. Pertinent estimates are made jointly with the induced effects below.

The Oak Ridge National Laboratory (ORNL) might benefit from the MRS by attracting funds for MRS research which would otherwise go elsewhere. Such funding would entail local purchase of inputs that are not included in the above calculations. But there does not appear to be any strong need to undertake the research geographically near the MRS, so the likelihood of MRS-related research at ORNL may depend more on bargaining with DOE than on an economic rationale for the necessity for its being undertaken near the MRS site.

4. Clinch River MRS Task Force, Recommendations on the Proposed Monitored Retrievable Storage Facility, Roane County/City of Oak Ridge, October 1985.

Induced Jobs. Induced jobs arise from the spending and respending of the incomes created by direct and indirect jobs (and potentially any agglomeration-related jobs). This process causes what is frequently termed a multiplier effect. Local area multiplier effects are often exaggerated, as expectations about the spending and respending of incomes are developed without taking federal taxes paid from these incomes into consideration and also because such estimates do not adjust for the fact that many of the locally purchased goods are produced outside the local economy. These other factors mean that much of the economic effect occurs outside the region where the incomes are initially created.

The analysis used here does adjust for these factors, and it leads to the finding that between 1600-2100 induced and indirect jobs will be generated at peak construction employment. These jobs will represent \$47.7 million in wages and salaries (Table 1). During the first five years of operation, induced and indirect jobs will total between 600 and 750 and thereafter will be between 550 and 750. Induced jobs would be concentrated in multi-county impact areas around the MRS sites, but this estimate includes jobs created statewide.

Agglomeration jobs. Agglomeration effects refer to the economic influences which cause firms in similar industries to cluster their production activities near each other. These may occur because firms are able to train a labor force jointly if they are in close proximity. Another reason for agglomeration effects is the desire to locate near a major supplier. Jobs created by agglomeration effects are not included in the above three categories, so the effect of these jobs must be separately included in the overall employment effects. Unfortunately, there

is no way to quantify the agglomeration effects. They can, however, be discussed in qualitative terms.

Certain agglomeration effects may arise from the MRS, particularly if the MRS is located in Oak Ridge (see Appendix C for a detailed discussion of this and related issues). However, the technology that is used at the MRS will not be easily transferred to other industries, so the potential for agglomeration effects appears small for the near term.

One agglomeration effect could arise if other companies involved in managing hazardous wastes desired to locate in Oak Ridge because the community is willing to accept the wastes. Quite simply, the comparative advantage which Oak Ridge would have is its willingness to accept waste management activities along with the risks involved.

Firms of this type might locate in the Oak Ridge area with or without the MRS. There are already several examples of such firms which have chosen to locate in Oak Ridge (Appendix C). A statement of willingness to accept the MRS may be sufficient additional impetus for other hazardous waste management firms to anticipate tolerance on the part of Oak Ridge and to feel that it is a good place to locate their plants, regardless of whether or not an MRS actually locates in Oak Ridge. Nonetheless, the MRS might enhance or even accelerate this momentum.

The negative side of this type of agglomeration effect is that many of the same real or perceived risks may exist for management and/or disposal of other wastes that exist for the handling of nuclear wastes at the MRS. Thus, any economic costs arising because of negative perceptions of the risks involved would be exacerbated. On the other hand, some have suggested that Oak Ridge should try to build on the MRS opportunity by seeking to turn Oak Ridge into a national center for the study of the management

and disposal of hazardous and nuclear wastes. Potentially this could offset the negative aspects. However attractive this might seem, increasing the concentration of activities associated with the management and disposal of hazardous wastes also raises the risk of some type of accident, and an accident would undoubtedly increase people's negative perceptions of the risks.

Another potential agglomeration effect would arise if reprocessing spent fuel became a reality. Reprocessing involves taking usable materials from spent fuel primarily for the purpose of recycling them. Reprocessing was originally thought of as a way to recycle a very limited resource. But the passage of time has revealed much more plentiful uranium reserves than anticipated. As a result, reprocessing is not economically viable at the present time. The current cost of uranium is about \$50 per kilogram, and the cost of reprocessed uranium is estimated to be \$150 per kilogram. Of course, the cost of uranium will rise over time as the result of inflation and other factors, but so will the cost of reprocessed uranium. Consequently, this means that it is highly unlikely that commercial reprocessing would be undertaken before the turn of the century, if then.

If reprocessing does become economically viable, it would appear natural that the reprocessing center would be located near the MRS site. As an aside, it follows that MRS-type functions occurring at a Western site designed to handle the Western wastes and defense wastes would also allow reprocessing to occur there. The number of positions that would be created at a commercial-size reprocessing facility would be twice as large as those associated with the MRS, so the economic effects could be correspondingly larger.

DOE is not presenting the MRS facility as one component of a reprocessing technology, but if the potential for attracting reprocessing operations to Oak Ridge is seen as one of the benefits of the MRS, risks associated with reprocessing must be considered as well. In the event of reprocessing, the MRS would no longer be a temporary storage and handling facility. Instead, it would become a site for storage until the reprocessing center was ready for the spent fuel. Reprocessing entails greater risks of radiation exposure than would be the case with the current MRS concept. Thus, reprocessing offers the potential for increasing the positive as well as the negative economic effects when compared to effects of an MRS facility.

3. DIRECT AND INDIRECT FISCAL EFFECTS

Fiscal effects include both the taxes generated and the expenditures caused by the location of the MRS. Estimates of tax effects can be made accurately, given an existing tax structure, but the influence of the MRS on state and local expenditures is much more difficult to assess. In this section we report the results of research on the sales and property taxes which would be paid by the MRS if it were taxable and on the taxes which would be paid by those who earn incomes through direct, indirect, or induced employment generated by the MRS facility. Expenditure effects are reported in less detail.

Direct MRS tax effects. As presently written, the National Waste Policy Act establishes a "grant equivalent" concept for payment of in-lieu taxes for repositories, but not for an MRS facility. The Act states that the Secretary of Energy shall make a grant from the Nuclear Waste Fund to state and local governments. The amounts of these grants

are equivalent to what the communities would receive were they authorized to tax repositories in the same manner as they tax other property and industrial activity.

Estimates were made for the amounts Tennessee state and local governments would receive if the grant-equivalent concept were extended to the MRS. Presumably such an arrangement would need to be negotiated with DOE and the Congress. Appendix D includes a comprehensive discussion of the way Tennessee law would apply to an MRS.

In Tennessee, businesses are taxed under the state's corporate excise and franchise, gross receipts, and sales taxes and the local personal property, real property, business, and sales taxes. Corporate taxes can be estimated only for a specific firm operating in the state, so no estimate is made here for these taxes. But Tennessee would receive corporate taxes from any private firm which operated the MRS, regardless of whether the grant equivalent approach were adopted. It is unlikely that gross receipts or business taxes would be levied on a firm which was operating the MRS. Thus, the sales and property taxes appear to be the only taxes which could be covered by the grant-equivalent concept, though other taxes could be developed as part of a compensation scheme for Tennessee.

Under Tennessee law, the amount of tax which would be due if the MRS were taxed as other businesses depends on what activities the facility performed. The estimates provided here assume that the MRS is a manufacturing plant which exports its final product. Other interpretations are possible, so it would be in the best interest of the state and local governments to specify how the property will be interpreted for tax purposes if an agreement for grant equivalent payments is to be set.

TABLE 2
SELECTED TAX EFFECTS OF THE MRS FACILITY
(1985 Dollars)

<u>Sales Tax¹</u>			
	<u>Operations²</u>		<u>Construction</u>
State	\$185,900		\$11,385,000
Oak Ridge/Roane County Area	50,700		3,105,000
Trousdale County Area	76,050		4,657,500

<u>Property Taxes</u>			
	<u>Oak Ridge</u>	<u>Roane County</u>	<u>Trousdale County⁵</u>
Property tax ³	\$8,467,454	\$7,377,809	\$13,981,900
Percent reduction ⁴	58.7	62.2	93.9

1. Each cask acquired would generate \$5,280 in state sales tax and a maximum of either \$1,440 in local option sales tax for Oak Ridge/Roane County or \$2,160 in local option sales tax for Trousdale County.

2. Annual revenues.

3. This is based on the 1985 tax rate. In addition the annual property tax per cask on hand would be \$1,035 for Oak Ridge and \$902 for Roane County or \$1,709 for Trousdale County.

4. Percentage reduction in the local property tax rate that could occur if the existing tax base plus the MRS is used to raise 1985 revenues.

5. This is based on the assumption that the MRS facility is located wholly in Trousdale County. As the Hartsville site lies approximately equally in Smith and Trousdale counties, alternative effects are given below. For the first alternative, the MRS is sited wholly in Smith county. In the second, it is assumed that half of the value of the MRS lies in Smith county and half in Trousdale county.

	Property Tax	Percent Reduction
Smith County	\$11,078,064	89.5
Smith/Trousdale	\$12,529,982	80.9/88.7

Estimated tax payments are listed in Table 2. The state would receive \$11.385 million in sales taxes during the several years of the construction phase, and \$185,900 annually in the operation phase. Local governments near Oak Ridge could expect to receive a total of \$3.105 million in local sales taxes during the construction phase, but the distribution of these payments across local governments would depend on where the construction materials and equipment were purchased and thus could cover a wide area. Local sales taxes would be about \$50,700 annually in the first five years of the MRS' operation phase. In the Trousdale County area, local governments would receive \$4.7 million during construction and \$76,050 annually during the first five years of operation.

At the current tax rate, property taxes paid by the MRS would be greater than what any of the local governments are currently receiving from all other property in their jurisdictions. Affected communities may need to use some of the increased revenues to provide services for the MRS and for any new residents. The remainder of the revenues could be used to lower the tax rate or to increase the level of services, with the likelihood that some combination of these two would happen. Thus, it is improbable that any of the local governments would receive as much additional property tax revenues as would be calculated by multiplying the current tax rate times the assessed value of the facility. One way to interpret the property tax worth of the facility is to measure the reduction in the local property tax rate which could occur if the facility was located in a particular community and no increase in expenditures took place. The additional property tax base would allow Oak Ridge to reduce its property tax rate by 58.7 percent. Roane County could reduce its rate by 62.2 percent. Similarly, Trousdale County could reduce its rate by 93.9 percent

if the MRS were located at the site of the Hartsville power plant. Again, it is very unlikely that any local government would (or could) use all of these revenues to reduce its property tax rate. In any event, area residents would receive an increase in after-tax income to the extent that their tax rates are reduced.

Indirect payment of taxes. Though Tennessee does not have an income tax, people do pay additional taxes as their incomes rise. Income earned by direct, indirect, and induced employees of the MRS would be taxed under the sales tax as the income is spent. Other taxes will also be indirectly linked to the amount of income earned. These taxes will be paid regardless of what decision is made about the grant equivalent concept for the MRS.

Sales taxes which would be paid out of incomes earned from activities related to the MRS were estimated for Oak Ridge area counties and the state (see Appendix E). Based on current relationships to income, it appears that sales taxes of about \$317,000 would be received by the four counties, with Knox County receiving more than one-half of the revenues. Counties in the area around Hartsville (including Davidson) could expect a greater amount of revenue because local sales tax rates are higher. Other taxes and fees which can be related to income would generate about \$223,000 in the Oak Ridge area, for a total of \$540,000.

The state would receive about \$1.7 million in sales taxes from these incomes and about \$200,000 more from other consumption-related taxes. The state will also generate an undetermined amount of revenues from increased profits of corporations.

Expenditures. No effort is made to precisely estimate the effects of the MRS on state and local expenditures. However, relatively little

effect is anticipated, because only about 214 workers are expected to relocate to Tennessee if the MRS were to be sited here, and this is very small relative to the impact areas. For example, only 140 new students would locate, and they represent less than one-fifth of one percent of the students in the four-county Oak Ridge area. The students could be spread across 4,100 classrooms in the four counties, meaning about one student for every 30 classrooms. The effect would be larger in the City of Oak Ridge, but still of minor importance.

In many cases, existing excess capacity in the local public sectors can absorb the new service demands. Overall, additions to the infrastructure should not be needed except for transportation, but operating expenditures for some services will rise. An income-based analysis led to an estimate that at least \$359,000 in new expenditures would be needed in the four-county Oak Ridge area. This includes expenditures associated with the new residents, but not for the MRS itself.

Increased expenditures will arise in several places. First, some improvements in the highway transportation network will be necessary. Such improvements would cost \$20.5 million for an Oak Ridge site and \$65.0 million for a Hartsville site (see Appendix F). Rail improvements, which presumably must be financed by the private sector, will also be necessary. Second, training and upgrading will be necessary for the emergency preparedness system. The Tennessee Emergency Management Agency estimates a \$1 million annual cost to implement such a system. Third, a system for monitoring nuclear waste transportation and performance of the MRS will need to be developed. The Tennessee Public Service Commission has estimated that start-up costs for the monitoring system would be \$2 million, and annual operation costs would be between \$1 and \$2 million.

4. ECONOMIC IMPACTS OF TRANSPORTING NUCLEAR FUELS

Spent nuclear fuel rod assemblies will be transported through Tennessee, whether or not the MRS is located in the state. If no MRS is constructed in Tennessee it will still be necessary to ship spent fuel assemblies across the state to either another MRS or to the final repository. The estimate is that spent fuel assemblies will be transported 33,000 miles in Tennessee without the MRS, 125,700 miles with an Oak Ridge MRS, or 141,300 miles with a Hartsville MRS. The focus in this section is on the increase in mileage because of the MRS, and not the total shipment miles. Appendix F describes the local transportation routes and the economic influences of transport to the MRS.

The number of jobs that are created in transporting nuclear fuels can be viewed as essentially unrelated to where the MRS locates. Tennesseans may be just as likely to obtain positions transporting spent nuclear fuels if the MRS does not come to Tennessee as if it does. Geographic location of the jobs depends more on what companies are responsible for transporting the fuels than on where the MRS is located. Further, most of the transportation will emanate from outside the state of Tennessee. Fiscal effects of transporting the fuels are minor. The annual gasoline tax revenues will be no more than \$5,000.

The risk of radiation exposure from routine transportation of nuclear wastes appears to be very small by comparison with natural and background radiation. This implies very little risk of any economic consequence, so no estimate is provided of economic effects from normal shipments.

Any economic consequences from transporting nuclear fuels would appear to arise because of an accident or perceptions about the risks. Using standard statistics on the frequency of truck accidents, about 0.7 truck accidents per year could be expected from having nuclear fuel shipped across Tennessee to a Tennessee MRS. This figure represents an increase from 0.2 accidents per year if no MRS is in the state. About 0.7 accidents per year can also be expected, based on standard statistics of accident rates for trains. These are probably upper estimates of accident risks because of special precautions that are likely to be taken such as two drivers in a truck, better truck inspection, and escorts. No accidents have been reported in the 284 truck and 20 rail shipments of nuclear fuel in Illinois, but the number of shipments is relatively small. Several safety violations involving trucks have been reported.

This is not a proper setting for analysis of the likelihood of casks rupturing or of the exposure that would result if a cask were opened, thus DOE claims about cask safety are accepted. The risk of any consequences on people from an accident appears to be very small. Risks depend on the location of the accident relative to the population and the damage to the cask. Most of the shipment miles will be relatively far from the population, but the casks will be close to the population in developed areas and when trucks are travelling on roads that are not limited access.

The DOE claims that the casks have been shown not to rupture by test or analysis, so the risk of any exposure is insignificant, even if an accident were to occur. If a cask were broken open in an urban area and no evacuation or cleanup were to take place, DOE reports that an additional 0.2 cancer deaths in total would be expected over the 50-year time period following the accident. With cleanup, this decreases dramatically.

Thus, the real economic consequences are small, though the federal costs of cleanup could be substantial. The economic consequences to Tennessee from an accident lie more in the way people's perceptions are affected than in the accident itself. The effect of perceptions is discussed in more detail below.

5. POTENTIAL COSTS OF AN MRS FACILITY

The potential benefits of an MRS in terms of employment, income, and tax revenues as well as transportation benefits and costs were described above. The following two sections report the potential costs that can arise from having an MRS locate in Tennessee. The specific MRS issues which are discussed here are the opportunity cost of lost industry, and the costs that would arise if there is a boom followed by a bust in the local economy. The effects of perceptions on business location and retention, land values and tourism are in Section 6.

Cost of foregone options. The gains from the MRS which were outlined above must be compared with the costs of other lost industry to determine a net benefit or cost. An opportunity cost of any business location is the alternative use which could be made of the particular site. These potential alternative uses include other commercial and industrial firms which could have located at the plant site. The cost is the lost employment and income that could have been generated from the alternative firms. To be meaningful, measurement of the opportunity cost must take into consideration the probability that the site would be needed for further development.

An opportunity cost arises only if private firms or other economic activities which want to locate in one of the two areas are precluded

because no site is available after the existing one is used for the MRS. There are two aspects to this issue. First is determination of the probability that a firm would want to locate at the MRS site. The second is whether there are alternative sites which could be used for any firm wanting to locate in the area.

No precise value can be assigned to the probability that a firm would want to locate at the MRS sites, but it is obvious that business locations requiring a site similar to the MRS are very uncommon. Thus, the probability that a firm will seriously seek location at the MRS sites is very low, however, there is some value to local areas in having such a site for firms to consider.

Assuming such a firm were to come to one of the areas, would it be able to find a location? Sites of one thousand acres are also relatively rare. In Oak Ridge, few sites of any size are available for industrial development (see City-Owned Industrial Parcels, Oak Ridge, Tennessee, April 1985), and none of these exceeds 20 acres. The larger potential industrial sites, including the proposed MRS sites, are owned by DOE or TVA. Thus, the MRS could preclude other industrial development, but the resulting effect could be mitigated if DOE agreed to make the site which is not used for the MRS available for industrial development. In sum, it appears that the opportunity cost of using the land for the MRS need not be a significant issue for private development. An opportunity cost does arise if alternative government uses of the MRS sites are available now or will be available in the future.

Risks of a Boom/Bust Scenario

Nationally, the nuclear industry has suffered through cycles, creating concern that the MRS would initially be approved, causing a boom in

the local economy and then cancelled, causing a bust in the local economy. The MRS, as currently outlined by DOE, is expected to operate for a fixed time period. The concern raised here is not for the planned elimination of the MRS, but an unanticipated cancellation prior to the planned termination of its operation.

Some boom/bust effects will be created during the construction phase, but these can be anticipated. Peak direct, indirect, and induced employment is estimated to be over 4,700. Of those employed, 2,685 will be construction workers, many of whom will likely be brought into the area for this project. Experience with construction of the Hartsville nuclear plant does suggest that most of these workers will not live in the county where construction occurs, so the effect is somewhat dissipated. Further, many of the workers will not move their families to the area, but will commute in on Mondays and out on Fridays. This arrangement suggests some pressure on selected local services, but the construction phase is too short to require significant infrastructure upgrading or service expansion in either the Oak Ridge or Hartsville areas.

The specific costs of a boom and then an unanticipated bust are estimated to be rather small (see Appendix G). While the MRS would be a large employer in either area, it would still be small in relation to total economic activity in that area. MRS-generated population and employment appear to be very low compared to the existing levels in both regions of the state. For example, the direct, indirect, and induced employment from the MRS would represent only 0.6 percent of the four-county Oak Ridge impact area employment in 1998 and only 2.7 percent of the five-county Hartsville impact area employment. Hartsville area effects are larger, but a larger proportion of the workers commutes out

of the area for employment. The number of MRS-related positions is much smaller relative to the total number of people in the Hartsville area who are employed somewhere inside or outside the impact area. Population effects are also similarly small in both places. Since the population and employment effects are minor compared with the base, it does not appear that any noticeable expansion would be necessary for the public infrastructure. The one exception is the highway improvements which were listed above. Overall, the findings indicate that there would be no boom in the area economy from the MRS.

If no boom in either local economy occurs, it also follows that no bust should be expected if the facility were to be withdrawn from either area. Only a small portion of the number of jobs or population in an area would be affected by the closure, and no substantial public commitments should have been made which would then be left for the remaining population to bear. Though any losses would not be significant in the aggregate, job losses would be real to those who experience them, so there would be some economic and psychic cost. There is also risk that the perception of a closing MRS could create a feeling of demise that would influence people's optimism and willingness to invest in the local economy. Next, premature cancellation could harm the public sector if the property tax rate had been lowered substantially because of grant-equivalent payments from the MRS. It may be difficult to convince people to reaccept the old, much higher property tax rate.

6. COSTS OF PERCEPTIONS

Economic costs of an MRS are likely to be related more to the perceptions than to the real risks associated with it. Business

firms will make location decisions and tourists will make travel plans based on the risks they think exist because of the MRS, rather than actual risks. Real and perceived risks are related over a significant time period, because an accident-free experience associated with the MRS will cause people and firms to become less concerned about the MRS. The reverse could also be true, as a number of accidents could heighten fears. But perceptions and actual risks could be divergent for a substantial time period. Analysis of MRS costs in this section is focused on perceptions rather than on actual risks of the MRS.

At this point there is no experience with the MRS, and there is likely to be substantial variation between the perceptions and the actual risks. A particular concern here is the long time lag between approval of the MRS and its actually becoming operative. This time period permits perceptions to have an effect long before the opportunity arises for perceived and real risks to equate.

Effects of perceptions on land values, business location, and tourism are addressed here. A survey was conducted to determine how business locations and economic development would be influenced by an MRS. A second survey was conducted to determine how tourism would be affected by the presence of an MRS. One risk in using a survey to answer questions such as these is that the responses indicate how people think they would react in a particular situation, rather than how they will behave under the actual circumstances. Thus, the data may overstate or understate how people will react to the MRS. Unfortunately, the probability that we will be misled by these results cannot be quantified. Even so, the reader should be aware of the shortcomings of this approach.

The effect of perceptions depends on the visibility of the MRS, since the more visible it is, the greater the effects of perceptions will

be. As Barkenbus (Appendix C) commented, "The very uniqueness of this undertaking, at least in the United States, would, therefore, attract considerable attention...." (Appendix C, p. 23). The high degree of visibility can magnify any consequences of perceptions. An additional point is that the effects of perceptions can transcend political boundaries and easily go well beyond the impact areas which were identified above.

Land Price Effects

The presence of public goods or bads is generally reflected in the value of land. One example of a public good increasing the value of land is when, with everything else equal, people pay more to acquire a lot with a particularly scenic view. An example of public bads decreasing the value of land occurs when people will locate near a polluting factory or a very busy street only when the land is valued at a lesser amount. The dollar amount by which the land price changes with the presence of these public goods or bads is an indicator of the value which is placed on the good or bad.

The effect of an MRS on land values cannot be addressed directly, since there are no observations of how land prices would be affected. The only possible approach is to examine analogies to determine what has happened in other somewhat similar situations. The difficulty here is that analogies need not hold in the case of hazardous wastes and nuclear wastes, since the valuations placed on the hazards and their risk of occurrence may differ widely across geographic areas. Nonetheless, this is the only option for evaluating the effects in this case (see Appendix H).

The effect of the MRS on land values is a distributional issue, not one related to the overall economic climate in the state. If the MRS had the effect of reducing land values near the site, it would be because people had chosen to move further from the site. This means that the demand for land (housing) near the site was lower. But when people choose to seek housing further from the site, the demand is higher in the new places and the land price rises. Thus, the only effect of the MRS is to shift where the demand for land (housing) occurs, but the areawide level is not likely to be noticeably changed.

Research to date has determined that there is a reduction in land values near a noxious facility, but the effect is very sensitive to the distance. In most cases there appears to be little or no effect beyond one mile from the noxious facility, so little effect should be felt at any significant distance from the MRS.

The proposed MRS sites have previously been targeted for uses which are not dissimilar from the MRS, so there is less likelihood that land values would be dramatically affected by the MRS. Further, at least in the case of Oak Ridge, perceptions of risks from the MRS may be relatively low. If so, only a small negative effect would be reflected in the land price.

Any noxious effects of the MRS on housing should not be evaluated in a vacuum. If the MRS facility paid more tax revenues than the public service costs which it imposed, local property taxes could be reduced, or more public services could be provided, and this situation would have the countervailing effect of increasing land values within that government unit which received the payments. Thus, whether land values go up or down would depend on which effect was stronger.

Overall, a reasonable expectation is that the MRS would reduce land values by a small amount for those houses nearest to the site. Other housing in the municipality and county area where an MRS located may actually rise somewhat in value if the grant equivalent payments are made for the property tax, but there will be no net increase or decrease in value within the state.

Effects of Perceptions about the MRS on Business Location

The survey to determine effects of the MRS on business location and economic development forms the basis for this section. The survey was administered to two groups. From the first, a panel of Tennessee executives who are queried each year by CBER to determine their views on economic issues, 130 usable replies were received (thirty others were received too late for inclusion in this report but the responses are consisted with the results presented here). Since this group is composed totally of Tennesseans, the results can only indicate how Tennesseans think the MRS will affect industrial development and does not necessarily indicate how all business locaters feel. The wide expanse of the state does lead to some very different feelings about the MRS, so this may not be a significant concern. Although the panel is not randomly selected, it does represent a reasonable cross section of Tennessee business people.

The survey was also administered to a nationally select group that serves as an advisory panel to the Dean of the College of Business at The University of Tennessee, Knoxville. Unfortunately, since only nine usable responses were received from this group, statistical analysis of their responses was not possible.

A diversity of views was reported by those responding to the questionnaires (see Appendix I). While there were those who clearly support

location of the MRS and believe it would be positive to the state's economy, there were others who clearly oppose location of the MRS and believe it would be detrimental to the state's economy. Those at the extremes appeared to have very strong feelings. Some general conclusions can be drawn about the views of these 130 respondents. First, the respondents from East Tennessee were generally the most accepting of the MRS and were more likely to feel that the state should do all in its power to invite the MRS. Those from West Tennessee were most concerned about detrimental effects of the MRS and were most likely to feel that the state should actively resist the MRS. To the extent that those from West Tennessee represent the views of people who have had less exposure to nuclear activities, their reactions would evidence that the national perspective might be more negative than the average Tennessee view. On the other hand, the respondents from the Dean's panel, which includes non-Tennesseans, were generally more positive on the effect of the MRS on business development.

An attempt was made to determine how the risk of nuclear waste storage was perceived. The respondents generally feel that pollution from cars and from factories is more likely to be "at least slightly harmful" than is the storage of nuclear wastes. A nuclear waste storage facility is perceived as being "at least slightly harmful" by about the same percentage of people who feel that way about the trucking of gasoline. A contrast, though, is that a greater percentage of Tennesseans felt a nuclear waste facility was liable to be extremely harmful compared to any of the other hazards. The smallest percentage of people considered nuclear electric power plants to be "at least slightly harmful."

The MRS would reduce the willingness of 55 percent of the 130 respondents to locate their business in the MRS county, as these people either said they would not locate in a county with an MRS or they would locate only if attracted by other desirable factors (Figure 3). Only 7 percent felt that it would be a positive factor to their location decisions. A greater percentage, nearly two-thirds, felt the MRS would generally harm business attractiveness in the county in which it was located, and four-sevenths indicated that it would increase the desire by existing business firms to move. This evidences that the panel felt that others are more likely to be affected by the MRS than they are. As the distance from the MRS is increased, the percentage believing it would be harmful declines, but 39 percent feel that the MRS would reduce their willingness to locate even 100 miles away.

Respondents were asked what would happen to the ability to attract new businesses if the presence of the MRS were to cause the local property tax rate to fall by 40 percent. The results then show that the MRS would become a positive factor in the county in which it is located, though it should be noted that economic research indicates that tax differentials would not change industrial location patterns except within small regions. Economic research has shown that property tax differentials might cause firms to shift their location across county lines, but would not cause firms to move to Tennessee from outside the state. Less than 10 percent believed it would enhance the attractiveness of the county without the property tax reduction. With the property tax reduction, 68 percent believed it would be positive. According to 8 percent, the MRS would remain a strong detriment to business location even with the property tax compensation. Similar feelings resulted with regard to the desire of existing industry to remain.

FIGURE 3

CONSIDER LOCATING IN AN MRS COUNTY?

These results seem to indicate that a compensation scheme can be developed to offset much of the negative effects of the MRS on business locations. The property tax compensation is sufficient to offset most negative feelings about the MRS in the county where it is located, but some people apparently cannot be compensated or require very great compensation. Also, property tax compensation fails to help surrounding counties. A scheme to compensate contiguous counties would need to be developed, although from the results it is not possible to tell what other types of compensation schemes would be effective.

The respondents indicated that the presence of the MRS would probably lead to greater difficulty in attracting workers. Fifty-nine percent said it would harm the ability to attract workers within the county, while 34 percent felt that it would have no impact. The percentage saying the presence of the MRS would have no impact rises to 74 percent at a distance of 100 miles.

Most respondents did not feel the transportation of nuclear fuels within five miles of their plant would influence their location decisions. Thus, the concerns expressed are with the presence of the MRS and not with the transportation of the fuels.

An important observation is that views about the MRS' influence on business location varied across industry groupings. Respondents employed in financial industries were slightly more likely to say they would not locate their facility in a county with an MRS than those representing other industries. Those representing manufacturing were next, and those from wholesale and retail trade were least likely to say they would not locate in an MRS county. Finance and manufacturing firms, which express the greatest aversion to locating in an MRS county, generally have the

greatest flexibility as to where they locate. Thus, the statistics presented above on average responses, may understate the views from businesses which have the greatest control over the region in which they locate, because they include all firms with manufacturing and finance firms.

Effects of Perceptions about the MRS on Tourism

The National Travel Data Center (NTDC) was employed to include a number of questions related to the MRS in its monthly tourism survey. At the recommendation of the NTDC staff, only people from the eastern half of the United States who had traveled recently were asked the questions. These limitations were used in order to include people who are most likely to travel to Tennessee. The replies of 306 interviewees are used as the basis for this section (see Appendix J).

As is the case with the business location survey, there is polarization of responses by a sizeable percentage of people. A noticeable percentage can be found at the extremes, which represent those who want to stay far from the facility as well as a noticeable percentage who would definitely like to visit one.

Some aversion to vacationing near an MRS was reported by the respondents, as over 47 percent said they would alter their previously set vacation plans if they later learned that their vacation site was located near an MRS. Over one-half of the individuals who would alter their travel plans indicated that their plans would be altered even if the MRS were 100 miles from their destination (see Figure 4), and more than two-thirds of the 47 percent would alter plans if the MRS were 50 miles away. Most would alter their plans and travel elsewhere, but 27 percent said they would cancel their vacation plans to the area altogether.

TOURISTS WHO WOULD ALTER TRAVEL PLAN

FIGURE 4

The interviewees were not as concerned about traveling near an MRS on the way to their final destination, as 68 percent felt they would not alter driving plans to go more than five miles around the MRS facility. Only 20 percent said they would seek to drive further than five miles around the facility, but of these, 63 percent or 13 percent of the total respondents would be willing to drive more than one hour to avoid the MRS.

Just over one-third (37 percent) of the 306 respondents indicated they would change their travel plans to avoid traveling on roads where nuclear wastes are being hauled, even if this detour added time to their trip. Nearly one-half would not alter their plans at all. Most of those who would alter their travel routes would be willing to drive one to two hours out of their way. Of course, there may be very limited options for avoiding routes where nuclear wastes are being hauled, as the wastes are likely to be hauled over most of the major routes through the state anyway.

The MRS itself was not viewed as an attractive tourist stop for most people, as 46 percent said they definitely would not take a tour, and another 15 percent said they probably would not. Only 15 percent said they would definitely take the tour (see Figure 5).

In sum, the MRS is seen as a negative factor by a significant number of people in their decisions about where to vacation, and this is true for distances that would include Nashville if a Hartsville site were chosen and Sevier County if an Oak Ridge site were chosen. People did not appear as concerned about driving near the MRS, and were only somewhat more apprehensive about traveling on the same roads with nuclear fuels. Those people who were concerned about traveling near the MRS or near the nuclear fuels in transport generally indicated a willingness to go to substantial trouble to avoid the nuclear activity.

FIGURE 5

WOULD YOU TAKE A TOUR OF AN MRS?

7. IMPLICATIONS

The direct economic effects of the MRS are positive: the state receives on- and off-site jobs and, potentially, the payment of taxes. In the case of both jobs and fiscal effects, the benefits are small relative to the size of the existing local economy. The most positive economic potential of the MRS would arise if the area also attracted further jobs and income by becoming the location for a nuclear reprocessing plant and might also attract research and implementation of waste disposal on non-nuclear hazardous wastes. One problem that arises is that most of the direct and indirect benefits appear to be nearly ten years away. A second problem is that the indirect benefits would probably increase the downside risks, because as they occur they carry with them risks to the local environment.

Benefits of the MRS also bring with them potential costs to the state. Costs arise mainly from perceptions about the MRS' safety. These costs might be felt particularly in such areas as tourism and business location. The effect of these perceptions would increase if the MRS created large agglomeration effects. The more the nuclear waste industry became concentrated in the MRS area, the greater the probability would be that the area would be shunned by tourists, businesses, and others who are skeptical about being in the vicinity of radioactive and other hazardous materials. There could also be costs associated with the perception that Tennessee is willing to accept any type of hazard in exchange for jobs.

The difficulty with the costs is measuring how significant they will be. The surveys suggest that there will be firms and tourists who will

not come to Tennessee if an MRS is located here. In both surveys there was a group who felt the MRS would be an absolute deterrent, even for distances of 100 miles. Any future accidents such as the one which occurred at Three Mile Island could make people more wary of the MRS even before it is operational. Of course, it is also possible that good experience with nuclear activities could make perceptions about the MRS more positive, but any large changes in this direction will likely await favorable operation of the MRS. Eventually, after operations have begun, the perceptions about the MRS should come in line with the actual risks.

In the case of business locations, negative effects are likely to begin as soon as the facility is approved. This creates an imbalance, because costs probably will start immediately, while the benefits will not be realized until well into the future (except for limited agglomeration effects). Because of the time value of money, a future stream of benefits would need to be very large to offset the costs which could begin immediately.

Further, there are risks that the project will be approved and then cancelled at a later date. This means many of the economic benefits may never be realized, while the lost opportunities for any firms which were not attracted remain.

A compensation scheme could be devised to offset some of the negative perceptions of the MRS. For example, most business leaders surveyed felt that the MRS would enhance a county's industrial attractiveness if the property tax rate could be significantly lowered. But there are business leaders who said they definitely would not locate in the MRS county, even with the property tax compensation, so it must be recognized that there is a small percentage of people who may not regard any compensation as

acceptable for the MRS. Locaters of this type would be lost. It is conceivable that other schemes could be developed to offset most effects on tourism. Compensation schemes would need to begin when the negative effects of the MRS start--that is, as soon as the facility is approved, and not when construction or operations begin.

A basic principle of economics is that compensation for the effects of an activity should be aimed at all of those affected. Compensation schemes which have been discussed thus far are generally focused on the county or city in which the MRS would be located. The results of the surveys indicate that the compensation schemes must be developed for much wider areas than a single county. Industrial location across a broad area could be affected by the MRS. Prospective sites are within reasonable proximity of Tennessee's major tourism areas, and activity at these locations could be affected. Compensation must be targeted to such potentially affected areas.

Development of adequate, efficient, and equitable compensation schemes of the type required is likely to be very difficult. Unless these compensation schemes are carefully devised in order to offset the full effects on Tennessee, it appears that the potential costs of the MRS would not be offset by the potential benefits. Precise quantification of the costs is not possible, but acceptance of the MRS brings the state a risk of lost business locations and tourists for a small (relative to the economy) number of jobs which would be created by the MRS. Tennessee's risk of a net loss in economic activity is exacerbated because realization of gains is further into the future than realization of costs. In addition, any gains may be withdrawn by a change in national policy on the handling of nuclear wastes. Thus, without a compensation scheme

designed to offset the costs imposed by perceptions, the most likely outcome is that Tennessee would be harmed economically by the MRS.

APPENDICES TO
THE FINAL REPORT

APPENDIX A

**PARTICIPANTS IN THE MINI-CONFERENCE ON THE ISSUES
IN EVALUATING AN MRS**

Jack Barkenbus
Research Scientist
ORAU/IEA
Box 117
Oak Ridge, TN 37831

Dr. David J. Bjornstad
Group Leader/Energy Division
Oak Ridge National Laboratory
Building 4500 North, G-20
P. O. Box X
Oak Ridge, TN 37831

Dr. Michael S. Bronzini
Director
Transportation Center
357 South Stadium Hall
The University of Tennessee
Knoxville, TN 37996

Dr. William Colglazier, Director
Energy Environment and Research Center
327 S. Stadium Hall
The University of Tennessee
Knoxville, TN 37996

Tom Cotton
Project Director
c/o Ocean & Environment Program
Office of Technology Assessment
U.S. Congress
Washington, DC 20510

David Dungan
Professor of Religious Studies
517 McClung Tower
The University of Tennessee
Knoxville, TN 37996

William F. Fox
Associate Professor of Economics
Center for Business and Economic Research
The University of Tennessee
Knoxville, TN 37996

Dr. Thomas C. Hood, Head
Department of Sociology
T908 McClung Tower
The University of Tennessee
Knoxville, TN 37996

Ray Hoskins
Chief of Special Projects Staff
Tennessee Valley Authority
303 Crystal
Chattanooga, TN 37402

John W. Mayo
Assistant Professor of Economics
Center for Business and Economic Research
100 Glocker Business Building
The University of Tennessee
Knoxville, TN 37996

Dr. Mark Miller
Journalism Department
P105 Andy Holt Tower
The University of Tennessee
Knoxville, TN 37996

Patricia A. Price
Senior Research Associate
Center for Business and Economic Research
100 Glocker Business Building
The University of Tennessee
Knoxville, TN 37996

Dr. Joseph M. Prochaska
Graduate School of Planning
5 Henson Hall
The University of Tennessee
Knoxville, TN 37996

Dr. Kenneth E. Quindry
Consultant
Center for Business and Economic Research
100 Glocker Business Building
The University of Tennessee
Knoxville, TN 37996

Dr. Sheldon Reaven
Department of Technology and Society
210 Old Engineering Building
State University of New York
Stoneybrook, NY 11794

Dr. Dean H. Rivkin
Professor Legal Clinic
1505 W. Cumberland Avenue
The University of Tennessee
Knoxville, TN 37996

Deborah E. Rosen
Economic Development Specialist
City of Oak Ridge
P. O. Box 1
Oak Ridge, TN 37831-0001

Brent Sigmon
Economist
ORAU/IEA
Box 117
Oak Ridge, TN 37831

APPENDIX B

METHOD OF FORECASTING BASELINE
CONSTRUCTION ACTIVITY,
EMPLOYMENT, AND PERSONAL
INCOME FOR THE STATE OF
TENNESSEE, 1985-2025

by

Charles F. Fisher, Jr.

Soon Paik

and

William R. Schriver

EMPLOYMENT AND INCOME EFFECTS OF AN MRS

Summary For Appendix B

In this summary, Addendum A examines the economic impact of construction and operation and maintenance activity of the proposed MRS facility. As background to this information, Tables 1-4 forecast base-line data for construction activity in Tennessee and the two prospective MRS regions for the years 1985 through 2008. Tables 5-7 contain data specific to the MRS facility.

Table 5 forecasts the occupational requirements for construction of a 3600 MTU/YR MRS facility, while Table 6 details the occupational requirements for operation and maintenance of a 3000 MTU/YR facility. Both tables include induced and indirect off-site employment effects. Table 7 projects the off-site earnings impact of construction and operation and maintenance of a 3600 MTU/YR facility for the state.

The text portion of this appendix details sources of the data contained in the tables, including the equation used to forecast the base-line construction activity.

TABLE 1

FORECASTS OF CONSTRUCTION CONTRACT VALUES
BY MAJOR TYPE IN TENNESSEE, 1985-2025
(MILLIONS OF 1985 DOLLARS)

YEAR	RESIDENTIAL	BUILDING	HEAVY	HIGHWAY	TENNESSEE
1985	2,619.88	1,995.09	441.87	409.78	5,466.63
1986	2,646.08	2,033.00	444.08	413.47	5,536.63
1987	2,672.54	2,071.63	446.30	417.19	5,607.66
1988	2,699.27	2,110.99	448.53	420.95	5,679.74
1989	2,726.26	2,151.10	450.77	424.74	5,752.87
1990	2,753.53	2,191.97	453.03	428.56	5,827.08
1991	2,781.06	2,233.62	455.29	432.42	5,902.38
1992	2,808.87	2,276.05	457.57	436.31	5,978.80
1993	2,836.96	2,319.30	459.86	440.23	6,056.35
1994	2,865.33	2,363.37	462.16	444.20	6,135.05
1995	2,893.98	2,408.27	464.47	448.19	6,214.91
1996	2,922.92	2,454.03	466.79	452.23	6,295.97
1997	2,952.15	2,500.65	469.12	456.30	6,378.23
1998	2,981.67	2,548.17	471.47	460.40	6,461.71
1999	3,011.49	2,596.58	473.83	464.55	6,546.44
2000	3,041.61	2,645.92	476.19	468.73	6,632.44
2001	3,072.02	2,696.19	478.58	472.95	6,719.73
2002	3,102.74	2,747.42	480.97	477.20	6,808.33
2003	3,133.77	2,799.62	483.37	481.50	6,898.26
2004	3,165.11	2,852.81	485.79	485.83	6,989.54
2005	3,196.76	2,907.01	488.22	490.20	7,082.19
2006	3,228.73	2,962.25	490.66	494.62	7,176.25
2007	3,261.01	3,018.53	493.11	499.07	7,271.72
2008	3,293.62	3,075.88	495.58	503.56	7,368.64

TABLE 1

FORECASTS OF CONSTRUCTION CONTRACT VALUES
BY MAJOR TYPE IN TENNESSEE, 1985-2025
(MILLIONS OF 1985 DOLLARS)

YEAR	RESIDENTIAL	BUILDING	HEAVY	HIGHWAY	TENNESSEE
2009	3,326.56	3,134.32	498.06	508.09	7,467.03
2010	3,359.82	3,193.88	500.55	512.66	7,566.91
2011	3,393.42	3,254.56	503.05	517.28	7,668.31
2012	3,427.36	3,316.40	505.57	521.93	7,771.25
2013	3,461.63	3,379.41	508.09	526.63	7,875.76
2014	3,496.25	3,443.62	510.63	531.37	7,981.87
2015	3,531.21	3,509.04	513.19	536.15	8,089.59
2016	3,566.52	3,575.72	515.75	540.98	8,198.97
2017	3,602.19	3,643.66	518.33	545.85	8,310.02
2018	3,638.21	3,712.88	520.92	550.76	8,422.78
2019	3,674.59	3,783.43	523.53	555.72	8,537.26
2020	3,711.34	3,855.31	526.15	560.72	8,653.51
2021	3,748.45	3,928.57	528.78	565.76	8,771.56
2022	3,785.93	4,003.21	531.42	570.86	8,891.42
2023	3,823.79	4,079.27	534.08	575.99	9,013.13
2024	3,862.03	4,156.78	536.75	581.18	9,136.73
2025	3,900.65	4,235.75	539.43	586.41	9,262.25

Note: See Addenda A, B and C for a description of the data and methodology.

TABLE 2

FORECASTS OF CONSTRUCTION CONTRACT VALUES
BY MAJOR TYPE IN TWO REGIONS, 1985-2025
(MILLIONS OF 1985 DOLLARS)

YEAR	RESID	BLDG	HEAVY	HIGHWAY	REGION 1	RESID	BLDG	HEAVY	HIGHWAY	REGION 2
1985	195.44	227.04	39.90	37.86	500.25	133.09	37.91	18.29	16.43	205.72
1986	197.40	231.36	40.10	38.20	507.06	134.42	38.63	18.38	16.58	208.01
1987	199.37	235.75	40.30	38.55	513.97	135.77	39.36	18.48	16.73	210.33
1988	201.37	240.23	40.50	38.90	520.99	137.12	40.11	18.57	16.88	212.68
1989	203.38	244.79	40.70	39.25	528.12	138.49	40.87	18.66	17.03	215.06
1990	205.41	249.45	40.91	39.60	535.37	139.88	41.65	18.76	17.19	217.47
1991	207.47	254.19	41.11	39.96	542.72	141.28	42.44	18.85	17.34	219.91
1992	209.54	259.01	41.32	40.31	550.19	142.69	43.25	18.94	17.50	222.37
1993	211.64	263.94	41.53	40.68	557.78	144.12	44.07	19.04	17.65	224.88
1994	213.75	268.95	41.73	41.04	565.48	145.56	44.90	19.13	17.81	227.41
1995	215.89	274.06	41.94	41.41	573.31	147.01	45.76	19.23	17.97	229.97
1996	218.05	279.27	42.15	41.79	581.26	148.48	46.63	19.33	18.13	232.57
1997	220.23	284.57	42.36	42.16	589.33	149.97	47.51	19.42	18.30	235.20
1998	222.43	289.98	42.57	42.54	597.53	151.47	48.42	19.52	18.46	237.87
1999	224.66	295.49	42.79	42.92	605.86	152.98	49.34	19.62	18.63	240.56
2000	226.90	301.11	43.00	43.31	614.32	154.51	50.27	19.71	18.80	243.30
2001	229.17	306.83	43.22	43.70	622.91	156.06	51.23	19.81	18.97	246.06
2002	231.46	312.66	43.43	44.09	631.65	157.62	52.20	19.91	19.14	248.87
2003	233.78	318.60	43.65	44.49	640.51	159.20	53.19	20.01	19.31	251.71
2004	236.12	324.65	43.87	44.89	649.52	160.79	54.20	20.11	19.48	254.58
2005	238.48	330.82	44.09	45.29	658.68	162.40	55.23	20.21	19.66	257.50
2006	240.86	337.10	44.31	45.70	667.98	164.02	56.28	20.31	19.83	260.45
2007	243.27	343.51	44.53	46.11	677.42	165.66	57.35	20.41	20.01	263.44

TABLE 2
FORECASTS OF CONSTRUCTION CONTRACT VALUES
BY MAJOR TYPE IN TWO REGIONS, 1985-2025
(MILLIONS OF 1985 DOLLARS)

YEAR	RESID	BLDG	HEAVY	HIGHWAY	REGION 1	RESID	BLDG	HEAVY	HIGHWAY	REGION 2
2008	245.70	350.04	44.75	46.53	687.02	167.32	58.44	20.52	20.19	266.47
2009	248.16	356.69	44.97	46.95	696.77	168.99	59.55	20.62	20.37	269.54
2010	250.64	363.46	45.20	47.37	706.68	170.68	60.68	20.72	20.56	272.64
2011	253.15	370.37	45.43	47.80	716.74	172.39	61.84	20.83	20.74	275.79
2012	255.68	377.41	45.65	48.23	726.97	174.11	63.01	20.93	20.93	278.98
2013	258.24	384.58	45.88	48.66	737.36	175.85	64.21	21.04	21.12	282.21
2014	260.82	391.88	46.11	49.10	747.91	177.61	65.43	21.14	21.31	285.49
2015	263.43	399.33	46.34	49.54	758.64	179.39	66.67	21.25	21.50	288.80
2016	266.06	406.92	46.57	49.99	769.54	181.18	67.94	21.35	21.69	292.16
2017	268.72	414.65	46.81	50.44	780.61	182.99	69.23	21.46	21.89	295.57
2018	271.41	422.53	47.04	50.89	791.87	184.82	70.54	21.57	22.09	299.02
2019	274.12	430.55	47.27	51.35	803.30	186.67	71.89	21.67	22.28	302.51
2020	276.87	438.73	47.51	51.81	814.92	188.54	73.25	21.78	22.48	306.05
2021	279.63	447.07	47.75	52.28	826.73	190.42	74.64	21.89	22.69	309.64
2022	282.43	455.57	47.99	52.75	838.73	192.33	76.06	22.00	22.89	313.28
2023	285.25	464.22	48.23	53.22	850.92	194.25	77.51	22.11	23.10	316.96
2024	288.11	473.04	48.47	53.70	863.32	196.19	78.98	22.22	23.31	320.70
2025	290.99	482.03	48.71	54.18	875.91	198.15	80.48	22.33	23.51	324.48

Note: See Addenda A, B and C for a description of the data and methodology.

TABLE 3
FORECASTS OF EMPLOYMENT AND EARNINGS OF CONSTRUCTION INDUSTRY
IN TENNESSEE AND TWO REGIONS, 1985-2025
(THOUSANDS OF PERSONS)
(MILLIONS OF 1985 DOLLARS)

YEAR	CONST. EMP. OF TN	CONST. EMP. OF REG 1	CONST. EMP. * OF REG 2	ANNUAL WAGE SALARY	CONST. ERN OF TN	CONST. ERN. OF REG 1	CONST. ERN. OF REG 2
1985	82.60	8.95	1.76	20,154.00	1,664.72	180.46	35.46
1986	84.93	9.21	1.81	20,688.00	1,757.02	190.46	37.42
1987	85.30	9.25	1.82	20,936.00	1,785.90	193.59	38.04
1988	85.68	9.29	1.82	21,361.00	1,830.18	198.39	38.98
1989	86.06	9.33	1.83	21,850.00	1,880.34	203.83	40.05
1990	86.44	9.37	1.84	22,146.00	1,914.25	207.50	40.77
1991	86.82	9.41	1.85	22,773.00	1,977.16	214.32	42.11
1992	87.21	9.45	1.86	23,231.00	2,025.88	219.61	43.15
1993	87.59	9.50	1.87	23,711.00	2,076.93	225.14	44.24
1994	87.98	9.54	1.87	24,140.17	2,123.94	230.24	45.24
1995	88.38	9.58	1.88	24,577.11	2,172.04	235.45	46.26
1996	88.77	9.62	1.89	25,021.95	2,221.24	240.78	47.31
1997	89.17	9.67	1.90	25,474.85	2,271.57	246.24	48.38
1998	89.57	9.71	1.91	25,935.94	2,323.07	251.82	49.48
1999	89.97	9.75	1.92	26,405.38	2,375.75	257.53	50.60
2000	90.38	9.80	1.93	26,883.32	2,429.64	263.37	51.75
2001	90.78	9.84	1.93	27,369.91	2,484.78	269.35	52.93
2002	91.20	9.89	1.94	27,865.31	2,541.18	275.46	54.13
2003	91.61	9.93	1.95	28,369.67	2,598.89	281.72	55.36
2004	92.02	9.98	1.96	28,883.16	2,657.94	288.12	56.61
2005	92.44	10.02	1.97	29,405.94	2,718.34	294.67	57.90
2006	92.86	10.07	1.98	29,938.19	2,780.14	301.37	59.22
2007	93.29	10.11	1.99	30,480.07	2,843.37	308.22	60.56

TABLE 3

FORECASTS OF EMPLOYMENT AND EARNINGS OF CONSTRUCTION INDUSTRY
IN TENNESSEE AND TWO REGIONS, 1985-2025
(THOUSANDS OF PERSONS)
(MILLIONS OF 1985 DOLLARS)

YEAR	CONST. EMP. OF TN	CONST. EMP. OF REG 1	CONST. EMP. * OF REG 2	ANNUAL WAGE. SALARY	CONST. ERN OF TN	CONST. ERN. OF REG 1	CONST. ERN. OF REG 2
2008	93.71	10.16	2.00	31,031.76	2,908.07	315.23	61.94
2009	94.14	10.20	2.01	31,593.44	2,974.25	322.41	63.35
2010	94.57	10.25	2.01	32,165.28	3,041.97	329.75	64.79
2011	95.01	10.30	2.02	32,747.47	3,111.26	337.26	66.27
2012	95.44	10.35	2.03	33,340.20	3,182.15	344.94	67.78
2013	95.88	10.39	2.04	33,943.66	3,254.68	352.81	69.32
2014	96.33	10.44	2.05	34,558.04	3,328.89	360.85	70.91
2015	96.77	10.49	2.06	35,183.54	3,404.82	369.08	72.52
2016	97.22	10.54	2.07	35,820.36	3,482.52	377.50	74.18
2017	97.67	10.59	2.08	36,468.71	3,562.01	386.12	75.87
2018	98.13	10.64	2.09	37,128.79	3,643.35	394.94	77.60
2019	98.58	10.69	2.10	37,800.82	3,726.58	403.96	79.38
2020	99.04	10.74	2.11	38,485.02	3,811.74	413.19	81.19
2021	99.51	10.79	2.12	39,181.60	3,898.88	422.64	83.05
2022	99.97	10.84	2.13	39,890.78	3,988.04	432.30	84.95
2023	100.44	10.89	2.14	40,612.81	4,079.27	442.19	86.89
2024	100.92	10.94	2.15	41,347.90	4,172.63	452.31	88.88
2025	101.39	10.99	2.16	42,096.29	4,268.16	462.67	90.91

* Regional shares out of state employment are estimated from County Business Patterns, 1972-1983, U. S. Department of Commerce.

Note: See Addenda A, B and C for a description of the data and methodology.

TABLE 4

FORECASTS OF TOTAL EMPLOYMENTS AND PERSONAL INCOME
IN TENNESSEE AND TWO REGIONS, 1985-2025
(THOUSANDS OF PERSONS)
(MILLIONS OF 1985 DOLLARS)

YEAR	TOTAL EMP. OF TN	TOTAL EMP. OF REG 1	TOTAL EMP. * OF REG 2	P. INCOME OF TN	P. INCOME OF REG 1	P. INCOME OF REG 2
1985	2,047.20	221.51	47.09	52,568.00	5,656.32	1,934.50
1986	2,096.10	226.80	48.21	53,111.00	5,714.74	1,954.48
1987	2,137.10	231.23	49.15	55,785.00	6,002.47	2,052.89
1988	2,172.80	235.10	49.97	58,657.00	6,311.49	2,158.58
1989	2,194.40	237.43	50.47	60,798.00	6,541.86	2,237.37
1990	2,201.80	238.23	50.64	61,779.00	6,647.42	2,273.47
1991	2,226.90	240.95	51.22	63,861.00	6,871.44	2,350.08
1992	2,246.10	243.03	51.66	66,147.00	7,117.42	2,434.21
1993	2,274.30	246.08	52.31	68,328.00	7,352.09	2,514.47
1994	2,303.87	249.28	52.99	70,555.49	7,591.77	2,596.44
1995	2,333.82	252.52	53.68	72,855.60	7,839.26	2,681.09
1996	2,364.16	255.80	54.38	75,230.69	8,094.82	2,768.49
1997	2,394.89	259.13	55.08	77,683.22	8,358.71	2,858.74
1998	2,426.02	262.50	55.80	80,215.69	8,631.21	2,951.94
1999	2,457.56	265.91	56.52	82,830.72	8,912.59	3,048.17
2000	2,489.51	269.36	57.26	85,531.00	9,203.14	3,147.54
2001	2,521.87	272.87	58.00	88,319.31	9,503.16	3,250.15
2002	2,554.66	276.41	58.76	91,198.52	9,812.96	3,356.11
2003	2,587.87	280.01	59.52	94,171.59	10,132.86	3,465.51
2004	2,621.51	283.65	60.29	97,241.59	10,463.19	3,578.49
2005	2,655.59	287.33	61.08	100,411.66	10,804.29	3,695.15
2006	2,690.11	291.07	61.87	103,685.08	11,156.51	3,815.61
2007	2,725.08	294.85	62.68	107,065.22	11,520.22	3,940.00

TABLE 4

FORECASTS OF TOTAL EMPLOYMENTS AND PERSONAL INCOME
IN TENNESSEE AND TWO REGIONS, 1985-2025
(THOUSANDS OF PERSONS)
(MILLIONS OF 1985 DOLLARS)

YEAR	TOTAL EMP. OF TN	TOTAL EMP.* OF REG 1	TOTAL EMP.* OF REG 2	P. INCOME OF TN	P. INCOME OF REG 1	P. INCOME OF REG 2
2008	2,760.51	298.69	63.49	110,555.54	11,895.76	4,068.44
2009	2,796.40	302.57	64.32	114,159.65	12,283.58	4,201.08
2010	2,832.75	306.50	65.15	117,881.26	12,684.02	4,338.03
2011	2,869.58	310.49	66.00	121,724.19	13,097.52	4,479.45
2012	2,906.88	314.52	66.86	125,692.40	13,524.50	4,625.48
2013	2,944.67	318.61	67.73	129,789.97	13,965.40	4,776.27
2014	2,982.95	322.76	68.61	134,021.12	14,420.67	4,931.98
2015	3,021.73	326.95	69.50	138,390.21	14,890.79	5,092.76
2016	3,061.01	331.20	70.40	142,901.73	15,376.23	5,258.78
2017	3,100.80	335.51	71.32	147,560.33	15,877.49	5,430.22
2018	3,141.12	339.87	72.25	152,370.79	16,395.10	5,607.25
2019	3,181.95	344.29	73.18	157,338.08	16,929.58	5,790.04
2020	3,223.32	348.76	74.14	162,467.30	17,481.48	5,978.80
2021	3,265.22	353.30	75.10	167,763.74	18,051.38	6,173.71
2022	3,307.67	357.89	76.08	173,232.83	18,639.85	6,374.97
2023	3,350.67	362.54	77.07	178,880.22	19,247.51	6,582.79
2024	3,394.22	367.26	78.07	184,711.72	19,874.98	6,797.39
2025	3,438.35	372.03	79.08	190,733.32	20,522.91	7,018.99

*Regional shares out of state employment are estimated from County Business Pattern, 1972-1983, U. S. Department of Commerce.

Note: See Addenda A, B and C for a description of the data and methodology.

Table 5

**Forecast of On-Site and Off-Site Occupational Requirements
for Construction of 3600 MTU/YR MRS Facility**

	1992	1993	1994	1995	1996	Total
	Workyears					
Pipefitters	-	-	878	878	439	2195
Electricians	-	-	316	315	158	789
Boilermakers	-	-	147	147	74	368
Ironworkers	-	21	145	92	5	263
Carpenters	-	7	65	53	7	132
Equip. Operators	7	74	147	111	29	368
Teamsters & Laborers	34	336	590	472	253	1685
Others	-	42	63	64	42	211
Total Manual	41	480	2351	2132	1007	6011
Non-Manual Technical	96	288	288	192	94	958
Non-Manual Non-Technical	16	48	46	32	16	158
Total Non-Manual	112	336	334	224	110	1116
Total On-Site	153	816	2685	2356	1117	7127
Off-Site Impacts*						
Simulation 1	1039	-	2088	-	694	
Simulation 2	810	-	1627	-	541	

*See Table C2 for the description of Simulations 1 and 2.

Table 6

OPERATION & MAINTENANCE OF MRS FACILITY WITH
3000 MTU/YR INPUT

	<u>LABOR REQUIREMENTS (PERSON-YEARS)</u>	
	<u>First 5 Years</u>	<u>Subsequent Years</u>
1. Chem. Engrs.	4	4
2. Civil Engrs.	2	2
3. Electrical Engrs.	4	4
4. Mech. Engrs.	4	4
5. Nucl. Engrs.	4	4
6. Other Engrs.	6	5
7. ENGINEERS TOTAL	24	23
8. Designers & Draftsmen	3	3
9. Supervisors & Managers	75	72
10. Other Technical	112*	110*
11. NON-MANUAL, TECHNICAL TOTAL	214	208
12. Non-Manual, Non-Technical	230	220
13. NON-MANUAL TOTAL	444	428
14. Pipefitters	20	20
15. Electricians	10	8
16. Mechanics	50	48
17. Machinists	15	15
18. Ironworkers	2	2
19. Carpenters	10	8
20. Equipment Operators	20	18
21. Other Operators	108	101
22. Teamsters & Laborers	45	35
23. Other	20	15
24. MANUAL TOTAL	300	270
25. LABOR TOTAL	744	698

Off-Site Impacts**

Simulation 1	756	723
Simulation 2	589	563

*Includes 26 DOE/NRC & State employees

**for the description of Simulations 1 and 2, see Table C2.

Note: See Addenda A, B and C for a description of the data and methodology.

Table 7

Forecast of Off-Site Earnings Impact of Construction
and Operation & Maintenance of 3600 MTU/Year MRS
Facility for the State of Tennessee
(Millions of 1985 Dollars)

Construction			O & M	
1992	1994	1996	1998-2002	2003-2025
23.7	47.7	15.9	17.3	16.7

Note: See Addenda A, B and C for a description of the data and methodology.

ADDENDUM A

Method of Forecasting Baseline Construction Activity,
Employment, and Personal Income for the State of
Tennessee, 1985 - 2025

Figure I shows a flow chart for estimating the economic impacts of the construction and operation/maintenance of a 3600 MTU/YR MRS facility in the state of Tennessee. To make the MRS projections, Construction Resources Analysis (CRA) combined its detailed information on the construction industry with the long-run Tennessee forecasts provided by the Tennessee Economic Forecasting Service (TEFS).

The construction activity, in terms of the value of construction starts, is forecast for each of four major end-use types from the F. W. Dodge Construction Potentials data; and monthly statistical file from the F. W. Dodge Division of McGraw-Hill Information Systems Company, which provides information for 267 structure types of projects beginning construction each month. These, divided into the four major end-use types, form the historical data series (5,000 - 6,000 new projects for the state of Tennessee are begun each year to provide the data base).

The four end-use types of construction activity are residential buildings, nonresidential buildings, heavy construction projects, and highway projects. The growth rates and regional shares for forecasting construction starts by end-use type are tabulated in Table A1. (The counties of the impact region are shown in Table A2.)

Based on forecasted construction activity, construction employment is projected by using an employment function which is estimated on 1972-1983 historical construction and employment data. The estimated equation is:

Figure I
Flow Chart of MRS Impact Study

Table A1

Growth Rates and Regional Shares*
for Construction Starts by End-Use Type
in Tennessee

Type	Growth Rate (%)	Region 1 (%)	Region 2 (%)
Residential	1.0	7.46	5.08
Non-Residential	1.9	11.38	1.93
Heavy	0.5	9.03	4.14
Highway	0.9	9.24	4.01

Note: Regions show percent of construction activity in the state of Tennessee.

Source: CRA

Table A2
Impact Regions of MRS Facility
in Tennessee

Region	County
1	Anderson Knox Loudon Roane
2	Macon Smith Sumner Trousdale Wilson

$$\ln EMP = 5.9986 + 0.3449 \ln CONST_{-1}, R^2 = 0.69$$

where $\ln EMP$ is the natural logarithm of Tennessee employment in construction (thousands of persons) and $\ln CONST_{-1}$ is the natural logarithm of construction start value in the previous year (thousands of 1985 dollars). The regional forecast of construction employment is based upon the region's historical share, i.e., 10.84% and 2.13% for Regions 1 and 2, respectively.

Using the forecast for construction employment, earnings in construction are forecast on the basis of the projection of average annual wages and salaries (in 1985 dollars) in construction, which are extrapolations of the TEFS' forecast to 1993 (annual growth rate assumed to be 1.9%).

Total employment and personal income (in 1985 dollars) for the state of Tennessee are extrapolations of the TEFS' projection to 1993. Their annual growth rates and regional share are shown in Table A3.

Table A3

Growth Rates and Regional Shares for Total
Employment and Personal Income in Tennessee

	Growth Rate (%)	Region 1 (%)	Region 2 (%)
Total Employment	1.3	10.82	2.30
Personal Income (1972 dollars)	3.3	10.76	3.68

Source: TEFS and CRA

ADDENDUM B

Sources of Information Used as the Basis of Estimates
of Employment and Costs for an MRS Facility

Costs and labor for a 3600 MTU/Year MRS facility are estimated on the basis of several factors: (1) a Conceptual Design Report by Ralph M. Parsons Co. for an 1800 MTU/year MRS facility as a backup facility rather than an integral component of the spent fuel disposal system; (2) Resource Requirements, Impacts, and Potential Constraints Associated with Various Energy Futures, Bechtel International; (3) Reference-Site Environmental Document for a Monitored Retrievable Storage Facility: Backup Waste Management Option for Handling 1800 MTU/year, Pacific Northwest Laboratory, June 1985 (based largely on the Parsons conceptual design report); (4) a presentation by Roger Hilley at a meeting of the American Nuclear Society in Oak Ridge on September 10, 1985; and, (5) a summary of the estimated number of personnel required for operation of an MRS facility with 3000 MTU/year input.

Estimates are based primarily on scaling up the Parsons estimates to the larger size facility, and some detailed breakdowns were estimated using as guides Bechtel models for various facilities such as an LWR Spent Fuel Reprocessing Plant and a High-Level Waste Disposal Plant. While none of the Bechtel models were directly applicable to an MRS facility, they were useful in developing employment profiles which are of a preliminary nature, at best. These profiles and estimated costs are not intended as substitutes for the results of conceptual design estimates being prepared by Parsons.

Economic effects during the operation phase are estimated during the five-year period required for accumulation of 15,000 MTU, which is the maximum storage capacity stated separately in the preliminary information available. Economic effects are estimated for the years beyond the first five years. After this capacity is reached, shipments to the repository would presumably be (on the average) equal to or greater than the input. Fabrication of storage casks, reported to be reusable, would then be required only for replacements for any storage casks found to be damaged or otherwise rendered unsuitable for reuse.

After these five years, repackaged fuel from some power reactors could be placed directly into shipping casks for shipment to a repository, thus by-passing the storage phase at the MRS facility. For the remainder of the spent fuel, transfer of the repackaged spent fuel into storage casks would require that an equal amount be transferred from storage casks into shipping casks for shipment to a repository. Thus, in either case, the operating mode would be different after the storage capacity of the MRS facility is reached. Any damaged storage casks deemed unsuitable for reuse would represent low-level waste to be disposed of, possibly by on-site burial. The disposal of these casks, having a mass of 220 tons (200 metric tons) each, could represent a significant increase in the cost of operation of the MRS facility, but these additional costs (and other impacts) are not addressed here. The more likely case seems to be that a large fraction of the storage casks would be reusable, and further, that most spent fuel would be repackaged and transferred directly into shipping casks after the initial five-year accumulation period. Further, it is conceivable that shipments to the repository could exceed receipts by

1000 MTU/year so that the storage inventory would be zero at the end of the twenty-year period of operation.

The estimated input requirements for construction and operation of the reference MRS facility are shown in Tables B1 through B5.

Table B1

3600 MTU/YR MRS. FACILITY CONSTRUCTION

Labor (Thousands Person-Hours)
Costs (in Millions of 1985 Dollars)

	<u>Job-Site</u>		<u>Arch. & Engr.</u>			
			<u>Job-Area</u>		<u>Remote</u>	
	<u>Hours</u>	<u>Cost</u>	<u>Hours</u>	<u>Cost</u>	<u>Hours</u>	<u>Cost</u>
1. Chemical Engineers	20		20		500	
2. Civil Engineers	100		100		700	
3. Electrical Engineers	200		200		700	
4. Mechanical Engineers	300		300		1000	
5. Nuclear Engineers	40		40		100	
6. Other Engineers	50		50		200	
7. ENGINEERS TOTAL	710	21.3	710	21.3	3200	96.0
8. Designers and Draftsmen	100	2.0	100	2.0	2800	56.0
9. Supervisors and Managers	100	3.5	100	3.5	700	24.5
10. NON-MANUAL, TECH. TOTAL	910	26.8	910	26.8	6700	176.5
11. Non-Manual, Non-Technical	150	1.5	150	1.5	1100	11.0
12. NON-MANUAL TOTAL	1060	28.3	1060	28.3	7800	187.5
13. Pipefitters	4170					
14. Electricians	1500					
15. Boilermakers	700					
16. Iron Workers	500					
17. Carpenters	250					
18. Equipment Operators	700					
19. Teamsters & Laborers	3200					
20. Other	400					
21. MANUAL TOTAL	11420	210.0				
22. CONSTRUCTION LABOR TOTAL	12480	238.3	1060	28.3	7800	187.5

Table B2

3600 MTU/YR MRS FACILITY COSTS-CONSTRUCTION
(millions of 1985 dollars)

		Arch. & Engr.	
		Off-Site (Job Area)	Remote (Out-of- State)
	Job-Site		
1. Non-manual Technical Labor	26.8	26.8	176.5
2. Non-manual Non-technical Labor	1.5	1.5	11.0
3. Manual Labor	210.0	---	---
4. LABOR TOTAL	238.3	28.3	187.5
5. Wood Products	18.0		
6. Chemicals & Allied Products	5.0		
7. Petroleum Products	3.0		
8. Glass, Clay & Stone Products	25.0		
9. Primary Iron & Steel Products	15.0		
10. Primary Non-Ferrous Metals	6.0		
11. Fabricated Structural Products	45.0		
12. Other Fabricated Products	34.0		
13. MATERIALS TOTAL	151.0		
14. HVAC Units	6.0		
15. HVAC Ductwork & Accessories	2.0		
16. Gas Welding Sets	1.0		
17. Electric Welding Sets	2.0		
18. Construction, Mining & Oilfield Equip.	15.0		
19. Materials Handling Equip.	100.0		
20. General Industry Equip.	8.0		
21. Instrumentation & Controls	30.0		
22. Electrical Equipment	15.0		
23. Fabricated Plate Products	30.0		
24. Miscellaneous Equipment	15.0		
25. EQUIPMENT TOTAL	224.0		
26. Other Constructor and A&E Costs	80.0	8.0	50.0
27. CONSTRUCTOR AND A&E COST TOTAL	693.3	36.3	237.5
28. PROJECT COST (EXCLUDING LAND, IDC, ESCALATION, PERMITS, ENVIR. REPORTS) equal to the horizontal sume of line 27.		\$967.1 million	

Table B3

RESOURCES AND COSTS FOR OPERATION AND
MAINTENANCE OF THE MRS FACILITY
WITH 3000 MTU/YR INPUT

Resource Requirements:

Concrete (1000 cubic yards)

1997-2002 (1st 5 years)	55.0
2002-2017	5.5

Steel (1000 tons)

1997-2002	5.0
2002-2017	1.0

Water (million gallons)

120.0

Energy

fuel oil (1000 gallons)	3500.0
diesel oil (1000 gallons)	150.0
gasoline (1000 gallons)	100.0

Total Material Costs, annually (millions of 1985 dollars)

1997-2002	22.0
-----------	------

2002-2017	16.0
-----------	------

Table B4

LABOR COSTS FOR OPERATION & MAINTENANCE OF THE MRS FACILITY WITH
3000 MTU/YR INPUT ANNUAL COSTS, MILLIONS 1985 DOLLARS

	<u>First 5 Years</u>		<u>Subsequent Years</u>	
	<u>No.</u>	<u>Cost</u>	<u>No.</u>	<u>Cost</u>
1. Engineers	24	1.4	23	1.3
2. Designers & Draftsmen	3	0.1	3	0.1
3. Supervisors & Managers	75	4.5	72	4.3
4. Other Technical	112*	5.6	110*	5.5
5. NON-MANUAL, TECHNICAL TOTAL	214	11.6	208	11.2
6. Non-Manual, Non-Technical	230	6.5	220	6.2
7. NON-MANUAL TOTAL	444	18.1	428	17.4
8. MANUAL TOTAL	<u>300</u>	<u>9.8</u>	<u>270</u>	<u>8.8</u>
9. LABOR TOTAL	744	27.9	698	26.2

*Includes 26 DOE/NRC & State on-site employees.

Table B5

OPERATING & MAINTENANCE COSTS FOR MRS FACILITY WITH
3000 MTU/YR INPUT (Millions of 1985 Dollars, Annually)

	<u>First 5 Years</u>	<u>Subsequent Years</u>
1. Non-Manual Technical Labor	11.6*	11.2*
2. Non-Manual, Non-Technical Labor	6.5	6.2
3. Manual Labor	9.8	8.8
4. LABOR TOTAL	27.9	26.2
5. Wood Product	----	----
6. Chemicals and Allied Products	2.0	2.0
7. Petroleum Products	----	----
8. Glass, Clay, & Stone Products	3.0	0.3
9. Primary Iron & Steel Products	4.2	1.2
10. Primary Non-Ferrous Metals	----	----
11. Fabricated Structural Products	----	----
12. Other Fabricated Products	----	----
13. Miscellaneous Materials	0.4	0.3
14. MATERIALS TOTAL	9.6	3.8
15. Gas Welding Sets	0.1	0.1
16. Electric Welding Sets	0.2	0.2
17. Materials Handling Equipment	0.4	0.4
18. General Industry Equipment	3.0	3.0
19. Instrumentation & Controls	1.0	1.0
20. Electrical Equipment	0.2	0.2
21. Miscellaneous Equipment	1.0	1.0
22. EQUIPMENT TOTAL	5.9	5.9
23. UTILITIES TOTAL	4.5	4.4
24. Services & Miscellaneous	2.0	1.9
25. Insurance	----	----
26. ANNUAL OPERATING COST (Ex Fuel)	49.9	42.2

*Includes 26 DOE/NRC & State on-site employees.

ADDENDUM C

Method for Estimating Off-Site
Employment and Earnings Impact of
a 3600 MTU/YR MRS Facility

The construction and operation/maintenance of the MRS facility in Tennessee will generate off-site employment that is due to consumption expenditures of on-site workers and procurement of construction and operation/maintenance materials. Additional impacts are created through backward linkages within and between related industrial sectors. A detailed description of the methodology is contained in Appendix C of Forecasts of On-Site and Off-Site Occupational Requirements for Energy Construction Developments in the United States, 1983-1900, U. S. Department of Energy, October 1984.

The methodology for estimating the direct, indirect and induced earnings and employment effects of the MRS facility may be summarized as follows: first, personal consumption expenditures of on-site workers and the procurement of materials in constructing and operating the MRS facility generate the increment in the final demand for various sectors in and out of Tennessee. The interregional effects on the final demand vector are determined by the "gravity" factors and the "location quotients."

Second, once the changes in the final demand vector are estimated, the total earnings effect is determined by using earnings multipliers from Regional Industrial Multiplier System (RIMS). Finally, the total employment effect is based on total earnings by utilizing the employment-to-earnings ratio for the region under consideration.

The capital and operation/maintenance costs in the detailed categories shown in Tables B2 and B5 are the conceptual inputs for the con-

struction and operation/maintenance of the MRS facility. Total local capital cost (excluding out-of-state) is \$1,279.7 million (in 1985 dollars) including contractor cost, land cost, escalation, interest during construction, and working capital (see Table C1). During the peak year, 1994, total capital expenditures will be \$407.9 million. The annual operation/maintenance costs will be \$52.0 million during the period of 1998-2002, and after 2003 will decrease to \$44.0 million (all in 1985 dollars). The capital and operation/maintenance costs of the MRS facility determine the increments in the final demands of the input-output system in the region under consideration.

Estimations of the off-site earnings and employment impacts of increments in the final demand vector induced by the construction and operation/maintenance of the MRS facility are sensitive to: RIMS multipliers and employment-to-earnings ratios. Two different sets of ratios are shown in Table C2.

Table C1

Total Capital Cost of
3600 MTU/YR MRS Facility
(millions in 1985 dollars)

Job-Site and Job Area	
<hr/>	
Total Constructor and A&E Cost	729.6
Land	2.0
IDC**	121.4
<hr/>	
Total	853.0
<hr/>	

**Interest rate is assumed to be 5.0% for the 5 years of
construction.

Table C2

Description of Two Simulations

	Ratio** of Employment to Earnings
Simulation 1 (TN Statewide)	155
Simulation 2 (East TN - Region 1)	121

Note: **persons per millions in 1967 dollars

APPENDIX C

**MONITORED RETRIEVABLE STORAGE: POSSIBLE EVOLVING ROLES
AND THEIR LOCAL IMPACTS**

by

Jack N. Barkenbus

I. INTRODUCTION

The Department of Energy (DOE) has chosen Oak Ridge as its preferred site for the location of a Monitored Retrievable Storage (MRS) facility. The MRS, as currently conceived, would play an integral role in DOE's plans for the transportation, packaging, and disposal of high-level nuclear wastes. Both Oak Ridge and the State of Tennessee are in the process of evaluating the DOE plan and assessing the benefits and costs to the state and community from supporting the establishment of an MRS.

Assessing the socio-economic impact of an MRS in terms of such conventional indicators as jobs, public services, and amenities is a necessary part of this evaluation. But it is possible to cast the "analytical net" too narrowly, ignoring the special and unique impacts that might accompany the introduction of major nuclear facilities, and neglecting the creation of new businesses or enterprises that might accompany the establishment of this facility in the community. This paper will explore plausible, evolving futures associated with commercial growth resulting from the establishment of the MRS. The term "plausible" is used advisedly. No attempt will be made to predict or forecast the future, or to quantify potential impacts with precision. Rather, this paper will be devoted to identifying a range or spectrum of plausible futures associated with the MRS that receive little attention today.

The approach taken in this paper is analytical rather than normative. It sets forth the kind of business activities that could gravitate to Oak Ridge because of the MRS, and does not deal in terms of what activities

should come to Oak Ridge. Similarly, no judgment is made as to whether the plausible futures described represent a positive or negative development for the community or Tennessee as a whole. The approach adopted is similar to that accompanying standard technology assessments; i.e., the attempt is made to envision conceivable second-order impacts, so that decision-making can be carried out with full knowledge of what might come to pass. It is especially important that such analysis accompany controversial projects such as the MRS. Given our predictive limitations, no peek into the future can guarantee a surprise-free tomorrow. Yet, to use a homely example, it is important and useful to at least produce informed speculation with regard to the size and nature of the camel that is sticking its nose into the tent. It is in this spirit that this analysis is being carried out.

It is also necessary to say something about the nuclear industry, in particular, prior to beginning the analysis. Despite its nearly forty-year history, the nuclear power industry still demonstrates a good deal of what might be termed "institutional flux." Figure 1 illustrates the major stages in the nuclear fuel cycle. The vertical segment in Figure 1, running from uranium mines and mills through UO_2 fuel fabrication (commonly termed "the front end of the fuel cycle"), is fairly well established--though even here we have recently witnessed the scrapping of a seven-year, \$2.6 billion investment in the construction of a gas centrifuge (enrichment) plant. Reactor operation, the actual production of electricity, is widespread (94 reactors in the U.S. and 245 abroad) and produces a significant 15 percent of the total electricity generated in the United States. Yet electric utilities in the U.S. have not ordered a new reactor for seven years, and have cancelled 105 previously ordered nuclear power plant orders since 1973.

FIGURE 1. CURRENT NUCLEAR FUEL CYCLE

Source: Final Generic Environmental Statement on the Use of Recycle Plutonium in Mixed Oxide Fuel in Light Water Cooled Reactors (GESMO), Nuclear Regulatory Commission, NUREG-0002, Vol. 1, p. S-14.

There is some question whether utilities will ever again order current-generation light water nuclear reactors. The segment of the fuel cycle most in flux, however, is the "back end of the fuel cycle"; i.e., the activities ranging from spent fuel storage to final waste disposal. Exactly what activities and institutions are necessary and/or desirable as intermediaries between spent fuel storage and final waste disposal in a geologic repository have yet to be conclusively determined. It is this segment of the fuel cycle that will be the focus of this paper since the MRS has been raised as a possible linkage between at-reactor, spent fuel storage and geologic disposal.

The reasons for the continuing institutional flux within the nuclear industry are several, but most can be traced back to the unusual and unique nature of this commercial enterprise. The production and transportation of large volumes of radioactive materials raise public safety concerns that go well beyond normal manufacturing activity. Moreover, uranium and plutonium, two materials existing in the nuclear fuel cycle, can, with some treatment, provide the essential fissionable material for nuclear explosives. The commercialization of nuclear power, therefore, must transcend narrow economic criteria and deal successfully with public safety and national security criteria. The integration of these concerns into a viable and acceptable system has not been entirely successful to date. The absence of institutional maturity or stability makes it all the more difficult to predict the future of nuclear power in general and the MRS specifically.

Given the limitations posed by the preceding factors, section II that follows will attempt to identify businesses or activities that could conceivably spring up to supply products or services to the MRS. Section

III will go further and review the kinds of local activities that might evolve because of the existence of a large quantity of unique materials being stored at the MRS. Section IV, then, will describe the different roles that an MRS might be asked to carry out once it has been established. Finally, the conclusion will provide a brief summary of the preceding sections and discuss the range of possible futures. It will be shown that the MRS, as currently envisioned, and over a relatively short time frame, is not likely to spawn a large number of associated spinoffs. Over a longer time frame, however, the MRS could be the focus for a much expanded and ambitious effort to institutionalize nuclear power not only nationally, but globally as well.

II. THE MRS AS AN INTEGRAL PART OF THE WASTE MANAGEMENT SYSTEM

Today's concept of a functional MRS, as espoused by DOE, differs from that anticipated at the time of the passage of the Nuclear Waste Policy Act. Originally envisioned as solely a back-up storage facility, the MRS, as currently conceived, is designed to play an integral operational role in the nuclear waste management and disposal system. The operating MRS is now expected to (1) receive spent fuel from nuclear reactors, (2) consolidate the spent fuel, (3) store the spent fuel temporarily, (4) schedule shipments of stored spent fuel to the geologic repository, and (5) ship the spent fuel to the repository on a regular basis. Initial plans call for a throughput capacity of up to 3,000 MTU (metric tons of uranium) per year, and a storage capacity of 15,000 MTU (a five-year accumulation).

The benefits DOE envisions from having such a facility are several. It is claimed that: (1) overall shipment miles would be decreased by sending spent fuel first to an MRS, as well as reducing overall transportation impacts; (2) the cost of an MRS would be less than 5 percent of the total waste management budget and would even be a reduction in terms of total system cost (reducing at-reactor storage costs and repository costs); (3) system flexibility and efficiency would be enhanced; (4) statutory deadlines for government acceptance of high-level wastes would be met.

One of the benefits a host MRS community would derive, of course, would be additional employment opportunities for its citizens. The local DOE office estimate of first-order employment opportunities at the MRS totaled 600 workers during operations, not including another 100 connected with storage cask manufacturing. Jobs created indirectly by the MRS in the

community--primarily service and retail--might equal the number of direct employees. The East Tennessee region and a community the size of Oak Ridge can easily accommodate an influx of jobs of this magnitude. From the perspective of Oak Ridge alone, a community that has been losing jobs of late, the employment benefits are not insubstantial, however.

When viewed in comparison with the recent announcement of General Motors to place its \$3.5 billion Saturn plant in Tennessee, however, the MRS employment situation pales. The Saturn plant is expected to directly employ 6,400 with a multiplier for indirect employment presumably comparable to the MRS example. The comparison between Saturn and the MRS becomes even more marked when considering the direct spinoffs likely to accompany operation. It has been estimated that as many as 14,000 spinoff jobs will be created in Tennessee with the siting of Saturn. These jobs will be created within firms that supply parts or materials to the GM fabrication plant (Saturn) now anticipated to be located in Spring Hill, Tennessee.

The MRS, of course, is not a fabrication facility that needs a vast network of suppliers to function. As currently conceived, its input (spent fuel) is essentially its output, with very little treatment or transformation involved. The primary manufacturing requirement for the MRS will be the production of large-scale canisters and storage casks.

It is anticipated that spent fuel assemblies received at the MRS will be disassembled there, with fuel rods consolidated and sealed inside a cylindrical steel canister. The diameter of this canister is expected to range from 12 to 30 inches, and its height from 12 to 16 feet. If spent fuel is to be stored at the MRS facility, these canisters will either be placed in large, steel-lined reinforced-concrete storage casks (the

primary" storage method for an MRS facility) or in open field drywells (the "alternate" storage method). As currently conceived, a concrete cask manufacturing plant is included within the MRS complex and cannot, therefore, be considered a spinoff activity. Onsite fabrication is considered necessary because of the size and weight of the concrete cask--220 tons when loaded. One study suggests that steel reinforcing bars, metal liners, and embedment hardware will be purchased parts and assembled inside the facility.¹ Presumably, therefore, these components could come from local or state-based suppliers. Should the open field drywell storage method be chosen, however, there would be no concrete cask fabrication at the MRS or elsewhere. Steel canisters would be required regardless of the particular storage method chosen, or whether there would be storage at all. If DOE selects a manufacturer through an open, competitive bid process, the manufacturing site could be any number of places. Local efforts are underway to tie community acceptance of the MRS to special consideration of the community in MRS procurement decisions. Whether these efforts will succeed is not possible to determine at this time.

Spent fuel will be transported to and from the MRS in rugged casks, carried by truck, train or barge. The exact nature of these casks has yet to be determined. At a minimum, they will be transportable metal casks, used solely for the transportation legs. Also being investigated are "dual purpose" and "multipurpose" casks. Dual purpose casks could be used for both storage and transportation purposes. Multipurpose casks would be used for transportation, storage, and actual disposal. DOE is expected to examine and choose among these alternatives within the next 5 years. A local DOE official claims that it is unlikely that Oak Ridge or Tennessee

would be chosen to manufacture these casks since they require specialized materials and expertise not found in abundance here.² A Washington-based DOE official, in fact, suggested that Japan is now the front runner for the manufacture of such casks.³

The activities to be carried out at the MRS would involve state-of-the-art handling of materials with both low and high levels of radioactivity. Activities within the MRS will be automated to a considerable degree, and involve robotic processes that could be developed locally. It is unlikely, however, to include advanced instrumentation that can be easily transferred to other commercial activities. Technology transfer prospects, therefore, do not look promising.

Oak Ridge has already been selected to be the administrative hub of the future high-level nuclear waste transportation system run by DOE, and as such, will manage a major operational program involving billions of dollars. This program will come to Oak Ridge regardless of whether the MRS goes forward. Should an MRS become an integral part of the transportation system, however, the area might obtain important assignments aside from purely administrative tasks, such as: maintenance and quality control of casks, and the training of personnel to operate the system. This would constitute an important, though not necessarily large, spinoff activity.

Despite all the attention being given the MRS in its consolidation and repackaging role, the main benefit of the MRS to DOE may remain its storage capacity. It is becoming increasingly unlikely that a licensed geologic repository will exist to accept nuclear wastes by 1998, the legal target established under the Nuclear Waste Policy Act. The MRS as a temporary storage facility could allow nuclear utilities to dispose of their spent

fuel by 1998, thereby satisfying the spirit of the law, if not the letter. As noted previously, the MRS is designed to provide a storage capacity of 15,000 MTU. Federal officials note, however, that the MRS site should contain room for expansion (including up to 70,000 MTU storage capacity) if needed.

The interim or temporary nature of MRS spent fuel storage is constantly emphasized. Yet the words of South Carolina Governor Richard Riley to Tennessee Governor Lamar Alexander may be apt: "There is an unwritten law of nuclear physics that nuclear waste stays where it is put."⁴ A "temporary" storage area was created in Savannah River, South Carolina thirty years ago to contain military-produced high-level nuclear waste, and no permanent repository has been constructed to date.

There is still another reason to believe that the MRS will be used extensively as a storage facility, aside from remaining scientific and technical uncertainties in geologic emplacement and DOE's inability to cut through the procedural morass in a timely manner. This relates to the constituents that make up spent fuel and their potential value. Not everyone equates spent fuel with nuclear waste ("one man's waste is another man's resource"). It is conceivable, therefore, that several business ventures could locate in Oak Ridge attracted by the large volumes of spent fuel. This kind of business could easily surpass in significance the kinds of spinoffs associated with packaging and consolidation, and this subject will be dealt with extensively in the following section.

III. POSSIBLE USES OF SPENT FUEL

The composition of fresh nuclear fuel and spent nuclear fuel (called "spent fuel" because it can no longer sustain a chain reaction) are shown in Figure 2. As can be seen, much of the original constituents of fresh fuel

FIGURE 2. FRESH AND SPENT NUCLEAR FUEL

Source: Raymond L. Murray, Understanding Radioactive Waste, 1985, p. 47.

(^{238}U and ^{235}U) remain, but the rest is converted into various plutonium isotopes (and other so-called transuranics such as neptunium and americium) and fission products (such as strontium, cesium, tritium, and technetium). Though all of the spent fuel could be buried as waste, it can also be viewed

as possessing valuable resources--most notably, uranium and plutonium that can be reprocessed from the spent fuel and recycled as a fuel source in either existing light water reactors or future breeder reactors. It may be useful at this stage to deal with some of these potential uses in greater depth.

Reprocessing and Recycle of Spent Fuel

There is intuitive appeal to the reprocessing and recycle of any material, based upon the widespread belief in finite global resources. The expectation that spent fuel would be reprocessed and recycled stems from the very early days of civilian nuclear power, when uranium (and particularly ^{235}U) reserves and resources were seen as particularly limited. With a rapid growth in nuclear reactors anticipated, juxtaposed against a small and finite resource base, reprocessing and recycle of uranium and plutonium were viewed as virtually inevitable.

Yet today, there is no operating, commercial reprocessing facility in the United States, and recycle has never been attempted. Failed reprocessing ventures can be noted: (1) a West Valley, N.Y. facility operated intermittently from 1966 to 1972 before closing its doors; (2) a General Electric plant in Morris, Illinois opened in 1974, but closed shortly thereafter due to insuperable technical difficulties; (3) a plant in Barnwell, South Carolina was nearly 90 percent completed when it was mothballed.

The reasons for these failures, and the absence of interest in reprocessing and recycle in the United States today, are both economic and political. As noted earlier, reprocessing was predicated on the assumptions of

rapid nuclear power growth and a diminishing resource base. Neither of these assumptions has been verified to date. Nuclear power has grown a good deal slower than anticipated, and global reserves of uranium have been found to be more plentiful than anticipated. The consequence of these developments has been a steady, and relatively low price for fresh fuel, that cannot be matched by spent fuel recycle. The current cost of nuclear fuel is approximately \$50/kg U. Though estimates vary, a recent examination showed that fresh nuclear fuel would have to rise to roughly \$150/kg U before reprocessing and recycle would become economic.⁵

Aside from strictly economic criteria, reprocessing and recycle also possess political liabilities. In 1977, President Carter banned commercial reprocessing due to perceived risks associated with the commercialization of plutonium. As raised earlier, reactor plutonium is weapons-usable material, and President Carter sought to prevent or at least inhibit the acceptance of plutonium as a normal commercial product by prohibiting its separation in the United States. President Reagan has since removed the ban on commercial reprocessing, but no new interest has been forthcoming because of the absence of economic incentives. Based upon economics alone, it is difficult to envision yet another attempt at reprocessing and recycle throughout the rest of this century. It becomes more difficult to make firm predictions beyond that time frame.

For the reasons stated above, the chances of establishing a reprocessing center in association with MRS cannot be viewed as probable at this time. Surely, if the political and economic climate for reprocessing and recycle changes, it would make economic sense to locate a commercial facility at the MRS, where the resource is abundant and accessible. The

reprocessing facility at Barnwell is unlikely ever to be used, since it does not contain state-of-the-art technology. A reprocessing plant could, of course, be established at the geologic repository, but unless a western MRS is established, the spent fuel would be less accessible there than at the MRS in Oak Ridge. If commercial reprocessing is ever to take hold in the United States, therefore, a strong case could be made for locating the facility next to the MRS. During the early 1970s, the Exxon Corporation seriously evaluated the prospect of locating a reprocessing plant in Oak Ridge. Exxon even went so far as to identify a particular parcel of land in Oak Ridge—a parcel that some still refer to as the "Exxon site."

Despite its languishing current prospects, it is difficult to rule out the prospect of reprocessing for all time. The energy values of the uranium and plutonium encaptured in the copious quantities of spent fuel being generated are enormous. Can we prudently dispose, irretrievably, of this potential fuel when we are gradually, but inexorably, depleting our finite stock of liquid fossil fuels? Can we assume that it will always be economically unattractive to reprocess? It is quite conceivable that national leaders a decade from now will answer "No" to these questions. Reprocessing to at least stockpile, if not to recycle, plutonium and uranium could, therefore, be a plausible, long-term government policy. Section 141(b)(C) of the Nuclear Waste Policy Act ensures that the reprocessing option remain open at the MRS, by stating "...each MRS shall be designed to provide for the ready retrieval of spent fuel and waste for further processing or disposal."

It should also be pointed out that several of our foreign allies are much more bullish on reprocessing and recycle than U.S. officials, both public and private. France and Great Britain already operate large,

commercial reprocessing facilities. West Germany and Japan have plans for the construction of such facilities. Officials in these countries frequently dispute the pessimistic economic forecasts for reprocessing emanating from this country;⁶ but equally important they find other grounds for justifying moving ahead with reprocessing, such as: (1) the need to promote and encourage energy independence; (2) the need to prepare for next-generation breeder reactors that require reprocessing as part of the fuel cycle; (3) the desire to produce a smaller and more manageable waste stream. Favorable operational experience in Europe and elsewhere could conceivably produce more forceful advocates for reprocessing on this side of the Atlantic.

Were a commercialized (1500 metric ton/yr. throughput) reprocessing facility built in association with an MRS, the socio-economic impact would be considerably larger than that of the stand-alone MRS. The facility at Barnwell had planned to employ roughly 1600 people during its operational phase. Were a fuel fabrication plant to develop on-site--not an unreasonable expectation if the decision is made to recycle plutonium and uranium--the employment ranks would swell to a few hundred more. The community would have to also consider the down-side of this further investment in reprocessing and recycle facilities. Through chemically separating the constituents of spent fuel the risks of radiation exposure to both the workers and the surrounding population would increase. Security would also be extremely pervasive to prevent unauthorized access to plutonium.

A very general schematic of what is involved in a reprocessing facility (absent the fuel fabrication stage) can be seen in Figure 3. At this time,

FIGURE 3. REPROCESSING PLANT SUBFACILITIES

Source: International Atomic Energy Agency, Regional Nuclear Fuel Cycle Centres: Summary, 1977, p. 86.

the chances of constructing a reprocessing plant next to an MRS are not favorable. The past commercial failures and current unfavorable economic conditions loom large. Yet the prospect of throwing away potential energy resources, and classifying them as wastes, remains unsettling. The appeal of keeping the reprocessing option open is transparent, and is not likely to ever disappear completely.

Waste Handling

As currently conceived, the MRS is portrayed as a repackaging way station, serving as a buffer or intermediary between the nuclear reactor and the geologic repository. Though it is being designed with residual storage capacity, to be used in the event that licensing of the geologic repository is delayed, the MRS is not envisioned as an alternative to the geologic disposal of wastes. The MRS site, therefore, will not have to grapple with the disposal of wastes.

The absence of a waste disposal role, however, does not negate the considerable potential for businesses dealing directly with waste handling, both nuclear and otherwise. Little mention is made of such potential in DOE documents, but it exists nonetheless.

Perhaps the most obvious waste handling task is the one associated with the secondary radioactive waste stream emanating from the MRS plant. Low-level radioactive contamination of operating equipment (e.g., shoe covers, air filters, etc.) will take place in the MRS as a result of handling and repackaging spent fuel. Another category of radioactive waste--termed, transuranic waste--will also be found at the MRS. Estimates are now showing

approximately 500 drums (55-gallons) of combined low-level and transuranic wastes being produced every year at the MRS.⁷ Treatment of this continuous waste stream, through such means as decontamination, compaction, segregation, or incineration, is desirable. Some of this treatment could take place within the MRS itself, but there are also opportunities for local, surrounding firms, specializing in such treatment. Burial of low-level wastes could take place on-site, but disposal elsewhere is more likely.

Another waste handling issue that DOE says little about is the "conditioning" of the spent fuel in preparation for ultimate geologic disposal. Some form of conditioning or preparation of the spent fuel package is necessary to prevent the migration of radioactive materials in the geologic repository and to specifically satisfy Nuclear Regulatory Commission regulations requiring complete containment of the waste by the waste package itself for the first 300-1,000 years of geologic disposal. The creation of multiple barriers to prevent the escape of radioactivity from a waste repository has long been accepted policy, and is illustrated in Figure 4.

One of the reasons DOE has said so little about conditioning for ultimate disposal is because the materials and containers that will play the role of barriers are still undergoing research and evaluation. Moreover, the nature of the waste package will depend, in part, upon the kind of geologic repository chosen (tuff, salt, etc.), and this choice is yet to be made.

The Swedes have tentatively chosen solid copper canisters to dispose permanently of their spent fuel. In addition, both the United States and Sweden speak of using an "overpack" of bentonite (clay) surrounding the canister container. If reprocessing takes place, other forms of barriers

FIGURE 4. MULTIPLE BARRIERS TO WASTE MIGRATION

Source: Raymond L. Murray, Understanding Radioactive Waste, 1985, p. 78.

will have to be developed to encapsulate the waste stream, though the multiple-barrier approach will remain applicable.

According to the current DOE mission plan, there is to be no conditioning of the waste package at the geologic repository, "unless further studies show that overpacking should be done at the repository."⁸ This means whatever conditioning is deemed necessary will take place at the MRS. Until more is known about the nature of the conditioning task, it is impossible to put firm figures on the number of jobs created. More than likely it would involve only a marginal increase in the number employed at the MRS.

Determining the optimum packaging for spent fuel disposal will require further research and development. A logical, but by no means singular, place to conduct this work would be at the Oak Ridge National Laboratory. A significant amount of research funds (millions) could be transferred to Oak Ridge, therefore, prior to the operation of the MRS.

The waste handling tasks just discussed could each contribute marginally to the employment picture in Oak Ridge. The collective impact of these activities, however, could be overshadowed by the considerable potential of the MRS to serve as a "magnet" for attracting other waste handling firms. Though never explicitly stated, Oak Ridge was chosen as the preferred MRS site not only on the basis of its key geographical location, but also because of its presumed willingness to evaluate the MRS in a relatively dispassionate and objective manner. The long-term involvement of Oak Ridgers in nuclear science and technology has produced a community far less concerned over the radiological hazards associated with nuclear power than practically any other community in the United States. Political support for large-scale nuclear facilities, such as the MRS, is a valuable resource in

short supply today. Oak Ridge acceptance of the MRS, therefore, could attract other firms dealing in some manner with nuclear waste.

To some extent the influx of waste handling firms is already occurring and may, in fact, predate the MRS issue. One small firm (Scientific Ecology Group) specializing in the compaction of low-level radioactive waste has announced plans to begin operations in approximately one year. Westinghouse recently established a waste technology services office in town to advise on compaction and waste reduction. A local firm (Quadrex) is already in the business of scrap metal decontamination, and considerable thought is being given to using vacant buildings at the Gaseous Diffusion plant for a larger-scale decontamination effort.

Oak Ridge could also serve as a magnet for nonradiological waste treatment since there are similar kinds of pressures facing both radiological and nonradiological waste treatment. Clean-up of the DOE reservation alone would be a major undertaking involving large-quantity treatment of several hazardous materials. Outside of Oak Ridge, national pressures are being felt to avoid land disposal of hazardous wastes. New ways of treating the copious amounts of hazardous materials being produced each year are, therefore, becoming commercialized. The pace of commercialization is, in part, determined by finding communities willing to host these operations. By accepting the MRS, Oak Ridge would be signaling its willingness to take on waste treatment activities avoided by other communities. It has also been suggested that Oak Ridge could play a research and development role in hazardous waste technology, as well as an operational role. Some thought has been given to the creation of a technology demonstration center where leading or promising treatment processes would be tested and advanced. Such

a center would take advantage of the considerable technical expertise located in Oak Ridge.

As noted previously, a certain momentum toward hosting waste treatment facilities has already developed quite apart from the MRS proposal. It is possible that this momentum would build even without the MRS serving as a magnet, but it can only be enhanced and perhaps accelerated by Oak Ridge acceptance of the MRS. The connection comes not from any significant functional connection between the MRS and other treatment facilities, but from a shared interest in finding a host community willing to accept the risks associated with the handling of toxic materials. The "magnet" force could take effect prior to the construction of the MRS, or even if the State of Tennessee or Congress rejects the MRS outright. On-record support for hosting such a facility would be the crucial factor, regardless of whether it ever comes to fruition.

Given the high national priority being devoted to addressing both radiological and nonradiological waste problems, the potential for significant increases in employment opportunities is considerable. It must also be noted, however, that should Oak Ridge encourage this type of business, and succeed, it would work against the aspirations that some of its citizens possess for the "normalization" of the community. The federal government is so intimately involved in waste issues that the community could not avoid the ongoing buffeting caused by governmental shifts in regulations and policies. This heavy federal presence, and the nature of the activity involved, would discourage efforts to build a diversified economic base.

Beneficial Uses of Nuclear Waste

The prospect of reprocessing and recycling uranium and plutonium to serve as nuclear fuels was raised earlier. Additional spent fuel constituents could be extracted as well, were there some useful purpose to be served by these constituents. DOE currently sponsors a By-Product Utilization Program that is examining possible uses of selected waste constituents.⁹ The candidates most frequently referred to are Cesium-137, Krypton-85, Tritium, and the noble metals, ruthenium, rhodium, and palladium.

The application of radiation from Cesium-137 to food, could prevent spoilage and decay by destroying molds, fungi, and other microorganisms. Food irradiation could some day have truly global consequences. Krypton-85, and Tritium are valued in the production of self luminous lights, requiring no power supply and no maintenance. Their application at both civilian and military airfields is now being investigated. The United States is now heavily dependent upon Soviet and South African noble metal sources, used in electronics and medical-dental applications. Whether the noble metals produced in a nuclear reactor--ruthenium, rhodium, and palladium--could be extracted economically is now being investigated.

It is too early to tell whether any of these uses will prove economically viable and support the establishment of commercial enterprises. The MRS would certainly provide a steady stream of resources to support these enterprises, were some reprocessing capabilities available. It should be noted, however, that military wastes at Savannah River, South Carolina and Hanford, Washington already provide a more than ample resource base for these applications. Short-term commercialization prospects in Oak Ridge,

therefore, are not favorable, and longer-term prospects are only slightly better.

It has been shown that the MRS could be used for purposes not now being contemplated, and as such could create a significantly larger employment impact than is now being anticipated. Simply by local acquiescence in the construction of an MRS the project could serve as a magnet to other "pariah" enterprises searching for a home. For the most part, the businesses individually would not be large, but in the aggregate could bring a significant number of jobs. A commercial reprocessing plant would be an exception, with employees numbering roughly three times those found at the MRS. If commercial reprocessing were once again to gain favor in this country, it almost certainly would be collocated with the MRS. Though pure economics rule out such a development in the near term, other factors, and unforeseen economic changes could, at some time in the future, bring reprocessing back to the forefront once again. These developments, while sustaining and expanding the local economy, would differentiate Oak Ridge further from the normal U.S. community. It could also bring about changes in the "quality of life" Oak Ridgers currently experience.

IV. LONG-TERM USES FOR THE MRS

Current DOE plans call for the decommissioning of the MRS after its 40-year licensed lifetime. The forty year lifetime appears to be a rather arbitrary number, based upon convention rather than any empirical evidence that performance will be physically degraded over that time span. The MRS will be able to function well beyond 40 years, therefore, and it is likely that it will be asked to do so. It could continue to serve as a repackaging facility well into the future, or, as we have seen, it could serve purposes not now envisioned by DOE. The latter prospect is examined further in this section. Justification for looking at possible long-term uses stems from the issue of institutional flux raised previously. Everyone agrees that nuclear wastes have to be disposed of safely and expeditiously. What has been absent is a functional strategy, both here in the United States and abroad, for getting on with the business. With the establishment of actual institutions and organizations for dealing with wastes, these organizations could become the focus for plans that rationalize the entire nuclear fuel cycle further. In other words, policy makers, recognizing that it is easier to modify the objectives of existing institutions than to create new institutions, may seek to use the MRS to combat other salient nuclear power issues. To be more specific, it is possible to envision future national leaders wanting to use the MRS as part of a comprehensive nonproliferation policy (i.e., preventing the spread of nuclear weapons to countries or groups not now possessing them). The reasoning behind this assessment is speculative, and goes well beyond the time frame and considerations now considered relevant by local and state officials. It is, however, responsive to the effort to envision the possible long-term evolution of the MRS.

Every nation with an operating nuclear power plant produces weapons-usable plutonium. For the most part, this plutonium has remained at the reactor site in spent fuel pools. Despite the fact that civil reactor plutonium is not optimum weapons material, and has not been a part of the weapons program of any nuclear weapons country to date, considerable concern remains regarding its possible diversion to weapons use. International safeguards have been enacted to account for the quantities of power-reactor plutonium. But safeguards are devised only to detect diversion and not to prevent it. Should the plutonium in spent fuel be reprocessed and recycled as fuel in current-generation reactors or future breeder reactors, the accounting problems associated with safeguards would be multiplied considerably.

One possible policy to alleviate the proliferation fear resulting from dispersed quantities of plutonium would be for the U.S. to offer to take back spent fuel and to integrate it within its own domestic waste program. President Carter proposed to accept a limited amount of spent fuel from abroad as part of his nonproliferation policy. The proposal never became policy because of Congressional opposition, based upon environmental concerns. The proposal also suffered from the fact that no national program for the sequestering of even domestic waste was then in existence. Only with the passage of the Nuclear Waste Policy Act in 1982 was the country set upon a definite course and timetable for waste disposal.

It is still probably premature, in terms of public acceptance, to suggest that the MRS handle foreign as well as domestic spent fuel. The nation will have to become comfortable with its own waste program before seriously addressing whether to accept foreign spent fuel. If the domestic

program for waste disposal functions smoothly, however, it is quite possible that the MRS will be viewed as a tool for nonproliferation, as well as waste, policy. Expansion of MRS storage capacity would be required to hold foreign spent fuel. If the MRS had functioned properly over time, and the community became comfortable with it, this expansion would probably not be opposed. Under what conditions nations would part with their spent fuel (currently a spectrum of sentiment exists, ranging from nations that would absolutely refuse to relinquish their spent fuel, to other nations that would pay the U.S. handsomely for taking it off their hands) remains to be seen and negotiated, but the details are less important than a basic U.S. commitment to accept foreign spent fuel.

It is possible to conceive of the MRS playing a role in even a more elaborate plan to inhibit proliferation. As an alternative to the global diffusion of plutonium as reactor fuel, it has been suggested that the reprocessing of spent fuel take place solely in regional (on a global scale) centers located in existing nuclear weapons countries, and that the recycled plutonium be used as fuel only in these countries.¹⁰ Nations supplying the spent fuel would get an "energy credit" for the value of the plutonium in spent fuel, but would be repaid in shipments of non-weapons-usable nuclear fuel (such as the slightly enriched uranium used by most current-generation reactors). Recycled plutonium would, thereby, become a part of commerce in nuclear-weapon countries where there would be no incentive for diversion; and be "outlawed" in nations where there might be an incentive.

Within this vision of a nuclear fuel cycle center, the MRS would be collocated with a major reprocessing plant and a fuel fabrication plant. In essence, this scenario does not significantly differ, physically, from the

prospect of reprocessing raised earlier. It does imply, however, a willingness to accept foreign spent fuel, and perhaps, some degree of multinational or international control over operations. With the economic prospects for reprocessing and recycle of spent fuel so dismal today, the prospects for establishing a regional nuclear fuel cycle center are decidedly long-term.

Clearly, not every nation embarking upon a civilian nuclear program needs to, or should, construct a full complement of fuel cycle facilities. International dependencies for fuel cycle services and materials are strong today, and are likely to continue. The MRS, as an international storage area or as a regional fuel cycle center, would be an extension of these dependencies. The construction and successful operation of an MRS will lead policy makers to investigate whether, or how, this organization can achieve multiple national objectives. It is in this context that the long-range future of the MRS might evolve.

V. CONCLUSION

Contrasting, yet plausible, futures for the MRS can be envisioned, ranging from an MRS with limited responsibilities and marginal local and regional employment impacts, to an MRS possessing important global responsibilities and having truly major employment impacts. A conventional socioeconomic analysis of the MRS will probably substantiate the more modest future. The MRS, as currently advertised, will not produce a major employment boom in Oak Ridge, is not likely to spawn a host of suppliers in East Tennessee, and will not deal with technologies that can easily be transferred to either local or regional industries. From this perspective, the local and state benefits of an MRS located in Oak Ridge are not negligible but are somewhat marginal (absent any federal commitment to provide ample siting compensation).

It is important, however, to remember that the nuclear power industry is not your normal, everyday, commercial enterprise. Hazardous materials are generated in copious quantities and transported regularly across the country; yet the radioactive products generated by the nuclear industry inspire public fears unlike those associated with other hazardous materials.¹¹ This fear has led the nuclear industry and its regulators to proceed with extreme caution in establishing both the normal operating procedures and the institutions to carry them out. Few communities have stepped forward to be a part of the system. Indicative of this caution and concern is today's absence of institutions and geologic repositories dealing with nuclear wastes decades after the initial and continuing generation of spent fuel from commercial nuclear reactors. The establishment of an MRS

would, therefore, constitute something of a watershed in dealing with nuclear wastes. As an ongoing, functioning institution, placed in a community willing to accept the hazards, the MRS would be the first tangible evidence that nuclear waste can be dealt with in a manner not unlike other commercial hazardous materials. The very uniqueness of this undertaking, at least in the United States, would, therefore, attract considerable attention, and could eventually lead to new roles and responsibilities for the MRS that can only be dimly foreseen today.

The more expansive vision of the MRS will only come about if operating experience confirms the hopes of MRS proponents today. The landscape is littered with nuclear projects that have not come to fruition (e.g., half-completed nuclear power plants, closed reprocessing facilities of West Valley, Morris, and Barnwell, and several low-level waste disposal sites). There is no guarantee that the MRS will not prove to be yet another page in this sorry chapter. Assuming that the plant functions as planned, however, we can anticipate a life for the MRS extending well beyond the nominal 40-year period.

The potential, therefore, for the MRS to have more than a marginal impact upon Oak Ridge exists. The most near-term unconventional impact would be the so-called magnet effect, whereby the MRS, simply by example, serves to announce that this is a community willing to host businesses dealing with the treatment and clean-up of hazardous materials. This effect would become manifest with the announcement of city officials that they would accept an MRS in their community. Further into the future could be the establishment of a reprocessing plant in Oak Ridge to take advantage of the centralized accumulation of spent fuel. Before this happens a renewed

commitment to the commercial use, or at least the storage, of plutonium must be made by both business and political leaders. The more distant future might even see the integration of the MRS into a global system for waste disposal, for the purpose of reaping nonproliferation and financial benefits.

All the futuristic scenarios, of course, are contingent upon local and state acquiescence. Decisions need not be made now on the basis of this speculative future. Officials should be aware, however, that the MRS could spark considerable growth that would present difficult value tradeoffs in the future. These tradeoffs would be most apparent in the local community. The state, however, would have to come to terms with significantly increased trafficking in radiological and nonradiological hazardous waste. In short, the MRS has the potential to be a "book" with many chapters. The chapter we are dealing with today is interesting, but may only be a prelude or introduction to what is to come.

ENDNOTES

1. D.J. Silviera, et al., Reference-Site Environmental Document for a Monitored Retrievable Storage Facility: Backup Waste Management Option for Handling 1800 MTU Per Year, (PNL-5476), June 1985.
2. Peter Gross
3. Lake Parrett at the MRS Transportation Workshop, September 6, 1985.
4. As reported in the August 5, 1985 issue of the Knoxville News-Sentinel.
5. Alvin M. Weinberg, "Nuclear Energy and Proliferation: A Longer Perspective" in The Nuclear Connection: A Reassessment of Nuclear Power and Nuclear Proliferation, Alvin Weinberg, Marcelo Alonso, and Jack Barkenbus (editors), 1985.
6. Gerard Lebastard, "MOX makes sense," Nuclear Engineering International, August 1985, pp. 20-21; The Energy Daily, September 19, 1984, pp. 2-3.
7. Local DOE office.
8. Department of Energy, Mission Plan for the Civilian Radioactive Waste Management Program (DOE/RW-0005), vol. 1, June 1985, p. 126.
9. Transactions of the American Nuclear Society (Washington, D.C.), November 1982, pp. 88-94.
10. International Atomic Energy Agency, Regional Nuclear Fuel Cycle Centres (Summary volume of a 1977 Report of the IAEA Study Project), Vienna, Austria, 1977.
11. Paul Slovic, Baruch Fischhoff, and Sarah Lichtenstein, "Facts and Fears: Understanding Perceived Risk," in Richard C. Schwing and Walter A. Albers, Jr. (eds) Societal Risk Assessment: How Safe is Safe Enough, 1980.

APPENDIX D

MRS TAX POTENTIAL

by

Kenneth E. Quindry

MRS TAX POTENTIAL

I. INTRODUCTION

The Department of Energy (DOE) has chosen Oak Ridge, Roane County, as its preferred site for location of a Monitored Retrievable Storage (MRS) facility. The socioeconomic impacts of the potential facility are being assessed by various state and local agencies. A number of concerns and potential impacts were identified by the Oak Ridge Socioeconomic Study Group in a recent report. The report also identified conditions that could convert liabilities into assets for the community and state.

This paper is concerned with only one aspect--the grants-equivalent-to-taxes concept. As presently constructed, the National Waste Policy Act (NWPA) establishes the grants-equivalent concept to repositories but not to an MRS. It states that the Secretary shall make grants from the Nuclear Waste Fund to state and local governments in the amounts they would receive were they authorized to tax repositories (but not MRS) as they tax other property and industrial activity. Applying the concept to the proposed MRS would, in the study group's view, stabilize the tax base and lower the current tax rates.

Following this introduction, the proposed MRS operation is examined with respect to state and local tax liability. For tax purposes, the MRS is treated as if it were a privately owned business firm operating for profit. It is assumed to be taxed on an equal footing with other industrial and commercial property and economic activities in the state. The tax investigation is limited to property and sales taxes even though the MRS would conceivably pay corporation franchise and excise taxes and local business taxes and fees.

Part II examines state law with regard to property and sales tax liabilities. While liability is primarily determined by statute, the statutes must be interpreted. Administrative interpretation plays a prominent role in tax potential. For example, manufacturing firms enjoy certain tax privileges not granted to service firms. Is an MRS fully a manufacturing firm? Alternative administrative answers will be addressed in Part II of this appendix and the most likely applied in tax potentials computed in Part III.

In Part III estimates of tax potential are made on the basis of the best available data on plant value and economic activity. It is important to remember that the estimates are tentative, based on a lack of sufficient statistical data on distribution of plant values and economic activity¹ and on uncertainty as to alternative administrative decisions as discussed in Part II.

II. LEGAL LIABILITY FOR TAXATION

As noted in the introduction, legal liability to pay taxes depends on state law and its interpretation. In this section relevant portions of property and sales tax statutes are examined and the basis for tax liability is established.

1. At this stage little information is available on the total property values or on the distribution of property values (real-personal; operations-administrative). In fact, several decisions affecting ultimate plant values and materials cost of operation are still up in the air.

Sales Taxes

In Chapter 6 of the Tennessee Code Annotated, it is stated

It is the intention of this chapter to levy a tax on the sale at retail, the use, the consumption, the distribution, and the storage to be used or consumed in this state of tangible personal property after it has come to rest in this state and has become a part of the mass of property in this state. (67-6-211).

and:

It is not the intent of this chapter to levy a tax upon articles of tangible personal property imported into this state or produced or manufactured in this state for export; (67-6-313).

then:

...On and after July 1, 1983, no tax is due with respect to industrial machinery. (67-6-206(a)(4)).

Finally,

"Sale at retail," "use," "storage" and "consumption" shall not include the sale, use, storage, or consumption of industrial materials--for future processing, manufacture, or conversions into articles of tangible personal property for resale where such industrial materials--become a component part of the finished product or are used directly in fabricating, dislodging, sizing, converting or processing such materials or parts thereof, and such terms shall not include materials, containers, labels, sacks, bags, or bottles used for packaging tangible personal property when such property is either sold directly therein to the consumer or when such use is incidental to the sale of such property for resale. (67-6-102(12)(E)).

While the statutes seem clear, several questions arise as to tax liability. First, is an MRS a manufacturing firm? Broadly defined, a manufacturing operation includes assembling and processing. (a) Casks are manufactured or purchased from a manufacturer to contain spent fuel. (b) Spent fuel is assembled and repackaged (processed).

Second, are component parts of the casks and the spent fuel exempt? (a) Raw materials and materials used in packaging tangible personal property for resale are exempt. (b) Industrial materials becoming a component

part of tangible personal property for resale are exempt. (c) Goods imported into the state or manufactured in the state for export are exempt.

Third, are the final products exported? The repository is the final destination of the finished product.

The most logical interpretation of the MRS is that it is a manufacturing plant, and its final product is exported. Thus:

- a) All manufacturing-related machinery and equipment would be exempt
- b) All raw materials (ingredients) for constructing storage casks and the casks themselves would be taxable as acquired (for consumption)
- c) All spent fuel (repackaged) would be exempt
- d) All nonmanufacturing related equipment and supplies would be taxable
- e) All construction materials and other land improvement materials during construction would be taxable

Alternatively, if the plant were determined to be other than manufacturing, the loaded casks (or materials used in casks and the spent fuel) coming to rest (consumed) in Tennessee would be taxable due to the extended period of storage at the MRS. Under this interpretation all machinery and equipment previously assumed nontaxable would become taxable. In Part III we will accept the initial interpretation that the plant is a manufacturing firm processing a good for export.

Property Taxes

Chapter 5, TCA, states that "all property, real and personal, shall be assessed for taxation for state, county, and municipal purposes,

except such as is declared exempt in part 2 of this chapter, or unless otherwise provided." (67-5-101).

1. Land and improvements to land (commercial and industrial) are assessed at 40% of appraised value. (67-5-801(2))
2. Incomplete buildings are assessed on the basis of the value of materials used as of January 1 at 40% of appraised value. (67-5-603(5))
3. Personal property is assessed at 30% of appraised value. (67-5-901(2))
4. Property transported to a plant from within or outside the state of Tennessee for repackaging and held for eventual disposition to a destination outside the state is exempt. (67-5-217)
5. Certified equipment, machinery, structures, etc. used primarily and necessarily for water and air pollution control are exempt. (67-5-209)
6. Raw materials and goods in process are taxable (but see 4)
7. Finished products or inventories are exempt

As in the sales tax discussion, certain administrative decisions affect the tax liabilities. The most reasonable assumptions again are that the spent fuel is gathered for processing (repackaging) and eventual export. On this basis:

- 1) All MRS real property would be taxable²
- 2) All MRS personal property would be taxable

2. Except certified pollution control facilities.

- 3) Shipping casks in storage would be exempt
- 4) Raw materials for manufacturing casks would be taxable
- 5) Storage casks would be taxable
- 6) Spent fuel would be exempt (repackaging for export)

Alternatively, if the plant were determined to be nonmanufacturing and the filled casks determined not appropriate to export because of the length of storage at the MRS site, the casks in storage (3) and the spent fuel on hand (5) would be taxable annually along with all other real and personal property.³ Tax revenue estimates in part III are made on the basis of manufacturing and export.

III. TAX REVENUE ESTIMATES

The following tax estimates include only state and local sales and use taxes and local property taxes associated with activities directly at the MRS site. While it can be anticipated that other local taxes and fees may be assessed (the same as to a privately owned enterprise), no reliable estimate is possible at this time. State franchise and excise taxes may also be levied.

Property Taxes

Current estimates put the construction costs of the plant at \$1,044,600,000 in 1985 dollars, of which \$793,700,000 is estimated to be real property and \$250,900,000 personal property. These values are derived from data provided by Construction Resources Analysis (CRA), The

3. However, the casks in storage might be exempt from property taxes and the local business gross receipts taxes applied to the plant.

University of Tennessee, Knoxville. Table 1 presents an estimate of full or market values (equal to construction costs), the appraised values,⁴ and finally the assessed values and resulting city and county taxes.

Contract administration, contract management, contingency funds and architectural and engineering fees as estimated by CRA are factored into costs and become a part of plant taxable values. Real property is assessed at 40 percent of full value and personal property at 30 percent. The 1985 city tax rate is \$3.73 per \$100 of assessed value and the county rate, \$3.25.

TABLE 1

OAK RIDGE/ROANE COUNTY MRS PROPOSED PLANT
VALUES AND PROPERTY TAX ESTIMATES
(1985 dollars)

	Total Value	Real Property	Personal Property
Land and Buildings	\$ 55,900,000	\$ 55,900,000	\$
Buildings*	970,000,000	721,000,000	249,000,000
Utilities*	18,700,000	16,800,000	1,900,000
Total	1,044,600,000	793,700,000*	250,900,000
Appraised Value	603,778,800	458,758,600	145,020,200
Assessed Value	227,009,500	183,503,440	43,506,060
Tax Revenue*			
City (Oak Ridge)	8,467,454	6,844,678	1,622,776
County (Roane)	7,377,809	5,963,862	1,413,947

* Total value includes machinery and equipment (personal property) associated with the real property.

4. The county currently appraises property at 57.8 percent of full value.

The cost of the storage casks is not included in Table 1 value and tax estimates because the number of casks will increase during the first few years of operations. Storage casks are estimated to cost \$160,000 (1985 dollars) each and number 1,830, for a total cost of \$292,800,000. At current assessment values and rates, the annual property taxes would be \$1,035 city and \$902 county times the number of casks on hand.

The \$227 million MRS assessed value in Table 1 is 172.6 percent of the 1983 total assessed value in Roane County and 126.7 percent of that of Oak Ridge. Given this increase in taxable values, property tax rates could be reduced to \$1.54 per \$100 of assessed value from \$3.73 in Oak Ridge and to \$1.23 from \$3.25 in Roane County and still yield the 1983 level of tax revenues. MRS estimated property taxes in 1985 would yield approximately 39.4 percent of 1983 operating expenditures in Oak Ridge and 45.0 percent in Roane County. However, expenditure increases may result from the MRS plant, thus decreasing the tax rate influence of the value increase. Potential revenue benefits would further be nominally eroded by the loss of current in-lieu TVA payments of just over \$4,000 on the property involved.

Sales and Use Taxes

Sales and use taxes result from (a) the purchase of materials, equipment, and supplies during the construction of the proposed MRS, terminating when construction is completed, and (b) the purchasing of taxable materials, equipment and supplies during the operations phase.

Table 3 provides an estimate of the sales and use taxes accruing to the state and local governments during the construction phase. The table assumes that 75 percent of the equipment costs of \$224,000,000 are non-

TABLE 2

1983 PROPERTY TAX REVENUE AND GENERAL
EXPENDITURES COMPARED WITH ESTIMATED
MRS PROPERTY TAXES, OAK RIDGE AND ROANE COUNTY

	Oak Ridge	Roane County
MRS estimated property taxes	\$ 8,467,454	\$ 7,377,809
Property taxes (1983)	6,258,821	4,396,859
Percentage (Row 1 of Row 2)	135.3	167.8
1985 tax rate per \$100 of assessed value	3.73	3.25
Rate needed to recover 1983 taxes	1.54	1.23
Percentage reduction	58.7	62.2
Total operating expenditures	21,477,111	16,398,670
MRS estimated property taxes as percentage of expenditures	39.4	45.0

taxable industrial machinery and equipment. Taxable sales of \$207,000,000 yields state and local tax revenue of \$14,490,000 assuming that all taxable purchases are made in Roane County or another county with a 1.5 percent tax rate. Local collections will be reduced to the extent that purchases are made out of state because there is no local use tax. Table 3 data do not include the potential tax on construction machinery employed by the contractors and subcontractors on the site. The amount of local tax accruing to Oak Ridge and Roane County depends on purchases in those entities.

Table 4 includes data on estimated annual sales and sales taxes during the operations phase. This includes, but is not limited to, purchases of administrative materials, equipment, and supplies and receipts

TABLE 3
ESTIMATES OF SALES AND USE TAXES, MRS CONSTRUCTION PHASE
(In 1985 dollars)

	Total	Taxable
Materials costs	\$151,000,000	\$151,000,000
Equipment costs	224,000,000	56,000,000
State tax (5.5%)		\$11,385,000
Local tax (1.5%)		3,105,000

Source: CRA, Table B.2. Data further assume that 75 percent of equipment costs are exempt from taxation.

from an on-site cafeteria. Not included is the potential tax resulting from the acquisition or manufacture of storage casks. Repairs and additions to industrial equipment and machinery will continue to be tax exempt.

Additional sales taxes would be levied on the acquisition or manufacture of storage casks because they are acquired for on-site use or consumption. It is expected that casks would be acquired periodically over the initial few years of operations until the maximum 1,830 casks are acquired. In later years only replacements would be needed.

One might logically expect that 360 casks would be acquired each year for five years and only a few in subsequent years. If one further assumes that 60 percent of the \$160,000 per-cask costs is taxable materials, then each cask would yield \$5,280 in state tax and a maximum of \$1,440 in local taxes (most likely less, since some purchases would be out-of-state).

TABLE 4

ESTIMATES OF ANNUAL SALES AND USE TAXES, OPERATIONS PHASE, MRS
(1985 dollars)

	Total		Taxable
Materials costs	\$9,600,000		\$1,920,000*
Equipment costs	5,900,000		1,180,000*
Miscellaneous sales	280,000		280,000
State tax (5.5%)		\$185,900	
Local tax (1.5%)		50,700	

*20 percent of purchases are assumed taxable

Source: Equipment and materials costs, CRA, Table B5.

Tables 1 through 4 are replicated for the Hartsville proposed site in Tables 5 through 8. These tables reflect the assumption that the MRS is wholly sited in Trousdale County. However, the Hartsville site lies approximately equally in Smith and Trousdale counties. Therefore, alternative tax effects are detailed in Tables 9 and 10 for an MRS sited wholly in Smith County and in Table 11 for an MRS sited half in Smith and half in Trousdale counties.

Summary

The above analysis assumes that the proposed MRS plant would pay property and sales taxes as if it were a privately owned enterprise operating for profit. Its property and operations would be subject to taxes both during the construction phase and during the operations phase after construction is completed.

The \$1,044,600,000 cost of the plant would increase the county and city property tax base by \$227 million and property taxes by \$15.8 million (Table 1). In addition, as storage casks are acquired for storing the repackaged materials, the taxes would be enhanced by \$1,937 per cask for up to 1,830 casks. During the construction phase the property would be assessed on the basis of construction completed.

Sales taxes would be significant during the construction phase, possibly totaling \$14.5 million over the life of the construction. Once construction is completed, sales taxes would be nominal, possibly reaching only \$236.6 thousand annually. However, acquisition of the casks would add an estimated \$6,720 per cask in the early years of operation.

TABLE 5

TROUSDALE COUNTY MRS PROPOSED PLANT
VALUES AND PROPERTY TAX ESTIMATES
(1985 dollars)

	Total Value	Real Property	Personal Property
Land and Buildings	\$ 55,900,000	\$ 55,900,000	\$
Buildings	970,000,000	721,000,000	249,000,000
Utilities	18,700,000	16,800,000	1,900,000
Total	1,044,600,000	793,700,000*	250,900,000
Appraised Value (100%)	1,044,600,000	793,700,000	250,900,000
Assessed Value	392,750,000	317,480,000	75,270,000
Tax Revenue			
County (Trousdale)	13,981,900	11,302,288	2,679,612

*Total value includes machinery and equipment (personal property) associated with the real property.

TABLE 6

1983 PROPERTY TAX REVENUE AND GENERAL
EXPENDITURES COMPARED WITH ESTIMATED
MRS PROPERTY TAXES, TROUSDALE COUNTY

MRS estimated property taxes	\$13,981,900
Property taxes levied 1983	911,883
Percentage (Row 1 of Row 2)	1,533.3%
1985 tax rate	3.56
Rate needed to recover 1983 taxes	0.216
Percentage reduction	93.9%
Total operating expenditures	2,904,825
MRS estimated property taxes as % of expenditures	481.0%

TABLE 7

ESTIMATES OF SALES AND USE TAXES,
MRS CONSTRUCTION PHASE, TROUSDALE COUNTY
(In 1985 dollars)

	<u>Total</u>	<u>Taxable</u>
Materials costs	\$151,000,000	\$151,000,000
Equipment costs	224,000,000	56,000,000
State tax (5.5%)		\$11,385,000
Local tax (2.25%)		4,657,500

TABLE 8

ESTIMATES OF ANNUAL SALES AND USE TAXES,
OPERATIONS PHASE MRS, TROUSDALE COUNTY

	<u>Total</u>	<u>Taxable</u>
Materials costs	\$ 9,600,000	\$ 1,920,000
Equipment costs	5,900,000	1,180,000
Miscellaneous sales	280,000	280,000
State tax (5.5%)		\$185,900
Local tax (2.25%)		76,050

TABLE 9

SMITH COUNTY MRS PROPOSED PLANT VALUES
AND PROPERTY TAX ESTIMATES
(1985 dollars)

	<u>Total Value</u>	<u>Real Property</u>	<u>Personal Property</u>
Land and Buildings	\$ 55,900,000	\$ 55,900,000	\$
Buildings	970,000,000	721,000,000	249,000,000
Utilities	18,700,000	16,800,000	1,900,000
Total	1,044,600,000	793,700,000*	250,900,000
Appraised Value (92.48%)	966,046,080	734,013,760	232,032,320
Assessed Value	363,215,200	293,605,504	69,609,696
Tax Revenue County (Smith)	11,078,064	8,954,968	2,123,096

*Total value includes machinery and equipment (personal property) associated with the real property.

TABLE 10

1983 PROPERTY TAX REVENUE AND GENERAL EXPENDITURES
 COMPARED WITH ESTIMATED MRS PROPERTY TAXES,
 SMITH COUNTY

MRS estimated property taxes	\$11,078,064
Property taxes levied (1983)	1,290,605
Percentage (row 1 of row 2)	858.4%
1985 tax rate	3.05
Rate needed to recover 1983 taxes	0.32
Percentage reduction	89.5%
Total operating expenditures	7,313,000
MRS estimated property taxes as percent of expenditures	151.5%

TABLE 11

1983 PROPERTY TAX REVENUE AND GENERAL EXPENDITURES
 COMPARED WITH ESTIMATED MRS PROPERTY TAXES,
 TROUSDALE AND SMITH COUNTIES

	<u>Trousdale Part*</u>	<u>Smith Part*</u>
MRS estimated property taxes	6,990,950	5,539,032
Property taxes levied 1983	911,883	1,290,605
Percentage (row 1 of row 2)	766.6%	429.2%
1985 tax rate	3.56	3.05
Rate needed to recover 1983 taxes	0.404	0.582
Percentage reduction	88.7%	80.9%
Total operating expenditures	2,904,825	7,313,000
MRS estimated property taxes as percent of expenditures	240.7%	75.7%

*The assumption is made that 50 percent of the value of the MRS proposed plant is sited in Trousdale County and 50 percent in Smith County.

APPENDIX E

MRS IMPACT ON THE STATE AND LOCAL PUBLIC SECTOR

by

Kenneth E. Quindry

MRS IMPACT ON THE STATE AND LOCAL PUBLIC SECTOR

Introduction

Revenues will be generated and public expenditures made necessary because of the increased economic activity resulting from employee earnings at the proposed MRS facility in Oak Ridge, Roane County. MRS workers will pay a variety of state and local taxes and fees associated with their earnings (wages and salaries) and spending. The initial spending results in second and even third levels of employment earnings and spending (the multiplier effect) and these also generate tax and fee revenue.

In the following paragraphs estimates of the additional local and state revenues and expenditures that may be expected from the MRS payroll and the multiplier effects are presented. The estimates are limited to a four-county area (Anderson, Knox, Loudon, and Roane) and for the first five years of operation. Fiscal effects during the brief construction phase may differ in level, but not much in relative effects. Subsequent years of operation will differ only a little from the first five years in fiscal effects. Though these are not calculated here, similar statistics could be calculated for the five-county region in the Hartsville, Tennessee area.

Several other assumptions deserve mentioning:

1. Most of the new employment will go to current state residents, about 90 percent of whom already live in the four-county area. For purposes of this report, only about 200 families are assumed to migrate into the four-county area.
2. Because of the minor population impact, residential and non-residential investment will not be significantly impacted. Revenues and expenditures associated with property will be

little affected. Public school costs will be only mildly impacted because the new students can be readily absorbed in current classrooms at nominal cost per student.¹ A public sector is significantly impacted only if employment growth is sufficient to cause major population and community income growth.

3. A population growth of about 500 and an income growth of \$38,800,000 annually is anticipated in the first five years of operation. This is less than 1 percent of both the 1983 population and personal income of the four-county area.²
4. The MRS plant is estimated to employ 744 workers whose earnings will be \$21,500,000 annually. A further indirect employment of 756 and earnings of \$17,300,000 will result.
5. All estimates of revenues and expenditures are made in 1985 dollars.
6. Only the public revenues and expenditures closely associated with employee earnings and spending will be significantly impacted. These include sales and other expenditure taxes, and fees and expenditures associated with public administration. Public employment will grow only a little. Other minor public sector affects will occur, but no attempt is made to measure those here.

1. A migration of about 200 workers would involve a further inflow of only about 300 dependents, of which about 125 would be of K-12 age. These would be absorbed into a current ADA of 78,000 and over 4,100 classrooms in use in the four-county area.

2. The 500 new residents would be assimilated into a current population (1983) of 471,600 and the \$38,800,000 earnings into a personal income of \$4,845,000,000 (1983).

7. Expenditure impacts during the construction phase will by nature be different, but probably no greater than current expenditures. However, more emphasis may be necessary on police and traffic control. The relative amount of revenue impacts will be less than during the operations phase because of an increased amount of workers commuting from outside the four-county area.
8. In this report, any taxes paid by the MRS facility are not anticipated.

Statistical Analysis

As stated above, population and income growth is expected to be less than 1 percent in the four-county area. Such minor change will have insignificant impact on local public finances--assimilation of new students into existing classrooms will be inexpensive, and small amounts of underemployment in other public areas will permit assimilation of other public needs at little cost. Costs per new resident will be modest. On the other hand, local revenues (excepting property-related taxes) readily and predictably respond to spending out of the increased community earnings rate, especially the general sales and other expenditure-related taxes and fees. Table 1 lists estimates of earnings generated by the proposed MRS plant. Spendings from these earnings generate both revenues and expenditures.

TABLE 1
 IMPACT OF THE PROPOSED MRS ON FOUR-COUNTY
 EMPLOYEE EARNINGS, FIRST 5 YEARS
 OF OPERATION (In 1985 dollars)

<u>County</u>	<u>Direct</u>	<u>Indirect</u>	<u>Total</u>
Anderson	\$ 7,740,000	\$ 6,228,000	\$13,968,000
Knox	7,202,500	5,795,500	12,997,500
Loudon	1,161,000	934,200	2,095,200
Roane	3,569,000	2,871,800	6,440,800
Other counties	1,827,500	1,470,500	3,298,000
Total	21,500,000	17,300,000	38,800,000

Source: Construction Resources Analysis (CRA) estimates for totals.

Tables 2 and 3 provide the basic data on the four-county revenues and expenditures for 1983, respectively. Listed separately are the items which will be most impacted by the increased earnings--revenues from local sales taxes and other taxes and fees and general purpose expenditures. This does not, however, rule out the moderate effects on other expenditures (schools, highways, etc.) but possibly overstates the effects on general purpose expenditures. Column four of Table 3 presents total amounts as dollars per \$1,000 of personal income in 1983.

County Local Revenue Estimates. Certain local revenues respond rather predictably to increased community earnings. Table 4 lists local sales taxes and other taxes and fees per \$1,000 of personal income. By applying the four-county average \$6.87 one can estimate an indirect sales

TABLE 2
SELECTED REVENUES FOUR COUNTIES, 1983
(In thousands)

	<u>Local Sales Tax</u>	<u>Other Taxes,^a Fees, etc.</u>	<u>Total Local Source Revenue</u>	<u>Total Operating Revenue</u>
Anderson	\$ 3,636 ^b	\$ 3,982	\$ 16,377	\$ 28,061
Knox	32,658	14,005	103,461	135,322
Loudon	1,595	1,544	7,810	12,729
Roane	2,663	2,188	10,493	18,737
Total	40,552	21,719	138,141	194,849

a. Excludes property taxes and other revenues not directly impacted by minor increases in earnings and population.

b. Anderson County had no county-wide local option sales tax in 1983. This is the sum of county-wide tax in 1984 and city taxes in 1984.

Source: Comptroller of the Treasury, County and Municipal Finances for Fiscal Year Ending June 30, 1983.

TABLE 3
OPERATING AND GENERAL PURPOSE EXPENDITURES,
TOTAL AND PER \$1000 OF PERSONAL INCOME,
1983
(Total in Thousands)

	<u>Operating Expenditure</u>		<u>General Purpose Expenditure</u>	
	<u>Total</u>	<u>Per 1000 Personal Income</u>	<u>Total</u>	<u>Per 1000 Personal Income</u>
Anderson	\$ 27,571	\$37.45	\$ 5,130	\$6.97
Knox	118,651	35.36	28,949	8.63
Loudon	14,081	48.29	2,772	9.51
Roane	16,835	36.43	3,374	7.30
4-Counties	177,138		40,225	

Source: Comptroller of the Treasury, County and Municipal Finances for Fiscal Year Ending June 30, 1983.

TABLE 4

SELECTED COUNTY REVENUE PER \$1000 OF PERSONAL INCOME, 1983

	<u>Local Sales Taxes</u>	<u>Other Taxes, Fees, etc.^a</u>
Anderson	\$4.94	\$5.41
Knox	9.73	4.17
Loudon	5.47	5.29
Roane	5.76	4.74

a. Excluding property taxes and other revenues not directly impacted by minor increases in earnings and population.

Source: Table 1 and per capita personal income estimates for 1983, U.S. Bureau of the Census.

tax revenue of \$317,234. The four counties do not share the same proportion in this as in earnings because of different sales tax practices and of the concentration of sales outlets in two counties (Anderson and Knox). Other taxes and fees are based more closely on the situs of income and population. Other taxes and fees equal to \$4.83 per \$1,000 of earnings are estimated.³ Estimates of these amounts distributed by county are listed in Table 5.

County Local Expenditure Estimates. The new public expenditures are projected based on the ratio of selected expenditure areas to personal income times the increase in earnings. In a fashion similar to that in projecting new revenues, expenditures in the four-county area would in-

3. Because personal income is more inclusive than earnings, the earnings from Table 1 are inflated 30 percent to reflect revenue per \$1,000 of earnings.

TABLE 5

ESTIMATES OF COUNTY REVENUE INCREASES DUE
TO MRS AND RELATED WORKER EARNINGS,
FOUR-COUNTY AREA
(In 1985 dollars)

<u>County</u>	<u>Sales Taxes</u>	<u>Other Taxes, Fees, etc.</u>	<u>Total</u>
Anderson	\$ 89,702	\$ 98,237	\$187,939
Knox	164,405	70,459	234,864
Loudon	14,898	14,407	29,305
Roane	48,229	39,688	87,917
Total	\$317,234	\$222,791	\$540,025

crease by \$7.79 per \$1,000 of personal income (plus 30 percent), a total of \$359,406. This is distributed by county in Table 6.

Net Costs and Benefits, MRS. Table 7 data present the benefit-cost differences for the four individual counties and the four-county area. As noted in the table, the net benefits or costs, measured as new revenues minus new costs, are from 0.02 percent to 0.22 percent of operating expenditures in 1983 and from 0.04 percent to 0.37 percent of own-source revenue.

Net fiscal effects in all four counties are minor. Knox County's favorable position results from the fact that it utilizes the sales tax more aggressively and that it is a major trade center, drawing trade from each of the other three counties.

A word of caution needs to be made at this point. By state law sales taxes are dedicated at least 50 percent to public schools. In some counties a greater percentage of taxes are appropriated for school use.

TABLE 6

ESTIMATES OF COUNTY GENERAL PURPOSE
EXPENDITURE INCREASES DUE TO MRS
AND RELATED WORKER EARNINGS,
FOUR-COUNTY AREA
(In 1985 dollars)

<u>County</u>	<u>Expenditures</u>
Anderson	\$126,564
Knox	145,819
Loudon	25,900
Roane	61,123
Total	\$359,406

TABLE 7

ESTIMATES OF BENEFITS OR COSTS DUE TO MRS AND
RELATED WORKER EARNINGS, FOUR-COUNTY AREA
(In 1985 dollars)

<u>County</u>	<u>Net Benefits (+) or Costs (-)</u>	<u>Percent of Own- Source Revenue, 1983</u>	<u>Percent of Operating Expenditure 1983</u>
Anderson	+\$ 61,375	0.37	0.22
Knox	+ 89,045	0.09	0.08
Loudon	+ 3,405	0.04	0.02
Roane	+ 26,794	0.26	0.16
Total	+ 180,619	0.13	0.10

This need not affect the analyses above, however, because county governments, by law, must levy taxes for school purposes. In counties other than Knox, a portion of the sales taxes may also go to cities, and cities

levy other minor taxes and fees. Given their increase in expenditure needs, their public finances are likely to be impacted at no greater rate than that of the counties.

State Tax Impact. State sales taxes and other expenditure taxes would also increase as a result of the injection of \$38,800,000 of new state earnings. State sales taxes of \$32.95 per \$1000 of personal income (1983) would translate into \$42.84 per \$1,000 of employee earnings ($\$32.95 \times 1.30$) and into \$1.7 million annually in sales taxes. Other expenditure-related taxes have a very low income elasticity and would yield no more than \$200,000.

APPENDIX F

**TRANSPORTATION IMPACTS ASSOCIATED WITH A
PROPOSED MONITORED RETRIEVABLE STORAGE FACILITY
TO BE LOCATED IN TENNESSEE**

by

Arun Chatterjee

and

Nicholas Fortey

Introduction

An important aspect of the proposed Monitored Retrievable Storage (MRS) facility in Tennessee is the transportation of spent nuclear fuel to and from the alternative sites. Several issues and impacts related to transportation must be carefully examined. Some of these impacts and issues have economic and developmental implications, while others involve safety and environmental concerns.

An analysis was made to identify a wide variety of transportation related issues and impacts. In the beginning a discussion on access to proposed sites is presented. The transportation modes for access to and from the sites and their routes have significant bearing on the other impacts. Therefore, access-related issues and questions are examined first, and are followed by discussions on safety and environmental consequences, inspection and emergency response, and fuel consumption.

It should be pointed out that considerable amounts of spent nuclear fuel will be transported through Tennessee even if no MRS facility is built in this state. Thus, for some of the issues, it is the additional travel of spent fuel caused by an MRS facility in Tennessee that is of primary concern.

Access to the Proposed Sites by Road and Rail

Three alternative sites have been proposed for the MRS facility in Tennessee. These are the abandoned Hartsville nuclear power plant in Trousdale County, and two sites in Oak Ridge, namely, the Clinch River Breeder Reactor site and a site near the K-25 Plant and Bear Creek Road. The two sites in Oak Ridge are near each other, and in some cases no distinction among them will be made for the purpose of this analysis. The primary transportation modes to be used are truck and rail. It is anticipated that 30 percent of spent fuel will be brought to the MRS facility by truck and 70 percent by rail. The consolidated fuel bound for the final repository in the Western part of the United States would be shipped by rail.

Road Access to the Oak Ridge Sites in Roane County

The most direct access to the two sites in Roane County seems to be SR 58 from I-40. Both sites are close to each other and are approximately four miles from I-40 along SR 58, which is a two-lane roadway. The pavement surface is in fair condition, but the shoulders need to be improved. The vertical grades are gentle, and there are only a few horizontal curves, which are not very sharp. There is a bridge of short length across the Clinch River. The bridge width allows the pavement to continue without narrowing; however, there is no shoulder except for a narrow curbed strip on each side. The road widens to a five-lane section near the entrance of the K-25 Plant. Considering the existing traffic volume on SR 58 between I-40 and the MRS site, which is approximately 8,000 vehicles per day (Average Daily Traffic), it is recommended that

this portion of the route be widened to four lanes along with 10 foot wide paved shoulders on both sides. A new bridge will have to be built across the Clinch River to accommodate the additional two lanes. The pavement of the old and new traffic lanes should be designed for heavy truck traffic. The estimated cost of widening, resurfacing, and constructing the new bridge is approximately \$6 million. This figure does not include the cost of acquiring any right-of-way, if necessary.

Alternative routes to the Oak Ridge sites. There are a few alternative routes connecting I-40 with the two sites. SR 95 from I-40 extends northward and connects with SR 58 approximately two miles east of the K-25 Plant. The stretch of SR 95 from I-40 to its junction with SR 58 is seven miles long. SR 95 is a two-lane road with wide, paved shoulders on both sides. However, the road has many sharp curves along with fairly steep grades, and its present geometric features are not suitable for the movement of large trucks. However, it would be a desirable route if the geometrics were improved. There is little development along the route. Another alternative route utilizes the Pellissippi Parkway (SR 162) and SR 62 to connect with SR 95 near the center of the City of Oak Ridge. Other roads, namely, Bethel Valley Road and Bear Creek Road, can be used to connect to SR 95. Although these routes are physically adequate for accommodating trucks, the use of any of these routes would not be compatible with the goal of minimizing the use of non-Interstate highways. If an alternative route is to be designated, SR 95 should be seriously considered. However, improvements must be made on the seven mile stretch of this road between I-40 and SR 58 to make it suitable for the movement of heavy trucks. Such improvements would include "flattening" the sharp

curves and steep grades in addition to pavement resurfacing. The cost of improving the existing two-lane facility would be approximately \$3.5 million. In the future, two additional lanes may be needed to accommodate the growth of traffic. The additional cost of constructing two more lanes and a new bridge would be approximately \$7 million in 1985 dollars. Thus, the total cost of converting SR 95 to a four-lane facility is approximately \$10.5 million.

Road Access to the Hartsville Site in Trousdale County

There are two alternative access routes from I-40 to the site of Hartsville Nuclear Power Plant in Trousdale County. One of these routes is approximately 26.7 miles long, and it includes US 231 and SR 25. It approaches the site from the west. The other route is 17.4 miles long and it includes SR 53, US 70, and SR 25. It approaches the site from the east. Both routes cross the Cumberland River, and each uses a long and narrow bridge to cross the river. In addition, each route uses several short span bridges crossing various creeks. It is difficult to select one of these as the preferred route without an in-depth investigation in cooperation with the staff of the Tennessee Department of Transportation.

The minimum improvements recommended for the access roads to the Hartsville site include resurfacing of the existing pavement along the entire route, construction of 10 foot wide shoulders on both sides, and a new two-lane bridge across the Cumberland River. The cost for these improvements to the access route using US 231 and SR 25 via Lebanon is approximately \$8 million, and the cost for improvements to the route using SR 53, US 70, and SR 25, via Carthage is approximately \$5 million.

In the future, the two-lane sections may have to be widened to four lanes to accommodate the growth of traffic. The additional cost of adding two more lanes to the existing two-lane sections of the route via Lebanon is approximately \$23 million, and the additional cost for the route via Carthage is approximately \$16 million. These costs are estimated in terms of 1985 dollars. Thus, the total cost of providing four-lane access roads to the Hartsville site is approximately \$31 million for the route via Lebanon and \$21 million for the route via Carthage. Detailed descriptions of each route are presented below.

Access route via US 231 and SR 25 leaving I-40 near Lebanon. The length of US 231 from I-40 to SR 25 is 15 miles, and that of SR 25 from US 231 to the site is 11.7 miles. Thus, the total length of this access route from I-40 to the site is approximately 26.7 miles. The stretch of US 231 extending from I-40 northward goes through the City of Lebanon for approximately 3.3 miles. This section is a wide road, and it goes through a variety of developed areas. The first portion has five lanes with shoulders on both sides. The land use on both sides includes motels and fast food restaurants. The next portion has four lanes with sidewalks on both sides, and it goes through the business district of Lebanon. There are several railroad crossings and traffic signals along this section. This portion of the route has substantial exposure to business establishments.

The portion of US 231 between the northern boundary of Lebanon and its junction with SR 25 is approximately 11.7 miles long. It is a two-lane road with a stabilized shoulder on each side. The horizontal alignment is fairly straight. Vertical grades are not steep. The pavement

is in fair condition, but the shoulders need improvement. This stretch of the route goes through a rural area. One potential problem along this section is the steel truss bridge across the Cumberland River. Although the bridge is structurally able to carry large trucks, it is quite narrow and fairly long. The pavement on the bridge deck accommodates two narrow lanes, but it has no shoulder or sidewalk. Large "over-the-road" trucks of standard size, which are 8.5 foot wide, should travel over the bridge very carefully. A truck wider than 8.5 foot would create a potentially hazardous situation when crossing this bridge.

Between its junction with US 231 and the entrance to the site, SR 25 is approximately 11.7 miles long, and it is a two-lane road. For the most part the shoulders on each side are stabilized and narrow, varying from two to four foot in width. The surface condition is fair, but the shoulders need improvement. The road has a few steep grades and several moderately sharp curves. A portion of the road goes through the city of Hartsville. This stretch through Hartsville is approximately 3.5 miles long and has residential and commercial areas on both sides of the road. The portion of SR 25 immediately west of the plant site, approximately two miles long, has wide paved shoulders on both sides.

Access route from I-40 via SR 53, US 70, and SR 25. The total length of this access route is approximately 17.4 miles, which includes 4.3 miles of SR 53, 1.0 miles of US 70, and 12.1 miles of SR 25. The section of SR 53 between I-40 and US 70 has two lanes with wide paved shoulders on both sides. The pavement is in fair condition. The horizontal curves and vertical grades on this stretch are moderate. There is one railroad crossing and a few short-span bridges. The short section of US 70 has two lanes. The unpaved shoulder along this section is very narrow and almost nonexistent in some places.

At the very beginning of SR 25 where it meets US 70 there is a long steel truss bridge across the Cumberland River. The bridge deck accommodates two lanes, but there is no shoulder or sidewalk. On the north side of the bridge, SR 25 goes through the City of Carthage, and its width varies as it stretches through built-up areas of mixed land use for approximately 1.5 miles. The section northwest of Carthage goes through rural areas, and it has two lanes. The pavement is approximately 22 foot wide and there are seven foot wide paved shoulders on both sides. The pavement surface is in fair condition. The curves and grades are moderate. The route passes through a small community called Dixon Springs before reaching the entrance to the plant site.

Rail Access to the Sites in Roane County

The railroad company serving the Oak Ridge area is Norfolk-Southern Corporation. There is a spur line from the main line at Blair leading to the K-25 Plant. The spur line is approximately four miles long. Both of the proposed sites in Roane County would require an extension of the spur line. The main line continuing northward via Harriman to Kentucky is in good condition and would be able to accommodate trains carrying the casks to and from different locations lying north and northwest of Oak Ridge as long as the gross weight of the cars does not exceed 286,000 lbs., which is the permissible load limit for this line. The lines connecting the Oak Ridge area with locations on the east and northeast are also in good condition.

The stretch of rail track which provides a direct connection between Harriman and the southbound main line going to Chattanooga is old and includes three bridges which could cause difficulties for the movement

of nuclear shipments to and from the Oak Ridge sites. This old track is approximately 2.5 miles long. It once belonged to the Tennessee Central system but is now a part of the Southern system. This connection to the southbound main line should be evaluated carefully in coordination with the officials of Norfolk-Southern, and it may require a substantial amount of money for upgrading. A new connecting link may be needed instead of upgrading the old one. Except for this connecting link, the main lines leading to locations in the South, such as New Orleans and Mobile, and also the lines to locations in the Southeast, such as Savannah and Jacksonville, are in good condition.

The cost of improving the direct rail connection from Harriman to the southbound main line going to Chattanooga cannot be estimated accurately without an in-depth engineering investigation. If a new link is built to complete the wye at Harriman Junction to allow direct Southbound access to the Chattanooga line, the cost would be approximately \$2.5 million. The extension of the spur line to either one of the sites would cost approximately \$3.0 million excluding the cost of right-of-way, if any. The existing spur line to the K-25 site would require some upgrading work which would cost approximately \$0.5 million. The total cost for all improvements related to rail access to a Roane County site thus would be approximately \$6.0 million.

Rail Access to the Hartsville Site in Trousdale County

At the present time there is no rail line in close proximity to the site of the Hartsville nuclear power plant. The nearest rail access is at Gallatin which is approximately 20 miles west of the site. There once was a rail line connecting Gallatin with Hartsville, but it has been abandoned and the track has been physically removed.

If the Hartsville site is selected for the MRS facility, a rail track must be built connecting the site with the main line at Gallatin. This connecting line can follow the alignment of the abandoned track. However, this would involve the acquisition of land which has been given back to previous property owners. The construction along the old alignment should not be difficult and the grading work would be minimal. There are also no major physical barriers along this previous alignment. The estimated cost of constructing the 20 mile long track along the abandoned line is approximately \$12 million. This cost figure does not include the cost of acquiring the right of way. The main line at Gallatin belongs to the Seaboard system, and its tracks are in good condition and capable of accommodating rail cars of gross weights up to 263,000 lbs.¹

It should be pointed out that an entirely new spur line will have to be built connecting the plant site with the reconstructed line. This new link will be approximately 5.5 miles long and its estimated cost would be approximately \$3.0 million, excluding the cost of acquiring the right-of-way. Thus, the total cost of building a new track from Gallatin to the Hartsville site would be approximately \$15 million, excluding costs for acquiring the right-of-way.

Comments on Cost Estimates

It must be emphasized that the cost estimates for road and rail improvements presented in the preceding sections are of a preliminary and approximate nature. There are two purposes underlying the effort to provide these cost figures. First, these may be helpful in the compari-

¹The normal load limit for railroads is 263,000 lbs. Norfolk-Southern Corporation has special permission to use rail cars with gross weights up to 286,000.

son of alternative routes. Second, these may be helpful in assessing the level of economic impact of the construction projects on the local area. For more accurate cost estimates, an in-depth engineering study must be undertaken in collaboration with the Tennessee Department of Transportation and the railroad companies. A thorough traffic analysis will be needed to predict the future growth in traffic and the timing or staging of various levels of improvements. (A summary of cost estimates is presented in a latter section titled Economic Effects of Transportation.)

Safety and Environmental Consequences

One important concern regarding the transportation of nuclear wastes is the exposure to radiation of persons who are present in the vicinity of the transportation routes. It should be emphasized from the onset that determining the effects of nuclear radiation on human health or the environment is exceedingly difficult. The effect of radiation depends on a number of factors, some important ones being the amount and type of radiation, and the age and health of the individual exposed. Nuclear wastes are composed of a variety of radioactive materials, and their packaging or shielding procedures also vary. The radioactive wastes to be considered in this study will be packaged and shielded in such a manner as to emit a low level of radioactivity. The possibility of a high level of radiation will occur only in the event of an extremely severe accident.

For assessing the radiation exposures from the transportation of spent nuclear fuel, the current exposure standards need to be examined. The first radiation standards were established in the 1930s after experi-

menters noticed increases in cases of cancer from working with radioactive materials. After more studies the limits were gradually lowered. These dose levels were based on the threshold hypothesis that below a certain dosage the risks are not significant. Currently accepted values of radiation exposures are presented in Table 1.

There are two basic scenarios involving the transportation of nuclear wastes that need to be examined. The first scenario deals with the risk of exposure to radioactivity under normal circumstances of transportation. The second scenario deals with the risks of exposure to radioactivity in the event of an accident involving the vehicle transporting the nuclear waste material. The two scenarios are examined in the following sections.

Impacts Associated with Normal Transportation Activities

A major concern arising from the normal transportation of nuclear wastes is the population centers through which the shipments will pass. Primarily, the Interstate system will be used to transport the wastes by truck, and rail main lines will be used to transport the wastes by rail. The Interstate routes for the shipments of spent nuclear fuel will pass through several Tennessee cities including Memphis, Jackson, Nashville, Chattanooga, and Knoxville. The U.S. Department of Transportation has requirements concerning highway routing. Under the U.S. Department of Transportation rules the shipments by truck would follow the most direct Interstate routes, but would be required to avoid central areas of large cities by using bypasses where available. In Tennessee cities, these so-called bypasses such as I-240 in Memphis and I-640 in Knoxville do not avoid population centers but go through developed areas. However,

Table 1

Sources of Radiation Exposure in the United States, 1978
(U.S. general population exposure estimates)

Source	Millirem per Person per Year (average)	
Natural background (cosmic rays and radioactive rock)	High:	188
	Low:	77
Medical		80
Technologically enhanced (phosphate mining and milling, coal burning, rock construction materials)		5
Nuclear weapons testing and fallout	High:	8
	Low:	5
Nuclear energy		0.3
Consumer products (smoke detectors, etc.)		0.03
Total	High:	281.33
	Low:	167.33

Source: HEW (1979:15); Shapiro (1972:278), as cited in Radioactive Waste: Politics, Technology and Risk, p. 14.

it should be noted that Interstate routes have wide rights-of-way, usually 200 feet or more. Thus, the nearest residence or business will be at a distance from the vehicles carrying the casks.

The primary concern with exposure will focus on the two-lane roads passing directly through small communities on the way to the proposed sites. Access to the Hartsville site is by either of two routes: (1) US 231 and SR 25 which pass through Lebanon and Hartsville; or (2) SR 33, US 70, and SR 25 which pass through Carthage. Access to the Roane County sites is by SR 58, which does not pass through any sizable community. Only a few houses and businesses are located on SR 58, but there is a center for handicapped persons along this route. If land development can be controlled along this four mile stretch of SR 58, exposure can be kept to a minimum. Rail shipments will use main lines, and rail lines do pass through urban areas. For both truck and rail shipments, radiation exposures at a specific location would be small as long as the vehicles were in motion.

Although, as described above, the nuclear shipments will pass through population centers in Tennessee, adequate protection from radioactivity will be provided by the packaging under normal circumstances. The U.S. Department of Transportation and the Nuclear Regulatory Commission provide regulations limiting the radiation that can be emitted from the packages. These regulations require that the radiation level on the external surface of the package shall not exceed 200 millirem (mrem) per hour, and the radiation level two meters (6.6 feet) from the package shall not exceed 10 mrem per hour. The estimated radiation dose rates to individuals from nuclear shipments by truck and rail are presented in Tables 2 and 3 respectively. This information was provided by the MRS Office

of the U.S. Department of Energy in Oak Ridge, Tennessee. Based on the information presented in Tables 1, 2, and 3, it can be concluded that the exposure to radiation for the general population from the transportation of spent nuclear fuel under normal circumstances is very small compared to the exposure from natural background radiation.

Other important issues in the transportation of spent nuclear fuel involve air and water quality. Routine emissions of diesel exhaust and other particulate matter are proportional to the distance travelled. These impacts are felt to be minimal as only a few truck and rail shipments will be made each day.

Water quality is another important consideration. The routine transportation of spent nuclear fuel should not cause any damage to the water quality. Contamination is possible in the event of an accident, and such contamination would have to be reported and proper action would be expected to be taken to mitigate the damage. Of perhaps more interest than the spent fuel is the use of chemical compounds at the MRS facility. Some of these compounds are hazardous chemicals. It is important to note that hazardous chemicals are not governed by the same rigid packaging requirements as are spent nuclear fuel shipments. The risks from the transportation of hazardous materials should be considered against the risks of transporting nuclear waste and the damages that may arise from the transportation of chemicals to be used at the MRS.

Another consideration focuses on the traffic flow. As there are so few truck shipments per day, traffic flows along the Interstate routes (or alternate routes designated by the state) are not anticipated to be meaningfully affected. As 70 percent of the shipments are to move by rail, there may appear to be more traffic flow problems along the rail

Table 2

Estimated Radiation Dose Rates to Individuals from
Spent Fuel Transport by Truck

Description (Service or Activity)	Mean Distance to Center of Cask	Dose Rate in Millirem per Minute
<u>Caravan</u>		
Passengers in vehicles traveling in adjacent lanes in the same direction as cask vehicle	10 m	0.04
<u>Traffic Obstruction</u>		
Passengers in stopped vehicles in lanes adjacent to the cask vehicle which have stopped due to traffic obstruction	5 m	0.10
<u>Residents and Pedestrians</u>		
Slow transit (due to traffic control devices through area with pedestrians)	6 m	0.07
Truck stop for driver's rest Exposures to residents and passers-by	40 m	0.006
Slow transit through area with residents (homes, businesses, etc.)	15 m	0.02
<u>Truck Servicing</u>		
Refueling	7 m	0.06
Load inspection/enforcement	3 m	0.16
Tire change or repair to cask trailer	5 m	0.10
State weight scales	5 m	0.08

Source: Monitored Retrievable Storage Office, U.S. Department of Energy, Oak Ridge, Tennessee.

Table 3

Estimated Radiation Dose Rates to Individuals from
Spent Fuel Transport by Rail

Description (Service or Activity)	Mean Distance to Center of Cask	Dose Rate in Millirem Per Minute
<u>Caravan</u>		
Passengers in rail cars or highway vehicles traveling in same direction and vicinity as cask vehicle	20 m	0.03
<u>Traffic Obstruction</u>		
Exposures to persons in vicinity of stopped/slowed cask vehicle due to rail traffic obstruction	6 m	0.10
<u>Residents and Pedestrians</u>		
Slow transit (through station or due to traffic control devices) through area with pedestrians	8 m	0.07
Slow transit through area with residents (homes, businesses, etc.)	20 m	0.03
Train stop for crew's personal needs (food, crew change, first aid, etc.)	50 m	0.02
<u>Train Servicing</u>		
Engine refueling, car changes train maintenance, etc.	10 m	0.05
Cask inspection/enforcement by train, state or federal officials	3 m	0.20
Cask car coupler inspection/maintenance	9 m	0.07
Axle, wheel or brake inspection/lubrication/maintenance on cask car	7 m	0.09

Source: Monitored Retrievable Storage Office, U.S. Department of Energy, Oak Ridge, Tennessee

lines. However, rail casks will hold more fuel than truck casks, and the trains may hold several casks per shipment. (This is especially true of shipments from the MRS to the permanent repository.) Traffic flow along rail lines would be the concern of the private rail companies. One important impact would be the meeting of road and rail at grade crossings. Important impacts both in terms of delay and, more importantly, in terms of accident potential need further investigation.

Probability and Consequences of an Accident

One of the major concerns of transporting hazardous material is the consequences of an accident involving the transport vehicle--a truck or a railcar. Several questions or issues arise in this context, and these are examined in this section.

Probability of a truck accident. The probability of an accident depends on a multitude of factors including roadway characteristics, traffic characteristics, driver characteristics, and environmental conditions. The prediction of accidents obviously is a difficult task. A common method of predicting accident frequencies on highways is to analyze past accident data and derive accident rates, such as accidents per million vehicle-miles of travel for road segments, and accidents per million vehicles for spot locations and intersections. Typical accident rates for road segments developed by two states--California and Tennessee--for all types of vehicles are presented in Table 4. Accident rates for spots, intersections, bridges, and railroad crossings as found in Tennessee are presented in Table 5. These accident rates are for all vehicles, including trucks. The data presented in Tables 4 and 5 point out that the accident rates for freeways such as the Interstate highways

Table 4
 Accident Rates¹ by Road Type for All Types of Vehicles

Location and Road Type	California (1973)	Tennessee (1982-84)
Rural		
Two Lanes	2.39	1.72
Freeways	0.79	0.39
Urban		
Two Lanes	4.94	3.59
Four or More Lanes	6.65	7.20
Freeways	1.43	1.86

¹These accident rates are for roadway segments and are expressed as the number of accidents per million vehicle miles of travel along a road segment.

Sources: California Department of Transportation and Tennessee Department of Transportation.

Table 5
 Accident Rates¹
 for Specific Locations by Type in Tennessee (1982-84)

Type of Road	Type of Location			
	Spots	Intersections	Bridges	Railroad Crossings
Rural				
Two Lanes	0.73	0.21	0.10	0.11
Freeways	0.14	0.07	0.03	0.24
Urban				
Two Lanes	0.44	0.29	0.09	0.06
Four Lanes, Undivided	0.30	0.51	0.07	0.04
Freeways	0.14	0.20	0.06	0.11

¹Accidents rates for locations are expressed in terms of the number of accidents per million vehicles passing through a location.

Source: Tennessee Department of Transportation.

are lower than those on two-lane and four-lane (undivided) roads. These are the three categories of roads which would be used by trucks carrying nuclear shipments in Tennessee. The majority of travel by these trucks will be along the Interstate highways, which are freeways.

The above accident rates are not fully adequate to address questions involving truck related accidents, which are of primary interest in this study. An analysis performed by Khasnabis and Atabak using data for the state of Michigan stratified the accidents and vehicle miles of travel into two categories according to the type of vehicles involved--trucks and all other vehicles. (An accident that involves at least one truck was categorized as a truck accident.) The number of truck accidents per million vehicle miles of truck travel was found to be 6.22. This rate was slightly but not significantly higher than the number of vehicular accidents per million vehicle miles of travel by other vehicles, which was found to be 5.83. (The data used were for the period 1970-1977.) The Michigan study also compared the accident rates of different types of trucks using three classifications: (1) pickups, panels, and vans; (2) straight trucks; and (3) truck tractors. The accident rate for truck tractors, i.e., combination trucks, was found to be 4.83 accidents per million vehicle miles of travel by these trucks. This rate was significantly lower than those of the other two categories of trucks. Using this rate of 4.83 accidents per million vehicle miles of truck travel, the number of accidents that would involve a truck carrying nuclear waste to a MRS site in Tennessee is estimated to be approximately 0.7 per year. This estimate is based on an estimate that nuclear shipments will generate up to 141,300 truck-miles per year in the state. It

should be noted that even if no MRS facility is built in Tennessee, there will be trucks carrying nuclear waste through Tennessee on the way to the permanent repository site in a Western state. The increase in truck accidents attributable to an MRS in Tennessee is approximately 0.5 per year. Travel by trucks and trains carrying nuclear waste within Tennessee with and without an MRS is presented in Table 6.

The types of accident rates presented above are used widely in highway engineering. These rates are useful primarily for identifying accident prone locations and for evaluating the effectiveness of improvement strategies designed to reduce accidents. However, it can be argued that these types of accident rates do not adequately represent the case of trucks carrying spent nuclear fuel to an MRS site. There are several reasons why the accident experience of the trucks carrying nuclear shipments could be different from the accident experience of other trucks; some of these are discussed below.

1. It has been proposed that there be two persons on board each truck.
2. The trucks will be inspected more rigorously and more frequently, especially if each state intercepts the trucks at the state lines.
3. The trucks would be escorted by another vehicle.

A situation which is comparable to the scheme being proposed by the Tennessee Public Service Commission now exists in Illinois. Since July 1, 1983, the Department of Nuclear Safety of the State of Illinois has monitored the movement of 304 shipments of spent nuclear fuel, of which 20 were by train and 284 by truck. The Illinois program required inspection of these vehicles at the state line when they entered the state, and an escort vehicle accompanied every truck or train through the state. Although safety violations have been identified with several trucks, no accidents have occurred with those

Table 6
Nuclear Shipment-Miles in Tennessee
With and Without a MRS

Case	Mode	Shipment-Miles per Year
No MRS	Truck	33×10^3
	Train	9.8×10^3
MRS in Oak Ridge	Truck	125.7×10^3
	Train	193.9×10^3
MRS in Hartsville	Truck	141.3×10^3
	Train	142.9×10^3

Source: U.S. Department of Energy.

vehicles--trucks or trains. The Illinois experience does point out the potential effectiveness of a strict inspection and monitoring program. However, it should be noted that the number of nuclear shipments and the magnitude of travel by the vehicles carrying these shipments through Illinois was relatively small.

Although it is difficult, if not impossible, to predict the probability of accidents involving trucks carrying nuclear shipments, the following general statements and recommendations can be made:

1. An inspection and escort program similar to the one in Illinois would reduce the probability of accidents significantly.
2. Many truck accidents are related to a failure or mistake on the part of the driver. Driver changes should be made at appropriate intervals, and this practice should be rigorously enforced.
3. The design of the tractor and the spacing of the axles of its trailer are important factors influencing the stability of a combination truck. Long conventional tractors are more stable than "cab-over-engine" type tractors. The trailers are likely to have more than two axles, because they will be carrying excess loads, and it is recommended that the spacing between axles be such as to increase the stability of the trailers.

If all of the above recommendations are carried out, the probability of an accident involving a truck carrying spent nuclear fuel would be very low.

Probability of a rail accident. Accident rates of trains for a few selected railroad companies as well as all Class I companies together are presented in Table 7. It should be noted that the railroad serving the Oak Ridge site is Norfolk-Southern. In the case of Hartsville the nearest rail line is located in Gallatin, and it belongs to Seaboard. Using the rate of 3.45 accidents per million train-miles and an estimated 193,900 shipment-miles per year by train, the number of accidents involving trains carrying nuclear shipments is approximately 0.7 per year.

Table 7
Accident Rates of Trains for 1984

Rail Carrier	1984 Accident Rates (Accidents per Million Train-Miles)	
Norfolk-Southern	3.45	
Seaboard	4.37	
Santa Fe	3.64	
Union Pacific	5.09	
All Class I	6.54	

Source: Federal Railroad Administration

(It is assumed that one shipment-mile by train is equivalent to one train-mile.) It should be noted that these accident rates include both major and minor train accidents, and that a train accident does not necessarily involve all rail cars.

The inspection and monitoring program, which is expected to be implemented by the state of Tennessee, would reduce the probability of an accident and its adverse consequences. Other strategies which would reduce the probability of the derailment of and collision with the rail car carrying spent nuclear fuel should be implemented. In the state of Illinois there have been 20 shipments of nuclear fuel by train from July 1, 1983, to the present, and no accidents have occurred.

Radiological consequences of an accident. The radiological consequences of an accident involving a truck or a rail car depend primarily on two factors as outlined below:

1. Location of the cask in relation to the population; and
2. Nature of damage to the cask.

The location of the cask being carried by a truck or rail vehicle involved in an accident depends on the type of roadway facility, the severity of the accident, and the land use adjacent to the accident site. If the accident site is on an Interstate highway, which usually has a wide right-of-way, the cask is not likely to come close to any residence or business establishment. However, if the accident occurs on a two-lane or four-lane roadway without any control of access and with developed areas along its sides, the cask would come close to a residence or a business establishment. The same is true for a rail track going through a developed area.

The second factor, related to the nature of damage to the cask, is difficult to predict with certainty. The casks are built to withstand very severe impacts of different kinds and very adverse environments, such as fire. Numerous tests have been performed at Sandia National Laboratory to test the integrity of the casks, and the casks have been found to perform satisfactorily under severe conditions. Therefore, the probability is low that a truck or train accident would damage a cask to the extent that it would expose the radioactive material inside. However, such a possibility cannot be ruled out with absolute certainty.

The worst possible combination of events is that of an accident occurring on a road or rail track going through a densely developed area, and the cask being so badly damaged as to expose its radioactive contents. The consequences of such an occurrence are difficult to assess. In response to an inquiry, the MRS Office of the U.S. Department of Energy in Oak Ridge, Tennessee, offered the following assessment:

The impact rupture of a spent fuel cask, which is virtually inconceivable but must be postulated in order to answer hypothetical "what if" type questions, has been analyzed and shown to result in the environmental release of up to about 520 curies of radioactive materials due to damage to the fuel and its cladding. The shipping cask is assumed to rupture, but cannot be shown to rupture by analysis or test. The radioactive release would consist of about 512 curies of noble gases and about eight curies of cobalt-60 and other nuclides. The maximum radiation dose projected to an individual not directly involved in transportation of the spent fuel (e.g., a state or local law enforcement officer responding to the accident) would be about 100 millirem from inhalation* of airborne radioactive materials and about 20 millirem from direct exposure to the contaminated ground and air. After passage of the airborne radioactivity, about 1.5 acres of land could be contaminated to a level that could initially provide a radiation dose rate greater than that routinely allowed workers in a nuclear power plant (i.e., 5,000 millirem per year). The radiation dose to the population over the next 50 years that might result from the materials deposited on the ground from the accident if no evacuation or cleanup was made is about two

*The dose from inhalation is a 50-year (lifetime) dose commitment. Since most of this dose commitment comes from Cobalt-60, it occurs in the first 10 years after the accident. The inhalation dose expressed here is also a whole-body equivalent (cancer risk weighted dose).

person-rem for a rural area (with six people per square kilometer) and about 940 person-rem for an urban area (with 3,861 people per square kilometer). These could result in about 0.0004 and 0.2, respectively, cancer fatalities over the 50 years following the accident.

After the initial emergency response to the accident to rescue injured persons and evacuate and secure the immediate area, a trained and equipped team would contain and remove the spent fuel cask and monitor, evaluate and delineate the actual distribution of radioactive material in the area. Because the noble gases would have been dispersed and dissipated to the atmosphere only about eight curies or less would remain in the contaminated area. If all persons would be evacuated who would receive more than an annual natural background dose (about 100 mrem) from the contaminated area during the estimated one month cleanup time, an area of less than ten acres would require evacuation. The time required for the cleanup of a spent fuel accident would depend upon many factors including the amount of radioactivity released, its distribution in the area, the characteristics of the contaminated area (e.g., urban or rural) and the number of persons located in the vicinity. The cleanup of all land contaminated of a level of 0.5 microcuries per square meter or more (estimated to be about 65 acres) would require about one month to complete. Contamination at 0.5 microcuries per square meter represents a maximum annual dose rate to individuals of about 125 mrem for the first year after the accident. It decreases year-by-year due to decay of the nuclides.

Inspection and Emergency Response

Although the risks associated with transporting spent nuclear fuel are small, an inspection program will help to reduce the risks even further. In addition, an emergency response plan would be very useful in minimizing the adverse impacts in the event of an accident.

Inspection and Monitoring

The plan for the inspection of vehicles carrying radioactive materials through Tennessee has not been finalized. The need and nature of inspection is being examined by the Tennessee Public Service Commission. The U.S. Department of Energy's position, as expressed in public meetings and workshops, is that there should be an inspection only at the origin and destination of each shipment. The U.S. Department of Energy is con-

cerned that further inspections at intermediate points of the route will delay each shipment enormously. The Tennessee Public Service Commission feels at this time that an inspection at the origin cannot guarantee that the condition of the driver and the vehicle will not change during the journey.

It is true that many vehicles carrying non-nuclear hazardous materials do travel through Tennessee without being stopped on a regular basis for inspection; however, this fact does not in any way reduce the risks associated with the radioactive shipments. Further, the concern of the Tennessee Public Service Commission that the physiological condition of the driver as well as the condition of the vehicle may change during travel is valid. The Department of Nuclear Safety of the State of Illinois has the experience of inspecting and escorting 304 shipments of casks containing spent nuclear fuel since July 1, 1983. Of these shipments, 20 were by train and 284 by truck. Although no safety violations were found with the trains, there were several safety related problems with trucks. These problems were of various types involving air brakes, tires, and trailer lights. The CB radios were found to be inoperative in several cases. It should be pointed out that there have been no radiological problems or violations with the shipments in Illinois.

If Tennessee decides to set up an inspection and monitoring program similar to the one in Illinois, a substantial investment will have to be made in terms of manpower, testing equipment of various types, and a sound radio communications system for monitoring the movement of vehicles carrying nuclear waste. Two state agencies will be directly involved with the inspection and monitoring program. Vehicle related safety inspect-

ions are performed by the staff of the Public Service Commission. However, due to the nature of the nuclear shipments, the involvement of the Tennessee Department of Health and Environment and especially its Division of Radiological Health will be required.

Emergency Preparedness and Response

The two tasks of (1) inspection and monitoring and (2) emergency preparedness and response are interrelated and must be coordinated. The staff for the two tasks, however, will be different, although they would share some common facilities. For example, a radio communication system will be necessary for monitoring as well as emergency response. The state agency responsible for emergency preparedness and response is the Tennessee Emergency Management Agency (TEMA).

The estimation of costs for initiating and continuing a program of emergency preparedness and response will require a major study by TEMA and probably some consultants. Such a study has not been undertaken at this time. The major components of the program are discussed below.

Training of personnel. There must be trained personnel to respond to an emergency situation in each county through which the radioactive shipments are expected to pass. These personnel would belong to local fire, law enforcement, and emergency medical service units. In addition to trained local personnel, TEMA needs to have trained personnel at the central office and trained coordinators at the district level who will be in charge of coordinating all local activities during an emergency. The Division of Radiological Health of the Department of Health and Environment will also need a team of personnel trained for this purpose. Thus, several full-time positions will have to be created for emergency

response. A continuing training program is needed in order to accommodate new employees and substitutes for personnel changes.

Radio communication. There must be an excellent radio communication system established among the emergency personnel of TEMA and each county through which the shipments will pass. The inspection and escorting personnel of the Public Service Commission and the Division of Radiological Health also must be able to communicate with the emergency personnel. The establishment of a reliable radio communication system will be a challenging job because of two reasons: (1) the distance to be covered by shipments along certain routes is quite long; and (2) the natural terrain is mountainous in some areas.

Economic Effects of Transportation

The transportation of spent nuclear fuel to and from an MRS site in Tennessee would affect the economy of the state and local areas in various ways. The major sources of impact are identified below.

Road Improvements

The improvements to road and rail access facilities to the selected site would create new employment and increases in sales during the construction period. The estimated costs of improvements associated with different road alternatives are presented in Table 8, and the costs for rail improvements are shown in Table 9. The improvements would require sizeable investments in construction projects which would create employment and increase sales within the state. It should be noted that these road and rail related improvements would be needed for access to an MRS facility if it is built in Tennessee. If an MRS is not built, the nuclear

Table 8

Estimated Costs of Improving Access Roads

MRS Site	Alternative Routes and Level of Improvement	Estimated Cost
Oak Ridge	1. <u>SR 58:</u> four lanes and a new bridge	\$6 million
	2. <u>SR 95:</u>	
	a. Improved two lanes	\$3.5 million
	b. four lanes and a new bridge	\$10.5 million
Hartsville	1. <u>U.S. 231 and SR 25 (Via Lebanon):</u>	
	a. Improved two lanes and a new bridge	\$8 million
	b. four lanes and a new bridge	\$31 million
	2. <u>SR 53, US 70, and SR 25 (Via Carthage):</u>	
	a. Improved two lanes and a new bridge	\$5 million
	b. four lanes and a new bridge	\$21 million

Table 9

Estimated Costs of Improving Rail Access

MRS Site	Alternative Routes and Level of Improvement	Estimated Cost
Oak Ridge	Construction of a new link to complete the wye at Harriman Junction, and extension and upgrading of spur lines	\$6 million
Hartsville	New track along the abandoned route to Gallatin and a new spur line to the site	\$15 million

shipments passing through Tennessee will be confined to the Interstate highways and main line rail tracks, which will not require any major improvements due to those shipments.

It must be emphasized that the cost figures presented in Tables 7 and 8 are of a preliminary nature. Accurate estimates cannot be developed without an in-depth engineering study, which must be performed in close cooperation with the staff of the Tennessee Department of Transportation and the rail companies.

Programs for Inspection and Emergency Response

The programs for inspecting the trucks and trains carrying nuclear shipments traveling through Tennessee, and for monitoring their movements by providing escorts and through other means, will require additional personnel, vehicles, and equipment. Similarly, the program for emergency response will also require additional personnel and special equipment. It should be noted that the programs for inspection and emergency response will be required even if an MRS is not located in Tennessee, because some of the nuclear shipments heading for a permanent repository in a Western state would still pass through Tennessee. The shipment miles "with" and "without" an MRS in Tennessee have been previously presented in Table 6. The inspection program without an MRS in Tennessee would be smaller; however, the program for emergency response is likely to be of the same scale in both the "with" or "without" MRS cases.

The estimation of the cost of enhancing the inspection and monitoring program that would be attributable to an MRS in Tennessee will require a careful analysis by the TEMA and the Department of Health and

Environment; this study did not attempt to estimate the incremental cost.

Revenue from Fuel Tax

The travel by truck within the state of Tennessee for the transportation of spent nuclear fuel to an MRS facility will cause an increase in the consumption of diesel fuel which will generate state revenue at the rate of 13¢ per gallon. The annual revenue from this source was estimated based on truck travel data provided by the U.S. Department of Energy. The estimates, which are presented in Table 10, represent three different cases:

1. No MRS in Tennessee, or shipments going directly to a permanent repository;
2. MRS in Oak Ridge; and
3. MRS in Hartsville.

A comparison of the case of an MRS in Tennessee with that of no MRS in the state yielded the increase in revenue attributable to an MRS. It appears from the estimates that this increase in revenue would be in the range of \$4,000 to \$5,000 per year. The diesel fuel consumed by trains is exempt from state taxes; thus the increase in train travel due to an MRS will not generate any state revenue from fuel consumption.

Table 10
 Diesel Fuel Tax Revenue Generated by Trucks
 Carrying Nuclear Shipments

Case	Annual Shipment-Miles ¹ (One-Way)	Annual Truck Miles ² (Two-Way)	Annual Revenue ³
No MRS	33 x 10 ³	66 x 10 ³	\$1,532
MRS in Oak Ridge	125.7 x 10 ³	251.4 x 10 ³	\$5,836
MRS in Hartsville	141.3 x 10 ³	282.6 x 10 ³	\$6,560

¹The shipment-miles by trucks are based on the assumption that 30% of shipments will move by truck, and the remaining 70% by rail.

²The two-way truck miles are based on the assumption that trucks carrying nuclear shipments will follow the same routes on their return trip.

³Annual revenue was estimated based on the assumption that trucks travel 5.6 miles per gallon of diesel fuel and that the current state tax is 13¢ per gallon of diesel fuel.

APPENDIX G

**THE RISK OF A BOOM-BUST
ON THE LOCAL ECONOMY**

by

LeRoy Hansen

THE RISK OF A BOOM-BUST ON THE LOCAL ECONOMY

Introduction

Purpose

As part of nuclear waste management, a Monitored Retrievable Storage (MRS) facility has been proposed to be sited at one of three locations, all in Tennessee. The location of the proposed sites can be seen in Figures 1 and 2 of the Final Report.

During construction, the proposed MRS facility will employ a maximum of 2,685 people. This employment generation may be an asset to the community, but also a liability because of the adjustments which a significant population/income change may require. Closing a facility will also require adjustments, and, should the closing occur prematurely, it would complicate plans to recover growth adjustment costs. The size of these costs and the risk of incurring them will be examined here for the Oak Ridge and the Hartsville areas.

To determine the risks to a community of an initial economic boom and then a bust, this paper examines the risk in two parts. Part I will estimate the level of economic expansion the MRS will have on the community. Part II outlines the level of adjustment the public and private sectors will need to make due to MRS-related economic expansion and, more importantly, outline the costs of having these expansionary adjustments foiled by the closing of the MRS facility.

Facility Uncertainty

The only thing the nuclear industry can be certain about regarding the regulations it faces, public sentiments toward plant location, and

even its prospects as an industry, is that all of these factors will probably change. Residents of both Hartsville and of Oak Ridge realize that not all nuclear issues have been resolved, and thus recognize the industry's uncertainty. In particular, residents may be sensitive about early closure of an MRS facility for three reasons: their past experiences, the uncertainty about the nuclear industry, and the uncertainty over the need for the MRS facility. A more detailed examination of each of these concerns is provided below.

Past experience. Nuclear waste disposal systems have been proposed and approved in the past, only to be terminated. In 1975 there was the Retrievable Surface Storage Facility (RSSF), followed by the Away From the Reactor (AFR) system in 1978. An MRS with below-ground storage was proposed but rejected when considered to be located in Lyons, Kansas in 1982. Aborting the now proposed MRS, even after construction was approved, would not be inconsistent with the treatment of past waste management proposals.

Both Oak Ridge and Hartsville have had proposed nuclear power plants in their areas. Construction on the Hartsville nuclear plant began in the middle 1970s but ended before the plant's completion. Oak Ridge saw the Clinch River breeder reactor close a little more than a year after construction began in 1981. Residents of both areas have seen the fragility of plans in the nuclear industry and can be understandably concerned about the scrapping of another proposed facility.

Uncertainty over the industry. Critics maintain that the nuclear power industry is in decline, that nuclear fission plants are dangerous, and that technology for safe operation of a plant and disposal of its

waste has not been developed (and will never be economically viable). Often, these same critics point to alternative energy options--conservation, nuclear fusion, and solar energy--which, they claim, have not as yet been fully researched or exploited.

Figure 1 shows a history of public attitudes towards the construction of more nuclear power plants. It is reasonable to assume from this figure that the general public is not completely satisfied about the feasibility of nuclear energy production. Should another accident on the scale of the Three Mile Island incident occur at a nuclear power station, there may be impetus to close other nuclear plants. Should technology provide society with another power source, nuclear power probably would be the first existing energy source to be replaced.

Uncertainty over the need for the MRS. There is still much controversy over the need for MRS facilities in the waste management system. The basic advantages are that (1) it adds system flexibility in repository selection and operation, and (2) it allows the DOE earlier acceptance of spent fuel. Some of the counter points which have been made in this discussion include the following:

1. Total Metric Tons Uranium (MTU) hauled per mile will increase with the building of MRS facilities. This may increase risk.
2. Dual purpose casks used for storage at reactor sites and shipping show much promise as an alternative waste storage system (Hoskins, 1985). Thus, system flexibility and pre-repository storage of fuel may be obtained without the MRS.
3. Total handling of wastes increases with a centralized MRS facility. The spent fuel is handled at the power plant, the MRS,

FIGURE 1
PUBLIC ATTITUDES TOWARD BUILDING NUCLEAR POWER PLANTS

Note: "Do you favor or oppose each of the following measures? Building more nuclear power plants?"
[Part of list of specific measures.] (Cambridge Reports, 74/11-81/9.)

Source: Progress in Nuclear Energy 10, No. 3, p. 388.

and the final repository. Increased handling adds to worker exposure.

4. The advantages of the MRS--early and constant waste acceptance, system flexibility, etc.--can be achieved only by spending \$1 billion to construct the facility and nearly \$56 million¹ in annual operating costs (Appendix B), with an increase in the total waste management system costs of \$1.5 to \$2.1 billion. In addition, there is the need to transport wastes both to the MRS and to the repository.
5. A repackaging facility will be built at the repository (Gross, 1985) to handle Western fuel and the resulting concern of redundancy between two MRS-type facilities.

The strengths and weaknesses of these arguments will not be outlined here. It can be seen, however, that the MRS facility is not without its detractors, and therefore, it may not represent part of the best nuclear waste management system. The point to be made at present is that cancellation of MRS construction or operation is a clear possibility.

1. 1985 dollars.

I: MEASURING THE IMPACT

Three sites have been proposed by the Department of Energy (DOE) for location of the MRS facility. All are in Tennessee, with one about five miles from Hartsville in central Tennessee, and the other two each within five miles of Oak Ridge in eastern Tennessee. In Figures 1 and 2 in the Final Report, the location of the proposed MRS sites can be seen enclosed within the greater economic impact areas labeled as Region 1 and Region 2. Although the economic impacts of the MRS will not all lie within Region 1 or 2, it is assumed that the impacts outside the regions will be much less significant.

To determine the economic impact of the MRS on these regions, we will first present an outline of annual labor demand of the MRS to clarify the demand and its characteristics. Second, we will outline factors involving labor's response/availability to clarify how the relative magnitudes of the effects were determined. Since Region 1 will be used as an example of how these factors apply, the expansionary impacts of that region will be estimated in detail. The second half of Part I lists estimates for the degree of impact on Region 2 and on the local communities.

To determine how early closure of the MRS may impact the area, Part II analyzes the changes the localities must make to adjust to the impact estimated in Part I. The estimated employment and investment commitments by both the public and private sectors in adjusting to the boom will directly determine the cost to the host communities should a bust occur.

Labor: Demand Levels, Demand Trends, Supply Factors

Annual MRS employment trends. The employment/income effects in the region where the MRS is located are summarized in Table 1. Tables 5 and

6 in Appendix B show the direct and off-site employment effects.² The off-site income effects of the MRS from Table 7 in Appendix B are displayed in Table 1. These employment and income effects reflect the impact to Tennessee of the MRS as it is now proposed.

The baseline annual employment and personal income in Regions 1 and 2 without the MRS are projected to the year 2025 in Appendix B, Table 4. These projections can be contrasted with the employment demands and income effects of the MRS. Table 1 summarizes a portion of those tables by comparing the total employment in each region with the total (direct + off-site) employment effects of the MRS. The years represented in Table 1 have each been selected for a reason: 1992 for the impact from the beginning of construction, 1994 for the peak of construction, 1996 for the last of the construction, 1998 for the beginning of the operation, 2002 for the last year of new storage cask manufacturing, 2003 for the first year of operation with only replacement cask production, and 2022 for the last year of operation.

Analyzing the Peak in Employment. The table above shows that peak employment demand at the MRS occurs in 1994. This represents only 1.9

2. Off-site employment is the sum of indirect and induced employment. Induced employment can be thought of as jobs added to the community as incomes generated on-site are spent. For example, those employed to construct or operate the MRS will make purchases within the community, adding to the demand for goods and services in the community and multiplied as the spent income is respent. Employment within the community increases to meet the increased demand. Indirect employment is employment stimulated by the MRS as it purchases inputs from the community. An example of indirect employment would be a local lumber company's increased employment due to the demand for its lumber by the MRS.

TABLE 1
EMPLOYMENT GENERATED BY THE MRS AND THE PROJECTED EMPLOYMENT
IN REGIONS 1 AND 2 WITHOUT THE MRS
(Employment in 1000's)

	1992	1994	1996	1998	2002	2003	2022
<u>MRS Employment</u>							
Non-manual							
Technical	0.096	0.288	0.094	0.214	0.214	0.208	0.208
Direct	0.053	2.685	1.117	0.744	0.744	0.698	0.698
Total ¹	1.192	4.773	1.811	1.500	1.500	1.421	1.421
<u>Region 1:</u>							
Baseline							
Employment	243	249	256	262	276	280	358
MRS Non-manual/ employment ²	0.04%	0.01%	0.04%	0.08%	0.08%	0.07%	0.06%
Total/employment ³	0.49%	1.9%	0.71%	0.57%	0.54%	0.51%	0.40%
Total/labor force ⁴	0.56%	2.2%	0.85%	0.70%	0.20%	0.62%	0.62%
<u>Region 2:</u>							
Baseline							
Employment	0.52	0.53	0.54	0.56	0.59	0.60	0.76
MRS Non-manual/ employment ²	0.18%	0.54%	0.17%	0.38%	0.36%	0.35%	0.27%
Total/employment ³	2.3%	9.0%	3.3%	2.7%	2.5%	2.4%	1.9%
Total/labor force ⁴	1.2%	4.8%	1.8%	1.5%	1.5%	1.4%	1.4%

1. Direct + Off-site

2. Non-manual technical employment as a percent of total employment in the region (Appendix B).

3. MRS total employment effect as a percent of total employment in the region.

4. MRS total employment effect as a percent of the 1984 labor force (TSA) in the region. (213,000 for Region 1, and 98,300 for Region 2).

percent of the total employment within Region 1. The employment effects in the impact region arising from construction are smaller than they appear for two reasons. First, given the short-term nature of the work, it is not uncommon for construction workers to commute long distances (50 miles) both to and from work each day. Second, workers living too far to commute daily will take temporary residence in the area and commute home on weekends. For example, six years after construction began at the Hartsville Nuclear Plant, 42 percent of the employees were commuting daily from areas outside Region 2. Of those that had moved to Region 2 by 1978, 35 percent moved without their families and thus were only part-time residents (Tennessee Valley Authority, April 1979). To what extent these two factors will lessen the effects arising from MRS construction is not known for certain. However, it is likely that with these factors, the peak construction effects will be smaller than the MRS operation effects. Therefore, the following analysis will focus on the more significant long-term employment of the MRS operation.

Geographic Location of MRS Employees. Not all of the operation personnel employed at the MRS site will choose to live in Region 1. For example, 8.5 percent of the 744 workers directly employed at the MRS in 1998 (Table 1) can be expected to commute from outside Region 1, meaning that 681 of those directly employed are expected to live within the region. If MRS employment patterns hold true to current employment patterns in the regions, we can anticipate that MRS employees residing in Oak Ridge or Trousdale County will be only a fraction of total projected MRS employment. For example, among present employees at Oak Ridge, 75 percent reside outside Oak Ridge; 47.4 percent reside outside Anderson/Roane; and

8.5 percent reside outside Region 1 (source: James Alexander, DOE, Oak Ridge). Among those employed at Trousedale, 69 percent reside outside Trousedale and 23 percent reside outside Region 2 (source: 1980 Census).

Geographic location of off-site employment. The multipliers used to estimate the off-site employment levels apply to the entire state of Tennessee. Not all of those considered to be off-site employees will reside within the confines of Region 1, but all will work in Tennessee. Off-site employment occurs outside the region when those directly employed choose to make purchases outside the region. Purchases may be made outside the region because (1) employees commuting from outside the area will make most purchases where they live; and (2) local employees will make a portion of their purchases outside the area. The latter case will be especially true for the Hartsville area because Davidson county will be the location for a substantial number of retail purchases by residents of Region 2.

Ability of the Region to Meet Employment Demand. The local labor force will absorb most of the employment effect created by the MRS. Local labor forces have generally exhibited an ability to expand and provide many more employees than are initially visible. Those not currently in the labor force may take some of the available employment positions. Others employed in the area might take a second job or increase the hours on their present jobs. Still others working at more distant jobs may exchange those jobs for work closer to home.

The potential for an area to meet increased employment demands without increasing the local population is shown in Table 2, which shows the

TABLE 2
THE POPULATION, LABOR FORCE, AND EMPLOYMENT
OF REGIONS 1 & 2

	Population	Labor Force	Employed	Percent Population in LF
Region 1	478,118	213,000	195,760	44.5
Region 2	187,000	98,330	90,680	47.2
Anderson/Roane	118,418	53,294 ^a	48,640	45.0 ^b
Oak Ridge	27,700 ^a	12,500 ^b	--	45.0 ^b
Trousdale	5,600	2,570	2,260	45.0
Tennessee	4,717,000	2,223,000	2,047,200	47.0

a. 1984 estimates, Bureau of the Census, September 1985. Estimate not published.

b. No specific data is available on the Oak Ridge labor force. This figure was estimated by assuming the same percent of the population in the labor force as the Anderson/Roane County area.

Source: 1985/86 Tennessee Statistical Abstract, Center for Business and Economic Research, College of Business Administration, The University of Tennessee, Knoxville.

percent of the population in the labor force for the areas being discussed and for the state. How the population will respond is not known, but if 1.5 percent of Region 1's population entered the labor force, all employment impacts of the MRS would be met and still the percent of the region's population in the labor force would be lower than it now averages for the state. Little to no private/public sector adjustments need to be made to the extent that local labor is employed at the MRS.

Summary of labor demand and supply factors. An analysis of the data indicates that the MRS will have no noticeable impact on Region 1. An

alteration in the estimation procedure must be made to estimate the impact of the MRS on Region 2. Labor force estimates will be substituted for employment within the region because commuting patterns are so substantial. As indicated in Table 1, the employment demand of the MRS will represent a minor 1.5 percent of Region 2's labor force.

Though the MRS will not have a significant impact on either region, the impact on Oak Ridge and Trousdale County must also be examined. To estimate impacts in these areas, two alterations in the estimation procedure used for Region 1 are needed. First, there are no employment projections for either Oak Ridge or Trousdale, so the 1984 labor force estimates are used. Second, only direct employment effects are used because a significant amount of off-site effects occur outside the communities. Table 3 lists the employment effects estimated by the procedure outlined above.

TABLE 3
PERCENT OF THE AREA'S LABOR FORCE
REPRESENTED BY THE DIRECT EMPLOYMENT DEMAND
AND THE NON-MANUAL TECHNICAL EMPLOYMENT
DEMAND¹ OF THE MRS

	1998 ²	1998 ³	2022 ²	2022 ³
Region 1	0.64	0.092	0.61	0.089
Anderson/Roane	0.73	0.21	0.69	0.21
Oak Ridge	1.5	0.43	1.4	0.42
Region 2	1.2	0.17	1.1	.16
Trousdale	9.0	2.6	8.4	2.5

1. It is unlikely that the local available labor force will have the required skills to fill these positions. Thus, at least these positions must be filled by incoming residents.

2. Direct MRS employment as a percent of the area's labor force.

3. Non-manual technical MRS employment as a percent of the area's labor force.

The relative increase in on-site employment is small in Oak Ridge and the Anderson/Roane County areas. The direct employment impacts for Trousdale County is greater, at 9.0 percent. Two significant characteristics of the local labor force indicate that the impact to Trousdale County will be less than it appears. First, Trousdale is a relatively rural county and, according to the 1980 census, 31 percent of the local population leaves the county for work. Some of these workers could accept positions at the MRS and reduce their commuting time. Second, the 1984 labor force used to calculate the MRS impact is at a recent low for Trousdale County after construction on the Hartsville Nuclear Plant ceased late in 1981. Thus, Trousdale's labor force used to estimate the relative employment effects of the MRS was nearly 50 percent larger in 1980. It is quite possible that Hartsville's population will exceed its 1980 level by 1998, implying a smaller employment impact. The declining population and employment in recent years can be seen in Table 4.

TABLE 4
POPULATION AND EMPLOYMENT TREND
IN TROUSDALE COUNTY
1980-1984

	1980	1981	1982	1983	1984
Labor Force	3,280	3,320	3,010	2,620	2,570
Employment	3,050	3,040	2,380	2,160	2,260
Unemployment	230	280	630	460	310
Unemployment rate	7.0	8.4	20.9	17.6	12.1

Source: Tennessee Department of Employment Security.

Wherever the MRS is located, it is highly improbable that a boom will occur in any of the surrounding areas. All but those positions requiring a high level of prior training can be met by the local population. The incoming population associated with the 214 non-manual technical personnel represents 146 additional residents to the 5,600 now in Trousdale County and 119 additional residents to the 27,700 now in Oak Ridge. Part II examines the adjustments that communities need to make for this impact of the MRS.

II: THE COSTS OF GROWTH AND DECLINE

Growth in a local economy can require major infrastructure commitments by the public and private sectors. Losses to a community from a withdrawal of an economic activity are costs of investments which cannot be financed as planned. This section examines the adjustments both the public and private sector will need to make due to the employment/population effects of the MRS. Adjustments to both employment levels (variable inputs) and capital stocks (fixed inputs) are considered. The magnitude of these adjustments indicates the costs which closure of the operation imposes on the community.

Losses to the community from growth are those negative impacts felt by the local population from various social and environmental changes brought by the MRS. These costs are not easily quantified but will be listed and explained below.

This analysis focuses on the Clinch River Site, the DOE preferred site. The impact of the Oak Ridge Site will be the same as that of the Clinch River Site. The Hartsville Site's impacts are covered in a subsequent section in terms of their deviation from the impacts discussed here.

The Costs of Growth Boom From the MRS

The following analysis considers the impacts of the MRS to various sectors of the Oak Ridge economy. Variations to the Trousedale impacts will follow this analysis.

The unemployment rate, housing construction rate, and other measures of local economic conditions for all areas are assumed at levels normal for the U.S. economy throughout construction and operation of the MRS.

This assumption may overstate actual MRS impacts in light of the recent closure of the gaseous diffusion operation at Oak Ridge and the depressed state of the Hartsville economy after termination of construction on the Hartsville Nuclear Reactor (see Table 4). Population levels also are a conservative estimate of the future levels in that no population change from the most recent estimate is assumed.

These assumptions indicate that, in general, an MRS at the Clinch River Site will generate an increase of less than 1 percent in additional demands to the various sectors of the surrounding economies. The following text lists some specifics on the MRS impacts, with the focus on Oak Ridge, since the greatest impact will be in that area.

Adjustments in housing. Overall housing impacts to Oak Ridge appear to be insignificant. Population growth within the Anderson-Roane County area averaged approximately 1.5 percent annually from 1970 through 1980, with significant (50 percent) annual variation (1985/86 Tennessee Statistical Abstract). Population growth attributable to the MRS, as indicated in Table 3, will likely be less than this average and experienced over more than one year. Therefore, no noticeable adjustments need be made by the private housing contractors to significantly increase construction rates.

Temporary housing at such places as hotels, apartments, and mobile homes will probably incur low vacancy rates during MRS construction. Given the short (two-year) peak of the construction cycle, no above-normal expansion is likely to occur.

Adjustments in the public sector. Adjustments in the public sector can be generalized to those made in capital-intensive areas and those made in labor-intensive areas. The capital-intensive areas include parks

and sewer, water, and road systems. All four depend directly on the number of housing units (and the number of residents who will live in them). Thus, with no significant impact on the growth rate in housing, there is no need for an increase in construction to at least three of these systems. However, the road system is also influenced by the non-resident labor. These impacts will be small, given that most commuting workers will not pass through Oak Ridge's urban areas traveling to or from work, but will take routes on which the transportation vehicles travel. Appendix E reports on improvements in these routes required for the transport of nuclear waste. These same expansions will also increase their trafficking capability to handle the added traffic.

The more labor-intensive areas of the public sector include police and fire protection, and the court and school systems. Additions in these areas will not be significantly changed due to the location of the MRS. These areas have the added flexibility of using a variable resource, so any employment change induced by the MRS can be easily readjusted should the MRS be terminated.

Adjustments in the health care industry. The impacts to health care will, as in other areas, be insignificant. Normal physician transfers and hospital capacity adjustment need not be altered. An added point may be made here in that the local hospital, the Methodist Medical Center, has been expanding capacity while also experienced falling demands for its services; thus, it has been estimated that hospital demands could increase by 35 percent and still not pressure capacity.

Non-quantifiable Negative Impacts of Growth

Pollution. During the construction of the MRS, heavy equipment and earth movement will increase the level of noise and dust in the surrounding environment. Operation will not impact the surrounding area significantly, given the relatively small number of trucks (approximately three) entering the site each day. Urban Oak Ridge is within five miles of either of the locally proposed sites, close enough for dust to reach, but noise should not be a problem. Such inconveniences represent only a short-term impact, occurring mostly during the first two years of construction. The cost is represented by the dollar value such discomfort generates.

Safety and crime. There is not likely to be any impact on the level of safety and crime in Oak Ridge due to the MRS except for the possibility of limited changes during peak construction. Though this does happen in certain boom situations, there is not a significant population boom to Oak Ridge or any of the surrounding areas.

Price and wage impacts. The minor impacts of the MRS will not cause the market disturbances that a significant economic boom can cause. An economic boom to an area can stress local markets as demand for various resources increases. Those resources which cannot have their availability expanded fast enough to keep up with the boom will (likely) rise in price. Consequently, consumers are hurt when prices of consumer goods rise and income does not. Producers are hurt when a production input's price rises (e.g., wages for labor) and the producer is unable to increase output prices. The MRS will not create such impacts.

The Costs of a Decline if the MRS is Withdrawn

In the above analysis, the impact of MRS-related growth on the Oak Ridge area was shown to be insignificant. The overall increase in total population and subsequent demands occurs over more than one year yet is smaller than the normal annual growth rate. Thus, this expansion will not cause annual growth patterns of the community to deviate outside of normal bounds. Part I outlined the planned life of the MRS and the possibility that the MRS may close before its proposed 25-year life span. The following completes the growth-decline analysis by analyzing the impacts of the planned closing after 25 years of operation and the impacts of an early closure of the MRS.

Closing as scheduled. With no boom to the area from the MRS there will be no costs of a bust due to the MRS closing, since costs of a bust result from the inability of the community to finance, as planned, investments made necessary by a boom. Prior knowledge of the closing of the MRS facility allows both the public and the private sectors to account for the eventuality in the relevant decisions made, thus lessening effects of a decline.

The impact to the housing sector will not be distinguishable from normal variation in housing construction, since this rate does vary from year to year. The MRS may be a factor in determining some of the variation, but not significant enough to impact the housing industry.

Neither will the decline affect the public sector in any significant way. There is always a degree of turnover in employment in public positions. The loss in population following the closing of the MRS will not be significant enough to terminate positions of employment (other than

positions directly related to the MRS). As is the case with employment, there will be no need to change the level of capital held in the public sector. There is, however, the potential problem of adjusting tax levels to the higher, pre-MRS levels, should the facility have been making in-lieu tax payments.

As mentioned earlier, health care costs will not be affected. Should the MRS close, there will be no necessary community adjustments. The non-quantifiable costs of the boom--pollution, market price disturbances, safety and crime--will lose their impacts (if any) before the MRS termination.

Early termination. The difference in the impacts of early termination from those mentioned above are first, the fact that the closing is unexpected, which increases the impacts of a bust, and second, the fact that there is less time for employment growth to have made the bust impacts even less significant. However, as discussed above, there is no boom from the MRS, and so, in this case, the impacts of the bust (or the lack of such impacts) in the planned closing of the facility are applicable to the early termination, with two exceptions. First, early closure could affect all members of the community psychologically by creating an attitude of gloom and lack of optimism over community growth. This is likely to wane as expectations are not met and the community shows no real effects. Second, the sudden loss of jobs can cause depression among some of those workers. Neither of these psychological effects can be quantified but are impacts to consider.

The MRS Impacts at the Hartsville Site

The risk of a boom-bust outcome with the MRS locating at the Hartsville site will also be insignificant. The estimated impacts an MRS will have on Region 2 and Trousdale County when it is located at the Hartsville site are listed in Table 4. These estimates indicate a more significant impact than the Clinch River or the Oak Ridge sites yet they do not indicate a boom. The impacts to Region 2 imply a minor variation (approximately 1 percent) for sectors of the economy discussed above. Especially applicable to Trousdale County are the factors outlined in Part I which could not be determined and therefore lead the MRS impacts to be overestimated. The growth created in the Trousdale economy by the location of the MRS at the Hartsville was estimated to be as low as 2.6 percent (Table 3).

A 2.6 percent increase in demand on the public and private sectors will not be significant enough to require added local investment across the economy (e.g., one more student in a class of 30). Further, Hartsville has very recently (1982) experienced a bust in their economy due to the cancelling of construction on the Hartsville Nuclear Reactor. This bust has left the area with excess capacity. Both factors decrease the chance of any boom-bust impacts.

Summary

The purpose of this paper is to examine the risk and cost a local area faces from a boom and bust impact following that community's acceptance of an MRS. Past experiences of Oak Ridge and Hartsville give reason for concern that the MRS may be cancelled. Uncertainty within the nuclear

industry and uncertainty over the need for an MRS also point to the possibility that the MRS may be a boom-bust project.

Part I indicated that the MRS will bring no boom to local economies. Examination of the labor demand of the MRS relative to the surrounding employment indicates that there will be little change in relative employment/population levels wherever the MRS is located.

No cost estimation of the problem of construction pollution was made.

In Part II the economic impact of a bust because of the closing of the MRS was shown to be insignificant because there is no boom anticipated. Both the closing in 25 years and an unexpectedly early closing were examined. There are no direct costs of a boom-bust, but there are costs related to how people are affected psychologically. Though not quantified here, the effects of closing the MRS are as follows: (1) closing the MRS may generate attitudes of gloom on the local economy, (2) individuals losing their jobs may become depressed, (3) and readapting the population to the pre-MRS tax rates could be difficult.

APPENDIX H

MRS AND LAND VALUES

by

John W. Mayo

MRS AND LAND VALUES

Introduction

Beginning with the work of Ridker and Henning (1970) economists have attempted, through a technique known as hedonic regression, to evaluate the degree to which various housing and neighborhood characteristics are capitalized (reflected through higher or lower value) into property values. These characteristics include some very straightforward attributes such as the square footage of the house, the number of bathrooms, the lot size, and the number of bedrooms. In addition, economists have attempted to measure the value of a number of less obvious factors. The somewhat more subtle factors include the quality of schools, access to the central business district, access to recreational areas, the degree of energy efficiency in the house, the quality of the surrounding air and water, the proximity to hazardous waste sites, and proximity to nuclear power generating plants.

This hedonic approach, which has been useful in valuing the impact of various public projects on housing prices, relies on historically generated data. These data must generally encompass observations on housing characteristics, household characteristics, and the nature of the public project under study. Unfortunately, it is the need for such historically generated data that precludes the direct application of this technique for evaluating the impact of the MRS facility on land prices in the areas surrounding the prospective sites. The lack of data, however, does not prevent drawing some potentially useful information from previous research that evaluated the impacts on housing prices of somewhat similar public projects or events.

In the case at hand, we examine the findings of research in two areas: the impact of hazardous waste sites on land values, and the impact of

nuclear power plants and the Three Mile Island incident on land prices. While these areas of research do not allow specific conclusions about the exact impact of the MRS on land values, the findings do project some general sense of the type of impact the MRS may have on land values in Tennessee.

Hazardous Wastes and Land Values

As suggested above, a large body of literature has developed over the past 15 years on the impacts of various public goods and bads on land values. Recently, David Harrison and James Stock (1984) extended this research by estimating the impact of hazardous waste sites on land values in the Boston metropolitan area. In their research, Harrison and Stock relied on a standard hedonic approach to assess whether, and to what extent, proximity to one of the eleven hazardous waste sites in the Boston area affected residents' property values. To isolate the effects of the "hazardous" nature of the sites, the valuation method recognized that if the sites were made nonhazardous, they would still be industrial sites that would be discounted relative to, say, an attractive residential neighborhood.

The results, in general, conform to a priori expectations about the influence of differing variables on housing prices. All the structural variables (e.g., the lot size) are consistent with expectations, as were the access variables related to accessibility of the house to desired locations. For example, as lot size increased and access to the central business district increased, all other things equal, so did the value of the house. When waste sites were measured as the number of all types of waste sites (landfills, nonhazardous, and hazardous) the econometric estimation indicates that, counter to expectations, the value of a house increases, ceteris paribus, with increased proximity to the waste site. It should be noted, however, that the variables measuring proximity to the waste sites were not

statistically significant in the estimation. This means that we cannot reject the hypothesis that proximity to the waste sites had no effect on housing prices. Harrison and Stock offer the following explanation for their results:

With regard to the waste variables, the SITES variables are all positive rather than negative as expected, although none is statistically significant. The most plausible explanation for the positive signs is that proximity to waste sites proxies micro-accessibility advantages that are not accounted for by our area-wide accessibility measures. Although industrial and municipal waste sites no doubt create disamenities as we hypothesize, they all represent important industrial and commercial centers within a town or region. Apparently the advantages of proximity overwhelm the aesthetic disadvantages. As a result, we are not able to estimate the aesthetic disadvantages of proximity to waste sites. . . .

While proximity to the broad definition of waste sites, in and of itself, was not shown to affect housing prices, Harrison and Stock found that hazardous waste sites did work their way into the valuation of housing. Specifically, when distance to hazardous waste sites was measured and was allowed to interact with the overall value of the house, Harrison and Stock found that there was a significant reduction in housing value which can be interpreted as a willingness to pay for hazardous waste site cleanup. The estimation also indicated, not surprisingly, that the willingness to pay for cleanup of the hazardous sites, for any given distance away, increased with more expensive houses. Moreover, this willingness to pay increased with proximity to the waste site. For example, the value of cleaning up a hazardous waste site .25 miles away is estimated to be 7.2 percent of the value of the house. The value declines sharply, however, with distance and becomes negative for distances greater than one mile.

In research somewhat similar to Harrison and Stock, Smith and Desvougues (1985) recently have modeled the demand for distance from hazardous waste sites in the Boston area. The basic question they address is whether, and

to what extent, homeowners value distance from hazardous waste facilities. A priori, we expect that distance from hazardous waste facilities might be deemed desirable for two reasons: (1) homeowners may seek to avoid the disamenities associated with proximity to a hazardous waste site; and (2) homeowners may desire distance from a hazardous waste site to reduce perceived health risks. Smith and Desvougues use the general logic of the hedonic model, formulate a partial equilibrium model that describes the demand for distance, and then, based on a survey of homeowners in the Boston area, estimate a demand for distance from the sites equation. In the survey, each homeowner was asked to consider a situation where he or she could select a distance from an industrial plant with hazardous wastes in a landfill at the plant site. Specifically, the respondent was told to consider two houses, identical in every respect (structural characteristics, neighborhood characteristics, etc.) except distance from the hazardous waste site. The respondents were told that they could chose any distance from the waste site, but that for each additional mile away from the site they would have to pay a premium for the house. The amount of the premium was varied randomly across respondents from \$250 to \$1300 per mile. Using this housing price variation, together with data on household income and other family characteristics, Smith and Desvougues were able to estimate the demand for distance function. Their results are both theoretically consistent with a priori expectations and are statistically quite sound. Specifically, as housing price or household income increase, so did the demand for distance away from the waste site. The results also indicate an inverse relationship between the demand for distance and the price of distance. As the price of distance from the hazardous waste site was decreased, homeowners would move farther away from the waste facility, and vice versa.

Nuclear Power and Property Values

The nuclear power industry has always been the subject of controversy. One of the key concerns of government officials about the industry has been the safety of individuals who live near nuclear power plants. To the extent that these concerns over safety of the environment around nuclear power plants are realized by potential homeowners as well as government officials, we might expect that these fears would be capitalized into the value of residential property that surrounds nuclear power plants. Moreover, we might also expect that any realized accident at a nuclear power plant would harm residential land values.

Recently some research has begun to emerge on these issues. In 1982, Gamble and Downing (GD, 1982) published a two-part study on the effect of nuclear power plants on residential property values. In the first part of their study, GD examined the impact on property values of four nuclear power plants located in the northeastern United States. Second, GD studied the impact of the Three Mile Island (TMI) accident on property values in the vicinity of the TMI plant. For both parts of their study, GD relied on the hedonic approach. Although GD utilized a rather ad hoc specification of the hedonic equation (relying on a stepwise regression to specify the appropriate independent variables), their results do largely conform to expected theory. That is, structural and neighborhood characteristics affect housing prices in the expected direction. The variables designed to capture the possibility of housing price depreciation for proximity to nuclear power plants were, however, not significantly different from zero. This suggests that we cannot reject the hypothesis that there is no association between land prices and proximity to nuclear power plants.

In the second part of their study, GD used a similar methodology to search for an effect of the Three Mile Island accident on residential land values. As in the case of the first part of the study, GD found no statistically noticeable harm to residential land values in the TMI area as a result of the accident in March of 1979. (It is somewhat interesting to note, however, that the estimation did indicate a statistically significant negative association between land values and proximity to the TMI plant prior to the accident. This is contrary to the findings in the first part of their study.) The only negative effect on the housing market in the neighborhood of TMI that GD were able to uncover was that houses for sale in the TMI area remain on the market longer before being sold. Overall, GD concluded that they "uncovered no evidence that the accident had adverse effects on property values through 1979."

In another study, by Jon Nelson (1981), the effects of the Three Mile Island accident were also examined. Again, a hedonic approach was adopted, and results similar to those found by Gamble and Downing occur. Specifically, Nelson points out that "the results suggest that the accident at TMI caused neither an absolute decline in prices nor a slower appreciation rate for housing sales recorded during May-December 1979."

While the evidence from both the Gamble and Downing paper and the Nelson paper suggests that proximity to nuclear power plants, even after an accident, is not capitalized into land values, these results should be viewed as tentative. There are several reasons to be cautious about the results which indicate no capitalization. First, as is pointed out in Bjornstadt and Vogt (1984), the GD paper does not adequately consider the impact of the public sector on property values. (This is true of the Nelson paper as well.) Should the location of a nuclear plant provide a large

increment to the tax base of the community, then either more public services may be offered, or residential property taxes may be lowered. In either event, property values in the neighborhood would, ceteris paribus, increase as a result of the public sector effects. By not adequately accounting for these effects, GD and Nelson may have biased the statistical results and, as a result, erroneously concluded that proximity to a nuclear plant had no effect on property values. In other words, proximity to the plant could have reduced land values, but the tax payments and resulting services were sufficient to offset the location effects. Second, following the accident there was a rather substantial influx of workers that were hired to clean up the plant. This increase in the demand for housing may have confounded the results. (See Goldhaber, et al. [1983].) Third, residents in the vicinity of TMI may have foreseen the provision of state or federal aid following the accident. This would have the effect of supporting the inertia that accompanies the decision to move. Finally, residents may have anticipated that the TMI plant where the accident occurred would be permanently out of commission and, therefore, no longer represent a health threat.

A final study on the Three Mile Island accident that is worth mentioning was done by Martin Zimmerman (1983). In that study Zimmerman examines the impact of the TMI accident on returns to privately owned electric utilities. Zimmerman utilized a very standard approach, developed by Fama (1976), to examine whether, and to what extent, the TMI accident negatively impacted other public utilities that generated, or were in the process of constructing capacity to generate, nuclear power. Zimmerman found that the TMI accident had no long-term effects on stock price returns of privately owned electric utilities with nuclear generation already online. Zimmerman found, however, that private utilities with

nuclear plants under construction did suffer permanent valuation loss.

Zimmerman attributes this valuation loss to investors' beliefs that the TMI incident would prolong the licensing procedure for new nuclear plants.

Conclusion

The research that has been surveyed above is applicable to the MRS from only the broadest perspective. In particular, there are several potentially important differences between the MRS project and the types of projects that have been previously researched. These differences include both the unique technical nature of the MRS and the possibility of different attitudes about nuclear-related projects by the communities of Oak Ridge and Hartsville. It is the combination of these technical characteristics and residents' perceptions that may generate residential property value effects. Yet it is very difficult to predict exactly what residents and potential residents' perceptions are, and will evolve to be, regarding safety of the MRS facility.

Despite these caveats, however, several general conclusions that are applicable to the MRS facility seem to flow from previous research.

1. Land markets do, in general, reflect the presence of public goods or bads. In reviewing the above there is no reason to believe that the location of an MRS facility will not be capitalized into land prices.
2. The degree to which the MRS is capitalized into land prices will be a function of not only residents' perceptions about risks associated with the facility but also its direct and indirect effects on the provision of public goods, tourism, labor markets, and so on. Compensation could, in all probability, be designed to offset negative effects of proximity to the MRS on housing values.

3. The willingness to pay for distance away from noxious facilities appears to be quite distance-sensitive, with little or no effect beyond a mile for other hazardous waste facilities.
4. Given the general sensitivity of the willingness to pay to avoid hazardous waste facilities, it is quite likely that housing demand reductions precipitated near an MRS facility will be met by similar demand increases in not-too-distant communities. Thus, there could be a loss in value near the plant, but this would be offset by increasing value further from the plant, so there is no net loss to Tennessee. Only a redistribution in property values would occur.
5. In all three of the possible sites for the MRS within Tennessee, the relevant baseline for land price effects is given by the industrial nature of these sites. That is, land markets have in all likelihood already embodied some residential land price discounts associated with proximity to major industrial sites. Only the effects of new perceptions of hazard would influence housing values.
6. An accident elsewhere in the nuclear power industry may affect consumer perceptions near an MRS facility in Tennessee. This may result in reductions in land values or simply in costs associated with added uncertainty regarding the licensing of the MRS facility.

APPENDIX I

EFFECTS OF THE MRS ON BUSINESS LOCATION

by

John W. Mayo

APPENDIX I

For each of the past 16 years the Center for Business and Economic Research has conducted a survey among Tennessee businessmen, the central focus of which is to garner information on the perceptions of the business community regarding the state's economic outlook for the coming year. Included in the Survey this year was a set of questions on the possible location of a Monitored Retrievable Storage (MRS) facility in Tennessee. In addition to the readily available format in which information on the MRS facility could be gathered, the survey used here offers the advantage of gathering information prospectively. The need to generate data stems from the general paucity of empirical evidence on the economic impacts of an MRS-like facility. This lack of information is, in turn, generated from the unique and novel nature of the proposed facility. In all, approximately 275 surveys were mailed on October 2, 1985, and 130 responses were received by the Center in time to be included in the analysis. Also in October, the survey was given to the College of Business Dean's Advisory Council, which consists of various business leaders from both inside and outside Tennessee. A complete list of the Advisory Council members from whom responses were solicited can be found in Addendum 1, and the list of Tennessee businessmen is provided in Addendum 2.

The questions were designed to shed light on a number of basic issues surrounding the location of an MRS in Tennessee.¹ First, to what extent, if

¹The survey design was a product of a number of people both inside and outside CBER. William Fox, LeRoy Hansen, John Mayo, and Betty Vickers of the Center for Business and Economic Research worked on the design of the questionnaire and are responsible for its content. Mark Miller of the journalism Department at The University of Tennessee helped to design questions with suitable format and wording. Kerry Smith of Vanderbilt University assisted in designing questions which attempt to estimate reactions to risk, and Peggy Harding of the Tennessee Department of Tourism suggested helpful modifications to the survey's introduction.

any, would business location decisions be affected by the location of an MRS in Tennessee? Second, what effects might the MRS facility have on the ability of nearby firms to attract and retain employees? Third, to what extent are businesses sensitive in their location decisions to compensating factors? Fourth, what is the perception of the Tennessee business community regarding the most appropriate public policy toward the MRS by the Tennessee state government? And, finally, what bounds does the Tennessee business community place on the perceived risk of the MRS facility? In the remainder of this appendix, CBER's assessment of the responses to the MRS-related survey questions is given. To allow a detailed look at the survey and its responses, Addendum 2 is included. This addendum provides a list of the MRS-related survey questions with a frequency distribution of responses included on the questionnaire. Tables showing how responses varied by region of the state and type of industry are also included.

THE MRS AND BUSINESS LOCATION DECISIONS

Location decisions are determined by a number of factors, including obvious ones such as the the price of land, capital, labor and transportation costs in the region. Also, however, it is well known that both business and residential location decisions are affected by a number of "environmental" factors such as the quality of the air and water, proximity to LULUs (locally unattractive land uses), and the quality and access to public services. Accordingly, several questions are used to determine to what extent these environmental factors might manifest themselves if an MRS facility were to locate in Tennessee.

When asked about their own location decisions if their firms were to relocate, only a very small proportion (6.2%) of respondents considered the MRS an advantageous factor in evaluating a location site within the county in which the MRS is located (Question 1 in Addendum 2). A sizeable proportion of the respondents (39.2%) indicated that the MRS would not be a factor in their location decisions. The majority of the respondents (54.6%), however, indicated that the MRS would enter negatively into their locational decisions and just under 22 percent suggested that regardless of other desirable features associated with the location, they would not consider locating in the same area as an MRS.

When asked to generally evaluate the ability of the MRS county to attract new business, almost two-thirds of the respondents indicated that the MRS would harm the business attractiveness of the county in which it located (Question 2 in Addendum 2). Another 27 percent indicated that they did not foresee the MRS affecting the attractiveness of the MRS county. Only 9 percent of the respondents believe that the location of an MRS in a county would help attract businesses to the area. While most respondents thought that the MRS county would not be a desirable place for them to relocate, it appeared that the respondents felt even more strongly that others would not find the MRS county attractive. A majority of the respondents (5.5%) also indicated that the MRS facility would increase the desire by MRS county-based firms to relocate, while a large number (42%) also suggested that they did not think the MRS would affect the desire by MRS county-based firms to relocate (Question 3 in Addendum 2).

As might have been expected, the responses on business location decisions are somewhat sensitive to the physical proximity to the MRS facility

(Question 1). For instance, when considering whether the MRS facility would affect their locational choice, the proportion of respondents answering that the MRS facility would not enter their decision criteria increased from 39 percent to 50 percent as the facility was hypothetically moved from 50 miles away and then to 55 percent when it was moved to 100 miles away. Still, 39 percent indicated the MRS would be a negative factor for a distance of 100 miles. Also, most respondents (73.4 percent) indicated that transportation of nuclear materials within five miles of their plant would not affect their location decisions (Question 14).

It is interesting to note that the responses on business location questions varied significantly by industry. In particular, respondents from the financial sector appeared to show the strongest aversion to location in the MRS area, followed by manufacturing respondents. Trade-related respondents showed the least serious aversion to locating in the MRS area. To the extent that finance and manufacturing industries are more likely to serve broader markets that allow greater flexibility in location decisions, the more aggregated grouping of responses may understate the negative effects of an MRS presence on business location decisions. These differences are not statistically significant at a 95 percent level of confidence.

THE MRS AND LABOR MARKET CONDITIONS

As a general economic proposition, it is fairly well established that workers are willing to trade off pecuniary for non-pecuniary income. There are any number of ways in which this general phenomenon may assert itself. For instance, a worker may be willing to accept a somewhat lower wage to live in a city free of pollution, congestion, and crime. Similarly, workers generally demand higher wages to be compensated for losses of non-pecuniary

income. We, therefore, expect that labor will be more difficult to attract and retain in a city or regional labor market, ceteris paribus, if there are negative environmental factors associated with the area. In that vein, it is generally the case that for workers dealing with hazardous substances or working in an area with increased risk of sickness or death, the equilibrium wage rate must be higher than for industries and geographical regions free from hazards. While it appears conceptually clear that workers in riskier (real or imagined) positions will demand higher wage rates, the extent of such trade-offs between risk and wages will vary with the degree of risk aversion that the relevant workers exhibit. If workers in a given city are very risk averse, then we expect that they will demand significant wage premiums to work in a risky environment. On the other hand, if workers are less risk-averse in a given market, they will exact a lower wage premium for working under hazardous conditions.

The survey respondents seemed to believe overwhelmingly that the MRS facility would either have no effect on labor markets or would decrease the ability of firms located in the MRS region to attract employees. A total of 34 percent of the respondents saw no impact of the MRS project on local labor markets (Question 4). Another 59 percent, however, foresaw that locating the MRS in Tennessee would harm the ability of firms in the MRS region to attract employees. It is interesting to note that the respondents saw a well defined and geographically limited impact on labor market conditions caused by the MRS. As the facility was hypothetically moved from the immediate vicinity to 50 miles to 100 miles, the number of respondents who saw no impact on the labor market as a result of the MRS increased from 34% to 50% to 74%.

THE MRS, PROPERTY TAXES, AND BUSINESS LOCATION

Generally, business location decisions are not based on a single desirable or undesirable characteristic of a particular location. Instead, firms will usually take a number of factors into account before making a decision to locate or not locate in a given community. In that regard, policy makers should be careful not to focus solely on the singular attribute of an unattractive nuclear waste treatment plant in Tennessee. It is quite likely that the location of the MRS will affect the ability of the local governmental units to offer public services. Moreover, compensation to the state and local community for its willingness to accept the MRS may be forthcoming in a variety of forms. For example, the MRS facility is likely to provide either direct or indirect support for the local tax base (See Appendices C and E). Numerous alternatives in which the prospective Tennessee communities might be compensated have been suggested. Should these compensation schemes truly accompany the location of an MRS in Tennessee, the relevant attractiveness of the host community will depend on the trade-offs relocating businesses make between "proximity to nuclear waste facilities" versus "more (as yet unspecified) amenities." In order to get some notion of the sensitivity of business location decisions to MRS compensation, we asked businessmen to evaluate how their location choices might be affected by changes in the property tax rate.

The survey results suggest that the attractiveness of the MRS area to relocating businesses may be quite sensitive to large changes in the tax rate. This sensitivity is illustrated in Table 1 in a comparison of question 2 from the survey with question 5 from the survey. The only difference in these questions is that in the latter, we posed the hypothetical situation that property tax rates would be reduced by 40 percent. In Appendix D

it was shown that current revenues could be generated with a 60 percent lower tax rate in Oak Ridge. If the MRS were located and subject to in-lieu tax payments. However, some additional services would likely be provided, causing the question asked to refer to a 40 percent reductions. The comparison suggests that a 40 percent decrease in the property tax rate would significantly shift the distribution of responses. In question 2, when no compensation or public sector changes are hypothesized, 65 percent of the respondents believed that the MRS would, to some degree, harm the ability of the local community to attract new businesses. Once we hypothesized a 40 percent reduction of local property taxes to accompany the MRS facility, only 16 percent of the respondents continued to believe that the MRS facility would discourage new businesses from locating in the host community. Moreover, with the reduction in property taxes, over 68 percent of the respondents believed that the MRS community would make it somewhat easier to attract new businesses.

Similarly, when asked to evaluate the desire by MRS community-based firms to relocate as a result of the MRS project, the respondents suggested that this desire might be quite sensitive to large property tax rate changes. In Question 3, when respondents were asked to evaluate the uncompensated desires of the local businesses, over 55 percent indicated that the MRS would increase the relocation desires of these local firms. When compensated by a 40 percent tax reduction, however, only 18 percent thought the MRS/low tax combination would increase local firms' relocation desires. The bulk (64 percent) of the respondents believed that the MRS/low tax option would decrease the relocation desires of the local firms.

While these results definitely suggest some sensitivity of new business formation to large changes in the local property tax rate, several points

should be kept in mind. First, the sensitivity of new business formation may change substantially for smaller tax changes. Secondly, this sensitivity of the ability of the MRS community to attract new business with offsetting property tax decreases may vary substantially, depending on the type of business making the relocation decision. We expect a greater willingness to consider the low-tax/MRS community by businesses that currently have large property tax assessments or greater flexibility about where to locate in the region. These are likely to be manufacturing rather than service-oriented firms. Finally, the sensitivity of business relocation decisions to the hypothesized tax changes does not necessarily indicate a similar sensitivity of business location decisions to other forms of compensation or other changes in public sector services that may accompany the MRS. Finally, and most important, the economics literature has evidenced that property differentials influence business locations only within small areas. So, the reduction in rates might attract industry to the MRS county that otherwise would have located in a nearby county, but the state will not attract new industry because of property tax differentials.

THE MRS AND STATE PUBLIC POLICY

The only way to determine with certainty if the benefits of a Tennessee-based MRS exceed the costs of such a facility is to let the MRS be built and operated in Tennessee. But to do this would invite the risk that realized benefits are far short of realized costs. In light of the large pockets of remaining uncertainty, some useful information regarding appropriate state public policy should be sought from Tennesseans. Accordingly, this year's survey of Tennessee business leaders included a question on the appropriate approach for the state of Tennessee to take regarding the MRS facility.

TABLE 1

SENSITIVITY OF BUSINESS RELOCATION TO
MRS-RELATED CHANGES IN PROPERTY TAX

Question: The ability of the MRS county to attract new businesses from outside the county would:

	Without Compensation (Percent of Respondents)	With 40% Reduction in Property Taxes (Percent of Respondents)
Greatly increase	2.3	9.3
Slightly increase	6.2	58.9
Not be affected by the MRS	26.9	16.3
Slightly decrease	31.5	7.8
Greatly decrease	33.1	7.8

The respondents' opinions do not reflect anything near a consensus on this issue (Question 7). Twenty-three percent of the respondents indicated that the state should use every means at its disposal to resist the MRS. On the other hand, nearly 16 percent of the respondents believe that the state should aggressively invite the MRS to locate in the state. Interestingly, business attitudes toward the State's MRS policy vary significantly by the respondents' geographical home base. In Table 2 we see that respondents from East Tennessee were significantly more positive regarding the MRS than were citizens from Middle and West Tennessee. For instance, nearly 40 percent of West Tennessee respondents believe that the state should resist the MRS at all costs. This group compares to only 11 percent of East Tennessee respondents, and nearly 25 percent of Middle Tennessee respond-

TABLE 2
GEOGRAPHICAL BREAKDOWN OF OPINIONS ON
STATE POLICY TOWARD MRS

Question: How should State Government approach the proposal of the U.S. Department of Energy to locate the MRS facility in Tennessee? State Government should:

	Number of Respondents (Percentage of Regional Responses)		
	West	Middle	East
Aggressively invite the MRS	1 (3.0)	6 (14.6)	13 (24.5)
Neither pursue nor resist the MRS	7 (21.2)	12 (29.3)	16 (30.2)
Oppose the MRS but accept with appropriate compensation	12 (36.4)	13 (31.7)	18 (34.0)
Use every means at its disposal to resist the MRS	13 (39.4)	10 (24.4)	6 (11.3)

Note: For both those who vigorously oppose and those who vigorously support the MRS, we can reject with 95 percent confidence the null hypothesis that the observed pattern of East and West Tennessean sample responses was drawn from the same distribution. (See R. Bethea, et al., Statistical Methods for Engineers and Scientists, 2nd ed., New York: Marcel Dekker Publishers, 1985, pp. 167-168.)

ents, who favor a state policy of vigorously opposing the MRS. On the other end of the spectrum, 25 percent of East Tennessee respondents believe that the state should vigorously pursue the MRS. Only 3 percent of West Tennesseans favor such a policy.

A sample of typical comments received from respondents reflects the widely divergent opinions of the respondents regarding appropriate State policy:

As a leader in nuclear energy, I think Tennessee should aggressively pursue this new major industry. Tennessee has the technology, expertise and people to handle MRS; Oak Ridge needs the employment.

Oak Ridge has made Tennessee the state with the longest record of nuclear operations. There seems to be no problems in that area after 45 years. Technology seems to be adequate to insure safety. There shouldn't be any disadvantages. Advantages would be addition of a major employer and other services.

What is true is what people perceive to be true. Like the parents' demonstrations against allowing children with Aids to attend public schools, nuclear waste is perceived as extremely hazardous in potential harm. This is a negative industry, fed by mistrust created by previous misleading governmental statements on testing power plant accidents, etc. Our citizenry is uneasy about anything "nuclear" and MRS location should be rejected.

I am not afraid of this and we could use the jobs.

This is basic mental approach from people who will live nearby plant - fear of the unknown. If [the] state wants [the] plant, go into areas, discuss [it] with people, tell them details, and abide by their wishes. Let people know about procedures of safety both at [the] plant and [with the] movement of materials.

The MRS should not be accepted until a permanent site for storage is selected and approved. By accepting the MRS without selecting the ultimate solution to storage, many Tennesseans feel the MRS would become the permanent storage and that could have adverse affects on the area.

If the MRS was located in Oak Ridge I think many larger corporations would avoid the greater Knoxville area. Ignorance of radiation is a bad thing and the MRS would scare many corporations away.

If the MRS is located in Tennessee, I believe that the part of Tennessee (East - Middle - West) would eventually be a nuclear wasteland or dumping site. Thus that area would only be able to attract those types of industries (nuclear waste) to this area.

The state of the art in MRS is such that I see few adverse effects of locating the facility in the state. On the other hand, I do not see such a facility as having a major impact on the state's economy.

Oak Ridge is already a national research center for dealing with nuclear and toxic waste. This could be expanded. Further, Tennessee would be in a position to deal with wastes which already exist; we could take care of existing waste problems right here at home.

The very minimal advantages of added jobs will be far outweighed by the disadvantages, both psychological and real. Tennessee's highway system carries a significantly greater percentage of dangerous materials than neighboring states and this would only add to the potential for fatal incidents.

The transportation of nuclear waste is accident free (i.e., in terms of effect on escape of radioactivity) to date, and my knowledge of transportation technology leads me to believe it will remain so. If you want a culprit look to chemical transportation, not radioactive. The facts support the record and conduct of the nuclear industry, especially when compared to chemicals or mining, say. Yet the fears are not based on facts but on some other instinct.

Nuclear wastes have to be disposed of somewhere. It is simply not fair for everyone to oppose having the facility close by. We would have to be sure that adequate safety measures are in place.

I want nothing to do with radioactive waste--I will relocate if exposed in any way to this.

I see few advantages in locating MRS in Tennessee. A negative factor would be that widely collected nuclear waste would be transported over Tennessee's highways, prior to treatment.

BUSINESS PERCEPTIONS OF MRS SAFETY

In order to get some notion of business perceptions regarding the safety of the MRS facility, the survey asked Tennessee businessmen to provide their views on the relative safety of various activities that are encountered, or could be encountered, by Tennesseans. Specifically, the respondents were asked to evaluate the safety of pollution from cars, trucks and buses, nuclear waste storage facilities, trucking of gasoline, pollution from manufacturing plants, and nuclear electric power plants (Questions 9-13). An outline of respondents' views is given in Table 3.

TABLE 3
PERCENTAGE OF RESPONDENTS WHO BELIEVED ACTIVITY WAS
SLIGHTLY TO EXTREMELY HARMFUL

Activity	Slightly, Moderately or Extremely Harmful	Extremely Harmful
Pollution from cars, buses, trucks	82	7
Nuclear Waste Storage Facilities	54	17
Trucking of Gasoline	53	2
Pollution from manu- facturing plants	82	5
Nuclear electric power plants	43	4

Here we see that the perceptions about the riskiness of the MRS facility are somewhat polarized. If we consider all categories of harmful activities together (slightly, moderately and extremely), then respondents would appear to be more concerned about the risks associated with pollution from automobiles and manufacturing facilities than from nuclear waste storage facilities. On the other hand, if we focus only on the "extremely hazardous" ranking, it becomes clear that a significantly higher proportion of the respondents believe nuclear waste disposal is extremely harmful, more than any other activity. It should be noted, however, that when looking at the distribution of respondents who ranked activities "extremely safe," a higher percentage (8.5) viewed nuclear waste storage to be extremely safe compared to any other activity. The relatively low perceived risks asso-

ciated with nuclear electric power plants probably evidences that attitudes towards the MRS are not merely a reaction to nuclear concerns in general.

CONCLUSIONS

The MRS-related questions elicited a wide range of responses to almost every question posed. Nevertheless, there appear to be several conclusions that emerge from the responses:

1. The MRS, when considered by itself, is a negative factor in most firms' location decisions. It should be noted that the smaller sample of responses provided by the Dean's Advisory council is somewhat more positive than the larger sample on the issue of the impact of the MRS on business location decisions. The more positive set of responses from the Dean's Council may represent statistical randomness (the sample size was 9 people), or high representation of East Tennesseans (who are generally more pro-MRS), or a generally more positive attitude toward MRS by industry-wide leaders.
2. The attractiveness or unattractiveness of the MRS community may be quite sensitive to large changes in the local property tax rate. The survey did not address the sensitivity of relocating businesses to small tax changes or other forms of compensation to the host community.
3. An MRS would, in all likelihood, detract somewhat from the ability of MRS community-based firms to attract labor. The geographical extent of this effect is likely to be limited.
4. Public policy opinions of the Tennessee business community vary widely. In general, East Tennessee business leaders are less

opposed to (more favorable toward) the MRS than are the West Tennessee business leaders.

5. The MRS-related risks perceived by the Tennessee business community are polarized. While nuclear waste does not rank highly on the (perceived) hazardous scale when all types of harm are considered, a higher proportion of respondents considered nuclear waste either extremely safe or extremely harmful compared to any of the other surveyed activities.

ADDENDUM 1

ADVISORY COUNCIL TO THE DEAN

-
- John C. Bolinger, Jr., Chairman and President, Tennessee Natural Resources, Inc., Nashville, Tennessee
- Thomas E. Bronson, President and C.E.O., Florida Mining and Materials Corporation, Tampa, Florida
- Harry J. Bruce, Chairman and C.E.O., Illinois Central Gulf R.R., Chicago, Ill.
- Robert A. Burgin, Former Chairman, Leaseway Transportation Corporation, La Jolla, California
- Richard W. Cardin, Partner, Arthur Andersen & Company, Nashville, Tennessee
- John M. Cranor, President and C.E.O., Wilson Sporting Goods, River Grove, Ill.
- John W. Fisher, Chairman of the Board, Ball Corporation, Muncie, Indiana
- James M. Gower, Vice President, Genentech, South San Francisco, California
- Dennis R. Hendrix, Executive V.P., Halliburton Company, Dallas, Texas
- Edwin E. Holly, Edwin E. Holly and Associates, Camarillo, California
- George A. Hommel, Former President, Selas Corporation of America, Furlong, Pa.
- Richard L. Leatherwood, Vice Chairman, Chessie/Seaboard System R.R.s, Richmond, Virginia
- Larry J. Parsons, Partner, Ernst & Whinney, Cleveland, Ohio
- Jane O. Pierotti, V.P., Communications, Holiday Inns, Inc., Hotel Group, Memphis, Tennessee
- William W. Powell, Executive V.P., Colgate-Palmolive Co., New York, New York
- F. G. Rodgers, V.P. of Marketing (Retired) and Consultant, International Business Machines Corporation, Purchase, New York
- E. Christian Schoenleb, President and C.E.O., Bojangle's of America, Charlotte, North Carolina
- William B. Stokely, III, Chairman and President, The Stokely Company, Knoxville, Tennessee
- Joseph W. Sullivan, III, Partner, The Options Group, New York, New York
- Art L. Viles, Chairman, Kelso & Company (New York), Lincolnton, N.C.

ADDENDUM 1

ADVISORY COUNCIL TO THE DEAN
(Continued)

Tom L. Yount, President, Tennessee Innovation Center, Oak Ridge, Tennessee

James D. Barbee, Senior V.P. (Retired), Burlington Industries, Inc.,
Greensboro, N.C.

Henry C. Goodrich, Chairman, SONAT, Inc., Birmingham, Alabama

John D. Harper, Former Chairman of the Board and Chief Executive Officer
and Director, Aluminum Company of America, Pittsburgh, Pennsylvania

Kenneth C. Meinken, Jr., Executive V.P., North American Phillips Corp.,
New York, N.Y.

G. Rex Moon, Sanibel, Florida

ADDENDUM 2

**THE SURVEY QUESTIONS AND LIST OF RESPONDENTS
AND FREQUENCY DISTRIBUTION
OF RESPONSES**

THE SURVEY QUESTIONS
AND FREQUENCY DISTRIBUTION OF RESPONSES
PART IV: MONITORED RETRIEVABLE STORAGE

19

As you may already know, the U.S. Department of Energy is considering three sites in Tennessee for a nuclear waste repackaging and storage facility. This facility, called Monitored Retrievable Storage (MRS), would be the only location in the country for repackaging and storage of waste from nuclear power generators. The facility would be responsible for putting this waste into stainless steel casks and temporarily storing it until it could be moved to a permanent storage site in a western state.

The MRS would provide about 600 permanent jobs. A larger number would be employed while the facility is under construction.

Experts say the technology for the MRS facility is well tested and that it would be far safer than a nuclear power plant. On the other hand, some individuals and public officials have questioned the ultimate safety of the MRS. A substantial portion of this concern has focused on the safety of transporting nuclear waste through the state.

Tennessee's Governor and local, state and federal officials need to know what executives in business, education and industry think about the MRS facility.

Please consider the effects that an MRS facility would have on the county in which it is located. As these effects might vary as the distance from the site increases, responses are also requested for distances of fifty and one hundred miles from the MRS facility. Please check the response which most closely corresponds to your view.

1. If you were planning to relocate your business, would you consider locating in the MRS county?

		50 miles	100 miles
<u>8</u>	(a) Yes, I would consider the MRS advantageous.	(a) 7	6
<u>51</u>	(b) Yes, but the MRS would not be a factor in my location decision.	(b) 56	61
<u>43</u>	(c) No, unless attracted by other desirable factors.	(c) 30	31
<u>28</u>	(d) No, I would not locate in the MRS area.	(d) 20	12

Which of the above responses would you choose if the MRS facility were 50 miles away? _____ 100 miles away _____?

2. The ability of the MRS county to attract new business from outside the county would

		50 miles	100 miles
<u>3</u>	(a) greatly increase	(a) 4	3
<u>8</u>	(b) slightly increase	(b) 10	9
<u>35</u>	(c) not be affected by the MRS	(c) 49	68
<u>41</u>	(d) slightly decrease	(d) 32	22
<u>43</u>	(e) greatly decrease	(e) 26	18

Which of the above responses would you choose if the MRS facility were 50 miles away? _____ 100 miles away _____?

3. The desire of businesses located in the MRS county to relocate elsewhere would

		50 miles	100 miles
<u>14</u>	(a) greatly increase	(a) 8	4
<u>58</u>	(b) slightly increase	(b) 30	12
<u>55</u>	(c) not be affected by the MRS	(c) 68	89
<u>3</u>	(d) slightly decrease	(d) 8	6
<u>0</u>	(e) greatly decrease	(e) 0	3

Which of the above responses would you choose if the MRS facility were 50 miles away? _____ 100 miles away _____?

4. The ability of businesses located in the MRS county to attract employees would

		50 miles	100 miles
<u>0</u>	(a) greatly increase	(a) 0	2
<u>9</u>	(b) slightly increase	(b) 9	6
<u>44</u>	(c) not be affected by the MRS	(c) 59	86
<u>55</u>	(d) slightly decrease	(d) 36	13
<u>22</u>	(e) greatly decrease	(e) 14	10

Which of the above responses would you choose if the MRS facility were 50 miles away? _____ 100 miles away _____?

5. Suppose location of the MRS would allow the property tax rate to be reduced by 40 percent. The ability of the MRS county to attract new business from outside the county would

12 greatly increase
76 slightly increase
21 not be affected by the MRS
10 slightly decrease
10 greatly decrease

6. Also, if the property tax rate were reduced by 40 percent, the desire of businesses located in the MRS county to relocate elsewhere would

8 greatly increase
16 slightly increase
23 not be affected by the MRS
64 slightly decrease
19 greatly decrease

7. How should State Government approach the proposal of the U.S. Department of Energy to locate the MRS facility in Tennessee? State Government should

20 aggressively invite the MRS to locate in the state.
35 neither pursue nor resist the MRS.
43 oppose the MRS and accept (yield) only if offered appropriate compensation.
29 use every means at it's disposal to resist the MRS.

8. Please make specific or summary comments about the advantages or disadvantages of locating the MRS in Tennessee.

Comments: _____

In the final group of questions, we would like your view on the relative safety of each item. Please check the response that most closely corresponds to your view.

9. Pollution from cars, trucks and buses

2 extremely safe
21 safe
58 slightly harmful
39 moderately harmful
9 extremely harmful
1 no opinion (includes those who did not answer question)

10. Nuclear waste storage facilities

20 extremely harmful
14 moderately harmful
30 slightly harmful
44 safe
10 extremely safe
12 no opinion

11. Trucking of gasoline

2 extremely safe
57 safe
47 slightly harmful
16 moderately harmful
3 extremely harmful
5 no opinion

12. Pollution from manufacturing plants

7 extremely harmful
23 moderately harmful
75 slightly harmful
20 safe
3 extremely safe
2 no opinion

13. Nuclear electric power plants

8 extremely safe
61 safe
31 slightly harmful
17 moderately harmful
5 extremely harmful
8 no opinion

14. There is going to be more highway movement of nuclear materials if the MRS locates in Tennessee. This allows the increased possibility of an accident. If you were planning to relocate your business, would you consider locating within five miles of an interstate highway over which nuclear materials will be transported?

94 Yes, the highway movement of nuclear materials would not be a factor in my decision.

34 No, I would not locate within 5 miles of these highways.

15. Now, we would like you to consider the changes in risk of exposure. How much would you pay to avoid having your chance of being exposed to excessive radiation increased from 10 in 100,000 to 14 in 100,000? (NOTE: The annual risk of dying in a plane crash is about 1 in 100,000.)

\$_____.

This concludes the 1986 Outlook Questionnaire.

**Frequency Distribution of
Responses By Industrial Sector**

TABLE 1

CONSIDER LOCATING IN THE MRS COUNTY
RESPONSES BY INDUSTRIAL SECTOR

	Finance 1	Mfg 2	Other 3	Trade 4	Row Total
no	6	11	8	3	28
	26.1	23.9	19.0	15.8	21.5
no, unless other fact	10	11	14	8	43
	43.5	23.9	33.3	42.1	33.1
yes, MRS not factor	5	23	16	7	51
	21.7	50.0	38.1	36.8	39.2
yes, MRS advantage	2	1	4	1	8
	8.7	2.2	9.5	5.3	6.2
COLUMN TOTAL	23 17.7	46 35.4	42 32.3	19 14.6	130 100.0

TABLE 1a

CONSIDER LOCATING 50 MILES FROM MRS FACILITY
RESPONSES BY INDUSTRIAL SECTOR

	Finance 1	Mfg 2	Other 3	Trade 4	Row Total
no	2	6	7	5	20
	11.1	15.0	18.4	29.4	17.7
no, unless other fact	8	7	10	5	30
	44.4	17.5	26.2	29.4	26.5
yes, MRS not factor	6	24	19	7	56
	33.3	60.0	50.0	41.2	49.6
yes, MRS advantage	2	3	2	0	7
	11.1	7.5	5.2	0.0	5.2
COLUMN TOTAL	18 15.9	40 35.4	38 33.6	17 15.0	113 100.0

TABLE 1b

CONSIDER LOCATING 100 MILES FROM MRS FACILITY
RESPONSES BY INDUSTRIAL SECTOR

	Finance 1	Mfg 2	Other 3	Trade 4	Row Total
no	1	5	3	3	12
	5.6	12.5	8.3	18.8	10.9
no, unless other fact	9	8	9	5	31
	50.0	20.0	25.0	31.3	28.2
yes, MRS not factor	6	26	21	8	61
	33.3	65.0	58.3	50.0	55.5
yes, MRS advantage	2	1	3	0	6
	11.1	2.5	8.3	.0	5.5
COLUMN TOTAL	18 16.4	40 36.4	36 32.7	16 14.5	110 100.0

TABLE 2

ABILITY OF MRS COUNTY TO ATTRACT NEW BUSINESS FROM OUTSIDE COUNTY
RESPONSES BY INDUSTRIAL SECTOR

	Finance 1	Mfg 2	Other 3	Trade 4	Row Total
greatly decrease	13	17	8	5	43
	56.5	37.0	19.0	26.3	33.1
slightly decrease	6	13	16	6	41
	26.1	28.3	38.1	31.6	31.5
no effect	1	12	15	7	35
	4.3	26.1	35.7	36.8	26.9
slightly increase	2	3	2	1	8
	8.7	6.5	4.8	5.3	6.2
greatly increase	1	1	1	0	3
	4.3	2.2	2.4	.0	2.3
COLUMN TOTAL	23 17.7	46 35.4	42 32.3	19 14.6	130 100.0

TABLE 2a

ABILITY OF MRS COUNTY TO ATTRACT NEW BUSINESS FROM OUTSIDE COUNTY
(50 MILES AWAY)
RESPONSES BY INDUSTRIAL SECTOR

	Finance 1	Mfg 2	Other 3	Trade 4	Row Total
greatly decrease	5 23.8	9 22.0	7 16.7	5 29.4	26 21.5
slightly decrease	9 42.9	9 22.0	11 26.2	3 17.6	32 26.4
no effect	5 23.8	17 41.5	20 47.6	7 41.2	49 40.5
slightly increase	2 9.5	3 7.3	3 7.1	2 11.8	10 8.3
greatly increase	0 .0	3 7.3	1 2.4	0 .0	4 3.3
COLUMN TOTAL	21 17.4	41 33.9	42 34.7	17 14.0	121 100.0

TABLE 2b

ABILITY OF MRS COUNTY TO ATTRACT NEW BUSINESS FROM OUTSIDE COUNTY
(100 MILES AWAY)
RESPONSES BY INDUSTRIAL SECTOR

	Finance 1	Mfg 2	Other 3	Trade 4	Row Total
greatly decrease	6 26.1	7 17.5	3 7.5	2 11.8	18 15.0
slightly decrease	3 13.0	5 12.5	9 22.5	5 29.4	22 18.3
no effect	12 52.2	23 57.5	26 65.0	7 41.2	68 56.7
slightly increase	2 8.7	3 7.5	1 2.5	3 17.6	9 7.5
greatly increase	0 .0	2 5.0	1 2.5	0 .0	3 2.5
COLUMN TOTAL	23 15.2	40 33.3	40 33.3	17 14.2	120 100.0

TABLE 3

DESIRE OF BUSINESSES LOCATED IN MRS COUNTY TO RELOCATE
RESPONSES BY INDUSTRIAL SECTOR

	Finance 1	Mfg 2	Other 3	Trade 4	Row Total
slightly decrease	1 4.3	2 4.3	0 .0	0 .0	3 2.3
no effect	5 21.7	21 45.7	20 47.6	9 47.4	55 42.3
slightly increase	15 65.2	16 34.8	19 45.2	8 42.1	58 44.6
greatly increase	2 8.7	7 15.2	3 7.1	2 10.5	14 10.8
COLUMN TOTAL	23 17.7	46 35.4	42 32.3	19 14.6	130 100.0

TABLE 3a

DESIRE OF BUSINESSES LOCATED 50 MILES FROM MRS FACILITY TO RELOCATE
RESPONSES BY INDUSTRIAL SECTOR

	Finance 1	Mfg 2	Other 3	Trade 4	Row Total
slightly decrease	1 5.6	5 13.2	2 5.0	0 .0	8 7.0
no effect	12 66.7	22 57.9	23 57.5	11 61.1	68 59.8
slightly increase	4 22.2	7 18.4	14 35.0	5 27.8	30 26.3
greatly increase	1 5.6	4 10.5	1 2.5	2 11.1	8 7.0
COLUMN TOTAL	18 15.8	36 33.3	40 35.1	18 15.8	114 100.0

TABLE 3b

DESIRE OF BUSINESSES LOCATED 100 MILES FROM MRS FACILITY TO RELOCATE
RESPONSES BY INDUSTRIAL SECTOR

	Finance 1	Mfg 2	Other 3	Trade 4	Row Total
greatly decrease	0 .0	3 7.9	0 .0	0 .0	3 2.6
slightly decrease	3 15.0	1 2.6	2 5.3	0 .0	6 5.3
no effect	14 70.0	29 76.3	31 81.6	15 83.3	89 78.1
slightly increase	2 10.0	3 7.9	4 10.5	3 16.7	12 10.5
greatly increase	1 5.0	2 5.3	1 2.6	0 .0	4 3.5
COLUMN TOTAL	20 17.5	38 33.3	38 33.3	18 15.8	114 100.0

TABLE 4

ABILITY OF BUSINESSES LOCATED IN MRS COUNTY TO ATTRACT EMPLOYEES
RESPONSES BY INDUSTRIAL SECTOR

	Finance 1	Mfg 2	Other 3	Trade 4	Row Total
greatly decrease	7 30.4	7 15.2	4 9.5	4 21.1	22 16.9
slightly decrease	10 43.5	17 37.0	22 52.4	6 31.6	55 42.3
no effect	4 17.4	18 39.1	15 35.7	7 36.8	44 33.3
slightly increase	2 8.7	4 8.7	1 2.4	2 10.5	9 6.9
COLUMN TOTAL	23 17.7	46 35.4	42 32.3	19 14.6	130 100.0

TABLE 4a

ABILITY OF BUSINESSES LOCATED 50 MILES FROM MRS FACILITY TO ATTRACT EMPLOYEES
RESPONSES BY INDUSTRIAL SECTOR

	Finance 1	Mfg 2	Other 3	Trade 4	Row Total
greatly decrease	4 19.0	4 10.8	2 4.8	4 22.2	14 11.9
slightly decrease	7 33.3	8 21.6	17 40.5	4 22.2	36 30.5
no effect	9 42.9	21 56.8	21 50.0	8 44.4	59 50.0
slightly increase	1 4.8	4 10.8	2 4.8	2 11.1	9 7.6
COLUMN TOTAL	21 17.8	37 31.4	42 35.6	18 15.3	116 100.0

TABLE 4b

ABILITY OF BUSINESSES LOCATED 100 MILES FROM MRS FACILITY TO ATTRACT EMPLOYEES
RESPONSES BY INDUSTRIAL SECTOR

	Finance 1	Mfg 2	Other 3	Trade 4	Row Total
greatly decrease	2 9.1	4 10.5	1 2.6	3 16.7	10 8.5
slightly decrease	5 22.7	3 7.9	3 7.7	2 11.1	13 11.1
no effect	14 63.6	26 68.4	35 69.7	11 61.1	86 73.5
slightly increase	1 4.5	3 7.9	0 .0	2 11.1	6 5.1
greatly increase	0 .0	2 5.3	0 .0	0 .0	2 1.7
COLUMN TOTAL	22 18.8	36 32.5	39 35.2	16 15.4	113 100.0

TABLE 5

ABILITY OF MRS COUNTY TO ATTRACT NEW BUSINESS FROM OUTSIDE COUNTY
IF PROPERTY TAX WERE REDUCED BY 40 PERCENT
RESPONSES BY INDUSTRIAL SECTOR

	Finance 1	Mfg 2	Other 3	Trade 4	Row Total
greatly decrease	2 9.1	4 8.9	3 7.1	1 5.0	10 7.8
slightly decrease	4 18.2	1 2.2	2 4.8	3 15.0	10 7.8
no effect	2 9.1	8 17.8	9 21.4	2 10.0	21 16.3
slightly increase	11 50.0	28 62.2	25 59.5	12 60.0	76 58.9
greatly increase	3 13.6	4 8.9	3 7.1	2 10.0	12 9.3
COLUMN TOTAL	22 17.1	45 34.9	42 32.6	20 15.5	129 100.0

TABLE 6

DESIRE OF BUSINESSES LOCATED IN MRS COUNTY TO RELOCATE
IF PROPERTY TAX RATE WERE REDUCED BY 40 PERCENT
RESPONSES BY INDUSTRIAL SECTOR

	Finance 1	Mfg 2	Other 3	Trade 4	Row Total
greatly decrease	3 13.6	6 13.0	6 14.3	4 20.0	19 14.6
slightly decrease	9 40.9	20 43.5	24 57.1	11 55.0	64 49.2
no effect	3 13.6	10 21.7	8 19.0	2 10.0	23 17.7
slightly increase	5 22.7	8 13.0	2 4.8	3 15.0	16 12.3
greatly increase	2 9.1	4 8.7	2 4.8	0 .0	8 6.2
COLUMN TOTAL	22 16.9	48 35.4	42 32.3	20 15.4	130 100.0

TABLE 7
HOW SHOULD STATE GOVERNMENT APPROACH
PROPOSED LOCATING OF MRS IN TENNESSEE
RESPONSES BY INDUSTRIAL SECTOR

	Finance 1	Mfg 2	Other 3	Trade 4	Row Total
actively	9	10	8	2	29
resist	47.4	21.7	19.0	10.0	22.8
yield only	6	14	16	7	43
if compens	31.6	30.4	38.1	35.0	39.9
neither	0	14	13	8	35
	.0	30.4	31.0	40.0	27.6
invite to	4	8	5	3	20
locate	21.1	17.4	11.9	15.0	15.7
COLUMN	19	46	42	20	127
TOTAL	15.0	36.2	33.1	15.7	100.0

QUESTION 8 WAS FOR COMMENT ONLY

TABLE 9

SAFETY OF POLLUTION FROM CARS, TRUCKS AND BUSES
RESPONSES BY INDUSTRIAL SECTOR

	Finance 1	Mfg 2	Other 3	Trade 4	Row Total
extremely harmful	2 10.0	1 2.2	4 9.3	2 10.0	9 7.0
moderately harmful	6 30.0	13 28.3	15 34.9	5 25.0	39 30.2
slightly harmful	12 60.0	24 52.2	16 37.2	6 30.0	58 45.0
safe	0 .0	7 15.2	8 18.6	6 30.0	21 16.3
extremely safe	0 .0	1 2.2	0 .0	1 5.0	2 1.6
COLUMN TOTAL	20 15.5	46 35.7	43 33.3	20 15.5	129 100.0

TABLE 10

SAFETY OF NUCLEAR WASTE STORAGE FACILITIES
RESPONSES BY INDUSTRIAL SECTOR

	Finance 1	Mfg 2	Other 3	Trade 4	Row Total
extremely harmful	2 10.5	11 25.0	6 15.4	1 6.3	20 16.9
moderately harmful	2 10.5	3 6.8	7 17.9	2 12.5	14 11.9
slightly harmful	7 36.8	8 18.2	9 23.1	6 37.5	30 25.4
safe	8 42.1	17 38.6	14 35.9	5 31.3	44 37.3
extremely safe	0 .0	5 11.4	3 7.7	2 12.5	10 8.5
COLUMN TOTAL	19 16.1	44 37.3	39 33.1	16 13.6	118 100.0

TABLE 11

SAFETY OF TRUCKING OF GASOLINE
RESPONSES BY INDUSTRIAL SECTOR

	Finance 1	Mfg 2	Other 3	Trade 4	Row Total
extremely harmful	0 .0	3 6.5	0 .0	0 .0	3 2.4
moderately harmful	6 31.6	5 10.9	2 5.0	3 15.0	16 12.8
slightly harmful	7 36.8	17 37.0	18 45.0	5 25.0	47 37.6
safe	6 31.6	20 43.5	20 50.0	11 55.0	57 45.6
extremely safe	0 .0	1 2.2	0 .0	1 5.0	2 1.6
COLUMN TOTAL	19 15.2	46 36.8	40 32.0	20 16.0	125 100.0

TABLE 12

SAFETY OF POLLUTION FROM MANUFACTURING PLANTS
RESPONSES BY INDUSTRIAL SECTOR

	Finance 1	Mfg 2	Other 3	Trade 4	Row Total
extremely harmful	0 .0	0 .0	5 11.9	2 10.0	7 5.5
moderately harmful	9 40.9	5 11.4	6 14.3	3 15.0	23 16.0
slightly harmful	12 54.5	26 59.1	26 61.9	11 55.0	75 59.6
safe	1 4.5	11 25.0	5 11.9	3 15.0	20 15.6
extremely safe	0 .0	2 4.5	0 .0	1 5.0	3 2.3
COLUMN TOTAL	22 17.2	44 34.4	42 32.8	20 15.6	128 100.0

TABLE 13
SAFETY OF NUCLEAR ELECTRIC POWER PLANTS
RESPONSES BY INDUSTRIAL SECTOR

	Finance	Mfg	Other	Trade	Row Total
	1	2	3	4	
extremely	0	2	1	2	5
harmful	.0	4.5	2.5	10.5	4.1
moderately	4	6	5	2	17
harmful	21.1	13.6	12.5	10.5	13.9
slightly	3	12	12	4	31
harmful	15.8	27.3	30.0	21.1	25.4
safe	12	21	20	8	61
	63.2	47.7	50.0	42.1	50.0
extremely	0	3	2	3	8
safe	.0	6.8	5.0	15.8	6.6
COLUMN	19	44	40	19	122
TOTAL	15.6	36.1	32.8	15.6	100.0

TABLE 14
CONSIDER LOCATING WITHIN 5 MILES OF INTERSTATE HIGHWAY
OVER WHICH NUCLEAR MATERIALS WILL BE TRANSPORTED
RESPONSES BY INDUSTRIAL SECTOR

	Finance	Mfg	Other	Trade	Row Total
	1	2	3	4	
no	10	9	10	5	34
	45.5	20.0	24.4	25.0	26.6
yes	12	36	31	15	94
	54.5	80.0	75.6	75.0	73.4
COLUMN	22	45	41	20	128
TOTAL	17.2	35.2	32.0	15.6	100.0

**Frequency Distribution of
Responses By Geographical Location**

TABLE 1

CONSIDER LOCATING IN THE MRS COUNTY
RESPONSES BY GEOGRAPHICAL LOCATION

	West 1	Middle 2	East 3	Row Total
no	10	10	8	28
	29.4	23.3	15.1	21.5
no, unless other factor	16	16	11	43
	47.1	37.2	20.8	32.1
yes, MRS not factor	6	15	30	51
	17.6	34.9	56.6	39.2
yes, MRS advantage	2	2	4	8
	5.9	4.7	7.5	6.2
COLUMN	34	43	53	130
TOTAL	26.2	33.1	40.8	100.0

TABLE 1a

CONSIDER LOCATING 50 MILES FROM MRS FACILITY
RESPONSES BY GEOGRAPHICAL LOCATION

	West 1	Middle 2	East 3	Row Total
no	7	6	7	20
	24.1	16.7	14.6	17.7
no, unless other factor	12	13	5	30
	41.4	36.1	10.4	26.5
yes, MRS not factor	10	14	32	56
	34.5	36.9	66.7	49.6
yes, MRS advantage	0	3	4	7
	.0	3.3	8.3	6.2
COLUMN	29	36	43	113
TOTAL	25.7	31.9	42.5	100.0

TABLE 1b

CONSIDER LOCATING 100 MILES FROM MRS FACILITY
RESPONSES BY GEOGRAPHICAL LOCATION

	West 1	Middle 2	East 3	Row Total
no	4	2	6	12
	14.8	5.4	13.0	10.9
no, unless other fact	12	15	4	31
	44.4	40.5	8.7	28.2
yes, MRS not factor	10	19	32	61
	37.0	51.4	69.6	55.5
yes, MRS advantage	1	1	4	6
	3.7	2.7	8.7	5.5
COLUMN	27	37	46	110
TOTAL	24.5	33.6	41.8	100.0

TABLE 2

ABILITY OF MRS COUNTY TO ATTRACT NEW BUSINESS FROM OUTSIDE COUNTY
RESPONSES BY GEOGRAPHICAL LOCATION

	West 1	Middle 2	East 3	Row Total
greatly decrease	16	14	13	43
	47.1	32.6	24.5	33.1
slightly decrease	8	19	14	41
	23.5	44.2	26.4	31.5
no effect	8	8	19	35
	23.5	18.6	35.8	26.9
slightly increase	1	1	6	8
	2.9	2.3	11.3	6.2
greatly increase	1	1	1	3
	2.9	2.3	1.9	2.3
COLUMN	34	43	53	130
TOTAL	26.2	33.1	40.8	100.0

TABLE 2a

ABILITY OF MRS COUNTY TO ATTRACT NEW BUSINESS FROM OUTSIDE COUNTY
(50 MILES AWAY)
RESPONSES BY GEOGRAPHICAL LOCATION

	West 1	Middle 2	East 3	Row Total
greatly decrease	9 29.0	9 23.1	8 15.7	26 21.5
slightly decrease	10 32.3	15 38.5	7 13.7	32 26.4
no effect	9 29.0	13 33.3	27 52.9	49 40.5
slightly increase	2 6.5	1 2.6	7 13.7	10 8.3
greatly increase	1 3.2	1 2.6	2 3.9	4 3.3
COLUMN TOTAL	31 25.6	39 32.2	51 42.1	121 100.0

TABLE 2b

ABILITY OF MRS COUNTY TO ATTRACT NEW BUSINESS FROM OUTSIDE COUNTY
(100 MILES AWAY)
RESPONSES BY GEOGRAPHICAL LOCATION

	West 1	Middle 2	East 3	Row Total
greatly decrease	8 25.0	5 13.2	5 10.0	18 15.0
slightly decrease	7 21.9	8 21.1	7 14.0	22 18.3
no effect	12 37.5	24 63.2	32 64.0	68 56.7
slightly increase	5 15.6	0 .0	4 8.0	9 7.5
greatly increase	0 .0	1 2.6	2 4.0	3 2.5
COLUMN TOTAL	32 26.7	36 31.7	50 41.7	120 100.0

TABLE 3

DESIRE OF BUSINESSES LOCATED IN MRS COUNTY TO RELOCATE
RESPONSES BY GEOGRAPHICAL LOCATION

	West 1	Middle 2	East 3	Row Total
slightly decrease	0 .0	1 2.3	2 3.6	3 2.3
no effect	10 29.4	17 39.5	28 52.8	55 42.3
slightly increase	20 58.8	21 48.8	17 32.1	58 44.6
greatly increase	4 11.8	4 9.3	6 11.3	14 10.8
COLUMN TOTAL	34 26.2	43 33.1	53 40.8	130 100.0

TABLE 3a

DESIRE OF BUSINESSES LOCATED 50 MILES FROM MRS FACILITY TO RELOCATE
RESPONSES BY GEOGRAPHICAL LOCATION

	West 1	Middle 2	East 3	Row Total
slightly decrease	3 11.1	4 10.5	1 2.0	8 7.0
no effect	12 44.4	24 63.2	32 65.3	68 59.6
slightly increase	10 37.0	7 18.4	13 26.5	30 26.3
greatly increase	2 7.4	3 7.9	3 6.1	8 7.0
COLUMN TOTAL	27 23.7	38 33.3	49 43.0	114 100.0

TABLE 3b

DESIRE OF BUSINESSES LOCATED 100 MILES FROM MRS FACILITY TO RELOCATE
RESPONSES BY GEOGRAPHICAL LOCATION

	West 1	Middle 2	East 3	Row Total
greatly decrease	1 3.6	1 2.6	1 2.1	3 2.6
slightly decrease	2 7.1	3 7.9	1 2.1	6 5.3
no effect	22 78.6	27 71.1	40 83.3	89 78.1
slightly increase	2 7.1	6 15.8	4 8.3	12 10.5
greatly increase	1 3.6	1 2.6	2 4.2	4 3.5
COLUMN TOTAL	28 24.6	38 39.3	48 42.1	114 100.0

TABLE 4

ABILITY OF BUSINESSES IN MRS COUNTY TO ATTRACT EMPLOYEES
RESPONSES BY GEOGRAPHICAL LOCATION

	West 1	Middle 2	East 3	Row Total
greatly decrease	6 17.6	8 16.6	8 15.1	22 16.9
slightly decrease	17 50.0	21 48.8	17 32.1	55 42.3
no effect	7 20.6	13 30.2	24 45.3	44 35.8
slightly increase	4 11.8	1 2.3	4 7.5	9 6.9
COLUMN TOTAL	34 26.2	42 38.1	53 40.8	130 100.0

TABLE 4a

ABILITY OF BUSINESSES LOCATED 50 MILES FROM MRS FACILITY TO ATTRACT EMPLOYEES
RESPONSES BY GEOGRAPHICAL LOCATION

	West 1	Middle 2	East 3	Row Total
greatly decrease	5 16.7	5 13.2	4 8.0	14 11.9
slightly decrease	9 30.0	14 36.8	13 26.0	36 30.5
no effect	10 33.3	19 50.0	30 60.0	59 50.0
slightly increase	6 20.0	0 .0	3 6.0	9 7.6
COLUMN TOTAL	30 25.4	38 32.2	50 42.4	118 100.0

TABLE 4b

ABILITY OF BUSINESSES LOCATED 100 MILES FROM MRS FACILITY TO ATTRACT EMPLOYEES
RESPONSES BY GEOGRAPHIC LOCATION

	West 1	Middle 2	East 3	Row Total
greatly decrease	4 12.9	2 5.3	4 8.3	10 8.5
slightly decrease	1 3.2	9 23.7	3 6.3	13 11.1
no effect	20 64.5	27 71.1	39 21.5	86 73.5
slightly increase	4 12.9	0 .0	2 4.2	6 5.1
greatly increase	2 6.5	0 .0	0 .0	2 1.7
COLUMN TOTAL	31 26.5	38 32.5	48 41.0	117 100.0

TABLE 5

ABILITY OF MRS COUNTY TO ATTRACT NEW BUSINESS FROM OUTSIDE COUNTY
IF PROPERTY TAX WERE REDUCED BY 40 PERCENT
RESPONSES BY GEOGRAPHICAL LOCATION

	West 1	Middle 2	East 3	Row Total
greatly decrease	3 9.4	4 9.3	3 5.6	10 7.8
slightly decrease	4 12.5	5 11.6	1 1.9	10 7.8
no effect	7 21.9	6 14.0	8 14.8	21 16.3
slightly increase	14 43.8	27 62.8	35 64.8	76 58.9
greatly increase	4 12.5	1 2.3	7 13.0	12 9.3
COLUMN TOTAL	32 24.8	43 33.3	54 41.9	129 100.0

TABLE 6

DESIRE OF BUSINESSES LOCATED IN MRS COUNTY TO RELOCATE
IF PROPERTY TAX RATE WERE REDUCED BY 40 PERCENT
RESPONSES BY GEOGRAPHICAL LOCATION

	West 1	Middle 2	East 3	Row Total
greatly decrease	5 15.2	4 9.3	10 18.5	19 14.6
slightly decrease	17 51.5	20 46.5	27 50.0	64 49.2
no effect	3 9.1	9 20.9	11 20.4	23 17.7
slightly increase	6 18.2	7 16.3	3 5.6	16 12.3
greatly increase	2 6.1	3 7.0	3 5.6	8 6.2
COLUMN TOTAL	32 25.4	43 33.1	54 41.5	129 100.0

TABLE 7

HOW SHOULD STATE GOVERNMENT APPROACH
PROPOSED LOCATING OF MRS IN TENNESSEE
RESPONSES BY GEOGRAPHICAL LOCATION

	West 1	Middle 2	East 3	Total
actively	13	10	6	29
resist	39.4	24.4	11.3	22.8
yield only	12	13	18	43
if compens	36.4	31.7	34.0	33.9
neither	7	12	16	35
	21.2	29.3	30.2	27.6
invite to	1	6	13	20
locate	3.0	14.6	24.5	15.7
COLUMN	33	41	53	127
TOTAL	26.0	32.3	41.7	100.0

QUESTION 8 WAS FOR COMMENT ONLY

TABLE 9

SAFETY OF POLLUTION FROM CARS, TRUCKS AND BUSES
RESPONSES BY GEOGRAPHICAL LOCATION

	West 1	Middle 2	East 3	Row Total
extremely harmful	3 8.6	3 7.3	3 5.7	9 7.0
moderately harmful	7 20.0	13 31.7	19 35.8	39 30.2
slightly harmful	17 48.6	21 51.2	20 37.7	58 45.0
safe	7 20.0	4 9.8	10 18.9	21 16.3
extremely safe	1 2.9	0 .0	1 1.9	2 1.6
COLUMN TOTAL	35 27.1	41 31.8	53 41.1	129 100.0

TABLE 10

SAFETY OF NUCLEAR WASTE STORAGE FACILITIES
RESPONSES BY GEOGRAPHICAL LOCATION

	West 1	Middle 2	East 3	Row Total
extremely harmful	6 19.4	7 18.9	7 14.0	20 16.9
moderately harmful	6 19.4	4 10.8	4 8.0	14 11.9
slightly harmful	10 32.3	10 27.0	10 20.0	30 25.4
safe	8 25.8	12 32.4	24 48.0	44 37.3
extremely safe	1 3.2	4 10.8	5 10.0	10 8.5
COLUMN TOTAL	31 26.3	37 31.4	50 42.4	118 100.0

TABLE 11
SAFETY OF TRUCKING OF GASOLINE
RESPONSES BY GEOGRAPHICAL LOCATION

	West	Middle	East	Row Total
	1	2	3	
extremely	0	1	2	3
harmful	.0	2.5	3.8	2.4
moderately	7	4	5	16
harmful	21.2	10.0	9.6	12.8
slightly	9	15	23	47
harmful	27.3	37.5	44.2	37.6
safe	17	20	20	57
	51.5	50.0	38.5	45.6
extremely	0	0	2	2
safe	.0	.0	3.8	1.6
COLUMN	33	40	52	125
TOTAL	26.4	32.0	41.6	100.0

TABLE 12
SAFETY OF POLLUTION FROM MANUFACTURING PLANTS
RESPONSES BY GEOGRAPHICAL LOCATION

	West	Middle	East	Row Total
	1	2	3	
extremely	0	4	3	7
harmful	.0	9.8	5.7	5.5
moderately	9	7	7	23
harmful	26.5	17.1	13.2	18.0
slightly	18	24	33	75
harmful	52.9	56.5	62.3	58.6
safe	7	5	8	20
	20.6	12.2	15.1	15.6
extremely	0	1	2	3
safe	.0	2.4	3.2	2.3
COLUMN	34	41	53	128
TOTAL	26.6	32.0	41.4	100.0

TABLE 13

SAFETY OF NUCLEAR ELECTRIC POWER PLANTS
RESPONSES BY GEOGRAPHICAL LOCATION

	West	Middle	East	Row Total
	1	2	3	
extremely harmful	1 3.1	1 2.7	3 5.7	5 4.1
moderately harmful	7 21.9	7 18.9	3 5.7	17 13.9
slightly harmful	11 34.4	10 27.0	10 18.9	31 25.4
safe	13 40.6	15 40.5	33 62.3	61 50.0
extremely safe	0 .0	4 10.8	4 7.5	8 6.6
COLUMN TOTAL	32 26.2	37 30.3	53 43.4	122 100.0

TABLE 14

CONSIDER LOCATING WITHIN 5 MILES OF INTERSTATE HIGHWAY
OVER WHICH NUCLEAR MATERIALS WILL BE TRANSPORTED
RESPONSES BY GEOGRAPHICAL LOCATION

	West	Middle	East	Row Total
	1	2	3	
no	9 28.5	12 29.3	13 24.5	34 26.6
yes	25 73.5	25 70.7	40 75.5	94 73.4
COLUMN TOTAL	34 28.6	41 32.0	53 41.4	128 100.0

LIST OF SURVEY RESPONDENTS

Mr. Norbert J. Ackermann, Jr., President, CONINCO, Inc., Knoxville

Mr. Herbert Adcox, President, Adcox-Kirby Chevrolet, Chattanooga

Mr. Richard N. Aft, Executive Director, United Way of Greater Memphis, Memphis

Mr. James H. Alexander, Executive Director, Insurors of Tennessee, Nashville

Mr. Williams Arant, Jr., President, First Tennessee Bank, Knoxville

Mr. Charles E. Ashworth, General Manager, ITT Continental Baking Co., Inc., Memphis

Mr. C. F. Bailey, Assistant Superintendent, Corbin Division, Clinchfield Railroad Company, Seaboard System Railroad, Erwin

Mr. Alf T. Barnette, Executive Vice President, West Tennessee Industrial Association, Jackson

Mr. Don W. Belcher, Director of Research, Nashville Area Chamber of Commerce, Nashville

Mr. Charles Bell, Manager, Employee Relations, Allied Corporation, Knoxville

Mr. Thomas R. Bell, President, East Tennessee Natural Gas Company, Knoxville

Mr. Ernest H. Bennett, Plant Manager, E. I. du Pont de Nemours & Company, Chattanooga

Dr. Susan Bies, Chief Financial Officer/SVP, First Tennessee National Corporation, Memphis

Mr. David W. Bird, Regional Sales Manager, Peterbilt Motors, Madison

Mr. Edward C. Blank, II, Attorney-at-Law, Trabue, Stardivant & DeWitt, Nashville

Mr. John C. Bolinger, Jr., Chairman and President, Tennessee Natural Resources, Inc., Nashville

Mr. E. C. Bondi, Jr., Executive Vice President, General Merchandise Manager, Loveman's, Inc., Chattanooga

Mr. Stephen J. Boyer, President, Tennessee Retail Federation, Nashville

Dr. J. Don Brock, President, Astec Industries, Chattanooga

Mr. Berry Brooks, Senior Vice President, Commerce Union Bank, Nashville

Mr. John D. Canale, President, D. Canale & Company, Memphis

Mr. Richard W. Cardin, Managing Partner, Arthur Andersen & Company, Nashville

Dr. Ralph D. Carnathan, Director of Industrial Development, Tennessee Valley Authority, Knoxville

Mr. William R. Carter, President, Carter Ltd., Inc., Fayetteville

Mr. Edmond D. Cicala, President, Edmond Enterprises, Inc., Memphis

Mr. David Coffey, President, The Nucleus, Inc., Oak Ridge

Mr. Robert B. Colbert, Jr., Chairman of the Board, Wayne-Gossard Corporation, Chattanooga

Mr. Steve G. Conerly, President, Pet Incorporated-Dairy Division, Johnson City

Mr. Charles W. Cook, Jr., Chairman, Third National Corporation, Nashville

Dr. James C. Cotham, III, Senior Vice President, Nashville City Bank, Nashville

Mr. John I. Cox, Jr., Vice President, Tennessee Eastman Company, Kingsport

Mr. Gary Cunningham, Advertising Sales Manager, Newspaper Printing Corporation, Nashville

Mr. Roger A. Daley, President and General Manager, Knoxville News-Sentinel Company, Knoxville

Mr. Thomas H. Davis, C.P.A., Internal Auditor, Tennessee Farmers Co-op, LaVergne

Mr. Charles H. Dean, Jr., Chairman of the Board, Tennessee Valley Authority, Knoxville

Mr. Paul M. Engelmann, Executive Director, United Way of Greater Chattanooga, Chattanooga

Mr. Joseph R. Exum, Chairman, Leland-Powell Fasteners, Inc., Martin

Mr. John T. Flaughner, Executive Vice-President, Williamson County Bank, Franklin

Mr. W. K. Ford, President, Ford Construction Company, Dyersburg

Mr. John F. Germ, President, Campbell & Associates, Inc., Chattanooga

Dr. William A. Gibson, President, Elographics, Oak Ridge

Mr. Herbert St. Goar, President and Chief Executive Officer, Dixie Saving Stores, Inc., Chattanooga

Mr. Buford Goldstein, President, Hampton Print Works, Inc., Johnson City

Mr. William C. Grater, President and General Manager, Bowater Southern Paper Company, Calhoun

Mr. Clayton N. Gribble, Plant Manager, Oster Division of Sunbeam, McMinnville

Mr. Thomas A. Griffin, Jr., President, Mid-South Title Insurance Corp., Memphis

Mr. Darwin R. Griva, Vice President and General Manager, Emerson Electric Company, Murfreesboro

Mr. Joe R. Grooms, Controller, Martin Marietta Ordnance Systems, Inc., Milan Army Ammunition Plant, Milan

Mr. Kyle Hale, Director of Manufacturing, Century Electric, Inc., Lexington

Dr. Beth Halteman, Assistant Professor, Center for Labor/Management Relations, Tennessee State University, Nashville

Mr. John D. Haltom, Division Distribution Director, United Foods, Inc., Bells

Mr. F. W. Hamilton, President, Industrial Development and Warehousing, Inc., Jackson

Mr. Fred Harvey, Jr., President, Harveys, Nashville

Mr. James Haslam, II, President and Chief Executive Officer, Pilot Oil Company, Knoxville

Mr. Robert M. Hendrix, Sr., Chairman of the Board, Dyersburg Production Credit Association, Dyersburg

Mr. Taylor H. Henry, Jr., Vice President - Finance, Shoney's Inc., Nashville

Mr. K. D. Holder, Plant Manager, Trenton Mills, Inc., Trenton

Mr. James W. Hopper, Director of Operations, ITT Telecom Products Division, Milan

Mr. Edwin C. Hoskins, General Manager, Knoxville Utilities Board, Knoxville

Mr. Robert L. Huffman, Industrial Relations Manager, Proctor & Gamble Company, Jackson

Mr. Eric H. Hunger, Area Manager, Union Chemical, Memphis

Mr. M. V. Hussung, Jr., President and Chief Executive Officer, Winners Corporation, Brentwood

Mr. Pat J. Jansen, Sr. Vice President-Finance, Allen & O'Hara Inc., Memphis

Mr. J. L. Johnson, Vice President, South Central Bell Telephone Company, Nashville

- Mr. M. Lee Smith, Publisher, Tennessee Journal, M. Lee Smith Publishers and Printers, Nashville
- Mr. Reese Smith, III, President, Haury and Smith Contractors, Nashville
- Mr. Carl M. Stanley, President, Burroughs-Ross-Colville Company, McMinnville
- Mr. J. Gilbert Stein, Chairman of the Board, Stein Construction Company, Chattanooga
- Mr. Thomas E. Sudman, President, Sudman & Associates, Knoxville
- Mr. William H. Swain, Chairman of the Board and President, First National Bank, Oneida
- Mr. Larry E. Swanson, Vice President-Commercial Unitary, Carrier Air Conditioning Company, McMinnville
- Mr. Ray U. Tanner, President & CEO, Jackson National Bank, Jackson
- Mr. W. Neil Thomas, Jr., President, Thomas, Mann & Gossett, P.C., Chattanooga
- Mr. J. R. Thompson, Vice President/Finance, TPI Corporation, Johnson City
- Mr. Douglas P. Thurley, Plant Manager, TRW Steering Components Group, Ross Gear Division, Lebanon Plant, Lebanon
- Mr. Earl H. Triplett, Chairman and Chief Executive Officer, First American Bank, Memphis
- Mr. Carl W. Truebe, Plant Manager, ICI Americas, Inc., Chattanooga
- Mr. Richard E. Tumblin, Chartered Life Underwriter & Chartered Financial Consultant, The Equitable Life Assurance Society, Knoxville
- Mr. T. R. Turner, Manager of External Affairs, Buckeye Cellulose Corporation, Memphis
- Mr. John M. Upchurch, Appraiser and Land Surveyor, Buchanan
- Mr. Lawrence W. Whalen, Jr., Director, The Berkline Corporation, Morristown
- Dr. Thomas J. Whatley, Associate Dean, Tennessee Agricultural Experiment Station, The University of Tennessee, Knoxville
- Mr. Jack D. Whitfield, President, Sverdrup Technology, Inc., Tullahoma
- Dr. Charles M. Wilson, Economist-Broker, REFCO, Inc., Memphis
- Mr. W. Lewis Wood, Jr., Senior Vice President, Allen & Hoshall, Inc., Memphis
- Mr. Harold G. Woods, President, Knoxville Area Central Labor Council, AFL-CIO, Knoxville
- Mr. Allen Zang, President, Nashville Bridge Company, Nashville

Mr. William W. Johnson, President, Associated Brokers of Tennessee, Nashville

Mr. Glenn W. Jones, Partner, Research Department, J. C. Bradford Company, Nashville

Mr. Roger Kennedy, Director of Marketing, AFG Industries, Inc., Kingsport

Mr. R. D. Klasen, Plant Manager, Ford Motor Company, Nashville Glass Plant, Nashville

Mr. Gene C. Koonce, President and Chief Executive Officer, United Cities Gas Company, Nashville

Mr. James W. Lail, President, Raines Brothers, Inc., Chattanooga

Mr. Carl H. Langschmidt, Jr., Attorney, Boone, Wellford, Clark, Langschmidt & Apperson, Memphis

Mr. E. H. Lannom, Chairman of the Board, Forcum-Lannom Associates Inc., Dyersburg

Mr. W. Carroll Leonard, Plant Manager, Raytheon Company, Missile Systems Division, Bristol

Mr. Gerald F. Lewis, President, United Way of Nashville and Middle Tennessee, Nashville

Mr. Ronald S. Ligon, President, Christus Gardens Executive Offices, Franklin

Mr. Stallings Lipford, President and Chairman, First Citizens National Bank, Dyersburg

Mr. Robert H. Lloyd, Senior Vice President, First American National Bank, Kingsport

Mr. Lake F. Loudermilk, President, International Union of Electricians, Local 748, Jefferson City

Mr. Howard W. Loveless, President, Sealy Southeast, Memphis

Mr. Thomas A. Lupton, Jr., President, Stone Fort Land Company, Chattanooga

Mr. Leo J. Matthews, President, Pay Cash Grocery, Inc., Knoxville

Mr. John E. McCutchen, President, E. L. Morgan Company, Jackson

Mr. Millard McDonnell, Vice President, Texas Instruments--MS 3501, Industrial Systems Division, Johnson City

Mr. Merle C. Meyers, General Manager, Middle Tennessee Utility District, Smithville

Mr. Ralph E. Newman, Jr., Chairman of the Board, The Bankers Service Life Insurance Company, Knoxville

Mr. John F. Nicholson, President, Tennessee Apparel Corporation, Tullahoma

Mr. James E. Orgain, President, Orgain Building Supply, Inc., Clarksville

Mr. William Ownby, Vice-President, Operations, McCord Winn Division, Ex-Cello Corp., Cookeville

Mr. John L. Parish, President and Chief Executive Officer, Lannom Manufacturing Company, Inc., Tullahoma

Mr. H. T. Parks, Chairman of the Board, T. U. Parks Construction Company, Chattanooga

Mr. Mario J. Pavia, Manager Human Resources, Eaton Corporation, Axle-Brake Division, Gallatin

Mr. Ivan Pihl, General Manager, Reelfoot Packing Company, Union City

Mr. Staley E. Pillow, State Legislative Director, United Transportation Union, Nashville

Mr. Richard A. Piske, Manager, Building Systems Department, Allen & Hoshall, Inc., Knoxville

Dr. Herman Postma, Vice President, Martin-Marietta Energy Systems, Oak Ridge

Dr. Patricia D. Postma, President, Business Investment Services, Oak Ridge

Mr. Walter L. Price, Partner, Bryant, Price, Brandt, Fox, Booze & Taylor, P.C., Johnson City

Mr. Harwell W. Proffitt, Chairman of the Board, Proffitt's, Inc., Alcoa

Dr. Allan G. Pulsipher, Chief Economist, Tennessee Valley Authority, Knoxville

Mr. James S. Putman, President, Tennessee Farmers Mutual Insurance Company, Columbia

Mr. James B. Ragland, Chairman, C. B. Ragland Company, Nashville

Mr. Arthur J. Rebrovick, President, Cutters Exchange, Inc., Nashville

Mr. Richard H. Remmut, Marketing Director, The Commercial Appeal, Memphis

Mr. Robert A. Rogers, Vice President-Administration, Plumley Rubber Company, Paris

Mr. James L. Simmons, President and Chairman of the Board, Tri-City Bank & Trust Company, Blountville

Mr. Gary N. Smith, President, American Uniform Company, Cleveland

Mr. James F. Smith, Jr., Chief Executive Officer, First American National Bank, Knoxville

APPENDIX J

THE EFFECTS OF THE MRS ON TOURISM

by

John W. Mayo

THE EFFECTS OF THE MRS ON TOURISM

One of the principal concerns raised by Tennessee citizens and public officials about locating an MRS facility in Tennessee is the impact that such a facility might have on tourism in the state. This concern is of particular interest since the two geographic areas being considered within Tennessee (i.e., the Oak Ridge Area and Hartsville) are both relatively near the state's two major tourist attractions - the Great Smoky Mountains and Nashville.

In order to gauge whether the concerns about tourism are justified, a survey was created by CBER and administered by the National Travel Data Center from Washington, D.C. The survey questions are presented in Addendum A of this Appendix.¹

Each month the National Travel Data Center conducts a telephone survey of 1,500 adults. The general purpose of the survey is to measure the travel intentions and activities of Americans throughout the contiguous United States. By using national probability samples, the results may be extrapolated to the full population. From this large sample, questions regarding an MRS facility were asked only of residents of the Eastern half of the U.S. and who had taken a pleasure trip within the last year. This screen brought our sample to 306.

1. The survey design is the result of efforts from several sources: Suzanne Cook of the National Travel Data Center, Washington, D.C.; Michael Rappaport of RL Associates, Princeton, N.J.; Mark Miller of The University of Tennessee, Department of Journalism; Kerry Smith of Vanderbilt University, Nashville; and the Center for Business and Economic Research professional staff, who remain responsible for the ultimate product.

In general, we found that respondents' travel plans were quite sensitive to the discovery of an MRS facility within the vicinity of their vacation destination. In Figure 1 we see the cumulative number of respondents who indicated that they would alter their travel plans in response to discovering that an MRS was located near their previously selected vacation spot. Of 306 respondents, 75 (25 percent) said that they would alter their travel plans if an MRS facility was located within 100 miles of their travel destination. Another 70 respondents indicated that they would alter their travel plans for an MRS located closer to their vacation spot. In all, 145 of the respondents, almost one-half of those surveyed, indicated that they would alter their travel plans if the MRS were located within 10 miles of their vacation spot. A casual examination of the sensitivity of respondents by income class failed to suggest that respondents of different income levels would react differently to an MRS facility.

Of the respondents who would alter their travel plans in response to an MRS near their prospective vacation spots, a large proportion (64 percent) indicated that they would go to a different vacation location. Another 27 percent indicated that they would cancel their trips upon discovering that an MRS was near their vacation destination.

While location of an MRS in the vicinity of the travelers' vacation spot did affect their travel plans, the vast majority (68 percent) of travelers would not alter their driving patterns to avoid coming within five miles of the facility. Another 20 percent would alter their driving patterns. Twelve percent of the respondents were uncertain what they would do when confronted with such a situation.

Of the 20 percent of the respondents who would alter their travel plans as a result of an MRS facility within five miles of their original

TOURISTS WHO WOULD ALTER TRAVEL PLAN

FIGURE 1

route, a surprisingly large proportion, 63 percent, would drive more than one additional hour to avoid the MRS facility. The results also indicate that 26 percent of the respondents would drive more than six and one-half additional hours to avoid the facility.

Among those respondents who said that they would alter their travel plans to avoid an MRS facility, many expressed a willingness to avoid the facility by several miles. The cumulative frequency distribution of miles away from the facility that respondents deemed desirable is given in Figure 2. There we can see that, of travelers who would alter their travel plans, over 60 percent said they would like to be more than 40 miles away from an MRS facility, nearly 20 percent said that they would like to be more than 100 miles away from an MRS facility, and 13 percent said that they would like to over 250 miles from the facility. While it is questionable whether travelers would really drive such great distances to avoid an MRS, the distribution of responses does demonstrate the intensity of concerns on the part of potential Tennessee vacationers.

The respondents also indicated a sensitivity to traveling on routes alongside trucks hauling nuclear waste. Over one-third (37 percent) of the respondents indicated that they would change their travel route to avoid trucks hauling nuclear waste even if it added more time to their trip. Fifteen percent didn't know what they would do, while 49 percent would not change their route in order to avoid nuclear waste-laden trucks. The largest group of respondents who would alter their driving patterns, (about 56 percent) said that they would drive between one and two additional hours to avoid traveling on routes carrying nuclear waste.

Some early sentiment has been expressed that the MRS facility could prove to be a tourist attraction or a "technology demonstration center."

FIGURE 2

DESIRED MILES FROM MRS

In order to assess this possibility, the survey included a question on whether travelers would take a tour of an MRS facility. As with other aspects of our overall study, we found respondents somewhat polarized in the desire to tour an MRS facility. Nearly one-half (46 percent) of the respondents said that they would definitely not take an MRS tour. Another 15 percent said they would probably not take an MRS tour. On the other hand, 15 percent of the respondents indicated that they definitely would take an MRS tour. The frequency distribution of responses to this question is given in Figure 3.

In summary, respondents to the tourism survey indicated significant sensitivity in their travel plans to the discovery of an MRS in the vicinity of their vacation destination. Moreover, those prospective tourists who would avoid proximity to the MRS facility would go to great extremes to do so. Finally, it does not appear that prospective tourists find the notion of a tour of the MRS facility very exciting.

WOULD YOU TAKE A TOUR OF AN MRS?

ADDENDUM A

8

56. Have you taken a pleasure trip in the past year?

1. Yes - Go to 56A
2. No - Go to 56N.

IF YES TO PLEASURE TRIP IN PAST YEAR, ASK:

56A. As you may have seen reported in the news this summer, the Federal Government is considering several sights for a nuclear waste storage facility. This facility will house nuclear waste in leak proof metal containers with each metal container stored in a steel-lined concrete container. These containers will be federally approved and there will be federal monitoring of their contents. We would like to know how you feel about the location of these facilities in relation to your travel plans. Suppose that you learned that such a waste storage facility was located within 100 miles of where you had planned a vacation. Would this change your plans for that vacation?

- a) 100 MILES
- 1 YES - GO TO 56E
 - 2 NO - GO TO 56B
 - 3 DK - GO TO 56B

56B. How about if it were located within 50 miles of where you had planned to go on vacation?

- b) 50 MILES
- 1 YES - GO TO 56E
 - 2 NO - GO TO 56C
 - 3 DK - GO TO 56C

56C. How about 25 miles?

- c) 25 MILES
- 1 YES - GO TO 56E
 - 2 NO - GO TO 56D
 - 3 DK - GO TO 56D

56D. How about 10 miles?

- d) 10 MILES
- 1 YES - GO TO 56E
 - 2 NO - GO TO 56F
 - 3 DK - GO TO 56F

56E. AFTER FIRST YES, ASK:

How would you change your plans? DO NOT READ CATEGORIES

1. CANCEL TRIP
2. GO TO DIFFERENT LOCATION GO TO
3. OTHER _____ Q.56F
4. DK

56F. Next I'd like you to suppose that there was no waste storage near where you planned to vacation, but that there was such a waste facility within five miles of the route you planned to drive to get to your vacation location. Would you change your driving route to avoid driving within five miles of a nuclear waste storage facility?

- 1 YES - GO TO 56G
- 2 NO - GO TO 56I
- 3 DK - GO TO 56I

IF YES:

56G. If your one way travel time had been 6 hours, how much time would you be willing to add to your driving to avoid coming within five miles of such a facility

56H. How many miles would you want to stay away from such a waste storage while driving to your vacation

56I. Suppose that along the route you were going to take, there were regular truck deliveries of nuclear waste to a waste storage facility. Would you change the route you took even if it increased the time it would take to get to your vacation?

- 1 YES - Go to 56J
- 2 NO - Go to 56K
- 3 DK - Go to 56K

IF YES:

56J. If your one way travel time had been 6 hours, how much extra time would you be willing to drive in order not to take a route used by trucks hauling nuclear waste?

56K. Suppose you had an opportunity to take a tour of a nuclear waste storage facility. Would you

- 1. Definitely take the tour
- 2. Probably take the tour
- 3. Probably not take the tour
- 4. Definitely not take the tour
- 5. DON'T KNOW

56L Which do you think is more dangerous to live near, a nuclear waste storage facility or a large chemical plant. (Don't read categories)

1. Nuclear Waste Storage Facility
2. Large Chemical Plant
3. Both
4. Neither
5. Don't Know

56M In an automobile accident involving a truck which do you think would be more dangerous, a truck carrying nuclear waste, or a truck carrying gasoline.

1. Truck carrying nuclear waste
2. Truck carrying gasoline
3. Both
4. Don't Know

APPENDIX K

**THE MONITORED RETRIEVABLE STORAGE FACILITY
AND IMPACTS OF REAL RISK**

by

LeRoy Hansen

THE MONITORED RETRIEVABLE STORAGE FACILITY AND IMPACTS OF REAL RISK

Introduction

Nuclear energy has been heralded as the ultimate answer to the problem of the earth's limited fossil fuel reserves. The vast energy released from small amounts of fissionable material inspires awe when compared to the amount of oil, gas, or coal necessary to produce an equivalent amount of energy. But along with the great amounts of energy available from nuclear fuel has come an unwanted end product--radioactive wastes--an end product that will emit harmful radiation for 10,000 years.¹

The Monitored Retrievable Storage (MRS) facility has been proposed as a way to repackage and temporarily store radioactive wastes. Before such a facility is accepted into a community/county/state, the impact of risks imposed on the area due to either normal exposure or potential accidents must be considered. This paper will consider the economic costs to Tennesseans from normal and accidental radiation exposure due to the transporting and repackaging/storing of the waste within the MRS system.

The first section of this paper describes the nuclear waste process and the role served by the MRS. The second section gives a brief analysis on the complication of risk estimation. The third section provides the costs of normal exposure and hypothesized worst-case accidental

1. After 10,000 years, the radiation level of the waste elements is the same as the radiation level of those elements found in nature.

exposure to radiation from the associated transportation and operation of the MRS based on the exposure estimates in Department of Energy (DOE) contracted reports.

The MRS Function

A brief description of the MRS system, as proposed, will be given here to help outline how normal exposure and accidents may occur. The MRS will be analyzed as it is now proposed, focussing on the Clinch River Site, which is the DOE preferred site.

At the reactor. Fuel used in a nuclear reactor is packed in sealed tubes called fuel rods. The reactor houses the fuel rods in water to allow the water to absorb the heat. The fission process occurs inside the fuel rods, generating enough heat to boil the water producing the steam which drives generator turbines. The rods, constructed and sealed securely to reduce the chances of leakage of the radioactive end products of the fission reaction, are arranged in a grid structure (forming a fuel assembly), allowing water to cool each rod from all sides.

After the fuel in the fuel assemblies has been exhausted, the assemblies are removed from the reactor and stored where the radiation emitted from the fission by-products can be absorbed harmlessly. This is done by immersing the assemblies in pools of water deep enough to submerge the top of the rods to a depth of 20 feet. On-site storage of spent fuel has been going on long enough to have forced some sites to expand their pools and/or to consolidate the fuel rods (e.g., to have taken them out of the grid structure and packed them closer). The spent fuel must be

at least five years old before consolidation to allow them time to cool radioactively and thus physically.

At the MRS facility. Upon completion of the MRS, spent fuel, whether in the grid structure or consolidated, will be packed into shipping casks and transported to the MRS site. Once at the site, the fuel assemblies will be removed from the hauling cask and disassembled. Next, the fuel rods will be consolidated and packed into stainless steel canisters. After being sealed, the canisters will be packed inside a 200-ton concrete storage cask with a two-inch steel lining. Inert gases (e.g., argon) will be used to fill the area around the canisters inside the storage cask, and then the cask will be sealed. The argon will be monitored for leaks of the stored material or leaks in the storage cask. The concrete storage casks will be moved outside to store the spent fuel until it is transported to a final repository, presumably at some other location.

When the fuel assemblies arrive at the MRS facility and are removed from the transportation cask, there is a chance for radioactive material to be released. On the fuel assemblies and fuel rods will be a build-up of radioactive corrosion and sediments accumulated from the reactor water. As the fuel assembly is disassembled and the fuel rods repacked, these sediments can break loose. The hot cell (where the unloading, consolidating, and packaging is done) will use three high efficiency particulate filters designed to filter out (conservatively) 95 percent of any airborne particles before the air passes to the outside environment (Silviera, et al., 1985).

Some 1 percent of the fuel assemblies are expected to fail and or leak and therefore would not be consolidated. The high particulate filters cannot restrain the gaseous nuclides which will thus be allowed to escape. The dangerous gaseous releases will be the isotopes of krypton, iodine, and tritium.

To ship the spent fuel to the repository, the concrete casks will again need to be moved inside the MRS facility. There, the stainless steel canisters will be removed from the storage casks and packaged into shipping casks. These shipping casks will be loaded on trains and shipped to the repository. On arrival, each shipping cask will have its contents transferred to a storage cask for placement in the repository. The shipping cask will then be cleaned and returned to the MRS facility.

Factors in Estimating Risk

"There is no such thing as a sure thing." We have all heard this comment and accept uncertainty in our lives. But when health and safety are the issue, the question arises: how much risk will we allow? Reductions in risks are not costless. Either purchases (e.g., insurance, safety devices, etc.) or a change of lifestyle (e.g., quitting smoking, always wearing seat belts, eating and exercising properly, etc.) will be necessary to reduce various types of risk which are confronted each day. Few people have given much thought to placing an explicit dollar value on risk reductions in their lives. Perhaps part of the complication lies in estimating the risk itself.

Defining risk. The economist F. Knight introduced the distinction between risk and uncertainty, suggesting that the former be kept for

situations in which objective probabilities exist and the latter for cases where objective probabilities cannot be applied. Accepting this distinction also means that it is lack of information which creates uncertainty. Uncertainty about an event may cause some to fear that some outcome will occur when there is no risk; that is, that there is no probability that it will in fact occur. For example, when Acquired Immune Deficiency Syndrome (AIDS) was first diagnosed, there was the uncertainty of the disease's transmission through a handshake. It is now known that such transmission is not possible. There has never been any risk (probability) of AIDS transmission through a handshake, only uncertainty. On the other hand, the past uncertainty of AIDS being contagious among heterosexuals has now been determined as a real risk (there is now a known probability that it can occur).

Uncertainties still exist in nuclear waste management with an MRS, and, given that this is a new and untried system, such uncertainties are to be expected. Lehtinen, et al. (1980) have suggested using subjective probabilities to incorporate uncertainties in estimating the expected risks in waste management. The technical nature of the MRS and subjective risk estimation is beyond the scope of this work. The following risk analysis uses an objective, rather than subjective, measure of risk.

One approach for defining risk is to identify risk as the expected value of the losses associated with all possible events. In that case the risk becomes

$$\text{risk} = \sum_{i=1}^N P_i L_i$$

where

P_i = the probability of event i ,

L_i = the dollar loss associated with event i , and

N = the number of potential events causing losses.

An increase in either of the above variables will bring about an increase in the overall level of risk. In the case of the MRS, three factors will determine the level of risk involved: the size of each loss stemming from normal or accidental radiation releases, the probability of that loss' occurring, and the total number of events where losses may occur. This measure of risk when all impacts to the public and private sectors of the state are included is the estimate of the expected social losses (hence, the expected real risk) the MRS will impose on the state.

Though expected value outcomes can be used for estimating risks, observations on human behavior indicate a more complex behavior towards risk. For example, insurance companies succeed because the policies people purchase cost more than the expected value of the event insured against. The purchasing of insurance exemplifies risk averse behavior where individuals would prefer to stabilize their income by paying a relatively small amount of money (but larger than the expected loss) as a premium to avoid paying the large loss should some event occur. Gambling represents risk-loving behavior where a premium is paid to increase the risk in one's life. Other complications which may influence how people react to a risky situation include: the control one feels, the scope of the risk (single, individual, or global), the magnitude of impact (sustainable to totally irreversible), and the variance of the risk. All of these factors affect the value individuals perceive when they seek to

avoid risks. (For more on risk behavior see Hey, 1979, Malinvaud, 1976, Schoemaker, 1982, and Schulze and Kneese, 1981.)

To outline the complications of estimating the probability of loss to either a population or an individual, we breakdown the probability of an MRS accident into three phases. Though it is not the only way to reveal the parameters in probability estimation, this breakdown does work well here. The first consideration is what is the probability of a mishap occurring (e.g., a fuel assembly dropping and two of the fuel rods breaking, or the probability of a truck hauling waste colliding and spilling a small amount of waste). The second is the question of the size of the range over which impacts are felt (how will wind patterns move radioactive gas or how many people live near where the truck collided?) The third consideration is to determine what effect does the accident's impacts have on health and the environment (equal amounts of exposure received at different rates have different health effects). The following sections explain the complications in answering these questions and will also list some of the difficulties in measuring the losses.

Probability of an accident. The first problem in estimating the probability of an accident is to define the type of accident which can occur. Consider the probability of an accident involving a truck hauling nuclear wastes. Should all accidents be considered or just those in which the transportation cask is damaged enough to leak? The severity of an accident falls into a continuum from very minor to extremely pernicious. Defining an accident according to factors such as the amount of damage done to the shipping vehicle or the amount of leakage of radioactive material leaked can be a beginning for determination of the accident's

probability. A difficulty lies in estimating the probability of each and every type of accident where these factors result.

The impact range. Having defined an accident by its intensity, one must next consider on the risk estimation how those leakages may impact the immediate area. For example, in an accident where a shipping cask is punctured so that 10 percent of the wastes spill, what characteristics of the waste and the environment will affect the accident's intensity? Complicating this question is the fact that significant uncertainty exists about climatic and environmental conditions around the hypothesized accident site. Parameters which may need to be considered in this example include the following: the nature of the surrounding population and environment, the waste's state (solid, liquid, gaseous, a combination, etc.), the mediums influencing the waste's field of contact (windy, porous soil, waterways, etc.), the material's level of radioactivity, and the level of cleanup. To evaluate the risks, the likelihood of these parameters incorporated with all of various accidents' probabilities must be known.

Health impacts. Knowledge of the probability of an accident and, if it occurs, the accident's impact on an area still does not fully determine what kind of risks the accident may pose. To further define the risks it is necessary to determine the health, property, and environmental effects resulting from the accident. Because of the very complicated ways in which radiation exposure affects living beings, the health impacts are described as probable effects. For example, a 400-rem exposure to radiation is expected to be fatal to half those receiving it. The

health impact probability will need to be known for each accident and the resulting dispersion of the release.

Table 1 below lists some characteristics of the three factors which enter into risk analysis. This is not the only way to classify these parameters when estimating risk; however, it does suggest that many factors are likely to affect the estimation of risks associated with an MRS.

Evaluating the loss. Knowing the probability of all the factors in risk analysis makes it possible to estimate the probability of all health/environmental impacts the MRS may pose, but this still does not measure risks. There is still the need to establish monetary values to the potential health/environmental effects to allow the estimation of the expected value of risk imposed by the facility. Establishing monetary values for health/environmental effects is not without its problems. For example, is having a 10 percent chance of your life being shortened by a year a greater loss than having a 20 percent chance of losing sight in one eye at the age of 50? The value of these health items have been determined by insurance companies and governments, but with inconsistent results. The dollar value of a human life used by federal agencies in policy-making decisions varies from a low of \$400,000, used by the Environmental Protection Agency, to a high of \$3.5 million, used by the Occupational Safety and Health Administration (Alm, 1985).

Given the above discussion on the complication of estimating expected social costs, it may be wise to determine if the complex probability estimation for all accidents is really necessary. It would be easier to

estimate the consequences of a worst case accident and thus, if the losses to Tennessee in such an accident were not significant, losses from the smaller accidents would not be significant and could be given less consideration. Therefore, the following analysis eliminates the complex probability estimation process and instead estimates the impact of a specific "worst case" accident. The costs estimated allow the policy maker to understand the magnitude of an accident which Tennessee may face in accepting the MRS.

Costs/Impacts of Operation and Selected Worst Case Accidents

The costs (in terms of lost life) to those in Tennessee from exposure to radiation associated with normal facility operation, normal waste transportation, and worst case accidents in transportation and operation are provided in this section. The normal and accidental radiation releases are those hypothesized in the DOE Environmental Assessment (EA) and the Environmental Document (ED). The worst case accidents listed by DOE have been criticized for not being severe enough. It has been proposed that disasters should be examined which result in "a 'whole yard of things lying loose' - for example a plane hitting the facility or the occurrence of terrorist bombing" (p. 10, State and Local Meetings, July 9-10, 1985). No data is currently available on these more extreme and less probable accidents. It is recognized that policy makers may gain substantially by examining such extreme cases both in their own perspective and in public confidence so that no stone is left unturned. However, with no data available on such accidents, this report will center on those accidents analyzed in the EA and ED.

TABLE 1
THE CATEGORIES OF INTERACTIVE PARAMETERS AFFECTING
THE LEVEL OF RISK POSED BY THE MRS

Accident Probability

Driver alertness

Equipment failure

Natural disasters

Intentional intervention

Impact Range

Quantity of release

Where released

Dispersion through

soil

air

water

Health/Environmental Impacts

Preventive measures

Inhaled or ingested

Size of population exposed

Length of exposure

Population characteristics

Normal exposure levels resulting from waste transport. As waste is hauled from the reactor to the MRS facility and from the MRS to the repository, those near the transport casks will receive high energy gamma radiation. Table 1 is taken from Table S.1 of the draft document of the Environmental Statement and lists exposure associated with Normal Operations, Operational Accident, and Transportation in an MRS system. Background, in Table 2, is the total exposure the affected population receives without the MRS. Population is the added total radiation exposure to the affected population brought about by the MRS. Average rems/person is the average of the added dose the affected population receives with the MRS. Maximally exposed individual is the highest dose one could receive in each case.

Comparing Background to Population exposure in transportation indicates a minor increase in radiation for the affected population. This exposure includes radiation effects from a worse case transportation accident. The DOE does not consider it possible for a transportation cask to spill any of its radioactive contents. The added exposure in an accident results from the increased man-hours spent within range of the high energy gamma radiation emitted continuously from the cask. The increase in radiation exposure in transportation represents 0.02 percent of the population's normal background exposure. The average transportation exposure per person is a very low addition to the approximate 130 mrem (1 rem = 1000 mrem) a person normally receives annually. Figure 1 gives a breakdown of sources of radiation exposure for the average American (Doses in Figure 1 are listed in mrem).

TABLE 2
SUMMARY OF RADIOLOGICAL IMPACTS FROM AN MRS FACILITY
AS COMPARED TO NATURAL BACKGROUND RADIATION

<u>Activity/Population Group</u>	<u>Clinch River</u>	<u>Oak Ridge</u>	<u>Hartsville</u>
<u>Normal Operations</u>			
<u>(Annual Dose)</u>			
Background (person-rem) ^a	160,000	160,000	120,000
Population (person-rem)	40	40	40
Average rems/person (rem)	2.5×10^{-5}	2.5×10^{-5}	3.0×10^{-5}
Maximally exposed individual (rem)	<0.001	<0.001	<0.001
<u>Operational Accident^b</u>			
Background (person-rem)	160,000	160,000	120,000
Population (person-rem)	0.01	0.01	0.01
Average rems/person (rem)	6.2×10^{-9}	6.2×10^{-9}	3.3×10^{-9}
Maximally exposed individual (rem)	0.0012	0.0058	0.0071
<u>Transportation (annual dose)^c</u>			
Background (person-rem) ^d	1,000,000	1,000,000	1,000,000
Population (person-rem)	200	200	200
Average rems/person (rem)	5×10^{-4}	5×10^{-4}	5×10^{-4}
Maximally exposed individual (rem)	n.a.	n.a.	n.a.

a. Values reported for background represent the annual dose received by the local population (within 50 miles) from natural sources. Population values represent the dose received from one year of normal operation by the same population group. The individual doses represent the dose received by the maximally exposed individual (usually the nearest resident).

b. The worst operational accident for the sealed storage cask design is a hypothetical fuel assembly drop in the rail yard. For the field drywell concept, the worst operational accident is a canister shearing incident.

c. The transportation impacts result from spent fuel shipments to the MRS site and then to a geologic repository site. The impacts are from routine exposure estimates bounding scenario (3600 MTU/year by 30% truck/70% rail).

d. Value reported for background represents the annual dose received by the population located within 800m (0.5 miles) of the projected truck and rail spent-fuel shipment routes. The estimated population is 10-15 million and the average background radiation dose is 0.1 rem/person-year (i.e., 10 million people multiplied times 0.1 rem/person-year equals 1 million person-rem).

n.a. = estimate not available at this time.

Source: U.S. Department of Energy, Environmental Assessment for a Monitored Retrievable Facility.

FIGURE 1
CONTRIBUTIONS TO U.S. AVERAGE ANNUAL WHOLE BODY DOSE RATE
(MREM/yr)

Source: "Report to the American Physical Society by the Study Group on Nuclear Fuel Cycles and Waste Management," *Reviews of Modern Physics*, January, 1978, p. S88.

Normal exposure levels from the MRS facility. The radiological dosage to the surrounding area from the MRS facility is of two forms. One form, the smaller source of exposure, results from the radiation emitted directly to the surrounding area. The second source of radiation exposure results from release of the radioactive gases, iodine (^{129}I), krypton (^{85}Kr), and tritium (^3H). These gases make direct body contact, enter the body, and become fixed in organs (e.g., iodine is fixed in the thyroid gland). The radionuclides which are fixed within the body become a steady source of radiation. Moreover, the emitted radiation penetrates organs directly.

Figure 1 shows the annual radiation dose resulting from normal operation of the MRS facility. Comparing this exposure to the normal background exposure implies an operational exposure of 0.0025 percent the background level. Even with the normal release of the radioactive gases, the exposure level to the maximally exposed individual is approximately zero.

Accidental exposure levels occurring during MRS operation. The accidental releases listed in Table 1 result from a dropped fuel assembly which breaks all the fuel cells. The air filtration system is expected to filter virtually all particulates with only the gases ^{129}I , ^3H , and ^{85}Kr being released. The dropping of the fuel assembly with cell breakage is expected less than once a year (EA p 2.3.7). The level of exposure to the total population and to the maximally exposed individual fall far below the regulatory limits of 0.025 rem for normal operations and transportation and 5 rem for design basis accidents (referred to 10 CFR 72 in Reference-Site Environmental Per Year). Should the

additional exposure from a worst case accident occur to the person who is most exposed during normal operations, total radiation exposure would still fall far below the regulatory limit on operational exposure.

Exposure Levels and Uncertainty

The analysis of economic effects which follows is based on the DOE accepted risk of exposure. Recall, however, that the definition of risk does not include uncertainty. The MRS is a new and untried waste storage procedure. As such, it has much uncertainty associated with it. Recall also, that there are those who feel that the worst case accidents are not a fair assessment of the potential consequences the area may face. The bottom line points to no quantifiable risk, but to substantive uncertainties. Again, uncertainty means that no objective probability can be assigned to an accident, but does not mean that an accident will not happen.

The normal and worst case exposure levels presented by DOE are extremely minor levels of radiation increase. With these low additional doses of radiation to the population, there appears to be little likelihood an MRS will increase the incidence of cancer or genetic defects. With no ill effects stemming from even the worst case accidents and from the normal additional exposure, there appear to be no real risks posed by accidents within the MRS system.

Because the presence of uncertainties implies a potential for real risks, this discussion on risk will be completed by outlining economic costs (besides loss of life) of real risks and why, given the DOE estimates of risk, they need not occur.

Health, market, environment: Based on the DOE estimates of no health effect, there will be no need for medical checkups. The radiation estimates in Table 2 are approximately 10 percent of the 10 rem exposure received in a single chest x-ray (Murry, 1985). Similarly, the DOE analysis indicates there is no reason for business, labor, and/or tourist to avoid the area because of real risks to health. They may, however, react to how they perceive risks in the area (see Appendix I and J). The health of the environmental/endangered species,² as with the health of the population, appear be facing no real risks because of the MRS.

Response teams: The existence of uncertainty implies the possibility of unforeseen real risk. This nonquantified risk of exposure can be lowered by training and equipping staff personnel who are able to contain and clean up radioactive releases after an accident. Also, perceived risks stemming from the existing uncertainty, as well as people's normal tendency for risk aversion, will encourage the state to employ an emergency response team anyway. The availability, responsiveness, and overall capabilities of emergency response teams can be improved throughout the state. At present there are nine emergency response teams within the state, not including those in major cities. The overall costs of upgrading emergency preparedness was estimated by the Tennessee Emergency Management Agency at \$1 million.

Systems Monitoring: Again, because of the uncertainties, the perceived risks and any unknown real risks will be reduced further by

2. There are three endangered species in the Clinch River area.

properly monitoring the MRS facility and transporting the waste. The Public Service Commission estimated start-up costs for systems monitoring at \$2 million, with annual operating costs ranging somewhere between \$1 and \$2 million.

Summary

The above analysis has outlined the operation of a waste disposal system, including an MRS facility, examined complications in risk estimation, and indicated there is essentially no cost from normal exposure to radiation and from the worst case accident as identified by DOE.

To simplify risk estimation, a worst case accident in plant operation was examined. Assuming that the DOE assessment is correct, a worst case accident is not costly in terms of health, life, environment, and economic well-being, so less significant accidents likewise should not be costly. Given the insignificant impact of this accident and the fact that normal exposure generates an even lesser threat, it can be concluded that the radiation risks of the MRS system are virtually nonexistent.

The level of real risk of radiation exposure from accidents is so low that expenditures on emergency response teams and MRS monitoring appear unnecessary. However, given the level of uncertainty which exists in an untried system, perceived risks will be quite high. Thus expenditures on emergency response teams and MRS monitoring will be made as insurance against these perceived risks. More on people's reactions to perceived risks can be found in Appendices H, I, and J.

APPENDIX L

BIBLIOGRAPHY

BIBLIOGRAPHY

Adams, C. E., "The Economics of Handling Refinery Sludges." Environment International 7, No. 4 (1985):293.

Aldrich, David C., et al. "Recent Developments in Reactor Accident Off-site Consequence Modeling." Nuclear Safety 23, No. 6 (November/December 1982):643-652.

Alexander, James. Department of Energy, Oak Ridge Operations. Personal communication, 8 November 1985.

Alm, Richard, "Sluggish Growth Seen Ahead by Top Executives." U.S. News and World Report 99, No. 16 (October 14, 1985):46-47.

American Nuclear Society. Proceeding of 1982 Winter Meeting. Washington, D. C.: 1982.

Barrett, Lake. Statements presented at MRS Transportation Workshop, Harriman, Tennessee, 6 September 1985.

Battelle-Columbus Division. Summary of Issues and Concerns Expressed During the April-May 1983 U.S. Department of Energy Public Hearings on Proposed Nomination of Sites for Site Characterization and Recommendation of Issues for Environmental Assessments and Site Characterization Plans. Columbus, Ohio: Office of Nuclear Waste Isolation, Battelle Memorial Institute, September, 1983.

Bethea, R. et al. Statistical Methods for Engineers and Scientists. 2nd ed. New York: Marcel Dekker, 1985.

Bierlein, L. W. "Handling and Transportation of Hazardous Materials and Hazardous Wastes--A Practical and Legal Perspective." Journal of American Oil Chemists 61, No. 2 (1984):313.

Bingham, G. and Miller, D. S. "Prospects for Resolving Hazardous Waste Siting Disputes Through Negotiation." Natural Resources 17, No. 34 (1984):473-489.

Bjornstad, David J. and Vogt, David P. "Some Comments Relating to Model Specification on Effects of Nuclear Power Plants on Property Values." Journal of Regional Science 24, No. 1 (1984):135-138.

Blomquist, Glenn. "The Effect of Electric Utility Power Plant Location on Area Property Values." Land Economics 50, No. 2 (1974):97.

Cave, Leslie. "Assessing U. S. Attitudes to Numerical Safety Goals." Nuclear Engineering International 27, No. 333 (October, 1982):15-16.

Coase, R.H. "The Problem of Social Cost." The Journal of Law and Economics 3 (October, 1960):1-44.

Environmental Protection Agency, Office of Policy Analysis. "The Role of Risk Assessment in Evaluating the Benefits of Hazardous Waste Management," by Ann Fisher.

Environmental Resources Management, Inc. "ERM-McGlennon Smooths Hazardous Waste Facility Siting ... the Alberta Experience." Resources 6, No. 2 (Spring 1984).

"Europeans Taught Business Strategy for Back End of Nuclear Fuel Cycle." The Energy Daily, 19 September 1984, p. 2-3.

Evans, Nigel. "Hidden Costs of the Accident at Three Mile Island." Energy (September, 1982):723.

Fama, Eugene F. Foundations of Finance: Portfolio Decisions and Securities Prices, New York: Basic Books, 1976.

Fabrikant, Jacob I. "Health Effects of the Nuclear Accident at Three Mile Island." Health Physics 40, No. 2 (February, 1981):151.

Ferguson, Timothy. Annual Averages: Tennessee Labor Force Estimates, 1980-1984. Nashville: Tennessee Department of Employment Security.

Gallagher, David R. and Smith, V. Kerry. "Measuring Values for Environmental Resources Under Uncertainty." Journal of Environmental Economics and Management 12 (1985):132-143.

Gamble, Hays B. and Downing, Roger. "The Effects of Nuclear Power Plants on Residential Property Values." Journal of Regional Science 22, No. 4 (1982):457-478.

_____. "Some Comments Relating to 'Model Specification on Effects of Nuclear Power Plants on Residential Property Values': A Reply." Journal of Regional Science 24, No. 1 (1984):137.

Goetze, David. "A Decentralized Mechanism for Siting Hazardous Waste--Disposal Facilities." Public Choice 39, No. 3 (1982):361-370.

Goldhaber, Marilyn K., Houts, Peter S. and Disabella, Renee. "Moving After the Crisis: A Prospective Study of Three Mile Island Area Population Mobility." Environment and Behavior 15, No. 1, (January, 1983):93.

Graham, John D. and Vaukel, James W. "Value of a Life: What Difference Does it Make?" Risk Analysis 1, No. 1 (1981):89-95.

Gross, Pete. Department of Energy, Oak Ridge Operations. Personal communication, 8 November 1985.

Hebel, L. Charles, et al. "Report to the American Physical Society by the Study Group on Nuclear Fuel Cycles and Waste Management." Review of Modern Physics 50, No. 1 (January, 1978): S5-S185.

Harrison, David, Jr. and Stock, James H. "Hedonic Housing Values, Local Public Goods, and the Benefits of Hazardous Waste Cleanup." Harvard University paper, September, 1984.

Harward, E. David. "An Overview of the Nuclear Industry's Experience in the United States." Nuclear Engineering International 26, No. 308 (January, 1981):28.

Health and Public Policy Committee, American College of Physicians. "Low-Level Radioactive Waste Management." Annals of Internal Medicine 100 (1984):912-913.

Henderson, James M. and Quandt, Richard E. Microeconomic Theory: A Mathematical Approach. New York: McGraw-Hill Book Company, 1971.

Hey, John D. Uncertainty in Microeconomics. Oxford: Martin Robertson, 1979.

Hoskins, Raymond E. Chief of Special Projects Staff, TVA, Nashville, Tennessee. Personal communication, 22 November 1985.

International Atomic Energy Agency. Regional Nuclear Fuel Cycle Centres, Vol. 1. Vienna, Austria: International Atomic Energy Agency, 1977.

Jaksetic, Emilio. "Legal Aspects of High-Level Radioactive Waste Management." Environmental Law 9 (Winter, 1979):347.

Johnson, E. R. and McLeod, N. Barrie. "Assessment of Centralized Spent Fuel Packaging and Storage Facilities." Paper presented at the Atomic Industrial Forum, Inc., Conference on Solutions to Nuclear Transportation Issues, Monterey, California, June 17, 1985.

Kaplan, Stanley and Garrick, B. John. "On the Quantitative Definition of Risk." Risk Analysis 1, No. 1 (1981):11-27.

Kaskey, Raphael G. "Perceptions of Risk and their Effects on Decision Making." Societal Risk Assessment: How Safe is Safe Enough? Edited by Richard C. Schwing and Walte, A. Albers, Jr. New York: Plenum Press, 1980.

Langley, C. John. "Adverse Impacts of the Washington Beltway on Residential Property Values." Land Economics 52, No. 1 (1976):54.

Latham, H. C.; Keller, D. I.; and T. J. Taylor. "Public Attitudes in Salt States Toward Siting High-Level Nuclear Waste Repositories." Transactions of The American Nuclear Society 46(1984):600.

Lebastard, Gerard. "MOX Makes Sense." Nuclear Engineering International 1 (August, 1985): 20-21.

Lehtinen, R.; Silvennoinen, P.; and Vira, J. "Allowing for Uncertainties in the Unexpected Waste Management Costs." Radioactive Waste Management 1, No. 1 (1980):43.

Lee, Tong Hun; Moore, John R.; and Lewis, David P. Regional and Inter-regional Intersectoral Flow Analysis: The Method and An Application to The Tennessee Economy, Knoxville, Tn.: The University of Tennessee Press, 1973.

Local Officials and the Public. Proceedings of a Meeting Sponsored by the Clinch River MRS Task Force, Oak Ridge, Tennessee, July 18, 1985.

Malinvaud, E. Lectures on Microeconomic Theory. Amsterdam-London: North-Holland Publishing Company, 1972.

McCall, John J. "Probabilistic Microeconomics," The Bell Journal of Economics and Management Science 2, No. 2 (Autumn, 1971):403-433.

McCreery, Paul N. and Townes, III, George H. "Extra Large Storage Casks: Feasibility and Implications." Paper presented at the Atomic Industrial Forum, Monterey, California, June 19, 1985.

McMahon, Robert, et al. Using Compensation and Incentives When Siting Hazardous Waste Management Facilities -- A Handbook. Washington, D.C.: U.S. Environmental Protection Agency, 1981.

Melber, Barbara D. "The Impact of TMI Upon The Public Acceptance of Nuclear Power." Progress in Nuclear Energy 10, No. 3 (1982):387-398.

Moravek, B. C. K. and Erlandso, B. C. "Public Attitudes Toward Siting of High-Level Nuclear Waste Repositories in the State of Washington." Transactions of The American Nuclear Society 46 (1984):600.

Murray, Raymond L. Understanding Radioactive Waste. 2nd ed. Columbus, Ohio: Battelle Press, 1985.

National Research Council, Commission on Physical Sciences, Mathematics and Resources, Board on Radioactive Waste Management. Social and Economic Aspects of Radioactive Waste Disposal: Consideration for Institutional Management. Washington, D.C.: National Academy Press, 1984.

National Research Council, Committee on the Biological Effects of Ionizing Radiations. The Effects on Populations of Exposure to Low Levels of Ionizing Radiation: 1980, Washington, D.C.: National Academy Press, 1980.

Nelson, Jon P. "Three Mile Island and Residential Property Values: Empirical Analysis and Policy Implications." Land Economics 57, No. 3 (August 1981):363-372.

Oceans and Environment Program, Office of Technology Assessment. "Comments on the Department of Energy's Mission Plan for the Civilian Radioactive Waste Management Program." A Staff Paper Prepared for the Subcommittee on Energy Conservation and Power, House Committee on Energy and Commerce, August 30, 1985.

Office of Civilian Radioactive Waste Management. "Monitored Retrievable Storage Program, Briefing Package, Environmental Assessment: Approach and Outline." Paper prepared for the State of Tennessee, June 1985.

Palmer, P. D. A Psychological Perspective of the Nuclear Controversy. Laxenburg, Austria: International Institute for Applied Systems Analysis, 1976.

Petti, Caroline L. Monitored Retrievable Storage: A Critique. Washington, D. C.: Environmental Policy Institute, 1985.

Philipson, Lloyd L. and Napadensky, Hyla S. "The Methodologies of Hazardous Materials Transportation and Risk Assessment." Journal of Hazardous Materials 6 (September, 1982):361-382.

Pijawka, K. D., et al. "Socioeconomic Impacts of Nuclear Generating Stations." Paper prepared for the Division of Health, Siting and Waste Management, Office of Nuclear Regulatory Research, 1982.

Radner, Roy. "Rational Expectations Equilibrium: Generic Existence and The Information Revealed by Prices." Econometrica 47, No. 3 (May 1979): 655-678.

Rayner, Steve. "Learning from the Blind Men and the Elephant, Or Seeing Things Whole in Risk Management." Paper Presented at the Annual Meeting of the Society for Risk Analysis, Knoxville, Tennessee, 1984.

_____. "Public Response to Controversial Facilities: A Socio-Cultural Approach." Paper Presented to the Annual Research Conference of the Association for Public Policy and Management, Philadelphia, Pennsylvania, October 20-22, 1983.

Resnikoff, Marvin. The Next Nuclear Gamble. New York: Council on Economic Priorities, 1983.

_____. "When Does Consultation Become Co-optation? When Does Information Become Propaganda? An Environmental Perspective." in The Politics of Nuclear Waste, pp. 188-201. Edited by E. William Colglazier, Jr. New York: Pergamon Press, 1982.

Ridker, Ronald J. and Henning, John A. "The Determinants of Residential Property Values with Special Reference to Air Pollution." Review of Economics and Statistics 49, No. 2 (May, 1967):246-257.

Sage, Andrew P., and White, Elbert B. "Methodologies for Risk and Hazard Assessment: A Survey and Status Report." IEEE Transactions On Systems, Man, and Cybernetics SMC-10, No. 8 (August 1980):425-446.

Schoemaker, Paul J. H. "The Expected Utility Model: Its Variants, Purposes, Evidence and Limitations." Journal of Economic Literature 20 (June, 1982):529-563.

Sills, David L.; Wolf, C. P.; and Shelanski, Vivien B., eds. Accident at Three Mile Island--The Human Dimensions. Boulder, Colorado: Westview Press, 1982.

Silviera, D. J., et al. Reference-Site Environmental Document for a Monitored Retrievable Storage Facility: Backup Waste Management Option for Handling 1800 MTU Per Year. Richland, Washington: Pacific Northwest Laboratory, June, 1985.

Skaburskis, Andrejs. "Externalities and Property Prices: A Test of the Schall Hypothesis." Journal of Regional Sciences 22, No. 2 (1982):213.

Slovic, Paul; Fischhoff, Baruch; and Lichtenstein, Sarah. "Facts and Fears: Understanding Perceived Risk." In Societal Risk Assessment: How Safe is Safe Enough? Edited by Richard C. Schwing and Walter A. Albers, Jr. New York: Plenum Press, 1980.

Smith, V. Kerry and Desvousges, William H. An Empirical Analysis of the Economic Value of Risk Charges. Working Paper No. 85-W24, Nashville, Tennessee: Vanderbilt University, Department of Economics and Business Administration, May, 1985.

_____. "The Value of Avoiding a Lulu: Hazardous Waste Disposal Sites." April 16, 1985.

Smith, V. Kerry; Desvousges, William H.; and Freeman, III, A. Myrick. Valuing Changes in Hazardous Waste Risks: A Contingent Valuation Analysis. Vol. 1, Draft Interim Report. Washington, D.C.: Benefits Branch of Economic Analysis Division, U.S. Environmental Protection Agency, February, 1985.

"South Carolina Governor to Urge Alexander to be Cautious in OK'ing N-Waste Facility." Knoxville News-Sentinel, 5 August 1985, p. 1.

State and Local officials. Proceedings of a Meeting concerning the MRS, Nashville, Tennessee, July 9-10, 1985.

Tennessee Valley Authority. "Hartsville Nuclear Plants Construction Employee Monitoring: Errata Report." October, 1982.

_____. "Hartsville Nuclear Plants Socioeconomic Monitoring and Mitigation Report, HNP-SMR-5, September 30, 1978." April 1979.

_____. "Hartsville Nuclear Plants Socioeconomic Monitoring and Mitigation, Report ANP-SMR-10, March 31, 1981. January, 1982.

United Nations Scientific Committee on the Effects of Atomic Radiation. Sources and Effects of Ionizing Radiation. New York: United Nations, 1977.

U.S. Congress, Office of Technology Assessment. Managing the Nation's Commercial High-Level Radioactive Waste: Summary. Washington, D.C.: Government Printing Office, 1985.

U.S. Department of Commerce. Bureau of the Census. 1980 Census of Population, Vol. 2, Subject Reports: Place of Work.

United States Census of Population: 1980. Vol. 2,
Subject Reports: Journey to Work: Metropolitan Commuting Flows.

U.S. Department of Energy, Oak Ridge Operations. "Response to the Socio-economic Study Group's Questions." Task Force Memorandums 10, 11, 12, and 13. Oak Ridge, Tennessee, September 11, 1985.

Mission Plan for the Civilian Radioactive Waste Management
Program DOE/RW-0005, 1 (June, 1985): 126.

U.S. Department of Energy, Office of Civilian Radioactive Waste Management. Nuclear Waste Policy Act. Monitored Retrievable Storage Submission to Congress, 2, Environmental Assessment for A Monitored Retrievable Facility (January 1986), preliminary.

U.S. Department of Health, Education, and Welfare, vol. 15. Quoted in Radioactive Waste: Politics, Technology and Risk, p. 14.

Vianna, N. J. "Love Canal: Issues and Problems." Chemosphere 12(1983): 705.

Vickers, Betty B., ed. Tennessee Statistical Abstract 1985/86. Knoxville, Tennessee: Center for Business and Economic Research, College of Business Administration, the University of Tennessee, August, 1985.

Weinberg, Alvin M. "Nuclear Energy and Proliferation: A Longer Prospective." In The Nuclear Connection: A Reassessment of Nuclear Power and Nuclear Proliferation. Edited by Alvin Weinberg, Marcelo Alonso, and Jack Barkenbus. New York: Paragon House, 1985.

Williams, M. M. R. and McCormick, N. J., eds. Progress in Nuclear Energy. Oxford: Pergamon Press, 1983. Vol. 10: Radiation Doses to the Public from the Nuclear Industry, by J. H. Fremlin and C. K. Wilson.

Walker, Charles A.; Gould, Leroy G.; and Woodhouse, Edward J., eds. Too Hot to Handle: Social and Policy Issues in the Management of Nuclear Waste. New Haven; Yale University Press, 1983.

Westinghouse Electric Corporation, Waste Technology Services Division. Phase I: Study of Metallic Cask Systems for Spent Fuel Management from Reactor to Repository, 3 Vols., Paper prepared for the U.S. Department of Energy under Contract Number DE-AC01-84RW00003, September, 1985.

Wieand, Kenneth F. "Air Pollution and Property Values: A Study of the St. Louis Area." Journal of Regional Science 13 No. 1 (1973):91.

Williams, M. M. R., and McCormick, N. J., eds. Progress in Nuclear Energy. Oxford: Pergamon Press, 1983. Vol. 10: Radiation Doses to the Public from the Nuclear Industry, by J. H. Fremlin and C. K. Wilson.

Zimmerman, Martin B. "The Valuation on Nuclear Power in the Post-Three Mile Island Era." Energy Journal 4, No. 2 (April, 1983):15-29.

END

**DATE
FILMED**

5 / 20 / 92