AIIM

Association for Information and Image Management

1100 Wayne Avenue, Suite 1100
Silver Spring, Maryland 20910
301/587-8202

Centimeter

Inches

MANUFACTURED TO AIIM STANDARDS
BY APPLIED IMAGE, INC.

1 of 1

DECLASSIFIED

(CLASSIFICATION)

DOCUMENT NO.

HW-81379 H
HANFORD CODE C-65

SERIES AND COPY NO.

DATE

OCTOBER 22, 1965.

GENERAL ELECTRIC

HANFORD ATOMIC PRODUCTS OPERATION - RICHLAND, WASHINGTON

☒ XX

THIS DOCUMENT CONTAINS RESEARCH DATA AS
PRODUCED IN THE ATOMIC ENERGY ACT OF 1946
TRANSMITTAL OF THIS DISCLOSURE OF
CONTENTS IN ANY MANNER TO AN UNAUTHORIZED
PERSON IS PROHIBITED.

TITLE

SUPPLEMENT C TO PRODUCTION TEST IP-669-AC
DEPLETED URANIUM IRRADIATION - SMALLER
REACTORS.

☐

OTHER OFFICIAL CLASSIFIED INFORMATION

THIS MATERIAL CONTAINS INFORMATION AFFECTING
THE NATIONAL DEFENSE OF THE UNITED STATES
WITHIN THE MEANING OF THE ESPIONAGE LAWS,
TITLE 18, U. S. C., SECS. 793 AND 794, THE TRANSMISSION OR REVELATION OF WHICH IN ANY MANNER TO AN UNAUTHORIZED PERSON IS PROHIBITED BY LAW.

AUTHOR

PD GROSS

ISSUING FILE

THIS DOCUMENT MUST BE KEPT UNATTENDED OR WHERE AN UNAUTHORIZED PERSON MAY HAVE ACCESS TO IT. WHEN NOT IN USE, IT MUST BE STORED IN AN APPROVED LOCKED CONTAINER WITHIN AN AREA GUARDED AREA. IF IT IS IN YOUR POSSESSION AND UNTIL YOU HAVE OBTAINED A SIGNED RECEIPT FROM CLASSIFIED OFFICES, IT IS YOUR RESPONSIBILITY TO KEEP IT AND ITS CONTENTS WITHIN THE LIMITS OF THIS ACT AND FROM AN UNAUTHORIZED PERSON. TRANSMITTAL TO, AND STORAGE IN YOUR PLACE OF RESIDENCE IS PROHIBITED. IT IS NOT TO BE REPRODUCED. IF ADDITIONAL COPIES ARE REQUIRED, OBTAIN THEM FROM THE RELATED ISSUING OFFICE. ALL PERSONS READING THIS DOCUMENT ARE REQUESTED TO SIGN IN THE SPACE PROVIDED BELOW.

ROUTE TO:

PAYROLL NO.

LOCATION

FILES ROUTE
DATE

SIGNATURE AND DATE

BNW

3760

3-30-66

FOR FILE

MAR 30 1966

DECLASSIFIED

(CLASSIFICATION)

DECLASSIFIED

HW-81379 H

HANFORD CODE C-65

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

This document consists of

4 pages.

Distribution
1 - BNW

This document classified by

G. J. Bailey

SUPPLEMENT C TO PRODUCTION TEST IP-669-AC
DEPLETED URANIUM IRRADIATION - SMALLER REACTORS

By

P. D. Gross
Process Physics Unit
Process Technology Subsection
Research & Engineering Section

Classification Cancelled and Changed To

DECLASSIFIED

By Authority of *RM - HCN*
4-1-94 CG-PR-2
By *J. E. Savely* 4-17-94
Verified By *Jessi Maley*
4-18-94

October 22, 1965

DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED

HANFORD ATOMIC PRODUCTS OPERATION
RICHLAND, WASHINGTON

NOTICE

This report was prepared for use within General Electric Company in the course of work under Atomic Energy Commission Contract AT(45-1) - 1350, and any views or opinions expressed in the report are those of the author only. This report is subject to revision upon collection of additional data.

LEGAL NOTICE

This report was prepared as an account of Government sponsored work. Neither the United States, nor the Commission, nor any person acting on behalf of the Commission:

A. Makes any warranty or representation, expressed or implied, with respect to the accuracy, completeness, or usefulness of the information contained in this report, or that the use of any information, apparatus, method, or process disclosed in this report may not infringe privately owned rights; or

B. Assumes any liabilities with respect to the use of, or for damages resulting from the use of any information, apparatus, method, or process disclosed in this report.

As used in the above, "person acting on behalf of the Commission" includes any employee or contractor of the Commission, or employee of such contractor, to the extent that such employee or contractor of the Commission, or employee of such contractor prepares, disseminates, or provides access to, any information pursuant to his employment or contract with the Commission, or his employment with such contractor.

MASTER

DECLASSIFIED

HW-81379 H
Page 2

~~This document consists of~~

~~.....page. No.~~

~~.....copies. Series.....~~

DISTRIBUTION

1. B N W -

DECLASSIFIED

DECLASSIFIED

HW-81379 II
Page 3

SUPPLEMENT C TO PRODUCTION TEST IP-669-AC DEPLETED URANIUM IRRADIATION - SMALLER REACTORS

OBJECTIVE

The objective of this supplement is to authorize the extended irradiation of one column of depleted uranium.

BASIS AND JUSTIFICATION

Although commitments made for 25 kg of 18 w/o Pu-240 plutonium have been met and yields were in excess of those anticipated, the performance of the depleted loadings has been sufficiently successful to warrant obtaining data for a similar program of higher goal exposure.

Performance of the target elements has been excellent, and it is anticipated that element failure will not be a problem in irradiations to exposures about twice those presently experienced. Plutonium yields, however, cannot be extrapolated to higher exposures using existing techniques. In order to estimate yields and isotopic content, it is necessary to obtain data at higher exposures. Once the data are available, they may be used to calibrate existing computer programs and refine other calculational techniques used to predict product specifications in the desired exposure range. Therefore, it is desirable to obtain this necessary data while it can be done by simply extending the goal exposure of one column of depleted uranium to 4000 mwd/t.

HAZARDS

No additional or unusual hazards are introduced by this supplement to the test.

TEST DETAILS

Depleted uranium column 3186-B will not be discharged during the outage in which the remainder of the depleted uranium loading at the B reactor is scheduled for discharge.

DUAL EXPOSURE

The depleted uranium column in 3186-B will be discharged at the earliest opportunity after it has reached an exposure of 4000 mwd/t.

P.D. Gross
Process Physics Unit
Process Technology Subsection
Research & Engineering Section

PD Gross:cwl

DECLASSIFIED

HW-81379 H
Page 4

APPROVALS

R. Wilson, Manager
Process & Reactor Development
Research & Engineering Section

R. W. Reid, Manager
Process Technology
Research & Engineering Section

T. W. Ambrose, Manager
Research & Engineering Section

J. W. Baker, Manager
B Processing
Manufacturing Section

A. R. Maguire, Manager
B-C Reactors
Manufacturing Section

S. M. Graves, Manager
Manufacturing Engineering
Manufacturing Section

R. S. Bell, Manager
Manufacturing Section

A. P. Vinther, Manager
Production Subsection

DATE

FILMED

8/2/94

END